ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

JANUARY,

1926.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

QC
990
.H56
H35
1926

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1926.

LIBRARY
N.O.A.A.
U.S. Dept. of Commerce

49282

[*Price 60c.*]

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

ROYAL OBSERVATORY, HONGKONG.

Latitude.....22° 18′ 13·2″ North.
Longitude.... 7ʰ 36ᵐ 41·86ˢ East.

MONTHLY METEOROLOGICAL BULLETIN, 1926.

Introduction.

§ 1. *Buildings and Instruments.*

A detailed description of the Observatory and Instruments is contained in the Introduction for 1913 and 1914.

§ 2. *Reduction of the Observations.*

The continuous records of the temperature of the air and of evaporation, and direction of the wind are measured at each hour of the day, from 1ʰ to 24ʰ of Hongkong standard time. Those of wind velocity and amount of rainfall are measured at 30 minutes before the above hours, so as to obtain the value of these elements at the hour. The records of the duration of sunshine are measured so as to include the amount of sunshine recorded from 30 minutes before to 30 minutes after each hour of local apparent time.

The hourly values of the principal meteorological elements are given in Tables I to VII. Three-hourly observations of the character and direction of motion of the clouds are given in Table VIII and a list of phenomena observed during the month at the foot of Table IX. The daily values of the meteorological elements are collected in Table IX and the mean hourly values for the month in Table XI. The normals given in Tables IX and X refer to the periods 1884–1923.

Beginning with 1924, January, the blank space at the foot of Table X has been utilised for showing the adopted errors of the Time Ball.

The values given in Table I, barometric pressure, are derived from the hourly readings of the Kew pattern Station barometer No. 1323. The results are corrected for index error and reduced to the temperature 32° F. They are ***not*** reduced to sea level, nor to the gravity at latitude 45°. The height of the barometer cistern above mean sea level is 109 feet.

The temperature of the air and of evaporation (Tables II and III) are derived from the hourly measures of the Richard dry and wet-bulb thermograph. The highest and lowest temperatures given in Tables IX and X are the highest and lowest points on the thermograms. The records are obtained on plain paper, on which a base-line for each day's register is laid down from the eye observations of rotating thermometers. The registers are time-scaled electrically ; an electro-magnet operated by the hourly time signal lifts the pens from the paper, and clock work apparatus, adapted by Mr. Evans in January, 1923, locks them until the

3rd minute when they are released and fall back on to the paper. The thermometers are aspirated from the 55th to the 60th minute of each hour by an electric fan, operated by a contact on one of the electric dials, air being drawn into the shelter through a 14-inch zinc pipe. A buzzer, operated each minute, was fitted to the thermometer frames on April 2nd, 1924.

The index corrections of all thermometers in use are determined near mid-summer and mid-winter, by comparison in water with a standard thermometer (Kew No. 647) constructed at the Kew Observatory. Comparisons with a Griffin standard thermometer, purchased in the year 1914, indicate that Kew No. 674 reads 0°·10 F. too high. No correction has been applied on this account, however.

The vapour tension and relative humidity given in Tables IX and XI have been derived from the Hygrometric Tables in use in the India Meteorological Department.

In Table VIII the cloud classification adopted by the London Meteorological Office is used. Where the names of upper and lower clouds are given, but only one direction, the latter refers to the lower clouds.

The amount of sunshine given in Table V is derived from the hourly measures of the Campbell-Stokes Universal Sunshine Recorder, Lecky No. *c*51. The percentage of possible sunshine given in Tables IX and XI is obtained by dividing the observed amount by the number of hours the Sun's centre is above the horizon, using 34′ as the mean refraction on the horizon.

The shadow of the wireless mast, erected in the summer of 1917, falls on the sunshine recorder for a few minutes in the afternoon from January 16 to March 29 and September 16 to November 28. The mast has a skeleton frame the ribs of which partially eclipse the Sun and occasionally cause a slight loss of register. A more serious loss occurs when the sun passes behind the joints of the mast (which are steel plates 3 feet square) or when the Sun sets behind the mast. A list of corrections to the sunshine values in Tables V and IX of the Monthly Meteorological Bulletin for the years 1917–19, on account of this interruption, is given in the Bulletin for December, 1919. The correction is never large enough to affect the values given in Table XI.

A second recorder, similar to the Lecky instrument, was obtained from Messrs. J. Hicks and set up on the south-west corner of the Main Building on January 6, 1921. The records of this instrument furnish the necessary corrections to those of the old Lecky instrument, as the interruption by the mast occurs at a different time.

The amount of rainfall given in Table VI is derived from the hourly measures of the Nakamura pluviograph, corrected when necessary by observation of the standard rain-gauge. In order to contrast the dry and wet hours the former are indicated by three dots, thus,...and the same symbol has been used to indicate clear sky (Tables IV and VIII). no sunshine (Tables V and IX), and calms (Table VII). In Table VI the letter *d* indicates that drizzle occurred but that the amount was too small to be recorded on the pluviogram. As regards the duration of rain given in Tables IX–XI, it should be mentioned that frequently in the winter months very fine drizzle occurs at intervals during the day, but the amount collected in the gauge is less than 0·005 inch.

The direction and velocity of the wind (Table VII) are derived from the hourly measures of the Beckley anemograms. These measures are resolved into north and east components by the aid of a table giving the components for every point of direction and every mile of velocity, the values in the table being increased by 100 to avoid minus signs. The mean daily direction and velocity,

and the mean hourly values in each month, given in Tables IX—XII, are derived from the north and east components by the aid of Table III (B) in Chapter VI of the International Meteorological Tables. For the sake of continuity Dr. Robinson's factor (3) has been retained for converting the velocity of the cups into wind velocity, in the above Tables.

Beginning with the year 1916, the daily and mean hourly values of the principal meteorological elements in each month have been published in both C.G.S. and British Units. (Tables IX–XII). It should be noted that before converting the barometric pressure given in Tables IX and XI into millibars the readings have been reduced to sea level and gravity at 45°. and also that the vapour tension has been reduced to latitude 45°. The wind components and velocity have been multiplied by $\frac{2}{3}\frac{2}{0}$ before converting them into C.G.S. Units, in order to reduce them to the International Standard.

The conversion tables following the Introduction have been extracted from the *British Meteorological and Magnetic Year-Book for 1913.*

The unit of atmospheric pressure in the C.G.S. system is the megadyne per square centimetre, which is called the "bar" and is equivalent to a pressure of 750·076 millimetres of mercury (or 29·5306 inches) at the freezing point of water in latitude 45°.

The unit of rainfall measurement is the millimetre of rain.

The unit of wind velocity is the metre per second.

Temperature is measured in Centigrade degrees from the absolute Zero, or 273° below the zero of the Centigrade scale.

T. F. CLAXTON.

ROYAL OBSERVATORY, HONGKONG.

TABLES FOR CONVERTING FROM BRITISH TO C.G.S. UNITS.

TABLE I.—PRESSURE.

Inches of mercury (at 32° F. and 45° Latitude) to Millibars.

The fundamental equations are:—

acceleration of gravity in latitude 45° = 980·617 cm./sec².
density of mercury at normal freezing-point of water = 13·5955.
1 mercury-inch = 33·8632 millibars.
1000 millibars = 1 bar = 29·5306 mercury inches = 750·076 mercury millimetres
using 1 inch = 2·54000 cm.

Hundredths.	·00	·01	·02	·03	·04	·05	·06	·07	·08	·09
Inches and Tenths.	Millibars.									
27.0	914·31	914·65	914·98	915·32	915·66	916·00	916·34	916·68	917·02	917·35
27.1	917·69	918·03	918·37	918·71	919·05	919·39	919·72	920·06	920·40	920·74
27.2	921·08	921·42	921·76	922·09	922·43	922·77	923·11	923·45	923·79	924·13
27.3	924·47	924·80	925·14	925·48	925·82	926·16	926·50	926·84	927·17	927·51
27.4	927·85	928·19	928·53	928·87	929·21	929·54	929·88	930·22	930·56	930·90
27.5	931·24	931·58	931·92	932·25	932·59	932·93	933·27	933·61	933·95	934·29
27.6	934·62	934·96	935·30	935·64	935·98	936·32	936·66	936·99	937·33	937·67
27.7	938·01	938·35	938·69	939·03	939·37	939·70	940·04	940·38	940·72	941·06
27.8	941·40	941·74	942·07	942·41	942·75	943·09	943·43	943·77	944·11	944·44
27.9	944·78	945·12	945·46	945·80	946·14	946·48	946·82	947·15	947·49	947·83
28.0	948·17	948·51	948·85	949·19	949·52	949·86	950·20	950·54	950·88	951·22
28.1	951·56	951·89	952·23	952·57	952·91	953·25	953·59	953·93	954·26	954·60
28.2	954·94	955·28	955·62	955·96	956·30	956·64	956·97	957·31	957·65	957·99
28.3	958·33	958·67	959·01	959·34	959·68	960·02	960·36	960·70	961·04	961·38
28.4	961·71	962·05	962·39	962·73	963·07	963·41	963·75	964·09	964·42	964·76
28.5	965·10	965·44	965·78	966·12	966·46	966·79	967·13	967·47	967·81	968·15
28.6	968·49	968·83	969·16	969·50	969·84	970·18	970·52	970·86	971·20	971·54
28.7	971·87	972·21	972·55	972·89	973·23	973·57	973·91	974·24	974·58	974·92
28.8	975·26	975·60	975·94	976·28	976·61	976·95	977·29	977·63	977·97	978·31
28.9	978·65	978·99	979·32	979·66	980·00	980·34	980·68	981·02	981·36	981·69
29.0	982·03	982·37	982·71	983·05	983·39	983·73	984·06	984·40	984·74	985·08
29.1	985·42	985·76	986·10	986·44	986·77	987·11	987·45	987·79	988·13	988·47
29.2	988·81	989·14	989·48	989·82	990·16	990·50	990·84	991·18	991·51	991·85
29.3	992·19	992·53	992·87	993·21	993·55	993·88	994·22	994·56	994·90	995·24
29.4	995·58	995·92	996·26	996·59	996·93	997·27	997·61	997·95	998·29	998·63
29.5	998·96	999·30	999·64	999·98	1000·32	1000·66	1001·00	1001·33	1001·67	1002·01
29.6	1002·35	1002·69	1003·03	1003·37	1003·71	1004·04	1004·38	1004·72	1005·06	1005·40
29.7	1005·74	1006·08	1006·41	1006·75	1007·09	1007·43	1007·77	1008·11	1008·45	1008·78
29.8	1009·12	1009·46	1009·80	1010·14	1010·48	1010·82	1011·16	1011·49	1011·83	1012·17
29.9	1012·51	1012·85	1013·19	1013·53	1013·86	1014·20	1014·54	1014·88	1015·22	1015·56
30.0	1015·90	1016·23	1016·57	1016·91	1017·25	1017·59	1017·93	1018·27	1018·61	1018·94
30.1	1019·28	1019·62	1019·96	1020·30	1020·64	1020·98	1021·31	1021·65	1021·99	1022·33
30.2	1022·67	1023·01	1023·35	1023·68	1024·02	1024·36	1024·70	1025·04	1025·38	1025·72
30.3	1026·05	1026·39	1026·73	1027·07	1027·41	1027·75	1028·09	1028·43	1028·76	1029·10
30.4	1029·44	1029·78	1030·12	1030·46	1030·80	1031·13	1031·47	1031·81	1032·15	1032·49
30.5	1032·83	1033·17	1033·50	1033·84	1034·18	1034·52	1034·86	1035·20	1035·54	1035·88
30.6	1036·21	1036·55	1036·89	1037·23	1037·57	1037·91	1038·25	1038·58	1038·92	1039·26
30.7	1039·60	1039·94	1040·28	1040·62	1040·95	1041·29	1041·63	1041·97	1042·31	1042·65
30.8	1042·99	1043·33	1043·66	1044·00	1044·34	1044·68	1045·02	1045·36	1045·70	1046·03
30.9	1046·37	1046·71	1047·05	1047·39	1047·73	1048·07	1048·40	1048·74	1049·08	1049·42

Thousandths of an Inch.

Inch.	0	·001	·002	·003	·004	·005	·006	·007	·008	·009
Millibars.	0	·03	·07	·10	·14	·17	·20	·24	·27	·30

TABLE II.—TEMPERATURE.

Degrees Fahrenheit to Degrees Absolute.

The equations are A = 273 + 5/9 (F − 32), F = 32 + 9/5 (A − 273).

Tenths.	0	1	2	3	4	5	6	7	8	9
Degrees Fah.	Degrees Absolute.									
	200° +	200° +	200° +	200° +	200° +	200° +	200° +	200° +	200° +	200° +
32	73·0	73·1	73·1	73·2	73·2	73·3	73·3	73·4	73·4	73·5
33	73·6	73·6	73·7	73·7	73·8	73·8	73·9	73·9	74·0	74·1
34	74·1	74·2	74·2	74·3	74·3	74·4	74·4	74·5	74·6	74·6
35	74·7	74·7	74·8	74·8	74·9	74·9	75·0	75·1	75·1	75·2
36	75·2	75·3	75·3	75·4	75·4	75·5	75·6	75·6	75·7	75·7
37	75·8	75·8	75·9	75·9	76·0	76·1	76·1	76·2	76·2	76·3
38	76·3	76·4	76·4	76·5	76·6	76·6	76·7	76·7	76·8	76·8
39	76·9	76·9	77·0	77·1	77·1	77·2	77·2	77·3	77·3	77·4
40	77·4	77·5	77·6	77·6	77·7	77·7	77·8	77·8	77·9	77·9
41	78·0	78·1	78·1	78·2	78·2	78·3	78·3	78·4	78·4	78·5
42	78·6	78·6	78·7	78·7	78·8	78·8	78·9	78·9	79·0	79·1
43	79·1	79·2	79·2	79·3	79·3	79·4	79·4	79·5	79·6	79·6
44	79·7	79·7	79·8	79·8	79·9	79·9	80·0	80·1	80·1	80·2
45	80·2	80·3	80·3	80·4	80·4	80·5	80·6	80·6	80·7	80·7
46	80·8	80·8	80·9	80·9	81·0	81·1	81·1	81·2	81·2	81·3
47	81·3	81·4	81·4	81·5	81·6	81·6	81·7	81·7	81·8	81·8
48	81·9	81·9	82·0	82·1	82·1	82·2	82·2	82·3	82·3	82·4
49	82·4	82·5	82·6	82·6	82·7	82·7	82·8	82·8	82·9	82·9
50	83·0	83·1	83·1	83·2	83·2	83·3	83·3	83·4	83·4	83·6
51	83·6	83·6	83·7	83·7	83·8	83·8	83·9	83·9	84·0	84·2
52	84·1	84·2	84·2	84·3	84·3	84·4	84·4	84·5	84·6	84·7
53	84·7	84·7	84·8	84·8	84·9	84·9	85·0	85·1	85·1	85·3
54	85·2	85·3	85·3	85·4	85·4	85·5	85·6	85·6	85·7	85·8
55	85·8	85·8	85·9	85·9	86·0	86·1	86·1	86·2	86·2	86·4
56	86·3	86·4	86·4	86·5	86·6	86·6	86·7	86·7	86·8	86·9
57	86·9	86·9	87·0	87·1	87·1	87·2	87·2	87·3	87·3	87·5
58	87·4	87·5	87·6	87·6	87·7	87·7	87·8	87·8	87·9	87·1
59	88·0	88·1	88·1	88·2	88·2	88·3	88·3	88·4	88·4	88·5
60	88·6	88·6	88·7	88·7	88·8	88·8	88·9	88·9	89·0	89·2
61	89·1	89·2	89·2	89·3	89·3	89·4	89·4	89·5	89·6	89·3
62	89·7	89·7	89·8	89·8	89·9	89·9	90·0	90·1	90·1	90·8
63	90·2	90·3	90·3	90·4	90·4	90·5	90·6	90·6	90·7	90·4
64	90·8	90·8	90·9	90·9	91·0	91·1	91·1	91·2	91·2	91·5
65	91·3	91·4	91·4	91·5	91·6	91·6	91·7	91·7	91·8	91·9
66	91·9	91·9	92·0	92·1	92·1	92·2	92·2	92·3	92·3	92·1
67	92·4	92·5	92·6	92·6	92·7	92·7	92·8	92·8	92·9	92·1
68	93·0	93·1	93·1	93·2	93·2	93·3	93·3	93·4	93·4	93·8
69	93·6	93·6	93·7	93·7	93·8	93·8	93·9	93·9	94·0	94·4
70	94·1	94·2	94·2	94·3	94·3	94·4	94·4	94·5	94·6	94·7
71	94·7	94·7	94·8	94·8	94·9	94·9	95·0	95·1	95·1	95·9
72	95·2	95·3	95·3	95·4	95·4	95·5	95·6	95·6	95·7	95·6
73	95·8	95·8	95·9	95·9	96·0	96·1	96·1	96·2	96·2	96·5
74	96·3	96·4	96·4	96·5	96·6	96·6	96·7	96·7	96·8	96·1
75	96·9	96·9	97·0	97·1	97·1	97·2	97·2	97·3	97·3	97·6
76	97·4	97·5	97·6	97·6	97·7	97·7	97·8	97·8	97·9	97·2
77	98·0	98·1	98·1	98·2	98·2	98·3	98·3	98·4	98·4	98·7
78	98·6	98·6	98·7	98·7	98·8	98·8	98·9	98·9	99·0	99·3
79	99·1	99·2	99·2	99·3	99·3	99·4	99·4	99·5	99·6	99·6
80	99·7	99·7	99·8	99·8	99·9	99·9	100·0	100·1	100·1	100·2
81	100·2	100·3	100·3	100·4	100·4	100·5	100·6	100·6	100·7	100·7
82	100·8	100·8	100·9	100·9	101·0	101·1	101·1	101·2	101·2	101·3
83	101·3	101·4	101·4	101·5	101·6	101·6	101·7	101·7	101·8	101·8
84	101·9	101·9	102·0	102·1	102·1	102·2	102·2	102·3	102·3	102·4
85	102·4	102·5	102·6	102·6	102·7	102·7	102·8	102·8	102·9	102·9
86	103·0	103·1	103.1	103·2	103·2	103·3	103·3	103·4	103·4	103·5
87	103·6	103·6	103·7	103·7	103·8	103·8	103·9	103·9	104·0	104·1
88	104·1	104·2	104·2	104·3	104·3	104·4	104·4	104·5	104·6	104·6
89	104·7	104·7	104·8	104·8	104·9	104·9	105·0	105·1	105·1	105·2
90	105·2	105·3	105·3	105·4	105·4	105·5	105·6	105·6	105·7	105·7
91	105·8	105·8	105·9	105·9	106·0	106·1	106·1	106·2	106·2	106·3
92	106·3	106·4	106·4	106·5	106·6	106·6	106·7	106·7	106·8	106·8
93	106·9	106·9	107·0	107·1	107·1	107·2	107·2	107·3	107·3	107·4
94	107·4	107·5	107·6	107·6	107·7	107·7	107·8	107·8	107·9	107·9
95	108·0	108·1	108·1	108·2	108·2	108·3	108·3	108·4	108·4	108·5
96	108·6	108·6	108·7	108·7	108·8	108·8	108·9	108·9	109·0	109·1
97	109·1	109·2	109·2	109·3	109·3	109·4	109·4	109·5	109·6	109·6
98	109·7	109·7	109·8	109·8	109·9	109·9	110·0	110·1	110·1	110·2
99	110·2	110·3	110·3	110·4	110·4	110·5	110·6	110·6	110·7	110·7
100	110·8	110·8	110·9	110·9	111·0	111·1	111·1	111·2	111.2	111·3

Table III.

Rainfall. *Inches to Millimetres.*

Inches.	0	1	2	3	4	5	6	7	8	9
	Millimetres.									
0·0	0·0	0·3	0·5	0·8	1·0	1·3	1·5	1·8	2·0	2·3
0·1	2·5	2·8	3·0	3·3	3·6	3·8	4·1	4·3	4·6	4·8
0·2	5·1	5·3	5·6	5·8	6·1	6·4	6·6	6·9	7·1	7·4
0·3	7·6	7·9	8·1	8·4	8·6	8·9	9·1	9·4	9·7	9·9
0·4	10·2	10·4	10·7	10·9	11·2	11·4	11·7	11·9	12·2	12·4
0·5	12·7	13·0	13·2	13·5	13·7	14·0	14·2	14·5	14·7	15·0
0·6	15·2	15·5	15·7	16·0	16·3	16·5	16·8	17·0	17·3	17·5
0·7	17·8	18·0	18·3	18·5	18·8	19·1	19·3	19·6	19·8	20·1
0·8	20·3	20·6	20·8	21·1	21·3	21·6	21·8	22·1	22·4	22·6
0·9	22·9	23·1	23·4	23·6	23·9	24·1	24·4	24·6	24·9	25·1
1·0	25·4	25·7	25·9	26·2	26·4	26·7	26·9	27·2	27·4	27·7
1·1	27·9	28·2	28·4	28·7	29·0	29·2	29·5	29·7	30·0	30·2
1·2	30·5	30·7	31·0	31·2	31·5	31·8	32·0	32·3	32·5	32·8
1·3	33·0	33·3	33·5	33·8	34·0	34·3	34·5	34·8	35·1	35·3
1·4	35·6	35·8	36·1	36·3	36·6	36·8	37·1	37·3	37·6	37·8
1·5	38·1	38·4	38·6	38·9	39·1	39·4	39·6	39·9	40·1	40·4
1·6	40·6	40·9	41·1	41·4	41·7	41·9	42·2	42·4	42·7	42·9
1·7	43·2	43·4	43·7	43·9	44·2	44·5	44·7	45·0	45·2	45·5
1·8	45·7	46·0	46·2	46·5	46·7	47·0	47·2	47·5	47·8	48·0
1·9	48·3	48·5	48·8	49·0	49·3	49·5	49·8	50·0	50·3	50·5
2·0	50·8	51·1	51·3	51·6	51·8	52·1	52·3	52·6	52·8	53·1

Table IV.

Wind Velocity.

Miles per Hour into Metres per Second.

1 mile per hour = 0·44704 metres per second.

Miles per Hour.	0	1	2	3	4	5	6	7	8	9
	Metres per Second.									
0	0·0	0·4	0·9	1·3	1·8	2·2	2·7	3·1	3·6	4·0
10	4·5	4·9	5·4	5·8	6·3	6·7	7·2	7·6	8·0	8·5
20	8·9	9·4	9·8	10·3	10·7	11·2	11·6	12·1	12·5	13·0
30	13·4	13·9	14·3	14·8	15·2	15·6	16·1	16·5	17·0	17·4
40	17·9	18·3	18·8	19·2	19·7	20·1	20·6	21·0	21·5	21·9
50	22·4	22·8	23·2	23·7	24·1	24·6	25·0	25·5	25·9	26·4
60	26·8	27·3	27·7	28·2	28·6	29·1	29·5	30·0	30·4	30·8
70	31·3	31·7	32·2	32·6	33·1	33·5	34·0	34·4	34·9	35·3
80	35·8	36·2	36·7	37·1	37·6	38·0	38·4	38·9	39·3	39·8
90	40·2	40·7	41·1	41·6	42·0	42·5	42·9	43·4	43·8	44·3
100	44·7	45·2	45·6	46·0	46·5	46·9	47·4	47·8	48·3	48·7
110	49·2	49·6	50·1	50·5	51·0	51·4	51·9	52·3	52·8	53·2
120	53·6	54·1	54·5	55·0	55·4	55·9	56·3	56·8	57·2	57·7
130	58·1	58·6	59·0	59·5	59·9	60·4	60·8	61·2	61·7	62·1
140	62·6	63·0	63·5	63·9	64·4	64·8	65·3	65·7	66·2	66·6

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JANUARY,

1926.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JANUARY, 1926.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·208	30·191	30·165	30·168	30·153	30·167	30·177	30·181	30·209	30·218	30·219	30·188	1
2	30·123	30·101	30·091	30·093	30·104	30·114	30·130	30·147	30·163	30·182	30·176	30·148	2
3	30·102	30·092	30·080	30·086	30·100	30·096	30·109	30·119	30·135	30·154	30·148	30·120	3
4	30·099	30·093	30·073	30·053	30·066	30·072	30·070	30·070	30·087	30·095	30·094	30·051	4
5	30·083	30·081	30·079	30·080	30·079	30·087	30·101	30·117	30·145	30·167	30·140	30·119	5
6	30·161	30·155	30·153	30·150	30·151	30·153	30·163	30·180	30·204	30·220	30·203	30·168	6
7	30·141	30·131	30·123	30·117	30·113	30·107	30·116	30·122	30·133	30·112	30·110	30·080	7
8	30·085	30·081	30·077	30·073	30·069	30·071	30·091	30·099	30·125	30·148	30·130	30·100	8
9	30·133	30·143	30·125	30·123	30·119	30·125	30·154	30·173	30·195	30·214	30·191	30·175	9
10	30·187	30·179	30·176	30·166	30·174	30·184	30·205	30·213	30·227	30·253	30·235	30·229	10
11	30·206	30·187	30·162	30·147	30·135	30·138	30·146	30·161	30·170	30·172	30·175	30·140	11
12	30·076	30·060	30·038	30·010	30·007	29·996	30·007	30·028	30·044	30·073	30·060	30·037	12
13	30·001	29·989	29·971	29·959	29·945	29·951	29·964	29·956	29·988	30·017	30·003	29·983	13
14	29·938	29·928	29·920	29·912	29·914	29·923	29·940	29·956	29·970	29·982	29·967	29·945	14
15	29·944	29·938	29·922	29·916	29·919	29·931	29·941	29·949	29·968	29·976	29·961	29·935	15
16	30·012	30·012	29·993	29·983	29·990	29·999	30·015	30·044	30·067	30·078	30·058	30·039	16
17	29·951	29·945	29·941	29·934	29·922	29·922	29·932	29·952	29·977	29·988	29·966	29·941	17
18	29·883	29·887	29·880	29·870	29·880	29·890	29·890	29·900	29·919	29·924	29·906	29·889	18
19	29·900	29·894	29·890	29·862	29·863	29·881	29·906	29·916	29·949	29·976	29·967	29·936	19
20	29·983	29·979	29·967	29·977	29·984	30·005	30·028	30·042	30·057	30·074	30·070	30·057	20
21	30·090	30·082	30·079	30·079	30·095	30·091	30·137	30·166	30·166	30·193	30·188	30·180	21
22	30·218	30·212	30·214	30·214	30·216	30·229	30·241	30·260	30·273	30·287	30·291	30·260	22
23	30·251	30·245	30·239	30·241	30·247	30·261	30·282	30·311	30·319	30·324	30·318	30·290	23
24	30·287	30·282	30·264	30·264	30·275	30·285	30·311	30·323	30·333	30·354	30·349	30·326	24
25	30·324	30·322	30·315	30·312	30·314	30·327	30·331	30·336	30·363	30·384	30·376	30·342	25
26	30·343	30·329	30·322	30·310	30·320	30·327	30·336	30·341	30·358	30.366	30.364	30·346	26
27	30·292	30·275	30·267	30·262	30·258	30·274	30·288	30·314	30·330	30.350	30.344	30·303	27
28	30·218	30·210	30·206	30·204	30·210	30·212	30·226	30·242	30·256	30.252	30.243	30·220	28
29	30·171	30·155	30·137	30·115	30·123	30·125	30·144	30·146	30·155	30.166	30·146	30·115	29
30	30·096	30·090	30·071	30·073	30·078	30·085	30·104	30·117	30·140	30·164	30·151	30·141	30
31	30·127	30·127	30·125	30·130	30·140	30·152	30·175	30·200	30·218	30·240	30·222	30·198	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·154	30·123	30·104	30·098	30·108	30·112	30·122	30·132	30·145	30·138	30·138	30·130	1
2	30·109	30·082	30·064	30·052	30·061	30·075	30·098	30·116	30·112	30·108	30·115	30·112	2
3	30·094	30·079	30·065	30·066	30·071	30·090	30·104	30·122	30·128	30·137	30·123	30·117	3
4	30·016	29·996	29·992	30·007	30·028	30·048	30·056	30·064	30·079	30·063	30·068	30·082	4
5	30·102	30·089	30·081	30·096	30·111	30·123	30·135	30·162	30·160	30·158	30·167	30·169	5
6	30·134	30·106	30·098	30·103	30·113	30·122	30·132	30·144	30·150	30·150	30·145	30·141	6
7	30·042	30·013	29·995	30·001	30·019	30·033	30·047	30·061	30·083	30·090	30·085	30·079	7
8	30·055	30·030	30·018	30·024	30·044	30·065	30·076	30·100	30·122	30·132	30·134	30·134	8
9	30·143	30·109	30·105	30·113	30·126	30·134	30·151	30·175	30·184	30·191	30·195	30·190	9
10	30·200	30·167	30·158	30·152	30·162	30·171	30·170	30·180	30·198	30·202	30·206	30·206	10
11	30·105	30·094	30·071	30·060	30·068	30·073	30·099	30·097	30·109	30·115	30·117	30·101	11
12	30·004	29·974	29·965	29·944	29·952	29·956	29·959	29·967	29·987	29·999	29·997	30·005	12
13	29·955	29·936	29·915	29·916	29·906	29·904	29·911	29·931	29·043	29·944	29·940	29·936	13
14	29·924	29·899	29·874	29·877	29·885	29·893	29·902	29·918	29·939	29·945	29·947	29·943	14
15	29·910	29·883	29·869	29·871	29·879	29·889	29·906	29·934	29·956	29·977	29·988	30·006	15
16	30·000	29·973	29·944	29·934	29·932	29·941	29·942	29·958	29·966	29·962	29·970	29·970	16
17	29·901	29·885	29·868	29·852	29·858	29·862	29·868	29·881	29·882	29·884	29·885	29·883	17
18	29·854	29·820	29·812	29·820	29·832	29·842	29·852	29·866	29·870	29·888	29·893	29·903	18
19	29·898	29·876	29·874	29·884	29·889	29·910	29·934	29·954	29·968	29·989	29·985	29·975	19
20	30·023	30·008	29·991	29·985	29·995	30·010	30·024	30·036	30·063	30·069	30·073	30·083	20
21	30·135	30·120	30·116	30·118	30·130	30·155	30·175	30·202	30·222	30·226	30·228	30·234	21
22	30·230	30·214	30·199	30·199	30·201	30·217	30·227	30·249	30·261	30·267	30·272	30·263	22
23	30·255	30·229	30·212	30·202	30·219	30·229	30·243	30·267	30·283	30·295	30·289	30·291	23
24	30·291	30·261	30·251	30·257	30·266	30·278	30·298	30·318	30·338	30·339	30·336	30·330	24
25	30·300	30·268	30·248	30·249	30·250	30·258	30·273	30·297	30·312	30·326	30·330	30·343	25
26	30·308	30·278	30·254	30·248	30·250	30·253	30·255	30·286	30·292	30·295	30·296	30·300	26
27	30·267	30·230	30·211	30·205	30·200	30·207	30·214	30·226	30·238	30·244	30·240	30·230	27
28	30·189	30·161	30·143	30·123	30·131	30·134	30·142	30·156	30·162	30·166	30·174	30·173	28
29	30·085	30·063	30·048	30·050	30·050	30·062	30·065	30·075	30·085	30.094	30·091	30·094	29
30	30·104	30·079	30·056	30·068	30·074	30·094	30·094	30·109	30·103	30·111	30·126	30·137	30
31	30·172	30·146	30·131	30·142	30·172	30·193	30·217	30·238	30·263	30·240	30·240	30·240	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of JANUARY, 1926.

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	53·0	51·9	53·9	52·5	52·6	52·9	53·2	54·7	55·6	58·0	58·5	58·3	1
2	57·3	57·2	57·7	57·1	57·1	56·8	57·8	59·9	63·5	66·4	68·0	68·0	2
3	62·4	62·1	61·9	61·5	60·9	60·1	59·8	59·9	61·0	61·6	62·6	62·1	3
4	60·3	60·5	60·1	59·4	59·5	58·0	57·5	58·4	59·0	59·9	60·7	61·7	4
5	61·0	60·5	59·7	59·2	59·3	59·8	59·0	59·9	60·0	61·1	62·9	64·5	5
6	57·6	57·1	56·9	56·7	56·3	56·6	56·9	57·4	58·1	58·9	59·9	60·1	6
7	60·0	59·8	59·5	59·4	58·7	58·1	58·3	58·6	59·1	62·0	61·3	61·8	7
8	59·8	59·6	59·7	59·1	59·0	59·1	58·2	59·0	61·9	63·0	64·1	65·2	8
9	59·1	59·1	59·2	59·0	58·7	57·9	57·9	58·4	59·9	60·8	62·9	61·9	9
10	60·1	59·8	59·1	58·7	57·8	57·1	56·8	57·7	59·8	60·0	60·4	60·2	10
11	59·0	58·4	57·7	56·9	56·5	56·2	56·2	57·0	60·0	63·1	60·8	64·5	11
12	60·1	59·9	59·7	59·3	59·4	59·9	59·8	61·0	62·2	64·8	66·1	66·9	12
13	63·6	64·2	64·8	65·0	65·3	65·0	65·9	67·2	71·3	73·1	74·2	73·6	13
14	65·2	65·1	65·7	65·1	65·1	65·2	65·2	65·6	67·8	67·8	69·1	70·8	14
15	63·2	65·0	65·0	65·4	65·2	64·8	65·2	65·4	66·7	69·5	71·0	71·1	15
16	62·9	62·9	61·6	60·8	59·9	58·2	57·6	57·1	57·0	59·7	63·5	63·0	16
17	59·5	59·3	59·8	60·8	60·2	59·9	59·9	60·7	61·3	63·1	65·0	65·8	17
18	64·0	62·7	62·0	61·1	60·9	61·2	61·5	62·9	65·1	67·0	68·5	68·8	18
19	66·1	65·8	65·5	65·1	65·0	65·0	65·0	65·1	65·9	67·7	68·8	71·2	19
20	63·0	62·4	62·1	59·6	59·1	58·1	57·9	58·7	59·0	59·2	58·7	58·4	20
21	58·0	57·9	58·4	58·0	56·0	55·9	55·1	54·2	55·3	56·3	57·6	59·0	21
22	53·9	53·7	53·2	52·8	52·7	52·0	51·9	52·2	52·9	57·9	56·8	58·8	22
23	57·1	57·1	56·8	56·5	54·8	54·8	54·9	54·7	57·0	59·0	60·3	61·2	23
24	57·7	57·1	56·1	55·6	55·1	54·9	54·6	55·2	56·0	57·3	57·5	58·0	24
25	57·0	56·2	56·0	55·9	55·2	55·0	54·9	55·3	57·8	60·1	62·0	63·0	25
26	58·8	58·4	58·0	57·9	56·5	56·4	55·9	56·9	58·5	60·2	62·0	62·2	26
27	56·8	56·7	56·9	57·9	57·8	57·8	58·0	58·1	58·8	59·5	60·0	60·8	27
28	57·6	57·1	57·0	57·0	57·0	57·3	57·0	57·9	59·8	62·0	62·5	62·8	28
29	60·0	60·1	59·9	59·5	59·0	58·7	58·1	58·8	61·4	62·2	63·9	63·5	29
30	60·7	60·2	60·0	59·9	59·9	59·7	59·7	61·5	63·5	65·0	66·0	66·4	30
31	62·7	63·5	63·3	62·0	61·2	61·2	61·0	62·0	62·2	62·9	65·0	65·5	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	60·0	60·5	61·5	62·6	62·0	60·7	60·7	60·0	58·9	58·0	57·9	58·0	1
2	69·0	67·3	66·0	65·0	64·0	63·0	63·0	62·8	62·6	62·8	62·4	62·2	2
3	62·0	61·4	61·9	61·8	61·9	61·8	61·9	61·2	60·5	60·1	60·0	60·0	3
4	62·2	62·4	61·6	61·7	60·6	60·1	60·8	61·3	61·1	60·8	60·9	60·6	4
5	63·2	62·0	60·0	60·1	60·0	60·0	59·8	59·1	59·1	58·0	57·5	57·8	5
6	61·0	61·6	60·0	59·3	59·0	58·9	58·9	59·1	59·2	59·4	59·5	59·6	6
7	62·9	62·7	61·8	61·0	60·2	59·9	59·8	59·8	59·5	60·0	60·0	59·9	7
8	64·9	65·8	66·1	64·9	62·5	61·4	60·8	60·0	59·9	58·8	59·1	59·0	8
9	62·9	62·3	62·0	61·5	61·0	60·1	59·7	59·2	59·2	59·7	60·1	59·9	9
10	61·2	60·2	60·1	59·4	58·7	58·2	58·1	58·1	58·8	58·9	58·7	58·6	10
11	64·0	62·0	62·4	62·8	61·4	61·2	60·0	60·0	60·3	60·9	61·0	60·8	11
12	66·8	67·2	67·1	67·2	66·7	66·1	65·1	65·2	64·0	64·1	64·0	63·9	12
13	73·0	72·0	70·9	69·9	69·1	67·9	66·9	66·4	65·8	65·9	65·1	64·9	13
14	69·0	70·5	70·9	69·4	69·8	66·3	65·7	65·1	65·0	64·1	63·9	63·5	14
15	70·1	70·9	69·8	69·9	67·3	66·9	65·2	65·1	65·1	65·2	65·0	63·7	15
16	64·3	63·1	64·0	63·5	62·3	61·1	59·9	59·7	59·1	60·1	60·2	60·2	16
17	64·5	64·0	64·1	63·8	63·2	62·1	61·1	61·0	62·1	63·1	64·1	64·4	17
18	68·9	67·8	67·8	67·0	66·7	65·9	65·1	65·0	65·0	65·2	65·1	65·1	18
19	71·6	69·8	70·5	70·0	69·1	67·0	64·5	63·0	63·0	62·8	62·8	62·7	19
20	58·1	58·0	57·9	58·0	58·9	58·9	60·1	60·0	60·0	59·2	59·0	58·9	20
21	62·6	63·0	62·0	59·5	58·1	57·1	56·6	56·0	55·8	55·5	55·0	54·5	21
22	59·8	59·7	59·8	58·0	57·7	57·1	56·7	56·5	56·0	56·0	57·0	57·0	22
23	61·4	61·0	61·0	60·4	59·5	58·6	58·3	58·6	59·0	58·6	58·1	57·8	23
24	58·8	61·1	61·3	58·9	58·6	58·1	58·0	58·2	57·7	56·9	57·2	57·1	24
25	64·7	63·7	62·0	61·7	60·0	59·5	59·2	59·2	59·0	58·9	58·8	59·0	25
26	63·9	62·9	63·2	62·5	60·2	59·0	58·3	58·1	57·9	57·8	58·1	58·0	26
27	62·9	62·6	62·0	60·8	59·7	58·5	57·9	57·5	57·1	56·9	57·1	57·7	27
28	63·5	63·5	62·9	63·1	62·3	60·2	59·5	59·0	59·0	59·1	59·2	59·4	28
29	64·4	64·7	64·5	63·2	62·6	61·8	60·9	60·6	60·2	60·3	60·8	60·4	29
30	67·1	68·3	68·3	67·0	66·3	65·9	64·7	63·5	62·1	61·9	62·7	63·1	30
31	67·5	71·1	68·0	64·2	63·0	61·0	60·0	60·0	59·8	59·7	59·9	59·5	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of JANUARY, 1926.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	47·7	47·3	48·0	47·2	47·6	47·3	46·1	47·0	48·0	50·4	51·0	51·1	1
2	52·0	51·9	52·9	52·7	53·0	52·9	53·0	54·4	53·5	56·5	56·1	57·0	2
3	57·9	57·8	57·5	56·8	56·0	53·9	54·7	54·8	55·3	55·8	56·1	56·0	3
4	55·1	55·5	55·2	55·2	55·7	55·1	54·8	55·4	55·8	56·0	56·5	57·5	4
5	58·8	58·9	57·9	57·1	57·4	57·7	58·0	58·6	58·2	58·7	58·8	59·1	5
6	53·8	53·1	53·2	52·9	52·6	52·6	52·0	52·7	52·9	54·0	55·0	54·5	6
7	55·5	55·5	55·2	55·1	55·3	55·0	54·9	55·0	55·5	57·0	56·8	57·0	7
8	55·6	55·3	55·6	55·2	55·1	54·5	53·0	53·2	53·8	53·8	54·2	55·5	8
9	54·9	55·2	55·3	55·1	54·9	54·0	53·0	53·2	53·5	54·8	55·8	55·4	9
10	55·8	55·1	55·0	54·1	53·2	52·1	52·1	51·8	52·7	53·9	52·4	52·9	10
11	54·7	54·2	53·4	52·8	51·4	51·1	50·9	51·0	52·8	55·1	54·0	56·4	11
12	56·9	56·9	56·8	56·3	56·1	56·2	56·0	57·0	56·3	57·8	59·0	59·0	12
13	59·5	58·9	59·0	59·2	59·3	60·0	60·5	61·0	63·5	64·2	65·0	64·9	13
14	63·0	62·9	63·3	62·9	63·1	63·1	63·2	62·8	63·3	63·1	63·8	64·2	14
15	62·0	62·8	62·7	62·8	62·9	62·9	63·0	63·2	64·4	65·0	65·0	65·3	15
16	56·7	56·8	54·4	53·8	53·2	52·1	51·8	51·1	51·0	52·8	54·1	54·0	16
17	55·3	56·2	55·9	57·2	57·3	57·0	56·9	57·2	57·8	58·9	58·9	59·1	17
18	61·0	60·2	59·8	58·9	58·0	58·1	58·9	59·8	61·0	62·0	62·8	63·0	18
19	64·0	63·9	63·9	63·9	63·8	63·9	63·8	64·1	64·8	65·1	65·7	66·8	19
20	60·9	60·2	60·0	57·2	57·1	56·2	56·0	56·6	56·7	57·0	56·9	56·8	20
21	56·0	55·7	55·5	55·0	53·9	53·1	52·4	51·1	52·0	52·8	53·6	54·4	21
22	49·0	48·5	48·1	48·0	48·0	48·0	47·1	47·1	48·0	50·9	50·7	51·0	22
23	50·3	50·2	50·2	50·6	49·0	49·1	49·0	49·0	50·0	51·0	51·5	52·5	23
24	52·5	52·4	51·1	51·0	50·2	49·7	49·0	49·0	49·8	50·8	51·0	51·5	24
25	53·1	52·8	52·5	52·3	51·8	51·1	51·2	51·1	52·9	53·8	54·0	55·0	25
26	54·9	55·0	54·3	54·0	52·7	52·2	51·5	51·2	52·5	53·5	54·8	54·9	26
27	53·2	53·5	53·1	53·7	53·7	53·8	53·8	54·0	54·0	54·0	54·7	55·0	27
28	54·1	54·7	54·7	54·8	54·7	54·7	54·2	54·7	55·4	56·9	56·8	56·7	28
29	57·9	58·0	57·8	57·2	56·4	55·7	55·0	54·9	55·5	55·8	56·5	56·4	29
30	58·1	58·1	57·9	57·0	55·7	55·1	55·0	56·1	56·8	57·0	57·1	56·8	30
31	57·5	58·0	59·1	59·5	59·1	58·9	58·9	59·5	59·0	59·5	60·3	60·1	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	52·0	52·5	53·2	54·1	54·1	53·8	54·1	54·0	53·4	53·0	53·2	53·5	1
2	57·1	55·0	55·2	54·0	55·3	56·2	56·4	56·7	55·8	55·9	56·8	57·0	2
3	55·4	55·3	55·1	55·4	56·1	56·3	56·5	56·1	55·8	55·5	55·1	55·2	3
4	58·0	58·1	57·8	57·8	57·7	57·7	57·9	58·1	58·3	58·2	58·9	58·6	4
5	58·4	58·7	57·8	57·5	56·9	56·5	55·9	55·1	54·8	53·1	52·8	53·0	5
6	55·3	55·7	55·0	54·9	54·8	55·0	55·1	55·3	55·2	55·5	55·4	55·4	6
7	57·3	57·1	56·2	56·0	55·9	56·0	55·7	55·4	55·5	55·3	55·7	55·5	7
8	54·3	55·0	56·0	54·9	55·0	55·1	54·9	55·1	55·6	55·2	55·3	55·2	8
9	56·0	55·2	56·0	55·8	55·3	54·7	54·0	54·0	54·0	54·8	55·0	54·9	9
10	54·0	53·7	53·5	53·2	53·1	53·8	54·0	54·1	54·2	55·0	54·9	54·8	10
11	56·0	55·8	56·0	56·2	55·9	55·8	55·0	55·8	56·5	57·1	57·1	56·9	11
12	59·7	60·8	60·3	60·6	60·2	59·9	59·8	59·5	59·0	59·1	58·9	59·4	12
13	64·2	63·5	62·9	62·1	62·0	61·1	61·1	61·2	61·6	62·0	62·1	62·5	13
14	63·8	64·3	64·3	63·2	63·0	62·2	61·7	61·8	62·2	61·8	62·2	62·1	14
15	65·1	65·7	65·2	65·6	64·5	64·7	63·9	63·9	63·5	62·5	61·0	58·4	15
16	55·9	54·5	55·9	55·5	55·0	54·1	53·8	54·2	54·9	55·5	56·0	55·7	16
17	59·0	58·8	59·0	58·8	58·7	58·1	58·0	58·1	59·1	59·9	60·6	60·9	17
18	63·2	62·6	63·0	63·0	62·8	62·4	62·4	62·9	63·0	63·1	63·8	64·0	18
19	66·9	65·9	66·0	65·9	65·8	65·0	62·3	61·0	61·1	60·6	60·3	60·1	19
20	56·2	56·0	55·9	55·9	56·0	56·1	56·9	56·9	56·7	56·2	56·1	56·0	20
21	55·4	56·0	55·0	53·0	52·0	51·4	51·1	51·0	51·0	50·8	50·3	49·8	21
22	51·5	51·4	52·0	51·0	51·0	51·0	50·9	51·1	50·3	49·8	49·7	50·0	22
23	53·0	52·2	52·9	53·1	52·9	52·4	53·0	53·1	53·2	54·0	53·2	52·8	23
24	51·5	52·8	53·0	52·3	52·4	51·9	52·0	52·8	52·5	52·5	53·3	53·0	24
25	55·5	55·7	55·1	55·0	54·3	54·0	54·5	55·0	55·1	55·2	55·0	55·1	25
26	55·9	55·5	55·5	55·0	54·8	53·9	53·9	53·7	53·8	53·9	54·5	54·0	26
27	55·8	55·8	55·2	54·1	54·0	53·3	53·7	53·9	53·7	53·8	54·1	54·4	27
28	57·1	57·1	56·8	57·0	57·0	56·2	56·3	56·0	56·1	56·7	56·9	57·0	28
29	56·5	56·0	56·6	56·7	56·9	56·8	57·0	57·0	57·0	57·1	57·8	57·8	29
30	58·0	59·0	59·1	59·0	58·5	58·5	58·0	58·0	57·5	57·2	57·8	59·1	30
31	60·9	60·5	60·2	59·3	59·1	58·0	57·2	57·0	56·9	56·3	56·5	56·1	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JANUARY, 1926.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	10	4	1	...	...	...	1
2	...	2	2	2	2	1	4	...	...	...	2	2	3	3	4	2	4	5	5	8	9	9	8	10	2
3	10	10	10	10	10	10	7	4	3	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	4
5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6
7	10	10	10	10	10	10	10	10	10	9	10	10	10	1	1	...	5	8	4	8	9	10	10	10	7
8	10	10	10	10	10	9	3	4	5	8	...	...	...	1	2	2	1	...	...	...	...	...	...	...	8
9	2	1	1	...	...	1	2	1	1	2	7	7	1	6	...	...	2	...	...	...	...	...	...	...	9
10	5	7	4	4	2	2	...	...	...	...	...	1	3	3	1	1	1	1	1	4	2	6	3	9	10
11	10	6	4	...	...	1	1	8	4	8	10	9	10	10	10	10	10	3	...	..	...	9	10	10	11
12	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	9	10	9	8	8	9	8	7	12
13	4	7	10	10	10	10	9	2	3	3	2	1	8	10	10	10	9	...	...	...	2	1	1	...	13
14	...	...	10	10	10	10	10	9	3	3	2	1	1	...	...	...	4	4	5	...	...	...	1	4	14
15	2	9	10	8	8	9	9	8	3	...	...	2	5	2	2	2	1	1	2	1	2	10	10	10	15
16	10	10	10	10	9	8	10	10	9	7	3	3	7	10	7	...	...	...	...	...	2	10	10	9	16
17	...	1	8	9	9	10	10	10	10	9	4	7	5	7	5	5	4	1	...	2	8	10	10	10	17
18	10	9	8	8	7	6	1	1	1	1	1	2	1	1	1	1	1	...	...	...	...	1	3	9	18
19	10	7	10	6	8	5	10	10	10	10	10	10	7	10	10	8	9	10	9	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	20
21	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	10	10	10	9	10	7	10	10	10	10	8	10	6	9	3	10	10	10	22
23	10	10	10	10	9	9	10	9	3	2	1	1	...	...	...	...	...	1	...	1	8	9	10	9	23
24	10	10	7	4	3	1	1	1	1	...	2	7	7	7	10	10	10	10	10	9	3	2	7	5	24
25	8	3	2	2	1	2	5	7	1	6	3	5	3	8	8	8	8	4	10	10	10	10	10	10	25
26	10	10	10	10	9	10	3	4	4	4	6	6	8	10	2	2	1	6	...	...	...	1	3	4	26
27	3	7	9	10	9	10	10	10	10	10	10	10	1	...	...	...	...	...	...	...	...	...	...	...	27
28	...	2	1	7	4	4	6	4	3	4	5	4	2	2	1	1	1	...	...	...	...	...	1	4	28
29	9	9	7	7	9	10	7	6	3	...	...	...	...	...	...	...	...	...	...	1	6	8	8	9	29
30	9	10	9	8	2	...	...	...	1	1	1	1	2	2	2	1	...	1	...	...	...	...	4	7	30
31	1	6	7	4	2	8	2	3	9	9	3	9	10	10	10	10	10	9	10	10	10	10	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JANUARY, 1926.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1		...	...	...	...	...	...	...	...	...	...	...		1
2		0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1		2
3		0·1	1·0	1·0	1·0	...	0·7	...	...	...	...	...		3
4		...	...	...	...	...	...	...	...	...	...	...		4
5		...	...	...	...	0·1	...	...	...	...	...	...		5
6		...	...	...	...	0·1	...	...	...	...	...	...		6
7		...	0·2	0·7	0·1	...	...	0·6	1·0	1·0	0·9	0·6		7
8		0·3	0·7	0·9	0·8	1·0	1·0	1·0	1·0	1·0	1·0	0·1		8
9		0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5		9
10		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		10
11		...	0·7	1·0	0·2	0·6	0·8	0·1	...	...	0·1	0·2		11
12		0·3	0·1	...	...	...	...	...	...	...	...	...		12
13		0·3	1·0	1·0	1·0	1·0	0·7	0·4	...	...	0·1	0·7		13
14		...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	0·1		14
15		...	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4		15
16		...	...	0·5	1·0	1·0	1·0	0·8	0·8	1·0	1·0	0·5		16
17		...	...	0·3	1·0	1·0	0·7	0·6	1·0	1·0	1·0	0·3		17
18		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		18
19		...	...	0·1	...	0·1	0·5	0·1	...	...	0·2	...		19
20		...	...	...	...	...	...	...	...	...	...	...		20
21		...	...	...	...	0·1	0·6	...	...	...	...	...		21
22		...	...	0·6	...	0·2	0·1	...	0·1	...	...	...		22
23		...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		23
24		0·4	1·0	1·0	1·0	0·6	0·6	0·4	0·8	...	...	...		24
25		0·1	0·8	0·8	1·0	0·5	1·0	0·9	0·7	0·6	...	0·5		25
26		0·3	1·0	1·0	1·0	1·0	1·0	0·7	0·5	1·0	1·0	0·2		26
27		...	...	...	...	...	0·8	1·0	1·0	1·0	1·0	0·6		27
28		0·1	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		28
29	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	29
30	...	0·7	1·0	1·0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	0·7	...	30
31	...	0·2	0·2	0·5	1·0	0·7	...	0·9	0·3	0·8	0·1	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JANUARY, 1926.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	d	...	...	...	...	...	...	...	...	...	...	..	1
2	...	...	...	...	...	...	..	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	0·005	0·015	0·030	0·050	d	0·010	0·010	0·015	0·010	0·005	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	d	...	...	...	...	..	...	...	...	...	...	...	7
8	...	d	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	..	...	...	...	..	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	d	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	0·010	0·005	0·010	0·010	d	...	...	...	...	d	d	d	20
21	d	...	...	...	...	...	...	...	...	...	...	...	21
22	..	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	..	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	..	...	...	...	...	...	...	2
3	...	...	...	...	...	...	d	d	...	d	...	...	3
4	...	...	..	...	d	...	...	d	0·005	d	d	d	4
5	...	d	0·020	d	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	..	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	d	19
20	d	d	d	...	...	...	...	...	d	d	d	d	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	..	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	d	0·005	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of JANUARY, 1926.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	3	2	4	2	4	8	2	3	1	2	1	3	...	1	...	...	...	...	...	1	28	5	25	4	1
2	26	5	...	1	...	1	26	2	26	2	24	2	24	2	...	...	1	2	10	5	11	11	11	10	2
3	6	25	6	26	6	27	6	26	6	24	7	29	6	32	6	30	6	31	6	28	6	23	6	26	3
4	6	26	6	26	7	23	6	22	6	16	6	21	6	25	6	28	6	22	6	19	7	16	7	19	4
5	...	1	31	2	32	2	...	1	1	2	32	5	32	3	...	...	32	3	32	6	1	7	2	10	5
6	...	...	1	3	2	4	2	2	...	1	...	1	2	3	3	2	4	5	4	4	5	7	6	13	6
7	7	17	6	15	6	17	6	19	6	17	7	18	6	22	7	18	7	20	6	24	6	20	6	19	7
8	7	6	...	...	...	...	...	1	...	...	4	7	2	8	1	5	1	10	32	10	32	11	6	8	8
9	5	10	5	13	6	15	6	19	6	19	6	19	5	18	4	14	5	20	7	13	9	14	10	15	9
10	6	24	6	23	5	22	6	27	6	23	6	21	7	18	7	24	7	22	7	26	6	26	7	25	10
11	7	24	6	21	7	23	6	23	7	21	7	23	6	21	6	20	6	18	7	17	7	18	6	16	11
12	9	13	8	15	7	15	7	12	8	13	8	14	7	16	7	11	7	18	8	11	11	10	11	11	12
13	10	2	10	7	10	8	9	9	10	8	...	...	10	2	10	4	10	6	11	9	11	4	11	20	13
14	9	2	9	5	9	10	11	8	11	4	10	5	8	7	8	13	9	15	9	14	9	16	9	16	14
15	10	3	9	6	8	9	9	3	8	7	9	9	8	2	9	3	...	1	8	4	8	13	8	12	15
16	1	7	32	8	32	9	32	8	31	8	32	6	32	7	1	8	32	9	31	6	24	3	23	8	16
17	10	3	...	1	10	4	9	9	7	15	7	20	7	23	7	24	6	19	7	21	7	26	7	22	17
18	7	13	8	12	8	17	8	17	7	17	8	18	8	23	8	20	8	17	8	16	7	18	8	18	18
19	9	10	9	10	9	11	9	10	8	11	8	13	9	12	9	13	9	13	9	10	9	8	10	9	19
20	27	7	28	4	30	4	30	6	32	5	2	4	2	5	4	13	6	19	5	19	6	20	6	20	20
21	6	19	6	20	6	17	3	11	3	6	5	17	1	11	1	11	4	19	4	18	4	12	2	8	21
22	1	11	1	11	1	9	2	10	1	7	1	9	1	15	1	8	1	7	1	5	2	5	6	9	22
23	3	7	4	11	3	12	4	18	4	10	4	6	4	9	3	9	4	12	6	14	7	17	8	16	23
24	7	28	6	25	7	29	6	24	7	25	7	19	6	20	6	25	7	27	7	21	9	17	10	13	24
25	7	17	7	12	6	10	6	9	6	10	6	9	6	10	6	14	7	12	7	15	8	13	10	10	25
26	7	17	6	16	6	15	5	12	3	9	2	9	3	7	7	7	9	8	10	8	10	13	10	12	26
27	5	11	5	9	5	13	5	14	6	11	6	12	7	14	7	13	7	11	7	13	7	14	9	10	27
28	7	11	6	10	6	11	6	11	7	10	7	14	6	10	6	9	6	16	7	16	9	17	9	19	28
29	10	7	10	9	9	11	8	15	7	13	6	18	7	16	7	17	7	21	8	21	9	19	9	23	29
30	10	13	9	13	7	8	6	10	6	14	7	16	7	14	7	16	7	18	9	15	9	19	9	20	30
31	8	7	8	6	9	12	10	8	11	7	10	2	8	11	7	11	7	13	8	12	9	13	9	10	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	24	5	23	6	22	3	23	3	24	5	24	2	24	3	...	...	24	6	24	7	23	8	23	6	1
2	11	14	10	17	9	17	8	22	7	15	6	12	6	8	6	5	7	10	7	16	6	20	6	22	2
3	6	23	6	23	6	20	6	19	6	23	6	21	7	24	7	23	7	22	6	21	7	21	6	23	3
4	6	19	7	18	6	15	7	11	7	13	7	10	7	7	7	9	7	9	8	11	6	3	1	4	4
5	2	8	2	8	2	8	3	3	3	3	2	3	2	2	2	3	3	9	2	6	2	2	1	3	5
6	8	14	9	12	10	17	9	17	7	14	8	13	7	14	7	15	8	17	8	18	8	20	7	18	6
7	7	18	7	16	8	17	9	17	10	15	10	13	9	8	8	10	8	8	7	6	7	8	6	8	7
8	9	11	11	9	14	3	11	6	10	8	9	8	10	8	9	5	10	3	...	1	8	6	7	6	8
9	9	17	9	17	9	18	10	16	9	12	9	13	8	11	7	9	7	12	6	12	6	18	6	22	9
10	7	22	7	21	7	21	7	18	7	19	6	17	7	16	7	16	7	19	7	18	7	21	7	19	10
11	6	19	6	20	6	15	5	19	5	16	6	9	7	11	7	12	6	13	5	13	6	8	8	13	11
12	11	10	10	8	10	9	10	11	9	13	8	13	8	13	9	11	9	9	10	12	10	8	10	7	12
13	10	17	10	19	11	18	10	13	10	15	9	14	9	13	9	8	9	5	9	5	9	7	9	2	13
14	8	18	9	14	10	17	9	16	9	16	8	13	9	16	8	10	9	12	9	9	9	2	...	...	14
15	8	10	8	10	8	10	8	8	8	8	8	4	8	5	7	2	21	5	25	2	32	11	2	7	15
16	24	9	24	12	24	9	24	8	24	4	24	2	24	2	...	1	14	4	11	5	10	5	10	4	16
17	7	17	7	18	7	17	7	18	6	16	7	15	8	18	6	11	7	16	7	16	7	15	7	15	17
18	8	19	8	19	8	16	8	17	9	14	9	12	10	11	10	11	10	10	10	10	10	10	10	10	18
19	9	12	10	13	10	8	9	8	7	4	24	7	26	12	25	11	25	9	25	8	26	8	27	10	19
20	5	17	6	16	6	18	6	18	6	25	6	19	6	21	6	25	6	23	6	26	6	25	6	22	20
21	2	5	32	10	1	11	1	11	2	11	3	9	2	9	1	9	1	7	1	6	1	8	1	10	21
22	8	14	10	10	10	13	10	14	8	12	8	11	7	11	5	6	4	6	2	4	2	5	1	7	22
23	10	15	10	17	10	16	10	16	10	15	8	14	7	17	7	15	6	22	6	21	7	25	7	27	23
24	10	19	9	13	11	13	10	16	8	13	6	17	5	19	7	12	6	9	6	12	5	15	6	18	24
25	11	12	10	11	10	12	9	15	9	11	9	14	8	15	7	16	7	18	7	15	7	18	6	16	25
26	10	9	8	8	27	8	20	9	12	10	10	7	9	9	7	10	6	13	6	12	6	11	5	11	26
27	11	10	10	10	9	15	8	15	9	15	10	12	9	12	8	9	8	7	9	7	9	7	8	8	27
28	9	19	10	20	10	17	9	12	9	12	9	15	9	12	9	12	10	10	10	10	9	10	10	10	28
29	9	22	9	23	8	16	9	20	8	19	8	13	8	18	7	11	7	11	6	11	6	9	9	9	29
30	10	16	10	15	9	11	8	7	...	1	8	4	8	2	...	...	...	1	9	12	10	15	10	11	30
31	9	9	9	11	9	16	8	20	7	21	7	22	6	22	6	22	6	24	6	24	6	16	7	11	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of JANUARY, 1926.
(... = no clouds.)

Hours, Hongkong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	nb	SSW	cu-nb	WSW	cu	W	cu	W	cu	W	cu	W	cu	WSW	...	...
2	...	...	ci-st	SW	ci-st	SW	...	...	a-cu	SW	ci-st	SW	ci-st	WSW	ci-st / cu	WSW / E
3	ci-st / cu	WSW / E	cu	E	a-cu / cu	SW / E	cu	E	cu-nb	E	cu-nb	E	nb	E	cu-nb	E
4	cu-nb	E	cu	E	cu-nb	E	cu-nb	E	st-cu	E	st-cu	E	cu-nb	E	nb	E
5	nb	E	nb	E	nb	NE	nb	NE	nb	NE	nb	NE	cu-nb	NE	cu	NE
6	st-cu	NE	st-cu	NNE	st-cu	ENE	cu-nb	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE
7	nb	E	cu-nb	E	cu	E	a-cu / cu	W / E	a-cu / cu	WNW / E	...	...	cu	E	cu-nb	E
8	cu	E	cu	E	cu	ENE	cu	ENE	...	...	cu	NE	...	...	...	...
9	cu	NE	...	...	a-cu / cu	W / ESE	cu	ENE	a-cu	W	...	...	...	...	...	...
10	cu	E	cu	ENE	...	...	...	...	cu	E	cu	E	cu	E	cu	E
11	cu	E	...	...	cu	E	cu	E	cu	E	cu	E	...	...	cu	ENE
12	cu	ENE	cu	ENE	a-cu / cu	W / E	a-cu / cu	SW / E	cu	E	a-cu / cu	WNW / E	cu	E	cu	E
13	cu	E	cu	E	cu	ENE	cu	ENE	cu	E	cu	E	...	...	cu	E
14	...	...	cu	E	cu	E	cu	E	cu	E	...	...	cu	E	...	...
15	cu	E	cu	E	a-cu	W	...	...	cu	N	cu	NNW	cu	NNW	cu	NNW
16	cu	WNW	cu	WNW	cu	WNW	a-cu	WSW	cu	WNW	...	...	...	...	cu	W
17	...	...	cu	NNW	cu	E	cu	E	a-cu / cu	SSE / E	cu	E	...	...	cu	E
18	cu	E	cu	E	cu	E	cu	ESE	cu	E	cu	E	...	...	cu	E
19	cu	ESE	cu	ESE	cu-nb	E	cu	E	cu	ESE	a-cu / cu	WNW / SE	cu	W	cu	W
20	nb	WNW	nb	WNW	nb	ENE	nb	ENE	nb	ENE	nb	E	nb	E	nb	E
21	nb	E	cu-nb	E	cu-nb	E	cu-nb	E	cu	E	cu	E	cu	E	cu	E
22	cu	E	cu	E	cu	E	cu	E	cu	ESE	cu	ESE	a-cu	W	cu	ENE
23	cu	ENE	cu	ENE	a-cu / cu	WNW / NE	a-cu	WNW	...	...	...	...	...	...	cu	E
24	cu	E	cu	E	cu	ENE	...	...	cu	ESE	cu	ESE	st-cu	ESE	cu	E
25	cu	E	cu	E	a-cu / cu	NW / E	a-cu / cu	NW / ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE
26	cu	ESE	cu	E	cu	E	a-cu	WNW	cu	E	cu	E	...	...	cu	E
27	cu	E	cu	ENE	cu	E	cu	ENE	cu	ENE	...	...	...	...	...	...
28	...	...	cu	E	a-cu / cu	NW / ENE	ci-cu / cu	WNW / ENE	cu	E	a-cu	W	...	...	...	...
29	cu	E	cu	E	cu	E	...	...	...	...	...	...	...	...	cu	E
30	cu-nb	E	cu	E	...	...	cu	E	cu	E	cu	E	cu	E	...	...
31	cu	E	a-cu	ESE	cu	E	cu	E	cu	E	cu	E	st-cu	E	cu-nb	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1926.
(British Units.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·156	62·8	51·9	10·9	57·3	50·8	0·286	61	80	...	...	...	...	+ 0·6	— 2·1	286	2·2	3·5
2	·111	70·3	56·7	13·6	62·4	54·9	·333	59	36	9·5	89	...	...	+ 0·4	+ 7·4	87	7·4	9·2
3	·106	64·0	59·6	4·4	61·3	55·8	·374	69	92	3·8	36	...	...	+ 8·5	+ 23·0	70	24·6	24·6
4	·059	62·9	57·5	5·4	60·4	56·9	·418	79	100	...	...	0·005	3	+ 5·1	+ 15·5	72	16·3	16·3
5	·118	64·6	57·3	7·3	60·1	57·1	·429	82	100	0·1	1	0·170	10	+ 3·[illegible]	+ 1·2	18	3·9	4·2
6	·150	61·7	56·1	5·6	58·7	54·2	·362	73	100	0·1	1	...	...	+ 1·3	+ 9·1	82	9·2	9·7
7	·081	63·2	58·1	5·1	60·2	55·8	·388	74	81	5·1	47	...	1	+ 2·9	+ 14·8	79	15·2	15·4
8	·087	66·8	58·1	8·7	61·3	54·8	·345	63	37	8·8	81	...	...	+ 1·2	+ 3·7	72	3·9	5·8
9	·154	64·1	57·6	6·5	60·1	54·8	·361	70	14	10·0	93	...	...	+ 2·8	+ 14·2	79	14·4	15·2
10	·192	61·6	56·6	5·0	59·0	53·7	·344	68	25	10·2	94	...	...	+ 5·7	+ 20·5	74	21·2	21·2
11	·127	66·1	56·1	10·0	60·1	54·7	·358	69	60	3·7	34	...	...	+ 5·5	+ 16·2	71	17·2	17·2
12	·006	67·9	59·2	8·7	63·6	58·4	·422	72	95	0·4	4	...	...	— 1·5	+ 11·3	98	11·4	11·8
13	29·953	75·6	63·3	12·3	68·0	61·7	·467	68	51	6·2	57	...	...	— 3·3	+ 8·3	112	8·9	9·0
14	·927	71·1	63·4	7·7	66·7	63·0	·528	80	36	8·7	80	...	...	— 1·9	+ 10·6	100	10·7	10·7
15	·932	72·1	63·0	9·1	66·7	63·6	·548	83	48	8·6	79	...	...	+ 0·3	+ 5·2	87	5·2	6·4
16	·991	65·0	56·8	8·2	60·9	54·3	·336	62	64	7·6	70	...	...	+ 2·6	— 1·8	325	3·2	6·3
17	·912	66·3	59·1	7·2	62·2	58·2	·434	77	64	6·9	63	...	...	+ 2·9	+ 15·6	80	15·8	15·8
18	·874	69·3	60·9	8·4	65·0	61·7	·507	82	30	10·2	94	...	...	— 0·8	+ 15·0	93	15·0	15·2
19	·920	73·1	62·7	10·4	66·4	63·9	·562	87	91	1·0	9	...	1	— 0·6	+ 4·6	97	4·6	10·0
20	30·024	63·2	57·2	6·0	59·3	56·9	·433	86	100	...	...	0·035	8	+ 7·3	+ 12·7	60	14·7	15·9
21	·150	63·6	54·1	9·5	57·4	53·0	·345	73	100	0·7	6	...	1	+ 8·7	+ 6·0	35	10·6	11·5
22	·238	60·6	51·6	9·0	55·8	49·8	·280	63	92	1·0	9	...	...	+ 4·6	+ 5·2	48	7·0	9·1
23	·264	62·1	54·6	7·5	58·2	51·6	·296	60	51	9·4	85	...	...	+ 3·3	+ 13·3	76	13·7	15·0
24	·301	62·1	54·5	7·6	57·4	51·6	·307	65	57	5·8	53	...	...	+ 3·2	+ 17·6	80	18·0	18·7
25	·312	65·9	54·8	11·1	58·9	53·8	·349	69	60	6·9	63	...	...	+ 1·0	+ 12·5	85	12·5	13·0
26	·307	64·9	55·2	9·7	59·2	54·0	·350	69	51	8·7	79	...	...	+ 4	+ 7·9	80	8·0	10·4
27	·261	64·2	56·6	7·6	58·7	54·1	·359	72	45	5·4	49	...	...	+ 0·9	+ 10·7	85	10·7	11·3
28	·190	64·2	56·9	7·3	59·8	55·9	·397	77	23	9·0	82	...	...	— 0·6	+ 12·5	93	12·5	13·0
29	·107	65·0	58·1	6·9	61·2	56·7	·402	74	41	10·1	91	...	...	...	+ 15·3	90	15·3	15·5
30	·103	70·1	59·5	10·6	63·5	57·5	·395	67	25	10·3	93	...	...	— 0·8	+ 10·5	94	10·5	11·3
31	·184	72·0	59·5	12·5	62·8	58·6	·438	77	76	4·[illegible]	42	0·005	1	+ 1·4	+ 13·5	84	13·6	14·0
										Sum.		Sum.	Sum					
Means	30·106	66·0	57·6	8·4	61·1	56·2	0·392	72	62	172·9	51	0·215	25	+ 2·1	+ 10·7	79	10·9	12·5
Normals	30·050	64·4	56·1	8·3	59·8	55·2	0·384	72	62	149·6	44	1·293	47	+ 2·4	+ 9·9	76	10·1	13·0
Absolute Max.	30·384	75·6	...	13·6	...	67·9	0·615	...	...	10·3	94	0·170	10	...	...	...	...	32·0 †
Day.	25	13	...	2	...	19	19	...	...	30	10,18	5	5	...	...	...	...	3*d* 7*h*
Absolute Min.	29·812	...	51·6	4·4	...	46·1	0·220	40	...	...	...	...	...	...	...	...	...	...
Day	18	...	22	3	...	1	1	2	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar halo :—on the 2nd.

Lunar corona :—on the 31st.

Slight Fog :—on the 15th and 19th.

Unusual visibility :—on the 17th.

Dew :—on the 18th, and 31st.

Rain fell on 2 days. The mean hourly intensity was 0·009*in*, and the maximum fall in one hour was 0·050*ins* at 4*h* on the 5th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 44 miles per hour at 6*h* 19*m* on the 3rd.

* 0°=N., 90°=E &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1926.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1023·3	290·1	284·1	6·0	287·1	283·4	9·6	...	...	+ 0·2	− 0·7	286	0·7	1·1
2	1021·7	294·3	286·7	7·6	289·9	285·7	11·2	...	...	+ 0·1	+ 2·4	87	2·4	3·0
3	1021·6	290·8	288·3	2·5	289·3	286·2	12·6	...	...	+ 2·8	+ 7·5	70	8·1	8·1
4	1020·0	290·2	287·2	3·0	288·8	286·8	14·1	0·1	3	+ 1·7	+ 5·1	72	5·3	5·3
5	1022·0	291·1	287·1	4·0	288·6	286·9	14·5	4·3	10	+ 1·2	+ 0·4	18	1·3	1·4
6	1023·1	289·5	286·4	3·1	287·8	285·3	12·2	...	...	+ 0·4	+ 3·0	82	3·0	3·2
7	1020·7	290·3	287·5	2·8	288·7	286·2	13·1	...	1	+ 1·0	+ 4·9	79	5·0	5·0
8	1020·9	292·3	287·5	4·8	289·3	285·7	11·6	...	...	+ 0·4	+ 1·2	72	1·3	1·9
9	1023·2	290·8	287·2	3·6	288·6	285·7	12·1	...	...	+ 0·9	+ 4·7	79	4·7	5·0
10	1024·5	289·4	286·7	2·7	288·0	285·1	11·6	...	...	+ 1·9	+ 6·7	74	6·9	6·9
11	1022·3	291·9	286·4	5·5	288·6	285·6	12·0	...	...	+ 1·8	+ 5·3	71	5·6	5·6
12	1018·2	292·9	288·1	4·8	290·6	287·7	14·2	...	...	− 0·5	+ 3·7	98	3·7	3·9
13	1016·3	297·2	290·4	6·8	293·0	289·5	15·7	...	...	− 1·1	+ 2·7	112	2·9	3·0
14	1015·5	294·7	290·4	4·3	292·3	290·2	17·8	...	...	− 0·6	+ 3·5	100	3·5	3·5
15	1015·6	295·3	290·2	5·1	292·3	290·6	18·5	...	...	+ 0·1	+ 1·7	87	1·7	2·1
16	1017·7	291·3	286·8	4·5	289·1	285·4	11·3	...	...	+ 0·9	− 0·6	325	1·0	2·1
17	1015·0	292·1	288·1	4·0	289·8	287·6	14·6	...	...	+ 1·0	+ 5·1	80	5·2	5·2
18	1013·7	293·7	289·1	4·6	291·3	289·5	17·1	...	...	− 0·3	+ 4·9	93	4·9	5·0
19	1015·2	295·8	290·1	5·7	292·1	290·7	19·0	...	1	− 0·2	+ 1·5	97	1·5	3·3
20	1018·8	290·3	287·0	3·3	288·2	286·8	14·6	0·9	8	+ 2·4	+ 4·2	60	4·8	5·2
21	1023·1	290·6	285·3	5·3	287·1	284·7	11·6	...	1	+ 2·9	+ 2·0	35	3·5	3·8
22	1026·1	288·9	283·9	5·0	286·2	282·9	9·4	...	...	+ 1·5	+ 1·7	48	2·3	3·0
23	1027·0	289·7	285·6	4·1	287·6	283·9	10·0	...	...	+ 1·1	+ 4·4	76	4·5	4·9
24	1028·3	289·7	285·5	4·2	287·1	283·9	10·3	...	...	+ 1·0	+ 5·8	80	5·9	6·1
25	1028·6	291·8	285·7	6·1	287·9	285·1	11·7	...	...	+ 0·3	+ 4·1	85	4·1	4·3
26	1028·4	291·3	285·9	5·4	288·1	285·2	11·8	...	...	+ 0·5	+ 2·6	80	2·6	3·4
27	1026·9	290·9	286·7	4·2	287·8	285·3	12·1	...	...	+ 0·3	+ 3·5	85	3·5	3·7
28	1024·5	290·9	286·8	4·1	288·4	286·3	13·4	...	...	− 0·2	+ 4·1	93	4·1	4·3
29	1021·6	291·3	287·5	3·8	289·2	286·7	13·5	...	...	...	+ 5·0	90	5·0	5·1
30	1021·5	294·2	288·3	5·9	290·5	287·2	13·3	...	...	− 0·3	+ 3·4	94	3·4	3·7
31	1024·2	295·2	288·3	6·9	290·1	287·8	14·8	0·1	1	+ 0·5	+ 4·4	84	4·5	4·6
								Sum.	Sum.					
Means.	1021·6	291·9	287·2	4·7	289·2	286·4	13·2	5·4	25	+ 0·7	+ 3·5	79	3·6	4·1
Normals	1019·7	291·0	286·4	4·6	288·4	285·9	12·9	32·8	47	+ 0·8	+ 3·2	76	3·3	4·3
Absolute Maximum.	1031·0	297·2	...	7·6	...	292·9	20·7	4·3	10	...	...	...	...	10·5†
Day.	25	13	...	2	...	19	19	5	5	...	...	...	...	3d 7h
Absolute Minimum.	1011·6	...	283·9	2·5	...	280·8	7·4	...	...	...	...	...	...	...
Day.	18	...	22	3	...	1	1	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, JANUARY, 1926.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	− 0·2	11	− 0·2	21	− 0·2
2	− 0·3	12	− 0·1	22	− 0·1
3	− 0·2	13	− 0·2	23	− 0·1
4	− 0·1	14	− 0·3	24	0·0
5	− 0·1	15	− 0·3	25	0·0
6	− 0·2	16	0·0	26	− 0·1
7	− 0·2	17	+ 0·1	27	− 0·1
8	− 0·1	18	+ 0·1	28	− 0·1
9	0·0	19	0·0	29	− 0·1
10	− 0·3	20	− 0·1	30	+ 0·1
				31	+ 0·1

+ = Late ; − = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0ˢ·13

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1926.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·117	59·9	56·1	·404	77	72		7	12	+ 2·9	+ 9·4	73	9·8	11·2
2	·110	59·7	56·0	·404	78	76		9	9	+ 3·5	+ 9·3	69	9·9	11·0
3	·099	59·6	55·8	·400	77	80		18	8	+ 3·6	+ 10·5	71	11·1	12·1
4	·093	59·2	55·5	·396	78	77		28	8	+ 4·0	+ 9·9	68	10·7	11·9
5	·096	58·8	55·1	·390	78	72		...	+	+ 3·4	+ 9·2	70	9·8	10·9
6	·103	58·5	54·7	·383	77	73	...	5	3	+ 3·7	+ 10·3	70	10·9	11·9
7	·118	58·4	54·5	·378	77	68	18	5	+	+ 4·6	+ 10·3	66	11·3	12·5
8	·132	59·1	54·8	·377	74	65	48	7	+	+ 4·2	+ 11·0	69	11·8	12·6
9	·150	60·6	55·4	·375	70	57	63	5	3	+ 4·4	+ 12·3	70	13·1	14·0
10	·165	62·2	56·4	·383	68	59	62	2	3	+ 3·1	+ 12·1	76	12·5	13·6
11	·154	63·2	56·7	·378	65	55	58	...	1	+ 1·7	+ 12·4	82	12·5	14·0
Noon.	·129	63·8	57·1	·382	64	59	63	...	3	+ 0·2	+ 12·7	89	12·7	14·5
13	·095	64·4	57·4	·384	63	59	56	...	3	— 0·5	+ 12·7	92	12·7	14·5
14	·071	64·3	57·3	·382	63	62	55	...	+	— 0·7	+ 12·1	93	12·1	14·3
15	·056	63·9	57·3	·387	65	57	56	9	+	— 0·6	+ 11·3	93	11·3	13·7
16	·055	63·2	57·0	·387	66	53	52	...	3	— 0·5	+ 11·7	92	11·7	13·6
17	·064	62·3	56·8	·394	69	54	30	...	1	+ 0·6	+ 11·5	87	11·5	12·8
18	·075	61·4	56·5	·397	72	49	...	...	...	+ 0·8	+ 10·3	86	10·3	11·5
19	·087	60·9	56·4	·400	74	45		...	1	+ 1·4	+ 10·3	82	10·4	11·9
20	·104	60·6	56·4	·404	76	47		...	3	+ 1·9	+ 9·0	78	9·2	10·3
21	·115	60·4	56·4	·407	76	49		5	7	+ 2·0	+ 9·2	78	9·4	11·3
22	·121	60·3	56·3	·405	76	63		...	5	+ 2·4	+ 9·1	75	9·4	11·5
23	·122	60·3	56·5	·411	77	67		...	2	+ 2·6	+ 9·6	75	9·9	11·8
Midn.	·123	60·2	56·4	·409	77	74		...	5	+ 2·9	+ 9·5	73	9·9	11·8

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1926.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1022·0	288·5	286·4	13·6	+ 1·0	+ 3·1	73	3·2	3·7
2	1021·7	288·4	286·3	13·6	+ 1·1	+ 3·0	69	3·2	3·6
3	1021·4	288·3	286·2	13·5	+ 1·2	+ 3·4	71	3·6	4·0
4	1021·2	288·1	286·1	13·3	+ 1·3	+ 3·2	68	3·5	3·9
5	1021·3	287·9	285·8	13·1	+ 1·1	+ 3·0	70	3·2	3·6
6	1021·5	287·7	285·6	12·9	+ 1·2	+ 3·4	70	3·6	3·9
7	1022·0	287·7	285·5	12·7	+ 1·5	+ 3·4	66	3·7	4·1
8	1022·5	288·1	285·7	12·7	+ 1·4	+ 3·6	69	3·9	4·1
9	1023·1	288·9	286·0	12·6	+ 1·4	+ 4·0	70	4·3	4·6
10	1023·6	289·8	286·6	12·9	+ 1·0	+ 4·0	76	4·1	4·5
11	1023·2	290·3	286·7	12·7	+ 0·6	+ 4·1	82	4·1	4·6
Noon.	1022·4	290·7	286·9	12·9	+ 0·1	+ 4·2	89	4·2	4·8
13	1021·2	291·0	287·1	12·9	— 0·2	+ 4·2	92	4·2	4·8
14	1020·4	290·9	287·1	12·9	— 0·2	+ 4·0	93	4·0	4·7
15	1019·9	290·7	287·1	13·0	— 0·2	+ 3·7	93	3·7	4·5
16	1019·9	290·3	286·9	13·0	— 0·2	+ 3·8	92	3·8	4·5
17	1020·2	289·8	286·8	13·3	+ 0·2	+ 3·8	87	3·8	4·2
18	1020·5	289·3	286·6	13·4	+ 0·3	+ 3·4	86	3·4	3·8
19	1020·9	289·1	286·6	13·5	+ 0·5	+ 3·4	82	3·4	3·9
20	1021·5	288·9	286·6	13·6	+ 0·6	+ 3·0	78	3·0	3·4
21	1021·9	288·8	286·6	13·7	+ 0·7	+ 3·0	78	3·1	3·7
22	1022·1	288·7	286·5	13·6	+ 0·8	+ 3·0	75	3·1	3·8
23	1022·1	288·7	286·6	13·8	+ 0·9	+ 3·1	75	3·2	3·9
Midn.	1022·2	288·7	286·6	13·8	+ 1·0	+ 3·1	73	3·2	3·9

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

JANUARY,

1926.

LATITUDE AND LONGITUDE OF METEOROLOGICAL STATIONS REPORTING TELEGRAPHICALLY TO THE ROYAL OBSERVATORY, HONGKONG.

Station	Latitude N.		Longitude E.		Station	Latitude N.		Longitude E.	
	°	′	°	′		°	′	°	′
Wladivostock	43	07	131	54	Koshun	22	00	120	45
Nemuro	43	20	145	35	Pescadores	23	32	119	33
Hakodate	41	47	140	43	Canton	23	08	113	27
Tokio	35	41	139	46	Hongkong	22	18	114	10
Kochi	33	33	133	32	Gap Rock	21	49	113	56
Nagasaki	32	44	129	52	Pratas Island	20	40	116	47
Kagoshima	31	34	130	33	Macao	22	11	113	33
Oshima	28	23	129	30	Wuchow	23	29	111	20
Naha	26	13	127	41	Pakhoi	21	29	109	06
Ishigakijima	24	20	124	10	Hoihow	20	01	110	20
Bonin Island	27	05	142	11	Phulien	20	48	106	37
Chefoo	37	33	121	30	Tourane	16	07	108	13
Hankow	30	36	114	20	Cape St. James	10	20	107	05
Ichang	30	42	111	16	Basco	20	28	121	59
Changsha	28	12	112	47	Aparri	18	22	121	38
Shanghai	31	14	121	29	Manila	14	35	120	58
Gutzlaff	30	48	122	10	Legaspi	13	09	123	45
Sharp Peak	26	03	119	39	Tacloban	11	15	125	00
Amoy	24	28	118	05	Iloilo	10	42	122	34
Swatow	23	20	116	43	Surigao	9	48	125	29
Taihoku	25	02	121	31	Guam	13	24	144	38
Taichu	24	09	120	41	Yap	9	29	138	08
Tainan	23	00	120	13	Labuan	5	16	115	13
					Pelew	7	20	134	29

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	31st DECEMBER, 1925.								1st JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.89	759.2	9	...	WSW	2	b	6	30.05	763.2	3	..	...	0	c
Nemuro,	11	29.65	753.0	...	...	W	1	...	5	...	...	...	...	...	...	...
Hakodate,	.	29.74	755.5	...	...	W	5	...	,,	29.96	761.0	...	...	N	1	...
Tokio,	,,	29.92	760.0	...	...	SW	2	...	,,	30.12	765.0	...	...	...	0	...
Kochi,	,,	30.20	767.0	...	...	SW	1	...	,,	30.30	769.5	...	...	...	0	...
Nagasaki,	,,	30.35	771.0	...	...	N	1	...	,,	30.30	769.5	...	...	SSE	1	...
Kagoshima,	,,	30.31	770.0	...	...	N	1	...	,,	30.32	770.0	...	...	NE	1	...
Oshima,	,,	30.33	770.5	...	...	N	2	...	,,	30.30	769.5	...	...	SSE	1	...
Naha,	,,	30.35	771.0	...	...	NNE	2	...	,,	30.26	768.5	...	...	ENE	1	...
Ishigakijima,	,,	30.35	771.0	...	...	N	2	...	,,	30.24	768.0	...	...	NNE	1	...
Bonin Island,	..	30.16	766.0	...	...	W	1	...	,,	30.20	767.0	...	...	N	1	...
Chefoo,	15	30.18	766.6	34	60	SW	2	b	6	30.06	763.5	26	78	SW	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.45	773.4	45	31	WSW	1	b	,,	30.28	769.2	28	88	SSE	2	b
Gutzlaff,	,,	30.47	773.9	40	39	WNW	2	b	,,	30.31	769.9	41	74	SSW	4	b
Sharp Peak,	,,	30.33	770.4	48	63	E	2	o	,,	30.25	768.3	48	78	...	0	o
Amoy,	15	30.32	770.1	52	88	NE	2	r	6	30.24	768.1	52	88	WNW	4	o
Swatow,	...	..		...	...	...	...	...	,,	...	..	...	..	...	...	...
Taihoku,	11	30.37	771.3	54	76	E	4	r	5	30.24	768.0	55	98	...	0	r
Taichu,	,,	30.28	769.2	54	...	...	0	r	,,	30.24	768.0	54	..	..	0	r
Tainan,	,,	30.27	768.9	55	...	NNE	4	o	,,	30.20	767.1	55	...	NNW	2	o
Koshun,	,,	30.22	767.7	63	...	NE	6	b	,,	30.17	766.2	63	...	...	0	o
Pescadores,	,,	30.30	769.5	57	...	NE	6	r	,,	30.21	767.4	61	...	NE	4	o
Canton,	14	30.31	769.9	51	72	N	2	o	6	..	...	...	...	...	...	...
Hongkong,	,,	30.26	768.6	54	43	ENE	2	o	,,	30.23	767.8	53	63	N	1	o
Gap Rock,	,,	30.25	768.3	...	...	NE	5	o	,,	30.21	767.3	...	...	NE	5	o
Macao,	,,	30.22	767.7	48	73	N	4	o	,,	30.20	767.1	50	69	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.24	768.1	67	...	NE	6	o	,,	30.17	766.3	68	...	NE	4	od
Phulien,	,,	30.30	769.5	46	89	WNW	2	rf	7	30.25	768.3	48	97	NW	2	of
Tourane,	,,	30.10	764.4	64	...	NW	6	of	,,	30.12	765.0	63	...	NW	4	of
Cape St. James,	,,	29.91	759.6	79	...	ENE	6	of	,,	29.97	761.1	72	...	ENE	4	of
Basco,	14	30.07	763.8	68	87	N	6	r	6	..	...	...	...	...	...	...
Aparri,	,,	30.04	762.9	73	86	ENE	4	o	,,	30.05	763.2	72	91	E	4	o
Manila,	,,	29.89	759.3	82	60	WNW	4	o	,,	29.97	761.1	70	91	NE	1	o
Legaspi,	,,	29.89	759.3	81	73	NE	4	o	,,	29.92	759.9	77	84	NNE	2	o
Tacloban,	,,	29.86	758.4	86	78	NE	4	o	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	82	70	NNE	6	o	,,	29.91	759.6	75	91	N	4	o
Surigao,	..	29.82	757.5	81	80	NE	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.84	757.8	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	..	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	79	...	ENE	3	c
Labuan,	14	29.81	757.2	86	84	N	2	b	0	29.81	757.2	80	91	S	2	b

January 1*d*. 11*h*. 25*m*.—Pressure has increased moderately over N.E. Japan. It has decreased considerably at Shanghai, moderately at Chefoo and Haiphong, and slightly from Hongkong to Formosa. It is nearly stationary over the Philippines.

The anticyclone has weakened and moved to S.W. Japan.

The monsoon is interrupted to the north of Amoy and has moderated over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China berween Hongkong and Hainan,	N.E. winds, moderate; generally overcast, warmer.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st JANUARY, 1925.									2nd JANUARY, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	29.99	761.8	18	...	....	0	b		6	30.07	763.7	1	...	NNE	3	o	
Nemuro,	11	29.90	759.5	...	...	W	1	...		5	29.80	757.0	...	...	...	0	...	
Hokodate,	.	29.96	761.0	...	...	NNW	3	...		,,	29.82	757.3	...	...	N	1	...	
Tokio,	,,	30.06	763.5	...	...	NNE	1	...		,,	29.86	758.5	...	...	SW	2	...	
Kochi,	,,	30.24	768.0	...	...	...	...	...		,,	30.02	762.5	...	...	SW	1	...	
Nagasaki,	,,	30.26	768.5	...	...	SW	1	...		,,	...	...	...	...	WNW	5	...	
Kagoshima,	,,	30.26	768.5	...	...	...	0	...		,,	30.20	767.0	...	...	W	1	...	
Oshima,	,,	30.26	765.5	...	...	...	0	...		,,	30.18	766.5	...	...	...	0	...	
Naha,	,,	30.26	768.5	...	...	ENE	1	...		,,	30.14	765.5	...	...	S	1	...	
Ishigakijima,	,,	30.24	768.0	...	...	N	1	...		,,	30.16	766.0	...	...	NNW	1	...	
Bonin Island,	,,	30.18	766.5	...	...	...	0	...		,,	30.12	765.0	...	...	...	...	...	
Chefoo,	15	30.11	764 8	30	80	NW	4	0		6	30.34	770.6	24	87	N	4	0	
Hankow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Ichang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	14	30.25	768.3	54	23	WSW	2	b		,,	30.38	771.6	28	100	WNW	1	b	
Gutzlaff,	,,	30.22	767.6	48	56	WSW	1	b		,,	30.39	771.9	38	91	NNW	1	b	
Sharp Peak,	,,	30.18	766.6	58	76	W	1	o		,,	30.21	767.3	52	73	W	1	b	
Amoy,	15	...	...	54	89	SSW	2	o		6	30.20	767.1	52	100	W	1	b	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Taihoku,	11	30.24	768.0	59	93	...	0	r		5	30.22	767.7	52	97	...	0	of	
Taichu,	,,	30.25	768.3	59	...	...	0	r		,,	30.18	766.5	55	...	...	0	o	
Tainan,	,,	30.21	767.4	63	...	NNE	2	o		,,	30.14	765.6	57	...	N	4	b	
Koshun,	,,	30.18	766.5	72	...	NW	2	o		,,	30.11	764.7	66	...	...	0	b	
Pescadores,	,,	30.27	768.9	64	...	NNE	4	o		,,	30.17	766.2	61	...	NE	4	b	
Canton,	14	30.34	770.6	53	67	N	1	o		6	...	...	...	...	...	...	...	
Hongkong,	,,	30 19	766.8	60	56	WSW	1	o		,,	30.18	766.6	56	81	...	0	b	
Gap Rock,	,,	30.19	766.8	...	...	NNW	4	o		,,	30.18	766.6	...	...	NNW	4	b	
Macao,	,,	30.17	766.2	55	60	NNE	2	o		,,	30.15	765.9	52	79	NNW	4	b	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.20	767.1	72	...	NE	4	o		,,	30.14	765.5	69	...	NE	4	o	
Phulien,	,,	...	...	59	79	WNW	1	of		7	30.20	767.1	57	96	WNW	1	of	
Tourane,	,,	30.07	763.8	64	...	NW	4	o		,,	30.11	764.7	63	...	W	2	o	
Cape St. James,	,,	29.89	759.3	77	...	ENE	6	bf		,,	29.95	760.8	72	...	ENE	4	b	
Basco,	14	30.01	762.3	77	76	E	4	o		6	...	...	...	...	...	...	...	
Aparri,	,,	29.99	761.7	75	89	ENE	4	r		,,	...	...	...	...	...	...	...	
Manila,	,,	29.89	759.3	86	61	WSW	2	o		,,	29.94	760.5	70	96	ENE	1	b	
Legaspi,	,,	29.88	759.0	82	77	NE	4	o		,,	29.91	759.6	77	92	NNE	2	o	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.89	759.3	86	65	NE	6	o		,,	29.87	758.7	75	92	N	4	o	
Surigao,	,,	29.85	758.1	75	94	ENE	1	r		,,	29.86	758.4	77	89	ENE	2	o	
Guam,	12.20	29.82	757.5	...	...	NE	4	o		4.20	...	...	...	...	...	...	...	
Yap,	12.47	...	...	...	...	...	..	...		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	..	...	...	...	...		5	29.75	755.6	76	...	...	0	...	
Labuan,	14	29.80	756.9	84	83	NE	2	b		0	29.83	757.7	78	91	NE	1	o	

January 2*d.* 10*h.* 55*m.*—Pressure has decreased considerably over central Japan and slightly from S.W. Japan to Formosa and Hongkong and also in the extreme South. It has increased considerably at Chefoo and moderately at Shanghai.

A new anticyclone is forming over China.

The monsoon will freshen along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD

District.	Forecast.
1.—Formosa Channel, ...	N. to N.E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd January, 1925.								3rd January, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	17	30.02	762.5	7	...	N	2	b	0	30.09	764.3	1	...	...	0	b
Nemuro,	11	29.70	754.5	...	...	...	0	...	5	...	...	...	...	...	...	...
Hokodate,	..	29.72	755.0	...	...	NNW	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.67	753.5	...	...	SW	3	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.96	761.0	...	...	WSW	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.14	765.5	...	...	NW	5	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30. 0	764.5	...	...	NW	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.18	766.5	...	...	N	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.22	767.5	...	...	NNE	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.22	767.5	...	...	N	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	..	30.08	764.0	...		...	0		,,	...	...	...	..	...	...	...
Chefoo,	15	30.43	772.9	24	100	NNE	4	r	6	30.59	777.0	24	87	SW	2	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	..			...	...		...	...	,,	...	...	..	...		...	...
Shanghai,	14	30.41	772.5	46	53	NNW	1	b	,,	30.57	776.4	28	79	NNE	2	b
Gutzlaff,	,,	30.41	772.4	46	54	N	2	b	,,	30.54	775.7	34	69	N	6	b
Sharp Peak,	,,	30.25	768.3	65	63	E	2	b	-	30.29	769.3	50	69	N	4	o
Amoy,	15	30.14	765.5	62	83	ENE	4	b	6	30.28	769.1	56	81	NNE	4	o
Swatow,	..	...		...	...		...	...	,,	...	.	...	..	...	..	...
Taihoku,	11	30.28	769.2	66	59	ENE	4	b	5	30.30	769.5	55	71	E	4	o
Taichu,	,,	30.19	766.8	70	...	N	2	b	,,	30.17	766.2	50	..	...	0	o
Tainan,	,,	30.18	766.5	72	...	NNW	4	b	,,	30.14	765.6	52	..	N	1	b
Koshun,	,,	30.15	765.9	72	...	NNE	4	b	,,	30.12	765.0	64	...	NE	6	o
Pescadores,	,,	30.21	767.4	68		NE	6	b	,,	30.17	766.2	61	...	NE	6	o
Canton,	14	30.22	767.6	61	60	N	1	o	6	.	...			...	...	...
Hongkong,	,,	30.14	765.5	67	41	E	3	c	,,	30.16	766.0	60	65	E	4	o
Gap Rock,	,,	30.14	765.5	..	...	NNW	4	c	,,	30.15	765.8	...	...	ENE	4	c
Macao,	,,	30.07	763.8	66	46	NE	4	b	,,	30.13	765.3	59	79	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	..	.	...
Pratas Island,	,,	30.18	766.6	72	...	NE	4	c	,,	30.13	765.3	70	...	NE	6	od
Phulien,	,,	30.13	765.3	66	76	SW	1	o	7	30.10	764.4	59	100	WNW	2	of
Tourane,	,,	30.07	763.8	66	...	NW	2	of	,,	30.07	763.8	66	...	...	0	of
Cape St. James	,,	29.91	759.6	81	...	ENE	4	b	,,	29.92	759.9	73	...	ENE	2	o
Basco,	14	30.01	762.3	70	92	N	4	r	6	30.06	763.5	68	87	N	4	r
Aparri,	,,	29.97	761.1	81	76	ENE	4	b	,,	30.02	762.6	75	91	ENE	4	r
Manila,	,,	29.87	758.7	86	61	WSW	4	o	,,	29.93	760.2	72	89	ESE	1	o
Legaspi,	,,	29.86	758.4	81	89	NNE	4	o	,,	29.92	759.9	77	89	NE	4	o
Tacloban,	,,	29.82	757.5	81	89	NE	4	o	,,	29.87	758.7	75	94	N	4	o
Iloilo,	,,	...	...	...	...		..	...	,,	29.87	758.7	75	96	N	4	o
Surigao,	..	29.80	756.9	82	81	ENE	4	o	,,	29.85	758.1	73	96	...	0	o
Guam,	12.20	29.79	756.6	...	...	NE	2	o	4.20	29.85	758.1	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...		...	...	...	...	5	29.75	755.6	77	...	SE	2	c
Labuan,	14	29.85	758.2	82	83	NE	2	b	6	29.84	757.9	78	91	NE	2	b

January 3*d.* 11*h.* 55*m.*—Pressure has increased moderately from Chefoo to Shanghai, and slightly over Formosa and the Philippines. It has decreased moderately over Tongking, and slightly over S. China and Annam.

The anticyclone over N. China has strengthened.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy, some drizzle or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

B. D. EVANS,—*First Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd JANUARY, 1925.								4th JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.06	763.4	16	...	...	0	b	6	30.08	764.1	12	...	NW	1	0
Nemuro,	11	29.39	746.5	...	...	WSW	2	...	5	29.61	752.0	...	...	W	3	...
Hokodate,	..	29.69	754.0	...	...	WNW	3	...	,,	29.82	757.5	...	...	NW	4	...
Tokio,	,,	29.84	758.0	...	...	NW	4	...	,,	30.08	764.0	...	...	SW	1	...
Kochi,	,,	30.18	766.5	...	...	NNW	1	...	,,	30.32	770.0	...	...	...	...	...
Nagasaki,	,,	30.33	770.5	...	...	NNW	2	...	,,	30.47	774.0	...	...	...	0	...
Kagoshima,	,,	30.28	769.0	...	...	NW	2	...	,,	30.39	772.0	...	...	NW	1	...
Oshima,	,,	30.28	769.0	...	...	NNE	3	...	,,	30.30	769.5	...	...	N	1	...
Naha,	,,	30.31	770.0	...	...	NNE	3	...	,,	30.28	769.0	...	...	ENE	1	...
Ishigakijima,	,,	30.31	770.0	...	...	NNE	3	...	,,	30.18	766.5	...	...	ENE	3	...
Bonin Island,	..	30.02	762.5	...	...	WNW	2	...	..	30.16	766.0	...	...	NNW	1	...
Chefoo,	15	30.49	774.5	26	63	W	2	b	6	30.28	769.1	24	60	SW	2	b
Hankow,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.52	775.2	43	49	NNE	2	o	,,	30.39	771.9	34	82	NE	1	b
Gutzlaff,	,,	30.51	774.9	40	56	N	4	o	,,	30.39	771.9	38	84	ESE	2	o
Sharp Peak,	..	30.30	769.6	52	79	NE	4	o	-	30.29	769.3	48	91	NNE	1	r
Amoy,	13	30.22	767.6	62	77	ENE	4	o	6	30.23	767.8	54	100	NNW	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.31	769.8	63	60	E	4	o	5	30.17	766.2	57	98	ENE	4	r
Taichu,	,,	30.18	766.5	70	...	...	0	b	,,	30.15	765.9	59	..	...	0	o
Tainan,	,,	30.15	765.9	70	...	NNW	2	b	,,	30.14	765.6	55	..	...	0	b
Koshun,	,,	30.15	765.9	68	...	NE	6	c	,,	30.12	765.0	64	..	NE	4	b
Pescadores,	,,	30.20	767.1	66	...	NE	6	b	,,	30.17	766.2	63	...	NE	4	o
Canton,	14	30.15	765.8	67	60	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	,,	30.14	765.5	61	63	E	4	o	,,	30.14	765.5	58	81	E	4	o
Gap Rock,	,,	30.13	765.3	..	...	ENE	5	o	,,	30.11	764.8	...	...	ENE	5	o
Macao,	,,	30.11	764.7	61	79	E	2	o	,,	30.07	763.8	59	89	NE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Pratas Island,	,,	30.14	765.5	70	...	ENE	6	d	,,	30.11	764.8	71	...	ENE	5	c
Phulien,	,,	30.04	762.9	64	94	WNW	2	rf	7	30.06	763.5	63	96	NNW	2	of
Tourane,	,,	30.00	762.0	73	...		0	b	,,	30.04	762.9	68	...	...	0	b
Cape St. James,	..	29.88	759.0	77	...	ENE	2	b	..	29.93	760.2	73	...	ENE	4	b
Basco,	14	30.06	763.5	68	91	ENE	4	r	6	30.10	764.4	66	87	NE	4	o
Aparri,	,,	30.00	762.0	72	86	ENE	4	r	,,	30.05	763.2	72	82	ENE	4	o
Manila,	,,	29.85	758.1	84	58	NW	2	o	,,	29.94	760.5	73	85	SE	1	o
Legaspi,	,,	29.85	758.1	77	96	NNE	4	o	,,	29.91	759.6	75	92	NNE	4	o
Tacloban,	,,	29.80	756.9	79	91	NE	6	o	,,	29.86	758.4	75	96	N	4	o
Iloilo,	,,	29.78	756.3	81	80	N	6	o	,,	29.86	758.4	75	91	N	6	o
Surigao,	..	29.79	756.6	81	87	ENE	4	o	,,	29.84	757.8	77	88	ENE	2	o
Guam,	12.20	29.78	756.3	...	...	SE	1	o	4.20	29.88	759.0	...	...	NE	2	r
Yap,	12.47	...	...	...	...	...	..	...	4.47	...	..	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.79	756.6	79	...	ESE	3	c
Labuan,	14	29.80	756.9	84	83	NE	2	b	6	29.84	757.9	80	87	NE	2	b

January 4*d.* 11*h.* 35*m.*—Pressure has decreased moderately from Chefoo to Shanghai and slightly from Foochow to Haiphong. It has increased moderately over Japan and is nearly stationary over the Philippines.

The anticyclone has weakened and is now central over the Yellow Sea.

The monsoon will moderate along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	E. winds, fresh to moderate; generally overcast.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th JANUARY, 1925.									5th JANUARY, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.06	763.6	19	...	ENE	2	0		6	30.16	766.0	−5	...	...	0	c	
Nemuro,	11	...	...	...	...	...	...	...		5	29.73	755.0	...	...	SW	1	...	
Hokodate,	,,	29.82	757.5	...	...	WNW	3	...		,,	29.84	758.0	...	...	NNE	1	...	
Tokio,	,,	30.02	762.5	...	...	SSW	1	...		,,	29.96	761.0	...	...	NW	1	...	
Kochi,	,,	30.22	767.5	...	...	...	0	...		,,	30.10	764.5	...	...	...	...	...	
Nagasaki,	,,	30.33	770.5	...	...	...	...	...		,,	30.02	762.5	...	...	SW	3	...	
Kagoshima,	,,	30.31	770.0	...	...	...	...	...		,,	30.08	764.0	...	...	...	0	...	
Oshima,	,,	30.30	769.5	...	...	...	...	...		,,	30.10	764.5	...	...	S	1	...	
Naha,	,,	30.26	768.5	...	...	NE	1	...		,,	30.06	763.5	...	...	SSE	1	...	
Ishigakijima,	,,	30.20	767.0	...	...	E	2	...		,,	30.10	764.5	...	...	WNW	2	...	
Bonin Island,	,,	30.16	766.0	...	...	NW	1	...		,,	30.18	766.5	...	...	...	0	...	
Chefoo,	15	30.19	766.8	30	67	SW	2	0		6	30.36	771.1	24	77	NNW	6	o	
Hankow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Ichang,	,,	..	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha,	,,	..		...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	14	30.25	768.3	50	50	SW	1	0		,,	30.38	771.6	34	70	WNW	4	b	
Gutzlaff,	,,	30.26	768.6	44	86	WNW	1	0		,,	30.36	771.1	34	69	NW	7	b	
Sharp Peak,	,,	30.17	766.3	60	71	N	1	0		,,	30.19	766.8	54	87	...	0	o	
Amoy,	15	30.12	765.0	60	94	NNE	2	0		6	30.20	767.1	58	100	ENE	2	r	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Taihoku,	11	30 18	766.5	61	96	...	0	r		5	30.18	766.5	59	98	...	0	r	
Taichu,	,,	30.15	765.9	66	...	...	0	0		,,	30.15	765.9	59	...	...	0	r	
Tainan,	,,	30.14	765.6	73	...	NE	2	0		,,	30.13	765.3	61	...	N	4	o	
Koshun,	,,	30.13	765.3	73	...	ENE	2	0		,,	30.07	763.8	64	...	...	0	b	
Pescadores,	,,	30.18	766.5	66	...	NNE	4	0		,,	30.15	765.9	63	...	NE	4	r	
Canton,	14	...	...	...	...	...	...	...		6	...	...	..	...	...	...	...	
Hongkong,	,,	30.06	763.5	63	76	ENE	4	0		,,	30.15	765.8	59	89	NW	1	od	
Gap Rock,	,,	30.05	763.2	...	...	ENE	5	0		,,	30.15	765.8	...	...	NNE	4	o	
Macao,	,,	30.04	762.9	61	79	ENE	2	0		,,	30.14	765.6	55	100	N	4	r	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	,,	..	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.10	764 5	73	...	E	5	o		,,	30.10	764.5	72	...	NE	5	o	
Phulien,	,,	30.00	762.0	70	82	WSW	1	of		7	30.12	765.0	63	98	ENE	4	of	
Tourane,	,,	29.98	761.4	75	...	SE	2	b		,,	30.08	764.1	68	...	...	0	of	
Cape St. James,	,,	29.88	759.0	81	...	ENE	4	b		,,	29.95	760.8	...	...	ENE	2	b	
Basco,	14	30.00	762.0	73	79	E	4	o		6	...	...	...	...	...	...	...	
Aparri,	,,	29.97	761.1	74	79	NE	4	o		,,	30.01	762.3	70	94	...	0	e	
Manila,	,,	29.88	759.0	86	61	W	2	o		,,	29.94	760.5	72	89	NE	1	e	
Legaspi,	,,	29.86	758.4	77	92	NNE	4	o		,,	29.91	759.6	75	94	NNE	4	o	
Tacloban,	,,	29.80	756.9	82	77	NE	6	o		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.80	756.9	79	89	N	6	o		,,	29.86	758.4	75	92	N	4	o	
Surigao,	,,	29.78	756.3	81	84	ENE	4	o		,,	...	...	...	...	...	...	...	
Guam,	12.20	29.81	757.2	...	...	E	4	o		4.20	...	...	...	...	...	...	...	
Yap,	12.47	...	...	...	...	...	..	...		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	29.84	757.9	79	...	SE	3	c	
Labuan,	14	29.76	755.9	84	83	NE	2	b		6		757.7	78	91	NE	2	b	

January 5*d.* 11*h.* 40*m.*—Pressure has decreased considerably over S.W. Japan. It has increased moderately from Wladivostock to Chefoo and Shanghai and slightly from Amoy to Haiphong. It is nearly stationary over the Philippines.

The anticyclone has broken up and a depression formed to the north of Nagasaki. Another anticyclone has formed over China.

The monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·15 inch. Total since January 1st, 0·15 inches, against an average of 0·12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th JANUARY, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	6th JANUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	30.06	763.5	7	...	NNE	5	b	6	30.15	765.8	6	...	NNE	4	o
Nemuro, ...	11	29.70	754.5	...	...	WSW	1	...	5	29.39	746.5	...	...	SSE	4	...
Hokodate, ...	,,	29.74	755.5	...	...	N	2	...	,,	29.59	751.5	...	...	NNW	1	...
Tokio, ...	,,	29.80	757.0	...	...	...	0	...	,,	29.73	755.0	...	...	NW	1	...
Kochi, ...	,,	29.90	759.5	...	...	...	0	...	,,	30.00	762.0	...	...	...	0	...
Nagasaki, ...	,,	30.00	762.0	...	...	NW	5	...	,,	30.24	768.0	...	...	NNW	2	...
Kagoshima, ...	,,	30.00	762.0	...	...	WNW	6	...	,,	30.10	764.5	...	...	...	...	...
Oshima, ...	,,	30.10	764.5	...	...	N	2	...	,,	30.12	765.0	...	...	NNE	4	...
Naha, ...	,,	30.14	765.5	...	...	NNW	5	...	,,	30.10	764.5	...	...	NNW	3	...
Ishigakijima, ...	,,	30.18	766.5	...	...	NNW	3	...	,,	30.24	768.0	...	...	NNW	1	...
Bonin Island, ..	,,	30.08	764.0	...	...	SE	1	...	,,	29.90	759.5	...	...	SSW	4	...
Chefoo.	15	30.41	772.4	28	79	NNW	6	o	6	30.37	771.4	24	77	WNW	1	b
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	30.44	773.1	39	44	NW	6	b	,,	30.50	774.6	25	87	NNW	1	b
Gutzlaff, ...	,,	30.40	772.1	40	65	NNW	6	o	,,	30.46	773.7	34	60	NNW	4	o
Sharp Peak, ..	,,	30.21	767.3	54	74	E	2	o	7	30.28	769.1	48	71	NE	2	o
Amoy, ...	15	30.17	766.3	62	90	NNE	2	o	6	30.28	769.1	54	89	NE	4	o
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku, ...	11	30.26	768.6	59	85	E	4	r	5	30.30	769.5	52	69	E	4	o
Taichu, ...	,,	30.18	766.5	64	...	NNW	2	o	,,	30.19	766.8	52	..	N	2	o
Tainan, ...	,,	30.15	765.9	72	...	NNW	7	b	,,	30.17	766.2	54	..	N	4	o
Koshun, ...	,,	30.11	764.7	77	...	NNE	2	b	,,	30.13	765.3	61	..	NE	4	b
Pescadores, ...	,,	30.18	766.5	66	...	E	6	o	,,	30.20	767.1	59	...	NE	6	o
Canton, ...	14	30.31	769.9	61	77	WSW	2	o	6	...	...	...	...	...	...	...
Hongkong, ...	,,	30.15	765.8	62	80	N	2	cd	,,	30.22	767.6	57	73	...	o	o
Gap Rock, ...	,,	30.14	765.5	...	...	NNW	4	o	,,	30.21	767.3	...	...	NNE	4	o
Macao, ...	,,	30.14	765.0	57	91	NNE	4	r	,,	30.19	766.8	52	77	N	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island, ...	,,	30.15	765.8	75	...	NE	5	c	,,	30.17	766.3	70	...	NE	...	od
Phulien, ...	,,	30.13	765.3	63	100	ENE	4	rf	7	30.21	767.4	57	91	NE	4	o
Tourane, ...	,,	30.05	763.2	73	...	...	0	b	,,	30.08	764.1	68	...	E	4	o
Cape St. James.	,,	29.92	759.9	81	...	ENE	2	b	,,	29.95	760.8	72	...	ENE	4	b
Basco, ...	14	29.99	761.7	77	76	N	4	o	6	...	...	...	...	...	...	...
Aparri, ...	,,	29.97	761.1	79	80	N	2	o	,,	30.02	762.6	73	82	ENE	4	o
Manila, ...	,,	29.89	759.3	82	67	SW	2	o	,,	29.93	760.2	72	92	...	o	o
Legaspi, ...	,,	29.86	758.4	77	92	NNE	4	o	,,	29.86	758.4	75	94	N	4	o
Tacloban, ...	,,	29.81	757.2	77	96	NNW	2	o	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.81	757.2	82	77	NNE	4	o	,,	29.82	757.5	75	92	N	6	o
Surigao, ...	,,	29.79	756.6	77	94	...	o	o	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.78	756.3	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	...	...	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	...	...	77	...	NE	2	b
Labuan, ...	14	29.80	756.9	84	83	NE	2	b	6	29.86	758.4	77	94	SSE	2	b

January 6*d.* 11*h.* 20*m.*—Pressure has decreased considerably over N.E. Japan and slightly over the Visayas. It has increased considerably over S.W. Japan and slightly from Formosa to Tongking. It is nearly stationary elsewhere.

The Nagasaki depression has deepened considerably and is moving into the Pacific.

A moderate anticyclone over China remains unchanged.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 0·17 inches, against an average of 0·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; overcast, some drizzle or mist.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th JANUARY, 1925.								7th JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.10	764.6	12	...	N	4	c	6	30.17	766.2	5	...	NNE	4	b
Nemuro,	11	29.29	744.0	...	...	N	4	...	5	29.45	748.0	...	...	WNW	5	...
Hokodate,	.	29.53	750.0	...	...	WNW	4	...	,,	29.69	754.0	...	...	WNW	1	...
Tokio,	,,	29.72	755.0	...	...	NNW	3	...	,,	29.86	758.5	...	...	SW	1	...
Kochi,	,,	30.04	763.0	...	...	NW	1	...	,,	30.08	764.0	...	...	...	C	...
Nagasaki,	,,	30.18	766.5	...	...	WNW	2	...	,,	30.20	767.0	...	...	NNW	1	...
Kagoshima,	,,	30.14	765.5	...	...	NNW	1	...	,,	30.18	766.5	...	...	...	0	...
Oshima,	,,	30.12	765.0	...	...	N	2	...	,,	30.16	766.0	...	...	N	2	...
Naha,	,,	30.20	767.0	...	...	NNW	3	...	,,	30.16	766.0	...	...	NE	1	...
Ishigakijima,	,,	30.26	768.5	...	...	NNW	2	...	,,	30.20	767.0	...	...	N	1	...
Bonin Island,	..	29.86	758.5	...	...	WNW	1	...	..	29.92	760.0	...	.	WNW	1	...
Chefoo,	15	30.31	769.9	26	63	W	1	b	6	30.19	766.8	32	68	SSW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	.		...	...	..	...	...	,,	..	...	...	...		...	...
Shanghai,	14	30.44	773.1	45	58	N	2	b	,,	30.38	771.6	25	100	SSE	1	b
Gutzlaff,	,,	30.44	773.2	40	56	NW	4	o	,,	30.37	771.4	32	82	NW	2	b
Sharp Peak,	..	30.29	769.3	58	58	ENE	4	b	,,	30.27	768.8	44	84	W	2	o
Amoy,	15	30.21	767.3	64	68	NE	2	b	6	30.24	768.1	50	88	NNE	4	b
Swatow,	,,	.		...	...	.	...	...	,,	..	..	..	..	...	..	...
Taihoku,	11	30.28	760.2	55	60	S	4	o	5	30.24	768.0	45	86	...	o	o
Taichu,	,,	30.21	767.4	63	...	NNW	2	b	,,	30.19	766.8	50	...	.	o	o
Tainan,	,,	30.21	767.4	61	...	N	4	o	,,	30.17	766.2	52	..	N	2	o
Koshun,	,,	30.20	767.1	63	...	NNE	4	b	,,	30.12	765.0	61	..	NNE	4	b
Pescadores,	,,	30.25	768.3	61	...	WSW	6	b	,,	30.18	766.5	57	...	NE	6	b
Canton,	14	...	...	...	..	...	...	...	6	..	...	..	...	...	...	...
Hongkong,	,,	30.17	766.3	61	66	E	3	o	,,	30.17	766.3	58	80	ENE	3	o
Gap Rock,	,,	30.17	766.3	...	...	NE	4	o	,,	30.16	766.0	...	..	ENE	4	o
Macao,	,,	30.14	765.6	59	68	NNE	4	o	,,	30.13	765.3	59	89	ENE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	.	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pratas Island,	,,	30.20	767.1	70	...	NE	6	o	,,	30.14	765.5	68	..	NE	5	o
Phulien,	,,	30.15	765.9	63	70	SSE	1	o	7	30.10	764.4	59	91	NE	4	o
Tourane,	,,	30.06	763.5	68	...	E	6	rf	,,	30.06	763.5	66	...	..	o	o
Cape St. James,	,,	29.93	760.2	79	...	ENE	2	o	,,	29.95	760.8	70	...	ENE	4	o
Basco,	14	30.02	762.6	79	76	N	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	30.00	762.0	72	78	ENE	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.87	758.7	82	60	W	1	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.84	757.8	77	85	NE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	75	92	NW	6	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.75	755.7	79	87	E	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	N	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	..	...	...	...	5	29.81	757.2	78	...	NE	2	c
Labuan,	14	29.80	756.9	82	91	NE	2	b	6	29.85	758.2	76	94	NE	1	b

January 7*d.* 11*h.* 10*m.*—Pressure has increased moderately over N.E. Japan and slightly over S.W. Japan. It has decreased moderately from Chefoo to Shanghai and slightly from Foochow to Indo-China.

The anticyclone is weakening and moving eastward.

The monsoon will moderate along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·17 inches, against an average of 0·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; generally fair, fog in morning.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th January, 1925.									8th January, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	30.11	764.7	11	...	NNE	4	c		6	30.15	765.8	−3	...	N	5	c	
Nemuro,	11	29.49	749.0	...	...	NW	3	...		5	29.82	757.5	...	...	NNW	0	...	
Hokodate,	,,	30. 0	764.5	...	...	NNW	3	...		,,	29.94	760.5	...	...	NNE	1	...	
Tokio,	,,	30.08	764.0	-	...	N	1	...		,,	30.04	763.0	...	...	...	0	...	
Kochi,	,,	30.12	765.0	...	...	...	0	...		,,	30.10	764.5	...	...	...	...	...	
Nagasaki,	,,	30 18	766.5	...	...	S	1	...		,,	30.10	764.5	...	...	...	...	...	
Kagoshima,	,,	30.14	765.5	...	...	NW	1	...		,,	30.10	764.5	...	...	NW	1	...	
Oshima,	,,	...	...	...	...	...	...	...		,,	30.08	764.0	...	...	S	1	...	
Naha,	,,	30.16	766.0	...	...	N	1	...		,,	30.10	764.5	...	...	...	0	...	
Ishigakijima,	,,	30.20	767.0	...	...	NW	1	...		,,	30.10	764.5	...	...	N	1	...	
Bonin Island,	,,	29.92	760.0	...	...	NNW	1	...		,,	30.02	762.5	...	...	...	0	...	
Chefoo,	15	30.07	763.8	42	50	WSW	1	b		6	30.25	768.3	32	68	NW	4	b	
Hankow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Ichang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	14	30.24	768.0	45	51	SSE	1	b		,,	30.30	769.5	25	90	W	1	b	
Gutzlaff,	,,	30.24	768.1	38	63	NNE	1	o		,,	30.29	769.3	48	93	NW	4	b	
Sharp Peak,	,,	30.17	766.3	63	62	E	1	b		-	30.17	766.3	50	72	WNW	1	b	
Amoy,	15	30.12	765.0	63	72	SE	4	b		6	30.14	765.5	56	94	SE	1	o	
Swatow,	,,	...		...	...	...	...	...		,,	...	...	...	..	...	...	...	
Taihoku,	11	30.15	765.9	66	54	E	4	b		5	30.15	765.9	57	93	...	0	r	
Taichu,	,,	30.13	765.3	68	...	...	0	b		,,	30.13	765.3	54	...	.	0	b	
Tainan,	,,	30.12	765.0	70	...	W	2	b		,,	30.11	764.7	55	..	N	2	b	
Koshun,	,,	30.11	764.7	68	...	NE	4	b		,,	30.08	764.1	52	..	...	0	b	
Pescadores,	,,	30.15	765.9	66	...	NE	4	b		,,	30.12	765.0	59	...	NNE	4	b	
Canton,	14	30.08	764.0	63	72	...	0	o		6	...	...	...	...	...	...	...	
Hongkong,	,,	30.07	763.8	63	67	E	3	b		,,	30.13	765.3	59	76	NNE	1	o	
Gap Rock,	,,	30 05	763.5	...	...	ENE	4	c		,,	30.12	765.0	...	...	NNE	4	c	
Macao,	,,	30.04	762.9	66	67	SE	2	b		,,	30.10	764.4	55	77	NNW	2	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	..	...	...	...	
Pakhoi,	,,	...	..	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	..	...	...	...	...	...		,,	...	...	...	...	..	...	...	
Pratas Island,	,,	30.15	765.8	69	...	NE	5	cmd		,,	30.11	764.8	68	...	NNE	5	c	
Phulien,	,,	30.02	762.6	64	84	NNW	1	of		7	30.11	764.7	57	100	NE	4	rf	
Tourane,	,,	29.98	761.4	75	...	S	1	o		,,	30.05	763.2	68	...	S	2	o	
Cape St. James.	,,	29.89	759.3	75	...	ENE	4	o		,,	29.97	761.1	70	...	ENE	2	o	
Basco,	14	30.00	762.0	70	74	NE	4	o		6	30.05	763.2	77	84	...	0	o	
Aparri,	,,	29.97	761.1	73	66	E	4	o		,,	29.99	761.7	70	77	E	2	o	
Manila,	,,	29.85	758.1	81	62	SW	2	o		,,	29.91	759.6	70	83	N	2	o	
Legaspi,	,,	29.84	757.8	75	88	NNE	4	o		,,	..	...	...	..	...	...	...	
Tacloban,	,,	...	...	...	...	...	...	...		,,	29.85	758.1	75	98	NNW	4	r	
Iloilo,	,,	29.76	756.0	77	85	N	6	o		,,	29.80	756.9	73	92	N	6	o	
Surigao,	,,	29.80	756.9	73	94	S	2	r		,,	29.81	757.2	72	96	...	0	o	
Guam,	12.20	29.76	756.0	...	...	NE	1	o		4.20	29.81	757.2	...	...	ENE	1	o	
Yap,	12.47	...	...	...	...	...	..	...		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	29.80	756.9	76	...	NE	1	c	
Labuan,	14	29.81	757.2	78	91	NE	2	o		6	29.86	758.4	76	91	NE	1	r	

January 8*d*. 11*h*. 25*m*.—Pressure has decreased slightly from central Japan to the Loochoos. It has increased moderately at Chefoo and slightly from Formosa to Indo-China. It is nearly stationary over the Philippines.

The anticyclone has broken up. Another is forming over China.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·17 inches, against an average of 0·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate to fresh; fair.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th JANUARY, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	9th JANUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.17	766.3	5	...	N	5	c	6	30.38	771.5	−5	...	N	4	b
Nemuro,	11	29.88	759.0	...	...	NW	2	...	5	30.00	762.0	...	...	SW	1	...
Hokodate,	..	29.94	760.5	...	...	...	...	...	..	29.90	759.5	...	...	N	1	...
Tokio,	,,	30.00	762.0	...	...	...	0	...	,,	29.78	756.5	...	...	NW	1	...
Kochi,	,,	30.02	762.5	...	...	...	0	...	,,	30.00	762.0	...	...	NW	2	...
Nagasaki,	,,	30 06	763.5	...	...	W	1	...	,,	30.20	767.0	...	...	NNW	1	...
Kagoshima,	,,	30.04	763.0	...	...	...	0	...	,,	30.16	766.0	...	...	NNW	1	...
Oshima,	,,	30.08	764.0	...	...	N	1	...	,,	30.16	766.0	...	...	NNE	3	...
Naha,	,,	30.14	765.5	...	...	NNW	2	...	,,	30.24	768.0	...	...	NNW	3	...
Ishigakijima,	,,	30.16	766.0	...	...	NW	1	...	,,	30.20	767.0	...	...	NNW	2	...
Bonin Island,	..	30.00	762.0	...	...	NW	1	...	..	29.88	759.0	...	...	NW	4	...
Chefoo,	15	30.37	771.4	28	88	NNW	4	o	6	30.51	774.9	28	65	N	6	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.28	769.2	52	35	WNW	4	b	,,	30.50	774.6	25	96	NNW	1	b
Gutzlaff,	,,	30.29	769.3	47	72	NNW	4	b	,,	30.48	774.2	36	83	N	4	o
Sharp Peak,	..	30.21	767.3	65	53	E	2	b	-	30.22	767.6	50	79	NNE	1	b
Amoy,	15	30.11	764.8	67	95	NE	2	b	6	30.28	769.1	52	88	NNE	4	b
Swatow,	,,	...		...	...	...	...	...	,,	...	.	...	.	...	...	...
Taihoku,	11	30.22	767.7	55	88	...	0	o	,,	30.27	768.9	55	66	E	4	o
Taichu,	,,	30.17	766.2	63	...	NNW	4	b	,,	30.18	766.5	...	..	...	0	b
Tainan,	,,	30.13	765.3	68	...	NNW	4	b	,,	30.15	765.9	...	...	N	2	b
Koshun,	,,	30.10	764.4	70	...	NNE	2	b	,,	30.11	764.7	63	...	NNE	6	b
Pescadores,	,,	30 18	766.5	64	...	NE	4	o	,,	30.19	766.8	59	...	NE	6	o
Canton,	14	30.11	764.8	69	56	N	2	b	6	...	...	...	...	..	...	...
Hongkong,	,,	30.09	764.3	65	47	ESE	2	b	,,	30.19	766.8	58	76	ENE	3	b
Gap Rock,	,,	30.10	764.5	...	...	NE	4	c	,,	30.16	766.0	...	...	ENE	4	b
Macao,	,,	30.08	764.1	63	60	NE	2	b	,,	30.19	766.8	55	86	NE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.14	765.5	70	...	NE	5	c	,,	30.15	765.8	68	...	NE	6	c
Phulien,	,,	30.08	764.1	59	93	NNE	1	of	7	30.13	765.3	57	100	NNE	4	of
Tourane,	,,	30.00	762.0	72	...	SE	2	b	,,	30.08	764.1	66	...	SE	2	o
Cape St. James,	,,	29.89	759.3	77	...	ENE	4	b	,,	29.95	760.8	70	...	ENE	4	b
Basco,	14	29.98	761.4	72	65	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.98	761.4	73	66	WNW	4	of	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	81	66	SW	2	o	,,	...	...	...	...	...	..	...
Legaspi,	,,	29.82	757.5	77	91	NNE	2	o	,,	...	...	...	..	...	...	...
Tacloban,	,,	29.78	756.3	79	95	NNE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756 0	81	84	NE	6	o	,,	...	...	...	...	...	...	...
Surigao,	..	29 80	756.9	79	89	ESE	1	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	78	...	ENE	2	f
Labuan,	14	29.83	757.7	76	91	S	2	b	6	29.86	758.4	76	86	NE	1	r

January 9*d.* 11*h.* 50*m.*—Pressure has increased moderately from Chefoo to Shanghai and from S.W. Japan to the Loochoos. It has increased slightly from Hongkong to Formosa and decreased moderately from the Bonins to central Japan.

The anticyclone over China and S.E. Mongolia has strengthened.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·17 inches, against an average of 0·21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th January, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	10th January, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.26	768.6	7	...	N	4	b	6	30.47	774.0	−2	...	NW	2	b
Nemuro,	11	30.00	762.0	...	...	NNW	2	...	5	30.00	762.0	...	...	N	3	...
Hokodate,	.	29.90	759.5	...	...	N	1	...	,,	30.10	764.5	...	...	NNW	3	...
Tokio,	,,	29.70	754.5	...	...	NW	3	...	,,	30.06	763.5	...	...	NNE	1	...
Kochi,	,,	30.10	764 5	...	...	NW	2	...	,,	30.32	770.0	...	...	SW	1	...
Nagasaki,	,,	30.28	769.0	...	...	N	3	...	,,	30.39	762.0	...	...	ESE	1	...
Kagoshima,	,,	30.22	767.5	...	...	NNW	2	...	,,	30.38	771.5	...	...	NW	1	...
Oshima,	,,	30.22	767.5	...	...	NNE	3	...	,,	30.32	770.0	...	...	N	2	...
Naha,	,,	30.28	769.0	...	...	NNW	3	...	,,	30.32	770.0	...	...	NNE	2	...
Ishigakijima,	,,	30.28	769.0	...	...	N	3	...	,,	30.32	770.0	...	...	N	1	...
Bonin Island,	..	29.86	758.5	...	.	W	2	...	..	30.00	762.0	...	...	NW	2	...
Chefoo,	15	30.51	764.9	30	80	NNW	2	b	6	30.49	774.4	26	63	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	..	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Shanghai,	14	30.50	774.6	45	58	NNW	1	b	,,	30.54	775.8	26	91	NNE	1	b
Gutzlaff,	,,	30.48	774.2	44	53	NNW	4	b	,,	30.55	775.9	34	69	N	2	b
Sharp Peak,	,,	30.32	770.1	58	64	ENE	2	b	,,	30.35	770.9	47	77	N	1	o
Amoy,	15	30.23	768.6	63	78	NNE	4	b	6	30.34	770.6	52	88	NE	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	..	...	..	...	..	...
Taihoku,	11	30.32	770.1	59	63	E	4	o	5	30.33	770.4	54	76	E	4	o
Taichu,	,,	30.24	768.0	63	...	NNW	2	o	,,	30.26	768.6	45	...	...	o	b
Tainan,	,,	30.22	767.7	68	...	N	2	b	,,	30.22	767.7	52	...	NNW	2	b
Koshun,	,,	30.10	766.8	68	...	NE	6	o	,,	30.20	767.1	63	..	NE	6	b
Pescadores,	,,	30.26	768.6	64	...	NE	6	b	,,	30.25	768.3	59	...	NE	6	o
Canton,	14	.	...	...	...	...	...	...	6	...	...	...	...	..	...	...
Hongkong,	,,	30.17	766.3	62	61	E	3	c	,,	30.25	768.3	57	69	ENE	4	b
Gap Rock,	,,	30 18	766.6	...	...	ENE	5	b	,,	30.22	767.6	...	..	ENE	5	b
Macao,	,,	30.15	765.9	66	59	ESE	2	b	,,	30.22	767.7	59	81	E	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	.	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Pratas Island,	,,	30.20	767.1	70	...	NE	6	c	,,	30.17	766.3	69	...	ENE	6	c
Phulien,	,,	30.14	765.6	59	100	NE	2	rf	7	...	...	...	...	...	...	...
Tourane,	,,	30.05	763.2	72	...	SE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.91	759.6	77	...	ENE	4	b	,,	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	..	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	...	...	...	...	5	29.82	757.4	76	...	ENE	2	r
Labuan,	14	29.87	758.7	76	91	SW	2	b	6	...	...	...	...	...	...	...

January 10*d*. 11*h*. 5*cm*.—Pressure has increased considerably over central Japan, moderately from S.W. Japan to Wladivostock and slightly from the Loochoos to Hongkong.

The anticyclone over China has spread eastward.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·17 inches, against an average of 0·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th JANUARY, 1925.								11th JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.38	771.7	14	...	NNE	4	b	6	30.34	770.6	2	...	...	0	f
Nemuro, ...	11	29.98	761.5	...	...	NW	3	...	5	30.06	763.5	...	...	N	2	...
Pokodate, ...	,,	30.10	764.5	...	...	NW	2	...	,,	30.16	766.0	...	...	...	0	...
Tokio, ...	,,	30.12	765.0	...	...	NNW	2	...	,,	30.18	766.5	...	...	NE	1	...
Kochi, ...	,,	30.31	770.0	...	...	N	1	...	,,	30.34	770.5	...	...	SW	1	...
Nagasaki, ...	,,	30.43	773.0	...	...	...	...	...	,,	30.59	772.0	...	...	...	...	...
Kagoshima, ...	,,	30.41	772.5	...	...	...	0	...	,,	30.34	770.5	...	...	NW	1	...
Oshima, ...	,,	30.33	770.5	...	...	NNE	2	...	,,	30.32	770.0	...	...	N	1	...
Naha, ...	,,	30.33	770.5	...	...	NNE	1	...	,,	30.32	770.0	...	...	ENE	1	...
Ishigakijima, ...	,,	30.33	770.5	...	...	N	2	...	,,	30.30	769.5	...	...	NNW	1	...
Bonin Island,..	..	30.04	763.0	...	.	NW	2	..	..	30.12	765.0	...	...	NNW	1	...
Chefoo.	15	30.43	772.9	42	42	SW	2	b	6	30.45	773.4	34	69	NE	1	b
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	..	...	...		...	...	,,	...	...	...	...	...	...	...
Changsha, ...	..		...	..	...		...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	30.51	774.9	46	39	NE	1	b	,,	30.44	77.31	34	100	ENE	1	b
Gutzlaff, ...	,,	30.51	774.9	47	55	N	1	b	,,	30.46	773.7	40	85	E	4	o
Sharp Peak, ..	,,	30.34	770.1	62	41	E	2	b	,,	30.34	770.6	48	78	W	2	b
Amoy, ...	15	30.28	769.1	64	96	NE	4	b	6	30.25	768.3	52	100	NNE	1	o
Swatow, ...	,,	.	..	..	...	...	...	...	,,	...	..	..	..	...	..	...
Taihoku, ...	11	30.34	770.7	64	58	E	4	b	5	30.27	768.9	55	77	E	4	o
Taichu, ...	,,	30.27	768.9	66	...	...	0	b	,,	30.22	767.7	45	..	...	0	b
Tainan, ...	,,	30.25	768.3	68	...	NNW	2	b	,,	30.19	766.8	50	..	N	2	b
Koshun, ...	,,	30.22	767.7	68	...	NE	4	r	,,	30.18	766.5	63	..	NE	4	b
Pescadores, ..	,,	30.27	768.9	64	.	NE	6	b	,,	30.19	766.8	61	...	NE	6	b
Canton, ...	14	30.21	767.4	68	56	S	2	b	6	...	...	...	...	...	...	...
Hongkong, ...	,,	30.23	767.8	60	63	E	4	c	,,	30.20	767.1	56	69	E	4	b
Gap Rock, ...	,,	30.21	767.3	...	...	ENE	5	o	,,	30.21	767.3	...	..	ENE	5	b
Macao, ...	,,	30.15	765.9	66	59	SE	4	b	,,	30.18	766.5	57	67	ESE	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow.	,,	..	..	...	...	...	..	...	,,	...	...	...	...	..	..	...
Pratas Island, ...	,,	30.23	767.8	72	...	NE	6	c	,,	30.14	765.5	70	...	E	6	cd
Phulien, ...	,,	30.13	765.3	64	80	ENE	6	of	7	30.11	764.7	61	91	ENE	6	of
Tourane, ...	,,	30.06	763.5	72	...	...	0	o	,,	30.06	763.5	68	...	E	6	o
Cape St. James.	,,	...	...	..	...	...	...	...	,,	29.92	759.9	70	...	NW	2	b
Basco, ...	14	30.12	765.0	70	...	NE	4	o	6	30.14	765.6	64	86	SSE	6	o
Aparri, ...	,,	30.08	764.1	72	65	E	4	o	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.91	759.6	82	54	E	2	o	,,	29.98	761.4	66	85	WSW	1	o
Legaspi, ...	,,	29.91	759.6	73	94	N	4	o	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	29.86	758.4	79	85	NE	6	of	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.84	757.8	61	74	NE	6	o	,,	29.91	759.6	72	94	N	6	o
Surigao, ...	..	29.82	757.5	79	91	ENE	4	r	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.80	756.9	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	...	...	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.80	756.9	78	...	ENE	2	c
Labuan, ...	14	29.79	756.6	76	94	SW	2	o	6	29.83	757.7	78	91	S	2	b

January 11*d.* 11*h.* 20*m.*—Pressure has decreased moderately at Shanghai and slightly from Foochow to Haiphong. It has increased slightly over the Bonins and is nearly stationary elsewhere.

The anticyclone has weakened and is now central over the Yellow Sea.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·17 inches, against an average of 0·27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, ... 4.—South coast of China between Hongkong and Hainan, .	N.E. winds, fresh; generally overcast, some drizzle or mist.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th January, 1925.								12th January, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook, .	12	30.33	770.3	22	...	NNE	2	b	6	30.30	769.6	9	...	...	0	0
Nemuro,	11	30.06	763.5	...	...	W	1	...	5	30.08	764.0	...	...	WNW	4	...
Hokodate,	.	30.12	765.0	...	...	...	0	...	,,	30.24	768.0	...	...	WNW	1	...
Tokio,	,,	30.18	766.5	...	...	NW	1	...	,,	30.24	768.0	...	...	N	1	...
Kochi,	,,	30.35	771.0	...	...	SW	1	...	,,	30.32	770.0	...	...	WSW	1	...
Nagasaki,	,,	30.39	772.0	...	...	...	0	...	,,	30.30	769.5	...	...	SE	1	...
Kagoshima,	,,	30.35	771.0	...	...	NNW	1	...	,,	30.32	770.0	...	...	NW	1	...
Oshima,	,,	30.31	770.0	...	...	NNE	2	...	,,	30.24	768.0	...	...	...	...	...
Naha,	,,	30.31	770.0	...	...	NE	2	...	,,	30.20	767.0	...	...	NE	6	...
Ishigakijima,	,,	30.28	769.0	...	...	ENE	3	...	,,	30.14	765.5	...	...	SE	2	...
Bonin Island,	,,	30.14	765.5	...	...	NNW	1		,,	30.22	767.5	...	...	NNW	1	...
Chefoo,	15	30.32	770.1	38	72	NNE	1	o	6	30.13	765.3	34	100	E	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.32	770.1	52	51	SE	2	o	,,	30.06	763.5	48	78	SSE	2	o
Gutzlaff,	,,	30.33	770.4	50	65	SE	4	o	,,	30.11	764.8	48	87	S	6	o
Sharp Peak,	,,	30.26	768.6	65	53	E	2	b	,,	30.14	765.5	56	81	W	1	o
Amoy,	15	30.18	766.6	66	91	NE	1	b	6	30.10	764.5	56	94	SW	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	11	30.24	768.0	68	56	E	4	b	5	30.07	763.8	55	90	...	0	o
Taichu,	,,	30.20	767.1	68	...	...	0	b	,,	30.11	764.7	54	...	...	0	b
Tainan,	,,	30.21	767.4	70	...	SW	2	b	,,	30.08	764.1	54	..	E	6	b
Koshun,	,,	30.15	765.9	70	...	NNE	4	b	,,	30.08	764.1	66	...	NE	2	o
Pescadores,	,,	30.21	767.4	66	...	NE	4	b	,,	30.11	764.7	61	...	NNE	2	b
Canton,	14	30.15	765.8	69	61	S	2	b	6	..	...	...	...	.	...	...
Hongkong,	,,	30.16	766.0	62	66	ENE	3	o	,,	30.06	763.5	60	79	E	2	o
Gap Rock,	,,	30.15	765.8	...	...	ENE	5	o	,,	30.05	763.2	...	...	ENE	5	o
Macao,	,,	30.13	765.3	63	65	...	4	o	,,	30.02	762.6	59	91	NE	2	o
Wuchow,	15	..	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pratas Island,	,,	30.16	766.0	72	...	E	6	od	,,	30.04	763.0	70	...	ENE	5	od
Phulien,	,,	30.05	763.2	70	74	ENE	6	of	7	30.05	763.2	63	94	NE	4	of
Tourane,	,,	30.01	762.3	72	...	E	2	o	,,	30.00	762.0	68	...	E	2	of
Cape St. James.	,,	29.87	758.7	81	...	ENE	2	of	,,	29.88	759.0	72	...	ENE	2	o
Basco,	14	...	...	...	...	...	...	...	6	30.12	765.0	68	85	E	4	o
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	.	...	...
Manila,	,,	29.91	759.6	82	51	E	4	o	,,	29.94	760.5	66	88	N.	1	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	73	88	NNE	4	o
Tacloban,	,,	29.88	759.0	79	76	NE	4	r	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.85	758.1	81	73	NE	6	o	,,	29.87	758.7	73	91	N	4	o
Surigao,	..	29.85	758.1	77	91	ENE	4	r	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	NE	6	b	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	...	...	...	...	5	...	...	78	...	NE	2	c
Labuan,	14	29.81	757.2	80	91	S	1	o	6	29.86	758.4	77	94	NE	2	b

January 12*d*. 11*h*. 20*m*.—Pressure has decreased considerably from Chefoo to Shanghai, moderately from the Loochoos to Hongkong and slightly over S.W. Japan and Indo-China. It is nearly stationary over the Philippines.

The anticyclone has weakened further and is now central over the Sea of Japan.

A depression has formed over China.

The monsoon is interrupted to the north of Swatow. It will moderate over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·17 inches, against an average of 0·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. or variable winds, moderate; generally cloudy, warmer.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th JANUARY, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	13th JANUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.17	766.4	19	...	...	0	s	6	29.99	761.6	20	...	...	0	f
Nemuro,	11	30.16	766.0	...	...	NW	3	...	5	30.02	762.5	...	...	S	1	...
Hokodate,	.	30.26	768.5	...	...	NW	1	...	,,	29.90	759.5	...	...	E	1	...
Tokio,	,,	30.26	768.5	...	...	NE	1	...	,,	30.00	762.0	...	...	...	0	...
Kochi,	,,	30.26	768.5	...	...	...	...	...	,,	30.02	762.5	...	...	W	1	...
Nagasaki,	,,	30.28	769.0	...	...	SE	2	...	,,	30.04	763.0	...	...	NW	3	...
Kagoshima,	,,	30.26	768.5	...	...	...	0	...	,,	30.04	763.0	...	...	...	0	...
Oshima,	,,	30.24	768.0	...	...	S	1	...	,,	30.10	764.5	...	...	S	1	...
Naha,	,,	30.20	767.0	...	...	SE	1	...	,,	30.10	764.5	...	...	SE	1	...
Ishigakijima,	,,	30.16	766.0	...	...	S	3	...	,,	30.14	765.5	...	...	...	...	...
Bonin Island,	,,	30.22	767.5	...	...	NNE	1	.	,,	...	...	...	...	...	...	...
Chefoo.	15	30.02	762.5	34	90	ENE	1	0	6	30.30	769.6	32	90	NW	1	0
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	.	...	...
Shanghai,	14	30.00	762.0	61	55	SSW	1	0	,,	30.21	767.4	41	85	N	1	0
Gutzlaff,	,,	30.00	762.0	54	80	S	4	0	,,	30.22	767.6	40	91	N	4	0
Sharp Peak,	,,	30.08	764.0	60	71	...	0	0	-	30.06	763.5	56	94	...	0	b
Amoy,	15	30.07	763.8	64	91	SSE	7	r	6	30.03	762.7	58	100	S	1	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	..	...	..	...	...	...
Taihoku,	11	30.14	765.6	66	67	...	0	0	5	30.07	763.8	57	96	...	0	0
Taichu,	,,	30.15	765.9	68	...	...	0	0	,,	30.07	763.8	57	...	...	0	0
Tainan,	,,	30.12	765.0	70	...	NNW	2	0	,,	30.02	762.6	59	..	NE	2	b
Koshun,	,,	30.10	764.4	73	...	ENE	2	0	,,	30.02	762.6	66	...	NE	2	b
Pescadores,	,,	30.02	762.6	66	...	NE	4	0	,,	30.05	763.2	64	...	NE	2	0
Canton,	14	30.03	762.7	72	67	S	1	b	6	.	.	...	...	...	...	...
Hongkong,	,,	30.03	762.7	67	64	FSE	2	0	,,	30.01	762.2	65	73	E	1	0
Gap Rock,	,,	30.04	763.0	...	...	ENE	4	0	,,	30.02	762.5	...	...	NNE	4	b
Macao,	,,	30.02	762.6	66	67	NE	4	0	,,	29.99	761.7	63	82	...	0	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pratas Island,	,,	30.04	763.0	73	...	E	4	0	,,	30.00	762.0	73	...	NE	4	c
Phulien,	,,	29.98	761.4	70	77	SE	6	0	7	30.00	762.0	64	96	ENE	2	of
Tourane,	,,	29.95	760.8	...	...	E	2	0	,,	30.00	762.0	66	...	...	0	of
Cape St. James,	,,	29.82	757.5	81	...	WSW	2	0	..	29.88	759.0	73	...	ENE	2	0
Basco,	14	30.07	763.8	73	66	E	4	r	6	29.99	761.7	73	82	E	4	0
Aparri,	,,	29.92	759.9	79	61	S	2	0	,,	29.97	761.1	66	92	S	2	b
Manila,	,,	29.87	758.7	81	59	W	2	0	,,	29.93	760.2	64	92	NE	2	b
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.91	759.6	75	86	NNE	4	0
Tacloban,	,,	29.86	758.4	70	69	NE	6	0	,,	29.91	759.6	73	94	NW	2	r
Iloilo,	,,	29.81	757.2	81	66	NE	7	0	,,	29.89	759.3	73	88	N	4	0
Surigao,	..	29.84	757.8	81	76	ENE	4	0	,,	29.85	758.1	77	89	NE	4	0
Guam,	12.20	29.82	757.5	...	...	NE	6	0	4.20	29.89	759.3	...	...	NE	4	0
Yap,	12.47	...	...	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	..	...	...	...	5	29.79	756.6	80	...	ENE	2	c
Labuan,	12	29.76	755.9	84	83	SW	2	b	0	29.86	758.4	76	94	S	2	0

January 13*d*. 12*h*. 05*m*.—Pressure has increased considerably from Chefoo to Shanghai. It has decreased considerably over Japan and slightly from Formosa to Tongking, and is nearly stationary over the Philippines.

The Chinese depression has passed into the Sea of Japan.

An anticyclone is forming over China.

The monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·17 inches, against an average of 0·33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel. 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate to fresh; fair at first, some drizzle or mist later, becoming cooler.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th JANUARY, 1925.								14th JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.06	763.6	28	...	NNE	4	b	6	30.23	767.8	7	...	NNE	3	b
Nemuro,	11	29.84	758.0	...	...	S	2	...	5	29.69	754.0	...	...	WNW	4	...
Hokodate,	,,	29.72	755.0	...	...	E	1	...	,,	29.98	761.5	...	...	WNW	4	...
Tokio,	,,	29.84	758.0	...	...	...	...	...	,,	29.98	761.5	...	...	NNE	1	...
Kochi,	,,	30.26	768.5	...	...	ENE	1	...	,,	30.02	762.5	...	...	SW	1	...
Nagasaki,	,,	30.04	763.0	...	...	NW	1	...	,,	30.08	764.0	...	...	N	4	...
Kagoshima,	,,	30.06	763.5	...	...	...	...	...	,,	30.04	763.0	...	...	WNW	1	...
Oshima,	,,	30.08	764.0	...	...	SW	1	...	,,	30.02	762.5	...	...	...	0	...
Naha,	,,	30.12	765.0	...	...	SSW	1	...	,,	30.04	763.0	...	...	SE	1	...
Ishigakijima,	,,	30.12	765.0	...	...	SSE	1	...	,,	30.02	762.5	...	...	WNW	1	...
Bonin Island,	,,	30.20	767.0	...	...	...	0	...	,,	30.06	763.5	...	...	SSW	1	...
Chefoo,	15	30.25	764.3	34	82	NW	2	0	6	30.37	771.4	32	82	NW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.15	765.9	46	55	E	1	r	,,	30.17	766.2	45	92	NE	1	o
Gutzlaff,	,,	30.12	765.0	44	80	NNW	1	o	,,	30.16	766.0	44	100	NE	2	r
Sharp Peak,	,,	30.06	763.5	66	71	E	1	b	7	30.06	763.5	56	93	...	0	of
Amoy,	15	30.02	762.5	65	91	WNW	1	o	6	29.97	761.2	58	100	SSE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.08	764.1	68	67	...	0	o	5	30.02	762.6	59	98	...	0	of
Taichu,	,,	30.06	763.5	68	...	...	0	o	,,	30.00	762.0	54	...	...	0	b
Tainan,	,,	30.05	763.2	79	...	...	0	o	,,	29.99	761.7	57	...	NE	2	b
Koshun,	,,	30.05	763.2	77	...	NE	4	b	,,	29.98	761.4	68	...		0	b
Pescadores,	,,	30.08	764.1	73	...	NNE	2	b	,,	30.00	762.0	64	...	NE	2	b
Canton,	14	29.98	761.4	77	65	S	1	b	6	...	...	...	...	...	...	...
Hongkong,	,,	29.99	761.7	72	61	ESE	3	o	,,	29.98	761.5	65	89	ESE	1	o
Gap Rock,	,,	30.01	762.2	...	...	ENE	3	o	,,	29.96	761.0	...	...	ENE	3	b
Macao,	,,	29.98	761.4	75	63	SE	1	o	,,	29.89	759.3	66	90	ESE	1	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.03	762.7	74	...	ENE	4	dm	,,	29.97	761.2	73	...	ENE	3	dm
Phulien,	,,	29.95	760.8	72	78	SE	4	o	7	29.91	759.6	64	98	E	4	o
Tourane,	,,	29.97	761.1	70	...	...	0	of	,,	29.93	760.2	68	...	...	0	b
Cape St. James,	,,	29.86	758.4	77	...	ENE	4	of	,,	29.86	758.4	73	...	ENE	4	b
Basco,	14	29.92	759.9	79	73	ESE	6	o	6	29.95	760.8	73	89	E	4	o
Aparri,	,,	29.91	759.6	77	76	E	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.87	758.7	81	69	W	2	o	,,	29.89	759.3	66	94	E	1	b
Legaspi,	,,	29.84	757.8	82	70	NNE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	81	86	NE	4	o	,,	29.86	758.4	73	96	NW	2	o
Iloilo,	,,	29.80	756.9	84	64	N	6	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.85	758.1	...	...	NNE	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.76	755.9	79	...	E	3	c
Labuan,	14	29.86	758.4	76	91	NE	1	r	6	29.86	758.4	76	86	NE	1	r

January 14*d.* 11*h.* 03*m.*—Pressure has increased moderately from Chefoo to Wladivostock and at Nemuro. It has decreased slightly from the Loochoos to Indo-China and is nearly stationary at Shanghai and over the Philippines.

The depression is passing into the Pacific.

The anticyclone is now central to the north of Korea. It is moving eastward.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·17 inches, against an average of 0·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th JANUARY, 1925.								15th JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.17	766.4	16	...	NW	2	b	6	30.22	767.6	−2	...	...	0	f
Nemuro,	11	29.76	756.0	...	...	NW	4	...	5	29.82	757.5	...	...	WNW	2	...
Hokodate,	..	29.96	761.0	...	...	WNW	4	...	,,	29.94	760.5	...	...	N	1	...
Tokio,	,,	29.98	761.5	...	...	SE	2	...	,,	29.88	759.0	...	...	NNW	1	...
Kochi,	,,	29.98	761.5	...	...	...	...	...	,,	29.98	761.5	...	..	...	0	...
Nagasaki,	,,	30.06	763.5	...	...	NW	1	...	,,	30.08	764.0	...	..	...	0	...
Kagoshima,	,,	30.02	762.5	...	...	W	1	...	,,	30.04	763.0	...	...	NW	1	...
Oshima,	,,	30.04	763.0	...	...	N	1	...	,,	30.00	762.0	...	...	...	0	...
Naha,	,,	30.06	763.5	...	...	W	1	...	,,	30.00	762.0	...	..	NE	1	...
Ishigakijima,	,,	30.06	763.5	...	...	WSW	1	...	,,	29.98	761.5	..	...	SW	1	...
Bonin Island,	..	30.02	762.5	...	...	SE	1	...	,,	29.91	760.5	..	..	WSW	1	...
Chefoo,	15	30.35	770.9	32	82	NNE	2	o	6	30.34	770.6	26	87	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	..	...	...	...	...	...	,,	...	...	...	...		...	...
Shanghai,	14	30.17	766.2	43	91	NE	2	r	,,	30.27	768.9	39	93	N	1	r
Gutzlaff,	,,	30.14	765.5	44	92	NE	2	r	,,	30.24	768.1	40	91	NNE	4	r
Sharp Peak,	..	30.05	763.2	62	77	N	1	o	,,	30.05	763.2	54	92	NNE	4	o
Amoy,	15	29.95	760.7	67	91	WSW	4	b	6	29.97	761.2	60	100	SE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.05	763.2	48	...	...	0	o	5	30.02	762.6	64	94	W	2	o
Taichu,	,,	30.07	763.-	72	...	...	0	o	,,	30.02	762.6	59	...	...	0	b
Tainan,	,,	30.04	762.9	73	...	NNW	2	b	,,	29.98	761.4	63	...	N	2	o
Koshun,	,,	30.02	762.6	77	...	NE	4	o	,,	29.95	760.8	68	..	...	0	o
Pescadores,	,,	30.05	763.2	73	...	NE	4	o	,,	30.00	762.0	64	...	NE	4	o
Canton,	14	29.95	760.7	78	65	SSW	1	b	6	...	...	...	...	...	...	...
Hongkong,	,,	29.96	761.0	70	70	E	3	b	,,	29.99	761.7	65	91	E	2	o
Gap Rock,	,,	29.96	761.0	...	...	ENE	4	b	,,	29.99	761.7	...	...	NE	3	b
Macao,	,,	29.91	759.6	75	67	...	2	b	,,	29.98	761.4	64	90	...	0	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	...	...	...	...	...	...	...	,,	29.98	761.5	73	...	NE	1	o
Phulien,	,,	29.92	759.9	72	85	ESE	4	o	7	29.97	761.1	66	96	ENE	4	o
Tourane,	,,	29.91	759.6	73	...	...	0	b	,,	29.92	759.9	70	...	...	0	b
Cape St. James,	,,	29.86	758.4	79	...	ENE	6	o	,,	29.85	758.1	73	...	ENE	4	b
Basco,	14	29.89	759.3	79	91	E	4	o	6	29.97	761.1	73	88	E	4	o
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.5	84	64	W	2	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.84	757.8	86	68	NNE	4	b	,,	29.87	758.7	75	89	N	1	b
Tacloban,	,,	29.81	757.2	86	71	ENE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	82	74	NE	6	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.79	756.6	79	95	ENE	1	o	,,	29.84	757.8	73	96	SW	1	a
Guam,	12.20	29.82	757.5	...	...	NE	4	b	4.20	29.82	757.5	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	...	...	...	...	5	29.80	756.9	74	...	S	2	r
Labuan,	11	29.79	756.6	82	87	S	2	b	6	29.81	757.2	78	91	N	2	b

January 15*d.* 11*h.* 30*m.*—Pressure changes are small since yesterday.

The anticyclone appears to be stationary to the north of Korea.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·17 inches, against an average of 0·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th JANUARY, 1925.								16th JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.13	765.3	16	...	WNW	2	b	6	30.03	762.8	−3	...	...	0	f
Nemuro,	13	29.80	757.0	...	...	WNW	3	...	5	29.78	756.5	...	...	SW	1	...
Hokodate,	..	29.90	759.5	...	...	WNW	3	...	..	29.92	760.0	...	...	W	2	...
Tokio,	..	29.92	760.0	...	...	NNE	1	...	..	29.98	761.5	...	...	N	1	...
Kochi,	..	29.94	760.5	...	...	SE	1	...	..	29.94	760.5	...	...	...	0	...
Nagasaki,	..	30.08	764.0	...	...	NNW	1	...	..	30.04	763.0	...	...	N	1	...
Kagoshima,	..	30.02	762.5	...	...	NNW	1	...	..	29.98	761.5	...	...	NW	1	...
Oshima,	..	29.98	761.5	...	...	NNE	2	...	..	29.92	760.0	...	...	W	1	...
Naha,	..	30.02	762.5	...	...	N	1	...	..	29.96	761.0	...	...	W	3	...
Ishigakijima,	..	30.00	762.0	...	...	SSE	1	...	..	29.98	761.5	...	...	N	3	...
Bonin Island,	..	29 88	759.0	...	...	WSW	1	...	..	29.94	760.5	...	...	...	0	...
Chefoo,	15	30.19	766.8	34	60	SSW	2	0	6	30.03	762.7	32	90	SW	1	b
Hankow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Ichang,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Changsha,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Shanghai,	14	30.24	768.0	43	71	NNE	1	0	..	30.25	768.3	37	93	NW	2	0
Gutzlaff,	..	30.19	766.8	42	85	NNE	4	0	..	30.24	768.1	38	84	N	2	0
Sharp Peak,	..	30.05	763.2	56	81	E	2	0	..	30.11	764.8	52	86	N	1	0
Amoy,	15	29.98	761.5	62	94	ENE	2	0	6	30.04	763.0	56	94	NE	1	0
Swatow,	..	...	...	...	...	..	...	...	..	...	...	...	...	...	..	...
Taihoku,	11	30.04	762.0	66	85	NNW	2	0	5	30.12	765.0	55	93	...	0	0
Taichu,	..	30.02	762.6	73	...	NW	2	b	..	30.02	762.6	55	...	N	2	b
Tainan,	..	30.00	762.0	75	...	NNW	4	b	..	29.99	761.7	59	...	N	4	0
Koshun,	..	29.95	760.8	79	...	NE	2	b	..	29.95	760.8	64	...	N	2	0
Pescadores,	..	30.02	762.6	70	...	NNE	4	0	..	30.01	762.3	61	...	NE	6	0
Canton,	14	29.97	761.2	78	61	N	2	b	6	...	...	...	...	...	...	...
Hongkong,	..	29.94	760.5	70	75	E	2	1m	..	30.06	763.5	58	64	N	1	0
Gap Rock,	..	29.95	760.7	...	...	ENE	3	b	..	30.05	763.2	...	...	NW	5	0
Macao,	..	29.93	760.2	77	76	SE	2	b	..	30 02	762.6	54	76	N	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Hoihow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	..	30.01	762.2	76	...	NE	1	b	..	30.03	762.7	71	...	NE	6	c
Phulien,	..	29.95	760.8	75	71	SE	2	0	7	30.07	763.8	63	80	ENE	2	b
Tourane,	..	29.94	760.5	73	...	...	0	of	..	30.00	762.0	70	...	...	0	0
Cape St. James,	..	29.84	757.8	77	...	ENE	4	b	..	29.87	758.7	73	...	ENE	7	b
Basco,	14	29.88	759.0	81	73	NNW	4	0	6	29.93	760.2	75	91	N	4	0
Aparri,	..	29.84	757.8	82	63	NE	2	0	..	...	...	...	...	...	...	...
Manila,	..	29.81	757.2	84	64	WSW	2	b	..	29.87	758.7	72	92	NE	2	b
Legaspi,	..	29.84	757.8	86	65	NE	2	b	..	29.85	758.1	75	86	N	1	b
Tacloban,	..	29.82	757.5	86	71	ENE	4	b	..	29.86	758.4	73	96	NW	2	0
Iloilo,	..	29.79	756.6	82	70	NE	4	0	..	...	...	...	...	...	...	...
Surigao,	..	29.81	757.2	81	80	..	0	0	..	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	NE	4	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	..	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	73	...	NE	2	rof
Labuan,	14	29.74	755.4	84	83	S	2	b	6	29.86	758.4	77	94	NE	2	b

January 16*d.* 11*h.* 25*m.*—Pressure has decreased moderately from Chefoo to Wladivostock and slightly over the Loochoos. It has increased slightly from Hongkong to Haiphong and is nearly stationary over Japan and the Philippines.

The anticyclone has broken up. Another has formed over China.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·17 inches, against an average of 0·45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
1.—Formosa Channel. 2.—South coast of China between Hongkong and Lamocks. 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th JANUARY, 1925.									17th JANUARY, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock.	12	29.96	761.0	11	...	...	0	0		6	29.99	761.7	9	...	NNE	2	0	
Nemuro,.....	11	...	...	...	...	...	...	...		5	29.90	759.5	...	...	W	1	...	
Hokodate, ...	,,	29.92	760.0	...	...	WNW	4	...		,,	29.98	761.5	...	...	NNE	1	...	
Tokio,.....	,,	29.96	761.0	...	...	WNW	1	...		,,	30.04	763.0	...	...	NW	1	...	
Kochi, ...	,,	29.90	759.5	...	...	...	...	...		,,	30.06	763.5	...	...	SW	1	...	
Nagasaki, ...	,,	30.06	763.5	...	...	N	2	...		,,	30.06	763.5	...	...	SE	2	...	
Kagoshima, ...	,,	30.02	762.5	...	...	NNW	1	...		,,	30.08	764.0	...	...	NW	1	...	
Oshima, ...	,,	29.96	761.0	...	...	N	2	...		,,	30.06	763.5	...	...	...	0	...	
Naha, ...	,,	30.00	762.0	...	...	NNW	3	...		,,	30.00	762.0	...	...	NE	1	...	
Ishigakijima,..	,,	30.04	763.0	...	...	N	2	...		,,	30.04	763.0	...	...	NNE	1	...	
Bonin Island,..	,,	29.90	759.4	...	...	SW	1	...		,,	29.92	760.0	...	..	N	1	...	
Obefoo.	15	29.96	761.0	38	63	WSW	4	0		6	29.92	759.9	32	90	SW	1	bf	
Hankow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Ichang, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai, ...	14	30 15	765.9	48	48	WSW	1	b		,,	30.07	763.8	36	100	SSE	1	b	
Gutzlaff,.....	,,	30.17	766 3	42	75	WNW	1	o		,,	30.07	763.8	42	92	S	4	b	
Sharp Peak, ..	,,	30.03	762.7	62	61	ENE	1	b		,,	30.04	763.0	48	87	W	1	b	
Amoy, ...	15	30.01	762.2	60	82	NNW	2	b		6	30.02	762.5	54	74	NE	1	o	
Swatow,.....	,,	...	...	...	...	...	...	...		,,	...	..	...	..	...	...	...	
Taihoku, ...	11	30.12	765.0	59	73	ENE	2	o		5	30.04	762.9	57	96	E	2	o	
Taichu, ...	,,	30.04	762.9	66	...	NNW	4	b		,,	30.04	762.9	52	...	...	0	b	
Tainan, ...	,,	30.02	762.6	68	...	NNW	4	b		,,	30.00	762.0	54	...	N	2	o	
Koshun,.....	,,	29.99	761.7	73	...	NNE	4	b		,,	29.98	761.4	61	...	...	0	b	
Pescadores, ..	,,	30.10	764.4	63	...	NNE	0	o		,,	30.02	762.6	61	...	NE	4	b	
Canton, ...	14	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Hongkong,.....	,,	30.03	762.7	63	56	W	2	o		,,	29.98	761.5	60	82	E	3	o	
Gap Rock,.....	,,	30.02	762.5	...	...	NNW	4	o		,,	29.97	761.2	...	...	NE	4	o	
Macao, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Wuchow, ...	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow.	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,...	,,	30.05	763.2	73	...	NE	5	b		,,	29.99	761.7	70	...	NE	4	c	
Phulien, ...	,,	30.01	762.3	68	68	WSW	1	o		7	...	...	...	...	...	...	...	
Tourane,.....	,,	29.97	761.1	72	...	...	0	o		,,	...	...	...	...	...	...	...	
Cape St. James.	,,	29.86	758.4	77	...	ENE	6	bf		,,	...	...	...	...	...	...	...	
Basco,.....	14	29.88	759.0	70	94	N	4	r		6	29.95	760.8	68	91	NE	4	r	
Aparri, ...	,,	29.85	758.1	79	76	N	4	o		,,	29.87	758.7	72	96	NE	4	r	
Manila, ...	,,	29.81	757.2	82	67	WSW	4	o		,,	29.85	758.1	68	94	SSE	1	o	
Legaspi,.....	,,	29.80	756.9	84	68	NNE	2	b		,,	29.84	757.8	73	91	...	0	o	
Tacloban, ...	,,	29.76	756.0	84	64	NE	4	b		,,	29.86	758.4	73	94	NNW	2	o	
Iloilo, ...	,,	...	...	...	...	...	...	...		,,	29.82	757.5	70	91	N	4	o	
Surigao, ...	..	29.79	756.6	77	84	N	4	o		,,	29.84	757.8	75	92	ENE	1	o	
Guam,.....	12.20	29.79	756.6	...	...	NE	4	o		4.20	29.81	757.2	...	...	NE	4	o	
Yap, ...	12.47	...	...	...	...	...	...	...		4-47	...	...	...	...	...	...	...	
Pelew, ...	11.00	...	...	...	...	...	...	...		5	29.80	756.9	75	...	...	0	o	
Labuan, ...	14	29.76	755.9	84	83	SW	2	b		6	29.83	757.7	78	91	S	1	o	

January 17*d*. 11*h*. 58*m*.—Pressure has increased slightly over Japan. It has decreased considerably at Hankow, moderately at Shanghai and slightly at Hongkong. It is nearly stationary over the Philippines.

The anticyclone has weakened considerably and now covers Japan and the Eastern Sea.

The monsoon is interrupted to the north of Foochow. It will moderate over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·17 inches, against an average of 0·49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18th.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	N.E. winds, moderate to light; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th January, 1925.								18th January, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.99	761.7	13	...	NNE	2	b	6	30.19	766 9	0	...	...	0	b
Nemuro,	11	29.94	760.5	...	...	W	1	...	5	29.75	755.5	...	...	SW	1	...
Hokodate,	,,	29.94	760.5	...	...	ENE	1	...	,,	29.98	761.5	...	...	WNW	3	...
Tokio,	,,	30.04	763.0	...	...	NNE	1	...	,,	30.16	766.0	...	...	...	...	...
Kochi,	,,	30.08	764.0	...	...	E	1	...	,,	30.20	767.0	...	...	WSW	1	...
Nagasaki,	,,	30.10	764.5	...	...	WNW	1	...	,,	30.18	766.5	...	...	SSE	2	...
Kagoshima,	,,	30.12	765.0	...	...	SE	1	...	,,	30 18	766.5	...	...	NW	1	...
Oshima,	,,	30.10	764.5	...	...	N	1	...	,,	30.10	764.5	...	...	...	0	...
Naha,	,,	30.08	764.0	...	...	ENE	1	...	,,	30.02	762.5	...	...	E	1	...
Ishigakijima,	,,	30.06	763.5	...	...	ENE	3	...	,,	30.00	762.0	...	...	S	1	...
Bonin Island,	,,	29.98	761.5	...	...	...	0	...	,,	30.20	767.0	...	...	NW	1	...
Chefoo,	15	29.92	759.9	38	84	...	0	0	6	30.05	763.2	32	50	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.99	761.7	57	56	SW	2	h	,,	30.05	763.2	43	88	N	2	0
Gutzlaff,	,,	30.01	762.2	50	72	S	1	b	,,	30.03	762.7	46	100	NE	2	r
Sharp Peak,	,,	29.95	760.7	68	51	N	1	0	,,	29.98	761.5	54	87	W	1	n
Amoy,	15	...	...	66	73	SW	2	b	6	30.00	762.0	58	100	W	2	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.00	762.0	73	58	E	4	b	,,	30.02	762.6	57	96	...	0	0
Taichu,	,,	30.04	762.0	72	...	...	0	h	,,	30.01	762.3	57	...	...	0	b
Tainan,	,,	30.01	762.3	72	...	W	2	h	,,	29.97	761.1	59	...	N	2	b
Koshun,	,,	30.00	762.0	73	...	NNE	4	b	,,	29.95	760.8	66	...	...	0	b
Pescadores,	,,	30.04	762.9	68	...	NE	4	0	,,	29.98	761.4	64	...	ENE	2	0
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.95	760.7	64	73	E	3	c	,,	29.95	760.7	62	82	ESE	3	c
Gap Rock,	,,	29.94	760.5	...	...	ENE	5	c	,,	29.94	760.5	...	...	E	4	b
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.99	761.7	73	...	ENE	1	c	,,	29.94	760.5	72	...	ENE	4	c
Phulien,	,,	29.81	757.2	68	85	SE	4	of	7	29.81	757.2	68	98	SE	6	of
Tourane,	,,	29.87	758.7	73	...	NNE	2	b	,,	29.85	758.1	68	...	SW	4	b
Cape St. James,	,,	29.82	757.5	77	...	ENE	6	b	,,	29.84	757.8	73	...	ENE	7	b
Basco,	14	29.86	758.4	72	78	NE	2	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.84	757.8	70	92	NE	4	r	,,	29.89	759.3	70	96	...	0	b
Manila,	,,	29.80	756.9	82	67	SSE	2	0	,,	29 88	759.0	68	92	ENE	1	b
Legaspi,	,,	29.80	756 9	86	68	N	2	b	,,	29.87	758.7	73	89	N	2	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	73	94	NNW	2	0
Iloilo,	,,	29.75	755.7	84	71	NE	4	b	,,	29.85	758.1	72	92	N	4	0
Surigao,	,,	29.80	756.9	81	80	ENE	2	0	,,	29.85	758.1	73	...	...	0	0
Guam,	12.20	29.79	756.6	...	...	NE	4	0	4.20	29.86	758.4	...	...	NE	4	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	76	...	NE	2	b
Labuan,	14	29.72	754.9	84	87	N	2	b	6	29.83	757.7	78	91	S	2	b

January 18*d.* 11*h.* 40*m.*—Pressure has increased considerably over the Bonins, moderately at Chefoo and slightly over Japan and the Philippines. It has decreased slightly over S. China and Indo-China.

The anticyclone, which has strengthened, is now central between the Bonins and S.W. Japan. Another anticyclone is central to the north of Wladivostock.

A depression is shown over S.W. China.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·17 inches, against an average of 0·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	S.E. winds, fresh.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th JANUARY, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	19th JANUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.13	765.2	14	...	...	0	0	6	29.96	761.0	13	...	NNE	4	0
Nemuro,	11	29.86	758.5	...	...	WNW	3	...	5	30.20	767.0	...	..	...	...	...
Hokodate,	,,	30.08	764.0	...	...	WNW	6	...	,,	29.92	760.0	...	...	ENE	2	...
Tokio,	,,	30.18	766.5	...	...	NW	1	...	,,	29.66	761.0	...	..	...	0	...
Kochi,	,,	30.20	767.0	...	...	...	...	...	,,	29.84	758.0	...	...	SW	1	...
Nagasaki,	,,	30.12	765.0	...	...	ESE	1	...	,,	29.90	759.5	...	..	NW	3	...
Kagoshima,	,,	30.16	766.0	...	...	...	...	...	,,	29.86	758.5	..	..	ENE	1	...
Oshima,	,,	30.10	764.5	...	...	SE	1	...	,,	29.92	760.0	...	...	...	0	...
Naha,	,,	30.06	763.5	...	...	SE	2	...	,,	29.94	760.5	...	..	SE	1	...
Ishigakijima,	,,			...	...	NNW	1	...	,,	29.96	761.0	..	...	NNE	1	...
Bonin Island,	,,	30.18	766.5	...	...	...	0	...	,,	30.16	766.0	..	...	E	2	...
Chefoo,	15	30.11	764.8	34	82	NW	1	0	6	30.29	769.3	26	78	NW	4	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	..	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.02	762.6	50	77	NNW	1	0	,,	30.28	769.2	37	57	NNW	6	r
Gutzlaff,	,,	30.00	762.0	78	95	N	2	0	,,	30.21	767.3	42	85	NNW	7	r
Sharp Peak,	,,	29.96	761.0	72	62	E	1	b	-	29.95	760.7	54	94	N	1	0
Amoy,	15	29.83	758.9	70	80	NW	1	b	6	29.97	761.2	60	100	...	0	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.98	761.4	72	65	...	0	0	5	29.98	761.4	61	96	...	0	r
Taichu,	,,	29.98	761.4	75	...	..	0	0	,,	29.99	761.7	61	..	...	0	b
Tainan,	,,	29.97	761.1	79	...	NNW	2	b	,,	29.95	760.9	63	..	NE	2	b
Koshun,	,,	29.99	761.7	79	...	E	2	b	,,	29.94	760.5	66	....	...	0	b
Pescadores,	,,	30.00	762.0	73	...	NE	2	0	,,	29.97	761.1	66	...	E	1	b
Canton,	14	29.94	760.5	59	88	...	0	b	6	...	...	...	...	...	...	...
Hongkong,	,,	29.88	758.9	68	74	E	3	b	,,	29.94	760.5	65	95	E	2	c
Gap Rock,	,,	29.88	758.9	...	...	ESE	4	b	,,	29.94	760.5	...	...	ENE	4	0
Macao,	,,	29.86	758.4	75	67	E	2	b	,,	29.91	759.6	64	100	ESE	1	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.7	76	...	E	2	c	,,	29.96	761.0	73	...	ENE	2	b
Phulien,	,,	29.74	755.4	72	91	SSE	6	of	7	29.89	759.3	68	94	ENE	4	bf
Tourane,	,,	29.78	756.3	75	...	S	4	b	,,	29.87	758.7	72	...	SW	4	b
Cape St. James	,,	29.82	757.5	77	...	NE	4	bf	,,	29.86	758.4	73	...	ENE	4	b
Basco,	14	...	...	...	...	...	...	...	6	29.92	759.9	75	91	E	4	0
Aparri,	,,	29.85	758.1	82	74	NE	4	b	,,	29.92	759.9	72	94	...	0	0
Manila,	,,	29.84	757.8	86	58	WSW	2	b	,,	29.91	759.6	73	85	...	0	0
Legaspi,	,,	29.85	758.1	81	86	NE	2	0	,,	29.88	759.0	77	92	N	1	0
Tacloban,	,,	29.82	757.5	82	74	...	0	0	,,	29.89	759.3	74	96	NW	2	0
Iloilo,	,,	...	...	..	...	...	...	...	,,	29.85	758.7	73	94	N	4	0
Surigao,	..	29.81	757.2	81	80	NNE	2	0	..	29.86	758.4	73	96	...	0	0
Guam,	12.20	29.84	757.8	...	...	NE	6	0	4.20	29.88	759.0	...	...	NE	4	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	80	...	ENE	3	c
Labuan,	11	29.74	755.4	84	83	S	2	b	6	29.81	757.2	78	91	N	2	b

January 19*d.* 11*h.* 17*m.*—Pressure has increased considerably over north and central China and decreased considerably over Japan. It has increased moderately over S.W. China and decreased moderately over the Loochoos. Over the Philippines and S.E. China it is nearly stationary.

Both anticyclones are passing into the Pacific. Another has formed over China.

A depression is shown over the Sea of Japan.

The monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·17 inches, against an average of 0·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel. 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate to fresh; generally overcast, some drizzle or mist.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th JANUARY, 1925.								20th JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.89	759.3	10	...	NNE	4	b	6	29.88	759.0	...	...	WNW	4	b
Nemuro,	11	29.90	759.5	...	...	SE	3	...	5	...	...	...	...	WSW	3	...
Hokodate,	,,	29.63	752.5	...	...	E	4	...	,,	29.41	747.0	...	...	W	5	...
Tokio,	,,	29.63	752.5	...	...	SSW	3	...	,,	29.55	750.5	...	...	NW	3	...
Kochi,	,,	29.65	753.0	...	...	SW	2	...	,,	29.94	760.5	...	...	NW	1	...
Nagasaki,	,,	29.96	761.0	...	...	NW	4	...	,,	30.14	765.5	...	...	NNW	1	...
Kagoshima,	,,	29.88	759.0	...	...	WNW	2	...	,,	30.08	764.0	...	...	...	0	...
Oshima,	,,	29.94	760.5	...	...	N	1	...	,,	30.08	764.0	...	...	NNE	4	...
Naha,	,,	30.00	762.0	...	...	WNW	1	...	,,	30.08	764.0	...	...	N	3	...
Ishigakijima,	,,	30.02	762.5	...	...	NW	1	...	,,	30.08	764.0	...	...	NNE	2	...
Bonin Island,	,,	30.00	762.0	...	...	SSE	3	...	,,	29.82	757.5	...	...	WNW	1	...
Chefoo,	15	30.37	771.4	30	100	NW	6	o	6	30.33	770.4	30	88	W	4	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.34	770.7	41	54	N	4	o	,,	30.41	772.5	32	76	NW	2	o
Gutzlaff,	,,	30.32	770.1	48	91	N	6	o	,,	30.40	772.1	36	83	NNW	4	o
Sharp Peak,	,,	30.06	763.5	52	86	ENE	4	r	7	30.18	766.6	44	84	NNE	4	r
Amoy,	15	29.98	761.5	69	80	ENE	4	b	6	30.17	766.3	52	93	NE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.05	763.2	68	83	...	0	o	5	30.15	765.9	54	90	E	4	o
Taichu,	,,	30.02	762.6	75	...	NW	2	b	,,	30.05	763.2	57	...	NNW	2	o
Tainan,	,,	30.00	762.0	82	...	NW	2	b	,,	30.02	762.6	55	...	N	4	o
Koshun,	,,	29.99	761.7	81	...	...	0	o	,,	29.99	761.7	66	...	NNE	4	b
Pescadores,	,,	30.02	762.6	73	...	N	4	b	,,	30.06	763.5	63	...	NE	6	o
Canton,	14	29.93	760.2	67	84	...	0	b	6	...	...	...	...	...	...	...
Hongkong,	,,	29.94	760.5	69	80	E	3	c	,,	30.07	763.8	58	88	N	1	o
Gap Rock,	,,	29.94	760.5	...	...	ENE	4	c	,,	30.06	763.5	...	...	NE	5	cd
Macao,	,,	29.93	760.2	72	78	E	1	o	,,	30.04	762.9	54	88	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.0	78	...	ENE	3	c	,,	30.01	762.2	73	...	ENE	5	c
Phulien,	,,	29.88	759.0	77	76	SSE	2	bf	7	30.01	762.3	59	96	NE	2	rf
Tourane,	,,	29.86	758.4	75	...	W	2	b	,,	29.94	760.5	72	...	SE	2	o
Cape St. James	,,	29.85	758.1	77	...	ENE	6	b	,,	29.85	758.1	73	...	ENE	4	o
Basco,	14	...	...	...	...	...	...	...	6	29.94	760.5	70	91	N	4	o
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	90	51	SE	2	b	,,	29.86	758.4	70	92	E	1	b
Legaspi,	,,	29.85	758.1	86	71	ENE	2	b	,,	29.85	758.1	77	88	NNE	2	b
Tacloban,	,,	29.78	756.3	86	68	NW	4	b	,,	29.85	758.1	77	94	N	4	o
Iloilo,	,,	29.79	756.6	86	56	NE	4	b	,,	29.82	757.5	75	...	N	4	o
Surigao,	,,	29.81	757.2	84	77	NNE	4	o	,,	29.84	757.8	75	96	...	0	o
Guam,	12.20	29.80	756.9	...	...	NE	6	o	4.20	29.84	757.8	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	..	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.82	757.5	78	...	NE	2	c
Labuan,	12	29.71	754.6	86	76	N	2	b	6	29.81	757.2	80	91	S	2	b

January 20*d*. 11*h*. 48*m*.—Pressure has decreased considerably over N.E. Japan. It has increased considerably over S.W. Japan, moderately from the Loochoos to Tongking and slightly at Shanghai. It is nearly stationary over the Philippines.

The Japanese depression has deepened and moved into the Pacific.

The anticyclone is entering the Eastern Sea.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 0·21 inches, against an average of 0·63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; generally overcast, some drizzle or mist.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th JANUARY, 1926.									21st JANUARY, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	29.88	759.0	7	...	WNW	4	o		6	30.16	766.0	−1	...	NNE	2	b	
Nemuro, ...	11	28.92	734.5	...	...	WSW	6	...		5	...	...	...	...	WNW	7	...	
Hokodate, ...	,,	29.45	748.0	...	...	WNW	6	...		,,	29.41	747.0	...	...	WNW	4	...	
Tokio, ...	,,	29.59	751.5	...	...	NW	3	...		,,	29.76	756.0	...	...	NNW	2	...	
Kochi, ...	,,	29.94	760.5	...	...	SW	1	...		,,	30.06	763.5	...	...	W	1	...	
Nagasaki, ...	,,	30.18	766.5	...	...	NNW	2	...		,,	30.24	768.0	...	...	NNW	1	...	
Kagoshima, ...	,,	30.14	765.5	...	...	NNW	1	...		,,	30.18	766.5	...	...	...	0	...	
Oshima, ...	,,	30.08	764.0	...	...	N	3	...		,,	30.16	766.0	...	...	NNE	2	...	
Naha, ...	,,	30.14	765.5	...	...	NNE	2	...		,,	30.18	766.5	...	...	N	3	...	
Ishigakijima, ..	,,	...	...	...	...	...	...	...		,,	30.16	766.0	...	...	N	2	...	
Bonin Island, ..	,,	29.82	757.5	...	...	WNW	2	...		,,	29.92	760.0	...	...	NW	2	...	
Chefoo, ...	15	30.39	771.9	28	79	NNW	6	b		6	30.46	773.7	24	77	SW	1	b	
Hankow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Ichang, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai, ...	14	30.41	772.5	39	52	N	1	o		,,	30.52	775.2	32	68	N	1	b	
Gutzlaff, ...	,,	30.40	772.1	36	61	NNE	4	o		,,	30.49	774.4	34	60	N	4	o	
Sharp Peak, ..	,,	30.20	767.1	43	78	NNE	2	o		,,	30.26	768.6	46	77	NNE	2	o	
Amoy, ...	15	30.15	765.8	64	84	ENE	4	o		6	30.25	768.3	52	93	NE	2	r	
Swatow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Taihoku, ...	11	30.21	767.4	57	86	E	4	o		5	30.22	767.7	54	92	E	4	o	
Taichu, ...	,,	30.11	764.7	61	...	NNW	4	o		,,	30.12	765.0	55	...	...	0	b	
Tainan, ...	,,	30.11	764.7	68	...	NNW	2	o		,,	30.12	765.0	55	...	N	2	o	
Koshun, ...	,,	30.06	763.5	73	...	NNE	4	b		,,	30.08	764.1	64	...	NNE	4	b	
Pescadores, ..	,,	30.17	766.2	59	...	NE	6	o		,,	30.08	764.1	59	...	NE	6	o	
Canton, ...	14	30.09	764.3	57	75	N	2	o		6	...	...	...	...	...	...	...	
Hongkong, ...	,,	30.07	763.8	58	88	ENE	3	od		,,	30.15	765.8	57	78	E	3	o	
Gap Rock, ...	,,	30.04	763.0	...	...	ENE	6	o		,,	30.14	765.5	...	...	ENE	6	o	
Macao, ...	,,	30.05	763.2	55	81	NNE	4	o		,,	30.17	766.2	52	97	NNE	4	o	
Wuchow, ...	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island, ...	,,	30.08	764.0	75	...	ENE	6	c		,,	30.13	765.3	71	...	ENE	6	cd	
Phulien, ...	,,	30.00	762.0	61	93	ENE	4	rf		7	30.15	765.9	55	100	NNE	4	rf	
Tourane, ...	,,	29.92	759.9	72	...	SE	2	o		,,	30.02	762.6	70	...	E	2	o	
Cape St. James.	,,	29.82	757.5	77	...	ENE	6	of		,,	29.82	757.5	75	...	ENE	6	b	
Basco, ...	14	29.93	760.2	72	84	N	6	o		6	30.05	763.2	70	74	NE	4	o	
Aparri, ...	,,	29.89	759.3	75	91	NE	4	o		,,	...	...	...	...	...	...	...	
Manila, ...	,,	29.82	757.5	82	67	WSW	2	o		,,	29.89	759.3	75	96	...	0	o	
Legaspi, ...	,,	29.80	756.9	86	71	NNE	4	o		,,	29.87	758.7	77	94	...	0	o	
Tacloban, ...	,,	29.78	756.3	84	77	SSE	4	o		,,	29.87	758.7	73	96	WNW	2	o	
Iloilo, ...	,,	29.75	755.7	86	61	NE	6	o		,,	...	...	...	...	...	...	...	
Surigao, ...	,,	29.76	756.0	84	77	E	2	o		,,	...	...	...	...	...	...	...	
Guam, ...	12.20	29.78	756.3	...	...	NE	4	o		4.20	...	...	...	...	...	...	...	
Yap, ...	12.47	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Pelew, ...	11.00	...	...	...	...	...	...	...		5	29.80	756.9	77	...	ENE	2	b	
Labuan, ...	14	29.76	755.9	84	83	SW	2	b		6	29.82	757.4	78	91	NE	1	o	

January 21*d*. 11*h*. 10*m*.—Pressure has increased considerably at Wladivostock, moderately over central Japan and Tongking and slightly in other districts.

The anticyclone has strengthened slightly. It is now central to the north of Shanghai.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·21 inches, against an average of 0·68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, fresh to strong; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st JANUARY, 1926.								22nd JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock.	12	30.11	764.7	8	...	NNE	4	b	0	30.18	766.5	−2	...	N	2	b
Nemuro,	11	29.04	737.5	...	...	WNW	7	...	5	29.35	745.5	...	..	WNW	3	...
Hokodate,	..	29.51	749.5	...	...	NW	6	...	,,	29.63	752.5	...	...	WNW	4	...
Tokio,	,,	29.78	756.5	...	...	NNW	3	...	,,	29.86	758.5	...	...	...	0	...
Kochi,	,,	30.10	764.5	...	...	WNW	1	...	,,	30.12	765.0	...	...	...	...	...
Nagasaki,	,,	30.30	769.5	...	...	NNW	1	...	,,	30.14	765.5	...	...	NNW	2	...
Kagoshima,	,,	30.24	768.0	...	...	NW	3	...	,,	30.26	768.5	...	...	NW	1	...
Oshima,	,,	30.22	767.5	...	...	N	2	...	,,	30.24	768.0	...	...	N	3	...
Naha,	,,	30.22	767.5	...	...	N	1	...	,,	30.26	768.5	...	..	...	...	...
Ishigakijima,	,,	30.24	768.0	...	...	NNE	2	...	,,	30.26	768.5	...	...	N	1	...
Bonin Island,	..	29.94	760.5	...	...	WNW	2	...	..	30.04	763.0	...	...	NW	1	...
Chefoo,	15	30.49	774.4	26	63	N	1	b	6	30.46	773.7	24	77	WSW	4	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Changsha,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai,	14	30.50	774.6	41	46	N	1	b	,,	30.57	776.4	25	96	NNE	2	b
Gutzlaff,	,,	30.48	774.2	42	50	NNW	4	b	,,	30.56	776.2	34	60	N	4	b
Sharp Peak,	,,	30.29	769.3	47	77	N	2	o	-	30.34	770.6	46	77	N	1	o
Amoy,	15	30.22	767.6	60	82	ENE	4	o	6	30.35	770.9	52	93	ENE	4	o
Swatow,	,,	..	...	...	...	...	...	...	,,	...	...	...	..	...	..	...
Taihoku,	11	30.28	769.2	59	81	E	4	o	5	30.33	770.4	52	92	E	2	o
Taichu,	,,	30.21	767.1	59	...	N	2	o	,,	30.24	768.0	54	..	NNW	2	o
Tainan,	,,	30.19	766.8	66	...	NNW	4	b	,,	30.20	767.1	54	...	N	4	b
Koshun,	,,	30.17	766.2	72	...	NNE	4	b	,,	30.12	765.0	64	..	NNE	4	b
Pescadores,	,,	30.24	768.0	61	...	NE	6	r	,,	30.25	768.3	57	...	NE	6	o
Canton,	14	..	...	...	...	...	...	...	6	...	...	..	...	...	...	...
Hongkong,	,,	30.18	766.6	63	60	N	2	o	,,	30.29	769.3	52	69	...	0	o
Gap Rock,	,,	30.18	766.6	...	...	ENE	5	o	,,	30.28	769.0	...	...	N	4	o
Macao,	,,	30.18	766.5	54	78	NNW	4	o	,,	30.27	768.9	48	73	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.17	766.3	73	...	NE	6	c	,,	30.21	767.3	69	...	NE	6	dc
Phulien,	,,	30.18	766.5	57	84	NNE	2	of	7	30.30	769.5	50	92	NE	2	ot
Tourane,	,,	30.04	762.9	73	...	E	2	b	,,	30.13	765.3	70	...	E	4	o
Cape St. James.	,,	29.86	758.4	79	...	ENE	6	bf	,,	29.92	759.9	75	...	ENE	6	b
Basco,	14	30.01	762.3	84	74	E	4	o	6	..	...	...	...	...	...	...
Aparri,	,,	30.00	762.0	73	82	NE	4	o	,,	30.06	763.5	73	79	NE	4	o
Manila,	,,	29.87	758.7	84	68	SW	2	o	,,	29.95	760.8	72	94	WNW	2	o
Legaspi,	,,	29.87	758.7	86	75	NNE	4	h	,,	...	...	...	..	...	...	...
Tacloban,	,,	29.85	758.1	82	64	...	0	o	,,	...	...	..	...	...	...	...
Iloilo,	,,	29.80	756.6	84	58	NE	6	o	,,	29.88	759.0	73	91	N	2	o
Surigao,	..	29.82	757.5	79	69	N	1	o	,,	29.87	758.7	77	91	ENE	4	o
Guam,	12.20	29.80	756.9	...	...	NE	6	o	4.20	..	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	77	...	NE	3	h
Labuan.	14	29.74	755.4	84	83	S	2	h	6	29.86	758.4	78	94	NE	2	b

January 22*d.* 11*h.* 30*m.*—Pressure has increased slightly at the majority of stations.

The anticyclone has strengthened slightly and is still central to the north of Shanghai.

The Japanese depression is passing into the Pacific.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·21 inches, against an average of 0·74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd

District.	Forecast.
1.—Formosa Channel.	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	22ND JANUARY, 1926.								23RD JANUARY, 1926.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.11	764.9	7	...	NNE	4	b	6	30.21	767.3	−1	...	NNE	3	o
Nemuro,	11	29.37	746.0	...	...	W	5	...	5	29.59	751.5	...	...	W	3	...
Hokodate,	,,	29.63	752.5	...	...	W	4	...	,,	29.82	757.5	...	...	W	3	...
Tokio,	,,	29.78	756.5	...	...	WNW	1	...	,,	30.00	762.0	...	...	...	0	...
Kochi,	,,	30.14	765.5	...	...	WNW	1	...	,,	30.22	767.5	...	...	W	1	...
Nagasaki,	,,	30.33	770.5	...	...	NW	3	...	,,	30.30	769.5	...	...	NNW	1	...
Kagoshima,	,,	30.30	769.5	...	...	NW	1	...	,,	30.30	769.5	...	...	...	0	...
Oshima,	,,	30.28	769.0	...	...	N	3	...	,,	30.30	769.5	...	...	NNE	2	...
Naha,	,,	30.30	769.5	...	...	NNE	3	...	,,	29.34	770.5	...	...	N	2	...
Ishigakijima,	,,	30.31	770.0	...	...	NNE	2	...	,,	30.32	770.0	...	...	NNE	2	...
Bonin Island,	,,	30.02	762.5	...		WNW	1	...	,,	30.12	765.0	...	...	WNW	2	...
Chefoo,	15	30.41	772.4	30	67	WNW	6	b	6	30.56	776.2	24	100	NW	4	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.50	774.7	36	...	NE	1	bc
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	36	...	NE	2	o
Shanghai,	14	30.52	775.2	43	34	NW	1	b	,,	30.60	777.3	32	...	N	1	b
Gutzlaff,	,,	30.54	775.7	42	50	N	2	b	,,	30.58	776.7	34	68	NNW	4	b
Sharp Peak,	,,	30.36	771.1	50	58	ENE	4	o	,,	30.38	771.6	42	51	N	1	b
Amoy,	15	30.28	769.1	60	90	ENE	4	o	6	30.41	772.4	45	53	NE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	11	30.39	771.9	57	77	E	4	o	5	30.38	771.6	52	92	E	2	o
Taichu,	,,	30.28	769.2	59	...	N	4	o	,,	30.28	769.2	54	...	NNW	2	b
Tainan,	,,	30.27	768.9	64	...	NNW	4	b	,,	30.26	768.6	52	...	N	2	b
Koshun,	,,	30.22	767.7	70	...	NNE	6	b	,,	30.24	768.0	63	...	N	4	b
Pescadores,	,,	30.32	770.1	59	...	NE	6	o	,,	30.32	770.1	57	...	NE	6	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.28	769.1	60	55	ESE	2	o	,,	30.33	770.4	55	62	NNE	1	o
Gap Rock,	,,	30.27	768.8	...	...	NE	4	o	,,	30.30	769.6	...	...	ENE	5	o
Macao,	,,	30.26	768.6	57	56	NE	4	o	,,	30.28	769.2	54	70	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.25	768.3	69	...	NE	6	c	,,	30.27	768.8	68	...	NE	6	c
Phulien,	,,	30.27	768.9	54	78	NNW	1	o	7	30.33	770.4	52	95	NNW	2	of
Tourane,	,,	30.13	765.3	66	...	...	0	o	,,	30.18	766.5	63	...	NNW	2	r
Cape St. James,	,,	29.88	759.0	79	...	ENE	6	of	,,	29.94	760.5	72	...	ENE	4	b
Basco,	14	30.05	763.2	72	75	E	4	r	6	...	...	...	...	...	...	...
Aparri,	,,	30.06	763.5	77	68	ENE	4	o	,,	30.06	763.5	72	75	E	4	of
Manila,	,,	29.94	760.5	75	89	E	2	r	,,	29.99	761.7	72	89	NE	2	o
Legaspi,	,,	29.89	759.3	84	74	NNE	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.87	758.7	64	67	NE	6	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.82	757.5	86	46	NNE	6	b	,,	29.94	760.5	75	60	NE	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.89	759.5	73	94	N	4	o
Guam,	12.20	29.84	757.8	...	...	NE	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	78	...	NE	3	c
Labuan,	14	29.72	754.9	86	92	N	4	b	0	...	...	...	...	...	...	...

January 23*d*. 11*h*. 00*m*.—Pressure has increased moderately at Chefoo and from the Bonins to N.E. Japan. It has increased slightly at Shanghai and from the Loochoos to Formosa. It is nearly stationary elsewhere.

The anticyclone remains central to the north of Shanghai.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·21 inches, against an average of 0·80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

DISTRICT.	FORECAST.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine to cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd JANUARY, 1926.								24th JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	17	30.20	767.1	5	...	NNE	4	c	6	30.47	773.9	−3	...	...	c	b
Nemuro,	11	29.61	752.0	...	...	W	1	...	5	29.75	755.5	...	...	NW	3	...
Hokodate,	.	29 80	757.0	...	...	NW	3	...	,,	29.90	759.5	...	...	NNW	3	...
Tokio,	,,	29.86	758.5	...	...	SW	1	...	,,	30.16	766.0	...	...	...	...	...
Kochi,	,,	30.18	766.5	...	...	W	1	...	,,	30.36	771.0	...	...	NW	1	...
Nagasaki,	,,	30.31	770.0	...	...	NNW	1	...	,,	30.47	774.0	...	...	NNW	1	...
Kagoshima,	,,	30.31	770.0	...	...	NNW	1	...	,,	30.45	773.5	...	...	N	1	...
Oshima,	,,	30.33	770.5	...	...	NNE	3	...	,,	30.41	772.5	...	...	N	2	...
Naha,	,,	30.39	772.0	...	...	N	2	...	,,	30.43	773.0	...	...	N	3	...
Ishigakijima,	,,	30.39	772.0	...	...	N	2	...	,,	30.41	772.5	...	...	NNE	2	...
Bonin Island,	..	30.14	765.5	...	...	W	1	...	..	30.20	767.0	...	..	WNW	1	...
Chefoo,	15	30.66	778.7	24	87	NW	6	o	6	30.66	778.7	24	87	NW	2	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.51	774.9	37	...	NE	1	o
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	..
Shanghai,	14	30.56	776.1	41	32	NNW	2	b	,,	30.71	780.0	21	85	N	1	b
Gutzlaff,	,,	30.66	778.7	38	54	N	4	o	,,	30.71	780.0	32	68	NNE	4	o
Sharp Peak,	,,	30.39	771.9	54	55	ENE	4	b	-	30.45	773.4	42	75	N	4	o
Amoy,	15	30.35	770.9	62	94	ENE	4	b	6	30.45	773.4	48	100	NE	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Taihoku,	11	30.45	773.4	55	66	E	4	o	5	30.45	773.4	52	87	E	2	o
Taichu,	,,	30 32	770.1	66	...	NNW	2	b	,,	30.33	770 4	50	...	NNW	1	b
Tainan,	,,	30.32	770.1	68	...	NNW	4	b	,,	30.32	770.1	50	...	N	2	b
Koshun,	,,	30.27	768.9	70	...	NNE	6	b	,,	30.28	769.2	63	...	NNE	6	b
Pescadores,	,,	30.37	771.3	61	...	NE	6	o	,,	30.34	770.7	57	...	NE	6	b
Canton,	14	30.32	770.1	62	61	N	1	b	6	...	...	.	...	...	...	...
Hongkong,	,,	30.29	769.3	61	52	ESE	1	b	,,	30.35	770.9	55	65	E	4	b
Gap Rock,	,,	30.27	768.8	...	...	ENE	5	c	,,	30.33	770.4	...	...	ENE	5	o
Macao,	,,	30.27	768.9	59	58	NE	4	b	,,	30.32	770.1	55	71	ENE	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.27	768.8	71	...	NE	6	c	,,	30.28	769.1	68	...	..	5	c
Phulien,	,,	30.27	768.9	54	90	NNW	2	of	7	30.31	769.8	54	90	NW	4	of
Tourane,	,,	30.12	765.0	70	...	E	4	o	,,	30.19	766.8	64	...	E	4	of
Cape St. James,	,,	29.91	759.6	79	...	ENE	4	of	,,	29.93	760.2	72	...	ENE	4	of
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	..	..	...
Aparri,	,,	30.11	764.7	72	84	ENE	4	r	,,	30.18	766.5	68	91	E	4	r
Manila,	,,	29.95	760.8	81	69	N	2	o	,,	30.04	762.9	72	75	SE	2	o
Legaspi,	,,	.	...	...	...	...	...	..	,,	30.04	762.9	75	76	NNE	6	b
Tacloban,	,,	29.91	759.6	86	68	NE	6	o	,,	29.99	761.7	75	83	NE	4	o
Iloilo,	,,	29.85	758.1	82	67	NNE	7	o	,,	29.94	760.5	73	85	N	6	o
Surigao,	..	29.87	758.7	81	73	ENE	6	o	,,	29.95	760.8	79	80	ENE	4	o
Guam,	12.20	29.87	758.7	...	...	NE	6	o	4.20	29.93	760.2	...	...	NE	6	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	..	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.76	755 9	88	84	NE	2	b	6	29.78	756.4	78	91	NE	1	o

January 24*d.* 12*h.* 12*m.*—Pressure has increased moderately over Japan and slightly from the Loochoos to Hongkong and the Philippines. It is nearly stationary along the east coast of China.

The anticyclone has two centres, one over S.E. Mongolia and the other to the north of Shanghai.

Strong monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·21 inches, against an average of 0·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, strong; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China berween Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th JANUARY, 1926.								25th JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.45	773.4	7	...	NNE	4	b	6	30.38	771.7	−5	...	...	c	o
Nemuro,	11	29.84	758.0	...	...	NW	3	...	5	30.12	765.0	...	...	W	1	...
Hokodate,	..	30.02	762.5	...	...	NNW	2	...	,,	30.22	767.5	...	...	WSW	1	...
Tokio,	,,	...	...	...	...	...	...	...	,,	30.38	771.5	...	...	NW	1	...
Kochi,	,,	30.35	771.0	...	...	W	1	...	,,	30.53	775.5	...	...	WSW	1	...
Nagasaki,	,,	30.53	775.5	...	...	NNW	2	...	,,	30.59	777.0	...	...	NE	1	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	30.57	776.5	...	...	WSW	1	...
Oshima,	,,	30.47	774.0	...	...	NNE	3	...	,,	30.47	774.0	...	...	S	1	...
Naha,	,,	30.47	774.0	...	...	NNE	2	...	,,	30.45	773.5	...	...	NE	1	...
Ishigakijima,	,,	30.45	773.5	...	...	NNE	3	...	,,	30.39	772.0	...	...	NNE	2	...
Bonin Island,	..	30.20	767.0	...	...	WNW	1	...	,,	30.34	770.5	...	..	NW	1	...
Chefoo,	15	30.62	777.7	32	90	NW	1	b	6	30.58	776.7	26	78	SSW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.57	776.5	31	...	...	c	lc
Ichang,	,,	...	...	...	...	.	...	...	,,	30.37	771.4	36	...	...	c	b
Changsha,	,,	..	...	...	...	...	...	...	,,	...	...	..	...		...	..
Shanghai,	14	30.69	779.4	41	46	NE	2	b	,,	30.70	779.7	28	100	NE	2	b
Gutzlaff,	,,	30.68	779.3	42	58	NNW	1	b	,,	30.68	779.3	34	82	NNE	2	o
Sharp Peak,	,,	30.43	772.9	48	63	N	1	o	,,	30.46	773.7	43	98	NNW	2	o
Amoy,	15	30.38	771.6	60	100	WNW	4	o	6	30.45	773.4	54	100	NNE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	..	...
Taihoku,	11	30.49	774.3	57	72	E	4	o	5	30.41	772.5	54	95	E	4	o
Taichu,	,,	30.37	771.3	66	...	NNW	2	b	,,	30.37	771.3	54	..	...	c	r
Tainan,	,,	30.36	771.0	66	...	NNW	2	b	,,	30.36	771.0	55	..	N	2	b
Koshun,	,,	30.32	770.1	70	...	NE	6	b	,,	30.33	770.4	61	..	NNW	6	h
Pescadores,	,,	30 39	771.9	59	...	NE	6	o	,,	30.38	771.6	59	...	NNE	6	o
Canton,	14	30.33	770 4	66	54	N	2	b	6	...	...	...	...	...	...	...
Hongkong,	,,	30.32	770.1	62	52	ESE	3	c	,,	30.39	771.9	55	74	E	2	b
Gap Rock,	,,	30.33	770.4	...	...	ENE	6	c	,,	30.37	771.4	...	..	ENE	5	o
Macao,	,,	..	...	...	...	...	...	...	,,	30.34	770.7	54	76	NNE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.30	769.6	70	...	ENE	6	cd	,,	30.30	769.6	69	...	NE	5	cd
Phulien,	,,	30.28	769.2	...	...	ENE	2	of	7	30.34	770.7	59	83	NNE	4	of
Tourane,	,,	30.15	765.9	70	...	ENE	6	of	,,	30.19	766.8	64	...	E	4	lf
Cape St. James,	,,	29.89	759.3	79	...	ENE	6	bf	,,	29.95	760.8	73	...	ENE	6	bf
Basco,	14	..	...	...	...	..	...	...	6	..	..	...	...	..	..	...
Aparri,	,,	30.18	766.5	72	78	E	4	o	,,	30.24	768.0	68	77	ENE	4	r
Manila,	,,	30.01	762.3	82	54	E	4	o	,,	30.08	764.1	73	38	E	2	o
Legaspi,	,,	30.01	762.3	79	69	NNE	6	o	,,	30.08	764.1	75	92	NNE	4	o
Taclobau,	,,	...	...	...	...	...	...	...	,,	30.06	763.5	70	98	NNE	4	o
Iloilo,	,,	29.92	759.9	82	...	NE	7	o	,,	30.00	762.0	72	82	NNE	6	o
Surigao,	,,	29.94	760.5	73	...	ENE	4	o	,,	30.00	762.0	77	76	ENE	6	o
Guam,	12.20	29.89	759.3	...	...	NE	6	o	4.20	29.92	759.9	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...		...	...	...	5	29.92	759.9	76	...	NE	2	b
Labuan,	14	29.77	756.1	84	83	NE	1	o	6	29.83	757.7	78	70	S	2	h

January 25*d*. 12*h*. 07*m*.—Pressure has increased considerably over N.E. Japan, moderately from the Bonins to central Japan, and slightly from Formosa to Tongking. It has decreased slightly from Wladivostock to Chefoo and Shanghai and is nearly stationary in the extreme South.

The northern anticyclone has moved eastward. The other is still central to the north of Shanghai.

Strong monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·21 inches, against an average of 0·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th JANUARY, 1926.								26th JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.26	768.5	22	...	ENE	2	b	6	30.47	774.0	6	...	...	c	b
Nemuro,	11	30.12	765.0	...	...	W	1	...	5	30.00	762.0	...	...	W	1	...
Hokodate,	,,	30.26	768.5	...	...	W	3	...	,,	30.18	766.5	...	...	NW	4	...
Tokio,	,,	30.37	771.5	...	...	NW	1	...	,,	30.39	772.0	...	...	NW	1	...
Kochi,	,,	...	...	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.59	777.0	...	...	NNW	1	...	,,	30.53	775.5	...	...	...	0	...
Kagoshima,	,,	30.57	776.5	...	...	ENE	1	...	,,	30.51	775.0	...	...	WNW	3	...
Oshima,	,,	30.49	774.5	...	...	NW	1	...	,,	30.43	773.0	...	...	...	0	...
Naha,	,,	30.45	773.5	...	...	NE	1	...	,,	30.38	771.5	...	...	NE	1	...
Ishigakijima,	,,	30.43	773.0	...	...	E	2	...	,,	30.34	770.5	...	...	NE	1	...
Bonin Island,	,,	30.31	770.0	...	...	N	1	...	,,	30.38	771.5	...	...	...	0	...
Chefoo,	15	30.50	774.7	38	54	WNW	4	b	6	30.47	773.9	32	58	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.48	774.2	39	...	...	0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.64	778.2	46	39	N	1	b	,,	30.61	777.6	25	100	NE	1	b
Gutzlaff,	,,	30.64	778.2	46	54	N	1	b	,,	30.61	777.5	36	83	N	2	o
Sharp Peak,	,,	30.42	772.6	54	68	N	1	o	,,	30.44	773.2	48	74	N	1	o
Amoy,	15	30.38	771.6	62	100	NE	4	o	6	30.42	772.6	54	100	ENE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	13	30.44	773.1	59	87	E	4	o	5	30.38	771.6	55	96	E	2	o
Taichu,	,,	30.38	771.6	66	...	...	0	b	,,	30.34	770.7	48	...	...	0	b
Tainan,	,,	30.38	771.6	70	...	N	2	b	,,	30.32	770.1	50	...	N	2	o
Koshun,	,,	30.34	770.7	72	...	NNE	4	b	,,	30.28	769.2	61	...	N	2	b
Pescadores,	,,	30.41	772.5	61	...	NE	4	o	,,	30.32	770.1	57	...	NNE	6	o
Canton,	14	30.38	771.6	64	58	N	2	b	6	...	...	...	...	...	...	...
Hongkong,	,,	30.33	770.4	63	56	ESE	2	o	,,	30.39	771.9	57	74	NNE	2	o
Gap Rock,	,,	30.34	770.6	...	...	ENE	5	b	,,	30.38	771.6	...	...	NE	5	c
Macao,	,,	30.32	770.1	61	55	NE	4	o	,,	30.36	771.0	52	75	N	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.33	770.4	71	...	NE	5	c	,,	30.31	769.9	69	...	NE	6	c
Phulien,	,,	30.32	770.1	64	62	NNW	2	of	7	30.37	771.3	55	84	NNE	1	of
Tourane,	,,	30.17	766.2	66	...	E	6	rf	,,	30.22	767.7	63	...	ENE	6	of
Cape St. James,	,,	29.92	759.9	77	...	ENE	...	of	,,	30.02	762.6	72	...	ENE	4	of
Basco,	14	...	...	...	...	...	...	...	6	30.24	768.0	68	...	E	4	o
Aparri,	,,	...	...	...	...	...	...	...	,,	30.19	766.8	64	73	SW	2	b
Manila,	,,	30.04	762.9	79	58	NE	2	o	,,	30.10	764.4	64	94	NW	1	b
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	86	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.95	760.8	81	59	NE	7	o	,,	30.01	762.3	68	81	N	6	o
Surigao,	,,	29.98	761.4	81	62	ENE	6	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.86	758.4	...	...	NE	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	75	...	NE	2	c
Labuan,	14	29.72	754.9	84	87	NE	2	o	6	...	...	...	...	...	...	...

January 26*d*. 11*h*. 10*m*.—Pressure has increased moderately at Wladivostock, is nearly stationary in the extreme South, and has decreased slightly in other districts.

The anticyclone has weakened slightly and is now central over S.W. Korea.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·21 inches, against an average of 1·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, fresh; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th JANUARY, 1926.								27th JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.37	771.3	19	...	...	0	b	6	30.07	763.7	17	...	...	0	0
Nemuro,	11	30.04	763.0	...	...	WNW	4	...	5	30.28	769.0	...	..	SSW	2	...
Hokodate,	,	30.28	769.0	...	...	NW	2	...	,,	30.28	769.0	...	...	..	0	...
Tokio,	,,	30.35	771.0	...	...	...	0	...	,,	30.41	772.5	...	...	NNW	1	...
Kochi,	,,	30.49	774.5	...	...	SW	1	...	,,	30.41	772.5	...	...	SW	1	...
Nagasaki,	,,	30.53	775.5	...	...	N	1	...	,,	30.45	773.5	...	..	SE	1	...
Kagoshima,	,,	30.49	774.5	...	...	NE	1	...	,,	30.45	773.5	...	...	NW	1	...
Oshima,	,,	30.43	773.0	...	...	NE	1	...	,,	30.34	770.5	...	...	...	0	...
Naha,	,,	30.39	772.0	...	...	NNE	1	...	,,	30.34	770.5	...	...	...	0	...
Ishigakijima,	,,	30.37	771.5	...	...	ENE	1	...	,,	30.32	770.0	..	...	NE	1	...
Bonin Island,	,,	30.35	771.0	...	...	NNE	1	..	,,	30.36	771.0	..	..	N	1	...
Chefoo,	15	30.33	770.4	46	33	SW	2	b	6	30.27	768.8	36	70	SW	2	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.35	770.9	38	...		0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	40	...	E	1	b
Changsha,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	..	..	..
Shanghai,	14	30.50	774.6	52	30	SSW	1	b	,,	30.46	773.7	39	100	SSE	2	b
Gutzlaff,	,,	30.56	776.2	48	49	NE	1	b	,,	30.48	774.2	40	91	S	2	b
Sharp Peak,	,,	30.35	770.9	54	80	N	1	o	,,	30.37	771.4	48	71	SSW	1	of
Amoy,	15	30.33	770.4	64	100	ESE	4	o	6	30.38	771.6	56	100	ENE	2	o
Swatow,	,,	...	..	...	...	...	...	...	,,	...	...	...	..	...	..	...
Taihoku,	11	30.43	772.8	63	88	E	4	o	5	30.33	770.4	57	96	...	0	o
Taichu,	,,	30.36	771.0	64	...	NNW	2	b	,,	30.31	769.8	46	...	...	0	b
Tainan,	,,	30.37	771.3	66	...	NNW	2	b	,,	30.30	769.5	59	...	NNE	2	b
Koshun,	,,	30.34	770.7	68	...	NNE	4	o	,,	30.26	768.6	64	..	N	4	b
Pescadores,	,,	30.39	771.9	63	...	NNE	6	o	,,	30.32	770.1	59	...	NE	4	o
Canton,	14	30.36	771.1	66	54	N	2	b	6	...	...	...	...	...	...	...
Hongkong,	,,	30.31	770.6	62	63	E	2	o	,,	30.34	770.6	58	76	ENE	3	o
Gap Rock,	,,	30.33	770.4	..	...	ENE	4	c	,,	30.32	770.1	...	..	ENE	4	c
Macao,	,,	30.27	768.9	63	56	NE	2	o	,,	30.32	770.1	54	90	NE	2	c
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	.	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Pratas Island,	,,	30.33	770.4	72	...	NE	5	c	,,	30.28	769.1	69	...	NE	5	c
Phulien,	,,	30.26	768.6	66	54	ESE	1	bf	7	30.32	770.1	55	93	ENE	2	of
Tourane,	,,	30.19	766.8	68	...	ENE	6	of	,,	30.22	767.7	63	...	ENE	4	of
Cape St. James,	,,	29.97	761.1	77	...	ENE	7	bf	,,	30.01	762.3	72	...	ENE	6	bf
Basco,	14	30.17	766.2	75	60	E	4	b	6	30.20	767.1	68	81	E	4	o
Aparri,	,,	30.14	765.6	75	67	E	4	o	,,	30.17	766.2	66	94	SE	1	o
Manila,	,,	30.04	762.9	77	61	NE	2	o	,,	30.06	763.5	68	81	NNW	1	o
Legaspi,	,,	30.01	772.3	77	84	NNE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	..	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.93	760.2	81	66	NE	6	o	,,	29.99	761.7	70	91	N	6	o
Surigao,	..	29.92	759.9	82	63	NE	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	NE	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.87	758.7	...	...	ENE	4	o	4.47	..	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	75	...	NE	1	b
Labuan,	14	29.79	756.6	84	91	NE	2	b	6	29.85	758.2	80	91	NE	2	b

January 27*d*. 11*h*. 40*m*.—Pressure has decreased considerably at Wladivostock. It is nearly stationary in the extreme South and has decreased slightly elsewhere.

The anticyclone has weakened further and now extends from S.E. China to the east of Japan.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·21 inches, against an average of 1·11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh to moderate; cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th JANUARY, 1926.									28th JANUARY, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	29.98	761.6	30	...	SW	2	o		6	30.49	774.5	−2	...	NNE	4	b	
Nemuro,	11	30.16	766.0	...	...	WSW	1	...		5	29.67	753.5	...	...	W	2	...	
Hokodate,	.	30.12	765.0	...	...	E	2	...		,,	29.43	747.5	...	...	W	6	...	
Tokio,	,,	30.30	769.5	...	...	SW	1	...		,,	30.06	763.5	...	...	NW	1	...	
Kochi,	,,	30.35	771.0	...	...	SE	1	...		,,	30.30	769.5	...	...	WSW	1	...	
Nagasaki,	,,	30.43	773.0	...	...	W	1	...		,,	...	...	...	...	N	1	...	
Kagoshima,	,,	30.41	772.5	...	...	NNW	1	...		,,	30.38	771.5	...	...	NW	1	...	
Oshima,	,,	30.37	771.5	...	...	NNE	1	...		,,	30.36	771.0	...	...	S	1	...	
Naha,	,,	30.35	771.0	...	...	N	1	...		,,	30.30	769.5	...	...	NE	1	...	
Ishigakijima,	,,	30.33	770.5	...	...	NE	5	...		,,	30.24	768.0	...	...	SE	1	...	
Bonin Island,	,,	30.35	771.0	...	...	NNE	5	...		,,	30.30	769.5	...	..	...	0	...	
Chefoo,	15	30.46	773.7	32	68	NNW	4	b		6	30.55	775.9	26	78	...	0	b	
Hankow,	,,	...	...	...	...	...	...	...		,,	30.30	769.6	47	..	...	0	o	
Ichang,	,,	...	...	...	...	.	...	...		,,	30.16	766.0	46	...	...	0	...	
Changsha,	,,	...	...	...	...		...	...		,,	...	...	...	...		...	...	
Shanghai,	14	30.43	772.8	59	32	WSW	1	b		,,	30.49	774.3	41	81	NNE	4	o	
Gutzlaff,	,,	30.45	773.4	52	60	SW	2	b		,,	30.48	774.2	40	91	NW	2	o	
Sharp Peak,	,,	30.35	770.9	62	56	ENE	2	o		,,	30.34	770.6	52	79	NNW	1	o	
Amoy,	15	30.30	769.6	66	95	S	2	b		6	30.33	770.4	52	100	ENE	2	o	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	..	...	..	...	..	...	
Taihoku,	11	30.34	770.7	70	65	E	4	b		,,	30.25	768.3	61	93	E	2	o	
Taichu,	,,	30.33	770.4	70	...	NW	2	b		,,	30.26	768.6	50	..	...	0	o	
Tainan,	,,	30.33	770.4	70	...	NNW	4	b		,,	30.22	767.7	55	..	N	4	of	
Koshun,	,,	30.31	769.8	70	...	NE	2	o		,,	30.21	767.4	64	..	...	0	o	
Pescadores,	,,	30.37	771.3	61	...	NNE	4	b		,,	30.26	768.6	37	...	NE	4	o	
Canton,	14	30.29	769.3	68	60	S	1	b		6	...	...	...	...	...	...	...	
Hongkong,	,,	30.29	769.3	63	63	ESE	2	b		,,	30.28	769.1	58	81	E	3	c	
Gap Rock,	,,	30.31	769.9	...	...	ENE	5	b		,,	30.26	768.6	...	...	NE	4	c	
Macao,	,,	30.27	768.9	66	63	ESE	2	b		,,	30.24	768.0	55	86	SE	2	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	..	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	..	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.31	769.9	72	...	NE	5	c		,,	30.22	767.6	70	...	ENE	5	c	
Phulien,	,,	30.25	768.3	70	57	SSE	1	of		7	30.26	768.6	61	81	ENE	4	of	
Tourane,	,,	30.20	767.1	70	...	ENE	4	o		,,	30.18	766.5	66	...	ENE	4	b	
Cape St. James	,,	30.00	762.0	75	...	ENE	6	b		,,	30.01	762.3	70	...	ENE	4	b	
Basco,	14	30.13	765.3	75	60	ENE	4	o		6	30.14	765.6	72	70	NE	4	o	
Aparri,	,,	30.11	764.7	75	71	E	4	o		,,	30.13	765.3	66	92	...	0	b	
Manila,	,,	30.01	762.3	79	55	NNE	4	o		,,	..	...	70	88	N	1	o	
Legaspi,	,,	29.98	761.4	82	70	NNE	4	o		,,	30.00	762.0	75	79	NNE	4	b	
Tacloban,	,,	..	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.92	759.9	82	63	NE	6	o		,,	29.97	761.1	72	91	N	4	o	
Surigao,	..	29.93	760.2	77	88	NE	6	r		,,	29.93	760.2	77	79	NE	4	o	
Guam,	12.20	29.82	757.5	...	...	NE	6	o		4.20	29.85	758.1	...	...	NE	6	o	
Yap,	12.47	29.80	756.9	...	...	NE	4	o		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	..	...	...	...	...		5	29.83	757.7	77	...	N	2	c	
Labuan,	14	29.74	755.4	84	83	S	2	b		6	29.82	757.4	78	91	N	2	b	

January 28*d*. 11*h*. 42*m*.—Pressure has decreased very considerably over N.E. Japan, considerably over central Japan and slightly from S.W. Japan to Indo-China. It has increased considerably at Wladivostock and moderately over N.E. China. It is nearly stationary over the Yangtze Valley.

The isobars are uncertain this morning. There appears to be a deep depression over Hokkaido and an anticyclone extending from the Yellow Sea to S.E. Mongolia and S. Manchuria.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·21 inches, against an average of 1·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29th.

District.	Forecast.
1.—Formosa Channel. 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th JANUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	29th JANUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.50	774.8	4	...	NNE	4	b	6	30.56	776.1	−4	...	N	4	c
Nemuro,	11	29.51	749.5	...	...	W	3	...	5	30.04	763.0	...	...	WNW	5	...
Hokodate,	..	29.98	761.5	...	...	W	5	...	,,	30.24	768.0	...	...	WNW	4	...
Tokio,	,,	30.08	764.0	...	...	N	2	...	,,	30.36	771.0	...	...	NNW	2	...
Kochi,	,,	30.28	769.0	...	...	...	...	...	,,	30.36	771.0	...	...	...	0	...
Nagasaki,	,,	30.37	771.5	...	...	ENE	1	...	,,	30.38	771.5	...	...	...	0	...
Kagoshima,	,,	30.35	771.0	...	...	NE	1	...	,,	30.34	770.5	...	...	...	0	...
Oshima,	,,	30.31	770.0	...	...	N	1	...	,,	30.26	768.5	...	...	S	1	...
Naha,	,,	30.30	769.5	...	...	SE	2	...	,,	30.22	767.5	...	...	...	0	...
Ishigakijima,	,,	30.22	767.5	...	...	SE	1	...	,,	30.18	766.5	...	...	NNW	1	...
Bonin Island,	..	30.24	768.0	...	...	NW	1	...	..	30.26	768.5	...	...	...	0	...
Chefoo,	15	30.45	773.4	40	39	SW	2	b	6	30.26	768.6	36	70	..	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.12	765.0	43	...	SE	1	lc
Ichang,	,,	...	...	...	...	...	...	...	,,	29.90	759.4	41	...	...	...	0
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.43	772.8	50	62	ENE	4	o	,,	30.33	770.4	45	82	ESE	2	b
Gutzlaff,	,,	30.48	774.2	47	77	E	4	o	,,	30.35	770.9	44	86	SE	4	o
Sharp Peak,	,,	30.30	769.6	64	53	ENE	2	o	,,	30.25	768.3	52	73	S	7	o
Amoy,	15	30.23	767.8	66	91	NE	2	b	6	30.24	768.1	54	100	NNE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	..	...	..	...	..	...
Taihoku,	11	30.27	768.9	68	73	E	4	o	5	30.19	766.8	59	91	E	2	b
Taichu,	,,	30.24	768.0	72	...	...	0	b	,,	30.19	766.8	50	...	...	0	b
Tainan,	,,	30.25	768.3	72	...	NW	2	b	,,	30.15	765.9	54	...	N	2	b
Koshun,	,,	30.21	767.4	75	...	NE	2	b	,,	30.13	765.3	66	..	N	2	b
Pescadores,	,,	30.25	768.3	64	...	NNE	4	o	,,	30.18	766.5	61	...	NE	6	o
Canton,	14	30.22	767.6	72	58	N	1	b	6	...	...	.	...	...	...	...
Hongkong,	,,	30.22	767.6	64	63	ESE	3	b	,,	30.19	766.8	59	82	ENE	3	o
Gap Rock,	,,	30.22	767.6	...	...	NE	4	b	,,	30.16	766.0	...	...	ENE	4	b
Macao,	,,	30.20	767.1	68	68	SE	2	b	,,	30.15	765.9	61	83	ESE	2	c
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.23	767.8	73	...	NE	5	c	,,	30.18	766.6	71	...	NE	4	c
Phulien,	,,	30.22	767.7	68	64	ENE	2	of	7	30.17	766.2	59	98	SSE	1	bf
Tourane,	,,	30.15	765.9	70	...	ENE	2	o	,,	30.12	765.0	68	...	ENE	2	o
Cape St. James,	,,	29.98	761.4	77	...	ENE	4	b	,,	29.99	761.7	70	...	ENE	2	b
Basco,	14	...	...	...	...	...	...	...	6	..	...	...	..	...	...	...
Aparri,	,,	30.06	763.5	73	71	SE	4	o	,,	30.06	763.5	64	94	S	4	b
Manila,	,,	30.00	762.0	77	68	SW	1	o	,,	30.01	762.3	63	94	NE	2	o
Legaspi,	,,	29.97	761.1	81	62	NNE	4	o	,,	29.98	761.4	73	75	NNE	4	o
Tacloban,	,,	29.94	760.5	75	94	NNE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.89	759.3	82	67	NE	6	o	,,	29.94	760.5	70	87	N	4	o
Surigao,	..	29.91	759.6	81	69	NE	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	NE	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.79	756.6	77	...	N	2	c
Labuan,	14	29.71	754.6	86	88	N	2	b	6	29.81	757.2	78	91	N	2	b

January 29*d.* 11*h.* 25*m.*—Pressure has increased considerably over central and N.E. Japan and slightly from Wladivostock to S.W. Japan. It has decreased considerably over N.E. China, moderately along the east coast and slightly in other districts.

The anticyclone is now central over S. Manchuria, moving eastward.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·21 inches, against an average of 1·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th JANUARY, 1926.								30th JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostook, .	12	30.48	774.3	4	...	NNE	4	o	6	30.47	773.9	−2	...	NNE	5	o
Nemuro,	11	30.12	765.0	...	...	WNW	6	...	5	30.34	770.5	...	...	NW	2	...
Hokodate,	.	30.35	771.0	...	...	WNW	4	...	,,	30.38	771.5	...	...	...	...	...
Tokio,	,,	30.37	771.5	...	...	NE	1	...	,,	30.45	773.5	...	...	N	1	...
Kochi,	,,	30.31	770.0	...	...	...	0	...	,,	30.32	770.0	...	...	...	0	...
Nagasaki,	,,	30.35	771.0	...	...	N	1	...	,,	30.28	769.0	...	...	NE	1	...
Kagoshima,	,,	30.31	770.0	...	...	ESE	1	...	,,	30.28	769.0	...	...	NW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.18	766.5	...	...	SSE	1	...
Naha,	,,	30.20	767.0	...	...	SSE	1	...	,,	30.18	766.5	...	...	SSE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	...	0	...	,,	30.16	766.0	...	...	NE	1	...
Bonin Island,	,,	30.24	768.0	...	...	NNE	1	...	,,	30.28	769.0	...	...	NE	1	...
Chefoo,	15	30.15	765.8	46	86	E	4	o	6	30.49	774.4	24	87	NW	6	o
Hankow,	,,	...	...	...	...	...	...	...	,,	30.34	770.6	41	...	NE	4	o
Ichang,	,,	...	...	...	...	...	...	...	,,	30.02	762.6	53	...	SSE	1	o
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.24	765.0	61	45	SSE	2	b	,,	30.21	767.4	43	91	SSE	4	b
Gutzlaff,	,,	30.26	768.6	52	66	SE	4	b	,,	30.24	768.1	48	78	SSW	4	b
Sharp Peak,	,,	30.22	767.6	64	53	N	1	o	7	30.21	767.3	56	75	WNW	1	o
Amoy,	15	30.16	766.0	66	95	ENE	2	o	6	30.22	767.6	56	89	WSW	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.20	767.1	70	61	E	4	o	5	30.14	765.6	57	91	...	o	o
Taichu,	,,	30.17	766.2	72	...	...	o	b	,,	30.15	765.9	52	...	...	o	b
Tainan,	,,	30.17	766.2	73	...	NNW	2	o	,,	30.13	765.3	57	...		o	of
Koshun,	,,	30.14	765.6	72	...	NNE	4	o	,,	30.07	763.8	66	...	NNE	4	b
Pescadores,	,,	30.19	766.8	66	...	NE	6	o	,,	30.14	765.6	61	...	NE	4	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.12	765.0	64	57	ESE	4	b	,,	30.15	765.8	60	73	E	3	b
Gap Rock,	,,	30.12	765.0	...	...	ENE	4	b	,,	30.13	765.3	...	...	ENE	4	b
Macao,	,,	30.11	764.7	72	57	SE	4	o	,,	30.11	764.7	61	89	NE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.14	765.5	74	...	NE	4	c	,,	30.12	765.0	72	...	ENE	4	dc
Phulien,	,,	30.08	764.1	75	45	SSE	2	bf	7	30.11	764.7	59	91	ENE	4	of
Tourane,	,,	30.07	763.8	70	...	NW	4	b	,,	30.08	764.1	66	...	...	o	o
Cape St. James.	,,	29.95	760.2	77	...	ENE	4	bf	,,	29.95	760.8	73	...	ENE	4	o
Basco,	14	30.01	762.3	75	67	ENE	6	o	6	30.05	763.2	70	87	NE	4	r
Aparri,	,,	29.99	761.7	79	61	E	4	o	,,	30.01	762.3	66	96	...	o	o
Manila,	,,	29.93	760.2	82	57	WSW	2	o	,,	29.98	761.4	..	...	ENE	1	b
Legaspi,	,,	29.91	759.6	81	66	NNE	4	o	,,	29.93	760.2	73	91	N	2	o
Tacloban,	,,	-	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.86	758.4	84	52	N	6	o	,,	29.89	759.3	72	92	N	4	o
Surigao,	..	29.86	758.4	77	91	N	4	o	,,	29.87	758.7	75	96	ENE	2	o
Guam,	12.20	29.81	757.2	...	...	NE	6	o	4.20	29.86	758.4	...	...	NE	6	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.71	754.6	77	...	N	4	c
Labuan,	14	29.86	758.4	86	84	NE	2	b	6	29.82	757.4	80	91	NE	1	o

January 30*d.* 11*h.* 30*m.*—Pressure has increased considerably over N.E. China and moderately over central China. It has decreased slightly from Shangbai to S.W. Japan and slightly over the Pelews. It is nearly stationary elsewhere.

The anticyclone continues to move eastward. Another has formed over S.E. Mongolia and N.E. China.

There appears to be a typhoon to the south-east of the Pelews

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·21 inches, against an average of 1·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th JANUARY, 1926.								31st JANUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.46	773.7	1	...	NNE	4	b	6	30.50	774.8	−8	...	NNE	2	c
Nemuro,	11	30.28	769.0	...	...	W	1	...	5	29.86	758.5	...	...	NNW	1	...
Hokodate,	..	30.24	768.0	...	...	NE	1	...	,,	30.06	763.5	...	...	NNW	3	...
Tokio,	,,	30.31	770.0	...	...	NNE	1	...	,,	29.86	758.5	...	...	NNW	1	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.06	763.5	...	...	WSW	1	...
Nagasaki,	,,	30.24	768.0	...	...	...	0	...	,,	30.30	769.5	...	...	NNW	2	...
Kagoshima,	,,	30.22	767.5	...	...	...	0	...	,,	30.22	767.5	...	...	NNW	1	...
Oshima,	,,	30.18	766.5	...	...	S	1	...	,,	30.24	768.0	...	...	N	4	...
Naha,	,,	30.20	767.0	...	...	NW	1	...	,,	30.24	768.0	...	...	N	5	...
Ishigakijima,	,,	30.18	766.5	...	...	ESE	1	...	,,	30.24	768.0	...	...	NNE	2	...
Bonin Island,	..	30.26	768.5	...	...	E	1	...	,,	30.18	766.5	...	..	...	...	...
Chefoo,	15	30.62	777.7	24	87	NNW	8	o	6	...	...	24	87	NW	6	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.66	778.7	28	...	N	2	o
Ichang,	,,	...	...	...	...	...	...	...	,,	30.52	775.2	41	...	SE	1	o
Changsha,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai,	14	30.43	772.8	41	81	NNW	4	o	,,	30.72	780.3	28	100	NW	6	o
Gutzlaff,	,,	30.33	770.4	44	92	NNW	7	o	,,	30.66	778.7	30	80	NNW	8	o
Sharp Peak,	,,	30.19	766.8	69	75	...	c	b	7	30.37	771.4	48	85	ENE	4	r
Amoy,	15	30.15	765.8	70	70	WSW	4	b	6	30.33	770.4	56	81	ENE	4	b
Swatow,	,,	...	..	...	...	...	...	...	,,	...	..	...	...	...	...	...
Taihoku,	11	30.15	765.9	72	57	E	4	b	5	30.33	770.4	59	79	E	4	o
Taichu,	,,	30.15	765.0	73	...	...	c	b	,,	30.17	766.2	61	...	...	c	o
Tainan,	,,	30.14	765.6	72	...	NNW	2	b	,,	30.14	765.6	61	..	NNE	2	o
Koshun,	,,	30.11	764.7	75	...	NNE	4	b	,,	30.14	765.6	68	..	NNE	4	o
Pescadores,	,,	30.19	766.8	64	...	NNE	4	o	,,	30.17	766.2	61	...	NE	7	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	..	...	...	...	...
Hongkong,	,,	30.14	765.5	69	52	ESE	3	b	,,	30.21	767.3	62	83	ESE	1	o
Gap Rock,	,,	30.15	765.8	...	...	ENE	4	b	,,	30.20	767.1	...	...	ENE	4	c
Macao,	,,	30.13	765.3	72	51	ESE	2	b	,,	30.20	767.1		89	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.15	765.8	75	...	NE	4	o	,,	30.14	765.5	72	...	ENE	6	cd
Phulien,	,,	30.12	765.0	72	62	ENE	4	bf	7	...	...	...	...	...	...	...
Tourane,	,,	30.06	763.5	73	...	...	c	b	,,	...	...	...	...	...	..	...
Cape St. James,	,,	29.93	760.2	79	...	ENE	4	b	,,	...	...	...	...	...	...	...
Basco,	14	30.00	762.0	75	71	E	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.98	761.4	73	86	ENE	4	r	,,	30.05	763.2	68	96	...	c	b
Manila,	,,	29.92	759.9	84	55	WSW	2	b	,,	29.99	761.7	66	92	N	1	b
Legaspi,	,,	29.89	759.3	86	68	NE	2	b	,,	29.93	760.2	75	76	N	4	b
Tacloban,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.87	758.7	82	70	N	4	o	,,	29.91	759.6	73	94	N	4	b
Surigao,	..	29.85	758.1	82	77	ENE	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29 80	756.9	...	...	NE	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.74	755.4	77	...	SSE	1	c
Labuan,	12	29.75	755.6	86	88	NE	2	b	6	...	...	...	...	...	...	...

January 31*d.* 11*h.* 15*m.*—Pressure has decreased considerably over central and N.E. Japan. It has increased considerably over the Yangtze Valley, and slightly from the Loochoos to Hongkong.

A strong anticyclone covers S.E. Mongolia and S. Manchuria.

The typhoon is about 150 miles west of the Pelews moving W.N.W.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·21 inches, against an average of 1·44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong; fine to cloudy, some drizzle or mist, cooler.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	31st JANUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	1st FEBRUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.43	772.8	11	...	NNE	4	b	6	30.41	772.3	−6	...	NNE	3	c
Nemuro,	11	29.98	761.5	...	...	NNW	4	...	5	29.94	760.5	...	...	NW	4	...
Hokodate,	..	30.10	764.5	...	...	N	3	...	,,	30.02	762.5	...	...	NNW	3	...
Tokio,	,,	29.94	760.5	...	...	NNE	1	...	,,	30.12	765.0	...	...	NW	3	...
Kochi,	,,	30.08	764.0	...	...	NNW	4	...	,,	30.32	770.0	...	...	SW	1	...
Nagasaki,	,,	30.28	769.0	...	...	N	2	...	,,	30.41	772.5	...	...	NNW	1	...
Kagoshima,	,,	30.26	768.5	...	...	NW	2	...	,,	30.39	772.0	...	...	...	0	...
Oshima,	,,	30.28	769.0	...	...	NNE	2	...	,,	30.34	770.5	...	...	N	3	...
Naha,	,,	30.30	769.5	...	...	N	5	...	,,	30.34	770.5	...	...	NNE	4	...
Ishigakijima,	,,	30.33	770.5	...	...	N	3	...	,,	30.38	771.5	...	...	NNE	2	...
Bonin Island,	..	30.10	764.5	...	...	SSE	1	...	..	30.00	762.0	...	...	W	2	...
Chefoo,	15	30.63	778.0	30	67	WNW	4	b	6	30.54	775.7	24	77	WSW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.73	780.6	32	100	WNW	4	o	,,	30.60	779.4	21	95	NW	1	b
Gutzlaff,	,,	30.68	779.3	32	68	NNW	6	o	,,	30.66	778.7	32	82	N	4	o
Sharp Peak,	..	30.41	772.4	48	78	ENE	4	o	7	30.35	770.9	42	83	NNW	2	o
Amoy,	15	30.34	770.6	60	71	ENE	4	o	6	30.42	772.6	50	88	ENE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.43	772.8	57	72	ENE	6	r	5	30.44	773.1	52	83	E	4	r
Taichu,	,,	30.21	767.4	68	...	NNW	4	o	,,	30.27	768.9	55	..	N	2	o
Tainan,	,,	30.20	767.1	73	...	N	4	b	,,	30.25	768.3	50	..	N	2	b
Koshun,	,,	30.12	765.0	72	...	NNE	6	b	,,	30.22	767.7	61	..	NNE	6	r
Pescadores,	,,	30.27	768.9	61	...	NE	8	o	,,	30.30	769.5	57	...	NE	7	o
Canton,	14	30.24	768.1	59	76	N	2	c	6	...	...	...	...	...	...	...
Hongkong,	,,	30.21	767.3	71	50	ESE	2	o	,,	30.29	769.3	56	65	NE	3	o
Gap Rock,	,,	30.22	767.6	...	...	ENE	5	o	,,	30.26	768.6	...	...	ENE	6	o
Macao,	,,	30.19	766.8	70	49	NNE	...	...	,,	30.25	768.3	57	67	NE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.21	767.3	72	...	ENE	6	do	,,	30.22	767.6	68	...	NE	7	do
Phulien,	,,	30.17	766.2	77	50	ESE	2	bf	7	30.18	766.5	61	81	ENE	6	bf
Tourane,	,,	30.11	764.7	70	...	E	2	b	,,	30.12	765.0	68	...	ENE	2	of
Cape St. James,	,,	29.95	760.8	77	...	ENE	6	b	,,	30.00	762.0	70	...	ENE	2	b
Basco,	14	...	...	...	...	...	...	...	6	30.12	765.0	68	77	N	4	o
Aparri,	,,	30.05	763.5	75	76	NE	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.92	759.9	6	41	SW	2	o	,,	29.98	761.4	68	81	...	0	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	77	79	N	4	o
Tacloban,	,,	29.86	758.4	..	...	NW	4	r	,,	...	...	72	78	NE	6	o
Iloilo,	,,	29.85	758.1	86	46	N	6	o	,,	29.91	759.6	72	88	N	4	o
Surigao,	..	29.85	758.1	79	80	N	4	o	,,	29.86	758.4	77	79	N	4	o
Guam,	12.20	29.80	756.9	...	...	E	6	o	4.20	29.85	758.1	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.77	756.1	77	...	S	1	b
Labuan,	14	29.77	756.1	84	87	NE	2	b	6	29.86	758.4	80	87	NE	2	b

February 1*d*. 10*h*. 50*m*.—Pressure has increased moderately over central and S.W. Japan, and slightly from the Loochoos to Hongkong. It has decreased slightly from Chefoo to Foochow and over Tongking.

The northern portion of the anticyclone has moved eastward, leaving a separate anticyclone over China.

The typhoon appears to be about 200 miles north of the Pelews moving N.E.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·21 inches, against an average of 1·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong; generally overcast, some drizzle or mist.

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

FEBRUARY,

1926.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1926.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

FEBRUARY,

1926.

ARMY MEDICAL LIBRARY
365022
WASHINGTON, D. C. U.S.A.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of FEBRUARY, 1926.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·244	30·243	30·233	30·229	30·223	30·229	30·233	30·248	30·264	30·272	30·264	30·242	1
2	30·158	30·140	30·114	30·088	30·084	30·084	30·088	30·091	30·105	30·114	30·088	30·062	2
3	30·035	30·027	30·018	30·010	30·004	30·017	30·041	30·058	30·072	30·091	30·084	30·070	3
4	30·074	30·048	30·044	30·050	30·054	30·070	30·084	30·090	30·100	30·108	30·106	30·079	4
5	30·123	30·104	30·096	30·092	30·088	30·115	30·143	30·158	30·177	30·176	30·160	30·136	5
6	30·114	30·092	30·093	30·069	30·067	30·094	30·101	30·110	30·144	30·152	30·152	30·107	6
7	30·058	30·022	30·022	30·014	30·010	30·002	30·029	30·027	30·052	30·056	30·033	30·023	7
8	29·946	29·933	29·909	29·915	29·897	29·903	29·917	29·940	29·953	29·955	29·946	29·929	8
9	29·882	29·884	29·874	29·864	29·870	29·876	29·902	29·908	29·941	29·956	29·952	29·928	9
10	29·941	29·935	29·921	29·921	29·919	29·937	29·955	29·977	29·994	30·018	30·003	29·977	10
11	30·028	30·026	30·038	30·042	30·063	30·084	30·108	30·128	30·164	30·182	30·171	30·150	11
12	30·176	30·174	30·159	30·153	30·149	30·153	30·163	30·172	30·197	30·213	30·206	30·177	12
13	30·108	30·104	30·090	30·090	30·086	30·083	30·075	30·093	30·096	30·104	30·100	30·070	13
14	29·971	29·954	29·933	29·932	29·932	29·938	29·963	29·976	29·985	30·000	29·993	29·966	14
15	29·939	29·936	29·936	29·944	29·954	29·970	29·993	29·998	30·004	30·012	30·005	29·996	15
16	30·032	30·032	30·022	30·030	30·029	30·039	30·059	30·078	30·096	30·106	30·103	30·077	16
17	30·039	30·010	29·994	29·980	29·980	29·994	30·032	30·056	30·062	30·083	30·051	30·041	17
18	30·009	30·001	29·992	29·990	29·992	29·998	30·008	30·020	30·020	30·041	30·033	30·016	18
19	30·036	30·033	30·023	30·035	30·049	30·057	30·088	30·104	30·116	30·122	30·098	30·077	19
20	30·035	30·007	29·997	29·984	29·993	30·028	30·035	30·057	30·066	30·071	30·077	30·036	20
21	29·994	29·959	29·963	29·949	29·945	29·943	29·951	29·986	29·993	30·003	29·992	29·960	21
22	29·962	29·939	29·917	29·905	29·905	29·911	29·931	29·972	29·976	29·980	29·986	29·969	22
23	30·031	30·038	30·038	30·038	30·040	30·047	30·083	30·108	30·138	30·157	30·163	30·156	23
24	30·210	30·196	30·192	30·182	30·182	30·173	30·203	30·212	30·232	30·250	30·267	30·251	24
25	30·205	30·178	30·171	30·143	30·141	30·149	30·160	30·172	30·182	30·185	30·199	30·174	25
26	30·158	30·124	30·122	30·112	30·102	30·134	30·145	30·154	30·173	30·192	30·181	30·138	26
27	30·186	30·178	30·158	30·150	30·150	30·166	30·196	30·219	30·239	30·248	30·240	30·202	27
28	30·160	30·138	30·116	30·094	30·101	30·108	30·114	30·122	30·152	30·164	30·146	30·114	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·207	30·176	30·157	30·144	30·145	30·148	30·160	30·181	30·180	30·188	30·188	30·179	1
2	30·029	30·017	29·992	30·008	30·013	30·029	30·029	30·045	30·049	30·054	30·049	30·040	2
3	30·050	30·036	30·028	30·032	30·046	30·055	30·060	30·072	30·089	30·091	30·083	30·069	3
4	30·075	30·044	30·024	30·045	30·064	30·070	30·074	30·103	30·114	30·120	30·124	30·124	4
5	30·108	30·091	30·061	30·055	30·066	30·074	30·078	30·100	30·128	30·124	30·137	30·131	5
6	30·081	30·060	30·032	30·014	30·018	30·020	30·040	30·059	30·060	30·066	30·067	30·059	6
7	29·993	29·945	29·924	29·924	29·923	29·925	29·921	29·941	29·951	29·954	29·968	29·948	7
8	29·900	29·868	29·844	29·848	29·846	29·850	29·854	29·880	29·890	29·894	29·898	29·892	8
9	29·908	29·884	29·859	29·855	29·871	29·887	29·891	29·909	29·929	29·941	29·945	29·937	9
10	29·946	29·926	29·907	29·922	29·934	29·941	29·950	29·981	29·999	30·020	30·034	30·042	10
11	30·141	30·109	30·092	30·091	30·107	30·118	30·134	30·144	30·160	30·164	30·179	30·174	11
12	30·148	30·108	30·090	30·078	30·079	30·084	30·088	30·100	30·112	30·118	30·125	30·116	12
13	30·035	30·003	29·984	29·965	29·967	29·970	29·979	29·985	29·995	29·989	29·987	29·977	13
14	29·930	29·900	29·874	29·854	29·857	29·874	29·878	29·897	29·916	29·928	29·929	29·925	14
15	29·989	29·939	29·952	29·948	29·955	29·963	29·985	30·013	30·035	30·041	30·041	30·040	15
16	30·045	30·009	30·002	29·997	29·997	30·007	30·028	30·047	30·058	30·063	30·065	30·040	16
17	30·004	29·982	29·964	29·956	29·960	29·977	29·992	30·004	30·017	30·029	30·029	30·031	17
18	29·984	29·970	29·958	29·959	29·980	29·988	30·005	30·021	30·046	30·049	30·052	30·050	18
19	30·055	30·027	29·977	29·971	29·971	30·007	30·016	30·042	30·052	30·054	30·028	30·034	19
20	30·001	29·977	29·964	29·963	29·959	29·973	29·992	30·009	30·028	30·034	30·040	30·014	20
21	29·938	29·910	29·897	29·896	29·894	29·915	29·929	29·934	29·940	29·970	29·994	29·988	21
22	29·966	29·942	29·934	29·931	29·947	29·977	29·993	29·993	30·027	30·030	30·049	30·032	22
23	30·124	30·102	30·086	30·081	30·104	30·119	30·148	30·177	30·191	30·208	30·219	30·227	23
24	30·242	30·206	30·191	30·193	30·197	30·187	30·238	30·238	30·238	30·251	30·255	30·239	24
25	30·166	30·134	30·122	30·102	30·091	30·103	30·120	30·144	30·164	30·160	30·164	30·164	25
26	30·109	30·095	30·079	30·086	30·100	30·108	30·124	30·149	30·184	30·190	30·192	30·194	26
27	30·170	30·143	30·127	30·118	30·122	30·129	30·145	30·163	30·174	30·183	30·198	30·178	27
28	30·073	30·043	30·017	30·007	30·017	30·034	30·064	30·072	30·066	30·055	30·051	30·046	28

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of FEBRUARY, 1926.

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	58·8	58·0	57·1	56·8	56·5	55·8	56·0	56·1	56·7	57·5	57·9	59·0	1
2	57·0	56·6	56·2	55·8	55·9	55·5	55·8	56·8	58·0	58·6	59·8	59·9	2
3	61·5	61·9	62·4	61·7	61·1	61·5	61·9	62·7	65·5	67·1	67·5	67·7	3
4	60·9	61·2	60·9	60·0	60·3	60·5	60·0	60·9	64·1	66·2	70·3	68·1	4
5	58·9	58·6	58·8	58·2	58·1	58·6	58·1	57·8	57·9	58·6	59·3	59·8	5
6	56·8	57·0	57·0	56·7	56·5	56·6	56·4	55·6	55·8	56·2	56·7	58·5	6
7	58·0	58·0	58·0	57·9	57·8	57·8	57·8	58·1	58·7	58·8	61·2	60·9	7
8	61·7	61·0	60·0	60·0	59·9	60·0	59·9	60·0	60·6	61·8	61·8	62·0	8
9	62·8	62·2	62·2	62·0	62·2	62·8	61·9	61·2	61·2	62·0	62·2	63·7	9
10	64·0	64·3	65·0	65·0	64·3	65·0	64·7	65·7	68·9	71·0	71·1	70·2	10
11	63·9	64·0	60·9	60·2	59·9	60·0	60·1	60·8	61·0	61·3	63·2	62·0	11
12	59·8	59·3	58·5	58·0	58·5	58·8	58·5	58·8	59·2	60·0	61·8	63·2	12
13	61·0	61·1	61·3	60·7	60·1	60·1	59·9	60·8	61·8	61·8	63·2	63·7	13
14	64·4	64·0	63·8	63·1	63·8	63·6	63·9	64·3	65·9	65·9	67·2	69·8	14
15	62·6	62·0	62·0	62·2	62·8	62·7	61·9	65·3	68·0	68·4	70·1	68·1	15
16	59·7	59·0	58·3	57·9	57·7	57·2	57·1	57·9	58·4	59·0	59·0	59·7	16
17	58·0	57·9	58·3	58·9	58·6	58·5	58·8	58·9	59·6	60·2	60·8	61·0	17
18	60·9	61·3	61·8	62·2	63·0	63·0	62·6	62·5	63·0	65·3	66·4	66·0	18
19	58·7	59·0	59·7	58·2	57·4	56·8	56·9	56·7	57·0	59·1	59·0	59·9	19
20	58·0	58·0	57·8	57·0	55·2	52·0	52·0	51·0	51·2	52·9	54·3	56·0	20
21	56·0	56·0	56·0	55·8	55·7	55·9	56·0	56·9	57·8	59·0	59·7	60·7	21
22	60·7	60·9	60·9	61·0	61·0	61·1	61·8	62·0	62·2	62·9	62·8	63·0	22
23	58·7	57·4	57·6	55·5	55·0	54·8	54·2	54·0	53·7	52·2	52·9	54·4	23
24	50·5	50·6	51·0	50·0	50·2	50·1	50·3	59·0	49·9	50·3	50·2	51·0	24
25	52·2	52·6	53·2	53·7	53·7	53·5	53·0	53·8	53·8	54·8	54·7	55·0	25
26	55·0	55·6	55·4	56·3	56·9	56·3	56·5	57·3	58·0	57·7	59·0	61·0	26
27	59·1	59·0	58·0	58·0	59·0	59·1	58·9	59·8	60·2	61·5	64·0	65·1	27
28	59·2	58·8	58·5	58·0	57·6	57·7	57·5	57·9	58·7	59·5	60·1	61·1	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	58·9	58·0	58·1	57·8	57·8	58·2	58·5	58·3	58·0	58·0	57·7	57·1	1
2	59·3	59·4	59·0	59·2	59·9	59·7	60·2	60·4	61·0	61·2	61·6	61·9	2
3	67·9	67·5	66·8	66·1	65·4	64·5	63·4	63·0	63·0	62·3	62·2	61·1	3
4	65·2	65·0	63·0	63·5	62·5	61·1	60·8	61·0	60·7	60·0	59·9	59·4	4
5	59·3	58·8	58·8	58·9	58·6	58·4	58·3	58·2	58·3	58·1	57·9	56·9	5
6	58·9	58·7	58·4	58·4	58·8	58·0	57·5	57·0	57·0	57·1	57·5	58·0	6
7	60·8	61·1	61·8	61·9	61·0	59·9	60·3	60·8	61·0	61·8	61·5	61·5	7
8	61·0	61·9	62·0	62·1	62·1	61·8	61·5	61·7	62·0	62·5	62·8	63·0	8
9	63·7	64·2	63·9	65·0	63·9	63·8	64·2	64·8	64·8	64·5	65·2	64·7	9
10	73·2	70·2	71·4	70·3	70·0	68·2	66·7	64·9	65·8	65·3	65·0	64·7	10
11	62·9	63·2	61·3	61·3	60·9	60·0	60·0	59·8	59·7	59·3	59·4	59·8	11
12	63·0	62·9	62·2	62·0	61·7	61·6	60·8	60·7	60·8	61·0	61·1	61·1	12
13	65·1	67·3	69·0	68·9	66·9	64·9	64·2	64·7	64·4	62·9	62·7	63·3	13
14	71·8	71·7	71·2	69·3	68·0	66·0	64·1	63·6	63·0	62·9	62·9	62·8	14
15	68·2	66·1	65·0	64·9	63·2	62·6	62·2	61·9	61·1	60·9	60·5	60·3	15
16	60·7	60·3	60·0	59·7	59·5	59·0	59·4	58·8	57·9	57·6	57·9	58·0	16
17	61·8	61·0	61·1	60·9	60·1	59·6	59·5	60·2	60·8	61·4	61·7	61·7	17
18	68·9	68·9	68·2	66·9	67·0	65·2	64·2	63·0	63·0	62·8	62·4	61·8	18
19	60·1	59·8	60·4	60·0	59·4	58·9	59·0	58·9	59·1	59·0	58·3	58·1	19
20	56·9	58·1	57·1	56·9	56·7	56·0	56·7	56·9	56·0	55·8	55·8	55·6	20
21	59·7	59·3	58·8	59·1	59·0	59·0	59·5	59·9	60·5	60·1	60·4	60·8	21
22	61·3	61·1	61·7	61·2	61·4	62·0	60·9	61·0	60·1	59·5	58·7	58·6	22
23	56·1	56·9	58·7	55·2	53·8	52·6	51·9	52·0	51·9	51·6	51·8	51·2	23
24	49·4	49·6	50·7	50·2	50·1	50·5	49·9	49·8	51·0	51·6	52·1	51·6	24
25	55·6	55·8	55·7	55·8	56·1	56·2	56·0	55·6	55·5	55·0	55·9	55·8	25
26	62·3	63·2	62·7	62·6	62·1	60·8	60·3	60·2	59·2	58·9	58·8	58·0	26
27	67·5	66·1	64·0	61·4	61·2	60·3	60·1	61·0	60·8	60·1	59·8	59·8	27
28	61·9	62·8	61·8	61·0	60·4	60·5	61·0	61·1	61·3	61·3	61·2	60·6	28

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of FEBRUARY, 1926.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	55·7	55·0	53·4	51·6	51·1	50·5	51·3	51·8	52·1	52·8	53·2	53·9	1
2	52·0	51·8	51·3	51·5	51·6	51·2	51·4	52·2	53·0	53·0	54·0	54·0	2
3	57·9	58·1	58·1	57·8	57·5	57·8	57·8	58·0	59·3	60·1	60·3	60·2	3
4	58·9	59·7	59·1	58·1	58·9	59·0	58·8	59·7	61·0	61·8	62·4	60·8	4
5	56·6	56·1	56·3	56·4	56·3	56·5	56·3	55·8	55·9	55·8	56·3	56·2	5
6	54·7	54·5	54·7	54·0	54·1	54·0	54·0	54·0	53·8	54·1	54·2	55·8	6
7	55·0	55·0	55·0	55·0	54·9	55·0	54·8	54·9	55·3	55·8	57·0	57·0	7
8	59·8	59·0	58·2	57·9	57·2	57·0	56·8	57·2	57·8	58·5	58·9	59·0	8
9	60·9	60·8	60·2	59·9	60·0	60·8	60·3	60·1	60·0	60·2	60·8	60·9	9
10	61·8	62·0	62·8	62·8	62·3	63·0	62·8	63·8	65·7	66·9	67·1	66·2	10
11	63·0	63·1	60·2	59·0	58·3	57·7	57·1	56·5	57·2	57·8	58·8	58·6	11
12	57·1	56·5	56·2	56·1	55·8	55·7	55·5	55·9	56·0	56·1	57·1	58·0	12
13	57·8	57·9	57·9	57·3	57·0	57·1	57·1	58·0	58·0	58·8	60·0	59·8	13
14	60·8	60·6	60·8	60·5	61·1	61·0	61·5	61·8	63·0	63·3	64·0	65·2	14
15	61·5	61·0	61·2	60·9	61·4	61·8	61·1	63·6	64·2	64·0	64·7	64·0	15
16	58·1	57·7	57·0	56·6	56·3	55·9	55·8	55·9	55·9	56·0	56·0	56·2	16
17	55·7	55·6	55·1	55·6	55·2	55·4	55·7	55·5	56·1	56·3	56·9	57·0	17
18	60·0	60·2	60·5	60·2	61·0	60·8	60·4	60·4	60·2	61·1	61·5	61·7	18
19	55·5	55·8	56·0	53·8	53·4	53·1	53·7	53·2	53·8	55·1	55·2	55·3	19
20	53·7	54·0	54·1	53·1	52·2	50·7	50·7	49·0	49·0	49·9	50·0	51·4	20
21	54·0	54·1	54·1	54·3	54·2	54·5	54·2	55·0	55·6	56·1	56·4	57·3	21
22	59·2	59·6	59·9	59·9	60·1	60·2	60·8	61·0	61·5	62·0	62·0	62·1	22
23	57·5	56·0	55·9	53·8	53·5	52·9	51·7	51·6	52·2	49·9	50·8	52·0	23
24	47·7	47·8	48·0	47·3	47·0	47·3	47·7	47·9	47·8	48·6	49·0	49·2	24
25	49·8	50·0	50·7	50·9	51·0	50·9	50·9	51·1	51·6	51·8	52·4	52·0	25
26	53·2	53·3	53·8	54·0	54·8	54·7	54·9	55·7	56·0	55·9	56·5	58·0	26
27	57·0	57·0	56·0	56·0	56·2	56·0	55·5	56·1	56·1	56·7	57·9	59·1	27
28	57·0	57·0	56·5	55·5	55·2	54·9	54·2	54·5	55·0	54·5	54·9	56·0	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	53·8	53·0	53·0	52·9	52·9	53·2	53·2	54·0	54·0	53·5	53·1	52·5	1
2	54·2	54·8	54·2	54·5	55·1	55·8	56·1	56·9	57·0	57·3	57·9	58·0	2
3	60·7	61·0	60·3	60·3	60·0	59·0	58·4	58·7	58·7	59·0	58·8	58·3	3
4	59·8	59·5	59·0	59·1	58·9	58·2	57·9	58·2	57·9	57·5	57·0	57·0	4
5	55·4	55·0	55·2	55·3	55·2	55·0	55·2	55·2	55·4	55·3	55·1	54·8	5
6	55·8	55·3	55·1	55·1	55·0	54·0	54·0	53·0	53·3	54·1	55·0	55·8	6
7	57·1	57·7	57·8	58·0	57·6	57·0	56·8	57·2	57·3	58·1	58·9	59·0	7
8	59·0	59·2	59·6	59·2	58·8	58·6	58·4	58·2	58·2	59·9	60·4	60·9	8
9	60·5	61·1	61·0	62·0	61·5	61·8	61·9	62·0	62·0	62·0	62·5	62·1	9
10	68·0	66·1	66·7	66·1	65·9	65·2	64·7	63·4	64·0	64·0	64·0	63·2	10
11	59·2	59·3	58·0	58·0	57·8	57·1	57·0	56·9	56·8	56·3	56·2	56·5	11
12	57·9	57·5	57·2	57·3	57·3	57·1	57·6	57·8	58·0	58·1	58·3	58·2	12
13	60·0	60·8	61·5	61·4	60·8	60·0	59·8	60·2	60·2	59·8	60·0	60·0	13
14	66·0	65·9	66·0	65·0	64·2	63·3	62·2	62·0	61·5	61·8	61·9	61·9	14
15	64·7	63·8	63·0	62·6	61·4	61·0	60·8	60·1	59·7	59·5	59·1	59·0	15
16	56·6	56·0	56·0	56·1	56·0	56·1	57·1	57·1	56·8	56·5	55·8	56·0	16
17	58·0	57·7	57·8	57·8	58·0	57·8	58·0	58·7	59·0	59·7	59·8	60·0	17
18	62·9	62·7	62·6	62·0	62·5	61·9	60·9	60·0	59·9	59·9	58·8	57·6	18
19	55·2	55·0	55·2	55·0	54·1	54·2	54·1	52·9	54·0	53·8	53·1	53·9	19
20	52·2	53·4	53·0	52·9	53·0	52·3	53·2	53·7	54·0	53·9	53·9	53·8	20
21	57·0	57·0	57·0	57·5	57·7	58·0	58·3	59·0	59·2	59·2	59·3	60·0	21
22	60·9	60·7	61·0	60·8	60·6	60·2	59·3	59·2	58·6	58·2	57·1	57·2	22
23	52·7	52·8	53·8	51·0	50·1	49·6	48·0	48·1	47·9	47·8	48·1	48·0	23
24	48·0	47·8	48·5	48·0	47·7	47·7	47·0	47·1	47·8	48·3	49·0	48·8	24
25	52·9	52·8	52·9	53·0	53·1	53·2	53·0	53·2	53·2	53·2	53·5	53·9	25
26	59·0	59·9	58·5	58·2	58·9	57·9	58·0	58·1	57·9	57·5	57·2	57·0	26
27	61·2	60·1	58·9	57·9	58·9	57·0	58·1	58·9	58·7	58·0	57·7	57·0	27
28	55·9	56·1	55·5	55·3	55·2	55·1	55·9	56·1	56·3	56·8	57·0	57·0	28

TABLE IV —AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of FEBRUARY, 1926.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	2
3	10	10	10	10	10	9	9	9	9	6	5	4	2	7	9	9	10	9	9	3	....	...	2	2	3
4	...	...	...	...	...	...	1	...	...	...	1	1	1	...	2	2	4	2	4	10	10	10	10	10	4
5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	6	8	7	9	10	10	10	6
7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7
8	10	7	10	10	9	8	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	8
9	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	9
10	8	9	10	10	8	9	9	9	10	10	10	10	10	10	6	9	4	3	3	2	3	2	3	7	10
11	7	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	11
12	10	10	10	10	10	10	10	10	10	10	10	10	4	2	2	...	...	1	...	..	...	3	7	9	12
13	10	10	10	10	10	8	9	8	10	10	10	10	10	2	1	3	3	3	3	1	...	2	8	9	13
14	10	10	10	10	10	8	10	10	10	10	10	10	3	3	2	...	1	...	...	...	10	10	10	10	14
15	10	10	10	10	10	10	5	3	2	1	2	7	10	10	10	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7	7	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	9	10	10	10	10	10	10	10	10	9	3	9	10	7	10	10	10	10	10	9	10	10	18
19	...	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	20
21	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	24
25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	6	2	1	...	...	...	...	5	10	10	10	10	10	27
28	10	10	10	10	10	10	10	10	10	10	10	10	8	10	10	10	10	10	10	10	10	10	10	10	28

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of FEBRUARY, 1926.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	...	0·2	0·2	0·3	0·1	0·3	0·1	...	...	1
2	...	...	...	...	...	0·7	0·1	...	...	...	...	...	...	2
3	...	0·2	0·7	1·0	1·0	0·9	0·7	1·0	0·5	0·5	0·4	...	...	3
4	...	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·7	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	0·1	...	...	6
7	...	...	...	...	0·3	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	0·2	0·5	...	0·2	...	...	...	9
10	...	...	0·5	0·1	0·3	0·2	0·3	0·5	1·0	0·8	0·9	...	...	10
11	...	...	...	...	0·4	...	0·4	0·3	...	...	...	...	...	11
12	...	...	...	...	0·4	0·8	1·0	1·0	1·0	1·0	1·0	0·7	...	12
13	...	0·3	0·5	...	0·1	...	...	0·5	1·0	1·0	1·0	0·7	...	13
14	...	...	...	...	0·1	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	14
15	...	0·6	1·0	1·0	1·0	0·9	0·7	0·4	...	...	...	...	...	15
16	...	...	...	...	...	0·1	0·1	0·2	0·8	0·6	...	...	...	16
17	...	...	...	...	0·1	0·2	0·1	...	...	0·1	...	...	...	17
18	...	...	...	0·8	0·8	0·7	1·0	0·8	0·3	0·6	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	0·2	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	0·2	0·9	1·0	1·0	1·0	1·0	1·0	0·9	...	27
28	...	...	0·1	...	...	0·1	0·3	0·4	0·7	0·4	...	...	...	28

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of FEBRUARY, 1926.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	d	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	..	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	..	...	...	...	...	...	...	...	...	...	4
5	...	...	...	d	d	d	d	d	d	...	...	...	5
6	d	...	...	...	...	...	0·030	0·015	d	...	...	...	6
7	...	...	...	...	d	d	...	...	d	...	...	...	7
8	...	...	...	...	...	...	...	...	d	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	d	d	d	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	..	...	...	...	..	...	...	...	...	..	...	...	14
15	...	...	...	...	...	0·005	...	...	...	...	...	...	15
16	d	d	0·005	d	d	d	...	d	...	...	...	...	16
17	...	...	...	...	..	...	...	...	...	...	...	...	17
18	d	...	...	d	d	...	...	...	d	...	...	...	18
19	...	...	...	...	d	...	...	d	d	...	...	...	19
20	...	...	...	...	d	0·005	d	...	d	d	...	...	20
21	0·045	0·005	d	...	...	...	...	...	...	...	...	...	21
22	0·080	0·020	...	...	0·320	0·005	...	d	d	d	d	0·005	22
23	0·005	d	0·010	0·005	d	...		...	...	...	...	...	23
24	...	...	...	...	d	d	d	0·020	0·130	0·090	0·045	0·050	24
25	...	...	...	...	...	...	d	d	d	...	...	...	25
26	...	...	...	...	...	...	d	...	d	d	...	...	26
27	...	d	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins	ins.	ins.	ins	ins.	ins.	ins	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	d	5
6	...	...	...	d	...	...	...	...	...	d	d	...	6
7	...	...	...	..	...	...	...	...	...	...	...	...	7
8	d	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	..	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	..	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	.	14
15	...	...	...	..	...	...	...	d	d	d	d	d	15
16	...	...	...	...	...	...	d	d	d	d	d	d	16
17	...	...	...	...	...	...	...	d	d	d	d	d	17
18	...	...	...	...	...	...	...	.	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	d	...	...	...	...	..	d	0·040	0·170	0·020	0·060	0·020	20
21	...	d	...	d	d	d	d	d	d	0·115	0·290	0·240	21
22	0·035	0·025	0·065	0·050	0·035	0·065	0·075	0·020	0·070	0·025	0·030	0·030	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	0·020	...	..	...	...	...		0·005	...	...	...	...	24
25	...	...	...	...	...	...	..	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of FEBRUARY, 1926.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	6	22	5	17	3	8	4	14	4	14	3	15	3	14	3	5	4	14	5	20	7	20	7	22	1
2	7	21	7	20	7	20	7	25	7	21	7	23	7	23	7	21	7	23	7	23	7	27	7	28	2
3	7	20	7	15	8	18	8	23	7	23	8	24	8	17	8	15	7	17	7	16	7	19	8	17	3
4	10	2	...	1	...	...	...	...	...	1	...	...	...	...	10	2	...	1	13	4	11	15	9	25	4
5	7	24	8	23	6	16	6	17	6	18	6	13	6	17	7	18	7	17	7	23	7	23	7	24	5
6	6	22	7	23	6	19	7	21	6	17	6	14	7	16	7	16	7	15	6	15	6	13	7	11	6
7	7	16	6	16	6	15	6	15	7	20	6	22	6	19	7	24	7	21	6	17	7	20	9	15	7
8	8	18	8	24	7	20	8	24	8	22	7	24	7	23	7	21	7	19	7	19	8	16	9	16	8
9	8	15	8	11	9	12	9	15	10	13	9	17	8	19	7	23	6	20	7	14	8	17	8	18	9
10	9	9	8	4	8	2	8	2	...	...	9	2	9	4	...	1	...	1	7	2	...	1	1	3	10
11	30	2	...	...	7	23	7	28	7	27	6	23	7	25	7	25	6	17	6	17	8	19	9	18	11
12	7	13	7	17	7	17	7	19	6	16	7	19	7	21	7	20	7	17	8	19	8	22	9	23	12
13	6	15	6	14	6	17	7	20	7	21	7	21	7	27	8	25	8	23	9	20	9	16	8	15	13
14	8	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	26	5	24	7	14
15	...	...	28	2	...	..	28	2	...	...	...	...	24	5	12	3	8	10	8	14	8	17	9	25	15
16	6	29	7	30	6	31	6	30	7	34	7	33	7	35	6	36	7	34	6	37	7	31	6	28	16
17	6	30	6	30	7	28	7	25	6	24	6	23	7	21	7	24	6	23	7	24	8	27	7	25	17
18	9	15	9	13	9	15	10	10	9	11	9	16	8	19	9	17	9	17	9	16	9	15	9	16	18
19	31	7	...	...	31	2	32	6	32	8	1	6	...	1	...	1	...	1	...	1	7	2	...	1	19
20	5	6	4	6	3	2	1	3	1	6	1	8	1	4	1	6	32	8	32	2	1	9	1	6	20
21	7	12	6	14	6	11	7	12	7	15	6	18	7	20	6	19	7	22	7	22	7	24	7	26	21
22	8	24	8	23	8	20	8	19	8	15	9	15	7	12	6	11	7	11	8	11	8	11	6	12	22
23	30	5	...	1	31	5	1	11	2	5	...	1	32	5	32	4	1	7	32	15	32	6	1	5	23
24	3	5	4	8	4	11	2	6	3	5	4	14	4	15	4	16	4	14	4	8	3	4	2	5	24
25	6	22	6	22	6	21	6	22	6	23	6	18	6	20	7	20	6	23	6	25	6	22	6	24	25
26	1	3	7	10	10	3	11	8	11	10	11	8	11	9	12	5	21	4	25	5	24	5	24	2	26
27	23	2	23	4	22	8	22	6	22	3	...	1	23	4	23	3	23	8	23	7	23	5	20	4	27
28	7	16	6	16	7	16	7	21	7	17	7	18	7	18	7	19	7	18	7	16	8	15	9	15	28

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	7	24	7	22	7	25	6	23	6	28	6	28	6	26	6	30	6	29	6	26	5	28	6	29	1
2	7	24	7	25	7	24	7	23	7	18	7	19	7	21	7	19	7	18	7	20	7	20	7	19	2
3	8	14	8	13	9	17	9	16	9	15	9	16	9	14	9	10	9	9	...	1	...	1	...	1	3
4	9	21	8	20	7	24	6	15	6	18	7	21	6	19	6	17	5	21	5	18	5	20	6	18	4
5	7	21	7	17	8	18	8	15	8	14	7	18	7	18	7	19	7	21	6	22	6	20	6	20	5
6	9	10	10	9	10	10	8	8	4	3	4	6	7	4	9	8	-	10	7	13	7	13	7	13	6
7	9	19	9	23	8	21	8	17	8	16	8	18	7	18	7	19	7	20	7	18	7	17	7	18	7
8	9	16	9	20	8	20	8	19	8	18	8	18	8	20	8	20	8	17	9	15	9	14	9	13	8
9	8	14	7	18	7	19	8	21	8	19	8	14	9	17	9	15	8	15	9	11	9	11	9	7	9
10	...	1	4	6	5	9	1	6	30	5	...	1	30	3	...	1	...	...	...	...	...	...	...	1	10
11	8	19	8	19	8	17	7	15	7	14	7	17	7	16	7	17	6	16	7	18	7	15	6	13	11
12	9	21	9	25	9	21	9	22	8	22	6	21	6	19	6	17	6	18	6	18	6	17	6	19	12
13	8	18	8	14	8	13	8	15	8	17	8	15	9	15	10	12	10	13	9	13	9	6	9	2	13
14	24	7	25	9	25	10	25	8	26	7	27	5	27	7	28	7	28	7	28	5	28	3	...	1	14
15	9	21	8	22	7	20	7	20	7	22	7	24	7	26	6	27	6	25	6	28	6	29	6	28	15
16	7	28	6	33	6	28	6	29	6	28	6	28	7	29	7	27	6	29	7	26	6	30	6	30	16
17	7	25	7	22	7	21	7	20	7	20	7	18	8	15	8	14	9	14	9	12	10	13	10	14	17
18	10	17	9	15	9	10	8	9	23	6	23	6	27	11	28	8	27	7	25	5	25	4	29	4	18
19	9	6	9	7	8	12	6	10	6	11	3	2	...	1	31	3	3	4	1	2	6	5	7	2	19
20	2	2	30	7	26	3	23	4	24	2	28	3	...	1	9	7	11	7	11	7	10	9	8	6	20
21	7	24	7	24	7	22	7	20	7	19	7	18	7	19	7	21	7	21	7	17	8	17	8	20	21
22	23	9	22	6	24	5	25	10	...	1	26	3	1	4	32	6	32	4	2	4	3	5	5	8	22
23	32	7	1	8	2	6	1	14	1	8	1	6	32	8	32	5	1	8	32	9	1	2	1	3	23
24	2	12	1	10	1	9	1	7	1	8	1	6	2	6	4	5	5	20	5	15	5	14	5	19	24
25	6	24	6	23	6	18	6	17	7	17	7	14	6	12	6	9	7	7	7	9	7	7	3	3	25
26	23	5	23	7	23	8	24	7	24	6	24	9	24	8	25	8	25	7	25	6	25	8	24	7	26
27	13	2	10	14	9	20	8	21	9	20	8	20	7	18	6	15	6	17	6	17	6	15	6	17	27
28	9	20	8	19	8	22	8	22	7	20	7	13	6	10	7	9	8	15	8	18	8	19	8	20	28

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of FEBRUARY, 1926.
(... = no clouds.)

Hours, Hongkong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu-nb	E	cu-nb	E	cu	ENE	cu	ENE	a-cu / cu	SW / ENE	a-cu / cu	WSW / ENE	cu-nb	ENE	cu-nb	ENE
2	cu-nb	ENE	cu	E	st-cu	E	cu	E	cu	E	cu-nb	E	cu	E	cu-nb	E
3	cu	E	cu	ESE	cu	E	cu	E	cu	ESE	a-cu / cu	WNW / ESE	a-cu	WNW	...	...
4	...	...	...	...	a-cu	W	...	...	cu	E	cu	E	cu	E	cu-nb	E
5	cu-nb	E	nb	E	nb	E	cu-nb	E	cu-nb	E	cu-nb	E	cu-nb	E	cu-nb	E
6	nb	E	nb	E	nb	E	nb	E	st-cu	E	nb	E	cu	E	nb	E
7	nb	E	nb	E	cu-nb	E	nb	E	cu-nb	E	st-cu	ESE	st-cu	ESE	st-cu	ESE
8	st-cu	ESE	st-cu	ESE	a-cu / cu	W / ESE	cu-nb	E	nb	ESE	cu-nb	SSE	cu-nb	ESE	cu	ESE
9	cu-nb	ESE	cu-nb	ESE	cu-nb	ESE	cu-nb	ESE	cu-nb	ESE	cu	ESE	cu	ESE	cu	ESE
10	cu	ESE	cu	ESE	a-cu / cu	WSW / ESE	cu	WSW	cu	WSW	cu	WSW	ci-st	SW	ci-st	SW
11	cu	WSW	cu	E	cu	E	cu	E	cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE
12	cu-nb	E	nb	E	st-cu	E	st-cu	E	cu	ESE	...	...	...	...	cu	E
13	cu	E	cu	E	a-cu / cu	WSW / E	cu	E	a-cu / cu	WSW / ESE	a-cu	WSW	a-cu	WSW	a-cu	WSW
14	cu	E	cu	E	cu	E	a-cu / cu	SW / E	cu	SSW	cu	SSW	...	...	cu	SSW
15	st	SSW	st	SSW	cu	WSW	a-cu	WNW	cu	WSW	cu	WSW	nb	E	nb	E
16	nb	E	nb	E	nb	E	cu-nb	E	cu	E	cu	E	cu	E	nb	E
17	nb	E	nb	E	st-cu	E	cu	E	cu	E	cu-nb	E	cu-nb		nb	E
18	nb	E	nb	E	cu-nb	E	cu	E	a-cu	SSW	a-cu / cu	SW / ESE	cu	SW	cu	SSW
19	...	...	cu	ENE	st-cu	E	st-cu	E	st-cu	E	cu	E	cu	E	cu	E
20	st-cu	E	st-cu	E	nb	NNW	st-cu	NNW	nb	NNW	st-cu	NNW	nb	NW	nb	NW
21	nb	NW	nb	E	nb	E	cu-nb	E	nb	E	nb	E	nb	E	nb	E
22	nb	E	nb	E	nb	E	nb	E	nb	NW	nb	NW	nb	NW	nb	NW
23	nb	NW	nb	NW	cu-nb	NNW	nb	NNW	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE
24	st-cu	ENE	st-cu	ENE	nb	E	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE
25	st-cu	ENE	st-cu	ENE	nb	ENE	st-cu	ENE	cu-nb	ENE	cu-nb	ENE	cu	ENE	cu	ENE
26	cu	ENE	cu	ENE	nb	ENE	nb	ENE	nb	ENE	st-cu	ENE	st-cu	ENE	cu-nb	WSW
27	st-cu	WSW	cu-nb	WSW	cu / cu	E / WNW	cu	WNW	a-cu	WNW	...	...	cu	E	cu	E
28	cu	E	cu	E	cu	E	cu	E	ci-cu / cu	WSW / SE	a-cu / cu	WSW / SE	cu	E	cu	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1926.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°		ins.	%	%	h	%	ins.	h	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·207	59·3	55·8	3·5	57·6	53·0	·343	72	100	1·2	11	...	1	+ 9·3	+ 18·7	64	20·9	21·4
2	·065	61·9	53·3	6·6	58·7	54·1	·359	72	100	0·8	7	...	...	+ 4·2	+ 21·8	79	22·2	21·9
3	·052	68·6	61·0	7·6	64·0	59·0	·435	73	68	6·9	62	...	...	+ 0·1	+ 14·5	90	14·5	14·6
4	·079	71·9	59·4	12·5	62·3	59·1	·460	82	28	9·3	85	...	...	+ 2·2	+ 10·8	78	11·0	11·8
5	·113	60·3	56·9	3·4	58·5	55·7	·408	83	100	...	...	...	3	+ 4·2	+ 18·5	77	19·0	19·0
6	·078	59·1	55·5	3·6	57·3	54·5	·389	82	95	0·1	1	0·045	3	+ 2·6	+ 12·4	78	12·7	12·9
7	29·986	62·0	57·6	4·4	59·8	56·5	·415	80	100	0·3	3	...	1	+ 3·0	+ 18·2	81	18·4	18·5
8	·900	63·0	59·5	3·5	61·4	58·7	·460	84	96	...	...	...	...	+ 0·2	+ 19·0	89	19·0	19·0
9	·902	65·2	61·1	4·1	63·3	61·1	·511	88	99	0·9	8	...	...	...	+ 15·5	90	15·5	15·6
10	·962	74·4	63·7	10·7	67·3	64·5	·571	85	72	4·6	41	...	...	+ 1·0	+ 1·5	56	1·8	2·7
11	30·117	65·1	59·2	5·9	61·0	58·2	·450	83	98	1·1	10	...	...	+ 3·2	+ 17·0	79	17·4	17·5
12	·136	63·9	58·0	5·9	60·6	57·0	·419	79	62	6·9	61	...	1	+ 2·7	+ 18·9	82	19·1	19·3
13	·059	69·0	59·8	9·2	63·3	59·2	·450	77	67	5·1	45	...	...	+ 0·3	+ 15·9	89	15·9	16·1
14	29·929	72·4	62·6	9·8	65·7	62·7	·531	84	70	6·8	60	...	...	+ 1·4	− 3·0	295	3·3	3·9
15	·983	71·0	60·3	10·7	63·9	61·8	·526	88	83	5·6	49	0·005	4	+ 2·7	+ 14·3	79	14·5	15·4
16	30·044	60·9	56·9	4·0	58·7	56·4	·426	86	97	1·8	16	0·005	9	+ 9·4	+ 28·8	72	30·4	30·5
17	·011	62·3	57·8	4·5	60·0	57·2	·433	83	100	0·5	4	...	3	+ 3·7	+ 20·8	80	21·2	21·3
18	·008	70·2	60·8	9·4	64·2	60·8	·489	81	95	5·0	44	...	1	− 1·0	+ 7·7	97	7·8	11·7
19	·045	61·8	56·6	5·2	58·7	54·3	·365	74	96	...	...	...	1	+ 2·0	+ 2·3	49	3·1	4·2
20	·014	58·2	51·0	7·2	55·6	52·4	·353	80	100	...	...	0·315	7	+ 2·5	+ 1·6	33	3·0	5·2
21	29·952	61·2	55·6	5·6	58·4	56·6	·437	89	100	0·2	2	0·695	7	+ 3·9	+ 18·9	78	19·3	19·0
22	·966	63·1	58·2	4·9	61·2	60·1	·506	93	100	...	...	0·955	17	+ 1·5	+ 6·8	78	7·0	10·4
23	30·118	59·2	51·0	8·2	54·3	51·5	·345	82	100	...	...	0·020	3	+ 6·3	+ 0·7	6	6·3	6·4
24	·218	52·5	48·8	3·7	50·4	48·0	·304	83	100	...	...	0·360	7	+ 7·6	+ 6·2	39	9·8	10·1
25	·154	56·2	51·4	4·8	54·7	52·1	·356	83	100	...	...	...	2	+ 6·1	+ 16·3	70	17·4	17·6
26	·139	64·0	54·9	9·1	58·9	56·6	·429	86	100	...	...	...	...	− 0·7	− 2·3	253	2·4	6·6
27	·174	71·0	57·8	13·2	61·0	57·6	·432	80	72	7·0	60	...	...	+ 0·1	+ 5·7	89	5·7	10·5
28	·086	62·9	57·4	5·5	60·0	55·7	·388	74	99	2·0	17	...	...	+ 1·8	+ 17·1	84	17·2	17·2
Means	30·053	63·9	57·5	6·6	60·0	56·9	0·428	82	89	Sum. 66·1	21	Sum. 2·400	Sum. 70	+ 2·9	+ 12·3	77	12·6	14·3
Normals	30·015	63·0	55·3	7·7	58·8	54·9	0·391	76	74	100·0	31	1·679	65	+ 2·1	+ 11·2	79	11·4	14·2
Absolute Max.	30·272	74·4	...	13·2	...	68·2	0·624	...	...	9·3	83	0·955	17	...	...	...	...	37·0 †
Day.	1	10	...	27	...	10	10	...	...	4	4	22	22	...	...	...	...	16d 10h
Absolute Min.	29·844	...	48·8	3·4	...	46·8	0·276	53	...	...	...	...	...	...	...	...	...	...
Day.	8	...	24	5	...	24	24	27	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Fog :—on the 10th, 11th, 15th and 22nd.

light Fog :—on the 4th.

Unusual visibility :—on the 23rd.

Dew :—on the 4th.

Lightning :—on the 9th, 21st and 22nd.

Thunder :—on the 21st and 22nd.

Rain fell on 6 days. The mean hourly intensity was 0·034*in.*, and the maximum fall in one hour was 0·320*ins* at 5*h* on the 22nd.

The *maximum squall velocity*, as recorded by the Dines-Baxendell *anemograph*, was at the rate of 46 miles per hour at 9*h* 30*m* on the 16th.

* 0°=N., 90°=E &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1926.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1025·0	288·2	286·2	2·0	287·2	284·7	11·5	...	1	+ 3·0	+ 6·1	64	6·9	7·0
2	1020·2	289·6	285·9	3·7	287·8	285·3	12·1	...	...	+ 1·4	+ 7·1	79	7·3	7·2
3	1019·7	293·3	289·1	4·2	290·8	288·0	14·7	...	...	...	+ 4·8	90	4·8	4·8
4	1020·7	295·2	288·2	7·0	289·8	288·1	15·5	...	...	+ 0·7	+ 3·5	78	3·6	3·9
5	1021·8	288·7	286·8	1·9	287·7	286·2	13·7	...	3	+ 1·4	+ 6·1	77	6·2	6·2
6	1020·7	288·1	286·1	2·0	287·1	285·5	13·1	1·1	3	+ 0·9	+ 4·1	78	4·2	4·2
7	1017·5	289·7	287·2	2·5	288·4	286·6	14·0	...	1	+ 1·0	+ 6·0	81	6·0	6·1
8	1014·6	290·2	288·3	1·9	289·3	287·8	15·5	...	...	+ 0·1	+ 6·2	89	6·2	6·2
9	1014·6	291·4	289·2	2·2	290·4	289·2	17·2	...	...	...	+ 5·1	90	5·1	5·1
10	1016·6	296·6	290·6	6·0	292·6	291·1	19·3	...	...	+ 0·3	+ 0·5	56	0·6	0·9
11	1021·9	291·4	288·1	3·3	289·1	287·6	15·2	...	...	+ 1·0	+ 5·6	79	5·7	5·7
12	1022·7	290·7	287·4	3·3	288·9	286·9	14·1	...	1	+ 0·9	+ 6·2	82	6·3	6·3
13	1019·3	293·5	288·4	5·2	290·4	288·1	15·2	...	...	+ 0·1	+ 5·2	89	5·2	5·3
14	1015·6	295·4	290·0	5·4	291·7	290·1	17·9	...	...	+ 0·5	- 1·0	295	1·1	1·3
15	1017·4	294·7	288·7	6·0	290·7	289·6	17·7	0·1	4	+ 0·9	+ 4·7	79	4·8	5·0
16	1019·5	289·1	286·8	2·3	287·8	286·6	14·4	0·2	9	+ 3·1	+ 9·4	72	10·0	10·0
17	1018·4	289·8	287·3	2·5	288·6	287·0	14·6	...	3	+ 1·2	+ 6·8	80	6·9	7·0
18	1018·2	294·2	289·0	5·2	290·9	289·0	16·5	...	1	- 0·3	+ 2·5	97	2·6	3·6
19	1019·5	289·6	286·7	2·9	287·8	285·4	12·3	...	1	+ 0·7	+ 0·8	49	1·0	1·4
20	1018·5	287·6	283·6	4·0	286·1	284·3	11·9	8·0	7	+ 0·8	+ 0·5	33	1·0	1·7
21	1016·4	289·2	286·1	3·1	287·7	286·7	14·7	17·7	7	+ 1·3	+ 6·2	78	6·3	6·2
22	1016·8	290·3	287·6	2·7	289·2	288·6	17·1	24·3	17	+ 0·5	+ 2·2	78	2·3	3·4
23	1022·1	288·1	283·6	4·5	285·4	283·8	11·6	0·5	3	+ 2·1	+ 0·2	6	2·1	2·1
24	1025·5	284·4	282·3	2·1	283·2	281·9	10·2	9·1	7	+ 2·5	+ 2·0	39	3·2	3·3
25	1023·3	286·4	283·8	2·6	285·6	284·2	12·0	...	2	+ 2·0	+ 5·3	70	5·7	5·8
26	1022·7	290·8	285·7	5·1	287·9	286·7	14·5	...	...	- 0·2	- 0·8	253	0·8	2·2
27	1023·9	294·7	287·3	7·4	289·1	287·2	14·6	...	...	...	+ 1·9	89	1·9	3·4
28	1020·9	290·2	287·1	3·1	288·6	286·2	15·1	...	...	+ 0·6	+ 5·6	84	5·6	5·6
Means.	1019·8	290·7	287·1	3·6	288·6	286·8	14·4	Sum. 61·0	Sum. 70	+ 1·0	+ 4·0	77	4·1	4·7
Normals	1018·5	290·2	285·9	4·3	287·9	285·7	13·2	42·7	65	+ 0·7	+ 3·7	79	3·7	4·7
Absolute Maximum.	1027·2	296·6	...	7·4	...	293·1	21·1	24·3	17	...	...	...	...	12·1†
Day.	1	10	...	27	...	10	10	22	22	...	...	...	...	16d 10h
Absolute Minimum.	1012·7	...	282·3	1·9	...	281·2	9·3	...	...	...	...	...	...	...
Day.	8	...	24	5, 8	...	24	24	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, FEBRUARY, 1926.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	+ 0·1	11	+ 0·1	21	- 0·3
2	- 0·1	12	+ 0·1	22	- 0·3
3	- 0·1	13	- 0·1	23	- 0·3
4	- 0·1	14	- 0·1	24	- 0·2
5	- 0·1	15	- 0·2	25	- 0·2
6	- 0·1	16	- 0·3	26	- 0·2
7	- 0·1	17	- 0·3	27	- 0·2
8	- 0·1	18	- 0·3 & + 0·8	28	- 0·2
9	- 0·1	19	- 0·4		
10	0·0	20	- 0·3		

+ = Late ; - = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0·18

Note. 18th. Time-ball at 16 hours fell 0·8 second late. Wireless Time Signals and Signal lights at 21 hours probably 17 seconds late.

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1926.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall, Percentage of Total. Amount.	Rainfall, Percentage of Total. Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·066	59·2	56·9	·437	86	91		5	6	+ 3·4	+ 12·2	74	12·7	13·5
2	·052	59·1	56·8	·436	86	95		1	5	+ 2·9	+ 12·0	76	12·4	13·0
3	·042	59·0	56·5	·428	85	96		1	3	+ 3·1	+ 11·4	75	11·8	12·9
4	·036	58·6	56·1	·422	85	96		...	3	+ 3·2	+ 12·7	76	13·1	14·4
5	·036	58·5	56·0	·420	85	95		13	7	+ 3·2	+ 12·4	76	12·8	13·9
6	·046	58·4	55·9	·418	85	94	...	1	4	+ 3·6	+ 12·9	74	13·4	14·1
7	·064	58·3	55·8	·417	85	93	+	1	4	+ 3·2	+ 13·1	76	13·5	14·7
8	·080	58·7	56·1	·420	84	92	12	2	5	+ 3·4	+ 13·3	76	13·7	14·6
9	·096	59·5	56·5	·421	82	93	14	5	5	+ 3·6	+ 12·5	74	13·0	14·5
10	·108	60·3	56·9	·423	80	92	20	4	2	+ 3·4	+ 12·7	75	13·2	14·7
11	·100	61·3	57·4	·425	78	92	28	2	3	+ 1·8	+ 13·3	82	13·4	15·2
Noon.	·076	61·8	57·7	·427	76	92	29	2	3	+ 1·4	+ 13·9	84	14·0	15·6
13	·051	62·2	58·0	·431	76	83	32	2	3	+ 0·7	+ 13·1	87	13·1	15·4
14	·023	62·1	57·9	·429	76	84	30	1	2	+ 1·7	+ 13·6	83	13·7	16·3
15	·005	61·9	57·8	·428	76	82	30	3	1	+ 1·9	+ 13·7	82	13·8	16·1
16	·002	61·4	57·6	·430	78	81	23	2	2	+ 2·8	+ 12·4	77	12·7	15·5
17	·008	61·0	57·4	·429	79	81	13	1	2	+ 2·7	+ 11·9	77	12·2	14·4
18	·019	60·3	57·0	·426	80	80	...	3	2	+ 3·0	+ 11·4	75	11·8	13·8
19	·033	60·0	57·0	·430	82	83		3	3	+ 3·2	+ 11·0	74	11·5	13·7
20	·050	60·0	57·0	·430	82	83		3	5	+ 3·1	+ 10·9	74	11·3	13·4
21	·064	59·9	57·0	·431	83	86		10	7	+ 3·7	+ 11·8	73	12·4	14·2
22	·070	59·7	57·1	·436	84	87		7	8	+ 3·2	+ 11·2	74	11·7	13·3
23	·075	59·7	57·1	·436	84	93		16	8	+ 3·2	+ 11·0	74	11·5	12·9
Midn.	·068	59·5	57·0	·436	85	95		12	7	+ 3·3	+ 11·1	73	11·6	12·7

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1926.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1020·3	288·1	286·8	14·7	+ 1·1	+ 4·0	74	4·2	4·4
2	1019·8	288·1	286·8	14·7	+ 1·0	+ 3·9	76	4·1	4·3
3	1019·4	288·0	286·6	14·4	+ 1·0	+ 3·7	75	3·9	4·2
4	1019·2	287·8	286·4	14·2	+ 1·0	+ 4·2	76	4·3	4·7
5	1019·2	287·7	286·3	14·1	+ 1·0	+ 4·1	76	4·2	4·6
6	1019·6	287·7	286·3	14·1	+ 1·2	+ 4·2	74	4·4	4·6
7	1020·2	287·6	286·2	14·0	+ 1·0	+ 4·3	76	4·4	4·8
8	1020·7	287·8	286·4	14·1	+ 1·1	+ 4·4	76	4·5	4·8
9	1021·3	288·3	286·6	14·2	+ 1·2	+ 4·1	74	4·3	4·8
10	1021·6	288·7	286·8	14·2	+ 1·1	+ 4·2	75	4·3	4·8
11	1021·4	289·3	287·1	14·3	+ 0·6	+ 4·4	82	4·4	5·0
Noon.	1020·6	289·6	287·3	14·4	+ 0·5	+ 4·6	84	4·6	5·1
13	1019·7	289·8	287·4	14·5	+ 0·2	+ 4·3	87	4·3	5·0
14	1018·8	289·7	287·4	14·5	+ 0·6	+ 4·5	83	4·5	5·3
15	1018·2	289·6	287·3	14·4	+ 0·6	+ 4·5	82	4·5	5·3
16	1018·1	289·3	287·2	14·5	+ 0·9	+ 4·1	77	4·2	5·1
17	1018·3	289·1	287·1	14·5	+ 0·9	+ 3·9	77	4·0	4·7
18	1018·6	288·7	286·9	14·4	+ 1·0	+ 3·7	75	3·9	4·5
19	1019·1	288·6	286·9	14·5	+ 1·0	+ 3·6	74	3·8	4·5
20	1019·7	288·6	286·9	14·5	+ 1·0	+ 3·6	74	3·7	4·4
21	1020·2	288·5	286·9	14·5	+ 1·2	+ 3·9	73	4·1	4·7
22	1020·4	288·4	286·9	14·7	+ 1·0	+ 3·7	74	3·8	4·4
23	1020·5	288·4	286·9	14·7	+ 1·0	+ 3·6	74	3·8	4·2
Midn.	1020·3	288·3	286·9	14·7	+ 1·1	+ 3·6	73	3·8	4·2

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

FEBRUARY,

1926.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	31st JANUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	1st FEBRUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.43	772.8	11	...	NNE	4	b	6	30.41	772.3	−6	...	NNE	3	c
Nemuro,	11	29.98	761.5	...	...	NNW	4	...	5	29.94	760.5	...	...	NW	4	...
Hokodate,	,,	30.10	764.5	...	...	N	3	...	,,	30.02	762.5	...	...	NNW	3	...
Tokio,	,,	29.94	760.5	...	...	NNE	1	...	,,	30.12	765.0	...	...	NW	3	...
Kochi,	,,	30.08	764.0	...	...	NNW	4	...	,,	30.32	770.0	...	...	SW	1	...
Nagasaki,	,,	30.28	769.0	...	...	N	2	...	,,	30.41	772.5	...	...	NNW	1	...
Kagoshima,	,,	30.26	768.5	...	...	NW	2	...	,,	30.39	772.0	...	...	...	0	...
Oshima,	,,	30.28	769.0	...	...	NNE	3	...	,,	30.34	770.5	...	...	N	4	...
Naha,	,,	30.30	769.5	...	...	N	5	...	,,	30.34	770.5	...	...	NNE	3	...
Ishigakijima,	,,	30.33	770.5	...	...	N	3	...	,,	30.38	771.5	...	...	NNE	2	...
Bonin Island,	,,	30.10	764.5	...	...	SSE	1	...	,,	30.00	762.0	...	...	W	2	...
Chefoo,	15	30.63	778.0	30	67	WNW	4	b	6	30.54	775.7	24	77	WSW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.73	780.6	32	100	WNW	4	o	,,	30.69	779.4	21	95	NW	1	b
Gutzlaff,	,,	30.68	779.3	32	68	NNW	6	o	,,	30.66	778.7	32	82	N	4	o
Sharp Peak,	,,	30.41	772.4	48	78	ENE	4	o	7	30.35	770.9	42	83	NNW	2	o
Amoy,	15	30.34	770.6	60	71	ENE	4	o	6	30.42	772.6	50	88	ENE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.43	772.8	57	72	ENE	6	r	5	30.44	773.1	52	83	E	4	r
Taichu,	,,	30.21	767.4	68	...	NNW	4	o	,,	30.27	768.9	55	..	N	2	o
Tainan,	,,	30.20	767.1	73	...	N	4	b	,,	30.25	768.3	50	...	N	2	b
Koshun,	,,	30.12	765.0	72	...	NNE	6	b	,,	30.22	767.7	61	...	NNE	6	r
Pescadores,	,,	30.27	768.9	61	...	NE	8	o	,,	30.30	769.5	57	...	NE	7	o
Canton,	14	30.24	768.1	59	76	N	2	c	6	...	...	...	...	...	...	...
Hongkong,	,,	30.21	767.3	71	50	ESE	2	o	,,	30.29	769.3	56	65	NE	3	o
Gap Rock,	,,	30.22	767.6	...	...	ENE	5	c	,,	30.26	768.6	...	...	ENE	6	o
Macao,	,,	30.19	766.8	70	49	NNE	2	o	,,	30.25	768.3	57	67	NE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	30.21	767.3	72	...	ENE	6	dc	6	30.22	767.6	68	73	NE	7	dc
Phulien,	,,	30.17	761.2	77	50	ESE	2	bf	7	30.18	766.5	61	...	ENE	6	bf
Tourane,	,,	30.11	764.7	70	...	E	2	b	,,	30.12	765.0	68	...	ENE	2	of
Cape St. James,	,,	29.95	760.8	77	...	ENE	6	b	,,	30.00	762.0	70	...	ENE	2	b
Basco,	,,	...	...	...	...	...	...	...	6	30.12	765.0	68	77	N	4	o
Aparri,	,,	30.06	763.5	75	76	NE	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.92	759.9	86	41	SW	2	o	,,	29.98	761.4	68	81	...	0	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	77	79	N	4	o
Tacloban,	,,	29.86	758.4	...	...	NW	4	r	,,	...	...	72	78	NE	6	o
Iloilo,	,,	29.85	758.1	86	46	N	6	o	,,	29.91	759.6	72	88	N	4	o
Surigao,	,,	29.85	758.1	79	80	N	4	o	,,	29.86	758.4	77	79	N	4	o
Guam,	12.20	29.80	756.9	...	...	E	6	o	4.20	29.85	758.1	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	...	...	...	...	5	29.77	756.1	77	...	S	1	b
Labuan,	14	29.77	756.1	84	87	NE	2	b	6	29.86	758.4	80	87	NE	2	b

February 1*d*. 10*h*. 50*m*.—Pressure has increased moderately over central and S.W. Japan, and slightly from the Loochoos to Hongkong. It has decreased slightly from Chefoo to Foochow and over Tongking.

The northern portion of the anticyclone has moved eastward, leaving a separate anticyclone over China.

The typhoon appears to be about 200 miles north of Pelews moving N.E.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·21 inches, against an average of 1·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong; generally overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st FEBRUARY, 1926.								2nd FEBRUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	30.33	770.5	18	...	NW	2	b	6	30.37	771.3	−1	...	...	0	b
Nemuro,	11	29.90	759.5	...	...	NW	3	...	5	...	...	...	...	...	...	...
Hokodate,	..	30.04	763.0	...	...	NNE	1	...	,,	30.06	763.5	...	...	WNW	4	...
Tokio,	,,	30.08	764.0	...	...	NW	3	...	,,	30.24	768.0	...	...	WNW	1	...
Kochi,	,,	...	...	...	...	NW	1	...	,,	30.38	771.5	...	...	SW	1	...
Nagasaki,	,,	30.11	772.5	...	...	N	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.35	771.0	...	...	N	1	...	,,	30.36	771.0	...	...	WNW	1	...
Oshima,	,,	30.35	771.0	...	...	N	3	...	,,	30.32	770.0	...	...	SE	1	...
Naha,	,,	30.30	769.5	...	...	NNE	3	...	,,	30.30	769.5	...	...	ENE	1	...
Ishigakijima,	,,	30.37	771.5	...	...	N	2	...	,,	30.26	768.5	...	...	NNE	1	...
Bonin Island,	,,	30.04	763.0	...	...	NW	1	...	,,	30.22	767.5	...	..	NNW	1	...
Chefoo,	15	30.45	773.4	38	63	N	2	b	6	30.35	770.9	28	88	...	0	0
Hankow,	,,	...	...	...	...	...	...	...	,,	30.20	767.1	37	..	...	0	r
Ichang,	,,	...	...	...	...	...	...	...	,,	30.04	763.0	36	...	E	1	r
Changsha,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.56	776.1	41	39	N		b	,,	30.38	771.6	34	89	E	2	b
Gutzlaff,	,,	30.56	776.2	42	58	N	4	0	,,	30.39	771.9	40	85	SE	4	0
Sharp Peak,	,,	30.37	771.4	58	53	N	2	b	7	30.25	768.3	48	78	W	1	b
Amoy,	15	30.33	770.4	60	90	ENE	4	0	6	30.26	768.6	52	93	ENE	2	0
Swatow,	,,	...		...	...	...	...	...	,,	...		...	...	...	...	...
Taihoku,	11	30.41	772.5	57	67	E	4	0	5	30.21	767.4	54	90	E	4	b
Taichu,	,,	30.26	768.6	64	...	N	2	0	,,	30.19	766.8	57	..	...	0	0
Tainan,	,,	30.26	768.6	68	...	NNW	2	b	,,	30.17	766.2	50	..	...	0	b
Koshun,	,,	30.31	769.8	66	...	NE	6	b	,,	30.17	766.2	63	..	NNE	4	b
Pescadores,	,,	30.30	769.5	61	...	NE	6	0	,,	30.18	766.5	59	...	NNE	4	0
Canton,	14	...		...	...	...	...	...	6	...	...	..	...	..	...	...
Hongkong,	,,	30.24	768.1	58	68	ENE	4	0	,,	30.15	765.8	56	71	E	4	0
Gap Rock,	,,	30.22	767.6	...	...	ENE	6	0	,,	30.12	765.0	...	...	ENE	6	0
Macao,	,,	30.21	767.4	59	58	NNE	4	0	,,	30.11	764.7	57	72	ENE	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.24	768.1	70	...	ENE	6	c	,,	30.13	765.3	70	...	E	5	c
Phulien,	,,	30.11	764.7	64	80	ENE	7	of	7	30.06	763.5	57	100	NW	2	if
Tourane,	,,	30.05	763.2	66	...	E	2	of	,,	30.01	762.3	66	...	...	0	b
Cape St. James.	,,	29.93	760.2	82	...	ENE	2	0	,,	29.94	760.5	73	...	ENE	4	b
Basco,	14	30.11	764.7	68	77	N	6	r	6	30.21	767.4	75	83	NNE	4	0
Aparri,	,,	30.08	764.1	75	63	ENE	4	0	,,	30.07	763.8	68	77	E	4	0
Manila,	,,	29.93	760.2	71	53	SW	4	0	,,	29.98	761.4	68	77	NNE	1	0
Legaspi,	,,	29.91	759.6	77	40	NNE	4	0	,,	29.89	759.3	73	86	NNE	6	0
Tacloban,	,,		...	..	...	...	...	...	,,	29.80	756.9	...	...	NNW	6	r
Iloilo,	,,	29.85	758.1	81	69	N	6	0	,,	...	...	...	...	...	...	...
Surigao,	..	29.80	756.9	75	94	N	4	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	NE	4	0	4.20	29.87	758.7	...	...	NE	4	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	76	...	...	...	c
Labuan,	14	29.78	756.4	84	87	NE	2	b	6	29.83	757.7	77	86	NE	2	b

February 2*d*. 11*h*. 45*m*.—Pressure has increased moderately from central Japan to the Bonins. It has decreased considerably over central China, moderately along the coast and slightly over the Philippines.

The anticyclone has weakened and is now central over S. Korea.

The Pelews typhoon now appears to be in about Lat. 10° N. and Long. 128° E., moving westward.

The monsoon will moderate along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·21 inches, against an average of 1·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD

District.	Forecast.
1.—Formosa Channel. 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong, moderating; fair.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd February, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	3rd February, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	11	30.32	770.2	24	...	WNW	2	b	6	30.40	772.1	12	...	NNE	4	o
Nemuro,	11	29.90	759.5	...	...	WNW	2	...	5	30.18	766.5	...	..	W	4	...
Hokodate,	..	30.08	764.0	...	...	WNW	2	...	,,	30.24	768.0	...	..	...	..	...
Tokio,	,,	30.20	767.0	...	...	NNW	1	..	,,	30.28	769.0	...	..	NW	1	...
Kochi,	,,	30.31	770.0	...	...		0	...	,,	30.28	769.0	...	...	SW	1	...
Nagasaki,	..	30.35	771.0	...	...	SW	1	...	,,	30.30	769.5	...	..	SE	1	...
Kagoshima,	,,	30.31	770.0	...	...	NE	1	...	,,	30.30	769.5	...	...	NW	1	...
Oshima,	,,	30.30	769.5	...	...	N	1	...	,,	30.22	767.5	...	...	...	0	...
Naha,	,,	30.28	769.0	...	...	E	1	...	,,	30.18	766.5	...	...	E	1	...
Ishigakijima,	,,	30.24	768.0	...	...	NE	4	...	,,	30.14	765.5	...	...	NE	1	...
Bonin Island,	..	30.22	767.5	...	...	NNE	1	...	,,	30.30	769.5	...	...	...	0	...
Chefoo,	15	30.28	769.1	32	100	S	1	0	6	30.20	767.1	32	100	...	0	r
Hankow,	,,	...	..	...	...	...	...	...	,,	30.29	769.3	35	...	...	0	0
Ichang,	,,	...	...	...	...	..	...	...	,,	30.01	762.2	39	...	SW	1	b
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai,	14	30.24	768.0	54	53	SSE	4	b	,,	30.19	766.8	41	85	NW	4	r
Gutzlaff,	,,	30.27	768.6	48	63	SSE	4	o	,,	30.19	766.8	44	100	WNW	4	r
Sharp Peak,	,,	30.17	766.3	58	64	N	1	o	,,	30.14	765.5	54	87	...	0	b
Amoy,	15	30.14	765.5	64	91	NE	2	b	6	...	...	...	...	...	...	...
Swatow,	,,	...		...	...	...	...	...	,,	...	..	...	...	...	...	...
Taihoku,	11	30.17	766.2	72	54	E	4	b	5	30.12	765.0	50	69	...	0	b
Taichu,	,,	30.17	766.2	72	...	...	0	b	,,	30.13	765.3	50	...	...	0	b
Tainan,	,,	30.17	766.2	72	...	W	2	b	,,	30.10	764.4	55	..	NNE	2	b
Koshun,	,,	30.17	766.2	70	...	NNE	4	b	,,	30.07	763.8	64	.	...	0	b
Pescadores,	,,	30.19	766.8	63	..	N	4	b	,,	...	...	...	...	...	...	...
Canton,	14	30.10	764.5	60	71	N	1	o	6	..	...	..	..	...	...	...
Hongkong,	,,	30.08	764.0	59	74	E	4	o	,,	30.08	764.0	62	80	E	4	o
Gap Rock,	,,	30.06	763.5	...	...	ENE	5	om	,,	30.05	763.2	...	...	ENE	5	b
Macao,	,,	30.01	762.3	59	81	ESE	4	o	,,	...	...	..	...	...	...	...
Wuchow,	15	..	...	...	...	...	...	...	9	...	..	...	..	.	...	...
Pakhoi,	,,	...	..	...	...	..	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Pratas Island,	,,	...	..	...	...	...	...	...	,,	30.06	763.5	72	...	E	3	b
Phulien,	,,	29.98	761.4	63	92	ENE	4	o	7	30.05	763.2	61	98	N	2	of
Tourane,	,,	29.93	760.2	72	...	E	2	b	,,	30.01	762.3	68	...	...	0	of
Cape St. James	,,	29.88	759.0	79	...	ENE	4	b	,,	...		73	...	ENE	6	b
Basco,	14	30.01	762.3	73	82	E	6	o	6	30.01	762.3	73	79	NE	2	o
Aparri,	,,	30.00	762.0	73	71	...	0	o	,,	30.00	762.0	66	92		0	o
Manila,	,,	29.91	759.6	81	53	NE	4	o	,,	29.91	759.6	70	77	NNE	2	o
Legaspi,	,,	29.82	757.5	77	76	NNE	4	o	,,	29.84	757.8	75	96	NE	4	o
Tacloban,	,,		...	...	...	...	...	...	,,	..	...	.	..	...	...	...
Iloilo,	,,	29.78	756.3	...	...	E	4	o	,,	29.76	756.0	75	88	N	4	o
Surigao,	..	29.47	748.9	75	92	WNW	6	o	,,	...		...	...	...	..	...
Guam,	12.20	...	...	...	...	...	...	...	4.20	29.89	759.3	...	...	NE	6	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	.	...	...	...	..	...
Pelew,	11.00	...		...	...	...	...	...	5	29.87	758 7	78	...	E	2	o
Labuan,	14	29.77	756.1	82	91	NE	2	b	6	29.78	756.4	78	91	NE	4	b

February 3*d*. 11*h*. 40*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 9° N. Long. 125° E., moving W.

February 3*d*. 11*h*. 40*m*.—Pressure has increased considerably over N.E. Japan and slightly over Indo-China. It has decreased moderately along the east coast of China and slightly elsewhere.

The anticyclone is now central over the Sea of Japan.

At 6 a.m. this morning the typhoon was in about Lat. 9° N. and Long. 125° E., moving West. It may become severe in the China Sea.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Manila warning. 2*d*. 14*h*. 10*m*.:—Typhoon in Lat. 10° N. Long. 130° E., direction unknown. Recd. 2*d*. 14*h*. 40*m*.

Manila warning. 2*d*. 16*h*. 45*m*.:—Typhoon in Lat. 10° N. Long. 128° E., moving W.N.W. Recd. 2*d*. 17*h*. 37*m*.

Shanghai warning. 2*d*. 21*h*. 55*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 128° E., moving W.N.W. 2. Continental depression in Lat. 30° N. Long 119° E. moving E.N.E. Recd. 2*d*. 22*h*. 43*m*.

Manila warning. 3*d*. 10*h*. 15*m*.:—The typhoon is crossing the Visayas Islands in the form of a shallow depression. Recd. 3*d*. 11*h*. 18*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·21 inches, against an average of 1·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd February, 1926.									4th February, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.37	771.5	17	...	NNE	4	o		o	30.33	770.3	5	...	NNE	4	b	
Nemuro,	11	30.18	766.5	...	...	NW	3	...		5	30.16	766.0	...	..	...	c	...	
Hokodate,	.	30.26	768.5	...	...	N	1	...		,,	30.14	765.5	...	..	...	c	...	
Tokio,	,,	30.24	768.0	...	...	NNE	1	...		,,	30.00	762.0	...	..	NW	1	...	
Kochi,	,,	30.22	767.5	...	...	...	o	...		,,	29.94	760.5	...	...	SW	1	...	
Nagasaki,	,,	..	...	...	...	SE	2	...		,,	30.08	764.0	...	..	WNW	5	...	
Kagoshima,	,,	30.22	767.5	...	...	NE	1	...		,,	30.10	764.5	...	..	NW	1	...	
Oshima,	,,	30.20	767.0	...	...	SSE	1	...		,,	30.14	765.5	...	...	NNW	1	...	
Naha,	,,	30.20	767.0	...	...	ESE	1	...		,,	30.16	766.0	...	...	N	3	...	
Ishigakijima,	,,	30.18	766.5	...	...	E	1	...		,,	30.14	765.5	...	...	N	1	...	
Bonin Island,	,,	30 24	768.0	...	...	ENE	1	...		,,	30.16	766.0	...	...	SW	1	...	
Chefoo,	15	30.22	767.6	34	90	N	2	r		6	30.47	773.9	26	87	NW	6	o	
Hankow,	,,	...	..	...	...	...	...	...		,,	30.40	772.1	31	...	NE	1	b	
Ichang,	,,	.	...	...	...	...	...	...		,,	30.16	766.0	43	...	SE	1	c	
Changsha,	,,	..	...	...	...	...	...	...		,,	...	...	...	...	...	..	...	
Shanghai,	14	30.25	768.3	45	64	WNW	6	o		,,	30.43	772.8	34	85	WNW	4	o	
Gutzlaff,	,,	30.26	768.6	40	91	NW	6	o		,,	30.46	773.7	34	90	NNW	7	o	
Sharp Peak,	,,	30.13	765.3	67	69	...	o	o		-	30.22	767.6	50	92	N	1	of	
Amoy,	15	30.11	764.8	62	100	SSE	4	o		6	30.17	766.3	56	100	ENE	2	b	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	.	...	..	...	...	...	
Taihoku,	11	30.15	765.9	68	60	...	o	b		5	30.18	766.5	61	96	E	2	r	
Taichu,	,,	30.17	766.2	73	...	...	o	b		,,	30.12	765.0	50	..	..	c	h	
Tainan,	,,	30.13	765.3	75	...	NNW	4	b		,,	30.08	764.1	55	..	N	4	b	
Koshun,	,,	30.11	764.7	75	...	NE	4	h		,,	30.07	763.8	68	.	NNE	4	h	
Pescadores,	,,	30.17	766.2	66	...	NNE	4	b		,,	30.12	765.0	61	...	NE	6	b	
Canton,	14	30.11	764.8	67	79	N	1	o		6	...	...	.	...	...	...	...	
Hongkong,	,,	30.10	764.5	67	67	E	3	c		,,	30.13	765.3	61	91	..	o	h	
Gap Rock,	,,	30.10	764.5	...	...	ENE	4	b		,,	30.12	765.0	...	...	N	4	b	
Macao,	,,	30.08	764.1	73	62	SE	4	of		,,	30.12	765.0	59	93	N	2	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	..	...	..	.	..	...	
Pakhoi,	,,	...	.	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	.	...	...	...	...	...		,,	...	...	...	...	...	..	...	
Pratas Island,	,,	30.11	764.8	76	...	E	4	b		,,	30.08	764.0	73	...	NE	4	c	
Phulien,	,,	30.05	763.2	66	88	WNW	1	of		7	30.10	764.4	63	94	E	4	of	
Tourane,	,,	30 00	762.0	75	...	...	o	of		,,	30.08	764.1	68	..	E	2	hf	
Cape St. James.	,,	...	..	...	...	...	...	...		..	29.95	760.8	73	...	ENE	6	h	
Basco,	14	29.99	761.7	73	75	ENE	4	r		6	30.04	762.0	70	82	NE	4	o	
Aparri,	,,	29.94	760.5	79	69	NE	2	o		,,	29.97	761.1	73	96	NE	4	r	
Manila,	,,	29.86	758.4	81	66	N	4	o		,,	29.89	759.3	70	96	...	c	o	
Legaspi,	,,	29.84	757.8	75	94	NE	4	o		,,	29.87	758.7	77	92	NE	1	o	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.69	754.2	75	96	S	4	r		,,	29.85	758.1	75	96	NE	1	o	
Surigao,	..	29.78	756.3	81	80	...	o	o		,,	29.87	758.7	73	96	ESE	1	o	
Guam,	12.20	29.85	758.1	...	...	NE	4	o		4.20	29.88	759.0	...	...	NE	4	o	
Yap,	12.47	...	...	...	...	...	...	...		4.47	..	...	..	..	...	..	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	29.88	758.9	76	...	E	1	b	
Labuan,	11	29.76	755.9	88	84	NE	2	b		o	29.81	757.2	78	91	N	2	b	

February 3*d*. 18*h*. 50*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 09° N. Long. 120° E., moving W.

February 4*d*. 12*h*. 12*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 09° N. Long. 119° E., moving W.

February 4*d*. 12*h*. 15*m*.—Pressure has decreased considerably over central Japan. It has increased considerably over N.E. China, moderately along the Yangtze Valley and slightly over the Visayas.

A shallow depression is central over central Japan and an anticyclone extends from N.E. China to S. Manchuria.

At 6 a.m. this morning the typhoon was in about Lat. 9° N. and Long. 119° E., moving West.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Cyclonic gales over the S.E. China Sea.

Shanghai warning. 3*d*. 15*h*. 50*m*.:—Typhoon of unknown intensity within 60 miles of Lat. 11° N. Long. 125° E., moving W.N.W. Recd. 3*d*. 16*h*. 45*m*.

Shanghai warning. 4*d*. 10*h*. 25*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 120° E., moving W.N.W. Recd. 4*d*. 11*h*. 00*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·21 inches, against an average of 1·71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate to fresh; fine.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th February, 1926.								5th February, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.24	768.1	15	...	NNE	4	c	6	30.28	769.1	10	...	NNE	2	c
Nemuro,	11	30.08	764.0	...	...	NNW	1	...	5	29.82	757.5	...	..	N	2	...
Hokodate,	.	30.00	762.0	...	...	NE	1	...	,,	29.88	759.0	...	...	...	...	...
Tokio,	,,	29.82	757.5	...	...	N	1	...	,,	29.86	758.5	...	...	NNW	3	...
Kochi,	.	29.88	759.0	...	...	W	2	...	,,	30.14	765.5	...	...	WNW	1	...
Nagasaki,	..	30.22	767.5	...	...	NNW	3	...	,,	30.24	768.0	...	..	NNW	1	...
Kagoshima,	,,	30.10	764.5	...	...	NW	2	...	,,	30.20	767.0	...	...	...	0	...
Oshima,	,,	30.20	767.0	...	...	N	2	...	,,	30.18	766.5	...	...	N	2	...
Naha,	,,	30.22	767.5	...	...	N	4	...	,,	30.22	767.5	...	...	N	2	...
Ishigakijima,	,,	30 24	768.0	...	...	N	3	...	,,	30.24	768.0	...	...	NNE	2	...
Bonin Island,	..	30.08	764.0	...	...	S	1	...	..	29.98	761.5	...	...	WNW	1	...
Chefoo,	15	30.52	775.2	30	80	NW	4	b	6	30.56	776.2	24	87	NW	2	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.45	773.4	35	...	NNE	4	o
Ichang,	,,	...	...	...	...		...	...	,,	30.27	768.8	38	...	SE	3	...
Changsha,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai,	14	30.49	774.3	41	46	NNW	4	b	,,	30.52	775.2	34	67	N	1	o
Gutzlaff,	,,	30.47	773.9	38	63	NNW	6	o	,,	30.49	774.4	34	69	N	4	o
Sharp Peak,	,,	30.25	768.3	48	85	ENE	4	o	-	30.29	769.3	46	84	ENE	4	o
Amoy,	15	30.17	766.3	62	83	NNE	4	o	6	30.28	769.1	50	93	ENE	4	b
Swatow,	,,	.	.	...	...	...	...	...	,,	...	..	...	...	...	...	...
Taihoku,	11	30.28	769.2	61	64	E	4	o	5	30.26	768.6	54	88	E	4	o
Taichu,	,,	30.13	765.3	73	...	N	2	b	,,	30.15	765.9	52	..	...	c	b
Tainan,	,,	30.14	765.6	75	...	N	2	b	,,	30.12	765.0	54	..	NE	4	b
Koshun,	,,	30.11	764.7	73	...	NNE	6	b	,,	30.08	764.1	66	.	NE	6	o
Pescadores,	,,	30.18	766.5	72	...	NE	6	o	,,	30.15	765.9	57	...	NE	6	o
Canton,	14	...	.	...	...	...	...	6	...	..	...	...	...	...	...	
Hongkong,	,,	30.10	764.5	65	68	E	3	b	,,	30.18	766.6	59	88	E	3	cd
Gap Rock,	,,	30.10	764.5	...	...	ENE	5	b	,,	30.16	766.0	...	...	NE	5	o
Macao,	,,	30.08	764.1	72	62	SE	2	b	,,	30.14	765.6	59	87	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	.	..	...
Pakhoi,	,,	...	...	...	..	...	...	...	,,	...	...	...	..	...	...	...
Hoihow,	,,	...	...	...	..	..	...	...	,,	...	...	...	...	.	.	...
Pratas Island,	,,	30.12	765.0	76	...	NE	4	b	,,	30.12	765 0	72	...	NE	6	o
Phulien,	,,	30.06	763.5	68	83	ENE	2	of	7	30.07	763.8	63	98	E	4	of
Tourane,	,,	30.04	762.9	73	...	E	2	b	,,	30.10	764.4	66	...	SW	2	b
Cape St. James.	,,	29.93	760.2	77	...	ENE	6	bf	,,	29.98	761.4	70	...	ENE	6	bf
Basco,	14	30.00	762.0	68	91	E	4	r	6	30.05	763.2	68	87	N	6	r
Aparri,	,,	29.94	760.5	73	94	ENE	4	r	,,	30.01	762.3	70	91	NE	4	r
Manila,	,,	29.84	757.8	90	55	SE	4	o	,,	29.93	760.2	72	94	E	1	o
Legaspi,	,,	29.86	758.4	84	77	NNE	2	o	,,	29.91	759.6	77	92	NNE	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Iloilo,	,,	.	...	..	...	.	...	...	,,	29.89	759.3	75	96	N	4	o
Surigao,	..	29.82	757.5	81	87	N	4	b	,,	...		...	...	...	..	...
Guam,	12.20	29.85	758.1	...	...	NE	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	..	...	..	...
Pelew,	11.00	...	...	..	...	...	...	...	5	29.91	759.7	77	...	NNE	1	o
Labuan,	14	29.78	756.4	84	91	NE	2	b	6	29.84	757.9	78	91	NE	2	b

February 4*d.* 18*h.* 40*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 9° N. Long. 118° E., moving W.

February 5*d.* 11*h.* 17*m.*—Warning to Hongkong, Coast Ports, &c :—Typhoon in Lat. 10° N. Long. 115° E., moving West, position uncertain.

February 5*d.* 11*h.* 20*m.*—Pressure has decreased considerably over Hokkaido and slightly over Tongking. It has increased moderately over S.W. Japan and slightly from Amoy to Hongkong and over the Visayas.

The Japanese depression is moving into the Pacific.

The anticyclone remains stationary over N.E. China and S. Manchuria.

The position of the typhoon is uncertain. It is probably in about Lat. 10° N. and Long. 115° E., moving West.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Possibly cyclonic gales over the S. China Sea.

Manila warning. 4*d.* 12*h.* 30*m.*:—Typhoon in Lat. 12° N. Long. 118° E., moving W.N.W. Recd. 4*d.* 14*h.* 15*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·21 inches, against an average of 1·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong; generally overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th FEBRUARY, 1926.									6th FEBRUARY, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.17	766.3	20	...	N	3	b		6	30.22	767.5	4	...	...	0	c	
Nemuro,	11	29.80	757.0	...	...	NNW	2	...		5	29.86	758.5	...	...	...	...	...	
Hokodate,	"	29.86	758.5	...	...	...	0	...		"	30.02	762.5	...	...	...	0	...	
Tokio,	"	29.86	758.5	...	...	NW	3	...		"	30.06	763.5	...	...	NW	1	...	
Kochi,	"	30.16	766.0	...	...	NW	2	...		"	30.26	768.5	...	...	...	...	...	
Nagasaki,	"	30.28	769.0	...	...	N	2	...		"	30.32	770.0	...	...	..	0	...	
Kagoshima,	"	30.24	768.0	...	...	N	1	...		"	30.28	769.0	...	...	NW	1	...	
Oshima,	"	30.24	768.0	...	...	N	2	...		"	30.22	767.5	...	...	SE	1	...	
Naha,	"	30.24	768.0	...	...	N	3	...		"	30.18	766.5	...	...	E	1	...	
Ishigakijima,	"	30.28	769.0	...	...	NNE	3	...		"	30.20	767.0	...	...	N	1	...	
Bonin Island,	"	29.96	761.0	...	...	WNW	1	...		"	30.08	764.0	...	...	NW	1	...	
Chefoo,	15	30.40	772.1	34	82	N	2	b		6	30.35	770.9	24	87	SSW	1	b	
Hankow,	"	...	...	...	...	...	...	...		"	30.42	772.6	39	...	...	0	...	
Ichang,	"	...	..	...	...	.	...	...		"	30.09	764.3	28	...	E	1	...	
Changsha,	"	..	...	...	...	...	...	...		"	...	...	...	...	...	..	..	
Shanghai,	14	30.49	774.3	45	44	N	1	b		"	30.44	773.1	28	96	NE	1	b	
Gutzlaff,	"	30.49	774.4	42	58	N	4	o		"	30.42	772.6	34	69	N	1	o	
Sharp Peak,	"	30.23	769.3	47	48	N	4	o		"	30.23	767.8	44	92	N	1	r	
Amoy,	15	30.18	766.6	63	72	NE	4	b		6	30.22	767.6	52	100	ENE	4	r	
Swatow,	"	...	...	...	...	...	...	...		"	...	...	...	..	...	..	...	
Taihoku,	11	30.30	769.5	59	79	E	4	o		5	30.17	766.2	55	90	E	4	r	
Taichu,	"	30.19	766.8	70	...	NNW	2	b		"	30.14	765.6	52	...	...	0	o	
Tainan,	"	30.15	765.7	70	...	NNW	2	b		"	30.11	764.7	52	..	NNW	2	b	
Koshun,	"	30.11	764.7	68	...	NNE	6	o		"	30.08	764.1	63	.	NE	2	b	
Pescadores,	"	30.21	767.4	61	...	NE	7	o		"	30.13	765.3	59	...	NE	6	o	
Canton,	14	..	...	...	...	...	...	...		6	...	..	..	...	...	...	...	
Hongkong,	"	30.15	765.8	59	78	E	3	o		"	30.16	766.0	57	81	E	2	o	
Gap Rock,	"	30.12	765.0	...	...	ENE	5	o		"	30.14	765.5	...	..	ENE	5	o	
Macao,	"	30.12	765.0	59	79	SE	2	o		"	30.13	765.3	54	100	ENE	2	r	
Wuchow,	15		...	...	...	...	...	...		9	...	...	...	..	.	...	...	
Pakhoi,	"	...	...	...	...	..	...	...		"	...	...	..	..	...	...	...	
Hoihow,	"	...	...	...	...	..	...	...		"	...	...	...	...	..	..	...	
Pratas Island,	"	30.16	766.0	71	...	NE	6	o		"	30.10	764.5	69	...	NE	5	od	
Phulien,	"	30.04	762.9	64	98	ENE	6	rf		7	30.08	764.1	57	98	NE	4	o	
Tourane,	"	30.01	762.3	73	...	...	0	b		"	30.04	762.9	68	...	ESE	2	o	
Cape St. James.	"	29.91	759.6	81	...	ENE	2	b		"	29.93	760.2	72	...	ENE	4	b	
Basco,	14	30.01	762.3	66	85	N	6	o		6	30.05	763.2	68	91	NE	4	o	
Aparri,	"	29.99	761.7	70	91	NE	4	r		"	...	..	...	...	...	...	...	
Manila,	"	29.84	757.8	86	58	WNW	2	o		"	29.92	759.9	72	91	...	0	o	
Legaspi,	"	29.86	758.4	84	74	NE	2	o		"	29.91	759.6	73	96	N	2	o	
Taclobau,	"	...	...	...	...	...	...	...		"	...	...	..	...	...	...	...	
Iloilo,	"	29.81	757.2	86	56	NE	4	o		"	...	...	...	...	...	...	...	
Surigao,	"	29.82	757.5	81	87	N	2	o		"	...	...	...	...	...	...	...	
Guam,	12.20	29.81	757.2	...	...	SE	2	o		4.20	...	...	...	...	...	...	...	
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	...	...	..	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	29.73	755.1	77	...	NE	2	o	
Labuan,	14	29.79	756.6	84	91	NE	2	b		6	29.81	757.2	77	91	NE	2	b	

February 6*d*. 11*h*. 12*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 11° N. Long. 114° E., moving West, position uncertain.

February 6*d*. 11*h*. 20*m*.—Pressure has increased slightly to moderately over Japan. It has decreased slightly along the east coast of China and is nearly stationary along the south coast.

The anticyclone has weakened. It is now central over the Yellow Sea.

The position of the typhoon is uncertain. It is probably in about Lat. 11° N. and Long. 114° E., moving West.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Possibly cyclonic gales over the S. China Sea.

Manila warning. 5*d*. 11*h*. 45*m*.:—Typhoon in Lat. 15° N. Long. 115° E., moving W. Recd. 5*d*. 12*h*. 36*m*.

Shanghai warning. 5*d*. 15*h*. 35*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 115° E., moving W. Recd. 5*d*. 16*h*. 15*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·05 inch. Total since January 1st, 0·26 inches, against an average of 1·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; overcast at first, improving later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th FEBRUARY, 1926.								7th FEBRUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.10	764.6	23	...	SSW	2	b	6	30.28	769.1	14	...	NNE	3	c
Nemuro,	11	29.90	759.5	...	...	NW	1	...	5	30.02	762.5	...	...	SW	1	...
Hokodate,	"	30.08	764.0	...	...	NW	4	...	"	30.06	763.5	...	...	WSW	1	...
Tokio,	"	30.12	765.0	...	...	NW	1	...	"	30.20	767.0	...	...	NNW	2	...
Kochi,	"	30.24	768.0	...	...	...	0	...	"	30.20	767.0	...	...	S	1	...
Nagasaki,	"	30.30	769.5	...	...	W	1	...	"	30.20	767.0	...	...	...	...	...
Kagoshima,	"	30.26	768.5	...	...	...	0	...	"	30.20	767.0	...	...	WNW	1	...
Oshima,	"	30.24	768.0	...	...	...	0	...	"	30.18	766.5	...	...	SE	1	...
Naha,	"	30.20	767.0	...	...	ENE	1	...	"	30.14	765.5	...	...	...	0	...
Ishigakijima,	"	30.18	766.5	...	...	NE	1	...	"	30.08	764.0	...	...	ENE	1	...
Bonin Island,	"	30.12	765.0	...	...	NNW	1	...	"	30.18	766.5	...	...	...	0	...
Chefoo,	15	30.27	768.8	36	90	WNW	1	b	6	30.20	767.0	28	100	...	0	0
Hankow,	"	...	...	...	...	...	...	...	"	30.26	768.6	41	...	S	1	b
Ichang,	"	...	...	...	...		...	...	"	29.85	758.2	35	...	...	0	b
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	..	...
Shanghai,	14	30.31	769.8	48	42	NNE	1	b	"	30.25	768.3	37	100	ENE	1	0
Gutzlaff,	"	30.34	770.6	44	60	N	1	b	"	30.27	768.8	40	91	NE	1	b
Sharp Peak,	"	30.16	766.0	50	86	N	1	0	"	30.15	765.8	50	93	N	1	r
Amoy,	15	...	...	...	...	...	...	...	6	30.18	766.6	56	89	ENE	2	0
Swatow,	"	...	..	...	...	...	...	...	"	...	..	...	...	...	...	...
Taihoku,	11	30.19	766.8	57	96	E	4	r	5	30.07	763.8	57	96	...	0	0
Taichu,	"	30.18	766.5	59	...	...	0	0	"	30.04	762.9	55	...	...	0	0
Tainan,	"	30.14	765.6	68	...	NE	4	b	"	30.04	762.9	57	..	N	2	b
Koshun,	"	30.11	764.7	73	...	NNE	4	b	"	30.02	762.6	64	...	NNE	2	b
Pescadores,	"	30.17	766.2	61	...	ENE	4	0	"	30.08	764.1	59	...	ENE	4	0
Canton,	14	..	...	...	...	...	...	...	6	...	..	...	...	...	...	...
Hongkong,	"	30.12	765.0	58	80	ESE	2	0	"	30.07	763.8	58	84	E	4	0
Gap Rock,	"	30.13	765.3	...	...	ENE	5	0	"	30.05	763.2	...	...	ENE	4	0
Macao,	"	30.10	764.4	54	90	NNE	2	0	"	30.04	762.9	54	92	N	4	0
Wuchow,	15		...	...	...	...	...	...	9	...	...	...	...	..	...	...
Pakhoi,	"	...	...	...	...	..	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	..	...	...	"	...	...	...	...	..	...	...
Pratas Island,	"	30.11	764.8	69	...	NE	6	cd	"	30.05	763.2	70	...	ENE	4	c
Phulien,	"	30.06	763.5	59	53	ENE	4	rf	7	...	..	...	...	...	...	...
Tourane,	"	30.00	762.0	73	...	ESE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.89	759.3	79	...	ENE	4	bf	"	...	...	...	...	...	...	...
Basco,	14	29.99	761.7	70	45	N	4	0	6	30.04	762.9	66	96	NE	4	r
Aparri,	"	29.95	760.8	72	94	NE	4	r	"	29.94	760.5	72	96	NE	4	r
Manila,	"	29.86	758.4	82	70	SW	2	0	"	29.91	759.6	72	94	E	1	b
Legaspi,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Tacloban,	"	...	...	...	...	..	...	...	"	29.88	759.0	75	96	...	0	0
Iloilo,	"	29.81	757.2	86	68	NE	6	0	"	29.88	759.0	75	91	N	4	0
Surigao,	..	29.82	757.5	81	98	N	2	0	"	29.86	758.4	73	96	...	0	0
Guam,	12.20	29.81	757.2	...	...	NE	4	0	4.20	29.86	758.4	...	...	NE	2	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	..	...	...	...	...	...
Pelew,	11.00	.	..	...	...	...	...	...	5	29.80	756.9	78	...	ENE	2	c
Labuan,	14	29.77	756.1	84	83	NE	4	b	6	29.84	757.9	...	...	NE	2	b

February 6*d.* 18*h.* 37*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 11° N. Long. 113° E., moving West, position uncertain.

February 7*d.* 11*h.* 48*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 12° N. Long. 113° E., filling up, position uncertain.

February 7*d.* 11*h.* 50*m.*—Pressure has decreased moderately from the Yangtze Valley to S.W. Japan and slightly from the Loochoos to Hongkong.

The anticyclone has weakened and now extends from the Yangtze Valley to the East of Japan. Another is central over S. Manchuria.

The typhoon in the China Sea has filled up.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·26 inches, against an average of 1·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; generally cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th February, 1926.								8th February, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	30.19	766.7	22	...	NNE	4	o	6	30.05	763.3	24	...	...	o	o
Nemuro,	11	30.02	762.5	...	...	W	1	...	5	30.16	766.0	...	...	...	o	...
Hokodate,	,,	30.02	762.5	...	...	WNW	3	...	,,	30.18	766.5	...	...	...	...	...
Tokio,	,,	30.14	765.5	...	...	...	o	...	,,	30.18	766.5	...	...	N	1	...
Kochi,	,,	30.18	766.5	...	...	...	o	...	,,	30.10	764.5	...	...	NNE	1	...
Nagasaki,	,,	30.20	767.0	...	...	...	o	...	,,	30.10	764.5	...	...	...	..	...
Kagoshima,	,,	30.18	766.5	...	...	ENE	3	...	,,	30.08	764.0	...	...	E	1	...
Oshima,	,,	30.14	765.5	...	...	SE	1	...	,,	30.06	763.5	...	...	SSE	1	...
Naha,	,,	30.16	766.0	...	...	E	1	...	,,	30.02	762.5	...	...	...	...	...
Ishigakijima,	,,	30.10	764.5	...	...	ENE	1	...	,,	30.00	762.0	...	...	SE	1	...
Bonin Island,	,,	30.18	766.5	...	...	ENE	1	...	,,	30.20	767.0	...	...	...	c	...
Chefoo,	15	30.07	763.8	42	66	S	1	b	6	30.03	762.7	34	82	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.14	765.5	45	...	...	c	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	39	...	...	c	b
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai,	14	30.15	765.9	52	51	SE	1	o	,,	30.11	764.7	43	94	ESE	1	o
Gutzlaff,	,,	30.18	766.6	46	77	NNE	1	o	,,	30.13	765.3	44	100	SE	1	r
Sharp Peak,	,,	30.08	764.0	56	87	N	1	o	,,	30.04	763.0	54	94	...	c	rf
Amoy,	15	30.04	763.0	62	90	SSE	4	o	6	30.03	762.7	58	90	SSW	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Taihoku,	11	30.06	763.5	66	80	NW	2	o	5	30.01	762.3	61	98	...	c	r
Taichu,	,,	30.08	764.1	72	...	..	o	b	,,	30.02	762.6	57	..	...	c	o
Tainan,	,,	30.08	764.1	73	...	NW	2	b	,,	29.99	761.7	59	..	NE	4	o
Koshun,	,,	30.06	763.5	75	...	NNE	4	b	,,	29.97	761.1	63	..	...	c	b
Pescadores,	,,	30.12	765.0	66	...	NE	4	r	,,	30.01	762.3	61	...	E	4	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.01	762.2	61	80	ESE	4	o	,,	29.97	761.2	60	81	E	4	o
Gap Rock,	,,	30.02	762.5	...	...	ENE	5	o	,,	29.94	760.5	...	...	ENE	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	29.98	761.4	54	...	E	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.05	763.5	72	...	ENE	4	c	,,	29.99	761.7	71	...	ENE	4	c
Phulien,	,,	29.94	760.5	61	53	NNW	1	rf	7	29.91	759.6	61	100	...	o	rf
Tourane,	,,	29.92	759.9	75	...	...	o	b	,,	29.91	759.6	70	..	ESE	2	o
Cape St. James,	,,	29.87	758.7	82	...	ENE	2	bf	,,	29.91	759.6	72	...	ENE	2	o
Basco,	14	29.88	759.0	75	79	ESE	4	o	6	29.92	759.9	68	87	NE	6	o
Aparri,	,,	29.87	758.7	77	88	NE	4	o	,,	29.89	759.3	72	96	...	o	o
Manila,	,,	29.85	758.1	86	61	WSW	2	b	,,	29.88	759.0	70	92	E	1	b
Legaspi,	,,	29.85	758.1	81	87	NNE	4	o	,,	29.86	758.4	73	96	N	1	o
Taoloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	86	65	NE	4	o	,,	29.86	758.4	75	91	N	4	o
Surigao,	,,	29.81	757.2	79	89	NW	2	o	,,	29.84	757.8	75	96	...	c	o
Guam,	12.20	29.84	757.8	...	...	NE	6	o	4.20	29.86	758.4	...	...	NE	6	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.05	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	78	91	NE	2	o	6	29.82	757.4	78	91	N	2	b

February 8*d.* 11*h.* 22*m.*—Pressure has increased moderately over N.E. Japan. It is nearly stationary in the extreme South, and has decreased slightly to moderately elsewhere.

The anticyclone is central to the east of Japan.

Moderate to light monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·26 inches, against an average of 1·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; generally overcast, some drizzle or mist.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th FEBRUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	9th FEBRUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	29.98	761.5	29	...	ESE	4	o	6	30.07	763.8	28	...	...	o	o
Nemuro,	11	30.14	765.5	...	...	SE	1	...	5	30.00	762.0	...	...	...	o	...
Hokodate,	.	30.10	764.5	...	...	E	1	...	,,	30.04	763.0	...	...	...	o	...
Tokio,	,,	30. 0	764.5	...	...	NW	1	...	,,	30.12	765.0	...	...	...	o	...
Kochi,	,,	30.08	764.0	...	...	WSW	1	...	,,	30.16	766.0	...	...	...	o	...
Nagasaki,	,,	30.12	765.0	...	...	NNW	1	...	,,	30.16	766.0	...	...	...	o	...
Kagoshima,	,,	30.10	764.5	...	...	NE	1	...	,,	30.14	765.5	...	...	NW	1	...
Oshima,	,,	30.04	763.0	...	...	...	c	...	,,	30 06	763.5	...	...	...	o	...
Naha,	,,	30.02	762.5	...	...	SSE	2	...	,,	30.04	763.0	...	...	...	o	...
Ishigakijima,	,,	30.00	763.0	...	...	SSE	1	...	,,	30.00	762.0	...	...	...	o	...
Bonin Island,	,,	30.16	766.0	...	...	ENE	1	...	,,	30.12	765.0	...	...	...	o	...
Chefoo,	15	30.01	762.2	48	63	SW	1	b	6	30.05	763.2	38	84	...	c	b
Hankow,	,,	...	...	...	...	...	...	...	,,	29.98	761.5	52	..	...	o	o
Ichang,	,,	...	..	...	...	...	...	...	,,	...	...	50	...	...	c	f
Changsha,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	..	...
Shanghai,	14	30.10	764.4	52	75	ESE	3	o	,,	30.06	763.5	46	94	ESE	2	r
Gutzlaff,	,,	30.10	764.5	47	100	SE	2	of	,,	30.07	763.8	46	100	SE	4	o
Sharp Peak,	,,	30.02	762.5	65	73	E	1	of	,,	30.01	762.2	58	93	...	c	o
Amoy,	15	29.94	760.5	64	95	ENE	2	o	6	30.03	762.7	58	100	...	o	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	..	...	..	...	...	...
Taihoku,	11	30.02	762.6	68	77	..	o	b	5	29.98	761.4	59	91	E	2	b
Taichu,	,,	30.02	762 6	73	...	WSW	2	b	,,	30.00	762.0	55	..	...	c	b
Tainan,	,,	29.99	761.7	75	...	N	2	b	,,	29.98	761.4	59	..	N	2	o
Koshun,	,,	29.99	761.7	81	...	..	c	b	,,	29.95	760.8	64	..	..	c	o
Pescadores,	,,	30.04	762.9	66	...	NNE	4	o	,,	30.00	762.0	63	...	NNE	2	o
Canton,	14	...	..	...	...	...	...	...	6	...	..	...	..	...	...	...
Hongkong,	,,	29.93	760.2	62	87	ESE	3	o	,,	29.94	760 5	63	86	ESE	3	o
Gap Rock,	,,	29.92	759.9	...	...	ENE	4	o	,,	29.92	759.9	...	..	ENE	4	o
Macao,	,,	29.92	759.9	63	90	SE	1	of	,,	29.93	760.2	63	96	SE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	..	..	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	...	...	...	...	...	...	...	,,	29.99	761.7	74	...	N	3	...
Phulien,	,,	29.82	757.5	64	100	NW	1	lf	7	29.85	758.1	68	100	ESE	2	rf
Tourane,	,,	29.84	757.8	75	...	ESE	2	b	,,	29.86	758.4	68	..	S	4	o
Cape St. James,	,,	29.85	758.1	84	...	SE	2	bf	,,	29.89	759.3	72	...	SE	2	o
Basco,	14	29.85	758.1	75	94	E	4	o	6	...	..	..	..	...	...	...
Aparri,	,,	29.84	757.8	79	80	NE	4	b	,,	29.88	759.0	72	92	S	2	b
Manila,	,,	29.80	756.9	90	68	SSE	4	b	,,	29.87	758.7	75	88	...	c	o
Legaspi,	,,	29.84	757.8	77	91	ENE	1	o	,,	29.86	758.4	77	91	N	1	o
Tacloban,	,,	29 80	756.9	79	92	..	o	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	86	68	NNE	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.5	...	...	NE	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	..	...	...	...	...	...	...	5	29.83	757.7	78	...	ENE	2	c
Labuan,	14	29.74	755.4	84	83	S	2	b	6	29.81	757.2	78	91	NE	2	b

February 9*d*. 11*h*. 17*m*.—Pressure has decreased moderately over N.E. Japan and over the Yangtze Valley. It has increased slightly over S.W. Japan and the Loochoos and is nearly stationary elsewhere.

The anticyclone has strengthened slightly and extends from S.W. Japan to the Pacific.

Moderate to light monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·26 inches, against an average of 1·99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. or variable winds, moderate to light; generally overcast, some drizzle or mist.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th FEBRUARY, 1926.								10th FEBRUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.00	762.0	30	...	SSW	2	o	6	30.01	762.3	23	...	NNE	4	o
Nemuro,	11	30.02	762.5	...	...	...	...	...	5	29.98	761.5	...	..	SSW	1	...
Hokodate,	..	30.06	763.5	...	...	W	2	...	,,	29.96	761.0	...	...	..	...	...
Tokio,	,,	30.16	766.0	...	...	SSE	1	...	,,	30.04	763.0	...	..	..	0	...
Kochi,	,,	30.28	769 0	...	...	...	0	...	,,	29.78	756.5	...	...	SW	1	...
Nagasaki,	,,	30.14	765 5	...	...	ESE	2	...	,,	29.73	755.0	...	..	W	5	...
Kagoshima,	,,	30.14	765.5	...	...	...	0	...	,,	29.78	756.5	...	...	W	2	...
Oshima,	,,	30.06	763.5	...	...	ESE	1	...	,,	29.90	759.5	...	...	S	1	...
Naha,	,,	30.04	763.0	...	...	SE	1	...	,,	29.96	761.0	...	...	S	1	...
Ishigakijima,	,,	30.04	763.0	...	...	SE	2	...	,,	29.98	761.5	...	...	WSW	1	...
Bonin Island,	,,	30.14	765.5	...	...	...	0	...	,,	30.16	766.0	...	...	SE	1	...
Chefoo,	15	29.96	761.0	46	77	SW	2	o	6	30.19	766.8	28	65	NW	6	o
Hankow,	,,	...	...	...	...	...	...	...	,,	30.35	770.9	46	..	...	c	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.91	759.7	46	...	S	1	b
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.89	759.3	54	92	SE	r	...	,,	30.13	765.4	45	80	WNW	6	o
Gutzlaff,	,,	29.93	760.2	47	100	SE	4	of	,,	30.11	764.8	42	92	NW	6	o
Sharp Peak,	,,	29.94	760.5	69	86	...	0	b	7	29.97	761.2	56	94	...	0	of
Amoy,	15	29.91	759.7	66	91	SSE	2	b	6	29.97	761.2	62	100	SSE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Taihoku,	11	30.00	762.0	75	63	...	0	b	5	29.98	761.4	63	94	...	0	o
Taichu,	,,	30.04	762.9	70	...	...	0	b	,,	30.04	762.9	63	...	...	0	b
Tainan,	,,	30.01	762.3	75	...	NNW	2	b	,,	30.01	762.3	66	..	NE	2	o
Koshun,	,,	29.99	761.7	81	...	NNW	2	b	,,	29.97	761.1	68	...	NNW	2	b
Pescadores,	,,	30.06	763.5	70	...	NE	4	b	,,	30.00	762.0	64	...	...	0	b
Canton,	14	29.92	759.9	72	81	S	2	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.94	760.5	64	84	E	2	o	,,	30.00	762.0	65	91	...	0	om
Gap Rock,	,,	29 94	760.5	...	...	ENE		o	,,	30.01	762.2	...	...	ENE	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	29.99	761.7		98	...	c	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.02	762.5	79	...	E	3	o	,,	30.02	762.5	74	...	NE	4	c
Phulien,	,,	29.85	758.1	68	100	ENE	1	rf	7	29.97	761.1	68	100	ESE	4	rf
Tourane,	,,	29.84	757.8	77	...	S	4	b	,,	29.92	759.9	70	...	...	c	rf
Cape St. James,	,,	29.84	757.8	84	...	S	2	b	,,	29.87	758.7	75	...	ENE	6	o
Basco,	14	29.86	758.4	79	89	FSE	4	o	6	...	..	...	..	...	...	...
Aparri,	,,	29.85	758.1	84	71	NE	4	b	,,	29.94	760 5	72	96	...	c	o
Manila,	,,	29.84	757.8	90	48	SE	4	o	,,	29.92	759.9	72	88	NE	1	b
Legaspi,	,,	29.82	757.5	86	75	NNE	2	b	,,	29.91	759.6	77	91	NNE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	86	61	ENE	6	o	,,	29.87	758.7	75	92	N	4	o
Surigao,	..	29.80	756.9	84	77	ENE	4	o	,,	29.86	758.4	75	96	...	o	o
Guam,	12.20	29 85	758.1	...	...	NE	6	o	4.20	29.91	759.6	...	...	NE	4	o
Yap,	12.47	29.82	757.5	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	..	...	...	...	...	...	...	5	29.85	758.2	78	...	ENE	2	c
Labuan,	14	29.71	754.6	86	88	N	2	b	6	29.86	758.4	77	94	NE	2	b

February 10*d*. 11*h*. 35*m*.—Pressure has decreased considerably over S.W. Japan and slightly from the Bonins to N.E. Japan. It has increased considerably from N.E. China to the Yangtze Valley and slightly from Formosa to Tongking and the Philippines.

The anticyclone has passed into the Pacific. Another is forming over China.

A somewhat deep depression is shown over S.W. Japan.

The monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·26 inches, against an average of 2·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Light N.E. winds, freshening; overcast and foggy at first, improving later and becoming cooler.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th February, 1926.									11th February, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	29.94	760.5	19	...	N	4	o		6	30.25	768.4	6	...	NW	2	b	
Nemuro,	11	29.90	759.5	...	...	SSW	1	...		5	...	...	...	..	..	...	...	
Hokodate,	,,	29.72	755.0	...	...	E	1	...		,,	29.63	752.5	...	...	WNW	6	...	
Tokio,	,,	29.74	755.5	...	...	N	1	...		,,	29.76	756.0	...	..	NNW	2	...	
Kochi,	,,	29.65	753.0	...	...	...	...	...		,,	30.02	762.5	...	...		0	...	
Nagasaki,	,,	29.84	758.0	...	...	WSW	4	...		,,	30.22	767.5	...	...	NNW	5	...	
Kagoshima,	,,	29.86	758.5	...	...	NW	3	...		,,	30.16	766.0	...	...	NW	1	...	
Oshima,	,,	29.98	761.5	...	...	NNW	2	...		,,	30 16	766.0	...	...	N	3	...	
Naha,	,,	30.04	763.0	...	...	NNW	3	...		,,	30.06	763.5	...	...	NE	1	...	
Ishigakijima,	,,	30.06	763.5	...	...	SW	1	...		,,	30.14	763.5	...	...	NE	1	...	
Bonin Island,	,,	30.10	764.5	...	...	SSE	2	...		,,	30.02	762.5	...	...	SSW	1	...	
Chafoo,	15	30.37	771.4	24	87	NNW	4	b		6	30.50	774.7	24	87	NNW	1	b	
Hankow,	,,	...	...	...	...	...	...	...		,,	30.41	772.4	44	..	...	0	c	
Ichang,	,,	...		...	...	...	...	...		,,	30. 0	764.5	...	...	...	0	...	
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	..	...	
Shanghai,	14	30.30	769 5	46	66	NNW	4	o		,,	30.53	775.5	34	67	NNE	2	o	
Gutzlaff,	,,	30.27	768.8	44	92	NNW	4	o		,,	30.30	774.7	36	70	N	6	o	
Sharp Peak,	,,	30.04	763.0	60	85	ENE	4	o		7	30.29	769.3	47	91	NE	2	r	
Amoy,	15	30.00	762.0	65	95	SE	2	o		6	30.22	767.6	56	100	ESE	2	r	
Swatow,	,,	...	..	...	...	...	...	...		,,	...	..	...	...	...	..	...	
Taihoku,	11	30.10	764.4	72	75	...	o	o		5	30.25	768.3	64	94	E	4	r	
Taichu,	,,	30.08	764.1	77	...	...	o	b		,,	30.12	765.0	61	...	N	2	o	
Tainan,	,,	30.05	763.2	81	...	NNE	2	b		,,	30.10	764.4	61	..	N	4	o	
Koshun,	,,	30.00	762.0	82	...	NNW	4	b		,,	30.07	763.8	68	...	NE	4	b	
Pescadores,	,,	30.08	764.1	77	...	W	2	b		,,	30.17	766.2	61	...	NE	6	o	
Canton,	14	30.00	762.0	70	80	N	2	o		6	...	...	...	...	...	...	...	
Hongkong,	,,	29.99	761.7	70	78	NE	2	o		,,	30.15	765 8	60	84	E	4	o	
Gap Rock,	,,	29.99	761.7	...	...	ENE	2	o		,,	30.11	764.8	...	...	N	2	o	
Macao,	,,	29.97	761.1	73	71	...	2	o		,,	30.13	765.3	59	93	NNW	2	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	..	...	...	...	
Pakhoi,	,,	...	..	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.08	764.0	80	...	E	3	b		,,	30.11	764.8	74	...	NE	5	od	
Phulien,	,,	29.94	760.5	73	86	ESE	1	o		7	30.08	764.1	64	98	ENE	4	rf	
Tourane,	,,	29.94	760.5	79	...	E	2	b		,,	30.05	763.2	72	...	E	2	o	
Cape St. James,	,,	29.91	759.6	79	...	ENE	6	b		,,	29.89	759.3	75	...	ENE	6	o	
Basco,	14	29.92	759.9	82	81	ESE	4	o		6	...	...	...	...	...	...	...	
Aparri,	,,	29.91	759.6	86	71	NE	4	b		,,	...	...	...	...	...	...	...	
Manila,	,,	29.87	758.7	86	58	WSW	2	o		,,	29.95	760.8	72	92	...	0	b	
Legaspi,	,,	29.88	759.0	86	68	NE	4	b		,,	29.93	760.2	79	90	N	2	b	
Tacloban,	,,	29.85	758.1	84	77	SE	4	o		,,	29.93	760.2	77	86	NNE	2	o	
Iloilo,	,,	29.82	757.5	86	61	NE	6	o		,,	29 89	759.3	77	96	N	4	o	
Surigao,	,,	29.84	757.8	84	77	E	2	o		,,	29.89	759.3	77	89	ENE	2	o	
Guam,	12.20	29.85	758.1	...	...	ENE	6	o		4.20	29.89	759.3	...	...	NE	4	o	
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	29.88	758.9	77	...	E	2	c	
Labuan,	14	29.71	754.6	86	88	E	2	b		0	29.81	757.2	78	91	NE	1	o	

February 11*d.* 11*h.* 40*m.*—Pressure has increased considerably from Shanghai to S.W. Japan and moderately over S. China. It has decreased moderately over N.E. Japan and is nearly stationary in the extreme South.

The Japanese depression is passing into the Pacific.

An anticyclone covers China and S.E. Mongolia.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·26 inches, against an average of 2·09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong; generally overcast, some drizzle or mist.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th February, 1926.									12th February, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostook,	12	30.24	768.2	16	...	NNE	3	b		6	30.28	769.0	1	...		0	b	
Nemuro,	11	29.47	748.5	...	...	NW	6	...		5	29.94	760.5	...	...	W	2	...	
Hokodate,	..	29.74	755.5	...	...	WNW	6	...		,,	30.12	765.0	...	...	WNW	3	...	
Tokio,	,,	29.82	757.5	...	...	WSW	1	...		,,	30.30	769.5	...	...	NNW	1	...	
Kochi,	,,	30.08	764.0	...	...	W	1	...		,,	30.34	770 5	...	...	...	0	...	
Nagasaki,	,,	30.28	769.0	...	...	N	1	...		,,	30.39	772.0	...	...	...	...	...	
Kagoshima,	,,	30.24	768.0	...	...	NW	2	...		,,	30.36	771.0	...	...	NW	1	...	
Oshima,	,,	30.21	768.0	...	...	N	3	...		,,	30.32	770.0	...	...	NNW	1	...	
Naha,	,,	30.26	768.5	...	...	NNE	4	...		,,	30.28	769.0	...	...	NE	1	...	
Ishigakijima,	,,	30.24	768.0	...	...	NE	3	...		,,	30.28	769.0	...	...	ENE	2	...	
Bonin Island,	,,	30.02	762.5	...	...	W	1	...		,,	30.16	766.0	...	...	...	0	...	
Chefoo,	15	29.98	761.5	30	88	E	1	b		6	30.38	771.6	28	88	S	1	o	
Hankow,	,,	...	.	...	...	...	...	...		,,	30.32	770.1	45	...	ESE	2	o	
Ichang,	,,	...	.	...	...	...	...	...		,,	29.95	760.7	45	...	NE	2	b	
Changsha,	,,	...	..	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	14	30.51	774 9	45	44	NE	1	b		,,	30.37	771.3	34	70	NE	2	b	
Gutzlaff,	,,	30.52	775.2	42	58	NE	4	b		,,	30.41	772.4	40	85	SSE	4	b	
Sharp Peak,	,,	30.32	770.1	52	79	N	1	o		7	30.32	770.1	48	85	N	1	o	
Amoy,	15	30.28	769.1	60	90	ENE	2	b		6	30.26	768.6	52	100	NNE	1	b	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	..	...	..	...	...	...	
Taihoku,	11	30.38	771.6	55	96	E	4	r		5	30.22	767.7	57	96	E	4	b	
Taichu,	,,	30.28	769.2	57	...	N	4	o		,,	30.21	767.4	52	...	...	c	of	
Tainan,	,,	30.22	767.7	64	...	N	6	o		,,	30.20	767.1	55	...	NNW	1	b	
Koshun,	,,	30.15	765.9	72	...	NNE	6	o		,,	30.14	765.6	66	...	NE	6	b	
Pescadores,	,,	30.28	769.2	61	...	NE	7	o		,,	30.21	767.4	61	...	NE	4	o	
Canton,	14	...	...	...	...	...	...	...		6	...	..	..	...	...	...	...	
Hongkong,	,,	30.17	766.3	63	75	E	3	o		,,	30.22	767.6	58	81	E	3	o	
Gap Rock,	,,	30.16	766.0	...	...	ENE	5	o		,,	30.20	767.1	...	...	ENE	5	o	
Macao,	,,	30.14	765.6	64	76	NE	2	o		,,	30.17	766.2	59	89	ESE	4	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	..	...	...	...	
Pakhoi,	,,	...	..	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	..	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.21	767.3	73	...	NNE	6	o		,,	30.20	767.1	72	...	NE	6	od	
Phulien,	,,	30.11	764.7	68	91	WSW	1	of		7	30.08	764.1	64	100	...	...	f	
Tourane,	,,	30.05	763.2	75	...	E	2	o		,,	30.07	763.8	72	...	E	2	o	
Cape St. James,	,,	29.88	759.0	79	...	ENE	6	bf		,,	29.92	759.9	75	...	ENE	4	bf	
Basco,	14	...	...	...	...	...	...	...		6	30.12	765.0	70	88	NE	4	r	
Aparri,	,,	...	...	..	...	...	...	...		,,	30.05	763.2	73	91	ENE	4	b	
Manila,	,,	29.91	759.6	83	50	SE	4	o		,,	30.00	762.0	70	87	NE	1	b	
Legaspi,	,,	29.93	760.2	86	65	NNE	4	o		,,	29.98	761.4	61	74	NNE	4	o	
Tacloban,	,,	..		...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.86	758.4	86	56	NE	6	o		,,	29.93	760.2	77	88	N	4	o	
Surigao,	,,	29.88	759.0	86	65	ENE	4	b		,,	...	...	...	..	...	...	...	
Guam,	12.20	29.86	758.4	...	...	NE	6	o		4.20	29.92	759.9	...	...	NE	6	o	
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	..	...	...	...	...	...	
Pelew,	11.00	..	...	...	...	...	...	...		5	29.91	759.7	77	...	NE	2	b	
Labuan,	14	29.77	756.1	84	91	NE	2	b		6	29.83	757.7	77	94	NE	2	b	

February 12*d.* 11*h.* 4c*m.*—Pressure has increased considerably over central Japan and moderately over S.W. Japan, the Bonins and the Loochoos. It has decreased moderately along the Yangtze Valley and is nearly stationary elsewhere.

The anticyclone is central over Korea.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·26 inches, against an average of 2·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th February, 1926.									13th February, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.18	766.5	23	...	...	...	b		6	30.17	766.3	17	..		0	b	
Nemuro,	11	29.96	761.0	...	...	WSW	1	...		5	30.00	762.0	...	..	S	1	...	
Hokodate,	,,	30.16	766.0	...	...	W	5	..		,,	30.08	764.0	...	..	W	4	...	
Tokio,	,,	30.30	769.5	...	...	...	0	...		,,	30.32	770.0	...	..	N	1	...	
Kochi,	,,	30.31	770.0	...	...	SW	1	...		,,	30.36	771.0	...	..	SSW	1	...	
Nagasaki,	,,	30.42	773.0	...	...	WNW	4	...		,,	...	...	...	..	...	...	...	
Kagoshima,	,,	30.37	771.5	...	...	ENE	1	...		,,	30.38	771.5	...	...	NW	1	...	
Oshima,	,,	30.37	771.5	...	...	NNE	1	...		,,	30.34	770.5	...	...	S	1	...	
Naha,	,,	30.35	771.0	...	...	NE	1	...		,,	30.30	769.5	...	...	ESE	5	...	
Ishigakijima,	,,	30.30	769.5	...	...	E	2	...		,,	30.22	767.5	...	...	ESE	2	...	
Bonin Island,	,,	30.18	766.5	...	..	N	1	...		,,	30.28	769.0	...	..		0	...	
Chefoo,	15	30.34	770.6	38	72	SW	2	o		6	30.26	768.6	32	82	SSW	1	b	
Hankow,	,,	...	...	...	...	...	...	...		,,	30.21	767.3	48	..	...	0	o	
Ichang,	,,	...	.	...	...	...	...	...		,,	29.98	761.5	48	...	...	0	r	
Changsha,	,,	.	.	..	...	...	...	...		,,	...	...	...	...	...	..	...	
Shanghai,	14	30.30	769.5	55	49	SE	1	b		,,	30.27	768.9	43	94	SE	1	o	
Gutzlaff,	,,	30.35	770 9	48	11	SSE	4	o		,,	30.30	769.6	47	93	SE	4	o	
Sharp Peak,	,,	30.30	769.6	58	79	N	1	o		,,	30.22	767.6	56	87	W	2	o	
Amoy,	15	30.23	767.8	64	95	NE	1	b		6	30.19	766.8	58	100	ENE	1	o	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	...	...	..	...	...	...	
Taihoku,	11	30.26	768.6	70	77	E	4	b		5	30 18	766 5	61	96	...	0	o	
Taichu,	,,	30.25	768.3	72	...	...	0	b		,,	30.19	766.8	57	...	...	0	of	
Tainan,	,,	30 25	768.3	73	...	NNW	2	b		,,	30.15	765.9	59	...	N	2	o	
Koshun,	,,	30.22	767.7	73	...	NNE	4	o		,,	30.15	765.9	68	...	NNE	2	o	
Pescadores,	,,	30.27	768.9	64	...	NE	4	o		,,	30.17	766.2	63	...	NNE	4	b	
Canton,	14	...	...	..	...	...	..	...		6	...	...	...	...	...	...	...	
Hongkong,	,,	30.17	766.3	63	71	ESE	4	b		,,	30.15	765.8	60	81	E	4	o	
Gap Rock,	,,	30.17	766.3	..	...	ENE	5	o		,,	30.13	765.3	...	...	ENE	5	o	
Macao,	,,	30.14	765.6	68	73	SE	2	b		,,	30.11	764.7	63	82	SE	2	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	..	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.25	768.3	70	...	NE	6	cd		,,	30.13	765.3	70	..	ENE	6	cd	
Phulien,	,,	30.06	763.5	70	88	ESE	4	of		7	30.05	763.2	66	98	ENE	4	rf	
Tourane,	,,	30.04	762.9	73	...	E	2	b		,,	30.07	763.8	70	...	E	2	o	
Cape St. James,	,,	29.89	759.3	77	...	ENE	6	bf		,,	29.91	759.6	75	...	ENE	6	bf	
Basco,	14	30.07	763 8	72	96	NE	2	r		6	...	...	...	...	...	...	...	
Aparri,	,,	30.02	762.6	79	80	ENE	4	o		,,	30.04	762.9	72	78	E	2	o	
Manila,	,,	29.94	760.5	90	44	ENE	4	o		,,	30.00	762.0	72	84	NE	1	b	
Legaspi,	,,	29.94	760.5	86	68	NE	4	b		,,	29.98	761.4	79	80	NNE	4	o	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.88	759 0	86	41	NE	6	o		,,	...	...	...	...	...	...	...	
Surigao,	,,	29.88	759.0	81	86	NE	4	o		,,	...	...	...	...	...	...	...	
Guam,	12.20	29.89	759.3	...	...	NE	4	o		4.20	...	...	...	...	...	...	...	
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	..	...	...	...	...		5	29.87	758.7	78	...	NE	3	o	
Labuan,	14	29.77	756.1	84	83	NE	2	b		6	29.81	757.2	78	86	NE	4	b	

February 13*d*. 11*h*. 10*m*.—Pressure has decreased slightly over China. It is nearly stationary elsewhere.

The anticyclone is central over S.W. Japan.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·26 inches, against an average of 2·19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; generally cloudy, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th February, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th February, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock.	12	30.12	765.1	31	...	SE	3	h	6	29.92	760.0	30	...	SE	3	o
Nemuro.....	11	29.96	761.0	...	...	W	2	...	5	29.94	760 5	...	..	S	1	...
Hokodate, ...	..	30.12	765.0	...	...	WNW	4	..	,,	30.20	767.0	...	...	...	c	...
Tokio,.....	,,	30.28	769.0	...	...	...	c	..	,,	30.28	769.0	...	..	NW	1	...
Kochi, ...	,,	30.33	770.5	...	...	...	c	...	,,	30.16	766.0	...	..	W	1	...
Nagasaki, ...	,,	30.37	771.5	...	...	SE	1	...	,,	30.00	762.0	...	..	.	...	...
Kagoshima, ...	,,	30.33	770.5	...	...	NE	1	...	,,	30.08	764.0	...	...	SE	1	...
Oshima, ...	,,	30.30	769.5	...	..	SSE	1	...	,,	30.08	764.0	...	...	SSE	1	...
Naha, ...	,,	30.28	769.0	...	...	SSE	2	...	,,	30.08	764.0	...	..	SSE	1	...
Ishigakijima,..	,,	30.22	767.5	...	..	SE	3	...	,,	30.04	763.0	...	...	S	4	...
Bonin Island,..	..	30.28	769.0	...	...	WNW	1	...	,,	30.26	768.5	...	..	..	c	...
Chefoo, ...	15	30.10	764.5	42	75	SSE	1	b	6	29.97	761.2	40	91	SE	1	o
Hankow, ...	,,	...	...	...	...	...	...	...	,,	30.13	765.3	46	..	...	o	c
Ichang, ...	,,	...	..	...	...	...	...	...	,,	29.84	757.9	48	...	SE	1	f
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai, ...	14	30.11	764.7	57	77	SE	4	o	,,	30.00	762.0	50	92	WNW	4	r
Gutzlaff,.....	,,	30.14	765.5	50	100	SE	4	r	,,	30.01	762.2	48	100	WNW	6	of
Sharp Peak, ..	,,	30.10	764.5	68	79	...	c	o	7	30.00	762.0	56	99	...	o	1f
Amoy, ...	15	30.06	763.5	64	76	SSE	2	o	6	29.99	761.7	60	94	SE	1	o
Swatow,.....	..	...	...	...	...	...	...	...	,,	...	..	...	..	...	...	...
Taihoku, ...	11	30.14	765.6	63	81	...	o	o	5	30.01	762.3	61	98	...	o	o
Taichu, ...	,,	30.14	765.6	72	...	...	c	o	,,	30.01	762.3	59	...	...	c	b
Tainan, ...	,,	30.13	765.3	77	...	WSW	2	b	,,	29.99	761.7	63	...	NE	2	b
Koshun,.....	,,	30 14	765.6	73	...	E	2	o	,,	29.98	761.4	72	...	E	2	o
Pescadores, ..	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	14	30.05	763 2	72	71	SSE	1	o	6	...	..	...	...	...	...	...
Hongkong,.....	,,	30.06	763.5	65	75	E	3	b	,,	30.00	762.0	63	89	...	o	o
Gap Rock, ...	,,	30.08	764.0	...	...	ENE	4	c	,,	30.01	762.2	...	...	ENE	4	o
Macao, ...	,,	30.05	763.2	72	62	SSE	4	b	,,	30.00	762.0	64	90	...	o	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi, ...	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	,,	30.13	765.3	74	...	ENE	5	cd	,,	30.01	762.2	73	...	NW	1	c
Phulien, ...	,,	29.99	761.7	70	98	SSE	4	rf	7	...	...	...	..	...	...	...
Tourane,.....	,,	30.00	762.0	75	...	SE	2	o	,,	...	...	...	...	...	...	...
Cape St. James.	,,	29 89	759.3	79	...	ENE	6	bf	,,	...	...	...	...	...	...	...
Basco,.....	14	30.07	763.8	72	96	NE	6	r	6	29.97	761.1	73	85	ESE	4	o
Aparri, ...	,,	30.00	762.0	75	79	ENE	4	o	,,	29.97	761.1	70	96	S	2	b
Manila, ...	,,	29.94	760.5	93	40	SE	4	b	,,	29.95	760.8	72	94	E	1	b
Legaspi, ...	,,	29.94	760.5	86	65	ENE	4	b	,,	29.94	760 5	77	79	NNE	2	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.87	758.7	86	52	NE	6	o	,,	29.89	759.3	73	85	N	4	o
Surigao, ...	..	29.89	759 3	84	68	ENE	4	b	,,	...	...	...	..	...	...	...
Guam,.....	12.20	29.85	758.1	...	...	NE	4	o	4.20	29.87	758.7	...	...	NE	1	o
Yap, ...	12.47	...	...	..	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	..	...	...	...	...	5	29.87	758.7	76	...	NNE	2	c
Labuan, ...	12	29.74	755.4	86	84	NE	4	b	6	29.86	758.4	80	87	NE	2	b

February 14*d.* 11*h.* 45*m.*—Pressure has decreased considerably over S.W. Japan, moderately over China, and slightly over the Philippines.

The anticyclone is passing into the Pacific.

Light to moderate variable winds may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·26 inches, against an average of 2·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks. 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	N.E. or variable winds, moderate to light; fine to cloudy, some fog, warm.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th February, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	15th February, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock.	12	29.74	755.5	31	...	FSE	4	o	6	30.17	766.2	3	..	WNW	4	c
Nemuro,.....	11	30.18	766.5	...	...	SSE	1	...	5	29.55	750.5	...	..	S	4	...
Hokodate, ...	.	30.10	764.5	...	...	SE	1	...	,,	29.59	751.5	...	..	SW	4	...
Tokio,.....	,,	30.16	766.0	...	...	NNW	1	...	,,	29.73	755.0	...	..	NW	1	...
Kochi, ...	,,	30.05	763.5	...	...	SW	1	...	,,	29.88	759.0	...	...	SW	1	...
Nagasaki, ...	,,	29.88	759.0	...	...	S	4	...	,,	30.04	763.0	...	..	NW	3	...
Kagoshima, ...	,,	29.98	761.5	...	...	SE	1	...	,,	30.10	764.5	...	...	NNW	1	...
Oshima, ...	,,	29.98	761.5	...	...	S	3	...	,,	30.02	762.5	...	...	N	1	...
Naha, ...	,,	30.28	769.0	...	...	E	1	...	,,	30.04	763.0	...	...	N	3	...
Ishigakijima,...	,,	.	...	...	...	...	...	...	,,	30.00	762.0	...	...	NNE	1	...
Bonin Island,..	..	30.24	768.0	...	...	...	c	...	..	30.12	765.0	...	...	SSE	1	...
Chefoo, ...	15	30.19	766.8	36	61	N	4	o	6	30.65	778.5	24	77	NW	6	b
Hankow, ...	,,	...	.	...	...	...	...	...	,,	30.35	770.9	50	..	E	3	o
Ichang, ...	,,	...	...	...	...	...	...	...	,,	30.04	763.0	54	...	E	1	...
Changsha, ...	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai.	14	30.08	764.1	55	77	NNW	4	o	,,	30.39	771.9	43	81	NNE	6	o
Gutzlaff,.....	,,	30.07	763.8	48	36	NNW	4	o	,,	30.34	770.6	40	91	N	6	o
Sharp Peak, ...	..	30.00	762.0	66	84	...	c	of	~	30.13	765.3	54	90	N	1	o
Amoy, ...	15	29.98	761.5	70	80	SSE	1	o	6	30.08	764.0	60	90	NW	4	o
Swatow,.....	,,	...	...	...	...	...	...	...	,,	...	..	..	..	...	...	...
Taihoku, ...	11	30.05	763.2	63	96	...	o	r	5	30.08	764.1	63	90	E	4	o
Taiohu, ...	,,	30.05	763.2	73	...	...	o	o	,,	30.02	762.6	66	..	NNW	2	o
Tainan, ...	,,	30.01	762.3	84	...	SSE	4	b	,,	30.00	762.0	68	...	N	2	o
Koshun,.....	,,	30.02	762.6	79	...	...	o	b	,,	29.99	761.7	64	...	...	o	b
Pescadores, ...	,,	..	..	...	...	...	...	...	,,	...	...	..	...	...	...	...
Canton, ...	14	30.02	762.5	62	94	SSE	1	o	6	...	..	..	...	...	...	...
Hongkong,.....	,,	29.96	761.0	72	71	W	2	cm	,,	30.03	762.7	62	98	..	o	of
Gap Rock, ...	,,	29.97	761.2	...	...	NNE	2	o	,,	30.01	762.2	...	..	NNE	2	o
Macao, ...	,,	29.95	760.8	70	82	SSE	2	o	,,	30.00	762.0	63	98	NE	1	rf
Wuchow, ...	15	..	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	,,	30.05	763.2	77	...	NNW	3	b	,,	30.05	763.2	73	...	...	...	c
Phulien, ...	,,	29 89	759.3	72	88	SE	4	o	7	29.94	760.5	68	100	ESE	2	rf
Tourane,.....	,,	29.91	759.6	77	...	SE	2	b	,,	29.94	760.5	70	...	E	2	b
Cape St. James.	,,	29.87	758.7	79	...	ENE	4	b	,,	29.88	759.0	75	...	ENE	6	bf
Basco.....	14	29.92	759.9	81	76	ESE	6	r	6	29.97	761.1	75	86	...	o	o
Aparri, ...	,,	29.91	759.6	82	70	NE	4	b	,,	29.95	760.8	70	96	..	o	h
Manila, ...	,,	29.88	759.0	90	44	E	4	o	,,	29.93	760.2	72	84	NE	1	o
Legaspi, ...	,,	29.88	759.0	86	68	NE	4	o	,,	29.93	760.2	75	89	WSW	2	o
Tacloban, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.81	757.2	86	52	N	6	o	,,	29.88	759.0	73	92	N	4	o
Surigao, ...	..	29.86	758.4	81	94	E	4	o	,,	29.88	759.0	72	96	...	o	o
Guam,.....	12.20	29.86	758.4	...	...	NE	4	o	4.20	29.87	758.7	...	...	NE	1	o
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.87	758.7	77	...	NE	1	c
Labuan, ...	11	29.78	756.4	84	83	NE	2	b	6	29.81	757.2	80	87	NE	2	b

February 15*d*. 11*h*. 25*m*.—Pressure has decreased considerably over N.E. Japan. It has increased considerably over N. China, moderately over central China and slightly over S. China.

A depression is shown to the north-east of Tokio and a strong anticyclone over N.E. China and S.E. Mongolia.

The monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Manila warning. 14*d*. 16*h*. 40*m*.:—Cyclone or typhoon W. of Balintang Channel, direction unknown. Recd. 14*d*. 17*h*. 30*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·26 inches, against an average of 2·29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, moderate to fresh; fair at first, some drizzle or mist later.
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th FEBRUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	16th FEBRUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.18	766.5	9	...	WNW	4	o	6	30.27	768.9	5	...	NNE	3	b
Nemuro,	11	29.41	747.0	...	...	SW	5	...	5	29.45	748.0	...	..	W	5	...
Hokodate,	..	29.67	753.5	...	...	W	6	..	..	29.73	755.0	...	..	WNW	6	...
Tokio,	..	29.63	752.5	...	...	S	1	..	..	29.88	759.0	...	..	NW	5	...
Kochi,	..	29.92	760.0	...	...	...	0	..	..	30.14	765.5	...	..	NW	1	...
Nagasaki,	..	30.12	765.0	...	...	N	2	..	..	30.24	768.0	...	..	...	0	...
Kagoshima,	..	30.08	764.0	...	...	NW	2	...	..	30.18	766.5	...	..	...	..	...
Oshima,	..	30.08	764.0	...	...	N	3	...	..	30.14	765.5	...	...	N	3	...
Naha,	..	30.12	765.0	...	...	NNE	3	...	..	30.14	765.5	...	...	NE	1	...
Ishigakijima,	..	...	...	...	...	...	...	...	..	30.14	765.5	...	...	NNE	3	...
Bonin Island,	..	30.08	764.0	...	...	SSW	2	...	..	29.90	759.5	...	...	W	1	...
Chefoo,	15	30.64	778.2	26	87	NNW	6	b	6	30.59	777.0	24	87	SSW	1	b
Hankow,	..	...	...	...	...	...	...	...	..	30.67	779.0	37	..	N	2	o
Ichang,	..	...	...	...	...	..	...	...	..	30.12	765.0	35	..	SE	1	s
Changsha,	..	...	...	...	...	..	...	...	..	...	...	...	...	...	..	...
Shanghai,	14	30.50	774.6	37	79	NNE	4	o	..	30.54	775.8	34	63	N	2	o
Gutzlaff,	..	30.42	772.6	58	81	N	7	o	..	30.50	774.7	31	69	N	6	o
Sharp Peak,	..	30.17	766.3	52	90	N	4	o	..	30.25	768.3	44	92	...	0	r
Amoy,	15	30.06	763.5	60	76	NNE	4	o	6	30.26	768.6	52	88	ENE	4	o
Swatow,	..	...	...	...	...	...	...	...	..	...	...	...	..	..	...	...
Taihoku,	11	30.14	765.6	64	84	E	4	o	5	30.22	767.7	54	90	E	4	o
Taichu,	..	30.07	763.8	75	...	NNW	2	b	..	30.10	764.4	57	..	N	2	o
Tainan,	..	30.05	763.2	79	...	NNW	4	b	..	30.08	764.1	59	...	N	4	o
Koshun,	..	30.02	762.6	81	...	NE	4	b	..	30.05	763.2	66	..	NE	2	b
Pescadores,	..	30.11	764.7	68	..	NE	4	o	..	...	..	...	...	..	...	...
Canton,	14	30.00	762.0	74	76	E	1	o	6	...	.	...	...	...	...	...
Hongkong,	..	30.00	762.0	66	89	E	4	o	..	30.10	764.5	58	90	E	5	cd
Gap Rock,	..	20.09	761.7	...	...	ENE	3	b	..	30.07	763.8	...	...	ENE	5	o
Macao,	..	29.98	761.4	72	78	SSE	2	o	..	30.07	763.8	61	84	SE	6	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	..	...	...
Pakhoi,	..	...	.	...	...	...	...	...	..	...	...	...	...	...	...	...
Hoihow,	..	...	.	...	...	...	...	...	..	...	...	...	...	...	..	...
Pratas Island,	..	30.12	765.0	78	...	N	4	c	..	30.11	764.8	72	...	ENE	6	o
Phulien,	..	29.92	759.9	72	94	SE	4	of	7	...	...	...	...	...	...	...
Tourane,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Cape St. James,	..	29.87	758.7	79	...	ENE	6	bf	..	...	...	...	...	...	...	...
Basco,	14	29.92	759.9	81	80	SE	4	o	6	30.02	762.6	72	82	NNE	4	o
Aparri,	..	29.92	759.9	81	73	NE	4	b	..	29.99	761.7	70	96	..	0	b
Manila,	..	29.89	759.3	82	63	S	2	o	..	29.92	759.9	70	94	NE	1	b
Legaspi,	..	29.88	759.0	86	71	NE	4	o	..	29.91	759.6	77	86	NNE	2	o
Tacloban,	..	...	...	...	...	...	..	...	..	...	...	...	...	...	...	...
Iloilo,	..	29.82	757.5	86	56	NE	6	b	..	29.87	758.7	73	91	N	4	o
Surigao,	..	..	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Guam,	12.20	29.84	757.8	...	...	...	2	o	4.20	29.84	757.8	...	...	NE	4	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	74	...	NE	1	o
Labuan,	14	29.76	755.9	84	83	NE	2	b	6	29.81	757.2	76	94	NE	2	b

February 16d. 11h. 45m.—*Pressure* has increased considerably over central Japan, moderately over S.W. Japan and slightly from the Loochoos to Hongkong and over central China.

The anticyclone remains stationary over N.E. China and S.E. Mongolia.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Manila warning. *15d. 11h. 45m.*:—Cyclone or typhoon W. of Balintang Channel, filling up. Recd. *15d. 12h. 40m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st. 0·27 inches, against an average of 2·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks. 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong; generally overcast, some drizzle or mist.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th FEBRUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th FEBRUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.11	764.8	14	...	NW	4	b	6	30.27	768.8	6	...	NNE	4	b
Nemuro,	11	29.41	747.0	...	...	WSW	4	...	5	29.41	747.0	...	...	W	3	...
Hokodate,	..	29.65	753.0	...	...	W	4	...	,,	29.65	753.0	...	...	WNW	4	...
Tokio,	,,	29.86	758.5	...	...	NNW	5	..	,,	29.94	760.5	...	...	...	0	...
Kochi,	,,	30.14	765.5	...	...	NW	1	...	,,	30.20	767.0	...	...	NW	1	...
Nagasaki,	,,	30.28	769.0	...	...	NNW	2	...	,,	30.26	768.5	...	...	...	0	...
Kagoshima,	,,	30.22	767.5	...	...	NNW	1	...	,,	30.26	768.5	...	...	NW	1	...
Oshima,	,,	30.20	767.0	...	..	N	3	...	,,	30.18	766.5	...	...	NNE	1	...
Naha,	,,	30.18	766.5	...	...	N	2	...	,,	30.16	766.0	...	...	ENE	1	...
Ishigakijima,	,,	30.22	767.5	...	..	NNE	2	...	,,	30.10	764.5	...	...	NE	1	...
Bonin Island,	..	29.90	759.5	...	...	NW	1	...	,,	30.04	763.0	...	..	NW	1	...
Chefoo,	15	30.47	773.9	34	82	NNW	2	.	6	30.34	770.6	30	67	SW	1	o
Hankow,	,,	...	...	..	...	...	...	...	,,	30.36	771.1	33	..	...	0	o
Ichang,	,,	...	...	...	...	...	...	...	,,	30.07	763.8	32	...	SE	1	h
Changsha,	..	..	..	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai,	14	30.47	774.0	37	66	NE	1	o	,,	30.31	769.8	39	87	E	2	o
Gutzlaff,	,,	30.45	773.4	38	72	NNE	4	o	,,	30.33	770.4	40	91	ENE	4	r
Sharp Peak,	,,	30.25	768.3	47	77	ENE	4	o	,,	30.19	766.8	46	91	NNW	2	r
Amoy,	15	30.34	770.6	58	81	ENE	4	o	6	30.15	765.8	54	80	NE	1	o
Swatow,	..	..	..	...	...	...	...	...	,,	...	..	...	...	...	..	...
Taihoku,	11	30.25	768.3	57	91	E	4	r	5	30.10	764.4	57	96	E	4	o
Taichu,	,,	30.17	766.2	63	...	...	0	o	,,	30.10	764.4	57	...	...	0	o
Tainan,	,,	30.15	765.9	64	...	N	2	o	,,	30.08	764.1	57	...	N	2	b
Koshun,	,,	30.12	765.0	72	...	NE	6	o	,,	30.06	763.5	66	...	ENE	2	b
Pescadores,	,,	...	..	..	...	..	...	...	,,	...	...	...	...	...	...	...
Canton,	14	30.07	763.8	62	89	ENE	1	o	6	...	..	..	..	...	...	...
Hongkong,	,,	30.07	763.8	60	75	E	6	o	,,	30.06	763.5	58	81	E	4	o
Gap Rock,	,,	30.06	763.5	...	...	ENE	5	o	,,	30.04	763.0	...	...	ENE	5	o
Macao,	,,	30.04	762.9	63	80	SE	6	o	,,	30.01	762.5	59	89	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	..	..	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.17	766.3	70	...	ENE	6	cd	,,	30.07	763.8	73	...	ENE	5	c
Phulien,	,,	29.93	760.2	73	91	SE	4	o	7	29.94	760.5	70	92	ESE	6	of
Tourane,	,,	29.92	759.9	73	...	SE	4	b	,,	29.94	760.5	70	...	SE	2	o
Cape St. James,	,,	29.87	758.7	77	...	ENE	4	b	,,	29.86	758.4	75	...	ENE	6	o
Basco,	14	30.00	762.0	73	79	N	4	o	6	30.04	762.9	72	89	NE	4	o
Aparri,	,,	29.95	760.8	81	69	NE	4	b	,,	29.99	761.7	72	91	...	0	o
Manila,	,,	29.88	759.0	90	38	E	2	b	,,	29.93	760.2	68	91	ENE	1	b
Legaspi,	,,	29.88	759.0	...	...	NNE	2	o	,,	29.92	759.9	77	91	NNE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.82	757.5	84	60	NE	6	o	,,	29.88	759.0	73	92	N	4	o
Surigao,	..	29.82	757.5	82	81	ESE	2	r	..	29.88	759.0	73	96	...	0	o
Guam,	12.20	29.79	756.6	...	...	NE	2	o	4.20	29.85	758.1	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	..	...	...	...	...	...
Pelew,	11.00	..	...	..	..	...	...	...	5	29.85	758.2	73	...	NNE	1	b
Labuan,	14	29.74	755.4	84	83	S	2	b	6	29.78	756.4	78	82	NE	2	b

February 17*d.* 12*h.* 25*m.*— Pressure has decreased considerably over the Yangtze Valley, moderately over N.E. China and slightly from Formosa to Tongking. It is nearly stationary elsewhere.

The anticyclone has weakened.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·27 inches, against an average of 2·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th February, 1926.								18th February, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.25	768.4	16	...	NNE	4	b	6	30.17	766.4	9	...	NNE	4	o
Nemuro,	11	29.35	745.5	...	...	W	6	...	5	29.86	758.5	...	...	N	4	...
Hokodate,	.	29.69	754.0	...	...	NW	6	...	,,	...	...	...	...	W	2	...
Tokio,	,,	29.94	760.5	...	...	NW	4	...	,,	30.18	766.5	...	...	NNW	1	...
Kochi,	,,	30.18	766.5	...	...	SE	1	...	,,	30.18	766.5	...	...	SW	1	...
Nagasaki,	,,	30.24	768.0	...	...	NW	1	...	,,	30.18	766.5	...	...	...	...	...
Kagoshima,	,,	30.24	768.0	...	...	NE	1	...	,,	30.16	766.0	...	...	NW	1	...
Oshima,	,,	30.20	767.0	...	...	E	1	...	,,	30.12	765.0	...	...	...	0	...
Naha,	,,	30.18	766.5	...	...	ESE	1	...	,,	30.08	764.0	...	...	SE	1	...
Ishigakijima,	,,	30.14	765.5	...	...	SSE	2	...	,,	30.10	764.5	...	...	S	1	...
Bonin Island,	,,	30.08	764.0	...	...	NNW	1	...	,,	30.20	767.0	...	...	...	0	...
Chefoo,	15	30.28	769.1	36	61	NE	1	o	6	30.21	767.3	34	82	SW	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	30.64	778.2	38	...	...	0	...
Ichang,	,,	...	...	...	...	...	...	...	,,	30.11	763.8	41	...	NW	2	o
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai,	14	30.25	768.3	43	94	E	1	r	,,	30.27	768.9	37	86	WNW	4	o
Gutzlaff,	,,	30.25	768.3	42	100	E	4	r	,,	30.26	768.6	38	100	NW	6	r
Sharp Peak,	,,	30.14	765.5	56	87	N	1	o	7	30.03	762.7	52	93	...	0	o
Amoy,	15	30.16	766.0	60	82	ENE	2	o	6	30.09	764.3	56	89	ENE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.12	765.0	66	80	E	2	o	5	30.08	764.1	59	98	...	0	o
Taichu,	,,	30.12	765.0	66	...	...	0	o	,,	30.08	764.1	55	...	...	0	o
Tainan,	,,	30.12	765.0	68	...	N	2	o	,,	30.06	763.5	57	...	NNE	2	o
Koshun,	,,	30.08	764.1	75	...	NNE	4	o	,,	30.02	762.6	68	...	...	0	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.04	763.0	61	79	E	4	o	,,	30.06	763.5	63	89	E	3	o
Gap Rock,	,,	30.02	762.5	...	...	ENE	5	o	,,	30.04	763.0	...	...	ENE	5	o
Macao,	,,	30.01	762.3	63	84	SE	4	o	,,	30.04	762.9	63	98	ENE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.11	764.8	76	...	ENE	5	o	,,	30.07	763.8	74	...	ENE	4	o
Phulien,	,,	29.93	760.2	72	91	ESE	6	of	7	29.97	761.1	68	96	ENE	4	of
Tourane,	,,	29.91	759.6	75	...	SE	2	of	,,	29.94	760.5	72	...	SE	4	o
Cape St. James,	,,	29.86	758.4	81	...	ENE	6	b	,,	...	...	...	...	...	...	...
Basco,	14	29.97	761.1	75	76	E	4	o	6	30.01	762.3	73	85	E	6	o
Aparri,	,,	29.94	760.5	61	64	SSE	4	b	,,	29.99	761.7	70	91	S	2	b
Manila,	,,	29.87	758.7	93	40	...	4	o	,,	29.94	760.5	70	83	NE	1	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	77	85	NNE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	86	58	NE	6	b	,,	29.89	759.3	75	91	N	4	b
Surigao,	,,	29.88	759.0	77	94	NE	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	NE	4	o	4.20	29.87	758.7	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	74	...	NE	3	r
Labuan,	14	29.79	756.6	84	99	NE	2	b	6	29.82	757.4	80	91	NE	2	b

February 18*d*. 11*h*. 33*m*.—Pressure has increased considerably over N.E. Japan and decreased slightly from Wladivostock to the Loochoos. It is nearly stationary elsewhere.

The anticyclone has weakened further and now extends from N.E. China to the Sea of Japan.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·27 inches, against an average of 2·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th FEBRUARY, 1926.								19th FEBRUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.02	762.5	19	...	...	0	0	6	30.01	762.3	7	...	NNE	4	0
Nemuro,	11	29.94	760.5	...	...	NNW	3	...	5	29.90	759.5	...	...	...	0	...
Hokodate,	,,	30.08	764.0	...	...	NNW	1	...	,,	29.75	755.5	...	...	S	1	...
Tokio,	,,	30.14	765.5	...	...	ESE	1	...	,,	29.78	756.5	...	...	NNW	1	...
Kochi,	,,	30.12	765.0	...	...	...	0	...	,,	29.92	760.0	...	...	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	...	...	...	,,	30.16	766.0	...	...	NNW	3	...
Kagoshima,	,,	30.14	765.5	...	...	...	...	...	,,	30.06	763.5	...	...	NNW	1	...
Oshima,	,,	30.04	763 0	...	...	SSE	2	...	,,	30.08	764.0	...	...	N	3	...
Naha,	,,	30.08	764.0	...	...	S	2	...	,,	30.10	764.5	...	...	NNE	1	...
Ishigakijima,	,,	30.12	765.0	...	...	SW	1	...	,,	30.10	764.5	...	...	NNE	1	...
Bonin Island,	,,	30.16	766.0	...	...	...	0	...	,,	30.04	763.0	...	...	WSW	2	...
Chefoo,	15	30.20	767.1	36	83	NW	6	b	6	30.35	770.9	28	88	W	1	h
Hankow,	,,	...	...	...	...	...	...	...	,,	30.70	779.8	39	...	NE	1	bo
Ichang,	,,	...	...	...	...	...	...	...	,,	30.14	765.5	45	...	...	0	0
Changsha,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai,	14	30.28	769 2	39	93	WNW	2	r	,,	30.41	772.5	32	89	NW	2	b
Gutzlaff,	,,	30.27	768.8	35	100	NW	6	r	,,	30.41	772.5	36	83	NNW	4	b
Sharp Peak,	,,	30.12	765.0	54	90	E	1	r	7	30.19	766.8	46	92	ENE	4	r
Amoy,	15	30.08	764.0	58	90	NE	2	o	6	30.16	766.0	54	89	ENE	2	o
Swatow,	,,	...		...	...	...	...	...	,,	...	..	...	...	...	...	...
Taihoku,	11	30.12	765.0	66	80	W	2	o	5	30.19	766.8	54	95	E	4	r
Taichu,	,,	30.11	764.7	72	...	...	0	o	,,	30.07	763.8	57	...	N	2	b
Tainan,	,,	30.10	764.4	70	...	NW	2	o	,,	30.04	762.9	57	...	N	4	b
Koshun,	,,	30.06	763.5	77	...	E	2	o	,,	30.01	762.3	57	...	NE	6	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	30.09	764.3	56	87	N	3	o	6	...	..	...	...	...	...	...
Hongkong,	,,	30.03	762.7	69	70	ESE	3	o	,,	30.12	765.0	57	76	N	1	o
Gap Rock,	,,	30.04	763.0	...	...	ENE	4	o	,,	30.10	7645.	...	...	N	4	o
Macao,	,,	30.01	762.3	68	85	N	2	o	,,	30.12	765.0	52	87	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.09	764.3	77	...	ENE	4	o	,,	30.09	764.3	72	...	NNE	6	o
Phulien,	,,	29.95	760.8	68	96	ENE	6	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.92	759.9	75	...	SE	2	b	,,	...	..	...	...	...	...	...
Cape St. James,	,,	29.87	758.7	79	...	ENE	4	b	,,	..	...	...	...	...	...	...
Basco,	14	29.94	760.5	81	73	SE	4	o	6	30.00	762.0	73	88	ESE	4	o
Aparri,	,,	29.92	759.9	82	67	NE	4	b	,,	29.98	761.4	70	91	S	2	b
Manila,	,,	29.92	759.9	81	76	S	2	r	,,	29.97	761.1	68	85	NNE	1	b
Legaspi,	,,	29.89	759.3	84	74	ENE	4	b	,,	29.95	760.8	75	85	NNE	2	o
Tacloban,	,,	..	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.84	757.8	86	58	NE	6	o	,,	29.92	759.9	73	91	N	4	o
Surigao,	,,	29.86	758.4	86	65	ENE	4	b	,,	29.91	759.6	77	85	ENE	4	o
Guam,	12.20	29.82	757.5	...	...	NE	4	o	4.20	29.87	758.7	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	75	...	NE	2	c
Labuan,	14	29.78	756.4	84	91	NE	2	b	6	29.82	757.4	76	94	NE	2	b

February 19*d*. 11*h*. 10*m*.—Pressure has decreased considerably over N.E. Japan. It has increased moderately over N. China and slightly over S. China. It the extreme South it is nearly stationary.

A depression is shown over N.E. Japan. The anticyclone has broken up. Another has formed over N. China.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·27 inches, against an average of 2·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; generally overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th FEBRUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	20th FEBRUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.98	761.6	19	...	NNE	4	b	6	30.26	768.6	7	...	NNE	4	b
Nemuro,	10	29.76	756.0	...	...	ESE	1	...	5	29.80	757.0	...	...	N	2	...
Hokodate,	.	29.55	750.5	...	...	SW	3	...	,,	29.80	757.0	...	...	...	0	...
Tokio,	,,	29.67	753.5	...	...	NE	1	...	,,	29.92	760.0	...	...	NNW	3	...
Kochi,	,,	29.90	759.5	...	...	W	1	...	,,	30.14	765.5	...	...	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	NNW	3	...	,,	30.16	766.0	...	...	...	0	...
Kagoshima,	,,	30.10	764.5	...	...	NW	3	...	,,	30.16	766.0	...	...	WNW	1	...
Oshima,	,,	30.14	765.5	...	...	N	2	...	,,	30.12	765.0	...	...	NNW	1	...
Naha,	,,	30.18	766.5	...	...	N	3	...	,,	30.08	764.0	...	...	NE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	NNE	3	...	,,	30.02	762.5	...	...	NE	2	...
Bonin Island,	,,	29.94	760.5	...	...	WSW	2	...	,,	29.98	761.5	...	...	WNW	2	...
Chefoo,	15	30.27	768.8	38	45	NE	2	b	6	30.15	765.8	34	82	SW	4	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	29.91	759.7	39	...	N	1	b
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.37	771.3	48	42	N	1	b	,,	30.32	770.1	32	100	NNW	1	o
Gutzlaff,	,,	30.37	771.3	44	60	N	2	b	,,	30.35	770.9	32	90	N	1	rf
Sharp Peak,	,,	30.20	767.1	47	85	ENE	4	o	,,	30.03	762.7	44	92	NW	1	rf
Amoy,	15	30.14	765.5	58	81	ENE	2	o	6	30.10	764.5	52	88	NNE	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.25	768.3	57	86	E	4	o	5	30.02	762.6	55	96	E	4	b
Taichu,	,,	30.11	764.7	68	...	NNW	4	o	,,	30.02	762.6	55	...	N	2	o
Tainan,	,,	30.11	764.7	70	...	NNW	4	o	,,	30.01	762.3	59	...	N	2	o
Koshun,	,,	30.07	763.8	73	...	NE	6	b	,,	30.00	762.0	66	...	ENE	2	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	30.12	765.0	53	80	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	,,	30.09	764.3	60	72	ESE	2	o	,,	30.09	764.3	52	93	NW	3	cd
Gap Rock,	,,	30.08	764.0	...	...	NNE	4	o	,,	30.07	763.8	...	...	NNW	5	o
Macao,	,,	30.05	763.2	57	67	NE	2	o	,,	30.07	763.8	43	70	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	30.10	761.5	73	...	NE	6	cd	6	30.05	763.2	71	...	NE	4	cd
Phulien,	,,	30.07	763.8	55	84	NNE	1	r	7	30.12	765.0	52	77	NNE	1	o
Tourane,	,,	29.95	760.8	75	...	SE	2	o	,,	30.10	764.4	66	...	NNW	4	cf
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	75	...	ENE	6	b
Basco,	,,	29.94	760.5	81	73	...	4	o	6	30.01	762.3	72	82	E	4	q
Aparri,	,,	29.91	759.6	82	70	NE	4	b	,,	29.95	760.8	72	94	...	c	b
Manila,	,,	29.88	759.0	86	41	SE	4	d	,,	29.95	760.8	66	88	ENE	1	s
Legaspi,	,,	29.89	759.3	84	60	NE	2	b	,,	29.93	760.2	75	83	...	0	s
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.87	758.7	84	52	NE	6	o	,,	29.91	759.6	72	89	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.82	757.5	...	...	NE	4	o	4.20	29.87	758.7	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	75	...	E	3	r
Labuan,	14	29.80	756.9	84	83	NE	2	b	6	29.82	757.4	80	77	NE	2	b

February 20*d*. 11*h*. 38*m*.— Pressure has increased considerably over S. Manchuria and Japan, and slightly over Luzon and the Bonins, it has decreased considerably over Shantung, and slightly to moderately elsewhere.

The anticyclone has moved eastward, and is probably central over Korea; the depression over Japan has passed into the Pacific.

Fresh to moderate monsoon will prevail along the S.E. coast of China and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·27 inches, against an average of 2·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N. and N.E. winds, moderate; cloudy.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	20th February, 1926.								21st February, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock.	12	30.24	768.2	18	...	NNE	4	b	6	30.34	770.5	12	...	...	C	o
Nemuro,	11	29.92	760.0	...	...	N	2	...	5	30.14	765.5	...	...	NW	1	...
Hokodate,	..	29.96	761.0	...	...	N	3	...	,,	30.24	768.0	...	..	NE	2	...
Tokio,	,,	30.02	762.5	...	...	NW	3	...	,,	30.30	769.5	...	..	NNW	1	...
Kochi,	,,	30.24	768.0	...	...	...	C	...	,,	30.34	770.5	...	...	SW	1	...
Nagasaki,	,,	30.24	768.0	...	...	NW	1	...	,,	30.32	770.0	...	..	...	...	...
Kagoshima,	,,	30.22	767.5	...	...	NW	1	...	,,	30.28	769.0	...	...	NW	1	...
Oshima,	,,	30.18	766.5	...	...	...	...	...	,,	30.16	766.0	...	...	...	C	...
Naha,	,,	30.12	765.0	...	...	NE	1	...	,,	30.10	764.5	...	...	ENE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	ESE	2	...	,,	30.02	762.5	..	...	NE	1	...
Bonin Island,	..	30.04	763.0	...	..	W	1	..	..	30.20	767.0	..	...	...	C	...
Chefoo.	15	30.10	764.3	48	49	E	4	b	6	30.17	766.3	36	83	SE	1	b
Hankow,	,,	...	...	..	...	...	...	...	,,	30.26	768.6	42	..	SSE	1	c
Ichang,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	44	...	SE	2	o
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai,	14	30.26	768.6	45	71	S	1	o	,,	30.24	768.0	39	84	E	2	o
Gutzlaff,	,,	30.32	770.1	40	91	NE	2	o	,,	30.27	768.8	42	92	ESE	2	b
Sharp Peak,	..	30.03	762.7	50	86	NNE	1	o	..	30.12	765.0	48	90	N	1	rf
Amoy,	15	30.02	762.5	54	94	NE	1	r	6	30.07	763.8	54	94	NNE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Taihoku,	11	30.14	765.6	57	96	NE	2	r	5	30.06	763.5	59	96	E	4	o
Taichu,	,,	30.13	765.3	57	...	NNW	2	o	,,	30.06	763.5	57	...	...	C	o
Tainan,	,,	30.10	764.1	64	...	NNE	4	o	,,	30.02	762.6	55	..	N	4	b
Koshun,	,,	30.02	762.6	77	...	NW	2	b	,,	29.99	761.7	68	...	NNE	2	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Canton,	14	..	...	...	...	...	..	...	6	...	..	..	...	...	...	...
Hongkong,	,,	30.04	763.0	58	72	WNW	1	o	,,	30.01	762.2	56	92	ENE	3	o
Gap Rock,	,,	30.04	763.0	...	...	NNE	4	o	,,	29.99	761.7	...	...	ENE	4	o
Macao,	,,	30.04	762.9	50	87	N	4	o	,,	29.94	760.5	52	97	N	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	30.07	763.8	73	...	NE	4	cd	6	30.04	763.0	71	...	ESE	4	b
Phulien,	,,	30.06	763.5	57	72	SSE	1	o	7	...	...	..	...	...	...	...
Tourane,	,,	29.98	761.4	66	...	NNW	6	o	,,	...	...	...	...	...	...	...
Cape St. James.	,,	29.87	758.7	79	...	ENE	6	lf	,,	...	...	...	...	...	...	...
Basco,	,,	29.93	759.6	81	73	SE	4	o	6	30.00	762.0	73	86	SE	4	o
Aparri,	,,	29.87	758.7	84	64	NE	4	b	,,	29.95	760.8	70	91	...	C	b
Manila,	,,	29.88	759.0	86	41	SE	4	b	,,	29.95	760.8	64	88	NE	1	b
Legaspi,	,,	29.89	759.3	84	94	NE	2	b	..	29.94	760.5	75	83	NNE	2	b
Tacloban,	,,	..	..	...	...	...	...	...	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.84	757.8	84	58	NE	6	o	,,	29.91	759.6	72	91	N	4	o
Surigao,	..	29.85	758.1	75	83	N	4	o	..	...	..	...	...	..	...	...
Guam,	12.20	29.82	757.5	...	...	NE	4	o	4.20	29.89	759.3	...	...	NE	2	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	..	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	82	91	NE	2	b	6	29.86	758.4	77	94	NE	2	b

February 21*d*. 11*h*. 40*m*.— Pressure has increased considerably over central and N.E. Japan and slightly from Wladivostock to S.W. Japan. It has decreased moderately over central China and slightly over S. China. Over the Philippines it is nearly stationary.

The anticyclone is now central over the Sea of Japan. There appears to be a depression over Western China, with a wedge of relatively high pressure over S. China.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·36 inch. Total since January 1st. 0·63 inches, against an average of 2·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; cloudy.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st February, 1926.								22nd February, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, .	12	30.32	770.1	32	...	SE	2	o	6	30.23	767.7	32	...	SE	5	o
Nemuro,	11	...	...	...	...	...	...	...	5	30.34	770.5	...	...	W	2	...
Hokodate,	,,	30.30	769.5	...	...	WNW	4	...	,,	30.41	772.5	...	...	WNW	1	...
Tokio,	,,	30.33	770.5	...	...	N	1	...	,,	30.49	774.5	...	...	NW	1	...
Kochi,	,,	30.33	770.5	...	...	...	o	...	,,	30.02	762.5	...	...	WSW	1	...
Nagasaki,	,,	30.31	770.0	...	...	NE	1	...	,,	30.10	764.5	...	...	NE	1	...
Kagoshima,	,,	30.30	769.5	...	...	NE	1	...	,,	30.10	764.5	...	...	ENE	1	...
Oshima,	,,	30.18	766.5	...	...	SE	1	...	,,	30.04	763.0	...	...	S	1	...
Naha,	,,	30.12	765.0	...	...	ENE	3	...	,,	30.06	763.5	...	...	SSE	2	...
Ishigakijima,	,,	30.08	764.0	...	...	E	2	...	,,	30.04	763.0	...	...	...	...	...
Bonin Island,	,,	30.22	767.5	...	...	NNW	1	...	,,	30.32	770.0	...	...	...	o	...
Chefoo,	15	30.14	765.5	46	69	SSE	4	o	6	30.26	768.6	26	100	W	6	r
Hankow,	,,	...	...	...	...	...	...	...	,,	30.76	781.3	36	...	SE	5	...
Ichang,	,,	...	...	...	...	.	...	...	,,	30.09	764.3	43	...	SW	2	o
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.14	765.6	50	62	ESE	4	o	,,	30.19	766.8	46	92	WNW	4	r
Gutzlaff,	,,	30 20	767.1	48	87	ESE	4	o	,,	30.18	766.6	44	100	NE	4	rf
Sharp Peak,	,,	30.08	764.0	54	90	N	1	o	7	30.06	763.5	54	96	N	1	rf
Amoy,	15	30.04	763 0	60	82	SSE	2	o	6	30.08	764.0	56	89	ENE	1	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.06	763.5	72	78	E	4	o	5	30.05	763.2	59	96	...	o	o
Taichu,	,,	30.07	763.8	68	...	...	o	o	,,	30.04	762.9	59	...	...	o	o
Tainan,	,,	30.06	763.5	70	...	NNW	2	o	,,	30.02	762 6	59	...	N	2	b
Koshun,	,,	30.05	763.2	79	...	ENE	2	b	,,	29.99	761.7	72	...	...	o	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	29.93	761.4	57	87	N	1	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.97	761.2	59	88	E	4	od	,,	29.97	761.2	61	94	ESE	3	o
Gap Rock,	,,	29.96	761.0	...	...	ENE	5	o	,,	29.98	761.5	...	...	ENE	4	o
Macao,	,,	29.93	760.2	61	87	SE	4	o	,,	29.95	760.2	61	100	ESE	2	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	30.05	763.2	76	...	ENE	1	b	6	30.03	762.7	74	...	ENE	4	b
Phulien,	,,	29.92	759.9	61	81	...	o	of	7	29.98	761.4	61	98	NW	4	rf
Tourane,	,,	29.89	759.3	73	...	...	o	b	,,	29.93	760.2	72	...	...	o	o
Cape St. James,	,,	29.87	758.7	79	...	ENE	6	bf	,,	29.86	758.4	75	...	ENE	6	of
Basco,	,,	29.93	760.2	81	73	ESE	4	o	6	29.98	761.4	75	86	E	4	o
Aparri,	,,	29.88	759.0	82	54	ENE	4	b	,,	29.95	760.8	72	86	S	2	b
Manila,	,,	29.86	758.4	86	100	WNW	4	o	,,	29.95	760.8	72	82	N	2	o
Legaspi,	,,	29.89	759.3	84	68	NE	4	o	,,	29.94	760.5	77	84	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	84	90	NE	6	o	,,	29.91	759.6	75	88	N	4	o
Surigao,	,,	29.85	758.1	82	84	NE	4	o	,,	..	...	...	...	...	...	...
Guam,	12.20	29.89	759.3	...	...	NE	4	o	4.20	29.94	760.5	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	...	...	...	...	5	29.88	758.9	77	...	ENE	2	c
Labuan,	14	29.77	756.1	84	87	NE	2	b	6	29.83	757.7	78	91	N	2	b

February 22*d*. 11*h*. 35*m*.—Pressure has increased considerably over central China and moderately from N.E. Japan to the Bonins. It has decreased considerably over S.W. Japan and the Eastern Sea. To the south of latitude 25° it is nearly stationary.

The anticyclone has strengthened and is moving into the Pacific.

The Chinese depression has moved into the Eastern Sea and a new anticyclone is forming over N. China.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·07 inch. Total since January 1st, 1·70 inches, against an average of 2·71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; overcast, rainy and foggy at first, improving later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd February, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	23rd February, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.02	762.5	32	...	SE	7	s	6	29.78	756.5	13	...	WNW	2	o
Nemuro,	11	30.35	771.0	...	...	WNW	1	...	5	30.12	765.0	...	..	SE	3	...
Hokodate,	.	...	...	...	...	...	...	...	,,	29.80	757.0	...	..	E	1	...
Tokio,	,,	30.43	773.0	...	...	N	1	...	,,	29.90	759.5	...	...	NNW	1	...
Kochi,	,,	30.24	768.0	...	...	SW	1	...	,,	29.94	760.5	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	SE	7	...	,,	30.16	766.0	...	...	NNW	2	...
Kagoshima,	,,	30.00	762.0	...	...	ENE	2	...	,,	30.10	764.5	...	...	NW	1	...
Oshima,	,,	30.02	762.5	...	...	SSE	1	...	,,	30.12	765.0	...	...	NW	3	...
Naha,	,,	30.10	764.5	...	...	S	2	...	,,	30.12	765.0	...	...	N	5	...
Ishigakijima,	,,	30.10	764.5	...	...	SE	1	...	,,	30.14	765.5	...	...	N	6	...
Bonin Island,	,,	30.30	769.5	...	...	E	1	...	,,	30.22	767.5	...	...	S	1	...
Chefoo,	15	30.33	770.4	24	77	NW	8	o	6	30.32	770.1	24	87	NW	6	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.84	783.3	31	..	NE	.	bc
Ichang,	,,	...	...	...	...	...	...	...	,,	30.26	768.6	36	...	SE	3	o
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.41	772.5	32	68	NW	6	o	,,	30.52	775.5	28	38	NW	4	o
Gutzlaff,	,,	30.34	770.6	34	100	NNW	8	b	,,	30.52	775.2	30	67	N	6	o
Sharp Peak,	,,	30.06	763.5	52	100	NE	2	rf	,,	30.23	767.8	46	84	NE	4	o
Amoy,	15	30.03	762.7	62	94	ENE	4	o	6	30.22	767.6	50	93	ENE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.14	765.6	61	93	...	c	o	5	30.24	768.0	52	90	E	4	r
Taichu,	,,	30.07	763.8	64	...	...	c	r	,,	30.12	765.0	54	..	N	2	r
Tainan,	,,	30.02	762.6	77	...	N	1	o	,,	30.06	763.5	57	...	N	4	r
Koshun,	,,	30.02	762.6	70	...	E	2	b	,,	30.04	762.9	66	..	NNE	6	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.12	765.0	57	...	NE	6	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.00	762.0	61	98	W	2	crf	,,	30.11	764.8	55	91	NNE	1	o
Gap Rock,	,,	30.01	762.2	...	...	NNW	5	o	,,	30.10	764.5	...	..	NNE	5	o
Macao,	,,	29.99	761.7	57	100	N	4	r	,,	30.10	764.4	50	92	N	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	30.03	762.7	80	...	ENE	3	c	6	30.09	764.3	74	...	ENE	6	cd
Phulien,	,,	29.98	761.4	63	100	WNW	1	rf	7	30.13	765.3	57	84	NE	2	o
Tourane,	,,	29.92	759.9	70	...	NNW	2	of	,,	30.00	762.0	66	...	NNW	4	o
Cape St. James	,,	29.89	759.3	79	...	ENE	6	rf	,,	29.88	759.0	75	...	ENE	4	of
Basco,	,,	...	...	...	...	...	...	...	6	30.00	762.0	73	96	N	4	r
Aparri,	,,	29.89	759.3	82	70	ENE	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.88	759.0	86	41	NW	4	o	,,	29.91	759.6	68	92	ENE	1	b
Legaspi,	,,	29.89	759.3	84	78	ENE	4	o	,,	29.92	759.9	77	86	NNE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.82	757.5	86	58	NE	6	o	,,	29.91	759.6	75	88	N	4	b
Surigao,	,,	29.86	758.4	84	64	ENE	2	o	,,	29.89	759.3	75	96	...	0	o
Guam,	12.20	29.92	759.9	...	...	NE	4	o	4.20	29.95	760.8	...	...	NE	2	b
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.90	759.4	78	...	NE	3	b
Labuan,	14	...	...	88	84	N	4	b	6	29.81	757.2	76	94	NE	2	b

February 23*d*. 11*h*. 40*m*.—Pressure has decreased considerably over central and N.E. Japan. It has increased moderately from S.W. Japan to the Yangtze Valley and over S. China. It is nearly stationary over the Philippines.

The depression has deepened and now lies over the Sea of Japan. The anticyclone over China is beginning to move eastward.

Strong monsoon may be expected along the S.E. coast of China and fresh monsoon over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·55 inch. Total since January 1st, 2·25 inches, against an average of 2·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh; generally cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd FEBRUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	24th FEBRUARY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.70	754.4	20	...	WSW	5	b	6	29.88	758.9	18	...	WNW	4	o
Nemuro,	11	...	...	...	...	...	...	...	5	29.53	750.0	...	...	W	1	...
Hokodate,	"	...	...	...	...	...	...	...	"	29.59	751.5	...	...	W	4	...
Tokio,	"	...	...	...	...	...	...	...	"	29.78	756.5	...	...	NE	1	...
Kochi,	"	...	...	...	...	...	...	...	"	30.12	765.0	...	...	WNW	7	...
Nagasaki,	"	...	...	...	...	...	...	...	"	30.30	769.5	...	...	NW	3	...
Kagoshima,	"	...	...	...	...	...	...	...	"	30.26	768.5	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	30.28	769.0	...	...	NNW	3	...
Naha,	"	...	...	...	...	...	...	...	"	30.28	769.0	...	...	N	3	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	30.28	769.0	...	...	N	2	...
Bonin Island,	"	...	...	...	...	...	...	...	"	30.10	764.5	...	...	SSW	3	...
Chefoo,	15	30.35	770.9	30	88	NW	6	b	6	30.45	773.4	24	87	SSW	2	b
Hankow,	"	...	...	...	...	...	...	...	"	30.86	783.8	35	...	NE	1	b
Ichang,	"	...	...	...	...	...	...	...	"	30.25	768.3	37	...	NE	1	o
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.51	774.9	37	28	NNW	2	o	"	30.58	776.7	25	81	WSW	1	b
Gutzlaff,	"	30.50	774.7	34	69	NNW	4	o	"	30.58	776.7	30	80	NW	4	b
Sharp Peak,	"	30.24	768.1	42	83	NNW	2	rf	"	30.35	770.9	40	78	N	1	o
Amoy,	15	30.24	768.1	58	58	ENE	4	r	6	30.37	771.4	46	92	NE	2	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	11	30.26	768.6	54	88	E	4	r	5	30.34	770.7	36	93	E	4	o
Taichu,	"	30.12	765.0	61	...	NNW	4	o	"	30.26	768.6	52	...	N	2	o
Tainan,	"	30.10	764.4	70	...	N	4	o	"	30.22	767.7	52	...	N	...	o
Koshun,	"	30.10	764.4	72	...	NE	6	b	"	30.17	766.2	64	...	NE	4	b
Pescadores,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Canton,	14	30.26	768.6	47	93	N	2	...	6	...	...	...	...	...	...	...
Hongkong,	"	30.16	766.0	57	72	NNE	2	o	"	30.24	768.1	51	84	ENE	3	od
Gap Rock,	"	30.16	766.0	...	...	N	4	o	"	30.20	767.1	...	...	NE	4	od
Macao,	"	30.15	765.9	48	87	NNE	4	o	"	30.22	767.7	45	97	N	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	14	30.16	766.0	71	...	ENE	6	od	6	30.20	767.1	68	...	ENE	6	...
Phulien,	"	30.13	765.3	57	91	NE	1	ot	7	30.22	767.7	52	90	NE	2	o
Tourane,	"	30.01	762.3	70	...	NNW	4	b	"	30.08	764.1	68	...	NNW	2	o
Cape St. James,	"	29.92	759.9	79	...	ENE	6	b	"	29.93	760.2	75	...	ENE	6	o
Basco,	"	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.94	760.5	90	44	SE	4	of	"	30.01	762.3	72	89	...	0	b
Legaspi,	"	29.92	759.9	77	91	...	...	o	"	29.99	761.7	77	86	NNE	2	o
Tacloban,	"	29.91	759.6	86	65	ESE	4	o	"	...	...	...	...	...	...	...
Hoilo,	"	29.87	758.7	81	80	NNE	6	o	"	29.99	761.7	75	91	N	4	o
Surigao,	"	29.89	759.3	82	77	...	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.91	759.6	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.86	758.4	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.93	760.2	76	...	ENE	1	o
Labuan,	12	29.81	757.2	86	80	N	4	b	6	29.82	757.4	78	91	N	2	b

February 24*d*. 11*h*. 10*m*.—Pressure has decreased considerably over N.E. Japan, and moderately from central Japan to the Bonins. It has increased moderately from S.W. Japan to N.E. China and Formosa, and slightly over S. China and the Philippines.

The depression has deepened and moved to the N.E. of Hokkaido.

The anticyclone is now central over the lower Yangtze Valley.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·24 inch. Total since January 1st, 2·49 inches, against an average of 2·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; generally overcast.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th FEBRUARY, 1926.								25th FEBRUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	29.93	760.1	26	---	NW	4	b	6	30.29	769.3	1	...	NNE	3	b
Nemuro, ...	11	29.39	746.5	...	...	WSW	5	...	5	29.41	747.0	...	...	W	3	...
Hokodate, ...	,,	29.39	751.5	...	...	W	6	...	,,	29.71	754.5	...	...	W	5	...
Tokio, ...	,,	29.82	757.5	...	...	S	1	...	,,	30.02	762.5	...	...	NW	1	...
Kochi, ...	,,	30.14	765.5	...	...	WNW	1	...	,,	30.32	770.0	...	...	SW	1	...
Nagasaki, ...	,,	30.33	770.5	...	...	NNW	4	...	,,	30.41	772.5	...	...	N	1	...
Kagoshima, ...	,,	30.30	769.5	...	...	WNW	3	...	,,	30.38	771.5	...	...	...	...	...
Oshima, ...	,,	30.33	770.5	...	...	NNW	3	...	,,	30.36	771.0	...	...	NNW	2	...
Naha, ...	,,	30.33	770.5	...	...	N	4	...	,,	30.38	771.5	...	...	NE	3	...
Ishigakijima, ...	,,	30.33	770.5	...	...	N	2	...	,,	30.32	770.0	...	...	NNE	2	...
Bonin Island, ..	,,	30.08	764.0	...	...	SSW	1	...	,,	30.16	766.0	...	...	WNW	1	...
Chefoo, ...	15	30.47	773.9		100	NW	4	b	6	30.43	772.9	24	100	SSW	1	b
Hankow, ...	,,	...	...	...	...	..	...	...	,,	30.68	779.3	40	...	SE	2	o
Ichang, ...	,,	...	...	...	...		...	...	,,	30.34	770.6	43	...	...	o	o
Changsha, ...	,,	...	...	...	...		...	...	,,	...	...	...	...	...	..	...
Shanghai, ...	14	30.59	777.0	43	28	NNE	2	b	,,	30.57	776.4	25	96	ENE	1	o
Lutzlaff, ...	,,	30.58	776.7	42	50	N	4	b	,,	30.57	776.5	34	69	NE	2	b
Sharp Peak, ...	,,	30.33	770.4	44	68	N	2	o	,,	30.36	771.1	44	76	N	2	o
Amoy, ...	15	30.34	770.6	54	74	ENE	2	o	6	...	...	...	...	...	...	...
Swatow, ...	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	11	30.39	771.9	54	95	E	4	r	5	30.32	770.1	54	95	E	4	o
Taichu, ...	,,	30.27	768.9	59	...	N	2	o	,,	30.26	768.6	54	...	...	o	o
Tainan, ...	,,	30.26	768.6	64	...	NNW	4	b	,,	30.22	767.7	52	...	N	2	b
Koshun, ...	,,	30.24	768.0	70	...	NE	6	o	,,	30.20	767.1	64	...	NE	4	b
Pescadores, ...	,,	...	...	...	...		...	...	,,	...	...	...	...	...	...	...
Canton, ...	14	30.34	770.6	45	92	N	2	r	6	...	...	...	...	...	...	...
Hongkong, ...	,,	30.27	768.8	50	84	NNE	2	o	,,	30.21	767.3	54	83	E	3	o
Gap Rock, ...	,,	30.26	768.6	...	...	N	5	omd	,,	30.20	767.1	...	...	ENE	5	od
Macao, ...	,,	30.25	768.3	45	88	NNE	4	o	,,	30.18	766.5	45	100	N	4	rf
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island, ...	14	30.26	768.6	70	...	ENE	6	od	6	30.20	767.1	68	...	ENE	6	o
Phulien, ...	,,	30.22	767.7	55	79	NNE	1	o	7	...	...	...	...	...	...	...
Tourane, ...	,,	30.10	764.4	66	...	NNW	6	of	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.93	760.2	79	...	ENE	6	b	,,	...	...	...	...	...	...	...
Basoo, ...	,,	30.07	763.8	70	87	N	4	r	6	...	...	...	...	...	...	...
Aparri, ...	,,	30.06	763.5	73	88	NE		r	,,	30.10	764.4	72	96	ENE	4	o
Manila, ...	,,	29.97	761.1	84	58	NNW	1	o	,,	30.01	762.3	68	87	...	o	b
Legaspi, ...	,,	29.94	760.5	86	65	NNE		o	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.89	759.3	86	61	E		b	,,	29.94	760.5	75	88	N	4	o
Surigao, ...	,,	29.93	760.2	84	68	ENE	4	o	,,	...	...	...	...	...	..	...
Guam, ...	12.20	29.92	759.9	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.88	759.0	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.93	760.2	77	...	NE	2	lc
Sabuan, ...	14	29.83	757.7	86	84	NE	4	b	6	29.83	757.7	77	94	N	2	b

February 25*d.* 10*h.* 20*m.*—Pressure has decreased considerably over central China and slightly along the coast. It has increased moderately over Japan and is nearly stationary over the Philippines.

A depression is still shown to the north-east of Hokkaido. The anticyclone is now central near Shanghai.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·12 inch. Total since January 1st, 2·61 inches, against an average of 2·90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26th.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, ... 4.—South coast of China between Hongkong and Hainan, .	N.E. winds, fresh; overcast, some drizzle or mist.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th FEBRUARY, 1926.								26th FEBRUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.33	770.4	25	...	NNE	4	h	6	30.48	774.1	14	...	...	0	0
Nemuro,	11	29.37	746.0	...	...	W	5	...	5	29.98	761.5	...	...	NW	6	...
Hokodate,	..	29.80	757.0	...	...	N	5	...	,,	30.28	769.0	...	...	W	3	...
Tokio,	,,	30.08	764.0	...	...	NW	2	...	,,	30.36	771.0	...	...	NW	1	...
Kochi,	,,	30.31	770.0	...	...	SW	1	...	,,	30.41	772.5	...	...	WNW	3	...
Nagasaki,	,,	30.43	773.0	...	...	SW	1	...	,,	...	...	...	...	...	0	...
Kagoshima,	,,	30.41	772.5	...	...	N	1	...	,,	30.39	772.0	...	...	NW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.34	770.5	...	...	...	0	...
Naha,	,,	30.37	771.0	...	...	SW	2	...	,,	30.30	769.5	...	...	ENE	1	...
Ishigakijima,	,,	30.35	771.5	...	...	ENE	3	...	,,	30.22	767.5	...	...	E	2	...
Bonin Island,	,,	30.20	767.0	...	...	WNW	1	...	,,	30.32	770.0	...	...	NNW	1	...
Chefoo,	15	30.40	772.1	40	65	E	2	b	6	30.38	771.6	32	90	SW	1	0
Hankow,	,,	...	...	...	...	...	...	...	,,	30.72	780.3	38	...	...	1	0
Ichang,	,,	...	...	...	...	...	...	...	,,	30.35	770.9	43	...	E	0	0
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.45	773.4	43	49	ESE	1	0	,,	30.37	771.3	39	100	ESE	1	r
Gutzlaff,	,,	30.47	773.9	42	58	E	2	0	,,	30.38	771.6	40	100	SE	1	rf
Sharp Peak,	,,	30.30	769.6	46	77	NNE	2	0	,,	...	...	...	...	...	...	...
Amoy,	15	30.25	768.3	54	80	NNW	2	0	6	30.25	768.3	52	100	WNW	1	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.27	768.9	64	76	E	4	b	5	30.20	767.1	59	98	...	0	0
Taichu,	,,	30.25	768.3	68	...	...	0	b	,,	30.22	767.7	59	...	NNW	2	0
Tainan,	,,	30.30	769.5	72	...	NE	4	0	,,	30.18	766.5	59	...	N	4	0
Koshun,	,,	30.18	766.5	72	...	NE	6	0	,,	30.14	765.6	68	...	ENE	4	0
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.20	767.1	56	81	E	4	0	,,	30.20	767.1	56	87	SE	2	0
Gap Rock,	,,	30.17	766.3	...	...	ENE	5	0	,,	30.18	766.6	...	...	ENE	5	0
Macao,	,,	30.18	766.5	50	95	NNW	2	of	,,	30.18	766.5	50	100	NNW	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	30.20	767.1	72	...	E	6	od	6	30.17	766.3	72	...	ENE	5	od
Phulien,	,,	30.15	765.9	61	69	WNW	1	0	7	30.21	767.4	55	100	...	0	rf
Tourane,	,,	...	...	...	...	...	...	...	,,	30.12	765.0	66	...	NNW	2	0
Cape St. James,	,,	29.97	761.1	79	...	ENE	6	bf	,,	29.94	760.5	77	...	ENE	6	b
Basco,	,,	30.11	764.7	72	78	NE	4	r	6	30.12	765.0	73	94	NE	4	0
Aparri,	,,	30.06	763.5	77	76	ENE	1	0	,,	30.10	764.4	72	85	...	0	0
Manila,	,,	29.99	761.7	86	49	E	2	0	,,	30.05	763.2	72	86	...	0	b
Legaspi,	,,	29.98	761.4	86	81	NE	4	b	,,	30.01	762.3	61	74	NNE	4	0
Tacloban,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.91	759.6	86	86	NE	6	0	,,	29.97	761.1	73	86	N	6	b
Surigao,	,,	29.93	760.2	82	67	ENE	4	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.89	759.3	...	...	NE	4	0	4.20	29.97	761.1	...	...	NE	2	0
Yap,	12.47	29.86	758.4	...	...	NE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	76	...	NE	2	0
Labuan,	14	29.82	757.4	86	80	N	4	b	6	29.84	757.9	80	87	NE	2	b

February 26*d*. 11*h*. 5*cm*.—Pressure has increased considerably over N.E. Japan and moderately over the Bonins. It has decreased moderately at Shanghai and is nearly stationary elsewhere.

The anticyclone has weakened and is now central over the Sea of Japan.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 2·61 inches, against an average of 2·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; overcast, foggy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th FEBRUARY, 1926.								27th FEBRUARY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.41	772.4	32	...	N	2	o	6	30.35	770.8	18	...	NNE	4	o
Nemuro, ...	11	30.18	766.5	...	...	NNW	3	...	5	30.32	770.0	...	..	...	...	...
Hokodate, ...	.	30.31	770.0	...	...	W	4	...	,,	30.32	770.0	...	...	...	0	...
Tokio, ...	,,	30.41	772.5	...	...	...	0	...	,,	30.28	769.0	...	...	NNW	1	...
Koohi, ...	,,	30.37	771.5	...	...	...	0	...	,,	30.24	768.0	...	...	...	0	...
Nagasaki, ...	,,	30.37	771.5	...	...	SE	1	...	,,	30.22	767.5	...	...		0	...
Kagoshima, ...	,,	30.45	773.5	...	...	SE	1	...	,,	30.12	765.0	...	...	NE	1	...
Oshima, ...	,,	30.33	770.5	...	...	SE	1	...	,,	30.14	765.5	...	...	...	0	...
Naha, ...	,,	30.30	769.5	...	...	ESE	2	...	,,	30.20	767.0	...	...	SSW	1	...
Ishigakijima, ...	,,	30.24	768.0	...	...	SE	2	...	,,	30.22	767.5	...	...	N	1	...
Bonin Island, ..	,,	30.31	770.0	...	...	NNW	1	...	..	30.30	769.5	...	...	...	0	...
Chefoo, ...	15	30.31	769.9	44	68	E	1	b	6	30.39	771.9	36	61	SW	1	b
Hankow, ...	,,	...	...	...	...	...	...	...	,,	30.80	782.3	38	...	...	0	b
Ichang, ...	,,	...	...	...	...	...	...	...	,,	30.40	772.1	42	...	...	0	f
Changsha, ...	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	30.40	772.2	41	72	WNW	2	o	,,	30.51	774.7	37	96	NW	1	o
Gutzlaff, ...	,,	30.39	771.9	44	86	NNW	4	o	,,	30.50	774.7	38	91	NNW	4	o
Sharp Peak, ...	,,	30.22	767.6	54	90	...	0	r	-	30.31	769.9	50	92	E	1	o
Amoy, ...	15	30.21	767.3	62	90	NE	1	b	6	30.32	770.1	54	94	ENE	2	o
Swatow, ...	,,	..	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Taihoku, ...	11	30.24	768.0	61	91	...	0	r	5	30.30	769.5	57	93	E	2	o
Taichu, ...	,,	30.25	768.3	52	...	WSW	2	o	,,	30.24	768.0	59	..	N	2	o
Tainan, ...	,,	30.21	767.4	70	...	N	4	o	,,	30.20	767.1	59	...	N	4	o
Koshun, ...	,,	30.18	766.5	75	...	ENE	2	o	,,	30.15	765.9	70	...	NNE	4	o
Pescadores, ..	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Canton, ...	14	...	...	...	...	...	...	...	6	...	...	..	...	..	...	...
Hongkong, ...	,,	30.16	766.0	63	78	W	2	om	,,	30.23	767.8	59	82	WSW	1	o
Gap Rock, ...	,,	30.16	766.0	...	...	NNW	5	o	,,	30.23	767.8	...	...	NNW	5	o
Macao, ...	,,	30.14	765.6	55	88	N	2	o	,,	30.22	767.7	52	95	N	4	o
Wuchow, ...	15	..	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi, ...	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	..	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island, ...	14	30.19	766.8	73	...	ENE	6	o	6	30.22	767.6	72	...	NE	5	o
Phulien, ...	,,	30.18	766.5	61	83	SW	1	of	7	30.27	768.9	57	89	NNW	1	of
Tourane, ...	,,	30.10	764.4	70	...	NNW	4	b	,,	30.15	765.9	66	...	NNW	2	of
Cape St. James,	,,	29.93	760.2	81	...	ENE	6	bf	,,	29.97	761.1	75	...	ENE	6	b
Basco, ...	,,	30.02	762.6	79	76	SE	6	o	6	...	...	...	...	...	...	...
Aparri, ...	,,	30.02	762.6	79	84	ENE	4	o	,,	30.08	764.1	70	94	...	0	b
Manila, ...	,,	29.97	761.1	90	44	E	4	o	,,	30.05	763.2	68	87	NNE	4	b
Legaspi, ...	,,	29.98	761.4	86	65	NE	4	o	..	30.02	762.6	75	88	ENE	2	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.91	759.6	88	52	NE	4	b	,,	...	...	...	...	...	...	...
Surigao, ...	..	29.93	760.2	82	77	ESE	2	o	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.91	759.6	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.88	759.0	...	...	NE	6	r	4.47	..	...	...	...	...	...	...
Pelew, ...	11.00	...	..	...	...		...	...	5	29.98	761.5	77	...	NE	2	o
Labuan, ...	14	29.83	757.7	84	91	NE	4	b	6	...	...	...	...	...	...	...

February 27*d.* 10*h.* 55*m.*—Pressure has decreased moderately from central Japan to the Loochoos. It has increased considerably over central China and slightly over E. and S. China. It is nearly stationary over the Philippines.

A V-shaped depression is shown over the Loochoos.

A strong anticyclone has formed over China.

The monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 2·61 inches, against an average of 3·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28th.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, ... 4.—South coast of China between Hongkong and Hainan, .	N. to N.E. winds, strong; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th February, 1926.								28th February, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock. .	12	30.29	769.3	31	...	NE	2	o	6	30.29	769.3	23	...	NE	2	b
Nemuro,.....	11	30.26	768.5	...	...	SE	1	...	5	30.20	767.0	...	...	S	1	...
Hokodate, ...	.	30.28	769.0	...	...	...	...	...	,,	30.22	767.5	...	...	NNW	1	...
Tokio,.....	,,	30.20	767.0	...	...	NNE	1	...	,,	30.08	764.0	...	...	NNW	3	...
Kochi, ...	,,	30.12	765.0	...	...	...	o	...	,,	30.28	769.0	...	...	W	1	...
Nagasaki, ...	,,	30.24	768.0	...	...	NNW	3	...	,,	30.36	771.0	...	...	...	o	...
Kagoshima, ...	,,	30.16	766.0	...	...	NNW	2	...	,,	30.34	770.5	...	...	WNW	1	...
Oshima, ...	,,	30.20	767.0	...	...	NNW	2	...	,,	30.28	769.0	...	...	N	1	...
Naha, ...	,,	30.28	769.0	...	...	NNW	4	...	,,	30.28	769.0	...	...	NNE	1	...
Ishigakijima,...	,,	30.30	769.5	...	...	NNW	3	...	,,	30.26	768.5	...	...	...	o	...
Bonin Island,..	..	30.24	768.0	...	...	...	o	...	,,	30.06	763.5	...	...	WNW	2	...
Chefoo.	15	30.35	770.9	42	75	NNW	1	b	6	30.25	768.3	38	84	NNE	1	b
Hankow, ...	,,	...	...	...	...	...	...	...	,,	30.25	768.3	47	...	...	o	r
Ichang, ...	,,	...	...	...	...	...	...	...	,,	30.19	766.8	51	...	...	o	o
Changsha, ...	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai.	14	30.49	774.3	54	32	NE	1	b	,,	30.37	771.3	34	100	SE	1	b
Gutzlaff,.....	,,	30.50	774.7	48	71	NNW	1	b	,,	30.38	771.6	40	100	ESE	1	b
Sharp Peak, ..	,,	30.34	770.6	50	79	E	4	o	7	30.28	769.1	48	85	NNW	1	o
Amoy, ...	15	30.30	769.6	60	82	NE	4	o	6	30.28	769.1	52	88	...	o	o
Swatow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Taihoku, ...	11	30.38	771.6	61	79	E	4	o	5	30.20	767.1	57	79	E	4	b
Taichu, ...	,,	30.25	768.3	68	...	N	4	b	,,	30.17	766.2	54	...	...	o	o
Tainan, ...	,,	30.25	768.3	72	...	N	4	b	,,	30.17	766.2	55	...		o	b
Koshun,.....	,,	30.20	767.1	75	...	NNE	6	o	,,	30.14	765.6	64	...	NE	6	b
Pescadores, ..	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	14	..	...	..	..	...	...	...	6	...	...	..	...	...	...	...
Hongkong,.....	,,	30.20	767.1	66	71	ESE	3	b	,,	30.17	766.3	58	84	E	3	o
Gap Rock, ...	,,	30.21	767.3	...	...	ENE	4	b	,,	30.17	766.3	...	...	ENE	4	o
Macao, ...	,,	30.19	766.8	63	70	ENE	2	b	,,	30.14	765.6	57	91	ESE	2	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,.....	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	14	30.27	768.8	75	...	ENE	5	o	6	30.16	766.0	72	...	ENE	5	cd
Phulien, ...	,,	30.21	767.4	63	83	NE	1	of	7	...	...	...	...	...	...	...
Tourane,.....	,,	30.13	765.3	66	...	NW	2	rf	,,	...	...	...	...	...	..	...
Cape St. James.	,,	29.93	760.2	81	...	ENE	7	bf	,,	...	...	...	...	...	...	...
Basco,.....	,,	30.11	764.7	73	82	N	4	of	6	30.12	765.0	70	85	NE	6	r
Aparri, ...	,,	30.07	763.8	81	73	ENE	2	o	,,	30.08	764.1	72	86	...	o	o
Manila, ...	,,	30.00	762.9	86	52	SE	4	o	,,	30.00	762.0	68	88	ESE	1	b
Legaspi, ...	,,	29.99	761.7	84	68	NE	4	b	,,	29.98	761.4	75	92	NNE	4	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.92	759.9	86	65	NE	7	o	,,	29.94	760.5	75	85	N	4	o
Surigao, ...	..	29.93	760.2	84	71	ENE	4	o	,,	...	..	...	...	...	...	...
Guam,.....	12.20	29.91	759.6	...	...	NE	4	o	4.20	29.94	760.5	...	...	NE	2	o
Yap, ...	12.47	29 87	758.7	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...		...	...	5	...	...	..	...	...	...	...
Labuan, ...	12	29.81	757.2	84	83	NE	2	b	6	29.84	757.9	78	91	NE	2	b

February 28*d*. 11*h*. 40*m*.—Pressure has increased moderately over S.W. Japan. It has decreased moderately over N.E. Japan, and along the east coast of China, and slightly over S. China and the Philippines.

The V-shaped depression is moving into the Pacific.

The anticyclone has weakened and is now central over S. Korea.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·61 inches, against an average of 3·11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; generally overcast.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

MARCH,

1926.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1926.

[*Price* 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

MARCH,

1926.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of MARCH, 1926.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·048	30·032	30·000	29·994	29·978	29·984	29·983	30·024	30·041	30·053	30·040	30·025	1
2	30·005	29·979	29·961	29·961	29·961	29·959	29·997	30·015	30·053	30·064	30·062	30·049	2
3	30·069	30·050	30·025	30·015	30·020	30·028	30·048	30·059	30·075	30·087	30·077	30·062	3
4	30·032	30·017	30·003	29·989	29·984	29·995	30·013	30·021	30·036	30·048	30·051	30·039	4
5	29·975	29·958	29·942	29·924	29·932	29·950	29·976	29·998	30·018	30·029	30·025	30·006	5
6	30·063	30·045	30·045	30·044	30·057	30·065	30·088	30·102	30·124	30·142	30·128	30·126	6
7	30·129	30·117	30·119	30·118	30·118	30·130	30·155	30·180	30·181	30·188	30·195	30·186	7
8	30·115	30·107	30·099	30·098	30·086	30·098	30·112	30·138	30·151	30·156	30·145	30·125	8
9	30·052	30·037	30·013	30·009	30·024	30·036	30·053	30·068	30·069	30·084	30·083	30·065	9
10	30·009	30·005	29·989	29·985	29·997	30·005	30·025	30·041	30·054	30·076	30·072	30·045	10
11	30·054	30·043	30·028	30·023	30·036	30·056	30·068	30·087	30·094	30·096	30·089	30·069	11
12	30·010	29·986	29·966	29·953	29·959	29·973	29·990	29·999	30·015	30·022	30·003	29·985	12
13	29·885	29·868	29·836	29·822	29·816	29·826	29·835	29·853	29·876	29·900	29·897	29·871	13
14	29·819	29·796	29·782	29·768	29·766	29·790	29·825	29·848	29·865	29·885	29·880	29·855	14
15	29·803	29·785	29·769	29·765	29·763	29·784	29·814	29·838	29·865	29·884	29·882	29·868	15
16	29·898	29·888	29·885	29·882	29·888	29·931	29·958	29·971	30·000	30·003	30·009	30·000	16
17	29·981	29·955	29·940	29·942	29·934	29·952	29·968	29·992	29·996	29·995	29·985	29·969	17
18	29·915	29·903	29·891	29·871	29·867	29·868	29·862	29·862	29·880	29·853	29·850	29·834	18
19	29·867	29·840	29·832	29·826	29·838	29·848	29·868	29·888	29·918	29·958	29·962	29·923	19
20	29·966	29·954	29·941	29·921	29·938	29·954	29·978	30·006	30·004	30·021	30·018	30·000	20
21	30·004	29·984	29·965	29·953	29·944	29·966	29·979	29·987	30·020	30·019	30·005	29·977	21
22	29·996	29·985	29·965	29·941	29·958	29·968	29·992	29·996	30·028	30·030	30·038	30·025	22
23	30·038	30·027	30·013	29·987	29·979	30·009	30·014	30·056	30·068	30·085	30·081	30·056	23
24	30·052	30·040	30·032	30·028	30·037	30·047	30·065	30·078	30·100	30·099	30·084	30·069	24
25	30·042	30·048	30·030	30·023	30·015	30·025	30·031	30·057	30·067	30·078	30·068	30·063	25
26	30·107	30·085	30·095	30·064	30·086	30·088	30·119	30·147	30·148	30·180	30·163	30·167	26
27	30·226	30·206	30·186	30·182	30·174	30·200	30·207	30·223	30·234	30·247	30·244	30·226	27
28	30·140	30·113	30·104	30·098	30·094	30·120	30·121	30·149	30·181	30·156	30·177	30·135	28
29	30·070	30·032	30·012	30·006	29·992	30·004	30·027	30·039	30·057	30·058	30·048	30·017	29
30	29·997	29·985	29·947	29·945	29·959	29·973	29·986	30·011	30·025	30·052	30·042	30·019	30
31	30·008	29·976	29·960	29·945	29·955	29·958	29·961	29·998	30·003	30·016	30·015	30·006	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	29·994	29·957	29·948	29·944	29·954	29·960	29·957	29·979	29·993	30·007	30·012	30·003	1
2	30·033	30·013	30·011	30·005	30·003	30·009	30·017	30·045	30·072	30·075	30·077	30·080	2
3	30·040	30·007	29·991	29·985	29·984	30·002	30·023	30·028	30·050	30·048	30·048	30·050	3
4	30·008	29·980	29·962	29·959	29·967	29·964	29·975	29·991	29·990	29·986	29·980	29·983	4
5	29·989	29·960	29·941	29·940	29·940	29·957	29·979	29·990	30·018	30·037	30·057	30·061	5
6	30·097	30·065	30·055	30·040	30·048	30·065	30·088	30·100	30·118	30·136	30·135	30·134	6
7	30·152	30·106	30·080	30·064	30·061	30·070	30·092	30·108	30·122	30·144	30·139	30·129	7
8	30·100	30·072	30·045	30·041	30·033	30·044	30·044	30·056	30·072	30·084	30·072	30·060	8
9	30·036	30·004	29·980	29·974	29·968	29·983	29·981	29·995	29·999	30·007	30·015	30·006	9
10	30·007	29·980	29·966	29·964	29·971	29·983	30·000	30·009	30·036	30·043	30·050	30·055	10
11	30·049	30·032	30·004	30·001	30·000	30·010	30·011	30·017	30·025	30·019	30·026	30·014	11
12	29·961	29·931	29·911	29·889	29·886	29·874	29·884	29·900	29·900	29·904	29·900	29·896	12
13	29·838	29·815	29·788	29·768	29·750	29·764	29·788	29·804	29·820	29·825	29·823	29·821	13
14	29·835	29·810	29·782	29·781	29·778	29·778	29·785	29·800	29·814	29·823	29·822	29·813	14
15	29·837	29·827	29·817	29·808	29·808	29·818	29·829	29·847	29·883	29·895	29·898	29·899	15
16	29·972	29·963	29·948	29·944	29·950	29·958	29·964	29·978	29·994	30·006	30·018	30·015	16
17	29·984	29·950	29·906	29·904	29·896	29·901	29·913	29·922	29·949	29·951	29·951	29·937	17
18	29·816	29·790	29·769	29·765	29·779	29·803	29·809	29·819	29·833	29·863	29·875	29·870	18
19	29·913	29·899	29·872	29·872	29·868	29·877	29·899	29·920	29·935	29·971	29·975	29·976	19
20	29·968	29·958	29·943	29·934	29·926	29·940	29·953	29·957	29·981	29·991	29·987	30·022	20
21	29·963	29·957	29·940	29·924	29·935	29·944	29·960	29·982	30·009	30·028	30·020	30·004	21
22	29·968	29·968	29·960	29·942	29·959	29·955	29·964	29·992	30·016	30·034	30·048	30·040	22
23	30·043	30·006	29·990	29·990	29·997	30·010	30·030	30·042	30·058	30·067	30·072	30·072	23
24	30·038	30·010	29·992	29·984	29·988	29·992	30·002	30·032	30·040	30·051	30·048	30·053	24
25	30·044	30·016	30·002	29·986	29·996	30·000	30·008	30·025	30·062	30·102	30·105	30·097	25
26	30·154	30·134	30·138	30·148	30·152	30·153	30·166	30·181	30·199	30·219	30·223	30·223	26
27	30·196	30·182	30·160	30·133	30·138	30·134	30·146	30·162	30·172	30·188	30·188	30·180	27
28	30·117	30·083	30·063	30·022	30·025	30·029	30·053	30·043	30·070	30·091	30·089	30·085	28
29	29·995	29·968	29·939	29·923	29·914	29·921	29·936	29·956	29·976	30·002	30·000	30·005	29
30	30·009	29·990	29·972	29·978	29·977	29·984	29·988	30·003	30·009	30·018	30·029	30·029	30
31	29·972	29·946	29·934	29·920	29·915	29·912	29·918	29·922	29·940	29·948	29·954	29·940	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of MARCH, 1926.

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	60·0	59·6	59·6	59·6	59·8	60·2	60·5	61·6	62·1	63·1	64·1	66·2	1
2	64·0	64·0	64·0	64·1	64·0	64·6	65·3	66·1	96·0	63·9	64·4	64·1	2
3	62·7	62·7	62·8	62·7	62·4	62·5	62·2	62·9	64·0	66·3	66·1	66·9	3
4	66·7	66·5	66·0	65·9	65·2	65·0	65·1	66·6	69·6	68·7	71·0	71·6	4
5	67·1	66·2	65·0	65·1	65·2	65·0	65·1	65·8	66·5	68·5	69·9	71·0	5
6	62·7	62·2	62·5	63·0	62·5	61·1	61·1	61·1	61·8	61·5	61·3	61·8	6
7	61·8	61·5	61·7	61·0	61·0	61·0	60·9	60·7	61·4	64·7	65·3	68·2	7
8	63·0	62·9	62·6	61·5	61·1	61·0	61·0	61·1	62·0	63·6	65·0	64·6	8
9	62·2	62·0	62·0	61·9	60·8	60·3	61·0	60·8	62·2	63·9	63·0	63·5	9
10	63·2	63·3	64·2	64·2	04·0	63·9	64·0	65·9	67·0	68·3	71·2	77·0	10
11	66·0	65·0	64·0	63·2	62·5	62·3	62·4	63·1	64·2	65·0	65·1	66·0	11
12	63·7	62·9	62·8	62·7	62·8	62·8	63·0	64·2	64·2	65·3	66·0	65·3	12
13	65·3	65·8	66·0	65·9	65·6	65·6	65·4	65·8	67·1	67·8	67·9	69·0	13
14	72·2	72·2	71·9	72·0	73·0	74·0	73·0	72·8	73·6	74·6	76·2	80·0	14
15	74·2	74·0	73·9	73·8	73·5	71·8	72·0	72·1	75·1	76·1	76·6	77·9	15
16	66·2	64·7	64·0	63·9	62·9	62·0	61·3	60·5	60·6	60·4	60·8	60·0	16
17	60·1	59·8	59·7	59·5	59·7	59·1	59·4	59·4	59·0	59·1	59·0	58·9	17
18	62·0	61·9	61·2	61·0	61·2	61·0	61·1	61·9	62·5	63·4	65·0	65·2	18
19	65·0	64·9	64·3	64·0	63·5	63·1	62·1	62·7	63·1	63·0	62·9	65·0	19
20	62·7	62·0	61·4	61·0	60·4	61·0	61·6	62·1	62·7	62·8	62·7	64·0	20
21	59·8	60·1	60·4	60·5	60·6	60·0	59·7	60·1	60·0	60·0	60·1	60·5	21
22	57·0	57·1	57·0	57·1	57·0	57·2	57·5	57·9	58·4	58·7	57·4	57·0	22
23	55·5	55·3	55·4	55·2	55·0	55·4	55·8	56·0	56·8	57·9	59·0	59·5	23
24	60·1	60·0	60·3	60·7	60·9	60·5	60·9	60·2	62·0	64·7	65·0	64·3	24
25	52·2	61·9	61·7	61·2	61·2	61·0	60·9	61·1	62·0	62·8	63·1	63·0	25
26	60·4	60·2	60·0	59·4	59·7	60·1	60·4	60·7	60·8	60·8	61·4	61·1	26
27	57·9	58·0	58·0	58·0	58·1	58·5	58·9	59·0	59·8	59·9	59·6	59·9	27
28	57·0	57·3	57·8	58·0	57·7	57·9	58·0	57·2	56·6	55·2	55·1	55·8	28
29	58·8	57·5	57·1	57·1	57·3	58·0	58·3	59·7	60·2	61·2	64·0	64·0	29
30	60·0	59·4	59·2	59·3	59·6	59·0	59·1	63·0	68·0	69·2	70·1	69·0	30
31	62·0	62·0	62·1	62·3	62·1	61·6	62·7	65·8	66·5	68·1	67·6	69·8	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	67·5	66·1	67·1	66·8	66·0	65·7	64·9	64·2	64·0	64·0	63·8	63·8	1
2	64·5	64·5	64·8	64·3	64·5	64·2	64·3	64·0	64·0	63·5	63·7	63·1	2
3	69·0	68·0	68·7	68·1	67·1	66·6	66·0	66·5	66·9	66·9	66·6	66·8	3
4	75·0	73·2	73·8	71·8	71·5	69·8	68·8	69·0	68·0	67·1	65·7	66·2	4
5	73·2	73·7	73·4	73·2	72·2	70·3	69·0	67·5	64·0	63·0	62·6	62·9	5
6	62·0	63·1	64·2	64·0	64·0	62·8	61·9	62·0	62·0	62·8	63·1	62·4	6
7	69·9	68·8	67·1	65·8	65·6	64·7	64·6	64·7	64·2	63·0	63·1	63·0	7
8	64·9	63·8	64·3	63·7	63·0	62·8	62·2	62·5	62·9	63·1	63·0	62·7	8
9	65·2	65·1	64·3	65·1	64·5	63·7	63·0	63·0	62·8	62·9	63·7	63·7	9
10	75·4	75·6	74·8	71·5	73·8	72·0	70·0	69·5	68·6	68·0	66·7	66·4	10
11	65·8	65·2	65·0	64·5	64·2	63·8	63·4	63·2	63·6	63·9	63·9	63·5	11
12	70·0	68·8	68·0	67·9	66·8	66·0	65·4	65·5	65·7	65·8	65·0	65·3	12
13	70·1	71·0	74·0	74·5	74·4	74·2	74·3	74·5	74·9	74·8	75·0	74·9	13
14	79·1	82·1	80·2	76·8	75·2	75·6	75·5	75·0	74·8	74·9	75·6	72·7	14
15	78·5	78·0	76·1	76·1	75·9	74·0	72·0	73·9	73·4	71·2	71·0	70·8	15
16	59·6	59·1	59·3	59·6	59·8	60·2	60·0	59·9	59·8	60·1	60·1	60·7	16
17	59·2	59·7	60·1	60·8	61·2	62·0	62·0	62·1	62·0	61·8	61·9	62·0	17
18	64·9	64·0	63·9	63·6	63·9	64·8	65·0	65·1	65·0	65·1	65·0	65·2	18
19	65·2	64·9	66·8	67·0	66·2	64·8	63·1	62·9	63·0	63·7	63·2	63·1	19
20	63·5	63·0	62·8	63·1	63·4	63·0	63·0	62·5	62·7	62·4	61·9	59·9	20
21	60·0	59·8	59·2	58·8	58·4	58·0	56·9	57·0	56·8	57·2	57·5	57·1	21
22	57·2	58·0	58·0	57·4	56·3	55·9	56·0	56·3	56·2	55·8	56·0	56·0	22
23	58·0	59·8	60·4	60·1	60·2	59·9	59·9	59·8	59·9	60·0	60·0	60·1	23
24	65·0	64·6	64·1	63·7	63·6	64·0	63·8	63·5	63·0	62·9	62·9	62·8	24
25	63·0	63·1	63·0	62·8	62·5	62·4	62·0	61·5	61·0	60·9	60·6	59·7	25
26	60·0	59·7	60·0	60·2	58·8	58·8	59·7	59·8	59·8	59·8	59·0	58·0	26
27	60·0	59·2	59·4	59·2	59·2	59·0	59·0	59·5	59·9	59·5	57·9	57·0	27
28	57·0	56·4	56·1	57·2	57·4	57·0	57·1	57·5	57·7	57·7	58·0	57·9	28
29	64·2	63·9	66·1	68·0	68·0	65·2	63·7	63·0	62·0	61·0	60·7	60·1	29
30	70·9	70·7	69·1	68·8	67·9	65·4	64·0	63·2	62·9	52·6	62·7	63·0	30
31	69·7	70·5	69·6	68·3	68·0	66·8	66·0	65·2	65·1	64·8	65·5	65·0	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of MARCH, 1926.

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	57·7	57·9	57·0	58·0	58·0	58·2	58·1	58·8	59·8	60·5	61·2	62·2	1
2	63·2	63·1	63·1	63·2	63·4	63·8	64·1	65·0	64·4	62·8	61·8	61·5	2
3	60·1	60·5	60·7	60·2	60·0	60·1	60·0	60·1	61·0	62·1	62·0	62·7	3
4	65·0	64·9	64·4	63·9	63·0	63·1	63·1	64·0	66·0	65·8	67·1	67·5	4
5	63·8	65·0	64·1	64·5	64·3	64·0	64·5	65·1	65·1	66·1	66·4	66·9	5
6	61·9	61·5	61·1	61·0	60·6	59·9	60·0	59·5	59·9	59·8	59·8	59·9	6
7	59·1	59·3	59·2	59·1	58·9	58·8	58·3	58·1	58·9	60·1	60·2	62·4	7
8	59·9	59·7	59·4	58·9	58·9	58·9	59·0	59·1	59·2	60·0	60·4	60·2	8
9	60·0	60·0	59·9	59·8	59·8	58·0	58·0	57·1	57·8	58·8	58·7	58·9	9
10	60·9	61·1	62·0	62·1	62·1	62·0	62·3	63·2	63·7	64·7	65·9	67·4	10
11	61·1	61·1	61·0	60·5	59·9	59·1	59·1	59·8	60·3	60·9	60·9	61·1	11
12	59·4	58·8	58·6	58·4	58·2	57·8	57·7	57·8	57·9	59·0	59·2	59·7	12
13	64·0	64·6	64·9	65·0	64·8	65·0	65·0	65·1	65·9	66·1	66·7	67·3	13
14	70·5	71·0	70·8	71·0	71·7	71·8	71·6	71·5	72·1	72·7	73·0	74·2	14
15	72·0	72·0	71·9	71·8	71·2	70·0	70·7	70·5	72·1	72·8	72·8	73·3	15
16	66.1	64·4	63·5	63·1	61·1	61·0	60·1	59·8	59·7	59·7	59·8	59·0	16
17	58·8	58·0	57·9	57·9	58·1	58·0	58·1	58·1	58.3	58·2	58·6	58·2	17
18	60·8	60·7	60·3	60·1	60·2	60·2	60·7	61·3	62·0	63·1	64·8	65·0	18
19	64·0	63·9	63·5	63·0	62·1	61·9	60·8	61·0	61·0	60·8	60·5	61·9	19
20	55·5	55·9	55·8	55·3	55·1	55·7	56·0	56·1	57·0	57·6	58·2	58·5	20
21	57·3	58·0	58·5	58·6	57·9	58·0	58·0	58·3	58·2	58·3	58·4	58·0	21
22	54·4	54·8	54·3	54·2	54·1	54·6	54·8	55·0	55·3	56·0	55·5	55·0	22
23	53·5	53·8	54·0	53·8	53·7	53·8	54·0	54·0	54·3	54·8	55·9	55·7	23
24	55·9	55·2	54·8	54·7	55·0	54·6	54·1	54·1	54·0	55·8	56·0	55·0	24
25	57·0	56·9	56·7	56·5	56·8	57·3	58·2	59·2	57·8	58·8	58·7	58·6	25
26	58·8	58·7	58·8	58·1	57·9	57·9	58·0	58·0	58·1	58·4	58·6	58·1	26
27	55·7	55·5	55·7	56·0	56·2	56·1	56·1	56·0	56·4	56·1	55·2	55·0	27
28	51·0	52·9	53·0	53·2	52·1	51·7	52·0	52·2	53·3	52·0	52·2	52·8	28
29	57·0	56·7	56·1	56·2	56·2	56·9	57·0	57·8	58·5	59·0	60·8	60·9	29
30	58·1	57·5	57·2	57·0	57·2	57·1	57·5	59·9	61·0	63·0	63·0	62·0	30
31	58·0	57·8	57·1	56·8	56·0	55·0	55·4	57·9	58·4	60·0	60·3	62·8	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	63·2	63·0	63·9	63·8	63·8	63·6	63·1	62·8	63·0	63·0	63·0	63·0	1
2	61·2	61·1	61·3	61·1	61·1	61·0	61·5	61·6	62·0	61·9	61·4	60·9	2
3	63·9	63·6	64·0	64·2	64·0	63·2	63·2	63·9	64·1	64·7	64·9	65·0	3
4	69·1	68·1	68·5	67·7	67·8	66·6	66·2	66·8	66·1	65·7	64·9	65·8	4
5	67·9	67·8	68·0	68·0	66·3	66·2	65·7	64·9	63·0	61·8	61·1	61·5	5
6	60·0	60·7	61·1	61·2	61·6	60·2	59·8	59·9	59·9	60·1	60·1	60·0	6
7	63·0	62·9	61·9	61·1	61·5	61·0	61·5	61·7	61·6	60·5	60·0	60·1	7
8	60·2	60·0	60·3	60·0	59·7	59·4	59·0	59·0	60·1	60·7	60·8	60·8	8
9	60·0	60·0	59·0	58·8	59·1	59·0	58·8	59·0	59·3	59·9	60·7	60·9	9
10	67·8	67·9	68·0	66·1	67·0	65·7	65·1	65·0	63·8	63·2	62·9	62·6	10
11	60·6	59·9	58·9	57·9	57·9	57·6	58·0	58·3	58·6	58·9	59·2	58·9	11
12	61·9	61·9	61·9	62·8	62·5	62·2	62·1	62·7	63·0	63·2	63·0	63·6	12
13	68·4	68·4	69·9	70·2	70·1	70·2	70·5	70·8	70·9	71·1	71·8	71·8	13
14	74·0	75·1	74·3	71·8	72·1	72·8	72·2	72·1	72·1	72·1	71·8	71·5	14
15	73·5	73·6	72·7	72·5	72·1	71·2	70·1	71·1	71·0	69·9	70·1	69·9	15
16	58·6	58·6	58·1	58·2	58·2	58·2	58·9	59·8	58·8	58·7	58·1	58·9	16
17	58·5	58·9	59·1	59·2	60·0	60·2	60·5	60·6	60·5	60·2	60·1	60·2	17
18	64·0	63·4	63·0	62·9	63·1	64·0	64·5	64·5	64·2	64·4	64·1	64·3	18
19	60·1	60·2	60·5	60·0	59·4	58·9	57·7	58·0	57·8	57·1	55·0	55·0	19
20	58·8	58·4	58·1	58·1	57·8	57·0	57·5	58·0	57·9	57·6	58·0	57·8	20
21	57·9	58·0	57·8	57·9	56·5	55·8	55·0	55·2	55·2	56·0	56·0	55·5	21
22	54·9	54·8	55·3	55·1	54·3	54·0	54·1	54·0	53·7	53·5	53·9	54·0	22
23	55·0	54·9	55·1	55·2	55·0	54·2	54·3	54·3	54·9	55·0	55·5	55·0	23
24	55·2	55·1	55·5	55·0	54·9	54·5	55·7	55·8	55·8	56·4	56·1	56·7	24
25	58·2	58·8	59·0	59·1	59·4	59·2	59·0	59·0	58·9	59·0	58·8	57·9	25
26	57·5	57·0	57·0	57·0	56·9	57·0	57·1	57·1	56·7	56·5	55·9	55·8	26
27	55·0	54·2	55·0	54·8	54·2	54·0	54·7	55·0	55·3	54·9	53·9	53·9	27
28	54·2	54·5	54·6	55·8	56·0	56·0	56·0	56·0	56·1	56·1	56·1	56·1	28
29	60·5	59·9	60·5	60·8	61·0	59·9	59·0	59·3	59·0	58·3	58·1	58·0	29
30	61·9	61·0	59·5	59·4	59·8	60·0	58·9	59·0	59·0	59·1	59·0	58·7	31
31	62·0	62·0	60·2	58·1	57·0	56·8	57·9	58·1	59·0	59·8	60·0	60·2	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of MARCH, 1926.
(... = Clear Sky.)

Days of the Month	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
2	10	10	10	10	10	10	7	10	10	10	10	9	9	9	10	10	10	10	9	4	10	10	10	10	1
3	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	2
1	10	10	10	9	10	10	10	10	10	5	9	9	10	9	9	10	10	10	10	10	10	10	10	10	3
4	10	10	10	10	10	10	7	6	7	9	9	10	10	10	10	10	10	8	7	...	5	4	3	6	4
5	5	...	...	...	2	10	10	10	10	...	2	2	1	2	1	...	...	1	...	3	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6
7	10	10	10	10	10	10	10	10	9	1	7	5	4	4	1	2	...	3	10	10	10	10	10	10	7
8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8
9	10	10	10	10	10	10	10	8	9	10	10	10	10	10	9	10	10	7	...	...	...	...	...	...	9
10	2	6	7	10	10	10	10	10	10	10	10	3	4	6	5	6	7	3	4	3	2	...	...	5	10
11	10	10	10	10	10	10	10	10	10	8	7	8	7	8	1	...	1	...	...	...	...	...	2	4	11
12	9	10	10	10	10	10	9	9	10	9	7	7	8	10	10	10	10	8	9	8	9	9	8	9	12
13	9	9	9	5	2	6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	13
14	10	10	10	10	8	10	10	10	10	10	9	10	10	9	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	9	9	9	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	10	10	10	10	10	10	19
20	10	10	9	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	20
21	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	24
25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27
28	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	10	9	10	9	10	10	10	2	1	1	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	1	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	1	...	4	5	3	2	6	7	8	8	7	2	5	8	10	8	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of MARCH, 1926.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	...	0·5	0·7	0·8	0·3	...	...	0·2	...	1
2	...	0·1	0·5	...	...	...	...	...	...	...	...	...	...	2
3	...	...	0·4	1·0	1·0	0·8	0·8	0·5	0·7	0·1	0·2	0·1	...	3
4	...	0·1	0·3	0·1	0·5	0·4	0·8	0·6	0·2	0·2	0·8	0·6	...	4
5	...	...	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	1·0	0·9	1·0	0·7	1·0	1·0	1·0	1·0	0·5	...	7
8	...	...	0·1	...	0·2	0·4	0·2	...	...	...	...	...	...	8
9	...	...	0·3	0·8	0·1	0·1	0·9	0·6	1·0	0·7	0·3	0·5	...	9
10	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	0·4	...	10
11	...	...	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	11
12	...	0·2	...	...	0·8	0·2	1·0	1·0	0·3	1·0	0·1	...	...	12
13	...	...	...	...	...	...	0·1	0·1	...	...	0·1	...	...	13
14	...	...	0·1	0·5	0·6	0·9	0·9	1·0	1·0	...	...	...	...	14
15	...	...	...	0·2	0·4	0·7	0·8	0·8	0·3	...	0·2	0·2	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	0·2	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	0·1	0·3	0·2	0·2	19
20	...	...	...	...	...	0·1	...	...	...	...	0·1	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	0·4	0·2	...	...	...	...	...	...	...	...	24
25	...	...	0·1	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	0·1	0·2	1·0	0·1	0·7	...	0·2	1·0	1·0	1·0	0·3	29
30	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	30
31	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of MARCH, 1926.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	d	...	...	...	...	...	...	...	d	...	...	...	1
2	d	0·005	d	0·005	d	...	0·005	...	...	...	...	...	2
3	...	...	...	...	...	...	..	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	d	d	d	d	d	...	...	...	...	d	d	d	6
7	...	d	d	d	d	...	...	...	...	...	...	...	7
8	...	...	...	d	...	...	...	...	...	...	...	...	8
9	d	d	d	0·005	d	d	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	d	0·015	d	13
14	d	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	d	d	0·005	0·015	0·015	0·015	0·010	0·015	0·005	0·010	d	d	16
17	d	...	...	...	d	d	...	d	d	d	d	d	17
18	d	0·005	0·005	0·005	d	d	d	d	d	d	d	d	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	d	d	...	d	d	0·060	0·005	0·005	0·015	d	d	...	21
22	...	...	...	...	...	...	...	...	0·005	d	0·015	d	22
23	0·125	0·175	0·025	0·005	d	d	0·010	0·015	d	...	d	0·005	23
24	d	...	...	...	...	0·005	...	0·010	...	...	...	...	24
25	...	d	...	...	...	...	...	...	...	...	...	...	25
26	0·090	0·055	0·110	0·020	d	d	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	d	0·005	d	d	0·010	0·085	0·030	0·110	0·005	28
29	0·025	0·005	...	...	...	...	...	0·055	0·010	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	d	d	d	d	1
2	...	...	d	...	...	d	d	d	d	d	...	...	2
3	...	...	...	d	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	d	d	d	d	5
6	...	...	...	...	...	...	...	...	...	...	...	d	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	d	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	..	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	..	12
13	...	...	...	...	...	...	...	...	d	...	d	d	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	.	15
16	d	d	d	d	d	d	d	d	d	0·005	d	d	16
17	0·170	0·175	d	0·020	d	d	d	d	d	d	d	d	17
18	d	0·025	0·060	0·060	0·310	0·620	0·145	0·085	0·085	0·055	0·035	0·005	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	0·050	0·030	20
21	0·005	0·040	0·025	0·010	0·035	0·030	0·030	0·060	0·230	0·100	0·015	...	21
22	...	...	d	0·005	0·135	0·020	d	...	0·120	0·020	0·010	0·020	22
23	0·005	...	...	...	...	...	d	...	...	...	...	d	23
24	...	...	...	...	...	...	d	d	...	...	...	...	24
25	...	...	...	...	...	...	d	0·005	0·030	0·065	0·040	0·075	25
26	d	d	d	d	0·010	...	...	d	...	...	d	d	26
27	...	...	...	...	...	...	...	d	d	0·010	0·040	0·025	27
28	0·035	0·050	0·075	0·020	0·030	0·045	0·045	0·030	0·035	0·010	0·030	0·005	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of MARCH, 1926.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	9	16	9	14	10	16	10	15	9	20	9	21	9	20	9	16	9	14	9	14	9	15	8	17	1
2	...	...	...	...	...	...	...	1	10	2	10	4	12	6	12	6	10	15	9	16	8	21	7	23	2
3	8	18	7	15	8	16	8	20	8	22	8	24	7	24	8	25	8	23	8	22	8	21	9	19	3
4	7	13	8	10	8	10	8	15	8	16	9	10	9	13	9	9	9	11	9	9	9	8	8	10	4
5	11	3	...	...	...	...	10	2	...	1	...	1	...	...	...	...	...	1	1	4	24	6	25	7	5
6	9	15	7	21	6	19	6	11	11	11	10	20	9	17	8	18	8	16	8	15	8	14	8	15	6
7	7	12	6	12	7	11	8	12	7	13	7	12	7	15	7	14	8	17	8	14	9	10	10	6	7
8	8	13	8	12	8	9	9	13	9	14	9	11	9	9	9	12	8	14	7	15	7	15	8	13	8
9	8	16	8	15	7	21	7	21	7	16	7	19	7	24	7	22	7	27	7	21	8	22	8	21	9
10	10	4	10	5	8	8	6	6	...	1	6	6	6	5	6	3	1	2	26	4	20	5	19	4	10
11	5	14	5	14	6	20	7	22	6	23	7	21	6	20	6	19	7	23	6	22	6	26	7	24	11
12	7	16	7	18	7	19	7	16	7	13	8	15	8	17	8	18	9	17	9	19	9	21	9	17	12
13	8	7	7	5	7	4	7	2	7	5	7	5	7	8	7	10	7	8	7	7	7	10	8	6	13
14	28	9	28	8	27	8	24	5	22	5	22	6	26	4	27	4	27	3	26	5	23	5	19	10	14
15	13	3	14	6	15	4	14	7	16	9	13	6	9	2	10	2	13	6	14	7	15	11	15	10	15
16	6	25	6	26	6	26	6	27	6	29	6	30	6	34	6	34	6	33	6	34	6	34	6	34	16
17	7	33	7	36	7	34	6	30	7	32	6	30	7	26	7	21	7	21	7	21	7	20	7	20	17
18	7	24	8	21	8	21	8	27	8	24	9	22	9	21	8	21	8	21	8	22	8	19	8	18	18
19	25	3	24	5	24	2	26	6	26	9	27	9	27	11	28	5	29	6	29	5	27	8	26	5	19
20	...	1	1	2	...	...	5	7	7	3	7	5	7	9	6	15	6	21	6	19	6	21	7	26	20
21	5	10	5	10	5	3	6	2	6	14	6	6	6	4	5	11	4	11	5	8	6	7	6	13	21
22	1	4	3	6	32	4	3	5	...	1	...	1	4	4	4	8	4	5	2	5	1	6	1	9	22
23	32	4	1	2	3	3	...	1	3	2	...	...	31	2	32	3	1	5	1	3	...	...	...	...	23
24	5	9	6	10	7	12	8	8	8	11	7	11	7	12	6	12	7	14	8	19	7	20	7	20	24
25	4	9	5	11	5	14	6	16	6	23	6	23	6	23	7	21	6	23	6	22	7	19	7	18	25
26	5	11	6	12	8	8	8	21	7	20	6	24	7	12	6	20	7	21	6	18	6	20	6	19	26
27	1	14	6	7	6	9	6	10	5	11	5	8	5	10	5	13	7	16	7	18	7	20	7	19	27
28	7	14	6	9	7	10	6	5	5	9	4	13	2	7	32	3	...	1	5	8	8	4	7	6	28
29	8	4	8	9	7	5	...	...	...	...	...	...	...	...	...	1	...	1	24	5	25	8	22	9	29
30	...	...	...	...	...	1	...	1	24	3	...	...	...	...	...	1	16	2	12	10	10	13	10	15	30
31	10	6	10	10	11	10	11	10	12	6	11	10	9	12	8	7	8	15	9	14	9	12	8	13	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	18	8	18	8	16	9	14	9	14	9	15	9	15	9	12	10	11	11	6	11	5	...	1	1
2	7	27	7	26	7	26	7	27	7	25	7	24	7	24	8	20	7	19	8	16	8	20	8	20	2
3	9	16	9	19	9	17	9	16	10	13	10	14	10	12	9	14	8	12	7	11	8	13	8	11	3
4	9	11	9	12	8	14	8	14	8	11	8	13	9	10	...	...	9	5	8	6	8	8	8	5	4
5	26	7	28	7	30	6	31	3	32	5	31	3	...	1	6	14	8	20	8	19	8	20	10	15	5
6	8	12	10	10	11	10	10	5	9	6	8	12	9	13	9	13	9	10	8	9	8	9	7	13	6
7	10	5	9	5	9	8	8	15	8	11	8	8	8	2	7	6	9	12	9	13	9	12	9	11	7
8	9	12	9	10	9	11	9	13	9	14	8	15	7	13	6	13	6	13	5	11	5	11	6	13	8
9	8	20	9	23	8	22	9	21	9	18	8	17	8	15	7	11	8	11	8	11	9	10	10	9	9
10	22	4	28	3	28	5	27	8	25	5	24	6	23	8	23	8	25	6	25	4	24	3	3	9	10
11	6	26	6	26	6	28	7	26	7	29	7	26	7	23	8	25	8	23	7	23	6	19	7	14	11
12	9	19	9	18	9	16	8	18	8	17	8	15	9	13	8	11	7	15	7	16	8	12	7	10	12
13	8	8	14	6	17	12	17	7	17	9	18	14	18	12	17	13	17	14	17	16	18	17	19	14	13
14	18	5	18	9	18	12	21	8	22	2	...	1	17	8	16	6	15	4	14	6	11	3	11	3	14
15	16	9	16	10	16	8	16	6	14	6	12	6	10	9	11	12	11	10	10	10	9	11	8	13	15
16	6	36	6	34	6	33	6	31	6	31	6	32	6	34	6	33	7	32	6	34	6	33	7	33	16
17	7	19	7	19	7	25	7	24	7	27	7	25	8	27	7	25	8	24	8	25	7	24	7	23	17
18	8	19	7	19	6	19	6	14	11	9	21	2	21	4	...	...	...	1	16	4	8	5	32	6	18
19	27	3	28	6	28	6	30	6	1	7	2	7	2	10	1	6	1	3	2	3	1	10	1	8	19
20	6	23	6	22	6	19	7	22	6	25	7	23	6	22	6	25	7	24	6	24	6	20	4	8	20
21	4	10	3	7	1	8	1	10	1	9	1	11	1	12	32	8	32	6	1	3	1	6	1	6	21
22	1	13	32	11	...	1	29	5	30	3	2	3	4	3	3	5	1	10	1	9	1	6	1	4	22
23	3	6	7	14	8	12	7	7	5	10	4	12	4	7	5	10	6	8	7	8	6	5	5	8	23
24	7	20	6	17	7	15	6	12	6	13	6	11	7	6	7	6	7	9	6	7	6	13	5	14	24
25	8	13	9	12	9	10	9	15	8	17	7	19	6	21	5	21	6	21	6	14	6	15	5	24	25
26	6	23	7	21	7	16	6	10	7	9	7	10	5	9	6	13	7	17	6	17	6	19	6	16	26
27	6	17	6	17	7	17	8	16	8	15	7	14	7	14	9	12	8	14	7	15	7	12	7	10	27
28	2	3	...	...	...	1	4	14	8	12	9	11	9	11	9	12	8	10	7	10	6	9	...	...	28
29	23	12	22	11	23	9	23	10	22	8	21	11	22	7	23	4	...	1	...	1	...	...	...	...	29
30	10	10	10	15	10	16	10	13	10	11	10	9	9	13	9	8	9	6	9	9	9	5	9	7	30
31	8	13	8	13	7	15	7	14	7	16	7	17	7	11	8	12	9	8	9	5	9	9	9	9	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of MARCH, 1926.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu-nb	E	nb	E	ci-st / cu	W / ESE	nb	SE	cu	E	cu	E	cu	E	nb	E
2	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
3	nb	E	cu-nb	E	cu-nb	E	a-cu / cu	WSW / ESE	cu	E	nb	ESE	cu	ESE	cu	ESE
4	cu	ESE	cu	ESE	a-cu / cu	W / ESE	cu	ESE	cu	ESE	a-cu / cu	WSW / ESE	a-cu	WSW	a-cu	WSW
5	cu	E	...	...	st	E	...	...	cu	E	...	...	...	...	nb	E
6	nb	E	nb	E	st-cu	E	nb	E	nb	E	cu	E	cu	E	cu	E
7	nb	E	nb	E	nb	E	cu	E	cu	E	cu	E	cu	E	cu	E
8	cu	E	nb	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
9	nb	E	nb	E	cu / nb	E / ESE	cu	E	cu	E	a-cu / cu	WNW / E	...	...	...	...
10	cu	E	cu	E	cu-nb	E	a-cu	WNW	a-cu / cu	WNW / E	cu	NNE	cu	NNE	...	...
11	cu	ENE	cu	E	cu	E	cu	E	cu	E	...	...	...	...	...	...
12	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
13	cu	E	cu	E	cu	E	cu	SSE	nb	SSW	nb	SSW	cu-nb	WSW	nb	SW
14	nb	SW	nb	SW	cu	SW	cu	SSW	cu	SW	cu	SW	cu	SSW	cu	SSW
15	cu	SW	cu	SW	cu	S	cu	S	cu	S	cu	S	cu	S	cu	S
16	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
17	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
18	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
19	cu	E	cu	E	nb	NNW	nb	NNW	st-cu	NNW	a-cu	SSW	cu	WNW	cu	W
20	cu	WNW	cu	WNW	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	E	cu	E
21	nb	E	nb	E	nb	E	nb	E	nb	E	nb	ENE	nb	ENE	nb	ENE
22	nb	ENE	cu	ENE	cu	ENE	nb	ENE	cu	ENE	nb	ENE	nb	ENE	nb	ENE
23	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE
24	nb	ENE	nb	ENE	st-cu	E	st-cu	E	st-cu	ENE	st	E	nb	WNW	st-cu	W
25	st-cu	E	nb	E	cu	E	cu	E	st-cu	ESE	st-cu	ESE	nb	E	nb	E
26	nb	ENE	nb	ENE	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
27	nb	E	st	E	cu	E	cu	E	cu	E	cu	E	cu	E	nb	E
28	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
29	nb	E	nb	E	nb	E	cu	SW	cu	WNW	cu	WNW	...	...	...	...
30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
31	...	...	...	...	...	...	...	...	cu	SSE	cu	SSE	ci-st / cu	WSW / SSE	cu	SSE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1926.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	ins.	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·996	68·3	59·1	9·2	63·3	61·1	0·511	88	95	2·5	21	...	2	— 2·8	+ 14·0	101	14·3	14·3
2	30·021	67·9	63·1	4·8	64·3	62·3	·537	89	100	0·6	5	0·015	7	+ 1·0	+ 15·0	86	15·0	15·3
3	·036	70·0	62·0	8·0	65·5	62·4	·524	83	96	5·6	48	...	...	— 1·0	+ 17·2	93	17·2	17·3
4	29·999	75·9	64·9	11·0	68·7	65·9	·601	86	80	4·6	39	...	...	— 0·7	+ 10·1	94	10·1	10·1
5	·983	74·4	62·4	12·0	67·7	65·2	·589	87	41	8·2	70	...	2	+ 1·1	+ 2·6	67	2·8	6·0
6	30·088	64·8	61·0	3·8	62·4	60·4	·500	89	100	...	...	...	6	— 1·0	+ 12·7	95	12·7	13·1
7	·128	69·9	60·7	9·2	63·9	60·4	·480	80	73	8·1	69	...	3	+ 0·1	+ 10·6	89	10·6	10·7
8	·090	66·3	60·9	5·4	62·8	59·7	·472	82	100	0·9	8	...	1	+ 0·5	+ 12·2	88	12·2	12·5
9	·023	66·7	60·0	6·7	62·9	59·2	·456	79	72	5·3	45	0·005	2	+ 0·7	+ 18·0	88	18·0	18·0
10	·015	77·2	63·0	14·2	68·7	64·3	·545	78	60	9·1	76	...	...	+ 0·6	— 1·0	301	1·2	5·1
11	·040	67·4	62·1	5·3	64·1	59·6	·452	76	57	8·3	71	...	...	+ 6·2	+ 21·4	74	22·3	22·3
12	29·946	70·4	62·6	7·8	65·3	60·6	·468	75	91	4·6	39	...	...	— 0·1	+ 16·1	90	16·1	16·1
13	·829	75·2	64·9	10·3	70·2	67·9	·654	88	92	0·3	3	0·015	2	— 4·8	+ 2·0	157	5·2	9·1
14	·812	82·1	71·9	10·2	75·0	72·2	·754	87	98	5·0	42	...	...	— 1·9	— 3·1	239	3·6	5·8
15	·833	80·7	70·1	10·6	74·2	71·6	·741	88	98	3·6	30	...	...	— 5·4	+ 3·7	146	6·6	7·6
16	·959	70·4	59·0	11·4	61·1	60·0	·505	93	100	...	...	0·095	19	+ 11·7	+ 29·5	68	31·8	31·7
17	·949	62·2	58·8	3·4	60·3	59·0	·484	92	100	...	...	0·365	15	+ 4·9	+ 25·1	79	25·6	25·5
18	·844	65·9	60·9	5·0	63·5	62·7	·560	95	100	0·2	2	1·500	22	+ 0·3	+ 14·0	89	14·0	15·1
19	·898	68·0	62·1	5·9	64·1	60·2	·471	79	99	0·8	7	...	...	+ 4·3	— 2·4	331	4·9	6·2
20	·969	64·2	59·9	4·3	62·3	57·2	·402	71	99	0·2	2	0·080	1	+ 5·5	+ 15·0	70	16·0	16·1
21	·978	60·7	56·7	4·0	59·1	57·2	·445	89	100	...	...	0·665	14	+ 5·9	+ 4·5	37	7·4	8·1
22	·990	58·7	55·8	2·9	57·0	54·6	·397	85	100	...	...	0·350	8	+ 4·9	+ 1·5	17	5·1	5·5
23	30·033	60·4	55·0	5·4	58·1	54·6	·382	79	100	...	...	0·410	8	+ 2·9	+ 4·1	55	5·0	5·5
24	·040	65·6	59·9	5·7	62·6	55·2	·339	60	100	0·6	5	0·015	1	+ 3·2	+ 12·0	75	12·4	12·5
25	·041	63·2	59·7	3·5	61·9	58·2	·438	79	100	0·1	1	0·215	5	+ 5·5	+ 16·3	71	17·3	17·7
26	·147	61·4	58·0	3·4	59·9	57·5	·443	86	100	...	...	0·285	8	+ 4·9	+ 15·7	73	16·4	16·5
27	·189	60·4	56·8	3·6	58·9	55·2	·388	78	100	...	...	0·075	3	+ 3·3	+ 13·1	76	13·5	13·7
28	·089	58·2	55·0	3·2	57·1	54·0	·378	80	100	...	...	0·655	17	+ 2·1	+ 6·6	72	6·9	7·6
29	29·996	68·7	57·1	11·6	61·6	58·6	·454	83	63	5·6	46	0·095	2	— 1·0	— 2·9	251	3·1	4·8
30	·997	71·6	58·7	12·9	64·4	59·4	·442	73	1	11·3	92	...	...	— 2·4	+ 6·1	111	6·6	7·0
31	·959	70·9	61·6	9·3	65·7	58·6	·400	63	35	10·4	85	...	...	— 1·2	+ 10·8	96	10·9	11·2
Means	29·998	68·0	60·8	7·2	63·8	60·5	0·491	82	85	Sum. 96·1	25	Sum. 4·840	Sum. 148	+ 1·5	+ 10·3	82	10·4	12·5
Normals	29·942	67·3	59·8	7·5	63·1	60·0	0·488	83	85	90·4	24	2·739	76	+ 1·3	+ 13·1	84	13·1	15·2
Absolute Max.	30·247	82·1	...	14·2	...	75·3	0·788	...	...	11·3	92	1·500	22	...	...	...	...	36·0 †
Day.	27	14	...	10	...	14	14	...	...	30	30	18	18	...	...	...	...	16d 12h 17d 2h
Absolute Min.	29·750	...	55·0	2·9	...	51·0	0·287	43	...	...	...	...	...	...	...	...	...	...
Day	13	...	23,28	22	...	28	24	31	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Thick fog :—on the 5th.

Fog :—on the 5th, 13th, 18th, 29th and 30th

Slight Fog :—on the 14th.

Haze :—on the 5th.

Dew :—on the 13th and 14th.

Thunder :—on the 18th.

Rain fell on 15 days. The mean hourly intensity was 0·033*in*, and the maximum fall in one hour was 0·620*ins* at 18*h* on the 18th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 46 miles per hour at 19*h* 25*m* on the 16th.

Clouds with base less than 2,000 feet high were observed on 12 days.

Clouds with base less than 1,000 feet high were observed on 5 days.

* 0°=N., 90°=E &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1926.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1017·8	293·2	288·1	5·1	290·4	289·2	17·2	...	2	— 0·9	+ 4·6	101	4·7	4·7
2	1018·7	292·9	290·3	2·6	290·9	289·8	18·1	0·4	7	+ 0·3	+ 4·9	86	4·9	5·0
3	1019·2	294·1	289·7	4·4	291·6	289·9	17·7	...	...	— 0·3	+ 5·6	93	5·6	5·7
4	1017·9	297·4	291·3	6·1	293·4	291·8	20·3	...	...	— 0·2	+ 3·3	94	3·3	3·3
5	1017·3	296·6	289·9	6·7	292·8	291·4	19·9	...	2	+ 0·4	+ 0·9	67	0·9	2·0
6	1021·0	291·2	289·1	2·1	289·9	288·8	16·9	...	6	— 0·3	+ 4·2	95	4·2	4·3
7	1022·3	294·1	288·9	5·2	290·7	288·8	16·2	...	3	...	+ 3·5	89	3·5	3·5
8	1021·0	292·1	289·1	3·0	290·1	288·4	15·9	...	1	+ 0·2	+ 4·0	88	4·0	4·1
9	1018·8	292·3	288·6	3·7	290·2	288·1	15·4	0·1	2	+ 0·2	+ 5·9	88	5·9	5·9
10	1018·4	298·1	290·2	7·9	293·4	290·9	18·4	...	...	+ 0·2	— 0·3	301	0·4	1·7
11	1019·3	292·7	289·7	3·0	290·8	288·3	15·2	...	...	+ 2·0	+ 7·0	74	7·3	7·3
12	1016·1	294·3	290·0	4·3	291·4	288·9	15·8	...	...	...	+ 5·3	90	5·3	5·3
13	1012·1	297·0	291·3	5·7	294·2	292·9	22·1	0·4	2	— 1·6	+ 0·7	157	1·7	3·0
14	1011·5	300·8	295·2	5·6	296·9	295·3	25·4	...	...	— 0·6	— 1·0	239	1·2	1·9
15	1012·2	300·1	294·2	5·9	296·4	295·0	25·0	...	...	— 1·8	+ 1·2	146	2·2	2·5
16	1016·6	294·3	288·0	6·3	289·2	288·6	17·0	2·4	19	+ 3·8	+ 9·7	68	10·4	10·4
17	1016·3	289·8	287·9	1·9	288·7	288·0	16·3	9·3	15	+ 1·6	+ 8·2	79	8·4	8·4
18	1012·7	291·8	289·1	2·7	290·5	290·1	18·9	38·1	22	+ 0·1	+ 4·6	89	4·6	5·0
19	1014·5	293·0	289·7	3·3	290·8	288·7	15·9	...	...	+ 1·4	— 0·8	331	1·6	2·0
20	1016·9	290·9	288·5	2·4	289·8	287·0	13·5	2·0	1	+ 1·8	+ 4·9	70	5·2	5·3
21	1017·2	288·9	286·7	2·2	288·1	287·0	15·0	16·9	14	+ 1·9	+ 1·5	37	2·4	2·7
22	1017·7	287·8	286·2	1·6	286·9	285·6	12·4	8·9	8	+ 1·6	+ 0·5	17	1·7	1·8
23	1019·1	288·8	285·8	3·0	287·5	285·6	13·9	10·4	8	+ 1·0	+ 1·3	55	1·6	1·8
24	1019·3	291·7	288·5	3·2	290·0	285·9	11·4	0·4	1	+ 1·0	+ 3·9	75	4·1	4·1
25	1019·4	290·3	288·4	1·9	289·6	287·6	14·8	5·5	5	+ 1·8	+ 5·3	71	5·7	5·8
26	1023·0	289·3	287·4	1·9	288·5	287·2	14·9	7·2	8	+ 1·6	+ 5·1	73	5·4	5·4
27	1024·4	288·8	286·8	2·0	287·9	285·9	13·1	1·9	3	+ 1·1	+ 4·3	76	4·4	4·5
28	1021·3	287·6	285·8	1·8	286·9	285·2	12·7	16·6	17	+ 0·7	+ 2·2	72	2·3	2·5
29	1017·9	293·4	286·9	6·5	289·4	287·8	15·3	2·4	2	— 0·3	— 1·0	251	1·0	1·6
30	1017·9	295·0	287·8	7·2	291·0	288·2	14·9	...	...	— 0·8	+ 2·0	111	2·2	2·3
31	1016·6	294·6	289·4	5·2	291·7	287·8	13·5	...	...	— 0·4	+ 3·5	96	3·6	3·7
Means.	1017·9	293·0	289·0	4·0	290·7	288·8	16·5	Sum. 122·9	Sum. 148	+ 0·5	+ 3·4	82	3·4	4·1
Normals	1016·0	292·6	288·4	4·2	290·3	288·6	16·4	69·6	76	+ 0·4	+ 4·3	84	4·3	5·0
Absolute Maximum.	1026·4	300·8	...	7·9	...	297·1	26·6	38·1	22	...	...	...	...	11·8†
Day.	27	14	...	10	...	14	14	18	18	...	...	...	...	16d 18h 17d 9h
Absolute Minimum.	1009·4	...	285·8	1·6	...	283·6	9·6	...	...	...	...	...	...	...
Day.	13	...	23,28	22	...	28	24	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, MARCH, 1926.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	— 0·4	11	0·0	21	+ 0·1
2	— 0·2	12	0·0	22	+ 0·1
3	— 0·2	13	0·0	23	+ 0·1
4	— 0·2	14	— 0·1	24	+ 0·1
5	0·0	15	— 0·1	25	+ 0·1
6	— 0·1	16	— 0·1	26	+ 0·1
7	— 0·1	17	0·0	27	+ 0·1
8	— 0·2	18	0·0	28	+ 0·1
9	— 0·3	19	+ 0·1		— 0·1
10	— 0·1	20	+ 0·1		— 0·1
					— 0·1

+ = Late ; — = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0s·11

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1926.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·012	62·6	60·1	·494	87	89		5	6	+ 2·2	+ 9·2	77	9·5	10·6
2	29·995	62·4	60·0	·493	88	89		5	5	+ 2·2	+ 9·1	76	9·4	10·7
3	·980	62·2	59·9	·493	88	89		3	5	+ 1·8	+ 9·2	79	9·4	10·5
4	·970	62·1	59·7	·488	87	88		1	5	+ 1·3	+ 9·7	82	9·8	11·1
5	·973	61·9	59·5	·484	87	87		1	4	+ 1·4	+ 9·9	82	10·0	11·9
6	·987	61·8	59·4	·483	87	92	1	2	3	+ 1·4	+ 10·4	82	10·5	12·0
7	30·004	61·9	59·4	·481	86	91	9	1	2	+ 2·1	+ 10·8	79	11·0	12·3
8	·024	62·5	59·8	·486	86	92	16	2	4	+ 2·4	+ 10·7	77	11·0	12·0
9	·040	63·4	60·2	·486	83	92	27	2	4	+ 1·9	+ 12·0	81	12·2	13·3
10	·051	64·2	60·8	·495	82	84	35	1	4	+ 1·9	+ 11·7	81	11·9	13·7
11	·046	64·7	61·1	·498	81	89	33	3	4	+ 1·4	+ 11·5	83	11·6	14·2
Noon.	·028	65·5	61·3	·494	78	86	41	...	3	+ 0·9	+ 11·7	86	11·7	14·4
13	·004	66·0	61·5	·493	77	86	37	5	4	+ 1·9	+ 11·1	80	11·3	14·2
14	29·980	65·9	61·4	·492	77	86	32	6	4	+ 1·1	+ 11·0	84	11·1	14·2
15	·962	65·9	61·4	·492	77	85	29	3	3	+ 0·8	+ 10·7	86	10·7	14·0
16	·953	65·6	61·1	·486	77	83	27	2	4	+ 1·4	+ 10·4	82	10·5	13·7
17	·954	65·3	61·0	·487	78	83	22	11	4	+ 1·1	+ 10·6	84	10·7	13·1
18	·961	64·6	60·6	·483	79	80	6	15	3	+ 1·4	+ 10·4	82	10·5	13·1
19	·973	64·1	60·6	·490	82	79		5	4	+ 1·0	+ 9·5	84	9·6	12·5
20	·987	64·0	60·7	·495	83	74		4	4	+ 1·3	+ 9·7	82	9·8	12·2
21	30·005	63·8	60·7	·497	84	81		10	5	+ 0·7	+ 10·4	86	10·4	12·2
22	·018	63·6	60·6	·496	85	81		5	5	+ 1·1	+ 9·9	84	10·0	11·8
23	·021	63·3	60·5	·497	85	82		5	6	+ 1·8	+ 9·8	80	10·0	11·7
Midn.	·018	63·1	60·5	·500	86	85		3	5	+ 2·1	+ 8·9	77	9·2	10·9

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1926.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1018·5	290·0	288·6	16·7	+ 0·7	+ 3·0	77	3·1	3·5
2	1017·8	289·9	288·6	16·6	+ 0·7	+ 3·0	76	3·1	3·5
3	1017·3	289·8	288·5	16·6	+ 0·6	+ 3·0	79	3·1	3·4
4	1017·0	289·7	288·4	16·4	+ 0·4	+ 3·2	82	3·2	3·6
5	1017·1	289·6	288·3	16·3	+ 0·5	+ 3·2	82	3·3	3·9
6	1017·5	289·6	288·2	16·3	+ 0·5	+ 3·4	82	3·4	3·9
7	1018·1	289·6	288·2	16·2	+ 0·7	+ 3·5	79	3·6	4·0
8	1018·8	289·9	288·4	16·4	+ 0·8	+ 3·5	77	3·6	3·9
9	1019·3	290·4	288·7	16·4	+ 0·6	+ 3·9	81	4·0	4·4
10	1019·7	290·9	289·0	16·7	+ 0·6	+ 3·8	81	3·9	4·5
11	1019·5	291·2	289·2	16·8	+ 0·5	+ 3·8	83	3·8	4·7
Noon.	1018·9	291·6	289·3	16·7	+ 0·3	+ 3·8	86	3·8	4·7
13	1018·1	291·9	289·4	16·6	+ 0·6	+ 3·6	80	3·7	4·7
14	1017·3	291·8	289·3	16·6	+ 0·4	+ 3·6	84	3·6	4·7
15	1016·7	291·8	289·3	16·6	+ 0·3	+ 3·5	86	3·5	4·6
16	1016·4	291·7	289·2	16·4	+ 0·5	+ 3·4	82	3·4	4·5
17	1016·4	291·5	289·1	16·4	+ 0·4	+ 3·5	84	3·5	4·3
18	1016·6	291·1	288·9	16·3	+ 0·5	+ 3·4	82	3·4	4·3
19	1017·0	290·8	288·9	16·5	+ 0·3	+ 3·1	84	3·1	4·1
20	1017·5	290·8	288·9	16·7	+ 0·4	+ 3·2	82	3·2	4·0
21	1018·1	290·7	288·9	16·8	+ 0·2	+ 3·4	86	3·4	4·0
22	1018·6	290·6	288·9	16·7	+ 0·4	+ 3·2	84	3·3	3·9
23	1018·7	290·4	288·8	16·8	+ 0·6	+ 3·2	80	3·3	3·8
Midn.	1018·6	290·3	288·8	16·9	+ 0·7	+ 2·9	77	3·0	3·6

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

MARCH,

1926.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	28TH FEBRUARY, 1926.								1ST MARCH, 1926.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	12	30.22	767.7	33	...	NE	4	o	6	30.14	765.6	28	...	...	o	o
Nemuro,	11	30.16	766.0	...	..	SSE	1	...	5	30.16	766.0	...	..	S	1	...
Hakodate,	..	30.20	767.0	...	...	...	o	...	,,	30.20	767.0	...	...	WNW	1	...
Tokio,	,,	30.16	766.0	...	...	NW	4	...	,,	30.32	770.0	...	..	NW	1	...
Kochi,	,,	30.26	768.5	...	...	SE	1	...	,,	30.24	768.0	...	...	SW	1	...
Nagasaki,	,,	30.31	770.0	...	...	SE	1	...	,,	30.16	766.0	...	...	ESE	2	...
Kagoshima,	,,	30.31	770.0	...	...	SSW	1	...	,,	30.18	766.5	...	...	NW	1	...
Oshima,	,,	30.26	768.5	...	...	E	1	...	,,	30.16	766.0	...	...	...	..	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.14	765.5	...	...	SE	1	...
Ishigakijima,	,,	30.26	768.5	...	...	E	1	...	,,	30.08	764.0	...	...	SE	1	...
Bonin Island,	,,	30.12	765.0	..	...	NNW	1	..	..	30.24	768.0	..	...	N	1	...
Chefoo,	15	30.16	766.0	52	53	SW	1	o	6	30.15	765.8	38	84	SSE	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	45	...	...	o	...
Ichang,	,,	...	...	...	...	...	...	...	,,	30.17	766.3	45	...	...	o	cf
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai,	14	30.22	767.7	48	82	SE	4	r	,,	30.12	765.0	43	100	W	2	o
Gutzlaff,	,,	30.25	768.3	46	86	SSE	4	r	,,	30.13	765.3	44	100	NW	2	rf
Sharp Peak,	,,	30.16	766.0	56	75	WNW	1	o	-	30.07	763.8	52	83	...	o	r
Amoy,	15	30.17	766.3	55	90	SSE	1	o	6	30.12	765.0	56	94	...	o	o
Swatow,	..	...	...	...	...	...	...	...	,,	...	...	..	...	...	..	...
Taihoku,	11	30.14	765.6	75	60	E	4	b	5	30.08	764.1	63	93	...	o	o
Taichu,	,,	30.19	766.8	72	...	WSW	2	o	,,	30.11	764.7	59	...		o	o
Tainan,	,,	30.17	766.2	75	...	WNW	2	b	,,	30.06	763.5	57	...	N	2	b
Koshun,	,,	30.15	765.9	73	...	NE	6	b	,,	30.05	763.2	68	...	NNE	2	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Canton,	14	30.10	764.5	64	84	...	o	o	6	...	...	...	...	...	...	...
Hongkong,	,,	30.10	64.5	62	68	E	4	o	,,	30.05	763.2	60	90	E	3	o
Gap Rock,	,,	30.11	764.8	...	...	ENE	5	o	,,	30.03	762.7	...	...	ENE	4	o
Macao,	,,	30.07	763.8	64	71	SE	2	o	,,	30.02	762.6	59	91	ENE	2	cf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Haibow,	,,	...	...	...	...	...	...	...		...	...	...	...	...	..	...
Pratas Island,	14	30.16	766.0	74	...	E	4	o	6	30.07	763.8	73	...	N	3	b
Paulien,	,,	30.08	764.1	63	92	WNW	2	rf	7	30.02	762.6	63	98	SSE	1	rf
Tourane,	,,	30.04	762.9	70	...	NNW	2	b	,,	29.99	761.7	66	...	SW	4	b
Cape St. James,	,,	29.91	759.6	79	...	ENE	6	bf	,,	29.89	759.3	75	...	ENE	6	bf
Lasco,	,,	30.02	762.6	73	82	ENE	6	r	6	...	...	...		...	...	...
Aparri,	,,	30.00	762.0	79	73	ENE	4	b	,,	30.01	762.3	68	91	S	2	b
Manila,	,,	29.92	759.9	90	38	ESE	4	b	,,	29.97	761.1	70	82	NE	2	o
Legaspi,	,,	29.92	759.9	77	94	NE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	86	52	N	7	b	,,	29.92	759.9	73	91	N	4	b
Surigao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Guam,	12.20	29.87	758.7	...	...	NE	4	b	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.85	758.1	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	..	...	...	...	...	...	...	5	29.92	759.9	77	...	ENE	3	c
Laibuan,	1.	29.82	757.4	86	76	N	4	b	o	29.83	757.7	78	91	N	2	b

March 1*d.* 11*h.* 37*m.*—Pressure has increased moderately at Tokio, and decreased slightly to moderately elsewhere. The anticyclone has passed into the Pacific to the south-east of Japan.

The monsoon will be interrupted along the coast, but will continue to blow moderately over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·61 inches, against an average of 3·17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND

DISTRICT.	FORECAST.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	E. or variable winds, moderate; cloudy generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st MARCH, 1926.									2nd MARCH, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.12	765.0	33	...	SE		0		6	30.10	764.6	23	...	N	3		s
Nemuro,	11	30.10	764.5	...	...	S	1	...		5	30.02	762.5	...	...	...	0		...
Hokodate,	,,	30.18	766.5	...	...	S	1	...		,,	30.08	764.0	...	...	...	..		...
Tokio,	,,	30.26	768.5	...	...	NNW	1	...		,,	30.06	763.5	...	...	NNW	1		...
Kochi,	,,	30.20	767.0	...	...	WSW	1	...		,,	30.18	766.5	...	...	SW	1		...
Nagasaki,	,,	30.06	763.5	...	...	NE	1	...		,,	30.18	766.5	...	...	...	...		...
Kagoshima,	,,	30.10	764.5	...	...	...	0	...		,,	30.12	765.0	...	...	WNW	1		...
Oshima,	,,	30.12	765.0	...	...	SSE	1	...		,,	30.12	765.0	...	...	NW	2		...
Naha,	,,	30.12	765.0	...	...	E	2	...		,,	30.12	765 0	...	...	NNW	1		...
Ishigakijima,	,,	30.12	765.0	...	...	S	1	...		,,	30.10	764.5	...	...	NE	1		...
Bonin Island,	,,	30.24	768.0	...	...	E	1	...		,,	30.18	766.5	...	...	SSW	1		...
Chefoo,	15	30.10	764.5	54	49	SSW	2	b		6	30.30	769.6	36	83	N	1		o
Hankow,	,,	...	...	...	...	...	...	...		,,	29.92	759.9	54	...	NE	1		lo
Ichang,	,,	...	...	...	...	...	...	...		,,	30.08	764.0	50	...	...	c		c
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	..		...
Shanghai,	14	30.17	766.2	59	58	NW	1	b		,,	30.25	768.3	39	100	ENE	1		of
Gutzlaff,		30.17	766.3	52	79	NNW	1	b		,,	30.27	768.8	40	100	E	2		bf
Sharp Peak,	,,	30.07	763.8	65	73	E	1	of		,,	30.13	765.3	56	87	N	1		o
Amoy,	15	30.06	763.5	65	78	SSE	4	o		6	30.17	766.3	60	94	NE	4		o
Swatow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Taihoku,	11	30.11	764.7	73	62	...	0	o		5	30.12	765.0	61	93	...	c		c
Taichu,	,,	30.08	764.1	79	...	...	0	b		,,	30.08	764.1	63	...	...	o		o
Tainan,	,,	30.08	764.1	84	...	ESE	2	b		,,	30.05	763.2	64	...	N	1		b
Koshun,	,,	30.08	764.1	82	...	ENE	4	b		,,	30.04	762.9	73	...	...	o		r
Pescadores,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Canton,	14	...	...	...	...	...	...	...		6	...	...	...	...	...	...		...
Hongkong,	,,	30.02	762.5	66	83	E	3	o		,,	30.02	762.5	65	95	SE	1		o
Gap Rock,	,,	30.02	762.5	...	...	ENE	4	o		,,	30.03	762.7	...	...	ENE	3		o
Macao,	,,	30.00	762.0	70	74	ENE	2	o		,,	30.04	762.9	63	100	NE	2		of
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...		...
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Pratas Island,	14	30.10	764.5	78	...	NE	4	c		6	30.06	763.5	74	...	E	1		b
Phulien,	,,	29.95	760.8	70	82	SSW	1	o		7	29.98	761.4	64	98	ENE	2		o
Tourane,	,,	29.94	760.5	77	...	SE	2	b		,,	29.97	761.1	70	...	SW	4		o
Cape St. James,	,,	29 87	758.7	79	...	ENE	6	b		,,	29.87	758.7	77	...	ENE	6		o
Basco,	,,	29.97	761.1	81	73	SE	4	o		6	...	...	...	..	...	...		...
Aparri,	,,	29.94	760.5	84	64	ENE	4	b		,,	...	...	...	...	...	...		...
Manila,	,,	29.91	759.6	90	44	E	2	o		,,	...	...	...	...	...	...		...
Legaspi,	,,	29.93	760.2	84	74	NE	2	o		,,	...	...	...	...	...	...		...
Tacloban,	,,	...	...	...	...	...	..	...		,,	...	...	...	...	...	...		...
Iloilo,	,,	29.82	757.5	86	58	NE	6	b		,,	...	...	...	...	...	...		...
Surigao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Guam,	12.20	29.87	758.7	...	...	NE	4	o		4.20	...	...	...	...	...	...		...
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...		...
Pelew,	11.00	...	...	...	...	...	...	...		5	29.91	759.7	78	...	ENE	3		lc
Labuan,	12	29.81	757.2	84	83	NE	4	b		6	29.84	757.9	78	91	N	2		b

March 2*d.* 11*h.* 40*m.*—Pressure has decreased moderately over central and N.E. Japan. It has increased considerably at Chefoo and slightly at Shanghai. At Hongkong it is oscillating.

An anticyclone has formed over N.E. China and S.E. Mongolia.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 2·63 inches, against an average of 3·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. or variable winds, moderate; generally overcast, some fog later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd March, 1926.									3rd March, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	30.11	764.8	12	...	NNE	4	b		6	30.43	772.8	17	...	...	0	0	
Nemuro, ...	11	29.98	761.5	...	...	S	1	...		5	29.96	761.0	...	...	NE	2	...	
Hokodate, ...	,,	30.08	764.0	...	...	...	...	...		,,	30.08	764.0	...	...	W	6	...	
Tokio, ...	,,	30.02	762.5	...	...	NNE	1	...		,,	30.18	766.5	...	...	NW	1	...	
Kochi, ...	,,	30.12	765.0	...	...	...	0	...		,,	30.28	769.0	...	...	SW	1	...	
Nagasaki, ...	,,	30.26	768.5	...	...	NNW	1	...		,,	30.30	769.5	...	...	...	0	...	
Kagoshima, ...	,,	30.20	767.0	...	...	NW	1	...		,,	30.26	768.5	...	...	NW	1	...	
Oshima, ...	,,	30.20	767.0	...	...	N	2	...		,,	30.22	767.5	...	...	SE	1	...	
Naha, ...	,,	30.20	767.0	...	...	NW	1	...		,,	30.22	767.5	...	...	...	0	...	
Ishigakijima, ...	,,	30.18	766.5	...	...	ENE	2	...		,,	30.14	765.5	...	...	ESE	1	...	
Bonin Island, ..	,,	30.16	766.0	...	...	SSW	1	...		,,	30.18	766.5	...	...	...	0	...	
Chefoo.	15	30.35	770.9	42	50	N	1	b		6	30.32	770.1	34	69	NNE	1	0	
Hankow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Ichang, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai, ...	14	30.27	768.9	59	53	E	1	b		,,	30.21	767.4	46	97	E	4	r	
Gutzlaff, ...	,,	30.31	769.9	47	100	E	2	b		,,	30.22	767.6	46	100	ESE	4	rf	
Sharp Peak, ...	,,	30.15	765.8	70	78	...	0	0		,,	30.16	766.0	58	93	...	0	0	
Amoy, ...	15	30.15	765.8	69	80	NE	1	0		6	30.19	766.8	60	90	NE	2	0	
Swatow, ...	,,	..	..	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Taihoku, ...	11	30.17	766.2	75	76	E	4	b		5	30.14	765 6	64	94	NW	2	0	
Taichu, ...	,,	30.14	765.6	77	...	...	0	b		,,	30.14	765.6	63	...	.	0	0	
Tainan, ...	,,	30.12	765.0	82	...	NNW	2	b		,,	30.12	765.0	63	...	NE	2	of	
Koshun, ...	,,	30.12	765.0	81	...	ENE	4	0		,,	30.11	764.7	70	...	...	0	b	
Pescadores, ..	,,	...	...	...	...	...	...	...		,,	...	...	...	...	..	...	...	
Canton, ...	14	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Hongkong, ...	,,	30.07	763.8	65	82	E	5	0		,,	30.09	764.3	63	85	E	4	0	
Gap Rock, ...	,,	30.09	764.3	...	...	NE	4	om		,,	30 07	763.8	...	...	ENE	4	0	
Macao, ...	,,	30.05	763.2	68	87	E	2	0		,,	30.06	763.5	63	94	SE	2	0	
Wuchow, ...	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island, ..	14	30.11	764.8	80	...	E	3	b		6	30.10	764.5	74	...	E	3	b	
Phulien, ...	,,	29.99	761.7	68	96	SE	2	of		7	30.01	762.3	66	100	ENE	2	of	
Tourane, ...	,,	29.95	760.8	79	...	SE	2	b		,,	30.00	762.0	70	...	SE	2	bf	
Cape St. James,	,,	29 87	758.7	79	...	ENE	6	b		,,	29.88	759.0	50	...	ENE	7	of	
Basco, ...	,,	30.01	762.3	81	73	SE	4	0		6	...	...	...	...	...	...	...	
Aparri, ...	,,	29.98	761.4	82	67	NE	4	b		,,	30.05	763.2	70	88	...	0	b	
Manila, ...	,,	29.92	759.9	86	46	SW	2	0		,,	30.00	762.0	64	86	...	0	b	
Legaspi, ...	,,	29.92	759.9	84	68	ENE	4	b		,,	29.97	761.1	77	79	NNE	4	0	
Tacloban, ...	,,	..	...	...	...	...	..	...		,,	...	...	...	...	...	...	...	
Iloilo, ...	,,	29.85	758.1	84	74	SW	6	0		,,	...	...	...	...	...	...	...	
Surigao, ...	,,	..	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Guam, ...	12.20	29.87	758.7	...	...	NE	4	r		4.20	...	...	...	...	...	...	...	
Yap, ...	12.47	29.82	757.5	...	...	NE	4	b		4.47	...	...	...	...	...	...	...	
Pelew, ...	11.00	..	...	...	...	...	...	...		5	29.89	759.2	78	...	NE	3	b	
Labuan, ...	14	29.82	757.4	86	80	NE	4	b		0	29.84	757.9	78	91	N	2	b	

March 3*d*. 10*h*. 50*m*.—Pressure has increased considerably from S. Manchuria to central Japan and slightly from the Bonins to S.W. Japan. It has decreased moderately at Shanghai and is nearly stationary elsewhere.

The anticyclone is now central over S. Manchuria.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·63 inches, against an average of 3·29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd March, 1926.								4th March, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.38	771.6	26	...	NNE	4	o	6	30.42	772.7	17	...	...	o	o
Nemuro,	11	30.02	762.5	...	...	NNE	2	...	5	30.12	765.0	...	...	...	o	...
Hokodate,	,,	30.16	766.0	...	...	WNW	4	...	,,	30.22	767.5	...	...	NW	1	...
Tokio,	,,	30.18	766.5	...	...	NNE	1	...	,,	30.22	767.5	...	...	..	c	...
Kochi,	,,	30.26	768.5	...	...	SE	1	...	,,	30.24	768.0	...	...	SW	1	...
Nagasaki,	,,	30.31	770.0	...	...	...	...	...	,,	30.24	768.0	...	...	N	1	...
Kagoshima,	,,	30.28	769.0	...	...	ENE	1	...	,,	30.20	767.0	...	...	...	c	...
Oshima,	,,	30.24	768.0	...	...	ESE	1	...	,,	30.14	765.5	...	...	SSE	1	...
Naha,	,,	30.22	767.5	...	...	ESE	1	...	,,	30.16	766.0	...	...	ESE	1	...
Ishigakijima,	,,	30.20	767.0	...	...	S	2	...	,,	30.14	765.5	...	...	S	1	...
Bonin Island,	,,	30.18	766.5	...	...	WSW	1	...	,,	30.22	767.5	...	...	...	c	...
Chefoo,	15	30.28	769.1	40	74	ESE	2	o	6	30.36	771.1	38	84	NE	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	50	...	ENE	2	...
Ichang,	,,	...	...	...	...	...	...	...	,,	31.00	787.5	54	...	SE	2	b
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.17	766.2	50	97	E	2	r	,,	30.08	764.1	50	100	E	4	rf
Gutzlaff,	,,	30.18	766.6	47	100	SE	4	of	,,	30.10	764.5	48	100	ESE	4	rf
Sharp Peak,	,,	30.14	765.5	72	76	...	c	b	7	30.16	766.0	56	93	...	o	o
Amoy,	15	30.12	765.0	67	84	SSE	4	b	6	30.14	765.5	58	100	NE	1	of
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	11	30.19	766.8	68	83	...	o	o	5	30.11	764.7	63	100	...	o	of
Taichu,	,,	...	...	...	...	...	...	...	,,	30.11	764.7	61	...	...	c	of
Tainan,	,,	30.15	765.9	77	...	WNW	2	b	,,	30.10	764.4	63	...	...	o	o
Koshun,	,,	30.14	765.6	81	...	ENE	4	b	,,	30.08	764.1	70	...	...	o	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.07	763.8	68	78	E	3	o	,,	30.06	763.5	65	89	E	2	o
Gap Rock,	,,	30.07	763.8	...	...	ENE	4	o	,,	30.05	763.2	...	...	ENE	4	o
Macao,	,,	30.04	762.9	75	71	SE	2	o	,,	30.04	762.9	64	96	SE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	30.13	765.3	80	...	E	4	b	6	30.09	764.3	76	...	E	3	b
Phulien,	,,	30.01	762.3	70	96	SE	1	of	7	30.02	762.6	68	98	ENE	2	rf
Tourane,	,,	29.99	761.7	73	...	SE	2	of	,,	30.00	762.0	70	...	SE	2	of
Cape St. James.	,,	29.88	759.0	79	...	ENE	7	bf	,,	29.91	759.6	77	...	ENE	6	b
Basco,	,,	30.01	762.3	81	66	ESE	4	o	6	...	...	...	..	...	...	...
Aparri,	,,	29.98	761.4	82	63	E	4	o	,,	30.02	762.6	70	87	SE	2	b
Manila,	,,	29.92	759.9	90	38	E	4	b	,,	30.01	762.3	66	82	...	o	b
Legaspi,	,,	29.92	759.9	86	58	NE	4	b	,,	29.97	761.1	77	79	NNE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.87	758.7	82	74	NNE	6	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.87	758.7	82	86	ESE	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.88	759.0	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.85	758.1	...	...	E	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.94	760.5	77	...	E	3	b
Labuan,	14	29.80	756.9	86	84	N	2	b	6	29.84	757.9	80	82	N	2	b

March 4*d*. 11*h*. 30*m*.—Pressure has increased slightly from N.E. Japan to N.E. China and decreased moderately from Shanghai to S.W. Japan. It is nearly stationary in southern districts.

The anticyclone appears to be nearly stationary over S. Manchuria.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 2·63 inches, against an average of 3·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, ...	E. or variable winds, moderate; generally cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th March, 1926.									5th March, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	30.34	770.7	34	...	ENE	2	b		6	30.36	771.2	22	...	...	0	b	
Nemuro,	11	30.05	763.5	...	...	...	0	...		5	30.12	765.0	...	...	WNW	2	...	
Hokodate,	"	30.18	766.5	...	...	WNW	6	...		"	30.20	767.0	...	...	NNE	1	...	
Tokio,	"	30.20	767.0	...	...	NE	1	...		"	30.22	767.5	...	...	NNE	1	...	
Kochi,	"	30.18	766.5	...	...	...	...	...		"	30.04	763.0	...	...	...	0	...	
Nagasaki,	"	30.14	765.5	...	...	NE	1	...		"	30.04	763.0	...	...	N	1	...	
Kagoshima,	"	30.14	765.5	...	...	NE	1	...		"	30.00	762.0	...	...	NNE	1	...	
Oshima,	"	30.10	764.5	...	...	SE	1	...		"	30.02	762.5	...	...	NNW	1	...	
Naha,	"	30.16	766.0	...	...	SSE	3	...		"	30.06	763.5	...	...	SSE	1	...	
Ishigakijima,	"	30.28	769.0	...	...	S	2	...		"	30.06	763.5	...	...	...	0	...	
Bonin Island,	"	30.22	767.5	...	...	NW	1	...		"	30.08	764.0	...	...	S	1	...	
Chefoo,	15	30.38	771.6	36	70	N	4	0		6	30.44	773.2	34	69	NW	4	b	
Hankow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Shanghai,	14	30.07	763.8	45	92	NE	4	0		"	30.37	771.3	41	94	N	4	0	
Gutzlaff,	"	30.01	763.2	46	100	NNE	6	r		"	30.35	770.9	42	100	N	6	0	
Sharp Peak,	"	30.04	763.0	70	75	...	0	0		"	30.13	765.3	50	90	NE	2	r	
Amoy,	15	30.02	762.5	67	95	SSE	4	b		6	30.04	763.0	62	100	SSW	1	b	
Swatow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Taihoku,	11	30.11	764.7	75	67	...	0	b		5	30.08	764.1	64	98	...	0	0	
Taichu,	"	30.13	765.3	79	...	...	0	b		"	30.06	763.5	61	...	...	0	b	
Tainan,	"	30.10	764.4	82	...	NW	2	b		"	30.01	762.3	63	...	NE	2	b	
Koshun,	"	30.10	764.4	82	...	E	4	b		"	30.00	762.0	68	...	...	2	b	
Pescadores,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Canton,	14	30.04	763.0	76	73	S	1	0		6	...	...	...	...	...	...	...	
Hongkong,	"	30.04	763.0	73	76	E	2	0		"	30.01	762.2	65	95	...	0	of	
Gap Rock,	"	30.04	763.0	...	...	NE	4	c		"	30.03	762.7	...	...	E	2	cm	
Macao,	"	30.02	762.6	77	72	SSE	2	0		"	29.95	760.8	63	100	...	0	of	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Pratas Island,	14	30.10	764.5	81	...	E	3	b		6	30.04	763.0	75	...	NNE	3	b	
Phulien,	"	29.99	761.7	72	94	ESE	1	rf		7	30.01	762.3	66	98	E	4	of	
Tourane,	"	29.97	761.1	75	...	SE	2	b		"	30.00	762.0	72	...	SE	2	bf	
Cape St. James,	"	29.87	758.7	79	...	ENE	6	bf		"	29.91	759.6	77	...	ENE	6	b	
Basco,	"	29.97	761.1	81	69	ENE	4	o		6	...	...	...	...	...	...	...	
Aparri,	"	29.97	761.1	82	67	NE	4	b		"	29.97	761.1	70	92	...	0	b	
Manila,	"	29.89	759.3	90	44	ESE	4	b		"	29.95	760.8	75	85	NE	2	b	
Legaspi,	"	29.92	759.9	82	47	NE	2	o		"	29.93	760.2	77	88	N	2	b	
Tacloban,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Iloilo,	"	29 87	758.7	81	76	N	7	o		"	...	...	...	...	...	...	...	
Surigao,	"	29.89	759.4	79	80	ESE	4	r		"	...	...	...	...	...	...	...	
Guam,	12.20	29.88	759.0	...	...	NE	6	o		4.20	...	...	...	...	...	...	...	
Yap,	12.47	29.86	758.4	...	...	ENE	6	r		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	29.89	759.2	75	...	NE	2	b	
Labuan,	14	29.81	757.2	84	83	NE	4	b		6	29.83	757.7	78	91	NE	2	b	

March 5*d.* 11*h.* 33*m.*—Pressure has increased considerably at Shanghai and slightly at Chefoo. It has decreased moderately over S.W. Japan and slightly from the Loochoos to Tongking. Farther south it is nearly stationary.

A new anticyclone has formed over China and a depression is shown to the east of the Loochoos.

The monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·63 inches, against an average of 3·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, ...	Light, variable winds, freshening from N.E.; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th March, 1926.								6th March, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.31	770.0	31	...	NNE	2	b	6	30.35	770.8	19	..	...	c	b
Nemuro,	11	30.10	764.5	...	...	NW	1	...	5	30.22	767.5	...	..	W	1	...
Hokodate,	..	30.18	766.5	...	...	W	4	...	,,	30.26	768.5	...	...	...	0	...
Tokio,	,,	30.22	767.5	...	...	NE	1	...	,,	30.32	770.0	...	...	..	0	...
Kochi,	,,	30.12	765.0	...	...	N	1	...	,,	30.22	767.5	...	...	SW	1	...
Nagasaki,	,,	30.14	765.5	...	...	N	3	...	,,	30.24	768.0	...	...	...	0	...
Kagoshima,	,,	30.08	764.0	...	...	NE	1	...	,,	30.18	766.5	...	...	...	0	...
Oshima,	,,	30.08	764.0	...	...	N	1	...	,,	30.14	765.5	...	...	NNW	2	...
Naha,	,,	30.16	766.0	...	...	WNW	1	...	,,	30.12	765.0	...	...	NNW	1	...
Ishigakijima,	,,	30.12	765.0	...	...	S	1	...	,,	30.08	764.0	...	...	N	1	...
Bonin Island,	..	30.06	763.5	...	...	S	2	...	..	30.04	763.0	...	...	W	1	...
Chefoo,	15	30.40	772.1	38	84	NW	4	b	6	30.42	772.6	30	86	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.19	766.8	44	...	ENE	1	c
Ichang,	,,	...	...	...	...	...	...	...	,,	30.38	771.6	42	...	...	c	c
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.37	771.3	45	71	NNW	2	o	,,	30.41	772.4	41	85	N	1	o
Gutzlaff,	,,	30.34	770.6	44	86	N	4	o	,,	30.41	772.4	40	91	N	4	o
Sharp Peak,	,,	30.17	766.3	54	80	E	4	o	,,	30.21	767.3	50	90	NE	2	o
Amoy,	15	30.13	765.3	58	94	NE	4	o	6	30.24	768.1	58	90	ENE	2	o
Swatow,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.14	765.6	66	10	E	4	o	5	30.19	766.8	59	91	E	2	o
Taichu,	,,	30.11	764.7	75	...	NNW	2	b	,,	30.12	765.0	57	...	...	0	b
Tainan,	,,	30.07	763.8	84	...	NNE	2	o	,,	30.10	764.4	59	...	NNW	4	o
Koshun,	,,	30.04	762.9	84	...	ENE	4	b	,,	30.05	763.2	70	...	NE	4	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	..	...	6	...	...	..	...	...	...	...
Hongkong,	,,	30.02	762.5	74	74	NW	1	b	,,	30.13	765.3	61	94	ESE	3	o
Gap Rock,	,,	30.04	763.0	...	...	N	2	b	,,	30.13	765.3	...	...	ENE	4	o
Macao,	,,	30.00	762.0	77	73	NNW	2	b	,,	30.11	764.7	68	96	..	2	of
Wuchow,	15	..	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	30.09	764.3	78	...	NE	3	b	6	30.12	765.0	74	...	NE	5	c
Phulien,	,,	29.95	760.8	77	68	SE	4	b	7	30.05	763.2	64	98	E	2	of
Tourane,	,,	29.99	761.7	77	...	SE	2	o	,,	30.02	762.6	70	...	...	0	o
Cape St. James,	,,	29.85	758.1	79	...	FNE	1	b	,,	29.89	759.3	75	...	ENE	6	bf
Basco,	,,	29.95	760.8	82	63	ESE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.92	759.9	84	60	E	4	b	,,	29.98	761.4	72	89	S	2	b
Manila,	,,	29.88	759.0	90	51	SE	4	b	,,	29.98	761.4	66	80	NE	1	b
Legaspi,	,,	29.89	759.3	86	65	NNE	4	b	,,	29.95	760.8	75	91	NNE	4	o
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	84	60	N	6	b	,,	...	...	...	...	...	...	...
Surigao,	..	29.87	758.7	81	80	ESE	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.87	758.7	...	...	NE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.85	758.1	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.90	759.4	74	...	NE	2	r
Labuan,	14	29.80	756.9	86	84	NE	2	b	6	29.82	757.4	80	91	NE	2	b

March 6*d*. 11*h*. 2*cm*.—Pressure has increased moderately over S.W. Japan and S. China. It has increased slightly over Tongking and Formosa and is nearly stationary elsewhere.

The anticyclone remains stationary over N.E. China and S. Manchuria.

Strong monsoon may be expected along the S.E. coast of China and fresh monsoon over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 2·63 inches, against an average of 3·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; overcast, some drizzle or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th March, 1926.								7th March, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.26	768.6	36	...	W	2	b	6	30.22	767.5	24	...	NNE	4	b
Nemuro,	11	30.28	769.0	...	...	...	0	...	5	30.18	766.5	...	..	NW	1	...
Hokodate,	..	30.26	768.5	...	...	W	1	...	,,	30.22	767.5	...	...	..	0	...
Tokio,	,,	30.31	770.0	...	...	...	0	...	,,	30.24	768.0	...	...	NNW	1	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.18	766.5	...	...	NNE	1	...
Nagasaki,	,,	30.26	768.5	...	...	N	1	...	,,	30.26	76[illegible].5	...	...	...	..	...
Kagoshima,	,,	30.22	767.5	...	...	NE	1	...	,,	30.22	767.5	...	...	...	0	...
Oshima,	,,	30.18	766.5	...	...	N	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.18	766.5	...	...	N	2	...	,,	30.20	767.0	...	...	NNE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	N	2	...	,,	30.16	766.0	...	...	N	1	...
Bonin Island,	..	30.08	764.0	..	...	E	L	...	,,	30.06	763.5	...	...	S	1	...
Chefoo.	15	30.33	770.4	44	45	NE	1	b	6	30.34	770.6	40	56	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.19	766.8	46	...	...	0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	30.37	771.4	33	...	...	0	0
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.37	771.3	52	47	NNW	1	b	,,	30.43	772.8	39	93	NE	2	0
Gutzlaff,	,,	30.3[illegible]	77.14	50	72	N	2	b	,,	30.41	772.4	42	85	N	1	0
Sharp Peak,	,,	30.27	768.3	56	75	ENE	4	b	,,	30.25	768.3	50	86	N	1	0
Amoy,	15	30.17	766.3	64	78	ENE	2	b	6	30.27	768.8	56	89	ENE	4	0
Swatow,	..	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Taihoku,	11	30.25	768.5	66	76	E	4	0	5	30.24	768.0	59	91	E	4	0
Taichu,	,,	30.21	767.4	70	...	NNW	2	bf	,,	30.18	766.5	55	...	...	0	b
Tainan,	,,	30.13	765.3	77	...	NNW	4	b	,,	30.14	765.6	57	...	N	2	0
Kosbun,	,,	30.12	765.0	81	...	NNE	4	b	,,	30.12	765.0	68	...	N	1	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.13	765.3	63	85	ESE	2	0	,,	30.19	766.8	61	88	E	2	cm
Gap Rock,	,,	30.13	765.3	...	...	ENE	4	0	,,	30.18	766.6	...	...	NE	4	0
Macao,	,,	30.12	765.0	61	96	NE	2	cf	,,	30.18	766.5	59	100	N	1	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Pratas Island,	14	30.17	766.3	77	...	NE	5	cf	6	30.16	766.0	73	...	NE	6	od
Hualien,	,,	30.02	762.6	72	84	ENE	4	0	7	...	...	...	...	..	...	...
Tourane,	,,	30.01	762.3	75	...	E	2	b	,,	...	...	...	...	...	..	...
Cape St. James,	,,	29.86	758.4	81	...	ENE	6	b	,,	...	...	...	...	...	..	...
Basco,	,,	29.98	761.4	82	68	E	4	0	6	...	...	...	..	...	...	...
Aparri,	,,	29.95	760.8	84	64	N	4	b	,,	...	...	...	...	...	..	...
Manila,	,,	29.92	759.9	81	66	SE	4	0	,,	30.01	762.3	73	85	SE	1	0
Legaspi,	,,	29.91	759.6	86	71	NE	4	b	,,	29.98	761.4	77	84	NNE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Iloilo,	,,	29.84	757.8	86	52	N	6	b	,,	29.94	760.5	73	98	N	4	b
Surigao,	..	29.87	758.7	82	74	ENE	4	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.87	758.7	...	...	W	4	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.85	758.1	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	..	...	...	5	...	...	..	...	...	...	...
Labuan,	14	29.78	756.4	86	84	N	2	b	6	29.81	757.2	80	87	NE	2	b

March 7*d.* 11*h.* 40*m.*—Pressure has decreased slightly from Wladivostock to central Japan and increased slightly from the Loochoos to Hongkong and also over the Philippines. It is nearly stationary at Shanghai.

There appear to be two anticyclones, one central to the west of Shanghai and one over Manchuria.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 2·63 inches, against an average of 3·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th March, 1926.								8th March, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.24	768.0	36	...	NNE	4	b	6	30.35	770.9	24	...	...	0	c
Nemuro,	11	30.16	766.0	...	...	SE	1	...	5	30.02	762.5	...	...	SE	1	...
Hokodate,	,,	30.18	766.5	...	...	...	0	...	,,	30.12	765.0	...	...	N	2	...
Tokio,	,,	30.22	767.5	...	...	NW	1	...	,,	30.12	765.0	...	...	...	0	...
Kochi,	,,	30.12	765.0	...	...	E	1	...	,,	30.16	766.0	...	...	SW	1	...
Nagasaki,	,,	30.24	768.0	...	...	SW	1	...	,,	30.22	767.5	...	...	NNW	1	...
Kagoshima,	,,	30.24	768.0	...	...	NW	1	...	,,	30.18	766.5	...	...	NW	1	...
Oshima,	,,	30.24	768.0	...	...	N	2	...	,,	30.16	766.0	...	...	S	1	...
Naha,	,,	30.22	767.5	...	...	NW	1	...	,,	30.16	766.0	...	...	NNW	1	...
Ishigakijima,	,,	30.20	767.0	...	...	NNE	3	...	,,	30.16	766.0	...	...	N	1	...
Bonin Island,	,,	30.04	763.0	...	...	WSW	3	...	,,	30.06	763.5	...	...	W	1	...
Chefoo,	15	30.31	763.9	46	62	NW	1	b	6	30.33	770.4	30	88	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.11	764.8	45	...	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	30.25	768.3	48	...	...	0	c
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.39	771.9	54	38	NNW	2	b	,,	30.38	771.6	36	96	E	1	bf
Gutzlaff,	,,	30.39	771.9	50	58	N	2	o	,,	30.38	771.6	40	91	NNE	1	b
Sharp Peak,	,,	30.26	768.6	52	79	E	2	o	,,	30.25	768.3	48	93	N	1	o
Amoy,	15	30.24	768.1	65	84	SSE	4	o	6	30.24	76 .1	56	94	ENE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	..	...	..	...	...	...
Taihoku,	11	30.26	768.6	70	69	E	4	b	5	30 21	767.4	59	96	...	...	b
Taichu,	,,	30.21	767.4	73	...	NW	2	b	,,	30.18	766.5	57	...	NNW	2	o
Tainan,	,,	30.19	766.0	77	...	N	2	b	,,	30.12	765.0	57	...	N	4	o
Koshun,	,,	30.18	766.5	77	...	N	4	b	,,	30.11	764.7	68	..	NW	2	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.17	766.3	69	69	ENE	1	c	,,	30.16	766.0	61	88	E	2	o
Gap Rock,	,,	30.18	766.6	...	...	ENE	4	b	,,	30.15	765.8	...	...	ENE	4	o
Macao,	,,	30.14	765.6	68	81	ESE	2	b	,,	30.13	765.3	63	75	NNW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	30.22	767.6	73	...	NE	5	cd	6	30.17	766.3	72	...	NE	4	c
Phulien,	,,	30.11	764.7	72	78	ENE	4	o	7	30.14	765.6	63	100	...	0	rf
Tourane,	,,	30.07	763.8	75	...	E	2	of	,,	30.10	764.4	68	...	...	0	b
Cape St. James,	,,	29.89	759.3	81	...	ENE	7	b	,,	29.94	760.5	77	...	ENE	6	b
Basco,	,,	...	...	...	...	N	4	o	6	30.05	763.2	72	88	E	2	o
Aparri,	,,	30.01	762.5	82	67	NE	2	o	,,	30.05	763.2	70	91	E	6	o
Manila,	,,	29.95	760.8	84	58	W	2	o	,,	30.00	762.0	68	87	NE	2	b
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.98	761.4	75	88	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.93	760.2	86	52	N	6	o	,,	29.93	760.2	73	92	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	75	91	ESE	1	o
Guam,	12.20	29 87	758.7	...	...	NE	4	o	4.20	29.91	759.6	...	...	NE	1	o
Yap,	12.47	29.84	757.8	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.90	759.4	77	...	ENE	2	c
Labuan,	11	29.79	756.6	84	83	NE	4	b	6	29.84	757.9	78	91	N	2	b

March 8*d.* 11*h.* 23*m.*—Pressure has decreased moderately over central and N.E. Japan, also over central China. It has increased moderately at Wladivostock and decreased slightly at the majority of other reporting stations.

The Chinese anticyclone remains central near Shanghai. The Manchurian anticyclone is moving eastward.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·63 inches, against an average of 3·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	8th March, 1926.								9th March, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.27	768.9	36	...	NNE	3	b	6	30.29	760.3	23	...	...	0	o
Nemuro,	11	30 00	762.0	...	...	NW	3	...	5	30.24	768.0	...	...	N	2	...
Hokodate,	..	30.14	765.5	...	...	NNE	1	...	,,	30.26	768.5	...	...	NNE	1	...
Tokio,	,,	30.08	764.0	...	...	...	0	...	,,	30.28	769.0	...	...	N	1	...
Kochi,	,,	30.16	766.0	...	...	ESE	1	...	,,	30.26	76 .5	...	...	...	0	...
Nagasaki,	,,	30.24	768.0	...	...	N	2	...	,,	30.28	769.0	...	...	NE	1	...
Kagoshima,	,,	30.20	767.0	...	...	NNE	1	...	,,	30.24	768.0	...	...	NNW	1	...
Ishima,	,,	30.08	764.0	...	...	N	1	...	,,	30.20	767.0	...	...	SSE	1	...
Naha,	,,	30.20	767.0	...	...	NNW	1	...	,,	30.18	766.5	...	...	NNE	1	...
Ishigakijima,	,,	30.20	767.0	...	...	NE	2	...	,,	30.12	765.0	...	...	NNE	1	...
Bonin Island,	,,	30.06	763.5	...	...	W	1	...	,,	30.10	764.5	...	...	NNW	1	...
Chefoo,	15	30.23	767.8	44	60	E	1	b	6	30.11	764.8	44	53	SSW	4	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	..	..	...	.	...
Ichang,	,,	...	...	...	...	...	...	...	,,	30.07	763.8	52	...	...	0	o
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.33	770.4	52	30	SSE	1	b	,,	30.20	767.1	39	90	ESE	2	b
Hutzlaff,	,,	30.35	770.9	46	47	N	1	b	,,	30.21	76 .3	44	86	SE	4	o
Sharp Peak,	,,	30.25	768.3	54	80	E	2	o	7	30.19	766.8	52	73	NW	1	of
Amoy,	15	30.25	768.3	62	83	ENE	2	o	6	30.21	767.3	56	89	NNE	2	o
Swatow,	,,	30.07	763.8	62	83	ESE	2	c	,,	...	..	...	..	...	...	...
Taiboku,	11	30.25	768.3	63	80	E	4	o	5	30.12	765.0	59	93	E	4	o
Taichu,	,,	30.17	766.3	72	...	NW	2	o	,,	30.10	764.4	55	...	...	0	b
Tainan,	,,	30.17	766.3	77	...	NNW	4	b	,,	30.08	764.1	55	...	N	2	b
Koshun,	,,	30.14	765.6	79	...	NE	4	b	,,	30.06	763.5	70	...	NE	2	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Hanton,	14	...	...	...	...	...	...	...	6	...	...	.	...	...	...	...
Hongkong,	,,	30.13	765.3	64	78	E	2	o	,,	30.10	764.5	61	91	E	3	od
Gap Rock,	,,	30.11	764.8	...	...	ENE	4	o	,,	30.07	763.8	...	...	ENE	4	o
Macao,	,,	30.11	764.7	66	79	SE	1	o	,,	30.07	763.8	63	88	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Lakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	30.19	766.8	76	...	ENE	5	b	6	30.09	764.3	73	...	NE	5	c
Hualien,	,,	30.06	763.5	64	94	E	2	of	7	29.99	761.7	64	94	ENE	2	of
Tourane,	,,	30.02	762.6	75	...	E	2	b	,,	29.99	761.7	68	...	SE	2	b
Cape St. James,	,,	29.89	759.3	81	...	ENE	6	bf	,,	29.88	759.0	77	...	ENE	6	b
Basco,	,,	30.01	762.3	79	69	E	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	30.00	762.0	79	64	ENE	2	o	,,	...	...	68	92	...	0	b
Manila,	,,	29.94	760.5	82	63	W	2	o	,,	29.98	761.4	66	90	SE	1	b
Legaspi,	,,	29.94	760.5	81	76	NNE	4	o	,,	29.95	760.8	75	88	NNE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.87	758.7	86	58	N	6	b	,,	...	...	...	...	...	...	...
Surigao,	,,	29.89	759.3	82	95	NE	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.86	758.4	...	...	NE	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.84	757.8	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	..	...	...	...	5	29.90	759.4	76	...	NE	2	b
Labuan,	14	29.76	755.9	84	87	NW	4	b	6	29.88	758.9	80	91	N	1	o

March 9*d.* 11*h.* 2*cm.*—Pressure has increased considerably over N.E. Japan and slightly from Wladivostock to S.W. Japan. It has decreased considerably at Shanghai, moderately at Haiphong and slightly from Formosa to the Visayas.

The Chinese anticyclone has moved into the Sea of Japan.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·63 inches, against an average of 3·68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; generally overcast, fog later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.19	766.8	31	...	SE	4	o	6	29.80	756.9	31	...	ESE	4	s
Nemuro,	11	30.24	768.0	...	...	...	0	...	5	30.18	766.5	...	...	WSW	1	...
Hokodate,	,,	30.28	769.0	...	...	SW	1	...	,,	30.14	765.5	...	...	ENE	1	...
Tokio,	,,	30.30	769.5	...	...	SE	1	...	,,	30.10	764.5	...	...	N	1	...
Kochi,	,,	30.24	768.0	...	...	SSE	1	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	30.24	768.0	...	...	SW	1	...	,,	30.02	762.5	...	...	...	...	...
Kagoshima,	,,	30.22	767.5	...	...	S	1	...	,,	29.98	761.5	...	...	NW	1	...
Oshima,	,,	30.18	766.5	...	...	N	1	...	,,	29.92	760.0	...	...	SSE	4	...
Naha,	,,	30.16	766.0	...	...	NE	1	...	,,	30.04	763.0	...	...	SSE	1	...
Ishigakijima,	,,	30.14	765.5	...	...	ESE	2	...	,,	30.04	763.0	...	...	S	2	...
Bonin Island,	,,	30.16	766.0	...	...	N	1	...	,,	30.16	766.0	...	...	...	0	...
Chefoo,	15	30.06	763.5	46	77	WSW	2	o	6	30.09	764.3	34	69	WSW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.68	779.3	50	...	NE	3	cm
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.15	765.9	48	89	ESE	1	r	,,	30.22	767.7	45	100	WNW	2	of
Gutzlaff,	,,	30.18	766.6	47	93	SE	2	r	,,	30.22	767.6	42	100	NNW	4	o
Sharp Peak,	,,	30.10	764.5	68	60	E	1	o	,,	30.10	764.5	54	92	NE	2	o
Amoy,	15	30.07	763.8	67	84	SE	4	o	6	30.09	764.3	60	94	SSE	2	o
Swatow,	,,	30.00	762.0	64	84	ESE	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.10	764.4	75	71	ENE	2	b	5	30.08	764.1	59	98	...	0	b
Taichu,	,,	30.10	764.4	70	...	...	0	b	,,	30.10	764.4	63	...	...	0	b
Tainan,	,,	30.11	764.7	77	...	NNW	2	b	,,	30.06	763.5	59	...	N	2	b
Koshun,	,,	30.11	764.7	77	...	ENE	4	b	,,	30.02	762.6	66	...	...	0	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.06	763.5	65	69	ESE	4	o	,,	30.07	763.8	64	91	ENE	1	o
Gap Rock,	,,	30.05	763.2	...	...	ENE	5	o	,,	30.06	763.5	...	...	N	4	o
Macao,	,,	30.04	762.9	72	70	SE	2	o	,,	30.05	763.2	63	96	SE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	5	...	6	30.06	763.5	74	...	NE	4	b
Phulien,	,,	29.95	760.8	72	94	SE	4	of	7	30.01	762.3	68	92	ENE	4	of
Tourane,	,,	29.94	760.5	79	...	SE	2	b	,,	29.99	761.7	72	...	SE	2	of
Cape St. James,	,,	29.88	759.0	81	...	ENE	7	bf	,,	29.91	759.6	77	...	ENE	4	b
Basco,	,,	29.98	761.4	79	73	E	6	o	6	30.00	762.0	73	86	SE	4	o
Aparri,	,,	29.95	760.8	84	64	NE	4	b	,,	29.98	761.4	68	87	S	2	b
Manila,	,,	29.92	759.9	90	38	E	4	o	,,	29.98	761.4	68	81	NE	1	b
Legaspi,	,,	29.92	759.9	86	58	ENE	2	b	,,	29.95	760.8	75	83	NNE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.86	758.4	86	56	N	6	o	,,	29.91	759.6	75	85	N	4	o
Surigao,	,,	29.88	759.0	82	70	ENE	4	o	,,	29.91	759.6	75	94	SE	2	r
Guam,	12.20	29.86	758.4	...	...	NE	1	o	4.20	29.91	759.6	...	...	NE	2	b
Yap,	12.47	29.84	757.8	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.90	759.4	75	...	NNE	1	lc
Labuan,	12	29.83	757.7	84	83	NW	1	o	6	29.84	757.9	78	91	N	2	b

March 10*th*. 11*h*. 25*m*.—Pressure has decreased considerably from S. Manchuria to Japan and increased considerably over central China. It is nearly stationary in southern districts.

The anticyclone has passed into the Pacific. Another is forming over China.

A depression is shown to the south-west of Wladivostock.

The monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 2·63 inches, against an average of 3·76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks.	N. to N.E. winds, moderate; fine to cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	11th March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.70	754.3	33	...	...	0	0	6	29.78	756.5	28	...	NNW	2	0
Nemuro,	11	30.08	764.0	...	...	S	2	...	5	29.57	751.0	...	..	E	4	...
Hokodate,	..	29.96	761.0	...	...	SE	2	...	,,	29.45	748.0	...	...	SE	2	...
Tokio,	,,	29.90	759.5	...	...	NW	1	...	,,	29.47	748.5	...	...	...	0	...
Kochi,	,,	29.88	759.0	...	...	...	0	...	,,	29.80	757.0	...	...	W	1	...
Nagasaki,	,,	29.98	761.5	...	...	NNW	1	...	,,	30.02	762.5	...	...	NNW	4	...
Kagoshima,	,,	29.94	760.5	...	...	NNW	1	...	,,	30.00	762.0	...	...	WNW	3	...
Oshima,	,,	29.98	761.5	...	...	N	2	...	,,	30.10	764.5	...	...	N	5	...
Naha,	,,	30.06	763.5	...	...	NW	2	...	,,	30.18	766.5	...	...	NNW	5	...
Ishigakijima,	,,	30.10	764.5	...	..	NW	1	...	,,	30.16	766.0	...	...	NNE	2	...
Bonin Island,	..	30.06	763.5	...	.	SSE	1	...	..	29.84	758.0	..	...	SSW	3	...
Chefoo,	15	30.03	764.0	40	65	NW	6	b	6	30.13	765.3	36	61	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.22	767.7	55	44	NNW	2	0	,,	30.31	769.8	39	90	NNE	2	b
Gutzlaff,	,,	30.23	767.8	54	74	NNW	2	0	,,	30.31	769.9	42	62	NE	2	b
Sharp Peak,	,,	30.14	765.5	52	86	NE	2	0	7	30.24	768.1	36	69	NW	2	b
Amoy,	15	30.07	763.8	69	85	E	4	0	6	30.22	767.6	58	90	ENE	2	0
Swatow,	..	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.17	766.2	63	90	E	2	0	5	30.21	767.4	57	72	E	4	0
Taichu,	,,	30.11	764.7	79	...	...	0	b	,,	30.12	765.0	59	...	...	0	0
Tainan,	,,	30.08	764.1	84	...	NNW	2	b	,,	30.07	763.8	68	...	NNE	4	b
Koshun,	,,	30.05	763.2	84	...	...	0	b	,,	...	...	...	..	...	..	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.12	765.0	63	...	NE	6	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.04	763.0	75	66	E	1	b	,,	30.12	765.0	62	83	E	4	0
Gap Rock,	,,	30.05	763.5	...	...	NNW	3	c	,,	30.09	764.3	...	...	ENE	4	0
Macao,	,,	30.02	762.6	75	63	ESE	2	0	,,	30.08	764.1	61	79	NNE	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	30.13	765.3	78	...	NE	5	b	6	30.10	764.5	72	...	ENE	6	c
Phulien,	,,	30.02	762.6	73	82	ENE	2	of	7	30.07	763.8	64	96	ENE	1	rf
Tourane,	,,	29.99	761.7	77	...	SE	2	0	,,	30.02	762.6	73	...	SE	2	0
Cape St. James,	,,	29.88	759.0	79	...	ENE	6	b	..	29.89	759.3	75	...	ENE	6	of
Basco,	,,	29.95	760.8	82	70	SE	4	0	6	30.02	762.6	75	67	NNE	6	r
Aparri,	,,	29.94	760.5	86	41	S	2	b	,,	30.01	762.3	64	96	...	0	b
Manila,	,,	29.92	759.9	86	52	WSW	2	0	,,	29.98	761.4	68	88	E	1	b
Legaspi,	,,	29.93	760.2	86	61	ENE	4	b	..	29.97	761.1	75	88	N	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.87	758.7	84	60	NE	6	0	,,	29.94	760.5	75	89	N	4	b
Surigao,	..	...	...	...	...	...	..	...	..	29.94	760.5	72	96	SE	1	0
Guam,	12.20	29.84	757.8	...	...	W	2	0	4.20	29.86	758.4	...	...	NE	1	0
Yap,	12.47	29.84	757.8	...	...	E	4	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	..	...	...	...	5	29.91	759.6	79	...	ENE	2	b
Labuan,	1.	29.81	757.2	84	83	N	4	b	6	29.81	757.2	78	82	N	1	0

March 11*d.* 11*h.* 05*m.*—Pressure has decreased considerably from N.E. Japan to the Bonins. It is nearly stationary from Indo-China to the Philippines and has increased slightly elsewhere.

The depression has deepened and moved to N.E. Japan.

The anticyclone over China is developing slowly.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·63 inches, against an average of 3·84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh; fair at first, some drizzle or mist later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th March, 1926.									12th March, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	29.74	755.3	36	...	NNE	4	c		6	29.86	758.4	27	...	...	0	b	
Nemuro,	11	29.27	743.5	...	...	NNE	6	...		5	29.33	745.0	...	...	NW	7	...	
Hokodate,	..	29.45	748.0	...	...	N	1	...		,,	29.71	754.5	...	...	NW	1	...	
Tokio,	,,	29.45	748.0	...	...	NW	3	...		,,	29.88	759.0	...	...	WNW	1	...	
Kochi,	,,	29.88	759.0	...	...	NW	2	...		,,	30.08	764.0	...	...	SW	1	...	
Nagasaki,	,,	30.08	764.0	...	...	NW	3	...		,,	30.14	765.5	...	...	...	0	...	
Kagoshima,	,,	30.04	763.0	...	...	NW	4	...		,,	30.14	765.5	...	...	NW	1	...	
Oshima,	,,	30.14	765.5	...	...	N	3	...		,,	30.12	765.0	...	...	NNW	1	...	
Naha,	,,	...	...	...	...	N	3	...		,,	30.14	765.5	...	...	...	0	...	
Ishigakijima,	,,	30.20	767.0	...	...	NE	3	...		,,	30.12	765.0	...	...	E	1	...	
Bonin Island,	,,	29.80	757.0	...	...	W	2	...		..	30.02	762.5	...	...	NW	1	...	
Chefoo,	15	29.93	760.2	62	32	WSW	2	b		6	29.92	759.9	48	63	SW	4	b	
Hankow,	,,	...	...	...	...	...	...	...		,,	29.67	753.6	53	...	SE	2	r	
Ichang,	,,	...	...	...	...	...	...	...		,,	29.80	756.9	54	...	SE	2	c	
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	14	30.20	767.1	61	32	SSE	1	b		,,	30.15	765.9	48	67	SSE	4	o	
Gutzlaff,	,,	30.24	768.1	52	66	SSW	1	b		,,	30.08	764.0	47	87	SSE	6	o	
Sharp Peak,	,,	30.18	766.6	63	67	NNE	2	o		7	30.04	763.0	58	47	N	1	o	
Amoy,	15	30.13	765.3	67	95	ENE	4	o		6	30.10	764.5	58	81	ESE	2	o	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Taihoku,	11	30.21	767.4	61	64	E	4	o		5	30.06	763.5	61	89	...	0	o	
Taichu,	,,	30.11	764.7	73	...	...	0	b		,,	30.06	763.5	63	...	...	0	o	
Tainan,	,,	30.11	764.7	79	...	NW	2	b		,,	30 05	763.2	63	...	N	2	o	
Koshun,	,,	30.12	765.0	72	...	NNE	6	b		,,	30.04	762.9	68	...	...	0	o	
Pescadores,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Canton,	14	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Hongkong,	,,	30.09	764.3	65	70	E	4	o		,,	30.03	762.7	63	72	E	3	o	
Gap Rock,	,,	30.07	763.8	...	...	ENE	5	o		,,	30.01	762.2	...	...	ENE	5	o	
Macao,	,,	30.06	763.5	72	70	SE	4	o		,,	30.00	762.0	63	92	ENE	4	r	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	..	...	...	...	...	...		..	...	...	...	...	...	...	...	
Pratas Island,	14	30.13	765.3	75	...	ENE	6	c		6	30.03	762.7	74	...	...	0	b	
Phulien,	,,	30.02	762.6	64	98	ENE	2	rf		7	29.98	761.4	64	100	W	2	rf	
Tourane,	,,	29.99	761.7	75	...	SE	2	o		,,	29.95	760.8	72	...	SE	2	o	
Cape St. James,	,,	29.91	759.6	79	...	ENE	6	bf		,,	29.89	759.3	75	...	ENE	6	bf	
Basco,	,,	30.00	762.0	70	91	N	6	r		6	29.99	761.7	73	86	E	4	o	
Aparri,	,,	29.97	761.1	84	60	ENE	4	b		,,	29.99	761.7	66	94		0	b	
Manila,	,,	29.89	759.3	90	44	SE	4	o		,,	29.99	761.7	68	77	NE	2	o	
Legaspi,	,,	29.93	760.2	86	52	NNE	4	b		..	29.95	760.8	77	89	N	2	b	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.86	758.4	86	58	N	6	b		,,	29.93	760.2	73	89	N	4	b	
Surigao,	..	29.91	759.6	86	65	ENE	4	o		,,	29.94	760.5	70	94	SE	1	b	
Guam,	12.20	29.86	758.4	...	...	NE	2	r		4.20	29.89	759.3	...	...	N	2	o	
Yap,	12.47	29.87	758.7	...	...	NNE	4	o		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Labuan,	14	29.83	757.7	88	80	NE	4	b		6	29.84	757.9	80	91	NW	1	o	

March 12*d.* 11*h.* 40*m.*—Pressure has increased considerably from central Japan to the Bonins, and moderately from S.W. Japan to Wladivostock. It has decreased slightly to moderately elsewhere.

The depression is passing into the Pacific. Another has formed over N. China.

The anticyclone has weakened and moved into the Eastern Sea.

The monsoon will be interrupted to the north of Amoy and will moderate over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·63 inches, against an average of 3·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, fresh, moderating; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th March, 1926.								13th March, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	..	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.51	749.5	...	...	WNW	6	...	5	29.90	759.5	...	...	W	2	...
Hokodate,	..	...	...	...	...	...	...	...	,,	30.00	762.0	...	...	W	2	...
Tokio,	,,	29.92	760.0	...	...	NW	1	...	,,	30.06	763.5	...	...	..	0	...
Kochi,	,,	30.04	763.0	...	...	SE	1	...	,,	30.06	763.5	...	...	WSW	1	...
Nagasaki,	,,	30.14	765.5	...	...	W	1	...	,,	29.92	760.0	...	...	SE	5	...
Kagoshima,	,,	30.12	765.0	...	...	E	1	...	,,	29.98	761.5	...	...	NE	1	...
Oshima,	,,	30.14	765.5	...	...	NE	1	...	,,	29.98	761.5	...	...	S	2	...
Naha,	,,	30.18	766.5	...	...	WSW	1	...	,,	30.00	762.0	...	...	E	1	...
Ishigakijima,	,,	...	...	...	...	..	...	...	,,	29.96	761.0	...	...	S	3	...
Bonin Island,	..	30.06	763.5	...	...	NW	1	...	,,	30.16	766.0	...	...	...	0	...
Chefoo,	15	29.80	756.9	62	41	SSE	4	b	6	29.68	753.9	46	86	SSE	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	29.55	750.5	55	...	...	0	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.71	754.6	56	...	...	0	rt
Changsha,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.92	759.9	52	87	SE	4	o	,,	29.74	755.4	50	92	SSE	2	o
Gutzlaff,	,,	29.94	760.5	48	93	S	6	o	,,	29.75	755.6	50	93	S	4	o
Sharp Peak,	,,	30.03	762.7	70	61	S	1	b	7	29.89	759.2	63	89	...	0	o
Amoy,	15	29.99	761.7	70	70	ENE	4	b	6	29.92	759.9	64	95	SSW	2	o
Swatow,	,,	...	...	...	..	...	...	...	,,	...	..	...	..	...	...	...
Taihoku,	11	30.08	764.1	73	66	...	c	o	5	29.91	759.6	59	96	E	2	b
Taichu,	,,	30.07	763.8	70	...	W	2	b	,,	29.92	759.9	59	...	...	c	b
Tainan,	,,	30.07	763.8	79	...	SW	4	b	,,	29.93	760.2	68	...	SE	2	b
Koshun,	,,	30.06	763.5	79	...	ENE	2	b	,,	29.93	760.2	73	...	S	2	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	73	...	S	4	b
Canton,	14	29.95	760.7	76	73	S	1	c	6	...	...	..	...	...	...	...
Hongkong,	,,	29.99	761.7	69	63	ESE	4	o	,,	29.89	759.2	66	97	ENE	2	cf
Gap Rock,	,,	29.98	761.4	...	...	ENE	4	c	,,	29.88	758.9	...	...	ESE	2	of
Macao,	,,	29.98	761.4	70	74	SE	2	o	,,	29.87	758.7	66	98	SSE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	30.07	763.8	80	...	E	2	b	6	29.95	760.7	74	...	SW	2	b
Phulien,	,,	29.91	759.6	68	100	SE	4	rf	7	29.86	758.4	68	100	SE	1	rf
Tourane,	,,	29.91	759.6	77	...	SE	2	b	,,	29.91	759.6	72	...	SW	2	b
Cape St. James,	,,	29.89	759.3	79	...	ENE	6	bf	,,	29.92	759.9	75	...	ENE	4	o
Basco,	,,	29.95	760.8	82	74	E	4	o	6	29.93	760.2	77	84	SE	4	...
Aparri,	,,	29.93	760.2	86	49	SE	4	b	,,	29.95	760.8	68	85	S	2	b
Manila,	,,	29.92	759.9	84	55	NW	2	o	,,	29.95	760.8	66	82	E	1	b
Legaspi,	,,	29.93	760.2	84	71	ENE	4	o	,,	29.97	761.1	73	89	..	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.87	758.7	86	49	NNE	6	b	,,	29.93	760.2	73	94	N	4	b
Surigao,	..	29.91	759.6	86	56	NE	4	b	,,	...	...	...	..	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	4.20	29.97	761.1	...	...	NE	1	b
Yap,	12.47	29.87	758.7	...	...	NE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	...	...	...	...	5	29.94	760.5	75	...	NNE	2	b
Labuan,	11	29.82	757.4	84	83	N	2	b	6	29.82	757.4	80	91	N	1	o

March 13*d*. 11*h*. 45*m*.—Pressure has increased considerably over N. Japan and moderately from central Japan to the Bonin Islands. It has decreased considerably at Shanghai and moderately elsewhere.

The anticyclone is now central over the Bonin Islands.

The depression over N. China has deepened.

The monsoon will be interrupted to the north of Amoy and will be moderate over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·63 inches, against an average of 4·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	S. or variable winds, light to moderate.
2.—South coast of China between Hongkong and Lamocks,	E. or variable winds, moderate; cloudy, some drizzle or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th March, 1926.									14th March, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	29.94	760.5	40	...	N	3	o		6	29.80	756.9	24	...	NNE	4	s	
Nemuro,	11	29.92	760.0	...	...	W	1	...		5	29.84	758.0	...	...	...	0	...	
Hokodate,	..	30.00	762.0	...	...	...	0	...		,,	29.73	755.0	...	...	E	1	...	
Tokio,	,,	30.02	762.5	...	...	NNE	1	...		,,	29.51	749.5	...	...	NNW	1	...	
Kochi,	,,	30.02	762.5	...	...	...	0	...		,,	29 55	750.5	...	...	...	0	...	
Nagasaki,	,,	29.84	758.0	...	...	SSW	1	...		,,	29.67	753.5	...	...	WNW	2	...	
Kagoshima,	,,	29.88	759.0	...	...	SE	1	...		,,	29.67	753.5	...	...	WNW	1	...	
Oshima,	,,	29.96	761.0	...	...	S	2	...		,,	29.76	756.0	...	...	SSW	2	...	
Naha,	,,	30.02	762.5	...	...	ESE	3	...		,,	29.84	758.0	...	...	SE	3	...	
Ishigakijima,	,,	29.98	761.5	...	...	S	3	...		,,	29.69	754.0	...	...	SSW	3	...	
Bonin Island,	,,	30.16	766.0	...	...	...	0	...		,,	30.06	763.5	...	...	SSW	2	...	
Chefoo,	15	29.68	753.9	42	85	NE	1	o		6	29.90	759.4	38	72	NNW	2	o	
Hankow,	,,	...	...	...	...	...	...	...		,,	29.90	759.4	54	...	...	0	c	
Ichang,	,,	...	...	...	...	...	...	...		,,	29.03	737.3	53	...	...	0	f	
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	14	29.72	754.8	59	98	WNW	2	r		,,	29.87	758.7	50	74	WNW	1	of	
Gutzlaff,	,,	29.71	754.6	60	76	NW	4	o		,,	29.88	758.9	50	100	NNW	2	of	
Sharp Peak,	,,	29.85	758.2	77	73	SSW	4	o		7	29.84	757.9	65	92	...	0	r	
Amoy,	15	29.86	758.4	73	81	SSE	4	o		6	29.86	758.4	67	95	SSW	1	o	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	..	...	...	...	...	...	
Taihoku,	11	29.92	759.9	77	64	...	c	b		5	29.81	757.2	64	94	...	0	b	
Taichu,	,,	29.93	760.2	86	...	SW	2	o		,,	29.94	760.5	72	...	SSW	1	o	
Tainan,	,,	29.98	761.4	82	...	S	4	b		,,	29.92	759.9	70	...	SE	2	o	
Koshun,	,,	29.99	761.7	82	...	SSW	4	b		,,	29.88	759.0	75	...	NW	4	o	
Pescadores,	,,	29.97	761.1	75	...	W	4	o		,,	...	...	...	...	...	...	...	
Canton,	14	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Hongkong,	,,	29.87	758.7	71	85	SSE	2	om		,,	29.85	758.2	74	88	SW	2	o	
Gap Rock,	,,	29.87	758.7	...	...	SSE	3	b		,,	29.86	758.4	...	...	S	2	o	
Macao,	,,	29.84	757.8	77	79	SSW	4	o		,,	29.85	758.1	72	100	...	2	of	
Wuchow,	15	..	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	..	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	14	30.01	762.2	69	...	SW	2	b		6	29.96	761.0	77	...	SW	2	c	
Phulien,	,,	29.78	756.3	81	79	SE	2	bf		7	...	...	..	...	...	...	...	
Tourane,	,,	29.82	757.5	81	...	SE	2	bf		,,	...	...	...	...	...	...	...	
Cape St. James,	,,	28.88	759.0	81	...	ENE	4	o		,,	...	...	...	...	...	...	...	
Basco,	,,	...	...	...	...	...	...	...		6	29.88	759.0	70	98	...	0	o	
Aparri,	,,	29.89	759.3	90	66	SSE	4	b		,,	29.92	759.9	70	94	...	0	b	
Manila,	,,	29.91	759.6	90	38	E	2	o		,,	29.94	760.5	68	88	E	2	bf	
Legaspi,	,,	29.92	759.9	86	65	NE	4	b		,,	29.95	760.8	70	96	...	0	b	
Tacloban,	,,	29.91	759.6	81	84	SSE	4	o		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.86	758.4	86	58	N	4	b		,,	29.93	760.2	75	91	N	4	b	
Surigao,	..	29.91	759.0	82	70	NE	4	o		,,	29.94	760.5	75	94	...	0	b	
Guam,	12.20	29.89	759.3	...	...	NE	1	b		4.20	29.91	759.6	...	...	NE	1	o	
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	..	...	...	...	...		5	...	...	...	...	...	...	...	
Labuan,	14	29.81	757.2	86	84	N	4	b		6	...	...	...	...	...	...	...	

March 14*d.* 12*h.* 10*m.*—Pressure has decreased considerably over central Japan and the Loochoos, moderately over the Bonins and slightly over Formosa, S. China, Indo-China and the Philippines. It has increased considerably from Chefoo to Shanghai.

The depression has moved rapidly eastward and is now situated to the east of Tokio. A secondary depression is situated east of N. Formosa.

The anticyclone over the Bonins has weakened, another appears to be forming over N. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 2·65 inches, against an average of 4·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, ...	S. or variable winds, light to moderate; cloudy, misty, probably rain later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rook, ...	
4.—South coast of China between Hongkong and Hainan, .	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	14TH MARCH, 1926.								15TH MARCH, 1926.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force.	WEATHER.
Vladivostook,	12	29.70	754.5	30	...	NNE	4	8	6	29.80	756.8	22	..	N	4	0
Gemuro,	11	29.76	756.0	...	...	NE	2	...	5	29.61	752.0	...	..	NE	2	...
Hokodate,	"	29.67	753.5	...	...	E	1	...	"	29.47	748.5	...	..	ESE	4	...
Sakic,	"	29.43	747.5	...	...	N	1	...	"	29.55	750.5	...	..	...	0	...
Kochi,	"	29.57	751.0	...	...	W	1	...	"	29.80	757.0	...	...	W	1	...
Nagasaki,	"	29.73	756.5	...	...	WNW	1	...	"	29.98	761.5	...	..	WNW	2	...
Kagoshima,	"	29.74	755.5	...	...	NW	1	...	"	29.94	760.5	...	...	WNW	1	...
Ishima,	"	29.84	758.0	...	...	WNW	1	...	"	29.98	761.5	...	...	N	1	...
Naha,	"	29.88	759.0	...	...	SE	4	...	"	29.98	761.5	...	...	NE	1	...
Ishigakijima,	"	29.92	760.0	...	...	SSW	2	...	"	29.92	760.0	...	...	ENE	1	...
Formosa Island,	"	30.02	762.5	...	...	SW	1	...	"	29.90	759.5	...	...	SSW	3	...
Saifoo,	15	30.13	765.3	38	63	NW	4	b	6	30.16	766.0	32	68	NNE	1	0
Swankow,	"	...	...	...	...	...	...	...	"	29.96	761.0	49	..	N	3	0
Shang,	"	...	...	...	...	..	...	...	"	...	...	..	...	...	...	...
Shangsha,	"	...	...	...	...	...	...	...	"	30.35	770.9	48	...	NW	4	0
Shanghai,	14	29.97	761.1	66	71	NNE	4	b	"	30.22	767.7	41	75	N	1	r
Sutzlaff,	"	29.99	761.7	52	93	NE	1	bf	"	30.25	768.5	40	85	NNW	4	r
Sharp Peak,	"	29.92	759.9	67	74	E	4	bf	"	30.01	762.2	58	93	E	4	0
Swatow,	15	29.84	757.9	80	74	S	4	b	6	29.87	758.7	66	95	ENE	4	b
Taihoku,	"	29.73	755.1	80	82	SSW	3	b	"	..	..	..	..	...	...	...
Taichu,	11	29.92	759.9	75	71	N	6	b	5	29.92	759.9	68	92	E	2	0
Tainan,	"	29.99	761.7	82	...	S	2	b	"	29.93	760.2	70	...	...	0	0
Takao,	"	29.98	761.4	82	...	SSW	2	0	"	29.89	759.3	72	...	...	0	b
Tschun,	"	29.97	761.1	82	...	WNW	4	0	"	29.89	759.3	70	...	...	0	0
Tuscadores,	"	...	...	...	...	...	...	...	"	...	...	..	...	...	...	...
Tuton,	14	29.91	759.7	85	68	S	1	c	6	...	...	...	...	...	...	...
Tongkong,	"	29.87	758.7	81	73	SW	2	cq	"	29.84	757.9	71	94	SE	2	0
Gap Rock,	"	29.88	758.9	...	...	S	2	0	"	29.84	757.9	...	..	SSE	2	c
Macao,	"	29.85	758.1	75	98	SW	4	0	"	29.80	756.9	68	98	S	4	of
Tuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Takhoi,	"	...	..	...	...	...	...	...	"	...	...	...	..	...	...	...
Toibow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	14	30.00	762.0	80	...	SW	2	b	6	..	...	..	...	...	...	...
Hualien,	"	29.74	755.4	81	80	SE	4	bf	7	29.75	755.7	72	100	SE	4	of
Fourane,	"	29.80	756.9	86	...	SE	2	bf	"	29.80	756.9	77	...	...	0	of
Cape St. James,	"	29.87	758.7	82	...	E	2	b	"	..	...	...	...	...	...	...
Hasco,	"	..	...	...	...	...	...	...	6	29.88	759.0	70	85	SE	1	0
Aparri,	"	29.89	759.3	86	65	N	4	b	"	29.91	759.6	70	94	...	0	b
Manila,	"	29.87	758.7	93	40	SSE	4	b	"	29.91	759.6	70	91	SE	2	b
Legaspi,	"	29.88	759.0	86	56	NE	2	b	"	29.91	759.6	73	96	...	0	b
Jolo,	"	...	...	...	...	...	...	...	"	...	..	...	...	...	...	...
Cagayan,	"	29.84	757.8	90	48	NNE	4	b	"	29.88	759.0	73	88	N	4	0
Surigao,	"	29.88	759.0	84	68	ENE	2	0	"	29.89	759.3	72	94	SE	1	0
Iloilo,	12.20	29.86	758.4	...	...	NE	2	b	4.20	29.89	759.3	...	...	NE	2	0
Cap,	12.47	29.84	757.8	..	...	ENE	4	b	4.47	...	...	...	...	...	...	...
Telew,	11.00	..	..	..	..	...	...	...	5	29.90	759.4	72	..	NE	2	b
Sibuan,	14	29.75	755.6	94	71	N	4	b	6	29.80	756.9	80	87	N	2	b

March 15*d.* 11*h.* 53*m.*—Pressure has decreased considerably over N.E. Japan and increased considerably from S.W. Japan to the Yangtze Valley.

The anticyclone over N. China is strengthening.

A depression has formed over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 2·65 inches, against an average of 4·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

DISTRICT.	FORECAST.
1.—Formosa Channel,	N.E. winds, freshening.
2.—South coast of China between Hongkong and Lamocks,	S.E. winds, moderate, backing to N.E. later and freshening; generally cloudy, some drizzle or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	16th March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.
Wladivostock,	12	29.81	757.2	30	...	N	4	o	6	29.97	761.3	20	...	...	0
Nemuro,	11	29.57	751.0	...	...	ENE	1	...	5	29.49	749.0	...	...	N	3
Hokodate,	,	...	...	...	...	SSE	1	...	,,	29.61	752.0	...	...	NNW	5
Tokio,	,,	29.53	750.0	...	...	ESE	1	...	,,	29.76	756.0	...	...	NNW	1
Kochi,	,,	29.82	757.5	...	...	W	2	...	,,	30.00	762.0	...	...	S	1
Nagasaki,	,,	30.04	763.0	...	...	WNW	3	...	,,	30.18	76.65	...	...	NW	1
Kagoshima,	,,	30.00	762.0	...	...	NW	3	...	,,	30.14	765.5	...	...	NNW	1
Oshima,	,,	30.02	762.5	...	...	N	1	...	,,	30.08	764.0	...	...	N	3
Naha,	,,	30.02	762.5	...	...	NE	1	...	,,	30.10	764.5	...	...	NNE	4
Ishigakijima,	,,	29.96	761.0	...	...	E	3	...	,,	30.04	763.0	...	...	N	2
Bonin Island,	,,	29.92	760.0	...	...	W	1	...	,,	29.92	760.0	...	...	W	1
Chefoo,	15	30.30	769.6	32	90	NNW	6	o	6	30.26	768.6	28	88	SW	2
Hankow,	,,	...	...	...	...	...	...	...	,,	30.08	764.0	47	...	NE	1
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..
Changsha,	,,	...	...	...	...	...	...	...	,,	30.48	774.2	41	...	NW	2
Shanghai,	14	30.32	770.1	43	49	NNW	1	o	,,	30.37	771.3	37	77	N	1
Gutzlaff,	,,	30.31	769.9	42	58	NNW	4	o	,,	30.37	771.4	40	65	NNE	4
Sharp Peak,	,,	30.04	763.0	50	98	NNE	4	o	,,	30.18	766.6	44	90	NNE	4
Amoy,	15	29.97	761.2	60	94	ENE	4	r	6	30.13	765.3	52	93	ENE	4
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku,	11	30.01	762.3	65	94	E	4	r	5	30.15	765.9	54	92	E	4
Taichu,	,,	29.97	761.1	81	...	NW	2	b	,,	30.02	762.6	57	...	N	2
Tainan,	,,	29.97	761.1	82	...	WSW	2	b	,,	29.98	761.4	61	...	NNE	4
Koshun,	,,	29.95	760.8	84	...	SW	2	o	,,	29.99	761.7	68	...	NNE	6
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Canton,	14	29.85	758.2	79	82	SSE	2	o	6	...	...	...	...	...	...
Hongkong,	,,	29.88	758.9	78	80	S	2	o	,,	29.99	761.7	63	93	E	5
Gap Rock,	,,	29.89	759.2	...	...	ESE	3	o	,,	29.97	761.2	...	...	ENE	4
Macao,	,,	29.86	758.4	82	77	S	4	o	,,	29.98	761.4	64	90	ESE	4
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	..	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...
Pratas Island,	14	30.02	762.5	80	...	S	2	c	6	30.02	762.5	..	...	NE	5
Phulien,	,,	29.76	756.0	75	96	SE	4	of	7	29.85	758.1	78	100	ENE	4
Tourane,	,,	29.80	756.9	81	...	S	2	bf	,,	29.82	757.5	72	...	NW	2
Cape St. James.	,,	...	...	...	...	...	...	...	,,	29.88	759.0	75	...	ESE	2
Basco,	,,	29.89	759.3	82	70	SE	2	o	6	29.92	759.9	75	89	NE	4
Aparri,	,,	29.88	759.0	84	64	NE	4	b	,,	29.94	760.5	72	92	...	c
Manila,	,,	29.87	758.7	93	40	SE	4	b	,,	29.93	760.2	68	85	NE	1
Legaspi,	,,	29.88	759.0	86	68	NE	4	b	,,	29.92	759.9	73	82	NE	2
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..
Iloilo,	,,	29.84	757.8	86	49	NE	4	b	,,	29.89	759.3	75	89	N	4
Surigao,	,,	29.87	758.7	86	61	E	2	b	,,	29.89	759.3	72	92	...	o
Guam,	12.20	29.85	758.1	...	...	NW	1	r	4.20	29.87	758.7	...	...	NE	1
Yap,	12.47	29.84	757.8	...	...	ENE	4	o	4.47	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.98	761.5	76	...	NE	3
Labuan,	14	29.82	757.4	88	76	NE	4	b	6	29.84	757.9	78	91	N	2

March 16*d*. 11*h*. 45*m*.—Pressure has increased moderately over Japan, the Loochoos and S. Manchuria. It increased slightly over Formosa and S. China and decreased slightly over N.E. China. It is nearly stationary over the Philippines.

The anticyclone is now central to the north of Shanghai. It is beginning to move eastward.

The depression over Indo-China is filling up.

Strong monsoon may be expected along the S.E. coast of China and fresh monsoon over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·09 inch. Total since January 1st, 2 inches, against an average of 4·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; overcast, drizzle and mist.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.91	759.7	34	...	NNW	2	o	6	29.93	760.2	22	...	...	o	o
Nemuro,	11	29.55	750.5	...	...	NW	3	...	5	29.73	755.0	...	...	W	1	...
Hokodate,	..	29.69	754.0	...	...	N	1	...	,,	29.84	758.0	...	...	WSW	1	...
Tokio,	,,	29.80	757.0	...	...	NW	5	...	,,	30.00	762.0	...	...	NW	1	...
Kochi,	,,	30.06	763.5	...	...	W	1	...	,,	30.14	765.5	...	...	SW	1	...
Nagasaki,	,,	30.22	767.5	...	...	N	1	...	,,	30.22	767.5	...	...	NW	1	...
Kagoshima,	,,	30.16	766.0	...	...	NW	1	...	,,	30.20	767.0	...	...	WNW	1	...
Oshima,	,,	30.16	766.0	...	...	N	3	...	,,	30.18	766.5	...	...	S	1	...
Naha,	,,	30.16	766.0	...	...	N	2	...	,,	30.16	766.0	...	...	N	1	...
Ishigakijima,	,,	30.16	766.0	...	...	NNE	2	...	,,	30.10	764.5	...	...	NE	1	...
Bonin Island,	..	29.92	760.0	...	...	WSW	1	...	,,	30.08	764.0	...	...	...	0	...
Chefoo,	15	30.14	765.5	47	48	NNW	2	b	6	30.15	765.8	38	72	NE	4	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.37	771.3	45	51	...	0	o	,,	30.27	768.9	34	92	ESE	2	b
Gutzlaff,	,,	30.37	771.4	44	60	NNW	1	b	,,	30.31	769.9	40	65	SE	2	b
Sharp Peak,	,,	30.11	764.8	48	78	N	1	o	,,	30.19	766.8	47	91	NNE	1	r
Amoy,	15	30.14	765.5	54	89	ENE	4	o	6	30.10	764.5	54	89	ENE	2	o
Swatow,	,,	30.03	762.7	56	81	E	5	o	,,	...	...	...	..	...	...	...
Taihoku,	11	30.21	767.4	55	93	E	4	r	5	30.11	764.7	57	98	E	4	o
Taichu,	,,	30.10	764.4	61	...	NNW	2	o	,,	30.07	763.8	57	...	...	o	o
Tainan,	,,	30.08	764.1	68	...	N	4	o	,,	30.04	762.9	61	...	N	2	o
Koshun,	,,	30.06	763.5	75	...	NNE	6	o	,,	30.02	762.6	68	..	NE	2	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.07	763.8	63	...	NE	6	o
Canton,	14	30.01	762.2	59	94	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	,,	30.02	762.5	59	91	E	5	od	,,	30.01	762.2	59	94	E	4	cd
Gap Rock,	,,	30.00	762.0	...	...	ENE	6	om	,,	29.99	761.7	...	...	ENE	6	cm
Macao,	,,	29.99	761.7	63	90	E	4	o	,,	29.98	761.4	61	91	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	30.09	764.3	78	...	ENE	5	c	6	30.03	762.7	75	...	ESE	5	c
Phulien,	,,	29.85	758.1	73	94	SE	4	of	7	...	...	..	...	...	...	...
Tourane,	,,	29.86	758.4	79	...	NNW	2	of	,,	..	...	...	...	...	...	...
Cape St. James,	,,	29.88	759.0	86	...	E	2	o	,,	...	...	..	...	...	...	...
Basco,	,,	29.94	760.5	73	89	N	6	o	6	29.99	761.7	73	86	N	4	o
Aparri,	,,	29.92	759.9	84	71	NNE	4	b	,,	29.95	760.8	72	96	...	o	o
Manila,	,,	29.88	759.0	90	48	SE	4	b	,,	29.95	760.8	70	85	SE	2	b
Legaspi,	,,	29.88	759.0	86	61	NE	4	b	,,	29.93	760.2	75	79	NNE	2	b
Taclobán,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.85	758.1	86	56	NE	6	b	,,	29.89	759.3	72	91	N	4	b
Surigao,	..	29.86	758.4	79	84	SE	2	r	,,	29.92	759.9	72	96	...	o	o
Guam,	12.20	29.81	757.2	...	...	E	4	o	4.20	29.89	759.3	...	...	E	1	o
Yap,	12.47	29.80	756.9	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	.	...	...	...	...	...	...	5	29.89	759.2	74	...	NE	1	bc
Labuan,	14	29.82	757.4	88	80	NE	4	b	6	29.80	756.9	80	91	NE	2	b

March 17*d.* 11*h.* 05*m.*—Pressure has increased moderately over N.E. Japan and slightly over S.W. Japan. It has decreased moderately at Shanghai and is nearly stationary elsewhere.

The anticyclone has weakened and is now central over the Eastern Sea.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 2·74 inches, against an average of 4·46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	E. winds, fresh; overcast, drizzle and mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.91	759.6	32	...	WNW	2	o	6	30.19	766.8	18	...	...	o	l
Nemuro,	11	29.74	755.5	...	...	W	1	...	5	29.76	756.0	...	...	WSW	1	...
Hokodate,	,,	29.82	757.5	...	...	W	4	...	,,	29.86	758.5	...	...	NNW	3	...
Tokio,	,,	29.92	760.0	...	...	S	1	...	,,	29.94	760.5	...	...	NNW	2	...
Kochi,	,,	30.05	763.5	...	...	SSE	1	...	,,	30.10	764.5	...	...	N	1	...
Nagasaki,	,,	30.20	767.0	...	...	W	3	...	,,	30.18	766.5	...	...	NW	3	...
Kagoshima,	,,	30.18	766.5	...	...	WNW	1	...	,,	30.20	767.0	...	...	...	o	...
Oshima,	,,	30.18	766.5	...	...	NNE	1	...	,,	30.14	765.5	...	...	S	1	...
Naha,	,,	30.18	766.5	...	...	NE	1	...	,,	30.08	764.0	...	...	ENE	3	...
Ishigakijima,	,,	30.12	765.0	...	...	E	2	...	,,	30.02	762.5	...	...	SE	1	...
Bonin Island,	,,	30.08	764.0	...	...	NW	1	...	,,	30.08	764.0	...	...	NW	1	...
Chefoo,	15	30.28	769.1	38	63	N	2	..	6	30.30	769.6	30	80	NW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.22	767.7	52	51	SE	4	o	,,	30.20	767.1	41	97	E	4	r
Gutzlaff,	,,	30.26	768.6	48	63	SE	4	o	,,	30.23	767.8	42	92	ESE	4	r
Sharp Peak,	,,	30.15	765.8	48	96	NNW	1	r	,,	30.05	763.2	50	65	...	c	o
Amoy,	15	30.06	763.5	60	82	NE	2	o	6	29.99	761.7	56	94	ENE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	..	..	..	..	..	..	...
Taihoku,	11	30.08	764.1	66	85	ENE	4	o	5	30.02	762.6	59	91	W	2	o
Taichu,	,,	30.11	764.7	66	...	...	o	o	,,	30.00	762.0	59	...	...	o	b
Tainan,	,,	30.06	763.5	77	...	...	c	o	,,	29.98	761.4	63	...	...	o	o
Koshun,	,,	30.05	763.2	79	...	NE	4	o	,,	29.94	760.5	72	...	...	o	b
Pescadores,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	..	...
Canton,	14	29.98	761.5	61	94	SE	1	o	6	...	...	...	...	...	...	...
Hongkong,	,,	30.01	762.2	60	95	E	4	or	,,	29.93	760.2	61	96	E	4	o
Gap Rock,	,,	29.98	761.5	...	...	ENE	5	omr	,,	29.91	759.7	...	...	ENE	4	o
Macao,	,,	29.97	761.1	61	100	E	4	r	,,	29.88	759.0	63	96	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	..	...	...	...	...	...	6	...	...	...	...	...	...	...
Phulien,	,,	29.87	758.7	68	87	N	1	o	7	29.84	757.8	66	100	NE	1	rf
Tourane,	,,	29.84	757.8	77	...	SE	4	of	,,	29.84	757.8	72	...	...	c	of
Cape St. James,	,,	29.88	759.0	84	...	ENE	4	b	,,	29.88	759.0	75	...	E	4	o
Basco,	,,	29.92	759.9	81	76	E	4	o	6	29.93	760.2	75	88	SE	4	o
Aparri,	,,	29.88	759.0	86	52	E	4	b	,,	29.93	760.2	70	83	S	4	b
Manila,	,,	29.88	759.0	90	66	SE	4	b	,,	29.94	760.5	64	76	NE	2	b
Legaspi,	,,	29.89	759.3	84	60	NE	4	b	,,	29.89	759.3	77	79	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	86	52	N	6	b	,,	29.89	759.3	73	89	N	4	b
Surigao,	,,	29.85	758.1	84	68	ENE	4	b	,,	29.87	758.7	75	96	...	c	r
Guam,	12.20	29.84	757.8	...	...	NE	4	o	4.20	29.88	759.0	...	...	NE	1	o
Yap,	12.47	29.80	756.9	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.90	759.5	76	...	NE	4	o
Labuan,	14	...	...	86	84	N	4	b	6	29.85	758.2	78	91	NE	2	b

March 18*d*. 11*h*. 50*m*.—Pressure has increased considerably at Wladivostock. It has decreased slightly from the Loochoos to Tongking and is nearly stationary elsewhere.

The anticyclone has merged into a larger anticyclone central over S.W. Manchuria.

A depression has formed over Indo-China.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·38 inch. Total since January 1st, 3·12 inches, against an average of 4·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; overcast, rainy, misty.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	18TH MARCH, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	19TH MARCH, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock, .	12	30.20	767.0	30	...	N	4	c	6	30.33	770.4	19	...	NNE	2	b
Muroran, ...	11	29.76	756.4	...	...	NW	3	...	5	29.92	766.0	...	...	WNW	2	...
Hakodate, ...	,,	29.92	760.0	...	...	NNW	2	...	,,	30.06	763.5	...	...	...	..	...
Aomori, ...	,,	29.96	761.0	...	...	N	4	...	,,	30.18	766.5	...	...	N	2	...
Fushiki, ...	,,	30.14	765 5	...	...	NE	1	...	,,	30.14	765.5	...	...	...	0	...
Nagasaki, ...	,,	30.16	766.0	...	...	NW	1	...	,,	30.04	763.0	...	...	NE	1	...
Kagoshima, ...	,,	30.14	765.5	...	...	NE	1	...	,,	30.00	762.0	...	...	ENE	1	...
Shima, ...	,,	30.10	764.5	...	...	SE	1	...	,,	29.78	756.5	...	...	S	1	...
Iba, ...	,,	30.06	763.5	...	...	E	2	...	,,	29.82	757.5	...	...	SE	3	...
Nagakijima, ...	,,	30.00	762.0	...	...	SSE	2	...	,,	29.88	759 0	...	...	SW	2	...
Namin Island, ..	,,	30.08	764.0	...	...	W	1	...	,,	30.08	764 0	...	...	...	0	...
Amoy, ...	15	30.27	768.8	44	60	ENE	2	b	6	30.24	768.1	38	72	NE	1	o
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.90	759.4	47	...	...	c	b
Foochang, ...	,,	...	...	...	...	...	...	...	,,	30.15	765.8	49	...	...	c	o
Changsha, ...	,,	...	...	...	...	...	...	...	,,	30.54	775.7	48	...	...	o	l c
Shanghai, ...	14	30.14	765.6	45	88	ENE	4	rf	,,	..	...	41	94	NNE	4	r
Hatzlaff, ...	,,	30.15	765.8	44	92	ENE	4	r	,,	30.05	763.2	44	100	NNE	4	r
Sharp Peak, ...	,,	29.99	761.7	54	92	...	c	r	,,	29.94	760.5	54	96	..	c	b
Swatow, ...	15	29.93	760.2	60	94	ENE	1	o	6	29.91	759.7	56	94	ENE	2	o
Takao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Tamsui, ...	11	29.99	761.7	66	85	NNW	2	o	5	29.89	759 3	59	98	...	o	r
Tatchu, ...	,,	29.95	760.8	75	...	NNW	2	b	,,	29 93	760.2	63	..	..	c	r
Tsinan, ...	,,	29.95	760.8	82	...	W	2	b	,,	29.91	759.6	66	...	NE	2	o
Tsushun, ...	,,	29.95	760.8	84	...	E	4	b	,,	29.86	758.4	73	..	WNW	2	b
Tuscadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Vinton, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong, ...	,,	29.85	758.2	64	95	E	4	omd	,,	29.91	759.7	63	94	WNW	2	o
Gap Rock, ...	,,	29.84	757 9	...	...	SE	4	o	,,	29.92	759.9	...	..	NNE	5	o
Macao, ...	,,	29.81	757.2	72	96	SSE	4	of	,,	29.92	759.9	57	86	N	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Yakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Yoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Chubulien, ...	,,	29.78	756.3	75	85	NNE	1	of	7	29.98	761.4	63	75	NE	4	o
Tourane, ...	,,	29.78	756.3	79	...	SE	4	bf	,,	29.85	758.1	73	...	NNW	4	of
Cape St. James.	,,	29.86	758.4	82	...	ENE	2	b	,,	29.87	758.7	75	...	NW	2	o
Bolinao, ...	,,	29.89	759 3	82	77	SE	6	o	6	29.86	758.4	72	94	...	c	b
Aparri, ...	,,	29.85	758.1	84	58	SE	4	b	,,	29.89	759.3	70	91	SW	2	b
Manila, ...	,,	29.85	758.1	90	44	SE	4	b	,,	29.89	759.3	72	86	...	c	o
Legaspi, ...	,,	..	...	...	...	...	...	...	,,	29.86	758.4	75	96	SE	1	o
Tacloban, ...	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.81	757.2	84	81	N	4	o	,,	29.86	758.4	75	92	N	2	b
Surigao, ...	,,	29.82	757.5	81	86	NE	1	o	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.84	757.8	...	...	NE	4	o	4.20	29.89	759.3	...	...	NE	4	o
Yap, ...	12.47	29.80	756.9	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Palelew, ...	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Saipan, ...	11	29.84	757.9	84	83	N	2	b	6	29.81	757.2	80	91	N	2	b

March 19*d.* 11*h.* 30*m.*—Pressure has decreased considerably over the Loochoos and moderately from S.W. Japan to Shanghai. It has increased moderately over N.E. Japan and S.W. China. It is nearly stationary over the Philippines.

A depression has formed over the Loochoos and an anticyclone is forming over China.

The depression over Indo-China has filled up.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·49 inch. Total since January 1st 4·61 inches, against an average of 4·70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel, ...	N. to N.E. winds, fresh; overcast at first, finer later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th March, 1926.								20th March, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.22	767.7	32	...	ENE	4	b	6	30.13	765.2	20	...	...	0	0
Nemuro,	11	29.96	761.0	...	...	WNW	1	...	5	30.00	762.0	...	...	...	0	...
Hokodate,	,,	30.10	764.5	...	...	WNW	2	...	,,	30.06	763.5	...	...	N	1	...
Tokio,	,,	30.16	766.0	...	...	ESE	1	...	,,	30.02	762.5	...	...	N	2	...
Kochi,	,,	30.10	764.5	...	...	SW	1	...	,,	29.86	758.5	...	...	SW	1	...
Nagasaki,	,,	29.94	760.5	...	...	NE	2	...	,,	30.00	762.0	...	...	N	1	...
Kagoshima,	,,	29.86	758.5	...	...	NE	2	...	,,	29.90	759.5	...	...	NW	1	...
Oshima,	,,	29.72	755.0	...	...	S	1	...	,,	29.94	760.5	...	...	N	4	...
Naha,	,,	29.90	759.5	...	...	SW	1	...	,,	30.00	762.0	...	...	WNW	4	...
Ishigakijima,	,,	29.90	759.5	...	...	N	1	...	,,	30.04	763.0	...	...	NNW	2	...
Bonin Island,	,,	30.06	763.5	...	...	S	1	...	,,	29.90	759.5	...	...	SSW	3	...
Chefoo,	15	30 22	767.6	42	75	ENE	1	o	6	30.18	766.6	34	82	NW	2	r
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.13	765.3	45	86	NNW	4	r	,,	30.26	768.6	34	96	NW	1	b
Gutzlaff,	,,	30.09	764.3	44	100	N	4	o	,,	30.26	768.6	40	91	NNW	4	o
Sharp Peak,	,,	29.94	760.5	63	73	...	0	o	7	30.07	763.8	52	86	E	4	o
Amoy,	15	29.91	759.7	60	94	SSE	2	o	6	30.09	764.3	56	94	ENE	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	11	30.00	762.0	59	91	E	2	r	5	30.13	765.3	55	79	E	4	o
Taiohu,	,,	29.98	761.4	66	...	NW	2	o	,,	30.01	762.3	57	...	NNW	2	b
Tainan,	,,	29.95	760.8	79	...	NNW	4	o	,,	29.99	761.7	57	...	N	4	b
Koshun,	,,	29.92	759.9	84	...	WNW	4	b	,,	29.97	761.1	66	...	NNE	4	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.96	761.0	65	74	NNW	1	o	,,	30.02	762.5	61	69	E	2	o
Gap Rock,	,,	29.95	760.7	...	...	NNW	5	o	,,	30.00	762.0	...	...	NE	4	o
Macao,	,,	29.91	759.6	61	94	N	4	o	,,	29.99	761.7	59	73	NNE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.97	761.2	84	...	SW	2	o	6	30.00	762.0	77	...	ENE	5	o
Phulien,	,,	29.97	761.1	68	81	SSW	4	o	7	30.00	762.0	63	75	ENE	4	o
Tourane,	,,	29.87	758.7	73	...	NNW	4	if	,,	29.94	760.5	68	...	NNW	2	of
Cape St. James,	,,	29.84	757.8	86	...	SSE	2	b	,,	29.88	759 0	77	...	ENE	4	o
Basco,	,,	29.84	757.8	82	74	SW	4	b	6	29.92	759.9	73	85	NE	6	o
Aparri,	,,	29.86	758.4	86	65	N	4	b	,,	29.93	760.2	77	85	N	2	o
Manila,	,,	29.82	757.5	90	51	WSW	2	b	,,	29.89	759.3	75	89	...	0	o
Legaspi,	,,	29.85	758.1	79	92	NNE	4	o	,,	29.88	759.0	77	92	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	90	55	N	4	b	,,	29.88	759.0	77	89	N	4	o
Surigao,	,,	29.84	757.8	77	96	ESE	1	r	,,	29.88	759.0	72	96	...	0	o
Guam,	12.20	29.84	757.8	...	...	NE	4	o	4.20	29.89	759.3	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	77	...	ENE	1	c
Labuan,	14	29.82	757.4	88	76	NE	4	b	6	29.84	757.9	80	91	NE	2	b

March 20*d*. 12*h*. 00*m*.—Pressure has decreased considerably from central Japan to the Bonin Islands. It has increased considerably over the Loochoos, moderately over E. China and Formosa and slightly over S. China, Indo-China and the Philippines.

The depression has moved eastward, and is now situated about 300 miles N.W. of the Bonins.

The anticyclone over central China has strengthened.

Fresh monsoon may be expected along the S.E. coast of China and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 4·61 inches, against an average of 4·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

20TH MARCH, 1926.

Station.	Hongkong Standard Time.	Barometer at Sea Level. Inches	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock. .	12	30.01	762.3	33	...	NNW	2	o
...nero, ...	11	29.94	760.5	...	...	NW	1	...
...kodate, ...	..	30.02	762.5	...	...	SW	1	..
...ko.....	..	29.90	759.5	...	...	N	2	..
...chi.	..	29.90	759.5	...	...	NNW	2	..
...gasaki, ...	..	30.08	764.0	...	...	NNW	2	..
...goshima, ...	..	30.02	762.5	...	...	NNW	3	..
...hima, ...	..	30.04	763.0	...	...	NNE	4	..
...h, ...	..	30.10	764.5	...	...	NNW	3	..
...gakijima...	..	30.12	765.0	...	...	N	2	...
...on Island,..	..	29.83	759.0	...	...	SSW	1	...
...foo.	15	30.11	764.8	38	63	NW	4	b
...kow, ...	..	...	...	...	...	...	...	...
...ang, ...	..	...	..	...	...	...	...	...
...angsha, ...	..	..	..		...	...	...	...
...anghai, ...	14	30.22	767.7	50	62	WSW	1	o
...tzlaff,.....	..	30.24	768.1	48	63	NW	1	b
...ap Peak, ..	..	30.09	764.3	58	73	ENE	4	o
...ay, ...	15	30.07	763.8	62	72	NE	2	o
...atow,.....	..	..	...	...	...	...	..	...
...shoku, ...	11	30.15	765.9	77	76	E	6	o
...chu, ...	..	30.05	763.2	68	...	...	o	o
...mau, ...	..	30.05	763.2	70	...	NNE	4	o
...shun,.....	..	30.01	762.3	75	...	NE	4	b
...scadores, ..	..	...	...	...	...	...	...	...
...oten, ...	14	...	...	...	...	...	...	...
...ngkong,.....	..	30.02	762.5	63	77	E	4	o
...p Rock, ...	..	29.99	761.7	...	...	ENE	5	o
...ano, ...	..	30.00	762.0	63	75	NE	2	o
...achow, ...	15	...	...	...	...	...	...	...
...khoi, ...	..	..	..	...	...	...	...	...
...chow.	..	..	...	...	...	...	...	...
...ias Island,...	14	30.04	763.0	78	...	ENE	5	o
...ulien, ...	..	29.93	760.2	68	81	ENE	2	o
...ruane,.....	..	29.92	759.9	72	...	NNW	2	o
...e St. James.	..	29.86	758.4	84	...	ENE	4	b
...sco,.....	..	29.94	760.5	73	71	NE	6	r
...parri, ...	..	29.89	759.3	82	70	ENE	4	o
...uila, ...	..	29.87	758.7	90	57	W	4	o
...gaspi, ...	..	29.85	758.1	86	71	ENE	4	b
...aloban, ...	..	..	...	...	...	...	...	...
...ilo, ...	..	29.78	756.3	90	57	NNE	4	o
...rigao, ...	..	29.84	757.8	82	77	NNE	1	o
...am,.....	12.20	29.86	758.4	...	...	E	4	o
...ap, ...	12.47	...	...	...	...	...	...	...
...clew, ...	11.00	..	...	...	..	...	...	...
...aman, ...	14	29.82	757.4	86	76	NE	4	b

21ST MARCH, 1926.

Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
'	29.91	759.6	26	..	...	o	o
5	29.84	758.0	...	.	...	...	...
..	29.86	758.5	...	..	...	...	...
,,	29.96	761.0	...	.	...	o	...
,,	29.98	761.5	...	.		o	..
,,	30.06	763.5	...	..	WNW	3	..
,,	30.06	763.5	...	.	..	o	...
,,	30.08	764.0	...	..	N	1	...
,,	30.12	765.0	...	.	NE	1	..
,,	30.06	763.5	..	..	NE	1	..
,,	30.00	762.0	...	..	NW	1	...
6	30.15	765.8	32	82	WSW	1	b
,,	30.11	764.8	41	..	...	o	b
,,	30.30	769.6	48	..	..	o	b
,,	30.59	777.0	48	..	N	2	o
,,	30.30	769.5	41	75	N	1	b
,,	30.28	769.1	42	66	NE	4	o
-	30.13	765.3	50	86	NNE	2	o
6	30.14	765.5	54	80	ENE	4	o
,,	.	..	..	..	...	..	...
5	30.13	765.3	57	98	...	o	r
,,	30.07	763.8	59	..	NNW	2	r
,,	30.02	762.6	61	..	NNE	4	o
,,	30.00	762.0	64	..	...	o	b
,,	...	...	...	...	...	..	...
6	...	...	...	...	...	...	...
,,	30.03	762.7	60	92	ENE	1	or
,,	30.02	762.5	...	..	NE	5	o
,,	29.99	761.7	57	98	NNE	4	r
9	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
..	...	...	...	...	...	..	...
6	30.00	762.0	75	...	ENE	5	o
7	29.98	761.4	63	100	NE	1	2f
,,	29.94	760.5	70	...	...	o	of
..	29.89	759.3	77	...	ENE	6	b
6	29.94	760.5	72	84	E	4	o
,,	29.93	760.2	75	89	ENE	4	o
,,	29.91	759.6	77	88	...	o	o
,,	29.91	759.6	77	91	...	o	b
,,	29.92	759.9	73	94	NW	2	o
,,	29.88	759.0	75	86	N	4	b
,,	29.88	759.0	73	94	E	1	o
4.20	29.94	760.5	...	...	NE	4	o
4.47	...	...	...	...	...	...	...
5	...	...	...	...	...	...	...
6	...	...	...	...	...	...	...

March 21*d.* 11*h.* 25*m.*—Pressure has decreased moderately over N.E. Japan. It has increased moderately over the Bonins and slightly from Chefoo to Formosa. It is nearly stationary over S. China and the Philippines.

The anticyclone over China has strengthened slightly.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·16 inch. Total since January 1st, 4·77 inches, against an average of 4·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; overcast, rainy and misty.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st MARCH, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	22nd MARCH, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock. .	12	29.81	757.2	35	...	WSW	2	o	6	29.79	756.6	27	...	...	c	o
Nemuro,.....	11	29.76	756.0	...	...	SSE	2	...	5	29.65	753.c	...	..	...	c	...
Hokodate, ...	..	29.78	756.5	...	...	WSW	1	..	,,	29.75	755.5	...	..	..	c	...
Tokic.....	,,	29.84	758.c	...	..	SSW	1		,,	29.82	757.5	...	..	NW	1	...
Kochi, ...	,,	29.94	760.5	...	...	WNW	2	..	,,	30.cc	762.c	...	..	W	1	...
Nagasaki, ...	,,	30.1c	764.5	...	...	WNW	4	..	,,	30.1c	764.5	...	..	NW	1	...
Kagoshima, ...	,,	30.04	763.c	...	..	NW	2	..	,,	30.c8	764.c	...	..	...	c	...
Oshima, ...	,,	30.1c	764.5	...	...	SE	1	..	,,	30.04	763.c	...	...	N	2	...
Naha, ...	,,	30.1c	764 5	...	...	NW	1	..	,,	30.06	763.5	...	..	N	1	...
Ishigakijima, ...	,,	30.c8	764.c	...	..	SE	1		,,	30.c2	762.5	...	..	N	1	...
Bonin Island,..	..	30.cc	762.c	...	...	NW	1		..	29.96	761.c	...	..	WNW	1	...
Chefoo.	15	30.11	764.8	44	6c	NW	4	b	6	29.95	76c 7	42	5c	SW	2	b
Hankow, ...	,,	...	...	...	...	...	...	..	,,	30.c1	762.2	45	..	...	c	b
Ichang, ...	,,	...	.	...	...	..	...	..	,,	30.18	766.6	5c	..	..	o	b
Changsha, ...	,,	...			...	...	...	...	,,	30.54	775.7	49	...	NW	2	o
Shanghai.	14	30 28	769.2	5c	38	N	2	b	,,	30.21	767.4	37	83	SW	2	b
Gutzlaff,.....	,,	30.3c	769.6	48	56	NNW	2	o	,,	30.22	767.6	44	76	WSW	2	b
Sharp Peak, ...	,,	30.11	764 8	52	83	E	4	r	7	30.11	764.8	5c	82	E	4	o
Amoy, ...	15	30.c5	763.2	56	94	NNE	2	r	6	30.c8	764.c	5c	93	ENE	2	o
Swatow,.....	,,	...	...	...	...	...	...	...	,,			..	..	...	..	...
Taihoku, ...	11	30.14	765.6	64	92	E	4	r	5	30.12	765.c	52	92	E	4	r
Taichu, ...	,,	30.c6	763.5	64	...	N	2	o	,,	30.c4	762.9	54	..	N	2	r
Tainan, ...	,,	30.c4	762.9	68	...	N	4	o	,,	30.cc	762.c	55	...	N	4	r
Kosbun,.....	,,	30.c1	762.3	77	...	ENE	4	b	,,	29.94	76c.5	64	...	NNE	6	c
Pescadores, ..	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,.....	,,	30.c2	762.5	6c	89	N	2	or	,,	30.c3	762.7	58	81	...	c	cm
Gap Rock, ...	,,	30.c2	762.5	...	...	NE	5	crm	,,	30.c2	762.5	...	...	NE	4	o
Macao, ...	,,	29.99	761.7	57	98	N	4	o	,,	30.c1	762.3	54	88	N	4	o
Wuchow, ...	15	...	..	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,...	14	30.c2	762.5	78	...	ENE	5	c	6	29.99	761.7	73	...	ENE	5	c
Phulien, ...	,,	29.94	76c.5	66	1cc	E	1	rf	7	30.c6	763.5	59	1cc	ENE	4	of
Tourane,.....	,,	29.88	759.c	75	...	...	c	of	,,	29.95	76c.8	68	...	NNW	2	of
Cape St. James.	,,	29.87	758.7	81	...	ENE	4	b	,,	29.88	759.c	75	...	ENE	2	o
Basco,.....	,,	29.88	759.c	82	74	NE	4	o	6	29.87	758.7	72	88	N	4	o
Aparri, ...	,,	29.85	758.1	86	68	NE	4	b	,,	29.87	758.7	73	96	SW	1	b
Manila, ...	,,	29.84	757.8	9c	44	SE	2	o	,,	29.88	759.c	72	88	E	1	b
Legaspi,.....	,,	29.85	758.1	86	65	NNE	2	b	,,	29.87	758.7	75	94	...	o	b
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.8c	756.9	86	56	N	6	b	,,	29.86	75.84	75	91	N	4	b
Surigao, ...	..	29.85	758.1	84	68	NE	4	o	,,	29.86	758.4	75	91	SSE	1	o
Guam,.....	12.20	29.82	757.5	...	...	SW	2	b	4.20	29.85	758.1	...	...	NE	1	o
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew, ...	11.cc	...	...	...	...	...	...	...	5	29.83	757.7	78	...	NE	2	c
Labuan, ...	14	29.77	756.1	81	83	NE	4	b	6	29.85	758.2	78	91	NE	2	b

March 22*d*. 11*h*. 18*m*.—Pressure has decreased moderately from Chefoo to Shanghai and slightly from the Bonins to N.E. Japan and from the Loochoos to the Philippines. It has increased slightly over N. Indo-China.

The anticyclone has weakened. It is central to the West of Shanghai.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·59 inch. Total since January 1st, 5·36 inches, against an average of 5·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	N.E. winds, moderate; overcast and rainy at first, improving later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	23rd March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.72	754.8	32	...	SSW	2	o	6	29.87	758.6	26	...	...	o	o
Nemuro,	11	29.61	752.0	...	...	ESE	1	...	5	29.76	756.0	...	...	S	1	...
Hokodate,	,,	29.72	755.0	...	...	W	2	...	,,	29.80	757.0	...	...	NE	1	...
Tokio,	,,	29.82	757.5	...	...	NNE	2	..	,,	29.92	760.0	...	..	NW	1	...
Kochi,	,,	29.94	760.5	...	...	SE	1	...	,,	30.02	762.5	...	...	W	1	...
Nagasaki,	,,	30.06	763.5	...	...	WNW	3	...	,,	30.04	763.0	...	...	W	1	...
Kagoshima,	,,	30.06	763.5	...	...	NW	1	...	,,	30.14	765.5	...	...	NW	1	...
Oshima,	,,	30.04	763.0	..	...	NNE	2	...	,,	30.06	763.5	...	...	N	1	...
Naha,	,,	30.06	763.5	...	...	N	1	...	,,	30.08	764.0	...	...	NNE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	NNE	2	..	,,	30.06	763 5	...	...	N	1	...
Bonin Island,	,,	29.94	760.5	..	...	W	2	..	,,	29.94	760.5	...	...	NNW	1	...
Chefoo,	15	29.91	759.7	46	54	NE	1	b	6	30.03	762.7	32	68	ESE	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	29.99	761.7	50	...	S	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	30.09	764.3	47	...	...	o	b
Changsha,	,,	...	..	..	...	...	...	...	,,	30.56	776.2	48	...	...	o	b
Shanghai,	14	30.13	765.3	61	87	W	2	b	,,	30.14	765.6	37	86	SSW	1	b
Gutzlaff,	,,	30.15	765.8	52	60	SW	2	b	,,	30.17	766.3	46	86	SW	4	b
Sharp Peak,	,,	30.10	764.5	56	63	E	2	o	,,	30.11	764.8	50	79	W	2	b
Amoy,	15	30.03	762.7	58	90	E	2	o	6	30.06	763.5	54	80	ENE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	..	..	..	..	...	..	...
Taihoku,	11	30.11	764.7	59	81	E	4	o	5	30.11	764.7	50	95	...	o	o
Taichu,	,,	30.05	763.2	64	...	WNW	2	o	,,	30.04	762.9	55	...	...	o	o
Tainan,	,,	30.02	762.6	66	...	N	4	b	,,	30.01	762.3	57	...	N	2	o
Koshun,	,,	30.00	762.0	70	...	NNE	4	o	,,	29.98	761.4	64	...	NNE	4	r
Pescadores,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	..	...	...	...	...	...	...	6	...	...	...	...	..	...	...
Hongkong,	,,	30.03	762.7	58	81	N	2	o	,,	30.07	763.8	55	94	NW	1	od
Gap Rock,	,,	30.02	762.5	...	...	N	4	o	,,	30.04	763.0	...	...	NE	4	od
Macao,	,,	30.01	762.3	55	88	N	4	o	,,	30.05	763.2	54	97	NNE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.81	757.2	75	...	ENE	5	o	6	29.87	758.7	69	...	NE	5	d
Phulien,	,,	30.00	762.0	63	88	N	2	of	7	30.11	764.7	57	96	NE	2	rf
Tourane,	,,	29.91	759.6	72	...	N	2	b	,,	29 99	761.7	68	...	NNW	2	o
Cape St. James,	,,	29.86	758.4	82	...	ENE	4	o	,,	29.89	759.3	77	...	ENE	4	o
Basco,	,,	29.84	757.8	73	75	NE	1	r	6	29.95	760.8	70	87	N	4	o
Aparri,	,,	29.82	757.5	82	70	NE	4	b	,,	29.92	759.9	77	84	NE	4	o
Manila,	,,	29.80	756.9	90	51	W	1	b	,,	29.88	759.0	77	85	NNE	2	b
Legaspi,	,,	29.80	756.9	90	60	ENE	2	b	,,	29.88	759.0	73	94	...	o	b
Tacloban,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	90	55	NE	4	b	,,	29.88	759.0	72	84	N	2	b
Surigao,	,,	29.80	756.9	86	68	ENE	4	b	,,	29.86	758.4	77	92	ESE	2	o
Guam,	12.20	29.81	757.2	...	...	NE	4	o	4.20	29.84	757.8	...	...	E	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	88	76	N	4	b	6	29.80	756.9	80	91	NE	2	b

March 23*d.* 10*h.* 58*m.*—Pressure is nearly stationary over the Yangtze Valley and over the Bonins. It has increased moderately from Chefoo to Wladivostock and slightly at the majority of other reporting stations.

The anticyclone appears to have spread south-weastward.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·70 inch. Total since January 1st, 6·06 inches, against an average of 5·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rook, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; overcast at first, finer later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd March, 1926.								24th March, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.87	758.8	35	---	FSE	3	o	6	29.89	759.3	29	---	E	2	o
Nemuro,	11	29.76	756.0	---	---	SW	3	---	5	29.92	760.0	---	..	---	..	---
Hokodate,	,,	29.80	757.0	---	---	SW	2	---	,,	29.96	761.0	---	---	WSW	1	---
Tokio,	,,	29.84	758.0	---	---	SSE	1		,,	30.04	763.0	---	..		0	---
Kochi,	,,	29.96	761.0	---	---	WSW	1	..	,,	30.10	764.5	---	..	SW	1	---
Nagasaki,	,,	30.06	763.5	---	---	WNW	3	---	,,	30.12	765.0	---	..	WNW	2	---
Kagoshima,	,,	30.06	763.5	---	---	NW	1	---	,,	30.14	765.5	---	---	NW	1	---
Oshima,	,,	30.10	764.5	---	---	NNE	2	---	,,	30.22	767.5	---	---	SSE	1	---
Naha,	,,	30.12	765.0	---	---	NW	2	..	,,	30.18	766.5	---	..	---	---	---
Ishigakijima,	,,	30.12	765.0	---	---	N	2		,,	30.16	766.0	---	---	N	1	---
Bonin Island,	..	29.90	759.5	---	..	NNW	1		,,	30.06	763 5	..	---	WNW	1	---
Chefoo,	15	29.96	761.0	50	58	E	1	b	6	29.92	759.9	46	47	W	2	b
Hankow,	,,	---	---	---	---	---	---	---	,,	30.10	764.5	53	..	E	1	b
Ichang,	,,	---	---	---	---	---	---	---	,,	30.06	763.5	52	---	---	0	b
Changsha,	,,				---	---	---	---	,,	30.10	764.5	59	---	---	0	lc
Shanghai,	14	30.13	765.3	66	15	W	2	b	,,	30.14	765.6	43	76	S	1	b
Gutzlaff,	,,	30.15	765.8	56	63	WSW	2	b	,,	30.16	766.0	48	63	SSW	4	b
Sharp Peak,	,,	30.11	764.8	68	56	E	1	b	,,	30.12	765.0	54	74	NW	1	b
Amoy,	15	30.04	763.0	62	77	ENE	2	b	6	30.12	765.0	55	76	NE	2	o
Swatow,	,,	30.00	762.0	60	---	SE	2	o	,,	---		---	---	---	---	---
Taihoku,	11	30.15	765.9	64	62	E	4	o	5	30.14	765.6	59	79	E	4	o
Taichu,	,,	30.04	762.9	68	---	---	0	o	,,	30.11	764.7	61	---	---	0	o
Tainan,	,,	30.07	763.8	66	---	N	4	o	,,	30.10	764.4	59	---	---	0	r
Koshun,	,,	30.05	763.2	68	---	NNE	4	o	,,	30.07	763.8	66	---	NNE	4	o
Pescadores,	,,	---		---		---	---	---	,,	---	---	---	---	---	---	---
Canton,	14	30.10	764.5	57	81	N	2	o	6	---	---	---	---	---	---	---
Hongkong,	,,	30.07	763.8	60	71	E	3	o	,,	30.11	764.8	60	71	ENE	2	od
Gap Rock,	,,	30.06	763.5	---	---	NNE	4	o	,,	30.10	764.5	---	---	NE	4	o
Macao,	,,	30.05	763.2	57	81	N	2	o	,,	30.08	764.1	57	84	NE	2	o
Wuchow,	15	---	..	---	---	---	---	---	9	---	---	---	---	---	---	---
Pakhoi,	,,	..	---	---	---	---	---	---	,,	---	---	---	---	---	---	---
Hoihow,	,,	---	---	---	---	---	---	---	,,	---	---	---	---	---	---	---
Pratas Island,	14	29.91	759.7	69	---	NE	5	d	6	29.87	758.7	70	---	ENE	5	o
Phulien,	,,	30.06	763.5	64	76	SSW	1	o	7	30.12	765.0	61	89	ENE	4	of
Tourane,	,,	29.97	761.1	70	---	NNW	4	o	,,	30.04	762.9	66	---	NNW	4	o
Cape St. James,	,,	29.88	759.0	81	---	ENE	4	b	,,	29.94	760.5	77	---	ENE	6	o
Basco,	,,	29.93	760.2	72	89	NE	4	o	6	---	---	---	---	---	---	---
Aparri,	,,	29.97	761.1	84	60	NE	4	b	,,	29.99	761.7	75	85	E	4	b
Manila,	,,	29.84	757.8	90	66	SW	4	b	,,	29.94	760.5	77	84	NE	1	o
Legaspi,	,,	29.85	758.1	90	60	ENE	2	b	,,	29.93	760.2	77	86	N	1	b
Tacloban,	,,	---	---	---	---	---	---	---	,,	---	---	---	---	---	---	---
Iloilo,	,,	29.81	757.2	90	48	NE	4	b	,,	29.92	759.9	75	88	N	4	b
Surigao,	..	29.84	757.8	86	75	ENE	2	o	,,	---	---	---	---	---	---	---
Guam,	12.20	29.82	757.5	---	---	E	4	o	4.20	---	---	---	---	---	---	---
Yap,	12.47	---	---	---	---	---	---	---	4.47	---	---	---	---	---	---	---
Pelew,	11.00	---	---	---	---	---	---	---	5	29.90	759.4	76	---	NNE	2	b
Labuan,	14	29.77	756.1	84	83	NE	2	b	6	29.85	758.2	78	91	NE	2	b

March 24*d.* 11*h.* 15*m.*—Pressure has increased moderately over Japan and the Bonins and slightly from S. China to the Loochoos and over the Visayas. It has decreased slightly over the Yangtze Valley.

The anticyclone is now central over the Loochoos.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·07 inch. Total since January 1st, 6·13 inches, against an average of 5·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; generally cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	24th March, 1926.									25th March, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Vladivostock. .	12	29.84	758.0	35	...	S	4	o		6	30.04	763.0	30	...	N	4	b	
Kemuro, ...	11	29.92	760.0	...	...	...	o	...		5	30.12	765.0	...	..	...	o	...	
Hakodate.	,,	30.00	762.0	...	...	WNW	3	...		,,	29.96	761.0	...	...	FSE	4	...	
Tokio, ...	,,	30.06	763.5	...	...	SE	1	..		,,	30.08	764.0	...	..	NNW	1	...	
Kochi, ...	,,	30.08	764.0	...	...	S	1	..		,,	30.06	763.5	...	..	WSW	1	...	
Nagasaki, ...	,,	30.14	765.5	...	...	W	1	...		,,	30.06	763.5	...	..	NW	2	...	
Kagoshima, ...	,,	30.14	765.5	...	...	W	2	..		,,	30.08	764.0	...	...	WNW	2	...	
Ishima, ...	,,	30.04	763.0	...	...	N	1	...		,,	30.20	767.0	...	...	SSE	1	...	
Naha, ...	,,	30.22	767.5	...	...	WSW	1	...		,,	30.22	767.5	...	...	NE	1	...	
Ishigakijima, ...	,,	30.20	767.0	...	...	NNE	1	..		,,	30.18	766.5	...	...	ENE	1	...	
Sonin Island,..	..	30.10	764.5	...	...	NNW	1			,,	30.18	766.5	...	..	...	o	...	
Ichefoo.	15	30.15	765.8	40	56	N	6	b		6	30.37	771.4	30	67	W	1	b	
Hankow, ...	,,	...	...	...	...	...	...	...		,,	30.34	770.6	56	..	N	2	o	
Ichang, ...	,,	...	...	...	...	...	...	...		,,	30.21	767.3	61	...	...	...	o	
Changsha, ...	,,	...	...	...	...	...	...	...		,,	30.15	765.8	60	...	...	o	o	
Shanghai, ...	14	30.11	764.7	72	29	WSW	4	b		,,	30.37	771.3	43	85	NE	4	b	
Sutzlaff, ...	,,	30.14	765.5	58	58	WSW	4	b		,,	30.38	771.6	44	76	NE	4	b	
Sharp Peak, ...	,,	30.13	765.3	73	58	...	o	b		,,	30.14	765.5	60	82	NNW	2	o	
Amoy, ...	15	30.08	764.0	72	54	E	2	b		6	30.09	764.3	62	90	WSW	2	r	
Swatow, ...	,,	30.01	762.2	62	89	ESE	2	o		,,	...	..	...	...	..	...	...	
Taiboku, ...	11	30.17	766.2	72	57	E	4	o		5	30.13	765.3	64	62	E	4	o	
Taichu, ...	,,	30.17	766.2	70	...	...	o	o		,,	30.10	764.4	63	...	...	o	r	
Tainan, ...	,,	30.13	765.3	73	...	N	2	o		,,	30.08	764.1	63	...	NNE	2	o	
Koshun, ...	,,	30.12	765.0	73	...	NE	4	o		,,	30.07	763.8	68	...	NE	4	o	
Pescadores, ...	,,	...		...	...	...	...	...		,,	...	...	...	...	...	...	...	
Canton, ...	14	30.08	764.1	63	72	...	o	o		6	...	...	...	...	...	...	...	
Hongkong,.....	,,	30.07	763.8	65	51	E	3	o		,,	30.09	764.3	61	80	ENE	4	o	
Gap Rock, ...	,,	30.06	763.5	...	...	ENE	4	o		,,	30.08	764.0	...	...	ENE	4	o	
Macao, ...	,,	30.08	764.1	63	65	NE	2	o		,,	30.07	763.8	59	93	NE	2	o	
Wuchow, ...	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,...	14	29.95	760.7	70	...	NE	5	o		6	29.89	759.2	73	93	E	2	r	
Phulien, ...	,,	30.06	763.5	64	86	NNW	1	of		7	30.06	763.5	63	96	ENE	2	of	
Tourane,.....	,,	29.99	761.7	72	...	NNW	4	b		,,	30.02	762.6	68	...	NNW	2	o	
Cape St. James,	,,	29.91	759.6	81	...	ENE	6	bf		,,	29.91	759.6	77	...	ENE	7	b	
Basco,.....	,,	29.99	761.7	75	83	ENE	4	o		6	30.05	763.2	72	89	NE	2	o	
Aparri, ...	,,	29.92	759.9	84	68	ENE	4	b		,,	29.99	761.7	77	84	E	4	o	
Manila, ...	,,	29.91	759.6	86	61	SW	4	o		,,	29.95	760.8	72	88	E	2	b	
Legaspi, ...	,,	29.89	759.3	86	65	NE	4	b		,,	29.93	760.2	77	89	...	o	b	
Tacloban, ...	,,	..	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo, ...	,,	29.86	758.4	86	52	N	6	o		,,	29.92	759.9	77	89	N	4	b	
Surigao, ...	..	29.88	759.0	86	68	E	4	o		,,	29.91	759.6	73	92	...	o	o	
Guam,.....	12.20	29.87	758.7	...	...	NE	2	o		4.20	29.86	758.4	...	...	NE	1	o	
Yap, ...	12.47	29.85	758.1	...	...	NNE	4	o		4.47	...	...	...	...	...	...	...	
Pelew, ...	11.00	...	...	...	...	...	...	...		5	29.89	759.2	76	...	NNE	1	o	
Labuan, ...	14	29.77	756.1	86	84	NE	4	b		6	29.82	757.4	80	87	NE	2	b	

March 25*d.* 11*h.* 30*m.*—Pressure has increased considerably over N.E. China and S. Manchuria. It has decreased slightly over S.W. Japan and S.W. China. In the extreme South it is nearly stationary.

An anticyclone is shown over S.E. Mongolia and N.E. China.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 6·13 inches, against an average of 5·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26th.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, ... 4.—South coast of China between Hongkong and Hainan, .	N.E. winds, moderate; overcast, some rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th MARCH, 1926.									26th MARCH, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperatures.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperatures.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	29.96	761.1	20	...	NNW	5	o		6	29.99	761.7	11	...	N	4	b	
Nemuro,	11	30.12	765.0	...	...	SE	1	...		5	29.94	760.5	...	...	E	3	...	
Hokodate,	,,	29.84	758.0	...	...	SE	4	...		,,	29.86	758.5	...	...	NNW	3	...	
Tokio,	,,	29.90	759.5	...	...	S	1	...		,,	29.76	756.0	...	..	NNW	1	...	
Kochi,	,,	29.94	760.5	...	...	W	2	...		,,	30.02	762.5	...	...	SW	1	...	
Nagasaki,	,,	30.20	767.0	...	...	NW	5	...		,,	30.22½	767.5	...	...	NNW	3	...	
Kagoshima,	,,	30.16	766.0	...	...	W	3	...		,,	30.18	766.5	...	...	NW	3	...	
Oshima,	,,	30.22	767.5	...	...	N	2	...		,,	30.24	768.0	...	...	N	3	...	
Naha,	,,	30.26	768.5	...	...	WNW	1	...		,,	30.28	769.0	...	...	NW	3	...	
Ishigakijima,	,,	30.24	768.0	...	...	ENE	2	...		,,	30.22	767.5	...	...	NE	2	...	
Bonin Island,	,,	30.14	765.5	...	...	W	1	...		,,	30.08	764.0	...	...	...	0	...	
Chefoo,	15	30.45	773.4	36	70	N	4	b		6	30.52	775.2	28	100	W	2	b	
Hankow,	,,	...	...	...	...	...	...	...		,,	30.48	774.2	50	...	NNE	1	b	
Ichang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	14	30.44	773.1	54	38	NNE	2	b		,,	30.53	775.5	36	89	NE	1	b	
Gutzlaff,	,,	30.44	773.2	52	53	NNE	2	b		,,	30.54	775.7	40	56	NNE	4	b	
Sharp Peak,	,,	30.17	766.2	60	65	NNE	4	o		7	30.28	769.1	50	86	N	4	o	
Amoy,	15	30.05	763.2	68	70	NE	2	b		6	30.18	766.6	58	64	NE	2	o	
Swatow,	,,	30.04	763.0	64	78	ESE	2	o		,,	...	...	...	...	...	...	...	
Taihoku,	11	30.20	767.1	66	54	E	4	r		5	30.26	768.6	55	93	E	4	r	
Taichu,	,,	30.13	765.3	64	...	...	0	r		,,	30.12	765.0	59	...	N	2	r	
Tainan,	,,	30.12	765.0	72	...	NNW	2	r		,,	30.10	764.4	63	...	NNE	2	r	
Koshun,	,,	30.11	764.7	75	...	NE	6	o		,,	30.08	764.1	68	...	NNE	6	o	
Pescadores,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Canton,	14	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Hongkong,	,,	30.08	764.0	63	77	E	2	o		,,	30.15	765.8	60	88	E	4	od	
Gap Rock,	,,	30.06	763.5	...	...	NE	4	o		,,	30.14	765.5	...	...	NE	6	o	
Macao,	,,	30.08	764.1	61	91	NE	2	o		,,	30.13½	765.3	59	98	ENE	2	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	14	29.91	759.7	73	89	NE	5	o		6	29.94	760.5	70	90	NE	6	r	
Phulien,	,,	30.04	762.9	68	85	ENE	2	o		7	...	...	...	...	...	...	...	
Tourane,	,,	29.95	760.8	79	...	...	0	b		,,	...	...	...	...	...	...	...	
Cape St. James,	,,	29.88	759.0	81	...	ENE	6	bf		,,	...	...	...	...	...	...	...	
Basco,	,,	30.01	762.3	75	83	NE	4	o		6	...	...	...	...	...	...	...	
Aparri,	,,	29.95½	760.8	79	73	E	4	o		,,	29.99	761.7	73	92	E	2	r	
Manila,	,,	29.88½	759.0	90	55	SW	2	o		,,	29.93	760.2	77	84	...	0	o	
Legaspi,	,,	...	...	86	71	NE	4	o		,,	29.92	759.9	79	89	NE	4	o	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.84	757.8	90	48	N	4	b		,,	...	...	...	...	...	...	...	
Surigao,	,,	29.87	758.7	86	58	NE	4	o		,,	...	...	...	...	...	...	...	
Guam,	12.20	29.80	756.9	...	...	NE	4	r		4.20	...	...	...	...	...	...	...	
Yap,	12.47	29.81	757.2	...	...	NE	2	r		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	29.84	757.9	75	...	NNE	2	b	
Labuan,	14	29.76	755.9	86	84	NE	2	b		6	29.85	758.2	78	91	N	2	b	

March 26*d.* 10*h.* 40*m.*—Pressure has decreased considerably at Hokkaido and Tokio. It is nearly stationary over the Philippines and has increased slightly elsewhere.

The anticyclone over N.E. China and S.E. Mongolia has strengthened slightly.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·49 inch. Total since January 1st, 6·61 inches, against an average of 5·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong; overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	27th March, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock, .	12	29.96	760.9	23	...	NNE	4	s	6	30.06	763.5	23	...	NNE	4	b
Aomuro, ...	11	29.63	752.5	...	...	ENE	6	...	5	29.43	747.5	...	..	SSW	2	...
Hakodate, ...	..	29.70	754.5	...	...	N	6	..	,,	29.41	747.0	...	...	N	3	...
Tokio, ...	,,	29.72	755.0	...	...	NNE	1	..	,,	29.78	756.5	...	..	SW	1	...
Kochi, ...	,,	30.00	762.0	...	...	W	2	..	,,	30.08	764.0	...	..	..	0	...
Nagasaki, ...	,,	30.22	767.5	...	...	NW	4	..	,,	30.22	767.5	...	..	NW	1	..
Kagoshima, ...	,,	30.18	766.5	...	...	NW	3	..	,,	30.22	767.5	...	..	NNW	1	...
Ishima, ...	,,	30.24	768.0	...	...	N	2	..	,,	30.24	768.0	...	..	N	2	...
Naha, ...	,,	30.31	770.0	...	...	NW	3	..	,,	30.30	769.5	...	.	WNW	3	...
Ishigakijima, ..	,,	30.31	770.0	...	...	N	2	.	,,	30.34	770.5	..	..	NNE	2	...
Formosa Island, ..	..	30.02	762.5	...	...	WSW	3	.	..	30.02	762.5	..	..	W	...	...
Mafoo, ...	15	30.40	772.1	38	63	NNW	4	b	6	30.19	766.8	40	39	SSW	4	b
Hankow, ...	,,	...	..	...	...	...	...	..	,,	...	..	..	..	...	...	...
Ichang, ...	,,	.	..	...	...	...	...	...	,,	30.38	771.6	48	..	...	0	b
Changsha, ...	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	.	.
Shanghai, ...	14	30.50	774.6	54	32	N	2	b	,,	30.40	772.2	36	93	SW	2	b
Nutzlaff, ...	,,	30.52	775.2	50	45	N	2	b	,,	30.42	772.6	44	23	NW	2	b
Sharp Peak, ..	,,	30.35	770.9	50	79	NE	4	o	,,	30.41	772.4	50	79	NE	2	b
Amoy, ...	15	30.24	768.1	72	54	ENE	4	b	6	30.30	769.6	52	60	NE	4	o
Swatow, ...	..	30.13	765.3	59	88	ENE	2	o	,,	...	...	...	...	...	..	...
Taihoku, ...	11	30.37	771.3	57	89	E	4	r	5	30.38	77.16	50	79	E	2	b
Taichu, ...	,,	30.20	767.1	59	...	NNW	2	o	,,	30.22	767 7	54	...	N	2	o
Tainan, ...	,,	30.20	767.1	59	...	N	4	r	,,	30.21	767.4	54	...	N	2	o
Toshun, ...	,,	30.17	766.2	66	...	NE	6	o	,,	30.20	767.1	63	..	NNE	6	o
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	14	30.23	767.8	63	78	N	2	o	6	...	...	...	...	...	...	...
Hongkong, ...	,,	30.20	767.1	59	84	E	3	o	,,	30.26	768.6	59	84	ENE	2	om
Gap Rock, ...	,,	30.19	766.8	...	...	ENE	6	o	,,	30.27	768.8	...	...	ENE	5	o
Macao, ...	,,	30.17	766.2	59	96	NNE	2	r	,,	30.21	767.4	59	83	NE	2	o
Wuchow, ...	15	...	..	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island, ...	14	29.99	761.7	68	91	NE	7	d	6	30.05	763.2	68	73	NE	7	o
Chulien, ...	,,	30.15	765.9	63	98	NE	1	rf	7	30.27	768.9	59	87	ENE	2	of
Tourane, ...	,,	30.00	762.0	73	...	NNW	2	b	,,	30.05	763.2	70	...	E	4	of
Cape St. James,	,,	29.88	759.0	82	...	ENE	6	bf	,,	29.89	759.3	79	...	ENE	7	bf
Basco, ...	,,	30.01	762.3	72	82	N	4	o	6	30.17	766.2	64	84	N	4	r
Aparri, ...	,,	29.99	761.7	75	56	E	4	r	,,	30.08	764.1	72	82	ENE	6	r
Manila, ...	,,	29.89	759.3	86	49	NE	2	o	,,	29.98	761.4	75	86	E	1	o
Legaspi, ...	,,	29.88	759.0	90	63	NE	2	b	,,	29.95	760.8	79	84	NE	2	b
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.82	757.5	86	58	N	6	b	,,	29.94	760.5	75	94	N	4	o
Surigao, ...	..	29.84	757.8	86	65	E	4	o	,,	29.93	760.2	75	96	...	0	o
Guam, ...	12.20	29.80	756.9	...	...	ENE	4	o	4.20	29.86	758.4	...	...	NE	1	o
Yap, ...	12.47	29.78	756.3	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.88	758.9	77	...	NNE	5	to
Jaluan, ...	12	29.77	756.1	86	88	SW	2	b	6	29.80	756.9	80	91	NW	2	b

March 27*d*. 11*h*. 10*m*.—Pressure has decreased considerably over N.E. Japan and N.E. China and moderately at Shanghai. It has increased slightly over central Japan and from Formosa to Tongking and the Philippines.

The anticyclone over China has weakened and spread southward.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 6·63 inches, against an average of 5·64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; overcast at first, possibly clearing later.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th MARCH, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th MARCH, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.98	761.5	28	...	NNE	4	b	6	29.76	755.9	33	...	ESE	4	o
Nemuro,	11	29.33	745.0	...	...	SSW	3	...	5	29.61	752.0	...	..	NW	4	...
Hokodate,	..	29.41	747.0	...	...	N	7	...	,,	29.82	757.5	...	...	NNW	2	...
Tokio,	,,	29.80	757.0	...	...	NNW	4	..	,,	30.02	762.5	...	..	...	0	...
Kochi,	,,	30.14	765.5	...	...	NW	1	..	,,	30.16	766.0	...	..	...	0	..
Nagasaki,	,,	30.28	769.0	...	...	NW	2	...	,,	30.20	767.0	...	..	NNW	1	,,
Kagoshima,	,,	30.26	768.5	...	...	WNW	2	...	,,	30.24	768.0	...	..	NW	1	...
Oshima,	,,	30.26	768.5	...	...	N	2	..	,,	30.24	768.0	...	...	SSE	1	...
Naha,	,,	30.31	770.0	...	...	WNW	3	..	,,	...	...	...	..	NNE	1	...
Ishigakijima,	,,	30.35	771.0	...	...	NE	3	..	,,	30.18	766.5	..	..	NNE	1	,,
Bonin Island,	..	30.04	763.0	...	...	WNW	2		..	30.18	766.5	..	..	NW	1	...
Chefoo,	15	30.05	763.2	60	55	NW	2	b	6	29.91	759.7	56	45	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	30.09	764.3	53	..	...	0	b
Hankow,	,,	..	..	...	...	...	...	...	,,	30.07	763.8	50	..	...	0	b
Changsha,	,,	.	...	...	...	...	...	...	,,	30.18	766.6	52	..	..	0	le
Shanghai,	14	30.34	770.7	66	23	WSW	1	b	,,	30.26	768.6	43	91	SSE	1	b
Gutzlaff,	,,	30.39	771.9	56	63	WSW	1	b	,,	30.24	768.1	47	70	SSW	4	b
Sharp Peak,	,,	30.34	770.6	60	82	E	2	b	,,	30.22	767.6	52	66	NW	1	o
Amoy,	15	30.22	767.5	65	44	ENE	4	b	6	30.17	766.3	56	57	NNW	2	o
Swatow,	,,	.	...	...	...	...	...	...	,,	...	..	...	..	..	..	...
Taihoku,	11	30.37	771.3	64	48	E	4	b	5	30.18	766.5	59	73	E	4	o
Taichu,	,,	30.27	768.9	66	...	...	0	b	,,	30.13	765.3	57	...	...	0	o
Tainan,	,,	30.26	768.6	63	...	NNW	2	o	,,	30.11	764.7	55	...	...	0	o
Koshun,	,,	30.25	768.3	66	...	NNE	6	o	,,	30.17	766.2	63	...	NE	4	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.24	768.1	59	75	E	3	o	,,	30.18	766.6	58	61	NE	2	cd
Gap Rock,	,,	30.22	767.6	...	...	ENE	5	o	,,	30.16	766.0	...	...	NE	5	cp
Macao,	,,	30.21	767.4	63	70	ENE	2	o	,,	30.17	766.2	55	88	N	2	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	30.06	763.5	69	76	ENE	7	o	6	29.95	760.7	69	...	NE	4	d
Phulien,	,,	30.25	768.3	57	96	NNW	2	rf	7	..	...	...	...	...	...	...
Tourane,	,,	30.06	763.5	72	...	SE	2	rf	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.7	81	...	ENE	7	bf	,,	...	...	...	...	...	...	...
Basco,	,,	30.13	765.3	68	73	NE	6	r	6	...	...	...	...	...	...	...
Aparri,	,,	30.08	764.1	73	79	ENE	4	o	,,	30.05	763.2	70	...	ENE	4	c
Manila,	,,	29.94	760.5	90	51	SE	4	o	,,	29.95	760.8	73	82	N	1	o
Legaspi,	,,	29.92	759.9	90	60	NE	4	b	,,	29.94	760 5	79	80	NE	4	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	79	76	NE	2	o
Iloilo,	,,	29.86	758.4	86	58	N	6	b	,,	29.91	759.6	75	...	N	4	o
Surigao,	..	29.88	759.0	81	80	ENE	4	o	,,	29.91	759.6	82	84	ENE	6	o
Guam,	12.20	29.85	758.1	...	...	E	2	r	4.20	29.87	758.7	...	...	NE	4	o
Yap,	12.47	29.80	756.9	...	...	NE	4	o	4.47	...	..	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	76	...	NNE	1	c
Labuan,	14	29.83	757.7	88	76	NE	4	b	6	29.89	759.2	78	91	NE	1	b

March 28*d.* 11*h.* 55*m.*—Pressure has increased considerably from N.E. Japan to the Bonins. It has decreased moderately from Chefoo to Formosa and slightly over S. China and the Philippines.

The anticyclone has weakened further and now extends from S. China to the Bonins.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·20 inch. Total since January 1st, 6·83 inches, against an average of 5·75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; generally cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	28th March, 1926.								29th March, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.65	753.0	36	...	SE	5	o	6	29.67	753 7	35	...	WNW	2	b
Nemuro,	11	29.74	755.5	...	...	WNW	2	...	5	29.76	756.0	...	...	S	2	...
Hokodate,	,,	29.78	756.3	...	...	SW	4	...	,,	29.65	753.0	...	...	SW	6	...
Tokio,	,,	30.06	763.5	...	...	S	1	.	,,	30.00	762.0	...	...	...	0	...
Kochi,	,,	30.14	765.5	...	...	SE	1	..	,,	30.12	765.0	...	...	SW	1	...
Nagasaki,	,,	30.20	767.0	...	...	W	3	...	,,	30.12	765.0	...	...	SW	2	...
Kagoshima,	,,	30.24	768.0	...	...	W	1	...	,,	30.16	766.0	...	...	NW	1	...
Oshima,	,,	30.26	768.5	...	...	NNE	1	..	,,	30.16	766.0	...	...	...	0	...
Naha,	,,	30.24	768.0	...	...	N	1	...	,,	30.12	765.0	...	...	...	...	...
Ishigakijima,	,,	30.24	768.0	...	...	ESE	1	.	,,	30.08	764.0	...	...	SE	1	...
Jonin Island,	,,	30.24	768.0	...	...	N	1		,,	30.26	768.5	...	...	...	0	...
Chefoo,	15	29.81	757.2	68	38	NW	4	b	6	29.74	755.4	58	42	SW	4	o
Ichang,	,,	...	...	...	...	...	...	...	,,	30.00	760.0	54	..	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	55	...	...	0	b
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	.	..	...
Shanghai,	14	30.14	765.6	70	21	S	2	b	,,	30.06	763.5	43	91	S	2	b
Gutzlaff,	,,	...	.	...	...	...	...	...	,,	30.07	763.8	48	87	SW	4	b
Sharp Peak,	,,	30.18	766.6	65	68	...	0	o	,,	30.18	766.6	56	69	...	0	o
Amoy,	15	30.14	765.5	60	65	NNW	2	r	6	30.02	762.5	58	81	NW	2	o
Swatow,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.19	766.8	64	67	E	4	o	5	30.10	764.4	55	98	...	0	r
Taichu,	,,	30.19	766.8	63	...	SW	4	o	,,	30.07	763.8	57	...	...	0	r
Tainan,	,,	30.18	766.5	64	...	NW	2	r	,,	30.06	763.5	57	...	NNE	2	r
Koshun,	,,	30.17	766.2	66	...	NE	4	r	,,	30.04	762.9	63	...	N	2	r
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	.	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.15	765.8	56	92	...	0	od	,,	30.07	763.8	58	93	...	0	o
Gap Rock,	,,	30.14	765.5	...	...	ENE	5	od	,,	30.06	763.5	...	...	NNE	4	o
Macao,	,,	30.12	765.0	55	89	NE	2	r	,,	30.04	762.9	55	96	N	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.98	761.5	74	81	ENE	3	o	6	29.98	758.7	68	94	NE	4	d
Phulien,	,,	30.14	765.6	61	79	N	1	o	7	30.15	765.9	57	98	NNW	2	bf
Tourane,	,,	30.04	762.9	68	...	NNW	6	o	,,	30.06	763.5	64	...	NNW	4	o
Cape St. James.	,,	29.89	759.3	86	...	ENE	4	b	,,	29.92	759.9	77	...	ENE	6	o
Basco,	,,	30.04	762.9	73	75	ENE	4	o	6	29.92	759.9	73	88	SE	6	r
Aparri,	,,	29.99	761.7	77	76	ENE	4	o	,,	29.97	761.1	70	96	S	2	o
Manila,	,,	29.93	760.2	81	73	W	2	o	,,	29.95	760.8	75	86	NE	1	o
Legaspi,	,,	29.93	760.2	86	65	NE	4	o	,,	29.95	760.8	79	80	NE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.86	758.4	86	58	N	6	b	,,	29.93	760.2	75	89	N	4	b
Surigao,	..	29.88	759.0	82	77	ENE	6	o	,,	29.92	759.9	79	80	ENE	4	o
Guam,	12.20	29.88	759.0	...	...	E	4	r	4.20	29.92	759.9	...	...	NE	2	o
Yap,	12.47	29.82	757.5	...	...	NE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.84	757.9	77	...	NE	1	1c
Labuan,	14	29.82	757.4	73	63	NE	4	b	6	29.81	757.2	80	87	N	2	b

March 29*d*. 11*h*. 20*m*.—Pressure has decreased slightly to moderately in all districts except over S.E. Mongolia where it has increased moderately, over the Bonins where it has increased slightly and over S. Indo-China where it is stationary.

The anticyclone is now central over the Bonins.

A feeble anticyclone lies over S.W. China.

Manila warning. 29*d*. 8*h*. 50*m*.:—Cyclone or typhoon W. of Balintang Channel, moving N.E. or E.N.E. Recd. 29*d*. 9*h*. 55*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·62 inch. Total since January 1st, 7·45 inches, against an average of 5·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30th.

District.	Forecast.
1.—Formosa Channel, ...	N. winds, moderate; generally cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th MARCH, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	30th MARCH, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock.	12	29.66	753.3	43	...	NNW	4	o	6	29.97	761.1	31	...	...	0	h
Nemuro,	11	29.59	751.5	...	...	S	3	...	5	29.51	749.5	...	...	E	1	...
Hokodate,	..	29.65	753.0	...	...	SW	2	..	,,	29.69	754.0	...	...	N	2	...
Tokio,	,,	29.88	759.0	..	...	SW	1	..	,,	29.76	756.0	...	..	SW	2	...
Kochi,	,,	30.06	763.5	..	...	SE	1	.	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	30.10	764.5	...	...	SSW	1	...	,,	30.00	762.0	...	..	...	0	...
Kagoshima,	,,	30.14	765.5	...	...	SSE	1	...	,,	30.02	762.5	...	...	WNW	1	...
Oshima,	,,	30.12	765.0	...	...	SSE	1	..	,,	29.98	761.5	...	...	SSE	1	...
Naha,	,,	30.10	764.5	...	...	SE	1	..	,,	29.96	751.0	...	...	ESE	1	...
Ishigakijima,	,,	30.08	764.0	...	...	SSE	2	.	,,	29.98	761.5	...	...	ESE	1	...
Bonin Island,	..	30.22	767.5	...	...	SSW	1	..	..	30.12	765.0	...	.	SSE	1	...
Chefoo,	15	29.89	759.2	48	78	E	1	b	6	30.13	762.3	38	84	...	0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.90	759.4	54	..	...	0	h
Hankow,	,,	...	...	...	...	...	...	...	,,	29.90	759.4	60	...	..	0	h
Changsha,	,,	..	...	...	...	...	...	...	,,	30.02	762.5	55	...	SE	1	b
Shanghai,	14	30.00	762.0	75	26	WSW	2	b	,,	30.06	763.5	45	92	SW	1	b
Gutzlaff,	,,	30.05	763.2	63	52	WSW	2	b	,,	30.08	764.0	52	73	WSW	4	b
Sharp Peak,	,,	30.05	763.2	67	64	N	1	o	,,	30.04	763.0	58	76	...	c	b
Amoy,	15	30.08	764.0	64	68	SSE	2	b	6	30.02	762.5	56	89	SSE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.03	764.1	63	88	...	c	r	5	30.05	763.5	55	93	...	c	o
Taichu,	,,	30.08	764.1	64	...	...	o	r	,,	30.05	763.2	59	...	...	c	b
Tainan,	,,	30.06	763.5	63	...	N	4	r	,,	29.99	761.7	61	...	N	4	b
Koshun,	,,	30.00	762.0	75	...	E	2	b	,,	29.95	760.8	64	...	N	2	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	30.03	762.7	71	75	N	1	c	6	...	...	...	...	...	...	...
Hongkong,	,,	30.03	762.7	63	81	W	2	o	,,	30.04	763.0	59	89	...	c	lf
Gap Rock,	,,	30.04	763.0	...	...	N	4	c	,,	30.03	762.7	...	...	N	3	b
Macao,	,,	30.01	762.3	64	76	NNE	2	o	,,	30.01	762.3	57	96	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	30.00	762.0	72	82	NNW	3	c	6	29.98	761.5	69	75	NNE	3	b
Phulien,	,,	30.04	762.9	72	62	W	2	b	7	30.04	762.9	61	96	NE	1	lf
Tourane,	,,	30.01	762.3	70	...	NW	2	o	,,	30.00	762.0	68	...	...	0	o
Cape St. James,	,,	29.88	759.0	82	...	ENE	6	b	,,	29.87	758.7	77	...	ENE	7	lf
Basco,	,,	29.88	759.0	72	96	NNW	4	r	6	29.92	759.9	72	84	NW	4	o
Aparri,	,,	29.86	758.4	86	65	NE	4	o	,,	29.92	759.9	73	92	N	2	r
Manila,	,,	29.87	758.7	90	44	ESE	4	b	,,	29.91	759.6	75	91	SE	1	o
Legaspi,	,,	29.89	759.3	90	63	NE	4	o	,,	29.89	759.3	73	96	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	86	58	N	6	b	,,	29.88	759.0	75	92	N	4	b
Surigao,	..	29.88	759.0	86	68	ENE	4	o	..	29.86	758.4	75	92	..	c	b
Guam,	12.20	29.85	758.1	...	...	E	4	o	4.20	29.91	759.6	...	...	NE	2	o
Yap,	12.47	29.80	756.9	...	...	E	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.83	757.6	77	...	...	0	c
Labuan,	14	29.81	757.2	88	69	NE	4	b	6	29.84	757.9	78	91	SW	1	r

March 30*d.* 11*h.* 30*m.*—Pressure has increased considerably from N.E. China to S. Manchuria. It has decreased slightly over central and South China and moderately over Japan and the Bonins. It is nearly stationary over Formosa and Luzon.

An anticyclone has formed over S.E. Mongolia and a depression over central China. There are also indications of a depression to the east of the Balintang Channel moving eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 7·45 inches, against an average of 5·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel, ...	Light, variable winds; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th March, 1926.								31st March, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	...	...	...	...	...	...	...	6	...	..	...	...	...	...	...
Nemuro,	11	29.57	751.0	...	...	NNW	2	...	5	29.86	758.5	...	..	NW	2	...
Hokodate,	.	29.74	755.5	...	...	NW	4	...	,,	29.96	751.0	...	..	WNW	5	...
Tokio,	,,	29.69	754.0	...	...	S	2	..	,,	30.14	765.5	...	..	.	0	...
Kochi,	,,	29.88	759.0	...	...	NW	1	..	,,	30.14	765.5	...	..	SW	1	...
Nagasaki,	,,	30.02	762.5	...	...	W	1	...	,,	30.16	766.0	...	..	...	..	...
Kagoshima,	,,	30.04	763.0	...	...	SE	1	...	,,	30.12	765.0	...	...	NW	1	...
Oshima,	,,	30.04	763.0	...	...	N	1	..	,,	30.10	764.5	...	...	S	1	...
Naha,	,,	30.02	762.5	...	...	WSW	2	..	,,	30.08	764.0	...	..	NNE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	NW	2	..	,,	30.08	764.0	...	...	N	1	..
Bonin Island,	..	30.08	764.0	...		SSW	1		..	30.06	763.5	..	..	...	0	...
Chefoo,	15	30.13	765.3	50	65	E	2	b	6	30.03	762.7	46	54	SE	1	b
Ichang,	,,	...	.	...	...	...	...	...	,,	29.82	757.4	63	..	NW	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	64	..	ESE	1	o
Changsha,	,,	..	..	..	...	...	...	...	,,	29.92	759.9	64	...	SE	1	bc
Shanghai,	14	30.15	765.9	66	34	ENE	2	b	,,	30.13	765.3	43	97	ESE	2	b
Gutzlaff,	,,	30.16	766.0	58	64	NE	4	b	,,	30.16	766.0	48	93	SE	4	b
Sharp Peak,	,,	30.05	763.2	78	50	...	0	b	,,	30.12	765.0	62	64	NW	2	b
Amoy,	15	30.02	762.5	70	57	SSE	2	b	6	30.03	762.7	60	82	NNE	2	b
Swatow,	,,	..	...	...	...	.	...	...	,,	29.98	761.5	55	94	NNW	2	b
Taihoku,	11	30.11	764.7	72	47	E	2	b	5	30.06	763.5	59	73	E	4	b
Taichu,	,,	30.04	762.9	73	...	NNW	2	o	,,	30.04	762.9	54	...	...	0	b
Tainan,	,,	30.04	762.9	75	...	N	4	b	,,	30.01	762.3	63	...	...	0	o
Koshun,	,,	30.02	762.6	75	...	NNW	2	b	,,	30.04	762.9	68	...	NE	4	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	..	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.05	763.2	71	54	ESE	2	b	,,	30.02	762.5	62	62	SE	1	b
Gap Rock,	,,	30.07	763.8	...	...	NE	3	b	,,	30.01	762.2	...	...	NE	3	b
Macao,	,,	30.02	762.6	75	67	SSE	2	b	,,	29.99	761.7	59	91	E	2	bf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	29 99	761.7	75	61	NE	3	b	6	29.98	761.5	73	76	ENE	1	b
Phulien,	,,	30.00	762.0	73	58	SE	2	b	7	29.98	761.4	64	96	ENE	2	of
Tourane,	,,	29.98	761.4	77	...	SE	2	b	,,	29.97	761.1	70	...	SW	2	o
Cape St. James,	,,	29.87	758.7	84	...	ENE	7	b	,,	29.88	759 0	77	...	ENE	7	bf
Basco,	,,	29.94	760.5	79	69	NNE	4	o	6	29.98	761.4	66	82	SSW	1	o
Aparri,	,,	29.95	760.8	79	73	N	4	o	,,	29.97	761.1	73	82	E	4	o
Manila,	,,	29.86	758.4	90	57	WSW	4	b	,,	29.92	759.9	73	91	NE	1	o
Legaspi,	,,	29.85	758.1	90	...	ENE	2	o	,,	29.89	759-3	77	88	N	2	b
Tacloban,	,,	.	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	86	58	N	6	b	,,	29.87	758.7	73	94	N	4	b
Surigao,	..	29.84	757.8	82	81	N	4	o	,,	29.86	758.4	77	94	...	0	r
Guam,	12.20	29.88	759.0	...	...	E	4	o	4.20	29.94	760.5	...	...	E	1	o
Yap,	12.47	29.85	758.1	...	...	SE	4	o	4.47	...	..	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.88	759.0	77	...	NE	2	b
Labuan,	14	29.78	756.4	84	83	NW	2	b	6	29.78	750.4	80	82	NW	4	b

March 31*d.* 11*h.* 35*m.*—Pressure has increased considerably over Japan and slightly from the Loochoos to Formosa. It has decreased slightly over S. China and Indo-China and is nearly stationary over the Philippines.

An anticyclone covers Japan.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Manila warning. 30*d.* 10*h.* 30*m.*:—Cyclone or typhoon E. of Balintang Channel moving E. Recd. 30*d.* 12*h.* 30*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 7·45 inches, against an average of 6·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	E. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

APRIL,

1926.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1926

[Price 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

APRIL,

1926.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of APRIL, 1926.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·921	29·915	29·883	29·873	29·877	29·893	29·904	29·920	29·935	29·940	29·932	29·916	1
2	29·859	29·845	29·823	29·816	29·826	29·844	29·869	29·893	29·907	29·907	29·920	29·892	2
3	29·890	29·886	29·872	29·854	29·860	29·877	29·906	29·922	29·921	29·930	29·920	29·914	3
4	29·976	29·942	29·948	29·962	29·942	29·964	29·975	30·015	30·033	30·031	30·036	30·024	4
5	29·991	29·973	29·969	29·959	29·975	29·987	29·997	30·012	30·044	30·027	29·992	29·993	5
6	29·964	29·940	29·954	29·932	29·932	29·946	29·964	29·976	29·992	29·996	29·978	29·960	6
7	29·953	29·944	29·926	29·925	29·925	29·940	29·952	29·970	29·985	29·989	29·982	29·966	7
8	29·879	29·847	29·837	29·819	29·817	29·819	29·839	29·861	29·862	29·864	29·856	29·845	8
9	29·768	29·744	29·736	29·725	29·725	29·741	29·749	29·783	29·782	29·786	29·781	29·767	9
10	29·762	29·748	29·725	29·718	29·720	29·744	29·760	29·769	29·778	29·772	29·768	29·757	10
11	29·753	29·715	29·705	29·697	29·701	29·714	29·719	29·758	29·783	29·782	29·780	29·766	11
12	29·748	29·719	29·689	29·689	29·701	29·723	29·741	29·749	29·781	29·774	29·778	29·743	12
13	29·743	29·738	29·716	29·700	29·712	29·712	29·739	29·739	29·741	29·759	29·748	29·768	13
14	29·720	29·719	29·691	29·673	29·669	29·689	29·720	29·718	29·738	29·750	29·743	29·718	14
15	29·712	29·700	29·696	29·684	29·688	29·694	29·694	29·710	29·747	29·730	29·712	29·690	15
16	29·673	29·655	29·633	29·637	29·634	29·636	29·658	29·679	29·693	29·699	29·705	29·690	16
17	29·696	29·684	29·674	29·678	29·686	29·696	29·706	29·723	29·735	29·751	29·745	29·734	17
18	29·725	29·733	29·703	29·705	29·709	29·723	29·762	29·792	29·801	29·819	29·829	29·818	18
19	29·867	29·862	29·832	29·830	29·820	29·808	29·840	29·844	29·864	29·910	29·876	29·874	19
20	29·846	29·824	29·800	29·788	29·796	29·808	29·820	29·838	29·854	29·857	29·852	29·837	20
21	29·856	29·834	29·808	29·804	29·813	29·832	29·858	29·873	29·876	29·884	29·868	29·864	21
22	29·849	29·814	29·803	29·801	29·811	29·837	29·835	29·843	29·860	29·858	29·836	29·811	22
23	29·738	29·717	29·684	29·682	29·682	29·698	29·718	29·734	29·739	29·732	29·720	29·700	23
24	29·670	29·664	29·656	29·657	29·664	29·687	29·709	29·726	29·743	29·752	29·742	29·730	24
25	29·746	29·736	29·730	29·730	29·748	29·764	29·797	29·827	29·844	29·845	29·831	29·825	25
26	29·870	29·850	29·832	29·830	29·848	29·873	29·881	29·889	29·911	29·913	29·903	29·885	26
27	29·814	29·798	29·790	29·778	29·770	29·774	29·796	29·804	29·794	29·798	29·788	29·758	27
28	29·682	29·664	29·659	29·642	29·660	29·717	29·742	29·747	29·775	29·778	29·776	29·784	28
29	29·888	29·888	29·886	29·876	29·886	29·907	29·935	29·950	29·970	29·964	29·975	29·965	29
30	29·968	29·958	29·948	29·948	29·950	29·950	29·983	30·013	30·024	30·028	30·016	30·004	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·892	29·862	29·834	29·824	29·824	29·826	29·844	29·855	29·853	29·873	29·875	29·869	1
2	29·860	29·838	29·819	29·808	29·807	29·829	29·846	29·864	29·901	29·911	29·913	29·908	2
3	29·869	29·899	29·953	29·896	29·915	29·937	29·914	29·952	29·983	29·969	30·025	30·008	3
4	30·014	30·006	29·976	29·939	29·969	29·969	29·977	29·994	30·012	30·013	30·016	30·001	4
5	29·980	29·960	29·951	29·939	29·930	29·912	29·934	29·936	29·942	29·970	29·980	29·978	5
6	29·943	29·914	29·898	29·888	29·893	29·891	29·917	29·931	29·933	29·946	29·950	29·956	6
7	29·944	29·914	29·886	29·874	29·864	29·861	29·875	29·886	29·902	29·910	29·912	29·892	7
8	29·815	29·775	29·758	29·739	29·735	29·742	29·752	29·770	29·781	29·782	29·782	29·778	8
9	29·746	29·737	29·714	29·714	29·714	29·718	29·726	29·745	29·766	29·785	29·796	29·788	9
10	29·740	29·698	29·682	29·675	29·681	29·706	29·726	29·736	29·766	29·778	29·752	29·764	10
11	29·730	29·698	29·662	29·710	29·701	29·682	29·694	29·714	29·752	29·768	29·770	29·758	11
12	29·739	29·716	29·690	29·686	29·696	29·700	29·712	29·733	29·754	29·777	29·782	29·770	12
13	29·748	29·712	29·710	29·688	29·688	29·696	29·719	29·724	29·735	29·751	29·747	29·743	13
14	29·718	29·680	29·662	29·664	29·670	29·673	29·685	29·699	29·707	29·723	29·744	29·722	14
15	29·679	29·670	29·665	29·643	29·643	29·630	29·654	29·674	29·686	29·690	29·692	29·672	15
16	29·676	29·648	29·649	29·638	29·627	29·639	29·664	29·682	29·696	29·716	29·708	29·704	16
17	29·716	29·707	29·687	29·675	29·661	29·677	29·691	29·711	29·733	29·749	29·753	29·731	17
18	29·824	29·805	29·792	29·790	29·783	29·813	29·826	29·842	29·850	29·856	29·886	29·880	18
19	29·843	29·824	29·802	29·793	29·785	29·817	29·843	29·833	29·823	29·862	29·875	29·849	19
20	29·811	29·784	29·777	29·782	29·782	29·784	29·796	29·816	29·834	29·858	29·868	29·860	20
21	29·834	29·809	29·796	29·786	29·786	29·818	29·816	29·842	29·848	29·859	29·868	29·861	21
22	29·787	29·755	29·732	29·712	29·697	29·708	29·719	29·728	29·736	29·739	29·751	29·752	22
23	29·668	29·648	29·614	29·599	29·589	29·590	29·598	29·620	29·645	29·663	29·669	29·669	23
24	29·712	29·683	29·661	29·642	29·629	29·651	29·673	29·699	29·726	29·742	29·751	29·749	24
25	29·831	29·808	29·797	29·781	29·784	29·794	29·806	29·844	29·869	29·871	29·878	29·878	25
26	29·857	29·840	29·826	29·812	29·803	29·806	29·818	29·826	29·843	29·861	29·861	29·843	26
27	29·735	29·709	29·688	29·679	29·662	29·670	29·684	29·696	29·710	29·716	29·711	29·701	27
28	29·767	29·746	29·740	29·743	29·768	29·750	29·765	29·802	29·830	29·873	29·901	29·896	28
29	29·964	29·954	29·948	29·945	29·935	29·935	29·934	29·940	29·967	29·966	29·976	29·980	29
30	29·988	29·978	29·954	29·939	29·936	29·930	29·956	29·956	29·986	29·996	30·005	30·006	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of APRIL, 1926.

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	64·5	65·0	65·0	65·0	65·2	65·6	65·8	67·8	68·7	70·5	69·c	71·6	1
2	67·7	67·8	67·0	66·8	66·8	66·6	67·5	68·2	70·8	73·0	74·0	75·0	2
3	68·0	68·0	68·3	68·1	68·9	68·4	68·3	70·6	74·1	76·2	78·6	78·9	3
4	65·4	64·2	64·0	64·0	63·9	63·6	63·2	63·6	63·9	64·5	65·2	65·0	4
5	63·2	63·4	63·6	63·5	63·7	63·9	64·4	65·7	66·0	68·0	67·2	68·0	5
6	67·2	67·0	66·0	65·2	65·5	65·8	65·7	65·6	67·9	70·3	75·1	75·1	6
7	67·6	66·8	65·5	66·0	66·2	65·2	65·8	67·0	68·5	69·5	69·8	70·1	7
8	65·9	65·2	65·2	65·1	65·5	65·8	65·9	68·0	70·6	70·2	71·1	70·5	8
9	69·0	69·6	69·8	70·1	70·0	70·2	71·0	72·2	75·2	75·0	75·1	75·4	9
10	71·5	71·1	71·1	71·4	71·1	71·1	71·1	71·7	71·2	71·1	70·1	70·3	10
11	64·8	65·6	66·2	66·2	65·3	65·0	64·8	64·1	64·0	65·0	65·8	75·2	11
12	66·3	66·0	65·7	65·7	65·8	66·0	66·4	67·3	68·0	68·8	70·1	68·7	12
13	68·5	68·8	69·0	68·0	68·0	68·0	66·5	66·5	67·1	67·6	66·6	66·2	13
14	67·0	67·0	67·2	66·4	67·2	66·7	66·1	66·6	66·5	66·5	65·2	66·0	14
15	65·5	65·1	65·0	65·0	65·0	64·9	64·8	65·5	65·9	68·1	68·1	67·0	15
16	66·2	66·0	65·9	65·3	65·9	66·4	66·9	67·3	67·9	69·2	68·8	69·0	16
17	68·6	68·9	68·9	68·6	68·5	68·6	69·0	69·4	70·2	71·4	71·6	70·8	17
18	70·1	69·8	69·0	69·7	70·4	71·7	71·9	72·1	71·0	71·5	71·3	70·7	18
19	64·6	64·8	65·3	65·1	65·0	65·0	65·2	65·4	66·0	66·0	66·1	65·7	19
20	65·0	65·0	65·0	65·0	65·0	65·1	65·8	67·0	68·8	69·1	69·9	71·2	20
21	69·4	69·3	69·0	69·2	69·0	69·6	69·3	69·5	69·7	69·4	69·7	69·2	21
22	66·8	66·5	66·5	66·7	66·7	67·0	67·2	67·8	68·0	69·0	71·0	70·3	22
23	76·2	76·1	76·0	76·6	76·5	77·0	77·0	77·4	77·9	79·0	79·9	81·1	23
24	75·4	75·0	75·0	74·9	73·8	73·0	73·5	75·5	76·9	77·0	76·1	76·1	24
25	74·4	74·8	73·8	74·0	74·5	73·0	72·8	72·0	72·0	72·7	73·7	72·3	25
26	66·3	65·9	66·0	65·9	65·9	65·8	65·6	66·0	66·8	66·9	66·1	66·0	26
27	64·4	64·9	64·9	64·6	64·9	65·0	65·0	65·4	65·8	66·c	66·5	68·1	27
28	77·5	76·9	72·1	72·0	70·6	69·8	70·0	70·2	70·7	71·6	74·0	73·8	28
29	68·5	67·9	67·5	67·9	68·6	69·0	68·8	68·3	69·0	71·2	70·4	70·5	29
30	67·6	67·3	67·1	67·0	67·0	67·0	67·1	67·5	67·5	68·3	69·1	70·0	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	71·1	70·8	69·3	69·9	69·4	68·3	67·7	67·0	57·0	66·8	67·3	67·3	1
2	73·7	71·2	73·2	74·0	73·5	70·5	69·5	68·5	68·1	68·0	67·5	66·9	2
3	79·0	71·4	67·9	65·9	66·3	66·1	65·8	66·0	66·1	66·9	66·8	66·0	3
4	64·8	63·9	63·5	63·4	63·1	63·5	63·5	63·7	63·7	63·4	63·7	63·3	4
5	69·9	69·6	67·8	67·7	66·9	66·7	66·2	66·0	66·0	66·1	66·5	67·0	5
6	71·8	74·0	73·2	73·0	71·8	71·2	70·2	70·3	70·1	70·0	69·8	69·7	6
7	70·2	70·0	69·5	69·0	68·7	68·0	67·1	66·8	66·9	67·1	66·5	66·1	7
8	72·0	71·0	72·4	70·6	69·3	68·9	68·1	68·2	68·4	68·5	69·0	69·0	8
9	76·7	75·0	76·0	75·2	73·9	73·4	73·0	71·8	72·0	72·1	71·5	71·7	9
10	69·7	68·0	66·4	65·4	65·0	64·0	64·1	63·0	62·8	63·9	64·0	64·9	10
11	65·2	66·7	65·3	65·2	65·3	66·0	65·5	66·4	66·7	66·9	67·0	66·8	11
12	68·9	68·8	70·8	72·0	71·1	69·6	68·9	68·0	68·7	68·0	68·3	68·2	12
13	66·6	66·0	66·7	66·6	66·9	66·4	66·3	66·8	66·4	66·0	66·2	66·0	13
14	66·8	66·8	66·7	66·1	66·5	67·0	67·1	67·0	66·7	66·0	65·4	65·2	14
15	67·0	66·8	67·6	67·8	67·0	66·1	66·4	67·0	67·0	66·5	66·0	66·2	15
16	69·4	71·1	70·0	69·8	69·9	69·9	69·6	69·2	69·3	69·0	69·0	69·0	16
17	71·5	71·2	71·2	71·3	71·7	71·0	70·6	70·7	70·7	70·8	71·0	70·5	17
18	70·4	68·5	67·0	67·0	67·2	66·9	66·5	66·5	66·1	65·8	65·4	65·0	18
19	65·3	65·4	65·6	65·7	65·6	65·1	65·0	65·1	65·5	65·0	65·1	65·0	19
20	72·2	71·7	70·8	70·3	70·2	69·4	68·9	69·c	69·0	69·1	69·1	69·8	20
21	69·8	69·8	69·1	69·2	68·5	68·0	67·7	67·4	67·6	67·6	67·1	67·0	21
22	70·8	71·1	72·0	72·9	77·1	77·1	77·5	77·8	77·4	77·4	77·1	77·3	22
23	82·0	80·0	79·2	78·2	78·0	77·8	77·5	77·1	77·0	76·8	76·2	75·6	23
24	76·5	78·3	80·4	80·5	79·2	77·0	76·5	75·9	75·0	75·0	74·8	74·6	24
25	70·0	69·0	68·2	68·1	67·1	67·0	66·9	67·2	67·0	67·0	67·0	67·0	25
26	65·9	65·7	65·0	64·1	64·1	64·4	64·4	64·0	64·6	64·5	64·1	64·8	26
27	69·9	72·0	74·2	75·1	76·3	77·5	77·7	77·2	77·7	77·1	76·2	76·8	27
28	73·8	73·5	72·3	72·2	71·9	70·7	70·1	70·7	70·8	71·0	69·0	69·2	28
29	69·7	69·0	68·9	68·9	68·8	68·8	68·5	68·0	68·0	68·1	68·0	67·6	29
30	70·0	69·2	69·2	68·8	68·4	67·8	67·3	67·2	67·2	67·2	67·5	67·5	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of APRIL, 1926.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·9	62·3	62·2	62·5	62·6	62·6	62·9	64·1	64·9	66·0	65·1	67·0	1
2	67·0	67·0	66·1	66·0	66·1	66·0	66·9	67·2	68·7	69·8	70·0	70·0	2
3	66·5	66·5	66·5	66·2	66·5	66·4	66·1	67·3	68·2	68·0	69·9	69·8	3
4	63·9	63·0	62·5	62·1	61·8	61·2	60·9	60·8	60·5	60·1	60·4	60·2	4
5	58·1	56·6	55·8	55·8	55·9	56·0	57·0	57·8	58·0	59·9	61·1	61·5	5
6	63·0	63·1	63·8	63·2	63·6	64·2	64·5	64·5	66·8	67·2	70·0	70·2	6
7	66·1	65·0	63·3	62·2	61·9	62·0	62·5	62·8	63·0	62·8	63·0	64·0	7
8	64·0	63·9	63·6	63·5	63·7	63·5	63·8	65·0	66·4	66·1	67·0	66·4	8
9	67·9	68·3	68·5	68·8	68·6	68·8	69·0	69·9	71·0	71·0	70·7	71·2	9
10	70·9	70·8	70·9	70·9	70·9	70·9	71·0	71·2	71·1	71·0	70·1	70·2	10
11	64·0	64·8	65·2	65·7	64·3	64·0	63·7	63·0	62·9	63·1	63·8	63·8	11
12	65·1	65·0	64·8	65·0	65·0	65·1	65·5	66·0	66·8	67·1	68·0	66·9	12
13	67·2	67·7	67·3	67·1	67·0	66·2	65·8	65·8	66·2	66·7	65·9	65·5	13
14	65·1	65·4	65·0	65·2	66·0	65·2	64·8	65·0	64·9	65·0	64·5	65·1	14
15	64·6	64·1	64·0	64·0	64·2	64·1	64·1	64·8	65·0	66·0	65·2	65·1	15
16	65·8	65·7	65·0	65·0	65·0	65·1	65·5	65·8	65·9	66·8	66·2	66·7	16
17	67·6	68·0	67·9	68·0	67·9	68·0	68·0	68·7	69·2	70·1	70·2	69·9	17
18	69·8	69·2	68·7	69·0	69·8	70·7	70·8	70·8	66·0	65·9	66·1	65·0	18
19	59·4	60·0	60·0	60·0	60·3	60·2	61·0	62·0	62·6	62·7	62·0	61·8	19
20	61·0	60·9	60·7	60·1	60·1	60·2	60·9	61·0	63·0	63·1	64·2	65·8	20
21	68·0	67·9	67·8	68·0	67·8	68·1	68·3	68·3	68·8	68·3	68·8	68·7	21
22	66·2	65·9	65·8	66·1	66·1	66·2	66·5	66·9	67·3	67·9	69·1	69·0	22
23	73·8	73·8	73·9	74·0	74·0	74·0	74·1	74·4	74·8	75·3	75·2	76·0	23
24	74·5	74·4	74·7	74·7	74·0	73·5	73·7	75·0	75·7	76·0	75·1	75·0	24
25	73·9	74·3	73·4	73·6	73·9	72·4	72·0	71·1	71·1	71·4	72·3	70·7	25
26	65·7	64·8	65·0	64·8	65·0	65·0	64·6	64·5	64·8	64·9	64·3	64·2	26
27	62·5	63·0	63·3	63·1	63·8	63·9	64·0	64·5	65·0	65·7	66·0	67·1	27
28	74·8	74·9	71·0	71·0	69·1	68·9	68·9	69·0	69·0	69·4	71·1	70·1	28
29	66·1	65·9	64·8	64·9	64·6	64·1	63·8	64·0	64·0	65·0	65·5	65·5	29
30	62·0	62·8	62·9	63·0	63·2	62·7	62·3	62·5	62·8	63·8	63·9	64·7	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	67·2	66·9	66·2	66·9	66·6	66·4	66·0	65·8	66·0	65·9	66·5	66·5	1
2	70·0	68·8	69·5	69·8	69·7	67·9	67·7	67·0	67·0	67·0	66·8	66·1	2
3	69·8	67·1	65·3	63·8	64·0	64·4	63·8	64·0	64·5	64·3	64·9	64·0	3
4	59·5	59·5	58·9	58·1	57·3	57·5	58·1	58·9	59·1	59·1	59·5	58·8	4
5	62·8	63·1	62·4	61·9	62·0	62·0	62·1	62·3	62·7	62·7	62·8	63·2	5
6	68·0	70·2	69·5	69·1	68·3	68·1	67·8	67·8	67·9	67·9	67·9	66·9	6
7	64·0	64·1	64·0	64·2	64·1	64·1	64·0	64·2	64·2	64·8	64·2	64·1	7
8	67·3	67·0	68·0	67·0	66·8	66·8	66·5	66·8	67·0	67·0	67·2	67·5	8
9	72·0	70·9	71·0	71·3	70·9	70·9	71·0	70·0	70·2	70·5	70·0	70·8	9
10	69·1	67·0	65·1	64·2	64·0	63·1	62·9	61·7	61·2	62·0	62·8	63·3	10
11	63·7	64·5	63·7	63·3	63·7	64·9	64·6	65·3	65·4	65·4	65·0	65·0	11
12	67·8	67·5	68·8	68·6	68·3	67·3	67·0	66·7	66·9	66·9	67·1	67·2	12
13	65·8	65·0	65·0	65·1	65·1	65·0	65·0	65·2	65·0	65·0	65·0	64·9	13
14	65·7	65·3	65·1	65·0	65·4	66·0	66·1	66·0	65·7	65·0	64·6	64·8	14
15	65·2	65·0	65·0	65·3	64·5	64·9	65·0	65·5	65·5	65·0	65·0	65·1	15
16	66·9	67·8	67·1	66·9	67·0	67·0	66·9	67·0	67·0	67·1	67·2	67·5	16
17	70·0	69·8	69·4	69·2	69·3	69·0	69·0	69·4	69·3	69·9	70·0	69·6	17
18	65·8	63·0	61·0	60·6	60·9	59·5	59·9	59·8	60·1	60·1	59·9	60·8	18
19	61·0	60·5	60·5	60·9	61·3	61·0	61·0	60·2	60·2	60·8	61·0	60·7	19
20	66·9	67·0	66·3	66·5	66·8	66·0	65·9	66·0	66·4	66·8	66·9	67·2	20
21	69·0	68·0	68·1	68·1	67·3	67·0	66·4	66·3	66·5	66·7	66·1	66·0	21
22	69·8	69·9	70·8	71·1	74·1	74·2	74·1	74·1	74·2	74·3	74·1	74·3	22
23	76·9	76·0	75·9	75·3	75·5	75·2	75·0	75·1	75·2	75·5	75·3	75·0	23
24	75·1	76·0	76·9	76·8	76·2	74·9	74·7	74·2	73·8	73·9	74·0	74·0	24
25	69·0	68·0	67·3	67·2	66·4	66·0	65·8	66·0	65·7	65·6	65·5	65·8	25
26	64·1	64·0	63·8	63·1	63·1	63·1	63·1	63·0	62·9	62·9	62·9	63·1	26
27	68·7	71·0	73·0	74·1	74·7	74·8	74·9	74·2	74·5	74·0	74·1	74·2	27
28	70·2	70·0	69·1	68·8	68·5	67·9	67·5	67·5	66·8	67·0	66·5	66·0	28
29	64·4	64·2	64·1	64·0	63·5	63·9	63·5	63·1	62·9	61·6	60·1	61·1	29
30	64·8	64·5	64·8	64·7	64·8	63·7	63·9	64·6	64·2	64·3	64·0	64·4	30

TABLE IV.—AMOUNT of CLOUD, (0–10), at every HOUR of the DAY, in the MONTH of APRIL, 1926.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	10	10	5	7	7	5	5	3	8	7	4	4	4	2	4	4	5	7	9	8	7	5	8	10	1
2	10	8	2	5	8	6	7	6	4	4	3	6	3	4	5	4	5	5	4	2	...	...	2	9	2
3	10	10	10	10	10	10	5	8	6	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	4
5	10	10	10	10	10	10	10	9	10	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	9	10	7	10	6	10	6
7	10	9	9	9	7	2	...	1	...	1	...	...	1	2	2	5	7	6	10	9	10	9	4	5	7
8	...	...	...	5	10	10	5	4	5	9	5	7	8	9	9	9	10	7	9	5	9	4	10	10	8
9	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	11
12	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6	3	6	9	4	9	10	10	10	10	12
13	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	13
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	2	17
18	2	7	6	6	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	6	7	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	20
21	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	24
25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27
28	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of APRIL, 1926.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	0·6	0·8	0·6	1·0	1·0	1·0	1·0	1·0	1·0	0·2	0·4	...	1
2	...	0·2	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	0·4	...	2
3	...	...	...	...	0·1	0·5	0·5	0·3	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	0·3	0·1	0·7	0·7	0·2	0·9	0·6	...	0·3	0·1	...	...	5
6	...	...	...	0·3	1·0	1·0	0·2	0·1	1·0	0·5	0·4	0·3	0·1	6
7	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	...	7
8	...	0·5	0·8	0·9	0·7	0·7	0·8	0·7	0·4	0·6	0·8	0·3	...	8
9	...	0·4	0·8	0·1	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	0·1	...	...	0·9	0·1	...	...	...	...	11
12	...	...	...	...	...	...	...	...	0·7	1·0	1·0	0·1	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	0·1	...	...	0·1	...	...	...	...	...	...	15
16	...	...	0·1	0·1	...	...	...	...	...	..	...	...	...	16
17	...	...	...	...	...	...	...	...	...	..	...	...	...	17
18	...	...	...	...	...	...	...	...	...	..	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	0·6	0·1	0·2	...	0·1	0·5	0·7	0·5	0·1	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	0·8	0·8	...	...	...	...	0·1	...	...	22
23	...	...	...	...	0·2	0·6	0·8	0·5	0·3	...	...	...	...	23
24	...	...	...	...	...	...	...	...	0·3	0·2	0·2	0·2	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	0·1	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	0·1	0·1	...	0·3	0·1	0·1	0·1	...	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of APRIL, 1926.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	..	...	...	...	...	...	3
4	0·010	0·010	d	...	d	d	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	0·100	0·205	d	0·005	0·040	0·085	0·035	d	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	0·035	0·295	0·930	0·070	0·070	0·045	0·075	d	...	...	0·010	0·235	10
11	0·005	d	0·005	0·005	0·005	d	d	0·015	d	...	...	...	11
12	...	...	...	...	...	0·005	...	...	...	...	...	0·270	12
13	...	0·010	0·020	..	...	...	...	...	d	d	0·050	0·385	13
14	0·030	0·010	d	d	d	...	d	d	...	0·190	0·650	0·065	14
15	...	...	...	d	d	d	d	d	d	...	0·030	...	15
16	d	0·140	0·575	0·045	d	...	...	d	d	...	...	...	16
17	...	...	...	...	d	d	d	d	...	...	...	...	17
18	...	...	...	...	...	...	...	0·010	...	d	...	0·005	18
19	...	...	...	...	...	...	...	...	...	d	d	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	d	0·020	...	d	d	d	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	d	0·010	0·005	d	d	d	...	...	...	...	...	...	23
24	0·005	0·005	0·005	d	d	d	..	...	...	...	d	0·010	24
25	...	...	...	...	...	...	...	d	d	d	d	d	25
26	d	...	0·005	0·040	0·120	0·010	d	...	...	...	...	d	26
27	d	0·005	0·020	0·005	0·005	d	0·025	0·060	0·005	0·130	0·140	d	27
28	0·010	0·085	0·050	d	1·960	0·580	0·780	0·030	...	...	...	...	28
29	0·005	d	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	0·205	0·175	0·015	0·085	0·070	0·010	0·005	0·010	0·010	0·075	0·070	3
4	...	...	...	d	...	...	...	...	...	...	...	...	4
5	...	...	d	0·005	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	d	...	...	...	d	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	d	d	9
10	2·225	0·055	d	d	0·005	0·275	0·020	0·120	0·010	0·005	0·020	d	10
11	...	...	...	0·250	0·855	0·240	...	...	...	d	...	...	11
12	0·085	0·015	...	...	...	...	...	...	d	...	...	...	12
13	0·470	0·005	0·025	d	0·360	0·030	d	d	...	0·010	d	0·035	13
14	0·050	0·025	d	0·025	0·035	0·015	0·085	0·140	0·040	d	0·495	0·110	14
15	0·330	0·030	0·005	...	d	0·175	0·010	0·005	0·040	0·005	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	d	...	...	...	...	...	...	...	d	d	...	17
18	0·010	0·020	0·005	d	d	...	d	d	d	...	...	...	18
19	d	...	d	d	...	...	...	d	d	...	d	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	d	0·070	0·120	0·010	0·010	0·125	d	0·005	...	d	d	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	d	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	0·005	d	0·005	d	d	0·005	d	0·020	d	d	d	d	25
26	...	...	d	d	d	d	d	d	d	d	d	d	26
27	d	...	0·020	d	d	...	0·170	0·010	d	d	0·065	d	27
28	d	...	d	d	0·015	0·040	0·015	0·005	d	0·050	0·035	d	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of APRIL, 1926.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	9	12	9	10	10	12	10	11	9	12	9	13	10	11	10	13	10	7	9	11	8	18	8	17	1
2	8	8	8	7	8	12	8	11	9	10	9	8	10	10	9	7	9	8	9	13	9	11	8	11	2
3	...	1	...	...	...	...	...	...	...	1	25	4	23	5	24	4	...	1	32	6	3	7	2	5	3
4	10	21	8	29	6	19	6	20	6	28	7	25	6	26	7	24	6	23	7	22	7	22	7	22	4
5	7	19	7	21	7	22	7	22	7	20	7	20	8	21	9	17	8	18	7	17	7	21	9	19	5
6	10	7	13	5	21	2	...	...	...	...	...	...	...	...	2	5	...	1	...	...	20	4	23	9	6
7	5	18	6	15	7	11	7	19	7	19	6	21	7	16	6	18	7	20	8	18	9	18	9	20	7
8	...	1	8	3	7	5	8	8	8	10	8	10	7	7	7	7	8	12	8	17	8	17	7	15	8
9	8	8	8	6	8	3	...	1	...	1	...	1	...	...	8	3	7	3	30	4	26	5	26	3	9
10	...	...	26	2	1	2	...	1	5	2	8	4	9	3	9	4	8	11	8	12	8	13	7	14	10
11	8	26	8	29	8	27	7	26	6	25	6	29	6	28	6	29	7	27	7	27	8	26	8	30	11
12	7	21	8	20	8	23	9	21	8	21	8	18	9	17	9	16	9	15	9	17	8	18	8	18	12
13	7	17	7	18	6	20	6	23	6	21	6	24	6	24	6	22	6	27	6	22	6	27	7	12	13
14	8	23	8	18	8	24	8	25	7	18	7	23	7	25	7	21	6	24	7	20	7	26	7	25	14
15	6	30	6	32	6	30	6	33	5	32	5	29	5	31	4	24	5	22	6	26	6	28	7	28	15
16	7	26	7	26	8	26	8	22	8	20	8	27	8	24	8	27	8	21	9	21	8	19	9	16	16
17	8	16	9	17	9	16	8	18	8	16	9	15	8	17	8	17	9	15	9	16	9	17	9	16	17
18	...	...	...	1	...	1	...	...	...	1	...	...	...	1	28	6	1	14	1	11	31	8	32	3	18
19	5	2	...	...	8	5	8	8	7	12	6	12	6	12	6	15	5	14	5	8	5	16	6	16	19
20	7	14	7	14	8	17	8	18	9	14	9	14	10	14	10	12	10	11	10	10	9	10	9	12	20
21	8	18	8	17	8	18	8	13	8	16	8	14	9	10	9	16	9	14	9	18	8	21	8	19	21
22	8	24	8	25	8	23	9	22	9	21	9	20	9	24	9	20	9	16	8	21	8	21	7	19	22
23	18	13	18	11	17	11	18	11	19	10	19	10	18	5	17	5	17	6	18	10	18	12	18	12	23
24	...	1	...	1	...	1	11	5	9	7	9	9	9	5	11	3	...	...	...	1	...	1	...	1	24
25	6	3	7	4	7	3	...	1	7	2	29	4	28	3	27	9	25	5	23	3	18	3	8	16	25
26	5	11	5	9	5	12	5	13	6	7	6	9	7	18	6	26	6	23	6	22	6	27	6	28	26
27	7	26	7	24	6	23	7	19	7	23	7	22	8	23	8	22	8	24	8	20	7	15	7	9	27
28	19	17	23	17	23	8	14	5	8	11	6	11	5	12	5	14	6	10	7	2	...	1	8	3	28
29	...	1	4	2	2	7	1	9	1	10	1	10	2	8	3	10	5	10	7	16	8	19	8	18	29
30	7	28	6	27	6	24	6	24	6	27	6	27	6	26	6	22	6	24	6	26	6	23	7	25	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	17	9	16	9	15	9	13	9	13	9	13	9	12	9	10	9	13	9	9	8	9	8	6	1
2	9	10	9	9	9	5	5	2	31	5	30	5	30	3	29	3	30	4	29	6	28	3	27	5	2
3	1	7	31	13	1	9	10	13	11	5	10	3	10	11	10	7	8	3	9	4	12	2	12	6	3
4	7	25	8	23	8	26	6	30	7	27	7	27	7	24	6	21	6	24	6	21	7	21	7	21	4
5	10	14	9	14	9	14	9	12	9	13	9	17	10	11	10	9	10	12	10	10	10	9	10	10	5
6	23	4	22	9	22	10	22	9	22	11	23	7	22	6	22	2	...	...	...	...	...	...	5	15	6
7	9	18	9	19	9	16	8	17	8	16	8	13	8	11	9	10	9	8	8	6	7	5	8	4	7
8	7	13	9	18	9	10	8	16	8	17	7	15	8	13	8	10	8	9	8	9	8	10	8	9	8
9	25	3	...	1	19	3	...	...	...	...	...	1	...	...	...	1	...	1	26	2	26	3	26	2	9
10	7	16	7	28	7	29	7	25	7	29	7	30	7	27	7	32	7	33	7	31	7	28	8	28	10
11	8	26	8	31	8	32	8	23	9	17	9	21	8	23	8	20	7	19	6	24	6	23	7	21	11
12	9	8	9	7	9	6	10	7	9	11	8	14	9	14	9	15	9	15	8	18	8	18	7	19	12
13	7	21	7	27	7	25	6	26	6	29	6	25	6	22	6	22	6	24	6	23	6	25	6	28	13
14	7	24	6	31	6	26	6	25	6	21	6	21	6	22	6	22	5	29	5	29	6	28	6	31	14
15	8	20	6	25	7	23	7	31	7	26	6	27	6	23	6	25	6	26	6	30	6	25	7	28	15
16	9	17	10	16	10	14	10	15	9	16	9	16	9	18	9	17	9	18	9	19	9	17	9	17	16
17	9	17	9	16	9	16	9	17	9	17	9	14	9	12	9	11	10	8	11	3	...	...	...	...	17
18	1	4	3	4	4	5	3	8	2	9	1	13	1	8	2	6	2	3	3	6	5	2	...	...	18
19	6	16	7	15	8	21	7	20	7	23	6	15	7	8	8	20	7	29	6	12	6	8	7	14	19
20	9	16	9	16	9	14	9	13	9	13	9	16	8	17	8	16	8	16	9	12	9	14	9	13	20
21	8	21	8	20	8	20	7	24	7	23	6	24	6	27	7	23	7	22	8	20	8	22	8	22	21
22	7	16	6	10	6	9	11	8	16	9	16	10	17	12	18	10	17	5	17	10	17	9	18	10	22
23	17	11	17	6	16	6	16	7	15	5	15	3	16	5	17	4	18	4	17	4	...	...	...	...	23
24	...	1	15	3	18	4	18	3	20	3	...	1	...	1	...	1	26	3	3	6	5	4	6	4	24
25	8	23	8	22	8	18	7	16	6	21	6	24	6	25	6	16	6	18	7	17	6	15	6	10	25
26	6	27	6	24	6	25	6	27	6	29	6	32	6	30	6	32	7	35	6	29	6	28	7	25	26
27	7	6	21	5	22	6	19	14	18	19	18	18	18	17	17	18	17	15	16	14	16	20	17	19	27
28	5	7	5	8	3	4	3	7	4	6	6	12	7	8	7	7	6	10	7	8	9	6	10	4	28
29	7	16	6	16	6	16	6	15	6	21	6	22	6	27	6	27	6	34	6	35	6	32	6	25	29
30	7	23	7	22	7	20	7	21	7	19	7	20	7	22	6	22	6	18	6	22	6	26	7	24	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of APRIL, 1926.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	SSE	cu	SSE	cu	SE	cu	S	cu	S	cu	S	cu	SSW	cu	SSW
2	cu	SSW	cu	SSW	ci-st / cu	WNW / SSW	cu	SSW	cu	SSW	cu	SSW	ci-st	SW	...	...
3	cu	SSW	cu	SSW	ci-st / cu	SW / WSW	cu	WSW	cu	WSW	nb	WSW	nb	WSW	nb	WSW
4	nb	WSW	nb	E	nb	E	nb	E	st-cu	E	nb	E	cu	E	cu	E
5	cu-nb	E	cu	E	cu	E	cu	E	cu	E	nb	E	cu	E	cu	E
6	cu	E	nb	E	nb	E	a-cu / cu	W / E	cu	E	cu	E	cu	E	cu	E
7	nb	E	cu	E	...	...	cu	E	cu	E	ci-st / cu	NW / E	ci-st / cu	NW / E	cu	E
8	...	...	cu	E	cu	SE	cu	ESE	cu	S	cu	S	a-cu / cu	WSW / S	cu	SSE
9	cu	SSE	cu	SSE	cu	SSW	cu	SSW	cu	SW	cu	SW	cu	SW	cu	SW
10	nb	SW	nb	SW	nb	SW	nb	SW	nb	S	nb	ESE	nb	ESE	nb	ESE
11	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
12	nb	E	nb	E	nb	E	nb	E	nb	SE	ci-st / cu	W / SE	cu	SW	cu-nb	ESE
13	nb	ESE	nb	ESE	nb	ESE	nb	E	nb	SE	nb	ESE	nb	E	nb	E
14	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
15	nb	E	nb	E	nb	E	nb	E	nb	E	cu-nb	E	nb	E	nb	E
16	nb	E	nb	E	nb	E	cu	E	cu	E	cu	E	st-cu	E	st-cu	E
17	st-cu	E	nb	E	nb	E	nb	ESE	nb	ESE	nb	ESE	nb	ESE	nb	ESE
18	cu	ESE	cu	ESE	cu	NE	nb	NE	nb	WSW	cu	WSW	nb	WSW	nb	WSW
19	cu	WSW	cu	WSW	cu	E	cu	E	nb	E	nb	E	nb	E	nb	E
20	cu-nb	E	cu	E	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE
21	cu	ESE	cu	ESE	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
22	cu-nb	ESE	nb	ESE	cu	ESE	cu	ESE	cu-nb	E	cu	SW	cu	SW	cu	SW
23	nb	SW	nb	SW	cu-nb	SW	cu	SW	cu	SW	cu-nb	SW	cu-nb	SSW	nb	SSW
24	nb	SSW	nb	SSW	cu	SW	nb	SW	nb	SW	nb	SW	nb	SW	cu	SW
25	cu	SW	cu	SW	cu	SW	nb	SW	nb	E	nb	E	nb	E	nb	E
26	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
27	nb	E	nb	E	nb	E	nb	E	nb	SW	nb	SW	nb	SW	nb	SW
28	nb	SW	nb	SW	nb	SW	nb	SW	nb	E	nb	E	nb	E	nb	E
29	nb	E	nb	E	nb	E	cu	E	cu	ESE	cu	SE	cu	E	cu	E
30	cu	SE	cu	SE	nb	ESE	nb	ESE	cu	ESE	cu	ESE	cu	E	cu	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1926.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction. *	Velocity.	Observed Velocity
	ins.	°	°	°	°		ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·881	71·9	64·9	7·0	67·8	65·0	0·581	86	62	8·6	70	...	...	− 3·3	+ 12·0	101	12·2	12·2
2	·863	75·1	66·6	8·5	69·7	67·8	·656	90	47	8·7	70	...	...	+ 0·4	+ 5·2	86	5·2	7·3
3	·920	80·7	65·5	15·2	69·6	66·2	·600	83	95	1·4	11	0·730	9	+ 1·0	+ 1·7	60	2·0	4·9
4	·989	66·1	63·1	3·0	63·9	60·1	·471	79	100	...	...	0·020	3	+ 5·2	+ 22·9	77	23·5	23·8
5	·972	70·3	63·1	7·2	66·1	60·1	·441	68	99	3·9	31	0·005	1	− 0·8	+ 15·6	93	15·5	15·9
6	·941	76·1	65·1	11·0	69·6	66·8	·621	86	96	4·9	40	0·470	5	− 0·8	− 1·9	247	2·1	4·4
7	·924	71·8	65·0	6·8	67·7	63·7	·538	79	49	10·5	84	...	...	+ 1·1	+ 14·5	86	14·5	14·8
8	·806	73·3	65·0	8·3	68·5	65·9	·604	87	66	7·2	58	...	...	+ 0·2	+ 10·8	89	10·8	10·9
9	·751	77·0	68·9	8·1	72·7	70·1	·702	88	99	1·3	10	...	1	+ 0·4	...	360	0·4	2·3
10	·739	72·0	62·0	10·0	68·1	67·3	·660	96	100	...	...	4·500	18	+ 2·7	+ 16·2	81	16·4	16·8
11	·730	67·1	63·9	3·2	65·6	64·3	·587	93	100	1·1	9	1·380	10	+ 3·2	+ 24·8	83	25·0	25·4
12	·733	72·8	65·6	7·2	68·2	66·7	·636	92	90	2·8	22	0·375	2	− 1·1	+ 15·7	94	15·7	15·7
13	·728	69·6	66·0	3·6	67·0	65·8	·620	94	100	...	...	1·350	10	+ 7·8	+ 21·5	70	22·9	23·1
14	·704	67·8	65·0	2·8	66·5	65·2	·606	93	100	...	...	1·965	16	+ 6·8	+ 23·0	73	24·0	24·2
15	·686	68·9	64·7	4·2	66·3	64·8	·595	92	100	0·2	2	0·630	10	+ 10·2	+ 25·0	68	27·0	27·2
16	·668	71·3	65·1	6·2	68·3	66·4	·624	90	100	0·2	2	0·760	5	− 1·8	+ 19·7	95	19·8	19·8
17	·708	72·0	68·3	3·7	70·3	69·1	·697	94	97	...	...	...	3	− 2·0	+ 13·5	98	13·6	13·6
18	·796	72·3	64·9	7·4	68·8	64·7	·557	79	91	...	...	0·050	6	+ 4·2	+ 1·0	13	4·3	4·7
19	·841	66·2	64·5	1·7	65·3	60·9	·477	76	100	...	...	...	2	+ 3·7	+ 12·7	74	13·2	13·4
20	·820	73·3	64·9	8·4	68·4	64·2	·545	78	97	2·8	22	...	...	− 2·0	+ 13·8	98	13·9	14·0
21	·837	70·1	67·0	3·1	68·8	67·7	·665	94	100	...	...	0·360	10	+ 1·0	+ 19·1	87	19·1	19·2
22	·782	78·0	66·3	11·7	71·6	69·9	·710	92	100	1·7	13	...	...	− 3·6	+ 11·7	107	12·2	15·6
23	·671	82·7	75·6	7·1	77·8	75·0	·832	87	100	2·4	19	0·015	5	− 6·7	− 2·1	197	7·0	7·1
24	·697	81·1	72·9	8·2	76·1	74·9	·850	94	100	0·9	7	0·025	6	− 0·5	+ 1·2	113	1·3	2·9
25	·807	74·9	66·9	8·0	70·5	69·5	·709	95	100	...	...	0·035	12	+ 2·7	+ 9·3	74	9·7	11·7
26	·853	67·0	63·9	3·1	65·4	64·0	·579	93	100	...	...	0·175	10	+ 8·5	+ 21·1	68	22·7	22·8
27	·743	78·0	64·2	13·8	70·5	68·9	·686	92	100	...	...	0·660	14	− 4·9	+ 8·5	120	9·8	17·5
28	·759	77·7	68·9	8·8	71·8	69·3	·684	88	100	...	...	3·655	13	+ 1·3	+ 4·2	73	4·4	8·2
29	·939	71·2	67·3	3·9	68·7	63·9	·531	75	100	0·1	1	0·005	...	+ 6·9	+ 14·4	64	16·0	16·9
30	·976	70·5	66·9	3·6	67·9	63·7	·535	78	100	0·8	6	...	...	+ 7·1	+ 22·2	72	23·3	23·4
Means	29·809	72·9	66·1	6·8	68·9	66·4	0·620	87	93	Sum. 59·5	16	Sum. 17·165	Sum. 171	+ 1·6	+ 12·6	83	12·7	14·7
Normals	29·843	74·8	67·1	7·7	70·4	67·4	0·638	84	80	116·0	31	5·287	74	0·0	+ 11·4	90	11·4	14·1
Absolute Max.	30·044	82·7	...	15·2	...	77·1	0·879	...	...	10·5	84	4·500	18	...	...	...	...	35·0 †
Day.	5	23	...	3	...	23, 24	24	...	...	7	7	10	10	...	...	...	...	30th 21h 22h
Absolute Min.	29·589	...	62·0	1·7	...	55·4	0·332	56	...	...	...	...	...	...	...	...	...	...
Day.	23	...	10	19	...	5	5	5	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Thick fog :—on the 18th and 24th.
Fog :—on the 2nd, 9th, 17th, 24th, 25th and 27th.
Slight Fog :—on the 10th.
Unusual visibility :—on the 15th.
Dew :—on the 2nd, 3rd 8th, 9th, 18th and 23rd.
Lightning :—on the 10th, 11th, 12th, 13th, 14th, 15th, 16th and 28th.
Thunder :—on the 3rd, 5th, 10th, 11th, 12th, 13th, 14th, 15th, 27th and 28th.

Thunderstorms as follows :—

3*d*. 13*h*. 50*m*. to 14*h*. 15*m*. W. to E.; nearest at 13*h*. 59*m*. (12*s*).
3*d*. 19*h*. 32*m*. to 20*h*. 35*m*.; distant.
10*d*. 11*h*. 10*m*. to 13*h*. 20*m*. S.W. to N.E.; nearest at 11*h*. 52*m*. (8*s*).
11*d*. 16*h*. 40*m*. to 17*h*. 50*m*. S.S.W. to N.N.E.; nearest at 17*h*. 10*m* (6*s*).
12*d*. 12*h*. 11*m*. to 13*h*. 40*m*. S.W. to N.E.; nearest at 12*h*. 42*m*. (3*s*).
13*d*. 11*h*. 50*m*. to 12*h*. 20*m*. N.W. to S.E.; nearest at 11*h*. 54*m*. (3*s*).
13*d*. 17*h*. 25*m*. to 17*h*. 25*m*. S.S.E. to N.N.W.; nearest at 17*h*. 12*m*. (1*s*).
14*d*. 0*h*. 10*m*. to 1*h*. 15*m*. N.E. to S.W.; nearest at 0*h*. 12*m*. (7*s*).
14*d*. 10*h*. 25*m*. to 11*h*. 50*m*. S.S.W. to N.N.E.; nearest at 10*h* 46*m* (3*s*).
14*d*. 19*h*. 55*m*. to 20*h*. 18*m*. in S.W.; distant.
14*d*. 22*h*. 16*m*. to 0*h*. 05*m*. S.E. to N.W.; nearest at 23*h*. 26*m*. (3*s*).
15*d*. 12*h*. 30*m*. to 13*h*. 52*m*. in S.E.; distant.
16*d*. 3*h*. 17*m*. to 1*h*. 33*m*. in W.S.W.; distant.
27*d*. 19*h*. 08*m*. to 20*h*. 18*m*. S.W. to N.E.; nearest at 19*h*. 12*m*. (8*s*).
27*d*. 22*h*. 35*m*. to 23*h*. 50*m*. in S.W.; distant.
28*d*. 1*h*. 54*m* to 3*h*. 16*m*. in W.N.W.; distant.
28*d* 4*h*. 45*m*. to 6*h*. 20*m*. N.N.E. to S.S.W.; nearest at 5*h*. 24*m*. (6*s*).
28*d*. 6*h*. 25*m*. to 7*h*. 39*m*. N.W. to S.E.; nearest at 6*h*. 32*m*. (5*s*).
28*d*. 17*h*. 33*m*. to 17*h*. 55*m*. N.N.E. to S.S.W.; nearest at 17*h*. 36*m* (3*s*).

Rain fell on 18 days. The mean hourly intensity was 0·100*in*, and the maximum fall in one hour was 2·225*ins* at 13*h* on the 14th.

The maximum squall velocity, as recorded by the *Dines*-Baxendell anemograph, was at the rate of 46 miles per hour at 22*h* 35*m* on the 29th.

Clouds with base less than 2,000 feet high were observed on 14 days.

Clouds with base less than 1,000 feet high were observed on 11 days.

* 0°=N., 90°=E &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1926.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°		m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1013·9	295·2	291·3	3·9	292·9	291·3	19·6	...	...	— 0·8	+ 3·9	101	4·0	4·0
2	1013·3	296·9	292·2	4·7	293·9	292·9	22·1	...	...	+ 0·1	+ 1·7	86	1·7	2·4
3	1015·2	300·1	291·6	8·5	293·9	292·0	20·2	18·6	9	+ 0·3	+ 0·6	60	0·7	1·6
4	1017·6	291·9	290·3	1·6	290·7	288·6	15·9	0·5	3	+ 1·7	+ 7·5	77	7·7	7·8
5	1017·0	294·3	290·3	4·0	291·9	288·6	14·9	0·1	1	— 0·3	+ 5·1	93	5·1	5·2
6	1015·9	297·5	291·4	6·1	293·9	292·3	20·9	11·9	5	— 0·3	— 0·6	274	0·7	1·4
7	1015·4	295·1	291·3	3·8	292·8	290·6	18·1	...	...	+ 0·4	+ 4·8	86	4·8	4·9
8	1011·4	295·9	291·3	4·6	293·3	291·8	20·4	...	...	+ 0·1	+ 3·5	89	3·5	3·6
9	1009·5	298·0	293·5	4·5	295·6	294·2	23·7	...	1	+ 0·1	...	360	0·1	0·8
10	1009·1	295·2	289·7	5·5	293·1	292·6	22·2	114·3	18	+ 0·9	+ 5·3	81	5·4	5·5
11	1008·8	292·5	290·7	1·8	291·7	290·9	19·8	35·0	10	+ 1·0	+ 8·1	83	8·2	8·3
12	1008·9	295·7	291·7	4·0	293·1	292·3	21·5	9·5	2	— 0·4	+ 5·1	94	5·1	5·1
13	1008·7	293·9	291·9	2·0	292·4	291·8	20·9	34·3	10	+ 2·6	+ 7·0	70	7·5	7·6
14	1007·9	292·9	291·3	1·6	292·2	291·4	20·5	49·9	16	+ 2·2	+ 7·5	73	7·9	7·9
15	1007·3	293·5	291·2	2·3	292·1	291·2	20·1	16·0	10	+ 3·3	+ 8·2	68	8·9	8·9
16	1006·7	294·8	291·4	3·4	293·2	292·1	21·1	19·3	5	— 0·6	+ 6·5	95	6·5	6·5
17	1008·0	295·2	293·2	2·0	294·3	293·6	23·5	...	3	— 0·7	+ 4·4	98	4·5	4·5
18	1011·0	295·4	291·3	4·1	293·4	291·2	18·8	1·3	6	+ 1·4	+ 0·3	13	1·4	1·5
19	1012·6	292·0	291·1	0·9	291·5	289·1	16·1	...	2	+ 1·2	+ 4·2	74	4·3	4·4
20	1011·8	295·9	291·3	4·6	293·2	290·9	18·4	...	...	— 0·7	+ 4·5	98	4·6	4·6
21	1012·4	294·2	292·4	1·8	293·4	292·8	22·4	9·2	10	+ 0·3	+ 6·3	87	6·3	6·3
22	1010·5	298·6	292·1	6·5	295·0	294·1	23·9	...	...	— 1·2	+ 3·8	107	4·0	5·1
23	1006·7	301·2	297·2	4·0	298·4	296·9	28·1	0·4	5	— 2·2	— 0·7	197	2·3	2·3
24	1007·6	300·3	295·7	4·6	297·5	296·8	28·7	0·6	6	— 0·2	+ 0·4	113	0·4	1·0
25	1011·4	296·8	292·4	4·4	294·4	293·8	23·9	0·9	12	+ 0·9	+ 3·0	74	3·2	3·8
26	1013·0	292·4	290·7	1·7	291·6	290·8	19·5	4·4	10	+ 2·8	+ 6·9	68	7·4	7·5
27	1009·2	298·6	290·9	7·7	294·4	293·5	23·1	16·8	14	— 1·6	+ 2·8	120	3·2	5·7
28	1009·7	298·4	293·5	4·9	295·1	293·7	23·1	92·8	13	+ 0·4	+ 1·4	73	1·4	2·7
29	1015·9	294·8	292·6	2·2	293·4	290·7	17·9	0·1	...	+ 2·3	+ 4·7	64	5·2	5·5
30	1017·1	294·4	292·4	2·0	292·9	290·6	18·0	...	...	+ 2·3	+ 7·3	72	7·6	7·7
Means.	1011·5	295·7	291·9	3·8	293·5	292·1	20·9	Sums. 435·9	Sums. 171	+ 0·5	+ 4·1	83	4·2	4·8
Normals	1012·6	296·8	292·5	4·3	294·3	292·7	21·5	134·3	74	0·0	+ 3·7	90	3·7	4·6
Absolute Maximum.	1019·4	301·2	...	8·5	...	298·1	29·7	114·3	18	...	...	...	...	11·5†
Day.	5	23	...	3	...	23.24	24	10	10	...	...	...	...	21/ 22/
Absolute Minimum.	1003·9	...	289·7	0·9	...	286·0	11·2	...	...	...	...	...	...	...
Day.	23	...	10	19	...	5	5	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, APRIL, 1926.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	0·0	11	+ 0·1	21	0·0
2	— 0·1	12	+ 0·2	22	0·0
3	— 0·1	13	+ 0·2	23	— 0·1
4	— 0·1	14	+ 0·2	24	0·0
5	— 0·1	15	+ 0·3	25	0·0
6	0·0	16	+ 0·3	26	+ 0·1
7	0·0	17	+ 0·3	27	0·0
8	+ 0·1	18	+ 0·4	28	0·0
9	+ 0·1	19	+ 0·3	29	0·0
10	+ 0·1	20	+ 0·4	30	0·0

+ = Late; — = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0·13

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1926.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	Ins.			ins.	%	%	%	%	%	m.p.h.	m.p.h.		m.p.h.	m.p.h.
1	29·818	68·1	66·2	0·624	90	94		...	5	+ 0·7	+ 11·8	87	11·8	13·7
2	·802	68·0	66·2	·625	91	95		4	5	+ 1·2	+ 11·5	84	11·6	13·7
3	·787	67·7	65·8	·615	90	91		11	6	+ 1·5	+ 11·8	83	11·9	13·6
4	·780	67·6	65·8	·616	90	94		1	4	+ 1·4	+ 12·3	83	12·4	13·6
5	·785	67·7	65·8	·615	90	96		13	5	+ 2·3	+ 12·5	80	12·7	13·9
6	·800	67·7	65·6	·608	89	94	1	4	4	+ 2·4	+ 12·6	79	12·8	14·4
7	·819	67·7	65·8	·615	90	89	12	6	4	+ 2·0	+ 12·6	81	12·7	14·2
8	·836	68·4	66·1	·616	88	89	14	1	4	+ 2·5	+ 12·3	79	12·6	14·6
9	·850	69·2	66·5	·620	86	91	17	...	1	+ 2·5	+ 12·5	79	12·7	14·2
10	·854	70·1	66·9	·622	84	93	22	2	2	+ 1·6	+ 12·8	83	12·9	14·6
11	·846	70·5	67·2	·627	84	90	23	5	3	+ 1·8	+ 13·7	83	13·8	15·8
Noon.	·883	70·5	67·2	·627	84	92	23	6	4	+ 1·0	+ 13·6	86	13·6	15·4
13	·814	70·7	67·3	·628	83	92	23	18	4	+ 1·0	+ 13·5	86	13·5	14·9
14	·793	70·2	67·1	·628	85	92	22	2	5	+ 1·1	+ 13·6	85	13·6	15·8
15	·777	70·0	66·9	·623	84	92	19	2	5	+ 0·7	+ 12·7	87	12·7	14·9
16	·767	69·8	66·7	·619	84	92	15	2	4	+ 1·2	+ 13·1	85	13·2	15·5
17	·765	69·6	66·7	·621	85	94	7	8	5	+ 1·0	+ 12·7	85	12·7	15·8
18	·772	69·1	66·4	·617	86	94	...	6	5	+ 2·1	+ 13·0	81	13·2	16·0
19	·785	68·8	66·3	·618	87	95		2	5	+ 1·4	+ 12·6	84	12·7	15·3
20	·802	68·6	66·3	·620	88	94		2	5	+ 1·3	+ 12·2	84	12·3	14·6
21	·819	68·6	66·3	·620	88	94		...	4	+ 2·2	+ 13·0	80	13·2	15·3
22	·833	68·6	66·3	·620	88	93		...	3	+ 2·5	+ 12·2	78	12·5	14·6
23	·840	68·4	66·2	·620	89	93		4	4	+ 1·9	+ 11·7	81	11·9	13·7
Midn.	·832	68·4	66·3	·623	89	95		1	4	+ 1·2	+ 11·9	84	12·0	14·0

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1926.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.		m.p.s.	m.p.s.
1	1011·8	293·1	292·0	21·1	+ 0·2	+ 3·9	87	3·9	4·5
2	1011·2	293·0	292·0	21·1	+ 0·4	+ 3·8	84	3·8	4·5
3	1010·7	292·8	291·8	20·7	+ 0·5	+ 3·9	83	3·9	4·5
4	1010·5	292·8	291·8	20·8	+ 0·5	+ 4·0	83	4·1	4·5
5	1010·6	292·8	291·8	20·7	+ 0·8	+ 4·1	80	4·2	4·6
6	1011·2	292·8	291·7	20·5	+ 0·8	+ 4·1	79	4·2	4·7
7	1011·8	292·8	291·8	20·7	+ 0·7	+ 4·1	81	4·2	4·7
8	1012·4	293·2	291·9	20·8	+ 0·8	+ 4·0	79	4·1	4·8
9	1012·8	293·7	292·2	20·9	+ 0·8	+ 4·1	79	4·2	4·7
10	1012·9	294·2	292·4	21·0	+ 0·5	+ 4·2	83	4·2	4·8
11	1012·7	294·4	292·6	21·2	+ 0·6	+ 4·3	83	4·5	5·2
Noon.	1012·2	294·4	292·6	21·2	+ 0·3	+ 4·5	86	4·5	5·0
13	1011·6	294·5	292·6	21·2	+ 0·3	+ 4·4	86	4·4	4·9
14	1010·9	294·2	292·5	21·2	+ 0·4	+ 4·3	85	4·3	5·2
15	1010·3	294·1	292·4	21·0	+ 0·2	+ 4·2	87	4·2	4·9
16	1010·0	294·0	292·3	20·9	+ 0·4	+ 4·3	85	4·3	5·1
17	1009·9	293·9	292·3	20·9	+ 0·3	+ 4·2	85	4·2	5·2
18	1010·2	293·6	292·1	20·8	+ 0·7	+ 4·3	81	4·3	5·2
19	1010·6	293·4	292·1	20·8	+ 0·5	+ 4·1	84	4·2	5·0
20	1011·2	293·3	292·1	20·9	+ 0·4	+ 4·0	84	4·0	4·8
21	1011·8	293·3	292·1	20·9	+ 0·7	+ 4·3	80	4·3	5·0
22	1012·3	293·3	292·1	20·9	+ 0·8	+ 4·0	78	4·2	4·8
23	1012·5	293·2	292·0	20·9	+ 0·6	+ 3·8	81	3·9	4·5
Midn.	1012·2	293·2	292·1	21·0	+ 0·4	+ 3·9	84	3·9	4·6

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

APRIL,

1926.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	31st MARCH, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	1st APRIL, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock, .	12	30.11	764.8	46	...	S	4	o	6	30.18	766.5	28	...	NNE	4	o
Nemuro, ...	11	29.88	759.0	...	...	...	o	...	5	29.86	758.5	...	...	SSW	2	...
Hokodate, ...	,,	30.02	762.5	...	...	W	6	...	,,	30.00	762.0	...	...	WSW	1	...
Tokio, ...	,,	30.14	765.5	...	...	NW	1	...	,,	30.14	765.5	...	...	NNW	1	...
Kochi, ...	,,	30.16	766.0	...	...	S	1	...	,,	30.18	766.5	...	...	...	c	..
Nagasaki, ...	,,	30.16	766.0	...	...	SE	1	...	,,	30.12	765.0	...	...	ESE	5	...
Kagoshima, ...	,,	30.16	766.0	...	...	S	1	...	,,	30.16	766.0	...	...	WNW	1	...
Oshima, ...	,,	30.12	765.0	...	...	NE	1	...	,,	30.10	764.5	...	...	S	1	...
Naha, ...	,,	30.12	765.0	...	...	NNE	2	...	,,	30.06	763.5	...	..	...	..	...
Ishigakijima, ...	,,	30.10	764.5	...	...	E	2	...	,,	...	...	...	...	S	1	...
Bonin Island, ...	..	30.08	764.0	..	...	...	c	.	..	30.18	766.5	..	.	E	1	...
Chefoo, ...	15	29.91	759.7	66	41	SSW	4	o	6	29.89	759.2	56	63	WSW	4	b
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.78	756.4	57	..	...	o	bc
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.72	754.9	64	...	E	1	o
Changsha, ...	,,	...	..	...	...	...	...	...	,,	29.92	759.9	61	...	.	o	o
Shanghai, ...	14	30.05	763.2	73	32	ESE	2	b	,,	29.94	760.5	55	79	SSE	2	b
Dutzlaff, ...	,,	30.10	764.5	50	81	SE	6	b	,,	29.99	761.7	54	74	S	6	o
Sharp Peak, ...	,,	30.07	763.8	76	56	N	1	b	,,	30.02	762.5	62	77	...	o	b
Amoy, ...	15	29 99	761.7	71	66	SE	2	b	6	29.98	761.5	62	90	SSE	1	b
Swatow, ...	,,	29.94	760.5	67	74	ESE	2	c	,,	...	...	...	...	...	...	...
Taihoku, ...	11	30.07	763.8	79	42	E	4	b	8	30.01	762.3	57	91	SE	2	b
Taichu, ...	,,	30.06	763.5	77	...	SW	2	b	,,	30.02	762.6	55	...	...	c	b
Tainan, ...	,,	30.06	763.5	79	...	W	2	b	,,	29.90	761.7	59	...	ESE	2	b
Toshun, ...	,,	30.05	763.2	79	...	NE	4	b	,,	29.98	761.4	64	...	ENE	2	b
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	14	...	..	..	...	...	...	...	6	...	..	...	...	...	...	...
Hongkong, ...	,,	30.01	762.2	70	58	E	3	b	,,	29.95	760.7	66	86	E	2	c
Gap Rock, ...	,,	30.00	762.0	...	...	ENE	3	b	,,	29.95	760.7	...	...	ENE	3	b
Macao, ...	,,	29.99	761.7	75	63	SE	2	b	,,	29.92	759.9	64	92	...	2	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Haiphong, ...	,,	...	..	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island, ...	14	29.95	760.7	81	66	E	2	b	6	29.94	760.5	72	87	E	1	bc
Fhulien, ...	,,	29.93	760.2	70	88	ESE	2	of	7	29.89	759.3	68	98	ESE	4	rf
Tourane, ...	,,	29.92	759.9	77	...	SE	4	b	,,	29.89	759.3	70	...	SW	4	o
Cape St. James,	,,	29.87	758.7	82	...	ENE	6	bf	,,	29.87	758.7	77	...	ENE	6	of
Basco, ...	,,	29.94	760.5	73	71	E	4	o	6	29.93	760.2	73	85	E	4	o
Aparri, ...	,,	29.92	759.9	81	73	ENE	4	o	,,	29.92	759.9	72	96	...	o	b
Manila, ...	,,	29.86	758.4	90	51	SW	2	o	,,	29.91	759.6	72	82	...	o	b
Legaspi, ...	,,	29.85	758.1	75	56	ENE	2	b	,,	29.88	759.0	77	94	NE	2	o
Tacloban, ...	,,	29.82	757.5	82	89	ENE	2	o	,,	...	...	..	...	...	...	...
Iloilo, ...	,,	29.80	756.9	90	63	N	6	b	,,	29.85	758.1	77	92	N	4	o
Surigao, ...	..	29.80	756.9	82	84	ENE	4	o	,,	29.84	757.8	77	94	SSW	1	r
Guam, ...	12.20	29.87	758.7	...	...	E	2	o	4.20	29.93	760.2	...	...	NE	2	o
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	.	..	...	...	...	5	29.89	759.2	77	...	...	o	bc
Labuan, ...	14	29.75	755.6	86	88	NE	2	b	6	29.85	758.2	78	91	NE	2	b

April 1*d.* 11*h.* 25*m.*—Pressure has increased moderately over the Bonins and decreased slightly at the majority of other reporting stations.

The anticyclone, which continues to move eastward, is now central to the north of the Bonins.

The monsoon is interrupted.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 7·45 inches, against an average of 6·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel, ...	East or variable winds, light; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st April, 1926.								2nd April, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.13	765.3	33	...	N	4	o	6	30.13	765.4	32	...	NW	2	o
Nemuro,	11	29.70	754.5	...	...	WSW	4	...	5	30.08	764.0	...	...	SSW	1	...
Hokodate,	,,	29.94	760.5	...	...	WNW	3	...	,,	30.06	763.5	...	...	ENE	1	...
Tokio,	,,	30.02	762.5	...	...	S	1	...	,,	30.02	762.5	...	...	NW	1	...
Kochi,	,,	30.14	765.5	...	...	S	1	...	,,	30.12	765.0	...	...	...	0	...
Nagasaki,	,,	30.12	765.0	...	...	S	1	...	,,	30.00	762.0	...	...	SE	4	...
Kagoshima,	,,	30.14	765.5	...	...	SE	1	...	,,	30.04	763.0	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	...	...	...	0	...
Naha,	,,	30.06	763.5	...	...	NE	1	...	,,	30.00	762.0	...	...	E	1	...
Ishigakijima,	,,	30.04	763.0	...	...	S	1	...	,,	29.96	761.0	...	...	SSE	1	...
Bonin Island,	,,	30.18	766.5	...	...	ENE	1	...	,,	30.14	765.5	...	...	...	0	...
Chefoo,	15	29.94	760.5	77	95	NE	1	o	6	30.10	764.5	42	75	NE	4	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.88	758.9	62	...	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	29.76	755.9	55	...	N	5	r
Changsha,	,,	...	...	...	...	...	...	...	,,	30.02	762.5	58	...	NW	4	o
Shanghai,	14	29.88	759.0	73	44	SE	2	o	,,	29.80	756.9	55	93	SE	1	o
Gutzlaff,	,,	29.93	760.2	60	82	SSE	4	o	,,	29.82	757.4	56	81	SSE	4	b
Sharp Peak,	,,	29.98	761.5	74	68	S	1	b	,,	29.89	759.2	63	89	N	1	o
Amoy,	15	29.89	759.2	73	67	SE	6	r	6	29.92	759.9	66	91	SSE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	64	95	ESE	2	o
Taihoku,	11	30.01	762.3	77	54	...	o	b	5	29.93	760.2	64	94	...	o	o
Taichu,	,,	30.02	762.6	77	...	W	2	b	,,	29.94	760.5	66	...	...	o	o
Tainan,	,,	30.00	762.0	81	...	WSW	2	b	,,	29.92	759.9	64	...	...	o	b
Koshun,	,,	30.04	762.9	82	...	ESE	2	b	,,	29.92	759.9	66	...	...	o	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	29.83	757.7	75	81	SSE	1	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.92	759.9	71	82	E	3	b	,,	29.90	759.4	67	97	E	2	cm
Gap Rock,	,,	29.93	760.2	...	...	ENE	3	c	,,	29.91	759.7	...	...	ENE	3	cm
Macao,	,,	29.89	759.3	77	76	SE	2	b	,,	29.88	759.0	66	100	SE	2	cf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.91	759.7	83	57	ESE	1	b	6	29.87	758.7	70	90	...	o	b
Phulien,	,,	29.82	757.5	75	88	SSE	4	of	7	...	...	...	...	...	...	...
Tourane,	,,	29.84	757.8	77	...	SE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.8	82	...	ENE	6	bf	,,	...	...	...	...	...	...	...
Basco,	,,	29.88	759.0	64	71	SE	6	o	6	29.88	759.0	77	88	SE	4	o
Aparri,	,,	29.87	758.7	84	71	NE	4	b	,,	29.88	759.0	73	92	...	o	b
Manila,	,,	29.82	757.5	93	50	W	4	b	,,	29.87	758.7	75	83	NE	1	o
Legaspi,	,,	29.81	757.2	86	78	NE	4	o	,,	29.87	758.7	79	98	NE	2	o
Tacloban,	,,	29.79	756.6	81	96	NE	4	r	,,	29.87	758.7	77	94	...	o	o
Iloilo,	,,	29.76	756.0	90	66	N	4	o	,,	29.84	757.8	77	94	N	4	o
Surigao,	,,	29.76	756.0	86	52	ENE	4	o	,,	29.85	758.1	77	94	...	o	o
Guam,	12.20	29.87	758.7	...	...	NE	4	o	4.20	29.92	759.9	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	78	...	ENE	2	b
Labuan,	14	29.77	756.1	86	84	NE	4	b	6	29.81	757.2	80	91	NE	2	b

April 2*d.* 12*h.* 10*m.*—Pressure has increased considerably over N.E. China and N.E. Japan. It has decreased moderately from S.W. Japan to E. China and slightly over Formosa. It is nearly stationary elsewhere.

There is a depression over the lower Yangtze Valley.

The monsoon is interrupted.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total** since January 1st, 7·45 inches, against an average of 6·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel, ...	E. or variable winds, light; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	3rd April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	30.07	763.8	47	...	NNE	2	o	6	30.08	764.1	31	...	NNE	2	b
Nemuro,	11	29.98	761.5	...	...	SSW	3	...	5	29.94	760.5	...	...	S	1	...
Hokodate,	..	30.00	762.0	...	...	...	0	...	,,	29.98	761.5	...	...	...	...	...
Tokio,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.75	755.5	...	...	ESE	1	...
Kochi,	,,	30.04	763.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.98	761.5	...	...	SE	3	...	,,	29.75	755.5	...	...	NNW	1	...
Kagoshima,	,,	30.00	762.0	...	...	...	0	...	,,	29.75	755.5	...	...	WNW	1	...
Oshima,	,,	29.98	761.5	...	...	S	1	...	,,	29.80	757.0	...	...	NW	1	...
Naha,	,,	30.00	762.0	...	...	SE	1	...	,,	29.88	759.0	...	...	S	2	...
Ishigakijima,	,,	29.96	761.0	...	...	S	3	...	,,	29.90	759.5	...	...	...	...	...
Bonin Island,	..	30.08	764.0	...	...	ESE	1	...	,,	29.98	761.5	...	..	SSW	1	...
Chefoo,	15	30.05	763.2	42	66	NNW	2	o	6	30.09	764.3	46	86	NW	2	b
Ichang,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.80	756.9	57	93	NNW	1	r	,,	30.19	766.8	43	79	WNW	4	b
Gutzlaff,	,,	29.80	756.9	60	90	NNW	1	o	,,	30.15	765.8	44	86	NNW	7	o
Sharp Peak,	..	29.82	757.4	75	72	S	4	bf	7	30.00	762.0	60	85	E	4	o
Amoy,	15	29.88	759.0	78	65	SSE	4	b	6	...	...	...	...	...	...	...
Swatow,	,,	29.82	757.4	78	86	S	1	c	,,	..	...	..	...	...	...	...
Taihoku,	11	29.92	759.9	81	62	ESE	2	b	5	29.94	760.5	70	85	NW	2	o
Taichu,	,,	29.94	760.5	82	...	S	2	b	,,	29.95	760.8	72	...	...	c	o
Tainan,	,,	29.95	760.8	84	...	S	4	b	,,	29.93	760.2	72	...	...	o	b
Koshun,	,,	29.93	760.8	70	...	SSE	2	b	,,	29.88	759.0	73	...	NNW	4	b
Pescadores,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	29.90	759.4	76	77	SSE	1	o	6	...	..	...	...	...	...	...
Hongkong,	,,	29.90	759.4	72	87	E	2	c	,,	29.94	760.5	68	94	WNW	1	o
Gap Rock,	,,	29.92	759.9	...	...	ENE	3	f	,,	29.96	761.0	...	...	N	3	f
Macao,	,,	29.87	758.7	77	79	SSE	2	o	,,	29.94	760.5	68	100	...	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Phulien,	,,	29.85	758.1	75	91	SE	1	of	7	29.94	760.5	70	96	ENE	4	of
Tourane,	,,	29.80	756.9	79	...	SE	4	b	,,	..	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.1	82	...	ENE	4	b	,,	29.86	758.4	75	...	ENE	2	o
Basco,	,,	29.86	758.4	82	74	SE	4	o	6	..	..	...	...	...	...	...
Aparri,	,,	29.84	757.8	86	68	NE	4	o	,,	29.89	759.3	77	94	...	c	o
Manila,	,,	29.81	757.2	90	55	NE	4	o	,,	29.89	759.3	75	94	NNE	2	o
Legaspi,	,,	29.84	757.8	82	81	NE	2	o	,,	29.87	758.7	79	95	NNE	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	90	63	N	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.81	757.2	86	71	ENE	4	b	..	29.86	758.4	77	96	...	o	o
Guam,	12.20	29.87	758.7	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labnan,	14	29.81	757.2	86	84	NE	4	b	6	29.84	757.9	78	91	NE	2	b

April 3*d*. 11*h*. *com*.—Pressure has decreased considerably over Japan and increased considerably over the lower Yangtze Valley. It has increased slightly over S. China and is nearly stationary over the Philippines.

The depression, which has deepened has moved to the S.W. of Tokio.

An anticyclone has formed over China.

The monsoon will set in again along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 7·45 inches, against an average of 6·49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Light northerly winds, freshening from N.E. later; cloudy, some rain later.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, .	12	29.99	761.6	39	...	NE	4	b	6	30.01	762.2	22	...	NNW	2	b
Nemuro,	11	29.88	759.0	...	...	S	2	...	5	29.73	755.0	...	...	...	...	...
Hokodate,	.	29.86	758.5	...	...	SE	1	...	,,	29.80	757.0	...	...	N	1	...
Tokio,	,,	29.59	751.5	...	...	NE	3	...	,,	29.82	757.5	...	...	N	1	...
Kochi,	,,	29.59	751.5	...	...	NW	1	...	,,	30.02	762.5	...	...	N	1	...
Nagasaki,	,,	29.84	758.0	...	...	N	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.76	756.0	...	...	W	1	...	,,	30.10	764.5	...	...	...	0	...
Oshima,	,,	29.92	760.0	...	...	N	1	...	,,	30.06	763.5	...	...	NNE	3	...
Naha,	,,	29.98	761.5	...	...	NW	3	...	,,	30.10	764.5	...	...	NW	2	...
Ishigakijima,	,,	30.02	762.5	...	...	N	2	...	,,	30.10	764.5	...	...	N	1	...
Bonin Island,	,,	29.96	761.0	...	...	SW	1	...	,,	29.86	758.5	...	...	SSW	2	...
Chefoo,	15	30.11	764.8	46	77	NW	4	b	6	30.05	763.2	44	60	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.21	767.4	57	32	WNW	7	b	,,	30.25	768.3	37	06	N	2	b
Gutzlaff,	,,	30.18	766.6	52	47	NNW	6	b	,,	30.26	768.6	44	60	SE	2	o
Sharp Peak,	,,	30.06	763.5	65	78	ENE	2	o	7	30.20	767.1	56	87	NE	4	b
Amoy,	15	29.98	761.5	71	66	ENE	6	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	..	...	...	...	,,	..	...	...	...	...	...	...
Taihoku,	11	30.11	764.7	63	84	E	4	o	5	30.15	765.9	55	81	E	4	o
Taichu,	,,	30.00	762.0	77	...	NNW	2	o	,,	30.02	762.6	61	...	...	C	o
Tainan,	,,	29.94	760.5	79	...	N	4	o	,,	29.99	761.7	63	...	...	o	o
Koshun,	,,	29.93	760.2	84	...	N	2	o	,,	30.00	762.0	66	...	NE	4	o
Pescadores,	,,	...	...	..	..	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	29.99	761.7	67	89	N	2	o	6	...		...	...	...	...	...
Hongkong,	,,	29.96	761.0	70	87	NW	4	orlt	,,	30.03	762.7	64	85	ENE	4	od
Gap Rock,	,,	29.94	760.5	...	...	NW	5	o	,,	30.00	762.0	...	...	ENE	4	o
Macao,	,,	29.92	759.9	68	91	NNW	4	r	,,	29.99	761.7	64	94	ESE	4	o
Wuchow,	15	...	..	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Phulien,	,,	29.95	760.8	72	98	SE	4	of	7	...	...	...	.	...	...	...
Tourane,	,,	29.87	758.7	81	...	...	C	bf	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	84	...	ENE	4	b	,,	...	...	...	...	...	...	...
Basco,	,,	...	...	...	..	..	...	...	6	..	...	...	...	...	...	...
Aparri,	,,	29.85	758.1	86	75	NNE	4	b	,,	29.93	760.2	73	94	NE	2	r
Manila,	,,	29.80	756.9	90	57	WNW	4	o	,,	29.88	759.0	75	91	NE	1	b
Legaspi,	,,	29.84	757.8	86	71	ENE	4	b	,,	29.87	758.7	77	88	NE	1	b
Tacloban,	,,	29.84	757.8	82	86	...	C	o	,,	29.88	759.0	75	94	NW	2	b
Iloilo,	,,	29.84	757.8	90	57	N	4	o	,,	29.84	757.8	77	89	N	4	o
Surigao,	..	29.81	757.2	79	91	ESE	4	r	,,	29.86	758.4	73	92	ESE	1	o
Guam,	12.20	29.84	757.8	...	...	E	4	o	4.20	29.87	758.7	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	84	83	NE	1	o	6	...	...	...	...	...	...	...

April 4*d*. 11*h*. 55*m*.—Pressure has increased considerably over central and S.W. Japan, moderately over the Loochoos and slightly from Formosa to Hongkong. It has decreased moderately from the Bonins to N.E. Japan and is nearly stationary elsewhere.

The depression is passing into the Pacific and the anticyclone over China is beginning to move eastward.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·75 inch. Total since January 1st, 8·20 inches, against an average of 6·63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; cloudy.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th April, 1926.								5th April, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.05	763.3	34	...	NNW	4	b	6	30.22	767.5	29	...	WNW	2	b
Nemuro,	11	29.72	755.0	...	...	SSW	1	...	5	...	...	...	...	...	...	...
Hokodate,	.	29.84	758.0	...	...	W	3	...	,,	29.94	760.5	...	...	N	1	...
Tokio,	,,	29.94	760.5	...	...	NW	2	...	,,	30.10	764.5	...	...	NW	1	...
Kochi,	,,	30.08	764.0	...	...	SSW	1	...	,,	30.24	768.0	...	...	WSW	1	...
Nagasaki,	,,	30.20	767.0	...	...	W	1	...	,,	30.26	768.5	...	...	...	0	...
Kagoshima,	,,	30.16	766.0	...	...	WNW	1	...	,,	30.24	768.0	...	...	NW	1	...
Oshima,	,,	30.14	765.5	...	...	NE	2	...	,,	30.18	766.5	...	...	S	1	...
Naha,	,,	30.14	765.5	...	...	NNW	2	...	,,	30.14	765.5	...	...	NNE	1	...
Ishigakijima,	,,	30.16	766.0	...	...	NE	2	...	,,	30.10	764.5	...	...	ENE	1	...
Bonin Island,	,,	29.96	761.0	...	...	WNW	1	...	,,	30.14	765.5	...	...	...	0	...
Chefoo,	15	...	...	...	...	...	...	b	6	30.15	765.8	44	68	E	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.90	759.4	58	...	...	0	lc
Hankow,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	63	...	...	0	b
Changsha,	,,	...	...	...	...	...	...	...	,,	30.06	763.5	65	...	...	0	0
Shanghai,	14	30.18	766.5	64	28	SE	6	b	,,	30.07	763.8	46	89	SE	2	b
Gutzlaff,	,,	30.23	767.8	56	40	SSE	4	b	,,	30.10	764.5	50	88	S	4	b
Sharp Peak,	,,	30.15	765.8	63	57	E	2	0	7	30.10	764.5	58	70	...	0	b
Amoy,	15	30.09	764.3	67	55	ENE	4	0	6	30.11	764.8	60	76	N	1	b
Swatow,	,,	...		...	...	...	...	...	,,	..	...	...	...	...	..	...
Taihoku,	11	30.17	766.2	61	64	E	4	0	5	30.07	763.8	57	98	...	0	0
Taichu,	,,	30.07	763.8	68	...	...	c	b	,,	30.07	763.8	63	...	...	c	0
Tainan,	,,	30.05	763 2	73	...	...	c	0	,,	30.05	763.2	64	...	...	0	0
Koshun,	,,	30.06	763.5	72	...	NE	4	0	,,	30.04	762.9	66	...	...	0	0
Pescadores,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	30.03	762.7	64	89	...	0	0	6	...	..	...	...	...	...	...
Hongkong,	,,	30.07	763.8	64	77	E	4	0	,,	30.05	763.2	64	58	E	3	0
Gap Rock,	,,	30.05	763.2	...	...	ENE	6	0	,,	30.03	762.7	...	...	ENE	5	0
Macao,	,,	30.04	762.9	64	88	SE	2	r	,,	30.01	762.3	64	80	ESE	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.97	761.2	78	...	NE	6	r	6	30.00	762.0	74	81	ENE	5	c
Phulien,	,,	29.98	761.4	68	94	ENE	2	rf	7	...	...	...	..	...	...	...
Tourane,	,,	29.93	760.2	75	...	...	0	of	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.1	86	...	ENE	4	0	,,	...	...	...	...	...	...	...
Basco,	,,	29.98	761.4	90	79	N	4	0	6	29.97	761.1	72	92	ENE	2	r
Aparri,	,,	29.94	760.5	77	84	ENE	6	0	,,	29.94	760.5	73	94	...	0	0
Manila,	,,	29.82	757.5	93	59	SE	4	0	,,	29.92	759.9	75	83	E	1	b
Legaspi,	,,	29.87	758.7	86	65	NE	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	..	..	...	,,	29.91	759.6	75	...	NNW	2	0
Iloilo,	,,	29.80	756.9	90	55	N	6	b	,,	29.89	759.3	75	88	N	2	b
Surigao,	,,	29.82	757.5	86	71	E	2	0	,,	29.89	759.3	75	92	E	2	0
Guam,	12.20	29.86	758.4	...	...	E	2	b	4.20	29.93	760.2	...	...	NE	4	0
Yap,	12.47	29.84	757.8	...	...	ENE	4	0	4.47	..	...	...	...	...	...	...
Pelew,	11.00	..	...	..	...	...	...	...	5	29.88	758.9	77	...	NE	2	r
Labuan,	12	29.81	757.2	86	84	NE	4	b	6	29.80	756.9	80	82	N	2	b

April 5*d.* 11*h.* 30*m.*—Pressure has increased moderately from the Bonins to S. Manchuria and slightly over the Visayas. It has decreased moderately at Shanghai and is nearly stationary at Hongkong.

The anticyclone now extends from S.W. Japan to S. Manchuria.

A depression appears to have formed over China.

The monsoon will moderate along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·20 inches, against an average of 6·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. or variable winds, fresh, moderating; overcast at first, finer later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th APRIL, 1926.								6th APRIL, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.17	766.2	40	...	SE	3	b	6	29.90	759.4	35	...	SSE	4	o
Nemuro,	11	29.70	754.5	...	...	NW	6	...	5	30.04	763.0	...	...	SW	1	...
Hokodate,	.	30.02	762.5	...	...	W	4	...	,,	30.16	766.0	...	...	...	...	...
Tokio,	,,	30.08	764.0	...	...	NE	1	...	,,	30.24	768.0	...	...	NE	1	...
Kochi,	,,	30.20	767.0	...	...	...	0	...	,,	30.12	765.0	...	...	NW	1	...
Nagasaki,	,,	30.24	768.0	...	...	WSW	1	...	,,	30.12	765.0	...	...	...	0	...
Kagoshima,	,,	30.24	768.0	...	...	ESE	1	...	,,	30.08	764.0	...	...	NW	1	...
Oshima,	,,	30.18	766.5	...	...	SSE	1	...	,,	30.04	763.0	...	...	S	1	...
Naha,	,,	30.16	766.0	...	...	NE	2	...	,,	30.02	762.5	...	...	...	0	...
Ishigakijima,	,,	30.10	764.5	...	...	ESE	1	...	,,	29.98	761.5	...	...	...	0	...
Bonin Island,	,,	30.14	765.5	...	...	N	1	...	,,	30.12	765.0	...	...	NNE	1	...
Chefoo,	15	30.11	764.8	54	68	E	1	b	6	30.05	763.2	48	63	SW	2	b
Ichang,	,,	...	...	...	...	...	...	...	,,	30.16	766.0	56	...	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Changsha,	,,	...	...	...	...	...	...	...	,,	30.27	768.8	...	...	NW	3	fc
Shanghai,	14	30.04	762.9	72	57	SE	1	b	,,	30.14	765.6	52	95	NNW	2	c
Gutzlaff,	,,	30.04	763.0	58	88	SSE	4	b	,,	30.15	765.8	50	100	NNE	4	o
Sharp Peak,	,,	30.13	765.3	69	80	NE	1	b	7	30.03	762.7	58	94	E	2	rf
Amoy,	15	30.02	762.5	71	71	SSE	2	o	6	30.03	762.7	63	91	N	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	..	...
Taihoku,	11	30.08	764.1	73	62	WSW	2	b	5	29.99	761.7	61	98	...	o	o
Taichu,	,,	30.08	764.1	75	...	...	o	o	,,	29.99	761.7	63	...	...	c	b
Tainan,	,,	30.07	763.8	77	...	NNW	2	o	,,	29.95	760.8	66	...	...	o	o
Koshun,	,,	30.06	763.5	72	...	ENE	2	o	,,	29.97	761.1	64	...	...	o	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Canton,	14	...	...	...	...	...	...	...	6	...	..	...	...	...	...	...
Hongkong,	,,	30.02	762.5	69	68	ESE	2	o	,,	30.01	762.2	65	94	...	c	cm
Gap Rock,	,,	30.02	762.5	...	...	ENE	5	o	,,	30.01	762.2	...	...	NNE	4	o
Macao,	,,	29.99	761.7	70	74	NE	2	r	,,	29.98	761 4	64	98	N	2	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	..	...	...	...	...	...	6	29.95	760.7	75	78	NE	2	fc
Phulien,	,,	29.91	759.6	70	100	ESE	4	rf	7	...	...	...	..	...	...	...
Tourane,	,,	29.91	759.6	79	...	SE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.1	70	...	ENE	4	o	,,	...	...	...	...	...	...	...
Basco,	,,	29.92	759.9	75	91	NW	4	r	6	29.91	759.6	73	92	...	o	o
Aparri,	,,	29.87	758.7	79	80	NE	4	o	,,	29.92	759.9	70	96	S	2	b
Manila,	,,	29.84	757.8	93	46	SE	4	o	,,	29.89	759.3	72	86	N	2	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.91	759.6	72	96	...	o	b
Tacloban,	,,	29.85	758.1	90	57	ESE	2	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.82	757.5	86	61	N	6	b	,,	29.88	759.0	75	92	N	2	o
Surigao,	,,	29.85	758.1	84	77	ESE	2	o	,,	29.88	759.0	75	91	...	o	o
Guam,	12.20	29.87	758.7	...	...	NE	4	r	4.20	29.95	760.8	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	..	...	...	...	...	...	...
Pelew,	11.00	...	...	..	..	...	...	...	5	29.88	759.0	76	...	ENE	2	c
Labuan,	14	29.81	757.2	88	76	NE	4	b	6	29.81	757.2	80	91	N	4	b

April 6*d.* 11*h.* 15*m.*—Pressure has increased considerably over N.E. Japan and central China and slightly at Shanghai. It has decreased considerably at Wladivostock and moderately from S.W. Japan to Formosa. It is nearly stationary over S. China and the Philippines.

The anticyclone is now central to the east of Tokio. The depression over China has filled up and an anticyclone formed.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·48 inch. Total since January 1st, 8·68 inches, against an average of 6·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7th.

District.	Forecast.
1.—Formosa Channel, ...	N. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th April, 1926.								7th April, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.73	755.1	36	...	SE	5	o	6	29.45	748.0	47	...	WNW	5	b
Nemuro,	11	29.94	760.5	...	...	SW	4	...	5	29.67	753.5	...	...	SW	2	...
Hokodate,	,,	30.08	764.0	...	...	...	...	...	,,	29.63	752.5	...	...	SW	5	...
Tokio,	,,	30.18	766.5	...	...	NE	1	...	,,	29.96	761.0	...	...	NW	1	...
Kochi,	,,	...	...	...	...	...	o	...	,,	29.98	761.5	...	...	SW	1	...
Nagasaki,	,,	30.10	764.5	...	...	ESE	1	...	,,	30.00	762.0	...	...	...	...	...
Kagoshima,	,,	30.10	764.5	...	...	NNE	1	...	,,	29.98	761.5	...	...	NW	1	...
Oshima,	,,	29.96	761.0	...	...	S	1	...	,,	29.86	758.5	...	...	...	o	...
Naha,	,,	29.96	761.0	...	...	SSW	2	...	,,	29.88	759.0	...	...	W	2	...
Ishigakijima,	,,	30.00	762.0	...	...	SW	1	...	,,	29.98	761.5	...	...	NNW	1	...
Bonin Island,	,,	30.08	764.0	...	...	ENE	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	30.00	762.0	42	1	SW	4	b	6	29.74	755.4	62	56	SW	2	o
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.17	766.2	63	51	NNW	1	b	,,	30.08	764.1	46	100	SSW	2	bf
Gutzlaff,	,,	30.18	766.6	56	75	N	4	o	,,	...	...	48	100	WSW	1	o
Sharp Peak,	,,	30.04	763.0	65	84	N	1	o	7	30.05	763.2	56	93	...	o	b
Amoy,	15	30.01	762.2	72	71	N	2	o	6	30.05	763.2	60	76	NE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.07	763.8	63	96	...	o	r	5	30.06	763.5	54	95	SE	2	b
Taichu,	,,	30.06	763.5	70	...	NNW	2	o	,,	29.98	761.4	55	...	...	o	b
Tainan,	,,	30.05	763.2	77	...	NNW	4	o	,,	29.95	760.8	66	...	N	2	b
Koshun,	,,	29.98	761.4	81	...	NNW	7	b	,,	29.94	760.5	68	...	NE	4	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.97	761.1	74	78	W	2	o	,,	30.00	762.0	65	78	E	3	b
Gap Rock,	,,	29.99	761.7	...	...	N	3	c	,,	29.98	761.5	...	...	ENE	3	b
Macao,	,,	29.98	761.4	73	82	NNE	2	o	,,	29.95	760.8	66	87	ESE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.93	760.2	73	70	NE	2	b	6	29.96	761.0	73	78	NE	4	c
Phulien,	,,	29.98	761.4	75	83	NNW	1	o	7	29.98	761.4	68	96	NE	2	of
Tourane,	,,	29.89	759.3	77	...	E	2	of	,,	29.94	760.5	73	...	...	o	of
Cape St. James,	,,	29.85	758.1	86	...	ENE	4	of	,,	29.88	759.0	54	...	ENE	4	o
Basco,	,,	29.85	758.1	79	76	E	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.82	757.5	81	73	NE	2	o	,,	29.87	758.7	75	89	N	4	r
Manila,	,,	29.84	757.8	86	56	SSW	2	b	,,	29.87	758.7	73	91	...	o	b
Legaspi,	,,	29.84	757.8	86	68	NE	4	o	,,	29.86	758.4	72	96	...	o	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	81	100	...	o	o
Iloilo,	,,	29.80	756.9	93	57	N	4	b	,,	29.86	758.4	73	86	N	2	o
Surigao,	,,	29.84	757.8	82	81	NNE	2	o	,,	29.86	758.4	75	92	...	o	o
Guam,	12.20	29.86	758.4	...	...	E	4	o	4.20	29.88	759.0	...	...	E	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.78	756.3	86	92	N	4	b	6	29.84	757.9	78	91	SW	1	of

April 7*d*. 11*h*. 15*m*.—Pressure has decreased considerably to the north of latitude 34° and moderately from the Yangtze Valley to S.W. Japan and the Loochoos. It is nearly stationary in southern districts.

A somewhat deep depression lies over S. Manchuria and another between the Bonins and the Loochoos.

The anticyclone over China has weakened and is now central to the south of the Yantze Valley.

Moderate to light monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·68 inches, against an average of 7·07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fine.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th April, 1926.								8th April, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.46	748.2	55	...	NW	6	b	6	29.40	746.7	42	...	SE	6	o
Nemuro,	11	29.47	748.5	...	...	S	3	...	5	29.78	756.5	...	...	W	9	...
Hokodate,	,,	29.43	747.5	...	...	SW	7	...	,,	29.65	753.0	...	...	WNW	5	...
Tokio,	,,	29.76	756.0	...	...	S	1	...	,,	29.76	756.0	...	...	...	0	...
Kochi,	,,	29.90	759.5	...	...	SE	1	...	,,	29.84	758.0	...	...	SW	1	...
Nagasaki,	,,	29.96	761.0	...	...	W	2	...	,,	29.94	760.5	...	...	...	0	...
Kagoshima,	,,	29.94	760.5	...	...	E	1	...	,,	29.94	760.5	...	...	NW	1	...
Oshima,	,,	29.86	758.5	...	...	...	0	...	,,	29.94	760.5	...	...	...	0	...
Naha,	,,	29.92	760.0	...	...	NW	1	...	,,	29.90	759.5	...	...	ENE	1	...
Ishigakijima,	,,	30.00	762.0	...	...	N	2	...	,,	29.94	760.5	...	...	NNW	1	...
Bonin Island,	,,	29.84	758.0	...	...	...	0	...	,,	29.78	756.5	...	...	NE	1	...
Chefoo,	15	29.66	753.3	68	56	NW	1	b	6	29.56	750.8	60	65	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.94	760.5	77	28	SW	2	b	,,	29.84	757.8	52	85	SE	4	b
Gutzlaff,	,,	30.00	762.0	60	65	S	2	b	,,	29.87	758.7	54	74	SSE	4	b
Sharp Peak,	,,	30.09	764.3	77	61	E	1	b	7	30.00	762.0	58	93	...	0	lf
Amoy,	15	29.94	760.5	71	66	SE	4	b	6	29.91	759.7	60	82	S	2	b
Swatow,	,,	...	..	...	...	...	...	...	,,	..	...	...	...	...	...	...
Taihoku,	11	30.06	763.5	73	58	S	2	b	5	29.94	760.5	50	97	...	0	b
Taichu,	,,	29.99	761.7	75	...	N	4	b	,,	29.97	761.1	55	...	...	0	b
Tainan,	,,	29.99	761.7	79	...	NNW	2	b	,,	29.93	760.2	55	...	...	0	b
Keshun,	,,	29.98	761.4	79	...	NE	4	b	,,	29.93	760.2	59	...	...	0	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	59	...	...	0	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.97	761.2	70	71	E	3	b	,,	29.88	759.0	66	90	ESE	2	o
Gap Rock,	,,	29.98	761.5	...	...	ENE	4	b	,,	29.90	759.4	...	...	ENE	3	o
Macao,	,,	29.95	760.8	66	87	ESE	2	o	,,	29.86	758.4	66	94	SSE	2	of
Wuchow,	15	...	.	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.93	760.2	78	65	ENE	4	b	6	29.88	759.0	73	89	ESE	1	r
Phulien,	,,	29.89	759.3	77	79	SSE	4	o	7	29.84	757.8	68	98	ESE	4	lf
Tourane,	,,	29.91	759.6	77	...	E	2	of	,,	29.84	757.8	73	...	SW	2	of
Cape St. James,	,,	29.85	758.1	82	...	ENE	4	of	,,	29.82	757.5	79	...	ENE	6	o
Basco,	,,	29.88	759.0	75	63	NE	6	r	6	29.87	758.7	68	81	SE	1	o
Aparri,	,,	29.86	758.4	75	83	NE	4	r	,,	29.86	758.4	73	79	E	4	o
Manila,	,,	29.78	756.3	90	51	WSW	4	b	,,	29.84	757.8	75	88	N	2	b
Legaspi,	,,	29.79	756.6	90	66	NE	4	o	,,	29.81	757.2	72	96	...	0	b
Tacloban,	,,	..	...	...	...	...	...	...	,,	..	...	...	.	...	...	...
Iloilo,	,,	29.75	755.7	93	61	N	4	b	,,	29.82	757.5	75	89	N	2	o
Surigao,	,,	29.78	756.3	86	71	E	2	b	,,	29.84	757.8	75	94	...	0	o
Guam,	12.20	29.812	757.2	...	...	E	4	o	4.20	29.87	758.7	...	...	SE	1	o
Yap,	12.47	29.79	756.6	...	...	E	4	b	4.47	...	..	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	77	...	...	0	b
Labuan,	11	29.83	757.7	82	91	SW	1	o	6	29.81	757.2	80	91	SW	2	b

April 8*d*. 11*h*. *com*.—Pressure has increased considerably over N.E. Japan and decreased slightly to moderately in other districts.

The anticyclone has weakened further and is now central over the Loochoos.

A somewhat deep depression is still shown over S. Manchuria.

The Loochoos depression has moved north-eastward into the Pacific.

A trough of low pressure extends from the Pelew Islands to the Visayas.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·68 inches, against an average of 7·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, ...	Light, variable winds.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	E. or variable winds, moderate to light; fair.
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th April, 1926.								9th April, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.30	744.1	42	...	SE	6	o	6	29.50	749.3	37	...	ESE	2	o
Nemuro,	11	29.53	750.0	...	...	WNW	1	...	5	29.55	750.5	...	...	ESE	1	...
Hokodate,	,,	29.65	753.0	...	...	...	...	...	,,	...	...	...	...	SSW	5	...
Tokio,	,,	29.59	751.5	...	...	SSE	2	...	,,	29.75	755.5	...	...	...	0	...
Kochi,	,,	29.84	758.0	...	...	SSE	1	...	,,	29.84	758.0	...	...	SW	1	...
Nagasaki,	,,	29.92	760.0	...	...	W	1	...	,,	29.80	757.0	...	...	SSE	2	...
Kagoshima,	,,	29.92	760.0	...	...	ENE	1	...	,,	...	...	...	...	WNW	1	...
Oshima,	,,	29.94	760.5	...	...	ENE	1	...	,,	29.86	758.5	...	...	...	0	...
Naha,	,,	29.98	761.5	...	...	SW	1	...	,,	29.88	759.0	...	...	ESE	1	...
Ishigakijima,	,,	29.96	761.0	...	...	S	1	...	,,	29.84	758.0	...	...	S	2	...
Bonin Island,	,,	29.88	759.0	...	...	NNE	1	...	,,	30.00	762.0	...	...	...	0	...
Chefoo,	15	29.47	744.5	60	71	NE	1	o	6	29.87	758.7	46	62	NNW	4	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.69	754.1	68	...	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	29.69	754.1	64	...	N	2	o
Changsha,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	68	...	...	0	b
Shanghai,	14	29.71	754.5	72	51	SSE	2	o	,,	29.71	754.5	59	89	SSE	1	b
Gutzlaff,	,,	29.74	755.4	58	76	S	6	o	,,	29.74	755.4	54	100	SSW	2	o
Sharp Peak,	,,	29.84	757.9	78	61	S	2	b	7	29.81	757.2	67	60	...	0	o
Amoy,	15	29.82	757.4	73	63	SE	2	o	6	29.75	755.6	69	91	S	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.91	760.5	75	53	W	2	b	5	29.79	756.6	59	93	...	0	o
Taichu,	,,	29.98	761.4	77	...	SSW	2	b	,,	29.84	757.8	64	...	...	0	o
Tainan,	,,	29.93	760.2	81	...	W	2	b	,,	29.84	757.8	63	...	SE	2	b
Koshun,	,,	29.93	760.2	79	...	ENE	2	b	,,	29.80	756.9	59	...	...	0	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	72	...	SSW	4	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.83	757.7	71	80	E	3	o	,,	29.80	756.9	70	93	E	1	o
Gap Rock,	,,	29.86	758.4	...	...	ESE	3	c	,,	29.81	757.2	...	...	SE	3	c
Macao,	,,	29.82	757.5	77	79	SE	2	o	,,	29.78	756.3	70	98	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.89	759.2	79	56	SE	1	b	6	29.82	757.4	73	85	SE	1	b
Phulien,	,,	29.73	755.1	79	76	SSE	4	of	7	...	...	73	98	ESE	4	of
Tourane,	,,	29.79	756.6	79	...	SE	2	bf	,,	29.75	755.7	77	...	SW	2	bf
Cape St. James,	,,	29.81	757.2	84	...	ENE	4	b	,,	29.82	757.5	77	...	ESE	2	b
Basco,	,,	29.81	757.2	77	64	ESE	4	o	6	29.78	756.3	75	86	SE	4	o
Aparri,	,,	29.79	756.6	81	69	NE	4	b	,,	29.78	756.3	72	94	...	0	b
Manila,	,,	29.75	755.7	90	48	W	4	b	,,	29.80	756.9	77	89	SE	1	b
Legaspi,	,,	29.76	756.0	90	66	NE	4	b	,,	29.81	757.2	75	96	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	93	53	N	2	b	,,	29.80	756.9	75	83	N	2	o
Surigao,	,,	29.75	755.7	86	65	ENE	4	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	SE	2	o	4.20	29.86	758.4	...	...	SE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	12.00	...	...	...	...	...	...	...	5	29.84	757.9	79	...	SW	1	b
Labuan,	14	29.88	758.9	88	76	SW	2	b	6	29.83	757.7	78	99	E	2	o

April 9*d.* 11*h.* 45*m.*—Pressure has increased considerably from N.E. China to S. Manchuria, and moderately from the Bonins to central Japan. It is nearly stationary from the Visayas to Guam and has decreased slightly to moderately elsewhere.

The anticyclone is now central to the the south of the Bonins. The Manchurian depression is moving eastward.

A trough of low pressure is shown from the Bashi Channel to the Pelew Islands.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 8·68 inches, against an average of 7·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan, .	S.E. or variable winds, light; overcast, rain, fog.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperatures.	Humidity.	Wind. Direction.	Force.	Weather.	10th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperatures.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.54	750.4	37	...	N	4	o	6	29.77	756.1	34	...	WNW	3	b
Nemuro,	11	29.49	749.0	...	...	...	o	...	5	29.37	746.0	...	...	SW	2	...
Hokodate,	,,	29.49	749.0	...	...	SSW	3	...	,,	29.57	751.0	...	...	WSW	4	...
Tokio,	,,	29.67	753.5	...	...	SSW	4	...	,,	29.57	751.0	...	...	SSW	3	...
Kochi,	,,	29.82	757.5	...	...	SW	1	...	,,	29.63	752.5	...	...	...	o	...
Nagasaki,	,,	29.78	756.5	...	...	SW	2	...	,,	29.86	758.5	...	...	NNW	1	...
Kagoshima,	,,	29.82	757.5	...	...	...	o	...	,,	29.80	757.0	...	...	NW	1	...
Oshima,	,,	29.86	758.5	...	...	S	1	...	,,	29.82	757.5	...	...	NNE	3	...
Naha,	,,	29.88	759.0	...	...	SE	2	...	,,	29.84	758.0	...	...	W	4	...
Ishigakijima,	,,	29.86	758.5	...	...	SW	1	...	,,	29.84	758.0	...	...	N	1	...
Bonin Island,	,,	29.98	761.5	...	...	NNE	1	...	,,	29.88	759.0	...	...	...	2	...
Chefoo,	15	29.96	761.0	48	71	NW	4	b	6	30.00	762.0	42	50	...	o	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.94	760.5	61	24	NNE	6	o	,,	30.12	765.0	47	93	...	o	b
Gutzlaff,	,,	29.88	758.9	56	72	NNE	7	o	,,	30.13	765.3	46	62	NNE	2	b
Sharp Peak,	,,	29.79	756.6	70	85	N	2	o	7	29.99	761.7	58	64	NNE	4	e
Amoy,	15	29.69	754.1	75	86	SSE	2	o	6	29.93	760.2	62	77	NE	4	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.80	756.9	77	57	...	o	o	5	29.97	761.1	59	96	E	4	r
Taichu,	,,	29.86	758.4	77	...	SSW	2	b	,,	29.88	759.0	68	...	...	o	o
Tainan,	,,	29.86	758.4	79	...	SW	2	b	,,	29.85	758.1	70	...	E	2	o
Koshun,	,,	29.82	757.5	82	...	WNW	2	b	,,	29.84	757.8	70	...	...	o	o
Pescadores,	,,	29.85	758.1	79	...	SW	4	o	,,	...	...	...	...	...	...	...
Canton,	14	...	...	..	...	...	...	...	6	...	..	...	...	...	...	...
Hongkong,	,,	29.79	756.6	75	78	WSW	1	o	,,	29.80	756.9	71	99	E	1	orf
Gap Rock,	,,	29.81	757.2	...	...	SE	2	o	,,	29.82	757.4	...	...	SSE	3	o
Macao,	,,	29.76	756.0	77	86	SSW	2	o	,,	29.76	756.0	70	100	SE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	29.80	756.9	85	69	S	1	b	6	29.83	757.7	75	79	...	c	b
Phulien,	,,	29.72	754.8	73	100	ESE	4	rf	7	29.72	754.8	73	96	E	4	of
Tourane,	,,	29.72	754.8	86	...	SE	2	bf	,,	29.75	755.7	73	...	SW	7	of
Cape St. James,	,,	29.79	756.6	90	...	SE	2	b	,,	29.81	757.2	79	...	ENE	2	o
Basco,	,,	29.74	755.4	82	81	NW	4	o	6	29.86	758.4	75	88	NW	4	o
Aparri,	,,	29.75	755.7	84	68	NNW	4	o	,,	29.82	757.5	75	94	...	o	o
Manila,	,,	29.78	756.3	90	63	WSW	4	b	,,	29.84	757.8	72	88	NE	1	o
Legaspi,	,,	29.78	756.3	90	66	NE	4	b	,,	29.82	757.5	66	96	...	o	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Iloilo,	,,	29.78	756.3	90	69	S	4	b	,,	29.82	757.5	77	91	N	2	b
Surigao,	..	29.76	756.0	86	68	E	2	b	,,	29.84	757.8	75	92	...	o	o
Guam,	12.20	29.82	757.5	...	...	SE	4	o	4.20	29.87	758.7	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	...	..	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.83	757.7	84	83	NE	2	b	6	29.80	756.9	78	91	N	2	b

April 10*d.* 11*h.* 00*m.*—Pressure has increased considerably at Wladivostock, moderately from Shanghai to Amoy, and slightly over Formosa. It has decreased slightly from the Bonins to central Japan and slightly over Tongking.

An anticyclone is shown over China and a depression over Indo-China.

Conditions to the east of the Philippines are uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·52 inch. Total since January 1st, 10·20 inches, against an average of 7·55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate; overcast, rain, fog.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th April, 1926.									11th April, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperatures.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperatures.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	29.72	754.9	44	...	NW	4	c		6	29.81	757.2	33	...	WNW	2	b	
Nemuro,	11	29.49	749.0	...	...	NNE	2	...		5	29.53	750.0	...	...	...	...	...	
Hokodate,	,,	29.61	752.0	...	...	W	3	...		,,	29.67	753.5	...	...	WNW	2	...	
Tokio,	,,	29.51	749.5	...	...	N	2	...		,,	29.86	758.5	...	...	NW	1	...	
Kochi,	,,	29.69	754.0	...	...	NW	1	...		,,	29.96	761.0	...	...	WSW	1	...	
Nagasaki,	,,	29.92	760.0	...	...	NNW	3	...		,,	30.02	762.5	...	...	...	c	...	
Kagoshima,	,,	29.86	758.5	...	...	NW	2	...		,,	30.00	762.0	...	...	WNW	1	...	
Oshima,	,,	29.92	760.0	...	...	NNE	3	...		,,	29.96	761.0	...	...	NNE	1	...	
Naha,	,,	29.94	760.5	...	...	NW	3	...		,,	29.96	761.0	...	...	NNW	1	...	
Ishigakijima,	,,	29.96	761.0	...	...	N	3	...		,,	29.92	760.0	...	...	NE	1	...	
Bonin Island,	,,	29.82	757.5	...	...	WSW	1	...		,,	29.88	759.0	...	...	S	1	...	
Chefoo,	15	29.95	760.7	50	65	NE	2	b		6	29.96	761.0	46	54	SSW	1	b	
Ichang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	14	30.08	764.1	64	20	ESE	2	b		,,	30.00	762.0	50	62	SE	4	b	
Gutzlaff,	,,	30.11	764.8	54	32	E	2	b		,,	29.97	761.2	52	60	S	4	b	
Sharp Peak,	,,	30.00	762.0	56	75	N	4	o		7	30.00	762.0	50	92	W	1	rf	
Amoy,	15	29.92	759.9	60	65	ENE	2	r		6	29.92	759.9	56	94	NNE	2	r	
Swatow,	,,	...	..	...	...	...	...	...		,,	..	...	...	...	.	...	...	
Taihoku,	11	30.02	762.6	61	79	NE	4	r		5	29.85	758.1	59	96	ESE	2	r	
Taichu,	,,	29.93	760.2	73	...	NW	2	b		,,	29.82	757.5	63	...	...	c	o	
Tainan,	,,	29.89	759.3	81	...	W	2	o		,,	29.85	758.1	66	...	E	2	o	
Koshun,	,,	29.89	759.3	82	...	NE	4	b		,,	29.87	758.7	70	...	ENE	4	o	
Pescadores,	,,	29.93	760.2	70	...	NE	6	o		,,	...	...	...	...	...	...	...	
Canton,	14	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Hongkong,	,,	29.76	756.0	68	95	E	4	od		,,	29.78	756.4	65	94	E	4	od	
Gap Rock,	,,	29.76	756.0	...	...	S	4	o		,,	29.77	756.1	...	...	ENE	5	od	
Macao,	,,	29.69	754.2	72	98	SE	4	of		,,	29.71	754.5	66	96	ESE	6	of	
Wuchow,	15	...	..	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	14	...	...	...	...	...	...	.		6	...	...	...	...	...	...	...	
Phulien,	,,	29.65	753.0	81	84	SE	2	of		7	...	...	...	...	...	...	...	
Tourane,	,,	29.68	753.9	82	...	SE	2	bf		,,	...	...	...	...	...	...	...	
Cape St. James,	,,	29.79	756.6	90	...	S	2	b		,,	...	...	...	...	...	...	...	
Basco,	,,	29.80	756.9	81	69	N	6	o		6	29.81	757.2	73	94	N	4	o	
Aparri,	,,	29.80	756.9	84	64	NE	6	b		,,	29.81	757.2	77	85	E	2	o	
Manila,	,,	29.75	755.7	90	44	WSW	4	b		,,	29.81	757.2	75	85	...	c	b	
Legaspi,	,,	29.76	756.0	90	66	ENE	2	b		,,	29.82	757.5	81	90	NE	1	b	
Tacloban,	,,	...	...	...	...		...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.74	755.4	93	50	N	4	o		,,	29.81	757.2	77	84	N	2	o	
Surigao,	,,	29.76	756.0	86	68	E	4	b		,,	29.82	757.5	75	92	...	c	o	
Guam,	12.20	29.82	757.5	...	...	SE	4	o		4.20	29.85	758.1	...	...	E	1	o	
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Labuan,	14	..	...	...	...	...	...	...		6	29.82	757.4	78	99	SW	1	o	

April 11*d.* 11*h.* 55*m.*—Pressure has increased considerably over central Japan and slightly from the Loochoos to the Bonins. It has decreased moderately from Shanghai to N. Formosa and slightly over the Balintang Channel.

The conditions in the China Sea are uncertain.

The anticyclone is central over the Eastern Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 3·01 inch. Total since January 1st. 13·21 inches, against an average of 7·72 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; overcast, occasional rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th April, 1926.								12th April, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.74	755.3	21	...	NW	4	c	6	29.79	756.7	33	...	W	2	b
Nemuro,	11	29.55	750.5	...	...	SW	1	...	5	29.63	752.5	...	...	WSW	1	...
Hokodate,	,,	29.70	754.5	...	...	W	6	...	,,	29.73	755.0	...	...	WSW	4	...
Tokio,	,,	29.88	759.0	...	...	...	0	...	,,	29.90	759.5	...	...	...	...	...
Kochi,	,,	29.96	761.0	...	...	SE	1	...	,,	29.92	760.0	...	...	SW	1	...
Nagasaki,	,,	30.04	763.6	...	...	...	...	...	,,	29.98	761.5	...	...	...	...	...
Kagoshima,	,,	30.02	762.5	...	...	SE	1	...	,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	29.96	761.0	...	...	ENE	1	...	,,	29.88	759.0	...	...	...	0	...
Naha,	,,	29.98	761.5	...	...	N	1	...	,,	29.78	756.5	...	...	E	1	...
Ishigakijima,	,,	29.92	760.0	...	...	E	2	...	,,	29.76	756.0	...	...	NE	1	...
Bonin Island,	,,	29.90	759.5	...	...	S	1	...	,,	29.88	759.0	...	...	NNE	1	...
Chefoo,	15	29.94	760.5	50	79	ENE	2	b	6	29.99	761.7	38	84	ENE	1	bf
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.92	759.9	61	55	SSE	4	o	,,	29.94	760.5	54	92	SSE	1	o
Gutzlaff,	,,	29.94	760.5	54	89	SSE	4	o	,,	29.98	761.5	52	100	SE	1	rf
Sharp Peak,	,,	29.91	759.7	54	98	W	1	rf	7	29.91	759.7	58	93	...	0	o
Amoy,	15	29.90	759.4	60	94	NNE	2	r	6	29.87	758.7	63	94	NW	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.83	759.0	64	94	ESE	2	o	5	29.84	757.8	64	98	...	0	r
Taichu,	,,	29.89	759.3	70	...	N	2	o	,,	29.82	757.5	66	...	NNE	2	o
Tainan,	,,	29.88	759.0	73	...	...	0	r	,,	29.81	757.2	68	...	E	2	o
Koshun,	,,	29.86	758.4	77	...	ENE	4	o	,,	29.79	756.6	68	...	...	0	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.76	756.0	66	89	E	4	o	,,	29.78	756.4	66	95	E	3	od
Gap Rock,	,,	29.74	755.4	...	...	ENE	5	o	,,	29.77	756.1	...	...	ENE	4	o
Macao,	,,	29.72	754.8	66	98	SE	4	r	,,	29.75	755.7	68	96	NE	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Phulien,	,,	29.65	753.0	82	70	SSE	4	bf	7	29.71	754.5	75	94	E	2	bf
Tourane,	,,	29.68	753.9	86	...	...	0	b	,,	29.73	755.1	82	...	...	0	bf
Cape St. James,	,,	29.79	756.6	90	...	SSE	2	b	,,	29.81	757.2	77	...	S	2	o
Basco,	,,	29.75	755.7	82	74	SE	4	o	6	29.79	756.6	75	83	SE	4	o
Aparri,	,,	29.75	755.7	86	71	NE	4	b	,,	29.82	757.5	75	96	...	0	b
Manila,	,,	29.75	755.7	97	42	SE	1	b	,,	29.84	757.8	75	88	NE	2	o
Legaspi,	,,	29.78	756.3	90	66	NE	4	b	,,	29.84	757.8	81	90	N	1	b
Tacloban,	,,	29.78	756.3	86	65	S	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	90	48	N	4	b	,,	29.82	757.5	79	89	N	4	b
Surigao,	,,	29.76	756.0	86	65	ENE	2	b	,,	29.82	757.5	75	92	...	0	o
Guam,	12.20	29.82	757.5	...	...	SE	4	o	4.20	29.84	757.8	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	86	84	NE	4	b	6	29.83	757.7	78	91	SW	2	b

April 12*d.* 11*h.* 00*m.*—Pressure has decreased considerably over the southern Loochoos and slightly over S.W. Japan and S. Formosa. It has increased slightly from Wladivostock to Chefoo and is nearly stationary elsewhere.

The anticyclone has merged into another central over S.E. Mongolia.

The depression is central to the West of Haiphong. Another has formed to the south of Ishigaki.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·35 inch. Total since January 1st, 14·56 inches, against an average of 7·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N.W. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. or variable winds, moderate; overcast, occasional rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	13th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	29.71	754.7	45	...	N	4	c	6	29.67	753.5	37	...	WNW	3	c
Nemuro,	11	29.55	750.5	...	...	SW	3	...	5	29.59	751.5	...	...	WSW	1	...
Hokodate,	,,	29.70	754.5	...	...	W	4	...	,,	29.69	754.0	...	...	WSW	3	...
Tokio,	,,	29.74	755.5	...	...	S	3	...	,,	29.88	759.0	...	...	...	0	...
Kochi,	,,	29.84	758.0	...	...	W	2	...	,,	29.92	760.0	...	...	WSW	1	...
Nagasaki,	,,	29.98	761.5	...	...	NNW	1	...	,,	29.96	761.0	...	...	...	...	...
Kagoshima,	,,	29.92	760.0	...	...	SE	1	...	,,	29.96	761.0	...	...	W	1	...
Oshima,	,,	29.90	759.5	...	...	...	0	...	,,	29.90	759.5	...	...	...	0	...
Naha,	,,	29.82	757.5	...	...	SSW	1	...	,,	29.86	758.5	...	...	NNW	1	...
Ishigakijima,	,,	29.83	759.0	...	...	SE	1	...	,,	29.82	757.5	...	...	...	0	...
Bonin Island,	,,	29.92	760.0	...	...	NE	1	...	,,	29.88	759.0	...	...	ENE	1	...
Chefoo,	15	29.98	761.5	54	55	E	1	b	6	29.88	758.9	52	60	SW	2	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.99	761.7	59	89	ENE	1	r	,,	30.01	762.3	50	95	ENE	2	o
Gutzlaff,	,,	30.02	762.5	54	100	ENE	2	rf	,,	30.04	763.0	52	93	E	2	o
Sharp Peak,	,,	29.90	759.4	62	89	...	0	o	7	29.88	758.9	60	93	...	0	o
Amoy,	15	29.82	757.4	66	95	ENE	1	o	6	29.88	758.9	63	68	ENE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Taihoku,	11	29.91	759.6	68	91	...	0	o	5	29.88	759.0	64	98	SE	1	r
Taichu,	,,	29.89	759.3	73	...	ESE	2	r	,,	29.85	758.1	66	...	...	0	o
Tainan,	,,	29.88	759.0	73	...	NNW	2	r	,,	29.84	757.8	66	...	N	2	o
Koshun,	,,	29.86	758.4	79	...	NW	2	o	,,	29.81	757.2	68	...	...	0	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	..	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.78	756.4	68	94	SSE	2	or	,,	29.77	756.1	68	94	E	4	cm
Gap Rock,	,,	29.79	756.6	...	...	NW	4	ort	,,	29.77	756.1	...	...	ENE	5	o
Macao,	,,	29.66	753.3	72	98	S	2	o	,,	29.74	755.4	68	94	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	.	6	...	...	...	...	...	...	...
Phulien,	,,	29.66	753.3	82	84	SE	4	bf	7	29.68	753.9	73	98	ENE	4	of
Tourane,	,,	29.71	754.5	86	...	...	c	bf	,,	29.71	754.5	81	...	...	c	lf
Cape St. James,	,,	29.80	756.9	90	...	SSE	2	b	,,	29.80	756.9	79	...	WNW	2	o
Basco,	,,	29.74	755.4	82	84	SW	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.74	755.4	86	68	NE	4	b	,,	29.81	757.2	75	89	NW	1	b
Manila,	,,	29.76	756.0	93	40	WNW	4	b	,,	29.81	757.2	75	85	...	0	o
Legaspi,	,,	29.78	756.3	90	69	ENE	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Iloilo,	,,	29.73	755.1	93	50	N	4	b	,,	29.81	757.2	77	86	N	1	o
Surigao,	,,	29.78	756.3	86	68	ESE	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	86	84	NE	4	b	6	29.85	758.2	78	99	SW	1	r

April 13*d*. 11*h*. 15*m*.—Pressure is highest over the Eastern Sea. It has increased slightly over central Japan and over the southern Loochoos, and decreased slightly over Indo-China. It is nearly stationary elsewhere.

There is still a depression over Tongking. The depressions to the south of Ishigaki and to the East of the Balintang Channel, have filled up or moved eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·40 inch. Total since January 1st. 14·96 inches, against an average of 8·07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, *moderate*; generally overcast, occasional rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th April, 1926.								14th April, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.64	752.9	43	...	N	4	o	6	30.00	762.0	33	...	NNE	4	b
Nemuro,	11	29.61	752.0	...	...	SW	2	...	5	29.65	753.0	...	...	SW	1	...
Hokodate,	,,	29.67	753.5	...	...	WSW	4	...	,,	29.67	753.5	...	...	NNW	1	...
Tokio,	,,	29.8	759.0	...	...	SSE	2	...	,,	29.73	755.0	...	...	...	0	...
Kochi,	,,	29.90	759.5	...	...	SE	1	...	,,	29.86	758.5	...	...	SW	1	...
Nagasaki,	,,	29.98	761.5	...	...	SW	1	...	,,	29.96	761.0	...	...	W	1	...
Kagoshima,	,,	29.94	760.5	...	...	E	1	...	,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	29.94	760.5	...	...	NE	1	...	,,	29.96	761.0	...	...	S	1	...
Naha,	,,	29.90	759.5	...	...	NNE	1	...	,,	29.92	760.0	...	...	NNE	1	...
Ishigakijima,	,,	29.86	758.4	...	...	NNE	1	...	,,	29.84	758.0	...	...	NNE	1	...
Bonin Island,	,,	29.84	757.8	...	...	E	1	...	,,	29.86	758.5	...	...	NE	1	...
Chefoo,	15	29.90	759.4	56	69	NW	4	b	6	30.04	763.0	44	76	...	0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.98	761.4	72	35	ESE	2	b	,,	30.00	762.0	48	89	ESE	2	b
Gutzlaff,	,,	30.02	762.5	60	49	SE	2	b	,,	30.04	763.0	52	93	NNE	2	o
Sharp Peak,	,,	29.91	759.7	65	76	NE	2	o	-	29.91	759.7	58	94	NW	1	r
Amoy,	15	29.87	758.7	66	95	ENE	1	o	6	29.84	757.9	63	94	NW	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	..	...	..	...	...	...	...
Taihoku,	11	29.03	760.2	70	83	E	4	o	5	29.87	758.7	68	98	ENE	4	b
Taichu,	,,	29.89	759.3	77	...	NW	2	o	,,	29.85	758.1	66	...	...	0	r
Tainan,	,,	29.87	758.7	81	...	NW	2	b	,,	29.81	757.2	70	...	...	0	r
Koshun,	,,	29.86	758.4	81	...	...	0	o	,,	29.80	756.9	73	...	ENE	2	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.77	756.1	66	94	E	4	od	,,	29.75	755.6	66	94	E	4	o
Gap Rock,	,,	29.78	756.3	...	...	ENE	4	o	,,	29.74	755.4	...	...	ENE	4	od
Macao,	,,	29.72	754.8	68	100	SE	4	o	,,	29.71	754.5	68	96	SE	4	rf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	.	6	..	...	...	...	...	...	...
Phulien,	,,	29.61	752.2	79	89	NE	4	of	7	29.65	753.0	75	100	E	4	of
Tourane,	,,	29.63	752.7	90	...	...	0	rf	,,	29.68	753.9	81	...	...	0	rf
Cape St. James,	,,	29.76	756.0	90	...	SSE	2	b	,,	29.81	757.2	77	...	S	2	b
Basco,	,,	29.76	756.0	88	57	WNW	4	o	6	29.79	756.6	75	92	ESE	4	o
Aparri,	,,	29.74	755.4	86	61	NE	4	b	,,	29.80	756.9	75	92	SW	2	b
Manila,	,,	29.73	755.1	93	46	WSW	4	b	,,	29.80	756.9	81	80	SE	1	b
Legaspi,	,,	29.76	756.0	90	69	ENE	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	79	89	NE	2	o
Iloilo,	,,	29.73	755.1	93	57	N	4	b	,,	29.80	756.9	79	87	N	2	b
Surigao,	,,	29.76	756.0	86	61	ESE	2	o	,,	29.86	758.4	73	92	...	0	o
Guam,	12.20	29.79	756.6	...	...	E	4	o	4.20	29.82	757.5	...	...	SE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	88	76	NE	4	b	6	29.85	758.2	78	91	SW	1	r

April 14*d*. 11*h*. 35*m*.—Pressure has decreased moderately over central Japan. It has increased considerably at Wladivostock and moderately at Chefoo. Elsewhere it is nearly stationary.

An anticyclone is shown over N.E. China and S.E. Mongolia. The depression remains stationary over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·55 inch. Total since January 1st. 16·51 inches, against an average of 8·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; overcast, rain.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	15th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostouk,	12	30.02	762.4	45	...	NNE	3	o	6	30.13	765.2	34	...	...	c	o
Nemuro,	11	29.61	752.c	...	...	NNE	2	...	5	29.65	753.c	...	...	NW	7	...
Hokodate,	,,	29.69	754.0	...	...	W	1	...	,,	29.92	760.c	...	...	NNW	1	...
Tokic,	,,	29.63	752.5	...	...	NW	4	...	,,	30.04	763.c	...	...	NW	2	...
Koobi,	,,	29.84	758.c	...	...	NW	1	...	,,	30.14	765.5	...	...	N	1	...
Nagasaki,	,,	29.96	761.0	...	...	W	2	...	,,	30.10	764.5	...	...	ENE	3	...
Kagoshima,	,,	29.94	760.5	...	...	NW	2	...	,,	30.08	764.0	...	...	NW	1	...
Oshima,	,,	29.96	761.c	...	...	NNE	1	...	,,	30.cc	762.c	...	...	...	c	...
Naba,	,,	29.94	76c.5	...	...	NNE	2	...	,,	29.96	761.0	...	...	N	1	...
Ishigakijima,	,,	29.8[illegible]	759.0	...	...	NE	2	...	,,	29.9c	759.5	...	...	E	3	...
Bonin Island,	,,	29.86	758.5	...	...	NNE	1	...	,,	29.92	76c.o	...	...	NE	1	...
Chefoo,	15	30.06	763.5	56	69	ENE	4	b	6	30.08	764.0	52	6c	S	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.02	762.6	72	23	E	4	b	,,	30.05	763.2	46	94	E	2	b
Gutzlaff,	,,	30.06	763.5	6o	6c	ESE	4	b	,,	30.c9	764.3	52	73	E	4	o
Sharp Peak,	,,	29.9[illegible]	759.7	63	83	NE	1	o	7	29.94	76c.5	56	75	NW	1	rf
Amoy,	15	29.83	757.7	66	91	NE	1	o	6	29.85	758.2	62	94	ENE	1	r
Swatow,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	..	...	...
Taihoku,	11	29.92	759.9	68	98	E	2	r	5	29.85	758.1	68	96	E	4	o
Taichu,	,,	29.88	759.0	72	...	...	o	r	,,	29.85	758.1	66	...	SE	1	o
Tainan,	,,	29.87	758.7	70	...	NNW	2	r	,,	29.84	757.8	68	...	...	c	r
Koshun,	,,	29.85	758.1	79	...	E	2	o	,,	29.81	757.2	72	...	...	c	r
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	..	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.74	755.4	67	92	E	5	ort	,,	29.76	755.9	65	97	E	4	od
Gap Rock,	,,	29.74	755.4	...	...	ENE	4	or	,,	29.74	755.4	...	...	ENE	4	o
Macao,	,,	29.74	755.4	70	100	SE	2	r	,,	29.71	754.5	66	96	ESE	4	o
Wuchow,	15	...	..	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Phulien,	,,	29.59	751.5	82	84	ESE	4	bf	7	...	...	73	98	ENE	4	o
Tourane,	,,	29.63	752.7	97	...	...	c	bf	,,	29.67	753.6	82	...	...	c	lf
Cape St. James,	,,	29.78	756.3	93	...	S	2	b	,,	29.79	756.6	81	...	S	2	of
Basco,	,,	...	...	...	...	...	...	...	6	29.76	756.c	75	92	...	o	o
Aparri,	,,	...	...	..	...	...	...	...	,,	29.79	756.6	72	94	SW	2	b
Manila,	,,	29.73	755.1	97	42	SE	2	b	,,	29 8c	756.9	79	84	ESE	1	b
Legaspi,	,,	29.75	755.7	9c	66	NNE	2	o	,,	29.81	757.2	79	9c	...	c	b
Tacloban,	,,	29.76	756.c	86	58	SSE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	93	46	N	4	b	,,	29.81	757.2	75	85	N	2	o
Surigao,	,,	29.76	756.c	9c	66	E	2	o	,,	29.82	757.5	75	92	ESE	1	o
Guam,	12.20	29.81	757.2	...	...	NNW	1	o	4.20	29.82	757.5	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	86	84	NE	4	b	6	29.85	758.2	78	99	N	2	b

April 15*d.* 11*h.* 20*m.*—Pressure has increased considerably over central Japan, moderately from S.W. Japan to Wladivostock and slightly from the Loochoos to the Bonins. It is nearly stationary elsewhere.

The anticyclone is moving eastward into the Sea of Japan.

The depression remains unchanged over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·74 inch. Total since January 1st, 18·25 inches, against an average of 8·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; overcast, rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th April, 1926.									16th April, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.04	762.9	43	...	SSE	4	o		6	29.81	757.2	38	...	SE	4	o	
Nemuro,	11	29.74	755.5	...	...	NNW	6	...		5	30.04	763.0	...	...	...	o	...	
Hokodate,	,,	29.96	761.0	...	...	NNW	5	...		,,	30.08	764.0	...	...	...	o	...	
Tokio,	,,	30.04	763.0	...	...	NW	4	...		,,	30.20	767.0	...	...	NW	1	...	
Kochi,	,,	30.12	765.0	...	...	ESE	1	...		,,	30.16	766.0	...	...	SW	1	...	
Nagasaki,	,,	30.14	765.5	...	...	E	1	...		,,	30.10	764.5	...	...	SE	1	...	
Kagoshima,	,,	30.12	765.0	...	...	NE	2	...		,,	30.12	765.0	...	...	...	o	...	
Oshima,	,,	30.02	762.5	...	...	SE	1	...		,,	29.98	761.5	...	...	SSE	1	...	
Naha,	,,	29.98	761.5	...	...	NE	1	...		,,	29.88	759.0	...	...	E	2	...	
Ishigakijima,	,,	29.90	759.5	...	...	E	3	...		,,	29.80	757.0	...	...	SSE	4	...	
Bonin Island,	,,	29.94	760.5	...	...	NW	1	...		,,	30.12	765.0	...	...	NE	1	...	
Chefoo,	15	29.97	761.2	71	42	SSE	4	b		6	29.88	758.9	52	79	SSE	1	o	
Ichang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	14	30.01	762.3	70	29	ESE	4	b		,,	29.91	759.6	55	96	ESE	1	r	
Gutzlaff,	,,	30.05	763.2	58	76	SE	4	o		,,	29.93	760.2	56	94	NNE	2	r	
Sharp Peak,	,,	29.90	759.4	60	94	N	2	r		7	29.87	758.7	62	93	...	c	o	
Amoy,	15	29.77	756.1	65	95	NE	1	o		6	29.79	756.6	63	100	ESE	1	r	
Swatow,	,,	...	...	...	...	...	...	...		,,	..	...	..	...	...	..	...	
Taihoku,	11	29.85	758.1	72	92	E	4	o		5	29.76	756.0	66	98	...	c	o	
Taichu,	,,	29.84	757.8	70	...	..	o	b		,,	29.76	756.0	68	...	...	c	o	
Tainan,	,,	29.79	756.6	72	...	ESE	2	r		,,	29.75	755.7	70	...	E	1	o	
Koshun,	,,	29.82	757.5	72	...	...	c	b		,,	29.74	755.4	73	...	...	o	o	
Pescadores,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Canton,	14	...	...	..	...	...	...	...		6	...	...	...	...	...	...	...	
Hongkong,	,,	29.73	755.1	67	90	ENE	4	od		,,	29.70	754.4	66	93	E	4	o	
Gap Rock,	,,	29.72	754.9	...	...	ENE	5	o		,,	29.68	753.9	...	...	ENE	5	o	
Macao,	,,	29.71	754.5	66	94	E	4	o		,,	29.68	753.9	68	98	ENE	4	of	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	14	...	...	...	...	...	...	.		6	29.63	752.6	77	90	SSW	4	o	
Phulien,	,,	29.55	750.6	84	77	ESE	4	bf		7	29.65	753.0	73	98	ENE	4	bf	
Tourane,	,,	29.60	751.8	93	...	...	c	bf		,,	29.62	752.4	90	...	SW	4	bf	
Cape St. James,	,,	29.72	754.8	93	...	S	2	of		,,	29.78	756.3	81	...	S	2	of	
Basco,	,,	29.74	755.4	81	80	..	o	o		6	29.74	755.4	77	92	...	o	o	
Aparri,	,,	29.72	754.8	84	71	NE	4	o		,,	...	...	...	...	...	...	...	
Manila,	,,	29.73	755.1	90	60	W	4	b		,,	29.79	756.6	81	84	SSE	2	o	
Legaspi,	,,	29.75	755.7	90	66	NE	4	b		,,	29.81	757.2	75	96	...	c	b	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.72	754.8	93	57	N	4	o		,,	29.80	756.9	77	84	N	2	o	
Surigao,	..	29.76	756.0	86	71	ENE	2	b		,,	...	...	...	...	...	...	...	
Guam,	12.20	29.79	756.6	...	...	E	2	o		4.20	29.86	758.4	...	...	E	1	o	
Yap,	12.47	29.81	757.2	...	...	ENE	4	o		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	..	...	..	...	...	...	...		5	29.82	757.4	77	...	NE	1	bo	
Labuan,	14	29.82	757.4	86	84	NE	4	b		6	29.84	757.9	80	87	NE	2	b	

April 16*d.* 11*h.* 20*m.*—Pressure has increased moderately over central Japan and slightly over Tongking. It has decreased moderately from Chefoo to Shanghai and slightly from the Loochoos to Hongkong. It is nearly stationary over the Philippines.

The anticyclone is central near Tokio.

Conditions over Indo-China are uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·39 inch. Total since January 1st, 19·64 inches, against an average of 8·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; overcast.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th APRIL, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th APRIL, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	29.76	756.0	38	...	SE	2	o	6	29.96	760.9	42	...	...	c	o
Nemuro,	11	30.00	762.0	...	...	SW	1	...	5	29.69	754.0	...	...	W	2	...
Hokodate,	,,	30.02	762.5	...	...	SW	3	...	,,	29.84	758.0	...	...	NW	1	...
Tokio,	,,	30.14	765.5	...	...	S	1	...	,,	30.00	762.0	...	...	NW	1	...
Kochi,	,,	30.14	765.5	...	...	SSE	1	...	,,	29.96	761.0	...	...	SW	1	...
Nagasaki,	,,	30.06	763.0	...	...	SE	2	...	,,	29.86	758.5	...	...	E	1	...
Kagoshima,	,,	30.08	764.0	...	...	SSE	1	...	,,	29.84	758.0	...	...	NE	1	...
Oshima,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.67	753.5	...	...	SSW	2	...
Naha,	,,	29.84	758.0	...	...	ENE	3	...	,,	29.71	754.5	...	...	S	1	...
Ishigakijima,	,,	29.76	756.0	...	...	SW	1	...	,,	29.75	755.5	...	...	NW	1	...
Bonin Island,	,,	30.12	765.0	...	...	E	1	...	,,	30.02	762.5	...	...	ESE	2	...
Chefoo,	15	29.79	756.6	72	54	SSE	1	o	6	29.91	759.7	46	86	WNW	4	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	68	...	...	c	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	61	...	...	2	or
Shanghai,	14	29.82	757.5	63	92	ESE	2	r	,,	29.79	756.6	50	100	ESE	1	of
Gutzlaff,	,,	29.85	758.1	58	94	SE	2	r	,,	29.81	757.2	58	100	SSE	1	rf
Sharp Peak,	,,	29.81	757.2	71	76	N	1	o	7	29.78	756.3	63	94	...	c	of
Amoy,	15	29.72	754.8	65	95	SSE	1	o	6	29.79	756.6	64	100	ENE	1	of
Swatow,	,,	...	..	...	...	...	...	...	,,	...	...	..	...	...	...	...
Taihoku,	11	29.78	756.3	70	91	NW	2	o	5	29.78	756.3	66	98	...	c	r
Taichu,	,,	29.76	756.0	73	...	...	o	o	,,	29.80	756.9	70	...	...	c	o
Tainan,	,,	29.79	756.6	70	...	ENE	2	r	,,	29.78	756.3	72	...	...	o	r
Koshun,	,,	29.76	756.0	81	...	WNW	2	o	,,	29.76	756.0	75	...	W	2	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	..	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.71	754.6	71	85	ESE	3	o	,,	29.76	755.9	69	97	E	2	cm
Gap Rock,	,,	29.73	755.1	...	...	ENE	4	o	,,	29.75	755.6	...	...	ENE	4	o
Macao,	,,	29.69	754.2	70	91	NE	2	o	,,	29.72	754.8	70	98	SE	1	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	29.75	755.6	78	93	SW	1	d
Phulien,	,,	29.62	752.4	81	86	SSE	1	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.63	752.7	77	...	...	c	bf	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	93	...	S	2	of	,,	...	...	...	...	...	...	...
Basco,	,,	29.73	755.1	90	57	SW	4	b	6	29.78	756.3	79	90	SW	4	o
Aparri,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	96	...	o	o
Manila,	,,	29.73	755.1	90	57	WSW	4	b	,,	29.84	757.8	77	91	E	1	b
Legaspi,	,,	29.74	755.4	90	60	NNE	2	h	,,	29.85	758.1	73	96	NE	1	b
Tacloban,	,,	29.76	756.0	90	66	SSE	4	h	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	93	59	N	4	b	,,	29.84	757.8	77	86	N	2	o
Surigao,	,,	29.75	755.7	90	63	ENE	4	h	,,	29.85	758.1	73	92	N	1	o
Guam,	12.20	29.81	757.2	...	...	ENE	4	o	4.20	29.89	759.3	...	...	E	1	o
Yap,	12.47	29.78	756.3	...	...	E	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	79	...	NE	1	o
Labuan,	14	29.81	757.2	88	84	NE	4	b	6	29.83	757.7	78	99	SW	1	r

April 17*d*. 11*h*. 40*m*.—Pressure has decreased considerably over Japan and the northern Loochoos and slightly at Shanghai. It has increased moderately from Chefoo to Wladivostock and slightly from Formosa to Hongkong and the Philippines.

An anticyclone has formed over S.E. Mongolia and a depression to the north of Naha.

The depression over Indo-China is shallow.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 19·64 inches, against an average of 8·79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18th.

District.	Forecast.
1.—Formosa Channel,	Light variable winds, freshening from E. later.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; overcast with mist or drizzle at first, improving later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th APRIL, 1926.								18th APRIL, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.72	755.0	...	...	ENE	1	...	5	29.82	757.5	...	...	NE	1	...
Hokodate,	,,	29.86	758.5	...	...	...	0	...	,,	29.71	754.5	...	...	...	...	...
Tokio,	,,	29.90	759.5	...	...	S	3	...	,,	29.69	754.0	...	...	NNW	1	...
Kochi,	,,	29.88	759.0	...	...	SSW	1	...	,,	29.67	753.5	...	...	SW	1	...
Nagasaki,	,,	29.76	756.0	...	...	SE	1	...	,,	29.69	754.0	...	...	W	1	...
Kagoshima,	,,	29.76	756.0	...	...	NE	1	...	,,	29.71	754.5	...	...	...	0	...
Oshima,	,,	29.63	752.5	...	...	SSW	1	...	,,	29.69	754.0	...	...	NE	1	...
Naha,	,,	29.72	755.0	...	...	SSW	3	...	,,	29.76	756.0	...	...	W	1	...
Ishigakijima,	,,	29.80	757.0	...	...	WNW	2	...	,,	29.76	756.0	...	...	NNE	1	...
Bonin Island,	,,	29.92	760.0	...	...	ESE	2	...	,,	29.73	755.0	...	...	SSW	2	...
Chefoo,	15	29.91	759.7	46	77	NW	6	0	6	29.82	757.4	50	51	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.87	758.7	57	86	NNW	4	0	,,	30.01	762.3	48	87	WNW	2	b
Gutzlaff,	,,	29.84	757.9	58	94	NNW	6	0	,,	29.99	761.7	50	72	NNW	4	0
Sharp Peak,	,,	29.79	756.6	78	74		0	0	,,	29.85	758.2	58	94	NNE	4	rf
Amoy,	15	29.71	754.6	75	81	ENE	1	b	6	29.78	756.4	70	95	NW	1	of
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.84	757.8	70	94	WSW	1	0	5	29.80	756.9	64	96	E	4	r
Taichu,	,,	29.82	757.5	81	...	WSW	2	b	,,	...	...	73	...	SSW	2	r
Tainan,	,,	29.82	757.5	81	...	WNW	2	b	,,	29.75	755.7	75	...	S	2	0
Koshun,	,,	29.82	757.5	73	...	SW	2	0	,,	29.76	756.0	77	...	WNW	4	0
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	..	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.77	756.1	71	93	E	3	or	,,	29.79	756.6	71	98	...	0	cm
Gap Rock,	,,	29.77	756.1	...	...	ENE	3	0	,,	29.82	757.4	...	...	N	3	f
Macao,	,,	29.73	755.1	73	89	...	0	0	,,	29.80	756.9	70	87	N	1	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	29.75	755.6	84	81	WSW	2	b	6	29.77	756.1	81	87	WSW	1	bc
Phulien,	,,	29.71	754.5	81	80	SSE	2	of	7	...	...	...	...	...	...	...
Tourane,	,,	29.67	753.6	90	...	...	0	bf	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	93	...	SSE	2	b	,,	...	...	...	...	...	...	...
Basco,	,,	29.75	755.7	84	81	SW	4	0	6	29.78	756.3	79	91	SW	4	0
Aparri,	,,	29.76	756.0	86	75	NE	4	b	,,	29.82	757.5	77	94	...	0	b
Manila,	,,	29.79	756.6	90	57	WSW	4	b	,,	29.85	758.1	75	91	SE	1	0
Legaspi,	,,	29.79	756.6	93	61	NE	2	b	,,	29.85	758.1	73	96	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	93	61	N	4	b	,,	29.86	758.4	75	91	N	2	b
Surigao,	,,	29.79	756.6	86	65	E	2	b	,,	29.85	758.1	73	92	...	0	0
Guam,	12.20	29.85	758.1	...	...	SE	4	0	4.20	29.87	758.7	...	...	E	1	0
Yap,	12.47	29.81	757.2	...	...	ENE	4	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	..	...	...	5	...	...	79	...	..	..	...
Labuan,	14	29.81	757.2	86	84	SW	2	b	6	29.82	757.4	80	91	NW	2	b

April 18*d*. 12*h*. 30*m*.—Pressure has decreased considerably over central Japan and moderately over S.W. Japan and at Chefoo. It has increased moderately over E. China and slightly over the Loochoos, S. China and the Philippines.

An anticyclone has developed over the lower Yangtze Valley.

The depression has continued moving northeastward and now covers central Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. **Total since January 1st.** 19·65 inches, against an average of 8·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel, ...	N. to N.E. winds, moderate; overcast, occasional rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th April, 1926.								19th April, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.59	751.5	47	...	WSW	4	o	6	29.72	754.9	33	...	SE	2	f
Nemuro,	11	29.70	754.5	...	...	ENE	3	...	5	29.15	740.5	...	...	NNW	3	...
Hokodate,	,,	29.55	750.5	...	...	ESE	2	...	,,	29.33	745.0	...	...	NNW	6	...
Tokio,	,,	29.53	750.0	...	...	S	1	...	,,	29.51	749.5	...	...	NNW	3	...
Kochi,	,,	29.59	751.5	...	...	ENE	1	...	,,	29.80	757.0	...	...	NW	1	...
Nagasaki,	,,	29.72	755.0	...	...	W	3	...	,,	29.88	759.0	...	...	...	0	...
Kagoshima,	,,	29.69	754.0	...	...	WNW	1	...	,,	29.88	759.0	...	...	WNW	1	...
Oshima,	,,	29.72	755.0	...	...	N	1	...	,,	29.88	759.0	...	...	NNE	2	...
Naha,	,,	29.80	757.0	...	...	WNW	1	...	,,	29.92	760.0	...	...	N	2	...
Ishigakijima,	,,	29.82	757.5	...	...	NNE	2	...	,,	29.98	761.5	...	...	N	1	...
Bonin Island,	,,	29.72	755.0	...	...	WSW	2	...	,,	29.75	755.5	...	...	WSW	1	...
Chefoo,	15	29.79	756.6	62	56	...	0	b	6	29.69	754.1	58	53	SSW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	...	...	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Shanghai,	14	30.02	762.6	64	28	NW	4	b	,,	29.08	761.4	45	97	SSW	2	b
Gutzlaff,	,,	30.04	763.0	58	58	N	4	b	,,	30.00	762.0	52	73	SW	2	b
Sharp Peak,	,,	29.92	759.9	60	85	E	1	o	7	29.95	760.7	60	88	E	1	b
Amoy,	15	29.88	758.9	65	84	ENE	2	o	6	29.95	760.7	60	90	NE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.95	760.8	63	84	E	4	o	5	...	...	59	73	ESE	6	r
Taichu,	,,	29.88	759.0	70	...	N	2	o	,,	29.87	758.7	63	...	...	0	o
Tainan,	,,	29.82	757.5	81	...	NW	4	o	,,	29.87	758.7	63	...	N	2	o
Koshun,	,,	29.82	757.5	79	...	WNW	4	r	,,	29.87	758.7	84	...	ENE	6	r
Pescadores,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	29.86	758.4	67	79	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.86	758.4	68	69	...	0	or	,,	29.87	758.7	65	73	E	3	o
Gap Rock,	,,	29.87	758.7	...	...	N	4	o	,,	29.88	758.9	...	...	ENE	4	o
Macao,	,,	29.85	758.1	66	87	N	4	r	,,	29.86	758.4	64	76	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.79	756.6	80	93	NNE	3	r	6	29.89	759.2	73	90	NE	5	r
Phulien,	,,	29.82	757.5	79	61	NE	2	o	7	29.91	759.6	68	81	ENE	2	o
Tourane,	,,	29.73	755.1	79	...	NW	2	of	,,	29.81	757.2	72	...	NW	4	of
Cape St. James,	,,	29.75	755.7	93	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	,,	29.73	755.1	84	81	SW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.74	755.4	86	65	N	4	b	,,	...	...	...	...	...	..	...
Manila,	,,	29.75	755.7	93	50	W	4	b	,,	29.82	757.5	79	84	NNE	2	b
Legaspi,	,,	29.75	755.7	93	61	NE	2	b	,,	29.84	757.8	77	85	...	0	b
Tacloban,	,,	..	...	...	...	...	...	...	,,	29.84	757.8	75	89	NW	2	b
Iloilo,	,,	29.74	755.1	93	57	E	4	b	,,	29.82	757.5	75	89	N	2	o
Surigao,	,,	29.79	756.6	86	46	ENE	2	b	,,	29.82	757.5	72	92	ESE	1	o
Guam,	12.20	29.79	756.6	...	...	E	4	o	4.20	29.84	757.8	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.81	757.2	...	...	ENE	4	o
Pelew,	11.00	...	...	...	...	..	...	...	5	...	...	..	...	...	..	...
Labuan,	12	29.81	757.2	88	80	NE	4	b	6	29.84	757.9	78	91	N	2	b

April 19*d.* 11*h.* 50*m.*—Pressure has decreased considerably over N.E. Japan, moderately over S.W. Japan and the Loochoos, and slightly from Shanghai to Chefoo. It has increased slightly over Indo-China, Formosa and the Philippines.

The depression has deepened and is moving into the Pacific.

The anticyclone has weakened. It now extends from Tongking to S.W. Japan.

Pressure is low over the S. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 19·69 inches, against an average of 9·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; overcast at first, improving later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th April, 1926.								20th April, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.67	753.6	39	...	ESE	4	o	6	29.34	745.2	42	...	ESE	4	o
Nemuro, ...	11	29.07	738.5	...	...	NNW	5	...	5	29.61	752.0	...	...	WNW	10	...
Hokodate, ...	..	29.49	749.0	...	...	N	7	...	,,	29.84	758.0	...	...	ESE	1	...
Tokio, ...	,,	29.72	755.0	...	...	NW	4	...	,,	29.96	761.0	...	...	NNW	1	...
Kochi, ...	,,	29.84	758.0	...	...	WSW	1	...	,,	29.94	760.5	...	...	SW	1	...
Nagasaki, ...	,,	29.92	760.0	...	...	W	2	...	,,	29.90	759.5	...	...	WSW	1	...
Kagoshima, ...	,,	29.92	760.0	...	...	W	1	...	,,	29.94	760.5	...	...	NW	1	...
Oshima, ...	,,	29.96	761.0	...	...	NE	2	...	,,	29.96	761.0	...	...	...	0	...
Naha, ...	,,	29.94	760.5	...	...	ENE	1	...	,,	29.94	760.5	...	...	NNE	1	...
Ishigakijima, ...	,,	29.98	761.5	...	...	E	2	...	,,	...	...	...	...	S	3	...
Bonin Island, ...	,,	29.76	756.0	...	...	S	9	...	,,	30.02	762.5	...	...	...	0	...
Chefoo.	15	29.44	747.8	72	58	SW	4	o	6	29.81	757.2	46	62	N	6	b
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	29.87	758.7	65	...	...	0	hm
Shanghai, ...	14	29.86	758.4	72	36	S	4	b	,,	29.80	756.9	50	90	SSW	1	h
Gutzlaff, ...	,,	29.91	759.7	62	41	S	4	h	,,	29.85	758.2	56	69	SSW	6	h
Sharp Peak, ...	,,	29.97	761.2	68	60	E	2	o	7	29.95	760.7	60	82	NW	1	b
Amoy, ...	15	29.93	760.2	68	74	ENE	2	b	6	29 89	759.2	63	83	WSW	4	o
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	11	29.95	760.8	66	59	E	4	o	5	29.91	759.6	63	82	...	0	o
Taichu, ...	,,	29.94	760.5	68	...	...	0	r	,,	...	...	63	...	..	0	o
Tainan, ...	,,	29.91	759.6	72	...	SSE	2	o	,,	29.87	758.7	68	...	SW	2	o
Koshun, ...	,,	29.91	759.6	70	...	NE	4	o	,,	29.88	759.0	66	...	NE	2	o
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	14	29.89	759.2	66	79	...	0	or	6	...	...	...	...	...	...	...
Hongkong, ...	,,	29.88	758.9	65	73	E	3	o	,,	29.87	758.7	65	77	E	2	o
Gap Rock, ...	,,	29.88	758.9	...	...	ENE	4	o	,,	29.84	757.9	...	...	ENE	4	o
Macao, ...	,,	29.86	758.4	64	84	ENE	2	r	,,	29.82	757.5	64	86	E	2	of
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island, ...	14	29.84	757.9	74	95	NE	5	r	6	29.77	756.1	73	89	E	3	ho
Phulien, ...	,,	29.85	758.1	72	75	SE	1	o	7	29.87	758.7	66	98	ENE	2	of
Tourane, ...	,,	29.76	756.0	73	...	NW	4	o	,,	29.82	757.5	73	...	...	0	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	79	...	ENE	2	of
Basco, ...	,,	...	...	...	...	...	...	...	6	29.85	758.1	75	88	ENE	2	o
Aparri, ...	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Manila, ...	,,	29.73	755.1	93	53	WSW	4	b	,,	29.86	75?.4	77	84	NNE	2	b
Legaspi, ...	,,	29.76	756.0	90	55	NE	4	h	,,	29.86	758.4	75	92	...	0	b
Tacloban, ...	,,	29.78	756.3	90	51	S	4	h	,,	...	...	...	...	..	...	...
Iloilo, ...	,,	29.73	755.1	86	52	E	4	o	,,	29.84	757.8	75	92	N	4	b
Surigao, ...	..	29.78	756.3	86	58	NNE	2	b	,,	29.82	757.5	75	91	ESE	1	o
Guam, ...	12.20	29.79	756.6	...	...	E	4	o	4.20	29.88	759.0	...	...	ENE	2	o
Yap, ...	12.47	29.79	756.6	...	...	ENE	4	o	4.47	...	...	...	...	...	..	...
Pelew, ...	11.00	...	...	.	...	...	...	...	5	29.86	758.4	77	...	NE	2	c
Labuan.	14	29.80	756.9	88	84	NE	4	b	6	29.83	757.7	82	83	NE	2	b

April 20*d*. 11*h*. 10*m*.—Pressure has increased considerably from N.E. Japan to the Bonins and over N.E. China. It has increased slightly over the Philippines and decreased slightly at Shanghai.

An anticyclone is central between S.E. Japan and the Bonins and a wedge of relatively high pressure extends from S.E. China to the Loochoos.

A deep depression is central near Wladivostock and a shallow depression lies off Cochin-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 19·69 inches, against an average of 9·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; generally cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	21st April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.26	743.1	42	...	SE	6	o	6	29.57	751.1	36	...	NNW	2	o
Nemuro,	11	29.72	755.0	...	...	NW	2	...	5	29.61	752.0	...	...	ENE	2	...
Hokodate,	,,	29.76	756.0	...	...	SE	3	...	,,	29.39	746.5	...	...	SSW	4	...
Tokio,	,,	29.80	757.0	...	...	SSW	5	...	,,	...	...	...	...	...	..	...
Kochi,	,,	29.84	758.0	...	...	SE	1	...	,,	29.80	757.0	...	...	..	..	...
Nagasaki,	,,	29.86	758.5	...	...	SW	5	...	,,	30.06	763.5	...	...	NNW	2	...
Kagoshima,	,,	29.90	759.5	...	...	W	1	...	,,	29.98	761.5	...	...	NW	2	...
Oshima,	,,	29.94	760.5	...	...	S	1	...	,,	29.98	761.5	...	...	NNE	1	...
Naha,	,,	29.96	761.0	...	...	SSE	1	...	,,	30.00	762.0	...	...	NW	2	...
Ishigakijima,	,,	29.92	760.0	...	...	...	0	...	,,	29.98	761.5	...	...	...	..	...
Bonin Island,	,,	30.02	762.5	...	...	SSE	1	...	,,	29.96	761.0	...	...	...	0	...
Chefoo,	15	30.00	762.0	50	51	NW	4	b	6	30.08	764.0	46	62	SW	2	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	73	...	...	0	c
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.97	761.1	70	49	NNE	6	b	,,	30.19	766.8	45	82	ENE	2	b
Gutzlaff,	,,	29.92	759.9	62	67	NNE	4	b	,,	30.21	767.3	50	58	E	4	b
Sharp Peak,	,,	29.90	759.4	78	61	ESE	2	b	,,	30.04	763.0	60	82	ENE	2	o
Amoy,	15	29.78	756.4	72	81	SSE	2	bf	6	29.97	761.2	65	95	ENE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	..	...	...
Taihoku,	11	29.93	760.2	75	71	...	0	o	5	30.00	762.0	68	91	E	2	o
Taichu,	,,	29.97	761.1	77	...	...	0	o	,,	29.98	761.4	66	...	...	0	b
Tainan,	,,	29.92	759.9	75	...	ENE	2	o	,,	29.94	760.5	68	...	NE	2	b
Koshun,	,,	29.91	759.6	75	...	...	0	r	,,	29.94	760.5	68	...	...	0	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.84	757.9	71	78	ESE	3	o	,,	29.89	759.2	70	92	E	3	o
Gap Rock,	,,	29.84	757.9	...	...	ENE	4	o	,,	29.87	758.7	...	...	ENE	4	o
Macao,	,,	29.82	757.5	64	86	E	2	of	,,	29.87	758.7	70	98	ESE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.79	756.6	78	79	ESE	2	b	6	29.91	759.7	77	88	E	2	c
Phulien,	,,	29.76	756.0	75	79	ESE	2	o	7	29.85	758.1	72	98	E	2	rf
Tourane,	,,	29.78	756.3	81	...	N	2	b	,,	29.81	757.2	77	...	SW	2	of
Cape St. James,	,,	29.82	757.5	90	...	ENE	4	bf	,,	29.85	758.1	79	...	ENE	2	o
Basco,	,,	...	...	...	...	...	...	...	6	...	...	..	..	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	29.02	759.9	75	91	...	0	b
Manila,	,,	29.78	756.3	93	..	WSW	2	b	,,	29.91	759.6	77	85	...	0	o
Legaspi,	,,	29.80	756.9	90	63	ENE	4	o	,,	29.91	759.6	79	91	...	0	o
Tacloban,	,,	29.80	756.9	86	68	S	4	o	,,	29.91	759.6	75	83	NE	4	o
Iloilo,	,,	...	..	...	...	..	...	...	,,	29.86	758.4	79	84	N	4	b
Surigao,	..	29.79	756.6	86	65	ENE	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.86	758.4	...	...	E	4	o	4.20	29.88	759.0	...	...	NE	4	o
Yap,	12.47	29.82	757.5	...	...	ENE	6	r	4.47	...	..	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	78	...	NE	1	o
Labuan,	14	29.80	756.9	88	84	NE	4	b	6	29.84	757.9	78	91	N	2	b

April 21*d.* 11*h.* 10*m.*—Pressure has decreased considerably over N.E. Japan. It has increased considerably from Wladivostock to Pekin and at Shanghai, and slightly elsewhere.

The northern depression is moving eastward to N.E. Japan.

The anticyclone is now central near Shanghai.

A shallow depression is central near Tourane.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 19·71 inches, against an average of 9·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	E. winds, moderate; overcast, some rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	22nd April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.73	755.1	41	...	NNE	4	r	6	30.02	762.4	38	...	WNW	2	o
Nemuro,	11	29.41	747.0	...	...	E	2	...	5	...	...	...	...	...	..	...
Hokodate,	,,	29.31	744.5	...	...	SW	3	...	,,	29.69	754.0	...	...	NW	2	...
Tokio,	,,	29.47	748.5	...	...	NNW	4	...	,,	29.86	758.5	...	...	...	0	...
Kochi,	,,	29.82	757.5	...	...	W	1	...	,,	30.12	765.0	...	...	SW	1	...
Nagasaki,	,,	30.06	763.5	...	...	W	4	...	,,	30.12	765.0	...	...	..	C	...
Kagoshima,	,,	30.02	762.5	...	...	WNW	2	...	,,	30.12	765.0	...	...	NW	1	...
Oshima,	,,	30.06	763.5	...	...	NE	2	...	,,	30.10	764.5	...	...	S	1	...
Naha,	,,	30.04	763.0	...	...	NNW	2	...	,,	...	...	...	...	...	C	...
Ishigakijima,	,,	30.04	763.0	...	...	E	2	...	,,	29.96	761.0	...	...	ESE	3	...
Bonin Island,	,,	29.96	761.0	...	...	SW	1	...	,,	30.04	763.0	...	...	W	1	...
Chefoo,	15	30.10	764.5	54	80	NW	1	b	6	30.04	763.0	50	58	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	63	...	NW	1	bc
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.15	765.9	66	34	E	4	b	,,	30.04	762.9	54	70	ESE	6	o
Gutzlaff,	,,	30.18	766.6	54	49	ESE	4	b	,,	30.07	763.8	52	79	SE	6	o
Sharp Peak,	,,	30.04	763.0	68	70	ENE	2	b	7	29.97	761.2	58	93	...	C	r
Amoy,	15	30.02	762.5	66	95	ENE	4	o	6	29.94	760.5	64	95	NNE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Taihoku,	11	30.04	762.9	75	76	E	6	b	5	29 89	759.3	70	88	E	2	o
Taichu,	,,	29.97	761.1	82	...	NNW	2	b	,,	29.93	760.2	70	...	...	C	r
Tainan,	,,	29.99	761.7	82	...	N	2	b	,,	29.89	759.3	70	...	...	C	b
Koshun,	,,	29.88	759.0	82	...	NE	4	bf	,,	29.89	759.3	75	...	ENE	2	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	..	...	...
Hongkong,	,,	29.87	758.7	69	97	E	3	od	,,	29.90	759.4	67	95	ESE	3	o
Gap Rock,	,,	29.86	758.4	...	...	ENE	4	o	,,	29.87	758.7	...	...	E	3	f
Macao,	,,	29.81	757.2	70	98	SE	4	of	,,	29.82	757.5	70	98	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.80	756.9	83	76	ESE	1	b	6	29.90	759.4	79	78	SE	1	b
Phulien,	,,	29.75	755.7	79	90	SSE	2	of	7	29.78	756.3	75	100	SSE	4	rf
Tourane,	,,	29.81	757.2	82	...	SE	2	bf	,,	29.81	757.2	79	...	SW	6	of
Cape St. James,	,,	29.86	758.4	75	...	ENE	4	o	,,	29.93	760.2	79	...	ESE	2	b
Basco,	,,	29.86	758.4	86	75	ESE	4	o	6	29.88	759.0	77	89	SE	4	o
Aparri,	,,	29.84	757.8	86	65	ENE	4	b	,,	29.88	759.0	77	89	S	2	b
Manila,	,,	29.81	757.2	97	42	SE	4	b	,,	29.92	759.9	75	79	SE	2	b
Legaspi,	,,	29.86	757.4	90	57	NE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	90	63	NE	6	b	,,	29.89	759.3	77	91	N	4	b
Surigao,	..	29.86	758.4	82	81	NNE	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.84	757.8	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	..	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	78	...	NE	2	c
Labuan,	14	29.81	757.2	86	84	SW	4	b	6	29.83	757.7	78	91	SW	1	r

April 22*d.* 11*h.* 30*m.*—Pressure has increased considerably over Japan and slightly at Hongkong. It has decreased moderately at Shanghai and slightly over Formosa. In the South it is nearly stationary.

An anticyclone is central over S.W. Japan and a depression over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·34 inch. Total since January 1st, 20·05 inches, against an average of 9·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; overcast, some rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	23rd April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock, .	12	29.98	761.5	50	...	NNE	3	o	6	30.00	762.0	37	...	ESE	4	o
Gemuro, ...	11	29.53	750.0	...	...	NW	3	...	5	29.84	758.0	...	...	NW	4	...
Hokodate, ...	,,	29.78	756.5	...	...	W	5	...	,,	30.00	762.0	...	...	W	3	...
Tokio, ...	,,	29.86	758.5	...	...	NW	4	...	,,	30.04	763.0	...	...	WNW	1	...
Kochi, ...	,,	30.10	764.5	...	...	SE	1	...	,,	30.12	765.0	...	...	WSW	1	...
Nagasaki, ...	,,	30.10	764.5	...	...	SE	1	...	,,	29.96	761.0	...	...	SE	3	...
Kagoshima, ...	,,	30.12	765.0	...	...	SE	1	...	,,	30.00	762.0	...	...	SE	1	...
Ishima, ...	,,	30.08	764.0	...	...	SSE	1	...	,,	29.84	758.0	...	...	S	2	...
Naha, ...	,,	30.06	763.5	...	...	ENE	1	...	,,	29.75	755.5	...	...	SE	3	...
Ishigakijima, ...	,,	29.96	761.0	...	...	SSE	3	...	,,	29.78	756.5	...	...	S	2	...
Sonin Island, ...	,,	30.06	763.5	...	...	NNW	1	...	,,	30.12	765.0	...	...	...	0	...
Chefoo, ...	15	29.95	760.7	62	71	ESE	2	o	6	29.86	758.4	46	100	ESE	2	r
Chang.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	29.88	759.0	55	96	ESE	4	r	,,	29.74	755.4	57	100	E	1	of
Nutzlaff.....	,,	29.88	758.9	52	100	SE	6	r	,,	29.74	755.4	56	100	NW	2	lf
Sharp Peak, ...	,,	29.85	758.2	66	89	E	1	o	7	29.74	755.4	66	94	SSW	1	bf
Amoy.	15	29.79	756.6	68	95	SSE	2	o	6	29.75	755.6	67	95	SW	1	of
Swatow.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	11	29.92	759.9	72	89	...	c	o	5	29.75	755.7	68	98	...	c	o
Taichu, ...	,,	29.89	759.3	77	...	...	c	o	,,	29.86	758.4	72	...	...	c	o
Tainan, ...	,,	29.91	759.6	81	...	ESE	2	o	,,	29.85	758.1	72	...	E	2	o
Koshun, ...	,,	29.92	760.2	86	...	ENE	2	b	,,	29.82	757.5	73	...	WNW	2	b
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hainton.	14	29.76	755.9	77	91	SE	2	o	6	...	...	...	...	...	...	...
Hongkong,.....	,,	29.81	757.2	71	93	NE	1	o	,,	29.76	755.9	77	86	SW	2	odq
Gap Rock, ...	,,	29.80	756.9	...	...	SE	3	b	,,	29.75	755.6	...	...	S	4	o
Macao, ...	,,	29.76	756.0	77	91	SSE	4	of	,,	29.72	754.8	75	98	SSW	4	of
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	14	29.82	757.4	84	75	SSE	1	b	6	29.80	756.9	79	87	SSW	2	c
Phulien, ...	,,	29.67	753.6	86	81	ESE	2	bf	7	29.66	753.3	75	94	ENE	4	lf
Fourane,.....	,,	29.76	756.0	86	...	...	o	bf	,,	29.74	755.4	84	...	...	c	bf
Cape St. James,	,,	29.88	759.0	77	...	SE	2	b	,,	29.85	758.1	79	...	WSW	2	of
Basco.....	,,	29.86	758.4	86	75	SE	4	o	6	29.84	757.8	79	90	SW	6	o
Aparri, ...	,,	29.82	757.5	90	63	N	4	b	,,	29.86	758.4	75	71	...	c	b
Manila, ...	,,	29.84	757.8	93	46	WSW	2	b	,,	29.88	759.0	77	86	SE	1	o
Legaspi, ...	,,	29.86	758.4	93	59	NE	2	b	,,	29.89	759.3	72	96	...	c	b
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.82	757.5	90	55	NE	4	b	,,	29.85	758.1	72	82	N	2	b
Surigao, ...	,,	29.86	758.4	86	68	N	4	b	,,	29.88	759.0	72	94	E	1	o
Guam,.....	12.20	29.84	757.8	...	...	NE	4	o	4.20	29.85	758.1	...	...	NE	4	o
Yap, ...	12.47	29.81	757.2	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.89	759.2	77	...	NNE	1	b
Labuan, ...	14	29.82	757.4	86	84	E	2	b	6	29.82	757.4	80	91	NE	2	lf

April 23*d.* 11*h.* 20*m.*—Pressure has increased considerably over N.E. Japan, moderately over central Japan and slightly over the Bonins. It has decreased considerably over the Loochoos, moderately from N. Formosa to Chefoo and slightly from S. Formosa to Indo-China.

The anticyclone is passing into the Pacific.

The depression over Tongking has deepened further and the Chinese depression is moving eastward across the Eastern Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 20·06 inches, against an average of 10·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, ...	S.W. to S.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,.....	S.E. winds, moderate; overcast, rain, fog.
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	24th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock.	12	29.92	759.9	45	...	SSE	4	o	6	29.76	755.9	38	...	...	o	f
Nemuro	11	29.90	759.5	...	...	NW	2	...	5	30.02	762.5	...	...	SSE	1	...
Hokodate	,,	30.04	763.0	...	...	W	3	...	,,	29.96	761.0	...	...	ESE	1	...
Tokio	,,	30.16	766.0	...	...	S	1	...	,,	29.96	761.0	...	...	NW	1	...
Kochi	,,	30.04	763.0	...	...	...	c	...	,,	29.80	757.0	...	...	SW	1	...
Nagasaki	,,	29.84	758.0	...	...	ESE	3	...	,,	...	...	...	...	SSE	1	...
Kagoshima	,,	29.88	759.0	...	...	ESE	1	...	,,	29.71	754.5	...	...	...	...	...
Oshima	,,	29.72	755.0	...	...	S	2	...	,,	29.75	755.5	...	...	...	c	...
Naha	,,	29.78	756.5	...	...	S	1	...	,,	29.80	757.0	...	...	WNW	1	...
Ishigakijima	,,	29.78	756.5	...	...	S	1	...	,,	29.75	755.5	...	...	S	1	...
Bonin Island	,,	30.12	765.0	...	...	NNE	1	..	,,	29.94	760.5	...	...	SE	3	...
Chefoo	15	29.78	756.4	46	100	NNE	1	of	6	29.94	760.5	46	100	NW	2	o
Ichang	,,	...	...	...	...	...	...	...	,,	29.93	760.2	63	...	NW	1	b
Hankow	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai	14	29.74	755.4	64	80	WNW	4	o	,,	29.88	759.0	55	90	NW	4	o
Gutzlaff	,,	29.73	755.1	66	84	NW	4	o	,,	29.88	759.0	54	94	NW	4	o
Sharp Peak	,,	29.74	755.4	68	78	SSE	4	b	7	29.80	756.9	64	93	NE	2	of
Amoy	15	29.67	753.6	76	92	ENE	2	o	6	29.68	753.9	72	100	SSW	1	of
Swatow	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku	11	29.74	755.4	90	51	WSW	4	b	5	29.74	755.4	73	92	...	c	o
Taichu	,,	29.84	757.8	82	...	S	2	o	,,	29.78	756.3	75	...	SSE	2	o
Tainan	,,	29.85	758.1	86	...	S	2	b	,,	29.79	756.6	73	...	...	c	b
Koshun	,,	29.85	758.1	82	...	WNW	2	o	,,	29.78	756.3	75	...	NW	2	b
Pescadores	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong	,,	29.70	754.4	80	83	S	2	o	,,	29.75	755.6	73	100	E	1	of
Gap Rock	,,	29.70	754.4	...	...	S	3	o	,,	29.75	755.6	...	...	E	3	o
Macao	,,	29.66	753.3	84	81	SSW	4	o	,,	29.72	754.8	73	100	SE	2	of
Wuchow	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	14	29.70	754.4	85	77	SSW	3	o	6	29.80	756.9	83	80	SSW	1	o
Phulien	,,	29.56	750.9	93	67	S	1	bf	7	29.62	752.4	75	96	E	6	bf
Tourane	,,	29.68	753.9	97	...	...	c	bf	,,	29.68	753.9	90	...	SE	2	of
Cape St. James	,,	29.78	756.3	90	...	SW	2	bf	,,	29.84	757.8	81	...	SW	2	o
Basco	,,	29.75	755.7	75	71	SW	7	o	6	...	...	...	...	...	...	...
Aparri	,,	29.78	756.3	86	61	NE	4	b	,,	29.81	757.2	75	94	SW	2	b
Manila	,,	29.79	756.6	90	48	W	2	b	,,	29.85	758.1	79	84	ESE	2	b
Legaspi	,,	29.81	757.2	93	59	NE	2	b	,,	...	...	...	...	...	...	...
Tacloban	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo	,,	29.78	756.3	90	63	NE	4	b	,,	29.84	757.8	77	86	NW	2	b
Surigao	,,	29.82	757.5	84	72	N	4	o	,,	...	...	...	...	...	...	...
Guam	12.20	29.81	757.2	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew	11.00	...	...	...	...	...	...	...	5	29.87	758.7	77	...	...	c	o
Labuan	13	29.77	756.1	86	88	NW	2	b	6	29.85	758.2	80	91	NE	2	b

April 24*d.* 1*c*h. 48*m*.—Pressure has decreased considerably from S. Manchuria to the Bonins. It has increased moderately along the east coast of China, and slightly along the south coast. It is nearly stationary from Indo-China to the Philippines.

The northern depression is moving into the Sea of Japan, the other remains stationary over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 20·05 inches, against an average of 10·26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; rain, fog.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, .	12	29.72	755.0	45	...	N	2	o	6	29.77	756.1	40	...	...	c	c
Nemuro,	11	29.98	761.5	...	...	S	2	...	5	29.65	753.0	...	...	ESE	2	...
Hokodate,	,,	29.84	758.0	...	...	NW	1	...	,,	29.61	752.0	...	...	...	...	...
Tokio,	,,	29.84	758.0	...	...	NNE	1	...	,,	29.59	751.5	...	...	SSE	1	...
Kochi,	,,	29.76	756.0	...	...	...	o	...	,,	29.63	752.5	...	...	...	c	...
Nagasaki,	,,	29.69	754.0	...	...	W	1	...	,,	29.76	756.0	...	...	WNW	1	...
Kagoshima,	,,	29.69	754.0	...	...	SE	1	...	,,	29.75	755.5	...	...	...	o	...
Oshima,	,,	29.76	756.0	...	...	NNE	1	...	,,	29.76	756.0	...	...	NNE	1	...
Naha,	,,	29.76	756.0	...	...	...	c	...	,,	29.80	757.0	...	...	NNW	2	...
Ishigakijima,	,,	29.74	755.5	...	...	SSW	2	...	,,	29.86	758.5	...	...	N	1	...
Bonin Island,	,,	29.90	759.5	...	...	S	4	...	,,	29.86	758.5	...	...	SW	1	...
Chefoo,	15	29.91	759.7	50	79	NW	2	b	6	29.79	756.6	52	73	SSE	4	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	66	...	...	o	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.93	760.2	55	88	NW	2	o	,,	30.02	762.6	52	97	NNW	2	b
Gutzlaff,	,,	29.90	759.4	54	94	NNW	6	o	,,	30.01	762.2	52	88	N	2	o
Sharp Peak,	,,	29.79	756.6	64	89	ENE	4	o	7	29.96	761.0	60	94	E	2	r
Amoy,	15	29.65	753.1	84	79	SSE	4	b	6	29.87	758.7	66	91	ENE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	11	29.76	756.0	79	76	NW	2	o	5	29.92	759.9	63	94	E	4	r
Taichu,	,,	29.84	757.8	84	...	WSW	2	o	,,	29.85	758.1	70	...	...	c	r
Tainan,	,,	29.81	757.2	82	...	S	4	b	,,	29.85	758.1	77	...	...	o	o
Koshun,	,,	29.82	757.5	82	...	WSW	4	b	,,	29.86	758.4	73	...	...	c	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.74	755.4	78	90	W	1	o	,,	29.82	757.4	73	97	W	1	of
Gap Rock,	,,	29.75	755.6	...	...	S	3	o	,,	29.82	757.4	...	...	ESE	3	o
Macao,	,,	29.71	754.5	82	81	SW	2	o	,,	29.81	757.2	70	98	NNW	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.76	755.9	85	77	SW	1	b	6	29.86	758.4	78	93	...	c	c
Phulien,	,,	29.60	751.8	86	71	ESE	4	bf	7	...	...	...	...	...	...	...
Tourane,	,,	29.66	753.3	97	...	...	c	bf	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	756.0	93	...	S	2	b	,,	...	...	...	...	...	...	...
Basco,	,,	29.73	755.1	84	74	SW	6	o	6	29.85	758.1	81	84	...	o	o
Aparri,	,,	29.79	756.6	90	63	N	4	b	,,	29.87	759.7	77	86	E	2	b
Manila,	,,	29.78	756.3	93	53	WSW	4	b	,,	29.88	759.0	81	84	SE	1	o
Legaspi,	,,	29.82	757.5	90	60	NE	4	o	,,	29.88	759.0	73	98	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	90	69	SW	4	b	,,	29.89	759.3	79	85	NW	1	b
Surigao,	..	29.79	756.6	90	60	E	2	o	,,	29.89	759.3	75	91	...	c	o
Guam,	12.20	29.82	757.5	...	...	NE	4	o	4.20	29.89	759.3	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.52	749.8	77	...		c	b
Labuan,	14	29.77	756.1	88	84	NW	4	b	6	29.81	757.2	80	91	NE	2	b

April 25*d*. 11*h*. 36*m*.—Pressure has decreased considerably over central and N.E. Japan and moderately over N.E. China. It has increased slightly in central districts.

The northern depression is now central to the north of Tokio.

The anticyclone is moving eastward into the Eastern Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 20·09 inches, against an average of 10·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	N.W. or variable winds, moderate; overcast, rain.
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	26th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.70	754.3	48	...	NW	2	o	6	29.68	753.9	38	...	...	c	b
Nemuro,	11	29.45	748.0	...	...	SE	1	...	5	29.39	746.5	...	...	...	...	...
Hokodate,	,,	29.55	750.5	...	...	W	1	...	,,	29.57	751.0	...	...	W	1	...
Tokio,	,,	29.55	750.5	...	...	NNE	1	...	,,	29.59	751.5	...	...	E	1	...
Kochi,	,,	29.65	753.0	...	...	E	2	...	,,	...	...	...	...	W	1	...
Nagasaki,	,,	29.80	757.0	...	...	N	2	...	,,	29.88	759.0	...	...	WNW	6	...
Kagoshima,	,,	29.78	756.5	...	...	NW	1	...	,,	29.92	760.0	...	...	WNW	2	...
Oshima,	,,	29.82	757.5	...	...	NW	1	...	,,	29.98	761.5	...	...	NE	3	...
Naha,	,,	29.88	759.0	...	...	NW	2	...	,,	30.02	762.5	...	...	NNE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	N	1	...	,,	30.02	762.5	...	...	N	1	...
Bonin Island,	,,	29.80	757.0	...	...	SSW	2	...	,,	29.78	756.5	...	...	WNW	2	...
Chefoo,	15	29.85	758.2	54	74	NNE	6	b	6	30.00	762.0	50	65	W	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	30.02	762.5	70	...	...	o	be
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.99	761.7	73	44	SW	1	b	,,	30.10	764.4	54	78	ENE	2	b
Gutzlaff,	,,	30.03	762.7	64	63	WSW	2	b	,,	30.11	764.8	56	81	E	4	b
Sharp Peak,	,,	30.04	763.0	74	72	E	1	b	,,	30.02	762.5	63	70	..	c	of
Amoy,	15	29.94	760.5	63	94	E	2	r	6	30.02	762.5	60	94	ENE	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Taihoku,	11	30.02	762.6	63	96	ESE	2	r	5	30.08	764.1	55	88	SE	2	r
Taichu,	,,	29.93	760.2	73	...	NNE	2	o	,,	29.94	760.5	59	...	NNW	2	r
Tainan,	,,	29.92	759.9	79	...	N	2	o	,,	29.91	759.6	63	...	N	4	o
Koshun,	,,	29.92	759.9	84	...	SSW	2	b	,,	29.92	759.9	72	...	E	2	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	..
Hongkong,	,,	29.87	758.7	69	93	E	4	od	,,	29.93	760.2	65	97	ENE	2	od
Gap Rock,	,,	29.86	758.4	...	...	NNE	5	cm	,,	29.92	759.9	...	...	ENE	5	o
Macao,	,,	29.85	758.1	70	85	NNE	4	r	,,	29.89	759.3	64	96	NE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	29.86	758.4	89	75	S	1	b	6	29.86	758.4	83	89	SSW	1	o
Phulien,	,,	29.85	758.1	79	76	NW	2	of	7	29.89	759.3	72	82	ENE	2	of
Tourane,	,,	29.79	756.6	79	...	NW	4	of	,,	29.88	759.0	73	...	NW	2	of
Cape St. James,	,,	29.80	756.9	93	...	S	2	bf	,,	...	...	...	...	...	...	...
Basco,	,,	29.84	757.8	86	68	SE	4	o	6	29.89	759.3	75	96	NE	4	o
Aparri,	,,	29.85	758.1	86	78	NE	4	o	,,	29.89	759.3	81	80	NE	2	o
Manila,	,,	29.84	757.8	93	57	SW	4	b	,,	29.88	759.0	79	89	E	2	o
Legaspi,	,,	29.85	758.1	93	61	NE	2	b	,,	29.88	759.0	79	89	...	c	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	86	71	NW	4	b	,,	29.87	758.7	77	88	NE	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29 87	758.7	75	89	...	c	o
Guam,	12.20	29.86	758.4	...	...	E	4	o	4.20	29.89	759.3	...	...	NE	1	o
Yap,	12.47	29.81	757.2	...	...	SE	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.91	759.7	77	...	N	1	b
Labuan,	14	29.78	756.4	88	84	NE	4	b	6	29.83	757.7	80	87	NE	2	b

April 26*d.* 10*h.* 55*m.*—Pressure has increased moderately over N.E. China and slightly in central districts. It is nearly stationary elsewhere.

The anticyclone has strengthened slightly and is now central near Shanghai.

The depression off Cochin China appears to have filled up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·21 inch. **Total since January 1st, 20·39 inches, against an average of 10·70 inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, fresh; overcast.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th April, 1926.									27th April, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	29.67	753.6	46	...	NNE	4	o		6	29.72	754.9	45	...	WNW	3	o	
Nemuro,	11	...	...	...	...	...	...	...		5	29.39	746.5	...	...	WNW	1	...	
Hokodate,	,,	...	...	...	...	...	...	...		,,	29.49	749.0	...	...	WSW	2	...	
Tokio,	,,	...	...	...	...	...	...	...		,,	29.80	757.0	...	...	WSW	1	...	
Kochi,	,,	...	...	...	...	...	...	...		,,	30.04	763.0	...	...	W	1	...	
Nagasaki,	,,	...	...	...	...	...	...	...		,,	30.10	764.5	...	...	NNW	1	...	
Kagoshima,	,,	...	...	...	...	...	...	...		,,	30.10	764.5	...	...	WNW	1	...	
Oshima,	,,	...	...	...	...	...	...	...		,,	30.06	763.5	...	...	NNE	1	...	
Naha,	,,	...	...	...	...	...	...	...		,,	30.08	764.0	...	...	...	0	...	
Ishigakijima,	,,	...	...	...	...	...	...	...		,,	30.00	762.0	...	...	SE	4	...	
Bonin Island,	,,	...	...	...	...	...	...	...		,,	29.98	761.5	...	...	NNW	1	...	
Chefoo,	15	30.00	762.0	60	60	NW	1	b		6	29.96	761.0	52	93	E	1	o	
Ichang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	14	30.07	763.8	73	38	ESE	4	b		,,	29.99	761.7	61	55	S	6	c	
Gutzlaff,	,,	30.10	764.5	60	60	SE	4	o		,,	30.07	763.8	58	81	SW	4	o	
Sharp Peak,	,,	30.03	762.7	75	64	N	2	o		7	29.96	761.0	63	93	NE	2	o	
Amoy,	15	29.95	760.7	66	91	WSW	1	o		6	29.95	760.7	64	100	W	1	r	
Swatow,	,,	29.87	758.7	63	89	ENE	3	o		,,	...	...	...	...	...	...	...	
Taihoku,	11	30.05	763.2	61	74	ESE	4	r		5	29.93	760.2	63	96	...	o	r	
Taichu,	,,	30.01	762.3	63	...	...	o	r		,,	29.93	760.2	68	...	...	o	o	
Tainan,	,,	29.98	761.4	70	...	NNW	2	o		,,	29.89	759.3	68	...	..	o	b	
Koshun,	,,	29.98	761.4	70	...	ENE	6	r		,,	29.89	759.3	72	...	ENE	4	o	
Pescadores,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Canton,	14	29.90	759.4	70	85	E	1	o		6	...	...	...	...	...	...	...	
Hongkong,	,,	29.90	759.4	66	87	E	4	o		,,	29.84	757.9	65	95	E	4	o	
Gap Rock,	,,	29.89	759.2	...	...	ENE	6	o		,,	29.82	757.4	...	...	ENE	5	od	
Macao,	,,	29.87	758.7	66	90	ESE	2	o		,,	29.81	757.2	66	94	ESE	4	r	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	14	29.82	757.4	81	78	NNE	5	c		6	29.84	757.9	79	81	SSE	2	c	
Phulien,	,,	29.80	756.9	79	76	SE	4	of		7	...	...	...	...	...	...	...	
Tourane,	,,	29.81	757.2	77	...	NW	2	of		,,	...	...	...	...	...	...	...	
Cape St. James,	,,	29.80	756.9	93	...	S	4	of		,,	...	...	...	...	..	...	...	
Basco,	,,	29.91	759.6	75	79	N	4	o		6	29.88	759.0	79	87	SE	4	o	
Aparri,	,,	29.86	758.4	86	65	NNE	4	b		,,	29.88	759.0	75	26	...	c	b	
Manila,	,,	29.82	757.5	93	59	SW	4	b		,,	29.87	758.7	77	84	ESE	1	b	
Legaspi,	,,	29.84	757.8	93	64	ENE	4	b		,,	29.88	759.0	81	87	ENE	2	b	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	...	...	...	...	...	...	...		,,	29.85	758.1	79	91	NW	2	b	
Surigao,	,,	29.85	758.1	86	68	N	2	b		,,	...	...	...	...	...	...	...	
Guam,	12.20	29.84	757.8	...	...	N	2	o		4.20	29.89	759.3	...	...	NE	1	o	
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	29.90	759.4	77	...	...	c	bc	
Labuan,	12	29.79	756.6	88	88	NE	4	b		6	29.82	757.4	80	87	SW	2	h	

April 27*d*. 12*h*. 08*m*.—Pressure has increased moderately from S.W. Japan to the Bonins. It has decreased moderately over N. Indo-China, and over the lower Yangtze Valley, and slightly from Hongkong to Formosa. It is nearly stationary over the Philippines.

The anticyclone is moving eastward between S.W. Japan and the Loochoos.

A depression is shown over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·25 inch. Total since January 1st, 20·55 inches, against an average of 10·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, ...	S.E. winds, moderate; overcast, rain, fog, warmer.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th April, 1926.									28th April, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	29.70	754.4	57	...	NNE	3	o		6	29.81	757.2	38	...	...	o	o	
Nemuro,	11	29.33	745.0	...	...	SW	3	...		5	29.55	750.5	...	...	W	2	...	
Hokodate,	,,	29.51	749.5	...	...	WNW	6	...		,,	29.76	756.0	...	...	NNW	1	...	
Tokio,	,,	29.82	757.5	...	...	S	1	...		,,	30.00	762.0	...	...	...	o	...	
Kochi,	,,	30.02	762.5	...	...	SE	1	...		,,	30.00	762.0	...	...	SW	1	...	
Nagasaki,	,,	30.04	763.0	...	...	S	2	...		,,	29.90	759.5	...	...	SE	3	...	
Kagoshima,	,,	30.08	764.0	...	...	ENE	1	...		,,	29.94	760.5	...	...	...	o	...	
Oshima,	,,	...	...	...	...	...	...	...		,,	29.86	758.5	...	...	S	2	...	
Naha,	,,	30.14	765.5	...	...	ESE	1	...		,,	...	...	...	...	...	...	...	
Ishigakijima,	,,	29.98	761.5	...	...	ESE	4	...		,,	29.75	755.5	...	...	SW	1	...	
Bonin Island,	,,	30.02	762.5	...	...	NNW	1	...		,,	30.12	765.0	...	...	...	o	...	
Chefoo,	15	29.91	759.7	50	100	E	1	o		6	29.96	761.0	46	92	ESE	1	b	
Ichang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	14	29.94	760.5	59	79	SSE	6	o		,,	29.89	759.3	55	100	NNW	4	of	
Gutzlaff,	,,	29.96	761.0	58	76	SSE	4	o		,,	29.89	759.2	54	100	NW	2	of	
Sharp Peak,	,,	29.88	758.9	65	89	...	o	r		7	29.84	757.9	65	94	...	o	of	
Amoy,	15	29.78	756.4	63	100	...	o	r		6	29.77	756.1	64	100	NW	1	of	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Taihoku,	11	29.93	760.2	64	98	...	c	r		5	29.80	756.9	66	98	...	...	...	
Taichu,	,,	29.88	759.0	70	...	...	o	r		,,	29.81	757.2	70	...	...	o	r	
Tainan,	,,	29.89	759.3	73	...	...	c	o		,,	29.81	757.2	72	...	E	2	o	
Koshun,	,,	29.89	759.3	82	...	ENE	4	b		,,	29.79	756.6	68	...	W	1	o	
Pescadores,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Canton,	14	29.77	756.1	68	95	...	o	or		6	...	...	...	...	...	...	...	
Hongkong,	,,	29.77	756.1	72	95	...	o	om		,,	29.78	756.3	70	96	E	2	orl	
Gap Rock,	,,	29.78	756.4	...	...	SSW	3	o		,,	29.75	755.6	...	...	N	3	orl	
Macao,	,,	29.74	755.4	72	98	...	o	of		,,	29.75	755.7	68	100	NNE	4	rf	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	14	29.80	756.9	84	77	S	3	b		6	...	...	...	...	...	...	...	
Phulien,	,,	29.68	753.9	81	80	SW	2	of		7	29.72	754.8	77	98	E	4	rf	
Tourane,	,,	29.71	754.5	90	...	SE	2	bf		,,	29.72	754.8	82	...	SW	2	of	
Cape St. James,	,,	29.82	757.5	93	...	SW	4	of		,,	29.82	757.5	81	...	SE	2	o	
Basco,	,,	29.85	758.1	86	75	SE	6	o		6	...	...	...	...	...	...	...	
Aparri,	,,	29.78	756.3	90	76	NE	4	b		,,	...	...	...	...	...	...	...	
Manila,	,,	29.81	757.2	77	44	WSW	2	b		,,	29.86	758.4	75	88	SE	1	b	
Legaspi,	,,	29.84	757.8	90	63	NE	2	b		,,	29.87	758.7	73	98	...	o	b	
Tacloban,	,,	...	...	...	...	...	...	...		,,	29.88	759.0	75	92	SSW	1	o	
Iloilo,	,,	29.79	756.6	86	82	NE	4	b		,,	29.86	758.4	79	84	NE	2	b	
Surigao,	,,	29.82	757.5	90	57	ENE	4	b		,,	29.86	758.4	72	94	SE	1	b	
Guam,	12.20	29.84	757.8	...	...	N	2	o		4.20	29.87	758.7	...	...	NE	2	o	
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Labuan,	14	29.79	756.6	86	84	SW	2	b		6	29.82	757.4	78	91	N	2	b	

April 28*d.* 11*h.* 55*m.*—Pressure has increased considerably over N.E. Japan and moderately from the Bonins to S. Manchuria. It has decreased slightly from Formosa to Shanghai and is nearly stationary elsewhere.

The anticyclone is now central to the north of the Bonins.

A trough of low pressure extends from Indo-China to the Loochoos.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 3·90 inch. Total since January 1st, 24·45 inches, against an average of 11·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. or variable winds, moderate; overcast, rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	29th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
ladivostook,	12	29.78	756.5	55	...	ESE	2	o	6	29.82	757.4	43	...	ESE	4	o
emuro,	11	29.63	752.5	...	...	NW	4	...	5	29.71	754.5	...	...	N	2	...
dodate,	,,	29.78	756.5	...	...	WNW	3	...	,,	29.96	761.0	...	...	...	...	...
kio,	,,	29.90	759.5	...	...	S	2	...	,,	29.71	754.5	...	...	N	10	...
ochi,	,,	29.92	760.0	...	...	SE	1	...	,,	29.63	752.5	...	...	N	1	...
agasaki,	,,	29.82	757.5	...	...	SSE	2	...	,,	29.84	758.0	...	...	NNW	1	...
goshima,	,,	29.47	748.5	...	...	SE	1	...	,,	29.80	757.0	...	...	WNW	1	...
hima,	,,	29.74	755.5	...	...	SSW	3	...	,,	29.88	759.0	...	...	NNE	2	...
ha,	,,	29.76	756.0	...	...	ESE	2	...	,,	29.96	761.0	...	...	NW	3	...
higakijiuna,	,,	...	...	...	...	...	...	...	,,	29.98	761.5	...	...	N	1	...
nin Island,	,,	30.10	764.5	...	...	SE	1	...	,,	29.90	759.5	...	...	S	4	...
heloo,	15	29.98	761.5	56	81	NNW	2	b	6	29.89	759.2	54	62	SW	1	b
hang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ngsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai,	14	29.99	761.7	64	58	NNW	4	o	,,	30.13	765.3	46	97	WSW	1	bf
utzlaff,	,,	29.99	761.7	58	76	NNW	6	o	,,	...	...	...	...	...	...	...
arp Peak,	,,	29.89	759.2	73	81	S	1	o	7	30.02	762.5	62	89	ENE	2	o
moy,	15	29.83	757.7	68	95	ENE	1	o	6	29.97	761.2	64	95	NE	2	b
atow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
aihoku,	11	29.91	759.6	66	96	ESE	2	r	5	30.07	763.8	57	37	E	2	r
aichu,	,,	29.91	759.6	77	...	...	o	o	,,	29.95	760.8	64	...	...	o	r
ainan,	,,	29.91	759.6	72	...	SE	4	o	,,	29.97	761.1	68	...	NNW	2	rf
oshun,	,,	29.92	759.9	72	...	NNW	4	r	,,	29.94	760.5	70	...	NE	4	o
escadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anton,	14	29.85	758.2	71	85	NNE	2	o	6	...	...	...	...	...	...	...
ongkong,	,,	29.80	756.9	73	82	E	2	o	,,	29.97	761.2	69	75	NNE	2	o
ap Rock,	,,	29.80	756.9	...	...	N	4	o	,,	29.96	761.0	...	...	NE	4	od
acao,	,,	29.80	756.9	72	78	NNE	2	o	,,	29.92	759.9	68	77	N	4	o
uchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ratas Island,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
hulien,	,,	29.73	755.1	81	90	E	2	of	7	29.99	761.7	70	61	NE	4	of
ourane,	,,	29.71	754.5	90	...	...	c	bf	,,	29.84	757.8	77	...	NW	2	of
ape St. James,	,,	29.79	756.6	93	...	SSE	2	b	,,	29.85	758.1	81	...	SE	2	o
asco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
parri,	,,	29.84	757.8	90	63	N	4	b	,,	...	...	...	...	...	...	...
anila,	,,	29.81	757.2	90	51	W	4	b	,,	29.89	759.3	79	80	E	1	o
egaspi,	,,	29.82	757.5	90	63	NE	2	b	,,	29.91	759.6	81	92	...	o	b
acloban,	,,	29.82	757.5	90	60	SSE	4	b	,,	...	...	...	...	...	...	...
oilo,	,,	29.79	756.6	90	69	SW	4	b	,,	29 89	759.3	77	79	N	2	of
urigao,	,,	29.82	757.5	90	57	ESE	2	b	,,	...	...	...	...	...	...	...
uam,	12.20	29.84	757.8	...	...	E	4	o	4.20	...	...	...	...	...	...	...
ap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
elew,	11.00	...	...	..	...	...	...	...	5	...	...	...	...	...	...	...
abuan,	14	29.78	756.4	88	88	NE	4	b	6	29.81	757.2	76	91	NW	2	o

April 29*d.* 12*h.* 00*m.*—Pressure has decreased considerably from central Japan to the Bonins. It has increased considerably over Tongking, moderately from Tourane to Shanghai and slightly over Formosa and the Philippines.

The northern depression is now central to the east of Kobe. The depression over Indo-China has filled up.

An anticyclone is central to the south of Shanghai.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·17 inch. Total since January 1st, 24·62 inches, against an average of 11·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; overcast.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	30th April, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.94	760.5	...	...	SE	1	...	5	29.86	758.5	...	...	NNE	2	...
Hokodate,	,,	29.90	759.5	...	...	SE	4	...	,,	29.96	761.0	...	...	...	...	...
Tokio,	,,	29.67	753.5	...	...	NE	2	...	,,	30.06	763.5	...	...	...	...	...
Kochi,	,,	...	...	...	...	NNW	2	...	,,	30.22	767.5	...	...	SW	1	...
Nagasaki,	,,	29.94	760.5	...	...	NNW	2	...	,,	30.20	767.0	...	...	SSE	1	...
Kagoshima,	,,	29.88	759.0	...	...	NW	1	...	,,	30.20	767.0	...	...	NW	1	...
Oshima,	,,	29.94	760.5	...	...	NNE	1	...	,,	30.16	766.0	...	...	...	0	...
Naha,	,,	30.02	762.5	...	...	NNE	3	...	,,	30.16	766.0	...	...	NE	1	...
Ishigakijima,	,,	...	...	...	...	NNE	2	...	,,	30.12	765.0	...	...	N	1	...
Bonin Island,	,,	29.86	758.5	...	...	SSW	2	...	,,	30.02	762.5	...	...	W	1	...
Chefoo,	15	...	...	...	...	SSW	1	b	6	29.88	758.9	64	58	SW	2	c
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.12	765.0	73	24	SW	2	b	,,	30.15	765.9	52	83	SE	2	b
Gutzlaff,	,,	30.17	766.3	60	49	WSW	1	b	,,	30.20	767.1	56	75	S	4	b
Sharp Peak,	,,	30.07	763.8	72	67	E	1	o	7	30.1	764.8	62	77	NW	2	o
Amoy,	15	30.03	762.7	68	91	ENE	4	o	6	30.08	764.0	64	95	NE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.11	764.7	61	85	SE	2	o	5	30.08	764.1	48	67	E	4	o
Taichu,	,,	30.01	762.2	70	...	...	c	o	,,	30.06	763.5	68	...	...	c	b
Tainan,	,,	30.00	762.0	79	...	NW	2	o	,,	30.04	762.9	70	...	...	c	o
Koshun,	,,	30.02	762.6	70	...	NNE	4	r	,,	30.04	762.9	70	...	NNE	4	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.01	762.2	69	80	E	3	o	,,	30.01	762.2	67	77	E	4	o
Gap Rock,	,,	30.01	762.2	...	...	NNE	5	o	,,	30.01	762.2	...	...	ENE	5	o
Macao,	,,	29.99	761.7	68	77	...	2	o	,,	29.99	761.7	68	85	ENE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	29.98	761.5	76	85	E	5	o
Phulien,	,,	30.00	762.0	72	65	W	2	of	7	30.01	762.3	68	88	NE	2	of
Tourane,	,,	29.92	759.9	75	...	NW	6	o	,,	29.97	761.1	72	...	NW	4	of
Cape St. James,	,,	29.82	757.5	93	...	SE	2	b	,,	29.88	759.0	79	...	ENE	2	c
Basco,	,,	29.93	760.2	81	66	N	6	o	6	30.01	762.3	75	76	...	o	o
Aparri,	,,	29.89	759.3	86	71	ENE	4	o	,,	29.97	761.1	77	91	ENE	4	r
Manila,	,,	29.84	757.8	97	42	SSE	4	o	,,	29.94	760.5	86	81	E	2	b
Legaspi,	,,	29.84	757.8	90	66	NE	4	b	,,	29.94	760.5	81	62	ENE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	90	57	SE	4	o	,,	29.92	759.9	79	91	N	4	b
Surigao,	,,	29.84	757.8	90	60	ENE	4	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.86	758.4	...	...	E	4	o	4.20	29.92	759.9	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.91	759.7	80	...	NE	2	10
Labuan,	14	29.78	756.4	88	84	SW	2	b	6	29.82	757.4	79	87	N	2	b

April 30*d.* 11*h.* 30*m.*—Pressure has increased considerably from the Loochoos to S.W. Japan and slightly from Formosa to the Philippines. It is nearly stationary elsewhere.

The map is dominated by an anticyclone central over S.W. Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·62 inches, against an average of 11·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

MAY,

1926.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1926.

[*Price 60c.*]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

MAY,

1926.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of MAY, 1926.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·986	29·971	29·939	29·946	29·956	29·966	29·974	29·988	30·014	30·026	30·027	30·019	1
2	29·956	29·944	29·940	29·928	29·939	29·966	29·980	29·988	30·001	30·009	29·998	29·976	2
3	29·934	29·926	29·910	29·914	29·902	29·928	29·938	29·942	29·950	29·966	29·955	29·955	3
4	29·884	29·858	29·837	29·837	29·854	29·879	29·902	29·915	29·926	29·932	29·925	29·907	4
5	29·865	29·853	29·846	29·842	29·850	29·862	29·873	29·896	29·911	29·917	29·917	29·900	5
6	29·870	29·864	29·846	29·847	29·855	29·861	29·873	29·890	29·915	29·928	29·913	29·900	6
7	29·853	29·845	29·835	29·832	29·836	29·852	29·886	29·905	29·926	29·934	29·940	29·940	7
8	29·956	29·936	29·920	29·910	29·907	29·921	29·928	29·946	29·960	29·975	29·961	29·952	8
9	29·907	29·881	29·870	29·860	29·866	29·871	29·878	29·900	29·907	29·916	29·911	29·908	9
10	29·818	29·802	29·786	29·780	29·783	29·789	29·805	29·820	29·832	29·825	29·829	29·818	10
11	29·770	29·746	29·742	29·734	29·732	29·740	29·750	29·768	29·787	29·789	29·770	29·757	11
12	29·661	29·653	29·633	29·633	29·647	29·647	29·673	29·667	29·673	29·694	29·692	29·669	12
13	29·638	29·623	29·613	29·620	29·625	29·635	29·663	29·671	29·669	29·665	29·657	29·624	13
14	29·679	29·657	29·645	29·653	29·661	29·669	29·691	29·688	29·696	29·708	29·723	29·723	14
15	29·758	29·756	29·758	29·764	29·774	29·793	29·817	29·829	29·835	29·854	29·850	29·847	15
16	29·866	29·846	29·826	29·829	29·833	29·842	29·856	29·874	29·888	29·899	29·894	29·883	16
17	29·878	29·862	29·846	29·840	29·846	29·858	29·876	29·884	29·887	29·892	29·867	29·873	17
18	29·849	29·831	29·813	29·813	29·806	29·812	29·816	29·817	29·815	29·835	29·814	29·794	18
19	29·698	29·677	29·659	29·661	29·663	29·677	29·675	29·682	29·682	29·686	29·674	29·672	19
20	29·673	29·667	29·657	29·658	29·664	29·677	29·702	29·714	29·720	29·726	29·717	29·705	20
21	29·690	29·672	29·654	29·650	29·658	29·676	29·678	29·690	29·692	29·667	29·665	29·655	21
22	29·559	29·519	29·527	29·521	29·519	29·521	29·536	29·566	29·586	29·593	29·582	29·569	22
23	29·569	29·557	29·563	29·562	29·574	29·591	29·609	29·633	29·644	29·646	29·646	29·639	23
24	29·642	29·608	29·603	29·590	29·594	29·590	29·605	29·625	29·618	29·646	29·632	29·621	24
25	29·569	29·557	29·545	29·536	29·538	29·550	29·556	29·556	29·570	29·584	29·583	29·567	25
26	29·554	29·554	29·544	29·530	29·524	29·528	29·549	29·561	29·597	29·615	29·582	29·567	26
27	29·538	29·525	29·508	29·502	29·494	29·514	29·529	29·545	29·552	29·550	29·544	29·539	27
28	29·517	29·496	29·488	29·487	29·475	29·489	29·503	29·512	29·501	29·521	29·514	29·512	28
29	29·487	29·487	29·481	29·483	29·483	29·501	29·505	29·511	29·527	29·544	29·551	29·537	29
30	29·639	29·634	29·631	29·625	29·627	29·652	29·679	29·711	29·730	29·744	29·732	29·735	30
31	29·819	29·811	29·809	29·795	29·789	29·796	29·806	29·818	29·819	29·837	29·835	29·833	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·997	29·970	29·945	29·935	29·936	29·944	29·954	29·964	29·976	29·994	29·996	29·984	1
2	29·961	29·944	29·925	29·903	29·896	29·896	29·905	29·932	29·946	29·967	29·960	29·948	2
3	29·923	29·911	29·885	29·875	29·858	29·867	29·873	29·882	29·888	29·896	29·900	29·903	3
4	29·892	29·862	29·856	29·842	29·829	29·841	29·840	29·856	29·870	29·879	29·881	29·873	4
5	29·890	29·868	29·842	29·839	29·817	29·815	29·840	29·857	29·879	29·896	29·896	29·890	5
6	29·875	29·848	29·831	29·820	29·810	29·817	29·844	29·860	29·866	29·876	29·885	29·863	6
7	29·920	29·909	29·898	29·884	29·893	29·899	29·919	29·935	29·958	29·969	29·975	29·967	7
8	29·933	29·909	29·885	29·867	29·862	29·866	29·878	29·884	29·896	29·904	29·917	29·916	8
9	29·882	29·858	29·834	29·808	29·793	29·790	29·799	29·809	29·828	29·842	29·844	29·834	9
10	29·802	29·779	29·752	29·726	29·706	29·703	29·719	29·742	29·774	29·794	29·800	29·786	10
11	29·745	29·720	29·704	29·687	29·673	29·686	29·698	29·690	29·729	29·729	29·738	29·730	11
12	29·635	29·613	29·560	29·579	29·573	29·571	29·605	29·619	29·631	29·654	29·658	29·658	12
13	29·605	29·603	29·565	29·573	29·581	29·588	29·602	29·611	29·644	29·683	29·687	29·685	13
14	29·721	29·712	29·696	29·694	29·691	29·689	29·693	29·711	29·730	29·736	29·746	29·740	14
15	29·832	29·817	29·800	29·790	29·780	29·792	29·805	29·811	29·829	29·850	29·857	29·868	15
16	29·871	29·845	29·825	29·823	29·819	29·823	29·852	29·864	29·872	29·886	29·896	29·886	16
17	29·871	29·842	29·820	29·808	29·806	29·808	29·815	29·827	29·846	29·859	29·873	29·873	17
18	29·776	29·753	29·734	29·720	29·712	29·712	29·717	29·723	29·726	29·727	29·728	29·724	18
19	29·650	29·638	29·612	29·609	29·608	29·604	29·627	29·637	29·649	29·667	29·675	29·683	19
20	29·690	29·669	29·655	29·639	29·636	29·635	29·662	29·687	29·700	29·715	29·721	29·706	20
21	29·631	29·605	29·585	29·577	29·566	29·581	29·598	29·598	29·617	29·607	29·607	29·587	21
22	29·561	29·534	29·527	29·505	29·512	29·524	29·545	29·565	29·584	29·591	29·611	29·603	22
23	29·620	29·608	29·588	29·568	29·585	29·581	29·595	29·608	29·630	29·644	29·648	29·650	23
24	29·587	29·569	29·547	29·539	29·535	29·537	29·553	29·565	29·580	29·589	29·597	29·583	24
25	29·549	29·529	29·509	29·498	29·508	29·516	29·529	29·528	29·550	29·568	29·576	29·572	25
26	29·561	29·558	29·546	29·522	29·510	29·517	29·523	29·537	29·551	29·555	29·561	29·558	26
27	29·523	29·497	29·479	29·463	29·453	29·457	29·463	29·479	29·499	29·513	29·515	29·523	27
28	29·485	29·465	29·445	29·431	29·423	29·432	29·428	29·452	29·463	29·504	29·516	29·501	28
29	29·521	29·509	29·503	29·507	29·509	29·527	29·558	29·585	29·605	29·619	29·633	29·643	29
30	29·731	29·719	29·725	29·718	29·721	29·739	29·755	29·711	29·786	29·808	29·824	29·818	30
31	29·831	29·805	29·794	29·792	29·779	29·791	29·807	29·833	29·856	29·864	29·866	29·866	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of MAY, 1926.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	67·4	67·4	67·5	67·5	67·7	67·9	68·0	68·4	69·0	71·1	71·2	71·2	1
2	69·6	69·6	69·2	69·1	69·1	69·0	69·2	69·7	70·0	71·0	71·8	71·9	2
3	71·8	71·6	71·7	71·3	71·0	71·2	71·6	71·8	72·3	74·1	76·0	76·9	3
4	72·0	71·8	71·8	72·0	71·9	71·8	72·5	74·0	76·3	78·5	78·1	78·6	4
5	71·3	71·2	71·0	71·2	71·7	71·7	73·7	75·4	76·9	79·2	77·4	78·1	5
6	72·8	72·6	72·5	72·5	71·9	72·2	73·8	77·2	80·1	80·9	81·1	85·0	6
7	75·2	75·4	74·8	74·6	74·5	74·2	75·8	77·9	80·0	80·5	78·9	76·0	7
8	71·2	71·0	70·4	70·1	70·0	70·1	71·2	73·0	74·5	73·8	74·6	75·1	8
9	71·2	71·0	70·7	70·5	70·6	70·7	71·0	71·8	72·2	73·4	74·0	74·9	9
10	72·1	71·9	72·0	72·1	72·3	72·0	72·8	76·2	78·0	78·3	78·2	77·9	10
11	73·6	73·5	73·7	74·0	74·2	74·2	75·1	77·0	77·8	78·0	78·0	80·7	11
12	74·0	73·2	72·8	71·7	71·4	71·2	72·7	75·0	76·0	77·0	77·0	75·8	12
13	73·6	73·7	73·9	73·2	73·3	74·2	74·2	76·0	80·1	81·0	82·3	83·2	13
14	70·9	70·8	72·1	73·9	75·0	75·1	77·0	78·3	78·1	80·0	81·6	79·7	14
15	73·1	73·0	72·6	72·1	72·0	71·8	72·6	72·8	74·0	74·2	74·9	75·0	15
16	70·5	70·2	70·0	69·5	68·7	68·8	70·3	70·0	72·1	73·2	73·0	74·3	16
17	72·1	72·0	71·1	70·8	71·1	71·5	72·1	73·3	74·9	75·5	77·3	75·0	17
18	72·0	72·0	71·9	71·9	71·9	72·0	72·5	73·2	73·8	74·0	73·9	76·0	18
19	72·2	72·4	72·3	72·2	72·7	72·9	74·8	76·1	77·9	79·0	81·1	80·3	19
20	78·1	78·0	77·5	77·0	76·2	76·0	78·2	80·6	81·9	84·1	86·0	86·1	20
21	80·1	80·4	80·2	80·2	80·5	80·8	81·0	80·8	81·0	81·9	82·7	81·4	21
22	80·8	80·8	81·0	80·9	80·0	80·8	81·3	81·8	79·7	78·4	80·7	81·4	22
23	75·0	74·6	74·0	74·0	74·1	74·7	74·4	74·2	76·5	76·1	77·8	77·9	23
24	75·0	74·7	74·7	74·4	74·4	74·7	75·0	75·0	75·6	75·5	75·0	74·5	24
25	75·0	75·0	75·0	74·9	74·9	74·9	74·9	74·8	75·2	75·4	75·5	76·6	25
26	80·8	80·3	80·5	80·4	80·9	81·4	82·0	80·8	80·6	73·8	74·8	77·0	26
27	76·8	76·8	76·2	76·6	76·6	76·8	77·2	79·0	80·5	84·1	85·0	86·9	27
28	81·8	81·5	81·1	80·8	79·8	79·9	81·1	83·9	84·2	85·0	85·1	86·8	28
29	82·0	81·6	81·1	81·1	80·5	81·2	82·1	81·9	83·2	83·9	87·2	88·6	29
30	80·1	79·0	79·2	79·8	79·5	79·4	79·6	76·8	76·0	76·0	77·5	78·1	30
31	75·0	74·4	73·8	74·4	74·7	75·0	75·6	76·0	76·4	76·5	76·8	77·4	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	70·2	70·1	70·1	69·7	69·8	69·8	69·4	69·6	69·4	69·4	69·1	69·1	1
2	73·1	73·1	74·7	74·0	73·2	72·8	72·0	71·9	71·9	71·9	72·0	72·0	2
3	78·7	77·8	78·0	78·0	75·6	72·7	72·6	72·1	71·9	71·8	71·5	71·8	3
4	79·2	79·4	78·7	78·3	75·8	74·0	73·1	73·0	73·0	73·1	73·0	72·3	4
5	78·3	79·9	77·8	77·1	76·3	76·0	75·6	75·1	74·0	74·0	73·7	73·3	5
6	87·0	86·5	85·1	84·2	81·0	80·7	79·0	78·2	77·9	77·0	76·1	75·8	6
7	76·8	75·7	74·2	73·0	72·7	72·0	71·8	71·8	71·9	71·4	71·2	71·3	7
8	73·7	74·2	72·2	72·6	71·9	71·7	71·0	70·9	71·2	71·6	71·7	71·7	8
9	76·5	77·8	76·7	75·5	75·0	74·0	73·0	72·1	71·9	71·7	71·9	71·8	9
10	78·0	79·7	77·5	79·6	76·1	75·1	74·7	74·3	73·8	74·1	74·8	74·2	10
11	78·1	76·7	76·9	76·7	76·0	75·1	75·1	75·0	75·1	75·1	74·0	74·8	11
12	76·2	76·8	75·2	72·4	72·4	73·9	73·1	73·1	73·3	73·5	73·7	73·8	12
13	83·2	82·5	83·7	82·1	82·5	79·5	77·8	76·5	77·0	74·0	74·0	73·0	13
14	79·0	78·5	79·5	78·7	78·0	77·5	75·1	75·7	75·0	73·9	73·0	72·2	14
15	75·1	75·0	75·2	75·0	74·2	73·3	72·5	72·1	72·7	72·3	72·0	71·2	15
16	73·7	74·6	74·9	74·9	73·8	73·0	72·0	71·9	71·5	71·6	71·5	71·5	16
17	74·3	74·0	74·1	74·6	74·3	73·7	73·1	73·0	73·0	72·8	72·6	72·0	17
18	77·9	77·0	76·9	76·0	75·1	74·2	73·8	73·0	73·1	73·0	72·8	72·0	18
19	83·2	83·9	82·3	79·9	80·4	80·0	78·0	78·5	77·8	78·0	77·8	78·5	19
20	87·2	87·3	87·9	85·8	84·9	83·0	81·0	80·0	79·8	79·4	79·1	78·8	20
21	82·4	82·3	81·5	80·9	81·7	81·0	80·8	81·2	80·7	80·8	81·2	81·2	21
22	83·2	82·1	79·4	77·8	77·8	77·1	76·8	76·2	76·9	75·7	75·2	75·0	22
23	78·6	76·1	76·1	73·7	73·7	73·8	74·8	75·0	75·0	75·0	74·9	74·8	23
24	73·2	75·0	75·0	74·4	74·8	75·0	75·1	75·3	75·5	75·6	75·2	75·2	24
25	78·1	78·5	78·7	79·2	79·0	78·2	78·9	78·8	79·8	79·0	78·8	80·1	25
26	77·8	79·2	79·6	78·0	76·3	76·0	76·1	76·1	76·0	76·0	76·5	77·0	26
27	86·8	86·3	85·7	84·0	83·1	82·9	82·7	82·5	82·1	82·0	82·0	82·0	27
28	88·0	87·9	88·2	86·1	85·2	84·2	83·7	83·2	83·3	83·1	82·2	81·9	28
29	88·2	87·7	88·0	85·3	85·0	84·8	82·9	82·0	80·0	79·8	80·2	80·6	29
30	78·2	77·7	77·5	76·8	76·9	75·2	74·8	74·0	74·1	75·0	74·1	75·1	30
31	75·8	77·1	78·0	77·1	76·8	76·5	75·8	75·6	74·8	75·4	75·9	76·4	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of MAY, 1926.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	65·0	65·0	65·0	64·9	65·0	65·2	65·3	65·6	66·0	67·1	67·5	67·8	1
2	68·2	68·2	68·2	68·1	68·4	68·2	68·5	68·9	69·2	70·1	70·8	71·0	2
3	70·4	70·9	70·9	70·7	70·8	70·3	70·8	70·8	70·9	71·9	73·1	72·8	3
4	71·9	71·5	71·3	71·5	71·7	71·5	72·1	72·8	73·9	74·6	74·2	75·0	4
5	70·0	69·9	69·7	69·9	70·0	70·2	71·9	73·0	73·6	75·2	73·8	74·1	5
6	71·8	71·9	71·8	71·8	71·0	71·1	72·4	74·1	73·2	73·1	71·9	72·2	6
7	72·9	72·9	72·3	72·1	71·9	71·9	72·9	73·1	74·3	74·1	73·3	73·0	7
8	64·5	64·0	63·0	62·3	62·7	62·0	62·4	63·5	63·5	63·2	64·1	64·8	8
9	67·9	66·7	66·0	66·3	66·7	66·4	66·5	67·0	66·9	66·7	65·5	66·4	9
10	69·8	70·0	70·1	70·3	70·7	70·8	71·3	73·1	74·0	74·1	73·9	74·0	10
11	72·8	72·8	72·9	73·0	73·1	73·3	74·0	74·8	75·1	75·1	74·8	76·0	11
12	71·3	70·8	70·5	69·8	70·0	70·0	71·2	72·0	72·1	72·0	72·1	73·0	12
13	71·2	71·2	71·0	71·0	71·1	72·0	72·1	73·5	75·1	75·9	75·9	76·2	13
14	67·1	65·2	65·0	63·1	63·0	64·0	66·1	65·0	65·0	65·8	68·2	68·0	14
15	69·8	69·1	68·9	68·1	67·9	67·8	67·5	67·3	67·7	67·0	67·0	67·1	15
16	65·9	65·8	65·1	64·7	63·2	61·9	62·0	62·9	64·0	65·1	65·0	65·8	16
17	68·4	68·4	67·5	67·4	67·9	68·2	68·8	68·7	68·8	69·8	70·1	69·9	17
18	68·7	68·5	68·7	68·4	68·7	68·9	69·1	69·8	70·0	70·3	70·7	72·0	18
19	70·9	70·8	70·7	70·6	70·9	70·8	71·8	72·2	73·6	73·9	74·0	74·1	19
20	74·9	74·8	74·9	74·9	74·8	74·8	75·3	76·2	76·8	78·0	78·9	78·1	20
21	76·7	76·8	76·5	76·8	76·9	77·2	78·0	77·9	78·2	79·0	79·3	79·0	21
22	78·7	77·9	78·0	78·3	78·0	78·0	78·1	78·4	77·3	76·3	77·2	77·1	22
23	73·8	73·4	73·0	72·5	71·9	71·8	71·8	72·0	73·9	73·0	73·0	72·9	23
24	72·9	72·7	72·6	72·4	72·0	72·1	72·2	72·1	72·8	72·9	73·0	72·9	24
25	74·7	74·1	74·2	74·1	74·1	74·0	74·3	74·4	74·9	75·1	75·2	75·9	25
26	79·0	79·0	79·0	79·1	79·0	79·0	78·9	78·9	79·1	73·8	74·0	75·5	26
27	76·1	76·2	76·0	76·0	76·0	76·1	76·2	77·6	78·1	80·1	79·9	80·7	27
28	79·0	79·0	78·9	78·8	78·1	78·0	78·9	79·9	79·5	80·9	80·6	80·8	28
29	79·9	79·8	79·8	79·7	79·1	80·0	80·5	80·0	80·8	81·0	82·5	82·4	29
30	75·9	75·4	75·4	75·1	75·0	75·4	75·2	75·0	74·7	74·3	74·8	74·9	30
31	71·5	71·5	70·9	70·8	69·7	68·9	69·6	68·0	68·2	67·9	68·2	68·9	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	67·2	67·1	67·8	67·1	67·5	67·6	67·3	67·5	67·5	67·9	68·0	68·0	1
2	71·1	71·5	71·9	71·8	71·1	71·0	70·6	70·9	70·9	70·9	71·0	71·0	2
3	74·0	73·9	74·1	74·5	73·1	71·8	71·9	71·8	71·7	71·7	71·5	71·8	3
4	74·1	75·1	74·0	73·9	73·2	72·2	71·8	71·2	71·2	71·0	70·9	70·8	4
5	74·2	75·0	73·8	73·8	73·1	73·1	73·0	72·8	72·8	72·9	72·2	72·2	5
6	73·0	72·8	73·8	71·9	71·4	70·7	71·0	70·5	71·8	71·9	72·1	72·9	6
7	72·8	71·8	71·1	70·0	69·6	68·7	68·1	67·9	67·2	67·0	66·2	66·0	7
8	64·8	65·0	66·3	66·9	66·5	67·0	67·4	67·9	67·8	67·9	67·9	67·9	8
9	67·6	68·8	68·0	67·4	67·5	67·6	67·2	67·9	68·0	68·0	68·0	68·8	9
10	74·0	75·0	74·0	75·1	73·5	73·0	73·0	73·0	72·8	72·9	73·1	72·9	10
11	74·9	74·4	74·6	74·5	74·1	73·9	73·9	73·9	74·2	74·6	73·6	73·0	11
12	73·5	74·0	73·2	69·9	70·0	70·9	70·5	70·7	70·9	70·9	70·8	70·5	12
13	76·0	75·8	77·0	76·0	75·9	74·9	74·8	74·0	74·2	72·0	70·2	69·1	13
14	69·0	68·9	70·3	69·8	69·0	67·2	67·3	66·8	67·0	68·0	68·7	69·8	14
15	68·0	67·9	68·1	67·5	67·5	67·2	67·0	67·0	67·0	66·0	66·1	65·8	15
16	66·0	66·7	66·8	68·0	68·0	68·5	68·1	68·1	68·5	68·4	68·3	68·4	16
17	70·0	69·9	69·2	69·2	69·8	70·0	69·9	69·7	69·8	69·0	69·1	68·6	17
18	72·9	72·0	71·9	71·1	71·0	70·9	70·1	70·2	70·1	70·7	70·2	70·8	18
19	76·0	75·9	75·4	74·9	75·4	74·5	75·0	74·6	74·2	74·4	74·3	75·0	19
20	78·9	78·2	79·6	78·0	78·0	77·8	77·0	77·0	76·9	76·7	76·9	76·8	20
21	79·2	79·0	78·8	78·7	78·1	77·0	75·8	77·0	77·1	77·9	78·5	78·4	21
22	78·7	78·8	76·8	76·0	75·8	75·2	74·8	74·9	75·1	74·4	74·0	73·9	22
23	73·3	72·8	73·0	72·9	72·2	72·8	73·0	72·8	73·0	73·1	73·0	72·7	23
24	72·3	73·2	73·3	73·0	73·4	73·8	73·9	74·1	74·6	74·7	74·8	74·5	24
25	77·0	77·6	77·9	78·1	77·9	77·4	78·0	78·0	78·8	78·0	77·9	79·0	25
26	76·1	77·2	78·0	77·1	75·7	75·1	75·0	75·0	74·9	75·1	75·8	76·2	26
27	81·0	81·1	81·0	80·4	79·9	79·5	79·1	79·0	79·0	79·0	79·0	79·0	27
28	81·2	81·0	81·1	80·5	80·8	80·1	80·0	79·9	79·6	80·0	79·8	79·9	28
29	82·0	82·0	82·2	80·2	79·0	79·2	78·9	78·8	77·4	77·1	77·0	76·7	29
30	74·9	74·4	74·0	73·4	72·8	72·1	72·2	72·0	72·2	72·2	71·7	71·5	30
31	68·2	67·3	69·0	69·2	70·0	69·8	69·4	69·3	68·4	68·2	68·1	67·0	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of MAY, 1926.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	2
3	10	10	10	10	10	10	10	10	10	10	10	10	7	7	6	6	5	4	8	4	10	10	5	10	3
4	10	6	7	10	10	10	9	8	7	6	4	3	5	7	7	6	4	2	2	4	10	10	10	8	4
5	...	1	2	1	2	7	2	3	3	2	9	8	4	3	2	2	...	4	4	1	...	...	...	...	5
6	...	...	...	...	...	...	2	4	3	...	...	1	1	2	7	4	7	8	9	10	10	9	7	...	6
7	...	...	7	6	8	4	4	8	9	8	10	10	9	9	10	10	10	10	10	10	10	10	10	8	7
8	3	2	2	1	1	2	3	2	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8
9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	7	9	10	10	10	7	8	10	10	9
10	10	10	10	10	9	8	9	9	8	8	10	10	10	9	9	6	7	8	9	5	4	7	9	10	10
11	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	11
12	10	10	10	10	6	8	10	10	10	10	10	10	10	10	10	10	10	8	9	4	8	10	10	9	12
13	9	10	8	4	10	10	10	9	4	4	5	8	9	9	9	10	9	9	10	7	10	9	10	10	13
14	9	7	9	10	10	9	7	6	6	7	8	8	7	8	7	4	2	...	...	...	...	...	...	7	14
15	9	10	10	10	10	10	8	6	4	3	3	4	2	2	2	2	4	1	5	4	6	4	3	4	15
16	8	6	7	5	3	4	5	6	4	8	8	9	9	8	2	2	2	8	9	9	3	5	8	9	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	18
19	10	10	10	10	10	10	8	7	6	2	2	8	4	3	2	7	5	3	8	9	4	10	10	10	19
20	10	10	6	...	1	...	...	...	1	1	1	6	5	2	3	...	...	1	2	2	1	1	8	10	20
21	10	9	9	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	10	10	10	10	8	8	10	10	8	10	10	10	10	10	10	10	10	10	10	10	23
24	10	8	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	24
25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	8	8	9	10	10	10	10	10	10	10	10	10	10	27
28	10	10	10	5	7	9	10	9	8	9	10	4	5	5	4	6	7	8	8	9	9	10	10	10	28
29	9	9	7	10	10	10	10	8	9	7	8	8	8	7	8	10	10	10	10	10	10	7	7	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30
31	10	10	10	10	10	9	5	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of MAY, 1926.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	0·1	...	...	...	...	0·1	...	...	...	1
2	...	...	...	...	...	...	...	...	0·1	0·7	0·7	...	...	2
3	...	...	...	...	0·2	0·5	1·0	1·0	1·0	1·0	1·0	1·0	0·3	3
4	...	0·2	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	4
5	0·6	1·0	1·0	0·9	0·8	0·7	1·0	1·0	1·0	1·0	1·0	1·0	0·3	5
6	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	...	6
7	0·3	1·0	0·3	0·4	0·7	0·7	0·3	0·4	...	...	...	0·1	...	...	7
8	0·3	1·0	0·9	0·4	...	0·3	0·3	0·1	...	0·1	0·1	...	...	8
9	...	...	...	...	0·1	0·3	...	0·2	0·1	0·8	0·7	0·5	...	9
10	...	0·5	0·6	0·9	0·4	0·3	0·2	0·6	0·8	0·7	1·0	0·5	0·1	10
11	...	0·4	0·6	0·6	...	...	...	...	...	...	...	...	...	11
12	...	0·3	0·8	0·7	...	...	...	...	...	...	...	...	0·4	12
13	...	0·1	0·9	1·0	1·0	1·0	1·0	0·5	0·8	0·9	0·7	0·4	...	13
14	0·3	0·5	0·8	0·8	0·9	0·4	0·7	0·8	0·2	0·9	1·0	1·0	0·5	14
15	0·1	0·9	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	15
16	0·3	0·7	0·2	1·0	0·7	1·0	0·7	0·1	1·0	1·0	1·0	1·0	0·3	16
17	...	...	...	...	0·1	0·1	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	0·6	0·6	0·3	0·7	0·3	...	...	18
19	0·1	0·7	0·9	1·0	1·0	1·0	0·7	1·0	1·0	0·9	0·9	0·9	0·6	19
20	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	20
21	...	...	...	...	...	0·1	...	...	...	...	...	...	...	21
22	...	0·2	...	...	...	...	0·1	...	...	0·1	0·1	...	...	22
23	...	...	0·5	0·2	0·3	0·8	0·5	0·5	0·2	0·1	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	0·7	0·2	0·2	0·8	0·9	0·8	0·1	...	...	...	27
28	...	0·5	1·0	0·9	0·5	0·8	1·0	1·0	1·0	1·0	1·0	0·8	...	28
29	0·1	0·4	1·0	0·8	0·9	1·0	1·0	0·6	1·0	0·8	...	...	...	29
30	...	...	...	...	...	0·6	...	0·6	0·1	...	...	...	...	30
31	0·1	0·9	0·1	...	...	0·1	0·1	0·1	...	0·2	...	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of MAY, 1926.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	d	d	d	...	...	...	...	d	...	...	...	...	2
3	...	...	...	...	...	...	...	...	d	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	0·040	0·005	...	...	...	...	...	...	...	...	...	d	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	..	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	d	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	d	d	d	0·030	0·045	0·030	21
22	0·010	d	d	0·010	0·015	...	...	...	0·300	0·040	...	...	22
23	...	...	d	0·030	d	d	0·010	0·185	d	...	...	...	23
24	...	d	...	...	...	...	...	...	d	d	0·050	0·160	24
25	d	d	0·005	d	...	0·180	d	d	d	d	d	d	25
26	...	...	d	d	0·005	d	0·005	d	0·400	0·510	0·115	0·030	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	d	0·035	d	d	...	30
31	d	d	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	d	...	d	d	1
2	...	...	...	...	...	...	...	d	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	d	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	d	d	...	...	...	...	0·030	0·150	0·025	0·035	0·040	11
12	d	0·085	0·120	d	d	...	...	...	...	...	...	...	12
13	...	...	...	...	d	...	...	...	...	...	d	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	d	d	...	...	...	...	d	d	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	d	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	0·005	0·005	0·060	0·150	0·020	d	d	0·010	0·045	0·085	0·155	0·035	21
22	...	0·010	d	d	...	...	0·010	0·025	...	...	...	...	22
23	...	0·030	...	0·230	0·610	0·010	d	...	...	0·005	d	...	23
24	0·670	0·005	d	0·015	0·005	d	0·080	0·020	0·015	0·225	0·285	0·005	24
25	d	d	d	0·010	...	d	0·010	...	0·005	...	0·015	0·005	25
26	0·005	0·010	0·085	0·025	0·005	...	...	...	...	d	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	d	...	...	...	...	29
30	...	...	...	...	...	...	d	d	d	d	...	...	30
31	d	...	...	...	...	...	d	...	...	...	...	...	31

TABLE VII.—DIRECTION AND VELOCITY OF THE WIND AT EVERY HOUR OF THE DAY, IN THE MONTH OF MAY, 1926.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	7	22	8	18	8	18	7	23	8	16	8	16	8	17	7	20	7	16	8	19	8	18	8	18	1
2	6	16	6	13	7	12	7	14	7	12	8	14	9	12	9	11	9	9	9	9	9	8	8	8	2
3	9	8	9	6	9	9	9	7	9	8	9	8	9	10	10	9	10	11	10	8	10	9	10	12	3
4	10	9	10	8	10	10	10	7	10	10	9	7	9	11	10	10	9	11	9	10	8	14	9	15	4
5	8	9	7	8	8	8	9	11	9	12	9	9	9	7	9	9	9	8	8	7	8	12	8	15	5
6	...	...	...	...	...	...	...	...	6	3	...	...	...	...	...	1	...	1	...	1	27	7	25	9	6
7	...	...	23	2	...	...	...	1	...	...	...	...	...	1	2	3	7	3	9	11	9	21	8	20	7
8	7	28	7	32	6	31	6	29	6	27	6	24	7	27	8	25	9	27	9	22	8	22	7	19	8
9	6	10	6	14	7	15	7	18	6	16	7	13	7	16	7	15	8	20	8	18	8	17	9	16	9
10	9	7	9	6	9	5	9	3	9	4	8	4	8	4	8	5	8	8	8	10	8	8	8	10	10
11	...	1	12	4	12	2	...	1	9	4	7	3	6	2	6	6	7	10	7	13	9	12	12	9	11
12	...	1	...	1	29	2	30	2	30	2	...	...	2	3	6	9	7	13	8	11	9	7	8	9	12
13	25	2	...	...	...	...	...	...	3	4	5	2	...	...	3	3	30	3	29	5	26	5	25	8	13
14	8	30	7	27	8	16	7	15	6	10	7	7	7	7	7	16	8	18	9	18	10	17	10	16	14
15	6	22	6	20	6	20	6	22	7	24	7	24	7	26	7	28	7	27	7	26	8	23	8	22	15
16	6	27	6	28	7	27	6	24	6	22	6	22	7	22	7	20	7	25	6	21	8	23	9	19	16
17	6	19	6	18	7	21	7	13	8	13	8	12	8	11	7	13	7	14	7	20	7	24	6	16	17
18	7	18	7	19	7	18	7	20	7	19	7	14	7	14	7	12	7	14	7	13	7	14	7	13	18
19	8	10	8	8	9	8	10	2	...	...	...	...	...	...	...	1	30	6	27	9	25	10	23	13	19
20	20	9	20	12	21	10	22	7	23	3	...	...	...	...	23	4	24	3	23	4	24	7	24	8	20
21	...	1	17	6	19	4	...	1	19	3	17	6	16	8	17	9	17	12	17	20	18	18	18	23	21
22	21	17	20	15	20	23	20	20	20	22	20	23	19	19	19	16	20	19	21	17	22	16	22	17	22
23	8	18	7	21	7	24	7	22	7	21	6	20	6	21	6	20	6	20	6	23	7	20	7	24	23
24	7	10	7	14	6	15	6	12	7	16	7	21	8	20	8	21	7	22	7	20	7	14	7	17	24
25	7	19	8	13	8	10	9	13	9	15	9	11	8	13	7	16	7	15	7	17	7	16	6	15	25
26	16	8	17	8	17	9	17	7	17	5	17	9	17	10	18	8	22	19	28	11	...	...	...	1	26
27	6	9	6	5	6	3	6	4	6	6	6	4	7	4	11	2	15	2	18	2	19	5	18	6	27
28	17	2	...	1	...	1	17	3	17	2	...	...	...	...	...	1	17	7	17	7	19	6	21	6	28
29	...	1	...	...	26	2	...	...	...	...	...	1	3	3	7	10	8	7	9	4	10	6	24	6	29
30	9	9	10	7	9	2	8	4	7	6	7	11	7	19	7	25	6	26	6	28	6	30	6	28	30
31	7	25	7	23	7	16	7	21	7	22	7	23	6	21	6	27	6	26	6	23	6	23	6	25	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	20	8	20	8	20	8	17	8	16	8	19	8	20	7	18	7	17	7	15	7	19	7	15	1
2	9	8	9	6	9	10	9	9	9	11	8	10	8	9	8	6	8	5	8	8	8	9	8	10	2
3	11	12	11	11	11	10	10	12	9	14	9	13	9	12	8	12	9	10	8	9	9	9	10	8	3
4	9	15	9	14	9	15	8	16	7	17	8	18	8	15	8	11	8	8	7	9	8	7	7	9	4
5	8	14	8	13	8	14	8	13	9	13	10	8	11	5	10	2	10	5	9	6	8	7	7	4	5
6	23	7	21	9	20	9	19	8	18	4	18	2	...	...	24	4	27	3	26	2	25	4	24	3	6
7	8	27	7	23	7	24	7	26	7	29	7	29	7	29	7	31	7	29	7	34	7	31	7	28	7
8	6	21	8	21	8	21	7	22	6	19	6	15	7	15	7	15	7	16	7	16	6	12	6	10	8
9	10	12	10	11	10	16	9	17	9	16	10	17	10	15	9	12	10	10	10	8	8	9	7	9	9
10	8	8	8	8	9	8	8	8	8	11	7	10	8	8	8	9	9	4	...	1	...	...	...	...	10
11	11	10	9	11	9	8	9	10	10	10	9	10	8	10	8	11	6	5	...	1	14	6	17	3	11
12	8	8	10	5	15	15	18	16	20	15	21	14	22	13	23	6	25	2	25	2	...	...	25	2	12
13	25	8	27	6	27	7	28	6	28	5	27	5	24	6	18	2	9	13	6	31	6	29	7	28	13
14	10	18	10	10	10	11	10	10	9	9	9	13	8	13	7	15	7	13	8	13	8	18	7	23	14
15	9	19	10	22	9	23	9	24	9	23	8	22	7	23	7	23	7	21	7	21	7	27	6	29	15
16	10	18	10	20	10	15	10	16	9	21	8	15	7	14	7	14	7	16	6	22	6	21	6	20	16
17	6	16	6	18	6	15	6	16	6	18	7	15	7	15	8	18	8	21	7	23	7	20	6	18	17
18	8	13	9	18	9	13	9	16	9	16	9	13	9	12	9	13	8	18	7	17	8	15	8	11	18
19	21	12	19	13	18	12	18	15	18	9	18	7	18	7	20	7	24	3	...	1	20	3	20	9	19
20	25	6	25	7	26	7	22	6	18	5	16	7	17	7	16	4	16	3	...	...	...	...	...	...	20
21	18	19	19	28	19	32	19	30	18	29	18	28	18	19	17	15	16	8	17	13	19	17	20	24	21
22	21	7	18	5	10	11	8	16	7	14	8	15	7	16	8	13	8	11	8	22	8	19	8	17	22
23	8	26	7	24	7	25	7	21	8	20	9	22	8	19	8	13	7	10	7	7	7	14	7	12	23
24	7	19	7	19	7	18	7	16	7	23	7	17	7	19	7	18	7	18	7	20	7	19	7	19	24
25	6	10	6	10	6	14	8	8	7	6	6	7	5	6	8	2	11	3	10	5	12	2	15	5	25
26	29	4	...	...	1	3	7	12	7	12	7	14	8	16	8	18	8	17	8	17	7	11	6	9	26
27	16	4	16	6	17	6	16	6	15	4	15	4	15	3	17	5	17	3	16	4	...	...	...	...	27
28	23	8	23	7	21	4	18	6	18	8	18	7	17	10	18	7	20	7	23	4	...	1	23	3	28
29	25	8	24	8	23	9	23	9	23	2	23	4	19	2	12	9	8	14	8	5	7	4	8	2	29
30	6	29	6	27	6	25	6	28	6	27	6	26	7	23	6	22	6	21	7	25	6	23	7	22	30
31	6	21	5	20	6	18	7	14	7	17	7	15	6	16	6	14	5	15	5	12	6	15	6	22	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of MAY, 1926.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	nb	E
2	nb	E	nb	E	cu	E	nb	E	nb	E	cu	ESE	cu	ESE	cu-nb	E
3	cu-nb	E	cu-nb	E	cu	E	cu	E	cu	E	cu	E	ci-st / cu	WSW / E	st	E
4	cu	E	cu	E	cu	E	cu	E	ci-st / cu	W / WSW	ci-st / cu	W / WSW	ci-st	W	cu	E
5	...	...	cu	E	ci-st / cu	W / ESE	cu	WSW	cu	WSW	cu	WSW	ci-st	W	...	...
6	...	...	...	...	ci-st	WNW	...	...	cu	W	ci-st	WNW	ci-st	WNW	ci-st	WNW
7	...	...	ci-st	W	a-cu / cu	ESE / W	cu	ESE	cu	E	cu	E	cu	E	cu-nb	E
8	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	a-cu / cu	W / E	cu	E
9	cu	E	cu	E	cu	E	cu	E	cu	ESE	a-cu / cu	W / ESE	cu	ESE	cu	ESE
10	cu	E	cu	E	a-cu / cu	W / SSE	a-cu / cu	W / ESE	cu	ESE	cu	ESE	ci-st / cu	WNW / ESE	cu	ESE
11	cu	ESE	cu	ESE	cu	ESE	cu	S	cu	SW	cu	SW	cu	SW	nb	SW
12	nb	SW	nb	SW	cu	SSW	cu	SW	nb	SW	nb	SW	cu	W	cu	W
13	cu	W	cu	W	cu	SW	cu	SW	ci-st / cu	W / E	a-cu / cu	N / NE	cu	E	cu	ENE
14	cu	E	cu	E	cu	E	cu	E	a-cu / cu	W / ESE	ci-st / a-cu	W / WSW	...	...	...	...
15	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	a-cu / cu	W / E	cu	E
16	cu	E	cu	E	cu	E	ci-cu / cu	SW / E	cu	ESE	a-cu	WSW	cu	ESE	cu	E
17	cu	E	cu	E	cu	E	a-cu / cu	WSW / E	nb	E	st-cu	E	cu	E	cu	E
18	cu	E	cu-nb	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
19	nb	E	nb	E	cu	SW	cu	WSW	cu	W	cu	W	cu	SW	cu	SW
20	cu	SW	...	...	...	...	cu	WSW	cu	WSW	...	...	ci-st	NW	cu	SW
21	cu	SW	cu	SW	cu	SSW	nb	SSW	nb	SW	nb	SW	nb	SW	nb	SW
22	nb	SW	nb	SW	ci-st / cu	W / WSW	nb	WSW	nb	WSW	nb	SSW	nb	S	nb	S
23	nb	SE	nb	ESE	nb	E	cu-nb	E	a-cu / cu	WNW / E	nb	E	nb	E	nb	E
24	nb	E	cu	E	cu	E	nb	E	nb	E	nb	E	nb	E	nb	E
25	nb	E	nb	E	nb	E	nb	E	nb	ESE	nb	SSE	nb	SSE	nb	SSE
26	nb	SSE	nb	SSW	nb	SW	nb	SW	nb	SW	nb	SW	nb	SSE	nb	SSE
27	nb	S	cu	SSW	cu	SSW	cu	SW	cu	SSW	cu	SSW	cu	SSW	cu	SSW
28	cu	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SW	cu	SW	ci-st / cu	W / SW	cu	SW
29	cu	SW	cu	SW	cu	SW	cu	WSW	cu	WSW	a-cu / cu	W / WSW	cu	W	cu	W
30	cu	WSW	cu	WSW	cu	ESE	nb	ESE	cu	E	cu-nb	E	nb	E	nb	E
31	cu	E	cu	E	cu	E	cu	E	nb	E	cu	E	nb	E	cu	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1926.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	hr.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·975	72·0	67·3	4·7	69·2	66·7	0·623	87	100	0·2	2	...	1	+ 1·3	+ 18·2	86	18·2	18·2
2	·950	75·3	69·0	6·3	71·3	70·1	·721	94	100	1·5	12	...	2	...	+ 9·9	90	9·9	10·0
3	·912	78·9	71·0	7·9	73·5	71·9	·762	92	84	7·0	54	...	...	— 2·9	+ 9·3	107	9·7	9·9
4	·874	80·4	71·5	8·9	74·7	72·5	·770	89	69	10·2	78	...	...	— 1·4	+ 11·2	97	11·3	11·5
5	·869	80·0	70·9	9·1	75·0	72·5	·766	88	25	11·3	87	...	...	— 0·9	+ 9·0	96	9·0	9·1
6	·865	87·8	71·8	16·0	78·4	72·1	·704	73	35	10·5	81	...	...	— 0·6	— 2·3	255	2·4	3·2
7	·905	81·1	71·1	10·0	74·6	70·9	·708	83	79	4·2	32	...	...	+ 3·5	+ 16·1	81	15·3	16·7
8	·916	75·5	69·9	5·6	72·1	65·1	·527	67	72	3·5	27	...	...	+ 4·1	+ 20·7	79	21·1	21·5
9	·858	78·5	70·5	8·0	72·9	67·2	·591	73	96	2·7	21	...	...	— 0·5	+ 13·7	92	13·7	14·2
10	·782	80·2	71·8	8·4	75·2	72·7	·772	88	85	6·6	50	...	...	— 0·3	+ 6·2	93	6·2	6·2
11	·734	81·5	73·3	8·2	75·8	74·1	·821	92	100	1·6	12	0·280	4	— 1·2	+ 6·0	101	6·1	6·7
12	·637	78·0	71·2	6·8	74·0	71·3	·732	87	92	2·2	17	0·250	4	— 1·8	+ 0·4	168	1·8	6·6
13	·630	84·5	73·0	11·5	77·7	73·6	·775	82	84	8·3	63	...	...	+ 2·5	+ 1·9	37	3·1	7·4
14	·698	82·2	70·1	12·1	76·2	67·0	·540	60	55	8·8	67	...	...	— 0·5	+ 14·8	92	14·8	15·1
15	·811	75·9	71·2	4·7	73·3	67·5	·597	73	52	11·3	86	...	...	+ 2·9	+ 22·7	83	22·9	23·4
16	·858	73·3	68·5	6·8	71·9	66·0	·561	71	61	9·0	68	...	...	+ 2·9	+ 19·5	82	19·7	20·5
17	·852	78·5	70·3	8·2	73·3	69·1	·656	80	100	0·2	2	...	1	+ 4·0	+ 16·6	76	17·1	17·0
18	·774	78·2	71·8	6·4	73·7	70·2	·693	83	99	2·5	19	...	1	+ 0·9	+ 15·1	87	15·1	15·1
19	·657	84·2	72·1	12·1	77·6	73·5	·772	82	70	10·7	81	...	...	— 2·9	— 2·4	220	3·8	6·9
20	·683	88·1	75·9	12·2	81·4	76·8	·861	80	30	11·8	89	...	...	— 2·1	— 3·6	240	4·2	5·0
21	·634	83·0	79·8	3·4	81·1	77·8	·910	86	98	0·1	1	0·675	8	— 14·0	— 6·2	204	15·3	15·5
22	·552	84·2	75·0	9·2	79·2	76·7	·886	89	100	0·5	4	0·420	5	— 6·3	— 0·8	187	6·3	16·2
23	·607	79·3	72·6	6·7	75·3	72·8	·775	88	97	3·1	23	1·110	7	+ 3·5	+ 19·0	80	19·3	19·5
24	·590	75·9	73·2	2·7	74·9	73·2	·796	92	99	...	...	1·535	12	+ 3·5	+ 17·7	79	18·0	17·8
25	·548	80·8	74·7	6·1	77·0	76·3	·899	97	100	...	...	0·230	9	+ 1·0	+ 10·0	84	10·1	10·5
26	·550	82·1	73·2	8·9	78·2	76·9	·909	94	100	...	...	1·195	9	— 1·8	+ 3·5	117	3·9	9·5
27	·508	88·1	76·2	11·9	81·4	78·6	·942	88	98	3·7	28	...	...	— 2·0	+ 1·2	149	2·3	4·0
28	·482	88·6	79·7	8·9	83·7	79·8	·966	83	80	9·5	17	...	...	— 3·2	— 2·3	216	3·9	4·5
29	·534	89·4	79·8	9·6	83·3	79·8	·971	85	88	7·6	57	...	...	— 0·3	+ 0·5	121	0·6	4·8
30	·719	81·0	74·0	7·0	77·1	73·9	·795	85	100	1·3	10	0·035	4	+ 6·3	+ 19·4	72	20·4	20·5
31	·819	78·2	73·8	4·4	75·9	69·1	·621	70	97	1·6	12	...	1	+ 6·5	+ 18·6	71	19·7	19·7
Means	29·735	80·9	72·7	8·2	76·1	72·4	0·756	83	82	Sum. 151·5	37	Sum. 5·730	Sum 68	0·0	+ 9·2	90	9·2	12·5
Normals	29·746	81·4	73·5	7·9	76·8	73·2	0·775	83	75	155·2	38	11·856	91	— 1·5	+ 7·7	101	7·9	12·6
Absolute Max.	30·027	89·4	...	16·0	...	83·2	1·069	...	...	11·8	89	1·535	12	...	...	...	...	34·0 †
Day.	1	29	...	6	...	29	29	...	...	20	20	24	24	...	...	...	...	7d 22h
Absolute Min.	29·423	...	67·3	2·7	...	61·8	0·409	41	...	...	...	...	...	...	...	...	...	...
Day.	28	...	1	24	...	16	14	14	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo :—on the 4th, 9th and 13th.
Lunar halo :—on the 20th.
Fog :—on the 2nd, 3rd, 4th, 26th, and 29th.
Slight Fog :—on the 25th and 27th.
Unusual visibility :—on the 4th, 14th and 23rd.
Dew :—on the 5th, 6th, 7th, 11th and 29th.
Lightning :—on the 6th, 11th, 12th, 13th, 21st, 22nd, 23rd, 24th, 25th and 28th.
Thunder :—on the 12th, 13th, 21st, 22nd, 23rd, 24th and 26th.

Thunderstorms as follows :—

11*d.* 19*h.* 05*m.* to 21*h.* 39*m.* N.W. to S.E.: nearest at 20*h.* 23*m.* (4*s*).
11*d.* 22*h.* 15*m.* to 23*h.* 52*m.* in S.W.; distant.
12*d.* 2*h.* 17*m.* to 4*h.* 20*m.* in S.W.; distant.
12*d.* 13*h.* 16*m.* to 15*h.* 12*m.* S.W. to N.E.: nearest at 13*h.* 43*m.* (11*s*).
21*d.* 20*h.* 07*m.* to 22*h.* 47*m.* N.E. to S.W.: nearest at 22*h.* 05*m.* (14*s*).
22*d.* 18*h.* 54*m.* to 22*h.* 17*m.* in N.N.W.: distant.
23*d.* 7*h.* 12*m.* to 8*h.* 10*m.* N.W. to S.E.; nearest at 8*h.* 05*m.* (3*s*).
26*d.* 9*h.* 32*m.* to 10*h.* 25*m.* S.W. to N.E.; nearest at 10*h.* 10*m.* (10*s*).

Rain fell on 9 days. The mean hourly intensity was 0·084*in*, and the maximum fall in one hour was 0·670*in* at 13*h* on the 24th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 58 miles per hour at 14*h* 45*m* on the 21st.

Clouds with base less than 2,000 feet high were observed on 13 days.

Clouds with base less than 1,000 feet high were observed on 5 days.

* 0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1926.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1017·1	295·2	292·6	2·6	293·7	292·3	21·0	...	1	+ 0·4	+ 6·0	86	6·0	6·0
2	1016·2	297·1	293·6	3·5	294·8	294·2	24·3	...	2	...	+ 3·2	90	3·2	3·3
3	1014·9	299·1	294·7	4·4	296·1	295·2	25·7	...	...	— 1·0	+ 3·0	107	3·2	3·2
4	1015·6	299·9	294·9	5·0	296·7	295·5	26·0	...	...	— 0·5	+ 3·7	97	3·7	3·8
5	1013·4	299·7	294·6	5·1	296·9	295·5	25·8	...	...	— 0·3	+ 3·0	96	3·0	3·0
6	1013·3	304·0	295·1	8·9	298·8	295·3	23·7	...	...	— 0·2	— 0·8	255	0·8	1·0
7	1014·7	300·3	294·7	5·6	296·7	294·6	23·9	...	...	+ 0·8	+ 5·3	81	5·3	5·5
8	1015·0	297·2	294·1	3·1	295·3	291·4	17·8	...	...	+ 1·3	+ 6·8	79	6·9	7·0
9	1013·1	298·8	294·4	4·4	295·7	292·6	19·9	...	...	— 0·2	+ 4·5	92	4·5	4·7
10	1010·5	299·8	295·1	4·7	297·0	295·6	26·0	...	...	— 0·1	+ 2·0	93	2·0	2·0
11	1008·8	300·5	295·9	4·6	297·3	296·4	27·—	—·1	+	— 0·4	+ 2·0	101	2·0	2·2
12	1005·6	298·6	294·8	3·8	296·3	294·8	24·7	6·4	+	— 0·6	+ 0·1	168	0·6	2·2
13	1005·3	302·2	295·8	6·4	298·4	296·1	26·1	...	...	+ 0·8	+ 0·6	37	1·0	2·4
14	1007·6	300·9	294·2	6·7	297·6	292·4	18·2	...	...	— 0·2	+ 4·9	92	4·9	5·0
15	1011·5	297·4	294·8	2·6	295·9	292·7	20·1	...	...	+ 1·0	+ 7·4	83	7·5	7·7
16	1013·1	297·1	293·3	3·8	295·2	291·9	18·9	...	...	+ 1·0	+ 6·4	82	6·5	6·7
17	1012·9	298·8	294·3	4·5	295·9	293·6	22·1	...	1	+ 1·3	+ 5·4	76	5·6	5·6
18	1010·2	298·7	295·1	3·6	296·2	294·2	23·4	...	1	+ 0·3	+ 5·0	87	5·0	5·0
19	1006·2	302·0	295·3	6·7	298·3	296·1	26·0	...	...	— 1·0	— 0·8	220	1·2	2·3
20	1007·1	304·2	297·4	6·8	300·4	297·9	29·0	...	...	— 0·7	— 1·2	240	1·4	1·6
21	1005·4	301·3	299·6	1·7	300·3	298·4	30·7	1·1	8	— 4·6	— 2·0	204	5·0	5·1
22	1002·6	302·0	296·9	5·1	299·2	297·8	29·9	10·7	5	— 2·1	— 0·3	187	2·1	5·3
23	1004·5	299·3	295·6	3·7	297·1	295·7	26·1	28·2	7	+ 1·1	+ 6·2	80	6·3	6·4
24	1004·0	297·4	295·9	1·5	296·8	295·9	26·8	39·0	12	+ 1·1	+ 5·8	79	5·9	5·8
25	1002·5	300·1	296·7	3·4	298·0	297·6	30·3	5·8	9	+ 0·3	+ 3·3	84	3·3	3·4
26	1002·6	300·8	295·9	4·9	298·7	297·9	30·7	30·3	9	— 0·6	+ 1·1	117	1·3	3·1
27	1001·1	304·2	297·6	6·6	300·4	298·9	31·8	...	...	— 0·7	+ 0·4	149	0·8	1·3
28	1000·2	304·4	299·5	4·9	301·7	299·6	32·6	...	...	— 1·0	— 0·8	216	1·3	1·5
29	1002·0	304·9	299·6	5·3	301·5	299·6	32·8	...	...	— 0·1	+ 0·2	121	0·2	1·6
30	1008·3	300·2	296·3	3·9	298·1	296·3	26·8	0·9	4	+ 2·1	+ 6·4	72	6·7	6·7
31	1011·7	298·7	296·2	2·5	297·4	293·6	20·9	...	1	+ 2·1	+ 6·1	71	6·5	6·5
Means.	1008·9	300·2	295·6	4·6	297·5	295·4	25·5	Sums. 145·5	Sums. 68	0·0	+ 3·0	90	3·0	4·1
Normals	1009·3	300·4	296·1	4·3	297·9	295·9	26·1	301·1	91	— 0·5	+ 2·5	101	2·6	4·1
Absolute Maximum.	1018·8	304·9	...	8·9	...	301·4	36·1	39·0	12	...	...	...	...	11·1†
Day.	1	29	...	6	...	29	29	24	24	...	...	...	...	7*d* 22*h*
Absolute Minimum	998·2	...	292·6	1·5	...	289·6	13·8	...	...	...	...	...	...	...
Day.	28	...	1	24	...	16	14	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, MAY, 1926.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	0·0	11	+ 0·1	21	+ 0·1
2	0·0	12	+ 0·1	22	+ 0·1
3	+ 0·1	13	+ 0·1	23	+ 0·1
4	+ 0·1	14	+ 0·1	24	+ 0·2
5	+ 0·1	15	+ 0·1	25	+ 0·2
6	0·0	16	+ 0·2	26	+ 0·2
7	— 0·1	17	0·0	27	0·0
8	— 0·1	18	+ 0·1	28	0·0
9	0·0	19	+ 0·1	29	— 0·1
10	0·0	20	+ 0·1	30	— 0·2
				31	— 0·2

+ = Late ; — = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0·10

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1926.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·745	74·4	72·0	0·761	88	86		1	4	+ 0·9	+ 9·5	85	9·5	11·8
2	·730	74·2	71·7	·752	88	83		...	3	+ 0·7	+ 8·9	86	8·9	11·5
3	·719	74·1	71·5	·746	88	85		...	3	+ 0·4	+ 8·1	87	8·1	11·0
4	·716	74·0	71·4	·743	88	81		1	3	+ 0·9	+ 8·2	84	8·2	10·5
5	·719	74·0	71·3	·739	87	83		...	2	+ 0·6	+ 8·3	86	8·3	10·5
6	·731	74·1	71·3	·738	87	84	9	3	1	+ 0·4	+ 7·9	87	7·9	9·9
7	·746	74·9	71·8	·746	86	81	36	...	2	+ 0·2	+ 8·7	89	8·7	10·6
8	·758	75·9	72·2	·749	83	82	43	3	4	+ 0·6	+ 9·9	87	9·9	12·1
9	·769	76·9	72·6	·752	80	80	46	13	6	+ 0·4	+ 9·7	88	9·7	13·6
10	·778	77·5	72·8	·752	79	78	38	10	6	+ 0·6	+ 9·7	86	9·7	13·8
11	·771	78·2	73·0	·750	77	83	45	4	5	− 0·2	+ 9·5	91	9·5	13·9
Noon.	·761	78·7	73·3	·756	76	85	45	4	4	− 0·5	+ 8·4	93	8·4	14·3
13	·744	79·0	73·6	·764	76	81	45	12	5	− 0·9	+ 8·6	96	8·6	13·8
14	·725	79·0	73·7	·768	77	81	43	3	6	− 1·4	+ 8·3	100	8·4	13·5
15	·706	78·7	73·7	·773	78	80	49	5	4	− 1·9	+ 8·8	102	9·0	14·1
16	·695	77·9	73·3	·767	80	78	44	7	5	− 2·1	+ 9·3	103	9·5	14·5
17	·690	77·0	72·9	·762	81	77	33	11	4	− 1·5	+ 10·3	98	10·4	14·3
18	·695	76·3	72·6	·759	83	79	12	...	2	− 1·4	+ 9·6	98	9·7	13·6
19	·710	75·7	72·4	·760	85	85		2	5	− 0·8	+ 9·5	95	9·5	12·8
20	·723	75·4	72·4	·764	86	80		1	5	− 0·3	+ 9·3	92	9·3	11·9
21	·741	75·3	72·4	·765	86	81		4	5	+ 0·5	+ 9·6	87	9·6	11·3
22	·754	75·1	72·3	·764	87	84		6	5	+ 1·3	+ 10·5	83	10·6	12·0
23	·761	74·9	72·2	·763	87	86		9	6	+ 1·4	+ 10·2	82	10·3	12·0
Midn.	·756	74·9	72·2	·763	87	89		1	5	+ 1·2	+ 9·1	82	9·2	12·1

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1926.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1009·2	296·6	295·2	25·7	+ 0·3	+ 3·1	85	3·1	3·9
2	1008·7	296·4	295·1	25·4	+ 0·2	+ 2·9	86	2·9	3·8
3	1008·3	296·4	294·9	25·2	+ 0·1	+ 2·7	87	2·7	3·6
4	1008·2	296·3	294·9	25·1	+ 0·3	+ 2·7	84	2·7	3·4
5	1008·3	296·3	294·8	24·9	+ 0·2	+ 2·7	86	2·7	3·4
6	1008·7	296·4	294·8	24·9	+ 0·1	+ 2·6	87	2·6	3·2
7	1009·3	296·8	295·1	25·2	+ 0·1	+ 2·9	89	2·9	3·5
8	1009·7	297·4	295·3	25·3	+ 0·2	+ 3·2	87	3·2	4·0
9	1010·0	297·9	295·6	25·4	+ 0·1	+ 3·2	88	3·2	4·3
10	1010·3	298·3	295·7	25·4	+ 0·2	+ 3·2	86	3·2	4·3
11	1010·1	298·7	295·8	25·3	− 0·1	+ 3·1	91	3·1	4·6
Noon.	1009·7	298·9	295·9	25·5	− 0·2	+ 2·8	93	2·8	4·7
13	1009·1	299·1	296·1	25·8	− 0·3	+ 2·8	96	2·8	4·5
14	1008·5	299·1	296·2	25·9	− 0·5	+ 2·7	100	2·8	4·4
15	1007·9	298·9	296·2	26·1	− 0·6	+ 2·9	102	3·0	4·6
16	1007·5	298·5	295·9	25·9	− 0·7	+ 3·0	103	3·1	4·8
17	1007·4	298·0	295·7	25·7	− 0·5	+ 3·4	98	3·4	4·7
18	1007·5	297·6	295·6	25·6	− 0·5	+ 3·1	98	3·2	4·5
19	1008·0	297·3	295·4	25·6	− 0·3	+ 3·1	95	3·1	4·2
20	1008·5	297·1	295·4	25·8	− 0·1	+ 3·0	92	3·0	3·9
21	1009·1	297·1	295·4	25·8	+ 0·2	+ 3·1	87	3·1	3·7
22	1009·5	296·9	295·4	25·8	+ 0·4	+ 3·4	83	3·5	3·9
23	1009·8	296·8	295·3	25·7	+ 0·5	+ 3·3	82	3·4	3·9
Midn.	1009·6	296·8	295·3	25·7	+ 0·4	+ 3·0	82	3·0	4·0

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

MAY,

1926.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th APRIL, 1926.								1st MAY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.82	757.5	...	...	NNW	2	...	5	30.00	762.0	...	...	...	0	...
Hokodate,	,,	29.86	758.4	...	...	SW	5	...	,,	30.00	762.0	...	...	NNW	2	...
Tokio,	,,	30.08	764.0	...	...	S	2	...	,,	30.16	766 0	...	...	...	0	...
Kochi,	,,	30.20	767.0	...	...	SSW	1	...	,,	30.28	769.0	...	...	SW	1	...
Nagasaki,	,,	30.24	768.0	...	...	W	1	...	,,	30.28	769.0	...	...	...	0	...
Kagoshima,	,,	30.24	768.0	...	...	SE	1	...	,,	...	...	...	...	WNW	1	...
Oshima,	,,	30.20	767.0	...	...	SSE	1	...	,,	30.20	767.0	...	...	...	0	...
Naha,	,,	30.24	768.0	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.06	763.5	...	...	SE	2	...
Bonin Island,	,,	30.12	765.0	...	...	NE	1	...	,,	30.22	767.5	...	...	SSE	1	...
Chefoo,	15	29.88	758.9	54	21	SW	2	b	6	30.02	762.5	60	71	S	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	30.22	767.6	59	...	NW	1	o
Shanghai,	14	30.11	764.7	72	40	SE	4	b	,,	30.10	764.4	59	83	SE	1	b
Gutzlaff,	,,	30.15	765.8	62	56	SSE	6	b	,,	30.13	765.3	58	94	SSE	4	o
Sharp Peak,	,,	30.12	765.0	60	88	N	1	r	7	30.10	764.5	60	93	N	1	o
Amoy,	15	30.07	763.8	65	100	N	2	o	6	30.06	763.5	64	100	ESE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.11	764.7	68	81	E	2	o	5	30.07	763.8	64	98	...	o	o
Taichu,	,,	30.12	765.0	72	...	SW	2	o	,,	30.06	763.5	64	...	...	o	o
Tainan,	,,	30.01	762.3	79	...	W	2	o	,,	30.05	763.2	70	...	...	o	o
Koshun,	,,	29.91	759.6	77	...	NNE	4	o	,,	30.05	763.2	72	...	NE	4	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	30.04	763.0	68	85	NE	1	o	6	...	...	...	...	...	...	...
Hongkong,	,,	30.04	763.0	69	76	E	4	o	,,	30.03	762.7	68	85	E	3	o
Gap Rock,	,,	30.01	762.2	...	...	ENE	5	cm	,,	30.01	762.3	...	...	ENE	4	om
Macao,	,,	30.01	762.3	70	85	ESE	4	o	,,	29.99	761.7	68	98	E	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.99	761.7	81	71	E	4	b	6	29.98	761.5	77	86	ESE	4	o
Phulien,	,,	29.94	760.5	79	66	SSE	1	of	7	29.99	761.7	68	96	WSW	1	of
Tourane,	,,	29.95	760.8	77	...	NW	4	bf	,,	29.94	760.5	73	...	SW	4	o
Cape St. James,	,,	29.87	758.7	84	...	ENE	6	o	,,	29.87	758.7	81	...	ENE	6	o
Basco,	,,	..	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	29.94	760.5	82	70	ENE	4	o	,,	29.98	761.4	75	92	...	0	b
Manila,	,,	29.89	759.3	93	46	SE	4	o	,,	29.95	760.8	75	83	NE	1	b
Legaspi,	,,	29.89	759.3	93	67	NE	2	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.88	759.0	90	44	E	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	90	...	NE	6	b	,,	...	...	...	...	...	...	...
Surigao,	..	29.87	75'.7	86	65	NE	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.89	759.3	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.90	759.4	79	...	NE	2	b
Labuan,	14	29.77	756.1	88	84	NE	2	b	6	...	...	...	...	...	...	...

May 1*d.* 11*h.* 0*cm.*—Pressure has increased moderately from N.E. Japan to the Bonins and slightly from central Japan to Formosa. It has decreased slightly at Shanghai and is nearly stationary elsewhere.

The map is still dominated by an anticyclone now central to the south of Kobe.

Shanghai warning. 3*cd.* 6*h.* 0*cm.* :—Continental depression in Lat. 32° N. Long. 137° E., moving E.N.E. Recd. 3*cd.* 16*h.* 2*cm.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·62 inches, against an average of 11·84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.09	764.4	47	...	SSE	4	o	6	30.08	764.0	42	...	...	o	o
Nemuro,	11	30.10	764.5	...	...	...	o	...	5	30.32	77.00	...	...	WSW	1	...
Hokodate,	,,	30.08	764.0	...	...	W	1	...	,,	30.32	770.0	...	...	...	o	...
Tokio,	,,	30.14	765.5	...	...	S	3	...	,,	30.34	770.5	...	...	N	1	...
Kochi,	,,	30.24	768.0	...	...	SSE	1	...	,,	30.30	769.5	...	...	WSW	1	...
Nagasaki,	,,	30.28	769.0	...	...	WSW	1	...	,,	30.22	767.5	...	...	SE	1	...
Kagoshima,	,,	30.28	769.0	...	...	SE	1	...	,,	30.28	769.0	...	...	W	1	...
Oshima,	,,	30.24	768.0	...	...	S	1	...	,,	30.20	767.0	...	...	...	o	...
Naha,	,,	30.20	767.0	...	...	NE	1	...	,,	30.14	765.5	...	...	ESE	1	...
Ishigakijima,	,,	30.14	765.5	...	...	SSE	1	...	,,	30.08	764.0	...	...	SSE	1	...
Bonin Island,	,,	30.22	767.5	...	...	NE	1	...	,,	30.26	768.5	...	...	ENE	1	...
Chefoo,	15	29.99	761.7	76	69	S	2	b	6	30.02	762.5	52	88	SSW	4	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.08	764.1	77	54	SE	1	b	,,	30.11	764.7	61	96	ESE	1	o
Gutzlaff,	,,	30.13	765.3	62	83	SSE	4	b	,,	30.13	765.3	58	100	ESE	2	cf
Sharp Peak,	,,	30.10	764.5	76	69	SE	2	b	7	30.09	764.3	64	93	...	o	rf
Amoy,	15	30.03	762.7	68	95	NE	1	o	6	30.03	762.7	66	100	SE	1	cf
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.13	765.3	70	88	...	o	o	5	30.07	763.8	63	100	...	o	b
Taichu,	,,	30.13	765.3	73	...	...	o	o	,,	30.06	762.5	68	...	...	o	o
Tainan,	,,	30.10	764.4	81	...	N	2	b	,,	30.04	762.9	70	...	...	o	o
Koshun,	,,	30.07	763.8	82	...	ENE	4	o	,,	30.02	762.6	73	...	...	o	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	30.02	762.5	74	86	ESE	1	o	6	...	...	...	...	...	...	...
Hongkong,	,,	30.03	762.7	70	86	E	3	o	,,	30.03	762.7	69	95	E	3	cf
Gap Rock,	,,	30.02	762.5	...	...	ENE	4	cm	,,	30.02	762.5	...	...	ENE	4	f
Macao,	,,	30.00	762.0	70	94	SE	1	o	,,	29.98	761.4	70	98	ENE	4	rf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.97	761.2	82	82	E	2	b	6	29.98	761.5	80	81	NE	2	b
Phulien,	,,	29.93	760.2	79	73	SSE	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.92	759.9	82	...	SE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	86	...	ENE	6	b	,,	...	...	...	...	...	...	...
Basco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	29.93	760.2	90	60	WNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.92	759.9	93	40	ESE	4	b	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.92	759.9	93	64	ENE	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.89	759.3	86	68	SSE	4	o	,,	29.93	760.3	79	84	NE	2	o
Iloilo,	,,	29.85	758.1	90	66	NE	6	b	,,	29.91	759.6	79	96	N	4	o
Surigao,	,,	29.88	759.0	81	94	E	4	...	,,	29.91	759.6	77	91	SE	2	o
Guam,	12.20	29.87	75?.7	...	...	NE	4	o	4.20	29.91	759.6	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	88	84	NE	4	b	6	29.83	757.7	80	78	NW	2	b

May 2d. 12h. 12m.—Pressure has increased considerably over N.E. Japan and decreased slightly from S.W. slightly to Formosa. It is nearly stationary elsewhere.

The anticyclone has strengthened and moved north eastward. It is now central near Tokio.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·62 inches, against an average of 12·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd

District.	Forecast.
1.—Formosa Channel, ...	E. or variable winds, moderate to light; overcast, some rai
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	3rd May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock, .	12	30.05	763.3	50	...	SSE	2	o	6	30.10	764.4	46	...	...	o	o
Nemuro,	11	30.30	769.5	...	...	S	2	...	5	30.20	767.0	...	...	S	2	...
Hakodate,	,,	30.30	769.5	...	...	ESE	1	...	,,	30.24	768.0	...	...	NE	1	...
Tokio,	,,	30.30	769.5	...	...	ESE	1	...	,,	30.32	770.0	...	...	...	...	...
Kochi,	,,	30.31	770 0	...	...	SE	1	...	,,	30.34	770.5	...	...	SW	1	...
Nagasaki,	,,	30.26	768.5	...	...	ESE	1	...	,,	30.22	767.5	...	...	SE	5	...
Nagoshima,	,,	30.30	769.5	...	...	SE	1	...	,,	30.30	769 5	...	...	WNW	1	...
Shima,	,,	30.22	767.5	...	...	SSE	1	...	,,	30.20	767.0	...	...	...	...	...
Naha,	,,	30.20	767.0	...	...	E	2	...	,,	30.14	765.5	...	...	ESE	2	...
Ishigakijima,	,,	30.14	765.5	...	...	SSE	1	...	,,	30.08	764.0	...	...	ESE	1	...
Formosa Island,	,,	30.24	768.0	...	...	E	1	...	,,	30.24	768.0	...	...	E	1	...
Hefoo,	15	30.01	762.2	74	68	S	2	b	6	29.95	760.7	60	94	SSE	2	o
Chang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.07	763.8	79	55	ESE	2	b	,,	29.97	761.1	64	96	SE	2	o
Hatzlaff,	,,	30.10	764.5	67	79	SE	4	b	,,	29.99	761.7	60	100	SE	6	r
Sharp Peak,	,,	30.06	763.5	78	78	E	1	b	7	30.04	763.0	68	94	...	o	of
Amoy,	15	30.00	762.0	73	92	SSE	4	o	6	29.99	761.7	68	95	SE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.08	764.1	81	66	...	o	b	5	30.01	762.3	68	98	...	o	b
Saichu,	,,	30.07	763.8	84	...	...	o	b	,,	30.01	762.3	70	...	...	o	b
Saban,	,,	30.05	763.2	86	...	NW	2	b	,,	30.00	762.0	70	...	...	o	b
Koshun,	,,	30.07	763.8	82	...	NNE	4	b	,,	30.00	762.0	75	...	ENE	2	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.00	762.0	73	91	E	1	om	,,	29.99	761.7	71	95	E	2	o
Gap Rock,	,,	30.00	762.0	...	...	ENE	4	cm	,,	29.98	761.5	...	...	ENE	3	om
Macao,	,,	29.98	761.4	77	79	SE	2	o	,,	29.94	760.5	72	100	SE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Makhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Koihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.96	761.0	84	73	ENE	2	b	6	29.96	761.0	78	90	NNE	2	c
Hualien,	,,	29.92	759 9	73	98	ENE	4	rf	7	29.91	759.6	75	98	SE	4	of
Fourane,	,,	29.89	759.3	84	...	SE	2	b	,,	29.88	759.0	75	...	SE	4	b
Cape St. James,	,,	29.85	758.1	84	...	ENE	4	bf	,,	29.86	758.4	81	...	ENE	6	of
Basco,	,,	29.98	761.4	82	67	SE	4	o	6	29.97	761.1	81	73	SE	4	o
Aparri,	,,	29.94	760.5	86	61	E	4	o	,,	29.95	760.8	77	68	S	2	o
Manila,	,,	29.89	759.3	97	42	ESE	4	b	,,	29.92	759.9	75	83	ENE	1	b
Legaspi,	,,	29.91	759.6	90	72	ENE	4	b	,,	29.89	759.3	81	92	ENE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.82	757.5	90	63	NE	6	b	,,	29.86	758.4	79	96	N	4	o
Surigao,	..	29.87	75 .7	86	65	NE	4	o	,,	29.87	758.7	77	89	...	c	o
Guam,	12.20	29.87	758.7	...	...	NE	4	o	4.20	29.87	758.7	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4-47	...	...	...	...	...	...	...
Palau,	11.00	...	...	..	..	...	...	...	5	29.88	758.9	78	...	NE	2	c
Saipan,	14	29.77	756.1	88	88	NE	4	b	6	29.79	756.6	82	91	NE	2	b

May *3d. 11h. 2cm.*—Pressure has decreased moderately over N.E. Japan and at Shanghai. It is stationary over central and S.W. Japan and has decreased slightly at the majority of other reporting stations.

The anticyclone is central to the east of Tokio.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·62 inches, against an average of 12·32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, ...	E. or variable winds, moderate to light; overcast.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	4th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock. .	12	30.05	763.2	63	...	...	c	o	6	30.11	764.8	53	...	...	c	o
Nemuro.....	11	29.96	761.0	...	...	S	3	...	5	30.06	763.5	...	...	WNW	1	...
Hokodate, ...	,,	30.14	765.5	...	...	SSW	1	...	,,	30.18	766.5	...	...	...	...	...
Tokio,.....	,,	30.28	769.0	...	...	S	2	...	,,	30.24	768.0	...	...	SSW	1	...
Kochi, ...	,,	30.35	771.0	...	...	E	1	...	,,	30.26	768.5	...	...	...	o	...
Nagasaki, ...	,,	30.22	767.5	...	...	SE	1	...	,,	30.10	764.5	...	...	ESE	4	...
Kagoshima, ...	,,	30.26	768.5	...	...	SE	1	...	,,	30.12	765.0	...	...	ENE	1	...
Oshima, ...	,,	30.20	767.0	...	...	SSE	2	...	,,	30.06	763.3	...	...	SSW	2	...
Naha, ...	,,	30.16	766.0	...	...	SE	3	...	,,	30.08	764.0	...	...	SSE	1	...
Ishigakijima,...	,,	30.08	764.0	...	...	SSE	2	...	,,	30.02	762.5	...	...	SSE	2	...
Bonin Island,...	,,	30.26	768.5	...	...	ENE	1	...	,,	30.24	768.0	...	...	SE	2	...
Chefoo, ...	15	...	...	...	...	...	...	...	6	30.01	762.2	54	100	...	c	of
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	29.91	759.6	79	66	WSW	2	o	,,	29.95	760.8	66	98	S	1	of
Gutzlaff,.....	,,	29.93	760.2	66	100	SSW	4	o	,,	29.96	761.0	67	95	W	2	o
Sharp Peak, ...	,,	30.01	762.2	77	82	E	1	o	7	29.96	761.0	74	90	...	o	h
Amoy, ...	15	29.94	760.5	77	92	SE	2	o	6	29.92	759.9	70	100	SE	1	of
Swatow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	11	30.01	762.3	84	58	WNW	2	b	5	29.98	761.4	70	92	...	o	b
Taichu, ...	,,	30.02	762.6	84	...	...	c	b	,,	...	...	70	...	...	o	b
Tainan, ...	,,	30.01	762.3	86	...	SE	2	b	,,	29.99	761.7	72	...	...	o	b
Koshun,.....	,,	30.02	762.6	86	...	WSW	4	b	,,	29.97	761.1	77	...	ENE	2	b
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,.....	,,	29.97	761.2	78	82	ESE	2	o	,,	29.94	760.5	72	99	E	2	of
Gap Rock,.....	,,	29.99	761.7	...	...	ENE	3	o	,,	29.94	760.5	...	...	NE	3	o
Macao, ...	,,	29.95	760.8	81	80	SE	2	o	,,	29.91	759.6	72	100	SE	2	of
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	14	29.92	759.9	85	81	NE	2	b	6	29.90	759.4	80	82	NE	1	b
Phulien, ...	,,	29.87	758.7	82	81	SSE	6	of	7	29.86	758.4	75	98	SSE	6	of
Tourane,.....	,,	29.87	758.7	81	...	SE	4	b	,,	29.87	758.7	75	...	SE	2	b
Cape St. James,	,,	29.82	757.5	84	...	ENE	6	bf	,,	29.84	757.8	81	...	ENE	6	o
Basco,.....	,,	...	...	...	...	...	...	...	6	29.94	760.5	81	80	SE	6	o
Aparri, ...	,,	...	...	...	...	...	...	...	,,	29.94	760.5	77	84	S	2	h
Manila, ...	,,	29.85	758.1	97	42	SE	4	o	,,	29.92	759.9	77	84	E	1	b
Legaspi, ...	,,	29.88	759.0	84	85	NNE	4	b	,,	29.91	759.6	81	92	NE	4	o
Tacloban, ...	,,	29.84	757.8	90	51	ENE	4	o	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.81	757.2	90	66	NE	6	o	,,	29.88	759.0	79	95	N	4	o
Surigao, ...	,,	...	...	...	...	...	...	...	,,	29.87	758.7	75	92	...	c	o
Guam,.....	12.20	29.82	757.5	...	...	ENE	4	o	4.20	29.87	758.7	...	...	NE	4	o
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.86	758.4	77	...	...	o	h
Labuan, ...	14	29.78	756.4	88	84	NE	4	b	6	29.82	757.4	78	91	N	2	b

May 4*d.* 10*h.* 40*m.*—Pressure has increased slightly from Chefoo to Wladivostock and is nearly stationary over N.E. Japan, the lower Yangtze Valley and the Philippines. It has decreased moderately over S.W. Japan and slightly elsewhere.

The anticyclone is still central to the east of Tokio.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·62 inches, against an average of 12·57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	E. or variable winds, moderate to light; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostook,	12	30.13	765.2	56	...	ESE	4	o	6	30.20	767.0	50	...	...	o	o
Nemuro,	11	30.10	764.5	...	...	NNW	1	...	5	30.30	769.5	...	...	WNW	1	...
Hokodate,	,,	30.18	766.5	...	...	SSE	1	...	,,	30.26	768.5	...	...	...	...	...
Tokio,	,,	30.20	767.0	...	...	SW	2	...	,,	30.16	766.0	...	...	NNW	1	...
Kochi,	,,	30.22	767.5	...	...	...	o	...	,,	30.04	763.0	...	...	...	o	...
Nagasaki,	,,	30.04	763.0	...	...	ESE	4	...	,,	30.02	762.5	...	...	SE	1	...
Kagoshima,	,,	30.12	765.0	...	...	E	1	...	,,	30.00	762.0	...	...	...	o	...
Oshima,	,,	30.08	764.0	...	...	SSW	1	...	,,	30.02	762.5	...	...	...	...	...
Naha,	,,	30.08	764.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.06	763.5	...	...	S	1	...	,,	30.00	762.0	...	...	S	1	...
Bonin Island,	,,	30.22	767.5	...	...	ESE	2	...	,,	30.18	766.5	...	...	ESE	1	...
Chefoo,	15	29.99	761.7	58	90	ENE	1	o	6	29.96	761.0	56	89	E	2	o
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.97	761.1	79	55	NE	1	o	,,	29.87	758.7	63	98	E	1	of
Gutzlaff,	,,	29.99	761.7	68	85	NE	1	of	,,	29.88	758.9	62	100	SSE	4	of
Sharp Peak,	,,	29.96	761.0	81	74	S	2	o	7	29.94	760.5	72	81	WSW	1	b
Amoy,	15	29.91	759.7	80	92	NE	2	b	6	29.92	759.9	74	95	SE	1	of
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.01	762.3	84	60	...	o	o	5	29.97	761.1	72	96	...	o	o
Taichu,	,,	30.00	762.0	86	...	...	o	b	,,	29.97	761.1	72	...	...	o	b
Tainan,	,,	29.99	761.7	86	...	SW	2	b	,,	29 93	760.2	72	...	...	o	b
Koshun,	,,	30.01	762.3	84	...	E	4	o	,,	29.94	760.5	77	...	ESE	2	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	29.90	759.4	86	68	S	1	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.92	759.9	80	77	E	3	o	,,	29.92	759.9	72	94	E	2	o
Gap Rock,	,,	29.94	760.5	...	...	ENE	3	b	,,	29.93	760.2	...	...	ENE	3	o
Macao,	,,	29.91	759.6	84	74	SE	2	b	,,	29.91	759.6	72	96	SE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.91	759.7	85	70	NE	1	b	6	29.92	759.9	82	89	NE	1	f
Phulien,	,,	29.84	757.8	82	81	SSE	6	of	7	29.86	758.4	77	98	SSE	4	of
Tourane,	,,	29.85	758.1	84	...	SE	2	b	,,	29.86	758.4	75	...	SSW	2	b
Cape St. James,	,,	29.82	757.5	86	...	ENE	6	bf	,,	29.86	758.4	81	...	ENE	6	o
Basco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	29.89	759.3	90	55	ENE	4	o	,,	29.92	759.9	77	85	SE	2	b
Manila,	,,	29 86	75?.4	93	40	ESE	4	b	,,	29.91	759.6	75	79	NE	1	o
Legaspi,	,,	29.87	758.7	86	70	ENE	4	o	,,	29.91	759.6	79	84	NNE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	75	94	WNW	2	o
Iloilo,	,,	29.81	757.2	90	63	NE	6	o	,,	29.87	758.7	77	91	N	4	b
Surigao,	,,	29.84	757.8	86	68	ENE	4	o	,,	29.86	758.4	75	91	ESE	1	o
Guam,	12.20	29.85	758.1	...	...	NE	4	o	4.20	29.89	759.3	...	...	NE	2	o
Yap,	12.47	29.82	757.5	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	79	...	...	o	b
Labuan,	14	29.78	756.4	88	88	NE	4	b	6	29.79	756.6	84	83	NE	2	b

May 5*d.* 11*h.* 20*m.*—Pressure has increased moderately over N.E. Japan. It has decreased moderately from central Japan to the Yangtze Valley and slightly over the Loochoos, Formosa and Indo-China. It is nearly stationary over S. China and the Philippines.

The anticyclone has moved into the Pacific and a depression has formed over the Yangtze Valley.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·62 inches, against an average of 12·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.E. or variable winds, moderate to light; fair, fog later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.30	769.5	...	...	S	2	...	5	30.28	769.0	...	...	S	1	...
Hokodate,	,,	30.28	769.0	...	...	SSE	2	...	,,	30.22	767.5	...	...	SE	1	...
Tokio,	,,	30.18	766.5	...	...	NE	1	...	,,	30.28	769.0	...	...	NNE	1	...
Kochi,	,,	30.02	762.5	...	...	...	0	...	,,	30.04	763.0	...	...	...	0	...
Nagasaki,	,,	30.02	762.5	...	...	SE	1	...	,,	29.94	760.5	...	...	SSW	1	...
Kagoshima,	,,	30.02	762.5	...	...	ESE	1	...	,,	30.00	762.0	...	...	...	0	...
Oshima,	,,	30.06	763.5	...	...	S	1	...	,,	30.00	762.0	...	...	...	...	...
Naha,	,,	30.06	763.5	...	...	SSE	1	...	,,	30.02	762.5	...	...	SE	1	...
Ishigakijima,	,,	30.02	762.5	...	...	S	1	...	,,	29.96	761.0	...	...	S	1	...
Bonin Island,	,,	30.14	765.5	...	...	SE	2	...	,,	30.12	765.0	...	...	...	0	...
Chefoo,	15	29.92	759.9	56	89	ESE	1	0	6	29 93	760.2	54	89	WNW	4	0
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	72	...	...	0	fc
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.82	757.5	86	61	SSW	1	0	,,	29.99	761.7	59	93	NW	2	r
Gutzlaff,	,,	29 86	75 .4	69	95	SSE	2	0	,,	29.98	761.5	58	94	N	4	r
Sharp Peak,	,,	29.93	760.2	84	79	SSW	4	0	7	29.89	759.2	77	91	...	0	b
Amoy,	15	29.86	758 4	83	79	SSE	4	b	6	29.87	758.7	74	95	S	2	d
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.98	761.4	86	65	NNW	2	0	5	29.92	759.9	72	96	...	0	b
Taichu,	,,	29.97	761.1	82	...	W	2	b	,,	29.97	761.1	72	...	...	0	b
Tainan,	,,	29.98	761.4	86	...	SSW	2	b	,,	29.92	759.9	72	...	...	0	b
Koshun,	,,	29.99	761.7	84	...	E	4	b	,,	29.93	760.2	75	...	...	0	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	77	...	S	1	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.92	759.9	80	78	E	3	c	,,	29.92	759.9	72	95	...	0	bm
Gap Rock,	,,	29.94	760.5	...	...	NE	3	b	,,	29.93	760.2	...	...	ESE	3	b
Macao,	,,	29.91	759.6	82	81	SE	2	b	,,	29.93	760.2	72	98	N	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.91	759.7	83	83	NE	1	b	6	29.89	759.2	83	87	NE	1	b
Phulien,	,,	29.81	757.2	82	81	SSE	7	of	7	29.92	759.9	77	96	ENE	4	o
Tourane,	,,	29.82	757.5	84	...	SE	2	b	,,	29.86	758.4	75	...	...	c	b
Cape St. James,	,,	29.82	757.5	84	...	ENE	6	b	,,	29.84	757.8	81	...	ENE	6	o
Basco,	,,	29.88	759.0	86	71	SE	6	o	6	29.89	759.3	81	84	SE	4	o
Aparri,	,,	29.86	758.4	90	63	NE	4	b	,,	29.91	759.6	77	85	S	2	b
Manila,	,,	29.84	757.8	90	60	WNW	2	o	,,	29.91	759.6	72	84	...	0	b
Legaspi,	,,	29.85	758.1	86	75	ENE	4	b	,,	29.86	758.4	81	90	NNE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	90	57	NE	6	o	,,	29.85	758.1	79	96	N	4	o
Surigao,	,,	29.80	756.9	82	81	E	2	r	,,	29.84	757.8	77	94	...	0	o
Guam,	12.20	29.85	758.1	...	...	NE	4	o	4.20	29.87	758.7	...	...	NE	1	o
Yap,	12.47	29.79	756.6	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NE	4	b	6	29.80	756.9	82	91	NE	2	b

May 6*d*. 11*h*. 20*m*.—Pressure has increased moderately at Shanghai and decreased slightly from S.W. Japan to the Loochoos and Formosa.

A depression lies over Western China and a trough of low pressure extends from Formosa to Korea.

A wedge of relatively high pressure covers S. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·61 inches, against an average of 13·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. or variable winds, light; fine.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	7th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29 82	757.3	45	...	SSE	2	or	6	29.75	755.6	48	...	...	0	b
Nemuro,	11	30.22	767.5	...	...	SW	5	...	5	29.86	758.5	...	...	S	5	...
Hokodate,	,,	30.12	765.0	...	...	SE	3	...	,,	29.67	753.5	...	...	WSW	2	...
Tokio,	,,	30.22	767.5	...	...	N	1	...	,,	29.96	761.0	...	...	S	1	...
Kochi,	,,	30.00	762.0	...	...	SE	1	...	,,	29.78	756.5	...	...	SSW	1	...
Nagasaki,	,,	29.90	759.5	...	...	SSE	5	...	,,	29.94	760.5	...	...	NW	1	...
Kagoshima,	,,	29.98	761.5	...	...	S	1	...	,,	29.90	759.5	...	...	W	1	...
Oshima,	,,	30.00	762.0	...	...	S	1	...	,,	29.94	760.5	...	...	N	1	...
Naha,	,,	30.00	762.0	...	...	S	2	...	,,	29.96	761.0	...	...	SSE	1	...
Ishigakijima,	,,	..	...	...	...	.	...	...	,,	29.94	760.5	...	...	S ,,	1	...
Bonin Island,	,,	30.10	764.5	...	...	SE	1	...	,,	30.10	764.5	...	...	ESE	1	...
Chefoo,	15	29.95	760.7	58	58	NW	4	b	6	29.96	761.0	52	79	WNW	2	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.05	763.2	70	65	NNW	2	o	,,	30.13	765.3	52	85	NNE	1	b
Gutzlaff,	,,	30.05	763.2	64	84	NNW	2	o	,,	30.14	765.5	58	81	NW	1	b
Sharp Peak,	,,	29.90	759.4	72	90	ENE	4	o	7	30.04	763.0	65	92	NE	1	o
Amoy,	15	29.82	757.4	83	71	SSE	2	b	6	29.96	761.0	69	80	NE	6	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.94	760.5	86	61	W	2	b	5	30.00	762.0	68	92	E	4	o
Taichu,	,,	29.99	761.7	90	...	SSW	2	b	,,	29.94	760.5	72	...	...	0	b
Tainan,	,,	29.97	761.1	86	...	SW	4	b	,,	29.91	759.6	75	...	N	2	b
Koshun,	,,	29.95	760.8	90	...	S	2	b	,,	29.91	759.6	73	...	...	0	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	29.89	759.2	87	72	SW	1	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.90	759.4	85	51	WSW	2	b	,,	29.91	759.7	74	88	...	0	c
Gap Rock,	,,	29.93	760.2	...	...	E	2	b	,,	29.91	759.7	...	...	NNW	2	b
Macao,	,,	29.88	759.0	86	68	SSE	2	o	,,	29.91	759.7	73	88	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	29.91	759.7	79	89	NE	2	b
Phulien,	,,	29.86	758.4	82	74	SSE	6	o	7	29.95	760.8	73	98	NNW	2	of
Tourane,	,,	29.84	757.8	84	...	S	2	b	,,	29.89	759.3	75	...	...	c	b
Cape St. James,	,,	29.81	757.2	86	...	ENE	6	b	,,	29.81	757.2	81	...	ENE	6	o
Basco,	,,	29.87	758.7	86	68	SE	6	o	6	29.88	759.0	79	80	SE	4	o
Aparri,	,,	29.84	757.8	90	63	NE	4	b	,,	29.87	758.7	77	84	S	2	b
Manila,	,,	29.81	757.2	97	42	SSE	4	b	,,	29.87	758.7	75	83	E	1	b
Legaspi,	,,	29.82	757.5	86	71	ENE	4	b	,,	29.85	758.1	79	92	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	90	63	NE	6	o	,,	29.82	757.5	79	92	N	4	o
Surigao,	,,	29.78	756.3	82	87	ENE	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.82	757.5	...	...	E	4	o	4.20	29.86	758.4	...	...	NE	2	o
Yap,	12.47	29.79	756.6	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.84	757.9	79	...	SSE	1	bo
Labuan,	14	29.78	756.4	88	84	NE	4	b	6	29.79	756.6	80	91	NE	2	b

May 7*d*. 10*h*. 45*m*.—Pressure has decreased considerably over central and N.E. Japan and slightly from the Loochoos to Formosa. It has increased slightly at Shanghai and Haiphong and is nearly stationary from Hongkong to the Philippines.

The depression has deepened and is passing north eastward across the Sea of Japan.

An anticyclone has formed over China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·62 inches, against an average of 13·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.66	753.4	62	...	WSW	2	c	6	29.76	755.8	50	...	NE	4	c
Nemuro,	11	29.69	754.0	...	...	S	6	...	5	29.47	748.5	...	...	...	0	...
Hokodate,	,,	29.65	753.0	...	...	SW	3	...	,,	29.73	754.5	...	...	W	2	...
Tokio,	,,	29.80	757.0	...	...	S	3	...	,,	29.88	759 0	...	...	NW	1	...
Kochi,	,,	29.74	755.5	...	...	W	2	...	,,	30.06	763.5	...	...	WSW	1	...
Nagasaki,	,,	29.98	761.5	...	...	W	3	...	,,	30.12	765.0	...	...	...	0	...
Kagoshima,	,,	29.96	761.0	...	...	W	2	...	,,	30.12	765.0	...	...	NW	1	...
Oshima,	,,	30.00	762.0	...	...	NE	1	...	,,	30.10	764.5	...	...	S	1	...
Naha,	,,	30.02	762.5	...	...	NNW	3	...	,,	30.08	764.0	...	...	NE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.02	762.5	...	...	NE	1	...
Bonin Island,	,,	30.08	764.0	...	...	SSE	2	...	,,	30.08	764.0	...	...	SE	2	...
Chefoo,	15	29.95	760.7	66	59	NW	4	b	6	29.97	761.2	66	49	SW	2	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.11	764.7	81	32	W	1	b	,,	30.13	765.3	59	87	ESE	1	b
Gutzlaff,	,,	30.14	765.5	68	74	WSW	2	b	,,	30.14	765.5	60	90	SSW	1	0
Sharp Peak,	,,	30.09	764.3	71	71	NNE	4	o	7	30.09	764.3	65	84	N	1	b
Amoy,	15	30.01	762.2	74	63	E	4	o	6	30.02	762.5	67	89	NE	2	o
Swatow,	,,	29.92	759.9	72	85	ENE	4	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.10	764.4	72	82	E	4	o	5	30.01	762.3	66	87	E	4	o
Taichu,	,,	30.00	762.0	81	...	NNW	2	o	,,	29.98	761.4	66	...	...	0	b
Tainan,	,,	29.98	761.4	84	...	N	4	b	,,	29.97	761.1	66	...	...	0	b
Koshun,	,,	29.97	761.1	82	...	NE	4	o	,,	29.94	760.5	73	...	NNE	4	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.97	761.2	76	82	E	4	o	,,	29.98	761.5	70	60	E	4	b
Gap Rock,	,,	29.97	761.2	...	...	ENE	4	bc	,,	29.98	761.5	...	...	ENE	4	o
Macao,	,,	29.94	760.5	77	88	SE	2	o	,,	29.94	760.5	70	74	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.91	759.7	85	79	NE	4	b	6	29.93	760.2	79	73	NE	5	b
Phulien,	,,	29.93	760.2	73	98	SE	4	r	7	...	...	...	...	...	...	...
Tourane,	,,	29.88	759.0	84	...	...	c	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	84	...	ENE	6	o	,,	...	...	...	...	...	...	...
Basco,	,,	29.87	758.7	86	68	ESE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.84	757.8	86	65	NE	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	97	42	ESE	2	b	,,	29.87	758.7	73	79	E	1	b
Legaspi,	,,	29.81	757.2	90	66	NE	4	b	,,	29.87	758.7	77	91	E	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	90	63	NE	6	b	,,	29.82	757.5	79	95	N	4	o
Surigao,	,,	29.78	756.3	84	81	NE	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.84	757.8	...	...	E	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	E	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	78	...	NE	1	b
Labuan,	14	29.78	756.4	88	80	NE	4	b	6	...	...	80	91	NE	2	b

May 8*d.* 10*h.* 50*m.*—Pressure has decreased considerably over Hokkaido. It has increased moderately from Wladivostock to the Loochoos and slightly over central Japan. In the South it is nearly stationary.

The depression is central to the north-east of Hokkaido.

The anticyclone has moved eastward into the Eastern Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·62 inches, against an average of 13·67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; generally cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	9th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	29.78	756.3	62	...	N	4	b	6	29.85	758.2	54	...	ESE	4	b
Nemuro,	11	29.49	749.0	...	...	SSE	2	...	5	29.78	756.5	...	...	S	2	...
Hokodate,	,,	29.70	754.5	...	...	SW	5	...	,,	29.94	760.5	...	...	...	0	...
Tokio,	,,	29.94	760.5	...	...	NNE	1	...	,,	30.06	763.5	...	...	...	0	...
Kochi,	,,	30.06	763.5	...	...	...	0	...	,,	30.12	765.0	...	...	SW	1	...
Nagasaki,	,,	30.14	765.5	...	...	NW	2	...	,,	30.10	764.5	...	...	...	0	...
Kagoshima,	,,	30.12	765.0	...	...	SSE	1	...	,,	30.10	764.5	...	...	NW	1	...
Oshima,	,,	30.12	765.0	...	...	NNE	2	...	,,	30.06	763.5	...	...	SSW	1	...
Naha,	,,	30.10	764.5	...	...	NE	3	...	,,	30.04	763.0	...	...	NE	1	...
Ishigakijima,	,,	30.06	763.5	...	...	ENE	3	...	,,	29.98	761.5	...	...	SE	2	...
Bonin Island,	,,	30.06	763.5	...	...	SSW	1	...	,,	30.04	763.0	...	...	...	0	...
Chefoo,	15	29.92	759.9	76	56	NNE	1	b	6	29.81	757.2	65	53	SSW	2	cf
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.06	763.5	82	33	SSE	2	b	,,	29.94	760.5	63	84	SE	2	o
Gutzlaff,	,,	30.10	764.5	70	48	S	2	b	,,	29.99	761.7	62	83	ESE	4	o
Sharp Peak,	,,	30.08	764.0	72	94	E	2	b	7	30.00	762.0	68	90	NW	4	o
Amoy,	15	29.96	761.0	78	92	ENE	2	o	6	29.97	761.2	69	91	WNW	4	h
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.04	762.9	77	76	E	4	o	5	29.93	760.2	70	94	WSW	2	e
Taichu,	,,	30.02	762.6	82	...	NNW	2	b	,,	29.94	760.5	72	...	...	0	o
Tainan,	,,	29.99	761.7	84	...	WSW	2	b	,,	29.93	760.2	72	...	...	0	b
Koshun,	,,	29.99	761.7	84	...	NE	4	o	,,	29.92	759.9	75	...	..	0	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	29.96	761.0	78	65	SE	1	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.97	761.2	74	59	E	4	o	,,	29.93	760.2	71	78	E	3	o
Gap Rock,	,,	29.98	761.5	...	...	ENE	4	c	,,	29.94	760.5	...	...	ENE	4	o
Macao,	,,	29.94	760.5	75	63	ESE	4	o	,,	29.89	759.3	72	84	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.91	759.7	83	70	NE	2	b	6	29.88	758.9	80	86	ENE	3	o
Phulien,	,,	29.85	758.1	84	77	SSE	4	b	7	29.86	758.4	75	98	SE	4	o
Tourane,	,,	29.86	758.4	86	...	SE	2	b	,,	29.84	757.8	75	...	SW	4	b
Cape St. James,	,,	29.76	756.0	84	...	ENE	7	h	,,	29.79	756.6	81	...	ENE	7	o
Basco,	,,	29.88	759.0	86	71	ESE	4	o	6	29.87	758.7	79	80	E	4	o
Aparri,	,,	29.85	758.1	90	60	NE	4	h	,,	29.85	758.1	75	91	...	0	b
Manila,	,,	29.79	756.6	97	42	SE	4	b	,,	29.84	757.8	77	79	E	1	b
Legaspi,	,,	29.82	757.5	90	69	NE	2	o	,,	29.85	758.1	79	73	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.79	756.6	86	75	E	4	b	,,	29.81	757.2	77	92	...	0	o
Guam,	12.20	29.84	757.8	...	...	NE	4	o	4.20	29.82	757.5	...	...	NE	2	o
Yap,	12.47	29.82	757.5	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	...	...	...	...	5	...	...	..	...	...	...	...
Labuan,	14	29.79	756.6	88	84	NE	4	b	6	29.82	757.4	80	91	NE	2	b

May 9*d.* 11*h.* 55*m.*—Pressure has increased considerably over N.E. Japan and slightly from Wladivostock to central Japan. It has decreased moderately from Chefoo to Shanghai and slightly elsewhere.

The anticyclone is now central to the south of Kobe.

A wedge of relatively high pressure covers S. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·62 inches, against an average of 13·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel, ...	E. or variable winds, moderate; overcast at first, finer later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.71	754.7	67	...	SE	4	c	6	29.95	760.7	53	...	...	0	c
Nemuro,	11	29.67	753.5	...	...	S	3	...	5	29.94	760.5	...	...	W	1	...
Hokodate,	,,	29.80	757.0	...	...	SW	5	...	,,	30.00	762.0	...	...	N	1	...
Tokio,	,,	30.00	762.0	...	...	S	2	...	,,	30.00	762.0	...	...	...	...	...
Kochi,	,,	30.06	763.5	...	...	SE	1	...	,,	30.04	763.0	...	...	SW	1	...
Nagasaki,	,,	30.04	763.0	...	...	SW	1	...	,,	30.00	762.0	...	...	SE	1	...
Kagoshima,	,,	30.06	763.5	...	...	SSE	1	...	,,	30.00	762.0	...	...	N	1	...
Oshima,	,,	30.04	763.0	...	...	S	1	...	,,	29.96	761.0	...	...	...	0	...
Naha,	,,	30.04	763.0	...	...	E	2	...	,,	29.96	761.0	...	...	...	0	...
Ishigakijima,	,,	29.98	761.5	...	...	SE	2	...	,,	29.88	759.0	...	...	SSE	1	...
Bonin Island,	,,	30.04	763.0	...	...	N	1	...	,,	30.02	762.5	...	...	ENE	1	...
Chefoo,	15	29.79	756.6	67	70	SE	2	o	6	29.59	751.6	60	100	SSW	1	d
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.89	759.3	70	82	S	2	o	,,	29.82	757.5	64	98	SSE	1	c
Gutzlaff,	,,	29.94	760.5	63	94	SSE	4	r	,,	29.84	757.9	65	100	S	4	c
Sharp Peak,	,,	29.96	761.0	83	79	...	0	b	7	29.84	757.9	71	95	...	0	c
Amoy,	15	29.86	758.4	78	95	SSW	2	b	6	29.79	756.6	72	95	SE	1	c
Swatow,	,,	29.82	757.4	75	90	E	1	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.94	760.5	82	74	...	0	b	5	29.87	758.7	70	96	...	0	b
Taichu,	,,	29.95	760.8	82	...	SW	1	o	,,	29.86	758.4	70	...	...	0	c
Tainan,	,,	29.94	760.5	82	...	...	0	o	,,	29.85	758.1	72	...	..	0	b
Koshun,	,,	29.93	760.2	55	...	ENE	4	b	,,	29.86	758.4	77	...	...	0	c
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.92	759.9	78	61	ESE	2	o	,,	29.85	758.2	72	94	E	1	c
Gap Rock,	,,	29.91	759.7	...	...	ENE	4	c	,,	29.84	757.9	...	...	E	4	c
Macao,	,,	29.89	759.3	81	76	SE	2	o	,,	29.82	757.5	73	89	NNE	2	d
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.87	755.7	84	82	ENE	2	o	6	29.82	757.4	84	75	E	1	c
Phulien,	,,	29.79	756.6	82	77	SSE	6	o	7	29.80	756.9	75	96	ENE	...	...
Tourane,	,,	29.79	756.6	84	...	SE	2	b	,,	29.79	756.6	75	...	SW	2	b
Cape St. James,	,,	29.74	755.4	86	...	ENE	6	b	,,	29.75	755.7	81	...	ENE	6	o
Basco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	29.80	756.9	90	63	NE	4	b	,,	29.81	757.2	75	91	...	0	o
Manila,	,,	29.76	756.0	93	46	E	2	o	,,	29.82	757.5	77	86	N	1	b
Legaspi,	,,	29.79	756.6	90	72	NE	4	b	,,	29.82	757.5	81	89	NE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	93	61	NE	4	b	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	86	75	ESE	6	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	81	...	ENE	2	c
Labuan,	14	29.78	756.4	88	84	NE	4	b	6	...	...	...	...	...	...	...

May 10d. 10h. 35m.—Pressure has increased considerably from Wladivostock to N.E. Japan and is nearly stationary over the Philippines. It has decreased considerably over N.E. China and slightly elsewhere.

The anticyclone is central near Tokio.

A somewhat deep depression is central over N.E. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·62 inches, against an average of 14·31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. or variable winds, moderate; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, .	12	29.93	760.3	56	...	SE	4	o	6	29.85	758.2	49	...	...	o	c
Nemuro,	11	29.98	761.5	...	...	NNW	2	...	5	29.92	760.0	...	...	SW	1	...
Hokodate,	,,	...	...	...	...	SSE	1	...	,,	29.98	761.5	...	...	...	c	...
Tokio,	,,	30.02	762.5	...	...	S	1	...	,,	30.00	762.0	...	...	...	o	...
Kochi,	,,	30.02	762.5	...	...	SSE	1	...	,,	29.94	760.5	...	...	...	...	...
Nagasaki,	,,	30.00	762.0	...	...	S	1	...	,,	29.82	757.5	...	...	SE	3	...
Kagoshima,	,,	30.02	762.5	...	...	SE	1	...	,,	29.88	759.0	...	...	...	...	...
Oshima,	,,	29.96	761.0	...	...	S	1	...	,,	29.84	758.0	...	...	S	1	...
Naha,	,,	29.96	761.0	...	...	SE	1	...	,,	29.88	759.0	...	...	...	...	...
Ishigakijima,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.86	758.5	...	...	SSE	1	...
Bonin Island,	,,	30.04	763.0	...	...	ENE	1	...	,,	30.04	763.0	...	...	...	o	...
Chefoo,	15	29.64	752.8	65	73	SSW	4	o	6	29.73	755.1	54	89	W	1	o
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai.	14	29.82	757.5	81	66	SE	1	o	,,	29.80	756.9	63	100	SSW	1	cf
Gutzlaff,	,,	29.85	758.2	69	100	.	o	of	,,	29 82	757.4	64	100	WSW	4	o
Sharp Peak,	,,	29.90	759.4	84	65	E	1	o	7	29.84	757.9	73	94	...	o	o
Amoy,	15	29.79	756.6	83	96	SSE	4	b	6	29.75	755.6	74	95	SSE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.91	759.6	82	63	...	o	o	5	29.84	757.8	72	91	SSE	2	h
Taichu,	,,	29.91	759.6	84	...	...	o	b	,,	29.86	758.4	73	...	...	o	h
Tainan,	,,	29.89	759.3	84	...	W	2	b	,,	29.86	758.4	73	...	E	2	tf
Koshun,	,,	29.91	759.6	86	...	SE	2	o	,,	29.82	757.5	77	...	...	o	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	..	...	...	...	...	...	...	6	...	...	...	...	..	...	...
Hongkong,	,,	29.84	757.9	79	80	E	2	o	,,	29.80	756.9	74	95	ENE	1	cm
Gap Rock,	,,	29.86	758.4	...	...	E	3	b	,,	29.81	757.2	...	...	ESE	3	c
Macao,	,,	29.82	757.5	84	77	SE	2	o	,,	29.76	756.0	75	96	SE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.83	757.7	87	76	...	c	b	6	29.79	756.6	84	85	...	o	b
Phulien,	,,	29.73	755.1	82	81	SSE	6	o	7	29.73	755.1	77	98	SSE	2	of
Tourane,	,,	29.75	755.7	82	...	SE	4	b	,,	29.75	755.7	77	...	SW	4	o
Cape St. James,	,,	29.73	755.1	86	...	ENE	6	b	,,	29.73	755.1	81	...	ENE	6	o
Basco,	,,	29.80	756.9	90	63	SE	6	o	6	...	..	...	...	...	...	...
Aparri,	,,	29.79	756.6	84	74	NE	4	o	,,	29.80	756.9	75	91	S	2	b
Manila,	,,	29.76	756.0	97	42	SE	4	b	,,	29.82	757.5	75	83	NE	1	b
Legaspi,	,,	29.80	756.9	90	63	NE	4	b	,,	29.81	757.2	81	89	NNE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	..	29.76	756.0	86	71	ENE	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	NE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	79	...	NE	2	b
Labuan,	14	29.77	756.1	88	84	NE	2	b	6	29.79	756.6	86	88	NE	2	b

May 11*d*. 11*h*. com.—Pressure has increased slightly at Chefoo and has decreased moderately to slightly elsewhere.

The Chinese depression is moving eastward across Korea. Another depression is shown over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·62 inches, against an average of 14·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, ...	S.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	12th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	29.81	1757.2	53	...	ESE	3	o	6	29.98	761.5	48	...	...	c	
Nemuro,	11	29.80	757.0	...	...	S	2	...	5	29.86	758.4	...	...	NE	1	
Hokodate,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	...	c	
Tokio,	,,	29.92	760.0	...	...	SSW	2	...	,,	29.75	755.5	...	...	NNW	1	
Kochi,	,,	29.88	759 0	...	...	...	...	...	,,	29.75	755.5	...	...	SW	1	
Nagasaki,	,,	29.76	756.0	...	...	WSW	2	...	,,	29.76	756.0	...	...	...	o	
Kagoshima,	,,	29.78	756.5	...	...	...	...	...	,,	29.76	756 0	...	...	...	o	
Oshima,	,,	29.84	758.0	...	...	SW	1	...	,,	29.76	756.0	...	...	...	c	
Naha,	,,	29.88	759.0	...	...	SSW	2	...	,,	...	...	...	...	...	...	
Ishigakijima,	,,	29.88	759.0	...	...	SSW	3	...	,,	29.76	756.0	...	...	S	2	
Bonin Island,	,,	30.00	762.0	...	...	E	1	...	,,	...	...	...	...	ESE	1	
Chefoo,	15	29.71	754.6	58	90	NE	1	b	6	29.74	755.4	54	89	E	1	
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	14	29.79	756.6	86	41	E	1	o	,,	29.73	755.1	64	90	ESE	2	r
Gutzlaff,	,,	29.83	757.7	72	76	ESE	1	o	,,	29.78	756.4	65	100	SE	2	r
Sharp Peak,	,,	29.81	757.2	80	96	...	o	b	,,	29.76	755.9	72	95	...	o	r
Amoy,	15	29.70	754.4	82	96	SE	2	o	6	29.66	753.3	75	100	SSW	2	o
Swatow,	,,	29.67	753.6	80	87	S	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.84	757.8	86	65	W	2	o	5	29.73	755.1	73	98	...	o	o
Taichu,	,,	29.85	758.1	86	...	SW	2	o	,,	29.75	755.7	72	...	...	o	o
Tainan,	,,	29.85	758.1	90	...	S	4	b	,,	29.76	756.0	75	...	..	10	o
Koshun,	,,	29.86	758.4	84	...	SSE	2	o	,,	29.75	755.7	77	...	...	o	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.78	756.4	76	92	E	2	op	,,	29.71	754.6	71	91	...	c	o
Gap Rock,	,,	29.79	756.6	...	...	ESE	3	o	,,	29.72	754.9	...	...	S	4	b
Macao,	,,	29.75	755.7	75	95	SE	2	r	,,	29.68	753.9	73	96	SE	2	c
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.79	756.6	89	67	E	1	b	6	29.75	755.6	69	...	E	1	b
Phulien,	,,	29.66	753.3	86	71	SSE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.72	754.8	84	...	SE	4	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	86	...	ENE	6	o	,,	...	...	...	...	...	...	...
Basco,	,,	29.75	755.7	90	69	SE	4	o	6	29.74	755.4	82	86	SE	4	o
Aparri,	,,	29.75	755.7	90	66	NE	4	b	,,	29.75	755.7	79	87	S	2	b
Manila,	,,	29.74	755.4	93	42	SE	4	b	,,	29.78	756.3	75	83	...	o	b
Legaspi,	,,	29.76	756.0	90	69	NNE	4	b	,,	29.78	756.3	81	92	...	c	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.1	90	57	NE	4	b	,,	29.75	755.7	81	97	N	4	o
Surigao,	,,	29.74	755.4	86	75	NE	2	b	,,	29.74	755.4	77	92	...	c	o
Guam,	12.20	29.75	755 7	...	...	NE	4	o	4.20	29.76	756.0	...	...	SW	2	o
Yap,	12.47	29.72	754.8	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	88	80	NE	2	b	6	29.83	757.7	80	91	NE	2	b

May 12th. 12h. 12m.—Pressure is relatively high in the extreme North and in the extreme East. It has increased moderately at Wladivostock and slightly at Chefoo. It has decreased considerably at Tokio and slightly at other stations.

Gradients over the central area are shallow.

There is probably a depression over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·32 inch. Total since January 1st, 21·94 inches, against an average of 15·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, ...	S.E. or variable winds, moderate; overcast, occasional rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	13th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.04	762.9	54	...	WSW	4	c	6	30.18	766.6	46	...	ESE	2	o
Nemuro,	11	29.96	761.0	...	...	N	2	...	5	29.92	760.0	...	...	N	3	...
Hokodate,	,,	29.88	759.0	...	...	SSE	2	...	,,	30.00	762.0	...	...	E	1	...
Tokio,	,,	29.78	756.5	...	...	NNE	2	...	,,	29.88	759.0	...	...	NE	1	...
Kochi,	,,	29.74	755.5	...	...	...	0	...	,,	29.75	755.5	...	...	...	0	...
Nagasaki,	,,	29.76	756.0	...	...	WSW	1	...	,,	29.73	755.0	...	...	N	1	...
Kagoshima,	,,	29.76	756.0	...	...	WSW	1	...	,,	29.65	753.0	...	...	ENE	2	...
Oshima,	,,	29.76	756.0	...	...	...	0	...	,,	29.61	752.0	...	...	SSE	2	...
Naha,	,,	29.78	756.5	...	...	S	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.76	756.0	...	...	S	3	...	,,	29.65	753.0	...	...	SSW	3	...
Bonin Island,	,,	29.84	758.0	...	...	SSE	2	...	,,	29.78	756.5	...	...	SSE	1	...
Chefoo,	15	29.73	755.1	64	78	NE	2	b	6	29.89	759.2	54	93	...	0	of
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.74	755.4	61	91	E	4	r	,,	29.85	758.1	61	91	NNW	1	b
Gutzlaff,	,,	29.73	755.1	60	100	E	4	r	,,	29.85	758.2	60	94	N	2	o
Sharp Peak,	,,	...	...	78	94	S	2	b	7	29.70	754.4	66	89	ESE	4	o
Amoy,	15	29.60	751.8	81	96	SSE	4	o	6	29.56	750.8	75	100	SSE	1	b
Swatow,	,,	29.59	751.6	82	87	SSW	3	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.72	754.8	82	70	...	0	o	5	29.62	752.4	73	91	...	c	o
Taichu,	,,	29.75	755.7	82	...	SSW	2	o	,,	29.69	754.2	72	...	SSE	2	r
Tainan,	,,	29.75	755.7	86	...	SW	4	b	,,	29.68	753.9	72	...	E	2	r
Koshun,	,,	29.75	755.7	86	...	SSW	2	o	,,	29.68	753.9	75	...	NW	2	r
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	29.64	757.8	74	95	...	0	or	6	...	...	...	...	...	...	...
Hongkong,	,,	29.67	753.6	76	89	SE	1	oplt	,,	29.69	754.1	74	93	...	0	of
Gap Rock,	,,	29.67	753.6	...	...	S	5	orlt	,,	29.70	754.4	...	...	NNE	3	o
Macao,	,,	29.62	752.4	70	98	WSW	4	r	,,	29.66	753.3	73	96	SE	1	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Phulien,	,,	29.54	750.3	93	53	SW	4	b	7	29.65	753.0	77	94	ENE	4	of
Tourane,	,,	29.65	753.0	86	...	SW	2	b	,,	29.66	753.3	86	...	SW	2	b
Cape St. James,	,,	29.72	754.8	93	...	SSE	4	b	,,	29.75	755.7	81	...	SW	7	r
Basco,	,,	29.67	753.6	90	66	SE	4	o	6	29.67	753.6	75	96	...	o	b
Aparri,	,,	29.68	753.9	84	77	NE	4	o	,,	29.72	754.8	79	92	...	o	b
Manila,	,,	29.67	753.6	97	42	SSE	2	b	,,	29.75	755.7	77	86	...	o	b
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	81	92	...	c	b
Tacloban,	,,	29.72	754.5	86	71	SSE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	90	63	NE	4	b	,,	29.75	755.7	81	98	N	2	b
Surigao,	,,	29.71	754.5	90	66	E	2	b	,,	29.74	755.4	77	96	...	o	o
Guam,	12.20	29.71	754.5	...	...	NE	4	o	4.20	29.74	755.4	...	...	NE	1	o
Yap,	12.47	29.71	754.5	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	88	84	NE	4	b	6	29.78	756.4	84	91	NE	4	b

May 13*d*. 11*h*. 20*m*.—Pressure has increased moderately from N.E. China to S. Manchuria and slightly over central Japan, the Yangtze Valley and Tongking. It has decreased moderately over the Loochoos and slightly over Formosa. Over the Philippines and S. China it is nearly stationary.

An anticyclone lies over Manchuria and a trough of low pressure extends from Indo-China to the Loochoos with a deepening depression at its N.E. extremity.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·21 inch. Total since January 1st, 25·15 inches, against an average of 15·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N. or variable winds, moderate; generally cloudy, some rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	13TH MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	14TH MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock,	12	30.13	765.4	54	...	SSE	4	0	6	30.21	767.3	44	...	SW	4	
Nemuro,	11	29.96	761.0	...	...	N	5	...	5	29.98	761.5	...	...	NNE	3	
Hokodate,	,,	29.98	761.5	...	...	SSE	3	...	,,	30.02	762.5	...	...	...	0	
Tokio,	,,	29.83	759.0	...	...	ESE	2	...	,,	29.94	760.5	...	...	N	2	
Kochi,	,,	29.74	755.5	...	...	...	...	...	,,	29.61	752.0	...	...	...	0	
Nagasaki,	,,	29.63	752.5	...	...	NE	2	...	,,	29.61	752.0	...	...	NE	2	
Kagoshima,	,,	29.63	752.5	...	...	ENE	1	...	,,	29.49	749.0	...	...	...	0	
Oshima,	,,	29.55	750.5	...	...	SW	1	...	,,	...	...	...	...	N	2	
Naha,	,,	29.67	753.5	...	...	SSW	1	...	,,	29.63	752.5	...	...	NNW	4	
Ishigakijima,	,,	29.63	752.5	...	...	NNW	3	...	,,	29.71	754.5	...	...	NNW	1	
Bonin Island,	,,	29.76	756.0	...	...	W	1	...	,,	29.63	752.5	...	...	SSE	2	
Chefoo,	15	29.89	759.2	62	77	E	2	b	6	30.02	762.5	54	54	NW	1	
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	14	29.79	756.6	77	94	WNW	2	b	,,	29.93	760.2	59	85	NW	4	
Gutzlaff,	,,	29.81	757.2	66	84	NNE	4	b	,,	29.90	759.4	58	90	N	4	
Sharp Peak,	,,	29.78	756.4	76	73	E	2	b	-	29.78	756.4	70	80	...	0	
Amoy,	15	29.70	754.4	77	95	E	4	0	6	29.67	753.6	70	100	NE	2	
Swatow,	,,	29.69	754.1	72	90	NE	5	c	,,	...	...	...	...	...	...	
Taihoku,	11	29.74	755.4	72	91	SW	2	r	5	29.78	756.3	59	96	...	0	
Taichu,	,,	29.69	754.0	82	...	S	2	r	,,	29.72	754.8	66	...	...	0	
Tainan,	,,	29.72	754.8	84	...	WSW	2	b	,,	29.68	753.9	70	...	...	0	
Koshun,	,,	29.71	754.5	72	...	NW	4	r	,,	29.68	753.9	73	...	NE	4	
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	
Hongkong,	,,	29.66	753.3	82	74	WNW	2	o	,,	29.73	755.1	75	52	E	2	
Gap Rock,	,,	29.68	753.9	...	...	W	3	o	,,	29.73	755.1	...	...	ENE	4	
Macao,	,,	29.66	753.3	82	81	WSW	2	o	,,	29.73	755.1	70	78	NE	4	
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pratas Island,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	
Phulien,	,,	29.65	753.0	90	69	ENE	2	b	7	...	...	...	...	...	...	
Tourane,	,,	29.68	753.9	93	...	...	c	b	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.68	753.9	93	...	SSW	2	b	,,	...	...	...	...	...	...	
Basco,	,,	29.61	752.1	84	77	SW	6	o	6	...	...	...	...	...	...	
Aparri,	,,	29.65	753.0	86	65	S	4	o	,,	...	...	...	...	...	...	
Manila,	,,	29.66	753.5	90	57	SW	4	b	,,	...	...	...	...	...	...	
Legaspi,	,,	29.65	753.3	93	64	ENE	2	b	,,	...	...	...	...	...	...	
Tacloban,	,,	29.67	753.6	90	69	S	4	o	,,	...	...	...	...	...	...	
Hoilo,	,,	29.65	753.0	90	72	S	4	o	,,	...	...	...	...	...	...	
Surigao,	,,	29.69	753.7	86	75	ESE	2	o	,,	...	...	...	...	...	...	
Guam,	12.20	29.69	754.2	...	...	NE	4	o	4.20	...	...	...	...	...	...	
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	
Labuan,	14	29.79	756.6	88	84	NE	4	b	6	29.82	757.4	78	91	NE	2	

May 14*d.* 12*h.* 00*m.*—Pressure has decreased moderately over S.W. Japan. It has increased moderately from Chefoo to Shanghai and slightly at Hongkong.

The Oshima depression is moving eastward.

An anticyclone is still shown over Manchuria.

Manila warning, 13*d.* 16*h.* 50*m.*:—Cyclone or typhoon E. of Southern Formosa developing. Recd. 13*d.* 17*h.* 35*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total since January 1st.** 25·15 inches, against an average of 15·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; generally cloudy, some rain later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	15th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	30.24	768.0	47	...	SSW	5	0	6	30.25	768.3	43	...	SSE	2	0
Nemuro, ...	11	30.02	762.5	...	...	NNE	4	...	5	30.06	763.5	...	...	NE	3	...
Hokodate, ...	,,	30.02	762.5	...	...	SSE	2	...	,,	30.06	763.5	...	...	E	1	...
Tokio, ...	,,	29.94	760.5	...	...	NE	2	...	,,	29.96	761.0	...	...	N	1	...
Kochi, ...	,,	29.72	755.0	...	...	N	1	...	,,	29.92	760.0	...	...	N	1	...
Nagasaki, ...	,,	29.72	755.0	...	...	NNE	2	...	,,	29.96	761.0	...	...	NE	1	...
Kagoshima, ...	,,	29.61	752.0	...	...	NE	1	...	,,	29.90	759.5	...	...	NW	1	...
Oshima, ...	,,	29.55	750.5	...	...	NNE	1	...	,,	29.80	757.0	...	...	...	0	...
Naha, ...	,,	29.70	754.5	...	...	WNW	3	...	,,	29.80	757.0	...	...	N	1	...
Ishigakijima, ...	,,	29.78	756.5	...	...	NNW	3	...	,,	29.84	758.0	...	...	NNW	1	...
Bonin Island, ...	,,	29.59	751.5	...	...	SSW	3	...	,,	29.61	752.0	...	...	...	0	...
Chefoo, ...	15	30.03	762.7	65	63	...	0	0	6	30.04	763.0	66	91	NE	1	bf
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	29.95	760.8	75	42	NNE	4	b	,,	30.12	765.0	52	90	ENE	1	b
Gutzlaff.....	,,	29.96	761.0	66	79	NNE	4	b	,,	30.11	764.8	56	69	ENE	4	o
Sharp Peak, ...	,,	29.84	757.9	70	75	ENE	4	o	,,	29.95	760.7	66	89	ENE	6	o
Amoy, ...	15	29.78	756.4	81	96	E	4	b	6	29.86	758.4	69	100	NE	4	b
Swatow, ...	,,	29.70	754.4	76	71	E	2	c	,,	...	...	...	...	...	...	...
Taihoku, ...	11	29.84	757.8	75	76	E	4	o	5	29.93	760.2	61	91	...	0	b
Taiobu, ...	,,	29.74	755.4	63	...	N	4	b	,,	29.84	757.8	63	...	...	0	b
Tainan, ...	,,	29.74	755.4	86	...	NNW	2	b	,,	29.79	756.6	66	...	NE	2	b
Koshun, ...	,,	29.74	755.4	82	...	ENE	4	o	,,	29.79	756.6	70	...	NNE	6	b
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong, ...	,,	29.77	756.1	79	59	ESE	2	o	,,	29.85	758.2	72	81	E	4	o
Gap Rock, ...	,,	29.78	756.4	...	...	ENE	4	c	,,	29.84	757.9	...	...	ENE	5	c
Macao, ...	,,	29.76	756.0	84	64	SE	2	o	,,	29.80	756.9	72	87	ESE	2	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island, ...	14	29.70	754.4	83	76	NE	5	c	6	29.79	756.6	78	75	NNE	6	b
Phulien, ...	,,	29.73	755.1	86	65	SSE	2	b	7	29.81	757.2	75	89	NE	4	o
Tourane, ...	,,	...	...	...	...	...	...	...	,,	29.76	756.0	50	...	NW	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	77	...	NE	2	o
Basco, ...	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Legaspi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam, ...	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.77	756.1	80	...	...	0	bc
Labuan, ...	12	29.75	755.6	88	84	NE	4	b	6	29.82	757.4	78	91	NE	2	r

May 15*d.* 11*h.* 30*m.*—Pressure has increased considerably over S.W. Japan, moderately from Shanghai to the Loochoos and slightly from Tongking to Formosa.

The Oshima depression is central near the Bonins.

Anticyclones are shown over Manchuria and Eastern China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total** since January 1st, 25·15 inches, against an average of 16·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	16th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock. .	12	30.19	766.7	50	...	SE	2	b	6	30.19	766.7	46	...	...	0	0
Nemuro, ...	11	30.02	762.5	...	...	N	2	...	5	29.86	758.5	...	...	NW	2	...
Hokodate, ...	..	30.02	762.5	...	...	SE	3	...	,,	29.98	761.5	...	...	NW	2	...
Tokio, ...	,,	29.94	760.5	...	...	N	1	...	,,	30.04	763.0	...	...	...	0	...
Kochi, ...	,,	29.96	761.0	...	...	N	1	...	,,	30.06	763.5	...	...	...	...	...
Nagasaki, ...	,,	30.00	762.0	...	...	NE	2	...	,,	30.08	764.0	...	...	E	3	...
Kagoshima, ...	,,	29.94	760.5	...	...	E	1	...	,,	30.04	763.0	...	...	...	0	...
Oshima, ...	,,	29.90	759.5	...	...	ENE	2	...	,,	30.00	762.0	...	...	S	1	...
Naha, ...	,,	29.88	759.0	...	...	ENE	2	...	,,	30.00	762.0	...	...	ENE	1	...
Ishigakijima, ...	,,	29.90	759.5	...	...	NNW	2	...	,,	29.96	761.0	...	...	ENE	1	...
Bonin Island, ..	..	29.65	753.0	...	...	NW	1	...	,,	29.84	758.0	...	...	NNE	1	...
Chefoo, ...	15	30.04	763.0	68	65	N	1	b	6	29.98	761.5	62	67	S	1	f
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	30.13	765.2	72	43	ESE	1	b	,,	30.13	765.3	55	88	ESE	2	b
Gutzlaff, ...	,,	30.16	766.0	60	65	E	2	o	,,	30.15	765.8	56	75	SE	4	o
Sharp Peak, ...	,,	29.99	761.7	70	80	E	4	o	-	30.01	762.2	64	93	NW	1	o
Amoy, ...	15	29.86	758.4	80	100	SSE	4	b	6	29.91	759.7	66	100	NNE	2	o
Swatow, ...	,,	29.81	757.2	73	86	E	4	o	,,	...	...	...	...	...	...	...
Taihoku, ...	11	29.99	761.7	72	62	E	4	o	5	30.05	763.2	66	94	E	2	o
Taichu, ...	,,	29.86	758.4	79	...	NNW	2	b	,,	30.00	762.0	64	...	...	0	o
Tainan, ...	,,	29.84	757.8	82	...	W	2	b	,,	29.97	761.1	64	...	...	0	b
Koshun, ...	,,	29.85	758.1	77	...	NNE	6	b	,,	29.86	758.4	73	...	NNE	4	b
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong, ...	,,	29.87	758.7	75	67	ESE	4	b	,,	29.90	759.4	69	66	E	4	o
Gap Rock, ...	,,	29.87	758.7	...	...	ENE	5	b	,,	29.88	758.9	...	...	ENE	6	b
Macao, ...	,,	29.84	757.8	79	69	SE	4	o	,,	29.87	758.7	70	77	ENE	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island, ...	14	...	...	...	...	...	...	...	6	29.85	758.1	79	75	...	5	o
Phulien, ...	,,	29.81	757.2	81	69	ENE	4	o	7	...	...	...	...	...	...	...
Tourane, ...	,,	29.75	755.7	81	...	N	4	b	,,	...	...	...	...	...	...	...
Cape St. James.	,,	29.74	755.4	86	...	SE	4	o	,,	...	...	...	...	...	...	...
Basco, ...	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Legaspi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao, ...	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Guam, ...	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.82	757.4	79	...	SE	1	o
Labuan, ...	12	29.81	757.2	88	80	NE	1	o	6	...	...	...	...	...	...	...

May 16d. 11h. 00m.—Pressure has decreased moderately over N.E. Japan and slightly from Chefoo to Shanghai. It has increased moderately over central and S.W. Japan and the Loochoos, and slightly over Formosa and S. China.

An anticyclone extends from Manchuria across Korea to E. China.

A depression appears to be forming over N.E. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total since January 1st, 25·15 inches, against an average of 16·56 inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh to moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	11	30.02	762.6	54	...	...	0	b	6	29.95	760.8	43	...	SE	4	o
Nemuro,	11	29.86	758.5	...	...	NNE	2	...	5	29.96	761.0	...	...	NW	3	...
Hokodate,	..	29.94	760.5	...	...	NNW	4	...	,,	30.08	764.0	...	...	WSW	1	...
Tokio,	,,	30.00	762.0	...	...	S	1	...	,,	30.12	765.0	...	...	N	1	...
Kochi,	,,	30.04	763.0	...	...	SE	1	...	,,	30.14	765.5	...	...	...	0	...
Nagasaki,	,,	30.10	764.5	...	...	NNW	1	...	,,	30.14	765.5	...	..	..	0	...
Kagoshima,	,,	30.06	763.5	...	...	SSE	1	...	,,	30.14	765.5	...	...	NW	1	...
Oshima,	,,	30.04	763.0	...	...	NE	1	...	,,	30.10	764.5	...	...	...	0	...
Naha,	,,	30.04	763.0	...	...	...	...	...	,,	30.10	764.5	...	...	...	...	...
Ishigakijima,	,,	29.63	752.5	...	...	ESE	2	...	,,	30.02	762.5	...	...	ESE	2	...
Bonin Island,	,,	29.90	759.5	...	...	ENE	1	...	,,	30.06	763.5	...	..	ENE	1	...
Chefoo,	15	29.81	757.2	54	21	SSE	1	of	6	29.94	760.5	64	78	S	1	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.69	754.1	72	..	N	1	r
Hankow,	,,	...	...	...	...	...	...	...	,,	29.45	748.0	76	...	ESE	2	lc
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.06	763.5	68	96	SE	4	o	,,	30.02	762.6	57	91	SE	2	b
Gutzlaff,	,,	30.11	764.8	63	72	SE	4	b	,,	30.06	763.5	60	94	S	6	o
Sharp Peak,	..	30.01	762.2	68	72	E	2	o	,,	30.07	763.8	67	84	NNW	2	o
Amoy,	15	29.94	760.5	78	100	E	4	b	6	29.97	761.2	70	100	SE	1	o
Swatow,	..	...	...	73	86	E	4	o	..	...	...	...	...	...	...	...
Taihoku,	11	29.99	761.7	72	89	ENE	4	r	5	29.97	761.1	68	83	E	2	o
Taichu,	,,	29.97	761.1	81	...	...	0	b	,,	29.97	761.1	72	..	...	0	o
Tainan,	,,	29.93	760.2	84	...	NNW	2	b	,,	29.94	760.5	72	..	N	2	o
Koshun,	,,	29.94	760.5	79	...	NNE	4	r	,,	29.94	760.5	73	...	NE	4	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.90	759.4	74	66	ESE	3	o	,,	29.92	759.9	71	85	E	3	o
Gap Rock,	,,	29.91	759.7	...	...	ENE	5	o	,,	29.92	759.9	...	..	ENE	5	o
Macao,	,,	29.88	759.0	79	69	SE	2	o	,,	29.89	759.3	72	88	ENE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Haihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.84	757.9	80	88	NE	5	d	6	29.86	758.4	77	87	ENE	5	o
Phulien,	,,	29.85	758.1	75	91	E	4	lf	7	29.92	759.9	73	96	NE	4	of
Tourane,	,,	29.80	756.9	79	...	...	0	rf	,,	29.87	758.7	75	...	...	0	of
Cape St. James,	,,	29.74	755.4	86	...	SE	2	b	,,	29.80	756.9	81	...	ENE	4	o
Basco,	,,	29.81	757.2	79	76	E	6	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.84	757.8	93	79	ENE	4	o	,,	29.87	758.7	78	96	.	0	o
Manila,	,,	29.72	754.8	93	50	W	4	o	,,	29.85	758.1	77	85	NE	1	b
Legaspi,	,,	29.74	755.4	93	64	ENE	4	b	..	...	...	...	...	...	...	...
Tacloban,	,,	.	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	90	72	S	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.73	755.1	90	69	E	4	b	..	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	ESE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	..	...	...	...	5	29.84	757.9	79	...	NE	1	lc
Labuan,	14	29.77	756.1	86	88	NE	4	b	6	29.82	757.4	84	83	NE	2	b

May 17*d*. 11*h*. 10*m*.—Pressure has increased moderately over N.E. China and slightly over Japan. It is nearly stationary elsewhere.

The depression over N.E. China appears to have filled up.

The map is dominated by an anticyclone central over mid Japan.

A wedge of relatively high pressure extends westward over S. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·15 inches, against an average of 16·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.35	758.2	45	...	SE	5	f	6	29.88	758.9	42	...	...	0	f
Nemuro,	11	29.94	760.5	...	...	NNW	2	...	5	29.90	759.5	...	...	SSE	1	...
Hokodate,	..	30.06	763.5	...	...	WNW	3	...	,,	29.92	760.0	...	...	SW	1	...
Tokio,	,,	30.08	764.0	...	...	SE	1	...	,,	30.00	762.3	...	...	...	0	...
Kochi,	,,	30.20	767.0	...	...	ESE	1	...	,,	30.06	763.5	...	...	SW	1	...
Nagasaki,	,,	30.12	765.0	...	...	W	1	...	,,	30.06	763.5	...	...	...	0	...
Kagoshima,	,,	30.12	765.0	...	...	SSE	1	...	,,	30.06	763.5	...	...	NW	1	...
Oshima,	,,	30.10	764.5	...	...	SSW	1	...	,,	30.06	763.5	...	...	...	0	...
Naha,	,,	30.10	764.5	...	...	E	1	...	,,	30.02	762.5	...	...	ENE	1	...
Ishigakijima,	,,	30.06	763.5	...	...	SE	2	...	,,	29.94	760.5	...	...	SE	2	...
Bonin Island,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.92	759.9	66	91	N	1	0	6	29.95	760.7	58	94	SSE	1	0
Ichang,	,,	...	...	...	...	...	...	...	,,	29.64	752.8	72	...	...	0	0c
Hankow,	,,	...	...	...	...	...	...	...	,,	29.39	746.5	74	...	E	1	0
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.95	760.8	77	61	S	2	0	,,	29.92	759.9	64	92	SSE	1	1
Gutzlaff,	,,	29.99	761.7	66	91	SSE	6	0	,,	29.93	760.2	64	100	S	4	0
Sharp Peak,	,,	30.00	762.0	75	81	N	1	0	7	29.94	760.5	71	90	...	0	b
Amoy,	15	29.93	760.2	75	95	ENE	2	0	6	29.89	759.2	70	100	ESE	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.95	760.8	86	56	E	2	0	5	29.92	759.9	70	92	...	0	0
Taichu,	,,	29.95	760.8	81	...	W	2	0	,,	29.97	761.1	68	...	...	0	r
Tainan,	,,	29.95	760.8	81	...	NW	2	0	,,	29.89	759.5	72	...	N	2	b
Koshun,	,,	29.94	760.5	79	...	ENE	4	0	,,	29.88	759.0	73	...	...	0	0
Pescadores,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.90	759.4	74	81	E	3	0	,,	29.87	758.7	72	85	E	3	0
Gap Rock,	,,	29.90	759.4	...	...	ENE	5	0	,,	29.87	758.7	...	...	ENE	5	0
Macao,	,,	29.88	759.0	75	88	NE	2	r	,,	29.84	757.8	72	89	E	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.86	758.4	77	91	E	5	d	6	29.82	757.4	77	92	ENE	5	d
Phulien,	,,	29.85	758.1	82	77	SSE	2	of	7	29.86	758.4	75	96	ESE	4	of
Tourane,	,,	29.84	757.8	81	...	...	0	b	,,	29.84	757.8	75	...	...	0	0
Cape St. James,	,,	29.81	757.2	86	...	SE	4	0	,,	29.82	757.5	77	...	...	0	0
Basco,	,,	29.86	758.4	79	76	E	6	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.81	757.2	86	71	NE	4	b	,,	...	...	..	...	...	...	...
Manila,	,,	29.75	755.7	97	47	SSW	2	b	,,	29.82	757.5	79	87	N	1	0
Legaspi,	,,	29.78	756.3	93	67	ENE	4	b	,,	29.82	757.5	82	87	NNE	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	81	94	N	2	0
Iloilo,	,,	29.74	755.4	93	53	NE	4	0	,,	...	...	...	...	...	...	...
Surigao,	..	29.75	755.7	90	66	ENE	4	0	..	...	...	...	...	...	...	...
Guam,	12.20	29.82	757.5	...	...	N	4	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	..	...	...	...	...
Pelew,	11.00	...	...	..	...	...	...	...	5	29.81	757.2	80	...	NE	2	b
Labuan,	14	29.78	756.4	88	84	NE	2	lf	6	29.84	757.9	78	91	N	2	b

May 18th, 11h. comm.—Pressure is nearly stationary over N.E. China and the Philippines. It has decreased moderately over central Japan and slightly elsewhere.

The anticyclone has weakened and is now central between S.W. Japan and the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total** since **January 1st**, 25·15 inches, against an **average** of 17·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. or variable winds, moderate; generally overcast, occasional rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	18TH MAY, 1926. HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	19TH MAY, 1926. HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	12	29.85	758.2	49	...	E	4	c	6	29.89	759.1	53	...	N	4	c
Nemuro	11	29.80	757.0	...	...	SE	1	...	5	29.94	760.5	...	...	ESE	1	...
Hokodate,	,,	29.88	759.0	...	...	SSW	2	...	,,	29.96	761.0	...	...	...	...	...
Tokio	,,	29.93	761.5	...	...	SSE	1	...	,,	30.02	762.5	...	...	NW	1	...
Kochi,	,,	30.02	762.5	...	...	SE	1	...	,,	30.02	762.5	...	...	SW	1	...
Nagasaki,	,,	30.04	763.0	...	...	W	1	...	,,	29.98	761.5	...	...	SE	2	...
Kagoshima,	,,	30.04	763.0	...	...	SE	1	...	,,	30.00	762.0	...	...	NW	1	...
Oshima,	,,	30.04	763.0	...	...	S	1	...	,,	29.96	761.0	...	...	...	0	...
Naha,	,,	30.02	762.5	...	...	ENE	2	...	,,	29.92	760.0	...	...	E	1	...
Ishigakijima,	,,	29.96	761.0	...	...	SE	2	...	,,	29.84	758.0	...	...	SE	2	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.79	756.6	66	68	ESE	1	b	6	29.74	755.4	58	64	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.85	758.1	82	54	SE	4	b	,,	29.71	754.5	68	96	SE	1	o
Gutzlaff,	,,	29.89	759.2	70	91	SSE	4	b	,,	29.74	755.4	66	95	SSE	6	o
Sharp Peak,	,,	29.92	759.9	78	71	SE	2	o	7	29.78	756.4	70	94	WNW	1	r
Amoy,	15	29.80	756.9	66	100	SE	1	o	6	29.68	753.9	71	100	NE	1	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.91	759.6	82	63	NW	2	o	5	29.75	755.7	72	47	...	0	r
Taichu,	,,	29.92	759.9	77	...	NNW	2	o	,,	29.74	755.4	72	...	...	0	o
Tainan,	,,	29.88	759.0	82	...	N	2	o	,,	29.72	754.8	72	...	...	0	o
Koshun,	,,	29.87	758.7	84	...	ENE	4	o	,,	29.74	755.4	75	...	ENE	4	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.81	757.2	77	77	E	3	o	,,	29.74	755.4	73	90	...	0	om
Gap Rock,	,,	29.82	757.5	...	...	NE	4	o	,,	29.74	755.4	...	...	NE	4	c
Macao,	,,	29.80	756.9	77	84	ESE	2	o	,,	29.69	754.2	72	96	SSE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.78	756.4	81	91	ENE	2	c	6	29.70	754.4	78	88	SSW	3	c
Phulien,	,,	29.76	756.0	84	71	SSE	4	b	7	29.74	755.4	77	94	SE	2	bf
Tourane,	,,	29.78	756.3	84	...	E	2	b	,,	29.75	755.7	77	...	SW	2	b
Cape St. James,	,,	29.79	756.6	90	...	S	2	b	,,	29.81	757.2	79	...	WSW	2	o
Basco,	,,	29.78	756.3	82	84	E	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.76	756.0	84	77	NE	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	97	47	W	4	b	,,	29.79	756.6	79	84	SE	1	b
Legaspi,	,,	...	...	93	64	NE	2	b	,,	29.80	756.9	79	95	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	93	59	NE	4	o	,,	29.78	756.3	72	82	N	1	o
Surigao,	,,	29.75	755.7	86	71	ENE	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.78	756.4	80	...	ENE	1	c
Labuan,	14	29.78	756.4	88	84	SW	2	b	6	29.85	758.2	78	91	NE	2	o

May 19*d*. 10*h*. 30*m*.—Pressure is nearly stationary over central Japan and the Philippines. It has increased slightly from S. Manchuria to N.E. Japan, decreased moderately from Shanghai to Formosa and slightly elsewhere.

The anticyclone is now central to the north of the Bonins.

A depression has formed over China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·15 inches, against an average of 17·80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

DISTRICT.	FORECAST.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	20th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.91	759.7	52	...	SSE	4	o	6	30.08	764.0	45	...	WSW	1	o
Nemuro,	11	30.02	762.5	...	...	SSE	1	...	5	30.18	766.5	...	...	...	o	...
Hokodate,	,,	30.00	762.0	...	...	SSE	1	...	,,	30.08	764.0	...	...	...	o	...
Tokio,	,,	30.08	754.0	...	...	SSE	1	...	,,	30.06	763.5	...	...	N	1	...
Kochi,	,,	30.02	762.5	...	...	SE	1	...	,,	30.00	762.0	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	...	...	ESE	2	...
Kagoshima,	,,	30.04	763.0	...	...	SE	1	...	,,	29.82	757.5	...	...	E	1	...
Oshima,	,,	29.94	760 5	...	...	SSE	1	...	,,	29.75	755.5	...	...	S	2	...
Naha,	,,	29.90	759.5	...	...	E	3	...	,,	29.75	755.5	...	...	ESE	2	...
Ishigakijima,	,,	29.80	757.0	...	...	SE	4	...	,,	29.63	752.5	...	...	SSW	4	...
Bonin Island,	,,	30.04	763.0	...	...	E	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.70	764.4	76	69	SE	1	o	6	29.59	751.6	58	94	E	2	r
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.61	752.1	73	88	SSE	4	o	,,	29.62	752.4	64	82	W	4	b
Gutzlaff,	,,	29.65	753.1	66	100	SSE	6	r	,,	29.61	752.1	64	95	W	6	b
Sharp Peak,	,,	29.77	756.1	72	90	NE	1	rf	7	29.68	753.9	72	90	...	o	b
Amoy,	15	29.60	751.8	80	92	SE	2	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.73	755.1	81	76	SW	2	o	5	29.66	753.3	77	85	W	4	o
Taichu,	,,	29.76	756 0	75	...	...	o	r	,,	29.74	755.4	73	...	S	2	o
Tainan,	,,	29.71	754.5	79	...	SSE	4	o	,,	29.73	755.1	73	...	...	o	o
Koshun,	,,	29.75	755.7	84	...	SE	2	o	,,	29.72	754.8	79	...	W	4	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.69	754.2	84	68	SW	3	o	,,	29.74	755.4	77	92	...	o	lm
Gap Rock,	,,	29.71	754.6	...	...	SE	3	b	,,	29.74	755 4	...	...	SSW	3	o
Macao,	,,	29.67	753.6	86	75	SSW	2	o	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.71	754.5	87	81	SW	2	c	6	29.75	755.7	83	82	WSW	1	b
Phulien,	,,	29.66	753.3	90	76	SSE	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.69	754.2	86	...	SE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	756.0	93	...	SW	2	o	,,	...	...	...	...	...	...	...
Basco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	29.73	755.1	86	81	NE	2	r	,,	29.76	756.0	77	89	...	o	o
Manila,	,,	29.73	755.1	93	53	WSW	4	b	,,	29.81	757.2	79	89	SE	1	b
Legaspi,	,,	29.74	755.4	...	...	...	...	...	,,	29.81	757.2	79	92	...	o	o
Tacloban,	,,	29.75	755.7	86	61	S	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755 1	90	66	NNE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.74	755.4	90	72	E	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	79	...	E	1	c
Labuan,	14	29.79	756.6	86	80	NW	2	b	6	29.83	757.7	78	91	SW	1	o

May 20*d*. 10*h*. 5*0m*.—The anticyclone is now central to the north-east of Hokkaido.

The depression has moved eastward. It now has two centres, one between Shanghai and Chefoo and one to the north-east of Formosa.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·15 inches, against an average of 18·22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Light, variable winds; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	21st MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	30.07	763.8	51	...	SSE	4	o	6	30.04	763.0	46	...	...	o	o
Nemuro, ...	11	30.18	766.5	...	...	NE	1	...	5	30.30	769.5	...	...	E	1	...
Hokodate, ...	,,	30.10	764.5	...	...	SE	2	...	,,	30.20	767.0	...	...	ESE	2	...
Tokio, ...	,,	30.02	762.5	...	...	SE	1	...	,,	30.04	763.0	...	...	NE	1	...
Kochi, ...	,,	29.96	761.0	...	...	SE	1	...	,,	29.71	754.5	...	...	SE	1	...
Nagasaki, ...	,,	29.69	754.0	...	...	SE	7	...	,,	29.65	753.0	...	...	SSE	1	...
Kagoshima, ...	,,	29 76	756.0	...	...	SE	1	...	,,	29.69	754.0	...	...	...	...	...
Oshima, ...	,,	29.74	755.5	...	...	NNE	1	...	,,	29.71	754.5	...	...	...	o	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	29.76	756.0	...	...	...	o	...
Ishigakijima, ..	,,	29.70	754.5	...	...	WNW	2	...	,,	29.76	756.0	...	...	N	1	...
Bonin Island, ..	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo, ...	15	29.50	749.3	58	94	E	4	r	6	29.60	751.8	54	100	NW	2	r
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	29.55	750.6	82	40	WSW	6	b	,,	29.71	754.5	63	84	WNW	2	b
Gutzlaff, ...	,,	29.59	751.6	72	71	WSW	6	b	,,	29.70	754.4	67	84	NW	4	b
Sharp Peak, ...	,,	29.69	754.1	88	52	WSW	2	b	,,	29.77	756.1	74	90	W	1	b
Amoy, ...	15	29.64	752.8	84	93	SSE	4	b	6	29.74	755.4	75	100	NE	1	of
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	11	29.71	754.5	86	65	W	4	b	5	29.76	756.0	66	96	...	o	b
Taichu, ...	,,	29.79	756.6	84	...	SSW	2	o	,,	29.81	757.2	66	...	...	o	b
Tainan, ...	,,	29.79	756.6	84	...	WSW	2	b	,,	29.79	756.6	70	...	SE	2	b
Koshun, ...	,,	29.76	756.0	84	...	W	4	b	,,	29.79	756.6	75	...	...	o	o
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong, ...	,,	29.72	754.9	87	66	NW	3	b	,,	29.73	755.1	80	86	SSW	2	o
Gap Rock, ...	,,	29 75	755.6	...	...	SSW	3	b	,,	29.74	755.4	...	...	SSW	3	o
Macao, ...	,,	29.71	754.5	90	76	S	2	b	,,	29.68	753.9	79	95	S	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island, ...	14	29.77	756.1	86	80	...	1	b	6	29.75	755.6	86	78	WSW	1	b
Phulien, ...	,,	29.65	753.0	86	78	SE	4	b	7	29.65	753.0	81	97	SE	2	of
Tourane, ...	,,	29.69	754.2	90	...	SE	2	b	,,	29.67	753.6	82	...	SW	2	b
Cape St. James.	,,	29.76	756.0	93	...	S	4	o	,,	29.82	757.5	81	...	SW	2	o
Basco, ...	,,	29.71	754.5	86	75	SW	4	o	6	...	...	...	...	...	...	...
Aparri, ...	,,	29.74	755.4	86	68	NNE	4	o	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.76	756.0	93	53	SW	4	b	,,	...	...	...	...	...	...	...
Legaspi, ...	,,	29.76	756.0	93	64	ENE	2	b	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.76	756.0	90	76	S	4	o	,,	...	...	...	...	...	...	...
Surigao, ...	,,	29.79	756.6	90	69	ENE	4	o	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.79	756.6	...	...	N	2	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.80	756.9	84	83	NE	1	o	6	29.80	756.9	77	91	NE	2	b

May 21*d.* 10*h.* 55*m.*—Pressure has increased moderately from Chefoo to Shanghai and slightly over N.E. Japan, Formosa, and S.E. China. It has decreased slightly over S.W. Japan and N. Indo-China.

The northern depression is moving eastward towards Korea. The depression over Indo-China and S.W. China has deepened slightly.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 25·18 inches, against an average of 18·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, ... 4.—South coast of China between Hongkong and Hainan, .	S. winds, moderate, squally; overcast, occasional rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.98	761.4	56	...	WSW	2	o	6	29.93	760.3	48	...	...	o	o
Nemuro,	11	30.33	770.5	...	...	ESE	1	...	5	...	...	...	...	SSE	1	...
Hokodate,	,,	...	...	...	...	...	...	...	,,	30.20	767.0	...	...	ESE	3	...
Tokio,	,,	30.04	763.0	...	...	ENE	1	...	,,	29.92	760.0	...	...	ENE	1	...
Kochi,	,,	29.72	754.5	...	...	SE	1	...	,,	29.65	753.0	...	...	...	o	...
Nagasaki,	,,	29.63	752.5	...	...	S	4	...	,,	29.65	753.0	...	...	WSW	1	...
Kagoshima,	,,	29.67	753.5	...	...	SE	1	...	,,	29.67	753.5	...	...	...	o	...
Oshima,	,,	29.74	755.5	...	...	SW	1	...	,,	29.75	755.5	...	...	...	o	...
Naha,	,,	29.80	757.0	...	...	S	1	...	,,	29.78	756.5	...	...	SSE	1	...
Ishigakijima,	,,	29.82	757.5	...	...	...	o	...	,,	29.75	755.5	...	...	SE	1	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.63	752.6	58	94	NNW	2	o	6	29.66	753.3	54	94	NW	1	lf
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.71	754.5	82	40	WNW	2	b	,,	29.75	755.7	64	94	E	2	b
Gutzlaff,	,,	29.73	755.1	75	68	NNW	2	b	,,	29.76	755.9	64	95	ESE	2	b
Sharp Peak,	,,	29.76	755.9	86	72	S	2	b	,,	29.73	755.1	75	81	WNW	1	o
Amoy,	14	29.64	752.8	81	100	SE	1	o	6	29.67	753.6	70	95	NE	1	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.79	756.6	86	46	NNW	2	b	5	29.67	753.6	73	82	...	o	o
Taichu,	,,	29.81	757.2	86	...	S	2	b	,,	29.71	754.5	70	...	...	o	o
Tainan,	,,	29.82	757.5	86	...	SSW	2	b	,,	29.72	754.8	73	...	SE	4	o
Koshun,	,,	29.82	757.5	86	...	WNW	2	o	,,	29.71	754.5	79	...	...	o	r
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.66	753.3	82	85	SW	4	opq	,,	29.58	751.3	81	88	SW	4	o
Gap Rock,	,,	29.69	754.1	...	...	SSW	4	o	,,	29.59	751.6	...	...	SW	6	o
Macao,	,,	29.66	753.3	81	97	WSW	4	o	,,	29.55	750.6	79	96	W	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Phulien,	15	29.58	751.2	90	63	SSW	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.69	754.2	90	...	...	c	h	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	86	...	S	2	o	,,	...	...	...	...	...	...	...
Basco,	,,	29.73	755.1	86	75	SW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.76	756.0	86	71	NE	4	o	,,	29.75	755.7	79	95	SW	2	o
Manila,	,,	29.78	756.3	93	57	WSW	4	h	,,	29.80	756.9	81	89	E	1	b
Legaspi,	,,	29.79	756.6	93	59	ENE	2	o	,,	29.81	757.2	79	91	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	90	69	S	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.79	756.6	90	66	NE	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	N	1	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	86	84	NE	2	b	6	29.83	757.7	80	91	NE	2	b

May 22*d*. 11*h*. 50*m*.—Pressure has decreased moderately over central Japan and slightly over S. Manchuria. It has decreased slightly from Formosa to Hongkong and over Luzon.

The northern depression is crossing Korea in an easterly direction.

The depression over S.W. China appears to have deepened.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·02 inch. Total since January 1st, 26·22 inches, against an average of 19·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.W. winds, fresh, squally; overcast, occasional rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	23rd MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.92	760.0	53	...	SSE	3	o	6	29.97	761.2	48	...	...	...	o
Nemuro	11	30.30	769.5	...	...	SSE	1	...	5	30.16	766.0	...	...	SSE	...	...
Hokodate,	,,	30.16	766.0	...	...	ESE	3	...	,,	30.04	763.0	...	...	E	...	...
Tokio,	,,	29.90	759.5	...	...	E	1	...	,,	29.80	757.0	...	...	NNW	...	...
Kochi,	,,	29.63	752.5	...	...	SE	1	...	,,	29.69	754.0	...	...	...	...	...
Nagasaki,	,,	29.70	754.5	...	...	W	2	...	,,	29.80	757.0	...	...	NNW	...	...
Kagoshima,	,,	29.70	754.5	...	...	SW	1	...	,,	29.75	755.5	...	...	NW	...	...
Oshima,	,,	29.76	756.0	...	...	NNE	1	...	,,	29.76	756.0	...	...	NNE	...	...
Naha,	,,	29.78	756.5	...	...	SE	1	...	,,	29.76	756.0	...	...	...	...	...
Ishigakijima,	,,	29.76	756.0	...	...	SSW	1	...	,,	29.73	755.0	...	...	SE	...	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.64	752.8	76	73	SSW	1	b	6	29.80	756.9	60	90	SSW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.74	755.4	86	46	ESE	2	b	,,	29.79	756.6	64	100	ESE	3	bf
Gutzlaff,	,,	29.78	756.4	70	85	SE	4	b	,,	29.79	756.6	65	100	SE	4	bf
Sharp Peak,	,,	29.74	755.4	81	71	E	2	b	7	29.75	755.6	74	84	N	1	b
Amoy,	14	29.63	752.6	75	100	SE	2	o	6	29.67	753.6	73	95	...	...	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.73	755.1	79	76	...	c	o	5	29.67	753.6	73	85	E	4	b
Taichu,	,,	29.74	755.4	72	...	...	o	r	,,	29.65	753.0	70	...	...	c	b
Tainan,	,,	29.71	754.5	75	...	E	2	r	,,	29.63	752.7	73	...	...	o	b
Koshun,	,,	29.71	754.5	72	...	WNW	2	r	,,	29.63	752.7	75	...	ENE	4	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.59	751.6	82	85	S	1	o	,,	29.65	753.1	74	86	E	3	od
Gap Rock,	,,	29.62	752.3	...	...	WSW	5	o	,,	29.66	753.3	...	...	ENE	5	b
Macao,	,,	29.56	750.9	84	85	WSW	2	r	,,	29.60	751.8	75	92	SE	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Phulien,	15	29.53	750.0	93	57	WSW	6	o	7	29.56	750.9	84	74	SSW	4	bf
Tourane,	,,	29.66	753.3	93	...	SW	2	b	,,	29.65	753.0	84	...	...	c	b
Cape St. James.	,,	29.76	756.0	93	...	S	4	b	,,	29.76	756.0	81	...	WSW	4	b
Basco	,,	29.63	752.7	82	87	SSW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.66	753.3	93	61	S	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	93	57	WSW	4	b	,,	29.75	755.7	82	81	S	2	b
Legaspi,	,,	29.74	755.4	93	61	ENE	2	b	,,	29.76	756.0	79	92	S	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	82	90	SW	4	b
Surigao,	,,	29.75	755.7	90	72	ENE	4	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	E	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	88	84	NE	4	b	6	...	...	...	...	...	...	...

May 23*d*. 11*h*. 10*m*.—Pressure has decreased moderately over N.E. Japan and slightly from Formosa to Luzon. It has increased moderately over N.E. China and slightly over S.W. Japan and Kwangtung.

An anticyclone has formed over N. China.

The northern depression is not so deep this morning. It is moving slowly eastward across the Sea of Japan.

The southern depression is now central over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·27 inch. Total since January 1st 26·47 inches, against an average of 19·52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; generally cloudy, occasional rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd MAY, 1926.								24th MAY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.95	760.8	56	...	SW	3	o	6	29.93	760.1	47	...	...	o	f
Nemuro,	11	30.16	766.0	...	...	S	2	...	5	30.00	762.0	...	...	SSE	1	...
Hokodate,	..	30.00	762.0	...	...	E	3	...	,,	29.84	758.0	...	...	N	1	...
Tokio,	,,	29.78	756.5	...	...	NW	1	...	,,	29.78	756.5	...	...	NE	1	...
Kochi,	,,	29.70	754.5	...	...	NNE	1	...	,,	29.80	757.0	...	...	...	c	...
Nagasaki,	,,	29.82	757.5	...	...	NNW	2	...	,,	29.84	758.0	...	...	NNE	1	...
Kagoshima,	,,	29.74	755.5	...	...	SE	1	...	,,	29.80	757.0	...	...	...	c	...
Oshima,	,,	29.80	757.0	...	...	NE	1	...	,,	29.80	757.0	...	...	S	1	...
Naha,	,,	29.80	757.0	...	...	WNW	1	...	,,	29.80	757.0	...	...	N	1	...
Ishigakijima,	,,	29.78	756.5	...	...	ENE	2	...	,,	29.76	756.0	...	...	E	1	...
Bonin Island,	..	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
Chefoo,	15	29.73	755.1	80	92	E	2	of	6	29.84	757.9	58	100	ENE	1	o
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.80	756.9	86	56	ESE	2	b	,,	29.80	756.9	68	96	SE	2	o
Gutzlaff,	,,	29.83	757.7	68	91	SE	4	o	,,	29.84	757.9	66	95	SSE	4	o
Sharp Peak,	..	29.77	756.1	84	68	N	1	o	,,	29.78	756.4	73	93	N	2	o
Amoy,	14	29.64	752.8	84	68	E	2	o	6	29.66	753.3	74	86	ENE	1	r
Swatow,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.73	755.1	90	44	E	4	b	5	29.74	755.4	68	85	...	c	b
Taichu,	,,	29.69	754.2	86	...	...	o	b	,,	29.76	756.0	70	...	...	c	b
Tainan,	,,	29.71	754.5	77	...	WNW	2	r	,,	29.69	754.2	73	...	N	2	b
Koshun,	,,	29.69	754.2	79	...	NE	4	o	,,	29.68	753.9	75	...	...	o	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.67	753.6	76	84	E	4	or	,,	29.65	753.1	75	88	E	3	o
Gap Rock,	,,	29.67	753.6	...	...	ENE	4	o	,,	29.67	753.6	...	...	ENE	4	o
Macao,	,,	29.63	752.7	77	88	SE	4	o	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Phulien,	15	29.49	749.1	99	...	SSW	4	b	7	29.52	749.7	84	77	SW	4	b
Tourane,	,,	29.61	752.1	93	...	SE	2	b	,,	29.61	752.1	86	...	...	c	b
Cape St. James,	,,	29.73	755.1	97	...	S	2	b	,,	29.76	756.0	81	...	WSW	6	o
Basco,	,,	29.65	753.0	79	90	SSW	2	r	6	...	...	...	...	...	...	...
Aparri,	,,	29.74	755.4	93	92	SW	4	r	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	93	61	SW	6	o	,,	29.74	755.4	79	90	NNE	2	o
Legaspi,	,,	29.68	753.9	93	61	WSW	4	o	,,	29.72	754.8	81	90	W	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	93	72	SW	6	o	,,	29.78	756.3	82	81	SW	4	o
Surigao,	..	29.71	754.5	86	97	W	4	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	S	1	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	71	85	SW	2	b	6	29.84	757.9	80	91	NE	2	b

May 24*d.* 11*h.* 00*m.*—Pressure has decreased moderately over N.E. Japan and slightly over Luzon. It has increased slightly over S.W. Japan and Formosa and is nearly stationary elsewhere.

The anticyclone over N. China has dispersed.

The northern depression appears to be filling up, and the depression over Tongking remains unchanged.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·88 inch. **Total** since January 1st. 27·35 inches, against an **average** of 19·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; generally overcast, occasional rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	25th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock, .	12	29.83	757.7	59	...	SSE	2	c	6	29.89	759.1	48	...	...	0	f
Nemuro, ...	11	29.94	760.5	...	...	SSE	2	...	5	29.76	756.0	...	...	SSE	2	...
Hokodate, ...	,,	29.82	757.5	...	...	NNW	1	...	,,	29.82	757.5	...	...	...	...	...
Tokio, ...	,,	29.76	756.0	...	...	NNE	1	...	,,	29.75	755.5	...	...	NNW	2	...
Kochi, ...	,,	30.18	766.5	...	...	...	0	...	,,	29.82	757.5	...	...	SW	1	...
Nagasaki, ...	,,	29.82	757.5	...	...	SSE	2	...	,,	29.84	758.0	...	...	...	0	...
Kagoshima, ...	,,	29.80	757.0	...	...	WNW	1	...	,,	29.82	757.5	...	...	WNW	1	...
Oshima, ...	,,	29.82	757.5	...	...	NE	1	...	,,	29.80	757.0	...	...	...	0	...
Naha, ...	,,	29.80	757.0	...	...	WNW	2	...	,,	29.84	758.0	...	...	NE	1	...
Ishigakijima, ...	,,	29.78	756.5	...	...	E	2	...	,,	29.76	756.0	...	...	SE	1	...
Bonin Island, ...	,,	29.88	759.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Chefoo, ...	15	29.77	756.1	60	94	ESE	1	o	6	29.81	757.2	58	90	SE	1	o
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	29.74	755.4	93	40	SSE	2	bf	,,	29.79	756.6	68	92	ESE	4	b
Nutzlaff, ...	,,	29.79	756.6	72	85	SE	2	b	,,	29.82	757.5	66	95	SSE	6	o
Sharp Peak, ...	,,	29.77	756.1	77	77	E	2	o	7	29.81	757.2	73	90	NNE	1	o
Amoy, ...	14	29.69	754.1	77	82	NE	1	o	6	29.64	752.8	73	95	...	0	r
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	11	29.72	754.8	90	48	E	4	b	5	29.71	754.5	70	88	...	0	o
Taichu, ...	,,	29.72	754.8	86	...	NW	2	b	,,	29.68	753.9	75	...	...	0	o
Tainan, ...	,,	29.71	754.5	84	...	NNW	2	o	,,	29.67	753.6	75	...	...	0	r
Koshun, ...	,,	29.72	754.8	82	...	NE	2	b	,,	29.68	753.9	75	...	...	0	o
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	14	29.61	752.1	78	86	S	1	o	6	...	...	...	...	...	...	...
Hongkong, ...	,,	29.63	752.6	75	93	E	3	od	,,	29.61	752.1	75	95	E	3	o
Gap Rock, ...	,,	29.63	752.6	...	...	ENE	4	or	,,	29.61	752.1	...	...	ESE	4	o
Macao, ...	,,	29.60	751.8	75	98	SE	4	r	,,	29.54	750.3	75	94	SE	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Phulier, ...	15	29.45	747.9	99	...	SSW	6	b	7	29.42	747.3	84	64	SSW	8	b
Tourane, ...	,,	29.61	752.1	90	...	SE	2	b	,,	29.56	750.9	90	...	...	0	b
Cape St. James,	,,	29.72	754.8	97	...	S	2	o	,,	29.73	755.1	81	...	SW	4	o
Basco, ...	,,	29.67	753.6	84	85	SW	2	r	6	...	...	...	...	...	...	...
Aparri, ...	,,	29.67	753.6	86	71	S	4	o	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.73	755.1	79	90	SW	4	r	,,	29.73	755.1	79	91	ENE	1	o
Legaspi, ...	,,	...	...	...	...	...	...	...	,,	29.72	754.8	79	90	W	1	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.75	755.7	82	81	SW	4	o	,,	29.74	755.4	81	94	SW	4	o
Surigao, ...	,,	29.72	754.8	90	63	W	2	o	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.80	756.9	...	...	SW	2	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.77	756.1	88	84	NE	2	b	6	29.81	757.2	80	87	NE	2	b

May 25*d.* 10*h.* 55*m.*—Pressure has increased slightly from S. Manchuria to N.E. China, decreased slightly over Indo-China and the Philippines and is nearly stationary elsewhere.

The depression over Tongking has deepened further.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·72 inch. Total since January 1st, 29·07 inches, against an average of 20·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel, ...	S.E. winds, moderate; overcast, rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	26th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.83	757.6	66	...	...	0	0	6	29.69	754.1	47	...	SSE	4	0
Nemuro,	11	29.72	755.0	...	...	N	1	...	5	29.82	757.5	...	...	W	1	...
Hokodate,	..	29.82	757.5	...	...	S	1	...	,,	29.90	759.5	...	...	...	0	...
Tokio,	,,	29.76	756.0	...	...	NNE	1	...	,,	29.92	760.0	...	...	...	0	...
Kochi,	,,	29.78	756.5	...	...	SSW	1	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	N	1	...	,,	29.88	759.0	...	...	SSE	1	...
Kagoshima,	,,	29.86	758.5	...	...	ESE	1	...	,,	29.90	759.5	...	...	...	0	...
Oshima,	,,	29.82	757.5	...	...	NE	1	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.88	759.0	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.80	757.0	...	...	SE	1	...	,,	29.76	756.0	...	...	ESE	2	...
Bonin Island,	,,	29.74	755.5	...	...	E	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.71	754.6	68	79	SSE	1	0	6	29.66	753.3	63	91	S	2	0
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.74	755.4	84	52	SE	4	b	,,	29.72	754.8	70	85	SE	4	0
Gutzlaff,	,,	29.82	757.4	70	85	SE	4	b	,,	29.76	755.9	68	95	SSE	6	b
Sharp Peak,	,,	29.76	755.9	78	86	N	2	0	7	29.76	755.9	74	94	...	0	of
Amoy,	,,	29.67	753.6	77	86	NE	1	r	6	29.64	752.8	74	95	...	0	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.74	755.4	86	58	SE	2	0	5	29.72	754.8	73	91	...	0	0
Taichu,	,,	29.75	755.7	81	...	...	0	r	,,	29.74	755.4	73	...	...	0	b
Tainan,	,,	29.74	755.4	79	...	...	0	r	,,	29.71	754.5	75	...	...	0	0
Koshun,	,,	29.73	755.1	81	...	N	2	0	,,	29.71	754.5	75	...	NE	2	0
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	77	...	E	1	r
Canton,	14	29.61	752.1	79	91	ESE	2	0	6	...	...	...	...	...	...	...
Hongkong,	,,	29.59	751.6	78	95	E	4	of	,,	29.59	751.6	81	89	SSW	2	od
Gap Rock,	,,	29.59	751.6	...	...	SE	4	c	,,	29.60	751.8	...	...	SSE	3	0
Macao,	,,	29.54	750.3	82	92	SE	4	of	,,	29.55	750.6	79	100	SSW	4	rf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.63	752.6	82	92	S	2	0	6	29.64	752.8	82	95	SSW	2	c
Phulien,	15	29.39	746.4	99	44	SSW	4	b	7	29.48	748.8	86	61	SW	6	b
Tourane,	,,	29.56	750.9	93	...	W	2	b	,,	29.58	751.2	86	...	...	0	b
Cape St. James,	,,	29.67	753.6	93	...	SW	4	b	,,	29.73	755.1	81	...	SW	6	0
Basco,	,,	29.67	753.6	77	98	SE	2	r	6	29.69	754.2	77	98	...	0	0
Aparri,	,,	29.66	753.3	86	81	ENE	4	0	,,	29.71	754.5	77	94	...	0	0
Manila,	,,	29.78	756.3	77	91	NNE	2	r	,,	29.78	756.3	77	91	SE	1	0
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	79	96	WSW	4	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	75	SW	4	0	,,	29.79	756.6	79	87	SW	4	0
Surigao,	..	29.72	754.8	86	71	WNW	2	0	,,	29.75	755.7	81	92	WNW	2	0
Guam,	12.20	29.79	756.6	...	...	SW	2	0	4.20	29.81	757.2	...	...	SE	1	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	80	87	S	2	r	6	...	...	..	...	...	...	...

May 26*d*. 11*h*. 15*m*.—Pressure is highest over the eastern portion of the map. It has increased moderately over central Japan and slightly over N.E. Japan, the Loochoos and Tongking. It has decreased slightly from Shanghai to Chefoo and is nearly stationary elsewhere.

The depression has spread northward and now covers the whole of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·97 inch. **Total since January 1st, 30·04 inches, against an average of 20·90 inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, moderate, squally; overcast, rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	26TH MAY, 1926.								27TH MAY, 1926.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force.	WEATHER.
Wladivostock,	12	29.62	752.3	48	...	SSE	4	o	6	29.71	754.7	51	...	...	c	o
Nemuro,	11	29.84	758.c	...	...	SE	2	...	5	29.76	756.o	...	...	S	1	...
Hckodate,	,,	29.88	759.o	...	...	SW	2	...	,,	29.78	756.5	...	...	E	1	...
Tokio,	,,	29.90	759.5	...	...	SE	1	...	,,	29.92	76o.o	...	...	...	c	...
Kochi,	,,	29.88	759.o	...	...	SSW	1	...	,,	29.92	76o.o	...	...	...	c	...
Nagasaki,	,,	29.88	759.o	...	...	SSE	2	...	,,	29.88	759.o	...	...	SSE	2	...
Kagoshima,	,,	29.88	759.o	...	...	ESE	1	...	,,	29.88	759.o	...	...	...	...	...
Oshima,	,,	29.84	758.o	...	...	NE	1	...	,,	29.82	757.5	...	...	...	...	...
Naha,	,,	29.84	758.c	...	...	NNE	1	...	,,	29.78	756.5	...	...	E	1	...
Ishigakijima,	,,	29.76	756.c	...	...	SE	3	...	,,	29.73	755.o	...	...	SSE	3	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.64	752.8	78	78	SSW	1	o	6	29.63	752.6	66	91	SSW	2	o
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.67	753.6	84	60	SSE	6	b	,,	29.55	750.6	73	86	SSE	6	b
Gutzlaff,	,,	29.72	754.9	72	85	SSE	6	o	,,	29.6c	751.8	69	95	SSE	6	o
Sharp Peak,	,,	29.75	755.6	73	1oo	...	o	rf	,,	29.68	753.9	74	1oo	...	o	rf
Amoy,	,,	29.63	752.6	77	95	SSE	1	r	6	29.57	751.1	76	95	...	o	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.73	755.1	9o	57	SE	2	o	5	29.61	752.1	75	96	...	...	...
Taichu,	,,	29.73	755.1	86	...	SSW	2	o	,,	29.56	75o.9	75	...	...	o	o
Tainan,	,,	29.74	755.4	82	...	E	1	r	,,	29.56	75o.9	73	...	SE	2	r
Koshun,	,,	29.73	755.1	86	...	ENE	2	o	,,	29.65	753.o	75	...	ENE	2	r
Pescadores,	,,	29.73	755.1	77	...	SSE	4	r	,,	29.61	752.1	77	...	S	4	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.61	752.1	8o	89	...	o	odf	,,	29.57	751.1	77	98	ENE	1	of
Gap Rock,	,,	29.62	752.3	...	...	S	2	od	,,	29.58	751.3	...	...	SSE	3	f
Macao,	,,	29.58	751.2	77	1oo	SE	4	rf	,,	29.53	75o.o	79	1oo	S	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Haihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.65	753.1	86	69	...	2	o	6	29.62	752.3	82	91	SSW	2	o
Phulien,	15	29.42	747.3	99	...	SW	2	b	7	29.49	749.1	82	84	SSW	2	bf
Tourane,	,,	29.55	750.6	97	...	SE	2	b	,,	29.6c	751.8	9o	...	...	c	b
Cape St. James,	,,	29.68	753.9	93	...	S	6	o	,,	29.74	755.4	81	...	SW	4	o
Basco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	9o	66	SW	4	o	,,	29.73	755.1	79	95	E	2	o
Legaspi,	,,	29.69	754.2	86	78	SW	4	o	,,	29.72	754.8	77	61	...	c	o
Tacloban,	,,	29.72	754.8	9o	63	SE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	82	81	S	4	o	,,	29.75	755.7	81	94	SE	2	o
Surigao,	,,	29.75	755.7	75	6o	WSW	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	SW	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	S	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	8o	...	NE	...	lc
Labuan,	14	29.78	756.4	86	84	NE	4	b	6	29.8o	756.9	8o	91	NE	2	b

May 27*d.* 10*h.* 45*m.*—Pressure is highest over the eastern portion of the map. It has decreased moderately over the lower Yangtze Valley, Formosa and N.E. Japan, and slightly along the S.E. coast of China. It is nearly stationary elsewhere.

The depression over China now has two centres, one over Tongking which is stationary, and one over the lower Yangtze Valley which is moving eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·27 inch. Total since January 1st, 30·31 inches, against an average of 21·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

DISTRICT.	FORECAST.
1.—Formosa Channel,	S.W. winds, moderate, backing to S.E.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	S.E. winds, moderate; overcast, some rain.
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th MAY, 1926.								28th MAY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperatures.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperatures.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.69	754.0	...	...	S	2	...	5	29.67	753.5	...	...	SSW	1	...
Hokodate,	,,	29.76	756.0	...	...	N	1	...	,,	29.75	755.5	...	...	SSW	2	...
Tokio,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.86	758.5	...	...	...	0	...
Kochi,	,,	29.92	760.0	...	...	...	0	...	,,	29.88	759.0	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	S	1	...	,,	29.75	755.5	...	...	SE	1	...
Kagoshima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.78	756.5	...	...	SSE	1	...
Oshima,	,,	29.82	757.5	...	...	SE	2	...	,,	29.76	756.0	...	...	SSW	2	...
Naha,	,,	29.80	757.0	...	...	ESE	3	...	,,	29.73	755.0	...	...	ESE	1	...
Ishigakijima,	,,	29.69	754.0	...	...	SSE	3	...	,,	29.61	752.0	...	...	S	3	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.65	753.1	64	91	ESE	1	0	6	29.69	754.1	58	90	NE	2	0
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.50	749.4	84	68	S	4	0	,,	29.59	751.5	66	92	NW	4	0
Gutzlaff,	,,	29.53	750.0	72	99	S	6	0	,,	29.57	751.1	69	100	N	2	rf
Sharp Peak,	,,	29.68	753.9	76	95	S	2	0	7	29.55	750.5	78	95	...	0	0
Amoy,	,,	29.55	750.5	77	100	NE	1	r	6	29.49	749.0	77	95	...	0	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.66	753.3	81	81	NW	2	0	5	29.58	751.2	75	96	...	0	0
Taichu,	,,	29.67	753.6	82	...	SSW	2	r	,,	29.62	752.4	75	...	...	0	r
Tainan,	,,	29.69	754.2	79	...	SE	4	0	,,	29.60	751.8	81	...	SSW	2	0
Koshun,	,,	29.71	754.5	75	...	NNW	2	r	,,	29.59	751.5	81	...	SSW	4	0
Pescadores,	,,	29.67	753.6	77	...	S	4	b	,,	29.50	749.4	79	...	SW	4	0
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.55	750.5	86	78	SSE	2	0	,,	29.55	750.5	80	91	...	0	0
Gap Rock,	,,	29.56	750.8	...	...	S	3	0	,,	29.56	750.8	...	...	SSE	3	c
Macao,	,,	29.52	749.7	90	82	SSW	4	h	,,	29.52	749.7	81	97	S	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Phulien,	15	29.41	747.0	99	...	SW	4	b	7	29.49	749.1	86	65	SW	6	bf
Tourane,	,,	29.55	750.6	93	...	...	c	b	,,	29.56	750.9	90	...	...	0	b
Cape St. James,	,,	29.71	754.5	90	...	SW	6	b	,,	29.73	755.1	81	...	SW	6	b
Basco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	86	68	W	4	0	,,	29.71	754.5	79	95	E	1	0
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	79	92	...	0	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	78	SW	4	0	,,	29.74	755.4	82	90	S	4	0
Surigao,	,,	29.71	754.5	90	55	W	2	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	E	1	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	ENE	4	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	86	88	SW	2	b	6	29.85	758.2	78	91	SW	2	b

May 28*d*. 10*h*. 27*m*.—Pressure is highest over the eastern portion of the map. It has decreased moderately over S.W. Japan and slightly from the Loochoos to the Philippines. It is nearly stationary over S. China and the Indo-China.

Depressions are shown over Tongking, over the Eastern Sea and near Amoy.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 30·31 inches, against an average of 21·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S. or variable winds, moderate; generally overcast, showers.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	29th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.74	755.3	67	...	SSW	2	c	6	29.75	755.6	54	...	...	0	o
Nemuro,	11	29.65	753.0	...	...	W	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.72	755.0	...	...	SW	5	...	,,	29.84	758.0	...	...	...	0	...
Tokio,	,,	29.86	758.5	...	...	SW	2	...	,,	29.84	758.0	...	...	S	1	...
Kochi,	,,	29.86	758.5	...	...	...	0	...	,,	29.76	756.0	...	...	...	0	...
Nagasaki,	,,	29.69	754.0	...	...	S	6	...	,,	29.55	750.5	...	...	SSE	4	...
Kagoshima,	,,	29.76	756.0	...	...	S	2	...	,,	29.63	752.5	...	...	SE	1	...
Oshima,	,,	29.72	755.0	...	...	S	3	...	,,	29.63	752.5	...	...	S	1	...
Naha,	,,	29.72	755.0	...	...	SE	2	...	,,	29.67	753.5	...	...	SSE	2	...
Ishigakijima,	,,	29.65	753.0	...	...	SSW	3	...	,,	29.65	753.0	...	...	S	2	...
Bonin Island,	,,	29.90	759.5	...	...	E	1	...	,,	29.90	759.5	...	...	...	0	...
Chefoo,	15	29.65	753.1	67	74	NNW	1	b	6	29.65	753.1	60	71	W	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.62	752.4	63	81	NW	4	o	,,	29.74	755.4	64	90	NW	2	o
Gutzlaff,	,,	29.62	752.3	68	91	NW	4	o	,,	29.72	754.9	65	91	NNW	4	o
Sharp Peak,	,,	29.58	751.3	82	95	SSE	6	o	7	29.59	751.6	75	81	NNE	4	r
Amoy,	,,	29.49	749.0	82	100	SW	1	r	6	29.52	749.8	80	96	...	0	of
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.58	751.2	90	66	...	0	o	5	29.58	751.2	77	88	...	0	b
Taichu,	,,	29.67	753.6	79	...	.	c	o	,,	29.61	752.1	77	...	...	0	o
Tainan,	,,	29.65	753.0	84	...	SW	4	o	,,	29.62	752.4	79	...	SSE	2	b
Koshun,	,,	29.67	753.6	81	...	...	0	o	,,	29.62	752.4	81	...	WSW	2	o
Pescadores,	,,	29.62	752.4	84	...	SSW	4	b	,,	29.65	753.0	79	...	S	4	o
Canton,	14	29.47	748.5	91	84	SE	1	c	6	...	...	...	...	...	...	...
Hongkong,	,,	29.52	749.8	88	73	W	2	c	,,	29.56	750.8	81	94	...	0	of
Gap Rock,	,,	29.53	750.0	...	...	S	4	o	,,	29.57	751.1	...	...	S	4	c
Macao,	,,	29.49	749.1	90	79	SW	4	b	,,	29.53	750.0	79	87	NE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	29.59	751.6	85	92	SSW	2	b
Phulien,	15	29.42	747.3	99	...	WNW	2	b	7	29.50	749.4	84	90	ENE	4	bf
Tourane,	,,	29.54	750.3	90	...	NE	2	b	,,	29.56	750.9	86	...	...	0	b
Cape St. James,	,,	29.68	753.9	90	...	SW	6	o	,,	29.76	756.0	81	...	SW	4	o
Basco,	,,	29.63	752.7	84	87	SSW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.61	752.1	90	72	NE	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	82	89	WNW	4	r	,,	29.69	754.2	79	92	SE	1	o
Legaspi,	,,	29.63	752.7	93	61	SW	2	o	,,	29.68	753.9	79	96	SSW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	79	95	...	0	o
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	79	91	SW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	E	4	o	4.20	29.80	756.9	...	...	E	1	o
Yap,	12.47	29.74	755.4	...	...	SE	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Laibuan,	14	29.78	756.4	88	80	SW	2	b	6	29.80	756.9	80	82	S	2	b

May 29*d*. 11*h*. 10*m*.—Pressure is highest over the eastern portion of the map. It has increased moderately at Shanghai and slightly from the Pescadores to Tongking. It has decreased moderately over S.W. Japan and slightly from Luzon to the Loochoos.

The northern depression is moving eastward toward Japan. The Amoy depression is now central over the N. Formosa Channel and the Tongking depression is central to the south of Haiphong.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 30·31 inches, against an average of 22·34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel, ...	S. to E. winds, moderate; fair at first, some rain later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	30th May, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.70	754.5	51	...	...	0	r	6	29.57	751.0	54	...	...	0	0
Nemuro,	11	29.88	759.0	...	...	S	1	...	5	29.71	754.5	...	...	ESE	1	...
Hokodate,	,,	29.82	757.5	...	...	SE	2	...	,,	29.65	753.0	...	...	SSE	1	...
Tokio,	,,	29.86	758.5	...	...	S	1	...	,,	29.71	754.5	...	...	S	2	...
Kochi,	,,	29.78	756.5	...	...	...	0	...	,,	29.65	753.0	...	...	SW	1	...
Nagasaki,	,,	29.59	751.5	...	...	W	2	...	,,	29.69	754.0	...	...	WNW	1	...
Kagoshima,	,,	29.61	752.0	...	...	...	...	...	,,	29.69	754.0	...	...	WNW	1	...
Oshima,	,,	29.67	753.5	...	...	SSW	1	...	,,	29.73	755.0	...	...	NNE	1	...
Naha,	,,	29.69	754.0	...	...	SE	4	...	,,	29.76	756.0	...	...	WNW	1	...
Ishigakijima,	,,	29.67	753.5	...	...	SSW	2	...	,,	29.76	756.0	...	...	NNE	1	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.68	753.9	90	88	NW	4	o	6	29.82	757.4	60	65	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.76	756.0	81	43	NNW	2	o	,,	29.89	759.3	59	85	NE	1	b
Gutzlaff,	,,	29.77	756.1	76	73	N	1	o	,,	29.91	759.7	64	68	NNE	2	b
Sharp Peak,	,,	29.69	754.1	71	94	NNE	4	o	7	29.84	757.9	71	66	...	o	o
Amoy,	,,	29.60	751.8	78	100	SE	2	r	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	11	29.65	753.0	79	85	NW	4	r	5	29.80	756.9	72	96	E	2	r
Taichu,	,,	29.67	753.6	82	...	...	o	o	,,	29.78	756.3	73	...	...	o	o
Tainan,	,,	29.67	753.6	90	...	SSE	2	b	,,	29.73	755.1	73	...	...	o	o
Koshun,	,,	29.67	753.6	86	...	W	2	o	,,	29.73	755.1	77	...	E	1	r
Pescadores,	,,	29.66	753.3	84	...	S	4	b	,,	29.75	755.7	75	...	NNE	4	r
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.56	750.8	88	76	W	2	c	,,	29.71	754.6	79	83	E	2	o
Gap Rock,	,,	29.59	751.6	...	...	SSW	3	c	,,	29.71	754.6	...	...	ENE	3	o
Macao,	,,	29.55	750.6	90	79	WNW	2	o	,,	29.68	753.9	79	87	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Phulien,	15	29.49	749.1	97	60	ESE	4	b	7	29.67	753.6	77	88	NW	2	rf
Tourane,	,,	29.56	750.9	97	...	...	o	b	,,	29.62	752.4	90	...	SW	2	b
Cape St. James,	,,	29.71	754.5	82	...	SW	6	o	,,	29.73	755.1	77	...	WSW	6	o
Basco,	,,	29.66	753.3	86	85	SW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.65	753.0	93	64	N	4	b	,,	29.75	755.7	77	89	S	2	o
Manila,	,,	29.69	754.2	86	68	WSW	4	o	,,	29.75	755.7	79	91	E	1	o
Legaspi,	,,	29.66	753.3	93	61	S	4	o	,,	29.76	756.0	81	96	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	79	92	...	o	o
Iloilo,	,,	29.72	754.8	79	92	S	6	o	,,	29.78	756.3	79	89	SE	4	o
Surigao,	,,	29.71	754.5	90	72	S	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	2	o	4.20	29.84	757.8	...	...	E	1	o
Yap,	12.47	29.75	755.7	...	...	S	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	84	NE	1	o	6	29.84	757.9	78	91	NW	2	b

May 30*d.* 11*h.* 35*m.*—Pressure has decreased considerably over N.E. and central Japan. It has increased moderately over S.W. Japan, China, Formosa and Tongking, and slightly over the Philippines.

The northern depression is now central over the Sea of Japan.

The Tongking depression is nearly stationary to the south of Haiphong.

An anticyclone has formed over central China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. **Total since January 1st.** 30·35 inches, against an average of 22·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh to moderate; cloudy, occasional rain.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	31st MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, .	12	29.50	749.2	63	...	SE	2	b	6	29.55	750.5	55	...	NNE	...	c
Nemuro,	11	29.65	753.0	...	...	NNE	1	...	5	29.88	759.0	...	...	NNW	1	...
Hokodate,	,,	29.55	750.5	...	...	...	0	...	,,	29.65	753.0	...	...	WNW	1	...
Tokio,	,,	29.63	752.5	...	...	S	2	...	,,	29.65	753.0	...	...	NNW	1	...
Kochi,	,,	29.63	752.5	...	...	E	1	...	,,	29.78	756.5	...	...	SW	1	...
Nagasaki,	,,	29.74	755.5	...	...	SW	2	...	,,	29.90	759.5	...	...	NW	1	...
Kagoshima,	,,	29.70	754.5	...	...	WNW	1	...	,,	29.88	759.0	...	...	NW	1	...
Oshima,	,,	29.74	755.5	...	...	N	1	...	,,	29.86	758.5	...	...	NNE	1	...
Naha,	,,	29.80	757.0	...	...	NW	1	...	,,	29.86	758.5	...	...	NNW	1	...
Ishigakijima,	,,	29.82	757.5	...	...	N	2	...	,,	29.88	759.0	...	...	N	1	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	...	...	SSW	1	...
Chefoo,	15	29.77	756.1	69	47	WNW	10	0	6	29.85	758.2	58	70	NW	1	bf
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.92	759.9	84	34	E	1	b	,,	30.01	762.3	66	76	WNW	2	b
Gutzlaff,	,,	29.95	760.7	73	55	NNE	1	b	,,	29.98	761.5	68	79	NW	4	o
Sharp Peak,	,,	29.88	758.9	83	71	E	2	o	7	29.83	757.7	72	67	N	1	o
Amoy,	,,	29.82	757.4	76	92	ENE	2	o	6	29.89	759.2	73	95	ENE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	11	29.87	758.7	75	83	E	4	o	5	29.91	759.6	70	88	E	4	o
Taichu,	,,	29.81	757.2	82	...	NNE	2	o	,,	29.87	758.7	73	...	...	o	o
Tainan,	,,	29.80	756.9	86	...	NW	2	o	,,	29.85	758.1	75	...	...	o	o
Koshun,	,,	29.79	756.6	90	...	ENE	2	o	,,	29.85	758.1	75	...	NE	2	o
Pescadores,	,,	29.84	757.8	75	...	NE	2	o	,,	29.87	758.7	73	...	NE	4	o
Canton,	14	29.80	756.9	78	95	SSE	1	or	6	...	...	...	...	...	...	...
Hongkong,	,,	29.78	756.4	77	85	E	4	o	,,	29.85	758.2	75	71	E	4	o
Gap Rock,	,,	29.77	756.1	...	...	ENE	5	o	,,	29.83	757.7	...	...	ENE	4	o
Macao,	,,	29.75	755.7	77	98	ENE	4	r	,,	29.78	756.3	75	76	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	29.83	757.7	81	87	ENE	3	c
Phulien,	15	29.68	753.9	82	81	ENE	2	r	7	29.84	757.8	73	94	NNE	4	rf
Tourane,	,,	29.66	753.3	90	...	NE	2	b	,,	29.75	755.7	81	...	SW	2	b
Cape St. James,	,,	29.72	754.8	90	...	SW	4	o	,,	29.75	755.7	82	...	SW	4	o
Basco,	,,	29.78	756.3	86	81	SW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.74	755.4	90	66	N	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	90	60	SSE	4	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.75	755.7	90	72	SSW	1	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	71	S	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	75	60	NE	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	N	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	80	...	NE	1	c
Labuan,	14	29.79	756.6	84	83	S	2	b	6	...	...	...	...	...	...	...

May 31*d.* 11*h.* 10*m.*—Pressure has increased moderately over S.W. Japan and S.W. China, and slightly at the majority of other reporting stations.

The northern depression is moving eastward toward Hokkaido.

The Tongking depression has filled up.

The anticyclone is moving eastward into the Eastern Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 30·35 inches, against an average of 23·32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	E. winds, fresh; generally cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

JUNE,

1926.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1926.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JUNE,

1926.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JUNE, 1926.

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·852	29·848	29·840	29·832	29·838	29·850	29·857	29·866	29·878	29·893	29·881	29·875	1
2	29·872	29·848	29·846	29·854	29·858	29·860	29·874	29·886	29·898	29·894	29·893	29·878	2
3	29·829	29·811	29·795	29·780	29·781	29·783	29·798	29·812	29·824	29·833	29·827	29·813	3
4	29·759	29·742	29·738	29·726	29·730	29·740	29·760	29·772	29·780	29·796	29·790	29·782	4
5	29·788	29·772	29·766	29·766	29·776	29·778	29·796	29·804	29·804	29·817	29·810	29·806	5
6	29·799	29·789	29·811	29·803	29·819	29·843	29·853	29·869	29·876	29·882	29·864	29·856	6
7	29·808	29·784	29·780	29·780	29·779	29·795	29·809	29·820	29·824	29·834	29·818	29·820	7
8	29·749	29·731	29·724	29·714	29·714	29·718	29·727	29·737	29·746	29·753	29·751	29·749	8
9	29·693	29·678	29·678	29·670	29·674	29·678	29·702	29·718	29·717	29·716	29·716	29·715	9
10	29·663	29·649	29·635	29·631	29·629	29·627	29·639	29·655	29·662	29·678	29·669	29·657	10
11	29·567	29·545	29·523	29·531	29·531	29·535	29·529	29·545	29·561	29·576	29·561	29·547	11
12	29·502	29·492	29·484	29·480	29·482	29·498	29·515	29·525	29·530	29·526	29·511	29·500	12
13	29·536	29·536	29·527	29·529	29·541	29·564	29·580	29·582	29·595	29·603	29·619	29·607	13
14	29·611	29·599	29·595	29·603	29·607	29·617	29·625	29·631	29·639	29·643	29·633	29·633	14
15	29·627	29·619	29·621	29·619	29·607	29·619	29·632	29·642	29·650	29·653	29·645	29·637	15
16	29·617	29·598	29·595	29·605	29·608	29·603	29·613	29·634	29·645	29·647	29·645	29·639	16
17	29·641	29·629	29·615	29·614	29·620	29·627	29·641	29·634	29·651	29·653	29·647	29·639	17
18	29·617	29·597	29·577	29·581	29·577	29·580	29·576	29·590	29·599	29·607	29·597	29·601	18
19	29·591	29·585	29·570	29·569	29·569	29·583	29·599	29·609	29·620	29·625	29·630	29·615	19
20	29·613	29·609	29·597	29·597	29·593	29·005	29·626	29·643	29·655	29·661	29·638	29·632	20
21	29·612	29·606	29·594	29·596	29·601	29·607	29·616	29·616	29·611	29·621	29·617	29·603	21
22	29·567	29·569	29·556	29·558	29·551	29·530	29·560	29·559	29·572	29·575	29·567	29·555	22
23	29·538	29·532	29·526	29·527	29·527	29·546	29·551	29·559	29·595	29·605	29·601	29·593	23
24	29·621	29·615	29·621	29·615	29·621	29·627	29·641	29·653	29·663	29·671	29·685	29·681	24
25	29·702	29·695	29·681	29·675	29·675	29·683	29·689	29·695	29·699	29·713	29·707	29·702	25
26	29·663	29·643	29·633	29·619	29·619	29·624	29·627	29·627	29·645	29·655	29·648	29·635	26
27	29·605	29·595	29·587	29·589	29·599	29·601	29·617	29·625	29·631	29·638	29·644	29·647	27
28	29·654	29·649	29·641	29·639	29·641	29·653	29·671	29·685	29·695	29·704	29·712	29·716	28
29	29·727	29·713	29·709	29·705	29·709	29·718	29·735	29·741	29·748	29·750	29·746	29·741	29
30	29·713	29·703	29·703	29·701	29·701	29·707	29·720	29·730	29·733	29·738	29·724	29·718	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	29·861	29·854	29·850	29·843	29·842	29·844	29·850	29·872	29·888	29·894	29·895	29·882	1
2	29·878	29·859	29·844	29·844	29·822	29·818	29·824	29·834	29·840	29·870	29·855	29·843	2
3	29·801	29·777	29·761	29·747	29·732	29·740	29·759	29·773	29·781	29·791	29·783	29·775	3
4	29·772	29·749	29·741	29·735	29·729	29·742	29·756	29·767	29·773	29·782	29·786	29·786	4
5	29·808	29·802	29·783	29·772	29·760	29·776	29·798	29·822	29·831	29·848	29·850	29·823	5
6	29·848	29·831	29·799	29·787	29·792	29·797	29·808	29·822	29·828	29·830	29·847	29·823	6
7	29·794	29·775	29·755	29·740	29·728	29·725	29·743	29·756	29·784	29·786	29·788	29·770	7
8	29·723	29·710	29·682	29·656	29·654	29·663	29·684	29·705	29·722	29·735	29·735	29·712	8
9	29·690	29·688	29·667	29·649	29·631	29·636	29·645	29·660	29·679	29·689	29·697	29·689	9
10	29·640	29·608	29·590	29·568	29·564	29·558	29·564	29·583	29·602	29·613	29·609	29·599	10
11	29·523	29·503	29·478	29·452	29·435	29·441	29·474	29·490	29·504	29·509	29·514	29·506	11
12	29·501	29·493	29·481	29·463	29·453	29·457	29·476	29·502	29·513	29·531	29·538	29·540	12
13	29·595	29·579	29·557	29·550	29·551	29·564	29·581	29·599	29·611	29·629	29·643	29·638	13
14	29·625	29·601	29·599	29·592	29·581	29·589	29·603	29·617	29·629	29·634	29·644	29·636	14
15	29·626	29·618	29·601	29·591	29·587	29·573	29·595	29·618	29·637	29·637	29·643	29·633	15
16	29·623	29·615	29·615	29·605	29·603	29·602	29·609	29·627	29·629	29·641	29·647	29·645	16
17	29·620	29·616	29·602	29·586	29·574	29·578	29·591	29·607	29·617	29·634	29·650	29·637	17
18	29·590	29·572	29·562	29·550	29·550	29·555	29·566	29·566	29·569	29·595	29·613	29·603	18
19	29·609	29·596	29·569	29·549	29·541	29·551	29·579	29·605	29·611	29·621	29·621	29·615	19
20	29·601	29·587	29·559	29·557	29·561	29·567	29·571	29·588	29·596	29·611	29·627	29·624	20
21	29·595	29·567	29·553	29·549	29·535	29·535	29·541	29·559	29·570	29·588	29·596	29·582	21
22	29·545	29·538	29·523	29·505	29·496	29·497	29·520	29·554	29·558	29·568	29·568	29·564	22
23	29·587	29·572	29·559	29·561	29·555	29·569	29·589	29·607	29·625	29·643	29·654	29·630	23
24	29·664	29·659	29·659	29·650	29·645	29·643	29·665	29·685	29·703	29·722	29·729	29·727	24
25	29·688	29·666	29·638	29·628	29·611	29·611	29·623	29·640	29·657	29·671	29·675	29·671	25
26	29·629	29·597	29·581	29·573	29·572	29·568	29·571	29·589	29·597	29·615	29·622	29·611	26
27	29·635	29·621	29·607	29·587	29·580	29·584	29·604	29·622	29·630	29·650	29·654	29·656	27
28	29·709	29·703	29·687	29·683	29·677	29·675	29·688	29·701	29·719	29·727	29·731	29·739	28
29	29·728	29·715	29·704	29·689	29·685	29·680	29·688	29·706	29·719	29·727	29·729	29·714	29
30	29·704	29·695	29·683	29·675	29·677	29·676	29·689	29·700	29·719	29·726	29·730	29·730	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of JUNE, 1926.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	74·8	75·2	75·0	73·7	72·9	73·0	73·1	75·0	74·4	75·9	76·7	75·2	1
2	69·0	68·3	68·8	69·0	68·8	68·8	68·7	69·0	69·9	70·4	70·9	71·0	2
3	67·1	67·2	67·4	68·1	68·9	69·0	68·6	69·0	69·4	69·8	70·6	70·0	3
4	69·8	69·2	69·3	69·6	70·0	70·6	71·0	71·5	71·8	71·3	71·8	72·2	4
5	72·4	72·7	72·5	72·6	72·7	72·7	72·9	73·2	73·6	74·8	75·4	78·1	5
6	73·8	73·2	73·2	73·1	73·2	73·9	74·1	74·2	75·0	76·1	76·7	77·0	6
7	74·0	73·8	73·5	73·3	73·0	72·9	73·2	75·7	75·2	76·1	76·6	76·6	7
8	73·5	73·4	73·3	73·1	73·2	73·0	74·5	76·0	78·2	79·6	79·8	80·0	8
9	75·2	75·0	74·9	74·9	74·3	74·4	75·0	75·6	76·9	77·4	77·1	75·5	9
10	76·2	76·2	76·4	76·4	76·0	76·0	76·8	77·7	77·9	78·1	78·7	78·0	10
11	75·2	75·2	75·1	75·0	75·3	75·8	76·0	77·6	79·0	79·6	81·6	83·9	11
12	78·0	78·0	78·2	78·1	78·2	78·5	79·0	79·6	80·3	80·8	81·6	82·5	12
13	78·2	78·5	78·2	78·2	78·3	76·3	75·4	75·6	75·0	75·8	74·9	75·6	13
14	76·0	76·1	76·3	75·8	75·5	75·7	76·0	76·0	76·7	77·0	77·4	77·5	14
15	75·6	75·2	75·1	75·1	75·2	75·2	75·3	75·5	76·0	76·0	76·1	76·1	15
16	74·0	75·1	75·3	72·0	72·0	75·1	74·1	74·4	72·8	74·0	74·8	75·3	16
17	73·8	73·2	73·3	72·9	73·5	72·8	73·7	74·4	75·0	75·2	75·2	75·5	17
18	73·8	74·1	75·1	75·0	75·6	75·9	76·0	76·1	77·1	77·2	79·0	78·2	18
19	75·9	76·0	75·4	75·6	75·5	75·7	76·9	77·6	78·0	78·2	78·6	79·5	19
20	77·3	77·4	77·3	77·5	77·6	77·6	77·5	77·2	78·0	78·2	80·1	81·3	20
21	80·0	79·9	79·9	79·2	79·4	79·2	80·0	80·2	82·1	83·0	84·0	83·6	21
22	81·5	81·1	81·5	81·4	81·7	81·5	79·5	80·8	80·0	81·1	81·9	83·7	22
23	81·2	80·7	81·0	81·8	82·0	81·2	82·0	82·5	83·0	83·2	83·4	84·1	23
24	81·0	81·8	81·8	81·9	82·0	82·0	82·0	82·8	83·2	84·3	84·1	83·1	24
25	82·6	81·8	81·9	81·7	81·2	81·3	82·0	83·0	84·4	82·7	84·7	84·0	25
26	81·9	81·3	81·9	82·0	82·0	82·0	82·3	82·9	81·9	83·0	85·8	85·6	26
27	82·7	82·5	82·3	82·4	82·2	82·2	82·6	82·8	83·2	85·5	86·5	87·0	27
28	82·8	82·4	82·8	82·8	82·4	81·8	81·8	82·3	82·6	82·7	85·1	85·1	28
29	82·8	82·7	82·6	82·1	82·2	82·0	83·0	83·6	84·7	84·6	85·3	86·0	29
30	81·9	81·4	81·4	81·2	81·3	81·5	82·0	82·5	84·0	84·1	85·2	85·6	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	75·9	75·7	60·6	70·0	71·7	70·8	70·4	70·1	70·3	70·8	70·0	70·0	1
2	67·1	67·9	68·2	67·0	67·0	67·4	67·9	68·9	68·8	68·8	68·2	67·1	2
3	70·0	70·1	69·5	69·8	70·2	70·2	70·2	69·9	70·0	70·1	70·2	70·0	3
4	72·0	73·2	74·0	72·2	72·6	72·6	71·9	71·9	72·2	72·7	72·9	72·9	4
5	77·2	76·1	76·3	76·0	75·8	75·0	74·5	74·6	74·5	74·2	74·0	74·0	5
6	77·0	76·5	77·2	76·8	75·6	74·8	74·1	74·2	74·0	73·9	73·7	73·7	6
7	75·9	76·6	77·0	76·0	75·5	74·9	74·2	74·0	73·9	73·9	73·9	73·8	7
8	79·6	78·0	79·0	78·7	78·0	77·1	75·7	75·2	75·0	75·2	75·5	75·2	8
9	75·6	74·2	74·5	76·3	76·3	76·0	75·8	75·6	76·0	76·2	76·5	76·4	9
10	79·7	79·8	81·8	80·2	80·0	78·8	77·7	77·0	76·8	75·7	75·4	75·4	10
11	85·1	86·6	86·7	86·0	84·0	83·6	80·7	79·4	78·9	78·7	77·8	77·8	11
12	81·2	83·6	83·1	83·1	83·9	82·5	81·2	80·6	79·8	79·9	79·4	79·0	12
13	75·6	76·1	76·5	77·0	77·0	76·8	76·2	76·0	76·0	76·5	76·0	75·7	13
14	77·9	78·0	78·3	79·2	78·2	76·6	75·7	75·3	75·0	75·1	75·2	75·0	14
15	74·4	74·6	74·1	74·3	74·2	74·9	75·2	74·7	73·8	73·8	73·6	73·9	15
16	74·7	73·8	73·8	73·6	73·8	73·8	74·1	73·7	74·3	75·0	75·6	75·0	16
17	75·7	76·0	75·1	73·7	77·0	76·2	76·7	76·0	76·2	74·1	74·7	73·9	17
18	78·7	79·6	79·2	79·3	79·0	77·8	77·0	76·7	76·3	76·0	75·9	75·5	18
19	78·8	78·7	78·9	78·4	79·1	79·0	77·1	77·2	76·5	76·3	76·9	77·2	19
20	82·7	80·6	85·6	81·8	81·0	81·7	79·7	79·0	78·5	78·3	78·7	78·9	20
21	84·0	83·8	83·8	84·0	83·4	82·7	81·9	81·8	81·3	82·0	82·0	82·0	21
22	82·0	79·0	80·7	81·5	81·8	81·0	81·0	81·2	81·1	81·1	81·0	81·4	22
23	84·2	84·3	83·1	82·4	82·5	82·2	82·0	81·6	81·5	81·5	78·6	78·8	23
24	84·4	81·0	79·7	80·0	82·0	82·3	82·2	82·1	81·6	82·2	82·5	81·0	24
25	85·6	86·1	84·1	84·1	82·1	82·5	82·0	81·8	82·0	81·9	81·1	81·1	25
26	86·1	86·3	85·3	86·0	83·9	84·0	83·1	83·0	82·9	83·0	83·0	82·9	26
27	86·8	86·2	86·2	85·6	84·8	84·7	83·8	83·5	83·3	83·2	83·1	83·2	27
28	85·2	86·8	86·8	86·0	85·8	84·6	83·5	83·2	83·0	83·1	83·0	83·0	28
29	85·0	85·0	86·6	86·7	85·5	84·1	83·0	82·3	82·1	82·0	81·8	81·8	29
30	87·0	89·1	86·9	84·7	85·3	84·1	82·8	82·1	81·3	81·1	81·0	81·0	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of JUNE, 1926.

Days of the Month.	Hours. Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	65·2	64·8	63·7	64·8	65·0	65·1	65·4	66·5	66·2	66·5	66·9	67·4	1
2	67·0	66·7	66·1	66·0	65·8	65·7	65·3	65·5	66·0	66·5	65·8	65·7	2
3	65·0	64·9	65·0	65·0	65·3	65·7	65·8	66·0	66·1	66·3	66·9	67·1	3
4	68·8	68·6	68·7	68·6	68·1	68·6	68·8	69·0	69·7	69·5	69·7	70·0	4
5	70·2	70·1	69·9	70·0	70·0	70·0	69·9	70·2	70·4	71·3	71·8	72·0	5
6	69·0	69·0	69·8	69·0	69·0	68·0	68·4	68·9	69·0	70·2	69·8	69·9	6
7	69·9	69·5	69·9	69·5	69·6	69·2	69·0	68·6	68·5	68·9	69·0	68·2	7
8	70·9	70·8	70·7	70·5	70·4	70·2	71·6	72·1	73·8	73·9	74·0	74·5	8
9	72·2	72·2	71·9	72·0	72·2	72·0	72·2	72·8	73·7	73·9	73·9	73·2	9
10	74·2	74·3	74·4	74·2	74·0	74·0	74·0	74·4	75·2	75·2	75·6	75·9	10
11	74·9	75·0	74·8	74·5	74·7	74·8	75·0	76·0	76·0	76·4	77·1	78·2	11
12	75·8	75·9	75·9	76·0	76·0	76·1	76·8	76·9	76·7	77·0	77·0	77·5	12
13	76·0	76·0	76·1	76·0	76·0	74·8	74·8	74·9	74·0	74·5	73·8	74·0	13
14	73·6	72·5	72·9	72·8	70·1	70·9	70·8	71·8	71·7	71·8	71·7	70·9	14
15	71·1	71·2	71·5	71·1	70·8	70·9	70·2	70·5	69·8	69·8	71·0	71·1	15
16	71·5	71·5	71·2	69·3	69·0	70·0	69·1	69·0	69·3	69·2	70·8	71·1	16
17	71·3	71·0	71·1	70·8	70·7	70·3	70·8	70·4	71·1	71·2	71·6	72·0	17
18	72·7	72·8	72·6	72·7	72·1	71·8	71·9	71·9	72·6	72·9	73·3	72·7	18
19	73·9	74·0	74·0	73·9	73·9	74·7	74·7	74·8	74·8	74·9	74·9	76·0	19
20	75·8	76·0	76·2	76·3	76·6	76·8	76·8	76·4	77·0	77·0	78·3	78·4	20
21	77·0	77·0	77·2	77·5	77·5	77·4	77·8	78·0	79·0	78·4	78·3	78·2	21
22	78·8	78·0	78·0	77·9	77·6	78·1	76·9	77·7	77·0	77·0	78·0	79·2	22
23	77·9	78·0	78·4	78·1	78·1	78·2	78·4	78·8	78·9	79·6	79·5	79·9	23
24	78·7	78·8	79·0	78·9	78·8	78·9	79·0	79·2	79·5	79·3	79·7	79·5	24
25	78·8	78·6	78·2	78·0	77·8	77·7	78·3	78·6	79·4	78·2	79·8	78·6	25
26	78·7	78·6	78·6	78·1	78·0	78·0	78·0	78·3	78·8	78·8	80·6	80·0	26
27	78·3	78·1	78·7	78·1	77·8	77·9	78·0	78·2	79·0	79·3	80·0	80·2	27
28	78·3	78·8	78·6	78·6	78·7	78·7	78·9	79·0	79·1	78·7	79·8	80·6	28
29	78·2	78·0	78·6	78·0	78·1	78·0	78·0	78·7	79·0	78·8	79·9	80·0	29
30	76·5	76·5	76·4	76·5	76·3	76·6	76·1	77·0	77·9	77·8	78·2	78·2	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	65·9	66·8	67·0	67·0	67·1	67·0	67·2	67·6	67·5	68·1	68·3	67·8	1
2	64·0	64·4	65·0	64·8	64·2	64·2	65·0	65·3	65·2	65·6	65·0	64·8	2
3	67·1	67·5	68·1	68·0	68·2	68·2	68·5	68·7	68·6	68·6	68·8	68·4	3
4	70·0	70·8	70·9	70·7	70·4	70·9	70·7	70·8	70·8	70·9	71·0	70·5	4
5	72·0	70·9	70·1	70·1	69·8	70·0	69·0	69·0	69·2	68·8	69·0	69·1	5
6	69·1	69·6	70·0	70·1	70·0	70·0	69·8	69·9	69·9	69·0	68·8	69·9	6
7	68·9	69·9	70·3	70·6	70·5	70·5	70·2	70·0	70·5	70·9	71·0	70·9	7
8	74·0	72·9	73·8	73·0	72·8	72·8	72·5	72·5	72·3	72·2	72·4	72·6	8
9	73·0	73·0	72·9	73·2	73·2	73·0	73·0	72·7	72·8	73·0	73·5	73·8	9
10	75·9	75·8	77·0	76·7	76·2	76·0	75·4	75·0	75·0	74·9	74·9	74·8	10
11	77·8	78·9	79·2	79·3	77·9	78·0	77·0	75·5	76·0	76·2	76·1	76·1	11
12	76·8	78·1	77·9	77·0	77·5	76·8	76·0	76·1	75·9	76·0	76·0	76·1	12
13	74·0	74·1	73·7	73·2	72·1	72·9	72·9	72·8	73·7	72·4	73·8	73·9	13
14	70·3	69·5	71·1	71·6	70·0	71·7	71·9	71·6	71·8	71·1	71·0	71·2	14
15	71·1	71·9	72·0	72·0	72·0	71·9	72·0	72·0	72·0	72·0	71·8	71·9	15
16	71·0	71·0	71·0	71·1	71·4	71·5	71·8	71·2	71·1	71·0	71·5	71·9	16
17	71·9	72·0	72·2	72·2	72·5	72·6	72·7	72·8	72·7	72·2	72·5	72·7	17
18	72·9	74·2	74·0	74·0	73·0	73·3	74·0	72·9	73·0	73·1	73·5	73·9	18
19	75·8	76·0	76·5	76·2	76·8	76·5	75·8	75·8	75·4	75·5	75·8	76·0	19
20	79·1	77·8	80·0	78·0	78·0	77·5	77·6	77·6	77·6	77·8	78·0	78·3	20
21	79·0	78·9	78·3	78·1	78·0	77·7	77·1	77·6	77·8	78·0	77·9	78·0	21
22	79·0	77·2	79·0	79·1	79·3	78·8	78·2	78·2	78·5	78·4	78·2	78·3	22
23	78·8	80·0	79·8	79·8	79·5	79·0	79·2	79·0	78·9	79·0	77·0	77·0	23
24	80·0	78·7	77·8	77·8	78·8	78·8	78·8	78·8	78·8	78·9	79·0	79·0	24
25	79·6	80·0	78·8	78·9	78·0	78·2	77·9	77·8	78·3	78·3	78·6	78·7	25
26	80·2	80·0	79·2	79·5	78·5	78·7	78·6	78·6	78·5	78·5	78·7	78·8	26
27	79·9	80·0	79·6	79·7	79·2	78·9	78·0	78·0	78·5	78·7	78·4	78·3	27
28	80·2	80·8	80·9	80·0	79·9	79·0	78·3	78·6	78·7	78·5	78·7	78·5	28
29	79·1	79·4	79·0	78·9	78·8	78·7	78·0	77·8	77·8	78·0	77·9	77·7	29
30	79·0	79·8	78·0	77·9	77·9	77·6	77·0	77·0	77·4	77·5	77·1	77·2	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JUNE, 1926.
(... = Clear sky.)

Hours, Hongkong Standard Time.

Days of the Month	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mdt.	Days of the Month.
1	9	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	2
3	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	4
5	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	8	9	8	10	10	10	10	10	10	5
6	7	5	10	9	9	9	8	9	10	9	2	6	6	8	4	5	8	5	7	10	3	7	10	4	6
7	4	3	1	7	3	5	8	10	10	10	9	10	10	10	10	10	10	9	9	8	3	5	9	1	7
8	2	2	2	2	3	10	6	3	...	1	2	2	3	5	3	1	1	1	1	1	1	2	4	2	8
9	..	3	4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	6	9	8	9	10	10	10	10	10	10	10
11	10	10	10	10	10	10	10	10	10	10	10	9	6	3	2	3	1	...	...	...	...	...	3	1	11
12	...	2	4	1	7	9	10	10	10	10	10	10	10	10	10	10	10	8	10	9	7	10	5	10	12
13	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	13
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	8	6	9	6	1	2	14
15	4	5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	8	1	3	9	6	18
19	8	10	10	10	10	8	8	10	10	10	10	10	10	10	10	10	8	8	7	9	3	2	10	10	19
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	7	7	10	10	10	7	6	6	10	20
21	10	10	9	10	10	10	9	10	10	10	10	10	8	8	8	8	8	9	10	10	10	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	24
25	10	10	10	10	9	10	10	9	9	9	10	10	8	8	7	8	10	9	9	10	10	10	9	10	25
26	10	10	10	10	9	10	9	9	10	9	7	6	8	9	8	8	9	10	10	10	10	10	10	9	26
27	10	10	10	10	10	10	9	10	8	6	9	10	9	9	9	9	10	10	10	10	10	10	10	10	27
28	10	10	10	10	10	10	10	10	10	9	10	7	7	8	7	9	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	9	10	9	10	10	8	9	9	10	8	9	10	9	8	10	9	9	8	9	29
30	9	9	8	9	8	10	10	10	10	10	10	10	7	8	9	9	9	9	9	9	2	2	2	8	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JUNE, 1926.
(... = No Sunshine recorded.)

Hours, Hongkong Apparent Time.

Days of the Month	6	7	8	9	10	11	Noon	13	14	15	16	17	18	Days of the Month.
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	0·1	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	0·8	0·9	0·1	0·2	0·2	...	0·2	0·2	5
6	...	...	...	0·3	1·0	1·0	1·0	0·8	0·7	1·0	0·4	0·9	0·2	6
7	...	0·2	0·1	...	0·1	0·6	0·1	0·1	...	0·4	...	...	...	7
8	0·1	1·0	1·0	1·0	1·0	1·0	0·8	0·6	0·7	1·0	1·0	1·0	0·7	8
9	...	...	...	...	...	...	...	...	...	...	...	...	..	9
10	...	...	...	...	...	...	...	...	0·7	1·0	0·8	0·7	0·2	10
11	...	...	...	0·1	...	0·3	1·0	1·0	1·0	1·0	0·9	1·0	0·8	11
12	...	...	...	.	...	...	...	...	..	0·1	..	0·2	0·1	12
13	...	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	0·7	0·5	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	0·3	0·1	...	...	...	18
19	...	...	...	...	...	...	0·5	...	0·2	0·1	0·5	1·0	0·6	19
20	...	...	...	...	...	...	0·1	0·5	0·8	0·8	0·8	1·0	..	20
21	...	...	0·6	...	0·2	0·2	0·4	0·9	0·8	0·8	0·9	0·3	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	..	...	...	...	...	24
25	...	0·8	0·7	0·2	0·4	0·2	0·6	0·7	0·3	...	0·5	0·1	0·3	25
26	...	0·3	0·2	0·5	0·8	1·0	1·0	1·0	1·0	0·9	0·7	0·3	0·1	26
27	...	...	0·3	1·0	1·0	1·0	0·9	1·0	1·0	1·0	0·9	0·7	0·2	27
28	...	...	0·2	0·2	1·0	0·7	1·0	1·0	1·0	1·0	1·0	0·9	0·2	28
29	0·1	0·6	0·8	1·0	1·0	0·9	0·9	0·8	0·4	1·0	1·0	0·9	0·5	29
30	...	...	0·1	1·0	0·5	1·0	0·9	1·0	1·0	0·4	0·3	0·7	0·4	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JUNE, 1926.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	..	1
2	0·010	0·005	d	...	...	...	...	...	d	...	...	d	2
3	d	d	...	...	...	...	d	d	...	d	d	...	3
4	...	d	d	d	...	...	...	...	...	...	d	d	4
5	d	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	d	d	d	9
10	d	d	...	d	...	...	...	...	d	d	d	d	10
11	...	d	d	...	...	...	d	...	...	d	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	d	d	0·020	0·150	0·230	0·180	0·080	0·085	0·080	0·020	13
14	d	...	d	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	..	...	...	...	...	...	...	...	15
16	...	...	0·015	0·025	0·005	0·005	0·010	d	0·030	0·005	d	d	16
17	0·005	0·025	0·100	0·060	0·005	d	...	...	...	d	d	...	17
18	0·100	0·005	d	...	...	...	...	...	...	...	...	...	18
19	...	0·015	...	...	...	...	...	...	...	d	...	...	19
20	...	...	...	...	d	0·030	0·110	0·005	0·010	0·020	...	...	20
21	...	...	...	...	...	...	...	...	...	...	d	..	21
22	0·005	...	...	...	...	...	0·110	0·120	0·010	...	0·005	d	22
23	d	0·035	d	...	0·165	0·005	...	...	...	...	...	...	23
24	d	0·005	...	...	...	...	...	...	...	..	0·005	0·030	24
25	0·065	0·080	d	0·005	...	...	...	..	...	0·010	...	...	25
26	0·150	0·015	...	...	...	...	...	0·120	0·025	...	...	...	26
27	...	...	...	d	...	...	d	d	d	...	...	...	27
28	d	...	d	d	0·020	0·030	0·015	0·020	0·010	d	..	d	28
29	d	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	0·175	d	...	d	0·030	0·010	d	d	d	0·015	1
2	0·035	d	0·030	0·170	0·010	0·010	0·005	d	d	d	d	d	2
3	d	0·110	0·135	d	...	...	d	...	...	...	...	...	3
4	d	...	d	d	d	d	0·005	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	d	0·025	d	...	...	...	...	...	...	...	...	..	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	0·025	0·010	...	...	...	d	d	d	...	d	0·005	0·020	13
14	..	...	...	...	...	...	...	...	...	...	...	...	14
15	0·005	d	d	0·005	d	d	d	0·020	0·015	0·010	0·015	d	15
16	0·005	0·035	0·050	0·040	0·025	0·025	0·010	0·005	d	d	d	d	16
17	d	d	d	...	0·005	0·005	d	0·005	0·010	0·025	0·095	0·090	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	d	d	d	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	d	20
21	...	...	...	...	...	...	...	...	...	...	...	0·160	21
22	0·305	0·045	...	...	...	...	...	...	...	...	...	d	22
23	...	...	0·025	d	...	...	...	...	...	0·335	0·600	0·020	23
24	0·015	0·215	0·820	d	...	d	...	0·030	0·050	...	0·070	0·010	24
25	...	...	...	...	0·005	...	...	...	d	0·055	0·025	...	25
26	...	d	...	...	...	...	...	d	...	...	d	d	26
27	...	...	...	...	...	...	d	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	d	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of JUNE, 1926.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	6	30	5	25	5	21	4	21	4	20	4	18	4	22	4	18	5	18	5	22	6	25	6	20	1
2	6	30	6	27	6	26	6	26	6	25	6	25	6	23	6	18	6	20	6	25	7	28	6	27	2
3	6	26	6	24	6	25	6	26	7	27	6	22	7	19	7	16	7	16	7	19	7	19	7	18	3
4	8	20	8	17	8	19	8	18	7	16	7	16	7	16	7	16	7	17	7	16	7	15	8	15	4
5	7	16	8	13	7	14	7	12	7	11	7	15	7	12	7	12	7	9	7	9	8	16	9	19	5
6	6	16	6	8	7	6	7	11	7	11	7	19	7	23	7	20	7	23	7	31	7	35	7	32	6
7	6	24	6	30	7	27	6	28	6	26	6	21	6	22	6	27	7	25	7	27	6	26	6	26	7
8	6	15	6	14	7	13	7	14	7	15	7	15	7	11	8	11	10	9	10	10	10	11	9	14	8
9	7	14	6	16	7	17	6	15	6	13	6	15	6	11	7	12	7	10	8	18	8	16	8	18	9
10	7	14	6	13	7	11	7	13	6	14	6	16	6	14	6	13	7	12	8	12	8	12	9	13	10
11	8	12	7	11	7	11	8	7	9	7	9	7	9	7	9	5	9	4	9	3	9	2	11	4	11
12	25	5	23	7	22	8	21	7	22	9	24	6	26	12	26	14	24	7	22	7	23	9	25	8	12
13	...	1	24	2	...	...	...	...	31	4	7	16	7	14	6	17	7	14	8	15	9	14	10	14	13
14	6	17	7	13	6	16	7	20	6	20	6	17	7	24	7	29	6	25	6	28	6	31	6	33	14
15	6	20	6	17	6	15	7	18	7	26	6	20	6	22	7	25	6	30	7	29	6	27	6	27	15
16	7	26	6	27	7	29	6	27	6	22	7	28	7	31	7	32	7	36	7	32	7	33	7	31	16
17	6	28	6	32	6	26	6	29	6	27	6	25	6	28	6	27	7	26	7	26	7	27	7	26	17
18	6	23	6	22	7	21	8	18	8	17	8	17	8	21	7	25	7	24	8	18	8	23	8	24	18
19	10	8	10	5	10	8	10	6	10	6	10	9	9	7	9	10	8	14	8	14	8	15	8	16	19
20	...	...	8	4	8	4	8	3	8	3	7	2	10	2	...	...	...	1	...	...	...	...	20	3	20
21	11	9	12	6	11	7	10	6	10	2	11	3	10	3	9	7	10	9	12	7	14	7	16	8	21
22	16	13	17	9	17	15	18	9	17	10	17	10	19	12	19	14	18	14	19	15	19	15	19	20	22
23	16	7	17	13	17	15	17	12	17	12	17	19	18	17	18	14	19	9	20	10	20	8	20	4	23
24	16	7	16	5	17	6	17	8	17	9	17	6	16	2	16	4	16	5	18	3	18	2	16	4	24
25	19	10	19	13	19	11	19	12	19	9	18	6	18	2	18	3	18	4	17	7	17	7	16	9	25
26	18	13	17	16	19	16	19	18	19	19	19	18	19	17	19	16	19	18	19	19	19	19	19	20	26
27	17	17	18	18	18	14	19	19	19	22	19	23	19	22	18	24	19	24	18	22	19	25	19	25	27
28	19	20	19	21	19	17	19	17	19	15	19	14	18	14	18	15	18	18	19	23	19	21	19	21	28
29	18	13	17	18	17	17	17	13	17	15	17	14	17	14	18	14	18	15	18	16	18	19	17	17	29
30	16	14	17	12	17	16	18	14	18	13	18	14	19	14	19	12	19	14	19	15	19	12	18	13	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	6	25	7	24	8	24	6	22	6	20	6	21	6	18	6	18	5	21	6	23	5	25	6	30	1
2	6	31	5	27	6	20	5	28	6	26	5	26	6	28	6	34	6	30	6	32	6	33	6	27	2
3	6	19	7	14	7	12	8	15	8	16	9	15	9	17	8	17	8	19	7	18	7	17	7	19	3
4	9	16	9	13	8	11	8	13	8	15	9	12	9	13	8	15	7	15	7	15	6	15	7	15	4
5	9	18	8	20	7	21	7	19	7	17	6	15	6	16	7	16	7	15	6	14	6	13	6	16	5
6	8	29	7	26	7	25	8	23	9	21	9	19	8	14	7	14	6	15	6	19	6	18	6	20	6
7	7	27	7	16	8	15	9	16	9	16	10	16	9	14	7	15	6	13	6	14	6	13	6	16	7
8	9	16	9	15	9	17	9	15	9	13	9	15	9	17	8	13	7	11	6	11	6	15	7	14	8
9	8	19	8	16	7	16	7	16	7	18	7	17	7	17	8	13	6	14	7	15	7	12	7	12	9
10	9	13	9	15	9	13	9	12	9	14	9	12	8	9	8	10	7	13	7	13	8	10	8	10	10
11	20	4	24	6	26	6	27	5	24	6	27	5	24	3	20	7	19	2	21	6	25	2	...	1	11
12	27	9	26	7	24	7	23	7	23	7	23	7	25	5	26	6	28	2	28	2	...	1	25	2	12
13	10	11	8	12	7	11	8	12	9	12	10	9	10	6	9	9	9	11	10	14	9	13	6	11	13
14	7	28	7	29	6	25	6	21	6	19	6	16	8	21	7	20	6	19	6	18	7	19	6	18	14
15	7	25	6	23	6	22	6	23	6	25	6	27	7	26	7	25	7	24	6	25	7	28	6	25	15
16	7	32	6	32	6	29	6	26	6	25	6	27	6	30	6	28	6	33	6	29	6	32	6	32	16
17	7	26	7	27	8	24	7	24	7	26	7	23	7	28	8	25	7	29	7	24	7	22	7	20	17
18	8	21	9	18	9	17	8	12	8	15	8	18	9	13	8	13	7	10	7	8	9	7	10	5	18
19	8	12	8	12	9	12	9	9	9	12	9	10	9	9	9	5	8	7	9	5	9	3	...	1	19
20	...	...	31	6	1	4	8	7	12	10	13	6	11	6	9	6	9	10	9	8	9	9	10	10	20
21	16	7	16	7	16	7	17	6	17	8	18	7	18	6	17	5	16	7	16	8	16	7	16	7	21
22	22	16	25	5	26	5	...	1	...	...	29	2	...	1	22	3	19	4	18	2	17	2	17	5	22
23	19	5	17	4	17	3	...	...	17	3	17	2	17	2	18	3	17	2	17	3	15	5	15	2	23
24	18	7	25	5	24	4	22	2	18	9	16	9	16	13	17	13	18	8	18	12	18	10	19	11	24
25	17	9	17	9	17	13	16	12	16	12	16	13	16	11	17	11	17	11	17	8	17	7	17	11	25
26	19	24	19	20	19	20	18	19	18	16	18	13	18	12	18	13	18	16	18	17	17	16	18	18	26
27	19	27	19	25	19	24	19	21	19	23	19	21	19	16	19	17	18	12	18	12	19	15	19	19	27
28	19	23	19	20	19	20	19	16	19	13	18	15	18	16	17	14	18	15	17	12	18	10	18	10	28
29	17	15	17	16	18	17	18	14	17	13	17	10	17	8	16	7	16	7	16	9	16	12	16	13	29
30	19	9	19	12	18	10	18	6	17	11	16	10	16	10	16	9	16	5	16	9	16	11	15	10	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of JUNE, 1926.
(... = no clouds.)

Hours, Hongkong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	E	cu	E	$\frac{a\text{-}cu}{cu}$	$\frac{SW}{E}$	cu	E	cu	E	nb	E	nb	E	nb	E
2	nb	E	nb	E	cu	E	cu	E	nb	E	nb	E	nb	E	nb	E
3	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
4	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	cu-nb	E
5	nb	E	cu-nb	E	cu-nb	E	cu	E	cu	E	cu	E	cu	E	cu	E
6	cu	E	cu	E	cu	E	$\frac{a\text{-}cu}{cu}$	$\frac{WNW}{E}$	$\frac{a\text{-}cu}{cu}$	$\frac{WNW}{E}$	$\frac{a\text{-}cu}{cu}$	$\frac{WNW}{E}$	cu	E	cu	E
7	cu	E	cu	E	$\frac{a\text{-}cu}{cu}$	$\frac{WNW}{E}$	cu	E	cu	E	cu	E	$\frac{a\text{-}cu}{cu}$	$\frac{WNW}{E}$	cu	E
8	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
9	cu	E	cu	E	cu	E	cu	E	nb	E	nb	E	cu-nb	E	cu-nb	E
10	nb	E	nb	E	cu	E	cu	E	cu	E	cu	E	cu-nb	E	cu-nb	E
11	nb	E	cu-nb	E	nb	E	nb	NNE	cu	WNW	cu	WNW	...	...	...	...
12	...	...	cu	W	cu	W	cu	W	cu	W	cu	W	$\frac{a\text{-}cu}{cu}$	$\frac{SSW}{W}$	cu	W
13	cu	W	nb	W	nb	E	nb	E	nb	E	nb	E	nb	E	cu-nb	E
14	nb	E	nb	E	nb	E	cu-nb	E	cu	E	cu	E	$\frac{ci\text{-}cu}{cu}$	$\frac{WSW}{E}$	cu	E
15	cu	E	cu	E	cu	E	nb	E	nb	E	nb	E	nb	E	nb	E
16	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
17	nb	E	nb	E	nb	E	cu-nb	E	nb	E	nb	E	nb	ESE	nb	ESE
18	nb	E	nb	E	nb	E	st-cu	E	cu	ESE	cu	ESE	cu	ESE	cu	ESE
19	cu	ESE	cu-nb	ESE	cu	ESE	cu-nb	ESE	nb	ESE	cu-nb	E	$\frac{ci\text{-}st}{cu}$	$\frac{NW}{ESE}$	ci-st	NW
20	cu	ESE	cu	ESE	nb	ESE	nb	W	cu	SE	$\frac{ci\text{-}st}{cu}$	$\frac{W}{SE}$	$\frac{ci\text{-}st}{cu}$	$\frac{W}{SE}$	$\frac{ci\text{-}st}{cu}$	$\frac{W}{SE}$
21	cu	SE	cu	SE	cu	SE	cu	SE	$\frac{ci\text{-}st}{cu}$	$\frac{ESE}{S}$	$\frac{ci\text{-}st}{cu}$	$\frac{ESE}{SW}$	cu	S V	cu	SW
22	nb	SSW	cu-nb	SSW	nb	SW	cu-nb	SW	nb	SW	nb	SW	nb	SW	cu	SSW
23	nb	SSW	nb	SSW	nb	SSW	cu-nb	SSW	cu	SSW	nb	SSW	cu-nb	SSW	cu-nb	SSW
24	nb	SSW	nb	SSW	$\frac{ci\text{-}st}{cu}$	$\frac{W}{SSW}$	cu	SSW	cu-nb	SSW	nb	SSW	nb	SSW	cu-nb	SW
25	cu	SSW	nb	SSW	cu-nb	SSW	cu-nb	SSW	cu	SW	cu	SW	cu	SW	nb	SW
26	nb	SSW	nb	SSW	cu	SW	cu	SW	cu	SW	cu-nb	SW	cu	SW	cu	SW
27	cu	SW	nb	SW	cu-nb	SW	$\frac{ci\text{-}st}{cu}$	$\frac{ENE}{SW}$	cu	SW	cu	SW	nb	SW	cu	SW
28	nb	SW	nb	SW	nb	SSW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW
29	nb	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW
30	cu	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SW	cu	SW	$\frac{ci\text{-}st}{cu}$	$\frac{NNE}{SW}$	cu	SW

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1926.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.	Velocity.	Observed Velocity.
	ins.	°	°	°	°		ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·863	77·2	68·6	8·6	72·9	66·4	0·563	69	99	0·1	1	0·230	5	+ 10·4	+ 19·2	62	21·8	22·1
2	·858	71·3	66·6	4·7	68·6	65·4	·585	84	100	...	...	0·275	9	+ 10·7	+ 24·5	66	26·7	26·7
3	·788	70·4	66·8	3·6	69·4	67·0	·631	88	100	...	...	0·245	4	+ 3·8	+ 18·5	78	18·9	19·0
4	·760	74·1	69·1	5·0	71·6	69·9	·710	92	100	...	...	0·005	3	+ 1·0	+ 15·3	86	15·3	15·4
5	·798	78·9	72·3	6·6	74·4	70·1	·693	84	97	2·6	19	...	...	+ 2·4	+ 14·7	81	14·9	14·9
6	·828	77·6	73·1	4·5	74·8	69·4	·647	75	71	7·3	54	...	...	+ 3·4	+ 19·5	80	19·8	19·9
7	·783	78·3	72·9	5·4	74·7	69·7	·660	77	72	1·6	12	...	...	+ 5·0	+ 19·7	76	20·3	20·8
8	·716	80·6	73·0	7·6	76·2	72·4	·746	83	25	10·9	81	...	...	+ 0·2	+ 13·2	89	13·2	13·5
9	·683	77·7	74·0	3·7	75·6	72·9	·774	87	90	...	...	0·025	2	+ 2·5	+ 14·8	80	15·0	15·0
10	·620	81·8	75·3	6·5	77·6	75·1	·839	89	96	3·4	25	...	1	+ 1·0	+ 12·3	85	12·3	12·5
11	·516	87·2	75·0	12·2	79·8	76·5	·870	86	57	7·1	53	...	1	− 0·4	+ 1·4	106	1·5	5·5
12	·500	85·0	77·8	7·2	80·4	76·6	·866	83	80	0·4	3	...	...	...	− 5·5	270	5·5	5·9
13	·580	78·7	74·8	3·9	76·5	74·2	·816	89	100	...	...	0·905	13	− 0·3	+ 9·4	92	9·4	10·1
14	·616	79·2	74·5	4·7	76·5	73·4	·762	77	88	1·2	9	...	...	+ 6·7	+ 20·9	72	21·9	21·9
15	·622	76·4	73·5	2·9	74·9	71·3	·719	83	95	...	...	0·070	5	+ 7·5	+ 22·7	72	23·9	23·9
16	·621	75·7	71·6	4·1	74·2	70·7	·705	84	100	...	...	0·290	15	+ 8·8	+ 28·0	73	29·2	29·5
17	·622	77·1	72·7	4·4	74·8	71·7	·737	86	100	...	...	0·430	12	+ 6·4	+ 25·2	76	26·0	26·0
18	·583	80·3	73·8	6·5	76·8	73·0	·762	83	90	0·4	3	0·105	2	+ 0·9	+ 16·9	87	16·9	17·1
19	·593	80·5	75·4	5·1	77·4	75·2	·846	90	88	2·9	21	0·015	2	− 1·3	+ 8·8	98	8·9	9·0
20	·605	85·9	77·0	8·9	79·3	77·5	·920	92	92	4·0	30	0·195	5	− 0·6	+ 3·4	100	3·5	4·3
21	·586	86·7	78·9	7·8	81·8	77·9	·904	83	95	5·1	38	0·160	1	− 5·1	+ 1·8	161	5·4	6·5
22	·548	84·0	78·4	5·6	81·2	78·2	·926	87	99	...	...	0·600	3	− 6·5	− 3·8	210	7·5	8·4
23	·527	84·6	77·8	6·8	82·1	78·8	·941	86	100	...	...	1·185	4	− 6·8	− 2·2	198	7·2	7·2
24	·661	85·3	79·0	6·3	82·2	78·9	·945	86	100	...	...	1·250	4	− 5·1	− 1·9	197	6·4	6·8
25	·671	87·0	80·9	6·1	82·7	78·5	·919	82	93	4·8	36	0·245	2	− 8·8	− 2·3	195	9·1	9·2
26	·615	86·7	81·1	5·6	83·4	78·8	·924	81	92	7·8	58	0·310	2	− 15·2	− 8·1	208	17·3	17·2
27	·637	87·8	82·0	5·8	84·0	78·8	·916	78	95	9·0	67	...	...	− 17·3	− 10·3	211	20·2	20·3
28	·687	87·4	81·7	5·7	83·7	79·2	·939	81	95	8·2	61	0·095	4	− 14·5	− 8·1	209	16·6	16·7
29	·718	87·3	81·7	5·6	83·6	78·5	·908	79	93	9·9	73	...	...	− 13·3	− 3·1	193	13·6	13·6
30	·708	89·1	80·9	8·2	83·3	77·4	·862	75	82	7·3	54	...	...	− 10·6	− 3·4	198	11·1	11·5
Means	29·665	81·3	75·3	6·0	77·8	74·0	0·799	83	89	Sum. 94·0	23	Sum. 6·635	Sum. 99	− 1·2	+ 8·7	98	8·8	15·0
Normals	29·648	85·3	77·7	7·6	81·0	77·0	0·875	83	77	164·2	41	15·663	86	− 4·9	+ 2·7	151	5·6	11·7
Absolute Max.	29·898	89·1	...	12·2	...	81·6	1·002	...	...	10·9	81	1·250	15	...	...	...	...	36·0 †
Day.	2	30	...	11	...	28	28	...	...	8	8	24	16	...	...	...	...	*16d 9h*
Absolute Min.	29·435	...	66·6	2·9	...	63·4	0·431	50	...	...	...	...	...	...	...	...	...	...
Day.	11	...	2	15	...	1	1	1	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo :—on the 21st.
Lunar halo :—on the 20th.
Lunar corona :—on the 18th. 19th and 26th.
Fog :—on the 20th.
Unusual visibility :—on the 6th and 20th.
Lightning :—on the 23rd and 24th.
Thunder :—on the 23rd and 24th.

Thunderstorm :—
25d. 1h. 55m. to *2h. 25m.* in S.E.: distant.

Rain fell on 18 days. The mean hourly intensity was 0·067*in*, and the maximum fall in one hour was 0·820*in* at *15h* on the 24th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 44 miles per hour at *8h 20m* on the 16th.

Clouds with base less than 2,000 feet high were observed on 14 days.
Clouds with base less than 1,000 feet high were observed on 6 days.

0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1926.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1013·2	298·1	295·3	4·8	295·7	292·1	19·0	5·8	5	+ 3·4	+ 6·3	62	7·1	7·2
2	1015·1	294·8	292·2	2·6	293·3	291·6	19·7	7·0	9	+ 3·5	+ 8·0	66	8·8	8·8
3	1010·7	294·3	292·3	2·0	293·8	292·4	21·3	6·2	4	+ 1·2	+ 6·1	78	6·2	6·2
4	1009·8	296·4	293·6	2·8	295·0	294·1	23·9	0·1	3	+ 0·3	+ 5·0	86	5·0	5·0
5	1011·0	299·1	295·4	3·7	296·6	294·2	23·4	...	...	+ 0·8	+ 4·8	81	4·9	4·9
6	1012·0	298·3	295·8	2·5	296·8	293·8	21·8	...	...	+ 1·1	+ 6·4	80	6·5	6·5
7	1010·5	298·7	295·7	3·0	296·7	293·9	22·2	...	...	+ 1·6	+ 6·5	76	6·7	6·8
8	1008·2	300·0	295·8	4·2	297·6	295·4	25·2	...	...	+ 0·1	+ 4·3	89	4·3	4·4
9	1007·1	298·4	296·3	2·1	297·2	295·7	26·1	0·6	2	+ 0·8	+ 4·9	80	4·9	4·9
10	1005·0	300·7	297·1	3·6	298·3	296·9	28·3	...	1	+ 0·3	+ 4·0	85	4·0	4·1
11	1001·4	303·7	296·9	6·8	299·6	297·7	29·4	...	1	− 0·1	+ 0·5	106	0·5	1·8
12	1000·9	302·4	298·4	4·0	299·9	297·8	29·2	...	...	...	− 1·8	270	1·8	1·9
13	1003·6	298·9	296·8	2·1	297·7	296·4	27·5	23·0	13	− 0·1	+ 3·1	92	3·1	3·3
14	1004·9	299·2	296·6	2·6	297·7	294·9	23·7	...	...	+ 2·2	+ 6·9	72	7·2	7·2
15	1005·1	297·7	296·1	1·6	296·8	294·8	24·2	1·8	5	+ 2·5	+ 7·4	72	7·8	7·8
16	1005·0	297·3	295·0	2·3	296·4	294·5	23·8	7·4	15	+ 2·9	+ 9·2	73	9·6	9·7
17	1005·1	298·1	295·6	2·5	296·8	295·1	24·9	10·9	12	+ 2·1	+ 8·3	76	8·5	8·5
18	1003·7	299·8	296·2	3·6	297·9	295·8	25·7	2·7	2	+ 0·3	+ 5·5	87	5·5	5·6
19	1004·0	299·9	297·1	2·8	298·2	297·0	28·5	0·4	2	− 0·4	+ 2·9	98	2·9	3·0
20	1004·4	302·9	298·0	4·9	299·3	298·3	31·0	4·9	5	− 0·2	+ 1·1	100	1·1	1·4
21	1003·8	303·4	299·1	4·3	300·7	298·5	30·5	4·1	1	− 1·7	+ 0·6	161	1·8	2·1
22	1002·5	301·9	298·8	3·1	300·3	298·7	31·2	15·2	3	− 2·1	− 1·2	210	2·5	2·8
23	1003·5	302·2	298·4	3·8	300·8	299·0	31·8	30·1	+	− 2·2	− 0·7	198	2·4	2·4
24	1006·3	302·6	299·1	3·5	300·9	299·1	31·9	31·8	+	− 2·0	− 0·6	197	2·1	2·2
25	1006·6	303·6	300·2	3·4	301·2	298·8	31·0	6·2	2	− 2·9	− 0·8	195	3·0	3·0
26	1004·7	303·4	300·3	3·1	301·6	299·0	31·2	7·9	2	− 5·0	− 2·7	208	5·7	5·6
27	1004·8	304·0	300·8	3·2	301·9	299·0	30·9	...	...	− 5·7	− 3·4	211	6·6	6·7
28	1007·2	303·8	300·6	3·2	301·7	299·2	31·7	2·4	4	− 4·8	− 2·7	209	5·4	5·5
29	1008·2	303·7	300·6	3·1	301·7	298·8	30·6	...	...	− 4·4	− 1·0	193	4·5	4·5
30	1007·9	304·7	300·2	4·5	301·5	298·2	29·1	...	...	− 3·5	− 1·1	198	3·6	3·8
Means.	1006·5	300·4	297·1	3·3	298·4	296·3	26·9	Sums. 168·5	Sum. 99	− 0·4	+ 2·9	98	2·9	4·9
Normals	1005·9	302·6	298·4	4·2	300·2	298·0	29·5	397·9	86	− 1·6	+ 0·9	151	1·8	3·8
Absolute Maximum.	1014·5	304·7	...	6·8	...	300·6	33·8	31·8	15	...	...	...	...	11·8†
Day.	2	30	...	11	...	28	28	24	16	...	...	...	...	16*d* 9*h*
Absolute Minimum.	998·7	...	292·2	1·6	...	290·4	14·5	...	...	...	...	...	...	...
Day.	11	...	2	15	...	1	1	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, JUNE, 1926.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	− 0·2	11	0·0	21	0·1
2	0·0	12	0·0	22	0·1
3	0·0	13	0·0	23	0·1
4	0·0	14	0·0	24	0·2
5	0·0	15	0·0	25	0·2
6	0·0	16	0·0	26	0·2
7	0·0	17	+ 0·1	27	0·0
8	0·0	18	+ 0·1	28	0·0
9	+ 0·1	19	0·0	29	− 0·1
10	0·0	20	0·0	30	− 0·1

+ = Late ; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0·10

Note:—June 10th, Time ball not raised at 10*h* or 16*h*.
14th, Time ball not raised at 16*h*.

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1926.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	Ins.			Ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·671	76·7	73·7	0·800	86	84		5	5	— 0·4	+ 9·8	92	9·8	15·6
2	·659	76·6	73·6	·797	86	86		3	5	— 0·7	+ 8·4	95	8·4	15·3
3	·652	76·7	73·6	·795	86	89		2	+	— 1·5	+ 8·4	100	8·5	15·0
4	·650	76·5	73·4	·790	86	93		1	3	— 0·9	+ 8·1	96	8·1	14·9
5	·652	76·5	73·3	·786	85	93		3	3	— 0·8	+ 7·7	96	7·7	14·8
6	·660	76·6	73·3	·784	85	96	1	3	+	— 0·8	+ 8·4	95	8·4	15·2
7	·673	76·8	73·4	·786	84	95	10	—	5	— 0·5	+ 8·7	93	8·7	14·9
8	·682	77·5	73·7	·788	83	96	13	—	7	+ 0·6	+ 9·1	94	9·1	15·3
9	·692	78·0	74·0	·794	82	96	18	3	+	— 1·1	+ 8·9	97	9·0	15·7
10	·699	78·5	74·1	·791	80	94	24	2	+	— 1·8	+ 9·2	101	9·4	16·6
11	·693	79·3	74·6	·802	79	92	29	1	3	— 1·7	+ 9·6	100	9·7	17·3
Noon.	·686	79·6	74·7	·802	78	93	34	1	3	— 2·2	+ 9·8	103	10·0	17·6
13	·674	79·5	74·5	·795	78	90	32	6	5	— 2·5	+ 9·2	105	9·5	17·4
14	·659	79·4	74·7	·805	79	91	34	6	6	— 1·3	+ 8·5	99	8·6	16·0
15	·643	79·4	74·8	·809	80	86	38	19	7	— 1·7	+ 7·9	102	8·1	15·1
16	·631	79·1	74·6	·804	80	88	34	3	3	— 1·0	+ 8·4	97	8·5	14·1
17	·624	78·9	74·4	·799	80	89	33	1	3	— 2·3	+ 8·6	105	8·9	14·7
18	·627	78·4	74·4	·806	82	88	15	1	3	— 1·9	+ 8·2	103	8·4	13·9
19	·642	77·7	74·1	·802	84	89		1	3	— 2·0	+ 8·7	103	8·9	13·5
20	·659	77·4	74·0	·802	84	90		1	+	— 1·6	+ 8·4	101	8·5	13·5
21	·671	77·2	74·1	·809	86	78		1	3	— 0·3	+ 9·0	92	9·0	13·3
22	·684	77·2	74·1	·809	86	81		6	+	— 0·3	+ 8·8	92	8·8	13·5
23	·689	77·0	74·1	·812	86	85		12	6	— 0·4	+ 9·0	93	9·0	13·4
Midn.	·680	76·9	74·2	·817	87	84		5	6	— 0·5	+ 8·5	93	8·5	13·7

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1926.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.			m.b.	m.p.s.	m.p.s.		m.p.s.	m.p.s.
1	1006·7	297·8	296·2	27·0	— 0·1	+ 3·2	92	3·2	5·1
2	1006·3	297·8	296·1	26·9	— 0·2	+ 2·8	95	2·8	5·0
3	1006·1	297·8	296·1	26·8	— 0·5	+ 2·8	100	2·8	4·9
4	1006·0	297·7	296·0	26·6	— 0·3	+ 2·7	96	2·7	4·9
5	1006·1	297·7	295·9	26·5	— 0·3	+ 2·5	96	2·5	4·9
6	1006·3	297·8	295·9	26·4	— 0·3	+ 2·8	95	2·8	5·0
7	1006·8	297·9	296·0	26·5	— 0·2	+ 2·9	93	2·9	4·9
8	1007·1	298·3	296·2	26·6	— 0·2	+ 3·0	94	3·0	5·0
9	1007·4	298·6	296·3	26·8	— 0·4	+ 2·9	97	3·0	5·1
10	1007·6	298·8	296·4	26·7	— 0·6	+ 3·0	101	3·1	5·4
11	1007·4	299·3	296·7	27·0	— 0·6	+ 3·1	100	3·2	5·7
Noon.	1007·2	299·4	296·7	27·0	— 0·7	+ 3·2	103	3·3	5·8
13	1006·8	299·4	296·6	26·8	— 0·8	+ 3·0	105	3·1	5·7
14	1006·3	299·3	296·7	27·2	— 0·4	+ 2·8	99	2·8	5·2
15	1005·7	299·3	296·8	27·3	— 0·6	+ 2·6	102	2·7	5·0
16	1005·3	299·2	296·7	27·1	— 0·3	+ 2·8	97	2·8	4·6
17	1005·1	299·1	296·6	26·9	— 0·8	+ 2·8	105	2·9	4·8
18	1005·2	298·8	296·6	27·2	— 0·6	+ 2·7	103	2·8	4·6
19	1005·7	298·4	296·4	27·0	— 0·7	+ 2·9	103	2·9	4·4
20	1006·3	298·2	296·3	27·0	— 0·5	+ 2·8	101	2·8	4·4
21	1006·7	298·1	296·4	27·3	— 0·1	+ 3·0	92	3·0	4·4
22	1007·2	298·1	296·4	27·3	— 0·1	+ 2·9	92	2·9	4·4
23	1007·3	298·0	296·4	27·4	— 0·1	+ 3·0	93	3·0	4·4
Midn.	1007·0	297·9	296·4	27·5	— 0·2	+ 2·8	93	2·8	4·5

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

JUNE,

1926.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	31st MAY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	1st JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.57	751.0	62	...	W	3	c	6	29.86	758.4	55	...	NNE	2	b
Nemuro,	11	29.55	750.5	...	...	SE	1	...	5	29.71	754.5	...	...	...	0	...
Hokodate,	,,	29.63	752.5	...	...	SSW	2	...	,,	29.76	756.0	...	...	N	1	...
Tokio,	,,	29.67	753.5	...	...	E	1	...	,,	29.80	757.0	...	...	...	0	...
Kochi,	,,	29.80	757.0	...	...	...	...	...	,,	29.88	759.0	...	...	WSW	1	...
Nagasaki,	,,	29.90	759.5	...	...	W	3	...	,,	29.96	761.0	...	...	...	...	...
Kagoshima,	,,	29.88	759.0	...	...	NNW	1	...	,,	29.94	760.5	...	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	NE	2	...	,,	29.98	761.5	...	...	NNE	1	...
Naha,	,,	29.90	759.5	...	...	NW	2	...	,,	29.96	761.0	...	...	N	1	...
Ishigakijima,	,,	29.90	759.5	...	...	NE	1	...	,,	29.94	760.5	...	...	NNE	1	...
Bonin Island,	,,	29.86	758.5	...	...	W	1	...	,,	29.88	759.0	...	...	...	0	...
Chefoo,	15	29.90	759.4	67	69	NW	2	b	6	29.86	758.4	64	63	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	72	...	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.01	762.2	70	...	...	0	c
Changsha,	,,	...	...	...	...	...	...	...	,,	30.07	763.8	70	...	...	0	b
Shanghai,	14	30.02	762.6	84	94	NNW	2	o	,,	30.07	763.8	59	89	SSW	2	b
Gutzlaff,	,,	30.03	762.7	70	75	NE	1	o	,,	30.06	763.5	66	84	WSW	4	b
Sharp Peak,	,,	29.95	760.7	81	59	ENE	2	o	,,	30.04	763.0	67	84	N	1	r
Amoy,	,,	29.86	758.4	82	83	E	2	b	6	29.96	761.0	72	95	ENE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.94	760.5	77	72	E	4	o	5	30.01	762.3	68	81	E	4	o
Taichu,	,,	29.88	759.0	79	...	...	0	o	,,	29.92	759.9	70	...	N	2	o
Tainan,	,,	29.86	758.4	86	...	W	2	b	,,	29.88	759.0	73	...	...	0	o
Koshun,	,,	29.87	758.7	86	...	NE	2	b	,,	29.87	758.7	75	...	NNE	6	b
Pescadores,	,,	29.89	759.3	81	...	NE	4	b	,,	29.92	759.9	73	...	NE	6	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.86	758.4	77	59	E	4	o	,,	29.91	759.7	73	63	ENE	3	o
Gap Rock,	,,	29.85	758.2	...	...	ENE	5	o	,,	29.90	759.4	...	...	ENE	5	o
Macao,	,,	29.85	758.1	75	83	ESE	4	o	,,	29.89	759.3	70	88	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.87	758.7	85	79	NE	3	b	6	29.89	759.2	82	81	NE	6	c
Phulien,	15	29.87	758.7	72	92	NNW	6	r	7	29.89	759.3	72	75	N	2	o
Tourane,	,,	29.75	755.7	82	...	NW	6	o	,,	29.79	756.6	79	...	NW	4	of
Cape St. James,	,,	29.76	756.0	75	...	SW	2	rf	,,	29.80	756.9	75	...	SSW	4	o
Basco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	93	59	SW	2	o	,,	29.82	757.5	79	89	NE	2	o
Legaspi,	,,	29.78	756.3	90	76	ENE	1	o	,,	29.82	757.5	79	96	...	0	b
Tacloban,	,,	29.76	756.0	90	69	SSE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	86	71	SW	4	o	,,	29.82	757.5	79	92	N	2	o
Surigao,	,,	29.78	756.3	90	69	NNE	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	NNE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	79	...	ENE	1	b
Labuan,	14	29.79	756.6	84	83	S	2	b	6	29.82	757.4	80	91	S	2	b

June 1*d.* 10*h.* 55*m.*—Pressure has increased considerably over S. Manchuria, moderately over N.E. Japan and slightly from S.W. Japan to S. China. It is nearly stationary from Indo-China to the Philippines.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 30·35 inches, against an average of 23·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	E. winds, fresh to moderate; generally cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st JUNE, 1926.								2nd JUNE, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.87	758.6	61	...	WSW	3	b	6	30.01	762.2	46	...	ESE	2	o
Nemuro,	11	29.76	756.0	...	...	NNE	3	...	5	30.04	763.0	...	...	...	...	...
Hekodate,	..	29.80	757.0	...	...	S	1	...	,,	30.02	762.5	...	...	...	o	...
Tokio,	,,	29.86	758.5	...	...	SE	1	...	,,	30.00	762.0	...	...	...	o	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	30.02	762.5	...	...	...	o	...
Nagasaki,	,,	29.98	761.5	...	...	W	3	...	,,	30.06	763.5	...	...	N	1	...
Kagoshima,	,,	29.96	761.0	...	...	W	2	...	,,	30.04	763.0	...	...	WNW	1	...
Oshima,	,,	30.00	762.0	...	...	NNE	1	...	,,	30.00	762.0	...	...	NNE	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.00	762.0	...	...	NNE	3	...	,,	30.00	762.0	...	...	NNE	2	...
Bonin Island,	,,	29.88	759.0	...	...	...	o	...	,,	29.88	759.0	...	...	ENE	1	...
Chefoo,	15	29.93	760.2	75	56	NW	1	b	6	29.97	761.2	60	82	E	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	72	...	...	c	o
Hankow,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	72	...	...	o	o
Changsha,	,,	...	...	...	...	...	...	...	,,	29.98	761.5	75	...	...	o	c
Shanghai,	14	30.05	763.2	84	34	NE	2	b	,,	30.13	765.3	57	96	SE	1	b
Gutzlaff,	,,	30.08	764.0	74	72	NE	4	b	,,	30.13	765.3	63	83	SSE	1	b
Sharp Peak,	,,	29.99	761.7	73	63	N	2	o	7	30.04	763.0	68	70	NW	1	b
Amoy,	,,	30.01	762.2	66	100	NE	2	o	6	29.99	761.7	69	70	W	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.05	763.2	66	94	E	4	r	5	30.01	762.3	66	88	ESE	4	o
Taichu,	,,	29.97	761.1	66	...	N	2	r	,,	29.95	760.8	68	...	...	o	r
Tainan,	,,	29.93	760.2	77	...	NNW	2	o	,,	29.93	760.2	68	...	NNE	2	r
Koshun,	,,	29.91	759.6	77	...	NE	6	r	,,	29.88	759.0	72	...	N	4	o
Pescadores,	,,	29.98	761.4	73	...	NE	6	o	,,	29.93	760.8	70	...	NE	4	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.91	759.7	75	59	E	4	o	,,	29.92	759.9	69	85	E	4	o
Gap Rock,	,,	29.91	759.7	...	...	ENE	6	o	,,	29.90	759.4	...	...	ENE	5	o
Macao,	,,	29.89	759.3	73	71	NNE	4	o	,,	29.89	759.3	68	96	E	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.84	757.9	81	88	ENE	6	d	6	29.88	758.9	77	88	NE	7	r
Phulien,	15	29.87	758.7	81	62	NNE	2	o	7	29.88	759.0	73	79	NE	2	o
Tourane,	,,	29.76	756.0	77	...	NW	6	o	,,	29.80	756.9	77	...	NW	2	c
Cape St. James,	,,	29.74	755.4	86	...	SW	4	o	,,	29.82	757.5	75	...	...	o	o
Basco,	,,	29.87	758.7	81	69	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.81	757.2	82	84	N	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.80	756.9	86	75	...	o	o	,,	29.82	757.5	77	94	E	1	o
Legaspi,	,,	29.76	756.0	93	67	NNE	2	b	,,	29.81	757.2	79	95	...	o	b
Taoloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	86	71	SW	4	o	,,	29.84	757.8	79	91	SW	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	E	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	79	...	...	o	bc
Labuan,	14	29.79	756.6	86	84	S	2	b	6	29.81	757.2	80	87	S	2	b

June 2*d.* 10*h.* 50*m.*—Pressure has increased considerably over N.E. Japan, moderately from central Japan to S. Manchuria and slightly in central districts. It has decreased slightly over central and S.W. China and is nearly stationary elsewhere.

The anticyclone now extends from the China coast to N.E. Japan, with highest pressure over the Eastern Sea.

Pressure is relatively low over the S. China Sea, but there is no evidence at present of a typhoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·24 inch. Total since January 1st, 30·59 inches, against an average of 24·33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, strong, moderating; overcast, occasional rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd June, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperatures.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd June, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperatures.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.02	762.6	52	...	SE	4	b	6	30.08	764.0	50	...	SSE	4	o
Nemuro	11	30.10	764.5	...	...	SSE	2	...	5	30.28	769.0	...	...	ESE	1	...
Hokodate,	,,	30.06	763.5	...	...	SE	2	...	,,	30.20	767.0	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	SE	1	...	,,	30.08	764.0	...	...	NW	1	...
Kochi,	,,	...	...	...	...	...	...	...	,,	30.08	764.0	...	...	...	0	...
Nagasaki,	,,	30.08	764.0	...	...	W	2	...	,,	30.08	764.0	...	...	...	0	...
Kagoshima,	,,	30.04	763.0	...	...	NNE	1	...	,,	30.08	764.0	...	...	NW	1	...
Oshima,	,,	30.04	763.0	...	...	NE	2	...	,,	30.00	762.0	...	...	...	...	...
Naha,	,,	30.06	763.5	...	...	NNW	2	...	,,	30.00	762.0	...	...	N	2	...
Ishigakijima,	,,	30.04	763.0	...	...	ENE	2	...	,,	29.96	761.0	...	...	ENE	1	...
Bonin Island,	,,	29.90	759.5	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.93	760.2	75	68	ENE	1	b	6	29.90	759.4	73	58	SSW	4	bf
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	75	...	...	0	o
Shanghai,	14	30.11	764.7	79	36	SSE	4	b	,,	30.07	763.8	64	76	SE	1	o
Gutzlaff,	,,	30.14	765.5	70	48	SE	2	h	,,	30.09	764.3	65	68	SE	2	o
Sharp Peak,	,,	30.03	762.7	75	68	ENE	4	o	7	30.00	762.0	64	95	ENE	1	r
Amoy,	,,	29.98	761.5	70	75	W	1	o	6	29.93	760.2	64	84	WNW	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	..	...	..	...	...	...	...
Taihoku,	11	30.02	762.6	81	53	E	4	o	5	29.92	759.9	66	96	E	2	r
Taichu,	,,	29.98	761.4	72	...	...	0	r	,,	29.88	759.0	68	...	...	0	o
Tainan,	,,	29.98	761.4	72	...	NNE	2	r	,,	29.86	758.4	68	...	NNE	2	r
Koshun,	,,	29.95	760.8	75	...	NE	4	o	,,	29.85	758.1	72	...	NE	4	o
Pescadores,	,,	29.99	761.7	72	...	ENE	2	r	,,	29.87	758.7	70	...	ENE	4	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.92	759.9	63	81	ENE	4	op	,,	29.84	757.9	69	83	E	4	o
Gap Rock,	,,	29.90	759.4	...	...	ENE	6	od	,,	29.83	757.7	...	...	ENE	5	o
Macao,	,,	29.89	759.3	66	96	ESE	2	r	,,	29.84	757.8	66	100	NNE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	..	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	..	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pratas Island,	14	29.88	758.9	77	91	NE	6	o	6	29.81	757.2	78	91	ESE	4	d
Phulien,	15	29.82	757.5	82	67	SSE	1	o	7	29.81	757.2	75	89	NNE	1	b
Tourane,	,,	29.78	756.3	81	...	NW	4	b	,,	29.80	756.9	77	...	NW	4	o
Cape St. James,	,,	29.76	756.0	86	...	SW	2	o	,,	29.81	757.2	79	...	WNW	2	r
Basco,	,,	...	...	...	...	...	...	...	6	29.86	758.4	75	79	E	1	o
Aparri,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	77	96	...	0	r
Manila,	,,	29.78	756.3	79	90	E	1	r	,,	29.79	756.6	75	94	NE	1	o
Legaspi,	,,	29.79	756.6	86	78	NE	1	o	,,	29.76	756.0	77	96	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	84	81	S	4	o	,,	29.79	756.6	79	87	N	2	o
Surigao,	,,	29.78	756.3	86	68	N	1	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	W	2	r	4.20	29.78	756.3	...	...	S	1	o
Yap,	12.47	29.78	756.3	...	...	W	2	o	4.47	..	..	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	82	...	...	0	bo
Labuan,	14	29.78	756.4	88	84	NE	4	b	6	29.81	757.2	80	91	N	2	b

June 3*d*. 12*h*. 10*m*.—Pressure has increased moderately over N.E. Japan and slightly over central and S.W. Japan. It has decreased slightly elsewhere.

The anticyclone is now central over N.E. Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·26 inch. Total since January 1st, 30·85 inches, against an average of 24·84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, fresh to moderate; overcast, occasional rain.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd June, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	4th June, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.04	762.9	51	...	SSE	5	o	6	30.01	762.2	49	...	SSE	4	f
Nemuro,	11	30.26	768.5	...	...	ESE	1	...	5	30.16	766.0	...	...	...	c	...
Hokodate,	,,	30.18	766.5	...	...	SSE	1	...	,,	30.16	766.0	...	...	ESE	1	...
Tokio,	,,	30.06	763.5	...	...	NE	1	...	,,	30.18	766.5	...	...	...	...	...
Kochi,	,,	30.04	763.0	...	...	S	1	...	,,	30.10	764.5	...	...	...	c	...
Nagasaki,	,,	30.06	763.5	...	...	WNW	1	...	,,	30.06	763.5	...	...	SSW	1	...
Kagoshima,	,,	30.06	763.5	...	...	SSE	1	...	,,	...	...	...	...	NW	1	...
Oshima,	,,	30.02	762.5	...	...	SSE	1	...	,,	...	...	...	...	...	c	...
Naha,	,,	30.00	762.0	...	...	NE	2	...	,,	29.94	760.5	...	...	ENE	1	...
Ishigakijima,	,,	29.96	761.0	...	...	E	2	...	,,	29.86	758.5	...	...	E	2	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.92	759.9	76	64	ENE	1	o	6	29.98	761.5	66	68	SSW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	70	...	...	c	b
Hankow,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	68	...	SE	1	bc
Changsha,	,,	...	...	...	...	...	...	...	,,	29.88	758.9	73	...	...	o	c
Shanghai,	14	30.05	763.2	75	45	SSE	2	o	,,	30.06	763.5	59	96	ESE	1	r
Gutzlaff,	,,	30.06	763.5	69	61	SE	4	o	,,	30.05	763.2	58	94	ESE	2	r
Sharp Peak,	,,	29.98	761.5	65	95	N	1	r	,,	29.91	759.7	65	89	N	1	o
Amoy,	,,	29.88	758.9	68	95	NW	2	r	6	29.83	757.7	68	91	WNW	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.93	760.2	66	94	E	4	o	5	29.81	757.2	66	98	...	c	r
Taichu,	,,	29.89	759.3	72	...	...	c	r	,,	29.82	757.5	68	...	...	c	r
Tainan,	,,	29.88	759.0	77	...	...	c	o	,,	29.79	756.6	70	...	N	2	r
Koshun,	,,	29.88	759.0	77	...	NE	6	o	,,	29.78	756.3	73	...	ENE	2	r
Pescadores,	,,	29.91	759.6	73	...	NE	2	r	,,	29.78	756.3	70	...	NE	2	r
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.84	757.9	70	86	E	3	or	,,	29.80	756.9	71	90	E	3	o
Gap Rock,	,,	29.84	757.9	...	...	ENE	4	o	,,	29.80	756.9	...	...	ENE	4	o
Macao,	,,	29.82	757.5	70	91	NNE	2	o	,,	29.79	756.6	68	100	N	2	rf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.80	756.9	81	90	SE	3	o	6	29.78	756.4	79	94	NE	3	r
Phulien,	15	29.75	755.7	86	65	SE	1	o	7	29.76	756.0	77	91	ENE	2	o
Tourane,	,,	29.76	756.0	81	...	NW	4	b	,,	29.76	756.0	77	...	W	4	of
Cape St. James,	,,	29.79	756.6	84	...	SW	2	o	,,	29.80	756.9	77	...	W	2	b
Basco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	29.76	756.0	86	71	NE	2	o	,,	29.76	756.0	77	92	S	2	o
Manila,	,,	29.69	754.2	86	71	SE	1	of	,,	29.81	757.2	75	96	NE	1	o
Legaspi,	,,	29.73	755.1	86	78	ENE	2	o	,,	29.78	756.3	79	96	...	o	o
Tacloban,	,,	29.74	755.4	86	81	SSE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	93	61	NE	2	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.74	755.4	90	69	NE	1	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	E	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	ESE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	80	...	....	c	c
Labuan,	14	29.81	757.2	86	92	S	2	o	6	29.83	757.7	76	94	SW	2	b

June 4*d.* 11*h.* 11*m.*—Pressure has increased slightly over central Japan and decreased slightly from the Loochoos to Indo-China. It is nearly stationary elsewhere.

There is an area of low pressure over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·25 inch. Total since January 1st, 31·11 inches, against an average of 25·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; occasional rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th JUNE, 1926.								5th JUNE, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.93	760.3	52	...	SE	4	o	6	30.03	762.7	53	...	...	o	o
Nemuro, ...	11	30.14	765.5	...	...	S	2	...	5	30.06	763.5	...	...	WSW	3	...
Hokodate, ...	,,	30.16	766.0	...	...	SSE	1	...	,,	30.18	766.5	...	...	...	...	...
Tokio, ...	,,	30.20	767.0	...	...	NNE	1	...	,,	30.28	769.0	...	...	...	o	...
Kochi, ...	,,	30.16	766.0	...	...	...	o	...	,,	30.18	766.5	...	...	WSW	1	...
Nagasaki, ...	,,	30.06	763.5	...	...	SSE	1	...	,,	30.10	764.5	...	...	SW	1	...
Kagoshima, ...	,,	30.02	762.5	...	...	SE	1	...	,,	30.08	764.0	...	...	NE	1	...
Oshima, ...	,,	30.00	762.0	...	...	ESE	1	...	,,	29.96	761.0	...	...	SE	1	...
Naha, ...	,,	29.96	761.0	...	...	ESE	1	...	,,	29.88	759.0	...	...	E	1	...
Ishigakijima, ...	,,	29.88	759.0	...	...	ESE	2	...	,,	29.80	757.0	...	...	S	1	...
Bonin Island, ...	,,	...	...	...	...	...	...	...	,,	30.00	762.0	...	...	...	o	...
Chefoo, ...	15	29.99	761.7	58	27	S	2	b	6	30.09	764.3	64	68	SW	1	b
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	30.04	762.9	63	94	E	2	r	,,	30.08	764.1	64	90	ENE	4	o
Gutzlaff, ...	,,	30.01	762.2	58	94	ENE	7	r	,,	30.06	763.5	64	95	ENE	4	o
Sharp Peak, ...	,,	29.90	759.4	76	73	E	4	o	7	29.90	759.4	69	90	...	o	o
Amoy, ...	,,	29.80	756.9	73	81	SSE	1	o	6	29.86	758.4	70	91	ENE	1	o
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	11	29.85	758.1	70	94	...	c	r	5	29.84	757.8	70	96	...	o	o
Taichu, ...	,,	29.86	758.4	73	...	...	c	o	,,	29.84	757.8	70	...	N	1	o
Tainan, ...	,,	29.82	757.5	79	...	NNE	4	r	,,	29.81	757.2	70	...	N	2	o
Koshun, ...	,,	29.81	757.2	77	...	...	o	r	,,	29.80	756.9	72	...	...	o	o
Pescadores, ...	,,	29.85	758.1	75	...	NE	4	o	,,	29.82	757.5	72	...	E	4	o
Canton, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong, ...	,,	29.81	757.2	73	88	ESE	3	o	,,	29.84	757.9	72	88	E	3	o
Gap Rock, ...	,,	29.80	756.9	...	...	ENE	4	o	,,	29.84	757.9	...	...	ENE	4	o
Macao, ...	,,	29.79	756.6	73	92	NE	2	o	,,	29.80	756.9	72	94	ENE	2	r
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island, ...	14	29.78	756.4	81	90	NE	3	d	6	29.80	756.9	76	80	NE	4	o
Phulien, ...	15	29.71	754.5	86	68	SSE	4	o	7	29.78	756.3	79	96	SE	4	of
Tourane, ...	,,	29.73	755.1	82	...	NE	2	b	,,	29.76	756.0	79	...	...	c	b
Cape St. James.	,,	29.76	756.0	90	...	S	2	b	,,	29.84	757.8	79	...	SW	4	o
Basco, ...	,,	29.75	755.7	82	90	WSW	2	r	6	...	...	...	...	...	...	...
Aparri, ...	,,	29.73	755.1	86	65	N	4	o	,,	29.79	756.6	75	94	S	2	o
Manila, ...	,,	29.75	755.7	90	60	SW	2	o	,,	29.85	758.1	79	92	SW	1	o
Legaspi, ...	,,	29.75	755.7	86	81	SW	2	o	,,	29.82	757.5	79	92	W	2	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao, ...	,,	29.76	756.0	86	75	WSW	2	o	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.81	757.2	...	...	NE	2	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.79	756.6	...	...	ESE	4	o	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.88	758.9	79	...	...	c	o
Labuan, ...	14	29.75	755.6	86	88	S	4	b	6	29.81	757.2	80	82	NE	2	b

June 5*d.* 11*h.* 10*m.*—Pressure has increased slightly at the majority of reporting stations.

The anticyclone has strengthened and is still central near Tokio.

A trough of low pressure extends from Indo-China to the east of the Bashi Channel, where a typhoon may possibly be forming.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 31·10 inches, against an average of 25·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; generally cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rook, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	6th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
	h. m.															
Wladivostock, .	12	29.98	761.4	75	...	...	0	c	6	29.99	761.6	58	...	...	0	0
Nemuro.....	11	30.04	763.0	...	...	SSW	4	...	5	30.14	765.5	...	...	...	0	...
Hokodate, ...	,,	30.16	766.0	...	...	SSW	1	...	,,	30.14	765.5	...	...	NE	1	...
Tokio.....	,,	30.24	768.0	...	...	SE	1	...	,,	30.12	765.0	...	...	N	1	...
Koohi, ...	,,	30.14	765.5	...	...	SE	1	...	,,	30.08	764.0	...	...	SW	1	...
Nagasaki, ...	,,	30.08	764.0	...	...	ENE	1	...	,,	30.06	763.5	...	...	...	...	...
Kagoshima, ...	,,	30.06	763.5	...	...	E	2	...	,,	30.04	763.0	...	...	...	0	...
Oshima, ...	,,	29.96	761.0	...	...	...	0	...	,,	29.92	760.0	...	...	...	...	...
Naha, ...	,,	29.90	759.5	...	...	E	1	...	,,	29.88	759.0	...	...	...	...	...
Ishigakijima,...	,,	29.88	759.0	...	...	WSW	1	...	,,	29.84	758.0	...	...	SSW	1	...
Bonin Island,...	,,	29.98	761.5	...	...	S	2	...	,,	...	...	...	...	...	...	...
Chefoo, ...	15	30.06	763.5	73	67	ESE	1	b	6	30.01	762.2	70	61	SSW	2	b
Ichang.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai.	14	30.07	763.8	77	61	E	4	b	,,	30.11	764.7	61	100	ENE	1	b
Gutzlaff.....	,,	30.08	764.0	69	85	E	4	b	,,	30.10	764.5	65	95	NE	2	b
Sharp Peak, ...	,,	29.93	760.2	81	78	E	4	o	7	29.97	761.2	70	80	N	2	o
Amoy, ...	,,	29.85	758.2	80	70	SSE	2	b	6	29.83	757.7	71	85	ENE	1	b
Swatow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku, ...	11	29.89	759.3	72	92	...	0	r	5	29.92	759.9	70	96	E	2	o
Taichu, ...	,,	29.84	757.8	81	...	NNW	2	o	,,	29.87	758.7	70	...	...	0	o
Tainan, ...	,,	29.84	757.8	81	...	N	4	o	,,	29.81	757.2	70	...	NNE	2	o
Koshun,.....	,,	29.82	757.5	84	...	NW	2	o	,,	29.82	757.5	75	...	ENE	2	o
Pescadores, ...	,,	29.88	759.0	77	...	NE	4	o	,,	29.86	758.4	73	...	NE	4	o
Canton, ...	14	29.86	758.4	82	75	NNE	1	o	6	...	...	...	...	...	...	...
Hongkong,.....	,,	29.86	758.4	76	77	ESE	3	o	,,	29.90	759.4	74	74	E	4	o
Gap Rock,.....	,,	29.86	758.4	...	...	ENE	4	c	,,	29.89	759.2	...	...	ENE	4	c
Macao, ...	,,	29.79	756.6	77	84	SE	2	o	,,	29.87	758.7	73	88	SE	2	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow.....	,,	29.75	755.6	92	64	SSE	1	b	,,	...	...	...	...	...	...	...
Pratas Island,...	14	29.81	757.2	81	73	NE	4	b	6	29.83	757.7	79	82	NNE	5	b
Phulien, ...	15	29.72	754.8	86	75	SE	4	o	7	...	...	...	...	...	...	...
Tourane,.....	,,	29.75	755.7	86	...	NW	2	b	,,	...	...	...	...	...	...	...
Cape St. James.	,,	29.82	757.5	79	...	SW	2	o	,,	...	...	...	...	...	...	...
Basco,.....	,,	29.79	756.6	86	78	WNW	2	o	6	...	...	...	...	...	...	...
Aparri, ...	,,	29.76	756.0	86	91	N	4	o	,,	29.81	757.2	77	94	S	2	r
Manila, ...	,,	29.79	756.6	75	63	W	4	o	,,	29.85	758.1	75	96	E	2	r
Legaspi,.....	,,	29.76	756.0	93	59	SE	1	o	,,	29.84	757.8	81	84	E	1	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.79	756.6	86	75	SSW	4	o	,,	...	...	...	...	...	...	...
Surigao, ...	,,	29.80	756.9	86	58	S	2	b	,,	...	...	...	...	...	...	...
Guam,.....	12.20	29.86	758.4	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.81	757.2	...	...	NE	4	o	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.78	756.4	88	84	NE	4	b	6	29.82	757.4	78	94	NE	2	b

June 6*d*. 11*h*. 45*m*.—Pressure has decreased moderately at Tokio and slightly from S.W. Japan to N.E. China. It has increased slightly over S. China and the Philippines.

A belt of high pressure extends from E. China to N.E. Japan. The trough of low pressure from Indo-China to east of the Bashi Channel is not so pronounced this morning.

There is a depression over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 31·10 inches, against an average of 26·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, fresh; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	7th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	29.91	759.7	69	...	SSE	3	c	6	29.90	759.4	58	...	...	0	o
Nemuro.....	11	30.06	763.5	...	...	SSW	2	...	5	29.92	760.0	...	...	WSW	1	...
Hokodate, ...	,,	30.04	763.0	...	...	SSE	1	...	,,	29.96	761.0	...	...	...	...	...
Tokio,.....	,,	30.04	763.0	...	...	NNE	1	...	,,	29.98	761.5	...	...	...	C	...
Kochi, ...	,,	30.02	762.5	...	...	S	1	...	,,	30.02	762.5	...	...	WSW	1	...
Nagasaki, ...	,,	30.02	762.5	...	...	W	1	...	,,	30.02	762.5	...	...	..	...	...
Kagoshima, ...	,,	30.00	762.0	...	...	NNE	1	...	,,	30.02	762.5	...	...	NW	1	...
Oshima, ...	,,	29.96	761.0	...	...	E	1	...	,,	29.96	761.0	...	...	...	0	...
Naha.	,,	29.92	760.0	...	...	NE	2	...	,,	29.92	760.0	...	...	NNE	1	...
Ishigakijima,...	,,	29.88	759.0	...	...	S	1	...	,,	29.86	758.5	...	...	E	1	...
Bonin Island,..	..	29.98	761.5			SSW	3	...	,,	...	...	...	...	...	...	...
Chefoo, ...	15	29.92	759.9	80	62	ENE	2	b	6	29.89	759.2	74	63	S	4	b
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.86	758.4	74	...	W	1	bc
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.81	757.2	74	...	...	0	o
Changsha, ...	,,	...	...	...	...	...	...	...	,,	29.95	760.7	75	...	...	C	r
Shanghai, ...	14	30.07	763.8	81	94	E	1	b	,,	30.02	762.6	63	90	ESE	2	b
Gutzlaff,.....	,,	30.11	764.8	73	76	ENE	2	b	,,	30.04	763.0	65	95	SE	2	b
Sharp Peak, ...	,,	30.00	763.0	76	73	ENE	4	o	,,	29.95	760.7	71	80	NW	1	o
Amoy, ...	,,	29.87	758.7	82	79	NE	2	o	6	29.84	757.9	71	76	NE	2	b
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	11	29.95	760.8	81	73	E	4	o	5	29.86	758.4	72	98	E	2	r
Taichu, ...	,,	29.93	760.2	84	...	...	C	of	,,	29.85	758.1	72	...	...	C	o
Tainan, ...	,,	29.93	760.0	81	...	...	C	of	,,	29.80	756.9	73	...	...	C	o
Koshun, ...	,,	29.87	758.7	82	...	SE	4	o	,,	29.80	756.9	79	...	NE	4	o
Pescadores, ...	,,	29.92	759.9	77		NE	4	o	,,	29.78	756.3	73	...	NE	4	b
Canton, ...	14	29.89	759.2	76	86	N	2	o	6	...	...	...	...	...	...	...
Hongkong,.....	,,	29.89	759.2	77	69	E	4	o	,,	29.85	758.2	73	82	E	3	c
Gap Rock, ...	,,	29.88	758.9	..	...	ENE	5	o	,,	29.80	758.4	...	...	ENE	5	o
Macao.	,,	29.86	758.4	81	73	SE	4	o	,,	29.82	757.5	73	82	ESE	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,...	14	...	...	...	...	...	...	...	6	29.80	756.9	79	84	ENE	5	d
Phulien, ...	15	29.78	756.3	77	96	ENE	4	of	7	29.78	756.3	75	94	ENE	4	of
Tourane,.....	,,	29.78	756.3	86	...	SE	2	b	,,	29.74	755.4	84	...	NW	2	of
Cape St. James.	,,	29.82	757.5	82	...	W	2	b	,,	29.78	756.3	77	...	SW	4	b
Basco,.....	,,	29.81	757.2	81	87	NNE	2	o	6	...	...	...	...	...	...	...
Aparri, ...	,,	29.76	756.0	90	82	E	4	o	,,	29.76	756.0	77	94	...	0	o
Manila, ...	,,	29.79	756.6	86	65	WSW	2	o	,,	29.81	757.2	79	91	SSW	2	o
Legaspi, ...	,,	29.78	756.3	93	64	ENE	2	o	,,	29.80	756.9	77	94	...	0	b
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.79	756.6	86	78	S	4	o	,,	...	...	...	...	...	...	...
Surigao, ...	..	29.79	756.6	93	61	NE	1	b	..	...	...	...	...	...	...	...
Guam,.....	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	...	...	...	...	...	..	...	4.47	29.79	756.6	...	...	ENE	4	o
Pelew, ...	11.00	...	...	...	.	...	...	...	5	29.83	757.7	79	...	SSW	1	c
Labuan, ...	14	29.77	756.1	88	84	NE		b	6	29.83	757.7	78	86	NE	2	b

June 7*d*. 11*h*. 12*m*.—Pressure is highest over S.W. Japan. It has decreased slightly over central Japan and over the western portion of the map. It is nearly stationary from S.W. Japan to the Loochoos.

A trough of low pressure extends from Indo-China to the east of Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 31·10 inches, against an average of 26·88 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8th.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	E. winds, moderate; fair.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th June, 1926.								8th June, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.84	758.0	71	...	...	0	c	6	29.84	757.8	59	...	SE	4	b
Nemuro,.....	11	29.84	758.0	...	...	S	2	...	5	29.80	757.0	...	...	...	0	...
Hokodate, ...	,,	29.94	760.5	...	...	NE	2	...	,,	29.96	761.0	...	...	...	...	...
Tokio,.....	,,	29.96	761.0	...	...	SSE	1	...	,,	30.06	763.5	...	...	...	0	...
Kochi, ...	,,	29.98	761.5	...	...	SE	1	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki, ...	,,	30.02	762.5	...	...	W	1	...	,,	29.98	761.5	...	...	S	1	...
Kagoshima, ...	,,	30.00	762.0	...	...	SSE	1	...	,,	29.98	761.5	...	...	NW	1	...
Oshima, ...	,,	29.96	761.0	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	0	...
Naha, ...	,,	29.94	760.5	...	...	NE	2	...	,,	29.88	759.0	...	...	NE	1	...
Ishigakijima,...	,,	29.90	759.5	...	...	E	3	...	,,	29.82	757.5	...	...	E	2	...
Bonin Island,..	,,	29.94	760.5	...	...	SW	1	...	,,	29.90	759.5	...	...	SSE	1	...
Chefoo, ...	15	29.85	758.2	86	55	NNE	2	b	6	29.85	758.2	72	62	SE	1	b
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.74	755.4	70	...	SW	...	0
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.75	755.6	74	...	...	0	b
Changsha, ...	,,	...	...	...	...	...	...	...	,,	29.84	757.9	77	...	...	0	0
Shanghai, ...	14	29.99	761.7	81	43	SE	2	b	,,	29.97	761.1	64	96	ESE	2	0
Gutzlaff,.....	,,	30.03	762.7	73	63	SE	2	0	,,	30.00	762.0	67	95	SE	2	b
Sharp Peak, ...	,,	29.96	761.0	73	81	NE	1	r	7	29.89	759.2	70	95	NNE	1	r
Amoy, ...	,,	29.81	757.2	81	67	NE	2	b	6	29.77	756.1	74	92	NNE	1	0
Swatow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	11	29.88	759.0	79	87	E	4	r	5	29.79	756.6	73	85	E	4	b
Taichu, ...	,,	29.87	758.7	81	...	...	0	0	,,	29.78	756.3	73	...	...	0	0
Tainan, ...	,,	29.84	757.8	82	...	WNW	2	0	,,	29.75	755.7	75	...	...	0	0
Koshun, ...	,,	29.84	757.8	84	...	NE	2	0	,,	29.74	755.4	77	...	NNE	2	0
Pescadores, ...	,,	29.87	758.7	81	...	NE	4	0	,,	29.76	756.0	73	...	NNE	2	b
Canton, ...	14	29.83	757.7	81	78	...	0	0	6	...	...	...	...	...	...	...
Hongkong,.....	,,	29.83	757.7	76	72	E	3	0	,,	29.78	756.4	73	88	E	3	0
Gap Rock, ...	,,	29.82	757.5	...	...	ENE	5	c	,,	29.77	756.1	...	...	ENE	4	b
Macao, ...	,,	29.81	757.2	79	73	SE	4	0	,,	29.74	755.4	73	89	SE	4	0
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	14	29.78	756.4	83	76	NE	5	c	6	29.72	754.9	79	90	NE	6	0
Phulien, ...	15	29.73	755.1	81	86	ENE	4	0	7	29.73	755.1	73	96	NE	4	rf
Tourane,.....	,,	29.72	754.8	84	...	SE	2	0	,,	29.72	754.8	77	...	...	0	0
Cape St. James,	,,	29.74	755.4	90	...	SW	4	0	,,	29.75	755.7	79	...	SW	4	0
Basco,.....	,,	29.76	756.0	81	90	...	0	0	6	...	...	...	...	...	...	...
Aparri, ...	,,	29.75	755.7	81	89	E	2	r	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.75	755.7	86	68	SW	2	0	,,	29.76	756.0	77	94	N	4	r
Legaspi, ...	,,	29.74	755.4	90	63	S	2	0	,,	29.75	755.7	79	98	W	1	b
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.76	756.0	86	71	S	4	0	,,	29.76	756.0	81	92	SE	1	0
Surigao, ...	,,	29.76	756.0	90	69	N	1	0	,,	...	...	...	...	...	...	...
Guam,.....	12.20	29.80	756.9	...	...	E	4	0	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.74	755.4	...	...	E	6	r	4.47	29.76	756.0	...	...	SW	4	0
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.80	756.9	78	...	SSW	2	0
Labuan, ...	14	29.79	756.6	88	84	NE	2	b	6	29.82	757.4	78	91	NE	2	b

June 8*d.* 10*h.* 55*m.*—Pressure has decreased moderately from central China to N. Indo-China and slightly elsewhere.

The anticyclone has weakened. It is now central near Tokio.

A depression lies over Indo-China.

Manila warning. 7*d.* 18*h.* 10*m.*:—Cyclone or typhoon near or over the Pelew Islands, direction unknown. Recd. 7*d.* 18*h.* 54*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total since January 1st.** 31·10 inches, against an average of 27·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	E. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	9th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	29.78	756.3	63	...	SE	4	c	6	29.71	754.5	59	...	ESE	4	c
Nemuro.....	11	29.74	755.3	...	...	SW	2	...	5	29.71	754.5	...	...	...	0	...
Hokodate, ...	..	29.92	760.0	...	...	SW	1	...	,,	29.86	758.5	...	...	...	...	...
Tokio.....	,,	30.02	762.5	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	0	...
Kochi, ...	,,	29.96	761.0	...	...	SE	1	...	,,	29.78	756.5	...	...	...	0	...
Nagasaki, ...	,,	29.96	761.0	...	...	SSE	1	...	,,	29.92	760.0	...	...	S	1	...
Kagoshima, ...	,,	29.94	760.5	...	...	SSE	1	...	,,	29.96	761.0	...	...	NW	1	...
Oshima, ...	,,	29.92	760.0	...	...	E	1	...	,,	29.88	759.0	...	...	...	0	...
Naha, ...	,,	29.86	758.5	...	...	NE	3	...	,,	29.82	757.5	...	...	NE	1	...
Ishigakijima,...	,,	29.84	758.0	...	...	E	3	...	,,	29.78	756.5	...	...	E	1	...
Bonin Island,..	..	29.92	760.0	...	...	...	0	...	..	29.82	757.5	...	...	...	...	...
Chefoo, ...	15	29.79	756.6	80	70	ENE	2	b	6	29.77	756.1	71	76	NNE	1	o
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.76	755.9	76	...	...	0	o
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.65	753.1	75	...	E	1	o
Changsha, ...	,,	...	...	...	...	...	...	...	,,	29.74	755.4	78	...	...	0	r
Shanghai, ...	14	29.92	759.9	84	58	ESE	4	b	,,	29.91	759.6	68	94	SE	4	b
Gutzlaff,.....	,,	29.96	761.0	73	86	SE	2	b	,,	29.92	759.9	68	100	SSE	2	o
Sharp Peak, ...	,,	29.88	758.9	73	88	NNE	1	r	,,	29.86	758.4	72	95	NW	1	o
Amoy, ...	,,	29.74	755.4	83	71	E	4	o	6	29.76	755.9	75	86	NE	1	o
Swatow, ...	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Taihoku, ...	11	29.84	757.8	79	76	E	4	o	5	29.78	756.3	73	88	E	4	o
Tachu, ...	,,	29.80	756.9	84	...	...	0	o	,,	29.79	756.6	73	...	...	0	o
Tainan, ...	,,	29.80	756.9	86	...	WSW	2	o	,,	29.76	756.0	75	...	...	0	h
Koshun, ...	,,	29.78	756.3	84	...	ENE	4	b	,,	29.74	755.4	77	...	NNE	4	b
Pescadores, ..	,,	29.82	757.5	82	...	N	2	o	,,	29.76	756.0	75	...	NNE	2	b
Canton, ...	14	...	...	...	...	...	..	...	6	...	...	...	...	...	...	...
Hongkong,.....	,,	29.77	756.1	78	78	ESE	3	c	,,	29.74	755.4	75	89	E	3	o
Gap Rock, ...	,,	29.77	756.1	...	...	ENE	4	b	,,	29.73	755.1	...	...	ENE	4	o
Macao, ...	,,	29.75	755.7	86	75	SE	2	b	,,	29.71	754.5	73	91	ESE	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,...	14	29.72	754.9	83	87	NE	4	c	6	29.73	755.1	82	75	E	2	b
Phulien, ...	15	29.67	753.6	86	78	ESE	4	o	7	29.69	754.2	77	94	ENE	4	of
Tourane,.....	,,	29.69	754.2	84	...	SE	2	o	,,	29.66	753.3	77	...	NW	2	o
Cape St. James.	,,	29.73	755.1	82	...	SW	4	r	,,	29.74	755.4	75	...	W	4	o
Basco,.....	,,	29.73	755.1	82	84	WNW	1	o	6	...	...	...	...	...	...	...
Aparri, ...	,,	29.71	754.5	84	77	NNW	2	r	,,	29.73	755.1	75	96	S	4	o
Manila, ...	,,	29.73	755.1	80	71	WSW	4	o	,,	29.75	755.7	77	96	SE	2	o
Legaspi, ...	,,	29.69	754.2	93	61	E	4	o	,,	29.75	755.7	79	91	WSW	4	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	29.79	756.6	79	96	...	0	o
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	29.80	756.9	79	92	SE	4	o
Surigao, ...	..	29.73	755.1	90	66	NNE	1	o	,,	29.78	756.3	82	81	W	4	o
Guam,.....	12.20	29.79	756.6	...	...	NE	4	o	4.20	29.82	757.5	...	...	SE	1	o
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	29.80	756.9	...	...	WSW	2	o
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.81	757.2	81	...	WSW	2	c
Labuan, ...	14	29.79	756.6	88	84	NE	4	b	6	29.83	757.7	80	87	N	2	b

June 9*d*. 11*h*. 50*m*.—Pressure is highest over the Eastern Sea and central Japan. It has decreased moderately over central Japan and central China, and slightly from N.E. Japan to N.E. China, over S. China and over Indo-China. It is nearly stationary over Formosa and the Philippines.

Depressions lie over the Sea of Japan, over central China and over the western China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 31·10 inches, against an average of 27·90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10th.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	E. winds, moderate; overcast, some rain.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	10th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.64	752.9	74	...	WSW	2	o	6	29.71	754.5	66	...	...	o	o
Nemuro,	11	29.67	753.5	...	...	SE	1	...	5	29.67	753.5	...	...	N	1	...
Hokodate,	,,	29.78	756.5	...	...	SW	3	...	,,	29.73	755.0	...	...	...	o	...
Tokio,	,,	29.86	758.5	...	...	S	1	...	,,	29.80	757.0	...	...	..	c	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.86	758.5	...	...	WSW	1	...
Nagasaki,	,,	29.92	760.0	...	...	W	2	...	,,	29.88	759.0	...	...	...	o	...
Kagoshima,	,,	29.92	760.0	...	...	S	1	...	,,	29.86	758.5	...	...	NW	1	...
Oshima,	,,	29.88	759.0	...	...	E	1	...	,,	29.84	758.0	...	...	S	1	...
Naha,	,,	29.86	758.5	...	...	NE	2	...	,,	29.80	757.0	...	...	...	...	...
Ishigakijima,	,,	29.82	757.5	...	...	E	4	...	,,	29.76	756.0	...	...	E	1	...
Bonin Island,	,,	29.82	757.5	...	...	NE	1	...	,,	29.82	757.5	...	...	NE	1	...
Chefoo,	15	29.69	754.1	88	59	SSW	2	o	6	29.73	755.1	70	91	S	1	o
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.82	757.5	77	64	SE	4	o	,,	29.75	755.7	70	98	SSE	4	r
Gutzlaff,	,,	29.86	758.4	73	81	SSE	2	o	,,	29.79	756.6	68	100	SSE	4	r
Sharp Peak,	,,	29.85	758.2	77	86	N	1	o	7	29.81	757.2	77	86	N	1	o
Amoy,	,,	29.70	754.4	83	75	SSE	2	b	6	29.71	754.6	75	86	SSE	2	of
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.79	756.6	84	64	ENE	2	o	5	29.74	755.4	73	92	...	c	o
Taichu,	,,	29.76	756.0	86	...	SW	2	o	,,	29.76	756.0	72	...	...	o	b
Tainan,	,,	29.78	756.3	86	...	NW	2	b	,,	29.72	754.8	73	...	...	c	b
Koshun,	,,	29.76	756.0	86	...	NE	4	b	,,	29.72	754.8	75	...	ENE	2	b
Pescadores,	,,	29.79	756.6	82	...	N	2	b	,,	29.73	755.1	75	...	...	o	b
Canton,	14	29.72	754.9	88	73	ESE	2	c	6	...	...	...	...	...	...	...
Hongkong,	,,	29.75	755.6	74	93	E	3	od	,,	29.69	754.1	76	91	E	3	o
Gap Rock,	,,	29.72	754.9	...	...	ENE	4	o	,,	29.68	753.9	...	...	ENE	4	o
Macao,	,,	29.72	754.8	82	81	SE	2	o	,,	29.66	753.3	75	92	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.73	755.1	87	74	E	2	b	6	29.66	753.3	85	86	E	3	b
Phulien,	15	29.65	753.0	82	84	ESE	6	o	7	29.65	753.0	79	95	ESE	4	of
Tourane,	,,	29.66	753.3	86	...	SE	4	o	,,	29.66	753.3	79	...	..	c	b
Cape St. James.	,,	29.72	754.8	86	...	W	2	o	,,	29.76	756.0	79	...	SW	4	o
Basco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	84	81	WSW	4	r	,,	29.76	756.0	77	96	E	1	o
Legaspi,	,,	29.71	754.5	86	71	SW	4	o	,,	29.75	755.7	79	89	SW	2	o
Tacloban,	,,	29.74	755.4	79	93	SSE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	84	85	SW	4	o	,,	29.80	756.9	81	97	SSE	4	o
Surigao,	,,	29.73	755.1	90	63	WSW	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	W	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	WSW	4	b	4.47	29.80	756.9	...	...	WSW	2	o
Pelew,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	79	...	N	2	c
Labuan,	14	29.77	756.1	86	84	NE	2	b	6	29.81	757.2	78	91	NE	2	b

June 10*d*. 10*h*. 56*m*.—Pressure is highest over S.W. Japan. It is nearly stationary over the Philippines; has increased slightly from N.E. China to S. Manchuria and decreased slightly elsewhere.

Depressions lie over central China and over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 31·13 inches, against an average of 28·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rook, 4.—South coast of China between Hongkong and Hainan,	E. or variable winds, moderate; overcast, some rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	11th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	29.71	754.6	64	...	ESE	4	b	6	29.90	759.4	59	...	NNW	2	c
Nemuro, ...	11	29.69	754.0	...	...	NE	3	...	5	29.84	758.0	...	...	ENE	2	...
Hokodate, ...	,,	29.69	754.0	...	...	SW	1	...	,,	29.73	755.0	...	...	SE	1	...
Tokio, ...	,,	29.74	755.5	...	...	S	1	...	,,	29.75	755.5	...	...	NW	1	...
Kochi, ...	,,	29.82	757.5	...	...	E	1	...	,,	29.80	757.0	...	...	...	0	...
Nagasaki, ...	,,	29.84	758.0	...	...	SW	1	...	,,	29.78	756.5	...	...	...	0	...
Kagoshima, ...	,,	29.84	758.0	...	...	SE	1	...	,,	29.78	756.5	...	...	...	0	...
Oshima, ...	,,	29.84	758.0	...	...	ESE	1	...	,,	29.75	755.5	...	...	...	0	...
Naha, ...	,,	29.82	757.5	...	...	NE	2	...	,,	29.73	755.0	...	...	E	1	...
Ishigakijima, ...	,,	29.78	756.5	...	...	SE	2	...	,,	29.69	754.0	...	...	S	2	...
Bonin Island, ...	..	...	...	...	...	...	...	...	,,	29.80	757.0	...	...	ENE	1	...
Chefoo, ...	15	29.71	754.6	74	81	SSE	2	o	6	29.72	754.9	62	100	ESE	2	r
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.56	750.8	77	...	...	0	o
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.64	752.8	79	...	...	0	o
Changsha, ...	,,	...	...	...	...	...	...	...	,,	29.58	751.3	78	...	NW	2	r
Shanghai, ...	14	29.72	754.8	70	94	SE	4	r	,,	29.62	752.4	70	98	...	0	of
Gutzlaff, ...	,,	29.75	755.6	65	100	SE	6	r	,,	29.62	752.3	70	100	WSW	2	rf
Sharp Peak, ...	,,	29.77	756.1	84	75	SE	1	b	7	29.96	761.0	76	95	...	0	o
Amoy, ...	,,	29.68	753.9	83	79	SSE	4	b	6	29.55	750.5	78	92	SSE	1	o
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	11	29.74	755.4	86	61	...	0	b	5	29.63	752.7	73	96	..	0	b
Taichu, ...	,,	29.75	755.7	86	...	...	0	o	,,	29.65	753.0	73	...	SE	0	b
Tainan, ...	,,	29.74	755.4	86	...	WSW	2	b	,,	29.62	752.4	77	...	...	1	b
Koshun, ...	,,	29.74	755.4	86	...	NE	2	b	,,	29.63	752.7	77	...	...	0	b
Pescadores, ...	,,	29.75	755.7	77	...	...	0	b	,,	29.62	752.4	79	...	SSW	2	b
Canton, ...	14	29.75	755.7	83	83	S	1	o	6	...	...	...	...	...	...	...
Hongkong, ...	,,	29.66	753.3	80	83	E	3	o	,,	29.59	751.6	75	99	E	1	om
Gap Rock, ...	,,	29.66	753.3	....	...	ENE	4	o	,,	29.59	751.6	...	...	ENE	3	om
Macao, ...	,,	29.65	753.0	84	81	ESE	2	o	,,	29.56	750.9	75	96	ESE	2	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...		...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island, ...	14	29.66	753.3	86	78	ESE	2	o	6	29.59	751.6	88	80	SSW	2	o
Phulien, ...	15	29.60	751.8	79	96	ESE	6	r	7	29.55	750.6	81	97	SE	4	of
Tourane, ...	,,	29.65	753.0	86	...	SE	2	b	,,	29.60	751.8	84	...	...	0	b
Cape St. James,	,,	29.74	755.4	79	...	SW	6	of	,,	29.73	755.1	75	...	SW	6	r
Basco, ...	,,	29.69	754.2	86	75	W	1	o	6	29.65	753.0	79	87	SSE	2	o
Aparri, ...	,,	29.67	753.6	86	64	...	0	o	,,	29.67	753.6	75	94	...	0	h
Manila, ...	,,	29.75	755.7	82	81	SW	4	o	,,	29.72	754.8	77	96	SE	2	r
Legaspi, ...	,,	29.71	754.5	90	63	SW	4	o	,,	29.71	754.5	79	95	SW	2	o
Tacloban, ...	,,	29.73	755.1	90	69	ESE	2	o	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	....	...	...	...	...	...	...	,,	29.74	755.4	81	96	S	4	o
Surigao, ...	..	29.73	755.1	86	61	W	4	o	,,	29.75	755.7	77	92	...	0	o
Guam, ...	12.20	29.76	756.0	...	...	SW	1	r	4.20	29.75	755.7	...	...	SE	1	o
Yap, ...	12.47	29.80	756.9	...	...	WSW	4	o	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	..	...	...	...	...	5	29.81	757.2	81	...	...	0	c
Labuan, ...	14	29.79	756.6	88	84	NE	2	b	6	29.81	757.2	78	91	NE	2	b

June 11*d*. 11*h*. c*om*.—Pressure has increased moderately from S. Manchuria to N.E. Japan. It has decreased moderately to slightly elsewhere.

The two depressions have merged into one which is central over S.W. China and now dominates the map.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 31·13 inches, against an average of 28·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, ...	Variable winds, moderate; generally overcast, some rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th JUNE, 1926.								12th JUNE, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.93	760.2	66	...	N	4	0	6	30.14	765.5	47	...	S	4	0
Nemuro,	11	29.84	758.0	...	...	E	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.74	755.5	...	...	SSE	2	...	,,	29.88	759.0	...	...	...	...	...
Tokio,	,,	29.70	754.5	...	...	SSE	1	...	,,	29.75	755.5	...	...	NE	1	...
Kochi,	,,	29.78	756.5	...	...	...	...	...	,,	29.76	756.0	...	...	...	0	...
Nagasaki,	,,	29.76	756.0	...	...	SW	1	...	,,	29.75	755.5	...	...	...	0	...
Kagoshima,	,,	29.78	756.5	...	...	...	...	...	,,	29.73	755.0	...	...	ENE	1	...
Oshima,	,,	29.72	755.0	...	...	SSE	1	...	,,	29.59	7515.	...	...	SE	1	...
Naha,	,,	29.70	754.5	...	...	ESE	1	...	,,	29.57	751.0	...	...	ESE	1	...
Ishigakijima,	,,	29.67	753.5	...	...	S	2	...	,,	29.55	750.5	...	...	SSW	3	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.78	756.4	63	94	ESE	1	r	6	29.82	757.4	60	94	...	0	0
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	29.62	752.3	75	...	N	2	b
Changsha,	,,	...	...	...	...	...	...	...	,,	29.63	752.6	75	...	WNW	2	c
Shanghai,	14	29.60	751.8	77	76	N	1	o	,,	29.67	753.6	68	96	NE	2	r
Gutzlaff,	,,	29.60	751.8	75	92	NNW	1	o	,,	29.65	753.1	67	100	NE	4	of
Sharp Peak,	,,	29.62	752.3	88	76	S	1	b	7	29.58	751.3	74	98	N	1	r
Amoy,	,,	29.52	749.8	84	79	SE	4	b	6	29.51	749.5	80	92	SSW	1	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.61	752.1	90	63	NNW	2	o	5	29.54	750.3	75	96	...	0	0
Taichu,	,,	29.65	753.0	90	...	SW	2	b	,,	29.58	751.2	75	...	...	0	b
Tainan,	,,	29.63	752.7	90	...	SSW	4	b	,,	29.55	750.6	77	...	SE	2	b
Koshun,	,,	29.66	753.3	86	...	S	2	o	,,	29.55	750.6	79	...	...	0	o
Pescadores,	,,	29.63	752.7	86	...	SW	4	o	,,	29.53	750.0	79	...	S	2	b
Canton,	14	29.54	750.3	90	73	SSW	1	b	6	...	...	...	...	...	...	...
Hongkong,	,,	29.56	750.8	86	72	W	2	o	,,	29.56	750.8	79	91	WNW	1	o
Gap Rock,	,,	29.58	751.3	...	...	N	2	b	,,	29.56	750.8	...	...	WSW	3	b
Macao,	,,	29.54	750.3	86	78	ESE	2	b	,,	29.53	750.0	79	91	W	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.59	751.6	88	81	S	2	b	6	29.54	750.3	82	85	W	4	c
Phulien,	15	29.49	749.1	90	79	SSE	4	b	7	29.55	750.6	79	95	NNW	2	o
Tourane,	,,	29.58	751.2	90	...	SE	2	b	,,	29.58	751.2	84	...	...	0	b
Cape St. James,	,,	29.71	754.5	86	...	S	4	b	,,	29.75	755.7	79	...	SW	4	o
Basco,	,,	29.62	752.4	86	75	SW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.61	752.1	86	65	SSE	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	82	86	SW	2	o	,,	29.72	754.8	66	92	SW	4	r
Legaspi,	,,	29.72	754.8	82	84	SW	2	o	,,	29.69	754.2	79	91	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	78	SW	4	o	,,	29.74	755.4	84	85	S	6	o
Surigao,	,,	29.71	754.5	86	68	W	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.71	754.5	...	...	SE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	WNW	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.78	756.4	79	...	NE	2	b
Labuan,	14	29.78	756.4	86	84	NE	4	b	6	29.81	757.2	82	91	NE	2	b

June 12*d.* 11*h.* 11*m.*—Pressure has increased considerably over S. Manchuria, moderately over N.E. Japan and slightly from Chefoo to Shanghai. It has decreased slightly from S.W. Japan to Formosa and the Philippines, and is nearly stationary elsewhere.

An anticyclone lies over Manchuria and a trough of low pressure extends from Tongking to the Loochoos.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 31·13 inches, against an average of 29·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13th.

District.	Forecast.
1.—Formosa Channel, ...	Light, variable winds; generally overcast, some rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th JUNE, 1926.								13th JUNE, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro, ...	11	29.98	761.5	...	...	NNE	3	...	5	29.98	761.5	...	...	NNE	1	...
Hokodate, ...	,,	29.92	760.0	...	...	ESE	3	...	,,	29.96	761.0	...	...	ESE	2	...
Tokio, ...	,,	29.76	756.0	...	...	ESE	3	...	,,	29.90	759.5	...	...	NE	1	...
Kochi, ...	,,	29.78	756.5	...	...	SE	1	...	,,	29.67	753.5	...	...	...	0	...
Nagasaki, ...	,,	29.70	754.5	...	...	ESE	1	...	,,	29.65	753.0	...	...	N	2	...
Kagoshima, ...	,,	29.70	754.5	...	...	NE	1	...	,,	29.61	752.0	...	...	N	1	...
Oshima, ...	,,	29.53	750.0	...	...	S	3	...	,,	29.39	746.5	...	...	...	...	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	29.43	747.5	...	...	WSW	2	...
Ishigakijima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	NW	2	...
Bonin Island, ..	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo, ...	15	29.81	757.2	70	85	SSE	1	0	6	29.86	758.4	62	94	E	1	b
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.74	755.4	76	...	NW	1	b
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.67	753.6	75	...	...	0	b
Changsha, ...	,,	...	...	...	...	...	...	...	,,	29.66	753.3	80	...	...	0	b
Shanghai, ...	14	29.69	754.2	68	77	ENE	2	r	,,	29.80	756.9	64	92	NE	2	0
Gutzlaff, ...	,,	29.68	753.9	66	100	ENE	6	r	,,	29.77	756.1	64	91	NE	6	0
Sharp Peak, ...	,,	29.58	751.3	72	93	N	1	rf	7	29.66	753.3	72	90	W	1	0
Amoy, ...	,,	29.46	748.3	82	87	SSE	4	0	6	29.56	750.8	75	92	...	0	b
Swatow, ...	,,	...	...	...	...	...	...	...	,,	29.91	759.7	79	...	NW	...	b
Taihoku, ...	11	29.53	750.0	90	69	WNW	4	0	5	29.63	752.7	72	96	...	0	0
Taichu, ...	,,	29.56	750.9	90	...	SW	2	0	,,	29.60	751.8	73	...	N	2	0
Tainan, ...	,,	29.54	750.3	90	...	SW	2	b	,,	29.56	750.9	75	...	N	4	b
Koshun, ...	,,	29.53	750.0	86	...	WSW	2	0	,,	29.55	750.6	77	...	...	0	0
Pescadores, ...	,,	29.55	750.6	84	...	W	2	b	,,	29.60	751.8	75	...	NE	6	b
Canton, ...	14	...	...	...	...	...	...	...	6	29.80	756.9	83	...	...	0	0
Hongkong, ...	,,	29.55	750.5	84	75	WNW	2	0	,,	29.62	752.3	77	93	E	3	or
Gap Rock, ...	,,	29.55	750.5	...	...	W	2	0	,,	29.61	752.1	...	...	NW	3	0
Macao, ...	,,	29.53	750.0	84	81	ESE	2	0	,,	...	...	...	...	...	...	...
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island, ...	14	29.55	750.5	88	77	WNW	2	b	6	29.59	751.6	85	80	WNW	3	b
Phulien, ...	15	29.55	750.6	84	81	NW	2	0	7	29.61	752.1	79	95	...	0	of
Tourane, ...	,,	29.61	752.1	86	...	NE	2	0	,,	29.63	752.7	82	...	...	0	0
Cape St. James.	,,	29.72	754.8	82	...	SSW	6	of	,,	29.76	756.0	79	...	SW	4	of
Basco, ...	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.73	755.1	77	91	SSW	4	r	,,	29.69	754.2	75	96	...	0	0
Legaspi, ...	,,	29.67	753.6	90	66	SW	4	0	,,	29.67	753.6	81	90	SSW	4	0
Tacloban, ...	,,	29.67	753.6	90	60	NE	2	0	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.72	754.8	86	78	SW	6	0	,,	29.74	755.4	84	85	S	6	0
Surigao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.71	754.5	...	...	SW	4	0	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.75	755.7	...	...	W	4	0	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.78	756.4	88	84	NE	4	b	6	29.82	757.4	82	87	NE	2	b

June 13*d*. 11*h*. 20*m*.—Pressure has increased slightly along the China coast and over Formosa. It has decreased moderately over the Loochoos and S.W. Japan and slightly over the Philippines.

A typhoon which formed to the north of Ishigaki last night is now travelling towards S.W. Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·74 inch. Total since January 1st, 31·87 inches, against an average of 29·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel, ...	N. to W. winds, moderate.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, ... 4.—South coast of China between Hongkong and Hainan, .	E. or variable winds, moderate; generally overcast, rain.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	14th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.98	761.5	47	...	SSE	5	r	6	29.96	761.0	48	...	SSW	3	o
Nemuro,	11	29.98	761.5	...	...	NNW	1	...	5	30.02	762.5	...	...	ENE	1	...
Hokodate,	..	29.94	760.5	...	...	SE	4	...	,,	29.92	760.0	...	...	ESE	3	...
Tokio,	,,	29.88	759.0	...	...	NNE	2	...	,,	29.61	752.0	...	...	NNW	3	...
Kochi,	,,	29.65	753.0	...	...	...	...	...	,,	29.39	746.5	...	...	NW	2	...
Nagasaki,	,,	29.65	753.0	...	...	WNW	1	...	,,	29.61	752.0	...	...	NNE	3	...
Kagoshima,	,,	29.57	751.0	...	...	WSW	1	...	,,	29.53	750.0	...	...	NW	1	...
Oshima,	,,	29.47	748.5	...	...	N	5	...	,,	29.55	750.5	...	...	N	4	...
Naha,	,,	29.47	748.5	...	...	NNW	5	...	,,	29.59	751.5	...	...	NNW	4	...
Ishigakijima,	,,	29.57	751.0	...	...	N	2	...	,,	29.67	753.5	...	...	NNW	1	...
Bonin Island,	..	...	...	...	...	...	...	...	,,	29.53	750.0	...	...	S	4	...
Chefoo,	15	29.81	757.2	76	60	ENE	2	b	6	29.79	756.6	65	78	NNW	4	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.72	754.9	75	...	...	c	bc
Hankow,	,,	...	...	...	...	...	...	...	,,	29.71	754.6	75	...	...	c	bc
Changsha,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	79	...	...	o	bc
Shanghai,	14	29.84	757.8	75	67	NNE	2	o	,,	29.84	757.8	59	96	N	1	b
Gutzlaff,	,,	29.83	757.7	70	75	NNE	4	o	,,	29.83	757.7	64	78	NNE	4	o
Sharp Peak,	,,	29.69	754.1	80	74	ENE	2	b	,,	29.75	755.7	71	85	ESE	2	o
Amoy,	,,	...	...	...	...	...	...	...	6	...	...	74	72	NE	4	o
Swatow,	,,	29.85	758.2	83	...	E	3	b	,,	...	...	74	...	NE	2	b
Taihoku,	11	29.67	753.6	82	63	NNW	2	o	5	29.74	755.4	...	...	...	c	b
Taichu,	,,	29.59	751.5	77	...	N	4	b	,,	29.67	753.6	70	...	...	o	o
Tainan,	,,	29.58	751.2	86	...	NNW	4	b	,,	29.62	752.7	70	...	...	o	b
Koshun,	,,	29.60	751.8	81	...	ENE	4	o	,,	29.66	753.3	75	...	NE	4	b
Pescadores,	,,	29.63	752.7	82	...	NE	6	o	,,	29.67	753.6	77	...	NE	6	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.64	752.9	76	89	ESE	2	or	,,	29.68	753.9	76	78	E	3	o
Gap Rock,	,,	29.62	752.3	...	...	E	4	o	,,	29.65	753.3	...	...	ENE	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.60	751.8	86	74	N	3	o	6	29.64	752.8	81	86	NE	4	o
Phulien,	15	...	...	...	...	...	...	...	7	29.59	751.5	79	95	ENE	2	r
Tourane,	,,	29.61	752.1	90	...	...	c	o	,,	29.63	752.7	82	...	...	o	o
Cape St. James,	,,	29.74	755.4	86	...	SW	6	o	,,	29.78	756.3	79	...	SW	4	o
Basco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	29.61	752.1	77	94	...	c	r
Manila,	,,	29.71	754.5	75	96	...	c	r	,,	29.69	754.2	73	94	ESE	1	o
Legaspi,	,,	29.66	753.3	84	86	SW	4	o	,,	29.67	753.6	79	98	SW	4	o
Tacloban,	,,	29.68	753.9	90	60	SSW	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	70	74	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.69	754.2	90	66	WSW	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.71	754.5	...	...	SW	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	NW	4	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	80	...	NE	4	c
Labuan,	14	29.77	756.1	86	84	NE	2	b	6	29.81	757.2	80	91	NE	2	b

June 14*d*. 11*h*. 07*m*.—Pressure has decreased considerably over central Japan and slightly over the Philippines. It has increased slightly from the Loochoos to S. China and is nearly stationary elsewhere.

A trough of low pressure extends from N. Indo-China to the east of the Bashi Channel.

The typhoon is in about Lat. 31° N. and Long. 136° E., moving N.E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·16 inch. **Total since January 1st,** 32·03 inches, against an average of 30·45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, fresh; generally cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th June, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	15th June, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.98	761.5	...	...	E	2	...	5	29.55	750.5	...	...	NE	6	...
Hokodate,	,,	29.86	758.5	...	...	ESE	4	...	,,	29.43	747.5	...	...	NNW	1	...
Tokio,	,,	29.45	748.0	...	...	N	3	...	,,	29.43	747.5	...	...	SSW	1	...
Kochi,	,,	29.45	748.0	...	...	N	2	...	,,	29.69	754.0	...	...	SW	1	...
Nagasaki,	,,	29.63	752.5	...	...	N	2	...	,,	29.78	756.5	...	...	NE	1	...
Kagoshima,	,,	29.55	750.5	...	...	NW	1	...	,,	29.75	755.5	...	...	NW	1	...
Oshima,	,,	29.61	752.0	...	...	NNE	3	...	,,	...	...	...	...	N	1	...
Naha,	,,	29.67	753.5	...	...	NW	3	...	,,	29.73	755.0	...	...	...	0	...
Ishigakijima,	,,	29.70	754.5	...	...	NNE	2	...	,,	29.73	755.0	...	...	N	1	...
Bonin Island,	,,	29.53	750.0	...	...	S	3	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.79	756.6	70	70	NNW	4	b	6	29.78	756.4	63	72	W	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	76	...	...	0	0
Changsha,	,,	...	...	...	...	...	...	...	,,	29.77	756.1	78	...	...	0	0
Shanghai,	14	29.80	756.9	81	53	NNW	2	b	,,	29.85	758.1	59	96	NNE	1	b
Gutzlaff,	,,	29.82	757.4	73	67	N	2	b	,,	29.85	758.2	65	91	SE	2	0
Sharp Peak,	,,	29.76	755.9	84	65	E	1	b	,,	29.76	755.9	73	90	...	0	0
Amoy,	,,	29.68	753.9	81	62	ENE	4	0	6	29.69	754.1	73	76	NE	2	b
Swatow,	,,	29.88	758.9	77	...	ESE	2	b	,,	...	...	77	...	ENE	3	b
Taihoku,	11	29.75	755.7	79	66	ENE	4	b	5	29.76	756.0	63	94	...	0	b
Taichu,	,,	29.68	753.9	84	...	NNW	2	b	,,	29.72	754.8	66	...	...	0	b
Tainan,	,,	29.67	753.6	86	...	SW	2	b	,,	29.68	753.9	68	...	SE	2	b
Koshun,	,,	29.68	753.9	82	...	NE	4	b	,,	29.69	754.2	73	...	NNE	4	b
Pescadores,	,,	29.72	754.8	82	...	NE	4	b	,,	29.71	754.5	75	...	NE	4	b
Canton,	14	29.68	753.9	75	95	SE	1	0	6	..	...	...	...	...	...	...
Hongkong,	,,	29.66	753.3	78	62	E	5	0	,,	29.68	753.9	75	80	E	4	0
Gap Rock,	,,	29.66	753.3	...	...	ENE	5	0	,,	29.67	753.6	...	...	ENE	4	0
Macao,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Heihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.63	752.6	83	80	ENE	4	0	6	29.66	753.3	82	80	ENE	4	0
Phulien,	15	29.54	750.3	86	81	ESE	2	r	7	29.53	750.0	79	92	E	2	0
Tourane,	,,	29.61	752.1	86	...	...	0	0	,,	29.61	752.1	82	...	...	0	b
Cape St. James,	,,	29.73	755.1	84	...	SW	6	0	,,	29.76	756.0	79	...	WSW	6	0
Basco,	,,	29.65	753.0	84	60	NE	2	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.60	751.8	79	91	NE	4	r	,,	29.65	753.0	73	96	SW	2	r
Manila,	,,	29.67	753.6	81	86	WSW	6	0	,,	29.67	753.6	75	96	...	0	0
Legaspi,	,,	29.67	753.6	81	94	SW	4	0	,,	29.71	754.5	79	96	SW	2	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	79	98	SW	2	0	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	SE	4	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	SW	4	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	88	84	N	1	0	6	29.81	757.2	78	91	NE	2	b

June 15*d.* 10*h.* 15*m.*—Pressure has decreased considerably over N.E. Japan and slightly over N. Indo-China. It has increased considerably over S.W. Japan and slightly from the Loochoos to Formosa.

The typhoon is in about Lat. 38° N. and Long. 143° E., moving N.N.E.

A trough of low pressure extends from N. Indo-China to the east of the Bashi Channel. A depression has formed in its western extremity.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 32·03 inches, against an average of 30·96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, fresh to moderate; generally cloudy, some rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th June, 1926.								16th June, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.71	754.7	63	...	N	4	c	6	29.75	755.5	51	...	NW	3	r
Nemuro,	11	29.25	743.0	...	...	E	6	...	5	29.33	745.0	...	...	SW	4	...
Hokodate,	,,	29.33	745.0	...	...	SW	2	...	,,	29.55	750.5	...	...	W	3	...
Tokio,	,,	29.51	749.5	...	...	S	1	...	,,	29.76	756.0	...	...	NNE	1	...
Kochi,	,,	29.72	755.0	...	...	...	0	...	,,	29.88	759.0	...	...	WSW	1	...
Nagasaki,	,,	29.80	757.0	...	...	N	2	...	,,	29.88	759.0	...	...	...	0	...
Kagoshima,	,,	29.74	755.5	...	...	E	1	...	,,	29.86	758.5	...	...	...	0	...
Oshima,	,,	29.76	756.0	...	...	NNE	1	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.78	756.5	...	...	NE	1	...	,,	29.82	757.5	...	...	NE	1	...
Ishigakijima,	,,	29.76	756.0	...	...	ESE	1	...	,,	29.78	756.5	...	...	E	1	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	...	...	WNW	1	...
Chefoo,	15	29.73	755.1	72	71	E	1	b	6	29.79	756.6	64	91	E	1	o
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	71	...	NW	1	fe
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	72	...	...	0	fe
Changsha,	,,	...	...	...	...	...	...	...	,,	29.76	755.9	75	...	ESE	2	r
Shanghai,	14	29.82	757.5	79	42	ESE	1	o	,,	29.86	758.4	64	92	ESE	2	b
Gutzlaff,	,,	29.85	758.2	70	91	SSE	1	o	,,	29.89	759.2	67	84	SSE	4	b
Sharp Peak,	,,	29.78	756.4	84	93	E	2	b	7	29.79	756.6	74	76	N	1	o
Amoy,	,,	29.64	752.8	81	62	NE	2	o	6	29.69	754.1	72	76	ENE	2	o
Swatow,	,,	29.94	760.5	79	...	ESE	4	b	,,	29.91	759.7	74	...	ENE	1	b
Taihoku,	11	29.76	756.0	81	56	NE	4	b	5	29.74	755.4	70	87	E	2	b
Taichu,	,,	29.73	755.1	84	...	NW	2	b	,,	29.75	755.7	68	...	...	0	b
Tainan,	,,	29.72	754.8	93	...	SSW	4	o	,,	29.72	754.8	70	...	..	0	b
Koshun,	,,	29.74	755.4	82	...	NE	4	b	,,	29.72	754.8	73	...	NE	2	b
Pescadores,	,,	29.75	755.7	82	...	NE	4	b	,,	29.74	755.4	75	...	N	2	o
Canton,	14	29.67	753.6	79	78	SE	2	o	6	29.80	756.9	76	...	SE	2	o
Hongkong,	,,	29.68	753.9	74	90	E	4	or	,,	29.66	753.3	74	79	E	4	or
Gap Rock,	,,	29.66	753.3	...	...	ENE	5	om	,,	29.63	752.6	...	...	ENE	4	om
Macao,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.65	753.1	85	73	NE	3	o	6	29.64	752.8	81	83	E	5	c
Phulien,	15	29.49	749.1	84	85	SSE	4	o	7	29.62	752.4	77	88	NE	2	o
Tourane,	,,	29.58	751.2	90	...	SW	2	b	,,	29.59	751.5	84	...	...	0	b
Cape St. James,	,,	29.71	754.5	90	...	S	4	bf	,,	...	...	...	...	...	...	...
Basco,	,,	29.66	753.3	82	86	ESE	4	o	6	29.69	754.2	75	83	...	0	b
Aparri,	,,		...	...	...	...	...	...	,,	29.66	753.3	75	96	...	0	r
Manila,	,,	29.67	753.6	81	90	SW	4	r	,,	29.68	753.9	79	89	SSW	4	o
Legaspi,	,,	29.65	753.0	86	81	SSW	4	o	,,	29.69	754.2	79	96	SW	2	o
Taloloan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	77	96	S	4	o	,,	29.75	755.7	79	92	S	4	o
Surigao,	,,	29.71	754.5	90	51	WSW	4	o	,,	29.74	755.4	81	84	WSW	1	b
Guam,	12.20	29.79	756.6	...	...	W	1	o	4.20	29.82	757.5	...	...	NE	2	o
Yap,	12.47	29.79	756.6	...	...	NW	1	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.77	756.1	78	...	...	0	c
Labuan,	14	29.77	756.1	88	84	NE	4	b	6	29.82	757.4	78	91	SW	2	b

June 16*d*. 11*h*. 27*m*.—Pressure has increased considerably over central Japan, moderately over S.W. Japan and Tongking and slightly from N.E. China to Formosa. It is nearly stationary elsewhere.

A feeble anticyclone is central over S.W. Japan and a trough of low pressure extends from N. Indo-China to the east of Luzon, with a depression at its western extremity.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·17 inch. Total since January 1st, 32·20 inches, against an average of 31·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, fresh to moderate; generally overcast, some rain.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.62	752.4	64	...	...	0	0	6	29.80	756.8	56	...	...	0	0
Nemuro,	11	29.39	746.5	...	...	SW	6	...	5	29.51	749.5	...	...	SW	2	...
Hokodate,	,,	29.55	750.5	...	...	W	5	...	,,	29.75	755.5	...	...	WSW	1	...
Tokio,	,,	29.78	756.5	...	...	S	1	...	,,	29.86	758.5	...	...	...	0	...
Kochi,	,,	29.86	758.5	...	...	SE	1	...	,,	29.92	760.0	...	...	SW	1	...
Nagasaki,	,,	29.90	759.5	...	...	SW	1	...	,,	29.94	760.5	...	...	...	0	...
Kagoshima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.92	760.0	...	...	NW	1	...
Oshima,	,,	29.88	759.0	...	...	NE	1	...	,,	29.88	759.0	...	...	...	0	...
Naha,	,,	29.86	758.5	...	...	NNE	1	...	,,	29.82	757.5	...	...	NNE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	ENE	2	...	,,	29.78	756.5	...	...	E	1	...
Bonin Island,	,,	29.88	759.0	...	...	...	0	...	,,	29.92	760.0	...	...	...	0	...
Chefoo,	15	29.83	757.7	71	85	NE	1	b	6	29.85	758.2	66	91	...	0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	74	...	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	71	...	E	2	o
Changsha,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	75	...	...	0	c
Shanghai,	14	29.87	758.7	82	51	ESE	2	b	,,	29.87	758.7	68	91	ESE	2	o
Gutzlaff,	,,	29.90	75.94	70	76	SE	4	b	,,	29.89	759.2	67	95	SE	4	o
Sharp Peak,	,,	29.87	758.7	81	74	E	4	c	,,	29.82	757.4	74	86	N	1	o
Amoy,	,,	29.76	755.9	80	62	ENE	2	b	6	29.72	754.9	74	81	NNE	2	o
Swatow,	,,	29.72	754.9	77	...	E	3	o	,,	29.77	756.1	78	...	NNE	2	b
Taihoku,	11	29.76	756.0	86	58	E	4	o	5	29.68	753.9	73	85	E	4	o
Taichu,	,,	29.75	755.7	86	...	...	c	o	,,	29.68	753.9	72	...	...	0	b
Tainan,	,,	29.75	755.7	84	...	WSW	2	o	,,	29.73	755.1	72	...	...	0	b
Koshun,	,,	29.75	755.7	84	...	NE	4	b	,,	29.74	755.4	75	...	NNE	4	b
Pescadores,	,,	29.78	756.3	82	...	N	4	b	,,	29.73	755.1	84	...	NNE	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.67	753.6	74	87	E	5	or	,,	29.69	754.1	73	91	E	4	od
Gap Rock,	,,	29.66	753.3	...	...	ENE	5	o	,,	29.66	753.3	...	...	ENE	5	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.67	753.6	85	79	E	5	o	6	29.67	753.6	80	84	E	5	b
Phulien,	15	29.60	751.8	86	61	SW	1	o	7	29.65	753.0	75	94	NE	4	rf
Tourane,	,,	29.60	751.8	86	...	NW	2	b	,,	29.65	753.0	79	...	SW	2	o
Cape St. James	,,	29.71	754.5	84	...	SW	6	o	,,	...	...	...	...	...	...	...
Basco,	,,	29.69	754.2	82	74	NE	4	o	6	29.71	754.5	77	79	NW	1	o
Aparri,	,,	29.65	753.0	82	86	E	4	o	,,	29.68	753.9	77	94	N	4	r
Manila,	,,	29.71	754.5	81	84	SW	4	r	,,	29.73	755.1	77	92	SSW	1	o
Legaspi,	,,	29.71	754.5	84	86	WSW	2	o	,,	29.73	755.1	79	92	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	82	86	S	4	o	,,	29.76	756.0	79	90	S	6	o
Surigao,	,,	29.72	754.8	93	46	WSW	4	o	,,	29.81	757.2	81	84	...	0	o
Guam,	12.20	29.79	756.6	...	...	E	4	o	4.20	29.82	757.5	...	...	NE	1	o
Yap,	12.47	29.78	756.3	...	...	ENE	6	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Lanuan,	14	29.78	756.4	88	80	NE	2	b	6	29.82	757.4	78	91	NE	2	b

June 17*d*. 11*h*. 35*m*.—Pressure has increased considerably from N.E. Japan to S. Manchuria, and slightly over central and S.W. Japan. It has decreased slightly over N. Formosa and is nearly stationary elsewhere.

A trough of low pressure extends from N. Indo-China to the east of N. Luzon, with a depression at its western extremity.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·39 inch. Total since January 1st, 32·59 inches, against an average of 31·99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, fresh to moderate; generally overcast, some rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	18th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock. .	12	29.76	755.8	75	...	SSE	2	c	6	29.76	756.4	62	...	...	0	l.
Nemuro.....	11	29.53	750.0	...	...	...	0	...	5	29.69	754.0	...	...	...	0	...
Hokodate, ...	,,	29.72	755.0	...	...	SW	4	...	,,	29.86	758.5	...	...	...	...	...
Tokio,.....	,,	29.72	755.0	...	...	ENE	1	...	,,	29.96	761.0	...	...	NNW	1	...
Kochi, ...	,,	29.83	759.0	...	...	ESE	1	...	,,	30.00	762.0	...	...	SW	1	...
Nagasaki, ...	,,	29.90	759.5	...	...	SW	1	...	,,	29.88	759.0	...	...	SSE	1	...
Kagoshima, ...	,,	29.90	759.5	...	...	S	1	...	,,	29.90	759.5	...	...	NW	1	...
Oshima, ...	,,	29.86	758.5	...	...	SE	1	...	,,	29.82	757.5	...	...	...	...	...
Naha, ...	,,	29.82	757.5	...	...	ENE	1	...	,,	29.80	757.0	...	...	E	1	...
Ishigakijima,..	,,	29.80	757.0	...	...	E	2	...	,,	29.73	755.0	...	...	E	1	...
Bonin Island,..	,,	29.90	759.5	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Chefoo, ...	15	29.78	756.4	86	55	SE	2	b	6	29.77	756.1	66	95	SE	1	o
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.69	754.1	72	...	...	0	ic
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.70	754.4	73	...	...	0	ic
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	29.82	757.5	75	76	SE	2	o	,,	29.75	755.7	68	98	SE	2	r
Gutzlaff,.....	,,	29.85	758.2	71	91	SE	4	o	,,	29.78	756.4	68	100	SE	4	r
Sharp Peak, ...	,,	29.81	757.2	82	83	E	2	o	,,	29.78	756.4	74	94	N	1	o
Amoy, ...	,,	29.73	755.1	86	61	E	4	b	6	29.66	753.3	76	82	NE	2	b
Swatow,.....	,,	29.93	760.2	79	...	E	4	o	,,	29.71	754.6	76	...	E	2	b
Taihoku, ...	11	29.74	755.4	86	58	ESE	4	o	5	29.69	754.2	72	96	...	0	b
Taichu, ...	,,	29.75	755.7	86	...	SSW	1	b	,,	29.68	753.9	73	...	...	0	b
Tainan, ...	,,	29.73	755.1	86	...	WNW	2	b	,,	29.67	753.6	73	...	...	0	o
Koshun,.....	,,	29.74	755.4	84	...	NE	4	o	,,	29.67	753.6	77	...	E	4	o
Pescadores, ...	,,	29.75	755.7	84	...	NNW	4	b	,,	29.67	753.6	77	...	N	2	o
Canton, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,.....	,,	29.67	753.6	76	82	E	5	od	,,	29.64	752.8	76	79	E	3	o
Gap Rock, ...	,,	29.64	752.8	...	...	ENE	5	om	,,	29.61	752.1	...	...	ENE	4	o
Macao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	14	29.66	753.3	83	81	E	5	o	6	29.61	752.1	71	87	NE	2	o
Phulien, ...	15	29.59	751.5	84	81	SSE	4	o	7	29.63	752.7	77	94	ENE	2	o
Tourane,.....	,,	29.59	751.5	90	...	SE	2	b	,,	29.61	752.1	79	...	NW	2	b
Cape St. James.	,,	29.69	754.2	82	...	SW	7	o	,,	29.72	754.8	77	...	WSW	6	o
Basco,.....	,,	....	...	...	...	...	...	...	6	29.68	753.9	79	95	SE	2	r
Aparri, ...	,,	...	...	...	...	...	...	...	,,	29.67	753.6	77	96	...	0	o
Manila, ...	,,	29.71	754.5	86	75	SW	4	o	,,	29.73	755.1	77	91	SE	1	o
Legaspi, ...	,,	29.71	754.5	86	68	SW	4	o	,,	29.74	755.4	77	94	...	0	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.74	755.4	82	84	S	4	o	,,	29.78	756.3	81	92	S	4	o
Surigao, ...	,,	29.69	754.2	86	61	W	4	o	,,	29.78	756.3	75	92	...	0	o
Guam,.....	12.20	29.80	756.9	...	...	NE	2	o	4.20	29.82	757.5	...	...	NE	1	o
Yap, ...	12.47	29.75	755.7	...	...	ESE	4	o	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.79	756.6	80	...	SE	3	c
Labuan, ...	14	29.79	756.6	86	84	N	2	b	6	29.83	757.7	78	91	SW	2	b

June 18*d.* 10*h.* 50*m.*—Pressure has increased considerably over central Japan and moderately over N.E. Japan. It has decreased slightly from Shanghai to Formosa and Hongkong and is nearly stationary elsewhere.

An anticyclone is central to the west of Tokio. A trough of low pressure extends from N. Indo-China to the east of the Balintang Channel with a depression at its western extremity.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·34 inch. Total since January 1st, 32·93 inches, against an average of 32·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	E. winds, moderate; generally overcast, warmer.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th JUNE, 1926.								19th JUNE, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.74	755.4	72	...	...	0	c	6	29.86	758.3	52	...	SSE	4	o
Nemuro,	11	29.67	753.5	...	...	ENE	1	...	5	29.76	756.0	...	...	NE	1	...
Hokodate,	..	29.80	757.0	...	...	S	5	...	,,	29.82	757.5	...	...	...	..	...
Tokio,	,,	29.92	760.0	...	...	S	1	...	,,	29.86	758.5	...	...	N	1	...
Kochi,	,,	29.88	759.0	...	...		0	...	,,	29.86	758.5	...	...	...	...	...
Nagasaki,	,,	29.86	758.5	...	...	SE	1	...	,,	29.59	751.5	...	...	...	0	...
Kagoshima,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.80	757.0	...	...	ENE	1	...
Oshima,	,,	29.80	757.0	...	...	SE	1	...	,,	29.69	754.0	...	...	...	...	...
Naha,	,,	29.74	755.5	...	...	ENE	1	...	,,	29 73	755.0	...	...	SSW	1	...
Ishigakijima,	,,	29.72	755.0	...	...	NW	1	...	,,	29.71	754.5	...	...	SSW	2	...
Bonin Island,	..	29.90	759.5	...	...	...	0	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.70	754.4	76	77	E	1	b	6	29.76	755.9	65	91	SSE	2	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.64	751.8	77	...	SE	1	lc
Hankow,	,,	...	...	...	...	...	...	...	,,	29.69	754.1	75	...	...	0	h
Changsha,	,,	...	...	...	...	...	...	...	,,	29.66	753.3	75	...	...	0	h
Shanghai,	14	29.72	754.8	68	96	S	2	r	,,	29.73	755.1	70	100	...	0	of
Gutzlaff,	,,	29.73	755.1	67	95	SSE	4	r	,,	29.74	755.4	70	100	...	0	of
Sharp Peak,	,,	29.79	756.6	86	72	E	2	o	,,	29.72	754.9	77	95	...	0	b
Amoy,	,,	29.72	754.9	88	62	SSE	4	o	6	29.66	753.3	77	92	ESE	2	o
Swatow,	,,	29.70	754.4	78	...	E	3	c	,,	29.63	752.6	79	...	W	1	b
Taihoku,	11	29.67	753.6	90	51	NE	1	b	,,	29.67	753.6	75	94	...	0	o
Taichu,	,,	29.67	753.6	86	...	...	0	o	,,	29.71	754.5	73	...	...	0	r
Tainan,	,,	29.67	753.6	86	...	SW	2	o	,,	29.67	753.6	75	...	SE	2	r
Koshun,	,,	29.68	753.9	81	...	ENE	2	o	,,	29.67	753.6	75	...	ESE	1	r
Pescadores,	,,	29.69	754.2	82	...	N	4	o	,,	29.65	753.0	79	...	SSE	4	r
Canton,	14	..	...	...	...	...	...	...	6	29.80	756.9	80	...	...	0	lc
Hongkong,	,,	29.63	752.6	79	78	ESE	3	o	,,	29.64	752.8	75	93	E	2	o
Gap Rock,	,,	29.62	752.3	...	...	ENE	5	o	,,	29.64	752.8	...	...	ENE	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.62	752.3	84	82	NE	2	o	6	29.67	753.6	84	84	WSW	3	r
Phulien,	15	29.56	750.9	82	81	SSE	6	o	7	29.62	752.4	79	100	NE	2	rf
Tourane,	,,	29.59	751.5	90	...	SE	2	b	,,	29.65	753.0	81	...	S	2	o
Cape St. James,	,,	29.67	753.6	81	...	WSW	4	of	,,	29.75	755.7	79	...	SW	6	o
Basco,	,,	...	...	...	...	...	...	...	6	29.71	754.5	79	91	SE	2	o
Aparri,	,,	29.63	752.7	86	78	NE	4	o	,,	29.69	754.2	77	94	S	2	o
Manila,	,,	29.73	755.1	84	77	S	1	o	,,	29.75	755.7	75	94	ESE	2	o
Legaspi,	,,	29.71	754.5	90	57	SSW	4	o	,,	29.75	755.7	77	96	...	0	b
Tacloban,	,,	29.73	755.1	84	74	ENE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	89	S	4	o	,,	29.78	756.3	79	91	...	0	o
Surigao,	..	29.72	754.8	90	63	NE	1	o	,,	29.78	756.3	77	96	WSW	2	o
Guam,	12.20	29.79	756.6	...	...	E	2	o	4.20	29.84	757.8	...	...	E	1	o
Yap,	12.47	29.78	756.3	...	...	E	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	84	NW	4	b	6	29.84	757.9	78	91	SW	2	b

June 19*d.* 10*h.* 50*m.*—Pressure has increased slightly from N.E. Japan to N.E. China. It has decreased slightly over central Japan and is nearly stationary elsewhere.

The anticyclone has moved into the Pacific.

A depression extends from N. Indo-China to the east of the Balintang Channel with a depression at its western extremity.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 32·94 inches, against an average of 33·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20th.

District.	Forecast.
1.—Formosa Channel, ...	E. or variable winds, moderate; generally overcast.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th JUNE, 1926.								20th JUNE, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.88	759.0	61	...	SSE	4	o	6	30.00	762.0	53	...	...	o	o
Nemuro,	11	29.82	757.5	...	...	NNE	3	...	5	30.00	762.0	...	...	NW	1	...
Hokodate,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	...	...	ENE	1	...
Tokio,	,,	29.82	757.5	...	...	...	o	...	,,	29.88	759.0	...	...	NE	1	...
Kochi,	,,	29.86	758.5	...	...	...	o	...	,,	29.86	758.5	...	...	...	...	...
Nagasaki,	,,	29.82	757.5	...	...	...	o	...	,,	29.80	757.0	...	...	...	o	...
Kagoshima,	,,	29.80	757.0	...	...	N	1	...	,,	29.78	756.5	...	...	NNE	1	...
Oshima,	,,	29.69	754.0	...	...	NE	1	...	,,	29.71	754.5	...	...	...	...	...
Naha,	,,	29.76	756.0	...	...	SSW	2	...	,,	29.86	758.5	...	...	...	...	...
Ishigakijima,	,,	29.74	755.5	...	...	SSW	1	...	,,	29.71	754.5	...	...	SSW	2	...
Bonin Island,	,,	29.78	756.5	...	...	SSE	2	...	,,	29.78	756.5	...	...	WSW	3	...
Chefoo,	15	29.73	755.1	70	91	ESE	2	o	6	29.78	756.5	66	95	S	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.66	753.3	77	...	NW	1	bc
Hankow,	,,	...	...	...	...	...	...	...	,,	29.68	753.9	76	...	...	o	bc
Changsha,	,,	...	...	...	...	...	...	...	,,	29.66	753.3	80	...	...	o	o
Shanghai,	14	29.72	754.8	82	57	WSW	1	b	,,	29.78	756.3	70	96	SE	1	o
Gutzlaff,	,,	29.73	755.1	80	78	S	1	o	,,	29.78	756.4	69	100	SE	1	o
Sharp Peak,	,,	29.74	755.4	90	70	E	1	b	7	29.75	755.6	78	91	N	1	o
Amoy,	,,	29.57	751.1	88	73	SSE	4	b	6	29.63	752.6	80	92	SSE	2	o
Swatow,	,,	29.70	754.4	85	...	SSE	2	b	,,	29.66	753.3	77	...	...	o	c
Taihoku,	11	29.69	754.2	86	68	...	o	o	5	29.69	754.2	78	98	...	o	r
Taichu,	,,	29.71	754.5	84	...	.	o	o	,,	29.65	753.0	75	...	..	o	r
Tainan,	,,	29.69	754.2	81	...	ESE	2	r	,,	29.72	754.8	75	...	ESE	2	o
Koshun,	,,	29.71	754.5	82	...	SSW	2	o	,,	29.72	754.8	77	...	WSW	2	r
Pescadores,	,,	29.66	753.3	81	...	S	...	...	,,	29 72	754.8	79	...	SW	2	o
Canton,	14	..	...	...	...	...	...	...	6	29.82	757.4	80	...	...	o	o
Hongkong,	,,	29.65	753.1	78	89	E	2	od	,,	29.66	753.3	78	97	W	1	omr
Gap Rock,	,,	29.67	753.6	...	...	SE	4	c	,,	29.65	753.1	...	...	SE	4	or
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.66	753.3	84	86	WSW	2	o	6	29.69	754.1	82	93	SSW	2	c
Phulien,	15	29.58	751.2	84	85	SE	4	o	7	29.62	752.4	75	89	S	4	o
Tourane,	,,	29.63	752.7	86	...	NW	4	b	,,	29.68	753.9	81	...	...	o	o
Cape St. James,	,,	29.72	754.8	86	...	SSW	4	o	,,	29.78	756.3	79	...	SW	4	o
Basco,	,,	29.72	754.8	84	77	SSW	1	o	6	29.74	755.4	79	91	...	o	o
Aparri,	,,	29.69	754.2	81	92	N	4	r	,,	29.73	755.1	77	96	S	2	o
Manila,	,,	29.74	755.4	86	71	WSW	4	o	,,	29.75	755.7	77	94	ESE	2	o
Legaspi,	,,	29.72	754.8	90	64	NE	2	b	..	29.74	755.4	81	92	S	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	81	S	4	o	,,	29.79	756.6	77	96	WNW	2	o
Surigao,	..	29.74	755.4	79	91	W	2	r	,,	29.78	756.3	75	94	...	o	o
Guam,	12.20	29.81	757.2	...	...	E	4	o	4.20	29.81	757.2	...	...	NE	1	o
Yap,	12.47	29.80	756.9	...	...	ESE	1	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	..	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	84	83	NW	2	b	6	29.82	757.4	77	94	NW	1	o

June 20*d*. 11*h*. 20*m*.—Pressure is highest to the north of Japan It has increased moderately over N.E. Japan, and slightly from N.E. China to Formosa. It is nearly stationary elsewhere.

A depression lies over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·20 inch. Total since January 1st, 32·14 inches, against an average of 33·57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel, ...	S. or variable winds, moderate; generally overcast, foggy and rainy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperatures.	Humidity.	Wind. Direction.	Force.	Weather.	21st JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperatures.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	29.98	761.6	64	---	SSE	3	o	6	30.03	762.8	52	---	...	o	o
Nemuro,	11	30.02	762.5	...	...	SE	1	...	5	30.10	764.5	...	...	S	1	...
Hokodate,	,,	29.98	761.5	...	...	SE	3	...	,,	30.06	763.5	...	...	E	1	...
Tokio,	,,	29.86	758.5	...	...	ENE	1	...	,,	30.00	762.0	...	...	NE	1	...
Kochi,	,,	29.86	758.5	...	...	SE	1	...	,,	29.90	759.5	...	...	...	o	...
Nagasaki,	,,	29.80	757.0	...	...	ESE	1	...	,,	29.84	758.0	...	...	NE	1	...
Kagoshima,	,,	29.76	756.0	...	...	E	1	...	,,	29.82	757.5	...	...	NE	1	...
Oshima,	,,	29.73	755.0	...	...	NE	1	...	,,	29.76	756.0	...	...	...	...	...
Naha,	,,	29.74	755.5	...	...	NNE	2	...	,,	29.76	756.0	...	...	...	o	...
Ishigakijima,	,,	29.74	755.5	...	...	SSW	2	...	,,	29.75	755.5	...	...	SW	1	...
Bonin Island,	,,	29.76	756.0	...	...	SSW	5	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.74	755.4	72	92	E	2	o	6	29.76	755.9	69	95	S	4	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.56	750.8	76	...	...	o	o
Hankow,	,,	...	...	...	...	...	...	...	,,	29.63	752.6	80	...	...	o	r
Changsha,	,,	...	...	...	...	...	...	...	,,	29.57	751.1	83	...	...	o	b
Shanghai,	14	29.80	756.9	84	64	E	2	b	,,	29.79	756.6	79	96	ESE	2	b
Gutzlaff,	,,	29.80	756.9	74	86	E	2	o	,,	29.81	757.2	70	95	SE	4	o
Sharp Peak,	,,	29.73	755.1	78	91	N	1	rf	7	29.75	755.6	76	95	...	o	r
Amoy,	,,	29.64	752.8	84	79	SE	2	o	6	29.68	753.9	80	96	SSE	2	r
Swatow,	,,	...	...	84	..	S	2	b	,,	29.67	753.6	82	...	SE	2	o
Taihoku,	11	29.74	755.4	81	87	NW	4	o	5	29.74	755.4	75	94	SE	1	o
Taichu,	,,	29.76	756.0	79	...	WSW	2	r	,,	29.74	755.4	77	...	...	o	o
Tainan,	,,	29.75	755.7	86	...	SSW	2	o	,,	29.72	754.8	77	...	SE	2	b
Koshun,	,,	29.76	756.0	81	...	...	o	r	,,	29.73	755.1	77	...	E	2	b
Pescadores,	,,	29.76	756.0	84	..	...	o	o	,,	29.72	754.8	81	...	SW	2	o
Canton,	14	29.71	754.6	85	83	SSE	1	c	6	...	...	80	...	...	o	o
Hongkong,	,,	29.64	752.8	80	91	E	1	o	,,	29.66	753.3	79	93	E	1	o
Gap Rock,	,,	29.66	753.3	...	...	S	3	c	,,	29.67	753.6	...	...	SE	3	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.67	753.6	88	82	SSW	1	c	6	29.67	753.6	83	84	SSW	1	b
Phulien,	15	29.56	750.9	86	78	SSE	4	o	7	29.55	750.6	81	96	SSE	6	o
Tourane,	,,	29.63	752.7	84	...	SE	2	o	,,	29.62	752.4	84	...	SW	2	o
Cape St. James,	,,	29.74	755.4	77	...	SSW	4	of	,,	29.76	756.0	77	...	SW	4	o
Basco,	,,	29.73	755.1	86	71	WSW	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.68	753.9	93	61	S	2	b	,,	29.72	754.8	79	95	...	o	b
Manila,	,,	29.72	754.8	86	85	SW	2	o	,,	29.76	756.0	75	96	...	o	r
Legaspi,	,,	29.69	754.2	82	92	...	o	o	,,	29.76	756.0	77	98	S	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	79	95	NNE	2	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	ESE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.80	756.9	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	..	...	...	...	5	29.83	757.7	78	...	NNE	1	c
Labuan,	14	29.77	756.1	86	84	N	4	b	6	29.82	757.4	80	91	NE	2	b

June 21*d.* 10*h.* 55*m.*—Pressure is highest to the N.E. of Japan. It has increased slightly over Japan and the Loochoos, decreased slightly over Indo-China and central China and is nearly stationary elsewhere.

The depression now covers the whole of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 32·14 inches, against an average of 34·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, ...	Southerly winds, moderate; generally overcast, some rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	22nd JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	30.01	762.2	61	...	S	4	o	6	29.99	761.6	54	...	SE	4	f
Nemuro,	11	30.08	764.0	...	...	SSE	2	...	5	30.06	763.5	...	...	SSW	1	...
Hokodate,	,,	30.06	763.5	...	...	SSE	2	...	,,	30.10	764.5	...	...	...	0	...
Tokio,	,,	30.00	762.0	...	...	NE	1	...	,,	30.08	764.0	...	...	...	0	...
Koobi,	,,	29.94	760.5	...	...	SE	1	...	,,	...	...	...	...	S	3	...
Nagasaki,	,,	29.86	758.5	...	...	SE	1	...	,,	29.78	756.5	...	...	NE	1	...
Kagoshima,	,,	29.86	758.5	...	...	SE	1	...	,,	...	...	...	...	NE	1	...
Oshima,	,,	29.80	757.0	...	...	ENE	1	...	,,	29.78	756.5	...	...	SE	1	...
Naha,	,,	29.78	756.5	...	...	N	1	...	,,	29.73	755.0	...	...	ESE	1	...
Ishigakijima,	,,	29.76	756.0	...	...	SSW	1	...	,,	29.69	754.0	...	...	S	3	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	29.78	756.5	...	...	NE	1	...
Chefoo,	15	29.69	754.1	78	82	S	2	o	6	...	...	71	95	S	1	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.52	749.8	73	...	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	29.57	751.1	75	...	...	0	o
Changsha,	,,	...	...	...	...	...	...	...	,,	29.55	750.5	78	...	NW	2	r
Shanghai,	14	29.74	755.4	77	79	ESE	2	o	,,	29.68	753.9	68	98	E	2	r
Gutzlaff,	,,	29.77	756.1	72	92	SE	4	o	,,	29.67	753.6	67	100	ESE	6	r
Sharp Peak,	,,	29.75	755.6	83	87	N	1	of	7	29.66	753.3	80	91	NW	2	h
Amoy,	,,	29.62	752.3	83	87	SE	2	b	6	29.62	752.3	80	92	S	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.74	755.4	86	75	...	c	o	5	29.65	753.0	75	98	...	o	o
Taichu,	,,	29.75	755.7	82	...	...	o	r	,,	29.69	754.2	75	...	...	c	o
Tainan,	,,	29.74	755.4	86	...	S	2	o	,,	29.66	753.3	77	...	SE	2	o
Koshun,	,,	29.76	756.0	86	...	S	2	b	,,	29.66	753.3	77	...	...	o	b
Pescadores,	,,	29.74	755.4	84	...	SSW	2	o	,,	29.65	753.0	79	...	SSW	4	b
Canton,	14	29.60	751.8	81	91	S	1	r	6	29.73	755.1	83	...	...	o	o
Hongkong,	,,	29.62	752.3	84	79	SSW	2	o	,,	29.59	751.6	81	87	S	2	o
Gap Rock,	,,	29.64	752.8	...	...	SE	3	b	,,	29.61	752.1	...	...	SW	3	o
Macao.	,,	29.60	751.8	90	79	SE	4	o	,,	29.58	751.2	77	94	S	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.69	754.2	89	70	SE	1	h	6	29.64	752.8	83	93	S	1	bc
Phulien,	15	29.50	749.4	90	72	S	4	o	7	29.54	750.3	81	94	SE	4	rf
Tourane,	,,	29.61	752.1	90	...	...	o	b	,,	29.62	752.4	82	...	...	o	o
Cape St. James,	,,	29.76	756.0	75	...	WNW	4	rf	,,	29.73	755.1	75	...	WNW	2	o
Basco,	,,	29.71	754.5	86	71	SSE	2	o	6	29.67	753.6	79	90	...	c	o
Aparri,	,,	29.67	753.6	84	87	E	4	r	,,	..	...	...	...	...	...	...
Manila,	,,	29.72	754.8	84	77	SW	2	r	,,	29.75	755.7	75	96	SE	2	o
Legaspi,	,,	29.72	754.8	86	78	ESE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.76	756.0	82	86	S	6	o	,,	29.80	756.9	79	91	S	4	o
Surigao,	,,	29.74	755.4	86	71	WNW	1	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	E	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	..	...	...	..	...	...	...	5	29.83	757.7	77	...	...	o	bc
Labuan,	14	29.78	756.4	88	84	NE	4	b	6	29.82	757.4	78	91	N	2	b

June 22*d.* 11*h.* 02*m.*—Pressure has increased slightly over central Japan, is nearly stationary in southern districts and has decreased slightly elsewhere.

An anticyclone is central over N.E. Japan. The depression over China has deepened slightly.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·40 inch. Total since January 1st. 32·54 inches, against an average of 34·64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel, ...	S.W. winds, moderate; squally, generally overcast, showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd JUNE, 1926.								23rd JUNE, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock,	12	29.94	760.5	55	...	SSE	4	f	6	29.87	758.7	54	...	SE	4	f
Yenuro,	11	30.00	762.0	...	...	SSW	3	...	5	30.00	762.0	...	...	SW	1	...
Hokodate,	..	30.04	763.0	...	...	SE	1	...	,,	30.02	762.5	...	...	...	0	...
Tokio,	,,	30.04	763.0	...	...	ENE	1	...	,,	30.04	763.0	...	...	...	0	...
Kochi,	,,	29.98	761.5	...	...	...	0	...	,,	29.94	760.5	...	...	...	...	...
Nagasaki,	,,	29.86	758.5	...	...	ESE	1	...	,,	29.76	756.0	...	...	E	1	...
Kagoshima,	,,	29.88	759.0	...	...	NNW	1	...	,,	29.75	755.5	...	...	NE	1	...
Oshima,	,,	29.74	755.5	...	...	SE	2	...	,,	29.57	751.0	...	...	S	1	...
Naha,	,,	29.69	754.0	...	...	SSE	2	...	,,	29.63	752.5	...	...	S	2	...
Ishigakijima,	,,	29.67	753.5	...	...	SSW	2	...	,,	29.65	753.0	...	...	S	2	...
Bonin Island,	..	29.78	756.5	...	...	NE	1	...	,,	29.86	758.5	...	...	ENE	1	...
Chefoo,	15	29.69	754.1	86	72	S	2	b	6	29.74	755.4	70	70	SW	4	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.60	751.8	74	...	...	0	lc
Hankow,	,,	...	...	...	...	...	...	...	,,	29.65	753.1	82	...	E	3	bc
Changsha,	,,	...	...	...	...	...	...	...	,,	29.58	751.3	81	...	...	0	r
Shanghai,	14	29.67	753.6	73	89	ENE	4	r	,,	29.76	756.0	68	94	ENE	4	r
Sutzlaff,	,,	29.64	752.8	71	91	NE	6	o	,,	29.75	755.6	69	95	NE	4	r
Sharp Peak,	,,	29.66	753.3	83	87	S	2	o	7	29.63	752.6	78	95	...	0	o
Amoy,	,,	29.53	750.0	84	96	SSW	4	o	6	29.59	751.6	80	92	SSW	1	b
Swatow,	,,	..	...	...	...	...	...	...	,,	29.62	752.3	83	...	SW	...	r
Saiboku,	11	29.62	752.4	90	69	...	0	o	5	29.63	752.7	75	96	...	0	o
Taichu,	,,	29.66	753.3	86	...	SSW	2	o	,,	29.73	755.1	75	...	...	0	b
Hainan,	,,	29.67	753.6	86	...	SSW	2	o	,,	29.67	753.6	77	...	E	1	o
Koshun,	,,	29.67	753.6	86	...	WSW	2	o	,,	29.66	753.3	81	...	W	2	o
Pescadores,	,,	29.67	753.6	84	...	SW	4	b	,,	29.66	753.3	81	...	SW	4	b
Canton,	14	...	...	...	...	...	...	...	6	29.57	751.1	79	...	S	2	r
Hongkong,	,,	29.59	751.6	80	90	SW	1	o	,,	29.60	751.8	81	89	S	3	oq
Gap Rock,	,,	29.60	751.8	...	...	SW	4	c	,,	29.62	752.3	...	...	S	3	c
Macao,	,,	29.55	750.6	84	86	SSW	4	o	,,	29.56	750.9	81	94	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	.	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	29.58	751.3	87	70	SW	3	c	6	29.65	753.1	86	82	SW	2	c
Phulien,	15	29.48	748.8	90	66	WNW	1	o	7	29.52	749.7	82	94	SSE	6	b
Tourane,	,,	29.59	751.5	90	...	NE	2	b	,,	29.59	751.5	82	...	SW	4	b
Cape St. James,	,,	29.67	753.6	84	...	SW	2	o	,,	29.72	754.8	79	...	SW	4	o
Basco,	,,	29.63	752.7	86	75	WSW	4	o	6	29.68	753.9	81	89	SW	1	o
Aparri,	,,	29.63	752.7	86	71	N	4	o	,,	29.69	754.2	79	95	...	0	o
Manila,	,,	29.69	754.2	86	71	WSW	4	o	,,	29.75	755.7	77	96	E	1	b
Legaspi,	,,	29.68	753.9	90	57	S	2	b	,,	29.75	755.7	75	96	SSE	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	78	S	4	o	,,	29.78	756.3	75	96	...	0	o
Surigao,	..	...	.	...	...	...	...	...	,,	29.78	756.3	75	92	S	1	o
Guam,	12.20	29.75	755.7	...	...	ENE	4	o	4.20	29.82	757.5	...	...	NE	1	o
Yap,	12.47	29.74	755.4	...	...	WNW	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	..	...	...	...	5	29.84	757.9	78	...	...	0	c
Labuan,	14	29.77	756.1	88	84	NE	4	b	6	29.82	757.4	78	86	N	2	b

June 23*d*. 11*h*. 05*m*.—Pressure has decreased moderately from Nagasaki to Oshima. It has increased slightly from N.E. China to Formosa and is nearly stationary elsewhere.

The anticyclone is passing into the Pacific.

A depression is approaching Oshima from westward. Another is central over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·56 inch. Total since January 1st, 33·10 inches, against an average of 35·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, ...	Southerly winds, moderate; generally overcast, occasional rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	24th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.98	761.5	...	...	SSW	3	...	5	30.00	762.0	...	...	S	2	...
Hokodate,	..	29.98	761.5	...	...	SE	1	...	,,	29.98	761.5	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	S	1	...	,,	29.96	761.0	...	...	NNW	1	...
Kochi,	,,	29.92	760.0	...	...	NE	1	...	,,	29.92	760.0	...	...	...	0	...
Nagasaki,	,,	29.72	755.0	...	...	NE	2	...	,,	29.88	759.0	...	...	...	0	...
Kagoshima,	,,	29.72	755.0	...	...	NNE	2	...	,,	29.86	758.5	...	...	NNE	1	...
Oshima,	,,	29.61	752.0	...	...	...	0	...	,,	29.78	756.5	...	...	S	1	...
Naha,	,,	29.69	754.0	...	...	SSW	3	...	,,	29.76	756.0	...	...	SSW	1	...
Ishigakijima,	,,	29.69	754.0	...	...	SSW	2	...	,,	29.75	755.5	...	...	NNW	1	...
Bonin Island,	,,	29.84	758.0	...	...	E	1	...	,,	29.73	755.0	...	...	S	2	...
Chefoo,	15	29.69	754.1	88	59	S	4	b	6	29.72	754.9	70	91	SSW	2	0
Ichang,	,,	...	...	...	...	...	...	...	,,	29.58	751.3	77	...	...	0	lc
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.62	752.3	82	...	...	0	r
Shanghai,	14	29.80	756.9	77	72	E	2	o	,,	29.81	757.2	70	92	ESE	4	o
Gutzlaff,	,,	29.81	757.2	71	85	ENE	4	r	,,	29.83	757.7	69	95	ESE	4	r
Sharp Peak,	,,	29.69	754.1	78	86	ENE	4	o	7	29.77	756.1	73	95	N	1	of
Amoy,	,,	29.64	752.8	80	92	SSW	2	o	6	29.74	755.4	78	95	ENE	1	r
Swatow,	,,	...	...	...	...	...	...	...	,,	29.72	754.9	83	...	...	0	o
Taihoku,	11	29.69	754.2	82	77	...	0	o	5	29.75	755.7	75	94	S	2	o
Taichu,	,,	29.72	754.8	86	...	SSW	2	o	,,	29.78	756.3	75	...	...	0	o
Tainan,	,,	29.72	754.8	82	...	SSE	2	r	,,	29.76	756.0	77	...	SE	2	o
Koshun,	,,	29.72	754.8	86	...	SW	2	b	,,	29.73	755.1	77	...	...	0	r
Pescadores,	,,	29.72	754.8	86	...	SW	4	b	,,	29.75	755.7	79	...	SSW	2	b
Canton,	14	29.64	752.8	77	91	N	1	r	6	29.84	757.9	81	...	...	...	o
Hongkong,	,,	29.63	752.6	84	82	S	1	o	,,	29.68	753.9	82	88	SW	2	o
Gap Rock,	,,	29.64	752.8	...	...	S	3	o	,,	29.69	754.1	...	...	SSE	3	o
Macao,	,,	29.60	751.8	86	85	SSE	4	o	,,	29.67	753.6	81	96	S	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	...	...	...	...	...	...	...	6	29.71	754.6	83	92	...	0	o
Phulien,	15	29.52	749.7	86	81	ESE	4	o	7	29.59	751.5	82	96	SSE	6	o
Tourane,	,,	...	...	...	...	...	...	...	,,	29.63	752.7	84	...	...	0	o
Cape St. James,	,,	29.71	754.5	75	...	SW	4	o	,,	29.76	756.0	75	...	SW	4	o
Basco,	,,	29.71	754.5	84	85	WSW	4	o	6	29.78	756.3	79	92	...	0	o
Aparri,	,,	29.67	753.6	90	72	NNW	4	o	,,	29.80	756.9	77	96	SE	2	o
Manila,	,,	29.74	755.4	86	68	WSW	4	b	,,	29.82	757.5	77	94	ESE	1	o
Legaspi,	,,	29.73	755.1	90	66	ENE	2	o	,,	29.82	757.5	77	96	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	78	S	4	o	,,	29.85	758.1	79	91	NW	1	o
Surigao,	,,	29.74	755.4	...	...	WSW	4	o	,,	29.84	757.8	77	94	S	1	b
Guam,	12.20	29.81	757.2	...	...	SE	1	r	4.20	29.86	758.4	...	...	E	1	o
Yap,	12.47	29.81	757.2	...	...	ESE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	79	...	...	0	lc
Labuan,	14	29.76	755.9	88	84	N	4	b	6	29.82	757.4	76	94	S	1	r

June 24*d*. 11*h*. 15*m*.—Pressure is highest over Japan. It has increased moderately over S.W. Japan and the Loochoos, and slightly at the majority of other stations.

The Oshima depression is approaching the Bonins.

Depressions lie over N.E. China and over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·99 inch. Total since January 1st. 34·59 inches, against an average of 35·73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, moderate; occasional rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th JUNE, 1926.								25th JUNE, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	29.75	755.7	56	...	SE	4	r	6	29.73	755.1	60	...	...	0	o
Kemuro, ...	11	29.98	761.5	...	...	SSW	4	...	5	29.90	759.5	...	...	SSW	1	...
Hokodate, ...	,,	29.96	761.0	...	...	SE	1	...	,,	29.90	759.5	...	...	...	...	...
Tokio, ...	,,	29.94	760.5	...	...	NE	2	...	,,	29.92	760.0	...	...	...	0	...
Kochi, ...	,,	29.92	760.0	...	...	SSE	1	...	,,	29.96	761.0	...	...	...	0	...
Nagasaki, ...	,,	29.88	759.0	...	...	WSW	1	...	,,	29.88	759.0	...	...	SE	3	...
Kagoshima, ...	,,	29.88	759.0	...	...	NE	1	...	,,	29.92	760.0	...	...	...	0	...
Oshima, ...	,,	29.86	758.5	...	...	SSE	1	...	,,	29.84	758.0	...	...	SSE	1	...
Naha, ...	,,	29.82	757.5	...	...	SW	2	...	,,	29.82	757.5	...	...	S	1	...
Shigakijima, ...	,,	29.80	757.0	...	...	SSE	1	...	,,	29.80	757.0	...	...	WSW	1	...
Bonin Island, ...	,,	29.65	753.0	...	...	SSW	4	...	,,	29.76	756.0	...	...	N	1	...
Shafoo, ...	15	29.91	759.7	84	87	S	1	o	6	29.66	753.3	70	100	S	1	of
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	29.60	751.8	85	...	...	0	lc
Shanghai, ...	14	29.76	756.0	81	69	ESE	2	b	,,	29.66	753.3	73	96	SE	2	o
Nutzlaff, ...	,,	29.80	756.9	73	92	SE	4	o	,,	29.69	754.1	72	100	SE	2	o
Sharp Peak, ...	,,	29.80	756.9	82	83	E	2	o	7	29.78	756.4	78	95	...	0	o
Amoy, ...	,,	29.72	754.9	83	87	SE	4	o	6	29.73	755.1	78	95	SW	1	o
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	11	29.81	757.2	82	84	...	0	o	5	29.78	756.3	75	96	...	0	o
Taichu, ...	,,	29.88	759.0	81	...	...	0	r	,,	29.85	758.1	75	...	...	0	o
Tainan, ...	,,	29.80	756.9	81	...	...	0	r	,,	29.80	756.9	75	...	...	0	o
Koshun, ...	,,	29.81	757.2	86	...	SW	2	o	,,	29.80	756.9	77	...	...	0	b
Pescadores, ...	,,	29.82	757.5	82	...	S	2	o	,,	29.81	757.2	77	...	S	2	b
Canton, ...	14	29.78	756.4	97	86	SSE	1	o	6	29.72	754.9	80	...	...	0	bc
Hongkong, ...	,,	29.72	754.9	81	91	...	0	o	,,	29.74	755.4	81	87	SSW	1	o
Gap Rock, ...	,,	29.71	754.6	...	...	S	3	c	,,	29.73	755.1	...	...	SW	3	c
Macao, ...	,,	29.68	753.9	90	79	SW	4	o	,,	29.69	754.2	79	92	SSW	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island, ...	14	29.77	756.1	81	95	SW	2	r	6	29.77	756.1	82	83	WSW	1	b
Phulien, ...	15	29.58	751.2	86	78	SSE	6	o	7	29.62	752.4	81	90	S	6	o
Tourane, ...	,,	29.67	753.6	86	...	SSE	2	b	,,	29.68	753.9	84	...	E	2	b
Cape St. James,	,,	29.79	756.6	86	...	S	4	o	,,	29.80	756.9	77	...	S	4	o
Basco, ...	,,	29.81	757.2	86	75	WSW	2	b	6	29.82	757.5	81	89	S	1	o
Aparri, ...	,,	29.78	756.3	93	61	SE	2	b	,,	29.84	757.8	75	94	S	2	b
Manila, ...	,,	29.82	757.5	86	75	WSW	2	o	,,	29.84	757.8	77	98	...	0	b
Legaspi, ...	,,	...	...	...	...	...	...	...	,,	29.85	758.1	77	92	...	0	o
Tacloban, ...	,,	29.79	756.6	90	69	SSE	4	b	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.79	756.6	86	85	SW	4	o	,,	29.86	758.4	77	96	N	2	o
Surigao, ...	,,	29.80	756.9	93	64	E	2	b	,,	29.84	757.8	77	94	...	0	o
Guam, ...	12.20	29.85	758.1	...	...	NW	2	o	4.20	29.82	757.5	...	...	NE	1	o
Yap, ...	12.47	29.82	757.5	...	...	ENE	4	o	4.47	...	...	...	...	...	....	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.86	758.4	78	...	...	0	r
Labuan, ...	14	29.79	756.6	86	84	NE	2	b	6	29.81	757.2	80	91	N	2	b

June 25*d*. 11*h*. 20*m*.—Pressure is highest over Japan. It has decreased moderately at Shanghai and increased moderately over the Bonins. Elsewhere changes are slight.

The Oshima depression has passed into the Pacific.

A depression now covers China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·40 inch. Total since January 1st. 35·49 inches, against an average of 36·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26th.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, moderate; variable, showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	26th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.69	754.2	64	...	...	0	0	6	29.52	749.7	58	...	SSE	3	f
Nemuro,	11	29.84	758.0	...	...	SSW	3	...	5	29.67	753.5	...	...	SSE	1	...
Hokodate,	,,	29.88	759.0	...	...	SE	1	...	,,	29.73	755.0	...	...	...	...	...
Tokio,	,,	29.86	758.5	...	...	SE	1	...	,,	29.78	756.5	...	...	...	...	...
Kochi,	,,	29.92	760.0	...	...	SW	1	...	,,	29.80	757.0	...	...	...	...	...
Nagasaki,	,,	29.84	758.0	...	...	SE	1	...	,,	29.57	751.0	...	...	S	5	...
Kagoshima,	,,	29.88	759.0	...	...	NNW	1	...	,,	29.69	754.0	...	...	SE	1	...
Oshima,	,,	29.82	757.5	...	...	S	1	...	,,	29.67	753.5	...	...	S	1	...
Naha,	,,	29.80	757.0	...	...	S	1	...	,,	29.71	754.5	...	...	S	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	...	...	SSW	3	...
Bonin Island,	,,	29.76	756.0	...	...	NW	1	...	,,	29.82	757.5	...	...	NNE	1	...
Chefoo,	15	29.48	748.8	82	79	SSE	1	0	6	29.41	747.0	72	81	...	0	h
Ichang,	,,	...	...	...	...	...	...	...	,,	29.47	748.5	85	...	...	0	0
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.58	751.2	93	64	SSW	2	b	,,	29.49	749.1	75	98	SSW	1	r
Gutzlaff,	,,	29.62	751.8	78	86	S	2	b	,,	29.52	749.8	74	100	WSW	4	0
Sharp Peak,	,,	29.75	755.6	88	73	S	2	0	7	29.63	752.6	80	74	SW	1	0
Amoy,	,,	29.67	753.6	86	72	SSE	4	b	6	29.64	752.8	80	92	SSW	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	11	29.78	756.3	86	68	...	0	0	5	29.68	753.9	75	94	SE	1	b
Taichu,	,,	29.78	756.3	90	...	E	2	b	,,	29.76	756.0	84	...	...	0	b
Tainan,	,,	29.81	757.2	86	...	SSW	2	b	,,	29.74	755.4	84	...	SE	2	r
Koshun,	,,	29.82	757.5	86	...	NW	2	b	,,	29.74	755.4	81	...	W	2	b
Pescadores,	,,	29.81	757.2	86	...	S	4	b	,,	29.72	754.8	79	...	NE	2	b
Canton,	14	...	...	...	...	...	...	...	6	29.70	754.4	80	...	...	0	b
Hongkong,	,,	29.72	754.9	86	74	SW	2	0	,,	29.68	753.9	82	84	SW	3	0
Gap Rock,	,,	29.74	755.4	...	...	S	3	b	,,	29.70	754.4	...	...	SW	4	0
Macao,	,,	29.69	754.2	90	79	S	4	0	,,	29.65	753.0	81	86	SW	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.78	756.4	88	74	SW	2	c	6	29.73	755.1	83	96	SW	2	b
Phulien,	15	29.61	752.1	86	75	SSE	4	0	7	29.59	751.5	81	87	S	6	0
Tourane,	,,	29.68	753.9	90	...	SSE	2	b	,,	29.69	754.2	84	...	S	2	b
Cape St. James,	,,	29.79	756.6	86	...	SSE	4	b	,,	29.82	757.5	79	...	WNW	2	of
Basco,	,,	29.79	756.6	86	78	WSW	2	0	6	29.76	756.0	77	91	...	0	0
Aparri,	,,	29.76	756.0	66	46	SSE	2	b	,,	29.78	756.3	77	94	...	0	0
Manila,	,,	29.78	756.3	93	57	SE	4	b	,,	29.80	756.9	77	91	NE	1	0
Legaspi,	,,	29.79	756.6	93	61	ENE	4	b	,,	29.78	756.3	79	91	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	75	NE	4	0	,,	29.80	756.9	81	96	...	0	0
Surigao,	,,	29.76	756.0	90	72	NNE	1	b	,,	29.78	756.3	77	92	...	0	0
Guam,	12.20	29.79	756.6	...	...	W	2	0	4.20	29.80	756.9	...	...	SE	1	0
Yap,	12.47	29.79	756.6	...	...	ESE	4	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.78	756.4	79	...	...	0	c
Labuan,	14	29.77	756.1	86	88	N	4	b	6	29.82	757.4	78	91	NE	2	b

June 26*d*. 11*h*. 15*m*.—Pressure is highest over the Bonins. It has decreased considerably over S.W. Japan, moderately from Shanghai to the Loochoos and slightly over S. China, Formosa and the Philippines. It is nearly stationary over Indo-China.

A secondary has formed in the Chinese depression. It is moving eastward across the Yellow Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·40 inch. Total since January 1st, 35·89 inches, against an average of 36·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27th.

District.	Forecast.
1.—Formosa Channel, ...	S.W. winds, moderate; variable, showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th JUNE, 1926.								27th JUNE, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostook, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
emuro,	11	29.63	752.5	...	...	S	1	...	5	29.55	750.5	...	...	SSE	2	...
okodate,	,,	29.69	754.0	...	...	SE	1	...	,,	29.43	747.5	...	...	...	0	...
kio,	,,	29.70	754.5	...	...	SSE	2	...	,,	29.53	750.0	...	...	N	1	...
ochi,	,,	29.70	754.5	...	...	...	0	...	,,	29.53	750.0	...	...	...	0	...
agasaki,	,,	29.47	748.5	...	...	SSW	2	...	,,	29.57	751.0	...	...	W	1	...
agoshima,	,,	29.57	751.0	...	...	SSE	2	...	,,	29.55	750.5	...	...	WNW	1	...
hima,	,,	29.65	753.0	...	...	SSW	1	...	,,	29.65	753.0	...	...	SW	1	...
sha,	,,	29.72	755.0	...	...	SSW	4	...	,,	29.71	754.5	...	...	S	2	...
higakijima,	,,	29.70	754.5	...	...	SW	2	...	,,	29.67	753.5	...	...	SW	3	...
oin Island,	,,	29.82	757.5	...	...	NE	1	...	,,	29.86	758.5	...	...	ESE	1	...
hsoo,	15	29.45	748.0	76	82	NNW	2	b	6	29.48	748.8	69	80	ENE	1	o
hang,	,,	...	...	...	...	...	...	...	,,	29.40	746.7	80	...	NW	1	lc
ankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hangsha,	,,	...	...	...	...	...	...	...	,,	29.45	748.0	85	...	...	0	o
hanghai,	14	29.52	749.7	84	77	NNE	1	o	,,	29.56	750.9	73	98	SE	1	o
utzlaff,	,,	29.57	751.1	75	95	NNE	2	r	,,	29.57	751.1	72	100	ESE	2	rf
harp Peak,	,,	29.66	753.3	84	60	SSE	4	o	7	29.65	753.1	81	83	S	1	o
moy,	,,	29.58	751.3	86	84	SSW	4	b	6	29.66	753.3	81	92	SSW	2	b
watow,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	84	...	S	1	b
aihoku,	11	29.67	753.6	90	66	W	4	o	5	29.66	753.3	75	92	...	0	b
aichu,	,,	29.78	756.3	90	...	S	2	o	,,	29 74	755.4	73	...	...	0	o
ainan,	,,	29.76	756.0	90	...	SSE	2	o	,,	29.73	755.1	77	...	SE	1	o
oshun,	,,	29.76	756.0	86	...	W	4	b	,,	29.72	754.8	81	...	W	2	b
escadores,	,,	29.75	755.7	86	...	SSW	4	b	,,	29.72	754.8	79	...	SSW	2	o
anton,	14	...	...	...	...	...	...	...	6	29.60	751.8	82	...	SE	1	bc
ongkong,	,,	29.65	753.1	86	74	SW	4	op	,,	29.66	753.3	82	82	SW	4	o
ap Rock,	,,	29.67	753.6	...	...	SW	4	b	,,	29.66	753.3	...	...	SW	4	c
acao,	,,	29.63	752.7	86	78	SSW	4	o	,,	29.62	752.4	81	92	SSW	4	o
uchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ratas Island,	14	29.71	754.6	90	76	SW	2	b	6	29.73	755.1	86	87	SW	4	b
hulien,	15	29.54	750.3	90	63	SSW	6	o	7	29.56	750.9	81	76	S	6	o
ourane,	,,	29.67	753.6	86	...	...	0	b	,,	29.69	754.2	82	...	SW	2	b
ape St. James,	,,	29.75	755.7	86	...	S	2	h	,,	29.81	757.2	81	...	SW	4	b
asco,	,,	29.76	756.0	86	78	WSW	4	o	6	...	...	...	...	...	...	...
parri,	,,	29.72	754.8	90	72	NNW	4	b	,,	...	...	...	...	...	...	...
anila,	,,	29.74	755.4	90	66	SW	2	b	,,	29.81	757.2	77	92	NE	1	b
egaspi,	,,	29.74	755.4	93	64	ENE	2	b	,,	29.79	756.6	81	94	...	0	b
acloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oilo,	,,	29.74	755.4	86	...	SW	4	o	,,	29.80	756.9	79	92	E	1	o
urigao,	,,	29 74	755.4	90	66	ENE	4	o	,,	...	...	...	...	...	...	...
uam,	12.20	29.76	756.0	...	...	E	2	o	4.20	...	...	...	...	...	...	...
ap,	12.47	...	...	...	...	...	...	...	4.47	29.80	756.9	...	...	ENE	4	o
elew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
abuan,	14	29.74	755.4	86	84	NE	2	b	6	...	...	...	...	...	...	...

June 27*d.* 11*h.* 00*m.*—Pressure has decreased moderately over central Japan. It is nearly stationary elsewhere.

A depression covers China.

The secondary is moving eastward across the Sea of Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 35·89 inches, against an average of 37·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, ...	S.W. winds, moderate, squally; generally cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	28th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.43	747.5	...	...	SE	2	...	5	29.61	752.0	...	...	NNW	2	...
Hokodate,	,,	29.45	748.0	...	...	NW	1	...	,,	29.69	754.0	...	...	NW	1	...
Tokio,	,,	29.49	749.0	...	...	...	0	...	,,	29.67	753.5	...	...	N	1	...
Kochi,	,,	29.55	750.5	...	...	SE	1	...	,,	29.69	754.0	...	...	...	0	...
Nagasaki,	,,	29.61	752.5	...	...	SSW	1	...	,,	29.61	752.0	...	...	E	1	...
Kagoshima,	,,	29.61	752.0	...	...	SSE	1	...	,,	29.63	752.5	...	...	SSE	1	...
Oshima,	,,	29.67	753.5	...	...	S	1	...	,,	29.71	754.5	...	...	SSW	1	...
Naha,	,,	29.72	755.0	...	...	S	2	...	,,	29.76	756.0	...	...	S	2	...
Ishigakijima,	,,	29.70	754.5	...	...	SSW	3	...	,,	29.73	755.0	...	...	SSW	5	...
Bonin Island,	,,	29.88	759.0	...	...	S	3	...	,,	29.92	760.0	...	...	S	1	...
Chefoo,	15	29.50	749.3	80	58	E	1	b	6	29.49	749.0	74	92	S	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.47	748.5	78	...	NW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.56	750.8	81	...	...	0	0
Shanghai,	14	29.55	750.6	68	98	E	4	r	,,	29.61	752.1	68	98	NE	1	r
Gutzlaff,	,,	29.56	750.8	69	100	E	6	rf	,,	29.59	751.6	70	100	NNW	1	rf
Sharp Peak,	,,	29.63	752.6	88	80	S	2	b	7	29.66	753.3	83	81	S	2	0
Amoy,	,,	29.59	751.6	86	76	...	4	b	6	29.67	753.6	81	92	S	4	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.66	753.3	90	63	W	4	b	5	29.72	754.8	75	96	...	0	b
Taichu,	,,	29.75	755.7	86	...	SW	2	b	,,	29.70	756.6	79	...	SSE	2	0
Tainan,	,,	29.75	755.7	86	...	SSW	4	r	,,	29.79	756.6	77	...	ESE	2	0
Koshun,	,,	29.78	756.3	86	...	WSW	4	b	,,	29.80	756.9	81	...	WSW	2	b
Pescadores,	,,	29.76	756.0	86	...	SW	4	b	,,	29.79	756.6	81	...	SW	4	b
Canton,	14	29.61	752.1	92	74	S	2	b	6	...	...	...	...	...	...	...
Hongkong,	,,	29.68	753.9	86	74	SW	4	cq	,,	29.71	754.6	82	83	SW	3	cqr
Gap Rock,	,,	29.68	753.9	...	...	SW	5	c	,,	29.71	754.6	...	...	SW	5	b
Macao,	,,	29.63	752.7	86	78	SW	4	c	,,	29.67	753.6	81	97	SSW	4	c
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.73	755.1	90	80	SW	3	b	6	29.78	756.4	83	87	SSW	3	b
Phulien,	15	29.56	750.9	93	64	S	4	b	7	29.62	752.4	81	84	S	6	c
Tourane,	,,	29.69	754.2	90	...	SE	2	b	,,	29.75	755.7	82	...	SW	2	b
Cape St. James,	,,	29.78	756.3	90	...	SW	2	b	,,	29.82	757.5	77	...	W	2	b
Basco,	,,	29.76	756.0	86	75	WSW	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	90	63	N	4	b	,,	29.84	757.8	81	94	...	0	b
Manila,	,,	29.76	756.0	90	60	WSW	2	b	,,	29.86	758.4	79	95	ENE	1	b
Legaspi,	,,	29.76	756.0	93	64	NE	2	b	,,	29.85	758.1	82	92	...	0	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	93	67	NE	4	c	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	86	78	ENE	1	r	,,	...	...	...	...	...	...	...
Guam,	12.20	29.82	757.5	...	...	E	2	c	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.6	...	...	ENE	4	c	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.85	758.1	78	...	SSE	2	r
Labuan,	14	29.77	756.1	88	80	NE	2	b	6	29.82	757.4	76	88	S	2	c

June 28*d.* 1*ch.* 32*m.*—Pressure is highest over the Bonins. It has increased considerably over N.E. Japan, moderately over central Japan and slightly at the majority of other stations.

A depression covers China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·09 inch. Total since January 1st, 35·98 inches, against an average of 37·93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29th.

District.	Forecast.
1.—Formosa Channel, ...	S.W. winds, moderate, squally; generally overcast, showery
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th JUNE, 1926.								29th JUNE, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.78	756.4	56	...	SSE	4	o	6	29.74	755.3	55	...	SSE	2	f
Nemuro,	11	29.67	753.5	...	...	NNE	1	...	5	29.75	755.5	...	...	E	1	...
Hokodate,	,,	29.70	754.5	...	...	WNW	2	...	,,	29.73	755.0	...	...	SW	1	...
Tokio,	,,	29.67	753.5	...	...	NE	1	...	,,	29.63	752.5	...	...	N	1	...
Kochi,	,,	29.67	753.5	...	...	...	...	...	,,	29.67	753.5	...	...	...	0	...
Nagasaki,	,,	29.63	752.5	...	...	...	0	...	,,	29.69	754.0	...	...	...	...	...
Kagoshima,	,,	29.61	752.0	...	...	SW	2	...	,,	29.69	754.0	...	...	...	...	...
Oshima,	,,	29.72	755.0	...	...	SSW	3	...	,,	29.76	756.0	...	...	...	0	...
Naha,	,,	29.80	757.0	...	...	S	3	...	,,	29.82	757.5	...	...	S	2	...
Ishigakijima,	,,	29.78	756.5	...	...	SSW	4	...	,,	29.80	757.0	...	...	S	2	...
Bonin Island,	,,	29.94	760.5	...	...	WSW	1	...	,,	29.96	761.0	...	...	SW	1	...
Chefoo,	15	29.46	748.3	78	70	SE	2	o	6	29.52	749.8	72	92	SSW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.53	750.0	80	...	...	0	c
Hankow,	,,	...	...	...	...	...	...	...	,,	29.58	751.3	83	...	...	0	bc
Changsha,	,,	...	...	...	...	...	...	...	,,	29.60	751.8	80	...	...	0	b
Shanghai,	14	29.71	754.5	75	79	NNE	1	o	,,	29.72	754.8	70	96	ESE	2	o
Gutzlaff,	,,	..	...	..	...	...	...	...	,,	29 73	755 1	67	100	SE	2	o
Sharp Peak,	,,	29.69	754.1	84	79	S	4	o	7	29.75	755.6	82	87	S	2	b
Amoy,	,,	29.69	754.1	88	80	S	4	b	6	29.78	756.4	81	92	S	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	83	...	SW	1	b
Taihoku,	11	29.72	754.8	93	57	W	4	b	5	29.78	756.3	75	94	...	0	b
Taichu,	,,	29.84	757.8	90	...	S	2	o	,,	29.86	758.4	75	...	...	0	b
Tainan,	,,	29.85	758.1	90	...	S	2	b	,,	29.84	757.8	77	...		0	b
Koshun,	,,	29.84	757.8	90	...	W	4	b	,,	29.84	757.8	81	...	W	2	o
Pescadores,	,,	29.84	757.8	86	...	SSW	4	b	,,	29.84	757.8	81	...	SW	4	b
Canton,	14	...	...	...	...	...	...	...	6	29.70	754.4	82	...	...	0	o
Hongkong,	,,	29.76	755.9	87	75	SW	4	oq	,,	29.78	756.4	82	83	SSW	3	o
Gap Rock,	,,	29.77	756.1	...	...	SW	5	o	,,	29.80	756.9	...	...	SSW	4	b
Macao,	,,	29.73	755.1	86	78	SW	4	o	,,	29.74	755.4	81	90	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.80	756.9	88	80	SSW	3	bc	6	29.82	757.4	83	80	SW	1	b
Phulien,	15	29.62	752.4	93	57	SSW	6	b	7	29.67	753.6	81	90	S	6	o
Tourane,	,,	29.75	755.7	90	...	SE	4	b	,,	29.79	756.6	82	...	...	0	b
Cape St. James,	,,	29.80	756.9	86	...	SSW	2	b	,,	29.86	758.4	73	...	SW	4	b
Basco,	,,	29.82	757.5	90	79	WSW	4	b	6	29.86	758.4	77	94		0	b
Aparri,	,,	29.80	756.9	93	67	NNW	4	b	,,	29.85	758.1	79	92	SE	2	b
Manila,	,,	29.80	756.9	90	60	ESE	2	b	,,	29.86	758.4	77	91	...	0	b
Legaspi,	,,	29.79	756.6	90	66	ENE	2	b	,,	29.85	758.1	82	86	NNE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.5	90	69	NE	4	o	,,	29.84	757.8	79	95	N	4	o
Surigao,	..	29.79	756.6	86	75	NNE	2	o	,,	29.84	757.8	75	96	...	0	o
Guam,	12.20	29.84	757.8	...	...	NE	4	o	4.20	29.86	758.4	...	...	E	2	o
Yap,	12.47	29.81	757.2	...	...	E	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	77	...	...	0	o
Labuan,	12	29.71	754.6	88	84	NE	4	b	6	29.83	757.7	78	86	SW	1	o

June 29*d*. 11*h*. 10*m*.—Pressure has increased slightly over central and N.E. China and from S.W. Japan to Formosa. It has decreased slightly at Tokio and is nearly stationary elsewhere.

A depression covers China.

The secondary is now central over mid-Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·09 inch. Total since January 1st, 35·98 inches, against an average of 38·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate, squally; generally cloudy, showery.

T. F. CLAXTON, *Director*.

ERRATA FOR 1926.

Degrees Fahrenheit to Degrees Absolute.

1926 January, page 7.

Degrees Fah.		Degrees Absolute. 200 +		Degrees Absolute. 200 +
50.9	*for*	83.6	*read*	83.5
51.9	,,	84.2	,,	84.1
52.9	,,	84.7	,,	84.6
53.9	,,	85.3	,,	85.2
54.9	,,	85.8	,,	85.7
55.9	,,	86.4	,,	86.3
56.9	,,	86.9	,,	86.8
57.9	,,	87.5	,,	87.4
58.9	,,	87.1	,,	87.9
60.9	,,	89.2	,,	89.1
61.9	,,	89.3	,,	89.6
62.9	,,	90.8	,,	90.2
63.9	,,	90.4	,,	90.7
64.9	,,	91.5	,,	91.3
65.9	,,	91.9	,,	91.8
66.9	,,	92.1	,,	92.4
67.9	,,	92.1	,,	92.9
68.9	,,	93.8	,,	93.5
69.9	,,	94.4	,,	94.1
70.9	,,	94.7	,,	94.6
71.9	,,	95.9	,,	95.2
72.9	,,	95.6	,,	95.7
73.9	,,	96.5	,,	96.3
74.9	,,	96.1	,,	96.8
75.9	,,	97.6	,,	97.4
76.9	,,	97.2	,,	97.9
77.9	,,	98.7	,,	98.5
78.9	,,	99.3	,,	99.1

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th JUNE, 1926.								30th JUNE, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	29.78	756.5	...	...	SW	1	...
Hokodate,	,,	29.70	754.5	...	...	SE	2	...	,,	29.73	755.0	...	...	...	0	...
Tokio,	,,	29.69	754.0	...	...	S	1	...	,,	29.73	755.0	...	...	NE	1	...
Kochi,	,,	29.69	754.0	...	...	SE	1	...	,,	29.71	754.5	...	...	...	0	...
Nagasaki,	,,	29.70	754.5	...	...	SW	1	...	,,	29.67	753.5	...	...	...	0	...
Kagoshima,	,,	29.72	755.0	...	...	...	...	...	,,	29.67	753.5	...	...	...	0	...
Oshima,	,,	29.78	756.5	...	...	SSW	1	...	,,	29.75	755.5	...	...	SSW	1	...
Naha,	,,	29.84	758.0	...	...	S	2	...	,,	29.78	756.5	...	...	S	2	...
Ishigakijima,	,,	29.80	757.0	...	...	SSW	3	...	,,	29.76	756.0	...	...	SSW	4	...
Bonin Island,	,,	29.96	761.0	...	...	SW	1	...	,,	29.96	761.0	...	...		0	...
Chefoo,	15	29.59	751.6	73	76	NNW	2	b	6	29.65	753.1	64	91	WNW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.63	752.6	75	...	...	0	0
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.68	753.9	80	...	...	0	0
Shanghai,	14	29.66	753.3	73	94	SSE	2	r	,,	29.71	754.5	70	98	S	1	r
Gutzlaff,	,,	29.70	754.4	71	95	SE	4	r	,,	29.72	754.9	69	100	NE	1	rf
Sharp Peak,	,,	29.73	755.1	88	73	S	2	o	,,	29.73	755.1	81	87	SW	2	o
Amoy,	,,	29.70	754.4	88	80	SSE	4	b	6	29.75	755.6	81	83	SW	4	o
Swatow,	,,	...	...	...	...		...	...	,,	29.75	755.6	84	...	W	2	b
Taihoku,	11	29.78	756.3	90	60	WSW	2	b	5	29.73	755.1	73	94	...	0	b
Taichu,	,,	29.85	758.1	90	...	SSW	4	b	,,	29.84	757.8	75	...	...	0	o
Tainan,	,,	29.86	758.4	86	...	SW	2	b	,,	29.81	757.2	75	...	SE	2	b
Koshun,	,,	29.97	761.1	86	...	W	2	b	,,	29.80	756.9	81	...	WNW	2	o
Pescadores,	,,	29.61	759.6	86	...	SW	4	b	,,	29.80	756.9	79	...	SW	4	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.77	756.1	85	77	SW	3	oq	,,	29.76	755.9	81	79	SW	3	o
Gap Rock,	,,	29.78	756.3	...	...	SW	4	b	,,	29.77	756.1	...	...	SW	4	c
Macao,	,,	29.74	755.4	86	78	SSW	4	o	,,	29.72	754.8	81	89	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.82	757.4	88	69	SW	2	b	6	29.80	756.9	83	86	SW	2	c
Phulien,	15	29.63	752.7	97	53	SSW	4	b	7	29.65	753.0	81	89	S	6	o
Tourane,	,,	29.73	755.1	90	...	SE	2	b	,,	29.74	755.4	81	...	SW	2	b
Cape St. James,	,,	29.80	756.9	86	...	SW	4	b	,,	29.80	756.9	77	...	NNW	2	o
Basco,	,,	29.82	757.5	90	72	SW	1	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.79	756.6	93	64	NNE	4	b	,,	29.80	756.9	79	95	...	0	b
Manila,	,,	29.79	756.6	93	50	SE	2	b	,,	29.81	757.2	79	90	...	0	o
Legaspi,	,,	29.79	756.6	90	72	ENE	2	o	,,	29.84	757.8	77	89	NE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	90	66	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	84	81	ENE	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.6	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	78	...	ENE	1	lc
Labuan,	14	29.79	756.6	88	84	NE	2	b	6	29.83	757.7	76	94	SW	2	o

June 30*d.* 10*h.* 50*m.*—Pressure has increased slightly over N.E. Japan and over central and N.E. China. It has decreased slightly over Cochin China and N. Luzon and is nearly stationary elsewhere.

The depression over China is not so deep this morning and the secondary over Japan has filled up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 35·98 inches, against an average of 39·00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st

District.	Forecast.
1.—Formosa Channel, ...	S.W. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

JULY,

1926.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1926.

[*Price* 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JULY,

1926.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JULY, 1926.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·726	29·728	29·724	29·726	29·728	29·732	29·738	29·739	29·752	29·754	29·748	29·738	1
2	29·734	29·716	29·712	29·703	29·701	29·712	29·733	29·745	29·752	29·740	29·742	29·738	2
3	29·748	29·738	29·728	29·736	29·740	29·742	29·747	29·753	29·757	29·764	29·757	29·744	3
4	29·729	29·714	29·704	29·699	29·699	29·701	29·716	29·727	29·729	29·736	29·730	29·717	4
5	29·663	29·655	29·643	29·637	29·641	29·638	29·648	29·639	29·649	29·649	29·651	29·638	5
6	29·621	29·607	29·601	29·598	29·605	29·610	29·627	29·641	29·653	29·648	29·649	29·649	6
7	29·661	29·651	29·647	29·649	29·653	29·669	29·672	29·682	29·700	29·710	29·716	29·713	7
8	29·759	29·749	29·739	29·733	29·729	29·721	29·728	29·741	29·756	29·766	29·765	29·756	8
9	29·766	29·754	29·738	29·730	29·724	29·732	29·743	29·749	29·760	29·764	29·764	29·765	9
10	29·755	29·755	29·745	29·735	29·737	29·733	29·747	29·748	29·749	29·756	29·758	29·742	10
11	29·706	29·703	29·703	29·699	29·707	29·707	29·714	29·719	29·712	29·703	29·704	29·698	11
12	29·683	29·677	29·675	29·673	29·673	29·683	29·691	29·692	29·694	29·698	29·695	29·693	12
13	29·707	29·701	29·701	29·699	29·703	29·710	29·717	29·720	29·734	29·738	29·740	29·720	13
14	29·694	29·679	29·679	29·679	29·673	29·673	29·681	29·686	29·694	29·697	29·689	29·671	14
15	29·622	29·620	29·620	29·618	29·622	29·621	29·627	29·628	29·642	29·647	29·643	29·643	15
16	29·659	29·651	29·649	29·645	29·647	29·649	29·655	29·671	29·676	29·669	29·659	29·643	16
17	29·627	29·622	29·617	29·608	29·610	29·620	29·619	29·610	29·607	29·599	29·595	29·568	17
18	29·499	29·493	29·467	29·461	29·467	29·475	29·473	29·477	29·479	29·477	29·481	29·463	18
19	29·454	29·412	29·424	29·461	29·430	29·462	29·475	29·508	29·522	29·489	29·490	29·499	19
20	29·523	29·513	29·507	29·507	29·512	29·552	29·560	29·562	29·570	29·582	29·573	29·572	20
21	29·576	29·548	29·530	29·518	29·520	29·536	29·546	29·554	29·567	29·572	29·570	29·549	21
22	29·445	29·386	29·347	29·357	29·352	29·302	29·287	29·274	29·229	29·238	29·265	29·270	22
23	29·492	29·478	29·464	29·470	29·485	29·510	29·542	29·562	29·580	29·582	29·579	29·577	23
24	29·621	29·612	29·597	29·596	29·598	29·604	29·620	29·630	29·643	29·648	29·655	29·639	24
25	29·680	29·666	29·654	29·643	29·654	29·668	29·698	29·705	29·708	29·722	29·724	29·713	25
26	29·723	29·719	29·713	29·710	29·714	29·714	29·726	29·745	29·748	29·760	29·754	29·750	26
27	29·735	29·720	29·716	29·707	29·710	29·714	29·727	29·731	29·745	29·752	29·751	29·744	27
28	29·740	29·730	29·722	29·720	29·730	29·740	29·750	29·756	29·761	29·771	29·766	29·764	28
29	29·741	29·734	29·718	29·714	29·718	29·730	29·735	29·740	29·742	29·749	29·744	29·738	29
30	29·709	29·701	29·699	29·698	29·698	29·704	29·710	29·711	29·716	29·713	29·699	29·691	30
31	29·669	29·659	29·635	29·636	29·625	29·633	29·650	29·655	29·659	29·664	29·663	29·657	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·731	29·722	29·710	29·692	29·684	29·680	29·689	29·699	29·710	29·725	29·735	29·741	1
2	29·718	29·698	29·689	29·681	29·688	29·690	29·700	29·722	29·732	29·756	29·756	29·758	2
3	29·736	29·724	29·710	29·702	29·694	29·698	29·704	29·717	29·739	29·749	29·758	29·750	3
4	29·695	29·686	29·666	29·653	29·650	29·663	29·665	29·679	29·691	29·691	29·695	29·691	4
5	29·620	29·610	29·591	29·584	29·587	29·587	29·593	29·604	29·609	29·623	29·631	29·627	5
6	29·637	29·617	29·617	29·609	29·603	29·603	29·618	29·630	29·637	29·659	29·669	29·665	6
7	29·714	29·700	29·684	29·677	29·675	29·672	29·694	29·713	29·726	29·736	29·767	29·765	7
8	29·748	29·738	29·706	29·698	29·692	29·692	29·706	29·727	29·747	29·765	29·779	29·783	8
9	29·754	29·736	29·721	29·705	29·695	29·690	29·705	29·714	29·731	29·753	29·757	29·763	9
10	29·721	29·705	29·683	29·671	29·661	29·667	29·677	29·696	29·701	29·710	29·714	29·711	10
11	29·690	29·683	29·665	29·645	29·627	29·633	29·627	29·644	29·656	29·676	29·681	29·681	11
12	29·671	29·665	29·657	29·648	29·633	29·631	29·635	29·646	29·661	29·688	29·694	29·702	12
13	29·712	29·706	29·694	29·681	29·676	29·673	29·677	29·691	29·700	29·702	29·710	29·708	13
14	29·661	29·645	29·625	29·611	29·599	29·613	29·621	29·627	29·644	29·650	29·644	29·640	14
15	29·631	29·629	29·629	29·610	29·611	29·603	29·623	29·640	29·658	29·676	29·672	29·665	15
16	29·633	29·612	29·598	29·578	29·572	29·569	29·561	29·579	29·589	29·595	29·599	29·627	16
17	29·582	29·544	29·531	29·513	29·505	29·510	29·518	29·523	29·525	29·533	29·524	29·514	17
18	29·483	29·464	29·440	29·428	29·443	29·510	29·484	29·478	29·461	29·446	29·490	29·458	18
19	29·495	29·487	29·469	29·467	29·465	29·467	29·469	29·493	29·521	29·547	29·545	29·550	19
20	29·566	29·550	29·540	29·536	29·520	29·519	29·529	29·550	29·569	29·590	29·590	29·578	20
21	29·543	29·521	29·499	29·491	29·461	29·472	29·480	29·499	29·511	29·593	29·493	29·459	21
22	29·297	29·321	29·345	29·367	29·372	29·396	29·425	29·453	29·480	29·496	29·514	29·519	22
23	29·561	29·563	29·578	29·549	29·546	29·553	29·560	29·578	29·607	29·629	29·635	29·629	23
24	29·643	29·627	29·617	29·605	29·606	29·606	29·630	29·655	29·662	29·684	29·690	29·698	24
25	29·702	29·697	29·685	29·688	29·690	29·695	29·704	29·711	29·715	29·733	29·741	29·741	25
26	29·746	29·732	29·720	29·706	29·703	29·707	29·707	29·716	29·731	29·747	29·747	29·739	26
27	29·727	29·713	29·716	29·704	29·700	29·699	29·704	29·714	29·740	29·752	29·752	29·749	27
28	29·758	29·742	29·722	29·704	29·707	29·697	29·705	29·715	29·732	29·736	29·740	29·744	28
29	29·718	29·712	29·696	29·680	29·675	29·672	29·689	29·695	29·714	29·722	29·722	29·717	29
30	29·685	29·671	29·653	29·640	29·633	29·629	29·630	29·640	29·659	29·679	29·689	29·691	30
31	29·650	29·645	29·625	29·607	29·587	29·583	29·609	29·641	29·640	29·648	29·673	29·676	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of JULY, 1926.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	81·1	81·2	80·7	80·8	80·9	80·4	81·8	83·3	84·0	84·4	84·0	84·2	1
2	81·6	81·4	81·5	80·8	81·0	81·1	82·8	83·1	83·9	85·0	84·5	85·3	2
3	80·0	80·1	80·2	80·2	80·1	80·0	80·9	82·2	85·0	83·2	85·9	85·0	3
4	82·2	80·7	80·8	80·8	81·0	81·2	82·1	82·0	83·6	83·7	85·8	84·1	4
5	81·0	81·7	80·5	81·0	80·5	80·0	81·9	84·3	80·0	83·2	83·0	85·0	5
6	81·0	81·0	80·1	80·3	80·9	80·9	82·0	82·0	85·0	86·7	87·0	86·6	6
7	82·2	82·2	82·3	82·4	82·1	82·2	83·1	83·6	84·4	84·8	80·0	85·1	7
8	81·8	81·8	81·5	81·2	81·5	81·7	80·9	83·9	84·2	84·0	84·3	84·9	8
9	80·9	80·0	80·2	80·8	81·1	81·1	81·8	83·9	83·8	84·1	84·0	85·0	9
10	81·9	81·8	81·4	81·2	81·2	81·0	80·8	81·9	84·3	86·0	86·7	87·2	10
11	80·0	79·8	79·7	80·1	80·0	80·1	81·1	82·6	84·0	85·5	86·1	87·6	11
12	81·1	81·3	81·2	81·0	80·8	80·9	81·8	83·3	85·0	85·1	86·6	87·3	12
13	81·9	81·9	81·8	81·6	81·2	81·2	81·6	84·5	85·7	87·2	88·4	88·8	13
14	82·5	82·6	82·1	82·0	81·9	81·3	82·9	85·2	85·5	87·0	87·3	88·1	14
15	83·0	82·3	82·3	82·0	81·4	80·5	82·1	83·9	83·3	84·7	87·8	86·2	15
16	80·6	80·2	80·0	80·1	80·1	79·8	81·5	81·9	84·2	86·2	88·0	89·4	16
17	83·6	83·1	82·8	81·9	82·8	81·9	82·6	83·6	86·4	86·4	86·6	89·8	17
18	81·5	80·5	80·3	81·1	81·5	81·6	81·9	82·1	81·7	82·3	82·1	82·6	18
19	78·8	78·4	77·6	76·4	77·3	76·3	76·0	73·6	75·2	76·1	81·0	81·3	19
20	79·9	81·5	81·2	78·8	78·1	77·3	76·7	77·6	80·0	78·2	81·3	78·7	20
21	79·0	78·8	79·0	78·5	77·8	77·9	79·5	81·2	82·3	84·8	85·0	85·4	21
22	82·6	84·4	84·5	78·4	77·0	77·0	76·3	78·3	78·0	77·5	80·0	78·0	22
23	78·5	78·5	78·6	78·8	78·4	79·4	79·0	78·3	78·2	80·0	81·6	80·8	23
24	76·6	76·5	76·9	77·5	77·7	77·5	79·2	81·0	81·9	82·8	83·5	84·5	24
25	78·7	78·3	78·2	77·4	77·0	77·3	77·4	77·5	78·4	79·2	80·6	80·5	25
26	76·6	76·5	76·2	75·6	75·5	75·6	76·0	77·0	78·1	82·0	81·7	82·2	26
27	80·9	80·6	81·0	81·0	81·4	81·1	81·0	82·0	83·0	81·6	84·5	84·6	27
28	80·9	80·5	80·9	80·6	80·5	79·9	81·0	83·2	83·4	85·0	86·4	86·0	28
29	80·3	80·1	80·3	80·0	79·6	79·0	80·6	83·4	84·0	83·8	84·0	81·8	29
30	78·9	78·6	78·5	78·0	77·5	77·1	79·0	80·1	81·3	83·5	85·6	86·1	30
31	80·0	80·2	80·3	79·6	79·6	78·9	81·4	82·3	83·4	85·0	85·0	86·2	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	84·2	87·0	85·2	84·8	84·1	84·0	83·0	82·6	82·4	82·1	82·0	81·3	1
2	86·2	86·0	85·0	84·7	84·7	83·9	81·0	79·2	79·3	80·5	80·9	81·0	2
3	83·5	83·8	84·4	83·8	83·7	82·0	82·3	82·3	82·5	82·6	81·0	81·7	3
4	86·0	84·8	83·6	83·4	83·1	82·6	82·1	82·0	82·1	82·0	81·8	81·8	4
5	86·1	85·0	85·5	83·6	82·1	82·6	81·8	81·0	80·9	81·0	81·6	81·1	5
6	84·8	86·1	84·2	83·9	84·0	83·8	82·8	82·1	81·8	81·8	81·7	81·9	6
7	83·8	83·0	84·1	84·4	84·0	83·9	83·0	82·7	82·6	82·6	82·5	82·2	7
8	85·7	85·3	84·1	84·0	82·2	82·1	82·2	81·8	82·1	82·3	82·4	82·0	8
9	85·1	84·2	83·7	84·1	84·5	83·1	82·8	81·7	82·0	82·0	81·8	81·9	9
10	87·9	85·9	87·7	87·2	85·6	85·0	83·8	82·2	81·3	81·2	81·0	79·9	10
11	88·6	89·4	89·1	88·9	86·4	84·7	83·7	82·2	82·0	81·9	81·2	81·0	11
12	88·1	88·8	89·0	88·9	87·1	85·7	83·9	83·5	82·5	82·6	82·5	82·7	12
13	90·0	89·4	88·6	88·0	85·8	85·8	84·5	83·8	83·4	83·0	82·8	82·7	13
14	88·6	88·3	87·5	87·4	86·0	85·3	83·5	83·1	83·0	83·2	83·7	83·4	14
15	89·0	88·0	83·8	86·9	85·1	84·2	83·7	83·2	82·9	83·9	82·5	81·6	15
16	90·0	90·4	90·9	90·6	89·9	88·0	87·2	85·3	84·5	84·4	82·8	83·9	16
17	79·3	82·5	82·7	85·3	83·0	81·9	81·6	81·0	81·2	81·5	81·8	81·8	17
18	82·9	82·9	84·5	84·4	81·4	75·4	78·1	78·8	79·0	80·0	79·4	78·2	18
19	81·3	82·0	82·0	82·0	81·9	81·8	82·0	82·0	82·3	81·7	81·9	81·3	19
20	79·5	78·5	78·2	77·7	78·5	78·3	78·6	78·8	78·8	78·9	79·3	79·4	20
21	85·3	84·5	86·4	83·8	85·3	83·8	82·4	82·2	82·1	82·0	82·6	82·3	21
22	78·0	77·0	78·6	77·2	77·9	78·2	78·9	79·1	79·6	79·4	78·1	79·1	22
23	80·1	82·1	77·5	75·8	76·0	75·6	75·7	76·0	76·1	77·0	77·0	77·0	23
24	84·0	83·4	82·6	82·1	81·4	81·2	80·9	80·4	80·0	80·0	79·4	78·4	24
25	80·6	81·0	81·2	80·3	78·1	77·0	76·0	76·6	76·1	76·0	76·4	76·4	25
26	82·0	83·0	82·0	80·6	81·0	80·5	79·5	79·4	79·3	79·4	79·4	80·0	26
27	86·6	84·0	84·0	84·3	84·5	85·5	82·1	81·7	81·6	81·6	81·1	81·0	27
28	85·0	87·2	86·2	86·1	84·4	83·1	81·8	80·7	80·2	81·0	80·9	81·0	28
29	87·1	86·5	86·4	85·0	85·0	83·7	82·0	80·3	80·4	79·6	79·8	78·8	29
30	87·1	87·1	86·8	86·7	85·1	83·8	82·5	82·2	80·9	80·5	80·1	80·5	30
31	87·4	87·4	88·0	86·9	86·2	85·2	84·0	83·3	83·4	82·7	82·1	82·5	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of JULY, 1926.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·3	77·0	76·8	76·8	76·9	77·0	76·6	78·8	78·6	78·5	78·8	78·5	1
2	77·6	77·2	76·8	76·6	76·6	77·0	77·9	77·0	78·0	78·2	78·0	78·0	2
3	78·1	77·8	77·8	77·6	77·4	77·8	77·7	78·9	79·5	79·1	79·2	80·2	3
4	77·6	77·0	76·9	77·0	77·1	77·0	77·2	77·3	78·2	78·0	78·9	79·8	4
5	78·1	77·9	77·7	77·8	77·3	76·7	78·0	78·2	75·7	78·0	77·2	78·2	5
6	77·2	77·2	77·0	77·0	77·5	77·5	77·8	78·0	78·1	80·0	78·6	78·3	6
7	78·8	79·1	78·0	78·2	78·1	78·1	78·8	78·9	79·0	79·9	78·1	80·0	7
8	78·9	79·0	78·2	78·2	78·1	78·4	78·0	79·8	80·0	79·5	79·7	80·2	8
9	78·0	77·4	77·5	77·8	77·9	77·1	78·5	79·2	79·0	79·2	78·9	79·0	9
10	77·7	77·6	77·4	77·4	77·1	77·0	78·0	77·7	79·9	78·0	78·7	79·7	10
11	77·1	77·0	76·7	77·3	77·2	77·7	76·9	78·7	78·9	79·7	78·0	79·1	11
12	77·6	78·0	77·7	77·6	77·7	77·9	78·3	79·1	79·3	79·1	80·0	79·5	12
13	78·0	78·4	78·8	78·7	78·3	78·5	78·8	79·5	79·8	79·2	79·8	80·0	13
14	77·2	77·0	76·9	77·0	77·0	77·1	78·3	79·8	78·8	79·7	79·9	79·8	14
15	78·0	77·2	77·6	77·8	78·0	78·0	78·0	79·0	79·1	80·1	81·0	80·0	15
16	76·9	76·8	76·9	76·5	76·1	76·2	78·0	76·9	79·0	78·0	78·7	78·4	16
17	79·0	78·2	78·1	77·9	77·7	77·9	77·6	77·5	79·5	78·4	77·9	79·8	17
18	78·1	78·2	78·0	78·2	78·4	78·3	78·8	78·9	79·0	79·0	79·6	80·4	18
19	76·9	76·0	76·0	76·0	77·0	75·8	75·8	73·6	75·1	75·2	79·3	79·7	19
20	77·2	78·8	78·6	76·8	76·1	75·4	75·3	75·8	77·4	76·0	78·0	76·4	20
21	77·0	77·4	78·0	77·4	77·0	76·7	78·0	78·9	78·5	79·8	78·4	78·4	21
22	75·0	74·1	74·3	75·0	74·9	74·6	74·8	75·0	75·6	76·5	76·0	76·1	22
23	75·5	75·4	75·9	75·4	75·8	74·7	75·2	74·7	74·8	76·3	77·0	77·1	23
24	75·0	74·8	75·1	76·0	76·2	76·0	77·0	77·0	77·0	78·0	78·7	79·3	24
25	76·0	75·8	75·1	75·8	75·8	76·0	75·7	75·1	76·2	76·3	76·0	76·2	25
26	74·0	74·0	74·0	74·2	74·6	75·0	75·2	76·0	76·3	77·1	77·0	77·0	26
27	77·8	77·7	77·9	77·6	77·8	77·7	77·9	79·0	79·4	78·4	80·7	79·8	27
28	77·1	77·0	77·0	77·1	76·9	77·0	77·4	78·1	77·2	79·0	78·3	78·8	28
29	77·0	77·0	76·9	76·8	77·0	76·5	77·4	78·2	78·5	78·9	79·1	78·0	29
30	76·0	76·1	76·2	76·1	75·7	75·6	77·1	77·5	77·1	78·0	78·9	79·0	30
31	75·2	76·9	77·0	77·1	77·0	76·3	78·6	78·3	78·7	79·6	78·9	79·4	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	78·7	79·7	78·7	78·8	78·0	78·3	78·0	78·0	78·2	77·9	78·0	77·9	1
2	79·0	78·8	78·3	78·7	78·7	78·4	77·7	76·4	76·0	77·0	77·8	78·0	2
3	79·5	79·0	79·1	78·9	79·0	79·0	78·2	78·5	78·2	78·2	78·0	77·9	3
4	79·0	78·7	79·2	78·2	77·9	78·0	78·0	77·8	78·0	77·8	77·8	77·6	4
5	79·0	78·0	77·8	77·7	77·1	77·7	77·8	77·0	77·7	77·8	78·0	77·4	5
6	78·6	79·1	78·4	78·1	78·4	78·4	78·0	78·2	78·3	78·3	78·1	77·7	6
7	79·5	78·8	77·8	78·6	79·7	79·9	79·3	79·0	79·0	79·0	79·0	79·2	7
8	80·2	80·2	79·9	79·1	78·6	78·2	78·8	78·3	78·2	78·8	78·7	78·3	8
9	80·0	79·4	79·1	78·5	79·4	78·0	78·0	77·8	78·0	78·0	78·0	77·6	9
10	79·7	76·2	77·1	78·6	77·0	77·0	76·9	76·5	76·6	76·8	76·8	76·9	10
11	80·6	79·0	79·5	79·8	78·1	78·0	77·4	77·1	77·6	77·2	77·0	77·0	11
12	79·2	78·8	78·8	78·2	78·8	78·0	77·5	77·1	77·0	77·4	77·6	77·8	12
13	81·1	80·8	79·9	79·5	78·3	78·3	78·2	78·0	78·0	77·8	77·9	78·0	13
14	79·4	78·0	79·1	79·0	78·2	78·0	77·8	77·9	78·3	78·7	78·8	78·3	14
15	81·2	79·8	78·8	79·9	78·9	78·7	78·5	78·2	78·2	78·0	77·3	77·1	15
16	77·3	77·4	78·0	79·0	78·0	77·1	77·6	76·6	77·3	78·2	78·4	78·3	16
17	77·4	79·5	78·5	80·6	79·0	78·4	78·7	77·7	77·3	77·0	77·2	77·7	17
18	80·1	79·7	79·5	78·5	78·3	74·5	75·7	76·6	75·8	75·0	75·6	76·0	18
19	79·1	79·9	79·3	79·1	79·7	79·8	80·0	79·8	80·0	79·6	79·7	79·5	19
20	77·0	76·5	76·6	76·5	76·4	76·8	76·9	77·1	77·5	77·7	78·0	78·3	20
21	80·0	79·1	79·9	78·5	79·1	77·6	77·7	76·3	77·0	77·0	76·0	76·4	21
22	76·1	75·7	76·3	75·7	76·3	76·2	76·0	76·2	76·3	76·8	76·5	75·7	22
23	77·3	77·5	74·0	73·0	73·8	73·7	73·4	73·9	74·0	75·0	74·2	74·0	23
24	79·3	78·7	78·5	78·1	77·6	77·5	77·0	76·6	76·4	76·4	76·3	76·1	24
25	77·0	76·9	76·4	76·1	75·3	74·4	73·5	74·0	74·8	74·8	75·0	75·0	25
26	76·5	77·0	76·4	76·8	76·9	76·9	76·6	76·9	76·8	76·8	77·3	77·6	26
27	80·4	78·7	78·9	78·9	78·3	78·0	77·8	77·8	77·7	77·9	77·2	77·1	27
28	77·9	79·0	78·2	79·0	77·7	78·0	77·0	77·1	77·5	77·6	75·6	77·5	28
29	79·0	77·8	78·0	77·1	76·7	76·9	76·7	77·2	77·1	77·1	76·9	76·7	29
30	78·3	79·0	79·0	78·5	77·0	76·9	76·0	75·0	75·7	76·0	76·0	76·5	30
31	79·3	80·0	80·4	80·0	79·4	78·7	78·0	77·8	77·0	77·0	76·8	77·4	31

TABLE IV.—AMOUNT of CLOUD, (0–10), at every HOUR of the DAY, in the MONTH of JULY, 1926.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	9	9	9	9	10	9	6	7	7	7	7	8	7	6	7	6	8	9	8	10	10	10	10	8	1
2	9	10	10	8	10	10	9	9	9	10	9	10	10	10	10	10	10	10	10	10	8	9	3	4	2
3	6	7	6	8	5	8	9	10	10	9	9	7	9	9	9	10	10	10	10	10	8	10	10	10	3
4	10	10	10	10	10	9	5	9	9	6	10	10	10	10	10	9	8	8	7	7	8	-	6	7	4
5	10	9	7	3	10	9	8	10	10	10	10	10	8	8	7	9	8	6	4	2	1	2	2	2	5
6	4	5	7	6	10	10	6	8	5	4	3	6	5	6	4	4	3	2	6	...	...	...	...	...	6
7	3	9	5	2	8	8	8	8	8	9	9	9	10	8	9	6	8	4	6	10	6	6	6	3	7
8	3	8	5	3	8	8	3	8	8	7	6	7	7	5	7	6	8	9	9	3	9	9	9	8	8
9	9	5	7	8	10	10	8	8	7	8	10	4	9	9	8	8	6	5	4	2	2	3	1	2	9
10	2	7	3	8	4	9	6	10	6	8	7	7	5	4	5	5	4	6	7	2	...	...	...	1	10
11	2	2	1	2	4	2	6	5	2	3	3	4	4	2	3	3	3	4	4	2	...	...	...	...	11
12	2	...	1	...	2	4	7	7	9	6	8	6	8	7	6	5	2	1	6	4	...	2	2	4	12
13	3	4	6	2	7	8	7	7	4	3	3	3	3	2	2	2	2	2	1	2	1	2	2	4	13
14	3	9	8	9	7	2	5	5	4	8	7	2	7	6	4	5	6	5	7	5	6	8	6	8	14
15	8	10	10	8	10	10	7	9	10	9	10	8	9	9	7	8	7	6	7	5	3	6	2	1	15
16	1	1	1	1	3	2	2	3	3	5	1	2	2	2	2	1	1	...	...	...	...	...	...	...	16
17	6	7	9	7	10	9	10	9	9	10	10	10	10	10	10	9	10	10	9	9	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	9	20
21	9	10	6	2	2	7	2	1	2	3	5	4	9	8	9	7	7	9	10	10	10	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	24
25	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	26
27	10	10	9	9	10	10	10	10	10	10	10	10	9	10	10	9	9	9	10	9	10	9	5	9	27
28	8	8	9	9	8	9	6	8	9	4	5	5	6	7	6	7	6	7	4	2	8	10	10	10	28
29	7	8	8	9	8	7	3	5	4	8	4	5	4	4	3	3	2	1	2	1	7	3	2	2	29
30	2	5	5	2	1	3	8	8	4	1	2	2	1	1	2	2	1	1	...	...	...	...	...	...	30
31	...	...	...	4	2	6	4	5	5	5	7	3	4	6	4	3	6	7	7	4	2	...	...	5	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JULY, 1926.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	0·4	1·0	1·0	1·0	0·4	0·8	0·4	1·0	1·0	1·0	0·7	0·8	0·5	1
2	0·2	0·9	0·9	1·0	0·9	0·1	0·1	0·1	0·3	0·1	...	...	...	2
3	0·3	0·3	0·9	0·7	0·8	0·7	0·8	0·8	0·3	...	...	0·1	0·6	3
4	0·5	0·4	0·8	1·0	1·0	0·2	0·7	0·7	1·0	0·5	0·9	...	...	4
5	0·2	1·0	0·3	0·1	0·3	0·6	0·8	1·0	1·0	0·5	0·6	0·9	0·6	5
6	0·5	0·6	0·7	1·0	1·0	1·0	1·0	1·0	0·9	0·5	0·9	1·0	0·8	6
7	0·4	1·0	0·7	0·9	0·2	0·7	0·6	0·2	1·0	1·0	1·0	0·9	0·6	7
8	0·4	1·0	1·0	0·7	1·0	0·9	1·0	1·0	0·9	1·0	0·6	0·5	...	8
9	0·2	1·0	1·0	1·0	0·6	0·1	0·8	0·9	0·7	0·6	1·0	0·8	0·4	9
10	0·2	0·6	0·7	1·0	1·0	1·0	1·0	0·9	0·7	1·0	0·9	1·0	0·6	10
11	0·4	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	11
12	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	12
13	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	13
14	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	14
15	0·1	0·9	0·3	0·6	0·9	0·7	0·9	0·8	0·8	0·9	0·9	0·8	...	15
16	0·6	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	16
17	...	...	0·1	0·7	...	0·3	0·5	0·1	0·3	0·4	0·7	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	0·1	...	0·1	0·2	...	...	...	...	...	...	...	20
21	0·6	1·0	1·0	1·0	1·0	1·0	1·0	0·7	1·0	0·2	0·7	0·6	0·2	21
22	...	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	0·1	0·2	0·1	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	0·2	...	...	...	...	25
26	...	...	...	0·4	0·2	0·2	0·1	0·4	1·0	0·2	...	...	...	26
27	...	...	0·3	0·3	0·2	0·8	1·0	0·7	0·1	0·6	0·1	0·2	0·2	27
28	0·3	1·0	1·0	0·9	1·0	1·0	0·9	1·0	1·0	0·7	0·8	1·0	0·7	28
29	0·7	1·0	1·0	1·0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·7	29
30	0·4	0·4	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	30
31	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JULY, 1926.

(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	d	0·010	...	...	..	...	...	...	1
2	...	...	...	...	...	...	...	...	0·025	...	...	...	2
3	...	...	...	...	...	0·005	...	...	...	...	...	...	3
4	...	0·045	...	...	d	...	...	...	d	...	0·020	d	4
5	0·020	...	0·040	...	0·025	...	...	...	0·090	...	d	...	5
6	...	0·010	d	...	...	...	...	0·010	...	...	...	...	6
7	...	...	...	...	...	...	...	0·005	...	d	0·020	...	7
8	...	0·065	...	...	...	0·045	...	...	...	...	0·005	...	8
9	0·015	...	...	...	...	...	...	...	...	...	0·010	...	9
10	...	...	...	...	...	0·130	0·010	d	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	d	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	d	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	d	...	...	...	d	d	...	...	...	...	...	...	17
18	d	0·020	0·015	...	d	...	d	0·010	0·005	0·010	0·025	0·005	18
19	0·055	0·545	1.895	3·965	2·900	2·640	2·005	2·240	3·200	1·040	0·130	0·120	19
20	0·010	...	...	0·015	...	0·180	0·045	d	...	0·150	...	...	20
21	0·005	0·040	...	...	...	...	...	...	...	..	...	...	21
22	d	d	d	0·025	0·130	0·400	0·470	0·240	0·370	0·230	0·120	0·180	22
23	d	0·010	0·005	d	...	d	d	0·015	0·005	...	...	...	23
24	0·030	d	...	...	...	d	0·005	...	d	...	...	...	24
25	...	...	...	...	..	...	0·075	0·155	...	...	...	0·010	25
26	d	0·005	0·040	0·100	0·005	0·030	d	d	...	...	...	...	26
27	...	0·010	...	...	...	...	...	d	...	0·015	d	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	d	...	0·020	...	1
2	...	...	...	.	...	0·030	0·035	...	d	...	...	...	2
3	...	...	...		0·080	...	...	...	d	0·145	0·025	d	3
4	0·015	0·010	0·125	...	...	...	...	...	d	...	d	...	4
5	...	...	...	0·015	...	...	...	...	d	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	0·010	0·010	...	...	...	d	...	d	...	...	d	...	7
8	...	d	0·010	...	0·005	...	...	...	d	...	d	0·040	8
9	...	0·060	d	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	d	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	0·350	...	0·010	...	...	d	...	...	d	...	...	...	17
18	0·010	0·010	0·005	0·135	0·010	0·525	0·155	0·050	0·010	d	d	0·010	18
19	0·060	0·040	0·010	0·010	0·010	d	d	...	...	d	...	0·160	19
20	d	...	0·030	0·420	...	d	...	d	0·100	...	0·080	0·035	20
21	...	...	...	...	...	...	...	d	...	...	...	...	21
22	0·230	0·100	0·010	0·105	0 170	0·075	0·020	0·005	d	0·500	0·335	0·010	22
23	0·010	...	0·065	0·040	0·005	d	...	...	...	0·030	0·005	0·020	23
24	d	...	d	...	...	d	d	...	...	d	0·010	.	24
25	...	...	...	0·015	0·130	0·200	d	0·020	d	...	...	0·005	25
26	...	...	d	...	d	...	...	...	d	0·010	0·140	0·100	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of JULY, 1926.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	16	7	17	10	17	6	17	6	17	5	17	9	16	12	16	11	16	14	16	11	16	6	16	9	1
2	15	9	15	8	16	10	16	7	16	7	16	8	16	10	16	15	16	13	16	15	16	12	16	9	2
3	11	3	12	5	13	5	12	6	10	2	8	6	8	5	9	4	10	6	9	12	9	11	8	18	3
4	12	18	11	13	11	12	12	12	12	14	12	16	12	16	12	16	12	15	12	18	12	20	12	14	4
5	12	16	12	17	13	15	13	10	13	9	13	8	13	10	14	16	15	12	14	8	14	17	14	13	5
6	12	13	12	7	12	7	12	2	13	6	14	4	14	9	14	8	13	8	14	9	13	10	11	12	6
7	9	15	10	15	10	16	9	15	9	14	9	13	9	18	8	16	8	16	9	16	9	17	8	16	7
8	10	14	10	13	11	13	11	11	11	10	11	10	10	10	9	15	8	17	9	17	9	16	9	19	8
9	9	13	8	11	8	14	9	12	10	10	10	9	10	12	9	14	8	15	9	16	10	16	10	13	9
10	12	12	13	10	13	7	13	6	13	7	13	6	13	4	14	6	14	5	16	6	21	7	22	6	10
11	...	...	...	1	...	...	17	2	...	...	20	3	...	1	25	4	26	4	26	27	25	9	25	9	11
12	20	3	23	3	23	6	23	6	23	7	23	7	25	6	27	6	28	5	27	6	25	9	23	10	12
13	22	4	22	5	22	6	22	7	22	8	23	4	23	2	24	3	24	6	24	8	23	9	22	8	13
14	18	9	19	8	19	11	20	13	21	11	22	8	23	6	22	12	20	14	19	14	19	13	19	15	14
15	16	9	17	4	18	4	...	1	...	1	...	...	...	...	17	6	21	4	22	6	18	7	16	5	15
16	...	1	12	3	12	4	...	...	...	...	...	...	...	...	16	3	22	4	24	7	25	6	25	9	16
17	9	17	8	13	7	10	6	7	6	18	7	17	6	19	4	7	2	10	31	15	32	9	2	9	17
18	27	18	27	15	28	12	27	17	27	19	26	19	26	19	26	17	26	14	26	16	24	12	24	14	18
19	23	6	24	5	23	20	26	18	27	19	25	12	20	23	16	7	13	11	6	21	19	24	19	24	19
20	14	12	13	13	9	11	8	15	6	7	26	11	26	7	25	8	21	5	16	2	10	8	8	15	20
21	10	5	9	8	10	3	...	1	...	...	...	1	10	3	10	3	10	5	10	3	10	2	9	8	21
22	29	9	30	25	31	26	31	30	32	26	32	35	32	37	3	48	4	62	6	57	6	58	7	54	22
23	12	20	13	27	15	13	9	14	9	14	11	13	13	19	14	22	14	8	12	3	10	9	10	8	23
24	10	10	9	10	8	7	8	8	7	8	9	13	13	13	14	18	14	23	14	16	13	17	12	21	24
25	10	2	13	2	...	...	...	1	11	10	9	23	8	10	8	9	9	11	11	16	13	23	13	19	25
26	16	6	...	...	...	1	...	...	...	...	...	1	11	5	8	5	9	9	13	10	15	11	15	13	26
27	15	8	16	9	17	12	17	12	17	7	17	6	17	3	17	5	17	8	16	3	16	6	16	8	27
28	19	3	18	4	17	6	17	8	17	6	17	3	17	3	17	5	17	6	16	10	16	8	16	8	28
29	...	1	...	1	...	1	14	2	16	2	...	...	...	...	13	5	10	7	8	10	8	8	9	10	29
30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	24	2	26	6	26	4	24	8	30
31	...	1	24	2	26	4	26	4	...	1	...	...	26	2	26	4	24	6	24	8	24	8	23	8	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel	Dir.	Vel	Dir.	Vel	Dir.	Vel.	
1	17	9	17	10	16	10	16	12	16	11	16	10	16	9	16	9	16	11	16	13	15	8	16	12	1
2	17	12	17	9	17	10	16	10	17	12	16	9	14	2	10	7	5	4	6	4	8	2	10	5	2
3	8	20	9	18	9	15	9	16	9	15	10	11	10	16	10	15	10	14	11	15	11	15	12	19	3
4	12	20	12	20	12	15	12	15	12	16	12	14	12	12	12	10	12	14	13	14	12	18	12	19	4
5	15	11	15	12	15	10	15	12	15	12	14	12	14	8	13	10	13	10	13	10	13	11	12	12	5
6	10	12	9	15	8	15	8	17	9	15	10	13	9	11	8	11	8	9	8	12	8	10	9	12	6
7	8	20	8	10	8	15	8	15	8	17	9	17	9	15	9	17	10	15	10	14	10	13	9	14	7
8	8	19	9	20	9	19	9	22	10	16	10	15	9	16	10	15	10	12	10	14	10	15	9	13	8
9	9	17	9	19	10	11	10	12	9	16	10	13	11	11	11	11	11	11	11	11	11	10	12	10	9
10	21	6	19	6	17	6	18	5	19	6	19	5	17	5	16	7	16	5	16	4	...	...	16	2	10
11	24	10	23	9	22	11	20	10	19	14	18	9	17	4	17	4	17	3	17	2	...	...	...	...	11
12	22	11	23	9	23	9	21	8	18	12	17	12	18	10	18	8	19	8	19	5	20	2	21	5	12
13	20	12	19	12	18	9	17	11	17	8	17	7	17	8	17	6	17	6	18	6	18	5	18	7	13
14	19	14	18	15	17	11	17	14	17	12	17	10	18	8	18	4	17	4	16	4	16	6	16	11	14
15	15	7	14	12	14	12	14	11	14	12	13	11	13	7	12	6	11	5	12	3	12	4	12	5	15
16	25	7	25	8	25	6	25	7	24	7	23	3	23	5	24	2	...	1	...	1	16	5	10	17	16
17	3	11	29	2	28	2	27	5	26	11	25	11	27	10	27	12	27	11	27	13	26	11	27	13	17
18	24	12	24	9	25	14	27	14	23	5	22	20	23	9	24	12	26	14	26	16	25	17	23	10	18
19	18	20	18	18	18	13	19	5	18	3	17	2	16	7	16	4	16	6	15	4	15	11	14	14	19
20	8	14	9	13	10	10	10	6	10	12	8	11	7	12	6	9	6	13	6	12	7	11	9	11	20
21	8	7	6	8	29	6	25	5	26	3	3	10	8	8	...	1	1	3	28	7	26	4	27	6	21
22	9	55	10	46	10	42	11	39	11	37	11	30	11	28	11	30	10	32	11	35	13	33	13	22	22
23	13	14	14	12	12	9	8	12	8	12	9	11	8	11	8	13	10	11	10	15	10	9	10	13	23
24	12	19	12	15	12	17	12	17	12	14	13	14	14	14	15	15	15	15	14	12	12	8	11	4	24
25	13	13	14	14	15	16	15	17	17	13	18	6	17	6	10	4	7	2	...	...	...	...	12	2	25
26	14	11	14	13	14	13	14	8	14	9	14	9	11	5	9	5	7	6	8	6	12	4	13	5	26
27	16	8	16	6	16	8	17	8	17	9	17	6	17	8	17	8	17	7	18	8	19	6	19	4	27
28	16	6	17	9	19	9	18	7	16	9	15	10	15	3	15	4	15	3	...	1	...	...	14	2	28
29	14	9	16	8	17	8	17	6	17	8	16	6	16	6	15	3	...	1	14	5	...	...	14	2	29
30	24	8	24	7	24	7	23	5	21	6	19	4	17	3	...	...	17	2	...	...	...	...	...	...	30
31	22	10	21	10	20	9	19	12	19	13	19	11	18	9	18	4	18	2	20	2	...	...	20	4	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of JULY, 1926.
(... = no clouds.)

Hours, Hongkong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	SSW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW
2	cu	SW	cu	SW	cu	S	cu	S	cu	SSW	cu	SSW	cu-nb	SW	cu	SW
3	cu	S	cu	S	cu	S	cu	SSE	ci-st / cu	WNW / SE	ci-st / cu	WNW / SE	cu	SE	cu	SE
4	nb	SE	cu	SE	cu	SE	cu	SSE	cu	SE	cu	SSE	cu	SSE	cu	SSE
5	nb	SSE	cu	SSE	ci-st / cu	WNW / S	cu	S	ci-st / cu	NW / S	cu	S	cu	SSE	cu	SSE
6	cu	SSE	cu	SSE	ci-st / cu	NW / S	cu	S	cu	S	cu	S	ci-st	NW	...	...
7	cu	SE	cu	SE	cu	ESE	cu	SE	cu	SE	cu	SE	cu	SE	cu	SE
8	cu	SE	cu	SE	cu	SE	cu	SE	cu	SE	cu	SE	cu-nb	SE	cu	SE
9	cu-nb	SE	cu-nb	SE	ci-st / cu	W / ESE	cu	SSE	cu	S	cu	SSE	cu	SSE	cu	SE
10	cu	SE	cu	SE	ci-st / cu	NNW / SSE	cu	SE	ci-st / cu	NE / SW	ci-st / cu	NE / SW	ci-st	NE	...	...
11	cu	S	cu	S	cu	SSW	ci-st / cu	NE / SSW	cu	SW	ci-st	NE	ci-st	NE	...	...
12	cu	SW	...	...	ci-st / cu	NE / SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st	ENE	ci-st	ENE	cu	SW
13	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW
14	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	ci-st / cu	NE / SW	cu	SW	cu	SW
15	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	ESE	cu	ESE
16	cu	SE	cu	ESE	cu	SSW	cu	S	cu	SE	cu	E	...	...	...	...
17	cu	ESE	cu	E	cu	E	cu	NNE	nb	NE	cu	NE	cu	NE	cu	ENE
18	cu	ENE	cu	ENE	nb	NW	nb	NW	nb	NW	nb	NNW	nb	NNW	nb	NNW
19	nb	NNW	nb	NNW	nb	NNW	nb	NNW	nb	WSW	nb	SW	nb	SSW	nb	SSW
20	nb	SSW	nb	SSW	nb	SSW	nb	SSW	cu-nb	SE	nb	SE	nb	SE	cu-nb	SE
21	cu-nb	SE	cu	ESE	cu	ESE	cu	SSE	cu / cu	SSE / NNW	cu	NNW	cu	ENE	cu	ENE
22	nb	NNW	nb	NNW	nb	NNW	nb	ENE	nb	E	nb	E	nb	E	nb	E
23	nb	E	nb	E	nb	SE	cu	SSE	cu-nb	SE	nb	SE	cu	SSE	nb	SSE
24	nb	SSE	nb	SSE	nb	SSE	nb	SSE	nb	SSE	cu	S	cu-nb	S	nb	SSW
25	cu	SSW	cu	SSW	nb	SSE	nb	SE	cu	SSE	nb	S	nb	SSW	cu-nb	SSW
26	nb	SSW	nb	SSW	nb	S	cu	S	cu	S	cu-nb	SSE	cu-nb	S	nb	S
27	nb	S	cu	SSW	cu-nb	SSW	nb	SSW	ci-st / cu	ENE / SW	cu	SW	ci-st / cu	ENE / SW	cu	SSW
28	cu	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SSW
29	cu	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SSW
30	cu	SSW	cu	SSW	cu	SSW	cu	SW	cu	SW	cu	SW	...	...	...	...
31	...	...	cu	SW	ci-st / cu	E / SW	ci-st / cu	E / SW	ci-st / cu	WSW / SW	ci-st / cu	WSW / SW	ci-st / cu	E / SW	...	...

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1926.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction. *	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·723	87·2	80·2	7·0	82·9	78·0	0·894	79	82	10·0	74	0·030	1	— 9·6	— 0·4	182	9·6	9·6
2	·721	86·5	79·1	7·4	82·7	77·7	·884	79	90	4·6	34	0·090	1	— 7·8	+ 0·7	175	7·8	8·7
3	·735	87·8	79·1	8·7	82·3	78·5	·925	84	87	6·3	47	0·255	2	— 3·5	+ 10·4	109	11·0	11·3
4	·697	87·5	80·0	7·5	82·6	77·9	·893	80	85	7·7	57	0·215	2	— 10·9	+ 11·0	135	15·5	15·5
5	·626	86·9	79·0	7·9	82·3	77·7	·888	81	69	7·9	59	0·190	2	— 10·2	+ 5·2	153	11·4	11·7
6	·628	88·5	80·0	8·5	83·0	78·1	·897	79	43	10·9	81	0·020	...	— 3·9	+ 8·5	115	9·3	10·3
7	·694	85·9	79·3	6·6	83·0	78·9	·933	83	70	9·2	69	0·045	1	— 2·6	+ 15·2	100	15·4	15·4
8	·738	86·0	79·9	6·1	82·8	79·0	·941	84	68	10·0	75	0·170	1	— 4·3	+ 14·3	107	14·9	15·0
9	·738	85·9	79·8	6·1	82·6	78·4	·916	82	64	9·1	68	0·085	1	— 4·0	+ 11·9	109	12·5	12·8
10	·720	89·0	79·9	9·1	83·5	77·6	·868	75	48	10·6	79	0·140	...	— 4·8	+ 0·2	178	4·8	5·8
11	·683	89·4	79·2	10·2	83·6	78·1	·889	77	25	11·6	87	...	...	— 1·7	— 3·5	244	3·9	4·8
12	·673	89·5	80·7	8·8	84·2	78·2	·885	75	41	12·1	90	...	...	— 2·6	— 5·4	244	6·0	7·2
13	·705	90·2	81·1	9·1	84·7	78·9	·911	76	34	11·6	87	...	...	— 4·5	— 4·3	224	6·2	7·0
14	·657	88·9	81·1	7·8	84·6	78·3	·884	75	59	11·9	89	...	...	— 8·5	— 4·9	210	9·8	10·4
15	·633	89·9	80·3	9·6	85·9	78·7	·913	78	75	8·6	65	...	...	— 4·9	+ 1·2	166	5·1	5·9
16	·624	91·3	79·4	11·9	85·0	77·6	·848	70	14	11·6	87	...	...	— 0·6	— 2·1	254	2·2	4·4
17	·568	91·2	78·4	12·8	83·1	78·3	·905	80	93	3·1	23	0·360	1	+ 5·1	+ 1·1	12	5·2	11·0
18	·471	84·6	75·4	9·2	81·0	77·9	·915	87	100	...	...	1·010	13	+ 3·7	— 13·3	286	13·8	14·3
19	·483	82·6	73·3	9·3	79·6	78·0	·939	93	100	...	...	21·025	18	— 6·3	— 4·5	216	7·7	12·4
20	·549	82·0	76·2	5·8	78·9	77·0	·903	91	99	0·4	3	1·065	4	— 0·8	+ 7·0	97	7·0	10·3
21	·521	86·9	77·8	9·1	82·2	77·9	·899	82	67	10·0	75	0·045	...	+ 0·7	+ 1·8	69	1·9	4·6
22	·364	84·7	75·0	9·7	78·9	75·7	·846	86	100	...	...	3·725	19	+ 4·4	+ 23·3	79	23·7	37·2
23	·555	82·5	75·4	7·1	78·2	75·1	·830	86	100	...	...	0·210	7	— 6·7	+ 9·8	124	11·8	13·0
24	·633	86·0	76·3	9·7	80·4	77·0	·883	85	100	0·4	3	0·045	2	— 9·7	+ 8·3	139	12·8	13·7
25	·697	82·9	75·8	7·1	78·2	75·5	·848	88	100	0·2	2	0·610	6	— 6·0	+ 4·6	143	7·6	8·7
26	·728	84·0	75·4	8·6	79·1	76·1	·861	87	100	2·5	19	0·430	7	— 4·6	+ 3·3	144	5·7	6·5
27	·726	86·6	79·5	7·1	82·4	78·3	·914	83	94	4·5	34	0·025	1	— 7·1	— 1·1	189	7·2	7·2
28	·735	87·5	79·7	7·8	82·8	77·7	·882	79	71	11·3	86	...	...	— 5·3	— 0·7	188	5·3	5·5
29	·717	87·2	78·8	8·4	82·1	77·4	·878	80	46	12·3	93	...	...	— 3·0	+ 1·7	150	3·5	4·5
30	·681	87·5	77·1	10·4	82·0	77·0	·862	79	21	11·1	84	...	...	— 0·3	— 2·3	262	2·3	2·6
31	·641	88·2	78·9	9·3	83·4	78·2	·897	78	37	12·2	93	...	...	— 2·5	— 4·1	239	4·8	5·6
Means	29·647	86·9	78·4	8·5	82·1	77·7	0·891	81	70	Sum. 221·7	54	Sum. 29·790	Sum. 89	— 4·0	+ 3·0	143	5·0	10·1
Normals	29·615	86·7	78·4	8·3	82·0	77·7	0·895	82	67	212·4	51	13·876	70	— 3·9	+ 3·3	140	5·1	11·1
Absolute Max.	29·783	91·3	...	12·3	...	82·8	1·032	...	...	12·3	93	21·025	19	...	...	...	...	60·0 †
Day.	8	16	...	17	...	15	15	...	...	29	29, 31	19	22	...	...	...	...	22d 9h
Absolute Min.	29·229	...	73·3	5·8	...	72·9	0·705	53	...	...	...	...	...	...	...	...	...	...
Day.	22	...	19	20	...	18	22	16	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo :—on the 3rd.
Lunar corona :—on the 24th and 27th.
Unusual visibility :—on the 1st, 2nd, 3rd, 4th, 6th, 9th, 11th and 13th.
Dew :—on the 3rd, 10th, 11th, 29th, 30th and 31st.
Rainbow :—on the 7th, 8th, 9th and 10th.
Lightning :—on the 17th, 18th, 19th, 20th, 27th and 31st.
Thunder :—on the 18th and 19th.

Thunderstorms :—

18*d*. 16*h*. 20*m*. to 19*h*. 05*m*. W. to E.; nearest at 18*h*. 07*m*. (6*s*).
19*d*. 1*h*. 45*m*. to 6*h*. 33*m*. W.N.W. to E.S.E.; nearest at 3*h*. 41*m*. (2*s*).
19*d*. 6*h*. 58*m*. to 11*h*. 20*m*. N.W. to S.E.; nearest at 8*h*. 10*m*. (2*s*).

Rain fell on 21 days. The mean hourly intensity was 0·335*in*, and the maximum fall in one hour was 3·965*in* at 4*h* on the 19th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 85 miles per hour at 8*h* 54*m* on the 22nd.

Clouds with base less than 2,000 feet high were observed on 4 days.
Clouds with base less than 1,000 feet high were observed on 0 days.

0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1926.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1008·4	303·7	299·8	3·9	301·3	298·6	30·2	0·8	1	— 3·1	— 0·1	182	3·1	3·1
2	1008·3	303·3	299·2	4·1	*301·2	298·4	29·8	2·3	1	— 2·6	+ 0·2	175	2·6	2·9
3	1008·8	304·0	299·2	4·8	300·9	298·8	31·2	6·5	2	— 1·1	+ 3·4	109	3·6	3·7
4	1007·5	303·8	299·7	4·1	301·1	298·5	30·1	5·5	2	— 3·6	+ 3·6	135	5·1	5·1
5	1005·1	303·5	299·1	4·4	300·9	298·4	30·0	4·8	2	— 3·3	+ 1·7	153	3·8	3·8
6	1005·2	304·4	299·7	4·7	301·3	298·6	30·3	0·5	...	— 1·3	+ 2·8	115	3·0	3·4
7	1007·4	302·9	299·3	3·6	301·3	299·1	31·5	1·2	1	— 0·9	+ 5·0	100	5·0	5·0
8	1008·9	303·0	299·6	3·4	301·2	299·1	31·8	4·3	1	— 1·4	+ 4·7	107	4·9	4·9
9	1008·9	302·9	299·6	3·3	301·1	298·8	30·9	2·2	1	— 1·3	+ 3·9	109	4·1	4·2
10	1008·3	304·7	299·6	5·1	301·6	298·3	29·3	3·6	...	— 1·6	+ 0·1	178	1·6	1·9
11	1007·0	304·9	299·2	5·7	301·7	298·6	30·0	...	...	— 0·6	— 1·1	244	1·3	1·6
12	1006·7	304·9	300·1	4·8	302·0	298·7	29·9	...	...	— 0·9	— 1·8	244	2·0	2·4
13	1007·8	305·3	300·3	5·0	302·3	299·1	30·7	...	...	— 1·5	— 1·4	224	2·0	2·3
14	1006·2	304·6	300·3	4·3	302·2	298·7	29·8	...	...	— 2·8	— 1·6	210	3·2	3·4
15	1005·4	305·2	299·8	5·4	301·8	298·9	30·8	...	...	— 1·6	+ 0·4	166	1·7	1·9
16	1005·1	305·9	299·5	6·6	302·4	298·3	28·6	...	...	— 0·2	— 0·7	254	0·7	1·4
17	1003·2	305·9	298·8	7·1	301·4	298·7	30·5	9·1	1	+ 1·7	+ 0·4	12	1·7	3·6
18	999·9	302·2	297·1	5·1	300·2	298·5	30·9	25·6	13	+ 1·2	— 4·4	286	4·5	4·7
19	1000·3	301·1	295·9	5·2	299·4	298·6	31·7	534·0	18	— 2·1	— 1·5	216	2·5	4·1
20	1002·5	300·8	297·6	3·2	299·1	298·0	30·5	27·0	4	— 0·3	+ 2·3	97	2·3	3·4
21	1001·6	303·5	298·4	5·1	300·9	298·5	30·3	1·2	...	+ 0·2	+ 0·6	69	0·6	1·5
22	996·3	302·3	296·9	5·4	299·1	297·3	28·5	94·6	19	+ 1·4	+ 7·6	79	7·8	12·2
23	1002·8	301·1	297·1	4·0	298·7	296·9	28·0	5·3	7	— 2·2	+ 3·2	124	3·9	4·3
24	1005·4	303·0	297·6	5·4	299·9	298·0	29·8	1·2	2	— 3·2	+ 2·7	139	4·2	4·5
25	1007·6	301·3	297·3	4·0	298·7	297·2	28·6	15·5	6	— 2·0	+ 1·5	143	2·5	2·9
26	1008·6	301·9	297·1	4·8	299·2	297·5	29·0	10·9	7	— 1·5	+ 1·1	144	1·9	2·1
27	1008·5	303·3	299·4	3·9	301·0	298·7	30·8	0·6	1	— 2·3	— 0·4	189	2·4	2·4
28	1008·8	303·8	299·5	4·3	301·2	298·4	29·8	...	...	— 1·7	— 0·2	188	1·7	1·8
29	1008·2	303·7	299·0	4·7	300·8	298·2	29·6	...	...	— 1·0	+ 0·6	150	1·1	1·5
30	1007·0	303·8	298·1	5·7	300·8	298·0	29·1	...	...	— 0·1	— 0·8	262	0·8	0·9
31	1005·6	304·2	299·1	5·1	301·6	298·7	30·3	...	...	— 0·8	— 1·3	239	1·6	1·8
								Sum.	Sum.					
Means.	1005·8	303·5	298·8	4·7	300·8	298·4	30·1	756·7	89	— 1·3	+ 1·0	143	1·6	3·3
Normals	1004·8	303·4	298·8	4·6	300·8	298·4	30·2	352·4	70	— 1·3	+ 1·1	140	1·7	3·0
Absolute Maximum.	1010·5	305·9	...	7·1	...	301·2	34·8	534·0	19	...	...	...	...	19·7†
Day.	8	16	...	17	...	15	15	19	22	...	...	...	...	22*d* 9*h*
Absolute Minimum.	991·7	...	295·9	3·2	...	295·7	23·8	...	...	...	...	...	...	...
Day.	22	...	19	20	...	18	22	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, JULY, 1926.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	— 0·1	11	0·0	21	0·0 ×
2	— 0·1	12	0·0	22	0·0†
3	0·0	13	0·0	23	0·0
4	0·0	14	0·0	24	0·0
5	0·0	15	0·0	25	+ 0·1
6	0·0	16	0·0	26	+ 0·1
7	0·0	17	0·0	27	+ 0·1
8	0·0	18	0·0	28	— 0·1
9	0·0	19	+ 0·1	29	— 0·1
10	0·0	20	0·0	30	— 0·2
				31	— 0·2

+ = Late ; — = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0·10
× 21*d*, for 11 and 16 hours.
†22*d*, Time ball not raised.

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1926.

(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall, Percentage of Total. Amount.	Rainfall, Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·660	80·6	77·2	0·889	85	66		1	4	— 4·1	+ 3·4	140	5·3	8·5
2	·648	80·3	77·1	·885	85	75		3	5	— 3·3	+ 2·8	140	4·3	8·6
3	·639	80·4	77·0	·882	85	72		7	4	— 2·5	+ 1·6	147	3·0	8·5
4	·638	80·0	77·0	·888	87	67		14	3	— 1·3	+ 1·2	137	1·8	8·2
5	·639	79·9	77·0	·889	87	77		10	4	— 0·9	+ 1·6	119	1·8	8·0
6	·645	79·7	76·9	·887	88	80	25	12	5	— 1·1	+ 1·5	126	1·9	8·2
7	·655	80·5	77·5	·903	87	73	55	9	4	— 2·0	+ 1·9	136	2·8	9·2
8	·661	81·7	77·8	·900	83	80	59	9	5	— 2·8	+ 2·7	136	3·9	10·3
9	·667	82·6	78·1	·901	81	75	65	12	4	— 2·6	+ 3·5	127	4·4	11·1
10	·670	83·5	78·4	·903	79	75	60	5	4	— 2·5	+ 3·9	123	4·6	12·0
11	·668	84·5	78·6	·899	75	76	59	1	4	— 4·5	+ 3·3	144	5·6	12·6
Noon.	·660	84·8	78·8	·904	76	72	64	1	3	— 4·7	+ 3·9	140	6·1	13·3
13	·653	84·9	78·9	·907	76	76	63	2	5	— 5·8	+ 4·2	144	7·2	13·7
14	·641	85·0	78·6	·892	75	73	65	1	3	— 6·8	+ 3·6	152	[illegible]	12·7
15	·628	84·6	78·4	·888	75	72	55	1	5	— 6·2	+ 2·9	155	6·8	11·8
16	·617	84·3	78·3	·888	75	70	57	2	6	— 6·1	+ 3·1	153	6·8	11·7
17	·612	83·5	77·9	·880	77	69	54	1	6	— 7·0	+ 3·1	156	7·7	11·7
18	·615	82·6	77·6	·880	79	68	33	3	5	— 6·2	+ 3·2	153	7·0	10·7
19	·624	81·9	77·4	·879	81	71		1	3	— 5·0	+ 3·5	145	6·1	9·2
20	·638	82·3	77·2	·879	83	61		...	3	— 4·1	+ 3·6	139	5·5	8·6
21	·652	81·2	77·3	·885	83	61		...	3	— 3·5	+ 3·6	134	5·0	8·4
22	·664	81·2	77·4	·889	84	63		2	3	— 3·5	+ 3·5	135	5·0	8·6
23	·671	81·0	77·3	·887	84	57		2	4	— 3·9	+ 3·0	142	4·9	[illegible]
Midn.	·669	80·9	77·3	·889	85	60		1	5	— 4·6	+ 3·7	141	5·9	8·9

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1926.

(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1006·3	300·0	298·1	30·0	— 1·3	+ 1·1	140	1·7	2·8
2	1005·9	299·9	298·1	29·9	— 1·1	+ 0·9	140	1·4	2·8
3	1005·6	299·9	298·0	29·8	— 0·8	+ 0·5	147	1·0	2·8
4	1005·6	299·7	298·0	30·0	— 0·4	+ 0·4	137	0·6	2·7
5	1005·6	299·6	298·0	30·0	— 0·3	+ 0·5	119	0·6	2·6
6	1005·8	299·5	297·9	29·9	— 0·4	+ 0·5	126	0·6	2·7
7	1006·1	299·9	298·3	30·5	— 0·7	+ 0·6	136	0·9	3·0
8	1006·3	300·6	298·4	30·4	— 0·9	+ 0·9	136	1·3	3·4
9	1006·5	301·1	298·6	30·4	— 0·9	+ 1·1	127	1·4	3·6
10	1006·6	301·6	298·8	30·5	— 0·8	+ 1·2	123	1·5	3·9
11	1006·5	302·2	298·9	30·3	— 1·5	+ 1·1	144	1·8	4·1
Noon.	1006·3	302·3	299·0	30·5	— 1·5	+ 1·3	140	2·0	4·4
13	1006·0	302·4	299·1	30·6	— 1·9	+ 1·4	144	2·4	4·5
14	1005·6	302·4	298·9	30·1	— 2·2	+ 1·2	152	2·5	4·2
15	1005·2	302·2	298·8	30·0	— 2·0	+ 1·0	155	2·2	3·9
16	1004·8	202·1	298·7	30·0	— 2·0	+ 1·0	153	2·2	3·8
17	1004·6	301·6	298·5	29·7	— 2·3	+ 1·0	156	2·5	3·8
18	1004·7	301·1	298·3	29·7	— 2·0	+ 1·0	153	2·3	3·5
19	1005·1	300·7	298·2	29·7	— 1·6	+ 1·1	145	2·0	3·0
20	1005·6	300·4	298·1	29·7	— 1·3	+ 1·2	139	1·8	2·8
21	1006·0	300·3	298·2	29·9	— 1·1	+ 1·2	134	1·6	2·8
22	1006·4	300·3	298·2	30·0	— 1·1	+ 1·1	145	1·6	2·8
23	1006·7	300·2	298·2	29·9	— 1·3	+ 1·0	142	1·6	2·5
Midn.	1006·6	300·2	298·2	30·0	— 1·5	+ 1·2	141	1·9	2·9

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

JULY,

1926.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th JUNE, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	1st JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock.	12	29.57	751.0	69	...	NNW	2	c	6	29.72	754.9	65	...	...	c	b
Nemuro,	11	29.76	756.0	...	...	SSE	2	...	5	29.69	754.0	...	...	S	1	...
Hokodate,	,,	29.70	754.5	...	...	SE	1	...	,,	29.67	753.5	...	...	...	...	...
Tokio,	,,	29.72	755.0	...	...	...	0	...	,,	29.73	755.0	...	...	...	0	...
Kochi,	,,	29.67	753.5	...	...	...	0	...	,,	29.75	755.5	...	...	...	0	...
Nagasaki,	,,	29.70	754.5	...	...	NNW	1	...	,,	29.82	757.5	...	...	...	0	...
Kagoshima,	,,	29.67	753.5	...	...	..	0	...	,,	29.78	756.5	...	...	W	1	...
Oshima,	,,	29.76	756.0	...	...	WSW	1	...	,,	29.80	757.0	...	...	S	1	...
Naha,	,,	29.80	757.0	...	...	S	3	...	,,	29.86	758.5	...	...	S	1	...
Ishigakijima,	,,	29.80	757.0	...	...	SSW	3	...	,,	29.82	757.5	...	...	SSW	1	...
Bonin Island,	,,	29.92	76c.0	...	...	SSW	1	..	,,	29.98	761.5	...	...	SSW	1	...
Chefoo,	15	29.67	753.6	75	77	WNW	2	b	6	29.72	754.9	71	91	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.63	752.6	77	...	...	0	o
Hankow,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	80	...	ESE	1	o
Changsha,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	70	...	...	0	o
Shanghai,	14	29.71	754.5	84	60	SW	1	b	,,	29.81	757.2	72	98	S	1	of
Gutzlaff,	,,	29.77	756.1	75	92	SW	2	o	,,	29.82	757.4	71	95	S	1	o
Sharp Peak,	,,	29.73	755.1	84	81	S	2	o	,,	29.77	756.1	82	87	...	c	b
Amoy,	,,	29.70	754.4	86	80	SSE	4	o	6	29.74	755.4	80	87	SW	4	b
Swatow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.78	756.3	90	60	WSW	4	b	5	29.81	757.2	77	92	...	0	b
Taichu,	,,	29.87	758.7	90	...	SSW	2	o	,,	29.85	758.1	72	...	...	0	b
Tainan,	,,	29.84	757.8	85	...	SW	2	o	,,	29.82	757.5	75	...	...	c	b
Koshun,	,,	29.84	757.8	86	...	WNW	4	o	,,	29.81	757.2	77	...	NNW	2	b
Pescadores,	,,	29.85	758.1	86	...	SW	4	o	,,	29.81	757.2	79	...	SW	2	b
Canton,	14	...	...	..	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.75	755.6	88	65	SW	2	o	,,	29.79	756.6	80	87	S	2	o
Gap Rock,	,,	29.75	755.6	...	...	SW	4	c	,,	29.79	756.6	...	...	SSW	4	b
Macao,	,,	29.73	755.1	86	78	SSW	4	o	,,	29.75	755.7	79	87	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.79	756.6	88	77	SW	1	b	6	29.82	757.5	88	83	SW	1	b
Phulien,	15	29.61	752.1	90	69	SSW	4	o	7	29.66	753.3	82	92	SSE	7	of
Tourane,	,,	29.68	753.9	86	...	SE	2	b	,,	29.76	756.0	79	...	SW	2	b
Cape St. James,	,,	29.74	755.4	86	...	SW	2	b	,,	29.79	756.6	77	...	NNW	2	o
Basco,	,,	29.80	756.9	90	76	WSW	1	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.76	756.0	90	66	N	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	93	53	SE	2	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.75	755.7	86	75	NNE	1	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	75	N	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.76	756.0	82	84	E	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	..	...	...	...	5	29.80	756.9	78	...	ESE	1	o
Labuan,	12	29.78	756.4	86	84	NE	4	b	6	29.83	757.7	76	94	SW	1	o

July 1*d.* 10*h.* 4c*m.*—Pressure is highest over the Bonins. It has increased moderately from S.W. Japan to Wladivostock and slightly at the majority of other stations.

A shallow depression covers China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 36·99 inches, against an average of 39·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND

District.	Forecast.
1.—Formosa Channel, ...	Southerly winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st JULY, 1926.								2nd JULY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock.	12	29.73	755.0	69	...	W	2	b	6	29.92	760.0	64	...	...	0	b
Nemuro,	11	29.67	753.5	...	...	NW	1	...	5	29.82	757.5	...	...	NNE	3	...
Hokodate,	..	29.67	753.5	...	...	SSE	1	...	..	29.82	757.5	...	...	...	0	...
Tokio,	..	29.69	754.0	...	...	S	1	...	..	29.88	759.0	...	...	NNW	1	...
Kochi,	..	29.78	756.5	...	...	SE	1	...	..	29.88	759.0	...	...	...	0	...
Nagasaki,	..	29.84	758.0	...	...	W	1	...	..	29.90	759.5	...	...	S	1	...
Kagoshima,	..	29.84	758.0	...	...	W	1	...	..	29.90	759.5	...	...	...	...	...
Oshima,	..	29.86	758.5	...	...	NE	1	...	..	29.84	758.0	...	...	...	...	...
Naha,	..	29.92	760.0	...	...	SSW	1	...	..	29.88	759.0	...	...	SSE	1	...
Ishigakijima,	..	...	...	...	...	S	3	...	..	29.86	758.5	...	...	S	1	...
Bonin Island,	..	29.96	761.0	...	...	S	2	...	..	30.02	762.5	...	...	...	0	...
Chefoo,	15	29.72	754.9	85	63	ESE	1	b	6	29.80	756.9	72	71	SW	1	b
Ichang,	..	...	...	...	...	...	...	...	..	...	...	..	...	...	...	...
Hankow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Changsha,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Shanghai,	14	29.85	758.1	79	76	ENE	1	o	..	29.74	755.4	75	...	...	0	r
Gutzlaff,	..	29.87	758.7	75	86	NE	1	o	..	29.80	756.9	66	98	NNW	6	r
Sharp Peak,	..	29.76	755.9	90	73	S	2	b	..	29.78	756.4	70	95	ESE	6	r
Amoy,	..	29.71	754.6	88	76	SE	4	b	6	29.78	756.4	80	87	S	1	b
Swatow,	..	...	...	...	...	...	...	...	..	29.76	755.9	80	92	SW	4	b
Taihoku,	11	29.81	757.2	90	55	NW	2	b	..	...	...	...	...	...	...	...
Taichu,	..	29.85	758.1	90	...	SW	2	b	5	29.81	757.2	76	92	...	0	b
Tainan,	..	29.84	757.8	85	...	SW	2	b	..	29.85	758.1	73	...	...	0	b
Koshun,	..	29.85	758.1	86	...	NW	2	b	..	29.82	757.5	75	...	FSE	2	b
Pescadores,	..	29.84	757.8	86	...	SW	2	b	..	29.82	757.5	77	...	...	0	b
Canton,	14	29.72	754.9	92	74	S	4	b	..	29.82	757.5	79	...	SW	2	b
Hongkong,	..	29.78	756.4	86	70	SW	2	c	6	29.87	758.7	83	...	...	...	o
Gap Rock,	..	29.79	756.6	...	...	S	4	b	..	29.77	756.1	81	84	S	2	o
Macao,	..	29.75	755.7	81	92	SSW	4	o	..	29.78	756.4	...	...	SSE	4	b
Wuchow,	15	...	...	...	...	...	...	...	..	29.74	755.4	79	90	SSW	4	o
Pakhoi,	..	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Hoihow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	29.80	756.9	90	76	SW	1	b	6	29.81	757.2	82	89	SW	1	c
Phulien,	15	29.61	752.1	90	66	SSE	6	o	7	29.65	753.0	82	90	SSE	6	cf
Tourane,	..	29.68	753.9	86	...	SE	4	b	..	29.74	755.4	77	...	S	4	b
Cape St. James,	..	29.74	755.4	79	...	NW	2	o	..	29.75	755.7	73	...	NW	4	r
Basco,	..	29.80	756.9	90	69	SE	4	b	6	29.81	757.2	82	84	SE	4	o
Aparri,	..	29.76	756.0	93	50	E	2	b	..	29.80	756.9	77	88	SE	2	b
Manila,	..	29.76	756.0	90	60	W	4	o	..	29.80	756.9	77	85	E	2	o
Legaspi,	..	29.80	756.9	86	78	ENE	2	o	..	29.81	757.2	81	86	N	2	b
Tacloban,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Iloilo,	..	29.74	755.4	86	75	S	4	o	..	29.80	756.9	77	94	NW	1	o
Surigao,	..	29.75	755.7	86	85	NNE	2	o	..	29.78	756.3	75	96	S	1	o
Guam,	12.20	29.79	756.6	...	...	NE	4	r	4.20	29.79	756.6	...	...	NE	2	o
Yap,	12.47	29.74	755.4	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	NE	2	b	6	29.82	757.4	78	94	SW	2	o

July 2*d*. 11*h*. 4c*m*.—Pressure has increased considerably at Wladivostock and over N.E. and central Japan, and moderately over N.E. China, S.W. Japan and the Bonins. It has decreased moderately at Shanghai and slightly over the Loochoos, and is nearly stationary elsewhere.

An anticyclone appears to have formed over S.E. Manchuria.

A shallow depression covers S.W. China. A secondary depression is central S.E. of Shanghai.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·05 inch. Total since January 1st. 37·04 inches, against an average of 39·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	Southerly winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd July, 1926.								3rd July, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.92	759.9	75	...	SSW	2	b	6	29.97	761.2	66	...	ESE	3	b
Nemuro,	11	29.86	758.5	...	...	NW	1	...	5	29.94	760.5	...	...	...	0	...
Hokodate,	..	29.88	759.0	...	...	SSE	1	...	,,	30.00	762.0	...	...	NNW	1	...
Tokio,	,,	29.90	759.5	...	...	S	1	...	,,	30.02	762.5	...	...	...	...	...
Kochi,	,,	29.88	759.0	...	...	...	0	...	,,	29.98	761.5	...	...	...	...	...
Nagasaki,	,,	29.90	759.5	...	...	E	1	...	,,	29.90	759.5	...	...	ESE	3	...
Kagoshima,	,,	29.94	760.5	...	...	SW	1	...	,,	29.96	761.0	...	...	...	0	...
Oshima,	,,	29.88	759.0	...	...	SW	1	...	,,	29.92	760.0	...	...	S	1	...
Naha,	,,	..	..	...	...	S	2	...	,,	29.92	760.0	...	...	SSE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	SSW	1	...	,,	29.88	759.0	...	...	SSW	2	...
Bonin Island,	..	30.00	762.0	...	...	SW	1		,,	30.04	763.0	...	...	...	...	...
Chefoo,	15	29.84	757.9	80	70	E	1	bf	6	29.78	756.4	67	95	S	1	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.63	752.6	75	...	...	0	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.68	753.9	85	...	...	0	o
Shanghai,	14	29.73	755.1	72	92	E	4	o	,,	29.69	754.2	70	96	W	4	r
Gutzlaff,	,,	29.73	755.1	71	100	E	6	o	,,	29.70	754.4	72	100	W	2	rf
Sharp Peak,	..	29.78	756.4	88	76	S	2	o	7	29.79	756.6	80	87		0	o
Amoy,	,,	29.72	754.9	88	73	S	4	b	6	29.80	756.9	81	87	SW	2	o
Swatow,	,,	29.68	753.9	86	76	S	2	c	,,	29.82	762.2	88	...	...	0	b
Taihoku,	11	29.82	757.5	86	52	NW	2	b	5	29.84	757.8	77	96	...	0	b
Taichu,	,,	29.86	758.4	90	...	SSW	2	b	,,	29.88	759.0	77	...	...	0	b
Tainan,	,,	29.82	757.5	86	...	SW	2	b	,,	29.82	757.5	77	...	SE	1	b
Koshun,	,,	29.84	757.8	90	...	S	2	b	,,	29.84	757.8	79	...	...	0	b
Pescadores,	,,	29.85	758.1	86	...	SW	2	b	,,	29.84	757.8	81	...	SW	2	b
Canton,	14	...	...	...	...	...	...	...	6	29.86	758.4	82	...	SE	...	o
Hongkong,	,,	29.75	755.6	86	69	S	2	o	,,	29.80	756.9	80	90	ENE	2	o
Gap Rock,	,,	29.76	755.9	...	...	SSE	4	c	,,	29.79	756.6	...	...	SE	4	b
Macao,	,,	29.73	755.1	86	78	S	4	o	,,	29.75	755.7	79	91	S	4	o
Wuchow,	15	..	..	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	29.79	756.6	89	76	SW	...	b	6	29.80	756.9	86	73	...	0	b
Phulien,	15	29.61	752.1	90	61	SSE	6	o	7	29.68	753.9	81	89	SSE	6	o
Tourane,	,,	29.66	753.3	86	...	SE	4	b	,,	29.72	754.8	77	...	NW	2	b
Cape St. James,	,,	29.72	754.8	81	...	W	4	o	,,	29.74	755.4	77	...	W	4	o
Basco,	,,	29.79	756.6	90	72	SE	4	o	6	29.82	757.5	82	84	SE	2	o
Aparri,	,,	29.75	755.7	97	55	SSE	2	b	,,	29.82	757.5	77	86	S	2	b
Manila,	,,	29.75	755.7	90	55	ESE	4	o	,,	29.82	757.5	75	89	E	1	o
Legaspi,	,,	29.76	756.0	90	69	NE	2	o	,,	29.81	757.2	77	94	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	71	NNE	4	o	,,	29.81	757.2	75	96	...	0	o
Surigao,	..	29.74	755.4	84	81	N	4	o	,,	29.79	756.6	75	96	SSW	1	o
Guam,	12.20	29.78	756.3	...	...	E	4	r	4.20	29.79	756.6	...	...	SW	4	o
Yap,	12.47	29.79	756.6	...	...	ESE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	88	84	NE	2	b	6	29.82	757.4	80	87	S	2	b

July 3*d*. 11*h*. 25*m*.—Pressure has decreased slightly from Shanghai to Chefoo and has increased slightly to moderately elsewhere.

An anticyclone extends from the Bonins to N.E. Japan and a shallow depression covers China. The secondary is moving north-eastward towards S. Korea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·07 inch. **Total since January 1st, 37·11 inches, against an average of 40·42 inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—**Formosa Channel,**	S.W. winds, moderate.
2.—**South coast of China between Hongkong and Lamocks,**	S.E. or variable winds, moderate; fair to showery.
3.—**Hongkong to Gap Rock,**	
4.—**South coast of China between Hongkong and Hainan,**	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG,

DAILY WEATHER REPORT.

Station.	3rd JULY, 1926.								4th JULY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.94	760.6	71	...	SE	3	b	6	29 78	756.3	60	...	...	0	0
Nemuro,	11	29.88	759.0	...	...	SSE	1	...	5	29.84	758.0	...	...	ESE	1	...
Hokodate,	,,	30.00	762.0	...	...	WSW	1	...	,,	29.90	759.5	...	...	...	...	...
Tokio,	,,	30.02	762.5	...	...	SE	1	...	,,	29.98	761.5	...	...	...	0	...
Kochi,	,,	29.98	761.5	...	...	...	0	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	ESE	3	...	,,	29.82	757.5	...	...	W	3	...
Kagoshima,	,,	29.92	760.0	...	...	...	...	...	,,	29.84	758.0	...	...	WNW	1	...
Oshima,	,,	29.92	760.0	...	...	S	1	...	,,	29.88	759.0	...	...	SW	1	...
Naha,	,,	29.92	760.0	...	...	S	2	...	,,	29.92	760.0	...	...	SSE	1	...
Ishigakijima,	,,	29.90	759.5	...	...	S	2	...	,,	29.88	759.0	...	...	S	1	...
Bonin Island,	,,	30.06	763.5	...	...	N	1	...	,,	30.04	763.0	...	...	...	...	...
Chefoo,	15	29.70	754 4	76	92	N	1	b	6	29.65	753.1	67	91	W	1	fd
Ichang,	,,	...	...	...	...	...	...	...	,,	29.76	754.4	75	...	...	0	0
Hankow,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	78	...	SE	2	r
Changsha,	,,	...	...	...	...	...	...	...	,,	29.72	754.0	74	...	S	1	0
Shanghai,	14	29.79	756.6	77	72	WNW	4	b	,,	29.84	757.8	70	100	NW	1	0
Gutzlaff,	,,	29.79	756.6	75	81	W	4	0	,,	29.88	758.9	71	95	SSE	2	0
Sharp Peak,	,,	29.78	756.4	90	73	SSE	2	0	7	29.83	757.7	81	87	E	1	b
Amoy,	,,	29.76	755.9	88	76	SSE	4	b	6	29.82	757.4	81	87	S	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	88	...	...	0	b
Taihoku,	11	29.85	758.1	90	60	NNE	2	b	5	29.85	758.1	73	91	S	2	b
Taichu,	,,	29.86	758.4	90	...	SW	2	b	,,	29.88	759.0	73	...	...	0	b
Tainan,	,,	29.84	757.8	90	...	S	2	b	,,	29.84	757.8	77	...	...	0	b
Koshun,	,,	29.85	758.1	90	...	SSE	2	b	,,	29.82	757.5	77	...	ESE	1	b
Pescadores,	,,	29.85	758.1	86	...	W	2	0	,,	29.82	757.5	81	...	SSW	2	b
Canton,	14	29.76	755.9	90	77	SSE	2	c	6	29.70	754.4	77	...	S	4	bc
Hongkong,	,,	29.78	756.4	84	81	E	3	0	,,	29.76	755.9	81	83	SE	3	c
Gap Rock,	,,	29.78	756.4	...	...	ESE	3	c	,,	29.76	755.9	...	...	ESE	4	b
Macao,	,,	29.75	755.7	90	79	SE	2	c	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.81	757.2	91	70	SW	1	b	6	29.79	756.6	83	87	S	2	c
Phulien,	15	29.66	753.3	84	77	SSE	6	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.66	753.3	86	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.1	79	...	SW	6	rf	,,	...	...	...	...	...	...	...
Basco,	,,	29.82	757.5	90	72	SE	4	0	6	29.84	757.8	81	86	...	0	0
Aparri,	,,	29.79	756.6	90	57	NNE	4	b	,,	29.81	757.2	77	86	S	4	b
Manila,	,,	29.76	756 0	93	50	SE	4	0	,,	29.79	756.6	75	94	NE	1	0
Legaspi,	,,	29.74	755.4	93	61	E	2	0	,,	29.78	756.3	77	92	NNW	1	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	82	84	S	4	0	,,	29.78	756.3	77	94	ENE	2	0
Surigao,	,,	29.74	755 4	61	85	W	2	0	,,	29.78	756.3	75	98	...	0	r
Guam,	12.20	29.79	756.6	...	...	E	2	0	4.20	29.81	757.2	...	...	NE	1	0
Yap,	12.47	29.76	756.0	...	...	ENE	4	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	88	NE	4	b	6	...	...	...	...	...	...	...

July 4*d.* 11*h.* 10*m.*—Pressure has decreased moderately at Wladivostock and slightly over Japan and N.E. China. It has increased slightly at Shanghai and is nearly stationary at other reporting stations.

The anticyclone is central near the Bonins.

The depression has probably concentrated over S.W. China, the secondary being now central over N.W. Korea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·29 inch. Total since January 1st, 37·49 inches, against an average of 40·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate; variable, showery.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	12	29.71	754.5	67	...	...	0	0	6	29.55	750.6	65	...	...	0	0
Nemuro,	11	29.78	756.5	...	...	SE	1	...	5	29.67	753.5	...	...	S	1	...
Hokodate,	,,	29.82	757.5	...	...	E	1	...	,,	29.67	753.5	...	...	SSW	1	...
Tokio,	,,	29.92	760.0	...	...	S	1	...	,,	29.69	754.0	...	...	...	...	...
Kochi,	,,	29.80	757.0	...	...	S	1	...	,,	29.84	758.0	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	W	1	...	,,	29.82	757.5	...	...	SE	2	...
Kagoshima,	,,	29.92	760.0	...	...	SW	1	...	,,	29.84	758.0	...	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	SSW	1	...	,,	29.86	758.5	...	...	S	1	...
Naha,	,,	29.92	760.0	...	...	SSE	2	...	,,	29.88	759.0	...	...	SE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	S	1	...	,,	29.84	758.0	...	...	S	2	...
Bonin Island,	,,	30.04	763.0	...	...	...	0	...	,,	30.02	762.5	...	...	...	...	...
Chefoo,	15	29.58	751.3	83	60	NW	2	b	6	29.56	750.8	78	65	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.65	753.1	75	...	...	0	r
Hankow,	,,	...	...	...	...	...	...	...	,,	29.68	753.9	79	...	SE	2	r
Changsha,	,,	...	...	...	...	...	...	...	,,	29.68	753.9	81	...	SW	2	c
Shanghai,	14	29.75	755.7	79	80	SSW	1	o	,,	29.66	753.3	73	96	ESE	1	o
Gutzlaff,	,,	29.82	757.4	74	92	S	2	o	,,	29.67	753.6	74	95	S	4	o
Sharp Peak,	,,	29.82	757.4	90	66	SSE	2	b	,,	29.81	757.2	80	93	S	1	o
Amoy,	,,	...	...	90	60	SSE	4	b	6	29.69	754.1	81	92	S	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	29.72	754.9	86	...	...	c	b
Taihoku,	11	29.84	757.8	90	60	N	1	b	5	29.79	756.6	75	96	...	c	b
Taichu,	,,	29.87	758.7	81	...		0	b	,,	29.79	756.6	73	...		c	b
Tainan,	,,	29.81	757.2	90	...	SSW	2	b	,,	29.75	755.7	75	...	E	1	b
Koshun,	,,	29.84	757.8	90	...	E	2	o	,,	29.78	756.3	77	...	E	2	b
Pescadores,	,,	29.85	758.1	90	...	SSW	4	b	,,	29.75	755.7	81	...	SSE	2	b
Canton,	14	...	...	..	...	...	...	...	6	29.81	757.2	80	...	SE	...	bc
Hongkong,	,,	29.74	755.4	85	76	SE	4	o	,,	29.70	754.4	80	86	ESE	3	o
Gap Rock,	,,	29.74	755.4	...	...	SE	5	c	,,	29.69	754.1	...	...	SE	5	c
Macao,	,,	29.71	754.5	82	84	SE	4	o	,,	29.66	753.5	79	92	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...		...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	29.76	755.9	89	78	SE	2	bc	6	29.73	755.1	83	77	SSE	2	c
Phulien,	15	29.60	751.8	86	71	SE	2	o	7	29.58	751.2	81	96	SSE	6	o
Tourane,	,,	29.62	752.4	86	...	SE	2	o	,,	29.63	752.7	82	...	...	o	o
Cape St. James,	,,	29.72	754.8	77	...	W	4	o	,,	29.75	755.7	77	...	WSW	4	o
Basco,	,,	29.79	756.6	90	66	SE	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	90	60	NNE	4	b	,,	29.75	755.7	79	90	S	2	o
Manila,	,,	29.75	755.7	84	74	WSW	2	o	,,	29.73	755.1	77	91	NNE	1	o
Legaspi,	,,	29.72	754.8	84	77	NE	4	o	,,	29.75	755.7	75	96	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.73	755.1	82	84	SW	2	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.71	754.5	86	75	W	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	E	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	12	29.74	755.4	88	84	N	4	b	6	29.81	757.2	80	87	SW	2	b

July 5*d.* 11*h.* 10*m.*—Pressure has decreased moderately from N.E. Japan to S. Manchuria and at Shanghai. It has decreased slightly at the majority of other reporting stations.

The anticyclone is central near the Bonins; the depression over S.W. China has deepened slightly and the secondary has moved into S. Manchuria.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·35 inch. Total since January 1st, 37·75 inches, against an average of 41·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, moderate; variable, showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	6th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.50	749.3	76	...	W	2	b	6	29.49	749.1	67	...	...	0	h
Nemuro,	11	29.63	752.5	...	...	...	...	...	5	29.53	750.0	...	...	...	0	...
Hokodate,	,,	29.59	751.5	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.69	754 0	...	...	S	1	...	,,	29.63	752.5	...	...	...	0	...
Kochi,	,,	29.82	757.5	...	...	...	...	...	,,	29.73	755.0	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	ESE	1	...	,,	29 73	755.0	...	...	SW	6	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	...	...	...	0	...
Oshima,	,,	29 84	758.0	...	...	S	1	...	,,	29.80	757.0	...	...	S	1	...
Naha,	,,	29.86	758.5	...	...	SSE	2	...	,,	29.82	757.5	...	...	SE	1	...
Ishigakijima,	,,	29.84	758.0	...	...	S	2	...	,,	29.78	756.5	...	...	S	2	...
Bonin Island,	,,	30.00	762.0	...	...	SSE	1	...	,,	30.00	762.0	...	...	S	1	...
Chefoo,	15	29.58	751.3	84	68	NE	1	o	6	29.57	751.1	71	95	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.57	751.1	75	...	...	0	o
Hankow,	,,	...	...	...	...	...	...	...	,,	29.54	750.3	80	...	...	0	r
Changsha,	,,	...	...	...	...	...	...	...	,,	29.57	751.1	82	...	W	1	lc
Shanghai,	14	29.62	752.4	86	68	SSW	1	o	,,	29.54	750.3	77	91	SSE	2	o
Gutzlaff,	,,	29.66	753.3	78	86	S	2	o	,,	29.57	751.1	76	92	SSW	6	o
Sharp Peak,	,,	29.68	753.9	90	70	S	2	o	7	29.78	756.4	82	87	S	2	b
Amoy,	,,	29.68	753.9	86	84	SSE	4	o	6	29.66	753.3	82	87	SSW	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	86	...	...	0	b
Taihoku,	11	29.75	755.7	90	57	NE	2	b	5	29.72	754.8	77	94	...	0	b
Taichu,	,,	29.76	756.0	90	...	...	0	b	,,	29.76	756.0	75	...	...	0	b
Tainan,	,,	29.75	755.7	90	...	...	0	b	,,	29.69	754.2	72	...	...	0	b
Koshun,	,,	29.79	756.6	86	...	ENE	4	o	,,	29.72	754.8	79	...	...	0	r
Pescadores,	,,	29.75	755.7	90	...	SSW	4	b	,,	29.67	753.6	82	...	SSW	2	b
Canton,	14	29.64	752.8	80	87	SSE	2	or	6	29.65	753.1	83	...	SSE	1	lc
Hongkong,	,,	29.67	753.6	85	72	S	3	o	,,	29.67	753.6	81	87	SSE	2	o
Gap Rock,	,,	29.67	753.6	...	...	SE	4	c	,,	29.67	753.6	...	...	SSE	4	c
Macao,	,,	29.63	752.7	90	79	SSE	4	o	,,	29.65	753 0	77	100	SSE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.71	754.6	92	65	S	1	hc	6	29.67	753.6	84	83	S	1	lc
Phulien,	13	29.52	749.7	86	81	SSE	6	o	7	29.55	750.6	81	94	SE	4	o
Tourane,	,,	29.60	751.8	86	...	SE	2	b	,,	29.62	752.4	81	...	...	0	b
Cape St. James,	,,	29.68	753.9	84	...	SW	4	b	,,	29.71	754.5	77	...	W	4	o
Basco,	,,	29.72	754.8	86	75	SE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.67	753.6	90	57	ESE	2	o	,,	29.72	754.8	79	84	SSE	4	b
Manila,	,,	29.69	754.2	84	74	SSE	2	o	,,	29.74	755.4	75	92	E	1	b
Legaspi,	,,	29.72	754.8	84	81	...	0	o	,,	29.78	756.3	77	96	W	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755 4	84	77	S	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	SE	4	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	NE	4	b	6	29.82	757.4	78	91	SW	2	o

July *6d. 10h. 50m.*—Pressure has decreased moderately from the Yangtze Valley to N.E. Japan. It is nearly stationary elsewhere.

Depressions are shown over S.W. China and to the north-west of Shanghai.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. **Total** since January 1st. 37·73 inches, against an average of 41·55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—**Formosa Channel,**	S. winds, moderate; fine to cloudy.
2.—**South coast of China between Hongkong and Lamocks,**	
3.—**Hongkong to Gap Rock,**	
4.—**South coast of China between Hongkong and Hainan,** .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th JULY, 1926.								7th JULY, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.50	749.2	77	...	NNW	4	b	6	29.72	754.9	67	...	NE	2	b
Nemuro,	11	29.45	748.0	...	...	S	1	...	5	29.39	746.5	...	...	...	0	...
Hokodate,	,,	29.47	748.5	...	...	SSW	4	...	,,	29.47	748.5	...	...	SW	1	...
Tokio,	,,	29.59	751.5	...	...	SSW	1	...	,,	29.53	750.0	...	...	NW	1	...
Kochi,	,,	29.74	755.5	...	...	...	...	...	,,	29.59	751.5	...	...	...	...	...
Nagasaki,	,,	29.70	754.5	...	...	SW	5	...	,,	29.63	752.5	...	...	W	4	...
Kagoshima,	,,	29.82	757.5	...	...	SSE	1	...	,,	29.69	754.0	...	...	SW	2	...
Oshima,	,,	29.80	757.0	...	...	S	1	...	,,	29.78	756.5	...	...	SSW	1	...
Naha,	,,	29.84	758.0	...	...	SSE	2	...	,,	29.84	758.0	...	...	S	2	...
Ishigakijima,	,,	29.80	757.0	...	...	S	3	...	,,	29.82	757.5	...	...	S	2	...
Bonin Island,	,,	29.98	761.5	...	...	S	1	...	,,	29.98	761.5	...	...	SSW	2	...
Chefoo,	15	29.60	751.8	78	86	ENE	2	b	6	29.70	754.4	72	92	W	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.70	754.4	75	...	SE	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	75	...	NNW	1	b
Changsha,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	77	...	W	...	b
Shanghai,	14	29.56	750.9	90	76	WSW	2	o	,,	29.76	756.0	72	94	...	2	o
Gutzlaff,	,,	29.61	752.1	80	82	SSW	4	o	,,	29.76	755.9	73	95	WNW	4	o
Sharp Peak,	,,	29.77	756.1	90	66	NE	2	b	,,	29.77	756.1	82	83	S	1	b
Amoy,	,,	29.67	753.6	90	77	SSE	4	b	6	29.77	756.1	83	87	SSE	1	b
Swatow,	,,	29.60	751.8	89	66	S	2	b	,,	29.75	755.7	87	...	...	c	b
Taiboku,	11	29.73	755.1	90	63	NW	2	b	5	29.78	756.5	79	95	...	c	b
Taichu,	,,	29.75	755.7	93	...	...	o	b	,,	29.81	757.2	77	...	...	o	o
Tainan,	,,	..	..	93	...	...	o	b	,,	29.78	756.3	77	...	E	2	b
Koshun,	,,	29.76	756.0	86	...	ESE	2	b	,,	29.80	756.9	81	...	...	c	b
Pescadores,	,,	29.75	755.7	86	...	SSW	4	b	,,	29.79	756.6	81	...	SW	2	b
Canton,	14	...	...	...	...	...	..	...	6	29.73	755.1	84	...	...	c	tc
Hongkong,	,,	29.67	753.6	86	72	SE	3	c	,,	29.73	755.1	82	85	E	3	o
Gap Rock,	,,	29.68	753.9	...	...	SE	3	c	,,	29.71	754.6	...	...	ESE	4	op
Macao,	,,	29.65	753.0	90	72	SSE	4	o	,,	29.68	753.9	82	90	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.68	753.9	91	68	S	1	b	6	29.72	754.9	83	87	SE	3	b
Phulien,	15	29.59	751.5	90	72	SE	4	o	7	29.65	753.0	81	96	ENE	2	o
Tourane,	,,	29.60	751.8	86	...	NE	2	b	,,	29.62	752.4	77	...	SW	4	o
Cape St. James,	,,	29.67	753.6	86	...	S	4	o	,,	29.74	755.4	73	...	WSW	6	rf
Basco,	,,	29.72	754.8	90	69	SE	4	b	6	29.78	756.3	82	86	SE	2	o
Aparri,	,,	29.67	753.6	93	67	NNE	4	o	,,	29.78	756.3	77	92	S	2	b
Manila,	,,	29.71	754.5	90	60	W	4	o	,,	29.79	756.6	75	94	NE	2	b
Legaspi,	,,	29.71	754.5	90	66	ENE	4	b	,,	29.80	756.9	77	98	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	77	94	SW	1	o
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	75	98	...	o	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	E	4	o	4.20	29.82	757.5	...	...	NE	4	o
Yap,	12.47	29.79	756.6	...	...	E	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.79	756.9	88	84	SW	1	o	6	29.83	757.7	78	86	SW	1	o

July 7*d*. 11*h*. 59*m*.—Pressure has increased considerably at Wladivostock and Shanghai, moderately at Chefoo and slightly from Tongking to Formosa and Luzon. It has decreased slightly over Japan.

The northern depression is passing into the Pacific.

The southern depression is now central over N. Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 37·79 inches, against an average of 41·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel, ...	S.E. winds, moderate; fair to showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	8th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.72	755.0	76	...	N	2	b	6	29.91	759.8	67	...	...	0	o
Nemuro,	11	29.35	745.5	...	...	SSW	2	...	5	29.45	748.0	...	...	NW	2	...
Hokodate,	,,	29.45	748.0	...	...	W	2	...	,,	29.75	755.5	...	...	WNW	1	...
Tokio,	,,	29.53	750.0	...	...	...	0	...	,,	29.78	756.5	...	...	N	1	...
Kochi,	,,	29.67	753.5	...	...	...	0	...	,,	29.80	757.0	...	...	...	0	...
Nagasaki,	,,	29.69	754.0	...	...	W	1	...	,,	29.78	756.5	...	...	...	0	...
Kagoshima,	,,	29.69	754.0	...	...	WSW	3	...	,,	29.76	756.0	...	...	NNE	1	...
Oshima,	,,	29.80	757.0	...	...	W	1	...	,,	29.82	757.5	...	...	N	1	...
Naha,	,,	29.86	758.5	...	...	S	3	...	,,	29.88	759.0	...	...	SSW	1	...
Ishigakijima,	,,	29.86	758.5	...	...	SSW	2	...	,,	29.88	759.0	...	...	S	2	...
Bonin Island,	,,	29.96	761.0	...	...	SSW	2	...	,,	29.98	761.5	...	...	SSW	1	...
Chefoo,	15	29.73	755.1	81	71	N	1	b	6	29.79	756.6	69	91	SSE	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	...	...	...	0	lc
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	78	...	...	0	o
Shanghai,	14	29.82	757.5	77	76	W	1	o	,,	29.87	758.7	73	96	S	1	o
Gutzlaff,	,,	29.85	758.2	75	92	NNW	2	r	,,	29.90	759.4	68	95	SE	2	r
Sharp Peak,	,,	29.77	756.1	92	74	S	2	b	7	29.84	757.9	82	87	NE	1	o
Amoy,	,,	29.74	755.4	90	70	SSE	4	b	6	29.83	757.7	82	92	SSW	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	88	...	...	0	b
Taihoku,	11	29.80	756.0	93	67	...	0	b	5	29.85	758.1	79	95	...	0	b
Taichu,	,,	29.81	757.2	90	...	...	0	b	,,	29.87	758.7	77	...		0	b
Tainan,	,,	29.80	756.9	86	...	SSE	4	b	,,	29.84	757.8	77	...	SE	2	b
Koshun,	,,	29.82	757.5	86	...	E	1	o	,,	29.85	758.1	77	...	...	0	b
Pescadores,	,,	29.81	757.2	93	...	SSW	4	b	,,	29.85	758.1	81	...	SW	2	b
Canton,	14	29.73	755.1	91	74	SE	2	b	6	29.73	755.1	83	...	SSE	1	lc
Hongkong,	,,	29.76	755.9	83	78	E	1	o	,,	29.78	756.4	81	87	E	2	o
Gap Rock,	,,	29.76	755.9	...	...	ESE	4	c	,,	29.77	756.1	...	...	ESE	4	c
Macao,	,,	29.73	755.1	86	81	SE	4	o	,,	29.75	755.7	79	92	SE	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.76	756.0	92	74	SSE	3	b	6	29.80	756.9	82	87	SSE	3	b
Phulien,	15	29.62	752.4	86	71	ESE	6	o	7	29.69	754.2	79	95	ENE	4	b
Tourane,	,,	29.63	752.7	77	...	...	0	o	,,	29.63	752.7	77	...	SW	2	of
Cape St. James.	,,	29.75	755.7	75	...	WSW	6	rf	,,	29.73	755.1	75	...	WSW	6	r
Basco,	,,	29.79	756.6	86	71	SSE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.74	755.4	90	55	SSE	4	b	,,	29.84	757.8	79	90	...	0	b
Manila,	,,	29.79	756.6	82	96	S	1	o	,,	29.84	757.8	77	94	...	0	o
Legaspi,	,,	29.79	756.6	86	75	NE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	84	81	S	4	o	,,	29.81	757.2	77	88	SE	2	o
Surigao,	,,	29.78	756.3	84	74	W	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	11	29.78	756.4	88	84	S	4	b	6	29.81	757.2	80	91	SW	2	b

July 8*d.* 10*h.* 45*m.*—Pressure is highest over Manchuria and to the east of the Loochoos. It has increased considerably from S. Manchuria to central Japan and slightly at the majority of other reporting stations.

The depression over N. Indo-China is stationary.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·15 inch. Total since January 1st, 37·94 inches, against an average of 42·19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate; fair to showery.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	9th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostook,	12	29.89	759.1	77	...	WSW	3	o	6	29.88	759.0	66	...	SE	3	b
Nemuro,	11	29.55	750.5	...	...	NW	5	...	5	29.86	758.5	...	...	SW	1	...
Hokodate,	,,	29.78	756.5	...	...	WNW	5	...	,,	29.98	761.5	...	...	...	...	...
Tokio,	,,	29.84	758.0	...	...	NE	1	...	,,	30.02	762.5	...	...	...	c	...
Kochi,	,,	29.80	757.0	...	...	ESE	1	...	,,	29.92	760.0	...	...	...	c	...
Nagasaki,	,,	29.82	757.5	...	...	NNW	1	...	,,	29.88	759.0	...	...	...	...	...
Kagoshima,	,,	29.80	757.0	...	...	NNE	1	...	,,	29.86	758.5	...	...	ENE	1	...
Oshima,	,,	29.86	758.5	...	...	N	1	...	,,	29.86	758.5	...	...	N	1	...
Naha,	,,	29.90	759.5	...	...	SW	2	...	,,	29.86	758.5	...	...	SSW	2	...
Ishigakijima,	,,	29.90	759.5	...	...	SSW	2	...	,,	29.86	758.5	...	...	SSW	1	...
Bonin Island,	,,	29.96	761.0	...	...	SW	1	...	,,	29.96	761.0	...	...	SSW	1	...
Chefoo,	15	29.72	754.9	81	83	E	2	b	6	29.75	755.6	74	92	S	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.72	754.9	79	...	...	o	o
Hankow,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	80	...	...	o	o
Changsha,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	83	...	...	o	b
Shanghai,	14	29.85	758.1	79	80	SSE	1	o	,,	29.84	757.8	73	98	SE	1	r
Gutzlaff,	,,	29.88	758.9	74	86	SSE	2	b	,,	29.86	758.4	72	95	SSE	4	r
Sharp Peak,	,,	29.83	757.7	90	77	SE	2	o	7	29.84	757.9	82	91	...	o	b
Amoy,	,,	29.74	755.4	92	70	SSE	1	b	6	29.83	757.7	82	87	SSW	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	87	...	...	c	b
Taihoku,	11	29.86	758.4	90	63	W	2	b	5	29.84	757.8	77	96	...	o	o
Taichu,	,,	29.89	759.3	90	...	...	o	b	,,	29.87	758.7	79	...	...	o	o
Tainan,	,,	29.86	758.4	86	...	SW	2	o	,,	29.84	757.8	77	...	...	c	b
Koshun,	,,	29.87	758.7	86	...	...	2	o	,,	29.85	758.1	79	...	...	o	b
Pescadores,	,,	29.87	758.7	90	...	SW	2	b	,,	29.84	757.8	82	...	SSW	2	b
Canton,	14	29.77	756.1	92	70	SE	2	c	6	29.75	755.6	82	...	SE	1	o
Hongkong,	,,	29.79	756.6	85	79	E	3	c	,,	29.79	756.6	81	83	SE	3	o
Gap Rock,	,,	29.80	756.9	...	...	ESE	4	c	,,	29.79	756.6	...	...	ESE	4	b
Macao,	,,	29.76	756.0	86	78	SE	4	b	,,	29.75	755.7	81	92	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.79	756.6	88	74	SSE	2	b	6	29.82	757.4	81	90	SSE	2	c
Phulien,	15	29.66	753.3	86	71	E	6	b	7	29.68	753.9	77	94	NE	4	of
Tourane,	,,	29.61	752.1	86	...	SE	2	b	,,	29.67	753.6	79	...	SW	2	b
Cape St. James,	,,	29.73	755.1	81	...	W	4	o	,,	29.76	756.0	77	...	SW	2	o
Basco,	,,	29.81	757.2	90	69	SE	4	o	6	29.84	757.8	82	81	SE	4	o
Aparri,	,,	29.76	756.0	93	61	NNE	4	o	,,	29.82	757.5	79	88	...	c	b
Manila,	,,	29.81	757.2	84	77	N	2	o	,,	29.82	757.5	77	96		o	o
Legaspi,	,,	29.78	756.3	90	66	NE	2	o	,,	29.79	756.6	75	96	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	98	...	o	o
Iloilo,	,,	29.82	757.5	82	81	S	2	o	,,	29.81	757.2	77	98	...	c	o
Surigao,	,,	29.78	756.3	79	85	W	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	E	4	o	4.20	29.80	756.9	...	...	NE	2	o
Yap,	12.47	29.76	756.0	...	...	SE	1	b	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NW	2	b	6	29.82	757.4	78	86	N	...	b

July 9*d.* 11*h.* 27*m.*—Pressure has increased considerably over central and N.E. Japan and slightly over S.W. Japan and at Tourane. It has decreased slightly over the Yangtze Valley and is nearly stationary elsewhere.

An anticyclone is central to the east of Tokio.

The depression is central over the Gulf of Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·07 inch. Total since January 1st, 38·01 inches, against an average of 42·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel, ...	S.E. winds, moderate; fair to showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	10th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock.	12	29.85	758.1	67	...	SE	4	b	6	29.77	756.2	64	...	SE	4	o
Nemuro,	11	29 86	758.5	...	...	SSW	3	...	5	29.73	755 o	...	...	S	3	...
Hokodate,	,,	29.96	761.0	...	...	...	...	...	,,	29.88	759.0	...	...	...	...	...
Tokio,	,,	30.04	763.0	...	...	SE	1	...	,,	29.96	761.0	...	...	...	o	...
Kochi,	,,	29 94	760.5	...	...	SE	1	...	,,	29.92	760.0	...	...	...	o	...
Nagasaki,	,,	29.86	758.5	...	...	SE	2	...	,,	29.82	757.5	...	...	N	1	...
Kagoshima,	,,	29.88	759.0	...	...	NE	1	...	,,	29.80	757.0	...	...	ENE	1	...
Oshima,	,,	29.84	758.0	...	...	ENE	1	...	,,	29.75	755.5	...	...	...	o	...
Naha,	,,	29.86	758.5	...	...	SSE	2	...	,,	29.78	756.5	...	...	SSW	2	...
Ishigakijima,	,,	29.88	759.0	...	...	SSW	2	...	,,	29.82	757.5	...	...	SSW	2	...
Bonin Island,	,,	29.94	760.5	...	...	SW	1	...	,,	29.92	760.0	...	...	S	1	...
Chefoo,	15	29.69	754.1	90	63	S	4	b	6	29.58	751.3	72	85	SE	4	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.57	751.1	80	...	...	o	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.62	752.3	86	...	S	1	b
Shanghai,	14	29.80	756 9	77	88	E	2	o	,,	29.68	753.9	73	98	ESE	2	o
Gutzlaff,	,,	29.84	757.9	72	100	ESE	4	o	,,	29.77	756.1	73	100	SE	2	o
Sharp Peak,	,,	29.82	757.4	90	73	SSE	2	o	7	29.75	755.6	83	87	S	1	o
Amoy,	,,	29.75	755.6	90	73	SSE	4	b	6	29.79	756.6	82	92	SSW	2	b
Swatow,	,,	29.72	754.9	87	72	S	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.85	758.1	90	63	N	4	o	5	29.78	756.3	75	94	...	o	b
Taichu,	,,	29.86	758.4	90	...	...	o	b	,,	29.86	758 4	75	...	...	o	b
Tainan,	,,	29.85	758.1	90	...	S	2	b	,,	29.81	757.2	77	...	...	o	b
Koshun,	,,	29.84	757.8	90	...	S	2	b	,,	29.81	757.2	75	...	...	o	b
Pescadores,	,,	29.86	758.1	90	...	SSW	2	...	,,	29.80	756.9	82	...	SW	2	b
Canton,	14	29.77	756.1	92	70	SSE	2	c	6	29.74	755.4	83	...	SSE	1	fc
Hongkong,	,,	29.79	756.6	84	80	ESE	4	o	,,	29.79	756.6	81	84	ESE	2	o
Gap Rock,	,,	29.80	756.9	...	...	SE	4	c	,,	29.79	756.6	...	...	SSE	4	b
Macao,	,,	29.78	756.4	86	85	E	4	o	,,	29.76	756.0	79	90	S	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.80	756.9	87	74	SE	2	b	6	29.78	756.4	81	90	...	o	c
Phulien,	15	29.67	753.6	86	85	SSE	6	o	7	29.74	755.4	77	94	SSE	4	r
Tourane,	,,	29.63	752.7	86	...	SE	4	b	,,	29.71	754.5	79	...	...	c	b
Cape St. James.	,,	29.73	755.1	86	...	S	4	b	,,	29.75	755.7	77	...	SW	2	o
Basco,	,,	29.81	757.2	90	66	SE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	90	63	N	4	b	,,	29 78	756.3	77	88	...	o	o
Manila,	,,	29.76	756.0	84	81	NW	2	r	,,	29.78	756.3	77	92	N	2	o
Legaspi,	,,	29.74	755.4	77	92	NNW	1	o	,,	29.76	756.0	81	84	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	77	96	NE	2	o
Iloilo,	,,	29.76	756.0	79	96	...	c	o	,,	29.76	756.0	75	98	N	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	75	96	...	o	o
Guam,	12.20	29.78	756.3	...	...	E	4	r	4.20	29.81	757.2	...	...	NE	2	o
Yap,	12.47	29.78	756.3	...	...	...	o	b	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	NW	2	b	6	29.83	757.7	80	87	NW	2	b

July 10*d*. 11*h*. 20*m*.—Pressure is nearly stationary from Formosa to Luzon and Hongkong. It has decreased slightly to moderately elsewhere.

The anticyclone to the east of Tokio has weakened slightly.

The depression is central to the south of Hainan. Another has formed over N. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·21 inch. Total since January 1st, 38·22 inches, against an average of 42·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	11th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.72	754.8	68	...	SSE	4	c	6	29.82	757.3	63	...	SE	4	c
Nemuro,	11	29.67	753.5	...	...	SSW	5	...	5	29.76	756.0	...	...	N	8	...
Hokodate,	..	29.80	757.0	...	...	SW	1	...	,,	29.80	757.0	...	...	...	0	...
Tokio,	,,	29.88	759.0	...	...	S	1	...	,,	...	...	...	...	...	0	...
Kochi,	,,	29.88	759.0	...	...	E	1	...	,,	29.82	757.5	...	...	SW	1	...
Nagasaki,	,,	29.78	756.5	...	...	E	2	...	,,	29.75	755.5	...	...	SE	1	...
Kagoshima,	,,	29.78	756.5	...	...	NE	1	...	,,	29.76	756.0	...	...	ENE	1	...
Oshima,	,,	29.72	755.0	...	...	N	1	...	,,	29.75	755.0	...	...	...	0	...
Naha,	,,	29.80	757.0	...	...	SSW	2	...	,,	29.75	755.5	...	...	SSW	1	...
Ishigakijima,	,,	29.84	758.0	...	...	SW	1	...	,,	29.76	756.0	...	...	SSW	2	...
Bonin Island,	..	29.88	759.0	...	...	SSW	1	...	,,	29.86	758.5	...	...	SSE	2	...
Chefoo,	15	29.44	747.8	72	100	SE	4	r	6	29.55	750.5	72	100	WNW	4	rf
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	29.62	752.3	82	...	S	1	b
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.63	752.7	90	66	S	2	lf	,,	29.68	753.9	75	100	W	1	b
Gutzlaff,	,,	29.67	753.6	78	92	SSE	2	o	,,	29.72	754.9	75	95	WNW	1	o
Sharp Peak,	..	29.76	755.9	92	77	S	2	b	-	29.76	755.9	83	91	...	0	b
Amoy,	,,	29.67	753.6	94	64	SSE	4	b	6	29.66	753.3	85	87	SSW	6	r
Swatow,	,,	29.68	753.9	90	66	E	1	c	,,	29.66	753.3	80	87	SW	2	c
Taihoku,	11	29.78	756.3	90	60	SW	2	b	5	29.73	755.1	77	86	S	2	o
Taichu,	,,	29.84	757.8	93	...	SSW	2	b	,,	29.78	756.3	79	...	...	0	o
Tainan,	,,	29.80	756.9	90	...	SW	2	b	,,	29.76	756.0	77	...	SE	2	b
Koshun,	,,	29.80	756.9	86	...	S	2	o	,,	29.76	756.0	73	...	...	0	b
Pescadores,	,,	29.81	757.2	86	...	...	0	o	,,	29.80	756.9	81	...	WSW	2	b
Canton,	14	...	..	..	...	...	...	...	6	29.71	754.6	83	...	...	0	lc
Hongkong,	,,	29.76	755.9	86	65	SSW	2	c	,,	29.76	755.9	80	90	W	1	b
Gap Rock,	,,	29.78	756.4	...	...	SSE	3	b	,,	29.77	756.1	...	..	SSE	3	b
Macao,	,,	29.74	755.4	90	72	SSE	4	o	,,	29.74	755.4	79	96	SW	2	b
Wuchow,	15	...	..	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	29.77	756.1	87	76	SE	1	c	6	29.74	755.4	82	80	FSE	1	b
Phulien,	15	29.69	754.2	86	71	SSE	6	b	7	29.73	755.1	77	92	SSE	4	o
Tourane,	,,	29.67	753.6	86	...	N	4	b	,,	29.72	754.8	79	...	...	0	b
Cape St. James.	,,	29.74	755.4	86	...	S	2	b	,,	29.75	755.7	75	...	SW	4	o
Basco,	,,	29.74	755.4	90	63	SE	4	o	6	29.74	755.4	79	90	...	c	o
Aparri,	,,	29.71	754.5	90	60	NNE	4	o	,,	29.74	755.4	79	91	...	c	o
Manila,	,,	29.72	754.8	86	71	SW	4	o	,,	29.75	755.7	75	95	...	c	b
Legaspi,	,,	29.72	754.8	90	63	NNE	1	o	,,	29.74	755.4	77	96	...	c	b
Tacloban,	,,	..	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	84	74	S	2	o	,,	29.74	755.4	77	98	...	c	o
Surigao,	..	29.71	754.5	84	74	N	1	o	,,	29.73	755.1	75	96	SSW	1	b
Guam,	12.20	29.74	755.4	...	...	E	6	b	4.20	29.74	755.4	...	...	SE	1	o
Yap,	12.47	29.74	755.4	...	...	...	c	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	..	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	86	88	NW	2	b	6	29.83	757.7	78	86	SW	2	b

July 11*d*. 11*h*. 25*m*.—Pressure has increased moderately from Chefoo to Wladivostock and slightly at Shanghai. It is nearly stationary at the majority of other reporting stations.

The depression over N. China is moving eastward.

A depression is shown to the south of Hainan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 38·22 inches, against an average of 43·12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, ...	S. or variable winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th July, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	12th July, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.81	757.2	63	...	SE	5	0	6	29.88	758.8	59	...	SE	3	0
Nemuro,	11	29.84	758.0	...	...	NNE	2	...	5	29.94	760.5	...	...	SSW	1	...
Hokodate,	.	29.82	757.5	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	...	...
Tokio,	,,	29.84	758.0	...	...	S	2	...	,,	29.94	760.5	...	...	...	0	...
Kochi,	,,	29.80	757.0	...	...	SW	1	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.72	755.0	...	...	SE	1	...	,,	29.78	756.5	...	...	ESE	1	...
Kagoshima,	,,	29.74	755.5	...	...	SSE	1	...	,,	29.76	756.0	...	...	...	0	...
Oshima,	,,	29.72	755.0	...	...	...	0	...	,,	29.73	755.0	...	...	S	1	...
Naha,	,,	29.74	755.5	...	...	SE	2	...	,,	29.73	755.0	...	...	...	0	...
Ishigakijima,	,,	29.80	757.0	...	...	SSW	1	...	,,	29.73	755.0	...	...	SW	1	...
Bonin Island,	,,	29.84	758.0	...	...	SSE	3	...	,,	29.90	759.5	...	...	SSE	2	...
Chefoo,	15	29.59	751.6	80	78	NW	1	b	6	29.63	752.6	68	100	E	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.69	754.2	90	48	NW	2	b	,,	29.73	755.1	75	96	SE	2	0
Gutzlaff,	,,	29.72	754.9	68	74	NE	1	r	,,	29.75	755.6	73	95	SE	2	0
Sharp Peak,	,,	29.75	755.6	92	77	S	2	b	7	29.74	755.4	83	87	...	0	0
Amoy,	,,	29.63	752.6	94	71	SSE	4	b	6	29.64	752.8	84	83	...	0	0
Swatow,	,,	29.57	751.1	93	55	SW	2	c	,,	29.74	755.4	90		...	0	b
Taihoku,	11	29.73	755.1	90	63	WNW	2	0	5	29.74	755.4	79	89	...	0	0
Taichu,	,,	29.76	756.0	92	...	SSW	2	b	,,	29.76	756.0	79	...	...	0	0
Tainan,	,,	29.76	756.0	86	...	SW	1	b	,,	29.86	758.4	75	...	...	0	b
Koshun,	,,	29.74	755.4	86	...	NW	2	b	,,	29.84	757.8	77	...	...	0	b
Pescadores,	,,	29.78	756.3	86	...	SW	2	b	,,	29.73	755.1	79	...	SW	2	b
Canton,	14	29.72	754.9	92	70	S	1	b	6	29.74	755.4	81	...	NE	2	c
Hongkong,	,,	29.74	755.4	89	63	W	2	b	,,	29.74	755.4	81	87	W	2	c
Gap Rock,	,,	29.76	755.9	...	...	SSW	3	b	,,	29.75	755.6	...	...	SW	3	b
Macao,	,,	29.73	755.1	90	69	SSW	2	b	,,	29.73	755.1	79	90	W	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.72	754.9	91	66	...	0	b	6	29.73	755.1	81	93	...	0	b
Phulien,	15	29.68	753.9	90	69	SE	4	b	7	29.71	754.5	81	89	SSE	4	b
Tourane,	,,	29.67	753.6	86	...	E	2	b	,,	29.71	754.5	77	...	S	2	b
Cape St. James,	,,	29.72	754.8	86	...	S	2	0	,,	29.73	755.1	77	...	SW	2	0
Basco,	,,	29.69	754.2	90	72	...	0	0	6	29.72	754.8	79	91	...	0	0
Aparri,	,,	29.68	753.9	90	60	N	4	0	,,	..	..	...	...	...	...	...
Manila,	,,	29.69	754.2	90	66	SW	2	0	,,	29.73	755.1	77	96	...	0	b
Legaspi,	,,	29.68	753.9	93	64	NE	2	b	,,	29.72	754.8	77	94	W	1	0
Taoloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	84	81	W	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.68	753.9	86	68	W	4	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.1	...	...	SW	2	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.4	...	...	NE	4	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	11	29.76	755.9	88	84	NW	2	b	6	29.84	757.9	76	94	SW	2	0

July 12*d*. 11*h*. 20*m*.—Pressure has increased slightly over Japan, the Loochoos and E. China. It is nearly stationary elsewhere.

The northern depression has filled up. A depression is shown over the N.W. portion of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 38·22 inches, against an average of 43·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.W. or variable winds; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	12TH JULY, 1926. HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millm.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force (Beaufort)	WEATHER. (Beaufort)	13TH JULY, 1926. HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millm.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force (Beaufort)	WEATHER. (Beaufort)
Vladivostock,	12	29.85	758.2	60	...	SSE	2	f	6	29.78	756.3	63	...	SE	4	f
Nemuro,	11	29.92	760.0	...	...	SSE	2	...	5	29.88	759.0	...	...	SSW	1	...
Hokodate,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.90	759.5	...	...	...	...	...
Tokio,	,,	29.92	760.0	...	...	NW	1	...	,,	29.94	760.5	...	...	S	1	...
Kochi,	,,	29.82	757.5	...	...	...	0	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	29.76	756.0	...	...	W	1	...	,,	29.84	758.0	...	...	SE	2	...
Kagoshima,	,,	29.76	756.0	...	...	S	1	...	,,	29.84	758.0	...	...	...	0	...
Oshima,	,,	29.72	755.0	...	...	SSE	1	...	,,	29.80	757.0	...	...	...	...	...
Naha,	,,	29.72	755.0	...	...	S	1	...	,,	29.80	757.0	...	...	ENE	1	...
Ishigakijima,	,,	29.76	756.0	...	...	SSW	1	...	,,	29.78	756.5	...	...	S	1	...
Bonin Island,	,,	29.92	760.0	...	...	S	1	...	...	30.00	762.0	...	...	...	0	...
Chefoo,	15	29.57	751.1	84	79	SSE	1	0	6	29.65	753.1	74	95	SSW	1	0
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.67	753.6	90	57	SSE	1	b	,,	29.71	754.5	77	94	ESE	1	b
Gutzlaff,	,,	29.70	754.4	80	87	SE	2	b	12	29.73	755.1	75	90	SSE	2	b
Sharp Peak,	,,	29.72	754.9	90	66	ESE	2	b	,,	29.78	755.6	83	87	S	1	f
Amoy,	,,	29.64	752.8	92	70	SE	4	b	6	29.76	755.9	83	87	...	0	0
Swatow,	,,	29.59	751.6	93	61	S	3	b	,,	29.76	755.9	83	...	...	0	0
Taihoku,	11	29.75	755.7	90	63	WNW	2	a	5	29.76	756.0	79	87	...	0	0
Taichu,	,,	29.76	756.0	90	...	SW	2	o	,,	29.78	756.3	81	...	...	0	o
Tainan,	,,	29.75	755.7	90	...	SW	2	b	,,	29.76	756.0	77	...	...	0	b
Koshun,	,,	29.74	755.4	86	...	NW	2	o	,,	29.76	756.0	75	...	...	0	b
Pescadores,	,,	29.76	756.0	90	...	SW	4	b	,,	29.76	756.0	81	...	SSW	2	b
Canton,	14	...	...	...	...	...	...	...	6	29.70	754.4	83	...	SSE	1	c
Hongkong,	,,	29.72	754.9	86	62	WSW	2	o	,,	29.77	756.1	81	87	W	2	o
Gap Rock,	,,	29.74	755.4	...	...	WSW	3	b	,,	29.76	755.9	...	...	SW	3	b
Macao,	,,	29.74	755.4	90	72	WSW	2	o	,,	29.73	755.1	79	91	SW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.74	755.4	90	71	...	0	o	6	29.78	756.3	82	86	...	0	c
Phulien,	15	29.68	753.9	86	68	SSE	6	b	7	29.74	755.4	81	89	S	4	b
Tourane,	,,	29.71	754.5	86	...	SSE	4	b	,,	29.74	755.4	79	...	...	...	b
Cape St. James,	,,	29.72	754.8	86	...	S	4	b	,,	29.76	756.0	77	...	WNW	2	o
Basco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	75	91	S	2	o
Manila,	,,	29.72	754.8	86	75	SW	2	o	,,	29.79	756.6	75	92	NNE	1	o
Legaspi,	,,	29.68	753.9	84	...	S	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	82	80	SW	4	o	,,	29.78	756.3	77	96	N	2	o
Surigao,	,,	29.71	754.5	84	74	WSW	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	N	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.72	754.8	...	...	SW	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	NE	4	b	6	...	...	80	87	SW	2	b

July 13th, 11h. 00m.—Pressure has decreased slightly from N.E. Japan to S. Manchuria. It has increased slightly in other districts.

A feeble anticyclone dominates the eastern portion of the map and a depression the western portion.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day: 0·00 inch. Total since January 1st, 38·22 inches, against an average of 43·75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

DISTRICT.	FORECAST.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks. 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	14th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock. .	12	29.78	756.3	63	...	SE	4	f	6	29.74	755.4	63	...	...	0	f
Nemuro.....	11	29.84	758.0	...	...	SE	2	...	5	29.82	757.5	...	...	...	...	...
Hokodate, ...	.	29.88	759.0	...	...	...	0	...	,,	29.86	758.5	...	...	...	...	...
Tokio,.....	,,	29.90	759.5	...	...	S	3	...	,,	29.96	761.0	...	...	...	0	...
Kobi, ...	,,	29.90	759.5	...	...	SE	1	...	,,	29.96	761.0	...	...	...	0	...
Nagasaki, ...	,,	29.84	758.0	...	...	SSE	2	...	,,	29.86	758.5	...	...	SE	2	...
Kagoshima, ...	,,	29.86	758.5	...	...	ESE	1	...	,,	29.88	759 0	...	...	...	0	...
Oshima, ...	,,	29.82	757.5	...	...	N	1	...	,,	29.84	758.0	...	...	...	...	...
Naha, ...	,,	29.84	758.0	...	...	S	1	...	,,	29.84	758.0	...	...		...	...
Ishigakijima, ...	,,	20.82	757.5	...	...	SSE	1	...	,,	29.78	756.5	...	...	SE	1	...
Bosir Island,..	..	30.00	762.0	...	...	ESE	1	...	,,	30.00	762.0	...	...	...	0	...
Chefoo, ...	15	29.63	752.6	94	68	S	4	b	6	29.52	749.8	74	100	SE	2	r
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.46	748.3	88	...	SW	2	0
Changsha.	,,	...	...	...	...	...	...	...	,,	29.50	749.3	86	...	SW	1	b
Shanghai.	14	29.68	753.9	93	64	SSW	1	b	,,	29.60	751.8	79	91	SSE	4	b
Gutslaff,.....	,,	29.72	754.9	84	87	SSE	2	o	,,	29.64	752.8	77	92	S	6	b
Sharp Peak, ...	,,	29.74	755.4	88	73	SE	2	o	,,	...	...	...	...	...	...	...
Amoy, ...	..	29.67	753.6	92	67	SE	4	b	6	29.72	754.9	83	87	SSE	1	b
Swatow,.....	,,	29.67	753.6	94	58	SW	2	b	,,	29.73	755.1	84	83	SW	1	b
Taihoku, ...	11	29.76	756.0	93	59	E	6	b	,,	29.74	755.4	79	90	...	0	b
Taichu, ...	,,	29.81	757.2	90	...	SSW	2	b	,,	29.76	756.0	77	...	...	0	b
Tainan, ...	,,	29.79	756 6	90	...	SSE	2	b	,,	29.73	755.1	77	...	...	0	b
Koshun, ...	,,	29.79	756.6	90	...	NW	2	b	,,	29.73	755.1	75	...		0	b
Pescadores, ...	,,	29.80	756.9	90	...	SW	4	o	,,	29 73	755.1	81	...	SW	2	b
Canton, ...	14	29.73	755.1	93	64	S	1	b	6	...		85	...	SE	1	b
Hongkong.....	,,	29.76	755.9	89	68	SSW	3	b	,,	29.73	755.1	81	82	WSW	3	b
Gap Rock.....	,,	29.79	756.6	...	...	SW	3	b	,,	29.73	755.1	...	..	SW	3	b
Macao, ...	,,	29.74	755.4	90	69	SSW	2	b	,,	29.71	754.5	81	86	WSW	4	b
Wuchow, ...	15	...		...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow.	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	14	29.79	756.6	90	73	..	0	b	6	29.73	755.1	81	91	...	0	0
Phulien, ...	15	29.71	754.5	86	75	SSE	4	o	7	29.71	754.5	82	92	SSE	4	b
Tourane,.....	,,	29.74	755.4	84	...	N	2	b	,,	29.76	750.0	79	...	...	0	b
Cape St. James.	,,	29.79	756.6	86	...	S	2	o	,,	29.80	756.9	79	...	SW	4	b
Basco,.....	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri, ...	,,		...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Manila, ...	,,	29.75	755.7	86	71	WSW	2	o	,,	29.72	754.8	73	94	...	0	0
Legaspi, ...	,,	29.74	755.4	75	85	...	0	o	..	29.66	753.3	75	88	WSW	4	o
Tacloban, ...	,,	29.69	754.2	84	77	N	6	o	,,	29.66	753.3	79	96	WSW	2	o
Iloilo, ...	,,	29.75	755.7	86	75	S	1	o	,,	29.71	754.5	79	95	...	0	0
Surigao, ...	..	29.72	754.8	86	71	W	4	o	,,	29.67	753.6	79	90	SW	1	0
Guam,.....	12.20	29.76	756.0	...	...	E	2	r	4.20	29.75	755.7		...	SE	2	0
Yap, ...	12.47	29.75	755.7	...	...	NW	4	b	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	..	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.77	756.1	88	84	NE	4	b	6	20.82	757.4	80	91	SW	2	b

July 14*d*. 10*h*. 38*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 127° E., direction unknown.

July 14*d*. 11*h*. 58*m*.—Pressure has decreased moderately over the Visayas and over east and central China. It has decreased slightly over Luzon, Formosa and S. China and is nearly stationary elsewhere.

The anticyclone S.E. of Japan has strengthened slightly. The depression over China has deepened and a typhoon has formed in about Lat. 15° N. and Long. 127° E. Its direction of motion is unknown at present.

Manila warning. 13*d*. 21*h*. 55*m*.:—Cyclone or typhoon E. of southern Luzon direction unknown. Recd. 13*d*. 23*h*. 39*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 38·22 inches, against an average of 44·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	S.W. or variable winds, moderate; fine.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	15th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wiadivostock,	12	29.72	754.8	71	...	ESE	2	b		29.86	758.4	64	...	...	c	o
Nemuro,	11	29.80	757.0	...	...		0	...	5	29.78	756.5	...	..	...	..	..
Hokodate,	..	29.84	758.0	...	...	SW	3	..	..	29.86	758.5	...	..	NE	1	...
Fokio,	..	29.92	760.0	...	...	S	2	...	..	29.98	761.5	...	..	...	c	...
Kochi,	..	29.96	761.0	...	...	SE	1	...	..	30.00	762.0	...	..	..	c	..
Nagasaki,	..	29.86	758.5	...	...	S	1	...	..	29.94	760.5	...	..	SE	1	..
Kagoshima,	..	29.86	758.5	...	...	SSW	1	...	..	29.96	761.0	...	..	...	c	...
Oshima,	..	29.86	758.5	...	...	SSE	2	..	..	29.88	759.0	...	..	SSE	1	...
Naha,	..	29.84	758.0	...	...	ESE	2	..	..	29.84	758.0	...	..	ENE	1	.
Ishigakijima,	..	29.84	758.0	...	...	SE	2		..	29.78	756.5	...	.	ESE	1	
Bonin Island,	..	29.98	761.5	...	..	SE	1		..	30.02	762.5	...	.	SE	1	...
Chefoo,	15	27.29	743.9	78	86	SE	6	o	6	29.36	745.7	72	76	SSW	4	o
Ichang,	..			...	...	..	.	...	..	29.64	752.8	83	.		c	o
Hankow,	..			...	...		.	...	..			...	.		...	...
Changsha,	..		...	...	...	...	..	...	..	29.6	752.8	83	..	SW	1	b
Shanghai,	14	29.55	750.6	90	66	SSE	6	b	..	29.65	753.0	81	87	S	1	b
Gutzlaff,	..	29.58	751.3	81	83	S	7	b	..	29.66	753.3	77	92	SSW	6	o
Sharp Peak,	..	29.75	755.6	88	73	ESE	4	o	..	29.74	755.4	81	87	S	1	b
Amoy,	..	29.62	752.3	94	61	SSE	4	b	6	29.68	753.9	81	87	SSW	2	b
Swatow,	..	29.59	751.6	92	...	SSW	3	c	..	29.68	753.9	88	...	..	o	b
Taihoku,	11	29.74	755.4	93	57	NE	2	b	5	29.75	755.7	79	91	...	c	o
Taichu,	..	29.76	756.0	90	...	SW	2	b	..	29.75	755.7	79		..	c	o
Tainan,	..	29.81	757.2	90	...	SW	4	b	..	29.72	754.8	75		ENE	2	b
Koshun,	..	29.78	756.3	86	...	S	2	o	..	29.72	754.8	79		..	c	b
Pescadores,	..	29.78	756.3	90		SW	2	b	..	29.73	755.1	81	...		c	b
Canton,	14	29.64	752.8	94	64	S	1	b	6	29.61	752.1	85		SSE	1	bc
Hongkong,	..	29.70	754.4	88	62	SW	3	c	..	29.68	753.6	80	91		c	o
Gap Rock,	..	29.72	754.9	...	...	WSW	4	b	..	29.68	753.9	...	...	W	4	c
Macao,	..	29.72	754.8	93	74	SSW	4	o	..	29.61	752.1	81	92	SSW	4	o
Wuchow,	15		...	...	...		...	...	9					..	...	...
Pakhoi,	..		...	...			...	...	..				...		...	...
Hoihow,	..			...	...	...	...	...								...
Pratas Island,	14	29.72	755.1	90	72		0	b	6	29.68	753.9	80	84	..	c	b
Phulien,	15	29.60	751.8	97	63	SSW	2	b	7	29.56	750.9	82	90	SSE	4	b
Tourane,	..	29.71	754.5	90	...	...	0	b	..	29.67	753.6	82	...	SW	2	b
Cape St. James,	..	29.79	756.6	90	...	SW	4	b	..	29.76	756.0	77	...	SW	6	o
Basco,	..	29.73	755.1	93	59	SE	2	o	6	29.68	753.9	82	81	E	2	o
Aparri,	..	29.69	754.2	75	96	NNW	4	o	..	29.65	753.0	79	91	F	2	r
Manila,	..	29.68	753.9	84	74	W	2	o	..	29.60	751.8	79	96	N	1	r
Legaspi,	..	29.49	749.1	77	89	WSW	4	o	..	...		...	...	..	...	...
Tacloban,	..	...	...	...	...	...	...	...	..			...	...		...	...
Iloilo,	..	29.67	753.6	81	80	SW	4	o	..	29.66	753.3	81	92	SW	6	o
Surigao,	..	29.66	753.3	86	65	SW	4	o	..			...			..	...
Guam,	12.20	29.74	755.4	...	...	SSW	1	o	4.20	29.79	756.6			E	2	o
Yap,	12.47	29.74	755.4	...	...	SE	2	o	4.47	...	...	...	..	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Lainan,	11	29.83	757.3	80	91	...	2	o	6	29.81	757.3	78	86	S	2	b

July 14*d.* 17*h.* 35*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 125° E., moving W.

July 15*d.* 11*h.* 52*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 14° N. Long. 124° E., stationary or very slow.

July 15*d.* 11*h.* 57*m.*—Pressure has decreased moderately at Manila and slightly over Formosa and Indo-China. It has increased slightly over Japan and E. China.

A secondary has formed over the Gulf of Pechili.

At 6 a.m. the typhoon was in about Lat. 14° N. and Long. 124° E. It then appeared to be nearly stationary.

Manila warning. 15*d.* 8*h.* 10*m.*:—Typhoon in Lat. 10° N. Long. 120° E., almost stationary. Recd. 15*d.* 9*h.* 00*m.*

Manila warning. 14*d.* 16*h.* 45*m.*:—Typhoon E. of Luzon, less than 300 miles distant, inclining westward. Recd. 14*d.* 17*h.* 36*m.*

Shanghai warning. 14*d.* 21*h.* 20*m.*:—1 Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 126° E., moving W.N.W. 2 A continental depression in Lat. 36° N. Long. 120° E., moving E.N.E. Recd. 14*d.* 22*h.* 38*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 38·22 inches, against an average of 44·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	S.W. or variable winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort).	Weather. (Beaufort).	16th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort).	Weather. (Beaufort).
Wladivostock,	12	29.85	758.1	74	...	SSE	4	c		29.80	756.2	65	...	SE	4	...
Nemuro,	12	29.78	756.5	...	...	NNE	1	...	8	30.00	762.0	...	...	...	C	...
Hokodate,	...	29.90	759.5	...	...	NW	1	...	8	30.02	762.5	...	...	...	C	...
Tokio,	...	29.99	761.0	...	...	SSE	1	...	8	30.01	762.5	...	...	...	C	...
Kochi,	...	30.01	762.0	...	...	SE	1	...	8	30.08	764.0	...	...	...	C	...
Nagasaki,	...	29.98	761.5	...	...	SSE	1	...	8	30.00	762.0	...	...	F	1	...
Kagoshima,	...	29.98	761.5	...	...	S	1	...	8	30.02	762.0	...	...	...	C	...
Oshima,	...	29.92	760.2	...	...	SSE	2	...	8	29.92	760.0	...	...	SSE	1	...
Naha,	...	29.86	758.5	...	...	ENE	2	...	8	29.86	758.5	...	...	NE	1	...
Ishigakijima,	...	29.80	757.0	...	...	SE	2	...	8	29.78	756.5	...	...	F	1	...
Bonin Island,	...	30.04	763.0	...	...	ESE	5	...	8	30.04	764.0	...	...	...	C	...
Chefoo,	15	29.41	749.0	82	71	SSW	4	c	6	29.58	751.3	72	95	NNE	1	b
Ichang,	...	...	...	...	...	...	...	...	8	29.55	753.1	79	...	ESE	1	b
Hankow,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Changsha,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Shanghai,	14	29.69	753.6	82	86	S	4	c	8	29.75	755.7	79	84	SSE	4	b
Gutzlaff,	...	29.69	753.9	80	78	S	3	c	8	29.82	756.9	76	92	S	6	b
Sharp Peak,	...	29.73	755.1	88	69	SE	2	b	8	29.79	756.9	82	87	SE	2	b
Amoy,	...	29.68	753.9	82	67	SSE	4	b	6	29.80	754.4	83	83	SE	1	b
Swatow,	...	29.73	755.1	88	69	S	2	c	8	29.68	753.9	87	...	...	C	b
Tathoku,	11	29.74	755.4	93	59	ESE	4	b	8	29.69	754.1	81	80	E	4	b
Taichu	...	29.74	755.1	93	...	...	C	b	8	29.71	754.5	93	...	...	C	b
Tainan,	...	29.74	755.1	93	...	W	2	b	8	29.66	753.3	75	...	...	C	b
Koshun,	...	29.74	755.4	60	...	NE	4	b	8	29.67	753.6	82	...	NE	4	b
Pescadores,	...	29.75	755.7	86	...	W	2	b	8	29.67	753.6	82	...	N	4	b
Canton,	14	...	...	...	...	...	...	...	6	29.66	753.3	84	...	SE	1	be
Hongkong,	...	29.78	756.9	88	67	S	2	c	8	29.71	754.6	80	85	...	C	c
Gap Rock,	...	29.79	756.4	...	...	S	3	c	8	29.71	754.6	...	...	ESE	3	c
Macao,	...	29.79	756.1	93	74	S	4	c	8	29.68	753.9	81	86	S	4	b
Wuchow,	15	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Pakhoi,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Hoihow,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pratas Island,	14	29.71	755.6	92	51	...	C	b	6	29.63	754.1	84	89	ENE	4	c
Phuben,	13	29.50	749.4	93	67	S	4	b	8	29.58	751.2	84	87	SSE	6	c
Tourane,	...	29.61	752.1	90	...	SE	2	b	...	29.66	753.3	79	...	...	C	lf
Cape St. James	...	...	...	...	...	...	...	...	...	29.75	755.7	79	...	SW	4	c
Basco,	...	29.65	753.0	86	78	NE	4	r	6	...	...	...	...	...	...	...
Aparri,	...	29.60	751.8	81	92	N	2	r	...	29.56	750.9	79	91	...	C	r
Manila,	...	29.55	750.6	81	96	NE	1	r	...	29.67	753.6	77	94	NNW	4	c
Legaspi,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Tacloban,	...	29.67	753.6	86	75	SE	2	c	...	...	...	...	...	...	...	...
Hoilo,	...	29.67	753.6	82	84	S	4	c	...	...	...	...	...	...	...	...
Surigao,	...	29.67	753.6	86	71	WSW	4	c	...	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	E	4	c	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	755.9	...	...	SW	1	c	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	...	29.78	755.4	88	84	NE	4	b	6	29.82	757.1	80	91	NW	2	b

July 16*d.* 11*h.* 25*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 121° E., moving N.W.

July 16*d.* 11*h.* 25*m.*—Pressure has increased slightly over Japan, China and S. Luzon. It has decreased slightly over Formosa and N. Luzon.

The secondary is filling up. A depression remains over S.W. China.

The position of the typhoon is doubtful. Its probable coordinates are Lat. 18° N. and Long. 121° E., and direction of motion N.W.

[illegible] The typhoon has crossed northern Luzon in the form of a shallow depression. It may increase in intensity in the China Sea. Recd. 16*d.* 9*h.* 04*m.*

Shanghai warning, 16*d.* 8*h.* [illegible]:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 121° E. moving N.W. Recd. 16*d.* 10*h.* 12*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 57 inches, against an average of 44·09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, freshening.
2.—South coast of China between Hongkong and Lamocks,	Light, variable winds, freshening from N.E. later; fine to cloudy; possible squally and rainy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort).	Weather. (Beaufort).	17th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort).	Weather. (Beaufort).
Wladivostock,	12	29.81	757.1	66	...	SSE	5	0	6	29.68	753.9	63	..	SE	4	0
Nemuro,	11	30.02	762.5	...	...	SE	2	...	5	29.94	760.5	...	..	SSE	2	...
Hokodate,	.	29.98	761.5	...	...	SE	1	...	,,	29.96	761.0	...	...	...	...	...
Tokio,	.	30.00	762.0	...	...	S	1	...	,,	30.02	762.5	...	..	...	...	...
Kochi,	,,	30.04	763.0	...	...	SE	1	...	,,	30.02	762.5	...	...	...	C	...
Nagasaki,	,,	29.96	761.0	...	...	ESE	1	...	,,	30.00	762.0	...	...	ESE	1	...
Kagoshima,	,,	29.98	761.5	...	...	SE	1	...	,,	30.00	762.0	...	...	NE	1	...
Oshima,	,,	29.92	760.0	...	...	SSE	2	...	,,	29.90	759.5	...	...	SE	1	...
Naha,	,,	29.84	758.0	...	...	NE	3	...	,,	29.82	757.5	...	...	NE	2	...
Ishigakijima,	,,	29.76	756.0	...	...	E	2	...	,,	29.75	755.5	...	...	SSE	1	...
Bonin Island,	,,	30.04	763.0	...	...	E	1	...	,,	30.04	763.0	...	..	NE	1	...
Chefoo,	15	29.56	750.8	94	61	SSW	4	0	6	29.68	753.9	74	86	SW	1	0
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	..	..	...
Shanghai,	14	29.79	756.6	90	66	SSE	4	0	,,	29.82	757.5	77	96	SE	2	b
Gutzlaff,	,,	29.83	757.7	83	83	SSE	4	b	,,	29.85	758.2	76	95	SSE	4	0
Sharp Peak,	..	29.78	756.4	90	70	NNE	2	b	,,	29.78	756.4	80	91	NNE	2	rf
Amoy,	,,	29.65	752.6	92	70	SSE	4	b	6	29.70	754.4	86	76	ENE	4	0
Swatow,	,,	29.57	751.1	87	76	ENE	3	b	,,	29.67	753.6	87	...	E	4	0
Taihoku,	11	29.68	753.9	93	71	ESE	6	b	5	29.74	755.4	79	95	ESE	2	0
Taichu,	,,	29.68	753.9	92	...	...	0	b	,,	29.74	755.4	81	...	.	C	0
Tainan,	,,	29.69	754.2	93	...	NNW	2	b	,,	29.71	754.5	79	...	E	2	0
Koshun,	,,	29.71	754.5	90	...	ENE	4	0	,,	29.71	754.5	77	.	.	C	0
Pescadores,	,,	...	...	86	...	N	4	b	,,	29.69	754.2	82	...	SSW	4	b
Canton,	14	29.73	755.1	89	71	SSE	1	b	6	29.64	752.8	86	...	E	1	0
Hongkong,	,,	29.67	753.6	90	53	WNW	2	b	,,	29.68	753.9	82	82	E	3	0
Gap Rock,	,,	29.69	754.1	...	...	N	2	b	,,	29.68	753.9	...	..	N	3	0
Macao,	,,	29.65	753.0	93	64	SE	2	b	,,	29.65	753.0	82	87	SE	1	0
Wuchow,	15	...		...	...	...	...	...	9	..	..	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	.	.	...
Pratas Island,	14	29.61	752.1	86	81	NE	5	0	6	29.50	749.3	80	87	E	7	r
Phulien,	15	29.56	750.9	90	76	SE	4	0	7	29.69	754.2	82	92	E	4	0
Tourane,	,,	29.65	753.0	90	...	SE	2	b	,,	29.66	753.3	82	...	NW	2	b
Cape St. James,	,,	29.75	755.7	75	...	WSW	6	r	,,	29.79	756.6	77	...	WSW	2	0
Basco,	,,	29.62	752.4	84	85	SE	1	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.59	751.5	90	55	SSE	4	0	,,	29.72	754.8	79	89	S	2	0
Manila,	,,	29.78	754.5	81	80	SW	4	r	,,	29.79	756.6	75	96	ESE	1	0
Legaspi,	,,	..	...	...	...	...	...	..	,,	29.81	757.2	79	95	...	C	0
Tacloban,	,,	29.73	755.1	92	51	SSW	4	0	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.76	755.0	79	96	S	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	90	57	W	4	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	E	2	r	4.20	..	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	NW	2	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	..	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Labuan,	14	29.81	757.2	86	88	NW	2	0	6	29.83	757.7	80	87	SW	2	b

July 17*d*. 6*h*. 45*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 116° E., moving W.N.W.

July 17*d*. 11*h*. 05*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 116° E., moving N.W.

July 16*d*. 16*h*. 29*m*.—Local signal No. 1 hoisted.
July 17*d*. 6*h*. 45*m*.— ,, ,, ,, 4 ,,

July 17*d*. 10*h*. 55*m*.—Pressure has increased moderately at Chefoo and over Luzon and Tongking. It has decreased considerably at Pratas.

At 10 a.m. the typhoon was about 30 miles S.W. of Pratas moving N.W., causing a gale at that Island.

Shanghai warning. 16*d*. 21*h*. 00*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 19 N. Long. 119° E., moving N.W. Recd. 16*d*. 22*h*. 47*m*.

Manila warning. 17*d*. 8*h*. 30*m*.:—Typhoon in Lat. 20° N. Long. 116° E., moving W.N.W. Recd. 17*d*. 9*h*. 04*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 38·22 inches, against an average of 45·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds, freshening from N.E.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, increasing to a gale; overcast, squally and rainy.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	18th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.64	752.8	70	...	ESE	4	o	6	29.62	752.4	69	...	...	0	o
Nemuro,	11	29.82	757.5	...	...	SSE	2	...	5	29.71	754.5	...	...	S	3	...
Hokodate,	..	29.88	759.0	...	...	SSW	3	...	,,	29.75	755.5	...	...	SW	3	...
Tokio,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.88	759.0	...	...	...	0	...
Kochi,	,,	30.00	762.0	...	...	...	0	...	,,	29.94	760.5	...	...	...	0	...
Nagasaki,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.84	758.0	...	...	SE	2	...
Kagoshima,	,,	29.96	761.0	...	...	S	1	...	,,	29.86	758.5	...	...	ESE	1	...
Oshima,	,,	29.88	759.0	...	...	SSE	2	...	,,	29.80	757.0	...	...	...	0	...
Naha,	,,	29.80	757.0	...	...	E	2	...	,,	29.76	756.0	...	...	SE	1	...
Ishigakijima,	,,	29.76	756.0	...	...	E	1	...	,,	29.75	755.5	...	...	S	2	...
Bonin Island,	..	30.00	762.0	...	...	NE	1	...	,,	29.96	761.0	...	...	...	0	...
Chefoo,	15	29.66	753.3	84	79	S	1	o	6	29.62	752.3	74	95	S	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	29.75	755.7	90	60	SSE	4	b	,,	29.66	753.3	79	95	SE	1	b
Gutzlaff,	,,	29.79	756.6	81	87	SE	4	b	,,	29.68	753.9	76	95	SSE	4	o
Sharp Peak,	,,	29.79	756.6	94	68	N	1	o	,,	29.78	756.4	85	87	...	0	b
Amoy,	,,	29.67	753.6	92	64	SSE	4	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	29.72	754.9	88	...	ESE	5	r
Taihoku,	11	29.75	755.7	90	66	W	2	o	5	29.72	754.8	79	95	...	0	o
Taichu,	,,	29.75	755.7	86	...	SE	1	o	,,	29.74	755.4	77	...	...	0	b
Tainan,	,,	29.74	755.4	90	...	SSE	2	o	,,	29.72	754.8	77	...	SSE	4	o
Koshun,	,,	29.76	756.0	86	...	...	0	o	,,	29.74	755.4	79	...	E	2	o
Pescadores,	,,	29.75	755.7	90	...	S	4	o	,,	29.69	754.2	82	...	S	4	o
Canton,	14	29.58	751.3	99	...	WNW	2	b	6	29.56	750.8	81	...	NW	1	bc
Hongkong,	,,	29.60	751.8	82	88	...	0	o	,,	29.53	750.0	81	87	NW	3	o
Gap Rock,	,,	29.61	752.1	...	...	NNE	4	od	,,	29.55	750.5	...	...	W	5	o
Macao,	,,	29.59	751.5	90	69	NNW	2	r	,,	29.54	750.3	81	80	NNW	4	o
Wuchow,	15	...		...	...	..	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...		...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	..	..	...
Pratas Island,	14	29.17	740.9	78	93	SE	7	r	6	29.55	750.5	77	93	SW	3	o
Phulien,	15	29.62	752.4	90	72	SE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.63	752.7	86	...	NE	2	o	,,	...	...	...	...	...	...	...
Cape St. James.	,,	29.75	755.7	86	...	SW	4	o	,,	...	...	...	...	...	...	...
Basco,	,,	29.73	755.1	90	72	SE	2	o	6	...	..	...	...	...	...	...
Aparri,	,,	29.68	753.9	93	64	NNE	4	o	,,	29.74	755.4	77	96	SSE	2	o
Manila,	,,	29.78	756.3	90	88	WSW	4	b	,,	29.79	756.6	77	94	SE	1	b
Legaspi,	,,	29.75	755.7	90	60	S	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.79	756 6	86	78	S	6	o	,,	29.81	757.2	81	90	S	2	o
Surigao,	..	29.78	756.3	86	71	WNW	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.86	758.4	...	...	SE	1	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	W	4	o	4.47	..	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NE	4	b	6	...	...	...	...	...	...	...

July 18*d*. 5*h*. 20*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 30 miles of Lat. 23° N. Long. 117° E., moving N.N.E.

July 18*d*. 9*h*. 05*m*.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 23 N. Long. 116° E., moving N.

July 17*d*. 17*h*. 12*m*.—Local signal No. 5 hoisted.
July 18*d*. 5*h*. 30*m*.— ,, ,, ,, 5 lowered.

July 18*d*. 10*h*. 15*m*.—Pressure has decreased considerably at Swatow, moderately over E. China and Japan, and slightly at Hongkong. It has increased considerably at Pratas Island and is nearly stationary over Formosa and the Philippines.

At 6 a.m. this morning the typhoon, which has become severe, was in Lat. 22½° N. and Long. 116° E., moving N.

Manila warning. 17*d*. 19*h*. 00*m*.:—Typhoon in Lat. 21° N. Long. 116° E., moving N. Recd. 17*d*. 19*h*. 36*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·42 inch. Total since January 1st, 38·64 inches, against an average of 45·73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	Cyclonic gales, moderating.
3.—Hongkong to Gap Rock,	S.W. winds, strong; moderating overcast, occasional rain.
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	19th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	4	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.65	753.0	...	...	SSW	2	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.72	755.0	...	...	SSW	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.80	757.0	...	...	S	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.88	759.0	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.76	756.0	...	...	E	5	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.80	757.0	...	...	S	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.78	756.5	...	...	S	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.76	756.0	...	...	SSE	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.76	756.0	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.90	759.5	...	...	NNE	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.56	750.8	70	100	ENE	1	r	6	29.56	750.8	70	100	E	1	e
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.62	752.4	93	67	W	2	bf	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.64	752.8	84	83	S	1	o	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.76	755.9	86	82	SSE	4	b	7	29.60	751.8	83	89	S	2	of
Amoy,	,,	29.60	751.8	81	87	SE	4	r	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	29.53	750.0	83	...	S	4	o
Taihoku,	11	29.72	754.8	90	60	WNW	2	o	5	29.67	753.6	75	98	...	0	b
Taichu,	,,	29.71	754.5	93	...	SSW	2	b	,,	29.68	753.9	75	...	...	0	b
Tainan,	,,	29.72	754.8	86	...	SE	4	r	,,	29.68	753.9	77	...	SE	2	b
Koshun,	,,	29.74	755.4	86	...	S	2	o	,,	29.69	754.2	79	...	...	0	b
Pescadores,	,,	29.69	754.2	86	...	S	4	r	,,	29.65	753.0	81	...	S	4	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.52	749.8	83	87	W	2	or	,,	29.52	749.8	77	95	S	3	orltq
Gap Rock,	,,	29.55	750.5	...	...	WSW	6	o	,,	29.51	749.5	...	...	WSW	6	olt
Macao,	,,	29.52	749.7	86	78	WNW	4	o	,,	29.47	748.5	77	98	WSW	6	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.62	752.3	83	89	SSW	4	o	6	29.59	751.6	81	96	S	4	c
Phulien,	15	29.56	750.9	93	59	NNW	1	b	7	29.52	749.7	82	90	S	2	b
Tourane,	,,	29.62	752.4	86	...	...	c	b	,,	29.56	750.9	82	...	SW	2	b
Cape St. James	,,	29.73	755.1	86	...	SW	2	b	,,	29.73	755.1	79	...	WSW	4	b
Basco,	,,	29.73	755.1	90	76	WSW	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.69	754.2	93	61	SE	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	90	69	SW	4	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.73	755.1	86	78	S	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	78	S	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.74	755.4	75	76	WSW	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	NE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	83	NW	2	b	6	29.84	757.9	78	86	SW	2	b

July 18*d.* 16*h.* 56*m.*—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 24° N. Long. 116° E., moving N.

July 19*d.* 10*h.* 50*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 24° N. Long. 115° E., filling up, position uncertain.

July 19*d.* 12*h.* 10*m.*—Pressure has increased moderately at Swatow, has decreased slightly over Indo-China and Formosa and is oscillating at Hongkong.

The typhoon is filling up to the north-west of Swatow.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 21·44 inch. Total since January 1st 60·08 inches, against an average of 46·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, fresh; overcast, rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	20th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.61	752.1	66	...	SE	5	0	0	29.83	757.7	60	...	SSE	4	0
Nemuro,	11	29.57	751.0	...	...	ESE	1	...	5	29.76	756.0	...	...	N	3	...
Hokodate,	.	29.63	752.5	...	...	SE	1	...	,,	29.71	754.5	...	...	SSW	1	...
Tokio,	,,	29.63	752.5	...	...	SW	2	...	,,	29.67	753.5	...	...	...	...	...
Kochi,	,,	29.70	754.5	...	...	...	0	...	,,	29.78	756.5	...	...	SW	1	...
Nagasaki,	,,	29.70	754.5	...	...	SW	3	...	,,	29.78	756.5	...	...	SW	3	...
Kagoshima,	,,	29.74	755.5	...	...	WSW	1	...	,,	29.82	757.5	...	...	...	0	...
Oshima,	,,	29.76	756.0	...	..	SSW	1	...	,,	29.84	758.0	...	...	...	...	...
Naha,	,,	29.80	757.0	...	...	SE	1	...	,,	29.82	757.5	...	...	NNE	1	...
Ishigakijima,	,,	29.74	755.5	...	..	SE	2	...	,,	29.75	755.5	...	...	E	1	...
Bonin Island,	,,	29.84	758.0	...	...	...	0	...	,,	29.88	759.0	...	...	...	...	...
Chefoo,	15	29.55	750.5	77	92	E	1	0	6	29.62	752.3	72	100	ESE	1	0
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.66	753.3	86	75	ENE	1	0	,,	29.65	753.0	79	96	ESE	2	1
Gutzlaff,	,,	29.68	753.9	83	79	E	2	0	,,	29.69	754.1	78	95	S	4	1
Sharp Peak,	,,	29.73	755.1	88	76	S	4	0	,,	29.67	753.6	83	91	SSW	2	0
Amoy,	,,	29.57	751.1	86	84	SE	4	0	6	29.65	753.1	81	92	...	C	1
Swatow,	,,	...	...	...	...	...	...	...	,,	29.65	753.1	85	...	ESE	2	1
Taihoku,	11	29.71	754.5	90	72	E	2	0	5	29.71	754.5	75	98	...	C	1
Taichu,	,,	29.71	754.5	90	...	SW	2	b	,,	29.71	754.5	73	...	...	C	b
Tainan,	,,	29.69	754.2	84	...	S	4	b	,,	29.67	753.6	77	...	...	C	b
Koshun,	,,	29.72	754.8	86	...	SW	2	b	,,	29.68	753.9	81	...	ENE	1	b
Pescadores,	,,	29.69	754.2	86	...	S	4	b	,,	29.73	755.1	81	...	...	C	b
Canton,	14	29.49	749.0	75	95	ESE	2	r	6	29.58	751.3	76	...	NE	1	c
Hongkong,	,,	29.54	750.3	82	89	SW	3	orq	,,	29.61	752.1	77	93	W	3	cr
Gap Rock,	,,	29.55	750.5	...	...	SW	5	0	,,	29.58	751.3	...	...	S	4	c
Macao,	,,	29.47	748.5	81	98	SW	4	r	,,	29.58	751.2	73	100	N	4	r
Wuchow,	15	...		...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.59	751.6	86	84	S	2	0	6	29.62	752.3	80	85	SSE	3	c
Phulien,	15	29.46	748.2	84	45	SSE	4	b	7	29.45	747.9	84	85	S	4	c
Tourane,	,,	29.56	750.9	90	...	...	0	0	,,	29.55	750.6	82	...	...	C	b
Cape St. James	,,	29.68	753.9	90	...	SW	4	0	,,	29.68	753.9	79	...	WSW	6	c
Basco,	,,	29.67	753.6	86	78	...	0	0	6	29.63	752.7	79	85	...	C	c
Aparri,	,,	29.65	753.0	90	66	NNE	4	0	,,	29.63	752.7	79	92	...	C	r
Manila,	,,	29.66	753.3	86	71	SW	2	0	,,	29.66	753.3	79	87	SW	4	0
Legaspi,	,,	29.62	752.4	84	85	SW	2	0	,,	29.66	753.3	77	91	S	4	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	79	91	SSW	6	0	,,	29.72	754.8	75	92	S	4	r
Surigao,	,,	29.68	753.9	84	74	WSW	4	0	,,	29.73	755.1	81	76	SW	2	0
Guam,	12.20	29.73	755.1	...	...	NE	2	0	4.20	29.76	756.0	...	...	W	1	0
Yap,	12.47	29.73	755.1	...	...	SW	4	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	..	..	...	...	...	...	...
Labuan,	14	29.79	756.6	84	83	NW	2	b	6	29.83	757.7	78	91	SW	2	0

July 19*d*. 15*h*. 45*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 127° E., moving W.

July 20*d*. 11*h*. 04*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 125° E., moving N.W.

July 20*d*. 11*h*. 07*m*.—Pressure has increased considerably at Wladivostock, and slightly over N.E. China and Japan. It has decreased slightly over Indo-China and N. Luzon

Depressions are shown over S.W. China and central Japan.

At 6 a.m. the typhoon was in about Lat. 17° N. and Long. 125° E., moving N.W.

Manila warning. 19*d*. 20*h*. 00*m*.:—Typhoon in Lat. 17° N. Long. 126° E., moving W. Recd. 91*d*. 20*h*. 00*m*.

Shanghai warning. 20*d*. 8*h*. 55*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 127° E. moving W.N.W. Recd. 20*d*. 9*h*. 30*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·94 inch. Total since January 1st. 61·02 inches, against an average of 46·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21ST.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds, freshening from N.E.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Variable winds, moderate; overcast, and showery at first, improving later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.86	758.5	62	...	SSW	4	o	6	29.90	759.4	59	...	SSE	4	o
Nemuro,	11	29.78	756.5	...	...	N	3	...	5	29.84	758.0	...	...	N	2	...
Hokodate,	"	29.76	756.0	...	...	SE	2	...	"	29.86	758.5	...	...	E	1	...
Tokio,	"	29.67	753.5	...	...	SSE	1	...	"	29.86	758.5	...	...	NE	1	...
Kochi,	"	29.76	756.0	...	...	SW	1	...	"	29.86	758.5	...	...	SSW	1	...
Nagasaki,	"	29.84	758.0	...	...	WSW	2	...	"	29.88	759.0	...	...	...	...	...
Kagoshima,	"	29.84	758.0	...	...	SW	1	...	"	...	...	...	...	...	0	...
Oshima,	"	29.84	758.0	...	...	SSE	1	...	"	29.86	758.5	...	...	...	0	...
Naha,	"	29.80	757.0	...	...	E	2	...	"	29.84	758.0	...	...	ENE	1	...
Ishigakijima,	"	29.74	755.5	...	...	ENE	3	...	"	29.73	755.0	...	...	SE	3	...
Bonin Island,	"	29.90	759.5	...	...	...	...	...	"	29.92	760.0	...	...	...	...	...
Chefoo,	15	29.66	753.3	75	92	E	1	r	6	29.67	753.6	69	100	E	1	o
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hankow,	"	...	...	...	...	...	...	...	"	29.59	751.6	80	...	...	0	r
Changsha,	"	...	...	...	...	...	...	...	"	29.58	751.3	77	...		0	o
Shanghai,	14	29.65	753.0	93	50	SSW	6	b	"	29.72	754.8	79	87	SSE	4	b
Gutzlaff,	"	29.68	753.9	84	79	SSE	6	b	"	29.76	755.9	78	92	S	6	b
Sharp Peak,	"	29.73	755.1	88	78	E	1	b	"	29.59	751.6	83	83	NNE	4	o
Amoy,	"	29.63	752.6	90	70	SSE	4	b	6	29.56	750.8	81	92	W	1	b
Swatow,	"	...	...	...	...	...	...	...	"	29.56	750.8	84	...	...	0	b
Taiboku,	11	29.71	754.5	90	60	...	0	b	5	29.58	751.2	84	71	E	6	b
Taichu,	"	29.68	753.9	90	...	...	0	b	"	29.54	750.3	77	...	...	0	o
Tainan,	"	29.67	753.6	93	...	N	4	b	"	29.59	751.5	79	...	SE	2	o
Koshun,	"	29.66	753.3	90	...	NE	4	b	"	29.56	750.9	79	...	ENE	4	r
Pescadores,	"	29.69	754.2	90	...	NNW	2	b	"	29.55	750.6	82	...	S	4	o
Canton,	14	...	...	...	...	...	...	...	6	29.56	750.8	81	...	ESE	1	o
Hongkong,	"	29.61	752.1	79	90	E	2	o	"	29.59	751.6	78	97	E	1	cm
Gap Rock,	"	29.61	752.1	...	...	NNW	4	or	"	29.59	751.6	...	...	SE	2	b
Macao,	"	29.59	751.5	82	81	NE	2	o	"	29.55	750.6	79	96	...	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	14	29.62	752.3	88	79	S	2	b	6	29.57	751.1	81	87	N	1	c
Paulien,	15	29.43	747.6	86	81	SSE	4	o	7	29.53	750.0	75	94	NE	2	rf
Tourane,	"	29.53	750.0	86	...	E	2	b	"	29.55	750.6	82	...	W	2	b
Cape St. James.	"	29.65	753.0	84	...	WSW	6	o	"	29.68	753.9	79	...	WSW	6	c
Basco,	"	...	...	...	...	...	...	...	6	29.52	749.7	82	81	SE	6	o
Aparri,	"	29.50	749.4	79	95	W	4	r	"	...	...	...	...	...	...	...
Manila,	"	29.62	752.4	81	86	SW	4	r	"	29.67	753.6	75	84	SE	2	o
Legaspi,	"	...	...	...	...	...	...	...	"	29.73	755.1	77	92	...	0	o
Tacloban,	"	29.67	753.6	86	71	NNE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.68	753.9	82	81	S	6	o	"	29.78	756.3	75	96	SW	6	o
Surigao,	"	29.69	754.2	86	65	WSW	4	o	"	29.75	755.7	75	92	WSW	2	o
Guam,	12.20	29.74	755.4	...	...	W	2	b	4.20	29.76	756.0	...	...	S	2	o
Yap,	12.47	29.76	756.0	...	...	NNW	1	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	78	91	SW	2	r	6	29.84	757.9	78	99	SW	2	b

July 21*d.* 5*h.* 35*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 122° E., moving W.N.W.

July 21*d.* 10*h.* 10*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 120° E., moving W.N.W.

July 21*d.* 12*h.* 05*m.*—Local signal No. 1 hoisted.

July 21*d.* 11*h.* 25*m.*—Pressure has increased slightly to moderately over Japan, East China and Tongking. It has decreased slightly at Pratas and moderately over Formosa.

The depression over S.W. China is not so deep this morning.

At 6 a.m. this morning the typhoon was in about Lat. 20½° N. and Long. 120° E., moving W.N.W.

Manila warning. 21*d.* 5*h.* 00*m.*:—Typhoon in Lat. 21° N. Long. 120° E., moving W.N.W. Recd. 21*d.* 8*h.* 45*m.*

Shanghai warning. 21*d.* 10*h.* 45*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 121° E., moving W.N.W. Recd. 21*d.* 11*h.* 25*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·71 inch. Total since January 1st, 61·73 inches, against an average of 47·05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	Cyclonic gales.
2.—South coast of China between Hongkong and Lamocks,	Light, variable winds, possibly increasing to a gale from N.E. or N.W. fine at first, rain later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	22nd JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	2..89	759.2	60	...	SSE	4	or	6	29.86	758.5	61	...	NNE	2	o
Nemuro,	11	29.92	760.0	...	...	NNE	1	.	5	29 92	760.0	...	...	...	0	...
Hokodate,		29.90	759.5	...	...	E	3	.	,,	29.80	757.0	...	...	ENE	2	...
Tokio,		29.84	758.0	...	...	SSE	1	...	,,	29.86	758.5	...	...	SE	1	...
Kochi,	..	29.90	759.5	...	...	SE	1	...	,,	29.86	758.5	...	...	SW	1	
Nagasaki,	.	29.90	759.5	...	...	W	2	...	,,	29.88	759.0	...	...	S	2	
Kagoshima,	..	29.90	759.5	...	...	SE	1	...	,,	29.88	759.0	...	...	WNW	1	...
Oshima.	..	29.88	759.0	...	...	SE	1	...	,,	29.88	759.0	...	...	..	...	...
Naha,	..	29.90	759.5	...	...	E	3	...	,,	29.86	758.5	...	...	ENE	1	
Ishigakijima,	,	29.76	756.0	...	...	SE	4	...	,,	29.76	756.0	...	...	SE	3	
Bonin Island,	..	29.88	759.0	...	...	...	0	...	,,	29.90	759.5	...	...	..	..	...
Chefoo.	15	29.69	754.1	74	92	NE	1	o	6	29.71	754.6	72	92	SW	1	b
Ichang,	,,	...	...	...	...		...	...	,,	29.66	753.3	77	..	...	o	o
Hankow,	,,	...	...	...	...	...	...	...	,,	29.70	754.4	81	...	...	o	lc
Changsha,	,,	...	...	...	...	...	...	...	,,	29.61	752.1	80	...	N	1	o
Shanghai.	14	29.71	754.5	93	61	SSE	6	o	,,	29.74	755.4	79	91	SSE	2	b
Gutzlaff,	,,	29.75	755.6	82	87	S	4	o	,,	29.79	756.6	78	92	SSE	4	o
Sharp Peak,	..	29.70	754.4	86	82	ENE	4	o	,,	29.77	756.1	86	80	SW	1	b
Amoy,	,,	29.57	751.1	90	81	SE	4	b	6	29.63	752.6	82	87	ENE	1	o
Swatow.	,,	29.81	757.2	90	...	ESE	3	c	,,	29.50	749.3	84	...	E	6	c
Taihoku,	11	29.60	751.8	93	59	SE	6	b	5	29.68	753.9	77	89	..	c	b
Taichu,	,,	29.59	751.5	90	...	SSW	2	b	,,	29.69	754.2	77	...	..	c	b
Tainan,	,,	29.60	751.8	86	...	S	4	b	,,	29.68	753.9	77	...	S	4	o
Koshun,	..	29.62	752.4	82	...	E	4	o	,,	29.69	754.2	75	.	SE	1	o
Pescadores,	..	29.61	752.1	86	..	W	2	b	,,	29.66	753.3	82	...	SSE	4	b
Canton,	14	29.57	751.1	93	67	NNE	1	c	6	29.46	748.3	86	...	...	c	o
Hongkong,	,,	29.58	751.3	84	77	E	2	o	,,	29.36	745.7	77	91	N	5	or
Gap Rock,	,,	29.60	751.8	...	...	NNW	2	b	,,	29.30	744.2	...	.	NNW	7	or
Macao.	,,	29.58	751.2	86	78	ESE	2	o	,,	29.40	746.7	79	80	N	4	r
Wuchow,	15	...		...	...		...	...	9			...		...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,			...	...	...	...	...
Hoihow.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.46	748.3	80	...	NW	6	r	6	29.46	748.3	78	87	S	6	c
Phulien,	15	29.54	750.3	86	68	SSW	1	o	7	29.60	751.8	77	94	ENE	4	o
Tourane,	..	29.58	751.2	84	...	NW	2	r	,,	29.56	750.9	82	...	...	c	b
Cape St. James,	,,	29.66	753.3	82	...	SW	6	of	,,	29.71	754.5	79	...	SW	4	o
Basco,	,,	29.60	751.8	86	75	SSE	4	o	6	29.69	754.2	79	94	...	c	o
Aparri,	,,	29.58	751 2	86	71	S	4	o	,,	29.74	755.4	75	91	SE	2	o
Manila,	,,	29.72	754.8	79	90	SSW	4	r	,,	29.75	755.7	73	96	E	1	o
Legaspi,	,,	29.72	754.8	84	71	S	4	o	,,	29.78	756.3	77	94	...	c	o
Tacloban,	,,	29.73	755.1	86	75	SE	2	o	,,	.	.	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	75	SSW	4	o	,,	29.78	756 3	77	91	SE	1	o
Surigao,	,,	29.74	755.4	86	73	NNE	2	o	,,	29.79	756.6	75	96	SSW	1	o
Guam,	12.20	29.74	755.4	...	...	SW	4	o	4.20	29.76	756.0	...	...	E	1	o
Yap,	12.47	29.76	756.0	...	...	NW	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	NW	2	b	6	29.84	757.9	76	91	SW	2	o

July 21*d*. 14*h*. 40*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 119° E., moving W.N.W.

July 22*d*. 5*h*. 20*m*.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 22 N. Long. 116° E., moving W.N.W.

July 21*d*. 16*h*. 05*m*.—Local signal No. 2 hoisted.
July 22*d*. 6*h*. 15*m*.— ,, ,, ,, 6 ,,
July 22*d*. 7*h*. 35*m*.— ,, ,, ,, 4 ,,

July 22*d*. 11*h*. 30*m*.—Pressure has increased moderately over Formosa and the Pratas. It has decreased very considerably at Gap Rock, over Japan, the Philippines and East China it is nearly stationary.

The typhoon passed a few miles South of Gap Rock at 10 a.m. this morning on a westerly track.

Manila warning. 21*d*. 19*h*. 00*m*.:—Typhoon in Lat. 21° N. Long. 117° E., moving W.N.W. Recd. 21*d*. 19*h*. 17*m*.

Shanghai warning. 21*d*. 16*h*. 50*m*.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 119° E., moving W.N.W. Recd. 21*d*. 17*h*. 14*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·86 inch. Total since January 1st. 63·59 inches, against an average of 47·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	Cyclonic gales moderating later; overcast, rain.
3.—Hongkong to Gap Rock,	Cyclonic gales moderating later; overcast, rain.
4.—South coast of China between Hongkong and Hainan,	Increasing cyclonic gales.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)	23rd JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)
Wladivostock,	12	29.78	756.3	70	...	NNW	2	o	6	29.82	757.3	64	...	...	c	o
Nemuro,	11	29.88	759.0	...	...	S	1	...	5	29.84	758.0	...	...	...	...	...
Hokodate,	.	29.74	755.5	...	...	ESE	2	...	,,	29.76	756.0	...	...	E	1	...
Tokio,	,,	29.82	757.5	...	...	...	...	...	,,	29.69	754.0	...	...	...	...	...
Kochi,	,,	29.84	758.0	...	...	SE	1	...	,,	29.82	757.5	...	...	...	c	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.84	758.0	...	...	S	1	...
Kagoshima,	,,	29.88	759.0	...	...	SW	1	...	,,	29.88	759.0	...	...	...	o	...
Oshima,	,,	29.86	758.5	...	...	SSE	...	...	,,	29.88	759.0	...	...	..	...	...
Naha,	,,	29.84	758.0	...	...	E	2	...	,,	29.84	758.0	...	...	ESE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	ESE	2	...	,,	29.80	757.0	...	...	SE	2	..
Bonin Island,	..	29.86	758.5	...	...	NW	1	...	,,	29.86	758.5	...	...	..	...	...
Chefoo,	15	29.68	753.9	81	83	E	1	b	6	29.71	754.6	72	95	...	o	o
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	..	..	..	...	...
Hankow,	,,	...	...	...	...	...	...	...	.	29.72	754.9	85	...	...	c	b
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.72	754.8	90	60	SSE	2	b	,,	29.73	755.1	81	87	SSE	2	b
Gutzlaff,	,,	29.77	756.1	84	83	SSE	4	b	,,	29.76	755.9	78	92	SSE	4	o
Sharp Peak,	..	29.67	753.6	86	76	E	1	b	,,	29.70	754.4	84	82	S	1	b
Amoy,	,,	29.62	752.3	88	76	SE	2	b	6	29.66	753.3	82	87	SSE	1	b
Swatow,	,,	29.53	750.0	82	...	E	3	1c	,,	29.64	752.8	82	...	SE	2	o
Taihoku,	11	29.71	754.5	93	64	E	2	o	.	29.75	755.7	77	92	...	c	b
Taichu,	,,	29.69	754.2	90	...	WNW	2	o	,,	29.75	755.7	73	..	...	c	b
Tainan,	,,	29.68	753.9	90	...	SE	2	b	,,	29.72	754.8	75	...	SE	2	b
Koshun,	,,	29.74	755.4	79	...	ENE	2	o	,,	29.73	755.1	77	..	E	2	b
Pescadores,	,,	29.68	753.9	90	...	S	4	b	,,	29.69	754.2	81	...	S	4	b
Canton,	14	...	...	...	...	...	...	...	6	29.50	749.3	83	...	E	2	o
Hongkong,	,,	29.38	746.2	77	95	ESE	7	orq	.	29.57	751.1	79	82	SE	2	o
Gap Rock,	,,	29.20	741.7	...	...	SSE	9	oq	.	29.55	750.5	...	..	SE	6	o
Macao,	,,	29.16	740.7	77	96	ESE	8	r	,,	29.50	749.4	77	94	SE	6	r
Wuchow,	15	...	...	...	...	..	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	..	..	...	...	,,	.	.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	.	...	...
Pratas Island,	14	29.57	751.1	85	86	SE	3	o	6	29.66	753.3	80	89	S	4	o
Phulien,	15	29.52	749.7	86	71	SW	1	b	.	29.49	749.1	79	96	W	4	r
Tourane,	..	29.56	750.9	86	...	SW	1	b	,,	29.55	750.6	82	...	...	c	c
Cape St. James,	,,	29.68	753.9	82	...	WSW	6	rf	..	29.72	754.8	77	...	SW	6	o
Basco,	,,	29.69	754.2	86	71	SE	2	o	6	29.73	755.1	77	92	SE	2	o
Aparri,	,,	29.67	753.6	86	68	S	4	o	,,	29.74	755.4	75	94	S	2	o
Manila,	,,	29.73	755.1	82	77	SE	2	o	,,	29.79	756.6	75	92	N	1	o
Legaspi,	,,	29.72	754.8	90	63	SW	4	o	,,	29.76	756.0	77	96	...	c	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	71	SW	4	o	,,	29.76	756.0	77	96	...	c	o
Surigao,	..	29.73	755.1	86	75	NE	2	o	..	29.76	756.0	75	96	...	c	o
Guam,	12.20	29.75	755.7	...	...	SSW	2	o	4.20	29.75	755.7	...	...	NE	1	o
Yap,	12.47	29.78	756.3	...	...	ESE	2	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	86	80	NW	2	b	6	29.84	757.9	78	86	SW	2	b

July 22*d*. 17*h*. 10*m*.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 22° N. Long. 113° E., moving W.

July 23*d*. 10*h*. 46*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 23° N. Long. 116° E., filling up.

July 22*d*. 20*h*. 15*m*.—Local signal No. 4 lowered.

July 23*d*. 10*h*. 50*m*.—Pressure has decreased moderately at Tokio and slightly at Haiphong. It has increased considerably at Hongkong, moderately at Pratas and slightly over Formosa. It is nearly stationary elsewhere.

The typhoon is filling up to the north of Pakhoi, having entered the coast between Macao and Kwang Chau Wan.

A depression has formed over central Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·90 inch. Total since January 1st 65·49 inches, against an average of 47·95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, fresh, moderating; overcast, occasional rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	S. winds, strong, moderating.
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd JULY, 1926.									24th JULY, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostook,	12	29.81	757.2	71	...	...	0	0		6	29.84	757.8	65	...	...	0	0	
Nemuro,	11	29.84	758.0	...	...	ESE	2	...		5	29.84	758.0	...	...	NE	1	...	
Hokodate,	,,	29.76	756.0	...	...	SE	3	...		,,	29.84	758.0	...	...	...	0	...	
Tokio,	,,	29.67	753.5	...	...	SE	1	...		,,	29.80	757.0	...	...	SSE	1	...	
Kochi,	,,	29.80	757.0	...	...	SE	1	...		,,	29.80	757.0	...	...	NNE	1	...	
Nagasaki,	,,	29.84	758.0	...	...	W	1	...		,,	29.84	758.0	...	...	...	0	...	
Kagoshima,	,,	29.86	758.5	...	...	WNW	1	...		,,	29.86	758.5	...	...	SSW	1	...	
Oshima,	,,	29.86	758.5	...	...	SSE	1	...		,,	29.88	759.0	...	...	...	0	...	
Naha,	,,	29.86	758.5	...	...	SE	2	...		,,	29.88	759.0	...	...	...	0	...	
Ishigakijima,	,,	29.84	758.0	...	...	SE	2	...		,,	29 86	758.5	...	...	SSE	1	...	
Bonin Island,	,,	29.86	758.5	...	...	N	1	...		,,	29.88	759.0	...	...	...	...	...	
Chefoo,	15	29.71	754.6	80	82	E	1	0		6	29.74	755.5	75	95	...	0	0	
Ichang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...		,,	29.68	753.9	83	...	...	0	h	
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	14	29.72	754.8	90	63	SSE	2	h		,,	29.73	755.1	79	95	SE	1	h	
Gutzlaff,	,,	29.75	755.6	83	83	SSE	4	b		,,	29.78	756.4	78	86	S	6	h	
Sharp Peak,	,,	29.70	754.4	90	73	SSE	2	b		,,	29.79	756.6	82	87	S	1	0	
Amoy,	,,	29.68	753.9	90	73	SE	4	b		6	29.74	755.4	80	87	...	0	0	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Taihoku,	11	29.76	756.0	90	57	NW	4	0		5	29.82	757.5	77	96	...	0	0	
Taichu,	,,	29.76	756.0	90	...	...	0	0		,,	29.81	757.2	75	...	...	0	0	
Tainan,	,,	29.75	755.7	90	...	SSE	4	b		,,	29.81	757.2	73	...	ESE	2	r	
Koshun,	,,	29.79	756.6	84	...	WSW	...	...		,,	29.81	757.2	73	...	N	2	0	
Pescadores,	,,	29.76	756.0	86	...	S	4	b		,,	29.79	756.6	79	...	SSE	4	0	
Canton,	14	...	...	...	...	...	...	...		6	29.60	751.8	81	...	...	0	0	
Hongkong,	,,	29.62	752.3	81	83	SE	2	0		,,	29.66	753.3	76	94	E	3	0	
Gap Rock,	,,	29.63	752.6	...	...	SE	4	od		,,	29.65	753.1	...	...	SE	5	0	
Macao,	,,	29.59	751.5	77	98	SSE	4	r		,,	29.60	751.8	79	94	SSE	4	0	
Wuchow,	15	...	..	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	14	29.66	753.3	82	80	SSE	4	0		6	29.73	755.1	79	86	S	4	0	
Phulien,	15	29.46	748.2	86	78	SW	4	0		7	29.46	748.2	77	98	WSW	6	rf	
Tourane,	,,	29.52	749.7	90	...	...	0	0		,,	29.60	751.8	81	...	NE	2	r	
Cape St. James,	,,	29.72	754.8	86	...	S	4	0		,,	29.75	755.7	77	...	WSW	4	0	
Basco,	,,	29.75	755.7	81	84	SSE	2	0		6	29.81	757.2	75	96	...	0	0	
Aparri,	,,	29.76	756.0	82	77	S	4	0		,,	29.81	757.2	75	96	S	2	0	
Manila,	,,	29.78	756.3	86	75	NW	2	0		,,	29.82	757.5	75	94	...	0	0	
Legaspi,	,,	29.76	756.0	82	84	ENE	1	0		,,	29.80	756.9	81	87	NE	1	0	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.73	755.1	90	60	NE	4	0		,,	29.79	756.6	79	90	N	4	0	
Surigao,	,,	29.73	755.1	86	78	NE	2	0		,,	29.79	756.6	77	96	...	0	0	
Guam,	12.20	29.74	755.4	...	...	W	1	r		4.20	29.79	756.6	...	...	SE	1	0	
Yap,	12.47	29.73	755.1	...	...	SE	1	0		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Labuan,	14	29.77	756.1	88	84	NE	4	b		6	29.82	757.4	80	91	SW	2	b	

July 24*d.* 10*h.* 50*m.*—Pressure has decreased slightly at Haiphong and increased slightly at the majority of other stations.

The typhoon is now shown as a depression over Tongking.

The Japanese depression has passed into the Pacific.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·21 inch. Total since January 1st, 65·70 inches, against an average of 48·40 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	S.E. winds, moderate; overcast, occasional rain.
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	25th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	29.82	757.3	67	...	SE	4	o	6	29.79	756.6	66	...	...	c	o
Nemuro, ...	11	29.82	757.5	...	...	NNE	1	...	5	29.82	757.5	...	...	ENE	1	...
Hokodate, ...	,,	29.82	757.5	...	...	...	c	...	,,	29.84	758.0	...	...	...	...	...
Tokio, ...	,,	29.80	757.0	...	...	SE	1	...	,,	29.82	757.5	...	...	NNE	1	...
Kochi, ...	,,	29.84	758.0	...	...	...	c	...	,,	29.84	758.0	...	...	...	o	...
Nagasaki, ...	,,	29.86	758.5	...	...	WSW	3	...	,,	29.88	759.0	...	...	SW	1	...
Kagoshima, ...	,,	29.88	759.0	...	...	W	1	...	,,	29.90	759.5	...	...	...	...	...
Oshima, ...	,,	29.88	759.0	...	...	NE	1	...	,,	29.90	759.5	...	...	S	1	...
Naha, ...	,,	29.88	759.0	...	...	SSE	1	...	,,	29.90	759.5	...	...	E	1	...
Ishigakijima, ...	,,	29.86	758.5	...	...	S	1	...	,,	29.88	759.0	...	...	...	c	...
Bonin Island, ...	,,	29.88	759.0		...	NNW	1	...	,,	29.92	760.0	...	...	...	c	...
Chefoo, ...	15	29.71	754.6	80	92	E	1	o	6	29.78	756.4	73	100	...	o	r
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.64	752.8	78	..	...	c	r
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	29.73	755.1	97	63	S	2	b	,,	29.74	755.4	79	95	SSE	1	b
Gutzlaff.....	,,	29.79	756.6	83	79	S	4	b	,,	29.80	756.9	78	c2	S	4	b
Sharp Peak, ...	,,	29.79	756.6	88	73	SE	2	b	,,	29.79	756.6	83	83	...	c	b
Amoy, ...	,,	29.72	754.9	88	76	SSE	4	b	6	29.79	756.6	80	87	S	2	b
Swatow, ...	,,	29.74	755.4	85	...	SSE	4	b	,,	29.77	756.1	82	...	SE	3	cp
Taihoku, ...	11	29.80	756.9	90	69	NW	2	b	5	29.85	758.1	73	96	...	c	b
Taichu, ...	,,	29.84	757.8	86	...	SW	2	b	,,	29.87	758.7	73	...	...	c	b
Tainan, ...	,,	29.82	757.5	86	...	S	4	b	,,	29.82	757.5	73	...	ESE	2	b
Koshun, ...	,,	29.86	758.4	84	...	SSE	1	o	,,	29.84	757.8	75	...	...	c	o
Pescadores, ...	,,	29.82	757.5	86	...	S	4	o	,,	29.84	757.8	81	...	S	2	o
Canton, ...	14	...	...	...	...	...	...	...	6	29.67	753.6	82	...	...	c	c
Hongkong, ...	,,	29.68	753.9	83	81	SE	3	o	,,	29.73	755.1	77	95	E	3	o
Gap Rock, ...	,,	29.68	753.9	...	...	SE	5	o	,,	29.73	755.1	...	..	SE	4	o
Macao, ...	,,	29.65	753.0	86	85	SSE	4	o	,,	29.68	753.9	77	96	SE	4	o
Wuchow, ...	15	...	..	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	..	...	...	...	...	..	...	...
Pratas Island, ...	14	29.73	755.1	82	78	S	5	o	6	29.75	755.6	79	80	S	4	o
Phulien, ...	15	29.42	747.3	82	84	SW	7	r	7	29.50	749.3	75	96	SSW	...	r
Tourane, ...	,,	29.62	752.4	86	...	SSE	2	o	,,	...	...	...	...	...	...	...
Cape St. James.	,,	29.75	755.7	79	...	SW	4	o	,,	29.76	756.0	77	...	SW	4	o
Basco, ...	,,	29.81	757.2	86	75	SE	2	o	6	29.84	757.8	75	92	...	c	b
Aparri, ...	,,	29.80	756.9	86	75	...	o	o	,,	29.82	757.5	75	94	...	c	o
Manila, ...	,,	29.78	756.3	86	68	WNW	4	o	,,	29.82	757.5	75	94	...	c	o
Legaspi, ...	,,	29.75	755.7	90	63	NE	4	b	,,	29.81	757.2	77	94	NW	1	b
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.73	755.1	90	63	NE	4	o	,,	29.81	757.2	79	91	N	2	o
Surigao, ...	,,	29.73	755.1	82	81	NNE	2	b	,,	29.79	756.6	75	96	SE	1	b
Guam, ...	12.20	29.78	756.3	...	...	E	4	o	4.20	29.80	756.9	...	...	NE	2	o
Yap, ...	12.47	29.75	755.7	...	...	ESE	1	o	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	..	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.79	756.6	80	91	NW	2	b	6	29.83	757.7	76	91	SW	1	o

July 25*d.* 11*h.* 4*cm.*—Pressure has increased slightly over China, Formosa and the Loochoos. It is nearly stationary elsewhere.

A depression is still shown over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·24 inch. Total since January 1st. 65·94 inches, against an average of 48·85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel, ...	S.E. winds, moderate; overcast, occasional rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	26th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.74	755.4	73	...	ESE	3	c	6	29.73	755.0	68	...	...	0	c
Nemuro.....	11	29.80	757.0	...	...	NNE	1	...	5	29.73	755.0	...	...	S	1	...
Hokodate, ...	,,	29.82	757.5	...	...	SSE	1	...	,,	29.75	755.5	...	...	WSW	1	...
Tokio,.....	,,	29.82	757.5	...	...	NE	1	...	,,	29.82	757.5	...	...	...	0	...
Kochi, ...	,,	29.84	758.0	...	...	E	1	...	,,	29.86	758.5	...	...	WSW	1	...
Nagasaki, ...	,,	29.90	759.5	...	...	W	1	...	,,	29.90	759.5	...	...	S	1	...
Kagoshima, ...	,,	29.90	759.5	...	...	W	2	...	,,	29.90	759.5	...	...	...	0	...
Oshima, ...	,,	29.90	759.5	...	...	NE	1	...	,,	29.90	759.5	...	...	S	1	...
Naha, ...	,,	29.90	759.5	...	...	WSW	1	...	,,	29.90	759.5	...	...	...	...	...
Ishigakijima,...	,,	29.90	759.5	...	...	SE	1	...	,,	29 88	759.0	...	...	ESE	1	...
Bonin Island,..	,,	29.90	759.5	...	...	N	1	...	,,	29.92	760.0	...	...	...	...	...
Chefoo, ...	15	29.73	755.1	75	95	ESE	1	o	6	29.64	752.8	74	100	...	0	o
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.61	752.1	76	...	...	0	o
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	29.65	753.1	87	...	SSW	1	c
Shanghai, ...	14	29.73	755.1	97	60	SSW	1	b	,,	29.75	755.7	81	96	SSE	2	b
Gutzlaff,.....	,,	29.78	756.4	83	79	SSE	4	b	,,	29.77	756.1	78	82	SSW	4	b
Sharp Peak, ...	,,	29.79	756.6	86	80	S	4	b	,,	29.79	756.6	82	79	S	2	b
Amoy, ...	,,	29.78	756.4	86	72	SSW	4	b	6	29.80	756.9	80	87	WNW	4	cf
Swatow,.....	,,	29.77	756.1	85	...	SSE	1	cp	,,	29.77	756.1	80	...	S	2	r
Taihoku, ...	11	29.86	758.4	90	63	...	c	b	5	29.87	758.7	72	98	...	c	b
Taichu, ...	,,	29.86	758.4	90	...	...	o	b	,,	29.87	758.7	72	...	...	o	b
Tainan, ...	,,	29.86	758.4	86	...	SSW	2	b	,,	29.85	758.1	73	...	E	1	b
Koshun,.....	,,	29.85	758.1	86	...	...	c	o	,,	29.84	757.8	72	...	...	o	b
Pescadores, ...	,,	29.85	758.1	82	...	WSW	4	b	,,	29.84	757.8	79	...	...	c	b
Canton, ...	14	...	...	...	...	...	...	...	6	29.72	754.9	81	...	...	c	c
Hongkong,.....	,,	29.75	755.6	82	79	SSE	2	o	,,	29.77	756.1	76	97	NE	1	cd
Gap Rock, ...	,,	29.74	755.4	...	...	SE	5	o	,,	29.77	756.1	...	...	SE	4	o
Macao, ...	,,	29.72	754.8	82	84	SSE	4	o	,,	29.73	755.1	77	100	SSE	4	c
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	14	29.77	756.1	79	88	S	4	r	6	29.79	756.6	78	90	S	2	d
Phulien, ...	15	29.56	750.0	79	91	S	7	r	7	29.61	752.1	81	87	S	6	r
Tourane,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James.	,,	29.79	756.6	84	...	SW	4	o	,,	29.80	756.9	77	...	SW	4	o
Basco,.....	,,	29.82	757.5	86	68	SE	4	b	6	29.81	757.2	75	92	...	o	b
Aparri, ...	,,	29.81	757.2	86	61	ENE	2	o	,,	29.80	756.9	77	94	...	o	b
Manila, ...	,,	29.79	756.6	90	63	W	4	o	,,	29.82	757.5	75	92	...	c	o
Legaspi, ...	,,	29.74	755.4	90	71	NE	2	b	,,	29.80	756.9	77	96	NW	1	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.76	756.0	81	76	N	2	o	,,	29.81	757.2	77	92	NE	1	o
Surigao, ...	,,	29.75	755.7	86	71	N	2	b	,,	29.79	756.6	77	96	WSW	2	o
Guam,.....	12.20	29.78	756.3	...	...	NE	4	o	4.20	29.79	756.6	...	...	N	1	c
Yap, ...	12.47	29.78	756.3	...	...	SE	4	o	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.79	756.6	86	92	NW	2	b	6	29.85	758.2	76	91	SW	2	o

July 26*d*. 11*h*. 35*m*.—Pressure has decreased slightly at Chefoo and increased slightly at Haiphong. It is nearly stationary elsewhere.

The depression over Tongking is not so deep this morning.

A feeble anticyclone is central between the Loochoos and the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·56 inch. **Total since January 1st.** 66·52 inches, against an average of 49·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	S.E. winds, moderate; overcast, occasional rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th JULY, 1926.									27th JULY, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock, .	12	29.68	753.8	83	...	...	0	b		6	29.75	755.7	72	...	...	0	0	
Nemuro.....	11	29.67	753.5	...	...	SE	2	...		5	29.71	754.5	...	...	...	0	...	
Hokodate, ...	,,	29.72	755.0	...	...	SW	1	...		,,	29.75	755.5	...	...	...	0	...	
Tokio,.....	,,	29.82	757.5	...	...	ESE	1	...		,,	29.82	757.5	...	...	...	0	...	
Kochi, ...	,,	29.84	758.0	...	...	SE	1	...		,,	29.90	759.5	...	...	...	0	...	
Nagasaki, ...	,,	29.90	759.5	...	...	SSW	1	...		,,	29.92	760.0	...	...	SW	2	...	
Kagoshima, ...	,,	29.90	759.5	...	...	WNW	1	...		,,	29.92	760.0	...	...	...	0	...	
Oshima, ...	,,	29.90	759.5	...	...	SE	1	...		,,	29.90	759.5	...	...	...	0	...	
Naha, ...	,,	29.88	759.0	...	...	ENE	2	...		,,	29.90	759.5	...	...	...	...	...	
Ishigakijima,...	,,	29.88	759.0	...	...	E	1	...		,,	29.82	757.5	...	...	NNE	1	...	
Bonin Island,...	..	29.94	760.5	..	..	W	1	..		,,	29.94	760.5	...	...	...	0	...	
Chefoo, ...	15	29.64	752.8	84	87	SW	1	0		6	29.63	752.6	76	100	...	0	r	
Ichang, ...	,,	...	...	...	...	...	...	...		,,	29.57	751.1	79	...	...	0	0	
Hankow, ...	,,	...	...	...	...	...	...	...		,,	29.61	752.1	84	...	...	0	lc	
Changsha, ...	,,	...	...	...	...	...	...	...		,,	29.62	752.3	86	...	S	2	lc	
Shanghai, ...	14	29.74	755.4	97	60	SW	1	b		,,	29.75	755.7	79	85	SSE	2	b	
Gutzlaff,.....	,,	29.80	756.9	83	79	SE	2	b		,,	29.77	756.1	79	92	S	4	0	
Sharp Peak, ...	,,	29.83	757.7	86	72	S	2	b		-	29.78	756.4	81	87	...	0	b	
Amoy, ...	,,	29.77	756.1	83	79	SSW	4	b		6	29.78	756.4	78	86	SSW	1	0	
Swatow, ...	,,	..	...	83	...	SW	2	r		,,	29.77	756.1	82	...	S	2	r	
Taihoku, ...	11	29.86	758 4	90	57	WNW	2	b		5	29.85	758.1	75	89	...	0	b	
Taichu, ...	,,	29.88	759.0	86	...	...	0	b		,,	29.87	758.7	73	...	...	0	b	
Tainan, ...	,,	29.86	758.4	90	...	W	2	b		,,	29.85	758.1	75	...	...	0	b	
Koshun, ...	,,	29.86	758.4	90	...	ENE	1	b		,,	29.81	757.2	73	...	...	0	0	
Pescadores, ...	,,	29.87	758.7	90	...	SSW	2	b		,,	29.84	757.8	77	...	...	0	b	
Canton, ...	14	29.76	755.9	84	83	SE	2	or		6	29.71	754.6	84	...	...	0	0	
Hongkong,.....	,,	29.79	756.6	82	77	SSE	3	o		,,	29.77	756.1	81	87	SW	2	0	
Gap Rock, ...	,,	29.79	756.6	...	...	SE	4	o		,,	29.77	756.1	...	..	SE	4	c	
Macao, ...	,,	29.75	755.7	79	98	SSE	4	r		,,	29.73	755.1	79	96	SW	4	o	
Wuchow, ...	15	...	..	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow.	,,	...	...	...	...	...	...	...		..	...	...	...	...	...	...	...	
Pratas Island,...	14	...	...	...	...	..	...	...		6	29.81	757.2	80	90	S	1	b	
Phulien, ...	15	29.62	752.4	86	71	S	6	o		7	29.67	753.6	81	86	S	4	b	
Tourane,.....	,,	29.73	755.1	90	...	NW	2	b		,,	29.74	755.4	82	...	NW	2	b	
Cape St. James,	,,	29.80	756.9	84	...	S	2	o		,,	29.81	757.2	77	...	W	2	b	
Basco,.....	,,	29.81	757.2	86	75	NNE	2	o		6	29.79	756.6	79	89	...	0	0	
Aparri, ...	,,	29.80	756.9	86	68	N	4	o		,,	29.80	756.9	77	92	...	0	0	
Manila, ...	,,	29.79	756.6	90	63	WSW	4	o		,,	29.81	757.2	75	96	E	1	0	
Legaspi, ...	,,	29.75	755.7	90	63	NNE	4	o		..	29.80	756.9	77	96	...	0	0	
Tacloban, ...	,,	...	...	...	...	...	...	...		,,	..	...	...	...	...	...	...	
Iloilo, ...	,,	29.74	755.4	86	65	SW	2	o		,,	29.80	756.9	77	91	NE	4	0	
Surigao, ...	..	29.76	756.0	86	75	...	0	o		,,	29.80	756.9	75	96	...	0	0	
Guam,.....	12.20	29.81	757.2	...	...	NE	4	o		4.20	29.85	758.1	...	...	E	1	o	
Yap, ...	12.47	29.78	756.3	...	...	ESE	2	o		4.47	...	...	...	...	...	...	...	
Pelew, ...	11.00	...	...	..	...	...	...	...		5	...	...	...	...	...	...	...	
Labuan, ...	14	29.73	755.1	86	88	NW	2	b		6	29.84	757.9	76	91	SW	1	o	

July 27*d.* 1c*h.* 38*m.*—Pressure changes are slight since yesterday. The depression now covers the whole of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·27 inch. Total since January 1st, 66·77 inches, against an average of 49·75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	S. winds, moderate; overcast, occasional rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	28th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	29.73	755.1	83	...	SE	2	0	6	29.66	753.4	66	...	SE	5	0
Nemuro,	11	29.74	755.5	...	...	NNE	1	...	5	29.82	757.5	...	...	NNE	1	...
Hokodate,	,,	29.76	756.0	...	...	...	...	...	,,	29.78	756.5	...	...	...	0	...
Tokio,	,,	29.78	756.5	...	...	S	1	...	,,	29.80	757.0	...	...	...	...	...
Kochi,	,,	29.84	758.0	...	...	SE	1	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	SW	3	...	,,	29.86	758.5	...	...	SE	4	...
Kagoshima,	,,	29.92	760.0	...	...	W	1	...	,,	29.88	759.0	...	...	...	0	...
Oshima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.90	759.5	...	...	...	0	...
Naha,	,,	29.90	759.5	...	...	ESE	1	...	,,	29.90	759.5	...	...	ESE	1	...
Ishigakijima,	,,	29.84	758.0	...	...	ESE	3	...	,,	29.86	758.5	...	...	SSE	2	...
Bonin Island,	,,	29.94	760.5	...	...	W	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.78	756.4	86	84	SW	1	0	6	29.55	750.5	77	95	SE	1	0
Ichang,	,,	...	...	...	...	...	...	...	,,	29.50	749.8	81	...	...	0	1e
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.60	751.8	86	...	S	2	1
Shanghai,	14	29.73	755.1	93	59	SSE	2	b	,,	29.69	754.2	79	87	SSE	2	b
Gutzlaff,	,,	29.77	756.1	82	79	SSE	4	b	,,	29.72	754.9	78	86	SSE	6	b
Sharp Peak,	,,	29.76	755.9	86	76	SE	2	b	,,	29.78	756.4	83	87	S	1	0
Amoy,	,,	29.77	756.1	86	76	SSE	4	0	6	29.80	756.9	80	96	SW	2	b
Swatow,	,,	29.77	756.1	78	...	W	1	r	,,	29.80	756.9	79	...	E	1	b
Taihoku,	11	29.82	757.5	90	60	...	0	b	,,	29.81	757.2	77	94	...	0	b
Taichu,	,,	29.84	757.8	90	...	...	0	b	,,	29.86	758.5	75	...	...	0	b
Tainan,	,,	29.84	757.8	90	...	WSW	2	b	,,	29.82	757.5	77	...	...	0	b
Koshun,	,,	29.82	757.5	90	...	...	0	0	,,	29.82	757.5	73	...	...	0	b
Pescadores,	,,	29.86	758.4	86	...	W	2	b	,,	29.82	757.5	79	...	SW	2	b
Canton,	14	29.76	755.9	85	83	ESE	1	c	6	29.73	755.1	84	...	...	0	c
Hongkong,	,,	29.77	756.1	84	77	S	2	0	,,	29.80	756.9	80	87	SW	1	0
Gap Rock,	,,	29.79	756.6	...	...	S	4	b	,,	29.80	756.9	...	...	SSE	4	b
Macao,	,,	29.75	755.7	86	85	SSW	4	0	,,	29.75	755.7	79	96	S	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.70	756.6	85	80	S	1	b	6	29.81	757.2	78	78	...	0	b
Phulien,	15	29.66	753.3	86	81	SSE	4	0	7	29.67	753.6	79	85	S	6	0
Tourane,	,,	29.74	755.4	86	...	NE	4	b	,,	29.75	755.7	79	...	SW	4	b
Cape St. James.	,,	29.79	756.6	86	...	SW	2	b	,,	29.80	756.9	77	...	WSW	4	0
Basco,	,,	29.79	756.6	82	84	...	0	0	6	29.82	757.5	77	94	...	0	0
Aparri,	,,	29.78	756.3	90	66	N	4	0	,,	29.81	757.2	77	92	S	2	b
Manila,	,,	29.75	755.7	86	68	W	2	0	,,	29.79	756.6	77	92	...	0	0
Legaspi,	,,	29.75	755.7	90	66	NNE	2	0	,,	29.78	756.3	77	96	...	0	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	71	NE	4	0	,,	29.76	756.0	77	91	...	0	0
Surigao,	,,	29.73	755.1	84	77	SE	1	0	,,	29.75	755.7	77	92	SSW	1	0
Guam,	12.20	29.84	757.8	...	...	E	4	r	4.20	29.84	757.8	...	...	NE	2	0
Yap,	12.47	29.79	756.6	...	...	SE	4	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	82	91	NW	2	0	6	29.84	757.9	76	91	S	1	0

July 28*d*. 11*h*. *com*.—Pressure has decreased slightly over N.E. China and S. Manchuria. It is nearly stationary elsewhere.

A depression covers China and a wedge of relatively hight pressure covers the China Sea.

There are now no signs of a depression over the southern Philippines.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total since January 1st**, 66·77 inches, against an average of 50·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

— T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	29th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather (Beaufort.)
Wladivostock. .	12	29.62	752.4	66	...	SSE	4	0	6	29.52	749.8	69	...	...	0	0
Nemuro,	11	29.82	757.5	...	...	SE	1	...	5	29.78	756.5	...	...	ESE	1	...
Hokodate,	..	29.76	756.0	...	...	SE	2	...	,,	29.65	753.0	...	...	E	1	...
Tokio,	,,	29.78	756 5	...	...	...	0	...	,,	29.69	754.0	...	...	...	0	...
Kochi,	,,	29.82	757.5	...	...	SE	1	...	,,	29.75	755.5	...	...	...	0	...
Nagasaki,	,,	29.84	758.0	...	...	SW	3	...	,,	29.75	755.5	...	...	SW	4	...
Kagoshima,	,,	29.88	759.0	...	...	W	1	...	,,	29.82	757.5	...	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.90	759.5	...	...	SE	1	...	,,	29.86	758.5	...	...	ESE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	S	2	...	,,	29.84	758.0	...	...	S	1	...
Bonin Island,	..	29.90	759.5	...	...	NW	1	...	,,	29.86	758.5	...	...	...	...	...
Chefoo,	15	29.43	747.5	75	100	ENE	1	0	6	29.54	750.3	72	100	W	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.65	753.1	81	...	S	3	1c
Shanghai,	14	29.67	753.6	93	59	SSW	1	b	,,	29.68	753.9	81	96	S	1	b
Gutzlaff,	,,	29.72	754.9	83	83	SSE	4	b	,,	29.72	754.9	78	92	SSW	4	b
Sharp Peak,	,,	29.78	756.4	84	83	ESE	4	b	7	29.80	756.9	83	79	S	1	b
Amoy,	,,	29.75	755.6	86	88	SSE	2	0	6	29.80	756.9	81	92	SSW	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	79	...	...	0	b
Taihoku,	11	29.84	757.8	90	60	WNW	3	b	5	29.81	757.2	77	94	...	0	0
Taichu,	,,	29.87	758 7	86	...	S	2	b	,,	29.85	758.1	79	...	...	0	0
Tainan,	,,	29.85	758.1	90	...	W	2	b	,,	29.81	757.2	77	...	...	0	b
Koshun,	,,	29.85	758.1	86	...	SSW	1	b	,,	29.80	756.9	75	...	...	0	b
Pescadores,	,,	29.86	758.5	86	...	SW	2	b	,,	29.82	757.5	79	...	WSW	2	b
Canton,	14	...	...	...	...	...	...	...	6	29.78	756.4	81	...	...	0	bc
Hongkong,	,,	29.80	756.9	87	70	SSW	2	c	,,	29.79	756.6	79	89	...	0	c
Gap Rock,	,,	29 80	756.9	...	...	SSE	4	b	,,	29.81	757.2	...	...	SSE	4	b
Macao,	,,	29.76	756.0	90	76	S	4	0	,,	29.75	755.7	79	91	S	4	0
Wuchow,	15	...		...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	29.80	756.9	87	72	...	0	b	6	29.78	756.4	79	88	...	0	b
Phulien,	15	29.66	753.3	90	60	S	6	b	7	29.68	753.9	81	92	SSE	6	b
Tourane,	,,	29.73	755.1	90	...	SW	4	b	,,	29.75	755.7	81	...	NW	2	b
Cape St. James,	,,	29.78	756.3	86	...	SW	4	b	,,	29.78	756.5	77	...	W	2	b
Basco,	,,	29.80	756.9	86	71	SE	4	b	6	29.78	756.3	79	91	...	0	b
Aparri,	,,	29.75	755.7	90	66	NE	4	b	,,	29.74	755.4	77	94	...	0	b
Manila,	,,	29.74	755.4	86	71	WNW	2	0	,,	29.75	755.7	75	96	NE	1	0
Legaspi,	,,	29.73	755.1	84	81	ENE	2	0	,,	29.74	755.4	77	96	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	84	71	SSW	4	0	,,	29.78	756.3	77	96	SE	4	0
Surigao,	..	29.72	754.8	86	75	WNW	2	b	,,	29.79	756.6	77	96	...	0	0
Guam,	12.20	29.81	757.2	...	...	NE	4	0	4.20	29.81	757.2	...	...	NE	4	0
Yap,	12.47	29.81	757.2	...	...	ENE	4	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	84	SW	1	0	6	29.85	758.2	76	91	SW	1	0

July 29*d.* 1*ch.* 54*m.*—Pressure is lowest over S. Manchuria. It has decreased moderately over S. Manchuria and N.E. Japan and slightly from S.W. Japan to Luzon.

A feeble anticyclone stretches from Formosa to the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 66·77 inches, against an average of 50·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	30th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather.
Wladivostock,	12	29.50	749.2	79	...	NNE	4	o	6	29.66	753.3	69	...	NNW	2	b
Nemuro,	11	29.78	756.5	...	...	ESE	2	...	5	29.51	749.5	...	...	ESE	4	...
Hokodate,	.	29.59	751.5	...	...	ESE	1	...	,,	29.43	747.5	...	...	...	...	...
Tokio,	,,	29.63	752.5	...	...	...	0	...	,,	29.47	748.5	...	...	...	...	...
Kochi,	,,	29.69	754.0	...	...	ESE	1	...	,,	29.61	752.0	...	...	...	0	...
Nagasaki,	,,	29.72	755.0	...	...	SW	5	...	,,	29.71	754.5	...	...	W	3	...
Kagoshima,	,,	29.76	756.0	...	...	WSW	2	...	,,	29.73	755.0	...	...	SW	2	...
Oshima,	,,	29.82	757.5	...	...	SSW	1	...	,,	29.80	757.0	...	...	S	1	...
Naha,	,,	29.86	758.5	...	...	S	2	...	,,	29.82	757.5	...	...	SE	1	...
Ishigakijima,	,,	29.86	758.5	...	...	...	0	...	,,	29.78	756.5	...	...	SE	2	...
Bonin Island,	,,	29.82	757.5	...	...	W	1	...	,,	29.86	758.5	...	...	W	1	...
Chefoo,	15	29.55	750.5	83	87	NW	2	b	6	29.49	749.0	76	100	...	C	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.50	749.3	82	,,	...	0	c
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.56	750.8	86	...	S	3	b
Shanghai,	14	29.66	753.3	97	42	SSW	2	h	,,	29.65	753.0	81	96	SSE	1	b
Gutzlaff,	,,	29.70	754.4	86	84	S	2	b	,,	29.67	753.6	78	86	SSW	2	b
Sharp Peak,	,,	29.75	755.6	86	84	SSE	2	b	,,	29.73	755.1	84	83	...	C	b
Amoy,	,,	29.77	756.1	90	70	SSE	4	b	6	29.74	755.4	81	83	SSW	1	b
Swatow,	,,	29.77	756.1	88	...	S	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.80	756.9	90	66	W	2	b	5	29.78	756.3	77	96	...	0	o
Taichu,	,,	29.85	758.1	90	...	...	0	b	,,	29.79	756.0	77	...	...	C	c
Tainan,	,,	29.81	757.2	90	...	SW	2	b	,,	29.74	755.4	81	...	W	2	o
Koshun,	,,	29.81	757.2	90	...	ENE	2	b	,,	29.74	755.4	79	...	...	C	r
Pescadores,	,,	29.84	757.8	86	...	WNW	2	b	,,	29.75	755.7	79	...	WNW	2	b
Canton,	14	29.74	755.4	91	74	S	1	b	6	29.71	754.6	84	...	...	0	be
Hongkong,	,,	29.77	756.1	86	60	S	2	c	,,	29.76	755.9	78	91	...	0	c
Gap Rock,	,,	29.78	756.4	...	...	SSE	3	b	,,	29.77	756.1	...	...	SE	3	c
Macao,	,,	29.75	755.7	90	72	SSE	4	o	,,	29.73	755.1	79	92	SSW	4	c
Wuchow,	15	...	...	...	...	...	...	...	9	29.69	754.1	79	.	S	2	c
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.79	756.6	87	70	NE	1	b	6	29.74	755.4	79	78	...	2	...
Phulien,	15	29.63	752.7	90	69	SSE	6	b	7	29.67	753.6	82	92	SSE	6	o
Tourane,	,,	29.69	754.2	90	...	SE	2	b	,,	29.73	755.1	79	...	SW	4	b
Cape St. James,	,,	29.73	755.1	86	...	SW	2	b	,,	29.76	756.0	73	...	NNE	2	of
Basco,	,,	29.69	754.2	86	71	NNE	4	of	6	29.68	753.9	77	92	NNE	1	o
Aparri,	,,	29.72	754.8	84	85	NW	1	o	,,	29.68	753.9	77	92	...	0	o
Manila,	,,	29.72	754.8	80	71	S	4	o	,,	29.75	755.7	77	94	SW	1	o
Legaspi,	,,	29.69	754.2	86	71	SW	4	o	,,	29.76	756.0	77	92	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	79	98	SW	4	o	,,	29.80	756.9	77	96	SW	2	o
Surigao,	,,	29.73	755.1	82	81	WNW	1	o	,,	29.79	756.6	75	96	SSW	1	o
Guam,	12.20	29.78	756.3	...	...	E	4	o	4.20	29.85	758.1	...	...	NE	1	o
Yap,	12.47	29.78	756.3	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	..	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	80	87	NW	2	b	6	29.81	757.2	76	91	SW	2	b

July 30*d*. 9*h*. 35*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 125° E., moving N.W.

July 30*d*. 10*h*. 50*m*.—Pressure has decreased moderately over N.E. Japan and slightly from N. Luzon to Formosa. It has increased slightly over the Visayas and from Guam to the Bonins.

Depressions cover China and N.E. Japan. A typhoon has formed to the E. or E.N.E. of Aparri moving, apparently, N.W.

Manila warning. 30*d*. 8*h*. 40*m*.:—Typhoon N.E. of Aparri moving N.W. Recd. 30*d*. 9*h*. 21*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·77 inches, against an average of 51·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds, freshening from N.E. later.
2.—South coast of China between Hongkong and Lamocks,	Light, variable winds, freshening slightly from N.E. or N.W. later; fine to cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Symbols.)	31st JULY, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Penfort.)
Wladivostock,	12	29.64	752.9	82	...	NNW	3	b	9	29.74	755.3	64	...	SE	4	o
Nemuro,	11	29.43	747.5	...	...	SE	1	...	5	29.51	749.5	...	...	NW	3	.
Hokodate,	.	29.43	747.5	...	...	...	2	...	,,	29.69	754.0	...	...	NNW	4	...
Tokio,	,,	29.43	747.5	...	...	...	0	...	,,	29.73	755.0	...	...	NNE	1	...
Kochi,	,,	29.63	752.5	...	...	...	0	...	,,	29.78	756.5	...	...	...	...	...
Nagasaki,	,,	29.74	755.5	...	...	W	2	...	,,	29.82	757.5	...	...	SW	2	...
Kagoshima,	,,	29.76	756.0	...	...	WNW	2	...	,,	29.84	758.0	...	...	...	...	...
Oshima,	,,	29.82	757.5	...	...	S	1	...	,,	29.88	759.0	...	...	...	...	...
Naha,	,,	29.82	757.5	...	...	SE	1	...	,,	29.86	758.5	...	...	SE	1	...
Ishigakijima,	,,	29.82	757.5	...	...	ESE	3	...	,,	29.78	756.5	...	...	SE	4	...
Bonin Island,	,,	29.88	759.0	...	...	W	1	...	,,	29.96	761.0	...	...	WSW	1	...
Chefoo,	15	29.31	744.5	80	100	S	1	o	6	29.53	750.0	72	100	W	1	o
Ichang,	,,	.	...	...	...	...	...	...	,,	29.52	749.8	77	...	...	0	...
Hankow,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Changsha,	,,	.	.	...	...	...	...	...	,,	29.60	751.8	85	...	S	1	b
Shanghai,	14	29.62	752.4	99	44	SW	2	b	,,	29.66	753.3	81	84	SSE	2	b
Gutzlaff,	,,	29.66	753.3	86	80	S	4	b	,,	29.69	754.1	78	86	SSW	4	b
Sharp Peak,	..	29.73	755.1	84	81	SSE	2	b	,,	29.66	753.3	82	83	N	2	o
Amoy,	,,	29.74	755.4	91	77	SSE	4	b	6	29.66	753.3	83	87	ENE	1	o
Swatow,	,,	29.73	755.1	89	...	S	3	b	,,	29.67	753.6	81	...	NW	2	bc
Taihoku,	11	29.75	755.7	90	66	WNW	2	b	5	29.66	753.3	79	89	SW	2	b
Taichu,	,,	29.76	755.9	86	...	...	0	o	,,	29.66	753.3	79	.	...	0	o
Tainan,	,,	29.75	755.7	90	...	WNW	4	o	,,	29.65	753.0	79	...	NW	2	o
Koshun,	,,	29.74	755.4	86	...	NE	4	o	,,	29.56	750.9	75	..	NNW	4	r
Pescadores,	,,	29.75	755.7	86	...	NW	2	o	,,	29.65	753.0	79	...	...	0	o
Canton,	14	.	...	...	...	...	...	...	6	29.66	753.3	85	...	...	0	b
Hongkong,	,,	29.73	755.1	67	67	W	2	b	,,	29.69	754.1	79	91	.	0	c
Gap Rock,	,,	29.75	755.6	...	...	SE	2	b	,,	29.70	754.4	...	...	SW	3	b
Macao,	,,	29.71	754.5	90	82	S	4	b	,,	29.67	753.6	79	92	WNW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	.	...	...	,,	...	..	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	.	...	...	...	.	.	...
Pratas Island,	14	29.72	754.9	88	69	NE	1	b	6	29.71	754.6	79	76	SW	1	o
Phulien,	15	29.62	752.4	86	81	SSE	6	of	7	29.69	754.2	81	92	SSE	4	b
Tourane,	,,	29.68	753.9	86	...	NE	2	b	,,	29.72	754.8	81	...	...	0	b
Cape St. James	,,	29.74	755.4	81	...	SW	6	of	,,	29.76	756.0	75	...	W	4	o
Basco,	,,	29.58	751.2	81	94	N	4	r	6	29.71	754.5	79	89	WSW	4	o
Aparri,	,,	29.68	753.9	79	91	...	c	r	,,	29.74	755.4	77	94	SSE	2	r
Manila,	,,	29.72	754.8	90	66	WSW	4	o	,,	29.81	757.2	77	94	SE	1	o
Legaspi,	,,	29.75	755.7	81	87	S	2	o	,,	29.84	757.8	77	98	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	85	68	SW	4	o	,,	29.84	757.8	77	91	SW	1	o
Surigao,	..	29.78	756.3	84	77	NNE	2	o	,,	29.82	757.5	75	96	SSW	1	o
Guam,	12.20	29.80	756.9	...	...	E	2	o	4.20	29.85	758.1	...	...	NE	4	o
Yap,	12.47	29.78	756.3	...	...	ESE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	.	..				...	...	5	..	...	...	...	..	...	...
Labuan,	14	29.88	758.9	86	88	NW	4	b	6	29.83	757.7	76	91	SW	2	o

July 31*d.* 8*h.* 45*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 122° E., moving N.N.W.

July 31*d.* 11*h.* 15*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 23° N. Long. 122° E., moving N.N.W.

July 31*d.* 11*h.* 25*m.*—Pressure has increased considerably from N.E. China to N.E. Japan, and slightly from E. China to the Bonins and over the Philippines.

The Japanese depression has passed into the Pacific. A feeble anticyclone is central to the south of the Bonins.

The typhoon at 6 a.m. this morning was in about Lat. 23° N. and Long. 122° E., moving N.N.W. It is not threatening Hongkong.

Manila warning. 30*d.* 21*h.* 00*m.*:—Typhoon in Lat. 21° N. Long. 123° E., moving N.N.W. Recd. 30*d.* 21*h.* 56*m.*

Shanghai warning. 30*d.* 21*h.* 35*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 125° E., moving N.W. Recd. 30*d.* 21*h.* 58*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·77 inches, against an average of 51·56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N.W. to S.W. winds, strong.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

AUGUST,

1926.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF
T. F. CLAXTON, F.R.A.S.,
DIRECTOR.

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1926.

[Price 60c.]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

AUGUST,

1926.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of AUGUST, 1926.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·650	29·651	29·663	29·671	29·675	29·679	29·716	29·722	29·729	29·724	29·726	29·734	1
2	29·757	29·747	29·741	29·732	29·752	29·763	29·776	29·788	29·793	29·798	29·794	29·794	2
3	29·784	29·766	29·750	29·744	29·740	29·758	29·763	29·770	29·794	29·801	29·793	29·780	3
4	29·740	29·713	29·688	29·685	29·687	29·693	29·707	29·715	29·732	29·731	29·729	29·716	4
5	29·672	29·660	29·650	29·640	29·638	29·638	29·658	29·663	29·687	29·697	29·691	29·678	5
6	29·682	29·663	29·649	29·649	29·645	29·651	29·666	29·679	29·685	29·693	29·691	29·682	6
7	29·718	29·703	29·695	29·691	29·691	29·684	29·701	29·705	29·721	29·732	29·730	29·733	7
8	29·778	29·756	29·748	29·734	29·736	29·744	29·752	29·766	29·787	29·793	29·796	29·791	8
9	29·764	29·759	29·747	29·747	29·749	29·757	29·756	29·783	29·797	29·805	29·808	29·801	9
10	29·790	29·762	29·754	29·756	29·758	29·772	29·788	29·797	29·809	29·828	29·826	29·813	10
11	29·787	29·769	29·759	29·762	29·768	29·772	29·782	29·797	29·807	29·810	29·812	29·802	11
12	29·738	29·734	29·721	29·713	29·717	29·715	29·719	29·718	29·711	29·710	29·694	29·675	12
13	29·636	29·618	29·608	29·617	29·619	29·604	29·608	29·601	29·606	29·613	29·609	29·601	13
14	29·569	29·559	29·543	29·537	29·542	29·539	29·550	29·553	29·551	29·561	29·543	29·533	14
15	29·477	29·463	29·465	29·455	29·451	29·455	29·451	29·446	29·443	29·435	29·429	29·420	15
16	29·411	29·417	29·421	29·427	29·425	29·435	29·449	29·459	29·465	29·469	29·470	29·464	16
17	29·533	29·535	29·541	29·537	29·543	29·555	29·573	29·593	29·613	29·621	29·609	29·603	17
18	29·636	29·622	29·608	29·598	29·604	29·614	29·638	29·661	29·673	29·683	29·683	29·663	18
19	29·701	29·685	29·657	29·668	29·656	29·678	29·680	29·677	29·692	29·722	29·727	29·690	19
20	29·701	29·691	29·686	29·683	29·677	29·687	29·691	29·700	29·712	29·723	29·710	29·706	20
21	29·692	29·681	29·671	29·663	29·661	29·671	29·667	29·675	29·678	29·678	29·695	29·685	21
22	29·631	29·612	29·597	29·591	29·605	29·625	29·629	29·635	29·641	29·640	29·631	29·615	22
23	29·635	29·627	29·609	29·606	29·605	29·600	29·599	29·619	29·626	29·641	29·641	29·635	23
24	29·614	29·608	29·600	29·598	29·604	29·614	29·640	29·660	29·673	29·679	29·673	29·659	24
25	29·651	29·647	29·641	29·644	29·648	29·660	29·672	29·681	29·687	29·685	29·676	29·660	25
26	29·657	29·655	29·635	29·623	29·640	29·648	29·662	29·680	29·672	29·675	29·665	29·653	26
27	29·629	29·629	29·633	29·624	29·610	29·616	29·630	29·650	29·666	29·674	29·658	29·645	27
28	29·709	29·672	29·658	29·654	29·656	29·662	29·690	29·692	29·712	29·738	29·742	29·737	28
29	29·760	29·756	29·738	29·756	29·758	29·760	29·772	29·781	29·798	29·816	29·806	29·787	29
30	29·796	29·767	29·757	29·751	29·759	29·761	29·778	29·790	29·799	29·802	29·803	29·814	30
31	29·807	29·797	29·781	29·763	29·764	29·769	29·781	29·794	29·804	29·817	29·806	29·801	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·722	29·718	29·710	29·704	29·696	29·689	29·713	29·731	29·743	29·760	29·769	29·766	1
2	29·782	29·782	29·777	29·760	29·747	29·746	29·772	29·796	29·812	29·818	29·810	29·800	2
3	29·768	29·744	29·729	29·717	29·714	29·720	29·729	29·769	29·781	29·778	29·772	29·760	3
4	29·697	29·688	29·691	29·650	29·691	29·662	29·670	29·689	29·698	29·713	29·708	29·688	4
5	29·666	29·659	29·636	29·633	29·627	29·629	29·645	29·663	29·685	29·695	29·713	29·696	5
6	29·671	29·658	29·642	29·637	29·639	29·643	29·669	29·691	29·705	29·730	29·734	29·726	6
7	29·716	29·714	29·702	29·709	29·705	29·713	29·724	29·736	29·754	29·780	29·788	29·786	7
8	29·779	29·756	29·763	29·770	29·778	29·763	29·771	29·770	29·782	29·781	29·785	29·778	8
9	29·798	29·776	29·766	29·744	29·730	29·731	29·741	29·771	29·796	29·805	29·805	29·796	9
10	29·708	29·788	29·778	29·764	29·756	29·766	29·774	29·788	29·801	29·813	29·815	29·813	10
11	29·786	29·757	29·733	29·721	29·710	29·701	29·707	29·727	29·735	29·747	29·755	29·744	11
12	29·657	29·637	29·615	29·599	29·585	29·587	29·590	29·610	29·635	29·638	29·639	29·640	12
13	29·581	29·567	29·541	29·517	29·509	29·515	29·524	29·550	29·576	29·593	29·591	29·577	13
14	29·512	29·490	29·473	29·452	29·449	29·447	29·453	29·476	29·488	29·500	29·496	29·492	14
15	29·394	29·369	29·348	29·338	29·336	29·338	29·364	29·389	29·394	29·421	29·422	29·419	15
16	29·450	29·438	29·437	29·434	29·436	29·447	29·475	29·491	29·521	29·539	29·537	29·539	16
17	29·580	29·564	29·551	29·551	29·551	29·564	29·593	29·614	29·633	29·653	29·653	29·657	17
18	29·651	29·629	29·619	29·623	29·617	29·619	29·636	29·677	29·705	29·706	29·707	29·712	18
19	29·669	29·670	29·649	29·644	29·633	29·622	29·637	29·636	29·676	29·686	29·703	29·697	19
20	29·696	29·677	29·670	29·648	29·649	29·645	29·655	29·669	29·695	29·720	29·720	29·708	20
21	29·661	29·645	29·619	29·597	29·579	29·577	29·592	29·615	29·631	29·651	29·663	29·655	21
22	29·603	29·585	29·573	29·565	29·549	29·557	29·571	29·590	29·618	29·644	29·647	29·649	22
23	29·621	29·604	29·590	29·577	29·557	29·543	29·573	29·597	29·631	29·647	29·643	29·626	23
24	29·635	29·622	29·606	29·594	29·589	29·600	29·614	29·633	29·651	29·663	29·665	29·659	24
25	29·640	29·624	29·604	29·601	29·602	29·610	29·626	29·639	29·657	29·679	29·683	29·671	25
26	29·645	29·619	29·589	29·595	29·603	29·624	29·619	29·629	29·661	29·676	29·681	29·643	26
27	29·635	29·630	29·610	29·607	29·611	29·632	29·632	29·647	29·665	29·685	29·691	29·681	27
28	29·718	29·732	29·715	29·725	29·733	29·717	29·725	29·741	29·764	29·761	29·772	29·766	28
29	29·772	29·765	29·750	29·750	29·745	29·763	29·776	29·792	29·813	29·826	29·830	29·822	29
30	29·805	29·776	29·765	29·756	29·750	29·754	29·774	29·802	29·825	29·839	29·837	29·823	30
31	29·782	29·764	29·732	29·735	29·738	29·745	29·753	29·785	29·798	29·808	29·807	29·804	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of AUGUST, 1926.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	82·3	82·4	82·0	82·2	82·0	81·8	82·5	83·0	84·0	85·0	35·8	83·8	1
2	77·8	77·6	77·6	77·7	78·2	77·6	76·4	78·0	79·9	81·0	82·4	74·9	2
3	77·5	77·3	77·4	77·4	77·7	78·3	79·2	81·8	84·0	83·7	84·3	84·5	3
4	81·2	80·6	80·1	79·5	79·8	80·0	8[illegible]·0	81·5	81·0	83·7	83·0	85·0	4
5	81·0	80·9	80·9	80·9	80·7	80·4	81·0	81·9	82·0	83·2	82·4	82·8	5
6	78·9	79·8	80·4	80·4	80·3	80·5	81·3	82·4	82·7	83·1	83·4	83·4	6
7	81·1	81·2	81·0	81·0	80·9	81·0	80·2	31·9	80·6	82·3	82·4	83·2	7
8	79·3	78·8	79·2	80·3	80·6	80·7	81·2	81·8	74·7	79·3	79·9	80·8	8
9	78·6	79·7	79·6	79·7	79·5	79·3	81·0	79·6	79·1	80·1	82·2	83·0	9
10	80·0	79·4	79·5	79·2	78·8	78·0	80·0	82·2	85·0	83·9	84·9	83·9	10
11	81·4	81·2	81·0	80·5	80·5	80·4	82·0	83·1	84·4	84·5	84·8	85·1	11
12	80·1	79·2	79·2	79·9	79·5	79·3	80·6	81·0	83·4	83·5	85·5	87·2	12
13	80·4	79·8	79·6	79·1	79·0	78·4	80·0	82·9	84·7	85·7	86·3	88·0	13
14	80·7	80·4	80·0	79·1	79·6	79·0	80·7	83·3	85·2	86·7	87·0	89·0	14
15	80·9	80·8	80·5	80·4	80·7	81·0	82·7	83·9	85·8	85·4	87·9	88·5	15
16	84·0	84·0	83·9	83·2	83·3	82·9	84·1	86·3	88·3	89·3	90·5	91·3	16
17	84·1	83·2	83·1	83·0	83·2	83·3	84·0	85·0	85·8	87·0	88·2	90·2	17
18	82·5	82·2	82·0	81·6	81·2	80·9	82·8	84·7	85·9	85·8	86·0	84·7	18
19	79·8	78·0	79·9	80·1	79·9	79·4	78·8	80·4	80·2	76·0	77·0	78·1	19
20	80·3	80·2	80·8	80·7	80·4	81·0	81·7	82·1	83·1	83·8	84·1	85·2	20
21	80·2	80·0	80·0	79·5	79·1	79·0	80·2	82·8	83·5	85·1	83·5	85·5	21
22	80·2	79·7	79·6	79·2	79·3	79·0	81·1	84·7	85·6	86·6	86·5	87·2	22
23	80·8	80·3	79·9	80·1	80·1	80·1	81·1	83·6	84·0	85·6	86·8	88·0	23
24	82·9	82·6	82·1	81·6	82·0	81·6	82·0	83·7	85·8	86·0	87·3	87·5	24
25	83·8	83·8	83·4	83·3	83·3	83·3	84·0	85·0	86·3	88·0	87·8	89·2	25
26	84·8	84·2	83·5	83·5	84·0	84·0	83·0	81·2	83·0	85·1	88·0	89·7	26
27	81·1	78·4	78·3	78·1	77·5	77·2	77·8	78·3	79·0	79·3	80·3	80·1	27
28	75·8	75·1	76·3	77·2	76·6	76·0	77·0	78·6	79·7	78·0	77·3	76·4	28
29	77·8	77·5	77·7	78·0	77·3	77·5	78·3	79·3	80·1	80·7	81·5	83·0	29
30	79·1	78·1	78·8	78·6	79·0	79·2	79·9	81·2	81·4	83·3	84·0	78·0	30
31	78·6	78·1	78·2	77·8	77·8	78·1	80·1	81·5	81·8	84·0	84·9	85·1	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	87·8	84·0	85·0	84·2	83·5	82·5	82·0	81·9	82·0	80·6	80·0	80·6	1
2	75·9	76·7	77·4	77·2	77·4	77·6	77·5	77·3	77·6	77·3	77·4	77·3	2
3	84·6	84·6	83·7	83·5	83·2	82·1	81·5	81·4	81·3	81·4	81·0	81·1	3
4	83·2	84·1	82·5	84·4	76·3	77·9	78·4	80·0	79·1	79·0	80·6	81·0	4
5	83·5	82·5	83·3	82·8	82·0	81·7	81·2	80·5	81·1	81·0	77·5	78·5	5
6	83·0	83·2	83·4	81·6	82·5	82·4	31·9	81·9	81·7	81·3	81·3	81·3	6
7	84·2	83·5	83·0	83·1	79·5	79·4	80·2	80·2	80·6	80·8	78·2	79·3	7
8	81·1	83·1	80·7	80·4	76·7	76·4	76·6	75·8	76·4	77·4	77·6	78·0	8
9	84·0	83·0	82·8	83·4	83·2	82·2	81·3	80·8	80·6	80·4	80·2	80·0	9
10	86·4	85·7	84·9	87·1	86·5	85·5	84·1	82·9	81·0	80·0	80·6	80·7	10
11	85·6	86·5	86·8	85·0	84·0	83·5	83·0	82·1	81·1	80·7	80·4	80·4	11
12	85·9	85·8	86·8	85·4	85·6	84·0	82·1	81·6	81·0	80·6	80·2	79·9	12
13	87·0	87·0	86·9	85·9	84·2	83·1	82·1	81·7	81·8	81·8	81·1	80·4	13
14	89·2	89·6	88·5	89·0	88·0	85·4	83·5	82·8	83·0	82·5	81·7	81·3	14
15	89·9	91·0	90·8	90·6	90·4	89·9	87·9	87·4	86·6	85·5	85·5	85·0	15
16	91·5	91·5	92·0	90·6	88·5	87·4	86·3	86·0	86·1	85·4	84·9	84·0	16
17	91·0	89·3	89·6	88·4	87·9	86·0	84·9	84·1	83·6	83·5	82·8	82·5	17
18	85·1	85·1	85·7	85·5	85·6	85·3	84·2	80·5	79·6	80·8	79·1	79·8	18
19	80·4	79·4	80·1	81·6	81·6	81·0	80·7	80·8	79·5	81·0	80·0	80·0	19
20	84·5	85·1	83·6	83·3	81·5	81·9	81·0	81·0	81·0	81·1	80·6	80·4	20
21	84·7	84·0	83·9	84·8	84·2	83·0	82·3	81·5	81·9	81·1	81·1	80·0	21
22	87·8	88·6	87·4	87·5	86·5	85·0	83·8	82·6	83·0	82·6	82·0	81·5	22
23	88·9	88·9	88·1	87·9	86·8	85·5	84·1	84·0	83·9	83·6	83·3	83·0	23
24	89·3	89·5	89·5	89·0	87·3	87·0	85·4	84·5	84·8	84·3	83·3	83·4	24
25	88·8	89·6	89·6	89·2	88·4	86·0	85·3	85·0	84·6	84·6	84·0	84·7	25
26	82·9	84·7	85·7	84·0	84·0	81·2	81·0	81·8	81·8	82·2	81·5	80·2	26
27	80·2	79·3	78·6	80·5	80·0	78·2	79·1	79·6	79·9	80·2	80·2	79·9	27
28	77·9	77·4	76·0	77·1	76·0	75·6	75·8	76·5	77·3	77·2	77·6	77·7	28
29	81·1	82·9	84·2	83·2	82·3	81·8	80·2	79·8	79·7	79·6	79·2	79·3	29
30	77·2	79·0	79·2	79·8	80·4	80·0	89·2	79·2	79·0	79·0	78·2	78·3	30
31	85·1	85·2	85·1	84·0	83·0	81·9	81·1	80·6	80·2	80·0	79·6	80·3	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of AUGUST, 1926.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·4	77·8	77·4	77·7	77·1	77·5	77·8	78·3	78·8	79·3	79·8	78·4	1
2	75·9	76·2	76·8	75·7	75·9	75·2	75·2	75·3	76·4	77·0	78·0	73·0	2
3	74·3	75·2	75·2	75·2	75·7	76·6	77·3	79·0	79·5	80·0	79·7	80·0	3
4	77·4	76·7	76·9	76·6	76·8	76·9	77·0	77·3	77·5	79·2	78·6	79·3	4
5	77·8	78·0	78·2	77·9	77·8	77·7	77·7	77·9	78·1	78·4	78·5	77·8	5
6	76·5	77·4	77·6	77·5	77·9	77·3	78·5	78·3	78·8	79·0	79·0	78·9	6
7	77·2	77·6	77·3	77·5	77·8	77·3	77·2	78·1	78·1	78·7	78·3	78·1	7
8	76·4	76·4	76·9	77·0	77·3	76·9	77·1	77·4	73·9	76·2	76·3	77·6	8
9	76·4	77·1	77·2	77·6	77·3	77·0	77·9	76·9	76·5	77·5	78·6	78·5	9
10	77·9	77·4	77·7	77·7	77·3	76·9	78·0	79·0	80·1	79·4	80·0	79·5	10
11	77·5	78·0	78·1	78·3	78·5	78·5	78·9	79·1	79·9	79·9	79·7	79·3	11
12	78·1	77·0	76·9	77·3	77·0	77·0	77·5	78·5	79·2	77·6	78·9	80·0	12
13	76·0	76·0	76·0	76·1	76·0	75·7	77·1	77·5	78·0	78·6	77·5	77·7	13
14	77·5	77·3	77·2	77·0	77·0	76·5	77·4	78·3	77·3	77·0	77·4	79·1	14
15	76·9	76·3	77·0	77·3	77·5	77·0	78·0	77·6	80·3	79·8	80·8	81·9	15
16	80·7	80·3	80·1	80·0	80·0	79·8	81·0	80·9	81·3	81·7	82·0	81·7	16
17	80·6	80·4	80·3	80·4	80·9	80·0	80·5	80·5	80·8	81·6	82·1	82·7	17
18	79·9	79·0	79·0	78·8	78·9	78·6	80·0	80·5	80·3	80·2	79·9	79·7	18
19	75·9	75·0	76·2	76·4	76·6	76·0	75·1	76·9	76·1	75·0	75·3	75·7	19
20	78·0	77·2	77·5	78·2	77·3	78·0	78·5	78·6	79·3	79·6	79·2	79·6	20
21	77·8	77·6	77·8	77·4	77·3	77·7	78·9	79·1	79·1	80·4	78·7	80·0	21
22	78·0	77·8	78·0	77·3	77·8	77·6	78·0	80·3	78·5	80·1	79·1	80·6	22
23	78·3	78·0	77·9	78·2	78·1	78·0	79·2	80·0	79·9	80·3	81·2	80·6	23
24	79·3	79·8	79·0	78·8	79·0	79·0	79·8	79·8	80·9	80·6	81·4	81·0	24
25	79·6	80·0	79·9	79·7	79·4	79·2	79·9	80·5	81·3	82·4	80·0	82·2	25
26	79·8	80·0	79·8	79·8	80·0	80·3	78·9	77·9	77·5	80·0	81·1	82·1	26
27	76·9	75·9	75·8	76·0	75·3	74·7	75·2	75·2	76·0	76·5	76·7	76·0	27
28	74·9	73·8	73·5	73·8	74·0	73·7	74·0	75·2	75·8	75·3	75·3	74·9	28
29	76·5	76·6	76·8	77·1	76·6	76·4	76·9	77·8	78·0	78·0	78·0	78·8	29
30	77·3	76·9	77·3	77·2	77·4	77·1	77·5	78·3	78·0	77·9	79·0	76·0	30
31	75·6	76·0	76·0	76·0	76·5	76·8	78·0	78·9	78·3	79·1	79·3	79·0	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·2	77·8	78·9	78·1	78·1	77·4	76·2	77·0	77·2	76·8	76·7	77·0	1
2	74·3	75·0	75·7	75·6	74·9	74·7	75·0	75·3	75·6	75·1	75·4	75·3	2
3	79·5	78·7	78·6	78·8	78·0	78·0	77·6	77·6	77·6	77·4	77·9	78·0	3
4	78·8	78·3	77·7	79·0	75·1	75·5	76·0	76·2	76·0	77·0	77·8	77·7	4
5	79·1	78·1	78·4	77·5	77·5	77·5	77·8	77·7	77·9	78·0	76·3	76·9	5
6	79·0	78·8	78·9	78·1	78·8	78·1	77·8	78·5	78·3	78·0	77·8	78·0	6
7	78·8	78·6	78·5	78·1	74·8	75·1	75·3	76·1	77·1	77·7	76·0	76·0	7
8	77·9	79·2	77·7	76·3	74·0	73·1	73·3	73·0	73·6	74·4	75·5	75·5	8
9	78·5	79·2	78·9	78·4	79·0	78·2	78·3	78·1	78·3	78·0	78·2	77·7	9
10	80·3	80·3	80·1	78·2	78·1	76·7	75·3	75·4	76·2	76·7	76·7	76·2	10
11	79·5	79·0	80·0	79·5	79·0	79·0	78·5	77·6	78·6	78·5	78·3	78·4	11
12	78·0	80·1	80·3	79·4	79·0	76·0	77·0	76·8	76·9	76·0	76·0	76·5	12
13	78·2	78·0	77·2	76·2	77·5	77·5	77·7	77·9	77·8	77·4	77·8	77·6	13
14	78·8	78·8	78·6	79·2	78·0	78·1	77·2	77·1	76·1	77·5	77·4	77·8	14
15	82·5	83·3	82·5	82·0	81·7	81·5	82·2	82·2	81·9	79·9	80·2	80·1	15
16	80·5	81·0	80·5	82·9	83·2	82·0	81·3	81·0	81·1	81·0	81·1	80·9	16
17	83·0	82·2	82·4	81·2	81·1	80·5	80·0	79·8	79·6	79·7	79·7	79·5	17
18	79·2	79·0	79·4	78·9	79·3	79·0	78·9	77·5	76·8	77·9	76·5	77·7	18
19	76·5	75·8	76·5	77·1	77·0	77·0	87·5	77·6	77·6	78·0	77·2	77·2	19
20	79·1	79·4	79·0	78·4	78·0	78·1	77·5	78·0	78·5	78·9	78·1	78·0	20
21	79·4	79·0	78·8	79·2	79·0	78·7	78·3	78·1	78·0	77·7	77·7	77·7	21
22	79·8	79·0	79·9	80·0	79·9	79·7	78·8	78·6	78·7	78·3	78·8	78·9	22
23	80·1	79·7	79·8	79·4	79·1	78·9	79·1	79·4	79·3	79·5	79·3	79·7	23
24	80·8	80·8	80·2	80·5	80·4	80·9	80·0	80·0	80·0	80·0	79·8	79·8	24
25	81·9	81·8	82·0	82·1	82·0	81·4	81·0	80·4	80·3	80·4	80·0	80·0	25
26	78·4	81·5	81·0	77·6	77·3	77·0	77·2	77·4	77·7	78·1	78·0	77·2	26
27	75·8	76·6	77·3	76·7	75·0	76·2	76·6	76·3	76·0	76·0	75·9	76·0	27
28	75·7	75·6	74·0	75·1	74·8	74·9	74·5	74·8	75·3	75·6	75·9	76·0	28
29	77·5	78·1	79·3	79·5	78·4	78·2	78·0	78·0	78·0	78·0	77·6	77·3	29
30	74·6	75·8	76·1	76·4	77·0	77·0	76·7	76·1	76·7	76·9	76·2	76·9	30
31	79·6	79·3	79·6	79·1	78·6	78·5	77·9	77·3	77·4	77·1	77·2	77·5	31

TABLE IV.—AMOUNT of CLOUD, (0–10), at every HOUR of the DAY, in the MONTH of AUGUST, 1926.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	7	9	10	10	10	10	10	10	10	10	10	10	10	9	10	10	9	6	7	8	8	7	10	9	1
2	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	2
3	9	10	10	6	5	10	10	8	7	5	7	8	7	7	5	7	6	9	9	8	8	7	5	7	3
4	8	7	7	9	8	8	5	9	10	10	10	10	9	8	10	10	10	10	10	10	10	10	10	10	4
5	9	10	9	9	9	9	10	10	10	9	9	10	9	9	9	10	10	9	8	9	9	9	10	3	5
6	7	9	8	10	10	8	9	10	9	9	9	9	9	9	10	9	9	9	10	10	10	10	10	9	6
7	5	7	8	10	7	5	7	7	9	10	7	7	9	9	10	10	10	10	8	7	9	10	10	10	7
8	8	7	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	5	10	8
9	9	9	9	9	9	10	9	10	10	10	10	10	10	10	9	9	9	10	10	10	7	7	7	6	9
10	10	7	8	6	5	7	6	6	6	9	6	9	10	10	10	3	2	...	...	..	...	...	...	...	10
11	8	2	1	2	3	9	3	7	5	7	4	3	3	4	6	5	4	2	2	...	...	...	...	...	11
12	...	..	10	3	5	8	7	8	5	4	5	7	9	9	5	4	4	4	6	3	...	...	1	1	12
13	...	...	...	...	...	1	2	2	2	1	1	1	1	1	...	1	1	1	1	1	1	...	1	1	13
14	6	7	2	1	1	2	3	2	2	...	1	4	3	4	4	1	1	6	2	...	...	...	...	1	14
15	...	...	...	...	...	2	2	1	2	1	2	1	2	3	2	2	2	2	2	5	3	4	3	3	15
16	...	2	...	4	6	2	7	3	2	3	3	10	10	10	10	10	10	10	10	10	7	8	6	7	16
17	...	...	...	2	3	4	9	10	10	10	10	8	7	9	9	9	9	7	7	4	5	4	1	6	17
18	...	2	4	4	2	4	2	5	5	8	10	8	9	9	6	3	4	5	7	10	9	9	10	10	18
19	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	9	10	7	9	10	10	10	10	10	8	8	8	9	9	9	8	7	8	8	10	9	4	20
21	4	7	4	2	2	2	5	7	5	4	5	7	6	5	4	4	2	2	2	1	...	2	2	...	21
22	1	2	3	7	3	2	1	2	2	3	2	4	5	4	6	7	5	2	2	...	...	1	1	1	22
23	2	3	3	2	2	5	10	6	6	7	8	4	6	9	7	8	9	9	9	7	8	9	9	8	23
24	10	10	8	10	9	5	7	4	4	3	5	6	4	7	3	6	7	6	5	5	2	1	2	7	24
25	10	9	6	3	3	4	3	2	2	7	2	3	4	2	3	4	6	10	7	9	10	9	9	9	25
26	9	10	6	8	8	9	10	10	10	10	10	9	10	9	10	10	10	10	10	10	10	10	10	10	26
27	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27
28	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	28
29	10	7	5	8	8	7	10	10	10	10	10	10	10	10	10	10	9	8	6	2	2	1	2	6	29
30	10	10	10	8	10	8	10	10	10	8	10	10	10	10	9	9	10	10	10	6	2	7	8	2	30
31	7	7	4	4	4	8	9	10	10	10	9	9	8	8	8	6	6	4	5	...	...	...	2	8	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of AUGUST, 1926.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	0·2	0·6	1·0	0·5	0·4	0·8	0·7	1·0	0·5	1
2	...	...	...	0·4	0·7	0·2	...	...	...	...	...	...	...	2
3	...	0·4	1·0	0·8	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	3
4	0·2	0·6	0·3	0·5	0·6	0·9	1·0	0·9	0·5	0·5	1·0	...	...	4
5	0·2	0·5	0·6	0·9	1·0	0·1	0·3	0·2	1·0	0·8	0·4	0·6	...	5
6	...	0·7	0·8	0·8	0·6	0·6	0.2	1·0	1·0	0·8	0·7	0·2	...	6
7	...	0·8	0·7	0·4	0·9	0·9	1·0	0·6	0·2	0·1	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	...	8
9	0·2	0·1	0·2	...	0·1	0·5	0·2	0·2	0·6	0·9	1·0	0·6	...	9
10	0·5	0·8	0·9	0·5	0·8	0·8	0·6	0·1	...	0·8	1·0	1·0	0·2	10
11	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	11
12	0·2	0·2	0·5	0·8	1·0	1·0	0·7	0·4	0·9	1·0	1·0	1·0	0·6	12
13	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	13
14	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	14
15	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	15
16	0·2	1·0	1·0	1·0	1·0	1·0	1·0	0·7	0·5	...	...	...	...	16
17	...	...	0·1	0·2	0·4	1·0	1·0	0·9	0·9	1·0	0·9	0·6	...	17
18	0·6	1·0	0·9	1·0	1·0	0·1	0·5	0·1	0·4	1·0	1·0	1·0	0·5	18
19	...	...	...	...	...	...	...	...	...	...	...	...	...	19
20	0·1	0·6	0·8	0·5	1·0	0·8	0·8	0·9	0·2	0·4	0·4	...	...	20
21	0·1	0·6	1·0	0·6	1·0	0·9	1·0	0·5	0·3	0·8	1·0	1·0	0·3	21
22	0·5	1·0	1·0	1·0	1·0	1·0	0·7	1·0	1·0	0·6	0·8	0·6	0·2	22
23	0·1	0·7	1·0	1·0	1·0	1·0	0·9	1·0	1·0	1·0	1·0	0·9	...	23
24	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	0·2	24
25	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	...	25
26	...	...	0·3	0·7	0·9	0·9	0·4	0·1	0·4	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	0·1	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	0·3	...	...	0·3	...	0·6	1·0	1·0	0·7	0·1	...	29
30	0·1	0·7	0·5	0·4	1·0	0·2	...	...	...	...	...	...	...	30
31	0·4	0·9	0·5	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of AUGUST, 1926.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	0·180	0·220	0·125	0·010	0·010	0·010	0·020	0·010	..	...	...	0·365	2
3	...	...	...	...	...	...	...	d	0·010	...	d	...	3
4	...	...	...	...	...	d	d	...	0·035	...	...	d	4
5	...	d	0·005	...	...	...	...	..	d	...	...	..	5
6	...	...	d	...	0·020	...	...	...	...	...	...	0·200	6
7	...	...	...	...	...	...	0·020	...	0·060	0·090	...	...	7
8	...	...	...	...	d	...	...	...	0·200	...	d	d	8
9	...	...	...	...	0·015	...	...	0·135	0·010	0·030	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	0·120	...	18
19	0·005	0·250	0.020	0·010	0·010	...	d	...	d	0·180	0·180	0·040	19
20	...	0·060	...	0·035	...	d	...	d	...	...	...	..	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	..	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	..	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	d	...	0·080	...	...	...	...	26
27	...	0·025	d	0·020	d	...	...	...	...	0·010	d	...	27
28	0·370	0·165	0·010	d	0·010	...	...	...	d	0·005	0·010	0·055	28
29	...	...	...	...	...	...	...	0·020	...	0·065	0·025	0·010	29
30	...	...	...	...	...	...	...	d	d	...	d	0·300	30
31	...	...	...	...	..	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	d	0·035	0·045	1
2	0·150	0·170	0·045	0·020	0·005	d	0·005	d	d	...	...	...	2
3	...	...	...		...	...	d	...	...	...	...	...	3
4	d	...	...	...	0·280	0·015	0·010	d	0·005	0·015	d	0·020	4
5	d	d	...	...	...	...	...	d	...	0·220	0·040	...	5
6	0·080	...	0·005	0·035	d	...	...	...	...	...	...	...	6
7	...	...	...	d	0·015	...	...	...	...	...	0·255	...	7
8	0·005	d	d	0·010	0·055	0·005	0·005	...	...	...	...	...	8
9	...	0·080	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	d	0·090	...	0·380	0·145	d	18
19	d	0·025	0·010	...	...	0·015	0·080	0·060	0·210	0·060	d	0·070	19
20	...	...	d	0·020	...	...	...	...	...	d	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	..	...	...	...	...	...	...	...	25
26	0·010	0·010	...	...	d	0·005	...	...	d	...	0·220	...	26
27	0·005	0·140	0·025	...	0·005	0·185	0·050	...	...	...	...	...	27
28	0·030	0·120	0·045	0·180	0·160	d	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	0·005	...	...	...	...	29
30	0·090	0·005	d	...	...	...	...	...	...	0·035	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of AUGUST, 1926.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	19	11	18	13	18	10	17	12	19	7	19	8	18	5	17	5	16	3	16	5	15	6	15	7	1
2	12	5	7	11	7	11	10	11	12	14	13	18	14	13	11	8	7	3	7	12	9	11	10	18	2
3	9	8	9	7	9	9	9	9	8	8	8	8	7	7	7	7	8	9	9	11	9	15	9	17	3
4	8	12	7	9	6	7	6	8	6	13	6	11	6	12	6	15	6	18	6	17	6	19	6	18	4
5	9	19	9	19	8	19	8	20	8	23	7	18	8	25	8	26	9	29	9	27	9	27	9	24	5
6	9	14	8	19	8	23	9	20	9	22	10	23	10	22	10	24	9	26	9	27	9	23	9	30	6
7	8	22	8	25	9	23	9	22	9	19	9	20	8	20	8	24	8	20	9	24	9	25	9	24	7
8	7	10	7	10	7	10	7	19	7	19	7	21	8	23	8	22	9	25	9	15	9	12	9	11	8
9	8	9	8	12	8	13	8	12	8	11	7	13	8	15	8	18	7	13	8	11	9	15	11	16	9
10	...	1	...	...	...	...	...	...	...	...	...	...	...	1	8	4	8	6	7	11	8	13	8	12	10
11	7	11	7	11	7	9	7	6	8	6	8	7	9	11	9	11	9	14	9	14	9	15	8	13	11
12	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	12
13	...	1	...	...	...	...	9	2	...	...	...	...	9	2	7	7	7	10	7	12	8	14	9	16	13
14	...	...	...	...	...	...	...	...	...	...	...	...	8	2	5	8	4	10	6	13	9	11	10	10	14
15	22	2	...	1	24	6	25	6	26	5	24	6	24	4	24	6	24	8	25	9	24	11	23	12	15
16	25	5	24	5	25	4	24	4	25	3	25	4	26	5	26	6	23	6	23	9	22	11	21	9	16
17	19	5	...	...	17	2	...	1	18	2	19	4	20	4	18	4	18	6	20	7	22	7	22	6	17
18	8	8	9	6	9	5	9	5	9	6	9	4	8	4	8	7	8	10	8	14	7	14	7	13	18
19	5	8	6	7	6	10	6	10	5	12	5	20	5	19	6	23	7	29	7	34	7	22	6	19	19
20	9	14	10	17	10	18	9	17	9	15	9	15	9	15	9	17	8	17	9	18	8	18	9	17	20
21	10	4	...	...	...	...	7	3	...	...	...	...	...	...	6	4	8	5	9	6	8	8	9	12	21
22	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	21	2	23	4	24	7	22
23	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	24	6	25	7	26	8	25	9	23
24	21	8	23	3	...	...	...	1	26	2	26	5	28	4	28	4	27	5	25	8	24	8	23	9	24
25	22	5	21	7	21	10	20	12	21	10	21	11	22	8	21	10	21	11	22	9	23	7	22	8	25
26	19	7	19	10	19	5	20	5	20	7	21	7	23	11	20	12	1	2	27	6	22	8	24	9	26
27	11	2	12	13	25	9	23	8	25	9	25	5	25	2	...	1	23	4	23	4	...	..	24	5	27
28	23	12	29	6	7	4	7	2	...	...	...	...	...	1	7	8	9	14	8	16	8	13	8	17	28
29	10	5	9	4	9	10	8	11	9	7	9	8	8	8	9	8	8	9	8	7	10	6	10	9	29
30	7	4	7	4	8	8	8	9	7	9	7	8	7	9	6	10	7	12	9	10	12	10	13	13	30
31	8	6	...	1	...	...	...	...	8	3	8	4	8	3	7	6	6	11	7	12	7	12	8	13	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	15	10	14	11	13	14	13	14	12	15	12	18	11	13	11	12	12	9	12	14	12	12	13	7	1
2	8	5	7	6	6	11	6	12	6	7	6	9	6	9	6	7	7	6	7	5	7	5	8	5	2
3	9	18	9	19	9	18	9	16	9	16	8	17	8	17	8	15	8	17	9	18	9	14	9	15	3
4	6	21	6	22	5	18	5	23	6	31	6	18	6	20	5	20	5	15	7	10	8	17	8	22	4
5	9	23	9	23	10	24	9	21	10	17	10	19	9	17	9	16	9	17	9	15	9	10	9	12	5
6	9	25	10	28	9	26	10	27	10	29	10	22	10	21	10	22	9	25	9	25	9	23	8	22	6
7	9	27	8	24	9	27	13	22	12	20	9	18	9	14	9	14	9	15	7	9	8	13	7	8	7
8	8	9	8	12	8	13	9	10	9	11	8	2	...	1	...	...	9	6	9	8	8	8	8	7	8
9	11	14	10	12	10	12	8	12	8	14	8	13	9	11	8	9	9	8	8	9	9	7	8	4	9
10	8	4	8	3	8	9	8	6	8	8	9	7	9	5	...	...	...	1	7	3	7	5	7	7	10
11	8	12	8	10	8	10	8	12	8	14	11	9	11	4	10	4	9	4	9	3	9	5	...	...	11
12	13	3	14	3	14	7	13	7	12	7	10	8	9	6	9	4	...	1	...	...	...	..	...	...	12
13	10	16	9	13	9	13	9	16	10	14	10	13	10	11	9	8	8	7	7	7	8	2	...	1	13
14	9	11	9	9	10	7	22	5	26	5	15	4	13	5	14	4	...	1	...	...	...	...	21	3	14
15	22	14	22	10	22	12	22	13	21	12	20	12	20	13	21	12	23	8	23	9	25	5	26	6	15
16	23	9	23	9	20	8	17	9	16	7	16	9	17	9	19	7	20	4	19	2	...	1	21	2	16
17	21	7	19	9	16	10	15	11	15	10	15	10	15	8	15	8	14	6	...	...	...	...	7	5	17
18	8	15	9	14	8	17	7	16	7	13	7	15	7	19	7	15	7	11	12	7	8	6	6	14	18
19	6	25	6	23	6	22	5	21	5	19	6	24	7	29	8	27	9	24	10	25	10	25	9	19	19
20	9	15	9	19	8	20	10	13	11	8	11	8	10	10	9	10	9	7	10	3	...	1	10	3	20
21	8	9	8	14	8	16	8	13	9	11	11	9	14	7	15	4	...	1	...	1	...	..	...	...	21
22	24	6	22	6	19	5	17	8	16	7	16	8	17	7	17	5	17	4	17	3	...	1	...	...	22
23	25	8	24	7	23	9	21	8	21	8	20	8	20	7	20	3	20	4	...	1	...	1	20	6	23
24	22	9	21	12	20	10	19	10	21	11	22	6	22	3	21	7	20	5	...	1	...	1	...	1	24
25	22	9	22	8	20	9	18	9	19	8	18	8	17	6	18	5	18	4	19	3	18	4	18	8	25
26	28	7	26	4	23	6	25	8	2	2	13	8	17	2	..	1	..	1	27	2	19	7	10	5	26
27	...	1	26	6	29	3	...	1	19	2	12	6	9	5	11	5	14	4	16	5	...	...	13	4	27
28	8	14	10	17	21	3	25	7	29	4	2	2	6	4	9	2	10	12	10	11	10	9	10	9	28
29	8	16	8	14	8	12	8	15	9	12	8	10	9	9	8	6	9	2	8	5	8	3	...	1	29
30	9	5	...	1	4	2	6	5	8	7	8	7	...	1	8	3	...	...	8	2	8	2	...	1	30
31	8	13	7	15	8	15	9	17	9	16	9	16	9	12	9	6	10	7	9	5	8	6	6	9	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of AUGUST, 1926.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	ci-st / cu	E / SW	cu	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SSE	ci-st / cu	NW / SE	cu	SE
2	cu-nb	SSE	nb	SSE	nb	SE	cu	SSE	nb	SE	nb	SE	nb	SE	nb	SE
3	cu-nb	ESE	cu	ESE	cu	ESE	cu	ESE	ci-st / cu	NE / ESE	ci-st / cu	NE / ESE	cu	ESE	cu	ESE
4	cu	ESE	cu	ESE	cu	ESE	cu	E	cu	E	cu	E	nb	E	nb	E
5	cu-nb	E	cu-nb	E	cu	E	cu	E	cu	ESE	cu	ESE	cu	ESE	cu	ESE
6	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu-nb	SE	cu-nb	ESE
7	cu	SE	cu	SE	cu	ESE	cu	ESE	cu	ESE	cu-nb	ESE	ci-st / cu	NW / ESE	cu	ESE
8	cu	E	cu	E	cu	E	nb	ESE	nb	E	nb	E	nb	E	cu-nb	E
9	cu	E	cu-nb	E	cu	E	cu	E	ci-st / cu	NE / SSE	ci-st / cu	NE / SSE	cu	SSE	cu	SE
10	cu	SE	cu	SE	ci-st / cu	SW / SE	cu	SSE	cu	SSE	cu	SSE	...	...	...	...
11	cu	SE	cu	SE	cu	SE	cu	SE	cu	SE	ci-st / cu	SW / SE	ci-st	WSW	...	...
12	...	...	cu	SE	cu	SE	ci-st / cu	NE / SE	ci-st / cu	NE / ESE	cu	ESE	ci-st / cu	WNW / E	...	...
13	...	...	...	...	ci-st	WNW	ci-st	WNW	cu	E	...	...	cu	E	...	...
14	cu	E	cu	E	cu	E	...	...	cu	NE	cu	NE	cu	NE	...	...
15	...	...	...	...	ci-st / cu	NE / WSW	ci-st	NE	cu	N	cu	N	ci-st / cu	NE / N	ci-st	NE
16	...	...	ci-st	NE	ci-st	NE	ci-st / cu	ENE / W	ci-st / cu	ENE / W	cu	W	cu	WSW	cu	WSW
17	...	...	cu	SW	cu	SW	cu	SW	ci-st / cu	NE / SSW	ci-st / cu	NE / SSE	cu	SE	ci-st / cu	NE / SE
18	...	...	cu	E	cu	SE	cu	E	cu	E	cu	E	cu-nb	E	cu-nb	E
19	cu	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
20	nb	E	nb	E	cu-nb	E	ci-st / cu	WNW / SE	cu	SE	cu	SE	cu	SE	nb	SE
21	cu	ESE	cu	ESE	cu	ESE	cu	SE	cu	ESE	cu	ESE	cu	ESE	cu	ESE
22	cu	ESE	cu	ESE	cu	SE	cu	ESE	cu	ESE	cu	ESE	cu	SE	cu	ESE
23	cu	SW	cu	SW	ci-st	NNE	ci-st / cu	NE / S	ci-st / cu	NE / SSE	ci-st / cu	NE / SSE	ci-st / cu	NE / S	ci-st	NE
24	ci-st / cu	NE / SSW	ci-st / cu	NE / SSW	ci-st / cu	NE / SW	cu	SW	ci-st / cu	NE / WSW	ci-st / cu	ENE / W	ci-st / cu	ESE / W	cu	W
25	a-cu / cu	NE / WSW	cu	WSW	ci-st / cu	NE / W	ci-st / cu	NE / W	ci-st / cu	ENE / W	ci-st / cu	ENE / WSW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW
26	ci-st / cu	ENE / WSW	ci-st / cu	ENE / SW	cu-nb	WSW	ci-st / cu	NE / WSW	nb	WSW	cu	WSW	cu-nb	SW	cu	SW
27	cu	SW	nb	SW	st-cu	SW	nb	WSW	nb	WSW	cu-nb	S	nb	S	nb	S
28	nb	SSW	nb	SSW	cu-nb	S	nb	SSE	nb	SSE	nb	SSE	nb	SSE	nb	SSE
29	cu-nb	SSE	cu	SSE	cu	SSE	nb	SE	cu	SSE	ci-st / cu	ENE / SSE	cu	SSE	cu	SE
30	cu	SE	cu	SE	cu	SE	cu	SE	nb	SE	cu-nb	SE	cu	SE	nb	ESE
31	ci-st	ENE	ci-st	ENE	ci-st / cu	ENE / E	ci-st / cu	W / E	ci-st / cu	W / E	ci st / cu	WSW / E	ci-st / cu	WSW / E	...	...

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1926.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·711	89·0	79·4	9·6	83·0	77·8	·884	78	91	5·7	44	0·080	...	— 8·3	+ 2·9	161	8·8	10·0
2	·777	83·6	74·0	9·6	77·8	75·5	·853	90	100	1·3	10	1·345	10	— 1·0	+ 8·0	97	8·1	9·2
3	·760	85·0	77·1	7·9	81·4	77·8	·905	85	75	10·5	80	0·010	...	— 1·7	+ 13·1	97	13·2	13·1
4	·699	85·6	75·7	9·9	81·0	77·3	·888	84	91	7·0	53	0·380	5	+ 5·9	+ 15·2	69	16·3	16·5
5	·664	84·1	77·5	6·6	81·4	77·8	·905	85	90	6·6	50	0·265	1	— 3·1	+ 20·1	99	20·3	20·4
6	·674	84·6	78·4	6·2	81·8	78·2	·918	85	92	7·4	57	0·340	1	— 5·7	+ 22·8	104	23·5	23·7
7	·722	85·3	76·3	9·0	81·2	77·3	·886	83	84	5·6	43	0·440	1	— 3·4	+ 19·2	100	19·5	20·0
8	·769	83·4	74·1	9·3	79·0	76·0	·858	87	95	...	...	0·280	6	...	+ 11·8	90	11·8	11·8
9	·772	85·3	78·0	7·3	81·0	77·9	·915	87	91	4·6	35	0·270	1	— 1·2	+ 11·5	96	11·6	11·8
10	·788	87·3	77·8	9·5	82·5	78·0	·899	81	50	8·0	62	...	...	+ 0·1	+ 4·3	89	4·3	4·4
11	·760	87·0	80·3	6·7	82·8	78·8	·932	83	35	11·7	90	...	...	— 0·8	+ 8·8	95	8·8	9·0
12	·667	87·6	79·0	8·6	82·4	77·8	·892	81	45	9·3	72	...	...	— 1·1	+ 1·3	130	1·7	2·0
13	·583	88·0	78·1	9·9	82·8	77·2	·860	77	9	12·2	95	...	...	— 1·2	+ 7·5	99	7·6	7·7
14	·513	89·8	78·9	10·9	84·0	77·6	·861	73	22	11·7	91	...	...	— 0·5	+ 2·8	100	2·8	4·5
15	·413	91·0	80·3	10·7	85·8	80·0	·947	77	18	11·7	91	...	...	— 2·0	— 7·8	256	8·1	8·4
16	·461	92·5	82·3	10·2	86·9	81·1	·984	77	62	2·4	57	...	...	— 2·5	— 4·4	240	5·1	6·1
17	·584	91·7	82·4	9·3	85·6	80·8	·987	80	60	7·0	55	...	...	— 4·5	— 1·0	193	4·6	5·5
18	·649	88·0	78·4	9·6	83·2	79·0	·936	82	60	9·1	71	0·735	2	+ 0·7	+ 10·6	86	10·6	10·7
19	·673	81·8	76·0	5·8	79·7	76·5	·871	86	100	...	...	1·225	8	+ 4·7	+ 19·1	76	19·6	20·7
20	·688	86·1	79·4	6·7	82·0	78·4	·924	85	87	6·5	51	0·135	1	— 2·8	+ 12·8	102	13·1	13·1
21	·650	86·9	78·7	8·2	82·1	78·5	·928	85	35	9·1	71	...	...	— 0·8	+ 4·8	99	4·9	5·3
22	·608	89·0	78·9	10·1	83·6	78·9	·926	80	27	10·4	82	...	...	— 2·1	— 1·4	214	2·5	3·1
23	·610	89·1	79·9	9·2	84·1	79·3	·938	80	65	10·6	83	...	...	— 0·9	— 3·6	256	3·7	4·2
24	·631	90·0	81·2	8·8	85·1	80·1	·961	79	57	11·1	87	...	...	— 1·4	— 4·6	253	4·8	5·5
25	·649	90·2	83·1	7·1	85·9	80·7	·979	79	57	10·4	82	...	...	— 4·9	— 5·6	229	7·4	7·9
26	·644	90·1	79·1	11·0	83·5	79·0	·932	81	95	3·7	29	0·325	2	— 1·9	— 3·6	242	4·1	5·9
27	·641	81·1	77·0	4·1	79·2	76·0	·856	86	100	0·1	1	0·465	6	— 1·1	— 1·1	225	1·6	4·3
28	·716	80·2	74·3	5·9	76·9	74·8	·836	90	100	...	...	1·160	10	— 0·5	+ 5·1	96	5·1	7·8
29	·779	84·2	77·3	6·9	80·1	77·7	·918	89	75	4·0	32	0·125	1	— 0·8	+ 8·1	96	8·1	8·2
30	·787	84·6	75·0	9·6	79·5	76·9	·891	89	86	2·9	23	0·430	3	— 0·2	+ 5·3	92	5·3	5·9
31	·781	85·7	77·5	8·2	81·3	77·9	·911	85	61	10·8	86	...	...	...	+ 8·5	90	8·5	8·7
Means	29·672	86·7	78·2	8·5	82·1	78·1	0·909	83	68	Sum. 216·4	54	Sum. 3·010	Sum 58	— 1·4	+ 6·2	103	6·3	9·5
Normals	29·617	86·5	77·8	8·7	81·6	77·5	0·891	83	66	199·1	50	1·743	70	— 2·3	+ 2·0	139	3·1	9·5
Absolute Max.	29·839	92·5	...	11·0	...	84·3	1·111	...	...	12·2	95	1·345	10	...	...	...	...	34·0 †
Day.	30	16	...	26	...	16	16	...	...	13	13	2	2, 28	...	...	...	...	1st 10h
Absolute Min.	29·336	...	74·0	4·1	...	72·7	0·737	57	...	...	...	...	...	...	...	...	...	...
Day	15	...	2	27	...	2	7	14	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo:—on the 9th and 26th.
Lunar halo :—on the 3rd, 26th and 27th.
Lunar corona :—on the 15th and 24th.
Slight Fog :—on the 23rd.
Unusual visibility :—on the 5th and 11th.
Dew :—on the 11th, 12th, 13th, 17th, 23rd and 31st.
Rainbow :—on the 4th and 30th.
Lightning :—on the 4th, 7th, 8th, 10th, 16th, 17th, 18th, 26th, 27th, 29th and 31st.
Thunder :—on the 17th, 18th, 19th, 26th and 28th.

Thunderstorms :—

18*d*. 19*h*. 08*m*. to 19*h*. 50*m*. in N.N.W.; distant,
18*d*. 20*h*. 23*m*. to 20*h*. 50*m*. S.E. to N.W.; nearest at 20*h*. 27*m*. (3*s*).
18*d*. 22*h*. 45*m*. to 23*h*. 58*m*. S. to N.; nearest at 23*h*. 29*m*. (6*s*).
28*d*. 16*h*. 20*m*. to 17*h*. 30*m*. in W.S.W.; distant.
28*d*. 19*h*. 45*m*. to 20*h*. 40*m*. in S.S.E.; distant.
29*d*. 3*h*. 17*m*. to 4*h*. 20*m*. in N.E.; distant.

Rain fell on 17 days. The mean hourly intensity was 0·138*in*, and the maximum fall in one hour was 0·380*in* at 22*h* on the 18th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 51 miles per hour at 16*h* 56*m* on the 4th.

Clouds with base less than 2,000 feet high were observed on 1 day.
Clouds with base less than 1,000 feet high were observed on 0 days.

0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1926.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.	m.p.s.
1	1008·0	304·7	299·3	5·4	301·3	298·4	29·8	2·0	...	— 2·7	+ 1·0	161	2·9	3·3
2	1010·2	301·7	296·3	5·4	298·4	297·2	28·8	34·2	10	— 0·3	+ 2·6	97	2·7	3·0
3	1009·7	302·4	298·1	4·3	300·4	298·4	30·5	0·2	...	— 0·6	+ 4·3	97	4·3	4·3
4	1007·6	302·8	297·3	5·5	300·2	298·2	30·0	9·6	5	+ 1·9	+ 5·0	69	5·3	5·4
5	1006·4	301·9	298·3	3·6	300·4	298·4	30·5	6·7	1	— 1·0	+ 6·6	99	6·7	6·7
6	1006·8	302·2	298·8	3·4	300·7	298·7	31·0	8·6	1	— 1·9	+ 7·5	104	7·7	7·8
7	1008·4	302·6	297·6	5·0	300·3	298·2	29·9	11·2	1	— 1·1	+ 6·3	100	6·4	6·6
8	1010·0	301·6	296·4	5·2	299·1	297·4	28·9	7·1	6	...	+ 3·9	90	3·9	3·9
9	1010·1	302·6	298·6	4·0	300·2	298·5	30·9	6·9	1	— 0·4	+ 3·8	96	3·8	3·9
10	1010·6	303·7	298·4	5·3	301·1	298·6	30·3	...	...	...	+ 1·4	89	1·4	1·4
11	1009·7	303·6	299·8	3·8	301·2	299·0	31·4	...	...	— 0·3	+ 2·9	95	2·9	3·0
12	1006·5	303·9	299·1	4·8	301·0	298·4	30·1	...	...	— 0·4	+ 0·4	130	0·6	0·7
13	1003·7	304·1	298·6	5·5	301·2	298·1	29·0	...	...	— 0·4	+ 2·5	99	2·5	2·5
14	1001·3	305·1	299·1	6·0	301·9	298·3	29·0	...	...	— 0·2	+ 0·9	100	0·9	1·5
15	997·9	305·8	299·8	6·0	302·9	299·7	32·0	...	...	— 0·7	— 2·6	256	2·7	2·8
16	999·5	306·6	300·9	5·7	303·5	300·3	33·2	...	...	— 0·8	— 1·4	240	1·7	2·0
17	1003·7	306·2	301·0	5·2	302·8	300·1	33·3	...	...	— 1·5	— 0·3	193	1·5	1·8
18	1005·9	304·1	298·8	5·3	301·4	299·1	31·6	18·7	2	+ 0·2	+ 3·5	86	3·5	3·5
19	1006·7	300·7	297·4	3·3	299·5	297·7	29·4	31·1	8	+ 1·5	+ 6·3	76	6·4	6·8
20	1007·3	303·1	299·3	3·8	300·8	298·8	31·2	3·4	1	— 0·9	+ 4·2	102	4·3	4·3
21	1005·9	303·5	296·9	4·6	300·8	298·8	31·3	...	...	— 0·3	+ 1·6	99	1·6	1·7
22	1004·5	304·7	299·1	5·6	301·7	299·1	31·2	...	...	— 0·7	— 0·5	214	0·8	1·0
23	1004·6	304·7	299·6	5·1	301·9	299·3	31·7	...	...	— 0·3	— 1·2	256	1·2	1·4
24	1005·3	305·2	300·3	4·9	302·5	299·7	32·4	...	...	— 0·5	— 1·5	253	1·6	1·8
25	1005·9	305·3	301·4	3·9	302·9	300·1	33·0	...	...	— 1·6	— 1·8	229	2·4	2·6
26	1005·7	305·3	299·2	6·1	301·6	299·1	31·4	8·3	2	— 0·6	— 1·2	242	1·3	1·9
27	1005·7	300·3	298·0	2·3	299·2	297·4	28·9	11·8	6	— 0·4	— 0·4	225	0·5	1·4
28	1008·2	299·8	296·5	3·3	297·9	296·8	28·2	29·5	10	— 0·2	+ 1·7	96	1·7	2·6
29	1010·3	302·0	298·2	3·8	299·7	298·4	31·0	3·2	1	— 0·3	+ 2·7	96	2·7	2·7
30	1010·6	302·2	296·9	5·3	299·4	297·9	30·1	10·9	3	— 0·1	+ 1·7	92	1·7	1·9
31	1010·4	302·8	298·3	4·5	300·4	298·5	30·7	...	...	...	+ 2·8	90	2·8	2·9
								Sum.	Sum.					
Means.	1006·7	303·4	298·7	4·7	300·8	298·6	30·7	203·4	58	— 0·5	+ 2·0	103	2·1	3·1
Normals	1004·9	303·3	298·4	4·9	300·6	298·3	30·1	374·5	70	— 0·8	+ 0·7	139	1·0	3·1
Absolute Maximum.	1012·4	306·6	...	6·1	...	302·1	37·5	34·2	10	...	...	...	...	11·1 †
Day.	30	16	...	26	...	16	16	2	2, 28	...	...	...	...	19d10h
Absolute Minimum.	995·2	...	296·3	2·3	...	295·6	24·9	...	...	...	...	...	...	...
Day.	15	...	2	27	...	2	7	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, AUGUST, 1926.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	— 0·1	11	0·0	21	— 0·1
2	— 0·1	12	0·0	22	— 0·1
3	— 0·1	13	0·0	23	0·0
4	— 0·1	14	0·0	24	0·0
5	— 0·1	15	0·0	25	0·0
6	— 0·1	16	— 0·1	26	0·0
7	0·0	17	— 0·2	27	— 0·1
8	0·0	18	— 0·2	28	— 0·2
9	0·0	19	— 0·2	29	— 0·2
10	0·0	20	— 0·1	30	— 0·1
				31	— 0·1

+ = Late; — = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0·10

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1926.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	Ins.	°	°	Ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·681	80·5	77·6	·909	87	64		7	2	— 1·2	+ 3·7	108	3·9	7·0
2	·669	80·1	77·4	·905	88	65		9	4	— 1·0	+ 4·5	103	4·6	7·1
3	·659	80·2	77·5	·909	88	62		2	4	— 0·6	+ 4·6	97	4·6	7·3
4	·655	80·1	77·5	·910	89	63		1	4	— 1·0	+ 4·9	102	5·0	7·6
5	·658	80·1	77·5	·910	89	61		1	3	— 0·6	+ 4·6	97	4·6	7·5
6	·664	79·9	77·3	·903	89	67	18	...	1	— 0·7	+ 4·6	99	4·7	8·0
7	·676	80·9	77·9	·917	87	73	54	...	1	— 0·5	+ 5·1	96	5·1	8·2
8	·686	82·2	78·4	·922	84	74	59	3	3	— 0·3	+ 6·9	92	6·9	9·9
9	·696	82·9	78·5	·916	81	72	59	4	4	— 0·1	+ 7·9	91	7·9	11·0
10	·703	83·7	78·9	·925	80	74	71	5	5	— 0·4	+ 8·0	93	8·0	12·2
11	·699	84·4	79·0	·919	77	73	67	4	6	— 1·2	+ 7·7	99	7·8	12·0
Noon.	·689	84·6	79·0	·917	77	76	62	12	9	— 2·1	+ 7·6	105	7·9	13·0
13	·674	84·8	78·8	·905	76	77	57	5	8	— 1·4	+ 7·4	101	7·5	12·3
14	·660	84·8	79·0	·914	76	78	59	7	8	— 1·8	+ 7·5	103	7·7	12·4
15	·645	84·7	79·0	·915	77	76	63	1	7	— 2·3	+ 7·7	107	8·0	12·5
16	·636	84·5	78·7	·904	76	73	64	3	5	— 2·7	+ 7·0	111	7·5	12·5
17	·633	83·5	78·2	·895	78	72	51	6	6	— 2·6	+ 7·3	109	7·9	11·8
18	·634	82·6	77·9	·893	80	71	17	3	4	— 3·2	+ 7·5	113	8·1	11·1
19	·648	81·9	77·7	·894	82	68		2	3	— 2·4	+ 6·8	110	7·2	9·8
20	·668	81·5	77·6	·895	83	62		2	2	— 1·9	+ 5·7	109	6·0	8·4
21	·688	81·3	77·7	·902	85	57		3	2	— 1·7	+ 5·4	107	5·7	7·6
22	·702	81·2	77·8	·908	85	59		9	4	— 1·7	+ 5·2	108	5·5	6·8
23	·705	80·7	77·6	·906	87	59		9	3	— 1·3	+ 5·0	105	5·2	6·2
Midn.	·697	80·6	77·7	·913	87	61		2	2	— 0·8	+ 4·9	99	5·0	6·6

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1926.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1007·0	299·9	298·3	30·7	— 0·4	+ 1·2	108	1·3	2·3
2	1006·6	299·7	298·2	30·5	— 0·3	+ 1·5	103	1·5	2·3
3	1006·3	299·8	298·3	30·7	— 0·2	+ 1·5	97	1·5	2·4
4	1006·1	299·7	298·3	30·7	— 0·3	+ 1·6	102	1·6	2·5
5	1006·2	299·7	298·3	30·7	— 0·2	+ 1·5	97	1·5	2·5
6	1006·4	299·6	298·2	30·5	— 0·2	+ 1·5	99	1·5	2·6
7	1006·8	300·2	298·5	30·9	— 0·2	+ 1·7	96	1·7	2·7
8	1007·2	300·9	298·8	31·1	— 0·1	+ 2·3	92	2·3	3·2
9	1007·5	301·3	298·8	30·9	...	+ 2·6	91	2·6	3·6
10	1007·7	301·7	299·1	31·2	— 0·1	+ 2·6	93	2·6	4·0
11	1007·6	302·1	299·1	31·10	— 0·4	+ 2·5	99	2·6	3·9
Noon.	1007·3	302·2	299·1	30·9	— 0·7	+ 2·5	105	2·6	4·3
13	1006·7	302·3	299·0	30·5	— 0·5	+ 2·4	101	2·5	4·0
14	1006·3	302·3	299·1	30·8	— 0·6	+ 2·5	103	2·5	4·1
15	1005·8	302·3	299·1	30·9	— 0·8	+ 2·5	107	2·6	4·1
16	1005·5	202·2	298·9	30·5	— 0·9	+ 2·3	111	2·5	4·1
17	1005·4	301·6	298·7	30·2	— 0·9	+ 2·5	109	2·6	3·9
18	1005·4	301·1	298·5	30·1	— 1·0	+ 2·5	113	2·7	3·6
19	1005·9	300·7	298·4	30·2	— 0·8	+ 2·2	110	2·4	3·2
20	1006·6	300·5	298·3	30·2	— 0·6	+ 1·9	109	2·0	2·8
21	1007·3	300·4	298·4	30·4	— 0·6	+ 1·8	107	1·9	2·5
22	1007·7	300·3	298·4	30·6	— 0·6	+ 1·7	108	1·8	2·2
23	1007·8	300·1	298·3	30·6	— 0·4	+ 1·6	105	1·7	2·0
Midn.	1007·6	300·0	298·4	30·8	— 0·3	+ 1·6	99	1·6	2·2

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

AUGUST,

1926.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	31ST JULY, 1926. HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force. (Beaufort.)	WEATHER. (Glasgow.)	1ST AUGUST, 1926. HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force. (Beaufort.)	WEATHER. (Beaufort.)
Wladivostock, .	12	29.72	755.0	68	...	SE	5	0	...	29.71	754.7	65	...	...	0	0
Nemuro, ...	11	29.59	751.5	...	...	NW	4	...	5	29.69	754.0	...	...	NW	3	...
Hokodate, ...	..	29.74	755.5	...	...	WSW	1	...	..	29.75	755.5	...	...	E	1	...
Tokio, ...	..	29.74	755.5	...	...	SE	1	...	,,	29.76	756.0	...	...	...	...	...
Kochi, ...	..	29.82	757.5	...	...	SE	1	...	,,	29.92	760.0	...	...	...	0	...
Nagasaki, ...	..	29.84	758.0	...	...	SSW	2	...	,,	29.94	760.5	...	...	SW	4	...
Kagoshima, ...	,,	29.88	759.0	...	...	W	1	...	,,	29.98	761.5	...	...	...	0	...
Oshima, ...	,,	29.88	759.0	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Naha, ...	,,	29.86	758.5	...	...	SE	2	...	,,	29.98	761.5	...	...	ESE	1	...
Ishigakijima, ..	,,	29.82	757.5	...	...	SSE	6	...	,,	29.92	760.0	...	...	SSE	4	...
Bonin Island, ..	..	29.98	761.5	...	...	WSW	1	...	..	30.04	763.0	...	...	W	1	...
Chefoo, ...	15	29.59	751.6	82	83	E	1	0	6	29.65	753.1	75	100	ESE	1	0
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.57	751.1	82	...	...	0	bc
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.62	752.3	90	...	...	0	b
Changsha, ...	..	..	..	...	...	...	...	...	,,	29.63	752.6	88	...	S	1	b
Shanghai, ...	14	29.67	753.6	97	53	SSE	2	b	,,	29.73	755.1	81	84	SE	2	b
Gutzlaff, ...	,,	29.73	755.1	84	79	S	6	b	,,	29.79	756.6	78	86	S	6	b
Sharp Peak, ...	..	29.70	754.4	84	83	NNE	4	0	..	29.81	757.2	80	87	S	4	0
Amoy, ...	,,	29.70	754.4	90	70	SSE	4	b	6	29.77	756.1	78	92	S	0	r
Swatow, ...	,,	..	..	...	...	...	..	..	,,	29.76	755.9	79	...	SW	2	cr
Taihoku, ...	11	29.59	751.5	93	53	SE	7	b	,,	29.84	757.8	77	91	SE	2	0
Taichu, ...	,,	29.71	754.5	90	...	NNW	2	0	,,	29.82	757.5	73	...	...	0	0
Tainan, ...	,,	29.60	751.8	79	...	WNW	4	r	,,	29.80	756.9	77	...	SSE	4	0
Koshun, ...	..	29.75	755.7	79	...	S	4	r	,,	29.86	758.4	77	...	...	0	0
Pescadores, ...	,,	29.61	752.1	86	...	N	4	0	,,	29.81	757.2	75	...	SW	6	0
Canton, ...	14	29.69	754.1	93	71	W	1	b	6	29.73	755.1	82	...	S	1	0
Hongkong, ...	,,	29.70	754.4	87	71	W	3	c	,,	29.74	755.4	82	83	SW	3	0
Gap Rock, ...	,,	29.72	754.9	...	...	WSW	4	0	,,	29.75	755.6	...	...	SW	4	0
Macao, ...	,,	29.68	753.9	90	66	WSW	2	0	,,	29.72	754.8	81	92	SW	4	0
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	..	...	...	...	...	...	...	..	..	..	...	...	...	...	...
Pratas Island, ...	14	29.69	754.1	87	72	SW	2	b	6	29.78	756.4	79	95	S	2	r
Phulien, ...	15	29.65	753.0	90	72	SE	4	b	7	29.72	754.8	81	90	SSE	4	0
Tourane, ...	..	29.66	753.3	90	...	SE	4	b	,,	29.71	754.5	79	...	SW	6	b
Cape St. James	,,	29.72	754.8	82	...	SW	4	0	..	29.74	755.4	73	...	NNW	4	0
Basco, ...	,,	29.76	756.0	82	81	WSW	1	0	6	...	...	...	...	...	...	...
Aparri, ...	,,	29.74	755.4	90	69	S	4	0	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.79	756.6	86	65	WSW	4	0	,,	29.85	758.1	75	96	NE	1	0
Legaspi, ...	,,	29.78	756.3	89	78	...	0	0	,,	29.84	757.8	79	92	...	0	0
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	29.84	757.8	77	96	NW	2	0
Iloilo, ...	,,	29.78	756.3	84	74	SW	4	b	,,	29.84	757.8	77	91	N	2	0
Surigao, ...	..	29.80	756.9	82	84	NE	1	0	..	29.82	757.5	75	96	...	0	0
Sinam, ...	12.20	29.80	756.9	...	...	NE	4	0	4.20	29.84	757.8	...	...	NE	4	0
Yap, ...	12.47	29.79	756.6	...	...	ENE	4	0	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Lahnan, ...	11	29.78	756.4	80	82	NW	2	b	6	29.84	757.9	77	91	SW	1	0

July 31*d.* 15*h.* 45*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 24° N. Long. 121° E., moving N.N.W.

August 1*d.* 8*h.* 53*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression in Lat. 27° N. Long. 118° E., filling up, position uncertain.

August 1*d.* 11*h.* 05*m.*—Pressure has increased considerably over Formosa and slightly at the majority of other stations.

A feeble anticyclone extends from the Loochoos to the Bonins.

The typhoon began to fill up on crossing Formosa and has now disappeared. No record of dangerous winds from any land or ship station.

Manila warning, 31*d.* 11*h.* 30*m.*:—Typhoon in Lat. 22° N. Long. 122° E., moving N.N.W. Recd. 31*d.* 12*h.* 25*m.*

Shanghai warning, 31*d.* 16*h.* 55*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 21° N. Long. 123° E., moving N.W. Recd. 31*d.* 11*h.* 40*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total** since January 1st. 66·77 inches, against an average of 52·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

DISTRICT.	FORECAST.
1.—Formosa Channel, ...	S. winds, moderate; cloudy, some rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	2nd August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather.
Wladivostock. .	12	29.86	758.4	71	...	SSE	4	0	6	29.77	756.2	65	...	SSE	4	r
Nemuro.....	11	29.67	753.5	...	...	NW	3	...	5	...	...	...	...	...	0	...
Hokodate, ...	..	29.74	755.5	...	...	SSE	1	...	,,	29.84	758.0	...	...	...	0	...
Tokio,.....	,,	29.72	755.0	...	...	SSE	1	...	,,	29.84	758.0	...	...	...	...	...
Kochi, ...	,,	29.92	760.0	...	...	SE	1	...	,,	29.96	761.0	...	...	..	...	...
Nagasaki, ...	,,	30.00	762.0	...	...	SW	3	...	,,	30.00	762.0	...	...	SSW	2	...
Kagoshima, ...	,,	29.93	761.5	...	...	W	1	...	,,	30.02	762.5	...	...	...	...	...
Oshima, ...	,,	30.00	76.20	...	...	NNE	1	...	,,	30.00	762.0	...	...	...	...	...
Naha, ...	,,	30.00	762.0	...	...	ESE	1	...	,,	30.00	762.0	...	...	...	0	...
Ishigakijima, ...	,,	29.96	761.0	...	...	S	2	...	,,	29.94	760.5	...	...	SE	1	...
Bonin Island,..	..	...	...	...	...		0	...	..	30.00	762.0	...	...	W	1	...
Chefoo, ...	15	29.63	752.6	92	77	SSE	2	b	6	29.62	752.3	80	96	...	0	0
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.62	752.3	87	...	ESE	1	be
Changsha, ...	..	...	...	...	...	...	...	...	,,	29.63	752.6	81	...	S	2	be
Shanghai, ...	14	29.72	754.8	93	50	SSE	6	b	,,	29.74	755.4	68	73	SSE	4	b
Gutzlaff.....	,,	29.78	756.4	84	75	S	6	b	,,	29.80	756.9	78	86	S	6	b
Sharp Peak, ...	,,	29.81	757.2	84	72	S	4	0	,,	29.88	758.9	82	83	S	1	b
Amoy, ...	,,	29.81	757.2	78	86	SSW	4	r	6	29.85	758.2	78	92	WNW	2	0
Swatow,.....	,,	29.80	756.9	80	...	ESE	3	0	,,	29.83	757.7	78	...	E	2	0
Taihoku, ...	11	29.99	761.7	90	60	W	2	0	5	29.92	759.9	75	98	...	0	0
Taichu, ...	,,	29.88	759.0	90	...	SSW	2	0	,,	29.91	759.6	75	...	...	0	b
Tainan, ...	,,	29.87	758.7	84	...	SSE	4	0	,,	29.80	750.9	75	...	NE	2	b
Koshun,.....	,,	29.89	759.3	84	...		2	0	,,	29.88	759.0	77	...	E	2	r
Pescadores, ...	,,	29.88	759.0	84	.	SSW	4	0	,,	29.89	759.3	79	...	W	2	b
Canton, ...	14	29.74	755.4	90	77	S	1	0	6	29.79	750.6	84	...	..	0	0
Hongkong,.....	,,	29.77	756.1	84	75	S	3	0	,,	29.82	757.4	77	91	SSE	4	od
Gap Rock, ...	,,	29.79	756.6	...	...	SE	3	0	,,	29.81	757.2	...	...	SE	4	or
Macao, ...	,,	29.78	756.3	93	67	SSE	2	0	,,	29.73	755.1	75	100	ESE	4	r
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	..	..	...	...	...	...	...	...
Pratas Island,...	14	29.82	757.4	83	83	S	2	0	6	29.84	757.9	80	87	SW	1	0
Phulien, ...	15	29.65	753.0	90	72	SSE	6	0	7	29.71	754.5	79	91	SW	2	r
Tourane,.....	,,	29.66	753.3	90	...	SE	4	b	,,	29.67	753.6	79	...	SW	2	l
Cape St. James.	,,	29.68	753.9	81	...	SW	6	0	..	29.73	755.1	77	...	SW	6	0
Basco,.....	,,	29.84	757.8	86	78	W	4	0	6	29.87	758.7	81	84	SE	2	0
Aparri, ...	,,	29.82	757.5	86	75	NE	4	0	,,	29.85	758.1	77	91	SE	2	b
Manila, ...	,,	29.80	756.9	86	68	W	2	0	,,	29.81	757.2	75	96	ENE	1	0
Legaspi,.....	,,	29.79	756.6	86	71	NE	2	0	..	29.81	757.2	77	92	N	1	0
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.75	755.7	86	65	NE	4	0	,,	29.78	756.3	77	88	N	4	0
Surigao, ...	..	29.76	756.0	77	92	SE	2	0	..	29.78	756.3	77	96	SE	4	r
Guam,.....	12.20	29.80	756.9	...	...	E	2	r	4.20	29.79	756.6	...	...	NE	4	0
Yap, ...	12.47	29.75	755.7	..	...	E	6	r	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	..	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.78	756.4	80	91	NW	2	b	6	29.82	757.4	78	91	S	2	b

August 2*d*. 11*h*. 15*m*.—Pressure has increased moderately over N.E. Japan. Changes elsewhere are slight since yesterday.

A depression covers China and Indo-China, and a feeble anticyclone is central between the Loochoos and the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·67 inch. **Total since January 1st.** 67·43 inches, against an average of 52·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	S.E. winds, moderate; generally overcast, some rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	29.71	754.6	67	...	SSE	4	f	6	...	...	68	...	...	0	r
Nemuro, ...	11	29.76	756.0	...	...	S	1	...	5	29.75	755.5	...	...	SE	1	...
Hokodate, ...	..	29.82	757.5	...	...	SSE	1	...	,,	29.73	755.0	...	...	ENE	1	...
Tokio, ...	,,	29.82	757.5	...	...	S	1	...	,,	29.84	758.0	...	...	NW	1	...
Kochi, ...	,,	29.90	759.5	...	...	SSE	1	...	,,	29.88	759.0	...	...	...	1	...
Nagasaki, ...	,,	29.98	761.5	...	...	SSW	1	...	,,	29.88	759.0	...	...	SW	2	...
Kagoshima, ...	,,	29.98	761.5	...	...	NW	1	...	,,	29.90	759.5	...	...	...	0	...
Oshima, ...	,,	29.98	761.5	...	...	SE	1	...	,,	29.92	760.0	...	...	...	...	...
Naha, ...	,,	29.98	761.5	...	...	ESE	1	...	,,	29.94	760.5	...	...	ESE	1	...
Ishigakijima, ...	,,	29.96	761.0	...	...	SE	2	...	,,	29.88	759.0	...	...	SE	1	...
Bonin Island, ..	..	29.96	761.0	...	...	WNW	1	...	,,	29.88	759.0	...	...	WNW	1	...
Chefoo, ...	15	29.58	751.3	74	100	...	0	r	6	29.59	751.6	72	100	NW	1	o
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.58	751.3	79	...	...	0	f
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.63	752.6	68	...	SW	1	bc
Changsha, ...	,,	...	...	...	...	...	...	...	,,	29.65	753.1	85	...	S	3	b
Shanghai, ...	14	29.75	755.1	93	50	S	6	b	,,	29.73	755.1	81	87	SSE	2	o
Gutzlaff, ...	,,	29.77	756.1	83	75	S	6	b	,,	29.77	756.1	78	92	SSW	4	o
Sharp Peak, ...	..	29.86	758.4	84	83	SSE	4	b	,,	29.81	757.2	83	87	...	0	b
Amoy, ...	,,	29.86	758.4	80	92	SSW	4	r	6	29.81	757.2	80	92	WSW	2	b
Swatow, ...	,,	29.86	758.4	83	...	E	3	bc	,,	29.82	757.5	79	...	E	2	p
Taihoku, ...	11	29.89	759.3	90	66	NE	2	b	5	29.85	758.1	75	91	...	0	b
Taichu, ...	,,	29.89	759.3	90	...	N	2	b	,,	29.89	759.3	73	...	...	0	b
Tainan, ...	,,	29.88	759.0	90	...	NNE	2	b	,,	...	...	75	...	...	0	b
Koshun, ...	,,	29.88	759.0	86	...	E	6	bf	,,	29.85	758.1	77	...	...	0	b
Pescadores, ...	,,	29.91	759.6	86	...	SSW	2	b	,,	29.87	758.7	79	...	...	0	b
Canton, ...	14	29.81	757.2	82	87	SSE	2	o	6	29.80	756.9	82	...	SE	2	bc
Hongkong, ...	,,	29.84	757.9	76	93	E	1	or	,,	29.82	757.4	78	93	E	1	o
Gap Rock, ...	,,	29.84	757.9	...	...	SE	4	cd	,,	29.81	757.2	...	...	E	4	o
Macao, ...	,,	29.80	756.9	77	93	SSE	4	r	,,	29.78	756.3	79	95	SE	2	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	..	..	...	...	...	...	...	...
Pratas Island, ...	14	29.82	757.5	87	79	ESE	2	b	6	29.80	756.9	81	87	ESE	4	b
Phulien, ...	15	29.68	753.9	90	72	SSE	1	o	7	29.72	754.8	81	87	SSE	4	o
Tourane, ...	,,	29.66	753.3	90	...	E	4	b	,,	29.68	753.9	77	...	SSW	4	b
Cape St. James.	,,	29.69	754.2	79	...	WSW	7	o	,,	29.73	755.1	77	...	SW	6	o
Basco, ...	,,	29.84	757.8	86	75	ESE	4	o	6	...	...	...	...	...	...	...
Aparri, ...	,,	29.79	756.6	90	66	NE	4	b	,,	29.80	756.9	75	94	...	0	o
Manila, ...	,,	29.76	756.0	86	71	SE	2	o	,,	29.76	756.0	75	96	...	0	r
Legaspi, ...	,,	...	...	...	...	...	...	...	,,	29.85	758.1	75	94	...	0	o
Tacloban, ...	,,	29.71	754.5	84	81	SSE	2	o	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.71	754.5	86	75	NE	4	o	,,	...	...	...	...	...	...	...
Surigao, ...	..	29.69	754.2	86	78	NNE	1	b	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.75	755.7	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.75	755.7	...	...	E	4	o	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	..	..		...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.79	756.6	72	85	SW	1	o	6	29.83	757.7	78	86	SW	2	b

August 3*d*. 11*h*. 20*m*.—Pressure has decreased slightly over S.W. Japan and over the Loochoos. It is nearly stationary elsewhere.

Depressions cover China and Indo-China, and a feeble anticyclone is central between the Bonins and the Loochoos. A wedge of relatively high pressure covers S.E. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·77 inch. Total since January 1st, 68·21 inches, against an average of 53·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, ... 4.—South coast of China between Hongkong and Hainan, .	E. or variable winds, moderate; fair.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	4th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	29.38	746.3	75	...	NNW	2	b	6	29.51	749.5	71	...	...	0	h
Nemuro.....	11	29.67	753.5	...	...	S	2	...	5	29.35	745.5	...	...	SW	8	...
Hokodate, ...	.	29.61	752.0	...	...	SSW	5	...	,,	29.45	748.0	...	...	SW	3	...
Tokio,.....	,,	29.78	756.5	...	...	...	0	...	,,	29.65	753.0	...	...	...	...	...
Kochi, ...	,,	29.84	758.0	...	...	ESE	1	...	,,	...	...	...	...	...	0	...
Nagasaki, ...	,,	29.84	758.0	...	...	SW	4	...	,,	29.82	757.5	...	...	SW	3	...
Kagoshima, ...	,,	29.88	759.0	...	...	SSW	1	...	,,	29.86	758.5	...	...	...	0	...
Oshima, ...	,,	29.90	759.5	...	...	SSE	1	...	,,	29.88	759.0	...	...	...	0	...
Naha, ...	,,	29.93	760.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	ESE	1	...
Ishigakijima,...	,,	29.92	760.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	SSE	2	...
Bonin Island,..	,,	29.88	759.0	..	...	NW	1	...	,,	29.90	759.5	...	...	...	0	...
Chefoo.	15	29.59	751.6	81	87	...	0	b	6	29.70	754.4	74	100	...	0	0
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.55	750.5	80	...	...	0	0
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.60	751.8	89	...	SSW	3	be
Changsha, ...	,,	...	...	...	...	...	...	...	,,	29.62	752.3	86	...	S	3	b
Shanghai, ...	14	29.71	754.5	97	53	SSW	4	b	,,	29.72	754.8	81	96	SSE	2	b
Gutzlaff,.....	,,	29.76	755.9	86	80	S	2	b	,,	29.76	755.9	80	87	SSW	2	b
Sharp Peak, ...	..	29.82	757.4	92	81	ESE	1	b	,,	29.78	756.4	84	79	S	1	b
Amoy, ...	,,	29.82	757.4	90	70	SSE	4	b	6	29.76	755.9	80	92	WNW	4	b
Swatow,.....	,,	29.82	757.4	87	...	S	2	b	,,	29.77	756.1	79	...	E	2	b
Taihoku, ...	11	29.87	758.7	86	65	...	0	b	,,	29.81	757.2	75	94	...	0	b
Taichu, ...	,,	29.87	758.7	90	...	N	1	b	,,	29.84	757.8	75	...	...	0	b
Tainan, ...	,,	29.86	758.4	90	...	WNW	1	b	,,	29.80	756.9	75	...	...	0	b
Koshun,.....	,,	...	...	...	...	...	...	...	,,	29.81	757.2	79	...	E	2	o
Pescadores, ...	,,	29.88	759.0	84	...	NNW	2	b	,,	29.80	756.9	79	...	...	0	b
Canton, ...	14	...	...	...	...	...	...	...	6	29.74	755.4	82	...	...	0	bc
Hongkong,.....	,,	29.81	757.2	85	76	SSE	3	c	,,	29.75	755.6	80	87	E	3	c
Gap Rock,.....	,,	29.82	757.4	...	...	E	3	c	,,	29.75	755.6	...	..	ENE	4	c
Macao, ...	,,	29.78	756.3	90	76	SE	2	c	,,	29.72	754.8	79	89	ESE	4	c
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	14	29.79	756.6	83	73	E	5	b	6	29.71	754.6	82	85	ESE	4	bc
Phulien, ...	15	29.71	754.5	81	96	ESE	4	b	7	29.72	754.8	79	90	SSE	2	r
Tourane,.....	,,	29.67	753.6	84	...	SE	4	b	,,	29.67	753.6	77	...	SW	4	b
Cape St. James.	,,	...	...	...	...	...	...	...	,,	29.74	755.4	77	...	SW	4	o
Basco,.....	,,	29.82	757.5	79	89	ESE	4	r	6	29.78	756.3	82	84	ESE	4	o
Aparri, ...	,,	29.79	756.6	79	92	SSE	2	r	,,	29.76	756.0	75	94	S	2	r
Manila, ...	,,	29.72	754.8	79	89	N	1	r	,,	29.72	754.8	75	94	N	1	o
Legaspi, ...	,,	29.73	755.1	81	94	...	0	o	,,	29.74	755.4	77	96	...	0	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.68	753.9	86	75	SSW	4	o	,,	29.75	755.7	77	92	SW	2	o
Surigao, ...	..	29.72	754.8	82	84	E	1	o	,,	...	...	...	...	...	...	...
Guam,.....	12.20	29.73	755.1	...	...	E	4	o	4.20	29.76	756.0	...	...	N	1	o
Yap, ...	12.47	29.75	755.7	...	...	ENE	2	o	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.79	756.6	88	84	NE	4	b	6	29.82	757.4	78	91	NW	2	b

August 4*d.* 11*h.* 00*m.*—Pressure has decreased considerably over N.E. Japan and slightly over the Philippines, Formosa and S.E. China. It has increased moderately from N.E. China to S. Manchuria.

A trough of low pressure lies over the western portion of the China Sea. A typhoon may be forming in it near the Paracels.

Depressions lie over China and to the north of Japan. A feeble anticyclone stretches from the Loochoos to the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. **Total since January 1st,** 68·24 inches, against an average of 53·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	E. winds, moderate; generally cloudy, showery.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	5th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	..	...	...
Nemuro,	11	29.33	745.0	...	...	SW	5	...	5	29.51	749.5	...	...	SW	1	...
Hokodate,	..	29.45	748.0	...	...	SW	5	...	,,	29.67	753.5	...	...	...	...	...
Tokio,	,,	29.59	751.5	...	...	SSW	2	...	,,	29.73	755.0	...	...	N	1	...
Kochi,	,,	29.78	756.5	...	...	SE	1	...	,,	29.80	757.0	...	...	...	0	...
Nagasaki,	,,	29.82	757.5	...	...	SW	3	...	,,	29.82	757.5	...	...	SSW	2	...
Kagoshima,	,,	29.84	758.0	...	...	W	1	...	,,	29.84	758.0	...	...	...	...	...
Oshima,	,,	.	...	...	...	...	0	...	,,	29.86	758.5	...	...	...	...	...
Naha,	,,	29.90	759.5	...	...	SSE	2	...	,,	29.86	758.5	...	...	...	0	...
Ishigakijima,	,,	29.88	759.0	...	...	SE	2	...	,,	29.86	758.5	...	...	SSE	2	...
Bonin Island,	..	29.86	758.5	...	...	NNW	1	...	,,	29.88	759.0	...	...	...	...	...
Chefoo,	15	...	...	71	100	SSE	1	r	6	29.52	749.8	71	100	N	2	r
Ichang,	,,	...	...	...	...	...	...	...	,,	29.62	752.3	80	...	...	0	0
Hankow,	,,	...	...	...	...	...	...	...	,,	29.62	752.3	85	...	...	...	bc
Changsha,	,,	...	..	...	...	.	...	...	,,	29.62	752.3	86	...	S	2	b
Shanghai,	14	29.68	753.9	97	47	SSW	4	b	,,	29.69	754.2	79	94	WSW	2	b
Gutzlaff,	,,	29.70	754.4	86	72	SE	2	b	,,	29.73	755.1	81	78	SSW	2	b
Sharp Peak,	,,	29.77	756.1	90	70	SSE	4	b	,,	29.77	756.1	84	79	S	1	0
Amoy,	,,	29.77	756.1	88	69	S	4	b	6	29.75	755.6	82	83	WSW	2	b
Swatow,	,,	29.76	755.9	85	...	ESE	3	b	,,	29.74	755.4	81	...	ESE	3	b
Taihoku,	11	29.82	757.5	86	71	WNW	2	b	,,	29.81	757.2	73	96	...	0	b
Taichu,	,,	29.82	757.5	90	...	...	0	b	,,	29.84	757.8	75	...	...	0	0
Tainan,	,,	29.81	757.2	90	...	N	2	b	,,	29.79	756.6	75	...		0	b
Koshun,	,,	29.84	757.8	86	...	ENE	4	0	,,	29.80	756.9	79	...	ENE	2	b
Pescadores,	,,	29.84	757.8	84	...	N	2	b	,,	29.80	756.9	77	...	...	0	0
Canton,	14	...	...	...	...	...	...	...	6	29.69	754.1	83	...	...	0	bc
Hongkong,	,,	29.74	755.4	84	76	E	4	0	,,	29.70	754.4	81	87	ENE	3	0
Gap Rock,	,,	29.74	755.4	...	...	ENE	4	c	,,	29.69	754.1	...	..	E	4	c
Macao,	,,	29.73	755.1	79	92	ESE	4	0	,,	29.68	753.9	79	89	ESE	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	..
Pratas Island,	14	29.72	754.8	83	84	S	5	r	6	29.72	754.9	78	91	SSE	4	rq
Phulien,	15	29.67	753.6	86	78	SSE	4	0	7	29.67	753.6	75	98	NNE	2	rf
Tourane,	,,	29.63	752.7	90	...	SE	4	b	,,	29.63	752.7	79	...	...	0	b
Cape St. James,	,,	29.71	754.5	86	...	SW	6	0	..	29.71	754.5	77	...	WSW	6	0
Basco,	,,	.	...	...	...	...	...	...	6	...	.	...	..	...	...	...
Aparri,	,,	29.75	755.7	79	61	SSE	4	r	,,	29.75	755.7	75	96	S	2	0
Manila,	,,	29.69	754.2	81	89	E	1	0	,,	29.74	755.4	75	96	...	0	0
Legaspi,	,,	29.69	754.2	90	72	NE	2	0	,,	29.73	755.1	75	96	...	0	0
Tacloban,	,,	29.69	754.2	82	81	SSE	4	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	84	74	S	2	0	,,	...	...	...	...	...	...	...
Surigao,	..	29.69	754.2	86	75	E	2	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	SE	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	SSW	2	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...
Labuan,	14	29.78	756.3	86	88	NW	2	b	6	29.85	759.2	78	86	SW	2	b

August 5*d*. 11*h*. 23*m*.—Pressure has increased considerably over N.E. Japan. Changes elsewhere are slight.

Depressions lie over N.E. China, to the north-east of Japan and to the south of Hainan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·35 inch. Total since January 1st, 68·59 inches, against an average of 54·00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, fresh; variable, showery.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)	6th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)
Wladivostock,	12	29.63	752.3	81	...	...	0	c	6	29.73	755.6	68	...	...	0	c
Nemuro,	11	29.61	752.0	...	...	SSE	1	...	5	29.61	752.0	...	...	S	1	...
Hokodate,	,,	29.67	753.5	...	...	SW	2	...	,,	29.67	753.5	...	...	...	...	...
Tokio,	,,	29.74	755.5	...	...	SE	2	...	,,	29.63	752.5	...	...	NNW	1	...
Kochi,	,,	29.78	756.5	...	...	SE	1	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.82	757.5	...	...	SW	4	...	,,	29.88	759.0	...	...	S	2	...
Kagoshima,	,,	29.84	758.0	...	...	W	1	...	,,	29.88	759.0	...	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	N	1	...	,,	29.90	759.5	...	...	...	...	...
Naha,	,,	29.90	759.5	...	...	S	1	...	,,	29.90	759.5	...	...	ESE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	SE	1	...
Bonin Island,	,,	29.88	759.0	...	...		0	...	,,	29.92	760.0	...	...	...	...	...
Chefoo,	15	29.62	752.3	77	86	N	2	o	6	29.75	755.6	71	100	...	0	of
Ichang,	,,	...	...	...	...	...	...	...	,,	29.62	752.6	81	...	...	0	bc
Hankow,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	85	...	SSW	1	bc
Changsha,	,,	...	...	...	...	...	...	...	,,	29.66	753.3	86	...	S	1	b
Shanghai,	14	29.72	754.8	99	44	WSW	2	b	,,	29.76	756.0	79	92	SE	2	b
Gutzlaff,	,,	29.76	755.9	84	75	S	4	b	,,	29.81	757.2	78	82	S	4	b
Sharp Peak,	,,	29.78	756.4	94	61	S	1	b	,,	29.78	756.4	84	87	N	1	b
Amoy,	,,	29.77	756.1	90	70	SSE	4	b	6	29.76	755.9	81	92	WSW	4	o
Swatow,	,,	29.75	755.6	84	...	E	3	p	,,	29.75	755.6	83	...	SE	3	p
Taihoku,	11	29.84	757.8	90	63	...	0	b	5	29.82	757.5	75	89	SE	2	b
Taichu,	,,	29.82	757.5	90	...	...	0	b	,,	29.81	757.2	77	...	...	0	o
Tainan,	,,	29.81	757.2	90	...	NW	2	b	,,	29.80	756.9	77	...	...	0	b
Koshun,	,,	29.81	757.2	86	...	ENE	4	b	,,	29.81	757.2	79	...	E	2	b
Pescadores,	,,	29.82	757.5	86	...	NNE	2	b	,,	29.79	756.6	79	...	...	0	b
Canton,	14	29.71	754.6	86	80	SE	2	o	6	29.70	754.4	80	...	E	2	c
Hongkong,	,,	29.71	754.6	82	82	E	4	op	,,	29.71	754.6	81	87	ESE	4	o
Gap Rock,	,,	29.72	754.9	...	...	SE	5	cp	,,	29.70	754.4	...	...	E	4	o
Macao,	,,	29.68	753.9	84	81	SE	4	o	,,	29.68	753.9	79	91	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.72	754.9	85	79	SSE	1	c	6	29.70	754.4	79	89	ESE	5	p
Phulien,	15	29.62	752.4	86	78	WSW	1	o	7	29.66	753.3	77	96	S	2	r
Tourane,	,,	29.60	751.8	84	...	NNE	4	b	,,	29.65	753.0	79	...	NNW	2	o
Cape St. James.	,,	29.68	753.9	81	...	SW	4	o	,,	29.69	754.2	77	...	SW	6	o
Basco,	,,	29.75	755.7	86	71	SE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.71	754.5	90	69	NE	4	o	,,	29.76	756.0	77	92	SE	2	b
Manila,	,,	29.71	754.5	82	89	E	2	o	,,	29.75	755.7	75	96	...	0	o
Legaspi,	,,	29.71	754.5	86	78	E	1	o	,,	29.73	755.1	77	94	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	82	86	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.69	754.2	86	75	N	1	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.75	755.7	...	...	SE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	NE	4	b	6	29.82	757.4	76	86	SW	2	o

August 6*d.* 1*ch.* 55*m.*—Pressure has increased moderately from N.E. China to S. Manchuria and slightly over S.W. Japan, central China and at Tourane. It is nearly stationary elsewhere.

A depression covers China and Indo-China and a feeble anticyclone extends from the Loochoos to the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·28 inch. **Total since January 1st.** 68·87 inches, against an average of 54·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, moderate; generally cloudy, some rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.74	755.4	82	...	W	2	b	6	29.83	757.7	72	...	...	0	b
Nemuro,	11	29.57	751.0	...	...	S	2	...	5	29.69	754.0	...	...	W	1	...
Hokodate,	"	29.67	753.5	...	...	SSW	1	...	"	29.78	756.5	...	...	...	...	...
Tokio,	"	29.65	753.0	...	...	WNW	1	...	"	29.84	758.0	...	...	NE	2	...
Kochi,	"	29.74	755.5	...	...	SE	1	...	"	29.82	757.5	...	...	SW	1	...
Nagasaki,	"	29.90	759.5	...	...	WSW	3	...	"	29.92	760.0	...	...	W	1	...
Kagoshima,	"	29.90	759.5	...	...	W	1	...	"	29.92	760.0	...	...	NW	1	...
Oshima,	"	29.92	759.5	...	...	NNE	1	...	"	29.92	760.0	...	...	...	...	...
Naha,	"	29.92	759.5	...	...	SSW	1	...	"	29.92	760.0	...	...	...	...	...
Ishigakijima,	"	29.88	759.0	...	...	SE	2	...	"	29.90	759.5	...	...	ESE	1	...
Bonin Island,	"	29.90	759.5	...	...	NNW	1	...	"	29.90	759.5	...	...	...	0	...
Chefoo,	15	29.74	755.4	80	82	ESE	2	o	6	29.71	754.6	77	95	S	1	o
Ichang,	"	...	...	...	...	...	...	...	"	29.70	754.4	84	...	...	0	h
Hankow,	"	...	...	...	...	...	...	...	"	29.74	755.4	86	...	...	0	h
Changsha,	"	...	...	...	...	...	...	...	"	29.73	755.1	86	...	S	1	h
Shanghai,	14	29.78	756.3	90	59	S	2	h	"	29.82	757.5	77	91	SE	2	h
Gutzlaff,	"	29.83	757.7	84	75	S	4	b	"	29.87	758.7	78	86	S	4	b
Sharp Peak,	"	29.83	757.7	88	76	E	1	h	"	29.83	757.7	84	83	NE	1	h
Amoy,	"	29.77	756.1	90	66	SSW	2	b	6	29.80	756.9	81	87	SW	2	h
Swatow,	"	...	...	85	...	ESE	4	c	"	29.78	756.4	82	...	ESE	2	p
Taihoku,	11	29.82	757.5	90	55	NW	2	h	5	29.86	758.4	75	94	...	0	o
Taioku,	"	29.82	757.5	90	...	...	c	h	"	29.86	758.4	75	...	...	0	h
Tainan,	"	29.81	757.2	90	...	...	c	h	"	29.84	757.8	75	...	...	0	b
Koshun,	"	29.84	757.8	86	...	ENE	4	h	"	29.85	758.1	52	...	...	0	o
Pescadores,	"	29.81	757.2	86	...	N	2	h	"	29.85	758.1	79	...	...	0	h
Canton,	14	29.69	754.1	81	91	SSE	1	o	6	29.73	755.1	82	...	SE	2	bc
Hongkong,	"	29.71	754.6	83	82	ESE	5	o	"	29.74	755.4	81	84	E	4	c
Gap Rock,	"	29.71	754.6	...	...	ENE	4	h	"	29.75	755.6	...	...	E	5	c
Macao,	"	29.68	753.9	86	81	SE	4	o	"	29.71	754.5	79	89	SE	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	14	29.71	754.6	87	75	SE	2	o	6	29.74	755.4	80	91	ESE	4	c
Phulieu,	15	29.61	752.1	86	78	ENE	2	o	7	29.65	753.0	75	100	ENE	4	rf
Tourane,	"	29.59	751.5	86	...	N	4	b	"	29.62	752.4	79	...	SW	2	o
Cape St. James,	"	29.67	753.6	81	...	SW	6	o	"	29.71	754.5	75	...	WSW	4	o
Basco,	"	29.76	756.0	86	71	SE	4	o	6	29.79	756.6	81	87	ESE	2	o
Aparri,	"	29.73	755.1	90	66	ENE	2	o	"	29.79	756.6	77	94	...	0	o
Manila,	"	29.73	755.1	81	90	...	0	o	"	29.76	756.0	75	96	...	0	o
Legaspi,	"	29.71	754.5	86	78	NE	1	o	"	29.74	755.4	79	91	NNE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	84	74	SW	4	o	"	29.75	755.7	77	96	SE	1	o
Surigao,	"	29.69	754.2	82	77	NNE	1	b	"	29.73	755.1	75	96	...	0	o
Guam,	12.20	29.74	755.4	...	...	E	4	o	4.20	29.75	755.7	...	...	E	2	o
Yap,	12.47	29.72	754.8	...	...	NNE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	92	NW	4	b	6	29.84	757.9	78	82	SW	1	o

August 7*d*. 11*h*. 17*m*.—Pressure has increased moderately over N.E. Japan and slightly from S.W. Japan to Hongkong. It is nearly stationary elsewhere.

A depression covers China and Indo-China, and a feeble anticyclone is central between the Bonins and the Loochoos.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·49 inch. **Total since January 1st, 69·36 inches, against an average of 55·01 inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, moderate; variable, showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	8th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.79	756.6	80	...	SE	2	o	6	29.75	755.5	69	...	ESE	2	o
Nemuro,	11	29.67	753.5	...	...	S	1	...	5	29.73	755.0	...	...	...	o	...
Hokodate,	,,	29.76	756.0	...	...	SW	1	...	,,	29.78	756.5	...	...	SSE	1	...
Tokio,	,,	29.84	758.0	...	...	NE	1	...	,,	29.86	758.5	...	...	...	o	...
Kochi,	,,	29.82	757.5	...	...	...	o	...	,,	29.86	758.5	...	...	...	o	...
Nagasaki,	,,	29.90	759.5	...	...	WSW	1	...	,,	29.92	760.0	...	...	...	o	...
Kagoshima,	,,	29.90	759.5	...	...	NNW	1	...	,,	29.90	759.5	...	...	NW	1	...
Oshima,	,,	29.02	760.0	...	...	NNE	5	...	,,	29.86	758.5	...	...	SSE	1	...
Naha,	,,	29.90	759.5	...	...	NE	1	...	,,	29.90	759.5	...	...	...	...	...
Ishigakijima,	,,	29.90	759.5	...	...	ESE	2	...	,,	29.88	759.0	...	...	E	1	...
Bonin Island,	,,	29.88	759.0	...	...	WSW	1	...	,,	29.86	758.5	...	...	WSW	1	...
Chefoo,	15	29.67	753.6	94	74	S	2	b	6	29.66	753.3	82	92	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	83	...	...	o	b
Shanghai,	14	29.82	757.5	97	47	SSE	2	b	,,	29.85	758.2	77	86	S	4	b
Gutzlaff,	,,	29.87	758.7	84	68	SSE	4	b	,,	29.89	759.2	78	82	SSW	4	b
Sharp Peak,	,,	29.87	758.7	88	76	E	2	o	,,	29.87	758.7	82	83	N	1	o
Amoy,	,,	29.84	757.9	92	64	SSE	4	b	6	29.85	758.2	82	87	SSW	2	b
Swatow,	,,	29.82	757.4	84	...	ESE	2	b	,,	29.83	757.7	78	...	NE	2	b
Taihoku,	11	29.84	757.8	93	46	...	o	b	5	29.87	758.7	75	88	SE	2	b
Taichu,	,,	29.85	758.1	90	...	NW	2	b	,,	29.88	759.0	73	...	...	o	b
Tainan,	,,	29.85	758.1	90	...	NW	2	b	,,	29.84	757.8	75	...	E	2	b
Koshun,	,,	29.85	758.1	90	...	ENE	4	b	,,	29.84	757.8	77	...	...	o	b
Pescadores,	,,	29.87	758.7	86	...	ENE	4	b	,,	29.86	758.4	79	...	...	o	b
Canton,	14	29.78	756.4	82	87	SE	1	o	6	...	...	...	...	...	o	...
Hongkong,	,,	29.77	756.1	83	81	ESE	5	o	,,	29.80	756.9	81	85	E	4	o
Gap Rock,	,,	29.77	756.1	...	...	ESE	4	cp	,,	29.80	756.9	...	...	E	4	c
Macao,	,,	29.74	755.4	79	92	SE	4	c	,,	29.76	756.0	79	69	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.77	756.1	86	76	SE	4	c	6	29.79	756.6	80	83	ESE	4	bc
Phulien,	15	29.63	752.7	79	91	NE	4	o	7	29.63	752.7	77	96	NE	4	ci
Tourane,	,,	29.59	751.5	84	...	NW	6	o	,,	29.62	752.4	79	...	SW	2	c
Cape St. James,	,,	29.67	753.6	86	...	SW	4	o	,,	29.75	755.7	75	...	SW	4	o
Basco,	,,	29.79	756.6	86	71	SE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	90	66	NNE	4	o	,,	29.81	757.2	75	96	S	2	o
Manila,	,,	29.76	756.0	81	87	ENE	2	o	,,	29.80	756.9	75	98	...	o	o
Legaspi,	,,	29.72	754.8	86	78	NNE	4	o	,,	29.76	756.0	75	91	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	65	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.71	754.5	82	84	N	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	E	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.71	754.5	...	...	SSE	2	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	SW	4	b	6	...	...	...	...	...	...	...

August 8*d.* 11*h.* 35*m.*—Pressure has decreased slightly from Chefoo to Wladivostock and over Tongking. It has increased slightly elsewhere.

A depression covers Indo-China, pressure is relatively low over China and a feeble anticyclone is central over the Loochoo Islands.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·47 inch. Total since January 1st. 69·83 inches, against an average of 55·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	E. winds light to moderate.
2.—South coast of China between Hongkong and Lamocks,	S.E. winds, moderate; cloudy, showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th August, 1926.								9th August, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.73	755.2	75	...	SSE	3	o	6	29.71	754.6	68	...	SE	4	r
Nemuro,	11	29.72	755.0	...	...	SE	1	...	5	29.82	757.5	...	...	SSE	1	...
Hokodate,	,,	29.76	756.0	...	...	SW	2	...	,,	29.80	757.0	...	...	...	0	...
Tokio,	,,	29.82	757.5	...	...	...	0	...	,,	29.82	757.5	...	...	...	0	...
Kochi,	,,	29.80	757.0	...	...	SE	1	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.02	760.0	...	...	W	2	...	,,	29.90	759.5	...	...	WSW	1	...
Kagoshima,	,,	29.90	759.5	...	...	W	1	...	,,	29.90	759.5	...	...	...	0	...
Oshima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.90	759.5	...	...	SSE	1	...
Naha,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.90	759.5	...	...	...	...	...
Ishigakijima,	,,	29.90	759.5	...	...	E	2	...	,,	29.88	759.0	...	...	E	1	...
Bonin Island,	,,	29.84	758.0	...	...	W	1	...	,,	29.80	757.0	...	...	...	...	...
Chefoo,	15	29.62	752.3	98	66	SW	2	b	6	29.68	753.9	82	92	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.72	754.9	82	...	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	87	...	...	0	b
Changsha,	,,	...	...	...	...	...	...	...	,,	29.76	755.9	86	...	S	1	bc
Shanghai,	14	29.82	757.5	99	46	SSW	1	b	,,	29.82	757.5	77	96	SSE	1	b
Gutzlaff,	,,	29.86	758.4	84	72	SSE	2	b	,,	29.86	758.4	78	95	SSW	2	b
Sharp Peak,	,,	29.83	757.7	84	79	E	2	b	,,	29.83	757.7	83	87	NNW	1	o
Amoy,	,,	29.81	757.2	90	66	SE	4	b	6	29.81	757.2	83	79	SE	1	b
Swatow,	,,	29.82	757.4	90	...	E	1	b	,,	29.81	757.2	79	...	...	0	b
Taihoku,	11	29.86	758.4	97	55	SE	2	b	5	29.84	757.8	75	94	...	0	b
Taichu,	,,	29.87	758.7	90	...	...	0	b	,,	29.86	758.4	77	...	...	0	b
Tainan,	,,	29.85	758.1	90	...	NNE	2	b	,,	29.82	757.5	75	...	...	0	b
Koshun,	,,	29.86	75 .4	90	...	NE	4	b	,,	29.82	757.5	79	...	N	2	b
Pescadores,	,,	29.87	758.7	86	...	N	2	b	,,	29.85	758.1	79	...	...	0	b
Canton,	14	29.80	756.9	79	91	SE	1	or	6	29.80	756.9	79	...	...	..	bc
Hongkong,	,,	29.81	757.2	82	84	ENE	2	o	,,	29.81	757.2	79	89	E	2	o
Gap Rock,	,,	29.82	757.4	...	...	E	4	op	,,	29.80	756.9	...	...	E	4	o
Macao,	,,	29.79	756.6	79	91	ENE	4	r	,,	29.78	756.3	79	90	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	29.80	756.9	87	75	E	3	bc	6	29.80	756.9	80	87	ESE	3	o
Phulien,	15	29.63	752.7	77	98	ESE	4	r	7	29.71	754.5	75	98	ENE	4	r
Tourane,	,,	29.65	753.0	81	...	NE	2	o	,,	29.71	754.5	77	...	NW	2	o
Cape St. James,	,,	29.73	755.7	77	...	SW	4	o	,,	29.79	756.6	77	...	SSW	2	o
Basco,	,,	29.78	756.3	86	71	NNW	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	90	72	NNE	4	b	,,	29.79	756.6	77	96	...	0	o
Manila,	,,	29.74	755.4	90	69	NNE	2	o	,,	29.80	756.9	66	96	NE	1	o
Legaspi,	,,	29.73	755.1	86	65	NE	2	o	,,	29.78	756.3	79	95	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	71	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.73	755.1	84	77	...	0	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	WSW	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	80	91	...	...	...	6	29.82	757.4	78	82	SW	1	o

August 9*d*. 10*h*. 55*m*.—Pressure has increased slightly from central China to N. Indo-China and also over N.E. Japan. It is nearly stationary elsewhere.

A feeble anticyclone is central over the Loochoos.

The depression over China and Indo-China is not so deep.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·27 inch. Total since January 1st, 70·10 inches, against an average of 56·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate; cloudy, showery.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th August, 1926.								10th August, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.68	753.8	67	...	SE	4	r	6	29.64	752.8	68	...	ESE	4	f
Nemuro,	11	29.82	757.5	...	...	SE	2	...	5	29.73	755.0	...	...	S	3	...
Hokodate,	..	29.78	756.5	...	...	SSE	2	...	,,	29.80	757.0	...	...	...	...	...
Tokio,	,,	29.84	758.0	...	...	N	1	...	,,	29.80	757.0	...	...	...	...	...
Kochi,	,,	29.78	756.5	...	...	NE	1	...	,,	29.84	758.0	...	...	WSW	1	...
Nagasaki,	,,	29.84	758.0	...	...	WSW	2	...	,,	29.90	759.5	...	...	...	...	...
Kagoshima,	,,	29.86	758.5	...	...	W	1	...	,,	29.88	759.0	...	...	...	0	...
Oshima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.90	759.5	...	...	SSE	1	...
Naha,	,,	29.92	760.0	...	...	W	2	...	,,	29.92	760.0	...	...	NW	1	...
Ishigakijima,	,,	29.00	759.5	...	...	SE	2	...	,,	29.90	759.5	...	...	ESE	1	...
Bonin Island,	..	29.80	757.0			NW	1	...	,,	29.84	758.0	...	...	...	...	...
Chefoo,	15	29.64	752.8	88	88	E	1	0	6	29.68	753.9	81	92	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	82	...	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	88	...	...	0	h
Shanghai,	14	29.81	757.2	99	44	SSE	1	b	,,	29.82	757.5	77	98	SE	1	h
Gutzlaff,	,,	29.87	758.7	86	68	S	1	b	,,	29.86	758.4	78	92	SSW	2	b
Sharp Peak,	..	29.86	758.4	90	73	E	2	h	-	29.88	758.9	84	79	N	1	b
Amoy,	,,	29.85	758.2	90	88	SE	2	h	6	29.82	757.4	83	79	SSE	1	b
Swatow,	,,	29.84	757.9	91	...	SE	1	h	,,	29.84	757.9	80	...	...	0	h
Taihoku,	11	29.84	757.8	93	59	E	1	b	5	29.85	758.1	77	88	...	0	h
Taichu,	,,	29.87	758.7	90	...	...	0	b	,,	29.87	758.7	79	...	...	0	o
Tainan,	,,	29.86	758.4	90	...	W	2	b	,,	29.84	757.8	72	...	...	0	b
Koshun,	,,	29.86	758.4	90	...	NNE	2	b	,,	29.82	757.5	79	...	ENE	2	h
Pescadores,	,,	29.88	759.0	90	...	...	0	b	,,	29.85	758.1	79	...	...	0	b
Canton,	14	...	...	...	...	...	...	...	6	29.82	757.4	79	...	E	1	h
Hongkong,	,,	29.83	757.7	83	81	E	3	op	,,	29.83	757.7	78	94	...	0	cm
Gap Rock,	,,	29.83	757.7	...	...	E	4	o	,,	29.83	757.7	...	..	E	3	c
Macao,	,,	29.81	757.2	81	98	SSE	1	r	,,	29.80	756.9	77	98	SE	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	..	...	...	...	...	...	...
Pratas Island,	14	29.81	757.2	89	81	ESE	3	...	6	29.80	756.9	82	84	ENE	3	b
Phulien,	15	29.74	755.4	73	100	E	1	rf	7	29.74	755.4	75	98	ESE	4	rf
Tourane,	,,	29.72	754.8	82	...	N	2	o	,,	29.76	756.0	79	...	SW	2	h
Cape St. James,	,,	29.65	753.0	86	...	S	2	b	,,	29.84	757.8	75	...	WNW	4	o
Basco,	,,	29.76	756.0	86	81	ESE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	90	72	NNW	4	o	,,	29.79	756.6	77	96	...	0	b
Manila,	,,	29.76	756.0	84	74	SW	1	o	,,	29.79	756.6	75	96	E	1	o
Legaspi,	,,	29.74	755.4	86	75	SW	2	o	,,	29.75	755.7	77	96	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	65	S	2	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.74	755.4	86	75	WNW	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	SE	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	W	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	84	83	NW	2	o	6	29.83	757.7	78	91	NW	2	b

August 10*d*. 11*h*. *com*.—Pressure has decreased slightly over N.E. Japan, at Wladivostock, at Haiphong and at Legaspi. It has increased slightly from N.E. China to the Bonins and is nearly stationary elsewhere.

Pressure is low over China and high over the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·08 inch. Total since January 1st, 70·18 inches, against an average of 56·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel, ...	E. or variable winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	11th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	29.62	752.4	73	...	FSE	2	0	6	29.72	754.8	70	...	NNE	2	0
Nemuro,	11	29.65	753.0	...	...	SSE	5	...	5	29.65	753.0	...	...	...	...	...
Hokodate,	.	29.67	753 5	...	...	SW	1	...	,,	29.69	754.0	...	...	SW	1	...
Tokio,	,,	29 76	756.0	...	...	SE	1	...	,,	29.82	757-5	...	...	...	...	...
Kochi,	,,	29.84	758 0	...	...	SE	1	...	,,	29.84	758.0	...	...	WSW	1	...
Nagasaki,	,,	29.90	759.5	...	...	SW	2	...	,,	29 90	759.5	...	...	...	0	...
Kagoshima,	,,	29.88	759.0	...	...	WNW	1	...	,,	29.88	759.0	...	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	SW	1	...	,,	29.90	759.5	...	...	N	1	...
Naha,	,,	29.94	760 5	...	...	W	1	...	,,	29.92	760.0	...	...	...	0	...
Ishigakijima,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.90	759.5	...	...	N	1	...
Bonin Island,	..	29.88	759.0	...	...	NW	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.66	753.3	100	58	W	1	b	6	29.69	754.1	84	87	SW	1	0
Ichang,	,,	...	...	...	...	...	...	...	,,	29.64	752.5	84	...	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	87	...	...	...	b
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.81	757.2	93	50	SSE	2	b	,,	29.85	758.1	81	90	SE	1	b
Gutzlaff,	,,	29.86	758.4	86	76	SSE	2	b	,,	29.87	758.7	78	95	SSE	2	b
Sharp Peak,	,,	29.86	75 .4	86	80	E	2	b	7	29.84	757.9	83	85	NE	1	b
Amoy,	,,	29.86	758.4	92	85	SSE	4	b	6	29.84	757.9	84	79	WSW	1	b
Swatow,	,,	29.85	758.2	89	...	...	0	b	,,	29.84	757.9	80	...	...	0	b
Taihoku,	11	29.86	758.4	90	57	...	0	b	5	29.86	758.4	79	...	E	2	b
Taichu,	,,	29.88	759.0	90	...	...	0	b	,,	29.86	758.4	79	...	...	0	b
Tainan,	,,	29.87	758.7	90	...	NNW	2	b	,,	29.85	758.1	75	...	...	0	b
Koshun,	,,	29.83	757.7	86	...	E	2	0	,,	29.85	758.1	75	...	...	0	b
Pescadores,	,,	29.87	758.7	86	...	NNW	2	b	,,	29.84	757.8	84	...	...	0	b
Canton,	14	29.84	757.9	92	70	E	1	0	6	29.83	757.7	83	...	...	0	b
Hongkong,	,,	29.84	757.9	86	79	E	1	0	,,	29.83	757.7	81	91	ESE	2	0
Gap Rock,	,,	29.85	758.1	...	...	SE	4	b	,,	29.83	757.7	...	...	E	3	b
Macao,	,,	29.82	757.5	90	72	SE	2	0	,,	29.81	757.2	79	87	E	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	29.83	757.7	85	89	E	3	p	6	29.80	756.9	82	84	E	4	0
Phulien,	15	29.78	756.3	77	100	SSE	2	r	7	29.81	757.2	75	98	ENE	4	0
Tourane,	,,	29.78	756.3	84	...	N	4	b	,,	29.79	756.6	79	...	...	0	0
Cape St. James.	,,	29.82	757.5	84	...	W	2	b	,,	29.85	758.1	77	...	WSW	2	0
Basco,	,,	29.81	757.2	90	69	ESE	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.78	756.3	86	78	NE	4	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	86	65	W	2	0	,,	29.72	754.8	75	96	NE	1	0
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	75	96	...	0	0
Tacloban,	,,	29.72	754.8	86	71	NNW	4	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	84	71	S	4	0	,,	29.75	755.7	77	96	...	0	0
Surigao,	,,	29.73	755.1	86	68	SW	2	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	SE	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.6	...	...	WNW	4	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	SW	4	b	6	29.84	757.9	76	91	W	2	b

August 11*d.* 11*h.* 15*m.*—Pressure has increased slightly from central China to S. Manchuria. It has decreased slightly over the Philippines and is nearly stationary elsewhere.

Pressure is low over N.E. China and S.E. Mongolia and high from the Loochoos to the Bonins.

A typhoon may be forming to the east of Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 70·18 inches, against an average of 57·13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	E. or variable winds, light; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	12th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock. .	12	29.72	755.0	83	...	NNW	2	c	6	29.75	755.5	71	...	...	0	o
Nemuro.....	11	...	...	...	...	...	...	...	5	29.67	753.5	...	...	NNE	1	...
Hokodate, ...	.	29.65	753.0	...	...	WSW	2	...	,,	29.75	755.5	...	...	N	1	...
Tokio,.....	,,	29 75	756.0	...	...	S	2	...	,,	29.76	756.0	...	...	NW	1	...
Kochi, ...	,,	...	...	...	...	...	...	...	,,	29.84	758.0	...	...	...	0	...
Nagasaki, ...	,,	...	...	...	...	...	...	...	,,	29.86	758.5	...	...	...	...	...
Kagoshima, ...	,,	29.88	759.0	...	...	SSW	1	...	,,	29.84	758.0	...	...	NW	1	...
Oshima, ...	,,	29.88	759.0	...	...	NNE	1	...	,,	29.84	758.0	...	...	S	1	...
Naha, ...	,,	29.90	759.5	...	...	WSW	1	...	,,	29.82	757.5	...	...	NNW	1	...
Ishigakijima,...	,,	29.90	759 5	...	...	FNE	2	...	,,	29.80	757.0	...	...	NNE	1	...
Bonin Island,..	,,	29.90	759.5	...	...	SE	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo, ...	15	29.67	753 6	88	84	NNW	1	b	6	29.64	752.8	76	100	SSW	1	o
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.60	751.8	80	...	SSE	1	c
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.65	753.1	90	...	...	0	h
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai.	14	29.80	756.9	99	48	NW	1	b	,,	29 76	756.0	77	94	SE	2	b
Gutzlaff,.....	,,	29.86	758.4	86	72	SSE	2	b	,,	29.80	756.9	77	92	SSE	2	b
Sharp Peak, ...	,,	29.83	757.7	86	76	E	2	b	7	29.77	756.1	83	75	N	1	b
Amoy, ...	,,	29.82	757.4	92	64	SSE	4	b	6	29.76	755.9	84	79	SE	1	b
Swatow,.....	,,	29.82	757.4	100	...	...	0	b	,,	29.77	756.1	80	...	...	0	b
Taihoku, ...	11	29.84	757.8	93	53	...	0	b	5	29.79	756.6	75	83	S	2	b
Taichu, ...	,,	29.86	758.4	90	...	W	2	b	,,	29.80	756.9	79	...	...	0	b
Tainan, ...	,,	29.84	757.8	90	...	NW	2	b	,,	29.78	756.3	81	...	...	0	o
Koshun,.....	,,	29.85	758.1	90	...	ENE	2	b	,,	29.76	756.0	79	...	N	2	o
Pescadores, ..	,,	29.91	759.6	86	...	N	2	b	,,	29.80	756.9	81	...	...	0	b
Canton, ...	14	29.81	757.2	93	67	...	0	b	6	29.76	755.9	81	...	...	c	c
Hongkong,.....	,,	29.81	757.2	87	70	E	2	c	,,	29.77	756.1	79	91	...	0	o
Gap Rock, ...	,,	29.82	757.4	...	...	E	3	h	,,	29.80	756.9	...	...	E	2	o
Macao, ...	,,	29.80	756.9	93	74	SE	2	b	,,	29.75	755.7	79	92	SSE	2	of
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	14	29.79	756.6	88	73	ESE	2	b	6	29.71	754.5	82	80	ENE	4	b
Phulien, ...	15	29.79	756.6	82	90	ESE	4	o	7	29.76	756.0	77	98	ENE	2	o
Tourane,.....	,,	29.76	756.0	84	...	NW	4	b	,,	29.76	756.0	79	...	W	2	b
Cape St. James.	,,	29.82	757.5	86	...	SW	4	b	,,	29.82	757.5	77	...	SW	6	of
Basco,.....	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri, ...	,,	29.72	754.8	86	78	NNE	4	o	,,	29.69	754.2	77	96	...	0	o
Manila, ...	,,	29.67	753.6	79	89	S	2	o	,,	29.68	753.9	77	96	SE	1	o
Legaspi,.....	,,	29.67	753.6	86	68	SSW	4	o	,,	29.69	754.2	77	96	S	1	o
Tacloban, ...	,,	29.69	754.2	82	86	SW	2	r	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.72	754.8	...	...	S	4	o	,,	...	...	...	...	...	...	...
Surigao, ...	,,	29.71	754.5	86	71	WSW	4	o	,,	...	...	...	...	...	...	...
Guam,.....	12.20	29.80	756.9	...	...	S	2	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.79	756.6	...	...	SW	4	r	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.80	756.9	84	83	NW	2	o	6	29.83	757.7	78	91	SW	2	b

August 12*d*. 10*h*. 40*m*.—Pressure has decreased moderately over central China and slightly at the majority of other stations. It is low over N.E. China and high over the Bonins.

A trough of low pressure extends from the middle of the China Sea to far east of Luzon. A typhoon may be forming in its eastern extremity.

Shanghai warning. 11*d*. 10*h*. 05*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 132° E., moving W.N.W. Recd. 11*d*. 23*h*. 36*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 70·18 inches, against an average of 57·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, ...	Light E. or variable winds; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	13th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.72	754.9	75	...	ESE	2	o	9	29.70	754.3	68	...	...	o	o
Nemuro,	11	29.67	753.5	...	...	N	1	...	5	29.75	755.5	...	..	...	o	...
Hokodate,	.	29.74	755.5	...	...	SW	1	...	,,	29.76	756.0	...	...	...	..	...
Tokio,	..	29.74	755.5	...	...	S	1	..	,,	29.80	757.0	...	...	NW	1	...
Koobi,	..	29.82	757.5	...	...	SE	1	...	,,	29.88	759.0	...	...	...	o	...
Nagasaki,	..	29.84	758.0	...	...	SSW	1	...	,,	29.84	758.0	...	...		o	...
Kagoshima,	,,	29.00	759.5	...	...	S	1	...	,,	29.86	758.5	...	...	W	1	...
Oshima,	,,	29.84	758.0	...	...	N	2	...	,,	29.86	757.0	...	...	...	...	...
Naha,	,,	29.82	757.5	...	...	N	1	...	,,	29.73	755.0	...	...	N	1	...
Ishigakijima,	,,	29.80	757.0	...	...	E	2	...	,,	29.69	754.0	...	...	N	1	...
Bonin Island,	..	29.92	760.0	...	...	S	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.59	751.6	83	92	NW	2	o	6	29.66	753.3	72	100	NW	1	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.68	753.9	76	...	...	o	h
Hankow,	,,	...	...	...	...	...	...	...	,,	29.66	753.3	88	...	...	o	bc
Changsha,	,,	.	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.71	754.5	99	48	SE	2	b	,,	29.71	754.5	77	88	SSE	4	b
Gutzlaff,	,,	29.74	755.4	84	72	SSE	4	b	,,	29.76	755.9	78	86	S	4	b
Sharp Peak,	,,	29.82	757.4	86	76	E	2	b	-	29.69	754.1	82	79	NNW	2	b
Amoy,	,,	29.66	753.3	90	66	SSE	4	h	6	29.67	753.6	82	83	ENE	1	b
Swatow,	,,	29.60	751.8	88	69	ESE	2	c	,,	29.65	753.3	80	...	...	o	b
Taiboku,	11	29.76	756.0	93	57	...	o	h	5	29.69	754.2	77	79	...	o	b
Taichu,	,,	29.78	756.3	90	...		o	b	,,	29.69	754.2	77	...	...	o	o
Tainan,	,,	29.74	755.4	90	...	NNE	2	h	,,	29.67	753.6	77	...	...	o	o
Koshun,	,,	29.76	756.0	86	...	ENE	4	b	,,	29.66	753.3	79	.	N	2	b
Pescadores,	..	29.76	756.0	86	...	N	4	h	..	29.68	753.9	79	...	NW	2	h
Canton,	14	29.66	752.3	93	67	SW	1	b	6	29.66	753.3	85	...	...	c	b
Hongkong,	,,	29.69	754.1	80	77	ESE	1	o	,,	29.66	753.3	79	89	...	o	h
Gap Rock,	,,	29.71	754.6	...	...	ENE	2	c	,,	29.66	753.3	...	...	ENE	3	b
Macao,	,,	29.68	753.9	93	74	SE	2	o	,,	29.65	753.0	79	92	...	o	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Hoihow,	,,	..	...	...	...	...	...	...	..		...	...	...	...	.	...
Pratas Island,	14	29.69	754.1	85	77	ENE	4	1c	6	29.65	753.1	82	87	ESE	5	c
Phulien,	15	29.68	753.9	86	78	SE	2	b	7	29.66	753.3	79	95	ENE	2	b
Tourane,	,,	29.67	753.6	86	...	NNE	2	b	,,	29.66	753.3	79	...	NW	4	o
Cape St. James,	,,	29.76	756.0	79	...	WSW	4	of	,,	29.75	755.7	77	...	WSW	6	o
Basco,	,,	29.67	753.6	90	66	ESE	4	r	6	29.60	751.8	79	87	NE	2	o
Aparri,	,,	29.62	752.4	90	76	NNE	4	b	,,	29.59	751.5	77	96		c	o
Manila,	,,	29.63	752.7	81	84	...	o	o	,,	29.63	752.7	...	...	SE	1	a
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.68	753.9	77	92	SSW	2	o	,,	...	...	...	...		...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	75	98	SW	6	o
Surigao,	..	...	...	...	...	...	...	...	,,	29.71	754.5	82	70	W	4	o
Guam,	12.20	29.78	756.3	...	...	E	2	o	4.20	29.79	756.6	...	...	NE	1	o
Yap,	12.47	29.78	756.3	...	...	SW	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	78	91	NW	2	b	6	29.82	757.4	78	91	SW	2	b

August 13*d*. 11*h*. 13*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 113° E., stationary or very slow.

August 13*d*. 11*h*. 25*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 18° N. Long. 125° E, moving N.W.

August 13*d*. 11*h*. 17*m*.—Pressure has increased slightly over N.E. China and N.E. Japan. It has decreased slightly elsewhere.

There is a typhoon near the Paracels, which appears to be nearly stationary, and one about 200 miles E. of Aparri, moving N.W.

Shanghai warning. 12*d*. 12*h*. 35*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 127° E., moving W.N.W. Recd. 12*d*. 22*h*. 30*m*.

Manila warning. 12*d*. 11*h*. 50*m*.:—The typhoon has crossed Luzon north of Manila in the form of a shallow depression. It may increase in intensity in the China Sea. Recd. 12*d*. 12*h*. 45*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 70·18 inches, against an average of 58·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, freshening.
2.—South coast of China between Hongkong and Lamocks,	N.E. or variable winds, moderate; fine to cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	14th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.70	754.4	70	...	E	2	r	0	29.90	759.5	69	...	...	0	0
Nemuro,	11	29.74	755.5	...	...	SE	1	...	5	29.80	757.0	...	..	N	1	
Hokodate,		29.76	756.0	...	...	SSW	1	...	,,	29.84	758.0	...	...	...	0	..
Tokio,	,,	29.80	757.0	...	...	N	2	...	,,	29.84	758.0	...	...	...	0	..
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.94	760.5	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	SW	1	...	,,	29.90	759.5	...	...	E	1	...
Kagoshima,	,,	29.86	758.5	...	...	...	...	...	,,	29.88	759.0	...	...	...	0	...
Oshima,	,,	29.80	757.0	...	...	SE	1	...	,,	29.76	756.0	...	...	SE	2	...
Naha,	,,	29.72	755.0	...	...	ENE	4	...	,,	29.63	752.5	...	...	ENE	2	...
Ishigakijima,	,,	29.67	753.5	...	...	NE	3	...	,,	...	...	...	...	NE	3	...
Bonin Island,	..	29.96	761.0	...	...	SSW	1	..	,,	29.98	761.5	...	...	...	...	...
Chefoo,	15	29.68	753.9	82	87	E	1	b	6	29.76	755.9	76	100	WNW	1	0
Ichang,	,,	...	...	...	...	...	...	...	,,	29.64	752.8	78	...	...	0	0
Hankow,	,,	...	...	...	...	...	...	...	,,	29.65	753.1	83	...	...	0	b
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.71	754.5	97	47	SE	2	b	,,	29.74	755.4	79	95	ESE	2	b
Gutzlaff,	,,	29.76	755.0	83	79	SSE	4	b	,,	29.75	755.6	78	100	SE	4	b
Sharp Peak,	..	29.67	753.6	86	72	ENE	2	b	-	29.63	752.6	83	73	N	2	b
Amoy,	,,	29.65	753.1	92	64	SSE	4	b	6	29.57	751.1	84	72	ENE	1	b
Swatow,	,,	29.64	752.8	90	...	ESE	1	b	,,	29.58	751.3	83	...	...	C	b
Taihoku,	11	29.63	753.0	93	61	E	4	b	5	29.56	750.4	79	96	...	C	r
Taichu,	,,	29.63	752.7	90	...	NW	2	b	,,	29.55	750.6	77	..	...	C	b
Tainan,	,,	29.63	752.0	90	...	W	2	b	,,	29.52	749.7	77	...	SE	2	b
Koshun,	,,	29.65	753.0	90	...	NE	2	b	,,	29.50	749.4	81	...	NNW	2	b
Pescadores,	,,	29.69	753.3	86		N	4	b	,,	29.50	749.4	59	...	NE	4	o
Canton,	14	29.60	751.8	92	67	S	1	b	6	29.61	752.1	82	..	SE	1	e
Hongkong,	,,	29.62	751.3	87	65	ESE	3	b	,,	29.60	751.8	79	89	...	C	bm
Gap Rock,	,,	29.63	752.6	...	...	NNE	4	b	,,	29.59	751.6	...	..	NNE	3	b
Macao,	,,	29.60	751.8	90	69	ESE	2	b	,,	29.59	751.5	79	92	N	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...		...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,			...	...	...	...	...
Pratas Island,	14	29.58	751.3	87	80	ESE	4	1c	6	29.55	750.5	82	88	ENE	1	c
Phulien,	15	29.59	751.5	90	66	SE	2	b	7	29.63	752.7	79	95	NNW	2	b
Tourane,	,,	29.56	750.9	84	...	NW	4	b	,,	29.62	752.4	77	...	W	2	o
Cape St. James,	,,	29.71	754.5	79	...	WSW	6	o	,,	29.72	754.8	77	...	WSW	7	b
Basco,	,,	29.55	750.6	80	75	N	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.54	750.3	90	69	NW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.61	752.1	81	89	SW	4	o	,,	29.62	752.4	79	89	SSW	4	o
Legaspi,	,,	29.60	751.8	84	77	SSW	4	o	,,	29.66	753.3	79	76	SSW	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	79	80	SSE	2	o
Iloilo,	,,	29.68	753.9	77	96	SW	6	o	,,	29.73	755.1	77	98	SW	6	1
Surigao,	..	29.68	753.9	86	61	WSW	4	o	,,	29.74	755.4	77	89	...	C	o
Guam,	12.20	29.75	755.7	...	...	NE	2	o	4.20	29.80	756.9	...	...	E	1	o
Yap,	12.47	29.79	756.6	...	...	NE	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	NE	4	b	6	29.81	757.2	78	91	NW	2	b

August 14*d.* 10*h.* 40*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 16° N. Long. 113° E. filling up, position uncertain.

August 14*d.* 11*h.* 42*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 123° E., moving N.N.W.

August 14*d.* 11*h.* 30*m.*—Pressure has increased slightly from N.E. China to N.E. Japan and at Tourane. It has decreased moderately over Formosa and slightly over the Loochoos.

The typhoon near the Paracels appears to be filling up and the other typhoon appears to be about 150 miles E.S.E. of Kosbun, moving N.N.W.

Manila warning, 13*d.* 20*h.* 00*m.*:—Typhoon in Lat. 17° N. Long. 112° E., moving W. Recd. 13*d.* 22*h.* 12*m.*

Shanghai warning, 14*d.* 10*h.* 15*m.*:—A severe typhoon within 60 miles of Lat. 23° N. Long. 124° E., moving N.W. Recd. 14*d.* 10*h.* 50*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 70·18 inches, against an average of 58·69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	Cyclonic gales.
2.—South coast of China between Hongkong and Lamocks,	N. winds, freshening.
3.—Hongkong to Gap Rock,	N. or variable winds, moderate; fine to cloudy.
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	15th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.95	760.8	74	...	SSE	4	o	6	30.02	762.6	66	..	SE	4	o
Nemuro,	11	29.84	758.0	...	...	N	1	...	5	30.06	763.5	...	..	NNE	1	...
Hokodate,	.	29.88	759.0	...	...	...	c	...	,,	30.04	763.0	...	...	...	c	...
Tokio,	..	29.84	758.0	...	...	S	1	...	,,	29.96	761.0	...	...	NNE	1	...
Kochi,	..	29.91	760 5	...	...	SE	1	...	,,	29.98	761.5	...	...	..	o	...
Nagasaki,	..	29.88	759.0	...	...	SE	2	...	,,	29.88	759.0	...	..	ESE	1	...
Kagoshima,	..	29.90	759.5	...	...	E	1	...	,,	29.90	759.5	...	...	ESE	1	...
Oshima,	..	29.76	756.0	...	...	SE	2	...	,,	29.75	755.5	...	...	SE	2	...
Naha,	,,	29.61	752.0	...	...	ESE	5	...	,,	29.65	753.0	...	...	E	2	...
Ishigakijima,	,,	28.88	743.5	...	...	NE	10	...	,,	..	...	...	...	...	...	...
Bonin Island,	..	29.98	761.5	...	...	ESE	1	...	..	30.00	762.0	...	...	...	...	...
Chefoo,	15	29 78	756.4	82	87	NNW	1	o	6	29.75	755.6	78	100	...	c	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.72	754.9	81	...	...	c	lc
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Shanghai,	14	29.73	755.1	93	57	ESE	4	b	,,	29.65	753.0	81	100	E	4	bf
Gutzlaff,	,,	29.76	755.9	84	87	E	4	b	,,	29.65	753.0	78	95	E	4	o
Sharp Peak,	..	29.63	752.6	86	80	NNE	4	b	-	29.44	747.8	84	72	NNW	4	o
Amoy,	,,	...	...	96	59	NW	4	b	6	29.47	748.5	82	67	WSW	2	b
Swatow,	,,	...	...	93	...	ESE	1	b	,,	29.48	749.0	90	...	SW	1	b
Taihoku,	11	29.48	748.8	82	86	NE	4	r	5	29.03	737.4	84	96	SW	8	r
Taichu,	,,	29.49	749.1	79	...	...	c	o	,,	29.40	746.7	77	...	WSW	2	r
Tainan,	,,	29.48	748.8	86	...	...	o	o	,,	29.41	747.0	81	...	W	2	o
Koshun,	,,	29.47	748.5	84	...	W	2	o	,,	29.40	746 7	81	..	W	2	o
Pescadores,	,,	29.50	749.4	86	..	N	4	o	,,	29.41	747.0	82	...	WNW	4	o
Canton,	14	29.54	750.3	95	65	NNW	2	b	6	29.63	752.6	84	...	...	o	bc
Hongkong,	,,	29.54	750.3	89	62	ESE	2	c	,,	29 51	749.5	81	83	W	2	b
Gap Rock,	,,	29.59	751.6	...	...	N	4	b	,,	29.52	749.8	...		WSW	4	o
Macao,	,,	29.54	750.3	90	69	ESE	2	b	,,	29.49	749.1	81	87	WNW	4	b
Wuchow,	15	...	..	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	.	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	..	..	...
Pratas Island,	14	29.53	750.0	86	80	NE	2	b	6	29.48	748.8	80	78	ESE	1	o
Phulien,	15	29.60	751.8	90	66	WSW	2	b	7	29.61	752.1	81	96	W	1	b
Tourane,	,,	29.59	751.5	86	...	NW	4	b	,,	29.61	752.1	79	...	SW	2	b
Cape St. James,	,,	29.72	754.8	81	...	WSW	6	o	,,	29.72	754.8	75	...	NW	6	o
Basco,	,,	...	...	...	...	...	...	...	6	29.49	749.4	82	74	SW	4	o
Aparri,	,,	...	..	.	...	...	...	...	,,	29.50	749.4	79	80	S	4	o
Manila,	,,	29.61	752.1	84	71	SW	4	o	,,	29.62	752.1	79	90	SSW	4	o
Legaspi,	,,	29.66	753.3	86	75	SW	4	o	..	29.68	753.9	75	85	SSW	4	b
Tacloban,	,,	29.72	754.8	84	68	WSW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	84	77	SSW	6	o	,,	29.74	755.4	79	85	SW	6	o
Surigao,	..	29.72	754.8	86	65	WSW	1	o	,,	29.79	756.6	77	89	...	o	o
Guam,	12.20	29.79	756.6	..	...	E	2	o	4.20	29.80	756.9	...	...	NE	1	o
Yap,	12.47	29.79	756.6	...	...	NW	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	.	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	84	83	SW	2	b	6	29.81	757.2	78	91	SW	2	b

August 15*d.* 9*h.* 36*m.*—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 18° N. Long. 118° E., direction unknown.

August 15*d.* 12*h.* 10*m.*—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 26° N. Long. 122° E., moving N.W.

August 15*d.* 12*h.* 20*m.*—Pressure has increased considerably over N.E. Japan and moderately from Wladivostock to the Bonins. It has decreased considerably over N. Formosa and W. of N. Luzon, moderately over E. China and slightly elsewhere.

An anticyclone covers N.E. Japan.

The typhoon at 6 a.m. this morning was about 50 miles north of the N. end of Formosa, moving N.W. A typhoon has formed in the China Sea in about Lat. 18° N. and Long. 118° E., direction unknown.

Manila warning. 14*d.* 11*h.* 30*m.*:—Typhoon in Lat. 18° N. Long. 114° E., recurving northward. Recd. 14*d.* 12*h.* 25*m.*

Shanghai warning. 15*d.* 8*h.* 45*m.*:—A severe typhoon within 30 miles of Lat. 27° N. Long. 124° E., moving N.N.W. Recd. 15*d.* 10*h.* 12*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 70·18 inches, against an average of 59·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	Southerly gales.
2.—South coast of China between Hongkong and Lamocks,	W. or variable winds, moderate to fresh; fine to cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	16th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.03	762.7	67	...	SE	5	o	6	30.02	762.4	67	...	SE	4	o
Nemuro,	11	30.08	764.0	...	...	NNW	1	...	5	30.16	766.0	...	...	...	0	...
Hokodate,	.	30.06	763.5	...	...	SE	1	...	,,	30.10	764.5	...	...	E	1	...
Tokio,	,,	29.94	760.5	...	...	E	1	...	,,	30.06	763.5	...	...	NNE	1	...
Kochi,	,,	29.96	761.0	...	...	S	1	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	E	2	...	,,	29.84	758.0	...	...	SSE	2	...
Kagoshima,	,,	29.86	758.5	...	...	SE	1	...	,,	28.84	758.0	...	...	SE	2	...
Oshima,	,,	29.74	755.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.67	753.5	...	...	E	4	...	,,	..	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.61	752.0	...	...	SSE	3	...
Bonin Island,	..	29.98	761.5	...	...	E	1	..	,,	30.00	762.0	...	...	...	0	...
Chefoo,	15	29.77	756.1	72	100	ESE	1	r	6	29.58	751.3	74	100	E	2	rf
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.68	751.2	82	89	E	4	r	,,	29.23	742.5	81	86	FSE	8	r
Gutzlaff,	,,	29.58	751.3	78	95	ESE	6	r	,,	29.33	745.0	80	92	SSE	10	o
Sharp Peak,	..	29.29	743.9	86	80	SW	2	o	-	29.49	749.0	84	87	S	1	b
Amoy,	..	29.28	743.7	96	56	WSW	6	r	6	29.42	747.2	84	87	SSW	2	o
Swatow,	,,	...	...	94	...	SW	1	b	,,	...	..	...	...	..	...	...
Taihoku,	11	29.33	744.9	79	90	SW	4	r	5	29.52	749.7	77	96	NW	2	o
Taichu,	,,	29.45	747.9	84	...	S	1	o	,,	29.50	749.4	75	...	...	0	b
Tainan,	,,	29.46	748.2	86	...	SW	4	o	,,	29.46	748.2	77	..	..	c	b
Koshun,	,,	29.47	748.5	86	...	SSW	4	o	,,	29.46	748.2	77	..	SE	2	r
Pescadores,	,,	29.45	747.9	86	...	WSW	2	o	,,	29.47	748.5	81	...	SW	2	b
Canton,	14	...	...	...	...	...	...	...	6	29.50	749.3	88	...	...	c	...
Hongkong,	,,	29.42	747.2	91	72	W	3	c	,,	29.49	749.0	82	90	WNW	1	bm
Gap Rock,	,,	29.46	748.3	...	...	W	4	b	,,	29.50	749.3	...		WSW	4	c
Macao,	,,	29.42	747.3	97	60	N	4	o	,,	29.47	748.5	84	81	W	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	..	...	...	,,	...	.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	..	..	...	...	...	...	...
Pratas Island,	14	29.44	747.8	88	82	NW	3	c	6	29.48	748.8	81	80	WNW	3	lc
Phulien,	15	29.53	750.0	93	61	WNW	2	b	7	29.58	751.2	81	96	SSW	1	b
Tourane,	,,	29.58	751.2	86	...	N	2	b	,,	29.61	752.1	79	...	SE	1	b
Cape St. James,	,,	29.72	754.8	81	...	SW	6	o	,,	29.74	755.4	75	...	SW	4	of
Basco,	,,	29.47	748.5	90	48	S	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	.	.	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.70	751.8	86	75	SW	4	o	,,	29.68	753.9	79	95	SW	4	o
Legaspi,	,,	29.65	753.0	86	65	S	4	o	,,	29.73	755.1	79	87	WSW	2	o
Tacloban,	,,	29.69	754.2	90	57	SSW	4	o	,,	29.76	756.0	81	84		0	o
Iloilo,	,,						...	...	,,	29.76	756.0	81	87	SW	6	o
Surigao,	..	29.71	754.5	86	61	W	2	o	,,	29.76	756.0	81	84	W	2	o
Guam,	12.20	29.78	756.3	...	...	NE	4	o	4.20	29.80	756.9	...	...	SE	1	o
Yap,	12.47	29.78	756.3	...	...	E	2	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	.	.	.	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	92	NW	2	b	6	29.82	757.4	..	...	SW	2	b

August 15*d.* 17*h.* 40*m.*—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 27° N. Long. 121° E., moving N.W.

August 16*d.* 11*h.* 08*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 18° N. Long. 118° E., direction unknown, position uncertain.

August 16*d.* 11*h.* 11*m.*—Pressure has decreased considerably at Shanghai and moderately at Chefoo. It has increased moderately at Tokio and slightly over S. China and the Philippines.

The northern typhoon is now a few miles West of Shanghai moving northward.

The position and direction of motion of the southern typhoon is uncertain. The deduced position is Lat. 18° or 19° N. and Long. 118° or 119° E.

Manila warning. 15*d.* 17*h.* 00*m.*:—Cyclone or typhoon W. of Luzon more than 100 miles distant moving E.N.E. Recd. 15*d.* 17*h.* 58*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 70·18 inches, against an average of 59·71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel.	S.W. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	S.W. winds, moderate.
3.—Hongkong to Gap Rock,	W. or variable winds, moderate; fine to cloudy.
4.—South coast of China between Hongkong and Hainan,	W. or variable winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	17th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.98	761.5	67	...	SE	4	r	6	29.79	756.6	66	...	NNE	3	r
Nemuro,	11	30.16	766.0	...	...	SSE	1	...	5	29.69	754.0	...	..	S	2	...
Hokodate,	.	30.10	764.5	...	...	ESE	4	...	,,	29.92	760.0	...	...	...	0	...
Tokio,	,,	30.04	763.0	...	...	NE	1	...	,,	29.94	760.5	...	...	...	...	...
Kochi,	,,	29.98	761.5	...	...	...	0	...	,,	29.92	760.0	...	...	...	...	...
Nagasaki,	,,	29.82	757.5	...	...	SSE	5	...	,,	29.82	757.5	...	..	S	3	...
Kagoshima,	,,	29.86	758.5	...	...	SE	1	...	,,	29.88	759.0	...	...	S	1	...
Oshima,	,,	29.82	757.5	...	...	S	2	...	,,	29.84	758.0	...	...	S	1	...
Naha,	,,	29.76	756.0	...	...	ESE	3	...	,,	29.80	757.0	...	...	E	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	...	...	SSE	3	...
Bonin Island,	,,	29.98	761.5	...	...	NE	1	...	,,	29.96	761.0	...	...	...	0	...
Chefoo,	15	29.46	748.3	76	100	NE	1	r	6	29.18	741.2	75	95	WSW	6	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.46	748.2	68	...	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	.	...	...	...	...	...	...	,,	29.50	749.8	78	...	...	0	b
Shanghai,	14	29.46	748.2	86	71	SSW	6	o	,,	29.68	753.9	75	94	SSW	1	b
Gutzlaff,	,,	29.32	749.8	84	83	S	6	o	,,	29.72	754.9	78	95	S	4	b
Sharp Peak,	,,	29.53	750.0	90	81	ESE	1	o	,,	29.63	752.6	86	84	SW	1	b
Amoy,	,,	29.40	746.7	94	71	SSE	4	o	6	29.62	752.3	81	87	W	1	o
Swatow,	,,	29.38	746.2	88	80	S	3	o	,,	...	...	...	...	...	...	...
Taihoku,	11	29.52	749.7	93	64	E	2	b	5	29.62	752.4	79	91	...	0	o
Taichu,	,,	29.50	749.4	90	...	NNW	2	o	,,	29.67	753.5	84	...	.	0	r
Tainan,	,,	29.42	747.3	86	...	NNW	4	o	,,	29.65	753.0	84	..	E	2	r
Koshun,	,,	29.50	749.4	81	...	SW	4	r	,,	29.68	753.9	81	..	SW	2	o
Pescadores,	,,	29.48	748.8	86	...	WNW	2	o	,,	29.63	752.7	79	...	SW	2	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	..	..	...	...
Hongkong,	,,	29.49	749.0	91	72	W	2	o	,,	29.61	752.1	83	86	SSW	2	o
Gap Rock,	,,	29.53	750.0	...	...	WSW	5	o	,,	29.63	752.6	...	..	SW	4	o
Macao,	,,	29.48	748.8	93	64	ESE	2	o	,,	29.59	751.5	82	92	SSW	4	o
Wuchow,	15	...	...	...	...	..	...	....	9	...	...	...	..	..	...	...
Pakhoi,	,,	...	...	...	...		...	...	,,	...	.	...	...	...	...	...
Hoihow,	,,	..	...	...	...	..	...	...	..	..	..	...	...	...	...	...
Pratas Island,	14	29.54	750.3	83	85	WSW	4	o	6	29.65	753.0	81	79	SW	3	o
Phulien,	15	29.52	749.7	93	61	SSW	2	b	7	29.61	752.1	81	97	NE	1	b
Tourane,	,,	29.58	751.2	90	...	E	2	b	,,	29.63	752.7	82	...	...	0	b
Cape St. James,	,,	29.71	754.5	81	...	SW	6	of	,,	29.73	755.1	77	...	WSW	6	o
Basco,	,,	29.61	752.1	84	77	SW	4	o	6	29.68	753.9	77	92	.	0	o
Aparri,	,,	...	..	...	...	...	...	...	,,	29.68	753.9	77	96	S .	2	o
Manila,	,,	29.68	753.9	79	89	SW	4	r	,,	29.71	754.5	81	97	SSW	2	o
Legaspi,	,,	29.60	754.2	86	65	SW	4	o	,,	29.71	754.5	79	96	SW	1	o
Tacloban,	,,	29.73	755.1	86	68	SSE	4	o	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	78	SSW	6	o	,,	29.75	755.7	79	89	SW	4	o
Surigao,	..	29.74	755.4	84	77	W	2	o	..	29.74	755.4	81	89	...	0	r
Guam,	12.20	29.75	755.7	...	...	NE	4	r	4.20	29.73	755.1	...	...	E	2	o
Yap,	12.47	29.74	755.4	...	...	NNE	4	o	4.47	...	..	...	...	...	...	...
Pelew,	11.00			...		...	....	...	5	...	...	...	..	...	...	...
Labuan,	14	29.89	759.2	86	92	NW	2	b	6	29.82	757.4	78	86	SW	2	b

August 16*d.* 17*h.* 12*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 24° N. Long. 122° E., direction unknown, position uncertain.

August 17*d.* 8*h.* 51*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 27° N. Long. 125° E, filling up, position uncertain.

August 17*d.* 11*h.* 05*m.*—Pressure has decreased considerably from N.E. China to N.E. Japan, moderately over central Japan and slightly from the Philippines to Guam. It has increased considerably over E. China, moderately over Formosa and S. China and slightly over the Louchoos.

The northern typhoon is now north of Chefoo, moving northward.

The southern typhoon has filled up.

Manila warning. 16*d.* 20*h.* 00*m.*:—Cyclone or typhoon near or over northern Formosa filling up. Recd. 16*d.* 22*h.* 45*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 70·18 inches, against an average of 60·19 inches.

Forecast for the 24 hours ending at noon on the 18th.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th AUGUST, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	18th AUGUST, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.72	754.9	70	...	NNE	3	r	6	20.69	754.0	70	...	...	0	r
Nemuro,	11	30.02	762.5	...	...	SSE	1	...	5	29.78	756.5	...	...	SE	4	...
Hokodate,	..	29.80	757.0	...	...	ESE	2	...	..	20.73	755.0	...	...	..	0	...
Tokio,	..	29.86	758.5	...	...	...	0	...	..	20.67	753.5	...	...	WSW	1	...
Kochi,	..	29.91	760.0	...	...	...	...	...	..	29.43	747.5	...	...	...	0	...
Nagasaki,	..	29.88	759.0	...	...	SSE	1	...	..	20.84	758.0	...	...	SW	4	...
Kagoshima,	..	29.80	759.5	...	...	S	1	...	..	20.86	758.5	...	...	...	0	...
Oshima,	..	29.88	760.0	...	...	SSE	2	...	..	20.86	758.5	...	...	...	...	...
Naha,	..	29.86	758.5	...	...	ESE	2	...	..	29.86	758.5	...	...	F	1	...
Ishigakijima,	..	29.78	756.5	...	...	SSE	3	...	..	20.82	757.5	...	...	SE	1	...
Bonin Island,	..	29.94	760.5	...	...	...	0	...	..	29.00	759.5	...	...	...	...	...
Chefoo,	15	29.52	749.8	74	100	W	6	r	6	29.66	753.3	77	92	W	1	b
Ichang,	..	...	...	...	...	...	...	...	..	29.65	...	81	...	...	0	...
Hankow,	..	...	...	...	...	...	...	...	..	..	..	...	...	...	...	...
Changsha,	..	...	...	...	...	...	...	...	..	29.67	753.6	81	...	NW	1	b
Shanghai,	14	29.72	754.8	86	78	ESE	2	o	..	20.76	756.0	77	100	...	0	bf
Gutzlaff,	..	29.76	755.9	81	92	SE	2	o	..	29.79	756.6	78	95	SW	2	o
Sharp Peak,	..	29.69	754.1	88	80	ESE	2	b	7	29.75	755.6	83	87	...	0	o
Amoy,	..	29.61	752.1	90	73	SSE	1	b	6	29.72	754.9	82	87	W	2	o
Swatow,	..	29.54	750.3	87	76	W	1	o	..	29.69	754.1	85	...	NE	1	o
Taihoku,	..	29.71	754.5	90	...	...	0	o	5	29.76	756.0	77	96	...	0	b
Taichu,	..	29.71	754.5	86	...	...	0	o	..	29.75	755.7	75	...	...	0	o
Tainan,	..	29.72	754.8	82	...	ESE	2	o	..	29.72	754.8	75	...	NE	2	b
Koshun,	..	29.73	755.1	86	...	SW	1	o	..	29.75	755.7	75	...	ESE	2	r
Pescadores,	..	29.71	754.5	84	...	N	2	b	..	29.73	755.1	81	...	...	0	b
Canton,	14	...	...	...	...	...	...	...	6	29.66	753.3	84	...	...	...	bc
Hongkong,	..	29.62	752.3	90	71	SSW	1	o	..	29.67	753.6	81	89	E	1	c
Gap Rock,	..	29.66	753.3	...	...	SW	4	c	..	29.69	754.1	...	...	FSE	2	b
Macao,	..	29.60	751.8	93	71	SSE	2	o	..	29.65	753.0	81	87	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	..	...	...	...	...	...	...	...	..	...	.	...	...	...	...	...
Hoihow,	..	...	...	...	...	....	...	...	..	..	...	...	...	...	...	...
Pratas Island,	14	29.66	753.3	89	81	SSW	1	b	6	29.65	753.1	84	80	E	3	b
Phulien,	15	29.58	751.2	90	66	SE	1	o	7	29.68	753.9	81	96	NE	2	b
Tourane,	..	29.60	751.8	90	...	NNE	2	b	..	29.65	753.0	77	...	SW	2	b
Cape St. James,	..	29.69	754.2	82	...	SW	6	of	..	29.69	754.2	77	...	SW	6	rf
Basco,	..	29.68	753.9	86	81	...	0	o	6	29.72	754.8	81	80	SE	4	o
Aparri,	..	29.67	753.6	84	85	NE	2	o	..	29.69	754.2	77	91	S	2	o
Manila,	..	29.67	753.6	86	71	SW	4	o	..	29.68	753.9	75	98	E	1	o
Legaspi,	..	29.69	754.2	79	92	SW	2	o	..	29.75	755.7	75	94	SW	2	o
Tacloban,	..	..	..	..	..	...	...	...	..	...	...	...	...	...	...	...
Iloilo,	..	29.72	754.8	82	81	SW	4	o	..	29.75	755.7	73	96	SW	4	o
Surigao,	..	...	...	...	...	...	...	...	..	29.74	755.4	79	84	WSW	2	o
Guam,	12.20	29.73	755.1	...	...	SE	4	o	4.20	29.81	757.2	...	...	S	2	o
Yap,	12.47	29.72	754.8	...	...	WSW	4	r	4.47	..	..	...	...	...	...	...
Pelew,	11.00	..	..	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	13	29.77	756.1	88	84	NW	2	b	6	29.82	757.4	80	91	NW	2	b

August 18*d*. 11*h*. 10*m*.—Pressure has decreased moderately over Japan and slightly from Pratas to Manila. It has increased moderately or slightly elsewhere.

The typhoon is filling up over Manchuria.

An area of low pressure covers the northern portion of the China Sea in which a typhoon may be forming.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 70·15 inches, against an average of 60·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks. 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; fair.

B. D. EVANS, *Chief Assistant*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th AUGUST, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction	Force. (Beaufort.)	Weather. (Beaufort.)	19th AUGUST, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.72	754.9	74	...	...	0	0	6	29.90	759.5	66	...	SSE	3	c
Nemuro,	11	29.82	757.5	...	...	ESE	3	...	5	29.90	759.5	...	...	ENE	1	...
Hokodate,	,,	29.72	755.0	...	...	SE	2	...	,,	29.84	758.0	...	...	E	1	...
Tokio,	,,	29.59	751.5	...	...	S	1	...	,,	29.75	755.5	...	...	NE	1	...
Kochi,	,,	29.78	756.5	...	...	SE	1	...	,,	29.75	755.5	...	...	...	0	...
Nagasaki,	,,	29.81	758.0	...	...	SW	1	...	,,	29.75	755.5	...	...	W	4	...
Kagoshima,	,,	29.86	758.5	...	...	W	5	...	,,	29.80	757.0	...	...	...	0	...
Oshima,	,,	29.86	758.5	...	...	NNE	1	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.86	758.5	...	...	E	1	...	,,	29.84	758.0	...	...	...	...	...
Ishigakijima,	,,	29.86	758.5	...	...	SE	1	...	,,	29.84	758.0	...	...	ESE	1	...
Bonin Island,	,,	29.86	758.5	...	...	WSW	1	...	,,	29.80	758.0	...	...	ESE	1	...
Chefoo,	15	29.69	754.1	86	76	NW	2	b	6	29.73	755.1	74	95	...	0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	80	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	0	c
Changsha,	,,	...	...	...	...	...	...	...	,,	29.76	755.9	82	...	...	0	b
Shanghai,	14	29.78	756.3	90	72	SSE	1	0	,,	29.80	756.9	77	100		0	bf
Gutzlaff,	,,	29.80	756.9	84	79	SSW	2	b	,,	29.84	757.9	80	96	SSW	1	b
Sharp Peak,	,,	29.76	755.9	90	73	E	1	b	,,	29.79	756.6	80	88	E	1	b
Amoy,	,,	29.74	755.4	92	67	SSE	4	b	6	29.74	755.4	83	83	W	1	o
Swatow,	,,	29.71	754.6	88	72	ESE	3	b	,,	29.76	755.9	85	...	NE	1	c
Taihoku,	11	29.82	757.5	90	...	NW	2	b	5	29.81	757.2	77	91	...	0	o
Taichu,	,,	29.76	756.0	90	...	NW	1	b	,,	29.81	757.2	79	...	...	0	o
Tainan,	,,	29.76	756.0	90	...	NNW	2	o	,,	29.78	756.3	77	...	...	0	b
Koshun,	,,	29.78	756.3	86	...	ENE	4	b	,,	29.79	756.6	79	...	ENE	1	b
Pescadores,	,,	29.79	756.6	86	...	WNW	4	o	,,	29.80	756.9	81	...	...	0	o
Canton,	14	...	...	...	...	...	...	...	6	29.73	755.1	81	...	...	0	o
Hongkong,	,,	29.68	753.9	85	77	ESE	3	o	,,	29.74	755.4	79	88	E	4	o
Gap Rock,	,,	29.69	754.1	...	...	E	3	c	,,	29.71	754.6	...	...	E	4	o
Macao,	,,	29.66	753.3	93	67	SE	4	o	,,	29.69	754.2	79	98	ESE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.64	752.8	85	79	E	4	c	6	29.71	754.6	81	96	SE	5	or
Phulien,	15	29.63	752.7	93	64	ESE	1	b	7	29.72	754.8	79	85	NE	4	o
Tourane,	,,	29.59	751.5	86	...	N	4	b	,,	29.66	753.3	77	...		0	b
Cape St. James,	,,	29.68	753.9	75	...	WSW	6	o	,,	29.71	754.5	73	...	WNW	6	r
Basco,	,,	29.72	754.8	84	81	SE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.66	753.3	90	66	NE	4	b	,,	29.75	755.7	77	91	S	2	o
Manila,	,,	29.68	753.9	79	91	SW	1	r	,,	29.78	756.3	77	94	SE	2	o
Legaspi,	,,	29.69	754.2	86	65	SW	2	o	,,	29.79	756.6	79	91	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	84	77	SSW	4	of	,,	...	...	...	...	...	...	...
Surigao,	,,	29.69	754.2	82	74	W	1	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	S	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	W	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	12	29.78	756.4	88	84	SW	4	b	6	29.83	757.7	70	86	SW	2	b

August 19*d*. 10*h*. 45*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 111° E., moving N.

August 19*d*. 10*h*. 55*m*.—Pressure has increased moderately over N.E. Japan and decreased slightly over S.W. Japan. It is nearly stationary over Indo-China and the Loochoos and has increased slightly elsewhere.

A depression has formed over Korea.

The Paracels depression is moving northward. It may be developing into a typhoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·21 inch. Total since January 1st, 71·39 inches, against an average of 61·09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	E. winds, fresh; overcast, rainy, squally.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	20th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	29.91	759.8	71	...	SSE	3	o	6	29.86	758.4	65	...	SE	5	o
Nemuro,	11	29.90	759.5	...	...	SE	1	...	5	29.88	759.0	...	...	NNE	3	...
Hokodate,	,,	29.86	758.5	...	...	ESE	2	...	,,	29.86	758.5	...	...	..	...	...
Tokio,	,,	29.80	757.0	...	...	N	1	...	,,	29.84	758.0	...	...	N	1	...
Kochi,	,,	29.72	755.0	...	...	...	0	...	,,	29.75	755.5	...	...	...	...	...
Nagasaki,	,,	29.78	756.5	...	...	SW	2	...	,,	29.78	756.5	...	...	...	...	...
Kagoshima,	,,	29.76	756.0	...	...	SW	1	...	,,	29.78	756.5	...	...	...	o	...
Oshima,	,,	29.84	758.0	...	...	NNE	1	...	,,	29.80	757.0	...	...	...	o	...
Naha,	,,	29.86	758.5	...	...	NW	1	...	,,	29.82	757.5	...	...	...	o	...
Ishigakijima,	,,	29.84	758.0	...	...	SSE	1	...	,,	29.82	757.5	...	...	...	o	...
Bonin Island,	..	29.82	757.5	..	..	NE	1	...	,,	29.76	756.0	...	...	W	2	...
Chefoo.	15	29.71	754.6	88	80	ESE	1	b	6	29.72	754.9	77	100	...	o	o
Ichang,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	80	...	...	o	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	86	...	...	o	o
Shanghai,	14	20.79	756.6	93	71	E	1	o	,,	29.80	756.9	77	100	...	o	o
Gutzlaff,	,,	29.82	757.4	86	76	E	1	b	,,	29.82	757.4	78	95	SSE	1	b
Sharp Peak,	,,	29.80	756.9	90	73	E	1	b	7	29.82	757.4	86	84	E	1	b
Amoy,	,,	29.77	756.1	94	68	SSE	2	b	6	...	...	...	...	...	1	o
Swatow,	,,	29.75	755.6	91	...	E	3	b	,,	29.77	756.1	84	...	...	o	b
Taihoku,	11	29.80	756.9	90	63	...	o	b	5	29.81	757.2	81	92	...	o	b
Taichu,	,,	29.81	757.2	90	...	NW	2	b	,,	29.82	75.75	77	...	...	o	o
Tainan,	,,	29.79	756.6	90	...	ENE	2	b	,,	29.80	756.9	77	...	ESE	2	b
Koshun,	,,	29.78	756.3	90	...	ENE	2	b	,,	29.79	756.6	77	...	...	o	b
Pescadores,	,,	29.81	757.2	86	...	NNW	2	b	,,	29.80	756.9	81	...	W	2	b
Canton,	14	.	...	...	...	...	...	...	6	29.73	755.1	84	...	E	1	bc
Hongkong,	,,	29.73	755.1	79	85	ENE	4	or	,,	29.74	755.4	1	87	ESE	2	o
Gap Rock,	,,	29.71	754.6	...	...	ENE	5	op	,,	29.73	755.1	...	..	ESE	5	c
Macao,	,,	29.71	754.5	81	84	ESE	4	o	,,	29.69	754.2	81	89	SE	4	o
Wuchow,	15	...	...	...	...	..	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	..	...	...	,,	...		...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	.	..	...	...	...	..	...
Pratas Island,	14	29.70	754.4	84	81	SSE	5	c	6	29.73	755.1	83	84	S	1	b
Phulien,	15	29.67	753.6	86	78	SSE	4	o	7	29.69	754.2	77	92	NNW	4	o
Tourane,	,,	29.61	752.1	86	...	N	6	b	,,	29.68	753.9	79	...	NW	2	b
Cape St. James	,,		...	79	...	SW	6	rf	,,	29.84	757.8	75	...	WSW	6	of
Basco,	,,	29.74	755.4	90	72	SE	2	b	6	29.80	756.9	81	84	W	2	o
Aparri,	,,	29.71	754.5	66	38	SE	2	b	,,	29.79	756.6	75	94	SE	4	o
Manila,	,,	29.79	756.6	84	64	SW	4	o	,,	29.84	757.8	75	96	NNE	2	o
Legaspi,	,,	29.76	756.0	86	65	SW	4	o	,,	29.82	757.5	79	89	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	..	..	...	...	..	...	...
Iloilo,	,,	29.80	756.9	86	71	SW	4	o	,,	29 87	758.7	81	80	S	4	o
Surigao,	..	29.78	756.3	90	60	WSW	2	o	,,	29.85	758.1	81	94	W	2	o
Guam,	12.20	29.79	756.6	...	...	SW	2	o	4.20	29.85	758.1	...	...	E	1	o
Yap,	12.47	29.81	757.2	...	...	SSW	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...		...	...	...	5	..	..	...	...	...	...	...
Labuan,	14	29.77	756.1	90	77	SW	4	b	6	29.81	757.2	80	91	NW	2	b

August 19*d*. 17*h*. 50*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 112° E., stationary or very slow.

August 20*d*. 10*h*. 44*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 110° E, moving N.W.

August 20*d*. 10*h*. 55*m*.—Pressure has decreased slightly over S.W. China and increased slightly over Formosa and the Philippines. It is nearly stationary elsewhere.

The typhoon appears to be crossing Hainan in a N.W. direction. It may be filling up.

Manila warning. 19*d*. 11*h*. 50*m*.:—Typhoon in Lat. 16° N. Long. 113° E. moving W. Recd. 19*d*. 12*h*. 45*m*.

Manila warning. 19*d*. 11*h*. 50*m*.:—Typhoon in Lat. 19° N. Long. 128° E., recurving northeastward. Recd. 19*d*. 12*h*. 45*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·87 inch. Total since January 1st, 72·26 inches, against an average of 61·52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong, moderating.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.87	758.7	67	...	SE	4	0	6	29.87	758.7	67	...	SE	4	0
Nemuro,	11	29.92	760.0	...	...	N	1	...	5	29.98	761.5	...	...	...	0	...
Hokodate,	.	29.88	759.0	...	...	ESE	2	...	,,	29.88	759.0	...	...	ENE	1	...
Tokio,	,,	29.84	758.0	...	...	NE	1	...	,,	29.90	759.5	...	...	NW	1	...
Kochi,	,,	29.74	755.5	...	...	...	0	...	,,	29.80	757.0	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	W	1	...	,,	29.76	756.0	...	...	...	0	...
Kagoshima,	,,	29.78	756.5	...	...	NW	1	...	,,	29.76	756.0	...	...	WNW	1	...
Oshima,	,,	29.78	756.5	...	...	NE	1	...	,,	29.75	755.5	...	...	...	0	...
Naha,	,,	29.80	757.0	...	...	W	2	...	,,	29.73	755.0	...	...	N	1	...
Ishigakijima,	,,	29.80	757.0	...	...	NNW	1	...	,,	29.75	755.5	...	...	NNE	1	...
Bonin Island,	,,	29.78	756.5	...	...	W	1	...	,,	29.78	756.5	...	...	...	0	...
Chefoo,	15	29.69	754.2	83	87	...	0	0	6	29.69	754.1	77	95	...	0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.65	753.0	78	...	...	0	b c
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.69	754.1	83	...	...	0	b
Shanghai,	14	29.76	756.0	90	63	ENE	1	0	,,	29.76	756.0	77	98	ESE	1	b
Gutzlaff,	,,	29.79	756.6	86	80	ENE	1	b	,,	29.79	756.6	78	100	...	0	b
Sharp Peak,	,,	29.76	755.9	90	73	SE	2	b	,,	29.75	755.6	86	84	...	0	b
Amoy,	,,	29.74	755.4	92	67	SSE	4	b	6	29.73	755.1	84	87	SW	1	b
Swatow,	,,	29.73	755.1	89	...	NW	1	b	,,	29.73	755.1	85	...	...	0	b
Taiboku,	11	29.80	756.9	90	66	W	2	b	5	29.74	755.4	77	88	S	2	b
Taichu,	,,	29.81	757.2	86	...	NW	2	o	,,	29.75	755.7	77	...	...	0	o
Tainan,	,,	29.81	757.2	86	...	SW	2	b	,,	29.73	755.1	77	...	...	0	o
Koshun,	,,	29.81	757.2	90	...	SW	2	o	,,	29.73	755.1	77	...	...	0	o
Pescadores,	,,	29.81	757.2	90	...	W	2	b	,,	29.73	755.1	81	...	WSW	2	o
Canton,	14	29.72	754.9	78	78	E	2	c	6	29.72	754.8	81	...	E	2	c
Hongkong,	,,	29.73	755.1	84	79	E	3	o	,,	29.73	755.1	79	93	...	0	b
Gap Rock,	,,	29.75	755.6	...	...	ESE	4	op	,,	29.72	754.8	...	...	SE	4	c
Macao,	,,	29.71	754.5	79	95	SE	4	o	,,	29.74	755.4	81	89	SE	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.74	755.4	86	74	S	1	b	6	29.72	754.8	80	91	SSW	1	bc
Phulien,	15	29.65	753.0	77	98	WNW	4	r	7	29.65	753.0	75	98	W	6	rf
Tourane,	,,	29.66	753.3	84	...	N	2	r	,,	29.72	754.8	79	...	NW	2	b
Cape St. James,	,,	29.80	756.9	84	...	WSW	4	o	,,	29.85	758.1	77	...	WSW	6	o
Basco,	,,	29.74	755.4	86	75	WSW	4	o	6	29.69	754.2	81	90	NW	4	o
Aparri,	,,	29.72	754.8	86	71	N	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	79	80	W	4	o	,,	29.78	756.3	77	96	...	0	o
Legaspi,	,,	29.78	756.3	90	66	SW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	84	77	S	4	o	,,	29.82	757.5	81	86	SSW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.82	757.5	...	...	S	1	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.82	757.5	...	...	WSW	1	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NW	2	b	6	29.81	757.2	78	91	SW	2	b

August 20*d*. 17*h*. 30*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 109° E., moving N.N.W.

August 21*d*. 10*h*. 42*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 125° E., moving W.

August 21*d*. 10*h*. 50*m*.—Pressure has decreased moderately from Basco to Manila, and slightly over Formosa, the Loochoos and Tongking. It has increased slightly over central Japan and is nearly stationary from Hongkong to Chefoo.

The typhoon is filling up to the north of Haiphong. Another has formed to the east of the Balintang Channel. It appears to be moving westward.

Manila warning, 21*d*. 9*h*. 30*m*.:—Typhoon E. of Balintang Channel direction unknown. Recd. 21*d*. 10*h*. 37*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 72·28 inches, against an average of 61·95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds, freshening from N.E.
2.—South coast of China between Hongkong and Lamocks,	S.E. or variable winds, moderate to light; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)	22nd August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	S	1	...	5	30.04	763.0	...	...	SSW	1	...
Hokodate,	,	29.90	759.5	...	...	ENE	1	...	,,	29.94	760.5	...	...	...	C	...
Tokio,	,,	29.88	759.0	...	...	S	1	...	,,	29.92	760.0	...	...	...	C	...
Kochi,	,,	29.80	757.0	...	...	...	0	...	,,	29.82	757.5	...	...	...	C	...
Nagasaki,	,,	29.76	756.0	...	...	SSW	1	...	,,	29.78	756.5	...	...	...	C	...
Kagoshima,	,,	29.76	756.0	...	...	SE	1	...	,,	29.80	757.0	...	...	...	C	...
Oshima,	,,	29.76	756.0	...	...	NNE	1	...	,,	29.75	755.5	...	...	...	C	...
Naha,	,,	29.74	755.5	...	...	NNE	2	...	,,	29.69	754.0	...	...	E	1	...
Ishigakijima,	,,	29.74	755.5	...	...	N	1	...	,,	29.61	752.0	...	...	NE	2	...
Bonin Island,	,,	29.74	755.5	...	...	...	C	...	,,	29.82	757.5	...	...	...	0	...
Chefoo,	15	29.67	753.6	84	87	ESE	1	0	6	29.74	755.4	74	95	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.72	754.8	93	61	E	1	0	,,	29.72	754.8	77	94	E	1	b
Gutzlaff,	,,	29.75	755.6	86	55	SE	1	b	,,	29.75	755.6	78	95	SE	2	b
Sharp Peak,	,,	29.74	755.4	88	84	E	1	b	,,	29.69	754.1	84	83	...	0	b
Amoy,	,,	29.72	754.9	92	67	SSE	4	b	6	29.67	753.6	84	83	...	0	0
Swatow,	,,	29.71	754.6	90	...	S	2	b	,,	29.68	753.9	80	91	W	1	b
Taihoku,	11	29.75	755.7	90	66	NW	2	b	5	29.67	753.6	75	89	...	C	b
Taichu,	,,	29.75	755.7	90	...	...	0	b	,,	29.67	753.6	79	...	...	C	0
Tainan,	,,	29.74	755.4	86	...	N	2	b	,,	29.66	753.3	75	...	...	0	b
Koshun,	,,	29.74	755.4	86	...	NW	2	0	,,	29.75	755.7	77	...	NW	2	b
Pescadores,	,,	29.75	755.7	90	...	W	2	b	,,	29.67	753.6	81	...	...	C	b
Canton,	14	29.75	755.7	88	76	...	0	c	6	29.68	753.9	82	...	SE	1	b
Hongkong,	,,	29.70	754.4	84	79	F	2	c	,,	29.68	753.9	79	95	...	C	1m
Gap Rock,	,,	29.71	754.6	...	...	ESE	2	c	,,	29.68	753.9	...	...	SSE	2	b
Macao,	,,	29.67	753.6	90	76	SE	2	b	,,	29.63	752.7	79	92	...	2	bf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.71	754.6	88	80	SW	1	c	6	29.66	753.3	80	85	SW	1	b
Phulien,	15	29.60	751.8	82	87	WSW	4	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.66	753.3	90	...	SE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.2	84	...	WSW	4	bf	,,	...	...	...	...	...	...	...
Basco,	,,	29.67	753.6	86	75	NNW	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.65	753.0	86	71	NE	2	0	,,	29.66	753.3	79	89	S	2	0
Manila,	,,	29.80	756.9	75	96	NE	1	0	,,	29.74	755.4	77	92	SSW	4	0
Legaspi,	,,	29.74	755.4	86	68	SW	4	0	,,	29.75	755.7	79	90	SW	2	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	86	75	S	6	0	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	86	61	WSW	4	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.84	757.8	...	...	E	2	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.85	758.1	...	...	...	C	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	90	77	SW	4	b	6	29.82	757.4	80	91	NW	2	b

August 21*d*. 18*h*. 05*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 124° E., moving W.

August 22*d*. 9*h*. 48*m*.—Warning to Hongkong, Coast Ports, &c :—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 125° E., moving N.

August 22*d*. 11*h*. 05*m*.—Pressure has increased slightly over Japan. It has decreased moderately to slightly elsewhere.

An anticyclone covers N.E. Japan.

A depression covers China.

The typhoon at 6 a.m. this morning was in about Lat. 21° N. and Long. 125° E. moving N. or N.N.W.

Manila warning. 22*d*. 8*h*. 00*m*.:— Typhoon in Lat. 21° N. Long. 125° E. moving N. Recd. 22*d*. 9*h*. 40*m*.

Shanghai warning. 22*d*. 9*h*. 25*m*. :—Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 127° E., moving N.W. Recd. 22*d*. 9*h*. 58*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 72·28 inches, against an average of 62·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	N. or variable winds, moderate.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S. or variable winds, light to moderate ; fine to cloudy.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	22ND AUGUST, 1926.								23RD AUGUST, 1926.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)
Wladivostook,	12	29.87	758.6	69	...	SSE	4	0	6	29.93	760.2	68	...	SE	2	0
Nemuro,	11	30.04	763.0	...	...	SSE	2	...	5	29.98	761.5	...	...	SSE	2	...
Hokodate,	.	29.92	760.0	...	...	SE	3	...	,,	29.88	759.0	...	...	NNW	1	...
Pakio,	,,	29.92	760.0	...	...	S	2	...	,,	29.86	758.5	...	...	NW	1	...
Kochi,	,,	29.84	758.0	...	...	SE	1	...	,,	29.84	758.0	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...		0	...	,,	29.86	758.5	...	...	...	...	...
Kagoshima,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.84	758.0	...	...	...	0	...
Oshima,	,,	29.74	755.5	...	...	SE	1	...	,,	29.76	756.0	...	...	S	1	...
Naha,	,,	29.69	754.0	...	...	E	3	...	,,	29.71	754.5	...	...	E	3	...
Ishigakijima,	,,	29.57	751.0	...	...	NE	3	...	,,	29.17	741.0	...	...	S	11	...
Bonin Island,	,,	29.84	758.0	...	...	ENE	1	...	,,	29.86	758.5	...	...	...	0	...
Chefoo,	15	29.75	755.6	84	87	ESE	2	b	6	29.80	756.9	74	95	...	0	0
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.74	755.4	93	59	E	2	b	,,	29.78	756.3	77	94	E	1	b
Gutzlaff,	,,	29.78	756.4	86	80	SE	4	0	,,	29.80	756.9	80	92	ESE	4	b
Sharp Peak,	,,	29.69	754.1	88	76	E	2	b	-	29.73	755.1	84	75	N	1	b
Amoy,	,,	29.66	753.3	90	66	SE	4	b	6	29.59	751.6	84	79	SE	1	b
Swatow,	,,	29.65	753.1	89	76	SE	2	b	,,	29.65	753.0	86	...	...	0	0
Taihoku,	11	29.69	754.2	93	61	ESE	2	b	8	29.53	750.0	81	92	NW	4	r
Taichu,	,,	29.67	753.6	90	...	NNW	2	0	,,	29.59	751.5	77	...	.	0	0
Tainan,	,,	29.66	753.3	90	...	NW	4	b	,,	29.60	751.8	77	..	N	2	r
Koshun,	,,	29.66	753.3	90	...	NW	4	b	,,	29.54	750.3	81	..	WNW	4	0
Pescadores,	,,	29.69	754.2	90	...	N	4	b	,,	29.62	752.4	82	...	NNW	4	0
Canton,	14	29.63	752.6	93	67	S	1	b	6	29.66	753.3	82	...	SE	2	0
Hongkong,	,,	29.64	752.8	89	63	W	2	c	,,	29.66	753.3	80	92	...	0	cm
Gap Rock,	,,	29.67	753.6	...	...	SE	2	b	,,	29.68	753.9	...	..	SW	3	b
Macao,	,,	29.63	752.7	90	72	SSE	2	b	,,	29.63	752.7	79	95	...	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...		...	...	,,	...	.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..
Pratas Island,	14	29.65	753.1	87	70	W	1	b	6	29.65	753.1	82	79	WNW	1	bc
Phulien,	15	29.59	751.5	81	90	WSW	4	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.61	752.1	90	...	SE	4	b	,,	...	...	...	...	...	...	...
Cape St. James.	,,	29.75	755.7	82	...	SW	4	0	,,	...	...	...	...	...	...	...
Basco,	,,	29.61	752.1	86	78	WNW	4	0	6	29.62	752.4	81	92	WSW	4	r
Aparri,	,,	29.62	752.4	86	71	N	4	0	,,	29.66	753.3	79	76	S	4	b
Manila,	,,	29.76	756.0	79	87	SSW	2	0	,,	29.76	756.0	75	96	S	1	0
Legaspi,	,,	29.74	755.4	86	71	SW	4	0	,,	29.76	756.0	77	92	SW	2	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Iloilo,	,,	29.79	756.6	86	71	S	6	0	,,	29.81	757.2	79	92	S	2	0
Surigao,	..	29.79	756.6	86	58	WSW	2	0	..	29.82	757.5	79	91	...	0	0
Guam,	12.20	29.84	757.8	...	...	W	4	0	4.20	29.80	756.9	...	...	E	1	0
Yap,	12.47	29.84	757.8	...	...	...	0	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	..	...	...	...	5	...	...	...	..	...	...	...
Labuan,	13	29.76	755.9	88	84	NW	2	b	6	29.83	757.7	68	90	NW	2	b

August 22*d*. 18*h*. 30*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 22° N. Long. 125° E., moving N.N.W.

August 23*d*. 10*h*. 00*m*.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 25 N. Long. 124 E., moving N.N.W.

August 23*d*. 10*h*. 40*m*.—Pressure has decreased considerably at Ishigaki and slightly over Formosa and N.E. Japan. It is nearly stationary elsewhere.

The typhoon is now severe and near Ishigaki, moving N.N.W. or N.W. It will probably strike the coast tomorrow morning between Shanghai and Foochow.

Manila warning. 23*d*. 10*h*. 00*m*.:— Typhoon in Lat. 25° N. Long. 123° E. moving N.N.W. Recd. 23*d*. 10*h*. 48*m*.

Shanghai warning. 23*d*. 10*h*. 10*m*.:—A severe typhoon within 60 miles of Lat. 25° N. Long. 124° E., moving N.W. Recd. 23*d*. 10*h*. 24*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 72·28 inches, against an average of 62·79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

DISTRICT.	FORECAST.
1.—Formosa Channel,	W. to S.W. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate; fine to cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLANTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	24th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.93	760.2	69	...	SE	2	c	6	29.95	760.7	69	...	SSE	3	b
Nemuro,	11	29.94	760.5	...	...	S	3	...	5	29.98	761.5	...	...	WSW	1	...
Hokodate,	.	29.88	759.0	...	...	SSE	1	...	,,	30.02	762.5	...	...	...	...	...
Tokio,	,,	29.86	758.5	...	...	...	0	...	,,	30.00	762.0	...	...	...	...	...
Kochi,	,,	29.86	758.5	...	...	SE	1	...	,,	29.92	760.0	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	SE	1	...	,,	29.88	759.0	...	...	SE	1	...
Kagoshima,	,,	29.84	758.0	...	...	NE	1	...	,,	...	...	...	...	...	0	...
Oshima,	,,	29.82	757.0	...	...	S	2	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.74	755.5	...	...	ESE	3	...	,,	29.80	757.0	...	...	ESE	1	...
Ishigakijima,	,,	29.33	745.0	...	...	...	8	...	,,	29.67	753.5	...	...	SSE	4	...
Bonin Island,	,,	29.86	758.5	...	...	NE	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo.	15	29.77	756.1	80	96	ESE	1	o	6	29.80	756.9	74	100	...	0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.74	755.4	90	76	E	2	b	,,	29.73	755.1	81	96	E	4	b
Gutzlaff,	,,	29.79	756.6	84	83	E	4	b	,,	29.75	755.6	80	96	ESE	4	o
Sharp Peak,	,,	29.59	751.6	90	66	ENE	1	o	,,	29.50	749.3	86	72	S	2	o
Amoy,	,,	29.59	751.6	92	67	S	2	b	6	29.54	750.3	83	83	W	3	o
Swatow,	,,	29.63	752.6	84	...	...	0	b	,,	29.65	753.1	86	...	W	1	b
Taihoku,	11	29.46	748.2	82	86	NNW	2	r	5	29.55	750.6	75	94	...	0	r
Taichu,	,,	29.56	750.9	79	...	NW	1	r	,,	29.67	753.6	77	...	SE	1	b
Tainan,	,,	29.62	752.4	77	...	NNW	1	o	,,	29.67	753.6	77	...	SE	1	r
Koshun,	,,	29.59	751.5	81	...	NW	4	o	,,	29.66	753.3	82	..	W	2	o
Pescadores,	,,	29.63	752.7	86	...	N	2	o	,,	29.65	753.0	81	...	W	4	o
Canton,	14	29.66	753.3	94	68	S	1	c	6	29.66	753.3	80	...	...	c	c
Hongkong,	,,	29.66	753.3	89	65	W	2	o	,,	29.67	753.6	81	91	NW	1	c
Gap Rock,	,,	29.69	754.1	...	...	SW	3	b	,,	29.69	754.1	...	..	SW	3	c
Macao,	,,	29.65	753.0	93	71	S	4	o	,,	29.65	753.0	81	92	W	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	14	29.65	753.1	88	82	W	1	c	6	29.68	753.9	83	85	SW	1	bc
Phulien,	15	29.60	751.8	81	94	ENE	7	r	7	29.66	753.3	79	95	SE	2	r
Tourane,	,,	29.62	752.4	90	...	E	2	b	,,	29.67	753.6	82	...	...	0	b
Cape St. James.	,,	29.73	755.1	84	...	S	6	bf	,,	29.80	756.9	85	...	SW	4	of
Basco,	,,	29.62	752.4	81	92	SW	6	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.65	753.0	75	63	NNE	4	o	,,	29.73	755.1	79	89	SE	4	o
Manila,	,,	29.78	756.3	84	71	W	4	o	,,	29.82	757.5	75	96	NE	1	o
Legaspi,	,,	29.76	756.0	90	60	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	90	66	ENE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	79	91	SW	1	o
Surigao,	..	29.79	756.6	86	65	W	4	b	..	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	S	1	o	4.20	...	...	...	...	...	...	...
Yap.	12.47	29.82	757.5	...	...	WNW	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	..	...	...	..	...	...	...
Labuan,	12	29.87	758.7	86	88	NW	2	b	6	29.82	757.4	78	86	NW	2	b

August 23*d.* 15*h.* 47*m.*—Warning to Hongkong. Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 25° N. Long. 123° E., moving N.W.

August 24*d.* 9*h.* 55*m.*—Warning to Hongkong. Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 28° N. Long. 119° E., moving N.N.W.

August 24*d.* 10*h.* 25*m.*—Pressure has decreased moderately at Foochow, and slightly at Amoy and Shanghai. It has increased considerably at Ishigaki, moderately over Formosa and slightly elsewhere.

The typhoon entered the coast early this morning, and is now in about Lat. 28° N. and Long. 119° E. moving N.N.W. or filling up.

Shanghai warning. 23*d.* 17*h.* 00*m.*:—A severe typhoon within 60 miles of Lat. 25° N. Long. 124° E., stationary or very slow. Recd. 23*d.* 17*h.* 49*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total since January 1st.** 72·28 inches, against an average of 63·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperatures.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	25th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperatures.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.92	760.0	74	...	SE	4	o	6	29.91	759.8	68	...	SE	2	f
Nemuro,	11	29.96	761.0	...	...	S	1	...	5	29.88	759.0	...	...	SW	3	...
Hokodate,	"	29.98	761.5	...	...	SSE	1	...	"	29.96	761.0	...	...	N	1	...
Tokio,	"	30.00	762.0	...	...	ENE	1	...	"	29.96	761.0	...	...	N	1	...
Kochi,	"	29.04	760.5	...	...	SE	1	...	"	29.94	760.5	...	...	...	0	...
Nagasaki,	"	29.02	760.0	...	...	SE	2	...	"	29.92	760.0	...	...	...	0	...
Kagoshima,	"	29.02	760.0	...	...	SSE	1	...	"	29.92	760.0	...	...	NW	1	...
Oshima,	"	29.88	750.0	...	...	S	1	...	"	29.86	758.5	...	...	...	0	...
Naha,	"	29.84	758.0	...	...	E	3	...	"	29.86	758.5	...	...	...	0	...
Ishigakijima,	"	29.74	755.5	...	...	SE	4	...	"	29.78	756.5	...	...	SE	2	...
Bonin Island,	"	29.90	759.5	...	...	NE	1	...	"	29.90	759.5	...	...	...	0	...
Chefoo,	15	29.76	755.9	86	84	ENE	2	b	6	29.71	754.6	80	92	SSE	1	b
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.72	754.8	90	63	FSE	4	b	"	29.66	753.3	81	87	E	6	b
Gutzlaff,	"	29.74	755.4	83	87	SE	6	o	"	29.65	753.1	80	92	SE	8	o
Sharp Peak,	"	29.58	751.3	90	81	S	2	o	"	29.60	751.8	84	89	S	2	o
Amoy,	"	29.63	752.6	96	65	SE	4	b	6	29.59	751.6	86	84	SE	2	o
Swatow,	"	29.66	753.3	97	...	...	C	b	"	29.68	752.9	91	...	...	C	b
Taihoku,	11	29.63	752.7	79	92	...	C	o	5	29.69	754.2	77	96	...	C	o
Taichu,	"	29.72	754.8	84	...	SSE	2	o	"	29.74	755.4	79	...	...	C	b
Tainan,	"	29.73	755.1	86	...	ESE	2	o	"	29.73	755.1	79	...	SE	2	o
Koshun,	"	29.73	755.1	90	...	WSW	4	o	"	29.73	755.1	81	...	SW	2	o
Pescadores,	"	29.69	754.2	86	...	SSW	4	o	"	29.72	754.8	81	...	SSW	4	b
Canton,	14	29.67	753.6	88	80	S	1	c	6	29.72	754.9	82	...	SE	1	bc
Hongkong,	"	29.68	753.9	89	66	W	3	c	"	29.72	754.9	83	84	WSW	3	c
Gap Rock,	"	29.71	754.6	...	...	WSW	3	c	"	29.73	755.1	...	...	SW	3	o
Macao,	"	29.66	753.3	93	74	SW	4	o	"	29.69	754.2	82	90	W	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	14	29.70	754.4	88	79	WSW	2	fo	6	29.72	754.9	83	87	WSW	4	c
Phulien,	15	29.67	753.6	86	85	SSE	4	o	7	29.74	755.4	70	98	ENE	2	bf
Tourane,	"	29.69	754.2	90	...	SE	4	b	"	29.75	755.7	82	...	...	0	b
Cape St. James,	"	29.79	756.6	86	...	S	4	of	"	29.84	757.8	77	80	SW	4	o
Basco,	"	29.74	755.4	84	77	WSW	4	o	6	29.78	756.3	81	92	SW	4	o
Aparri,	"	29.75	755.7	90	60	SW	4	o	"	29.79	756.6	77	94	...	0	b
Manila,	"	29.81	757.2	86	71	SW	4	o	"	29.84	757.8	75	91	N	1	b
Legaspi,	"	...	...	...	...	...	...	...	"	29.81	757.2	73	...	SW	2	b
Tacloban,	"	29.79	756.6	93	59	SSE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.8	757.2	86	68	S	4	o	"	29.84	757.8	75	92	...	0	o
Surigao,	"	...	...	...	...	...	...	...	"	29.82	757.5	75	92	SE	1	b
Guam,	12.20	29.79	756.6	...	...	NW	1	o	4.20	29.81	757.2	...	...	SE	1	o
Yap,	12.47	29.79	756.6	...	...	WNW	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	1	29.76	755.9	90	84	NW	4	bf	6	29.82	757.4	80	91	NW	2	b

August 25*d.* 10*h.* 40*m.*—Pressure has decreased slightly at Shanghai and increased slightly from Tongking to the Loochoos. It is nearly stationary at the majority of other reporting stations.

The typhoon is now shown as a depression over the Yangtze Valley.

Shanghai warning. 24*d.* 17*h.* 15*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 29° N. Long. 120° E., moving N. Recd. 24*d.* 18*h.* 11*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 72·28 inches, against an average of 63·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th AUGUST, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)	26th AUGUST, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)
Wladivostock,	12	29.86	758.5	72	...	SE	4	o	6	29.52	749.8	67	...	ESE	6	o
Nemuro,	11	29.82	757.5	...	...	WSW	1	...	5	29.96	761.0	...	...	N	1	...
Hokodate,	"	29.90	759.5	...	...	WNW	1	...	"	29.94	760.5	...	...	N	1	...
Tokio,	"	29.95	761.0	...	...	NE	1	...	"	29.96	761.0	...	...	...	...	...
Kochi,	"	29.92	760.0	...	...	SE	1	...	"	29.92	760.0	...	...	...	...	...
Nagasaki,	"	29.92	760.0	...	...	SSW	1	...	"	29.88	759.0	...	...	SSE	2	...
Kagoshima,	"	29.90	759.5	...	...	SSE	1	...	"	29.90	759.5	...	...	...	...	...
Oshima,	"	29.88	759.0	...	...	SSE	1	...	"	29.86	758.5	...	...	...	0	...
Naha,	"	29.86	758.5	...	...	SSE	1	...	"	29.84	758.0	...	...	SE	1	...
Ishigakijima,	"	29.84	758.0	...	...	SSE	2	...	"	29.82	757.5	...	...	...	...	...
Bonin Island,	"	29.88	759.0	...	...	ENE	1	...	"	29.92	760.0	...	...	...	...	...
Chefoo,	15	29.63	752.6	86	88	S	2	o	6	29.62	752.3	80	96	SSW	4	o
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.49	749.1	79	92	SSE	8	r	"	29.62	752.4	75	100	S	6	r
Gutzlaff,	"	29.58	751.3	77	100	S	8	r	"	29.66	753.3	78	92	SSW	8	o
Sharp Peak,	"	29.61	752.1	90	73	SSE	4	o	7	29.65	753.1	86	88	S	1	cl
Amoy,	"	29.55	750.5	94	68	SSE	4	b	6	29.69	754.1	84	87	SW	1	o
Swatow,	"	29.68	753.9	97	...		C	b	"	29.70	754.8	85	....	...	o	b
Taihoku,	11	29.73	755.1	90	76	NW	2	o	5	29.74	755.4	77	94	...	o	o
Taichu,	"	29.73	755.1	93	...	SW	2	o	"	29.74	755.4	77	...	...	C	o
Tainan,	"	29.74	755.4	90	...	SSE	2	b	"	29.74	755.4	77	...	SE	1	b
Koshun,	"	29.76	756.0	86	...	SSW	2	o	"	29.76	756.0	54	..	...	C	o
Pescadores,	"	29.73	755.1	90	...	SSW	4	b	"	29.73	755.1	72	...	S	2	b
Canton,	14	29.67	753.6	88	84	NNW	2	c	6	29.67	753.6	85	...	S	1	c
Hongkong,	"	29.68	753.9	89	73	W	2	b	"	29.70	754.4	84	84	WSW	1	o
Gap Rock,	"	29.70	754.4	...	...	WSW	4	c	"	29.71	754.6	...	..	SW	4	c
Macao,	"	29.59	751.5	93	67	WSW	4	b	"	29.67	753.6	82	90	WSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	..	...
Pakhoi,	"	...	...	...	...	...	....	...	"	...	..	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	..	..	...	...	...	..	...
Pratas Island,	14	29.73	755.1	83	92	SW	4	o	6	29.72	754 9	82	89	SW	4	o
Phulien,	15	29.69	754.2	93	67	SW	1	b	7	29.71	754.5	82	96	SE	2	b
Tourane,	"	29.74	755.4	86	...	NE	2	b	"	29.76	756.0	82	....	SW	2	b
Cape St. James,	"	29.84	757.8	86	...	SW	2	b	"	29.87	758.7	79	...	WSW	4	o
Basco,	"	29.75	755.7	86	71	SSW	2	o	6	29.78	756 3	77	92	...	o	o
Aparri,	"	29.74	755.4	90	72	NNE	4	o	"	...	...	...	...	...	...	...
Manila,	"	29.80	756.9	86	65	SW	4	b	"	29.82	757.5	75	94	N	1	b
Legaspi,	"	29.76	756.0	90	69	SSW	2	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	....	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	..	...	"	29.86	758.4	79	96	...	C	o
Surigao,	"	29.79	756.6	86	75	...	o	b	"	29.84	757.8	77	92	..	o	b
Guam,	12.20	29.76	756.0	...	...	SW	2	r	4.20	29.76	756.0	...	...	S	2	of
Yap,	12.47	29.76	756.0	...	...	WSW	2	o	4-47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	NE	4	b	9	29.81	757.2	80	91	NW	2	b

August 26*d*. 10*h*. 55*m*.—Pressure has decreased considerably at Wladivostock and increased moderately at Shanghai. It is nearly stationary at the majority of other reporting stations.

A depression is approaching Wladivostock from N.W.

The Yangtze Valley depression is moving northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·08 inch. **Total since January 1st 72·36 inches, against an average of 64·02 inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks. 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; generally cloudy, some rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th AUGUST, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	27th AUGUST, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.68	753.9	67	...	SE	6	o		29.49	749.8	67	...	SSE	4	r
Nemuro,	11	29.98	761.5	...	...	ESE	1	...		29.96	761.0	...	..	FSE	1	..
Hokodate,	..	29.92	760.0	...	...		...	...		29.73	755.0	...	...	E	1	...
Tokio,	,,	29.92	760.0	...	...	SE	1	...	,,	29.88	759.0	...	...	SW	1	...
Kochi,	,,	29.88	759.0	...	...	...	0	...	,,	29.86	758.5	...	..		...	.
Nagasaki,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.80	757.0	...	.	SW	3	..
Kagoshima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.84	758.0	..	..	...	0	...
Oshima,	,,	29.84	758.0	...	...	S	1	..	,,	29.86	758.5	..	...	S	1	...
Naha,	,,	29.86	758.5	...	...	S	2	..	,,	29.86	758.5	...	..	SE	1	..
Ishigakijima,	,,	29.86	758.5	...	...	S	1	..	,,	29.84	758.0	.	...	S	1	
Bonin Island,	..	29.90	759.5	...	..	ENE	1	..	..	29.88	759.0	.	...		0	..
Chefoo,	15	29.53	750.0	84	96	NW	2	o	6	29.63	752.6	74	92	W	1	b
Ichang,	,,	...	...	...	...	...	...	..	,,	..	...	...	..	...	...	...
Hankow,	,,	...	...	...	...	...	...	..	..	..	...	...	...		...	...
Changsha,	,,	..	...	...	...	...	...	...	,,	...	...	...	..		...	...
Shanghai,	14	29.62	752.4	90	63	SW	6	b	,,	29.73	755.1	77	96	SSE	1	b
Gutzlaff,	,,	29.66	753.3	80	96	SSW	6	o	,,	29.77	756.1	80	96	SSW	2	o
Sharp Peak,	,,	29.67	753.6	88	80	SSE	4	b	,,	29.75	755.6	83	83	S	1	b
Amoy,	,,	29.64	752.8	90	70	SSE	4	b	6	29.67	753.6	82	87	SSE	1	o
Swatow,	,,	29.67	753.6	83	...	S	3	o	,,	29.78	753.9	83	...		0	o
Taihoku,	11	29.76	756.0	90	60	W	2	b		29.78	756.3	79	96	...	0	o
Taichu,	,,	29.79	756.6	90	...	SW	2	b	,,	29.78	756.3	77	..		c	b
Tainan,	,,	29.79	756.6	82	...	S	4	o	,,	29.76	756.0	77	.	SE	2	b
Koshun,	,,	29.80	756.9	86	...	SSW	2	o	,,	29.79	756.6	77	..		0	b
Pescadores,	,,	29.79	756.6	86	..	SSW	4	..	,,	29.75	756.7	81	...	SW	4	o
Canton,	14	.	...	...	...	...	..	...	6	29.66	753.3	80	...	SW	1	o
Hongkong,	,,	29.67	753.6	84	85	WNW	1	cp	..	29.67	753.6	77	91	W	1	o
Gap Rock,	,,	29.68	753.9	...	...	WSW	4	o	..	29.70	754.4	...	..	WNW	4	od
Macao,	,,	29.66	753.3	84	77	NNW	2	r	,,	29.65	753.0	75	98	WNW	4	r
Wuchow,	15	..	...	...	...	.	.	...	9	29.75	755.6	85	..	..	0	or
Pakhoi,	,,	...	...	...	..		..	...	,,	...		...	...		...	...
Hoihow,	,,	...	...	...	...	...	..	...				...	...		.	...
Pratas Island,	14	29.71	754.6	85	75	SW	2	o	6	29.70	754.4	80	87	SSW	3	b
Phulien,	15	29.65	753.0	93	71	WSW	1	b	7	29.61	752.1	84	90	SE	1	b
Tourane,	,,	29.73	755.1	90	...	NE	2	b	,,	29.71	754.5	82	...		0	b
Cape St. James.	,,	29.82	757.5	86	...	WSW	6	b	,,	29.85	758.1	77	...	WSW	6	o
Basco,	,,	29.78	756.5	86	71	SW	4	o	6	29.80	756.9	77	92	...	0	b
Aparri,	,,	29.76	756.0	90	63	ENE	4	b	,,	29.80	756.9	75	96	SE	1	b
Manila,	,,	29.81	757.2	86	71	SW	4	b	,,	..	.	...	...		...	...
Legaspi,	,,	29.75	755.7	90	63	WSW	4	o	,,	..		...	...	...	...	...
Tacloban,	,,	...	..	...	...	..	...	...	,,	..	..	...	...	...	...	...
Iloilo,	,,	29.79	756.6	86	71	SW	4	o	,,	...	...	...	...	..	...	...
Surigao,	..	...	...	...		...	.	...	..		..	...	...		...	...
Guam,	12.20	29.78	756.3	...	...	W	2	r	4.20	29.76	756.0	...	..	FSE	1	o
Yap,	12.47	...	...	...	...	...	1	o	4.47	..	..	...	...		...	...
Pelew,	11.00	..	...	...			..	...	5	...	..	...	...		...	...
Labuan,	14	29.82	757.4	82	91	NW	2	b	8	29.83	757.7	78	91	NW	2	b

August 27d. 11h. 15m.—Pressure has decreased considerably from Wladivostock to Hakodate and slightly over central Japan and S.W. China. It has increased slightly from Foochow to Chefoo and is nearly stationary elsewhere.

The Yangtze Valley depression has moved to the north of Korea.

A depression has formed over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·30 inch. Total since January 1st 72·66 inches, against an average of 64·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks. 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S. winds, moderate; overcast, occasional rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th AUGUST, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	28th AUGUST, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.45	747.8	71	...	SE	4	r	6	29.71	754.6	65	...	NNE	4	o
Nemuro,	11	..	..	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.55	750.5	...	...	S	1	...	"	29.51	749.5	...	...	W	2	
Tokio,	"	29.80	757.0		..	S	3	...	"	29.63	752.5	...	...	SSW	2	
Kochi,	"	29.82	757.5	...	...	E	1	...	"	29.78	756.5	...	...	...	c	
Nagasaki,	"	29.78	756.5	...	...	SW	5	...	"	29.76	756.0	...	..	SW	1	
Kagoshima,	"	29.82	757.5	...	..	WSW	1	...	"	29.84	758.0	...	..		o	..
Oshima,	"	29.84	758.0	...	..	NNW	1	...	"	29.86	758.5	...	...	SSE	1	...
Naha,	"	29.88	759.0	...	...	S	1	..	"	29.88	759.0	...	..	...	c	.
Ishigakijima,	"	29.86	758.5	...	..	SE	1		"	29.86	758.5	...	...	...	o	
Bonin Island,	"	29.88	759.0	...	.	E	1	..	"	29.86	758.5	...	...	...	o	...
Chefoo,	15	29.66	753.3	84	75	N	1	b	6	29.74	755.4	68	95	...	o	b
Ichang,	"	..	...	...	..		...	...	"	..	...	...	...	...	...	...
Hankow,	"	...	...	...	...	...	..	...	"	...	...	...	...	...	...	...
Changsha,	"	...	..	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.72	754.8	90	72	E	2	o	"	29.76	756.0	79	98	ENE	1	o
Gutzlaff,	"	29.75	755.6	86	88	SE	1	b	"	29.79	756.6	78	95	S	2	b
Sharp Peak,	"	29.70	754.4	86	76	ESE	4	b	"	29.66	753.3	83	87	...	c	b
Amoy,	"	29.61	752.1	90	66	SSE	4	o	6	29.71	754.6	83	83	S	1	b
Swatow,	"	29.64	752.8	82	83	ESE	1	o	"	29.74	755.4	83	...	...	c	o
Taihoku,	11	29.78	756.3	86	71	NW	1	b	"	29.84	757.8	75	96	...	c	b
Taichu,	"	29.80	756.9	86	...	...	c	b	"	29.84	757.8	73	...	...	c	b
Tainan,	"	29.80	756.9	86	...	SSE	2	b	"	29.81	757.2	75	...	ESE	2	b
Koshun,	"	29.84	757.8	90	...	SSE	2	b	"	29.84	757.8	77	...	...	c	b
Pescadores,	"	29.80	756.9	86	...	SSE	2	b	"	29.82	757.5	81	...	SSW	2	b
Canton,	14	..	...	...	...		...	...	6	29.71	754.6	79	...	SE	1	c
Hongkong,	"	29.69	754.1	79	90	W	2	or	"	29.72	754.9	76	91	SSE	1	o
Gap Rock,	"	29.68	753.9	...	...	SSW	3	o	"	29.72	754.9	...	...	SE	3	c
Macao,	"	29.65	753.0	82	89	SSE	4	r	"	...	...	...	...	..	...	...
Wuchow,	15	...		...	...		...	...	9	...	...		...	...	...	...
Pakhoi,	"	...	...	...	...		...	...	"	...		...	...	...	...	...
Hoihow,	"	...	...	...	...	...	..	...	"			...	...	...	...	...
Pratas Island,	14	29.72	754.9	82	89	S	2	o	6	29.75	755.6	82	88	S	2	be
Phulien,	15	29.53	750.0	93	67	SW	1	o	7	29.61	752.1	75	98	...	c	rf
Tourane,	"	29.65	753.0	90	...	NE	2	b	"	29.65	753.0	84	...	NE	2	o
Cape St. James,	"	29.79	756.6	86	...	SW	4	o	"	29.80	756.9	77	...	SW	6	o
Basco,	"	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	29.74	755.4	90	66	NNE	2	b	"	...	...	...	...	...	...	...
Manila,	"	29.78	756.3	86	68	SW	4	o	"	29.80	756.9	77	88	NE	2	o
Legaspi,	"	29.74	755.4	84	85	WSW	2	o	"	...	...	...	...	...	...	...
Tacloban,	"	29.73	755.1	86	65	NW	4	o	"	..	..	...	...	...	...	...
Iloilo,	"	29.78	756.3	86	68	SSW	4	o	"	29.80	756.9	77	91	...	o	o
Surigao,	..	...	...	...	..	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	S	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	SW	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5			...	...	...	...	...
Labuan,	14	29.75	755.6	86	84	NW	4	b	6	29.83	757.7	78	91	NW	2	b

August 28*d*. 11*h*. 00*m*.—Pressure has increased considerably at Wladivostock and slightly from Chefoo to Formosa and Tongking. It has decreased moderately at Tokio and is nearly stationary at other reporting stations.

The northern depression is passing into the Pacific.

The southern depression remains stationary over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·97 inch. **Total since January 1st.** 73·65 inches, against an average of 64·81 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate; overcast, occasional rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th August, 1926.								29th August, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock. .	12	29.75	755.6	69	...	...	0	0	6	29.81	757.1	66	...	SSE	4	0
Nemuro, ...	11	29.37	746.0	...	...	SSE	1	...	5	29.59	751.5	...	...	WNW	3	...
Hokodate, ...	,,	29.61	752.0	...	...	WNW	5	...	,,	29.78	756.5	...	...	N	1	...
Tokio, ...	,,	29.67	753.5	...	...	SSE	1	...	,,	29.80	757.0	...	...	NNW	1	...
Kochi, ...	,,	29.76	756.0	...	...		0	...	,,	29.84	758.0	...	...	...	0	...
Nagasaki, ...	,,	29.84	758.0	...	...	W	1	...	,,	29.86	758.5	...	...	SSW	1	...
Kagoshima, ...	,,	29.84	758.0	...	...	W	1	...	,,	29.88	759.0	...	...	...	0	...
Oshima, ...	,,	29.88	759.0	...	...	NNE	1	...	,,	29.90	759.5	...	...	...	...	...
Naha, ...	,,	29.88	759.0	...	...	W	1	...	,,	29.90	759.5	...	...	...	...	...
Ishigakijima, ...	,,	29.90	759.5	...	...	SE	1	...	,,	29.90	759.5	...	...	ENE	1	...
Bonin Island, ...	,,	29.84	758.0	...	...	ESE	1	...	,,	29.88	759.0	...	...	...	...	...
Chefoo, ...	15	29.76	755.9	82	75	WNW	1	0	6	29.78	756.4	74	86	W	1	0
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.78	756.4	77	...	NE	2	0
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	29.73	755.1	90	82	E	1	0	,,	29.86	758.4	77	100	N	1	0
Gutzlaff, ...	,,	29.79	756.6	86	76	S	1	b	,,	...	...	78	100	ENE	1	0
Sharp Peak, ...	,,	29.77	756.1	86	84	SE	2	b	7	29.80	756.9	00	81	E	1	b
Amoy, ...	,,	29.77	756.1	90	70	SSE	4	b	6	29.80	756.9	82	87	SSW	2	b
Swatow, ...	,,	29.70	754.4	82	75	SSE	2	0	,,	29.84	757.9	84	...	...	0	0
Taihoku, ...	11	29.86	758.4	90	69	WSW	2	b	5	29.88	759.0	75	96	...	0	b
Taichu, ...	,,	29.86	758.4	90	...	...	0	b	,,	29.88	759.0	75	...	...	0	b
Tainan, ...	,,	29.84	757.8	93	...	SW	2	b	,,	29.85	758.1	77	...	...	0	b
Koshun, ...	,,	29.85	758.1	90	...	FNE	2	b	,,	29.86	758.4	75	...	...	0	b
Pescadores, ...	,,	29.86	758.4	90	...	S	4	b	,,	29.87	758.7	77	...	...	0	b
Canton, ...	14	29.70	754.4	75	95	S		r	6	29.80	756.9	78	...	...	0	0
Hongkong, ...	,,	29.79	756.6	77	94	E	3	0rl	,,	29.82	757.5	77	95	E	2	0
Gap Rock, ...	,,	29.76	755.9	...	...	SSE	4	0	,,	29.82	757.5	...	...	SSE	3	0
Macao, ...	,,	29.75	755.7	75	100	NW	4	r	,,	29.79	756.6	79	94	ESE	2	0
Wuchow, ...	15	...	...	...	...	...	...	...	9	29.77	756.1	80	..	...	0	0
Pakhoi, ...	,,	...	...	...	...		...	...	,,	...		...	...	..	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	..	...	...	...	..	..	...
Pratas Island, ...	14	29.78	756.3	8-	81	S	2	0	6	29.82	757.5	81	78	SE	1	0
Phulien, ...	15	29.61	752.1	79	96	ESE	2	r	7	29.69	754.2	77	98	ESE	1	rf
Tourane, ...	,,	...	...	...	...	...	...	...	,,	29.72	754.8	84	...	..	0	b
Cape St. James.	,,	29.78	756.3	86	...	SW	2	0	,,	29.82	757.5	79	...	WSW	4	0
Basco, ...	,,	...	...	...	...	...	...	...	6	29.84	757.8	75	91	..	0	of
Aparri, ...	,,	29.78	756.3	86	71	NNE	4	0	,,	29.81	757.2	77	94	NW	6	r
Manila, ...	,,	29.78	756.3	82	84	SW	4	0	,,	29.82	757.5	75	94	N	1	0
Legaspi, ...	,,	29.75	755.7	84	81	SW	2	0	,,	...	..	...	...	...	...	...
Tacloban, ...	,,	29.76	756.0	81	84	NW	4	0	,,	...	..	...	...	...	...	...
Iloilo, ...	,,	29.79	756.6	86	71	N	2	0	,,	...	...	...	...	...	...	...
Surigao, ...	,,	29.76	756.0	81	84	WSW	4	0	,,	...	...	..	...	...	...	...
Guam, ...	12.20	29.78	756.3	...	...	SSW	2	0	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.76	756.0	...	...	SW	4	0	4.47	..	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	..	...	...	...	5	...	..	...	...	...	...	...
Labuan, ...	14	29.75	755.6	86	88	NW	2	b	6	...	...	...	...	...	...	...

August 29*d*. 11*h*. 25*m*.—Pressure has increased considerably over N.E. Japan and has increased slightly in all other districts except over the Philippines where it is nearly stationary.

The depression over S.W. China is less intense.

A feeble anticyclone is central near the Loochoos.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·68 inch. Total since January 1st. 74·31 inches, against an average of 65·19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, moderate; generally overcast, occasional rain, finer later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29TH AUGUST, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millms.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather. (Code)	30TH AUGUST, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millms.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather. (Code)
Vladivostock,	12	29.81	757.2	66	...	SE	3	r	6	29.80	756.8	68	...	...	...	...
Nemuro,	11	29.69	754.0	...	...	N	4	...	5	29.90	759.5	...	...	WNW	3	...
Hokodate,	"	29.83	757.7	...	...	...	0	...	"	29.90	759.5	...	...	...	...	...
Tokio,	"	29.80	757.0	...	...	NE	1	...	"	29.88	759.0	...	...	NE	1	...
Kochi,	"	29.82	757.5	...	...	...	0	...	"	29.86	758.5	...	...	...	0	...
Nagasaki,	"	29.85	758.0	...	...	S	1	...	"	29.85	759.0	...	...	...	0	...
Kagoshima,	"	29.85	759.0	...	...	WSW	1	...	"	29.88	759.6	...	...	NW	1	...
Oshima,	"	29.90	760.0	...	...	NE	1	...	"	29.85	758.6	...	...	...	0	...
Naha,	"	29.92	760.6	...	...	N	1	...	"	29.88	759.6	...	...	...	...	...
Ishigakijima,	"	29.92	759.5	...	...	ESE	1	...	"	29.88	759.0	...	...	...	0	...
Bonin Island,	"	29.80	753.5	...	...	N	1	...	"	29.86	758.5	...	...	...	0	...
Chefoo,	15	29.78	756.1	86	95	WSW	2	0	6	29.86	758.1	80	92	...	0	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.88	755.0	77	100	NE	1	0	"	29.93	760.2	70	100	WSW	1	1
Gutzlaff,	"	29.86	758.2	84	83	ENE	2	0	"	29.94	760.5	72	100	NNW	2	1
Sharp Peak,	"	29.86	758.4	80	76	ESE	2	0	"	29.83	757.7	82	91	S	1	...
Amoy,	"	29.83	756.2	88	88	SSE	4	1	6	29.83	757.0	82	87	WSW	2	1
Swatow,	"	29.84	757.9	80	...	E	2	be	"	29.83	757.7	83	...	...	0	1
Taihoku,	11	29.87	758.7	90	63	WNW	2	1	5	29.88	759.0	75	91	...	0	1
Taichu,	"	29.80	756.5	92	...	...	0	0	"	29.88	759.0	...	...	...	0	1
Tainan,	"	29.87	758.7	90	...	WNW	2	0	"	29.85	758.1	77	...	...	0	1
Koshun,	"	29.86	758.2	92	...	E	2	1	"	29.85	758.1	75	...	...	1	1
Pescadores,	"	29.91	759.6	87	...	WNW	2	b	"	29.86	758.4	79	...	...	0	...
Canton,	14	29.81	757.2	85	84	ESE	1	0	6	29.80	756.6	79	...	W	1	c
Hongkong,	"	29.82	757.4	83	79	E	2	0	"	29.82	757.4	79	91	E	2	1
Gap Rock,	"	29.82	757.4	...	...	SE	4	0	"	29.81	757.2	...	...	ESE	3	1
Macao,	"	29.86	758.9	84	88	SSE	2	0	"	29.80	756.9	79	91	ESE	1	1
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	14	29.81	757.2	88	84	ESE	2	1c	6	29.82	757.5	82	84	E	2	1c
Phulien,	15	29.72	754.8	75	95	NNE	2	1f	"	29.75	755.7	72	100	W	4	1f
Tourane,	"	29.73	755.1	86	...	N	2	0	"	29.76	756.0	79	...	SW	2	1
Cape St. James,	"	29.84	757.8	86	...	S	2	1	"	29.81	757.8	79	...	WSW	4	1
Basco,	"	29.80	756.9	85	78	NE	2	c	6	29.80	756.9	79	91	...	0	0
Aparri,	"	29.78	756.3	90	72	NNE	4	b	"	29.79	756.6	77	94	...	0	b
Manila,	"	29.76	756.0	84	74	W	2	0	"	29.80	756.9	75	94	...	0	0
Legaspi,	"	29.75	755.8	89	75	ESE	1	0	"	29.78	756.3	77	94	...	0	0
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoilo,	"	29.78	756.1	86	68	S	4	0	"	29.81	757.2	79	85	SW	2	1
Surigao,	"	29.76	756.0	82	77	WSW	4	0	"	29.80	756.9	75	92	WSW	1	1
Guam,	12.20	29.81	757.2	...	...	SW	2	0	4.20	29.81	757.2	...	...	NE	2	0
Yap,	12.47	29.81	757.2	...	...	W	4	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	12	29.78	756.4	86	88	NW	4	0	6	29.82	757.4	80	91	NW	2	1

August 30th, 1926.—Pressure is highest from E. China to N.E. Japan and lowest over S.W. China.

Conditions are mainly anticyclonic.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st 71·[illegible] inches, against an average of 65·56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31ST.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, moderate; generally fair, showery at first
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Dire*[illegible]

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	31st August, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.81	757.1	73	...	SSE	4	c	6	29.88	758.8	64	...	...	0	c
Nemuro,	11	29.94	760.5	...	...	NNW	1	...	5	29.94	760.5	...	...	SE	2	...
Hokodate,	,,	29.88	759.0	...	...	SE	1	...	,,	29.86	758.5	...	...	...	..	...
Tokio,	,,	29.88	759.0	...	...	...	0	...	,,	29.90	759.5	...	...	...	...	...
Kochi,	,,	29.86	758.5	...	...	...	0	...	,,	29.90	759.5	...	...	WSW	1	...
Nagasaki,	,,	29.88	759.0	...	...	W	1	...	,,	29.92	760.0	...	...		0	...
Kagoshima,	,,	29.88	759.0	...	...	ESE	1	...	,,	29.88	759.0	...	...	NW	1	...
Oshima,	,,	29.88	759.0	...	...	NNE	2	...	,,	29.88	759.0	...	...	SSE	1	...
Naha,	,,	29.90	759.5	...	...	NW	3	...	,,	29.84	758.0	...	...	N	2	...
Ishigakijima,	,,	29.90	759.5	...	...	NE	1	...	,,	29.88	759.0	...	...	...	0	...
Bonin Island,	,,	29.84	758.0	...	...	E	1	...	,,	29.84	758.0	...	...	...	...	...
Chefoo,	15	29.87	758.7	82	83	NNW	1	b	6	30.01	762.2	68	95	...	0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.92	759.9	82	77	WNW	1	o	,,	29.98	761.4	73	96	NNE	2	r
Gutzlaff,	,,	29.95	760.7	81	92	ESE	1	b	,,	29.98	761.5	77	92	ENE	2	o
Sharp Peak,	,,	29.81	757.2	90	73	E	2	b	,,	29.87	758.7	82	76	E	1	b
Amoy,	,,	29.77	756.1	94	58	SSE	2	b	6	29.85	758.2	84	79	ENE	2	b
Swatow,	,,	29.85	758.2	89	...	...	0	b	,,	29.84	757.9	83	...	...	0	b
Taihoku,	11	29.87	758.7	93	57	E	2	b	5	29.87	758.7	75	91	...	0	b
Taichu,	,,	29.86	758.4	90	...	NNW	2	b	,,	29.87	758.7	77	...	...	0	b
Tainan,	,,	29.86	758.4	90	...	NNW	2	o	,,	29.85	758.1	77	...		0	bf
Koshun,	,,	29.87	758.0	90	...	ENE	2	b	,,	29.85	758.1	79	...	NE	2	b
Pescadores,	,,	29.88	759.0	90	...	NNW	2	b	,,	29.85	758.1	81	...	NNW	1	b
Canton,	14	29.84	757.9	76	91	S	1	r	6	29.83	757.7	78	...	NE	1	b
Hongkong,	,,	29.83	757.7	79	85	NNE	1	od	,,	29.83	757.7	78	94	E	1	o
Gap Rock,	,,	29.83	757.7	...	...	E	3	c	,,	29.81	757.2	...	...	E	3	c
Macao,	,,	29.81	757.2	82	87	SE	2	o	,,	29.81	757.2	79	91	NE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.80	756.9	86	70	E	2	c	6	29.80	756.9	79	92	ENE	5	p
Phulien,	15	29.73	755.1	54	100	WNW	7	rf	7	29.75	755.7	73	98	WNW	4	r
Tourane,	,,	29.74	755.4	84	...	NW	4	o	,,	29.78	756.3	79	...	NW	2	b
Cape St. James,	,,	29.85	758.1	86	...	SW	4	b	,,	29.80	756.9	79	...	SW	4	o
Basco,	,,	...	...	...	...	...	...	...	6	29.80	756.9	77	84	E	1	o
Aparri,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	77	84	S	2	b
Manila,	,,	29.79	756.6	82	81	S	2	o	,,	29.81	757.2	73	96	...	0	o
Legaspi,	,,	29.74	755.4	84	81	SE	2	o	,,	29.79	756.6	77	94	...	0	b
Tacloban,	,,	29.74	755.4	84	77	...	0	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	84	74	S	6	o	,,	29.82	757.5	79	90	SW	1	o
Surigao,	,,	29.75	755.7	86	61	W	4	b	,,	29.81	757.2	77	92	SW	1	o
Guam,	12.20	...	...	...	...	...	...	...	4.20	29.81	757.2	...	...	NE	1	o
Yap,	12.47	29.82	757.5	...	...	NNE	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	87	NW	2	b	6	29.82	757.4	78	91	NW	2	b

August 31d. 11h. 10m.—Pressure has increased moderately over N.E. China and slightly from E. China to S.W. Japan and Formosa. It is nearly stationary elsewhere.

A trough of relatively low pressure extends from Indo-China to Yap.

An anticyclone has formed over N.E. China. A moderate, temporary, N.E. monsoon may be expected along the coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·43 inch. Total since January 1st, 74·78 inches, against an average of 65·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

SEPTEMBER,

1926.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONG KONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1926.

[*Price 60c.*]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

SEPTEMBER.

1926.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1926.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·800	29·788	29·764	29·774	29·780	29·793	29·813	29·811	29·828	29·830	29·824	29·840	1
2	29·838	29·827	29·820	29·817	29·815	29·832	29·848	29·860	29·864	29·873	29·869	29·844	2
3	29·788	29·780	29·770	29·761	29·773	29·788	29·792	29·802	29·807	29·815	29·788	29·766	3
4	29·725	29·701	29·689	29·683	29·679	29·679	29·679	29·695	29·702	29·712	29·708	29·695	4
5	29·717	29·697	29·693	29·699	29·701	29·731	29·763	29·782	29·795	29·810	29·809	29·788	5
6	29·803	29·809	29·807	29·811	29·821	29·839	29·842	29·849	29·856	29·866	29·850	29·827	6
7	29·777	29·772	29·758	29·752	29·754	29·748	29·752	29·767	29·766	29·776	29·770	29·742	7
8	29·710	29·687	29·671	29·672	29·678	29·677	29·690	29·702	29·703	29·697	29·682	29·660	8
9	29·582	29·566	29·548	29·526	29·520	29·535	29·527	29·538	29·549	29·543	29·537	29·518	9
10	29·511	29·507	29·501	29·481	29·477	29·475	29·491	29·510	29·534	29·543	29·536	29·509	10
11	29·550	29·538	29·530	29·527	29·523	29·535	29·559	29·577	29·589	29·606	29·601	29·587	11
12	29·653	29·655	29·659	29·653	29·658	29·664	29·688	29·699	29·703	29·710	29·706	29·699	12
13	29·725	29·707	29·699	29·705	29·715	29·715	29·718	29·728	29·744	29·762	29·768	29·762	13
14	29·736	29·724	29·706	29·702	29·712	29·719	29·738	29·747	29·757	29·767	29·758	29·739	14
15	29·668	29·650	29·642	29·640	29·646	29·661	29·668	29·688	29·689	29·685	29·680	29·671	15
16	29·646	29·629	29·608	29·600	29·607	29·623	29·636	29·655	29·673	29·691	29·701	29·675	16
17	29·684	29·682	29·682	29·672	29·678	29·692	29·712	29·726	29·733	29·745	29·728	29·725	17
18	29·779	29·757	29·739	29·737	29·739	29·757	29·783	29·799	29·812	29·830	29·834	29·826	18
19	29·777	29·773	29·762	29·773	29·779	29·782	29·786	29·801	29·812	29·818	29·816	29·804	19
20	29·763	29·757	29·751	29·748	29·751	29·757	29·770	29·797	29·810	29·806	29·802	29·782	20
21	29·735	29·715	29·713	29·715	29·709	29·721	29·755	29·774	29·778	29·776	29·774	29·762	21
22	29·796	29·785	29·774	29·768	29·769	29·785	29·802	29·829	29·837	29·856	29·840	29·827	22
23	29·807	29·787	29·774	29·762	29·762	29·766	29·782	29·796	29·811	29·824	29·814	29·790	23
24	29·748	29·727	29·718	29·715	29·711	29·722	29·730	29·750	29·758	29·768	29·770	29·755	24
25	29·728	29·708	29·704	29·697	29·702	29·706	29·718	29·732	29·740	29·748	29·744	29·725	25
26	29·671	29·653	29·646	29·635	29·629	29·637	29·639	29·641	29·634	29·633	29·615	29·589	26
27	29·423	29·386	29·377	29·305	29·274	29·232	29·247	29·235	29·273	29·331	29·377	29·411	27
28	29·673	29·665	29·660	29·666	29·676	29·690	29·714	29·736	29·760	29·764	29·752	29·727	28
29	29·764	29·748	29·735	29·720	29·728	29·720	29·732	29·751	29·762	29·756	29·745	29·724	29
30	29·724	29·709	29·702	29·699	29·707	29·725	29·729	29·743	29·762	29·768	29·764	29·744	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·820	29·816	29·798	29·789	29·782	29·784	29·796	29·807	29·823	29·851	29·852	29·842	1
2	29·814	29·786	29·769	29·756	29·758	29·762	29·770	29·780	29·803	29·811	29·808	29·796	2
3	29·733	29·705	29·685	29·683	29·673	29·689	29·703	29·719	29·732	29·736	29·738	29·736	3
4	29·681	29·666	29·647	29·641	29·647	29·663	29·667	29·699	29·735	29·746	29·746	29·738	4
5	29·772	29·742	29·734	29·738	29·738	29·754	29·768	29·786	29·810	29·815	29·813	29·815	5
6	29·798	29·781	29·758	29·761	29·753	29·748	29·754	29·758	29·788	29·809	29·801	29·791	6
7	29·724	29·702	29·685	29·673	29·661	29·679	29·688	29·707	29·738	29·741	29·739	29·738	7
8	29·631	29·601	29·565	29·542	29·554	29·559	29·563	29·582	29·602	29·605	29·591	29·596	8
9	29·504	29·483	29·462	29·453	29·447	29·448	29·469	29·495	29·498	29·529	29·526	29·529	9
10	29·500	29·484	29·468	29·461	29·465	29·471	29·483	29·511	29·543	29·549	29·557	29·552	10
11	29·527	29·552	29·541	29·556	29·565	29·575	29·596	29·613	29·631	29·647	29·653	29·653	11
12	29·685	29·673	29·664	29·656	29·665	29·681	29·690	29·706	29·725	29·727	29·725	29·740	12
13	29·732	29·732	29·715	29·711	29·710	29·725	29·737	29·753	29·768	29·779	29·765	29·745	13
14	29·719	29·696	29·672	29·671	29·674	29·685	29·699	29·705	29·713	29·711	29·701	29·686	14
15	29·651	29·637	29·621	29·609	29·613	29·620	29·650	29·663	29·690	29·697	29·679	29·669	15
16	29·648	29·638	29·632	29·642	29·662	29·652	29·677	29·699	29·704	29·710	29·704	29·696	16
17	29·718	29·709	29·704	29·713	29·729	29·744	29·757	29·777	29·792	29·808	29·807	29·797	17
18	29·816	29·794	29·782	29·764	29·768	29·778	29·798	29·810	29·816	29·827	29·811	29·799	18
19	29·788	29·786	29·772	29·766	29·762	29·778	29·776	29·778	29·792	29·796	29·792	29·781	19
20	29·757	29·744	29·731	29·718	29·716	29·719	29·724	29·728	29·749	29·757	29·748	29·736	20
21	29·742	29·728	29·714	29·721	29·725	29·715	29·725	29·743	29·769	29·790	29·794	29·750	21
22	29·809	29·786	29·768	29·748	29·747	29·741	29·735	29·783	29·816	29·826	29·831	29·824	22
23	29·766	29·744	29·728	29·734	29·713	29·704	29·713	29·733	29·752	29·768	29·774	29·768	23
24	29·742	29·713	29·692	29·684	29·685	29·686	29·698	29·709	29·727	29·733	29·741	29·738	24
25	29·698	29·677	29·663	29·649	29·643	29·647	29·661	29·676	29·686	29·686	29·683	29·675	25
26	29·547	29·515	29·494	29·502	29·513	29·507	29·509	29·485	29·465	29·463	29·440	29·439	26
27	29·438	29·458	29·475	29·509	29·531	29·557	29·595	29·641	29·666	29·681	29·689	29·683	27
28	29·709	29·690	29·684	29·691	29·697	29·718	29·731	29·743	29·759	29·782	29·784	29·784	28
29	29·714	29·702	29·687	29·677	29·672	29·692	29·700	29·723	29·748	29·748	29·752	29·743	29
30	29·732	29·728	29·713	29·717	29·723	29·740	29·751	29·767	29·775	29·781	29·785	29·774	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1926.

Hours, Hong Kong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	81·4	81·3	80·0	79·8	79·5	78·1	78·2	79·0	81·0	82·0	82·5	78·4	1
2	78·3	78·4	78·0	78·0	78·0	78·4	78·9	81·8	83·4	84·2	85·4	87·5	2
3	79·9	80·3	80·3	79·8	79·8	79·6	81·1	82·7	84·0	86·0	86·3	86·0	3
4	82·2	82·2	81·8	81·2	81·5	81·4	81·4	82·5	82·2	84·0	85·2	86·6	4
5	81·3	81·5	81·1	80·9	81·1	81·7	82·5	84·9	84·5	85·8	83·1	85·3	5
6	80·4	80·4	80·8	81·1	80·6	80·4	80·7	84·2	84·2	83·9	86·1	86·9	6
7	81·1	80·3	80·5	80·4	79·1	79·0	81·2	83·6	83·0	85·6	86·7	87·0	7
8	80·5	79·8	79·2	79·0	78·6	78·5	80·1	81·6	83·1	85·2	86·5	87·5	8
9	82·2	82·3	81·5	81·3	81·1	81·0	81·8	83·3	85·0	87·0	90·2	91·0	9
10	80·5	80·6	80·7	80·5	80·4	81·2	81·4	83·3	85·0	88·0	89·4	90·1	10
11	81·3	81·6	81·7	81·5	81·0	80·9	81·0	82·2	84·7	86·6	87·2	88·0	11
12	79·6	78·8	78·1	77·5	77·3	77·5	78·4	80·6	83·0	85·0	86·4	86·5	12
13	76·1	78·0	78·1	77·2	74·5	76·2	78·4	79·6	78·7	76·2	75·7	75·0	13
14	78·2	78·3	78·5	78·1	77·6	77·3	78·0	79·0	79·4	79·6	81·0	83·3	14
15	78·0	78·0	77·5	77·8	77·8	78·0	78·9	80·8	82·5	84·5	85·1	86·6	15
16	79·1	79·3	79·5	79·5	79·4	79·6	79·7	80·8	82·8	81·3	77·1	76·2	16
17	76·9	77·1	77·1	77·3	77·3	77·1	78·0	79·4	82·6	84·6	87·0	86·8	17
18	79·4	78·9	78·5	78·8	79·0	79·0	78·9	80·4	81·0	80·6	81·2	81·7	18
19	79·3	79·8	80·0	78·7	78·7	78·6	79·0	79·0	80·1	81·4	82·6	83·0	19
20	78·4	78·0	78·1	78·3	78·7	79·0	78·9	79·3	81·5	82·0	82·2	81·7	20
21	79·0	78·3	78·4	75·9	76·3	76·9	77·0	76·6	77·2	77·9	77·3	77·0	21
22	74·4	74·2	74·4	74·3	74·4	74·7	77·0	78·3	81·2	82·9	83·1	84·7	22
23	78·4	77·4	78·0	78·0	77·3	77·6	78·6	81·9	83·8	85·1	85·7	86·5	23
24	80·2	80·1	79·2	79·3	78·9	78·8	80·0	82·2	84·3	83·3	85·5	81·5	24
25	80·2	79·8	79·4	78·6	78·4	79·0	79·3	82·3	84·0	86·0	85·7	87·1	25
26	79·9	79·4	79·2	78·4	79·0	78·6	79·8	82·0	83·5	85·7	86·1	88·6	26
27	84·0	83·9	78·0	80·1	80·0	77·8	80·5	81·1	79·9	80·1	79·7	79·1	27
28	81·3	81·2	78·8	80·8	80·0	79·4	77·6	81·0	80·1	82·0	81·9	83·3	28
29	81·1	81·0	80·9	80·6	80·4	79·9	81·2	83·3	84·7	85·1	85·8	85·8	29
30	77·1	78·1	77·1	77·5	76·6	77·3	76·7	78·2	78·0	79·1	77·0	78·1	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·5	76·9	76·7	78·0	78·1	78·4	79·0	79·0	79·0	78·5	78·2	78·3	1
2	86·8	86·7	86·9	86·6	85·2	84·1	82·4	81·4	81·5	81·2	81·1	81·0	2
3	88·2	88·1	87·6	86·3	86·2	84·8	83·9	83·4	83·0	83·0	82·7	82·5	3
4	87·1	87·4	87·1	86·4	84·7	84·4	84·0	83·6	83·2	82·8	82·6	82·1	4
5	86·0	86·7	87·7	88·0	86·5	84·3	83·0	83·3	82·7	81·6	81·1	80·7	5
6	87·8	86·0	86·6	85·8	85·2	84·3	83·1	82·3	82·3	81·8	81·1	81·0	6
7	87·2	87·4	85·3	85·2	84·0	83·2	82·5	82·2	81·9	81·1	80·9	80·2	7
8	88·7	86·5	87·6	88·0	87·8	86·1	84·9	84·3	84·0	83·8	82·6	82·2	8
9	90·1	87·5	87·8	87·8	87·4	87·8	85·8	83·4	82·9	82·0	80·5	80·2	9
10	90·6	90·0	88·0	87·2	85·8	85·0	84·5	83·9	83·6	83·1	83·0	82·2	10
11	88·4	89·7	89·0	88·1	86·8	83·3	82·0	81·9	81·6	81·1	80·2	79·7	11
12	86·5	85·8	85·1	85·5	84·0	82·9	81·9	81·0	80·7	80·3	80·4	77·0	12
13	76·5	76·6	78·0	79·0	79·3	79·0	78·6	78·5	78·2	77·8	77·8	78·3	13
14	84·0	84·2	84·3	85·4	82·2	81·0	80·1	79·4	79·3	78·7	78·2	77·8	14
15	88·2	83·5	85·5	85·3	84·0	82·8	82·1	81·2	81·2	80·5	80·6	79·7	15
16	76·6	76·6	78·0	78·9	78·4	78·1	78·0	77·9	77·9	77·8	77·4	77·4	16
17	87·8	83·3	84·2	82·1	82·0	81·0	79·2	79·4	80·0	79·7	79·2	79·3	17
18	83·0	82·1	81·7	81·7	81·1	80·1	80·2	80·3	80·3	80·1	79·7	79·8	18
19	82·9	82·5	82·1	81·6	81·0	80·1	79·6	79·5	79·4	79·5	79·3	79·4	19
20	82·8	82·0	80·3	80·8	78·4	78·2	79·3	79·4	79·4	79·7	79·3	78·2	20
21	75·1	74·4	74·3	75·9	75·6	75·6	75·6	76·0	74·9	75·0	75·3	74·8	21
22	85·7	86·4	84·2	84·6	82·4	82·0	81·0	80·4	80·0	79·5	78·6	78·6	22
23	86·7	85·1	84·9	83·7	82·8	81·7	81·0	80·5	80·3	80·2	80·6	80·4	23
24	85·4	85·9	84·9	84·0	83·3	82·0	81·1	80·8	80·6	80·5	80·3	80·1	24
25	87·0	87·2	87·1	87·2	86·0	85·0	83·1	82·5	81·7	81·5	80·6	80·0	25
26	89·7	89·9	89·5	88·0	82·7	83·3	83·0	82·8	82·8	83·9	86·9	87·3	26
27	79·7	79·9	81·4	81·5	81·6	81·6	81·4	81·7	81·6	81·3	81·7	81·5	27
28	83·2	83·6	83·6	82·9	82·7	82·0	82·0	82·2	81·8	81·5	81·2	81·1	28
29	85·6	85·3	84·5	84·0	83·9	82·9	82·4	81·8	80·8	79·9	77·2	76·2	29
30	78·8	79·1	80·4	80·4	79·1	81·0	81·1	79·5	80·0	80·1	80·2	81·1	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1926.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·9	77·6	76·5	76·8	76·5	75·8	75·7	76·3	77·1	77·7	77·9	76·2	1
2	76·5	76·6	76·6	76·8	76·9	76·7	77·0	78·6	79·5	79·4	79·0	80·5	2
3	77·0	78·0	78·2	78·0	78·0	77·7	78·8	79·0	80·0	80·6	79·8	80·0	3
4	79·0	78·9	79·4	79·0	79·0	79·1	78·8	79·8	79·7	82·3	81·0	81·5	4
5	79·0	78·9	79·0	79·0	76·9	78·7	79·0	79·7	79·3	80·1	78·7	80·8	5
6	78·2	78·4	78·3	78·2	78·0	78·1	78·4	80·3	79·4	79·0	80·2	80·0	6
7	78·0	78·2	78·1	78·2	76·8	76·2	78·3	79·0	78·4	80·0	80·1	80·2	7
8	78·0	77·5	77·2	77·2	76·6	76·3	77·3	77·3	77·9	78·2	79·3	80·0	8
9	78·5	79·2	79·1	79·2	79·1	79·0	79·0	79·7	80·0	79·8	78·2	80·0	9
10	77·0	76·7	77·3	77·8	76·7	74·7	71·4	71·3	72·3	73·7	74·5	73·6	10
11	74·8	74·6	74·4	74·7	75·0	74·7	74·1	73·4	74·0	74·8	75·0	76·5	11
12	74·6	74·9	74·3	73·8	73·0	72·8	72·8	74·3	75·1	75·9	78·0	77·4	12
13	73·2	73·2	72·5	73·0	73·8	75·2	76·1	76·8	75·5	75·0	75·0	74·2	13
14	75·0	75·1	74·9	75·0	74·6	74·3	74·7	75·0	75·6	76·0	77·1	78·0	14
15	75·6	75·3	74·2	74·0	73·9	73·8	74·8	76·0	76·5	77·4	77·4	78·5	15
16	77·1	77·2	77·5	77·4	77·4	77·4	77·0	77·6	77·7	77·0	74·9	75·0	16
17	75·0	75·6	75·2	75·1	75·1	74·8	75·5	75·6	76·8	77·0	78·5	77·4	17
18	75·3	74·8	74·9	74·8	74·3	74·2	74·1	73·7	73·9	73·8	73·5	72·0	18
19	74·4	75·0	75·0	74·0	72·5	72·8	73·0	73·1	74·0	74·8	75·2	75·5	19
20	73·2	74·0	74·5	74·3	74·0	74·0	74·0	74·4	76·0	75·9	75·7	75·8	20
21	76·1	76·0	76·0	74·4	74·9	75·3	75·3	75·2	75·6	75·4	75·1	75·0	21
22	73·2	73·0	73·6	73·3	73·3	73·6	74·9	76·0	78·0	79·0	79·0	79·3	22
23	76·8	76·7	77·0	76·9	76·3	76·6	77·3	79·3	79·4	79·9	79·5	79·4	23
24	78·5	78·1	77·4	78·0	77·9	77·6	78·3	79·2	80·2	78·8	81·0	77·9	24
25	77·8	77·7	77·4	77·0	76·8	77·0	77·1	77·8	78·2	79·3	78·5	78·8	25
26	76·1	76·3	76·4	75·7	76·3	75·9	77·0	78·3	78·8	79·5	79·0	80·0	26
27	76·0	75·0	74·3	74·9	75·2	75·4	77·1	77·0	77·4	77·0	77·8	76·3	27
28	78·8	78·8	77·3	78·5	78·0	77·5	76·5	77·7	77·0	77·9	78·0	78·6	28
29	75·4	75·1	74·8	74·8	74·6	74·3	74·5	75·5	74·3	74·2	74·2	74·8	29
30	74·7	74·3	74·7	75·0	74·4	74·9	74·7	75·0	75·3	76·0	76·0	76·0	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·0	74·5	74·2	75·9	75·9	76·3	76·6	77·0	77·0	76·5	76·2	76·3	1
2	79·8	79·5	79·5	79·0	78·1	77·3	76·9	76·3	76·7	77·0	77·1	77·0	2
3	80·5	80·7	81·1	79·5	80·1	79·1	78·8	78·8	79·0	79·0	78·7	78·9	3
4	81·2	80·9	81·2	80·2	79·3	78·7	78·6	78·9	79·2	79·0	79·1	79·8	4
5	80·0	79·1	79·3	79·4	78·3	78·8	78·3	78·8	78·6	78·4	78·5	78·4	5
6	80·8	80·0	79·5	78·9	79·0	79·0	78·6	78·3	78·8	78·4	78·4	78·5	6
7	81·0	80·9	79·7	79·3	78·7	78·0	78·1	78·4	78·4	78·1	78·0	78·0	7
8	81·0	80·1	79·5	79·9	79·6	78·5	78·1	78·3	78·5	78·3	78·4	78·5	8
9	81·0	81·0	80·1	80·9	79·8	78·8	78·3	78·3	77·7	77·8	77·9	77·9	9
10	74·5	74·2	76·4	75·6	75·4	74·8	74·0	73·2	74·3	73·2	73·0	74·6	10
11	77·1	75·1	76·2	76·1	76·0	75·7	74·4	73·6	73·9	74·5	75·1	74·6	11
12	77·5	76·8	77·0	76·8	76·3	76·0	76·3	76·5	76·1	76·5	76·4	73·0	12
13	75·1	75·4	76·0	75·9	76·0	76·0	76·0	75·9	75·3	75·9	75·3	75·6	13
14	77·7	78·1	78·6	78·9	77·2	77·2	76·6	76·0	76·5	76·0	76·0	75·7	14
15	79·5	77·1	78·4	79·0	77·0	77·1	77·4	77·0	77·7	77·4	77·5	76·8	15
16	75·0	74·9	76·0	76·4	76·2	75·7	75·7	75·2	75·1	75·7	75·0	75·2	16
17	79·5	78·2	79·0	77·3	76·8	76·5	76·0	76·2	76·8	76·7	76·6	76·3	17
18	72·5	73·6	73·3	72·2	72·1	72·9	73·0	73·1	73·5	73·6	74·2	74·5	18
19	75·4	75·1	75·3	75·2	75·0	75·0	75·0	74·7	75·0	74·9	74·3	72·6	19
20	76·1	76·1	76·4	77·0	76·2	76·0	76·6	76·0	76·0	76·1	76·0	76·0	20
21	73·1	73·2	73·3	74·0	73·8	73·9	73·9	74·0	73·4	73·4	73·9	73·2	21
22	79·1	79·5	78·6	78·7	78·4	78·4	77·9	77·6	77·5	77·4	76·9	76·9	22
23	79·5	78·4	79·4	79·0	78·3	78·0	78·0	78·0	78·0	78·3	78·0	78·4	23
24	80·6	80·0	79·2	78·5	77·5	77·7	77·6	77·3	77·9	77·6	77·8	77·8	24
25	78·9	77·7	78·0	77·4	76·0	76·0	75·9	76·5	76·5	76·8	76·9	76·3	25
26	81·6	81·9	82·0	80·6	77·0	78·5	79·2	79·5	79·0	78·6	78·6	77·9	26
27	76·4	76·6	77·8	78·1	78·0	78·2	78·1	78·2	78·8	78·3	79·0	78·9	27
28	79·0	79·1	78·0	77·5	77·1	77·0	76·0	75·8	75·7	75·9	76·0	75·7	28
29	75·3	76·2	77·0	77·0	77·0	77·0	76·8	76·5	76·2	75·3	74·9	73·6	29
30	76·3	76·6	77·2	77·2	77·0	78·0	78·0	78·0	78·1	78·2	78·2	78·0	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1926.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	5	8	3	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	6	2	1
2	3	2	1	1	1	2	2	2	3	2	3	3	4	3	3	2	4	7	8	2	...	...	...	...	2
3	2	1	2	...	2	6	4	3	4	8	5	6	5	4	4	6	7	7	8	2	4	6	4	4	3
4	2	3	1	...	3	8	10	10	10	10	7	5	5	8	7	9	10	10	10	7	4	2	2	10	4
5	10	10	10	10	10	10	10	10	9	9	10	8	9	9	6	5	7	7	4	2	1	...	...	...	5
6	...	...	...	8	5	7	6	8	9	8	7	7	8	9	9	7	9	5	4	...	...	...	...	1	6
7	...	...	2	1	3	8	3	2	2	6	4	4	3	5	6	6	9	8	9	...	...	...	...	...	7
8	...	...	...	...	...	2	...	2	1	1	1	3	3	7	7	7	6	4	...	...	...	...	...	...	8
9	...	...	...	...	...	2	3	3	3	2	6	8	8	8	9	8	9	10	10	10	10	10	10	10	9
10	10	10	10	10	9	8	8	6	3	4	6	6	5	8	8	10	10	10	9	9	6	6	10	10	10
11	10	10	10	10	10	10	7	6	7	8	7	7	5	7	8	7	7	7	7	10	10	10	10	9	11
12	10	9	6	...	...	1	2	2	1	4	3	6	7	8	7	6	5	5	3	3	2	...	9	10	12
13	7	5	2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7	13
14	8	8	7	9	9	10	10	10	10	10	10	10	10	8	7	7	8	9	10	4	...	...	...	...	14
15	...	...	...	...	...	1	2	1	1	1	2	6	5	10	7	7	10	10	10	4	8	8	7	3	15
16	...	6	10	10	10	10	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	6	10	16
17	10	10	10	10	10	10	8	7	3	3	3	3	6	10	9	9	9	10	10	10	10	10	10	10	17
18	10	5	4	9	10	10	10	6	10	10	10	10	10	2	2	1	2	4	6	7	2	2	1	6	18
19	10	10	8	10	10	10	8	9	9	6	9	7	5	9	9	8	7	5	4	4	5	2	2	2	19
20	2	7	4	2	6	9	7	7	2	2	4	8	10	10	10	10	10	10	10	9	8	7	7	10	20
21	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5	4	4	2	21
22	2	4	3	2	3	5	6	8	7	3	3	4	4	2	4	2	2	1	...	...	...	...	...	...	22
23	...	6	3	...	2	1	4	6	5	4	4	2	2	1	1	1	1	2	1	1	1	2	2	3	23
24	1	2	5	3	9	2	3	6	6	4	3	9	4	2	2	2	2	2	...	1	1	1	2	3	24
25	8	3	1	1	1	2	1	2	2	3	2	1	2	1	1	1	...	1	...	...	...	...	...	1	25
26	1	...	...	2	2	2	3	2	4	4	4	8	8	7	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	9	27
28	10	10	10	10	10	10	10	10	8	10	6	6	6	8	4	4	4	6	3	4	1	1	2	4	28
29	4	2	2	2	7	2	1	2	1	2	2	1	1	3	4	5	6	8	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of SEPTEMBER, 1926.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	0·2	0·2	...	...	...	...	...	...	...	...	1
2	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	2
3	0·3	1·0	1·0	1·0	0·8	1·0	1·0	1·0	1·0	1·0	1·0	0·8	0·1	3
4	...	0·2	0·1	0·4	1·0	0·7	0·9	1·0	1·0	1·0	0·5	...	...	4
5	...	0·4	0·7	0·6	...	0·6	0·8	0·9	1·0	1·0	1·0	1·0	...	5
6	...	0·7	0·7	0·3	0·8	1·0	1·0	0·7	0·8	1·0	1·0	0·6	0·2	6
7	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	...	...	...	7
8	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·9	1·0	1·0	0·4	8
9	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	0·7	0.2	0·1	9
10	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	...	10
11	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	11
12	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	12
13	...	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	0·2	0·1	0·2	0·5	0·9	0·7	0·1	...	14
15	0·2	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·6	1·0	0·9	...	...	15
16	...	...	0·3	0·1	...	...	...	...	...	...	...	...	...	16
17	...	0·1	0·6	1·0	1·0	1·0	1·0	0·6	0·1	0·1	0·1	...	...	17
18	...	0·1	1·0	...	...	...	0·1	0·9	1·0	1·0	1·0	0·8	0·3	18
19	...	0·6	0·7	1·0	0·9	1·0	1·0	1·0	1·0	0·2	0·9	0·3	...	19
20	...	...	0·9	1·0	1·0	0·8	0·3	0·6	0·1	0·4	0·4	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	0·4	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	1·0	0·3	22
23	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	23
24	0·1	0·6	0·9	1·0	1·0	0·6	0·9	1·0	1·0	1·0	1·0	1·0	0·3	24
25	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	25
26	...	0·7	1·0	1·0	1·0	0·9	1·0	1·0	1·0	0·4	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	0·3	0·4	0·4	1·0	1·0	1·0	1·0	0·9	1·0	0·6	28
29	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	0·7	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of SEPTEMBER, 1926.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	d	...	...	0·030	d	d	...	...	...	0·470	0·035	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	d	d	0·035	0·085	d	...	...	4
5	d	...	...	...	...	...	...	...	...	...	0·115	...	5
6	...	...	...	d	...	...	d	...	...	...	...	...	6
7	...	...	...	...	0·070	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	..	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	0·075	0·020	d	d	0·005	0·330	0·730	0·460	0·375	13
14	...	...	...	...	...	...	...	...	...	0·010	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	0·040	1·385	0·295	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	d	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	0·060	0·130	0·070	0·410	0·100	0·065	0·750	0·305	0·040	0·050	0·065	0·085	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	d	...	0·005	...	...	...	...	...	d	d	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	0·010	0·135	0·070	d	0·170	0·670	0·065	0·030	0·245	0·010	0·025	0·010	27
28	...	...	0·310	d	0·095	0·260	0·330	0·035	0·035	d	0·030	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	0·150	0·130	0·145	0·165	0·185	0·130	0·130	d	0·030	0·130	0·400	0·110	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	0·005	0·160	0·025	0·020	0·020	0·010	0·005	...	...	...	...	...	1
2	...	...	...		...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	d	...	...	...	...	0·005	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	0·015	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	d	d	...	11
12	...	...	...	...	...	...	...	...	...	...	d	0·115	12
13	0·275	0·205	0·015	d	0·015	d	d	d	0·010	0·035	0·010	d	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	0·015	0·005	d	0·010	d	...	...	d	d	...	...	...	16
17	...	d	...	...	...	d	0·065	d	d	0·030	0·110	d	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	0·005	d	0·070	0·015	d	...	...	...	...	0·005	20
21	0·785	1·880	0·630	0·125	0·015	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	0·255	d	...	...	...	...	d	0·015	26
27	0·010	0·045	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	0·010	0·015	0·025	0·410	0·075	29
30	0·255	0·220	0·020	0·040	0·040	0·010	d	0·025	0·005	0·120	d	0·010	30

TABLE VII.—DIRECTION AND VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1926.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time.																								Days of the Month.
	1		2		3		4		5		6		7		8		9		10		11		Noon.		
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	6	10	5	12	6	15	6	14	7	12	7	10	7	15	6	12	6	13	6	15	6	18	7	11	1
2	8	9	8	5	8	4	8	6	8	5	8	4	...	1	8	4	7	4	28	6	25	7	24	7	2
3	...	...	20	2	26	4	26	3	...	1	26	2	...	...	26	3	26	4	24	6	23	8	24	8	3
4	21	5	21	4	21	3	21	2	21	2	23	4	24	4	21	2	20	11	20	10	19	13	19	13	4
5	...	1	17	2	...	1	11	3	10	2	...	...	13	2	16	4	18	6	19	9	21	6	23	6	5
6	11	4	11	4	10	2	...	...	...	...	...	...	...	...	...	...	13	2	...	1	19	2	20	7	6
7	...	...	...	...	...	...	...	...	9	7	...	...	.	...	...	...	11	3	14	2	11	6	8	11	7
8	...	...	...	...	10	2	...	...	...	...	...	...	...	...	...	1	11	4	20	5	22	8	22	10	8
9	25	5	...	1	...	...	...	1	25	6	25	7	26	8	24	7	24	7	27	6	24	8	22	9	9
10	9	5	9	3	...	...	9	2	9	5	26	8	26	7	27	8	27	9	27	8	28	9	29	13	10
11	24	5	25	6	24	7	25	8	25	11	25	8	24	7	24	6	23	6	23	6	23	8	22	11	11
12	32	2	...	...	...	1	1	3	1	3	3	2	2	5	2	3	4	3	9	5	17	2	18	2	12
13	11	2	8	9	7	4	8	10	...	...	15	2	...	...	10	6	12	3	14	4	11	9	7	21	13
14	9	7	12	3	11	7	...	...	6	3	2	5	...	1	...	1	...	1	24	5	25	3	26	2	14
15	...	...	...	...	...	...	...	...	25	4	25	3	25	2	25	4	24	4	24	4	23	7	21	6	15
16	...	1	...	...	...	...	...	.	...	...	...	...	...	...	...	...	25	5	21	6	15	11	18	2	16
17	...	...	...	...	28	2	28	2	...	1	...	1	...	...	...	...	...	...	3	6	10	7	12	5	17
18	5	19	5	16	6	18	5	19	5	19	5	18	5	17	6	23	6	24	6	25	6	25	6	24	18
19	6	25	6	26	6	27	5	18	5	17	6	20	6	19	6	22	6	23	6	24	6	24	6	21	19
20	6	17	6	15	6	16	6	18	6	22	6	21	5	22	6	21	6	21	6	25	6	20	6	20	20
21	8	12	9	10	9	18	8	16	7	13	7	10	8	12	8	5	7	4	7	4	6	10	2	7	21
22	...	1	...	...	...	...	...	...	...	...	11	2	7	6	6	3	7	6	6	6	30	4	26	6	22
23	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	8	6	8	8	9	7	8	8	23
24	10	6	...	1	...	...	...	...	...	...	...	...	...	1	9	2	9	7	9	11	10	13	10	9	24
25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	8	2	9	8	10	10	10	10	25
26	...	...	...	...	...	...	...	...	...	...	...	...	...	1	23	4	23	7	22	8	23	7	24	5	26
27	2	18	2	22	32	19	32	41	1	39	3	43	4	68	4	71	5	66	7	73	9	65	9	60	27
28	8	26	8	26	9	16	9	22	10	22	10	27	9	29	8	31	7	33	7	31	7	28	7	31	28
29	5	23	6	23	6	25	6	25	5	13	4	16	4	14	5	16	6	24	6	26	5	30	6	28	29
30	4	31	4	30	4	30	4	31	4	24	4	31	5	32	5	35	5	34	6	32	5	32	6	34	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	11	8	15	7	8	6	7	7	8	7	7	6	7	7	8	7	8	7	8	8	7	8	8	1
2	23	8	23	8	23	7	20	6	22	7	22	4	21	2	...	1	...	1	...	...	...	1	...	...	2
3	24	9	23	8	21	7	18	10	18	8	18	11	19	9	19	9	19	5	19	3	20	6	20	5	3
4	20	14	19	15	19	14	18	12	18	11	18	9	18	8	19	8	21	8	21	3	...	...	...	...	4
5	24	9	24	8	23	7	21	6	17	7	15	11	15	8	15	2	15	2	...	1	...	1	13	3	5
6	17	5	13	8	10	12	8	13	9	12	9	8	9	7	9	3	...	...	...	...	...	1	...	1	6
7	12	7	9	15	8	14	8	7	8	8	9	10	9	7	10	5	...	1	...	...	...	...	...	...	7
8	22	11	22	11	22	11	22	10	22	7	23	7	24	6	24	3	...	...	...	1	24	3	25	6	8
9	21	15	21	13	22	11	23	6	26	6	29	10	8	11	16	3	17	2	13	9	9	15	9	11	9
10	28	11	29	12	27	15	26	14	26	13	26	13	26	7	26	4	26	4	26	5	25	6	25	5	10
11	23	9	26	11	27	14	28	8	30	8	32	8	1	10	2	10	4	5	...	...	3	3	30	4	11
12	13	9	19	11	9	12	9	8	9	13	9	10	10	8	9	6	10	4	9	2	10	6	12	7	12
13	6	20	8	21	8	21	8	19	9	12	8	9	6	9	5	8	6	7	7	4	9	3	9	5	13
14	27	5	26	7	24	7	20	4	19	5	23	6	25	3	...	...	...	...	...	...	...	...	...	...	14
15	20	6	26	12	27	6	27	7	26	6	22	5	21	3	...	...	...	1	...	...	...	...	...	...	15
16	26	3	28	3	...	1	27	3	25	6	24	2	26	2	28	4	..	...	...	:	28	3	...	...	16
17	11	6	10	7	10	10	9	16	7	19	5	17	5	17	6	13	7	17	7	19	6	20	5	27	17
18	6	25	6	24	6	24	8	23	8	25	8	27	7	26	7	22	7	25	7	21	6	24	6	22	18
19	6	23	6	20	7	21	6	17	7	18	9	17	8	16	7	15	7	18	7	20	6	21	6	20	19
20	6	21	6	21	6	21	7	16	8	21	6	15	6	15	7	20	8	13	7	15	7	14	7	16	20
21	31	12	29	10	25	7	21	7	21	6	25	8	29	3	...	1	28	2	30	4	8	6	...	...	21
22	24	7	24	7	23	6	25	6	26	6	27	5	27	3	...	...	...	...	...	...	...	...	...	...	22
23	9	10	8	12	9	14	8	13	9	12	10	9	10	8	10	6	10	6	10	7	10	8	10	5	23
24	9	16	9	16	9	15	9	15	9	12	9	9	10	7	10	4	10	4	...	1	...	...	...	...	24
25	10	10	10	5	15	2	22	5	23	8	...	...	...	1	...	...	...	...	...	...	...	...	...	...	25
26	23	8	22	10	22	9	22	5	5	6	8	2	10	2	14	6	22	2	31	7	32	16	1	17	26
27	10	50	10	50	10	41	10	39	10	40	10	36	10	33	10	31	10	30	9	29	9	27	9	29	27
28	7	35	7	37	6	41	6	37	6	35	6	33	6	32	6	29	6	29	6	28	6	27	5	25	28
29	7	33	7	34	7	28	6	28	6	25	7	29	7	33	6	38	6	37	6	34	6	36	5	33	29
30	6	27	8	26	7	27	7	27	7	30	8	36	8	35	8	32	8	31	9	28	10	24	9	32	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of SEPTEMBER, 1926.
(... = no clouds.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	E	cu	E	nb	E	cu	ESE	nb	E	nb	E	nb	E	cu-nb	E
2	cu-nb	E	cu	E	ci-st	SW	cu	SSW	cu	WSW	cu	WSW	ci-st / cu	ENE / WSW	...	...
3	cu	WSW	...	...	cu	WSW	cu	WSW	cu	WSW	cu	W	cu	WSW	cu	SW
4	cu	SW	...	...	nb	SW	nb	WSW	cu	WSW	ci-st / cu	NE / WSW	cu	SW	cu	WSW
5	cu-nb	WSW	cu	SW	ci-st / cu	NE / SSW	cu	SW	ci-st / cu	NE / SSW	ci st / cu	ENE / SW	cu-nb	ENE	...	...
6	...	...	nb	S	ci-st / cu	ENE / S	cu	S	cu	SE	cu	ESE	ci-st / cu	NE / ESE	...	...
7	...	...	cu	E	cu	SE	ci-cu / cu	NE / SE	cu	SE	ci-st / cu	NNW / SE	ci-st / cu	NNW / SE	...	...
8	...	...	...	...	...	...	cu	E	cu	NNW	cu	N	...	...	...	...
9	...	...	...	...	cu	W	ci-st / cu	SSW / NNW	ci-st / cu	SSW / NNW	cu	NE	cu	NNE	cu	NNE
10	cu	NNE	cu	NNW	ci-st	NNE	ci-st / cu	NE / WNW	ci-st	NE	ci-st	NE	ci-st	ENE	ci-st	ENE
11	cu	N	cu	N	ci-st / cu	NE / ENE	cu	NE	ci-st	NE	ci-st / cu	NE / WNW	ci-st / cu	NE / W	cu	W
12	cu	W	...	...	ci-st	NE	ci-st / cu	NE / W	ci-st / cu	ENE / W	ci-st / cu	NE / SE	a-cu	NE	...	...
13	cu	ESE	nb	E	nb	ESE	nb	NNE	nb	ENE	nb	E	nb	E	nb	E
14	cu-nb	E	cu	ESE	cu	E	nb	E	cu-nb	NNE	cu	NNE	cu	NNE	...	...
15	...	...	...	...	cu	NE	cu	ENE	cu	ENE	ci-st / cu	W / ENE	ci-st / cu	WNW / ENE	cu	ENE
16	...	...	cu	ENE	ci-st / cu	WNW / ENE	cu-nb	NW	nb	NW	nb	WNW	nb	SSW	ci-st / cu	ENE / SW
17	cu	SW	cu	SW	a-cu	SSW	a-cu	SSW	a-cu / cu	SW / E	cu	E	nb	ENE	nb	E
18	cu	E	cu	E	cu	E	cu	E	cu	ENE	cu	ENE	a-cu / cu	NW / E	cu	E
19	cu	E	nb	E	cu	E	cu	E	cu	E	a-cu / cu	NW / E	a-cu / cu	NW / E	cu	E
20	ci-st / cu	W / E	cu	E	cu	E	cu	E	cu	E	nb	E	cu-nb	E	cu	E
21	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	ci-cu	W
22	ci-st	WSW	a-cu	WSW	ci-st / cu	ENE / SW	cu	SW	cu	SSW	cu	SSW	...	...	...	...
23	...	...	...	...	cu	ESE	cu	SE	cu	ESE	cu	ESE	cu	ESE	cu	ESE
24	cu	ESE	cu	ESE	cu	E	cu	E	cu	ESE	cu	ESE	...	...	cu	ESE
25	cu	ESE	cu	SE	cu	ESE	cu	ESE	cu	ESE	cu	ESE	...	...	...	...
26	cu	ESE	cu	E	cu	ESE	ci-st	ENE	ci-st / cu	ESE / ENE	cu	ENE	nb	ENE	cu	ENE
27	nb	ENE	nb	ENE	nb	ESE	nb	E	nb	ESE	nb	ESE	nb	SE	cu	SE
28	cu	SE	nb	SE	nb	SE	cu	E	cu	E	cu	E	cu	E	cu	E
29	cu	E	cu	E	ci-cu	ESE	cu	E	cu	E	cu	E	cu	E	nb	E
30	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1926.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·809	83·0	76·7	6·3	79·2	76·5	0·877	88	87	0·4	3	0·780	6	+ 2·9	+ 10·4	74	10·8	10·8
2	·813	87·5	77·8	9·7	82·3	77·8	·893	81	25	11·3	90	...	...	— 0·4	— 0·7	240	0·8	4·5
3	·748	89·0	79·6	9·4	83·6	79·1	·935	81	43	11·0	88	...	...	— 2·3	— 4·0	240	4·6	5·5
4	·693	87·5	80·9	6·6	83·6	79·7	·962	83	64	6·8	54	0·125	2	— 5·5	— 4·4	219	7·1	7·3
5	·761	88·2	80·7	7·5	83·6	79·0	·931	81	69	8·0	64	0·115	1	— 2·7	— 1·5	209	3·1	4·5
6	·803	88·2	80·3	7·9	83·2	78·9	·931	82	49	8·8	71	...	...	— 1·5	+ 2·5	121	2·9	3·8
7	·734	88·2	78·4	9·8	82·8	78·7	·927	83	34	8·3	67	0·070	...	— 0·9	+ 4·0	103	4·1	4·3
8	·634	88·8	78·4	10·4	83·6	78·4	·903	78	18	11·2	90	...	..	— 1·3	— 3·5	250	3·7	4·4
9	·514	91·5	80·1	11·4	84·6	79·2	·926	77	58	9·7	78	0·015	...	— 0·9	— 2·9	253	3·0	7·4
10	·505	90·9	80·2	10·7	84·5	74·6	·724	60	80	9·0	73	...	...	+ 3·5	— 5·3	305	6·3	7·7
11	·578	90·0	79·7	10·3	83·7	74·9	·748	64	83	10·4	85	...	...	+ 2·4	— 5·0	296	5·5	7·5
12	·687	87·9	76·0	11·9	81·7	75·5	·801	74	45	11·5	93	0·115	1	— 0·8	+ 4·2	101	4·3	5·3
13	·734	79·6	74·1	5·5	77·6	75·0	·835	88	92	...	...	2·560	12	+ 0·2	+ 8·2	89	8·2	8·7
14	·714	86·1	77·1	9·0	80·1	76·2	·852	83	72	2·7	22	0·010	1	...	— 0·9	270	0·9	3·1
15	·658	88·8	77·5	11·3	81·7	76·6	·848	78	43	9·6	78	...	...	+ 0·2	— 3·0	274	3·0	3·3
16	·659	82·8	73·9	8·9	78·6	76·2	·872	89	90	0·4	3	1·750	5	— 0·1	— 1·3	266	1·3	2·2
17	·730	87·8	76·6	11·2	80·8	76·6	·860	82	83	5·6	46	0·205	4	+ 1·6	+ 7·2	77	7·4	8·4
18	·790	83·0	78·4	4·6	80·3	73·7	·743	72	62	6·2	51	...	...	+ 7·4	+ 20·7	70	22·0	22·3
19	·785	83·2	78·4	4·8	80·3	74·4	·773	74	70	8·6	70	...	...	+ 6·7	+ 19·1	71	20·2	20·5
20	·755	83·1	77·9	5·2	79·7	75·4	·823	81	71	5·5	45	0·095	2	+ 6·1	+ 17·3	71	18·3	18·6
21	·745	80·0	74·0	6·0	76·3	74·5	·831	92	90	...	...	5·6 to	14	+ 1·4	+ 3·5	68	3·8	7·8
22	·796	86·9	73·7	13·2	79·9	76·8	·882	87	27	10·5	87	...	...	+ 0·7	— 1·0	305	1·2	3·1
23	·765	87·2	77·1	10·1	81·5	78·2	·922	86	23	10·9	90	...	...	— 1·1	+ 5·6	101	5·7	5·9
24	·726	86·6	78·8	7·8	81·8	78·4	·927	85	31	10·4	86	0·005	1	— 1·5	+ 6·0	104	6·2	6·2
25	·696	87·9	78·1	9·8	82·9	77·3	·863	77	14	11·4	95	...	...	— 0·9	+ 1·2	127	1·5	2·6
26	·563	89·9	78·3	11·6	83·7	78·4	·902	78	61	8·0	67	0·270	1	+ 0·7	— 2·0	289	2·1	5·1
27	·450	87·0	76·2	10·8	80·8	77·1	·882	84	99	...	...	1·495	7	+ 5·9	+ 33·2	80	33·7	42·5
28	·719	84·1	77·0	7·1	81·5	77·4	·866	83	67	7·6	63	1·095	4	+ 5·5	+ 28·1	79	28·6	29·6
29	·727	86·1	76·2	9·9	82·3	75·4	·788	71	48	10·6	89	0·535	5	+ 10·4	+ 24·5	67	26·6	27·1
30	·740	81·1	75·0	6·1	78·8	76·3	·874	89	100	...	...	2·450	15	+ 9·6	+ 26·8	70	28·5	30·5
Means	29·701	86·4	77·6	8·8	81·5	76·9	0·864	80	60	Sum. 214·4	58	Sum. 17·300	Sum. 81	+ 1·5	+ 6·2	76	6·4	10·7
Normals	29·719	85·3	76·7	8·6	80·5	75·2	0·805	77	58	200·9	55	9·808	53	+ 1·0	+ 6·8	82	6·9	11·4
Absolute Max.	29·873	91·5	...	13·2	...	82·4	1·082	...	...	11·5	95	5·610	15	...	...	...	...	73·0 †
Day.	2	9	...	22	...	4	4	...	...	12	25	21	30	...	...	...	...	*3rd 10h*
Absolute Min.	29·232	...	73·7	4·6	...	70·7	0·599	43	...	...	...	...	...	...	...	...	...	...
Day	27	...	22	18	...	18	18	10	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo:—on the 4th and 25th.
Lunar corona :—on the 20th, 21st and 22nd.
Unusual visibility :—on the 5th, 21st, 22nd and 23rd.
Dew :—on the 3rd, 4th, 6th, 7th, 8th, 9th, 14th, 15th, 16th, 17th, 22nd, 23rd and 25th.
Rainbow :—on the 4th and 20th.
Lightning :—on the 2nd, 3rd, 4th, 6th, 7th, 8th, 9th, 10th, 26th and 28th.
Thunder :—on the 1st, 6th, 13th, 14th, 15th, 16th and 26th.

Thunderstorms :—

1*d*. 13*h*. 22*m*. to 15*h*. 10*m*. in S.S.E.; distant.
9*d*. 18*h*. 58*m*. to 19*h*. 40*m*. in E.S.E.; distant,
12*d*. 22*h*. 44*m*. to 23*h*. 15*m*. in N.E.; distant.
13*d*. 2*h*. 00*m*. to 3*h*. 40*m*. in E.N.E.; distant.
16*d*. 10*h*. 23*m*. to 11*h*. 40*m*. in S.E.; distant.
30*d*. 11*h*. 08*m*. to 11*h*. 30*m*. S.E. to N.W.; nearest at 11*h*. 09*m*. (2*s*).

Rain fell on 17 days. The mean hourly intensity was 0·214*in*, and the maximum fall in one hour was 1·880*in* at 14*h* on the 21st.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 101 miles per hour at 8*h* 15*m* on the 27th.

Clouds with base less than 2,000 feet high were observed on 3 days.
Clouds with base less than 1,000 feet high were observed on 1 day.

0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1926.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1011·4	301·3	297·8	3·5	299·2	297·7	29·6	19·8	6	+ 1·0	+ 3·4	74	3·5	3·5
2	1011·5	303·8	298·4	5·4	300·9	298·4	30·1	...	...	− 0·1	− 0·2	240	0·3	1·5
3	1009·3	304·7	299·4	5·3	301·7	299·2	31·6	...	...	− 0·8	− 1·3	240	1·5	1·8
4	1007·4	303·8	300·2	3·6	301·7	299·5	32·5	3·2	2	− 1·8	− 1·4	219	2·3	2·4
5	1009·7	304·2	300·1	4·1	301·7	299·1	31·4	2·9	1	− 0·9	− 0·5	209	1·0	1·5
6	1011·2	304·2	299·8	4·4	301·4	299·1	31·4	...	...	− 0·5	+ 0·8	121	1·0	1·2
7	1008·8	304·2	298·8	5·4	301·2	298·9	31·3	1·8	...	− 0·3	+ 1·3	103	1·3	1·4
8	1005·4	304·6	298·8	5·8	301·7	298·8	30·5	...	...	− 0·4	− 1·1	250	1·2	1·4
9	1001·3	306·1	299·7	6·4	302·2	299·2	31·2	0·4	...	− 0·3	− 1·0	253	1·0	2·4
10	1001·0	305·7	299·8	5·9	302·2	296·7	24·4	...	...	+ 1·1	− 1·7	303	2·1	2·5
11	1003·5	305·2	299·5	5·7	301·7	296·8	25·2	...	...	+ 0·8	− 1·6	296	1·8	2·5
12	1007·2	304·1	297·4	6·7	300·6	297·2	27·0	2·9	1	− 0·3	+ 1·4	101	1·4	1·7
13	1008·8	299·4	296·4	3·0	298·3	296·9	28·2	65·0	12	+ 0·1	+ 2·7	89	2·7	2·9
14	1008·1	303·1	298·1	5·0	299·7	297·6	28·7	0·3	1	...	− 0·3	270	0·3	1·0
15	1006·2	304·5	298·3	6·3	300·6	297·8	28·6	...	...	+ 0·1	− 1·0	274	1·0	1·1
16	1006·3	301·2	296·3	4·9	298·9	297·6	29·4	44·4	5	...	− 0·4	266	0·4	0·7
17	1008·7	304·0	297·8	6·2	300·1	297·8	29·0	5·2	4	+ 0·5	+ 2·4	77	2·4	2·8
18	1010·7	301·3	298·8	2·5	299·8	296·2	25·1	...	...	+ 2·4	+ 6·8	70	7·2	7·3
19	1010·5	301·4	298·8	2·6	299·8	296·6	26·1	...	...	+ 2·2	+ 6·3	71	6·6	6·7
20	1009·5	301·4	298·5	2·9	299·5	297·1	27·8	2·4	2	+ 2·0	+ 5·7	71	6·0	6·1
21	1009·2	299·7	296·3	3·4	297·6	296·6	28·0	142·5	14	+ 0·5	+ 1·1	68	1·2	2·6
22	1010·9	303·5	296·2	7·3	299·6	297·9	29·8	...	...	+ 0·2	− 0·3	305	0·4	1·0
23	1009·9	303·7	298·1	5·6	300·5	298·7	31·1	...	...	− 0·4	+ 1·8	101	1·9	1·9
24	1008·5	303·3	299·0	4·3	300·7	298·8	31·3	0·1	1	− 0·5	+ 2·0	104	2·0	2·0
25	1007·5	304·1	298·6	5·5	301·3	298·2	29·1	...	...	− 0·3	+ 0·4	127	0·5	0·9
26	1003·0	305·2	298·7	6·5	301·7	298·8	30·4	6·9	1	+ 0·2	− 0·7	289	0·7	1·7
27	999·2	303·6	297·6	6·0	300·1	298·1	29·8	38·0	7	+ 1·9	+ 10·9	80	11·0	13·9
28	1008·3	301·9	298·0	3·9	300·5	298·2	29·9	2·8	4	+ 1·8	+ 9·2	79	9·4	9·7
29	1008·6	303·1	297·6	5·5	300·9	297·1	26·6	13·6	5	+ 3·4	+ 8·0	67	8·7	8·9
30	1009·0	300·3	296·9	3·4	299·0	297·6	29·5	62·2	15	+ 3·1	+ 8·8	70	9·3	10·0
31														
Means.	1007·7	303·2	298·3	4·9	300·5	297·9	29·1	Sum. 439·4	Sum. 81	+ 0·5	+ 2·0	76	2·1	3·5
Normals	1008·3	302·6	297·8	4·8	299·9	297·0	27·2	249·1	53	+ 0·3	+ 2·2	82	2·3	3·7
Absolute Maximum.	1013·5	306·1	...	7·3	...	301·0	36·5	142·5	15	...	...	...	...	23·9†
Day.	2	9	...	22	...	4	4	21	30	...	...	...	...	27*d*10*h*
Absolute Minimum.	991·8	...	296·2	2·5	...	294·5	20·2	...	...	...	...	...	...	...
Day.	27	...	22	18	...	18	18	...	...	...	...	...	...	...

ADOPTED ERRORS of TIMEBALL, SEPTEMBER, 1926.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	− 0·1	11	+ 0·1	21	+ 0·1
2	− 0·1	12	0·0	22	0·0
3	− 0·1	13	− 0·1	23	0·0
4	− 0·1	14	− 0·2	24	+ 0·1
5	0·0	15	0·0	25	0·0
6	− 0·1	16	0·0	26	0·0
7	0·0	17	0·0	27	0·0
8	0·0	18	0·0	28	0·0
9	0·0	19	0·0	29	+ 0·1
10	+ 0·1	20	+ 0·1	30	+ 0·1

+ = Late; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0·10

September 27 Time ball not raised owing to high wind.

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1926.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·710	79·7	76·4	·868	86	52		1	2	+ 2·5	+ 5·6	66	6·1	7·8
2	·696	79·6	76·4	·869	86	54		2	2	+ 2·4	+ 5·3	66	5·8	7·3
3	·687	79·1	76·2	·866	87	48		4	3	+ 2·3	+ 5·1	66	5·6	7·4
4	·680	79·0	76·1	·863	87	53		4	4	+ 3·5	+ 5·0	55	6·1	8·2
5	·682	78·7	75·9	·859	87	61		4	6	+ 3·0	+ 4·4	56	5·3	7·7
6	·690	78·7	75·8	·855	87	66	9	7	4	+ 3·3	+ 4·4	53	5·5	8·1
7	·703	79·5	76·1	·857	85	62	48	7	6	+ 3·7	+ 5·8	58	6·9	9·1
8	·717	81·2	76·7	·860	81	63	66	3	4	+ 3·7	+ 6·1	59	7·1	9·9
9	·728	82·3	77·1	·863	78	61	66	5	5	+ 3·0	+ 6·6	66	7·2	11·4
10	·737	83·4	77·5	·866	75	61	67	6	5	+ 2·0	+ 7·4	75	7·7	12·8
11	·732	83·8	77·6	·865	74	62	67	17	7	+ 0·6	+ 6·8	85	6·8	13·6
Noon.	·717	84·3	77·6	·858	73	66	70	5	6	+ 0·8	+ 6·4	83	6·4	13·6
13	·699	84·9	78·1	·873	73	65	73	8	6	...	+ 5·8	90	5·8	14·5
14	·682	84·2	77·7	·864	74	70	70	15	6	— 0·1	+ 6·4	91	6·4	15·2
15	·667	84·1	77·9	·874	74	68	64	4	4	+ 0·1	+ 6·3	89	6·3	14·4
16	·664	84·0	77·7	·866	74	67	61	1	5	— 0·2	+ 6·3	92	6·3	13·3
17	·666	82·9	77·1	·855	76	71	45	2	5	— 0·1	+ 7·0	91	7·0	13·3
18	·674	82·2	77·0	·860	78	73	19	...	2	— 0·1	+ 6·8	91	6·8	12·4
19	·687	81·5	76·8	·860	80	69		...	3	+ 0·4	+ 7·7	87	7·7	11·3
20	·703	81·1	76·7	·861	81	56		...	3	+ 0·5	+ 7·3	86	7·3	9·7
21	·720	80·9	76·8	·869	82	49		...	2	+ 0·6	+ 6·9	85	6·9	8·7
22	·730	80·6	76·8	·873	83	46		1	3	+ 1·0	+ 6·7	82	6·8	8·3
23	·728	80·3	76·7	·873	84	48		3	3	+ 1·5	+ 7·0	78	7·1	9·3
Midn.	·722	79·9	76·5	·870	85	52		1	4	+ 1·9	+ 6·6	74	6·9	9·0

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1926.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1008·0	299·3	297·7	29·3	+ 0·8	+ 1·8	66	2·0	2·6
2	1007·5	299·4	297·7	29·3	+ 0·8	+ 1·7	66	1·9	2·4
3	1007·2	299·2	297·6	29·2	+ 0·8	+ 1·7	66	1·8	2·4
4	1007·0	299·1	297·5	29·1	+ 1·1	+ 1·6	55	2·0	2·7
5	1007·0	298·9	297·4	29·0	+ 1·0	+ 1·4	56	1·7	2·5
6	1007·3	298·9	297·3	28·8	+ 1·1	+ 1·4	53	1·8	2·7
7	1007·8	299·4	297·5	28·9	+ 1·2	+ 1·9	58	2·3	3·0
8	1008·2	300·3	297·8	29·0	+ 1·2	+ 2·0	59	2·3	3·2
9	1008·6	300·9	298·1	29·1	+ 1·0	+ 2·2	66	2·4	3·7
10	1008·9	301·6	298·3	29·2	+ 0·7	+ 2·4	75	2·5	4·2
11	1008·7	301·8	298·3	29·2	+ 0·2	+ 2·2	85	2·2	4·5
Noon.	1008·2	302·1	298·3	28·9	+ 0·3	+ 2·1	83	2·1	4·5
13	1007·6	302·4	298·6	29·5	...	+ 1·9	90	1·9	4·8
14	1007·0	302·0	298·4	29·1	...	+ 2·1	91	2·1	5·0
15	1006·5	301·9	298·5	29·5	...	+ 2·1	89	2·1	4·7
16	1006.4	301·9	298·4	29·2	— 0·1	+ 2·1	92	2·1	4·3
17	1006·5	301·3	298·1	28·8	...	+ 2·3	91	2·3	4·4
18	1006·7	300·9	298·0	29·0	...	+ 2·2	91	2·2	4·1
19	1007·2	300·5	297·9	29·0	+ 0·1	+ 2·5	87	2·5	3·7
20	1007·8	300·3	297·8	29·0	+ 0·2	+ 2·4	86	2·4	3·2
21	1008·3	300·2	297·9	29·3	+ 0·2	+ 2·3	85	2·3	2·9
22	1008·7	300·0	297·9	29·5	+ 0·3	+ 2·2	82	2·2	2·7
23	1008·6	299·8	297·8	29·5	+ 0·5	+ 2·3	78	2·3	3·0
Midn.	1008·4	299·6	297·7	29·4	+ 0·6	+ 2·2	74	2·3	3·0

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

SEPTEMBER,

1926.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	31st AUGUST, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	1st SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.84	757.9	76	...	WNW	2	b	6	30.00	762.1	64	...	NNE	2	b
Nemuro,	11	29.84	758.0	...	...	SE	3	...	5	29.73	755.0	...	...	...	0	...
Hokodate,	"	29.82	757.5	...	...	SSE	1	...	"	...	...	...	...	...	..	...
Tokio,	"	29.86	758.5	...	...	SSE	1	...	"	29.88	759.0	...	...	N	1	...
Kochi,	"	29.88	759.0	...	...	SSE	1	...	"	29.88	759.0	...	...	W	1	...
Nagasaki,	"	29.88	759.0	...	...	...	...	...	"	29.88	759.0	...	...	...	0	...
Kagoshima,	"	29.86	758.5	...	...	SE	1	...	"	29.88	759.0	...	...	...	0	...
Oshima,	"	29.84	758.0	...	...	NNE	2	...	"	29.82	757.5	...	...	...	0	...
Naha,	"	29.86	758.5	...	...	NNW	3	...	"	29.80	757.0	...	...	NNW	2	...
Ishigakijima,	"	29.90	759.5	...	...	E	1	...	"	29.88	759.0	...	...	...	0	...
Bonin Island,	"	29.84	758.0			NW	1		"	29.86	758.5	..	..	...	...	...
Chefoo,	15	29.98	761.5	82	71	N	1	b	6	29.99	761.7	70	95	SW	1	0
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...		...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.97	761.1	77	85	NE	2	0	"	29.97	761.1	76	86	ENE	1	b
Gutzlaff,	"	29.96	761.0	74	95	NE	4	r	"	29.99	761.7	73	92	E	2	0
Sharp Peak,	"	29.87	758.7	88	73	E	2	b	"	29.90	759.4	82	76	NNW	1	b
Amoy,	"	29.86	758.4	92	67	ENE	4	b	6	29.88	758.9	82	83	ENE	1	b
Swatow,	"	29.84	757.9	84	...	SE	2	b	"	29.86	758.4	83	...	NNE	1	b
Taihoku,	11	29.86	758.4	93	61	ESE	4	b	"	29.88	759.0	75	94	E	2	b
Taichu,	"	29.85	758.1	90	...		0	b	"	29.89	759.3	77	...	...	0	b
Tainan,	"	20.87	758.7	86	...	NW	1	b	"	29.87	758.7	77	...	...	0	b
Koshun,	"	29.85	758.1	86	...	ENE	2	b	"	29.87	758.7	77	..	...	0	b
Pescadores,	"	29.89	759.3	86	...	N	1	b	"	29.88	759.0	73	...	...	0	b
Canton,	14	29.80	756.9	91	70	ESE	1	c	6	29.85	758.2	80	...	NE	1	bc
Hongkong,	"	29.82	757.4	85	70	E	3	0	"	29.85	758.2	78	90	ESE	2	0
Gap Rock,	"	29.81	757.2	...	...	E	4	c	"	29.82	757.4	...	..	E	4	c
Macao,	"	29.80	756.9	90	76	ESE	2	0	"	29.81	757.2	74	92	E	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	..	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...		..	...	...	..	..	...	...
Pratas Island,	14	29.79	756.6	80	77	E	5	r	6	29.83	757.7	79	90	E	4	c
Phulien,	15	29.72	754.8	81	84	WSW	2	0	7	29.80	756.9	75	100	ENE	4	of
Tourane,	"	29.74	755.4	84	...	SE	2	b	"	29.78	756.3	77	...	.	0	b
Cape St. James,	"	29.73	755.1	86	...	S	4	0	..	29.80	756.9	75	...	WSW	4	0
Basco,	"	29.80	756.9	90	66	SE	4	0	6	29.85	758.1	81	84	E	1	0
Aparri,	"	29.78	756.3	84	85	NE	4	0	"	29.82	757.5	77	94	...	0	b
Manila,	"	29.73	755.1	84	68	SW	4	0	"	29.84	757.8	77	96	E	1	b
Legaspi,	"	29.73	755.1	90	63	S	2	0	"	29.72	757.5	75	96	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	68	S	4	0	"	29.85	758.1	79	91	...	0	0
Surigao,	..	29.75	755.7	86	68	W	4	0	..	29.82	757.5	77	94	SW	1	b
Guam,	12.20	29.79	756.6	...	...	NE	4	0	4.20	29.84	757.8	...	...	E	1	0
Yap,	12.47	29.80	756.9	...	...	ENE	4	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...		...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	86	88	NW	2	b	6	29.83	757.7	76	91	S	2	b

September 1*d*. 10*h*. 50*m*.—Pressure has increased moderately at Wladivostock and slightly in S.W. districts.

There may be a typhoon to the S.E. of Naha, but this is not certain.

Moderate monsoon may be expected along the E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 74·81 inches, against an average of 66·27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; fair to showery.

T. F. CLAXTON, *Director*.

49282

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort).	Weather. (Beaufort).	2nd September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort).	Weather. (Beaufort).
Wladivostock,	12	29.98	761.5	76	...	...	0	b	6	29.96	761.0	63	...	...	0	0
Nemuro	11	...	...	...	...	...	...	...	5	29.86	758.5	...	...	SW	1	...
Hokodate,	,,	29.82	757.5	...	...	NW	1	...	,,	29.94	760.5	...	...	N	1	...
Tokio,	,,	29.84	758.0	...	...	N	1	...	,,	29.98	761.5	...	...	NNW	1	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.90	759 5	...	...		0	...
Nagasaki,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.88	759.0	...	...	SSE	1	...
Kagoshima,	,,	29.88	759.0	...	...	...	0	...	,,	29.86	758.5	...	...	NW	1	...
Oshima,	,,	29.84	758.0	...	...	...	0	...	,,	29.78	756.5	...	...	...	0	...
Naha,	,,	29.82	757.5	...	...	NNW	3	...	,,	29.78	756.5	...	...	NNW	3	...
Ishigakijima,	,,	29 00	759.5	...	...	NNW	1	...	,,	29.86	758.5	...	...	...	...	...
Bonin Island,	,,	29.88	759.0	...	...	WNW	1	...	,,	29.02	760.0	...	...	...	0	...
Chefoo,	15	29.92	759.9	77	82	NE	1	0	6	29.86	758.4	66	100	ESE	1	0
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.91	759.6	82	77	E	2	0	,,	29.85	758.2	73	94	WNW	4	0
Gutzlaff,	,,	29.94	760.5	80	82	SE	4	b	,,	29.86	758.4	76	05	NW	6	r
Sharp Peak,	,,	29.89	759 2	85	72	E	2	b	,,	29.87	758.7	82	83	S	1	b
Amoy,	,,	29.88	758.9	90	66	SSE	4	b	6	29.87	758.7	82	87	SSE	1	b
Swatow,	,,	29.87	758.7	86	...	E	2	b	,,	29.87	758.7	85	...	NE	1	be
Taihoku,	11	29.91	759.6	90	60	W	2	b	5	29.88	759.0	73	92	...	0	b
Taichu,	,,	29.91	759.6	90	...	...	0	b	,,	29.91	759.6	73	...	...	0	b
Tainan,	,,	29.89	759.3	90	...	SSW	2	b	,,	20.87	758.7	75	...	SSE	1	b
Koshun,	,,	29.91	759.6	90	...	ENE	2	b	,,	29.87	758.7	77	...	...	0	r
Pescadores,	,,	29.91	759.6	90	...	WNW	2	b	,,	29.80	759.3	79	...	NW	2	b
Canton,	14	...	...	...	...	...	...	..	6	29.88	758.9	78	...	E	2	b
Hongkong,	,,	29.87	758.7	77	91	SE	4	orlt	,,	29.89	759.2	78	93	ESE	1	b
Gap Rock,	,,	29.85	758.2	...	...	ESE	4	op	,,	29.89	759.2	...	...	SE	3	b
Macao,	,,	29.84	757.8	79	95	SE	4	r	,,	29.85	758.1	79	96	SE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.83	757.7	88	82	ESE	3	lc	6	29.86	758.4	80	79	..	0	bc
Phulien,	15	29.79	756.6	86	78	ESE	4	b	7	29.87	758.7	77	91	NE	2	b
Tourane,	,,	29.75	755.7	81	...	...	0	0	,,	29.86	758.4	77	...	NW	2	b
Cape St. James,	,,	29.76	756.0	84	...	WSW	2	0	,,	29.84	757.8	75	...	NNE	2	bf
Basco,	,,	29.85	758.1	90	66	ESE	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.81	757.2	86	81	NNE	2	0	,,	...	...	...	..	...	...	...
Manila,	,,	29.80	756.9	90	63	WSW	4	b	,,	29.88	759.0	75	92	NE	2	b
Legaspi,	,,	29.79	756.6	93	67	NE	2	b	,,	29.86	758.4	75	96	...	0	b
Taoloban,	,,	...	...	..	...	...	...	...	,,	29.87	758.7	79	92	NNW	1	0
Iloilo,	,,	29.80	756.9	86	71	S	4	0	,,	29.89	759.3	79	92	...	0	0
Surigao,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Guam,	12.20	29.82	757.5	...	...	SE	2	0	4.20	29.85	758.1	...	...	SE	1	0
Yap,	12.47	29.81	757.2	...	...	NE	2	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	88	84	SW	2	b	6	29.82	757.4	78	91	SW	2	b

September 2*d*. 11*h*. 15*m*.—Pressure has increased moderately over central and N.E. Japan and slightly from Indo-China to the Philippines. It has decreased moderately at Shanghai and slightly over the Loochoos.

The anticyclone has weakened and moved eastward. It now covers Japan.

The depression to the S.E. of Naha is moving northward, It may te develope into a typhoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·75 inch. Total since January 1st. 75·56 inches, against an average of 66·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD

District.	Forecast.
1.—Formosa Channel, ...	West or variable winds, light; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.92	760.0	72	...	...	0	0	6	29.83	757.7	65	...	...	C	0
Nemuro,	11	29.88	759.0	...	...	NW	2	...	5	29.98	761.5	...	...	SSE	1	...
Hokodate,	,,	29.94	760.5	...	...	WSW	1	...	,,	29.90	759.5	...	...	E	1	...
Tokio,	,,	29.92	760.0	...	...	ESE	1	...	,,	29.90	759.5	...	...	...	0	...
Kochi,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.80	757.0	...	...	...	0	...
Nagasaki,	,,	29.82	757.5	...	...	SSE	1	...	,,	29.73	755.0	...	...	W	1	...
Kagoshima,	,,	29.84	758.0	...	...	SE	1	...	,,	29.70	754.5	...	...	NE	1	...
Oshima,	,,	29.76	756.0	...	...	ENE	1	...	,,	29.59	751.5	...	...	NNW	3	...
Naha,	,,	29.76	756.0	...	...	NW	3	...	,,	29.76	756.0	...	...	WSW	2	...
Ishigakijima,	,,	29.88	759.0	...	...	NW	1	...	,,	29.84	758.0	...	...	W	1	...
Bonin Island,	,,	29.92	760.0	...	...	...	0	...	,,	29.92	760.0	...	...	...	...	...
Chefoo,	15	29.79	756.6	78	82	NNW	1	b	6	29.78	756.4	68	95	...	0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.87	758.7	75	79	WNW	4	0	,,	29.89	759.3	68	98	WNW	2	b
Gutzlaff,	,,	29.87	758.7	76	82	NW	6	0	,,	29.90	759.4	74	68	N	4	0
Sharp Peak,	,,	29.85	758.2	88	76	SSE	4	0	,,	29.87	758.7	82	87	N	1	0
Amoy,	,,	29.85	758.2	94	64	SSE	4	b	6	29.85	758.2	81	87	NE	1	b
Swatow,	,,	29.85	758.2	85	...	SW	1	b	,,	29.85	758.2	85	...	...	0	b
Taihoku,	11	29.88	759.0	90	63	W	4	b	5	29.82	757.5	75	92	...	C	0
Taichu,	,,	29.91	760.6	90	...	...	C	b	,,	29.85	758.1	75	...	...	C	b
Tainan,	,,	29.89	759.3	90	...	NW	2	b	,,	29.84	757.8	75	...	E	2	b
Koshun,	,,	29.88	759.0	90	...	WNW	2	b	,,	29.81	757.2	79	...	NW	2	b
Pescadores,	,,	29.92	759.9	86	...	...	0	b	,,	29.84	757.8	...	...	SSW	2	b
Canton,	14	29.84	757.9	78	95	E	2	0	6	29.85	758.2	80	...	...	C	bc
Hongkong,	,,	29.84	757.9	87	73	W	2	c	,,	29.85	758.2	80	91	W	1	c
Gap Rock,	,,	29.88	758.9	...	...	W	2	b	,,	29.86	758.4	...	...	WSW	3	c
Macao,	,,	29.84	757.8	93	74	SSW	2	0	,,	29.81	757.2	81	90	W	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.86	758.4	85	82	NW	2	d	6	29.82	757.4	81	86	W	1	b
Phulien,	15	29.81	757.2	86	78	ENE	2	0	7	29.86	758.4	77	94	ENE	1	b
Tourane,	,,	29.81	757.2	86	...	SE	2	b	,,	29.85	758.1	79	...	...	C	b
Cape St. James,	,,	29.85	758.1	86	...	SW	2	of	,,	29.86	758.4	77	...	SW	2	0
Basco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	77	96	S	2	...
Manila,	,,	29.84	757.8	86	75	W	4	0	,,	29.86	758.4	75	92	...	C	0
Legaspi,	,,	29.82	757.5	90	66	NE	2	b	,,	29.82	757.5	75	96	SW	1	0
Tacloban,	,,	29.82	757.5	84	77	NE	2	0	,,	...	...	...	...	...	...	b
Iloilo,	,,	29.84	757.8	86	71	SSW	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.81	757.2	84	74	...	0	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	ESE	2	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.81	757.2	...	...	S	2	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	84	NW	1	0	6	29.83	757.7	78	86	SW	2	b

September 3*d*. 10*h*. 50*m*.—Pressure has decreased moderately from Oshima to S.W. Japan and slightly over central Japan, Formosa, Luzon and Pratas.

The Loochoos depression, which has deepened, is moving northward. It is now about 100 miles E. of Oshima.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 75·56 inches, against an average of 66·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	West or variable winds, light; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	4th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.82	757.3	76	...	WSW	2	c	6	29.84	758.0	65	...	...	c	o
Nemuro,	11	29.98	761.5	...	...	SSW	2	...	5	29.80	757.0	...	...	NNE	2	...
Hokodate,	,,	29.80	757.0	...	...	ENE	1	...	,,	29.86	758.5	...	...		o	...
Tokio,	,,	29.88	759.0	...	...	S	1	...	,,	29.82	757.5	...	...	SE	1	...
Kochi,	,,	29.76	756.0	...	...	SSE	1	...	,,	29.57	751.0	...	...	W	1	...
Nagasaki,	,,	29.70	754.5	...	...	W	1	...	,,	29.75	755.5	...	...	NW	1	...
Kagoshima,	,,	29.69	754.0	...	...	E	1	...	,,	29.75	755.5	...	...	W	1	...
Oshima,	,,	29.67	753.5	...	...	N	2	...	,,	29.82	757.5	...	...	..	c	...
Naha,	,,	29.80	757.0	...	...	SW	2	...	,,	29.84	758.0	...	...	ENE	1	...
Ishigakijima,	,,	29.84	758.0	...	...	SW	1	...	,,	29.82	757.5	...	...	S	1	...
Bonin Island,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.96	761.0	...	...	SSE	1	...
Chefoo,	15	29.73	755.1	78	78	NE	1	b	6	29.73	755.1	67	100	SE	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.84	757.8	82	57	W	1	b	,,	29.82	757.5	70	96	SE	1	o
Gutzlaff,	,,	29.86	758.4	83	60	NNE	2	b	,,	29.85	758.2	75	86	SSE	2	o
Sharp Peak,	,,	29.82	757.4	81	83	ENE	4	o	-	20.77	756.1	78	91	NE	2	o
Amoy,	,,	29.82	757.4	88	73	SSE	4	b	6	29.74	755.4	82	87	WNW	1	o
Swatow,	,,	29.81	757.2	91	67	SSW	1	c	,,	29.74	755.4	84	...	E	1	b
Taihoku,	11	29.82	757.5	90	60	W	2	b	5	29.78	756.3	75	94	...	c	b
Taichu,	,,	29.84	757.8	90	...	...	o	b	,,	29.80	756.9	75	...	...	c	b
Tainan,	,,	29.84	757.8	86	...	SW	1	b	,,	29.79	756.6	79	...	...	c	b
Koshun,	,,	29.82	757.5	86	...	NNW	1	b	,,	29.80	756.9	75	...	...	c	b
Pescadores,	,,	29.84	757.8	90	...	SW	2	o	,,	29.78	756.3	82	...	SW	1	b
Canton,	14	29.73	755.1	92	70	S	1	c	6	29.73	755.1	80	...	E	1	c
Hongkong,	,,	29.76	755.9	88	73	W	2	c	,,	29.74	755.4	81	91	W	2	o
Gap Rock,	,,	29.79	756.6	...	...	WSW	3	b	,,	29.75	755.6	...	...	SW	4	c
Macao,	,,	29.74	755.4	90	72	SW	2	o	,,	29.71	754.5	81	94	SW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.79	756.6	88	65	W	2	b	6	29.76	755.9	82	79	WSW	1	b
Phulien,	15	29.76	756.0	90	66	SSW	2	b	7	29.73	755.1	81	96	SSE	4	of
Tourane,	,,	29.81	757.2	84	...	NE	2	b	,,	29.79	756.6	81	...	SW	4	b
Cape St. James,	,,	29.84	757.8	86	...	SW	2	b	,,	29.75	758.1	77	...	WSW	2	b,
Basco,	,,	29.76	756.0	90	69	W	2	o	6	29.79	756.6	77	92	...	c	o
Aparri,	,,	29.76	756.0	90	66	NNW	4	o	,,	29.80	756.9	77	96	...	c	b
Manila,	,,	29.76	756.0	86	68	WSW	4	o	,,	29.79	756.6	75	92	NE	1	o
Legaspi,	,,	29.75	755.7	90	63	ENE	2	o	,,	29.78	756.3	75	98	...	c	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	61	S	2	o	,,	29.80	756.9	75	94	...	c	o
Surigao,	,,	29.76	756.0	82	77	NE	1	o	,,	29.78	756.3	73	96	...	o	b
Guam,	12.20	29.79	756.6	...	...	NW	2	o	4.20	29.75	755.7	...	...	NE	2	o
Yap,	12.47	29.80	756.9	...	...	W	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...		...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	86	88	NW	4	b	6	29.82	757.4	78	91	SW	2	b

September 4*d*. 10*h*. 5*cm*.—Pressure has decreased considerably at Kochi and slightly at Tokio and from Shanghai to Indo-China. It has increased moderately at Naha.

The Loochoos depression is near Kobe, moving N.E.

S.W. monsoon conditions have set in again.

Manila warning. 3*d*. 19*h*. 15*m*.:—Typhoon in Lat. 29° N. Long. 133° E. direction unknown. Recd. 3*d*. 2*ch*. 03*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·12 inch. **Total since January 1st, 75·68 inches, against an average of 67·25 inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; fair to showery.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	5th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	29.87	758.6	75	...	...	c	b	6	29.98	761.4	66	...	...	c	c
Nemuro.....	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate, ...	,,	29.82	757.5	...	...	ESE	1	...	,,	29.82	757.5	...	...	WNW	2	...
Tokio.....	,,	29.50	751.5	...	...	SSE	5	...	,,	29.90	759.5	...	...	...	0	...
Kochi, ...	,,	29.67	753.5	...	...	SW	1	...	,,	29.92	760.0	...	...	WSW	1	...
Nagasaki, ...	,,	29.82	757.5	...	...	WNW	3	...	,,	29.98	761.5	...	...	...	c	...
Kagoshima, ...	,,	29.82	757.5	...	...	W	1	...	,,	29.98	761.5	...	...	NW	1	...
Ishima, ...	,,	29.86	758.5	...	...	NNE	1	...	,,	29.92	760.0	...	...	S	1	...
Naha, ...	,,	29.86	758.5	...	...	N	1	...	,,	29.90	759.5	...	...	...	c	...
Ishigakijima....	,,	...	...	...	...	...	...	...	,,	29.88	759.0	...	...	SSE	1	...
Bonin Island,...	,,	29.98	761.5	...	...	SSE	2	...	,,	30.04	763.0	...	...	SSE	1	...
Chefoo, ...	15	29.71	754.6	72	100	SE	1	0	6	29.71	754.6	68	100	N	1	b
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	29.80	756.9	81	75	SE	4	0	,,	29.87	758.7	73	98	SE	1	0
Gutzlaff.....	,,	29.84	757.9	76	86	SSE	4	0	,,	29.86	758.4	75	95	SE	2	r
Sharp Peak, ...	,,	29.75	755.6	84	83	E	1	b	,,	29.81	757.2	84	79	...	0	b
Amoy, ...	,,	29.74	755.4	90	77	SSE	4	b	6	29.79	756.6	82	87	SW	2	b
Swatow.....	,,	..	..	...	...	...	...	...	,,	29.79	756.6	85	...	...	0	b
Taihoku, ...	11	29.78	756.3	90	63	..	0	b	5	29.85	758.1	75	96	...	0	b
Taichu, ...	,,	29.80	756.9	90	...	SSW	2	0	,,	29.85	758.1	73	...	...	0	b
Tainan, ...	,,	29.80	756.9	90	...	S	2	b	,,	29.84	757.8	77	...	...	0	b
Koshun,.....	,,	29.82	757.5	90	...	S	2	0	,,	29.85	758.1	77	...	...	0	b
Pescadores, ...	,,	29.81	757.2	90	...	WSW	4	0	,,	29.84	757.8	82	...	SW	2	b
Canton, ...	14	29.68	753.9	92	74	SSW	2	c	6	29.78	756.4	77	...	...	0	0
Hongkong,.....	,,	29.72	754.9	87	74	SW	3	0	,,	29.79	756.6	82	87	...	0	0
Gap Rock, ...	,,	29.73	755.1	...	...	WSW	4	b	,,	29.81	757.2	...	...	S	4	c
Macao, ...	,,	29.71	754.5	90	72	SW	4	0	,,	29.75	755.7	81	94	SSW	2	0
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Hoihow.....	,,	...	...	...	...	...	...	...	,,	..	..	...	...	..	...	...
Pratas Island,...	14	29.76	755.9	88	81	SSW	2	bc	6	29.79	756.6	82	80	SSE	1	bc
Phulien, ...	15	29.63	752.7	90	82	SSE	2	0	7	...	...	...	...	...	...	...
Tourane,.....	,,	29.73	755.1	86	...	N	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.70	756.6	86	...	SW	4	b	,,	...	...	...	...	...	...	...
Basco.....	,,	29.76	756.0	90	66	SE	2	b	6	29.79	756.6	82	84	...	0	0
Aparri, ...	,,	29.73	755.1	90	69	NE	4	0	,,	29.81	757.2	77	91	...	0	b
Manila, ...	,,	29.73	755.1	86	61	W	2	0	,,	29.82	757.5	75	96	NE	1	0
Legaspi, ...	,,	29.75	755.7	86	71	NE	2	0	,,	29.80	756.9	73	96	S	1	b
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Iloilo, ...	,,	29.76	756.0	84	71	SW	4	0	,,	29.82	757.5	77	91	...	c	0
Surigao, ...	,,	29.71	755.4	84	71	...	c	0	..	..	..	...	...	...	...	...
Guam,.....	12.20	29.76	756.0	...	...	E	1	0	4.20	29.81	757.2	...	...	SE	1	0
Yap, ...	12.47	29.79	756.6	...	...	WNW	2	0	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	..	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.77	756.1	86	84	NW	4	b	6	29.82	757.4	78	91	SW	2	b

September 5*d*. 11*h*. 40*m*.—Pressure has increased considerably over central Japan and slightly from the Bonins to Shanghai, Formosa, Kwantung and the Philippines.

The Loochoes depression has passed into the Pacific, others are shown over N.E. and S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st. 75·69 inches, against an average of 67·55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	S. winds, moderate ; fair to showery.

T. F. CLANTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	6th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.90	759.5	...	...	N	4	...	,,	30.01	763.0	...	...	...	0	...
Tokio,	,,	29.91	760.5	...	...	ENE	1	...	,,	30.04	763.0	...	...	...	.	...
Kochi,	,,	29.96	761.0	...	...	SE	1	...	,,	30.02	762.5	...	...	...	0	...
Nagasaki,	,,	29.98	761.5	...	...	SE	2	...	,,	29.96	761.0	...	...	S	1	...
Kagoshima,	,,	30.00	762.0	...	...	S	1	...	,,	29.96	761.0	...	...	...	0	...
Oshima,	,,	29.98	761.5	...	...	S	1	...	,,	29.96	761.0	...	...	SSE	1	...
Naha,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.96	761.0	...	...	ESE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	SSE	2	...	,,	29 94	760.5	...	...	E	1	...
Bonin Island,	,,	30.04	763.0	...	...	...	0	...	,,	30.02	762.5	...	...	...	0	...
Chefoo,	15	29.81	757.2	80	82	NNW	2	h	6	29.79	756.6	71	100	...	0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.87	758.7	82	81	ESE	1	b	,,	29.87	758.7	73	100	ESE	1	b
Gutzlaff,	,,	29.90	759.4	78	92	SE	1	o	,,	29.90	759.4	78	92	SSW	1	o
Sharp Peak,	,,	29.85	758.7	88	80	SSE	2	b	,,	29.91	759.7	86	84	...	0	b
Amoy,	,,	29.79	756.6	88	76	SSE	2	b	6	29.92	759.9	82	92	S	2	b
Swatow,	,,	29.79	756.6	86	..	S	2	b c	,,	29.91	759.7	86	...	...	0	c
Taihoku,	11	29.88	759.0	90	66	...	0	b	5	29.92	759.9	77	92	...	0	b
Taichu,	,,	29.89	759.3	90	...	SSE	2	b	,,	29.91	759.6	77	...	...	0	b
Tainan,	,,	29.88	759.0	90	...	SSW	2	b	,,	29.88	759.0	77	...	...	0	b
Koshun,	,,	29.88	759.0	90	...	ESE	2	b	,,	29.88	759.0	79	...		0	b
Pescadores,	,,	29.88	759.0	90	...	SW	4	b	,,	29.80	759.4	82	...	NW	2	b
Canton,	14	...	..	...	...	...	...	...	6	29.90	759.4	87	...	...	0	bc
Hongkong,	,,	29.80	756.9	87	69	W	2	o	,,	29.90	759.4	81	91	...	0	c
Gap Rock,	,,	29.81	757.2	...	...	SW	3	c	,,	29.89	759.2	...	...	ESE	1	c
Macao,	,,	29.79	756.6	90	66	SW	2	o	,,	29.87	758.7	81	94	...	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	..	..	...	...	...	...	...
Pratas Island,	14	29.82	757.4	90	66	ESE	1	b	6	29.85	758.2	83	79	E	1	c
Phulien,	15	29.76	756.0	82	77	ENE	1	o	7	29.85	758.1	79	96	ENE	4	b
Tourane,	,,	29.74	755.4	86	...	SE	2	b	,,	29.85	758.1	77	...	...	0	o
Cape St. James,	,,	29.79	756.6	86	...	S	2	b	,,	29.84	757.8	79	...	WSW	2	o
Basco,	,,	29.79	756.6	90	69	SE	4	o	6	...	...	..	..	...	...	...
Aparri,	,,	29.79	756.6	90	66	NE	4	o	,,	29.85	758.1	77	92	...	0	b
Manila,	,,	29.79	756.6	90	69	WSW	1	o	,,	29.82	757.5	75	92	NE	1	o
Legaspi,	,,	29.79	756.6	93	67	NE	4	b	,,	...	...	...	..	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	82	67	S	4	o	,,	29.81	757.2	77	94	S	1	o
Surigao,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.6	...	...	WNW	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	..	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	84	83	NE	2	o	6	29.84	757.9	76	91	SW	2	b

September 6*d*. 10*h*. 40*m*.—Pressure has increased slightly over central Japan and from Formosa to Tongking. It is nearly stationary elsewhere.

A wedge of relatively high pressure projects westward over S. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·11 inch. Total since January 1st. 75·80 inches, against an average of 67·85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Light, variable winds; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostook, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro.....	11	30.02	762.5	...	...	WNW	1	...	5	30.00	762.0	...	...	...	0	...
Hokodate, ...	.	30.04	763.0	...	...	ESE	1	...	,,	30.02	762.5	...	...	...	0	...
Tokio,.....	,,	30.00	762.0	...	...	E	1	...	,,	30.00	762.0	...	...	...	...	...
Kochi, ...	,,	30.00	762.0	...	...	SE	1	...	,,	...	...	...	...	ESE	1	...
Nagasaki, ...	,,	29.68	761.5	...	...	SSW	1	...	,,	29.84	758.0	...	...	N	2	...
Kagoshima, ...	,,	29.96	761.0	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	0	...
Oshima, ...	,,	29.98	761.5	...	...	S	1	...	,,	29.90	759.5	...	...	...	...	...
Naha, ...	,,	29.96	761.0	...	...	ENE	2	...	,,	29.88	759.0	...	...	E	1	...
Ishigakijima,...	,,	29.94	760.5	...	...	ESE	1	.	,,	29.84	758.0	...	...	E	2	...
Bonin Island,...	,,	30.02	762.5	...	...	SE	1	...	,,	29.98	761.5	...	...	...	0	...
Chefoo, ...	15	29.66	753.5	81	87	SSW	2	r	6	29.67	753.6	65	100	...	0	0
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai.	14	29.82	757.5	93	57	WSW	1	b	,,	29.82	757.5	73	100	S	1	b
Gutzlaff,.....	,,	29.86	758.4	83	83	SSW	2	b	,,	29.85	758.2	78	92	SW	2	b
Sharp Peak, ...	,,	29.88	758.9	88	80	SSE	2	b	,,	29.83	757.7	83	83	...	0	b
Amoy, ...	,,	29.87	758.7	92	67	SSE	4	b	6	29.82	757.4	82	94	S	2	b
Swatow,.....	,,	29.86	758.4	93	...	..	0	b	,,	29.81	757.2	85	..	...	0	b
Taihoku, ...	11	29.91	759.6	90	63	W	1	b	,,	29.82	757.5	73	96	...	0	b
Taichu, ...	,,	29.92	759.9	90	...	NW	1	b	,,	29.82	757.5	75	..	...	0	b
Tainan, ...	,,	29.91	759.6	90	...	N	1	o	,,	29.80	756.9	75	...	...	0	b
Koshun,.....	,,	29.89	759.3	90	...	ENE	2	b	,,	29.80	756.9	81	...	NE	2	b
Pescadores, ...	,,	29.92	759.9	90	...	W	1	b	,,	29.80	756.9	82	...	NW	2	b
Canton, ...	14	29.84	757.9	94	71	NNW	1	b	6	29.82	757.4	86	...	...	0	bc
Hongkong,.....	,,	29.84	757.9	86	76	SSE	3	o	,,	29.81	757.2	80	86	...	0	o
Gap Rock,.....	,,	29.85	758.2	...	...	NW	2	b	,,	29.81	757.2	...	..	NE	3	c
Macao, ...	,,	29.82	757.5	90	76	ESE	2	o	,,	29.79	756.6	79	96	SE	2	of
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...		...	...	...	...	...
Hoihow,.....	,,	...	...	...	...	...	...	..	..	..		...	...	..	...	...
Pratas Island,...	14	29.82	757.4	83	86	E	3	od	6	29.77	756.1	82	83	ESE	3	b
Phulien, ...	15	29.84	757.8	81	89	SSE	2	o	7	29.85	758.1	79	95	SSE	1	bf
Tourane,.....	,,	29.79	756.6	86	...	NE	2	b	,,	29.81	757.2	77	...	...	0	b
Cape St. James.	,,	29.79	756.6	86	...	S	2	b	,,	29.80	756.9	77	...	WNW	2	o
Basco,.....	,,	...	...	...	...	...	...	...	6	29.74	755.4	81	80	...	0	o
Aparri, ...	,,	...	...	...	...	...	...	...	,,	29.73	755.1	77	96	...	0	o
Manila, ...	,,	29.78	756.3	82	81	SE	2	o	,,	29.71	754.5	75	96	E	1	r
Legaspi,.....	,,	...	...	...	...	...	...	...	..	29.66	753.3	75	94	SSW	2	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Surigao, ...	..	...	...	...	..	...	...	...	,,	29.72	754.8	75	92	WSW	2	o
Guam,.....	12.20	29.80	756.9	...	...	SW	1	o	4.20	29.80	756.9	...	...	...	...	...
Yap, ...	12.47	29.79	756.6	...	...	S	1	o	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	..	..	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.76	755.9	86	88	NW	2	b	6	29.84	757.9	76	86	SW	2	b

September 7*d*. 9*h*. 30*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 126° E., moving W.N.W.

September 7*d*. 10*h*. 43*m*.—Pressure has decreased moderately over S.W. Japan and over the Philippines and slightly at the majority of other reporting stations.

A feeble anticyclone is central to the east of Japan.

A depression is shown over N.E .China.

A typhoon has formed to the east of S. Luzon. It appears to be moving W.N.W.

Manila warning. 6*d*. 20*h*. 00*m*.:—Typhoon E. of Southern Luzon direction unknown. Recd. 6*d*. 21*h*. 54*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·07 inch. Total since January 1st, 75·87 inches, against an average of 68·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	N.E. winds, moderate; fine.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)	8th SEPTEMBER 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)
Wladivostock,	12	29.72	755.0	72	...	SE	4	0	...	29.82	757.4	69	...	ESE	3	0
Nemuro,	11	29.68	761.5	...	...	SSW	1	...	...	30.00	762.0	...	...	S	3	...
Hokodate,	...	29.96	761.0	...	...	SE	3	...	...	29.92	760.0	...	...	...	...	...
Tokio,	,,	29.96	761.0	...	...	...	0	...	,,	29.96	761.0	...	...	...	...	...
Kochi,	,,	29.88	759.0	...	...	E	1	...	,,	29.96	761.0	...	...	WSW	1	...
Nagasaki,	,,	29.96	759.5	...	...	W	4	...	,,	29.90	759.5	...	...	SSE	3	...
Kagoshima,	,,	29.90	759.5	...	...	S	1	...	,,	29.92	760.0	...	...	...	0	...
Oshima,	,,	29.88	759.0	...	...	S	1	...	,,	29.90	759.5	...	...	SSE	1	...
Naha,	,,	29.88	759.0	...	...	ENE	2	...	,,	29.86	758.5	...	...	ESE	1	...
Ishigakijima,	,,	29.84	758.0	...	...	SE	1	...	,,	29.80	757.0	...	...	ENE	2	...
Bonin Island,	,,	29.96	761.0	...	...	ENE	1	...	,,	30.00	762.0	...	...	...	...	...
Chefoo,	15	29.52	750.0	84	83	SSE	4	0	6	29.59	751.6	65	100	SSW	2	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.76	756.0	90	60	WSW	1	b	,,	29.78	756.3	77	88	SSW	2	0
Gutzlaff,	,,	29.82	757.4	84	79	SSW	2	b	,,	29.81	757.2	80	92	SSW	4	0
Sharp Peak,	,,	29.78	756.4	88	76	E	2	b	,,	29.75	755.6	82	87	NNE	2	0
Amoy,	,,	29.77	756.1	92	70	SSE	4	b	6	29.73	755.1	83	79	N	2	b
Swatow,	,,	29.76	755.9	93	...	...	0	b	,,	29.72	754.9	88	...	...	0	b
Taihoku,	11	29.80	756.9	90	60	WSW	2	b	5	29.73	755.1	77	91	E	2	b
Taichu,	,,	29.81	757.2	90	...	NNW	2	0	,,	29.73	755.1	75	...	...	0	b
Tainan,	,,	29.80	756.9	90	...	N	2	b	,,	29.72	754.8	75	...	...	0	b
Koshun,	,,	29.80	756.9	90	...	NNE	4	b	,,	29.69	754.2	81	...	NNE	4	0
Pescadores,	,,	29.78	756.3	89	...	N	2	b	,,	29.71	754.5	81	...	...	0	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	80	...	E	1	c
Hongkong,	,,	29.76	755.9	87	76	E	3	c	,,	29.73	755.1	79	87	...	0	b
Gap Rock,	,,	29.77	756.1	...	...	SE	3	c	,,	29.74	755.4	...	...	NNE	2	b
Macao,	,,	29.74	755.4	90	72	ESE	2	0	,,	29.72	754.8	79	98	NNW	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...		...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...		...	...	...	...	...
Pratas Island,	14	29.71	755.4	88	78	ENE	4	c	6	29.67	753.6	83	86	NE	3	b
Phulien,	15	29.76	756.0	90	60	S	1	b	7	29.76	756.0	81	92	S	1	b
Tourane,	,,	29.76	756.0	86	...	N	2	b	,,	29.75	755.7	77	...	...	0	b
Cape St. James,	,,	29.76	756.0	86	...	WSW	2	0	,,	29.76	756.0	77	...	NW	4	1
Basco,	,,	...	...	...	...	...	...	...	6	29.65	753.0	77	94	SE	4	1
Aparri,	,,	...	...	...	...	...	...	...	,,	29.50	750.9	79	91	NE	2	r
Manila,	,,	29.66	753.3	79	91	...	0	r	,,	29.63	752.7	50	92	SE	1	0
Legaspi,	,,	29.62	752.4	79	89	SW	4	0	,,	29.56	750.9	77	92	S	2	0
Tacloban,	,,	29.65	753.0	86	65	SW	4	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	82	77	S	4	0	,,	29.74	755.4	77	94	E	4	0
Surigao,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	75	96	...	0	0
Guam,	12.20	29.76	756.0	...	...	N	1	0	4.20	29.81	757.2	...	...	SE	1	0
Yap,	12.47	29.76	756.0	...	...	ESE	2	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, *	11	29.81	757.2	82	91	NW	2	0	6	29.83	757.7	76	94	S	2	0

September 8*d.* 9*h.* 24*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 16° N. Long 124° E., moving W.N.W.

September 8*d.* 11*h.* 00*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 124° E., moving N.W.

September 8*d.* 11*h.* 10*m.*—Pressure has increased slightly at Chefoo and Wladivostock and decreased slightly over Formosa, S. China, Indo-China and Luzon.

A feeble anticyclone is shown to the east of Japan and a depression over N.E. China.

The typhoon is in about Lat. 17° N. and Long. 124° E. moving N.W.

Manila warning, 7*d.* 21*h.* 20*m.*:—Typhoon in Lat. 16° N. Long. 124° E. moving W.N.W. Recd. 7*d.* 21*h.* 50*m.*

Shanghai warning 8*d.* 9*h.* 05*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 126° E. moving W.N.W. Recd. 8*d.* 9*h.* 38*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 75·87 inches, against an average of 68·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, freshening.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N. winds, moderate; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th SEPTEMBER, 1926.								9th SEPTEMBER, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.82	757.4	74	...	SE	5	0	6	29.83	757.7	69	...	ESE	4	0
Nemuro,	11	30.02	762.5	...	...	SSW	2	...	5	30.08	764.0	...	...	ESE	1	...
Hokodate,	.	29.92	760.0	...	...	SE	1	...	,,	29.96	761.0	...	...	...	0	...
Tokio,	,,	29.96	761.0	...	...	...	0	...	,,	30.02	762.5	...	...	...	...	...
Kochi,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.96	761.0	...	...	ESE	1	...
Nagasaki,	,,	29.92	760.0	...	...	SSE	2	...	,,	29.82	757.5	...	...	SE	2	...
Kagoshima,	,,	29.92	760.0	...	...	SE	1	...	,,	29.88	759.0	...	...	SE	1	...
Oshima,	,,	29.90	759.5	...	...	S	1	...	,,	29.84	758.0	...	...	S	1	...
Naha,	,,	29.86	758.5	...	...	ESE	3	...	,,	29.80	757.0	...	...	SE	1	...
Ishigakijima,	,,	29.78	756.5	...	...	ESE	3	...	,,	29.69	754.0	...	...	SE	4	...
Bonin Island,	,,	29.98	761.5	...	...	ENE	1	...	,,	30.00	762.0	...	...		0	...
Chefoo,	15	29.55	750.5	86	65	SSE	1	b	6	29.67	753.6	67	95	SW	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.68	753.9	82	81	SSW	2	b	,,	29.78	756.3	70	98	SSE	1	0
Gutzlaff,	,,	29.80	756.9	82	98	SSW	2	0	,,	29.80	756.9	76	95	S	2	0
Sharp Peak,	..	29.68	753.9	88	78	ENE	2	b	-	29.61	752.1	82	83	N	2	b
Amoy,	,,	29.67	753.6	94	68	SE	4	b	6	29.58	751 3	84	79	NE	2	b
Swatow,	,,	29.66	753.3	91	..	...	0	b	,,	29.57	751.1	84	...	..	0	b
Taihoku,	11	29.72	754.8	90	66	ESE	6	b	5	29.56	750.9	81	73	ESE	4	0
Taichu,	,,	29.71	754.5	86	...	...	0	0	,,	29.55	750.6	79	...	...	0	b
Tainan,	,,	29.71	754.5	90	...		0	0	,,	29.51	750.3	77	...	SE	2	b
Koshun,	,,	29.71	754.5	79	...	NNE	4	r	,,	29.53	750.0	75	...	NNE	4	r
Pescadores,	,,	29.69	754.2	86	...	N	2	0	,,	29.53	750.0	81	...	NNW	2	0
Canton,	14	...	...	...	...	...	...	...	6	29.61	752.1	85	...	...	0	bc
Hongkong,	,,	29.66	753.5	86	76	W	3	c	,,	29.59	751.6	81	91	W	2	b
Gap Rock,	,,	29.71	754.6	...	...	NW	3	b	,,	29.61	752.1	...	...	NNW	4	b
Macao,	,,	29.65	753.0	90	72	SSW	2	b	,,	29.59	751.5	79	91	NNW	2	b
Wuchow,	15	...	...	...	...		...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...		...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	..	..	...
Pratas Island,	14	29.61	752.1	86	78	N	4	0	6	29.52	749.8	83	85	N	4	c
Phulien,	15	29.67	753.6	90	57	S	2	b	7	29.67	753.6	81	94	S	1	b
Tourane,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	77	...	...	0	b
Cape St. James,	,,	29.73	755.1	86	...	SW	4	b	..	29 74	755.4	77	...	SW	4	0
Basco,	,,	29.56	750.9	79	90	ESE	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.43	747.6	77	96	SSW	4	r	,,	29.52	749.7	61	83	SSE	4	0
Manila,	,,	29.61	752.1	79	91	SW	4	r	,,	29.65	753.0	75	94	SE	2	r
Legaspi,	,,	29.65	753.0	86	75	S	4	0	,,	29.72	754.8	79	89	SW	2	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	77	85	SSE	4	0
Iloilo,	,,	...	...	...	..	...	...	...	,,	29.76	756.0	77	94	S	4	0
Surigao,	..	29.71	754.5	86	71	NE	2	0	..	29.76	756.0	75	96	SSW	1	0
Guam,	12.20	29.80	756.9	...	...	E	1	0	4.20	29.80	756.9	...	...	SE	1	0
Yap,	12.47	29.79	756.6	...	...	WNW	2	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	...	...	...	...	5	...	...	..	..	...	...	...
Labuan,	14	29.80	756.9	84	83	NW	1	0	6	29.83	757.7	76	94	SW	1	0

September 8*d*. 17*h*. 05*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 19° N. Long 122° E., moving N.W.

September 9*d*. 6*h*. 45*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 119° E., moving W.N.W.

September 9*d*. 6*h*. 45*m*.—Local signal No. 1 hoisted.

September 9*d*. 11*h*. 15*m*.—Pressure has increased moderately at Chefoo and slightly from the Bonins to N.E. Japan and over Luzon. It has decreased moderately from Pratas to Formosa and from Hongkong to Foochow.

At 6 a.m. this morning the typhoon was in about Lat. 20° or 21° N. and Long. 119° E. moving apparently W.N.W.

Manila warning. 9*d*. 9*h*. 30*m*.:—Typhoon in Lat. 20° N. Long. 119° E. moving W.N.W. Recd. 9*d*. 10*h*. 48*m*.

Shanghai warning 9*d*. 9*h*. 30*m*.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 118° E., moving W.N.W. Recd. 9*d*. 9*h*. 52*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 75·87 inches, against an average of 69·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, freshening from N.E. and E.
2.—South coast of China between Hongkong and Lamocks,	N.W. winds, freshening to a gale; fine at first, overcast, with rain later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	10th SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.83	757.6	71	...	SE	6	0	0	29.86	758.4	68	...	SSE	3	0
Nemuro,	11	30.06	763.5	...	...	...	2	...	5	29.90	759.5	...	...	NE	2	..
Hokodate,	..	29.92	760.0	...	...	SE	2	...	..	29.88	759.0	...	...	...	0	..
Tokio,	..	29.98	761.5	...	...	SE	1	...	,,	30.00	762.0	...	...	...	...	...
Kochi,	..	29.98	761.5	...	...	SE	1	...	,,	30.00	762.0	...	...	...	0	...
Nagasaki,	..	29.90	759.5	...	...	S	2	...	,,	29.92	760.0	...	...	...	...	...
Kagoshima,	,,	29.92	760.0	...	...	SSE	2	...	,,	29.92	760.0	...	...	SE	1	...
Oshima,	,,	29.86	758.5	...	...	S	2	...	,,	29.86	758.5	...	...	SSE	1	...
Naha,	,,	29.80	757.0	...	...	SE	2	...	,,	29.82	757.5	...	...	SE	1	...
Ishigakijima,	,,	29.72	755.0	...	...	SE	4	...	,,	29.69	754.0	...	...	SE	5	...
Bonin Island,	..	29.95	761.5	...	...	ENE	1	...	,,	30.02	762.5	...	...	...	0	...
Chefoo,	15	29.71	751.6	80	82	NW	4	b	6	29.85	758.2	65	100	...	0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.80	756.9	82	74	E	1	0	,,	29.82	757.5	73	94	E	1	r
Gutzlaff,	,,	29.82	757.4	77	77	SSE	2	0	,,	29.85	758.2	73	95	ESE	4	r
Sharp Peak,	..	29.60	751.8	84	82	NNE	6	0	,,	29.58	751.3	78	92	NW	2	r
Amoy,	,,	29.55	750.5	92	67	NE	4	b	6	29.47	748.5	83	83	NW	4	0
Swatow,	,,	29.54	750.3	93	...	SE	2	0	,,	29.50	749.3	85	...	..	0	b
Taihoku,	11	29.56	750.9	86	71	SE	4	r	5	29.52	749.7	81	80	ESE	4	r
Taichu,	,,	29.55	750.6	90	...	...	0	0	,,	29.49	749.1	77	.	...	0	0
Tainan,	,,	29.55	750.6	81	...	ESE	2	r	,,	29.52	749.7	75	..	E	1	0
Koshun,	,,	29.56	750.9	77	...	..	0	r	,,	...	...	79	.	SSE	1	0
Pescadores,	,,	29.54	750.3	86	...	SSE	2	0	,,	29.49	749.1	81	...	SSW	2	0
Canton,	14	29.56	750.8	95	63	N	2	b	6	29.54	750.3	81	...	.	0	bc
Hongkong,	,,	29.54	750.3	87	74	W	4	0	,,	29.53	750 0	81	71	WNW	3	0
Gap Rock,	,,	29.56	750.8	...	...	NW	4	c	,,	29.55	750.5	...	...	N	4	c
Macao,	,,	29.50	749.4	93	61	NW	4	0	,,	29.53	750.0	81	65	NNW	4	b
Wuchow,	15	...	.	...	...	...	...	...	9	...	...	...	.	...	..	...
Pakhoi,	,,	..	...	...	...	.	...	...	,,	...		..	...	..	...	...
Hoihow,	,,	..	...	...	...	...	...	...	..	..	..	...	...	.	.	...
Pratas Island,	14	29.50	749.3	85	82	NW	4	0	6	29.47	748.5	88	88	NW	2	or
Phulien,	15	29.62	752 4	86	71	NW	4	b	7	29.68	753.9	79	87	NNW	1	b
Tourane,	,,	29.61	752.1	86	...	N	2	b	,,	29.66	753.3	79	...	NW	2	b
Cape St. James,	,,	29.69	754.2	82	...	W	6	0	..	29.74	755.4	77	...	SW	6	0
Basco,	,,	29.50	749.4	84	81	SSE	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29 48	748.8	90	69	SSE	4	0	,,	29.61	752.1	77	84	S	4	0
Manila,	,,	29.67	753.6	77	92	SSW	4	r	,,	29.72	754.8	75	94	SE	1	0
Legaspi,	,,	29.67	753 6	86	65	S	4	0	,,	29.73	755.1	77	96	SW	2	0
Tacloban,	,,	...	...	...	...	.	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	75	S	6	0	,,	...	...	...	...	...	...	...
Surigao,	..	29.72	754.8	86	65	NE	2	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	W	1	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	SSE	2	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NW	2	b	6	...	...	...	...	...	...	...

September 9*d*. 16*h*. 03*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 119° E., stationary or very slow.

September 10*d*. 3*h*. 30*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long 119° E, moving N.E.

September 10*d*. 3*h*. 00*m*.—Local signal No. 1 lowered.

September 10*d*. 10*h*. 27*m*.—Pressure has increased moderately at Aparri and Chefoo, changes at other reporting stations are slight.

At 6 a.m. this morning the typhoon was in about Lat. 21° N. and Long. 119° E. moving slowly N.N.E. or N.E.

Hongkong is not at present threatened.

Manila warning. 9*d*. 15*h*. 30*m*.:—Typhoon in Lat. 20° N. Long. 119° E., almost stationary. Recd. 9*d*. 17*h*. 30*m*.

Shanghai warning 10*d*. 9*h*. 10*m*.:—Typhoon of unknown intensity within 60 miles of Lat. 22° N. Long. 119° E. recurving. Recd. 10*d*. 9*h*. 37*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 75·89 inches, against an average of 69·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds, freshening to a N.E. gale.
2.—South coast of China between Hongkong and Lamocks,	N. winds, freshening.
3.—Hongkong to Gap Rock,	N.W. winds, fresh; fair.
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	11th SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.81	758.7	70	...	SE	5	0	6	29.91	760.4	67	...	...	0	0
Nemuro,	11	29.88	759.0	...	...	NNE	2	...	5	29.98	761.5	...	...	NE	2	...
Hokodate,	..	29.88	759.0	...	...	...	0	...	,,	29.96	761.0	...	...	..	..	...
Tokio,	..	29.96	761.0	...	...	SSW	1	...	,,	29.98	761.5	...	...	...	...	...
Kochi,	..	30.02	762.5	...	...	...	0	...	,,	30.00	762.0	...	...	...	0	...
Nagasaki,	..	29.96	761.0	...	...	SE	2	...	,,	29.90	759.5	...	...	SE	1	...
Kagoshima,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.92	760.0	...	...		0	...
Oshima,	,,	29.90	759.5	...	...	SSE	2	...	,,	29.88	759.0	...	...	SE	1	...
Naha,	,,	29.86	758.5	...	...	SE	3	...	,,	29.88	759.0	...	...	ESE	1	...
Ishigakijima,	,,	29.74	755.5	...	...	SSE	5	...	,,	29.76	756.0	...	...	SSE	3	...
Bonin Island,	..	30.00	762.0	...	...	ENE	1	...	..	30.00	762.0	...	...	...	0	...
Chefoo,	15	29.84	757.9	80	78	ENE	1	b	6	29.78	756.4	70	100	SE	1	0
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.79	756.6	77	91	E	4	r	,,	29.69	754.2	77	98	SSE	2	0
Gutzlaff,	,,	29.80	756.9	76	95	ESE	6	r	,,	29.73	755.1	78	95	S	4	0
Sharp Peak,	..	29.57	751.1	86	76	S	1	0	,,	29.60	751.8	80	87	S	4	r
Amoy,	,,	29.47	748.5	88	73	NE	4	r	6	...	...	...	...	...	...	...
Swatow,	,,	29.52	749.8	90	...	E	3	0	,,	29.52	749.8	83	...	W	2	0
Taihoku,	11	29.59	751.5	82	89	...	0	r	5	29.63	752.7	75	92	...	0	0
Taichu,	,,	29.59	751.5	79	...	..	0	r	,,	29.63	752.7	84	...	...	0	0
Tainan,	,,	29.58	751.2	82	...	S	4	r	,,	29.63	752.7	79	..	SE	4	0
Koshun,	,,	29.61	752.1	82	...	S	4	0	,,	29.59	751.5	79	..	S	4	0
Pescadores,	,,	29.58	751.2	77	...	SE	6	r	,,	29.59	751.5	82	...	SSW	6	0
Canton,	14	29.51	750.3	93	50	N	2	b	6	29.60	751.8	87	...	...	0	0
Hongkong,	,,	29.54	750.3	90	44	NNW	3	0	,,	29.59	751.6	81	74	WNW	2	0
Gap Rock,	,,	29.58	751.3	...	...	NNW	5	0	,,	29.65	752.6	...	...	WNW	4	0
Macao,	,,	29.54	750.3	90	44	N	4	0	,,	29.58	751.2	79	61	NNW	4	0
Wuchow,	15	...	..	...	...	..	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	..	...	...	...		...	...	,,	...	..	...	...	..	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	..	...	...	.	...	..
Pratas Island,	14	29.53	750.0	79	96	SSW	3	0r	6	29.63	752.6	82	81	SSW	3	c
Phulien,	15	29.66	753.3	77	95	WNW	4	r	7	29.72	754.8	79	87	NNW	4	b
Tourane,	,,	29.65	753.0	86	...	N	6	b	,,	29.68	753.9	79	...	NW	2	b
Cape St. James,	,,	29.73	755.1	81	...	WSW	6	0	..	29.75	755.7	77	...	WSW	4	0
Basco,	,,	29.63	752.7	84	81	S	2	0	6	...	..	...	...	...	...	...
Aparri,	,,	29.63	752.7	90	63	SSE	4	0	,,	29.72	754.8	75	94	SE	2	0
Manila,	,,	29.72	754.8	86	75	WSW	4	0	,,	29.78	756.3	77	94	SE	1	0
Legaspi,	,,	29.73	755.1	86	68	SSE	4	0	,,	29.76	756.0	79	94	SW	1	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	75	S	2	0	,,	...	...	...	...	...	...	...
Surigao,	..	29.76	756.0	79	90	WSW	1	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3		...	NE	2	0	4.20	..	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	NNE	2	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...			...	...	...	5	..	...	...	...	...	...	...
Labuan,	11	29.77	756.1	88	84	NW	4	b	6	29.82	757.4	78	91	NW	2	b

September 11*d.* 6*h.* 20*m.*—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 24° N. Long. 118° E., moving N.N.W.

September 11*d.* 9*h.* 55*m.*—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 25° N. Long. 118° E., moving N.N.W.

September 11*d.* 10*h.* 40*m.*—Pressure has decreased very considerably at Amoy, moderately at Shanghai and slightly over N.E. China and S.W. Japan. It has increased slightly from Luzon to Formosa and from Pratas to Hongkong.

The typhoon, which was of very small area, but severe, passed near Amoy early this morning on a N.N.W. track.

Shanghai warning 11*d.* 9*h.* 25*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 27° N. Long. 119° E., moving N.N.W. Recd. 11*d.* 9*h.* 40*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 75·89 inches, against an average of 69·55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, strong, moderating.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, fresh, moderating.
3.—Hongkong to Gap Rock,	W. winds, moderate; fair at first, rain later.
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	12th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostook,	12	...	...	...	...	...	..	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.02	762.5	...	...	NNE	1	...	5	...	...	...	...	...	...	...
Hokodate,	..	29.96	761.0	...	...	S	1	...	..	...	...	...	...	...	...	...
Tokio,	..	29.96	761.0	...	...	...	0	...	..	...	...	...	...	...	...	...
Kochi,	..	29.96	761.0	...	...	SSE	1	...	..	...	...	...	...	...	...	...
Nagasaki,	..	29.90	759.5	...	...	S	4	...	..	...	...	...	...	...	...	...
Kagoshima,	..	29.92	760.0	...	...	S	1	...	..	...	...	...	...	...	...	...
Oshima,	..	29.88	759.0	...	...	S	1	...	..	...	...	...	...	...	...	...
Naha,	..	29.86	758.5	...	...	ESE	2	...	..	...	...	...	...	...	...	...
Ishigakijima,	..	29.80	757.0	...	...	SSE	3	...	..	...	...	...	...	...	...	...
Bonin Island,	..	29.94	760.5	...	...	E	1	...	..	...	...	...	...	...	...	...
Chefoo,	15	29.67	755.6	80	82	ENE	1	b	6	29.82	757.4	69	91	SW	2	o
Ichang,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Hankow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Changsha,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Shanghai,	14	29.69	754.2	79	95	SW	1	r	..	29.81	757.2	75	98	NNE	2	r
Gutzlaff,	..	29.72	754.9	82	92	SW	2	o	..	29.84	757.9	78	95	SE	4	r
Sharp Peak,	..	29.61	752.1	84	83	S	4	o	..	29.76	755.9	82	91	SSE	2	o
Amoy,	..	29.58	751.3	86	80	SSE	4	o	6	...	...	...	...	...	...	...
Swatow,	..	29.59	751.6	84	..	NW	3	o	..	29.73	755.1	79	...	W	1	b
Taihoku,	11	29.69	754.2	90	60	...	0	o	5	29.78	756.3	73	98	...	0	b
Taichu,	..	29.68	753.9	86	...	SSW	2	c	..	29.76	756.0	75	...	...	0	b
Tainan,	..	29.72	754.8	77	...	SSW	4	r	..	29.75	755.7	77	...	SE	2	o
Koshun,	..	29.75	755.7	86	...	SSE	2	o	..	29.75	755.7	77	...	SSW	2	r
Pescadores,	..	29.68	753.9	84	...	S	6	o	..	29.74	755.4	79	...	SSW	4	o
Canton,	14	...	...	...	...	...	..	...	6	29.73	755.1	78	...	W	1	cd
Hongkong,	..	29.61	752.1	90	50	NW	2	c	..	29.72	754.9	78	78	NNE	1	b
Gap Rock,	..	29.63	752.6	...	...	NW	4	c	..	29.71	754.6	...	.	NE	1	c
Macao,	..	29.60	751.8	86	49	NE	4	o	..	29.71	754.5	75	89	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	..	...	...	...	...	...	...	...	..	...	..	...	...	..	...	...
Hoihow,	..	...	...	...	...	...	...	...	..	..	...	...	...	...	...	...
Pratas Island,	14	29.63	752.6	88	69	SW	2	c	6	29.68	753.9	81	83	S	1	c
Phulien,	15	29.66	753.3	90	44	NW	4	b	7	...	...	...	...	...	...	...
Tourane,	..	29.65	753.0	84	...	N	4	o	..	...	...	...	...	...	...	...
Cape St. James,	..	29.72	754.8	82	...	SW	4	of	..	...	...	..	...	...	...	...
Basco,	..	29.73	755.1	82	87		0	o	6	...	...	...	...	...	...	...
Aparri,	..	29.60	754.2	84	85	N	2	o	..	29.75	755.7	75	96		0	o
Manila,	..	29.72	754.8	86	71	SW	4	o	..	29.76	756.0	75	96	ESE	1	o
Legaspi,	..	29.68	753.9	90	63	W	4	o	..	29.75	755.7	77	92	SSW	2	o
Tacloban,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Iloilo,	..	29.72	754.8	86	68	S	6	o	..	...	...	...	..	...	...	...
Surigao,	..	29.72	754.8	86	65	W	1	o	..	...	...	...	...	...	...	...
Guam,	12.20	29.71	754.5	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.1	...	...	W	1	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	..	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	12	29.77	756.1	88	84	NW	4	b	6	...	...	...	...	...	...	...

September 11*d*. 15*h*. 35*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 27° N. Long 118° E., moving N.

September 12*d*. 10*h*. 25*m*.—Pressure has increased moderately over China and slightly over Luzon.

There are no signs of a depression E. of Luzon this morning but a trough of relatively low pressure extends from Indo-China to Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 75·89 inches, against an average of 69·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks. 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. or variable winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	13th SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostook,	12	29.73	755.3	69	...	...	0	r	6	29.82	757.4	67	...	..	0	o
Nemuro,	11	30.08	764.0	...	...	SSE	1	...	5	29.98	761.5	...	...	ESE	3	...
Hokodate,	..	20.00	759.5	...	...	SE	1	...	,,	29.78	756.5	...	...	WSW	3	...
Tokio,	,,	29.90	759.5	..	...	SSW	1	.	,,	29.92	760.0	...	...	...	...	...
Kochi,	,,	29.96	761.0	...	...	SSE	1	..	,,	30.00	762.0	...	...	..	0	...
Nagasaki,	,,	29.92	760.0	...	...	SSW	3	...	,,	29.94	760.5	...	...	SSW	1	..
Kagoshima,	,,	29.91	760.5	...	...	SE	1	...	,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	29.92	760 0	...	...	S	1	.	,,	29.92	760.0	...	...	...	0	...
Naha,	,,	29.90	759.5	...	...	ESE	1	.	,,	29.90	759.5	...	...	..	0	..
Ishigakijima,	,,	29.88	759.0	...	...	SE	2		,,	29.84	758.0	...	...	NE	1	
Bonin Island,	..	29.06	761.0	...		E	1	.	,,	30.00	762.0	...	...	...	0	..
Chefoo,	15	29.83	757.7	82	63	NW	2	b	6	29.89	759.2	68	79	SSW	1	b
Ichang,	,,	...	...	...	...		.	...	,,	...	...	...	..	...	...	...
Hankow,	,,	...	...	...	...	...	.	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...		...	...		...	...	,,	...	...	...	...		...	...
Shanghai,	14	29.86	758.4	75	98	NNE	4	r	,,	29.04	760.5	70	98	NE	2	r
Gutzlaff,	,,	29.88	758.9	75	100	ENE	2	r	,,	29.03	760.2	69	100	NE	6	r
Sharp Peak,	,,	29.81	757.2	84	83	SE	2	o	7	29.85	758.2	81	87	...	c	b
Amoy,	,,	29.79	756.6	86	76	SE	4	o	6	...	...	...	...		...	...
Swatow,	,,	29.76	755.9	89	...	SE	2	b	,,	29.78	756.4	81	...	NNE	1	r
Taihoku,	11	29.84	757.8	90	66	...	0	o	5	29.88	759.0	72	98	...	0	b
Taichu,	,,	29.82	757.5	90	...	.	0	o	,,	29.86	758.4	72	...	...	c	b
Tainan,	,,	29.79	756.6	86	...	S	1	o	,,	29.80	756.9	75	...		0	b
Koshun,	,,	29.80	756.9	90	...	ENE	2	o	,,	...	...	...	...		...	...
Pescadores,	,,	29.82	757.5	82	...	SW	2	o	,,	29.79	756.6	79	...	NE	2	b
Canton,	14	29.74	755 4	85	79	..	0	o	6	29.78	756.4	80	...		0	bc
Hongkong,	,,	29.73	755.1	86	65	FSE	3	o	,,	29.77	756.1	70	90	SE	1	od
Gap Rock,	,,	29.74	755.4	...	...	ENE	4	b	,,	29.77	756.1	...	..	NE	3	or
Macao,	,,	29.72	754.8	86	68	NE	2	b	,,	29.74	755.4	79	90	NNE	2	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...		...	.		...	...	,,	...		...	...		...	...
Hoihow,	,,	...	..	...	...	...	...	...	..			...	...		...	...
Pratas Island,	14	29.73	755.1	76	95	E	4	r	6	29.72	754.9	81	87	ESE	4	b
Phulien,	15	29.72	754.8	90	44	ESE	1	b	7	29.80	756.9	79	69	NNW	4	o
Tourane,	,,	29.67	753.6	84	...	NW	6	o	,,	29.73	755.1	73	...	NE	4	r
Cape St. James,	,,	29.67	753.6	84	...	SW	4	o	,,	29.73	755 1	77	...	SW	4	o
Basco,	,,	29.73	755.1	86	75	ESE	4	b	6	29.73	755.1	79	87	ESE	2	o
Aparri,	,,	29.71	754.5	86	68	N	2	b	,,	29.72	754.8	77	91	NNW	4	r
Manila,	,,	29.71	754.5	86	71	SW	4	o	,,	29.74	755.4	75	94	b	1	o
Legaspi,	,,	29.71	754.5	86	71	SW	4	o	..	29.74	755.4	75	94	SW	2	o
Tacloban,	,,	...		...	...		...	...	,,	...	..		...	...	...	...
Iloilo,	,,	29.72	754.8	86	71	S	4	o	,,	29.78	756.3	77	96	...	0	o
Surigao,	..	...		...	...		...	...	,,	...	..	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	E	2	o	4.20	29.80	756.9	...	...	SE	1	o
Yap,	12.47	29.74	755.4	...	...	SW	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...		...	...	...	...	...	5	...	..	...	...	...	...	...
Labuan,	14	29.76	755.9	90	77	NE	4	b	6	29.82	757.4	76	94	SW	1	r

September 13*d.* 11*h.* 07*m.*—Pressure has increased slightly over China and Formosa. It has decreased moderately over N.E. Japan and is nearly stationary elsewhere.

A trough of relatively low pressure covers the China Sea.

There may be a typhoon to the east of Luzon.

Manila warning. 12*d.* 16*h.* 00*m.*:—Typhoon in Lat. 17° N. Long. 127° E., direction unknown. Recd. 12*d.* 16*h.* 55*m.*

Shanghai warning 12*d.* 22*h.* 10*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 130° E., moving N.W. Recd. 12*d.* 22*h.* 40*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·27 inch. Total since January 1st 77·16 inches, against an average of 70.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14th.

District.	Forecast.
1—Formosa Channel, ... South coast of China between Hongkong and Lamocks, ..ongkong to Gap Rock, ...outh coast of China between Hongkong and Hainan, .	E. winds, moderate; rain at first, improving later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	14th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.80	756.8	76	...	SSE	2	o	6	29.87	758.6	65	..	W	2	b
Nemuro,	11	...	...	...	...	...	..	....	5	29.98	761.5	...	..	ESE	2	...
Hokodate,	.	29.84	758.0	...	...	SW	2	...	,,	29.86	758.5	...	...	ESE	1	...
Tokio,	,,	29.90	759.5	...	...	S	1	...	,,	29.90	759.5	...	...	...	...	...
Kochi,	,,	29.93	761.5	...	...	SE	1	...	,,	29.96	761.0	...	...	...	c	...
Nagasaki,	,,	29.96	761.0	...	...	SSW	2	...	,,	29.94	760.5	...	...	WNW	1	...
Kagoshima,	,,	29.96	761.0	...	...	ESE	1	...	,,	29.94	760.5	...	...	...	o	...
Oshima,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.90	759.5	...	...	...	o	...
Naha,	,,	29.90	759.5	...	...	NE	2	...	,,	29.86	758.5	...	...	ESE	1	...
Ishigakijima,	,,	29.81	758.0	...	...	ENE	3	...	,,	29.76	756.0	...	...	NE	3	...
Bonin Island,	,,	29.98	761.5	...	...	E	1	...	,,	29.98	761.5	...	...	...	o	...
Chefoo,	15	29.91	759.7	83	63	NW	2	b	6	29.96	761.0	65	84	...	o	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.90	759.4	74	...	...	o	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	29.99	761.7	72	96	NNW	1	o	,,	30.00	762.0	68	98	NE	1	o
Gutzlaff,	,,	30.00	762.0	75	86	NNE	4	o	,,	30.00	762.0	72	85	NE	4	b
Sharp Peak,	,,	29.83	757.7	86	80	E	2	b	,,	29.87	758.7	84	93	NNE	2	o
Amoy,	,,	...	...	90	70	SSE	4	b	6	...	...	...	...	...	...	...
Swatow,	,,	..	...	87	...	WSW	1	c	,,	29.79	756.6	80	...	NW	2	b
Taihoku,	11	29.82	757.5	90	69	E	2	b	,,	29.78	756.3	75	91	E	4	o
Taichu,	,,	29.86	758.4	90	...	NNW	2	b	,,	29.72	754.8	75	...	...	o	o
Tainan,	,,	29.79	756.6	90	...	N	4	b	,,	29.69	754.2	77	..	...	o	o
Koshun,	,,	29.81	757.2	86	...	NNE	4	r	,,	29.68	753.9	73	..	...	o	o
Pescadores,	,,	29.84	757.8	86	..	N	4	b	,,	29.69	754.2	81	...	NE	2	b
Canton,	14	...	...	...	...	...	...	...	6	29.80	756.9	75	...	...	o	b
Hongkong,	,,	29.79	756.6	76	93	E	4	or	,,	29.78	756.4	77	88	N	2	o
Gap Rock,	,,	29.78	756.4	...	...	ENE	4	od	,,	29.77	756.1	...	...	E	4	c
Macao,	,,	29.75	755.7	77	88	E	4	o	,,	29.75	755.7	77	91	NE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	..	...
Pakhoi,	,,	...	...	...	...		...	...	,,	...	..	..	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	..	..	...	...	...	..	...
Pratas Island,	14	29.75	755.7	84	83	SSE	2	c	6	29.74	755.4	74	95	..	o	c
Phulien,	15	29.75	755.7	84	71	S	1	of	7	29.79	756.6	79	73	NE	2	of
Tourane,	,,	29.69	754.2	82	...	N	2	b	,,	29.72	754.8	73	...	...	o	b
Cape St. James,	,,	29.69	754.2	77	...	WSW	7	o	,,	29.75	755.7	75	...	WSW	4	o
Basco,	,,	...	...	...	...	...	...	...	6	29.58	751.2	79	85	NW	6	o
Aparri,	,,	...	...	...	...	...	...	...	,,	29.69	754.2	75	98	S	2	o
Manila,	,,	29.73	755.1	86	71	SW	4	o	,,	29.79	756.6	75	94	NE	2	o
Legaspi,	,,	29.68	753.9	86	97	SW	4	o	,,	29.78	756.3	77	96	...	o	b
Tacloban,	,,	29.72	754.8	86	68	SSE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	71	S	4	r	,,	29.80	756.9	75	92	N	2	o
Surigao,	,,	...	...	...	...	..	...	...	,,	29.79	756.6	77	92	...	o	b
Guam,	12.20	29.76	756.0	...	...	NW	1	o	4.20	29.76	756.0	...	...	NE	2	o
Yap,	12.47	29.75	755.7	...	...	S	4	o	4.47	...	...	..	..	...	...	...
Pelew,	11.00	.	...	...	...	...	...	...	5	...	...	...	..	...	...	...
Labuan,	14	29.76	755.9	90	81	NE	4	bf	6	29.83	757.7	78	86	SW	2	b

September 14*d*. 11*h*. 07*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 123° E., moving N.W.

September 14*d*. 10*h*. 58*m*.—Pressure has increased slightly from Chefoo to Wladivostock and over the Visayas. It has decreased moderately over Formosa and Basco, and slightly at Ishigaki. It is nearly stationary elsewhere.

A feeble anticyclone is central near Shanghai.

A small typhoon in about Lat. 20° N. and Long. 123° E., appears to be moving N.W.

Shanghai warning 13*d*. 21*h*. 20*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 127° E., moving N.N.W. Recd. 13*d*. 22*h*. 10*m*.

Manila warning. 14*d*. 10*h*. 40*m*.:—Typhoon in Lat. 21° N. Long. 124° E., moving N.W. Recd. 14*d*. 11*h*. 11*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·41 inch. Total since January 1st, 78·57 inches, against an average of 70.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, increasing to a gale.
2.—South coast of China between Hongkong and Lamocks,	N. winds, freshening.
3.—Hongkong to Gap Rock,	E. winds, backing to N.W. moderate; fair.
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	15th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostook,	12	29.84	757.9	77	...	...	0	c	6	29.85	758.2	64	...	...	0	0
Nemuro,	11	29.94	760.5	...	...	ESE	3	...	5	29.84	758.0	...	...	SE	1	...
Hokodate,	.	29.84	758.0	...	...	SW	2	...	,,	29.84	758.0	...	...	...	...	...
Tokio,	,,	29.86	758.5	...	...	SSE	2	...	,,	29.82	757.5	...	...	...	0	...
Kochi,	,,	29.94	760.5	...	...	...	...	...	,,	29.82	757.5	...	...	WSW	1	...
Nagasaki,	,,	29.92	760.0	...	...	SE	2	...	,,	29.84	758.0	...	...	E	1	...
Kagoshima,	,,	29.94	760.5	...	...	NE	1	...	,,	29.82	757.5	...	...	NW	1	...
Oshima,	,,	29.88	759.0	...	...	SSE	1	...	,,	...	...	...	...	...	..	...
Naha,	,,	29.86	758.5	...	...	ESE	1	...	,,	29.76	756.0	...	...	ESE	1	...
Ishigakijima,	,,	29.72	755.0	...	...	E	4	...	,,	29.45	748.0	...	...	E	6	...
Bonin Island,	,,	29.94	760.5	...	...	SE	1	...	,,	29.90	759.5	...	...	...	0	...
Chefoo,	15	29.92	759.9	80	70	NNE	1	b	6	29.93	760.2	65	95	...	0	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.95	760.8	82	57	ENE	4	0	,,	29.92	759.9	66	96	NE	1	b
Gutzlaff,	,,	29.96	761.0	78	78	NNE	4	0	,,	29.92	759.9	72	85	NNE	4	0
Sharp Peak,	,,	29.80	756.9	84	75	NNE	4	0	,,	29.70	754.4	78	86	NNE	1	b
Amoy,	,,	29.72	754.9	90	66	NE	4	b	6	29.66	753.3	81	78	NNW	1	b
Swatow,	,,	29.74	755.4	93	...	SW	1	b	,,	29.66	753.3	81	...	WNW	2	b
Taihoku,	11	29.78	756.3	86	71	E	4	0	5	29.62	752.4	79	85	NE	4	0
Taichu,	,,	29.69	754.2	86	...	...	c	0	,,	29.60	751.8	75	..	...	0	0
Tainan,	,,	29.67	753.6	86	...	...	c	0	,,	29.56	750.9	77	..	...	0	b
Koshun,	,,	29.68	753.9	82	...	...	c	0	,,	29.54	750.3	75	..		0	b
Pescadores,	,,	29.69	754.2	64	...	ENE	4	0	,,	29.50	751.5	81	...	NE	6	b
Canton,	14	...	...	...	...	...	...	...	6	29.72	754.9	81	...	...	0	bc
Hongkong,	,,	29.75	755.6	84	74	W	2	0	,,	29.72	754.9	78	81	SW	2	b
Gap Rock,	,,	29.78	756.4	...	...	E	4	0	,,	29.74	755.4	...	...	NNW	3	c
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	..	...	...
Hoihow,	,,	...	...	...	...	...	...	..	..	..	..	...	...	..	..	...
Pratas Island,	14	29.74	755.4	84	83	N	1	cd	6	29.68	753.9	81	79	NNW	1	c
Phulien,	15	29.69	754.2	86	58	E	1	0	7	29.71	754.5	75	94	NE	4	r
Tourane,	,,	29.66	753.3	82	...	N	2	0	,,	29.67	753.6	75	...	W	4	0
Cape St. James,	,,	29.71	754.5	82	...	WSW	6	0	,,	29.73	755.1	77	...	WSW	6	b
Basco,	,,	29.59	751.5	81	94	W	4	0	6	..	..	...	...	...	..	...
Aparri,	,,	29.66	753.3	86	68	S	2	0	,,	29.66	753.3	75	92	SSE	2	0
Manila,	,,	29.73	755.1	86	68	SW	4	0	,,	29.73	755.1	75	96	ENE	1	0
Legaspi,	,,	29.68	753.9	93	61	SW	4	0	,,	29.73	755.1	77	96	...	c	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	90	63	S	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.72	754.8	90	63	E	2	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	NE	2	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.1	...	...	ESE	2	0	4.47	29.75	755.7	...	...	N	2	0
Pelew,	11.00	...	...	...	...	...	...	...	5	...	..	...	..	...	...	...
Labuan,	14	29.78	756.4	86	84	NW	2	b	6	29.84	757.9	78	86	SW	1	0

September 14*d*. 19*h*. 58*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 22° N. Long. 122° E., moving N.N.W.

September 15*d*. 9*h*. 34*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 23° N. Long. 123° E., moving N.N.E.

September 15*d*. 10*h*. 30*m*.—Pressure has decreased considerably at Ishigaki, moderately over N. Formosa and Japan, and slightly at the majority of other reporting stations.

At 6 a.m. this morning the typhoon was approaching Ishigaki from S.S.W.

Shanghai warning. 15*d*. 9*h*. 20*m*.:—A severe typhoon within 60 miles of Lat. 22° N. Long. 124° E., moving N.W. Recd. 15*d*. 9*h*. 43*m*.

Manila warning. 15*d*. 9*h*. 40*m*.:—Typhoon in Lat. 23° N. Long. 124° E., moving N. Recd. 15*d*. 10*h*. 35*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 78·57 inches, against an average of 71.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	N.E. to N.W. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.W. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	16th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	29.79	756.6	75	...	WNW	2	c	6	29.85	758.1	62	...	NNE	3	o
Nemuro,	11	29.80	757.0	...	...	NNE	1	...	5	29.80	757.0	...	...	ENE	1	...
Hokodate,	.	29.80	757.0	...	...	SSE	1	...	,,	29.78	756.5	...	...	...	...	...
Tokio,	,,	29.78	756.5	...	...	S	1	...	,,	29.76	756.0	...	...	...	o	...
Kochi,	,,	29.80	757.0	...	...	E	1	...	,,	29.69	754.0	...	...	...	o	...
Nagasaki,	,,	29.82	757.5	...	...	NW	1	...	,,	29.73	755.0	...	...	NNE	1	...
Kagoshima,	,,	29.78	756.5	...	...	E	1	...	,,	29.71	754.5	...	...	...	o	...
Oshima,	,,	29.76	756.0	...	...	...	...	...	,,	29.65	753.0	...	...	...	o	...
Naha,	,,	29.70	754.5	...	...	E	2	...	,,	29.51	749.5	...	...	E	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Bonin Island,	,,	29.84	758.0	...	...	ESE	1	...	,,	29.82	757.5	...	...	...	...	...
Chefoo,	15	29.87	758.7	78	65	NE	1	b	6	29.86	758.4	65	84	...	o	b
Ichang,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	72	...	...	o	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	..	...	...	...	...	...	...	,,	29.81	757.8	77	...	NW	1	bc
Shanghai,	14	29.86	758.4	84	52	NNE	4	b	,,	29.84	757.8	64	94	N	1	b
Gutzlaff,	,,	29.87	758.7	78	65	NNE	6	b	,,	29.81	757.2	73	81	NNE	4	o
Sharp Peak,	,,	29.71	754.6	84	75	ENE	4	o	,,	29.72	754.9	81	91	...	o	b
Amoy,	,,	29.69	754.1	90	63	SSE	4	b	6	29.66	753.3	80	92	W	4	o
Swatow,	,,	29.67	753.6	92	...	SW	1	b	,,	29.66	753.3	84	...	...	c	o
Taihoku,	11	29.61	752.1	81	87	NE	4	r	,,	29.65	753.0	75	85	NW	4	r
Taichu,	,,	29.55	750.6	86	...	NNW	4	o	,,	29.65	753.0	75	..	N	1	b
Tainan,	,,	29.55	750.6	86	...	NNW	4	o	,,	29.61	752.1	75	..	N	4	b
Koshun,	,,	29.54	750.3	86	...	WNW	2	b	,,	29.58	751.2	77	..	NW	2	b
Pescadores,	,,	29.60	751.8	84	..	NNE	6	o	,,	29.65	753.0	81	...	NNE	4	b
Canton,	14	29.69	754.1	85	83	NNW	1	c	6	29.70	754.4	79	...	WNW	1	bc
Hongkong,	,,	29.69	754.1	83	75	NW	3	c	,,	29.68	753.9	79	92	W	1	c
Gap Rock,	,,	29.71	754.6	...	...	NNW	3	b	,,	29.68	753.9	...	...	NW	3	c
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	..	...	...	,,	...	..	..	...	..	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	..	...	...	...	...	..	...
Pratas Island,	14	29.67	753.6	84	83	WNW	2	c	6	29.68	753.9	74	98		c	b
Phulien,	15	29.68	753.9	77	94	ESE	2	r	7	29.67	753.6	77	91	NNW	4	o
Tourane,	,,	29.63	752.7	82	...	NW	2	o	,,	29.67	753.6	77	...	...	c	o
Cape St. James.	,,	29.72	754.8	86	...	SW	2	o	,,	29.71	754.5	77	...	WSW	6	o
Basco,	,,	29.53	750.0	82	87	WSW	4	o	6	..	...	...	...	...	...	...
Aparri,	,,	29.62	752.4	86	68	WSW	2	o	,,	29.67	753.6	77	88	...	c	o
Manila,	,,	29.69	754.2	86	65	WSW	4	o	,,	29.74	755.4	77	91	N	2	b
Legaspi,	,,	29.68	753.9	93	61	SW	4	o	,,	29.71	754.5	79	91	SW	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	90	63	SSW	4	o	,,	29.75	755.7	75	94	...	c	o
Surigao,	,,	29.67	753.6	86	65	...	c	b	,,	...	..	...	...	..	...	...
Guam,	12.20	29.69	754.2	...	...	E	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.71	754.5	...	...	...	c	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NW	2	b	6	29.86	758.4	76	94	SW	2	b

September 15*d*. 16*h*. 47*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 24° N. Long. 124° E., moving N.N.E.

September 16*d*. 10*h*. 42*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 25° N. Long. 126° E., moving N.E.

September 16*d*. 10*h*. 54*m*.—Pressure has increased slightly over Formosa. It has decreased moderately from the Loochoos to S.W. Japan and slightly over the remainder of Japan and over Tongking. It is nearly stationary over the Philippines.

At 6 a.m. this morning the typhoon was in about Lat. 25° N. and Long. 126° E., moving N.E.

Shanghai warning. 15*d*. 16*h*. 20*m*.:— A severe typhoon within 60 miles of Lat. 24° N. Long. 124° E., moving N.N.W. Recd. 15*d*. 17*h*. 20*m*.

Manila warning. 16*d*. 10*h*. 25*m*.:—Cyclone or typhoon S.W. of Naha moving E.N.E. Recd. 16*d*. 11*h*. 13*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st. 78·61 inches, against an average of 71.39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N.W. winds, moderate.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Variable winds at first, moderate E. winds later; generally overcast, occasional rain.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	17th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, ..	12	29.83	757.7	73	...	NW	2	c	6	29.91	759.8	61	...	NNE	2	c
Nemuro, ...	11	29.80	757.0	...	...	NE	1	...	5	...	...	...	...	...	...	...
Hokodate, ...	..	29.76	756.0	...	...	S	1	...	,,	...	...	...	...	...	...	...
Tokio, ...	,,	29.74	755.5	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Kochi, ...	,,	29.69	754.0	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Nagasaki, ...	,,	29.70	754.5	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Kagoshima, ...	,,	29.69	754.0	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Oshima, ...	,,	29.59	751.5	...	...	NNE	1	...	,,	...	...	...	...	...	...	...
Naha, ...	,,	29.41	747.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Ishigakijima, ...	,,	29.57	751.0	...	...	W	4	...	,,	...	...	...	...	...	...	...
Bonin Island, ...	..	29.80	757.0	..	..	S	1	..	,,	...	...	...	...	...	...	..
Chefoo.	15	29.81	757.2	81	52	E	1	b	6	29.85	758.2	68	74	NNE	4	b
Ichang, ...	,,	...	...	...	...	...	...	...	,,	29.85	758.2	77	..	...	0	fe
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	29.81	757.2	86	46	N	4	b	,,	29.85	758.1	63	96	NW	2	b
Gutzlaff, ...	,,	29.79	756.6	77	65	NNE	6	b	,,	29.84	757.9	71	71	NNW	6	b
Sharp Peak, ...	,,	29.70	754.4	84	54	E	2	b	,,	29.83	757.7	82	67	N	2	b
Amoy, ...	,,	29.62	752.3	90	66	SSE	4	o	6	29.76	755.9	78	86	NE	1	r
Swatow, ...	,,	29.68	753.9	86	..	SW	2	bc	,,	29.76	755.9	83	...	N	2	c
Taihoku, ...	11	29.73	755.1	79	76	WNW	2	o	5	29.82	757.5	68	98	...	o	b
Taichu, ...	,,	29.67	753.6	86	...	NNW	4	b	,,	29.78	756.3	72	...	...	o	b
Tainan, ...	,,	29.67	753.6	86	...	NNW	4	b	,,	29.75	755.7	72	...	...	c	b
Koshun, ...	,,	29.66	753.3	86	...	NW	2	b	,,	29.75	755.7	75	..	...	o	b
Pescadores, ...	,,	29.72	754.8	86	...	NNE	4	b	,,	29.76	756.0	79	...	NE	2	o
Canton, ...	14	...	...	...	...	...	...	...	6	29.75	755.6	80	...	...	o	bc
Hongkong, ...	,,	29.70	754.4	77	93	...	c	o	,,	29.75	755.6	77	89	...	o	o
Gap Rock, ...	,,	29.70	754.4	...	...	S	3	o	,,	29.76	755.9	...	...	N	3	o
Macao.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Hoihow.	,,	...	...	...	...	...	...	...	..	..	..	...	...	..	..	...
Pratas Island, ...	14	29.67	753.6	88	69	SSW	1	c	6	29.73	755.1	80	90	ESE	1	c
Phulien, ...	15	29.65	753.0	81	84	ENE	4	o	7	29.72	754.8	75	98	E	1	r
Tourane, ...	,,	29.65	753.0	81	...	N	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.6	86	...	SW	4	b	,,	29.75	755.7	77	...	SW	4	of
Basco, ...	,,	29.62	752.4	82	84	NW	4	o	6	29.76	756.0	75	94	...	c	o
Aparri, ...	,,	29.66	753.3	90	60	NNW	2	o	,,	29.78	756.3	77	92	...	o	o
Manila, ...	,,	29.69	754.2	86	65	SW	2	o	,,	29.70	756.6	75	94	...	o	o
Legaspi, ...	,,	29.65	753.0	77	54	W	1	o	..	29.78	756.3	79	91	...	c	o
Tacloban, ...	,,	29.71	754.5	77	92	SE	2	o	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.71	754.5	90	66	SW	4	o	,,	29.81	757.2	77	92	SW	2	o
Surigao, ...	..	...	...	...	..	...	...	...	..	29.80	756.9	75	92	SSW	1	o
Guam, ...	12.20	29.73	755.1	...	...	SE	1	o	4.20	29.82	757.5	...	...	E	1	o
Yap, ...	12.47	29.74	755.4	...	...	SSE	2	o	4.47	29.82	757.5	...	...	W	2	o
Pelew, ...	11.00	...	...	...			...	...	5	...	...	...	...	...	...	...
Labuan, ...	11	29.77	756.1	86	88	NW	2	b	6	29.83	757.7	78	86	SW	2	b

September 16*d*. 16*h*. 35*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 27° N. Long. 126° E., moving N.

September 17*d*. 12*h*. 15*m*.—Pressure has increased moderately over Formosa and slightly at the majority of other reporting stations.

In the absence of observations from the Japanese Empire no position can be assigned to the typhoon.

There appears to be a shallow depression over Indo-China, and an anticyclone over S.E. Mongolia.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·71 inch. Total since January 1st, 80·32 inches, against an average of 71·74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY. HONG KONG.

DAILY WEATHER REPORT.

Station.	17th SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	18th SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.85	758.3	71	...	NNW	2	0	6	29.83	757.7	59	...	...	0	0
Nemuro,	11	29.94	760.5	...	...	SE	1	...	5	29.86	758.5	...	...	NE	1	...
Hokodate,	.	29.82	757.5	...	...	SE	4	...	,,	29.75	755.5	...	...	ENE	1	...
Tokio,	,,	29.76	756.0	...	...	NE	1	...	,,	29.67	753.5	...	...	...	0	...
Kochi,	,,	29.21	742.0	...	...	NW	2	...	,,	29.73	755.0	...	...	SW	1	...
Nagasaki,	,,	29.53	750.0	...	...	NNW	3	...	,,	29.78	756.5	...	...	NW	1	...
Kagoshima,	,,	29.49	749.0	...	...	NW	2	...	,,	29.80	757.0	...	...	...	0	...
Oshima,	,,	..	...	...	...	...	...	...	,,	29.84	758.0	...	...	SSE	1	...
Naha,	,,	29.76	756.0	...	...	WNW	2	...	,,	29.88	759.0	...	...	E	1	...
Ishigakijima,	,,	29.84	758.0	...	...	NNW	1	...	,,	29.90	759.5	...	...	...	0	...
Bonin Island,	,,	29.82	757.5	...	...	SSW	1	...	,,	29.90	759.5	...	...	SSW	1	...
Chefoo,	15	29.82	757.4	69	80	NNW	6	r	6	29.84	757.9	69	85	NW	6	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.89	759.3	82	44	NNW	2	b	,,	29.94	760.5	63	98	NW	1	b
Gutzlaff,	,,	29.90	759.4	78	58	N	4	b	,,	29.95	760.7	70	91	NNW	2	b
Sharp Peak,	,,	29.85	758.2	84	54	E	2	b	,,	29.92	759.9	78	74	WNW	1	b
Amoy,	,,	29.80	756.9	84	72	SSE	2	b	6	..	...	...	...	...	...	...
Swatow,	,,	29.79	756.6	87	...	E	4	o	,,	29.85	758.2	75	...	ENE	2	b
Taihoku,	11	29.86	758.4	86	61	ESE	2	b	,,	29.93	760.2	64	88	S	2	b
Taiohu,	,,	29.81	757.2	86	...	NNW	2	o	,,	29.87	758.7	73	..	...	c	o
Tainan,	,,	29.81	757.2	86	...	WSW	2	o	,,	29.84	757.8	73	..	...	c	b
Koshun,	,,	29.82	757.5	81	...	ENE	4	o	,,	29.84	757.8	77	...	NNE	4	o
Pescadores,	,,	29.84	757.8	84	...	NNE	4	o	,,	29.84	757.8	77	...	NE	4	b
Canton,	14	..	...	...	...	...	..	...	6	29.82	757.4	75	...	...	c	o
Hongkong,	,,	29.76	755.9	84	77	NNE	3	cp	,,	29.81	757.2	79	78	ENE	4	o
Gap Rock,	,,	29.78	756.4	...	...	NE	3	c	,,	29.81	757.2	...	.	E	4	b
Macao,	,,	29.74	755.4	86	75	SE	2	o	,,	29.79	756.6	79	84	ENE	4	o
Wuchow,	15	...	..	...	...	...	...	...	9	...	...	...	.	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	..	...	...	...	..	..	...
Pratas Island,	14	29.73	755.1	82	69	SSW	2	r	6	29.78	756.4	79	71	SW	2	o
Phulien,	15	29.73	755.1	77	98	NE	2	r	7	29.78	756.3	75	100	N	4	rf
Tourane,	..	29.71	754.5	82	...	...	0	o	,,	29.76	756.0	77	...	...	0	b
Cape St. James,	,,	29.73	755.1	77	...	SW	4	o	..	29.79	756.6	77	...	SW	4	o
Basco,	,,	29.76	756.0	82	87	NE	4	o	6	29.81	757.2	79	76	ENE	2	o
Aparri,	,,	29.75	755.7	86	71	N	2	o	,,	29.82	757.5	77	92	..	c	o
Manila,	,,	29.74	755.4	86	68	W	4	o	,,	29.84	757.8	75	94	ENE	1	o
Legaspi,	,,	29.73	755.1	90	69	S	2	o	,,	29.81	757.2	77	94	...	c	o
Taoloban,	,,	29.76	756.0	75	83	NNE	2	o	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	78	S	4	o	,,	29.84	757.8	75	96	...	c	o
Surigao,	..	...	...	...	...	...	...	...	,,	29.81	757.2	73	96	..	c	o
Guam,	12.20	29.80	756.9	...	...	E	2	o	4.20	29.86	758.4	...	...	NE	1	o
Yap,	12.47	29.79	756.6	...	...	SE	2	o	4.47	29.85	758.1	...	...	...	o	o
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NW	2	b	6	29.85	758.2	76	94	SW	2	b

September 17*d.* 13*h.* 40*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 32° N. Long. 132° E, moving N.E.

September 18*d.* 10*h.* 40*m.*—Pressure has decreased moderately over central and N.E. Japan. It has increased considerably over S.W. Japan, moderately over the Loochoos and slightly at other reporting stations.

At 6 a.m. this morning the typhoon was about 200 miles N.W. of Tokio moving N.N.E.

A trough of relatively low pressure covers the China Sea.

Shanghai warning 17*d.* 21*h.* 20*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 14 N. Long. 135° E., moving N.W. Recd. 17*d.* 22*h.* 15*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·21 inch. Total since January 1st. 80·55 inches, against an average of 72.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, fresh; cloudy.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th September, 1926.									19th September, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.83	757.7	70	...	NNW	3	0		6	29.84	757.8	57	...	NNE	4	0	
Nemuro,	11	29.86	758.5	...	...	ENE	2	...		5	29.98	761.5	...	...	E	1	...	
Hokodate,	"	29.80	757.0	...	...	ESE	1	...		"	29.82	757.5	...	...	SE	3	...	
Tokio,	"	29.74	755.5	...	...	NE	1	...		"	29.84	758.0	...	...	...	...	...	
Kochi,	"	29.76	756.0	...	...	...	0	...		"	29.92	760.0	...	...	...	0	...	
Nagasaki,	"	29.82	757.5	...	...	W	3	...		"	29.96	761.0	...	...	...	0	...	
Kagoshima,	"	29.84	758.0	...	...	WNW	1	...		"	29.94	760.5	...	...	...	0	...	
Oshima,	"	29.88	759.0	...	...	NNE	1	...		"	29.98	761.5	...	...	S	1	...	
Naha,	"	29.90	759.5	...	...	N	1	...		"	29.94	760.5	...	...	NNE	1	...	
Ishigakijima,	"	29.94	760.5	...	...	N	1	...		"	29.90	759.5	...	...	NE	1	...	
Bonin Island,	"	29.94	760.5	...	...	SW	1	...		"	29.98	761.5	...	...	S	1	...	
Chefoo,	15	29.81	757.2	77	69	NNW	2	b		6	29.93	760.2	63	91	SW	1	0	
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Hankow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Shanghai,	14	29.94	760.5	79	61	ENE	1	0		"	29.93	760.2	68	96	E	1	b	
Gutzlaff,	"	29.97	761.2	79	61	NE	2	b		"	29.99	761.7	73	81	SE	4	b	
Sharp Peak,	"	29.90	759.4	83	67	E	2	b		7	29.91	759.6	80	70	N	2	b	
Amoy,	"	29.88	758.9	86	58	NE	2	b		6	29.87	758.7	74	72	NNE	1	b	
Swatow,	"	29.86	758.4	83	..	E	4	b		"	..	..	...	...	...	...	...	
Taihoku,	11	29.92	759.9	84	58	E	4	0		5	29.89	759.3	72	89	ENE	2	b	
Taichu,	"	29.88	759.0	86	...	...	0	b		"	29.88	759.0	72	..	...	0	b	
Tainan,	"	29.88	759.0	84	...	NW	2	0		"	29.86	758.4	72	...	...	0	b	
Koshun,	"	29.89	759.3	84	...	NE	4	0		"	29.86	758.4	77	.	NE	4	b	
Pescadores,	"	29.91	759.6	84	..	NE	6	b		"	29.86	758.4	77	...	NNE	2	b	
Canton,	14	29.84	757.9	87	72	SE	1	b		6	29.86	758.4	77	...	E	1	c	
Hongkong,	"	29.85	758.2	82	66	E	4	b		"	29.84	757.9	79	75	ENE	4	0	
Gap Rock,	"	29.84	757.9	...	...	E	5	c		"	29.84	757.9	...	..	E	5	c	
Macao,	"	29.82	757.5	84	68	SE	4	0		"	29.81	757.2	79	84	NE	4	0	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	..	...	...	...	
Pakhoi,	"	...	...	...	...	..	...	...		"	...	..	...	...	...	...	...	
Hoihow,	"	...	...	...	...	...	...	...		"	..	..	...	...	...	...	...	
Pratas Island,	14	29.77	756.1	80	90	SW	1	or		6	29.79	756.6	80	83	ENE	4	c	
Phulien,	15	29.75	755.7	77	96	NE	4	r		7	...	...	...	...	...	...	...	
Tourane,	"	29.74	755.4	82	...	NE	4	0		"	...	...	...	...	...	...	...	
Cape St. James,	"	29.78	756.3	86	...	S	2	0		"	...	..	...	...	...	...	...	
Basco,	"	29.80	756.9	81	80	NE	2	0		6	29.84	757.8	73	92	N	1	0	
Aparri,	"	29.78	756.3	84	77	NNE	2	0		"	29.81	757.2	75	96	SSE	2	0	
Manila,	"	29.79	756.6	82	77	WSW	2	0		"	29.84	757.8	77	94	...	0	0	
Legaspi,	"	29.80	756.9	83	87	SSE	2	0		"	29.82	757.5	75	96	...	0	0	
Tacloban,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Iloilo,	"	29.79	756.6	86	75	S	4	0		"	29.84	757.8	75	96	N	1	0	
Surigao,	"	29.76	756.0	84	77	NNE	2	0		"	...	..	...	...	...	...	...	
Guam,	12.20	29.81	757.2	...	...	NE	2	0		4.20	29.85	758.1	...	...	E	1	0	
Yap,	12.47	29.80	756.9	...	...	NE	4	0		4.47	29.84	757.8	...	...	E	2	0	
Pelew,	11.00	...	...	..	..	...	...	...		5	...	...	...	...	...	...	...	
Labuan,	14	29.77	756.1	88	88	SW	4	b		6	29.85	758.2	76	94	NW	2	b	

September 19*d*. 12*h*. 10*m*.—Pressure has decreased slightly from Shanghai to Hongkong, and has increased moderately to slightly elsewhere.

The typhoon is filling up over the Sea of Japan.

A trough of relatively low pressure covers the N. China Sea.

Shanghai warning 18*d*. 21*h*. 35*m*. :—Typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 133° E., moving N. Recd. 18*d*. 21*h*. 55*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 80·53 inches, against an average of 72.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, fresh ; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th SEPTEMBER, 1926.									20th SEPTEMBER, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock. .	12	29.80	756.9	70	...	NNE	4	o		6	29 93	760.2	60	...	NNE	2	b	
Nemuro.....	11	29.94	760.5	...	...	SE	1	...		5	29.76	756.0	...	...	E	3	...	
Hokodate, ...	,,	29.76	756.0	...	...	SSE	3	...		,,	29.67	753.5	...	...	...	0	...	
Tokio,.....	,,	29.80	757.0	...	...	ESE	1	...		,,	29.78	756.5	...	...	...	...	...	
Kochi, ...	,,	29.90	759.5	...	...	E	1	...		,,	29.94	760.5	...	...	...	0	...	
Nagasaki, ...	,,	29.98	761.5	...	...	WNW	2	...		,,	29.96	761.0	...	...	...	...	...	
Kagoshima, ...	,,	29.96	761.0	...	...	W	1	...		,,	29.96	761.0	...	...	WNW	1	...	
Oshima, ...	,,	29.98	761.5	...	...	NE	1	...		,,	29.92	760.0	...	...	S	1	...	
Naha, ...	,,	29.96	761.0	...	...	ENE	2	...		,,	29.92	760.0	...	...	ENE	1	...	
Ishigakijima,...	,,	29.94	760.5	...	...	NE	2	...		,,	29.90	759.5	...	...	...	0	...	
Bonin Island,...	,,	29.96	761.0	..	.	SSW	1	...		,,	29.94	760.5	...	...	...	...	...	
Chefoo.	15	29.96	761.0	73	63	NNW	2	b		6	29.97	761.2	65	78	SSW	1	o	
Ichang.	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hankow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha, ...	,,	...	...	...	...	...	...	...		,,	29.95	760.8	80	...	...	0	b	
Shanghai.	14	29.93	760.2	86	41	WSW	1	b		,,	29.94	760.5	68	98	ENE	1	o	
Gutzlaff,.....	,,	29.96	761.0	80	62	WSW	2	b		,,	29.96	761.0	74	81	SSE	2	b	
Sharp Peak, ...	,,	29.89	759.2	82	67	E	4	b		7	29.92	759.9	78	74	WNW	1	b	
Amoy, ...	,,	29.87	758.7	88	62	NE	2	b		6	29.86	758.4	76	86	NE	2	b	
Swatow.....	,,	29.85	758.2	81	...	E	3	b		,,	29.84	757.9	75	...	NE	2	b	
Taihoku, ...	11	29.92	759.9	86	58	ENE	4	b		5	29.88	759.0	72	94	...	0	b	
Taichu, ...	,,	29.89	759.3	86	...	...	c	b		,,	29.87	758.7	73	...	...	0	o	
Tainan, ...	,,	29.88	759.0	86	...	WSW	1	b		,,	29.85	758.1	73	...	...	0	o	
Koshun,.....	,,	29.88	759.0	84	...	NE	2	o		,,	29.84	757.8	75	..	N	2	b	
Pescadores, ...	,,	29.88	759.0	84	...	NE	4	b		,,	29.86	758.4	77	...	NNE	2	b	
Canton, ...	14	29.83	757.7	80	72	SE	1	b		6	29.82	757.4	81	...	ENE	1	b	
Hongkong,.....	,,	29.84	757.9	83	69	E	3	o		,,	29.81	757.2	79	78	E	4	o	
Gap Rock, ...	,,	29.81	757.2	...	...	E	5	o		,,	29.81	757.2	...	...	E	5	b	
Macao.	,,	29.81	757.2	86	71	ESE	2	o		,,	29.80	756.9	77	84	E	4	o	
Wuchow, ...	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...		,,	...	..	...	...	...	...	...	
Hoibow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	..	...	...	
Pratas Island,...	14	29.78	756.3	83	79	E	4	c		6	29.78	756.3	80	83	ESE	4	or	
Phulien, ...	15	29.75	755.7	81	92	ESE	2	o		7	29.73	755.1	77	98	ENE	4	of	
Tourane,.....	,,	29.75	755.7	84	...	N	2	b		,,	29.74	755.4	79	...	NNW	2	b	
Cape St. James,	,,	29.78	756.3	84	...	SW	4	tf		,,	29.74	755.4	77	...	WSW	2	o	
Basco,.....	,,	29.81	757.2	84	81	...	c	o		6	...	...	...	...	...	...	...	
Aparri, ...	,,	29.76	756.0	81	89	WSW	2	r		,,	..	...	...	...	...	...	...	
Manila, ...	,,	29.76	756.0	86	68	W	2	o		,,	29.81	757.2	75	94	NE	1	o	
Legaspi, ...	,,	29.76	756.0	86	78	...	c	o		,,	29.79	756.6	75	96	...	0	b	
Tacloban, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo, ...	,,	29.79	756.6	86	68	S	2	o		,,	29.80	756.9	77	92	N	2	o	
Surigao, ...	,,	29.76	756.0	86	68	...	o	o		,,	...	...	...	...	...	...	...	
Guam,.....	12.20	29.82	757.5	...	...	NE	2	o		4.20	...	...	...	...	...	...	...	
Yap, ...	12.47	29.81	757.2	...	...	ESE	2	o		4.47	29.82	757.5	...	...	...	0	o	
Pelew, ...	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Labuan, ...	14	29.76	755.9	90	77	NE	4	bf		6	29.85	758.2	76	91	S	2	o	

September 20*d.* 1*ch.* 58*m.*—Pressure has decreased moderately over N.E. Japan and slightly over S. China and Indo-China. It has increased moderately at Wladivostock and is nearly stationary at other reporting stations.

The depression is passing into the Pacific.

A trough of relatively low pressure covers the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total** since January 1st, 80·53 inches, against an average of 72.74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	E. winds, fresh ; fair.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th September, 1926.									21st September, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.89	759.3	71	...	N	3	b		6	29 93	760.3	57	...	...	0	c	
Nemuro,	11	29.63	752.5	...	...	E	1	...		5	29.71	754.5	...	...	NNE	1	...	
Hokodate,	"	29.63	752.5	...	...	WNW	1	...		"	29.82	757.5	...	...	...	0	...	
Tokio,	"	29.74	755.5	...	...	...	0	...		"	29.88	759.0	...	...	NE	1	...	
Kochi,	"	29.90	759.5	...	...	NW	1	...		"	29.94	760.5	...	...	W	1	...	
Nagasaki,	"	29.96	761.0	...	...	WNW	1	...		"	29.94	760.5	...	...	...	0	...	
Kagoshima,	"	29.96	761.0	...	...	...	0	...		"	29.94	760.5	...	...	WNW	1	...	
Oshima,	"	29.94	760.5	...	...	NNE	1	...		"	29.90	759.5	...	...	...	0	...	
Naha,	"	29.90	759.5	...	...	NNE	1	...		"	29.88	759.0	...	...	...	...	...	
Ishigakijima,	"	29.90	759.5	...	...	ENE	1	...		"	29.86	758.5	...	...	...	0	...	
Bonin Island,	"	29.92	760.0	..	..	S	1	...		"	29.92	760.0	...	...	...	...	...	
Chefoo,	15	29.97	761.2	68	74	SW	2	r		6	29.88	759.0	63	94	SSW	1	0	
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	..	...	...	...	
Hankow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha,	"	...	...	..	...	...	...	...		"	29.80	756.9	81	...	...	0	bc	
Shanghai,	14	29.88	759.0	86	49	SE	2	b		"	29.81	757.2	73	89	SSE	2	b	
Gutzlaff,	"	29.92	759.9	78	70	SE	4	b		"	29.86	758.4	75	86	S	6	b	
Sharp Peak,	"	29.85	758.2	83	71	E	1	b		"	29.83	757.7	80	78	W	1	b	
Amoy,	"	29.79	756.6	88	69	SSE	4	b		6	29.81	757.2	78	86	ESE	2	b	
Swatow,	"	..	...	...	..	...	...	...		"	29.81	757.2	77	...	ESE	2	or	
Taihoku,	11	29.87	758.7	86	68	E	4	b		5	29.84	757.8	73	96	...	0	b	
Taichu,	"	29.86	758.4	86	...	...	0	b		"	29.85	758.1	75	...	...	0	b	
Tainan,	"	29.87	758.7	86	...	SW	2	b		"	29.84	757.8	73	...	...	0	b	
Koshun,	"	29.87	758.7	86	...	NE	4	b		"	29.86	758.4	75	...	...	0	bf	
Pescadores,	"	29.87	758.7	86	...	N	2	b		"	29.85	758.1	77	...	...	0	b	
Canton,	14	...	...	...	...	...	...	...		6	29.78	756.4	84	...	E	2	bc	
Hongkong,	"	29.80	756.9	82	76	ENE	4	o		"	29.78	756.4	77	93	E	2	or	
Gap Rock,	"	29.79	756.6	...	...	E	5	c		"	29.76	755.9	...	..	SE	4	or	
Macao,	"	29.76	756.0	82	77	ESE	4	o		"	29.75	755.7	77	89	ESE	4	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	..	...	...	...	
Pakhoi,	"	...	...	...	...	...	...	...		"	...	..	...	...	...	...	...	
Hoihow,	"	...	...	...	...	...	...	...		..	..	..	...	...	...	...	...	
Pratas Island,	14	29.77	756.1	87	77	E	2	c		6	29.78	756.4	80	83	SE	1	c	
Phulien,	15	29.73	755.1	77	96	ENE	4	o		7	29.74	755.4	77	92	SE	2	o	
Tourane,	"	29.72	754.8	84	...	...	0	b		"	29.74	755.4	77	...	...	0	b	
Cape St. James,	"	29.75	755.7	77	...	WNW	2	of		"	29.80	756.9	75	...	WSW	2	o	
Basco,	"	29.80	756.9	84	49	ESE	2	o		6	29.80	756.9	81	89	SE	4	o	
Aparri,	"	29.75	755.7	86	75	NNE	4	o		"	29.80	756.9	77	92	SE	2	b	
Manila,	"	29.74	755.4	90	66	SE	2	o		"	29.79	756.6	77	94	NE	1	o	
Legaspi,	"	29.74	755.4	90	63	ENE	2	o		"	29.79	756.6	79	95	...	0	o	
Tacloban,	"	...	...	...	...	...	...	...		"	...	...	..	...	...	...	...	
Iloilo,	"	29.74	755.4	86	71	NE	4	o		"	29.81	757.2	77	94	...	0	o	
Surigao,	"	29.74	755.4	84	77	NE	2	o		"	29.80	756.9	75	96	SSE	1	o	
Guam,	12.20	29.82	757.5	...	...	ESE	1	o		4.20	29.80	756.9	...	...	NE	2	o	
Yap,	12.47	29.76	756.0	...	...	WNW	4	o		4.47	29.80	756.9	...	...	...	0	o	
Pelew,	11.00	...	...	..	...	..	...	...		5	...	...	...	...	...	...	...	
Labuan,	14	29.77	756.1	88	88	SW	2	b		6	29.83	757.7	78	86	SW	2	b	

September *21d. 11h. 40m.*—Pressure has increased moderately over central Japan and decreased moderately from Shanghai to Chefoo. Changes elsewhere are small.

A depression has formed over the lower Yangtze Valley and a trough of low pressure extends from Indo-China to Yap.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2·12 inch. Total since January 1st, 82·65 inches, against an average of 73.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND

District.	Forecast.
1.—Formosa Channel, ...	E. or variable winds, moderate to light; rain at first, improving later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st September, 1926.								22nd September, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	29.90	759.4	72	...	...	0	b	6	29.98	761.5	56	...	...	0	b
Nemuro,	11	29.76	756.0	...	...	N	1	...	5	29.82	757.5	...	...	ESE	1	...
Hokodate,	"	29.82	757.5	...	...	WNW	3	...	"	29.92	760.0	...	...	...	0	...
Tokio,	"	29.92	760.0	...	...	...	...	...	"	30.00	762.0	...	...	...	0	...
Kochi,	"	29.94	760.5	...	...	...	0	...	"	29.98	761.5	...	...	WSW	1	...
Nagasaki,	"	29.96	761.0	...	...	...	0	...	"	29.96	761.0	...	...	SE	1	...
Kagoshima,	"	29.94	760.5	...	...	...	0	...	"	29.96	761.0	...	...	NW	1	...
Oshima,	"	29.92	760.0	...	...	SE	1	...	"	29.90	759.5	...	...	...	...	...
Naha,	"	29.90	759.5	...	...	...	0	...	"	29.90	759.5	...	...	...	0	...
Ishigakijima,	"	29.92	760.0	...	...	...	...	...	"	29 90	759.5	...	...	S	1	...
Bonin Island,	"	29.92	760.0	...	...	SW	1	...	"	...	...	...	...	...	...	...
Chefoo,	15	29.86	758.4	73	76	E	1	o	6	29.80	756.9	67	100	SE	1	r
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	29.95	760.7	79	...	NW	2	o
Shanghai,	14	29.76	756.0	90	55	S	2	b	"	29.82	757.5	73	94	NW	1	o
Gutzlaff,	"	29.82	757.4	80	82	S	4	b	"	29.84	757.9	76	95	WSW	2	b
Sharp Peak,	"	29.82	757.4	84	75	ESE	1	b	7	29.88	758.9	84	91	SW	1	b
Amoy,	"	29.78	756 4	86	72	SSE	4	o	6	29.83	757.7	80	92	SE	1	b
Swatow,	"	29.82	757.4	83	...	E	2	o	"	29.82	757.4	80	...	...	0	o
Taihoku,	11	29.88	759.0	90	63	NW	2	b	5	29.88	759.0	73	98	...	0	of
Taiohu,	"	29.88	759.0	90	...	...	0	b	"	29.91	759.6	75	...	...	0	o
Tainan,	"	29.87	758.7	90	...	W	2	b	"	29.86	758.4	75	...	...	0	b
Koshun,	"	29.88	759.0	90	...	E	3	b	"	29.87	758.7	77	...	ENE	1	b
Pescadores,	"	29.89	759.3	86	...	NNW	2	b	"	29.87	758.7	75	...	...	0	b
Canton,	14	...	...	...	...	...	...	...	6	29.85	758.2	80	...	...	0	le
Hongkong,	"	29.79	756.6	74	98	NNW	2	or	"	29.84	757.9	75	93	...	0	cm
Gap Rock,	"	29.80	756.9	...	...	NNE	3	o	"	29.84	757.9	...	...	NE	2	b
Macao,	"	29.78	756.3	77	96	NE	2	r	"	29.81	757.2	75	98	...	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	14	29.78	756.3	85	76	SE	1	o	6	29.85	757.7	80	91	...	0	o
Phulien,	15	29.74	755.4	66	80	E	2	o	7	29.81	757.2	77	94	ESE	2	o
Tourane,	"	29.73	755.1	84	...	SE	2	b	"	29.79	756.6	79	...	N	2	b
Cape St. James,	"	29.74	755.4	82	...	WSW	2	of	"	29.81	757.2	75	...	SW	2	o
Basco,	"	29.82	757.5	86	73	SE	4	o	6	29.85	758.1	81	86	SE	2	o
Aparri,	"	29.79	756.6	90	66	NE	4	b	"	29.84	757.8	77	91	SE	2	b
Manila,	"	29.76	756.0	84	81	N	2	o	"	29.82	757.5	77	96	...	0	o
Legaspi,	"	29.74	755.4	86	78	ENE	2	o	"	29.82	757.5	77	94	...	0	o
Tacloban,	"	29.75	755.7	90	72	SE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.78	756.3	86	78	SW	4	o	"	29.85	758.1	75	96	SE	4	o
Surigao,	"	29.75	755.7	86	75	...	0	o	"	29.84	757.8	75	92	W	2	o
Guam,	12.20	29.75	755.7	...	...	NW	1	r	4.20	29.76	756.0	...	...	E	1	r
Yap,	12.47	29.76	756.0	...	...	NW	1	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	87	NW	2	b	6	29.83	757.7	76	91	S	1	r

September 22*d*. 10*h*. 50*m*.—Pressure has increased over S. China, Indo-China and the Philippines, also over Japan. It has decreased slightly over N.E. China.

The Yangtze Valley depression has moved into the Yellow Sea and an anticyclone is probably forming over China.

The trough over the China Sea has filled up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 3·58 inch. **Total since January 1st**, 86·23 inches, against an average of 73.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd SEPTEMBER, 1926.								23rd SEPTEMBER, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.98	761.4	69	...	NNW	2	c	6	29.92	759.9	64	...	...	0	0
Nemuro,	11	29.84	758.0	...	...	NW	1	...	5	...	...	...	...	...	...	...
Hakodate,	,,	29.94	760.5	...	...	NW	3	...	,,	30.00	762.0	...	...	...	0	...
Tokio,	,,	30.00	762.0	...	...	...	...	...	,,	29.96	761.0	...	...	NE	1	...
Kochi,	,,	29.98	761.5	...	...	...	0	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	SSE	2	...	,,	29.86	758.5	...	...	...	0	...
Kagoshima,	,,	29.92	760.0	...	...	SE	1	...	,,	29.86	758.5	...	...	...	...	...
Oshima,	,,	29.88	759.0	...	...	N	1	...	,,	29.86	758.5	...	...	...	0	...
Naha,	,,	29.94	760.5	...	...	SW	1	...	,,	29.86	758.5	...	...	...	...	...
Ishigakijima,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	...	...
Bonin Island,	,,	29.96	761.0	...	...	...	0	...	,,	29.86	758.5	...	...	...	...	...
Chefoo,	15	29.82	757.4	73	86	E	1	b	6	29.83	757.7	67	95	SW	1	0
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.90	759.4	82	...	...	0	0
Shanghai,	14	29.87	758.7	82	70	NW	2	0	,,	29.88	759.0	72	100	NE	2	0
Gutzlaff,	,,	29.89	759.2	81	78	NNW	2	0	,,	29.92	759.9	75	92	SE	2	0
Sharp Peak,	,,	29.87	758.7	90	70	S	2	b	,,	29.87	758.7	88	84	SW	1	h
Amoy,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Swatow,	,,	29.86	758.4	88	...	SSE	3	b	,,	29.84	757.9	84	...	...	0	h
Taihoku,	11	29.92	759.9	86	68	NW	2	b	5	29.88	759.0	75	96	...	0	b
Taichu,	,,	29.93	760.2	90	...	...	0	b	,,	29.88	759.0	75	...	...	0	b
Tainan,	,,	29.91	759.6	90	...	WSW	2	b	,,	29.85	758.1	77	...	NE	2	o
Koshun,	,,	29.93	760.2	90	...	E	2	b	,,	29.85	758.1	77	...	...	0	b
Pescadores,	,,	29.93	760.2	90	...	SW	4	b	,,	29.87	758.7	79	...	...	0	b
Canton,	14	...	...	...	...	...	...	...	6	29.81	757.2	83	...	...	0	o
Hongkong,	,,	29.84	757.9	87	70	W	2	b	,,	29.82	757.4	77	97	...	0	b
Gap Rock,	,,	29.85	758.2	...	...	NE	2	b	,,	29.85	758.2	...	...	ESE	2	b
Macao,	,,	29.82	757.5	90	76	SE	2	b	,,	29.80	756.9	77	98	SSE	2	bf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.82	757.4	89	73	ENE	1	c	6	29.81	757.2	82	87	ENE	2	c
Phulien,	15	29.81	757.2	81	89	SE	1	0	7	29.82	757.5	77	94	ENE	2	0
Tourane,	,,	29.75	755.7	86	...	SE	2	b	,,	29.78	756.3	75	...	...	0	0
Cape St. James,	,,	29.78	756.3	77	...	WSW	2	0	,,	29.82	757.5	77	...	SW	2	0
Basco,	,,	29.84	757.8	86	75	ESE	2	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.79	756.6	90	69	NE	4	b	,,	29.86	758.4	75	96	...	0	b
Manila,	,,	29.79	756.6	86	71	NW	2	0	,,	29.81	757.2	75	96	E	1	0
Legaspi,	,,	29.76	756.0	93	64	NE	2	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	86	68	S	4	0	,,	29.81	757.2	77	91	NW	1	0
Surigao,	,,	29.76	756.0	86	68	W	4	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	SE	2	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	S	4	0	4.47	29.73	755.1	...	...	WSW	2	0
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.83	757.7	78	91	SW	2	0	6	29.85	758.2	76	94	NW	1	r

September 23*d*. 10*h*. 15*m*.—Pressure has decreased slightly to moderately over Japan and slightly over S. China, Formosa, the Visayas and at Yap. A typhoon may be forming N.N.E. of the latter station.

The northern depression is now central over Korea.

There are still signs of an anticyclone forming over N. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86·23 inches, against an average of 73.67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, light to moderate ; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	24th September, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	29.90	759.4	69	...	SSE	4	c	6	29.71	754.5	67	...	SSE	4	c
Nemuro,	11	30.00	762.0	...	...	ESE	1	...	5	30.06	763.5	...	...	SSE	1	...
Hokodate,	,	29.98	761.5	...	...	ESE	2	...	,,	29.96	761.0	...	...	...	...	...
Tokio,	,,	29.91	760.5	...	...	NNW	1	...	,,	29.98	761.5	...	...	...	0	...
Kochi,	,,	29.86	758.5	...	...	E	1	...	,,	29.80	757.0	...	...	...	C	...
Nagasaki,	,,	29.88	759.0	...	...	SSW	1	...	,,	29.82	757.5	...	...	S	1	...
Kagoshima,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.86	758.5	...	...	...	0	...
Oshima,	,,	...		...	...	...	...	...	,,	29.86	758.5	...	...	...	...	...
Naha,	,,	29.92	760.0	...	...	WNW	1	...	,,	29.84	758.0	...	...	...	...	...
Ishigakijima,	,,	29.92	760.0	...	...	SE	1	...	,,	29.84	758.0	...	...	NNE	1	...
Bonin Island,	,,	29.94	760.5	...	...	SE	1	...	,,	29.94	760.5	...	...	ESE	1	...
Chefoo,	15	29.80	756.9	77	73	SSE	1	0	6	29.70	754.4	67	95	WSW	1	0
Ichang,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.79	756.6	84	74	SSE	2	0	,,	29.73	755.1	77	94	SSE	1	b
Gutzlaff,	,,	29.81	757.2	80	92	SE	4	b	,,	29.76	755.9	78	95	SSW	4	b
Sharp Peak,	,,	29.84	757.9	86	80	SE	2	b	7	29.80	756.9	83	87	...	0	b
Amoy,	,,	29.82	757.4	92	67	SSE	4	b	6	29.80	756.9	81	92	SSW	2	b
Swatow,	,,	29.81	757.2	88	...	E	1	b	,,	...	...	...	...	...	..	...
Taihoku,	11	29.88	759.0	90	63	WNW	2	b	5	29.82	757.5	75	96	...	0	b
Taichu,	,,	29.89	759.3	90	...	.	0	b	,,	29.84	757.8	77	...	...	0	b
Tainan,	,,	29.86	758.4	90	...	NW	2	b	,,	29.81	757.2	77	...	...	C	b
Koshun,	,,	29.87	758.7	90	...	E	2	b	,,	29.79	756.6	77	...	ENE	2	b
Pescadores,	,,	29.89	759.3	90	...	WSW	2	b	,,	29.81	757.2	79	...	...	0	b
Canton,	14	...	...	...	...	...	...	...	6	29.78	756.4	83	...	...	0	1c
Hongkong,	,,	29.80	756.9	85	74	ESE	3	b	,,	29.78	756.4	79	93	...	0	b
Gap Rock,	,,	29.81	757.2	...	...	NE	3	b	,,	29.77	756.1	...	...	E	3	b
Macao,	,,	29.79	756.6	90	72	SE	2	b	,,	29.75	755.7	79	95	ENE	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Pratas Island,	14	29.78	756.4	88	74	ENE	2	b	6	29.79	756.6	81	90	E	1	c
Phulien,	13	29.74	755.4	81	84	N	4	b	7	29.78	756.3	79	96	N	2	rf
Tourane,	,,	29.74	755.4	77	...	SW	2	r	,,	29.71	754.5	75	...	NW	2	r
Cape St. James,	,,	29.76	756.0	82	...	W	2	o	,,	29.78	756.3	75	...	SW	4	o
Basco,	,,	29.78	756.3	86	71	SE	2	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.76	756.0	84	74	NE	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	79	91	SE	2	r	,,	29.72	754.8	75	91	NE	1	0
Legaspi,	,,	...	...	82	87	SE	1	0	..	29.69	754.2	75	96	SW	1	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.75	755.7	75	92	SW	2	0	,,	29.74	755.4	75	98	...	0	0
Surigao,	..	29.71	754.5	82	77	W	2	0	,,	...	...	...	..	...	...	...
Guam,	12.20	29.72	754.8	...	...	SE	2	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.68	753.9	...	...	WSW	4	b	4.47	29.68	753.9	...	...	WSW	4	0
Pelew,	11.00	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	84	SW	2	b	6	29.84	757.9	78	91	SW	2	b

September 24*d*. 1*ch*. 32*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 136° E., moving W.

September 24*d*. 10*h*. 33*m*.—Pressure is nearly stationary from the Bonins to N.E. Japan. It has decreased moderately from Wladivostock to Chefoo and slightly elsewhere.

Conditions over China are uncertain. Depressions lie over S. Manchuria and Indo-China. A typhoon is situated in about Lat. 13° N. and Long. 136° E., moving W. or W.N.W.

Shanghai warning 23*d*. 21*h*. 20*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 135 E., moving N.W. Recd. 23*d*. 22*h*. 19*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 86·24 inches, against an average of 73.96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	E. or variable winds, moderate to light; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th SEPTEMBER, 1926.									25th SEPTEMBER, 1926.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostook,	12	29.60	751.8	37	...	...	0	r		6	29.81	757.1	56	..	WNW	2	b	
Nemuro,	11	30.02	762.5	...	...	SE	2	...		5	29.37	746.0	...	...	S	5	...	
Hokodate,	.	29.86	758.5	...	...	SE	4	...		,,	29.49	749.0	...	...	W	5	...	
Tokio,	,,	29.94	760.5	...	...	NNW	1	...		,,	29.76	756.0	...	...	...	0	...	
Kochi,	,,	29.84	758.0	...	...	SE	1	...		,,	29.84	758.0	...	...	...	...	...	
Nagasaki,	,,	29.80	757.0	...	...	SW	3	...		,,	29.88	759.0	...	...	...	...	...	
Kagoshima,	,,	29.84	758.0	...	...	WSW	1	...		,,	29.88	759.0	...	...	...	...	...	
Oshima,	,,	29.86	758.5	...	...	SE	1	...		,,	29.86	758.5	...	...	...	0	...	
Naha,	,,	29.86	758.5	...	...	SE	1	...		,,	29.82	757.5	...	...	ENE	1	...	
Ishigakijima,	,,	29.84	758.0	...	...	E	1	...		,,	29.76	756.0	...	...	NNE	1	...	
Bonin Island,	,,	29.94	760.5	...	...	E	1	...		,,	29.94	760.5	...	...	SSE	1	...	
Chefoo,	15	29.82	757.4	74	76	NNW	1	o		6	29.94	760.5	64	91	...	0	o	
Ichang,	,,		...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha,	,,	...	..	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	14	29.81	757.2	79	80	N	2	o		,,	29.84	757.8	75	94	ESE	2	o	
Gutzlaff,	,,	29.82	757.4	83	83	NNW	1	o		,,	29.87	758.7	75	100	ESE	4	b	
Sharp Peak,	,,	29.82	757.4	88	80	E	2	b		-	29.78	756.4	84	75	NE	2	b	
Amoy,	,,	29.81	757.2	94	64	SSE	4	b		6	29.74	755.4	82	92	S	2	b	
Swatow,	,,	29.79	756.6	95	...	...	0	b		,,	29.74	755.4	80	...	E	1	b	
Taihoku,	11	29.82	757.5	90	63	W	1	b		5	29.76	756.0	73	92	...	0	b	
Taichu,	,,	29.84	757.8	90	...	WNW	1	b		,,	29.80	756.9	77		...	0	o	
Tainan,	,,	29.82	757.5	86	...	NNW	2	o		,,	29.74	755.4	77		N	2	b	
Koshun,	,,	29.81	757.2	90	...	ENE	2	b		,,	29.74	755.4	79	..	N	2	b	
Pescadores,	,,	29.85	758.1	86	..	N	1	b		,,	29.78	756.3	79	..	N	2	o	
Canton,	14	...	...	...	...	...	...	...		6	29.75	755.7	83	..	...	0	fc	
Hongkong,	,,	29.77	756.1	86	76	ESE	3	b		,,	29.76	755.9	79	91	...	0	b	
Gap Rock,	,,	29.79	756.6	...	...	E	3	cp		,,	29.76	755.9	...	..	NE	3	b	
Macao,	,,	29.75	755.7	90	72	SE	2	o		,,	29.69	754.2	79	90	ENE	2	o	
Wuchow,	15	29.72	754.9	91	57	E	2	bc		9	...	..	...	..	...	...	...	
Pakhoi,	,,	...		...	...	...	...	...		,,	...	...	..	...	...	...	...	
Hoihow,	,,		...	...	...	..	...	...		,,	...	...	...	...	..	..	...	
Pratas Island,	14	29.74	755.4	89	70	ENE	2	bc		6	29.76	755.9	82	83	NE	3	c	
Phulien,	15	29.71	754.5	90	72	SE	2	b		7	29.78	756.3	79	91	NE	2	b	
Tourane,	,,	29.68	753.9	77	...	NW	4	r		,,	29.69	754.2	77	...	S	2	o	
Cape St. James,	,,	29.71	754.5	82	...	SW	4	o		,,	29.73	755.1	77	...	WSW	4	o	
Basco,	,,	29.73	755.1	86	71	NE	2	o		6	29.66	753.3	81	92	N	2	r	
Aparri,	,,	29.69	754.2	86	71	...	4	o		,,	29.65	753.0	81	92	N	2	r	
Manila,	,,	29.69	754.2	81	87	E	1	o		,,	29.65	753.0	75	96	NE	1	o	
Legaspi,	,,	29.61	752.1	86	71	...	0	o		,,	29.59	751.5	77	94	SW	1	o	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	..	..	...	...	...	
Iloilo,	,,	...	...	...	...	...	...	...		,,	29.67	753.6	79	96	...	0	o	
Surigao,	,,	...	...	...	...		...	...		,,	...	..	...	.	...	...	...	
Guam,	12.20	29.67	753.6	..	...	S	2	o		4.20	29.74	755.4	...	...	E	1	o	
Yap,	12.47	29.73	755.1	...	...	NW	1	r		4.47	29.71	754.5	...	...	SW	4	o	
Pelew,	11.00	...	..	...	...	...	...	...		5	...	...	...	...	...	...	...	
Labuan,	14	29.80	756.9	80	91	NW	2	b		6	29.85	758.2	76	94	NW	2	r	

September 24*d.* 17*h.* 29*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 134° E., moving W.

September 25*d.* 11*h.* 07*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 128° E., moving W.N.W.

September 25*d.* 11*h.* 27*m.*—Pressure has decreased considerably over N.E. Japan and slightly over the Philippines, Formosa and Yap. It has increased moderately at Chefoo and over S.W. Japan.

A somewhat deep depression is passing north-eastward over Hokkaido. A depression is still shown over Indo-China.

The typhoon at 6 a.m. this morning appeared to be in about Lat. 15° N. and Long. 128° E., moving W.N.W.

Another typhoon has formed N.N.E. of Yap.

Shanghai warning 24*d.* 21*h.* 25*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 131° E., moving W.N.W. Recd. 24*d.* 22*h.* 19*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86·24 inches, against an average of 74.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th SEPTEMBER, 1926.								26th SEPTEMBER, 1926.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.31	744.5	...	...	SW	4	...	5	...	...	...	...	...	...	...
Hokodate,	.	29.59	751.5	...	...	W	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.80	757.0	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.88	759.0	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.90	759.5	...	...	S	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.90	759.5	...	...	...	0	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.88	759.0	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.84	758.0	...	...	ENE	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.80	757.0	...	...	NE	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.94	760.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.90	759.4	75	64	S	1	0	6	...	...	...	...	...	...	...
Ichang,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	..	...	...	...	...	...	,,	29.91	759.7	75	...	NW	2	0
Shanghai,	14	29.84	757.8	82	84	ESE	2	0	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.86	758.4	78	92	SE	4	0	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.79	756.6	88	73	E	2	b	7	29.68	753.9	82	83	N	2	0
Amoy,	,,	29.74	755.4	92	74	NE	4	b	6	...	...	...	...	...	...	...
Swatow,	,,	29.74	755.4	91	...	ESE	2	b	,,	29.66	753.3	80	...	N	1	b
Taihoku,	11	29.79	756.6	90	60	E	4	b	5	29.72	754.8	79	92	E	4	0
Taichu,	,,	29.76	756.0	90	...	...	0	b	,,	29.59	751.5	77	..	...	0	0
Tainan,	,,	29.75	755.7	86	...	NW	4	b	,,	29.60	751.8	77	..	...	0	0
Koshun,	,,	29.76	756.0	86	...	NNE	4	b	,,	29.59	751.5	77	..	NNE	6	r
Pescadores,	,,	29.76	756.0	86	...	N	4	b	,,	29.56	750.9	70	...	NE	4	0
Canton,	14	...	...	...	...	...	...	...	6	29.69	754.1	84	...	N	1	b
Hongkong,	,,	29.73	755.1	87	63	E	1	b	,,	29.69	754.1	78	90	...	0	b
Gap Rock,	,,	29.75	755.7	...	...	NE	3	b	,,	29.69	754.1	...	...	NNE	2	c
Macao,	,,	29.73	755.1	90	63	SE	2	b	,,	29.67	753.6	77	94	NNW	1	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.72	754.9	87	78	NNE	2	c	6	29.59	751.6	82	83	N	5	c
Phulien,	15	29.69	754.2	90	72	SE	2	b	7	29.74	755.4	79	91	ENE	4	bf
Tourane,	,,	29.66	753.3	84	...	N	2	0	,,	29.69	754.2	77	...	NE	4	r
Cape St. James,	,,	29.67	753.6	84	...	SW	6	0	,,	29.69	754.2	77	...	WSW	4	0
Basco,	,,	29.61	752.1	86	78	NNE	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.58	751.2	86	75	NNW	4	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.58	751.2	86	75	W	4	0	,,	29.49	749.1	82	84	WSW	6	0
Legaspi,	,,	29.52	749.7	79	91	WNW	1	0	,,	29.53	750.0	81	92	SW	4	b
Tacloban,	,,	29.55	750.6	79	91	SSW	4	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.59	751.5	86	71	S	1	0	,,	29.62	752.4	82	84	S	4	0
Surigao,	,,	29.55	750.6	86	68	WSW	4	0	,,	...	..	...	..	...	...	...
Guam,	12.20	29.72	754.8	...	...	E	1	0	4.20	29.78	756.3	...	...	E	1	b
Yap,	12.47	29.68	753.9	...	...	SW	4	0	4.47	29.79	756.6	...	...	WSW	2	0
Pelew,	11.00	...	.	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	88	84	NW	2	b	6	...	...	...	...	...	...	...

September 25*d*. 16*h*. 02*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 127° E., moving W.

September 26*d*. 11*h*. 04*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 122° E., moving N.W.

September 26*d*. 11*h*. 10*m*.—Pressure has decreased considerably over N. Luzon, moderately at Manila, Pratas and Formosa, and slightly at Hongkong.

At 6 *a*.m. the typhoon was in about Lat. 19° N. and Long. 122° E., moving N.W. The present probability is that it will pass near Amoy tomorrow morning.

Manila warning. 26*d*. 8*h*. 00*m*.:—Typhoon in Lat. 19° N. Long. 123° E., moving W.N.W. Recd. 26*d*. 10*h*. 40*m*.

Shanghai warning 25*d*. 21*h*. 40*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 127° E., moving W.N.W. Recd. 25*d*. 23*h*. 10*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86·24 inches, against an average of 74.50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27th.

District.	Forecast.
1.—Formosa Channel,	Cyclonic gales.
2.—South coast of China between Hongkong and Lamocks,	N.W. to W. winds, freshening considerably; fair at first, rainy and squally later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	N.W. to W. winds, moderate to fresh.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort)	Weather. (Beaufort)	27th SEPTEMBER, 1926. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort)	Weather. (Beaufort)
Wladivostock,	12	29.82	757.3	70	...	S	4	o	2	29.04	756.4	56	...	WNW	3	o
Nemuro,	11	29.65	753.0	...	...	NW	4	...	5	29.80	757.0	...	...	SSW	1	...
Hokodate,	,,	29.85	758.5	...	...	W	5	...	,,	29.84	758.0	...	...	...	...	...
Tokio,	,,	29.98	761.5	...	...	SE	1	...	,,	29.88	759.0	...	...	...	...	...
Kochi,	,,	29.98	761.5	...	...	E	1	...	,,	30.00	762.0	...	...	...	o	...
Nagasaki,	,,	29.98	761.5	...	...	W	1	...	,,	30.04	763.0	...	...	SE	1	...
Kagoshima,	,,	29.98	761.5	...	...	SE	1	...	,,	30.04	763.0	...	...	WNW	1	...
Ishima,	,,	29.92	760.0	...	...	SSE	2	...	,,	29.96	761.0	...	...	...	o	...
Naha,	,,	29.84	758.0	...	...	E	3	...	,,	29.90	759.5	...	...	ENE	1	...
Ishigakijima,	,,	29.71	755.5	...	...	ENE	4	...	,,	29.82	757.5	...	...	ESE	2	...
Bonin Island,	,,	29.96	761.0	...	...	...	1	...	,,	30.02	762.0	...	...	...	o	...
Chefoo,	15	29.94	760.5	75	56	SW	1	o	6	30.14	765.5	64	68	N	2	o
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	76	...	NNW	2	fo
Shanghai,	14	29.91	759.6	90	63	SSE	4	b	,,	29.99	761.7	77	98	ESE	2	b
Gutzlaff,	,,	29.93	760.2	83	83	SE	2	b	,,	30.01	762.5	77	100	ESE	4	of
Sharp Peak,	,,	29.70	754.4	80	80	NNE	4	o	7	29.72	754.9	83	87	NE	2	o
Amoy,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Swatow,	,,	29.57	751.1	90	...	NNE	3	o	,,	29.48	748.8	89	80	E	6	c
Taihoku,	11	29.69	754.2	86	78	E	6	o	,,	29.73	755.1	81	...	E	4	b
Taichu,	,,	29.56	750.9	84	...	...	c	o	,,	29.67	753.6	77	...	...	c	u
Tainan,	,,	29.59	751.5	82	...	...	c	o	,,	29.67	753.6	75	...	...	c	o
Koshun,	,,	29.49	749.1	77	...	NNE	6	r	,,	29.69	754.2	81	...	ENE	4	r
Pescadores,	,,	29.55	750.6	84	...	NE	6	o	,,	29.67	753.6	81	...	NW	4	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.57	751.1	90	72	W	2	c	,,	29.29	743.9	77	93	NE	6	opq
Gap Rock,	,,	29.60	751.8	...	...	NW	3	c	,,	29.18	741.2	...	...	N	8	oqr
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.48	748.8	79	99	NNW	7	or	6	29.46	748.3	83	99	SSE	8	o
Phulien,	15	29.68	753.9	90	60	NE	1	b	7	29.63	752.7	77	98	NW	2	o
Tourane,	,,	29.63	753.0	81	...	N	2	b	,,	29.63	752.7	77	...	NW	2	o
Cape St. James,	,,	29.67	753.6	75	...	SW	2	r	,,	29.69	754.2	77	...	SW	4	o
Basco,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.48	748.8	86	78	SW	4	o	,,	29.66	753.3	75	96	SE	1	o
Legaspi,	,,	29.55	750.6	86	68	SW	4	o	,,	29.71	754.5	77	96	SW	1	o
Tacloban,	,,	29.59	751.5	86	68	SSW	4	o	,,	29.73	755.1	77	96	...	c	o
Iloilo,	,,	29.63	752.7	77	94	SW	4	o	,,	29.72	754.8	79	91	SW	6	o
Surigao,	,,	29.62	753.4	82	74	WSW	4	o	,,	29.72	754.8	82	74	SSW	2	o
Guam,	12.20	29.75	755.7	...	...	NE	2	o	4.20	29.78	756.3	...	...	NE	2	o
Yap,	12.47	29.78	756.3	...	...	SSW	1	o	4.47	29.78	756.3	...	...	NNW	2	o
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	88	88	SW	2	b	6	29.84	757.9	78	86	NW	2	b

September 26*d.* 21*h.* 20*m.*—Warning to Hong Kong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 20° N. Long. 118° E., moving W.N.W.

September 27*d.* 6*h.* 45*m.*—Warning to Hong Kong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 21° N. Long. 115° E., moving W.N.W.

September 26*d.* 21*h.* 10*m.*—Local signal No. 1 hoisted.
September 27*d.* 2*h.* 20*m.*— ,, ,, ,, 4 ,,
September 27*d.* 4*h.* 43*m.*— ,, ,, ,, 6 ,,
September 27*d.* 6*h.* 32*m.*— ,, ,, ,, 7 ,,

September 27*d.* 11*h.* 35*m.*—Pressure has increased considerably at Chefoo, moderately over Formosa and Luzon and slightly from the Bonins to Shanghai. It has decreased considerably at Hong Kong and slightly over Indo-China.

After 8 p.m. on the 26th the typhoon took a more westerly course passing a few miles S. of Pratas at mid-night and a few miles S. of Gap Rock between 8 a.m. and 9 a.m. this morning, causing wind of full typhoon force. It is now entering the coast to the west of Macao.

Shanghai warning 26*d.* 21*h.* 00*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 121° E., moving N.W. Recd. 26*d.* 22*h.* 37*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·67 inch. Total since January 1st, 87·91 inches, against an average of 74·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong, moderating.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Cyclonic gales, moderating; overcast, rain.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th September, 1926.									28th September, 1926.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.94	760.6	62	...	NNE	3	c		9	30.13	765.4	54	...	W	4	b	
Nemuro,	11	29.69	754.0	...	...	SSE	1	...		5	29.61	752.0	...	...	SW	1	...	
Hokodate,	..	29.70	754.5	...	...	WSW	3	...		..	29.78	756.5	...	...	W	2	...	
Tokio,	..	29.80	757.0	...	...	...	0	...		..	29.90	759.5	...	...	N	2	...	
Kochi,	..	29.94	760.5	...	...	...	0	...		..	29.96	761.0	...	...	..	0	...	
Nagasaki,	..	30.02	762.5	...	...	SW	1	...		..	30.02	762.5	...	...	N	1	...	
Kagoshima,	..	30.00	762.0	...	...	ESE	1	...		..	30.00	762.0	...	...	NW	1	...	
Oshima,	..	29.96	761.0	...	...	SE	1	...		..	29.94	760.5	...	...	NNE	2	...	
Naha,	..	29.94	760.5	...	...	E	2	...		..	29.92	760.0	...	...	NNE	1	...	
Ishigakijima,	..	29.88	759.0	...	...	E	2	...		..	29.88	759.0	...	...	NE	2	...	
Bonin Island,	..	29.96	761.0	...	...	ESE	1	...		..	29.96	761.0	...	...	...	...	...	
Chefoo,	15	30.23	767.8	66	68	N	4	o		6	30.28	769.1	63	62	NNE	4	o	
Ichang,	..	...	...	...	...	...	...	...		..	...	...	...	...	...	...	...	
Hankow,	..	...	...	...	...	...	...	...		..	...	...	...	...	...	...	...	
Changsha,	..	...	...	...	...	...	...	...		..	30.03	762.7	63	...	NNW	3	or	
Shanghai,	14	30.01	762.3	90	63	E	4	b		..	30.13	765.3	73	92	NE	4	o	
Gutzlaff,	..	30.04	763.0	82	92	E	4	b		..	30.13	765.3	74	81	NE	6	b	
Sharp Peak,	..	29.82	757.4	84	83	ENE	4	o		-	29.91	759.7	82	87	ENE	4	b	
Amoy,	..	29.72	754.9	90	84	ENE	4	r		6	29.79	756.6	83	83	ENE	2	o	
Swatow,	..	29.62	752.3	89	...	E	5	o		..	29.78	756.4	80	...	NE	2	b	
Taihoku,	11	29.80	756.9	93	67	ESE	4	b		5	29.87	758.7	79	89	E	4	b	
Taichu,	..	29.76	756.0	90	...	NW	2	b		..	29.80	756.9	75	...	...	0	r	
Tainan,	..	29.76	756.0	86	...	...	0	o		..	29.78	756.3	77	..	SE	1	b	
Koshun,	..	29.76	756.0	86	...	E	4	o		..	29.80	756.9	79	..	NE	4	r	
Pescadores,	..	29.78	756.3	86	...	W	2	b		..	29.78	756.3	79	...	NE	1	o	
Canton,	14	...	...	...	...	...	...	...		6	29.75	755.6	82	...	E	2	or	
Hong Kong,	..	29.51	749.5	80	87	ESE	8	orq		..	29.75	755.6	79	91	SE	4	op	
Gap Rock,	..	...	...	...	...	...	...	r		..	29.74	755.4	...	...	E	4	c	
Macao,	..	29.38	746.1	79	91	SE	8	...		..	29.71	754.5	79	95	ESE	4	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	..	...	...	...	...	...	
Pakhoi,	..	...	...	...	...	...	...	...		..	...	...	...	...	...	...	...	
Hoihow,	..	...	...	...	...	...	...	...		..	...	...	...	...	..	..	...	
Pratas Island,	14	29.62	752.3	86	84	ESE	5	o		6	29.72	754.9	81	93	E	6	c	
Phulien,	15	29.48	748.8	90	72	NW	6	o		7	29.55	750.5	75	96	S	4	rf	
Tourane,	..	29.52	749.7	82	...	NW	7	r		..	29.61	752.1	79	...	SW	6	o	
Cape St. James,	..	29.63	752.7	77	...	SW	4	o		..	29.68	753.9	75	...	SW	6	o	
Basco,	..	...	...	...	...	...	...	...		6	29.75	755.7	82	84	E	4	o	
Aparri,	..	...	...	...	...	...	...	...		..	29.71	754.5	75	96	...	0	r	
Manila,	..	29.62	752.4	86	75	SE	4	o		..	29.68	753.9	77	96	E	1	o	
Legaspi,	..	29.65	753.0	84	81	SW	4	o		..	29.71	754.5	77	96	...	0	o	
Tacloban,	..	29.69	754.2	82	81	...	0	o		..	...	...	...	...	...	...	...	
Iloilo,	..	29.69	754.2	81	84	S	4	o		..	29.75	755.7	75	98	S	4	o	
Surigao,	..	29.71	754.5	84	74	W	2	o		..	29.75	755.7	75	92	WSW	1	o	
Guam,	12.20	29.72	754.8	...	...	NE	4	o		4.20	29.75	755.7	...	...	NE	2	o	
Yap,	12.47	29.73	755.1	...	...	NNE	2	o		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Labuan,	14	29.75	755.6	86	88	NW	2	b		6	29.83	757.7	76	91	SW	2	b	

September 27*d*. 17*h*. 38*m*.—Warning to Hong Kong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 22° N. Long. 111° E., moving W.N.W.

September 27*d*. 15*h*. 12*m*.—Local signal No. 7 lowered.

September 28*d*. 11*h*. 25*m*.—Pressure has increased considerably over S.E. China, and slightly from Formosa to Chefoo. It is stationary from the Philippine to S.W. Japan.

The typhoon appears as a depression over Tongking this morning.

An anticyclone has formed over China, causing a steep gradient from Tongking to Shantung.

The existence of a typhoon to the east of Luzon is now doubtful.

Fresh monsoon may be expected along the coast of China.

Shanghai warning. 27*d*. 10*h*. 45*m*.:—A severe typhoon within 30 miles of Lat. 21° N. Long. 116° E., moving W.N.W. Recd. 27*d*. 12*h*. 11*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·16 inch. Total since January 1st, 89·07 inches, against an average of 75.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, fresh ; fair, cooler.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th September, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	29th September 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.09	761.2	61	...	NW	4	b	6	30.27	768.9	46	...		0	b
Nemuro,	11	29.85	759.5	...	...	NW	1	...	5	29.63	752.5	...	..	W	3	...
Hokodate,	.	29.78	756.5	...	...	WNW	6	...	,,	29.90	759 5	...	..	W	5	...
Tokio,	,,	29.92	760.0	...	...	NNW	3	...	,,	30.00	762.0	...	..	NW	1	...
Kochi,	,,	29.93	761.2	...	...	N	1	...	,,	30.02	762.5	...	..	NW	1	...
Nagasaki,	,,	30.00	762.0	..	...	N	1	...	,,	30.02	762.5	...	..	NE	1	...
Kagoshima,	,,	29.96	761.0	...	...	E	1	...	,,	29.98	761.5	...	..	NW	1	...
Oshima,	,,	29 94	760.5	...	..	NNE	2	...	,,	29.92	760.0	...	...	...	0	...
Naha,	,,	29.92	760.0	...	...	NE	3	...	,,	29.90	759.5	...	...	NNE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	NE	3	...	,,	29.90	759.5	...	...	NE	2	...
Bonin Island,	..	29 96	761.0	.	...	...	0	...	,,	29 92	760.0	...	..	...	...	...
Chefoo,	15	30.27	768.8	65	64	N	4	b	6	30.13	765.3	62	72	NNW	2	o
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	..	.	...	..	...	...	...	...	,,	29.97	761.2	74	...	NW	2	o
Shanghai,	14	30.12	765 0	79	58	NNE	2	b	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	..	...	...	...	...	...	...	,,	...	...	..		...	...	...
Sharp Peak,	..	29 92	759.9	84	75	ENE	4	b	-	29.93	760.2	80	82	NE	4	b
Amoy,	,,	29.80	756.9	90	63	NE	4	b	6	..	...	...			...	...
Swatow,	,,	29.82	757.1	87	...	E	6	b	,,	29.80	756.9	79	...	N	2	b
Taihoku,	11	29.91	759.6	90	63	E	4	b	5	29.91	759.6	77	88	ENE	4	b
Taichu,	,,	29.81	757.2	90	...		0	b	,,	29.80	756.9	75	..	...	0	b
Tainan,	,,	29.81	757.2	84	...	SW	2	o	,,	29.78	756.3	75	..	SE	2	o
Koshun,	,,	29.82	757.5	84	...	NNE	6	o	,,	29.82	757.5	77	..	NE	4	r
Pescadores,	,,	29 82	757.5	86	...	WNW	2	b	,,	29.78	756.3	79	...	E	2	b
Canton,	14	...	...	...	...	...	...	...	6	29.78	756.4	80	...	W	2	bc
Hong Kong,	,,	29.75	755.6	84	79	E	6	o	,,	29.78	756.4	80	74	E	3	b
Gap Rock,	,,	29.75	755.6	...	...	E	5	o	,,	29.77	756.1	...	..	ENE	6	b
Macao,	,,	29.73	755.1	84	85	ESE	4	o	,,	29.76	756.0	79	87	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...		...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	..	..	..	...	...
Hoihow,	,,		...	...	...		...	...	..	...	...	...				..
Pratas Island,	14	29.71	754 5	86	83	ENE	6	c	6	29 70	754.4	80	95	NNE	6	or
Phulien,	15	29.63	752.7	84	85	ESE	7	o	7	29.79	756.6	75	98	NE	4	rf
Tourane,	,,	29.62	752.4	86	...	NE	2	o	,,	29.71	754.5	75	...	NW	2	r
Cape St. James	,,	29.66	753.3	82	...	SW	4	o	,,	29.73	755.1	75	..	SW	4	o
Basco,	,,	29.72	754.8	84	77	E	4	o	6	29.78	756.3	79	98	ESE	4	o
Aparri,	,,	29.63	753.0	86	75	NE	4	o	,,	29.73	755.1	75	96	...	0	r
Manila,	,,	29.65	753 0	89	69	S	1	r	..	29.72	754.8	75	94	SE	1	r
Legaspi,	,,	29.66	753 3	86	71	S	2	o	..	29.76	756.0	77	94	SW	1	o
Tacloban,	,,	..		...	...	...	...	...	,,	..	..	...		...	...	...
Iloilo,	,,	29.74	755.4	84	77	E	4	o	,,	29.70	756.6	79	90	S	4	o
Surigao,	..		...	...	...	...	...	...	..	29.78	756.3	77	94		0	o
Guam,	12.20	29.73	755.1	...	...	E	4	o	4.20	29.76	756.0	...	...	ENE	4	o
Yap,	12.47	29.71	754.5	...	...	ENE	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	1-	29.77	756.1	88	84	NW	2	b	6	29.85	758.2	76	91	NW	1	o

September 29*d*. 12*h*. 07*m*.—Warning to Hong Kong, Coast Ports, &c.:— Depression or typhoon in Lat. 17° N. Long. 116° E., direction unknown position uncertain.

September 29*d*. 12*h*. 10*m*.—Pressure has increased moderately at Wladivostock and slightly over Japan, Formosa, the Philippine and Indo-China.

The anticyclone has moved quickly eastward.

There may be a typhoon near the Macclesfields; probably moving westward, but this is uncertain at present.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st. 89·10 inches, against an average of 75.31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, fresh ; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks.	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan..	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th September, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	30th September, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.22	767.5	56	...	N	4	0	6	30.11	764.7	47		NNE	4	0
Nemuro,	11	29.78	756.5	...	...	NNE	2	...	5	...	...	...	..	...	...	...
Hokodate,	..	29.96	761.0	...	...	WNW	2	.	,,	30.10	764.5	...	..		.	...
Tokio,	..	30.02	762.5	...	...	NNW	3	...	,,	30.12	765 0	...	..	NNW	1	..
Kochi,	..	30.02	762 5	...	...	SSE	1	...	,,	29.96	761.0	...	..	...	0	..
Nagasaki,	,,	29.98	761.5	...	...	...	0	...	,,	29.94	760 5	...	..	...	0	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.96	761.0	...	..	...	0	...
Oshima,	,,	29.92	760.0	...	...	N	2	..	,,	29 92	760 0	...	...	..	0	...
Naha,	,,	29 94	760.5	...	...	NNW	2	...	,,	29.94	760.5	...	..		...	...
Ishigakijima,	,,	29.92	760.0	...	...	NE	3	...	,,	29.92	760.0	...	...	ESE	1	..
Bonin Island,	,,	29.91	760.5	..	...	WSW	1	...	,,	29.92	760.0	...	..	...	0	...
Chefoo,	15	30.10	764.5	63	78	...	0	r	6	30.03	762.7	56	100	NW	2	r
Ichang,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	29.90	759 4	83	...	N	2	0
Shanghai,	14	30.05	763 2	81	56	NNE	1	b	,,	30.08	764.1	61	92	NE	1	1
Gutzlaff,	,,	...	...	...	...	...	...	...	,,	30.07	763.8	70	75	NNE	2	0
Sharp Peak,	..	29.91	759.7	84	72	NNE	4	b	6	29.88	758.9	78	78	N	2	0
Amoy,	,,	29.83	757.4	90	63	NE	4	b	6	..	...	...	...		...	...
Swatow,	,,	29.80	756.9	85	...	ENE	7	h	,,	29.80	756.9	76	...	ENE	2	r
Taihoku,	11	29.92	759.9	86	65	E	4	h	5	29.87	758.7	79	92	E	2	0
Taichu,	,,	29.83	758.1	86	...		0	0	,,	29.88	759.0	72	..	...	0	b
Tainan,	,,	29.84	757.8	77	...	ESE	2	1	,,	29.85	758.1	75	.	SE	2	b
Koshun,	,,	29.85	758.1	77	...	NE	6	r	,,	29.87	758.7	79	.	ENE	2	r
Pescadores,	,,	29.84	757.8	86		NE	4	0	,,	29.87	758.7	79	..	NNE	4	b
Canton,	14	29.81	757.2	76	95	NNE	1	b	6	29.80	756.9	77	..	E	2	0
Hong Kong,	,,	29.76	755 9	85	64	E	6	c	,,	29.78	756.4	77	89	ENE	6	or
Gap Rock,	,,	29.72	754 9	...	...	ENE	7	b	,,	29.75	755.6	...	..	ENE	6	0
Macao,	,,	29.73	755.1	86	65	E	4	b	,,	29.75	755.7	75	88	NE	6	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	.	...	.		...	...	,,	...	...	..	..	...	...	...
Hoihow,	,,			...	...		...	...	,,	...	...	...	..	.	..	...
Pratas Island,	14	29.69	754.1	78	100	ENE	6	or	6	29.76	755.9	80	96	E	5	r
Phulien,	13	29.74	755.4	86	61	ENE	2	b	7	29.73	755.1	79	76	N	4	0
Tourane,	,,	29.63	753.0	75	...	NW	6	r	,,	29.52	749.7	75	...	NW	10	r
Cape St. James	,,			...	...	...	...	...	,,	29.71	754.5	77	..	WNW	4	0
Basco,	,,	29.75	756.0	84	77	SE	4	0	6	29.85	758.1	81	89	SE	2	0
Aparri,	,,	29.73	755.1	79	91	S	1	r	,,	29.82	757.5	75	92	S	2	b
Manila,	,,	29.73	755.1	82	77	S	1	0	,,	29.80	756.9	75	96	ENE	1	0
Legaspi,	,,	29.71	754.5	86	68	SW	2	0	,,	29.81	757.2	75	96	...	0	b
Tacloban,	,,	...	...	...	...		...	...	,,	...	...	...		...	...	...
Iloilo,	,,	29.74	755.1	84	77	SW	4	0	,,	29.81	757.2	77	98	N	1	0
Surigao,	..	29.72	754.8	86	71	W	4	0	..	29.85	758.1	75	96	...	0	0
Guam,	12.20	29.74	755.4	..	...	NE	2	0	4.20	29.79	756.6	...	..	E	1	0
Yap,	12.47	29.72	754.8	...	...	E	4	0	4.47	...	...		...	...	...	...
Pelew,	11.00	...	...		...	...	...	...	5	...	..	...		...	...	...
Labuan,	14	29.77	756.1	88	84	NW	2	b	6	29 81	757.2	78	86	NW	2	b

September 29*d*. 16*h*. 45*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 113° E., moving W.N.W.

September 30*d*. 10*h*. 49*m*.—Warning to Hong Kong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 16° N. Long. 111° E., moving W.

September 30*d*. 11*h*. 12*m*.—Pressure has increased slightly over N.E. Japan, Formosa and Luzon. It has decreased moderately at Tourane and slightly at Haiphong. It is nearly stationary at other reporting stations.

At 6 a.m. this morning the typhoon, which has become severe, was near Lat. 16° or 17° N. and Long. 111° E., moving West.

Manila warning. 29*d*. 20*h*. 00*m*.:—Typhoon in Lat. 17° N. Long. 113° E., moving W. Recd. 25*d*. 21*h*. 00*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·73 inch. Total since January 1st. 90·83 inches, against an average of 75.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, strong, moderating; overcast, rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

OCTOBER,

1926.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1926.

[*Price 60c.*]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

OCTOBER.

1926.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of OCTOBER, 1926.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·768	29·754	29·748	29·754	29·773	29·789	29·801	29·820	29·830	29·844	29·844	29·814	1
2	29·831	29·821	29·805	29·797	29·799	29·811	29·841	29·850	29·859	29·872	29·867	29·853	2
3	29·854	29·842	29·825	29·814	29·819	29·823	29·830	29·842	29·858	29·882	29·876	29·857	3
4	29·834	29·814	29·798	29·794	29·798	29·810	29·830	29·832	29·868	29·876	29·874	29·855	4
5	29·798	29·782	29·770	29·760	29·762	29·774	29·793	29·804	29·818	29·822	29·813	29·784	5
6	29·752	29·753	29·733	29·730	29·734	29·742	29·744	29·755	29·760	29·767	29·758	29·742	6
7	29·752	29·747	29·745	29·737	29·751	29·761	29·770	29·800	29·814	29·837	29·828	29·806	7
8	29·732	29·720	29·710	29·708	29·705	29·705	29·699	29·701	29·705	29·706	29·683	29·650	8
9	29·611	29·603	29·589	29·590	29·590	29·606	29·614	29·626	29·626	29·630	29·617	29·598	9
10	29·646	29·645	29·633	29·636	29·644	29·648	29·663	29·682	29·706	29·715	29·708	29·690	10
11	29·724	29·725	29·714	29·718	29·726	29·730	29·744	29·758	29·784	29·789	29·788	29·771	11
12	29·744	29·726	29·723	29·719	29·721	29·745	29·756	29·770	29·777	29·783	29·788	29·774	12
13	29·795	29·796	29·773	29·767	29·775	29·787	29·803	29·825	29·840	29·840	29·835	29·820	13
14	29·802	29·782	29·772	29·786	29·790	29·789	29·824	29·845	29·854	29·858	29·852	29·842	14
15	29·803	29·811	29·816	29·804	29·814	29·820	29·832	29·848	29·858	29·860	29·851	29·835	15
16	29·835	29·827	29·807	29·799	29·801	29·813	29·821	29·835	29·846	29·845	29·829	29·806	16
17	29·833	29·835	29·825	29·815	29·820	29·832	29·857	29·875	29·894	29·906	29·900	29·882	17
18	29·964	29·955	29·951	29·947	29·956	29·972	29·982	30·022	30·050	30·057	30·054	30·024	18
19	30·036	30·019	30·003	29·992	29·994	30·005	30·040	30·039	30·060	30·072	30·056	30·031	19
20	30·010	29·996	29·984	29·980	29·991	30·004	30·014	30·029	30·046	30·055	30·033	30·010	20
21	29·955	29·942	29·938	29·938	29·944	29·956	29·962	29·977	29·988	29·992	29·976	29·961	21
22	29·948	29·934	29·922	29·916	29·918	29·928	29·947	29·957	29·966	29·978	29·957	29·928	22
23	29·910	29·896	29·882	29·886	29·888	29·898	29·912	29·928	29·941	29·943	29·927	29·904	23
24	29·923	29·909	29·907	29·901	29·911	29·924	29·946	29·968	29·969	29·985	29·976	29·964	24
25	29·960	29·944	29·936	29·930	29·938	29·947	29·975	29·988	29·993	29·997	29·975	29·947	25
26	29·930	29·914	29·914	29·912	29·913	29·917	29·927	29·937	29·952	29·970	29·947	29·923	26
27	29·885	29·872	29·871	29·869	29·877	29·893	29·903	29·913	29·928	29·940	29·924	29·905	27
28	29·905	29·917	29·913	29·909	29·920	29·931	29·956	29·968	29·978	29·979	29·952	29·926	28
29	29·951	29·935	29·933	29·929	29·935	29·954	29·959	29·979	29·996	30·001	29·984	29·972	29
30	29·983	29·968	29·966	29·967	29·969	29·990	30·011	30·021	30·037	30·047	30·024	30·006	30
31	30·025	30·014	30·014	30·015	30·012	30·022	30·041	30·064	30·079	30·090	30·072	30·049	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	29·797	29·777	29·776	29·772	29·783	29·793	29·809	29·833	29·849	29·851	29·847	29·841	1
2	29·831	29·801	29·791	29·789	29·794	29·808	29·814	29·842	29·858	29·860	29·862	29·866	2
3	29·839	29·823	29·809	29·799	29·802	29·810	29·824	29·840	29·852	29·860	29·860	29·850	3
4	29·832	29·802	29·782	29·777	29·774	29·774	29·783	29·791	29·805	29·807	29·814	29·814	4
5	29·758	29·734	29·716	29·708	29·700	29·712	29·723	29·734	29·756	29·759	29·757	29·755	5
6	29·712	29·691	29·685	29·685	29·683	29·691	29·706	29·735	29·749	29·758	29·762	29·758	6
7	29·770	29·756	29·728	29·727	29·710	29·706	29·707	29·738	29·752	29·742	29·733	29·729	7
8	29·606	29·582	29·557	29·566	29·562	29·578	29·595	29·616	29·617	29·620	29·626	29·615	8
9	29·577	29·551	29·547	29·557	29·565	29·578	29·597	29·618	29·638	29·649	29·656	29·658	9
10	29·670	29·660	29·642	29·650	29·663	29·683	29·693	29·721	29·733	29·750	29·749	29·741	10
11	29·746	29·728	29·717	29·703	29·717	29·723	29·728	29·749	29·763	29·761	29·762	29·754	11
12	29·748	29·725	29·716	29·731	29·739	29·749	29·763	29·785	29·791	29·806	29·798	29·796	12
13	29·797	29·780	29·768	29·775	29·781	29·801	29·811	29·821	29·835	29·831	29·821	29·810	13
14	29·818	29·794	29·792	29·798	29·800	29·814	29·822	29·834	29·846	29·846	29·834	29·816	14
15	29·815	29·797	29·787	29·783	29·787	29·797	29·809	29·817	29·835	29·839	29·837	29·833	15
16	29·792	29·772	29·762	29·757	29·757	29·777	29·794	29·818	29·834	29·838	29·834	29·839	16
17	29·868	29·862	29·857	29·860	29·875	29·889	29·913	29·939	29·952	29·966	29·960	29·966	17
18	29·996	29·980	29·972	29·978	29·984	30·013	30·033	30·050	30·064	30·069	30·058	30·050	18
19	30·005	29·990	29·980	29·978	29·990	29·993	30·011	30·032	30·035	30·040	30·033	30·023	19
20	29·973	29·945	29·933	29·929	29·926	29·938	29·954	29·978	29·984	29·985	29·981	29·971	20
21	29·938	29·916	29·904	29·910	29·912	29·921	29·934	29·954	29·965	29·968	29·966	29·958	21
22	29·908	29·886	29·874	29·884	29·886	29·908	29·922	29·943	29·949	29·949	29·944	29·928	22
23	29·881	29·856	29·844	29·841	29·862	29·885	29·891	29·911	29·928	29·936	29·934	29·929	23
24	29·936	29·915	29·917	29·914	29·910	29·910	29·933	29·949	29·960	29·970	29·970	29·966	24
25	29·924	29·897	29·885	29·885	29·888	29·898	29·918	29·935	29·945	29·953	29·949	29·939	25
26	29·895	29·885	29·880	29·881	29·888	29·894	29·909	29·923	29·925	29·923	29·917	29·903	26
27	29·884	29·863	29·855	29·860	29·867	29·877	29·891	29·912	29·922	29·926	29·939	29·933	27
28	29·900	29·878	29·873	29·874	29·892	29·900	29·918	29·938	29·949	29·962	29·963	29·959	28
29	29·944	29·920	29·903	29·905	29·905	29·914	29·936	29·960	29·970	29·986	29·991	29·983	29
30	29·978	29·954	29·947	29·946	29·950	29·971	29·985	30·011	30·020	30·032	30·039	30·032	30
31	30·019	29.992	29·976	29·973	29·979	29·988	30·020	30·043	30·057	30·059	30·059	30·043	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of OCTOBER, 1926.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·1	80·6	79·8	79·1	79·1	79·0	79·1	78·8	79·0	79·1	76·3	79·0	1
2	79·2	79·2	79·1	79·1	79·1	79·3	79·3	79·0	80·1	79·3	80·2	80·1	2
3	78·0	77·0	77·1	77·1	77·0	76·4	77·0	77·3	78·1	79·1	79·5	79·4	3
4	78·3	78·2	78·1	78·1	77·6	77·8	78·1	79·3	79·1	80·9	82·0	81·8	4
5	77·9	77·6	77·2	77·2	77·2	77·4	78·5	80·5	81·8	83·0	81·9	82·7	5
6	77·8	77·8	77·7	77·7	77·3	78·1	79·0	80·4	81·8	84·2	85·8	86·3	6
7	80·2	79·2	78·6	79·2	79·4	78·9	78·4	75·9	75·8	75·4	75·8	75·9	7
8	74·4	74·0	72·7	72·4	71·3	71·6	72·3	73·8	75·4	76·5	79·8	80·5	8
9	71·3	71·0	69·3	69·9	70·0	70·0	70·1	71·1	71·1	73·6	73·5	74·2	9
10	69·0	68·3	68·1	68·0	66·9	67·2	67·9	68·3	68·9	70·6	71·0	70·7	10
11	72·2	72·2	71·2	71·6	70·0	67·8	69·4	70·2	72·7	72·7	71·8	71·8	11
12	74·1	74·3	71·2	71·0	72·0	72·0	72·3	72·5	74·0	74·0	75·0	75·5	12
13	75·8	74·0	73·0	72·9	72·7	73·0	73·5	73·7	74·7	75·6	77·2	78·0	13
14	75·3	76·5	76·4	75·9	74·6	75·9	75·0	75·2	75·6	73·4	73·4	73·2	14
15	74·6	75·0	75·3	75·1	75·2	75·2	75·3	76·0	75·9	76·2	76·6	76·5	15
16	75·9	76·0	76·0	76·0	75·9	75·9	75·8	76·2	78·0	80·4	80·9	81·1	16
17	76·1	75·9	75·3	74·8	74·1	75·0	75·7	76·9	77·9	80·3	81·4	81·8	17
18	71·1	70·5	70·1	69·7	68·2	68·5	67·4	67·2	68·6	71·1	71·9	73·1	18
19	65·0	64·6	64·7	64·5	63·9	63·5	63·5	64·0	65·0	69·0	71·0	72·1	19
20	66·2	65·9	66·0	65·0	64·7	64·9	65·0	66·3	68·1	70·6	71·9	74·1	20
21	67·8	67·3	67·3	67·6	67·8	67·8	67·3	70·6	72·0	73·9	74·8	75·2	21
22	70·2	70·3	70·1	70·0	68·5	68·9	68·3	71·9	74·1	75·4	76·5	78·0	22
23	70·6	70·0	70·0	69·8	69·6	71·0	73·6	74·9	76·6	78·3	79·7	81·0	23
24	71·9	71·9	71·5	71·2	70·9	70·6	71·1	71·8	73·7	74·2	74·9	75·2	24
25	70·6	70·6	70·7	70·3	70·3	70·0	70·5	72·8	74·3	75·8	77·4	77·4	25
26	71·1	70·7	70·5	70·9	70·3	70·4	71·5	73·5	75·0	75·8	76·8	76·7	26
27	71·9	71·9	71·8	71·8	71·8	71·8	72·0	73·8	75·8	77·0	77·0	77·0	27
28	72·3	71·0	70·4	70·4	70·1	70·0	70·3	72·0	72·4	74·0	77·2	78·8	28
29	72·0	71·7	71·5	71·2	71·2	71·2	71·2	72·0	73·5	75·0	75·3	76·1	29
30	70·9	70·2	70·4	68·4	68·3	68·1	69·0	70·2	72·4	75·0	77·5	78·0	30
31	69·6	69·5	68·2	68·0	66·7	65·5	65·0	68·3	70·4	72·2	73·9	73·9	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·5	80·7	80·8	80·2	80·0	79·0	79·1	79·1	79·3	79·7	79·5	79·4	1
2	79·6	79·6	79·2	79·3	79·1	79·1	78·4	78·7	78·1	78·1	78·1	78·2	2
3	80·0	80·0	80·0	79·9	79·0	78·1	77·6	78·0	78·1	78·2	78·4	78·5	3
4	81·8	81·4	81·9	81·9	80·2	79·0	78·1	78·3	78·2	78·2	78·6	78·7	4
5	83·6	83·0	82·8	82·3	81·9	80·8	79·8	79·3	78·9	78·5	78·1	78·2	5
6	85·7	87·3	87·3	86·6	85·9	83·4	82·1	81·8	81·5	81·6	81·3	81·0	6
7	78·3	77·6	78·4	79·3	79·6	78·2	77·8	77·8	77·6	76·7	75·1	74·9	7
8	78·8	80·4	80·4	79·1	78·2	77·3	76·8	75·8	74·2	73·6	72·7	72·2	8
9	75·4	76·0	75·1	73·7	72·1	71·3	71·0	70·6	69·9	68·4	68·8	69·0	9
10	72·9	72·0	71·2	71·0	70·3	69·9	69·0	69·0	68·7	69·2	69·4	71·3	10
11	72·3	73·4	73·8	74·4	74·2	74·4	73·6	72·6	74·5	75·3	76·3	75·1	11
12	77·3	78·4	78·2	77·2	77·0	77·0	77·0	76·5	76·5	76·4	76·0	75·8	12
13	76·9	77·6	77·3	77·1	76·3	76·2	76·0	76·0	76·0	75·8	75·5	75·8	13
14	74·0	73·4	73·8	73·3	73·8	73·8	73·9	74·0	73·9	74·2	75·0	74·6	14
15	76·7	76·4	76·9	76·9	76·9	76·9	77·0	77·0	76·6	76·8	76·6	76·3	15
16	81·9	81·3	82·0	81·6	80·3	79·1	78·0	77·5	76·6	76·1	75·4	75·3	16
17	81·0	79·9	77·2	76·1	75·3	75·8	75·4	75·0	74·0	73·2	72·0	71·8	17
18	74·4	73·3	71·0	72·0	71·0	69·5	68·3	66·7	66·2	65·6	65·2	65·0	18
19	73·1	73·1	72·4	71·6	71·0	69·6	68·8	69·0	68·5	68·5	67·1	66·0	19
20	73·7	73·2	73·9	73·0	72·1	71·1	70·2	69·4	68·6	68·3	68·2	68·0	20
21	75·7	75·3	74·5	73·6	73·3	72·9	72·3	72·0	71·6	70·5	70·4	70·1	21
22	77·4	76·4	75·4	76·0	75·9	73·4	72·3	71·9	71·3	71·1	70·8	70·4	22
23	82·0	81·9	79·6	78·8	77·0	75·2	74·0	72·6	72·3	72·0	72·3	71·9	23
24	75·9	75·0	75·0	74·4	73·6	72·5	72·0	71·7	71·5	71·5	71·2	71·1	24
25	76·9	75·8	75·3	75·0	73·9	72·8	72·4	72·2	72·1	72·0	71·6	71·4	25
26	76·4	76·1	75·1	74·9	74·2	73·2	72·4	72·1	72·0	72·0	72·0	72·2	26
27	78·0	78·7	79·2	77·1	77·0	76·3	76·2	75·9	75·2	73·8	72·0	71·0	27
28	78·6	76·8	76·0	75·0	74·2	73·9	73·3	73·0	72·3	72·2	71·2	71·5	28
29	77·6	77·3	76·0	75·4	75·1	75·0	73·6	73·2	73·3	72·6	72·0	72·0	29
30	78·3	76·2	74·7	73·2	72·7	72·4	71·7	71·0	70·5	70·3	70·0	69·9	30
31	73·9	73·5	71·7	71·0	70·4	69·5	69·0	68·6	68·3	68·4	68·2	68·1	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of OCTOBER, 1926.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	78·0	77·6	77·0	77·0	77·8	77·0	76·4	76·0	76·0	75·5	74·3	77·0	1
2	76·2	76·2	76·1	76·1	76·1	76·0	76·1	75·8	76·2	76·0	76·0	76·0	2
3	73·5	74·0	73·5	73·0	73·0	72·9	73·0	73·0	73·1	73·7	74·0	73·7	3
4	74·0	74·2	74·0	74·0	73·6	73·6	74·0	74·2	74·2	76·0	76·0	76·8	4
5	74·8	74·5	74·3	74·2	74·2	74·7	75·5	76·1	76·8	77·1	76·9	76·9	5
6	75·0	75·2	75·2	75·4	74·6	75·0	75·7	76·3	77·3	78·6	78·9	79·0	6
7	75·5	75·0	74·8	74·3	74·0	74·2	74·1	73·7	74·1	74·0	74·2	73·8	7
8	67·3	66·6	65·3	65·2	64·7	64·7	65·5	66·6	66·6	67·3	68·1	69·0	8
9	63·0	62·9	62·5	62·8	62·8	63·0	63·0	64·2	64·4	65·1	65·5	65·4	9
10	64·0	63·6	63·4	63·4	63·0	63·1	63·5	64·1	63·6	65·1	66·0	66·0	10
11	66·1	66·3	66·0	66·5	66·0	65·0	65·6	66·3	67·5	67·5	67·3	67·6	11
12	72·0	71·0	69·5	69·1	69·1	69·0	68·9	69·0	69·5	69·1	70·0	69·9	12
13	69·9	69·0	68·5	68·3	68·0	68·0	68·1	68·2	69·0	69·8	70·8	71·1	13
14	69·8	69·0	69·1	69·0	68·5	69·0	69·5	70·2	69·9	69·8	69·6	70·1	14
15	73·0	73·1	73·0	73·1	73·0	72·8	72·9	73·3	73·3	73·8	74·2	74·0	15
16	74·0	74·0	74·0	74·0	74·0	73·8	73·5	73·8	74·5	75·8	75·0	75·0	16
17	72·9	73·6	73·9	73·0	72·2	72·0	71·0	73·3	73·9	75·0	75·4	74·8	17
18	65·3	64·9	64·3	64·0	63·5	62·0	61·0	61·4	61·8	63·2	63·7	64·8	18
19	57·2	56·2	56·2	56·2	55·4	55·1	55·1	55·3	56·0	58·8	58·5	60·1	19
20	57·0	58·1	58·0	57·8	56·4	56·2	57·0	58·2	60·2	60·7	61·1	62·5	20
21	61·8	62·0	61·9	62·3	62·2	62·3	62·6	64·0	65·0	66·0	65·4	66·8	21
22	65·3	65·2	65·9	66·0	65·0	64·9	64·5	66·0	66·7	67·0	67·2	68·6	22
23	66·1	64·9	65·4	64·5	64·8	62·0	59·5	59·8	61·6	63·5	63·4	64·0	23
24	67·0	67·0	66·8	66·9	66·9	66·3	66·8	66·6	66·9	66·4	66·1	66·1	24
25	66·9	66·9	66·8	66·8	67·0	67·0	67·5	68·4	68·9	69·0	70·0	70·1	25
26	67·9	67·5	67·4	67·0	66·8	67·0	67·4	68·4	69·4	70·1	70·4	70·9	26
27	69·5	69·3	69·5	69·8	69·8	69·5	69·8	70·4	70·8	71·6	71·3	71·6	27
28	65·2	64·3	64·8	75·3	65·1	65·4	65·4	66·5	66·4	67·6	69·5	69·8	28
29	67·6	67·5	67·5	67·5	67·8	67·5	66·8	67·1	67·5	69·0	70·0	71·0	29
30	67·2	66·2	66·0	65·2	61·5	61·0	60·7	61·1	62·7	64·5	65·0	64·8	30
31	65·0	64·9	64·1	63·3	62·8	62·3	61·9	63·3	64·1	64·4	65·0	65·7	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·9	78·0	77·9	77·4	77·0	77·0	76·0	76·0	76·3	77·0	77·0	76·7	1
2	75·6	75·6	75·0	74·8	75·0	74·9	74·8	74·0	74·3	74·0	74·0	74·0	2
3	73·8	74·0	73·7	73·2	73·4	73·5	73·0	73·6	74·1	73·7	74·0	74·0	3
4	76·8	75·9	75·3	75·5	74·7	74·2	74·6	74·5	74·1	74·8	75·0	74·8	4
5	77·1	77·3	77·0	76·3	76·7	76·1	76·2	75·9	76·0	76·0	75·5	75·8	5
6	80·0	80·0	79·4	79·9	79·0	78·4	76·7	78·0	77·5	77·0	76·2	76·4	6
7	75·0	74·0	74·9	75·8	75·0	74·4	74·2	74·4	70·6	68·9	68·0	67·5	7
8	68·1	67·9	69·0	68·4	67·0	65·7	65·7	65·2	64·8	64·0	63·9	63·3	8
9	66·6	67·0	66·3	65·9	64·2	64·3	64·1	63·9	64·0	63·6	63·8	63·9	9
10	67·8	67·1	66·7	66·3	66·1	65·8	65·3	65·4	65·3	65·5	65·3	66·7	10
11	68·0	68·5	68·9	69·1	69·0	69·5	69·8	70·0	71·9	71·8	72·1	71·9	11
12	70·8	71·1	71·7	71·1	71·9	71·9	71·9	72·0	72·0	71·9	71·3	70·3	12
13	70·2	70·1	70·2	69·9	70·3	70·5	70·8	70·8	70·7	70·0	70·0	69·7	13
14	70·9	70·8	70·9	71·0	71·4	71·4	71·8	71·9	71·9	72·2	72·3	72·5	14
15	74·0	73·8	73·9	74·0	74·0	74·1	74·0	74·0	74·0	74·0	74·0	74·0	15
16	75·2	75·2	75·5	75·0	74·3	74·1	73·4	73·0	73·0	73·1	72·5	72·5	16
17	74·8	73·8	73·2	73·1	72·8	73·0	73·0	69·7	68·0	68·0	66·5	66·2	17
18	65·8	65·0	63·5	63·4	62·0	60·9	60·0	58·7	58·0	57·4	57·1	56·6	18
19	60·5	61·5	61·8	60·3	60·0	59·0	58·0	57·6	57·5	56·5	55·7	56·2	19
20	61·8	61·0	59·5	59·8	60·2	60·0	60·0	60·3	59·8	60·5	60·8	60·5	20
21	66·0	65·3	64·9	64·8	64·3	64·2	63·9	63·9	64·2	64·1	64·7	65·0	21
22	69·1	68·9	67·9	68·6	68·6	67·8	67·2	67·1	66·9	66·9	57·2	66·8	22
23	65·2	66·3	65·7	66·0	65·8	66·6	66·0	65·3	66·0	65·4	65·5	66·8	23
24	66·1	66·0	66·1	66·0	65·8	65·1	65·4	66·0	56·3	66·7	66·8	66·9	24
25	70·0	69·7	69·5	69·3	68·7	68·3	68·1	68·1	68·2	68·0	68·0	68·0	25
26	69·8	69·9	68·7	68·4	68·9	68·8	68·8	68·7	68·8	68·9	68·9	69·0	26
27	72·0	72·8	73·0	72·3	72·0	71·0	70·3	69·9	69·4	69·2	67·3	67·0	27
28	69·2	68·2	68·0	68·0	68·1	68·1	68·0	69·3	69·0	69·2	68·4	68·3	28
29	70·1	70·1	69·0	69·7	69·2	69·0	68·4	68·4	68·9	68·1	68·0	68·0	29
30	65·8	66·5	66·0	65·3	65·8	65·8	65·4	65·3	65·3	65·3	65·0	65·0	30
31	66·6	66·5	65·3	64·7	64·3	64·0	63·7	63·5	63·1	63·2	63·0	62·7	31

TABLE IV.—AMOUNT OF CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of OCTOBER, 1926.
(... = Clear Sky.)

Hours, Hong Kong Standard Time.

Days of the Month	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	2
3	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7	5	7	3	5	9	3	7	7	3
4	9	9	9	10	9	8	10	10	10	9	10	6	6	8	6	8	5	1	...	...	...	1	1	6	4
5	...	...	2	1	...	8	4	3	3	5	4	3	2	6	3	2	3	3	1	1	...	...	...	...	5
6	...	3	10	10	3	1	1	1	1	2	2	6	7	8	7	6	5	2	...	5	4	8	10	10	6
7	4	9	6	8	10	10	10	10	10	10	10	10	10	10	10	10	10	7	1	3	2	...	...	...	7
8	..	1	1	...	1	2	4	4	3	2	3	5	8	8	9	9	10	10	10	10	10	10	10	10	8
9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	11
12	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	12
13	10	10	6	3	9	9	10	10	9	9	10	9	8	8	8	7	9	10	10	10	7	...	...	8	13
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	8	15
16	9	10	10	10	10	10	10	9	7	4	4	8	4	4	3	2	2	1	...	...	...	...	...	8	16
17	10	8	7	6	10	3	6	8	10	7	9	10	10	10	10	10	10	10	10	10	8	7	8	10	17
18	10	10	10	10	10	10	10	10	10	10	10	2	1	2	6	2	1	2	2	1	1	1	2	6	18
19	10	7	10	9	8	9	9	10	10	9	8	9	7	3	3	4	8	10	10	10	10	10	8	8	19
20	10	10	9	5	3	7	10	10	10	10	8	7	...	1	1	6	2	9	2	...	...	1	1	4	20
21	2	1	2	8	9	4	7	1	1	1	2	2	2	2	2	1	4	2	...	...	...	1	1	1	21
22	...	2	3	5	2	...	..	...	...	...	2	2	7	4	6	9	8	1	...	.	...	...	...	...	22
23	...	...	...	...	...	2	1	2	1	...	1	...	...	...	...	1	...	...	...	...	...	...	1	2	23
24	1	1	1	1	1	1	2	2	1	4	1	1	1	1	1	...	...	2	4	2	4	5	4	1	24
25	2	1	1	...	1	1	2	2	2	2	2	2	4	3	7	7	4	7	6	1	...	1	...	...	25
26	...	...	...	1	1	1	1	1	2	8	6	5	4	2	4	2	2	8	1	1	...	...	1	1	26
27	1	...	...	1	2	2	2	3	2	2	2	2	6	8	9	9	9	9	10	8	2	...	...	1	27
28	9	4	5	8	10	10	9	10	10	9	7	4	4	10	10	10	10	10	10	10	10	10	10	10	28
29	10	9	9	10	10	10	10	10	10	9	10	9	8	9	7	2	1	1	...	...	...	...	...	...	29
30	...	...	...	...	...	1	...	...	...	...	...	...	..	..	...	...	1	3	..	...	...	...	...	...	30
31	...	1	9	2	2	1	...	1	1	1	2	1	1	2	2	...	...	...	...	...	1	1	1	...	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of OCTOBER, 1926.
(... = No Sunshine recorded.)

Hours, Hong Kong Apparent Time.

Days of the Month.	6	7	8	9	10	11	Noon	13	14	15	16	17	18	Days of the Month.
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	0·1		...	...	...	..	...	...	...	...	2
3	...	...	0·2	...	...	0·6	1·0	0·8	0·6	1·0	1·0	0·9	0·1	3
4	...	0·2	...	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	4
5	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	1·0	1·0	0·8	...	5
6	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·6	...	6
7	...	...	...	...	...	...	...	...	0·2	0·7	0·3	0·8	0·1	7
8	...	0·9	1·0	1·0	1·0	1·0	0·7	0·7	1·0	0·5	0·4	...	...	8
9	...	...	0·1	...	...	...	...	...	0·1	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	0·1	0·2	0·1	...	...	...	12
13	...	0·1	...	0·4	...	0·4	0·1	...	0·9	0·3	...	...	...	13
14	...	...	...	...	...	...	...	..	...	...	...	...	...	14
15	...	...	...	..	...	...	...	...	...	...	...	...	...	15
16	...	...	0·3	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	16
17	...	0·3	0·1	0·2	0·9	1·0	0·5	0·2	...	...	...	...	...	17
18	...	...	...	0·1	1·0	0·8	1·0	1·0	1·0	0·5	1·0	1·0	0·1	18
19	...	...	...	...	0·8	0·9	0·4	1·0	1·0	1·0	0·7	0.2	...	19
20	...	...	...	...	...	0·5	1·0	1·0	1·0	1·0	0·7	0·7	..	20
21	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·1	21
22	...	1·0	1·0	1·0	1·0	1·0	1·0	0·5	0·5	0·7	0·6	1·0	...	22
23	...	0·7	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	23
24	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	24
25	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	0·1	...	25
26	...	0·9	1·0	1·0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	0·8	...	26
27	...	0·1	1·0	1·0	1·0	1·0	1·0	0·9	0·9	0·7	...	...	...	27
28	...	...	...	0·1	0·5	1·0	1·0	0·7	....	...	...	...	...	28
29	...	...	...	...	...	...	0·3	0·8	0·3	0·4	1·0	1·0	...	29
30	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	30
31	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of OCTOBER, 1926.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	0·040	0·030	0·020	0·155	0·105	0·040	0·010	0·005	0·020	0·720	0·045	0·010	1
2	...	...	0·010	0·035	d	...	...	d	...	0·005	d	...	2
3	...	0·035	...	...	...	...	...	...	..	...	...	...	3
4	...	...	...	...	...	...	...	...	...	d	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	d	0·005	0·010	...	...	d	d	0·010	0·025	0·080	0·045	d	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	d	d	d	...	...	d	...	..	...	...	...	...	9
10	...	...	...	0·010	d	...	...	0·010	d	0·010	d	d	10
11	d	...	...	d	0·080	0·070	0·005	...	...	0·005	d	0·020	11
12	0·240	0·030	0·040	0·015	d	...	d	...	...	...	...	d	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	d	d	...	...	0·020	0·005	d	0·050	0·060	0·115	14
15	0·020	d	d	d	0·005	d	0·005	...	d	...	...	...	15
16	...	...	...	...	...	...	..	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	..	...	...	...	...	...	...	...	...	..	...	...	20
21	...	...	...	...	...	...	..	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	..	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	d	...	...	...	28
29	...	...	...	...	...	...	...	...	...	..	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	d	d	...	...	d	d	...	...	...	...	...	2
3	...	...	...		...	...	...	...	...	...	...	...	3
4	...	...	...	...	..	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	d	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	..	...	...	...	...	...	...	...	...	...	...	d	8
9	...	...	...	...	d	...	d	...	0·030	0·050	...	...	9
10	d	0·005	d	d	0·005	0·020	0·010	0·005	0·040	d	d	0·015	10
11	...	...	...	...	...	d	d	0·015	0·060	0·005	d	0·005	11
12	...	...	...	...	...	...	d	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	d	13
14	0·045	0·040	0·020	0·110	0·115	0·100	0·105	0·060	0·080	0·050	0·090	0·120	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	d	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	d	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of OCTOBER, 1926.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	31	7	25	7	27	8	27	10	22	9	16	8	21	7	16	7	16	6	17	5	11	5	16	1
2	6	18	6	22	6	26	6	26	6	23	7	25	6	22	7	22	6	23	7	25	6	23	8	25	2
3	9	28	8	24	8	25	8	24	8	23	8	22	8	23	8	23	8	27	8	22	8	24	7	22	3
4	7	21	7	23	7	20	7	22	6	22	6	19	7	21	7	18	7	19	7	19	7	20	8	20	4
5	9	7	7	6	7	6	6	6	6	6	6	6	6	8	6	9	7	11	9	11	9	13	9	12	5
6	...	...	...	...	...	...	...	...	...	1	...	...	...	...	12	2	19	5	22	6	23	8	23	10	6
7	7	26	7	26	7	23	7	25	7	22	7	23	7	17	7	15	7	11	6	2	7	3	10	5	7
8	31	11	31	11	1	18	1	11	32	7	30	11	27	11	26	12	29	12	30	15	30	13	29	16	8
9	30	16	31	16	30	18	30	15	30	21	30	18	30	18	31	19	31	19	31	21	31	23	31	21	9
10	32	18	31	19	31	21	32	17	32	18	32	17	32	18	1	14	32	15	1	13	1	12	1	13	10
11	5	18	5	16	4	19	4	12	4	11	4	7	4	12	4	12	5	15	5	19	5	18	5	17	11
12	6	33	5	29	4	19	5	18	4	20	5	16	5	17	5	17	5	15	5	15	5	13	6	15	12
13	5	21	4	16	4	17	4	17	3	16	4	16	4	17	4	17	3	16	4	18	6	15	7	16	13
14	5	16	6	21	5	17	6	21	6	19	6	15	6	12	5	12	5	27	6	27	6	28	6	22	14
15	6	38	7	37	6	34	7	30	6	30	7	28	7	27	7	27	7	20	7	25	7	24	7	24	15
16	7	10	7	10	7	9	7	9	7	12	7	12	8	13	8	12	8	14	8	13	8	13	9	15	16
17	10	2	17	3	...	1	...	1	...	...	1	3	2	4	3	2	4	2	4	6	3	5	4	6	17
18	2	15	1	18	2	14	1	13	1	13	1	18	1	24	1	18	1	21	1	14	32	18	32	20	18
19	1	9	1	12	1	9	32	10	1	18	1	14	1	10	1	14	1	21	2	12	4	19	4	21	19
20	...	1	...	...	6	5	3	2	2	9	1	6	1	2	2	2	...	1	7	3	9	6	10	6	20
21	...	...	...	...	...	1	...	...	...	1	7	2	5	4	4	12	5	14	6	14	8	15	9	13	21
22	5	6	5	8	5	11	6	7	6	3	6	3	...	1	6	4	8	8	10	10	11	10	10	10	22
23	22	4	24	5	25	4	27	2	...	1	1	6	3	13	3	9	3	4	2	9	32	15	32	17	23
24	7	12	6	12	6	13	5	13	6	12	5	16	5	14	6	15	7	21	7	21	7	21	7	19	24
25	6	6	7	6	7	8	6	6	6	8	6	8	7	8	7	10	8	10	10	10	10	12	10	12	25
26	...	...	...	...	6	3	6	6	6	7	6	6	7	10	7	15	8	15	8	15	8	19	8	18	26
27	6	12	6	9	7	9	7	8	6	9	7	9	6	13	6	14	7	13	9	12	9	10	9	8	27
28	1	9	1	9	1	3	1	4	1	3	32	2	1	2	32	2	31	3	...	1	22	3	13	3	28
29	4	13	5	12	6	9	5	9	4	5	3	8	2	7	1	4	2	7	6	8	9	8	11	5	29
30	...	...	...	1	3	5	2	7	1	11	1	9	1	11	32	14	32	11	2	8	6	9	7	11	30
31	5	4	4	5	2	6	2	8	...	1	2	2	3	2	4	13	5	13	7	9	9	11	10	11	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	5	16	7	18	7	18	7	18	6	19	7	18	6	17	7	16	6	16	6	19	6	17	6	17	1
2	8	24	8	26	9	26	9	26	8	21	9	23	9	22	8	26	8	23	8	25	8	25	8	23	2
3	7	22	7	22	6	20	7	22	7	18	7	16	8	16	7	13	8	17	7	24	7	25	8	22	3
4	8	15	8	18	7	17	7	13	7	14	8	13	8	12	8	11	7	11	7	13	7	12	8	9	4
5	9	11	9	10	9	9	9	8	9	6	8	4	8	2	...	1	8	3	...	1	8	4	8	3	5
6	23	7	22	6	24	6	24	5	...	1	24	4	24	9	30	14	8	20	8	20	8	27	8	26	6
7	...	1	9	5	9	5	...	1	9	3	9	4	8	4	5	6	1	22	32	24	32	20	31	18	7
8	29	19	28	22	29	20	29	16	29	16	28	12	27	10	30	10	31	16	31	18	30	16	30	18	8
9	32	19	31	23	32	23	32	23	32	26	32	28	32	27	32	25	32	23	32	26	32	23	32	20	9
10	1	11	1	13	32	13	1	15	1	10	32	12	1	13	2	12	1	11	2	9	3	7	4	16	10
11	5	18	5	18	5	17	5	19	5	15	5	14	4	15	4	18	7	23	7	34	7	36	7	35	11
12	6	19	5	22	4	18	4	11	6	19	7	21	6	22	7	23	7	31	7	26	6	33	6	29	12
13	7	18	7	16	7	21	7	23	6	25	6	21	6	24	6	27	6	24	5	23	4	16	4	13	13
14	7	27	7	26	7	29	6	30	7	27	6	30	7	27	7	28	7	29	7	34	6	37	7	38	14
15	7	23	7	23	7	21	7	19	8	14	8	12	7	12	7	14	7	13	7	13	7	12	7	14	15
16	10	15	10	14	9	11	10	12	9	11	9	6	9	5	9	3	..	...	...	1	...	1	...	1	16
17	6	11	8	15	8	14	8	14	8	11	8	10	5	9	2	13	1	18	1	13	2	17	2	18	17
18	32	18	32	20	32	21	32	17	32	21	32	20	1	18	32	17	1	17	1	15	1	17	32	14	18
19	5	18	5	13	6	11	6	8	3	6	2	5	2	4	3	4	3	2	2	10	2	12	5	6	19
20	10	16	9	12	10	9	10	14	9	12	8	8	7	5	6	2	...	...	...	...	...	1	...	...	20
21	10	15	9	17	9	19	9	19	8	14	7	12	6	8	6	7	5	8	5	4	5	4	5	5	21
22	10	9	10	10	11	7	14	6	19	3	...	1	20	2	...	...	...	...	...	...	...	...	...	...	22
23	1	13	6	8	10	11	9	9	7	7	6	3	7	4	9	4	8	4	8	4	8	8	7	9	23
24	9	16	10	17	11	15	10	15	9	16	8	13	7	10	7	6	6	7	6	7	6	7	6	7	24
25	10	12	8	13	8	13	9	13	9	11	10	9	10	8	9	7	9	7	8	5	8	3	...	...	25
26	8	18	8	17	7	16	7	15	7	11	6	8	5	8	6	7	6	8	7	10	7	8	7	9	26
27	9	11	9	7	7	4	4	5	2	4	1	3	1	3	...	...	3	2	2	5	1	9	1	2	27
28	9	7	8	11	7	13	7	15	6	14	5	12	6	10	7	12	5	13	6	11	6	15	5	15	28
29	11	8	9	11	9	12	9	14	9	7	8	2	...	...	...	1	11	6	11	4	...	1	...	...	29
30	9	11	10	12	9	14	9	18	8	15	8	14	7	10	7	7	6	7	6	7	6	7	6	5	30
31	10	14	10	14	9	17	9	16	8	13	7	10	7	12	7	12	7	12	6	9	5	6	4	6	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of OCTOBER, 1926.
(... = no clouds.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	nb	E	nb	E	nb	E	nb	E	nb	E	st-cu	E	cu	E	cu-nb	E
2	cu	E	nb	E	nb	E	nb	E	nb	E	nb	E	cu-nb	E	cu-nb	E
3	cu-nb	E	cu-nb	E	cu	E	cu	E	cu	E	ci-st / cu	W / E	ci-st	W	cu	E
4	cu	E	cu	E	a-cu / cu	W / E	a-cu / cu	WNW / E	ci-cu / cu	W / E	a-cu / cu	WNW / E	...	...	cu	E
5	...	...	cu	E	cu	ESE	cu	ESE	cu	E	cu	E	cu	E	...	...
6	...	...	cu	E	cu	E	cu	ENE	cu	ENE	cu	E	...	...	cu	E
7	cu	E	cu	E	nb	E	nb	E	nb	E	st-cu	E	cu	E	...	...
8	...	...	...	...	ci-st / cu	WNW / NE	ci-st	W	ci-st	W	ci-st	W	cu	ENE	cu	ENE
9	nb	ENE	nb	ENE	cu-nb	ENE	cu	NE	cu	NE	cu	NE	nb	NE	nb	NE
10	cu	NE	nb	NE	st-cu	ENE	nb	ENE	cu	ENE	nb	ENE	nb	ENE	nb	ENE
11	nb	ENE	nb	ENE	nb	ENE	cu	E	nb	E	nb	E	nb	E	nb	E
12	nb	E	nb	E	nb	E	cu	E	cu	E	cu	E	cu	ENE	cu	ENE
13	cu	E	cu	E	cu	E	cu	E	cu	E	cu	ENE	cu	ENE	...	...
14	cu-nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE
15	nb	ENE	nb	ENE	nb	ENE	nb	E	cu-nb	E	cu-nb	SE	cu	ESE	cu	ESE
16	cu	E	cu	E	a-cu / cu	WNW / ESE	ci-st / cu	W / E	ci-st / cu	W / E	ci-st / cu	WNW / E	...	...	...	...
17	cu	E	cu	E	cu	E	cu	E	cu	ENE	cu-nb	E	cu	E	cu	ENE
18	cu	ENE	cu	ENE	cu	NE	cu	ENE	cu	ENE	ci-st / cu	WSW / ENE	cu	NNE	cu	NNE
19	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE
20	cu	ENE	a-cu / cu	SSW / ENE	a-cu	WNW	a-cu	WNW	...	...	a-cu	WNW	a-cu	WNW	a-cu	WNW
21	a-cu	WNW	a-cu	WNW	a-cu	WNW	cu	E	cu	E	cu	E	...	...	cu	E
22	...	...	a-cu	WNW	...	...	...	...	cu	WNW	cu	NW	...	...	...	...
23	...	...	...	...	a-cu	SW	...	...	...	...	...	...	...	...	...	...
24	cu	E	cu	E	cu	E	cu	E	cu	E	...	...	ci-st	W	cu	E
25	cu	E	...	...	cu	E	cu	E	cu	E	cu	ENE	cu	ENE	cu	E
26	...	..	cu	ENE	cu	ENE	cu	E	cu	E	cu	E	cu	E	...	...
27	cu	E	cu	E	cu	E	cu	E	cu	WNW	cu	W	cu	WNW	...	...
28	cu	WNW	cu	WNW	cu	WNW	cu	W	a-cu	W	a-cu / cu	W / E	cu	E	nb	E
29	cu	ENE	cu	ENE	cu	ENE	cu	ENE	a-cu / cu	N / E	cu	E	...	..	...	...
30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
31	...	...	cu	NNE	...	...	cu	ENE	cu	ENE	...	...	...	...	cu	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1926.
(British Units.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour-Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·803	80·8	76·3	4·5	79·4	76·8	0·888	89	100	...	...	1·200	6	+ 3·8	+ 18·2	78	18·6	18·9
2	·830	80·2	78·1	2·1	79·1	75·4	·832	84	100	0·1	1	0·050	2	+ 2·7	+ 23·1	83	23·2	23·7
3	·837	80·0	76·4	3·6	78·3	73·5	·762	79	85	6·2	52	0·035	1	+ 1·6	+ 21·7	86	21·8	21·8
4	·814	82·0	77·6	4·4	79·4	74·8	·802	80	63	7·8	66	...	...	+ 2·8	+ 16·6	80	16·8	16·7
5	·762	84·7	77·1	7·6	80·0	75·9	·841	82	22	10·6	90	...	...	...	+ 6·6	90	6·6	6·8
6	·733	87·5	77·2	10·3	82·1	77·3	·874	80	47	10·1	86	...	...	...	+ 1·0	90	1·0	7·4
7	·756	81·0	74·6	6·4	77·7	73·5	·771	81	71	2·1	18	0·175	4	+ 4·9	+ 9·3	62	10·5	13·0
8	·648	81·4	71·3	10·1	75·6	66·2	·519	58	58	8·2	69	...	...	+12·2	— 6·1	333	13·6	14·2
9	·604	76·0	68·1	7·9	71·6	64·3	·506	65	100	0·2	2	0·035	2	+21·0	— 2·8	352	21·2	21·3
10	·682	74·1	66·7	7·4	69·5	65·1	·562	78	100	...	...	0·175	8	+13·7	+ 1·7	7	13·9	14·0
11	·743	76·6	67·7	8·9	72·6	68·3	·636	79	100	...	...	0·265	7	+ 9·0	+ 15·5	60	17·9	18·2
12	·757	79·0	70·8	8·2	75·0	70·6	·690	79	100	0·4	3	0·125	4	+ 9·2	+ 18·3	63	20·5	20·9
13	·804	78·7	72·5	6·2	75·4	69·7	·651	74	79	2·2	19	...	...	+ 9·3	+ 15·7	59	18·3	18·9
14	·817	76·9	72·8	4·1	74·5	70·5	·693	81	100	...	...	1·185	17	+ 8·0	+ 23·2	71	24·5	25·0
15	·820	77·3	74·0	3·3	76·2	73·6	·795	88	99	...	...	0·030	4	+ 5·0	+ 22·0	77	22·6	22·5
16	·810	82·3	74·9	7·4	78·0	74·1	·791	82	52	9·0	78	...	...	— 0·6	+ 9·0	94	9·0	9·2
17	·883	83·3	71·7	11·6	76·3	72·2	·736	81	86	3·2	28	...	...	+ 4·3	+ 5·1	50	6·7	8·2
18	30·008	74·8	64·9	9·9	69·4	62·0	·458	63	58	7·5	65	...	...	+17·5	+ 2·2	7	17·6	17·5
19	·020	74·3	63·4	10·9	67·9	57·7	·343	50	83	6·0	52	...	...	+ 9·3	+ 5·1	29	10·5	11·2
20	29·985	76·0	64·4	11·6	69·1	59·5	·383	54	52	5·9	51	...	...	+ 0·2	+ 4·2	87	4·2	5·1
21	·949	76·2	66·8	9·4	71·3	64·1	·503	65	23	10·8	94	...	...	+ 1·0	+ 8·0	83	8·1	8·7
22	·928	79·8	68·0	11·8	72·7	66·9	·583	73	21	9·3	81	...	...	— 0·6	+ 3·9	99	3·9	5·0
23	·901	82·6	68·5	14·1	74·8	64·6	·474	55	5	10·4	91	...	...	+ 3·4	+ 3·1	42	4·6	7·2
24	·939	76·6	70·5	6·1	72·7	66·4	·566	70	17	10·5	92	...	...	+ 2·2	+ 12·7	80	12·9	13·5
25	·939	78·2	69·9	8·3	73·0	68·3	·630	77	24	9·5	83	...	...	— 0·6	+ 8·2	94	8·2	8·5
26	·916	77·2	70·3	6·9	73·2	68·7	·643	79	22	10·6	93	...	...	+ 1·7	+ 10·2	81	10·3	10·4
27	·896	79·2	71·0	8·2	74·7	70·4	·687	80	37	7·6	67	...	...	+ 2·2	+ 6·5	71	6·9	7·5
28	·927	79·7	69·9	9·8	73·2	67·4	·595	73	87	3·3	29	...	...	+ 3·4	+ 5·9	60	6·8	8·0
29	·952	79·3	71·1	8·2	73·5	68·5	·531	76	60	3·8	34	...	...	+ 1·3	+ 5·3	76	5·5	6·7
30	·994	79·0	68·1	10·9	72·1	64·7	·513	65	2	10·8	96	...	...	+ 3·2	+ 6·5	64	7·2	9·3
31	30·029	75·0	64·8	10·2	69·7	64·1	·525	72	12	10·5	93	...	...	+ 1·5	+ 8·2	80	8·3	9·4
Means	29·854	79·0	70·9	8·1	74·5	68·9	0·641	74	60	Sums. 176·6	49	Sums. 3·275	Sums. 55	+ 4·9	+ 9·3	62	10·5	13·2
Normals	29·876	80·8	72·7	8·1	76·3	69·9	0·652	71	51	214·4	60	5·022	34	+ 2·8	+ 10·3	75	10·6	13·9
Absolute Max.	30·090	87·5	...	14·1	...	80·1	0·948	...	...	10·8	96	1·200	17	...	...	...	...	38·0 †
Day.	31	6	...	23	...	6	6	..	...	21,30	30	1	14	...	...	...	...	Mid 0h 10m 1h
Absolute Min.	29·547	...	63·4	2·1	...	55·6	0·291	34	...	...	...	...	...	...	...	...	...	...
Day	9	...	19	2	...	19	19	23	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar corona :—on the 19th and 20th.

Dew :—on the 6th, 21st, 22nd and 26th.

Lightning :—on the 6th and 11th.

Rain fell on 10 days. The mean hourly intensity was 0·060*in*, and the maximum fall in one hour was 0·720*in* at 10*h* on the 1st.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 54 miles per hour at 0*h* 35*m* on the 15th.

Clouds with base less than 2,000 feet high were observed on 4 days.
Clouds with base less than 1,000 feet high were observed on 2 days.

0°=N., 90°=E., &c.

† Maximum velocity in one hour

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1926.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1011·2	300·1	297·6	2·5	299·3	297·9	30·0	30·5	6	+ 1·2	+ 6·0	78	6·1	6·2
2	1012·1	299·8	298·6	1·2	299·2	297·1	28·1	1·3	2	+ 0·9	+ 7·6	83	7·6	7·8
3	1012·3	299·7	297·7	2·0	298·7	296·1	25·7	0·9	1	+ 0·5	+ 7·1	86	7·1	7·1
4	1011·5	300·8	298·3	2·5	299·3	296·8	27·0	..	...	+ 0·9	+ 5·4	80	5·5	5·5
5	1009·8	302·3	298·1	4·2	299·7	297·4	28·4	...	...	...	+ 2·2	90	2·2	2·2
6	1008·8	303·8	298·1	5·7	300·8	298·2	29·5	..	...	...	+ 0·3	90	0·3	2·4
7	1009·6	300·2	296·7	3·5	298·4	296·1	26·0	4·4	4	+ 1·6	+ 3·0	62	3·4	4·3
8	1005·9	300·4	294·8	5·6	297·2	292·0	17·5	...	...	+ 4·0	— 2·0	333	4·5	4·7
9	1004·5	297·4	293·1	4·3	295·0	290·9	17·1	0·9	2	+ 6·9	— 0·9	352	6·9	7·0
10	1007·1	296·4	292·3	4·1	293·8	291·4	19·0	4·4	8	+ 4·5	+ 0·6	7	4·6	4·6
11	1009·2	297·8	292·8	5·0	295·6	293·2	21·5	6·7	7	+ 3·0	+ 5·1	60	5·9	6·0
12	1009·6	299·1	294·6	4·5	296·9	294·4	23·3	3·2	4	+ 3·0	+ 6·0	63	6·7	6·9
13	1011·2	298·9	295·5	3·4	297·1	293·9	21·9	...	...	+ 3·0	+ 5·1	59	6·0	6·2
14	1011·7	297·9	295·7	2·2	296·6	294·4	23·4	30·1	17	+ 2·6	+ 7·6	71	8·0	8·2
15	1011·8	298·2	296·3	1·9	297·6	296·1	26·8	0·8	4	+ 1·6	+ 7·2	77	7·4	7·4
16	1011·4	300·9	296·8	4·1	298·6	296·4	26·7	...	...	— 0·2	+ 3·0	94	3·0	3·0
17	1013·9	301·5	295·1	6·4	297·6	295·3	24·8	...	...	+ 1·4	+ 1·7	50	2·2	2·7
18	1018·2	295·8	291·3	5·5	293·8	289·7	15·4	...	...	+ 5·7	+ 0·7	7	5·8	5·7
19	1018·6	296·5	290·4	6·1	292·9	287·3	11·5	...	...	+ 3·0	+ 1·7	29	3·4	3·7
20	1017·4	297·4	291·0	6·4	293·6	288·3	22·9	...	...	+ 0·1	+ 1·4	87	1·4	1·7
21	1016·2	297·6	292·3	5·3	294·8	290·8	17·0	...	...	+ 0·3	+ 2·6	83	2·7	2·9
22	1015·5	299·6	293·0	6·6	295·6	292·4	19·7	...	...	— 0·2	+ 1·3	99	1·3	1·6
23	1014·5	301·1	293·3	7·8	296·8	291·1	16·0	...	...	+ 1·1	+ 1·0	42	1·5	2·4
24	1015·8	297·8	294·4	3·4	295·6	292·1	19·1	...	...	+ 0·7	+ 4·2	80	4·2	4·4
25	1015·8	298·7	294·1	4·6	295·8	293·2	21·3	...	...	— 0·2	+ 2·7	94	2·7	2·8
26	1015·0	298·1	294·3	3·8	295·9	293·4	21·7	...	...	+ 0·6	+ 3·3	81	3·4	3·4
27	1014·4	299·2	294·7	4·5	296·7	294·3	23·2	...	...	+ 0·7	+ 2·1	71	2·3	2·5
28	1015·4	299·5	294·1	5·4	295·9	292·7	20·1	...	...	+ 1·1	+ 1·9	60	2·2	2·6
29	1016·3	299·3	294·7	4·6	296·1	293·3	21·3	...	...	+ 0·4	+ 1·7	76	1·8	2·2
30	1017·7	299·1	293·1	6·0	295·3	291·2	17·3	...	...	+ 1·0	+ 2·1	64	2·4	3·0
31	1018·9	296·9	291·2	5·7	293·9	290·8	17·7	...	...	+ 0·5	+ 2·7	80	2·7	3·1
								Sum.	Sum.					
Means.	1012·9	299·1	294·6	4·5	296·6	293·5	21·6	83·2	55	+ 1·6	+ 3·0	62	3·4	4·3
Normals	1013·7	300·1	295·6	4·5	297·6	294·1	22·0	127·6	34	+ 0·9	+ 3·4	75	3·5	4·6
Absolute Maximum.	1020·9	303·8	...	7·8	...	299·7	32·0	30·5	17	...	...	...	...	12·5†
Day.	31	6	...	23	...	6	6	1	14	...	...	...	...	15d 9h 45d 1h
Absolute Minimum.	1002·5	...	290·4	1·2	...	285·8	9·8	...	...	...	...	...	...	...
Day.	9	...	19	2	...	19	19	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, OCTOBER, 1926.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	+ 0·1	11	— 0·1	21	— 0·3 (a.m.) — 0·4 (p.m.)
2	+ 0·1 (p.m.)	12	— 0·1	22	0·0
3	+ 0·1	13	0·0 (a.m.) — 0·1 (p.m.)	23	— 0·1
4	0·0	14	0·0	24	— 0·1
5	0·0	15	0·0	25	0·0
6	0·0	16	0·0	26	— 0·1
7	0·0	17	— 0·1	27	— 0·1
8	+ 0·1	18	— 0·1	28	0·0
9	0·0	19	— 0·2 (a.m.) — 0·1 (p.m.)	29	— 0·1
10	0·0	20	+ 0·2 (a.m.) + 0·1 (p.m.)	30	0·0
				31	0·0

+ = Late; — = Early.

The above may also be regardod as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0·11

October 2nd 10 a.m. Time ball fell about 1 min. early.

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1926.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·855	73·3	68·6	·647	78	60		3	5	+ 5·4	+ 9·5	60	10·9	13·1
2	·845	73·0	68·4	·643	78	60		3	5	+ 5·8	+ 8·9	57	10·6	12·9
3	·836	72·6	68·2	·641	79	65		2	4	+ 6·4	+ 8·8	54	10·9	12·9
4	·833	72·4	68·1	·640	79	64		7	7	+ 5·6	+ 8·7	57	10·3	12·1
5	·838	72·0	67·7	·631	79	65		6	6	+ 6·0	+ 7·9	53	9·9	12·1
6	·849	72·0	67·5	·623	78	65		3	4	+ 5·8	+ 7·7	53	9·6	11·7
7	·864	72·3	67·5	·619	77	67	31	1	3	+ 6·1	+ 7·9	52	10·0	12·3
8	·880	73·4	68·1	·627	75	67	40	1	4	+ 6·3	+ 8·5	53	10·6	12·7
9	·893	74·6	68·6	·629	72	65	44	1	4	+ 6·4	+ 9·3	55	11·3	14·0
10	·901	75·9	69·4	·642	71	65	54	27	6	+ 5·0	+ 9·7	63	10·9	13·5
11	·899	76·7	69·6	·639	69	65	62	5	5	+ 4·5	+ 9·9	65	10·9	14·3
Noon.	·869	77·3	70·1	·650	68	62	61	4	3	+ 3·8	+ 10·0	69	10·7	14·5
13	·844	77·7	70·3	·652	68	61	60	1	2	+ 2·8	+ 11·0	76	11·4	14·9
14	·823	77·5	70·3	·655	68	64	60	1	2	+ 2·8	+ 11·5	76	11·8	15·5
15	·812	77·0	69·9	·646	69	66	58	1	2	+ 3·1	+ 11·4	75	11·8	15·2
16	·813	76·5	69·8	·648	70	62	53	3	3	+ 2·6	+ 11·4	77	11·7	14·8
17	·817	75·9	69·6	·649	72	61	46	4	3	+ 3·8	+ 10·0	69	10·7	13·2
18	·829	75·1	69·3	·649	73	63	7	4	5	+ 3·9	+ 8·5	65	9·4	11·9
19	·843	74·4	69·0	·646	74	52		4	6	+ 4·1	+ 7·7	62	8·7	11·2
20	·864	74·1	68·9	·647	75	51		4	5	+ 4·6	+ 7·8	60	9·1	11·2
21	·875	73·8	68·7	·644	76	47		6	6	+ 5·3	+ 9·1	60	10·5	12·7
22	·881	73·5	68·5	·640	76	45		2	4	+ 5·9	+ 9·4	58	11·1	13·4
23	·879	73·2	68·3	·637	77	47		3	2	+ 6·3	+ 9·6	57	11·5	13·7
Midn.	·873	73·0	68·3	·639	77	55		4	4	+ 5·5	+ 9·1	59	10·6	12·8

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1926.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1013·0	295·9	293·3	21·8	+ 1·8	+ 3·1	60	3·6	4·3
2	1012·6	295·8	293·2	21·7	+ 1·9	+ 2·9	57	3·5	4·2
3	1012·3	295·6	293·1	21·6	+ 2·1	+ 2·9	54	3·6	4·2
4	1012·2	295·4	293·1	21·6	+ 1·8	+ 2·9	57	3·4	4·0
5	1012·4	295·2	292·8	21·3	+ 2·0	+ 2·6	53	3·2	4·0
6	1012·8	295·2	292·7	21·0	+ 1·9	+ 2·5	53	3·1	3·8
7	1013·3	295·4	292·7	20·9	+ 2·0	+ 2·6	52	3·3	4·0
8	1013·8	296·0	293·1	21·2	+ 2·1	+ 2·8	53	3·5	4·2
9	1014·3	296·7	293·3	21·2	+ 2·1	+ 3·0	55	3·7	4·6
10	1014·5	297·4	293·8	21·7	+ 1·6	+ 3·2	63	3·6	4·4
11	1014·1	297·8	293·9	21·6	+ 1·5	+ 3·2	65	3·6	4·7
Noon.	1013·4	298·2	294·2	21·9	+ 1·2	+ 3·3	69	3·5	4·8
13	1012·6	298·4	294·3	22·0	+ 0·9	+ 3·6	76	3·7	4·9
14	1011·9	298·3	294·3	22·1	+ 0·9	+ 3·8	76	3·9	5·1
15	1011·5	298·0	294·1	21·8	+ 1·0	+ 3·7	75	3·9	5·0
16	1011·5	297·7	294·0	21·9	+ 0·9	+ 3·7	77	3·8	4·9
17	1011·7	297·4	293·9	21·9	+ 1·2	+ 3·3	69	3·5	4·3
18	1012·1	296·9	293·7	21·9	+ 1·3	+ 2·8	65	3·1	3·9
19	1012·5	296·6	293·6	21·8	+ 1·3	+ 2·5	62	2·9	3·7
20	1013·3	296·4	293·5	21·8	+ 1·5	+ 2·6	60	3·0	3·7
21	1013·7	296·2	293·4	21·7	+ 1·7	+ 3·0	60	3·4	4·2
22	1013·9	296·1	293·3	21·6	+ 1·9	+ 3·1	58	3·6	4·4
23	1013·8	295·9	293·2	21·5	+ 2·1	+ 3·1	57	3·8	4·5
Midn.	1013·6	295·8	293·2	21·6	+ 1·8	+ 3·0	59	3·5	4·2

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

OCTOBER,

1926.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th September, 1926.								1st October, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.04	762.9	56	...	...	0	0	6	29.97	761.2	49	...	NNE	3	0
Nemuro,	11	...	...	...	...	...	...	...	5	30.00	762.0	...	...	E	1	...
Hokodate,	.	30.06	763.5	...	...	SE	1	...	,,	29.90	759.5	...	...	...	.	...
Tokio,	,,	30.05	763.5	...	...	NNE	1	...	,,	29.86	758.5	...	...	NNW	1	...
Kochi,	,,	29.98	761.5	...	...	...	0	...	,,	29.80	757.0	...	...	SW	1	...
Nagasaki,	,,	29.94	760.5	...	...	W	1	...	,,	29.92	760.0	...	...	NW	2	...
Kagoshima,	,,	29.94	760.5	...	...	...	0	...	,,	29.88	759.0	...	...	NW	1	...
Oshima,	,,	30.02	762.5	...	...	N	1	...	,,	29.88	759.0	...	...	...	0	...
Naha,	,,	29.96	761.0	...	...	NW	2	...	,,	29.94	760.5	...	...	...	0	...
Ishigakijima,	,,	29.91	760.5	...	...	SE	1	...	,,	29.96	761.0	...	...	N	1	...
Bonin Island,	..	29.90	759.5	.	..	...	0	...	..	29.84	758.0	...	...	SSW	1	...
Chefoo.	15	30.05	763 2	64	76	NNW	4	0	6	30.09	764.3	58	81	N	2	b
Ichang,	,,		..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	.	.	...	...	.	...	...	,,	30.00	762.0	64	...	NNW	2	r
Shanghai,	14	30.07	763.8	73	66	NNW	1	0	,,	30.13	765.3	66	92	N	1	0
Gutzlaff,	,,	30.07	763.8	73	95	NNE	2	0	,,	30.09	764.3	69	91	NNE	4	r
Sharp Peak,	,,	29.94	760.5	78	82	NE	2	0	-	29.92	759.9	76	91	NE	1	b
Amoy,	,,	29.86	758.4	90	66	NNE	4	b	6	29.87	758.7	80	78	NE	2	0
Swatow,	,,		..	85	...	ENE	4	0	,,	29.86	758.4	78	...	E	4	0
Taihoku,	11	29.91	759.6	90	69	ENE	2	0	,,	29.88	759.0	75	92	E	4	b
Taichu,	,,	29.83	759.3	90	...	..	0	b	,,	29.87	758.7	77	...	...	0	b
Tainan,	,,	29.89	759.3	86	...	WSW	1	b	,,	29.86	758.4	77	..	...	0	b
Koshun,	,,	29.89	759.3	86	...	E	2	b	,,	29.87	758.7	75	.	.	0	b
Pescadores,	,,	29.88	759.0	86	.	NNW	2	b	,,	29.86	758.4	79	...	NE	2	b
Canton.	14	...	..	...	...		...	...	6	29.87	758.7	76	...	NE	1	r
Hong Kong,	,,	29.78	756.4	79	89	E	4	or	,,	29.85	758.2	79	91	E	3	or
Gap Rock,	,,	29.76	755.9	...	..	E	6	o	,,	29.84	757.9	...	...	E	5	od
Macao,	,,	29.74	755.4	79	95	ESE	4	r	,,	29 80	756.9	77	98	SE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	..	...	...	...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	..	...	...	...	...	...	...
Hoihow,	,,			...	...		...	...	,,	...	...	...	...	.	..	...
Pratas Island,	14	29.79	756 6	85	86	E	4	c	6	29.82	757.4	80	89	E	3	c
Phulien,	15	29.68	754.9	79	84	NNE	4	c	7	29.68	753 9	73	96	NNE	6	o
Tourane,	,,	29 48	748.8	73	...	NNW	4	o	,,	29.60	751.8	79	...	SW	4	o
Cape St. James.	,,		...	...	...		...	...	,,	29.73	755.1	77		WSW	2	o
Basco,	,,	29.84	757.8	86	75	SE	4	b	6	29.85	758.1	77	92	...	c	b
Aparri,	,,	29.80	756.9	86	78	ENE	2	b	,,	29.82	757.5	75	96		c	b
Manila,	,,	29.78	756.3	81	89	NW	4	r	,,	29.80	756.9	75	89	ENE	1	o
Legaspi,	,,	29.73	755.1	81	94	NNE	2	o	..	29.79	756.6	81	92	NNE	2	o
Tacloban,	,,	.	...	..	...		...	...	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	75	NE	4	o	..	29.78	756.3	77	92	N	4	o
Surigao,	..	29.76	756.0	81	94	..	0	o	..	29.75	755.7	75	60	WSW	1	o
Guam,	12.20	29.73	755.1	..	...	N	1	o	4.20	29.74	755.0	...	...	SE	2	o
Yap,	12.47	29.74	755.4	...	...	SSE	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	W	2	b	6	29.82	757.4	78	91	SW	2	b

September 30*d.* 17*h.* 58*m.*—Warning to Hong Kong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 17° N. Long. 108° E., moving W.

October 1*d.* 10*h.* 40*m.*—Pressure has decreased considerably over central Japan. It has increased slightly from Chefoo to Hong Kong and is nearly stationary over the Philippine.

The typhoon entered the coast to the north of Tourane last evening.

An anticyclone has formed over China.

Moderate to fresh monsoon may be expected along the coast of China and over the N. China Sea.

Manila warning. 30*d.* 11*h.* 30*m.*:—Typhoon in Lat. 16° N. Long. 111° E., moving W. Recd. 30*d.* 12*h.* 22*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 2·40 inch. Total since January 1st, 93·23 inches, against an average of 75.87 inches

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND

District.	Forecast.
1.—Formosa Channel,	E. winds, moderate; overcast, occasional rain.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan..	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	2nd October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.03	760.3	58	...	NNE	4	o	6	29.97	761.1	50	...	...	c	h
Nemuro,	11	29.96	761.0	...	...	SSE	2	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.72	755.0	...	...	SE	5	...	"	29.47	748.5	...	...	...	...	...
Tokio,	"	29.76	756.0	...	...	NW	1	...	"	29.65	753.0	...	...	...	...	...
Koobi,	"	29.74	755.5	...	...	...	c	...	"	29.88	759.0	...	...	NW	1	...
Nagasaki,	"	29.88	759.0	...	...	N	3	...	"	30.00	762.0	...	...	NNE	2	...
Kagoshima,	"	29.88	759.0	...	...	W	2	...	"	29.96	761.0	...	...	NW	1	...
Oshima,	"	29.90	759.5	...	...	NNE	2	...	"	29.92	760.0	...	...	N	3	...
Naha,	"	29.92	760.0	...	...	N	2	...	"	29.92	760.0	...	...	N	2	...
Ishigakijima,	"	29.94	760.5	...	...	NNE	2	...	"	29.92	760.0	...	...	NNE	1	...
Bonin Island,	"	29.82	757.5			SSW	2	...	"	29.73	755.0			WSW	5	...
Chefoo,	15	30.08	764.0	71	76	NW	4	b	6	30.09	764.3	56	89	...	o	b
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"				...	...	...	...	"	30.01	763.0	66	...	NW	1	or
Shanghai,	14	30.12	765.0	72	62	NNE	2	o	"	30.18	766.5	57	91	NNW	1	b
Gutzlaff,	"	30.11	764.8	70	61	NNE	4	o	"	30.17	766.3	67	60	NNE	4	b
Sharp Peak,	"	29.93	760.2	78	84	N	4	o	"	29.94	760.5	72	81	N	2	o
Amoy,	"	29.88	758.9	84	79	NE	4	b	6	29.90	759.4	76	82	NE	2	o
Swatow,	"	29.85	758.2	83	...	E	4	o	"	29.88	758.9	72	...	E	5	c
Taihoku,	11	29.01	760.5	80	68	ENE	4	r	5	29.98	761.4	72	94	E	4	o
Taichu,	"	29.80	759.3	86	...	...	c	o	"	29.88	759.0	75	...	...	o	o
Tainan,	"	29.80	759.3	86	...	WSW	2	b	"	29.86	758.4	75	...	...	o	o
Koshun,	"	29.80	759.3	86	...	NNE	2	b	"	29.88	759.0	75	...	E	2	o
Pescadores,	"	29.92	759.9	86	...	NNE	4	b	"	29.85	758.1	79	...	NE	6	o
Canton,	14	...	...	...	...	...	...	...	6	29.88	758.9	75	...	N	2	o
Hong Kong,	"	29.83	757.7	81	88	E	3	o	"	29.87	758.7	79	86	E	4	b
Gap Rock,	"	29.83	757.7	...	...	E	4	o	"	29.86	758.4	...		E	5	c
Macao,	"	29.81	757.2	81	87	ESE	4	o	"	29.87	758.7	79	92	ESE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"			...	...		...	..	"	...	...	...		...	...	...
Pratas Island,	14	29.82	757.5	86	79	E	3	b	6	29.83	757.7	80	89	SE	4	c
Phulien,	15	29.68	753.9	77	91	NE	4	o	7	29.79	756.6	73	92	ENE	4	rf
Tourane,	"	29.62	752.4	84	...	SE	4	b	"	29.75	755.7	79	...	SW	2	o
Cape St. James,	"			...	...	...	...	...	"	29.73	755.1	73		SE	2	o
Basco,	"	29.79	756.6	86	78		c	o	6	29.82	757.5	79	84	...	c	o
Aparri,	"	29.76	756.0	86	71	NNE	4	b	"	29.81	757.2	75	90	...	c	o
Manila,	"	29.73	755.1	84	81	SW	2	o	"	29.79	756.6	73	92	...	c	o
Legaspi,	"	29.71	754.5	90	65	NE	2	o	"	29.75	755.7	75	94	...	o	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	86	75	NE	4	o	"	29.75	755.7	75	92	N	2	o
Surigao,	"	29.69	754.2	79	91	NNE	1	r	"	29.72	754.8	79	91	N	4	o
Guam,	12.20	29.71	754.5	...	...	S	1	o	4.20	29.73	755.1	...	...	SSW	4	o
Yap,	12.47	29.74	755.4	...	...	WSW	2	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	84	NW	4	h	6	29.83	757.7	77	86	N	2	h

October 2*d*. 11*h*. 10*m*.—Pressure has decreased considerably over N.E. Japan. It has increased moderately over S.W. Japan and slightly over E. and S. China. It is nearly stationary over the Philippines.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·10 inch. Total since January 1st. 93·83 inches, against an average of 76.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, fresh ; overcast, occasional rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.90	759.4	67	...	WSW	2	b	6	29.97	761.1	56	...	...	0	0
Nemuro.....	11	29.45	748.0	...	...	NE	6	...	5	29.65	753.0	...	...	NNW	6	...
Hokodate, ...	,,	29.41	747.0	...	...	SW	1	...	,,	29.88	759.0	...	...	WNW	2	...
Tokio,.....	,,	29.67	753.5	...	...	NNW	3	...	,,	29.98	761.5	...	...	WNW	1	...
Kochi.	,,	29.91	760.0	...	...	NW	1	...	,,	30.06	763.5	...	...	W	1	...
Nagasaki, ...	,,	30.04	763.0	...	...	NE	1	...	,,	30.02	762.5	...	...	ENE	1	...
Kagoshima, ...	,,	29.98	761.5	...	...	N	1	...	,,	30.06	763.5	...	...	WNW	1	...
Oshima, ...	,,	29.96	761.0	...	...	NNE	3	...	,,	29.98	761.5	...	...	S	1	...
Naha, ...	,,	29.06	761.0	...	...	NNE	1	...	,,	29.94	760.5	...	...	N	1	...
Ishigakijima,..	,,	29.94	760.5	...	...	NNE	3	...	,,	29.92	760.0	...	...	N	1	...
Bonin Island,..	,,	29.75	756.0	...	...	WSW	2	...	,,	29.88	759.0	...	...	...	0	...
Chefoo, ...	15	29.98	761.5	74	68	NNE	1	b	6	29.95	760.7	62	77	...	0	0
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	30.12	765.0	75	42	E	2	0	,,	30.08	764.1	61	93	E	1	b
Gutzlaff,.....	,,	30.13	765.3	73	51	NE	2	0	,,	30.09	764.3	69	65	ESE	4	b
Sharp Peak, ..	,,	29.98	761.5	73	81	N	2	0	,,	29.98	761.5	72	76	N	2	0
Amoy, ...	,,	29.92	759.9	80	70	NE	4	0	6	29.92	759.9	74	81	N	2	0
Swatow,.....	,,	29.90	759.4	80	...	E	4	c	,,	29.89	759.2	74	...	N	2	bc
Taihoku, ...	11	30.00	762.0	77	79	E	4	0	5	29.93	760.2	72	89	E	2	0
Taichu, ...	,,	29.91	759.9	86	...	...	0	0	,,	29.88	759.0	73	...	...	0	b
Tainan, ...	,,	29.88	759.0	86	...	...	0	0	,,	29.84	757.8	75	...	...	0	b
Koshun,.....	,,	29.91	759.6	82	...	NNE	4	0	,,	29.86	758.4	75	...	N	2	b
Pescadores, ..	,,	29.92	759.9	82	...	NE	4	0	,,	29.87	758.7	77	...	NE	4	b
Canton.	14	...	...	...	...	...	...	...	6	29.89	759.2	74	...	...	0	c
Hong Kong, ...	,,	29.86	758.4	80	82	E	4	0	,,	29.88	758.9	76	84	E	4	0
Gap Rock, ...	,,	29.84	757.9	...	...	E	5	cp	,,	29.87	758.7	...	...	E	5	0
Macao, ...	,,	29.82	757.5	81	80	ESE	4	0	,,	29.85	758.1	77	84	ESE	6	0
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	14	29.81	757.2	84	79	NNE	4	c	6	29.83	757.7	79	86	NNE	4	0
Phulien, ...	15	29.80	756.9	73	100	NE	2	rf	7	29.85	758.1	73	100	NNE	2	rf
Tourane,.....	,,	29.73	755.1	82	...	SE	3	b	,,	29.80	756.9	77	...	S	2	0
Cape St. James	,,	29.69	754.2	86	...	S	1	0	,,	29.76	756.0	75	...	N	2	b
Basco,.....	,,	29.79	756.6	84	81	NNE	2	0	6	29.82	757.5	77	88	E	2	0
Aparri, ...	,,	29.75	755.7	86	71	N	2	0	,,	29.80	756.9	75	96	...	c	b
Manila, ...	,,	29.72	754.8	86	71	NNE	4	0	,,	29.76	756.0	75	92	...	c	0
Legaspi, ...	,,	29.68	753.9	90	65	NNE	2	b	,,	29.75	755.7	77	94	NNE	4	0
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.72	754.8	81	87	N	2	0	,,	29.74	755.4	77	92	N	2	0
Surigao, ...	,,	29.68	753.9	82	84	NNE	2	0	,,	29.73	755.1	75	96	...	c	r
Guam,.....	12.20	29.72	754.8	...	...	S	4	0	4.20	29.74	755.4	...	...	E	1	0
Yap, ...	12.47	29.74	755.4	...	...	WNW	1	0	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.79	756.6	86	76	NE	4	b	6	29.83	757.7	76	94	SW	1	0

October 3*d*. 11*h*. 10*m*.—Pressure has increased considerably over N.E. Japan and moderately over the Loochoos. It has decreased slightly at Shanghai and is nearly stationary at other reporting stations.

The anticyclone has moved eastward and is now central over S.W. Japan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 93·37 inches, against an average of 76.46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate ; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,.	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort)	4th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort)
Wladivostock,	12	29.95	760.8	65	...	SSE	4	b	6	29.92	760.0	63	...	FSE	5	0
Nemuro.....	11	29.78	756.5	...	...	WNW	5	...	5	30.22	767.5	...	...	W	1	...
Hokodate, ...	"	29.98	761.5	...	...	NNW	2	...	"	30.20	767.0	...	...	...	0	...
Tokio,.....	"	30.08	764.0	...	...	NNW	2	...	"	30.28	769.0	...	...	NW	1	...
Kochi, ...	"	30.10	764.5	...	...	SE	1	...	"	30.16	766.0	...	...	WSW	1	...
Nagasaki, ...	"	30.10	764.5	...	...	NE	1	...	"	30.10	764.5	...	...	SE	2	...
Kagoshima, ...	"	30.08	764.0	...	...	W	1	...	"	30.10	764 5	...	...	WNW	1	...
Oshima, ...	"	30.00	762.0	...	...	SSE	1	...	"	29.98	761.5	...	...	..	0	...
Naha, ...	"	29.96	761.0	...	...	NNE	2	...	"	29.92	760.0	...	...	NNE	1	...
Ishigakijima,..	"	29.94	760.5	...	..	NE	2	...	"	29.90	759.5	...	...	NE	1	...
Bonin Island,..	..	29.88	759.0	..	..	NE	1	..	"	29.90	759.5	...	...	ENE	1	...
Chefoo, ...	15	29 92	759 9	78	50	SSW	2	b	6	29.90	759.4	70	85	SSW	2	0
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Hankow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	..	..	..	...	...	..	...	...	"	29.90	759.4	76	...	...	0	0
Shanghai.	14	30.01	762.3	79	42	SSE	2	b	"	29.99	761.7	63	90	SE	2	1
Gutzlaff,.....	"	30.05	763.2	75	52	SE	4	b	"	30.02	762.5	72	71	SSE	4	1
Sharp Peak, ..	"	29.94	760.5	77	71	N	2	o	7	29.95	760.7	75	75	N	1	o
Amoy, ...	"	29.87	758 7	82	71	N	4	of	6	29.88	758.9	76	77	NE	1	b
Swatow,.....	"	29.86	758.4	84	...	E	2	b	"	29.87	758.7	75	...	E	2	1
Taihoku, ...	11	29.97	761.1	79	76	E	4	o	5	29.89	759.3	73	92	E	2	o
Taichu, ...	"	29.89	759.3	86	...	...	c	o	"	29.89	759.3	73	..	...	c	1
Tainan, ...	"	29.88	759.0	86	...	SW	2	b	"	29.85	758.1	73	..	...	o	b
Koshun,.....	"	29.89	759.3	82	...	NNE	4	b	"	29.86	758 4	77	.	N	1	o
Pescadores, ..	"	29.91	759.6	84	..	NNE	4	o	"	29.86	758.4	77	...	NE	1	b
Canton.	14	29.86	758.4	85	72	SE	1	o	6	29.87	758.7	83	...	...	c	o
Hong Kong, ...	"	29.88	758.9	80	74	E	4	o	"	29.87	758.7	78	81	E	4	o
Gap Rock,.....	"	29.87	758.7	...	...	E	5	o	"	29.86	758.4	...	..	ENE	5	o
Macao, ...	"	29.86	758.4	82	77	ESE	4	o	"	29.85	758.1	77	84	ESE	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi, ...	"	...	..	...	...	..	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"			...	...		...	...	"	...	...	...	...			...
Pratas Island,...	14	29.83	757.7	83	79	NNE	5	o	6	29.83	757.7	79	89	NNE	5	o
Phulien, ...	15	29.82	757.5	79	95	NW	1	of	7	29.85	758.1	75	98	ENE	2	b
Tourane,.....	"	29.79	756 6	84	...	SE	2	b	"	29.81	757.2	77	...	SW	2	o
Cape St. James	"	29.74	755.4	81	...	ENE	2	o	..	...	..	..	..	..	...	...
Basco,.....	"	29.80	756.9	79	90	SE	4	r	6	29.81	757.2	81	80	ENE	2	o
Aparri, ...	"	29.75	755.7	86	71	NE	4	b	"	29.76	756.0	77	94	...	c	r
Manila, ...	"	29.73	755 1	84	77	S	4	o	"	29.76	756.0	75	96	NE	1	o
Legaspi,.....	"	29.72	754.8	79	90	ENE	4	o	..	29.73	755.1	77	91	NE	2	o
Tacloban, ...	"	...	...	...	...	...	...	...	"	...	...	...	.	...	...	...
Iloilo, ...	"	...	...	...	...	...	...	...	"	29.76	756.0	75	98	...	c	o
Surigao, ...	..	..		...	...	...	...	...	..	..	...	...	...	...	...	...
Guam,.....	12.20	29.73	755.1	...	...	E	2	o	4.20	29.73	755.1	...	...	S	1	o
Yap, ...	12.47	29.72	754.8	...	...	WSW	4	o	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...	...	...	...	5	..	...	...	...	.	...	...
Labuan, ...	14	29.77	756.1	86	84	NW	2	b	6	29.84	757.9	76	91	NW	2	1

October 4*d.* 11*h.* 00*m.*—Pressure has increased considerably over N.E. Japan, is nearly stationary from S.W. Japan to S. Formosa and over Indo-China, and has decreased slightly elsewhere.

The anticyclone has strengthened and is moving north-eastward into the Pacific.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 93·37 inches, against an average of 76·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate ; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,.	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	5th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.89	759.3	66	...	SE	4	0	6	30.13	765.3	41	..	NNE	4	r
Nemuro,	11	30.26	768.5	...	...	SSW	2	...	5	30.30	769.5	...	...	S	2	...
Hokodate,	"	30.22	767.5	...	...	S	2	...	"	...	...	...	...	...	..	...
Tokio,	"	30.28	769.0	...	..	SE	1	...	"	30.28	769.0	...	...	NW	1	...
Kochi,	"	30.16	766.0	...	...	...	0	...	"	30.10	764.5	...	..	SW	1	...
Nagasaki,	"	30.12	765.0	..	...	SE	1	...	"	29.98	761.5	...	..	SE	1	...
Kagoshima,	"	30.10	764.5	...	...	NE	1	...	"	29.96	761.0	...	...	...	0	...
Oshima,	"	29.98	761.5	...	.	NE	1	...	"	29.88	759.0	...	...	S	1	...
Naha,	"	29.94	760.5	...	...	ENE	3	...	"	29.86	758.5	...	...	NNE	1	...
Ishigakijima,	"	29.92	760.0	...	..	NE	2	...	"	29.82	757.5	...	...	NE	1	...
Bonin Island,	..	29.88	759.0			ENE	1	...	"	29.82	757.5	...	...	ENE	1	...
Chefoo,	15	29.85	758.2	66	100	ESE	1	r	6	29.84	757.9	58	100	NE	6	o
Ichang,	"		...	...	...	...	...	...	"	...	...	...	..	...	...	...
Hankow,	"	...	...	...	...	...	...	...	"	29.80	756.9	75	...	...	0	o
Changsha,	..	..	...	..	...	...	...	...	"	29.80	756.9	74	...	SW	2	o
Shanghai,	14	29.91	759.6	79	61		...	...	"	29.81	757.2	72	84	SSE	2	o
Gutzlaff,	"	29.95	760.7	78	58	SSE	4	b	"	29.83	757.7	74	86	S	6	o
Sharp Peak,	"	29.87	758.7	80	72	E	1	o	"	29.82	757.4	56	75	NW	1	b
Amoy,	"	29.86	758.4	86	68	NE	2	b	6	29.82	757.4	78	82	NE	1	b
Swatow,	"	29.86	758.4	83	..	E	1	b	"	29.82	757.4	78	...	N	1	b
Taihoku,	14	29.92	759.9	82	70	E	4	b	5	29.82	757.5	70	96	...	0	b
Taichu,	"	29.91	759.6	86	...	..	0	b	"	29.84	758.8	72	..	...	0	b
Tainan,	"	29.88	759.0	86	...	SW	2	b	"	29.81	757.2	73	..	...	0	b
Koshun,	"	29.80	756.9	86	...	NE	4	b	"	29.80	756.9	75	..	...	0	b
Pescadores,	"	29.95	760.8	86	...	N	4	b	"	29.81	757.2	77	...	NNE	2	b
Canton,	14	...	...	...	...	...	...	...	6	29.83	757.7	81	...	...	0	bc
Hong Kong,	"	29.86	758.4	81	77	E	3	o	"	29.83	757.7	77	88	LNE	2	o
Gap Rock,	"	29.86	758.4	...	...	ENE	5	b	"	29.84	757.9	...	..	E	4	b
Macao,	"	29.84	757.8	84	71	SE	4	o	"	29.84	757.8	77	88	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	..	...	.	...	...	...
Pakhoi,	"	...	.	...	..	..	...	...	"	...	...	...	...	...	...	...
Hoihow,	"		...	...	...		...	...	..	...	...	...			...	...
Pratas Island,	14	29.81	757.2	83	78	NNE	3	o	6	29.79	756.6	79	88	NE	2	o
Phulien,	15	29.79	756.6	86	78	SSE	4	b	7	29.84	757.8	77	98	ENE	1	b
Tourane,	"	29.79	756.6	84	...	SE	2	o	"	29.81	757.2	75	...	...	0	b
Cape St. James	"	29.73	755.1	81	...	E	4	o	"	29.75	755.7	75	..	NE	2	o
Basco,	"	29.78	756.3	82	81	NE	4	o	6	29.75	755.7	79	91	...	0	o
Aparri,	"	29.71	755.4	86	61	NE	4	o	"	29.74	755.4	77	96	...	0	o
Manila,	"	29.74	755.4	75	92	SE	2	r	"	29.72	754.8	75	96	E	1	o
Legaspi,	"	29.68	753.9	81	89	NNE	2	o	"	29.68	753.9	75	96	...	0	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.68	753.9	86	75	S	4	o	"	29.72	754.8	75	92	S	2	o
Surigao,	..	29.68	753.9	82	84	W	2	o	..	29.69	754.2	77	92	SW	1	o
Guam,	12.20	29.68	753.9	..	...	NE	1	o	4.20	29.62	752.4	...	...	W	1	o
Yap,	12.47	29.72	754.8	...	...	WSW	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	..	...	...		...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	84	NW	2	b	6	...	...	...	...	...	...	...

October 5*d*. 10*h*. 50*m*.—Pressure has increased considerably at Wladivostock, is nearly stationary over N.E. China and Indo-China, and has decreased slightly to moderately elsewhere.

A typhoon is forming on the neighbourhood of Guam and a depression has formed over the lower Yangtze Valley.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 93·37 inches, against an average of 77·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. or variable winds, moderate to light; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort).	Weather. (Beaufort).	6th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort).	Weather. (Beaufort).
Wladivostock,	12	30.02	762.5	46	...	NNE	3	or	6	29.92	760.0	41	...	NNW	2	
Nemuro,	11	30.26	768.5	...	...	S	4	...	5	29.98	761.5	...	...	SSE	4	...
Hokodate,	..	30.16	766.0	...	...	...	0	...	,,	29.82	757.5	...	...	E	1	...
Tokio,	,,	30.20	767.0	...	...	NW	1	...	,,	20.96	761.0	...	...	...	..	...
Kochi,	,,	30.05	763.5	...	...	...	0	...	,,	29.88	759.0	...	..	...	0	...
Nagasaki,	,,	29.94	760.5	...	...	SE	1	...	,,	29.84	758.0	...	..	SSE	1	...
Kagoshima,	,,	29.92	760.0	...	...	SE	1	...	,,	29.86	758.5	...	..	...	0	...
Oshima,	,,	29.86	758.5	...	...	...	0	...	,,	29.82	757.5	...	...	..	0	...
Naha,	,,	29.84	758.0	...	...	NE	1	...	,,	29.80	757.0	...	..	N	1	...
Ishigakijima,	,,	29.76	755.5	...	...	SE	2	...	,,	29.80	757.0	...	...	N	1	...
Bonin Island,	,,	29.72	757.5	...	...	...	0	...	,,	29.86	758.5	...	..	E	1	...
Chefoo,	15	29.94	760.5	88	84	NNE	4	0	6	30.18	766.6	56	63	NNW	4	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	30.03	762.7	74	...	NW	3	or
Shanghai,	14	29.82	757.5	73	64	SSW	1	r	,,	30.05	763.2	64	50	N	4	0
Gutzlaff,	,,	29.83	757.7	70	82	WNW	2	0	,,	30.01	762.2	68	85	NNE	6	0
Sharp Peak,	,,	29.85	758.2	84	72	E	1	b	,,	29.85	758.2	80	85	N	1	b
Amoy,	,,	29.74	755.4	88	66	SE	4	b	6	29.83	757.7	80	92	SE	1	b
Swatow,	,,	...	...	87	..	NW	1	b	,,	29.80	756.9	80	..	NE	2	b
Taihoku,	11	29.84	757.8	90	55	SE	2	b	,,	29.80	756.9	73	96	ESE	2	b
Taichu,	,,	29.84	757.8	90	...	...	0	b	,,	29.79	756.6	73	...	...	0	bf
Tainan,	,,	29.82	757.5	86	...	SW	1	b	,,	29.76	756.0	75	...	...	0	b
Koshun,	,,	29.82	757.5	86	...	NNW	2	b	,,	29.78	756.3	75	..	...	0	b
Pescadores,	,,	29.86	758.4	84	...	NNW	4	b	,,	29.79	756.6	77	...	N	2	b
Canton,	14	...	...	...	...	...	...	...	6	29.81	757.2	83	...	...	0	bc
Hong Kong,	,,	29.73	756.6	83	79	E	2	c	,,	29.80	756.9	78	86	...	0	c
Gap Rock,	,,	29.81	757.2	...	...	ENE	4	b	,,	29.80	756.9	...	...	E	2	c
Macao,	,,	29.78	756.3	90	76	SE	2	b	,,	29.78	756.3	75	98	...	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	..	..	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	14	29.75	755.6	84	73	NNE	3	b	6	29.75	755.6	79	86	N	3	b
Phulieu,	15	29.76	756.0	00	69	S	2	b	7	29.82	757.5	75	98	NE	4	b
Tourane,	,,	29.75	755.7	84	...	NE	2	b	,,	29.79	756.6	77	...	NW	2	c
Cape St. James,	,,	29.73	755.1	79	..	E	2	0	,,	29.75	755.7	75	...	S	2	0
Basco,	,,	29.71	754.5	86	68	SE	2	0	6	29.71	754.5	79	84	NE	2	0
Aparri,	,,	29.68	753.9	86	68	N	2	b	,,	29.69	754.2	77	94	...	0	r
Manila,	,,	29.68	753.9	79	61	E	1	0	,,	29.68	753.9	75	96	...	0	0
Legaspi,	,,	29.65	753.0	80	71	ENE	2	0	,,	...	...	...	...	...	...	..
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.63	752.7	75	96	...	0	0
Iloilo,	,,	29.65	753.0	86	75	S	6	0	,,	29.69	754.2	79	96	...	0	0
Surigao,	..	29.63	752.7	86	71	W	4	0	..	29.66	753.3	81	84	W	2	0
Guam,	12.20	29.74	755.4	...	...	NNW	4	0	4.20	29.69	754.2	...	...	SW	4	0
Yap,	12.57	29.63	752.7	...	...	WSW	4	0	4.47	..	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Laiuan,	11	29.76	755.9	88	84	NW	4	b	5	20.84	757.9	76	91	NE	2	0

October 6*d*. 11*h*. 00*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 130° E. moving W.

October 6*d*. 11*h*. 10*m*.—Pressure has decreased considerably over N.E. Japan moderately over S.W. Japan and slightly over the Loochoos and the Philippines. It has increased considerably over N. China and is nearly stationary in S. China and Indo-China.

The northern depression has moved into the Sea of Japan.

An anticyclone has formed over N. China and S.E. Mongolia.

There appear to be two typhoons in the Pacific; one about 150 miles north of Guam travelling N.N.W. and the other about 500 miles E. of Manila travelling W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total since January 1st.** 93·37 inches, against an average of 77·34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Light, variable winds, freshening from N.E.; fine at first, some rain later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	2	29.86	758.5	53	...	NW	2	b	2	30.31	769.8	39	..	WNW	4	b
Nemuro,	11	29.80	757.0	...	...	SSE	4	...	5	29.80	757.0	...	.	SW	2	..
Hokodate,	..	29.61	752.0	...	...	S	2	.	..	30.04	763.0	...	..	W	3	..
Tokio,	..	29.84	758.0	...	...	S	1	...	,,	30.04	763.0	...	..	NE	1	..
Kochi,	..	29.86	758.5	...	...	..	...	...	,,	29.98	761.5	...	..	...	0	...
Nagasaki,	..	29.85	759.0	...	...	NW	1	...	,,	30.02	762.5	..	..	NE	1	...
Kagoshima,	..	29.88	759.0	...	...	SSE	1	...	,,	29.94	760.5	...	..	NE	1	...
Oshima,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.86	758.5	...	...		0	...
Naha,	,,			...	...	...	...	...	,,	29.78	756.5	...	...	NNE	2	...
Ishigakijima,	,,	29.80	757.0	...	...	N	2	...	,,	29.73	755.0	...	...	NE	1	...
Bonin Island,	.	29.84	758.0	.	...	SE	1	...	..	29.88	759.0	...	.	SE.	1	...
Chefoo,	15	30.23	767.8	58	64	NW	4	o	6	30.32	770.1	54	68	NNE	4	b
Ichang,	,,	.	...	...	...	...	...	...	,,	..	..	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	,,	30.26	768.6	55	...	...	...	cp
Changsha,	,,			...	...	...	...	...	,,	30.17	766.3	73	...	NNW	2	o
Shanghai,	14	30.12	765.0	70	57	NNE	4	o	,,	30.20	767.1	63	82	NNE	4	b
Gutzlaff,	,,	30.08	764.0	70	66	NNE	6	o	,,	30.16	766.0	65	68	SE	7	o
Sharp Peak,	..	29.84	757.9	77	82	ENE	4	o	,,	29.94	760.5	73	67	NNE	4	o
Amoy,	,,	29.79	756.6	90	66	ENE	4	b	6	29.85	758.2	75	72	NNE	4	b
Swatow,	,,	29.76	755.9	84	...	ESE	3	b	,,	29.82	757.4	74	...	E	3	b
Taihoku,	11	29.85	758.	86	61	E	4	b	7	29.89	759.3	72	88	E	4	r
Taichu,	,,	29.78	756.3	86	...	NW	1	o	,,	29.75	755.7	72	.	N	2	o
Tainan,	,,	29.78	756.3	89	...	NNW	1	b	,,	29.72	754.8	72		N	2	b
Koshun,	,,	29.78	756.3	90	...	N	2	b	,,	29.69	754.2	75	.	N	4	b
Pescadores,	,,	29.81	757.2	86	...	NNE	4	b	,,	29.74	755.4	77	...	NNE	7	o
Canton,	14	...		...	...	...	...	...	6	29.86	758.4	78	.	NE	1	or
Hong Kong,	,,	29.78	755.6	87	72	WSW	2	o	,,	29.82	757.4	78	82	E	5	o
Gap Rock,	,,	29.77	756.1	...	...	N	3	b	,,	29.82	757.4	...		E	4	o
Macao,	,,	29.74	755.4	86	75	NE	2	b	,,	29.79	756.6	79	85	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...		...		...	..	...
Pakhoi,	,,	...		...	...	...	...	...	,,	...	..	...	...		...	...
Hoihow,	,,		..	...	...		...	...	,,	...	...	...			.	...
Pratas Island,	14	29.73	755.1	85	70	N	2	b	6	29.75	755.6	78	87	NNE	7	o
Phulien,	1.	29.76	756.0	90	72	SE	1	b	7	29.84	757.8	77	93	NE	1	bf
Tourane,	,,	29.74	755.4	81	...	NW	2	o	,,	29.79	756.6	77	...	...	o	o
Cape St. James	,,	29.72	754.8	84	...	S	2	o	,,	29.74	755.4	77	..	W	2	o
Basco,	,,	...	...	...	...	...	...	...	6	29.59	751.5	82	77	NE	6	o
Aparri,	,,	29.63	752.7	86	78	NNW	4	o	,,	29.58	751.2	82	81	NNW	6	o
Manila,	,,	29.60	751.8	86	71	SW	4	o	,,	29.58	751.2	75	96	E	1	o
Legaspi,	,,	29.58	751.2	81	92	WSW	2	o	,,	...	...	77	92	SW	2	o
Tacloban,	,,	29.59	751.5	82	81	NW	4	o	,,	.	.	...	...	...	..	...
Iloilo,	,,	29.63	752.7	81	86	N	1	o	,,	29.63	752.7	84	90	S	6	o
Surigao,	..	...	...	...	...	...	...	...	..	...	...	...	...		..	...
Guam,	12.20	..	...	..	...	.	...	...	4.20	29.78	756.3	...	...	E	2	o
Yap,	12.47	29.67	753.6	..	...	SW	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	..		...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	84	83	NW	2	b	6	29.83	757.7	76	99	SW	1	r

October 6*d.* 16*h.* 45*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 100 miles of Lat. 16° N. Long. 128° E., moving W.N.W.

October 7*d.* 10*h.* 35*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 125° E., moving W.N.W.

October 7*d.* 10*h.* 47*m.*—Pressure has increased considerably from Tokio to Hokkaido and slightly from Chefoo to Formosa and Hong Kong. It has decreased slightly over Luzon.

The position of the Guam typhoon is uncertain. The other is about 200 miles E.N.E. of Manila moving W.N.W. The present probability is that it will pass near Hainan on Sunday morning.

Shanghai warning. 7*d.* 10*h.* 25*m.*:—A severe typhoon within 120 miles of Lat. 17° N. Long. 127° E., moving N.W. Recd. 7*d.* 10*h.* 50*m.*

Manila warning. 7*d.* 9*h.* 45*m.*:—Typhoon in Lat. 17° N. Long. 126 E., moving W.N.W. Recd. 7*d.* 10*h.* 08*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·13 inch. Total since January 1st. 93·50 inches, against an average of 77·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. gale.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, strong; rain at first, fine later.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	8th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	2	30.26	768.7	51	..	N	2	b		30.26	768.5	42			0	b
Nemuro,	11	29.93	760.0	...	...	W	2	...		30.16	766.0	...		SW	1	...
Hokodate,		30.14	765.5	..	...	WNW	6	...		30.22	767.5	...			0	...
Tokio,		30.20	767.0	..	...	NNE	1			30.22	767.5	...		NNW	1	...
Kochi,		30.01	761.0	..	...		0			30.06	763.5	...			0	...
Nagasaki,		30.02	761.5		...	ENE	1			30.02	762.5	..		N	1	...
Kagoshima,		30.00	761.0	...	...	SE	1	..		29.94	760.5	..		N	1	...
Oshima,		29.88	759.0	...	...	NNE	1			29.84	758.0	...	..	SE	1	...
Naha,		29.80	757.0	...	...	NE	2			29.76	756.0	...		NE	4	
Ishigakijima,				...	...		...			29.67	753.5	..	..	NNE	3	
Bonin Island,		29.94	760.5		..	E	1			29.96	761.0			...	0	...
Chefoo,	15	30.30	769.6	60	71	NNW	2	0	6	30.34	770.6	60	60	NE	2	b
Ichang,				...	...		...					...	..	...	...	...
Hankow,		...		...	...	...	...					...	..	...	..	...
Changsha				...	...	...	...	...		30.11	764.5	62	..	NE	2	c
Shanghai,	14	30.18	766.5	68	60	SW	2	0		30.18	766.5	64	76	N	4	0
Gutzlaff,		30.14	765.5	70	57	NNE	6	0		30.11	764.8	67	74	NNE	6	0
Sharp Peak,		29.95	760.7	77	80	NNE	4	0		29.83	757.7	72	90	N	2	0
Amoy,		29.90	759.4	86	58	NE	4	b	6	29.75	755.6	76	73	NE	2	b
Swatow,		29.85	758.2	83	..	E	2	b		29.70	754.4	75	...	NW	3	b
Taihoku,	11	29.92	759.9	77	79	NE	4	0		29.78	756.3	72	92	ENE	4	r
Taichu,		29.72	754.8	86	..	N	4	0		29.60	751.8	75		N	4	of
Tainan,		29.71	754.5	86	...	N	4	b		29.46	748.2	72		N	6	0
Koshun,		29.71	754.5	84	..	N	4	0		29.38	746.1	77		NNE	6	r
Pescadores,		29.76	756.0	81		NE	7	0				...	..	...	...	...
Canton,	11	...		...	...	...	...	...	6	29.80	756.9	72		NW	1	be
Hong Kong,		29.81	757.2	77	84	ESE	1	0		29.76	755.9	72	66	NW	4	b
Gap Rock,		29.81	757.2	...	..	E	5	0		29.75	755.6	..		NNW	5	c
Macao,		29.82	756.9	77	88	NNE	2	0		29.75	755.7	70	69	N	4	0
Wuchow,	15	...	...	...	...	..	...	...	9	...	..	...		...	..	...
Pakhoi,		...		...			...	...							...	...
Hoihow,				...	...		...	..				...			...	..
Pratas Island,	14	29.70	753.4	80	76	N	6	0	6	29.58	751.3	78	71	N	9	0
Phulien,	15	29.78	756.1	90	66	SE	2	b	7	29.82	757.5	77	89	ENE	4	b
Tourane,		29.75	755.7	82	...	N	2	0		29.78	756.3	75	...	W	4	0
Cape St. James		29.68	753.9	82	...	WSW	2	0		29.74	755.4	72	...	WNW	4	0
Basco,				...	...		...	...	6			...	...	...	...	...
Aparri,		29.43	747.6	73	79	NW	6	r				...	...		...	...
Manila,		29.53	750.0	86	78	WSW	4	0		29.50	749.4	82	74	W	4	0
Legaspi,		29.52	749.7	77	84	NE	4	0		29.54	750.3	79	89	SSW	4	0
Tacloban,		29.58	751.2	84	81	SSW	2	0		29.63	752.7	79	85	SSW	4	0
Iloilo,		29.62	752.4	86	71	S	6	0		29.65	753.0	81	89	S	6	0
Surigao,		29.60	751.8	82	81	SW	4	0		29.67	753.6	79	61	SW	4	0
Guam,	12.20	29.73	755.1	...	...	NW	2	0	4.20	29.73	755.1	...	..	N	2	0
Yap,	12.47	29.74	755.4	...	...	SSW	2	0	4.47	...	...	..	...	...	...	...
Pelew,	11.00	...	...			...	...	...	5	...	...	...	..	...	...	...
Labuan,	11	29.80	756.9	80	87	NW	2	b	6	29.83	757.7	76	91	SW	2	0

October 7*d*. 21*h*. 30*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 124° E., moving N.W.

October 8*d*. 8*h*. 00*m*.—Warning to Hong Kong, Coast Ports, &c :—A severe typhoon within 60 miles of Lat. 19° N. Long. 121° E., moving N.W.

October 8*d*. 11*h*. 53*m*.—Local signal No. 1 hoisted.

October 8*d*. 11*h*. 50*m*.—Pressure has decreased considerably over S. Formosa, moderately over N. Formosa and Pratas and slightly over Luzon, S. China, E. China and the Loochoos.

At 6 a.m. the typhoon was about 400 miles E.S.E. of Hong Kong travelling towards Swatow at 13 miles in hour. It may yet pass dangerously near to Hong Kong.

Shanghai warning. 8*d*. 5*h*. 30*m*.:—A severe typhoon within 60 miles of Lat. 20° N. Long. 123° E., moving N.W. Recd. 8*d*. 10*h*. 13*m*.

Manila warning. 8*d*. 8*h*. 30*m*.:—Typhoon in Lat. 20° N. Long. 123° E., moving N.W. Recd. 8*d*. 10*h*. 16*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st 93·54 inches, against an average of 77·85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	Cyclonic gales.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, changing to N.E. or N.W. and increasing to a gale ; fair at first, rainy and squally later.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th OCTOBER, 1926.								9th OCTOBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.19	766.9	55	...	NNW	3	b	6	30.15	765.8	46	..		C	b
Nemuro,	11	30.00	762.0	...	...	SSW	6	...	5	29.84	758.0	...	.	W	2	..
Hokodate,	.	30.12	765.0	...	...	WSW	3	...	..	30.02	762.5	...	.	N	1	..
Tokio,	..	30.14	765.5	...	...	NNW	1	...	..	30.01	763.0	...	.	NW	1	..
Kochi,	..	30.00	762.0	...	...	...	0	...	..	29.94	760.5	...	..		C	..
Nagasaki,	..	30.00	762.0	..	...	N	1	...	..	29.92	760.0	..	..	NE	3	...
Kagoshima,	..	29.94	760.5	...	...	...	...	...	..	29.84	758.0	...	..	NE	2	...
Oshima,	..	29.80	757.0	...	...	SSE	1	...	..	29.75	755.5	...	...	..	C	...
Naha,	..	29.74	755.5	...	...	NE	1	...	..	29.75	755.5	...	..	.	.	...
Ishigakijima,	..	29.70	754.5	...	...	ENE	3	...	..	29.69	754.0	..	...	E	1	..
Bonin Island,	.	29.92	760.0	..	...	FSE	1	..	..	29.96	761.0	.	.	.	C	...
Chefoo,	15	30.20	769.3	66	64	N	1	b	6	30.30	769.6	60	60	NNE	4	0
Ichang,	..	...	...	...	...	...	...	..	..	...	...	...	..	...	...	...
Hankow,	..	30.13	765.0	68	...	NE	2	bc	..	30.24	768.1	61	..	N	1	cc
Changsha,	..	.	.	...	...	...	...	...	..	.	.	...	...	...	..	...
Shanghai,	14	30.13	765.3	70	61	NE	4	o	..	30.15	765.9	64	62	NNE	6	o
Gutzlaff,	..	30.08	764.0	71	66	NNE	6	b	..	30.09	764.3	66	68	NE	8	o
Sharp Peak,	..	29.80	756.9	78	65	N	2	o	..	29.83	757.7	73	72	N	2	o
Amoy,	..	29.65	753.1	84	60	NE	4	o	6	29.67	753.6	77	69	NNE	4	o
Swatow,	..	29.65	753.1	88	...	N	3	c	..	29.62	752.6	75	...	NNW	3	o
Taihoku,	13	29.75	755.7	73	94	ENE	4	r	..	29.68	753.9	75	94	NE	4	r
Taichu,	..	29.52	749.7	81	...	N	4	o	..	29.60	751.8	73		N	2	r
Tainan,	..	29.45	747.9	79	...	N	6	o	..	29.59	751.5	81		.	C	b
Koshun,	..	...	...	...	...	...	...	...	..	29.60	751.8	...		ESE	2	o
Pescadores,	..	...		..	.	...	...	...	..	...	...	...	..	...	..	...
Canton,	14	...	...	...	...	...	...	...	6	29.70	754.1	66		NW	2	o
Hong Kong,	..	29.64	752.8	80	50	NW	4	o	..	29.67	753.6	70	66	NNW	3	o
Gap Rock,	..	29.62	752.3	...	...	NNW	7	o	..	29.63	752.6	...	...	NNW	8	o
Macao,	..	29.73	752.7	77	54	NNW	4	o	..	29.66	753.3	68	64	N	6	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...		...	..	...
Pakhoi,	..	...		...	..	...	...	...	..	...	..	..	..	..	...	...
Hoihow,	..			...			...	...	..	..	...	...		.		..
Pratas Island,	11	29.49	749.0	71	96	N	8	or	6	29.24	742.2	77	92	ENE	11	or
Phulien,	1	29.79	756.6	84	64	N	2	o	7	29.86	758.4	79	69	NNE	6	c
Tourane,	..	29.74	755.4	79	...	...	c	o	..	29.74	755.4	77	...	N	8	r
Cape St. James	..	.		...	...	...	...	...	..	29.71	754.5	77	..	NW	2	o
Basco,	..	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	..			...	...	...	...	...	..	..	..	...	...		..	...
Manila,	..	29.52	749.7	82	89	SW	4	o	..	29.63	752.7	75	94	SE	1	o
Legaspi,	..	29.60	751.8	84	71	SSW	4	o	..	29.65	753.0	77	89	SW	4	o
Tacloban,	..	...	...	...	.	...	...	...	..	...	...	...		...		...
Iloilo,	..	29.63	752.7	84	77	S	6	o	..	29.71	754.5	79	90	SW	4	o
Surigao,	..	29.63	751.9	86	68	W	4	o	..	29.73	755.1	79	80	WSW	1	o
Guam,	12.20	29.66	753.3	...	...	N	2	o	4.20	29.67	753.6	...	..	N	1	o
Yap,	12.47	29.73	755.1	..	...	N	4	o	4.47	...	..		...	...	...	...
Pelew,	11.00	..	...	..	...	...	...	...	5	...	..	...	...	...	...	...
Labuan,	14	29.77	756.1	84	83	NW	2	b	6	29.83	757.7	78	91	SW	2	b

October 8*d*. 18*h*. 00*m*.—Local signal No. 2 hoisted.

October 9*d*. 7*h*. 38*m*.—Warning to Hong Kong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 21° N. Long. 116° E., moving W.N.W.

October 9*d*. 12*h*. 05*m*.—Warning to Hong Kong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 20° N. Long. 115° E., moving W.

October 9*d*. 11*h*. 55*m*.—Pressure is decreasing slightly at Hong Kong. A strong anticyclone is central over N.E. China and a severe typhoon passed a few miles S. of Pratas at about 6 a.m. this morning on a W.N.W. track. It is now about 60 miles W.S.W. of Pratas travelling W.

Though the centre will pass farther south of Hong Kong than indicated hitherto, a gale from N.E. to E. is still anticipated to-night and tomorrow morning.

Shanghai warning. 9*d*. 10*h*. 30*m*.:—A severe typhoon within 60 miles of Lat. 21° N. Long. 117° E., moving W.N.W. Recd. 9*d*. 11*h*. 10*m*.

Manila warning. 9*d*. 8*h*. 00*m*.:—Typhoon in Lat. 19° N. Long. 117° E., moving W. Recd. 9*d*. 8*h*. 40*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 93·54 inches, against an average of 78·08 inches

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N.E. gale.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	Cyclonic gales; overcast, rain
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	10th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.07	763.8	60	...	N	2	b	6	30.24	768.0	..	..	..	0	b
Nemuro,	11	29.82	757.5	...	...	WNW	1	...	5	29.90	759.5	...	...	NNW	1	..
Hokodate,	..	30.00	762.0	...	...	WNW	4	...	..	30.04	763.0	...	...	W	1	..
Tokio,	..	30.02	762.5	...	..	N	1	...	..	30.03	763.0	...	...	NE	1	..
Kochi,	..	29.94	760.5	...	...	...	...	...	..	29.98	761.5	...	...	NW	1	..
Nagasaki,	..	29.96	761.0	..	...	NE	3	...	..	30.00	762.0	...	..	NE	2	..
Kagoshima,	..	29.90	759.5	...	...	NE	1	...	..	29.94	760.5	...	...	NW	1	...
Oshima,	..	29.75	756.0	...		N	1	...	..	29.82	757.5	...	...	SE	1	...
Naha,	..	29.72	755.0	...	...	NW	1	...	..	29.78	756.5	...	...	WNW	1	
Ishigakijima,	..	29.74	755.5	...	..	ENE	1	...	..	29.76	756.0	..	...	N	1	
Bonin Island,	..	29.84	758.0	..			0	..	..	29.73	755.0	...	...	NNE	1	
Chefoo,	15	30.26	768.6	65	58	NNW	2	b	6	30.23	767.8	50	88	NNW	1	b
Ichang,	..	...	...	...	...	...	...	...	..	..	..	...	..	..	...	...
Hankow,	..	30.21	767.3	67	...	NNE	3	o	..	30.22	767.6	63	...	NE	2	o
Changsha,	..	...	...	...	...	...	...	...	..	30.20	767.1	67	...	NNW	1	o
Shanghai,	14	30.14	765.6	68	60	NNE	4	o	..	30.17	766.2	59	89	NNW	2	r
Gutzlaff,	..	30.11	764.8	68	63	NNE	6	o	..	30.14	765.5	65	75	NNE	4	o
Sharp Peak,	..	29.83	757.7	73	67	NNE	4	o	7	29.90	759.4	71	71	N	2	o
Amoy,	..	29.74	755.4	77	69	NE	4	o	6	29.82	757.4	74	72	NNE	4	o
Swatow,	..	29.70	754.4	75	..	N	4	o	..	29.80	756.9	70	...	...	0	o
Taihoku,	11	29.82	756.9	73	98	E	2	r	5	29.84	757.8	73	92	E	4	r
Taichu,	..	29.67	753.6	86	...	N	2	h	..	29.65	753.0	72			..	...
Tainan,	..	29.65	753.0	86	...	W	2	b	..	29.73	755.1	72		N	1	h
Koshun,	..	29.67	753.6	84	...	E	2	r	..	29.75	755.7	79		ENE	2	o
Pescadores,	..	...	...	..		...	...	...	..	29.76	756.0	75	..	ENE	6	h
Canton,	14	...	...	...	...	...	...	...	6	...	...	65	..	NW	3	or
Hong Kong,	..	29.61	752.1	76	60	N	5	o	..	29.71	754.6	67	79	NNE	4	o
Gap Rock,	..	29.62	751.8	...	...	NNW	9	eq	..	29.68	753.9	...		NNE	8	eq
Macao,	..	29.61	752.1	70	69	N	6	o	..	29.71	754.5	64	88	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9			...		..	..	...
Pakhoi,	..	...		...	...	...	...	...	..	..	..	..	..	..	...	...
Hoihow,	..			...	...	...	...	...	..	..	..	...			..	..
Pratas Island,	14	29.54	750.3	77	96	ENE	7	or	6	29.64	752.8	79	94	ENE	6	o
Phulien,	..	29.78	756.3	81	50	NNW	4	h	7	29.87	758.7	66	71	N	4	h
Tourane,	..	29.69	754.2	77	...	N	8	o	..	29.75	755.7	72	...	N	8	r
Cape St. James	..	29.67	753.6	84	...	W	2	o	..	29.73	755.1	77		W	2	h
Basco,	..	...	...	...	...	...	...	...	6	...	...	...	...	...	...	..
Aparri,	..	29.58	751.2	85	75	NNE	4	h	..	29.71	754.5	75	96	S	2	o
Manila,	..	29.62	752.4	86	71	SW	6	o	..	29.72	754.8	77	89		0	o
Legaspi,	..	29.63	752.7	86	68	SW	4	o	..	29.74	755.4	75	96	SW	2	o
Taoloban,	..	29.67	753.6	90	60	SSW	2	o	..	29.76	756.0	77	92		0	o
Iloilo,	..	29.69	754.2	82	81	S	6	o	..	29.78	756.3	77	94	S	2	o
Surigao,	..	29.69	754.2	86	65	W	2	o	..	29.76	756.0	77	92	W	1	o
Guam,	12.20	29.65	753.0	..	...	NE	1	o	4.20	29.72	754.8	...	..	SE	1	o
Yap,	12.47	29.69	754.2	...	...	SE	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	...	...	...	...	5	...	..	...	...	...	...	...
Labuan,	14	29.77	755.1	88	84	NW	2	b	6	29.82	757.4	80	87	SW	2	b

October 10*d*. 6*h*. 55*m*.—Warning to Hong Kong, Coast Ports, &c :—A severe typhoon within 60 miles of Lat. 20° N. Long. 115° E., stationary or very slow.

October 10*d*. 9*h*. 20*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 114° E., moving W.

October 10*d*. 9*h*. 25*m*.—Local signal No. 2 lowered.

October 10*d*. 12*h*. 00*m*.—Pressure has increased slightly from Hong Kong to S.W. Japan and over the Philippines. It has decreased slightly over Indo-China and is nearly stationary from Shanghai to Chefoo.

The anticyclone covers China, S.E. Mongolia and Manchuria.

At 6 a.m. this morning the typhoon was in about Lat. 19½° N. and Long. 114½° E., moving slowly W. by S. or filling up.

Shanghai warning. 9*d*. 14*h*. 35*m*.:—A severe typhoon within 60 miles of Lat. 21° N. Long. 115° E., moving W. Recd. 9*d*. 14*h*. 57*m*.

Manila warning. 9*d*. 15*h*. 30*m*.:—Typhoon in Lat. 19° N. Long. 115° E., moving W. Recd. 9*d*. 16*h*. 28*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·07 inch. Total since January 1st 93·61 inches, against an average of 78·29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong; overcast, occasional rain.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	11th OCTOBER. 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.17	766.2	56	...	S	2	b		30.11	764.8	49	.	NNE	4	b
Nemuro,	11	30.18	766.5	...	...	ESE	2	...		30.02	762.5	...		SW	1	
Hokodate,	.	30.09	764.0	...	...	W	5	...	.	30.12	765.0	...			0	
Tokio,	..	30.08	764.0	...	...	NE	1			30.14	765.5	...			0	
Kochi,	..	30.02	762.5	...	...	NNE	1		.	30.04	763.0	...		WSW	1	
Nagasaki,	..	30.00	762.0	...	...	NE	2			30.04	763.0	...		NNE	1	
Kagoshima,	..	29.96	761.0	...	...	NE	1					...		NE	1	
Oshima,	..	29.86	758.5	...	...	NE	1		..	29.84	758.0	...		...	0	
Naha,	..	29.80	757.0	...	...	N	1		..	29.78	756.5	...		NE	1	
Ishigakijima,	..	29.80	757.0	...	..	NNE	1		..	29.78	756.5			NNE	1	
Bonin Island,	.	29.67	753.5	.	.	NE	1		..	29.78	756.5	...		N	1	
Chefoo,	15	30.16	766.0	64	63	N	1	0	6	30.14	765.5	52	79		0	b
Ichang,	..	..	...	...	...		...		..			&.		.	...	...
Hankow,	..	...	...	...	...	...	...	...		30.15	765.8	61		N	1	b
Changsha,	..	...	...	...	...	...	...	...		..	..	..	...			
Shanghai,	14	30.14	765.6	65	67	NNE	2	0		30.17	766.2	59	96	ENE	2	0
Gutzlaff,	..	30.11	764.8	67	74	NNE	4	0		30.13	765.3	64	73	NNE	4	0
Sharp Peak,	..	29.88	758.9	72	71	N	2	0		29.94	760.5	70	75	NNW	1	0
Amoy,	..	29.78	756.4	80	66	NE	4	0	6	29.82	757.4	74	76	NNE	4	0
Swatow,	..	29.74	755.4	72	...	NE	4	0	..	29.82	757.4	76	...	NNW	1	0
Taihoku,	..	29.81	757.2	73	92	E	4	r		29.88	759.0	72	94	E	2	0
Taichu,	..	29.78	756.3	81	...	N	2	0		29.80	756.9	72		NNW	1	b
Tainan,	..	29.75	756.0	84	...	NNW	2	b	..	29.79	756.6	72		NE	2	0
Koshun,	..	29.78	756.3	86	...	NE	2	0		29.78	756.3	77		..	0	0
Pescadores,	..	29.81	757.2	81		NNE	6	0	..	29.81	757.2	75		NE	6	0
Canton,	14	29.81	757.2	68	79	N	3	0	6	29.81	757.2	64	.	N	2	or
Hong Kong,	.	29.71	754.9	72	75	NNE	3	od	.	29.79	756.6	68	85	N	2	or
Gap Rock,	..	29.77	753.6	...	...	NE	6	od		29.75	755.6	.		NE	6	cd
Macao,	..	29.69	754.2	68	81	N	4	r	..	29.76	756.0	63	94	N	4	r
Wuchow,	15	...	...	...	...	...	...	...	9			...		..	..	...
Pakhoi,	..	...		...			...	...	..						...	...
Hoihow,	..		.	...	..		...	.	..			..			.	...
Pratas Island,	14	29.67	753.6	82	86	ENE	4	bc	6	29.74	755.4	79	92	E	4	0
Phulien,	1	29.70	755.9	79	55	NNW	4	b		29.87	758.7	70	65	N	4	0
Tourane,	.	29.74	755.4	70	...	NW	7	r	.	29.76	756.0	72	...	NW	7	0
Cape St. James,	..	29.68	753.9	86	...	WNW	2	0	..	29.76	756.0	75		W	2	0
Basco,	..	29.69	754.2	84	81	SW	2	0	6	29.74	755.4	75	96	...	0	0
Aparri,	..	29.67	753.6	86	71	NNW	2	b	..	29.74	755.4	75	94	...	0	0
Manila,	..	29.71	754.5	84	77	WSW	4	0	..	29.74	755.4	77	96	SE	1	0
Legaspi,	..	29.68	753.9	86	75	SW	4	0	..	29.73	755.1	79	87	SW	2	0
Tacloban,	..	...	..	...	...	...	...	...	..	.		...	...	...	...	...
Iloilo,	..	29.73	755.1	86	78	S	4	0	..	29.79	756.6	75	96	NW	1	0
Surigao,	..	29.71	754.5	86	61	WSW	2	b	..	29.76	756.0	77	88	...	0	0
Guam,	12.20	29.72	754.8	...	...	S	2	0	4.20	29.79	756.6	...	...	SE	1	0
Yap,	12.47	29.71	754.5	..	...	NNE	4	0	4.47	...	...	.	...	...	...	...
Pelew,	11.00	...	...	..	...	...	...	...	5	.	..	...	..	...	...	...
Labuan,	14	29.72	756.6	88	84	NW	2	b	6	29.83	757.7	78	91	SW	2	b

October 10*d*. 15*h*. 25*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 113° E., moving W.

October 11*d*. 11*h*. 20*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 112° E, moving W.

October 11*d*. 11*h*. 15*m*.—Pressure has decreased moderately at Nemuro and increased moderately over the Bonins. Elsewhere changes are slight.

There is a steep pressure gradient over S. China.

The typhoon appears to be 200 miles S.S.W. of Hong Kong moving very slowly westward.

A typhoon may be forming about 600 miles E. of N. Luzon.

Shanghai warning 10*d*. 21*h*. 50*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 135° E., moving N.W. Recd. 10*d*. 22*h*. 46*m*

Manila warning. 10*d*. 17*h*. 45*m*.:—Typhoon in Lat. 19° N. Long. 113° E., moving W.
" " " " : Typhoon in Lat. 17° N. Long. 126° E, direction unknown. } Recd. 10*d*. 18*h*. 18*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·30 inch. Total since January 1st, 93·91 inches, against an average of 78·48 inches

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, strong; overcast, occasional rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, strong.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	12th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	30.07	763.7	60	...	...	0	b	6	29.88	758.8	50	...	WNW	2	c
Nemuro, ...	11	30.00	762.0	...	...	ESE	1	...	5	29.98	761.5	...	..	ESE	1	...
Hokodate, ...	.	30.04	763.0	...	...	WSW	2	...	,,	29.98	761.5	...	..	SW	1	...
Tokio, ...	.	30.14	765.5	...	...	...	0	...	,,	30.04	763.0	...	..	..	0	...
Kochi, ...	..	30.02	762.5	...	...		0	...	,,	29.96	761.0	...	..	..	0	...
Nagasaki, ...	,,	30.02	762.5	...	...	NNE	1	...	,,	29.96	761.0	...	..	NNE	1	...
Kagoshima, ...	,,	29.98	761.5	...	...	NE	1	...	,,	29.90	759.5	...	..	ENE	2	...
Oshima, ...	,,	29.78	756.5	...	...	NE	1	...	,,	29.82	757.5	...	...	NNE	1	...
Naha.	,,	29.80	757.0	...	...	WSW	1	...	,,	29.82	757.5	...	..	N	1	...
Ishigakijima, ..	,,	29.82	757.5	...	...	N	1	...	,,	29.82	757.5	..	...	NNE	1	.
Bonin Island, ..	.	29.78	756.5	...	...	N	1	...	,,	29.82	757.5	...	..	NE	1	...
Chefoo, ...	15	30.10	764.5	68	85	NW	2	b	6	30.06	763.5	58	90	W	1	b
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Hankow.	,,	...	...	...	...	...	...	...	,,	30.11	764.8	62	..	S	2	ec
Changsha, ...	,,	...	...	...	...	...	...	...	,,	30.10	764.5	62	...	NNW	1	ec
Shanghai.	14	30.13	765.3	73	55	NNE	1	b	,,	30.13	765.3	55	93	NNW	2	b
Gutzlaff, ...	,,	30.11	764.8	72	54	NNE	4	b	,,	30.11	764.8	63	83	N	4	b
Sharp Peak, ..	,,	29.94	760.5	72	74	N	1	o	,,	29.96	761.0	74	70	NNW	1	b
Amoy, ...	,,	29.81	757.2	80	70	NE	4	o	6	29.82	757.4	75	72	NNE	4	o
Swatow, ...	,,			73	...	E	4	b	,,	29.80	756.9	74	...	NE	3	b
Taihoku, ...	11	29.93	760.2	75	86	ENE	4	o	5	29.87	758.7	72	94	E	4	o
Taichu, ...	,,	29.81	757.2	86	...	NNW	4	b	,,	29.79	756.6	72	..	..	0	b
Tainan, ...	,,	29.81	757.2	84	...	NW	2	b	,,	29.76	756.0	72	..	N	2	o
Koshun, ...	,,	29.80	756.9	84	...	NE	4	o	,,	29.75	755.7	75	.	NNE	6	r
Pescadores, ..	,,	29.86	758.4	79	..	NNE	6	o	,,	29.79	756.6	77	...	NE	6	o
Canton.	14	...	...	...	...	...	...	...	6	29.83	757.7	71	..	NW	2	o
Hong Kong, ..	,,	29.79	756.6	73	77	ENE	3	o	,,	29.80	756.9	72	84	ENE	3	o
Gap Rock, ...	,,	29.76	755.9	...	...	ENE	7	oq	,	29.77	756.1	...	..	ENE	7	oq
Macao, ...	,,	29.75	755.7	64	96	N	4	o	,,	29.76	756.0	68	85	NNE	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	..	...	..	...	...	...
Pakhoi, ...	,,	...		...	...	..	...	...	,,	...	...	...	...	..	...	...
Hoihow.	,,			...	...		..	...	..	...	...	...	...	..	..	...
Pratas Island, ...	14	29.74	755.4	80	87	ENE	5	c	6	29.75	755.6	76	92	NE	6	o
Phulien, ...	15	29.80	758.4	81	53	NW	4	o	7	29.85	758.1	68	87	NNW	6	o
Tourane, ...	.	29.73	755.1	73	...	NW	7	o	,,	29.72	754.8	72	...	NW	6	o
Cape St. James	,,	29.71	754.5	82	...	WNW	2	o	,,	29.71	754.5	77	...	WNW	2	o
Basco, ...	,,	29.72	754.8	86	85	NNE	2	b	6	29.72	754.8	77	92	NE	2	o
Aparri, ...	,,	29.72	754.8	84	77	N	4	o	,,	29.69	754.2	75	94	SW	2	r
Manila, ...	,,	29.73	755.1	81	86	SW	4	r	,,	29.69	754.2	75	94	ENE	1	o
Legaspi, ...	,,	29.69	754.2	82	84	SW	4	o	,,	29.68	753.9	77	92	SW	2	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.71	754.5	86	78	S	4	o	,,	29.74	755.4	79	89	SE	2	o
Surigao, ...	.	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.73	755.1	...	...	E	2	o	4.20	29.76	756.0	...	...	N	1	o
Yap, ...	12.47	29.69	755.2	...	...	S	4	o	4.47	...	...	...	...	.	...	...
Pelew, ...	11.00	...	..	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan, ...	14	29.78	756.4	88	84	NW	2	b	6	29.82	757.4	78	91	SW	2	b

October 11*d.* 16*h.* 55*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon in Lat. 19° N. Long. 112° E., filling up.

October 12*d.* 9*h.* 50*m.*—Warning to Hong Kong, Coast Ports, &c:—Depression or typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 127° E., moving W.

October 12*d.* 10*h.* 55*m.*—Pressure is highest over central China. It has decreased slightly over Japan, E. China, Formosa, the Philippines, and S. Indo-China and increased slightly over the Loochoos. It is nearly stationary at Hong Kong.

There is a typhoon about 350 miles E.N.E. of Manila moving westward.

Shanghai warning 11*d.* 21*h.* 30*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 132° E., moving N.W. Recd. 11*d.* 22*h.* 12*m.*

Manila warning. 11*d.* 19*h.* 30*m.*:—Typhoon in Lat. 19° N. Long. 129° E., almost stationary.
,, ,, ,, ,, :—Typhoon over N. China Sea moving S.W. } Recd. 11*d.* 20*h.* 12*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·23 inch. Total since January 1st, 94·14 inches, against an average of 78·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks, } 3.—Hong Kong to Gap Rock, ... } 4.—South coast of China between Hong Kong and Hainan,	E. winds, strong, moderating; overcast, occasional rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	13th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.85	758.1	52	...	NNE	6	c	6	29.93	760.1	52	..	NNW	3	b
Nemuro,	11	29.59	751.5	...	...	SE	1	...	5	29.55	750.5	...	...	WSW	4	...
Hokodate,	.	29.84	757.8	...	...	WSW	1	...	,,	29.86	758.5	...	...	WNW	3	...
Tokio,	.	29.91	760.5	...	...	SE	1	..	,,	29.90	759.5	...	...	NNW	1	...
Kochi,	,,	29.92	760.0	...	...	...	0	...	,,	30.00	762.0	...	...		0	...
Nagasaki,	.	29.96	761.0	...	...	W	1	...	,,	30.04	763.0	...	..	NE	1	...
Kagoshima,	,,	29.92	760.0	...	...	ESE	1	...	,,	30.00	762.0	...	...	...	0	...
Oshima,	,,	29.86	758.5	...	...	N	2	...	,,	29.96	761.0	...	...	N	1	...
Naha,	,,	29.86	758.5	...	...	N	1	...	,,	29.94	760.5	...	...	N	1	...
Ishigakijima,	,,	29.86	758.5	...	...	NE	1	...	,,	29.88	759.0	...	...	SE	2	...
Bonin Island,	.	29.84	758.0	...	...	E	1	...	,,	29.84	758.0	...	...	S	1	..
Chefoo,	15	30.14	765.5	68	74	NNW	2	b	6	30.22	767.6	62	77	ENE	1	b
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	30.17	766.3	70	...	NE	3	c	,,	30.22	767.6	65	...	NNE	1	oc
Changsha,	,,	...	...	...	...	...	...	...	,,	30.14	765.5	63	...	NW	2	om
Shanghai,	14	30.13	765.3	73	41	NNE	1	b	,,	30.19	766.8	59	89	N	1	o
Gutzlaff,	,,	30.14	765.5	70	61	N	4	b	,,	30.17	766.3	65	68	NNE	4	b
Sharp Peak,	,,	29.92	759.9	75	60	ENE	4	o	,,	29.99	761.7	70	75	NE	2	o
Amoy,	,,	29.84	757.9	86	61	ENE	4	b	6	29.87	758.7	73	58	NNE	4	o
Swatow,	,,	29.80	756.0	85	...	ENE	3	bo	,,	29.87	758.7	77	...	NNE	1	b
Taihoku,	11	29.93	760.2	77	94	E	4	o	5	29.94	760.5	70	95	E	4	r
Taichu,	,,	29.82	757.5	82	...	NNW	2	o	,,	29.81	757.8	72	..		0	o
Tainan,	,,	29.79	756.6	77	...	N	2	r	,,	29.79	756.6	70	.	NNE	2	b
Koshun,	,,	29.76	756.0	81	...	NE	6	o	,,	29.78	756.3	79	.	NNE	6	b
Pescadores,	,,	29.85	758.1	81	...	NNE	7	b	,,	29.87	758.7	75	...	NE	6	o
Canton,	14	...	...	..	..	...	...	...	6	29.89	759.2	60	..	WNW	2	o
Hong Kong,	,,	29.78	756.4	78	71	E	4	o	,,	29.85	758.2	73	75	ENE	4	o
Gap Rock,	,,	29.75	755.6	...	...	ENE	6	o	,	29.81	757.2	...		ENE	6	cd
Macao,	,,	29.78	756.3	73	79	NNE	4	o	,,	29.82	757.5	70	94	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	..	...	...	...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	.	.	...	...	...	...	...	..	...	...	...	...	...	...	..
Pratas Island,	14	29.73	755.1	80	81	NE	6	o	6	29.77	756.1	78	83	NE	7	oc
Phulien,	15	29.78	756.3	75	71	NNW	4	o	7	29.84	757.8	74	100	NW	4	rf
Tourane,	,,	29.69	754.2	79	...	NW	6	r	,,	29.73	755.1	73	...	NW	2	b
Cape St. James	,,	29.68	753.9	77	...	W	2	r	,,	29.69	754.2	75	...	ENE	2	o
Basco,	,,	29.71	754.5	82	81	NE	4	o	6	29.75	755.7	81	87	ESE	4	o
Aparri,	,,	29.65	753.0	79	91		c	r	,,	29.63	752.7	79	90	NE	6	r
Manila,	,,	29.63	752.7	85	68	SW	4	o	,,	29.69	754.2	77	96	NNE	1	o
Legaspi,	,,	29.66	753.3	79	95	...	0	...	,,	29.73	755.1	75	96	...	c	o
Tacloban,	,,	..	..	..	..	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	..	...	...	,,	29.74	755.4	79	98	...	0	b
Surigao,	,,	...	...	...	...	...	...	...	..	29.74	755.4	77	94	WSW	1	o
Guam,	12.20	29.72	754.8	.	...	NNE	2	o	4.20	29.74	755.4	...	...	E	1	o
Yap,	12.47	29.68	753.9	..	...	ESE	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	..	.	.	...	...	...	5	...	.	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NW	4	b	5	29.86	758.4	76	91	SW	1	r

October 12*d.* 16*h.* 40*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 126° E., moving W.

October 13*d.* 10*h.* 45*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 125° E., moving W.

October 13*d.* 10*h.* 55*m.*—Pressure has decreased moderately at Nemuro and slightly at Aparri and Cape St. James. It is nearly stationary over Indo-China and has increased slightly elsewhere.

The anticyclone over China has strengthened slightly.

The typhoon is about 250 miles N.E. of Manila travelling West. It will probably continue on this course towards Tourane.

Shanghai warning 12*d.* 21*h.* 30*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 128° E., moving W.N.W. Recd. 12*d.* 22*h.* 10*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 94·14 inches, against an average of 78·80 inches

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	14th OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.29	769.4	44	...	NNW	4	b	6	30.45	773.4	36	...	NNE	3	b
Nemuro,	11	29.55	750.5	...	...	WSW	4	...	5	...	...	...	..	...	...	..
Hokodate,	.	29.90	759.5	...	...	W	3	...	,,	30.18	766.5	...	...	WNW	3	...
Tokio,	..	29.94	760.5	...	...	NNW	5	...	,,	30.24	768.0	...	...	NNW	2	...
Kochi,	..	30.04	763.0	...	...	N	1	...	,,	30.26	768.5	...	...	SW	1	...
Nagasaki,	..	30.10	764.5	..	...	NE	2	...	,,	30.24	768.0	...	..	ISE	1	...
Kagoshima,	,,	30.01	763.0	...	...	NE	1	...	,,	30.20	767.0	...	...	W	1	...
Oshima,	,,	29.98	761.5	...	...	NNE	2	...	,,	30.08	764.0	...	...	...	C	...
Naha,	,,	29.98	761.5	...	...	NNW	2	...	,,	30.02	762.5	...	...	ENE	1	...
Ishigakijima,	,,	29.91	760.5	...	...	N	3	...	,,	29.98	761.5	...	...	NE	1	...
Bonin Island,	.	29.90	757.0	...	...	SSW	1	...	..	29.94	760.5	...	...	NNE	1	...
Chefoo,	15	30.23	764.8	66	68	ENE	1	o	6	30.20	767.1	58	94	...	C	o
Ichang,	,,	..	..	...	...		...	...	,,	...	...	...	...	...	...	...
Hankow,	,,	30.14	765.5	79	...	NNE	1	c	,,	30.20	767.1	68	...	N	1	c
Changsha,	,,		...	...	...		...	...	,,	30.12	765.0	63	...	NW	2	b2
Shanghai,	14	30.18	766.5	68	56	ENE	2	o	,,	30.18	766.5	59	96	NE	1	b
Gutzlaff,	,,	30.18	766.6	69	61	NE	2	o	,,	30.18	766.5	65	95	N	1	c
Sharp Peak,	,,	29.98	761.5	75	72	NNE	2	o	,,	30.00	762.0	72	76	N	2	o
Amoy,	,,	29.87	758.7	83	63	NE	4	b	6	29.90	759.5	75	72	N	4	c
Swatow,	,,	29.86	758.4	78	..	E	4	b	,,	29.85	758.2	74	...	ENE	3	o
Taihoku,	11	29.99	761.7	75	85	E	4	r	5	29.93	760.8	73	92	E	4	r
Taichu,	,,	29.87	758.9	81	...	NNW	2	o	,,	29.91	759.6	72	...	...	C	o
Tainan,	,,	29.84	757.8	79	...	N	2	r	,,	29.88	759.0	72	...	...	C	b
Koshun,	,,	29.84	757.8	79	...	NE	6	r	,,	29.89	759.3	77	...	NE	4	r
Pescadores,	,,	29.89	759.3	79	...	E	7	o	,,	29.91	759.6	77	...	NE	4	b
Canton,	14	29.86	758.4	78	61	E	4	c	6	29.87	758.7	73	...	NW	2	o
Hong Kong,	,,	29.84	757.9	78	70	E	3	o	,,	29.85	758.2	76	71	E	4	o
Gap Rock,	,,	29.82	757.4	...	...	ENE	6	b	,	29.82	757.4	...	..	ENE	6	o
Macao,	,,	29.82	757.5	77	72	NE	4	o	,,	29.82	757.5	72	88	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	..	...
Pakhoi,	,,	...		...	...	..	...	...	,,	...	...	..	...	...	...	...
Hoihow,	,,			...	...		...	...	..	...	...	...	...	...	..	..
Pratas Island,	14	29.73	755.1	79	78	NE	7	o	6	29.78	756.4	77	99	ESE	7	or
Phulien,	15	29.82	757.5	70	94	NW	4	rf	7	29.87	758.7	66	100	NNW	4	rf
Tourane,	,,	29.69	754.2	77	...	NW	6	b	,,	29.80	756.9	73	...	NW	4	o
Cape St. James	,,	29.67	753.6	81	...	SE	2	o	,,	29.78	756.3	75	...	W	2	o
Basco,	,,	29.76	756.0	84	81	ESE	4	o	6	29.87	758.7	81	87	ESE	4	o
Aparri,	,,	29.71	754.5	82	87	SSE	2	o	,,	29.84	757.8	75	96	...	C	o
Manila,	,,	29.68	753.9	84	74	SW	2	o	,,	29.79	756.6	75	96	...	o	b
Legaspi,	,,	29.68	753.9	86	78	NE	4	o	,,	29.76	756.0	75	96	...	o	o
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	85	65	S	4	o	,,	29.79	756.6	75	98	N	2	o
Surigao,	..	29.68	753.9	81	87	...	o	o	..	29.76	756.0	75	96	SW	1	r
Guam,	12.20	29.68	753.9	.	...	E	2	o	4.20	29.79	756.6	...	...	E	2	o
Yap,	12.47	29.68	753.9	...	...	NE	4	b	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..		...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	79	76	NW	2	b	6	29.84	757.9	78	91	SW	1	b

October 14*d*. 7*h*. 46*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon in Lat. 17° N. Long. 119° E. stationary or very slow, position uncertain.

October 14*d*. 10*h*. 55*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon in Lat. 17° N. Long. 117° E. moving W. position uncertain.

October 14*d*. 11*h*. 05*m*.—Pressure has increased considerably over Japan and S. Manchuria, moderately over the Loochoos and slightly from Formosa to the Philippines and Pratas. It is nearly stationary over S. China.

The anticyclone is central over Manchuria.

The typhoon appears to be over 300 miles S.S.E. of Hong Kong moving westwards.

Manila warning. 13*d*. 18*h*. 15*m*.:—Depression northeastern part China Sea. Recd. 13*d*. 18*h*. 57*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·08 inch. Total since January 1st. 94·22 inches, against an average of 78·93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
1.—Formosa Channel,	E. winds, strong; overcast, occasional rain.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th October, 1926.								15th October, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hekodate,	"	30.22	767.5	...	...	NW	3	...	"	...	...	...	...	...	...	...
Tokio,	"	30.24	768.0	...	...	NNE	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.24	768.0	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.22	767.5	...	...	NW	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.20	767.0	...	...	ENE	1	...	"	...	...	...	...	...	...	...
Oshima,	"	30.10	764.5	...	...	SSE	1	...	"	...	...	...	...	...	...	...
Naha,	"	30.04	763.0	...	...	NE	3	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	30.00	762.0	...	..	ENE	2	...	"			...	...	...	...	...
Bonin Island,	..	29.98	761.5			NNE	2	...	..	...	...	...	...	...	...	...
Chefoo,	15	30.14	765.5	63	100	...	0	0	6	30.03	762.7	56	100	...	0	0
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hankow,	"	...	...	...	...	...	...	...	"	30.04	763.0	66	...	NNW	2	00
Changsha,	"			...		...	...	...	"	...		...	...	...		
Shanghai,	14	30.11	764.7	81	56	SSE	1	b	"	30.04	762.9	68	96	ESE	1	0
Gutzlaff,	"	30.12	765.0	75	72	ESE	2	b	"	30.05	763.2	68	100	SSE	2	0
Sharp Peak,	"	30.02	762.5	76	77	N	1	0	7	29.98	761.5	75	75	NW	1	0
Amoy,	"	29.92	759.9	84	68	NE	2	b	6	29.89	759.2	77	82	NE	1	0
Swatow,	"	29.86	758.4	79	...	E	2	0	"	29.89	759.2	79	...	NE	1	0
Taihoku,	11	29.97	761.1	81	76	E	6	0	5	29.92	759.9	75	89	ENE	4	b
Taichu,	"	29.93	760.2	86	...	SW	2	0	"	29.93	760.2	75	..		0	0
Tainan,	"	29.93	760.2	82	...	WNW	2	b	"	29.95	760.8	75	..	...	0	b
Koshun,	"	29.95	760.8	84	...	NE	4	b	"	29.92	759.9	77	.	ENE	2	b
Pescadores,	"	29.97	761.1	81		NNE	6	0	"	29.93	760.2	77	...	NNE	4	0
Canton,	14	29.90	759.4	72	95	ENE	1	or	6	29.88	758.9	74	...	...	0	0
Hong Kong,	"	29.85	758.2	73	90	ENE	5	or	"	29.88	758.9	75	89	E	5	od
Gap Rock,	"	29.82	757.4	...	...	ENE	6	od	"	29.84	757.9	...		ENE	6	0
Macao,	"	29.82	757.5	70	96	NE	4	r	"	29.81	757.2	75	94	ESE	6	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...		...	...	...
Pakhoi,	"	...	...	...	..	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	..	..	...	...		...	...	..	...	...	...	...		..	...
Pratas Island,	14	29.83	757.7	80	92	ENE	4	0	6	29.86	758.4	78	94	ENE	4	c
Phulien,	13	29.85	758.1	79	80	WNW	4	0	7	29.87	758.7	70	98	NW	4	tf
Tourane,	"	29.78	756.3	77	...	NW	6	0	"	29.85	758.1	73	...	NW	2	0
Cape St. James	"	29.73	755.1	81	...	SSE	2	0	..	29.81	757.2	73	...	...	0	r
Basco,	"	29.87	758.7	84	77	ESE	4	0	6	29.88	759.0	79	85	NE	2	0
Aparri,	"	29.82	757.5	86	75	ENE	4	0	"	29.85	758.1	73	95	...	0	b
Manila,	"	29.80	756.9	79	89	...	0	0	"	29.80	756.9	77	94	E	1	0
Legaspi,	"	29.75	755.7	84	85	...	0	0	..	29.75	755.7	81	87	NNE	2	0
Tacloban,	"	...	...	...	...	...	...	...	"	29.76	756.0	77	96	NW	2	0
Iloilo,	"	29.76	756.0	79	89	N	4	0	"	29.76	756.0	75	98	N	4	0
Surigao,	..	29.72	754.8	81	76	W	2	0	..	29.75	755.7	73	96	WSW	1	0
Guam,	12.20	29.73	755.1		...	E	4	0	4.20	29.78	756.3	...	...	E	1	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00		...			...	...	...	5	..	..	...	...	...	...	...
Labuan,	14	29.77	756.1	85	88	NW	4	b	6	29.82	757.4	78	91	...	2	b

October 14*d*. 15*h*. 30*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon in Lat. 17° N. Long. 116° E., moving W. position uncertation.

October 14*d*. 16*h*. 51*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon in Lat. 17° N. Long. 116° E., filling up, position uncertain.

October 15*d*. 11*h*. 55*m*.—Pressure has decreased moderately over E. China and slightly over the Philippines. It is nearly stationary over S. China. Gradients over China and the China Sea are shallower.

Moderate monsoon may be expected over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·14 inch. Total since January 1st. 95·36 inches, against an average of 79·05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	E. winds, fresh to moderate; overcast, at first, improving later.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	16th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.23	767.9	46	...	NNE	4	0	6	30.02	762.4	37	...	NNE	3	r
Nemuro,	11	...	...	...	...	...	...	...	5	30.04	763.0	...	...	NW	4	...
Hokodate,	"	...	...	...	...	...	...	...	"	30.14	765.5	...	...	...	0	...
Tokio,	"	...	...	...	...	...	...	...	"	29.98	761.5	...	...	NNW	1	...
Kochi,	"	...	...	...	...	...	...	...	"	29.84	758.0	...	...	...	0	...
Nagasaki,	"	...	...	...	...	...	...	...	"	29.84	758.0	...	...	WNW	2	...
Kagoshima,	"	...	...	...	...	...	...	...	"	29.84	758.0	...	...	SSW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	29.88	759.0	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	29.88	759.0	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	29.90	759.5	...	...	NNE	1	...
Bonin Island,	"	...	...	...	...	...	...	...	"	30.00	762.0	...	...	E	1	...
Chefoo,	15	29.91	759.7	63	91	NW	2	0	6	29.91	759.7	60	50	NW	2	b
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hankow,	"	...	...	...	...	...	...	...	"	30.03	762.7	59	...	N	2	o
Changsha,	"	...	...	...	...	...	...	...	"	30.10	764.5	62	...	NW	3	oc
Shanghai,	14	29.98	761.4	73	79	NNW	1	o	"	29.87	758.7	57	96	NW	2	r
Gutzlaff,	"	29.98	761.5	76	77	SSW	2	o	"	29.92	759.9	62	94	NNW	4	r
Sharp Peak,	"	29.95	760.7	82	75	E	1	o	"	29.88	758.9	77	86	N	1	bf
Amoy,	"	29.86	758.4	86	72	SE	2	b	6	29.87	758.7	76	92	SE	2	o
Swatow,	"	29.86	758.4	84	...	...	0	b	"	...	...	...	...	...	...	...
Taihoku,	14	29.91	759.6	90	57	E	2	b	5	29.87	758.7	73	94	...	0	o
Taichu,	"	29.92	759.9	86	...	SW	2	b	"	29.88	759.0	73	.	...	0	o
Tainan,	"	29.92	759.9	86	...	WNW	2	b	"	29.86	758.4	72	...	...	0	b
Koshun,	"	29.92	759.9	86	...	ENE	4	b	"	29.84	757.8	77	..	ENE	2	b
Pescadores,	"	29.94	760.5	82	...	NNW	4	b	"	29.86	758.4	75	...	NW	1	b
Canton,	14	...	...	...	...	...	...	...	6	29.85	758.2	80	...	ESE	2	bc
Hong Kong,	"	29.85	758.2	76	88	E	4	o	"	29.87	758.7	76	90	E	3	o
Gap Rock,	"	29.84	757.9	...	...	E	4	o	"	29.87	758.7	...	..	E	4	c
Macao,	"	29.74	755.4	77	92	ESE	4	o	"	29.84	757.8	75	96	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	..	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"			...	...		...	...	"	...	...	...	...	...	...	...
Pratas Island,	14	29.81	757.2	84	80	ENE	4	b	6	29.81	757.2	79	92	NNE	4	o
Phulien,	15	29.81	757.2	84	71	WNW	4	b	7	29.86	758.4	75	96	NNW	2	of
Tourane,	"	29.79	756.6	79	...	NW	4	b	"	29.81	757.2	75	...	NW	2	o
Cape St. James,	"	29.73	755.1	82	...	W	2	o	"	29.76	756.0	75	..	E	2	o
Basco,	"	29.81	757.2	86	78	NE	2	o	6	29.81	757.2	79	90	ESE	2	o
Aparri,	"	29.76	756.0	86	78	NNE	4	b	"	..	...	...	...	...	..	.
Manila,	"	29.74	755.4	84	81	NE	1	o	"	29.75	755.7	75	96	...	c	o
Legaspi,	"	29.68	753.9	81	96	NNE	4	o	"	29.72	754.8	81	90	N	1	b
Tacloban,	"	29.68	753.9	86	81	SSW	4	r	"	...	...	...	...	...	...	...
Iloilo,	"	29.69	754.2	90	66	NE	2	o	"	29.75	755.7	79	95	N	1	o
Surigao,	"	...	...	...	...	...	..	...	"	29.73	755.1	75	92	NE	1	o
Guam,	12.20	29.72	754.8	...	...	E	4	o	4.20	29.75	755.7	...	...	E	1	o
Yap,	12.47	29.71	754.5	...	...	N	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	86	88	NW	4	b	6	29.83	757.7	78	91	NW	2	b

October 16*d*. 11*h*. 30*m*.—Pressure has decreased considerably over Japan, moderately over E. China and slightly over Formosa. It is nearly stationary elsewhere.

A depression is central south of Korea, moving eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 79·17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; fair.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	16TH OCTOBER, 1926.								17TH OCTOBER, 1926.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)
Wladivostock,	12	29.95	760.8	41	...	NNE	4	r	6	29.85	758.1	38	...	NNW	4	r
Nemuro,	11	30.04	763.0	...	...	NW	3	...	5	29.94	760.5	...	...	ENE	1	...
Hokodate,	"	30.03	762.5	...	...	ENE	2	...	"	29.75	755.5	...	...	E	3	...
Tokio,	"	29.80	757.0	...	...	...	0	...	"	29.70	754.5	...	...	...	..	...
Kochi,	"	29.71	754.5	...	...	...	...	...	"	29.82	757.5	...	...	WSW	1	...
Nagasaki,	"	29.83	757.0	...	...	NW	2	...	"	29.94	760.5	...	...	NNW	1	...
Kagoshima,	"	29.81	756.0	...	...	WNW	1	...	"	29.92	760.0	...	...	NNW	1	...
Oshima,	"	29.88	759.0	...	...	NE	1	...	"	29.90	759.5	...	...	N	2	...
Naha,	"	29.88	759.0	...	...	WNW	1	...	"	29.90	759.5	...	...	NNW	2	...
Ishigakijima,	"	29.88	759.0	...	...	S	1	...	"	29.90	759.5	...	...	NNE	1	...
Sonie Island,	"	29.91	760.5	..		SE	1	...	"	29.88	759.0	...	...	S	1	...
Chefoo,	15	29.96	761.0	64	68	N	1	0	6	30.12	765.0	52	79	N	4	0
Ichang,	"	...	...	...	...	...	..	..	"	...	...	...	..	...	...	...
Hankow,	"	30.10	764.5	67	...	NE	1	b	"	30.20	767.1	67	...	N	1	10
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.06	763.5	63	86	NW	2	r	"	30.15	765.9	55	100	WNW	2	b
Gutzlaff,	"	30.04	763.0	63	91	NNW	4	0	"	30.15	765.8	62	90	NNW	4	0
Sharp Peak,	"	29.89	759.2	77	86	ENE	4	0	"	30.08	764.5	69	90	NNE	2	r
Amoy,	"	29.81	757.2	88	69	SE	4	b	6	29.88	758.9	75	77	NE	4	0
Swatow,	"	29.84	757.9	88	...	...	0	b	"	29.87	758.7	78	...	NE	2	0
Taihoku,	11	29.86	758.4	86	71	...	0	b	5	29.93	760.2	73	...	E	2	r
Taiohu,	"			90	...	...	0	b	"	29.88	759.0	75		...	0	0
Tainan,	"	29.86	758.4	86	...	NW	2	b	"	29.87	758.7	72	..	...	0	b
Koshun,	"	29.87	758.7	84	...	..	0	0	"	29.86	758.4	77			0	b
Pescadores,	"	29.88	759.0	84	...	NNE	2	b	"	29.89	759.3	77	...	NE	4	r
Canton,	14	..		...	...		...	...	6	29.91	759.7	71	..	N	2	0
Hong Kong,	"	29.83	757.7	82	73	ESE	3	c	"	29.89	759.2	75	86	NNE	1	c
Gap Rock,	"	29.82	757.4	...	...	ENE	4	b	"	29.89	759.2	...	..	N	4	b
Macao,	"	29.81	757.2	86	75	ESE	2	0	"	29.87	758.7	72	94	NNW	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...		...	...	...
Pakhoi,	"	...	...	...	...	..	...	...	"	...	...	...	...	...	...	...
Hoihow,	"		...	...	...		...	..	..	...	...	...			...	...
Pratas Island,	14	29.82	757.5	84	76	NNE	3	b2	6	29.84	757.9	89	88	NNE	4	00
Phulien,	15	29.80	756.9	84	77	SE	1	0	7	29.88	759.0	73	94	NE	4	0
Tourane,	"	29.76	756.0	77	...	NNW	4	0	"	29.81	757.2	75	...	...	0	0
Cape St. James	"	29.71	754.5	81	...	E	2	0	..	29.75	755.7	77	..	E	2	0
Basco,	"	29.76	756.0	84	84	NE	2	0	6	29.81	757.2	79	89	NE	2	0
Aparri,	"	29.74	755.4	86	71	NE	4	b	"	29.81	757.2	77	94	...	0	r
Manila,	"	29.72	754.8	86	75	W	2	0	..	29.79	756.6	75	94	ENE	1	0
Legaspi,	"	29.68	753.9	90	63	ENE	2	b	..	29.75	755.7	75	92	N	1	b
Tacloban,	"		...		...	...	...	...	"	...	...	...	...	...	...	..
Iloilo,	"	29.71	754.5	86	78	S	4	0	"	29.80	756.9	77	98	N	2	0
Surigao,	..	...		..	...	...	..	...	..	29.78	756.3	77	91	WSW	2	0
Guam,	12.20	29.73	755.1	..	...	NE	4	0	4.20	29.84	757.8	...	...	N	1	0
Yap,	12.47	..	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NE	4	b	6	29.83	757.7	76	94	NE	1	0

October 17*th*. 10*h*. 55*m*.—Pressure has decreased considerably at Hokkaido and moderately from Tokio to Wladivostock. It has increased moderately at Chefoo and slightly at the majority of other stations.

The depression is now central to the north of Tokio.

An anticyclone has formed over China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 95·36 inches, against an average of 79·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

DISTRICT.	FORECAST.
1.—Formosa Channel, ...	N.E. winds, moderate to fresh ; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th October, 1926.									18th October, 1926.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.84	758.0	38	...	NNE	4	o		6	29.91	759.6	34	..	NNE	4	s	
Nemuro,	11	29.82	757.5	...	...	E	3	...		5	29.59	751.5	...	...	ENE	2	..	
Hokodate,	.	29.59	751.5	...	...	NE	3	...		,,	29.63	752.5	...	...	W	3	...	
Tokio,	,,	29.70	754.5	...	...	NW	1	...		,,	29.73	755.0	...	...	...	0	...	
Kochi,	,,	29.86	758.5	...	...	SW	1	...		,,	29.86	758.5	...	..	W	1	...	
Nagasaki,	,,	29.91	760.5	...	...	W	2	...		,,	30.00	762.0	...	..	NNW	3	...	
Kagoshima,	,,	29.91	760.0	...	...	NE	1	...		,,	29.98	761.5	...	...	NNW	1	...	
Oshima,	,,	29.91	760.5	...	...	N	3	...		,,	29.96	761.0	...	...	N	2	...	
Naha,	,,	29.92	760.0	...	...	N	3	...		,,	29.96	761.0	...	...	NNE	3	...	
Ishigakijima,	,,	29.92	760.0	...	...	NE	2	...		,,	29.98	761.5	...	...	N	2	...	
Bonin Island,	,,	29.86	758.5	..	..	SSW	2	...		,,	29.88	759.0	...	...	SSW	1	...	
Chefoo,	15	30.16	766.0	50	93	NNW	4	o		6	30.18	766.6	46	92	...	0	o	
Ichang,	,,	...	...	...	...	...	...	...		,,	...	...	...	..	...	...	...	
Hankow,	,,	30.28	769.1	66	...	NW	2	o		,,	30.36	771.1	62	...	N	1	c	
Changsha,	,,	..	...	...	...	...	...	...		,,	30.33	770.4	59	...	NW	3	fc	
Shanghai,	14	30.15	765.9	64	48	NW	1	o		,,	30.31	769.8	46	89	WNW	2	b	
Gutzlaff,	,,	30.17	766.3	64	58	NNW	6	o		,,	30.26	768.6	56	63	NNW	6	b	
Sharp Peak,	,,	30.00	762.0	68	79	N	4	o		,,	30.09	764.3	65	78	NNE	4	o	
Amoy,	,,	29.94	760.5	77	95	NNE	4	o		6	30.05	763.2	73	76	NE	4	of	
Swatow,	,,	29.93	760.2	78	...	E	2	b		,,	30.04	763.0	67	...	N	2	o	
Taiboku,	11	29.99	761.7	77	79	E	4	o		5	30.12	765.0	64	88	E	4	o	
Taichu,	,,	29.91	759.6	84	...	NNW	4	b		,,	29.98	761.4	66	..	N	4	o	
Tainan,	,,	29.91	759.6	84	...	W	2	b		,,	29.94	760.5	68	..	N	4	o	
Koshun,	,,	29.91	759.6	84	...	NE	4	b		,,	29.92	759.9	75	.	NNE	4	o	
Pescadores,	,,	29.94	760.5	79	...	NNE	6	o		,,	29.99	761.7	59	...	NNE	7	o	
Canton,	14	29.96	761.0	81	71	N	2	c		6	30.07	763.8	68	...	NNW	3	bc	
Hong Kong,	,,	29.92	759.9	80	73	E	3	o		,,	30.03	762.7	68	99	NNE	4	o	
Gap Rock,	,,	29.91	759.7	...	...	NNE	4	o		,	30.01	762.2	...	.	NNW	4	o	
Macao,	,,	29.91	759.6	79	76	SE	4	o		,,	30.02	762.6	66	76	NNE	4	b	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	..	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,			...	...		...	...		..	...	...	...			.	...	
Pratas Island,	14	29.86	758.4	80	86	NE	4	cd		6	29.92	759.9	76	80	NNE	7	o	
Phulien,	15	29.89	759.3	77	86	NE	4	o		7	30.01	762.3	68	81	NNE	4	o	
Tourane,	,,	29.81	757.2	79	...	NE	2	o		,,	29.84	757.8	73	...	NE	6	r	
Cape St. James	,,	29.73	755.1	82	...	E	2	o		,,	29.75	755.7	77	..	NE	2	o	
Basco,	,,	29.81	757.2	79	92	NNE	2	o		6	29.86	758.4	77	89	NE	4	o	
Aparri,	,,	29.78	756.3	86	71	NE	2	b		,,	29.84	757.8	77	96	...	c	r	
Manila,	,,	29.75	755.7	90	63	W	4	o		,,	29.82	757.5	75	96	...	c	b	
Legaspi,	,,	29.73	755.1	90	69	NE	2	o		..	29.80	756.9	73	96	...	o	b	
Tacloban,	,,	..	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.75	755.7	85	75	S	4	o		,,	29.82	757.5	75	96	N	1	o	
Surigao,	..	29.72	754.8	86	71	W	4	o		..	29.79	756.6	75	86	WSW	2	o	
Guam,	12.20	29.75	755.7	...	...	N	1	o		4.20	29.80	756.9	...	...	E	1	o	
Yap,	12.47	29.75	755.7	...	...	S	4	o		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	..	...		...	...		5	...	...	...	...	...	...	...	
Labuan,	14	29.84	757.9	78	91	SW	2	b		6	29.86	758.4	76	91	SW	1	r	

October 18*d*. 11*h*. 55*m*.—Pressure has decreased considerably at Nemuro. It has increased moderately over China and slightly elsewhere.

The depression is now central south of Nemuro.

The anticyclone over China has strengthened.

An area of relatively low pressure extends from the Philippines to Guam.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 95·36 inches, against an average of 79·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate to fresh; fine.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort).	Weather. (Beaufort).	19th OCTOBER 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort).	Weather. (Beaufort).
Wladivostock,	12	29.91	759.8	36	...	NNE	4	r	6	30.01	762.3	36	..	NNE	4	o
Nemuro,	11	29.57	751.0	...	...	...	0	...	5	29.67	753.5	...	...	NE	1	...
Hokodate,	"	29.65	753.0	...	...	W	3	...	"	29.65	753.0	...	...	NW	1	...
Tokio,	"	29.69	754.0	...	...	ENE	1	...	"	29.63	752.5	...	...	...	C	...
Kochi,	"	29.84	758.0	...	...	WNW	1	...	"	29.92	760.0	...	...	NW	1	...
Nagasaki,	"	30.04	763.0	...	...	WNW	4	...	"	30.00	762.0	...	..	NNW	2	...
Kagoshima,	"	30.00	762.0	...	...	WNW	3	...	"	30.02	762.5	...	...	.	C	...
Oshima,	"	30.00	762.0	.	.	N	3	...	"	30.00	762.0	...	...	N	3	...
Naha,	"	30.00	762.0	...	...	NW	4	...	"	30.00	762.0	...	...	N	4	...
Ishigakijima,	"	30.02	762.5	...	...	N	3	...	"	30.02	762.5	...	...	N	2	...
Bonin Island,	.	29.84	758.0			SSE	1	...	"	29.71	754.5	...	..	...	C	...
Chefoo,	15	30.22	767.6	52	79	NW	6	o	6	30.14	765.5	44	86	SW	2	b
Ichang,	..		...	...	...	...	...	...	"	...	...	...	..	...	0	...
Hankow,	"	...	...	...	...	...	...	...	"	30.32	770.1	64	..	...	0	b
Changsha,	"			...	...	...	...	...	"	30.29	769.3	55	...	NW	1	bc
Shanghai,	14	30.30	769.5	64	87	NNW	4	b	"	30.28	769.2	43	94	W	2	b
Gutzlaff,	"	30.26	768.6	62	72	NNW	6	b	"	30.26	768.6	54	74	NNW	6	bb
Sharp Peak,	"	30.12	765.0	70	66	N	1	o	"	30.13	765.3	62	56	NNE	2	b
Amoy,	"	30.05	763.2	75	64	NNE	4	b	6	30.10	764.5	66	64	NE	2	b
Swatow,	"	30.04	763.0	73	..	N	3	o	"	30.08	764.0	65	..	NNW	3	bc
Taiboku,	11	30.17	766.2	60	80	E	2	r	5	30.13	765.3	63	86	...	C	o
Taichu,	"	30.00	762.0	75	...	N	2	o	"	30.00	762.0	64		...	C	o
Tainan,	"	29.98	761.4	79	...	NNW	2	b	"	29.97	761.1	64	..	N	2	o
Koshun,	"	29.97	761.1	77	...	NNE	6	b	"	29.95	760.8	70	.	NNE	6	b
Pescadores,	"	30.04	762.9	75		NNE	6	b	"	30.00	762.0	68	...	NNE	7	b
Canton,	14	..	...		...	...	...	...	6	30.09	764.3	59	...	NNE	1	o
Hong Kong,	"	30.04	763.0	73	61	NNE	3	b	"	30.07	763.8	64	55	NNE	2	o
Gap Rock,	"	30.04	763.0	...	...	NNE	5	o	.	30.05	763.2	...	.	NNE	5	o
Macao,	"	30.04	763.0	70	65	NNE	4	b	"	30.05	763.2	63	60	N	4	o
Pratas Island,	15	29.93	760.2	70	75	NNE	7	o	9	29.97	761.2	73	75	NE	7	o
Phulien,	"	30.04	763.0	73	80	NNE	4	o	"	30.14	765.6	61	69	NE	4	o
Tourane,	"	29.80	756.9	73	...	ENE	8	r	..	29.87	758.7	72	...	ENE	8	r
Cape St. James	14	29.74	755.4	81	...	ENE	4	o	6	29.79	756.6	75		SSW	2	o
Basco,	15	29.85	758.1	75	79	NE	6	o	7	29.89	759.3	75	79	NE	6	o
Aparri,	"	29.80	756.9	81	87	WNW	2	o	"	29.88	759.0	77	86	NE	6	r
Manila,	"	29.76	756.0	90	69	W	4	b	..	29.82	757.5	77	94	ENE	2	o
Legaspi,	"	29.73	755.1	86	68	NNE	2	o	6	29.80	756.9	73	96	NW	1	b
Tacloban,	"	29.74	755.4	86	61	SSE	4	o	"	29.81	757.2	77	96	...	C	o
Iloilo,	"			...	...	...	...	...	"	29.81	757.2	75	98	S	1	o
Surigao,	"	29.76	756.0	86	68	W	2	o	..	29.81	757.2	77	96		C	o
Tagnegarao,	"	29.80	756.9	90	55	N	4	o	..	29.89	759.3	72	96	S	1	o
Vigan,	"	29.75	755.7	90	63	NW	4	b	"	29.79	756.6	77	79	NW	6	b
Calbayog,	.	29.76	756.0	81	87	SW	2	r	..	29.81	757.2	72	98	N	2	b
Cebu,	12.20	29.75	755.7	86	71	NE	1	o	4.20	29.80	756.9	77	79	...	C	o
Guam,	12.47	29.74	755.4	...	...	W	2	o	4.47	29.81	757.2	..	...	E	2	o
Yap,	11.00	29.75	755.7	...	...	E	4	o	5	29.81	757.2	...	..	SW	2	o
Labuan,	1	29.81	757.2	86	92	NE	2	b	5	29.83	757.7	76	94	NW	2	b

October 19*d.* 11*h.* 30*m.*—Pressure has decreased moderately over the Bonins and slightly over E. China. It has increased slightly over Indo-China and the Philippines and is nearly stationary elsewhere.

The anticyclone has weakened slightly but strong monsoon may still be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 95·36 inches, against an average of 79·49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, strong; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONG KONG.

DAILY WEATHER REPORT.

Station.	19th October, 1926.									20th October, 1926.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.97	761.2	42	...	NNE	4	b		6	30.00	761.9	33	...	ENE	2	c	
Nemuro,	11	29.67	753.5	...	...	NE	2	...		5	29.80	757.0	...	...	NNW	1	...	
Hokodate,	"	29.69	754.0	...	...	SE	1	...		"	29.84	758.0	...	...	NW	2	...	
Tokio,	"	29.67	753.5	...	...	NNE	2	..		"	29.80	758.5	...	...	N	1	...	
Kochi,	"	29.90	759.5	...	...	N	1	...		"	30.04	763.0	...	...	...	0	...	
Nagasaki,	"	30.04	763.0	..	...	NE	2	...		"	30.12	765.0	...	..	..	..	...	
Kagoshima,	"	30.00	762.0	...	...	WNW	2	...		"	30.12	765.0	...	...	NW	1	...	
Oshima,	"	30.00	762.0	...	...	N	4	.		"	30.04	763.0	...	...	N	1	...	
Naha,	"	30.00	762.0	...	...	NNW	4			"	30.02	762.5	...	..	NE	1	...	
Ishigakijima,	"	30.06	763.5	...	...	N	3			"	30.04	763.0	...	...	NNE	1	.	
Bonin Island,	"	29.67	753.5	.	.	NW	1	.		"	29.71	754.5	...	...	NNE	2	...	
Chefoo,	15	30.01	762.2	65	58	WSW	2	b		6	29.98	761.5	52	79	SW	2	b	
Ichang,	"	...	...	...	..	...	...	..		"	...	...	...	..	...	...	...	
Hankow,	"	...	...	...	...	...	...	...		"	30.10	764.5	62	...	...	0	b	
Changsha,	"	...	...	...	...	...	...	...		"	30.11	764.8	57	...	...	0	lc	
Shanghai,	14	30.20	767.1	64	41	NW	2	b		"	30.10	764.4	43	97	S	1	b	
Gutzlaff,	"	30.21	767.3	64	48	N	4	b		"	...	...	54	68	NNE	1	b	
Sharp Peak,	"	30.10	764.5	67	50	E	1	o		"	30.16	766.0	64	70	N	1	o	
Amoy,	"	30.04	763.0	74	51	NE	4	o		6	30.09	764.3	65	68	N	2	o	
Swatow,	"	30.04	763.0	74	...	E	2	b		"	30.07	763.8	65	...	NNE	2	o	
Taihoku,	11	30.15	765.9	68	64	E	4	o		5	30.10	764.4	63	94	E	2	r	
Taichu,	"	29.99	761.7	72	...	NNE	2	o		"	30.02	762.6	64	..	...	0	o	
Tainan,	"	30.00	762.0	75	...	N	2	o		"	29.98	761.4	66	..	SE	2	o	
Koshun,	"	29.99	761.7	75	...	NE	6	b		"	29.98	761.4	72	.	NE	4	o	
Pescadores,	"	30.04	762.9	75	...	NE	7	o		"	30.00	762.0	70	...	ENE	4	o	
Canton,	14	...	...	...	...	...	...	...		6	30.09	764.3	64	...	...	0	b	
Hong Kong,	"	30.05	763.2	73	47	ENE	3	c		"	30.07	763.8	65	54	NNE	2	c	
Gap Rock,	"	30.06	763.5	...	...	ENE	4	o		"	30.03	762.7	...	.	ENE	4	c	
Macao,	"	30.05	763.2	68	68	N	4	o		"	30.04	762.9	63	70	NNE	4	o	
Pratas Island,	15	29.95	760.7	74	72	NE	7	o		9	29.97	761.2	74	74	NNE	6	o	
Phulien,	"	30.08	764.1	73	88	NNW	1	o		"	30.11	764.7	64	62	NNE	4	o	
Tourane,	"	...	...	...	...	...	...	...		"	29.95	760.8	73	...	NE	7	o	
Cape St. James	14	...	.	...	...	..	...	...		6	...		...	..	..	...	...	
Basco,	15	29.86	758.4	79	69	NE	4	o		7	29.94	760.5	75	67	NE	2	o	
Aparri,	"	29.85	758.1	82	67	NE	4	o		"	29.91	759.6	75	85	E	2	r	
Manila,	"	29.80	756.9	81	87	.	0	o		"	29.86	758.4	75	96	...	0	o	
Legaspi,	"	29.75	755.7	82	92	WNW	2	o		6	29.84	757.8	77	91	NE	1	o	
Tacloban,	"	29.73	755.1	86	61	NNW	4	b		"	29.82	757.5	77	92	...	0	o	
Iloilo,	"	29.76	756.0	00	69	S	4	o		"	29.82	757.5	75	98	N	1	o	
Surigao,	"	29.74	755.4	86	65	WNW	2	b		..	29.82	757.5	75	92	SW	1	o	
Tuguegarao,	"	29.86	758.4	81	76	N	2	o		"	29.91	759.6	72	91	N	2	o	
Vigan,	"	29.76	756.0	86	61	NW	4	o		"	29.82	757.5	79	80		0	o	
Calbayog,	"	29.74	755.4	90	66	W	4	o		"	29.84	757.8	75	92	NW	2	o	
Cebu,	12.20	29.74	755.4	86	65	N	2	o		4.20	29.81	757.2	77	84	NW	2	o	
Guam,	12.47	29.78	756.3	...	...	SE	2	o		4.47	29.78	756.3	...	...	E	1	o	
Yap,	11.00	29.78	756.3	...	...	SW	4	o		5	29.80	756.9	...	...	SW	4	o	
Labuan,	14	29.76	755.0	74	81	NE	4	b		6	29.83	757.7	77	91	NW	2	b	

October 20*d*. 11*h*. 20*m*.—Pressure has decreased moderately at Shanghai and slightly at Guam It has increased moderately over Japan and slightly over the Philippines. It is nearly stationary elsewhere.

The anticyclone has weakened and is now shown as a belt of high pressure from S.W. China to S.W. Japan.

The monsoon has moderated.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 79·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th October, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort)	Weather. (Beaufort)	21st October 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort)	Weather. (Beaufort)
Wladivostock, .	12	29.91	759.7	53	...	SSW	1	b	6	29.89	759.3	33	...	SSW	2	c
Nemuro, ...	11	29.86	758.5	...	...	SSE	1	...	5	30.02	762.5	...	...	SW	1	...
Hokodate, ...	.	...	...	...	...	...	..	...	,,	30.08	764.0	...	...	...	0	...
Tokio, ...	,,	29.90	759.5	...	...	NNE	1	...	,,	30.16	766.0	...	...	NNW	1	...
Kochi, ...	,,	30.02	762.5	...	...	...	0	...	,,	30.18	766.5	...	...	W	1	...
Nagasaki, ...	,,	30.12	765.0	...	...	NNW	1	...	,,	30.16	766.0	...	..	SE	2	...
Kagoshima, ...	,,	30.08	764.0	...	...	...	0	...	,,	30.16	766.0	...	...	NW	1	...
Oshima, ...	,,	30.04	763.0	...	...	NNE	3	...	,,	30.10	764.5	...	...	SSE	1	...
Naha, ...	,,	30.01	763.0	...	...	N	1	...	,,	30.06	763.5	...	...	NNE	1	...
Ishigakijima, ..	,,	30.06	753.5	...	...	NNE	2	...	,,	30.00	762.0	...	...	NE	1	...
Bonin Island, ..	.	29.69	754.0	..		N	2	..	,,	29.92	760.0	..	..	W	1	...
Chefoo, ...	15	29.94	760.5	72	58	SW	2	b	6	29.98	761.5	56	75	SW	1	b
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hankow, ...	,,	30.12	765.0	72	...	S	2	b	,,	30.11	764.8	62	..	...	0	b
Changsha, ...	,,	..	..	...	...	...	...	...	,,	30.12	765.0	56	..	...	0	b
Shanghai, ...	14	30.13	765.3	68	35		0	b	,,	30.18	766.5	48	97	..	0	b
Gutzlaff, ...	,,	30.16	766.0	66	49	SSW	1	b	,,	30.20	767.1	60	60	SSE	2	b
Sharp Peak, ...	,,	30.08	764.0	71	62	E	1	b	,,	30.08	764.0	63	78	NW	1	b
Amoy, ...	,,	29.99	761.7	77	57	NE	4	b	6	30.04	763.0	65	78	NE	1	b
Swatow, ...	,,	29.99	761.7	79	..	E	1	b	,,	30.03	762.7	68	...	NW	2	b
Taihoku, ...	11	30.08	764.1	72	70	ENE	2	o	5	30.05	763.2	66	90	...	0	o
Taichu, ...	,,	30.02	762.6	75	...	...	0	o	,,	30.00	762.0	64	.	...	0	o
Tainan, ...	,,	30.01	762.3	79	...	SSW	4	o	,,	29.98	761.4	66	...	...	0	o
Koshun, ...	,,	30.00	762.0	75	...	NE	4	o	,,	29.97	761.1	72	.	NNE	4	o
Pescadores, ..	,,	30.01	762.3	75	.	ENE	6	o	,,	29.99	761.7	73	...	NE	4	b
Canton.	14	30.00	762.0	77	53	NNW	2	o	6	30.02	762.5	63	...	...	0	lc
Hong Kong, ...	,,	30.00	762.0	73	..	ESE	2	b	,,	30.02	762.5	68	72	NNE	1	c
Gap Rock, ...	,,	30.01	762.2	...	46	ENE	4	c	,	30.00	762.0	...	..	NE	4	c
Macao, ...	,,	30.02	762.6	72	54	NE	4	b	,,	29.99	761.7	64	76	N	4	b
Pratas Island, ...	15	29.92	759.9	76	75	NNE	5	oc	9	29.94	760.5	76	77	NE	5	o
Phulien, ...	,,	30.01	762.3	79	52	SSE	1	b	,,	30.04	762.9	66	92	NNW	2	o
Tourane, ...	,,	29.94	760.5	72	...	NE	4	r	..	29.97	761.1	70	...	NNW	4	o
Cape St. James.	14	29.78	756.3	79	...	E	2	o	6	29.84	757.8	75		...	0	o
Basco, ...	15	29.89	759.3	81	62	NE	2	b	7	29.92	759.9	72	86	E	1	o
Aparri, ...	,,	29.85	758.4	81	69	NE	4	o	,,	29.89	759.3	73	92	...	0	o
Manila, ...	,,	29.80	756.9	82	77	SW	1	o	,,	29.85	758.1	73	96	ENE	1	b
Legaspi, ...	,,	...	...	...	...	...	...	...	6	29.84	757.8	79	80	N	1	b
Tacloban, ...	,,	29.79	756.6	79	91	LSE	2	o	,,	29.84	757.8	77	92	NW	2	o
Hoilo, ...	,,	...		...	...	...	...	...	,,	29.85	758.1	75	91	N	4	o
Surigao, ...	,,			...	...	...	...	...	..	29.82	757.5	75	96	...	0	r
Tuguegarao, ...	,,	29.86	758.4	84	60	N	2	o	,,	29.92	759.9	72	96	...	0	o
Vigan, ...	,,	29.78	756.3	86	59	W	2	o	,,	29.81	757.2	77	76	E	2	b
Calbayog, ...	..	29.80	756.9	83	90	E	1	r	..	29.85	758.1	72	98	..	0	o
Cebu, ...	12.20	29.76	756.0	86	65	NW	1	o	4.20	29.82	757.5	77	79	N	4	o
Guam, ...	12.47	29.74	755.4		...	SW	4	o	4.47	..	...	...	...	...	...	...
Yap, ...	11.00	29.78	756.3	...	...	W	4	o	5	29.78	756.3	...	...	...	...	o
Labuan, ...	1	29.84	757.9	76	94	NE	2	b	6	29.84	757.9	76	94	NE	2	b

October 21*d.* 10*h.* 37*m.*—Pressure has increased considerably over central Japan and the Bonins and slightly over S.W. Japan and the Loochoos. It is nearly stationary elsewhere.

The belt of high pressure now extends from S.W. China to the east of Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 95·36 inches, against an average of 79·69 inches

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND

District.	Forecast.
1.—Formosa Channel, ...	E. winds, *moderate*; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st OCTOBER, 1926.									22nd OCTOBER 1926.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.83	759.0	59	...	WNW	2	c		6	29.82	757.4	52	..	SE	2	c	
Nemuro,	11	...	...	...	...	...	...	...		5	30.02	762.5	...	...	SW	1	...	
Hokodate,	"	30.06	763.5	...	...	SW	4	...		"	30.06	763.5	...	...	...	0	...	
Tokio,	"	30.16	766.0	...	...	...	0	...		"	30.22	767.5	...	...	...	0	...	
Kochi,	"	30.14	765.5	...	...	...	0	...		"	30.16	766.0	...	..	...	0	...	
Nagasaki,	"	30.18	766.5	...	...	WSW	1	...		"	30.14	765.5	...	..	E	1	...	
Kagoshima,	"	30.18	766.5	...	...	...	0	...		"	30.14	765.5	...	...	NW	1	...	
Oshima,	"	30.12	765.0	...	...	NNE	1	....		"	30.06	763.5	...	...	...	0	...	
Naha,	"	29.92	760.0	...	...	...	...	...		"	30.00	762.0	...	...	NNE	1	...	
Ishigakijima,	"	30.04	763.0	...	...	NE	2	...		"	30.00	762.0	...	...	...	0	...	
Bonin Island,	..	29.92	760.0	...	..	NE	1	..		"	29.90	759.5	.	..	NE	1	...	
Chefoo,	15	29.93	760.2	74	43	SW	1	b		6	29.91	759.7	58	76	SW	2	o	
Ichang,	"	...	...	...	...	...	...	...		"	...	..	..	..	...	...	...	
Hankow,	"	...	...	...	...	...	...	...		"	30.14	765.5	61	...	...	0	b	
Changsha,	"	...	..	...	...	...	...	...		"	30.10	764.4	63	...	..	0	b	
Shanghai,	14	30.13	765.1	68	48	S	1	b		"	30.10	764.4	52	100	ESE	1	b	
Gutzlaff,	"	30.16	766.0	69	56	SE	2	b		"	30.08	764.0	63	91	N	2	b	
Sharp Peak,	"	30.07	763.8	75	60	E	1	b		"	30.04	763.0	68	70	W	2	b	
Amoy,	"	29.96	761.0	80	62	NE	4	b		6	30.00	762.0	68	85	WNW	1	b	
Swatow,	"	29.96	761.0	78	...	E	2	b		"	30.00	762.0	66	...	N	1	o	
Taihoku,	11	30.03	764.1	70	82	E	4	o		5	29.98	761.4	79	96	...	0	b	
Taichu,	"	30.00	762.0	77	...	...	0	o		"	29.98	761.4	68	.	...	0	b	
Tainan,	"	29.98	761.4	81	...	WNW	2	o		"	29.94	760.5	68	..	...	0	o	
Koshun,	"	29.99	761.7	77	...	NE	4	o		"	29.94	760.5	70	.	...	0	b	
Pescadores,	"	30.02	762.6	79	...	NE	4	o		"	29.92	759.9	70	...	NE	1	b	
Canton,	14	...	...	...	...	...	..	...		6	30.02	762.5	65	...	...	0	b	
Hong Kong,	"	29.97	761.2	75	56	ESE	3	b		"	29.99	761.7	69	80	ENE	2	b	
Gap Rock,	"	29.98	761.5	...	...	E	4	c		,	29.99	761.7	...	..	ENE	4	b	
Macao,	"	29.95	760.8	77	57	ENE	4	b		"	29.98	761.4	66	88	NNE	2	o	
Pratas Island,	15	29.91	759.7	78	69	NE	5	c		9	29.92	759.9	76	74	NE	5	c	
Phulien,	"	29.97	761.1	79	45	SE	1	o		"	30.01	762.3	70	74	NE	1	b	
Tourane,	"	29.93	760.2	73	...	N	4	o		..	29.95	760.8	70	...	NW	2	o	
Cape St. James	14	29.79	756.6	81	...	...	...	o		6	29.85	758.1	75		N	2	o	
Basco,	15	29.88	759.0	81	59	SE	2	o		7	29.91	759.6	77	72	SE	2	o	
Aparri,	"	29.84	757.8	84	64	NE	4	o		"	29.89	759.3	73	89	SSE	2	o	
Manila,	"	29.81	757.2	85	71	E	1	o		"	29.87	758.7	73	96	NE	1	b	
Legaspi,	"	29.79	756.6	86	71	ENE	4	o		6	29.85	758.1	79	87	NNE	1	b	
Taoloban,	"	29.75	755.7	90	69	SE	4	o		"	...	..	.	...	...	...	...	
Iloilo,	"	...	...	...	...	...	...	...		"	29.86	758.4	75	91	N	2	o	
Surigao,	"	29.76	756.0	82	77	E	1	o		"	29.84	757.8	73	96	SE	1	o	
Tuguegarao,	"	29.84	757.8	90	69	...	0	o		"	29.82	757.5	77	91	NNW	2	of	
Vigan,	"	29.80	756.9	86	65	NW	4	o		"	29.82	757.5	77	76	SE	2	b	
Calbayog,	..	29.78	756.3	86	68	N	2	o		"	29.80	758.4	73	96	...	0	o	
Cebu,	12.20	29.76	756.0	90	60	NNE	4	b		4.20	29.84	757.8	77	79	SE	1	o	
Guam,	12.47	29.75	755.7	...	...	E	2	o		4.47	29.78	756.3	...	...	SE	1	o	
Yap,	11.00	29.76	756.0	...	...	NW	2	b		5	29.79	756.6	...	...	W	2	o	
Labuan,	14	29.75	755.6	88	84	NE	4	b		6	29.83	757.7	76	94	NW	2	b	

October 22*d*. 11*h*. 33*m*.—Pressure has decreased slightly from S. Manchuria to Formosa. It is nearly stationary elsewhere.

A belt of high pressure extends from S.W. China to the east of Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 79·78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	23rd OCTOBER 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock. .	12	29.75	755·6	59	...	SE	2	c	6	29.75	755·6	56	...	NE	1	b
Nemuro.....	11	30.02	762·5	...	...	SSW	3	...	5	29.94	760.5	...	...	S	2	...
Hokodate, ...	"	30.04	763.0	...	...	SSW	2	...	"	29.82	757·5	...	...	SSE	2	...
Tokio,.....	"	30.14	765.5	...	...	NNE	1	...	"	29.92	760.0	...	...	.	0	...
Kochi, ...	"	30.08	764.0	...	...	SW	1	...	"	29.92	760.0	...	...	WSW	1	...
Nagasaki, ...	"	30.12	765.0	...	...	SS	1	...	"	29.96	761.0	...	...	SSE	1	...
Kagoshima, ...	"	30.12	765 0	...	...	NE	1	...	"	29.94	760.5	...	...	NW	1	...
Oshima, ...	"	30 01	763.0	...	...	ENE	1	...	"	29.92	760.0	...	...	...	0	...
Naha, ...	"	30.00	762.0	...	...	ENE	2	...	"	29.90	759·5	...	...	ENE	1	...
Ishigakijima...	"	..	..	...	...	NE	1	...	"	29.88	759.0	...	...	NW	1	.
Bonin Island,..	"	29.86	758.5	...	...	E	1	..	"	29.82	757·5	...	..	...	0	..
Chefoo.	15	29.99	761.7	56	81	NNW	4	o	6	30.11	764.8	48	78	NNW	2	b
Hankow, ...	"	...	...	...	...	...	...	...	"	30.15	765.8	63	...	ENE	1	bo
Changsha, ...	"	...	...	...	...	.	...	...	"	30.14	765.5	66	...	N	2	bc
Shanghai.	"	29.99	761.7	75	39	W	1	b	"	30.08	764.1	70	91	NW	1	b
Gutzlaff.....	14	30.02	762.5	71	66	E	1	o	"	30.07	763.8	63	72	NNW	4	b
Sharp Peak, ...	"	29.96	761.0	76	64	E	1	b	"	29.97	761.2	69	75	WNW	1	b
Amoy, ...	"	29.95	760.7	81	71	SE	4	b	"	29.95	760.7	68	91	SE	2	b
Swatow,.....	"	29.95	760.7	76	64	ISE	2	b	6	..	...	...	...	...	...	...
Taihoku, ...	"	29.97	761.1	79	55	...	0	b	"	29.98	761.4	64	98	...	0	b
Taichu, ...	11	29.98	761.4	82	...	...	0	o	5	29.94	760.5	64	.	...	0	b
Tainan, ...	"	29.97	761.1	82	...	NW	2	b	"	29.91	759 6	66	..	N	4	b
Koshun, ...	"	29 94	760 5	82	...	...	0	o	"	29 89	759·3	64	.	...	0	b
Pescadores, ...	"	29.99	761.7	75	...	NNE	4	b	"	29.93	760.2	72	...	NE	4	b
Canton.	"	..	..	...	...	..	...	...	"	30.00	762.0	62	...	...	0	b
Hong Kong, ...	14	29.94	760.5	76	66	ESE	2	c	6	29.96	761.0	71	52	NNE	2	b
Gap Rock, ...	"	29.96	761 0	...	...	E	4	b	"	29.96	761.0	..		NNE	3	b
Macao, ...	"	29.97	761.1	77	61	E	2	b	"	29.94	760.5	66	76	NNW	2	b
Pratas Island,...	"	29.90	759.4	80	65	NNE	4	b	"	29.89	759.2	75	70	NNE	4	b
Phulien, ...	15	29.95	760.8	82	51	SSE	1	b	9	30.01	762.3	72	96	NNW	2	of
Tourane,.....	"	29.93	760.2	72	...	NW	4	r	"	29.95	760.8	73	...	NE	2	o
Cape St. James.	"	29.80	756.9	82	...	S	2	o	..	29.85	758.1	73	...	NE	2	o
Basco,.....	14	29.85	758.1	86	65	SE	2	o	6	...	...	...	...	...	...	...
Aparri, ...	15	29.80	756.9	86	68	ENE	4	b	7	29.82	757·5	75	91	S	2	o
Manila, ...	"	29 81	757.2	86	65	W	1	o	"	29.84	757.8	73	94	...	0	b
Legaspi, ...	"	29.77	756.6	84	86	NE	1	r	"	29.82	757·5	75	96	...	c	o
Tacloban, ...	"	29.80	756 9	79	80	SE	4	o	6	...	...	..	...	...	...	...
Iloilo, ...	"	29 82	756.9	86	68	NE	4	o	"	...	...		...	...	..	...
Surigao, ...	"		...	...	...	.	...	...	"	...	...	...	...	...	...	...
Tuguegarao, ...	"	29.82	757·5	90	63	E	1	o	"	...	...	...	...	...	...	...
Vigan	"	29.80	756.9	86	61	SW	4	o	"	...	...	...	...	...	...	...
Calbayog, ...	"	29.80	756 9	86	71	N	4	o	"	...	...	...	...	...	...	...
Cebu, ...	..	29.76	756.0	86	58	NNE	4	o	..	...	...	...	...	...	...	...
Guam,.....	12.20	29.74	755.4		...		0	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.74	755.4	..	...	W	2	o	4.47		...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	...		...	..	5	29.81	757.2	79	..	NW	1	c
Cabuan, ...	14	29.77	756.1	88	84	NW	4	b	6	29.85	757·7	77	94	NE	2	r

October 23*d.* 10*h.* 50*m.*—Pressure has decreased considerably over Japan and slightly over the Loochoos. It has increased slightly over the Yangtze Valley and moderately over N. China, where an anticyclone is forming.

The belt of high pressure has been replaced by a depression central to the east of Wladivostock.

There may be a typhoon about 600 miles east of the Balintang Channel.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 95·36 inches, against an average of 79·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, moderate; fine, becoming cooler.
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,.	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd October, 1926.								24th October 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.70	754.3	46	...	WNW	4	c	6	29.84	757.8	39	...	W	4	c
Nemuro,	11	29.84	758.0	...	...	SSE	3	...	5	29.61	752.0	...	...	S	1	...
Hokodate,	"	29.62	752.5	...	...	SSE	3	...	"	29.75	755.5	...	...	NW	2	...
Tokio,	"	29.78	756.5	...	...	...	...	...	"	29.78	756.5	...	...	NNW	3	...
Kochi,	"	29.84	758.0	...	...	...	0	...	"	29.98	761.5	...	...	...	0	...
Nagasaki,	"	29.92	760.0	..	...	NNW	1	...	"	30.08	764.0	...	...	...	c	...
Kagoshima,	"	29.92	760.0	...	...	...	...	...	"	30.04	763 0	...	...	WNW	1	...
Oshima,	"	29.90	759.5	...	...	...	0	...	"	29.96	761.0	...	...	NNE	3	...
Naha,	"	29.84	758.0	...	...	NNE	1	...	"	29.92	760.0	...	...	NNE	1	...
Ishigakijima,	"	29.90	759.5	...	...	NNW	3	...	"	...	...	...	...	NNE	1	...
Bonin Island,	..	29.80	757.0	..	...	NNW	1	...	"	29 90	759.5	...	...	...	0	...
Chefoo,	15	30.07	763.8	60	71	NNW	2	b	6	30.03	762.7	52	93	SSW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	30.25	768.3	63	...	S	1	be
Changsha,	"	...	...	..	...	...	...	...	"	30.20	767.1	62	...	...	0	le
Shanghai,	"	30.01	762 3	68	48	NNW	2	b	"	30.19	766.8	45	97	NNE	1	b
Gutzlaff,	14	30.10	764.5	66	64	N	6	b	"	30.15	765.8	58	64	NE	2	b
Sharp Peak,	"	29.92	759.9	70	80	WNW	2	b	"	30.07	763.8	68	74	NNW	2	of
Amoy,	"	29.91	759 7	80	58	SE	4	b	"	30.02	762.5	68	74	W	2	b
Swatow,	"	...	...	...	...	...	...	...	6	..	...	..	...	...	...	...
Taihoku,	"	30.00	762.0	77	61	...	0	o	"	30.00	762.0	61	91	...	0	o
Taichu,	11	29.93	760.2	82	...	N	4	b	5	...	...	59		SW	1	b
Tainan,	"	29.91	759 6	81	...	N	4	b	"	29.91	759.6	61	..	E	2	b
Koshun,	"	29 91	759 6	81	...	NNE	4	b	"	29.91	759 6	72	...	NNE	4	b
Pescadores,	"	29.97	761.1	79	...	NE	0	b	"	29.93	760.2	72	...	NE	6	b
Canton,	"	...	...	...	...	..	...	...	"	30.00	762.0	66	...	...	0	b
Hong Kong,	14	29.91	759.7	82	39	NNE	2	b	6	29.98	761.5	71	78	ENE	3	b
Gap Rock,	"	29.92	759.9	...	...	N	3	b	"	29.95	760.8	...	...	ENE	4	c
Macao,	"	29.91	759.6	79	45	NE	2	b	.	...	...	...	...	..	.	..
Pratas Island,	"	29.88	758.9	79	76	NNE	3	b	"	29.93	759.9	75	67	NE	5	o
Phulien,	15	29.94	760.5	86	49	SSW	2	b	9	29.98	761.4	72	91	WNW	1	bf
Tourane,	"	29.91	759.6	77	...	ENE	4	b	"	29.95	760.8	73	...	ENE	2	o
Cape St. James,	"	29 80	756 9	82	...	SE	2	o	..	29.82	757.5	75	...	ENE	2	o
Basco,	14	29.82	757.5	82	77	NE	4	b	6	...	...	...	...	...	...	...
Aparri,	15	29.79	756.8	84	71	NNW	4	b	7	29.85	758.1	77	79	NE	4	o
Manila,	"	29.76	756.0	85	65	SW	2	b	"	29.81	757.2	77	94	E	1	o
Legaspi,	"	29.75	755.7	90	63	ENE	2	b	..	...	...	...	...	...	...	..
Taloloban,	"	29.74	755.4	90	69	...	4	o	6	29.81	757.2	77	96	WSW	2	b
Iloilo,	"	29.75	756.0	90	66	WSW	4	o	"	29.82	757.5	73	96	N	2	o
Surigao,	"	29 75	756.0	82	77	NNE	2	o	"	...	...	...	..	...	...	...
Tuguegarao,	"	29.78	756.3	86	65	N	2	o	..	29.86	758.4	73	92	WSW	2	o
Vigan	"	29.78	756.3	86	65	NW	4	o	"	...	...	...	...	...	...	...
Calbayog,	"	29.78	756.3	86	71	W	4	of	"	29.82	757.5	72	96	N	2	b
Cebu,	"	29.74	755.4	86	61	NNE	2	o	..	29.80	756.9	77	79	N	2	b
Guam,	12.20	29.72	754.8	...	...	NE	2	o	4.20	..		...	...	...	...	...
Yap,	12.47	29.72	754.8	..	...	WNW	4	o	4.47	29.78	756.3	...	...	...	c	c
Pelew,	11.00	...	..	...	...	...	.	...	5	29.76	756.0	80	...	NW	1	c
Labuan,	11	29 81	757.2	84	83	NW	4	b	6	29.84	757.9	76	91	NW	1	r

October 24*th*. 11*h*. 20*m*.—Pressure has increased moderately from S.W. Japan to the Yangtze Valley and slightly from the Loochoos to Hong Kong.

The anticyclone has developed over the Yangtze Valley.

The existence of a typhoon to the east of the Philippines is now doubtful.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the northern portion of the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 79·96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	25th OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostook,	12	29.81	757.1	42	...	NW	4	c	6	29.98	761.5	35	...	W	3	b
Nemuro,	11	29.69	754.0	...	...	SSW	1	...	5	29.96	761.0	...	...	S	1	...
Hokodate,	"	29.78	756.5	...	...	WSW	4	...	"	29.88	759.0	...	...	NE	1	...
Tokio,	"	29.88	759.0	...	...	NNW	2	...	"	30.08	764.0	...	...	NW	1	...
Kochi,	"	30.00	762.0	...	...	S	1	...	"	30.10	764.5	...	...	SW	1	...
Nagasaki,	"	30.10	764.5	...	...	N	2	...	"	30.12	765.0	...	...	...	0	...
Kagoshima,	"	30.04	763.0	...	...	NNW	1	...	"	30.08	764.0	...	...	WNW	1	...
Oshima,	"	30.00	762.0	...	...	NNE	3	...	"	30.00	762.0	...	...	...	0	...
Naha,	"	29.96	761.0	...	...	NNE	2	...	"	29.98	761.5	...	...	NNE	1	...
Ishigakijima,	"	29.98	761.5	...	...	NNE	1	...	"	29.94	760.5	...	...	NE	1	...
Bonin Island,	"	29.92	760.0	...	...	W	1	...	"	30.02	762.5	...	...	...	0	...
Chefoo,	15	29.84	757.9	73	55	SW	4	b	6	29.90	759.4	58	90	ENE	2	o
Hankow,	"	...	...	...	...	...	...	...	"	29.97	761.2	62	...	...	0	b
Changsha,	"	...	...	...	...	...	...	...	"	29.97	761.2	61	...	...	0	bc
Shanghai,	"	30.13	765.3	72	43	SE	4	b	"	30.08	764.1	52	97	SSE	1	b
Gutzlaff,	14	30.13	765.3	66	49	SSE	2	b	"	30.11	764.8	63	57	S	4	b
Sharp Peak,	"	30.04	763.0	69	80	ENE	2	b	"	30.05	763.2	66	73	NW	1	b
Amoy,	"	29.92	759.9	80	55	E	2	b	"	...	...	...	...	...	...	...
Swatow,	"	29.91	759.7	78	100	E	4	b	6	...	...	...	...	...	...	...
Taihoku,	"	30.05	763.2	77	61	E	4	b	"	30.00	762.0	63	96	...	0	b
Taichu,	14	29.93	761.4	81	...	NW	1	b	5	29.99	761.7	63	...	...	0	b
Tainan,	"	29.95	760.8	81	...	SW	2	b	"	29.95	760.8	63	...	...	0	b
Koshun,	"	29.95	760.8	79	...	NE	4	b	"	29.97	761.1	63	...	...	0	b
Pescadores,	"	30.00	762.0	77	...	ENE	6	b	"	29.98	761.4	73	...	NE	4	b
Canton,	"	...	...	...	...	...	...	...	"	30.01	762.2	69	...	...	0	c
Hong Kong,	14	29.97	761.2	75	60	ESE	3	b	6	30.01	762.2	70	85	ENE	2	b
Gap Rock,	"	29.98	761.5	...	...	ENE	4	b	"	30.00	762.0	...	...	E	4	b
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.90	759.4	78	65	NE	5	c	"	29.97	761.2	74	73	NE	5	c
Phulien,	15	29.92	759.9	82	63	SSE	2	of	9	29.98	761.4	72	88	ENE	4	rf
Tourane,	"	29.93	760.2	77	...	E	2	b	"	29.98	761.4	77	...	E	4	b
Cape St. James,	"	29.81	757.2	79	...	E	4	o	"	29.86	758.4	75	...	ENE	2	o
Basco,	14	29.85	758.1	82	57	NE	4	o	6	29.91	759.7	75	...	NNE	2	o
Aparri,	15	29.82	757.3	82	67	NE	4	o	7	29.89	759.3	75	83	...	0	r
Manila,	"	29.76	756.0	85	71	E	2	o	"	29.86	758.4	75	91	ESE	1	o
Legaspi,	"	29.75	756.0	90	66	NE	2	b	"	29.85	758.1	75	92	...	0	b
Tacloban,	"	29.75	755.7	90	69	SSE	4	b	6	29.85	758.1	75	91	...	0	o
Iloilo,	"	29.75	755.7	90	66	N	2	o	"	29.86	758.4	75	89	N	2	o
Surigao,	"	29.75	755.7	84	77	NNE	1	b	"	29.84	757.8	73	91	SE	1	o
Tuguegarao	"	29.81	757.2	81	68	NE	2	o	"	29.91	759.6	73	94	N	2	o
Vigan	"	29.76	756.0	86	58	W	2	b	"	29.84	757.8	77	79	SE	2	b
Calbayog,	"	29.75	755.7	90	63	W	2	o	"	29.86	758.4	72	96	NE	2	b
Cebu,	"	29.74	755.4	90	69	NNE	4	o	"	29.82	757.5	79	80	...	0	o
Guam,	12.20	29.75	755.7	...	...	E	2	o	4.20	29.79	756.6	...	...	NE	1	o
Yap,	12.47	29.72	754.8	...	...	ESE	2	b	4.47	29.78	756.3	...	...	NE	1	o
Pelew,	11.00	...	...	...	...	...	...	...	5	29.79	756.6	80	...	N	2	b
Labuan,	14	29.77	756.1	86	84	NW	2	b	6	29.80	756.9	76	94	NE	2	o

October 25*d*. 11*h*. 12*m*.—Pressure has increased considerably over N.E. Japan and slightly over S.W. Japan, Formosa and the Philippines. It has decreased slightly along the Yangtze Valley.

The anticyclone has moved eastward and is now central over S.W. Japan.

There is an area of low pressure between Guam and the Philippines.

The monsoon has moderated.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 95·36 inches, against an average of 80·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fine.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	26th OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.04	760.5	48	...	NW	3	b	6	30.11	764.8	53	...	NW	4	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.94	760.5	...	...	SW	1	...
Hokodate,	"	29.82	757.5	...	...	NNW	1	...	"	30.00	762.0	...	...	W	2	...
Tokio,	"	30.01	762.5	...	...	...	...	...	"	30.00	762.0	...	...	NW	1	...
Kochi,	"	30.08	764.0	...	...	...	0	...	"	30.04	763.0	...	...	...	...	...
Nagasaki,	"	30.10	764.5	...	...	NW	1	...	"	30.10	764.5	...	...	...	...	...
Kagoshima,	"	30.05	763.0	...	...	NE	1	...	"	30.08	764.0	...	...	W	1	...
Oshima,	"	30.00	762.0	...	...	...	...	...	"	30.00	762.0	...	...	...	0	...
Naha,	"	29.98	761.5	...	...	NNW	3	...	"	29.98	761.5	...	...	NNE	1	...
Ishigakijima,	"	29.98	761.5	...	...	N	1	...	"	29.98	761.5	...	...	NNE	1	...
Bonin Island,	"	29.96	761.0	...	...	E	1	...	"	29.82	757.5	...	...	...	...	...
Chefoo,	15	30.05	763.2	58	76	ENE	1	b	6	30.06	763.5	54	89	...	0	o
Hankow,	"	...	...	...	...	...	...	...	"	30.13	765.3	69	...	...	0	o
Changsha,	"	...	...	...	...	...	...	...	"	30.07	763.8	61	...	...	0	or
Shanghai,	"	30.07	763.8	75	33	W	1	b	"	30.12	765.0	55	100	ESE	1	b
Gutzlaff,	14	30.10	764.5	71	61	SW	2	b	"	30.13	765.3	63	78	SE	2	b
Sharp Peak,	"	30.03	762.5	70	85	E	1	b	"	30.02	762.5	69	80	NNW	1	b
Amoy,	"	29.91	760.5	81	67	ENE	4	b	"	29.98	761.5	69	80	N	2	b
Swatow,	"	29.96	761.0	74	63	ESE	2	b	6	30.01	762.2	...	...	...	...	...
Taihoku,	"	30.05	763.2	79	61	E	4	b	"	30.00	762.0	64	86	ENE	4	b
Taiohu,	11	29.99	761.7	81	...	NNW	2	b	5	29.99	761.7	61	...	...	0	b
Tainan,	"	29.90	761.7	81	...	NNE	2	b	"	29.95	760.8	64	..	...	0	b
Koshun,	"	29.98	761.4	82	...	NE	4	b	"	29.91	760.5	73	..	N	2	b
Pescadores,	"	30.01	762.6	79	...	NE	4	b	"	29.98	761.4	72	...	NE	4	b
Canton,	"	...	...	...	...	...	...	...	"	29.99	761.7	70	...	...	0	b
Hong Kong,	14	29.95	760.7	76	72	E	3	c	6	29.98	761.4	70	84	ENE	1	b
Gap Rock,	"	29.96	761.0	...	...	E	4	b	"	29.98	761.5	...	..	E	4	b
Macao,	"	..	...	...	...	...	...	...	.	...	...	...	...	...	...	..
Pratas Island,	"	29.91	759.7	79	66	NE	4	o	"	29.93	760.2	75	79	NE	3	b
Phulien,	15	29.92	759.9	77	79	ESE	4	of	9	29.93	760.2	73	94	ESE	4	of
Tourane,	"	29.91	759.6	79	...	E	2	b	"	29.94	760.5	73	...	...	0	o
Cape St. James,	"	29.82	757.5	81	...	E	4	b	"	29.87	758.7	77	...	ENE	2	o
Basco,	14	29.87	758.1	82	72	NNE	4	b	6	29.91	759.6	73	88	...	0	o
Aparri,	15	29.86	758.4	84	64	NE	2	b	7	29.88	759.0	75	89	...	0	b
Manila,		29.81	757.2	85	71	S	1	o	"	29.86	758.4	75	94	ENE	1	o
Legaspi,	"	..	...	...	...	...	...	...	"	29.82	757.5	77	85	...	0	b
Tacloban,	"	..	...	...	...	...	...	...	6	29.82	757.5	77	92	ENE	2	o
Iloilo,	"	29.82	756.9	90	60	NE	4	o	"	29.84	757.8	77	94	N	4	o
Surigao,	"	...	...	...	...	...	..	...	"	29.82	757.5	75	96	ESE	1	o
Tuguegarao	"	29.85	758.1	86	58	N	2	o	"	29.91	759.6	72	96	...	0	o
Vigan	"	29.80	756.9	86	52	NW	2	b	"	29.82	757.5	75	79	...	0	b
Calbayog,	"	...	...	...	...	...	...	...	"	29.82	757.5	72	96	N	1	o
Cebu,	"	...	...	...	...	...	...	...	"	29.80	756.9	79	80	N	2	b
Guam,	12.20	29.74	755.4		...	NE	4	o	4.20	29.75	755.7	...	...	NE	2	o
Yap,	12.47	29.72	754.8	..	...	NE	4	o	4.47	29.74	755.4	...	...	S	2	o
Pelew,	11.00	...		...	.	...	.	...	5	29.76	756.0	78	...	...	0	c
Labuan,	14	29.79	756.6	84	83	NW	2	b	6	29.86	758.4	76	91	SW	1	rf

October 26th. 10h. 35m.—Pressure has increased moderately over S. Manchuria and N.E. Japan and slightly along the Yangtze Valley. It has decreased moderately over the Bonins and is nearly stationary at other reporting stations.

An anticyclone covers Manchuria. Another appears to be forming over China.

A depression or typhoon in about Lat. 18° N. and Long. 140° E., is approaching the Bonins.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 95·36 inches, against an average of 80·12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)	27th OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)
Wladivostock, ..	12	30.10	764.5	44	...	SW	3	c	6	30.19	766.9	53	..	NE	3	b
Nemuro, ...	11	29.68	761.5	...	...	W	1	...	5	29.75	755.5	...	...	WNW	3	...
Hokodate, ...	.	29.96	761.0	...	...	W	3	...	,,	29.98	761.5	...	...	WSW	2	...
Tokio, ...	,,	29.94	760.5	...	...	...	0	...	,,	29.98	761.5	...	...	...	0	...
Kochi, ...	,,	30.00	762.0	...	...	...	0	...	,,	30.04	763.0	...	...	W	1	...
Nagasaki, ...	,,	30.08	764.0	...	...	S	1	...	,,	30.02	762.5	...	..	...	0	...
Kagoshima, ...	,,	30.05	763.5	...	...	NE	1	...	,,	30.06	763.5	...	...	WNW	1	...
Oshima, ...	,,	30.02	762.5	...	...	NNE	1	...	,,	30.00	762.0	...	...	SSE	1	...
Naha, ...	,,	30.02	762.5	...	...	NE	1	...	,,	29.98	761.5	...	...	...	...	...
Ishigakijima, ..	,,	30.00	762.0	...	...	NNE	2	...	,,	29.96	761.0	...	...	NE	1	..
Bonin Island, ..	.	29.78	756.5	..	..	SW	1	...	..	30.00	762.0	...	...	...	0	...
Chefoo, ...	15	30.01	762.5	69	80	S	1	0	6	29.89	759.2	58	94	SE	4	0
Hankow, ...	,,	...	...	...	...	...	...	...	,,	29.90	...	64	..	NW	1	0
Changsha, ...	,,	...	...	...	...	...	...	...	,,	29.90	...	62	...	N	3	00
Shanghai.	,,	30.03	764.1	72	51	SE	2	0	,,	30.01	762.3	61	96	ENE	1	r
Gutzlaff.	14	30.11	764.8	67	64	SE	2	b	,,	30.01	762.2	65	84	SSW	4	0
Sharp Peak, ..	,,	30.00	762.0	74	70	E	1	0	,,	29.98	761.5	70	75	WNW	1	0
Amoy, ...	,,	29.93	761.5	81	59	SE	4	b	-	29.95	760.8	71	91	W	4	0
Swatow, ...	,,	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Taihoku, ...	,,	30.00	762.0	81	56	ENE	4	b	,,	29.95	760.8	66	92	...	0	0
Taichu, ...	11	29.98	761.4	82	...	...	0	b	5	29.98	761.4	64		SE	1	0
Tainan, ...	,,	29.97	761.1	81	...	WSW	2	b	,,	29.93	760.2	66	..	...	0	b
Koshun, ...	,,	29.97	761.1	81	...	NNE	4	b	,,	29.93	760.2	68	..	...	0	b
Pescadores, ..	,,	30.00	762.0	70	...	NE	4	b	,,	29.95	760.8	73	..	NE	2	0
Canton.	,,	29.87	758.7	80	70	S	1	0	,,	29.95	760.7	70	...	N	1	10
Hong Kong. ...	14	29.94	760.5	76	73	ENE	3	b	6	29.95	760.7	74	88	E	3	b
Gap Rock, ...	,,	29.93	760.2	...	...	E	4	b	,,	29.94	760.5	...	..	E	4	c
Macao.	,,	29.89	759.3	77	91	E	2	b	.	...	..	...	...	...	.	...
Pratas Island, ...	,,	29.90	759.4	80	73	NE	5	c	,,	29.90	759.4	77	88	NE	3	0
Phulien, ...	15	29.88	759.0	82	70	SSE	4	bf	9	29.91	759.6	75	96	E	4	of
Tourane, ...	,,	29.89	759.3	81	...	SSE	2	b	,,	29.93	760.2	75	...	SE	2	0
Cape St. James	,,	29.82	757.5	81	...	SE	2	0	..	29.86	758.4	79		ENE	4	0
Basco, ...	14	29.87	758.7	82	77	E	2	0	6	29.89	759.3	75	63	SE	1	b
Aparri, ...	15	29.84	757.8	86	65	NE	4	b	7	29.87	758.7	72	94	...	0	b
Manila, ...	,,	29.80	756.9	82	77	...	0	0	,,	29.85	758.1	72	94	ENE	2	b
Legaspi, ...	,,	..	...	...	...	...	...	...	,,	..	..	...	...	...	..	...
Tacloban, ...	,,	29.75	755.7	84	77	...	0	0	6	29.80	756.9	77	91	WSW	2	0
Iloilo, ...	,,	29.78	756.5	90	63	NE	4	0	,,	29.82	757.5	70	94	N	2	0
Surigao, ...	,,	..	...	...	...	...	..	...	,,	..	...	...	...	...	..	...
Tuguegarao, ...	,,	29.85	758.1	86	52	N	2	0	..	..	...	...	...	...	...	...
Vigan	,,	29.79	756.6	68	40	W	2	b	,,	29.81	757.2	75	76	NE	2	b
Calbayog, ...	,,	29.75	756.0	86	71	NE	4	0	,,	29.80	756.9	79	96	...	0	0
Cebu, ...	..	29.74	755.4	90	60	NNE	4	0	..	29.78	756.3	79	76	N	1	0
Guam, ...	12.20	29.71	754.5	...	...	E	4	0	4.20	29.75	755.7	...	...	E	4	0
Yap, ...	12.47	29.68	753.9	...	...	ENE	6	r	4.47	29.67	753.6	...	...	ENE	6	r
Pelew, ...	11.00	....	...	...	...	...	...	...	5	29.67	753.6	78		NNW	4	r
Labuan, ...	14	29.77	756.1	88	84	NE	4	b	6	29.83	757.7	78	91	SW	2	0

October 27*d*. 11*h*. 15*m*.—Pressure has increased considerably over the Bonins. It has decreased moderately over central and E. China, and slightly at Yap and Pelew. It is nearly stationary elsewhere.

The typhoon has passed rapidly to the east of the Bonins. Another has formed to the South of Yap.

The anticyclone over China has dispersed.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 95·36 inches, against an average of 80·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28th

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, ... 4.—South coast of China between Hong Kong and Hainan,.	E. or variable winds, moderate to light; fine.

T. F. CLANTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th OCTOBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	28th OCTOBER 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.80	757.0	...	...	NW	4	...	5	30.10	764.5	...	...	NW	4	...
Hokodate,	,	30.08	764.0	...	...	NW	6	...	,,	30.22	767.5	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	NE	1	...	,,	30.16	766.0	...	...	NNW	1	...
Kochi,	,,	30.04	763.0	...	...	...	0	...	,,	29.92	760 0	...	...	...	0	...
Nagasaki,	,,	30.04	763.0	...	...	SE	2	...	,,	29.88	759 0	...	...	WNW	4	...
Kagoshima,	,,	30.02	762.5	...	...	ENE	1	...	,,	29.88	759.0	...	...	...	...	...
Oshima,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	0	...
Naha,	,,	29.96	761.0	...	...	E	1	...	,,	29.94	760.5	...	...	...	...	...
Ishigakijima,	,,	29.96	761.0	...	...	ENE	1	...	,,	29.96	761.0	...	...	NW	1	...
Bonin Island,	,,	29.96	761.0	...	...	NE	1	...	,,	30.04	763.0	...	...	...	0	...
Chefoo,	15	29.91	759 7	50	100	NW	4	r	6	29.97	761.2	74	95	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	30.19	765.8	67	...	...	0	f
Shanghai,	,,	30.00	762 0	61	87	NW	1	o	,,	30.13	765.3	46	97	WSW	1	b
Gutzlaff,	14	29.99	761.7	61	78	W	2	o	,,	30.14	765.5	54	62	NNW	4	b
Sharp Peak,	,,	29.95	760.7	74	81	N	1	o	,,	30.03	762.7	67	84	W	2	o
Amoy,	,,	29.91	760.5	76	77	SW	4	o	,,	29.99	761.7	71	85	NNE	4	r
Swatow,	,,	29.93	760.2	76	69	E	2	o	6	...	...	...	...	...	...	...
Taihoku,	,,	29.95	760 8	81	65	...	0	o	,,	30.02	762.6	68	94	E	2	r
Taichu,	,,	29.95	760.8	86	...	...	0	b	,,	29.98	761.4	70	...	N	1	o
Tainan,	,,	29 94	760.5	84	...	W	2	b	,,	29.95	760.8	75	..	N	1	b
Koshun,	,,	29.91	760.2	84	...	E	2	b	,,	29.93	760.2	72	..	...	0	o
Pescadores,	,,	29.97	761.1	81	...	N	2	b	,,	29 98	761.4	75	...	NE	4	o
Canton,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	67	...	...	0	o
Hong Kong,	14	29.91	759.9	79	73	ENE	2	o	6	29.99	761.7	70	78	...	0	o
Gap Rock,	,,	29.92	759.9	...	...	E	4	c	,,	29.98	761.5	...	...	NNE	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.87	758.5	82	77	NNE	3	c	,,	29.92	759.9	76	80	NNE	4	c
Phulien,	15	29.93	760.2	68	100	NNE	6	rf	9	30.06	763.5	66	95	WNW	1	rf
Tourane,	,,	29.86	759.0	79	...	SE	2	b	,,	29.98	761.4	72	...	...	0	b
Cape St. James,	,,	29.85	758.1	79	...	SW	6	o	,,	...	...	...	...	...	...	...
Basco,	14	29 82	757.5	86	68	SE	2	o	6	29.88	759 0	77	91	...	0	o
Aparri,	13	29.80	756.9	86	68	NNE	4	b	7	29.86	758.4	73	96	SW	2	o
Manila,	,,	29 79	756.0	86	61	WSW	4	b	,,	29.82	757.5	72	96	NNW	1	b
Legaspi,	,,	29.74	755 4	86	61	NNE	4	o	,,	29.76	756.0	81	76	NNW	1	o
Tacloban,	,,	29.73	755.1	77	92	NE	6	r	6	29.75	755 7	75	89	NW	2	o
Iloilo,	,,	29.75	755.7	90	60	N	4	o	,,	29.80	756.9	75	91	N	2	o
Surigao,	,,	29.71	754.5	79	91	N	4	o	,,	..	...	...	...	...	...	...
Tuguegarao,	,,	29.79	756.6	90	55	N	2	o	,,	29.88	759.0	72	96	S	1	o
Vigan	,,	29.75	755.7	86	61	NW	4	b	,,	29.81	757.2	75	83	N	1	b
Calbayog,	,,	29.74	755.4	86	65	N	4	o	,,	29.76	756.0	77	96	...	0	o
Cebu,	,,	29.71	754.5	86	63	N	2	o	,,	29.76	756.0	79	84	SW	...	...
Guam,	12.20	29.73	755.1	...	...	E	4	o	4.20	29.79	756.6	...	...	NE	2	o
Yap,	12.47	29.63	752.7	...	...	SE	4	o	4.47	29 71	754.5	...	...	SE	4	of
Pelew,	11.00	...	...	...	...	...	...	...	5	29.67	753.6	80	..	W	3	c
Labuan,	12	29.77	756.1	88	84	NW	4	b	5	29.84	757.9	76	91	SW	1	r

October 28*d*. 11*h*. 07*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 9° N. Long. 135° E, moving W.N.W.

October 28*d*. 11*h*. 10*m*.—Pressure has increased considerably over N.E. Japan, moderately over the Yangtze Valley and slightly over S. China and Formosa. It has decreased slightly over the Visayas.

An anticyclone has formed over China.

A typhoon is shown about 50 miles north of Pelew moving W.N.W.

Manila warning. 27*d*. 16*h*. 00*m*.:—Typhoon near or over the Pelew Islands direction unknown. Recd. 27*d*. 17*h*. 08*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 80·28 inches

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th OCTOBER, 1926.								29th OCTOBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	..	...	...
Nemuro,	11	30.16	766 0	...	...	NW	3	...	5	30.12	765.0	...	..	SE	1	...
Hokodate,	.	30.18	766.5	...	...	SE	1	...	,,	29.90	759.5	...	...	SE	3	...
Tokio,	.	30.12	765.0	...	...	NW	1	...	,,	29.88	759.0	...	..	NW	1	...
Kochi,	..	29.86	758.5	...	...	...	0	...	,,	29.94	760 5	...	...	...	0	...
Nagasaki,	..	29.94	760.5	...	...	W	2	...	,,	30.00	762.0	...	...	S	1	...
Kagoshima,	,,	29.92	760 0	...	...	WNW	1	...	,,	30.00	762.0	...	...	WNW	1	...
Oshima,	,,	30.06	761.0	...	...	NNE	1	...	,,	30.00	762.0	...	...		0	...
Naha,	,,	29.06	761.0	...	...	N	2	...	,,	30.00	762.0	...	...	N	3	...
Ishigakijima,	,,	29.08	761.5	...	...	N	1	...	,,	30.00	762.0	...	...	N	1	...
Bonin Island,	.	30.02	762.5	..	...	...	0	...	,,	30.00	762.0	...	...	...	3	...
Chefoo,	15	29.95	763.7	77	95	WNW	2	r	6	29.96	761.0	74	92	SSW	4	0
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,		...	...	...		...	...	,,	30.23	767.8	60	...	...	0	b
Shanghai,	,,	30.04	762.9	70	29	SSE	2	b	,,	30.21	767.4	46	66	NW	4	b
Gutzlaff,	14	30.03	764.0	62	51	WNW	2	b	,,	30.19	765.8	54	49	NNW	6	b
Sharp Peak,	,,	30.03	762 7	71	62	E	2	0	,,	30.10	764.5	65	68	NW	1	b
Amoy,	..	30.00	762.0	71	80	NNE	4	0	-	30.02	762 5	67	69	NNE	2	0
Swatow,	,,	29.98	761.5	72	81	ENE	2	0	6	...	...	...	...	...	...	...
Taihoku,	11	30.07	763.8	68	83	E	4	0	,	30.06	763.5	63	25	E	2	0
Taiobu,	,,	29.98	761.4	79	...	NNW	4	0	,,	29.98	761.4	66	...	E	2	0
Tainan,	,,	29.95	760.8	82	...	NNW	4	b	,,	29.94	760.5	68	..	N	2	0
Koshun,	,,	29.91	760.5	73	...	NE	4	b	,,	29.93	760.2	73	.	NNE	2	0
Pescadores,	,,	30.00	762.0	75	...	ENE	6	0	,,	29.98	761.4	73	...	E	4	0
Canton,	,,	...	..	...	...	...	...	...	,,	30.03	762.7	69	...	NNW	1	oc
Hong Kong,	14	29 94	760.5	77	62	E	2	0	6	30.01	762.2	71	83	NNE	1	0
Gap Rock,	,,	29.94	760.5	...	...	NNW	4	b	,,	29.98	761.5	...	...	ENE	4	0
Macao,	,,			...	...		...	...	,			...	...	...		...
Pratas Island,	,,	29.88	758.9	81	75	NNE	4	b	,,	29.93	760.2	75	77	NNE	5	c
Phulien,	15	29.97	761.1	77	68	WNW	1	b	9	30.04	762.9	68	96	NNE	2	bf
Tourane,	,,	29.91	759.6	77	...	NW	4	0	,,	29.97	761.1	72	...	NW	4	r
Cape St. James,	,,	29 81	757.2	86	...	SSE	2	b	..	29.86	758.4	77	...	NW	..	...
Basco,	14	29.85	758.1	82	81	NNE	4	0	6	29.88	759 0	72	...	...	0	0
Aparri,	15	29.80	756.9	86	71	NNE	4	b	7	...	..	..	...	...	...	...
Manila,	,,	29 78	756.3	86	68	N	2	0	,,	29.79	756.6	77	85	N	2	0
Legaspi,	,,	29.72	754.8	86	78	N	2	0	,,	29.74	755.4	77	94	..	0	0
Tacloban,	,,	29.72	754.8	73	96	NW	2	0	6	29.72	754.8	75	92	NW	4	0
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	98	N	2	0
Surigao,	,,	29.72	754.8	79	85	W	2	0	,,	29.72	754.8	75	98	W	2	r
Tuguegarao	,,	29.81	757.2	86	68	S	1	0	,,	...	...	...	...	...	..	...
Vigan	,,	29.74	755.4	85	58	NW	2	b	,,	29.78	756.3	75	71	E	2	0
Calbayog,	,,	29.73	755.1	79	87	S	2	r	,,	29.75	755.7	75	98	...	0	r
Cebu,	..	29.69	754.2	93	94	W	4	r	..	29.75	755.7	77	84	SW	2	r
Guam,	12.20	29.75	755.7	...	...	E	4	0	4.20	29.79	756.6	-	...	E	4	...
Yap,	12.47	29.63	754.2	...	...	SW	4	0	4.47	...	...	...	...	..	..	0
Pelew,	11.00	...	...	...	...	...	...	...	5	29.76	756.0	80	..	WSW	3	0
Labuan,	14	29.76	755.9	84	83	NW	1	0	6	29.83	757.7	76	94	SW	1	r

October 28*d.* 18*h.* 30*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 11° N. Long. 135° E., moving N.

October 29*d.* 11*h.* 10*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 134° E., moving N.

October 29*d.* 11*h.* 15*m.*—Pressure has decreased considerably at Tokio and slightly over the Visayas. It has increased moderately at Shanghai, and slightly over S.W. Japan and the Pelew Islands.

The anticyclone over China is moving eastward.

The typhoon, now about 500 miles north of Pelew, is moving northward.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Manila warning. 28*d.* 16*h.* 30*m.*:—Typhoon N.W. of Yap inclining northward. Recd. 28*d.* 17*h.* 17*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 95·36 inches, against an average of 80·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30th.

District.	Forecast.
1.—Formosa Channel,	E. winds, moderate; generally cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th OCTOBER, 1926.									30th OCTOBER, 1926.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.78	756.5	39	...	NE	6	o		6	29.80	756.8	36	..	NE	4	h	
Nemuro,	11	30.02	762.5	...	...	SE	2	...		5	29.61	752.0	...	...	ESE	2	...	
Hokodate,	.	29.82	757.5	...	...	S	2	...		,,	29.57	751.0	...	...	SW	4	..	
Tokio,	..	29.80	757.0	...	...	...	...	...		,,	29.65	753.0	...	...	S	1	...	
Kochi,	..	29.92	760.0	...	...	...	0	...		,,	29.88	759.0	...	...	...	C	...	
Nagasaki,	..	30.00	762.0	...	...	NW	4	...		,,	30.04	763.0	...	...	NW	3	...	
Kagoshima,	..	30.00	762.0	...	...	...	0	...		,,	30.02	762.5	...	...	NW	1	...	
Oshima,	..	30.04	763.0	...	...	...	...	...		,,	30.04	763.0	...	...	N	1	...	
Naha,	..	30.06	763.5	...	...	N	2	...		,,	30.06	763.5	...	...	N	1	...	
Ishigakijima,	..	30.01	763.0	...	...	NNE	2	...		,,	30.06	763.5	...	...	N	2	...	
Bonin Island,	..	29.96	761.0	...	...	...	0	...		,,	29.90	759.5	...	...		...	...	
Chefoo,	15	30.08	764.0	73	100	WSW	4	o		6	30.14	765.5	44	86	W	2	o	
Hankow,	,,	..	...	...	...	...	...	...		,,	30.36	771.1	52	...	NNE	2	h	
Changsha,	,,	.	...	...	...	...	...	...		,,	30.26	768.6	57	...	...	0	h	
Shanghai,	,,	30.24	768.0	55	26	NW	4	b		,,	30.34	770.7	37	79	...	0	h	
Gutzlaff,	14	30.23	767.8	56	40	NNW	6	b		,,	30.32	770.1	47	63	NNW	6	h	
Sharp Peak,	,,	30.04	763.0	72	71	ENE	4	b		,,	30.11	764.8	65	73	WNW	2	o	
Amoy,	,,	29.99	761.7	81	59	NE	4	b		7	30.06	763.5	66	79	N	4	h	
Swatow,	,,	30.09	764.3	78	...	E	2	b-o		6	30.05	763.2	65	...	NE	2	h	
Taihoku,	1	30.10	764.4	70	74	SE	2	o		5	30.13	765.3	63	80	E	4	o	
Taichu,	,,	29.99	761.7	77	...	NNW	2	o		,,	29.98	761.4	59	...	...	0	h	
Tainan,	,	29.97	761.1	79	...	NNW	2	o		,,	29.94	760.5	63	..	NNE	2	h	
Koshun,	,,	29.97	761.1	79	...	NE	4	h		,,	29.94	760.5	73		NE	6	o	
Pescadores,	,,	30.01	762.3	77		NE	6	o		,,	29.99	761.7	70	..	NE	6	o	
Canton,	,,	29.96	761.0	78	61	N	2	o		..			66	...	NW	1	h	
Hong Kong,	14	29.98	761.5	77	69	E	2	o		6	30.05	762.2	63	65	NNE	1	b	
Gap Rock,	..	29.98	761.5	...	...	ENE	4	c		,,	30.02	762.5	...	...	ENE	4	c	
Macao,	,,	...	...	...	...	..	...	...		,	..		...	...	...	.	..	
Pratas Island,	,,	29.90	759.4	78	73	NNE	5	bc		,,	29.97	761.2	75	65	NNE	7	c	
Phulien,	15	29.97	761.1	82	57	...	0	b		9	30.06	763.5	68	88	NNW	4	b	
Tourane,	,,	29.93	760.2	77	...	NW	2	o		,,	29.97	761.1	72	...	NNE	4	r	
Cape St. James	,,	29.81	757.2	86	...	SW	2	h		..	29.85	758.1	75		N	2	o	
Basco,	14	29.85	758.1	70	85	NNE	4	o		6	29.87	758.7	75	67	NE	6	o	
Aparri,	15	29.79	756.6	86	67	NNE	4	o		7	29.82	757.5	77	85	NNE	6	r	
Manila,	,,	29.74	755.4	79	85	...	0	o		,,	29.75	755.7	75	98	...	0	o	
Legaspi,	,,	29.65	753.0	77	92	SW	1	o		,,	29.66	753.3	75	94	WSW	4	o	
Tacloban,	,,	.	...	...	...	...	...	...		6	...	...	...	...	...	.	...	
Iloilo,	,,	29.73	755.1	81	86	S	4	o		,,	29.76	756.0	75	98	...	0	o	
Surigao,	,,	29.63	752.7	81	73	W	4	o		,,	...	...	...	..	...	..	.	
Tuguegarao	,,	29.78	756.3	86	61	N	4	o		..	29.80	756.9	75	96	N	4	r	
Vigan	,,	.	...	...	...	...	...	...		,,	29.75	753.7	75	79	NW	4	o	
Calbayog,	,,	29.65	753.0	75	96	SW	4	r		,,	...	...	...	...	...	...	...	
Cebu,	..	29.65	753.0	82	70	SW	4	o		,,	...	...	...	...	...	...	...	
Guam,	12.20	29.73	755.1	...	...	ENE	4	o		4.20	...	...	.	...	...	.	...	
Yap,	12.47	29.73	755.1	...	...	NNW	4	o		4.47	29.74	755.4	...	...	NW	2	o	
Pelew,	11.00	...	...	...	...	...	...	..		5	29.73	755.1	82		SW	2	c	
Labuan,	14	29.77	756.1	86	88	SW	2	h		6	29.86	758.4	76	91	SW	1	r	

October 29*d*. 19*h*. 00*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 130° E., moving N.W.

October 30*d*. 11*h*. 21*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 127° E., moving N.W.

October 30*d*. 11*h*. 25*m*.—Pressure has decreased considerably over N.E. Japan, moderately over central Japan and slightly over S. Formosa and the Philippines. It has increased slightly over China, S.W. Japan, the Loochoos, N. Formosa and Indo-China.

The typhoon is now in about Lat. 16° N. and Long. 127° E., moving N.W.

The anticyclone over China has strengthened.

A depression is moving northeastward across N. Japan.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Manila warning. 30*d*. 5*h*. 4*cm*.:—Typhoon in Lat. 16° N. Long. 127° E. moving N.W. Recd. 30*d*. 10*h*. 43*m*.

Shanghai warning 30*d*. 11*h*. 00*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 128° E., moving N.W. Recd. 30*d*. 11*h*. 26*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 80·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate to fresh; fine.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

NOVEMBER,

1926.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.



HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1926.

[Price 60c.]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL ORSERVATIONS.

NOVEMBER,

1926.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of NOVEMBER, 1926.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·038	30·030	30·028	30·034	30·051	30·081	30·084	30·089	30·102	30·115	30·103	30·069	1
2	30·030	30·024	30·027	30·021	30·017	30·030	30·047	30·063	30·081	30·088	30·063	30·032	2
3	30·031	30·018	30·014	30·014	30·023	30·028	30·040	30·054	30·062	30·075	30·047	30·031	3
4	30·008	30·000	29·988	29·990	29·990	30·010	30·041	30·058	30·062	30·061	30·037	30·013	4
5	29·985	29·970	29·956	29·944	29·958	29·979	30·003	30·015	30·039	30·044	30·027	30·006	5
6	29·980	29·974	29·962	29·964	29·970	29·988	29·999	30·018	30·032	30·048	30·034	30·002	6
7	30·001	29·992	29·984	29·980	29·987	30·003	30·014	30·030	30·038	30·050	30·034	30·010	7
8	30·000	29·996	29·990	29·992	30·002	30·030	30·036	30·046	30·056	30·065	30·043	30·028	8
9	30·032	30·027	30·020	30·020	30·020	30·032	30·054	30·068	30·074	30·083	30·064	30·037	9
10	29·956	29·949	29·936	29·931	29·931	29·961	29·983	29·998	30·014	30·016	30·002	29·973	10
11	29·955	29·946	29·942	29·944	29·948	29·972	29·999	30·012	30·022	30·027	30·005	29·984	11
12	29·964	29·952	29·946	29·930	29·930	29·944	29·966	29·987	30·014	30·016	29·986	29·953	12
13	29·894	29·884	29·881	29·876	29·881	29·886	29·907	29·921	29·935	29·938	29·913	29·878	13
14	29·885	29·876	29·868	29·860	29·862	29·886	29·900	29·909	29·925	29·966	29·939	29·930	14
15	29·928	29·999	29·892	29·882	29·880	29·903	29·913	29·943	29·949	29·970	29·960	29·936	15
16	29·968	29·956	29·943	29·944	29·944	29·956	29·975	29·983	29·987	29·986	29·978	29·952	16
17	29·962	29·950	29·938	29·940	29·944	29·952	29·966	29·990	30·007	30·017	30·003	29·974	17
18	30·028	30·025	30·022	30·032	30·036	30·054	30·070	30·088	30·096	30·112	30·100	30·070	18
19	30·140	30·135	30·128	30·121	30·126	30·143	30·166	30·186	30·197	30·212	30·198	30·180	19
20	30·188	30·168	30·160	30·144	30·148	30·152	30·163	30·173	30·190	30·190	30·171	30·150	20
21	30·100	30·094	30·086	30·072	30·068	30·084	30·087	30·100	30·115	30·128	30·110	30·090	21
22	30·035	30·016	30·004	30·002	30·006	30·016	30·033	30·045	30·063	30·074	30·063	30·036	22
23	30·004	29·994	29·990	29·992	29·996	30·028	30·046	30·058	30·064	30·067	30·038	30·007	23
24	29·980	29·980	29·969	29·979	29·986	29·986	30·012	30·036	30·046	30·053	30·034	30·024	24
25	30·013	29·995	29·993	29·999	30·003	30·009	30·024	30·042	30·058	30·063	30·047	30·020	25
26	30·047	30·030	30·012	30·013	30·001	30·010	30·022	30·046	30·059	30·070	30·054	30·034	26
27	30·020	30·004	29·974	29·965	29·966	29·978	29·988	29·994	30·017	30·028	30·025	30·005	27
28	29·946	29·936	29·926	29·913	29·918	29·926	29·932	29·944	29·950	29·953	29·938	29·910	28
29	29·887	29·882	29·868	29·864	29·866	29·882	29·905	29·924	29·945	29·954	29·939	29·919	29
30	29·920	29·924	29·928	29·930	29·922	29·931	29·940	29·962	29·979	29·981	29·971	29·955	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·034	30·015	29·999	30·003	30·013	30·028	30·039	30·056	30·064	30·071	30·059	30·047	1
2	29·995	29·968	29·948	29·944	29·961	29·986	30·015	30·039	30·044	30·044	30·042	30·033	2
3	29·999	29·971	29·964	29·960	29·962	29·967	29·978	29·995	30·008	30·019	30·023	30·022	3
4	29·982	29·966	29·945	29·946	29·948	29·949	29·961	29·980	29·996	30·000	30·001	29·994	4
5	29·981	29·956	29·938	29·934	29·938	29·947	29·954	29·976	29·984	29·978	29·982	29·984	5
6	29·975	29·945	29·930	29·923	29·942	29·940	29·961	29·993	30·015	30·019	30·021	30·011	6
7	29·978	29·952	29·941	29·937	29·945	29·971	29·978	30·010	30·022	30·020	30·022	30·014	7
8	30·002	29·983	29·979	29·982	29·993	30·002	30·006	30·019	30·031	30·035	30·042	30·034	8
9	30·006	29·968	29·954	29·946	29·947	29·957	29·968	29·972	29·977	29·977	29·978	29·966	9
10	29·945	29·929	29·921	29·917	29·921	29·929	29·945	29·956	29·960	29·962	29·962	29·958	10
11	29·958	29·933	29·921	29·919	29·921	29·927	29·952	29·978	29·977	29·978	29·970	29·967	11
12	29·929	29·891	29·873	29·875	29·877	29·896	29·917	29·926	29·929	29·926	29·924	29·910	12
13	29·856	29·831	29·824	29·837	29·848	29·859	29·860	29·875	29·892	29·906	29·912	29·895	13
14	29·898	29·875	29·874	29·865	29·868	29·906	29·912	29·925	29·932	29·942	29·950	29·924	14
15	29·920	29·892	29·892	29·902	29·910	29·918	29·940	29·964	29·978	29·982	29·988	29·977	15
16	29·931	29·903	29·895	29·903	29·915	29·923	29·925	29·949	29·946	29·956	29·962	29·960	16
17	29·947	29·922	29·917	29·919	29·932	29·954	29·971	30·004	30·014	30·028	30·033	30·033	17
18	30·048	30·036	30·030	30·036	30·046	30·058	30·078	30·095	30·127	30·147	30·148	30·153	18
19	30·146	30·130	30·119	30·124	30·127	30·135	30·148	30·172	30·192	30·198	30·207	30·201	19
20	30·122	30·094	30·084	30·068	30·072	30·082	30·096	30·108	30·112	30·125	30·115	30·110	20
21	30·055	30·027	30·015	30·007	30·014	30·024	30·026	30·039	30·057	30·057	30·057	30·047	21
22	29·989	29·953	29·936	29·947	29·955	29·964	29·978	29·995	30·002	30·000	30·000	30·000	22
23	29·979	29·937	29·931	29·935	29·938	29·962	29·977	29·987	29·991	29·994	29·986	29·983	23
24	30·003	29·979	29·959	29·961	29·968	29·986	29·992	29·996	30·013	30·024	30·033	30·023	24
25	29·997	29·972	29·958	29·956	29·962	29·984	30·012	30·039	30·049	30·066	30·060	30·047	25
26	30·001	29·984	29·985	29·989	30·001	30·001	30·009	30·029	30·041	30·046	30·037	30·024	26
27	29·976	29·954	29·946	29·940	29·946	29·950	29·962	29·970	29·973	29·966	29·957	29·956	27
28	29·876	29·864	29·859	29·857	29·869	29·884	29·904	29·911	29·913	29·913	29·909	29·898	28
29	29·881	29·865	29·853	29·845	29·857	29·867	29·878	29·898	29·912	29·916	29·918	29·917	29
30	29·941	29·931	29·937	29·945	29·941	29·942	29·962	29·970	29·974	29·981	29·982	29·969	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of NOVEMBER, 1926.

Hours, Hong Kong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	67·2	68·1	67·8	67·6	67·4	66·4	67·0	68·5	70·2	70·6	71·7	71·5	1
2	69·4	69·2	68·0	68·4	68·4	67·2	67·3	69·3	70·0	72·3	73·2	73·8	2
3	68·5	67·9	67·0	67·1	66·6	65·4	66·4	68·3	70·9	72·9	73·1	74·0	3
4	64·1	63·0	62·9	62·4	61·8	61·7	61·3	63·1	65·0	67·7	70·4	72·0	4
5	66·0	64·9	65·1	64·8	64·7	64·6	63·9	66·1	70·0	70·2	71·0	71·0	5
6	65·6	65·4	65·3	65·9	65·9	65·3	66·0	68·8	71·3	72·5	72·2	72·1	6
7	69·2	68·6	68·1	67·9	67·2	66·8	66·2	69·3	71·1	73·0	75·0	75·7	7
8	71·1	70·9	70·8	70·6	70·4	70·1	70·0	71·1	73·4	73·4	74·5	74·6	8
9	70·3	70·8	70·5	70·4	70·2	69·9	69·5	71·0	72·5	73·5	73·8	74·8	9
10	68·8	69·1	69·0	68·9	68·5	68·6	68·9	71·0	72·8	74·5	76·0	77·5	10
11	70·3	70·1	70·3	70·1	69·8	69·5	69·8	70·3	70·7	71·5	72·5	73·2	11
12	70·1	69·8	69·2	68·6	67·9	68·2	68·6	70·2	70·8	72·9	73·5	73·4	12
13	69·4	68·9	69·2	69·8	69·4	68·8	68·5	71·4	75·5	78·1	80·5	81·0	13
14	74·0	74·4	75·0	75·2	75·4	74·6	73·1	72·2	72·2	71·1	70·1	69·8	14
15	65·8	63·7	61·9	62·6	62·7	64·9	64·9	64·8	64·7	64·2	65·0	65·0	15
16	64·8	65·0	64·2	63·8	64·7	66·2	66·5	67·1	67·5	69·1	69·9	71·0	16
17	68·4	68·4	68·2	68·1	68·2	68·0	67·8	68·4	69·0	70·1	72·3	73·9	17
18	65·7	65·0	64·6	64·4	63·6	63·2	63·3	64·2	66·0	66·8	68·2	70·0	18
19	61·6	62·4	62·9	62·0	61·8	61·4	61·0	61·7	64·0	65·9	67·1	67·9	19
20	63·9	63·1	61·6	61·4	61·3	61·3	62·0	63·8	65·0	67·0	69·3	70·2	20
21	66·0	65·4	65·8	64·8	64·1	64·4	64·7	65·1	66·8	68·2	70·2	70·6	21
22	67·9	67·4	67·4	67·0	66·4	66·1	66·0	66·6	69·2	70·6	72·0	72·2	22
23	65·0	64·0	64·6	64·8	64·2	64·0	63·9	64·1	65·0	67·8	68·7	69·7	23
24	66·0	66·0	65·1	64·5	63·6	64·0	64·0	64·4	67·5	68·6	68·2	68·3	24
25	66·0	65·3	64·2	63·6	63·0	63·0	62·8	65·7	67·8	68·9	69·8	70·5	25
26	67·1	66·6	66·2	65·5	65·3	65·1	65·2	66·1	67·8	68·4	69·0	69·5	26
27	66·3	66·3	65·8	65·8	65·2	65·2	65·0	66·9	68·8	69·1	69·3	68·3	27
28	66·2	66·1	66·1	66·1	66·3	66·4	66·5	67·2	69·6	71·2	71·6	71·0	28
29	68·2	67·6	67·3	67·2	67·3	66·3	67·5	68·5	70·8	72·8	73·7	74·0	29
30	70·0	70·0	69·6	69·3	69·2	69·1	69·2	69·5	70·1	70·3	71·0	70·6	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	71·3	70·5	71·0	71·0	70·5	69·8	69·7	69·5	69·3	69·2	69·5	69·3	1
2	75·2	76·0	74·0	72·8	71·8	70·6	70·0	69·8	69·2	69·0	68·8	67·8	2
3	75·4	76·0	75·8	75·3	74·4	73·0	71·6	71·0	70·5	68·4	66·2	64·9	3
4	73·5	73·0	73·2	72·5	70·9	69·7	68·2	67·4	66·6	67·1	66·7	66·3	4
5	71·0	71·0	70·4	70·2	67·9	68·9	68·1	67·6	67·0	66·6	66·2	65·7	5
6	72·5	73·2	73·7	73·5	72·5	69·9	69·2	69·1	68·7	68·4	69·2	69·9	6
7	76·0	74·8	73·4	72·2	71·3	71·0	71·0	71·2	71·2	71·5	71·6	71·2	7
8	76·0	75·1	74·5	73·2	72·2	71·7	71·3	71·0	71·0	70·9	70·9	70·9	8
9	74·9	74·4	74·0	73·1	72·4	71·2	70·5	70·3	70·0	70·0	69·2	69·5	9
10	76·9	75·5	75·0	74·4	73·4	72·4	71·4	71·2	71·1	71·0	70·8	70·7	10
11	72·3	73·8	73·0	72·2	71·4	70·6	70·5	70·3	70·5	70·8	71·0	71·1	11
12	73·8	73·3	73·3	72·7	72·0	71·6	70·8	70·4	69·9	69·2	69·2	69·9	12
13	82·0	82·4	81·0	79·0	78·3	78·2	76·9	75·5	75·2	75·4	74·4	74·0	13
14	69·2	68·7	69·1	67·1	65·0	64·3	63·3	63·0	63·2	62·5	63·0	62·5	14
15	65·5	65·2	64·6	64·9	64·2	64·0	63·8	63·3	64·0	64·2	63·4	63·4	15
16	71·0	70·5	70·3	70·2	69·8	69·0	69·8	69·7	70·0	70·0	68·7	68·2	16
17	75·8	75·1	76·3	75·2	72·8	70·3	68·3	67·7	67·1	67·4	66·6	65·5	17
18	71·8	70·9	70·4	69·5	68·9	67·3	65·6	64·0	63·0	62·2	62·0	61·6	18
19	68·8	68·6	68·2	67·9	66·3	65·8	65·3	64·7	64·2	64·0	63·6	63·9	19
20	70·6	71·0	70·4	69·2	68·3	68·3	67·0	66·8	67·1	66·5	66·4	66·5	20
21	71·1	72·3	72·1	70·9	70·1	69·4	69·0	69·1	69·1	68·8	68·5	67·8	21
22	72·3	72·2	72·2	71·1	70·2	70·0	69·2	68·7	68·3	67·7	67·2	66·9	22
23	69·9	69·1	68·7	68·0	67·2	66·2	65·6	65·1	64·9	65·1	65·2	65·4	23
24	69·1	69·1	68·4	68·3	67·8	66·9	66·0	65·5	65·7	65·5	65·2	65·3	24
25	70·6	71·0	71·1	71·0	69·8	68·0	67·4	67·2	67·0	67·0	67·4	67·3	25
26	69·4	69·4	69·5	69·2	68·5	67·4	67·6	67·6	67·4	67·5	67·2	66·8	26
27	68·0	68·7	68·0	68·7	68·0	67·1	67·2	67·2	67·1	67·1	66·8	66·4	27
28	71·0	70·8	71·2	70·3	69·8	68·9	68·8	68·5	68·3	68·1	67·9	67·7	28
29	73·6	73·8	73·2	71·9	71·0	70·5	70·1	70·0	69·4	69·0	69·5	69·8	29
30	70·5	70·5	69·4	68·3	68·0	67·8	68·0	68·0	67·8	68·0	68·4	68·3	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of NOVEMBER, 1926.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	62·9	63·0	63·0	63·0	63·0	62·3	62·3	62·7	63·6	64·0	63·8	63·5	1
2	64·0	64·0	63·8	63·1	63·2	62·8	62·8	63·8	63·6	64·0	65·0	65·8	2
3	63·5	63·6	63·0	63·2	63·0	62·7	63·4	61·0	62·0	63·1	62·4	62·9	3
4	55·2	54·2	53·0	52·8	52·1	51·6	52·3	52·7	53·0	54·0	56·4	58·5	4
5	53·6	52·6	52·7	53·3	53·4	53·7	54·2	56·0	57·4	58·7	59·5	59·5	5
6	59·7	59·8	60·4	60·9	60·9	60·5	60·7	62·0	62·0	61·5	61·9	63·1	6
7	65·1	65·0	64·8	63·7	63·0	62·8	62·2	63·4	64·7	65·4	66·0	66·5	7
8	66·7	66·3	65·5	65·2	65·6	65·7	65·7	66·8	67·5	67·0	66·8	67·0	8
9	66·7	66·5	66·5	66·3	66·2	66·0	65·4	65·9	66·6	67·0	66·8	67·0	9
10	65·0	65·5	65·2	66·0	66·0	66·3	66·8	68·0	68·4	68·4	68·3	67·8	10
11	66·4	66·1	65·8	65·1	65·2	65·3	65·1	65·8	65·6	66·0	66·8	67·2	11
12	66·0	65·9	65·9	65·1	64·5	64·0	64·0	65·0	65·8	66·2	66·7	66·3	12
13	66·1	66·0	66·3	66·6	66·3	66·0	65·7	67·3	68·6	69·5	71·4	71·5	13
14	71·3	71·5	71·9	71·9	71·4	71·7	70·2	68·4	68·6	68·5	67·9	67·2	14
15	62·2	60·7	59·3	60·0	60·1	61·2	61·6	61·5	62·3	62·4	63·0	63·0	15
16	62·3	62·5	62·1	62·0	62·6	63·2	63·6	64·0	64·3	65·4	66·0	66·5	16
17	65·4	65·7	65·2	65·3	65·2	64·9	64·0	65·0	64·8	65·3	66·0	68·0	17
18	61·5	61·0	60·6	60·3	60·0	60·0	60·4	60·7	61·9	61·7	62·4	63·7	18
19	56·0	56·6	57·2	55·9	55·6	55·8	55·9	56·3	57·8	59·0	60·0	60·5	19
20	57·5	57·5	57·0	56·4	56·1	56·3	56·9	57·5	58·1	59·9	61·3	61·1	20
21	61·2	60·8	61·0	60·4	59·9	59·9	59·8	59·6	60·5	61·3	62·0	62·0	21
22	63·1	62·7	62·6	62·1	61·4	60·0	59·2	60·0	62·0	62·8	63·9	64·2	22
23	56·0	55·5	55·6	55·9	55·1	55·5	54·9	55·0	55·4	57·4	57·8	58·9	23
24	61·3	61·3	61·0	60·2	60·2	60·1	60·0	60·3	61·8	61·2	61·1	61·2	24
25	60·9	58·5	58·2	58·4	57·3	58·1	58·7	61·0	62·4	63·0	64·0	64·6	25
26	63·3	63·2	62·9	62·5	62·1	62·0	61·5	62·2	63·0	63·2	64·3	64·2	26
27	63·5	63·1	63·0	62·1	62·0	62·9	62·0	62·8	63·0	63·1	63·8	63·7	27
28	64·3	64·1	64·1	64·1	64·1	64·3	64·1	64·3	65·9	67·0	67·5	67·0	28
29	65·9	65·7	65·5	65·6	65·6	65·0	65·5	66·4	67·9	68·6	69·4	69·9	29
30	67·8	67·8	67·4	67·2	67·2	67·2	67·0	67·9	67·2	67·0	66·9	67·0	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	64·0	63·1	63·4	63·8	63·3	63·0	63·0	63·7	64·0	64·0	63·7	63·7	1
2	65·5	67·0	66·8	65·9	65·1	64·0	64·0	64·0	64·0	64·1	64·5	63·3	2
3	63·2	63·5	63·0	64·1	62·4	63·2	62·2	61·8	60·8	59·5	58·6	56·9	3
4	60·5	60·2	62·0	61·6	59·4	57·2	55·4	54·4	54·0	55·0	53·4	54·0	4
5	60·2	61·0	61·0	61·2	59·8	59·0	58·1	58·7	59·1	58·9	59·8	59·8	5
6	64·0	64·6	65·1	66·7	65·8	64·0	63·8	64·0	64·2	64·7	65·3	65·4	6
7	67·1	67·2	66·1	64·7	65·0	66·0	66·6	67·3	67·9	68·0	68·0	67·9	7
8	67·2	67·0	66·9	66·1	66·6	67·1	67·6	67·4	67·9	68·0	67·6	67·4	8
9	66·8	67·0	66·6	66·8	66·9	66·2	66·3	66·0	65·9	66·0	65·8	65·7	9
10	68·0	67·5	66·9	67·1	66·4	65·9	66·0	65·9	66·0	66·0	66·3	66·3	10
11	66·8	67·4	66·9	67·5	66·3	66·0	66·0	66·1	66·2	66·4	66·7	66·5	11
12	66·5	65·0	65·5	65·1	65·3	65·8	65·0	65·3	65·5	66·0	66·2	66·2	12
13	72·6	73·0	72·4	71·3	71·1	71·4	70·8	69·6	69·9	70·3	71·5	72·0	13
14	66·7	66·0	65·0	64·5	63·0	62·5	61·9	61·4	61·6	61·1	61·6	61·2	14
15	63·0	62·7	63·0	63·0	63·0	62·8	62·8	62·3	62·7	63·1	62·3	62·3	15
16	66·6	67·0	66·8	66·9	67·0	66·8	67·0	66·9	67·0	67·0	66·2	65·7	16
17	69·9	69·4	69·0	68·0	65·8	64·4	63·0	62·8	62·3	63·0	62·0	61·4	17
18	64·9	64·0	64·0	63·1	62·8	61·3	60·0	58·1	57·3	56·8	56·5	56·8	18
19	61·1	61·5	61·0	60·7	59·2	58·3	58·2	57·7	57·3	57·0	56·6	57·6	19
20	62·2	63·2	63·0	62·4	62·0	61·5	60·9	61·0	61·7	61·0	61·7	62·2	20
21	63·0	64·1	64·6	64·2	64·0	64·0	63·8	63·4	64·0	64·0	64·0	63·3	21
22	64·0	64·2	63·2	61·8	61·9	60·3	60·0	59·5	58·5	57·4	57·1	57·0	22
23	59·4	59·3	59·8	59·2	59·5	59·5	59·7	59·7	60·0	60·3	61·1	61·4	23
24	61·4	61·3	61·5	61·1	61·5	61·2	61·2	61·2	61·5	61·5	61·0	61·2	24
25	64·4	64·8	64·4	63·2	63·0	63·0	63·3	63·7	63·3	63·7	63·8	63·8	25
26	64·2	63·7	63·4	63·2	63·5	63·3	64·0	64·0	64·2	64·2	64·1	63·8	26
27	64·0	64·4	64·0	64·1	63·9	63·7	63·8	64·2	64·3	64·3	64·2	64·3	27
28	67·0	67·0	67·4	66·9	66·9	66·5	66·3	66·3	66·1	66·2	66·0	65·5	28
29	69·5	69·7	69·1	68·7	68·6	68·3	68·1	67·7	67·4	67·0	67·0	67·0	29
30	67·0	66·6	66·1	66·0	65·5	65·9	65·4	65·5	65·7	65·6	65·7	65·7	30

TABLE IV —AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of NOVEMBER, 1926.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	4	2	...	1	1	3	7	5	6	4	6	6	4	6	6	5	7	6	...	1	1	...	...	...	1
2	2	7	3	2	3	4	4	3	2	3	2	2	2	4	2	1	2	2	...	...	...	...	...	...	2
3	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	1	2	4	3	1	4	4	4	6	6	7	5	3	...	...	...	1	2	3	6
7	2	3	2	1	...	1	4	5	4	2	2	...	1	1	2	2	1	7	3	4	3	7	10	4	7
8	10	9	9	7	9	9	8	5	1	1	...	1	...	...	...	...	2	4	5	2	4	4	4	2	8
9	4	9	10	10	7	7	4	4	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	1	1	1	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	2	3	4	3	4	5	4	4	3	1	1	...	...	...	2	2	9	9	10	11
12	5	2	1	1	1	2	1	4	3	2	2	1	...	...	...	...	...	...	...	...	...	...	1	...	12
13	3	2	2	8	3	6	4	6	5	4	2	2	3	4	9	8	9	9	9	5	7	10	10	10	13
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	6	2	...	3	1	1	1	1	9	9	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	4	3	4	5	1	4	1	1	1	3	4	7	10	18
19	10	10	10	10	10	10	10	9	8	8	8	10	9	10	10	8	9	9	9	10	10	10	9	9	19
20	10	8	9	10	10	9	8	8	9	9	9	10	10	10	10	10	10	10	10	10	10	10	10	9	20
21	9	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	9	8	7	9	9	9	8	4	5	7	9	10	10	10	10	10	10	9	22
23	4	3	10	10	10	9	9	9	9	9	2	...	...	...	...	...	...	...	...	...	...	1	5	8	23
24	10	10	9	9	5	3	3	4	7	2	1	1	...	...	...	...	4	2	...	...	...	...	...	...	24
25	...	...	...	...	...	1	1	1	1	2	2	1	1	1	1	1	1	...	...	...	...	...	4	2	25
26	4	7	4	7	1	1	9	6	3	2	1	2	1	2	2	2	4	4	9	2	2	7	2	6	26
27	3	3	1	1	...	1	...	1	1	1	2	7	8	10	10	7	5	4	...	1	1	1	1	...	27
28	1	1	2	2	6	2	4	3	2	1	1	1	1	2	2	1	1	7	2	...	...	...	...	...	28
29	...	...	1	...	...	...	4	8	8	6	2	3	2	1	1	...	...	2	...	...	...	...	...	2	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of NOVEMBER, 1926.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	1
2	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	...	2
3	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	3
4	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	4
5	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	5
6	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	6
7	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	7
8	...	0·1	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	8
9	...	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	9
10	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	10
11	...	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	11
12	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	12
13	...	0·2	0·3	1·0	1·0	1·0	1·0	1·0	0·9	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	0·7	1·0	1·0	1·0	1·0	0·6	...	17
18	...	...	...	...	...	0·7	1·0	1·0	1·0	1·0	0·7	0·3	...	18
19	...	...	...	0·1	...	...	...	...	...	...	...	...	...	19
20	...	0·4	0·7	0·1	0·2	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	0·1	...	...	...	...	21
22	...	...	...	0·3	...	...	0·2	0·9	1·0	1·0	0·4	...	...	22
23	...	...	...	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	23
24	...	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	24
25	...	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	25
26	...	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	0·7	...	26
27	...	0·6	1·0	1·0	1·0	0·9	0·6	...	...	...	0·3	...	...	27
28	...	0·1	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	28
29	...	0·3	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of NOVEMBER, 1926.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	..	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	..	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	d	d	d	d	0.055	0.005	d	d	0.085	0.070	0.085	14
15	0.030	0.030	0.060	0.100	0.080	0.035	0.005	0.050	0.045	0.100	0.040	0.010	15
16	d	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	d	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	d	...	...	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...		...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	..	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	0.005	d	13
14	0.105	0.120	0.240	0.220	0.350	0.365	0.555	0.670	0.140	0.195	0.195	0.180	14
15	0.020	0.075	0.065	0.085	0.070	0.040	0.045	0.020	0.015	0.020	0.015	0.005	15
16	...	0.005	...	...	d	...	...	...	...	...	...	...	16
17	...	...	...	.	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	d	d	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	0.020	0.035	0.050	0.050	0.030	0.040	0.020	0.010	0.005	d	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of NOVEMBER, 1926.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	4	4	4	7	4	8	4	12	4	10	2	6	4	11	6	12	7	15	7	14	8	15	9	17	1
2	7	12	6	13	4	12	6	13	5	14	3	9	3	9	4	9	7	14	8	15	9	11	11	9	2
3	5	6	5	6	...	1	3	4	3	6	2	7	1	8	1	10	1	15	32	10	32	24	32	17	3
4	32	25	32	21	1	25	1	18	1	15	32	12	1	3	1	12	32	20	32	14	1	8	5	5	4
5	...	...	32	9	1	14	2	11	5	11	7	4	...	...	7	3	6	9	7	13	8	16	8	15	5
6	...	...	...	...	...	...	4	5	3	5	3	6	5	8	6	14	6	18	7	19	8	19	9	15	6
7	7	22	6	17	6	19	6	13	6	10	5	10	6	7	7	6	9	8	9	9	9	8	10	9	7
8	6	21	6	23	6	22	7	23	7	22	7	17	6	13	6	9	7	13	9	17	9	18	10	18	8
9	6	19	6	23	6	22	6	23	6	25	6	23	6	21	6	22	6	22	7	24	7	25	7	22	9
10	10	4	10	8	10	7	10	8	9	10	9	9	8	6	8	9	8	8	9	13	10	14	10	18	10
11	7	16	7	15	7	19	7	22	7	17	7	15	7	21	6	20	7	23	7	24	7	21	7	19	11
12	6	12	6	12	5	14	5	13	5	10	6	14	6	16	6	18	6	20	6	18	7	18	8	18	12
13	...	...	...	...	11	4	8	5	6	7	5	3	...	...	...	...	4	2	9	3	13	4	12	7	13
14	7	10	...	1	6	7	5	4	5	7	4	5	1	4	1	14	1	8	1	8	2	5	3	11	14
15	1	15	1	11	32	15	32	13	2	10	4	13	5	17	5	12	5	8	6	7	6	6	6	8	15
16	5	7	4	9	31	4	...	1	4	5	6	11	6	12	5	12	5	10	7	12	7	12	7	12	16
17	...	...	...	1	...	...	...	1	...	1	...	...	32	4	...	1	...	1	32	5	32	4	24	4	17
18	32	4	32	8	1	8	1	10	1	7	31	6	32	3	1	4	1	7	1	7	1	5	2	5	18
19	1	8	30	2	31	2	32	11	31	12	1	8	1	3	32	10	31	10	32	11	31	10	31	9	19
20	...	1	4	2	1	4	1	5	32	8	32	7	32	8	32	8	31	8	31	7	32	8	32	7	20
21	1	3	31	5	1	6	1	4	32	4	1	4	2	7	1	6	1	2	...	1	...	1	31	6	21
22	2	8	2	5	2	8	2	8	1	8	1	10	1	9	1	8	32	7	32	8	3	10	32	8	22
23	1	11	1	9	1	9	2	7	2	3	2	6	1	7	1	7	2	8	5	6	6	15	8	13	23
24	5	9	5	10	5	14	5	12	5	11	5	12	4	11	4	12	7	15	7	18	7	18	7	18	24
25	8	7	7	7	5	3	4	4	5	3	...	1	9	4	8	9	7	12	8	12	10	14	10	13	25
26	5	17	5	14	5	10	5	8	6	10	6	13	6	15	5	11	5	17	6	19	7	17	8	19	26
27	6	15	6	16	6	13	6	14	6	13	6	14	6	15	6	17	7	19	7	25	7	25	7	26	27
28	7	13	7	12	6	11	6	10	6	7	6	11	6	11	7	12	7	14	7	16	8	15	8	18	28
29	9	4	9	2	9	5	9	5	...	1	...	1	9	5	8	9	7	9	7	8	7	8	7	12	29
30	9	11	8	9	8	9	7	12	7	15	6	15	6	18	6	19	6	20	6	25	6	22	6	21	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	10	15	10	16	10	14	9	13	9	18	7	15	6	13	6	12	6	9	6	11	6	14	7	13	1
2	17	4	20	8	9	8	9	12	9	9	10	7	10	7	7	7	6	6	6	6	6	4	6	3	2
3	1	9	1	10	1	9	1	6	32	7	31	4	32	8	32	8	32	14	32	17	1	17	1	23	3
4	7	7	5	6	23	6	28	6	31	7	32	7	...	...	28	2	...	1	...	1	3	7	1	3	4
5	8	15	9	14	9	15	9	15	9	14	8	9	7	7	7	4	...	..	...	...	...	...	...	...	5
6	10	12	10	9	7	5	1	6	2	3	7	9	9	10	8	11	6	8	6	6	6	12	7	20	6
7	10	9	9	15	9	17	8	18	8	20	8	15	7	17	7	16	7	13	6	17	6	19	6	17	7
8	10	15	10	17	10	19	9	21	8	16	7	17	6	19	6	17	6	16	6	18	7	19	6	20	8
9	8	17	10	20	10	16	10	14	10	14	10	9	11	6	10	7	11	7	10	7	10	6	10	4	9
10	10	18	10	17	11	14	11	11	9	16	8	15	7	13	7	12	7	14	7	15	7	14	7	16	10
11	8	18	10	20	11	19	11	16	10	14	9	12	8	10	7	7	7	7	7	8	7	10	7	13	11
12	8	18	8	20	9	16	9	14	9	16	8	14	8	8	8	7	10	4	...	...	..	1	...	1	12
13	11	9	10	13	10	14	10	11	9	8	9	6	9	7	9	13	9	12	7	16	6	14	6	13	13
14	2	9	1	8	1	7	1	9	32	13	32	10	32	14	32	14	1	9	2	7	2	8	2	15	14
15	4	11	4	14	5	11	4	9	28	3	...	...	27	3	30	4	5	9	1	7	...	1	...	1	15
16	6	9	7	10	8	11	8	5	9	7	8	9	8	11	8	11	6	10	32	5	...	1	...	...	16
17	21	7	24	7	32	9	32	10	32	12	1	9	2	8	2	8	2	7	1	3	32	3	32	4	17
18	3	4	1	6	32	8	1	12	1	11	32	13	32	14	32	14	1	13	1	13	1	11	1	9	18
19	31	11	32	11	31	10	32	12	32	10	2	8	2	10	1	9	1	6	3	5	[illegible]	7	...	1	19
20	32	6	1	6	32	6	1	7	3	3	2	8	2	7	3	2	3	4	32	[illegible]	32	2	2	3	20
21	32	6	2	5	1	8	1	6	32	6	32	4	32	6	32	9	1	6	32	5	32	2	1	3	21
22	1	8	4	6	1	8	32	10	1	6	2	9	2	9	2	12	1	12	1	9	2	10	1	6	22
23	9	15	9	15	9	16	9	16	9	16	8	14	7	8	6	8	6	8	6	8	5	11	5	8	23
24	8	16	10	14	10	15	9	13	9	16	8	12	8	10	9	11	9	10	8	8	8	4	9	6	24
25	11	12	10	12	10	12	10	11	9	12	8	13	7	9	6	6	6	9	6	9	6	15	6	17	25
26	9	20	9	21	8	19	7	17	7	16	7	17	7	15	7	16	6	14	7	13	6	14	6	16	26
27	7	23	6	22	6	17	6	16	7	19	6	19	5	19	6	20	7	17	7	15	7	11	7	10	27
28	8	19	8	18	8	13	8	16	8	14	8	12	1	8	7	6	7	6	7	5	8	4	8	5	28
29	8	15	8	13	8	13	8	15	8	14	8	13	1	12	8	7	8	6	9	4	9	9	9	13	29
30	6	17	6	17	6	11	6	10	7	11	8	7	1	7	10	3	11	2	...	1	...	1	16	3	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of NOVEMBER, 1926.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	ENE	cu	ENE	ci-st / cu	ESE / E	cu	ENE	ci-st	E	ci-st	E	...	...	...	...
2	cu	E	cu	E	ci-st / cu	WNW / E	cu	ENE	cu	ENE	cu	ENE	...	...	...	...
3	...	...	...	...	cu	NNE	...	...	...	...	...	...	...	...	...	...
4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6	...	...	...	...	ci-st / cu	W / E	ci-st	WSW	ci-st	SW	ci-st	SW	...	...	cu	ENE
7	cu	E	cu	E	ci-st	SW	ci-st	SW	ci-st	WSW	ci-st	WSW	cu	ENE	cu	E
8	cu	E	cu	E	cu	E	cu	E	...	...	...	...	a-cu	W	cu	ENE
9	cu	E	cu	E	cu	E	cu	ENE	...	...	...	...	...	...	...	...
10	...	...	...	...	cu	E	cu	E	...	...	...	...	...	...	...	...
11	...	...	...	...	cu	E	cu	E	cu	E	cu	E	...	...	cu	E
12	cu	E	cu	E	cu	E	cu	E	...	...	...	...	...	...	...	...
13	cu	E	cu	E	ci-st	ESE	ci-st	ESE	ci-st	E	cu	ESE	cu	E	cu	E
14	cu	E	nb	E	nb	ENE	nb	E	nb	E	nb	E	nb	E	nb	E
15	nb	E	nb	E	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	E	nb	ENE
16	nb	ENE	nb	ENE	cu	ENE	cu	ENE	cu	ENE	cu-nb	ENE	nb	ENE	cu	E
17	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE
18	cu	ENE	nb	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	ci-cu / cu	ESE / E
19	cu	E	cu	E	cu	ENE	cu	ENE	st-cu	ENE	cu	E	cu	ENE	cu	ENE
20	cu	ENE	cu	ENE	cu	E	cu	E	cu	E	cu	E	nb	E	cu	E
21	cu	E	cu	E	a-cu / cu	WNW / ENE	cu	E	cu	E	cu	E	cu	E	cu	E
22	cu	NE	cu	ENE	a-cu / cu	W / ENE	cu	ENE	a-cu / cu	WNW / ENE	cu	ENE	cu	ENE	cu	ENE
23	cu	ENE	cu	ENE	a-cu	WNW	a-cu	WNW	...	...	...	...	...	...	cu	ENE
24	cu	ENE	cu	ENE	cu	ENE	cu	E	...	...	...	...	...	...	...	...
25	...	...	...	...	cu	E	cu	E	cu	E	ci-st	NE	...	...	...	...
26	cu	E	cu	E	cu	E	cu	E	cu	ESE	cu	ESE	cu	ESE	cu	ESE
27	cu	E	cu	E	...	...	cu	E	cu	E	cu	E	...	...	cu	E
28	cu	E	cu	E	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE	...	...
29	...	...	...	...	a-cu / cu	WSW / E	cu	E	cu	E	...	...	...	...	...	...
30	cu	E	cu	E	cu-nb	E	cu	E	cu	E	nb	E	nb	E	nb	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1926.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·052	72·4	65·3	7·1	69·4	63·3	0·502	70	34	10·0	88	...	...	+ 2·3	+ 11·1	78	11·3	12·2
2	·023	76·9	66·9	10·0	70·5	64·3	·521	69	20	9·9	88	...	...	+ 1·3	+ 7·5	80	7·6	9·2
3	·013	76·3	64·9	11·4	70·4	62·2	·452	60	1	10·5	94	...	...	+ 9·8	+ 1·6	9	9·9	10·2
4	29·997	73·9	61·0	12·9	67·1	55·5	·288	43	...	10·5	94	...	...	+ 8·6	+ 1·1	7	8·7	9·6
5	·978	71·5	63·6	7·9	67·7	57·5	·340	50	...	10·5	94	...	...	+ 1·5	+ 7·0	78	7·1	8·2
6	·985	73·9	65·2	8·7	69·4	63·0	·491	68	23	10·3	92	...	...	+ 1·9	+ 8·3	77	8·5	9·2
7	·996	76·5	66·1	10·4	71·0	65·6	·560	74	30	10·5	94	...	...	+ 1·9	+ 13·3	82	13·4	13·8
8	30·016	76·2	70·0	6·2	72·1	66·8	·587	74	40	9·5	86	...	..	+ 2·1	+ 17·2	83	17·3	17·9
9	·006	75·6	69·0	6·6	71·5	66·4	·581	73	25	10·0	90	...	...	+ 1·9	+ 15·5	83	15·6	16·6
10	29·956	77·6	68·4	9·2	72·0	66·7	·585	74	2	10·5	95	...	...	− 1·8	+ 11·6	99	11·7	12·0
11	·965	73·8	69·4	4·4	71·1	66·2	·580	76	27	9·3	84	...	...	+ 1·0	+ 15·6	86	15·6	16·1
12	·936	74·6	67·9	6·7	70·8	65·5	·559	74	11	10·5	95	...	...	+ 2·4	+ 11·9	78	12·1	12·6
13	·883	83·0	68·3	14·7	75·1	69·5	·647	74	58	6·4	58	0·005	...	− 0·8	+ 6·5	97	6·5	7·1
14	·903	75·4	62·2	13·2	69·1	66·5	·617	87	100	...	...	3·635	18	+ 7·5	+ 2·7	20	8·0	8·6
15	·930	65·8	61·4	4·4	64·2	62·1	·531	88	100	...	...	1·060	22	+ 6·2	+ 4·3	35	7·6	8·7
16	·947	71·4	63·8	7·6	68·2	65·2	·583	85	100	...	...	0·005	1	+ 2·4	+ 7·1	71	7·5	8·2
17	·972	76·4	65·5	10·9	70·0	65·2	·559	76	72	5·3	48	...	...	+ 3·3	− 0·2	356	3·3	4·5
18	30·072	73·0	61·5	11·5	65·9	60·8	·466	73	66	5·7	52	...	...	+ 8·4	+ 1·1	7	8·5	8·4
19	·160	69·0	60·9	8·1	64·6	58·0	·396	65	94	0·1	1	...	...	+ 8·0	+ 0·3	2	8·0	8·2
20	·133	71·6	61·2	10·4	66·2	59·9	·434	67	95	1·4	13	...	...	+ 5·3	+ 0·6	6	5·3	5·5
21	·065	73·2	64·0	9·2	68·1	62·3	·486	71	99	0·1	1	...	...	+ 4·7	+ 0·5	6	4·7	4·8
22	·005	72·9	65·9	7·0	68·9	61·2	·439	62	89	3·8	35	...	...	+ 8·0	+ 2·2	15	8·3	8·4
23	29·995	70·0	63·7	6·3	66·1	58·0	·376	59	41	7·2	66	...	...	+ 3·3	+ 7·7	67	8·4	10·2
24	30·001	69·6	63·6	6·0	66·4	61·1	·469	72	29	9·6	88	...	...	+ 2·0	+ 11·5	80	11·7	12·3
25	·015	71·6	61·8	9·8	67·3	62·1	·490	73	8	9·9	91	...	...	− 0·1	+ 8·8	91	8·8	9·4
26	·023	70·8	65·0	5·8	67·5	63·3	·527	78	37	9·1	83	...	...	+ 3·9	+ 14·5	75	15·0	15·3
27	29·977	70·1	65·0	5·1	67·2	63·5	·538	81	29	5·4	50	...	...	+ 5·1	+ 16·8	73	17·6	17·5
28	·910	72·5	66·0	6·5	68·6	65·8	·599	86	17	9·4	86	...	...	+ 1·5	+ 11·3	82	11·4	11·5
29	·893	74·4	66·3	8·1	70·1	67·5	·640	87	17	8·6	80	...	...	− 0·1	+ 8·4	91	8·4	8·5
30	·951	71·0	67·7	3·3	69·2	66·6	·619	87	100	...	...	0·260	10	+ 3·0	+ 11·1	75	11·5	11·9
Means	29·992	73·4	65·0	8·4	68·9	63·4	0·515	73	45	Sum. 204·0	62	Sum. 4·965	Sum. 51	+ 3·5	+ 7·9	66	8·6	10·6
Normals	29·987	74·2	65·2	9·0	69·3	62·5	0·488	66	54	182·9	55	1·742	31	+ 4·3	+ 8·7	64	9·7	12·7
Absolute Max.	30·212	83·0	...	14·7	...	73·0	0·759	...	...	10·5	95	3·635	22	...	...	...	...	26·0 †
Day.	19	13	...	13	...	13	13	..	...	10,12	10,12	14	15	...	...	...	...	27d 12h
Absolute Min.	29·824	...	60·9	3·3	...	51·5	0·226	34	...	...	...	...	...	...	...	...	...	...
Day	13	...	19	30	...	4	5	4	...	...	...	...	..	...	...	...	...	...

Phenomena :—

Lunar halo :—on the 13th.

Lunar corona :—on the 18th.

Unusual visibility :—on the 12th and 18th.

Dew :—on the 6th and 29th.

Rain fell on 3 days. The mean hourly intensity was 0·097*in*, and the maximum fall in one hour was 0·670*in* at 20*h* on the 14th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 34 miles per hour at 3*h* 10*m* on the 4th.

Clouds with base less than 2,000 feet high were observed on 3 days.
Clouds with base less than 1,000 feet high were observed on 0 days.

*0°=N., 90°=E., &c.

† Maximum velocity in one hour

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1926.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1019·7	295·4	291·5	3·9	293·3	290·4	16·9	...	...	+ 0·8	+ 3·6	78	3·7	4·0
2	1018·7	297·9	292·4	5·5	294·4	290·9	17·6	...	...	+ 0·4	+ 2·5	80	2·5	3·0
3	1018·4	297·6	291·3	6·3	294·3	289·8	15·2	...	...	+ 3·2	+ 0·5	9	3·2	3·3
4	1017·8	296·3	289·1	7·2	292·5	286·1	9·7	...	...	+ 2·8	+ 0·4	7	2·9	3·1
5	1017·2	294·9	290·6	4·3	292·8	287·2	11·4	...	...	+ 0·5	+ 2·3	78	2·3	2·7
6	1017·4	296·3	291·4	4·9	293·8	290·2	16·5	...	...	+ 0·6	+ 2·7	77	2·8	3·0
7	1017·8	297·7	291·9	5·8	294·7	291·7	18·9	...	...	+ 0·6	+ 4·4	82	4·4	4·5
8	1018·4	297·6	294·1	3·5	295·3	292·3	19·8	...	...	+ 0·7	+ 5·6	83	5·7	5·9
9	1018·1	297·2	293·6	3·6	294·9	292·1	19·6	...	...	+ 0·6	+ 5·1	83	5·1	5·4
10	1016·4	298·3	293·2	5·1	295·2	292·3	19·7	...	...	− 0·6	+ 3·8	99	3·8	3·9
11	1016·7	296·2	293·8	2·4	294·7	292·0	19·6	...	...	+ 0·3	+ 5·1	86	5·1	5·3
12	1015·7	296·7	292·9	3·8	294·6	291·5	18·9	...	...	+ 0·8	+ 3·9	78	4·0	4·1
13	1013·9	301·3	293·2	8·1	296·9	293·8	21·8	0·1	...	− 0·3	+ 2·1	97	2·1	2·3
14	1014·6	297·1	289·8	7·3	293·6	292·2	20·8	92·3	18	+ 2·5	+ 0·9	20	2·6	2·8
15	1015·6	291·8	289·3	2·5	290·9	289·7	17·9	26·9	22	+ 2·0	+ 1·4	35	2·5	2·9
16	1016·1	294·9	290·7	4·2	293·1	291·4	19·7	0·2	1	+ 0·8	+ 2·3	71	2·5	2·7
17	1017·0	297·7	291·6	6·1	294·1	291·4	18·9	...	...	+ 1·1	− 0·1	356	1·1	1·5
18	1020·4	295·8	289·4	6·4	291·8	289·0	15·7	...	...	+ 2·8	+ 0·4	7	2·8	2·8
19	1023·4	293·6	289·1	4·5	291·1	287·4	13·3	...	...	+ 2·6	+ 0·1	2	2·6	2·7
20	1022·5	295·0	289·2	5·8	292·0	288·5	14·6	...	...	+ 1·7	+ 0·2	6	1·7	1·8
21	1020·1	295·9	290·8	5·1	293·1	289·8	16·4	...	...	+ 1·5	+ 0·2	6	1·5	1·6
22	1018·1	295·7	291·8	3·9	293·5	289·2	14·8	...	...	+ 2·6	+ 0·7	15	2·7	2·8
23	1017·8	294·1	290·6	3·5	291·9	287·4	12·7	...	...	+ 1·1	+ 2·5	67	2·8	3·3
24	1018·0	293·9	290·6	3·3	292·1	289·2	15·8	...	...	+ 0·7	+ 3·8	80	3·8	4·0
25	1018·4	295·0	289·6	5·4	292·6	289·7	16·5	...	...	...	+ 2·9	91	2·9	3·1
26	1018·7	294·6	291·3	3·3	292·7	290·4	17·8	...	...	+ 1·3	+ 4·8	75	4·9	5·0
27	1017·1	294·2	291·3	2·9	292·6	290·5	18·1	...	...	+ 1·7	+ 5·5	73	5·8	5·7
28	1014·9	295·5	291·9	3·6	293·3	291·8	20·2	...	...	+ 0·5	+ 3·7	82	3·7	3·8
29	1014·3	296·6	292·1	4·5	294·2	292·7	21·6	...	...	...	+ 2·8	91	2·8	2·8
30	1016·3	294·7	292·8	1·9	293·7	292·2	20·9	6·6	10	+ 1·0	+ 3·6	75	3·8	3·9
Means.	1017·7	296·0	291·3	4·7	293·5	290·4	17·4	Sum. 126·1	Sum. 51	+ 1·1	+ 2·6	66	2·9	3·5
Normals	1015·5	296·4	291·4	5·0	293·7	289·9	16·4	44·2	31	+ 1·4	+ 2·9	64	3·2	4·2
Absolute Maximum.	1025·1	301·3	...	8·1	...	295·8	25·6	92·3	22	...	...	...	...	8·5†
Day.	19	13	...	13	...	13	13	14	15	...	...	...	...	27*d* 12*h*
Absolute Minimum.	1011·9	...	289·1	1·9	...	283·8	7·6	...	...	...	...	...	...	...
Day.	13	...	19	30	...	4	5	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, NOVEMBER, 1926.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	0h 0 a.m. − 0h 1 p.m.	11	+ 0·1	21	− 0·2
2	+ 0·1	12	0·0	22	− 0·2
3	+ 0·1	13	0·0	23	− 0·1
4	0·0	14	0·0	24	0·0
5	− 0·1	15	0·0	25	0·0
6	0·0	16	0·0	26	0·0
7	− 0·1	17	− 0·2	27	0·0
8	0·0	18	− 0·1	28	0·0
9	+ 0·1	19	− 0·1	29	0·0
10	0·0	20	− 0·2	30	+ 0·1

+ = Late ; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0·10

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1926.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·997	67·4	62·8	0·515	76	50		1	3	+ 4·4	+ 6·9	57	8·2	9·5
2	·988	67·1	62·6	·512	77	52		1	2	+ 4·7	+ 6·3	53	7·9	9·2
3	·979	66·8	62·3	·506	76	51		1	3	+ 5·5	+ 6·4	49	8·4	9·8
4	·976	66·6	62·2	·505	77	53		2	3	+ 5·2	+ 6·9	53	8·6	10·0
5	·979	66·3	61·9	·499	77	49		2	3	+ 5·1	+ 6·7	53	8·4	9·6
6	·995	66·2	61·9	·501	78	51		2	3	+ 4·9	+ 6·3	52	8·0	9·1
7	30·010	66·2	61·9	·501	78	55	26	...	2	+ 4·8	+ 6·9	55	8·4	9·2
8	·026	67·5	62·4	·500	74	56	56	1	2	+ 5·6	+ 7·5	53	9·4	10·5
9	·039	69·2	63·2	·504	70	52	65	1	2	+ 5·4	+ 8·9	59	10·4	12·1
10	·048	70·4	63·7	·505	67	47	66	1	3	+ 4·2	+ 10·4	68	11·2	12·9
11	·031	71·4	64·3	·512	66	44	69	2	4	+ 3·2	+ 10·8	74	11·3	13·2
Noon.	·007	71·9	64·6	·515	65	42	72	2	4	+ 1·9	+ 10·7	80	10·9	13·3
13	29·978	72·3	65·0	·524	66	38	73	2	4	+ 0·6	+ 9·9	87	9·9	12·5
14	·954	72·2	65·1	·529	67	39	73	4	4	+ 0·3	+ 10·1	88	10·1	13·0
15	·944	71·8	64·9	·527	67	42	70	6	5	+ 0·5	+ 9·3	87	9·3	12·2
16	·944	71·1	64·6	·527	69	37	66	7	6	+ 1·7	+ 8·8	79	9·0	11·9
17	·951	70·2	64·1	·521	70	41	46	9	6	+ 1·7	+ 9·0	79	9·2	11·7
18	·963	69·3	63·7	·520	72	44		9	6	+ 2·6	+ 8·4	73	8·8	10·5
19	·977	68·7	63·5	·521	74	36		13	6	+ 3·2	+ 7·4	67	8·1	9·8
20	·994	68·3	63·3	·519	74	36		15	6	+ 3·5	+ 6·8	63	7·7	9·4
21	30·004	68·1	62·3	·522	75	37		4	6	+ 3·4	+ 6·4	62	7·3	8·6
22	·009	67·9	63·3	·525	76	45		4	6	+ 3·8	+ 5·8	57	6·9	8·2
23	·009	67·7	63·3	·527	77	48		4	6	+ 3·7	+ 6·4	60	7·4	8·4
Midn.	·002	67·5	63·2	·527	78	48		4	5	+ 3·6	+ 6·8	62	7·7	8·9

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1926.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1017·8	292·7	290·1	17·4	+ 1·4	+ 2·3	57	2·7	3·1
2	1017·5	292·5	290·0	17·3	+ 1·5	+ 2·1	53	2·6	3·0
3	1017·2	292·3	289·8	17·1	+ 1·8	+ 2·1	49	2·8	3·2
4	1017·1	292·2	289·8	17·0	+ 1·7	+ 2·3	53	2·8	3·3
5	1017·2	292·1	289·6	16·8	+ 1·7	+ 2·2	53	2·8	3·1
6	1017·8	292·0	289·6	16·9	+ 1·6	+ 2·1	52	2·6	3·0
7	1018·3	292·0	289·6	16·9	+ 1·6	+ 2·3	55	2·8	3·0
8	1018·8	292·7	289·9	16·9	+ 1·8	+ 2·5	53	3·1	3·4
9	1019·2	293·7	290·3	17·0	+ 1·8	+ 2·9	59	3·4	4·0
10	1019·5	294·3	290·6	17·0	+ 1·4	+ 3·4	68	3·7	4·2
11	1019·0	294·9	290·9	17·3	+ 1·0	+ 3·5	74	3·7	4·3
Noon.	1018·1	295·2	291·1	17·4	+ 0·6	+ 3·5	80	3·6	4·4
13	1017·1	295·4	291·3	17·7	+ 0·2	+ 3·2	87	3·2	4·1
14	1016·3	295·3	291·4	17·8	+ 0·1	+ 3·3	88	3·3	4·3
15	1016·0	295·1	291·3	17·8	+ 0·2	+ 3·0	87	3·0	4·0
16	1016·0	294·7	291·1	17·8	+ 0·6	+ 2·9	79	3·0	3·9
17	1016·3	294·2	290·8	17·6	+ 0·6	+ 3·0	79	3·0	3·8
18	1016·7	293·7	290·6	17·5	+ 0·9	+ 2·8	73	2·9	3·4
19	1017·1	293·4	290·5	17·6	+ 1·0	+ 2·4	67	2·7	3·2
20	1017·7	293·2	290·4	17·5	+ 1·1	+ 2·2	63	2·5	3·1
21	1018·1	293·1	290·4	17·6	+ 1·1	+ 2·1	62	2·4	2·8
22	1018·2	292·9	290·4	17·7	+ 1·2	+ 1·9	57	2·3	2·7
23	1018·2	292·8	290·4	17·8	+ 1·2	+ 2·1	60	2·4	2·8
Midn.	1018·0	292·7	290·3	17·8	+ 1·2	+ 2·2	62	2·5	2·9

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

NOVEMBER,

1926.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th OCTOBER, 1926.								31st OCTOBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostook, .	12	...	...	...	...	...	...	...	6	...	...	..	..		...	...
Nemuro,	11	29.51	749.5	...	...	SSE	1	...	5	29.39	746.5	...	...	WSW	4	...
Hokodate,	.	29.51	749.5	...	...	WSW	4	...	,,	29.57	751.0	...	...	WSW	1	...
Tokio,	..	29.55	750.5	...	...	WSW	3	..	,,	29.82	757.5	...	..	...	...	...
Kochi,	,,	29.92	760.0	...	...	WSW	1	...	,,	30.00	762.0	...	...	WSW	1	...
Nagasaki,	,,	30.06	763.5	...	...	NW	3	...	,,	30.08	764.0	...	...	NW	1	...
Kagoshima,	,,	30.04	763.0	...	...	NNW	2	...	,,	30.06	763.5	...	...	WNW	1	...
Oshima,	,,	30.05	763.3	...	...	N	3	...	,,	30.04	763.0	...	...	NE	1	...
Naha,	,,	30.08	764.0	...	...	NNW	4	...	,,	30.06	763.5	...	...	N	3	...
Ishigakijima,	,,	30.12	765.0	...	...	N	3	...	,,	30.05	763.5	...	...	N	1	...
Bonin Island,	.	29.84	758.0	..	...	S	2	...	,,	29.88	759.0	...	..	N	1	...
Chefoo,	15	30.15	765.8	56	69	NW	4	b	6	30.15	765.8	48	87	W	2	b
Hankow,	,,	..	...	...	...	...	...	...	,,	30.34	770.6	55	...	NE	1	b
Changsha,	,,	...	...	...	...		...	...	,,	30.31	769.9	53	...	.	0	bc
Shanghai,	,,	30.30	769.5	57	28	NW	2	b	,,	30.30	769.5	37	93	NNW	1	b
Gutzlaff,	14	30.31	769.9	56	40	N	4	b	,,	30.29	769.3	50	65	NNW	2	b
Sharp Peak,	,,	30.12	765.0	67	64	E	4	o	,,	30.13	765.3	62	67	N	2	b
Amoy,	,,	30.02	762.5	76	60	NNE	4	b	,,	30.09	764.3	62	72	N	4	b
Swatow,	,,	30.02	762.5	72	...	E	2	b	6	30.10	764.5	62	...	NE	1	bc
Taihoku,	11	30.19	766.8	72	57	E	4	o	,,	30.15	765.9	61	79	...	0	o
Taichu,	,,	30.00	762.0	79	...	N	4	b	,,	30.05	763.2	55	..	.	0	o
Tainan,	,,	29.99	761.7	81	...	NW	2	b	,,	30.04	762.9	57	...	ENE	2	o
Koshun,	,,	30.00	762.0	75	...	NE	6	b	,,	29.99	761.7	68	..	NNE	4	b
Pescadores,	,,	30.02	762.5	75	...	NE	7	b	,,	30.05	763.2	68	...	NE	b	o
Canton,	,,	...	...	...	...	...	...	...	,,	30.10	764.5	70	...	...	c	b
Hong Kong,	14	30.01	762.2	76	60	ESE	2	b	6	30.08	764.0	65	81	...	0	b
Gap Rock,	,	30.03	762.7	...	...	ENE	4	b	,,	30.08	764.0	...	...	ENE	4	b
Macao,	,,	...	...	...	...	...	...	...	,	...	...	...	...	...	.	...
Pratas Island,	,,	29.93	760.2	77	65	NE	6	c	,,	30.02	762.5	72	62	NE	7	bc
Phulien,	15	30.00	762.0	82	57	E	2	b	9	...	...	...	...	...	...	...
Tourane,	,,	29.98	761.5	75	...	E	6	o	,,	..	...	...	...	...	...	..
Cape St. James,	,,	29.82	757.3	86	...	SSW	2	b	..	...	...	...	...	...	...	...
Basco,	14	29.87	758.7	77	57	NE	6	r	6	29.94	760.5	73	66	NE	4	o
Aparri,	1	29.80	756.9	79	73	NNE	6	r	7	29.92	759.9	77	64	NNE	6	r
Manila,	,,	29.71	754.5	81	89	NE	1	r	,,	29.81	757.2	73	94	ENE	1	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	74	73	NNW	2	o
Tacloban,	,,	29.65	753.0	82	81	WSW	4	r	6	29.73	755.1	79	90	NW	4	o
Hoilo,	,,	29.72	754.8	79	84	S	4	o	,,	29.81	757.2	75	94	E	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao	,,	29.80	756.9	79	73	N	4	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.71	754.5	84	58	NW	4	o	,,	...	...	...	...	...	...	...
Calbayog,	,,	29.65	753.0	82	77	WNW	6	r	,,	29.75	755.7	75	94	...	0	o
Cebu,	.	29.67	753.6	90	57	SW	4	o	..	29.78	756.3	79	...	SW	4	o
Guam,	12.20	29.76	756.0	..	...	E	4	o	4.20	29.79	756.6	...	...	E	2	...
Yap,	12.47	29.69	754.2	..	...	WNW	4	o	4.47	29.73	755.1	...	...	W	4	o
Pelew,	11.00	...	...	...	...	...	...	...	5	29.79	756.6	82	...	...	0	o
Labuan,	14	29.77	756.1	88	84	NW	4	b	6	...	...	76	91	...	...	...

October 30*d.* 17*h.* 45*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 126° E, moving W.

October 31*d.* 11*h.* 10*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon in Lat. 15° N. Long. 128° E., stationary or very slow.

October 31*d.* 11*h.* 15*m.*—Pressure has decreased moderately over N.E. Japan. It has increased considerably over central Japan and slightly over the Philippines. At other reporting stations it is nearly stationary.

The anticyclone over China is stationary.

The typhoon appears to be about 420 miles east of Manila, nearly stationary or moving E.N.E.

Manila warning. 31*d.* 10*h.* 00*m.*: Typhoon E. of Luzon, more than 300 miles distant moving E.N.E. Recd. 31*d.* 11*h.* 15*m.*

Shanghai warning 30*d.* 21*h.* 35*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 127° E., moving W.N.W. Recd. 30*d.* 22*h.* 50*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, .000 inch. Total since January 1st, 95.36 inches, against an average of 80.50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st

District.	Forecast.
1.—Formosa Channel,	E. winds, moderate; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	31st OCTOBER, 1926.								1st NOVEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	..	...	...
Nemuro,	11	29.39	745.5	...	...	W	3	...	5	29.63	752.5	...	...	NW	6	...
Hokodate,	..	29.61	752.0	...	...	W	3	...	,,	29.90	759.5	...	...	NNW	4	...
Tokio,	,,	29.74	755.5	...	...	SE	1	...	,,	29.96	761.0	...	...	NW	1	...
Kochi,	,,	29.95	761.0	...	...	WSW	1	...	,,	30.16	766.0	...	...	...	0	...
Nagasaki,	,,	29.96	763.3	..	...	NW	3	...	,,	30.20	767.0	...	..	ENE	1	...
Kagoshima,	,,	29.94	763.0	...	...	NNW	2	...	,,	30.16	766.0	...	...	N	1	...
Oshima,	,,	30.04	763.0	.	...	N	2	...	,,	30.08	764.0	...	...	S	1	...
Naha,	,,	30.05	763.5	...	...	N	3	...	,,	30.10	764.5	...	...	NNE	1	...
Ishigakijima,	,,	30.08	764.0	...	...	N	1	...	,,	30.08	764.0	...	...	N	1	...
Bonin Island,	..	29.86	758.5	.		N	1	...	..	29.94	760.5	...	..	...	...	...
Chefoo,	15	30.25	768.3	54	74	N	1	b	6	30.32	770.1	42	100	N	1	b
Hankow,	,,	...	...	...	...	..	...	...	,,	30.34	770.6	60	.	E	1	o
Changsha,	,,	...	...	.	...		...	...	,,	30.32	770.1	58	...	NW	...	b
Shanghai,	,,	30.28	769.2	63	35	N	1	b	,,	30.32	770.1	43	91	NW	1	b
Gutzlaff,	14	30.19	769.3	62	49	NNW	2	b	,,	30.30	769.6	54	74	N	4	b
Sharp Peak,	,,	30.12	765.0	67	62	E	2	b	,,	30.20	767.1	63	72	NNW	2	b
Amoy,	,,	30.12	765.0	74	55	ENE	2	b	,,	30.16	766.0	62	51	N	4	b
Swatow,	,,	29.98	761.5	69	95	ESE	2	b	6	30.14	765.5	62	...	E	1	bc
Taihoku,	11	29.93	760.2	68	64	E	4	o	6	30.15	765.9	57	91	E	2	b
Taichu,	,,	30.03	764.0	75	...	...	0	o	,,	30.08	764.1	54	.		0	b
Tainan,	,,	30.06	763.5	77	...	NW	2	b	,,	30.05	763.2	57	.	NE	2	b
Koshun,	,,	30.04	762.9	75	...	NE	4	b	,,	30.00	763.5	68		NNE	2	b
Pescadores,	,,	30.11	764.7	73	...	ENE	6	b	,,	30.07	763.8	68	...	NE	6	b
Canton,	,,	30.06	763.5	80	...	N	1	b	,,	30.16	766.0	63	.	...	0	b
Hong Kong,	14	30.03	763.2	73	67	ESE	3	b	6	30.14	765.5	66	79	NNE	1	o
Gap Rock,	,,	30.07	763.8	...	...	ENE	4	b	,,	30.10	764.5	...		ENE	4	o
Macao,	,,	...	...	...	...	..	..	.	,	.	..	...	...	...	.	...
Pratas Island,	,,	29.98	761.5	75	64	NNE	6	bo	,,	30.03	762.7	74	76	NE	4	o
Phulien,	15	30.01	762.3	79	66	ESE	6	bf	9	30.08	764.1	68	88	ENE	4	of
Tourane,	,,	29.99	761.7	75	...	E	6	o	,,	30.05	763.2	72	...	E	6	o
Cape St. James,	,,	...	...	...	...	...	...	...	..	..	..	...	...	...	...	...
Basco,	14	29.92	759.9	77	47	NE	4	o	6	29.98	761.4	79	96	NE	4	o
Aparri,	15	29.83	759.0	79	90	NNE	4	o	7	29.95	760.8	75	67	NE	4	o
Manila,	,,	29.73	756.3	82	63	S	2	o	,,	29.86	758.4	68	91	E	2	o
Legaspi,	,,	29.72	754.8	82	67	NNW	4	o	,,	29.79	756.6	77	76	NNW	2	o
Tacloban,	,,	29.68	753.9	82	77	NW	4	o	6	29.79	756.6	77	84	E	4	o
Iloilo,	,,	29.76	756.0	84	77	SE	2	o	,,	29.84	757.8	75	92	N	4	o
Surigao,	,,	29.79	754.2	84	77	WSW	4	o	,,	29.79	756.6	79	80	W	2	o
Tugnegarao,	,,	29.89	759.3	79	61	NNE	4	r	..	29.97	761.1	66	92	N	1	o
Vigan	,,	29.73	755.3	84	45	N	4	o	,,	...	...	...	..	...	..	...
Calbayog,	,,	29.71	754.5	84	77	NW	4	o	,,	29.80	756.9	73	89		0	o
Cebu,	..	29.72	754.8	86	65	...	c	o	..	29.80	756.9	77	84	N	2	o
Guam,	12.20	29.73	755.1	.	...	E	4	o	4.20	29.80	756.9	..	...	E	1	o
Yap,	12.47	29.71	754.5	..	...	W	4	r	4.47	29.79	756.6	...	...	W	4	o
Pelew,	11.00	..		...	..	....			5	29.79	756.6	82	...	SW	2	c
Labuan,	14	29.76	755.9	88	88	NE	4	b	5	..	...	...	...	...	...	...

October 31*d.* 16*h.* 55*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon in Lat. 16° N. Long. 129° E., moving E.N.E. position uncertain.

November 1*d.* 11*h.* 22*m.*—Pressure has increased considerably over N.E. Japan, moderately over S.W. Japan and slightly at the majority of other reporting stations.

The anticyclone remains stationary over China. The position of the typhoon is uncertain. It may be filling up or moving N.E.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Shanghai warning 31*d.* 21*h.* 15*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 129° E., moving N.N.E. Recd. 31*d.* 22*h.* 20*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 80·56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND

District.	Forecast.
1.—Formosa Channel,	E. winds, moderate; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st NOVEMBER, 1926.								2nd NOVEMBER 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	..	.	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.78	756.5	...	...	NW	6	...	5	30.04	763.0	...	...	WNW	3	...
Hokodate,	,	30.00	762.0	...	...	NNW	2	...	,,	30.12	765.0	...	...	...	0	...
Tokio,	,,	30.04	763.0	...	...	N	1	...	,,	30.20	767.0	...	...	NNW	1	...
Kochi,	,,	30.18	766.5	...	...	N	1	...	,,	30.22	767.5	...	...	W	1	...
Nagasaki,	,,	30.22	767.5	...	...	E	2	...	,,	30.18	766.5	...	...	..	0	...
Kagoshima,	,,	30.18	766.5	...	...	NNE	1	...	,,	30.20	767.0	...	...	NW	1	..
Oshima,	,,	30.14	765.5	...	...	NNE	2	...	,,	30.12	765.0	...	...	NNE	1	...
Naha,	,,	30.12	765.0	...	...	NNW	2	...	,,	30.12	765.0	...	...	NNE	2	...
Ishigakijima,	,,	30.12	765.0	...	...	NNE	1	...	,,	30.05	763.5	...	...	N	1	...
Bonin Island,	,	29.96	761.0	..		NNW	1	...	,,	30.06	763.5	...	...	NE	1	...
Chefoo,	15	30.29	769.3	52	73	NW	2	0	6	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	.	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	..	...		...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.28	769.2	63	56	E	1	b	,,	30.31	769.8	50	95	NNE	1	0
Gutzlaff,	14	30.29	769.3	65	54	NNW	2	b	,,	30.30	769.6	56	75	N	1	0
Sharp Peak,	,,	30.15	765.8	71	62	NE	1	b	,,	30.15	765.8	64	73	N	2	b
Amoy,	,,	30.12	765.0	76	60	NE	4	b	,,	30.11	764.8	63	83	N	1	b
Swatow,	,,	30.09	764.1	72	...	E	4	bc	6	30.10	764.5	61	...	N	1	bc
Taihoku,	11	30.18	766.5	72	62	ENE	4	0	6	30.11	764.7	59	91	E	2	b
Taichu,	,,	30.11	764.7	75	...	...	0	0	,,	30.06	763.5	55	...	...	0	b
Tainan,	,,	30.07	763.8	79	...	SW	2	b	,,	30.02	762.6	59	..	...	0	b
Koshun,	,,	30.06	763.5	79	...	NE	1	b	,,	30.01	762.3	65	..	...	0	b
Pescadores,	,,	30.10	764.4	75		ENE	6	0	,,	30.04	762.9	70	...	ENE	6	b
Canton,	,,	30.09	764.3	58	88	..	0	b	,,	30.12	765.0	65	...	NNE	1	b
Hong Kong,	14	30.07	763.8	70	64	ESE	3	c	6	30.09	764.3	67	77	NE	2	c
Gap Rock,	,,	30.06	763.5	...	...	ENE	4	b	,,	30.07	763.8	...	..	ENE	4	c
Macao,	,,	...	...	...	...	...	...	...	,	...	...	...	...	...	...	...
Pratas Island,	,,	29.99	761.7	76	67	NE	6	c	,,	29.99	761.7	74	73	NNE	5	c
Phulien,	15	30.04	762.0	77	68	ESE	6	cf	9	30.10	764.4	68	81	NE	4	bf
Tourane,	,,	30.00	762.0	77	...	E	4	0	,,	30.02	762.6	68	...	NW	2	0
Cape St. James,	,,	29.83	759.0	84	...	S	2	0	..	29.91	759.6	73	...	N	2	b
Basco,	14	29.94	760.5	75	60	NE	4	0	6	29.93	760.2	75	63	NE	4	0
Aparri,	15	29.91	759.6	81	62	NNE	4	0	7	29.86	758.4	77	72	N	6	0
Manila,	,,	29.81	757.2	81	62	N	2	0	,,	29.82	757.5	70	91	NE	1	0
Legaspi,	,,	29.73	755.1	81	73	N	1	0	,,	29.71	754.5	72	92	WSW	2	0
Taclobau,	,,	29.71	754.5	82	67	SW	4	0	6	29.71	754.5	77	79	W	4	of
Iloilo,	,,	29.79	756.6	81	69	N	4	0	,,	29.80	756.9	73	89	N	1	0
Surigao,	,,			...	..	...	...	...	,,			...	...	...	...	...
Tuguegarao,	,,	29.89	759.3	82	54	NW	2	0	..	29.88	759.0	70	96	N	2	r
Vigan	,,	29.81	757.2	82	63	E	4	0	,,	..	...	...	...	...	..	.
Calbayog,	,,	29.73	755.1	79	85	NW	2	0	,,	29.71	754.5	75	85	NW	4	of
Cebu,	,	29.75	755.7	..	...	S	2	0	..	29.76	756.0	77	79	W	1	0
Guam,	12.20	29.72	754.8	..	...	E	4	0	4.20	..	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	..	...	WSW	4	0	4.47	29.79	756.6	...	...	WSW	2	0
Pelew,	11.00	...	...	...		...			5	...	...	79	...	SW	1	r
Labuan,	14	29.79	756.6	84	83	SW	2	b	0	29.83	757.7	76	91	SW	2	b

November 2*d*. 11*h*. 06*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 128° E, moving W.

November 2*d*. 11*h*. 10*m*.—Pressure has increased considerably at Nemuro, moderately from Tokio to the Bonins and slightly at Kobe. It has decreased slightly from Formosa to the Visayas and is nearly stationary elsewhere.

The anticyclone is spreading east-north-eastward.

A new typhoon has developed about 400 miles east of Manila. It appears to be moving westward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 80·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd NOVEMBER, 1926.								3rd NOVEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.08	763.9	50	...	SW	2	b	6	30.06	763.4	40	...	WNW	2	c
Nemuro,	11	30.00	762.0	...	...	...	c	...	5	29.96	761.0	...	..	SW	1	..
Hokodate,	.	30.06	763.5	...	...	...	c	...	,,	30.02	762.5	...	..	WSW	1	...
Tokio,	,,	30.12	765.0	...	...	ENE	1	...	,,	30.14	765.5	...	..		0	...
Kochi,	,,	30.18	766.5	...	...	...	c	...	,,	30.16	766.0	...	..	WSW	1	...
Nagasaki,	,,	30.18	766.5	...	...	SSE	1	...	,,	30.14	765.5	...	..		...	...
Kagoshima,	,,	30.18	766.5	...	...	ENE	1	...	,,	30.16	766.0	...	..	W	1	...
Oshima,	,,	30.12	765.0	...	...	...	c	...	,,	30.08	764.0	...	...	S	1	...
Naha,	,,	30.08	764.0	...	...	N	2	...	,,	30.02	762.5	...	...	NNE	1	...
Ishigakijima,	,,	30.06	763.5	...	...	NNE	1	...	,,	30.02	762.5	...	...	N	1	...
Bonin Island,	.	30.02	762.5	...	...	ENE	1	...	,,	30.02	762.5	...	.	...	c	...
Chefoo,	15	30.18	765.6	56	89	NW	2	b	6	30.15	765.8	48	78	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.25	768.3	64	...	SW	1	b
Changsha,	,,	...	...	...	...	...	...	...	,,	30.22	767.6	53	...	...	0	lc
Shanghai,	,,	30.16	768.6	66	49	NNE	2	o	,,	30.25	768.3	50	92	NW	1	r
Gutzlaff,	14	30.16	768.6	50	45	N	2	b	,,	30.25	768.0	56	81	N	2	o
Sharp Peak,	,,	30.12	765.0	72	62	E	1	b	,,	30.11	764.8	65	73	NNE	1	b
Amoy,	,,	30.00	762.0	78	56	NE	4	b	,,	30.09	764.3	63	78	NE	2	b
Swatow,	,,	30.13	765.3	78	...	ESE	2	b	6	..	...	...	...	...	...	...
Taihoku,	11	30.11	764.7	73	62	E	4	o	5	30.07	763.8	64	94	NE	2	o
Taichu,	,,	30.06	763.5	77	...	W	2	b	,,	30.01	762.3	59		...	c	b
Tainan,	,	30.04	763.0	71	...	NW	2	b	,,	29.98	761.4	61	..	NNE	1	b
Koshun,	,,	30.01	762.6	79	...	NE	3	b	,,	29.92	759.9	72		N	1	o
Pescadores,	,,	30.06	763.5	75	..	ENE	6	o	,,	30.00	762.0	70	..	NE	4	o
Canton,	,,	...	...	...	...	...	...	...	,,	30.11	764.8	64	.	N	1	c
Hong Kong,	14	30.03	763.7	76	60	WSW	2	c	6	30.01	764.3	69	87	N	1	b
Gap Rock,	1	30.04	763.0	...	...	ENE	4	b	,,	30.07	763.8	...	..	ENE	4	b
Macao,	,,	..	..	...	...	..	..	...	,	.	.	...	...	...	...	...
Pratas Island,	,,	29.95	760.7	75	67	NNE	6	o	,,	29.97	761.2	74	74	NNE	6	o
Phulien,	15	30.02	762.6	81	62	ESE	2	bf	9	30.14	765.6	68	85	NNW	2	of
Tourane,	,,	29.93	761.7	68	...	N	4	r	,,	30.05	763.2	72	...	NE	6	o
Cape St. James,	,,	29.86	758.4	85	...	SW	2	b	..	29.91	759.6	73		WNW	2	b
Basco,	14	29.85	758.4	77	64	NE	6	o	6	29.86	758.4	77	72	NE	6	o
Aparri,	1	29.84	757.8	73	88	NNE	6	r	7	29.80	756.9	77	85	N	6	r
Manila,	,,	29.78	756.3	75	83	...	o	o	,,	29.76	756.0	72	96		o	o
Legaspi,	,,	29.62	752.4	72	92	WSW	4	o	,,	29.63	752.7	75	88	SW	4	o
Tacloban,	,,	29.68	753.9	79	75	W	6	o	6	..	..	...	...	...	...	...
Iloilo,	,,	29.75	756.0	84	74	SW	4	o	,,	29.78	756.3	75	91	W	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Tuguegarao	,,	29.82	757.5	73	98	NW	2	o	,,	29.80	756.9	72	98	NW	4	r
Vigan	,,	29.78	756.3	81	62	NW	4	o	,,	29.78	756.3	73	75	NNW	4	o
Calbayog,	,,	29.68	753.9	79	76	W	4	o	,,	29.71	754.5	79	...	W	6	o
Cebu,	,,	29.71	754.5	85	58	SW	4	o	,,	29.74	755.4	79	80	SW	2	o
Guam,	12.20	29.72	754.8		...	E	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	754.2		...	W	4	o	4.47	29.80	756.9	...	...	WNW	4	r
Pelew	11.00	...	...	...	...	...	...	..	5	29.76	755.9	81		SW	2	c
Labuan,	14	29.77	756.1	94	88	NW	4	b	6	29.84	757.9	76	94	NW	2	b

November 2*d*. 17*h*. 02*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 127° E., moving W.

November 3*d*. 9*h*. 35*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 125° E., moving W.N.W.

November 3*d*. 11*h*. 10*m*.—Pressure has increased slightly over S. China and has decreased slightly in other districts.

The anticyclone is now shown as a belt of High pressure extending from the Yangtze Valley to the east of Japan.

The typhoon is about 300 miles E. of Manila moving W.N.W. or W.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Manila warning. 2*d*. 16*h*. 00*m*.:—Typhoon in Lat. 15° N. Long. 127° E., direction unknown. Recd. 2*d*. 17*h*. 50*m*.

Shanghai warning 2*d*. 21*h*. 35*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 130° E., moving W.N.W. Recd. 2*d*. 22*h*. 05*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 95·36 inches, against an average of 80·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; fine.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	4th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	2	29.96	761.1	46	...	WSW	4	c	6	29.96	761.0	37		E	2	b
Nemuro,	11	29.90	759.5	...	...	W	2	...	5	29.84	758.0	...	..	W	3	..
Hokodate,		29.98	761.5	...	...	SW	3	...	,,	30.00	762.0	...	...	W	2	...
Tokio,	..	30.08	764.0	..	...	ENE	1		,,	30.10	764.5	...	..	NW	1	...
Kochi,	..	30.12	765.0	..	...	WSW	1	..	,,	30.00	762.0	...	...	WSW	1	..
Nagasaki,	..	30.12	765.0	..	...	SE	1	...	,,	30.02	762.5	...	..	N	1	...
Kagoshima,	..	30.10	764.5	...	...	...	0	...	,,	29.98	761.5	...	...	W	1	...
Oshima,	..	30.06	763.5	..	...	ESE	1	...	,,	29.98	761.5	...	...	S	1	...
Naha,	..	30.02	762.5	..	...	NE	3	...	,,	29.96	761.0	...	...	NNW	1	..
Ishigakijima,	,,	30.00	762.0	...	...	N	2	...	,,	29.96	761.0	...	...	NNW	1	..
Bonin Island,	..	29.98	761.5		...	E	1		,,	29.98	761.5	...		E	2	..
Chefoo,	15	29.89	758.9	60	76	NNW	1	0	6	30.03	762.7	48	87	SW	1	b
Hankow,	,,	...	...	...	...		...	...	,,	30.15	765.8	55	...	...	0	b
Changsha,	,,	...	...	...	...		...	...	,,	30.20	767.1	52	...	...	0	b
Shanghai,	,,	30.12	767.7	57	72	WNW	2	0	,,	30.20	767.1	43	100	SSW	1	b
Gutzlaff,	14	30.11	767.3	56	81	NNW	4	0	,,	30.22	767.6	52	88	NW	2	b
Sharp Peak,	,,	30.09	764.3	71	62	ENE	2	b	,,	30.08	764.0	63	67	NNW	4	b
Amoy,	,,	30.04	763.0	76	69	SW	4	b	,,	30.07	763.8	63	67	NNE	4	b
Swatow,	,,	30.02	762.5	78	...	E	2	b	6	30.07	763.8	62	...	N	2	b
Taihoku,	1	30.08	764.1	72	74	E	4	0	5	30.08	764.1	66	71	E	4	0
Taichu,	,,	30.00	762.0	73	...	NNW	2	b	,,	29.98	761.4	61	..	N	1	b
Tainan,	,,	29.93	761.7	70	...	N	2	b	,,	29.95	760.8	63	..	N	4	b
Kosnun,	,,	29.68	761.4	79	..	NE	4	0	,,	29.91	759.6	72		N	4	b
Pescadores,	,,	30.04	762.9	72	..	NE	6	0	,,	29.99	761.7	57	..	NE	7	b
Canton,	,,	...	...	..	...	...	...	...	,,	30.10	764.5	62	...	NE	1	b
Hong Kong,	14	30.03	762.7	75	49	NE	2	b	6	30.07	763.8	62	46	NNE	4	b
Gap Rock,	,,	30.04	763.0	...	...	NNE	4	b	,,	30.00	763.5	...	..	N	4	b
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.94	760.5	75	65	NNE	7	0	,,	29.96	761.0	73	68	NNE	7	0
Phulien,	15	30.11	764.7	75	63	NNE	4	0	9	30.13	765.3	63	80	NNW	4	b
Fourane,	,,	30.02	762.6	73	...	ENE	4	1	,,	30.05	763.2	68	..	NW	4	0
Cape St. James,	,,	29.87	758.7	82	...	E	2	0	..	29.87	758.7	73	...	ENE	4	0
Basco,	14	29.81	757.2	79	73	NE	4	0	6	...	...	...	..	...	...	...
Aparri,	15	29.75	756.0	77	84	N	0	0	7	29.76	756.0	77	88	N	6	1
Manila,	,,	29.69	754.2	82	70	W	2	0	,,	29.72	754.8	75	91	NNE	1	0
Legaspi,	,,	29.59	751.5	81	80	WSW	4	0	,,	29.61	752.1	77	91	SW	4	0
Tacloban,	,,	29.63	752.7	86	58	WNW	4	0	6	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	80	65	SW	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao	,,	29.74	755.4	79	80	N	4	0	,,	...	...	...	...	...	...	...
Vigan	,,	29.71	754.5	79	73	NNW	6	0	,,	...	...	...	...	...	...	...
Calbayog,	,,	29.65	753.0	82	81	SW	4	0	,,	...	...	...	...	...	...	...
Cebu,	..	29.66	753.3	80	65	S	4	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.37	753.0	..	...	NE	1	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.72	754.8	..	...	NW	2	0	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...		...	...	...	...	...	5	29.77	756.1	81	...	W	1	...
Sabuan,	14	29.77	756.1	85	84	NW	2	b	6	29.85	758.2	76	91	SW	1	r

November 3*d*. 16*h*. 23*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 125° E., stationary or very slow.

November 4*d*. 10*h*. 26*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 125° E, stationary or very slow.

November 4*d*. 11*h*. 20*m*.—Pressure is highest over the Yangtze Valley. It has decreased moderately over S.W. Japan and slightly over the Loochoos, Luzon Tongking and the lower Yangtze Valley. It has increased moderately at Chefoo and is nearly stationary at other reporting stations.

The typhoon appears to be nearly stationary about 250 miles E. of Manila.

Manila warning. 4*d*. 10*h*. 00*m*.:—Typhoon in Lat. 15° N. Long. 125° E., almost stationary. Recd. 4*d*. 11*h*. 02*m*.

Shanghai warning 4*d*. 11*h*. 00*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 125° E., stationary or very slow. Recd. 4*d*. 11*h*. 39*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 80·71 inches

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh ; fine.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Stations.	4th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	5th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.83	757.7	50	...	S	2	b	6	29.94	760.5	39		NW	4	b
Nemuro,	11	29.94	760.5	...	...	NW	1	...	5	29.61	752.0	...	..	SW	4	..
Hokodate,		30.00	762.0	...	...	WSW	2	...	,,	29.69	754.0	...	..	WSW	3	...
Tokio,		30.04	763.0	...	...	ESE	1	...	,,	29.90	759.5	...	..		0	...
Kochi,		29.96	761.0	...	...	SW	1	...	,,	30.02	762.3	...	..	W	1	...
Nagasaki,	,,	30.06	763.5	...	...	N	1	...	,,	30.10	764.5	...	..	N	1	...
Kagoshima,	,,	30.02	762.5	...	...	NW	1	...	,,	30.06	763.5	...	..	WNW	1	...
Oshima,	,,	29.98	761.5	...	...	NNE	2	...	,,	30.00	762.0	...	...	N	2	...
Naha,	,,	29.98	761.5	...	...	N	4	...	,,	29.98	761.5	...	..	N	2	...
Ishigakijima,	,,	30.00	762.0	...	...	N	3	...	,,	29.98	761.5	...	...	N	1	...
Bonin Island,		29.96	761.0		...	E	1	..	..	29.86	758.5	...	..	SSE	2	...
Chefoo,	15	29.96	761.0	65	64	SW	1	b	6	30.08	764.0	54	74	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	..	...	..	...		...	...	,,	30.20	767.1	56	...	...	0	b
Shanghai,	,,	30.17	766.2	66	47	WSW	1	b	,,	30.20	767.1	43	97	W	1	b
Gutzlaff,	14	30.17	766.3	64	63	WNW	2	b	,,	30.22	767.6	54	80	NNW	2	b
Sharp Peak,	,,	30.13	765.3	69	61	E	2	b	,,	30.09	764.3	63	74	N	2	b
Amoy,	,,	30.10	764.5	76	53	E	2	b	,,	30.03	762.7	60	44	NNW	4	b
Swatow,	,,	30.05	763.2	71	...	E	2	b	6	30.04	763.0	65		N	2	b
Taihoku,	11	30.11	761.7	68	68	ENE	4	o	5	30.06	763.5	59	89	...	0	b
Taichu,	,,	30.10	764.4	75	...	NNW	4	b	,,	29.09	761.7	54	..	...	0	b
Tainan,	,,	30.10	764.4	77	...	N	4	b	,,	29.95	760.8	59	..	NNE	2	b
Koshun,	,,	29.95	760.8	77	...	NNE	4	b	,,	29.92	759.9	70		NNE	6	b
Pescadores,	,,	30.02	762.6	72		NE	6	b	,,	29.98	761.4	68		NE	6	b
Canton,	,,	..	...	..	...	...	...	...	,,	30.07	763.8	62	...	N	1	b
Hong Kong,	14	30.02	762.5	73	43	NE	2	b	6	30.04	763.0	64	46	...	0	b
Gap Rock,	,,	30.04	763.0	...	...	N	4	b	,,	30.03	762.7	...	...	NE	4	b
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Pratas Island,	,,	29.92	759.9	75	66	NNE	7	c	,,	29.97	761.2	71	81	NNE	6	o
Phulien,	15	30.05	763.2	77	35	...	0	b	9	30.07	763.8	64	41	NE	4	b
Tourane,	,,	29.99	761.7	75	...	NNW	2	b	,,	30.00	762.0	70	...	NNW	2	o
Cape St. James,	,,	29.84	757.8	82	...	NW	2	b	,,	29.89	759.3	73	..	ENE	2	b
Basco,	14	29.79	756.6	79	73	NE	6	o	6	29.86	758.4	75	76	NE	4	o
Aparri,	15	29.74	755.4	79	80	N	6	o	7	29.79	756.6	77	88	N	6	r
Manila,	,,	29.65	753.0	82	77	W	1	o	,,	29.69	754.2	75	92	NNE	4	o
Legaspi,	,,	29.58	751.2	81	56	SW	4	o	,,	29.55	750.6	77	91	SSW	4	o
Tacloban,	,,	...		...	...	...	...	...	6	...		..	...	...	...	..
Iloilo,	,,	29.68	753.9	85	71	S	6	o	,,	29.71	754.5	81	89	S	6	o
Surigao,	,,	29.63	752.7	86	68	WSW	4	o	,,	...	...	...	...	...	...	...
Tuguegarao	,,	29.72	754.8	79	91	N	4	r	,,	...	...	...	...	...	...	...
Vigan	,,	29.68	753.9	79	73	NNW	6	o	,,	...	...	...	...	...	...	...
Calbayog,	,,	29.61	752.1	82	81	SW	6	o	,,	...	...	...		...	...	...
Cebu,	,,	29.63	752.7	86	61	S	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	..	...	SE	2	o	4.20	29.82	757.5	...	...	E	1	b
Yap,	12.47	29.75	755.7	..	...	...	0	o	4.47	..		...	...		...	...
Pelew,	11.00	...				..	...	..	5	29.78	756.4	80	..	WNW	3	c
Labuan,	14	29.77	756.1	88	84	NW	4	b	6	29.82	757.4	78	91	SW	2	b

November 4*d*. 17*h*. 10*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 124° E., moving W.

November 5*d*. 9*h*. 46*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 124° E., stationary or very slow.

November 5*d*. 11*h*. 47*m*.—Pressure has increased moderately from Chefoo to Wladivostock and slightly over S.W. Japan. It has decreased considerably over N.E. Japan and slightly over the Visayas and N. Indo-China. It is nearly stationary at other reporting stations.

An anticyclone is central over the Yangtze Valley.

The typhoon appears to be about 200 miles E. of Manila, stationary or moving slowly westward.

Manila warning. 5*d*. 10*h*. 30*m*.:—Typhoon in Lat. 15° N. Long. 124° E., moving W.. Recd. 5*d*. 11*h*. 18*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 80·76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; fine.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	6th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.97	761.3	46	...	WNW	4	b	6	30.27	768.9	30	...	NW	6	b
Nemuro,	11	29.39	746.5	...	...	SSW	3	...	5	...	...	...	..		...	..
Hokodate,	.	...	...	...	...	...	...	...	,,	29.82	757.5	...	..	W	4	..
Tokio,	,,	29.84	758.0	...	...	ESE	1	...	,,	29.90	759.5	...	..	NNW	1	...
Kochi,	,,	29.96	761.0	...	...	...	0	...	,,	30.06	763.5	...	..	WSW	1	...
Nagasaki,	,,	30.08	764.0	...	...	NNW	1	...	,,	30.12	765.0	...	..		...	...
Kagoshima,	,,	30.04	763.0	...	...	NW	1	...	,,	30.12	765.0	...	..	NW	1	...
Oshima,	,,	30.02	762.5	...	...	NNE	2	...	,,	30.08	764.0	...	...	N	2	...
Naha,	,,	30.01	762.5	...	...	NNW	3	...	,,	30.06	763.5	...	..	NNE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	N	3	...	,,	30.04	763.0	...	...	NNE	1	...
Bonin Island,	,,	29.90	759.0	..	...	S	3	...	,,	29.04	760.5	.	..	...	.	...
Chefoo	15	30.09	761.3	62	83	N	1	b	6	30.20	767.1	46	100	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...		...	..
Shanghai,	,,	30.19	766.8	70	34	WNW	1	b	,,	30.26	768.6	45	100	SSE	1	bf
Gutzlaff,	14	30.20	767.1	67	55	N	1	b	,,	30.27	768.8	54	94	NNW	2	b
Sharp Peak,	,,	30.07	763.8	70	57	ENE	1	b	,,	30.09	764.3	63	85	NNW	2	o
Amoy,	,,	30.04	763.0	76	56	NE	4	b	,,	30.08	763.9	62	72	N	2	b
Swatow,	,,	30.02	762.5	74	...	ENE	2	b	6	30.05	763.2	60	...	...	0	e
Taihoku,	11	30.10	764.4	73	66	E	4	o	5	30.08	764.1	64	71	ENE	4	o
Taiohu,	,,	30.00	762.0	79	...	...	c	b	,,	30.01	762.3	55	.	...	0	b
Tainan,	,,	29.99	761.7	79	...	N	2	b	,,	29.97	761.1	57	..	...	0	b
Koshun,	,,	29.95	760.8	79	...	NE	4	o	,,	29.93	760.2	72		NE	6	b
Pescadores,	,,	30.02	762.6	75	.	NE	6	b	,,	30.10	764.4	70	..	NE	6	b
Canton,	,,	..	...	..	...	...	...	...	,,	..	...	..	..	...	...	...
Hong Kong,	14	30.01	762.2	71	53	E	3	b	6	30.05	763.2	65	78	NE	1	b
Gap Rock,	.	30.01	762.2	...	...	ENE	4	b	,,	30.03	762.7	..	..	ENE	4	b
Macao,	,,	...	...	...	...	...	...	...	.	..	..	...	...	...	.	...
Pratas Island,	,,	29.92	759.9	75	67	NNE	6	c	,,	29.94	760.5	73	71	NNE	7	o
Phulien,	15	29.93	761.4	81	47	SE	2	bf	9	30.04	762.9	66	90	NE	4	bf
Tourane,	,,	29.98	761.4	73	...	N	2	o	,,	30.01	762.3	70	...	SE	2	o
Cape St. James,	,,	29.85	758.1	80	...	S	2	b	..	29.89	759.3	75	..	S	2	b
Basco,	14	29.82	757.5	77	72	NE	4	o	6	...	...	...	...	...	..	...
Aparri,	1.	29.75	755.7	77	88	NE	6	r	7	29.80	756.9	77	94	NE	6	r
Manila,	,,	29.59	751.5	81	85	W	2	o	,,	29.59	751.5	75	89	E	4	o
Legaspi,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.62	752.4	83	75	SSE	4	o	6	...	...	...	...	...	...	...
Iloilo,	,,	29.66	753.3	86	75	S	6	o	,,	..	...	..	...	...	...	...
Surigao,	,,	29.66	753.3	90	55	SW	2	o	,,	...	...	...	...	...	...	...
Tuguegarao	,,	29.71	754.5	59	73	N	4	o	,,	...	...	...	...	...	...	..
Vigan	,,	29.77	753.6	79	69	NNW	6	o	,,	...	...	...	...	...	...	...
Calbayog,	,,	29.61	752.1	84	77	SSE	4	o	,,	..	...	...		...	...	...
Cebu,	.	29.62	752.4	81	71	SW	6	o	,,	...	...	...	...	...	.	...
Guam,	12.20	29.81	757.2	..	...	E	4	o	4.20	29.87	758.7	.	...	E	1	o
Yap,	12.47	29.74	755.4	...	...	SW	4	o	4.47	..	..	...	...		.	...
Pelew	11.00	...	...	...	...	...	...	...	5	29.85	758.2	74	...	W	2	r
Labuan,	14	29.77	756.1	86	88	NW	4	b	6	29.83	757.7	76	94	SW	2	b

November 5*d*. 17*h*. 05*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 123° E., moving W.

November 6*d*. 10*h*. 45*m*.—Warning to Hong Kong, Coast Ports, &c :—Typhoon of unknown intensity within 60 miles of Lat. 14° N. Long. 120° E, moving W.

November 6*d*. 11*h*. 30*m*.—Pressure has increased considerably at Wladivostock, moderately at Chefoo and slightly from Shanghai to S.W. Japan and the Loochoos. It has decreased slightly at Manila and is nearly stationary at other reporting stations.

Anticyclones are central over Manchuria and to the north of the lower Yangtze Valley.

The typhoon has entered the China Sea in latitude 14° and is moving westward. Cyclonic gales may be expected over the mid-China Sea.

Manila warning. 6*d*. 9*h*. 30*m*.:—Typhoon in Lat. 14° N. Long. 120° E., moving W. Recd. 6*d*. 10*h*. 19*m*.

Shanghai warning 5*d*. 21*h*. 30*m*.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 124° E., moving W.N.W. Recd. 5*d*. 22*h*. 02*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 80·81 inches

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, fresh ; fine.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th NOVEMBER, 1926.								7th NOVEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.28	769.1	25	...	NW	7	b	6	30.42	772.6	25	..	NE	4	b
Nemuro,	11	29.55	750.5	...	...	WNW	3	...	5	...	...	...	..	...	.	...
Hokodate,	.	29.84	758.0	...	...	WNW	4	...	,,	...	...	...	..	...	...	...
Tokio,	..	29.90	759.5	...	...	NW	3	...	,,	...	...	...	..	...	..	...
Kochi,	..	30.08	764.0	...	...	...	0	...	,,	...	...	...	...	...	..	..
Nagasaki,	,,	30.16	766.0	...	...	N	1	...	,,	...	...	...	..	...	..	...
Kagoshima,	,,	30.14	765.5	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.10	764.5	...	...	NNE	3	...	,,	...	...	...	...	...	..	...
Naha,	,,	30.10	764.5	...	...	N	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.09	761.0	...	...	NNE	2	...	,,	...	...	...	...	...	..	...
Bonin Island,	.	30.08	761.5	.	...	N	1	...	..	...	...	..	..	...	..	...
Chefoo,	15	30.23	76 .8	62	90	ENE	1	b	6	30.31	769.9	48	100	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.26	768.6	58	...	...	0	b
Changsha,	,,		...	...	...		...	...	,,	30.27	768.8	57	...	..	0	b
Shanghai,	,,	30.25	768.3	72	36	E	1	b	,,	30.30	769.5	48	60	NE	1	b
Gutzlaff,	14	30.26	768.6	67	60	NNE	1	b	,,	30.30	769.6	58	90	NNE	1	b
Sharp Peak,	,,	30.08	764.0	72	62	NNE	2	b	,,	30.16	766.0	64	73	NNW	2	o
Amoy,	..	30.01	762.2	77	61	NE	4	b	,,	30.09	764.3	64	78	N	1	b
Swatow,	,,	29.93	760.2	71	76	ESE	2	c	6	30.06	763.5	63	...	N	2	b
Taihoku,	11	30.11	764.7	77	57	E	6	o	,,	30.10	764.4	66	96	E	4	o
Taichu,	,,	30.04	762.9	79	...		0	o	,,	30.04	762.9	63	..	...	0	b
Tainan,	,,	30.00	762.0	75	...	NNW	2	o	,,	29.99	761.7	66	..	N	2	b
Koshun,	,,	29.98	761.4	77	..	NE	6	o	,,	29.95	760.8	72		NNE	4	o
Pescadores,	..	30.04	762.9	75		NE	6	o	,,	30.02	762.6	72	...	NE	6	b
Canton,	,,	30.01	762.3	74	64	E	1	b	,,	30.07	763.8	63	...	NE	1	b
Hong Kong,	14	30.00	762.0	73	60	ESE	2	c	6	30.06	763.5	67	80	E	3	b
Gap Rock,	,	30.01	762.2	...	...	ENE	5	o	,,	30.04	763.0	..	...	ENE	4	c
Macao,	,,	...	...	...	...	...	...	...	,	..	..	...	...	...	.	...
Pratas Island,	,,	29.91	759.7	75	71	NNE	6	oc	,,	29.95	760.7	72	85	NE	7	r
Phulien,	15	30.01	721.3	73	71	ESE	4	cf	9	30.08	764.1	68	85	...	0	lf
Tourane,	,,	29.99	761.7	75	...	NE	2	o	,,	30.01	762.3	72	...	NW	4	o
Cape St. James,	,,	29.86	758.4	79	...	E	4	o	,,	29.91	759.6	75	...	NW	2	o
Basco,	14	29.87	758.7	75	83	NE	6	o	6	..	..	...	...	..	..	...
Aparri,	15	29.73	755.3	77	66	E	4	r	7	29.88	759.0	75	96	..	0	o
Manila,	,,	29.67	753.0	84	74	SE	4	o	,,	29.81	757.2	73	96	E	1	o
Legaspi,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	6	...	...	...	...	..	..	...
Iloilo,	,,	...	..	..	...	...	..	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao	,,	...	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Calbayog,	,,	...		...	...	...	...	...	,,	..	...	...	...	...	...	...
Cebu,	..			...	...	...	...	...	,,	...		...	...		.	...
Guam,	12.20	29.81	757.2	...	...	E	2	o	4.20	29.85	758.1	.	...	NE	2	o
Yap,	12.47	29.79	756.6	...	...	ENE	4	o	4.47	...	..	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	78			0	1c
Labuan,	14	29.80	756.9	84	83	NW	2	b	6	29.85	758.2	77	91	SW	2	b

November 6*d.* 18*h.* 15*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 14° N. Long. 118° E., moving W.

November 7*d.* 11*h.* 50*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 14° N. Long. 116° E, moving W.

November 7*d.* 12*h.* 15*m.*—Pressure has decreased slightly at Tourane, it has increased moderately to slightly at all other reporting stations.

The anticyclone over Manchuria has strengthened and spread eastward.

The typhoon at 6 a.m. this morning was in about Lat. 14° N. and Long. 116° E., moving W. Cyclonic gales may be expected over the mid-China Sea.

Shanghai warning 6*d.* 21*h.* 20*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 14° N. Long. 118° E., moving W. Recd. 6*d.* 22*h.* 06*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 95·36 inches, against an average of 80·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8th

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th NOVEMBER, 1926.									8th NOVEMBER, 1926.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.40	772.2	36	...	NE	3	b		6	30.41	772.3	28	...	NNE	7	b	
Nemuro,	11	29.92	760.0	...	...	NW	3	...		5	...		...	..	...	...	..	
Hokodate,		30.12	765.0	...	...	WNW	6	...		,,	30.20	767.0	...	..	W	3	..	
Tokio,		30.22	767.9	...	...	...	0	...		,,	...	...	...	..	N	1	..	
Kochi,		30.28	769.0	...	...	N	1	...		,,	30.32	770.0	...	..	WSW	1	...	
Nagasaki,	,,	30.28	769.0	...	...	ENE	1	...		,,	30.28	769.0	...	..	ENE	1	...	
Kagoshima,	,,	30.26	768.5	...	...	...	0	...		,,	30.30	769.5	...	...	WNW	1	...	
Oshima,	,,	30.14	765.5	...	...	...	0	...		,,	30.16	766.0	...	...	NNE	1	...	
Naha,	,,	30.12	765.0	...	...	NNE	1	...		,,	30.10	764.5	...	..	N	1	...	
Ishigakijima,	,,	30.10	764.5	...	...	NNE	1	...		,,	30.06	763.5	...	...	N	1	...	
Bonin Island,	,,	30.08	764.0	...	...	NNE	1	...		,,	30.08	764.0	...	..	...	0	..	
Chefoo,	15	30.20	763.3	62	94	ENE	1	0		6	30.36	771.1	47	100	...	0	b	
Hankow,	,,	...	...	...	...	...	...	...		,,	30.25	768.3	59	...	...	0	h	
Changsha,	,,	...	...	...	...		...	...		,,	30.22	767.6	61	...	NNW	1	be	
Shanghai,	,,	30.16	768.6	72	51	E	2	b		,,	30.31	769.8	55	100	NE	1	bf	
Gutzlaff,	14	30.28	769.1	69	70	NNE	2	h		,,	30.31	769.9	62	83	ENE	4	h	
Sharp Peak,	,,	30.11	764.8	72	67	ENE	4	b		,,	30.15	765.8	67	69	W	1	h	
Amoy,	,,	30.02	762.5	80	62	ENE	4	b		,,	30.10	764.5	66	79	N	1	h	
Swatow,	,,	30.03	762.7	74	...	E	3	h		6	30.09	764.3	66	...	N	1	be	
Taihoku,	11	30.12	767.0	77	72	E	4	b		5	30.12	765.0	61	96	...	0	h	
Taichu,	,,	30.02	762.6	81	...	NNW	2	h		,,	30.05	763.2	64	..	...	0	h	
Tainan,	,,	30.01	762.3	77	...	NNW	2	0		,,	30.01	762.6	72	..	NNE	7	b	
Koshun,	,,	29.99	761.7	75	...	NNE	6	0		,,	30.01	762.3	73		NE	4	h	
Pescadores,	,,	30.05	763.2	75		NE	6	0		,,	30.05	763.2	72	..	NE	6	0	
Canton,	,,	30.08	764.0	82	52	S	1	h		,,	30.12	765.0	66	..	...	0	b	
Hong Kong,	14	30.01	762.2	74	66	E	2	h		6	30.09	764.3	70	79	E	3	0	
Gap Rock,	,,	30.02	762.5	...	...	ENE	4	h		,,	30.06	763.5	..	...	ENE	5	0	
Macao,	,,	...		...	...	...	...	...		,,	..		...	...	...	.	...	
Pratas Island,	,,	29.95	760.7	75	82	NNE	6	0		,,	30.01	762.2	74	86	NE	7	cd	
Phulien,	15	30.01	762.3	81	48	...	0	lf		9	30.07	763.8	68	73	NNE	4	lf	
Tourane,	,,	29.95	760.8	73	...	NW	6	0		,,	29.93	760.2	72	...	NE	6	r	
Cape St. James,	,,	29.80	756.9	79	...	NNW	4	0		..	...	...	...	..	...	.	...	
Basco,	14	...	...	...	...	...	...	...		6	...	...	...	...	..	..	...	
Aparri,	13	..	...	...	...	...	...	...		7	29.93	760.2	75	94	E	2	b	
Manila,	,,	29.79	756.6	90	60	SE	2	0		,,	29.89	759.3	73	94	...	0	0	
Legaspi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Tacloban,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Iloilo,	,,	..	..		...	...	..	...		,,	...	...		...	...	...	...	
Surigao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Tuguegarao	,,	...		...	...	...	...	...		,,	...	...	...	...	...	...	...	
Vigan,	,,	.	...	...	...	...	...	...		,,	...		...	...	...	...	...	
Calbayog,	,,	...		...	...	...	...	...		,,	...	...	...	.	...	...	...	
Cebu,	..			...	...	...	...	...		..	...		...	...		.	...	
Guam,	12.20	29.80	756.9	...	...	NE	2	0		4.20	29.80	756.9	...	...	NE	1	0	
Yap,	12.47	29.76	756.0	...	...	ENE	4	0		4.47	..	..	...	...	...	...	...	
Pelew,	11.00	...		...	...	...	.	...		5	29.80	756.9	76			0	c	
Labuan,	14	29.79	756.6	86	88	NW	2	h		6	29.84	757.9	76	91	SW	2	b	

November 7*d*. 17*h*. 04*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 13° N. Long. 114° E., moving W.S.W.

November 8*d*. 12*h*. 06*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 110° E, moving W.S.W.

November 8*d*. 12*h*. 05*m*.—Pressure has decreased moderately at Tourane and at Guam and has increased slightly at the majority of other reporting stations.

The anticyclone over Manchuria has strengthened and spread southward.

The typhoon at 6 a.m. this morning was in about Lat. 12° N. and Long. 110° E., moving W.S.W.

Manila warning. 7*d*. 16*h*. 00*m*.:—Typhoon over S. China Sea moving W. Recd. 7*d*. 17*h*. 16*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 80·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9th

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh ; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th November, 1926.									9th November 1926.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.44	773.1	39	...	NNE	4	o		6	30.37	771.5	39	...	N	4	o	
Nemuro,	11	30.08	764.0	...	...	NW	4	...		5	30.26	768.5	...	...	WSW	1	...	
Hokodate,	.	30.26	768.5	...	...	N	2	...		,,	30.36	771.0	...	...	..	0	...	
Tokio,	,,	30.30	769.5	...	...	NW	2	...		,,	30.43	773.0	...	...	NNW	1	...	
Kochi,	,,	30.30	769.5	...	...	...	0	...		,,	30.32	770.0	...	...	WSW	1	...	
Nagasaki,	,,	30.33	770.5	...	...	ENE	1	...		,,	30.28	769.0	...	...	ENE	1	...	
Kagoshima,	,,	30.28	769.0	...	...	ESE	1	...		,,	30.28	769.0	...	...	...	0	...	
Oshima,	,,	30.18	766.5	...	...	NNE	1	...		,,	30.16	766.0	...	...	...	0	...	
Naha,	,,	30.10	764.5	...	...	NE	1	...		,,	30.08	764.0	...	...	NE	2	...	
Ishigakijima,	,,	30.08	764.0	...	...	NE	2	...		,,	30.06	763.5	...	...	N	3	...	
Bonin Island,	.	30.06	763.5	..	...	ENE	1	.		,,	30.04	763.0	...	..	...	0	...	
Chefoo,	15	30.30	769.6	60	90	E	1	b		6	30.22	767.3	52	100	SE	1	o	
Hankow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	..	
Changsha,	,,	..	...	...	...		...	...		,,	30.15	765.8	61	...	NNW	1	bc	
Shanghai,	..	30.28	769.2	72	51	ENE	2	b		,,	30.22	767.7	57	100	NE	2	b	
Gutzlaff,	13	30.29	769.3	66	63	ENE	4	b		,,	30.22	767.6	62	94	ENE	4	b	
Sharp Peak,	,,	30.12	765.0	74	72	N	2	b		,,	30.14	765.5	68	70	W	1	b	
Amoy,	,,	30.05	763.2	83	56	NE	4	b		,,	30.11	764.8	67	84	NNE	1	b	
Swatow,	,,	30.05	763.2	75	...	E	3	b		6	30.09	764.3	66	...	...	0	bc	
Taihoku,	14	30.12	765.0	79	66	E	4	b		5	30.10	764.4	68	92	...	0	b	
Taichu,	,,	30.05	763.5	82	...	NW	2	b		,,	30.10	764.4	66	...	...	0	b	
Tainan,	,,	30.01	763.3	82	...	W	2	b		,,	...		64	..	...	0	b	
Koshun,	,,	30.02	762.6	81	...	NE	4	b		,,	30.01	762.3	73	...	N	2	b	
Pescadores,	,,	30.07	763.8	77		NE	6	o		,,	30.06	763.5	72	...	NE	6	o	
Canton,	,,	30.04	763.0	84	83	...	0	b		,,	30.11	764.8	68	...	...	0	b	
Hong Kong,	14	30.04	763.0	76	62	ESE	3	b		6	30.09	764.3	70	81	E	4	c	
Gap Rock,	,,	30.05	763.2	...	...	ENE	5	b		,,	30.07	763.8	...	...	ENE	5	o	
Macao,	,,	...	..	...	...	...	...	...		,,	...	..	...	...	..	.	...	
Pratas Island,	,,	29.97	761.2	78	80	NNE	6	c		,,	30.00	762.0	75	80	NE	6	o	
Phulien,	15	30.00	762.0	82	51	E	1	bf		9	30.07	763.8	68	98	N	4	rf	
Tourane,	,,	29.88	759.0	75	...	E	6	o		,,	29.95	760.8	72	...	ENE	4	r	
Cape St. James,	,,	29.76	756.0	72	...	SW	6	r		,,	...	...	...	...	..	.	...	
Basco,	14	...	...	...	...	...	...	...		6	29.97	761.1		...	NE	2	o	
Aparri,	15	29.91	759.6	79	90	NE	4	r		7	29.92	759.9	77	94	NE	1	b	
Manila,	,,	29.84	757.8	86	71	SW	4	o		,,	29.87	758.7	73	96	NNE	1	b	
Legaspi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Tacloban,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Iloilo,	,,	...	...	.	...	...	...	...		,,	...	...	..	...	...	...	...	
Surigao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Tuguegarao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	..	
Vigan,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Calbayog,	,,	...	...	...	...	...	...	...		,,	...	...	...	.	...	...	...	
Cebu,	..	...	...	...	...	...	...	...		,,	...		...	...	...	...	...	
Guam,	12.20	...		...	...	...	...	...		4.20	29.78	756.3	...	...	E	1	o	
Yap,	12.47	29.73	755.1	...	...	E	2	o		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	29.76	755.9	77	...	...	...	...	
Labuan,	14	29.77	756.1	88	84	NE	2	b		6	29.84	757.9	76	91	NE	2	b	

November 8*d.* 17*h.* 52*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 12° N. Long. 108° E., moving W.

November 9*d.* 11*h.* 35*m.*—Pressure has increased moderately over N.E. Japan, and slightly over Formosa and Indo-China. It has decreased moderately over E. China, slightly over the Philippines, and is nearly stationary elsewhere.

The anticyclone has moved eastward and is now central over S.E. Manchuria.

The typhoon passed over Cochin-China yesterday afternoon.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 95·36 inches, against an average of 80·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, fresh to moderate; fair.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th November, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	10th November 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock.	12	..	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro	11	30.26	768.5	...	...	...	0	...	5	30.36	771.0	...	...	...	0	...
Hokodate	"	30.35	771.0	...	...	SW	2	...	"	30.34	770.5	...	...	NNW	1	...
Tokio	"	30.30	770.0	...	...	NE	1	...	"	..	...	...	...	NW	1	...
Kochi	"	30.30	769.5	...	...	...	0	...	"	30.20	767.0	...	...	WSW	1	...
Nagasaki	"	30.26	768.5	...	...	SE	1	...	"	30.20	767.0	...	...	NNE	1	...
Kagoshima	"	30.21	768.0	...	...	NNE	1	...	"	30.14	765.5	...	...	NE	1	...
Oshima	"	30.16	766.0	...	...	E	1	...	"	30.04	763.0	...	...	SE	1	...
Naha	"	30.08	764.0	...	...	ENE	2	...	"	29.98	761.5	...	...	ESE	1	...
Ishigakijima	"	30.04	763.0	...	...	ENE	1	...	"	29.96	761.0	...	...	NW	1	...
Bonin Island	"	30.02	761.5	...	...	NE	1	...	"	30.08	764.0	...	...	NE	1	...
Chefoo	15	30.14	765.5	58	90	NW	2	o	6	30.19	766.8	47	100	...	c	b
Hankow	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha	"	...	...	...	...	...	...	...	"	30.06	763.5	60	...	NNW	1	be
Shanghai	"	30.13	765.3	70	69	ENE	1	b	"	30.17	766.2	59	100	NNW	2	"
Gutzlaff	14	30.14	765.5	72	62	SE	2	b	"	30.17	766.3	60	100	NNW	4	b
Sharp Peak	"	30.07	763.8	74	92	E	1	b	"	30.06	763.5	69	73	NNW	1	c
Amoy	"	30.05	763.2	80	66	SE	4	b	7	30.04	763.0	66	84	NE	1	b
Swatow	"	...	..	..	...	...	...	..	6	30.02	762.5	64	..	N	1	b
Taihoku	11	30.08	764.1	79	66	E	4	b	5	30.02	762.5	82	96	...	0	lf
Taichu	"	30.06	763.5	77	...	WNW	2	b	"	29.98	761.4	61	..		c	c
Tainan	"	30.04	762.9	82	...	NNW	2	b	"	29.98	761.4	64	..	NNE	2	b
Koshun	"	30.02	762.6	82	...	NE	4	b	"	29.95	760.8	72	....	N	2	b
Pescadores	"	30.07	763.8	77	...	NE	4	b	"	29.99	761.7	70	...	NE	4	b
Canton	"	...	...	...	...	...	...	..	"	30.03	762.7	68	...	...	0	be
Hong Kong	14	30.03	762.7	74	66	ESE	3	b	6	30.02	762.5	68	91	E	1	b
Gap Rock	"	30.04	763.0	...	...	ENE	5	b	"	30.01	762.2	...	.	ENE	3	b
Macao	"	...	...	...	...	...	...	...	.	...	..	...	...		.	...
Pratas Island	"	29.96	761.0	78	70	NNE	6	b	"	29.95	760.7	75	71	NE	5	b
Phulien	15	30.04	762.9	73	89	ENE	1	of	9	30.05	763.2	68	98	NW	2	of
Tourane	"	29.93	760.2	73	...	SSE	4	o	"	29.97	761.1	72	...	E	4	o
Cape St. James	"	29.81	757.2	79	...	E	6	b	..	...	...	...	...	...	.	...
Basco	14	29.92	759.9	79	80	NE	4	o	6	29.92	759.9	..	...	NE	4	o
Aparri	15	29.87	758.7	81	84	NNE	4	o	7	29.89	759.3	73	96	..	c	o
Manila	"	29.80	756.9	86	75	SW	1	o	"	29.84	757.8	73	91	E	2	o
Legaspi	"	...	..	...	..	...	...	...	"	...	...	...	...	...	...	...
Tacloban	"	...	.	...	...	...	...	...	6	...	...	...	...	...	...	...
Iloilo	"	29.73	756.3	84	71	N	4	o	"	...	...	..	...	...	...	...
Surigao	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tuguegarao	"	...	...	...	...	.	..	...	"	...	...	...	...	...	...	..
Vigan	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Calbayog	"	...	.	...	...	...	...	...	"	...	...	...	...	...	...	...
Cebu	..	..	..	...	...	...	...	...	..	...	..	...	...	...	...	...
Guam	12.20	29.79	756.6	..	...	E	1	r	4.20	29.79	756.6	...	...	NE	1	o
Yap	12.47	29.69	754.2	..	...	ESE	4	o	4.47	...	...	...	...	...	...	...
Pelew	11.00	...	...	...	...	...	.	..	5	29.71	754.6	78	..	...	0	c
Labuan	14	29.78	756.4	88	84	NW	4	b	5	29.84	757.9	76	94	SW	2	b

November 10*d*. 10*h*. 35*m*.—Pressure has decreased slightly to moderately from Japan to S. China. It is nearly stationary at Shanghai and over the Philippines. At Chefoo it has increased slightly.

The anticyclone is central over N.E. Japan.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 95·36 inches, against an average of 81·03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	E. winds, moderate; fine.
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th November, 1926.									11th November 1926.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.16	765.1	48	...	SE	2	o		6	30.26	768.5	37	...	NNE	1	b	
Nemuro,	11	30.31	770.0	...	...	SE	1	...		5	30.22	767.5	...	...	SSW	1	...	
Hokodate,	"	30.28	769.0	...	...	..	...	...		"	30.22	767.5	...	...	...	0	...	
Tokio,	"	30.13	770.5	...	...	NNE	1	...		"	30.20	767.0	...	...	NW	1	...	
Kochi,	"	30.14	765.5	...	...	WSW	1	...		"	30.16	766.0	...	...	WSW	1	...	
Nagasaki,	"	30.14	765.5	..	...	NE	2	...		"	30.18	766.5	...	...	NE	1	...	
Kagoshima,	"	30.12	765.0	...	...	SSE	1	...		"	30.16	766.0	...	...	WNW	1	...	
Oshima,	"	30.02	76 .5	..	...	NE	1	...		"	30.06	763.5	...	...		0	...	
Naha,	"	29.98	761.5	...	...	ESE	1	...		"	30.00	762.0	...	...	NE	1	...	
Ishigakijima,	"	30.00	762.0	...	...	N	2	...		"	29.98	761.5	...	...	N	6	...	
Bonin Island,	"	30.06	763.5	..		E	1	...		"	30.04	763.0	...	..	SE	1	...	
Chefoo,	15	30.20	767.1	60	76	NE	1	b		6	30.24	768.1	52	93	NE	1	o	
Hankow,	"	...	...	...	...	...	...	...		"	29.98	761.5	...	..	E	1	o	
Changsha,	"	.	...	..	...	..	...	...		"	29.96	761.0	65	...	...	0	bo	
Shanghai,	"	30.15	765.0	70	57	N	2	b		"	30.20	767.1	65	96	NNE	1	o	
Gutzlaff,	14	30.15	765.8	68	79	NNW	2	o		"	30.10	766.8	59	91	NNE	2	o	
Sharp Peak,	"	30.07	763.8	75	68	E	1	b		"	30.07	763.8	63	74	N	1	b	
Amoy,	"	30.02	762.0	80	55	NE	4	b		7	30.04	763.0	67	79	NE	2	b	
Swatow,	"	...		..	...	...	...	..		6	30.03	762.7	66	..	NE	2	b	
Taihoku,	11	30.07	763.8	79	58	E	4	b		5	30.06	763.5	61	93	...	0	b	
Taichu,	"	30.00	762.0	81	...	...	0	b		"	30.01	762.3	59			0	b	
Tainan,	"	29.99	76 .7	68	...	NW	2	b		"	29.98	761.4	61	..	NNE	2	b	
Koshun,	"	29.99	761.7	81	...	NNE	4	b		"	29.97	761.1	72	..	NE	4	b	
Pescadores,	"	30.01	762.3	77	...	NE	6	b		"	30.01	762.3	76	...	NE	6	b	
Canton,	"			...	...	...	..	...		"	30.03	761.7	68	...	E	1	b	
Hong Kong,	14	29.99	761.7	75	64	ESE	3	b		6	30.03	762.7	69	80	E	3	b	
Gap Rock,	"	30.01	762.2	...	...	ENE	4	b		"	30.02	762.5	...	...	ENE	4	o	
Macao,	"	...	...	...	...	...	...	...		,	...	...	...	...			...	
Pratas Island,	"	29.92	759.9	79	66	NE	5	b		"	29.96	761.0	75	72	NE	5	b	
Phulien,	15	29.97	761.1	82	57	SSE	2	bf		9	30.00	762.0	70	98	SE	1	of	
Tourane,	"	29.94	760.3	75	...	ENE	4	b		"	29.99	761.7	72	...	ENE	2	b	
Cape St. James.	"	29.79	756.6	79	...	E	6	b		..	29.84	757.8	73	...	ENE	2	b	
Basco,	14		...	...	...	..	...			6	...	...	.	...	...	...	...	
Aparri,	15	29.86	758.4	82	63	NNE	4	b		7	29.87	758.7	77	86	NNE	4	r	
Manila,	"	29.79	756.6	86	68	SW	2	o		"	29.80	756.9	72	96	...	0	o	
Legaspi,	"	...	..	...	...	...	...	...		"	...	...	...	...	...	...	...	
Tacloban,	"	...	...		...	...	...	...		6	...	...	...	...	...	...	...	
Hoilo,	"	...	...	...	...	...	...	...		"	29.79	756.6	75	94	N	4	o	
Surigao,	"		...		...	...	...	...		"	...	...	..	...	...	...	...	
Tuguegarao,	"	29.85	758.1	86	65	N	2	o		"	...	...	...	...	...	...	...	
Vigan,	"	29.78	756.3	86	49	WNW	4	b		"	...	...	...	...	...	...	...	
Calbayog,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Cebu,	"	...	...	..	...		...	...		"	...	..	...	...	...	...	...	
Guam,	12.20	29.76	756.0	..	...	E	4	o		4.20	...	...	...	...	...	...	...	
Yap,	12.47	...	..	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Pelew,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Labuan,	14	29.79	756.6	88	84	NW	4	b		6	29.83	757.7	77	91	NE	2	b	

November 11*d.* 11*h.* 05*m.*—Pressure has decreased moderately over N.E. and central Japan and central China and slightly over the Philippines. It has increased slightly over S.W. Japan, the Loochoos, E. China and Formosa.

The anticyclone extends from N.E. China to N.E. Japan.

Depressions appear to be forming over the upper Yangtze Valley and east of the Philippines.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 81·09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, fresh to moderate; fair.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th November, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort)	Weather. (Beaufort.)	12th November 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort)	Weather. (Beaufort.)
Wladivostock,	12	30.29	769.3	47	...	N	4	b	6	30.28	769.1	39	...	NNW	2	o
Nemuro,	11	30.12	765.0	...	...	S	2	...	5	30.14	765.5	...	...	..	c	...
Hokodate,	,	30.22	767.5	...	...	NW	1	...	,,	30.20	767.0	...	...	NNW	1	...
Tokio,	,,	30.16	766.0	...	...	N	2	...	,,	30.10	764.5	...	...	NNW	1	...
Kochi,	,,	30.12	765.0	...	...	...	0	...	,,	30.20	767.0	...	...	WSW	1	...
Nagasaki,	,,	30.18	766.5	..	...	N	1	...	,,	30.22	767.5	...	..		0	...
Kagoshima,	,,	30.18	766.5	...	...	...	c	...	,,	30.20	767.0	...	..	NW	1	...
Oshima,	,,	30.06	763.5	..	..	E	1	...	,,	30.12	765.0	...	...	S	1	...
Naha,	,,	30.00	762.0	...	...	NE	2	...	,,	30.06	763.5	...	...	ENE	2	...
Ishigakijima,	,,	29.98	761.5	...	...	NE	2	...	,,	29.98	761.5	...	...	NE	1	...
Bonin Island,	,,	29.96	76 .0	..	..	E	1	...	,,	29.94	760.5	...	..	NW	1	...
Chefoo,	15	30.21	767.3	60	90	S	2	o	6	30.19	766.8	52	100	...	c	o
Hankow,	,,	...	...	...	...	...	...	...	,,	29.88	758.9	05	..	...	c	bc
Changsha,	,,	...	...	...	...	...	...	...	,,	29.96	761.0	67	..	...	c	m
Shanghai,	,,	30.17	766.2	68	73	E	2	o	,,	30.15	765.9	63	96	ENE	1	c
Gutzlaff,	14	30.16	766.0	67	84	ENE	4	b	,,	30.16	766.0	65	91	ESE	4	b
Sharp Peak,	,,	30.06	763.5	74	68	E	2	b	,,	30.06	763.5	70	78	W	1	b
Amoy,	,,	30.02	76 .5	80	58	NE	4	b	,,	30.03	762.7	66	91	NW	2	b
Swatow,	,,	30.00	762.0	74	...	ESE	2	b	6	30.01	762.2	64	..	N	1	b
Taihoku,	11	30.06	763.5	77	50	E	2	b	6	30.00	762.0	68	92	...	c	o
Taichu,	,,	30.02	762.6	79	...	NW	1	b	,,	30.00	762.0	61		...	c	b
Tainan,	,,	30.00	762.0	81	...	NW	2	b	,,	29.97	761.1	61	.	...	c	b
Koshun,	,,	29.91	761.7	79	...	NNE	4	b	,,	29.95	760.8	63	..		c	b
Pescadores,	,,	30.02	762.6	75	...	ENE	6	b	,,	29.98	761.4	72	...	NE	4	b
Canton,	,,	29.98	761.5	82	63	E	1	b	,,	..	..	68	..	NE	1	c
Hong Kong,	14	29.99	761.7	74	72	ESE	3	c	6	30.00	762.0	68	78	E	3	b
Gap Rock,	,,	29.98	761.5	...	...	ENE	4	b	,,	29.99	761.7	...	...	ENE	4	c
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.2	77	68	NE	5	b	,,	29.93	760.2	75	76	NE	4	b
Phulien,	15	29.94	760.5	82	60	SE	4	bf	9	29.99	761.7	70	92	NE	4	bf
Tourane,	,,	29.93	760.2	75	...	NE	2	b	,,	29.97	761.1	72	...	ENE	2	b
Cape St. James	,,	29.79	756.6	81	...	E	4	b	..	29.81	757.2	75	..	E	2	b
Basco,	14	29.88	759.0	79	66	NE	4	o	6	29.88	759.0	77	84	NE	4	o
Aparri,	15	29.85	758.1	82	74	NE	4	o	7	29.85	758.1	77	94	NNE	4	r
Manila,	,,	29.76	756.0	86	68	WSW	2	o	,,	29.76	756.0	75	91	N	2	o
Legaspi,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taoloban,	,,	...	...	.	...	...	...	...	6	29.74	755.4	73	96	SSE	2	o
Iloilo,	,,	29.76	756.0	81	84	N	4	o	,,	...	...	..	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao	,,	...	...	..	...	...	...	...	..	...	.	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Calbayog,	,,	29.71	754.5	77	96	...	0	r	,,	...	..	...	..	...	...	...
Cebu,	..	.	.	...	...	...	...	...	,,	...	...	..	...	...	...	...
Guam,	12.20	29.78	756.3	..	...	E	2	o	4.20	29.82	757.5	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	.	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.82	757.5	78	..	NW	1	bc
Lamma,	14	29.79	756.6	84	83	NW	2	o	6	29.83	757.7	76	94	SW	2	b

November 12*d.* 11*h.* 25*m.*—Pressure has decreased slightly over central Japan, the Yangtze Valley and Luzon. It has increased slightly over the Loochoos and is nearly stationary elsewhere.

The anticyclone is central over S. Manchuria.

There is a depression over the Visayas.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Manila warning. 12*d.* 11*h.* 00*m.*:—The typhoon is crossing the western Visayas in the form of a shallow depression. It may increase in intensity in the China Sea. Recd. 12*d.* 11*h.* 35*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 81·15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	E. winds, moderate; fine.
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th NOVEMBER, 1926.								13th NOVEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.33	770.3	40	...	NE	4	c	6	30.33	770.3	22	..	N	4	o
Nemuro,	11	30.06	763.5	...	...	NNW	1	...	5	30.04	763.0	...	..	S	1	...
Hokodate,	.	30.16	765.0	...	...	NW	3	...	,,	30.14	765.5	...	..	NW	2	...
Tokio,	.	30.08	764.0	...	...	NNW	3	...	,,	30.20	767.0	...	..	WNW	1	...
Koohi,	..	30.18	766.5	...	...	...	0	...	,,	30.18	766.5	...	..	...	0	...
Nagasaki,	,,	30.22	767.5	...	...	SE	1	...	,,	30.10	764.5	..	..	SE	4	...
Kagoshima,	,,	30.20	767.0	...	...	SE	1	...	,,	30.12	765.0	...	...	...	c	...
Oshima,	,,	30.14	765.5	...	...	SE	1	...	,,	30.06	763.5	...	...	S	2	...
Naha,	,,	30.08	764.0	...	...	ENE	2	...	,,	30.02	762.5	...	...	SSE	2	...
Ishigakijima,	,,	30.00	762.0	...	...	E	2	...	,,	29.96	761.0	...	...	...	0	...
Bonin Island,	.	29.94	760.5	..	...	NNW	2	...	,,	30.04	763 0	...	...	NNE	1	...
Chefoo,	15	30.25	768.3	50	100	NE	4	r	6	30.16	766.0	44	100	NNW	4	r
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai,	14	30.01	761.9	75	67	SE	4	b	,,	29.97	761.1	64	98	SSE	2	o
Gutzlaff,	,,	30.07	763.8	71	80	SE	4	h	,,	30.01	762.2	67	95	S	2	o
Sharp Peak,	,,	30 01	762.2	78	65	...	c	b	7	29.97	761.2	74	76	N	1	b
Amoy,	,,	29 93	760.2	81	62	SE	4	b	6	29.97	761.2	67	95	ESE	2	b
Swatow,	,,	29.93	760.2	74	68	E	2	b	,,	29.97	761.2	70	...	N	1	c
Taiboku,	11	29.98	761.4	82	67	E	4	b	5	29.97	761.1	...	...	E	2	b
Taichu,	,,	30.00	762.0	81	...	...	c	b	,,	29.97	761.1	82	...	...	0	o
Tainan,	,,	29.99	761.7	81	...	NNW	2	b	,,	29.93	760.2	66	..	...	0	h
Koshun,	,,	29.97	761.1	82	...	N	2	b	,,	29.92	759.9	75	.	..	0	b
Pescadores,	.	30.01	762 3	77	.	NE	4	o	,,	29.98	761.4	70	..	NNE	2	bf
Canton,	13	30.02	762.5	66	95	ESE	1	b	6	29.97	761.2	68	...	...	0	b
Hong Kong,	,,	29.96	760.7	73	61	E	4	b	,,	29.95	760.7	68	90	...	0	o
Hap Rock,	,,	29.95	760.7	...	...	ENE	4	b	,,	29.94	760.5	...	...	ENE	4	o
Macao,	,,	.	.	...	...	...	...	...	,	...	...	...	...	.	.	...
Pratas Island,	,,	29.90	759 4	78	73	NE	4	c	,,	29.87	758.7	75	95	NE	4	o
Phulien,	,,	29.92	759 9	82	63	SE	4	bf	,,	29.95	760.8	63	96	ENE	4	bf
Tourane,	,,	29 91	759.6	75	...	NE	2	o	6	29.92	759 9	72	...	NE	2	b
Cape St. James	14	29.80	756 9	79	...	E	2	b	7	..	...	...	...	...	...	...
Basco,	15	29.86	758.4	86	71	FSE	4	b	..	..	...	...	...	...	...	...
Aparri,	15	29.79	756.6	84	77	NE	4	o	6	29.86	758.4	77	94	...	o	o
Manila,	,,	29.73	755.1	81	87	N	2	r	,,	29.79	756.6	75	92	NE	1	o
Legaspi,	,,	.	...	...	...	...	...	...	,,	29.89	759.3	79	89	SE	2	o
Tacloban,	,,	29.74	755.4	86	75	SSE	4	o	,,	29.84	757.8	79	89	NE	2	o
Iloilo,	,,	29.74	755.4	84	77	SW	4	o	,,	29.82	757.5	75	96	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Tuguegarao,	,,	29.81	757.2	84	77	E	1	o	,,	29.87	758.7	75	98	S	1	o
Vigan	,,	29.71	754.5	90	66	S	2	o	,,	29.75	755.7	77	88	...	o	o
Calbayog,	,,	29.74	755.4	86	75	SSE	4	o	,,	...	..	...	...	...	..	...
Cebu,	,,		...	...	...	...	...	...	,,	29.81	757.2	79	84	N	2	o
Guam,	12.20	29.79	756.6	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	..	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...		..	..	...	...	...
Sabuan,	14	29.78	756.4	88	84	NW	2	b	6	29.84	757.9	76	94	NE	2	b

November 12*d*. 16*h*. 55*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 123° E., moving W.

November 13*d*. 9*h*. 58*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 120° E, moving W.

November 13*d*. 11*h*. 00*m*.—Pressure has decreased moderately from E. China to S.W. Japan and slightly from the Loochoos to Tongking. It is nearly stationary over the Philippines.

Anticyclones are central over S.E. Mongolia and S. Manchuria.

A depression is central over the lower Yangtze Valley.

The typhoon has crossed the Visayas in about Lat. 13° N. and is moving westward. It may deepen considerably in the China Sea.

Shanghai warning 12*d*. 12*h*. 00*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 125° E., moving W.N.W. Recd. 12*d*. 15*h*. 25*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 95·36 inches, against an average of 81·21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N.E. or variable winds, moderate; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	14th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.30	769.6	24	---	NNE	5	c	6	30.28	769.1	15	..	NNE	5	b
Nemuro,	11	30.00	762.0	...	---	NNW	2	...	5	...	...	...	..	.	...	...
Hokodate,	.	30.10	764.5	...	---	WNW	3	...	,,	29.84	758.0	...	...	NW	4	...
Tokio,	,,	30.11	765 0	...	---	ESE	1	...	,,	29.69	754.0	...	...	NNW	1	...
Kochi,	,,	30 08	764.0	...	---	...	...	...	,,	29.86	758.5	...	..	W	1	...
Nagasaki,	,,	..	...	...	---	S	8	...	,,	29 98	761.5	...	...	N	1	...
Kagoshima,	,,	30.06	763 5	...	---	S	1	...	,,	29.96	761.0	...	...	...	0	...
Oshima,	,,	..	.	...	---	...	...	...	,,	30.02	762.5	...	...	NNE	3	...
Naha,	,,	30 02	76 .5	...	---	ESE	3	...	,,	30.04	763 0	...	...	N	3	...
Ishigakijima,	,,	29.98	761.5	...	---	...	0	...	,,	30.02	762.5	...	...	NNE	1	...
Bonin Island,	.	...	...	...	---	WSW	1	...	..	30.04	763.0	...	...	...	0	...
Chefoo,	15	30.25	768.3	42	85	N	6	b	6	30.48	774.2	38	84	NNE	4	0
Hankow,	,,	.	...	...	---	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	..	..	...	...	---	...	...	...	,,	...	...	...	...	..	..	...
Shanghai,	14	30.14	765 6	59	87	NW	6	o	,,	30.34	770.7	48	25	NW	2	o
Gutzlaff,	.	30.01	764.3	60	90	NNW	6	o	,,	30.32	770.1	52	88	NNW	6	o
Sharp Peak,	,,	29.98	761.5	78	70	...	0	b	,,	30.11	764.8	64	84	NNE	2	r
Amoy,	,,	29.95	760.7	80	74	SE	4	b	6	30.03	762.7	68	95	ENE	4	r
Swatow,	,,	...	...	...	---	...	...	...	,,	29.99	761.7	68	...	E	5	o
Taihoku,	11	30.00	760.0	81	65	...	0	b	5	30.07	763.8	...	...	E	4	o
Taichu,	,,	29.98	761.1	84	---	E	1	b	,,	29.97	761.1	70	...	...	0	o
Tainan,	,,	29.95	760.8	86	---	NNW	4	b	,,	29.94	760.5	72	..	...	0	o
Koshun,	,,	29.94	760.5	85	---	ENE	4	b	,,	29.93	760.2	77	..	NE	4	b
Pescadores,	..	29.98	76 .4	79	---	ENE	4	b	..	29.98	761.4	72	...	NE	6	r
Canton,	13	...	...	...	---	...	...	...	6	30.00	762 0	65	...	NW	2	oc
Hong Kong,	,,	29.89	760 2	82	63	E	2	c	,,	29.95	760.7	74	89	E	1	or
Gap Rock,	,,	29.91	759.7	...	---	NNE	3	o	,,	29.94	760.5	...	...	NNE	4	cd
Macao,	,,	...	..	...	---	...	...	...	.	...	..	...	...	...	.	...
Pratas Island,	,,	29.80	756.9	77	94	NE	4	o	,,	29.88	759.0	77	87	ENE	4	od
Phulien,	,,	29.80	760.3	77	76	E	1	of	..	..	...	...	...	...	...	...
Tourane,	,,	29.87	758.7	77	...	NE	4	b	6	..	...	...	...	...	...	...
Cape St. James	14	29.79	756.6	79	...	E	2	b	7	...	...	...	...	...	...	...
Basco,	15	29.86	758.4	82	00	SE	4	o	..	29.93	760.2	79	91	SE	2	o
Aparri,	1,	29.81	757.2	90	69	ENE	2	b	6	29.91	759 6	77	92		0	o
Manila,	,,	29.79	756.6	86	71	ESE	4	o	,,	29.87	758.7	73	96	NE	1	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Tacloban,	,,			...		...	...	...	,,	29.84	757.8	77	96	WSW	2	o
Iloilo,	,,	29.78	756.3	90	66	N	4	o	,,	29.84	757.8	77	92	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao	,,	29.82	757.5	90	55	S	2	o	,,	...	...	...	...	...	...	...
Vigan	,,	29 76	756.0	73	61	...	0	o	,,	...		...	...	...	...	...
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Cebu,	..		...	...	...		...	...	,,	..		...	...	...	...	.
Guam,	12.20	29.79	756.6	..	---	NE	4	o	4.20	29.80	756.9	...	...	NE	2	o
Yap,	12.47	...	...	.	...	...	...	...	4.47	...	..	..	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	80	.	ESE	1	c
Labuan,	14	29.76	755.9	88	84	NE	4	bf	6	29.83	757.7	77	91	SW	2	b

November 13*d*. 18*h*. 00*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 117° E., moving W.

November 14*d*. 11*h*. 50*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 113° E., moving N.W.

November 14*d*. 12*h*. 10*m*.—Pressure has increased considerably over China and decreased considerably over central and N.E. Japan.

The continental depression has moved rapidly to the east of Japan.

A strong anticyclone covers China and S.E. Mongolia.

The typhoon in the China Sea appears to be central between the Paracels and the Macclesfields, moving N.W.

Manila warning. 13*d*. 10*h*. 30*m*.:—Typhoon in Lat. 13° N. Long. 117° E., moving W.N.W. Recd. 13*d*. 11*h*. 20*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·15 inch. Total since January 1st, 95·51 inches, against an average of 81·27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, strong; rain, cool.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	15th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	30.24	768.1	24	...	NNE	5	b	6	30.39	771.8	14	...	N	2	b
Nemuro, ...	11	29.63	752.5	...	...	NE	2	...	5	29.80	757.0	...	..	WNW	3	...
Hokodate, ...	.	29.82	757.5	...	...	WSW	9	...	,,	30.00	762.0	...	...	W	1	...
Tokio.....	,,	29.65	753.0	...	...	NNW	2	...	,,	30.04	763 0	...	...	NNW	3	...
Koohi, ...	,,	29.88	759 0	...	...	NNW	1	...	,,	30.10	764.5	...	...	NW	1	...
Nagasaki, ...	,,	30.04	763.0	..	...	N	1	...	,,	30.22	767.5	...	...	NW	1	...
Kagoshima, ...	,,	29.98	761.5	...	...	NW	1	...	,,	30.18	766.5	...	...	NNW	1	...
Oshima, ...	,,	30.04	763.0	...	...	N	2	...	,,	30.16	765.0	...	...	N	2	...
Naha, ...	,,	30.04	763.0	...	...	N	4	...	,,	30.16	766.0	...	...	NNE	2	...
Ishigakijima, ...	,,	30.10	764.5	...	...	NNE	2	...	,,	30.12	765.0	...	...	NNE	1	...
Bonin Island,..	.	30 00	761.0	..	...	SSW	1	...	,,	30.02	762.5	...	...	W	1	...
Chefoo.	15	30.45	773.4	40	85	N	4	o	6	30.48	774.2	34	100	SW	2	b
Hankow, ...	,,	...	...	...	...	...	...	...	,,	30.40	772.1	47	...	N	2	o
Changsha, ...	..	..	...	...	...		...	...	,,	30.30	769.6	46	...	NNW	1	bc
Shanghai, ...	14	30.38	771.6	54	65	N	4	b	,,	30.43	772.8	45	80	NNW	4	o
Gutzlaff, ...	,,	30.36	771.1	54	68	NNE	6	o	,,	30.39	771.9	52	85	NNE	6	o
Sharp Peak, ...	,,	30.13	765.3	63	78	NE	4	o	7	30.18	766.6	58	88	N	1	of
Amoy, ...	,,	30.07	763.8	65	95	SW	6	r	6	30.15	765 8	62	94	ENE	4	r
Swatow, ...	,,	29.93	760.2	66	95	E	4	or	,,	30.10	764.5	66	...	NE	1	or
Taiboku.	11	30.18	766.5	68	92	E	4	r	5	30.15	765.9	64	96	E	4	o
Taichu, ...	,,	30 01	761.3	75	...	N	2	o	,,	30 01	761.3	66	...	N	1	o
Tainan, ...	,,	29 99	761.7	81	...	NNW	4	b	,,	29.99	761.7	64	...	NNW	1	b
Koshun, ...	,,	29.98	761.4	77	...	NE	6	r	,,	29.95	760.8	73	...	ENE	6	b
Pescadores, ...	..	30.05	763.2	73	...	ENE	6	o	,,	30.02	762.6	70	...	NE	6	o
Canton, ...	14	...	....	..	...	...	..		6	30.00	762.0	...	...	NE	2	r
Hong Kong, ...	,,	29.93	760.2	63	87	NNE	2	or	,,	29.96	761.0	65	80	ENE	3	o
Gap Rock, ...	,,	29.92	759 9	...	...	N	5	or	,,	29.93	760.2	...	...	NE	6	or
Macao.	,,	.	..	...	...	...	...	...	,	...	..	...	...	...	.	...
Pratas Island,...	,,	29.88	759.0	73	96	NE	6	or	,,	29.89	759.2	76	89	E	6	or
Phulien, ...	,,	29.89	759.3	84	52	SSW	1	lf	..	30.02	762 6	64	80	NE	4	of
Tourane,.....	,,	29.85	758.1	77	...	N	6	b	6	29.92	759.9	75	...	NE	4	o
Cape St. James.	14	29.78	756.3	79	...	E	2	b	7	29.79	756.6	75	...	ENE	2	b
Basco, ...	15	29.91	759 6	82	74	ESE	4	o	,,	29.98	761.4	75	88	NE	6	o
Aparri, ...	15	29.85	758.1	81	80	NE	4	o	6	29.93	760.2	73	94		0	b
Manila, ...	,,	29.80	756.9	90	60	SE	4	o	,,	29.86	758.4	73	92	NNE	1	b
Legaspi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	29 76	756 0	86	68	ENE	2	o	,,	29.84	757.8	79	90	NE	4	o
Iloilo, ...	,,	29.78	756.3	90	60	N	6	o	,,	29.82	757.5	77	94	N	4	o
Surigao, ...	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao ...	,,	29.86	758.4	86	65	S	1	o	,,	...	...	...	...	...	...	...
Vigan, ...	,,	29.79	756 6	85	68	NW	4	o	,,	...	.	...	...	...	...	...
Calbayog, ...	,,	29.79	756.6	82	86	SE	4	o	,,	...	...	...	...	...	...	...
Cebu, ...	..	29.76	756.0	86	65	NE	4	o	,,		.	...	...	...	...	..
Guam,.....	12.20	29.78	756.3	..	...	NE	2	o	4.20	29.82	757.5	...	...	NE	4	o
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	..	...	...	...	...	...
Pelew, ...	11.00	..	...	...	.	...	...	.	5	29.78	756.4	...	.	NE	1	r
Tibuan, ...	14	29.75	755.6	88	84	NW	2	b	6	29.82	757.4	78	86	SW	2	b

November 14*d.* 15*h.* 55*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 18° N. Long. 112° E., moving N.W.

November 15*d.* 10*h.* 55*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon filling up in Lat. 19° N. Long. 111° E., position uncertain.

November 15*d.* 10*h.* 55*m.*—Pressure has increased considerably over central and S.W. Japan, moderately over the Loochoos and slightly over N. Luzon and N. Indo-China. It has decreased slightly over central China.

The anticyclone is probably moving eastward.

The typhoon filled up on reaching Hainan.

Strong monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Shanghai warning 14*d.* 22*h.* 10*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 113° E., moving N.W. Recd. 14*d.* 23*h.* 45*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 4·02 inch. Total since January 1st. 99·53 inches, against an average of 81·33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong; overcast with rain at first, improving later.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,.	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	16th NOVEMBER 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, ..	12	30.59	777.0	24	...	N	4	b	6	30.32	770.1	21	...	NNE	2	o
Nemuro, ...	11	29.88	759.0	...	...	N	3	...	5	30.06	763.5	...	...	SW	1	...
Hokodate, ...	"	30.04	763.0	...	...	WNW	5	...	"	30.20	767.0	...	...	WSW	3	...
Tokio, ...	"	30.06	763.5	...	...	NW	3	...	"	30.34	770.5	...	...	N	1	...
Kochi, ...	"	30.15	766.0	...	...	NW	1	...	"	30.30	769.5	...	...	...	o	...
Nagasaki, ...	"	30.25	768.5	..	...	N	1	...	"	30.28	769.0	...	...	ESE	1	...
Kagoshima, ...	"	30.20	767.0	...	...	N	1	...	"	30.24	768 0	...	...	NW	1	...
Oshima, ...	"	30.20	767.0	..	...	N	2	...	"	30.16	766.0	...	...	SSE	1	...
Naha, ...	"	30.18	766.5	...	...	NNE	2	...	"	30.16	766.0	...	...	NE	1	...
Ishigakijima, ...	"	30.14	765.5	...	...	NE	3	...	"	30.08	764.0	...	...	NE	2	...
Bonin Island, ..	"	29.98	761.5	...	...	W	1	...	"	30.12	765.0	...	...	...	o	...
Chefoo.	15	30.41	772.4	48	73	SSW	1	b	6	30.37	771.4	40	91	SW	1	b
Hankow, ...	"	...	...	...	...	..	...	...	"	30.31	769.9	47	...	NE	1	o
Changsha, ...	"	...	...	...	...	..	...	...	"	30.23	767.8	48	...	NW	2	o
Shanghai, ...	14	30.39	771.9	55	55	ENE	4	o	"	30.31	769 8	48	97	ENE	2	r
Gutzlaff, ...	..	30.38	771.6	54	55	NE	4	o	"	30.31	769.9	50	93	WSW	4	r
Sharp Peak, ...	"	30.16	766.0	60	83	N	2	r	"	30.11	764.8	62	89	N	2	r
Amoy, ...	"	30.05	763.2	64	91	NNE	4	r	6	30.05	763.2	65	95	WNW	4	r
Swatow, ...	"	30.00	761.0	68	...	NE	4	or	"	30.03	762.7	66	...	NNE	2	or
Taihoku, ...	11	...	...	68	88	E	4	r	5	30.01	762.3	70	92	E	4	o
Taichu, ...	"	30.00	762.0	82	...	...	o	o	"	29.99	761.7	68	..	...	o	o
Tainan, ...	"	30.00	762.0	79	...	WNW	2	b	"	29.98	761.4	65	...	...	o	b
Koshun, ...	"	30.00	762.0	79	...	NE	6	b	"	29.99	761.7	73	...	NNE	4	r
Pescadores, ...	..	30.05	763.5	73	...	NE	6	o	"	29.99	761.7	72	...	NE	4	b
Canton, ...	14	30.00	762.0	56	94	N	2	r	6	30.04	763.0	57	...	N	2	o
Hong Kong, ...	"	29.95	760.7	65	87	ENE	3	or	"	30.02	762 5	66	84	ENE	3	o
Gap Rock, ...	"	29.93	760.2	...	...	ENE	6	o	"	30.00	762.0	...	...	ENE	5	o
Macao, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	..	...
Pratas Island, ...	"	29.90	759 4	79	82	ENE	6	o	"	29.94	760.5	76	93	ENE	5	o
Phulien, ...	"	29.95	761.1	79	55	SE	1	b	"	30.02	762.6	66	87	ENE	2	cf
Tourane, ...	"	29.93	760.2	72	...	N	4	o	6	29.97	761.1	72	...	NNW	4	o
Cape St. James	14	29.78	756.3	81	...	E	4	b	7	29.84	757.8	75	...	ENE	2	b
Basco.	15	29.92	759.9	79	80	NE	4	o	..	29.97	761.1	75	79	SE	2	b
Aparri, ...	15	29.87	758.7	84	74	...	c	b	6	29.93	760.2	70	94	...	o	b
Manila, ...	"	29.81	757.2	90	55	E	4	b	"	29.88	759.0	72	82	N	2	o
Legaspi, ...	"	...	...	...	...	....	...	...	"	...	...	...	...	...	...	...
Tacloban, ...	"	..	...	...	...	...	...	...	"	29.80	756.9	79	95	NNE	4	o
Iloilo, ...	"	29.79	755.6	81	84	N	6	o	"	29.82	757.5	77	80	N	4	o
Surigao, ...	"	29.76	756.0	86	81	SE	1	o	"	...	...	...	...	...	...	...
Tuguegarao ...	"	29.97	761.1	86	81	SE	1	o	..	29.68	761.4	68	91	...	o	o
Vigan.	"	29.76	756.0	81	52	WNW	4	b	"	29.86	758.4	75	56	E	2	b
Calbayog, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Cebu, ...	"	...	...	...	...	..	...	...	"	29.78	756.3	79	76	N	2	o
Guam, ...	12.20	29.78	756.3	..	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	...	...	..	...	...	...	...	4.47	...	...	...	...	...	...	...
Palau, ...	11.00	...	...	...	..	...	...	...	5	29.77	756.1	81	...	ESE	2	bc
Labuan, ...	14	29.77	756.1	88	84	NW	2	b	6	29.83	757.7	78	91	SW	2	b

November 16*d*. 11*h*. 05*m*.—Pressure has increased considerably over central Japan, moderately over N.E. Japan and slightly over S.W. Japan. It has decreased moderately at Shanghai and slightly over central China. It is nearly stationary elsewhere.

The anticyclone has moved eastward to Japan.

Fresh monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Manila warning. 15*d*. 11*h*. 55*m*.:—Typhoon over N. China Sea filling up. Recd. 15*d*. 13*h*. 42*m*.

Shanghai warning 15*d*. 14*h*. 25*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 112 E., filling up. Recd. 15*d*. 15*h*. 13*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·53 inch. Total since January 1st, 100·56 inches, against an average of 81·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, ... 4.—South coast of China between Hong Kong and Hainan,.	N.E. winds, fresh; cloudy.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th NOVEMBER, 1926.								17th NOVEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.29	769.3	37	...	SSE	2	b	6	30.36	771.0	24	...	NW	4	b
Nemuro,	11	30.00	762.0	...	...	WSW	2	...	5	30.41	772.5	...	...	W	1	...
Hokodate,	"	30.16	766.0	...	...	WSW	4	...	"	...	...	...	...	WNW	3	...
Tokio,	"	30.10	765.5	...	...	N	1	...	"	30.20	767.0	...	...	N	1	...
Kochi,	"	30.28	762.0	...	...	...	0	...	"	30.18	766.5	...	...	...	0	...
Nagasaki,	"	30.26	768.5	...	...	E	1	...	"	30.16	766.0	...	...	NNE	1	...
Kagoshima,	"	30.22	767.5	...	...	NE	1	...	"	30.10	764.5	...	...	NW	1	...
Oshima,	"	30.12	765.0	...	...	NNE	2	...	"	30.04	763.0	...	...	NW	1	...
Naha,	"	30.10	764.5	...	...	E	1	...	"	30.04	763.0	...	...	E	1	...
Ishigakijima,	"	30.06	763.5	...	...	E	3	...	"	30.00	762.0	...	...	NW	1	...
Bonin Island,	"	30.12	765.0	..	..	...	0	..	"	30.10	764.5	...	...	...	...	...
Chefoo,	15	30.36	771.1	50	79	NW	2	o	6	30.38	771.6	40	85	NW	4	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	30.24	768.1	49	...	NNW	2	oo
Shanghai,	14	30.24	768.0	52	97	NE	2	r	"	30.27	768.9	50	97	NNE	2	r
Gutzlaff,	"	30.23	767.8	54	100	NE	4	r	"	30.24	768.1	54	94	NNE	6	r
Sharp Peak,	"	30.07	763.8	65	87	N	2	o	"	30.09	764.3	65	89	...	0	of
Amoy,	"	30.04	763.0	70	91	SW	4	o	6	30.03	762.7	68	91	ENE	2	o
Swatow,	"	...	...	...	...	...	...	...	"	30.03	762.7	68	...	N	2	o
Taihoku,	11	30.02	762.6	81	73	ENE	2	b	5	30.00	762.0	72	94	...	0	o
Taichu,	"	30.02	762.6	84	...	SW	2	o	"	30.01	762.3	72	..	...	0	o
Tainan,	"	30.01	762.3	79	...	W	2	o	"	29.98	761.4	70	...	NNE	2	o
Koshun,	"	30.01	762.3	79	...	NE	4	o	"	29.97	761.1	66	..	...	0	b
Pescadores,	"	30.04	762.0	75	...	NE	4	o	"	...	...	...	...	...	..	...
Canton,	14	29.90	761.7	56	94	N	2	o	6	30.05	763.2	59	...	N	1	od
Hong Kong,	"	29.96	761.0	70	83	E	2	o	"	30.01	762.2	68	85		0	o
Gap Rock,	"	29.97	761.2	...	...	ENE	4	od	"	30.01	762.2	...	...	NNW	4	o
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	..	...
Pratas Island,	"	29.89	759.2	80	82	E	4	o	"	29.93	760.2	77	86	NE	5	o
Phulien,	"	29.97	761.1	75	71	SE	1	o	..	30.02	762.6	68	88	ENE	4	of
Tourane,	"	29.92	759.9	73	...	N	4	b	6	29.97	761.1	72	...	NW	2	o
Cape St. James	14	29.81	757.2	79	...	E	4	b	7	29.82	757.5	79	.	ENE	2	b
Basco,	15	29.91	759.6	82	70	SE	4	o	"	29.92	759.9	77	85	SE	2	o
Aparri,	15	29.87	758.7	81	73	NNE	2	o	6	29.89	759.3	75	92	..	0	b
Manila,	"	29.82	757.5	84	71	N	4	o	"	29.86	758.4	73	94	E	1	o
Legaspi,	"	...	...	...	...	...	...	...	"	..	..	...	..	..	...	...
Tacloban,	"	..	..	...	...	...	...	...	"	29.80	756.9	77	94	NNW	2	o
Iloilo,	"	29.79	756.6	82	81	N	6	o	"	29.80	756.9	77	88	N	4	o
Surigao,	"	29.75	755.7	79	92	NNE	4	r	"	...	...	...	...	..	..	...
Tuguegarao,	"	29.87	758.7	86	86	NNE	1	o	..	29.91	759.6	72	98	NNW	1	o
Vigan,	"	29.81	757.2	86	81	NW	4	b	"	..	..	...	..	...	...	...
Calbayog,	"	29.79	756.6	82	81	NE	4	o	"	29.80	756.9	75	96	E	2	o
Cebu,	..	29.75	755.7	79	61	N	2	r	..	29.75	755.7	79	84	NE	1	o
Guam,	12.20	29.75	755.7	...	...	NE	4	o	4.20	29.81	757.2	...	...	NE	4	o
Yap,	12.47	...	...	..	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	..	5	29.76	755.9	...	...	ENE	2	o
Labuan,	14	29.76	755.9	88	84	NE	4	b	6	29.84	757.9	76	91	NE	2	b

November 17*d.* 11*h.* 25*m.*—Pressure has increased considerably over N.E. Japan, moderately over central and S.W. Japan and slightly over the Loochoos and the Visayas. It is nearly stationary elsewhere.

The anticyclone is central over S. Manchuria.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 100·06 inches, against an average of 81·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fair.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th NOVEMBER, 1926.								18th NOVEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.24	768.0	34	...	NW	2	b	6	30.10	764.6	31	...	WSW	4	b
Nemuro,	11	29.96	761.0	...	...	W	1	...	5	29.86	758.5	...	..	WSW	2	...
Hokodate,	..	30.10	764.5	...	...	WNW	5	...	,,	30.02	762.5	...	...	WSW	2	...
Tokio,	,,	30.16	766.0	...	...	NNW	1	...	,,	30.08	764.0	...	..	NW	1	...
Kochi,	,,	30.12	765.0	...	...	...	...	...	,,	30.02	762.5	...	..	...	0	...
Nagasaki,	,,	30.12	765.0	...	...	N	1	...	,,	30.16	766.0	...	..	...	...	...
Kagoshima,	,,	29.96	761.0	...	...	NE	1	...	,,	30.12	765.0	...	...	NW	1	...
Oshima,	,,	30.04	763.0	...	...	NNE	1	...	,,	30.08	764.0	...	...	SSW	1	...
Naha,	,,	30.02	761.5	...	...	NNE	1	...	,,	30.04	763.0	...	...	NNE	2	...
Ishigakijima,	,,	30.00	762.0	...	...	ESE	1	...	,,	30.00	762.0	...	...	NNW	1	...
Bonin Island,	..	30.06	763.5	...		SW	1	..	,,	30.04	763.0	...	..	...	...	...
Chefoo,	15	30.37	771.4	78	86	NNW	2	b	6	30.31	769.9	42	98	SW	2	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	30.33	770.4	48	...	N	3	oc
Shanghai,	14	30.33	770.1	55	66	NNE	2	r	,,	30.39	771.9	50	77	NNW	1	o
Gutzlaff,	,,	30.28	769.1	54	89	NNE	4	r	,,	30.38	771.6	54	68	NNE	4	o
Sharp Peak,	,,	30.07	763.8	69	85	E	2	o	7	30.16	766.0	62	89	NNE	2	o
Amoy,	,,	30.04	763.0	72	85	E	4	o	6	30.14	765.5	64	91	NE	2	o
Swatow,	,,	30.01	762.2	70	80	E	2	o	,,	30.12	765.0	64	...	N	2	o
Taihoku,	11	30.07	763.8	72	92		0	r	5	30.13	765.3	66	100	E	4	o
Taichu,	,,	30.02	762.6	79	...	NW	2	b	,,	30.04	762.9	68	...	N	2	o
Tainan,	,,	30.01	762.3	75	...	NNW	2	o	,,	30.00	762.0	68	...	NNW	2	b
Koshun,	,,	29.99	761.7	84	...	...	0	b	,,	30.00	762.0	73	...	NNE	2	r
Pescadores,	..	30.05	763.2	73	...	NE	4	o	,,	30.05	763.2	68	...	ENE	6	r
Canton,	14	30.02	762.5	71	66	N	2	o	6	30.15	765.8	58	...	NNW	2	o
Hong Kong,	,,	29.68	761.5	75	71	W	2	b	,,	30.12	765.0	63	85	N	2	o
Gap Rock,	,,	29.98	761.5	...	...	NNW	4	o	,,	30.09	764.3	...	...	N	4	o
Macao,	,,	...	...	...	...	...	...	...	,	..	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.2	78	80	NE	6	o	,,	29.98	761.5	72	86	NE	7	cd
Phulien,	,,	30.00	762.0	73	75	NNE	2	o	..	30.12	765.0	63	82	NE	2	b
Tourane,	,,	29.92	759.9	73	...	NW	4	o	6	29.97	761.1	72	...	NE	6	rf
Cape St. James	14	29.75	755.7	81	...	E	4	b	7	29.79	756.6	75		E	2	b
Basco,	15	29.89	759.3	82	70	SE	2	o	,,	29.95	760.8	75	94	NE	4	o
Aparri,	15	29.87	758.7	77	88	NE	2	o	6	29.92	759.9	75	96	...	0	o
Manila,	,,	29.79	756.6	84	77	SW	2	o	,,	29.84	757.8	73	91	NE	1	o
Legaspi,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	756.0	...	..	NNW	4	o	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	82	77	NNE	6	o	,,	29.79	756.6	77	92	N	4	o
Surigao,	,,	..	...	...	...	...	...	...	,,	29.75	755.7	79	96	SSE	1	o
Tuguegarao,	,,	29.87	758.7	84	74	...	0	o	..	...	...	...	...	...	...	...
Vigan,	,,	29.79	756.6	86	52	WNW	4	o	,,	...	...	...	..	...	...	...
Calbayog,	,,	29.80	756.9	77	94	..	...	...	,,	29.79	756.6	75	96	...	0	o
Cebu,	..	29.73	755.1	82	77	NNE	4	o	..	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	..	...	W	4	o	4.20	29.78	756.3	...	...	NE	1	o
Yap,	12.47	29.71	754.5	..	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	..	...	...	...	...		...	5	29.74	755.4	81	...	ESE	3	o
Labuan,	14	29.79	756.5	86	88	NE	1	o	6	29.83	757.7	77	91	NE	2	b

November 18*h.* 11*h.* 15*m.*—Pressure has decreased moderately over central and N.E. Japan and over S. Manchuria. It has increased slightly over China, Formosa and the Loochoos. It is nearly stationary over the Philippines.

A new anticyclone has formed over China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·06 inches, against an average of 81·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th NOVEMBER, 1926.								19th NOVEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.96	761.0	39	---	SW	2	b	6	30.13	765.4	22	---	N	2	b
Nemuro,	11	29.82	757.5	---	---	W	1	---	5	29.65	753.0	---	---	SSW	1	---
Hokodate,	"	29.94	760.5	---	---	WSW	4	---	"	29.84	758.0	---	---	WNW	3	---
Tokio,	"	30.02	762.5	---	---	E	1	---	"	29.92	760.0	---	---	W	1	---
Kochi,	"	30.06	763.5	---	---	---	0	---	"	30.16	766.0	---	---	WSW	1	---
Nagasaki,	"	30.18	766.5	---	---	N	1	---	"	30.28	769.0	---	---	NNW	1	---
Kagoshima,	"	30.12	765.0	---	---	WNW	1	---	"	30.28	769.0	---	---	---	0	---
Oshima,	"	30.12	765.0	---	---	N	3	---	"	30.22	767.5	---	---	N	2	---
Naha,	"	30.10	764.5	---	---	NNE	3	---	"	30.20	767.0	---	---	NE	1	---
Ishigakijima,	"	30.08	764.0	---	---	NNE	3	---	"	30.20	767.0	---	---	N	2	---
Bonin Island,	"	30.00	762.0	---	---	SW	1	---	"	30.04	763.0	---	---	W	1	---
Chefoo,	15	30.27	768 8	50	79	W	4	b	6	30.32	770.1	42	75	WSW	1	h
Hankow,	"	---	---	---	---	---	---	---	"	30.43	772.9	50	---	---	0	o
Changsha,	"	---	---	---	---	---	---	---	"	30.39	771.9	48	---	N	1	or
Shanghai,	14	30.40	772.2	54	70	NW	4	o	"	30.49	774.3	41	97	NW	2	h
Gutzlaff,	"	30.37	771.4	56	69	NNW	4	o	"	30.46	773.7	48	78	NNW	4	h
Sharp Peak,	"	30.18	766.6	66	73	NNE	4	o	7	30.27	768 8	62	72	NNE	4	o
Amoy,	"	30.14	765.5	74	72	NE	4	b	6	30.26	768.6	62	90	NE	4	b
Swatow,	"	30.12	765.0	68	85	E	2	o	"	30.21	767.3	61	---	NE	2	o
Taihoku,	11	30.20	767.1	72	78	E	4	o	5	30.28	769.2	61	93	E	4	o
Taichu,	"	30.07	763.8	77	---	NNW	4	b	"	30.13	765.3	63	---	N	2	b
Tainan,	"	30.06	761.5	81	---	NNW	4	b	"	30.04	762.9	64	---	NNE	4	o
Koshun,	"	30.04	762.9	81	---	NNE	4	b	"	30.05	763.2	72	---	NE	7	b
Pescadores,	"	30.12	765.0	70	---	ENE	6	o	"	30.14	765.6	54	---	ENE	7	o
Canton,	14	---	---	---	---	---	---	---	6	30.25	768.3	56	---	N	2	b
Hong Kong,	"	30.10	764.5	71	66	N	2	c	"	30.21	767.3	61	70	N	2	o
Gap Rock,	"	30.10	764.5	---	---	N	4	o	"	30.20	767.1	---	---	N	4	o
Macao,	"	---	---	---	---	---	---	---	"	---	---	---	---	---	---	---
Pratas Island,	"	29.98	761.5	73	85	NE	7	o	"	30.07	763.8	73	77	NNE	7	o
Phulien,	"	30.10	764.4	72	54	NNE	4	b	"	30.25	768.3	61	69	NNE	1	o
Tourane,	"	29.99	761.7	73	---	NE	6	o	6	30.05	763.2	72	---	NE	6	o
Cape St. James	14	29 76	756.0	79	---	E	4	of	7	29.80	756.9	79	---	ENE	4	o
Basco,	15	29.93	760.2	81	69	ENE	2	o	"	30.04	762.9	77	76	NE	4	o
Aparri,	15	29.88	759 0	79	85	NNE	4	o	6	29.99	761.7	77	89	NE	4	b
Manila,	"	29.79	756.6	90	60	E	4	o	"	29.89	759.3	73	94	NE	2	o
Legaspi,	"	29.76	756.0	86	68	ENE	4	b	"	29.85	758.1	79	89	NNE	2	o
Tacloban,	"	---	---	---	---	---	---	---	"	..	---	---	---	---	---	---
Iloilo,	"	29.76	756 0	81	89	N	2	o	"	29.81	757.2	77	92	N	6	o
Surigao,	"	---	---	---	---	---	---	---	"	---	---	---	---	---	---	---
Tuguegarao,	"	---	---	..	---	---	---	---	"	29.99	761.7	72	96	N	---	o
Vigan,	"	---	---	---	..	---	---	---	"	29.88	759.0	63	70	NE	4	b
Calbayog,	"	---	---	---	---	---	---	---	"	---	---	---	---	---	---	---
Cebu,	..		---	---	---	---	---	---	"	---	---		---	---	---	---
Guam,	12.20	29.75	755.7	---	---	E	4	o	4.20	29.81	757.2	---	---	NE	4	o
Yap,	12.47	---	---	---	---	---	---	---	4.47	---	---	---	---	---	---	---
Pelew,	11.00	---	---	---	---	---	---	---	5	---	---	---	---	---	---	---
Labuan,	14	29.77	756.1	86	88	NW	2	b	6	29.84	757.9	76	94	SW	2	b

November 19*d*. 11*h*. 20*m*.—Pressure has decreased moderately over central and N.E. Japan and over the upper Yangtze Valley. It has increased slightly to moderately elsewhere.

The anticyclone over China is moving eastward.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 100·06 inches, against an average of 81·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	20th NOVEMBER. 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.12	764.9	40	...	NW	4	b	6	30.18	766.6	27	...	NW	3	b
Nemuro,	11	29.65	753.0	...	...	NW	4	...	5	29.82	757.5	...	...	W	2	...
Hokodate,	"	29.90	759.5	...	...	W	5	...	"	29.96	761.0	...	...	WNW	1	...
Tokio,	"	29.92	760.0	...	...	WNW	1	...	"	30.10	764.5	...	...	NW	1	...
Kochi,	"	30.16	766.0	...	...	NW	1	...	"	30.24	768.0	...	...	W	1	...
Nagasaki,	"	30.30	769.5	...	...	NNW	2	...	"	30.34	770.5	...	...	NNW	1	...
Kagoshima,	"	30.26	768.5	...	...	NW	2	...	"	30.34	770.5	...	...	...	...	...
Oshima,	"	30.26	768.5	...	...	NNE	3	...	"	30.30	769.5	...	...	N	2	...
Naha,	"	30.26	768.5	...	...	N	2	...	"	30.28	769.0	...	...	NE	1	...
Ishigakijima,	"	...	...	...	...	NNE	2	...	"	30.24	768.0	...	...	NNE	1	...
Bonin Island,	"	30.04	763.0	...	...	NW	1	...	"	30.14	765.5	...	...	W	1	...
Chefoo,	15	30.36	771.1	50	72	WNW	4	b	6	30.39	771.9	44	86	SW	2	b
Hankow,	"	...	...	...	...	...	..	...	"	30.43	772.9	50	...	...	0	b
Changsha,	"	...	...	...	...	...	...	...	"	30.36	771.1	53	...	...	0	lc
Shanghai,	14	30.49	774.3	59	48	NW	2	b	"	30.50	774.6	39	93	NNE	1	b
Gutzlaff,	"	30.47	773.9	62	61	NNW	2	b	"	30.50	774.7	50	58	NNW	2	b
Sharp Peak,	"	30.23	769.3	65	70	E	1	b	"	30.29	769.3	62	77	NNW	1	o
Amoy,	"	30.10	767.1	71	71	ENE	2	b	6	30.25	768.3	64	76	NNE	4	o
Swatow,	"	30.20	767.1	70	...	E	2	bc	"	30.22	767.6	63	...	N	3	bc
Taihoku,	11	30.32	770.1	70	77	E	4	o	5	30.26	768.6	64	88	E	4	o
Taiohu,	"	30.18	766.5	77	...	NNW	4	b	"	30.15	765.9	61	...	...	0	b
Tainan,	"	30.15	765.9	77	...	NNW	4	b	"	30.12	765.0	61	..	N	2	b
Koshun,	"	30.10	764.4	75	...	NE	7	b	"	30.10	764.4	72	...	NNE	6	b
Pescadores,	"	30.20	767.1	72	...	ENE	7	o	"	30.17	766.2	70	...	NE	6	o
Canton,	14	30.23	767.8	66	68	N	2	o	6	30.25	768.3	57	...	N	2	o
Hong Kong,	"	30.19	765.8	69	64	N	2	o	"	30.21	767.3	61	71	N	2	o
Gap Rock,	"	30.18	766.6	...	...	N	4	o	"	30.20	767.1	...	...	NNE	4	o
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	30.04	763.0	73	78	NNE	7	cd	"	30.09	764.3	73	80	NNE	7	od
Phulien,	"	30.21	767.4	73	52	NW	2	b	"	30.27	768.9	61	93	NNW	2	o
Tourane,	"	30.04	762.9	73	...	NE	6	o	6	30.07	763.8	72	...	NE	6	of
Cape St. James	14	...	...	...	...	...	...	...	7	29.85	758.1	77	...	ENE	4	o
Basco,	15	30.02	762.6	75	85	NE	6	o	"	...	...	...	...	...	...	...
Aparri,	13	29.98	761.4	97	...	NNE	4	r	6	...	...	...	...	...	...	...
Manila,	"	29.86	758.4	81	76	ENE	2	o	"	29.91	759.6	75	83	NE	2	o
Legaspi,	"	29.82	757.5	82	84	NNE	4	o	"	29.85	758.1	79	87	NNE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.85	758.1	77	96	NNE	2	r
Iloilo,	"	29.78	756.3	86	71	NE	6	o	"	29.84	757.8	77	96	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tuguegarao,	"	29.95	760.8	82	77	NE	2	o	"	...	...	...	...	...	...	...
Vigan,	"	29.82	757.5	90	38	NE	4	o	"	...	...	75	...	...	0	b
Calbayog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	E	4	o	4.20	29.82	757.5	...	...	NE	4	o
Yap,	12.47	29.80	756.9	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	79	...	ENE	1	o
Labuan,	14	29.77	756.1	86	88	NE	2	b	6	29.83	757.7	78	91	SW	2	b

November 20*d*. 11*h*. 30*m*.—Pressure has increased slightly to moderately over Japan and the Loochoos. It is nearly stationary elsewhere.

The anticyclone appears to be stationary and central near Shanghai.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·06 inches, against an average of 81·57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperatures.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	21st NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperatures.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostook,	12	30.16	766.1	41	...	NNW	2	b	6	30.33	770.3	28	...	N	2	b
Nemuro,	11	29.80	757.0	...	...	W	2	...	5	29.88	759.0	...	...	NW	5	...
Hokodate,	"	29.94	760.5	...	...	WNW	4	...	"	30.06	763.5	...	...	NW	3	...
Tokio,	"	30.06	763.5	...	...	SSE	1	...	"	30.14	765.5	...	...	WNW	1	...
Kochi,	"	30.22	767.5	...	...	NE	1	...	"	30.34	770.5	...	...	WSW	1	...
Nagasaki,	"	30.15	771.0	...	...	NNW	2	...	"	30.38	771.0	...	...	...	0	...
Kagoshima,	"	30.33	770.5	...	...	NW	2	...	"	30.36	771.0	...	...	...	0	...
Oshima,	"	30.30	769.5	...	...	N	2	...	"	30.28	769.0	...	...	...	0	...
Naha,	"	30.30	769.5	...	...	NNE	2	...	"	30.22	767.5	...	...	NNE	1	...
Ishigakijima,	"	30.26	768.5	...	...	NE	3	...	"	30.16	766.0	...	...	E	3	...
Bonin Island,	"	30.14	765.5	...	...	WNW	1	...	"	30.14	765.5	...	...	NW	1	...
Chefoo,	15	30.31	771.9	54	74	SE	1	b	6	30.37	771.4	42	85	SW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	0	0
Shanghai,	14	30.44	773.1	59	53	ENE	1	b	"	30.25	768.3	48	...	...	0	0
Gutzlaff,	"	30.41	773.2	59	51	ENE	2	0	"	30.37	771.3	64	82	S	4	b
Sharp Peak,	"	30.26	768.6	62	77	N	2	of	"	30.37	771.4	56	69	ESE	4	0
Amoy,	"	30.17	765.3	72	71	NE	4	0	7	30.19	766.8	60	88	N	1	of
Swatow,	"	30.09	764.3	70	66	E	2	c	6	30.14	765.5	67	84	NNW	2	c
Taihoku,	11	30.27	768.9	75	63	E	6	b	"	30.26	768.6	65	...	N	1	bc
Taichu,	"	30.14	765.6	81	...	NNW	2	b	5	30.12	765.0	68	96	E	2	b
Tainan,	"	30.14	765.6	81	...	NNW	2	b	"	30.10	764.4	64	...	...	0	b
Koshun,	"	30.13	765.3	77	...	NE	6	b	"	30.08	764.1	63	...	...	0	b
Pescadores,	"	30.14	765.6	73	...	ENE	6	0	"	30.08	764.1	72	...	NNE	4	r
Canton,	14	...	...	...	...	...	...	...	"	30.08	764.1	70	...	NE	4	0
Hong Kong,	"	30.15	765.8	71	64	N	1	0	6	30.17	766.3	59	...	N	2	cpq
Gap Rock,	"	30.16	766.0	...	...	NE	4	0	"	30.15	765.8	64	77	...	0	0
Macao,	"	...	...	...	...	...	...	...	"	30.13	765.3	...	...	NE	4	0
Pratas Island,	"	30.03	762.7	74	81	NNE	7	0	,	...	...	...	...	...	...	...
Phulien,	"	30.18	766.5	68	60	...	0	0	"	30.05	763.2	73	89	NE	6	0
Tourane,	"	30.04	762.9	70	...	NE	6	of	..	...	...	...	...	...	...	...
Cape St. James	14	29.84	757.8	81	...	ENE	4	0	6	...	...	...	...	...	...	...
Basco,	15	30.02	762.6	81	73	ESE	4	0	7	...	...	...	...	...	...	...
Aparri,	13	29.97	761.1	82	74	ENE	4	b	"	...	...	...	...	...	...	...
Manila,	"	29.85	758.1	84	71	NE	2	0	6	29.97	761.1	77	83	ENE	4	0
Legaspi,	"	29.80	756.9	86	75	NE	4	0	"	29.88	759.0	75	96	NNE	1	0
Taoloban,	"	29.78	756.3	82	84	ENE	4	0	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	29.82	757.5	73	96	N	4	0
Tuguegarao,	"	29.98	761.4	81	76	N	1	0	"	...	...	...	...	...	...	...
Vigan,	..	29.84	757.8	90	44	NE	4	b	"	...	...	...	...	...	...	...
Calbayog,	"	29.78	756.3	84	77	E	2	0	"	...	...	...	...	...	...	...
Cebu,	.	29.74	755.4	84	74	NE	4	0	"	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	NE	4	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	80	...	ESE	2	0
Labuan,	14	29.76	755.9	88	84	NE	4	b	6	...	...	...	...	...	...	..

November 21*d.* 10*h.* 25*m.*—Pressure has increased slightly over Japan and decreased moderately at Shanghai. It is nearly stationary elsewhere.

The anticyclone has weakened. It is now central over Korea.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·06 inches, against an average of 81·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; cloudy.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st NOVEMBER, 1926.								22nd NOVEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.30	769.5	40	...	NNW	2	b	6	30.20	767.1	37	...	...	0	b
Nemuro,	11	29.92	760.0	...	...	WNW	6	...	5	30.04	763.0	...	...	W	2	...
Hokodate,	. .	30.14	765.5	...	...	NNW	6	...	,,	30.12	765.0	...	...	...	...	...
Tokio,	,,	30.14	765.5	...	...	NNW	2	...	,,	30.22	767.5	...	...	NNW	1	...
Kochi,	,,	30.30	769.5	...	...	WSW	1	...	,,	30.02	762.5	...	...	WSW	1	...
Nagasaki,	,,	30.35	771.0	...	...	NW	1	...	,,	30.10	764.5	...	...	ENE	1	...
Kagoshima,	,,	30.33	770.5	...	...	NE	1	...	,,	30.12	765.0	...	...	WNW	1	...
Oshima,	,,	30.21	768.0	...	...	SE	1	...	,,	30.08	764.0	...	...	SE	1	...
Naha,	,,	30.22	767.5	...	...	NE	2	...	,,	30.06	763.5	...	...	...	...	...
Ishigakijima,	,,	30.14	765.5	...	...	E	3	...	,,	30.02	762.5	...	...	SE	1	...
Bonin Island,	,,	30.12	765.0	...	...	NW	1	...	,,	30.12	765.0	...	...	...	0	...
Chefoo,	15	30.32	770.1	52	79	NW	1	0	6	30.24	768.1	44	92	WSW	2	b
Hankow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	..	...	...	...	...	,,	30.30	769.6	49	...	NW	1	b
Shanghai,	14	30.27	768.9	59	73	E	4	0	,,	30.27	768.9	48	95	WNW	4	0
Gutzlaff,	,,	30.26	768.6	60	71	E	4	0	,,	30.22	767.6	50	93	NNW	6	0
Sharp Peak,	,,	30.14	765.5	63	89	N	2	0	7	30.12	765.0	64	78	NW	2	0
Amoy,	,,	30.12	765.0	70	85	NW	1	0	6	30.10	764.5	63	91	NE	2	b
Swatow,	,,	30.10	764.5	72	67	NNE	1	0	,,	30.08	764.0	68	...	N	2	0
Taihoku,	11	30.11	764.7	79	69	ENE	1	0	5	30.08	764.1	66	90	N	4	0
Taichu,	,,	30.12	765.0	79	...	NW	2	0	,,	30.04	762.9	66	..	NNW	2	0
Tainan,	,,	30.11	764.7	79	...	W	2	b	,,	30.04	762.9	63	..	N	4	0
Koshun,	,,	30.10	764.4	82	...	NE	4	b	,,	29.99	761.7	70	...	...	0	b
Pescadores,	,,	...	...	72	...	ENE	4	r	,,	30.06	763.5	67	...	NE	4	0
Canton,	14	30.11	764.7	68	79	N	2	0	6	30.10	764.5	62	...	N	2	0
Hong Kong,	,,	30.09	764.2	73	59	N	2	0	,,	30.08	764.0	66	68	NNE	2	0
Gap Rock,	,,	30.07	764.3	...	...	NW	4	0	,,	30.07	763.8	...	..	N	4	0
Macao,	,,	...	...	...	...	...	...	...	,	.	...	...	...	...	..	...
Pratas Island,	,,	29.99	761.7	76	83	NNE	6	0	,,	29.99	761.7	74	82	NE	6	0
Phulien,	,	30.11	764.7	75	53	ESE	1	0	..	30.12	765.0	66	76	NW	2	of
Tourane,	,,	30.02	762.6	70	...	NW	2	of	6	29.99	761.7	70	...	NNE	4	of
Cape St. James	14	29.85	758.1	82	...	SW	2	0	7	...	...	...	...	...	...	...
Basco,	15	29.95	760.8	81	73	ESE	4	0	,,	...	...	...	...	...	...	...
Aparri,	15	29.91	759.9	81	80	ENE	4	0	6	..	..	...	...	...	...	...
Manila,	,,	29.84	757.8	81	87	ESE	2	0	,,	29.86	758.4	75	94	NE	1	0
Legaspi,	,,	29.84	757.8	77	91	ENE	4	0	,,	29.82	757.8	...	...	NE	2	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	75	92	NNW	2	0
Iloilo,	,,	29.79	756.6	84	77	NE	6	0	,,	29.82	757.5	75	94	N	4	0
Surigao,	,,	.	...	..	...	...	...	...	,,	.	...	...	...	...	...	...
Tagnegarao,	,,	29.91	759.9	81	90	N	1	r	,,	...	..	...	...	...	...	...
Vigan,	,,	29.82	757.5	84	71	W	4	0	,,	29.81	757.2	79	80	NE	2	0
Calbayog,	,,	29.84	757.8	75	98	E	1	r	,,	...	...	...	...	...	...	...
Cebu,	.	29.76	756.0	84	68	NNE	4	0	,,	..	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	NE	4	0	4.20	29.76	756.0	...	...	NE	2	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	..	...	..	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.76	755.9	77	...	NNE	1	.
Labuan,	14	29.78	756.4	88	84	NE	4	b	6	29.83	757.7	76	94	SW	2	b

November 22*d.* 10*h.* 57*m.*—Pressure has decreased considerably over S.W. Japan, moderately over the Loochoos and slightly at the majority of other stations.

The anticyclone has dissipated and a V-shaped depression has formed over S.W. Japan. Another anticyclone is forming over China.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·06 inches, against an average of 81·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd NOVEMBER, 1926.								23rd NOVEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.14	765.6	40	...	NW	2	b	6	30.14	765.5	27	...	N	2	b
Nemuro,	11	29.98	761.5	...	...	W	2	...	5	29.98	761.5	...	...	...	0	...
Hokodate,	,,	30.08	764.0	...	...	WSW	3	...	,,	30.02	762.5	...	...	WSW	3	...
Tokio,	,,	30.16	766.0	...	...	NE	1	...	,,	30.06	763.5	...	...	NNW	1	...
Kochi,	,,	30.16	765.0	...	...	...	0	...	,,	29.90	759.5	...	...	ESE	1	...
Nagasaki,	,,	30.04	763.0	...	...	E	4	...	,,	30.08	764.0	...	...	...	0	...
Kagoshima,	,,	30.08	764.0	...	...	ENE	1	...	,,	30.02	762.5	...	...	NW	1	...
Oshima,	,,	29.98	761.5	...	...	S	2	...	,,	30.00	762.0	...	...	N	4	...
Naha,	,,	30.02	762.5	...	...	SSE	2	...	,,	30.02	762.5	...	...	N	3	...
Ishigakijima,	,,	30.04	763.0	...	...	NNW	2	...	,,	30.06	763.5	...	...	N	1	...
Bonin Island,	,,	30.12	765.0	...	...	ENE	1	...	,,	29.96	761.0	...	...	...	...	...
Chefoo,	15	30.23	767.8	52	73	NW	2	b	6	30.22	767.5	40	91	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.24	768.1	45	...	...	...	b
Changsha,	,,	...	...	...	...	...	...	...	,,	30.17	766.3	45	...	...	0	bc
Shanghai,	14	30.28	769.2	54	70	NNW	4	o	,,	30.31	769.8	41	91	WNW	0	b
Gutzlaff,	,,	30.26	768.6	54	74	NNW	6	o	,,	30.29	769.5	48	100	NNW	4	o
Sharp Peak,	,,	30.11	764.8	68	70	E	2	b	,,	30.12	765.0	60	74	N	4	b
Amoy,	,,	30.01	762.2	76	69	SE	4	b	6	30.08	764.0	60	76	NE	2	b
Swatow,	,,	30.02	762.5	73	...	N	1	bo	,,	30.05	763.2	64	...	N	1	bc
Taihoku,	11	30.14	765.6	68	77	E	4	o	5	30.13	765.3	61	89	E	2	o
Taichu,	,,	30.05	763.2	75	...	NNW	4	b	,,	30.04	762.9	59	...	N	2	o
Tainan,	,,	30.02	762.6	77	...	N	2	o	,,	30.00	762.0	59	...	N	2	o
Koshun,	,,	30.01	762.3	79	...	NNE	2	o	,,	29.97	761.1	70	...	NE	4	o
Pescadores,	,,	30.08	764.1	72	...	NE	6	o	,,	30.05	763.2	66	...	NE	6	o
Canton,	14	...	...	...	...	...	...	...	6	30.10	764.5	60	...	N	1	o
Hong Kong,	,,	30.01	762.2	72	62	ENE	2	o	,,	30.09	764.3	64	52	NE	1	o
Gap Rock,	,,	30.03	762.7	...	...	N	4	o	,,	30.07	763.8	...	...	NE	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	760.5	74	76	NNE	6	o	,,	29.98	761.5	72	74	NNE	7	o
Phulien,	,,	30.01	762.3	77	61	ESE	1	o	,,	30.02	762.6	68	77	NE	4	of
Tourane,	,,	29.94	760.5	70	...	NE	4	r	6	29.95	760.8	73	...	NE	6	o
Cape St. James	14	29.78	756.3	84	...	SSW	2	b	7	...	...	...	...	...	...	...
Basco,	15	29.88	759.0	79	90	NNE	2	o	,,	...	...	...	...	...	...	...
Aparri,	15	29.84	757.8	81	80	NE	4	o	6	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	84	71	NE	1	o	,,	29.82	757.5	73	94	ENE	1	o
Legaspi,	,,	29.74	755.4	85	78	NE	2	o	,,	29.79	756.6	75	96	...	0	b
Tacloban,	,,	29.73	755.1	82	84	WNW	2	o	,,	29.78	756.3	77	96	NNW	2	o
Iloilo,	,,	29.75	755.7	86	71	NE	4	o	,,	29.81	757.2	77	92	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao	,,	29.85	758.1	81	90	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.75	755.7	85	71	NE	4	o	,,	29.80	756.9	93	83	...	0	o
Calbayog,	,,	29.74	755.4	86	75	E	2	of	,,	29.79	756.6	75	96	NE	2	o
Cebu,	,,	29.71	754.5	90	66	NE	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	E	2	o	4.20	29.76	756.0	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew	11.00	...	...	...	...	...	...	...	5	29.74	755.4	75	...	S	1	c
Labuan,	14	29.77	756.1	88	84	NE	2	b	6	29.85	758.2	76	94	SW	1	r

November 23*d*. 11*h*. *com*.—Pressure has decreased considerably at Kochi, moderately from Tokio to the Bonins and slightly over N.E. Japan, central China and Indo-China. It is nearly stationary elsewhere.

The V-shaped depression over S.W. Japan is approaching Tokio.

The anticyclone is central near Shanghai.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 100·06 inches, against an average of 81·69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; fine to cloudy.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd NOVEMBER, 1926.									24th NOVEMBER, 1926.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.12	765.1	41	...	N	4	b		6	30.16	766.0	26	...	N	2	b	
Nemuro,	11	29.92	760.0	...	...	W	1	...		5	30.14	765.5	...	...	W	1	...	
Hokodate,	.	30.02	762.5	...	...	W	...	...		,,	30.18	766.5	...	...	...	0	...	
Tokio,	,,	29.96	761.0	...	...	NNW	2	...		,,	30.08	764.0	...	...	N	2	...	
Kochi,	,,	29.94	760.5	...	...	SE	1	...		,,	30.10	764.5	...	...	SW	1	...	
Nagasaki,	,,	30.08	764.0	...	...	NNW	1	...		,,	30.16	766.0	...	...	...	0	...	
Kagoshima,	,,	30.04	763.0	...	...	NW	2	...		,,	30.12	765.0	...	...	WNW	1	...	
Oshima,	,,	30.02	762.5	...	...	N	3	...		,,	30.06	763.5	...	...	S	1	...	
Naha,	,,	30.04	763.0	...	...	NNE	3	...		,,	30.06	763.5	...	...	...	0	...	
Ishigakijima,	,,	30.08	764.0	...	...	N	1	...		,,	30.04	763.0	...	...	N	1	...	
Bonin Island,	,,	29.88	759.0	...	.	SSE	2	...		,,	29.88	759.0	...	...	WNW	1	...	
Chefoo.	15	30.17	766.3	48	78	SW	1	0		6	30.14	765.5	42	92	SSW	1	0	
Hankow,	,,	...	...	...	...	...	...	...		,,	30.14	765.5	55	...	...	0	h	
Changsha,	,,	...	...	...	...	...	...	...		,,	30.12	765.0	51	...	NW	1	hc	
Shanghai,	14	30.25	768.3	59	30	N	2	b		,,	30.21	767.4	43	100	N	1	lf	
Gutzlaff,	,,	30.26	768.6	54	68	NNW	4	o		,,	30.22	767.6	54	68	E	2	b	
Sharp Peak,	,,	30.12	765.0	64	68	E	2	o		,,	30.11	764.8	60	71	W	1	o	
Amoy,	,,	30.07	763.8	72	62	ENE	4	b		6	30.05	763.2	60	82	NE	2	b	
Swatow,	,,	30.04	763.0	78	...	N	1	b		,,	30.05	763.2	63	...	NE	1	c	
Taihoku,	11	30.09	764.3	68	60	NE	2	o		5	30.10	764.4	54	97	...	0	b	
Taichu,	,,	30.06	763.5	75	...	NNW	2	o		,,	30.04	762.9	52	...	..	0	b	
Tainan,	,,	30.04	762.9	73	...	NNW	4	b		,,	30.01	762.3	55	..	N	2	b	
Koshun,	,,	30.02	762.6	75	...	NNE	4	o		,,	29.99	761.7	68	..	N	4	b	
Pescadores,	,,	30.05	763.2	70	...	NE	6	o		,,	30.04	762.9	66	...	NE	4	b	
Canton.	11	30.02	762.5	63	47		0	b		6	30.05	763.2	62	...	...	0	cm	
Hong Kong,	,,	30.00	762.0	69	53	ESE	3	b		,,	30.05	763.2	64	78	ENE	2	o	
Gap Rock,	,,	30.03	762.7	...	...	ENE	4	b		,,	30.03	762.7	...	...	ENE	4	b	
Macao,	,,	...	...	...	...	...	...	...		,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.95	760.7	72	72	NE	6	o		,,	29.96	761.0	72	79	NNE	6	o	
Phulien,	,,	29.98	761.4	72	70	E	4	of		,,	29.98	761.4	68	91	ENE	4	of	
Tourane,	,,	29.91	759.9	75	...	E	6	o		6	29.93	760.2	73	...	NNE	4	o	
Cape St. James	14	...	...	...	...	...	...	...		7	29.78	756.3	75	...	N	2	o	
Basco,	15	29.89	759.3	75	83	NE	4	o		,,	...	...	...	...	...	...	...	
Aparri,	15	29.84	757.8	75	94	NNE	4	r		6	29.88	759.0	75	94	ENE	2	r	
Manila,	,,	29.75	755.7	86	65	NW	2	o		,,	29.85	758.1	75	94	E	1	o	
Legaspi,	,,	29.73	755.1	86	75	NE	2	o		,,	29.79	756.6	61	86	N	1	o	
Taloloban,	,,	29.72	754.8	81	90	N	4	o		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.75	755.7	86	71	N	4	o		,,	...	...	...	...	...	...	...	
Surigao,	,,	...	...	...	...	...	..	...		,,	...	...	...	...	...	...	...	
Tuguegarao	,,	29.82	757.5	86	65	N	2	o		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.75	755.7	85	65	NW	4	o		,,	...	...	...	..	...	...	...	
Calbayog,	,,	29.74	755.4	82	84	N	2	o		,,	...	...	..	...	...	...	...	
Cebu,	.	29.71	754.5	75	56	S	4	o		,,	...	...	...	...	...	...	...	
Guam,	12.20	29.72	754.8	..	...	E	4	o		4.20	...	...	...	...	...	...	...	
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Pelew.	11.00	...	...	..	...	...	...	...		5	...	...	...	.	...	...	...	
Labuan.	14	29.85	758.2	76	94	NE	2	o		6	29.84	757.9	76	91	NE	2	b	

November 24*d*. 10*h*. 48*m*.—Pressure has increased moderately over Japan and decreased slightly over China. It is nearly stationary over Formosa and the Philippines.

The V-shaped depression has passed into the Pacific.

The anticyclone has weakened and spread into the Sea of Japan.

Fresh monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 100·06 inches, against an average of 81·73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th NOVEMBER, 1926.									25th NOVEMBER, 1926.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostook,	12	30.13	765.4	42	...	SE	2	o		6	...	...	40	...	NNE	2	o	
Nemuro	11	30.16	766.0	...	...	NNE	1	...		5	30.18	766.5	...	...	...	...	...	
Hokodate,	.	30.18	766.5	...	...	...	...	...		,,	30.12	765.0	...	...	NE	1	...	
Tokio,	,,	30.08	764.0	...	...	NE	2	...		,,	30.14	765.5	...	...	NW	1	...	
Koohi,	,,	30.08	764.0	...	...	...	o	...		,,	30.08	764.0	...	...	WSW	1	...	
Nagasaki,	,,	30.12	765.0	...	...	E	1	...		,,	30.06	763.5	...	...	...	o	...	
Kagoshima,	,,	30.12	765.0	...	...	E	1	...		,,	30.08	764.0	...	...	NW	1	...	
Oshima,	,,	30.08	764.0	...	...	NNE	1	...		,,	30.08	764.0	...	...	S	1	...	
Naha,	,,	30.05	763.5	...	...	NE	1	...		,,	30.08	764.0	...	...	...	...	...	
Ishigakijima,	,,	...	...	...	...	...	...	...		,,	30.08	764.0	...	...	N	1	...	
Bonin Island,	.	29.86	758.5	...	...	NW	1	...		,,	29.94	760.5	...	...	NNW	1	...	
Chefoo,	15	30.04	763.0	52	79	SW	1	b		6	30.01	762.2	44	76	W	4	b	
Hankow,	,,	...	...	...	...	...	...	...		,,	30.26	768.6	54	...	...	c	o	
Changsha,	,,	...	...	...	...	...	...	...		,,	30.23	767.8	50	...	NNW	1	or	
Shanghai,	14	30.17	766.2	61	59	WSW	2	o		,,	30.24	768.0	46	94	WSW	1	o	
Gutzlaff,	,,	30.19	765.8	63	51	SE	1	b		,,	30.24	768.1	52	79	WNW	4	o	
Sharp Peak,	,,	30.09	764.3	68	67	NE	1	o		,,	30.11	764.8	63	80	...	c	o	
Amoy,	,,	30.03	762.7	72	71	SE	4	b		6	30.05	763.2	62	83	NE	2	b	
Swatow,	,,	30.02	762.5	75	...	NE	1	b		,,	30.08	764.0	64	.	NE	1	b	
Taihoku,	11	30.12	765.0	72	62	E	4	b		5	30.11	764.7	63	84	E	2	o	
Taichu,	,,	30.08	764.1	75	...	NNW	2	b		,,	30.07	763.8	55	..	..	c	b	
Tainan,	,,	30.07	763.8	75	...	NNW	2	b		,,	30.04	762.9	57	..	N	2	b	
Koshun,	,,	30.04	762.9	79	...	NNE	4	b		,,	30.02	762.6	70	..	NNE	2	b	
Pescadores,	,,	30.10	761.4	72	...	NE	4	b		,,	30.06	763.5	68	...	NE	4	b	
Canton,	14	30.04	763.0	75	55	S	1	b		6	30.08	764.0	61	...	...	c	bc	
Hong Kong,	,,	30.04	763.0	69	61	ESE	3	b		,,	30.07	763.8	63	71	...	c	b	
Gap Rock,	,,	30.04	763.0	...	...	ENE	5	c		,,	30.06	763.5	...	...	ENE	4	b	
Macao,	,,	...	...	...	...	...	...	...		,	...	...	...	...	...	..	...	
Pratas Island,	,,	29.97	761.2	75	71	NE	5	b		,,	30.01	762.2	73	67	NE	5	ba	
Phulien,	,	29.95	760.8	72	83	ENE	4	of		..	30.02	762.6	68	87	ENE	4	of	
Tourane,	,,	29.91	759.6	75	...	E	4	o		6	29.93	760.2	72	...	NE	4	o	
Cape St. James	14	29.75	755.7	75	...	ENE	2	r		7	29.79	756.6	75	...	E	6	o	
Basco,	15	29.93	760.2	77	72	ENE	4	o		,,	.	.	...	...	...	...	.	
Aparri,	13	29.87	758.7	81	84	ENE	4	o		6	29.93	760.2	77	86	NE	2	o	
Manila,	,,	29.79	756.6	82	77	W	2	o		,,	29.85	758.1	73	92	NE	1	o	
Legaspi,	,,	29.74	755.4	84	81	NNE	2	o		,,	29.78	756.3	79	91	NNE	2	o	
Tacloban,	,,	29.73	755.1	77	94	ENE	4	o		,,	29.76	756.0	77	96	...	c	o	
Iloilo,	,,	29.78	756.3	86	65	NW	4	o		,,	...	...	...	...	...	...	...	
Surigao,	,,	.	...	...	...	..	..	...		,,	...	..	..	...	...	...	...	
Tuguegarao	,,	29.76	758.4	84	87	N	2	o		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.80	756.9	84	58	W	2	o		,,	...	...	...	...	...	...	...	
Calbayog,	,,	...	...	63	84	SSW	2	r		,,	...	...	...	...	...	...	...	
Cebu,	.	29.71	754.5	86	71	S	4	o		,,	...	.	...	...	...	...	...	
Guam,	12.20	29.73	755.1	...	...	E	2	o		4.20	29.75	755.7	...	...	NE	2	o	
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	...	.	...	...	...	...	
Pelew	11.00	...	...	...	...	...	...	...		5	29.80	756.9	78	...	...	c	b	
Labuan,	14	29.80	756.9	84	83	NE	2	o		6	29.83	757.7	77	91	NE	2	b	

November 25*d*. 10*h*. 58*m*.—Pressure has decreased slightly over S.W. Japan and Guam, and increased moderately over central China and slightly at Shanghai. It is nearly stationary elsewhere.

Another anticyclone has formed over China and S.E. Mongolia.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·06 inches, against an average of 81·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine to cloudy.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	26th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.77	756.2	43	...	...	0	0	6	29.75	755.5	30	...	NNW	4	0
Nemuro,	11	30.16	766.0	...	...	SSE	2	...	5	29.96	761.0	...	...	SE	5	...
Hakodate,	"	30.04	763.0	...	...	SSW	1	...	"	29.69	754.0	...	...	SSE	2	...
Tokio,	"	30.08	764.0	...	...	NE	1	...	"	29.75	755.5	...	...	WNW	1	...
Kochi,	"	30.02	762.5	...	...	...	0	...	"	29.90	759.5	...	...	WNW	1	...
Nagasaki,	"	30.08	764.0	...	...	...	0	...	"	30.10	764.5	...	...	NNW	2	...
Kagoshima,	"	30.05	763.5	...	...	NE	1	...	"	30.04	763.0	...	...	NW	1	...
Oshima,	"	29.88	759.0	..	...	NNE	1	...	"	30.08	764.0	...	...	N	2	...
Naha,	"	30.10	764.5	...	...	N	2	...	"	30.10	764.5	...	...	N	3	...
Ishigakijima,	"	30.10	764.5	...	...	N	2	...	"	30.08	764.0	...	...	NNE	1	...
Bonin Island,	"	29.91	760.0	..	...	NNE	2	...	"	29.94	760.5	...	...	...	0	...
Chefoo,	15	30.11	764.8	42	75	WNW	6	0	6	30.15	765.9	36	83	SW	2	b
Hankow,	"	..	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	30.30	769.6	52	...	...	0	r
Shanghai,	14	30.24	768.0	55	41	WNW	4	0	"	30.32	770.1	43	85	N	1	0
Gutzlaff,	"	30.23	767.8	56	57	NW	4	0	"	30.31	769.9	47	63	NNW	4	0
Sharp Peak,	"	30.10	764.5	66	73	ENE	2	0	7	30.14	765.5	62	77	NNE	2	0
Amoy,	"	30.05	763.2	75	68	E	4	b	6	30.11	764.8	62	83	NE	2	0
Swatow,	"	30.04	763.0	78	...	NE	1	b	"	30.09	764.3	70	...	E	1	b
Taihoku,	11	30.14	765.6	72	62	E	4	0	5	30.15	765.9	61	91	E	4	0
Taichu,	"	30.05	763.5	75	...	NNW	2	b	"	30.07	763.8	57	...	...	0	b
Tainan,	"	30.05	763.2	79	...	NW	2	b	"	30.04	762.9	57	...	NNE	2	b
Koshun,	"	30.04	762.9	73	...	ENE	2	r	"	30.01	762.3	70	...	NE	4	b
Pescadores,	"	30.06	763.5	73	...	ENE	6	b	"	30.07	763.8	68	...	NE	6	0
Canton,	14	30.05	763.2	77	53	N	1	b	6	30.10	764.5	61	...	NNW	2	b
Hong Kong,	"	30.03	762.7	71	71	ESE	3	b	"	30.07	763.8	65	84	E	3	b
Gap Rock,	"	30.03	762.7	...	...	ENE	5	b	"	30.05	763.2	...	...	ENE	5	0
Macao,	"	...	...	...	...	..	...	...	"	...	...	...	...	...	..	...
Pratas Island,	"	29.93	760.2	75	74	NE	5	b	"	30.01	762.2	73	82	NE	6	0
Phulien,	"	29.98	761.4	77	57	ENE	4	bf	..	...	...	...	...	...	...	...
Tourane,	"	29.89	759.3	72	...	E	6	r	6	...	...	...	...	...	...	...
Cape St. James	14	29.78	756.3	77	...	E	2	0	7	...	...	...	...	...	...	...
Basco,	15	29.93	760.2	79	58	ESE	4	0	"	...	...	...	...	...	...	...
Aparri,	15	29.88	759.0	81	73	NE	4	b	6	...	...	...	...	...	...	...
Manila,	"	29.82	757.5	81	84	SE	2	0	"	29.86	758.4	75	88	NE	1	0
Legaspi,	"	29.71	754.5	79	92	NNE	4	0	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	..	..	...	...	...	...	...
Iloilo,	"	29.74	755.4	82	89	N	4	0	"	29.81	757.2	75	79	S	4	0
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tuguegarao	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	...	...	...	...	..	...	...	"	...	...	...	...	...	...	...
Calbayog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Cebu,	"	...	...	...	...	..	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	NNE	2	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	78	...	...	0	b
Labuan,	14	29.82	757.4	84	83	NE	2	b	6	29.84	757.9	78	91	NE	2	b

November 26*th*. 10*h*. 57*m*.—Pressure has decreased considerably over central and N.E. Japan and increased slightly from N. Formosa to Chefoo. It is nearly stationary elsewhere.

The anticyclone has strengthened slightly.

A depression is central over the Sea of Japan. It is moving eastward.

Fresh N.E. monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 100·06 inches, against an average of 81·80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

T. F. CLANTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th NOVEMBER, 1926.								27th NOVEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	29.77	756.2	34	...	NW	5	c	6	...	...	23	...	N	4	b
Nemuro,	11	29.80	757.0	...	...	SE	5	...	5	29.43	747.5	...	...	SE	2	...
Hokodate,	,	29.51	749.5	...	...	S	4	...	,,	29.37	746.0	...	...	W	2	...
Tokio,	,,	29.59	751.5	...	...	...	0	...	,,	29.71	754.5	...	...	NNW	1	...
Koohi,	,,	29.69	754.0	...	...	W	1	...	,,	29.96	761.0	...	...	W	1	...
Nagasaki,	,,	30.05	763.5	...	...	NNW	2	...	,,	30.12	765.0	...	...	N	2	...
Kagoshima,	,,	30.04	762.0	...	...	NW	3	...	,,	30.08	764.0	...	...	...	...	...
Oshima,	,,	30.05	763.5	...	...	NNE	2	...	,,	30.08	764.0	...	...	N	3	...
Naha,	,,	30.08	764.0	...	...	N	3	...	,,	30.10	764.5	...	...	N	3	...
Ishigakijima,	,,	30.12	765.0	...	...	NNE	2	...	,,	30.10	764.5	...	...	NNE	1	...
Bonin Island,	,,	29.88	759.0	...	...	N	3	...	,,	29.84	758.0	...	...	WNW	1	...
Chefoo,	15	30.09	764.3	48	63	WSW	1	b	6	30.12	765.0	36	90	...	0	h
Hankow,	,,	...	...	...	...	...	...	...	,,	30.18	766.6	53	...	...	0	bc
Changsha,	,,	...	...	...	...		...	...	,,	30.16	766.0	53	...	...	0	r
Shanghai,	14	30.25	768.3	55	39	NW	1	b	,,	30.24	768.0	43	81	ESE	1	o
Gutzlaff,	,,	30.24	768.1	52	4	NNW	1	o	,,	30.25	768.3	48	63	ESE	1	o
Sharp Peak,	,,	30.11	764.8	63	72	E	4	o	7	30.13	765.3	60	74	N	2	o
Amoy,	,,	30.10	764.5	73	63	NE	2	b	6	30.03	762.7	62	83	NNE	2	b
Swatow,	,,	30.07	763.8	75	...	E	3	b	,,	30.03	762.7	68	...	E	1	b
Taihoku,	11	30.15	765.9	70	65	E	4	o	5	30.10	764.4	63	88	E	2	o
Taichu,	,,	30.07	763.8	77	...	NNW	2	b	,,	30.06	763.5	64	...	...	0	b
Tainan,	,,	30.07	763.8	77	...	N	2	b	,,	30.02	762.6	59	...	N	1	b
Koshun,	,,	30.05	763.2	79	...	NE	4	b	,,	30.00	762.0	70	..	NNE	2	b
Pescadores,	,,	30.10	764.4	72	...	ENE	6	b	,,	30.05	763.2	68	...	NE	4	b
Canton,	14	30.06	763.5	57	87	...	0	b	6	...	...	...	...	...	...	...
Hong Kong,	,,	30.04	763.0	69	70	E	4	b	,,	30.04	763.0	65	82	ENE	3	b
Gap Rock,	,,	30.04	763.0	...	...	ENE	5	c	,,	30.02	762.5	...	...	E	5	b
Macao,	,,	...	...	...	...	...	...	...	,	...	...	...	...	...	...	...
Pratas Island,	,,	29.97	761.2	75	73	NE	6	c	,,	29.97	761.2	73	82	NE	5	c
Phulien,	,	29.98	761.4	77	61	ENE	4	bf	..	30.00	762.0	64	98	NNW	4	rf
Tourane,	,,	29.91	759.6	75	...	ENE	4	o	6	29.93	760.2	73	...	E	4	o
Cape St. James.	14	...	...	...	...	...	...	...	7	29.84	757.8	75	...	ENE	4	o
Basco,	15	29.97	761.1	77	68	NE	4	o	,,	29.99	761.7	73	75	E	2	o
Aparri,	15	29.94	760.5	75	79	NE	4	o	6	29.95	760.8	72	94	...	0	b
Manila,	,,	29.86	758.4	81	66	E	2	o	,,	29.88	759.0	72	91	N	1	o
Legaspi,	,,	29.84	757.8	77	94	NNE	4	o	,,	29.86	758.4	77	86	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	82	87	N	4	o	,,	29.84	757.8	77	92	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	.			...	...	...	...	...	,,	...		...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	N	2	o	4.20	29.74	755.4	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	78	...	WNW	2	bc
Labuan,	14	29.70	754.4	84	83	NE	2	o	6	29.83	757.7	78	91	NE	2	b

November 27*d*. 11*h*. 15*m*.—Pressure has decreased considerably over N.E. Japan, moderately over central China and slightly along the coast and over the Philippines.

The Japanese depression has deepened and moved to Hokkaido.

The anticyclone has weakened slightly. It is now central near Shanghai.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·06 inches, against an average of 81·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; fine.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	28th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.98	761.6	27	...	NNE	5	c	6	30.11	764.8	26	...	N	4	b
Nemuro,	11	29.35	745.5	...	...	SE	1	...	5	29.39	746.5	...	...	...	0	...
Hokodate,	"	29.33	745.0	...	...	NW	1	...	"	29.53	750.9	...	...	WNW	3	...
Tokio,	"	29.69	754.0	...	...	...	0	...	"	29.76	756.0	...	...	NNW	1	...
Kochi,	"	29.96	761.0	...	...	WSW	1	...	"	29.98	761.5	...	...	WSW	1	...
Nagasaki,	"	30.13	765.0	...	...	N	2	...	"	30.06	763.5	...	...	...	...	...
Kagoshima,	"	30.06	763.5	...	...	NNW	2	...	"	30.06	763.5	...	...	W	1	...
Oshima,	"	30.08	764.0	...	...	N	3	...	"	30.02	762 5	...	...	N	2	...
Naha,	"	30.12	765.0	...	...	N	2	...	"	30.06	763.5	...	...	ENE	1	...
Ishigakijima,	"	30.10	764.5	...	...	NE	2	...	"	30.03	762.5	...	...	N	1	...
Bonin Island,	"	29.90	759.5	...	...	W	1	...	"	...	...	...	...	W	1	...
Chefoo,	13	30.00	762.0	58	64	SSW	1	b	6	29.96	761.0	40	100	...	0	b
Hankow,	"	...	...	...	...	...	...	...	"	30.13	765.3	54	...	...	0	b
Changsha,	"	...	...	...	...	...	...	...	"	30.07	763.8	54	...	...	0	or
Shanghai,	14	30.15	765.9	55	55	SE	2	o	"	30.10	764.4	50	92	N	1	r
Gutzlaff,	"	30.17	766 3	54	68	SE	1	o	"	30.12	765.0	52	88	S	2	r
Sharp Peak,	"	30.09	764.3	63	67	NNW	2	o	"	30.02	762.5	62	83	N	1	o
Amoy,	"	30.01	762.2	72	71	NE	4	b	6	30.01	762.2	65	84	NW	6	o
Swatow,	"	...	...	70	...	E	2	c	"	30.00	762.0	76	...	...	0	b
Taihoku,	11	30.11	764.7	66	77	E	4	o	5	29.99	761.7	64	92	E	2	o
Taichu,	"	30.05	763.2	77	...	...	0	o	"	30.01	762.3	64	...	...	0	o
Tainau,	"	30.05	763.2	79	...	NW	4	b	"	29.97	761.1	64	...	...	0	o
Koshun,	"	30.04	762.9	79	...	NNE	2	b	"	29.95	760.8	70	..		0	o
Pescadores,	"	30.07	763.8	73	..	ENE	6	b	"	29.99	761.7	68	...	NE	4	b
Canton,	14	30.02	763.5	74	68	S	1	o	6	30.00	763.0	71	...	...	0	c
Hong Kong,	"	30.01	763.3	68	79	E	4	o	"	29.99	761.7	66	89	E	2	b
Gap Rock,	"	30.00	762.0	...	...	ENE	4	c	"	29.98	761.5	...	...	ENE	4	b
Macao,	"	...	...	...	...	...	...	...	,	...	...	...	...	...	..	...
Pratas Island,	"	29.95	760.7	74	79	NE	5	o	"	29.93	760.2	73	82	NE	5	o
Phulien,	"	29.91	760.5	73	91	ESE	2	of	..	...	...	...	...		...	...
Tourane,	"	29.91	759.6	70	...	E	4	o	6	...	...	...	...	...	...	...
Cape St. James	14	29.81	757.2	77	...	E	6	o	7	...	...	...	...	...	...	...
Basco,	15	29.92	759.9	79	69	SE	1	o	..	..	...	...	...	...	...	...
Aparri,	1,	29.88	759.0	82	67	ENE	4	o	6	29.91	759.6	72	91	S	2	b
Manila,	"	29.85	758.1	82	74	SW	1	o	"	29.87	758.7	72	96	...	0	b
Legaspi,	"	...	...	...	...	...	...	...	"	29.85	758.1	77	84	N	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.82	757.5	77	86	NW	2	o
Iloilo,	"	29.81	757.2	81	90	N	4	o	"	29.76	758.4	75	96	N	4	o
Surigao,	"	...	...	...	...	...	..	...	"	...	...	...	...	...	...	...
Tuguegarao	"	29.91	759.9	86	56	SW	1	o	"	29.89	759.3	72	91	SE	1	o
Vigan,	"	29.81	757.2	93	51	W	1	b	"	...	...	...	...	...	..	...
Calbayog,	"	...	...	..	...	..	..	...	"	29.85	758.1	73	96	...	0	o
Cebu,	"	29.76	756 0	86	58	SE	2	o	"	...	...			...	...	...
Guam,	12.20	29.72	754.8		...	E	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	..	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	..	..	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	84	NE	2	b	6	...	...	...	...	...	...	...

November 28*d.* 10*h.* 45*m.*—Pressure has decreased slightly over China, Formosa and the Loochoos, and increased moderately over N.E. Japan and S. Manchuria. It is nearly stationary over the Philippines.

The depression has passed into the Pacific.

The anticyclone has weakened further. It is still central near Shanghai. Another is moving eastward towards S. Manchuria.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 100·06 inches, against an average of 81·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th NOVEMBER, 1926.								29th NOVEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.08	763.9	22	...	NNE	4	b	6	30.05	763.2	16	...	N	4	o
Nemuro,	11	29.37	746.0	...	...	NW	1	...	5	...	...	...	...	...	...	...
Hokodate,	,	29.59	751.5	...	...	WNW	5	...	,,	29.80	757.0	...	...	NW	4	...
Tokio,	,,	29.78	756.5	...	...	NNW	3	...	,,	29.96	761.0	...	...	WNW	2	...
Kochi,	,,	30.02	762.5	...	...	N	6	...	,,	30.14	765.5	...	...	W	1	...
Nagasaki,	,,	30.08	764.0	...	...	N	1	...	,,	30.14	765.5	...	...	SE	1	...
Kagoshima,	,,	30.05	763.5	...	...	NNW	1	...	,,	30.16	766.0	...	...	NW	1	...
Oshima,	,,	30.04	763.0	...	...	N	2	...	,,	30.08	764.0	...	...	SSE	1	...
Naha,	,,	30.06	763.5	...	...	NNE	1	...	,,	30.04	763.0	...	...	ESE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	E	2	...	,,	29.96	761.0	...	...	E	2	...
Bonin Island,	,,	29.00	759.5	...	...	N	1	...	,,	29.98	761.5	...	...	W	1	...
Chefoo,	15	29.88	759.0	62	67	SW	2	b	6	30.08	764.0	46	100	...	c	b
Hankow,	,,	...	...	...	...	...	...	...	,,	29.95	760.8	51	...	...	c	o
Changsha,	,,	...	...	...	...	...	...	...	,,	29.95	760.8	53	...	...	o	bc
Shanghai,	14	30.05	763.2	55	96	SE	1	o	,,	30.11	764.7	54	100	N	1	1f
Gutzlaff,	,,	30.06	763.5	52	100	SE	2	rf	,,	30.12	765.0	54	100	NE	2	1f
Sharp Peak,	,,	29.97	761.2	67	79	E	1	b	7	29.97	761.2	64	89	E	1	rf
Amoy,	,,	29.95	760.8	74	76	SSE	2	b	6	29.95	760.7	65	95	SE	1	b
Swatow,	,,	29.94	760.5	74	...	E	1	b	,,	29.94	760.5	75	...	...	o	c
Taihoku,	11	30.00	762.0	73	75	...	c	o	5	29.98	761.4	64	96	...	o	o
Taichu,	,,	30.00	762.0	77	...	...	o	o	,,	29.98	761.4	66	..	...	o	o
Tainan,	,,	29.98	761.4	75	...	NNW	2	o	,,	29.93	760.2	66	..	...	...	...
Koshun,	,,	29.97	761.1	79	...	ENE	4	o	,,	29.91	759.6	70	..	...	o	o
Pescadores,	..	30.05	763.2	72	...	NE	4	o	,,	29.94	760.5	68	...	ENE	4	b
Canton,	14	...	...	...	...	...	...	...	6	29.95	760.8	72	...	...	o	bc
Hong Kong,	,,	29.92	759.9	71	80	ESE	3	b	,,	29.94	760.5	66	93	...	o	b
Gap Rock,	,,	29.92	759.9	...	...	ENE	4	c	,,	29.94	760.5	...	..	ENE	4	b
Macao,	,,	...	...	...	...	...	...	...	,	...	..	...	...	...	..	...
Pratas Island,	,,	29.88	758.9	77	76	NE	3	c	,,	29.90	759.4	75	88	NE	3	c
Phulien,	,,	29.88	759.0	54	76	SE	4	of	,,	29.92	759.9	72	98	ENE	4	of
Tourane,	,,	29.87	758.7	75	...	NE	4	o	6	29.89	759.3	73	...	E	2	o
Cape St. James	14	29.81	757.2	77	...	ESE	4	o	7	...	..	..	...	...	...	...
Basco,	15	29.86	758.4	79	76	SSE	4	o	,,	29.91	759.6	77	79	SE	2	o
Aparri,	15	29.82	757.5	81	73	NE	4	b	6	29.88	759.0	72	92	SSE	2	b
Manila,	,,	29.85	758.1	82	77	W	1	o	,,	29.88	759.0	70	94	NE	1	b
Legaspi,	,,	29.84	757.8	86	75	NNE	4	b	,,	29.85	758.1	77	84	N	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	..	.	...	..	...	..	...
Iloilo,	,,	29.82	757.5	84	74	NNE	4	o	,,	29.85	758.1	75	92	N	4	o
Surigao,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.85	758.1	86	58	SSE	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.9	84	58	WNW	4	b	,,	...	...	...	...	...	...	...
Calbayog,	,,	.	...	...	...	...	..	...	,,	...	..	...	..	...	...	...
Cebu,	.	29.58	751.2	79	80	E	2	o	,,	...	.	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	NE	2	o	4.20	29.78	756.3	...	...	N	2	o
Yap,	12.47	..	...	..	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	..	...	...	...	...
Labuan,	14	29.81	757.4	80	91	SW	2	r	6	29.84	757.9	77	94	NE	2	b

November 29*d.* 11*h.* 10*m.*—Pressure has increased moderately over Japan and the Loochoos. Changes are slight elsewhere.

The anticyclone is central to the south of Korea.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·06 inches, against an average of 81·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fine.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	30th NOVEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.99	761.7	22	...	NNE	4	o	6	29.91	759.7	17	...	N	4	o
Nemuro,	11	29.51	749.5	...	...	NW	6	...	5	29.78	756.5	...	...	NW	2	...
Hokodate,	"	29.86	758.5	...	...	W	3	...	"	29.96	761.0	...	...	...	o	...
Tokio,	"	29.98	761.5	...	...	NNW	2	...	"	30.06	763.5	...	...	NNW	1	...
Kochi,	"	30.16	766.0	...	...	WSW	1	...	"	30.20	767.0	...	...	SW	1	...
Nagasaki,	"	30.16	766.0	...	...	SE	2	...	"	30.20	767.0	...	...	...	o	...
Kagoshima,	"	30.16	766.0	...	...	...	o	...	"	30.20	767.0	...	...	WNW	1	...
Oshima,	"	30.08	764.0	...	...	...	o	...	"	30.12	765.0	...	...	SSE	1	...
Naha,	"	...	...	...	...	...	...	...	"	30.00	762.0	...	...	SE	1	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	29.96	761.0	...	...	NNW	1	...
Bonin Island,	"	30.00	762.0	...	...	N	1	...	"	30.14	765.5	...	...	NNW	1	...
Chefoo,	15	30.23	767.8	47	87	NE	4	o	6	30.28	769.1	36	100	NE	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	30.07	763.8	53	...	NNW	2	or
Shanghai,	14	30.13	765.3	59	93	NE	1	of	"	30.19	766.8	55	96	NE	1	r
Gutzlaff,	"	30.12	765.0	56	100	NNE	4	r	"	30.21	767.3	58	94	E	2	r
Sharp Peak,	"	29.98	761.5	64	91	E	1	o	"	30.03	762.7	64	89	...	o	o
Amoy,	"	29.93	760.2	74	76	SE	4	b	6	30.03	762.7	66	84	NE	2	o
Swatow,	"	...	...	78	...	E	1	bc	"	30.01	762.2	76	...	E	1	o
Taihoku,	11	30.01	762.3	73	79	...	o	o	5	30.05	763.2	66	94	...	o	b
Taichu,	"	29.98	761.4	82	...	NNW	1	b	"	30.00	762.0	63	...	...	o	b
Tainan,	"	29.97	761.1	84	...	WNW	1	b	"	29.98	761.4	66	...	NNE	2	o
Koshun,	"	...	...	82	...	...	o	o	"	29.97	761.1	73	...	...	o	r
Pescadores,	"	30.00	762.0	73	...	NNE	2	b	"	30.00	762.0	70	...	NE	4	o
Canton,	14	...	...	...	...	...	...	...	6	30.00	762.0	70	...	...	o	o
Hong Kong,	"	29.93	759.9	74	82	E	3	b	"	29.99	761.7	69	89	E	3	cd
Gap Rock,	"	29.92	759.9	...	...	ENE	3	b	"	29.97	761.2	...	...	ENE	4	o
Macao,	"	29.93	759.9	68	94	E	1	o	.	...	...	...	...	...	...	...
Pratas Island,	"	29.88	758.9	79	78	NE	4	b	"	29.94	760.5	75	88	NE	4	o
Phulien,	"	29.87	758.7	82	67	SSE	4	o	"	29.94	760.5	70	98	ENE	4	bf
Tourane,	"	29.86	758.4	73	...	NE	2	r	6	29.88	759.0	73	...	NE	4	r
Cape St. James	14	29.80	756.9	75	...	E	4	o	7	29.79	756.6	75	...	E	4	o
Basco,	15	29.87	758.7	82	70	SSE	4	b	"	29.93	760.2	77	79	SE	2	b
Aparri,	15	29.84	757.8	82	70	ENE	2	b	6	29.93	760.2	72	91	S	2	b
Manila,	"	29.84	757.8	86	68	W	2	o	"	29.91	759.6	70	94	NE	1	o
Legaspi,	"	29.81	757.2	86	71	NNE	4	o	"	29.88	759.0	77	88	NNE	2	o
Tacloban,	"	29.79	756.6	84	68	NE	2	o	"	29.85	758.1	79	89	N	4	o
Iloilo,	"	29.80	756.9	86	61	N	6	o	"	29.86	758.4	77	91	N	4	o
Surigao,	"	...	...	...	...	..	...	...	"	..	...	...	...	...	...	...
Tuguegarao	"	29.86	758.4	86	53	S	1	o	"	29.97	761.1	68	96	...	o	o
Vigan,	"	29.82	757.5	85	56	WNW	2	b	"	29.87	758.7	75	79	WNW	2	o
Calbayog,	"	...	...	...	...	...	...	...	"	29.87	758.7	73	96	N	1	o
Cebu,	.	29.78	756.3	86	65	NE	4	o	"	29.82	757.5	77	86	N	1	o
Guam,	12.20	29.73	755.1	...	...	NE	2	o	4.20	29.80	756.9	...	...	NNE	4	o
Yap,	12.47	..	...	..	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	80	91	NE	2	o	6	29.86	758.4	80	87	SW	2	b

November 30*d.* 11*h.* 22*m.*—Pressure has increased slightly at the majority of stations.

The anticyclone has been absorbed by a larger one, central over S.E. Mongolia.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·06 inches, against an average of 81·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; cloudy.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

DECEMBER,

1926.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST, TOGETHER WITH MEAN MONTHLY AND ANNUAL VALUES OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT HONG KONG, TYPHOON TRACKS, AND RESULTS OF MAGNETIC OBSERVATIONS MADE IN 1926.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1927.

[*Price 60c.*]

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

DECEMBER, 1926.

Introduction.

In this Bulletin an annual summary of the Hong Kong Observations for the year 1926 is given in Tables XIII to XX, following the usual monthly Tables. They contain mean and extreme values of the principal Meteorological Elements, in British and C.G.S. Units, and of the prevalence of different phenomena for each month, and for the year, together with the normal values (for the period 1884-1923 unless otherwise stated). Also five-day means of the principal meteorological elements for the year 1926. and the period 1884-1923.

The readings of the barometer in British Units are *not* reduced to sea-level, or to the gravity at latitude 45°.

In the column headed "Days of rain" only those days have been counted on which the fall amounted to or exceeded 0·01 inch.

The remaining columns in the Tables require no special remark, the necessary explanations having been given in the Introduction to the Bulletin for the month of January.

The tracks of the typhoons and principal depressions which occurred in the Far East during the year 1926 are shown on two plates following the five-day means.

The results of Magnetic Observations made in the year 1926 are given at the end of the Bulletin.

T. F. CLAXTON.

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL ORSERVATIONS.

DECEMBER,

1926.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of DECEMBER, 1926.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·972	29·963	29·957	29·941	29·934	29·947	29·964	29·987	30·016	30·042	30·018	30·000	1
2	30·007	29·998	29·992	29·988	29·982	29·991	30·011	30·033	30·048	30·050	30·031	30·002	2
3	30·017	30·009	29·999	29·996	30·006	30·010	30·028	30·040	30·046	30·061	30·045	30·018	3
4	30·030	30·036	30·019	30·012	30·013	30·008	30·026	30·046	30·064	30·080	30·064	30·035	4
5	30·014	29·984	29·966	29·975	29·960	29·972	29·976	29·986	30·000	30·010	29·989	29·956	5
6	29·882	29·861	29·843	29·836	29·833	29·841	29·857	29·874	29·882	29·888	29·871	29·862	6
7	29·884	29·874	29·870	29·872	29·872	29·884	29·899	29·928	29·944	29·950	29·936	29·923	7
8	30·120	30·121	30·120	30·128	30·128	30·133	30·159	30·181	30·195	30·201	30·182	30·158	8
9	30·121	30·103	30·088	30·074	30·070	30·100	30·110	30·120	30·133	30·146	30·129	30·099	9
10	30·028	30·025	30·021	30·025	30·021	30·023	30·040	30·052	30·081	30·079	30·062	30·022	10
11	30·017	29·999	29·992	29·970	29·968	29·990	30·019	30·034	30·045	30·055	30·047	30·017	11
12	29·978	29·970	29·950	29·948	29·946	29·964	29·970	29·990	30·010	30·018	30·008	29·992	12
13	29·933	29·917	29·900	29·896	29·894	29·897	29·909	29·924	29·948	29·949	29·942	29·906	13
14	29·878	29·870	29·866	29·866	29·864	29·874	29·884	29·906	29·921	29·921	29·912	29·870	14
15	29·868	29·857	29·845	29·842	29·844	29·854	29·877	29·888	29·915	29·922	29·904	29·878	15
16	29·877	29·865	29·855	29·857	29·857	29·865	29·887	29·909	29·934	29·954	29·943	29·921	16
17	29·915	29·906	29·902	29·905	29·907	29·922	29·938	29·962	29·986	30·006	30·004	29·990	17
18	30·018	30·006	29·998	29·998	29·996	30·017	30·039	30·060	30·084	30·101	30·094	30·066	18
19	30·045	30·038	30·024	30·024	30·016	30·016	30·021	30·033	30·043	30·064	30·064	30·034	19
20	30·058	30·056	30·040	30·034	30·032	30·030	30·052	30·072	30·095	30·095	30·087	30·063	20
21	30·090	30·093	30·092	30·090	30·097	30·103	30·112	30·126	30·142	30·152	30·140	30·124	21
22	30·156	30·164	30·162	30·165	30·170	30·180	30·207	30·230	30·241	30·250	30·244	30·230	22
23	30·213	30·209	30·211	30·211	30·214	30·238	30·257	30·263	30·276	30·291	30·277	30·253	23
24	30·180	30·172	30·168	30·163	30·161	30·166	30·182	30·203	30·225	30·234	30·225	30·208	24
25	30·187	30·190	30·184	30·194	30·197	30·212	30·238	30·253	30·263	30·277	30·275	30·244	25
26	30·271	30·268	30·256	30·242	30·234	30·231	30·233	30·252	30·265	30·275	30·245	30·209	26
27	30·221	30·226	30·219	30·223	30·221	30·231	30·243	30·260	30·285	30·290	30·262	30·247	27
28	30·298	30·288	30·279	30·289	30·291	30·297	30·301	30·309	30·324	30·337	30·312	30·281	28
29	30·233	30·230	30·212	30·209	30·214	30·225	30·243	30·262	30·286	30·299	30·280	30·254	29
30	30·200	30·192	30·188	30·185	30·187	30·190	30·186	30·199	30·208	30·211	30·205	30·180	30
31	30·128	30·118	30·106	30·105	30·106	30·172	30·158	30·174	30·190	30·200	30·184	30·163	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·968	29·959	29·951	29·948	29·962	29·970	30·000	30·006	30·024	30·017	30·005	30·009	1
2	29·971	29·950	29·948	29·965	29·982	29·990	30·002	30·018	30·027	30·032	30·028	30·022	2
3	29·987	29·963	29·968	29·976	29·978	29·998	30·001	30·024	30·040	30·050	30·052	30·058	3
4	30·002	29·976	29·956	29·946	29·955	29·961	29·984	30·003	30·014	30·031	30·033	30·031	4
5	29·918	29·881	29·865	29·849	29·857	29·858	29·871	29·883	29·894	29·900	29·898	29·892	5
6	29·833	29·812	29·800	29·802	29·812	29·810	29·828	29·839	29·851	29·870	29·876	29·886	6
7	29·904	29·892	29·900	29·910	29·937	29·963	29·998	30·028	30·057	30·091	30·111	30·118	7
8	30·133	30·102	30·083	30·078	30·080	30·094	30·103	30·105	30·116	30·124	30·122	30·128	8
9	30·060	30·037	30·016	30·021	30·020	30·022	30·036	30·049	30·050	30·043	30·039	30·030	9
10	29·990	29·961	29·951	29·956	29·965	29·967	29·971	29·993	30·009	30·013	30·017	30·023	10
11	29·994	29·982	29·962	29·970	29·974	29·980	30·000	30·012	30·015	30·013	30·016	29·982	11
12	29·958	29·942	29·924	29·924	29·930	29·924	29·927	29·937	29·943	29·947	29·939	29·939	12
13	29·876	29·853	29·843	29·853	29·857	29·871	29·881	29·898	29·904	29·906	29·896	29·888	13
14	29·839	29·813	29·800	29·798	29·806	29·823	29·842	29·856	29·860	29·871	29·874	29·880	14
15	29·858	29·834	29·820	29·818	29·832	29·838	29·850	29·871	29·883	29·891	29·901	29·891	15
16	29·892	29·862	29·854	29·858	29·867	29·878	29·886	29·902	29·919	29·925	29·925	29·922	16
17	29·969	29·948	29·946	29·956	29·958	29·980	29·991	30·005	30·016	30·020	30·020	30·021	17
18	30·027	29·996	29·988	29·980	29·998	30·018	30·028	30·036	30·061	30·061	30·065	30·062	18
19	30·006	29·992	29·985	29·993	30·000	30·006	30·021	30·040	30·049	30·057	30·065	30·070	19
20	30·033	30·003	29·990	29·986	29·998	30·012	30·032	30·055	30·076	30·082	30·085	30·088	20
21	30·092	30·072	30·055	30·057	30·072	30·090	30·106	30·122	30·138	30·145	30·151	30·155	21
22	30·199	30·167	30·159	30·152	30·157	30·161	30·162	30·167	30·180	30·198	30·209	30·211	22
23	30·213	30·186	30·160	30·160	30·172	30·181	30·187	30·199	30·203	30·204	30·195	30·183	23
24	30·176	30·137	30·129	30·131	30·131	30·147	30·152	30·175	30·186	30·192	30·192	30·192	24
25	30·204	30·174	30·161	30·161	30·172	30·191	30·223	30·243	30·267	30·273	30·272	30·273	25
26	30·173	30·153	30·146	30·144	30·154	30·172	30·185	30·197	30·201	30·211	30·217	30·215	26
27	30·207	30·181	30·172	30·175	30·201	30·218	30·244	30·259	30·277	30·299	30·294	30·294	27
28	30·237	30·200	30·180	30·187	30·193	30·200	30·216	30·223	30·234	30·246	30·244	30·243	28
29	30·210	30·186	30·162	30·156	30·164	30·173	30·184	30·196	30·206	30·208	30·210	30·198	29
30	30·148	30·118	30·096	30·094	30·100	30·111	30·130	30·144	30·156	30·164	30·160	30·148	30
31	30·134	30·110	30·087	30·095	30·087	30·099	30·116	30·126	30·135	30·138	30·140	30·144	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of DECEMBER, 1926.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	68·2	68·1	67·7	66·6	66·1	65·4	65·1	65·2	65·8	65·3	66·2	66·8	1
2	66·8	67·2	66·7	66·4	66·3	66·2	66·4	68·0	68·4	69·6	71·2	72·2	2
3	67·4	67·4	67·1	66·9	66·9	66·9	66·8	67·5	69·0	70·5	71·5	72·4	3
4	68·2	68·0	68·0	67·6	67·2	67·1	67·2	69·2	71·5	72·4	73·8	73·1	4
5	68·3	68·1	68·1	67·8	67·0	67·6	67·4	67·4	68·0	68·6	70·6	72·5	5
6	66·1	65·5	65·0	65·2	64·7	65·0	66·0	67·0	67·9	68·6	69·4	69·5	6
7	64·0	64·4	63·3	63·0	63·0	63·3	63·6	65·3	67·7	68·8	72·0	72·4	7
8	54·3	53·5	52·6	53·5	53·1	52·4	52·1	52·1	52·6	55·0	56·4	59·5	8
9	57·3	56·9	56·9	56·1	55·4	56·0	56·8	57·7	58·4	59·8	61·0	62·4	9
10	63·6	63·4	62·3	62·2	62·7	63·1	63·0	63·1	64·4	65·6	66·4	67·0	10
11	66·1	66·0	66·5	66·6	66·9	66·3	65·9	66·1	66·5	66·9	66·7	66·5	11
12	66·5	66·4	66·5	66·4	66·2	66·2	66·2	66·5	66·4	66·3	66·1	66·3	12
13	67·1	67·2	67·6	67·7	68·1	68·0	67·9	69·2	70·0	71·8	72·2	72·9	13
14	69·1	68·9	68·3	68·5	68·9	69·4	69·5	70·0	71·0	71·6	72·0	73·1	14
15	71·0	69·7	70·9	71·0	70·8	70·8	70·7	71·4	73·0	72·9	74·0	75·3	15
16	69·1	69·3	69·3	69·6	69·6	70·0	70·0	70·0	68·5	68·3	68·7	69·2	16
17	67·2	67·0	67·3	67·2	66·7	66·6	66·6	67·0	67·4	67·2	67·0	67·4	17
18	65·1	64·8	64·5	64·0	63·8	63·2	62·7	62·4	62·5	62·9	63·0	63·7	18
19	63·5	63·2	63·1	63·1	62·9	62·8	63·0	63·2	64·5	64·7	65·6	66·4	19
20	62·9	63·4	63·8	63·9	63·3	63·3	63·3	63·1	63·8	64·3	66·4	66·3	20
21	58·6	57·8	56·7	56·1	55·2	54·3	54·2	57·0	60·8	62·0	63·7	63·6	21
22	54·0	53·8	53·7	53·5	53·0	51·7	51·3	51·5	55·0	54·9	59·0	60·1	22
23	53·5	53·3	53·0	52·0	51·4	50·3	50·2	51·8	53·8	54·5	57·1	58·4	23
24	55·3	55·1	55·0	54·6	54·1	54·0	53·9	54·1	55·7	55·5	55·8	56·5	24
25	54·8	53·7	53·4	52·5	51·0	49·9	49·2	49·4	50·0	49·5	51·6	52·3	25
26	46·8	46·1	45·2	44·5	43·5	43·5	43·6	45·0	46·9	49·3	51·6	54·9	26
27	49·5	48·6	48·3	48·6	48·0	47·5	48·9	51·8	55·7	57·2	59·9	61·2	27
28	54·0	53·0	52·2	51·4	50·1	49·2	48·6	51·6	53·5	55·5	58·8	60·9	28
29	54·4	54·0	53·0	53·7	52·2	53·2	52·7	52·0	56·3	57·6	59·3	59·3	29
30	56·5	56·7	56·9	56·8	56·6	56·0	56·1	56·4	57·9	60·0	61·7	63·3	30
31	58·3	58·1	57·2	57·0	56·3	56·0	55·5	56·9	59·4	61·6	64·8	65·0	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	66·4	67·1	66·5	65·1	64·9	65·3	66·5	67·1	66·9	67·5	66·7	66·2	1
2	71·5	70·2	70·0	69·2	68·8	68·2	68·0	68·0	68·0	68·1	67·8	67·7	2
3	73·6	73·0	71·6	69·8	70·2	69·7	69·0	68·2	68·2	68·2	68·2	68·1	3
4	72·0	71·6	71·6	69·5	68·9	68·7	68·6	68·5	68·2	68·3	68·5	68·5	4
5	71·5	72·6	72·2	71·5	69·9	68·6	68·3	68·2	67·2	66·8	66·8	66·0	5
6	70·4	69·5	69·3	68·8	68·0	66·8	66·2	65·6	65·3	64·9	64·0	64·0	6
7	72·8	74·2	73·9	71·7	68·8	66·5	63·8	61·0	59·0	57·3	56·4	55·1	7
8	60·6	59·1	59·9	59·6	58·9	58·5	58·0	57·5	56·6	57·0	57·1	57·7	8
9	64·8	64·9	63·6	62·7	62·2	62·0	61·9	62·4	63·0	63·6	63·5	63·9	9
10	68·0	68·0	67·5	66·4	65·3	65·0	64·9	65·3	65·4	65·7	65·9	66·2	10
11	66·6	66·2	66·5	66·8	67·0	66·8	66·9	67·0	67·0	67·0	67·0	66·5	11
12	66·6	66·7	67·1	67·2	67·1	67·0	67·1	67·3	67·5	67·6	67·5	67·3	12
13	73·1	72·2	71·1	70·1	68·4	69·1	68·9	68·0	68·1	68·4	68·3	68·8	13
14	74·2	73·5	72·3	72·1	70·4	70·6	71·3	71·1	71·3	71·1	71·4	70·9	14
15	73·5	71·9	75·0	74·4	73·5	70·8	69·9	69·2	68·8	68·7	68·4	68·8	15
16	70·0	70·9	70·4	70·2	69·4	68·9	68·7	68·6	68·2	68·0	67·8	67·3	16
17	69·0	67·5	67·8	66·8	66·3	66·1	66·1	66·0	65·7	65·6	66·4	66·3	17
18	65·1	65·3	65·2	65·2	64·8	64·3	64·3	64·1	64·5	64·3	63·6	63·7	18
19	65·9	66·0	66·4	66·3	65·5	65·9	62·7	62·2	62·0	62·4	63·0	63·5	19
20	65·0	68·8	68·7	68·2	66·1	64·2	63·7	61·8	60·3	60·1	60·0	60·7	20
21	64·4	65·5	64·2	64·2	62·8	60·7	59·5	58·8	58·2	56·9	56·5	55·9	21
22	59·8	60·5	60·2	59·5	57·5	56·5	55·8	55·3	54·2	54·0	53·2	53·5	22
23	58·9	60·0	60·0	59·2	58·0	57·3	57·0	56·0	56·3	55·7	55·0	55·4	23
24	57·6	58·2	58·0	58·2	57·8	57·2	55·7	55·2	55·5	55·8	56·2	55·0	24
25	53·0	53·9	53·0	53·4	52·1	50·4	50·1	49·4	48·9	47·6	47·4	47·0	25
26	55·9	56·5	56·2	56·0	55·0	54·0	53·0	52·3	51·9	51·2	51·2	50·6	26
27	62·8	64·0	63·0	62·4	61·7	60·3	58·6	58·9	57·6	56·4	55·6	54·3	27
28	60·5	61·0	61·0	60·0	59·0	59·5	56·6	55·5	55·2	54·3	54·2	54·0	28
29	59·1	59·5	58·4	57·5	57·3	57·0	56·8	57·0	57·1	56·3	55·8	56·7	29
30	62·2	62·6	61·9	60·8	60·3	59·4	59·0	59·0	59·0	58·8	58·5	58·4	30
31	65·2	64·2	63·9	62·5	62·1	60·9	60·0	59·6	59·1	59·1	59·0	58·8	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of DECEMBER, 1926.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9.	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	65·9	65·7	65·4	64·5	63·6	63·0	62·0	62·4	63·3	63·0	63·0	64·0	1
2	62·9	63·0	63·0	62·9	62·9	62·9	62·8	63·8	64·0	65·0	66·3	67·0	2
3	64·6	64·0	63·9	63·7	63·0	63·0	63·0	63·5	64·7	65·0	65·8	66·2	3
4	65·1	65·1	64·9	64·8	64·7	64·3	64·3	64·9	66·2	65·9	67·0	67·3	4
5	66·0	65·7	65·3	65·1	64·8	65·0	64·4	64·6	64·9	65·2	67·0	67·5	5
6	64·3	64·0	63·8	64·0	63·6	63·6	63·9	64·5	65·2	65·5	65·8	66·0	6
7	62·1	61·2	61·2	61·2	61·0	61·2	61·4	62·9	64·2	64·9	66·9	66·2	7
8	46·5	46·0	45·4	45·5	45·1	44·2	44·0	44·3	44·5	45·6	46·7	48·8	8
9	50·2	50·3	50·6	49·8	49·1	50·0	50·2	50·9	51·9	53·0	54·0	53·0	9
10	60·1	59·9	58·7	57·3	57·3	57·8	58·3	58·9	60·0	61·0	61·5	60·5	10
11	61·8	62·0	62·0	61·0	61·1	62·5	62·8	63·0	63·0	63·0	62·7	62·7	11
12	62·5	62·7	63·0	63·0	63·0	62·9	62·9	63·0	62·9	63·0	63·0	63·0	12
13	65·1	65·3	65·3	65·0	65·6	65·3	65·3	66·1	67·1	68·1	67·8	67·8	13
14	67·8	67·7	67·8	68·0	68·1	68·1	68·0	68·1	69·0	69·5	69·9	70·7	14
15	70·2	69·0	70·0	70·0	70·0	70·1	70·2	70·9	71·8	71·8	72·0	72·5	15
16	69·0	69·0	69·0	68·9	68·9	69·1	69·1	68·9	68·0	67·8	67·6	67·4	16
17	66·3	66·2	65·9	65·9	66·0	66·0	65·9	66·2	66·6	66·0	65·2	64·6	17
18	61·0	60·4	60·1	60·1	60·0	59·6	59·6	59·1	59·0	59·0	59·4	59·8	18
19	59·4	59·1	58·9	58·8	58·2	58·4	58·5	59·2	59·4	59·8	60·0	60·0	19
20	60·3	60·5	60·8	59·0	58·6	58·4	58·6	58·6	58·9	59·3	60·6	61·0	20
21	53·3	52·9	52·5	52·2	51·0	50·5	50·0	52·2	54·4	54·8	56·4	55·0	21
22	46·6	47·7	47·9	47·3	47·0	46·0	46·2	46·2	48·9	48·4	51·1	51·5	22
23	46·0	45·9	45·7	45·3	45·2	44·7	44·1	45·3	46·3	46·6	48·4	49·4	23
24	48·0	48·3	48·0	48·0	47·1	46·9	46·9	47·0	48·7	48·0	47·9	48·5	24
25	47·6	46·6	46·0	45·8	45·1	44·0	43·7	44·5	45·7	45·5	45·3	46·3	25
26	37·6	37·0	36·6	36·3	36·0	35·9	35·7	36·8	38·0	39·6	40·3	43·0	26
27	41·0	39·1	39·4	40·0	38·7	38·8	39·5	40·9	43·9	44·0	45·8	40·6	27
28	42·9	41·7	40·0	41·2	41·1	41·0	41·3	42·7	43·9	45·0	46·8	46·9	28
29	49·7	49·7	49·1	49·8	48·4	49·2	48·9	47·8	49·6	50·2	51·0	51·8	29
30	51·0	51·0	51·0	51·0	50·9	50·6	50·1	50·7	50·7	51·3	52·5	51·7	30
31	54·0	53·3	53·1	52·8	52·6	52·2	51·8	51·9	52·7	54·4	54·0	55·5	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	63·3	64·0	63·2	62·2	62·0	61·8	61·5	62·0	62·6	63·0	62·9	63·2	1
2	66·5	65·6	65·6	65·4	65·0	64·0	64·5	64·9	64·9	64·8	64·8	64·5	2
3	67·7	66·8	65·4	65·0	65·0	65·3	65·0	65·5	65·9	66·0	65·5	65·7	3
4	66·8	66·5	65·8	65·0	64·9	65·0	65·0	65·0	65·0	65·2	65·4	65·5	4
5	67·6	68·0	67·4	67·0	66·3	65·7	65·5	65·3	65·0	64·6	64·8	64·4	5
6	66·2	65·6	64·6	64·8	64·1	63·7	63·9	63·2	62·9	62·6	62·0	62·3	6
7	66·7	67·0	65·4	63·2	61·1	59·0	56·0	52·8	51·2	49·4	48·3	47·7	7
8	49·1	48·1	49·0	48·8	49·1	49·8	48·9	49·0	48·2	48·1	49·0	50·1	8
9	56·5	57·0	56·4	56·2	57·0	57·1	57·2	58·0	59·1	59·8	59·8	60·0	9
10	60·7	60·4	61·1	61·5	60·7	61·0	61·1	61·1	61·3	61·5	62·2	62·2	10
11	62·7	62·3	62·2	62·3	62·2	62·2	62·8	63·4	63·3	63·5	63·0	62·4	11
12	63·0	63·0	63·0	63·2	63·5	63·5	63·6	64·0	64·2	64·8	65·0	65·2	12
13	68·0	67·5	67·5	67·3	66·9	67·0	67·2	67·1	67·1	67·5	67·8	68·0	13
14	71·1	71·0	70·8	70·5	69·9	70·0	70·3	70·7	70·9	70·5	70·8	70·1	14
15	71·1	70·6	72·4	72·5	71·5	69·9	69·2	68·8	68·8	68·5	68·4	68·6	15
16	67·5	67·7	67·4	67·2	66·9	66·2	61·1	66·1	66·0	66·3	66·7	66·6	16
17	65·3	64·0	64·2	63·2	63·0	62·8	62·7	62·7	61·9	61·8	61·9	62·2	17
18	60·6	60·7	60·6	60·7	60·9	60·6	60·6	60·5	60·8	60·0	59·7	59·7	18
19	60·0	60·2	61·2	61·2	60·9	60·0	59·3	58·4	57·4	57·3	58·5	59·4	19
20	58·7	61·0	59·0	58·6	58·0	56·8	57·0	54·9	54·0	54·0	53·8	54·5	20
21	55·0	55·5	53·7	53·3	52·5	51·5	50·3	49·8	49·4	48·8	48·5	48·4	21
22	50·7	51·4	50·1	50·0	48·0	47·4	46·9	46·3	45·8	45·7	45·4	46·3	22
23	49·9	49·9	50·1	48·9	48·2	47·6	47·4	47·0	47·3	46·5	46·4	47·4	23
24	49·0	49·3	48·8	49·8	49·0	48·6	48·2	48·0	48·3	49·0	49·0	48·0	24
25	45·6	45·9	45·0	45·0	43·6	42·7	42·0	40·9	40·1	39·6	39·1	38·6	25
26	43·9	45·0	44·8	44·0	42·2	41·9	42·2	40·7	40·7	41·1	41·3	41·0	26
27	47·0	47·5	48·0	48·0	47·7	46·9	46·5	45·3	44·2	43·5	44·0	43·1	27
28	46·8	48·0	49·2	48·4	49·0	49·0	49·0	48·6	49·0	49·0	49·2	49·3	28
29	51·0	51·2	51·0	50·6	50·3	50·2	50·4	50·5	50·0	50·0	49·9	49·7	29
30	52·2	51·0	52·0	50·8	51·8	51·8	52·3	52·8	53·6	53·9	54·0	54·0	30
31	54·3	54·1	53·2	54·0	54·0	54·4	55·1	55·1	55·0	54·8	54·9	55·5	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of DECEMBER, 1926.

(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	9	10	10	10	8	4	6	3	9	10	2	3	5	8	8	9	9	3	...	...	1	1	1	7	2
3	4	7	4	8	7	9	9	10	10	10	10	8	7	3	8	9	9	10	2	2	4	10	10	10	3
4	9	9	9	10	10	9	5	6	4	8	7	4	3	3	2	4	7	10	10	10	10	10	10	10	4
5	10	10	10	10	9	10	10	10	10	10	9	6	4	1	2	5	7	3	1	...	...	...	...	...	5
6	...	...	...	...	...	...	8	9	10	10	9	10	9	9	9	9	8	2	...	...	...	...	...	...	6
7	...	...	...	...	...	7	7	8	7	7	5	7	1	1	1	...	1	1	1	...	...	6	4	...	7
8	...	8	10	10	10	9	9	10	9	7	...	...	1	1	...	2	...	...	6	10	10	10	10	10	8
9	10	10	10	4	...	2	9	9	9	10	10	10	8	9	8	10	10	7	9	10	9	10	10	9	9
10	10	10	10	10	9	10	10	10	10	10	10	9	9	9	9	9	10	9	10	10	10	10	10	10	10
11	10	10	10	10	10	10	10	10	9	10	9	10	10	10	10	10	10	10	10	10	9	9	9	3	11
12	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	12
13	10	10	10	10	10	8	9	9	8	2	3	2	3	5	7	8	9	10	10	10	10	10	10	10	13
14	10	10	10	10	10	10	10	10	10	9	9	6	6	9	9	9	9	8	10	10	9	9	9	8	14
15	10	7	7	9	10	10	10	5	6	8	10	8	8	7	7	7	8	8	9	10	10	10	10	10	15
16	10	10	10	10	10	10	7	10	10	10	10	10	10	9	7	7	7	8	7	6	5	2	10	10	16
17	7	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	9	9	9	9	10	10	10	10	10	10	10	10	18
19	10	9	10	10	10	10	10	9	7	9	9	9	9	9	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	9	10	10	10	10	10	7	5	4	7	4	1	...	...	...	...	...	20
21	...	...	...	4	8	2	2	1	3	1	1	1	1	...	...	1	2	1	...	...	...	...	...	4	21
22	4	8	10	10	10	9	9	4	1	3	6	5	8	9	9	6	3	1	...	...	...	...	...	9	22
23	9	9	10	10	8	4	3	2	4	3	2	2	1	6	1	1	2	4	6	2	9	7	2	9	23
24	9	10	10	10	10	10	8	10	10	10	10	10	10	9	10	8	4	10	10	7	10	10	10	10	24
25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7	1	2	1	1	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	2	4	1	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	28
29	...	...	1	4	1	...	1	1	...	5	9	4	5	5	2	2	2	6	...	...	...	...	...	2	29
30	10	10	10	9	9	10	8	8	9	9	7	4	1	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of DECEMBER, 1926.

(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.												Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.
1		...	...	...	...	...	...	...	...	...	...	...	1
2		0·1	0·5	...	1·0	1·0	1·0	0·7	0·5	0·3	...	...	2
3		...	...	...	...	...	0·6	1·0	0·9	...	...	...	3
4		0·4	1·0	0·9	...	1·0	1·0	1·0	1·0	1·0	0·4	0·2	4
5		...	...	...	...	0·9	1·0	1·0	1·0	1·0	0·8	...	5
6		...	...	...	...	...	0·1	0.3	...	...	0·1	0·2	6
7		...	0·2	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	7
8		...	...	...	0·2	0·7	1·0	1·0	1·0	1·0	1·0	0·6	8
9		...	...	...	...	...	0·1	0·7	0·9	0·2	...	0·5	9
10		...	...	0·1	...	...	0·3	0·4	0·2	...	...	...	10
11		...	...	0·1	...	...	...	...	...	...	...	...	11
12		...	...	...	...	...	...	...	...	...	...	...	12
13		...	0·5	0·8	1·0	1·0	1·0	1·0	0·3	0·3	...	...	13
14		...	...	...	...	0·1	1·0	1·0	0·9	0·2	0·3	...	14
15		...	...	0·5	...	0·1	0·6	0·3	0·6	0·9	0·4	...	15
16		...	...	...	...	...	...	0·1	0·9	0·2	...	...	16
17		...	...	...	...	...	...	...	...	...	...	...	17
18		...	...	...	...	...	...	...	...	...	...	...	18
19		...	0·1	0·4	0·1	...	0·1	...	...	...	...	...	19
20		...	...	...	...	...	...	0·5	1·0	1·0	0·4	...	20
21		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	21
22		...	0·8	0·9	0·1	1·0	0·5	...	0·2	0·3	1·0	0·4	22
23		0·1	1·0	1·0	1·0	1·0	1·0	1·0	0·7	1·0	1·0	0·4	23
24		...	...	...	...	...	...	...	0·1	...	0·2	...	24
25		...	...	...	...	...	...	...	...	0·1	0·4	...	25
26		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	26
27		0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	27
28		0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	28
29		0·3	1·0	1·0	1·0	0·6	1·0	0·9	1·0	1·0	1·0	0·1	29
30		...	...	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	0·7	30
31		0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of DECEMBER, 1926.

(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	0·010	0·045	0·090	0·100	d	...	0·010	0·005	0·030	0·060	0·010	0·030	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	d	...	d	...	d	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	..	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	d	d	0·005	0·005	d	0·005	d	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	d	d	d	0·005	d	...	...	...	...	d	d	...	16
17	...	...	...	d	0·005	d	d	d	d	d	...	...	17
18	...	...	...	d	d	...	d	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	d	d	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	d	...	0·005	0·020	0·005	d	d	d	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...		...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	..	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	d	...	d	d	d	0·010	d	13
14	...	...	...	...	...	...	...	d	...	...	...	...	14
15	...	...	...	...	...	...	...	...	..	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	d	...	16
17	...	...	...	.	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	d	d	d	...	...	...	...	18
19	...	...	...	d	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	.	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	.	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of DECEMBER, 1926.

(*The Direction is given in points, and the Velocity in miles per hour.*)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	1	5	1	4	32	2	32	4	32	8	1	5	2	10	4	7	3	2	...	1	...	1	...	1	1
2	5	4	5	7	5	10	5	10	5	9	6	9	6	9	6	12	6	11	7	14	8	11	9	14	2
3	6	20	6	29	6	26	6	22	6	17	5	15	4	13	4	5	4	5	5	6	5	10	7	9	3
4	6	15	7	13	7	15	8	14	8	10	8	8	6	9	4	4	5	6	7	9	9	14	10	17	4
5	6	12	7	18	7	17	6	12	7	16	6	16	7	13	7	11	7	8	9	7	10	9	11	6	5
6	...	...	...	...	...	...	...	1	...	1	...	1	9	7	7	12	6	15	6	16	7	16	7	19	6
7	...	1	10	4	...	...	...	...	...	...	6	2	...	...	...	...	18	2	22	5	...	1	31	15	7
8	5	9	2	13	1	15	1	15	32	14	1	15	1	15	1	15	1	15	1	18	1	14	32	12	8
9	4	19	4	25	4	20	4	22	4	19	3	8	4	10	5	15	7	13	7	14	7	14	7	14	9
10	6	23	6	17	6	18	6	16	6	20	6	14	6	19	6	19	6	20	6	19	6	17	7	18	10
11	7	7	6	10	7	11	7	19	7	23	7	20	7	19	7	20	7	23	7	25	6	23	7	24	11
12	7	19	7	18	6	18	7	19	6	18	7	18	6	21	7	19	7	18	7	20	7	20	7	21	12
13	8	11	9	12	10	14	10	13	9	18	9	19	9	18	8	15	9	15	8	19	8	22	8	19	13
14	8	11	8	13	9	12	9	13	9	14	9	16	9	14	9	15	9	11	8	15	8	13	8	15	14
15	...	1	11	4	9	6	7	6	6	4	...	1	6	3	6	3	6	4	...	...	6	2	25	5	15
16	7	5	7	5	7	5	8	5	9	5	10	4	10	2	8	14	7	17	7	18	7	19	7	18	16
17	9	13	8	15	7	15	7	10	8	12	9	11	9	14	9	10	8	12	6	9	5	7	4	7	17
18	3	2	3	5	3	6	4	7	4	9	3	6	5	6	5	10	4	13	4	16	4	15	5	16	18
19	7	27	6	26	6	29	6	27	6	28	6	27	6	25	6	21	6	22	6	16	6	15	7	19	19
20	4	2	3	9	2	7	1	14	1	8	1	10	2	9	2	3	1	6	32	2	31	7	30	4	20
21	...	1	31	7	31	3	32	2	32	3	...	1	2	2	2	3	1	4	1	8	32	10	32	12	21
22	2	6	3	3	...	1	4	2	3	7	2	11	1	8	1	11	2	12	1	7	1	8	2	6	22
23	1	15	1	13	32	15	1	14	1	12	1	11	1	11	32	9	32	12	1	12	1	7	6	6	23
24	...	1	1	3	1	8	32	11	32	12	32	9	32	7	32	7	1	7	3	6	5	8	6	4	24
25	1	11	1	13	32	15	32	14	32	14	1	13	3	11	6	6	5	8	32	9	32	10	32	7	25
26	1	18	1	21	32	22	1	19	32	19	1	13	1	16	1	18	1	14	32	13	32	16	32	9	26
27	...	1	32	7	32	4	...	1	32	3	1	5	3	3	5	3	4	2	1	6	1	6	1	10	27
28	1	15	1	17	1	10	1	11	32	9	32	4	1	4	32	8	32	11	5	10	6	5	9	7	28
29	...	...	...	...	...	1	10	2	6	3	4	7	3	6	4	5	5	9	7	14	8	16	8	18	29
30	6	8	5	10	5	12	5	11	4	13	5	6	7	10	7	15	7	13	8	14	8	14	8	19	30
31	6	18	6	20	6	16	6	16	6	15	5	13	5	10	5	11	7	13	10	6	10	7	10	8	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	2	6	2	5	1	7	1	6	1	8	2	7	3	10	4	4	4	5	4	8	4	7	4	3	1
2	9	18	8	17	8	16	8	19	7	18	7	15	7	15	6	17	7	20	6	24	6	24	6	26	2
3	10	11	11	14	10	13	9	11	8	11	9	8	9	14	8	13	8	16	8	16	8	16	7	17	3
4	10	16	9	14	9	13	8	20	8	17	8	12	7	12	7	12	7	13	7	11	7	11	6	9	4
5	24	6	24	7	24	7	24	6	25	5	25	3	...	1	...	...	...	1	...	...	...	...	...	...	5
6	7	14	7	15	6	11	7	9	8	8	9	7	10	5	10	3	...	1	..	...	...	...	...	...	6
7	32	12	32	13	1	13	1	17	2	9	1	12	1	17	1	19	2	10	3	9	7	9	9	8	7
8	3	7	3	13	5	11	7	13	6	13	5	12	4	9	3	8	2	8	2	7	3	7	4	15	8
9	8	16	9	16	8	18	7	20	7	18	6	21	6	19	7	18	6	20	6	22	6	19	6	17	9
10	8	20	9	16	10	14	10	13	9	14	9	12	10	12	10	11	10	10	9	11	9	9	8	6	10
11	7	22	7	22	7	20	7	18	7	17	7	14	7	15	7	20	7	17	7	17	7	17	8	18	11
12	6	20	6	20	6	20	7	19	7	22	6	21	6	22	6	17	7	15	8	19	9	17	8	14	12
13	9	14	10	16	9	14	8	14	8	11	8	14	8	12	8	10	9	10	9	8	8	11	8	11	13
14	8	15	8	14	8	12	8	12	8	11	8	12	8	4	8	2	9	3	11	5	...	1	...	...	14
15	14	6	4	4	28	7	26	3	...	1	1	5	5	3	7	7	8	10	8	9	8	8	8	6	15
16	7	16	8	20	8	14	8	17	8	19	7	23	7	14	9	13	9	16	8	12	8	11	9	14	16
17	4	6	3	7	2	5	1	6	32	5	32	2	32	3	32	4	32	5	1	2	3	5	3	7	17
18	6	21	6	20	6	24	7	24	7	24	7	24	6	22	6	23	7	25	6	25	7	27	6	26	18
19	8	26	8	9	2	4	32	6	32	7	1	8	1	11	32	10	32	14	1	16	2	11	2	2	19
20	28	8	30	5	1	12	32	12	31	8	32	6	3	5	2	5	2	2	...	1	1	2	32	2	20
21	32	6	32	12	1	10	1	9	32	10	32	8	32	13	1	13	1	12	1	9	1	11	2	8	21
22	3	6	2	9	2	11	1	12	2	14	1	12	1	14	32	12	32	16	1	15	1	14	1	10	22
23	8	7	9	9	10	9	11	9	32	9	1	6	1	4	2	4	1	5	2	6	2	2	...	...	23
24	7	8	6	10	4	11	3	7	3	9	3	7	3	5	2	8	1	6	2	5	2	10	2	10	24
25	32	15	32	14	32	15	32	15	32	13	1	12	3	9	3	10	2	17	2	16	1	19	1	18	25
26	1	10	32	8	1	9	1	10	1	8	1	6	1	4	32	11	32	8	32	6	1	4	1	4	26
27	1	8	1	6	32	10	32	10	1	9	32	8	32	3	1	6	1	9	32	14	32	5	1	6	27
28	10	9	10	11	10	9	9	9	9	9	9	8	8	9	8	6	9	5	...	...	...	...	...	...	28
29	8	18	9	19	9	18	9	16	8	15	7	16	7	13	6	12	6	12	6	10	6	7	5	8	29
30	8	22	8	23	8	20	9	21	8	15	7	15	6	13	6	14	6	13	6	15	6	14	6	15	30
31	10	16	9	17	9	17	8	14	9	14	9	12	10	8	9	10	8	3	8	8	8	12	8	10	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of DECEMBER, 1926.

(... = no clouds.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	nb	E	nb	E	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	cu-nb	ENE
2	cu	ENE	cu	ENE	cu	E	cu	E	cu	ENE	cu	ENE	...	...	cu	E
3	cu	E	cu	E	a-cu / cu	W / ENE	cu	ENE	a-cu / cu	W / E	cu	E	cu	E	cu	E
4	cu	ENE	cu	E	cu	E	cu	E	cu	E	cu	NW	cu	E	cu	E
5	nb	E	nb	E	nb	E	cu	ENE	cu	ENE	cu	ENE	cu	ENE	...	...
6	...	...	...	...	cu	E	nb	E	cu	E	cu	ENE	...	...	...	...
7	...	...	...	...	a-cu	W	a-cu	W	cu	NNW	...	...	cu	NNW	cu	NNW
8	...	...	cu	NNE	st-cu	NE	st-cu	NE	...	...	...	...	...	...	cu	ENE
9	cu	NE	cu	NE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE
10	cu	ENE	cu	ENE	cu	ENE	cu	ENE	st-cu	SW	st-cu	WSW	cu	WSW	cu	WSW
11	cu	WSW	cu	WSW	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
12	cu	E	cu	E	cu	E	cu	E	cu-nb	E	cu-nb	E	cu	ESE	cu	ESE
13	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE	nb	ESE
14	nb	ESE	nb	ESE	nb	E	cu-nb	E	cu	E	cu	E	st	SE	cu	SSE
15	st-cu	SE	cu	SE	cu	SE	cu	ESE	cu	ESE	cu	S	cu	ESE	cu	ESE
16	nb	ESE	nb	ESE	cu	ESE	nb	ESE	nb	ESE	cu	ESE	cu	ESE	cu	ESE
17	cu	E	nb	E	nb	E	nb	E	nb	E	cu	E	cu	E	cu	E
18	cu	E	nb	E	nb	ENE	nb	E	cu	E	cu	ENE	nb	ENE	nb	ENE
19	cu	ENE	cu	E	cu	E	cu	E	cu	E	nb	E	cu	E	cu	E
20	nb	E	cu	E	cu	ENE	cu	E	cu	E	cu	WNW	cu	ENE	...	...
21	...	...	ci-cu	WSW	cu	ENE	cu	ENE	cu	E	ci-st	WSW	...	...	...	...
22	cu	E	cu	E	cu	ENE	cu	ENE	a-cu	WNW	a-cu	NNW	...	...	...	...
23	a-cu	WNW	a-cu / cu	WNW / ENE	ci-cu	W	a-cu	W	a-cu	WNW	ci-st	W	ci-st	W	cu	SE
24	cu	ESE	st-cu	E	ci st / cu	W / ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE
25	cu	ENE	cu	ENE	cu	ENE	cu	NNE	cu	NNE	cu	NNE	cu	NE	cu	NE
26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
28	...	...	...	...	ci-cu	NNE	...	...	...	...	...	...	...	...	...	...
29	...	...	cu	ESE	cu	E	ci-cu / cu	ENE / E	ci-cu	WSW	ci-cu	WSW	...	...	...	...
30	cu	E	cu	E	a-cu / cu	WNW / E	a-cu / cu	W / ENE	cu	ENE	...	...	...	...	...	...
31	...	...	...	...	cu	E	...	...	...	...	...	...	...	...	...	...

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1926.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·982	68·4	64·9	3·5	66·4	63·2	0·538	83	100	...	...	0·420	12	+ 4·5	+ 2·0	24	4·9	5·2
2	30·003	72·7	66·0	6·7	68·4	64·5	·556	80	57	5·1	47	...	...	+ 3·4	+ 13·7	76	14·1	14·5
3	·015	74·4	66·7	7·7	69·1	65·0	·564	79	75	2·5	23	...	...	+ 2·3	+ 12·9	80	13·1	14·0
4	·014	74·4	67·0	7·4	69·4	65·4	·574	80	75	7·9	73	...	...	+ 0·7	+ 12·0	87	12·0	12·2
5	29·931	73·5	66·0	7·5	68·8	65·7	·592	84	56	5·7	53	...	1	+ 1·2	+ 4·4	75	4·6	7·5
6	·848	70·5	64·0	6·5	66·8	64·2	·567	86	42	0·7	6	...	...	+ 1·2	+ 6·4	79	6·5	6·7
7	·948	74·5	55·0	19·5	65·5	60·1	·449	71	27	8·9	82	...	...	+ 5·7	+ 1·7	17	6·0	7·4
8	30·129	60·9	51·9	9·0	56·1	47·2	·209	46	59	6·5	60	...	...	+ 10·2	+ 5·1	27	11·4	12·2
9	·071	65·2	55·4	9·8	60·5	54·5	·347	65	84	2·4	22	...	...	+ 6·7	+ 15·3	66	16·7	17·4
10	·012	68·7	62·2	6·5	65·0	60·3	·462	75	97	1·0	9	...	...	+ 1·9	+ 14·5	83	14·6	15·3
11	·002	67·2	66·0	1·2	66·6	62·5	·513	78	95	0·1	1	...	...	+ 3·7	+ 18·2	78	18·6	18·4
12	29·957	67·8	65·9	1·9	66·7	63·4	·541	82	99	...	...	...	...	+ 4·7	+ 18·3	76	18·9	19·0
13	·898	74·5	67·1	7·4	69·3	66·8	·625	87	80	5·9	55	0·010	4	− 1·8	+ 14·0	97	14·1	14·2
14	·862	75·0	68·3	6·7	70·9	69·6	·707	93	91	3·5	33	0·015	5	− 1·0	+ 10·5	95	10·5	10·5
15	·866	76·5	68·0	8·5	71·4	70·4	·731	95	85	3·4	32	...	...	+ 0·7	+ 2·7	76	2·8	4·5
16	·892	71·3	67·3	4·0	69·2	67·6	·655	92	85	1·2	11	0·005	3	+ 0·6	+ 12·7	87	12·7	12·7
17	·966	69·0	65·5	3·5	66·8	64·4	·574	87	98	...	...	0·005	6	+ 2·5	+ 6·2	68	6·7	8·0
18	30·033	65·7	62·2	3·5	64·0	60·1	·465	78	98	...	...	...	2	+ 6·9	+ 14·4	65	16·0	16·5
19	·029	66·5	61·9	4·6	64·0	59·3	·444	74	96	0·7	7	...	...	+ 7·8	+ 12·6	58	14·8	16·5
20	·048	69·0	59·6	9·4	64·0	58·1	·407	68	65	2·9	27	...	...	+ 5·8	+ 0·7	7	5·8	6·2
21	·109	65·8	54·2	11·6	59·5	52·2	·296	58	13	10·4	97	...	...	+ 7·2	+ 0·8	6	7·3	7·4
22	·188	61·0	51·2	9·8	55·5	47·9	·234	52	52	5·2	49	...	...	+ 9·0	+ 2·4	15	9·3	9·5
23	·215	60·8	50·0	10·8	55·3	47·1	·217	49	48	9·2	86	...	...	+ 6·6	+ 2·6	21	7·1	8·6
24	·176	58·7	53·9	4·8	55·8	48·3	·241	53	94	0·3	3	...	...	+ 6·2	+ 3·0	26	6·9	7·5
25	·222	55·6	46·9	8·7	51·0	43·9	·195	51	76	0·5	5	...	...	+ 12·1	+ 2·4	11	12·3	12·7
26	·215	56·6	43·2	13·4	50·2	40·1	·117	32	...	10·5	98	...	...	+ 11·9	+ 1·5	7	12·0	11·9
27	·240	64·5	47·5	17·0	55·9	43·7	·126	29	...	10·1	94	...	...	+ 5·8	+ 0·8	8	5·9	6·0
28	·259	62·2	48·5	13·7	55·4	45·8	·183	41	4	9·7	91	...	...	+ 3·3	+ 4·3	53	5·4	7·7
29	·217	60·1	51·5	8·6	56·0	50·0	·283	63	21	8·9	83	...	...	+ 1·5	+ 9·5	81	9·6	10·1
30	·162	63·4	55·1	8·3	58·9	51·8	·293	58	43	7·5	70	...	...	+ 3·0	+ 13·5	78	13·8	14·3
31	·132	66·2	55·2	11·0	60·0	53·9	·336	64	1	10·3	96	...	...	+ 1·0	+ 11·6	85	11·6	12·2
Means	30·053	67·1	59·0	8·1	62·7	57·3	0·421	69	62	Sum. 141·0	42	Sum. 0·455	Sum. 33	+ 4·4	+ 8·1	62	9·2	11·2
Normals	30·050	67·6	58·6	9·0	62·7	56·8	0·393	67	54	173·2	52	1·085	36	+ 5·5	+ 8·2	67	8·9	11·8
Absolute Max.	30·337	76·5	...	19·5	...	73·1	0·784	...	...	10·5	98	0·420	12	...	...	...	...	29·0 †
Day.	28	15	...	7	...	15	15		...	26	26	1	1	...	...	...	...	3rd 3h 19th 3h
Absolute Min.	29·798	...	43·2	1·2	...	35·5	0·099	17	...	...	...	...	...	...	...	...	...	...
Day.	14	...	26	11	...	26	27	27	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar corona :—on the 16th, 21st and 23rd.

Fog :—on the 15th.

Slight Fog :—on the 14th.

Haze:—on the 27th.

Dew :—on the 6th, 7th and 29th.

Lightning :—on the 1st.

Rain fell on 3 days. The mean hourly intensity was 0·014*in*, and the maximum fall in one hour was 0·100*in* at 4*h* on the 1st.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 39 miles per hour at 4*h* 30*m* on the 19th.

Clouds with base less than 2,000 feet high were observed on 3 days.
Clouds with base less than 1,000 feet high were observed on 1 day.

*0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1926.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.	Velocity.	Observed Velocity.
	m.b	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1017·3	293·2	291·3	1·9	292·1	290·3	18·1	10·—	12	+ 1·5	+ 0·7	24	1·6	1·7
2	1018·0	295·6	291·9	3·7	293·2	291·1	18·8	...	...	+ 1·1	+ 4·5	76	4·6	4·8
3	1018·4	296·6	292·3	4·3	293·6	291·3	19·0	...	...	+ 0·8	+ 4·2	80	4·3	4·6
4	1018·4	296·6	292·4	4·2	293·5	291·6	19·4	..	...	+ 0·2	+ 3·9	87	3·9	4·0
5	1015·6	296·1	291·9	4·2	293·4	291·7	20·0	...	1	+ 0·4	+ 1·4	75	1·5	2·5
6	1012·8	294·4	290·8	3·6	292·3	290·9	19·1	...	...	+ 0·4	+ 2·1	79	2·1	2·2
7	1016·2	296·6	285·8	10·8	291·6	288·6	15·1	...	...	+ 1·9	+ 0·6	17	2·0	2·4
8	1022·4	289·1	284·1	5·0	286·4	281·4	7·0	...	...	+ 3·3	+ 1·7	27	3·7	4·0
9	1020·4	291·4	286·0	5·4	288·8	285·5	11·7	...	...	+ 2·2	+ 5·0	66	5·5	5·7
10	1018·4	293·4	289·8	3·6	291·3	288·7	15·6	...	...	+ 0·6	+ 4·8	83	4·8	5·0
11	1018·0	292·6	291·9	0·7	292·2	289·9	17·3	...	...	+ 1·2	+ 6·0	78	6·1	6·0
12	1016·5	292·9	291·8	1·1	292·3	290·4	18·2	...	...	+ 1·5	+ 6·0	76	6·2	6·2
13	1014·5	296·6	292·5	4·1	293·7	292·3	21·1	0·3	4	— 0·6	+ 4·6	97	4·6	4·7
14	1013·2	296·9	293·2	3·7	294·6	293·9	23·8	0·4	5	— 0·3	+ 3·4	95	3·4	3·4
15	1013·4	297·7	293·0	4·7	294·9	294·3	24·6	...	...	+ 0·2	+ 0·9	76	0·9	1·5
16	1014·3	294·8	292·6	2·2	293·7	292·8	22·1	0·1	3	+ 0·2	+ 4·2	87	4·2	4·2
17	1016·8	293·6	291·6	2·0	292·3	291·0	19·4	0·1	6	+ 0·8	+ 2·0	68	2·2	2·6
18	1019·1	291·7	289·8	1·9	290·8	288·6	15·8	...	2	+ 2·3	+ 4·7	65	5·2	5·4
19	1018·9	292·2	289·6	2·6	290·8	288·2	15·0	...	...	+ 2·6	+ 4·1	58	4·9	5·4
20	1019·6	293·6	288·3	5·3	290·8	287·5	13·7	...	...	+ 1·9	+ 0·2	7	1·9	2·0
21	1021·7	291·8	285·3	6·5	288·3	284·2	10·0	...	...	+ 2·4	+ 0·3	6	2·4	2·4
22	1024·4	289·1	283·7	5·4	286·1	281·8	7·9	...	...	+ 3·0	+ 0·8	15	3·0	3·1
23	1025·3	289·0	283·0	6·0	285·9	281·4	7·3	...	...	+ 2·2	+ 0·9	21	2·3	2·8
24	1024·0	287·8	285·2	2·6	286·2	282·1	8·1	...	...	+ 2·0	+ 1·0	26	2·3	2·5
25	1025·6	286·1	281·3	4·8	283·6	279·6	6·5	...	...	+ 4·0	+ 0·8	11	4·0	4·2
26	1025·4	286·7	279·2	7·5	283·1	277·5	4·0	...	...	+ 3·9	+ 0·5	7	3·9	3·9
27	1026·2	291·1	281·3	9·5	286·3	279·5	4·3	...	...	+ 1·9	+ 0·3	8	1·9	2·0
28	1026·8	289·8	282·2	7·6	286·0	280·7	6·1	...	...	+ 1·1	+ 1·4	53	1·8	2·5
29	1025·4	288·6	283·8	4·8	286·3	283·0	9·5	...	...	+ 0·5	+ 3·1	81	3·1	3·3
30	1023·5	290·4	285·8	4·6	287·9	284·0	9·8	...	...	+ 1·0	+ 4·4	78	4·5	4·7
31	1022·5	292·0	285·9	6·1	288·6	285·2	11·3	...	...	+ 0·3	+ 3·8	85	3·8	4·0
								Sum.	Sum.					
Means.	1019·8	292·5	288·0	4·5	290·1	287·1	14·2	11·6	33	+ 1·4	+ 2·7	62	3·0	3·7
Normals	1019·7	292·8	287·8	5·0	290·1	286·8	13·2	27·6	36	+ 1·1	+ 2·7	67	2·9	3·9
Absolute Maximum.	1029·5	297·7	...	10·8	...	295·8	26·4	10·7	12	...	...	...	...	9·5†
Day.	28	15	...	7	...	15	15	1	1	...	...	...	...	3 & 9h 19d 3h
Absolute Minimum.	1011·1	...	279·2	0·7	...	274·9	3·4	...	...	...	...	...	...	...
Day.	14	...	26	11	...	26	27	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, DECEMBER, 1926.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	0·0	11	0·0	21	— 0·2
2	0·0	12	0·0	22	— 0·1
3	0·0	13	+ 0·1	23	0·0
4	— 0·1	14	0·0	24	+ 0·1
5	— 0·1	15	— 0·2	25	0·0
6	— 0·2	16	— 0·2	26	+ 0·1
7	— 0·2	17	— 0·2	27	— 0·1
8	— 0·2	18	— 0·2	28	— 0·2
9	— 0·1	19	— 0·1	29	— 0·4
10	0·0	20	— 0·1	30	— 0·3
				31	+ 0·2

+ = Late; — = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0ˢ·13

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1926.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-10).	Percentage of Possible Sunshine	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°		ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·060	61·5	57·1	·430	74	65		2	5	+ 4·5	+ 7·1	58	8·4	9·7
2	·052	61·2	56·8	·425	74	70		10	7	+ 5·9	+ 8·3	55	10·2	11·6
3	·043	61·0	56·6	·422	74	71		21	8	+ 5·7	+ 7·7	54	9·6	11·4
4	·041	60·8	56·4	·418	74	74		24	11	+ 5·6	+ 7·7	54	9·5	11·4
5	·040	60·4	56·1	·414	74	71		1	9	+ 5·8	+ 7·7	53	9·6	11·7
6	·050	60·2	56·0	·414	74	69	...	1	5	+ 4·9	+ 7·0	55	8·5	10·3
7	·065	60·1	55·9	·413	74	72	12	2	6	+ 4·9	+ 7·5	57	9·0	10·5
8	·082	60·9	56·4	·417	73	70	33	1	5	+ 4·6	+ 7·8	59	9·1	10·4
9	·100	62·3	57·3	·425	71	70	37	7	6	+ 4·9	+ 8·1	59	9·5	11·1
10	·110	63·2	57·7	·426	69	72	36	13	5	+ 4·5	+ 8·5	62	9·6	11·4
11	·096	64·6	58·4	·428	66	69	46	2	3	+ 4·3	+ 8·7	64	9·7	11·5
Noon.	·071	65·5	58·6	·429	64	61	56	7	3	+ 3·5	+ 9·2	69	9·8	12·2
13	·039	65·8	58·9	·428	63	57	58	...	1	+ 2·4	+ 9·6	76	9·9	12·7
14	·014	66·0	58·9	·425	62	57	59	...	...	+ 2·6	+ 9·8	75	10·2	13·1
15	·002	65·7	58·6	·420	62	56	50	1	2	+ 3·5	+ 8·9	69	9·6	12·7
16	·003	65·0	58·3	·420	63	56	45	5	4	+ 3·6	+ 9·1	68	9·8	12·8
17	·012	64·1	57·9	·419	66	60	28	1	2	+ 4·0	+ 8·6	65	9·5	12·0
18	·023	63·4	57·5	·416	67	56	...	...	3	+ 4·3	+ 8·2	62	9·3	11·2
19	·037	62·8	57·3	·419	68	47		...	1	+ 4·2	+ 7·6	61	8·7	10·3
20	·052	62·4	57·0	·415	69	47		...	6	+ 4·5	+ 7·4	59	8·7	10·4
21	·064	62·1	56·9	·416	70	51		...	1	+ 4·4	+ 7·3	59	8·5	10·5
22	·072	61·8	56·8	·417	71	53		...	3	+ 4·6	+ 7·6	59	8·9	10·5
23	·073	61·6	56·8	·420	71	54		2	4	+ 3·9	+ 7·6	63	8·5	10·0
Midn.	·071	61·5	56·9	·424	72	58		...	...	+ 3·7	+ 7·4	63	8·3	9·4

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1926.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1020·0	289·4	286·9	14·5	+ 1·5	+ 2·3	58	2·8	3·2
2	1019·8	289·2	286·8	14·3	+ 1·9	+ 2·7	55	3·3	3·8
3	1019·4	289·1	286·7	14·2	+ 1·9	+ 2·5	54	3·1	3·7
4	1019·4	289·0	286·6	14·1	+ 1·8	+ 2·5	54	3·1	3·7
5	1019·3	288·8	286·4	13·9	+ 1·9	+ 2·5	53	3·1	3·8
6	1019·7	288·7	286·3	13·9	+ 1·6	+ 2·3	55	2·8	3·4
7	1020·2	288·6	286·3	13·9	+ 1·6	+ 2·5	57	3·0	3·4
8	1020·8	289·1	286·6	14·0	+ 1·5	+ 2·6	59	3·0	3·4
9	1021·4	289·8	287·1	14·3	+ 1·6	+ 2·7	59	3·1	3·6
10	1021·7	290·3	287·3	14·4	+ 1·5	+ 2·8	62	3·1	3·7
11	1021·2	291·1	287·7	14·4	+ 1·4	+ 2·9	64	3·2	3·8
Noon.	1020·4	291·6	287·9	14·5	+ 1·1	+ 3·0	69	3·2	4·0
13	1019·3	291·8	287·9	14·4	+ 0·8	+ 3·1	76	3·2	4·2
14	1018·4	291·9	287·9	14·3	+ 0·9	+ 3·2	75	3·3	4·3
15	1018·0	291·7	287·8	14·1	+ 1·1	+ 2·9	69	3·1	4·2
16	1018·1	291·3	287·6	14·1	+ 1·2	+ 3·0	68	3·2	4·2
17	1018·4	290·8	287·4	14·1	+ 1·3	+ 2·8	65	3·1	3·9
18	1018·7	290·4	287·2	14·0	+ 1·4	+ 2·7	62	3·0	3·7
19	1019·2	290·1	287·1	14·1	+ 1·4	+ 2·5	61	2·9	3·4
20	1019·8	289·9	286·9	14·0	+ 1·5	+ 2·4	59	2·9	3·4
21	1020·2	289·7	286·8	14·0	+ 1·4	+ 2·4	59	2·8	3·4
22	1020·4	289·6	286·8	14·0	+ 1·5	+ 2·5	59	2·9	3·4
23	1020·5	289·4	286·8	14·1	+ 1·3	+ 2·5	63	2·8	3·3
Midn.	1020·4	289·4	286·8	14·3	+ 1·2	+ 2·4	63	2·7	3·1

* 0° = N., 90° = E., &c.

TABLE XIII.—MONTHLY VALUES of the METEOROLOGICAL ELEMENTS in the YEAR 1926.
(*British Units*).

Month, 1926.	Barometric Pressure.				Air Temperature.							Temperature of Evaporation.	Vapour Tension.		
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range.)	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range	Mean		Highest	Lowest.	Mean.
	ins.	ins.	ins.	ins.	°	°	°	°	°	°	°	°	ins.	ins.	ins.
January	30·384	29·812	30·106	0·110	75·6	31·6	24·0	66·0	57·6	8·4	61·1	56·2	0·615	0·220	0·392
February	·272	·844	·053	0·106	74·4	48·8	25·6	63·9	57·3	6·6	60·0	56·9	0·624	0·276	0·428
March	·247	·750	29·998	0·098	82·1	55·0	27·1	68·0	60·8	7·2	63·8	60·3	0·788	0·287	0·491
April	·044	·589	·809	0·089	82·7	62·0	20·7	72·9	66·1	6·8	68·9	66·4	0·879	0·332	0·620
May	·027	·423	·735	0·088	89·4	67·3	22·1	80·9	72·7	8·2	76·1	72·4	1·069	0·409	0·736
June	29·898	·435	·665	0·075	89·1	66·6	22·5	81·3	75·3	6·0	77·8	74·0	1·002	0·431	0·799
July	·783	·229	·647	0·059	91·3	73·3	18·0	86·9	78·4	8·5	82·1	77·7	1·032	0·705	0·891
August	·839	·336	·672	0·072	92·5	74·0	18·5	86·7	78·2	8·5	82·1	78·1	1·111	0·737	0·909
September	·873	·232	·701	0·073	91·5	73·7	17·8	86·4	77·6	8·8	81·5	76·9	1·082	0·559	0·864
October	30·090	·547	·854	0·089	87·5	63·4	24·1	79·0	70·9	8·1	74·5	68·9	1·948	0·291	0·641
November	·212	·824	·992	0·104	83·0	60·9	22·1	73·4	65·0	8·4	68·9	63·4	1·759	0·226	0·515
December	·337	·798	30·053	0·108	76·5	43·2	33·3	67·1	59·0	8·1	62·7	57·3	1·784	0·099	0·421
Year.	30·384	29·229	29·857	0·089	92·5	43·2	49·3	76·0	68·2	7·8	71·6	67·4	1·111	0·099	0·644
Date.	Jan. 25.	July 22.	...	...	Aug. 16.	Dec. 26.	...	...	...	...	...	...	Aug. 16.	Dec 27.	...

Month, 1926.	Degree of Humidity.		Clouds.			Bright Sunshine.		Rainfall.					Wind.				
	Mean.	Lowest	Mean amount (0-100)	Direction of motion *		Daily Duration	Percentage of Possible Sunshine	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum	Hourly Maximum	Resultant. †		Observed Velocity		
				of Upper	of Lower									Direction *	Velocity.	Mean. †	Maximum Hourly †	Maximum ‡
	%	%		°	°	hrs	%	ins.	hrs		ins.	ins.	ins.		m.p.h.	m.p.h.	m.p.h.	m.p.h.
Jan.	72	40	62	264	84	172·5	51	0·215	25	2	0·009	0·170	0·050	79	10·9	12·5	32	44
Feb.	82	53	89	250	88	66·1	21	2·400	70	6	0·034	0·995	0·320	77	12·6	14·3	37	46
Mar.	82	43	85	265	95	96·1	25	4·840	148	15	0·033	1·500	0·620	82	10·4	12·5	36	46
April	87	56	93	270	122	59·5	16	17·165	171	18	0·100	4·500	2·225	83	12·7	14·7	35	46
May	83	41	82	274	120	151·5	37	5·730	68	9	0·084	1·535	2·670	90	9·2	12·5	34	58
June	83	50	89	281	127	94·0	23	6·635	99	18	0·067	1·250	2·820	98	8·8	15·0	36	44
July	81	53	70	29	179	221·7	54	29·790	85	21	0·335	21·025	3·965	143	5·0	10·1	60	85
Aug.	83	57	68	41	135	216·4	54	8·010	58	17	0·138	1·345	3·380	103	6·3	9·5	34	51
Sept.	80	43	60	35	100	214·4	58	17·300	81	17	0·213	5·610	1·880	76	6·4	10·7	73	101
Oct.	74	34	60	275	79	176·6	49	3·275	53	10	0·060	1·200	1·720	62	10·5	13·2	38	54
Nov.	73	34	45	239	83	204·0	62	4·965	51	3	0·097	3·635	1·670	66	8·6	10·6	26	34
Dec.	69	17	62	278	85	141·0	42	0·455	33	3	0·014	0·420	1·100	62	9·2	11·2	29	39
Year.	79	17	72	296	105	1814·2	43	100·78	948	139	0·106	21·025	3·965	81	8·8	12·2	73	101
Date.	...	Dec 27.	...	...	...	...	...	...	...	...	...	July 19.	July $19^d 4^h$	...	...	...	Sept $27^d 10^h$	Sept 27 9 21

* 0°=North, 90°=East &c. † Beckley Anemograph. ‡ Dines-Baxendell Anemograph

TABLE XIV.—MONTHLY NORMALS of the METEOROLOGICAL ELEMENTS and EXTREME VALUES for the PERIOD 1884-1923. (*British Units*).

Month.	Barometric Pressure.				Air Temperature.							Vapour Tension.		
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	Highest.	Lowest.	Mean.
	ins.	ins.	ins.	ins.	°	°	°	°	°	°	°	ins.	ins.	ins.
January	30·509	29·605	30·050	0·108	79·3	32·0	47·3	64·4	56·1	8·3	59·8	0·748	0·020	0·384
February	30·400	29·421	30·015	0·105	79·4	38·4	41·0	63·0	55·3	7·7	58·8	0·820	0·026	0·391
March	30·355	29·527	29·942	0·103	82·8	45·4	37·4	67·3	59·8	7·5	63·1	0·873	0·097	0·488
April	30·273	29·488	29·843	0·094	88·6	51·8	36·8	74·8	67·1	7·7	70·4	0·967	0·162	0·638
May	30·045	29·330	29·746	0·084	91·5	59·7	31·8	81·4	73·5	7·9	76·8	1·032	0·221	0·775
June	29·881	29·137	29·648	0·070	93·6	68·9	24·7	85·3	77·7	7·6	81·0	1·073	0·314	0·875
July	29·889	28·762	29·615	0·068	94·0	72·1	21·9	86·7	78·4	8·3	82·0	1·128	0·548	0·895
August	29·873	28·590	29·617	0·073	97·0	71·6	25·4	86·6	77·8	8·8	81·6	1·123	0·535	0·891
September	30·009	28·876	29·719	0·079	94·0	65·6	28·4	85·3	76·7	8·6	80·5	1·069	0·183	0·805
October	30·192	29·089	29·876	0·091	93·8	57·4	36·4	80·8	72·7	8·1	76·3	0·962	0·177	0·652
November	30·445	28·735	29·987	0·101	86·1	43·7	42·4	74·2	65·2	9·0	69·3	0·893	0·055	0·488
December	30·454	29·725	30·050	0·107	81·9	40·7	41·2	67·6	58·6	9·0	62·7	0·752	0·035	0·393
Year.	30·509	28·590	29·842	0·090	97·0	32·0	...	76·4	68·2	8·2	72·3	1·128	0·020	0·639
Date.	1903. Jan. 6.	1923. Aug. 18.	...	...	1900 Aug. 19.	895 Jan. 18.	...	...	...	...	...	1919. July 3.	1888, Jan. 2.	...

Month.	Degree of Humidity.		Clouds.			Bright Sunshine.		Rainfall.						Wind. *			
	Mean.	Lowest.	Mean Amount (0-100).	Direction of Motion * of Upper.	Direction of Motion * of Lower.	Daily Duration.	Percentage of Possible Sunshine.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Resultant. Direction *	Resultant. Velocity.	Observed Velocity. Mean.	Observed Velocity. Absolute Maximum.
	%	%		°	°	hrs.	%	ins.	hrs.		ins.	ins.	ins.	°	m.p.h.	m.p.h.	m.p.h.
Jan.	72	4	62	252	98	149·6	44	1·293	47	6.3	0·028	3·920	0·725	76	10·1	13·0	53
Feb.	76	6	74	261	102	100·0	31	1·679	65	8.2	0·026	2·185	0·970	79	11·4	14·2	53
Mar.	83	19	83	258	118	90·4	24	2·739	76	10.8	0·036	3·785	1·570	84	13·1	15·2	49
April	84	17	80	259	133	116·0	31	5·287	74	11.8	0·071	6·225	2·420	90	11·4	14·1	47
May	83	28	75	268	160	155·2	38	11·856	91	16.1	0·130	20·495	3·400	101	7·9	12·6	52
June	83	25	77	340	190	164·2	41	15·663	86	20.5	0·182	12·630	2·855	151	5·6	11·7	48
July	82	49	67	52	176	212·4	51	13·876	70	18.4	0·198	13·480	3·480	140	5·1	11·1	108
Aug.	83	38	66	50	184	199·1	50	14·743	70	17.1	0·211	11·135	2·350	139	3·1	9·5	106
Sept.	77	23	58	38	93	200·9	55	9·808	53	14.2	0·185	6·060	2·420	82	6·9	11·4	89
Oct.	71	22	51	275	83	214·4	60	5·022	34	8.1	0·148	11·505	2·820	75	10·6	13·9	85
Nov.	66	10	54	248	85	182·9	55	1·742	31	5.7	0·056	5·875	1·740	64	9·7	12·7	90
Dec.	67	7	54	248	89	173·2	52	1·085	36	5·0	0·030	1·670	0·500	67	8·9	11·8	63
Year.	77	4	67	270	126	1958·3	44	84·793	733	142·2	0·116	20·495	3·480	87	8·0	12·6	108
Date.	...	1888, Jan. 2.	...	...	...	...	...	...	...	...	...	1889. May 30.	1886, July 15d 15h	...	...	...	1896, July 29d 22h

* 0° = North, 90° = East &c.

† Beckley Anemograph.

TABLE XV.—MONTHLY VALUES of the METEOROLOGICAL ELEMENTS in the YEAR 1926. (*C.G.S. Units*).

Month, 1926.	Barometric Pressure.				Air Temperature.							Temperature of Evaporation.
	Highest.	Lowest.	Mean	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	
	m.b.	m.b.	m.b.	m.b.								
January	1031·0	1011·6	1021·6	3·7	297·2	283·9	13·3	291·9	287·2	4·7	289·2	286·4
February	1027·1	1012·7	1019·8	3·5	296·6	282·3	14·3	290·7	287·1	3·6	288·6	286·8
March	1026·4	1009·4	1017·9	3·3	300·8	285·8	15·0	293·0	289·0	4·0	290·7	288·8
April	1019·4	1003·9	1011·5	3·0	301·2	289·7	11·5	295·7	291·9	3·8	293·5	292·1
May	1018·8	998·2	1008·9	2·9	304·9	292·6	12·3	300·2	295·6	4·6	297·5	295·4
June	1014·5	998·7	1006·5	2·5	304·7	292·2	12·5	300·4	297·1	3·3	298·4	296·3
July	1010·5	991·7	1005·8	2·1	305·9	295·9	10·0	303·5	298·8	4·7	300·8	298·4
August	1012·4	995·2	1006·7	2·4	306·6	296·3	10·3	303·4	298·7	4·7	300·8	298·6
September	1013·5	991·8	1007·7	2·5	306·1	296·2	9·9	303·2	298·3	4·9	300·5	297·9
October	1020·9	1002·5	1012·9	3·0	303·8	290·4	13·4	299·1	294·6	4·5	296·6	293·5
November	1025·1	1011·9	1017·7	3·3	301·3	289·1	12·2	296·0	291·3	4·7	293·5	290·4
December	1029·5	1011·1	1019·8	3·7	297·7	279·2	18·5	292·5	288·0	4·5	290·1	287·1
Year.	1031·0	991·7	1013·1	3·0	306·6	279·3	27·4	297·5	293·1	4·4	295·0	292·6
Date.	Jan. 25.	July 22.	...	...	Aug. 16.	Dec. 26.	...	...	...	...	...	...

Month, 1926.	Vapour Tension.			Rainfall.						Wind.				
										Resultant. *	Observed Velocity.			
	Highest.	Lowest.	Mean.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Direction.	Velocity.	Mean †	Maximum Hourly. †	Maximum Squall. ‡
	m.b.	m.b.	m.b.	mm.	hrs.		mm.	mm.	mm.	°	m.p.s.	m.p.s.	m.p.s.	m.p.s.
January	20·7	7·4	13·2	5·4	25	2	0·2	4·3	1·3	79	3·6	4·1	10·5	14
February	21·1	9·3	14·4	61·0	70	6	0·9	24·3	8·1	77	4·1	4·7	12·1	15
March	26·6	9·6	16·5	122·9	148	15	0·8	38·1	15·7	82	3·4	4·1	11·8	15
April	29·7	11·2	20·9	435·9	171	18	2·5	114·3	56·5	83	4·2	4·8	11·5	15
May	36·1	13·8	25·5	145·5	68	9	2·1	39·0	17·0	90	3·0	4·1	11·1	19
June	33·8	14·5	26·9	168·5	99	18	1·7	31·8	20·8	98	2·9	4·9	11·8	14
July	34·8	23·8	30·1	756·7	89	21	8·5	434·0	100·7	143	1·6	3·3	19·7	28
August	37·5	24·9	30·7	203·4	58	17	3·5	34·2	9·6	103	2·1	3·1	11·1	17
September	36·5	20·2	29·1	439·4	81	17	5·4	142·5	47·7	76	2·1	3·5	23·9	33
October	32·0	9·8	21·6	83·2	55	10	1·5	30·5	18·3	62	3·4	4·3	12·5	18
November	25·6	7·6	17·4	126·1	51	3	2·5	92·3	17·0	66	2·9	3·5	8·5	11
December	26·4	3·4	14·2	11·6	33	3	0·4	10·7	2·5	62	3·0	3·7	9·8	13
Year.	37·5	3·4	21·7	2559·6	948	139	2·7	534·0	100·7	81	2·9	4·0	23·9	33
Date.	Aug. 16.	Dec. 27.	...	...	...	...	...	July 19.	July 19d 4h	...	...	...	Sept. 27d 10h	Sept. 27d 9h 31m

* 0°=North, 90°=East &c. † Beckley Anemograph. ‡ Dines-Baxendell Anemograph

TABLE XVI.—MONTHLY NORMALS of the METEOROLOGICAL ELEMENTS and EXTREME VALUES for the PERIOD 1884-1923. (*C.G.S. Units*).

Month.	Barometric Pressure.				Air Temperature.							
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	Temperature of Evaporation.
	m.b.	m.b.	m.b.	m.b.	°	°	°	°	°	°	°	°
January	1035·4	1004·6	1019·7	3·6	299·3	273·0	26·3	291·0	286·4	4·6	288·4	285·9
February	1031·7	998·3	1018·5	3·5	299·3	276·6	22·7	290·2	285·9	4·3	287·9	285·7
March	1030·2	1001·9	1016·0	3·5	301·2	280·4	20·8	292·6	288·4	4·2	290·3	288·6
April	1027·3	1000·5	1012·6	3·2	304·4	284·0	20·4	296·8	292·5	4·3	294·3	292·7
May	1019·5	995·1	1009·3	2·8	306·1	288·4	17·7	300·4	296·1	4·3	297·9	295·9
June	1013·8	988·5	1005·9	2·4	307·2	293·5	13·7	302·6	298·4	4·2	300·2	298·0
July	1014·1	975·8	1004·8	2·3	307·4	295·3	12·1	303·4	298·8	4·6	300·8	298·4
August	1013·6	970·0	1004·9	2·5	309·1	295·0	14·1	303·3	298·4	4·9	300·6	298·3
September	1018·2	979·7	1008·3	2·7	307·4	291·7	15·7	302·6	297·8	4·8	299·9	297·0
October	1024·5	986·9	1013·7	3·1	307·3	287·1	20·2	300·1	295·0	4·5	297·6	294·1
November	1033·2	974·9	1017·5	3·4	303·1	279·5	23·6	296·4	291·4	5·0	293·7	289·9
December	1033·5	1009·4	1019·7	3·6	300·7	277·8	22·9	292·8	287·8	5·0	290·1	286·8
Year.	1035·4	970·0	1012·6	3·1	309·1	273·0	...	297·7	293·1	4·6	295·2	292·6
Date.	1903. Jan. 6.	1923. Aug 18.	...	...	1900. Aug. 19.	1893 Jan. 18.	...	...	...	...	...	...

Month.	Vapour Tension.			Rainfall.						Wind. †			
	Highest.	Lowest.	Mean.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Resultant.		Observed Velocity.	
										Direction.	Velocity.	Mean.	Absolute Maximum
	m.b.	m.b.	m.b.	m.m.	hrs.		m.m.	m.m.	m.m.		m.p.s.	m.p.s.	m.p.s.
January	25·2	0·7	12·9	32·8	47	6·3	0·7	99·6	18·4	76	3·3	4·3	17
February	27·7	0·9	13·2	42·7	65	8·2	0·7	55·5	24·6	79	3·7	4·7	17
March	29·5	3·3	16·4	69·6	76	10·8	0·9	96·1	39·9	84	4·3	5·0	16
April	32·6	5·5	21·5	134·3	74	11·8	1·8	158·1	61·5	90	3·7	4·6	15
May	35·7	7·4	26·1	301·1	91	16·1	3·3	520·6	86·4	101	2·6	4·1	17
June	36·2	10·6	29·5	397·9	86	20·5	4·6	320·8	72·5	151	1·8	3·8	16
July	38·1	18·5	30·2	352·4	70	18·4	5·0	342·4	88·4	140	1·7	3·6	35
August	37·9	18·0	30·1	374·5	70	17·1	5·3	282·8	59·7	139	1·0	3·1	35
September	36·1	6·1	27·2	249·1	53	14·2	4·7	153·9	61·5	82	2·3	3·7	29
October	32·5	6·0	22·0	127·6	34	8·1	3·8	292·2	54·1	75		4·6	28
November	30·1	1·9	16·4	44·2	31	5·7	1·4	149·2	44·2	64	3·2	4·2	30
December	25·4	1·2	13·2	27·6	36	5·0	0·8	42·4	12·7	67	2·9	3·9	21
Year.	38·1	0·7	21·6	2153·8	733	142·2	2·9	520·6	88·4	87	2·6	4·1	35
Date.	1919, July 3.	1888, Jan. 2.	...	...	...	...	...	1889. May 30.	1886. July 15d 15h	...	...	...	1896, July 29d 22

* 0° = North, 90° = East &c.

† Beckley Anemograph.

TABLE XVII.—MONTHLY PREVALENCE of METEOROLOGICAL PHENOMENA in the YEAR 1926.

Month, 1926.	Percentage of Wind from the Eight Principal Points of the Compass.									Number of Days on which different Phenomena were observed.						
	N	NE	E	SE	S	SW	W	NW	Calm.	Fog.	Elect. in Thunderstorms	Lightning	Thunder	Rainbow.	Unusual Visibility	Dew.
January....	9	18	56	8	...	...	4	1	4	2	...	...	...	...	1	2
February...	8	14	58	3	...	1	6	3	7	5	3	3	2	...	1	1
March.....	6	14	56	5	3	2	4	3	7	7	1	...	1	...	...	2
April.....	3	14	60	3	4	3	3	2	8	9	11	10	11	...	1	6
May.....	1	7	58	4	7	7	6	2	8	7	11	11	8	...	3	5
June.....	1	11	47	3	17	14	4	1	2	1	3	3	3	...	2	...
July	1	2	19	22	24	9	10	5	8	...	6	6	2	4	8	6
August.....	...	4	48	8	5	10	9	2	14	1	13	12	6	2	2	6
September.	2	12	30	6	3	8	13	6	20	...	17	15	10	2	4	13
October ...	17	23	45	3	...	1	2	2	7	...	2	2	...	...	..	4
November.	25	21	42	5	...	...	...	1	6	...	...	...	...	...	2	2
December..	27	22	41	3	...	...	1	...	6	2	1	1	...	...	.	3
Year.....	8	14	47	6	5	5	5	2	8	34	68	63	43	8	24	50

Month, 1926.	Number of Days on which different Phenomena were observed.						Number of Times different Forms of Cloud were observed, (8 observations a day.)								
	Halo		Corona.		Non-Thunder-Storms	Cirrus	Cirro-Stratus.	Cirro-Cumulus	Alto-Stratus.	Alto-Cumulus	Cumulus	Strato-Cumulus.	Cumul. Nimbus	Nimbus.	Stratus.
	Solar.	Lunar.	Solar	Lunar											
January....	...	1	...	1	...	...	6	1	...	22	149	7	18	19	...
February..	...	...	...	...	...	...	2	1	...	18	81	32	35	56	2
March	...	...	...	...	...	...	2	...	...	9	100	9	5	104	3
April.....	...	...	...	...	19	...	6	...	...	2	99	4	9	124	...
May.....	3	1	...	...	8	...	17	1	...	13	159	1	7	59	1
June.....	1	1	...	3	1	...	10	1	...	7	120	1	25	90	...
July	1	...	...	2	3	...	27	...	...	...	168	...	13	52	...
August. . .	2	3	...	2	6	...	56	...	...	1	163	1	18	38	...
September.	2	...	...	3	6	...	36	3	...	8	140	...	7	48	...
October....	...	...	..	2	...	...	11	1	...	18	131	3	10	44	...
November.	...	1	...	1	...	...	16	1	...	7	130	1	2	23	...
December..	...	...	...	3	...	...	4	6	...	12	137	6	4	30	1
Year.....	9	7	...	17	43	...	193	15	...	117	1577	65	153	687	7

TABLE XVIII.—NORMAL PREVALENCE of METEOROLOGICAL PHENOMENA for the PERIOD 1884-1923.

Month.	Percentage of Wind from the Eight Principal Points of the Compass.									Number of Days on which different Phenomena were observed.					
	N	NE	E	SE	S	SW	W	NW	Calm.	Fog.	Electric Phenomena	Lightning	Thunder.	Rainbow.	Dew.
January ...	18	11	51	5	1	1	5	3	5	4·4	0·3	0·3	0·2	0·2	2·4
February...	16	10	55	5	2	1	4	3	4	4·7	0·5	0·4	0·3	0·1	1·4
March.....	8	8	65	5	3	1	3	3	4	8·8	2·9	2·6	2·4	0·1	1·8
April.....	4	6	64	6	7	3	3	3	4	7·4	7·2	6·4	5·0	0·2	3·7
May.....	3	5	50	6	12	11	4	3	6	2·2	12·5	12·0	6·5	1·2	4·7
June.....	1	4	28	9	24	21	5	3	5	1·0	15·5	14·6	8·4	3·4	3·7
July	1	4	28	12	18	17	9	4	7	1·2	15·8	14·8	7·8	4·2	7·3
August.....	2	4	25	10	12	15	14	6	12	3·0	19·0	18·0	10·1	3·3	10·5
September.	8	10	38	10	5	4	9	5	11	2·5	13·1	12·5	5·4	2·2	8·2
October....	15	15	49	8	2	1	3	2	5	0·7	3·0	2·9	1·0	0·8	3·8
November.	24	18	42	5	1	1	3	1	5	0·9	0·4	0·4	0·2	0·4	3·7
December..	24	14	44	5	1	1	3	2	6	2·3	0·3	0·3	0·2	0·1	3·5
Year.....	10	9	45	7	8	7	5	3	6	39·1	9·05	85·2	47·5	16·2	54·7

Month.	Number of Days on which different Phenomena were observed.					Number of Times different Forms of Cloud were observed. (8 observations a day.)								
	Halo.		Corona.		No. of Thunder Storms.	Cirrus.	Cirro-Stratus.	Cirro-Cumulus.	Alto-Strat.-s.*	Alto-Cumulus	Cumulus.	Str-to-Cumulus	Cumulo-Nimb.-s.	Nimbus	Stratus.
	Solar.	Lunar.	Solar.	Lunar.											
January....	0·2	0·2	...	1·2	0·2	0·3	6·1	5·3	0·2	41·8	93·2	8·4	17·2	22·0	15·0
February..	0·1	0·1	0·1	1·1	0·2	0·2	4·1	2·7	0·5	30·6	82·9	10·2	20·8	34·9	22·7
March.....	0·5	0·4	0·3	0·7	1·8	...	4·4	3·0	0·5	27·6	106·7	12·6	27·3	43·6	23·9
April.....	1·2	0·3	0·3	1·4	4·0	0·3	10·3	6·8	0·3	31·0	120·4	7·0	24·8	41·8	14·3
May.....	2·3	1·8	0·2	2·4	5·2	0·8	24·2	15·1	0·4	34·8	140·4	5·5	22·2	44·6	6·6
June.....	4·0	3·4	0·3	3·2	5·8	1·1	42·4	22·4	0·2	13·1	159·2	3·6	18·4	41·6	5·3
July.....	5·3	4·1	0·4	3·5	5·6	1·4	60·5	28·7	0·2	17·5	166·1	2·8	14·8	35·1	4·2
August.....	5·3	4·4	0·9	3·4	6·5	1·8	57·3	28·6	0·3	24·3	154·2	1·4	14·7	36·3	5·6
September.	3·1	3·0	0·3	3·3	3·5	0·5	37·9	23·9	0·1	31·8	141·5	3·2	11·5	23·1	4·6
October....	1·1	1·3	0·3	2·3	0·8	0·3	15·2	14·4	0·1	36·2	138·3	0·3	9·6	18·0	5·7
November.	1·1	1·1	0·2	2·3	0·1	0·2	20·2	11·1	0·5	43·1	102·0	5·5	8·7	17·6	8·7
December .	0·2	0·3	0·1	2·0	0·1	0·4	11·9	6·4	0·8	44·9	85·0	8·0	10·4	20·3	10·1
Year.....	24·4	20·4	3·4	26·8	33·8	7·3	294·5	168·4	4·1	376·7	1489·9	68·5	200·4	378·9	126·7

* For the Period 1913–1923.

TABLE XIX.—FIVE-DAY MEANS OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT THE ROYAL OBSERVATORY, HONG KONG IN THE YEAR 1926, AND NORMALS FOR THE PERIOD 1884–1923. (*British Units*).

Five day periods beginning.	Barometric Pressure.		Temperature of the Air.		Relative Humidity.		Vapour Tension		Wind * Direction.		Wind Velocity.		Amount of Cloud. (0-.00).		Bright Sunshine.		Rainfall	
	1926	Normals.	1926.	Normals.	1926.	Normals.	1926.	Normals.	1926.	Normals	1926.	Normals.	1926.	Normals.	1926.	Normals	1926.	Normals.
	ins.	ins					ins	ins.			m.p.h.	m.p.h.			hrs.	hrs.	ins.	ins.
Jan. 1	30·110	30·090	60·3	60·1	70	67	·368	0·362	68	70	11·6	11·6	82	55	2·7	5·5	0·035	·027
6	·133	·076	59·9	60·2	70	69	·360	·375	77	75	13·5	12·7	51	52	6·8	5·8	..	·028
11	29·989	·030	65·0	60·6	74	73	·465	·399	91	77	11·0	11·7	58	66	5·5	4·5	...	·029
16	·944	·055	62·8	58·9	79	73	·454	·375	76	76	12·6	12·7	70	66	5·1	4·3	0·007	·025
21	30·253	·039	57·5	60·1	66	75	·315	·402	69	79	13·5	14·0	72	63	4·8	4·9	...	·038
26	·194	·020	60·5	59·2	72	77	·381	·397	89	78	12·3	13·6	37	71	8·7	3·8	...	·104
31	·117	·026	61·1	57·4	75	74	·407	·361	78	69	16·7	13·8	74	72	4·6	3·8	0·001	·074
Feb. 5	29·996	·036	60·1	57·7	83	72	·437	·365	83	76	17·0	13·7	98	73	0·3	3·7	0·009	·047
10	30·037	·048	63·6	58·1	82	74	·484	·399	80	79	11·9	14·5	74	68	4·9	4·3	...	·051
15	·018	·009	61·1	59·5	82	78	·448	·409	77	81	16·6	12·9	94	75	2·6	3·4	0·002	·067
20	·054	29·994	56·0	59·6	85	78	·389	·408	57	82	10·2	14·1	100	78	...	3·0	0·469	·067
25	·110	·070	59·6	60·8	82	81	·423	·441	85	80	13·2	14·6	93	79	2·3	3·0	...	·053
Mar. 2	·025	·956	65·7	61·4	87	81	·550	·452	91	82	12·4	15·5	83	82	3·8	2·9	0·003	·049
7	·059	·951	64·5	62·7	79	83	·481	·486	83	85	13·7	16·2	72	86	6·4	2·5	0·001	·049
12	29·876	·945	69·2	62·1	86	83	·624	·475	91	82	14·1	15·0	96	82	2·7	2·7	0·022	·104
17	·928	·942	61·9	62·9	85	82	·472	·479	69	83	14·2	14·7	100	80	0·2	3·2	0·522	·097
22	30·050	·926	59·9	64·5	78	82	·400	·516	66	85	11·5	14·6	100	85	0·1	2·8	0·255	·123
27	·048	·914	61·5	65·6	75	83	·412	·534	88	85	8·9	15·4	60	83	5·5	3·2	0·165	·107
Apr. 1	29·925	·883	67·4	67·2	81	82	·550	·558	86	88	12·8	14·6	81	81	4·5	3·5	0·151	·111
6	·832	·850	69·3	68·3	87	85	·625	·585	85	89	9·8	14·3	82	84	4·8	2·9	0·994	·156
11	·716	·846	66·7	70·1	93	85	·609	·638	76	87	23·1	13·8	98	81	0·8	3·7	1·140	·186
16	·776	·825	68·2	70·8	83	86	·580	·658	88	88	13·1	14·0	97	78	0·6	3·7	0·162	·206
21	·759	·817	73·0	72·8	92	85	·753	·686	100	91	11·3	13·4	100	75	1·0	4·7	0·087	·151
26	·854	·816	68·9	73·3	85	86	·603	·696	75	90	17·8	14·5	100	78	0·2	4·6	0·899	·251
May. 1	·916	·814	72·7	73·7	90	83	·728	·700	94	87	11·7	13·8	76	74	6·0	4·8	...	·232
6	·865	·764	74·6	75·6	77	83	·660	·742	85	97	12·4	12·3	73	71	5·5	5·1	...	·297
11	·702	·758	75·4	76·4	79	83	·693	·759	88	95	11·8	13·1	77	76	6·4	5·1	0·106	·369
16	·765	·732	75·6	77·7	79	84	·709	·804	86	112	12·9	12·0	72	75	6·8	5·2	...	·431
21	·586	·716	77·5	78·2	90	85	·853	·811	108	107	15·9	12·2	99	79	0·7	4·5	0·794	·426
26	·559	·703	80·7	78·9	87	82	·917	·818	93	110	8·7	12·2	93	74	4·4	5·2	0·246	·493
31	·817	·696	71·7	79·5	81	82	·622	·831	71	129	20·6	11·8	99	74	0·3	5·3	0·151	·547
June 5	·762	·670	75·1	79·7	81	84	·704	·854	81	123	16·8	11·9	71	80	4·5	4·5	0·005	·520
10	·566	·650	78·2	80·7	85	84	·819	·874	80	146	11·2	11·1	84	79	2·4	5·3	0·181	·580
15	·608	·630	75·6	81·7	85	82	·754	·885	77	178	21·1	11·7	95	78	0·7	5·3	0·182	·500
20	·595	·639	81·3	81·8	87	83	·927	·898	186	158	6·6	11·7	97	78	1·8	5·6	0·678	·512
25	·662	·629	83·5	81·9	80	82	·921	·892	205	155	15·4	11·4	94	71	7·9	6·7	0·130	·466
30	·717	·620	82·8	81·6	79	83	·892	·892	156	155	11·3	12·1	85	76	7·2	5·4	0·118	·571
July 5	·655	·652	82·7	82·0	82	82	·915	·897	114	159	13·0	10·9	63	71	9·4	6·7	0·102	·384
10	·688	·646	84·1	82·5	76	80	·887	·895	219	137	7·0	11·0	41	64	11·6	8·0	0·028	·221
15	·556	·606	82·5	82·1	82	81	·904	·892	260	149	9·6	10·4	76	63	4·7	7·3	4·479	·603
20	·524	·585	79·7	81·9	86	82	·872	·893	103	112	15·8	11·3	93	67	2·2	6·6	1·018	·437
25	·721	·581	80·9	81·7	83	83	·877	·896	163	118	6·5	11·6	82	67	6·2	6·5	0·213	·531
30	·714	·581	81·5	81·9	82	82	·880	·896	129	155	8·1	11·6	65	67	8·2	6·5	0·287	·549
Aug. 4	·706	·598	80·9	82·0	85	83	·891	·900	94	178	18·5	10·4	90	67	5·3	6·8	0·341	·437
9	·714	·598	82·3	81·5	82	84	·900	·900	97	144	7·0	9·1	46	72	9·2	5·7	0·054	·520
14	·524	·618	85·1	81·3	78	83	·943	·893	180	132	7·0	9·9	44	70	9·4	6·1	0·147	·502
19	·646	·641	82·3	81·4	83	83	·917	·885	94	107	9·3	8·6	63	58	7·3	7·1	0·272	·519
24	·656	·639	82·1	81·5	83	82	·913	·883	225	124	6·3	8·1	82	62	5·1	6·6	0·390	·519
29	·794	·649	80·5	81·6	86	81	·898	·879	87	101	7·6	9·0	67	63	5·9	6·6	0·267	·375
Sept. 3	·748	·655	83·4	81·6	82	79	·937	·848	195	97	5·1	9·0	52	57	8·6	7·2	0·062	·321
8	·584	·673	83·6	80·6	71	78	·820	·811	283	78	6·5	10·7	57	60	10·4	6·5	0·026	·367
13	·699	·728	79·8	80·5	84	78	·853	·809	79	83	5·1	10·8	76	58	3·7	6·7	0·905	·324
18	·774	·749	79·3	80·2	81	77	·810	·802	69	81	14·5	13·1	64	58	6·2	6·4	1·141	·473
23	·640	·785	82·1	79·7	82	75	·899	·764	86	78	12·5	13·1	46	58	8·1	6·8	0·354	·208
28	·764	·780	80·2	78·9	83	72	·854	·724	75	71	26·0	13·9	83	60	3·7	6·1	1·066	·276
Oct. 3	·780	·817	79·5	78·1	80	71	·810	·685	80	76	13·1	14·3	58	54	7·4	6·9	0·042	·272
8	·687	·863	72·9	77·2	72	72	·583	·679	22	74	17·7	13·7	92	51	1·8	6·8	0·120	·169
13	·827	·877	76·1	76·4	81	71	·733	·657	71	75	16·8	12·4	83	49	2·9	7·2	0·243	·072
18	·978	·895	70·1	75·8	61	71	·454	·641	40	73	9·5	13·5	47	50	7·9	6·9	...	·148
23	·918	·920	73·7	74·9	72	71	·600	·619	77	77	9·4	14·0	21	45	9·7	7·5	...	·060
28	·991	·924	71·6	73·6	71	71	·553	·597	73	65	9·1	12·7	39	53	7·7	6·3	...	·186
Nov. 2	·999	·949	69·0	72·7	58	71	·418	·578	48	70	9·3	13·4	9	57	10·3	6·2	...	·047
7	·988	·953	71·5	71·4	75	67	·579	·527	86	65	15·3	13·4	25	57	10·0	5·9	...	·065
12	·920	·988	69·5	69·4	82	64	·587	·474	62	60	9·0	12·7	74	55	3·4	6·0	0·941	·066
17	30·080	·989	67·0	68·7	70	65	·468	·468	5	61	6·3	11·7	85	54	2·5	6·1	...	·076
22	·008	30·021	67·2	66·9	69	63	·460	·438	69	61	11·1	12·7	41	46	7·9	6·5	...	·050
27	29·943	·042	68·3	65·4	85	64	·587	·417	74	63	10·9	12·3	53	56	4·7	5·7	0·136	·038
Dec. 2	·962	·044	68·5	64·4	82	66	·571	·412	80	61	11·0	12·0	61	54	4·4	5·7	...	·049
7	30·032	·022	62·7	63·7	67	66	·396	·405	63	65	14·1	11·0	72	53	3·8	5·7	...	·036
12	29·895	·054	69·5	62·7	90	64	·650	·382	87	63	12·2	11·5	88	55	2·8	5·3	0·006	·016
17	30·037	·052	63·7	62·3	73	68	·438	·399	49	69	10·9	12·0	74	57	2·8	5·4	0·001	·050
22	·203	·068	53·6	61·2	47	68	·201	·380	15	68	10·0	11·6	54	54	5·1	5·6	...	·033
27	·202	·061	57·2	61·0	51	68	·244	·372	70	74	10·1	12.0	14	53	9·3	5·7	...	·035

*0°=N, 90°E, etc.

TABLE XX.—FIVE-DAY MEANS OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT THE ROYAL OBSERVATORY, HONG KONG, IN THE YEAR 1926, AND NORMALS FOR THE PERIOD 1884–1923. (*C.G.S. Units*).

Five-day periods beginning.	Barometric Pressure.		Temperature of the Air.		Vapour Tension.		Wind.								Rainfall.	
							N. Component.		E. Component.		Direction.		Velocity.			
	1926.	Normal.	1926.	Normal.	1926.	Normal.	1926.	Normal.	1926.	Normal.	1926.	Normal.	1926.	Normal.	1926.	Normal.
	m.b.	m.b.			m.b.	m.b.	m.p.s.	m.p.s.	m.p.s.	m.p.s.	°	°	m.p.s.	m.p.s.	m.m.	m.m.
Jan. 1	1021·7	1021·0	288·7	288·6	12·4	12·2	+1·2	+1·0	+3·0	+2·6	68	70	3·8	3·8	0·9	0·7
6	1022·5	1020·6	288·5	288·7	12·1	12·6	+0·9	+0·9	+4·1	+3·2	77	75	4·4	4·2	...	0·7
11	1017·6	1019·0	291·3	288·9	15·7	13·4	−0·1	+0·8	+3·4	+3·3	91	77	3·6	3·8	...	0·7
16	1016·1	1019·9	290·1	287·9	15·3	12·6	+0·8	+0·8	+3·0	+3·1	76	76	4·1	4·2	0·2	0·6
21	1026·6	1019·3	287·2	288·6	10·6	13·5	+1·4	+0·6	+3·6	+3·3	69	79	4·4	4·6	...	1·0
26	1024·6	1018·7	288·8	288·1	12·8	13·4	+0·1	+0·8	+3·7	+3·4	89	78	4·0	4·5	...	2·6
31	1021·9	1018·9	289·2	287·1	13·7	12·1	+1·1	+1·1	+5·2	+3·0	78	69	5·5	4·5	...	1·9
Feb. 5	1017·9	1019·2	288·6	287·3	14·7	12·3	−0·7	+0·8	+3·5	+3·4	85	76	5·6	4·5	0·2	1·2
10	1019·2	1019·6	290·6	287·5	16·3	12·4	+0·6	+0·8	+3·3	+3·8	80	79	3·9	4·8	...	1·3
15	1018·6	1018·2	289·2	288·3	15·1	13·8	+1·1	+0·6	+4·9	+3·6	77	81	5·4	4·2	0·1	1·7
20	1019·9	1017·8	286·3	288·3	13·1	13·7	+1·4	+0·5	+2·2	+3·4	57	82	3·3	4·6	11·9	1·7
25	1021·7	1017·0	288·3	289·0	14·2	14·9	−0·3	+0·7	+3·3	+3·9	85	80	4·3	4·8	...	1·3
Mar. 2	1018·8	1016·8	291·7	289·3	18·6	15·2	..	+0·6	+3·8	+4·1	91	82	4·1	5·1	0·1	1·2
7	1020·0	1016·3	291·1	290·1	16·2	16·4	+0·5	+0·4	+4·0	+4·7	83	85	4·5	5·3	...	1·2
12	1013·7	1016·1	293·7	289·7	21·1	16·0	...	+0·6	+3·1	+4·1	91	82	4·6	4·9	0·6	2·6
17	1015·6	1016·0	289·6	290·2	15·9	16·1	+1·4	+0·5	+3·7	+4·1	69	83	4·7	4·8	13·3	2·5
22	1019·7	1015·5	288·5	291·1	13·5	17·4	+1·4	+0·4	+3·2	+4·0	66	85	3·8	4·8	6·5	3·1
27	1019·6	1015·0	289·4	291·7	13·9	18·0	+0·1	+0·4	+2·2	+4·3	88	85	2·9	5·0	4·2	2·7
Apr. 1	1015·4	1014·0	292·7	292·6	18·6	18·8	+0·2	+0·1	+3·8	+3·9	86	88	4·2	4·8	3·8	2·8
6	1012·2	1013·8	293·7	293·2	21·1	19·7	+0·2	..	+2·6	+3·8	85	89	3·2	4·7	25·3	4·0
11	1008·3	1012·7	292·3	294·2	20·6	21·5	−1·8	+0·2	+7·2	+3·6	76	85	7·6	4·5	29·0	4·7
16	1010·0	1012·0	293·1	294·6	19·6	22·2	−0·1	+0·1	+4·0	+3·7	88	88	4·3	4·6	4·1	5·2
21	1009·7	1011·7	295·8	295·7	25·4	23·1	−0·5	−0·1	+2·6	+3·3	100	91	3·7	4·4	2·2	3·8
26	1013·0	1011·7	293·5	295·9	20·3	23·5	−1·2	...	+4·6	+3·8	75	90	5·8	4·8	22·8	6·4
May 1	1015·0	1011·6	295·6	296·2	24·5	23·6	−0·3	+0·2	+3·8	+3·8	94	85	3·8	4·5	...	5·9
6	1013·3	1009·9	296·7	297·2	22·2	25·0	+0·3	−0·3	+3·6	+2·6	85	97	4·1	4·0	...	7·5
11	1007·8	1009·7	297·1	297·7	23·4	25·6	−0·1	−0·5	+3·0	+3·0	88	95	3·9	4·3	2·7	9·4
16	1009·9	1008·7	297·2	298·4	23·9	27·1	+0·2	−0·8	+3·0	+2·0	86	112	4·2	3·9	...	10·9
21	1003·8	1008·2	298·3	298·7	28·8	27·4	−0·8	−0·7	−2·6	+2·1	103	107	5·2	4·0	20·2	10·8
26	1002·9	1007·8	300·1	299·1	30·9	27·6	−0·1	−0·7	+1·5	+2·0	93	110	2·9	4·0	6·2	12·5
31	1011·7	1007·5	295·1	299·4	20·9	28·0	+2·1	−1·0	+6·3	+1·3	71	129	6·8	3·9	3·8	13·9
June 5	1009·8	1006·6	296·9	299·5	23·7	28·8	+0·9	−1·0	+5·4	+1·6	81	123	5·5	3·9	0·5	13·2
10	1003·1	1006·0	298·7	300·1	26·6	29·5	+0·5	−1·4	+2·5	+1·0	80	146	3·7	3·6	4·6	14·7
15	1004·6	1005·3	297·2	300·6	25·4	29·9	+1·5	−2·0	−6·7	+0·1	77	178	6·9	3·8	4·6	12·7
20	1004·1	1005·6	300·4	300·7	31·3	30·3	−1·6	−2·0	−0·2	+0·8	186	158	2·2	3·8	17·2	13·0
25	1006·3	1005·3	301·6	300·7	31·1	30·1	−4·5	−1·7	−2·1	+0·8	205	155	5·0	3·7	3·3	11·8
30	1008·2	1005·0	301·2	300·6	30·1	30·1	−2·8	−1·8	+1·2	−0·9	156	155	3·7	4·0	3·0	14·5
July 5	1007·1	1006·0	301·2	300·8	30·9	30·3	−1·6	−1·6	+3·6	+0·6	114	139	4·3	3·6	2·6	9·8
10	1007·2	1005·8	301·9	301·1	29·9	30·2	−1·4	−1·3	−1·2	+1·3	219	137	2·3	3·5	0·7	5·6
15	1002·8	1004·4	301·1	300·8	30·5	30·1	−0·2	−1·0	−1·1	+0·6	260	149	3·1	3·4	113·8	15·3
20	1001·7	1003·7	299·5	300·7	29·4	30·2	−0·8	−0·6	+3·3	+1·4	103	112	5·2	3·6	25·9	11·1
25	1008·4	1003·6	300·2	300·6	29·6	30·2	−1·7	−0·9	+0·5	+1·6	163	118	2·1	3·8	5·4	13·5
30	1008·1	1003·6	300·5	300·7	29·7	30·2	−0·9	−1·3	+1·1	+0·6	129	135	2·7	3·8	7·3	13·9
Aug. 4	1007·9	1004·2	300·2	300·8	30·1	30·4	−0·4	−1·5	+5·8	+0·1	94	178	6·1	3·4	8·7	11·1
9	1008·1	1004·2	300·9	300·5	30·4	30·4	−0·3	−0·9	+2·2	+0·6	97	144	2·3	3·0	1·4	13·2
14	1001·7	1004·9	302·5	300·4	31·8	30·1	−0·6	−0·8	...	+0·9	180	132	2·3	3·2	3·7	12·8
19	1005·8	1005·7	300·9	300·4	30·9	29·9	−0·1	−0·4	+2·1	+1·4	94	107	3·0	2·8	6·9	8·1
24	1006·1	1005·6	300·8	300·5	30·8	29·8	−0·7	−0·4	−0·7	+0·6	225	124	2·1	2·7	9·9	13·2
29	1010·8	1005·9	299·9	300·6	30·3	29·7	+0·1	−0·2	+2·1	+0·9	87	101	2·5	3·0	6·8	9·5
Sept. 3	1009·3	1006·1	301·6	300·6	31·6	28·6	−0·9	0·1	−0·2	+1·1	195	97	1·7	3·0	1·6	8·2
8	1003·7	1006·7	301·7	300·0	27·7	27·4	+0·2	+0·4	−0·8	+1·8	283	78	2·1	3·5	0·7	9·3
13	1004·2	1008·6	299·6	299·9	28·8	27·3	+0·1	+0·3	+0·7	+2·3	79	83	1·7	3·5	23·0	8·2
18	1010·2	1009·3	299·3	299·8	27·3	27·0	+1·5	+0·5	+3·9	+2·8	69	81	4·8	4·3	29·0	12·0
23	1005·6	1010·5	300·8	299·5	30·3	25·8	+0·2	+0·6	+2·9	+3·0	86	78	4·1	4·3	9·0	5·3
28	1009·8	1010·4	299·8	299·1	28·8	24·4	+2·1	+1·1	+7·9	+3·1	75	71	8·5	4·6	27·1	7·0
Oct. 3	1010·4	1011·7	299·4	298·6	27·3	23·1	+0·6	+0·8	+3·6	+3·3	80	76	4·3	4·7	1·1	6·9
8	1007·3	1013·2	295·7	298·1	19·7	22·9	+4·3	+0·9	+1·7	+3·3	22	74	5·8	4·5	3·0	4·3
13	1012·0	1013·7	297·5	297·7	24·7	22·1	+1·7	+1·0	+4·9	+3·6	71	75	5·5	4·1	6·2	1·8
18	1017·2	1014·3	294·2	297·3	15·3	21·6	+1·8	+1·0	+1·5	+3·2	40	73	3·1	4·4	...	3·8
23	1015·1	1015·2	296·2	296·8	20·2	20·9	+0·6	+0·8	+2·7	+3·7	77	77	3·1	4·6	...	1·5
28	1017·6	1015·3	295·0	296·1	18·6	20·1	+0·8	+1·3	+2·4	+2·9	73	65	3·0	4·2	..	4·7
Nov. 2	1017·9	1016·2	293·6	295·6	14·1	19·5	+1·5	+1·2	+1·7	+3·3	48	70	3·0	4·4	...	1·2
7	1017·5	1016·3	294·9	294·9	19·5	17·8	+0·3	+1·5	+4·5	+3·1	86	65	5·0	4·4	...	1·7
12	1015·2	1017·5	293·8	293·8	19·8	16·0	+1·1	+1·6	+2·1	+2·7	62	60	3·0	4·2	23·9	1·7
17	1020·7	1017·5	292·4	293·4	15·8	15·8	+1·9	+1·4	+0·2	+2·5	5	61	2·1	3·8	...	1·9
22	1018·2	1018·7	292·6	292·4	15·5	14·8	+1·1	+1·5	+2·9	+2·7	69	61	3·6	4·2	...	1·3
27	1016·0	1019·4	293·2	291·6	19·8	14·0	+0·9	+1·4	+3·2	+2·8	74	63	3·6	4·0	3·5	1·0
Dec. 2	1016·6	1019·4	293·3	291·0	19·3	13·9	+0·6	+1·4	+3·2	+2·6	80	61	3·6	3·9	...	1·2
7	1019·1	1018·7	290·1	290·6	13·3	13·6	+1·8	+1·1	+3·6	+2·5	63	65	4·6	3·6	...	0·9
12	1014·4	1019·8	293·8	290·1	21·9	12·9	+0·2	+1·3	+3·8	+2·5	87	63	4·0	3·8	0·2	0·4
17	1019·2	1019·8	290·6	289·8	14·8	13·4	+2·0	+1·1	+2·3	+3·0	49	69	3·6	3·9	...	1·3
22	1024·9	1020·3	285·0	289·2	6·7	12·8	+3·0	+1·1	+0·8	+2·6	15	68	3·3	3·8	...	0·8
27	1024·9	1020·1	287·0	289·1	8·2	12·5	+1·0	+0·9	+2·6	+3·0	70	74	3·3	3·9	...	0·9

ROYAL OBSERVATORY, HONG KONG.

PLATE II:—TRACKS OF TYPHOONS AND DEPRESSIONS IN THE FAR EAST DURING THE YEAR 1926.

The circles indicate the position of the centre at 6 a.m. of the 120th meridian on each day, unless otherwise stated.



ROYAL OBSERVATORY, HONG KONG.

PLATE I:—TRACKS OF TYPHOONS AND DEPRESSIONS IN THE FAR EAST DURING THE YEAR 1926.

The circles indicate the position of the centre at 6 a.m. of the 120th meridian on each day, unless otherwise stated.



ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

DECEMBER,

1926.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th NOVEMBER, 1926.								1st DECEMBER 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.34	770.5	21	...	N	4	b	6	30.21	767.3	16	...	N	2	o
Nemuro,	11	29.82	757.5	...	...	NW	2	...	5	30.14	765.5	...	...	WSW	1	...
Hokodate,	"	30.00	762.0	...	...	WNW	3	...	"	30.24	768.0	...	...	N	1	...
Tokio,	"	30.10	764.5	...	...	...	...	...	"	30.34	770.5	...	...	NW	1	...
Kochi,	"	30.18	766.4	...	...	...	0	...	"	30.16	766.0	...	...	SW	1	...
Nagasaki,	"	30.24	768.0	...	...	ENE	2	...	"	29.98	761.5	...	...	NE	3	...
Kagoshima,	"	30.22	767.5	...	...	ESE	1	...	"	29.94	760.5	...	...	ENE	1	...
Oshima,	"	30.14	765.5	...	...	SE	1	...	"	29.90	759.5	...	...	SSW	1	...
Naha,	"	30.02	762.5	...	...	N	1	...	"	29.94	760.5	...	...	SW	1	...
Ishigakijima,	"	30.00	762.0	...	...	NW	1	...	"	30.00	762.0	...	...	...	0	...
Bonin Island,	"	30.14	765.5	...	...	N	1	...	"	30.20	767.0	...	...	...	0	...
Chefoo,	15	30.16	766.0	50	79	SSE	2	o	6	30.00	762.0	46	92	...	0	h
Hankow,	"	...	...	...	...	...	...	...	"	30.20	767.0	50	...	...	0	b
Changsha,	"	...	...	...	...	...	...	...	"	30.17	766.3	51	...	...	0	f
Shanghai,	14	30.11	764.7	57	96	ENE	1	r	"	30.17	766.2	52	97	NNW	1	o
Gutzlaff,	"	30.09	764.3	56	100	NE	4	r	"	30.15	765.8	54	87	N	2	b
Sharp Peak,	"	30.02	762.5	70	80	...	0	b	"	30.10	764.5	65	95	...	0	rf
Amoy,	"	30.01	762.2	71	80	SE	4	o	6	30.07	763.8	67	95	E	1	r
Swatow,	"	30.00	762.0	77	...	SE	1	o	"	30.01	762.2	72	..	...	0	o
Taihoku,	11	30.04	762.9	77	68	...	0	b	5	30.02	762.6	43	97	...	0	r
Taichu,	"	30.00	762.0	79	...	...	0	o	"	30.02	762.6	66	..	NNW	2	r
Tainan,	"	29.99	761.7	79	...	N	2	o	"	29.98	761.4	68	..	NNW	4	o
Koshun,	"	30.00	762.0	77	...	N	2	o	"	29.97	761.1	68	..	...	0	b
Pescadores,	"	30.00	762.0	73	...	NE	4	o	"	29.88	759.0	68	...	NE	0	o
Canton,	14	...	...	...	...	...	...	...	6	30.03	762.7	68	...	N	2	o
Hong Kong,	"	29.99	761.7	71	80	E	3	o	"	30.01	762.2	65	87	N	1	o
Gap Rock,	"	29.99	761.7	...	...	NE	4	or	"	30.01	762.2	...	..	NNE	4	od
Macao,	"	...	...	...	...	...	...	...	"	..	...	...	...	...	..	...
Pratas Island,	"	29.89	759.2	78	77	NE	4	c	"	29.94	760.5	72	92	NNE	5	o
Phulien,	"	29.92	759.9	79	76	E	2	o	..	30.04	762.9	60	76	NNE	4	b
Tourane,	"	29.85	758.1	73	...	NNE	4	of	6	29.88	759.0	73	...	NE	6	o
Cape St. James	14	29.81	757.2	77	...	SE	4	r	7	...	..	...	...	...	...	...
Basco,	15	29.89	759.2	84	71	SE	4	o	"	29.92	759.9	75	88	SE	2	o
Aparri,	15	29.85	759.9	84	64	NE	4	b	6	29.91	759.6	72	89	S	2	b
Manila,	"	29.82	757.5	86	61	SW	2	o	"	29.88	759.0	72	94	NE	1	b
Legaspi,	"	29.81	757.2	86	68	NE	4	o	"	29.85	758.1	79	84	NNE	2	o
Tacloban,	"	..	...	..	...	...	..	...	"	..	..	...	...	...	...	...
Iloilo,	"	...	..	..	...	...	..	...	"	29.84	757.8	75	92	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	..	...	...	...	...	...	...
Tuguegarao	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	...	...	...	...	...	...	...	"	...	..	...	...	...	...	...
Calbayog,	"	...	...	...	...	...	..	...	"	..	..	..	...	...	...	...
Cebu,	..	..	..	...	...	...	...	...	"	...	...	...	...	..	..	...
Guam,	12.20	29.75	755.7	.	...	N	4	o	4.20	29.80	756.9	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	88	84	NE	4	b	6	29.84	757.9	80	91	NE	2	b

December 1*d*. 11*h*. 45*m*.—Pressure has decreased considerably over S.W. Japan and moderately at Chefoo. It has increased considerably over N.E. Japan and is nearly stationary elsewhere.

There is a V-shaped depression between China and Japan and an anticyclone central over mid-Japan.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·61 inch. Total since January 1st. 100·67 inches, against an average of 81·95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2nd

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; overcast with rain at first, improving later.

T. F. CLANTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st December, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	2nd December 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.07	763.8	23	...	...	0	s	6	29.87	758.7	16	...	NNW	2	o
Nemuro,	11	30.16	766.0	...	...	NW	1	...	5	30.00	762.0	...	...	SE	3	...
Hokodate,	.	30.22	767.5	...	...	...	...	...	,,	29.76	756.0	...	...	SE	2	...
Tokio,	,,	30.26	768.5	...	...	NNW	1	...	,,	29.78	756.5	...	...	NNW	1	...
Kochi,	,,	30.06	763.5	...	...	...	0	...	,,	30.02	762.5	...	...	WSW	1	...
Nagasaki,	,,	29.96	761.0	...	...	N	1	...	,,	30.10	764.5	...	...	N	1	...
Kagoshima,	,,	29.84	758.0	...	...	NNE	1	...	,,	30.12	765.0	...	...	WNW	1	...
Oshima,	,,	29.92	760.0	...	...	NNE	1	...	,,	30.10	764.5	...	...	NNW	2	...
Naha,	,,	30.02	762.5	...	...	WNW	3	...	,,	30.08	764.0	...	...	NNE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	NNE	1	...	,,	30.08	764.0	...	...	N	1	...
Bonin Island,	,,	30.16	766.0	...	...	ESE	1	...	,,	30.08	764.0	...	...	S	3	...
Chefoo,	15	30.03	762.7	44	76	NW	6	h	6	30.28	769.1	32	100	NW	4	r
Hankow,	,,	...	...	...	...	...	...	...	,,	30.20	767.1	52	..	E	1	b
Changsha,	,,	...	...	...	...		...	...	,,	30.17	766.3	46	...	....	0	f
Shanghai,	14	30.15	765.9	61	69	W	2	b	,,	30.26	768.6	45	100	NE	1	of
Gutzlaff,	,,	30.17	766.3	60	71	WNW	2	b	,,	30.28	769.1	54	94	N	1	o
Sharp Peak,	,,	30.09	764.3	66	84	E	1	o	7	30.15	765.8	62	89	NW	2	b
Amoy,	,,	30.04	763.0	69	91	NE	2	o	6	30.10	764.5	65	84	NNE	1	o
Swatow,	,,	30.01	763.2	73	...	N	1	r	,,	30.06	763.5	67	...	...	0	o
Taihoku,	11	30.12	765.0	68	91	E	4	r	5	30.10	764.4	63	94	E	4	o
Taichu,	,,	30.10	764.4	66	...	NNW	2	r	,,	30.04	762.9	64	..	...	0	r
Tainan,	,,	30.04	762.9	72	...	N	4	o	,,	30.01	762.3	64	..	N	2	r
Koshun,	,,	30.00	762.0	81	...	...	0	o	,,	29.98	761.4	70	..	NE	4	r
Pescadores,	,,	30.06	763.5	68	...	ENE	4	r	,,	30.04	762.9	68	...	NE	4	o
Canton,	14	30.04	763.0	71	66	N	2	o	6	30.07	763.8	65	...	NW	1	bo
Hong Kong,	,,	30.02	762.5	63	84	N	1	o	,,	30.05	763.2	66	83	ENE	2	o
Gap Rock,	,,	30.02	762.5	...	...	NNE	4	od	,,	30.05	763.2	...	...	NE	4	o
Macao,	,,	...	...	...	...	...	...	...	,	...	...	...	...	...	..	...
Pratas Island,	,,	29.93	760.2	75	78	NE	5	o	,,	29.98	761.5	72	95	NE	5	or
Phulien,	,,	30.00	762.0	79	52	SSW	1	b	..	30.05	763.2	64	80	ENE	6	b
Tourane,	,,	29.87	758.7	72	...	NE	6	r	6	29.93	760.2	72	...	NE	6	of
Cape St. James	14	29.81	757.2	77	...	E	4	o	7	29.85	758.1	75	...	ENE	4	o
Basco,	15	29.89	759.3	82	70	SE	4	b	,,	...	..	...	...	...	...	...
Aparri,	15	29.87	758.7	84	71	NNE	4	o	6	29.92	759.9	72	94	...	0	b
Manila,	,,	29.84	757.8	82	70	SE	2	o	,,	29.87	758.7	70	96	E	1	b
Legaspi,	,,	29.81	757.2	86	68	NE	4	o	,,	..	...	...	...	...	...	...
Tacloban,	,,	29.79	756.6	82	74	NE	2	o	,,	29.80	756.9	77	91	N	4	o
Iloilo,	,,	29.80	756.9	86	68	NE	6	o	,,	29.82	757.5	75	91	N	4	o
Surigao,	,,	...	...	..	...	...	...	...	,,	...	...	.	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	68	98	...	0	o
Vigan,	..	29.82	757.5	84	64	W	4	b	,,	29.86	758.4	75	79	ESE	2	b
Calbayog,	,,	29.80	756.9	82	67	NE	2	o	,,	...	..	...	...	...	...	...
Cebu,	..	29.76	756.0	82	70	N	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	N	4	o	4.20	29.75	755.7	...	...	N	...	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.68	753.9	75	..	NE	4	o
Labuan,	14	29.77	756.1	88	84	SW	4	b	6	29.81	757.2	80	91	SW	2	b

December 2*d*. 11*h*. 25*m*.—Pressure has decreased considerably over central and N.E. Japan and slightly over the Visayas and Guam. It has increased considerably at Chefoo, moderately over S.W. Japan and the Loochoos and slightly at Shanghai. It is nearly stationary elsewhere.

The depression now covers N.E. Japan. An antioyclone is central over N.E. China.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·07 inch. Total since January 1st 100·74 inches, against an average of 81·99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd December, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd December 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.88	758.9	22	...	NW	3	c	6	30.11	764.7	8	...	NW	2	b
Nemuro,	11	29.67	753.5	...	...	SE	10	...	5	29.49	749.0	...	...	WSW	2	...
Hokodate,	"	29.59	751.5	...	...	WSW	4	...	"	29.73	755.0	...	...	WSW	7	...
Tokio,	"	29.80	757.0	...	...	SSE	1	...	"	29.96	761.0	...	...	...	0	...
Kochi,	"	30.04	763.0	...	...	...	0	...	"	30.20	767.0	...	...	WSW	1	...
Nagasaki,	"	30.20	767.0	...	...	NW	3	...	"	30.30	769.5	...	...	N	3	...
Kagoshima,	"	30.16	766.0	...	...	WNW	1	...	"	30.26	768.5	...	...	...	0	...
Oshima,	"	30.26	768.5	...	...	N	10	...	"	30.20	767.0	...	...	S	1	...
Naha,	"	30.16	766.0	...	...	NNE	2	...	"	30.16	766.0	...	...	NNE	1	...
Ishigakijima,	"	30.12	765.0	...	...	NE	1	...	"	30.12	765.0	...	...	NNE	2	...
Bonin Island,	"	30.04	763.0	...	...	SSW	2	...	"	30.10	764.5	...	...	...	0	...
Chefoo,	15	30.37	771.4	34	100	NW	2	r	6	30.41	772.4	36	100	W	2	o
Hankow,	"	...	...	...	...	...	...	...	"	30.36	771.1	49	...	N	3	bc
Changsha,	"	...	...	...	...	...	...	...	"	30.30	769.6	50	...	NNW	3	o
Shanghai,	14	30.28	769.2	59	68	NE	2	o	"	30.33	770.4	50	87	ENE	1	o
Gutzlaff,	"	30.28	769.1	63	67	N	2	b	"	30.34	770.6	54	74	ENE	4	o
Sharp Peak,	"	30.11	764.8	70	72	N	2	o	"	30.20	767.1	63	78	N	1	o
Amoy,	"	30.04	763.0	73	70	NE	2	b	6	30.12	765.0	66	91	N	1	o
Swatow,	"	29.97	761.2	71	66	E	2	b	"	30.08	764.0	68	...	...	0	b
Taihoku,	11	30.15	765.9	72	78	E	4	o	5	30.11	764.7	66	90	E	2	r
Taichu,	"	30.08	764.1	70	...	...	0	o	"	30.06	763.5	66	..	...	0	b
Tainan,	"	30.06	763.5	70	...	NNW	2	o	"	30.05	763.2	64	..	...	0	b
Koshun,	"	30.07	763.8	72	...	NE	4	o	"	30.04	762.9	70	...	NNE	2	b
Pescadores,	"	30.07	763.8	72	...	ENE	6	o	"	30.08	764.1	68	...	NE	4	o
Canton,	14	...	...	...	...	...	...	...	6	30.06	763.5	69	...	...	0	bc
Hong Kong,	"	30.01	761.2	70	80	ESE	3	o	"	30.07	763.8	67	80	E	3	o
Gap Rock,	"	30.01	761.2	...	...	ENE	5	c	"	30.06	763.5	...	..	ENE	4	o
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.91	760.5	74	86	NE.	6	o	"	30.00	762.0	73	88	NE	5	o
Phulien,	"	29.69	761.7	79	55	...	0	b	..	30.02	762.6	68	96	ENE	4	1f
Tourane,	"	29.91	759.6	72	...	NW	2	o	6	29.91	759.6	70	...	NW	4	o
Cape St. James	14	29.82	757.5	79	...	E	4	o	7	29.85	758.1	75	...	ENE	2	b
Basco,	15	29.91	760.5	77	86	ENE	4	o	..	29.97	761.1	77	79	ENE	2	o
Aparri,	13	29.88	759.0	79	80	NNE	4	o	6	29.92	759.9	72	94	..	0	o
Manila,	"	29.82	757.5	90	55	E	2	o	"	29.85	758.1	72	88	E	1	o
Legaspi,	"	29.78	756.3	79	87	NNE	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	29.79	756.6	75	96	N	2	o
Iloilo,	"	29.79	756.6	73	90	N	4	o	"	29.81	757.2	75	94	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tuguegarao	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Calbayog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	..	...	E	4	o	4.20	29.78	756.3	...	...	NE	...	o
Yap,	12.47	...	...	..	...	...	...	...	4-47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.73	755.1	77	.	NE	2	c
Labuan,	14	29.77	756.1	88	84	NW	2	b	6	29.83	757.7	80	87	NE	2	b

December 3*d*. 11*h*. 22*m*.—Pressure has decreased considerably over Hokkaido and increased moderately over the remainder of Japan. Changes elsewhere are slight.

The anticyclone has strengthened slightly.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·74 inches, against an average of 82·03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd December, 1926.								4th December, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.09	764.3	20	...	NW	3	b	6	30.25	768.3	12	...	NW	2	b
Nemuro,	11	29.47	748.5	...	...	WSW	5	...	5	29.59	751.5	...	...	WSW	3	...
Hokodate,	"	29.76	756.0	...	...	WSW	6	...	"	29.82	757.5	...	...	WNW	6	...
Tokio,	"	29.94	760.5	...	...	...	0	...	"	30.04	763.0	...	...	NW	1	...
Kochi,	"	30.18	766.5	...	...	...	0	...	"	30.28	769.0	...	...	...	0	...
Nagasaki,	"	30.30	769.5	...	...	NNW	2	...	"	30.36	771.0	...	...	...	C	...
Kagoshima,	"	30.28	769.0	...	...	N	1	...	"	30.34	770.5	...	...	...	0	...
Oshima,	"	30.22	767.5	...	...	NNE	2	...	"	30.24	768.0	...	...	NNE	3	...
Naha,	"	30.16	766.0	...	...	NE	3	...	"	30.16	766.0	...	...	E	2	...
Ishigakijima,	"	30.12	765.0	...	...	NE	4	...	"	30.06	763.5	...	...	ENE	3	...
Bonin Island,	"	30.10	764.5	...	...	E	1	...	"	30.10	764.5	...	...	NW	1	...
Chefoo,	15	30.43	772.9	38	91	NW	4	0	6	30.44	773.2	30	67	SW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.33	770.4	52	92	NE	1	r	"	30.43	772.8	46	92	NNE	2	r
Gutzlaff,	"	30.31	769.0	54	80	NE	4	r	"	30.41	772.4	48	93	NE	6	r
Sharp Peak,	"	30.15	765.8	70	70	...	0	0	"	30.16	766.0	64	78	NE	2	0
Amoy,	"	30.08	764.0	76	69	ENE	2	b	6	30.12	765.0	64	91	N	1	b
Swatow,	"	30.04	763.0	70	...	E	2	1 c	"	30.07	763.8	68	...	...	0	bc
Taihoku,	11	30.13	765.3	73	75	ENE	4	0	5	30.12	765.0	66	96	...	C	0
Taichu,	"	30.11	764.7	77	...	NNW	2	0	"	30.08	764.1	64	...	NNW	2	b
Tainan,	"	30.10	764.4	75	...	NNW	4	0	"	30.04	762.9	66	..	N	4	0
Koshun,	"	29.91	760.5	79	...	NE	4	b	"	30.01	762.3	70	...	N	2	b
Pescadores,	"	30.13	765.3	72	...	NE	4	0	"	30.07	763.8	68	...	ENE	6	0
Canton,	14	...	...	...	...	..	..	...	6	30.09	764.3	68	...	NW	1	0
Hong Kong,	"	30.02	762.5	73	69	ESE	3	c	"	30.07	763.8	67	87	E	2	0
Gap Rock,	"	30.03	762.7	...	...	ENE	4	0	"	30.06	763.5	...	...	ENE	4	c
Macao,	"	...	...	...	...	...	..	...	"	...	...	...	...	...	..	...
Pratas Island,	"	29.95	760.7	76	71	NE	6	b	"	29.99	761.7	73	78	NE	7	c
Phulien,	"	29.99	761.7	70	98	ENE	1	rf	"	30.06	763.5	68	100	NE	2	rf
Tourane,	"	29.92	759.0	72	...	NW	4	0	6	29.95	760.8	70	...	...	0	0
Cape St. James	14	29.81	757.2	79	...	E	4	b	7	29.89	759.3	73	...	NE	4	c
Basco,	15	29.93	760.2	79	80	NE	2	0	"	29.95	760.8	77	79	E	2	0
Aparri,	13	29.88	759.0	82	74	N	4	b	6	29.91	759.6	75	89	E	2	0
Manila,	"	29.80	756.9	81	76	NE	2	0	"	29.81	757.2	72	92	N	1	0
Legaspi,	"	29.76	756.0	79	92	NE	1	0	"	29.78	756.3	66	85	NNE	2	0
Tacloban,	"	...	...	...	...	...	...	...	"	..	...	..	...	...	...	...
Iloilo,	"	29.73	755.7	82	77	NE	4	0	"	29.79	756.6	75	92	N	4	0
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	.	...	...	...
Tuguegarao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	...	...	...	...	...	..	...	"	...	...	...	...	...	...	...
Calbayog,	"	...	...	...	...	...	...	...	"	...	...	..	...	...	...	...
Cebu,	"	...	...	...	..	...	...	...	"	..	...	...	...	...	..	...
Guam,	12.20	29.76	756.0	...	...	E	4	0	4.20	29.78	756.3	...	...	NE	4	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	..	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.74	755.4	78	..	E	1	c
Labuan,	14	29.79	756.6	88	84	NE	4	b	6	29.83	757.7	80	91	SW	2	b

December 4*th*, 11*h*. 10*m*.—Pressure has increased moderately at Wladivostock, and slightly over Japan and the Yangtze Valley. It is nearly stationary elsewhere.

The anticyclone has strengthened slightly and spread southward.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·74 inches, against an average of 82·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh ; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th December, 1926.								5th December, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.24	768.2	19	...	N	2	b	6	30.34	770.5	11	...	...	0	h
Nemuro,	11	29.49	749.0	...	...	SW	4	...	5	...	...	...	...	...	..	...
Hokodate,	.	29.84	758.0	...	...	WSW	4	...	,,	30.12	765.0	...	...	W	4	...
Tokio,	,,	30.06	763.5	...	...	NNW	2	...	,,	30.22	767.5	...	...	...	...	...
Kochi,	,,	30.22	767.5	...	...	...	0	...	,,	30.32	770.0	...	...	...	0	...
Nagasaki,	,,	30.33	770.5	...	...	N	1	...	,,	30.26	768.5	...	...	N	1	...
Kagoshima,	,,	30.31	770.0	...	...	NW	1	...	,,	30.28	769.0	...	...	WNW	1	...
Oshima,	,,	30.28	769.0	...	...	NNE	3	...	,,	30.18	766.5	...	...	...	0	...
Naha,	,,	30.20	767.0	...	...	NE	3	...	,,	30.10	764.5	...	...	ENE	3	...
Ishigakijima,	,,	30.10	764.5	...	...	NE	4	...	,,	29.98	761.5	...	...	E	4	...
Bonin Island,	,,	30.10	764.5	...	...	NE	1		,,	30.16	766.0	...	...	...	0	...
Chefoo,	15	30.34	770.6	40	56	WSW	2	b	6	30.21	767.3	36	90	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.07	763.8	50	...	...	0	o
Changsha,	,,	...	...	...	...	...	...	...	,,	30.07	763.8	47	...		0	oc
Shanghai,	14	30.39	771.9	48	76	NNE	2	r	,,	30.25	768.3	48	97	NNE	4	r
Gutzlaff,	,,	30.36	771.1	50	88	NE	4	o	,,	30.21	767.3	52	93	NE	6	r
Sharp Peak,	,,	30.13	765.3	65	84	N	1	o	,,	30.06	763.5	63	83	W	1	o
Amoy,	,,	30.04	763.0	76	94	NE	4	b	6	30.03	762.7	64	91	WSW	4	b
Swatow,	,,	30.07	763.8	81	...	E	2	b	,,	30.03	762.7	70	...	...	0	b
Taihoku,	11	30.15	765.9	70	85	NE	2	o	5	29.95	760.8	66	98	...	0	b
Taichu,	,,	30.07	763.8	77	...	NNW	1	b	,,	29.99	761.7	66	...	...	0	b
Tainan,	,,	30.04	762.9	79	...	N	4	b	,,	29.97	761.1	66	..	N	2	o
Koshun,	,,	30.02	762.6	79	...	E	4	b	,,	29.91	760.5	70	..	...	0	b
Pescadores,	..	30.10	764.4	72	...	NE	6	o	,,	29.98	761.4	66	...	NE	4	r
Canton,	14	30.09	764.3	66	84	N	2	o	6	30.04	763.0	65	...	N	2	o
Hong Kong,	,,	30.04	763.0	71	74	ESE	3	c	,,	30.03	762.7	68	87	E	4	od
Gap Rock,	,,	30.05	763.2	...	...	ENE	4	b	,,	30.02	762.5	...	..	ENE	4	c
Macao,	,,			...	...	...	..	...	,	...	...	...	...	...	..	...
Pratas Island,	,,	29.94	760.5	76	77	NE	6	c	,,	29.93	760.2	72	80	NE	7	b
Phulien,	..	30.01	763.3	70	91	ENE	4	o	..	30.02	762.6	68	96	ENE	4	of
Tourane,	,,	29.94	760.5	77	...	NNE	2	o	6	29.97	761.1	73	...	NE	4	o
Cape St. James	14	29.82	757.5	81	...	E	2	b	7	29.85	758.1	75	...	NE	2	o
Basco,	15	29.91	759.6	81	73	ESE	2	o	..	29.88	759.0	77	84	NE	1	o
Aparri,	1,	29.86	758.4	84	71	NE	4	o	6	29.84	757.8	75	91	NE	2	r
Manila,	,,	29.78	756.3	84	68	N	4	o	,,	29.74	755.4	73	94	NE	1	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	..	..	...	...	...	...	...
Tacloban,	,,		...	...	...	...	...	...	,,	29.68	753.9	77	94	NNW	4	o
Iloilo,	,,	29.72	754.8	84	81	N	2	o	,,	29.73	755.1	75	94	N	4	o
Surigao,	,,	...	...		...	...	...	...	,,	...	...			...	...	...
Tuguegarao	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Cebu,	.	...	...	...	...		...	...	..	..	.	...	...	...	..	...
Guam,	12.20	29.76	756.0		...	E	4	o	4.20	29.84	757.8	...	...	NE	4	o
Yap,	12.47	...	...	..	...	...	...	...	4.47	..	..	..	...	...	...	...
Pelew,	11.00	...	...	..	...	...	...	...	5	29.92	759.9	69	.	S	1	o
Labuan,	14	29.82	757.4	80	87	SW	2	b	6	29.83	757.7	78	94	SW	2	b

December 5*d.* 11*h.* 51*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 10° N. Long. 128° E., moving W.N.W.

December 5*d.* 11*h.* 48*m.*—Pressure has increased considerably over N.E. Japan and moderately from central Japan to S. Manchuria. It has decreased moderately over central and E. China and slightly elsewhere.

The anticyclone has moved E.N.E. into the Sea of Japan.

A typhoon is shown about 150 miles east of the southern Visayas moving W. or W.N.W.

The monsoon will remain fresh over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 100·74 inches, against an average of 82·12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th December, 1926.								6th December, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	30.26	768.7	26	...	...	c	c	6	30.34	770.7	21	...	N	4	c
Nemuro,	11	30.00	762.0	...	...	WNW	3	...	5	30.18	766.5	...	..	WSW	1	...
Hokodate,	.	30.22	767.5	...	...	W	4	...	,,	30.28	769.0	...	..	...	c	...
Tokio,	.	30.24	768.0	...	...	NE	1	...	,,	30.32	770.0	...	..	...	c	...
Kochi,	,,	30.26	768.5	...	...	...	c	...	,,	30.24	768.0	...	...	SW	1	...
Nagasaki,	.	30.26	768.5	...	...	...	c	...	,,	30.14	765.5	...	...	...	c	...
Kagoshima,	.	30.24	768.0	...	...	...	...	...	,,	30.14	765.5	...	...	NE	1	...
Oshima,	,,	30.12	765.0	...	...	E	1	...	,,	29.94	760.5	...	...	SE	1	...
Naha,	,,	30.06	763.5	...	...	ESE	3	...	,,	29.92	760.0	...	...	SE	1	...
Ishigakijima,	,,	29.98	761.5	...	...	E	4	...	,,	29.88	759.0	...	...	NNW	1	...
Bonin Island,	..	30.11	765.5	.	..	NE	1	...	..	30.16	766.0	...	...	NE	1	...
Chefoo,	15	30.18	766.6	46	86	NE	1	o	6	30.17	766.3	42	100	NE	2	r
Hankow,	,,	...	...	...	...	...	...	...	,,	29.91	759.7	52	...	...	c	o
Changsha,	,,	.	...	...	...		...	...	,,	29.85	758.2	55	...	...	c	o
Shanghai,	14	30.14	765.5	52	92	E	4	r	,,	30.08	764.1	55	93	ENE	1	o
Gutzlaff,	,,	30.15	765.8	54	94	ENE	4	r	,,	30.09	764.3	58	94	NNE	4	o
Sharp Peak,	,,	29.98	761.5	72	71	E	1	b	,,	29.98	761.5	65	84	E	2	o
Amoy,	,,	29.88	758.9	75	77	SSE	4	b	6	29.94	760.5	67	84	NE	2	b
Swatow,	,,	...	...	75	...	NE	1	b	,,	29.91	759.7	74	...	SE	2	be
Taihoku,	11	30.02	762.6	70	88	NW	2	r	5	29.97	761.1	63	98	...	c	o
Taichu,	,,	30.01	762.3	73	..	NNW	2	b	,,	29.89	759.3	59	...	...	c	of
Tainan,	,,	29.99	761.7	75	...	N	2	b	,,	29.88	759.0	64	..	NNW	2	o
Koshun,	,,	29.97	761.1	77	...	NNW	1	o	,,	29.86	758.4	72	.	NNE	2	b
Pescadores,	..	30.01	762.3	68	..	NE	4	o	,,	29.89	759.3	68	..	NE	6	b
Canton,	14	29.95	760.7	78	61	N	1	b	6	29.88	758.9	64	..	NNW	2	be
Hong Kong,	,,	29.94	760.5	72	78	W	2	b	,,	29.90	759.4	65	91	ESE	1	b
Gap Rock,	,,	29.94	760.5	...	...	ENE	4	b	,,	29.92	759.9	...	..	NNE	3	b
Macao,	,,	.	...	...	...	...	...	...	,	...	...	...	...	...	.	...
Pratas Island,	,,	29.90	759.4	74	79	NE	5	o	,,	29.85	758.1	73	77	NE	6	o
Phulien,	,,	29.94	760.5	73	79	ESE	4	o	..	29.87	758.7	68	98	ESE	4	of
Tourane,	,,	29.92	759.9	75	...	ENE	4	o	6	29.88	759.0	70	...	NE	2	b
Cape St. James	14	29.80	756.9	82	...	SSW	2	o	7	29.79	756.6	73	..	NE	2	b
Basco,	15	29.82	757.5	82	74	SE	4	o	..	29.78	756.3	77	86	NE	4	o
Aparri,	11	29.78	756.3	84	74	NE	4	o	6	29.75	755.7	75	96	...	c	r
Manila,	,,	29.72	754.8	79	87	NNW	2	o	,,	29.69	754.2	73	96	E	2	o
Legaspi,	,,	29.65	753.0	81	70	N	2	o	,,	..	..	..	...	..	..	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.68	753.9	75	96	WNW	2	o
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	73	96	NW	1	o
Surigao,	,,	.	...	...	...	...	...	...	,,	...	...	.	.	.	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	72	96	NW	1	o
Vigan,	,,	...	...	...	...	...	..	...	,,	29.69	754.2	75	83	...	o	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.69	754.2	75	96	...	o	o
Cebu,	.	...		...	...		...	...	,,	29.71	754.5	77	85	W	1	o
Guam,	12.20	29.80	756.9		...	NE	4	o	4.20	29.80	756.9	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	.	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	80	.	ESE	2	c
Labuan,	14	29.84	757.9	82	91	SW	1	r	6	29.85	758.2	76	91	SW	2	b

December 5*d*. 17*h*. 55*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 127° E., moving W.N.W.

December 6*d*. 11*h*. 15*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 13° N. Long. 126° E, moving N.W.

December 6*d*. 11*h*. 20*m*.—Pressure has increased moderately over Hokkaido and slightly over central Japan and S. Manchuria. It has decreased slightly to moderately elsewhere.

The anticyclone is nearly stationary over the Sea of Japan.

The typhoon is about 100 miles east of Legaspi moving N.W.

Moderate monsoon may be expected over the China Sea.

Manila warning 5*d*. 15*h*. 15*m*.:—Typhoon E. of the southern Visayas or northern Mindanao direction unknown. Recd. 5*d*. 15*h*. 42*m*.

Shanghai warning 5*d*. 21*h*. 30*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 127° E., moving W.N.W. Recd. 5*d*. 23*h*. 34*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 100·74 inches, against an average of 82·16 inches

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; cloudy.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th DECEMBER, 1926.								7th DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.31	769.9	20	...	NE	5	c	6	30.15	765.8	8	..	N	6	o
Nemuro,	11	30.16	766 o	...	...	W	1	...	5	30.18	766.5	...	..	SE	1	...
Hokodate,	.	30.26	768.5	...	...	...	o	...	,,	30.06	763.5	...	..	N	1	...
Tokio,	,,	30.28	769.0	...	...	NW	1	...	,,	30.14	765.5	...	..	...	o	...
Kochi,	,,	30.14	765.5	...	...	...	c	...	,,	29.94	760.5	...	...	SE	2	...
Nagasaki,	,,	30.10	764.5	...	...	N	1	...	,,	29.78	756.5	...	...	NNE	1	...
Kagoshima,	,,	30.02	762.5	...	...	NE	2	...	,,	29.84	758.0	...	...	...	o	...
Oshima,	,,	29.91	760.0	...	...	SSE	1	...	,,	29.80	757.0	...	...	S	1	...
Naha,	,,	29.86	758.5	...	...	ESE	1	...	,,	29.82	757.5	...	...	.	...	...
Ishigakijima,	,,	29.88	759.0	...	...	N	1	...	,,	29.86	758.5	...	...	N	1	...
Bonin Island,	,,	30.14	765.5	...	...	E	1	...	,,	30.08	764.0	...	...	SE	1	...
Chefoo,	15	30.19	766.8	36	100	NNE	2	r	6	30.37	771.4	24	100	NW	6	r
Hankow,	,,	.	...	...	...	...	...	...	,,	30.40	772.1	39	...	NE	2	o
Changsha,	,,	.	...	...	...		...	...	,,	30.30	769.6	45	...	NNW	4	b
Shanghai,	14	29.99	761.7	63	82	SSE	1	o	,,	30.15	765.9	48	92	NNW	6	r
Gutzlaff,	,,	30.02	762.5	60	90	WNW	1	o	,,	30.08	754.0	52	88	N	6	o
Sharp Peak,	,,	29.92	759.9	67	79	E	1	b	7	30.03	762.7	64	84	NW	2	b
Amoy,	,,	29.88	759 0	75	72	NW	2	b	6	29.98	761.5	64	95	W	2	b
Swatow,	,,	29.87	758.7	76	...	NE	1	bc	,,	29.96	761.0	67	...	NE	1	b
Taihoku,	11	29.93	760.2	75	67	E	4	b	5	29.95	760.8	59	96	...	o	b
Taichu,	,,	29.91	759.6	75	..	NNW	2	b	,,	29.93	760.2	57	...	...	c	o
Tainan,	,,	29.87	758.7	75	...	NNW	1	o	,,	29.86	758.4	61	..	N	4	b
Koshun,	,,	29.85	758.1	79	...	NNE	2	b	,,	29.86	758.4	70	.	...	c	b
Pescadores,	,,	29.91	759.6	73	..	NE	6	o	,,	29.89	759.3	66	..	ENE	4	b
Canton,	14	29.89	759.3	73	76	E	1	o	6	30.00	762.0	65	..	...	o	b
Hong Kong,	,,	29.87	758.7	69	79	ENE	3	o	,,	29 95	760.7	63	89		o	c
Gap Rock,	,,	29.93	760.2	...	...	ENE	4	o	,,	29.95	760.7	...	..	NE	4	b
Macao,	,,	.	.	...	...	...	..	...	,	...	...	...	...	...	..	...
Pratas Island,	,,	29.76	756.0	76	75	NE	5	b	,,	29.87	758.7	73	74	NNE	4	b
Phulien,	,,	29.76	756.0	75	83	SSE	6	of	..	29.91	759.6	70	96	E	4	of
Tourane,	,,	29.82	757.5	77	...	NE	2	b	6	29.89	759.3	70	...	NE	2	o
Cape St. James,	14	29.75	755.7	84	...	SW	2	o	7	29.79	756.6	75	...	W	2	o
Basco,	15	29.72	754.8	79	85	NE	4	o	,,	29.81	757.2	75	79	N	4	o
Aparri,	15	29.69	754.2	82	77	N	4	b	6	29.79	756.6	77	85	N	4	o
Manila,	,,	29.67	753.0	84	71	SW	2	o	,,	29.75	755.7	73	90	E	1	o
Legaspi,	,,	29.63	752.7	84	81	NW	4	o	,,	...	...	...	...	...	..	...
Taloloban,	,,	...	...	...	...	...	...	...	,,	29.76	756 o	75	96	...	o	o
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	96	N	2	o
Surigao,	,,	..	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Tuguegarao	,,	...	...	...	...	...	...	...	,,	29.81	757.2	73	96	NW	2	r
Vigan,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	79	84	...	o	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	..	.	...	..	...	...	...
Cebu,	..	...	.	...	...	...	...	...	,,	29.75	755.7	77	86	...	o	r
Guam,	12.20	29.75	755.7		...	E	4	o	4.20	29.82	757.5	...	...	NE	2	o
Yap,	12.47	...	...	..	...	...	...	...	4.47	..	.	..	...	...	.	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.89	759.2	77	.	S	1	o
Labuan,	14	29.79	756.6	88	84	NE	2	b	6	29.83	757.7	78	86	SW	2	b

December 6*d*. 17*h*. 18*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 14° N. Long. 126° E., moving N.N.W.

December 7*d*. 9*h*. 3*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon in Lat. 15° N. Long. 127° E., moving N.E. position uncertain.

December 7*d*. 11*h*. 33*m*.—Pressure has increased considerably over central and N. China and slightly from Shanghai to the Philippines and over S. China. It has decreased considerably over Japan.

The anticyclone has moved into the Pacific. Another has formed over N. China and S.E. Mongolia.

The apex of a somewhat deep V-shaped depression lies over S.W. Japan.

The typhoon is moving away from the Philippines on a N.E. track.

The monsoon will freshen considerably.

Manila warning. 7*d*. 8*h*. 10*m*.:—Cyclone or typhoon E. of Luzon, more than 300 miles distant recurving northeastward Recd. 7*d*. 9*h*. 12*m*.

Shanghai warning 7*d*. 21*h*. 15*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 126° E., moving N.W. Recd. 7*d*. 21*h*. 35*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 100·74 inches, against an average of 82·20 inches

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N. to N.E. winds, freshening; fine, cooler.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, freshening.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th December, 1926.								8th December, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostook,	12	30.06	763.5	3	...	N	8	o	6	29.95	760.8	−8	...	N	6	b
Nemuro	11	...	...	...	...	...	...	...	5	29.13	740.0	...	...	S	1	...
Hokodate,	,	29.80	757.0	...	...	SE	1	...	,,	29.25	743.0	...	...	W	3	...
Tokio,	,,	29.90	759.5	...	...	...	0	...	,,	29.15	740.5	...	...	NE	1	...
Kochi,	,,	29.70	754.5	...	...	SE	1	...	,,	29.65	753.0	...	...	NW	2	...
Nagasaki,	,,	29.71	755.5	...	...	NNW	2	...	,,	29.92	760.0	...	...	NNW	4	...
Kagoshima,	,,	29.69	754.0	...	...	S	1	...	,,	29.86	758.5	...	...	NNW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.98	761.5	...	...	N	4	...
Naha,	,,	29.84	758.0	...	...	NW	3	...	,,	30.10	764.5	...	...	NNW	6	...
Ishigakijima,	,,	29.92	759.5	...	...	N	3	...	,,	30.18	766.5	...	...	NNW	3	...
Bonin Island,	,,	30.00	762.0	...	...	SE	1	...	,,	29.55	750.5	...	...	SSW	4	...
Chefoo,	15	30.36	771.1	24	100	WNW	7	r	6	30.39	771.9	24	100	NW	6	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	..
Changsha,	,,	...	...	...	...	...	...	...	,,	30.60	777.2	42	...	NNW	1	b
Shanghai,	14	30.40	772.2	37	65	NW	7	o	,,	30.60	777.3	21	36	NW	6	b
Gutzlaff,	,,	30.29	769.3	42	75	NNW	10	o	,,	...	...	24	87	NW	8	b
Sharp Peak,	,,	...	...	64	84	NE	4	r	7	30.40	772.1	54	68	WNW	2	o
Amoy,	,,	29.93	760.2	72	81	ESE	2	o	6	30.27	768.8	54	80	NNE	4	b
Swatow,	,,	30.03	764.3	78	...	NNW	2	b	,,	30.23	767.8	55	...	NW	2	bo
Taihoku,	11	30.00	762.0	72	75	...	0	o	5	30.34	770.7	52	75	E	4	o
Taichu,	,,	29.92	759.9	75	...	NNW	4	b	,,	30.14	765.6	52	...	N	2	b
Tainan,	,,	29.89	759.3	75	...	NNW	4	b	,,	30.10	764.4	54	...	N	4	b
Koshun,	,,	29.86	758.4	81	...	ENE	4	b	,,	30.07	763.8	63	...	NE	6	b
Pescadores,	,,	29.95	760.8	72	...	NNE	6	b	,,	30.18	766.5	59	...	NE	7	o
Canton,	14	30.06	763.5	65	68	N	3	o	6	30.25	768.3	50	...	N	5	oq
Hong Kong,	,,	29.95	760.7	74	68	N	3	b	,,	30.20	767.1	53	44	N	3	o
Gap Rock,	,,	29.96	761.0	...	...	NNW	5	c	,,	30.20	767.1	...	...	N	6	o
Macao,	,,	..	...	...	...	...	...	...	,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	758.9	75	74	NNE	5	c	,,	30.08	764.0	67	79	NNE	8	o
Phulien,	,,	29.94	760.5	73	88	ESE	4	o	..	30.22	767.7	55	71	NE	4	o
Tourane,	,,	29.89	759.3	75	...	NE	2	b	6	30.00	762.0	72	...	NE	6	o
Cape St. James,	14	29.76	756.0	81	...	WNW	2	o	7	29.80	756.9	73	...	E	2	o
Basco,	15	...	...	...	...	...	...	...	,,	30.02	762.6	68	77	NE	4	o
Aparri,	15	29.78	756.3	82	70	NNW	6	b	6	29.95	760.8	73	79	NE	4	r
Manila,	,,	29.72	754.8	85	68	W	2	o	,,	29.84	757.8	73	92	...	o	o
Legaspi,	,,	29.71	754.5	73	71	ENE	2	o	,,	29.82	757.5	79	84	N	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	77	94	WNW	2	o
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	75	98	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	..	...	..	..	...	..	...
Tuguegarao	,,	...	...	...	...	...	...	...	..	29.94	760.5	72	91	N	2	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	72	75	...	o	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	.	29.71	754.5	86	71	S	4	o	..	29.80	756.9	79	85	N	2	o
Guam,	12.20	29.78	756.3	..	...	E	4	b	4.20	29.84	757.8	...	...	E	1	o
Yap,	12.30	...	...	..	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	..	...	..	...	...	...	...	5	29.84	757.9	79	...	...	o	c
Labuan,	12	29.77	756.1	88	88	NE	2	b	6	29.83	757.7	77	86	SW	2	b

December 8*d*. 11*h*. 40*m*.—Pressure has increased considerably over S. China and from Formosa to S.W. Japan, moderately over central China and slightly over the Philippines. It has decreased considerably over N.E. Japan.

The anticyclone has strengthened. The northern depression has deepened considerably. It is now central to the N.E. of Tokio.

Strong monsoon may be expected along the coast and over the N. China Sea.

Shanghai warning 7*d*. 16*h*. 5*cm*.:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 127° E., moving N.N.E. Recd. 7*d*. 18*h*. 30*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 100·74 inches, against an average of 82·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, strong; fine.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th DECEMBER, 1926.								9th DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock. .	12	29.85	758.3	—1	...	N	6	b	6	29.91	759.7	—1	...	WNW	4	b
Nemuro.....	11	28.84	732.5	...	...	...	0	...	5	29.00	736.5	...	...	WSW	6	...
Hokodate, ...	.	29.04	737.5	...	...	NNW	3	...	,,	29.41	747.0	...	...	W	5	...
Tokio,.....	,,	29.04	737.5	...	...	SSW	4	...	,,	29.78	756.5	...	...	SW	1	...
Koohi, ...	,,	29.78	756.5	...	...	NW	3	...	,,	30.10	764.5	...	...	NW	1	...
Nagasaki, ...	,,	30.08	764.0	...	...	NW	5	...	,,	30.24	768.0	...	...	ESE	2	...
Kagoshima, ...	,,	30.00	762.0	...	...	NW	2	...	,,	30.20	767.0	...	...	.	.	...
Oshima, ...	,,	30.06	763.5	...	...	N	3	...	,,	30.20	767.0	...	...	N	2	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	30.22	767.5	...	...	ENE	1	...
Ishigakijima, ...	,,	30.28	769.0	...	...	N	3	...	,,	30.24	768.0	...	...	N	4	...
Bonin Island,...	..	29.63	753.5	...	...	W	3	.	,,	30.06	763.5	...	...	WNW	1	..
Chefoo.	15	30.36	771.1	24	100	NW	6	0	6	30.22	767.6	24	100	NW	4	b
Hankow, ...	,,	..	...	...	...	...	...	...	,,	30.44	773.2	40	...	...	0	0
Changsha, ...	,,	..	...	..	...		...	...	,,	30.40	772.1	38	...	...	0	00
Shanghai.	14	30.54	775.8	28	18	NW	6	b	,,	30.43	772.8	21	83	WNW	2	b
Gutzlaff.....	,,	30.49	774.4	30	67	NW	6	b	,,	30.44	773.2	26	78	NW	1	0
Sharp Peak, ...	,,	30.40	772.1	58	58	NE	4	b	,,	30.24	768.1	48	71	N	2	0
Amoy, ...	,,	30.28	769.1	60	94	NNE	4	b	6	30.25	768.3	50	79	N	4	b
Swatow,.....	,,	30.21	767.3	65	...	E	2	b	,,	30.19	766.8	65	...	NW	1	bc
Taihoku, ...	11	30.40	772.2	48	95	S	4	0	5	30.24	768.0	52	85	ENE	2	0
Taichu, ...	,,	30.20	767.1	55	...	N	4	0	,,	30.18	766.5	50	...	...	0	b
Tainan, ...	,,	30.17	766.2	63	...	N	4	b	,,	30.15	765.9	48	...		0	b
Koshun,.....	,,	30.14	765.6	68	...	NE	6	b	,,	30.14	765.6	59	...	NE	6	0
Pescadores. ...	..	30.20	767.1	59	...	NE	7	b	,,	30.18	766.5	59	...	ENE	4	b
Canton	11	...	...	...	...	...	...	...	6	30.19	766.8	53	...	NNE	3	c
Hong Kong, ...	,,	30.16	766.0	59	40	NE	3	b	,,	30.16	766.0	56	63	ENE	2	b
Gap Rock, ...	,,	30.14	765.3	...	...	ENE	5	b	,,	30.13	765.3	...	...	ENE	5	0
Macao.	,,			...	...	..	..	...	,	...		...	...		.	...
Pratas Island,...	,,	30.05	763.5	69	66	NE	7	0	,,	30.06	763.5	66	91	NE	7	or
Phulieu, ...	,,	30.13	765.9	59	58	ENE	2	0	.	30.12	765.0	57	84	NE	4	of
Tourane,.....	,,	29.98	761.4	70	...	NE	6	0	6	30.00	762.0	70	...	NE	6	0
Cape St. James	14	..		...	...	...	...	...	7	...	...	...	...	...	...	...
Basco,.....	15	30.05	763.2	68	73	NE	6	0	,,	30.10	764.4	66	76	NE	4	0
Aparri, ...	1,	29.98	761.4	73	75	NE	6	0	6	30.02	762.6	72	78	ENE	4	r
Manila, ...	,,	29.82	757.5	82	63	NE	1	0	,,	29.89	759.3	70	88	N	1	b
Legaspi, ...	,,	29.80	756.9	84	74	NNE	4	0	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	29.74	756.3	81	84	N	4	0	,,	29.82	757.5	77	96	NW	2	0
Iloilo, ...	,,	29.79	756.6	84	74	NNE	6	0	,,	29.85	758.1	75	94	N	4	0
Surigao.	,,	...	...	..	...	...	..	...	,,	..	...		...	...	..	...
Tuguegarao ...	,,	29.95	760.8	77	89	N	4	0	,,	...	...	...	...	...	...	...
Vigan.	,,	29.79	756.6	90	48	NE	4	b	,,	...	...	...	...	...	...	...
Calbayog, ...	,,	...	...	...	...		...	...	,,	29.85	758.1	73	96	N	2	r
Cebu, ...	.	29.71	755.4	86	65	N	4	0	..	29.81	757.2	77	84	N	4	0
Guam,.....	12.20	29.80	756.9		...	E	2	0	4.20	29.86	758.4	...	...	NE	1	0
Yap, ...	12.47	...	...	..	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	..	...	...	...	...	5	...	...	...	..		...	...
Labuan.	1	29.79	756.6	88	84	NE	4	b	6	29.84	757.9	78	91	SW	2	b

December 9*d.* 11*h.* 17*m.*—Pressure has increased considerably over Japan and moderately over the Loochoos. It has decreased moderately over central and E. China and slightly over S. China. Over the Philippines it is nearly stationary.

The depression is passing into the Pacific.

The anticyclone has weakened and is moving eastward.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 100·74 inches, against an average of 82·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10th.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, ... 4.—South coast of China between Hong Kong and Hainan,.	N.E. winds, fresh ; fair.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th DECEMBER, 1926.								10th DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.79	756.7	18	...	WSW	2	b	6	29.62	752.3	23	...	W	5	b
Nemuro,	11	29.17	741.0	...	...	WSW	6	...	5	29.45	748.0	...	...	WSW	4	...
Hokodate,	"	29.51	749.5	...	...	W	8	...	"	29.61	752.0	...	...	WSW	4	...
Tokio,	"	29.84	758.0	...	...	S	1	...	"	29.92	760.0	...	...	N	1	...
Kochi,	"	30.14	765.5	...	...	...	0	...	"	30.08	764.0	...	...	WSW	1	...
Nagasaki,	"	30.24	768.0	...	...	N	1	...	"	30.06	763.5	...	...	W	4	...
Kagoshima,	"	30.12	765.0	...	...	WNW	1	...	"	30.08	764.0	...	...	NNW	1	...
Oshima,	"	30.20	767.0	...	...	N	1	...	"	30.12	765.0	...	...	SSE	1	...
Naha,	"	30.22	767.5	...	...	...	...	...	"	30.12	765.0	...	...	SE	1	...
Ishigakijima,	"	30.20	767.0	...	...	ENE	1	...	"	30.14	765.5	...	...	...	0	...
Bonin Island,	"	30.10	764.5	...	...	WNW	1	.	"	30.18	766.5	...	...	N	1	..
Chefoo,	15	30.00	762.0	28	88	SSW	1	b	6	30.07	763.8	32	90	SW	2	b
Hankow,	"	...	...	...	...	...	...	...	"	30.33	770.4	40	...	...	0	b
Changsha,	"	...	...	...	...	...	...	...	"	30.29	769.3	44	...	...	0	o
Shanghai,	14	30.27	768.9	32	44	S	1	o	"	30.24	768.0	28	96	WSW	2	b
Gutzlaff,	"	30.30	769.6	36	70	WSW	2	o	"	30.25	768.3	40	56	NW	4	b
Sharp Peak,	"	30.15	765.8	56	63	N	1	o	"	30.19	766.8	56	81	W	2	b
Amoy,	"	30.13	765.3	63	67	WNW	4	b	6	30.15	765.8	54	89	WSW	4	b
Swatow,	"	30.05	763.2	62	56	E	2	b	"	30.12	765.0	63	...	...	0	bc
Taihoku,	11	30.21	767.4	66	59	...	0	bf	5	30.17	766.2	54	95	...	0	o
Taiohu,	"	30.20	767.1	64	...	...	0	o	"	30.17	766.2	50	...	...	0	b
Tainan,	"	30.17	766.2	70	...	W	2	b	"	30.13	765.3	54	...	N	2	b
Koshun,	"	30.14	765.6	70	...	NE	4	b	"	30.08	764.1	59	...	...	0	b
Pescadores,	"	30.19	766.8	61	...	NE	4	o	"	30.14	765.6	63	...	NE	4	b
Canton,	14	30.13	765.3	60	66	N	1	o	6	...	...	59	...	N	1	c
Hong Kong,	"	30.10	764.5	65	58	ESE	3	o	"	30.09	764.3	63	67	ENE	3	o
Gap Rock,	"	30.10	764.5	...	...	ENE	5	c	"	30.08	764.0	...	...	ENE	5	o
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	..	...
Pratas Island,	"	30.01	762.2	71	77	ENE	6	o	"	30.06	763.5	71	82	NE	6	o
Phulien,	"	30.06	763.5	63	70	ENE	2	o	"	30.05	763.2	61	91	NE	2	of
Tourane,	"	29.93	761.7	68	...	NNE	4	o	6	29.97	761.4	70	...	NW	4	o
Cape St. James.	14	29.80	756.9	79	...	SSW	2	o	7	29.84	757.8	73	...	N	2	o
Basco,	15	30.01	762.3	75	60	ESE	4	b	"	30.04	762.9	72	51	...	0	o
Aparri,	15	29.98	761.4	75	94	ENE	4	o	6	30.00	762.0	68	94	...	0	o
Manila,	"	29.87	758.7	84	58	ESE	2	r	"	29.91	759.6	72	89	NE	1	b
Legaspi,	"	29.89	759.3	75	92	NNE	2	o	"	29.86	758.4	77	92	N	4	o
Tacloban,	"	29.85	758.1	77	94	NNE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.84	757.8	81	80	N	6	o	"	29.85	758.1	75	94	N	4	o
Surigao,	"	..	..	...	...	...	...	...	"	...	...	...	...	...	...	...
Tuguegarao,	"	29.99	761.7	79	69	WNW	1	o	..	30.02	762.6	66	98	...	0	o
Vigan,	..	29.82	757.5	86	46	W	4	b	"	29.89	759.3	82	70	ESE	2	b
Calbayog,	"	..	..	...	...	...	...	...	"	29.85	758.1	75	98	...	0	o
Cebu,	.	29.79	756.6	82	74	N	4	o	..	29.85	758.1	...	...	NE	2	o
Guam,	12.20	29.80	756.9	..	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	..	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	..	...	...	...	...	...	...	5	29.83	757.7	80	...	ENE	2	bc
Labuan,	14	29.79	756.6	88	88	NE	2	b	6	29.85	758.2	76	91	SW	2	b

December 10*d*. 11*h*. 45*m*.—Pressure has increased moderately over N.E. Japan and at Chefoo. It has decreased moderately over S.E. Manchuria, central China, S.W. Japan and the Loochoos, and slightly elsewhere.

The anticyclone over China has weakened moderately.

A depression is shown over S.E. Manchuria.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 100·74 inches, against an average of 82·32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh to moderate; fair.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th DECEMBER, 1926.								11th DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.72	754.8	18	...	WNW	5	b	6	29.94	760.5	8	...	...	0	b
Nemuro,	11	29.43	747.5	...	...	SW	4	...	5	29.43	747.5	...	...	W	2	...
Hokodate,	"	29.53	750.0	...	...	WSW	3	...	"	29.69	754.0	...	...	WSW	6	...
Tokio,	"	29.75	756.0	...	...	SSW	2	...	"	29.78	756 5	...	...	...	...	...
Kochi,	"	30.00	762.0	...	...	...	...	...	"	30.06	763.5	...	...	...	0	...
Nagasaki,	"	30 02	762.5	...	...	NW	4	...	"	30.00	762.0	...	...	NW	2	...
Kagoshima,	"	30.04	762.0	...	...	NW	1	...	"	30.18	766.5	...	...	NNW	1	...
Oshima,	"	30.12	765.0	...	...	W	1	...	"	30.14	765.5	...	...	N	1	...
Naha,	"	30.12	765.0	...	...	S	1	...	"	30.14	765.5	...	...	N	1	...
Ishigakijima,	"	..	..	...	...	...	...	...	"	30.12	765.0	...	...	NNE	1	...
Bonin Island,	"	30.12	765 0	...	...	...	...	...	"	30.06	763.5	...	...	W	1	...
Chefoo,	15	30.19	766.8	36	70	NW	4	b	6	30.28	769.1	26	87	SW	2	b
Hankow,	"	..	...	...	...	...	...	...	"	30.34	770.6	46	..	...	0	o
Changsha,	"	..	...	...	...	...	...	...	"	30.32	770.1	45	...	NW	1	o
Shanghai,	14	30.26	768 6	48	48	NW	2	b	"	30.32	770.1	39	87	NNE	1	of
Gutzlaff,	"	30.26	768.6	48	49	NNW	4	b	"	30.32	770.1	42	77	NE	2	o
Sharp Peak,	"	30.14	765.5	64	73	E	1	b	"	30.11	764.8	58	81	NNE	2	o
Amoy,	"	30.08	764.0	71	62	SW	2	b	6	30.15	765.3	60	90	NE	2	b
Swatow,	"	30.04	763.0	65	58	SE	2	b	"	30.07	763.8	66	...	E	3	c
Taiboku,	11	30.15	765.9	68	68	...	c	b	5	30.14	765.6	57	96	...	c	b
Taichu,	"	30.12	765.0	72	...	...	o	b	"	30.12	765.0	52	..	...	c	b
Tainan,	"	30.12	765.0	77	...	NNE	1	b	"	30.08	764.1	55	..	N	2	b
Koshun,	"	30.22	767.7	75	...	NNE	1	o	"	30.07	763.8	64	..	...	c	b
Pescadores,	"	30.02	765.0	70	...	ENE	2	b	"	30.07	763.8	66	...	ENE	4	b
Canton,	14	30.04	763.0	70	61	N	1	o	6	30.00	762.0	67	...	E	1	oc
Hong Kong,	"	30.01	763.5	68	62	ENE	3	o	"	30.05	763 2	65	81	E	4	o
Gap Rock,	"	30 01	762.2	...	...	ENE	5	c	"	30.04	763.0	...	...	ENE	5	o
Macao,	"	...	..	...	...	...	...	...	"	...	..	...	...	...	..	...
Pratas Island,	"	29.98	761.5	72	87	ENE	4	c	"	30.00	761.0	72	85	ENE	5	b
Phulien,	"	30.01	762.3	66	82	NNW	1	of	..	30.04	762.9	61	100	NW	2	of
Tourane,	"	29.91	760.5	72	...	NW	4	o	6	29 98	761.4	70	...	NW	4	o
Cape St. James	14	29.82	757.5	79	...	E	6	o	7	29.86	758.4	75	...	E	4	o
Basco,	15	29.89	759 3	79	66	ESE	4	o	"	30.02	762.6	73	84	...	o	o
Aparri,	13	29.94	760.5	79	69	NE	4	o	6	29.99	761.7	72	94	...	o	r
Manila,	"	29.86	758.4	82	70	SW	2	o	"	29.94	760.5	75	96	ESE	1	r
Legaspi,	"	29.82	757.5	77	94	...	o	o	"	29.87	758.7	75	94	NE	1	o
Tacloban,	"	..	..	...	...	...	...	...	"	29.86	758.4	75	96	...	o	o
Iloilo,	"	29.80	756 9	86	71	NE	6	o	"	29.86	758.4	77	96	N	4	o
Surigao,	"	...	...	...	...	...	..	...	"	...	...	..	..	...	..	...
Tuguegarao,	"	...	...	82	70	SW	1	o	"	30.02	762.6	78	98	N	1	o
Vigan,	"	29.82	757.5	84	60	WNW	4	b	"	29.89	759.3	64	71	E	1	b
Calbayog,	"	29.80	756 9	81	94	E	1	r	"	29.87	758.7	75	98	E	2	o
Cebu,	"	..	...	...	...	...	...	...	"	29.84	757.8	63	80	N	2	o
Guam,	12.20	29.84	757.8	..	...	NE	4	o	4.20	29.84	757.8	...	...	NE	...	...
Yap,	12.47	...	...	..	...	...	...	...	4.47	...	...	..	...	...	...	...
Pelew,	11.00	...	..	...	...	...	...	...	5	29.80	756.9	78	..	ENE	5	c
Labuan,	14	29.77	756.1	88	88	NE	4	b	6	29.84	757.9	77	91	NE	2	b

December 11*d.* 11*h.* 30*m.*—Pressure has increased moderately over Manchuria and N. China, and slightly at the majority of other reporting stations.

The northern depression is passing into the Pacific.

The anticyclone over China has strengthened slightly.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·74 inches, against an average of 82·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th DECEMBER, 1926.								12th DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.98	761.6	13	...	WNW	4	o	6	30.22	767.8	7	...	...	o	b
Nemuro,	11	29.51	749.5	...	...	W	4	...	5	29.67	753.5	...	...	W	4	...
Hokodate,	.	29.69	754.0	...	...	W	5	...	,,	29.84	758.0	...	...	W	4	...
Tokio,	,,	29.78	756.5	...	...	N	1	...	,,	29.98	761.5	...	...	...	o	...
Kochi,	,,	30.04	763.0	...	...	SW	1	...	,,	30.24	768.0	...	...	W	1	...
Nagasaki,	,,	30.28	769.0	...	...	N	2	...	,,	30.30	769.5	...	...	NNW	1	...
Kagoshima,	,,	30.20	767.0	...	...	NNW	1	...	,,	30.32	770.0	...	...	NW	1	...
Oshima,	,,	30.16	766.0	...	...	N	1	...	,,	30.24	768.0	...	...	NNE	2	...
Naha,	,,	30.16	766.0	...	...	NW	1	...	,,	30.16	766.0	...	...	...	o	...
Ishigakijima,	,,	30.16	766.0	...	...	NNE	2	...	,,	30.10	764.5	...	...	E	1	...
Bonin Island,	,,	30.02	762.5	...		WSW	1		,,	30.06	763.5	...	...	W	1	..
Chefoo,	15	30.27	768.8	38	63	WNW	1	b	6	30.32	770.1	28	88	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...		...	...	,,	30.16	766.0	46	...	E	o	o
Shanghai,	14	30.27	768.9	50	69	E	1	o	,,	30.28	769.2	46	87	ESE	2	of
Gutzlaff,	,,	30.28	769.1	48	78	E	4	o	,,	30.29	769.3	50	70	...	2	i
Sharp Peak,	,,	30.15	765.8	62	71	...	o	o	7	30.13	765.3	60	82	NW	2	o
Amoy,	,,	30.12	765.0	70	71	WNW	4	b	6	30.09	765.3	63	91	NE	1	o
Swatow,	,,	30.06	763.5	72	...	E	1	o	,,	30.05	763.0	72	...	E	1	b
Taihoku,	11	30.15	765.9	72	65	ENE	4	b	5	30.08	764.1	59	93	...	o	b
Taichu,	,,	30.13	765.3	72	...	...	o	b	,,	30.07	763.8	55	...	.	o	b
Tainan,	,,	30.11	764.7	75	...	NE	1	b	,,	30.04	762.9	59	...	NE	2	o
Koshun,	,,	30.10	764.4	75	...	N	1	o	,,	30.05	762.0	72	...	NE	4	b
Pescadores,	,,	30.13	765.3	75	...	NE	4	b	,,	30.06	763.5	66	...	ENE	4	b
Canton,	14	30.03	762.7	72	71	S	1	o	6	30.04	763.0	69	...	.	o	o
Hong Kong,	,,	30.04	763.0	66	69	E	3	o	,,	30.03	762.7	66	82	E	3	o
Gap Rock,	,,	30.03	762.7	...	...	ENE	5	o	,,	30.01	762.2	...	...	ENE	5	o
Macao,	,,	...	...	...	...	...	...	...	,	...	...	...	...	...	...	...
Pratas Island,	,,	29.96	761.0	79	75	E	4	b	,,	29.97	761.2	74	87	ENE	4	o
Phulien,	,,	29.98	761.4	70	82	NW	1	of	,,	29.99	761.7	64	98	WNW	4	of
Tourane,	,,	30.01	762.3	75	...	NW	4	o	6	29.97	761.1	70	...	...	o	o
Cape St. James	14	29.81	757.2	81	...	E	2	o	7	29.85	758.1	75	...	ENE	4	b
Basco,	15	29.98	761.4	79	69	NE	4	o	,,	29.99	761.7	75	79	E	2	o
Aparri,	15	29.95	760.8	79	80	ENE	4	o	6	29.94	760.5	75	88	E	2	o
Manila,	,,	29.87	758.7	79	76	SW	1	o	,,	29.89	759.3	72	96	...	o	o
Legaspi,	,,	29.84	757.8	82	84	NNE	4	o	,,	29.86	758.4	79	90	N	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	86	71	NE	4	o	,,	29.86	758.4	73	94	N	4	o.
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	NE	4	o	4.20	29.81	757.2	...	...	NE	4	o
Yap,	12.47	29.75	755.7	...	...	ENE	6	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.82	757.5	78	...	NE	2	bc
Labuan,	14	29.82	757.4	84	83	NE	1	o	6	29.84	757.9	76	91	NE	2	b

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th December, 1926.								13th December, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.25	768.3	17	...	...	0	b	6	30.24	768.1	6	...	...	0	b
Nemuro,	11	29.65	753.0	...	...	W	3	...	5	29.73	755.0	...	...	WSW	2	...
Hokodate,	"	29.86	758.5	...	...	W	5	...	"	29.92	760.0	...	...	W	4	...
Tokio,	"	29.98	761.5	...	...	...	...	...	"	30.20	767.0	...	...	NW	1	...
Kochi,	"	30.22	767.5	...	...	...	0	...	"	30.24	768.0	...	...	W	1	...
Nagasaki,	"	30.10	769.5	...	...	NNW	1	...	"	30.16	766.0	...	...	NE	1	...
Kagoshima,	"	30.10	769.5	...	...	...	0	...	"	30.14	765.5	...	...	WNW	1	...
Oshima,	"	30.24	768.0	...	...	NE	1	...	"	30.04	763.0	...	...	SSE	1	...
Naha,	"	30.16	766.0	...	...	NNE	2	...	"	30.08	764.0	...	...	NW	1	...
Ishigakijima,	"	30.12	765.0	...	...	NE	3	...	"	30.04	763.0	...	...	SSE	3	...
Bonin Island,	"	30.06	763.5	...		WNW	1	..	"	30.16	766.0	...	...	NE	1	...
Chefoo,	15	30.29	769.3	38	63	S	1	o	6	30.16	766.0	36	83	...	0	o
Hankow,	"	...	...	...	...	...	...	...	"	29.98	761.5	46	..	NE	1	o
Changsha,	"	...	...	...	...		...	...	"	29.96	761.0	57	...	NW	2	or
Shanghai,	14	30.15	765.9	50	95	E	4	o	"	30.02	762.6	52	97	W	4	o
Gutzlaff,	"	30.17	766.3	52	93	ESE	4	rf	"	30.03	762.7	52	93	NW	4	rf
Sharp Peak,	"	30.04	763.0	64	78	N	2	o	"	29.98	761.5	63	89	...	0	b
Amoy,	"	30.01	762.2	73	76	E	2	b	6	29.97	761.2	65	95	N	1	o
Swatow,	"	30.01	762.2	72	...	E	3	bc	"	29.97	761.2	56	..	...	0	bc
Taihoku,	11	30.07	763.8	79	66	E	4	b	5	30.01	762.3	61	98	...	0	b
Taichu,	"	30.06	763.5	75	...	...	0	b	"	30.02	762.6	64	..	...	0	b
Tainan,	"	30.06	763.5	77	...	N	2	b	"	29.99	761.7	64	...	NNE	2	o
Koshun,	"	30.06	763.5	77	...	NE	2	o	"	29.98	761.4	72	..		0	b
Pescadores,	"	30.08	764.1	73	...	NE	4	b	"	30.00	762.0	66	...	NNE	2	b
Canton,	14	30.00	762.0	72	81	SE	1	o	6	29.97	761.2	67	..	...	0	o
Hong Kong,	"	30.00	762.0	67	80	E	4	o	"	29.96	761.0	68	85	ESE	3	o
Gap Rock,	"	29.98	761.5	...	...	ENE	5	o	"	29.95	760.8	...	...	ENE	5	o
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Pratas Island,	"	29.94	760.5	75	82	ENE	4	o	"	29.90	759.4	75	96	ENE	3	or
Phulien,	"	29.91	759.6	73	85	SE	2	of	"	29.91	759.6	68	100	E	2	of
Tourane,	"	29.92	759.9	79	...	SE	2	b	6	29.89	759.3	72	...	NE	2	b
Cape St. James	14	29.79	756.6	81	...	ENE	6	o	7	29.82	757.5	73	...	NNE	2	b
Basco,	15	29.95	760.8	81	76	SE	4	o	"	29.95	760.8	77	79	SE	4	o
Aparri,	15	29.88	759.0	77	91	NE	4	o	6	29.99	761.7	73	94	S	2	o
Manila,	"	29.82	757.5	84	77	SE	2	o	"	29.87	758.7	72	94	NE	1	b
Legaspi,	"	29.84	757.8	86	75	NE	2	o	"	29.85	758.1	79	91	NE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.80	756.9	86	68	NE	6	o	"	29.84	757.8	75	92	N	4	o
Surigao,	"	...	...	..	...	...	...	...	"	...	...		...	...	..	...
Tuguegarao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	...	...	..	...	...	...	...	"	...	...	..	..	...	..	...
Calbayog,	"	...	.	.	..	...	...	...	"	...	...	...	...	...	...	...
Cebu,	..	...	...	...	...	...	...	...	..	...	...	...	..	...	...	...
Guam,	12.20	29.75	755.7		...	NE	4	o	4.20	29.80	756.9	...	...	NE	4	o
Yap,	12.47	29.75	755.7	..	...	ENE	4	o	4.47	29.76	756.0	...	...	ENE	6	r
Pelew,	11.00		...	...	...	...	...	...	5	29.77	756.1	77	..	ENE	2	c
Labuan,	14	29.76	755.9	88	84	NE	4	b	6	29.82	757.4	78	91	SW	2	b

December 13*d*. 11*h*. 30*m*.—Pressure has decreased moderately from E. China to S.W. Japan, and slightly over central China and from the Loochoos to Tongking. It has increased moderately over central Japan and slightly over N.E. Japan.

The anticyclone is central over the western portion of the Sea of Japan.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·74 inches, against an average of 82·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fine.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th DECEMBER, 1926.								14th DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.22	767.5	22	...	...	c	c	6	30.29	769.4	8	...	N	4	b
Nemuro,	11	29.72	755.0	...	...	W	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.96	761.0	...	...	W	5	...	,,	30.04	763.0	...	...	NW	1	...
Tokio,	,,	30.14	765.5	...	...	...	c	...	,,	30.10	764.5	...	...	NNW	1	...
Kochi,	,,	30.18	766.5	...	...	SW	1	...	,,	29.96	761.0	...	...	SW	1	...
Nagasaki,	,,	30.04	763.0	...	...	NE	2	...	,,	30.04	763.0	...	...	...	0	...
Kagoshima,	,,	30.00	761.0	...	...	NE	1	...	,,	30.00	762.0	...	...	...	0	...
Oshima,	,,	30.02	762.5	...	...	SSE	3	...	,,	30.02	762.5	...	...	...	0	...
Naha,	,,	30.08	764.0	...	...	SSE	2	...	,,	30.02	762.5	...	...	...	...	...
Ishigakijima,	,,	30.06	763.5	...	...	SSE	2	...	,,	30.02	762.5	...	...	SSE	1	...
Bonin Island,	,,	30.14	765.5	...	...	W	1	...	,,	30.14	765.5	...	...	...	...	...
Chefoo,	15	30.16	766.0	44	76	NE	1	o	6	30.21	767.3	38	72	NE	2	o
Hankow,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	46	...	NNE	2	o
Changsha,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	43	...	NNW	4	or
Shanghai,	14	30.07	763.8	52	87	WNW	2	o	,,	30.05	763.2	50	100	..	0	rf
Gutzlaff,	,,	30.06	763.5	50	93	NNW	1	o	,,	30.05	763.2	48	100	NNW	1	rf
Sharp Peak,	,,	30.01	762.2	69	82	SW	1	b	,,	30.02	762.6	65	92	...	0	of
Amoy,	,,	29.93	760.2	74	81	SSW	1	o	6	29.99	761.7	69	95	SE	2	o
Swatow,	,,	29.92	759.9	71	71	ESE	1	o	,,	29.97	761.1	79	..	...	0	c
Taiboku,	11	30.02	762.6	75	71	...	0	b	5	29.99	761.7	63	98	...	c	b
Taichu,	,,	30.02	762.6	77	...	...	c	b	,,	30.00	762.0	59	...	...	c	b
Tainan,	,,	30.01	762.3	81	...	NW	2	b	,,	29.94	760.5	64	..	...	0	b
Koshun,	,,	30.00	762.0	82	...	ENE	4	b	,,	29.97	761.1	73	..	...	0	b
Pescadores,	,,	30.04	762.9	75	...	NE	2	b	,,	29.98	761.4	70	...	.	0	b
Canton,	14	29.92	759.9	80	74	SE	1	c	6	29.94	760.5	70	...	SSE	2	b
Hong Kong,	,,	29.91	759.7	72	78	ESE	3	c	,,	29.93	760.2	69	95	E	3	od
Gap Rock,	,,	29.90	759.4	....	...	E	4	b	,,	29.93	760.2	...	...	ENE	3	f
Macao,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	80	83	E	3	c	,,	29 90	759.4	75	95	NE	2	b
Phulien,	,,	29.87	758.7	72	96	ESE	2	rf	,,	29.88	759.0	70	98	ESE	4	of
Tourane,	,,	29.87	758.7	79	...	SE	2	b	6	29.89	759.3	73	...	SE	2	o
Cape St. James	14	29.79	756.6	81	...	E	4	b	7	29.82	757.5	73	...	NW	2	o
Basco,	15	29.91	759.6	82	67	SE	4	o	,,	29.94	760.5	77	84	SE	2	o
Aparri,	15	29.86	758.4	81	84	NNE	2	o	6	29.92	759.9	73	75	S	2	b
Manila,	,,	29.81	757.2	86	61	...	0	o	,,	29.89	759.3	70	91	NE	1	b
Legaspi,	,,	29.82	756.9	82	77	NNE	4	o	,,	29.81	757.2	79	91	N	4	o
Taloloban,	,,	29.78	756 3	81	100	NNE	4	o	,,	...		...	...	...	...	...
Iloilo,	,,	29.78	759.3	86	71	NE	6	o	,,	29.82	757.5	77	92	N	4	o
Surigao,	,,	...	...	...	...	...	..	...	,,	...	...	..	...	...	...	...
Tuguegarao,	,,	29.85	758.7	82	87	NE	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.82	756.9	84	71	WNW	4	o	,,	...	...	...	...	...	...	...
Calbayog,	,,	29.82	756.9	79	90		0	r	,,	...	...	...	...	...	...	...
Cebu,	,,	29.74	755 4	89	63	NE	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	NE	6	o	4.20	29.80	756.9	...	...	NE	4	o
Yap,	12.47	29.71	754 5	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...		...	...	5	29.74	755.4	78	...	ENE	2	c
Labuan,	14	29.88	758.9	88	88	NE	2	b	6	...	...	...	...	...	...	...

December 14*th*. 11*h*. 20*m*.—Pressure has increased slightly from Chefoo to N.E. Japan. It has decreased slightly over the Yangtze Valley and Tongking and is nearly stationary at the majority of other stations.

There appears to be a depression over the Yangtze Valley.

The anticyclone is passing into the Pacific. Another has formed over S.E. Mongolia.

Light airs and fog may be expected along the coast.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st. 100·77 inches, against an average of 82·46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. or variable winds, light; overcast, drizzle or mist.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th DECEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	15th DECEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock. .	12	30.30	769.7	12	...	N	4	b	6	30.43	772.8	−3	...	N	3	b
Nemuro.....	11	29.86	758.5	...	...	WNW	4	...	5	29.73	755.0	...	...	W	4	...
Hokodate, ...	"	30.06	763.5	...	...	W	4	...	"	30.04	763.0	...	...	WNW	3	...
Tokio.....	"	30.02	762.5	...	...	NNW	1	...	"	30.04	763.0	...	...	...	0	...
Kochi, ...	"	29.96	761.0	...	...	E	1	...	"	29.90	759.5	...	...	...	0	...
Nagasaki, ...	"	30.06	763.5	...	...	SE	1	..	"	29.76	756.0	...	...	SE	1	...
Kagoshima, ...	"	30.06	763.5	...	...	WNW	1	...	"	29.80	757.0	...	...	...	..	...
Oshima.	"	30.00	761.0	...	...	NNE	1	...	"	29.88	759.0	...	...	SSW	1	...
Naha, ...	"	30.04	763.0	...	...	S	1	...	"	29.94	760.5	...	...	SSE	1	...
Ishigakijima,...	"	30.02	762.5	...	...	SSE	2	...	"	29.96	761.0	...	...	S	1	...
Bonin Island,...	"	30.10	764.5	...	...	SW	1	...	"	30.02	762.5	...	...	...	0	...
Chefoo.	15	30.22	767.6	34	69	NNE	2	o	6	30.23	767.8	32	90	NW	2	o
Hankow, ...	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	29.96	761.0	47	...	NNW	3	oc
Shanghai, ...	14	29.91	759.6	54	100	NW	1	rf	"	29.87	758.7	46	94	NNW	4	r
Gutzlaff.....	"	29.86	758.4	52	100	ESE	2	rf	"	30.00	762.3	48	100	NW	6	o
Sharp Peak, ...	"	29.91	759.7	66	94	N	1	c	"	29.91	759.7	68	94	...	0	b
Amoy, ...	"	29.80	759.2	72	92	SE	1	o	6	29.91	759.7	70	91	SSE	1	b
Swatow, ...	"	29.88	758.9	82	...	...	0	o	"	29.91	759.7	77	..	...	0	f
Taihoku, ...	11	29.98	761.4	81	66	...	0	b	5	29.94	760.5	66	96	...	0	o
Taichu, ...	"	29.99	761.7	81	...	...	0	b	"	29.97	761.1	63	..	...	0	b
Tainan, ...	"	29.97	761.1	84	...	NW	2	b	"	29.93	760.2	68	..	NE	1	b
Koshun, ...	"	29.98	761.4	84	...	E	1	b	"	29.92	759.9	68	...	...	0	b
Pescadores, ...	"	29.98	761.4	84	...	...	0	b	"	29.93	760.2	72	...	...	0	b
Canton.	14	29.89	759.2	70	95	ESE	1	o	6	29.91	759.7	72	..	...	0	o
Hong Kong, ...	"	29.87	758.7	73	88	E	3	o	"	29.91	759.7	71	96	...	0	of
Gap Rock, ...	"	29.88	758.9	...	...	ENE	3	f	"	29.92	759.9	...	..	ESE	3	f
Macao, ...	"	..	...	...	...	...	...	...	"	...	...	...	...	...	..	...
Pratas Island,...	"	29.85	758.2	82	78	ENE	1	c	"	29.84	759.2	75	90	ENE	1	o
Phulien, ...	"	29.82	757.5	75	92	SSE	6	of	..	29.89	759.3	72	100	SE	2	of
Tourane,.....	"	...	...	...	...	...	..	...	6	29.88	759.0	73	...	NE	2	o
Cape St. James	14	29.79	756.6	79	...	E	6	o	7	29.82	757.5	73	...	NNE	2	b
Basco,.....	15	29.88	759.0	81	73	SE	4	o	"	...	...	...	..	...	...	...
Aparri, ...	13	29.85	758.1	84	68	NE	4	b	6	29.87	758.7	72	88	S	2	b
Manila, ...	"	29.82	757.5	84	68	SW	2	o	"	29.86	758.4	72	91	N	1	o
Legaspi, ...	"	29.80	756.9	79	89	NE	2	o	"	29.84	757.8	77	91	N	2	o
Tacloban, ...	"	...	...	...	...	...	...	...	"	...	..	...	...	...	...	...
Iloilo, ...	"	29.80	756.9	86	61	NE	6	o	"	..	...	...	..	...	...	...
Surigao, ...	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Tuguegarao ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan, ...	"	29.80	756.9	86	61	WNW	4	b	"	...	...	...	...	...	...	...
Calbayog, ...	"	29.79	756.6	77	94	E	2	r	"	..	...	...	...	...	...	...
Cebu, ...	"	29.73	755.1	85	65	NE	4	o	"	...	...	...	...	...	...	...
Guam,.....	12.20	29.76	756.0	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.72	754.8	...	...	ENE	6	r	4.47	...	...	..	...	...	...	...
Pelew, ...	11.05	...	...	...	...	...	...	...	5	29.77	756.1	78	..	ENE	2	b
Labuan, ...	14	29.77	756.1	88	84	NE	2	b	6	29.84	757.9	76	91	NE	2	b

December 15*d.* 10*h.* 50*m.*—Pressure has decreased considerably over S.W. Japan and slightly over the Loochoos. It has increased moderately over S. Manchuria and central China and is nearly stationary over S. China and the Philippines.

The Yangtze Valley depression has deepened and moved to S.W. Japan.

A strong anticyclone covers S.E. Mongolia and S. Manchuria.

The coast fog will probably disperse within 24 hours.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 100·77 inches, against an average of 82·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, ...	Light N.E. winds, freshening; fog at first, clearing later.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,.	

T. F. CLANTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th DECEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	16th DECEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.67	753.5	...	...	NW	6	...	5	29.69	754.0	...	...	W	2	...
Hokodate,	"	30.00	762.0	...	...	NW	3	...	"	29.90	759.5	...	...	W	4	...
Tokio,	"	30.02	762.5	...	...	NNW	1	...	"	30.04	763.0	...	...	...	...	...
Kochi,	"	29.78	756.5	...	...	WSW	1	...	"	30.06	763.5	...	...	...	0	...
Nagasaki,	"	29.82	757.5	...	...	N	1	...	"	30.10	764.5	...	...	NNE	1	...
Kagoshima,	"	29.80	757.0	...	...	W	1	...	"	30.06	763.5	...	...	NW	1	...
Oshima,	"	29.92	760.0	...	...	NE	1	...	"	30.00	762.0	...	...	...	0	...
Naha,	"	29.98	761.5	...	...	SSW	3	...	"	30.00	762.0	...	...	NE	1	...
Ishigakijima,	"	29.98	761.5	...	...	SSW	1	...	"	29.96	761.0	...	...	NE	1	...
Bonin Island,	"	29.96	761.0	...	...	SW	1	...	"	29.88	759.0	...	...	W	1	...
Chefoo,	15	30.23	767.8	34	82	NNW	2	0	6	30.24	768.1	36	90	NW	2	0
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...		...	...	"	30.13	765.3	40	...	NNW	3	od
Shanghai,	14	30.19	766.8	48	73	N	2	0	"	30.18	766.5	45	97	N	2	rf
Gutzlaff,	"	30.17	766.4	48	87	NNW	4	0	"	30.18	766.5	47	93	NNW	4	r
Sharp Peak,	"	29.94	760.5	64	89	NNE	2	0	"	30.00	762.0	60	88	NNE	1	0
Amoy,	"	29.86	758.4	50	58	SE	2	b	6	29.95	760.7	66	91	NW	2	0
Swatow,	"	29.90	759.4	84	...	...	0	bc	"	29.93	760.2	68	...	NE	1	0
Taihoku,	11	30.00	762.0	75	83	...	0	0	5	29.93	760.2	66	88	S	4	0
Taichu,	"	29.98	761.4	82	...	...	0	b	"	29.89	759.3	66	...	NNW	2	0
Tainan,	"	29.97	761.1	84	...	W	2	b	"	29.94	760.5	66	...	NNW	4	b
Koshun,	"	29.95	760.8	86	...	SSW	2	b	"	29.92	759.9	73	...	NE	2	b
Pescadores,	"	29.97	761.1	81	...	N	2	b	"	29.92	759.9	73	...	NE	2	b
Canton,	14	...	...	...	...	...	...	...	6	29.95	760.7	73	...	.	0	oc
Hong Kong,	"	29.89	759.2	72	94	E	1	cf	"	29.92	759.9	70	93	ESE	1	0
Gap Rock,	"	29.93	760.2	...	...	NNE	3	f	"	29.92	759.9	...	...	NE	3	0
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.86	758.4	83	76	ENE	1	b	"	29.87	758.7	76	88	ENE	3	b
Phulien,	"	29.85	758.1	77	91	SSE	4	of	"	29.88	759.0	73	100	SE	2	of
Tourane,	"	29.85	758.4	79	...	SE	2	b	6	29.87	758.7	73	...	S	2	b
Cape St. James.	14	29.82	757.5	81	...	E	4	b	7	29.81	757.2	75	...	ENE	4	b
Basco,	15	29.79	756.6	82	70	SE	2	0	"	29.89	759.3	75	79	ESE	2	0
Aparri,	15	29.82	757.5	86	56	SSE	4	b	6	29.86	758.4	70	94	...	0	b
Manila,	"	29.81	757.2	84	71	W	1	0	"	29.84	757.8	70	96	...	0	b
Legaspi,	"	29.79	756.6	86	75	NNE	2	0	"	29.79	756.6	79	90	N	2	0
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	82	81	NNE	6	0	"	29.79	756.6	75	94	N	4	0
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tuguegarao,	"	29.85	758.1	64	58	E	6	r	"	...	...	...	...	...	...	...
Vigan,	"	29.81	757.2	80	65	W	4	0	"	29.79	756.6	75	85	SE	2	b
Calbayog,	"	29.79	756.6	79	89	NE	2	r	"	29.80	756.9	75	94	NE	4	0
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	NE	4	0	4.20	29.75	755.7	...	...	NE	2	0
Yap,	12.47	29.69	754.2	...	...	ENE	6	r	4.47	29.73	755.1	...	...	ENE	4	0
Pelew,	11.00	...	...	...	...	...	...	...	5	29.72	754.8	78	...	NE	2	lo
Labuan,	14	29.77	756.1	88	84	NE	2	b	6	29.85	758.2	76	91	SW	2	b

December 16*d.* 10*h.* 55*m.*—Pressure has increased considerably over S.W. Japan and slightly over central China. It is nearly stationary elsewhere.

The depression has passed into the Pacific.

The anticyclone now covers N. China S.E. Mongolia and S. Manchuria.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·77 inches, against an average of 82·54 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate to fresh; generally overcast, some drizzle or mist.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th DECEMBER, 1926.								17th DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostook,	12	30.16	766.1	7	...	N	6	b	6	30.19	766.8	4	...	NNE	2	b
Nemuro,	11	29.74	755.5	...	...	NW	3	...	5	29.92	760.0	...	...	W	1	...
Hokodate,	,,	29.94	760.5	...	...	W	4	...	,,	29.96	761.0	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	SE	1	...	,,	29.98	761.5	...	...	NW	1	...
Kochi,	,,	30.00	762.0	...	...	...	0	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	30.08	764.0	...	...	NE	1	...	,,	30.02	762.5	...	...	ENE	1	...
Kagoshima,	,,	30.06	763.5	...	...	...	0	...	,,	29.98	761.5	...	...	...	0	...
Oshima,	,,	30.00	762.0	...	...	...	0	...	,,	29.98	761.5	...	...	SE	1	...
Naha,	,,	30.00	762.0	...	...	N	1	...	,,	29.98	761.5	...	...	NNE	1	...
Ishigakijima,	,,	29.98	761.5	...	...	NNE	1	...	,,	29.96	761.0	...	...	N	2	...
Bonin Island,	,,	29.88	759.0	...	..	NNW	1	...	,,	29.94	760.5	...	...	ESE	1	...
Chefoo,	15	30.28	759.1	32	90	NW	2	b	6	30.35	770.9	32	90	N	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	30.32	770.1	40	...	...	0	o
Changsha,	,,	...	...	...	...	...	...	...	,,	30.24	768.1	41	...	NNW	3	oc
Shanghai,	14	30.19	766.8	46	89	N	1	r	,,	30.30	769.5	43	94	NW	4	r
Gutzlaff,	,,	30.17	766.5	48	93	N	4	o	,,	30.28	769.1	44	92	NNW	4	o
Sharp Peak,	,,	30.00	762.0	62	89	E	1	o	7	30.10	764.5	58	90	ENE	4	rf
Amoy,	,,	29.92	759.9	73	76	NW	1	b	6	30.05	763.2	63	94	NE	4	o
Swatow,	,,	29.92	759.9	75	...	SE	1	bc	,,	30.00	762.0	69	...	NE	2	o
Taihoku,	11	30.01	762.3	77	76	E	4	b	5	30.05	763.2	64	92	E	4	o
Taichu,	,,	30.01	762.3	77	...	...	0	b	,,	29.98	761.4	64	...	...	0	o
Tainan,	,,	...	...	73	...	N	4	o	,,	29.95	760.8	64	...	N	2	o
Koshun,	,,	29.97	761.1	81	...	...	...	...	,,	29.94	760.5	72	...	...	0	r
Pescadores,	,,	30.01	762.3	75	...	NE	4	o	,,	29.99	761.7	70	...	NE	4	o
Canton.	14	29.95	760.8	80	70	SSE	1	c	6	30.00	762.0	61	...	NW	1	o
Hong Kong,	,,	29.92	759.9	71	85	E	3	o	,,	29.98	761.5	67	97	E	2	od
Gap Rock,	,,	29.92	759.9	...	...	ENE	4	o	,,	29.97	761.2	...	...	NE	4	od
Macao,	,,	...	...	...	...	...	...	...	,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	82	76	ENE	3	b	,,	29.91	759.7	75	87	NE	5	b
Phulien,	,,	29.85	758.1	82	77	SE	2	b	..	29.92	759.9	72	96	ENE	4	of
Tourane,	,,	29.86	758.4	77	...	SE	2	o	6	29.89	759.3	72	...	...	0	b
Cape St. James.	14	29.82	757.5	79	...	ENE	4	o	7	29.79	756.6	72	...	ENE	2	o
Basoo,	15	29.86	758.4	82	63	SE	2	b	,,	29.92	759.9	68	88	SE	1	o
Aparri,	15	29.84	757.8	82	67	NE	2	b	6	29.89	759.3	70	94	...	0	b
Manila,	,,	29.78	756.3	86	58	W	2	o	,,	29.82	757.5	70	92	...	0	o
Legaspi,	,,	29.76	756.0	86	58	NE	4	o	,,	29.79	756.6	77	88	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.78	756.3	86	65	NE	6	o	,,	29.81	757.2	75	89	N	4	o
Surigao,	,,	...	...	...	..	...	...	...	,,	29.79	756.6	75	96	WSW	1	r
Tuguegarao,	,,	29.85	758.1	84	60	SSW	1	o	,,	...	...	..	...	...	...	...
Vigan,	,,	29.78	756.3	86	58	SW	4	b	,,	...	...	...	...	...	...	...
Calbayog,	,,	29.76	756.0	84	64	NE	4	o	,,	...	...	..	...	...	...	...
Cebu,	,,	29.73	755.1	86	58	NE	4	o	,,	...	..	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	NE	4	o	4.20	29.76	756.0	...	...	NE	2	o
Yap,	12.47	29.67	753.6	...	...	NNE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.73	755.1	77	..	NE	1	c
Labuan,	14	29.76	755.8	88	84	NW	2	b	6	29.83	757.7	78	91	SW	2	b

December 17*d.* 11*h.* 25*m.*—Pressure has increased slightly over China and decreased slightly over Japan. It is nearly stationary over the Philippines.

The anticyclone has strengthened slightly.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st. 100·78 inches, against an average of 82·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; generally overcast, some drizzle or mist.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th DECEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	18th DECEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.12	764.9	8	...	N	5	b	6	30.15	765.7	1	...	NW	4	b
Nemuro,	11	29.88	759.0	...	...	WNW	1	...	5	29.65	753.0	...	..	SE	4	...
Hokodate,	"	29.88	759.0	...	...	...	0	...	"	29.67	753.5	...	...	NW	3	...
Tokio,	"	29.94	760.5	...	...	...	0	...	"	29.65	753.0	...	...	...	0	...
Kochi,	"	29.91	760.3	...	...	...	0	...	"	30.04	763.0	...	...	WSW	1	...
Nagasaki,	"	30.06	763.5	...	...	NNW	1	...	"	30.24	768.0	...	...	NNW	2	...
Kagoshima,	"	30.00	762.0	...	...	N	1	...	"	30.22	767.5	...	...	NW	1	...
Oshima,	"	30.00	762.0	...	...	...	0	...	"	30.18	766.5	...	...	N	3	...
Naha,	"	30.06	763.5	...	...	NNW	1	...	"	30.14	765.5	...	...	NE	3	...
Ishigakijima,	"	30.04	763.0	...	...	N	2	...	"	30.14	765.5	...	...	NNE	2	...
Bonin Island,	"	29.92	760.0	...	...	S	1	...	"	29.92	760.0	...	...	W	1	...
Chefoo,	15	30.35	770.9	36	90	NW	4	b	6	30.61	777.5	28	100	NW	4	o
Hankow,	"	...	...	...	...	...	...	...	"	30.56	776.2	43	..	ENE	1	o
Changsha,	"	...	...	...	...	...	...	...	"	30.42	772.6	44	...	NNW	2	oc
Shanghai,	14	30.37	771.3	46	59	N	2	o	"	30.51	775.2	34	89	N	2	o
Gutzlaff,	"	30.31	770.4	47	70	NNE	4	o	"	30.50	774.7	42	66	N	6	o
Sharp Peak,	"	30.15	765.8	58	81	E	4	o	-	30.22	767.6	56	99	NE	4	o
Amoy,	"	30.10	764.5	66	84	NE	4	o	6	30.15	765.8	58	90	NE	2	o
Swatow,	"	30.05	763.2	70	...	N	1	o	"	30.10	764.5	63	...	NE	4	o
Taihoku,	11	30.13	765.3	68	81	E	2	o	5	30.20	767.1	59	91	E	4	r
Taichu,	"	30.04	762.9	73	...	NNW	2	b	"	30.06	763.5	59	..	N	2	b
Tainan,	"	30.01	762.3	75	...	NNW	2	b	"	30.02	762.6	61	..	N	4	o
Koshun,	"	30.00	762.0	77	...	N	2	r	"	30.01	762.3	70	.	NE	6	b
Pescadores,	"	30.09	763.5	70	...	NE	6	r	"	30.07	763.8	64	...	NE	6	o
Canton,	14	..	..	...	...	...	...	...	6	30.08	764.0	62	...	NNE	2	oo
Hong Kong,	"	30.01	762.3	68	81	NNE	2	o	"	30.08	764.0	63	79	NE	2	o
Gap Rock,	"	30.02	762.5	...	...	ENE	4	o	"	30.07	763.8	...	...	ENE	4	od
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	..	...
Pratas Island,	"	29.91	762.5	75	83	NE	5	o	"	30.00	761.0	71	89	NE	7	od
Phulien,	"	29.94	760.5	72	86	ENE	4	o	..	29.99	761.7	64	94	ENE	4	o
Tourane,	"	29.92	759.9	75	...	NE	2	o	6	29.92	759.9	73	...	NE	2	o
Cape St. James	14	29.76	756.0	79	...	E	4	b	7	29.79	756.6	73	...	E	2	b
Basco,	15	29.91	759.6	82	63	N	2	b	"	29.99	761.7	73	92	NE	4	o
Aparri,	15	29.86	758.4	81	64	NE	4	b	6	29.94	760.5	77	84	NE	4	r
Manila,	"	29.80	756.9	82	77	S	2	o	"	29.86	758.4	70	96	E	1	b
Legaspi,	"	29.78	756.3	86	68	NE	2	o	"	29.82	757.5	79	87	N	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	84	71	NE	2	o	"	29.79	756.6	77	89	N	6	o
Surigao,	"	29.73	755.1	79	95	...	0	r	"	...	...	...	...	...	...	...
Tuguegarao,	"	...	...	..	...	...	..	...	"	...	...	...	..	...	...	...
Vigan,	"	...	...	..	...	...	...	...	"	...	...	...	...	...	...	...
Calbayog,	"	...	...	..	...	...	...	...	"	...	...	...	...	...	...	...
Cebu,	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4		...	E	4	o	4.20	29.81	757.2	...	...	NE	2	o
Yap,	12.47	29.71	754.5	.	...	ENE	4	b	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NE	4	b	5	29.84	757.9	78	91	NE	2	b

December 18/0, 11h. 25m.—Pressure has decreased considerably over central and N.E. Japan. It is nearly stationary in the extreme South and has increased slightly to moderately elsewhere.

A strong anticyclone covers China and S.E. Mongolia and a depression is situated to the east of Japan.

Strong monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 100·78 inches, against an average of 82·62 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; generally cloudy.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY. HONG KONG.

DAILY WEATHER REPORT.

Station.	18th DECEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)	19th DECEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort)	Weather. (Beaufort)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.63	752.5	...	...	W	4	...	"	29.71	754.5	...	...	NW	6	...
Tokio,	"	29.59	751.5	...	...	NW	2	...	"	29.90	759.5	...	...	WNW	3	...
Kochi,	"	29.98	761.5	...	...	NW	1	...	"	30.30	769.5	...	...	...	0	...
Nagasaki,	"	30.28	769.0	...	...	N	3	...	"	30.43	773.0	...	...	...	0	...
Kagoshima,	"	30.21	767.5	...	...	WNW	3	...	"	30.41	772.5	...	...	N	1	...
Oshima,	"	30.24	768.0	...	...	N	3	...	"	30.30	769.5	...	...	NNE	4	...
Naha,	"	30.24	768.0	...	...	NE	3	...	"	30.30	769.5	...	...	NE	1	...
Ishigakijima,	"	30.24	768.0	...	...	N	3	...	"	30.20	767.0	...	...	NE	3	...
Bonin Island,	"	29.99	759.5	...	...	W	1	...	"	30.04	763.0	...	...	WNW	2	...
Chefoo,	15	30.69	779.5	26	87	N	2	0	6	30.59	777.0	26	87	...	0	0
Hankow,	"	...	...	...	...	...	...	...	"	30.52	775.2	35	...	...	0	r
Changsha,	"	...	...	...	...	...	...	...	"	30.42	772.6	39	...	NNW	3	0
Shanghai,	14	30.53	775.5	45	52	NNE	2	0	"	30.50	774.6	43	85	ENE	2	r
Gutzlaff,	"	30.52	775.2	48	56	NNE	4	b	"	30.46	773.7	44	76	ENE	4	r
Sharp Peak,	"	30.26	768.6	56	75	NNE	2	0	"	30.26	768.6	56	81	NNE	2	0
Amoy,	"	30.16	766.0	67	69	ENE	4	b	6	30.15	765.8	56	80	N	2	0
Swatow,	"	30.10	764.5	71	...	NE	4	c	"	30.12	765.0	62	...	E	2	c
Taihoku,	13	30.30	769.5	63	75	E	6	0	"	30.18	766.5	59	93	E	4	0
Taichu,	"	30.12	765.0	75	...	NNW	2	0	"	30.10	764.4	57	...	...	0	0
Tainan,	"	30.08	764.1	73	...	NNW	4	b	"	30.08	764.1	57	...	...	0	b
Koshun,	"	30.01	762.3	75	...	NE	6	0	"	30.04	762.9	70	...	NE	6	b
Pescadores,	"	30.15	765.0	68	...	NE	6	0	"	30.10	764.4	66	...	NE	7	0
Canton,	14	30.08	764.0	63	72	N	2	0	6	30.13	765.3	58	...	N	2	0
Hong Kong,	"	30.06	763.5	65	76	E	3	0	"	30.08	764.0	63	76	E	5	0
Gap Rock,	"	30.05	763.2	...	...	ENE	6	0	"	30.05	763.2	...	...	ENE	6	0
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	30.00	762.0	73	89	NE	7	od	"	30.00	762.0	72	80	ENE	7	0
Phulien,	"	29.98	761.4	66	92	ENE	6	0	"	30.02	762.5	63	98	NE	4	rf
Tourane,	"	29.89	759.2	77	...	E	2	b	6	29.93	760.2	73	...	E	2	0
Cape St. James	14	29.80	756.6	81	...	ENE	2	b	7	29.82	757.5	75	...	ENE	2	0
Basco,	15	29.99	761.7	73	86	ENE	6	r	"	...	...	...	...	...	...	...
Aparri,	13	29.93	760.2	82	63	NE	4	b	6	29.98	761.4	70	93	...	0	b
Manila,	"	29.80	756.9	80	70	E	4	0	"	29.87	758.7	75	79	NNE	1	0
Legaspi,	"	29.70	756.6	81	84	NNE	4	0	"	29.85	758.1	77	92	N	1	0
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	68	NE	6	0	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tugnegarao	"	29.92	759.9	82	86	N	0	0	"	...	...	...	...	...	...	...
Vigan,	"	29.78	756.3	60	44	NNE	2	b	"	...	...	...	...	...	...	...
Calbayog,	"	29.75	755.7	82	74	N	2	0	"	...	...	...	...	...	...	...
Cebu,	"	29.73	755.1	86	65	NNE	4	0	"	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	SE	4	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.1	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.78	756.3	76	...	...	0	0
Labuan,	14	29.75	755.6	88	84	NE	2	b	6	...	...	...	...	...	...	...

December 19th, 11h. 23m.—Pressure has increased considerably over central Japan, moderately over S.W. Japan and slightly over the Loochoos. It has decreased slightly over central and E. China and is nearly stationary elsewhere.

The anticyclone has weakened slightly and is moving eastward.

Strong monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 100·78 inches, against an average of 82·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong; cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th DECEMBER, 1926.								20th DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.47	773.9	21	...	N	2	b	6	30.09	764.2	9	...	N	4	o
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	.	29.86	758.5	...	...	NNW	6	...	,,	30.20	767.0	...	...	..	o	...
Fakia,	,,	30.18	766.5	...	...	NW	4	...	,,	30.26	768.5	...	...	NW	1	...
Kochi,	,,	30.33	770.5	...	...	NW	1	...	,,	30.36	771.0	...	...	NW	1	...
Nagasaki,	,,	30.41	772.5	...	...	ENE	1	...	,,	30.32	770.0	...	...	...	o	...
Kagoshima,	,,	30.39	772.0	...	...	...	o	...	,,	30.30	769.5	...	...	NE	1	...
Oshima,	,,	30.31	770.0	...	...	NE	1	...	,,	30.16	766.0	...	...	SE	1	...
Naha,	,,	30.26	768.5	...	...	NE	2	...	,,	30.12	765.0	...	...	ESE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	ENE	3	...	,,	30.04	763.0	...	...	SSE	3	...
Bonin Island,	..	30.10	764.5	...	...	NW	1	..	,,	30.18	766.5	...	...	NNW	1	...
Chefoo,	15	30.46	773.7	33	100	S	2	r	6	30.33	770.4	32	100	SW	1	r
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	o	bc
Shanghai,	14	30.33	770.4	45	94	ENE	2	r	,,	30.31	769.8	41	100	WNW	6	rf
Gutzlaff,	,,	30.31	769.9	48	87	ESE	4	r	,,	30.25	768.3	44	100	NW	6	rf
Sharp Peak,	,,	30.12	765.0	56	87	NE	2	o	~	30.16	766.0	58	81	...	o	o
Amoy,	,,	30.04	763.0	69	70	NNW	4	o	6	30.10	764.5	62	94	W	1	o
Swatow,	,,	...	...	72	...	NE	4	o	,,	30.10	764.5	66	...	N	1	o
Taihoku,	11	30.11	764.7	70	77	E	6	h	5	30.12	765.0	64	98	E	2	o
Taichu,	,,	30.07	763.8	79	...	...	c	b	,,	30.10	764.4	63	...	...	o	o
Tainan,	,,	30.06	763.5	77	...		o	b	,,	30.06	763.5	63	...	N	4	o
Koshun,	,,	30.05	763.2	75	...	NE	6	b	,,	30.02	762.6	68	...	N	2	o
Pescadores,	,,	30.08	764.1	73	...	NE	6	h	,,	30.10	764.4	66	...	NE	2	o
Canton,	14	30.14	765.5	56	94	N	2	o	6	30.11	764.8	57	...	NW	1	r
Hong Kong,	,,	30.05	763.2	66	71	E	2	o	,,	30.09	764.3	63	75	N	3	o
Gap Rock,	,,	30.04	763.0	...	...	ENE	6	o	,,	30.12	765.0	...	...	NE	4	o
Macao,	,,	...	..	...	...	...	...	...	,	...	..	...	...	...	..	...
Pratas Island,	,,	29.95	760.7	74	89	NE	6	od	,,	30.02	762.5	69	87	NNE	7	od
Phulien,	,,	30.02	762.6	64	94	WNW	1	rf	,,	30.12	765.0	57	96	N	2	of
Tourane,	,,	29.92	759.9	77	...	SE	1	b	6	29.95	760.8	73	...	ENE	4	of
Cape St. James	14	29.80	756.9	79	...	E	4	o	7	29.84	757.8	73	...	ENE	2	o
Basco,	15	29.94	760.5	77	68	ESE	1	o	,,	29.97	761.1	75	91	SE	4	b
Aparri,	15	29.91	759.6	75	91	NE	2	r	6	29.95	760.8	72	96		c	o
Manila,	,,	29.81	757.2	86	58	NE	4	o	,,	29.88	759.0	73	94	NE	1	o
Legaspi,	,,	29.80	756.9	84	81	NE	4	o	,,	29.84	757.8	79	80	N	2	o
Tacloban,	,,	29.76	756.0	79	80	NE	4	o	,,	...		...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	61	NE	6	o	,,	29.81	757.2	75	96	N	4	o
Surigao,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.91	759.6	84	52	NE.	..	..	,,	...	...	..	...	...	...	...
Vigan,	,,	29.79	756.6	86	46	W	4	b	,,	...	...	...	...	...	...	...
Calbayog,	,,	..	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Cebu,	.	29.74	755.4	86	65	NNE	4	o	,,	...	..	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	NE	4	o	4.20	29.80	756.9	...	...	NE	4	r
Yap,	12.47	29.74	755.4	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.09	...	...	...	...	...	...	...	5	...	...	...	...	...	...	..
Labuan,	14	29.83	757.7	86	84	NE	2	o	6	29.83	757.7	78	91	NE	2	b

December 20*d*. 11*h*. 17*m*.—Pressure has increased considerably over N.E. Japan and slightly over Tongking. It has decreased considerably over S. Manchuria, moderately over N.E. China and slightly over E. China and Formosa. It is nearly stationary elsewhere.

The anticyclone has weakened further and spread eastward.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 100·78 inches, against an average of 82·70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; cloudy at first, finer later.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th DECEMBER, 1926.								21st DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock.	12	30.42	772.6	11	...	NNE	5	o	6	30.12	764.9	10	...	N	6	s
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	.	30.26	768.5	...	...	NNW	4	...	,,	30.16	766.0	...	...	N	1	...
Tokio,	,,	...	...	...	...	NNE	2	...	,,	30.22	767.5	...	...	NW	1	...
Kochi,	,,	30.33	770.5	...	...	...	0	...	,,	30.14	765.5	...	...	SW	1	...
Nagasaki,	,,	30.31	770.0	...	...	...	0	...	,,	30.18	766.5	...	...	NNW	1	...
Kagoshima,	,,	30.33	770.5	...	...	...	0	...	,,	30.08	764.0	...	...	NW	1	...
Oshima,	,,	30.10	764.5	...	...	SSE	2	...	,,	30.00	762.0	...	...	N	3	...
Naha,	,,	30.10	764.5	...	...	NE	1	...	,,	30.04	763.0	...	...	N	3	...
Ishigakijima,	,,	30.10	764.5	...	...	NNW	1	...	,,	30.12	765.0	...	...	N	2	...
Bonin Island,	,,	30.18	766.5	...	...	N	1	...	,,	30.16	766.0	...	...	...	0	...
Chefoo.	15	30.34	770.6	31	90	W	6	b	6	30.44	773.2	24	100	NW	4	r
Hankow,	,,	...	...	...	...	...	...	...	,,	30.50	774.7	35	...	N	1	fc
Changsha,	,,	...	...	...	...	...	...	...	,,	30.42	772.6	40	...	NNW	1	hc
Shanghai.	14	30.37	771.3	39	90	WNW	6	o	,,	30.47	774.0	36	78	NNW	4	b
Gutzlaff.	,,	30.31	769.9	40	100	NNW	7	o	,,	30.43	772.9	38	91	NNW	7	r
Sharp Peak,	,,	30.16	766.0	63	75	E	1	o	,,	30.27	768.8	56	69	NE	4	o
Amoy,	,,	30.08	764.0	70	75	NE	2	b	6	30.20	767.1	60	82	NE	2	b
Swatow,	,,	30.05	763.5	69	...	N	1	c	,,	30.17	766.3	58	...	N	1	bc
Taihoku,	11	30.17	766.2	68	77	WNW	2	o	5	30.21	767.4	57	89	E	1	o
Taichu,	,,	30.12	765.0	77	...	N	2	b	,,	30.12	765.0	55	...	N	1	b
Tainan,	,,	30.08	764.1	77	...	NNW	4	b	,,	30.10	764.4	57	...	NNW	2	b
Koshun,	,,	30.06	763.5	79	...	NW	2	b	,,	30.04	762.9	68	...	NE	4	o
Pescadores,	,,	30.12	765.0	72	...	ENE	4	b	,,	30.00	762.0	63	...	NE	0	o
Canton.	14	30.08	764.0	63	78	N	2	o	6	30.21	767.3	51	...	WNW	4	o
Hong Kong,	,,	30.06	763.5	69	59	NNW	1	c	,,	30.17	766.3	54	74		c	b
Gap Rock,	,,	30.06	763.5	...	...	NNW	5	c	,,	30.14	765.5	...	...	NNW	4	o
Macao.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Pratas Island,	,,	29.98	761.5	76	66	NE	6	b	,,	30.03	762.7	70	81	NNE	7	o
Phulien,	,,	30.11	764.7	61	96	WNW	1	rf	..	30.14	765.6	59	98	NW	4	of
Tourane,	,,	29.92	759.9	73	...	NE	6	of	6	29.99	761.7	73	...	NE	0	o
Cape St. James	14	29.76	756.0	79	...	ENE	6	o	7	29.80	756.9	75	...	ENE	4	o
Basco,	15	29.95	760.8	81	63	SE	4	o	,,	30.00	762.0	72	91	NE	2	o
Aparri,	13	29.91	759.6	77	86	...	0	r	6	29.95	760.8	73	92	SE	2	o
Manila,	,,	29.82	757.5	86	58	E	4	o	,,	29.86	758.4	72	94	.	0	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	79	95	N	4	b
Taclobau,	,,	29.80	756.9	77	91	N	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	84	77	NNE	6	o	,,	29.80	756.9	77	89	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.93	760.2	81	77	N	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.82	757.5	86	58	WNW	4	b	,,	...	...	...	...	...	...	...
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	NE	4	o	4.20	29.76	756.0	...	...	NE	4	o
Yap,	12.47	29.72	754.8	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	79	...	NE	2	o
Labuan,	14	29.74	755.4	88	84	NE	4	b	6	29.84	757.9	77	91	NNE	4	b

December 21*st*. 11*h*. 10*m*.—Pressure has decreased considerably over S.W. Japan and slightly over the Loochoos and Guam. It is nearly stationary over the Philippines and Indo-China and has increased slightly elsewhere.

The anticyclone has passed into the Pacific. Another has formed over China and S.E. Mongolia.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·78 inches, against an average of 82·74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22nd

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N. to N.E. winds, fresh; fine to cloudy.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY. HONG KONG.

DAILY WEATHER REPORT.

Station.	21st December, 1926.									22nd December, 1926.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock. .	12	30.07	763.8	11	---	NNE	6	s		6	29.91	759.8	14	---	N	7	s	
Nemuro,	11	...	...	---	---	...	---	---		5	29.86	758.5	---	---	E	2	...	
Hokodate,	.	30.06	763.5	---	---	.	0	---		,,	29.65	753.0	---	---	SSW	1	...	
Tokio,	,,	30.08	764.0	---	---	NNW	1	---		,,	29.67	753.5	---	---	NNW	1	...	
Kochi,	,,	30.00	762.0	---	---	SW	1	---		,,	29.96	761.0	---	---	NW	1	...	
Nagasaki,	,,	30.16	766.0	---	---	NNW	2	---		,,	30.16	766.0	---	---	NNW	3	...	
Kagoshima,	,,	30.10	764.5	---	---	NNW	1	---		,,	30.14	765.5	---	---	N	1	...	
Oshima,	,,	30.08	764.0	---	---	N	4	---		,,	30.14	765.5	---	---	NNE	3	...	
Naha,	,,	30.14	765.5	---	---	N	3	---		,,	30.18	766.5	---	---	NNW	3	...	
Ishigakijima,	,,	30.18	766.5	---	---	N	3	---		,,	30.22	767.5	---	---	NNW	2	...	
Bonin Island,	,,	30.08	764.0	---		SE	1	---		,,	29.86	758.5	---	---	W	4	...	
Chefoo,	15	30.43	772.9	24	87	NW	4	b		6	30.50	774.7	24	87	NW	0	o	
Hankow,	,,	...	...	---	---	...	---	---		,,	30.65	778.5	32	---	NE	1	le	
Changsha,	,,	...	...	---	---	...	---	---		,,	30.54	773.7	37	---	NNW	1	lc	
Shanghai,	14	30.49	774.3	37	50	NW	4	b		,,	30.59	777.0	28	83	NW	4	b	
Gutzlaff,	,,	30.46	773.7	40	56	NNW	6	b		,,	30.55	775.9	30	67	NNW	6	b	
Sharp Peak,	,,	30.22	767.6	56	69	ENE	2	o		7	30.35	770.9	50	69	NE	4	o	
Amoy,	,,	30.16	766.0	66	64	E	4	b		6	30.29	769.3	52	79	N	2	o	
Swatow,	,,	...	...	...	...	...	..	...		,,	...	...	...	...	...	...	...	
Taihoku,	11	30.31	769.8	59	63	NE	2	o		5	30.34	770.7	54	76	E	4	o	
Taichu,	,,	30.15	765.9	68	---	NNW	4	b		,,	30.19	766.8	54	---	...	2	o	
Tainan,	,,	30.13	765.3	70	---	NNW	4	b		,,	30.15	765.9	54	---	N	4	b	
Koshun,	,,	30.10	764.4	75	---	NE	4	b		,,	30.12	765.0	66	..	NE	6	b	
Pescadores,	,,	30.18	766.5	66	..	NE	6	b		,,	...	...	...	...	...	...	.	
Canton,	14	30.19	766.8	64	58	N	2	b		6	30.28	769.1	47	---	N	2	be	
Hong Kong,	,,	30.13	765.3	60	49	N	2	b		,,	30.25	768.3	52	62	NNE	3	o	
Gap Rock,	,,	30.14	765.5	---	---	NNW	5	c		,,	30.21	767.3	---	---	NNE	4	o	
Macao,	,,	...	...	...	...	...	..	...		,	...	..	...	...	...	..	...	
Pratas Island,	,,	30.04	763.0	69	77	NNE	7	o		,,	30.11	764.8	68	77	NE	7	o	
Phulien,	,,	30.13	765.3	61	98	NE	1	rf		..	30.21	767.4	57	100	E	4	of	
Tourane,	,,	29.99	761.7	73	---	NE	6	o		6	30.04	762.9	70	---	NE	6	o	
Cape St. James.	14	29.76	756.0	81	---	E	6	of		7	29.78	756.3	73	---	ENE	6	o	
Basco,	15	29.98	761.4	72	88	NE	4	r		,,	30.06	763.5	72	75	NE	4	o	
Aparri,	15	29.92	759.9	79	80	NE	4	o		6	30.00	762.0	73	98	NE	4	r	
Manila,	,,	29.82	757.5	90	48	ESE	4	o		,,	29.89	759.3	70	91	E	1	b	
Legaspi,	,,	29.80	756.9	79	87	NNE	4	o		,,	29.85	758.1	79	80	N	4	o	
Tacloban,	,,	29.75	755.7	84	71	NE	4	o		,,	...	..	...	...	...	...	...	
Iloilo,	,,	29.75	755.7	84	71	NE	6	o		,,	29.84	757.8	75	86	N	4	o	
Surigao,	,,	29.74	755.4	82	81	E	4	o		,,	...	...	...	...	...	...	...	
Tuguegarao,	,,	29.91	759.6	84	65	N	2	o		,,	29.99	761.7	72	89	NW	2	o	
Vigan,	,,	29.80	756.9	86	52	NW	4	b		,,	29.84	757.8	75	88	N	2	b	
Calbayog,	,,	..	...	...	...	...	...	...		,,	29.84	757.8	73	96	NE	2	o	
Cebu,	,,	29.73	755.1	86	61	NNE	4	o		,,	...	...	...	...	...	...	...	
Guam,	12.20	29.75	755.7	...	...	NE	4	o		4.20	29.76	756.0	...	...	NE	2	o	
Yap,	12.47	29.69	754.2	...	...	E	6	r		4.47	29.71	754.5	...	...	ENE	6	rf	
Pelew,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	..	...	
Labuan,	14	29.76	755.9	88	84	NE	2	b		6	29.84	757.9	80	91	NE	2	b	

December 22*d.* 11*h.* 33*m.*—Pressure has decreased considerably from N.E. Japan to the Bonins, moderately over S. Manchuria and slightly from Guam to Yap. It is nearly stationary over Indo-China and has increased slightly elsewhere.

The depression is central over N.E. Japan.

The anticyclone over China and S.E. Mongolia has strengthened slightly.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·78 inches, against an average of 82·78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd DECEMBER, 1926.									23rd DECEMBER, 1926.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.84	757.9	15	...	N	6	s		6	30.24	768.0	12	...	N	5	c	
Nemuro,	11	29.69	754.0	...	...	E	4	...		5	29.82	757.5	...	...	NNE	4	...	
Hokodate,	"	29.59	751.5	...	...	SW	1	...		"	29.55	750.5	...	...	N	1	...	
Tokio,	"	29.61	752.0	...	...	NNE	1	...		"	29.61	752.0	...	...	SSW	1	...	
Kochi,	"	29.92	760.0	...	...	NW	1	...		"	30.04	763.0	...	...	W	1	...	
Nagasaki,	"	30.12	765.0	...	...	NW	3	...		"	30.16	766.0	...	...	NNW	3	...	
Kagoshima,	"	30.10	764.5	...	...	NNW	1	...		"	30.18	766 5	...	...	...	0	...	
Oshima,	"	30.16	766 0	...	...	NNW	3	...		"	30.18	766.5	...	...	N	3	...	
Naha,	"	30.22	767.5	...	...	NW	4	...		"	30.24	768.0	...	...	NNW	4	...	
Ishigakijima,	"	30.30	769 5	...	...	N	2	...		"	30.28	769.0	...	...	N	3	...	
Bonin Island,	"	29.86	758.5	...	.	WNW	4	...		"	29.86	758.5	...	...	W	2	...	
Chefoo,	15	30.52	775.2	24	87	NW	6	o		6	30.47	773.9	24	87	SW	4	o	
Hankow,	"	...	...	...	...	...	...	...		"	30.64	778.2	30	...	NE	2	h	
Changsha,	"	...	...	...	...	.	...	...		"	30.61	777.5	37	...	NNW	1	bc	
Shanghai,	14	30.59	777.0	34	39	NNW	6	b		"	30.64	778.2	21	79	WNW	4	b	
Gutzlaff,	"	30.54	775.7	35	54	NNW	7	o		"	30.50	777.0	26	78	NW	6	o	
Sharp Peak,	"	30.33	770.4	58	53	ENE	4	o		7	30.48	774.2	50	65	NE	2	b	
Amoy,	"	30.27	768.8	60	71	ENE	4	b		6	30.36	771.1	50	79	NE	2	o	
Swatow,	"	30.28	769.1	61	...	E	2	b		"	30.31	769.9	56	...	NE	4	...	
Taihoku,	11	30.40	772.2	54	65	ENE	4	o		5	30.44	773.1	48	67	E	2	o	
Taichu,	"	30.25	768.3	59	...	NNW	4	o		"	30.27	768.9	50	...	NNW	2	o	
Tainan,	"	30.22	767.7	64	...	N	4	o		"	30.21	767.4	48	..	NNE	4	b	
Koshun,	"	30.19	766.8	70	...	NE	6	b		"	30.18	766.5	61	...	NE	4	b	
Pescadores,	"	30.28	769 2	60	...	ENE	6	o		"	30.26	768.6	55	...	ENE	7	o	
Canton	14	30.32	770.1	47	77	N	3	o		6	30.31	769.9	51	...	N	3	c	
Hong Kong,	"	30.23	767.8	61	47	NNE	2	o		"	30.30	769.6	50	61	N	1	c	
Gap Rock,	"	30.22	767.6	...	...	NE	5	b		"	30.27	768.8	...	..	NNE	4	o	
Macao,	"	...	...	...	...	...	...	...		,	...	...	...	...	...	..	...	
Pratas Island,	"	30 12	765.0	68	77	NE	7	o		"	30.16	766.0	65	79	NNE	8	o	
Phulien,	"	30.20	767.1	59	83	NE	2	o		..	30.27	768.9	54	92	NNE	4	of	
Tourane,	"	30.04	762.9	70	...	NE	6	o		6	30.07	763 8	70	...	NE	6	o	
Cape St. James,	14	29.75	755 7	79	...	ENE	4	o		7	29.82	757.5	73	..	ENE	2	b	
Basco,	15	30.06	763.5	72	78	NE	4	o		"	30.11	764.7	68	73	NE	4	o	
Aparri,	15	29.94	760.5	79	73	NE	4	o		6	30.02	762.6	73	79	NE	4	r	
Manila,	"	29.86	758.4	86	56	E	4	o		"	29.87	758.7	72	88	NE	1	o	
Legaspi,	"	29.82	757.5	82	74	NNE	4	o		"	29.84	757.8	79	73	NNE	4	o	
Tacloban,	"	29.78	756.3	77	94	N	4	o		"	...	...	...	...	...	...	...	
Iloilo,	"	29 79	756.0	81	76	N	6	o		"	29.80	756.9	73	94	N	6	o	
Surigao,	"	29.76	756 0	75	98	...	0	r		"	...	...	...	...	...	...	...	
Tuguegarao,	"	29.98	761.4	77	76	N	2	o		..	29.78	756.3	70	83	N	4	o	
Vigan,	"	29.82	757.5	86	41	NNE	6	o		"	29.88	759.0	73	66	N	4	o	
Calbayog,	"	29.80	756.9	79	84	S	4	r		"	29.81	757.2	75	96	E	1	r	
Cebu,	..	29.76	756.0	79	80	N	4	r		..	29.78	756.3	75	89	N	2	r	
Guam,	12.20	29.74	755.4	...	...	NE	4	o		4.20	29.76	756.0	...	...	NE	2	o	
Yap,	12.47	29.72	754.8	...	...	ENE	4	o		4.47	29.74	755.4	...	...	ENE	4	o	
Pelew,	11.00	..	.	.	.	...	...	...		5	29.76	755.9	77	..	NE	1	o	
Labuan,	14	29.75	755.6	88	84	NE	2	b		6	29.85	758.2	77	91	NE	2	b	

December 23d. 11h. 35m.—Pressure has increased considerably at Wladivostock and slightly from S.W. Japan to Hong Kong. It has decreased slightly from Tokio to Hakodate and from Guam to the Philippines.

The depression is nearly stationary over N.E. Japan.

The anticyclone is probably beginning to move eastward.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 100·78 inches, against an average of 82·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine to cloudy.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd DECEMBER, 1926.								24th DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.23	767.7	16	...	N	6	c	6	30.19	766.9	8	...	NE	2	o
Nemuro,	11	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Hokodate,	,,	29.80	757.0	...	...	N	1	...	,,	29.80	757.0	...	...	NW	3	...
Tokio,	,,	29.63	752.5	...	...	NNW	1	...	,,	29.84	758.0	...	...	NW	1	...
Kochi,	,,	30.04	763.0	...	...	W	1	...	,,	30.06	763.5	...	...	WNW	1	...
Nagasaki,	,,	30.22	767.5	...	...	NNW	2	...	,,	30.20	767.0	...	...	N	3	...
Kagoshima,	,,	30.18	766.5	...	...	NNW	2	...	,,	30.20	767.0	...	...	.	...	...
Oshima,	,,	30.20	767.0	...	...	NNE	3	...	,,	30.18	766.5	...	...	NNE	3	...
Naha,	,,	30.26	768.5	...	...	NNW	4	...	,,	30.24	768.0	...	...	NNW	2	...
Ishigakijima,	,,	30.33	770.5	...	...	N	3	...	,,	30.28	769.0	...	...	N	1	...
Bonin Island,	..	29.86	758.5	...	...	W	2	...	..	29.94	760.5	...	...	W	3	...
Chefoo.	15	30.49	774.4	24	100	NW	4	o	6	30.50	774.7	24	87	NW	4	r
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	30.51	774.9	40	...	NNW	2	oc
Shanghai,	14	30.59	777.0	32	41	NW	4	b	,,	30.54	775.8	25	71	NW	2	b
Gutzlaff.	,,	30.56	776.2	34	51	NNW	6	b	,,	30.57	776.5	26	78	NNW	6	b
Sharp Peak,	,,	30.34	770.6	60	49	ENE	2	b	7	30.34	770.6	48	71	NNE	2	b
Amoy,	,,	30.26	768.6	60	65	NE	4	b	6	30.32	770.1	50	65	NNE	4	o
Swatow,	,,	30.30	769.6	66	...	E	2	...	,,	30.28	769.1	56	...	ENE	4	b
Taihoku,	11	30.45	773.4	54	53	E	2	o	5	30.37	771.3	50	74	E	2	o
Taichu,	,,	30.27	768.9	55	...	NNW	2	b	,,	30.22	767.7	46	...	...	o	o
Tainan,	,,	30.25	768.3	63	...	NNW	2	b	,,	30.20	767.1	46	..	NNE	2	b
Koshun,	,,	30.22	767.7	60	...	NE	6	b	,,	30.15	765.9	61	..	NE	6	b
Pescadores,	..	30.30	769.5	50	...	ENE	7	b	..	30.22	767.7	55	...	ENE	6	o
Canton.	14	30.30	769.6	58	53	N	2	o	6	30.26	768.6	52	...	NE	2	o
Hong Kong,	,,	30.25	768.3	60	44	SE	2	o	,,	30.23	767.8	54	55	N	2	o
Gap Rock,	,,	30.16	768.6	...	...	NE	5	b.	,,	30.20	767.1	...	...	NE	4	o
Macao.	,,	...	...	...	...	...	...	...	,	...	...	...	...	...	..	...
Pratas Island,	,,	30.14	765.5	65	69	NE	7	o	,,	30.10	764.5	66	80	NE	7	od
Phulien,	,,	30.25	768.3	55	96	N	4	rf	..	30.21	767.4	52	92	NNE	2	of
Tourane,	,,	30.05	763.2	70	...	NE	6	o	6	30.02	762.6	70	...	E	6	o
Cape St. James	14	29.81	757.2	79	...	E	6	o	7	29.81	757.2	73	73	ENE	2	b
Basco,	15	30.11	764.7	68	68	NE	6	o	,,	...	...	...	...	...	...	...
Aparri,	13	30.04	762.9	75	67	NE	6	o	6	...	...	...	...	...	...	...
Manila,	,,	29.87	758.7	81	62	E	4	o	,,	29.89	759.3	63	87	...	o	o
Legaspi,	,,	29.85	758.1	81	69	NNE	4	o	,,	...	..	...	...	...	...	.
Tacloban,	,,	29.80	756.9	70	70	N	6	o	,,	..	..	...	...	...	...	...
Iloilo,	,,			...	...	...	..	...	,,	29.82	757.3	72	94	N	6	o
Surigao.	,,	29.78	756.3	73	96	...	c	r	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	30.01	762.3	77	64	N	4	o	..	...	...	...	...	...	...	...
Vigan.	,,	..			...		...		,,	...	...	...	...	...	..	...
Calbayog,	,,	29.82	757.5	75	96	E	2	r	,,	...	...	...	...	...	...	...
Cebu,	..	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	NE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.72	754.8	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Pelew.	11.00	...	...	...	...	...	...	...	5	29.73	755.1	81	..	ENE	2	o
Labuan.	13	29.77	756.1	86	88	NE	4	b	6	...	..	...	...	...	...	...

December 24*d.* 11*h.* 17*m.*—Pressure has increased moderately over central Japan, is nearly stationary over S.W. Japan and the Bonins and has decreased slightly elsewhere.

The depression has passed into the Pacific.

The anticyclone has weakened slightly and has begun to move eastward.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 100·78 inches, against an average of 82·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th DECEMBER, 1926.								25th DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.17	766.2	11	...	N	4	c	6	30.18	766.6	−4	...	...	0	b
Nemuro,	11	29.90	759.5	...	...	NW	4	...	5	29.71	754.5	...	...	WNW	2	...
Hokodate,	"	29.80	757.0	...	...	WNW	2	...	"	29.76	756.0	...	...	N	3	...
Tokio,	"	29.80	757.0	...	...	N	2	...	"	29.84	758.0	...	...	NW	1	...
Kochi,	"	29.98	761.5	...	...	W	1	...	"	30.06	763.5	...	...	..	0	...
Nagasaki,	"	30.20	767.0	...	...	NNW	3	...	"	30.20	767.0	...	...	NNW	1	...
Kagoshima,	"	30.16	766.0	...	...	NNW	1	...	"	30.16	766.0	...	...	...	0	...
Oshima,	"	30.18	766.5	...	...	N	2	...	"	30.14	765.5	...	...	NW	2	...
Naha,	"	30.21	768.0	...	...	NNW	3	...	"	30.16	766.0	...	...	NNW	3	...
Ishigakijima,	"	30.30	769.5	...	...	N	2	...	"	30.24	768.0	...	...	N	1	...
Bonin Island,	"	29.92	760.0	...	...	W	3	...	"	29.92	760.0	...	..	NW	1	...
Chefoo,	15	30.51	774.9	24	100	NW	4	o	6	30.39	771.9	24	100	SW	2	o
Hankow,	"	...	...	...	...	...	...	...	"	30.48	774.2	39	...	..	0	lo
Changsha,	"	...	...	...	...	...	...	...	"	30.46	773.7	37	...	NNW	2	r
Shanghai,	14	30.56	776.1	34	47	WNW	2	b	"	30.53	775.5	25	54	NW	2	b
Gutzlaff,	"	30.52	775.2	34	60	NNW	4	b	"	30.49	774.4	26	87	NNW	6	c
Sharp Peak,	"	30.36	769.6	54	62	NNE	2	o	7	30.40	772.1	50	65	N	1	o
Amoy,	"	30.26	768.6	56	63	ENE	4	o	6	30.33	770.4	50	79	NE	2	r
Swatow,	"	30.23	767.8	55	...	ENE	2	b	"	30.29	769.3	51	...	NW	3	b
Taihoku,	11	30.38	771.6	52	69	E	4	o	5	30.34	770.7	46	97	..	0	r
Taichu,	"	30.22	767.7	64	...	NW	2	o	"	30.21	767.4	48	...	NNW	2	r
Tainan,	"	30.21	767.4	68	...	N	2	b	"	30.19	766.8	52	...	NNW	4	o
Koshun,	"	30.20	767.1	68	...	NE	6	b	"	30.13	765.3	61	..	NNE	4	o
Pescadores,	"	30.25	768.3	61	...	ENE	6	o	"	30.24	768.0	55	...	NE	6	o
Cantor	14	...	...	...	...	...	...	...	6	30.30	769.6	46	...	NW	3	bo
Hong Kong,	"	30.20	767.1	58	48	E	3	o	"	30.28	769.1	50	58	NNE	2	o
Gap Rock,	"	30.19	766.8	...	...	ENE	4	o	"	30.25	768.3	...	...	NNE	5	o
Macao,	"	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pratas Island,	"	30.08	764.0	63	74	ENE	7	o	"	30.10	764.5	66	83	NE	7	o
Phulien,	"	30.18	766.5	61	74	WNW	2	o	..	30.30	769.5	52	77	NE	4	of
Tourane,	"	30.00	762.0	72	...	E	6	o	6	30.05	765.2	70	...	E	6	o
Cape St. James,	14	29.81	757.2	79	...	ENE	2	o	7	29.86	758.4	72	...	ENE	2	o
Basco,	15	30.07	763.8	68	68	NE	4	o	"	30.06	763.5	66	85	NE	2	o
Aparri,	15	30.00	762.0	75	71	NE	4	o	6	30.01	762.3	68	81	..	0	o
Manila,	"	29.86	758.4	84	52	NE	4	b	"	29.91	759.6	68	81	N	2	b
Legaspi,	"	29.85	758.1	79	76	ENE	4	o	"	29.86	758.4	75	83	N	2	b
Tacloban,	"	..	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	..	...	"	29.84	757.8	73	86	N	4	o
Surigao,	"	..	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tuguegarao	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan	"	...	...		...	...	...	...	"	...	...	...	...	...	...	...
Calbayog,	"	...	...	..	...	...	...	...	"	...	...	...	...	...	...	...
Cebu,	.	29.75	755.7	77	68	N	4	o	..	...	..	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	NE	2	o	4.20	29.78	756.3	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew	11.00	...	...	...	...	...	...	...	5	...	...	...	.	...	...	...
Labuan,	14	29.76	755.9	88	84	NE	4	b	6	...	...	...	...	...	...	...

December 25*th*. 12*h*. *com*.— Changes are slight since yesterday.

Fresh to strong n or soon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·78 inches, against an average of 82·90 inches

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh ; cloudy.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th DECEMBER, 1926.								26th DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostook,	12	30.11	764.8	8	...	N	4	h	6	30.09	764.2	4	...	N	2	b
Nemuro,	11	29.72	755.0	...	...	NW	2	...	5	29.84	758.0	...	...	SW	1	...
Hokodate,	"	29.70	754.5	...	...	SSW	2	...	"	29.84	758.0	...	...	ESE	1	...
Tokio,	"	29.86	758.5	...	...	NNW	2	...	"	29.92	760.0	...	...	...	..	...
Kochi,	"	30.02	762.5	...	...	...	0	...	"	29.96	761.0	...	...	...	0	...
Nagasaki,	"	30.14	765.5	...	...	NNW	3	...	"	30.04	763.0	...	...	NW	1	...
Kagoshima,	"	30.10	764.5	...	...	NNW	1	...	"	30.04	763.0	...	...	...	0	...
Oshima,	"	...	...	...	...	...	...	...	"	30.04	763.0	...	...	N	2	...
Naha,	"	30.16	766.0	...	...	NNW	3	...	"	30.12	765.0	...	...	NW	5	...
Ishigakijima,	"	30.23	767.5	...	...	N	2	...	"	30.24	768.0	...	...	NW	3	...
Bonin Island,	"	29.90	759.5	...	...	W	2	...	"	29.90	759.5	...	...	...	...	...
Chefoo.	15	30.27	768.8	26	100	W	2	0	6	30.22	767.6	24	100	SW	2	b
Hankow,	"	...	...	...	...	...	...	...	"	30.41	772.4	35	...	...	0	b
Changsha,	"	...	...	...	...	...	...	...	"	..	...	...	...	...	...	...
Shanghai,	14	30.44	773.1	32	44	WNW	4	0	"	30.44	773.1	21	79	WNW	1	b
Gutzlaff,	"	30.41	772.4	32	82	NW	6	0	"	30.42	772.6	28	65	NNW	6	b
Sharp Peak,	"	30.35	770.9	56	63	E	1	b	7	30.40	772.1	50	65	W	6	b
Amoy,	"	30.26	768.6	56	69	NNE	4	b	6	30.33	770.4	50	58	NE	2	b
Swatow,	"	30.25	768.3	56	...	NW	2	b	"	30.31	769.9	43	...	N	3	b
Taihoku,	11	30.36	771.0	48	89	NW	2	r	5	30.34	770.7	43	34	...	0	0
Taiobu,	"	30.28	769.2	48	...	NW	2	r	"	30.26	768.6	43	..	N	2	b
Tainan,	"	30.24	768.0	54	...	N	4	0	"	30.21	767.4	46	..	N	4	b
Koshun,	"	30.18	766.5	64	...	N	4	0	"	..	...	..	..	...	...	...
Pescadores,	"	30.27	768.9	54	...	ENE	4	0	"	30.27	768.9	55	...	NE	6	b
Canton	14	30.30	769.6	53	61	N	2	0	6	30.33	770.4	55	...	NE	2	bc
Hong Kong,	"	30.24	768.1	54	49	NNE	2	0	"	30.30	769.6	43	40	N	4	b
Gap Rock,	"	30.23	767.8	...	...	N	5	0	"	30.28	769.1	...	..	N	5	b
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	30.12	765.0	64	72	NNE	7	0	"	30.18	766.6	60	61	NNE	6	0
Phulien,	"	30.30	769.5	55	60	NNE	2	0	..	30.33	770.4	50	56	N	2	bf
Tourane,	"	30.06	763.5	68	...	E	6	0	6	30.15	765.9	63	...	ENE	6	0
Cape St. James.	14	29.80	756.9	77	...	ENE	2	0	7	29.85	758.1	73	...	ENE	2	b
Basco,	15	30.00	762.0	70	74	NE	4	0	"	30.07	763.8	64	58	NE	6	0
Aparri,	13	29.97	761.1	75	76	NE	4	0	6	30.00	762.0	68	92	E	2	r
Manila,	"	29.85	758.1	81	59	WSW	2	0	"	29.92	759.9	63	91	ENE	1	0
Legaspi,	"	29.81	757.2	82	67	NNE	4	0	"	29.87	758.7	75	79	N	4	0
Taoloban,	"	29.78	756.3	75	67	N	4	0	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.82	757.5	73	88	N	4	0
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Tuguegarao,	"	29.94	760.5	79	58	N	2	0	"	30.02	762.6	66	96	...	1	0
Vigan,	"	29.82	757.5	82	84	NW	4	bf	"	...	...	...	...	...	...	...
Calbayog,	"	29.80	756.9	82	67	N	4	0	"	29.80	756.9	75	63	N	6	of
Cebu,	"	29.75	755.7	82	90	N	4	0	"	...	...	..	...	...	...	...
Guam,	12.20	29.74	755.4		...	E	4	0	4.20	29.78	756.3	...	...	E	1	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.80	756.9	...	...	ENE	2	0
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	..	...	...	...
Labuan,	14	29.81	757.2	84	83	NE	2	0	6	29.85	758.2	77	91	NE	2	b

December 26*th*. 11*h*. 58*m*.—Pressure has increased slightly over central and N.E. Japan. It has decreased slightly from S.W. Japan to central China and is nearly stationary elsewhere.

The anticyclone over China has weakened slightly but pressure gradients are still steep over the China Sea, where strong monsoon may be expected.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 100·78 inches, against an average of 82·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th DECEMBER, 1926.								27th DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.13	765.4	9	...	N	3	b	6	30.32	770.1	1	...	N	3	b
Nemuro,	11	29.86	758.5	...	...	...	0	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.90	759.5	...	...	NNW	1	...	"	30.06	763.5	...	...	NW	1	...
Tokio,	"	29.91	760.0	...	...	NNW	1	...	"	30.14	765.5	...	...	N	1	...
Koohi,	"	30.00	762.0	...	...	NNW	1	...	"	30.18	766.5	...	...	...	0	...
Nagasaki,	"	30.16	766.0	...	...	NNE	2	...	"	30.18	766.5	...	...	...	0	...
Kagoshima,	"	30.16	764.5	...	...	NNW	1	...	"	30.18	766.5	...	...	...	0	...
Oshima,	"	30.10	764.5	...	...	N	3	...	"	30.18	766.5	...	...	NW	1	...
Naha,	"	30.20	767.0	...	...	NNW	4	...	"	30.24	768.0	...	...	NNW	3	...
Ishigakijima,	"	30.28	769.0	...	...	NW	2	...	"	30.30	769.5	...	...	N	1	...
Bonin Island,	"	29.84	758.0	...	...	S	1	...	"	30.00	762.0	...	...	W	1	...
Chefoo,	15	30.16	766.0	32	58	SW	2	b	6	30.48	774.2	24	87	NW	6	o
Hankow,	"	...	...	...	...	...	...	...	"	30.60	777.3	36	...	...	0	b
Changsha,	"	...	...	...	...	...	...	...	"	30.52	775.2	37	...	...	0	bc
Shanghai,	14	30.34	770.7	41	46	W	4	b	"	30.45	773.4	28	100	WNW	2	b
Gutzlaff,	"	30.37	771.4	38	45	NNW	4	b	"	30.43	772.9	32	68	NW	6	b
Sharp Peak	"	30.26	768.6	56	51	E	1	b	7	30.39	771.9	50	65	W	1	b
Amoy,	"	30.22	767.6	56	57	NE	4	b	6	30.35	770.9	44	76	NE	2	b
Swatow,	"	30.22	767.6	53	...	NNW	3	b	"	30.30	769.6	52	...	NE	1	b
Taihoku,	11	30.37	771.3	52	51	NE	2	b	5	30.36	771.0	37	93	...	0	b
Taichu,	"	30.24	768.0	55	...	NNW	4	b	"	30.28	769.2	37	...	...	0	b
Tainan,	"	30.21	767.4	59	...	N	4	b	"	30.22	767.7	41	...	NNE	1	b
Koshun,	"	30.15	765.9	64	...	NE	4	o	"	30.20	767.1	59	..	NNE	4	b
Pescadores,	"	30.25	768.4	57	...	NE	6	b	"	30.26	768.6	55	...	ENE	4	b
Canton,	14	30.25	768.3	52	53	N	2	b	6	30.32	770.1	45	...	NE	1	bc
Hong Kong,	"	30.22	767.6	57	30	N	2	b	"	30.30	769.6	47	42	...	0	b
Gap Rock,	"	30.22	767.6	...	...	ENE	4	b	"	30.28	769.1	...	...	NE	4	b
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	..	...
Pratas Island,	"	30.11	764.8	63	64	NE	7	oc	"	30.19	766.8	64	70	NNE	7	c
Phulien,	"	30.25	768.3	63	39	WNW	2	b	"	30.28	769.2	52	69	NE	4	bf
Tourane,	"	30.10	764.4	65	...	NE	4	o	6	30.18	766.5	61	...	NW	4	o
Cape St. James,	14	29.78	756.3	77	...	ENE	4	of	7	29.89	759.3	72	...	NE	2	o
Basco,	15	30.00	762.0	66	80	NE	4	o	"	30.14	765.6	66	54	NE	4	r
Aparri,	15	29.98	761.4	73	75	NE	6	o	6	30.11	764.7	66	88	NE	4	r
Manila,	"	29.89	759.3	79	66	WSW	2	o	"	29.95	760.8	72	86	NNW	1	o
Legaspi,	"	29.87	758.7	81	53	NNE	4	o	"	29.92	759.9	77	79	N	2	o
Tacloban,	"	...	...	...	...	..	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.81	757.2	81	69	N	6	o	"	29.88	759.0	72	89	N	6	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tuguegarao,	"	29.97	761.1	77	64	N	2	o	"	...	...	...	...	...	...	...
Vigan,	"	29.85	758.1	81	59	NNW	4	b	"	29.93	760.2	68	73	NNW	4	b
Calbayog,	"	29.85	758.4	77	68	N	4	o	"	29.89	759.3	73	92	...	0	o
Cebu,	"	...	...	...	...	...	..	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	S	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.9	...	...	NE	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	..	...	...	...
Labuan,	14	29.77	756.1	86	84	NE	2	b	6	...	...	...	...	...	...	...

December 27*d*. 11*h*. 11*m*.—Pressure has increased considerably over N.E. China, moderately from S. Manchuria to central and N.E. Japan and slightly from S.W. Japan to Hong Kong. It is nearly stationary over the Philippines.

Another anticyclone has formed over S.E. Mongolia, strengthening the anticyclone over China.

Fresh monsoon may be expected along the S.E. coast of China and strong monsoon over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 100·78 inches, against an average of 82·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th DECEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	28th DECEMBER, 1926. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.34	770.7	9	...	N	5	b	6	30.28	769.2	2	...	...	0	b
Nemuro,	11	...	...	...	...	...	...	...	5	30.04	763.0	...	...	W	1	...
Hokodate,	"	30.04	763.0	...	...	NNW	2	...	"	30.12	765.8	...	...	NW	2	...
Tokio,	"	30.10	764.5	...	...	NNE	1	...	"	30.12	765.5	...	...	NW	1	...
Koobi,	"	30.08	764.0	...	...	...	0	...	"	30.10	764.5	...	...	NW	1	...
Nagasaki,	"	30.16	766.0	...	...	NE	1	...	"	30.26	768.5	...	..	...	...	...
Kagoshima,	"	30.14	765.5	...	...		0	...	"	30.22	767.5	...	...	WNW	1	...
Oshima,	"	30.20	767.0	...	...	N	2	...	"	30.20	767.0	...	...	N	4	...
Naha,	"	30.28	769.0	...	...	NNW	2	...	"	30.26	768.5	...	..	NNW	6	...
Ishigakijima,	"	30.33	770.5	...	...	N	2	...	"	30.34	770.5	...	...	NNW	2	...
Bonin Island,	"	30.06	763.5			NW	1	...	"	30.02	762.5	...	...	SW	1	...
Chefoo,	15	30.55	775.9	26	87	NW	6	0	6	30.50	774.7	24	87	W	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Changsha,	"	...	...	...	...		...	..	"	30.60	777.2	40	...	...	0	le
Shanghai,	14	30.58	776.7	37	50	NW	4	b	"	30.59	777.0	28	83	NW	2	o
Gutzlaff,	"	30.54	775.7	35	61	NNW	6	o	"	30.58	776.7	32	82	NNW	4	o
Sharp Peak,	"	30.45	773.4	60	49	E	1	b	"	30.48	774.2	30	65	E	1	o
Amoy,	"	30.35	770.9	62	51	ENE	2	b	6	30.39	771.9	50	79	ENE	2	b
Swatow,	"	30.28	769.1	53	...	E	2	b	"	30.37	771.4	50	...	NE	2	b
Taihoku,	11	30.40	772.2	59	58	NE	4	b	5	30.45	773.4	46	66	E	2	o
Taichu,	"	30.27	768.9	63	...	NNW	2	b	"	30.32	770.1	45	..	...	0	o
Tainan,	"	30.27	768.9	65	...	NNW	2	b	"	30.26	768.6	41	..	NE	2	b
Koshun,	"	30.26	768.6	68	...	NE	4	b	"	30.27	768.9	59	..	NE	6	b
Pescadores,	"	30.32	770.1	63	.	ENE	6	b	"	30.32	770.1	55	...	ENE	6	b
Canton,	14	30.30	769.6	71	80	N	3	s	6	30.28	761.6	52	...	NE	2	o
Hong Kong,	"	30.24	768.1	64	18	N	1	b	"	30.36	771.1	49	44	N	1	b
Gap Rock,	"	30.24	768.1	...	...	NE	4	b	"	30.32	770.1	...	...	NE	4	b
Macao,	"	...	...		...		...	...	"	...	...	...	...			...
Pratas Island,	"	30.16	766.0	63	58	NE	6	c	"	30.23	767.8	65	68	NE	7	o
Phulien,	"	30.25	769.2	66	38	SW	2	bf	"	30.36	771.0	55	44	NNE	4	bf
Tourane,	"	30.15	765.9	63	...	NW	2	o	6	30.22	767.7	63	...	NW	2	o
Cape St. James	14	29.81	757.2	77	...	ENE	6	o	7	29.93	760.2	68	...	N	2	o
Basco,	15	30.13	765.3	70	57	NE	4	o	"	30.19	766.8	66	63	NE	4	o
Aparri,	13	30.10	764.4	68	77	ENE	4	r	6	30.15	765.9	68	64	NE	4	r
Manila,	"	29.83	760.2	79	73	SW	2	o	"	29.99	761.7	64	90	N	1	b
Legaspi,	"	29.91	759.6	81	80	NNE	4	o	"	29.99	761.7	73	79	NNE	4	o
Tacloban,	"			...	...	..	...	...	"	...	...	...	..	...	...	...
Iloilo,	"	29.85	758.4	81	74	NNE	6	o	"	29.91	759.6	75	92	N	6	o
Surigao,	"	29.81	757.2	82	87	ENE	4	o	"	...	...	...	.	...	...	...
Tuguegarao,	"	30.08	764.1	73	67	N	4	o	"	30.14	765.6	64	88	N	4	o
Vigan,	"	29.89	759.3	64	45	E	4	b	"	29.97	761.1	53	58	.	0	o
Calbayog,	"	29.88	759.0	77	92	N	2	r	"	...	...	72	84	N	2	o
Cebu,	.			...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	NE	4	o	4.20	...	...	...	...	..	...	...
Yap,	12.37	29.78	756.3	..	...	E	4	o	4.47	29.80	756.9	...	...	ENE	4	o
Pelew,	11.00		...	...	...	...	...	...	5	29.85	758.2	76	..	ENE	1	c
Labuan,	11	29.76	755.9	88	88	NE	4	b	6	29.83	757.7	76	94	SW	2	b

December 28th, 11h. 28m.—Pressure has increased moderately over S.W. Japan and slightly from Formosa to Tongking. It has decreased slightly over central and E. China.

The anticyclone has weakened slightly but strong monsoon may still be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total** since January 1st, 100·78 inches, against an average of 83·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th DECEMBER, 1926.								29th DECEMBER 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.28	769.1	18	...	...	0	b	6	30.35	770.9	2	...	N	2	b
Nemuro,	11	30.06	763.5	...	...	...	0	...	5	30.16	766.0	...	...	...	0	...
Hokodate,	"	30.16	766.0	...	...	W	2	...	"	30.16	766.0	...	...	SW	2	...
Tokio,	"	30.14	765.5	...	...	N	2	...	"	30.24	768.0	...	...	NW	1	...
Kochi,	"	30.16	766.0	...	...	WNW	2	...	"	30.30	769.5	...	...	WSW	1	...
Nagasaki,	"	30.11	765.0	...	...	N	1	...	"	30.36	771.0	...	...	...	0	...
Kagoshima,	"	30.26	768.5	...	...	NW	1	...	"	30.32	770.0	...	...	...	0	...
Oshima,	"	30.24	768.0	...	...	N	3	...	"	30.26	768.5	...	...	N	2	...
Naha,	"	30.28	769.0	...	...	NNW	3	...	"	30.26	768.5	...	...	NE	1	...
Ishigakijima,	"	30.35	771.0	...	...	NNW	3	...	"	30.28	769.0	...	...	N	1	...
Bonin Island,	"	29.96	761.0	...	...	SW	1	...	"	30.04	763.5	...	...	W	1	...
Chefoo,	15	30.45	773.4	34	60	SW	1	b	6	30.44	773.2	26	78	SSW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	30.55	775.9	37	...	...	0	b
Changsha,	"	...	...	...	...	...	...	...	"	30.50	774.7	41	...	...	0	b
Shanghai,	14	30.56	776.1	39	35	WNW	1	b	"	30.52	775.2	25	96	NNW	1	b
Gutzlaff,	"	30.53	775.4	40	48	NNW	4	b	"	30.52	775.2	32	68	NNW	2	b
Sharp Peak,	"	30.44	773.2	62	77	E	2	b	7	30.40	772.1	42	75	N	1	b
Amoy,	"	30.37	771.4	60	60	ENE	2	b	6	30.35	770.9	44	80	ENE	2	b
Swatow,	"	30.32	770.1	57	...	E	3	b	"	30.30	769.6	47	...	NE	1	b
Taihoku,	11	30.46	773.7	55	49	NE	2	b	5	30.38	771.6	45	92	...	0	o
Taichu,	"	30.33	770.4	59	...	NNW	4	b	"	30.30	769.5	37	...	...	0	b
Tainan,	"	30.31	769.8	64	...	NNW	2	b	"	30.26	768.6	43	...	NNE	4	b
Koshun,	"	30.31	769.8	65	...	NE	6	b	"	30.22	767.7	59	...	NE	4	b
Pescadores,	"	30.36	771.0	64	...	ENE	6	b	"	30.28	769.2	54	...	ENE	6	b
Canton,	14	30.30	769.6	58	47	N	2	b	6	30.31	769.9	49	...	NE	2	bo
Hong Kong,	"	30.26	768.6	61	31	SE	2	b	"	30.29	769.3	53	72	NE	1	b
Gap Rock,	"	30.28	769.1	...	...	ENE	4	b	"	30.27	768.8	...	...	NE	4	b
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	30.18	766.6	66	68	NE	7	o	"	30.18	766.6	65	72	NE	6	o
Phulien,	"	30.26	768.6	70	34	SSE	1	bf	"	30.27	769.9	55	64	NE	4	bf
Tourane,	"	30.15	765.9	65	...	NE	6	o	6	30.17	766.2	64	...	N	4	o
Cape St. James	14	29.80	756.9	77	...	ENE	4	of	7	29.92	759.9	70	...	ENE	2	b
Basco,	15	30.15	765.9	82	72	NE	4	o	"	30.14	765.6	61	74	ENE	2	o
Aparri,	15	30.08	764.1	73	66	NE	4	o	6	30.11	764.7	64	90	NE	4	r
Manila,	"	29.93	760.2	82	51	NE	4	o	"	29.99	761.7	68	83	N	1	o
Legaspi,	"	29.93	760.2	81	62	NNE	4	b	"	29.94	760.5	73	79	N	2	b
Taloloban,	"	29.88	759.0	77	76	NNE	6	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.87	758.7	79	69	N	6	o	"	29.91	759.6	72	96	N	6	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tuguegarao,	"	30.08	764.1	73	48	N	4	o	"	30.11	764.7	79	95	NW	1	o
Vigan,	"	29.93	760.2	82	54	NE	4	b	"	29.97	761.1	70	53	S	4	o
Calbayog,	"	29.89	759.3	79	69	N	6	o	"	29.92	759.9	72	86	E	4	o
Cebu,	"	...	...	...	...	...	...	...	"	29.86	758.4	75	83	N	2	o
Guam,	12.20	29.70	756.5	...	...	E	2	o	4.20	29.79	756.6	...	...	NE	4	o
Yap,	12.47	29.75	755.7	...	...	E	6	r	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.84	757.9	76	91	...	0	r	6	29.85	758.2	76	91	NE	2	b

December 29*th*. 10*h*. 55*m*.—Pressure has increased slightly from the Bonins to S. Manchuria. It has decreased slightly along the Yangtze Valley and over Formosa and is nearly stationary elsewhere.

The anticyclone over China has weakened slightly.

Strong monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·78 inches, against an average of 83·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th DECEMBER, 1926.								30th DECEMBER, 1926.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.35	771.2	18	...	N	3	b	6	30.30	769.5	7	...	...	0	b
Nemuro,	11	30.10	764.5	...	...	...	0	...	5	30.24	768.0	...	...	NW	1	...
Hokodate,	"	30.14	765.5	...	...	W	2	...	"	30.30	769.5	...	...	NNW	1	...
Tokio,	"	30.21	768.0	...	...	SSE	1	...	"	30.36	771.0	...	...	NW	1	...
Kochi,	"	30.20	767.5	...	...	...	0	...	"	30.36	771.0	...	...	WSW	1	...
Nagasaki,	"	30.25	771.0	...	...	NNW	1	...	"	30.38	771.5	...	...	...	...	...
Kagoshima,	"	30.33	770.5	...	...	...	...	...	"	30.36	771.0	...	...	WNW	1	...
Oshima,	"	30.30	769.5	...	...	NNE	2	...	"	30.30	769.5	...	...	SSE	1	...
Naha,	"	30.26	768.5	...	...	N	2	...	"	30.26	768.5	...	...	NNE	1	...
Ishigakijima,	"	30.31	770.0	...	...	N	2	...	"	30.22	767.5	...	...	N	1	...
Bonin Island,	"	30.06	763.5	...	...	...	0	...	"	30.22	767.5	...	...	WSW	1	...
Chefoo,	15	30.41	772.4	36	61	WNW	1	b	6	30.35	770.9	24	87	...	0	b
Hankow,	"	...	...	...	...	...	...	...	"	30.36	771.1	37	...	...	0	b
Changsha,	"	...	...	...	...	...	...	...	"	30.34	770.6	47	...	...	0	bc
Shanghai,	14	30.49	774.3	45	64	...	0	b	"	30.41	772.5	28	100	ENE	1	bf
Gutzlaff,	"	30.48	774.2	44	68	NNW	1	b	"	30.44	773.2	38	91	E	2	b
Sharp Peak,	"	30.37	771.4	58	53	E	2	b	"	30.34	770.6	46	62	W	2	b
Amoy,	"	30.33	770.4	60	60	NW	2	b	6	30.31	769.9	48	78	NNW	2	b
Swatow,	"	30.29	769.3	56	...	ENE	3	b	"	30.23	767.8	49	...	NE	2	b
Taihoku,	14	30.39	771.9	61	50	NE	2	b	"	30.28	769.2	41	97	...	0	b
Taiohu,	"	30.30	769.5	63	...	N	1	b	"	30.31	769.8	41	...	...	0	b
Tainan,	"	30.28	769.2	64	...	NNW	1	b	"	30.20	767.1	48	...	N	2	o
Koshun,	"	30.26	768.6	65	...	NNE	4	b	"	30.18	766.5	37	...	NE	4	b
Pescadores,	"	30.32	770.1	61	...	ENE	6	b	"	30.21	767.4	59	...	ENE	6	b
Canton,	14	30.25	768.3	61	94	N	1	c	6	30.28	769.1	51	...	...	0	b
Hong Kong,	"	30.25	768.3	60	55	ESE	3	c	"	30.25	768.3	56	66	NE	2	c
Gap Rock,	"	30.24	768.1	...	...	ENE	4	b	"	30.23	767.8	...	...	ENE	4	c
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	30.13	765.3	67	68	NE	6	c	"	30.13	765.3	65	83	NE	6	or
Phulien,	"	30.19	766.8	72	47	ESE	1	bf	"	30.22	767.7	57	62	NE	4	lf
Tourane,	"	30.08	764.1	66	...	NE	4	o	6	30.11	764.7	68	...	NE	4	o
Cape St. James	14	29.87	758.7	77	...	ENE	2	b	7	29.92	759.9	70	...	NE	2	b
Basco,	15	30.12	765.0	72	57	NE	4	o	"	30.12	765.0	66	67	NE	4	o
Aparri,	15	30.06	763.5	70	74	NE	4	o	6	30.07	763.8	64	92	...	0	o
Manila,	"	29.93	760.2	82	51	ESE	2	o	"	29.98	761.4	66	54	...	0	b
Legaspi,	"	29.89	759.3	81	62	NNE	4	b	"	29.93	760.2	75	71	N	4	o
Tacloban,	"	29.82	757.5	77	79	NNE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.85	758.1	81	66	N	6	o	"	29.89	759.3	72	84	N	4	o
Surigao,	"	29.82	757.5	77	79	NNE	4	o	"	...	...	...	...	...	...	...
Tuguegarao,	"	30.06	763.5	73	75	NW	1	o	"	...	...	...	...	...	...	...
Vigan,	"	29.91	759.6	82	40	E	4	b	"	...	...	...	...	...	...	...
Calbayog,	"	29.87	758.7	81	69	N	6	o	"	29.92	759.9	73	86	N	2	o
Cebu,	"	...	...	...	...	...	...	...	"	29.86	758.4	77	76	N	4	o
Guam,	12.20	29.78	756.3	...	...	NE	2	o	4.20	29.82	757.5	...	...	NE	4	o
Yap,	12.47	29.76	756.0	...	...	ENE	4	b	4.47	29.82	757.5	...	...	NE	4	o
Pelew,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	11	29.78	756.4	88	84	NE	4	b	6	29.83	757.7	78	91	NE	2	b

December 30th, 11h. *com.*—Pressure has increased moderately from N.E. Japan to the Bonins. It is nearly stationary from Indo-China to the Philippines and has decreased slightly to moderately elsewhere.

The anticyclone has weakened and moved eastward. It is now central over the Yellow Sea.

The monsoon will moderate along the coast and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·78 inches, against an average of 83·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine, warmer.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th DECEMBER, 1926.									31st DECEMBER, 1926.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.30	769.7	23	...	...	0	b		6	30.19	766.9	20	...	...	0	0	
Nemuro,	11	30.26	768.5	...	...	WSW	1	...		5	30.30	769.5	...	...	SW	1	...	
Hokodate,	,,	30.33	770.5	...	...	...	0	...		,,	30.30	769.5	...	...	NNW	1	...	
Tokio,	,,	30.33	770.5	...	...	N	1	...		,,	30.38	771.5	...	...	NW	1	...	
Kochi,	,,	30.33	770.5	...	...	...	0	...		,,	30.34	770.5	...	...	WSW	1	...	
Nagasaki,	,,	30.37	771.5	...	...	SE	1	...		,,	30.34	770.5	...	...	...	0	...	
Kagoshima,	,,	30.35	771.0	...	...	...	0	...		,,	30.36	771.0	...	...	WNW	1	...	
Oshima,	,,	30.30	769.5	...	...	NNE	1	...		,,	30.32	770.0	...	...	SSE	1	...	
Naha,	,,	30.28	769.0	...	...	NE	3	...		,,	30.26	768.5	...	...	ENE	1	...	
Ishigakijima,	,,	30.24	768.0	...	...	ESE	1	...		,,	30.18	766.5	...	...	ENE	1	...	
Bonin Island,	,,	30.18	765.5	...	...	NE	1	...		,,	30.18	766.5	...	...	E	1	...	
Chefoo,	15	30.25	768.3	40	65	SW	1	0		6	30.25	768.3	32	90	SW	1	b	
Hankow,	,,	...	...	...	...	...	...	...		,,	30.24	768.1	44	...	...	0	b	
Changsha,	,,	...	...	...	...	...	...	...		,,	30.24	768.1	44	...	...	0	b	
Shanghai,	14	30.34	770.1	52	51	SSE	2	b		,,	30.28	769.2	36	96	SE	1	b	
Gutzlaff,	,,	30.36	771.1	48	63	SE	4	b		,,	30.31	769.9	42	85	SE	4	b	
Sharp Peak,	,,	30.27	768.5	66	54	E	1	b		7	30.26	768.6	50	72	NW	1	b	
Amoy,	,,	30.25	768.3	62	90	SSE	2	b		6	30.25	768.3	50	93	WSW	4	b	
Swatow,	,,	30.20	767.1	61	...	ENE	2	b		,,	..	...	48	...	WNW	1	b	
Taihoku,	11	30.30	769.5	66	49	E	4	b		5	30.19	766.8	52	95	NW	2	b	
Taichu,	,,	30.25	768.3	63	...	...	0	b		,,	30.21	767.4	45	..	...	0	b	
Tainan,	,,	30.24	768.0	72	...	.	0	b		,,	30.18	766.5	48	...	...	0	b	
Koshun,	,,	30.21	767.4	72	...	ENE	4	b		,,	30.13	765.3	64	...	NNE	4	b	
Pescadores,	,,	30.27	768.9	63	...	NE	4	o		,,	30.17	766.2	59	...	NE	4	b	
Canton,	14	...	...	...	...	...	...	...		6	30.20	767.1	53	...	...	0	b	
Hong Kong,	,,	30.18	766.6	63	38	E	4	b		,,	30.19	766.8	56	77	E	3	b	
Gap Rock,	,,	30.18	766.6	...	...	ENE	4	b		,,	30.17	766.3	...	...	ENE	4	b	
Macao,	,,	..	...	...	...	...	...	...		,	...	...	...	...	...	.	...	
Pratas Island,	,,	30.11	764.8	70	67	NE	6	c		,,	30.10	764.5	67	79	NE	5	o	
Phulien,	,,	30.15	765.9	73	52	SW	1	bf		,,	30.18	766.5	55	93	NNE	2	b	
Tourane,	,,	30.07	763.8	63	...	NE	6	o		6	30.10	764.4	64	...	N	2	o	
Cape St. James	14	29.88	759.0	81	...	ENE	2	b		7	29.91	759.6	70	...	ENE	2	b	
Basco,	15	30.07	763.8	73	55	NE	4	o		,,	30.07	763.8	70	69	ENE	2	o	
Aparri,	15	30.01	762.3	75	60	NE	4	o		6	30.06	763.5	64	90	...	0	o	
Manila,	,,	29.89	759.3	79	61	NE	2	o		,,	29.95	760.8	68	77	N	2	o	
Legaspi,	,,	29.88	759.0	81	69	NNE	4	o		,,	29.92	759.9	75	85	N	4	o	
Tacloban,	,,	..	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.85	758.1	81	69	N	6	o		,,	29.88	759.0	73	91	N	4	o	
Surigao,	,,	...	...	...	...	...	...	...		,,	29.85	758.1	72	98	...	0	o	
Tuguegarao,	,,	...	...	..	...	...	..	...		,,	30.06	763.5	66	92	NW	1	o	
Vigan,	,,	...	...	...	...	...	...	...		,,	...	...	...	..	...	.	...	
Calbayog,	,,	...	...	..		...	...	...		,,	29.89	759.3	73	96	...	0	r	
Cebu,	.	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	o	
Guam,	12.20	29.81	757.2	..	...	NE	2	o		4.20	29.85	758.1	...	...	NE	1	o	
Yap,	12.47	29.78	756.3	..	...	ENE	4	o		4.47	29.82	757.5	...	...	ENE	4	o	
Pelew,	11.00	...	...	...	...		...	...		5	29.82	757.5	80	...	E	3	o	
Labuan,	12	29.76	755.9	90	84	NE	4	b		6	29.84	757.9	80	91	NE	2	b	

December 31*st*. 11*h*. 30*m*.—Pressure has decreased slightly along the Yangtze Valley and over S. Manchuria. It is nearly stationary elsewhere.

The anticyclone has weakened further. It is now central over mid-Japan.

Moderate monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st 100·78 inches, against an average of 83·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG

RESULTS

OF

MAGNETIC OBSERVATIONS,

1926

Hartley

Determinations of Magnetic Horizontal Force in the Year 1926.

Hong Kong Standard Time, 1926.	Deflecting Magnet. Corrected Time of one Vibration.	Deflecting Magnet. Temperature (A.)	Deflecting Magnet. Effect of 90° of Torsion.	Observed Deflection. Distance. 30 cms.	Observed Deflection. Distance. 40 cms.	Temperature. (A.)	C. G. S. Units. Log. mX.	C. G. S. Units. Log. $\frac{m}{X}$	C. G. S. Units. m.	C. G. S. Units. X.	Observer.
	s.			′	′	C					
January,... 15 h. 15 m. 21	2·9202	294·7	1·72	9 20·11	3 55·00	294·4	2·48473	3·34134	818·56	0·37298	B.D.E.
February,. 16 15 01	2·9166	290·6	1·80	9 20·43	3 54·96	290·4	2·48515	3·34074	818·37	0·37342	C.W.J.
March, ... 15 15 49	2·9216	299·6	1·44	9 18·41	3 54·35	299·5	2·48511	3·34099	818·56	0·37330	T.F.C.
April,..... 16 15 21	2·9223	294·4	1·46	9 20·57	3 55·31	294·4	2·48409	3·34179	818·35	0·37252	B.D.E.
May, ... 17 14 11	2·9199	297·9	2·00	9 18·31	3 54·25	297·9	2·48531	3·34054	818·33	0·37359	T.F.C.
June, ... 16 14 41	2·9209	297·6	1·57	9 18·53	3 54·20	297·4	2·48498	3·34050	817·98	0·37346	T.F.C.
July, ... 14 15 08	2·9254	307·8	1·64	9 15·13	3 52·81	307·9	2·48534	3·33974	817·60	0·37394	T.F.C.
August, ... 17 15 27	2·9267	308·0	1·35	9 16·97	3 53·49	306·9	2·48499	3·34091	818·37	0·37328	B.D.E.
September, 16 15 07	2·9246	299·7	1·42	9 18·75	3 54·35	299·8	2·48422	3·34113	817·85	0·37286	T.F.C.
October, ... 17 10 00	2·9240	299·3	1·40	9 19·29	3 54·67	299·4	2·48433	3·34151	818·31	0·37274	T.F.C.
November, 15 14 38	2·9186	292·5	1·96	9 20·51	3 55·44	292·6	2·48483	3·34159	818·86	0·37292	T.F.C.
December, 14 14 38	2·9223	297·0	1·55	9 17·35	3 53·61	296·8	2·48446	3·33938	816·43	0·37371	T.F.C.
Year,	2·9219	298·3	1.61	9 18.70	3 54.37	298.1	2.48480	3.34085	818.13	0·37323	

Results of Observations of Magnetic Declination and Dip in the year 1926, with deduced Monthly Values of Vertical Force and Total Force.

Hong Kong Standard Time, 1926.	Observed Declination. (West.)	Observer.	Hong Kong Standard Time, 1926.	Needle.	Observed Dip. (North)	Observer.	Monthly Values of Dip. (North)	Monthly Values of Vertical Force. C. G. S. Units.	Monthly Values of Total Force. C. G. S. Units.
January,... 15 d. 16 h. 13 m.	° ′ 0 28·15	B.D.E.	16 d. 11 h. 00 m.	$\frac{3}{4}$	30 49·6 / 30 39·1	C.W.J.	° ′ 30 44·4	0·22181	0·43396
February,.. 16 15 46	29·44	C.W.J.	17 10 55	$\frac{3}{4}$	30 34·3 / 30 38·7	C.W.J.	36·5	0·22091	0·43387
March, ... 15 16 55	27·98	T.F.C.	16 15 04	$\frac{3}{4}$	30 43·4 / 30 38·0	B.D.E.	40·7	0·22146	0·43405
April,..... 16 16 29	29·86	B.D.E.	17 11 30	$\frac{1}{2}$	30 42·3 / 30 45·6	B.D.E.	44·1	0·22149	0·43339
May, ... 17 15 27	30·40	T.F.C.	17 12 05	$\frac{3}{4}$	30 45·0 / 30 37·6	B.D.E.	41·3	0·22171	0·43442
June, ... 16 15 25	30·11	T.F.C.	15 15 17	$\frac{1}{2}$	30 41·4 / 30 42·4	B.D.E.	41·9	0·22173	0·43432
July, ... 14 12 47	31·35	T.F.C.	16 11 57	$\frac{1}{2}$	30 42·2 / 30 39·5	B.D.E.	40·8	0·22186	0·43480
August, ... 17 16 19	29·46	B.D.E.	17 12 40	$\frac{3}{4}$	30 46·1 / 30 41·7	B.D.E.	43·9	0·22193	0·43427
September, 16 16 0	29·98	T.F.C.	16 16 40	$\frac{3}{4}$	30 47·1 / 30 44·6	B.D.E.	45·9	0·22196	0·43392
October.... 15 10 37	29·68	T.F.C.	18 15 04	$\frac{1}{2}$	30 49·8 / 30 41·0	B.D.E.	45·3	0·22180	0·43374
November, 15 13 45	29·66	T.F.C.	16 12 52	$\frac{3}{4}$	30 44·2 / 30 40·6	B.D.E.	42·4	0·22199	0·43374
December,. 14 12 37	29·44	T.F.C.		$\frac{1}{2}$	30 42·1 / 30 38·8	T.F.C.	42·0	0·22190	0·43463
Year,	° 29·63						30 42·4	0·22167	0·43409

The initials T.F.C., C.W.J. and B.D.E. are those of Mr. Claxton, Mr. Jeffries and Mr. Evans, respecively.