ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

JANUARY,

1929.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.

QC
990
.H85
M38
1929

LIBRARY

N.O.A.A.
U S Dept of Commerce

LIBRARY
SEP 11
WEATHER BUREAU

51248

HONG KONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1929.

ARMY MEDICAL LIBRARY
WASHINGTON, D. C., U. S. A.

[*Price 60c.*]

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

ROYAL OBSERVATORY, HONGKONG.

Latitude.....22° 18′ 13·2″ North.
Longitude.... 7ʰ 36ᵐ 41·25ˢ East.

MONTHLY METEOROLOGICAL BULLETIN,

1929.

INTRODUCTION.

§ 1. *Buildings and Instruments.*

A detailed description of the Observatory and Instruments is contained in the Introduction for 1913 and 1914.

§ 2. *Reduction of the Observations.*

The continuous records of the temperature of the air and of evaporation, and direction of the wind are measured at each hour of the day, from 1ʰ to 24ʰ of Hongkong standard time. Those of wind velocity and amount of rainfall are measured at 30 minutes before the above hours, so as to obtain the value of these elements at the hour. The records of the duration of sunshine are measured so as to include the amount of sunshine recorded from 30 minutes before to 30 minutes after each hour of local apparent time.

The hourly values of the principal meteorological elements are given in Tables I to VII. Three-hourly observations of the character and direction of motion of the clouds are given in Table VIII and a list of phenomena observed during the month at the foot of Table X. The daily values of the meteorological elements are collected in Table IX and the mean hourly values for the month in Table X. The normals given in Tables IX refer to the periods 1884–1929.

The values given in Table I, barometric pressure, are derived from the hourly readings of the Kew pattern Station barometer No. 1323. The results are corrected for index error and reduced to the temperature 32° F. They are *not* reduced to sea level, nor to the gravity at latitude 45°. The height of the barometer cistern above mean sea level is 109 feet.

The temperature of the air and of evaporation (Tables II and III) are derived from the hourly measures of the Richard dry and wet-bulb thermograph. The highest and lowest temperatures given in Tables IX are the highest and lowest points on the thermograms. The records are obtained on plain paper, on which a base-line for each day's register is laid down from the eye observations of rotating thermometers. The registers are time-scaled electrically ; an electro-magnet operated by the hourly time signal lifts the pens from the paper, and clock work apparatus, adapted by Mr. Evans in January, 1923, locks them until the 3rd minute when they are released and fall back on to the paper. The thermometers are aspirated from the 55th to the 60th minute of each hour by an electric

fan, operated by a contact on one of the electric dials, air being drawn into the shelter through a 14-inch zinc pipe. A buzzer, operated each minute, was fitted to the thermometer frames on April 2nd, 1924, to overcome inertia and friction.

The index corrections of all thermometers in use are determined near mid-summer and mid-winter, by comparison in water with a standard thermometer (Kew No. 647) constructed at the Kew Observatory. Comparisons with a Griffin standard thermometer, purchased in the year 1914, indicate that Kew No. 647 reads 0°·10 F. too high. No correction has been applied on this account, however.

In Table VIII the cloud classification adopted by the London Meteorological Office is used. Where the names of upper and lower clouds are given, but only one direction, the latter refers to the lower clouds.

The amount of sunshine given in Table V is derived from the hourly measures of the Campbell-Stokes Universal Sunshine Recorder, Lecky No. c51. The percentage of possible sunshine given in Tables IX and X is obtained by dividing the observed amount by the number of hours the Sun's centre is above the horizon, using 34′ as the mean refraction on the horizon.

The shadow of the wireless mast, erected in the summer of 1917, falls on the sunshine recorder for a few minutes in the afternoon from January 16 to March 29 and September 16 to November 28. The mast has a skeleton frame the ribs of which partially eclipse the Sun and occasionally cause a slight loss of register. A more serious loss occurs when the sun passes behind the joints of the mast (which are steel plates 3 feet square) or when the Sun sets behind the mast.

A second recorder, similar to the Lecky instrument, was obtained from Messrs. J. Hicks and set up on the south-west corner of the Main Building on January 6, 1921. The records of this instrument furnish the necessary corrections to those of the old Lecky instrument, as the interruption by the mast occurs at a different time.

The amount of rainfall given in Table VI is derived from the hourly measures of the Nakamura pluviograph, corrected when necessary by observation of the standard rain-gauge. In order to contrast the dry and wet hours the former are indicated by three dots, thus,...and the same symbol has been used to indicate clear sky (Tables IV and VIII), no sunshine (Tables V and IX), and calms (Table VII). In Table VI the letter *d* indicates that drizzle occurred but that the amount was too small to be recorded on the pluviogram. As regards the duration of rain given in Tables IX–X, it should be mentioned that frequently in the winter months very fine drizzle occurs at intervals during the day, but the amount collected in the gauge is less than 0·005 inch.

The direction and velocity of the wind (Table VII) are derived from the hourly measures of the Beckley anemograms. These measures are resolved into north and east components by the aid of a table giving the components for every point of direction and every mile of velocity, the values in the table being increased by 100 to avoid minus signs. The mean daily direction and velocity, and the mean hourly values in each month, given in Tables IX—X, are derived from the north and east components by the aid of Table III (B) in Chapter VI of the International Meteorological Tables. For the sake of continuity Dr. Robinson's factor (3) has been retained for converting the velocity of the cups into wind velocity, in the above Tables.

Beginning with the year 1928 the relative humidity given in Tables IX and X has been obtained by means of Pertners's "Strong Wind" formula.

$$x = f' - 000364\,(t - t')\,(1 + \frac{t' - 32}{1098})\,h$$

where

x is the pressure of aqueous vapour in the air at a temperature t.

f' is the pressure of saturated aqueous vapour at temperature t'.

t is the temperature of the air in fahrenheit degrees.

t' is the temperature of evaporation in fahrenheit degrees.

h is the barometric pressure in inches.

A mean pressure of 29.8 inches has been used in constructing the tables.

The values of aqueous vapour pressures are those given in the International Meteorological Tables.

Beginning with the year 1927 only monthly values of the Meteorological elements in C.G.S. units have been published. They will be found under Table IX. Phenomena and Time Ball errors have been placed under Table X.

It should be noted that before converting the barometric pressures into millibars the readings have been reduced to sea level and standard gravity.

C. W. JEFFRIES.

ROYAL OBSERVATORY, HONG KONG.

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JANUARY,

1929.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JANUARY, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·025	30·022	30·020	30·018	30·018	30·028	30·049	30·072	30·089	30·097	30·085	30·050	1
2	30·095	30·092	30·090	30·097	30·099	30·114	30·140	30·154	30·172	30·182	30·166	30·128	2
3	30·106	30·099	30·089	30·087	30·089	30·088	30·107	30·134	30·155	30·158	30·155	30·124	3
4	30·104	30·108	30·088	30·097	30·094	30·084	30·116	30·149	30·175	30·178	30·163	30·135	4
5	30·098	30·106	30·098	30·108	30·104	30·108	30·124	30·140	30·152	30·151	30·136	30·108	5
6	30·096	30·086	30·074	30·067	30·069	30·079	30·099	30·116	30·125	30·132	30·118	30·089	6
7	30·130	30·129	30·115	30·099	30·101	30·118	30·120	30·142	30·152	30·158	30·168	30·133	7
8	30·130	30·122	30·110	30·099	30·099	30·093	30·103	30·123	30·154	30·162	30·158	30·130	8
9	30·147	30·140	30·128	30·118	30·121	30·127	30·154	30·172	30·178	30·186	30·171	30·143	9
10	30·113	30·107	30·095	30·084	30·088	30·095	30·117	30·134	30·162	30·168	30·156	30·122	10
11	30·085	30·072	30·058	30·054	30·024	30·024	30·059	30·076	30·088	30·103	30·083	30·055	11
12	30·007	29·995	29·973	29·949	29·951	29·963	29·977	29·988	30·010	30·015	30·003	29·983	12
13	29·917	29·905	29·894	29·889	29·894	29·901	29·905	29·908	29·925	29·936	29·926	29·895	13
14	29·869	29·860	29·852	29·841	29·845	29·853	29·876	29·896	29·919	29·929	29·915	29·886	14
15	29·930	29·933	29·929	29·931	29·939	29·954	29·974	29·991	30·018	30·032	30·025	30·020	15
16	30·102	30·092	30·098	30·096	30·113	30·125	30·141	30·147	30·182	30·198	30·203	30·182	16
17	30·202	30·196	30·181	30·174	30·178	30·188	30·200	30·223	30·230	30·238	30·229	30·208	17
18	30·223	30·219	30·208	30·201	30·181	30·193	30·208	30·213	30·219	30·229	30·214	30·184	18
19	30·126	30·120	30·100	30·096	30·088	30·096	30·111	30·110	30·128	30·135	30·121	30·091	19
20	30·066	30·066	30·056	30·045	30·043	30·047	30·056	30·088	30·118	30·126	30·098	30·070	20
21	30·030	30·030	30·015	30·016	30·022	30·032	30·051	30·081	30·092	30·100	30·086	30·064	21
22	30·106	30·096	30·083	30·077	30·081	30·083	30·108	30·135	30·146	30·147	30·141	30·108	22
23	30·076	30·063	30·065	30·059	30·060	30·070	30·078	30·102	30·123	30·136	30·125	30·101	23
24	30·052	30·044	30·022	30·019	30·023	30·034	30·055	30·081	30·102	30·119	30·113	30·090	24
25	30·090	30·088	30·070	30·062	30·066	30·089	30·105	30·125	30·142	30·150	30·127	30·102	25
26	30·049	30·033	30·019	29·992	30·003	30·020	30·038	30·040	30·050	30·058	30·044	30·029	26
27	29·967	29·959	29·945	29·928	29·932	29·930	29·940	29·964	29·978	29·984	29·974	29·946	27
28	29·871	29·858	29·850	29·836	29·834	29·841	29·849	29·862	29·890	29·900	29·866	29·849	28
29	29·809	29·799	29·793	29·789	29·797	29·815	29·830	29·848	29·878	29·888	29·879	29·856	29
30	29·840	29·824	29·812	29·804	29·801	29·818	29·822	29·840	29·855	29·863	29·843	29·817	30
31	29·814	29·818	29·822	29·822	29·820	29·839	29·856	29·859	29·894	29·910	29·891	29·873	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·018	30·004	29·996	30·012	30·026	30·054	30·076	30·098	30·110	30·114	30·106	30·099	1
2	30·090	30·074	30·064	30·073	30·084	30·095	30·105	30·124	30·133	30·130	30·126	30·109	2
3	30·083	30·055	30·038	30·038	30·048	30·060	30·076	30·105	30·113	30·114	30·117	30·111	3
4	30·106	30·068	30·057	30·062	30·073	30·083	30·090	30·118	30·109	30·119	30·109	30·100	4
5	30·064	30·047	30·038	30·040	30·048	30·056	30·062	30·094	30·104	30·100	30·108	30·110	5
6	30·054	30·036	30·024	30·015	30·032	30·052	30·072	30·096	30·108	30·118	30·125	30·126	6
7	30·104	30·078	30·064	30·064	30·066	30·078	30·084	30·098	30·106	30·113	30·120	30·126	7
8	30·102	30·080	30·070	30·066	30·070	30·079	30·104	30·112	30·134	30·147	30·138	30·146	8
9	30·111	30·090	30·071	30·076	30·081	30·098	30·100	30·120	30·124	30·128	30·127	30·120	9
10	30·088	30·069	30·052	30·042	30·042	30·063	30·068	30·073	30·083	30·092	30·103	30·082	10
11	30·023	29·994	29·972	29·975	29·982	29·979	29·993	30·003	30·011	30·017	30·011	30·011	11
12	29·946	29·916	29·894	29·887	29·888	29·902	29·912	29·928	29·935	29·942	29·943	29·928	12
13	29·860	29·840	29·814	29·815	29·826	29·836	29·844	29·857	29·859	29·868	29·870	29·869	13
14	29·868	29·853	29·843	29·846	29·855	29·870	29·882	29·896	29·908	29·916	29·916	29·931	14
15	30·009	29·998	29·984	29·988	30·000	30·018	30·050	30·070	30·076	30·092	30·100	30·100	15
16	30·138	30·116	30·112	30·116	30·125	30·142	30·152	30·170	30·186	30·196	30·196	30·198	16
17	30·174	30·155	30·132	30·135	30·140	30·159	30·173	30·198	30·216	30·220	30·226	30·225	17
18	30·146	30·124	30·102	30·090	30·080	30·088	30·102	30·104	30·114	30·126	30·140	30·140	18
19	30·046	30·021	30·001	29·996	30·004	30·028	30·044	30·061	30·071	30·083	30·080	30·076	19
20	30·041	29·996	29·986	29·994	29·996	29·999	30·007	30·030	30·036	30·042	30·046	30·037	20
21	30·035	30·012	30·005	30·011	30·013	30·030	30·044	30·060	30·085	30·094	30·096	30·102	21
22	30·078	30·047	30·031	30·034	30·040	30·047	30·056	30·072	30·078	30·084	30·070	30·074	22
23	30·081	30·050	30·022	30·004	30·009	30·019	30·020	30·036	30·048	30·062	30·068	30·062	23
24	30·057	30·034	30·005	30·002	30·011	30·026	30·045	30·059	30·070	30·086	30·090	30·094	24
25	30·065	30·042	30·037	30·027	30·035	30·052	30·058	30·058	30·062	30·068	30·064	30·058	25
26	30·004	29·980	29·965	29·969	29·964	29·955	29·971	29·985	29·996	29·988	29·980	29·971	26
27	29·915	29·891	29·873	29·871	29·877	29·877	29·887	29·894	29·894	29·896	29·894	29·880	27
28	29·821	29·807	29·786	29·774	29·778	29·788	29·799	29·820	29·838	29·823	29·805	29·813	28
29	29·834	29·804	29·795	29·792	29·805	29·814	29·824	29·827	29·834	29·850	29·845	29·836	29
30	29·788	29·760	29·758	29·758	29·769	29·779	29·787	29·790	29·798	29·809	29·809	29·807	30
31	29·854	29·816	29·802	29·805	29·820	29·840	29·854	29·873	29·875	29·879	29·880	29·884	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of JANUARY, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	63·3	64·0	64·0	63·3	61·7	61·8	62·5	63·0	64·1	65·2	67·0	66·7	1
2	61·8	61·7	61·6	60·6	60·7	60·9	60·9	61·0	60·8	61·0	60·6	60·7	2
3	59·2	58·9	58·7	58·2	56·6	55·5	55·7	56·6	56·7	57·7	57·0	58·9	3
4	56·0	55·8	55·7	55·0	55·0	54·7	52·6	54·6	57·7	61·6	62·5	62·1	4
5	59·9	59·7	59·7	59·7	59·0	58·7	58·7	59·4	60·0	61·8	62·6	62·8	5
6	61·8	62·6	62·7	62·7	62·8	62·9	63·3	63·7	65·7	67·7	69·2	70·0	6
7	62·7	62·6	62·6	62·1	62·4	62·0	61·2	61·6	61·5	62·7	62·3	62·0	7
8	60·8	60·8	60·8	60·7	60·6	60·7	60·6	60·8	59·7	61·7	64·3	65·8	8
9	58·8	58·6	57·8	56·9	56·8	56·4	55·7	58·3	61·2	63·6	65·0	63·7	9
10	58·2	58·0	58·1	57·4	56·4	56·9	56·9	58·2	62·7	64·1	64·7	65·7	10
11	59·7	59·9	59·9	58·8	58·8	58·8	59·7	60·6	62·0	63·6	64·6	66·3	11
12	63·7	63·7	63·7	63·4	63·7	63·7	64·0	65·7	68·7	69·7	71·0	72·7	12
13	64·3	64·3	63·7	63·7	64·0	64·7	64·8	65·3	67·7	69·8	70·9	72·1	13
14	64·6	64·7	64·3	65·1	64·6	64·0	64·8	65·7	70·7	72·5	71·7	73·5	14
15	65·5	65·1	65·8	65·8	65·5	64·8	64·6	65·9	70·0	73·7	74·4	71·9	15
16	60·9	60·8	61·0	61·0	60·9	60·7	60·5	60·7	61·5	63·5	62·7	62·6	16
17	60·7	60·7	60·5	60·9	60·6	59·8	60·7	60·7	61·6	62·0	62·9	65·7	17
18	62·5	61·8	61·7	61·7	61·7	61·7	60·5	60·5	62·1	63·3	63·9	65·8	18
19	61·6	61·6	61·7	61·6	61·5	61·6	62·0	62·7	62·6	64·2	66·8	68·0	19
20	61·7	61·7	61·7	61·5	60·7	60·3	60·3	60·7	64·0	64·1	65·2	64·5	20
21	61·6	61·0	61·0	61·6	61·8	62·2	62·4	64·7	66·7	68·0	68·7	68·4	21
22	61·8	61·0	60·4	60·1	59·5	57·5	58·0	58·9	60·6	62·7	63·8	64·6	22
23	61·7	61·7	61·5	60·0	59·8	60·0	60·9	60·5	61·6	62·7	64·0	63·2	23
24	61·7	61·7	61·6	61·6	61·0	61·0	60·8	61·6	61·7	63·0	65·7	67·9	24
25	61·8	61·7	61·7	60·2	60·5	59·8	59·7	58·9	61·4	63·6	67·3	68·0	25
26	62·7	62·7	62·5	62·8	62·7	63·2	63·5	64·0	64·4	65·7	67·0	67·8	26
27	64·2	64·7	64·7	65·2	65·7	65·2	65·3	65·3	65·1	65·0	65·0	63·9	27
28	62·2	62·2	62·0	62·6	62·6	62·5	62·4	61·9	62·6	63·0	63·6	64·4	28
29	63·2	63·3	62·8	63·3	63·2	62·7	62·7	62·7	61·8	62·5	63·0	62·7	29
30	59·7	58·7	58·0	57·7	57·7	57·7	57·5	57·7	57·7	58·4	58·0	57·5	30
31	54·7	54·7	54·7	53·9	53·3	54·5	54·7	56·0	55·1	55·4	55·7	55·5	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	66·6	65·9	65·3	65·0	63·8	63·7	64·0	63·7	62·7	62·7	62·7	62·5	1
2	59·9	59·7	59·7	59·7	59·7	59·1	59·5	59·5	59·5	59·5	59·4	59·4	2
3	63·7	64·7	63·7	60·4	59·7	58·7	56·7	56·7	56·7	56·8	56·0	56·3	3
4	61·9	62·3	60·7	61·3	60·6	59·7	59·7	59·7	59·9	60·0	60·7	60·7	4
5	63·2	64·0	62·7	63·1	62·7	62·5	62·7	62·2	62·7	62·2	62·0	61·7	5
6	69·7	70·0	68·9	69·4	68·0	65·0	64·2	63·9	63·6	63·8	63·8	63·5	6
7	61·2	61·3	61·2	61·1	60·9	60·7	60·9	60·9	61·0	61·0	61·4	61·0	7
8	68·6	68·5	66·0	65·5	64·6	62·7	61·7	61·9	60·9	60·7	59·7	59·5	8
9	66·7	64·7	63·7	62·2	61·4	60·5	59·7	59·5	59·5	57·8	57·9	58·7	9
10	65·9	66·0	66·7	65·8	63·7	61·0	60·7	60·6	60·7	60·7	60·7	59·8	10
11	65·7	64·7	66·3	66·2	64·7	64·0	63·4	64·1	64·3	64·6	64·6	63·8	11
12	72·2	71·7	71·1	70·1	68·3	65·8	65·0	64·0	64·5	64·5	64·0	64·0	12
13	71·8	71·1	71·3	69·8	68·5	67·0	65·9	65·8	66·3	65·5	65·2	64·7	13
14	74·0	70·7	70·0	69·3	68·5	67·2	66·5	66·5	66·3	66·0	64·7	65·0	14
15	70·0	67·0	66·8	65·7	65·0	63·7	64·4	63·7	63·4	62·7	62·7	62·6	15
16	62·7	64·7	63·6	62·7	61·8	60·7	60·9	61·7	61·7	61·6	61·1	60·7	16
17	65·9	65·5	66·4	64·4	64·0	63·5	62·6	62·7	62·6	62·1	62·5	62·6	17
18	65·3	64·6	63·1	62·7	61·6	61·5	60·5	60·8	61·6	61·6	61·6	61·4	18
19	68·2	68·2	68·0	64·7	63·0	61·5	61·6	62·0	62·3	62·3	62·0	61·7	19
20	64·5	64·5	64·3	63·7	63·5	61·9	61·6	60·9	60·9	60·8	61·0	61·7	20
21	68·9	70·3	69·4	67·5	66·4	64·6	64·6	64·6	64·5	63·6	63·5	62·5	21
22	64·3	64·6	64·6	62·7	62·7	62·2	61·6	61·6	61·6	61·7	61·5	61·8	22
23	63·3	65·6	65·4	64·0	63·7	62·3	62·2	62·4	62·7	62·4	62·5	61·8	23
24	67·9	65·7	67·4	65·8	63·7	62·7	62·0	61·7	61·5	61·3	61·6	61·8	24
25	67·2	66·0	65·0	64·4	63·9	62·5	62·6	62·7	62·7	62·7	62·7	62·6	25
26	67·0	65·3	65·2	64·0	63·0	63·7	64·6	64·6	63·7	63·7	63·7	64·4	26
27	63·7	63·8	64·0	64·1	63·8	63·0	62·8	62·0	61·7	61·7	61·7	61·5	27
28	64·2	63·7	65·7	66·0	64·7	63·9	63·5	62·8	62·8	63·7	63·3	63·4	28
29	62·7	62·4	61·6	61·6	61·0	60·7	60·2	60·0	60·0	59·7	59·7	59·7	29
30	57·7	57·7	57·1	56·8	57·0	56·7	56·6	56·6	56·6	56·2	55·0	54·0	30
31	55·1	54·9	54·7	54·7	55·0	55·0	54·5	54·6	53·7	53·5	53·0	52·7	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of JANUARY, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·0	58·0	58·1	57·1	56·0	56·0	56·1	56·4	57·5	58·2	59·0	59·2	1
2	57·8	57·4	57·2	56·5	56·6	56·4	56·0	56·5	56·0	56·0	55·7	55·6	2
3	54·3	54·2	53·7	53·3	51·5	49·8	49·7	50·4	50·2	50·9	49·9	50·4	3
4	48·4	48·7	47·9	47·8	47·8	47·8	46·0	46·8	48·7	51·6	51·7	53·1	4
5	51·6	52·9	52·9	52·9	52·7	52·8	52·6	52·8	52·8	54·4	54·4	54·8	5
6	57·6	56·8	57·7	57·6	57·5	57·7	57·7	57·9	59·4	61·0	61·5	61·5	6
7	59·3	58·8	58·6	58·1	57·7	57·0	56·2	56·9	56·5	57·0	57·3	57·0	7
8	56·3	56·3	56·0	55·9	56·4	56·5	56·7	56·6	57·0	57·9	58·7	59·6	8
9	52·8	52·6	52·0	50·8	50·5	49·4	49·2	51·0	52·9	54·0	55·0	53·8	9
10	54·6	54·0	54·3	53·7	52·8	53·8	53·8	54·8	57·2	56·7	56·8	52·7	10
11	55·8	54·8	54·0	53·5	52·7	53·9	54·9	53·8	54·0	53·2	55·4	56·3	11
12	59·7	58·6	57·6	56·6	56·7	57·2	57·8	59·9	60·8	61·6	62·3	62·9	12
13	61·8	61·8	61·7	61·7	62·0	62·4	62·5	62·3	63·3	63·5	62·8	62·8	13
14	61·8	61·7	61·3	61·4	61·6	62·0	61·9	62·7	66·0	66·3	66·0	66·5	14
15	63·5	64·1	64·7	64·4	63·5	63·0	62·9	63·1	65·2	65·6	65·2	65·4	15
16	57·8	57·7	57·6	57·6	57·0	56·4	56·3	56·5	56·5	57·0	57·0	56·7	16
17	56·7	56·7	56·4	56·3	56·7	55·8	56·8	57·1	57·8	58·0	58·8	59·8	17
18	59·6	59·7	58·8	58·8	58·2	57·8	56·0	56·0	57·0	57·3	57·8	59·0	18
19	57·9	57·9	58·2	58·4	58·0	57·9	58·2	57·9	57·7	58·0	59·2	58·0	19
20	57·9	57·9	57·9	57·5	57·8	56·9	56·9	56·8	58·6	59·3	59·0	59·0	20
21	58·5	58·5	58·5	58·4	58·8	59·0	58·7	59·9	61·2	62·0	62·7	62·0	21
22	56·8	55·7	55·5	55·2	55·0	53·0	52·8	52·9	54·2	56·2	57·0	57·8	22
23	58·8	58·7	58·5	57·8	58·0	58·3	58·4	58·5	59·0	59·4	60·0	59·7	23
24	58·6	58·7	57·9	57·9	58·0	58·0	57·8	58·0	58·6	59·0	61·0	61·8	24
25	58·9	58·2	58·2	57·2	57·0	55·8	54·8	54·0	55·8	57·0	59·0	59·0	25
26	58·8	58·8	59·2	59·0	59·3	59·2	59·1	59·0	59·5	61·2	61·8	62·0	26
27	63·2	63·5	63·7	63·8	64·2	64·2	64·3	64·3	64·2	64·0	64·0	62·8	27
28	61·0	61·0	60·9	61·1	61·1	61·3	61·4	61·3	61·6	61·8	61·8	62·5	28
29	62·0	62·0	61·8	62·2	62·0	61·8	61·8	61·6	60·9	60·7	60·8	60·2	29
30	57·8	57·1	56·4	55·8	55·8	55·8	55·5	55·8	55·8	56·4	56·0	56·0	30
31	52·9	52·9	52·7	51·8	51·2	52·3	52·7	53·2	52·6	52·6	52·8	52·6	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	58·8	58·8	58·7	59·3	58·7	58·9	59·3	59·5	58·8	58·8	58·8	58·6	1
2	55·0	54·8	54·8	54·2	54·8	54·2	54·5	54·3	54·3	54·3	54·3	54·6	2
3	52·7	53·7	52·7	50·8	49·7	49·3	48·4	48·3	47·8	47·8	47·7	48·0	3
4	52·9	54·2	53·4	53·5	53·3	53·1	52·4	53·1	53·8	53·5	52·0	50·2	4
5	55·8	56·5	56·4	56·6	56·9	57·0	57·2	57·1	57·2	57·5	57·7	57·8	5
6	61·7	61·5	61·5	61·1	60·0	60·6	60·1	59·7	60·3	60·0	59·4	59·8	6
7	56·5	56·8	56·7	56·6	56·5	56·4	56·5	56·5	56·7	56·5	57·4	57·0	7
8	60·1	59·8	60·6	59·4	58·2	58·5	57·7	57·8	57·9	57·6	54·0	53·5	8
9	55·9	54·8	54·8	53·8	52·8	53·8	55·0	55·0	55·0	55·3	54·7	55·0	9
10	52·4	51·5	52·2	53·0	53·0	53·4	52·6	53·6	54·7	54·9	55·6	55·8	10
11	56·7	56·9	57·1	57·2	56·7	57·0	57·8	59·6	59·2	59·9	60·0	59·8	11
12	63·2	63·4	63·6	63·3	61·7	59·6	60·0	61·0	61·9	61·5	62·0	62·0	12
13	63·3	63·3	63·5	63·6	64·0	63·0	62·5	62·3	62·3	62·2	62·2	61·9	13
14	66·4	66·0	65·9	65·2	64·0	63·3	63·0	63·0	63·4	63·0	62·4	63·0	14
15	64·7	63·3	62·4	61·5	61·5	60·8	60·7	60·0	59·6	58·8	58·8	58·6	15
16	56·8	57·8	57·4	57·5	57·6	56·9	56·2	57·4	57·4	57·7	57·0	56·7	16
17	59·6	59·0	59·9	59·0	59·0	59·3	59·0	59·3	59·1	58·7	59·1	58·9	17
18	58·6	58·5	57·9	57·8	57·0	57·5	57·0	57·4	58·0	57·5	57·5	57·4	18
19	59·3	58·3	58·4	57·0	57·0	57·0	56·3	57·7	58·3	58·8	58·0	57·9	19
20	59·2	59·2	59·3	59·1	59·0	58·7	58·6	58·5	58·5	58·2	58·3	58·8	20
21	62·1	62·7	62·7	61·0	60·6	59·6	58·8	58·1	58·2	57·5	57·0	57·0	21
22	57·8	58·8	57·9	57·7	57·7	58·2	58·0	58·1	58·1	58·7	58·6	58·7	22
23	58·8	59·8	60·1	60·0	59·7	59·2	59·0	59·0	59·2	59·4	59·0	58·8	23
24	61·8	61·0	61·6	61·4	60·0	59·7	59·0	59·2	59·0	58·9	58·8	58·9	24
25	58·7	58·1	58·4	57·8	58·0	58·5	58·8	58·7	58·8	58·8	58·8	58·6	25
26	61·7	61·3	61·6	61·1	61·0	61·7	61·7	61·7	61·8	61·8	62·4	63·0	26
27	62·4	62·5	62·8	62·9	62·8	62·1	61·9	61·0	60·8	60·8	60·8	61·0	27
28	62·0	62·7	63·8	64·0	63·4	63·0	62·0	62·0	62·2	62·6	62·0	62·2	28
29	60·0	60·0	60·0	60·0	60·0	59·8	59·5	59·6	59·3	58·8	58·8	58·8	29
30	56·2	56·3	56·2	56·0	56·0	56·0	55·9	55·9	55·9	55·5	54·2	52·9	30
31	52·2	52·2	52·0	52·0	52·3	52·0	51·7	52·1	51·8	51·5	51·0	50·6	31

TABLE IV.—AMOUNT OF CLOUD, (0–10), at every HOUR of the DAY, in the MONTH of JANUARY, 1929.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	7	4	1	...	...	1	2	2	1	3	4	3	2	2	1	1	1	4	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	10	10	10	9	2
3	10	10	10	10	10	10	10	10	10	9	10	10	8	8	8	9	9	9	4	10	10	10	9	10	3
4	10	10	10	10	10	10	2	3	2	...	2	...	1	2	6	4	8	9	9	4	6	1	...	...	4
5	...	4	7	9	9	10	9	9	9	5	7	5	3	8	10	8	3	7	9	3	8	8	2	5	5
6	9	7	9	9	10	9	6	6	7	8	9	8	9	8	8	6	4	5	9	9	7	9	9	10	6
7	10	10	10	10	10	10	4	8	9	8	9	10	10	10	10	10	10	10	10	10	10	10	10	10	7
8	10	10	10	10	10	10	7	7	10	9	6	7	6	8	9	9	4	4	...	...	...	...	...	...	8
9	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	9
10	...	4	5	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	7	8	7	7	2	3	2	7	4	6	3	3	3	9	7	8	6	6	11
12	5	3	2	...	...	1	...	...	...	1	2	1	1	1	...	...	...	1	...	2	8	2	7	1	12
13	1	...	...	...	7	10	10	4	1	1	...	...	2	2	1	...	...	...	...	...	...	...	...	...	13
14	...	2	1	...	3	2	3	2	3	2	3	2	2	7	4	2	...	...	...	...	...	...	...	...	14
15	...	...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	7	10	10	10	10	10	9	15
16	10	10	10	10	10	9	10	8	8	8	8	8	7	5	7	7	8	10	10	9	10	10	10	9	16
17	9	9	9	8	7	4	7	10	10	10	6	6	2	1	1	1	1	...	...	5	6	4	8	10	17
18	10	10	10	10	10	10	9	2	2	4	4	2	1	1	1	1	...	1	...	4	9	9	9	7	18
19	8	10	10	10	10	10	10	10	9	8	6	9	9	2	...	...	...	...	...	2	4	10	10	10	19
20	10	10	10	10	10	7	7	3	3	3	2	4	6	4	5	6	2	1	1	...	...	...	1	9	20
21	8	2	...	...	4	8	3	2	3	1	2	1	2	3	5	5	1	2	10	10	10	10	10	10	21
22	10	10	10	10	9	3	9	8	9	2	1	...	...	...	...	...	...	2	1	1	2	2	2	8	22
23	9	10	10	10	10	10	10	10	10	10	9	10	10	9	8	2	2	6	9	10	10	10	10	10	23
24	10	10	10	10	10	10	9	10	10	9	8	5	6	7	4	2	3	3	3	2	4	2	9	10	24
25	10	10	10	10	10	10	10	10	9	5	6	6	9	9	9	9	10	10	10	10	10	10	10	10	25
26	10	10	10	9	9	9	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27
28	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30
31	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	31

TABLE V.—AMOUNT OF SUNSHINE registered in each HOUR of the DAY, in the MONTH of JANUARY, 1929.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1		0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5		1
2		...	...	...	...	...	...	...	...	...	...	...		2
3		...	...	...	...	...	0·2	0·5	0.5	0·1	...	...		3
4		0·6	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·5	0·6	...		4
5		...	0·1	0·4	1·0	1·0	1·0	1·0	0·2	...	0·5	0·2		5
6		...	0·1	0·6	0·1	0·1	...	0·1	0·7	0·6	1·0	0·4		6
7		...	...	0·9	0·5	...	...	...	...	...	...	...		7
8		...	...	0·1	0 5	0·9	0·7	1·0	0·1	...	0·2	0·5		8
9		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5		9
10		0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		10
11		0·1	0·5	0·8	1·0	1·0	1·0	0·5	1·0	1·0	0·8	0·6		11
12		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		12
13		0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		13
14		0·4	1·0	1·0	1.0	1·0	1·0	0·8	0·6	0·9	1·0	0·3		14
15		0·2	1·0	1·0	1·0	1·0	1·0	0·4	0·2	0 4	...	...		15
16		...	0·2	0·5	0·4	0·2	0·2	0·9	1·0	0·9	0·6	...		16
17		...	...	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	0·5		17
18		0·2	1·0	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5		18
19		...	...	0·2	1·0	0·4	...	0·8	1·0	1·0	1·0	0·5		19
20		...	1·0	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		20
21		0·7	0·7	0·8	1·0	1·0	0·9	1·0	0·5	1·0	0·8	0·6		21
22		...	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7		22
23		...	...	...	0·1	...	...	0·1	0·9	1·0	1·0	0·6		23
24		...	...	...	0·4	0·9	1·0	1·0	1·0	1·0	1·0	0·6		24
25		...	0·5	0·6	0·8	0·3	0·2	...	...	...	...	...		25
26		...	...	...	...	...	...	...	...	...	...	...		26
27		...	...	...	...	...	...	...	...	...	...	...		27
28		...	...	...	...	...	...	...	...	...	...	...		28
29	...	...	...	...	...	0·1	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JANUARY, 1929.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	d	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	0·005	0·025	0·020	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	d	0·005	0·005	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	d	...	d	...	...	...	...	...	...	...	...	...	26
27	0·015	0·060	0·005	d	0·010	0·005	0·010	0·035	0·010	0·005	0·010	0·005	27
28	d	d	0·010	d	0·070	0·010	0·025	0·070	0·030	d	d	...	28
29	0·005	d	0·005	0·005	d	0·010	d	d	d	d	d	...	29
30	...	...	...	...	...	d	d	d	d	d	d	d	30
31	0·020	0·010	d	d	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	d	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	d	d	d	...	...	...	...	d	25
26	...	...	...	0·005	d	...	d	d	0·030	0·005	0·005	0·005	26
27	d	d	0·055	0·130	0·005	0·005	0·020	0·015	0·005	0·005	0·005	0·005	27
28	0·025	0·040	0·005	...	d	d	d	d	0·020	0·005	d	d	28
29	...	...	...	...	d	d	0·005	d	d	d	d	d	29
30	d	d	0·005	0·005	d	d	0·005	0·005	0·005	d	0·005	d	30
31	...	...	...	...	...	...	...	d	d	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of JANUARY, 1929.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time. 1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	...	...	1	10	1	8	1	14	31	3	32	3	3	8	6	21	7	26	6	32	6	29	6	28	1
2	6	18	7	17	7	18	6	19	6	18	6	18	6	19	6	18	6	19	7	18	8	17	6	17	2
3	6	13	6	14	6	14	5	12	1	9	1	11	1	8	4	8	4	9	1	9	32	12	1	11	3
4	32	3	32	3	32	5	32	4	32	6	32	5	31	8	32	7	4	5	7	8	8	15	10	16	4
5	7	28	7	27	6	26	5	23	6	28	7	28	6	26	6	22	7	21	7	25	7	20	7	24	5
6	7	15	8	13	8	13	9	13	10	14	10	14	9	14	8	14	8	18	8	12	10	7	11	7	6
7	6	23	6	25	6	22	7	26	7	18	7	19	7	19	7	22	8	23	8	16	8	12	8	16	7
8	5	12	5	11	6	13	6	11	6	9	7	13	7	16	6	13	6	8	4	7	32	9	3	6	8
9	1	12	1	13	1	16	1	21	1	13	32	16	32	11	1	7	3	2	...	1	11	7	11	10	9
10	...	1	8	2	6	2	...	...	...	...	...	...	...	...	...	1	9	6	9	11	9	13	7	22	10
11	6	18	6	23	4	15	5	14	8	7	9	13	7	18	7	21	7	21	7	23	2	24	8	23	11
12	9	11	9	11	10	9	9	11	9	7	9	6	11	6	10	6	8	11	7	16	8	12	10	11	12
13	10	7	10	7	10	9	10	9	10	7	...	1	10	7	9	12	10	10	10	16	10	17	9	16	13
14	9	10	10	11	11	10	11	6	...	1	...	...	...	...	...	1	10	2	10	4	10	8	10	7	14
15	9	9	11	7	12	6	9	5	...	...	...	...	...	...	...	...	10	3	10	4	9	13	8	22	15
16	6	26	7	26	6	23	7	20	7	22	7	22	7	20	7	21	7	25	7	22	8	24	7	25	16
17	7	22	6	12	7	14	8	16	7	14	7	15	8	13	7	18	7	17	7	15	8	17	9	16	17
18	8	12	8	12	8	11	6	11	5	9	5	10	6	9	7	12	7	10	7	13	9	14	11	12	18
19	9	12	7	8	7	7	8	8	9	10	9	3	4	3	31	3	31	8	32	3	2	5	9	5	19
20	7	22	8	21	9	22	8	22	8	23	8	21	8	19	8	12	8	21	7	21	8	21	9	23	20
21	10	15	10	12	10	12	10	8	10	13	10	11	10	8	10	8	10	11	9	12	9	16	9	16	21
22	3	9	2	4	2	3	1	6	1	4	1	3	2	2	3	3	5	7	7	18	8	21	8	22	22
23	6	23	6	23	6	20	6	18	5	15	5	10	5	12	6	9	7	13	8	14	7	16	8	15	23
24	6	21	6	22	6	22	6	22	7	19	7	17	7	14	7	10	8	8	9	7	10	10	10	9	24
25	7	19	7	16	6	13	5	7	3	7	2	7	1	5	31	11	31	9	32	11	3	7	7	10	25
26	7	20	7	16	7	15	8	14	8	10	9	14	9	9	9	7	10	8	10	5	11	5	11	8	26
27	9	9	10	8	10	10	10	5	10	5	9	13	9	11	9	13	9	14	8	18	8	20	8	19	27
28	8	22	9	24	8	24	8	27	8	22	8	22	9	20	10	16	10	15	9	15	9	20	9	20	28
29	9	16	9	13	9	12	9	7	10	6	9	8	9	13	9	15	9	11	8	11	9	14	8	14	29
30	7	13	7	13	7	19	6	23	7	27	6	25	7	30	6	29	7	28	7	28	7	29	7	28	30
31	30	4	1	5	32	4	32	5	4	4	9	7	9	4	8	12	7	15	7	13	6	12	6	8	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	6	27	7	21	9	21	9	16	8	16	7	16	7	15	7	15	6	16	6	14	7	16	6	15	1
2	6	19	6	18	6	18	6	15	8	13	7	14	7	15	7	16	7	17	6	17	7	16	7	17	2
3	7	5	20	6	29	5	32	10	1	9	1	9	1	8	32	8	1	9	2	8	2	6	1	4	3
4	10	16	9	19	9	19	9	16	8	16	7	14	6	14	6	14	7	19	7	19	7	26	6	30	4
5	8	21	8	18	8	16	8	16	8	16	8	13	8	14	8	9	9	11	9	13	8	12	8	12	5
6	11	10	10	15	9	11	10	14	9	14	8	13	9	14	7	15	6	16	6	15	6	19	6	23	6
7	8	15	8	15	9	15	8	15	7	15	7	12	7	13	7	12	6	13	6	13	6	10	6	12	7
8	11	6	16	4	24	3	23	6	24	4	16	2	...	...	17	2	16	3	10	5	2	7	1	11	8
9	9	12	9	12	9	13	9	14	9	15	9	11	9	9	8	4	...	1	9	2	10	4	11	4	9
10	7	25	7	19	9	17	9	18	10	14	9	14	9	9	7	10	5	11	5	14	4	11	5	18	10
11	8	18	7	19	7	20	8	20	8	21	8	18	8	12	8	11	7	12	7	11	8	12	9	10	11
12	10	13	10	13	9	14	9	14	9	14	10	13	10	9	9	8	8	8	6	3	7	5	9	7	12
13	9	14	9	16	8	15	9	18	9	15	9	12	9	10	9	9	9	13	9	11	8	8	9	11	13
14	31	5	28	5	24	4	14	2	9	4	...	1	...	1	...	...	...	...	...	...	6	7	8	10	14
15	8	21	7	17	6	17	6	23	6	28	6	30	6	32	6	28	6	33	6	33	6	30	6	30	15
16	7	25	7	25	7	24	7	23	7	24	7	25	6	23	7	24	7	27	7	25	8	27	7	22	16
17	10	19	10	18	10	18	9	20	9	18	8	18	8	18	8	16	8	13	7	12	7	11	8	11	17
18	10	12	8	14	9	16	9	16	9	15	9	15	8	14	8	15	8	14	4	7	32	2	9	7	18
19	13	4	10	8	9	8	10	16	9	18	9	21	8	16	7	15	7	20	7	22	7	22	7	20	19
20	10	23	9	22	9	20	9	17	9	15	9	15	9	14	8	10	8	10	8	9	8	12	9	11	20
21	9	15	9	14	20	8	22	10	22	9	23	11	24	11	24	4	13	3	5	6	2	2	2	7	21
22	9	24	9	23	9	22	9	25	8	18	7	18	7	16	7	15	6	21	7	21	6	24	7	22	22
23	8	16	8	15	9	14	10	17	9	18	8	14	8	15	7	17	7	16	7	15	6	19	6	23	23
24	9	10	9	16	8	12	8	15	8	17	8	15	8	17	8	15	7	17	7	18	7	18	7	18	24
25	9	11	9	15	10	14	9	15	9	14	9	16	7	17	6	13	6	14	7	18	7	21	7	16	25
26	10	11	10	14	10	12	10	13	9	10	9	14	10	13	10	8	10	9	10	11	9	12	9	12	26
27	8	19	8	18	8	16	9	15	9	16	9	19	9	19	9	25	9	25	9	26	8	22	9	24	27
28	9	16	9	8	9	6	9	11	9	13	9	16	9	18	9	17	9	12	9	11	9	17	9	17	28
29	9	10	9	15	9	16	9	14	9	12	9	12	9	11	9	17	8	14	8	11	8	13	7	11	29
30	7	24	7	23	7	18	7	16	7	14	7	12	6	10	6	9	7	4	14	3	25	4	28	5	30
31	6	8	7	8	7	8	8	7	8	7	8	5	1	2	1	3	...	1	1	5	32	6	32	6	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of JANUARY, 1929.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	a-cu	NNW	...	...	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE
2	cu	ENE	cu	ENE	cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	cu	ENE	cu	ENE
3	st-cu	ENE	nb	ENE	st-cu	ENE	st-cu	ENE	cu	ENE	a-cu / cu	SW / ENE	a-cu	SW	st-cu	ENE
4	st-cu	ENE	st-cu	ENE	a-cu	NW	...	...	cu	ENE	a-cu	NW	a-cu / cu	WNW / ENE	cu	ENE
5	...	...	cu	ENE	a-cu / cu	WNW / E	cu	E	a-cu	WNW	cu	E	cu	E	cu	E
6	cu	E	cu	E	a-cu	WNW	a-cu / cu	WSW / ENE	a-cu / cu	WSW / E	a-cu / cu	W / E	a-cu / cu	W / E	a-cu / cu	W / E
7	cu	E	cu	E	cu	E	cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE
8	st-cu	ENE	st-cu	ENE	cu	E	a-cu / cu	W / ENE	a-cu / cu	W / ENE	a-cu / cu	W / ENE	...	...	...	...
9	...	...	...	...	...	...	...	...	cu	ENE	...	...	...	...	...	...
10	...	...	cu	E	...	...	...	...	...	...	...	...	...	...	...	...
11	...	...	...	...	...	...	a-cu / cu	ENE / E	a-cu	WNW	a-cu / cu	W / ESE	a-cu / cu	W / E	cu	E
12	cu	E	...	...	...	...	cu	E	cu	E	...	...	...	...	cu	E
13	cu	E	...	...	cu	E	cu	E	cu	E	...	...	...	...	...	...
14	...	...	...	...	cu	E	cu	E	cu	E	cu	E	...	...	...	...
15	...	...	...	...	...	...	...	...	cu	ENE	cu	ENE	cu	ENE	cu	ENE
16	cu	ENE	cu	ENE	st-cu	NE	cu	ENE	cu	ENE	cu	E	cu	ENE	cu	ENE
17	cu	ENE	cu	ENE	cu	ENE	st-cu	ENE	cu	ENE	cu	ENE	...	...	cu	ENE
18	nb	E	nb	E	cu	ENE	cu	E	cu	E	cu	E	...	...	cu	E
19	cu	E	cu	E	st-cu	ENE	a-cu	NW	cu	NNW	...	...	...	...	cu	ENE
20	cu	ENE	cu	ENE	cu	ENE	cu	ENE	a-cu / cu	W / ENE	a-cu / cu	W / ENE	a-cu	W	...	...
21	a-cu / cu	W / ESE	...	...	cu	ENE	cu	ENE	cu	ENE	a-cu / cu	SW / ENE	cu	ENE	cu	ENE
22	cu	ENE	cu	ENE	st-cu	NE	a-cu	SW	...	...	...	...	cu	E	cu	E
23	cu	E	nb	E	nb	E	cu	E	cu-nb	E	cu	E	cu	E	st-cu	E
24	nb	ENE	nb	ENE	cu	ENE	cu	ENE	ci-st / cu	WSW / E	ci-st	W	ci-st	W	ci-st	W
25	cu	ENE	cu	ENE	st-cu	ENE	a-cu / cu	SSE / E	cu	E	cu	E	nb	E	nb	E
26	nb	E	cu	E	cu-nb	E	st-cu	ESE	st-cu	ESE	nb	ESE	nb	ESE	nb	ESE
27	nb	ESE	nb	ESE	nb	ESE	nb	ESE	nb	E	nb	ENE	nb	ENE	nb	ENE
28	nb	E	nb	E	nb	E	nb	SSE	nb	SSE	nb	SSE	nb	SSE	nb	SE
29	nb	SE	nb	SE	nb	SE	nb	E	nb	ESE	nb	ESE	nb	E	nb	E
30	nb	E	nb	E	nb	ENE	nb	ENE	nb	E	nb	E	nb	E	nb	E
31	nb	E	nb	E	nb	E	cu-nb	E	cu-nb	E	cu-nb	E	nb	E	nb	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1929.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·054	67·4	61·4	6·0	64·0	58·3	0·424	71	41	9·7	91	...	...	+ 5·3	+ 14·2	70	15·2	16·2
2	·114	62·5	59·1	3·4	60·3	55·5	·387	74	99	...	...	..	...	+ 4·9	+ 16·6	74	17·3	17·1
3	·098	65·0	55·4	9·6	58·3	50·6	·283	58	93	1·3	12	...	...	+ 6·9	+ 3·4	26	7·7	9·0
4	·108	63·8	52·2	11·6	58·8	50·9	·286	57	50	8·6	80	...	...	+ 2·5	+ 10·7	77	11·0	12·8
5	·096	64·3	58·3	6·0	61·4	55·1	·364	67	65	5·4	50	...	...	+ 3·3	+ 18·9	80	19·2	19·5
6	·084	70·5	61·7	8·8	65·4	59·6	·445	71	79	3·7	34	...	...	− 0·6	+ 13·4	93	13·4	13·9
7	·111	63·9	60·7	3·2	61·5	57·1	·417	76	95	1·4	13	...	...	+ 3·1	+ 16·3	79	16·6	16·7
8	·114	69·8	59·4	10·4	62·4	57·5	·419	74	61	4·0	37	0·050	1	+ 2·4	+ 4·5	62	5·1	7·5
9	·126	66·7	55·6	11·1	60·2	53·5	·330	64	1	10·1	94	...	...	+ 3·3	+ 5·4	59	6·3	9·6
10	·096	67·0	56·4	10·6	61·2	54·1	·340	63	6	9·7	90	...	...	+ 1·0	+ 9·4	84	9·5	9·9
11	·031	67·0	57·8	9·2	62·9	56·3	·380	67	41	8·3	77	...	...	+ 2·6	+ 16·5	81	16·7	16·8
12	29·951	73·1	63·3	9·8	66·6	60·6	·461	71	16	10·2	94	...	...	− 1·9	+ 9·6	101	9·8	9·9
13	·877	72·3	63·7	8·6	67·0	62·6	·518	78	16	9·7	90	...	...	− 2·7	+ 10·8	104	11·1	11·2
14	·880	74·4	64·0	10·4	67·5	63·7	·546	81	16	9·0	83	...	...	− 0·7	+ 2·7	104	2·8	4·1
15	30·007	74·4	62·3	12·1	66·3	62·6	·526	82	29	6·2	57	...	...	+ 4·0	+ 15·4	75	15·9	16·3
16	·147	65·2	60·3	4·9	61·7	57·1	·415	76	88	4·9	45	...	...	+ 4·8	+ 23·5	78	23·7	23·7
17	·192	66·6	59·7	6·9	62·6	58·2	·437	77	56	7·0	64	...	...	...	+ 15·7	90	15·7	15·9
18	·160	65·8	60·1	5·7	62·2	57·8	·430	77	52	9·4	86	...	...	+ 0·2	+ 11·2	89	11·2	11·7
19	·076	68·9	61·3	7·6	63·4	58·0	·422	72	65	5·9	54	...	...	+ 0·6	+ 10·0	87	10·0	11·1
20	·045	66·0	60·2	5·8	62·3	58·4	·445	79	47	9·1	83	...	...	− 1·3	+ 17·7	94	17·7	17·7
21	·050	70·6	61·0	9·6	64·9	59·7	·454	74	47	9·0	83	...	...	− 2·4	+ 5·2	115	5·7	10·1
22	·084	65·2	57·5	7·7	61·7	56·7	·404	74	41	8·3	75	...	...	+ 2·3	+ 13·6	80	13·8	14·6
23	·064	65·9	59·7	6·2	62·3	59·0	·462	82	89	3·7	34	0·010	2	+ 3·1	+ 15·3	79	15·6	16·1
24	·056	69·1	60·7	8·4	63·0	59·4	·466	81	69	6·9	63	...	...	+ 1·9	+ 15·0	83	15·1	15·4
25	·077	69·0	58·7	10·3	62·9	57·8	·422	73	92	2·4	22	...	1	+ 3·2	+ 10·5	73	11·0	12·7
26	·004	68·0	62·4	5·6	64·2	60·7	·491	82	98	...	...	0·050	5	− 2·1	+ 10·8	101	11·0	11·3
27	29·921	65·7	61·5	4·2	63·9	62·8	·559	94	100	...	...	0·420	22	− 2·4	+ 16·1	98	16·2	16·2
28	·832	66·1	61·9	4·2	63·3	62·0	·540	93	100	...	...	0·310	17	− 2·6	+ 17·0	99	17·0	17·0
29	·827	63·1	59·7	3·4	61·8	60·5	·512	93	100	0·1	1	0·030	12	− 1·8	+ 12·3	98	12·3	12·3
30	·806	59·9	54·0	5·9	57·3	55·9	·431	92	100	...	...	0·030	17	+ 4·2	+ 16·7	76	17·2	18·1
31	·850	56·0	52·7	3·3	54·6	52·2	·364	86	100	...	...	0·030	3	+ 2·6	+ 4·8	62	5·5	6·6
Means	30·030	66·9	59·4	7·5	62·5	57·9	0·432	76	63	Sum. 164·0	49	Sum. 0·930	Sum. 80	+ 1·4	+ 12·4	84	12·5	13·6
Normals	30·049	64·5	56·3	8·2	59·9	55·4	0·388	73	63	146·6	45	1·315	50	+ 2·4	+ 9·9	76	10·2	12·9
Absolute Max.	30·238	74·4	...	12·1	...	67·5	0·621	...	...	10·2	94	0·420	22	...	...	...	...	33·0 †
Day.	17	14,15	...	15	...	14	14	...	...	12	9,12	27	27	...	...	...	...	15d 21h 22h
Absolute Min.	29·758	...	52·2	3·2	...	46·0	0·218	34	...	...	...	...	...	...	...	...	...	...
day.	30	...	4	7	...	4	10	10	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1019·0	292·4	288·2	4·2	289·9	287·4	14·6	...	...	...	...	Sum. 23·6	Sum. 80	+ 0·5	+ 4·1	84	4·1	4·5
Normals	1019·6	291·1	286·5	4·6	288·5	286·0	12·9	...	...	...	...	33·4	50	+ 0·8	+ 3·2	76	2·3	4·2
Absolute Maximum.	1026·0	296·6	...	6·7	...	292·7	21·0	...	...	...	...	10·7	22	...	...	...	...	10·8
Absolute Minimum.	1009·8	...	284·2	1·8	...	280·8	7·4	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 8 days. The mean hourly intensity was 0·012*in*, and the maximum fall in one hour was 0·130*in* at 16*h* on the 27th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 47 miles per hour from E.N.E. at 21*h* 52*m* on the 15th.

Clouds with base less than 2,000 feet high were observed on 5 days.
Clouds with base less than 1,000 feet high were observed on 2 days.

*0°=N., 90°=E., &c.

† Maximum velocity in one hour

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1929.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Amount.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Wind. Observed. Velocity.
	ins.	°	°	ins.	%	%	%		%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h
1	30·041	61·4	57·9	0·445	81	73		0·040	4	4	+ 3·0	+ 13·1	77	13·4	14·4
2	·035	61·3	57·6	·438	80	73		0·070	7	3	+ 2·6	+ 12·4	78	12·6	13·8
3	·024	61·2	57·4	·433	79	73		0·020	2	4	+ 2·9	+ 11·7	76	12·0	13·5
4	·018	60·9	57·1	·428	79	70		0·005	1	4	+ 3·6	+ 11·2	72	11·8	13·2
5	·019	60·7	56·9	·425	79	75		0·085	9	4	+ 2·5	+ 9·7	76	10·0	11·3
6	·027	60·5	56·7	·422	79	72		0·030	3	5	+ 2·3	+ 9·8	77	10·0	11·5
7	·044	60·6	56·6	·418	78	69	13	0·035	4	4	+ 2·3	+ 9·8	77	10·0	11·4
8	·062	61·2	56·9	·419	77	65	39	0·110	12	5	+ 2·5	+ 10·5	77	10·8	12·0
9	·081	62·6	57·7	·426	74	65	47	0·065	7	5	+ 1·6	+ 11·9	82	12·0	13·1
10	·089	64·0	58·3	·428	71	59	59	0·025	3	4	+ 2·1	+ 12·9	81	13·1	13·8
11	·077	64·9	58·7	·428	69	57	58	0·010	1	4	+ 0·8	+ 13·8	87	13·8	15·0
Noon.	·051	65·3	58·7	·425	68	55	55	0·005	1	2	+ 0·1	+ 14·8	90	14·8	15·7
13	·019	65·5	58·8	·425	67	55	58	0·025	3	3	− 0·9	+ 14·6	95	14·6	15·3
14	29·995	65·2	58·8	·428	68	56	57	0·040	4	4	− 0·9	+ 14·4	94	14·4	15·3
15	·980	64·8	58·8	·433	70	55	56	0·065	7	3	− 1·1	+ 12·9	95	12·9	14·2
16	·980	64·0	58·5	·433	72	51	56	0·140	15	3	− 1·4	+ 13·5	96	13·6	15·1
17	·987	63·2	58·2	·434	74	45	32	0·005	1	4	− 0·7	+ 13·5	93	13·5	14·6
18	·999	62·2	58·0	·439	78	53		0·005	1	5	+ 0·1	+ 13·0	90	13·0	14·1
19	30·011	61·9	57·8	·437	78	57		0·030	3	5	+ 0·8	+ 11·9	86	11·9	13·2
20	·027	61·8	58·0	·443	80	61		0·020	2	5	+ 1·4	+ 11·6	83	11·7	12·4
21	·036	61·7	58·0	·445	80	68		0·060	6	6	+ 2·0	+ 12·2	81	12·4	13·0
22	·042	61·5	58·0	·447	81	66		0·015	2	5	+ 2·4	+ 12·1	79	12·3	12·8
23	·042	61·4	57·7	·439	80	68		0·015	1	5	+ 3·0	+ 12·4	76	12·8	13·6
Midn.	·040	61·2	57·6	·439	80	72		0·010	1	4	+ 3·1	+ 13·0	77	13·4	14·4

Phenomena :—

Solar halo :—on the 24th.

Lunar corona :—on the 26th.

Fog :—on the 15th.

Slight Fog :—on the 10th.

Dew :—on the 13th, 14th and 15th.

Solar rainbow :—on the 16th.

ADOPTED ERRORS OF TIMEBALL, JANUARY, 1929.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	− 0·1	11	− 0·1	21	0·0
2	− 0·1	12	− 0·2	22	− 0·1
3	− 0·1	13	− 0·3	23	+ 0·1
4	− 0·1	14	− 0·1	24	+ 0·1
5	− 0·1	15	− 0·1	25	0·0
6	0·0	16	− 0·1	26	0·0
7	0·0	17	− 0·1	27	0·0
8	0·0	18	− 0·1	28	0·0
9	+ 0·1	19	+ 0·2	29	0·0
10	− 0·1	20	+ 0·1	30	0·0
				31	0·0

+ = Late ; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0s·10

* 0° = N. 90° = E., &c

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

JANUARY,

1929.

Latitude and Longitude of Meteorological Stations reporting telegraphically to the Royal Observatory, Hongkong.

Station	Latitude N.		Longitude E.		Station	Latitude N.		Longitude E.	
	°	′	°	′		°	′	°	′
Changchun	43	54	125	20	Taiuan	23	00	120	13
Wladivostock	43	07	131	54	Koshun	22	00	120	45
Nemuro	43	20	145	35	Pescadores	23	32	119	33
Hakodate	41	47	140	43	Canton	23	08	113	27
Tokio	35	41	139	46	Hongkong	22	18	114	10
Kochi	33	33	133	32	Gap Rock	21	49	113	56
Nagasaki	32	44	129	52	Pratas Island	20	40	116	47
Kagoshima	31	34	130	33	Macao	22	11	113	33
Oshima	28	23	129	30	Wuchow	23	29	111	20
Naha	26	13	127	41	Pakhoi	21	29	109	06
Ishigakijima	24	20	124	10	Hoihow	20	01	110	20
Bonin Island	27	05	142	11	Yunanfu	25	02	102	42
Chefoo	37	33	121	30	Lao Kay	22	29	103	50
Nanking	32	7	118	47	Phulien	20	48	106	37
Wuhu	31	21	118	25	Tourane	16	08	108	17
Wan-hsien	30	52	108	33	Cape St. James	10	20	107	05
Hankow	30	36	114	20	Basco	20	28	121	59
Ichang	30	42	111	16	Aparri	18	22	121	38
Kiukiang	29	44	116	8	Manila	14	35	120	58
Chungking	29	32	106	50	Legaspi	13	09	123	45
Changsha	28	12	112	47	Tacloban	11	15	125	00
Shanghai	31	14	121	29	Iloilo	10	42	122	34
Gutzlaff	30	48	122	10	Surigao	9	48	125	29
Sharp Peak	26	03	119	39	Saipan	15	44	145	46
Amoy	24	28	118	05	Guam	13	24	144	38
Swatow	23	20	116	43	Yap	9	29	138	08
Taihoku	25	02	121	31	Pelew	7	20	134	29
Taichu	24	09	120	41	Labuan	5	16	115	13

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	31st DECEMBER, 1928.								1st JANUARY, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.90	759.5	...	...	NNW	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.92	760.0	...	...	W	3	...	,,	29.21	742.0	..	...	ENE	1	...
Tokio,	,,	30.00	762.0	...	...	SE	1	...	,,	29.23	742.5	..	...	...	0	...
Kochi,	,,	30.02	762.5	...	...	SW	1	...	,,	29.76	756.0	...	...	NW	1	...
Nagasaki,	,,	29.94	760.5	...	...	SE	4	...	,,	30.06	763.5	...	...	NW	4	...
Kagoshima,	,,	29.98	761.5	...	...	NNE	1	...	,,	30.00	762.0	...	...	...	...	...
Oshima,	,,	30.00	762.0	...	...	SSW	1	...	,,	30.02	762.5	...	...	N	4	...
Naha,	,,	30.04	763.0	...	...	S	2	...	,,	30.06	763.5	..	...	N	6	...
Ishigakijima,	,,	30.08	764.0	...	...	WSW	1	...	,,	30.12	765.0		...	N	2	...
Bouin Island,	,,	30.02	762.5	...	...	ENE	1	...	,,	29.82	757.5	...	...	WSW	4	...
Chefoo,	15	30.30	769.6	30	83	NNW	6	0	6	30.49	774.4	24	87	NW	7	0
Shanghai,	14	30.28	769.2	39	71	WNW	4	0	,,	30.46	773.7	28	91	NW	4	b
Gutzlaff,	,,	30.27	768.8	40	85	NW	8	0	,,	30.46	773.7	34	90	NNW	7	0
Sharp Peak,	,,	30.01	762.2	69	75	...	0	0	7	30.18	766.6	50	86	E	4	0
Amoy,	,,	29.99	761.7	69	65	SE	4	0	6	30.19	766.8	56	81	NE	6	0
Swatow,	,,	30.03	762.7	68	76	SE	2	c	,,	30.19	766.8	59	89	NNE	2	0
Taihoku,	11	30.10	764.4	70	74	NNW	2	0	5	30.24	768.0	55	81	ENE	2	0
Taichu,	,,	30.07	763.8	70	...	...	0	b	,,	30.12	765.0	57	...	N	2	0
Tainan,	,,	30.06	763.5	81	...	NNW	2	b	,,	30.06	763.5	57	...	N	4	b
Koshun,	,,	30.06	763.5	77	...	E	2	b	,,	30.05	763.2	66	...	NNW	2	b
Pescadores,	,,	30.07	764.8	72	...	NNW	2	b	,,	30.12	765.0	61	...	NE	6	0
Hong Kong,	14	30.02	762.5	71	64	E	3	b	6	30.09	764.3	62	70	N	1	b
Gap Rock,	,,	30.04	763.0	...	...	ENE	4	0	,,	30.07	763.8	...	...	ENE	4	b
Macao,	,,	30.00	762.0	75	67	SE	2	b	,,	30.07	763.8	57	77	NNE	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.0	75	77	NE	4	b	,,	30.04	763.0	72	80	NE	7	0
Phulien,	15	30.00	762.0	77	68	ESE	2	0	7	30.05	763.5	64	90	ENE	4	of
Tourane,	,,	29.94	760.5	73	...	ESE	2	0	,,	29.98	761.4	72	...	ENE	4	of
Cape St. James,	,,	29.81	757.2	81	...	E	4	0	,,	29.85	758.1	73	...	E	2	0
Basco,	14	29.95	760.8	75	53	ESE	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.92	759.9	77	76	ENE	4	0	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.91	759.6	81	73	WNW	1	0	,,	...	...	...	...	...	...	...
Vigan,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.85	758.1	82	70	WSW	2	0	,,	29.88	759.0	70	92	N	1	b
Legaspi,	,,	29.81	757.2	81	80	NNE	4	0	,,	29.84	757.8	77	86	N	2	0
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	71	NE	6	0	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	82	84	NE	4	0	,,	...	...	..	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	75	...	NE	2	bo
Guam,	,,	29.85	758.1	...	...	W	2	0	,,	...	...	...	...	...	...	...
Yap,	12.20	29.74	755.4	...	...	ENE	4	0	4.20	29.78	756.3	...	...	ENE	2	0
Pelew,	12.47	...	...	...	...	..	...	...	4.47	29.77	756.1	77	...	NNE	1	c
Ponape,	11.00	...	...	...	...	...	...	...	5	29.76	756.0	79	...	ENE	3	c
Labuan,	14	29.81	757.2	84	91	NE	1	b	6	29.82	757.4	78	91	NE	1	b

January 1*d.* 11*h.* 05*m* —The depression has deepened considerably and moved rapidly to the N.E. of Tokio.

A strong anticyclone is central over N. China.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st January, 1929.								2nd January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.99	761.8	5	...	N	7	c	6	30.26	768.7	11	...	NNE	6	b
Nemuro,	11	29.41	747.0	...	...	E	6	...	5	28.78	731.0	...	...	NNW	7	...
Hokodate,	,,	29.07	738.5	...	...	NNW	1	...	,,	29.31	744.5	..	...	NNW	3	...
Tokio,	,,	29.31	744.5	...	...	NW	2	...	,,	29.61	752.0	...	...	W	1	...
Kochi,	,,	29.78	756.5	...	...	NW	3	...	,,	30.02	762.5	...	...	...	0	...
Nagasaki,	,,	30.06	763.5	...	...	...	...	...	,,	30.20	767.0	...	...	NNW	2	...
Kagoshima,	,,	30.02	762.5	...	...	NW	3	...	,,	30.16	766.0	...	...	...	...	...
Oshima,	,,	30.08	764.0	...	...	N	4	...	,,	30.16	766.0	..	...	N	4	...
Naha,	,,	30.12	765.0	...	...	N	6	...	,,	30.16	766.0	..	...	NNW	4	...
Ishigakijima,	,,	30.18	766.5	...	...	N	2	...	,,	30.22	767.5		...	N	1	...
Bonin Island,	,,	29.72	755.0	...	...	W	5	...	,,	29.78	756.5	...	...	W	5	...
Chefoo,	15	30.56	776.2	24	100	NNW	6	r	6	30.55	775.9	24	87	NNW	4	b
Shanghai,	14	30.47	774.0	37	57	NNW	4	o	,,	30.57	776.4	28	71	NW	2	o
Gutzlaff,	,,	30.46	773.7	38	63	NNW	6	o	,,	30.55	775.9	34	69	NNW	6	o
Sharp Peak,	,,	30.22	767.6	50	92	ENE	2	o	7	30.29	769.3	46	77	NE	2	o
Amoy,	,,	30.15	765.8	60	60	ENE	7	o	6	30.27	768.8	50	65	NNE	8	o
Swatow,	,,	30.15	765.8	60	78	NE	2	o	,,	30.26	768.6	53	81	NE	3	c
Taihoku,	11	30.30	769.5	55	77	E	2	o	5	30.30	769.5	52	83	E	2	o
Taichu,	,,	30.14	765.6	64	...	NNW	4	b	,,	30.17	766.2	50	...	...	0	b
Tainan,	,,	30.11	764.7	68	...	N	4	b	,,	30.14	765.6	50	...	N	4	b
Koshun,	,,	30.08	764.1	70	...	NE	6	r	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.17	766.2	64	...	NNE	6	o	,,	30.18	766.5	57	...	NNE	6	o
Hong Kong,	14	30.06	763.5	66	66	ENE	5	b	6	30.18	766.6	61	76	ENE	4	o
Gap Rock,	,,	30.05	763.2	...	...	ENE	5	o	,,	30.15	765.8	..	...	ENE	5	o
Macao,	,,	30.04	762.9	64	67	NNE	2	o	,,	30.13	765.3	63	88	ESE	2	o
Hoihow,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.03	762.7	71	71	NE	6	1c	,,	30.08	764.0	70	85	NE	7	o
Phulien,	15	30.01	762.3	72	75	E	4	o	7	30.08	764.1	63	88	ENE	4	of
Tourane,	,,	29.97	761.1	73	...	ESE	4	o	,,	30.02	762.6	70	...	SE	4	of
Cape St. James,	,,	29.80	756.9	79	...	E	6	o	,,	29.88	759.0	72	...	ENE	4	b
Basco,	14	29.97	761.1	70	82	NE	2	o	6	30.06	763.5	68	73	NE	4	o
Aparri,	,,	29.92	759.9	77	64	ENE	4	o	,,	30.04	762.9	70	85	NE	4	r
Tuguegarao,	,,	29.80	756.9	77	68	N	2	o	,,	30.00	762.0	68	98	N	2	r
Vigan,	,,	29.78	756.3	84	55	NW	4	b	,,	29.88	759.0	79	48	NE	2	o
Manila,	,,	29.81	757.2	84	60	W	2	o	,,	29.91	759.6	68	92	NW	1	b
Legaspi,	,,	29.80	756.9	79	87	NNE	4	o	,,	29.86	758.4	77	79	N	4	b
Calboyog,	,,	29.78	756.3	81	86	N	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	79	87	NE	4	o	,,	29.84	757.8	73	96	NE	4	o
Cebu,	,,	29.74	755.4	86	61	NE	4	o	,,	29.82	757.5	77	88	N	2	o
Surigao,	,,	29.75	755.7	84	71	ENE	4	b	,,	29.81	757.2	73	89	...	0	o
Saipan,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	73	...	ENE	2	c
Guam,	,,	29.73	755.1	...	...	E	1	o	,,	29.73	755.1	...	...	N	2	o
Yap,	12.20	29.72	754.8	...	...	ENE	4	o	4.20	29.75	755.7	79	...	ENE	4	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.73	755.1	76	...	E	1	r
Ponape,	11.00	...	...	...	...	...	...	...	5	29.73	755.1	80	...	ENE	3	c
Labuan,	14	*29.81	757.2	84	91	SW	4	b	6	29.82	757.4	80	89	...	...	...

January 2*d.* 11*h.* 26*m.*—The depression has developed into a severe typhoon to the N.E. of Japan.

A strong anticyclone is central over N. China.

Strong monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong; overcast.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd January, 1929.								3rd January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.29	769.4	2	...	N	2	b	6	30.31	769.9	−6	...	N	4	b
Nemuro,	11	28.76	730.5	...	...	N	7	...	5	29.39	746.5	...	...	NNW	6	...
Hokodate,	,,	29.41	747.0	...	...	NNW	5	...	,,	29.76	756.0	...	...	WNW	3	...
Tokio,	,,	29.63	752.5	...	...	NW	5	...	,,	29.90	759.5	...	...	...	...	...
Kochi,	,,	29.98	761.5	...	...	NW	1	...	,,	30.18	766.5	...	...	WSW	1	...
Nagasaki,	,,	30.22	767.5	...	...	NNW	4	...	,,	30.22	767.5	...	...	...	0	...
Kagoshima,	,,	30.16	766.0	...	...	NNW	3	...	,,	30.22	767.5	...	...	E	1	...
Oshima,	,,	30.16	766.0	...	...	N	4	...	,,	30.12	765.0	...	...	NNE	1	...
Naha,	,,	30.18	766.5	...	...	N	5	...	,,	30.10	764.5	...	...	NE	1	...
Ishigakijima,	,,	30.26	768.5	...	...	N	1	...	,,	30.12	765.0		...	NNE	1	...
Bonin Island,	,,	29.76	756.0	...	...	NW	3	...	,,	29.86	758.5	...	...	NNW	1	...
Chefoo,	15	30.48	774.2	26	100	SW	4	o	6	30.28	769.1	24	87	...	0	b
Shanghai,	14	30.49	774.3	37	57	NNW	1	o	,,	30.38	771.6	32	76	NW	1	b
Gutzlaff,	,,	30.48	774.2	36	83	N	6	o	,,	30.39	771.9	34	82	NW	4	o
Sharp Peak,	,,	30.26	769.9	52	65	NNE	4	b	7	30.19	766.8	47	70	N	1	of
Amoy,	,,	30.21	767.3	58	27	NNE	6	b	6	30.20	767.1	52	66	N	4	o
Swatow,	,,	30.19	766.8	56	77	E	3	o	,,	30.18	766.5	52	81	NE	2	c
Taihoku,	11	30.33	770.4	57	77	ENE	4	o	5	30.20	767.1	52	95	...	0	o
Taichu,	,,	30.18	766.5	64	...	N	4	bf	,,	30.15	765.9	50	...	...	0	o
Tainan,	,,	30.19	766.8	64	...	N	4	bf	,,	30.13	765.3	50	...	N	2	b
Koshun,	,,	30.15	765.9	70	...	NE	6	b	,,	30.10	764.4	61	...	NNE	2	b
Pescadores,	,,	30.22	767.7	59	...	NNE	6	o	,,	30.14	765.6	57	...	NNE	4	o
Hong Kong,	14	30.14	765.5	60	73	NE	3	o	6	30.15	765.8	55	67	N	2	o
Gap Rock,	,,	30.13	765.3	...	...	ENE	5	o	,,	30.14	765.5		...	ENE	5	o
Macao,	,,	30.04	762.9	61	74	ESE	4	o	,,	30.13	765.3	54	83	NNW	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.06	763.5	69	69	NE	6	o	,,	30.08	764.0	67	79	ENE	6	o
Phulien,	15	30.01	762.3	64	80	ENE	6	o	7	30.13	765.3	55	100	N	4	rf
Tourane,	,,	29.97	761.1	75	...	ESE	2	o	,,	29.99	761.7	70	...	ESE	4	of
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	73	...	ENE	4	of
Basco,	14	30.04	762.9	72	62	NE	4	o	6	30.04	762.9	66	67	ESE	1	o
Aparri,	,,	30.00	762.0	72	75	ENE	4	o	,,	30.01	762.3	66	87	E	4	r
Tuguegarao,	,,	29.95	760.8	75	72	NNW	2	o	,,	30.01	762.3	66	88	NW	1	o
Vigan,	,,	29.82	757.5	82	57	NNW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	82	57	SW	4	o	,,	29.92	759.9	68	85	NE	1	o
Legaspi,	,,	29.84	757.8	84	60	NNE	4	b	,,	29.88	759.0	75	79	N	4	b
Calboyog,	,,	29.80	756.9	81	66	N	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	77	86	NNE	6	o	,,	29.82	757.5	73	89	E	4	o
Cebu.	,,	29.76	756.0	81	76	N	4	o	,,	29.82	757.5	77	86	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	57	NE	4	o
Saipan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	,,	29.69	754.2	...	...	N	4	o	,,	29.72	754.8	...	...	N	4	o
Yap,	12.20	29.71	754.5	...	...	NE	4	o	4.20	29.72	754.8	...	...	NNE	4	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Ponape,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	84	91	N	4	b	6	29.89	759.2	77	94	NE	2	b

January 3*d.* 11*h.* 20*m.*—The typhoon is still shown to the N.E. of Japan.

The anticyclone now appears as a belt of high pressure stretching from the Yangtze Valley to S. Manchuria.

The monsoon will moderate.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; overcast at first, clearing later.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd January, 1929.								4th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.25	768.3	3	...	N	5	b	6	30.19	766.7	−8	...	N	4	c
Nemuro,	11	29.45	748.0	...	...	NW	6	...	5	29.80	757.0	...	...	NW	4	...
Hokodate,	,,	29.76	756.0	...	...	W	3	...	,,	29.94	760.5	..	...	NNW	1	...
Tokio,	,,	29.90	759.5	...	...	WNW	2	...	,,	30.02	762.5	..	...	...	...	...
Kochi,	,,	30.14	765.5	...	...	...	0	...	,,	30.08	764.0	..	...	...	...	...
Nagasaki,	,,	30.16	766.0	...	...	...	...	...	,,	30.14	765.5	.	...	...	0	...
Kagoshima,	,,	30.18	766.5	...	...	NNW	1	...	,,	30.12	765.0	.	...	WNW	1	...
Oshima,	,,	30.12	765.0	...	...	...	0	...	,,	30.20	767.0	.	...	NW	1	...
Naha,	,,	30.10	764.5	...	...	NNE	1	...	,,	30.20	767.0	.	..	N	3	...
Ishigakijima,	,,	30.14	765.5	...	...	NNE	1	...	,,	30.12	765.0		...	NNE	1	...
Bonin Island,	,,	29.90	759.5	...	...	NNE	1	...	,,	30.02	762.5	...	...	N	1	...
Chefoo,	15	30.09	764.3	32	100	SW	2	0	6	30.14	765.5	30	88	NW	2	b
Shanghai,	14	30.28	769.2	43	41	W	1	b	,,	30.31	769.8	28	88	WSW	1	b
Gutzlaff,	,,	30.33	770.4	40	56	WNW	2	b	,,	29.34	770.6	38	72	NW	4	b
Sharp Peak,	,,	30.15	765.8	56	57	E	1	0	7	30.18	766.6	48	56	NW	1	b
Amoy,	,,	30.13	765.3	56	69	NNW	4	0	6	30.19	766.8	50	65	NE	2	b
Swatow,	,,	30.13	765.3	57	72	N	2	0	,,	...	...	...	...	...	...	...
Taihoku,	11	30.22	767.7	55	90	...	0	r	5	30.21	767.4	52	51	E	2	0
Taichu,	,,	30.15	765.9	61	...	NNW	2	0	,,	30.12	765.0	55	...	NNW	...	0
Tainan,	,,	30.13	765.3	68	...	N	4	0	,,	30.12	765.0	54	...	N	4	0
Koshun,	,,	...	...	...	...	...	...	...	,,	30.07	763.8	61	...	...	...	...
Pescadores,	,,	30.17	766.2	59	...	NNE	6	0	,,	30.14	765.6	59	...	NNE	4	0
Hong Kong,	14	30.12	765.0	65	48	SW	2	0	6	30.15	765.8	55	60	N	1	0
Gap Rock,	,,	30.12	765.0	...	...	NE	4	0	,,	30.15	765.8	..	...	NNE	4	0
Macao,	,,	30.10	764.5	61	45	NNW	4	0	,,	30.12	765.0	52	57	NNE	4	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.03	762.7	67	74	ENE	6	0	,,	30.08	764.0	69	75	NE	5	0
Phulien,	15	30.13	765.3	54	97	N	4	1f	7	...	...	...	...	...	...	...
Tourane,	,,	29.95	760.8	73	...	ESE	4	0	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.2	79	...	E	4	0	,,	...	...	...	...	...	...	...
Basco,	14	29.95	760.8	75	60	SE	4	b	6	30.04	762.9	61	83	NE	1	b
Aparri,	,,	29.94	760.5	72	65	E	4	0	,,	30.00	762.0	66	92	...	0	0
Tuguegarao,	,,			...	...	...	...	...	,,	30.00	762.0	66	96	...	0	0
Vigan,	,,	29.82	757.5	82	51	WNW	4	0	,,	29.89	759.3	73	58	ESE	2	0
Manila,	,,	29.85	758.1	82	57	...	0	0	,,	29.93	760.2	66	90	SE	1	b
Legaspi,	,,	29.84	757.8	81	62	NNE	4	0	,,	29.91	759.6	75	76	N	2	0
Calbayog,	,,	29.82	757.5	81	90	N	4	0	,,	29.89	759.3	70	94	N	1	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	82	63	NE	6	0	,,	29.88	759.0	75	71	NE	4	0
Cebu,	,,	29.81	757.2	...	...	NNE	6	0	,,	29.87	758.7	73	79	N	2	0
Surigao,	,,	29.78	756.3	81	69	NE	4	0	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	29.77	756.1	74	...	NE	3	c
Guam,	,,	29.67	753.6	...	...	N	4	0	,,	...	...	...	...	...	...	...
Yap,	12.20	29.71	754.5	...	...	NE	4	0	4.20	29.74	755.4	...	...	ENE	4	r
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.73	755.1	79	...	N	3	c
Ponape,	11.00	...	...	...	...	...	...	...	5	29.73	755.1	81	...	ESE	2	c
Labuan,	14	29.81	757.2	86	92	SW	4	b	6	29.82	757.4	77	88	NE	1	b

January 4*d.* 10*h.* 50*m.*—The typhoon has passed into the Pacific to the N.E. of Japan.

An anticyclone is central over the Yangtze Valley.

Fresh monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate ; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, moderate ; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate ; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th January, 1929.								5th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer. At Sea Level. Inches.	Barometer. At Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.16	766.0	2	...	N	4	c	6	30.19	766.9	−2	...	N	3	b
Nemuro,	11	29.84	758.0	...	...	NW	1	...	5	29.98	761.5	...	...	SW	1	...
Hokodate,	,,	29.92	760.0	...	...	W	1	...	,,	30.02	762.5	...	...	N	1	...
Tokio,	,,	29.96	761.0	...	...	N	1	...	,,	30.10	764.5	...	...	NW	4	...
Kochi,	,,	30.12	765.0	...	...	SW	1	...	,,	30.24	768.0	...	...	WSW	1	...
Nagasaki,	,,	30.14	765.5	...	...	...	0	...	,,	30.26	768.5	...	...	NNE	1	...
Kagoshima,	,,	30.12	765.0	...	...	NW	1	...	,,	30.26	768.5	...	...	W	1	...
Oshima,	,,	30.16	766.0	...	...	N	1	...	,,	30.24	768.0	...	...	NNW	1	...
Naha,	,,	30.18	766.5	...	...	N	3	...	,,	30.26	768.5	...	...	NE	1	...
Ishigakijima,	,,	30.20	767.0	...	...	NNE	3	...	,,	30.26	768.5	...	...	N	1	...
Bonin Island,	,,	30.00	762.0	...	...	W	1	...	,,	30.02	762.5	...	...	WNW	1	...
Chefoo,	15	30.29	769.3	28	100	NW	4	r	6	30.28	769.1	24	100	...	0	b
Shanghai,	14	30.33	770.4	46	22	NW	2	b	,,	29.34	770.7	32	92	ESE	1	b
Gutzlaff,	,,	30.37	771.4	46	69	NNW	4	b	,,	30.39	771.9	38	63	SE	2	b
Sharp Peak,	,,	30.19	766.8	60	60	ENE	4	b	7	30.22	767.6	47	85	N	2	b
Amoy,	,,	30.15	765.8	63	33	E	4	b	6	30.20	767.1	52	47	NNE	2	b
Swatow,	,,	30.18	766.6	59	67	N	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.28	769.2	55	77	E	2	o	5	30.24	768.0	55	79	E	4	o
Taichu,	,,	30.17	766.2	64	...	N	4	b	,,	30.17	766.2	55	...	...	0	b
Tainan,	,,	30.17	766.2	70	...	NNW	2	b	,,	30.15	765.9	59	...	...	0	o
Koshun,	,,	30.14	765.6	68	...	NNW	4	b	,,	30.13	765.3	64	...	NE	6	b
Pescadores,	,,	30.19	766.8	63	...	NNW	6	o	,,	30.15	765.9	59	...	NNE	4	b
Hong Kong,	14	30.13	765.3	62	59	E	3	b	6	30.17	766.3	59	68	ENE	5	o
Gap Rock,	,,	30.13	765.3	...	...	ENE	3	b	,,	30.14	765.5	...	...	ENE	5	o
Macao,	,,	30.12	765.0	66	46	ESE	2	o	,,	30.13	76.53	59	68	ESE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.8	68	75	NNE	6	o	,,	30.11	764.8	67	77	NE	6	c
Phulien,	15	30.13	765.3	59	85	NE	2	r	7	30.13	765.3	57	93	NNE	2	of
Tourane,	,,	30.00	762.0	72	...	SE	6	o	,,	30.04	762.9	70	...	E	4	of
Cape St. James,	,,	29.84	757.8	77	...	E	6	o	,,	29.87	758.7	70	...	NE	4	b
Basco,	14	30.00	762.0	73	66	E	1	o	6	30.08	764.1	66	87	NE	4	o
Aparri,	,,	29.97	761.1	77	61	NE	4	b	,,	30.05	763.2	63	96	SE	2	b
Tuguegarao,	,,	29.97	761.1	72	84	NNW	1	r	,,	30.05	763.2	61	98	...	0	o
Vigan,	,,	29.85	758.1	82	54	NW	4	b	,,	29.93	760.2	73	52	E	4	o
Manila,	,,	29.88	759.0	77	61	E	4	o	,,	29.94	760.5	68	91	...	0	b
Legaspi,	,,	29.86	758.4	79	69	NNE	4	o	,,	29.94	760.5	75	79	N	2	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	70	92	N	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	81	69	NE	6	o	,,	29.91	759.6	72	89	NE	4	b
Cebu,	,,	29.81	757.2	82	60	NNE	4	o	,,	29.89	759.3	73	85	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	75	83	NE	2	o
Saipan,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	73	...	E	2	c
Guam,	,,	29.72	754.8	...	...	E	4	o	,,	29.76	756.0	...	...	NE	2	o
Yap,	12.20	29.67	753.6	...	...	NE	6	o	4.20	29.76	756.0	74	...	NE	2	r
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.75	755.6	75	...	N	5	r
Ponape,	11.00	...	...	...	...	...	...	...	5	29.77	756.1	80	...	E	4	b
Labuan,	14	29.80	756.9	84	83	NE	2	b	6	29.84	757.9	77	91	NE	2	b

January 5*d.* 10*h.* 50*m.*—The anticyclone is central between Shanghai and S.W. Korea.

Fresh monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	E. winds, fresh ; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th January, 1929.								6th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.98	761.5	...	...	...	0	...	5	29.80	757.0	...	...	S	2	...
Hokodate,	,,	30.04	763.0	...	...	WSW	1	...	,,	29.65	753.0	...	...	SSW	2	...
Tokio,	,,	30.12	765.0	...	...	NNW	2	...	,,	29.94	760.5	...	...	NNW	1	...
Kochi,	,,	30.24	768.0	...	...	...	...	...	,,	30.14	765.5	...	...	WSW	1	...
Nagasaki,	,,	30.30	769.5	...	...	...	0	...	,,	30.14	765.5	...	...	WNW	4	...
Kagoshima,	,,	30.28	769.0	...	...	...	0	...	,,	30.20	767.0	...	...	...	0	...
Oshima,	,,	30.26	768.5	...	...	WSW	1	...	,,	30.24	768.0	...	...	S	1	...
Naha,	,,	30.26	768.5	...	...	NNE	1	...	,,	30.20	767.0	...	...	ESE	1	...
Ishigakijima,	,,	30.24	768.0	...	...	E	1	...	,,	30.16	766.0	...	...	SSE	1	...
Bonin Island,	,,	30.08	764.0	...	...	NNW	1	...	,,	30.18	766.5	...	...	...	0	...
Chefoo,	15	30.17	766.3	34	90	W	6	b	6	30.33	770.4	26	100	W	7	b
Shanghai,	14	30.20	767.1	55	36	SSE	1	b	,,	30.44	773.1	37	79	N	2	b
Gutzlaff,	,,	30.27	768.8	50	58	SSE	2	b	,,	30.45	773.4	40	74	N	6	b
Sharp Peak,	,,	30.16	766.0	63	72	NNE	1	o	7	30.17	766.3	54	92	NW	1	r
Amoy,	,,	30.23	767.8	66	54	SW	2	bf	6	30.18	766.6	58	81	NE	2	r
Swatow,	,,	30.18	766.6	65	70	ESE	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.20	767.1	72	54	E	4	b	5	30.20	767.1	57	91	ENE	2	o
Taichu,	,,	30.17	766.2	73	...	WSW	2	b	,,	30.20	767.1	55	...	...	0	b
Tainan,	,,	30.18	766.5	75	...	WNW	2	b	,,	30.15	765.9	55	...	N	2	b
Koshun,	,,	30.17	766.2	73	...	NE	4	b	,,	30.13	765.3	57	...	...	0	b
Pescadores,	,,	30.20	767.1	66	...	N	4	b	,,	30.17	766.2	59	...	NNE	4	b
Hong Kong,	14	30.11	764.8	64	62	E	4	o	6	30.14	765.5	63	73	E	2	o
Gap Rock,	,,	30.10	764.5	...	...	ENE	5	c	,,	30.12	765.0	...	...	ENE	4	b
Macao,	,,	30.07	763.8	68	64	SSE	2	o	,,	30.08	76.41	59	87	NNE	2	o
Hoihow,	,,	30.02	762.5	70	72	ESE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.05	763.2	74	71	ENE	6	b	,,	30.11	764.8	70	85	NE	5	bc
Phulien,	15	30.07	763.8	63	90	NE	1	o	7	...	...	...	...	...	...	...
Tourane,	,,	30.00	762.0	73	...	ESE	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	79	...	ENE	4	o	,,	...	...	...	...	...	...	...
Basco,	14	30.02	762.6	73	71	ENE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.98	761.4	77	68	NE	2	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.98	751.4	75	67	NW	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.86	758.4	82	48	WNN	4	b	,,	29.91	759.6	70	74	E	2	b
Manila,	,,	29.88	759.0	86	49	ENE	4	o	,,	29.97	761.1	70	87	NE	1	o
Legaspi,	,,	29.87	758.7	79	80	NNE	4	o	,,	29.93	760.5	75	83	N	2	o
Calboyog,	,,	29.85	758.1	81	66	N	4	o	,,	29.93	760.2	72	91	N	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	82	67	NE	4	o	,,	29.89	759.3	72	91	NE	4	o
Cebu,	,,	29.82	757.5	82	57	NE	2	o	,,	29.87	758.7	75	76	N	4	o
Surigao,	,,	29.82	757.5	81	73	NE	4	o	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	79	...	E	3	c
Guam,	,,	29.76	756.0	...	...	NE	4	o	,,	...	...	...	...	...	...	...
Yap,	12.20	29.72	754.8	...	...	NE	4	o	4.20	29.75	755.7	...	...	E	4	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.73	755.1	76	...	ENE	3	c
Ponape,	11.00	...	...	...	...	...	...	...	5	29.79	756.6	79	...	E	2	c
Labuan,	14	29.82	757.4	86	92	E	4	b	6	29.82	757.4	82	91	N	4	b

January *6d. 11h. 19m.*—The anticyclone has merged into a fresh anticyclone which has developed over N. China. A depression is situated in the northern part of the Sea of Japan.

Fresh to strong monsoon will prevail along the Coast and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fair.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th January, 1929.								7th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.00	762.0	11	...	N	2	b	6	30.27	768.9	−1	...	...	0	b
Nemuro,	11	29.49	749.0	...	...	S	3	...	5	29.39	746.5	...	...	NW	5	...
Hokodate,	,,	29.45	748.0	...	...	SSW	2	...	,,	29.71	754.5	...	...	WNW	4	...
Tokio,	,,	29.69	754.0	...	...	SW	3	...	,,	29.94	760.5	...	...	...	...	...
Kochi,	,,	29.98	761.5	...	...	WSW	1	...	,,	30.22	767.5	...	...	...	0	...
Nagasaki,	,,	30.22	767.5	...	...	NNW	4	...	,,	30.34	770.5	...	...	N	1	...
Kagoshima,	,,	30.16	766.0	...	...	NW	2	...	,,	30.32	770.0	...	...	NW	1	...
Oshima,	,,	30.18	766.5	...	...	NNE	1	...	,,	30.22	767.5	...	...	N	3	...
Naha,	,,	30.16	766.0	...	...	SSW	1	...	,,	30.18	766.5	...	...	NNE	4	...
Ishigakijima,	,,	30.18	766.5	...	...	WNW	1	...	,,	30.16	766.0	...	...	N	2	...
Bonin Island,	,,	30.14	765.5	...	...	S	1	...	,,	30.06	763.5	...	...	S	1	...
Chefoo,	15	30.46	773.7	26	100	NW	4	b	6	30.38	771.6	24	87	...	0	b
Shanghai,	14	30.51	774.9	39	52	N	4	o	,,	30.46	773.7	25	90	NW	2	b
Gutzlaff,	,,	30.51	774.9	40	56	N	6	b	,,	30.48	774.2	34	82	NNW	2	o
Sharp Peak,	,,	30.20	767.1	56	75	E	1	o	7	30.24	768.1	47	70	NE	1	o
Amoy,	,,	30.16	766.0	64	68	E	4	o	6	30.25	768.3	52	88	ENE	4	r
Swatow,	,,	30.15	765.8	62	84	ESE	2	b	,,	30.25	768.3	56	82	NE	2	o
Taihoku,	11	30.26	768.6	63	90	...	0	r	5	30.25	768.3	54	95	E	4	r
Taichu,	,,	30.20	767.1	70	...	NNW	2	b	,,	30.14	765.6	55	...	...	0	o
Tainan,	,,	30.18	766.5	75	...	N	4	b	,,	30.12	765.0	54	...	N	4	b
Koshun,	,,	30.15	765.9	75	...	NE	2	b	,,	30.08	764.1	68	...	NE	6	b
Pescadores,	,,	30.20	767.1	66	...	NE	4	b	,,	30.15	765.9	59	...	NNE	6	o
Hong Kong,	14	30.10	764.5	70	61	ESE	3	o	6	30.18	766.6	62	74	ENE	4	o
Gap Rock,	,,	30.10	764.5	...	...	NE	4	c	,,	30.16	766.0	...	...	ENE	5	o
Macao,	,,	30.05	763.5	68	60	ESE	2	o	,,	30.14	765.6	59	79	NNW	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.8	73	71	NE	5	b	,,	30.09	764.3	69	80	NNE	6	o
Phulien,	15	30.10	764.4	70	85	SE	2	of	7	30.13	765.3	63	94	ENE	4	of
Tourane,	,,	30.02	762.6	72	...	ESE	4	of	,,	30.07	763.8	70	...	ESE	4	of
Cape St. James,	,,	29.87	758.7	77	...	ENE	6	of	,,	29.92	759.9	73	...	ENE	4	b
Basco,	14	30.02	762.6	79	61	ESE	4	b	6	30.04	762.9	68	81	NE	2	o
Aparri,	,,	29.99	761.7	75	67	E	4	o	,,	30.02	762.6	68	83	E	2	b
Tuguegarao,	,,	29.98	761.4	77	72	N	2	o	,,	30.01	762.3	68	91	N	1	o
Vigan,	,,	29.87	758.7	82	60	NW	4	o	,,	29.91	759.6	75	53	ENE	4	o
Manila,	,,	29.92	759.9	79	69	NE	2	o	,,	29.95	760.8	68	83	N	1	o
Legaspi,	,,	29.88	759.0	82	63	NNE	4	b	,,	29.91	759.6	75	67	NE	4	b
Calboyog,	,,	29.87	758.7	84	52	N	4	o	,,	29.89	759.3	64	96	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.85	758.1	82	63	NE	6	o	,,	29.88	759.0	72	82	NE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	75	76	N	2	o
Surigao,	,,	29.81	757.2	81	76	N	4	o	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	73	...	ESE	3	c
Guam,	,,	29.71	754.5	...	...	NE	4	o	,,	...	...	...	...	...	...	...
Yap,	12.20	...	...	...	...	...	4	o	4.20	29.75	755.7	...	...	E	4	r
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.70	754.4	80	...	ESE	4	c
Ponape,	11.00	...	...	...	...	...	...	...	5	29.78	756.4	80	...	E	3	o
Labuan,	14	29.82	757.4	84	91	NE	4	b	6	29.84	757.9	80	91	SE	4	b

January 7*d.* 10*h.* 35*m.*—The depression has deepened further and passed to the N.E. of Japan.

The anticyclone is central over N.E. China.

Strong to fresh monsoon will continue along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fair.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th January, 1929.								8th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.22	767.5	13	...	...	0	b	6	30.20	767.0	−3	...	...	0	0
Nemuro,	11	29.45	748.0	...	...	WNW	6	...	5	29.84	758.0	...	...	W	4	...
Hokodate,	,,	29.78	756.5	...	...	WSW	4	...	,,	30.04	763.0	...	...	WNW	3	...
Tokio,	,,	29.98	761.5	...	...	N	2	...	,,	30.24	768.0	...	...	N	1	...
Kochi,	,,	30.24	768.0	...	...	SSW	1	...	,,	30.30	769.5	...	...	WSW	1	...
Nagasaki,	,,	30.37	771.5	...	...	NNW	2	...	,,	30.30	769.5	...	...	...	0	...
Kagoshima,	,,	30.30	769.5	...	...	NNW	1	...	,,	30.28	769.0	...	...	NW	1	...
Oshima,	,,	30.24	768.0	...	...	NNE	3	...	,,	30.22	767.5	...	...	S	1	...
Naha,	,,	30.18	766.5	...	...	NE	3	...	,,	30.16	766.0	...	...	NE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	NE	2	...	,,	30.16	766.0	...	...	NE	1	...
Bonin Island,	,,	30.02	762.5	...	...	SW	1	...	,,	30.18	766.5	...	...	NNE	1	...
Chefoo,	15	30.25	768.3	34	100	SW	1	b	6	30.17	766.3	28	100	S	2	h
Shanghai,	14	30.31	769.8	50	38	SSE	1	b	,,	30.27	768.9	32	96	WSW	2	h
Gutzlaff,	,,	30.37	771.4	46	69	N	1	b	,,	30.31	769.9	42	92	SSW	2	b
Sharp Peak,	,,	30.21	767.3	54	62	NE	1	o	7	30.19	766.8	50	79	NW	1	o
Amoy,	,,	30.16	766.0	63	57	ENE	4	b	6	30.20	767.1	56	75	ENE	2	o
Swatow,	,,	...	...	...	...		...	...	,,	30.19	766.8	57	94	NE	1	o
Taihoku,	11	30.26	768.6	57	96	E	4	r	5	30.17	766.2	59	96	E	2	o
Taichu,	,,	30.18	766.5	64	...	N	2	o	,,	30.14	765.6	52	...	...	0	b
Tainan,	,,	30.17	766.2	72	...	NNW	4	b	,,	30.12	765.0	66	...	N	2	b
Koshun,	,,	30.12	765.0	73	...	NE	4	b	,,	30.08	764.1	61	...	...	0	b
Pescadores,	,,	30.19	766.8	63	...	NNE	6	o	,,	30.14	765.6	59	...	N	4	o
Hong Kong,	14	30.14	765.5	61	76	E	3	o	6	30.16	766.0	61	77	E	3	o
Gap Rock,	,,	30.12	765.0	...	...	ENE	5	b	,,	30.14	765.5	...	...	ENE	4	o
Macao,	,,	30.12	765.0	63	75	NNE	2	o	,,	30.12	765.0	57	91	NE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.08	764.0	70	74	NE	6	o	,,	30.09	764.3	69	82	NNE	6	o
Phulien,	15	30.10	764.4	63	98	...	0	rf	7	30.11	764.7	61	98	ENE	4	of
Tourane,	,,	30.04	762.9	73	...	ESE	4	o	,,	30.06	763.5	68	...	ESE	4	bf
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.91	759.6	70	...	NE	4	b
Basco,	14	30.01	762.3	75	67	E	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.98	761.4	79	55	E	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.98	761.4	79	55	SW	1	o	,,	30.01	762.3	61	96	...	0	o
Vigan,	,,	29.88	759.0	82	51	W	4	o	,,	29.89	759.3	73	91	E	4	b
Manila,	,,	29.89	759.3	82	51	N	2	o	,,	29.93	760.2	64	76	NE	2	o
Legaspi,	,,	29.85	758.1	84	58	NNE	4	b	,,	29.84	757.8	77	76	N	4	o
Calboyog,	,,	29.82	757.5	64	45	N	4	o	,,	29.82	757.5	73	91	N	4	r
Tacloban,	,,	29.80	756.9	81	69	N	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	81	59	NE	6	o	,,	29.85	758.1	72	86	NE	4	b
Cebu,	,,	29.79	756.6	81	56	NW	4	o	,,	29.80	756.9	75	79	N	4	o
Surigao,	,,	29.79	756.6	77	84	N	4	r	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	75	...	ENE	3	c
Guam,	,,	29.75	755.7	...	...	NE	4	o	,,	...	...	...	...	...	...	...
Yap,	12.20	29.73	755.1	...	...	E	4	r	4.20	29.76	756.0	...	...	NE	4	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.70	754.4	78	...	SE	3	r
Ponape,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	80	...	E	2	o
Labuan,	14	29.82	757.4	86	90	NE	4	b	6	29.83	757.7	77	94	...	0	b

January 8*d.* 10*h.* 52*m.*—The anticyclone is now central over S.W. Japan.

Another may be forming over the upper Yangtze Valley.

Fresh monsoon will continue over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·05 inch. Total since January 1st, 0·05 inches, against an average of 0·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th January, 1929.								9th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.15	765.9	9	...	...	0	f	6	30.14	765.6	−1	...	...	0	f
Nemuro,	11	29.88	759.0	...	...	W	2	...	5	29.92	760.0	...	...	...	0	...
Hokodate,	,,	30.04	763.0	...	...	WSW	3	...	,,	30.00	762.0	...	...	...	...	...
Tokio,	,,	30.16	766.0	...	...	NW	1	...	,,	29.98	761.5	...	...	NW	1	...
Kochi,	,,	30.22	767.5	...	...	...	...	...	,,	30.10	764.5	...	...	...	0	...
Nagasaki,	,,	30.16	766.0	...	...	SE	2	...	,,	30.22	767.5	...	...	N	1	...
Kagoshima,	,,	30.22	767.5	...	...	E	1	...	,,	30.18	766.5	...	...	...	0	...
Oshima,	,,	30.20	767.0	...	...	...	0	...	,,	30.16	766.0	...	...	N	1	...
Naha,	,,	30.18	766.5	...	...	E	1	...	,,	30.14	765.5	...	...	N	4	...
Ishigakijima,	,,	30.14	765.5	...	...	ENE	2	...	,,	30.16	766.0		.	NNW	3	...
Bonin Island,	,,	30.16	766.0	...	...	NE	1	...	,,	30.16	766.0	...	...	SSE	1	...
Chefoo,	15	30.26	768.6	34	100	NW	4	b	6	30.17	766.3	26	87	...	0	b
Shanghai,	14	30.33	770.4	50	45	WNW	4	b	,,	30.38	771.6	28	96	NNW	1	b
Gutzlaff,	,,	30.35	770.9	48	63	NNW	4	b	,,	30.41	772.4	36	83	NNW	2	b
Sharp Peak,	,,	30.15	765.8	62	56	E	2	b	7	30.21	767.3	50	86	NNW	2	b
Amoy,	,,	30.14	765.5	68	56	WSW	1	[illegible]	6	30.23	767.8	56	63	NE	4	b
Swatow,	,,	30.17	766.3	66	71	ESE	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.20	767.1	63	90	E	2	o	5	30.25	768.3	57	72	E	4	o
Taichu,	,,	30.15	765.9	66	...	NNW	4	b	,,	30.14	765.6	54	...	N	2	b
Tainan,	,,	30.17	766.2	70	...	NNW	4	o	,,	30.11	764.7	57	...	N	4	o
Koshun,	,,	30.13	765.3	73	...	NNW	2	o	,,	30.08	764.1	63	...	...	0	o
Pescadores,	,,	30.19	766.8	63	...	NNE	6	o	,,	30.15	765.9	59	...	NE	6	b
Hong Kong,	14	30.14	765.5	68	60	...	0	o	6	30.19	766.8	56	60	N	4	b
Gap Rock,	,,	30.15	765.8	...	...	ENE	4	c	,,	30.19	766.8	...	...	NNE	4	b
Macao,	,,	30.13	765.3	66	67	NE	2	o	,,	30.17	766.2	55	66	NNE	4	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.10	764.5	70	70	NNE	6	c	,,	30.11	764.8	67	70	NNE	7	b
Phulien,	15	30.14	765.6	61	98	NNW	2	rf	7	30.20	767.1	57	93	NW	1	of
Tourane,	,,	30.06	763.5	72	...	E	4	o	,,	30.11	764.7	70	...	E	4	of
Cape St. James,	,,	29.91	759.6	77	...	E	4	b	,,	29.97	761.1	72	...	E	2	b
Basco,	14	29.99	761.7	77	61	ESE	4	b	6	30.01	762.3	70	77	NE	2	o
Aparri,	,,	29.97	761.1	79	61	NE	4	b	,,	30.00	762.0	64	96	W	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.99	761.7	63	96	...	0	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	64	71	N	1	b
Manila,	,,	29.89	759.3	86	58	NE	2	o	,,	29.89	759.3	68	77	NNE	1	o
Legaspi,	,,	29.82	757.5	79	80	NNE	4	o	,,	29.81	757.2	75	...	N	4	o
Calboyog,	,,	29.79	756.6	77	91	N	2	o	,,	29.76	756.0	75	92	N	2	r
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	88	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	77	79	...	0	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	75	...	E	1	b
Guam,	,,	29.75	755.7	...	...	NE	4	o	,,	...	...	...	...	...	...	...
Yap,	12.20	29.74	755.4	...	...	ENE	4	o	4.20	29.78	756.4	77	...	NE	1	c
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.76	756.0	76	...	S	1	r
Ponape,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	76	...	ESE	4	r
Labuan,	14	29.83	757.7	84	94	SE	4	b	6	29.82	757.4	80	89	NE	1	b

January 9*d.* 10*h.* 50*m.*—The anticyclone is central over the lower Yangtze Valley.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Manila warning 8*d.* 11*h.* 20*m.*:—Typhoon in Lat. 6° N. Long. 130° E., inclining northward Reed. 8*d.* 11*h.* 54*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, moderate; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th JANUARY, 1929.								10th JANUARY, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.05	763.3	21	...	...	0	f	6	29.89	759.2	13	...	...	0	f
Nemuro,	11	29.90	759.5	...	...	W	1	...	5	29.69	754.0	...	...	SW	1	...
Hokodate,	,,	29.98	761.5	...	...	W	1	...	,,	29.84	758.0	...	...	N	1	...
Tokio,	,,	29.98	761.5	...	...	N	1	...	,,	29.92	760.0	...	...	WNW	1	...
Kochi,	,,	30.10	764.5	...	...	...	0	...	,,	30.10	764.5	...	...	...	0	...
Nagasaki,	,,	30.20	767.0	...	...	NNW	2	...	,,	30.14	765.5	...	...	WNW	4	...
Kagoshima,	,,	30.16	766.0	...	...	NNW	2	...	,,	30.16	766.0	...	...	WNW	1	...
Oshima,	,,	30.18	766.5	...	...	NNW	1	...	,,	30.20	767.0	...	...	...	0	...
Naha,	,,	30.18	766.5	...	...	NNE	3	...	,,	30.18	766.5		...	NE	1	...
Ishigakijima,	,,	30.20	767.0	...	...	NNE	1	...	,,	30.18	766.5		...	NNE	1	...
Bonin Island,	,,	30.08	764.0	...	...	SSE	1	...	,,	30.04	763.0	...	...	...	...	...
Chefoo,	15	29.98	761.4	44	86	NNE	6	o	6	30.20	767.1	28	100	NNW	1	b
Shanghai,	14	30.26	768.6	52	35	SW	1	b	,,	30.30	769.5	32	92	W	2	h
Gutzlaff,	,,	30.33	770.4	47	48	W	1	b	,,	30.33	770.4	42	92	NW	4	h
Sharp Peak,	,,	30.19	766.8	65	68	E	1	b	7	30.25	768.3	46	84	NW	1	o
Amoy,	,,	30.15	765.8	65	53	NE	4	r	6	30.23	767.8	52	88	NNE	4	b
Swatow,	,,	30.18	766.6	61	89	E	2	b	,,	30.20	767.1	50	93	NNE	2	c
Taiboku,	11	30.26	768.6	63	60	E	4	o	5	30.20	767.1	54	85	E	4	b
Taichu,	,,	30.14	765.6	70	...	N	2	b	,,	30.14	765.6	48	...	...	0	b
Tainan,	,,	30.13	765.3	72	...	NNW	4	b	,,	30.13	765.3	52	...	NNE	2	h
Koshun,	,,	30.11	764.7	70	...	NE	4	b	,,	30.10	764.4	64	...	NE	4	b
Pescadores,	,,	30.17	766.2	68	...	NNE	6	b	,,	30.13	765.3	59	...	NNE	4	b
Hong Kong,	14	30.15	765.8	65	53	E	2	b	6	30.16	766.0	57	82	...	0	b
Gap Rock,	,,	30.17	766.3	...	...	NE	4	b	,,	30.16	766.0	...	...	NNE	4	b
Macao,	,,	30.12	765.0	66	54	NE	2	b	,,	30.08	764.1	54	89	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.09	764.3	70	68	NE	6	b	,,	30.08	764.0	67	74	NE	6	o
Phulien,	15	30.14	765.6	72	57	SSW	2	b	7	30.17	766.2	57	98	N	2	bf
Tourane,	,,	30.06	763.5	72	...	E	4	o	,,	30.08	764.1	68	...	E	4	of
Cape St. James,	,,	29.93	760.2	77	...	ESE	2	o	,,	29.98	761.4	70	...	NE	2	o
Basco,	14	29.99	761.7	70	82	NE	4	r	6	30.06	763.5	70	65	NE	2	o
Aparri,	,,	29.95	760.8	72	84	NNW	4	r	,,	29.98	761.4	72	75	NE	4	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.97	761.1	68	92	N	4	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	70	74	N	4	b
Manila,	,,	29.84	757.8	84	55	SW	2	o	,,	29.86	758.4	72	82	ENE	2	o
Legaspi,	,,	29.76	756.0	77	86	NNW	4	o	,,	29.80	756.9	77	61	N	4	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	79	84	NNE	6	o	,,	29.79	756.6	73	92	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	76	...	E	5	c
Guam,	,,	29.76	756.0	...	...	NE	4	o	,,	...	...	...	...	...	...	...
Yap,	12.20	29.74	755.4	...	...	ENE	4	o	4.20	29.80	756.9	79	...	ESE	2	c
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.80	756.9	77	...	S	1	c
Ponape,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	80	...	E	2	bc
Labuan,	14	29.77	756.1	86	84	NE	4	b	6	29.82	757.4	78	89	N	1	b

January 10*d.* 10*h.* 40*m.*— The anticyclone remains stationary over the lower Yangtze Valley.

Fresh to moderate monsoon will continue along the S.E. coast of China and over the China Sea.

Manila warning 9*d.* 13*h.* 45*m.*:—Typhoon in Lat. 09° N. Long. 130° E., moving N. Recd. 9*d.* 15*h.* 08*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, moderate; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.
DAILY WEATHER REPORT.

Station.	10th January, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	11th January, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.74	755.5	...	...	...	0	...	5	29.61	752.0	...	...	...	0	...
Hokodate,	,,	29.78	756.5	...	...	N	1	...	,,	29.82	757.5	...	...	WNW	2	...
Tokio,	,,	29.82	757.5	...	...	...	0	...	,,	29.98	761.5	...	...	NNW	1	...
Kochi,	,,	30.04	763.0	...	...	...	0	...	,,	30.18	766.5	...	...	WSW	1	...
Nagasaki,	,,	30.16	766.0	...	...	NNW	3	...	,,	30.24	768.0	...		...	0	...
Kagoshima,	,,	30.14	765.5	...	...	NW	3	...	,,	30.22	767.5	...		NW	1	...
Oshima,	,,	30.10	767.0	...	...	N	1	...	,,	30.20	767.0	...	...	SSE	1	...
Naha,	,,	30.22	767.5	...	...	NNE	2	...	,,	30.18	766.5			NE	1	...
Ishigakijima,	,,	30.24	768.0	...	...	N	2	...	,,	30.18	766.5			ENE	1	...
Bonin Island,	,,	29.96	761.0	...	...	WSW	1	...	,,	30.00	762.0	...	...	NW	1	...
Chefoo,	15	30.10	764.5	48	100	SW	2	b	6	30.09	764.3	46	62	S	4	b
Shanghai,	14	30.30	769.5	59	22	E	1	b	,,	30.21	767.4	37	96	SE	1	b
Gutzlaff,	,,	30.35	770.9	50	79	NNE	1	b	,,	30.25	768.3	47	87	SE	4	b
Sharp Peak,	,,	30.20	767.1	70	70	NE	1	b	7	30.16	766.0	54	80	NW	2	b
Amoy,	,,	30.14	765.5	67	50	ENE	4	b	6	30.17	766.3	54	74	WSW	4	b
Swatow,	,,	30.13	765.3	63	71	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.22	767.7	70	49	ESE	4	b	5	30.14	765.6	59	79	E	4	b
Taichu,	,,	30.18	766.5	...	...	...	0	0	,,	30.12	765.0	50	...	...	0	b
Tainan,	,,	30.17	766.2	73	...	NW	2	b	,,	30.11	764.7	54	...	...	0	b
Koshun,	,,	30.13	765.3	73	...	NE	4	b	,,	30.10	764.4	65	...	NE	4	b
Pescadores,	,,	30.19	766.8	68	...	NE	6	b	,,	30.10	764.4	61	...	N	4	b
Hong Kong,	14	30.13	765.3	66	34	E	4	b	6	30.09	764.3	59	73	E	3	b
Gap Rock,	,,	30.14	765.5	...	...	ENE	4	b	,,	30.08	764.0	...	...	ENE	4	b
Macao,	,,	30.11	764.7	66	46	SE	2	b	,,	30.05	763.2	57	77	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.8	72	71	NE	6	b	,,	30.05	763.2	69	75	ENE	6	b
Phulien,	15	30.10	764.4	73	55	S	2	b	7	30.08	764.1	57	98	NE	2	bf
Tourane,	,,	30.04	762.9	70	...	E	4	b	,,	30.05	763.2	66	...	NW	2	of
Cape St. James,	,,	29.93	760.2	75	...	E	4	o	,,	29.98	76..4	68	...	N	2	b
Basco,	14	30.04	762.9	73	66	NE	4	o	6	30.05	763.2	68	64	NE	2	o
Aparri,	,,	29.99	761.7	77	89	NE	4	o	,,	30.00	762.0	68	96	E	2	r
Tuguegarao,	,,	29.97	761.1	77	64	NNW	4	o	,,	29.99	761.7	68	92	NW	1	o
Vigan,	,,	29.81	75..2	86	41	NNE	4	b	,,	29.85	758.1	77	92	NE	4	o
Manila,	,,	29.82	757.5	81	56	NNE	4	o	,,	29.87	758.7	75	71	NNE	2	o
Legaspi,	,,	29.75	755.7	77	92	NNE	4	o	,,	29.82	757.5	77	92	NE	4	o
Calboyog,	,,	29.72	754.8	75	98	NNE	2	r	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	75	94	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	75	89	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	75	96	...	0	o
Saipan,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	72	...	E	2	c
Guam,	,,	29.75	755.7	...	...	E	4	o	,,	29.80	756.9	...	...	E	2	o
Yap,	12.20	29.76	756.0	...	...	ESE	4	o	4.20	29.81	757.2	...	...	...	0	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.81	757.2	78	...	...	0	c
Ponape,	11.00	...	...	...	...	...	...	...	5	29.78	756.4	79	...	E	3	c
Labuan,	14	29.82	757.4	83	91	WSW	1	b	6	29.86	758.4	76	94	E	1	r

January 10*d.* 17*h.* 48*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon in Lat. 10° N. Long. 125° E., moving W. position uncertain.

January 11*d.* 11*h.* 11*m.*—The anticyclone has weakened and is now central between Shanghai and Nagasaki. There are no indications of a typhoon in the S. China Sea this morning.

The monsoon will moderate over the N. China Sea.

Manila warning. 10*d.* 16*h.* 00*m.*:—The typhoon is crossing the Visayas Islands in the form of a shallow depression Recd. 10*d.* 16*h.* 41*m.*

Shanghai warning 10*d.* 21*h.* 00*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 127° E., stationary or very slow. Recd. 10*d.* 21*h.* 37*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th January, 1929.								12th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.97	761.1	21	...	...	0	f	6	30.30	769.7	13	...	...	0	b
Nemuro,	11	29.65	753.0	...	...	NW	3	...	5	29.73	755.0	...	...	NNW	4	...
Hokodate,	,,	29.84	758.0	...	...	W	5	...	,,	29.84	758.0	...	...	N	1	...
Tokio,	,,	29.96	761.0	...	...	N	2	...	,,	29.88	759.0	...	...	NE	1	...
Kochi,	,,	30.12	765.0	...	...	...	0	...	,,	30.08	764.0	...	..	WSW	1	...
Nagasaki,	,,	30.24	768.0	...	...	...	0	...	,,	30.18	766.5	...	...	...	0	...
Kagoshima,	,,	30.20	767.0	...	...	NW	1	...	,,	30.14	765.5	...	..	NW	1	...
Oshima,	,,	30.20	767.0	...	...	NNE	1	...	,,	30.14	765.5	...	...	SSE	1	...
Naha,	,,	29.80	757.0	...	...	N	1	...	,,	30.14	765.5	...	..	E	1	...
Ishigakijima,	,,	30.20	767.0	...	...	ENE	1	...	,,	30.10	764.5		...	...	0	...
Bonin Island,	,,	30.02	762.5	...	...	NNW	1	...	,,	30.00	762.0	...	...	NW	1	...
Chefoo,	15	30.24	768.1	44	76	NNE	1	b	6	30.26	768.6	28	100	NW	1	b
Shanghai,	14	30.11	764.7	66	23	SSW	1	b	,,	30.12	765.0	41	100	SE	1	bf
Gutzlaff,	,,	30.18	766.6	56	63	S	2	b	,,	30.17	766.3	50	03	SSE	2	b
Sharp Peak,	,,	30.08	764.0	74	68	NNE	1	b	7	30.06	763.5	58	81	NW	1	b
Amoy,	,,	30.08	764.0	70	53	SW	4	b	6	30.09	764.3	56	94	SSE	2	b
Swatow,	,,	30.12	765.0	64	75	ESE	2	b	,,	30.01	762.2	52	94	NE	2	c
Taihoku,	11	30.15	765.9	75	49	SE	4	b	5	30.10	764.4	52	97	...	0	b
Taichu,	,,	30.17	766.2	73	...	NE	1	b	,,	30.11	764.7	50	...	...	0	b
Tainan,	,,	30.14	765.6	75	...	NNW	2	b	,,	30.06	763.5	55	...	NNE	2	b
Koshun,	,,	30.12	765.0	75	...	ENE	4	b	,,	30.05	763.2	59	...	...	0	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.06	763.5	61	...	NNE	2	b
Hong Kong,	14	30.05	763.2	65	62	E	3	c	6	30.02	762.5	63	71	E	1	b
Gap Rock,	,,	30.05	763.5	...	...	ENE	4	b	,,	30.02	762.5	...	...	ENE	4	b
Macao,	,,	29.98	761.4	72	51	...	0	o	,,	29.98	761.4	59	91	NNE	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.0	75	59	ENE	6	b	,,	29.99	761.7	70	83	NE	4	c
Phulien,	15	29.99	761.7	73	66	SSE	4	o	7	30.00	762.0	63	92	E	4	of
Tourane,	,,	29.99	761.7	70	...	NNW	2	o	,,	29.98	761.4	66	...	WNW	2	of
Cape St. James,	,,	29.92	759.9	81	...	S	2	b	,,	29.94	760.5	70	...	N	2	b
Basco,	14	29.99	761.7	75	60	ESE	4	o	6	29.99	761.7	72	70	ENE	4	o
Aparri,	,,	29.93	760.2	75	76	ENE	4	o	,,	29.94	760.5	72	86	E	4	o
Tuguegarao,	,,	29.93	760.2	72	91	...	0	o	,,	29.93	760.2	70	94	N	1	o
Vigan,	,,	29.80	756.9	90	57	NW	4	o	,,	29.82	757.5	79	80	S	1	o
Manila,	,,	29.81	757.2	82	63	N	4	o	,,	29.84	757.8	73	82	NNE	1	o
Legaspi,	,,	29.78	756.3	77	61	NE	4	o	,,	29.79	756.6	77	96	NE	4	o
Calboyog,	,,	29.75	755.7	75	91	NNE	4	r	,,	29.79	756.6	75	98	...	0	o
Tacloban,	,,	29.75	755.7	77	91	NE	2	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	82	74	NE	6	o	,,	29.76	756.0	75	94	N	4	o
Cebu.	,,	29.71	754.5	84	64	NE	4	o	,,	29.75	755.7	77	84	N	2	o
Surigao,	,,	29.72	754.8	82	87	NE	1	o	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	73	...	NE	2	c
Guam,	,,	29.76	756.0	...	...	NE	4	o	,,	29.76	756.0	...	...	NE	2	o
Yap,	12.20	29.76	756.0	...	...	E	2	b	4.20	29.78	756.3	77	...	NE	2	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.78	756.4	79	...	ENE	1	c
Ponape,	11.00	...	...	...	...		...	...	5	29.76	755.9	74	...	SE	2	c
Labuan,	14	29.80	756.9	84	95	NW	2	b	6	29.84	757.9	78	88	...	0	r

January 12*d.* 11*h.* 00*m.*—Anticyclone is central to the north of Korea.

There may be a shallow depression over S.E. China.

Moderate monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. or variable winds, moderate to light; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th January, 1929.								13th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.33	770.3	20	...	N	5	b	6	30.20	767.0	20	...	ENE	1	o
Nemuro,	11	29.74	755.5	...	...	NW	4	...	5	29.98	761.5	...	...	NNW	4	...
Hokodate,	,,	29.86	758.5	...	...	W	3	...	,,	30.12	765.0	...	...	WNW	4	...
Tokio,	,,	29.88	759.0	...	...	N	4	...	,,	30.18	766.5	...	...	N	2	...
Kochi,	,,	30.08	764.0	...	...	NNW	1	...	,,	30.24	768.0	...	...	W	1	...
Nagasaki,	,,	30.18	766.5	...	...	N	1	...	,,	30.16	766.0	...	...	E	1	...
Kagoshima,	,,	30.12	765.0	...	...	NW	1	...	,,	30.16	766.0	...	...	WNW	1	...
Oshima,	,,	30.14	765.5	...	...	NNE	1	...	,,	30.12	765.0	...	...	S	1	...
Naha,	,,	30.14	765.5	...	...	NNE	1	...	,,	30.08	764.0	...	...	E	1	...
Ishigakijima,	,,	30.10	764.5	...	...	SE	1	...	,,	30.02	762.5		...	ESE	1	...
Bonin Island,	,,	29.96	761.0	...	...	NW	1	...	,,	30.02	762.5	...	...	NNW	2	...
Chefoo,	15	30.19	766.8	40	91	E	1	b	6	30.03	762.7	36	90	...	0	o
Shanghai,	14	30.07	763.8	66	46	E	1	b	,,	30.00	762.0	52	100	SE	2	of
Gutzlaff,	,,	30.12	765.0	54	89	ENE	2	b	,,	30.04	763.0	52	100	SE	4	of
Sharp Peak,	,,	30.01	762.2	75	77	...	0	b	7	29.99	761.7	56	87	...	0	b
Amoy,	,,	29.97	761.2	60	49	SSE	4	b	6	30.01	762.2	56	94	SE	4	b
Swatow,	,,	30.03	762.7	65	70	ESE	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.08	764.1	68	60	...	0	b	5	30.02	762.6	55	98	ESE	2	of
Taichu,	,,	30.08	764.1	73	...	...	0	b	,,	30.02	762.6	50	...	...	0	b
Tainan,	,,	30.06	763.5	77	...	...	0	b	,,	29.98	761.4	55	...	N	2	b
Koshun,	,,	30.05	763.2	75	...	NE	2	b	,,	29.97	761.1	68	...	ENE	2	o
Pescadores,	,,	30.08	764.1	72	...	NNE	2	b	,,	29.98	761.4	63	...	NNE	2	b
Hong Kong,	14	29.97	761.2	72	63	E	2	b	6	29.96	761.0	65	88	...	0	o
Gap Rock,	,,	29.68	761.4	...	...	ENE	4	b	,,	29.96	751.0	...	...	ENE	4	b
Macao,	,,	29.94	760.5	75	88	SE	2	b	,,	29.92	759.9	61	96	ENE	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.92	759.9	76	69	ENE	4	b	,,	29.91	759.7	70	73	ENE	4	o
Phulien,	15	29.95	760.8	70	77	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.92	759.9	72	...	NNE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.88	759.0	79	...	S	2	o	,,	...	...	...	...	...	...	...
Basco,	14	29.93	760.2	77	64	ESE	4	o	6	29.93	760.2	72	70	ESE	4	o
Aparri,	,,	29.88	759.0	75	79	ENE	4	o	,,	29.91	759.6	70	94	...	0	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.80	756.9	77	88	S	1	o	,,	29.82	757.5	72	94	SE	1	o
Legaspi,	,,	29.75	755.7	77	96	NE	4	o	,,	29.82	757.5	73	96	NE	2	o
Calboyog,	,,	29.74	755.4	79	90	...	0	o	,,	29.80	756.9	73	96	NE	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	71	NE	4	o	,,	29.76	756.0	75	92	NE	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	75	86	N	2	b
Surigao,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	75	96	...	0	o
Saipan,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	73	...	NNE	4	c
Guam,	,,	29.72	754.8	...	...	NE	4	o	,,	29.73	755.1	...	...	NE	2	o
Yap,	12.20	29.73	755.1	...	...	NE	4	o	4.20	29.76	755.9	75	...	NE	1	c
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.76	755.9	77	...	...	0	c
Ponape,	11.00	...	...	...	...		...	...	5	29.73	755.1	80	...	E	2	bc
Labuan,	14	29.82	757.4	80	91	E	1	b	6	29.85	758.2	76	91	NW	1	o

January 13*d.* 11*h.* 15*m.*—The anticyclone has weakened and is now central over the Sea of Japan.

There are indications of a shallow depression to the west of Shanghai.

Moderate monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel, —South coast of China between Hong Kong and Lamocks, —Hong Kong to Gap Rock, —South coast of China between Hong Kong and Hainan,	N.E. or variable winds, moderate to light; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th January, 1929.								14th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.09	764.2	29	...	SE	4	o	6	29.70	754.4	32	...	SE	2	s
Nemuro,	11	30.04	763.0	...	...	NW	4	...	5	30.00	762.0	...	...	...	0	...
Hokodate,	,,	30.14	765.5	...	...	W	3	...	,,	30.00	762.0	...	...	...	...	...
Tokio,	,,	30.18	766.5	...	...	SE	1	...	,,	30.10	764.5	...	...	NW	1	...
Kochi,	,,	30.20	767.0	...	...	...	0	...	,,	30.10	764.5	...	...	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	SE	1	...	,,	30.02	762.5	...	...	SSE	3	...
Kagoshima,	,,	30.14	765.5	...	...	...	0	...	,,	30.06	763.5	...	...	...	0	...
Oshima,	,,	30.10	764.5	...	...	SSE	1	...	,,	30.04	763.0	...	...	...	0	...
Naha,	,,	30.06	763.5	...	...	E	2	...	,,	30.00	762.0	...	...	E	1	...
Ishigakijima,	,,	30.02	762.5	...	...	SE	3	...	,,	29.98	761.5	...	...	...	0	...
Bonin Island,	,,	30.06	763.5	...	...	NNE	1	...	,,	30.20	767.0	...	...	NE	1	...
Chefoo,	15	29.84	757.9	40	91	...	0	r	6	29.94	760.5	34	100	NW	4	b
Shanghai,	14	29.88	759.0	66	71	SE	4	b	,,	29.99	761.7	48	100	N	2	of
Gutzlaff,	,,	29.95	760.7	56	89	S	6	o	,,	30.01	762.2	54	94	WNW	2	of
Sharp Peak,	,,	29.92	759.9	72	71	NW	1	b	7	29.91	759.7	52	96	...	0	of
Amoy,	,,	29.93	760.2	70	61	SSE	4	b	6	29.95	760.7	58	90	NNE	4	b
Swatow,	,,	29.90	759.4	66	80	ESE	2	b	,,	29.92	759.9	...	...	E	1	b
Taihoku,	11	30.01	762.3	66	80	...	0	b	5	29.97	761.1	59	93	...	0	o
Taichu,	,,	29.99	761.7	75	...	...	0	b	,,	29.97	761.1	61	...	...	0	o
Tainan,	,,	29.97	761.1	77	...	N	2	o	,,	29.92	759.9	63	...	NE	2	b
Koshun,	,,	29.99	761.7	72	...	ENE	2	o	,,	29.91	759.6	70	...	E	2	b
Pescadores,	,,	29.99	761.7	73	...	NE	4	b	,,	29.94	760.5	66	...	NNW	4	o
Hong Kong,	14	29.90	759.4	71	65	E	3	b	6	29.91	759.7	64	90	...	0	b
Gap Rock,	,,	29.90	759.4	...	...	ENE	4	b	,,	29.91	759.7	...	...	ENE	4	b
Macao,	,,	29.88	759.0	75	67	SE	2	o	,,	29.87	758.7	63	96	NE	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	758.9	76	81	NE	4	b	,,	29.87	758.7	72	91	ENE	3	c
Phulien,	15	29.87	758.7	73	82	SSE	4	o	7	29.91	759.7	64	94	ESE	2	of
Tourane,	,,	29.84	757.8	75	...	ESE	2	b	,,	29.88	759.0	68	...	SSW	2	b
Cape St. James,	,,	29.84	757.8	82	...	S	2	of	,,	29.88	759.0	72	...	ENE	2	b
Basco,	14	29.86	758.4	77	64	ESE	4	o	6	29.88	759.0	70	77	ENE	2	o
Aparri,	,,	29.84	757.8	75	79	E	2	o	,,	29.85	758.1	70	91	S	2	o
Tuguegarao,	,,	29.85	758.1	75	86	...	0	o	,,	29.87	758.7	68	...	...	0	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	73	91	ESE	1	o
Manila,	,,	29.78	756.3	81	69	SW	2	o	,,	29.82	757.5	70	91	NW	1	o
Legaspi,	,,	29.76	756.0	77	86	NNE	4	o	,,	29.80	756.9	73	91	N	1	o
Calbayog,	,,	29.75	755.7	75	91	...	0	o	,,	29.79	756.6	72	98	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	82	77	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	75	79	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	77	94	...	0	o
Saipan,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	73	...	NE	4	c
Guam,	,,	29.69	754.2	...	...	NE	6	r	,,	29.75	755.7	...	...	NE	6	o
Yap,	12.20	29.72	754.8	...	...	NE	2	o	4.20	29.74	755.4	78	...	NE	2	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.76	756.0	76	...	NNE	1	c
Ponape,	11.00	...	...	...	...	...	...	...	5	29.73	755.1	76	...	WNW	1	bc
Labuan,	14	29.81	757.2	84	89	NE	4	b	6	29.83	757.7	76	88	N	...	...

January 14*d.* 11*h.* 45*m.*—The anticyclone is passing into the Pacific. Another may be forming over N.W. China.

The depression is central to the west of Wladivostock.

Moderate monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th January, 1929.								15th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.59	751.7	33	...	...	0	f	6	29.92	760.0	7	...	NE	1	h
Nemuro,	11	29.92	760.0	...	...	...	...	...	5	29.53	750.0	...	...	ESE	4	...
Hokodate,	"	29.88	759.0	...	...	ENE	1	...	"	29.45	748.0	...	...	...	0	...
Tokio,	"	30.00	762.0	...	...	...	0	...	"	29.69	754.0	...	...	...	0	...
Kochi,	"	30.04	763.0	...	...	...	0	...	"	29.92	760.0	...	...	WSW	1	...
Nagasaki,	"	29.98	761.5	...	...	SE	2	...	"	30.06	763.5	...	...	WNW	4	...
Kagoshima,	"	30.02	762.5	...	...	SSE	1	...	"	30.02	762.5	...	...	NW	1	...
Oshima,	"	30.02	762.5	...	...	S	1	...	"	30.02	762.5	...	...	...	0	...
Naha,	"	30.00	762.0	...	...	SSE	1	...	"	30.04	763.0	...	...	WSW	1	...
Ishigakijima,	"	30.00	762.0	...	...	SSE	1	...	"	30.04	763.0	..	...	NNE	1	...
Bonin Island,	"	30.18	766.5	...	...	ESE	1	...	"	30.12	765.0	...	...	S	1	...
Chefoo,	15	30.14	765.5	34	82	NNW	4	o	6	30.43	772.9	28	88	NW	6	b
Shanghai,	14	30.08	764.1	50	79	NNW	2	o	"	30.43	772.8	36	78	NW	4	b
Gutzlaff,	"	30.10	764.5	46	92	N	4	o	"	30.43	772.9	38	84	N	7	o
Sharp Peak,	"	29.90	759.4	73	67	...	0	bf	7	30.11	764.8	54	87	ENE	4	bf
Amoy,	"	29.88	758.9	73	63	SSE	4	h	6	30.10	764.5	60	76	ENE	6	h
Swatow,	"	29.94	760.5	77	67	W	1	b	"	30.09	764.3	62	95	E	1	b
Taihoku,	11	29.98	76[illegible].4	73	66	...	0	b	5	30.06	763.5	64	84	ENE	2	o
Taichu,	"	29.97	761.1	73	...	...	0	o	"	30.01	762.3	63	...	...	0	h
Tainan,	"	29.97	761.1	77	...	N	2	o	"	30.00	762.0	64	...	N	1	b
Koshun,	"	29.97	761.1	70	...	NNE	2	o	"	29.99	761.7	68	...	...	0	o
Pescadores,	"	29.95	760.8	77	...	NE	2	b	"	30.01	762.3	66	...	NNE	4	o
Hong Kong,	14	29.91	759.[illegible]	71	78	WNW	1	o	6	30.02	762.5	65	91	...	0	b
Gap Rock,	"	29.93	760.2	...	...	NE	4	h	"	30.01	762.2	...	...	ENE	3	b
Macao,	"	29.89	759.3	77	64	SE	2	h	"	29.98	761.4	63	96	NE	2	h
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.88	759.0	77	80	NNE	4	c	"	29.96	761.0	72	76	ENE	4	c
Phulien,	15	29.88	759.0	75	76	SSE	4	o	7	30.00	762.0	64	98	E	4	bf
Tourane,	"	29.87	758.7	73	...	E	2	h	"	29.98	761.4	66	...	ESE	2	b
Cape St. James,	"	29.84	757.8	77	...	SE	2	h	"	29.91	759.6	72	...	E	4	o
Basco,	14	29.83	758.1	75	76	E	4	o	6	29.94	760.5	72	89	NE	2	r
Aparri,	"	29.82	757.5	79	73	NE	2	o	"	29.91	759.6	73	94	...	0	o
Tuguegarao,	"	29.80	756.9	84	60	SE	1	o	"	29.91	759.6	75	98	...	0	o
Vigan,	"	29.79	756.6	81	73	WNW	4	o	"	29.85	758.1	75	88	N	1	o
Manila,	"	29.78	756.3	86	58	...	0	o	"	29.86	758.4	68	92	...	0	b
Legaspi,	"	29.79	756.6	82	74	NE	2	o	"	29.85	758.1	75	83	N	1	o
Calboyog,	"	29.76	756.0	79	84	N	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	84	68	ENE	4	o	"	29.82	757.5	73	91	NE	4	o
Cebu.	"	29.73	755.1	82	67	NE	6	o	"	29.81	757.2	73	89	...	0	o
Surigao,	"	29.73	755.1	82	81	NE	4	r	"	29.81	757.2	75	92	SW	1	o
Saipan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	"	29.73	755.1	...	...	NE	6	o	"	29.75	755.7	...	...	NE	4	o
Yap,	12.20	29.69	754.2	...	...	ENE	4	o	4.20	29.76	756.0	...	...	NE	6	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Ponape,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	86	92	N	4	b	6	29.84	757.9	76	94	NW	2	h

January 15*d.* 10*h.* 58*m.*—The depression has deepened and is now central over N.E. Japan.

The anticyclone, central over N.E. China, has strengthened.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh to strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate to fresh; fine at first, drizzle later.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th January, 1929.								16th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.95	760.7	13	...	NNE	2	c	6	30.46	773.7	−2	...	NNE	4	b
Nemuro,	11	29.27	743.5	...	...	SW	2	...	5	29.15	740.5	...	...	W	5	...
Hokodate,	,,	29.49	749.0	...	...	WSW	5	...	,,	29.63	752.5	...	...	W	6	...
Tokio,	,,	29.49	749.0	...	...	SW	4	...	,,	29.88	759.0	...	...	NNW	3	...
Kochi,	,,	29.90	759.5	...	...	WSW	2	...	,,	30.22	767.5	...	...	WSW	1	...
Nagasaki,	,,	30.16	766.0	...	...	W	3	...	,,	30.36	771.0	...	...	N	2	...
Kagoshima,	,,	30.10	764.5	...	...	NW	1	...	,,	30.32	770.0	...	...	NNW	1	...
Oshima,	,,	30.12	765.0	...	...	N	3	...	,,	30.26	768.5	...	...	N	3	...
Naha,	,,	30.10	764.5	...	...	N	5	...	,,	30.26	768.5	...	...	NNE	3	...
Ishigakijima,	,,	30.12	765.0	...	...	N	3	...	,,	30.26	768.5	..	...	NNE	3	...
Bonin Island,	,,	30.06	763.5	...	...	S	3	...	,,	30.00	762.0	...	...	SW	2	...
Chefoo,	15	30.55	775.9	26	100	NW	6	o	6	30.70	779.8	24	100	NE	1	b
Shanghai,	14	30.50	774.6	43	62	N	2	b	,,	30.61	777.6	34	82	NNW	2	o
Gutzlaff,	,,	30.49	774.4	42	66	N	6	o	,,	30.63	778.0	38	72	N	4	o
Sharp Peak,	,,	30.18	766.6	52	79	ENE	4	o	7	30.29	769.3	48	78	NE	2	o
Amoy,	,,	30.15	765.8	67	37	ENE	4	b	6	30.28	769.1	56	57	ENE	6	b
Swatow,	,,	30.08	764.0	65	75	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.19	766.8	64	84	E	4	o	5	30.33	770.4	55	93	E	4	r
Taichu,	,,	30.06	763.5	72	...	N	2	o	,,	30.15	765.9	57	...	N	2	b
Tainan,	,,	30.06	763.5	75	...	NNW	4	b	,,	30.12	765.0	57	...	N	2	b
Koshun,	,,	30.05	763.2	75	...	NE	4	o	,,	30.10	764.4	66	...	NE	6	o
Pescadores,	,,	30.12	765.0	66	...	NNE	6	o	,,	30.18	766.5	61	...	NNE	7	o
Hong Kong,	14	30.06	763.5	67	82	ESE	3	c	6	30.19	766.8	61	77	E	4	o
Gap Rock,	,,	30.03	762.7	...	...	ENE	4	b	,,	30.17	766.3	...	...	ENE	6	o
Macao,	,,	30.00	762.0	77	64	SE	2	b	,,	30.12	765.0	61	83	E	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.01	762.3	73	76	NE	6	o	,,	30.09	764.3	70	85	NE	8	o
Phulien,	15	29.90	761.7	79	60	ESE	4	b	7	30.11	764.7	66	88	ENE	4	bf
Tourane,	,,	29.95	760.8	73	...	NNW	2	o	,,	30.04	762.9	68	...	NE	4	rf
Cape St. James,	,,	29.87	758.7	75	...	ESE	6	o	,,	29.93	760.2	72	...	E	4	o
Basco,	14	29.95	760.8	72	89	NE	4	r	6	30.07	763.8	68	91	NE	6	o
Aparri,	,,	29.89	759.3	77	86	NE	4	o	,,	30.01	762.3	73	91	NE	4	b
Tuguegarao,	,,	29.87	758.7	84	64	...	o	o	,,	29.99	761.7	72	91	...	o	o
Vigan,	,,	29.82	757.5	82	74	WNW	2	o	,,	29.89	759.3	75	85	ESE	1	o
Manila,	,,	29.84	757.8	82	63	SW	2	o	,,	29.92	759.9	70	88	...	o	o
Legaspi,	,,	29.84	757.8	84	71	NNE	2	o	,,	...	...	...	...	...	...	...
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	79	84	N	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	82	70	NE	4	o	,,	29.88	759.0	75	91	NE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	77	79	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	,,	29.76	756.0	...	...	NE	4	o	,,	...	...	...	...	...	...	...
Yap,	12.20	29.75	755.7	...	...	NE	6	o	4.20	29.80	756.9	...	...	NE	4	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Ponape,	11.00	...	...	...	...		...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	90	N	4	b	6	29.82	757.4	77	87	...	o	b

January 16*d.* 11*h.* 06*m.*—The anticyclone continues to increase in intensity; the depression remains to the north-east of Japan.

Strong monsoon will continue along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong to a gale.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, strong; cloudy, mist or drizzle later.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th January, 1929.								17th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.44	773.2	11	...	ENE	3	b	6	30.54	775.6	−4	...	...	0	b
Nemuro,	11	29.25	743.0	...	...	NW	7	...	5	29.92	760.0	...	...	NW	2	...
Hokodate,	,,	29.76	756.0	...	...	WNW	5	...	,,	30.16	766.0	...	...	NW	4	...
Tokio,	,,	29.96	761.0	...	...	NW	5	...	,,	30.26	768.5	...	...	WNW	2	...
Kochi,	,,	30.26	768.5	...	...	NW	1	...	,,	30.43	773.0	...	...	...	0	...
Nagasaki,	,,	30.43	773.0	...	...	NNE	2	...	,,	30.43	773.0	...	...	E	1	...
Kagoshima,	,,	30.35	771.0	...	...	NW	1	...	,,	30.41	772.5	...	...	NW	1	...
Oshima,	,,	30.33	770.5	...	...	N	3	...	,,	30.34	770.5	...	...	N	1	...
Naha,	,,	30.31	770.0	...	...	NNE	4	...	,,	30.30	769.5	...	...	NE	2	...
Ishigakijima,	,,	30.33	770.5	...	...	NNE	2	...	,,	30.30	769.5	..	...	NE	2	...
Bonin Island,	,,	30.00	762.0	...	...	NW	1	...	,,	30.14	765.5	...	...	N	1	...
Chefoo,	15	30.69	779.5	30	88	N	1	0	6	30.62	777.7	24	100	NE	1	b
Shanghai,	14	30.58	776.7	41	61	NE	2	0	,,	30.57	776.4	37	93	NE	2	r
Gutzlaff,	,,	30.62	777.7	40	65	NNE	4	0	,,	30.57	776.5	40	91	NNE	4	r
Sharp Peak,	,,	30.24	768.1	56	75	ENE	4	0	7	30.34	770.6	52	86	N	1	0
Amoy,	,,	30.25	768.3	67	46	ENE	4	b	6	30.33	770.4	56	75	N	2	0
Swatow,	,,	...	...	...	...	...	...	...	,,	30.30	769.5	56	82	ENE	2	c
Taihoku,	11	30.38	771.6	61	81	E	4	r	5	30.31	769.8	57	96	E	4	b
Taichu,	,,	30.22	767.7	68	...	NNW	2	0	,,	30.24	768.0	57	...	...	0	0
Tainan,	,,	30.21	767.4	68	...	NNE	4	0	,,	30.21	767.4	59	...	N	2	0
Koshun,	,,	30.19	766.8	70	...	NE	6	0	,,	30.20	767.1	63	...	NE	4	b
Pescadores,	,,	30.26	768.6	64	...	NNE	6	0	,,	30.25	768.3	63	...	NNE	6	0
Hong Kong,	14	30.18	766.6	65	66	ENE	4	c	6	30.25	768.3	60	78	E	3	c
Gap Rock,	,,	30.20	76 .1	...	...	ENE	7	c	,,	30.23	767.8	...	...	ENE	6	0
Macao,	,,	30.15	765.9	72	57	SE	2	0	,,	30.20	767.1	61	79	NE	2	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.12	765.0	68	83	NE	8	0	,,	30.18	766.6	68	90	NNE	7	0
Phulien,	15	30.08	764.1	77	68	ESE	6	0	7	...	...	...	...	...	...	...
Tourane,	,,	30.01	762.3	72	...	NE	6	r	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.91	759.6	82	...	S	2	0	,,	...	...	...	...	...	...	...
Basco,	14	30.10	764.4	70	87	NE	6	0	6	...	...	...	...	...	...	...
Aparri,	,,	30.04	762.9	73	91	ENE	4	r	,,	30.10	764.4	73	85	ENE	4	0
Tuguegarao,	,,	30.02	762.6	75	85	WNW	1	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.89	759.3	84	60	WNW	2	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.92	759.9	82	63	W	2	0	,,	29.99	761.7	72	91	E	1	0
Legaspi,	,,	29.89	759.3	82	74	NE	4	0	,,	29.94	760.5	75	88	NNE	1	0
Calboyog,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.85	758.1	82	74	N	2	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	29.82	757.5	84	60	NE	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.85	758.1	81	76	NE	4	0	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	73	...	NE	3	c
Guam,	,,	29.79	756.6	...	...	NE	4	0	,,	...	...	...	...	...	...	...
Yap,	12.20	29.78	756.3	...	...	NE	4	0	4.20	29.80	756.9	...	...	NNE	4	r
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.82	757.4	78	...	...	...	...
Ponape,	11.00	...	...	...	...		...	...	5	29.86	758.4	75	...	...	0	c
Labuan,	14	29.79	756.6	86	84	NE	4	b	6	29.84	757.9	76	91	NE	2	b

January 17*d.* 11*h.* 05*m.*—The anticyclone central over N.E. China is spreading eastward.

Strong monsoon will continue along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th January, 1929.								18th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.49	774.4	11	...	...	0	b	6	30.39	771.8	8	...	...	0	b
Nemuro,	11	30.00	762.0	...	...	NW	6	...	5	30.14	765.5	...	...	NW	2	...
Hokodate,	,,	30.22	767.5	...	...	W	4	...	,,	30.24	768.0	...	...	...	0	...
Tokio,	,,	30.28	769.0	...	...	NNW	2	...	,,	30.34	770.5	...	...	NNE	1	...
Kochi,	,,	30.37	771.5	...	...	...	0	...	,,	30.38	771.5	...	...	...	0	...
Nagasaki,	,,	30.43	773.0	...	...	...	0	...	,,	30.41	772.5	...	...	...	...	...
Kagoshima,	,,	30.37	771.5	...	...	NNE	1	...	,,	30.36	771.0	...	...	NW	1	...
Oshima,	,,	30.33	770.5	...	...	N	1	...	,,	30.30	769.5	...	...	...	0	...
Naha,	,,	30.31	770.0	...	...	NE	2	...	,,	30.28	769.0	...	...	NNE	1	...
Ishigakijima,	,,	30.30	769.5	...	...	NE	2	...	,,	30.26	768.5	..	...	N	1	...
Bouin Island,	,,	30.16	766.0	...	...	N	1	...	,,	30.18	766.5	...	...	NNW	1	...
Chefoo,	15	30.54	775.7	36	90	NW	2	b	6	30.46	773.7	28	100	...	0	b
Shanghai,	14	30.54	775.8	39	87	NNE	2	r	,,	30.53	775.5	37	83	NNE	1	o
Gutzlaff,	,,	30.55	775.9	40	91	NNE	4	o	,,	30.55	775.9	40	91	E	2	o
Sharp Peak,	,,	30.30	769.6	62	67	E	1	o	7	30.29	769.3	52	92	E	1	o
Amoy,	,,	30.27	768.8	63	83	E	4	b	6	30.22	767.6	56	81	ENE	4	b
Swatow,	,,	30.38	771.6	62	69	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.34	770.7	66	80	E	4	o	5	30.31	769.8	57	91	E	4	o
Taichu,	,,	30.27	768.9	70	...	N	2	b	,,	30.25	768.3	54	...	...	0	b
Tainan,	,,	30.26	768.6	72	...	N	2	o	,,	30.24	768.0	55	...	N	4	b
Koshun,	,,	30.26	768.6	70	...	NNE	2	r	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.30	769.5	64	...	NNE	6	o	,,	30.25	768.3	63	...	NNE	6	b
Hong Kong,	14	30.22	767.6	65	68	E	3	b	6	30.26	768.6	62	79	ENE	2	o
Gap Rock,	,,	30.21	76[illegible].3	...	...	ENE	5	c	,,	30.25	768.3	...	...	ENE	5	o
Macao,	,,	30.18	766.5	68	64	ESE	2	o	,,	30.22	767.7	55	84	NNE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.16	765.0	70	85	NE	7	o	,,	30.17	766.3	69	86	NE	7	o
Phulien,	15	30.15	765.9	70	74	ENE	6	o	7	30.20	767.1	64	88	ENE	4	of
Tourane,	,,	30.04	762.9	75	...	ESE	4	o	,,	30.11	764.7	70	...	NNW	6	of
Cape St. James,	,,	29.89	759.3	77	...	E	4	b	,,	29.95	760.8	75	...	E	7	o
Basco,	14	30.13	765.3	70	85	ENE	2	r	6	...	...	...	...	...	...	...
Aparri,	,,	30.06	763.5	77	72	ENE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.81	757.2	75	67	N	2	o	,,	30.02	762.6	66	90	N	1	o
Vigan,	,,	29.93	760.2	84	58	NW	4	o	,,	29.98	761.4	75	56	NE	4	b
Manila,	,,	29.94	760.5	84	58	ENE	2	o	,,	30.00	762.0	72	84	...	0	o
Legaspi,	,,	29.91	759.6	79	80	NNE	4	o	,,	29.97	761.1	75	76	NNE	4	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.95	760.8	72	78	NNE	4	o
Tacloban,	,,	29.86	758.4	79	84	NE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.85	758.1	81	80	N	4	o	,,	29.92	759.9	72	91	ENE	6	o
Cebu,	,,	29.82	757.5	84	60	NE	4	o	,,	29.91	759.6	73	71	NNE	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	79	76	ENE	4	o
Saipan,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	70	...	NE	4	r
Guam,	,,	29.78	756.3	...	...	NE	6	b	,,	...	...	...	...	...	...	...
Yap,	12.20	29.75	755.7	...	...	NNE	6	o	4.20	29.80	756.9	...	...	NE	4	r
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.77	756.1	79	...	N	1	c
Ponape,	11.00	...	...	...	...	...	...	...	5	29.78	756.3	84	...	ESE	2	bo
Labuan,	14	29.81	757.2	86	92	SE	4	b	6	29.82	757.4	82	100	N	2	b

January 18*d.* 11*h.* 00*m.*—The anticyclone central over N.E. China has weakened slightly.

Strong to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fair.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th January, 1929.								19th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.32	770.2	21	...	NW	2	b	6	30.40	772.2	−3	...	NNE	2	h
Nemuro,	11	30.08	764.0	...	...	WSW	1	...	5	30.00	762.0	...	...	NW	3	...
Hokodate,	,,	30.14	765.5	...	...	WNW	1	...	,,	30.12	765.0	...	...	NW	1	...
Tokio,	,,	30.28	769.0	...	...	N	2	...	,,	30.04	763.0	...	...	N		...
Kochi,	,,	30.30	769.5	...	...	SW	1	...	,,	30.12	765.0	...	...	...	0	...
Nagasaki,	,,	30.31	770.0	...	...	NNW	1	...	,,	30.20	767.0	...	...	N	1	...
Kagoshima,	,,	30.30	769.5	...	...	...	...	...	,,	30.16	766.0	...	...	NW	1	...
Oshima,	,,	30.26	768.5	...	...	NNE	1	...	,,	30.10	764.5	...	...	NW	1	...
Naha,	,,	30.24	768.0	...	...	N	1	...	,,	30.12	765.0	...	...	...	0	...
Ishigakijima,	,,	30.26	768.5	...	...	ENE	1	...	,,	30.12	765.0	...	...	N	1	...
Bonin Island,	,,	30.14	765.5	...	...	N	1	...	,,	30.08	764.0	...	...	...	...	...
Chefoo,	15	30.40	772.1	34	100	NW	2	o	6	30.44	773.2	26	100	...	0	b
Shanghai,	14	30.41	772.5	41	69	N	1	o	,,	30.45	773.4	32	96	NNW	1	o
Gutzlaff,	,,	30.44	773.2	42	75	N	2	o	,,	30.46	773.7	36	90	NNW	4	o
Sharp Peak,	,,	30.24	768.1	56	87	E	2	o	7	30.21	767.3	50	92	E	1	r
Amoy,	,,	30.23	767.8	63	65	E	4	b	6	30.19	766.8	56	75	ENE	4	b
Swatow,	,,	30.20	767.1	60	78	E	2	b	,,	30.16	766.0	56	82	NE	2	c
Taihoku,	11	30.27	768.9	70	65	E	4	b	5	30.18	766.5	59	93	...	0	c
Taichu,	,,	30.22	767.7	70	...	NNW	2	b	,,	30.17	766.2	55	...	...	0	b
Tainan,	,,	30.21	767.4	72	...	N	4	b	,,	30.13	765.3	57	...	N	2	o
Koshun,	,,	30.22	767.7	68	...	ENE	2	r	,,	30.11	764.7	64	...	...	0	b
Pescadores,	,,	30.25	768.3	64	...	NE	6	o	,,	30.14	765.6	63	...	NNE	4	o
Hong Kong,	14	30.18	766.6	65	70	E	2	b	6	30.16	766.0	62	80	E	1	o
Gap Rock,	,,	30.19	766.8	...	...	ENE	4	o	,,	30.16	766.0	...	...	NNE	4	o
Macao,	,,	30.17	766.2	66	59	ESE	2	o	,,	30.12	765.0	57	77	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.11	764.8	70	80	NE	6	o	,,	30.08	764.0	69	95	NE	5	o
Phulien,	15	30.14	765.6	70	74	ESE	1	o	7	30.15	765.8	61	...	ENE	4	or
Tourane,	,,	30.06	763.5	72	...	ESE	4	o	,,	30.09	764.2	70	...	ESE	4	cf
Cape St. James,	,,	29.89	759.3	77	...	E	7	o	,,	29.92	759.9	73	...	NE	4	cf
Basco,	14	30.07	763.8	72	62	NNE	4	o	6	30.05	763.2	68	81	...	0	o
Aparri,	,,	30.05	763.2	77	57	NE	4	b	,,	30.01	762.3	68	92	SE	2	o
Tuguegarao,	,,	30.02	762.6	79	55	N	2	o	,,	30.00	762.0	66	96	N	1	o
Vigan,	,,	29.92	759.9	84	...	ENE	4	b	,,	29.92	759.9	73	55	ESE	2	b
Manila,	,,	29.94	760.5	79	58	NNE	4	o	,,	29.94	760.5	70	83	NE	2	o
Legaspi,	,,	29.91	759.6	81	66	NE	4	o	,,	29.88	759.0	73	79	NNE	4	b
Calbayog,	,,	29.88	759.0	81	56	NNE	4	o	,,	29.87	758.7	70	92	...	0	o
Tacloban,	,,	29.87	758.7	81	66	NE	6	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	73	91	NE	4	b
Cebu,	,,	29.84	757.8	82	57	N	6	o	,,	29.85	758.1	73	79	N	2	o
Surigao,	,,	29.84	757.8	82	67	NE	4	o	,,	29.84	757.8	63	86	N	4	o
Saipan,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	73	...	NE	4	c
Guam,	,,	29.75	755.7	...	...	NE	6	o	,,	29.75	755.7	...	...	NE	4	h
Yap,	12.20	29.71	754.5	...	...	NNE	6	r	4.20	29.69	754.2	...	...	ENE	4	r
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.75	755.7	75	...	N	1	bc
Ponape,	11.00	...	...	...	...		...	...	5	29.75	755.7	80	...	E	1	bc
Labuan,	14	29.83	757.7	82	95	SE	4	b	6	29.85	758.2	76	94	NE	2	h

January 19*d.* 11*h.* 17*m.*—The anticyclone central over N.E. China is unchanged. Strong to fresh monsoon will continue along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fair.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th January, 1929.								20th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.33	770.5	5	...	NNE	3	b	6	...	...	−4	...	N	1	b
Nemuro,	11	30.00	762.0	...	...	NW	2	...	5	29.96	761.0	...	...	...	...	...
Hokodate,	,,	30.06	763.5	...	...	NW	2	...	,,	30.06	763.5	..	...	NW	1	...
Tokio,	,,	29.96	761.0	...	...	N	1	...	,,	30.12	765.0	..	...	NNW	1	...
Kochi,	,,	30.08	764.0	...	...	...	0	...	,,	30.30	769.5	..	...	WSW	1	...
Nagasaki,	,,	30.24	768.0	...	...	NNW	1	...	,,	30.39	772.0	..	...	...	0	...
Kagoshima,	,,	30.16	766.0	...	...	NNW	2	...	,,	30.39	772.0	..	...	NW	1	...
Oshima,	,,	30.14	765.5	...	...	N	3	...	,,	30.24	768.0	..	...	N	3	...
Naha,	,,	30.12	765.0	...	...	NE	1	...	,,	30.20	767.0	..	...	NE	2	...
Ishigakijima,	,,	30.12	765.0	...	...	WSW	1	...	,,	30.14	765.5	..	...	NE	2	...
Bonin Island,	,,	30.05	763.5	...	...	NW	1	...	,,	30.08	764.0	...	...	W	1	...
Chefoo,	15	30.41	772.4	34	42	N	1	b	6	30.50	774.7	28	100	...	0	b
Shanghai,	14	30.41	772.4	41	61	N	1	b	,,	30.39	771.9	39	84	ENE	1	o
Gutzlaff,	,,	30.44	773.2	44	68	NNW	2	o	,,	30.42	772.6	44	76	ESE	6	o
Sharp Peak,	,,	30.19	766.8	48	93	ENE	7	b	7	50.19	766.8	48	85	NNE	2	o
Amoy,	,,	30.18	766.6	60	71	NE	4	o	6	...	...	...	...	...	...	...
Swatow,	,,	30.14	765.5	61	73	E	2	b	,,	30.14	765.5	55	94	ENE	2	o
Taihoku,	11	30.25	768.3	64	76	E	4	o	5	30.17	766.2	59	98	E	4	r
Taichu,	,,	30.15	765.9	68	...	NNW	2	b	,,	30.12	765.0	52	...	...	0	o
Tainan,	,,	30.14	765.6	66	...	N	4	b	,,	30.11	764.7	54	...	NNE	2	b
Koshun,	,,	30.11	764.7	77	...	NE	2	b	,,	30.07	763.8	64	...	NNE	2	r
Pescadores,	,,	30.10	764.4	63	...	NNE	6	r	,,	30.12	765.0	61	...	NNE	6	o
Hong Kong,	14	30.08	764.0	68	55	E	2	b	6	30.11	764.8	60	81	E	3	c
Gap Rock,	,,	30.09	764.3	...	...	NNE	4	o	,,	30.08	764.0	..	...	ENE	5	c
Macao,	,,	30.06	763.5	63	56	NE	4	b	,,	30.06	763.5	61	85	SE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.05	763.2	69	79	NNE	6	o	,,	30.06	763.5	68	74	NNE	6	o
Phulien,	15	30.07	763.8	59	98	ENE	4	r	7	30.06	763.5	59	...	ENE	2	o
Tourane,	,,	29.09	761.7	75	...	ESE	4	o	,,	30.01	762.2	68	...	S	2	o
Cape St. James,	,,	29.86	758.4	77	...	E	6	b	,,	29.87	758.7	72	...	E	6	bo
Basco,	14	30.00	762.0	75	67	NE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.97	761.1	77	64	NE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.97	761.1	77	63	N	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.85	758.1	82	57	NNW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.87	758.7	86	46	NE	4	b	,,	29.92	759.9	64	92	NE	1	b
Legaspi,	,,	29.85	758.1	75	83	ENE	4	o	,,	29.89	759.3	73	91	NE	4	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	70	92	...	0	o
Tacloban,	,,	29.81	757.2	81	76	N	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,		...	...	...	...	...	...	,,	29.85	758.1	72	91	NE	4	b
Cebu,	,,	29.78	756.3	82	54	NE	4	o	,,	29.84	757.8	75	76	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	73	96	...	0	o
Saipan,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	74	...	NE	4	c
Guam,	,,	29.75	755.7	...	...	NE	6	o	,,	...	...	...	...	...	...	...
Yap,	12.20	29.65	753.0	...	...	ENE	6	o	4.20	29.71	754.5	...	...	ENE	6	r
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.65	753.0	78	...	WNW	3	o
Ponape,	11.00	...	...	...	...		...	...	5	29.76	755.9	78	...	NE	2	bo
Labuan,	14	29.77	756.1	88	88	NE	4	b	6	29.83	757.7	78	92	E	2	b

January 20*d.* 10*h.* 55*m.*—The anticyclone is now central to the N.E. of Pekin.

A typhoon has formed to the east of the Pelew Islands.

Strong to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Manila warning 19*d.* 18*h.* 45*m.*:—Typhoon in Lat. 07° N. Long. 138° E., moving N.N.W. Recd. 19*d.* 19*h.* 07*m.*

Shanghai warning 19*d.* 21*h.* 10*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 07° N. Long. 138° E., moving N.W. Recd. 19*d.* 21*h.* 40*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine to cloudy.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine to cloudy.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th January, 1929.								21st January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.49	774.4	8	...	N	4	b	6	30.67	779.1	−11	...	NE	4	b
Nemuro,	11	29.90	759.5	...	...	WNW	1	...	5	29.98	761.5	...	...	SW	1	...
Hokodate,	,,	30.06	763.5	...	...	WNW	4	...	,,	30.18	766.5	...	...	WNW	5	...
Tokio,	,,	30.14	765.5	...	...	N	2	...	,,	30.28	769.0	...	...	N	4	...
Kochi,	,,	30.31	770.0	...	...	SSE	1	...	,,	30.32	770.0	...	...	...	0	...
Nagasaki,	,,	30.41	772.5	...	...	N	2	...	,,	...	...	...	...	ESE	2	...
Kagoshima,	,,	30.33	770.5	...	...	N	1	...	,,	30.30	769.5	...	...	NNW	1	...
Oshima,	,,	30.30	759.0	...	...	NNE	2	...	,,	30.14	765.5	...	...	...	0	...
Naha,	,,	30.20	767.0	...	...	ENE	3	...	,,	30.08	764.0	...	...	SSE	2	...
Ishigakijima,	,,	30.16	766.0	...	...	E	2	...	,,	30.08	764.0	..	...	SSW	1	...
Bonin Island,	,,	30.10	764.5	...	...	N	1	...	,,	30.22	767.5	...	...	NNE	1	...
Chefoo,	15	30.52	775.2	32	90	E	4	o	6	30.57	776.5	26	100	NE	2	r
Shanghai,	14	30.34	770.7	39	93	E	2	r	,,	30.40	772.2	41	85	NE	4	o
Gutzlaff,	,,	30.35	770.9	40	91	ENE	6	r	,,	30.42	772.4	40	95	NE	6	r
Sharp Peak,	,,	30.19	766.8	58	81	N	2	o	7	30.11	764.8	54	92	N	1	r
Amoy,	,,	30.09	764.3	62	71	SSE	4	b	6	30.16	766.0	58	90	NNE	1	o
Swatow,	,,	30.09	764.3	60	83	ESE	2	b	,,	30.14	765.5	54	94	E	1	b
Taihoku,	11	30.11	764.7	73	66	E	4	b	5	30.15	765.9	61	91	WSW	2	o
Taichu,	,,	30.12	765.0	70	...	...	0	o	,,	30.13	765.3	55	...	...	0	b
Tainan,	,,	30.13	765.3	73	...	NW	2	b	,,	30.11	764.7	61	...	N	4	o
Koshun,	,,	30.15	765.9	61	...	NNE	4	o	,,	30.06	763.5	61	...	...	0	b
Pescadores,	,,	30.13	765.3	70	...	NE	4	r	,,	30.12	765.0	61	...	NNE	4	o
Hong Kong,	14	30.06	763.5	64	73	E	4	c	6	30.09	764.3	62	83	E	3	o
Gap Rock,	,,	30.06	763.5	...	...	ENE	5	c	,,	30.08	764.0	..	...	ENE	4	b
Macao,	,,	30.04	762.9	70	65	SE	2	o	,,	30.01	762.3	61	93	NE	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.02	762.5	69	87	NE	4	c	,,	30.04	763.0	70	85	NE	5	c
Phulien,	15	29.69	761.7	64	96	WNW	2	o	7	30.05	763.2	64	100	E	4	of
Tourane,	,,	29.97	761.1	73	...	SE	2	b	,,	30.02	762.6	68	...	SE	2	of
Cape St. James,	,,	29.85	758.1	77	...	E	7	b	,,	29.89	759.3	73	...	E	4	b
Basco,	14	29.98	761.4	75	67	ESE	4	o	6	29.99	761.7	73	91	SE	4	o
Aparri,	,,	29.94	760.5	77	72	NE	2	o	,,	29.99	761.7	66	94	...	c	o
Tuguegarao,	,,	29.94	760.5	84	63	N	1	o	,,	29.99	761.7	61	98	...	o	o
Vigan,	,,	29.85	758.1	81	53	NW	4	b	,,	29.91	759.6	70	69	...	o	b
Manila,	,,	29.86	758.4	84	58	E	4	o	,,	29.93	760.2	68	85	NNE	2	o
Legaspi,	,,	29.84	757.8	81	69	NE	4	o	,,	29.89	759.3	73	89	NNE	1	o
Calboyog,	,,	29.81	757.2	82	67	N	4	o	,,	29.87	758.7	70	94	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	72	96	N	4	o
Iloilo,	,,	29.79	756.6	82	67	NE	4	o	,,	29.87	758.7	72	91	NE	4	o
Cebu,	,,	29.78	756.3	84	58	NE	6	o	,,	29.85	758.1	72	86	N	1	o
Surigao,	,,	29.79	756.6	79	80	NE	2	o	,,	29.84	757.8	77	86	NNE	2	o
Saipan,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	73	...	ENE	3	o
Guam,	,,	29.74	755.4	...	...	NE	4	o	,,	29.81	757.2	...	...	NE	4	o
Yap,	12.20	29.69	754.2	...	...	ESE	4	o	4.20	29.72	754.8	...	...	E	4	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.59	751.6	78	...	SSE	2	o
Ponape,	11.00	...	...	...	...	..	...	...	5	29.77	756.1	80	...	E	2	b
Labuan,	14	29.82	757.4	84	95	ENE	4	b	6	29.83	757.7	78	89	NNE	2	b

January 21*d.* 11*h.* 30*m.*—The anticyclone is now central to the N. of Korea.

A V-shaped depression appears to be forming over the Loochoo Islands.

The typhoon is now situated to the north-west of the Pelew Islands.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine to cloudy.
3.—Hong Kong to Gap Rock, ...	N.E. winds, fresh; fine to cloudy.
4.—South coast of China between Hong Kong and Hainan,	E. winds, fresh to moderate.

B. D. EVANS,—*First Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st January, 1929.								22nd January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.63	778.1	−4	...	N	6	b	6	30.58	776.8	−12	...	NE	5	b
Nemuro,	11	29.98	761.5	...	...	NW	2	...	5	...	...	...	...	W	1	...
Hokodate,	,,	30.22	767.5	...	...	W	1	...	,,	30.20	767.0	...	...	N	1	...
Tokio,	,,	30.26	768.5	...	...	NNW	3	...	,,	30.24	768.0	...	...	N	1	...
Kochi,	,,	30.30	769.5	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.31	770.0	...	...	ENE	1	...	,,	30.36	771.0	...	...	N	1	...
Kagoshima,	,,	30.28	769.0	...	...	NW	1	...	,,	30.32	770.0	...	...	NW	1	...
Oshima,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.24	768.0	...	...	N	3	...
Naha,	,,	30.08	764.0	...	...	S	4	...	,,	30.14	765.5	...	...	NE	3	...
Ishigakijima,	,,	30.12	765.0	...	...	WNW	1	...	,,	30.14	765.5	...	...	N	1	...
Bonin Island,	,,	30.20	767.0	...	...	...	0	...	,,	30.10	764.5	...	...	...	0	...
Chefoo,	15	30.56	776.2	30	80	E	1	o	6	30.64	778.2	24	100	NW	1	r
Shanghai,	14	30.41	772.5	41	94	NE	4	r	,,	30.51	774.9	41	81	NE	2	o
Gutzlaff,	,,	30.40	772.1	42	85	NE	6	r	,,	30.51	774.9	42	75	NE	6	o
Sharp Peak,	,,	30.21	767.3	56	81	ENE	1	r	7	30.30	769.6	50	93	N	1	o
Amoy,	,,	30.13	765.3	63	67	ENE	4	o	6	30.20	767.1	56	81	NE	4	o
Swatow,	,,	30.08	764.0	61	73	SE	2	b	,,	30.17	766.3	56	94	E	1	b
Taihoku,	11	30.18	766.5	66	80	...	0	o	5	30.20	767.1	61	91	E	2	o
Taichu,	,,	30.14	765.6	70	...	NNW	2	b	,,	30.14	765.6	55	...	...	0	b
Tainan,	,,	30.12	765.0	72	...	N	4	o	,,	30.11	764.7	61	...	N	4	o
Koshun,	,,	30.08	764.1	75	...	NNE	2	o	,,	30.08	764.1	66	...	NNE	4	o
Pescadores,	,,	30.17	766.2	64	...	N	4	o	,,	30.14	765.6	59	...	NNE	6	r
Hong Kong,	14	30.07	763.8	70	65	E	3	c	6	30.15	765.8	58	74	N	1	c
Gap Rock,	,,	30.08	764.0	...	...	ENE	4	b	,,	30.14	765.5	...	...	NNE	5	o
Macao,	,,	30.02	762.6	70	61	N	2	o	,,	30.11	764.7	57	77	N	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.04	763.0	73	73	NNE	6	c	,,	30.06	763.5	69	96	NE	6	or
Phulien,	15	30.04	762.9	68	85	ENE	4	o	7	30.11	764.7	61	...	ESE	2	of
Tourane,	,,	29.99	761.7	73	...	ENE	2	o	,,	30.04	762.9	68	...	ESE	2	cf
Cape St.James,	,,	29.87	758.7	77	...	E	6	b	,,	29.93	760.2	70	...	NE	4	bf
Basco,	14	29.99	761.7	77	68	ESE	2	o	6	30.02	762.6	72	75	...	...	o
Aparri,	,,	29.95	760.8	79	66	ENE	2	b	,,	30.00	762.0	70	91	E	4	r
Tuguegarao,	,,	29.94	760.5	79	69	E	1	o	,,	30.01	762.3	68	91	...	0	o
Vigan,	,,	29.89	759.3	81	59	WNW	4	o	,,	29.91	759.6	68	77	E	1	b
Manila,	,,	29.89	759.3	79	69	SW	2	o	,,	29.91	759.6	68	87	NE	2	o
Legaspi,	,,	29.84	757.8	82	74	NNE	2	o	,,	29.87	758.7	75	88	NNE	4	o
Calboyog,	,,	29.84	757.8	77	88	NNE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	81	84	W	1	o	,,	29.82	757.5	73	96	N	4	o
Iloilo,	,,	29.82	757.5	84	68	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	77	79	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	73	...	NE	2	c
Guam,	,,	29.80	756.9	...	...	NE	4	o	,,	...	...	...	...	...	...	...
Yap,	12.20	29.73	755.1	...	...	E	4	o	4.20	29.80	756.9	...	...	E	4	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.73	755.1	77	...	SE	2	o
Ponape,	11.00	...	...	...	...	...	...	...	5	29.77	756.1	80	...	ESE	2	c
Labuan,	14	29.79	756.6	86	84	NE	4	b	6	29.84	757.9	76	94	NE	2	b

January 22*d.* 10*h.* 42*m.*—There is now a strong anticyclone central over S.E. Mongolia.

The V-shaped depression is moving to N.W. of the Bonins.

The typhoon is probably about 200 miles W.N.W. of the Pelews moving West.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Manila warning 22*d.* 9*h.* 30*m.*:—Typhoon in Lat. 8° N. Long. 131° E., moving W. Recd. 22*d.* 11*h.* 15*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·05 inches, against an average of 0·74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd January, 1929.								23rd January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.54	775.8	−3	...	NNE	5	b	6	30.54	775.7	−7	...	NNE	3	b
Nemuro,	11	29.94	760.5	...	...	NW	2	...	5	29.75	755.5	...	...	WNW	4	...
Hokodate,	,,	30.08	764.0	...	...	W	4	...	,,	30.00	762.0	...	...	WNW	6	...
Tokio,	,,	30.16	766.0	...	...	N	2	...	,,	30.10	764.5	...	...	...	0	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.28	769.0	...	...	NNW	1	...
Nagasaki,	,,	30.35	771.0	...	...	N	2	...	,,	30.38	771.5	...	...	NE	1	...
Kagoshima,	,,	30.30	769.5	...	...	N	1	...	,,	30.32	770.0	...	...	NW	1	...
Oshima,	,,	30.24	768.0	...	...	NNE	3	...	,,	30.24	768.0	...	...	NNE	2	...
Naha,	,,	30.18	766.5	...	...	NNE	3	...	,,	30.18	766.5	...	...	NE	2	...
Ishigakijima,	,,	30.18	766.5	...	...	NNE	2	...	,,	30.16	766.0	..	...	ENE	2	...
Bonin Island,	,,	30.02	762.5	...	...	SW	1	...	,,	30.08	764.0	...	...	NNW	1	...
Chefoo,	15	30.73	780.5	24	100	NNE	4	b	6	30.71	780.0	24	100	N	2	b
Shanghai,	14	30.49	774.3	39	84	NE	4	r	,,	30.53	775.4	37	79	NE	4	o
Gutzlaff,	,,	30.48	774.2	42	75	NE	6	o	,,	30.53	775.4	38	91	NNE	4	r
Sharp Peak,	,,	30.21	767.3	54	80	N	1	o	7	30.27	768.8	50	86	NE	1	of
Amoy,	,,	30.17	766.3	68	60	NE	4	b	6	30.19	766.8	60	71	NE	4	o
Swatow,	,,	30.17	766.3	63	84	E	2	c	,,	30.15	765.8	57	94	E	1	c
Taihoku,	11	30.22	767.7	70	74	E	4	o	5	30.19	766.8	63	94	E	4	o
Taichu,	,,	30.14	765.6	70	...	NNW	4	b	,,	30.13	765.3	61	...	...	0	o
Tainan,	,,	30.12	765.0	73	...	N	4	b	,,	30.11	764.7	61	...	NNE	2	o
Koshun,	,,	30.11	764.7	73	...	NNE	4	b	,,	30.10	764.5	66	...	NNE	2	r
Pescadores,	,,	30.18	766.5	63	...	NNE	6	r	,,	30.13	765.3	59	...	NNE	6	r
Hong Kong,	14	30.11	764.8	65	71	E	4	b	6	30.13	765.3	60	91	NNE	3	or
Gap Rock,	,,	30.11	764.8	...	...	ENE	5	b	,,	30.11	764.8	...	...	E	5	o
Macao,	,,	30.08	764.1	68	60	E	2	b	,,	30.10	764.5	59	96	ENE	2	r
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.06	763.5	67	95	NNE	7	od	,,	30.06	763.5	66	94	NE	7	o
Phulien,	15	30.06	763.5	66	82	ENE	2	o	7	30.05	763.2	64	96	E	2	if
Tourane,	,,	30.01	762.3	73	...	E	4	o	,,	30.01	762.3	68	...	SE	4	of
Cape St. James,	,,	29.89	759.3	81	...	SSE	4	b	,,	29.93	760.2	72	...	N	2	bf
Basco,	14	29.99	761.7	79	66	ENE	4	b	6	30.01	762.3	72	75	NE	2	o
Aparri,	,,	29.95	760.8	79	69	ENE	4	o	,,	29.99	761.7	68	91	...	0	o
Tuguegarao,	,,	29.94	760.5	79	96	ESE	2	o	,,	29.98	761.4	66	94	...	0	o
Vigan,	,,	29.82	757.5	86	41	E	4	o	,,	29.87	758.7	75	49	N	4	o
Manila,	,,	29.87	758.7	81	66	NE	4	o	,,	29.88	759.0	70	82	NNE	2	o
Legaspi,	,,	29.81	757.2	79	80	NNE	4	o	,,	29.79	756.6	77	84	N	4	o
Calbayog,	,,	29.80	756.9	77	85	N	4	o	,,	29.69	754.2	75	91	NNE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	79	66	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.75	755.7	77	86	N	2	r	,,	29.62	752.4	75	88	NNW	4	r
Surigao,	,,	29.69	754.2	77	94	N	4	r	,,	29.60	751.8	75	88	SE	4	o
Saipan,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	72	...	ENE	3	r
Guam,	,,	29.76	756.0	...	...	NE	4	o	,,	29.81	757.2	...	...	NE	2	o
Yap,	12.20	29.76	756.0	...	...	ENE	4	o	4.20	29.81	757.2	78	...	ENE	2	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.81	757.2	78	...	ESE	1	o
Ponape,	11.00	...	...	...	...	...	...	...	5	29.76	756.0	72	...	E	3	c
Labuan,	14	29.81	757.2	84	91	NE	4	b	6	29.82	757.4	77	88	...	...	...

January 23*d.* 10*h.* 55*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 09° N. Long. 124° E., moving W.

January 23*d.* 11*h.* 07*m.*—The V-shaped depression to the west of the Bonins has filled up.

A strong anticyclone remains central over S.E. Mongolia.

The typhoon is crossing the S. Philippines on a westerly direction.

Strong to fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Manila warning 23*d.* 9*h.* 30*m.*:—Typhoon in Lat. 09° N. Long. 125° E., moving N.W.W. Recd. 23*d.* 11*h.* 10*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 0·06 inches, against an average of 0·80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; generally overcast some drizzle or mist.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd January, 1929.								24th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.43	772.9	3	...	N	2	b	6	30.41	772.3	−7		...	0	b
Nemuro,	11	29.70	754.5	...	...	NW	3	...	5	29.80	757.0	...		WSW	2	...
Hokodate,	,,	30.00	762.0	...	...	WNW	3	...	,,	29.98	761.5	..	...	WNW	3	...
Tokio,	,,	30.10	764.5	...	...	N	5	...	,,	30.12	765.0	..	..	NNW	1	...
Kochi,	,,	30.28	769.0	...	...	NNW	1	...	,,	30.26	768.5	..	...	WSW	1	...
Nagasaki,	,,	30.35	771.0	...	...	N	2	...	,,	30.34	770.5	...	...	N	1	...
Kagoshima,	,,	30.31	770.0	...	...	NW	1	...	,,	30.30	769.5	...	...	...	...	...
Oshima,	,,	30.26	768.5	...	...	NE	1	...	,,	30.24	768.0	..	...	S	1	...
Naha,	,,	30.22	767.5	...	...	NE	2	...	,,	30.16	766.0	...	...	E	2	...
Ishigakijima,	,,	30.16	766.0	...	...	E	3	...	,,	30.10	764.5	..	..	SE	2	...
Bonin Island,	,,	30.08	764.0	...	...	NW	1	...	,,	30.14	765.5	...	...	NW	1	...
Chefoo,	15	30.63	778.0	24	87	NW	2	b	6	30.58	776.7	24	100	NE	1	b
Shanghai,	14	30.47	774.0	39	80	NNE	4	r	,,	30.51	774.9	36	96	NNE	4	o
Gutzlaff,	,,	30.47	773.9	42	85	NE	4	o	,,	30.51	774.9	38	100	NE	4	r
Sharp Peak,	,,	30.20	767.1	52	86	N	2	o	7	30.21	767.3	52	86	NE	1	o
Amoy,	,,	30.13	765.3	68	60	ENE	6	o	6	30.16	766.0	58	81	NE	4	o
Swatow,	,,	30.14	765.5	62	89	E	2	b	,,	30.14	765.5	57	95	E	1	o
Taihoku,	11	30.21	767.4	70	77	E	4	o	5	30.18	766.5	61	96	...	o	r
Taichu,	,,	30.14	765.6	70	...	NNW	2	b	,,	30.10	764.4	59	...	N	2	b
Tainan,	,,	30.12	765.0	73	...	NNW	4	b	,,	30.06	763.5	61	...	N	4	o
Koshun,	,,	30.11	764.7	73	...	NNE	2	b	,,	30.04	762.9	70	...	NE	4	o
Pescadores,	,,	30.18	766.5	61	...	NNE	6	r	,,	30.10	764.4	61	...	NNE	6	r
Hong Kong,	14	30.11	764.8	66	72	ENE	3	o	6	30.10	764.5	61	84	E	3	o
Gap Rock,	,,	30.10	764.5	...	...	ENE	5	c	,,	30.08	764.0	..	...	ENE	5	o
Macao,	,,	30.08	764.1	64	80	ESE	2	o	,,	30.07	763.8	61	85	ESE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.03	762.7	70	83	NE	7	od	,,	30.02	762.5	68	89	NE	6	c
Phulien,	15	30.01	762.3	64	100	E	2	rf	7	30.03	762.7	64	...	E	4	of
Tourane,	,,	29.98	761.4	73	...	SE	2	o	,,	30.00	762.0	70	...	ENE	4	of
Cape St. James,	,,	29.86	758.4	81	...	ESE	2	b	,,	29.90	759.4	70	...	N	2	of
Basco,	14	29.9[illegible]	761.1	77	68	ENE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.93	760.2	79	69	ENE	4	o	,,	29.94	760.5	68	91	...	o	o
Tuguegarao,	,,	29.93	760.2	79	66	NNW	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.5	81	56	N	4	o	,,	29.80	756.9	72	86	NE	1	o
Legaspi,	,,	29.72	754.8	75	91	NNE	4	o	,,	...	...	...	...	...	...	...
Calbayog,	,,	29.66	753.3	79	84	NNE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.61	752.1	75	89	NNE	6	o	,,	29.72	754.8	75	86	SE	2	o
Cebu,	,,	29.63	752.7	75	89	NE	4	r	,,	...	...	...	...	...	...	...
Surigao,	,,	29.63	752.7	82	74	ESE	4	o	,,	...	...	...	...	...	...	...
Saipan,	,,	..		...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	,,	29.79	756.6	...	...	NE	4	o	,,	...	...	...	...	...	...	...
Yap,	12.20	29.78	756.3	...	...	NE	4	o	4.20	29.85	758.1	...	...	NE	2	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Ponape,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	84	NE	1	o	6	29.82	757.4	83	87	N	1	b

January 23*d.* 18*h.* 10*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 09° N. Long. 122° E., moving W.

January 24*d.* 10*h.* 05*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 10° N. Long. 119° E., moving W.

January 24*d.* 10*h.* 15*m.*—The anticyclone central over S.E. Mongolia has weakened slightly.

The typhoon is about 200 miles W. of Iloilo moving W. or W.N.W.

Strong to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Cyclonic gales to the north of Borneo.

Shanghai warning 23*d.* 15*h.* 10*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 09° N. Long. 125° E., moving W. Recd. 23*d.* 15*h.* 43*m.*

Manila warning 24*d.* 9*h.* 15*m.*:—Typhoon in Lat. 11° N. Long. 121° E., moving W.N.W. Recd. 24*d.* 10*h.* 05*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·06 inches, against an average of 0·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; generally overcast.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; generally overcast.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; generally overcast.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.
DAILY WEATHER REPORT.

Station.	24th JANUARY, 1929.								25th JANUARY, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.24	768.1	6	...	N	4	b	6	30.56	776.1	0		...	0	b
Nemuro,	11	29.78	756.5	...	...	WNW	2	...	5	29.98	761.5	..		NW	5	...
Hokodate,	,,	29.98	761.5	...	...	W	4	...	,,	30.16	766.0	..	..	N	1	...
Tokio,	,,	30.06	763.5	...	...	NNW	1	...	,,	30.28	769.0	..	..	WNW	1	...
Kochi,	,,	30.22	767.5	...	...	SW	1	...	,,	30.39	772.0	..	..	...	0	...
Nagasaki,	,,	30.37	771.5	...	...	N	1	...	,,	30.43	773.0	..	..	ENE	1	...
Kagoshima,	,,	30.31	770.0	...	...	NNW	1	...	,,	30.38	771.5	..	...	NW	1	...
Oshima,	,,	30.28	769.0	...	...	NNE	2	...	,,	30.32	770.0	..	...	ENE	1	...
Naha,	,,	30.18	766.5	...	...	E	1	...	,,	30.22	767.5	..	...	...	...	...
Ishigakijima,	,,	30.12	765.0	...	...	SSE	3	...	,,	30.14	765.5	..	..	...	0	...
Bonin Island,	,,	30.14	765.5	...	...	NW	1	...	,,	30.18	766.5	...	...	WNW	1	...
Chefoo,	15	30.59	777.0	26	100	N	1	b	6	30.57	776.5	24	100	S	1	b
Shanghai,	14	30.50	774.6	36	89	NNE	4	r	,,	30.53	775.5	37	83	NE	2	o
Gutzlaff,	,,	30.50	774.6	40	85	NNE	4	o	,,	30.57	776.5	40	74	NE	4	o
Sharp Peak,	,,	30.19	766.8	58	75	E	2	o	7	30.30	769.6	52	86	N	2	o
Amoy,	,,	30.14	765.5	68	60	ENE	6	b	6	30.22	767.6	56	75	NE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Taihoku,	11	30.22	767.7	68	77	E	4	o	5	30.24	768.0	59	98	E	4	r
Taichu,	,,	30.13	765.3	...	...	NNW	4	o	,,	30.13	765.3	57	...	...	0	o
Tainan,	,,	30.08	764.[illegible]	72	...	N	4	o	,,	30.11	764.7	59	...	NNE	4	o
Koshun,	,,	30.07	763.8	77	...	NE	4	o	,,	30.07	763.8	73	...	NE	4	o
Pescadores,	,,	30.15	765.9	63	...	NNE	6	o	,,	30.13	765.3	61	...	NNE	6	o
Hong Kong,	14	30.09	764.3	66	76	E	3	c	6	30.15	765.8	60	78	N	1	o
Gap Rock,	,,	30.11	764.8	...	...	ENE	4	c	,,	30.13	765.3	..	...	ENE	4	b
Macao,	,,	30.07	763.8	70	65	ENE	2	o	,,	30.11	764.7	57	77	NNE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.02	762.5	69	82	NNE	7	o	,,	30.03	762.7	66	95	NE	8	o
Phulien,	15	30.04	762.9	68	88	E	6	o	7	30.12	765.0	63	88	ENE	4	of
Tourane,	,,	30.00	762.0	72	...	NE	2	o	,,	30.05	763.2	68	...	E	4	of
Cape St. James,	,,	29.88	759.0	84	...	S	2	o	,,	29.92	759.9	72	...	ENE	2	b
Basco,	14	29.95	760.8	77	72	ESE	4	o	6	30.02	762.6	75	79	E	4	o
Aparri,	,,	29.91	759.6	79	69	E	2	o	,,	29.97	761.1	73	91	E	2	r
Tuguegarao,	,,	29.89	759.3	81	69	NW	1	o	,,	29.94	760.5	72	98	S	1	o
Vigan,	,,	29.79	756.6	82	63	WNW	2	o	,,	29.85	758.1	79	80	SW	2	o
Manila,	,,	29.78	756.3	79	84	NW	2	o	,,	29.87	758.7	72	92	...	0	o
Legaspi,	,,	29.76	756.0	79	91	ENE	1	o	,,	29.89	759.3	75	92	...	0	o
Calboyog,	,,	29.78	756.3	81	87	SE	2	o	,,	29.88	759.0	73	98	NE	2	o
Tacloban,	,,	29.78	756.3	84	77	S	6	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	70	94	NE	2	b
Cebu,	,,	29.76	756.0	81	69	SW	2	b	,,	29.85	758.1	75	88	...	0	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	,,	...		...	...	...	...	...	,,	29.93	760.2	73	...	NE	4	r
Guam,	,,	29.81	757.2	...	...	NE	6	o	,,	...	...	...	...	...	...	...
Yap,	12.20		...	...	...	...	...	...	4.20	20.87	758.7	...	...	NNE	2	r
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.86	758.4	76	...	NNE	2	c
Ponape,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	80	...	E	2	c
Labuan,	14	29.77	756.1	86	88	NE	4	b	6	29.84	757.9	76	91	NE	2	b

January 24*d.* 18*h.* 15*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon in Lat. 10° N. Long. 118° E., moving W. position uncertain.

January 25*d.* 10*h.* 55*m.*—Warning to Hong Kong, Coast Ports, &c:—Typhoon in Lat. 10° N. Long. 116° E., moving W. position uncertain.

January 25*d.* 11*h.* 07*m.*—The anticyclone is central to the north of Korea.

The typhoon is probably between 300 and 400 miles W. of Iloilo moving Westward.

Strong to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Cyclonic gales to the N. and N.W. of Borneo.

Manila warning 25*d.* 10*h.* 00*m.*:—Typhoon in Lat. 10° N. Long. 117° E., moving W. Recd. 25*d.* 10*h.* 47*m.*

Shanghai warning 25*d.* 10*h.* 35*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 118° E., moving W. Recd. 25*d.* 10*h.* 57*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·06 inches, against an average of 0·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine to cloudy.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th January, 1929.								26th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.50	774.7	13	...	NNW	2	b	6	30.27	768.9	8	..	...	0	0
Nemuro,	11	30.04	763.0	...	...	NW	2	...	5	30.08	764.0	...		SSW	1	...
Hokodate,	,,	30.24	768.0	...	...	WNW	4	...	,,	30.22	767.5	..	..	WSW	3	...
Tokio,	,,	30.30	769.5	...	...	NW	3	...	,,	30.36	771.0	..	..	NW	1	...
Kochi,	,,	30.41	772.5	...	...	ENE	2	...	,,	30.36	771.0	...	...	...	0	...
Nagasaki,	,,	30.45	773.5	...	...	N	1	...	,,	30.32	770.0	...	...	...	0	...
Kagoshima,	,,	30.39	772.0	...	...	SE	1	...	,,	30.32	770.0	..	...	...	0	...
Oshima,	,,	30.33	770.5	...	...	N	2	...	,,	30.26	768.5	..	...	SSE	1	...
Naha,	,,	30.26	768.5	...	...	E	3	...	,,	30.18	766.5	..	...	E	2	...
Ishigakijima,	,,	30.18	766.5	...	...	SE	1	...	,,	30.12	765.0	..	...	SSE	b	...
Bonin Island,	,,	30.16	766.0	...	...	NW	1	...	,,	30.28	769.0	...	...	N	1	...
Chefoo,	15	30.48	774.2	30	100	NNE	1	b	6	30.35	770.9	28	100	SE	r	o
Shanghai,	14	30.43	772.9	45	64	E	4	o	,,	30.31	769.8	43	97	SE	1	o
Gutzlaff,	,,	30.46	773.7	44	68	E	4	o	,,	30.30	769.6	46	92	SE	2	o
Sharp Peak,	,,	30.24	768.1	60	76	N	1	o	7	30.18	766.5	56	94	...	o	o
Amoy,	,,	30.15	765.8	65	58	NE	4	b	6	30.15	765.8	60	82	SE	1	o
Swatow,	,,	30.16	766.0	61	89	E	2	o	,,	...	...	...	..	...	...	...
Taihoku,	11	30.26	768.6	66	85	E	4	r	5	30.02	762.6	64	98	...	o	o
Taichu,	,,	30.15	765.9	68	...	...	o	o	,,	30.12	765.0	68	...	...	o	o
Tainan,	,,	30.14	765.6	68	...	NNE	4	o	,,	30.10	764.4	63	...	...	o	r
Koshun,	,,	30.11	764.7	72	...	NE	6	r	,,	30.08	764.1	68	...	NE	4	r
Pescadores,	,,	30.18	766.5	63	...	NNE	6	o	,,	30.12	765.0	61	...	NNE	4	o
Hong Kong,	14	30.10	764.5	66	62	ESE	3	o	6	30.08	764.0	63	79	E	2	o
Gap Rock,	,,	30.11	764.8	...	...	ENE	5	o	,,	30.07	763.8	..	...	ENE	5	o
Macao,	,,	30.08	764.1	64	62	NE	4	o	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Pratas Island,	,,	30.03	762.7	67	95	NNE	6	od	,,	30.00	762.0	68	89	ENE	6	o
Phulien,	15	30.05	763.2	73	58	ESE	6	o	7	30.06	763.5	63	90	ENE	4	of
Tourane,	,,	30.01	762.3	72	...	NE	4	o	,,	30.00	762.0	68	...	N	4	of
Cape St. James,	,,	29.88	759.0	82	...	S	2	b	,,	29.89	759.3	72	...	WNW	2	of
Basco,	14	30.01	762.3	77	76	E	4	o	6	30.02	762.6	75	76	SE	4	o
Aparri,	,,	29.94	760.5	75	88	ENE	4	o	,,	29.98	761.4	72	94	...	o	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.85	758.1	90	57	ESE	4	o	,,	29.92	759.9	72	96	...	o	o
Legaspi,	,,	29.85	758.1	77	96	NE	2	o	,,	29.92	759.9	75	96	...	o	o
Calboyog,	,,	29.86	758.4	77	92	...	o	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.82	757.5	86	65	NE	4	b	,,	29.88	759.0	79	95	NE	4	o
Cebu.	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	75	94	ESE	2	r
Saipan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	,,	29.86	758.4	...	...	NE	6	o	,,	29.89	759.3	...	...	NE	6	o
Yap,	12.20	29.86	758.4	...	...	NE	6	o	4.20	29.88	759.0	...	...	NE	6	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.86	758.4	76	...	NE	2	r
Ponape,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	79	...	ENE	3	o
Labuan,	14	29.79	756.6	83	84	NE	4	b	6	29.82	75 .4	80	89	...	o	b

January 25*d.* 17*h.* 35*m.*—Warning to Hong Kong, Coast Ports, &c.: Typhoon in Lat. 10° N. Long. 115° E., moving W. position uncertain.

January 26*d.* 10*h* 10*m.*—Warning to Hong Kong. Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 14° N. Long. 113° E., moving W.N.W.

January 26*d.* 10*h.* 50*m.*—The anticyclone has weakened and is now central over Korea.

The typhoon, which is now severe, is 250 miles S.E. of Tourane moving W.N.W. or N.W.

The monsoon will moderate along the China coast. Cyclonic gales over the S.W. portion of the China Sea.

Manila warning 25*d.* 18*h.* 15*m.*:—Typhoon in Lat. 10° N. Long. 115° E., moving W. Recd. 25*d.* 19*h.* 17*m.*

Shanghai warning 26*d.* 9*h.* 55*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 114° E., moving W. Recd. 26*d.* 10*h.* 05*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·06 inches, against an average of 1·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; overcast, some light rain or mist.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.
DAILY WEATHER REPORT.

Station.	26th January, 1929.								27th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.16	765.0	18	...	NNE	3	o	6	30.34	770.5	4	...	NNE	2	b
Nemuro,	11	29.96	761.0	...	...	WSW	2	...	5	29.69	754.0	...	...	NNW	1	...
Hokodate,	,,	30.10	764.5	...	...	WSW	2	...	,,	29.90	759.5	...	...	W	4	...
Tokio,	,,	30.20	767.0	...	...	...	...	...	,,	29.92	760.0	...	...	N	1	...
Kochi,	,,	30.26	768.5	...	...	...	...	...	,,	30.02	762.5	...	...	...	0	...
Nagasaki,	,,	30.28	769.0	...	...	...	0	...	,,	30.12	765.0	...	...	N	1	...
Kagoshima,	,,	30.24	768.0	...	...	...	0	...	,,	30.06	763.5	...	...	NNW	1	...
Oshima,	,,	30.20	767.0	...	...	S	1	...	,,	30.08	764.0	..	...	N	1	...
Naha,	,,	30.14	765.5	...	...	SE	2	...	,,	30.06	763.5	..	...	WNW	1	...
Ishigakijima,	,,	30.12	765.0	...	...	S	2	...	,,	30.06	763.5	..	...	...	0	...
Bonin Island,	,,	30.20	767.0	...	...	...	0	...	,,	30.16	766.0	...	...	...	0	...
Chefoo,	15	30.33	770.4	30	100	NW	4	o	6	30.37	771.4	26	100	NE	1	b
Shanghai,	14	30.24	768.0	43	88	WNW	2	o	,,	30.32	770.1	41	97	NE	1	o
Gutzlaff,	,,	30.25	768.3	46	100	NNW	1	of	,,	30.31	769.9	42	100	NNE	4	rf
Sharp Peak,	,,	30.01	762.2	62	83	N	1	o	7	30.09	764.3	54	94	NE	1	rf
Amoy,	,,	30.09	764.3	63	83	SE	1	o	6	30.08	764.0	60	94	ENE	1	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Taihoku,	11	30.14	765.6	64	90	W	2	r	5	30.10	764.4	63	96	...	0	r
Taichu,	,,	30.12	765.0	66	...	WNW	2	o	,,	30.06	763.5	64	...	...	0	o
Tainan,	,,	...	...	...	...	...	...	...	,,	30.02	762.6	64	...	NNE	2	o
Koshun,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	70	...	...	0	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.05	763.2	63	...	NE	4	r
Hong Kong,	14	30.04	763.0	65	80	ESE	3	o	6	29.99	761.7	65	95	E	2	cd
Gap Rock,	,,	30.06	763.5	...	...	ENE	4	o	,,	29.99	761.7		...	ENE	4	o
Macao,	,,	30.01	762.3	68	73	NE	2	o	,,	29.97	761.1	63	100	NE	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Pratas Island,	,,	29.99	761.7	72	88	ENE	6	o	,,	29.96	761.0	72	95	ENE	3	c
Phulien,	15	30.00	762.0	73	62	SSE	4	o	7	30.02	762.6	63	...	E	4	cf
Tourane,	,,	29.94	760.5	72	...	NNW	4	o	,,	29.96	761.0	86	...	NNW	4	of
Cape St. James,	,,	29.85	758.1	82	...	S	2	b	,,	...	...	...	...	...	...	...
Basco,	14	29.99	761.7	75	71	ESE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.94	760.5	77	84	NE	2	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.88	759.0	84	68	ENE	4	o	,,	29.03	760.2	68	91	NNE	1	b
Legaspi,	,,	29.89	759.3	84	74	NE	4	b	,,	29.93	760.2	75	86	NNE	2	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	84	71	NE	6	o	,,	29.91	759.6	75	91	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.86	758.4	81	87	NE	4	o	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	29.91	759.7	73	...	ENE	3	c
Guam,	,,	29.8[illegible]	758.7	...	...	NE	6	o	,,		..	..	...	...	...	...
Yap,	12.20	29.81	757.2	...	...	NE	6	o	4.20	29.87	758.7	78	...	NE	4	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.85	758.2	77	...	NE	2	r
Ponape,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	80	...	N	2	c
Labuan,	14	29.81	757.2	84	91	N	4	b	6	29.84	757.9	76	91	NW	1	o

January 27*d.* 11*h.* 25*m.*—Warning to Hong Kong,:—Typhoon of unknown intensity within 60 miles fo Lat. 15° N. Long. 110° E., moving W.N.W.

January 26*d.* 17*h.* 49*m.*—Warning to Hong Kong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 15° N. Long. 112° E., moving W.N.W.

January 27*d.* 11*h.* 30*m.*—A fresh anticyclone has developed over N. China and S. Manchuria and a depression is situated to the N.E. of Hokkaido.

The position of the typhoon is uncertain, it is probably approaching the Annam coast in Lat. 15° N., and filling up.

Manila warning 26*d.* 19*h.* 00*m.*:—Typhoon in Lat. 14° N. Long. 112° E., moving N.W. Recd. 26*d.* 21*h.* 25*m.*

Shanghai warning 27*d.* 9*h.* 00*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 113° E., moving N.W. Recd. 27*d.* 10*h.* 32*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·20 inch. Total since January 1st, 0·26 inches, against an average of 1·11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh to strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; cloudy, with drizzle or mist.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th January, 1929.								28th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.26	768.5	12	...	N	2	b	6	30.26	768.6	2	...	NNE	2	b
Nemuro,	11	29.72	755.0	...	...	NNW	3	...	5	29.96	761.0	...	...	NW	1	...
Hokodate,	,,	29.94	760.5	...	...	WNW	5	...	,,	30.04	763.0	...	...	W	1	...
Tokio,	,,	29.90	759.5	...	...	NE	1	...	,,	30.06	763.5	...	...	N	1	...
Kochi,	,,	30.00	762.0	...	...	N	1	...	,,	30.04	763.0	...	...	WSW	1	...
Nagasaki,	,,	30.12	765.0	...	...	N	2	...	,,	30.04	763.0	...	...	...	0	...
Kagoshima,	,,	30.08	764.0	...	...	WNW	1	...	,,	30.04	763.0	...	...	NW	1	...
Oshima,	,,	30.08	764.0	...	...	N	1	...	,,	30.00	762.0	...	...	...	0	...
Naha,	,,	30.06	763.5	...	...	N	1	...	,,	29.94	760.5	...	...	SE	1	...
Ishigakijima,	,,	30.06	763.5	...	...	SSW	1	...	,,	29.94	760.5	...	...	S	1	...
Bonin Island,	,,	30.08	764.0	...	...	SSW	1	...	,,	30.02	762.5	...	...	NW	1	...
Chefoo,	15	30.29	769.3	32	100	NW	4	b	6	30.36	771.1	28	100	WNW	1	o
Shanghai,	14	30.27	768.9	41	94	NNE	2	r	,,	30.24	768.0	37	90	NE	2	o
Gutzlaff,	,,	30.25	768.3	44	100	NE	4	o	,,	30.24	768.1	40	100	NNE	4	r
Sharp Peak,	,,	30.02	762.5	54	94	NE	1	rf	7	30.01	762.2	54	92	N	1	o
Amoy,	,,	30.04	763.0	62	90	ENE	4	r	6	30.03	762.7	60	90	ENE	4	r
Swatow,	,,	29.96	761.0	60	100	E	2	r	,,	...	...	...	...	...	...	...
Taihoku,	11	30.11	764.7	64	96	E	2	r	5	29.95	760.8	63	96	E	4	o
Taichu,	,,	30.05	763.2	68	...	NNW	2	o	,,	29.97	761.1	64	...	...	0	o
Tainan,	,,	30.05	763.2	73	...	NNW	4	o	,,	29.94	760.5	64	...	NNE	2	o
Koshun,	,,	30.01	762.3	79	...	E	2	o	,,	29.92	759.9	70	...	...	0	b
Pescadores,	,,	30.06	763.5	64	...	NE	4	r	,,	29.95	760.8	63	...	NE	4	o
Hong Kong,	14	29.95	760.8	64	93	E	3	od	6	29.90	759.4	63	94	E	4	or
Gap Rock,	,,	29.94	760.5	...	...	ENE	4	omd	,,	29.88	758.9	...	...	ENE	5	or
Macao,	,,	29.92	759.9	66	93	NE	2	r	,,	29.82	757.5	63	98	NE	2	r
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.2	74	88	ENE	2	o	,,	29.90	759.4	72	90	ENE	1	o
Phulien,	15	29.93	760.2	72	70	SSE	1	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.89	759.3	72	...	NNW	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.8	84	...	S	2	o	,,	...	...	...	...	...	...	...
Basco,	14	29.92	759.9	81	69	SE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.88	759.0	81	69	NE	4	b	,,	29.89	759.3	70	91	S	2	b
Tuguegarao,	,,	29.87	758.7	86	52	S	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.85	758.1	84	74	W	2	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.86	758.4	84	60	WSW	2	o	,,	29.89	759.3	68	92	E	1	b
Legaspi,	,,	29.87	758.7	82	81	NE	2	o	,,	29.88	759.0	75	88	N	2	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	79	80	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.85	758.1	77	84	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.86	758.4	75	92	...	0	o	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	,,	29.81	757.2	...	...	NE	4	o	,,	...	...	...	...	...	...	...
Yap,	12.20	29.80	756.9	...	...	NE	4	o	4.20	29.85	758.1	78	...	NE	2	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Ponape,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	88	90	...	0	b	6	29.82	757.4	77	94	N	2	b

January 27*d.* 17*h.* 12*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 109° E., moving W.N.W.

January 28*d.* 9*h.* 46*m.*—Warning to Hong Kong, Coast Ports, &c:—Typhoon in Lat. 19° N. Long. 109° E., filling up, position uncertain.

January 28*d.* 10*h.* 50*m.*—The anticyclone is central over S.E. Mongolia.

The typhoon appears to be filling up in the Gulf of Tongking.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Shanghai warning 27*d.* 21*h.* 25*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 112° E., moving N.N.W. Recd. 27*d.* 22*h.* 27*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·48 inch. Total since January 1st, 0·74 inches, against an average of 1·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; overcast, light rain or mist.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th January, 1929.								29th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.22	767.6	11	...	NE	3	b	6	30.37	771.4	−2	...	N	1	b
Nemuro,	11	29.98	761.5	...	...	...	0	...	5	29.82	757.5	...	...	NNW	1	...
Hokodate,	,,	30.02	762.5	...	...	NW	3	...	,,	29.92	760.0	...	...	N	1	...
Tokio,	,,	30.04	763.0	...	...	NW	1	...	,,	29.84	758.0	...	...	NNW	2	...
Kochi,	,,	30.02	762.5	...	...	...	0	...	,,	29.98	761.5	...	...	NNE	1	...
Nagasaki,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.06	763.5	...	...	NNE	2	...
Kagoshima,	,,	30.04	763.0	...	...	NNW	1	...	,,	29.96	761.0	...	...	N	1	...
Oshima,	,,	30.00	762.0	...	...	...	...	...	,,	29.86	758.5	...	...	N	2	...
Naha,	,,	29.92	760.0	...	...	SSW	4	...	,,	29.78	756.5	...	...	...	0	...
Ishigakijima,	,,	29.96	761.0	...	...	WSW	1	...	,,	29.80	757.0	...	...	N	4	...
Bonin Island,	,,	29.98	761.5	...	...	...	0	...	,,	29.86	758.5	...	...	SW	1	...
Chefoo,	15	30.40	772.1	24	100	NW	4	o	6	30.35	770.9	24	100	N	4	o
Shanghai,	14	30.21	767.4	39	90	N	1	r	,,	30.26	768.6	36	85	NNE	2	r
Gutzlaff,	,,	30.19	766.8	42	92	NNE	4	r	,,	30.24	768.1	38	91	ENE	6	r
Sharp Peak,	,,	29.94	760.5	52	93	ENE	4	rf	7	29.95	760.7	48	91	NNE	4	o
Amoy,	,,	29.90	759.4	62	94	NE	2	r	6	29.95	760.7	54	94	ENE	6	r
Swatow,	,,	29.92	759.9	62	89	NNE	1	r	,,	...	...	...	..	...	...	...
Taihoku,	11	29.98	761.4	66	90	SE	4	o	5	29.97	761.1	57	98	E	4	r
Taichu,	,,	29.95	760.8	73	...	...	0	o	,,	29.88	759.0	61	...	N	2	o
Tainan,	,,	29.93	760.2	79	...	N	2	b	,,	29.86	758.4	63	...	NNE	2	o
Koshun,	,,	29.93	760.2	81	...	S	2	o	,,	29.84	757.8	72	...	...	0	b
Pescadores,	,,	29.95	760.8	66	...	NE	4	o	,,	29.88	759.0	61	...	NE	6	r
Hong Kong,	14	29.87	758.7	64	95	E	2	or	6	29.88	759.0	63	95	E	2	od
Gap Rock,	,,	29.86	758.4	...	...	ENE	4	od	,,	29.86	758.4		...	NE	4	o
Macao,	,,	29.84	757.8	66	88	NE	2	o	,,	29.82	757.5	59	100	NNW	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.85	758.1	77	84	SE	1	b	,,	29.86	758.4	72	96	...	0	c
Phulien,	15	29.81	757.2	73	75	SSE	2	o	7	29.85	758.1	66	96	ENE	4	o
Tourane,	,,	29.82	757.5	75	...	SE	2	o	,,	29.85	758.1	72	...	N	2	bf
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	73	...	ENE	2	o
Basco,	14	29.84	757.8	81	76	SSE	4	o	6	29.84	757.8	75	86	W	4	o
Aparri,	,,	29.81	757.2	86	58	SE	4	b	,,	29.85	758.1	70	96	...	0	b
Tuguegarao,	,,	29.82	757.5	86	52	S	1	o	,,	29.85	758.1	68	98	E	1	o
Vigan,	,,	29.81	757.2	82	74	W	2	o	,,	29.82	757.5	73	...	NW	1	b
Manila,	,,	29.84	757.8	82	67	W	4	o	,,	29.86	758.4	70	83	NNE	1	o
Legaspi,	,,	29.82	757.5	82	74	NNE	1	o	,,	29.82	757.5	75	86	...	0	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	86	61	NE	4	b	,,	29.81	757.2	73	92	N	4	o
Cebu.	,,	29.79	756.6	84	60	NE	4	o	,,	29.81	757.2	73	86	N	2	o
Surigao,	,,	29.79	756.6	82	70	ENE	2	b	,,	29.82	757.5	72	96	...	0	b
Saipan,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	...	...	NE	3	b
Guam,	,,	29.78	756.3	...	...	NE	4	o	,,	29.78	756.3	...	...	NE	2	o
Yap,	12.20	29.78	756.3	...	...	NE	2	o	4.20	29.78	756.3	...	...	NE	1	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Ponape,	11.00	...	...	...	...	...	...	...	5	29.73	755.1	75	...	SSE	1	r
Labuan,	14	29.81	757.2	86	92	NE	1	b	6	29.81	757.2	78	86	NE	2	b

January 29*d*. 11*h*. 00*m*.—The anticyclone is central over S.E. Mongolia.

A depression has formed to the south of Naha.

Strong monsoon may be expected along the S.E. coast of China and moderate monsoon over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·12 inch. Total since January 1st, 0·86 inches, against an average of 1·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh.
3.—Hong Kong to Gap Rock,	N.E. winds, moderate; overcast, light rain or mist.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; overcast, light rain or mist.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th January, 1929.								30th January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.28	769.2	9	...	...	0	b	6	30.23	767.7	−3	...	...	0	b
Nemuro,	11	29.76	756.0	...	...	NNW	2	...	5	29.75	755.5	...	...	...	...	...
Hokodate,	,,	29.88	759.0	...	...	NNW	3	...	,,	29.88	759.0	...	...	WNW	3	...
Tokio,	,,	29.84	758.0	...	...	N	4	...	,,	30.00	762.0	...	...	NE	1	...
Kochi,	,,	29.96	761.0	...	...	N	1	...	,,	30.02	762.5	...	...	N	1	...
Nagasaki,	,,	30.00	762.0	...	...	N	2	...	,,	30.00	762.0	...	...	...	0	...
Kagoshima,	,,	29.92	760.0	...	...	N	1	...	,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	29.86	758.5	...	...	NNE	3	...	,,	29.90	759.5	...	...	N	2	...
Naha,	,,	29.78	756.5	...	...	NNE	3	...	,,	29.86	758.5	...	...	NNE	3	...
Ishigakijima,	,,	29.84	758.0	...	...	NNE	2	...	,,	29.88	759.0	...	...	NNE	1	...
Bonin Island,	,,	29.74	755.5	...	...	SW	1	...	,,	29.67	753.5	...	...	...	...	...
Chefoo,	15	30.35	770.9	24	100	NW	4	o	6	30.28	769.1	24	100	NW	1	b
Shanghai,	14	30.25	768.3	36	93	N	1	r	,,	30.17	766.2	34	82	NNW	1	b
Gutzlaff,	,,	30.23	767.8	38	84	NNE	6	o	,,	30.23	767.8	38	72	NNE	4	o
Sharp Peak,	,,	29.96	761.0	50	86	ENE	4	o	7	29.96	761.0	44	84	S	2	o
Amoy,	,,	29.91	759.7	58	81	ENE	2	o	6	29.95	760.8	52	88	ENE	4	o
Swatow,	,,	29.99	761.7	57	95	NE	3	r	,,	29.90	759.4	54	94	NE	3	o
Taihoku,	11	30.00	762.0	59	93	E	2	r	5	29.98	761.4	55	96	E	4	o
Taichu,	,,	29.92	759.9	56	...	NNW	1	o	,,	29.89	759.3	55	...	N	2	o
Tainan,	,,	29.89	759.3	70	...	NNE	4	b	,,	29.87	758.7	57	...	NNE	4	b
Koshun,	,,	29.87	758.7	79	...	...	0	o	,,	29.86	758.4	66	...	NE	4	o
Pescadores,	,,	29.92	759.9	61	...	NNE	6	o	,,	29.89	759.3	57	...	NE	6	o
Hong Kong,	14	29.86	758.4	62	87	E	3	o	6	29.87	758.7	58	89	ENE	4	od
Gap Rock,	,,	29.87	758.7	...	...	ENE	4	o	,,	29.87	758.7	...	...	ENE	5	o
Macao,	,,	29.84	757.8	61	87	NNW	2	o	,,	29.84	757.8	52	97	N	4	r
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.7	75	81	NW	3	b	,,	29.85	758.2	69	85	NE	5	c
Phulien,	15	29.75	755.7	75	76	SE	6	o	7	29.81	757.2	61	93	ENE	4	of
Tourane,	,,	29.76	756.0	79	...	SE	2	b	,,	29.76	756.0	77	...	SSW	2	bf
Cape St. James,	,,	29.82	757.5	84	...	S	2	b	,,	29.84	757.8	73	...	SE	2	o
Basco,	14	29.76	756.0	82	70	WNW	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.78	756.3	82	74	NW	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	70	98	...	0	o
Vigan,	,,	29.79	756.6	82	70	WNW	4	b	,,	29.80	756.9	68	92	NW	1	b
Manila,	,,	29.78	756.3	84	60	W	4	b	,,	29.81	757.2	72	92	E	1	o
Legaspi,	,,	29.76	756.0	86	71	NNE	2	b	,,	29.81	757.2	77	88	...	0	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	72	96	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	58	NE	4	b	,,	29.79	756.6	72	96	NE	2	b
Cebu,	,,	29.74	755.4	84	60	NE	4	b	,,	...	...	...	...	...	...	...
Surigao,	,,	29.73	755.1	84	77	ESE	2	b	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	29.77	756.1	72	...	ESE	1	o
Guam,	,,	29.72	754.8	...	...	SE	4	o	,,	...	...	...	...	...	...	...
Yap,	12.20	29.72	754.8	...	...	E	2	o	4.20	29.75	755.7	...	...	ENE	2	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.76	756.0	77	...	...	0	o
Ponape,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	73	...	...	0	r
Labuan,	14	29.81	757.2	84	91	...	0	b	6	29.82	757.4	78	89	N	1	b

January 30*d.* 10*h.* 20*m.*—The anticyclone central over S.E. Mongolia has weakened. The depression to the north of the Bonins has deepened and that to the south of Naha has filled up. The western depression is now central to the south of Phulien.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 0·87 inches, against an average of 1·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; overcast, light rain or mist.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th January, 1929.								31st January, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.17	766.3	7	...	N	2	b	6	30.23	767.8	−4	...	NNE	2	b
Nemuro,	11	29.70	754.5	...	...	W	1	...	5	29.73	755.0	...	...	WSW	1	...
Hokodate,	,,	29.88	759.0	...	...	W	4	...	,,	29.86	758.5	...	...	W	4	...
Tokio,	,,	29.04	760.5	...	...	N	1	...	,,	29.98	761.5	...	...	NE	1	...
Kochi,	,,	30.02	762.5	...	...	NE	1	...	,,	30.02	762.5	...	...	SW	1	...
Nagasaki,	,,	30.00	762.0	...	...	ENE	1	...	,,	30.02	762.5	...	...	NE	1	...
Kagoshima,	,,	29.96	761.0	...	...	NE	1	...	,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	29.88	759.0	...	...	N	2	...	,,	29.88	759.0	...	...	N	3	...
Naha,	,,	29.86	758.5	...	...	NNE	2	...	,,	29.84	758.0	...	...	NE	1	...
Ishigakijima,	,,	29.90	759.5	...	...	N	1	...	,,	29.84	758.0	...	...	...	0	...
Bonin Island,	,,	29.61	752.0	...	...	NNW	2	...	,,	29.76	756.0	...	...	NNW	1	...
Chefoo,	15	30.19	766.8	30	88	NNE	1	b	6	30.28	769.1	24	100	NW	1	o
Shanghai,	14	30.15	765.9	37	66	NNE	1	o	,,	30.20	767.1	34	82	NNE	2	o
Gutzlaff,	,,	30.16	766.0	38	72	N	4	o	,,	30.23	767.8	36	83	NNE	4	o
Sharp Peak,	,,	29.92	759.9	46	84	N	1	o	7	29.96	761.0	46	91	E	1	o
Amoy,	,,	29.94	760.3	56	75	E	4	o	6	29.97	761.2	52	93	ENE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.95	760.8	57	96	E	4	r	5	29.94	760.5	55	96	...	0	r
Taichu,	,,	29.91	759.6	63	...	...	0	o	,,	29.88	759.0	57	...	N	2	o
Tainan,	,,	29.91	759.6	64	...	NE	2	o	,,	29.86	758.4	59	...	NNE	4	b
Koshun,	,,	29.92	759.9	73	...	NNE	4	b	,,	29.85	758.1	64	...	N	2	b
Pescadores,	,,	29.93	760.2	61	...	NNE	4	o	,,	29.92	759.9	57	...	NNE	6	o
Hong Kong,	14	29.82	757.4	58	92	E	4	od	6	29.90	759.4	55	87	ENE	2	o
Gap Rock,	,,	29.80	756.9	...	...	ENE	5	o	,,	29.89	759.2	...	...	ENE	5	od
Macao,	,,	29.76	756.0	50	100	N	4	rf	,,	29.87	758.7	48	89	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.2	74	74	ENE	3	b	,,	29.82	757.4	70	90	ENE	4	od
Phulien,	15	29.76	756.0	63	86	ENE	4	o	7	29.87	758.7	55	...	NE	1	of
Tourane,	,,	29.72	754.8	73	...	N	2	o	,,	29.80	756.9	72	...	NNE	2	of
Cape St. James,	,,	29.75	755.7	84	...	E	2	b	,,	29.82	757.5	73	...	ESE	2	o
Basco,	14	29.75	755.7	75	76	NNE	4	o	6	29.81	757.2	64	92	NE	1	b
Aparri,	,,	29.75	755.7	81	69	NNE	4	o	,,	29.82	757.5	70	96	...	0	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	70	96	NW	1	o
Vigan,	,,	29.73	755.1	81	69	NW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	84	60	WSW	4	b	,,	29.81	757.2	70	96	NE	1	b
Legaspi,	,,	29.72	754.8	86	65	NE	2	b	,,	29.80	756.9	66	96	...	0	b
Calboyog,	,,	29.72	754.8	84	71	SSW	4	b	,,	29.80	756.9	68	96	NE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	72	98	NW	2	b
Iloilo,	,,	29.69	754.2	86	65	NE	4	b	,,	29.79	756.6	72	96	NE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	73	86	NW	2	b
Surigao,	,,	29.72	754.8	82	74	[illegible]	2	b	,,	29.78	756.3	72	96	...	0	b
Saipan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	,,	29.69	754.2	...	...	NE	4	o	,,	29.75	755.7	...	...	NE	1	o
Yap,	12.20	29.71	754.5	...	...	E	2	o	4.20	29.76	756.0	...	...	ENE	2	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Ponape,	11.00	...	...	...	...		...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	84	91	E	1	b	6	29.86	758.4	76	94	NW	1	r

January 31*d.* 11*h.* 11*m.*— The anticyclone central over S.E. Mongolia has strengthened slightly.

The Bonins depression has passed into the Pacific.

The western depression is central to the east of Tourane.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 0·93 inches, against an average of 1·44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; overcast, some light rain or mist.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

FEBRUARY,

1929.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.

HONG KONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1929.

365024

Price 60c.]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

FEBRUARY,

1929.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of FEBRUARY, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·885	29·899	29·893	29·900	29·905	29·923	29·939	29·963	29·985	30·010	30·008	29·990	1
2	30·040	30·043	30·039	30·035	30·035	30·053	30·067	30·089	30·102	30·114	30·123	30·110	2
3	30·156	30·134	30·128	30·112	30·109	30·126	30·155	30·171	30·192	30·201	30·194	30·178	3
4	30·181	30·175	30·159	30·128	30·140	30·146	30·168	30·190	30·205	30·209	30·212	30·181	4
5	30·068	30·081	30·049	30·042	30·018	30·024	30·056	30·063	30·094	30·097	30·074	30·068	5
6	30·006	29·983	29·978	29·962	29·964	29·978	29·990	30·009	30·041	30·054	30·056	30·046	6
7	30·054	30·048	30·045	30·039	30·034	30·041	30·057	30·077	30·090	30·106	30·106	30·081	7
8	30·045	30·030	30·021	30·020	30·029	30·049	30·054	30·054	30·070	30·085	30·084	30·049	8
9	30·033	30·035	30·030	30·032	30·032	30·037	30·052	30·066	30·099	30·107	30·096	30·076	9
10	30·084	30·060	30·072	30·071	30·073	30·086	30·110	30·117	30·120	30·130	30·134	30·106	10
11	30·016	30·005	29·993	29·989	29·993	29·995	29·996	30·024	30·032	30·025	30·022	30·002	11
12	30·004	30·008	29·992	29·996	29·996	30·016	30·038	30·050	30·051	30·072	30·070	30·055	12
13	30·025	30·007	29·993	29·981	29·960	29·966	29·973	29·985	29·998	30·005	30·006	29·974	13
14	30·018	30·019	30·015	30·023	30·026	30·046	30·059	30·076	30·092	30·118	30·110	30·093	14
15	30·105	30·095	30·097	30·102	30·106	30·116	30·127	30·150	30·151	30·156	30·159	30·137	15
16	30·121	30·122	30·102	30·104	30·109	30·108	30·127	30·142	30·150	30·149	30·153	30·149	16
17	30·070	30·068	30·058	30·055	30·058	30·068	30·077	30·084	30·082	30·083	30·056	30·029	17
18	29·985	29·974	29·963	29·966	29·971	29·983	30·008	30·023	30·032	30·040	30·025	29·997	18
19	30·004	29·982	29·970	29·966	29·971	29·980	29·994	30·005	30·023	30·040	30·029	30·010	19
20	29·920	29·914	29·897	29·895	29·901	29·908	29·928	29·943	29·961	29·962	29·955	29·938	20
21	29·904	29·898	29·896	29·892	29·894	29·904	29·918	29·933	29·940	29·951	29·935	29·918	21
22	29·880	29·866	29·864	29·864	29·868	29·880	29·882	29·884	29·895	29·909	29·909	29·887	22
23	29·849	29·819	29·811	29·813	29·825	29·843	29·867	29·898	29·918	29·928	29·930	29·913	23
24	29·939	29·932	29·918	29·912	29·925	29·945	29·972	29·988	30·008	30·024	30·029	30·021	24
25	30·076	30·050	30·044	30·044	30·052	30·060	30·073	30·083	30·106	30·113	30·109	30·092	25
26	30·019	29·991	29·973	29·963	29·961	29·962	29·962	29·975	29·992	29·988	29·999	29·974	26
27	29·907	29·896	29·877	29·850	29·856	29·862	29·872	29·885	29·910	29·921	29·925	29·904	27
28	29·888	29·879	29·870	29·874	29·884	29·900	29·924	29·931	29·949	29·968	29·974	29·944	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·972	29·949	29·941	29·950	29·970	29·989	29·997	30·012	30·015	30·025	30·023	30·035	1
2	30·077	30·057	30·051	30·057	30·070	30·082	30·102	30·126	30·151	30·155	30·161	30·139	2
3	30·144	30·132	30·122	30·124	30·145	30·140	30·148	30·167	30·178	30·191	30·177	30·171	3
4	30·128	30·100	30·074	30·067	30·073	30·094	30·106	30·110	30·112	30·115	30·131	30·108	4
5	30·037	29·985	29·971	29·980	29·985	29·984	30·000	30·002	30·008	30·027	30·029	30·026	5
6	30·019	29·986	29·970	29·980	29·993	29·997	29·998	30·016	30·038	30·046	30·046	30·052	6
7	30·036	30·007	29·987	29·982	29·988	29·996	30·003	30·020	30·033	30·038	30·047	30·039	7
8	30·024	29·994	29·983	29·967	29·973	29·979	29·975	29·980	29·997	30·000	30·013	30·021	8
9	30·050	30·020	30·013	30·007	30·007	30·018	30·032	30·058	30·068	30·086	30·089	30·083	9
10	30·064	30·037	30·018	30·014	30·012	30·012	30·018	30·022	30·032	30·032	30·040	30·044	10
11	29·966	29·940	29·940	29·943	29·950	29·962	29·972	29·994	30·007	30·017	30·017	30·009	11
12	30·023	30·003	29·982	29·982	29·981	29·998	30·004	30·016	30·036	30·044	30·043	30·035	12
13	29·940	29·912	29·894	29·874	29·905	29·928	29·932	29·968	29·985	29·998	30·002	30·007	13
14	30·069	30·034	30·012	30·017	30·030	30·048	30·059	30·070	30·081	30·090	30·102	30·103	14
15	30·111	30·082	30·058	30·052	30·061	30·067	30·087	30·107	30·117	30·129	30·128	30·124	15
16	30·107	30·065	30·035	30·018	30·013	30·025	30·031	30·045	30·054	30·064	30·068	30·075	16
17	29·996	29·962	29·932	29·922	29·921	29·930	29·946	29·968	29·986	29·991	29·995	29·993	17
18	29·972	29·947	29·936	29·925	29·929	29·942	29·947	29·963	29·976	29·990	30·000	30·000	18
19	29·971	29·930	29·917	29·895	29·910	29·916	29·914	29·918	29·928	29·938	29·933	29·929	19
20	29·911	29·879	29·859	29·849	29·848	29·857	29·867	29·886	29·904	29·911	29·911	29·907	20
21	29·883	29·854	29·827	29·823	29·827	29·832	29·839	29·852	29·861	29·869	29·872	29·884	21
22	29·854	29·837	29·824	29·823	29·826	29·832	29·835	29·858	29·866	29·864	29·862	29·862	22
23	29·900	29·874	29·869	29·873	29·873	29·883	29·892	29·888	29·919	29·933	29·931	29·937	23
24	29·996	29·966	29·977	29·992	30·012	30·027	30·039	30·072	30·082	30·090	30·084	30·086	24
25	30·063	30·028	30·015	30·012	30·031	30·032	30·034	30·042	30·045	30·035	30·037	30·033	25
26	29·946	29·930	29·909	29·897	29·905	29·890	29·903	29·918	29·935	29·953	29·957	29·939	26
27	29·880	29·859	29·847	29·851	29·857	29·859	29·873	29·890	29·892	29·900	29·894	29·888	27
28	29·921	29·889	29·873	29·869	29·882	29·883	29·892	29·904	29·912	29·922	29·924	29·926	28

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of FEBRUARY, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	52·7	52·7	52·4	51·0	51·5	50·8	51·5	52·1	52·1	52·7	52·0	52·5	1
2	49·0	48·7	48·1	48·0	47·6	47·5	47·7	48·0	48·7	49·7	50·0	51·7	2
3	49·7	49·7	50·1	50·1	50·2	50·2	50·1	49·8	49·7	50·9	51·5	51·8	3
4	51·0	50·7	49·8	48·9	48·8	48·5	48·5	48·4	49·2	49·1	50·7	51·8	4
5	54·7	55·0	54·6	54·6	52·7	53·7	52·9	52·0	52·6	52·7	53·6	54·1	5
6	53·6	52·5	52·5	51·6	51·6	52·7	52·0	51·8	51·7	51·1	51·7	52·4	6
7	50·7	49·5	50·0	49·7	49·0	48·4	48·3	50·1	52·0	53·7	55·2	56·0	7
8	55·8	54·9	54·5	55·4	55·7	53·6	54·7	55·7	56·8	57·2	57·7	59·5	8
9	58·4	58·2	58·4	58·4	58·3	58·5	58·4	58·7	59·7	61·5	62·4	62·5	9
10	56·9	56·7	55·8	55·0	54·8	54·7	54·6	54·7	56·7	57·5	56·7	57·7	10
11	54·7	54·7	54·7	54·7	54·5	53·7	53·9	54·7	55·8	57·6	61·6	59·7	11
12	60·8	60·0	59·6	58·8	58·5	58·5	57·6	57·8	57·8	57·8	59·2	59·3	12
13	56·6	56·4	56·2	55·7	55·5	55·7	55·7	56·1	56·5	56·4	57·0	56·8	13
14	55·4	55·8	55·9	56·5	56·0	56·1	56·9	57·1	57·4	57·8	60·2	62·7	14
15	56·8	56·1	55·8	55·8	55·7	55·7	56·0	56·0	56·7	57·7	57·7	59·6	15
16	57·7	57·7	56·9	56·9	57·3	56·9	56·4	56·8	57·4	58·3	58·3	57·4	16
17	55·8	55·7	55·8	55·8	56·7	56·5	56·7	57·0	61·0	64·0	64·9	64·5	17
18	58·0	57·5	57·1	57·0	56·7	56·6	57·2	58·5	62·8	62·8	64·3	65·8	18
19	61·0	60·2	59·7	59·1	59·1	59·5	59·7	61·0	61·6	62·7	63·6	63·7	19
20	61·8	61·8	62·3	62·5	63·0	63·3	63·7	64·7	65·7	66·6	67·8	68·2	20
21	64·7	64·7	64·3	65·7	64·7	64·7	66·5	66·5	68·9	72·2	71·7	72·5	21
22	64·7	64·7	65·8	64·7	64·7	64·4	64·5	65·8	68·0	66·2	71·8	73·3	22
23	65·1	64·6	64·8	64·9	65·6	65·6	66·0	66·8	69·2	70·7	67·4	67·3	23
24	66·6	66·3	66·2	66·3	65·9	66·7	66·7	68·9	69·8	71·0	71·5	71·8	24
25	59·3	58·5	58·0	57·7	58·5	58·7	59·2	59·6	60·5	60·7	61·0	62·7	25
26	60·9	61·3	60·8	60·8	60·7	60·9	60·8	60·9	61·5	61·7	61·7	61·6	26
27	59·7	60·7	61·0	61·7	61·7	62·0	61·5	61·5	61·5	61·7	61·7	62·2	27
28	62·0	62·0	62·7	62·7	62·8	63·3	63·4	64·7	65·7	66·6	65·3	67·6	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	51·5	51·5	50·0	49·7	49·7	49·7	49·4	49·8	49·7	49·7	49·6	49·1	1
2	52·8	52·5	50·8	50·7	49·8	49·7	49·6	49·7	49·8	49·6	49·6	49·7	2
3	51·8	51·8	52·5	51·8	51·8	51·8	51·6	51·6	50·8	50·8	51·6	51·5	3
4	55·2	56·6	55·8	54·9	54·9	53·6	52·1	52·9	53·1	53·6	54·0	54·7	4
5	53·7	53·6	53·7	53·6	54·0	54·0	54·7	55·7	54·8	54·8	54·8	54·6	5
6	53·2	53·6	52·5	52·5	51·5	51·3	51·0	51·2	51·2	50·3	51·0	51·0	6
7	57·7	57·7	57·9	58·4	57·1	55·7	55·3	55·5	55·0	55·5	55·9	56·0	7
8	59·7	60·3	60·7	61·8	61·5	59·0	59·7	59·7	59·7	59·7	59·7	59·1	8
9	62·6	62·4	60·9	59·7	59·0	58·0	57·8	57·0	56·9	56·7	56·5	56·8	9
10	58·8	59·3	58·7	57·5	57·5	56·0	55·0	54·8	54·7	54·7	54·5	54·1	10
11	62·8	62·8	63·0	61·4	61·8	61·7	60·0	60·6	60·6	60·6	61·0	61·1	11
12	59·3	59·0	59·4	58·6	58·0	57·9	58·0	58·3	58·1	58·0	57·9	56·7	12
13	57·0	56·7	56·0	56·1	56·1	55·8	55·5	55·7	55·8	56·6	56·7	55·9	13
14	63·7	65·5	66·0	65·0	63·4	61·3	59·4	59·0	58·5	58·5	57·5	57·1	14
15	62·1	61·8	61·8	61·4	59·7	56·5	55·4	54·5	54·0	54·0	53·5	53·5	15
16	61·3	64·7	62·0	62·9	60·2	60·0	58·6	58·0	56·9	56·4	56·0	55·8	16
17	63·5	63·7	65·4	65·3	64·5	62·3	60·9	59·7	59·8	58·7	58·6	57·8	17
18	66·5	64·0	64·2	65·0	63·7	61·7	60·8	60·7	60·7	60·7	60·8	60·5	18
19	64·4	64·7	64·4	63·4	62·6	61·9	61·6	61·6	61·7	61·7	61·7	61·8	19
20	69·3	69·8	68·2	67·1	66·7	65·5	65·4	64·6	63·9	63·8	64·0	63·7	20
21	73·6	72·7	73·5	73·1	71·8	70·9	69·5	67·7	66·7	65·9	65·6	65·1	21
22	71·4	72·4	69·5	69·8	67·8	67·7	65·7	66·5	65·7	66·0	65·8	65·7	22
23	68·2	70·0	69·6	70·3	69·9	68·9	67·7	66·7	65·6	66·7	65·7	66·6	23
24	75·0	74·5	67·7	63·8	61·7	61·4	60·5	59·7	58·9	59·5	58·7	59·5	24
25	62·7	62·7	62·7	61·7	60·8	60·7	60·4	60·7	60·7	60·5	60·5	60·4	25
26	61·7	61·9	62·7	62·7	62·6	61·9	61·6	60·7	60·5	60·0	58·0	57·7	26
27	61·8	61·9	61·0	62·2	62·5	62·5	62·3	62·2	62·1	62·1	62·1	61·8	27
28	67·4	67·3	68·4	66·3	65·4	65·4	65·6	65·6	65·4	64·7	64·3	64·7	28

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of FEBRUARY, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	50·6	50·5	50·1	49·0	49·2	48·4	48·7	49·0	49·0	48·7	48·0	48·5	1
2	45·7	45·3	44·8	44·5	43·8	44·0	43·8	44·2	45·2	45·7	46·0	46·9	2
3	46·2	46·2	46·6	46·7	47·0	47·0	46·9	46·6	46·6	47·1	47·0	47·8	3
4	46·8	46·8	46·5	46·0	45·8	44·7	44·7	44·5	45·2	45·1	46·8	46·8	4
5	51·1	51·7	51·5	51·8	51·5	51·8	51·6	51·8	51·1	51·1	52·1	52·6	5
6	51·1	50·0	50·0	49·6	49·6	50·0	49·9	49·5	49·6	49·6	49·2	49·4	6
7	48·8	48·0	48·0	46·7	46·0	45·2	44·8	45·8	47·5	49·3	50·0	50·8	7
8	51·9	51·5	51·3	52·2	52·7	51·9	52·9	53·6	54·1	54·2	54·6	55·2	8
9	54·8	54·6	54·8	54·8	54·0	54·6	54·7	54·1	54·6	55·5	55·5	55·8	9
10	54·1	53·8	51·0	50·8	50·0	49·8	50·0	49·7	51·8	52·5	52·1	52·8	10
11	51·0	51·0	50·8	50·8	50·4	50·2	50·7	50·9	51·6	52·6	54·7	54·0	11
12	55·8	54·6	53·9	53·8	53·2	53·4	52·4	53·2	53·2	53·2	53·0	52·8	12
13	53·2	53·0	53·0	52·5	52·5	52·7	52·7	52·8	53·0	52·8	53·0	52·8	13
14	53·4	53·3	53·6	54·0	54·0	53·6	54·0	54·0	53·6	53·0	53·9	55·6	14
15	53·8	53·7	53·0	53·0	53·0	52·8	52·8	52·5	52·7	53·7	52·9	54·0	15
16	53·8	54·7	54·6	54·6	54·1	53·7	53·1	53·8	53·8	53·8	54·0	53·5	16
17	53·8	53·2	53·8	53·8	54·2	54·2	54·0	53·8	56·0	58·0	58·6	58·5	17
18	56·0	55·6	55·3	55·2	55·0	54·9	55·2	57·0	59·8	59·8	59·8	59·9	18
19	56·8	56·2	55·9	55·7	55·7	55·3	55·6	55·2	55·6	56·0	56·5	56·7	19
20	58·8	59·0	59·8	60·0	59·9	59·3	58·6	58·6	59·6	60·6	60·8	61·2	20
21	60·8	60·8	60·8	62·5	61·6	61·8	64·0	64·0	65·4	66·8	66·0	66·8	21
22	62·7	63·2	64·3	63·5	67·3	63·2	63·2	64·3	65·0	64·1	67·0	66·4	22
23	64·0	63·9	64·0	64·3	64·6	64·3	64·8	65·1	66·0	66·2	64·2	64·5	23
24	65·2	65·0	64·8	65·0	64·7	65·2	65·2	67·2	67·0	67·2	67·5	67·8	24
25	56·8	56·1	55·2	54·7	55·1	55·1	55·3	55·3	55·8	56·3	56·9	57·7	25
26	57·6	57·5	57·0	56·9	57·2	57·6	57·9	57·8	57·8	57·9	58·6	58·5	26
27	58·5	59·8	59·6	59·6	59·6	60·0	59·8	59·8	59·8	59·9	60·1	60·6	27
28	60·9	60·9	61·1	61·1	61·5	61·8	61·8	62·6	63·0	63·6	63·0	64·3	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	47·0	47·0	46·9	46·7	46·7	46·8	46·6	46·9	46·7	46·7	46·6	45·7	1
2	48·3	47·6	46·6	46·6	46·0	45·8	45·4	45·7	45·8	45·7	45·7	45·8	2
3	47·8	47·8	48·5	47·8	47·8	47·8	47·4	47·4	46·8	47·1	47·1	47·0	3
4	49·6	50·4	50·7	50·0	49·4	48·4	47·7	48·5	48·7	49·2	49·7	51·3	4
5	51·9	51·8	51·6	51·2	51·8	51·3	51·9	52·8	52·0	52·0	52·0	51·8	5
6	49·4	48·8	48·0	48·0	48·0	48·0	47·8	47·8	48·2	48·8	49·0	49·0	6
7	52·0	52·0	52·4	52·8	52·0	51·4	51·0	51·2	51·3	51·4	51·9	52·0	7
8	55·0	55·0	55·5	56·0	56·7	55·8	55·9	55·9	56·6	55·9	55·9	55·1	8
9	55·6	55·1	54·7	54·0	54·5	54·5	54·3	54·0	54·4	53·8	54·0	54·3	9
10	53·5	53·0	52·7	51·4	51·4	51·5	51·0	51·0	50·9	50·9	50·7	50·7	10
11	56·5	57·4	58·0	57·6	57·9	58·0	57·0	57·6	57·6	57·6	57·0	56·1	11
12	52·8	52·5	53·4	53·8	54·0	52·8	53·0	54·1	54·0	54·0	53·7	53·2	12
13	53·0	52·8	52·6	52·8	52·6	52·2	52·7	52·9	53·3	53·1	53·3	53·8	13
14	56·4	55·5	56·0	56·0	55·7	56·3	55·4	55·5	55·0	55·5	54·7	54·3	14
15	55·3	54·8	55·2	55·4	54·9	53·5	53·1	52·6	52·5	52·5	52·4	52·4	15
16	55·5	56·5	55·0	56·0	54·5	54·0	54·6	54·0	54·2	54·4	54·0	53·8	16
17	58·5	58·7	60·0	59·9	59·0	57·7	57·8	56·0	56·8	55·8	55·8	54·9	17
18	60·0	59·8	60·0	59·1	59·0	58·7	58·5	58·5	58·5	58·5	57·8	58·0	18
19	56·8	57·0	57·8	57·5	56·8	56·7	57·1	57·4	57·6	57·9	58·0	58·3	19
20	61·7	61·8	60·7	60·1	60·0	60·0	59·8	59·6	59·6	59·8	60·5	60·8	20
21	67·1	66·9	67·5	66·5	65·8	65·2	65·0	63·8	63·3	63·0	62·8	62·6	21
22	65·4	65·7	64·7	64·9	64·4	64·0	63·5	64·0	63·5	64·0	64·3	64·3	22
23	65·2	66·0	65·7	66·3	66·4	66·2	65·7	65·1	64·5	65·6	64·8	65·2	23
24	69·0	68·8	65·4	61·5	57·9	58·8	58·5	57·8	57·8	57·8	56·8	57·0	24
25	57·6	57·7	57·5	56·8	56·8	56·9	56·9	56·9	56·9	57·3	57·3	57·2	25
26	58·7	58·7	59·0	59·7	59·0	58·8	59·4	59·2	59·0	58·8	57·0	56·8	26
27	60·4	60·6	59·8	60·5	60·8	60·8	60·5	60·3	60·1	60·1	59·9	59·6	27
28	64·1	63·9	64·1	62·8	62·4	62·4	62·7	62·7	62·5	62·5	62·4	62·8	28

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of FEBRUARY, 1929.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	2
3	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	8	10	10	10	10	10	4
5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6
7	10	10	10	10	10	10	10	10	10	10	10	10	9	7	8	9	9	8	9	9	6	10	10	10	7
8	10	8	7	9	9	10	10	10	10	10	10	9	10	10	10	7	7	7	10	10	10	10	10	10	8
9	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	8	10	4	5	6	7	10	9
10	10	10	10	10	10	10	10	10	6	6	9	9	9	9	9	9	2	2	2	1	2	2	4	10	10
11	5	7	9	10	10	8	9	8	8	8	9	8	3	2	4	9	5	9	10	10	10	10	10	10	11
12	10	10	10	10	10	10	10	8	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	9	12
13	10	10	10	10	9	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	13
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	10	10	10	10	10	10	10	9	3	1	2	2	7	9	8	6	3	1	2	6	15
16	10	10	10	10	10	10	8	10	10	8	9	9	7	6	10	10	10	9	...	...	...	...	...	2	16
17	...	1	4	5	9	9	10	8	3	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	2	1	1	...	1	...	...	...	...	3	2	2	2	2	8	18
19	10	9	10	9	10	9	9	9	9	9	10	10	10	10	8	4	8	9	9	9	9	9	9	10	19
20	10	10	10	10	10	10	10	10	10	5	3	2	3	2	1	1	1	1	1	...	...	...	...	4	20
21	10	10	10	10	10	10	10	10	2	...	2	2	1	1	1	...	...	...	...	...	...	...	2	8	21
22	9	9	10	9	8	7	7	8	7	3	3	7	5	3	5	3	6	8	9	10	9	9	9	9	22
23	9	10	9	8	8	9	8	9	9	10	10	10	10	10	10	10	10	8	10	10	10	10	10	10	23
24	10	10	8	9	10	9	10	10	10	10	9	9	8	6	10	10	10	10	10	10	10	10	10	10	24
25	10	10	9	9	9	10	10	10	9	10	7	10	10	10	10	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27
28	10	10	10	10	10	10	10	10	9	6	10	7	7	7	6	9	9	9	10	8	2	...	2	9	28

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of FEBRUARY, 1929.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	0·2	0·1	0·2	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	0·5	0·4	0·6	...	...	...	7
8	...	...	...	...	...	...	...	...	...	0·1	0·7	0·4	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	0·9	1·0	0·6	0·3	0·4	1·0	1·0	0·1	1·0	0·6	...	10
11	...	0·3	0·7	0·3	0·9	0·4	0·6	1·0	0·9	0·2	0·2	0·1	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	0·1	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	0·1	0·7	1·0	1·0	1·0	0·4	...	...	15
16	...	...	...	0·1	0·5	0·1	0·1	0·4	0·2	...	...	...	...	16
17	...	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	17
18	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	18
19	...	...	0·4	0·1	0·1	...	...	0·6	0·9	1·0	0·7	...	...	19
20	...	...	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	20
21	...	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	21
22	...	...	0·4	0·7	1·0	0·5	...	0·7	0·8	0·7	0·7	0·2	...	22
23	...	...	0·1	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	0·5	1·0	0·3	...	...	...	...	24
25	...	...	...	...	...	0·1	0·4	...	0·1	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	0·2	0·3	0·4	0·9	0·4	1·0	...	...	...	...	28

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of FEBRUARY, 1929.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	d	...	...	...	...	...	...	...	d	d	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	d	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	d	d	d	d	d	0·005	d	d	0·005	5
6	...	...	...	...	...	...	...	d	d	d	d	d	6
7	0·010	d	0·005	d	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	d	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	d	...	...	...	...	13
14	d	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	d	...	d	d	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	d	d	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	0·005	0·015	0·005	0·030	0·085	0·010	d	d	d	0·045	0·085	0·025	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	d	0·005	d	d	...	...	...	d	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	d	...	...	...	...	...	d	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	d	d	...	...	...	...	...	...	...	...	...	...	5
6	d	...	...	d	...	...	d	d	d	0·005	d	d	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	d	d	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	d	d	d	d	d	d	0·005	d	...	...	...	...	23
24	...	...	...	...	...	...	d	d	d	0·005	d	d	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	d	d	d	0·090	0·095	0·030	26
27	d	d	d	0·005	0·005	d	0·010	d	d	...	...	d	27
28	...	...	d	...	...	...	...	...	...	...	...	...	28

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of FEBRUARY, 1929.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	1	5	32	5	1	3	32	5	...	...	32	5	31	4	32	3	32	2	32	5	32	7	32	4	1
2	31	2	32	4	1	4	1	2	1	6	1	6	32	9	32	7	1	6	1	9	1	4	1	6	2
3	32	4	32	3	5	7	5	13	4	15	4	14	3	8	2	9	4	7	4	19	4	16	4	14	3
4	1	5	1	6	1	7	1	7	32	6	1	12	2	7	2	13	2	10	2	12	1	9	2	10	4
5	7	22	6	22	7	25	6	20	6	22	6	20	6	20	7	20	7	15	8	14	8	16	4	6	5
6	2	5	3	5	1	4	32	2	32	2	31	3	31	6	31	2	32	3	2	5	1	5	32	3	6
7	27	2	...	1	...	1	1	4	2	2	2	3	32	5	32	6	1	5	2	3	1	3	30	3	7
8	6	6	5	4	6	8	7	7	6	8	6	4	7	13	8	20	8	18	8	18	7	18	7	19	8
9	25	5	25	2	...	1	...	1	3	7	6	8	8	8	7	10	5	5	3	5	3	8	6	8	9
10	8	15	7	14	4	8	5	14	5	12	4	12	5	14	6	17	6	22	7	25	7	23	7	27	10
11	6	29	6	28	6	26	6	20	6	16	7	17	7	22	7	16	8	18	8	15	8	13	8	12	11
12	1	7	2	9	3	7	2	6	2	8	3	4	6	7	8	11	7	17	5	12	6	16	7	24	12
13	6	22	7	21	8	23	8	27	7	27	8	30	7	23	7	25	7	28	6	31	7	30	7	28	13
14	4	4	2	4	2	2	...	1	5	4	...	...	...	...	1	6	1	7	2	8	2	8	2	11	14
15	7	24	7	23	7	20	7	17	8	18	8	20	7	19	8	21	8	24	8	19	8	18	8	15	15
16	7	12	8	19	7	16	6	9	6	9	7	19	7	14	8	15	9	19	9	22	8	21	4	20	16
17	8	12	8	13	7	13	7	11	6	11	7	13	7	13	8	10	9	11	9	7	9	10	8	15	17
18	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	5	9	8	20	8	20	9	21	18
19	6	30	6	33	6	37	6	34	6	33	7	36	7	32	7	36	8	34	7	33	7	28	7	28	19
20	8	16	8	18	9	16	9	15	9	18	8	16	9	16	9	21	9	15	8	18	8	21	9	16	20
21	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	25	6	26	8	21
22	29	6	28	5	29	4	28	2	29	3	...	1	...	1	28	2	...	1	27	6	26	6	27	7	22
23	6	7	5	8	5	6	6	4	...	1	...	1	...	1	10	2	9	2	8	2	7	7	7	10	23
24	...	1	...	1	...	1	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	4	3	24
25	7	36	7	38	7	33	7	30	7	23	8	25	7	27	7	30	7	23	7	22	7	22	7	25	25
26	7	16	7	21	6	24	7	20	8	21	8	20	7	27	8	25	8	24	8	20	8	22	8	17	26
27	12	3	10	2	8	4	8	2	...	1	8	6	9	12	9	16	9	9	10	7	11	6	10	10	27
28	9	14	9	14	10	10	11	8	11	7	...	...	10	4	10	10	10	11	11	13	10	14	9	11	28

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel	Dir.	Vel.	
1	32	7	1	5	32	3	32	3	2	4	1	5	1	3	...	1	1	2	1	6	32	10	32	6	1
2	1	5	1	7	1	10	1	8	1	7	1	7	1	8	1	7	1	5	1	8	1	6	1	5	2
3	4	16	4	16	3	9	3	8	3	5	3	8	3	10	2	8	1	5	3	4	4	10	3	6	3
4	4	3	4	5	5	5	5	6	6	7	3	6	2	8	4	11	5	8	6	12	6	11	7	21	4
5	32	4	2	4	1	6	1	4	...	1	...	...	...	...	6	9	8	12	8	5	8	3	5	4	5
6	32	5	32	4	32	9	32	6	32	7	32	6	31	6	31	2	...	1	30	2	29	2	28	3	6
7	25	7	23	7	23	9	23	9	24	8	26	6	27	6	...	1	7	8	10	6	10	8	8	7	7
8	8	17	8	13	9	7	...	1	23	7	23	6	23	3	...	1	...	...	...	...	23	6	25	8	8
9	11	7	10	12	10	10	9	12	9	14	9	12	8	12	8	13	8	9	7	10	8	11	8	13	9
10	7	27	6	25	6	23	6	23	6	18	6	16	6	16	6	18	6	20	6	22	5	22	6	25	10
11	8	14	9	14	8	14	8	13	8	11	9	12	9	10	8	5	5	3	3	3	3	3	1	8	11
12	7	27	7	21	7	20	7	20	8	23	7	22	7	22	7	22	6	23	6	22	7	25	7	28	12
13	7	27	7	26	8	27	8	26	7	22	7	17	7	20	6	17	6	12	6	14	6	8	6	7	13
14	1	11	1	10	2	6	3	3	1	3	...	1	8	8	8	12	8	15	6	16	6	20	7	22	14
15	10	18	11	15	10	11	9	9	9	12	9	14	8	17	9	13	8	15	8	13	6	8	5	7	15
16	5	11	7	12	9	14	11	9	9	14	8	11	7	9	8	11	8	13	8	14	9	13	9	12	16
17	7	15	8	8	8	3	28	6	28	4	30	3	1	5	6	6	6	4	6	3	6	2	...	...	17
18	10	21	9	20	8	20	8	22	7	19	7	19	7	18	6	16	6	16	6	18	5	21	6	26	18
19	8	28	8	30	8	26	8	30	7	28	6	19	7	17	7	23	8	21	8	18	9	15	9	14	19
20	9	14	9	18	8	17	8	19	8	18	8	15	9	13	8	12	8	8	7	5	7	2	7	2	20
21	27	9	28	10	28	7	28	6	29	6	28	5	29	4	28	5	29	4	28	4	29	2	28	4	21
22	30	4	5	7	7	8	9	4	10	4	...	1	8	4	...	1	6	2	6	4	6	4	6	7	22
23	8	7	9	4	9	2	9	3	...	1	31	2	3	4	7	7	9	6	9	3	9	2	9	2	23
24	6	5	9	18	8	29	7	26	7	26	7	31	7	32	7	31	7	28	7	31	7	32	7	33	24
25	7	26	8	23	8	21	8	22	8	17	8	20	8	20	8	15	8	21	8	25	8	24	7	23	25
26	8	19	8	21	8	19	8	21	9	17	8	24	8	27	8	27	8	27	3	16	22	8	...	1	26
27	10	11	10	13	10	7	...	1	...	...	...	...	14	2	...	...	15	3	11	2	10	10	10	11	27
28	9	13	10	14	10	12	9	12	9	15	9	16	10	15	10	16	9	17	9	19	8	16	9	13	28

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of FEBRUARY, 1929.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu-nb	ENE	nb	E	cu-nb	E	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE
2	nb	ENE	cu-nb	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE
3	st-cu	ENE	st-cu	ENE	st-cu	NE	st-cu	NE	nb	NE	st-cu	NE	nb	NE	st-cu	NE
4	st-cu	ENE	st-cu	NE	st-cu	NE	st-cu	ENE	st-cu	ENE	st-cu	NE	st-cu	NE	st-cu	NE
5	st-cu	E	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	cu-nb	ENE	cu-nb	ENE
6	st-cu	ENE	st-cu	ENE	st-cu	ENE	nb	ENE	nb	NE	nb	NE	nb	NE	nb	NE
7	nb	NE	nb	NE	cu-nb	ENE	st-cu	ENE	cu	W	cu	W	cu	WNW	cu	NW
8	cu	WNW	cu	WNW	cu	E	st-cu	E	st-cu	ENE	a-cu / cu	SW / ENE	cu	ENE	cu	ENE
9	cu	ENE	cu	ENE	cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	cu	E
10	nb	E	cu	E	cu	ENE	cu	ENE	cu	E	cu	E	cu	E	cu	E
11	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
12	st-cu	ENE	st-cu	E	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE
13	st-cu	ENE	st-cu	ENE	cu	ENE	nb	E	st-cu	E	st-cu	E	nb	E	nb	E
14	nb	E	nb	E	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	cu	ENE
15	st-cu	ENE	nb	E	nb	ENE	st-cu	ENE	cu	E	cu	E	cu	E	cu	E
16	st-cu	ENE	st-cu	ENE	cu	E	cu	E	cu	E	cu	E	...	...	...	...
17	...	...	cu	ENE	cu	E	...	...	...	...	...	...	...	...	...	...
18	...	...	...	...	...	...	cu	E	...	...	...	...	cu	ENE	cu	ENE
19	cu	ENE	cu	ENE	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
20	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	...	...
21	cu	E	cu	E	cu	E	...	...	cu	E	...	...	...	...	...	...
22	cu	WSW	cu	WNW	a-cu	W	a-cu	WSW	a-cu	WSW	a-cu	WSW	a-cu / cu	SW / E	a-cu / cu	WSW / E
23	a-cu / cu	W / E	a-cu	W	a-cu	WSW	a-cu / cu	WSW / ESE	nb	E	nb	E	nb	E	nb	E
24	nb	E	cu	E	st	W	st	W	a-cu / cu	SW / ENE	st-cu	ENE	nb	E	nb	ENE
25	nb	ENE	cu	ENE	nb	E	nb	E	nb	E	st-cu	E	st-cu	E	st-cu	E
26	st-cu	E	st-cu	E	st-cu	E	nb	E	cu-nb	E	cu-nb	E	nb	E	nb	E
27	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
28	cu-nb	E	st-cu	E	st	E	cu	E	cu	E	cu	E	cu	E	...	...

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1929.
(British Units.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·966	52·8	49·1	3·7	51·0	47·9	0·299	80	100	...	...	0·005	2	+ 4·1	+ 0·3	4	4·1	4·2
2	30·087	53·0	47·4	5·6	49·5	45·6	·263	74	100	...	...	...	...	+ 6·3	+ 1·0	9	6·3	6·3
3	·154	52·6	49·4	3·2	51·0	47·2	·283	76	100	...	...	...	...	+ 7·3	+ 6·0	39	9·5	9·7
4	·138	57·2	48·2	9·0	51·9	47·6	·282	73	98	0·5	4	...	...	+ 6·2	+ 4·7	37	7·8	8·6
5	·032	55·7	51·9	3·8	54·0	51·7	·358	86	100	...	...	0·010	10	+ 3·5	+ 10·2	71	10·8	11·4
6	·009	54·4	50·3	4·1	51·9	49·1	·317	82	100	...	...	0·005	5	+ 4·0	+ 0·1	2	4·0	4·1
7	·040	58·9	48·0	10·9	53·8	49·7	·311	75	93	1·5	13	0·015	3	+ 1·4	− 0·8	330	1·6	5·0
8	·021	62·3	53·5	8·8	58·0	54·4	·383	79	93	1·2	11	...	...	+ 0·9	+ 6·1	82	6·2	8·8
9	·051	63·2	56·5	6·7	59·1	54·6	·376	75	91	...	...	...	...	+ 0·5	+ 7·2	86	7·2	8·5
10	·063	59·5	54·0	5·5	56·1	51·5	·330	73	71	6·9	61	...	...	+ 6·9	+ 17·6	69	18·9	19·1
11	29·992	63·8	53·7	10·1	58·7	54·3	·378	77	80	5·6	50	...	...	+ 2·6	+ 13·5	79	13·7	14·2
12	30·021	61·0	56·7	4·3	58·5	53·5	·354	72	98	...	...	...	...	+ 4·9	+ 15·3	72	16·0	16·8
13	29·967	57·5	55·4	2·1	56·2	52·9	·364	80	99	0·1	1	...	1	+ 4·0	+ 21·8	80	22·1	22·4
14	30·059	66·0	55·4	10·6	59·3	54·7	·376	74	100	...	...	...	1	+ 4·1	+ 5·0	51	6·5	7·6
15	·109	62·8	53·4	9·4	57·0	53·4	·368	79	70	4·2	37	...	1	− 0·1	+ 16·0	90	16·0	16·2
16	·089	64·8	55·8	9·0	58·4	54·3	·376	77	70	1·4	12	...	...	+ 0·7	+ 13·6	87	13·6	14·1
17	·014	66·0	55·6	10·4	60·2	56·4	·413	79	21	9·4	82	...	...	+ 1·4	+ 7·2	79	7·3	8·2
18	29·979	66·7	56·5	10·2	61·0	57·9	·445	83	10	10·3	90	...	...	+ 1·7	+ 12·2	82	12·3	12·8
19	·961	65·4	59·0	6·4	61·8	56·7	·403	73	90	3·8	33	...	...	+ 4·7	+ 26·8	80	27·2	27·6
20	·905	69·9	61·8	8·1	65·1	60·0	·461	75	47	8·4	73	...	...	− 1·3	+ 14·5	95	14·5	14·5
21	·884	74·1	64·1	10·0	68·5	64·2	·552	79	41	9·3	81	...	...	+ 2·1	− 2·3	312	3·1	3·4
22	·864	73·4	64·3	9·1	67·2	64·3	·569	86	72	5·7	50	...	...	+ 1·6	+ 0·5	17	1·7	3·9
23	·883	71·0	64·4	6·6	67·2	65·1	·595	90	95	0·1	1	0·005	2	+ 0·7	+ 3·5	79	3·6	3·9
24	30·001	76·0	58·6	7·4	65·8	63·4	·556	88	95	1·8	16	0·005	5	+ 2·1	+ 13·2	81	13·4	13·7
25	·055	63·1	57·6	5·5	60·4	56·5	·413	79	97	0·6	5	...	...	+ 2·8	+ 24·4	83	24·6	24·6
26	29·952	62·8	57·7	5·1	61·1	58·2	·453	84	100	...	...	0·215	5	+ 1·3	+ 19·1	86	19·1	20·2
27	·882	62·6	57·8	4·8	61·7	60·0	·498	91	100	...	...	0·325	17	− 1·9	+ 5·2	110	5·5	5·7
28	·908	69·0	61·7	7·3	65·0	62·5	·537	87	79	3·2	28	...	...	− 3·5	+ 11·7	107	12·2	12·2
Means	30·003	63·1	55·6	7·5	58·9	55·3	0·404	79	83	Sum. 74·0	23	Sum. 0·585	Sum. 52	+ 2·5	+ 9·8	76	10·1	11·7
Normals	30·015	63·0	55·3	7·7	58·8	55·0	0·393	77	76	95·9	30	1·804	65	+ 2·2	+ 11·1	79	11·3	14·0
Absolute Max.	30·212	76·0	...	10·9	...	70·5	0·694	...	...	10·3	90	0·325	17	...	...	...	...	38·0 †
Day.	4	24	...	7	...	24	24	...	...	18	18	27	27	...	...	...	...	25d 2h
Absolute Min.	29·811	...	47·4	2·1	...	43·8	0·243	52	...	...	...	...	...	...	...	...	...	...
day.	23	...	2	13	...	2	2	14	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1018·1	290·3	286·1	4·2	287·9	285·9	13·7	...	...	...	...	Sum. 14·9	Sum. 52	+ 0·8	+ 3·2	76	3·3	3·8
Normals	1018·5	290·2	285·9	4·2	287·9	285·8	13·2	...	...	...	...	45·8	65	+ 0·7	+ 3·6	79	3·7	4·6
Absolute Maximum.	1025·3	297·4	...	6·1	...	294·4	23·5	...	...	...	...	8·3	17	...	...	...	...	12·5
Absolute Minimum.	1011·6	...	281·6	1·2	...	279·6	8·2	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 4 days. The mean hourly intensity was 0·011*in*, and the maximum fall in one hour was 0·095*in* at 23*h* on the 26th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 50 miles per hour from E. by N. at 2*h* 50*m* on the 25th.

Clouds with base less than 2,000 feet high were observed on 5 days.
Clouds with base less than 1,000 feet high were observed on 2 days.

*0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1929.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Amount.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed Velocity.
	ins.	°	°	ins.	%	%	%		%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·010	57·6	54·8	·406	84	91		0·015	2	5	+ 3·2	+ 9·0	70	9·6	11·1
2	·000	57·4	54·6	·403	83	91		0·015	2	4	+ 3·3	+ 9·7	71	10·2	11·5
3	29·991	57·3	54·5	·401	83	91		0·010	2	4	+ 3·3	+ 9·6	71	10·1	11·1
4	·987	57·1	54·4	·400	84	92		0·030	5	4	+ 3·0	+ 8·6	71	9·1	10·0
5	·989	57·1	54·3	·398	83	94		0·085	15	4	+ 3·2	+ 8·4	69	9·0	10·0
6	30·000	57·0	54·2	·396	83	93		0·010	2	4	+ 2·9	+ 9·1	72	9·5	10·6
7	·016	57·2	54·3	·397	83	92	2	...	...	3	+ 3·1	+ 9·6	72	10·1	11·2
8	·031	57·7	54·5	·396	81	93	18	...	...	4	+ 2·4	+ 11·0	78	11·2	12·6
9	·046	58·8	55·1	·400	78	86	21	0·005	1	5	+ 1·9	+ 11·0	80	11·2	12·3
10	·056	59·6	55·5	·402	76	81	26	0·045	8	5	+ 2·8	+ 11·2	76	11·5	13·2
11	·053	60·3	55·8	·402	75	83	21	0·085	15	4	+ 2·7	+ 11·1	76	11·4	13·5
Noon.	·033	61·0	56·1	·403	73	83	28	0·030	5	4	+ 3·3	+ 10·9	73	11·4	13·6
13	·002	61·7	56·6	·408	72	77	39	...	...	4	+ 2·0	+ 10·6	79	10·8	13·5
14	29·973	62·0	56·6	·405	71	73	39	...	...	4	+ 1·3	+ 11·1	83	11·2	13·6
15	·958	61·4	56·4	·406	72	76	27	0·005	1	2	+ 1·5	+ 10·1	82	10·2	12·6
16	·955	61·0	56·1	·403	73	76	27	0·005	1	2	+ 1·6	+ 9·4	80	9·5	11·9
17	·963	60·2	55·9	·406	75	76	15	0·005	1	3	+ 1·6	+ 8·9	80	9·0	11·4
18	·971	59·4	55·5	·404	78	77		...	...	2	+ 2·1	+ 8·5	76	8·8	10·9
19	·980	58·8	55·4	·408	80	78		0·015	2	6	+ 2·2	+ 9·4	77	9·6	11·4
20	·995	58·6	55·3	·408	80	75		...	...	6	+ 2·0	+ 9·9	79	10·1	11·1
21	30·008	58·3	55·3	·411	82	71		...	...	6	+ 1·9	+ 10·0	79	10·2	11·0
22	·016	58·2	55·3	·412	83	71		0·100	17	5	+ 2·9	+ 9·5	73	9·9	10·9
23	·018	58·1	55·2	·410	83	74		0·095	16	5	+ 2·4	+ 8·4	74	8·7	10·9
Midn.	·017	57·9	55·1	·410	83	87		0·030	5	5	+ 2·6	+ 9·2	74	9·6	11·4

Phenomena :—

Lunar corona :—on the 21st and 23rd.

Fog :—on the 18th, 21st, 22nd, 23rd, and 24th.

Unusual visibility :—on the 15th, 20th and 28th.

ADOPTED ERRORS OF TIMEBALL, FEBRUARY, 1929.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	− 0·1	11	− 0·1	21	0·0
2	− 0·1	12	− 0·2	22	0·0
3	− 0·1	13	0·0	23	0·0
4	0·0	14	0·0	24	0·0
5	− 0·1	15	− 0·2	25	+ 0·1
6	− 0·2	16	+ 0·2	26	0·0
7	0·0	17	0·0	27	− 0·1
8	0·0	18	0·0	28	− 0·1
9	0·0	19	0·0		
10	− 0·1	20	0·0		

+ = Late ; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0s·10

* 0° = N. 90° = E., &c

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

FEBRUARY,

1929.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	31st JANUARY, 1929.								1st FEBRUARY, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.16	766.1	6	...	NNE	3	b	6	30.01	762.3	1	...	N	6	o
Nemuro,	11	29.67	753.5	...	...	W	2	...	5	29.53	750.0	...	...	WSW	1	...
Hokodate,	,,	29.80	757.0	...	...	WNW	3	...	,,	29.67	753.5	...	...	NNW	1	...
Tokio,	,,	29.90	759.5	...	...	SE	1	...	,,	29.73	755.0	...	..	...	0	...
Kochi,	,,	29.96	761.0	...	...	...	0	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	29.96	761.0	...	...	E	2	...	,,	30.04	763.0	...	..	NNW	2	...
Kagoshima,	,,	29.92	760.0	...	...	ENE	1	...	,,	29.98	761.5	..	...	NNW	1	...
Oshima,	,,	29.86	758.5	...	...	N	1	...	,,	29.86	758.5	...	...	N	2	...
Naha,	,,	29.86	758.5	...	...	NNE	3	...	,,	29.90	759.5	...	.	NNW	5	...
Ishigakijima,	,,	29.88	759.0	...	...	ENE	3	...	,,	29.94	760.5	.		N	2	...
Bonin Island,	,,	29.72	755.0	...	...	WNW	1	...	,,	29.75	755.5	...	...	WNW	1	...
Chefoo,	15	30.37	771.4	24	8[illegible]	N	2	b	6	30.49	774.4	24	100	NE	4	b
Shanghai,	14	30.18	766.5	41	61	NNW	2	o	,,	30.32	770.1	34	85	N	2	o
Gutzlaff,	,,	30.17	766.3	42	75	N	4	o	,,	30.31	769.9	38	72	NNE	6	o
Sharp Peak,	,,	29.94	760.5	47	91	ENE	2	r	7	30.11	764.7	46	84	NE	2	o
Amoy,	,,	29.93	760.2	56	75	NE	2	o	6	30.05	763.2	52	88	ENE	4	r
Swatow,	,,	29.91	759.7	54	88	NNE	2	o	,,	30.04	762.9	49	93	NNE	2	o
Taihoku,	11	29.98	761.4	59	91	E	4	o	5	30.04	762.9	54	95	E	2	o
Taichu,	,,	29.94	760.5	61	...	N	2	r	,,	29.93	760.2	55	...	N	2	o
Tainan,	,,	29.91	759.6	68	...	NNE	2	o	,,	29.91	759.6	57	...	N	4	o
Koshun,	,,	29.87	758.7	73	...	NNE	2	o	,,	29.87	758.7	63	...	...	0	b
Pescadores,	,,	29.93	760.2	61	...	NNE	6	o	,,	29.95	760.8	57	...	NE	6	o
Hong Kong,	14	29.88	759.0	55	84	ENE	2	o	6	29.99	761.7	51	85	N	1	o
Gap Rock,	,,	29.8[illegible]	758.7	...	...	NNE	5	o	,,	29.97	761.2	..	...	NNE	4	o
Macao,	,,	29.85	758.1	48	92	N	2	o	,,	29.95	760.8	46	92	N	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.4	69	95	ENE	3	od	,,	29.90	759.4	69	86	NE	5	o
Phulien,	15	29.86	75[illegible].4	59	83	ENE	2	of	7	30.01	762.3	52	...	NE	4	o
Tourane,	,,	29.76	756.0	73	...	N	4	of	,,	29.89	759.3	70	...	W	4	of
Cape St. James,	,,	29.76	756.0	81	...	SE	2	b	,,	29.82	757.5	75	...	NE	4	c
Basco,	14	29.78	756.3	79	66	NW	4	o	6	29.85	758.1	70	82	NE	2	o
Aparri,	,,	29.76	756.0	82	63	N	2	b	,,	29.86	758.4	68	96	SW	2	b
Tuguegarao,	,,	29.74	755.4	86	49	NE	1	o	,,	...	...	...	...	...	....	...
Vigan,	,,	29.75	755.7	81	56	NNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	84	68	SW	4	b	,,	29.82	757.5	68	94	NE	1	b
Legaspi,	,,	29.73	755.1	86	65	ENE	2	b	,,	29.82	75[illegible].5	73	86	...	0	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	65	NE	4	b	,,	29.79	756.6	72	92	NE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Surigao,	,,	29.73	755.1	82	77	N	2	b	,,	29.79	756.6	72	96	...	0	o
Saipan,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	72	...	NE	1	o
Guam,	,,	29.69	754.2	...	...	N	2	o	,,	29.73	755.1	...	...	NE	2	o
Yap,	12.20	29.71	754.5	...	...	NE	2	o	4.20	29.76	756.0	75	...	N	2	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.75	755.6	76	...	NE	2	o
Ponape,	11.00	...	...	...	...		...	...	5	29.73	755.1	78	...	E	2	o
Labuan,	14	29.81	757.2	84	91	NE	4	b	6	29.82	757.4	80	89	N	1	b

February 1*d.* 10*h.* 47*m.*—The anticyclone over S.E. Mongolia has strengthened further. The Indo-China depression has filled up.

Strong monsoon may be expected along the S.E. coast of China and fresh monsoon over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·93 inches, against an average of 1·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, fresh; overcast, drizzle or mist.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st February, 1929.								2nd February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.90	759.4	6	...	N	4	o	6	30.12	765.1	8	...	N	4	o
Nemuro,	11	29.45	748.0	...	...	W	2	...	5	29.39	746.5	...	...	NW	1	...
Hokodate,	,,	29.59	751.5	...	...	N	1	...	,,	29.57	751.0	...	...	NW	3	...
Tokio,	,,	29.61	752.0	...	...	N	1	...	,,	29.63	752.5	...	...	NW	1	...
Kochi,	,,	20.76	756.0	...	...	E	1	...	,,	29.02	760.0	...	...	...	0	...
Nagasaki,	,,	30.00	762.0	...	...	NW	3	...	,,	30.06	763.5	...	...	N	2	...
Kagoshima,	,,	29.92	760.0	...	...	NW	2	...	,,	30.00	762.0	...	...	NW	1	...
Oshima,	,,	29.90	759.5	...	...	N	2	...	,,	30.00	762.0	...	...	N	4	...
Naha,	,,	29.92	760.0	...	...	N	3	...	,,	30.02	762.5	...	...	N	6	...
Ishigakijima,	,,	30.00	762.0	...	...	NNE	1	...	,,	30.06	763.5	...	...	N	2	...
Bonin Island,	,,	29.72	755.0	...	...	WNW	1	...	,,	29.63	752.5	...	...	NW	1	...
Chefoo,	15	30.40	772.1	24	100	N	6	o	6	30.32	770.1	24	100	NW	6	o
Shanghai,	14	30.36	771.0	36	57	N	4	o	,,	30.44	773.1	25	58	NW	4	b
Gutzlaff,	,,	30.33	770.4	36	70	N	7	o	,,	30.40	772.1	28	88	N	7	o
Sharp Peak,	,,	30.04	763.0	42	95	NE	1	rf	7	30.23	767.8	42	83	NE	4	o
Amoy,	,,	30.06	763.5	52	88	ENE	4	o	6	30.12	765.0	48	78	ENE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	30.16	766.0	46	93	NNE	2	o
Taihoku,	11	30.08	764.1	55	88	E	2	o	5	30.18	766.5	50	84	E	4	o
Taichu,	,,	29.99	761.7	59	...	N	2	o	,,	30.04	762.9	54	...	N	2	o
Tainan,	,,	29.97	761.1	70	...	NNE	2	b	,,	30.01	762.3	54	...	N	4	o
Koshun,	,,	29.94	760.5	72	...	NE	4	o	,,	29.98	761.4	63	...	NE	4	o
Pescadores,	,,	30.00	762.0	61	...	NNE	6	o	,,	30.05	763.2	55	...	NNE	6	o
Hong Kong,	14	30.01	762.2	51	72	N	1	od	6	30.12	765.0	48	76	N	1	o
Gap Rock,	,,	29.98	761.5	...	...	NNE	5	o	,,	30.09	764.3	...	...	N	4	o
Macao,	,,	30.01	762.3	45	94	N	4	r	,,	30.10	764.4	45	71	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.7	71	83	NE	5	b	,,	30.01	762.2	65	83	N	6	o
Phulien,	15	30.00	762.0	64	80	N	1	o	7	30.10	764.5	62	84	NE	4	of
Tourane,	,,	29.86	759.4	75	...	N	4	of	,,	29.94	760.5	68	...	ENE	8	o
Cape St. James,	,,	29.80	756.9	79	...	E	2	o	,,	29.81	757.2	75	...	ENE	7	o
Basco,	14	29.82	757.5	73	79	NNE	4	o	6	29.94	760.5	66	76	NE	4	o
Aparri,	,,	29.80	756.9	81	69	NE	4	b	,,	29.89	759.3	73	79	NE	4	o
Tuguegarao,	,,	29.80	756.9	84	55	N	1	o	,,	29.88	759.0	70	57	NW	2	o
Vigan,	,,	29.78	756.3	82	60	WNW	4	b	,,	29.85	758.1	68	83	N	4	o
Manila,	,,	29.78	756.3	84	64	SW	4	b	,,	29.85	758.1	68	62	...	0	b
Legaspi,	,,	29.76	756.0	86	65	ENE	2	o	,,	29.85	758.1	75	83	NE	4	b
Calboyog,	,,	29.75	755.7	86	46	NNE	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	72	...	NW	4	b
Iloilo,	,,	29.74	755.4	84	64	NE	4	b	,,	29.82	758.5	70	92	NE	4	b
Cebu,	,,	...	...	...	...		...	...	,,	29.81	757.2	73	75	N	2	b
Surigao,	,,	29.75	755.7	82	74	NNE	4	b	,,	29.81	757.2	70	96	...	0	b
Saipan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	,,	29.69	754.2	...	...	N	4	o	,,	29.72	754.8	...	...	NE	1	o
Yap,	12.20	29.71	754.5	...	...	NE	4	o	4.20	29.75	755.7	...	...	N	1	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Ponape,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	82	89	...	0	b	6	29.82	757.4	78	89	N	2	b

February 2*d.* 11*h.* 15*m.*—The anticyclone is now central over N.E. China.

Strong monsoon may be expected along the S.E. coast of China and fresh monsoon over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·93 inches, against an average of 1·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, fresh; overcast, some drizzle or mist.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd February, 1929.								3rd February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.17	766.4	14	...	N	6	c	6	30.32	770.0	17	...	NE	2	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.61	752.0	...	...	NNW	4	...
Hokodate,	"	29.61	752.0	...	...	NNW	5	...	"	29.80	757.0	..	...	NW	1	...
Tokio,	"	29.69	754.0	...	...	NW	1	...	"	29.92	760.0	...	...	WNW	1	...
Kochi,	"	29.92	760.0	...	...	N	2	...	"	30.18	766.5	...	...	...	0	...
Nagasaki,	"	30.12	765.0	...	...	NNE	1	...	"	30.24	768.0	..	...	NE	1	...
Kagoshima,	"	30.06	763.5	...	...	NNW	2	...	"	30.24	768.0	.	...	WNW	1	...
Oshima,	"	30.04	763.0	...	...	N	2	...	"	30.14	765.5	..	...	NNW	1	...
Naha,	"	30.06	763.5	...	...	N	5	...	"	30.16	766.0		.	NNW	5	...
Ishigakijima,	"	30.14	765.5	...	...	N	2	...	"	30.22	767.5			N	1	...
Bonin Island,	"	29.65	753.0	...	...	NW	2	...	"	29.96	761.0	...	...	WNW	1	...
Chefoo,	15	30.38	771.5	24	100	NW	4	o	6	30.49	774.4	24	100	NW	4	b
Shanghai,	14	30.44	773.2	32	18	NW	4	b	"	30.54	775.8	21	...	NW	2	b
Gutzlaff,	"	30.44	773.2	32	68	NNW	6	o	"	30.54	775.7	24	77	NNW	6	b
Sharp Peak,	"	...	...	...	...	...	...	...	7	30.35	770.9	40	78	ENE	4	o
Amoy,	"	30.15	765.8	52	79	E	2	o	6	30.26	768.6	46	77	ENE	4	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...		...	...	...	...
Taihoku,	11	30.24	768.0	50	95	E	4	r	5	30.31	769.8	48	95	E	2	o
Taichu,	"	30.11	764.7	55	...	NNW	2	o	"	30.20	767.1	50	...	N	2	o
Tainan,	"	30.08	764.1	61	...	NNE	4	o	"	30.17	766.2	52	...	NNE	4	o
Koshun,	"	30.06	763.5	64	...	NE	6	o	"	30.12	765.0	61	...	NE	4	o
Pescadores,	"	30.13	765.3	57	...	NE	6	o	"	30.19	766.8	54	...	NE	6	o
Hong Kong,	14	30.12	765.0	52	70	NNE	2	o	6	30.19	766.8	50	79	NE	3	o
Gap Rock,	"	30.11	764.8	...	...	NNE	4	o	"	30.17	766.3		...	NE	5	o
Macao,	"	30.10	764.4	46	72	N	4	o	"	30.18	766.5	46	77	NNE	4	o
Hoihow,	"	...	...	...	...		...	...	"		...	...	...	...	...	...
Pratas Island,	"	30.02	762.5	68	79	NE	6	bo	"	30.12	765.0	70	90	NNE	6	o
Phulien,	15	30.10	764.4	54	78	NE	2	of	7	...	...	...	...	...	...	...
Tourane,	"	29.97	761.2	70	...	E	6	of	"	...	...	...	...	...	...	...
Cape St. James,	"	29.81	757.2	79	...	ENE	7	of	"	..	...	...	...	...	...	...
Basco,	14	29.95	760.8	70	77	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.91	759.6	77	64	NE	4	o	"	...	...	...	...	...	...	...
Tuguegarao,	"	29.8	758.7	84	60	N	2	o	"	30.02	762.6	68	92	NW	1	o
Vigan,	"	29.81	757.2	82	57	NNW	6	o	"	29.88	759.0	70	74	NNW	1	b
Manila,	"	29.82	757.5	84	60	WSW	2	o	"	29.94	760.5	68	91	NW	1	b
Legaspi,	"	29.82	757.5	86	58	NNE	2	b	"	29.92	759.9	75	83	N	2	b
Calboyog,	"	29.81	757.2	82	48	NNE	4	b	"	29.92	759.9	66	96	NNE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.92	759.9	72	94	NW	2	o
Iloilo,	"	29.80	756.9	82	67	NNE	6	o	"	29.89	759.3	70	91	NE	4	b
Cebu,	"	...	...	...	...	...	...	...	"	29.89	759.3	73	75	NW	4	b
Surigao,	"	29.80	756.9	79	80	N	4	o	"	29.89	759.3	73	94	...	0	o
Saipan,	"	...	...	...	...	...	...	...	"	29.82	757.5	74	...	N	3	o
Guam,	"	29.72	754.8	...	...	N	4	o	"	...	...	...	...	...	...	...
Yap,	12.20	29.74	755.4	...	...	NNE	4	o	4.20	29.80	756.9	...	...	NNE	4	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.82	757.5	75	...	NNE	2	o
Ponape,	11.00	...	...	...	...	...	...	...	5	29.84	757.8	76	...	ESE	1	c
Labuan,	14	29.84	757.9	86	84	N	4	bf	6	29.84	757.9	77	91	NE	2	b

February 3*d.* 10*h.* 53*m.*—The anticyclone central over N.E. China has strengthened.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·93 inches, against an average of 1·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong; overcast.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd February, 1929.								4th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.28	769.0	23	...	NE	4	b	6	30.27	768.8	14	...	NNE	2	o
Nemuro,	11	29.69	754.0	...	...	NNW	3	...	5	29.88	759.0	...	...	WNW	1	...
Hokodate,	,,	29.86	758.5	...	...	N	1	...	,,	30.00	762.0	...	...	NNW	1	...
Tokio,	,,	20.96	761.0	...	...	N	3	...	,,	30.12	765.0	...		...	...	...
Kochi,	,,	30.18	766.5	...	...	NNW	2	...	,,	30.28	769.0	...		...	o	...
Nagasaki,	,,	30.26	768.5	...	...	ENE	1	...	,,	30.20	767.0	...		SE	1	...
Kagoshima,	,,	30.22	767.5	...	...	N	3	...	,,	30.20	767.0	..		NW	1	...
Oshima,	,,	30.18	766.5	...	...	N	2	...	,,	30.16	766.0	..	...	SSE	1	...
Naha,	,,	30.20	767.0	...	...	NNW	4	...	,,	30.16	766.0	.		N	3	...
Ishigakijima,	,,	30.28	769.0	...	...	N	3	...	,,	30.22	767.5			N	1	...
Bonin Island,	,,	29.96	761.0	...	...	NW	1	...	,,	30.08	764.0	...	...	...	0	...
Chefoo,	15	30.45	773.4	24	100	NNW	6	r	6	30.36	771.1	30	100	NNW	4	r
Shanghai,	14	30.49	774.3	32	100	NW	4	o	,,	30.47	774.0	28	66	WNW	2	o
Gutzlaff,	,,	30.50	774.7	34	60	NNW	4	b	,,	30.48	774.2	26	87	NW	6	o
Sharp Peak,	,,	30.35	770.0	42	83	E	1	o	7	30.30	769.6	40	91	N	1	rf
Amoy,	,,	30.28	769.1	48	63	ENE	4	b	6	30.26	768.6	46	91	E	4	b
Swatow,	,,	30.24	768.1	50	93	NE	2	o	,,	...		...	...	...	...	...
Taihoku,	11	30.36	771.0	50	90	E	4	o	5	30.27	768.9	50	92	E	2	o
Taichu,	,,	30.26	768.6	54	...	NNW	2	o	,,	30.18	766.5	52	...	N	2	o
Tainan,	,,	30.25	768.3	55	...	NNE	4	o	,,	30.15	765.9	52	...	N	4	o
Koshun,	,,	30.19	766.8	64	...	NE	4	o	,,	30.14	765.6	63	...	NE	4	b
Pescadores,	,,	30.27	768.9	55	...	NNE	6	o	,,	30.20	767.1	55	...	NNE	6	o
Hong Kong,	14	30.20	767.1	52	75	NE	3	o	6	30.21	767.3	49	74	NNE	3	o
Gap Rock,	,,	30.15	765.8	...	...	ENE	5	o	,,	30.19	766.8	..	...	NNE	5	o
Macao,	,,	30.17	766.2	46	75	NNE	4	o	,,	30.14	765.6	45	82	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pratas Island,	,,	30.11	764.8	68	74	NE	6	bo	,,	30.12	765.0	65	88	NNE	6	o
Phulien,	15	30.18	766.5	52	90	NNW	2	rf	7	30.22	767.7	48	97	NE	2	rf
Tourane,	,,	...	...	...	...	...	...	...	,,	30.05	763.2	64	...	NNW	6	of
Cape St. James,	,,	29.85	758.1	79	...	E	8	of	,,	29.87	758.7	72	...	ENE	6	of
Basco,	14	30.05	763.2	70	74	NE	4	o	6	30.07	763.8	64	86	E	1	o
Aparri,	,,	30.00	762.0	75	76	NE	4	o	,,	30.05	763.2	70	87	E	4	o
Tuguegarao,	,,	29.98	761.5	77	76	N	2	o	,,	30.04	762.9	68	92	NNW	2	o
Vigan,	,,	29.88	759.0	82	60	NW	6	o	,,	29.94	760.5	68	85	NNW	1	b
Manila,	,,	29.88	759.0	81	66	WSW	1	r	,,	29.97	761.1	70	88	N	1	b
Legaspi,	,,	29.88	759.0	86	52	NE	4	b	,,	...	...	...	...	...	...	...
Calboyog,	,,	29.87	758.7	81	62	NE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	72	96	N	4	o
Iloilo,	,,	29.85	758.1	84	49	NE	4	b	,,	29.88	759.0	72	94	NE	4	o
Cebu,	,,	29.82	757.5	84	49	NE	4	bf	,,	29.87	758.7	84	90	N	2	o
Surigao,	,,	29.86	758.4	82	77	N	4	o	,,	29.88	759.0	75	94	SE	2	o
Saipan,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	73	...	NE	3	o
Guam,	,,	29.79	756.6	...	...	N	6	o	,,	...	...	...	...	...	...	...
Yap,	12.20	29.76	756.0	...	...	NNE	4	r	4.20	29.81	757.2	...	...	NE	4	r
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.86	758.4	72	...	NNE	3	r
Ponape,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	78	...	NE	4	r
Labuan,	14	29.81	757.2	83	92	E	4	b	6	29.84	757.9	78	84	NW	2	b

February 4*d.* 11*h.* 10*m.*—The anticyclone over China has weakened slightly. Strong to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·93 inches, against an average of 1·71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; overcast.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; overcast.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; overcast.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th February, 1929.								5th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.20	767.2	22	...	N	3	b	6	30.16	766.1	12	...	NNW	2	b
Nemuro,	11	30.02	760.0	...	...	WNW	3	...	5	29.98	761.5	...	...	WNW	1	...
Hokodate,	,,	30.00	762.0	...	...	NW	4	...	,,	29.96	761.0	...	...	...	0	...
Tokio,	,,	30.08	764.0	...	...	N	1	...	,,	30.04	763.0	...	..	NNW	1	...
Kochi,	,,	30.14	765.5	...	...	...	0	...	,,	30.08	764.0	...	..	WNW	1	...
Nagasaki,	,,	30.18	766.5	...	...	...	0	...	,,	30.20	767.0	...		NNW	2	...
Kagoshima,	,,	30.16	766.0	...	...	...	0	...	,,	30.16	766.0	...		...	0	...
Oshima,	,,	30.16	766.0	...	...	N	1	...	,,	30.18	766.5	...	...	N	2	...
Naha,	,,	30.20	767.0	...	...	NNE	2	...	,,	30.20	767.0	...		N	3	...
Ishigakijima,	,,	30.24	768.0	...	...	N	2	...	,,	30.20	767.0	..		N	1	...
Bonin Island,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.10	764.5	...	...	NNW	1	...
Chefoo,	15	30.29	769.3	28	88	NW	4	b	6	30.29	769.3	24	100	...	0	b
Shanghai,	14	30.41	772.5	37	96	NW	1	b	,,	30.45	773.4	25	...	WNW	1	o
Gutzlaff,	,,	30.44	773.2	36	54	NNW	4	b	,,	30.43	772.9	30	80	NNW	4	o
Sharp Peak,	,,	30.25	768.3	46	84	E	4	o	7	30.25	768.3	42	88	NNW	2	o
Amoy,	,,	30.24	768.1	54	74	E	4	o	6	30.18	766.6	48	78	NE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	30.11	764.7	50	93	NE	2	o
Taihoku,	11	30.33	770.4	52	92	E	4	r	5	30.20	767.1	52	95	E	4	o
Taichu,	,,	30.28	769.2	54	...	N	2	o	,,	30.12	765.0	50	...	..	0	h
Tainan,	,,	30.20	767.1	55	...	N	2	o	,,	30.11	764.7	43	...	N	2	b
Koshun,	,,	30.15	765.9	66	...	NE	4	o	,,	30.08	764.1	64	...	NE	4	o
Pescadores,	,,	30.25	768.3	55	...	NNE	6	o	,,	30.13	765.3	55	...	NNE	6	o
Hong Kong,	14	30.16	766.0	57	65	NNE	1	o	6	30.09	764.3	54	88	ENE	4	od
Gap Rock,	,,	30.16	766.0	...	...	NNE	5	o	,,	30.07	763.7		...	ENE	5	o
Macao,	,,	30.13	765.3	50	74	NNE	4	o	,,	30.07	763.8	48	97	N	4	r
Hoihow,	,,	...	...	...	...		...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.09	764.3	64	88	NE	7	o	,,	30.04	763.0	67	84	NE	6	o
Phulien,	15	30.14	765.6	57	72	...	0	o	7	30.12	765.0	54	95	NE	1	of
Tourane,	,,	29.99	761.7	70	...	NNW	4	o	,,	30.02	762.5	64	...	NW	4	of
Cape St. James,	,,	29.81	757.2	79	...	E	7	bf	,,	29.86	758.4	75	...	ENE	6	o
Basco,	14	30.02	762.6	68	85	NE	4	o	6	30.02	762.6	68	81	E	4	o
Aparri,	,,	29.97	761.1	77	68	ENE	4	o	,,	30.00	762.0	66	92	...	0	b
Tuguegarao,	,,	29.95	760.8	82	60	N	2	o	,,	30.00	762.0	66	92	SE	1	o
Vigan,	,,	29.85	758.1	82	57	NW	4	b	,,	29.88	759.0	75	49	ENE	2	h
Manila,	,,	29.8[illegible]	758.7	90	55	E	4	o	,,	29.93	760.2	66	90	NE	1	o
Legaspi,	,,	29.88	759.0	77	84	NNE	4	o	,,	29.91	759.6	75	76	NNE	4	o
Calboyog,	,,	29.87	75[illegible].7	79	69	NE	4	o	,,	29.88	759.0	72	82	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	75	83	NE	4	o
Iloilo,	,,	29.81	757.2	82	63	NE	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.82	757.5	81	80	ENE	6	o	,,	...	...	...	...	...	...	...
Saipan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	,,	29.81	757.2	...	...	NE	6	o	,,	...	...	...	...	...	...	...
Yap,	12.20	29.76	756.0	...	...	NE	4	o	4.20	29.79	756.6	...	...	ENE	2	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Ponape,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Jabuan,	14	29.80	756.9	84	83	NE	4	b	6	29.83	757.7	76	91	NE	2	b

February 5*d.* 10*h.* 50*m.*—The anticyclone is now central to the north of the lower Yangtze Valley.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 0·94 inches, against an average of 1·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; overcast, some drizzle or mist.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; overcast, some drizzle or mist.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; overcast, some drizzle or mist.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th February, 1929.								6th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.12	765.0	19	...	NNE	2	o	6	30.13	765.4	11	...	...	o	o
Nemuro,	11	29.98	761.5	...	...	NNW	1	...	5	30.00	762.0	...	...	...	o	...
Hokodate,	"	29.96	761.0	...	...	...	o	...	"	29.96	761.0	..	...	...	o	...
Tokio,	"	29.98	761.5	...	...	S	1	...	"	29.98	761.5	...		NNW	1	...
Kochi,	"	30.06	763.5	...	...	W	2	...	"	30.10	764.5	...	...	...	o	...
Nagasaki,	"	30.22	767.5	...	...	NNW	2	...	"	30.18	766.5	...		N	2	...
Kagoshima,	"	30.18	766.5	...	...	N	1	...	"	30.14	765.5	..		...	o	...
Oshima,	"	30.18	766.5	...	...	N	1	...	"	30.10	764.5	..	...	...	o	...
Naha,	"	30.20	767.0	...	...	NE	1	...	"	30.06	763.5	.		NE	1	...
Ishigakijima,	"	30.18	766.5	...	...	NNE	2	...	"	30.00	762.0			ESE	2	...
Bonin Island,	"	30.06	763.5	...	...	SW	1	...	"	30.06	763.5	...	...	...	o	...
Chefoo,	15	30.28	769.1	30	100	NW	4	b	6	30.31	769.9	24	100	SW	1	b
Shanghai,	14	30.39	771.9	34	63	NW	1	o	"	30.39	771.9	28	79	NNW	1	o
Gutzlaff,	"	30.43	772.9	34	60	NNW	4	o	"	30.42	772.6	32	82	NNW	2	b
Sharp Peak,	"	30.19	766.8	40	89	N	1	r	7	30.17	766.3	44	90	N	1	r
Amoy,	"	30.11	764.7	52	73	NNE	4	o	6	30.10	764.5	50	100	ENE	4	r
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	11	30.17	766.2	57	86	E	4	o	5	30.08	764.1	55	98	...	o	r
Taichu,	"	30.11	764.7	61	...	...	o	o	"	30.05	763.2	55	...	...	o	o
Tainan,	"	30.11	764.7	64	...	NNE	2	o	"	30.01	762.3	57	...	N	4	b
Koshun,	"	30.08	764.1	72	...	NE	4	o	"	29.97	761.1	64	...	...	o	o
Pescadores,	"	30.14	765.6	59	...	NNE	4	o	"	30.02	762.6	55	...	NNE	6	o
Hong Kong,	14	30.05	763.2	54	89	NE	1	od	6	30.04	763.0	53	83	...	o	o
Gap Rock,	"	30.06	763.5	...	...	NNE	5	od	"	30.02	762.5	...	...	NE	4	o
Macao,	"	30.04	762.9	50	87	NE	4	o	"	30.01	762.3	46	94	NNE	4	o
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.99	761.7	73	78	ENE	4	o	"	29.94	760.5	65	89	NE	5	o
Phulien,	15	30.02	762.6	59	68	...	o	o	7	30.10	764.4	50	92	NNE	4	rf
Tourane,	"	...	...	77	...	E	7	b	"	29.97	761.1	64	...	NNW	4	o
Cape St. James,	"	...	...	66	...	NNW	4	o	"	29.86	758.3	75	...	ENE	6	o
Basco,	14	29.97	761.1	75	63	ESE	4	o	6	29.91	759.6	72	75	ESE	4	o
Aparri,	"	29.92	759.9	75	76	E	4	o	"	29.91	759.6	66	96	...	o	b
Tuguegarao,	"	29.92	759.9	82	60	SE	1	o	"	29.89	759.3	64	98	...	o	o
Vigan,	"	29.84	757.8	84	68	W	2	b	"	29.85	758.1	72	75	SSW	1	o
Manila,	"	29.86	758.4	84	45	E	4	o	"	29.88	759.0	66	88	NE	1	b
Legaspi,	"	...	...	...	...	...	...	...	"	29.84	757.8	75	86	N	4	o
Calboyog,	"	29.82	757.5	79	73	N	4	o	"	29.81	757.2	73	96	...	o	o
Tacloban,	"	29.84	757.8	81	80	NE	4	o	"	29.81	757.2	75	91	N	4	o
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Cebu,	"	29.79	756.6	84	52	NE	4	o	"	29.78	756.3	79	73	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Saipan,	"	...	...	...	...		...	...	"	29.85	758.2	74	...	E	+	r
Guam,	"	29.76	756.0	...	...	E	4	o	"	...	...	...	...	...	...	...
Yap,	12.20	29.74	755.4	...	...	ENE	4	o	4.20	29.79	756.6	...	...	ENE	4	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.77	756.1	78	...	E	3	o
Ponape,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	70	...	E	3	c
Labuan,	14	29.82	757.4	84	91	SE	4	b	6	29.82	757.4	82	91	SE	2	b

February 6d. 11h. 00m.—The anticyclone over China has again weakened slightly.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·94 inches, against an average of 1·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; overcast, some drizzle or mist.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th February, 1929.								7th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.52	775.2	16	...	NNE	4	0	6	30.15	765.9	3	...	NNE	3	b
Nemuro,	11	29.96	761.0	...	...	E	2	...	5	29.88	759.0	...	...	ENE	2	...
Hokodate,	,,	29.92	760.0	...	...	N	1	...	,,	29.92	760.0	...	...	W	3	...
Tokio,	,,	29.02	760.0	...	...	NE	1	...	,,	29.06	761.0	...	...	...	0	...
Kochi,	,,	30.06	763.5	...	...	SW	1	...	,,	30.10	764.5	...	...	SW	1	...
Nagasaki,	,,	30.20	767.0	...	...	N	1	...	,,	30.18	766.5	...	...	...	0	...
Kagoshima,	,,	30.16	766.0	...	...	NNW	1	...	,,	30.14	765.5	...	...	...	0	...
Oshima,	,,	30.10	764.5	...	...	...	...	...	,,	30.06	763.5	...	...	NNE	2	...
Naha,	,,	30.02	762.5	...	...	NE	2	...	,,	29.98	761.5	...	...	ENE	2	...
Ishigakijima,	,,	29.98	761.5	...	...	SSW	3	...	,,	29.98	761.5	...	...	N	1	...
Bonin Island,	,,	30.02	762.5	...	...	...	0	...	,,	30.00	762.0	...	...	...	...	...
Chefoo,	15	30.26	768.6	32	100	NW	4	b	6	30.29	769.3	24	100	NW	1	b
Shanghai,	14	30.36	771.0	43	34	N	1	0	,,	30.34	770.7	28	88	NE	1	b
Gutzlaff,	,,	30.37	771.4	38	59	N	4	0	,,	30.35	770.9	34	90	N	2	0
Sharp Peak,	,,	30.11	764.8	44	88	ENE	2	r	7	30.18	766.5	44	86	N	1	0
Amoy,	,,	30.08	764.0	52	93	NE	2	r	6	30.12	765.0	48	89	NE	4	0
Swatow,	,,	30.10	764.5	53	81	NNE	1	r	,,	...	...	...	...	...	...	...
Taihoku,	11	30.13	765.3	57	96	E	2	r	5	30.10	764.4	54	97	...	0	r
Taichu,	,,	30.06	763.5	59	...	NNW	4	0	,,	30.04	762.9	54	...	...	0	0
Tainan,	,,	30.02	762.6	70	...	N	4	0	,,	30.01	762.3	55	...	NNE	4	b
Koshun,	,,	29.99	761.7	73	...	...	0	0	,,	29.97	761.1	66	...	NNE	4	b
Pescadores,	,,	30.08	764.1	59	...	NE	6	0	,,	30.05	763.2	55	...	NNE	6	0
Hong Kong,	14	30.05	763.2	54	71	...	0	0	6	30.11	764.8	48	78	...	0	0
Gap Rock,	,,	30.05	763.2	...	...	NNW	6	0	,,	30.05	763.2	...	...	NNE	4	0
Macao,	,,	30.04	762.9	45	94	N	4	r	,,	30.07	763.8	45	86	N	4	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.95	760.7	67	87	NNE	6	0	,,	30.02	762.5	65	94	NNE	6	0
Phulien,	15	30.11	764.7	57	67	NNE	1	0	7	30.15	765.9	54	70	ENE	2	of
Tourane,	,,	29.93	760.2	68	...	NNW	6	0	,,	30.04	762.9	64	...	NNW	6	of
Cape St. James,	,,	29.81	757.2	79	...	E	6	0	,,	29.86	758.4	73	...	ENE	6	of
Basco,	14	29.86	758.4	77	68	SE	4	0	6	29.92	759.9	70	83	NNE	2	0
Aparri,	,,	29.82	757.5	84	52	...	0	b	,,	29.89	759.3	72	92	NNW	2	0
Tuguegarao,	,,	29.82	757.5	84	55	...	0	0	,,	29.88	759.0	70	92	N	1	0
Vigan,	,,	29.81	757.2	84	58	WSW	4	b	,,	29.86	758.4	68	88	NW	1	b
Manila,	,,	29.80	756.9	84	58	SW	2	0	,,	29.86	758.4	68	91	...	0	b
Legaspi,	,,	29.79	756.6	81	80	NNE	4	0	,,	29.82	757.5	75	94	...	0	0
Calboyog,	,,	29.76	756.0	82	77	NNE	4	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	92	NW	2	b
Iloilo,	,,	29.75	755.7	81	73	SE	4	0	,,	29.81	757.2	75	92	NE	4	b
Cebu,	,,	29.73	755.1	82	74	NE	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	77	92	SE	4	r	,,	29.78	756.3	75	94	...	0	0
Saipan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	,,	29.79	756.6	...	...	E	4	0	,,	29.79	756.6	...	...	NE	1	0
Yap,	12.20	29.75	755.7	...	...	ENE	4	0	4.20	29.78	756.3	...	...	NE	4	0
Pelew,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Ponape,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Lihuan,	14	29.82	757.4	86	92	NNE	4	b	6	29.82	75 .4	80	91	ENE	2	b

February 7*d.* 11*h.* 00*m.*—A moderate anticyclone remains stationary over China.

Fresh to moderate monsoon will continue along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 0·96 inches, against an average of 1·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, moderate; overcast.
3.—Hong Kong to Gap Rock,	N. winds, moderate; overcast.
4.—South coast of China between Hong Kong and Hainan,	N. winds, moderate; overcast.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th February, 1929.								8th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.09	764.4	15	...	...	0	b	6	30.15	765.8	1	...	NNE	2	b
Nemuro,	11	29.84	758.0	...	...	E	1	...	5	29.75	755.5	...	...	WNW	1	...
Hokodate,	,,	29.88	759.0	...	...	WNW	3	...	,,	29.90	759.5	...	...	NW	1	...
Tokio,	,,	29.94	760.5	...	...	NE	1	...	,,	29.96	761.0	...	...	NW	1	...
Kochi,	,,	30.06	763.5	...	...	...	0	...	,,	30.16	766.0	...	...	WSW	1	...
Nagasaki,	,,	30.20	767.0	...	...	N	2	...	,,	30.18	766.5	...	...	...	0	...
Kagoshima,	,,	30.12	765.0	...	...	NNW	...	...	,,	30.18	766.5	...	...	NW	1	...
Oshima,	,,	30.08	764.0	...	...	N	2	...	,,	30.12	765.0	...	...	S	1	...
Naha,	,,	30.04	763.0	...	...	NNE	4	...	,,	30.08	764.0	...	...	NE	1	...
Ishigakijima,	,,	30.00	762.0	...	...	NNE	2	...	,,	30.04	763.0	...	...	NNE	1	...
Bonin Island,	,,	29.90	759.5	...	...	NE	1	...	,,	29.94	760.5	...	...	NNW	2	...
Chefoo,	15	30.21	767.3	32	90	ENE	1	0	6	30.15	765.8	28	100	...	0	b
Shanghai,	14	30.25	768.3	52	45	SSE	1	b	,,	30.22	767.7	32	92	S	1	b
Gutzlaff,	,,	30.31	769.9	48	63	NNE	1	b	,,	30.27	768.8	38	91	SSW	2	b
Sharp Peak,	,,	30.11	764.8	54	68	E	1	0	7	30.15	765.8	47	85	E	1	0
Amoy,	,,	30.09	764.3	58	76	E	4	0	6	30.13	765.3	52	88	NE	4	0
Swatow,	,,	30.01	762.2	53	81	NE	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.14	765.6	57	93	E	4	r	5	30.08	764.1	55	98	E	4	0
Taichu,	,,	30.10	764.4	59	...	N	2	0	,,	30.07	763.8	54	...	...	0	0
Tainan,	,,	30.07	763.8	63	...	N	4	0	,,	30.01	762.3	54	...	N	2	0
Koshun,	,,	30.02	762.6	72	...	NNE	2	0	,,	30.01	762.3	61	...	...	0	b
Pescadores,	,,	30.11	764.7	57	...	NNE	6	0	,,	30.07	763.8	55	...	N	4	0
Hong Kong,	14	30.07	763.8	58	68	W	2	c	6	30.11	764.8	54	89	N	1	0
Gap Rock,	,,	30.06	763.5	...	...	NNE	4	0	,,	30.09	764.3	...	...	ENE	4	0
Macao,	,,	30.05	763.2	55	71	NE	2	0	,,	30.06	763.5	50	87	N	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.01	762.2	66	83	NNE	5	0	,,	30.03	762.7	66	74	NNE	4	0
Phulien,	15	30.10	764.4	63	60	SSW	2	0	7	30.06	763.5	55	84	ENE	1	of
Tourane,	,,	29.98	761.4	66	...	NNW	6	0	,,	30.00	762.0	64	...	NNW	2	of
Cape St. James,	,,	29.85	758.1	77	...	E	6	0	,,	29.87	758.7	75	...	NE	4	0
Basco,	14	29.91	759.6	73	75	NNE	4	0	6	29.95	760.8	68	92	NE	2	0
Aparri,	,,	29.87	758.7	79	76	NE	4	0	,,	29.94	760.5	73	79	NE	2	0
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	70	94	N	1	0
Vigan,	,,	29.82	757.5	82	63	NNW	4	b	,,	29.87	758.7	63	88	NNW	1	0
Manila,	,,	29.81	757.2	84	60	SW	1	0	,,	29.87	758.7	72	84	SE	1	0
Legaspi,	,,	29.78	756.3	84	74	NNE	4	0	,,	29.86	758.4	75	91	...	0	0
Calboyog,	,,	29.78	756.3	81	87	WSW	4	0	,,	29.86	758.4	73	96	NE	2	0
Tacloban,	,,	29.85	758.1	86	52	N	1	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	65	NE	4	0	,,	29.84	757.8	75	94	NE	4	0
Cebu,	,,	29.75	755.7	84	64	NNE	4	0	,,	29.84	757.8	75	88	N	2	0
Surigao,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	72	96	...	0	0
Saipan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	,,	29.74	755.4	...	...	NE	4	0	,,	29.79	756.6	...	...	NE	2	0
Yap,	12.20	29.74	755.4	...	...	NE	4	0	4.20	29.81	757.2	...	...	NE	1	0
Pelew,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Ponape,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	83	NE	2	b	6	29.85	758.2	77	91	NE	2	b

February 8*d.* 11*h.* 30*m.*—The anticyclone over China has weakened slightly.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 1·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; overcast.
3.—Hong Kong to Gap Rock,	N.E. winds, moderate; overcast.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; overcast.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th February, 1929.								9th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.11	764.7	9	...	NNE	3	b	6	30.08	764.1	−4	...	NE	2	b
Nemuro,	11	29.74	755.5	...	...	WNW	2	...	5	29.78	756.5	...	...	NE	1	...
Hokodate,	,,	29.90	759.5	...	...	WNW	4	...	,,	29.80	757.0	...	...	...	...	...
Tokio,	,,	29.92	760.0	...	...	S	1	...	,,	29.75	755.5	...	...	N	1	...
Kochi,	,,	30.10	764.5	...	...	...	0	...	,,	29.92	760.0	...	...	WSW	1	...
Nagasaki,	,,	30.14	765.5	...	...	...	0	...	,,	30.12	765.0	...	...	NNW	2	...
Kagoshima,	,,	30.14	765.5	...	...	W	1	...	,,	30.06	763.5	...	...	NW	1	...
Oshima,	,,	30.10	764.5	...	...	SSE	1	...	,,	30.04	763.0	...	...	N	1	...
Naha,	,,	30.08	764.0	...	...	ENE	1	...	,,	30.06	763.5	...	...	NNE	3	...
Ishigakijima,	,,	30.06	763.5	...	...	E	1	...	,,	30.02	762.5	...	...	NNE	2	...
Bonin Island,	,,	30.02	762.5	...	...	NW	2	...	,,	30.08	764.0	...	...	...	0	...
Chefoo,	15	30.18	766.5	26	100	NW	6	b	6	30.37	771.4	24	100	NW	1	0
Shanghai,	14	30.20	767.0	50	45	WNW	4	b	,,	30.40	772.2	32	68	NNE	1	b
Gutzlaff,	,,	30.22	767.5	47	63	NNW	4	b	,,	30.42	772.6	32	68	NNE	4	0
Sharp Peak,	,,	30.06	763.5	56	75	E	1	0	7	30.20	767.0	47	85	ENE	2	0
Amoy,	,,	30.04	763.0	62	72	SSE	4	b	6	30.14	765.5	54	89	NE	4	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.10	764.4	68	77	E	4	0	5	30.13	765.3	57	86	E	4	0
Taichu,	,,	30.10	764.4	66	...	...	0	b	,,	30.06	763.5	52	...	...	0	b
Tainan,	,,	30.10	764.4	68	...	N	4	b	,,	30.05	763.2	57	...	N	4	0
Koshun,	,,	30.10	764.4	72	...	NW	2	b	,,	30.01	762.3	61	...	NNW	2	b
Pescadores,	,,	30.13	765.3	59	...	NNE	4	0	,,	30.08	764.1	57	...	NNE	6	0
Hong Kong,	14	30.06	763.5	60	72	E	3	0	6	30.10	764.5	59	78	E	2	0
Gap Rock,	,,	30.06	763.5	...	...	NE	5	0	,,	30.12	765.0		...	NNW	4	0
Macao,	,,	30.02	762.6	61	74	NE	1	0	,,	30.05	763.2	55	79	N	2	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.0	68	75	N	5	c	,,	30.06	763.5	63	86	NE	5	0
Phulien,	15	30.02	762.6	63	70	SSE	1	0	7	30.07	763.8	55	98	ENE	4	1f
Tourane,	,,	29.95	760.8	68	...	NNW	2	0	,,	30.01	762.3	68	...	NNW	2	0
Cape St. James,	,,	29.84	757.8	79	...	E	6	0	,,	29.89	759.3	73	...	NE	4	0
Basco,	14	29.89	759.3	77	76	NNE	4	0	6	29.95	760.8	70	88	NNE	4	0
Aparri,	,,	29.88	759.0	81	69	NE	4	b	,,	29.94	760.5	81	96	...	0	0
Tuguegarao,	,,	29.86	758.4	84	60	NW	1	0	,,	29.93	760.2	70	92	N	1	0
Vigan,	,,	29.82	757.5	82	63	NW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.5	84	58	SSE	4	0	,,	29.88	759.0	70	91	NE	1	0
Legaspi,	,,	29.81	757.2	84	74	NNE	4	b	,,	29.84	757.8	75	85	NNE	4	0
Calboyog,	,,	29.79	756.6	86	71	N	4	0	,,	29.84	757.8	73	96	NNE	1	0
Tacloban,	,,	29.78	756.3	86	68	S	4	0	,,	29.84	757.8	73	91	NW	2	b
Iloilo,	,,	29.78	756.3	86	61	NE	4	0	,,	29.82	757.5	75	92	N	4	0
Cebu,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	75	85	N	2	b
Surigao,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	73	96	...	0	0
Saipan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	,,	29.78	756.3	...	...	NE	2	0	,,	29.82	757.5	...	...	NE	2	0
Yap,	12.20	29.76	756.0	...	...	ENE	2	0	4.20	29.82	757.5	...	...	NE	2	0
Petew,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Ponape,	11.00	...	...	...	...	...	...	...	5	...	...		...	...	...	...
Labuan,	14	29.82	757.4	84	91	NE	4	b	6	29.83	757.7	77	88	N	2	b

February 9*d.* 11*h.* 00*m.* – The anticyclone over China has strengthened.

Strong monsoon may be expected along the S.E. coast of China and freshening monsoon over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 1·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; cloudy.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th February, 1929.								10th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.02	762.6	11	...	N	4	b	6	30.09	764.3	−1	...	NNW	3	b
Nemuro,	11	29.74	755.5	...	...	E	2	...	5	29.47	748.5	...	...	NE	1	...
Hokodate,	,,	29.74	755.5	...	...	NNW	1	...	,,	29.63	752.5	...	...	...	0	...
Tokio,	,,	29.59	751.5	...	...	WNW	1	...	,,	29.75	755.5	...	...	...	0	...
Kochi,	,,	29.92	760.0	...	...	NW	1	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	30.12	765.0	...	...	NNW	3	...	,,	30.14	765.5	...	...	NNW	2	...
Kagoshima,	,,	30.06	763.5	...	...	NW	3	...	,,	30.08	764.0	...	...	NNW	3	...
Oshima,	,,	30.06	763.5	...	...	N	2	...	,,	30.08	764.0	...	...	N	2	...
Naha,	,,	30.06	763.5	...	...	N	6	...	,,	30.10	764.5	...	...	N	5	...
Ishigakijima,	,,	30.08	764.0	...	...	NNE	3	...	,,	30.14	765.5	...	...	N	2	...
Bonin Island,	,,	30.02	762.5	...	...	SSW	1	...	,,	29.84	758.0	...	...	W	3	...
Chefoo,	15	30.43	772.9	24	87	N	4	o	6	30.32	770.1	24	100	...	0	b
Shanghai,	14	30.39	771.9	37	66	N	4	b	,,	30.44	773.1	25	...	N	1	b
Gutzlaff,	,,	30.41	772.4	38	45	NNW	6	o	,,	30.47	773.9	28	65	NNW	4	b
Sharp Peak,	,,	30.13	765.3	46	84	ENE	4	o	7	30.30	769.5	42	75	ENE	4	o
Amoy,	,,	30.09	764.3	60	71	E	4	o	6	...	...	...	...	...	...	...
Swatow,	,,	30.15	765.7	55	88	E	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.18	766.5	57	84	E	2	r	5	30.24	768.0	50	87	E	2	o
Taichu,	,,	30.12	765.0	63	...	NNW	2	o	,,	30.13	765.3	48	...	N	2	b
Tainan,	,,	30.12	765.0	68	...	NNE	4	b	,,	30.11	764.7	50	...	N	4	b
Koshun,	,,	30.06	763.5	68	...	NW	2	o	,,	30.05	763.2	61	...	NNE	4	b
Pescadores,	,,	30.1	766.2	61	...	NNE	5	o	,,	30.15	659	54	...	NE	6	o
Hong Kong,	14	30.08	764.0	62	63	ESE	2	o	6	30.15	765.8	55	71	ENE	3	o
Gap Rock,	,,	30.09	764.3	...	...	ENE	4	o	,,	30.11	764.8	...	...	NE	4	o
Macao,	,,	30.06	763.5	63	56	NE	2	o	,,	30.11	764.7	54	70	NE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.04	763.0	68	76	NNE	6	c	,,	30.08	764.0	64	88	NE	6	o
Phulien,	15	30.06	763.5	59	96	NE	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.97	761.1	72	...	NNE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	758.4	79	...	E	4	o	,,	...	...	...	...	...	...	...
Basco,	14	29.92	759.9	73	79	NNE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.91	759.6	81	66	NNW	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.87	758.7	84	58	N	2	o	,,	29.95	760.8	68	88	N	2	o
Vigan,	,,	29.84	757.8	81	62	N	6	o	,,	29.87	758.7	68	81	N	4	b
Manila,	,,	29.81	757.2	84	60	WSW	2	o	,,	29.88	759.0	73	86	NE	1	o
Legaspi,	,,	29.79	756.6	84	74	NNE	4	o	,,	29.82	757.5	75	92	N	1	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	91	NW	4	o
Iloilo,	,,	29.78	756.3	82	74	NE	4	o	,,	29.82	757.5	73	96	N	4	o
Cebu,	,,	29.78	756.3	86	58	NE	4	b	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	82	81	NW	4	o	,,	29.81	757.2	73	96	...	0	o
Saipan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	,,	29.76	756.0	...	...	E	4	o	,,	...	...	...	...	...	...	...
Yap,	12.20	29.75	755.7	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Pelew,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Ponape,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	86	88	NE	2	b	6	29.82	757.4	78	100	...	0	b

February 10*d.* 11*h.* 15*m* — The anticyclone over China is unchanged.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 2·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; cloudy.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th February, 1929.									11th February, 1929.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.12	765.1	8	...	N	4	b		6	30.15	765.7	−3	...	...	0	b
Nemuro,	11	29.43	74[illegible].5	...	...	NE	6	...		5	29.67	753.5	..	...	NW	1	...
Hokodate,	,,	29.61	752.0	...	...	NW	2	...		,,	29.80	757.0	..	...	NW	3	...
Tokio,	,,	29.67	753.0	...	...	SE	1	...		,,	30.04	763.0	..	...	W	1	...
Kochi,	,,	29.98	761.5	...	...	NW	3	...		,,	30.16	766.0	..	..	W	1	...
Nagasaki,	,,	30.20	767.0	...	...	NW	4	...		,,	30.24	768.0	..	...	...	0	...
Kagoshima,	,,	30.14	765.5	...	...	NW	2	...		,,	30.20	767.0	..	.	NW	1	...
Oshima,	,,	30.16	766.0	...	...	N	2	...		,,	30.14	765.5	..	...	S	1	...
Naha,	,,	30.18	766.5	...	...	N	4	...		,,	30.10	764.5	..		NE	1	...
Ishigakijima,	,,	30.22	767.5	...	...	NNE	2	...		,,	30.10	764.5			N	1	...
Bonin Island,	,,	29.87	758.7	...	...	NW	1	...		,,	20.98	761.5	...	...	NW	2	...
Chefoo,	15	30.28	769.1	30	100	NW	2	b		6	30.13	765.3	28	88	NW	1	o
Shanghai,	14	30.38	771.6	41	32	N	2	b		,,	30.19	766.8	34	100	SE	1	o
Gutzlaff,	,,	30.43	772.9	40	48	N	2	b		,,	30.23	767.8	38	72	SE	4	o
Sharp Peak,	,,	30.59	777.0	50	72	E	4	b		7	30.09	764.3	44	88	NW	2	r
Amoy,	,,	30.17	766.3	56	51	ENE	4	b		6	30.09	764.3	48	71	W	4	b
Swatow,	,,	..	...	...	...	...	...	...		,,	30.07	763.8	50	93	NE	2	c
Taihoku,	11	30.27	768.9	54	70	E	4	o		5	30.07	763.8	54	88	E	2	o
Taichu,	,,	30.13	765.3	61	...	NNW	2	o		,,	30.07	763.8	54	...	...	0	o
Tainan,	,,	30.14	765.6	64	...	N	4	b		,,	30.10	764.4	52	...	N	2	bf
Koshun,	,,	30.12	765.0	68	...	NE	6	b		,,	30.04	762.9	59	...	NNW	2	b
Pescadores,	,,	30.19	766.8	59	...	NNE	6	b		,,	30.08	764.1	52	...	N	6	o
Hong Kong,	14	30.10	764.5	58	67	E	4	o		6	30.06	763.5	54	78	E	2	o
Gap Rock,	,,	30.08	764.0	...	...	ENE	5	c		,,	30.04	763.0	...	...	ENE	5	c
Macao,	,,	30.05	763.5	61	69	ESE	2	o		,,	30.00	762.0	55	84	ESE	4	o
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.06	763.5	67	69	NE	6	bc		,,	30.00	762.0	66	87	NE	5	b
Phulien,	15	30.00	762.0	57	62	ENE	4	o		7	30.00	762.0	59	98	NNW	2	rf
Tourane,	,,	29.93	760.2	72	...	ESE	2	o		,,	29.95	760.8	70	...	SE	4	o
Cape St. James,	,,	29.81	757.2	79	...	E	6	o		,,	29.86	758.4	73	...	ENE	7	b
Basco,	14	29.98	761.4	70	74	NE	4	o		6	29.98	761.4	66	71	ENE	2	o
Aparri,	,,	29.94	760.5	77	68	ENE	4	o		,,	29.94	760.0	72	78	E	4	o
Tuguegarao,	,,	29.91	759.6	82	60	N	4	o		,,	29.94	760.5	66	90	N	1	o
Vigan,	,,	29.80	756.9	82	54	SW	4	b		,,	29.82	757.5	75	60	E	2	o
Manila,	,,	29.82	757.5	82	67	SW	2	o		,,	29.86	758.5	70	87	E	1	b
Legaspi,	,,	29.82	757.5	79	90	NNE	4	o		,,	29.84	757.8	75	85	N	4	o
Calbayog,	,,	29.80	756.9	79	89	N	4	o		,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...		,,	29.81	757.2	75	94	SW	1	b
Iloilo,	,,	29.78	756.3	82	74	N	6	o		,,	29.79	756.6	72	91	NE	6	o
Cebu,	,,	29.76	756.0	86	58	NE	4	o		,,	29.80	756.9	75	98	N	2	o
Surigao,	,,	...	...	...	...	...	...	...		,,	29.79	756.6	77	92	NE	2	o
Saipan,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Guam,	,,	29.76	756.0	...	...	NE	2	o		,,	29.84	757.8	...	...	NE	2	o
Yap,	12.29	29.78	756.3	...	...	E	2	o		4.20	29.84	757.8	...	...	NE	2	o
Pelew,	12.47	...	...	...	...	...	...	...		4.47	...		..	...	...	...	...
Ponape,	11.00	...	...	...	...	...	...	...		5	...	...	..	...	...	...	...
Zabuan,	14	29.82	757.4	84	91	ENE	4	b		6	29.82	757.4	77	88	...	0	b

February 11*d.* 11*h.* 10*m* — The anticyclone has weakened and is now central to the south of Korea.

The monsoon will moderate.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 2·09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; fair.
—Hong Kong to Gap Rock,	N.E. winds, moderate; fair.
—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th February, 1929.								12th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.05	763.2	15	...	ESE	1	o	6	29.89	759.2	00	...	N	7	o
Nemuro,	11	29.70	754.5	...	...	W	1	...	5	29.78	756.5	...	...	SE	1	...
Hokodate,	"	29.84	758.0	...	...	NW	4	...	"	29.78	756.5	...	...	...	0	...
Tokio,	"	30.04	763.0	...	...	SW	1	...	"	29.84	758.0	...	.	NW	1	...
Kochi,	"	30.16	766.0	...	...	SW	1	...	"	29.84	758.0	...	..	...	0	...
Nagasaki,	"	30.20	767.0	...	...	SE	2	...	"	29.92	760.0	...	..	NNW	1	...
Kagoshima,	"	30.16	766.0	...	...	...	0	...	"	29.88	759.0	...	.	NW	1	...
Oshima,	"	30.10	764.5	...	...	SSE	1	...	"	29.94	760.5	...	...	N	1	...
Naha,	"	30.10	764.5	...	...	SSW	1	...	"	30.00	762.0	...	.	NNW	6	...
Ishigakijima,	"	30.08	764.0	...	...	SE	1	...	"	30.06	763.5			N	2	...
Bonin Island,	"	30.02	762.5	...	...	NNW	1	...	"	30.00	762.0	...	...	SSW	1	...
Chefoo,	15	30.15	765.8	24	100	NW	4	r	6	30.20	767.1	24	100	NW	7	b
Shanghai,	14	30.12	765.0	43	62	W	4	o	"	30.37	771.3	25	...	NW	2	b
Gutzlaff,	"	30.14	765.5	40	85	WSW	4	o	"	30.38	771.6	28	79	NNW	6	o
Sharp Peak,	"	30.04	761.0	47	91	W	1	r	7	30.22	767.5	48	85	WNW	2	o
Amoy,	"	30.07	763.8	54	74	WSW	4	r	6	30.18	766.6	52	79	NE	4	o
Swatow,	"	30.03	762.7	57	88	ESE	2	o	"	30.17	766.3	53	94	NNE	1	c
Taihoku,	11	30.07	763.8	66	59	...	0	b	5	30.18	766.5	52	90	...	0	o
Taichu,	"	30.07	763.8	66	...	...	0	b	"	30.06	763.5	55	...	N	2	o
Tainan,	"	30.06	763.5	72	...	N	2	b	"	30.06	763.5	55	...	N	4	b
Koshun,	"	30.04	762.9	73	...	NE	4	b	"	30.01	762.3	55	...	...	0	b
Pescadores,	"	30.08	764.1	63	...	NNE	4	b	"	30.04	762.9	57	...	NNE	6	o
Hong Kong,	14	30.00	762.0	63	72	E	2	b	6	30.08	764.0	59	72	...	0	o
Gap Rock,	"	30.01	762.2	...	...	ENE	4	o	"	30.08	764.0	...	...	ENE	4	o
Macao,	"	29.98	761.4	68	64	SE	2	o	"	30.04	762.9	55	84	NNE	4	o
Hoihow,	"		...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.97	761.2	73	75	NE	3	b	"	30.03	762.7	64	83	NNE	5	o
Phulien,	15	29.97	761.1	64	92	...	0	of	7	30.00	762.0	59	98	ENE	6	rf
Tourane,	"	29.89	759.3	73	...	SE	4	bf	"	29.95	760.8	68	...	SE	2	bf
Cape St. James,	"	29.82	757.5	79	...	E	6	b	"	...	...	...	...	...	...	...
Basco,	14	29.91	759.6	75	56	SE	4	b	6	29.98	761.4	68	81	...	0	b
Aparri,	"	29.88	759.0	79	69	ENE	4	o	"	29.93	760.2	68	96	...	0	o
Tuguegarao,	"	29.86	758.4	82	54	S	1	o	"	...	...	...	...	...	...	...
Vigan,	"	29.81	757.2	84	58	W	2	b	"	...	...	...	...	...	...	...
Manila,	"	29.81	757.2	84	58	W	4	o	"	29.88	759.0	68	91	...	0	b
Legaspi,	"	29.80	756.9	77	91	NNE	2	o	"	29.85	758.1	75	91	...	0	o
Calbayog,	"	29.73	755.7	84	77	SSW	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	29.78	756.3	81	92	SE	2	o	"	...	...	..	...	...	...	...
Iloilo,	"	29.76	756.0	82	77	NE	6	o	"	29.82	757.5	75	94	NE	4	b
Cebu,	"	29.75	755.7	86	61	NE	4	o	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	29.81	757.2	75	98	...	0	r
Saipan,	"	...	...	...	...	...	...	...	"	29.84	757.9	73	...	ENE	3	r
Guam,	"	29.78	756.3	...	...	NE	4	o	"	29.81	757.2	...	...	NE	2	o
Yap,	12.20	29.76	756.0	...	...	NE	4	o	4.20	29.82	757.5	...	...	NE	2	o
Pelew,	12.47	...	...	...	...	...	...	..	4.47	29.82	757.4	79	...	ENE	1	c
Ponape,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	79	...	ENE	2	o
Labuan,	14	29.83	757.7	86	92	E	4	b	6	29.83	757.7	78	92	NE	2	b

February 12*d*. 11*h*. 00*m*. — The anticyclone has dispersed and another has formed over China.

The monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 2·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; overcast, some drizzle or mist.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; overcast, some drizzle or mist.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; overcast, some drizzle or mist.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th February, 1929.								13th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.89	759.1	9	...	N	6	o	6	30.13	765.2	1	...	NNE	4	b
Nemuro,	11	29.72	755.0	...	...	NNW	1	...	5	29.63	752.5	...	...	...	0	...
Hokodate,	,,	29.69	754.0	...	...	...	0	...	,,	29.51	749.5	...	...	ENE	2	...
Tokio,	,,	29.65	753.0	...	...	...	0	...	,,	29.63	752.5	...	...	WSW	1	...
Kochi,	,,	29.80	757.0	...	...	W	2	...	,,	30.02	762.5	...	...	NW	1	...
Nagasaki,	,,	30.08	764.0	...	...	NNW	4	...	,,	30.18	766.5	...	...	N	2	...
Kagoshima,	,,	30.02	762.5	...	...	NW	3	...	,,	30.12	765.0	..	..	NW	2	...
Oshima,	,,	30.06	763.5	...	...	N	2	...	,,	30.12	765.0	..	...	N	3	...
Naha,	,,	30.10	764.5	...	...	N	5	...	,,	30.14	765.5	..	..	ENE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	N	2	...	,,	30.14	765.5		..	NE	2	...
Bonin Island,	,,	29.90	759.5	...	...	NNE	3	...	,,	29.90	759.5	...	...	W	2	...
Chefoo,	15	30.27	768.8	26	87	NW	8	b	6	30.35	770.9	24	100	SE	2	b
Shanghai,	14	30.40	772.2	41	...	NNW	2	b	,,	30.37	771.3	28	59	NE	1	o
Gutzlaff,	,,	30.40	772.1	38	54	NNW	4	b	,,	30.38	771.6	32	68	N	4	o
Sharp Peak,	,,	30.13	765.3	48	93	NE	2	o	7	30.20	767.0	42	83	N	1	r
Amoy,	,,	30.12	765.0	56	69	ENE	4	o	6	30.16	766.0	48	78	NNE	4	o
Swatow,	,,	30.09	764.3	56	77	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.24	768.0	54	76	E	4	o	5	30.13	765.3	52	95	E	4	r
Taichu,	,,	30.08	764.1	63	...	NNW	4	b	,,	30.10	764.4	54	...	...	0	o
Tainan,	,,	30.10	764.4	66	...	NNE	4	b	,,	30.07	763.8	54	...	NNW	2	o
Koshun,	,,	30.06	763.5	70	...	NE	4	b	,,	30.04	762.9	63	...	NE	4	o
Pescadores,	,,	30.14	765.6	63	...	NNW	4	b	,,	30.08	764.1	55	...	NNE	6	o
Hong Kong,	14	30.07	763.8	59	64	ENE	3	o	6	30.03	762.7	56	82	E	4	o
Gap Rock,	,,	30.06	763.5	...	...	ENE	4	o	,,	30.00	762.0	...	...	ENE	5	o
Macao,	,,	30.02	762.6	59	73	NE	2	o	,,	29.95	760.8	57	84	ESE	4	o
Hoihow,	,,	.	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.06	761.0	68	75	NE	5	o	,,	30.00	762.0	66	87	NE	6	o
Phulien,	15	29.99	761.7	59	100	ENE	4	rf	7	...	...	...	...	...	...	...
Tourane,	,,	29.93	760.2	75	...	SE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	79	...	E	6	o	,,	...	...	...	...	...	...	...
Basco,	14	29.97	761.1	72	78	NNE	4	o	6	29.99	761.7	68	85	NE	2	o
Aparri,	,,	29.93	760.2	75	79	ENE	4	o	,,	29.97	761.1	70	87	...	o	o
Tuguegarao,	,,	29.85	758.1	81	66	N	2	o	,,	29.97	761.1	68	91	...	o	o
Vigan,	,,	29.82	757.5	81	62	NNW	4	b	,,	29.76	758.4	73	66	E	4	b
Manila,	,,	29.82	757.5	84	64	WSW	4	o	,,	29.88	759.0	72	89	E	1	b
Legaspi,	,,	29.81	757.2	81	87	NE	1	o	,,	29.87	758.7	75	91	N	4	o
Calboyog,	,,	29.78	756.3	84	77	WSW	4	o	,,	29.86	758.4	75	94	N	2	o
Tacloban,	,,	29.78	756.3	86	81	S	4	b	,,	29.86	758.4	75	89	NW	2	b
Iloilo,	,,	29.76	756.0	86	61	NE	6	o	,,	29.82	757.5	75	94	NE	4	b
Cebu,	,,	29.75	755.7	86	61	NE	4	b	,,	29.81	757.2	77	89	N	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	75	96	...	o	o
Saipan,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	73	...	ESE	2	c
Guam,	,,	29.80	756.9	...	...	E	4	o	,,	29.85	758.1	...	...	E	4	o
Yap,	12.20	29.79	756.6	...	...	NE	4	o	4.20	29.83	757.7	78	...	NE	2	c
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.81	757.2	78	...	NE	1	c
Ponape,	11.00	...	...	...	...	...	...	...	5	29.82	757.5	79	...	ENE	4	o
Labuan,	14	29.82	757.4	84	91	NNE	4	b	6	29.83	757.7	75	90	...	o	b

February 13*d.* 11*h.* 10*m.*—The anticyclone covers China and S.E. Mongolia.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 2·19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; overcast, some drizzle or mist.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th February, 1929.								14th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.12	765.1	13	...	NE	3	b	6	30.20	767.0	4	...	...	0	f
Nemuro,	11	29.61	752.0	...	...	N	2	...	5	29.82	757.5	...	...	...	...	...
Hokodate,	,,	29.63	752.5	...	...	NNW	1	...	,,	29.88	759.0	...	...	W	3	...
Tokio,	,,	29.72	755.0	...	...	NW	3	...	,,	30.04	763.0	...	...	NE	1	...
Kochi,	,,	30.04	763.0	...	...	SSW	1	...	,,	30.18	766.5	...	...	...	0	...
Nagasaki,	,,	30.22	767.5	...	...	N	2	...	,,	30.26	768.5	...	...	N	1	...
Kagoshima,	,,	30.16	766.0	...	...	NW	2	...	,,	30.24	768.0	..	...	...	0	...
Oshima,	,,	30.16	766.0	...	...	N	2	...	,,	30.18	766.5	..	...	...	0	...
Naha,	,,	30.16	766.0	...	...	N	2	...	,,	30.12	765.0	..	...	NE	2	...
Ishigakijima,	,,	30.12	765.0	...	...	NE	2	...	,,	30.00	762.0		...	NE	2	...
Bonin Island,	,,	29.92	760.0	...	...	NNW	2	...	,,	30.00	762.0	...	...	WNW	1	...
Chefoo,	15	30.31	769.9	30	100	NE	1	b	6	30.36	771.1	24	100	NW	1	b
Shanghai,	14	30.31	769.8	41	39	E	1	o	,,	30.40	772.2	36	78	ENE	1	o
Gutzlaff,	,,	30.35	770.9	40	56	NNE	2	o	,,	30.44	773.2	38	72	NE	4	o
Sharp Peak,	,,	30.11	764.8	42	95	N	1	r	7	30.21	767.4	44	90	N	2	r
Amoy,	,,	30.09	764.3	50	88	NE	2	o	6	30.14	765.5	50	93	SW	2	o
Swatow,	,,	30.03	762.7	52	94	NE	2	o	,,	30.15	765.8	51	100	NE	1	r
Taihoku,	11	30.13	765.3	55	96	E	4	r	5	30.13	765.3	55	96	ESE	4	r
Taichu,	,,	30.10	764.4	61	...	...	0	o	,,	30.06	763.5	55	...	...	0	r
Tainan,	,,	30.08	764.1	63	...	N	2	o	,,	30.05	763.2	55	...	NNE	4	o
Koshun,	,,	30.01	762.3	73	...	NE	4	o	,,	29.99	761.7	64	...	...	0	o
Pescadores,	,,	30.10	764.4	59	...	NNE	4	o	,,	30.07	763.8	57	...	NNE	6	r
Hong Kong,	14	29.97	761.2	57	78	E	5	o	6	30.11	764.8	56	85	...	0	o
Gap Rock,	,,	29.97	761.2	...	...	ENE	5	o	,,	30.07	763.8	...	...	NNE	5	o
Macao,	,,	29.93	760.2	57	84	ESE	4	o	,,	30.07	763.8	54	90	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.90	759.4	72	82	ENE	5	bc	,,	30.03	762.7	65	89	NNE	6	o
Phulien,	15	29.87	758.7	66	100	E	2	of	7	...	...	...	...	...	...	...
Tourane,	,,	29.85	758.1	75	...	S	4	bf	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.8	81	...	ESE	4	o	,,	...	...	...	...	...	...	...
Basco,	14	29.92	759.9	75	71	ESE	4	o	6	29.03	760.2	73	82	SE	4	o
Aparri,	,,	29.88	759.0	79	73	ENE	4	o	,,	29.92	759.9	68	94	S	2	b
Tuguegarao,	,,	29.88	759.0	82	67	SW	1	o	,,	29.93	760.2	66	98	NE	1	b
Vigan,	,,	29.81	757.2	82	63	WNW	4	b	,,	29.89	759.3	72	82	NNE	1	o
Manila,	,,	29.82	757.5	84	60	WSW	2	o	,,	29.92	759.9	70	91	...	0	b
Legaspi,	,,	29.81	757.2	81	87	NE	4	o	,,	29.88	759.0	77	92	...	0	o
Calbayog,	,,	29.79	756.6	84	77	NNW	4	o	,,	29.87	758.7	73	96	NE	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	77	88	N	4	o
Iloilo,	,,	29.75	755.7	86	65	NE	6	o	,,	29.86	758.4	75	94	N	4	o
Cebu,	,,	29.76	756.0	86	65	NE	4	b	,,	29.84	757.8	73	79	...	0	b
Surigao,	,,	29.78	756.3	81	89	...	0	o	,,	29.85	758.1	73	86	...	0	r
Saipan,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	73	...	E	3	bc
Guam,	,,	29.81	757.2	...	...	E	4	o	,,	29.85	758.1	...	...	NE	2	o
Yap,	12.20	29.76	756.0	...	...	ENE	4	o	4.20	29.82	757.5	78	...	NE	2	o
Pelew,	12.47	...	...	...	...	...	...	...	4.47	29.81	757.2	77	...	NE	2	o
Ponape,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	79	...	ENE	3	o
Labuan,	14	29.80	756.9	84	91	NW	2	b	6	29.82	757.4	77	92	...	0	b

February 14*d.* 10*h.* 50*m* – The anticyclone over China and N.E. Mongolia has strengthened slightly.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 2·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N. or N.E. winds, fresh; overcast.
3.—Hong Kong to Gap Rock,	N. or N.E. winds, fresh; overcast.
4.—South coast of China between Hong Kong and Hainan,	N. or N.E. winds, fresh; overcast.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th February, 1929.								15th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.17	766.4	16	...	NE	3	b	6	30.26	768.6	6	...	...	0	b
Nemuro,	11	29.82	757.5	...	...	NW	1	...	5	29.88	759.0	...	...	...	...	...
Hokodate,	,,	29.90	759.5	...	...	WSW	2	...	,,	29.94	760.5	..	...	N	1	...
Tokio,	,,	30.02	762.5	...	...	NNW	1	...	,,	30.08	764.0	...	..	N	1	...
Kochi,	,,	30.14	765.5	...	...	SW	1	...	,,	30.26	768.5	...	..	WSW	1	...
Nagasaki,	,,	30.33	770.5	...	...	N	2	...	,,	30.30	769.5	..	...	...	0	...
Kagoshima,	,,	30.26	768.5	...	...	E	1	...	,,	30.28	769.0	..	...	NW	1	...
Oshima,	,,	30.22	767.5	...	...	N	2	...	,,	30.24	768.0	..	...	NNE	1	...
Naha,	,,	30.16	766.0	...	...	NE	3	...	,,	30.18	766.5	..	...	NE	2	...
Ishigakijima,	,,	30.10	764.5	...	...	NNE	3	...	,,	30.16	766.0	..	..	NNE	1	...
Bonin Island,	,,	30.02	762.5	...	...	W	1	...	,,	30.06	763.5	...	...	WNW	1	...
Chefoo,	15	30.30	769.6	36	100	NE	1	b	6	30.28	769.1	24	100	...	0	b
Shanghai,	14	30.41	772.5	50	45	ENE	2	b	,,	30.40	772.2	32	76	E	1	b
Gutzlaff,	,,	30.46	773.7	44	56	NE	2	b	,,	30.44	773.2	38	72	ESE	2	b
Sharp Peak,	,,	30.18	766.6	48	89	ENE	4	o	7	30.19	766.8	48	74	NNW	1	o
Amoy,	,,	30.18	766.6	58	72	ENE	4	o	6	30.20	767.0	52	88	NW	4	o
Swatow,	,,	30.19	766.8	57	76	E	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	...	...	57	98	...	0	r	5	30.15	765.9	54	92	...	0	b
Taichu,	,,	30.12	765.0	63	...	ESE	4	o	,,	30.11	764.7	54	...	...	0	o
Tainan,	,,	30.10	764.4	68	...	N	4	o	,,	30.11	764.7	54	...	N	2	o
Koshun,	,,	30.05	763.5	68	...	NNE	4	o	,,	30.07	763.8	64	...	NNE	4	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.02	762.6	55	...	NNE	6	o
Hong Kong,	14	30.09	764.3	65	52	NNE	2	o	6	30.18	766.6	56	83	E	4	cd
Gap Rock,	,,	30.11	764.8	...	...	NNE	4	o	,,	30.15	765.8	...	...	ENE	5	o
Macao,	,,	30.06	763.5	61	64	NNE	4	o	,,	30.13	765.8	55	88	ESE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pratas Island,	,,	30.05	763.2	65	87	NE	6	o	,,	30.09	764.3	64	83	NNE	6	o
Phulien,	15	30.07	763.8	61	87	NE	1	o	7	30.01	764.3	57	...	NE	4	or
Tourane,	,,	29.97	761.1	57	...	E	4	of	,,	30.00	762.0	70	...	ESE	4	of
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	73	...	NE	4	bc
Basco,	14	29.94	760.5	72	84	NNE	4	b	6		...	...	...	...	...	...
Aparri,	,,	29.91	759.6	81	90	NE	2	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.87	758.7	90	55	SW	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.88	759.0	82	70	NW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.86	758.4	86	58	WSW	2	o	,,	29.89	759.3	72	91	...	0	b
Legaspi,	,,	29.82	757.5	86	75	NNE	4	b	,,	29.88	759.0	75	91	NW	2	o
Calboyog,	,,	29.82	757.5	84	98	N	2	o	,,	...	...	...	..	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	90	60	NE	6	o	,,	29.84	757.8	75	92	NNE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.80	756.9	81	80	NNE	2	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.87	758.7	73	...	E	2	b
Guam,	12.22	29.80	756.9	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	NE	4	o	5	29.83	757.7	76	...	NE	2	c
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.4	76	...	NNE	2	c
Ponape,	...	...	...	...	..	...	...	...	,,	29.84	757.9	78	...	E	2	b
Labuan,	14	29.81	757.2	84	87	NE	4	b	6	29.89	759.2	77	91	NE	2	b

February 15*d.* 10*h.* 56*m* – The Chinese anticyclone is now central near Shanghai.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 2·29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; overcast.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; overcast.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; overcast.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th February, 1929.								16th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.25	768.3	15	...	NE	3	b	6	30.27	768.8	1	...	...	0	c
Nemuro,	11	29.86	758.5	...	...	NW	1	...	5	29.96	761.0	...	...	...	...	...
Hokodate,	,,	29.92	760.0	...	...	NNW	1	...	,,	30.02	762.5	...	...	WNW	1	...
Tokio,	,,	30.04	763.0	...	...	NW	2	...	,,	30.12	765.0	...	...	N	1	...
Kochi,	,,	30.20	767.0	...	...	E	1	...	,,	30.34	770.5	...	...	WSW	1	...
Nagasaki,	,,	30.31	770.0	...	...	NW	1	...	,,	30.36	771.0	...	...	...	0	...
Kagoshima,	,,	30.30	769.5	...	...	NW	1	...	,,	30.34	770.5	...	...	NW	1	...
Oshima,	,,	30.24	768.0	...	...	N	1	...	,,	30.28	769.0	...	...	NNE	1	...
Naha,	,,	30.20	767.0	...	...	NE	3	...	,,	30.22	767.5	...	...	ENE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	NE	1	...	,,	30.16	766.0	...	...	ENE	2	...
Bonin Island,	,,	30.08	764.0	...	...	NW	1	...	,,	30.12	765.0	...	...	NW	1	...
Chefoo,	15	30.29	769.3	38	100	NE	1	b	6	30.23	767.8	30	100	...	0	b
Shanghai,	14	30.38	771.6	48	54	SE	1	o	,,	30.39	771.9	28	100	E	1	b
Gutzlaff,	,,	30.42	772.6	42	66	ENE	1	o	,,	30.43	772.9	40	85	E	2	b
Sharp Peak,	,,	30.18	766.6	58	76	ENE	1	b	7	30.24	768.0	48	85	...	0	o
Amoy,	,,	30.19	766.8	63	62	NE	2	b	6	30.19	766.8	52	79	N	2	o
Swatow,	,,	30.19	766.8	57	88	E	2	b	,,	30.18	766.5	54	94	ENE	1	c
Taihoku,	11	30.21	767.4	63	80	ENE	2	o	5	30.21	767.4	57	98	E	2	o
Taichu,	,,	30.18	766.5	66	...	...	0	b	,,	30.15	765.9	52	...	...	0	o
Tainan,	,,	30.18	766.5	68	...	N	4	b	,,	30.14	765.6	55	...	N	2	o
Koshun,	,,	...	...	...	...	...	...	...	,,	30.11	764.7	63	...	N	2	b
Pescadores,	,,	30.21	767.4	57	...	NNE	4	o	,,	30.18	766.5	57	...	NNE	6	o
Hong Kong,	14	30.14	765.5	62	66	ESE	3	b	6	30.17	766.3	57	82	E	3	o
Gap Rock,	,,	30.14	765.5	...	...	ENE	5	o	,,	30.15	765.8	...	...	ENE	4	o
Macao,	,,	30.12	765.0	61	...	ESE	2	o	,,	30.13	765.3	57	86	ESE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	764.8	68	79	NE	4	o	,,	30.10	764.5	66	89	NE	5	o
Phulien,	15	30.08	764.1	59	100	ENE	1	rf	7	30.08	764.1	59	100	ENE	2	of
Tourane,	,,	30.00	762.0	73	...	E	4	of	,,	30.05	763.2	68	...	ESE	4	of
Cape St. James,	,,	29.86	758.4	79	...	E	6	bf	,,	29.89	759.3	73	...	NE	4	bf
Basco,	14	30.00	762.0	70	85	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.97	761.1	81	73	NE	4	o	,,	...	...	...	...	...	...	...
Tugnegarao,	,,	29.92	759.0	84	60	NW	2	o	,,	29.99	761.7	68	91	NW	1	o
Vigan,	,,	29.82	757.5	84	58	NNW	4	bf	,,	29.91	759.6	70	88	NW	1	b
Manila,	,,	29.85	758.1	84	90	W	4	o	,,	29.92	759.9	70	91	...	0	o
Legaspi,	,,	29.84	757.8	82	77	NNE	4	o	,,	29.89	759.3	77	88	NNE	2	o
Calboyog,	,,	29.82	757.5	81	76	NE	4	o	,,	29.88	759.0	75	98	...	0	o
Tacloban,	,,	29.81	757.2	81	84	S	1	o	,,	29.87	758.7	75	96	NW	2	o
Iloilo,	,,	29.80	756.9	84	71	NE	6	o	,,	29.87	758.7	75	96	NE	4	o
Cebu,	,,	29.80	756.9	82	74	NNE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.93	760.2	74	...	NE	2	c
Guam,	12.22	29.82	757.5	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	NE	4	r	5	29.83	757.7	76	...	NNE	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.84	757.9	76	...	NE	2	r
Ponape,	...	...	...	...	...	...	...	...	,,	29.85	758.2	79	...	ESE	1	hc
Labuan,	14	29.82	757.4	86	92	ENE	4	b	6	29.84	757.9	78	94	SE	2	b

February 16*d.* 10*h.* 15*m.*—The anticyclone is central to the south of Korea.

The monsoon will moderate along the S.E. coast of China and remain fresh over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 2·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th February, 1929.								17th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	302.1	767.3	20	...	...	0	b	6	30.23	767.8	5	...	...	0	b
Kemuro,	11	29.92	760.0	...	...	...	0	...	5	30.02	762.5	...	...	...	...	...
Hokodate,	"	30.02	762.5	...	...	NNW	4	...	"	30.04	763.0	..	...	WNW	4	...
Tokio,	"	30.12	765.0	...	...	N	3	...	"	30.22	767.5	...	...	NW	1	...
Kochi,	"	30.26	768.5	...	...	SW	1	...	"	30.30	769.5	...	...	WSW	1	...
Nagasaki,	"	30.33	770.5	...	...	N	1	...	"	30.28	769.0	...	..	...	0	...
Kagoshima,	"	30.30	769.5	...	...	ESE	1	...	"	30.24	768.0	..	.	NW	1	...
Oshima,	"	30.26	768.5	...	...	NNE	2	...	"	30.12	765.0	..	...	SSE	1	...
Naha,	"	30.18	766.5	...	...	ENE	2	...	"	30.10	764.5	..	...	SE	2	...
Ishigakijima,	"	30.16	766.0	...	...	E	2	...	"	30.06	763.5	..	...	NE	2	...
Bonin Island,	"	30.16	766.0	...	...	WNW	1	...	"	30.26	768.5	...	...	...	0	...
Chefoo,	15	30.13	765.3	56	94	SW	2	b	6	30.05	763.2	40	100	S	4	0
Shanghai,	14	30.28	769.2	55	36	S	2	b	"	30.18	766.5	43	97	SE	2	0
Sutzlaff,	"	30.35	770.9	46	69	ESE	2	0	"	30.22	767.6	44	92	SE	1	0
Sharp Peak,	"	30.19	766.8	60	82	E	1	0	7	30.12	765.0	52	86	W	1	0
Amoy,	"	30.13	765.3	62	61	NW	4	b	6	30.13	765.3	54	89	E	4	0
Swatow,	"	30.15	765.8	58	88	E	2	b	"	...	...	...	...	...	...	...
Taihoku,	11	30.20	767.1	66	82	E	4	0	5	30.12	765.0	59	96	...	0	0
Taichu,	"	30.15	765.9	70	...	NW	2	b	"	30.12	765.0	59	...	...	0	0
Tainan,	"	30.15	765.9	70	...	N	2	b	"	30.11	764.7	59	...	N	2	0
Koshun,	"	30.12	765.0	75	...	NNE	4	b	"	30.05	763.2	64	...	...	0	0
Pescadores,	"	30.18	766.5	59	...	NNE	4	0	"	30.13	765.3	55	...	N	4	0
Hong Kong,	14	30.13	765.3	65	60	E	6	0	6	30.13	765.3	57	85	E	2	0
Gap Rock,	"	30.12	765.0	...	...	ENE	5	0	"	30.10	764.5		...	ENE	4	b
Macao,	"	30.08	764.1	63	70	ESE	4	0	"	30.08	764.1	55	90	ESE	2	0
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	30.06	763.5	71	74	NE	4	10	"	30.05	763.2	66	86	NNE	6	0
Phulien,	15	30.06	763.5	61	98	ENE	2	of	7	30.06	763.5	61	...	ENE	2	od
Tourane,	"	29.99	761.7	73	...	ESE	4	of	"	30.01	762.2	68	...	SE	4	cf
Cape St. James,	"	29.85	758.1	79	...	ENE	6	bf	"	29.85	758.2	77	...	E	4	bo
Basco,	14	29.99	761.7	73	75	NE	2	0	6	...	...	...	...	...	...	...
Aparri,	"	29.95	760.8	79	73	NE	4	0	"	...	...	...	...	...	...	...
Tuguegarao,	"	29.92	759.9	84	58	NW	2	0	"	29.97	761.1	66	98	...	0	0
Vigan,	"		...	...	...	...	...	...	"	...	...	..	...	...	...	...
Manila,	"	29.86	758.4	84	60	SW	4	0	"	29.89	759.3	72	91	...	...	b
Legaspi,	"	29.84	757.8	86	68	NNE	4	0	"	29.87	758.7	77	88	N	1	0
Calbayog,	"	29.82	757.5	79	91	N	2	0	"	29.86	758.4	73	96	N	2	0
Tacloban,	"	29.82	757.5	81	84	S	2	0	"	29.86	758.4	75	94	NW	2	0
Iloilo,	"	29.81	757.2	79	84	N	6	0	"	29.84	757.8	73	94	N	4	0
Cebu,	"	29.79	756.6	86	58	NE	2	0	"		...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	0	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...		...	...	...	...	...
Guam,	12.22	29.82	757.5	...	...	E	4	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	...	...	NE	4	0
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	84	91	SE	4	b	6	29.86	758.4	77	94	NE	2	b

February 17*d.* 10*h.* 50*m.*—The anticyclone has weakened and is now central over S.W. Japan.

Moderate to fresh monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 2·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; fine to cloudy.
3.—Hong Kong to Gap Rock,	N.E. winds, moderate; fine to cloudy.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th February, 1929.								18th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.18	766.6	22	...	...	0	c	6	29.89	759.1	13	...	NNE	3	s
Nemuro,	11	29.92	760.0	...	...	WNW	1	...	5	30.08	764.0	...	...	...	...	...
Hokodate,	,,	30.08	764.0	...	...	WNW	4	...	,,	30.00	762.0	...	...	ENE	1	...
Tokio,	,,	30.18	766.5	...	...	S	1	...	,,	29.94	760.5	...	...	NNW	1	...
Kochi,	,,	30.20	767.0	...	...	...	0	...	,,	29.88	759.0	...	...	WSW	1	...
Nagasaki,	,,	30.20	767.0	...	...	...	0	...	,,	30.06	763.5	...	...	...	0	...
Kagoshima,	,,	30.16	766.0	...	...	NE	1	...	,,	30.04	763.0	...	...	...	0	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.02	762.5	...	...	N	2	...
Naha,	,,	30.06	763.5	...	...	S	4	...	,,	30.04	763.0	...	...	NNW	2	...
Ishigakijima,	,,	30.08	764.0	...	...	SSW	1	...	,,	30.06	763.5	...	...	NNE	1	...
Bonin Island,	,,	30.24	768.0	...	...	ENE	1	...	,,	30.10	764.5	...	...	SW	2	...
Chefoo,	15	29.88	758.9	56	57	WSW	2	b	6	30.28	769.1	30	88	NW	6	b
Shanghai,	14	30.10	764.4	61	41	WNW	4	b	,,	30.15	765.9	43	81	WNW	2	b
Gutzlaff,	,,	30.16	766.0	50	72	WSW	4	o	,,	30.21	767.3	46	86	WNW	4	o
Sharp Peak,	,,	30.08	764.0	68	74	S	1	b	7	30.08	764.0	56	87	N	1	o
Amoy,	,,	30.02	762.5	58	70	SSE	4	b	6	30.11	764.8	56	94	NE	4	o
Swatow,	,,	30.02	762.5	63	100	ESE	1	b	,,	...	...	...	...	...	...	...
Taiboku,	11	30.13	765.3	66	80	NW	2	o	5	30.10	764.4	59	96	E	2	b
Taichu,	,,	30.11	764.7	70	...	...	0	b	,,	30.04	762.9	54	...	...	0	b
Tainan,	,,	30.10	764.4	73	...	N	4	b	,,	30.01	762.3	55	...	N	2	of
Koshun,	,,	30.06	763.5	81	...	NE	2	b	,,	29.99	761.7	66	...	...	0	b
Pescadores,	,,	30.13	765.3	63	...	NE	4	o	,,	30.05	763.2	59	...	NE	4	o
Hong Kong,	14	30.02	762.5	64	72	E	2	b	6	30.05	763.2	57	90	...	0	bm
Gap Rock,	,,	30.04	763.0	...	...	ENE	4	b	,,	30.04	763.0	...	...	NE	4	b
Macao,	,,	29.99	761.7	70	65	SE	2	b	,,	30.01	762.3	55	96	N	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.99	761.7	71	77	NNE	5	b	,,	30.01	762.2	66	84	NE	3	o
Phulien,	15	30.00	762.0	64	96	ENE	1	of	7	30.03	762.7	63	...	ESE	...	of
Tourane,	,,	29.95	760.8	73	...	SE	4	of	,,	29.69	761.7	68	...	SE	2	cf
Cape St. James,	,,	29.82	757.5	79	...	E	6	b	,,	29.84	757.8	82	...	E	4	bf
Basco,	14	29.92	759.9	77	76	SE	4	o	6	29.95	760.8	73	88	NNE	4	o
Aparri,	,,	29.87	758.7	82	74	NE	4	b	,,	29.92	759.9	70	94	...	0	b
Tuguegarao,	,,	29.86	758.4	86	52	S	1	o	,,	29.92	759.9	72	91	...	0	o
Vigan,	,,	29.82	757.5	82	63	WNW	4	o	,,	29.87	758.7	72	86	SSW	2	o
Manila,	,,	29.82	757.5	82	63	WNW	4	o	,,	29.88	759.0	70	94	NE	1	b
Legaspi,	,,	29.82	757.5	84	74	NNE	2	o	,,	29.86	758.4	77	94	...	0	o
Calbayog,	,,	29.79	756.6	86	78	SSW	2	b	,,	29.85	758.1	75	96	NE	1	o
Tacloban,	,,	29.81	757.2	82	84	SE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	65	NE	4	o	,,	29.82	757.5	75	94	N	4	o
Cebu,	,,	29.78	756.3	86	61	NE	4	o	,,	29.82	757.5	77	88	N	1	o
Surigao,	,,	29.79	756.6	75	96	S	1	r	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.80	756.9	80	...	E	3	fo
Guam,	12.22	29.85	758.1	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	ENE	4	o	5	29.85	758.2	72	...	...	...	...
Pelew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.9	74	...	NE	4	bo
Labuan,	14	29.83	757.7	90	84	SE	4	b	6	29.83	757.7	78	46	NE	2	b

February 18*d.* 11*h.* 00*m.*—The anticyclone has passed into the Pacific, and a depression has developed over the Sea of Japan. A fresh anticyclone has formed over China.

Fresh monsoon will prevail along the coast and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 2·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th February, 1929.								19th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.93	760.2	16	...	NNE	3	c	6	30.21	767.3	10	...	NNE	2	b
Nemuro,	11	29.98	761.5	...	...	SSE	1	...	5	29.73	755.0	...	...	ENE	3	...
Hokodate,	,,	29.82	757.5	...	...	ESE	4	...	,,	29.59	751.5	...	...	E	1	...
Tokio,	,,	29.72	755.0	...	...	N	1	...	,,	29.76	756.0	...	..	NW	1	...
Kochi,	,,	29.86	758.5	...	...	W	1	...	,,	30.14	765.5	...	...	W	1	...
Nagasaki,	,,	30.04	763.0	...	...	NW	5	...	,,	30.24	768.0	...	...	...	0	...
Kagoshima,	,,	30.04	763.0	...	...	NW	3	...	,,	30.20	767.0	..	..	NW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.16	766.0	..	...	NNW	1	...
Naha,	,,	30.10	764.5	...	...	N	2	...	,,	30.12	765.0	..	...	NE	1	...
Ishigakijima,	,,	30.12	765.0	...	...	...	...	...	,,	30.12	765.0	..	.	NE	1	...
Bonin Island,	,,	29.98	761.5	...	...	S	2	...	,,	29.94	760.5	...	...	WNW	2	...
Chefoo,	15	30.26	768.6	34	90	NW	4	b	6	30.18	766.6	32	100	...	0	b
Shanghai,	14	30.30	769.5	54	42	NNE	4	b	,,	30.30	769.5	39	87	E	1	o
Gutzlaff,	,,	30.31	769.9	48	78	NNE	4	b	,,	30.33	770.4	40	91	ESE	4	o
Sharp Peak,	,,	30.07	763.8	62	72	ENE	2	o	7	30.09	764.3	54	87	N	2	of
Amoy,	,,	30.05	763.2	69	65	E	4	b	6	30.12	765.0	65	95	NE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	30.12	765.0	56	100	NE	1	b
Taihoku,	11	30.14	765.6	68	64	ENE	4	o	5	30.08	764.1	61	79	E	2	b
Taichu,	,,	30.07	763.8	73	...	...	0	b	,,	30.05	763.2	55	...	...	0	b
Tainan,	,,	30.06	763.5	75	...	N	2	b	,,	30.04	762.9	55	...	N	1	b
Koshun,	,,	30.04	762.9	77	...	NE	4	o	,,	30.01	762.3	66	...	NE	4	b
Pescadores,	,,	30.11	764.7	66	...	NNE	4	b	,,	30.06	763.5	59	...	NNE	4	b
Hong Kong,	14	30.01	762.2	64	78	E	4	b	6	30.04	763.0	60	77	ENE	5	o
Gap Rock,	,,	30.01	762.2	...	...	ENE	3	b	,,	30.03	762.7	..	...	ENE	4	o
Macao,	,,	29.98	761.4	73	62	SE	2	b	,,	30.01	762.3	61	81	ESE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.99	761.7	73	77	NE	5	c	,,	30.00	762.0	67	84	NE	4	c
Phulien,	15	29.97	761.1	68	94	SSE	2	of	7	29.98	761.4	63	...	E	...	of
Tourane,	,,	29.98	61.4	75	...	ESE	2	o	,,	29.95	760.5	70	...	ESE	4	o
Cape St. James,	,,	29.85	5[illegible].1	79	...	E	6	o	,,	...	...	...	...	...	...	...
Basco,	14	29.92	759.9	77	84	NNE	4	o	6	29.98	761.4	70	92	NE	4	r
Aparri,	,,	29.88	759.0	82	77	NE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.85	758.1	90	55	NW	2	o	,,	29.92	759.9	75	98	...	0	o
Vigan,	,,	29.84	757.8	84	64	WNW	4	b	,,	29.86	758.4	77	84	SE	1	o
Manila,	,,	29.82	75[illegible].5	90	57	SW	2	o	,,	29.87	758.7	73	91	...	0	b
Legaspi,	,,	29.82	757.5	79	90	...	0	o	,,	29.85	758.1	77	92	...	0	o
Calboyog,	,,	.	...	...	...	...	...	...	,,	29.86	758.4	72	98	NE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	81	84	NE	4	o	,,	29.82	757.5	75	92	NNE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	77	86	N	2	o
Surigao,	,,	29.79	756.6	75	86	E	2	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.89	759.2	72	...	NE	3	b
Guam,	12.22	29.82	757.5	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	77	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	75	...	ENE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.79	756.6	80	...	E	4	bo
Zamboanga,	14	29.80	756.9	84	83	NE	2	b	6	29.82	757.4	77	88	...	0	b

February 19*d.* 11*h.* 15*m.*— The anticyclone has weakened and moved into the Yellow Sea; the depression is crossing Japan to the south of Hokkaido.

Fresh monsoon will prevail along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 2·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES,— *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th February, 1929.								20th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.17	766.2	21	...	NE	2	c	6	30.17	766.2	12	...	NNE	3	b
Nemuro,	11	29.72	755.0	...	...	NNE	4	...	5	29.94	760.5	...	...	NNW	1	...
Hokodate,	,,	29.76	756.0	...	...	NNW	2	...	,,	30.00	762.0	...	...	N	1	...
Tokio,	,,	29.90	759.5	...	...	NW	4	...	,,	30.06	763.5	...	...	NW	2	...
Kochi,	,,	30.16	766.0	...	...	SW	1	...	,,	30.14	765.5	...	...	WSW	1	...
Nagasaki,	,,	30.24	768.0	...	...	...	...	...	,,	30.20	767.0	...	...	...	...	...
Kagoshima,	,,	30.22	767.5	...	...	...	...	...	,,	30.16	766.0	...	..	NW	1	...
Oshima,	,,	30.18	766.5	...	...	NNE	1	...	,,	30.12	765.0	...	...	...	0	...
Naha,	,,	30.14	765.5	...	...	ENE	1	...	,,	30.04	763.0	...	...	ENE	1	...
Ishigakijima,	,,	30.14	765.5	...	...	ENE	2	...	,,	30.00	762.0	..		E	1	...
Bonin Island,	,,	29.98	761.5	...	...	WNW	1	...	,,	30.10	764.5	...	...	N	1	...
Chefoo,	15	30.13	765.3	52	73	SW	1	b	6	30.11	764.8	34	90	...	0	b
Shanghai,	14	30.15	765.9	54	53	ESE	2	o	,,	30.06	763.5	46	94	ESE	8	b
Gutzlaff,	,,	30.21	76[illegible].3	47	70	SE	4	o	,,	30.12	765.0	44	100	SE	4	o
Sharp Peak,	,,	30.07	763.8	58	76	N	1	o	7	30.06	763.5	58	85	...	0	b
Amoy,	,,	30.03	762.7	69	61	ENE	4	b	6	30.02	762.5	58	90	ESE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.10	764.4	77	61	E	2	b	5	30.01	762.3	61	93	NW	2	o
Taichu,	,,	30.07	763.8	73	...	...	0	b	,,	30.01	762.3	61	...	...	0	o
Tainan,	,,	30.06	763.5	79	...	NW	2	b	,,	29.99	761.7	59	...	NNE	2	o
Koshun,	,,	30.04	762.9	75	...	NE	4	b	,,	29.95	760.8	68	...	N	2	o
Pescadores,	,,	30.08	764.1	66	...	NNE	4	b	,,	30.00	762.0	61	...	NNE	4	b
Hong Kong,	14	29.99	761.7	65	62	E	5	o	6	29.97	761.2	63	79	E	3	o
Gap Rock,	,,	29.99	761.7	...	...	ENE	5	o	,,	29.97	761.2	..	...	ENE	4	o
Macao,	,,	30.04	762.9	66	67	SE	2	o	,,	29.94	760.5	63	90	ENE	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.95	760.8	73	84	ENE	4	o	,,	29.93	760.2	71	84	ENE	3	o
Phulien,	15	29.89	759.3	70	91	SE	4	o	7	29.89	759.3	64	98	ESE	4	of
Tourane,	,,	29.88	759.0	75	...	SE	4	o	,,	29.88	759.0	70	...	S	4	of
Cape St. James,	,,	29.81	757.2	79	...	ENE	6	o	,,	29.81	757.2	75	...	ENE	6	o
Basco,	14	29.91	759.6	73	85	ENE	4	o	6	29.91	759.6	72	92	E	2	o
Aparri,	,,	29.86	758.4	81	80	NE	4	o	,,	29.87	758.7	73	94	...	0	b
Tuguegarao,	,,	29.84	757.8	90	63	NE	1	o	,,	29.88	759.0	72	98	...	0	o
Vigan,	,,	29.80	756.9	84	68	NW	4	b	,,	29.82	757.5	77	79	SSE	1	o
Manila,	,,	29.81	757.2	90	48	SE	4	b	,,	29.85	758.1	73	85	N	1	b
Legaspi,	,,	29.81	757.2	86	71	NE	4	o	,,	29.86	758.4	77	91	...	0	b
Calboyog,	,,	29.79	756.6	86	71	SW	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	86	71	S	4	b	,,	29.86	758.4	75	92	NW	2	o
Iloilo,	,,	29.76	756.0	86	56	NE	4	o	,,	29.84	757.8	73	91	NE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.89	759.2	72	...	NE	2	bo
Guam,	12.22	29.82	757.5	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.86	758.4	...	...	NE	4	o	5	29.83	757.7	78	...	NE	2	bo
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.4	77	...	NE	2	bo
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	80	...	E	3	o
Labuan,	14	29.82	757.4	86	89	...	0	b	6	29.82	757.4	76	88	...	0	b

February 20d. 11h 05m.— The anticyclone is now central over Korea.

Moderate monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 2·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th February, 1929.								21st February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.20	767.0	23	...	NE	3	b	6	29.93	760.3	29	...	SE	1	o
Nemuro,	11	29.96	761.0	...	...	NNW	2	...	5	29.90	759.5	...	...	...	...	...
Hokodate,	"	30.00	762.0	...	...	W	3	...	"	30.08	764.0	...	...	WNW	1	...
Tokio,	"	30.04	763.0	...	...	ENE	1	...	"	30.18	766.5	...	..	N	1	...
Kochi,	"	30.10	764.5	...	...	SE	1	...	"	30.16	766.0	...	...	WSW	1	...
Nagasaki,	"	30.18	766.5	...	...	SSW	1	...	"	30.04	763.0	..	...	NE	1	...
Kagoshima,	"	30.16	766.0	...	...	ESE	1	...	"	30.02	762.5	..	..	NE	1	...
Oshima,	"	30.10	764.5	...	...	...	0	...	"	29.90	759.5	...	...	S	2	...
Naha,	"	30.04	763.0	...	...	ESE	1	...	"	29.92	760.0	...	...	S	2	...
Ishigakijima,	"	30.04	763.0	...	...	SE	2	...	"	29.92	760.0		...	SW	1	...
Bonin Island,	"	30.10	764.5	...	...	N	1	...	"	30.12	765.0	...	...	...	0	...
Chefoo,	15	30.08	764.0	44	86	ESE	2	o	6	30.05	763.2	36	90	...	0	b
Shanghai,	14	30.01	762.3	48	97	E	1	r	"	30.00	762.0	46	100	NE	1	rf
Gutzlaff,	"	30.03	762.8	44	100	ESE	4	rf	"	30.03	762.7	47	100	ENE	1	of
Sharp Peak,	"	29.94	760.5	68	65	...	0	b	7	29.93	60.2	54	92	...	0	bf
Amoy,	"	29.97	761.2	66	75	SSE	4	b	6	29.03	760.2	60	94	SE	4	o
Swatow,	"	29.96	761.0	67	85	E	2	b	"	29.97	761.2	60	100	E	1	o
Taihoku,	11	30.04	762.9	72	75	...	0	b	5	29.97	761.1	63	90	...	0	o
Taichu,	"	30.01	762.3	77	...	...	0	b	"	29.99	761.7	64	...	...	0	o
Tainan,	"	30.01	762.3	77	...	N	2	b	"	29.95	760.8	64	...	...	0	b
Koshun,	"	29.99	761.7	79	...	NE	2	o	"	29.93	760.2	64	...	...	0	b
Pescadores,	"	30.01	762.3	70	...	NNE	4	b	"	29.95	760.8	63	...	N	2	b
Hong Kong,	14	29.94	760.5	70	64	E	2	b	6	29.97	761.2	65	85	...	0	of
Gap Rock,	"	29.91	760.5	...	...	ENE	4	b	"	29.97	761.2	..	...	N	3	cf
Macao,	"	29.91	759.6	75	60	SE	2	o	"	29.92	759.9	63	98	...	c	of
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.93	760.2	74	85	NE	5	c	"	29.93	760.2	70	80	ENE	2	c
Phulien,	15	29.87	758.7	73	82	ESE	2	o	7	29.92	759.9	66	90	ENE	4	of
Tourane,	"	29.86	758.4	77	...	SE	2	o	"	29.88	759.0	73	...	SW	4	o
Cape St. James,	"	29.80	756.9	79	...	E	6	o	"	29.84	757.8	75	...	E	6	n
Basco,	14	29.87	758.7	79	80	ESE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.82	757.5	84	77	NE	4	b	"	29.88	759.0	73	94	...	o	b
Tuguegarao,	"	29.81	757.2	90	60	NNE	1	o	"	...	...	...	...	...	...	...
Vigan,	"	29.81	757.2	86	65	W	2	b	"	...	...	...	...	...	...	...
Manila,	"	29.81	757.2	93	46	SE	4	b	"	29.88	759.0	72	91	...	o	b
Legaspi,	"	29.81	757.2	84	74	NE	4	o	"	29.88	759.0	77	88	...	o	b
Calboyog,	"	29.80	756.9	82	84	WSW	2	o	"	...	...	...	...	...	...	...
Tacloban,	"	29.81	757.2	86	71	S	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.78	756.3	90	60	NE	4	b	"	...	...	...	...	...	...	...
Cebu,	"	29.79	756.6	86	58	NNE	4	b	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.90	759.4	72	...	NE	3	ro
Guam,	12.22	29.80	756.9	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	NE	4	r	5	29.85	758.1	77	...	NNE	4	o
Pelew,	...	...	...	...	...	...	...	...	"	29.84	757.9	79	...	ENE	2	bo
Ponape,	...	...	...	...	...	...	...	...	"	29.81	757.2	80	...	E	2	bc
Labuan,	14	29.89	759.2	86	92	NE	4	b	6	29.83	757.7	77	88	...	o	b

February 21*d.* 10*h.* 55*m.*—The anticyclone has passed into the Pacific.

Light to moderate monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 2·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. or variable winds, light to moderate; generally fine, some fog.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st February, 1929.								22nd February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.93	760.1	40	...	...	0	b	6	30.02	762.6	−2	...	...	0	0
Nemuro,	11	29.94	760.5	...	...	NW	1	...	5	29.92	760.0	...	...	NW	1	...
Hokodate,	"	29.98	761.5	...	...	W	1	...	"	29.92	760.0	...	...	...	0	...
Tokio,	"	30.10	764.5	...	...	S	1	...	"	29.94	760.5	...	...	NW	1	...
Kochi,	"	30.10	764.5	...	...	...	0	...	"	29.98	761.5	...	...	WSW	1	...
Nagasaki,	"	30.04	763.0	...	...	N	1	...	"	29.94	760.5	...	...	...	0	...
Kagoshima,	"	29.96	761.0	...	...	NE	2	...	"	29.94	760.5	...	...	...	0	...
Oshima,	"	29.88	759.0	...	...	W	1	...	"	29.88	759.0	...	...	...	...	...
Naha,	"	29.92	760.0	...	...	SW	3	...	"	29.92	760.0	...	...	NW	2	...
Ishigakijima,	"	29.96	761.0	...	...	WNW	1	...	"	29.96	761.0	..	..	NNE	1	...
Bonin Island,	"	30.12	765.0	...	...	E	1	...	"	...	...	...	...	SW	4	...
Chefoo,	15	30.00	762.0	46	69	E	2	b	6	29.74	753.4	44	100	S	1	b
Shanghai,	14	30.06	763.5	50	92	NNW	1	o	"	30.00	762.0	46	97	S	1	o
Gutzlaff,	"	30.08	764.0	44	100	NNW	2	of	"	30.04	763.0	42	100	SW	2	of
Sharp Peak,	"	29.91	759.7	66	75	E	1	of	7	30.00	762.0	58	93	...	0	if
Amoy,	"	29.87	758.7	70	75	SW	2	b	6	29.98	761.5	60	90	SSE	4	o
Swatow,	"	29.91	759.7	74	86	S	1	b	"	...	...	...	...	...	...	...
Taihoku,	11	29.99	761.7	77	64	WNW	2	b	5	29.94	760.5	64	94	E	2	b
Taichu,	"	29.99	761.7	81	...	...	0	b	"	29.95	760.8	59	...	...	0	b
Tainan,	"	29.98	761.4	84	...	N	2	b	"	29.94	760.5	61	...	...	0	b
Koshun,	"	29.94	760.5	82	...	NNW	4	b	"	29.92	759.9	68	...	N	2	b
Pescadores,	"	29.99	761.7	75	...	...	0	b	"	29.95	760.8	63	...	NNE	4	o
Hong Kong,	14	29.91	759.7	73	74	NW	2	b	6	29.94	760.5	64	94	...	0	cf
Gap Rock,	"	29.92	759.9	...	...	N	2	b	"	29.95	760.7	...	...	WNW	2	of
Macao,	"	29.89	759.3	79	69	SSE	2	b	"	29.89	759.3	64	96	WSW	1	r
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.91	759.7	79	79	NE	2	b	"	29.92	759.9	70	84	...	0	c
Phulien,	15	29.88	759.0	68	96	ENE	2	rf	7	...	...	...	...	...	...	...
Tourane,	"	29.87	758.7	79	...	SE	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.81	757.2	79	...	E	6	o	"	...	...	...	...	...	...	...
Basco,	14	29.85	758.1	82	81	SE	2	o	6	...	...	...	...	...	...	...
Aparri,	"	29.84	757.8	84	77	NE	4	b	"	...	...	...	...	...	...	...
Tuguegarao,	"	...	...	...	...	...	...	...	"	..	...	...	...	...	...	...
Vigan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.82	757.5	90	60	SE	4	o	"	29.89	759.3	72	89	NE	1	b
Legaspi,	"	29.84	757.8	86	65	NE	4	o	"	29.88	759.0	77	88	...	0	b
Calbayog,	"	...	...	...	...	...	...	...	"	29.87	758.7	72	96	NNE	1	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.80	756.9	86	71	NE	6	o	"	29.87	758.7	73	89	NE	4	b
Cebu,	"	...	...	...	...	...	...	...	"	29.86	758.4	75	86	N	4	b
Surigao,	"	29.82	757.5	77	91	...	0	o	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	NE	6	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	ENE	4	o	5	29.86	758.4	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	92	...	0	b	6	29.84	757.9	77	94	NW	2	b

February 22*d.* 11*h.* 10*m.*—A belt of relatively high pressure lies over the Yangtze Valley.

A depression is shown over N.E. China.

Pressure gradients over the China Sea appear to be shallow.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 *inches, against an average of 2·71 inches.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Light S.E. or variable winds; generally fine, some coastal fog.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd February, 1929.								23rd February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.87	758.7	21	...	...	0	s	6	30.06	763.4	8	...	N	4	b
Nemuro,	11	30.02	762.5	...	...	NNW	1	...	5	29.92	760.0	...	...	ESE	2	...
Hokodate,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.61	752.0	..	...	...	0	...
Tokio,	,,	29.92	760.0	...	...	NE	1	...	,,	29.82	757.5	..	...	S	1	...
Kochi,	,,	29.96	761.0	...	...	...	0	...	,,	29.90	759.5	..	...	W	1	...
Nagasaki,	,,	29.96	761.0	...	...	...	0	...	,,	29.96	761.0	..	..	NW	1	...
Kagoshima,	,,	29.96	761.0	...	...	...	...	...	,,	29.96	761.0	..	..	NW	1	...
Oshima,	,,	29.94	760.5	...	...	WNW	1	...	,,	29.96	761.0	..	...	...	0	...
Naha,	,,	29.94	760.5	...	...	N	1	...	,,	29.94	760.5	..	...	...	0	...
Ishigakijima,	,,	29.96	761.0	...	...	ESE	1	...	,,	29.92	760.0		..	ESE	1	...
Bonin Island,	,,	29.59	751.5	...	...	SW	3	...	,,	29.62	760.0	...	...	NNW	1	...
Chefoo,	15	29.78	756.4	46	86	NW	2	o	6	30.23	767.8	30	80	NNW	4	o
Shanghai,	14	29.93	760.2	61	79	SSW	1	o	,,	29.92	759.9	46	97	ESE	1	b
Gutzlaff,	,,	29.99	761.7	48	100	SE	2	of	,,	29.97	761.2	48	100	E	2	o
Sharp Peak,	,,	29.91	759.7	62	92	...	0	of	7	29.90	759.4	56	94	...	0	of
Amoy,	,,	29.92	759.9	64	84	W	2	o	6	29.94	760.5	60	94	SSE	1	o
Swatow,	,,	29.96	761.0	60	90	E	2	o	,,	29.93	760.2	60	94	E	1	o
Taihoku,	11	29.98	761.4	72	78	NNW	2	o	5	29.93	760.2	63	98	...	0	r
Taichu,	,,	30.00	762.0	72	...	...	0	o	,,	29.94	760.5	63	...	...	0	o
Tainan,	,,	30.00	762.0	79	...	N	2	b	,,	29.89	759.3	64	...	...	0	o
Koshun,	,,	29.97	761.1	81	...	NW	2	b	,,	29.91	759.6	63	...	...	0	b
Pescadores,	,,	30.00	762.0	70	...	NNW	2	b	,,	29.91	759.6	64	...	...	0	b
Hong Kong,	14	29.90	759.4	72	70	E	2	cf	6	29.90	759.4	66	93	...	0	of
Gap Rock,	,,	29.91	759.7	...	...	...	0	c	,,	29.89	759.2	..	...	NE	3	o
Macao,	,,	29.87	758.7	77	72	SE	2	o	,,	29.86	758.4	66	98	...	0	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.90	759.4	78	78	...	0	b	,,	29.90	759.4	60	94		0	b
Phulien,	15	29.86	758.4	70	94	SE	4	o	7	29.87	758.7	68	98	S	2	of
Tourane,	,,	29.85	758.1	77	...	SSE	4	o	,,	29.87	758.7	72	...	S	6	of
Cape St. James,	,,	29.81	757.2	79	...	E	6	o	,,	29.85	758.1	73	...	E	6	o
Basco,	14	29.86	758.4	79	85	N	4	o	6	29.88	759.0	75	89	SE	2	o
Aparri,	,,	29.85	758.1	84	74	NE	4	b	,,	29.86	758.4	73	94	S	4	b
Tuguegarao,	,,	29.79	756.6	90	57	SW	2	o	,,	29.88	759.0	72	96	S	1	o
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.5	90	44	SSE	2	b	,,	29.88	759.0	70	91	E	1	b
Legaspi,	,,	29.84	757.8	75	60	ENE	2	b	,,	29.88	759.0	77	89	...	0	o
Calbayog,	,,	29.82	757.5	84	71	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.85	758.1	59	93	S	4	o	,,	29.89	759.3	75	96	NW	1	o
Iloilo,	,,	29.81	757.2	90	57	ENE	4	b	,,	29.86	758.4	75	98	NE	2	b
Cebu,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	77	84	N	2	b
Surigao,	,,	29.81	757.2	86	71	ENE	4	b	,,	29.87	758.7	73	96	...	0	r
Saipan,	...	...	...	...	...	...	...	...	5	29.87	758.7	72	...	NE	2	r
Guam,	12.22	29.79	756.6	...	...	NE	4	o	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	NNE	4	o	5	29.86	758.4	76	...	NNE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.87	758.7	75	...	NNE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.79	756.6	79	...	E	3	bc
Hainan,	14	29.82	757.4	86	92	E	4	b	6	29.82	757.4	78	89	NE	2	b

February 23*d*. 11*h*. 15*m*.— The depression is moving eastward across N. Japan.

An anticyclone has formed over S.E. Mongolia. Pressure gradients remain shallow over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 2·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Light, variable winds, possibly freshening from N.E. later; generally overcast, some light rain or mist.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd February, 1929.								24th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.17	766.2	13	...	N	5	b	6	30.49	774.4	00	...	N	1	b
Nemuro,	11	29.70	754.5	...	...	E	5	...	5	29.57	751.0	...	...	NW	5	...
Hokodate,	,,	29.53	750.0	...	...	WSW	1	...	,,	29.75	755.5	...	...	NW	4	...
Tokio,	,,	29.67	753.5	...	...	ESE	1	...	,,	29.92	760.0	...	...	N	3	...
Kochi,	,,	29.88	759.0	...	...	WSW	1	...	,,	30.16	766.0	...	...	N	1	...
Nagasaki,	,,	30.02	762.5	...	...	NW	1	...	,,	30.20	767.0	...	...	...	0	...
Kagoshima,	,,	29.98	761.5	...	...	NW	1	...	,,	30.14	765.5	...	...	NW	1	...
Oshima,	,,	30.00	762.0	...	...	NNE	1	...	,,	30.06	763.5	...	...	NNE	2	...
Naha,	,,	30.00	762.0	...	...	S	1	...	,,	29.98	761.5	...	...	E	2	...
Ishigakijima,	,,	29.98	761.5	...	...	S	2	...	,,	30.00	762.0	..	...	N	2	...
Bonin Island,	,,	29.94	760.5	...	...	W	1	...	,,	30.00	762.0	...	...	N	1	...
Chefoo,	15	30.43	772.9	30	88	N	4	b	6	30.54	775.7	30	88	N	1	b
Shanghai,	14	30.08	764.1	52	80	NE	4	o	,,	30.44	773.1	41	75	N	6	o
Gutzlaff,	,,	30.09	764.3	47	100	NE	6	of	,,	30.43	772.9	40	85	NNE	6	o
Sharp Peak,	,,	29.89	759.2	63	83	...	0	of	7	30.11	764.8	54	68	NE	4	o
Amoy,	,,	29.91	759.7	62	94	SSE	1	o	6	30.07	763.8	69	80	ENE	6	o
Swatow,	,,	...	...	...	...	...	...	...	,,	30.01	762.2	59	100	N	1	o
Taihoku,	11	29.97	761.1	75	63	...	0	o	5	30.07	763.8	64	96	...	0	r
Taichu,	,,	29.99	761.7	73	...	...	0	o	,,	30.04	762.9	66	...	NNW	2	o
Tainan,	,,	29.99	761.7	81	...	SW	2	b	,,	30.00	762.0	64	...	N	2	b
Koshun,	,,	29.95	760.8	82	...	...	0	b	,,	29.97	761.1	64	...	...	0	b
Pescadores,	,,	29.99	761.7	73	...	W	2	o	,,	30.02	762.6	68	...	NNE	4	o
Hong Kong,	14	29.93	760.2	70	81	E	1	om	6	30.01	762.2	67	92	...	0	om
Gap Rock,	,,	29.94	760.5	...	...	E	2	o	,,	30.01	762.2	..	...	NE	2	of
Macao,	,,	29.91	759.6	68	91	SE	2	of	,,	29.97	761.2	66	100	SE	2	of
Hoihow,	,,	29.96	761.0	74	91	ESE	1	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.94	760.5	78	70	NW	1	b	,,	30.00	762.0	70	80	...	0	bom
Phulien,	15	29.87	758.7	73	91	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.85	758.1	77	...	S	4	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	79	...	E	6	o	,,	...	...	...	...	...	...	...
Basco,	14	29.88	759.0	82	77	SE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.85	758.1	84	74	NE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.84	757.8	93	53	S	1	b	,,	...	...	...	...		...	...
Vigan,	,,	29.85	758.1	86	68	WSW	4	o	,,	29.92	759.9	73	91	N	2	b
Manila,	,,	29.85	758.1	93	46	SE	4	b	,,	29.95	760.8	72	89	NE	1	b
Legaspi,	,,	29.87	758.7	82	81	NNE	1	o	,,	29.97	761.1	75	92	...	0	o
Calbayog,	,,	29.86	758.4	81	86	SSE	2	o	,,	29.95	760.8	70	98	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.95	760.8	73	96	NW	2	b
Iloilo,	,,	29.82	757.5	86	58	NE	4	o	,,	29.92	759.9	75	88	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.86	758.4	81	84	E	1	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.87	758.7	74	...	NE	2	c
Guam,	12.22	29.80	756.9	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	NNE	4	o	5	29.87	758.7	75	...	NE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	76	...	NNE	...	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.9	80	...	NNE	2	c
Labuan,	14	29.81	757.2	86	93	...	0	b	6	29.85	758.1	77	91	NW	2	b

February 24*d.* 11*h.* 13*m.*—The depression has deepened and is passing into the Pacific.

A strong anticyclone now covers S.E. Mongolia and China.

Strong monsoon may be expected along the S.E. coast of China and freshening monsoon over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 0·97 inches, against an average of 2·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, freshening; generally overcast, some light rain, colder.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th February, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	25th February, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.61	752.0	...	...	NW	5	...	5	29.51	749.5	...	...	NW	6	...
Hokodate,	"	29.90	759.5	...	...	NNW	6	...	"	30.00	762.0	...	...	WNW	5	...
Tokio,	"	29.98	761.5	...	...	NNE	6	...	"	30.20	767.0	...	...	NW	2	...
Kochi,	"	30.22	767.5	...	...	N	3	...	"	30.38	771.5	...	...	ENE	1	...
Nagasaki,	"	30.28	769.0	...	...	N	2	...	"	30.39	772.0	...	...	ENE	3	...
Kagoshima,	"	30.20	767.0	...	...	NW	1	...	"	30.32	770.0	...	...	NW	1	...
Oshima,	"	30.16	766.0	...	...	NNE	3	...	"	30.22	767.5	...	...	NNE	2	...
Naha,	"	30.10	764.5	...	...	NNE	4	...	"	30.18	766.5	...	...	NNE	2	...
Ishigakijima,	"	30.10	764.5	...	...	NNE	2	...	"	30.16	766.0		...	NE	1	...
Bonin Island,	"	29.98	761.5	...	...	S	1	...	"	30.08	764.0	...	...	N	1	...
Chefoo,	15	30.62	777.7	32	90	NNE	2	b	6	30.55	775.9	26	87	WNW	1	b
Shanghai,	14	30.50	774.6	46	52	NE	4	b	"	30.43	772.8	37	77	ENE	2	o
Gutzlaff,	"	30.48	774.2	42	66	NNE	6	o	"	30.45	773.4	40	74	ENE	4	o
Sharp Peak,	"	30.21	76[illegible].3	52	79	NE	2	r	7	30.23	767.8	50	79	NE	1	o
Amoy,	"	30.14	765.5	60	53	ENE	6	o	6	30.20	767.1	58	76	NE	4	o
Swatow,	"	30.13	765.2	64	90	ENE	2	c	"	...	...	...	...	...	...	...
Taihoku,	11	30.21	767.4	66	80	E	4	o	5	30.20	767.1	59	93	E	4	o
Taichu,	"	30.08	764.1	72	...	NNW	4	o	"	30.12	765.0	59	...	...	0	o
Tainan,	"	30.07	764.8	79	...	N	4	o	"	30.11	764.7	63	...	N	2	o
Koshun,	"	30.06	763.5	81	...	NNE	4	b	"	30.06	763.5	70	...	NE	6	b
Pescadores,	"	30.13	765.3	64	...	NNE	6	o	"	30.17	766.2	68	...	NNE	6	b
Hong Kong,	14	30.02	762.5	74	75	E	3	c	6	30.12	765.0	59	80	E	4	o
Gap Rock,	"	30.04	763.0	...	...	ENE	2	c	"	30.10	764.5	...	...	ENE	5	o
Macao,	"	30.00	762.0	77	76	SE	2	o	"	30.05	763.2	61	89	SE	4	o
Hoihow,	"	...	...	...	...	...	...	...	"	29.99	761.7	75	95	SE	2	o
Pratas Island,	"	30.05	763.2	79	67	NNE	4	bc	"	30.06	763.5	71	89	NE	5	o
Phulien,	15	29.94	760.5	72	98	SSE	4	of	7	29.99	761.7	70	98	SSE	4	rf
Tourane,	"	29.94	760.5	77	...	SSE	4	of	"	29.99	761.7	72	...	S	4	of
Cape St. James,	"	29.93	760.2	79	...	E	2	o	"	29.97	761.1	73	...	E	4	b
Basco,	14	29.98	761.4	79	76	N	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.95	760.8	84	74	NE	4	b	"	30.00	762.0	75	88	NE	4	r
Tuguegarao,	"	29.93	760.2	90	55	N	1	b	"	...	...	...	...	...	...	...
Vigan,	"	29.92	759.9	86	58	NNW	4	b	"	...	...	...	...	...	...	...
Manila,	"	29.91	759.6	90	48	SE	2	o	"	29.95	760.8	57	84	E	1	b
Legaspi,	"	29.93	760.2	86	65	NE	4	b	"	29.94	760.5	77	84	N	1	b
Calbayog,	"	29.91	759.6	84	74	SW	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	29.91	759.6	86	71	S	4	b	"	...	...	...	...	...	...	...
Iloilo,	"	29.88	759.0	86	52	NE	6	o	"	29.91	759.6	72	91	NE	4	o
Cebu,	"	29.89	759.3	86	52	NE	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.91	759.6	86	68	ENE	4	b	"	...	...	...	...		...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	70	...	NNE	2	c
Guam,	12.22	29.82	757.5	...	...	N	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.92	759.9	...	...	NE	4	o	5	...	...	...	...	...	...	...
Pelew,	...	...	...	...	...	...	...	...	"	29.90	759.4	73	...	NE	1	bc
Ponape,	...	...	...	...	...	...	...	...	"	29.82	757.4	77	...	E	3	r
Labuan,	14	29.81	757.2	83	90	...	0	b	6	29.82	757.4	78	94	...	0	b

February 25*d*. 10*h*. 40*m*.—The anticyclone is central to the north of Pekin.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·97 inches, against an average of 2·90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; generally overcast, some drizzle or mist.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th February, 1929.								26th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.64	778.3	7	...	NNE	4	b	6	29.67	779.0	−1	...	NNW	2	b
Nemuro,	11	29.53	750.0	...	...	NW	6	...	5	29.90	759.5	...	...	NNW	4	...
Hokodate,	,,	30.02	762.5	...	...	NNW	6	...	,,	30.14	765.5	...	...	W	5	...
Tokio,	,,	30.14	765.5	...	...	NW	4	...	,,	30.24	768.0	...	...	NNW	1	...
Kochi,	,,	30.31	770.0	...	...	...	0	...	,,	30.39	772.0	...	...	ENE	1	...
Nagasaki,	,,	30.3[illegible]	771.5	...	...	NE	1	...	,,	30.32	770.0	...	...	ENE	1	...
Kagoshima,	,,	30.30	769.5	...	...	ENE	1	...	,,	30.28	769.0	...	...	NE	2	...
Oshima,	,,	30.24	768.0	...	...	...	0	...	,,	30.18	766.5	...	...	SE	1	...
Naha,	,,	30.18	766.5	...	...	N	2	...	,,	30.10	764.5	...	...	ENE	1	...
Ishigakijima,	,,	30.16	766.0	...	...	ENE	2	...	,,	30.06	763.5	..	...	ENE	1	...
Bonin Island,	,,	30.08	764.0	...	...	NW	1	...	,,	30.12	765.0	...	...	NNW	2	...
Chefoo,	15	30.47	773.9	34	100	E	4	o	6	30.40	772.1	30	100	E	1	o
Shanghai,	14	30.36	771.0	43	70	ENE	2	o	,,	30.33	770.4	39	93	N	1	r
Gutzlaff,	,,	30.35	770.9	42	85	ENE	4	o	,,	30.34	770.6	42	100	NNE	2	rf
Sharp Peak,	,,	30.18	766.6	54	74	N	1	o	7	30.11	764.8	54	92	...	o	rf
Amoy,	,,	30.16	766.0	58	81	WNW	4	b	6	30.09	764.3	58	90	SE	1	o
Swatow,	,,	30.18	766.6	60	89	NE	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.20	767.1	68	77	E	6	o	5	30.08	764.1	63	96	...	o	o
Taichu,	,,	30.13	765.3	70	...	NNW	2	o	,,	30.06	763.5	61	...	...	o	o
Tainan,	,,	30.13	765.3	79	...	N	4	b	,,	30.05	763.2	69	...	NNE	2	b
Koshun,	,,	30.10	764.4	77	...	NE	4	b	,,	30.02	762.6	68	...	N	2	o
Pescadores,	,,	30.18	766.5	63	...	NNE	6	o	,,	30.07	763.8	61	...	NNE	4	o
Hong Kong,	14	30.09	764.3	63	74	E	4	o	6	30.02	762.5	61	82	E	4	o
Gap Rock,	,,	30.09	764.3	...	...	ENE	5	om	,,	30.01	762.2	...	...	ENE	5	o
Macao,	,,	30.05	763.2	66	80	SE	2	o	,,	29.97	761.1	61	85	ESE	2	o
Hoihow,	,,	30.08	764.0	74	91	ESE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.05	763.2	72	85	NE	5	o	,,	30.00	762.0	71	85	ENE	4	o
Phulien,	15	29.97	761.1	70	100	SSE	6	rf	7	29.89	759.3	68	98	SSE	4	rf
Tourane,	,,	29.91	60.5	79	...	SSE	4	b	,,	29.91	759.6	73	...	S	4	of
Cape St. James,	,,	29.91	759.6	79	...	E	6	b	,,	29.91	759.6	75	...	E	4	of
Basco,	14	30.00	762.0	77	72	SE	2	b	6	29.97	761.1	70	77	SE	2	r
Aparri,	,,	29.97	761.1	72	89	NE	4	o	,,	29.94	760.5	75	98	E	4	o
Tuguegarao,	,,	29.94	760.5	90	93	W	1	o	,,	29.94	760.5	72	94	...	o	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	75	76	SSE	1	b
Manila,	,,	29.92	759.9	86	58	SW	2	o	,,	29.91	759.6	68	88	NE	1	b
Legaspi,	,,	29.89	759.3	86	58	NNE	2	b	,,	29.89	759.3	77	85	...	o	b
Calbayog,	,,	29.87	758.7	86	68	N	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.86	758.4	84	64	E	4	o	,,	29.89	759.3	73	91	NW	2	o
Iloilo,	,,	29.86	758.4	86	58	NE	6	o	,,	29.88	759.0	73	91	NE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	75	79	N	2	b
Surigao,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	72	96	...	o	b
Saipan,	...	...	...	...	...	...	...	...	5	29.69	754.1	77	...	NE	2	c
Guam,	12.22	29.79	756.6	...	...	N	4	o	4.22	29.79	756.6	...	...	NE	2	o
Yap,	11.00	29.80	756.9	...	...	NE	4	o	5	29.81	757.2	...	...	NNE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	29.83	757.7	73	...	NE	2	b
Labuan,	14	29.81	757.2	86	84	NE	4	b	6	29.83	757.7	76	94	NW	2	b

February 26*d*. 11*h*. 15*m*.—The anticyclone is central to the N.W. of Wladivostock. A shallow depression is shown over Tongking.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·97 inches, against an average of 2·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds fresh.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, fresh; overcast, some light rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th February, 1929.								27th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer. At Sea Level. Inches.	Barometer. At Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.60	777.2	11	...	NNE	3	b	6	30.34	770.6	22	...	SE	3	o
Nemuro,	11	30.02	762.5	...	...	NNW	4	...	5	30.28	769.0	...	...	N	2	...
Hokodate,	,,	30.24	768.0	...	...	N	3	...	,,	30.39	772.0	...	...	N	1	...
Tokio,	,,	30.24	768.0	...	...	NW	4	...	,,	30.43	773.0	...	...	...	0	...
Kochi,	,,	30.37	771.5	...	...	NNW	1	...	,,	30.36	771.0	...	...	...	0	...
Nagasaki,	,,	30.37	771.5	...	...	E	1	...	,,	30.24	768.0	...	...	ENE	1	...
Kagoshima,	,,	30.31	770.5	...	...	NE	1	...	,,	30.22	767.5	...	...	NE	3	...
Oshima,	,,	30.20	767.0	...	...	SE	1	...	,,	30.10	764.5	...	...	SSE	2	...
Naha,	,,	30.10	764.5	...	...	ENE	3	...	,,	30.04	763.0	...	...	ESE	2	...
Ishigakijima,	,,	30.08	764.0	...	...	E	2	...	,,	30.00	762.0	..	...	...	0	...
Bonin Island,	,,	30.12	765.0	...	...	N	3	...	,,	30.22	767.5	...	...	W	1	...
Chefoo,	15	30.30	769.6	36	100	ENE	1	o	6	30.20	767.1	34	100	SSE	1	r
Shanghai,	14	30.28	769.2	45	86	NNW	1	o	,,	30.14	765.6	41	97	NNW	1	r
Gutzlaff,	,,	30.29	769.3	42	100	NNW	4	of	,,	30.15	765.8	42	100	N	1	rf
Sharp Peak,	,,	30.08	764.0	56	87	NNE	1	r	7	30.02	762.5	54	100	...	0	rf
Amoy,	,,	30.06	763.5	60	90	ENE	2	o	6	30.01	762.2	58	94	ENE	2	r
Swatow,	,,	30.05	763.2	61	73	E	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.11	764.7	64	83	WNW	2	o	5	30.01	762.3	61	96	...	0	o
Taichu,	,,	30.08	764.1	66	...	...	0	o	,,	30.00	762.0	59	...	...	0	o
Tainan,	,,	30.07	763.8	79	...	NNW	2	b	,,	29.98	761.4	63	...	ENE	2	o
Koshun,	,,	30.05	763.2	81	...	ENE	2	b	,,	29.95	760.8	68	...	...	0	b
Pescadores,	,,	30.08	764.1	63	...	NNE	4	o	,,	29.98	761.4	61	...	NE	4	o
Hong Kong,	14	29.99	761.7	62	83	E	3	o	6	29.92	759.9	62	89	E	1	od
Gap Rock,	,,	29.98	761.5	...	...	ENE	5	of	,,	29.92	759.9	...	...	NE	4	o
Macao,	,,	29.94	60.5	64	86	SE	2	o	,,	29.88	759.0	59	91	NNE	4	r
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.96	761.0	77	78	ENE	4	b	,,	29.90	759.4	72	85	E	3	c
Phulien,	15	29.85	758.1	77	89	SSE	5	of	7	29.43	760.2	59	98	WNW	4	bf
Tourane,	,,	29.88	59.0	79	...	SSE	4	b	,,	29.85	758.1	73	...	SW	2	b
Cape St. James,	,,	29.88	759.0	79	...	E	6	of	,,	29.86	758.4	75	...	E	6	o
Basco,	14	29.94	760.5	79	69	SE	4	o	6	29.91	759.6	73	85	SE	4	b
Aparri,	,,	29.92	759.9	82	70	NE	4	o	,,	29.91	759.6	70	92	...	0	o
Tuguegarao,	,,	29.87	758.7	82	70	N	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.86	758.4	86	61	WSW	4	o	,,	29.86	758.4	73	88	W	1	o
Manila,	,,	29.88	759.0	82	70	NW	2	o	,,	29.89	759.3	70	91	...	0	b
Legaspi,	,,	29.86	758.4	81	69	N	2	o	,,	29.87	758.7	77	91	NNE	1	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	68	96	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	73	55	NW	2	b
Iloilo,	,,	29.81	757.2	86	56	NE	6	b	,,	29.85	758.1	73	91	N	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	75	88	N	2	b
Surigao,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	73	94	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	756.0	...	...	N	4	o	4.22	29.81	757.2	...	...	NE	6	o
Yap,	11.00	29.76	756.0	...	...	NNE	4	o	5	29.81	757.2	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	87	NE	4	b	6	29.82	757.4	80	100	N	2	b

February 27*d.* 10*h.* 55*m.*—The anticyclone is central to the north of Tokio and the depression is central to the north of Tourane.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·41 inch. Total since January 1st, 1·38 inches, against an average of 3·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; overcast, rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th February, 1929.								28th February, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.23	767.9	27	...	SE	4	s	6	30 14	765.6	32	...	...	0	s
Nemuro,	11	30.31	770.0	...	...	NNW	2	...	5	...	...	...	...	...	...	...
Hokodate,	,,	30.39	772.0	...	...	...	0	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.43	773.0	...	...	NNE	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.20	767.0	...	...	E	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.22	767.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.12	765 0	...	...	SSE	3	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.06	763.5	...	...	ESE	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.02	762.5	...	...	S	3	...	,,	...	...	..	...	...	...	...
Bonin Island,	,,	30.28	769.0	...	...	NNE	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	30.11	764 8	38	100	...	0	o	6	30.09	764.3	34	100	...	0	r
Shanghai,	14	30.06	763.5	48	95	NW	1	r	,,	30.11	764.7	43	97	WNW	2	o
Gutzlaff,	,,	30.07	763.8	44	100	NW	2	rf	,,	30.14	765.5	42	100	NW	4	b
Sharp Peak,	,,	29 97	761.2	52	96	E	1	rf	7	30.02	762.5	54	92	...	0	rf
Amoy,	,,	29 97	761.2	58	100	SE	2	r	6	30.00	762.0	58	100	W	1	o
Swatow,	,,	29.96	761.0	59	94	NE	2	or	,,	29.98	761.4	58	94	NE	1	or
Taihoku,	11	30.00	762.0	66	82	NW	2	o	5	29.99	761 7	63	92	E	2	b
Taichu,	,,	30.00	762.0	70	...	NW	2	b	,,	29.98	761.4	63	...	...	0	b
Tainan,	,,	29.97	761.1	82	...	N	2	b	,,	29.94	760.5	64	...	...	0	b
Koshun,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	70	...	...	0	b
Pescadores,	,,	30.01	762.3	61	...	NNE	4	o	,,	29.95	760 8	66	...	NNE	2	o
Hong Kong,	14	29.92	759.9	62	93	E	2	od	6	29.96	761.0	63	92	...	0	o
Gap Rock,	,,	29 90	759.4	...	...	ENE	4	o	,,	29.97	761.2	...	...	NNE	4	o
Macao,	,,	29.89	759.3	63	92	NNE	2	r	,,	29.93	760.2	59	100	N	2	of
Hoihow,	,,	20.92	759.9	70	95	N	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29 90	759.4	81	78	ESE	1	b	,,	29.93	760 2	63	94	...	0	bm
Phulien,	15	29.91	759.6	66	85	SSE	4	o	7	29.91	759.6	63	92	ESE	4	rf
Tourane,	,,	29.87	758 7	75	...	NNW	4	o	,,	29.87	758.7	70	...	SSW	4	bf
Cape St. James,	,,	29.84	757.8	79	...	E	4	bf	,,	29.88	759.0	75	...	E	6	b
Basco,	14	29.89	759 3	81	69	SE	4	o	6	29.94	760.5	75	85	SE	4	o
Aparri,	,,	29.85	758.1	84	71	NE	4	b	,,	29.92	759.9	72	91	...	0	b
Tuguegarao,	,,	29.86	758.4	90	51	S	1	o	,,	29.92	759.9	70	90	...	0	o
Vigan,	,,	29.82	757.5	86	61	W	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	90	44	E	4	o	,,	29.92	759.9	81	84	SE	1	o
Legaspi,	,,	29 82	757.5	86	68	ENE	1	b	,,	29.91	759.6	77	79	...	0	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.01	759.6	70	94	N	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.89	759 3	75	86	N	4	b
Iloilo,	,,	29.79	756.6	86	52	NE	6	b	,,	29.86	758 4	75	92	N	2	b
Cebu,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	77	79	NW	2	o
Surigao,	,,	29.80	756.9	82	74	ENE	4	b	,,	29.87	758.7	77	85	ENE	4	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756 6	...	...	NE	7	o	4.22	29.86	758.4	...	...	NE	6	o
Yap,	11.00	29.76	756.0	...	...	NE	4	o	5	29.85	758.1	...	...	NE	6	b
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	92	NE	4	b	6	29.82	757.4	82	89	NE	2	b

February 28*d.* 11*h.* 32*m.*—The anticyclone is probably passing into the Pacific.

Moderate to light monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·13 inch. Total since January 1st, 1·51 inches, against an average of 3·11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds moderate.
2.—South coast of China between Hong Kong and Lamocks,	N.E. or variable winds, moderate to light; generally fair, fog.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

MARCH,

1929.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.

HONG KONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1929.

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

MARCH,

1929.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of MARCH, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·928	29·928	29·934	29·938	29·952	29·980	30·003	30·026	30·046	30·052	30·038	30·010	1
2	30·024	30·024	30·016	30·022	30·043	30·070	30·101	30·122	30·137	30·151	30·148	30·138	2
3	30·154	30·151	30·143	30·125	30·130	30·140	30·150	30·171	30·182	30·186	30·192	30·173	3
4	30·165	30·164	30·156	30·154	30·146	30·133	30·158	30·175	30·186	30·191	30·183	30·157	4
5	30·143	30·133	30·123	30·110	30·119	30·131	30·156	30·176	30·186	30·202	30·192	30·167	5
6	30·182	30·171	30·167	30·166	30·166	30·180	30·193	30·190	30·208	30·223	30·227	30·200	6
7	30·185	30·181	30·175	30·175	30·189	30·204	30·205	30·210	30·224	30·231	30·213	30·185	7
8	30·175	30·161	30·143	30·131	30·128	30·133	30·155	30·167	30·178	30·169	30·178	30·154	8
9	30·098	30·081	30·068	30·051	30·057	30·074	30·084	30·112	30·118	30·126	30·126	30·112	9
10	30·068	30·044	30·030	30·037	30·050	30·061	30·081	30·091	30·103	30·102	30·093	30·067	10
11	30·063	30·067	30·074	30·075	30·088	30·108	30·127	30·143	30·158	30·165	30·167	30·158	11
12	30·168	30·158	30·145	30·123	30·115	30·132	30·128	30·133	30·137	30·138	30·130	30·100	12
13	30·057	30·027	30·023	30·004	30·004	30·021	30·024	30·047	30·078	30·073	30·066	30·052	13
14	30·126	30·122	30·110	30·096	30·097	30·098	30·144	30·162	30·156	30·187	30·166	30·148	14
15	30·098	30·105	30·084	30·052	30·040	30·081	30·065	30·099	30·100	30·098	30·066	30·042	15
16	30·016	30·023	30·011	30·007	30·014	30·029	30·041	30·054	30·075	30·082	30·080	30·050	16
17	30·035	30·023	30·021	30·023	30·026	30·034	30·050	30·075	30·095	30·101	30·087	30·064	17
18	30·024	30·014	30·013	30·022	30·022	30·038	30·049	30·058	30·075	30·087	30·080	30·059	18
19	29.962	29·952	29·944	29·944	29·942	29·954	29·978	29·994	30·006	30·005	29·988	29·968	19
20	29·967	29·951	29·945	29·934	29·934	29·946	29·972	29·986	30·007	30·018	30·019	30·006	20
21	29·974	29·964	29·956	29·952	29·962	29·990	30·010	30·032	30·041	30·059	30·048	30·033	21
22	29·990	29·968	29·952	29·940	29·949	29·964	29·983	30·008	30·017	30·018	30·010	29·981	22
23	29·894	29·880	29·855	29·849	29·853	29·863	29·879	29·897	29·892	29·894	29·895	29·874	23
24	29·771	29·750	29·741	29·737	29·740	29·763	29·784	29·802	29·815	29·818	29·817	29·789	24
25	29·763	29·744	29·734	29·721	29·735	29·758	29·782	29·802	29·826	29·823	29·821	29·802	25
26	29·764	29·745	29·735	29·729	29·737	29·755	29·775	29·802	29·811	29·811	29·810	29·798	26
27	29·805	29·789	29·777	29·770	29·772	29·780	29·798	29·826	29·842	29·848	29·847	29·833	27
28	29·801	29·791	29·786	29·786	29·784	29·800	29·822	29·852	29·860	29·861	29·852	29·825	28
29	29·819	29·818	29·808	29·802	29·800	29·816	29·827	29·835	29·836	29·852	29·861	29·852	29
30	29·921	29·912	29·910	29·916	29·920	29·944	29·956	29·978	29·992	30·012	29·996	29·992	30
31	29·954	29·948	29·942	29·942	29·948	29·973	29·982	29·989	30·000	30·012	30·012	29·992	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·987	29·960	29·946	29·940	29·944	29·961	29·970	29·982	29·990	29·996	30·013	30·020	1
2	30·111	30·088	30·076	30·064	30·070	30·082	30·094	30·112	30·132	30·142	30·148	30·147	2
3	30·145	30·117	30·097	30·096	30·106	30·107	30·128	30·142	30·162	30·171	30·165	30·167	3
4	30·121	30·097	30·087	30·073	30·071	30·088	30·096	30·108	30·129	30·135	30·139	30·141	4
5	30·133	30·116	30·109	30·102	30·102	30·111	30·131	30·163	30·175	30·176	30·176	30·187	5
6	30·168	30·139	30·120	30·113	30·114	30·133	30·149	30·173	30·195	30·202	30·207	30·197	6
7	30·152	30·118	30·101	30·094	30·096	30·102	30·118	30·138	30·152	30·173	30·179	30·181	7
8	30·126	30·099	30·072	30·061	30·061	30·057	30·062	30·075	30·098	30·103	30·110	30·100	8
9	30·072	30·042	30·012	30·006	30·002	30·016	30·032	30·047	30·063	30·073	30·069	30·071	9
10	30·042	30·016	30·002	29·988	29·991	29·986	30·002	30·024	30·047	30·065	30·074	30·073	10
11	30·138	30·111	30·096	30·089	30·100	30·112	30·138	30·161	30·179	30·194	30·188	30·179	11
12	30·064	30·028	30·002	29·991	29·985	29·984	29·990	30·005	30·013	30·023	30·036	30·040	12
13	30·056	30·044	30·034	30·034	30·044	30·066	30·079	30·098	30·114	30·128	30·127	30·135	13
14	30·108	30·080	30·066	30·064	30·070	30·058	30·062	30·084	30·100	30·136	30·113	30·106	14
15	30·015	29·986	29·963	29·954	29·964	29·960	29·985	29·994	30·024	30·032	30·036	30·026	15
16	30·018	29·998	29·982	29·976	29·978	29·986	29·999	30·014	30·034	30·042	30·046	30·045	16
17	30·030	30·003	29·988	29·980	29·974	29·979	29·992	30·004	30·017	30·036	30·038	30·040	17
18	30·026	29·998	29·966	29·944	29·933	29·925	29·932	29·945	29·964	29·974	29·976	29·966	18
19	29·933	29·898	29·872	29·856	29·858	29·864	29·876	29·894	29·924	29·954	29·958	29·968	19
20	29·966	29·948	29·918	29·912	29·920	29·921	29·937	29·953	29·982	29·988	29·980	29·980	20
21	30·009	29·977	29·963	29·952	29·951	29·950	29·960	29·979	29·993	30·013	30·013	30·010	21
22	29·947	29·920	29·892	29·884	29·875	29·878	29·880	29·894	29·910	29·930	29·920	29·916	22
23	29·840	29·805	29·775	29·757	29·753	29·763	29·761	29·761	29·774	29·782	29·780	29·774	23
24	29·773	29·749	29·723	29·709	29·700	29·705	29·726	29·734	29·747	29·755	29·755	29·763	24
25	29·774	29·738	29·707	29·703	29·699	29·705	29·722	29·731	29·735	29·752	29·768	29·778	25
26	29·791	29·789	29·758	29·743	29·730	29·728	29·742	29·756	29·762	29·798	29·804	29·805	26
27	29·798	29·758	29·740	29·740	29·741	29·751	29·764	29·776	29·785	29·798	29·811	29·811	27
28	29·806	29·778	29·753	29·750	29·743	29·749	29·767	29·768	29·784	29·807	29·809	29·817	28
29	29·860	29·833	29·825	29·784	29·826	29·812	29·860	29·872	29·888	29·908	29·919	29·924	29
30	29·966	29·948	29·921	29·920	29·914	29·914	29·922	29·934	29·960	29·964	29·959	29·950	30
31	29·980	29·952	29·931	29·927	29·933	29·939	29·960	29·974	29·988	29·995	29·992	29·992	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of MARCH, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	64·3	64·0	64·0	63·1	62·4	63·0	62·7	64·6	67·3	66·0	66·7	67·1	1
2	65·8	66·8	65·6	64·0	63·5	61·2	59·7	59·0	59·0	59·8	60·5	60·8	2
3	55·7	55·8	55·9	55·9	55·9	56·2	56·5	56·6	57·3	58·0	58·9	61·0	3
4	54·3	53·7	53·6	52·5	52·3	51·9	52·7	52·7	55·6	55·7	57·6	57·3	4
5	54·6	53·9	53·7	53·0	52·7	52·7	52·3	52·5	53·5	55·7	58·5	59·6	5
6	54·8	54·7	54·7	54·7	54·7	53·7	54·0	54·8	57·7	61·0	62·9	63·5	6
7	56·6	56·8	56·5	55·8	55·4	54·8	54·7	56·9	60·2	62·7	65·5	64·9	7
8	59·4	58·6	58·6	58·5	57·9	57·3	57·9	60·7	62·0	65·5	65·8	65·5	8
9	61·3	61·0	61·5	61·5	61·5	60·6	61·8	63·5	65·5	66·2	66·5	66·5	9
10	62·7	62·4	62·6	62·7	62·6	62·7	63·7	66·6	67·4	68·6	70·5	70·0	10
11	63·0	62·5	62·0	62·0	62·0	62·0	62·1	63·3	65·5	68·0	69·0	70·1	11
12	55·8	56·7	55·8	55·8	54·8	53·3	53·0	55·4	58·8	62·2	63·0	64·4	12
13	59·7	59·2	58·8	58·7	58·8	58·7	58·7	60·8	61·7	65·8	67·3	69·5	13
14	61·0	60·5	60·6	60·5	59·8	59·7	59·1	58·6	59·3	58·7	60·5	61·5	14
15	59·0	58·7	58·0	58·3	58·3	58·5	58·6	59·6	64·6	65·3	66·5	67·7	15
16	60·5	59·9	59·0	59·9	59·9	60·2	60·7	63·6	66·7	68·0	69·6	70·9	16
17	61·7	60·7	60·7	60·5	59·9	60·5	61·2	63·7	66·5	68·3	68·7	70·7	17
18	63·7	63·7	63·4	62·7	62·4	62·7	63·3	65·7	66·7	70·0	70·5	72·6	18
19	64·6	64·6	64·2	64·0	62·8	63·0	63·1	65·1	66·6	69·7	71·7	72·8	19
20	64·2	63·7	63·5	63·4	63·0	62·6	62·9	63·4	65·0	66·6	67·7	69·8	20
21	66·2	66·0	66·0	65·7	65·6	66·2	66·6	68·3	68·8	69·1	70·0	70·6	21
22	64·8	64·7	64·7	64·8	64·7	63·7	64·5	64·7	65·6	66·7	68·3	69·7	22
23	65·7	65·5	65·7	65·7	65·9	66·5	66·7	67·7	69·7	71·5	72·6	74·0	23
24	66·8	67·0	67·6	67·6	66·8	67·3	67·8	68·7	70·7	70·2	70·4	73·1	24
25	69·7	69·8	69·7	69·7	69·5	69·1	69·2	69·7	69·5	70·6	71·0	72·4	25
26	70·8	71·0	70·7	70·3	70·8	70·9	70·9	72·0	72·7	72·5	73·0	72·9	26
27	72·0	71·6	71·3	71·3	70·7	70·7	71·2	71·5	71·3	72·1	74·9	80·3	27
28	75·4	75·0	74·9	75·1	75·0	73·5	73·9	74·5	75·7	75·5	75·9	79·2	28
29	75·0	73·8	73·0	73·2	73·0	73·1	72·2	72·7	73·7	73·5	75·0	75·5	29
30	66·1	65·6	65·0	64·9	65·4	65·0	64·5	64·3	64·3	64·0	63·5	64·0	30
31	65·2	65·4	65·4	65·6	65·6	65·3	65·1	65·3	65·7	66·0	66·3	65·5	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	68·1	68·6	69·0	68·9	67·5	66·7	65·7	65·6	66·0	66·0	65·6	65·6	1
2	62·1	62·0	61·9	61·6	60·8	60·5	58·8	58·0	57·6	56·7	57·0	56·5	2
3	59·3	58·0	58·5	58·6	58·5	57·9	56·0	56·7	56·7	55·8	55·6	55·5	3
4	58·9	59·0	60·5	60·5	58·8	56·3	55·7	54·9	54·7	54·6	54·6	54·6	4
5	58·8	58·9	58·2	56·8	56·7	56·2	55·2	55·2	55·2	55·1	55·1	55·0	5
6	64·4	64·5	63·5	62·6	60·7	59·7	58·8	58·5	57·6	57·6	56·7	56·7	6
7	67·7	65·4	64·7	64·0	62·0	60·8	59·6	59·0	58·8	58·8	59·1	59·0	7
8	67·6	67·9	64·8	64·5	64·5	63·1	62·7	62·4	62·5	61·7	61·7	61·5	8
9	66·9	67·8	66·7	65·7	65·0	64·2	63·8	62·6	62·4	62·1	61·7	62·1	9
10	70·8	70·7	69·8	69·6	67·7	66·3	64·7	64·1	63·0	62·8	62·4	62·4	10
11	67·8	67·3	68·0	67·1	65·7	64·1	62·8	62·0	61·6	60·8	57·7	57·2	11
12	63·5	63·5	63·0	61·5	60·6	59·7	59·8	60·0	59·7	59·7	59·5	60·0	12
13	68·1	69·0	70·0	68·1	66·5	65·0	63·1	61·7	60·6	60·5	60·4	60·2	13
14	61·9	62·7	62·5	62·7	61·5	59·9	59·7	59·7	59·7	59·7	59·7	59·5	14
15	69·0	67·5	67·5	65·7	64·7	64·4	63·4	62·7	62·2	61·8	61·1	60·6	15
16	72·1	73·0	72·3	70·5	69·3	66·7	65·7	64·6	63·6	61·8	62·0	61·7	16
17	73·3	73·1	70·8	68·9	68·1	66·7	65·5	64·7	64·6	64·7	64·7	64·0	17
18	74·4	73·5	72·6	72·4	70·1	68·3	67·0	66·0	65·0	65·0	64·5	64·0	18
19	74·0	75·2	76·3	76·0	74·5	72·4	68·7	68·0	69·2	67·0	65·6	64·7	19
20	69·5	69·3	70·4	69·7	68·5	66·7	65·5	64·7	64·7	64·9	64·8	65·7	20
21	71·5	72·5	72·7	72·7	71·7	68·6	66·0	66·0	65·5	65·0	64·7	64·8	21
22	70·6	69·2	70·6	69·8	67·9	66·2	65·5	65·3	65·2	65·1	65·1	65·0	22
23	71·8	70·9	71·5	70·7	69·9	68·7	68·0	67·7	67·6	67·4	67·2	67·7	23
24	73·3	77·1	78·0	72·4	69·4	69·6	70·0	69·7	69·4	69·7	69·8	69·7	24
25	72·5	73·4	73·4	73·0	72·0	71·2	70·8	70·9	71·5	71·7	71·8	70·7	25
26	73·8	74·1	75·3	73·6	72·9	71·9	71·7	70·9	70·8	71·2	71·9	72·1	26
27	81·5	81·8	80·0	78·7	77·5	76·9	76·1	76·1	75·9	75·9	75·9	75·8	27
28	80·9	79·7	79·2	77·1	77·2	76·7	75·5	74·2	75·4	75·1	74·7	76·0	28
29	68·5	69·0	68·0	67·1	67·1	66·8	67·0	66·9	66·6	65·9	65·8	66·6	29
30	63·8	63·8	64·0	63·9	63·7	63·9	64·1	64·3	64·6	64·8	65·0	65·2	30
31	65·5	64·1	64·9	65·5	65·5	65·8	64·9	64·9	64·9	65·0	65·0	64·8	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of MARCH, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	62·6	62·2	62·2	61·8	61·2	61·6	61·3	62·4	63·6	62·8	63·4	63·6	1
2	63·3	62·4	59·8	59·0	58·4	56·2	55·0	55·0	54·1	54·8	55·0	54·9	2
3	53·6	54·0	53·1	53·1	53·0	53·3	53·2	53·0	53·5	53·2	53·6	54·5	3
4	49·0	47·8	47·8	47·4	46·8	46·6	47·0	47·6	48·8	49·1	50·4	50·8	4
5	46·8	46·5	46·7	46·0	46·4	45·8	46·3	46·5	46·8	47·9	49·2	49·8	5
6	47·5	47·4	46·9	46·9	47·4	47·0	47·0	47·8	50·0	51·0	52·0	52·5	6
7	51·9	51·9	52·0	50·6	50·4	49·6	49·1	49·4	50·8	52·8	54·5	53·8	7
8	52·4	52·1	52·1	52·0	51·7	51·6	52·0	53·2	54·0	55·7	56·0	54·8	8
9	54·8	54·0	51·8	51·8	51·8	51·7	50·5	53·0	53·8	53·4	54·0	56·7	9
10	56·8	56·0	55·8	54·3	53·0	53·1	52·8	55·1	56·1	56·6	57·7	58·5	10
11	58·7	58·0	57·0	57·0	57·0	57·0	57·1	57·3	58·0	59·2	59·0	60·3	11
12	49·1	50·0	49·5	49·5	48·8	48·2	48·3	50·0	51·6	53·4	54·0	54·9	12
13	55·4	55·6	55·5	55·8	55·8	55·6	55·5	56·7	57·0	57·9	57·7	59·0	13
14	52·0	50·3	49·8	49·8	49·1	48·6	50·0	50·6	50·8	51·5	52·0	53·0	14
15	53·5	53·8	53·0	53·3	53·3	53·5	53·0	53·8	56·7	55·3	57·0	57·8	15
16	55·7	55·6	55·6	55·7	55·7	56·0	56·8	57·7	58·8	58·8	58·8	58·7	16
17	58·2	57·8	57·8	57·8	57·8	58·0	58·7	59·6	60·7	62·3	60·6	57·9	17
18	56·5	56·2	55·4	54·7	56·7	57·5	55·8	58·2	60·0	62·1	62·8	65·3	18
19	62·0	62·2	61·9	62·0	61·9	61·3	61·3	63·3	64·2	64·9	65·5	66·0	19
20	61·2	60·3	60·1	60·0	59·9	59·7	59·8	59·8	60·0	60·6	60·7	62·0	20
21	62·0	62·1	61·8	62·2	62·6	62·0	61·8	63·0	63·9	64·1	64·0	63·6	21
22	62·3	62·4	62·4	62·2	62·3	61·8	61·9	61·8	62·6	62·9	63·4	63·5	22
23	63·6	63·5	63·6	63·6	63·7	64·0	64·6	64·6	65·0	66·0	66·7	67·7	23
24	65·8	65·8	65·8	65·8	65·8	65·8	66·0	66·8	67·7	67·4	67·5	68·5	24
25	68·0	68·2	68·0	67·9	67·8	67·7	67·8	67·9	67·8	68·3	68·9	69·4	25
26	69·8	70·1	69·9	69·7	70·1	70·2	70·2	71·0	71·2	71·1	71·5	71·6	26
27	71·0	71·0	70·6	70·6	70·4	70·6	71·0	71·2	71·1	71·3	72·8	74·9	27
28	72·9	72·1	72·2	72·1	72·0	71·8	72·1	72·3	73·0	73·0	73·0	73·2	28
29	73·0	72·3	72·2	72·9	72·4	72·5	72·0	72·1	72·8	72·4	73·0	73·0	29
30	64·9	64·1	64·0	63·7	63·8	64·0	63·0	62·8	62·8	62·5	62·0	62·0	30
31	62·7	62·6	62·4	61·9	61·9	61·9	61·6	61·7	61·8	62·5	62·5	61·8	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	64·4	64·1	64·0	63·1	63·0	62·8	62·8	62·7	63·0	63·0	62·9	63·1	1
2	55·3	55·2	55·4	55·0	54·8	54·0	53·7	53·0	53·4	53·8	53·7	53·5	2
3	53·1	52·5	53·0	53·8	53·0	53·0	52·5	53·2	52·2	51·3	50·6	50·4	3
4	51·9	51·0	51·7	50·8	49·8	48·1	47·3	46·8	46·5	46·0	46·0	46·0	4
5	49·0	49·7	49·5	48·7	48·4	47·9	47·3	47·0	46·7	46·1	45·8	45·5	5
6	52·3	52·6	52·2	51·3	50·8	50·7	51·0	51·0	51·1	51·1	51·6	52·0	6
7	56·0	55·4	56·0	55·5	54·0	53·9	53·7	53·2	52·1	52·2	52·7	53·8	7
8	56·0	56·6	55·4	55·1	55·8	55·8	55·9	56·3	56·0	55·9	55·9	56·0	8
9	57·7	57·8	56·8	56·8	58·0	57·7	57·8	58·5	58·7	58·6	58·5	58·5	9
10	57·5	57·0	56·8	57·1	57·8	57·4	57·4	57·7	58·4	58·4	58·1	57·8	10
11	58·8	59·0	59·6	59·4	59·3	58·3	57·8	57·4	56·2	52·0	49·9	49·9	11
12	55·1	55·2	55·2	54·9	54·7	54·7	55·0	55·5	55·5	55·5	56·0	56·0	12
13	59·8	59·0	57·8	56·1	55·0	54·8	54·1	53·0	52·6	52·0	52·0	52·0	13
14	53·1	53·8	53·0	53·0	53·5	53·9	53·4	53·4	53·7	53·7	53·7	54·0	14
15	58·3	57·0	55·8	55·6	55·4	55·8	55·0	55·7	55·5	55·3	55·7	55·6	15
16	59·8	61·0	60·8	60·3	60·5	55·8	59·0	59·8	58·9	58·8	58·7	57·8	16
17	57·6	58·0	58·3	58·4	59·2	59·0	59·5	59·0	58·4	58·7	58·7	57·8	17
18	63·8	64·0	62·8	62·5	62·1	61·8	61·8	61·2	62·0	62·0	62·0	62·0	18
19	66·0	66·2	66·8	66·8	66·0	65·2	64·5	64·0	62·0	62·2	61·7	61·8	19
20	62·0	62·2	62·3	61·0	61·0	60·8	60·9	61·6	61·6	62·1	62·6	62·2	20
21	63·2	64·0	64·0	64·0	63·2	62·2	61·8	61·4	61·3	61·7	61·8	61·7	21
22	63·8	63·1	63·8	63·1	62·7	61·9	61·8	61·9	61·9	61·8	61·8	62·0	22
23	66·5	66·3	66·6	66·2	65·9	65·9	66·0	66·2	66·2	66·1	65·9	66·2	23
24	68·6	69·1	69·7	67·8	67·1	67·3	68·0	67·9	68·1	68·2	68·3	68·0	24
25	70·0	70·4	70·4	70·0	70·0	69·8	69·9	70·0	70·2	70·3	70·4	69·7	25
26	71·9	71·9	72·0	71·0	70·8	70·7	70·3	70·0	70·0	70·5	71·0	71·3	26
27	74·0	73·4	73·4	73·0	73·0	73·3	73·0	73·1	72·8	72·8	72·8	73·0	27
28	73·4	73·1	72·2	71·9	72·2	72·0	72·0	71·7	72·8	72·6	72·4	73·0	28
29	65·5	67·0	66·1	65·8	65·8	65·3	65·4	64·8	64·0	65·2	64·2	64·0	29
30	61·8	61·8	61·9	62·0	61·9	61·5	61·7	62·0	62·2	62·2	62·5	62·7	30
31	61·9	61·1	61·2	61·2	61·2	60·9	60·1	61·0	61·0	61·0	61·0	61·2	31

TABLE IV.—AMOUNT of CLOUD, (0–10); at every HOUR of the DAY, in the MONTH of MARCH, 1929.

(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mdn.	Days of the Month.
1	10	10	10	10	9	9	8	7	5	3	7	3	2	1	...	...	1	...	...	4	9	7	8	9	1
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	2
3	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	2	3	9	9	9	10	10	10	4
5	10	10	10	10	10	10	10	10	10	4	10	10	10	10	10	9	9	9	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	6	3	7	2	2	...	1	1	1	...	...	...	...	...	...	...	...	6
7	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	3	3	7
8	2	7	8	8	4	2	2	4	3	3	6	3	...	...	1	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	1	...	...	...	...	9
10	...	...	...	...	...	2	7	7	2	4	3	3	2	1	1	1	1	2	1	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	2	2	1	2	1	1	4	8	8	4	3	5	4	7	5	11
12	8	10	10	9	9	5	6	4	1	3	3	1	...	1	2	2	2	6	6	5	6	7	7	7	12
13	5	2	1	2	1	4	7	9	8	7	8	9	9	9	9	10	10	10	10	10	10	10	10	10	13
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	10	8	7	5	3	8	9	3	2	2	...	...	...	8	8	8	7	4	2	1	15
16	...	...	...	...	...	2	2	2	1	2	...	1	1	...	...	5	1	1	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	2	2	2	1	1	1	...	...	...	...	...	...	17
18	...	...	...	...	...	2	3	1	2	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	7	19
20	9	9	9	9	9	9	9	9	9	6	4	1	1	1	...	...	...	...	...	...	...	...	9	10	20
21	10	10	10	10	10	9	2	...	2	4	3	7	3	2	1	1	...	...	...	...	...	...	...	2	21
22	4	8	7	10	10	10	10	10	10	10	2	7	2	2	3	2	...	...	...	...	...	...	2	4	22
23	10	8	8	10	10	10	10	9	4	5	5	4	4	7	5	2	1	4	...	2	1	...	5	9	23
24	5	6	8	8	7	7	10	9	8	10	10	4	8	9	7	7	9	9	10	9	9	9	10	10	24
25	9	10	10	10	10	9	10	10	10	10	9	10	10	8	6	3	5	7	10	10	10	10	10	10	25
26	10	10	10	10	10	10	9	8	9	9	10	10	10	10	8	7	7	6	10	10	10	10	10	10	26
27	10	10	9	10	9	7	8	8	9	10	10	10	9	8	10	10	10	8	10	9	8	9	10	9	27
28	8	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	9	9	8	8	10	9	10	28
29	10	10	10	10	10	10	9	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30
31	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of MARCH, 1929.

(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time. 6	7	8	9	10	11	Noon	13	14	15	16	17	18	Days of the Month.
	h.	h.	h.	h.	h.	h.	h.	h	h.	h.	h.	h.	h.	
1	...	0·4	1·0	1·0	0·8	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	0·8	0·7	...	...	...	...	...	...	3
4	...	...	0·5	...	...	...	...	...	0·3	0·5	1·0	0·8	...	4
5	...	...	...	0·2	0·7	1·0	0·2	...	...	...	0·1	...	...	5
6	...	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	6
7	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	7
8	...	0·8	0·7	1·0	0·6	0·8	1·0	1·0	1·0	1·0	1·0	1·0	...	8
9	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	9
10	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	10
11	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·3	...	11
12	...	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	...	12
13	...	...	0·1	0·8	0·7	0·5	...	0·1	0·1	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	0·3	0·7	0·8	0·6	0·8	1·0	1·0	1·0	1·0	0·9	...	...	15
16	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	16
17	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	17
18	...	0·6	0·7	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	18
19	...	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	19
20	...	...	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	20
21	...	0·4	1·0	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	21
22	...	...	...	0·5	0·4	1·0	1·0	1·0	1·0	1·0	1·0	0·4	...	22
23	...	0·1	0·5	1·0	1·0	1·0	0·9	0·7	1·0	1·0	1·0	0·7	...	23
24	...	...	0·4	...	...	0·2	0·5	...	0·5	1·0	0·1	...	...	24
25	...	...	...	...	0·1	0·5	0·1	0·4	1·0	1·0	1·0	0·4	...	25
26	...	...	...	...	...	...	...	...	0·4	0·2	...	0·3	...	26
27	...	...	...	...	...	0·2	0·8	0·9	0·7	0·4	...	0·1	...	27
28	...	...	0·3	0·1	0·1	0·4	0·6	0·3	0·3	0·1	0·2	...	...	28
29	...	...	0·3	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of MARCH, 1929.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	d	d	d	d	d	...	...	2
3	d	d	...	...	...	...	d	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	d	d	d	d	d	d	d	d	0·005	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	d	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	d	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	0·020	d	...	...	...	...	...	d	0·020	29
30	d	d	d	d	d	d	...	...	d	d	...	d	30
31	...	...	...	...	d	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	d	d	d	d	2
3	...	...	...	...	...	...	d	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	d	d	d	d	...	...	d	d	d	13
14	...	...	...	...	...	...	d	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	d	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	d	d	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	0·015	0·010	0·120	0·105	0·005	...	...	...	d	0·200	...	0·005	29
30	...	...	...	d	...	...	...	...	d	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of MARCH, 1929.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	9	13	9	12	8	12	8	16	9	16	9	20	8	19	8	17	8	16	9	21	10	22	9	22	1
2	8	3	1	10	31	3	8	5	4	8	1	9	1	14	2	9	32	11	31	8	1	8	32	10	2
3	5	10	4	11	5	13	5	12	5	12	6	14	8	19	7	17	9	18	9	20	9	18	8	19	3
4	1	11	1	12	32	10	32	7	1	11	32	6	31	5	32	6	32	10	32	9	32	6	32	5	4
5	32	2	2	3	2	3	1	6	32	8	1	9	32	6	1	10	1	8	30	8	25	6	23	8	5
6	1	8	32	9	32	7	32	8	32	9	32	6	1	6	2	5	1	4	3	4	3	5	23	5	6
7	8	13	6	11	5	14	6	14	7	12	7	12	6	8	5	9	7	8	10	10	11	7	11	10	7
8	10	9	9	9	8	15	7	15	9	12	10	11	10	8	9	9	10	12	10	17	10	17	10	13	8
9	7	19	6	15	6	18	7	16	7	18	8	17	7	22	7	21	8	21	7	25	8	23	8	24	9
10	8	18	7	24	8	19	4	9	19	4	9	12	9	10	9	15	7	21	8	16	9	17	9	22	10
11	9	14	8	14	7	15	7	19	8	21	8	21	8	21	8	24	9	17	9	17	10	12	9	15	11
12	32	7	1	2	1	4	...	...	1	2	32	4	1	3	3	4	8	6	9	8	9	11	8	10	12
13	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	27	5	24	6	22	7	22	7	13
14	1	14	1	11	1	8	1	11	1	11	1	13	32	12	2	10	2	4	32	2	6	11	7	10	14
15	8	5	8	3	8	2	9	4	7	5	32	3	7	3	...	1	11	2	11	2	10	8	9	9	15
16	9	4	10	2	11	3	11	8	11	9	10	8	10	8	10	5	10	4	12	2	20	6	23	7	16
17	...	1	4	2	4	2	...	...	5	4	7	10	9	14	9	12	9	14	9	13	8	17	8	18	17
18	11	9	11	10	12	9	11	11	11	12	10	10	9	10	9	6	9	12	9	9	9	9	10	6	18
19	...	1	...	...	...	1	29	2	29	2	...	...	...	1	...	1	29	4	28	5	26	6	25	8	19
20	7	21	6	22	6	18	6	19	7	19	8	21	7	20	7	18	8	17	8	18	8	16	8	16	20
21	8	7	7	12	7	8	8	7	8	5	6	6	6	7	11	7	11	13	10	13	10	13	10	16	21
22	8	9	9	10	8	10	8	11	8	12	8	12	10	9	9	10	9	11	9	13	9	17	9	11	22
23	7	9	8	12	8	9	8	7	9	5	9	4	9	9	9	10	8	12	8	10	8	11	8	17	23
24	6	6	7	6	7	5	7	6	8	10	8	9	8	5	8	5	8	8	8	10	8	13	7	13	24
25	8	13	8	12	7	14	8	12	8	15	8	15	9	15	9	15	9	15	8	17	8	16	8	16	25
26	7	12	7	11	7	14	7	13	6	7	6	7	6	7	7	9	7	11	8	13	8	12	8	11	26
27	7	9	7	11	8	9	8	10	9	11	8	11	7	7	7	7	6	14	7	8	9	5	14	11	27
28	15	9	14	8	15	8	15	8	13	5	9	3	6	4	7	6	7	8	7	8	8	10	11	6	28
29	7	3	6	3	5	5	5	5	7	4	7	6	8	10	7	10	7	11	7	7	...	1	14	8	29
30	7	20	7	19	7	19	7	16	7	18	6	14	6	14	6	18	6	17	5	14	5	16	5	11	30
31	6	17	6	19	6	18	6	19	6	19	6	19	6	21	6	25	6	25	6	24	6	24	6	21	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel	Dir.	Vel.	
1	10	20	10	20	10	16	10	18	9	15	9	15	9	12	9	10	10	9	11	11	11	13	10	4	1
2	3	4	7	8	8	6	9	9	8	10	7	12	6	13	5	10	5	8	5	13	6	13	6	12	2
3	8	17	9	17	9	16	9	13	7	9	5	9	32	9	1	4	32	9	1	11	1	10	1	9	3
4	32	10	32	11	32	9	32	9	1	10	1	11	1	8	1	8	32	5	1	7	1	4	32	3	4
5	7	5	25	8	26	8	1	9	1	7	1	11	1	9	1	4	1	5	32	6	1	8	32	9	5
6	15	5	10	10	9	12	9	9	9	10	10	6	9	3	5	3	5	4	8	7	8	5	8	11	6
7	15	5	13	9	9	6	6	5	7	10	8	8	8	7	8	10	8	8	9	8	9	9	10	8	7
8	9	11	9	18	8	24	8	25	8	20	8	18	8	17	8	12	9	9	9	8	9	7	7	18	8
9	9	21	9	16	9	21	8	23	9	23	9	22	8	21	8	16	7	13	6	15	7	15	7	15	9
10	9	22	9	20	9	21	8	21	9	18	9	17	8	12	8	12	8	8	9	9	11	5	11	7	10
11	9	21	9	17	9	14	9	18	8	19	8	19	7	18	7	16	5	15	4	11	2	13	1	9	11
12	9	12	8	13	8	12	8	14	8	13	7	12	7	5	7	2	7	2	7	4	7	2	...	...	12
13	23	11	27	12	31	14	32	10	32	10	32	10	32	11	2	10	2	7	2	5	32	7	32	11	13
14	9	8	10	9	11	5	11	4	9	4	8	9	8	6	7	3	8	3	8	2	6	8	6	6	14
15	9	8	8	12	8	11	8	9	9	6	8	2	7	3	...	1	...	1	...	...	...	1	6	4	15
16	23	8	25	7	26	7	27	9	28	7	28	6	27	5	28	3	28	3	...	...	...	1	...	1	16
17	9	17	9	16	8	17	9	14	8	14	9	13	9	13	9	11	8	11	9	13	9	13	10	11	17
18	16	5	24	9	24	9	26	7	28	7	29	6	29	5	29	4	29	5	29	5	29	2	29	3	18
19	24	6	25	6	25	6	26	7	27	5	27	4	28	5	...	1	14	10	8	18	8	23	7	19	19
20	9	16	9	15	9	15	9	17	9	17	9	16	9	13	8	10	8	6	8	7	9	5	8	7	20
21	10	13	9	10	9	10	10	12	10	14	9	11	9	12	9	12	9	13	8	8	9	9	8	5	21
22	9	17	9	20	9	12	8	16	9	20	10	14	10	14	10	12	10	12	11	6	9	9	7	10	22
23	7	20	7	22	7	20	7	20	8	18	8	12	8	11	8	14	8	11	7	9	7	8	6	5	23
24	8	12	13	7	13	5	11	8	9	16	8	14	7	12	7	13	8	15	9	14	8	13	9	12	24
25	7	17	8	18	8	17	8	16	8	15	8	13	7	13	8	13	8	14	8	12	8	10	8	10	25
26	8	7	8	2	9	3	9	8	8	11	7	12	9	9	9	11	9	10	8	8	8	7	8	7	26
27	15	12	15	10	15	12	15	10	15	9	15	7	15	6	15	7	14	9	14	7	16	8	15	6	27
28	16	10	16	11	16	10	16	9	16	6	15	6	15	4	15	5	15	6	14	4	13	5	12	4	28
29	17	8	11	9	8	19	9	25	8	21	7	23	7	19	7	24	7	25	7	22	7	21	7	22	29
30	5	12	6	13	6	15	6	14	7	12	6	14	6	13	5	10	6	10	6	13	6	16	6	19	30
31	6	22	6	25	6	23	7	26	7	25	7	26	7	23	7	21	7	17	7	20	7	18	6	17	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of MARCH, 1929.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	E	cu	E	cu	E	cu	E	cu	E	...	...	...	...	cu	E
2	cu	E	cu	E	nb	ENE	nb	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	nb	ENE
3	nb	ENE	nb	ENE	nb	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE
4	st-cu	NE	st-cu	NE	st-cu	NNE	st-cu	ENE	cu	ENE	cu	NNW	cu	NNW	cu	NNW
5	cu	NNW	st-cu	ENE	cu	NNW	a-cu / cu	WNW / ENE	st	NE	a-cu / cu	WNW / ENE	cu	ENE	cu	ENE
6	st-cu	ENE	st-cu	ENE	st-cu	NE	ci-st	SW	...	...	ci-st	SSW	...	...	...	...
7	...	...	cu	E	...	...	...	...	...	...	...	...	...	...	...	...
8	cu	E	cu	E	cu	E	cu	ESE	...	...	...	...	...	...	...	...
9	...	...	...	...	...	...	...	...	...	...	...	...	cu	E	...	...
10	...	...	...	...	ci-st	W	ci-st	WSW	ci-st	W	ci-st	W	ci-st	W	...	...
11	...	...	...	...	...	...	ci-st	W	ci-st	W	ci-st	W	ci-st	W	ci-st	W
12	cu	ENE	cu	ENE	ci-st	W	ci-st	W	...	...	ci-st	W	ci-st	W	ci-st	W
13	ci-st	W	ci-st	W	a-cu	W	a-cu	WSW	a-st	WSW	a-st	W	nb	NE	nb	NE
14	nb	NE	nb	NE	nb	ENE	nb	ENE	st-cu	ENE	st	ENE	nb	ENE	nb	ENE
15	st-cu	ENE	st-cu	ENE	a-cu / cu	WSW / E	a-cu	WSW	a-cu	WSW	...	...	a-cu / cu	W / ENE	cu	ENE
16	...	...	...	...	ci-st	W	ci-st	W	ci-st	WSW	ci-st	W	...	...	...	...
17	...	...	...	...	...	...	...	...	ci-st	W	ci-st	W	...	...	...	...
18	...	...	...	...	ci-st / cu	W / ENE	cu	E	...	...	...	...	...	...	...	...
19	...	...	cu	E	...	...	...	...	...	...	...	...	...	...	...	...
20	cu	E	cu	E	cu	E	cu	ESE	cu	E	...	...	...	...	...	...
21	cu	E	cu	E	cu	ENE	cu	E	cu	E	cu	E	...	...	...	...
22	ci-st / cu	SW / E	cu	E	st-cu	E	cu	E	cu	ESE	cu	ESE	...	...	...	...
23	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	E	...	...	...	...
24	cu	ENE	cu	SSE	cu	SE	cu	SSE	cu	SE	cu	SE	cu	SSW	cu	SSW
25	cu	S	cu	S	cu	S	cu	S	cu	S	cu	S	cu	SE	cu	SE
26	nb	SSE	nb	SSE	cu	S	cu	SSW	cu	SW	a-cu / cu	ENE / SW	cu	E	cu	E
27	cu	SSW	cu	S	cu	S	st	SSW	cu	SSE	cu	SSE	cu	SSW	cu	SSW
28	cu	S	cu	S	cu	SSW	cu	S	cu	SW	cu	SSW	cu	SSW	cu	SSW
29	cu	S	nb	S	a-cu / cu	W / S	cu-nb	S	nb	W	nb	E	nb	E	nb	E
30	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
31	nb	E	nb	E	nb	E	nb	E	nb	E	st	E	nb	E	nb	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1929.
(British Units.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·981	69·3	62·4	6·9	65·8	62·8	0·537	85	55	10·0	85	...	...	− 3·5	+ 14·8	103	15·2	15·4
2	30·094	66·9	56·4	10·5	60·8	55·8	·390	73	100	...	...	...	3	+ 5·2	+ 5·5	47	7·6	9·0
3	·146	61·3	55·5	5·8	57·1	52·9	·354	76	100	1·5	13	...	2	+ 3·4	+ 10·7	72	11·2	13·2
4	·136	60·8	51·9	8·9	55·5	48·4	·261	59	92	3·1	26	...	...	+ 8·0	+ 0·6	4	8·0	8·0
5	·147	60·3	52·1	8·2	55·4	47·3	·237	54	96	2·2	19	...	...	+ 5·6	− 0·3	357	5·6	6·9
6	·174	65·3	53·4	11·9	58·4	50·0	·267	55	39	9·7	82	...	...	+ 2·2	+ 3·5	58	4·1	6·7
7	·166	68·4	54·6	13·8	60·0	52·7	·317	61	5	10·2	86	...	...	...	+ 8·4	90	8·4	9·2
8	·121	69·3	57·3	12·0	62·2	54·5	·339	61	22	9·9	84	...	...	− 1·8	+ 13·6	98	13·7	13·9
9	·067	68·1	60·5	7·6	63·7	55·5	·350	59	2	11·0	93	...	...	+ 1·4	+ 19·0	86	19·1	19·2
10	·047	71·7	61·2	10·5	65·7	56·5	·355	56	15	10·7	90	...	...	− 1·3	+ 14·5	95	14·6	15·0
11	·128	70·8	57·2	13·6	63·9	57·2	·394	66	24	10·1	85	...	...	+ 0·8	+ 15·7	87	15·7	16·7
12	·074	65·2	52·9	12·3	59·1	52·9	·332	66	50	9·5	80	...	...	+ 1·0	+ 5·4	80	5·5	6·3
13	·059	70·3	58·4	11·9	63·0	55·7	·363	63	75	2·3	19	...	1	+ 4·0	− 1·5	340	4·3	6·0
14	·111	63·2	58·5	4·7	60·4	52·1	·297	57	100	...	...	0·005	3	+ 4·0	+ 4·3	47	5·9	7·7
15	·036	69·1	57·9	11·2	62·7	55·2	·352	62	56	8·1	67	...	...	− 0·1	+ 4·0	91	4·0	4·4
16	·025	73·0	59·0	14·0	65·1	58·1	·406	66	7	10·0	83	...	...	− 0·3	− 0·4	233	0·5	5·1
17	·030	74·0	59·6	14·4	65·5	58·7	·419	67	4	10·1	84	...	...	− 1·3	+ 11·0	97	11·1	11·2
18	·004	74·6	62·3	12·3	67·1	60·3	·447	68	5	9·7	81	...	...	− 0·8	+ 2·3	109	2·4	7·5
19	29·937	76·4	63·0	13·4	68·5	63·7	·535	77	5	9·5	79	...	...	+ 0·9	+ 0·4	24	1·0	5·9
20	·962	70·7	62·5	8·2	65·8	61·1	·485	76	47	8·8	73	...	...	+ 0·7	+ 15·2	87	15·2	15·4
21	·991	72·8	64·6	8·2	67·9	62·6	·508	74	36	9·5	79	...	...	− 2·0	+ 9·7	102	9·9	10·1
22	·943	71·5	63·7	7·8	66·3	62·5	·522	81	47	7·3	60	...	...	− 2·2	+ 12·1	100	12·3	12·4
23	·827	74·0	65·0	9·0	68·6	65·4	·589	84	55	8·9	74	...	...	+ 0·7	+ 11·9	87	11·9	11·9
24	·757	78·5	66·8	11·7	70·1	67·4	·640	87	82	2·7	22	...	...	− 0·4	+ 9·6	92	9·6	9·9
25	·755	74·0	69·0	5·0	71·0	69·1	·689	91	90	4·5	37	...	...	...	+ 14·3	90	14·3	14·3
26	·770	75·3	70·3	5·0	72·0	70·7	·735	94	93	0·9	3	...	1	+ 0·7	+ 9·1	86	9·1	9·2
27	·790	83·1	70·2	12·9	75·0	72·3	·761	88	92	3·1	25	...	...	− 4·2	+ 5·2	129	6·7	9·0
28	·798	81·2	73·5	7·7	76·1	72·5	·756	84	96	2·4	20	...	...	− 4·6	+ 2·8	149	5·4	6·8
29	·843	76·1	65·7	10·4	70·4	68·9	·689	93	99	0·3	2	0·500	8	+ 0·8	+ 12·2	86	12·2	13·0
30	·947	66·3	63·5	2·8	64·5	62·7	·549	91	100	...	...	...	4	+ 5·3	+ 13·9	69	14·9	14·9
31	·969	66·4	63·8	2·6	65·3	61·6	·506	81	100	...	...	...	...	+ 6·7	+ 20·4	72	21·4	21·4
Means	29·995	70·6	61·1	9·5	64·9	59·6	0·464	73	58	Sum. 186·0	50	Sum. 0·505	Sum 22	+ 0·9	+ 8·6	84	8·6	10·8
Normals	29·943	67·3	59·8	7·5	63·1	60·0	0·486	82	82	93·5	25	2·893	79	+ 1·4	+ 12·9	84	13·0	15·1
Absolute Max.	30·231	83·1	...	14·4	...	75·1	0·811	...	...	11·0	93	0·500	8	...	...	...	...	26·0 †
Day.	7	27	...	17	...	27	28	...	...	9	9	29	29	...	...	...	...	21d 14h 15h
Absolute Min.	29·699	...	51·9	2·6	...	45·5	0·200	37	...	...	...	...	...	...	...	...	...	...
day.	25	...	4	31	...	5	5	17	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1017·8	294·4	289·2	5·3	291·3	288·3	15·7	...	...	...	...	Sum. 12·8	Sum. 22	+ 0·3	+ 2·8	84	2·8	3·5
Normals	1016·0	292·6	288·4	4·2	290·3	288·6	16·4	...	...	...	...	73·5	79	+ 0·5	+ 4·2	84	4·3	5·0
Absolute Maximum.	1025·8	301·4	...	8·0	...	296·9	27·5	...	...	...	...	12·7	8	...	...	...	...	8·5
Absolute Minimum.	1007·7	...	284·1	1·4	...	280·5	6·8	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 1 day. The mean hourly intensity was 0·023*in*, and the maximum fall in one hour was 0·200*in* at 22*h* on the 29th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 36 miles per hour from E. by S. at 15*h* 50*m* on the 29th.

Clouds with base less than 2,000 feet high were observed on 3 days.
Clouds with base less than 1,000 feet high were observed on 1 day.

*0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1929.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10).	Percentage of Possible Sunshine.	Rainfall. Amount.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed. Velocity.
	ins.	°	°	ins.	%	%	%		%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·002	63·2	59·3	·475	79	65		...	...	6	+ 1·6	+ 7·9	79	8·0	9·5
2	29·993	63·0	59·9	·469	78	68		...	...	6	+ 2·5	+ 8·0	73	8·4	9·8
3	·985	62·8	58·6	·460	77	68		...	...	5	+ 2·4	+ 7·9	73	8·3	9·5
4	·978	62·6	58·4	·456	77	71		0·020	4	8	+ 2·2	+ 7·9	74	8·2	9·5
5	·983	62·4	58·4	·458	78	68		...	...	5	+ 1·8	+ 8·0	77	8·2	9·9
6	·998	62·1	58·2	·456	78	66	...	...	...	4	+ 1·9	+ 8·5	77	8·7	10·1
7	30·015	62·3	58·1	·451	77	67	23	...	...	5	+ 1·9	+ 8·5	77	8·7	10·3
8	·033	63·4	58·9	·461	76	64	50	...	...	3	+ 1·9	+ 9·1	78	9·3	10·4
9	·045	65·0	59·6	·464	72	57	55	0·005	1	6	+ 1·4	+ 9·8	82	9·9	11·6
10	·051	66·2	60·2	·468	70	60	55	...	...	2	+ 0·7	+ 9·5	86	9·5	11·5
11	·045	67·4	60·6	·466	67	59	65	...	...	2	− 0·3	+ 9·5	92	9·5	11·9
Noon.	·025	68·5	61·0	·466	64	55	64	0·020	4	5	− 0·8	+ 9·0	95	9·0	12·4
13	29·999	68·8	60·9	·459	62	51	59	0·015	3	5	− 1·8	+ 8·7	102	8·9	12·3
14	·972	68·8	60·9	·459	62	50	65	0·010	2	4	− 1·3	+ 8·8	98	8·9	12·9
15	·952	68·7	60·8	·458	62	47	65	0·120	24	3	− 0·4	+ 9·2	92	9·2	12·7
16	·942	67·7	60·4	·458	65	46	62	0·105	21	6	− 0·2	+ 10·5	91	10·5	13·4
17	·943	66·7	60·2	·463	68	45	37	0·005	1	2	+ 0·2	+ 10·6	89	10·6	12·9
18	·948	65·5	59·7	·461	70	49	...	...	...	1	+ 1·0	+ 10·0	84	10·0	12·2
19	·962	64·6	59·7	·472	74	52		...	...	2	+ 1·5	+ 8·5	80	8·6	10·7
20	·977	64·1	59·7	·477	76	51		...	...	1	+ 1·1	+ 7·9	82	8·0	9·4
21	·994	64·0	59·5	·472	76	52		...	...	3	+ 0·7	+ 7·2	84	7·2	9·1
22	30·008	63·7	59·4	·473	77	52		0·200	39	5	+ 1·3	+ 7·6	80	7·7	9·1
23	·010	63·4	59·3	·473	78	59		...	...	3	+ 1·2	+ 7·6	81	7·7	9·3
Midn.	·010	63·4	59·3	·473	78	63		0·005	1	8	+ 1·9	+ 7·4	75	7·6	9·2

Phenomena :—

Lunar corona :—on the 24th and 25th.

Fog :—on the 19th. 26th, 27th and 29th.

Slight Fog :—on the 24th, 26th and 30th.

Haze:—on the 12th, 16th and 19th.

Unusual visibility :—on the 1st, 2nd and 4th.

Dew :—on the 17th and 24th.

Thunderstorms :—

29*d.* 15*h.* 11*m.* to 15*h.* 47*m.* S.S.W. to N.N.E.; nearest at 15*h.* 24*m.* (12*s*).

ADOPTED ERRORS OF TIMEBALL, MARCH, 1929.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	− 0·2	11	+ 0·2	21	0·0
2	+ 0·1	12	+ 0·1	22	− 0·1
3	+ 0·2	13	+ 0·1	23	0·0
4	+ 0·2	14	+ 0·2	24	+ 0·1
5	+ 0·2	15	+ 0·1	25	0·0
6	+ 0·2	16	+ 0·1	26	0·0
7	+ 0·1	17	+ 0·1	27	0·0
8	+ 0·1	18	+ 0·1	28	0·0
9	+ 0·1	19	+ 0·1	29	0·0
10	+ 0·1	20 A.M.	+ 0·1	30	0·0
		20 P.M.	− 0·1	31	0·0

+ = Late ; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0ˢ·10

* 0° = N. 90° = E., &c

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

MARCH,

1929.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th February, 1929.								1st March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.08	764.1	33	...	...	0	f	6	30.23	767.7	14	...	N	2	c
Nemuro,	11	30.10	764.3	...	...	SW	4	...	5	29.80	757.0	...	...	...	...	...
Hokodate,	,,	30.14	765.5	...	...	SW	1	...	,,	29.86	758.5	...	...	NNW	1	...
Tokio,	,,	30.26	768.5	...	...	...	...	...	,,	29.84	758.0	..	...	NNW	1	...
Kochi,	,,	30.10	764.5	...	...	SE	1	...	,,	29.94	760.5	...	...	...	0	...
Nagasaki,	,,	29.96	761.0	...	...	WNW	4	...	,,	30.02	762.5	...	...	...	0	...
Kagoshima,	,,	29.98	761.5	...	...	NNW	1	...	,,	30.02	762.5	...	...	...	...	...
Oshima,	,,	30.04	763.0	...	...	...	0	...	,,	30.04	763.0	...	...	...	...	...
Naha,	,,	30.02	762.5	...	...	SW	2	...	,,	30.02	762.5	...	...	NE	1	...
Ishigakijima,	,,	30.02	762.5	...	...	SW	2	...	,,	30.00	762.0	..	...	SW	1	...
Bonin Island,	,,	30.30	769.5	...	...	NW	1	...	,,	30.20	767.0	...	...	SSW	2	...
Chefoo,	15	30.15	765.8	36	90	NW	2	o	6	30.44	773.2	28	88	N	6	o
Shanghai,	14	30.10	764.4	55	66	WNW	1	b	,,	30.22	767.7	45	94	NW	1	o
Sutzlaff,	,,	30.15	765.8	50	88	NW	2	b	,,	30.25	768.3	42	100	NNW	2	of
Sharp Peak,	,,	29.98	761.5	58	90	E	1	rf	7	30.10	764.5	56	87	NE	1	o
Amoy,	,,	29.97	761.2	66	84	SSE	4	b	6	30.10	764.5	62	94	NE	4	o
Swatow,	,,	29.99	761.7	67	90	SE	1	o	,,	30.02	762.5	61	94	E	1	oc
Taihoku,	11	30.02	762.6	81	66	E	4	b	5	30.04	762.9	66	98	...	0	r
Taichu,	,,	30.01	762.3	81	...	...	c	b	,,	30.02	762.6	64	...	NNW	2	o
Tainan,	,,	30.02	762.6	86	...	S	2	b	,,	30.00	762.0	70	...	N	2	o
Toshun,	,,	29.99	761.7	84	...	SSE	2	b	,,	29.98	761.4	68	...	...	0	r
Pescadores,	,,	30.02	762.6	72	...	NNE	4	o	,,	30.01	762.3	64	...	NNE	4	o
Hong Kong,	14	29.95	760.7	67	83	E	2	c	6	30.04	763.0	63	93	E	3	o
Gap Rock,	,,	29.95	760.7	...	...	N	3	of	,,	30.04	763.0	...	...	ENE	4	o
Macao,	,,	29.93	760.2	68	83	ESE	1	o	,,	30.00	762.0	64	94	ESE	2	o
Hoihow,	,,	29.85	758.1	75	87	E	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.94	760.5	78	78	NE	3	b	,,	29.99	761.7	71	89	NE	3	b
Phulien,	15	29.86	758.4	68	88	E	4	o	7	29.93	760.2	66	98	ENE	4	of
Tourane,	,,	29.86	758.4	79	...	ESE	2	b	,,	29.89	759.3	72	...	S	6	bf
Cape St. James,	,,	29.84	757.8	81	...	E	6	b	,,	29.86	758.4	75	...	E	4	b
Basco,	14	29.91	759.6	81	76	SE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.86	758.4	86	71	NE	4	b	,,	29.93	760.2	73	91	S	2	b
Tuguegarao,	,,	29.87	758.7	86	52	S	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.84	757.8	86	61	W	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	90	51	W	4	o	,,	29.91	759.6	68	91	NE	1	b
Legaspi,	,,	29.82	757.5	86	58	ENE	2	b	,,	...	...	...	...	...	...	...
Calboyog,	,,	29.81	757.2	86	68	NNE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	86	52	NE	6	b	,,	29.85	758.1	75	88	NE	4	b
Cebu,	,,	29.78	756.3	86	52	NE	4	b	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.89	759.2	72	...	ENE	4	r
Guam,	12.22	29.82	757.5	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	NE	6	o	5	29.81	757.2	...	...	E	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.83	757.7	75	...	ENE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.86	758.4	79	...	E	3	c
Rabaul,	14	29.82	757.4	90	92	E	4	b	6	29.82	757.4	77	88	...	0	b

March 1*d.* 10*h.* 38*m.*— A fresh anticyclone has formed over N. China and a depression lies over N.E. Japan.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·51 inches, against an average of 3·17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; fine to cloudy.
3.—Hong Kong to Gap Rock,	N.E. winds, moderate; fine to cloudy.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st March, 1929.								2nd March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Barometer. at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.21	767.3	17	...	NNE	3	b	6	30.30	769.6	3	...	NNW	1	b
Nemuro,	11	29.70	754.5	...	...	...	0	...	5	29.73	755.0	...	...	N	2	...
Hokodate,	,,	29.78	756.5	...	...	NNW	4	...	,,	29.78	756.5	...	...	N	1	...
Tokio,	,,	29.70	754.5	...	...	S	1	...	,,	29.73	755.0	...	...	ENE	1	...
Kochi,	,,	29.90	759.5	...	...	SSW	1	...	,,	...	...	...	...	...	0	...
Nagasaki,	,,	30.02	762.5	...	...	WNW	1	...	,,	30.10	764.5	...	...	NW	3	...
Kagoshima,	,,	30.00	762.0	...	...	WNW	1	...	,,	30.04	763.0	...	...	WNW	2	...
Oshima,	,,	30.06	763.5	...	...	N	1	...	,,	30.10	764.5	...	...	N	2	...
Naha,	,,	30.04	763.0	...	...	N	2	...	,,	30.12	765.0	...	...	N	5	...
Ishigakijima,	,,	30.04	763.0	...	...	WSW	1	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.14	765.5	...	...	SSW	3	...	,,	...	...	...	...	...	...	...
Chefoo,	15	30.49	774.4	26	87	NNW	7	b	6	30.64	778.2	26	100	NNE	4	b
Shanghai,	14	30.33	770.4	39	93	NNW	2	r	,,	30.59	777.0	32	63	NNW	4	o
Gutzlaff,	,,	30.31	769.9	40	100	NNE	6	r	,,	30.58	776.7	34	82	N	7	o
Sharp Peak,	,,	30.10	764.5	63	78	E	1	o	7	30.29	769.3	46	91	ENE	4	r
Amoy,	,,	30.03	762.7	67	79	SSE	4	b	6	30.23	76[illegible].8	54	80	NE	7	o
Swatow,	,,	30.02	762.5	65	75	E	2	b	,,	...		...	...	...	...	...
Taihoku,	11	30.11	764.7	70	82	E	2	o	5	30.28	769.2	55	77	E	4	o
Taichu,	,,	30.07	763.8	72	...	NNW	2	b	,,	30.11	764.7	55	...	N	4	b
Tainan,	,,	30.06	763.5	81	...	N	4	b	,,	30.06	763.5	59	...	NNE	...	...
Koshun,	,,	30.05	763.2	79	...	...	0	r	,,	30.02	762.6	68	...	NE	6	b
Pescadores,	,,	30.11	764.7	66	...	NE	4	o	,,	30.13	765.3	57	...	NNE	7	o
Hong Kong,	14	30.02	762.5	69	78	E	3	b	6	30.13	765.3	61	73	N	2	o
Gap Rock,	,,	30.03	762.7	...	...	ENE	4	b	,,	30.12	765.0	...	...	ENE	4	o
Macao,	,,	30.00	762.0	75	71	SE	2	b	,,	30.11	764.7	57	91	N	4	o
Hoihow,	,,	29.94	760.5	79	91	E	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.0	75	82	NE	4	b	,,	30.05	763.2	68	84	NE	6	o
Phulien,	15	29.95	760.8	73	89	E	4	o	7	30.07	763.8	63	98	ENE	4	rf
Tourane,	,,	29.92	759.9	79	...	SE	4	b	,,	30.00	762.0	72	...	ESE	4	of
Cape St. James,	,,	29.85	758.1	81	...	E	6	o	,,	29.85	758.1	77	...	E	6	h
Basco,	14	29.94	760.5	82	70	ESE	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.89	759.3	84	74	NE	4	b	,,	29.97	761.1	70	94	...	0	b
Tuguegarao,	,,	29.88	759.0	90	44	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.86	758.4	86	65	W	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.86	758.4	86	56	W	2	o	,,	29.89	759.3	72	86	...	0	o
Legaspi,	,,	29.85	758.1	90	57	ENE	4	b	,,	29.88	759.0	77	84	...	0	h
Calboyog,	,,	29.81	757.2	84	71	ENE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	86	58	N	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.79	756.6	86	61	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.87	758.7	73	...	ENE	4	o
Guam,	12.22	29.81	757.2	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	NE	4	r	5	29.76	756.0	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.76	755.9	76	...	...	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.85	758.2	80	...	E	...	r
Labuan,	14	29.81	757.2	86	92	N	4	b	6	29.82	757.4	78	89	N	2	b

March 2*d.* 10*h.* 55*m.*—The anticyclone central over N. China has strengthened.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·51 inches, against an average of 3·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd.

District.	Forecast.
1.—Formosa Channel,	N.E. winds strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; overcast, some drizzle or mist, cooler.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.72	755.0	...	...	NW	1	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.72	755.0	...	...	SW	4	...	"	29.86	758.5	...	...	W	5	...
Tokio,	"	29.78	756.5	...	...	N	2	...	"	30.06	763.5	...	..	N	4	...
Kochi,	"	30.02	762.5	...	...	NNW	1	...	"	30.24	768.0	...	..	...	...	...
Nagasaki,	"	30.18	766.5	...	...	N	3	...	"	30.34	770.5	...	...	NE	1	...
Kagoshima,	"	30.12	765.0	...	...	NNW	2	...	"	...	...	...	...	...	...	...
Oshima,	"	30.14	765.5	...	...	N	4	...	"	30.26	768.5	...	...	NNE	2	...
Naha,	"	30.18	766.5	...	...	NNW	5	...	"	30.24	768.0	...	...	NE	2	...
Ishigakijima,	"	30.26	768.5	...	...	N	3	...	"	30.14	765.5	..	..	N	2	...
Bonin Island,	"	29.96	761.0	...	...	W	2	...	"	...	...	...	...	...	...	...
Chefoo,	15	30.61	777.5	28	100	NNW	6	b	6	...	...	...	...	...	...	...
Shanghai,	14	30.59	777.0	39	36	NNE	4	o	"	...	...	...	...	...	...	...
Gutzlaff,	"	30.59	777.0	37	61	N	6	o	"	...	...	...	...	...	...	...
Sharp Peak,	"	30.25	768.6	46	69	E	4	o	7	...	...	...	...	...	...	...
Amoy,	"	30.20	767.1	57	69	ENE	4	o	6		...	...	...	...	...	...
Swatow,	"	30.20	767.1	56	94	E	3	o	"		...	...	...	...	...	...
Taihoku,	11	30.38	771.6	59	68	E	4	o	5	30.33	770.4	54	65	E	4	o
Taichu,	"	30.14	765.6	63	...	NNW	4	b	"	30.10	764.4	57	...	NNW	4	b
Tainan,	"	30.13	765.3	68	...	NNE	4	o	"	30.08	764.1	64	...	N	4	o
Koshun,	"	30.12	765.0	72	...	NE	6	o	"	30.08	764.1	64	...	NE	2	o
Pescadores,	"	30.20	767.1	57	...	NNE	7	o	"	30.15	765.9	55	...	NNE	7	o
Hong Kong,	14	30.15	765.8	62	65	E	1	o	6	30.20	767.1	56	83	NE	2	o
Gap Rock,	"	30.15	765.8	...	...	ENE	5	o	"	30.18	766.6	..	...	ENE	5	o
Macao,	"	30.13	765.3	61	69	NNE	4	o	"	30.15	765.9	54	88	NNE	4	o
Hoihow,	"	30.06	763.5	69	90	N	2	o	"	...	...	...	...	...	...	...
Pratas Island,	"	30.07	763.8	67	82	NE	7	o	"	30.12	765.0	64	90	NE	7	od
Phulien,	15	30.06	763.5	63	88	E	4	o	7	30.13	765.3	57	...	ENE	4	of
Tourane,	"	29.98	761.4	75	...	ESE	4	o	"	30.02	762.6	72	...	E	6	of
Cape St. James,	"	29.82	757.5	79	...	E	6	o	"	29.87	758.7	73	...	ENE	4	o
Basco,	14	30.01	762.3	72	82	NE	6	o	6	...	...	...	...	...	...	...
Aparri,	"	29.93	760.2	77	84	NE	4	o	"	...	...	...	...	...	...	...
Tuguegarao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.85	758.1	90	48	ESE	4	o	"	29.89	759.3	73	79	SE	1	b
Legaspi,	"	29.82	757.5	86	65	ENE	4	o	"	29.88	759.0	77	86	...	o	o
Calboyog,	"	...	...	...	...	...	...	...	"	29.87	758.7	73	91	...	o	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.87	758.7	75	86	N	4	o
Iloilo,	"	29.76	756.0	86	58	ENE	6	b	"	29.84	757.8	75	91	NE	4	b
Cebu,	"	...	...	...	...	...	...	...	"	29.84	757.8	77	72	N	2	o
Surigao,	"	29.78	756.3	84	71	ENE	4	b	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	ENE	6	r	5	29.82	757.5	...	...	NE	2	p
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Jaluan,	14	29.83	757.7	82	91	NE	1	o	6	29.84	757.9	76	94	NE	2	b

March 3*d.* 11*h.* 00*m.*— A strong anticyclone remains central over N. China.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·51 inches, against an average of 3·29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, strong; overcast, some drizzle or mist.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd March, 1929.								4th March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.34	1770.6	19	...	NE	4	b	6	30.25	768.3	4	...	NE	2	c
Nemuro,	11	29.69	754.0	...	...	W	2	...	5	29.78	756.5	...	...	WSW	3	...
Hokodate,	,,	29.86	758.5	...	...	W	5	...	,,	30.08	764.0	...	...	...	...	...
Tokio,	,,	30.04	763.0	...	...	NW	3	...	,,	30.28	769.0	...	...	N	1	...
Kochi,	,,	30.26	768.5	...	...	N	1	...	,,	30.38	771.5	...	...	...	0	...
Nagasaki,	,,	30.3	771.5	...	...	N	2	...	,,	30.36	771.0	...	...	NE	2	...
Kagoshima,	,,	30.30	769.5	...	...	N	1	...	,,	30.28	769.0	...	...	NNE	1	...
Oshima,	,,	30.28	769.0	...	...	NNE	2	...	,,	30.20	767.0	...	...	...	0	...
Naha,	,,	30.24	768.0	...	...	NNE	3	...	,,	30.12	765.0	...	...	WSW	2	...
Ishigakijima,	,,	30.25	768.5	...	...	N	1	...	,,	30.10	764.5	...		...	...	...
Bonin Island,	,,	30.08	764.0	...	...	NNW	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	30.61	777.5	32	90	NNE	4	o	6	30.49	774.4	28	100	...	0	o
Shanghai,	14	30.54	775.8	39	67	NNE	1	o	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	30.54	775.7	38	72	N	4	o	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	30.26	768.6	46	77	NE	2	o	7	30.24	768.1	44	92	NNE	1	o
Amoy,	,,	30.19	766.8	56	63	NE	4	o	6	30.23	767.8	52	79	ENE	4	o
Swatow,	,,	30.21	767.3	56	94	ESE	3	b	,,	30.24	768.1	51	94	N	2	o
Taihoku,	11	30.31	769.8	57	77	E	4	o	5	30.21	767.4	54	95	...	c	r
Taichu,	,,	30.20	767.1	61	...	N	2	o	,,	30.15	765.9	54	...	N	4	o
Tainan,	,,	30.18	766.5	72	...	N	2	o	,,	30.13	765.3	57	...	N	4	o
Koshun,	,,	30.18	766.5	68	...	NE	4	o	,,	30.10	764.4	63	...	...	o	o
Pescadores,	,,	30.22	767.7	59	...	NNE	6	o	,,	30.18	766.5	54	...	NNE	6	o
Hong Kong,	14	30.18	766.6	58	69	E	3	o	6	30.20	767.1	52	67	N	2	o
Gap Rock,	,,	30.19	766.8	...	...	ENE	6	o	,,	30.19	766.8	...	...	NNE	5	o
Macao,	,,	30.11	764.7	57	86	N	2	o	,,	30.18	766.5	50	77	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.10	764.5	69	78	NE	6	o	,,	30.13	765.3	65	89	NE	7	o
Phulien,	15	30.12	765.0	57	98	NW	2	rf	7	30.20	767.1	54	95	NE	4	of
Tourane,	,,	30.01	762.3	73	...	E	6	of	,,	30.04	762.9	70	...	E	6	of
Cape St. James,	,,	29.82	757.5	81	...	E	6	bf	,,	29.86	758.4	73	...	E	2	b
Basco,	14	30.04	762.9	70	74	ENE	4	o	6	30.02	762.6	68	73	NE	2	o
Aparri,	,,	30.00	762.0	73	85	NE	4	r	,,	29.99	761.7	70	96	NE	2	r
Tuguegarao,	,,	29.93	760.2	77	79	N	2	rf	,,	29.95	760.8	70	77	N	2	o
Vigan,	,,	29.81	757.2	86	58	NW	4	o	,,	29.84	757.8	73	75	N	2	o
Manila,	,,	29.86	758.4	86	56	ENE	2	o	,,	29.88	759.0	73	85	N	1	o
Legaspi,	,,	29.85	758.1	84	74	NE	2	o	,,	29.84	757.8	77	79	NNE	4	o
Calboyog,	,,	29.81	757.2	86	49	NNE	4	b	,,	29.81	757.2	75	79	N	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	75	83	N	4	r
Iloilo,	,,	29.80	756.9	86	61	NE	6	b	,,	29.80	756.9	73	88	NE	4	o
Cebu,	,,	29.79	756.6	86	49	NE	4	o	,,	...	...	...	...	...	..	...
Surigao,	,,	29.78	756.3	82	70	ENE	4	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	74	...	E	3	bc
Guam,	12.22	29.84	757.8	...	...	E	4	o	4.22	29.82	757.5	...	...	E	4	o
Yap,	11.00	29.79	756.6	...	...	ENE	4	r	5	29.76	756.0	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.78	756.4	78	...	SE	1	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	80	...	ENE	4	bc
Labuan,	14	29.81	757.2	86	95	NE	7	b	6	29.82	757.4	82	96	NE	2	b

March 4*d.* 11*h.* 25*m.*—The anticyclone has weakened and is now central to the north of the lower Yangtze Valley.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·51 inches, against an average of 3·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; overcast at first, possibly clearing later.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	5th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.13	765.4	26	...	SSW	2	o	6	30.20	767.0	17	...	NW	1	b
Nemuro,	11	29.90	759.5	...	...	WNW	3	...	5	...	...	...	...	...	...	...
Hokodate,	"	30.12	765.0	...	...	WSW	3	...	"	...	...	...	...	...	...	...
Tokio,	"	30.30	769.5	...	...	N	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.31	770.0	...	...	...	0	...	"	...		...	...	...	...	...
Nagasaki,	"	30.30	769.5	...	...	N	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.26	768.5	...	...	ENE	1	...	"	...	...	...	...	...	...	...
Oshima,	"	30.16	766.0	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	30.10	764.5	...	...	NE	1	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	30.10	764.5	...	...	...	0	...	"	...	...	...		...	...	...
Bonin Island,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Chefoo,	15	30.29	769.3	42	75	NW	4	b	6	30.32	770.1	34	90	...	0	b
Shanghai,	14	30.44	773.1	39	67	WNW	2	o	"	30.44	773.1	28	...	W	1	b
Gutzlaff,	"	...	...	...	...	...	...	...	"	30.40	772.1	34	...	NNW	4	b
Sharp Peak,	"	30.22	767.6	50	72	E	4	o	7	30.30	769.6	44	84	NE	1	o
Amoy,	"	30.20	767.1	58	70	NE	4	o	6	30.23	767.8	50	72	E	4	o
Swatow,	"	30.21	767.3	57	80	N	2	c	"	...	...	...	...	...	...	...
Taihoku,	11	30.26	768.6	54	92	...	o	r	5	30.25	768.3	50	95	SW	1	r
Taichu,	"	30.17	766.2	54	...	NNW	4	o	"	30.15	765.9	50	...	N	4	r
Tainan,	"	30.15	765.9	57	...	NNE	4	b	"	30.15	765.9	52	...	N	4	o
Koshun,	"	30.11	764.7	72	...	NNW	2	b	"	30.08	764.1	63	...	NNW	2	o
Pescadores,	"	30.20	767.1	54	...	NNE	6	o	"	30.19	766.8	52	...	NNE	6	o
Hong Kong,	14	30.16	766.0	59	57	NNW	1	o	6	30.20	767.1	53	58	N	2	o
Gap Rock,	"	30.16	766.0	...	...	N	5	b	"	30.18	766.6	...	...	NNE	4	o
Macao,	"	30.15	765.9	54	59	NNE	4	o	"	30.18	766.5	48	95	N	4	o
Hoihow,	"	..	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	30.08	764.0	65	78	NNE	6	o	"	30.11	764.8	64	68	NNE	6	o
Phulien,	15	30.1[illegible]	766.2	57	72	NE	2	o	7	30.24	768.0	52	80	E	4	o
Tourane,	"	30.00	762.0	73	...	E	6	o	"	30.07	763.8	64	...	N	4	r
Cape St. James,	"	29.80	756.9	81	...	E	7	o	"	29.87	758.7	75	...	ENE	6	bf
Basco,	14	29.93	760.2	75	63	NE	4	o	6	30.01	762.3	68	77	NE	4	o
Aparri,	"	29.94	760.5	72	94	NE	2	r	"	29.98	761.4	72	88	NE	4	o
Tuguegarao,	"	29.92	759.9	79	73	NW	2	o	"	29.95	760.8	70	98	NW	2	o
Vigan,	"	29.82	757.5	84	58	NNW	6	o	"	29.87	758.7	68	77	N	2	b
Manila,	"	29.81	757.2	90	90	WSW	2	o	"	29.88	759.0	70	91	...	o	o
Legaspi,	"	29.79	756.6	86	65	NNE	4	o	"	29.84	757.8	77	76	N	4	o
Calbayog,	"	...	...	...	...	...	...	...	"	29.81	757.2	75	92	N	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.79	756.6	73	94	N	4	r
Iloilo,	"	29.75	755.7	86	55	NE	6	o	"	29.78	756.3	77	79	NE	6	o
Cebu,	"	...	...	...	...	...	...	...	"	29.78	756.3	75	89	N	2	o
Surigao,	"	29.73	755.1	77	89	N	2	r	"	29.73	755.1	77	96	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	74	...	NE	2	bo
Guam,	12.22	29.80	756.9	...	...	E	4	o	4.22	29.82	757.5	...	...	NE	2	o
Yap,	11.00	29.78	756.3	...	...	ESE	4	b	5	29.82	757.5	80	...	ENE	2	c
Pelew,	...	...	...	...	...	...	...	...	"	29.78	756.3	79	...	ENE	1	c
Ponape,	...	...	...	...	...	...	...	...	..	29.83	757.7	81	...	E	3	c
Labuan,	14	29.81	757.2	86	94	SE	4	b	6	29.83	757.7	71	91	E	2	b

March 5d. 11h. 50m.—The *position of the anticyclone is uncertain.* There are indications of another over S.E. Mongolia.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·51 inches, against an average of 3·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds strong.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, moderate; fine to cloudy.
3.—Hong Kong to Gap Rock,	N. winds, moderate; fine to cloudy.
4.—South coast of China between Hong Kong and Hainan,	N. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	6th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.27	768.7	21	...	NW	2	b	6	30.46	773.7	5	...	...	0	b
Nemuro,	11	30.10	764.5	...	...	SW	4	...	5	...	...	...	...	...	...	...
Hokodate,	,,	30.06	763.5	...	...	SSW	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.10	764.5	...	...	N	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.20	76[illegible].0	...	...	N	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.14	765.5	...	...	NNW	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.14	765.5	...	...	N	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.14	765.5	...	...	NNW	1	...	,,	...	...	...	...	...	...	...
Ishignkijima,	,,	30.20	767.0	...	...	N	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.02	762.5	...	...	SSE	3	...	,,	...	...	...	...	...	...	...
Chefoo,	15	30.30	769.6	38	72	N	1	b	6	30.45	773.4	30	100	...	0	b
Shanghai,	14	30.40	772.2	50	32	NNE	1	b	,,	30.44	773.1	32	92	ENE	1	b
Gutzlaff,	,,	30.46	773.7	47	55	N	4	b	,,	30.48	774.2	38	91	NNW	2	b
Sharp Peak,	,,	30.22	767.6	48	63	E	4	o	7	30.32	770.1	46	91	NNE	2	b
Amoy,	,,	30.20	767.1	56	63	ENE	2	b	6	30.26	768.6	47	70	ENE	4	o
Swatow,	,,	30.21	767.3	57	77	N	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.25	768.3	55	88	E	2	o	5	30.25	768.3	52	92	NE	4	o
Taichu,	,,	30.17	766.2	59	...	N	2	o	,,	30.18	766.5	54	...	N	2	o
Tainan,	,,	30.14	765.6	64	...	N	4	o	,,	30.17	766.2	54	...	N	2	o
Koshun,	,,	30.10	764.4	72	...	NE	4	o	,,	30.13	765.3	63	...	NNE	2	o
Pescadores,	,,	30.21	767.4	54	...	NNE	6	o	,,	30.20	767.1	55	...	NNE	6	o
Hong Kong,	14	30.18	766.6	59	51	W	2	o	6	30.24	768.1	54	60	N	1	o
Gap Rock,	,,	30.18	766.6	...	...	NNE	4	o	,,	30.23	767.8	...	...	NNE	4	o
Macao,	,,	30.19	766.8	52	57	N	2	o	,,	30.21	767.4	52	57	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.10	764.5	63	78	NNE	6	o	,,	30.14	765.5	62	77	NE	6	o
Phulien,	15	30.22	767.7	57	62	NW	1	o	7	30.27	768.9	54	80	NNE	1	of
Tourane,	,,	30.05	763.2	66	...	NNW	4	r	,,	30.14	765.6	64	...	NNW	6	of
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.91	759.7	73	...	ENE	4	bf
Basco,	14	29.99	761.7	70	77	NE	4	o	6	30.04	762.9	68	73	NE	4	o
Aparri,	,,	29.97	761.1	77	76	NE	4	o	,,	30.04	762.9	72	78	NE	4	r
Tuguegarao,	,,	29.93	760.2	79	61	SE	4	o	,,	30.01	762.3	68	98	N	1	o
Vigan,	,,	29.82	757.5	82	54	SSE	6	o	,,	29.93	760.2	70	74	N	2	o
Manila,	,,	29.84	757.8	86	52	SW	4	o	,,	29.93	760.2	68	87	NE	1	b
Legaspi,	,,	29.82	757.5	84	60	NNE	4	o	,,	29.87	758.7	75	83	N	2	o
Calboyog,	,,	29.80	756.9	77	84	N	4	o	,,	29.85	758.1	75	89	N	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	72	98	NW	4	o
Iloilo,	,,	29.76	756.0	79	73	NE	6	o	,,	29.85	758.1	75	88	NE	4	o
Cebu,	,,	29.75	755.7	82	70	NNW	4	o	,,	29.82	757.5	75	83	N	2	o
Surigao,	,,	29.73	755.1	81	89	N	4	o	,,	29.80	756.9	75	96	N	2	r
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	NE	4	o	4.22	29.85	758.1	...	...	E	2	o
Yap,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.83	757.7	83	95	SE	4	b	6	29.83	757.7	80	91	SE	2	b

March 6*d.* 11*h.* 45*m.*—An anticyclone covers S.E. Mongolia and China.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·51 inches, against an average of 3·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds fresh.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, moderate; fine to cloudy.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.45	773.4	25	...	...	0	b	6	30.30	769.5	14	...	...	0	b
Nemuro,	11	29.80	757.0	...	...	NW	3	...	5	30.16	766.0	...	...	NNW	1	...
Hokodate,	"	30.10	764.5	...	...	N	3	...	"	30.30	769.5	...	...	W	3	...
Tokio,	"	30.14	765.5	...	...	NNW	3	...	"	30.39	772.0	...	...	NNW	1	...
Kochi,	"	30.28	769.0	...	...	NNW	1	...	"	30.36	771.0	...	...	...	0	...
Nagasaki,	"	30.31	770.0	...	...	NE	2	...	"	30.36	771.0	...	...	N	1	...
Kagoshima,	"	30.28	769.0	...	...	NE	1	...	"	30.32	770.0	...	...	WNW	1	...
Oshima,	"	30.22	76 5	...	...	NNE	1	...	"	30.26	768.5	...	...	N	1	...
Naha,	"	30.18	766.5	...	...	NE	1	...	"	30.22	767.5	...	...	NE	1	...
Ishigakijima,	"	30.22	767.5	...	...	N	1	...	"	30.24	768.0	...	.	NNW	1	...
Bonin Island,	"	30.02	762.5	...	...	...	0	...	"	30.06	763.5	...	...	N	1	...
Chefoo,	15	30.39	771.9	38	84	NE	1	b	6	30.28	769.1	38	84	SSW	2	b
Shanghai,	14	30.45	773.4	52	30	N	1	b	"	30.41	772.5	28	96	NE	1	b
Gutzlaff,	"	30.49	774.4	50	72	N	2	b	"	30.44	773.2	38	83	NNE	2	b
Sharp Peak,	"	30.22	767.6	56	63	E	4	b	7	30.22	767.6	44	68	NW	1	b
Amoy,	"	30.26	768.6	63	42	E	4	b	6	30.35	770.9	50	51	N	4	b
Swatow,	"	30.25	768.3	57	77	NE	2	b	"	30.28	769.2	47	93	NE	2	b
Taihoku,	11	30.31	769.8	55	81	E	4	o	5	30.28	769.2	52	80	E	4	b
Taichu,	"	30.21	767.4	59	...	NNW	2	o	"	30.20	767.1	50	...	...	0	b
Tainan,	"	30.21	767.4	59	...	NNE	4	o	"	30.18	766.5	54	...	N	2	o
Koshun,	"	30.18	766.5	70	...	NNE	4	o	"	30.14	765.6	64	...	NE	6	o
Pescadores,	"	...	...	...	...	...	...	...	"	30.21	767.4	55	...	NNE	6	o
Hong Kong,	14	30.20	767.1	64	43	E	2	b	6	30.27	768.8	55	69	ENE	3	b
Gap Rock,	"	30.20	767.1	...	...	NNE	4	b	"	30.22	767.6	...	...	ENE	4	b
Macao,	"	30.17	766.2	59	40	NE	4	b	"	30.21	767.4	55	77	NE	2	o
Hoihow,	"	30.18	766.6	62	89	NE	2	c	"	...	...	...	...	...	...	...
Pratas Island,	"	30.13	765.3	66	74	NNE	6	o	"	30.15	765.8	65	78	NNE	6	o
Phulien,	15	30.21	767.4	63	51	SW	2	o	7	30.25	768.3	55	...	NW	4	of
Tourane,	"	30.11	764.7	63	...	NNW	4	o	"	30.14	765.6	63	...	NNW	6	of
Cape St. James,	"	29.87	758.7	82	...	ENE	6	o	"	29.93	760.2	73	...	ENE	4	bf
Basco,	14	30.06	763.5	73	71	ENE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	30.00	762.0	77	72	NE	4	o	"	...	...	...	...	...	...	...
Tuguegarao,	"	29.95	760.8	81	56	N	2	o	"	...	...	...	...	...	...	...
Vigan,	"	29.86	758.4	82	57	N	6	o	"	29.94	760.5	73	52	NE	2	o
Manila,	"	29.88	759.0	82	57	WSW	4	o	"	29.95	760.8	72	89	W	1	o
Legaspi,	"	29.85	758.1	81	69	NNE	4	o	"	29.93	760.2	75	85	N	4	o
Calbayog,	"	29.82	757.5	77	86	N	4	r	"	29.88	759.0	73	92	NNE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.87	758.7	73	98	NW	4	o
Iloilo,	"	29.82	757.5	79	69	N	6	o	"	29.87	758.7	72	91	NE	6	o
Cebu,	"	29.79	756.6	84	64	NNW	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.79	756.6	79	92	N	4	o	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	E	2	b	5	29.87	758.7	...	...	NNE	2	o
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Jaluan,	14	29.80	756.9	84	83	NE	4	b	6	29.85	758.2	77	91	NE	2	b

March 7*d*. 11*h*. 10*m*.—The anticyclone is moving eastward and is now central over S. Korea.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·51 inches, against an average of 3·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh to moderate; fine to cloudy.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh to moderate; fine to cloudy.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh to moderate; fine to cloudy.

B. D. EVANS,—*First Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th March, 1929.								8th March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.22	767.5	35	...	...	0	c	6	30.18	766.5	29	...	NE	3	o
Nemuro,	11	30.12	765.0	...	...	WNW	1	...	5	29.96	761.0	...	...	WSW	1	...
Hokodate,	,,	30.26	768.5	...	...	WSW	4	...	,,	30.12	765.0	...	...	SW	2	...
Tokio,	,,	30.37	771.5	...	...	SE	1	...	,,	30.26	768.5	...	...	N	1	...
Kochi,	,,	30.33	770.5	...	...	SE	1	...	,,	30.30	769.5	...	...	...	...	...
Nagasaki,	,,	30.33	770.5	...	...	...	0	...	,,	30.32	770.0	...	...	...	...	...
Kagoshima,	,,	30.31	770.0	...	...	ESE	1	...	,,	30.30	769.5	...	...	NW	1	...
Oshima,	,,	30.28	769.0	...	...	N	1	...	,,	30.26	768.5	...	...	...	0	...
Naha,	,,	30.24	768.0	...	...	N	1	...	,,	30.24	768.0	...	...	NE	1	...
Ishigakijima,	,,	30.26	768.5	...	...	N	2	...	,,	30.22	767.5	...	...	N	1	...
Bonin Island,	,,	30.08	764.0	...	...	N	1	...	,,	30.12	765.0	...	...	S	1	...
Chefoo,	15	30.12	765.0	58	58	SW	4	b	6	30.19	766.8	44	68	SW	1	b
Shanghai,	14	30.32	770.1	57	32	SSE	1	b	,,	30.30	769.5	37	93	ESE	1	b
Gutzlaff,	,,	30.39	771.9	46	62	SSE	1	b	,,	30.35	770.9	42	75	SSE	2	b
Sharp Peak,	,,	30.22	767.6	60	88	E	1	b	7	30.23	767.8	48	74	NW	1	b
Amoy,	,,	30.24	768.1	64	48	ENE	4	b	6	30.23	767.8	52	79	NE	4	b
Swatow,	,,	30.22	767.6	59	77	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.27	768.9	68	56	ENE	4	b	5	30.24	768.0	50	95	...	0	b
Taichu,	,,	30.21	767.4	68	...	NNW	2	b	,,	30.21	767.4	50	...	...	0	b
Tainan,	,,	30.21	767.4	72	...	N	4	b	,,	30.20	767.1	52	...	NNE	2	b
Koshun,	,,	30.18	766.5	73	...	NE	4	b	,,	30.17	766.2	64	...	NE	2	b
Pescadores,	,,	30.26	768.6	61	...	NNE	6	b	,,	30.21	767.4	55	...	NNE	4	b
Hong Kong,	14	30.18	766.6	65	52	E	3	b	6	30.20	767.1	57	68	E	2	b
Gap Rock,	,,	30.19	766.8	...	...	ENE	4	b	,,	30.19	766.8	...	...	ENE	4	c
Macao,	,,	...	...	...	...	...	...	...	,,	30.17	766.2	55	79	N	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.13	765.3	64	88	NNE	6	od	,,	30.14	765.5	65	78	NE	6	o
Phulien,	15	30.18	766.5	72	51	S	2	b	7	30.21	767.4	57	93	NW	4	bf
Tourane,	,,	30.11	764.7	64	...	NNW	6	o	,,	30.13	765.3	64	...	NW	4	of
Cape St. James,	,,	29.89	759.3	81	...	ENE	6	o	,,	29.94	760.5	72	...	NE	4	bf
Basco,	14	30.08	764.1	68	77	NE	4	r	6	30.11	764.7	68	64	NE	4	b
Aparri,	,,	30.02	762.6	77	72	E	4	o	,,	30.07	763.8	72	84	E	2	o
Tuguegarao,	,,	30.02	762.6	77	64	N	1	o	,,	30.06	763.5	68	92	N	2	o
Vigan,	,,	29.88	759.0	84	52	NNW	4	o	,,	29.94	760.5	75	63	N	2	b
Manila,	,,	29.91	759.6	81	62	W	2	o	,,	29.97	761.1	73	82	...	0	o
Legaspi,	,,	29.89	759.3	64	67	NNE	4	o	,,	29.93	760.2	75	88	N	4	o
Calbayog,	,,	29.86	758.4	79	80	N	4	r	,,	29.91	759.6	75	91	NNE	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	75	96	N	4	o
Iloilo,	,,	29.85	758.1	79	76	NE	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	77	84	N	2	b
Surigao,	,,	29.84	757.8	77	88	N	4	r	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.93	760.2	73	...	ENE	3	b
Guam,	12.22	29.84	757.8	...	...	E	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	NE	4	o	5	29.87	758.7	...	...	NE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	77	...	NNE	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.87	758.7	77	...	SSE	2	b
Labuan,	14	29.81	757.2	83	92	NE	4	b	6	29.84	757.8	76	91	NE	2	b

March 8*d.* 11*h.* 15*m.*—The anticyclone is central near Nagasaki.

Light variable winds along the S.E. coast of China and fresh to moderate monsoon over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·51 inches, against an average of 3·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th March, 1929.								9th March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.17	766.4	30	...	NE	4	b	6	30.18	766.6	17	...	...	0	0
Nemuro,	11	29.92	760.0	...	...	NNE	1	...	5	29.90	759.5	...	...	...	...	...
Hokodate,	,,	30.04	763.0	...	...	W	1	...	,,	30.00	762.0	...	...	NW	1	...
Tokio,	,,	30.16	766.0	...	...	SSE	1	...	,,	30.06	761.5	...	..	...	0	...
Kochi,	,,	30.22	767.5	...	...	SE	1	...	,,	30.18	766.5	...	..	W	1	...
Nagasaki,	,,	30.30	769.5	...	...	SE	1	...	,,	30.22	767.5	...	..	...	0	...
Kagoshima,	,,	30.28	769.0	...	...	N	1	...	,,	30.22	76[illegible].5	...	..	WNW	1	...
Oshima,	,,	30.28	769.0	...	...	NE	1	...	,,	30.20	767.0	...	...	...	0	...
Naha,	,,	30.26	768.5	...	...	N	1	...	,,	30.20	767.0	...	..	ENE	1	...
Ishigakijima,	,,	30.26	768.5	...	...	N[illegible]	1	...	,,	30.18	766.5	...	..	NNE	1	...
Bonin Island,	,,	30.10	764.5	...	...	NW	1	...	,,	30.08	764.0	...	...	NE	1	...
Chefoo,	15	30.21	767.3	40	100	NE	1	0	6	30.29	76[illegible].3	34	100	...	0	b
Shanghai,	14	30.36	768.6	66	30	ESE	1	b	,,	30.25	768.3	41	81	SE	1	b
Gutzlaff,	,,	30.32	770.1	54	62	SSE	1	b	,,	30.[illegible]0	769.6	44	86	SSE	2	b
Sharp Peak,	,,	30.24	768.1	68	65	E	1	b	7	30.24	768.1	54	80	N	1	b
Amoy,	,,	30.18	766.6	6[illegible]	50	SSE	4	b	6	...	...	...	...	...	...	...
Swatow,	,,	30.21	767.3	62	64	ESE	2	0	,,	...	...	...	...	...	...	...
Taihoku,	11	30.25	768.3	72	57	E	4	b	5	30.18	766.5	57	89	E	2	b
Taichu,	,,	30.22	76[illegible].7	70	...	...	0	b	,,	30.15	765.9	54	...	...	0	b
Tainan,	,,	30.20	76[illegible].1	72	...	N	2	b	,,	30.13	765.3	54	...	...	0	n
Koshun,	,,	30.20	767.1	75	...	NE	4	b	,,	30.13	765.3	66	...	NE	2	b
Pescadores,	,,	30.26	768.6	61	...	NE	4	0	,,	...	...	...	...	...	...	...
Hong Kong,	14	30.16	766.0	68	49	ESE	3	b	6	30.14	765.5	61	54	E	3	b
Gap Rock,	,,	30.16	766.0	...	...	ENE	4	b	,,	30.12	765.0	..	...	ENE	4	b
Macao,	,,	30.13	765.3	73	55	SE	2	b	,,	30.08	764.1	59	63	NE	2	b
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.11	764.8	72	71	NE	5	b	,,	30.07	763.8	69	84	NE	5	bc
Phulien,	15	30.12	765.0	75	56	SSE	4	b	7	30.12	765.1	61	...	ENE	4	cf
Tourane,	,,	30.07	763.8	68	...	NNW	4	0	,,	30.06	763.5	66	...	NW	4	of
Cape St. James,	,,	29.87	75[illegible].7	81	...	E	4	0	,,	...	...	...	...	...	...	...
Basco,	14	30.08	764.0	73	55	NE	4	0	6	30.07	763.8	70	61	NE	4	0
Aparri,	,,	30.05	76[illegible].2	75	76	NE	4	0	,,	30.02	762.6	72	88	...	0	0
Tuguegarao,	,,	30.02	762.6	68	60	NNE	2	0	,,	29.99	761.7	68	75	NNW	1	0
Vigan,	,,	29.87	758.7	86	41	NNW	4	0	,,	29.89	759.3	72	70	NE	1	0
Manila,	,,	29.89	759.3	84	60	SW	4	0	,,	29.91	759.6	70	88	WNW	1	b
Legaspi,	,,	29.88	759.0	84	71	NNE	4	0	,,	29.88	759.0	77	88	N	2	0
Calbayog,	,,	29.87	758.7	79	84	N	4	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.84	757.8	79	80	NNE	6	0	,,	29.86	758.4	75	96	NE	4	0
Cebu,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.82	757.5	77	92	ENE	4	0	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.82	757.5	...	...	NE	4	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	NE	4	0	5	29.85	758.1	...	...	NE	4	0
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	81	87	NE	4	b	6	29.83	757.7	77	91	NE	2	b

March 9*d.* 10*h.* 31*m.*—The anticyclone continues to weaken in the vicinity of S. Japan, but an increase of pressure is indicated over S. Manchuria.

Fresh monsoon will prevail along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·51 inches, against an average of 3·68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; fine generally.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th March, 1929.								10th March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.12	765.0	34	...	N	2	b	6	30.13	765.3	26	...	NNW	2	b
Nemuro,	11	29.88	759.0	...	...	S	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.94	760.5	...	...	WNW	3	...	,,	29.86	758.5	..	...	WSW	2	...
Tokio,	,,	29.98	761.5	...	...	NNE	1	...	,,	29.98	761.5	...	..	...	0	...
Kochi,	,,	30.12	765.0	...	...	SE	1	...	,,	30.10	764.5	...	..	...	0	...
Nagasaki,	,,	30.22	767.5	...	...	W	3	...	,,	30.18	766.5	...	..	...	0	...
Kagoshima,	,,	30.18	766.5	...	...	WNW	1	...	,,	30.16	766.0	..	..	NNW	1	...
Oshima,	,,	30.22	767.5	...	...	N	1	...	,,	30.18	766.5	..	...	S	1	...
Naha,	,,	30.22	767.5	...	...	NNW	1	...	,,	30.18	766.5	...	...	NE	1	...
Ishigakijima,	,,	30.22	767.5	...	...	ESE	1	...	,,	30.16	766.0	...	.	N	1	...
Bonin Island,	,,	30.10	754.5	...	...	NNW	1	...	,,	30.08	764.0	...	...	NNW	1	...
Chefoo,	15	30.31	769.9	42	75	NNW	2	b	6	30.40	772.1	34	82	ENE	1	b
Shanghai,	14	30.20	767.1	70	29	SE	1	b	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	30.27	768.8	58	42	SSW	2	b	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	30.24	768.1	72	85	E	1	b	7	30.24	768.1	58	76	NNE	4	r
Amoy,	,,	30.15	765.8	70	44	ENE	4	b	6	30.17	766.3	58	81	SSE	4	c
Swatow,	,,	30.15	765.8	64	90	E	2	b	,,	.	...	...	...	...	...	...
Taihoku,	11	30.17	766.2	79	48	E	4	b	5	...	...	...	...	...	...	...
Tuichu,	,,	30.17	766.2	75	...	...	0	b	,,	30.14	765.6	57	...	...	0	b
Tainan,	,,	30.17	766.2	75	...	W	2	b	,,	30.13	765.3	57	...	NNE	2	b
Koshun,	,,	30.15	765.9	77	...	NE	4	b	,,	30.10	764.4	66	...	NNE	2	b
Pescadores,	,,	30.19	766.8	66	...	NNE	4	o	,,	30.13	765.3	57	...	NNE	4	b
Hong Kong,	14	30.10	764.5	68	54	E	3	b	6	30.12	765.0	63	48	E	2	b
Gap Rock,	,,	30.08	764.0	...	...	ENE	5	b	,,	30.11	764.8	...	...	ENE	5	b
Macao,	,,	30.07	763.8	73	52	SE	2	b	,,	30.04	762.9	61	69	NE	2	o
Hoihow,	,,	30.06	763.5	71	90	ENE	...	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.01	763.2	73	77	NE	2	bc	,,	30.07	763.8	70	71	ENE	4	c
Phulien,	15	30.06	763.5	75	63	SSE	5	o	7	30.10	764.5	73	...	ENE	2	of
Tourane,	,,	30.04	762.9	70	...	WSW	4	o	,,	30.04	763.0	70	...	NE	2	cf
Cape St. James,	,,	29.85	758.1	81	...	E	4	o	,,	29.88	758.9	75	...	ENE	4	c
Basco,	14	30.04	762.9	79	58	ENE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.99	761.7	77	76	E	4	o	,,	30.00	762.0	72	94	E	4	o
Tuguegarao,	,,	29.98	761.4	77	79	N	1	o	,,	30.00	762.0	68	96	NW	1	b
Vigan,	,,	29.85	758.1	84	52	NW	4	o	,,	...	...	...	...	.	...	...
Manila,	,,	29.86	758.4	82	63	W	2	o	,,	29.92	759.8	72	84	N	1	o
Legaspi,	,,	29.86	758.4	79	85	NNE	4	o	,,	29.88	759.0	75	96	N	2	o
Calbayog,	,,	29.84	757.8	79	90	NNE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	73	96	NW	2	b
Iloilo,	,,	29.81	757.2	84	68	NE	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.89	759.2	73	...	NE	3	bc
Guam,	12.22	29.79	756.6	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	NE	4	o	5	29.80	756.9	76	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.81	757.2	76	...	NNE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	80	...	ENE	3	c
Labuan,	14	29.70	754.4	84	83	NE	2	b	6	29.84	757.9	77	94	NE	2	b

March 10*d.* 11*h.* 15*m.*—The anticyclone covers S.E. Mongolia and China.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·51 inches, against an average of 3·76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th March, 1929.								11th March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.10	764.6	32	...	N	3	b	6	30.02	762.4	13	...	...	0	b
Nemuro,	11	29.70	754.5	...	...	NNW	1	...	5	29.78	756.5	...	...	N	1	...
Hokodate,	,,	29.86	758.5	...	...	WNW	6	...	,,	29.80	757.0	...	...	N	1	...
Tokio,	,,	29.94	760.5	...	...	...	0	...	,,	29.94	760.5	...	..	NNE	1	...
Kochi,	,,	30.04	763.0	...	...	W	1	...	,,	29.96	761.0	...	..	...	0	...
Nagasaki,	,,	30.16	766.0	...	...	WNW	3	...	,,	30.12	765.9	..	..	NNW	3	...
Kagoshima,	,,	30.14	765.5	...	...	WNW	2	...	,,	30.02	762.5	..	..	NW	1	...
Oshima,	,,	30.14	765.5	...	...	WNW	2	...	,,	30.12	765.0	..	...	N	1	...
Naha,	,,	30.20	767.0	...	...	NNW	1	...	,,	30.14	765.5	..	..	...	0	...
Ishigakijima,	,,	30.18	766.5	...	...	E	1	...	,,	30.14	765.5	...	.	N	1	...
Bonin Island,	,,	30.08	764.0	...	...	NW	1	...	,,	30.08	764.0	...	...	...	0	...
Chefoo,	15	30.41	772.4	38	63	NW	4	b	6	30.45	773.4	26	87	NW	8	b
Shanghai,	14	30.37	771.3	48	60	NNE	4	o	,,	30.46	773.7	37	90	W	2	o
Gutzlaff,	,,	30.38	771.6	44	86	NNE	4	o	,,	30.50	774.7	38	91	NW	6	o
Sharp Peak,	,,	30.23	767.8	73	58	E	2	b	7	30.22	767.6	50	72	ENE	4	o
Amoy,	,,	30.07	763.8	69	56	SE	4	b	6	30.21	767.3	58	76	NE	2	b
Swatow,	,,	...		...	...	...	...	...	,,	30.19	766.8	51	94	NE	2	b
Taihoku,	11	30.13	765.3	77	54	ENE	4	b	5	30.19	766.8	64	79	ENE	4	o
Taichu,	,,	30.13	765.3	73	...	W	2	b	,,	30.15	765.9	54	...		0	b
Tainan,	,,	30.14	765.6	74	...	WNW	2	b	,,	30.13	765.3	55	...	N	2	b
Koshun,	,,	30.12	765.0	77	...	NE	4	b	,,	30.11	764.7	64	...	NNW	2	b
Pescadores,	,,	30.15	765.9	68	...	NE	4	o	,,	30.15	765.9	59	...	NNE	6	b
Hong Kong,	14	30.08	764.0	71	42	E	4	b	6	30.17	766.3	62	74	E	4	b
Gap Rock,	,,	30.09	764.3	...	...	ENE	5	b	,,	30.14	765.5		...	E	4	o
Macao,	,,	30.06	763.5	79	36	SSE	2	b	,,	30.11	764.7	61	81	SE	2	b
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.06	763.5	72	75	NE	6	o	,,	30.10	764.5	69	85	NNE	5	o
Phulien,	15	30.06	763.5	77	61	ESE	2	b	7	30.16	766.0	63	...	NE	2	bef
Tourane,	,,	30.01	762.3	72	...	N	4	o	,,	30.08	764.0	68	...	NNW	2	of
Cape St. James,	,,	29.82	757.5	81	...	ENE	6	o	,,	...	...	...	...	...	...	...
Basco,	14	30.01	762.3	73	66	E	4	o	6	...		...	...	...	...	...
Aparri,	,,	29.97	761.1	73	88	ENE	4	o	,,	30.00	762.0	70	91	...	0	o
Tuguegarao,	,,	29.94	760.5	82	51	WNW	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.85	758.1	84	60	NW	4	b	,,		...	...	...	...	...	...
Manila,	,,	29.85	758.1	82	67	WNW	4	o	,,	29.94	760.5	73	86	E	1	o
Legaspi,	,,	29.87	758.7	75	94	N	2	o	,,	29.92	759.9	75	91	NE	2	o
Calboyog,	,,	29.84	757.8	79	89	NNW	2	r	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	86	71	N	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	86	65	NE	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.80	756.9	86	52	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.78	756.3	86	75	E	2	b	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	ENE	4	o	5	29.86	758.4	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.84	757.9	77	...	ENE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.83	757.7	79	...	NE	2	c
Labuan,	14	29.78	756.4	85	84	NW	4	b	6	29.85	758.2	76	91	NW	1	o

March 11*d.* 10*h.* 35*m.*—The anticyclone covers S.E. Mongolia and China.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·51 inches, against an average of 3·84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine to cloudy.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine to cloudy.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th March, 1929.								12th March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.91	759.6	20	...	NE	4	b	6	29.54	750.4	23	...	SE	5	o
Nemuro,	11	29.72	755.0	...	...	SE	1	...	5	29.57	751.0	...	...	...	0	...
Hokodate,	,,	29.70	754.5	...	...	WNW	3	...	,,	29.63	752.5	..	...	NNW	1	...
Tokio,	,,	29.70	754.5	...	...	SSE	1	...	,,	29.80	757.0	...	..	N	2	...
Kochi,	,,	29.84	758.0	...	...	W	1	...	,,	30.02	762.5	...	..	...	0	...
Nagasaki,	,,	30.12	765.0	...	...	NNW	5	...	,,	30.10	764.5	..	.	NNW	1	...
Kagoshima,	,,	30.06	763.5	...	...	NW	4	...	,,	30.06	763.5	..	..	...	0	...
Oshima,	,,	30.14	765.5	...	...	N	2	...	,,	30.10	764.5	..	...	NNE	1	...
Naha,	,,	30.18	766.5	...	...	NNW	4	...	,,	30.14	765.5	..	..	NNW	4	...
Ishigakijima,	,,	30.20	767.0	...	...	N	4	...	,,	30.20	767.0	...		NNE	1	...
Bonin Island,	,,	29.98	761.5	...	...	SW	1	...	,,	29.92	760.0	...	...	NW	2	...
Chefoo,	15	30.34	770.6	38	100	WNW	8	b	6	29.84	758.0	42	85	W	6	b
Shanghai,	14	30.49	774.3	50	32	NW	4	b	,,	30.25	768.3	28	83	NE	1	b
Gutzlaff,	,,	30.48	774.2	44	60	NNW	7	b	,,	30.30	769.6	36	54	WSW	2	b
Sharp Peak,	,,	30.23	767.8	50	75	ENE	2	o	7	30.23	767.8	47	91	NW	1	b
Amoy,	,,	30.24	768.1	63	52	E	6	b	6	...	...	...	...	...	...	...
Swatow,	,,	30.23	767.8	59	100	E	4	c	,,	30.20	767.1	54	88	NE	2	c
Taihoku,	11	30.31	769.8	63	75	ENE	4	o	5	30.19	766.8	54	76	E	2	o
Taichu,	,,	30.20	767.1	66	...	NNW	2	b	,,	30.13	765.3	48	...	...	0	b
Tainan,	,,	30.18	766.5	75	...	N	4	b	,,	30.12	765.0	50	...	NNE	2	b
Koshun,	,,	30.14	765.6	77	...	NNE	4	b	,,	30.07	763.8	63	...	NE	4	b
Pescadores,	,,	30.24	768.0	63	...	NNE	6	o	,,	30.13	765.3	55	...	NE	6	o
Hong Kong,	14	30.17	766.3	67	61	E	3	b	6	30.20	767.1	53	69	..	0	c
Gap Rock,	,,	30.18	766.6	...	...	ENE	5	b	,,	30.16	766.0	.	...	ENE	4	o
Macao,	,,	30.15	765.9	73	44	NE	4	b	,,	30.15	765.9	52	69	NNE	4	o
Hoihow,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.13	765.3	73	71	NE	6	bc	,,	30.09	764.3	66	84	NNE	6	o
Phulien,	15	30.14	765.6	79	55	ESE	2	o	7	30.18	766.5	57	89	ENE	4	b
Tourane,	,,	30.10	764.4	72	...	ENE	4	o	,,	30.06	763.5	68	...	E	6	of
Cape St. James,	,,	...	..	...	...	...	...	...	,,	...	...	...	...		...	...
Basco,	14	30.06	763.5	73	71	NE	4	o	6	30.05	763.2	68	73	ENE	2	o
Aparri,	,,	30.00	762.0	75	79	NE	4	o	,,	30.01	762.3	72	86	ENE	4	o
Tuguegarao,	,,	29.98	761.4	84	58	S	6	o	,,	30.00	762.0	70	83	N	2	o
Vigan,	,,	29.91	759.6	82	70	WNW	4	o	,,	29.88	759.0	77	96	E	2	o
Manila,	,,	29.89	759.3	86	65	SW	4	o	,,	29.89	759.3	70	83	E	1	b
Legaspi,	,,	29.89	759.3	79	91	NE	4	o	,,	29.89	759.3	75	96	NNE	2	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	75	89	NE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	75	92	NW	2	r
Iloilo,	,,	29.82	757.5	90	57	NE	6	o	,,	29.86	758.4	75	96	NE	4	o
Cebu,	,,	29.84	757.8	86	58	NE	4	b	,,	..	...	...	...	...	...	...
Surigao,	,,	29.86	758.4	79	91	ENE	4	o	,,	29.86	758.4	75	98	...	o	r
Saipan,	...	...	...	...	...	...	...	...	5	29.87	758.7	73	...	ESE	3	c
Guam,	12.22	29.82	757.5	...	...	E	4	o	4.22	29.85	758.1	...	...	NE	1	o
Yap,	11.00	29.82	757.5	...	...	ENE	4	o	5	29.85	758.1	...	...	NNE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.85	758.1	78	...	ENE	2	bc
Ponape,	...	...	...	...	...	..	...	...	,,	29.87	758.7	73	...	SSE	1	c
Labuan,	14	29.82	757.4	85	88	NE	2	b	6	29.84	757.9	76	91	NE	2	b

March 12*d.* 11*h.* 12*m.*—The anticyclone has weakened and is now central over the lower Yangtze Valley.

Moderate monsoon along the S.E. coast of China and fresh monsoon over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·51 inches, against an average of 3·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th March, 1929.								13th March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.48	748.9	34	...	...	0	r	6	29.86	758.3	7	...	NE	4	b
Nemuro,	11	29.61	752.5	...	...	W	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.72	755.0	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.82	757.5	...	...	E	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.91	760.5	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.04	763.0	...	...	W	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.04	763.0	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.10	764.5	...	...	N	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.14	765.5	...	...	NW	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.18	766.5	...	...	NNE	1	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.96	761.0	...	...	W	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.82	757.4	42	85	NW	4	o	6	30.19	766.8	30	100	NW	4	b
Shanghai,	14	30.06	763.5	54	28	WSW	4	b	,,	30.14	765.6	43	81	NW	4	b
Gutzlaff,	,,	30.13	765.3	48	43	WSW	6	b	,,	30.15	765.8	42	85	NNW	6	b
Sharp Peak,	,,	30.24	768.1	65	63	E	1	o	7	30.08	764.0	54	87	NE	1	b
Amoy,	,,	30.17	766.3	58	64	SSE	4	b	6	30.07	763.8	56	75	SSE	2	b
Swatow,	,,	30.11	764.8	60	89	ESE	1	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.25	768.3	59	63	E	4	o	5	30.07	763.8	52	97	...	o	o
Taichu,	,,	30.17	766.2	66	...	...	o	b	,,	30.11	764.7	54	...	...	o	b
Tainan,	,,	30.14	765.6	70	...	W	2	b	,,	30.06	763.5	52	...	...	o	b
Koshun,	,,	30.12	765.0	72	...	NE	4	b	,,	30.02	762.6	59	...	...	o	b
Pescadores,	,,	30.17	766.2	63	...	NNE	4	b	,,	30.06	763.5	59	...	NW	2	b
Hong Kong,	14	30.09	764.3	63	59	E	2	b	6	30.08	764.0	59	82	...	o	cm
Gap Rock,	,,	30.08	764.0	...	...	ENE	4	c	,,	30.06	763.5		...	NE	3	c
Macao,	,,	30.08	764.1	63	51	NE	4	o	,,	30.04	762.9	59	83	...	c	o
Hoihow,	,,	30.07	763.8	68	85	NE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.04	763.0	67	76	NE	6	o	,,	30.05	763.2	66	78	NNE	3	b
Phulien,	15	30.07	763.8	68	60	SSE	1	o	7	30.07	763.8	57	100	ENE	4	rf
Tourane,	,,	30.00	762.0	72	...	ENE	4	o	,,	30.01	762.3	68	...	...	4	rf
Cape St. James,	,,	29.84	757.8	79	...	E	7	b	,,	29.86	758.4	75	...	E	4	bf
Basco,	14	29.99	761.7	68	73	NE	2	o	6	29.99	761.7	68	85	E	1	o
Aparri,	,,	29.97	761.1	73	82	ENE	4	o	,,	29.97	761.1	68	96	...	o	o
Tuguegarao,	,,	29.94	760.5	75	83	NNE	2	o	,,	29.97	761.1	66	94	...	o	o
Vigan,	,,	29.84	757.8	82	54	NW	4	b	,,	29.89	759.3	75	71	S	1	o
Manila,	,,	29.85	758.1	86	52	SW	2	o	,,	29.92	759.9	68	88	...	o	o
Legaspi,	,,	29.85	758.1	77	92	ENE	4	o	,,	29.91	759.6	77	88	NNE	2	o
Calbayog,	,,	29.84	757.8	79	90	N	2	o	,,	29.89	759.3	75	92	S	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	75	79	NW	2	o
Iloilo,	,,	29.79	756.6	86	61	NE	6	o	,,	29.86	758.4	75	91	NNE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.82	757.5	79	85	ENE	2	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	NE	2	o	4.22	29.82	757.5	...	...	NE	2	o
Yap,	11.00	29.80	756.9	...	...	NE	4	o	5	29.85	758.1	...	...	ENE	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	84	NE	4	b	6	29.85	758.2	76	91	NW	2	b

March 13*d.* 11*h.* 00*m.*— A new anticyclone has formed over S.E. Mongolia.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·51 inches, against an average of 4·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; generally cloudy, misty.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th March, 1929.									14th March, 1929.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.84	757.9	18	...	NNE	4	o		6	29.96	761.0	11	...	NE	2	b	
Nemuro,	11	29.61	752.0	...	...	E	5	...		5	29.00	736.5	...	...	E	1	...	
Hokodate,	,,	29.31	744.5	...	...	ESE	3	...		,,	29.13	740.0	...	...	NNW	7	...	
Tokio,	,,	29.39	746.5	...	...	SW	4	...		,,	29.65	753.0	...	...	N	1	...	
Kochi,	,,	29.70	754.5	...	...	W	1	...		,,	29.96	761.0	...	...	...	0	...	
Nagasaki,	,,	29.92	759.5	...	...	NW	4	...		,,	30.12	765.0	...	...	NW	2	...	
Kagoshima,	,,	29.84	758.0	...	...	NW	3	...		,,	30.08	764.0	...	...	NNW	1	...	
Oshima,	,,	29.98	761.5	...	...	...	0	...		,,	30.10	764.5	...	...	NNE	2	...	
Naha,	,,	30.04	763.0	...	...	WNW	3	...		,,	30.14	765.5	...	...	NNW	5	...	
Ishigakijima,	,,	30.10	764.5	...	...	NNW	1	...		,,	30.22	767.5	...	...	N	2	...	
Bonin Island,	,,	29.94	760.5	...	...	SW	1	...		,,	29.84	758.0	...	...	W	4	...	
Chefoo,	15	30.29	769.3	30	100	NW	8	b		6	30.17	766.3	30	88	SW	1	b	
Shanghai,	14	30.33	770.4	48	...	NW	6	o		,,	30.37	771.3	25	81	WNW	2	b	
Gutzlaff,	,,	30.34	770.6	44	37	NNW	7	o		,,	30.38	771.6	34	69	NW	4	b	
Sharp Peak,	,,	30.23	767.8	66	64	E	2	o		7	30.23	767.8	50	65	ENE	2	o	
Amoy,	,,	30.08	764.0	63	72	...	0	o		6	30.23	767.8	54	68	E	4	o	
Swatow,	,,	30.14	765.5	67	76	NW	2	o		,,	30.21	767.3	59	89	NE	2	o	
Taihoku,	11	30.17	766.2	64	67	NNW	2	o		5	30.25	768.3	55	60	E	4	o	
Taichu,	,,	30.15	765.9	70	...	NNW	4	b		,,	30.14	765.6	55	...	NNW	2	o	
Tainan,	,,	30.10	764.4	73	...	N	4	b		,,	30.11	764.7	57	...	NNE	2	o	
Koshun,	,,	30.05	763.2	75	...	NW	4	b		,,	30.10	764.4	63	...	NE	6	o	
Pescadores,	,,	30.13	765.3	66	...	N	4	b		,,	30.22	767.7	59	...	NNE	6	o	
Hong Kong,	14	30.10	764.5	69	55	NW	3	o		6	30.16	766.0	60	43	NNE	2	od	
Gap Rock,	,,	30.11	764.8	...	...	NNW	5	o		,,	30.16	766.0	...	...	NNE	4	od	
Macao,	,,	30.08	764.1	66	46	NNW	2	o		,,	30.14	765.6	54	88	N	4	o	
Hoihow,	,,	30.10	764.5	67	62	ENE	2	o		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.06	763.5	72	66	NNE	4	b		,,	30.11	764.8	66	84	N	6	o	
Phulien,	15	30.14	765.6	59	100	N	4	rf		7	30.25	768.3	54	53	N	1	rf	
Tourane,	,,	30.01	762.3	73	...	N	2	o		,,	30.08	764.1	66	...	E	7	of	
Cape St. James,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Basco,	14	29.97	761.1	75	67	N	2	o		6	...	...	...	...	...	...	...	
Aparri,	,,	29.91	759.6	79	80	NE	4	b		,,	...	...	...	...	...	...	...	
Tuguegarao,	,,	29.79	759.3	86	52	...	0	o		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.89	759.3	84	68	W	4	b		,,	...	...	...	...	...	...	...	
Manila,	,,	29.88	759.0	86	56	SE	4	b		,,	29.93	760.2	72	88	...	0	o	
Legaspi,	,,	29.87	758.7	84	77	NNE	2	o		,,	29.92	759.9	75	88	N	2	b	
Calbayog,	,,	29.86	758.4	81	84	N	4	o		,,	...	...	...	...	...	...	...	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.84	757.8	86	68	NE	6	o		,,	...	...	...	...	...	...	...	
Cebu,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Surigao,	,,	29.82	757.5	82	87	E	4	o		,,	...	...	...	...	...	...	...	
Saipan,	...	...	...	...	...	...	...	...		5	29.86	758.4	75	...	E	2	o	
Guam,	12.22	29.80	756.9	...	...	NE	4	o		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.81	757.2	...	...	NNE	4	o		5	29.81	757.2	...	...	NE	4	o	
Pelew,	...	...	...	...	...	...	...	...		,,	29.82	757.4	77	...	NNE	2	o	
Ponape,	...	...	...	...	...	...	...	...		,,	29.85	758.1	81	...	ENE	2	o	
Labuan,	14	29.81	757.2	84	91	NW	4	b		6	29.85	758.2	82	91	...	0	b	

March 14*d.* 11*h.* 15*m.*—The anticyclone is now central near Shanghai.

A deep depression is central over N.E. Japan.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 1·52 inches, against an average of 4·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; overcast at first, improving later.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON. *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th March, 1929.								15th March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.93	760.3	22	...	NNE	4	c	6	30.01	762.2	13	...	...	0	f
Nemuro,	11	28.90	734.0	...	...	NW	5	...	5	29.43	747.5	...	...	NW	5	...
Hokodate,	,,	29.37	746.0	...	...	NNW	7	...	,,	29.78	756.5	..	...	NW	2	...
Tokio,	,,	29.69	7[illegible]4.0	...	...	WNW	4	...	,,	29.90	759.5	...	.	WNW	1	...
Kochi,	,,	29.96	761.0	...	...	NW	1	...	,,	30.06	763.5	..	..	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	NNW	3	...	,,	30.10	764.5	..	..	...	0	...
Kagoshima,	,,	30.10	764.5	...	...	NW	2	...	,,	30.16	766.0	..	..	NW	1	...
Oshima,	,,	30.14	765.5	...	...	NNE	1	...	,,	30.14	765.5	...	...	N	1	...
Naha,	,,	30.18	766.5	...	...	N	2	...	,,	30.14	765.5	..	...	NE	1	...
Ishigakijima,	,,	30.24	768.0	...	...	N	1	...	,,	30.14	765.5	...	..	N	1	...
Bonin Island,	,,	29.00	759.5	...	...	NW	3	...	,,	30.02	762.5	...	...	WNW	2	...
Chefoo,	15	29.98	761.5	47	93	E	1	b	6	30.03	762.7	32	100	...	0	b
Shanghai,	14	30.26	768.6	55	16	W	1	b	,,	30.19	766.8	34	92	SSE	1	b
Gutzlaff,	,,	30.33	770.4	50	38	NNW	1	b	,,	30.24	768.1	40	74	SSW	4	b
Sharp Peak,	,,	30.22	767.6	58	53	E	2	o	7	30.23	767.8	47	77	NNW	1	o
Amoy,	,,	30.18	766.6	58	58	E	4	o	6	30.17	766.3	52	79	ENE	4	b
Swatow,	,,	30.17	766.3	57	100	E	2	o	,,	30.18	766.6	56	88	NE	2	o
Taihoku,	11	30.26	768.6	57	51	E	4	o	5	30.13	765.3	54	76	E	2	o
Taichu,	,,	30.20	767.1	61	...	N	2	o	,,	30.15	765.9	54	...	NNE	1	r
Tainan,	,,	30.15	765.9	66	...	N	2	o	,,	30.11	764.7	55	...	N	1	o
Koshun,	,,	30.13	765.3	68	...	NE	6	b	,,	30.10	764.4	63	...	...	0	o
Pescadores,	,,	30.19	766.8	61	...	NNE	6	o	,,	30.13	765.3	55	...	NNE	4	o
Hong Kong,	14	30.14	765.5	63	56	E	2	o	6	30.14	765.5	59	72	NW	1	o
Gap Rock,	,,	30.12	765.0	...	...	NE	4	o	,,	30.11	764.8	..	...	NNE	3	c
Macao,	,,	30.11	764.7	59	53	NE	2	o	,,	30.10	764.4	57	67	N	2	o
Hoihow,	,,	30.14	765.5	63	89	NE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.08	764.0	67	73	NE	5	o	,,	30.09	764.3	66	78	NE	5	o
Phulien,	15	30.[illegible]8	766.5	64	48	NNW	1	o	7	30.14	765.6	64	80	NE	2	of
Tourane,	,,	30.0[illegible]	763.8	68	...	NE	7	o	,,	30.07	763.8	63	...	WNW	4	of
Cape St. James,	,,	29.85	758.1	79	...	E	6	o	,,	29.87	758.7	75	...	ENE	6	of
Basco,	14	30.04	762.9	64	76	ENE	4	o	6	30.04	762.9	68	77	NE	2	o
Aparri,	,,	29.89	761.7	73	92	NE	4	o	,,	30.00	762.0	68	96	NE	4	r
Tuguegarao,	,,	29.94	760.5	79	66	NNW	4	o	,,	29.99	761.7	68	92	NNW	2	o
Vigan,	,,	29.82	757.5	84	60	NW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	73	85	E	1	o
Legaspi,	,,	29.86	758.4	82	60	W	1	o	,,	29.91	759.6	75	83	NNE	2	b
Calbayog,	,,	29.87	758.7	84	68	ENE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.82	757.5	86	61	NE	6	b	,,	...	...	...	...	...	...	...
Cebu,	,,	29.81	757.2	86	52	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.82	757.5	81	53	NE	4	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	NE	4	o	5	29.84	757.8	...	...	...	0	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.79	756.6	76	...	NNE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	80	...	E	2	c
Labuan,	14	29.77	756.1	84	83	NW	4	b	6	29.84	757.9	76	86	NW	2	b

March 15*d.* 10*h.* 45*m.*—The Japanese depression is moving into the Pacific.

The anticyclone, central to the south of Shanghai, has weakened and spread eastward.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 4·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON. *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th March, 1929.								16th March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.06	763.4	31	...	N	3	b	6	30.26	768.7	20	...	...	0	b
Nemuro,	11	29.57	751.0	...	...	NW	6	...	5	29.80	757.0	...	...	NW	2	...
Hokodate,	,,	29.80	757.0	...	...	NW	1	...	,,	30.00	762.0	...	...	NW	2	...
Tokio,	,,	29.90	759.5	...	...	NNW	3	...	,,	30.05	763.5	...	...	N	1	...
Kochi,	,,	30.06	763.5	...	...	SE	1	...	,,	30.08	764.0	...	...	SW	1	...
Nagasaki,	,,	30.14	765.5	...	...	WNW	2	...	,,	30.12	765.0	...	...	NNW	1	...
Kagoshima,	,,	30.14	765.5	...	...	E	1	...	,,	30.14	765.5	...	...	WNW	1	...
Oshima,	,,	30.14	765.5	...	...	NNE	1	...	,,	30.16	766.0	...	...	SSE	1	...
Naha,	,,	30.14	765.5	...	...	NNE	1	...	,,	30.10	764.5	...	...	NE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	NE	1	...	,,	30.08	764.0	...	.	E	1	...
Bonin Island,	,,	30.00	762.0	...	...	W	1	...	,,	30.08	764.0	...	...	NNW	1	...
Chefoo,	15	30.08	764.0	46	86	E	2	b	6	30.23	767.8	32	90	...	0	b
Shanghai,	14	30.10	764.4	68	18	SSE	2	b	,,	30.15	765.9	39	93	SE	1	b
Gutzlaff,	,,	30.17	766.3	52	60	SSW	4	b	,,	30.19	766.8	44	72	SSE	4	b
Sharp Peak,	,,	30.23	767.8	69	47	E	2	b	7	30.14	765.5	52	66	NE	1	b
Amoy,	,,	30.11	764.8	60	60	SSE	4	o	6	30.13	765.3	54	89	SW	4	b
Swatow,	,,	30.08	764.0	58	77	E	2	c	,,	30.14	765.6	57	83	NE	2	o
Taihoku,	11	30.13	765.3	68	60	E	4	b	5	30.10	764.4	59	93	...	0	o
Taichu,	,,	30.17	766.2	59	...	N	2	o	,,	30.12	765.0	57	...	...	0	b
Tainan,	,,	30.13	765.3	61	...	NNW	2	o	,,	30.07	763.8	57	...	...	...	...
Koshun,	,,	30.10	764.4	75	...	NNE	2	o	,,	30.05	763.2	63	...	...	0	b
Pescadores,	,,		...	...	...	...	...	...	,,	30.08	764.1	61	...	NNE	4	b
Hong Kong,	14	30.05	763.2	67	52	E	3	b	6	30.09	764.3	60	77	ESE	2	b
Gap Rock,	,,	30.06	763.5	...	...	NE	3	b	,,	30.09	764.3	...	...	E	3	c
Macao,	,,	30.02	762.6	70	42	ESE	2	b	,,	30.05	763.2	57	91	SE	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	30.17	766.3	67	86	NE	2	c
Pratas Island,	,,	30.01	762.2	72	64	NE	5	bc	,,	30.04	763.0	68	82	NE	3	o
Phulien,	15	30.07	763.8	70	49	WNW	1	o	7	30.13	765.3	61	93	W	2	of
Tourane,	,,	30.01	762.3	64	...	NNW	6	o	,,	30.05	763.2	66	...	SSW	2	of
Cape St. James,	,,	29.85	758.1	77	...	E	4	o	,,	29.88	759.0	75	...	ENE	6	of
Basco,	14	29.97	761.1	70	82	NE	2	o	6	29.99	761.7	72	91	E	2	o
Aparri,	,,	29.92	759.9	75	79	NE	4	o	,,	29.97	761.1	72	91	E	2	o
Tuguegarao,	,,	29.91	759.6	82	67	NNE	2	o	,,	29.95	760.8	72	94	NW	2	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	77	72	SSW	2	o
Manila,	,,	29.86	758.4	82	67	W	2	o	,,	29.92	759.9	73	82	SE	1	o
Legaspi,	,,	29.85	758.1	86	65	NE	2	b	,,	29.89	759.3	77	79	NE	4	b
Calboyog,	,,	29.84	757.8	84	58	NNE	4	o	,,	29.88	759.0	72	91	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	73	88	NW	2	b
Iloilo,	,,	29.81	757.2	86	56	NE	6	b	,,	29.87	758.7	73	88	NNE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.78	756.3	82	84	NE	4	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	E	4	o	4.22	29.86	758.4	...	...	NE	4	o
Yap,	11.00	29.79	756.6	...	...	NE	4	o	5	29.84	757.8	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.80	756.9	78	...	SSE	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	84	87	NW	4	b	6	29.82	757.4	77	86	NW	2	b

March 16*d.* 11*h.* 27*m.*—The anticyclone has dispersed. Another is forming over S.E. Mongolia.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 4·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	17th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.97	761.2	28	...	NE	3	b	6	30.23	767.7	30	...	SE	2	o
Nemuro,	11	29.88	759.0	...	...	NW	3	...	5	30.20	767.0	...	...	WSW	1	...
Hokodate,	,,	30.04	763.0	...	...	N	3	...	,,	30.30	769.5	...	...	...	o	...
Tokio,	,,	30.04	763.0	...	...	NW	3	...	,,	30.36	771.0	...	.	...	...	...
Kochi,	,,	30.10	764.5	...	...	SE	1	...	,,	30.26	768.5	...	..	SW	1	...
Nagasaki,	,,	30.16	766.0	...	...	W	2	...	,,	30.24	768.0	...	..	...	o	...
Kagoshima,	,,	30.14	765.5	...	...	NW	2	...	,,	30.22	767.5	...	...	NW	1	...
Oshima,	,,	30.16	766.0	...	...	NNE	1	...	,,	30.16	766.0	..	...	SSE	1	...
Naha,	,,	30.12	765.0	...	...	N	1	...	,,	30.12	765.0	..	.	WNW	1	...
Ishigakijima,	,,	30.10	764.5	...	...	ESE	1	...	,,	30.12	765.0	...		...	o	...
Bonin Island,	,,	30.12	765.0	...	...	NNW	1	...	,,	30.16	766.0	...	...	...	...	...
Chefoo,	15	30.08	764.0	60	60	SSW	4	b	6	30.04	763.0	47	87	SW	1	b
Shanghai,	14	30.14	765.6	66	15	ENE	1	b	,,	30.21	767.4	41	97	ESE	1	b
Gutzlaff,	,,	30.19	766.8	58	64	SE	2	b	,,	30.25	768.3	46	2	SSE	4	b
Sharp Peak,	,,	30.10	764.5	70	53	NE	1	b	7	30.15	765.8	56	75	W	1	b
Amoy,	,,	30.07	763.8	67	64	SE	4	b	6	30.18	765.8	56	89	SE	2	o
Swatow,	,,	30.08	764.0	62	79	E	2	c	,,	...		..	...	...	...	...
Taihoku,	11	30.13	765.3	70	65	...	o	o	5	30.14	765.6	54	92	...	o	b
Taichu,	,,	30.12	765.0	73	...	WNW	2	b	,,	30.13	765.3	50	...	...	o	b
Tainan,	,,	30.10	764.4	77	...	N	2	b	,,	30.08	764.1	54	...	NE	2	b
Koshun,	,,	30.06	763.5	79	...	...	o	b	,,	30.06	763.5	68	...	NNE	4	b
Pescadores,	,,	30.12	765.0	70	...	NNE	4	b	,,	30.08	764.1	64	...	NNE	4	b
Hong Kong,	14	30.06	763.5	73	50	W	2	b	6	30.10	764.5	61	86	E	2	b
Gap Rock,	,,	30.07	63.8	...	...	NE	3	b	,,	30.09	764.3	...	...	NNE	2	b
Macao,	,,	30.00	762.0	73	58	ESE	2	b	,,	30.07	763.8	59	98	...	o	of
Hoihow,	,,	30.06	63.5	72	77	NE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.03	762.7	72	71	NE	5	c	,,	30.07	763.8	68	75	NE	4	b
Phulien,	15	30.10	764.4	75	56	NW	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	30.05	763.2	68	...	NNW	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.8	79	...	ENE	7	o	,,	...	...	...	...	...	...	...
Basco,	14	29.98	761.4	72	88	SE	4	o	6	30.01	762.3	68	81	E	1	o
Aparri,	,,	29.92	759.9	79	76	ENE	4	o	,,	29.98	761.4	70	96	...	o	r
Tuguegarao,	,,	29.88	759.0	86	100	NNW	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.86	758.4	82	63	W	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.85	758.1	90	44	NE	2	o	,,	29.93	760.2	68	96	E	1	b
Legaspi,	,,	29.85	758.1	86	58	NNE	2	b	,,	29.88	759.0	77	79	NNE	4	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	75	96	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	57	93	N	2	o
Iloilo,	,,	29.80	756.9	86	58	NE	6	o	,,	29.87	758.7	75	85	NE	4	o
Cebu,	,,	29.81	757.2	...	...	ENE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	E	4	o	4.22	29.87	758.7	...	...	NE	2	o
Yap,	11.00	29.81	757.2	...	...	ENE	4	o	5	29.82	757.5	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	84	NE	4	b	6	29.86	758.4	76	91	NE	1	o

March 17*d.* 11*h.* 30*m.*—The anticyclone is central to the N.W. of Tokio.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 4·46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	18th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.17	766.4	...	...	SE	4	s	6	30.04	762.9	32	...	...	0	f
Nemuro,	11	30.24	768.0	...	...	NW	2	...	5	30.24	768.0	...	...	...	0	...
Hokodate,	,,	30.30	769.5	...	...	W	2	...	,,	30.24	768.0	...	...	...	...	...
Tokio,	,,	30.30	769.5	...	...	SE	1	...	,,	30.26	768.5	...	...	N	1	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.24	768.0	...	...	WSW	1	...
Nagasaki,	,,	30.24	768.0	...	...	W	1	...	,,	30.22	767.5	...	...	SSE	1	...
Kagoshima,	,,	30.20	767.0	...	...	S	1	...	,,	30.24	768.0	...	...	NW	1	...
Oshima,	,,	30.18	766.5	...	...	NNE	1	...	,,	30.18	766.5	...	...	SSE	1	...
Naha,	,,	30.14	765.5	...	...	NW	2	...	,,	30.12	765.0	...	...	E	1	...
Ishigakijima,	,,	30.18	766.5	...	...	NE	1	...	,,	30.14	765.5	...	...	NNE	1	...
Bonin Island,	,,	30.16	766.0	...	...	ENE	1	...	,,	30.22	767.5	...	...	ESE	1	...
Chefoo,	15	30.02	762.5	44	100	NNE	1	o	6	29.98	761.5	40	100	E	2	o
Shanghai,	14	30.15	765.9	72	36	SE	2	b	,,	30.06	763.5	48	92	SSE	2	b
Gutzlaff,	,,	30.22	767.6	54	80	SSE	2	b	,,	30.12	765.0	48	100	S	6	b
Sharp Peak,	,,	30.25	768.3	75	68	E	1	b	7	30.13	765.3	60	76	N	2	b
Amoy,	,,	30.09	764.3	68	65	SSE	4	b	6	30.13	765.3	58	94	NE	4	b
Swatow,	,,	30.08	764.0	65	95	SE	1	b	,,	30.15	765.8	54	100	N	1	o
Taihoku,	11	30.15	765.9	77	44	ENE	4	b	5	30.10	764.4	55	79	...	0	b
Taichu,	,,	30.14	765.6	79	...	NNW	2	b	,,	30.14	765.6	59	...	...	0	b
Tainan,	,,	30.11	764.7	82	...	N	2	b	,,	30.08	764.1	54	...	N	2	b
Koshun,	,,	30.10	764.4	77	...	NNE	4	b	,,	30.07	763.8	68	...	NE	4	b
Pescadores,	,,	30.14	765.6	72	...	NNE	4	b	,,	30.08	764.1	63	...	N	2	b
Hong Kong,	14	30.06	763.5	73	39	E	3	b	6	30.10	764.5	63	73	E	2	b
Gap Rock,	,,	30.06	763.5	...	...	ENE	4	c	,,	30.08	764.0	...	...	ENE	4	b
Macao,	,,	30.04	762.9	77	61	SSE	2	b	,,	30.06	763.5	61	89	SE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.05	763.2	75	68	NE	5	b	,,	30.04	763.0	70	80	ENE	4	b
Phulien,	15	30.04	762.9	82	48	WSW	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	30.02	762.6	70	...	NNW	4	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.8	79	...	E	6	b	,,	...	...	...	...	...	...	...
Basco,	14	30.00	762.0	73	75	NE	4	o	6	30.02	762.6	70	74	...	0	o
Aparri,	,,	29.97	761.1	75	83	NE	4	o	,,	29.98	761.4	70	91	...	0	o
Tuguegarao,	,,	29.93	760.2	81	69	N	2	o	,,	29.99	761.7	70	91	NNW	1	o
Vigan,	,,	29.85	758.1	84	64	W	4	b	,,	29.87	758.7	79	58	SE	2	o
Manila,	,,	29.82	757.5	90	38	E	4	o	,,	29.89	759.3	70	87	...	0	b
Legaspi,	,,	29.84	757.8	82	77	NNE	4	o	,,	29.86	758.4	75	92	NNE	2	o
Calboyog,	,,	29.84	757.8	75	96	N	1	o	,,	29.85	758.1	79	92	NNE	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	73	96	SSE	2	o
Iloilo,	,,	29.79	756.6	82	67	NE	6	o	,,	29.82	757.5	75	91	N	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.82	757.5	...	...	E	4	o	4.22	29.91	759.6	...	...	E	2	o
Yap,	11.00	29.80	756.9	...	...	ENE	4	r	5	29.91	759.6	...	...	ENE	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	84	NW	4	b	6	29.85	758.2	78	86	NW	2	b

March 18*d*. 11*h*. 05*m*.—The anticyclone, which is central near Tokio, has weakened slightly.

Moderate monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 4·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. or variable winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	19th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.96	760.9	38	...	...	0	0	6	29.86	758.3	28	...	N	4	0
Nemuro,	11	30.18	766.5	...	...	S	1	...	5	29.88	759.0	...	...	S	2	...
Hokodate,	"	30.16	766.0	...	...	SE	1	...	"	29.73	755.0	...	...	WNW	1	...
Tokio,	"	30.20	767.0	...	...	S	1	...	"	29.92	760.0	...	...	S	1	...
Kochi,	"	30.20	767.0	...	...	SE	1	...	"	29.82	757.5	...	...	...	0	...
Nagasaki,	"	30.16	766.0	...	...	S	1	...	"	29.80	757.0	...	...	W	6	...
Kagoshima,	"	30.18	766.5	...	...	SE	1	...	"	29.86	758.5	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	29.96	761.0	...	...	S	1	...
Naha,	"	30.10	764.5	...	...	ESE	1	...	"	29.96	761.0	...	...	WSW	2	...
Ishigakijima,	"	30.12	765.0	...	...	NNW	1	...	"	29.98	761.5	...	...	W	1	...
Bonin Island,	"	30.22	767.5	...	...	ENE	1	...	"	30.14	765.5	...	...	SE	2	...
Chefoo,	15	30.01	762.2	44	68	N	2	0	6	30.16	766.0	36	83	N	2	b
Shanghai,	14	29.88	759.0	72	40	WSW	2	0	"	30.19	766.8	39	93	NNW	1	b
Gutzlaff,	"	29.95	760.7	54	74	SSW	6	0	"	30.22	767.6	42	92	NNW	4	b
Sharp Peak,	"	30.24	768.1	71	66	ESE	1	b	7	30.10	764.4	56	75	NE	2	b
Amoy,	"	29.99	761.7	74	43	SSW	2	b	6	30.02	762.5	60	82	WSW	4	0
Swatow,	"	30.02	762.5	72	77	E	2	b	"	30.04	763.0	58	94	NE	1	b
Taihoku,	11	30.07	763.8	77	40	SE	2	b	5	30.04	762.9	54	88	...	0	0
Taichu,	"	30.12	765.0	75	...	W	2	b	"	30.06	763.5	54	...	...	0	b
Tainan,	"	30.11	764.7	79	...	WSW	2	b	"	30.01	762.3	54	...	E	2	b
Koshun,	"	30.08	764.1	79	...	NE	4	b	"	30.00	762.0	66	...	...	0	b
Pescadores,	"	30.12	765.0	72	...	NNW	4	b	"	30.02	762.6	61	...	...	0	b
Hong Kong,	14	30.06	763.5	73	59	W	2	b	6	30.02	762.5	63	91	...	0	bf
Gap Rock,	"	30.05	763.2	...	...	NNE	4	b	"	30.02	762.5	...	...	WSW	3	c
Macao,	"	30.05	763.2	75	60	SE	2	b	"	29.98	761.4	63	100	...	0	of
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	30.02	762.5	78	70	ENE	4	b	"	30.00	762.0	68	84	NE	2	b
Phulien,	15	30.01	762.3	79	55	SSE	2	b	7	30.06	763.5	63	88	NNE	1	bf
Tourane,	"	30.00	762.0	72	...	N	2	0	"	30.04	762.9	66	...	W	2	bf
Cape St. James,	"	29.86	758.4	81	...	E	6	0	"	29.89	759.3	75	...	ENE	6	of
Basco,	14	29.95	760.8	79	58	E	2	0	6	29.93	760.2	64	92	...	0	0
Aparri,	"	29.93	760.2	77	76	NE	4	0	"	29.89	759.3	70	94	...	0	0
Tuguegarao,	"	29.89	759.3	82	57	NE	1	0	"	29.89	759.3	70	96	...	0	0
Vigan,	"	29.84	757.8	84	68	NW	4	0	"	29.84	757.8	75	76	SE	2	0
Manila,	"	29.82	757.5	90	51	WSW	4	0	"	29.85	758.1	70	85	NE	1	b
Legaspi,	"	29.81	757.2	77	94	ENE	4	0	"	29.80	756.9	77	88	N	2	0
Calboyog,	"	...	...	...	...	...	...	...	"	29.81	757.2	73	98	NNE	6	0
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	82	81	N	6	0	"	29.81	757.2	75	92	NE	4	0
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.89	759.3	...	...	...	0	c
Guam,	12.22	29.85	758.1	...	...	E	4	0	4.22	29.87	758.7	...	...	NE	4	0
Yap,	11.00	29.81	757.2	...	...	ENE	4	0	5	29.87	758.7	...	...	NE	2	0
Pelew,	...	...	...	...	...	...	...	...	"	29.86	758.4	76	...	...	0	0
Ponape,	...	...	...	...	...	...	...	...	"	29.79	756.6	77	...	SSE	2	0
Labuan,	14	29.84	757.9	84	83	NW	2	b	6	29.82	757.4	77	91	NW	2	b

March 19*d.* 10*h.* 33*m.*—The depression has passed into the Sea of Japan.

An anticyclone has formed over China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 4·70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	Light, westerly or variable winds, freshening slightly from N.E. later; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	20th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.82	757.5	35	...	N	5	b	6	29.83	757.6	26	...	...	0	b
Nemuro,	11	29.61	752.0	...	...	S	1	...	5	29.06	738.0	...	...	SW	2	...
Hokodate,	"	29.55	750.5	...	...	...	...	...	"	29.35	745.5	...	...	W	5	...
Tokio,	"	29.69	754.0	...	...	S	4	...	"	29.59	751.5	...	...	N	2	...
Kochi,	"	29.69	754.0	...	...	NW	2	...	"	29.90	759.5	...	...	...	0	...
Nagasaki,	"	29.92	760.0	...	...	W	6	...	"	30.02	762.5	...	...	NNW	2	...
Kagoshima,	"	29.88	759.0	...	...	NW	2	...	"	30.00	762.0	...	...	...	0	...
Oshima,	"	29.98	761.5	...	...	NNW	1	...	"	30.04	763.0	...	...	NNE	3	...
Naha,	"	30.00	762.0	...	...	WNW	2	...	"	30.05	763.5	...	...	N	4	...
Ishigakijima,	"	30.04	763.0	...	...	NW	2	...	"	30.08	764.0	...	...	N	1	...
Bonin Island,	"	30.04	763.0	...	...	SSE	4	...	"	29.75	755.5	...	...	N	1	...
Chefoo,	15	30.16	766.0	38	84	NW	2	b	6	30.15	765.8	30	100	...	0	b
Shanghai,	14	30.21	767.4	57	59	NE	1	b	"	30.18	766.5	37	86	ESE	2	b
Gutzlaff,	"	30.27	768.8	52	47	NNE	2	b	"	30.22	767.6	42	66	SE	4	b
Sharp Peak,	"	...	...	...	...	...	...	...	7	30.06	763.5	52	92	NE	1	b
Amoy,	"	30.02	762.5	71	57	ENE	4	b	6	30.05	763.2	56	69	ENE	2	b
Swatow,	"	29.99	761.7	66	90	E	2	c	"	30.03	762.7	59	94	E	1	b
Taihoku,	11	30.31	764.7	72	89	E	4	b	5	30.04	762.9	59	79	E	4	b
Taichu,	"	30.07	763.8	77	...	NW	2	b	"	30.05	763.2	54	...	...	0	b
Tainan,	"	30.02	762.6	75	...	N	2	b	"	30.00	762.0	55	...	...	0	b
Koshun,	"	30.02	762.6	81	...	NW	2	b	"	30.00	762.0	66	...	NE	4	b
Pescadores,	"	30.05	763.2	75	...	N	2	b	"	30.02	762.6	63	...	N	4	b
Hong Kong,	14	29.96	761.0	75	62	W	2	b	6	30.01	762.2	63	85	E	4	o
Gap Rock,	"	29.98	761.5	...	...	N	3	b	"	29.99	761.7	...	...	ENE	4	c
Macao,	"	29.91	760.5	75	71	ESE	2	b	"	29.95	760.8	63	90	SE	2	bf
Hoihow,	"	29.97	761.2	74	82	NE	2	c	"	...	...	...	...	...	...	...
Pratas Island,	"	29.99	761.7	77	66	NE	3	b	"	29.96	761.0	70	85	NNE	4	c
Phulien,	15	29.99	761.7	82	48	S	2	b	7	29.97	761.1	64	100	S	2	bf
Tourane,	"	29.99	761.7	72	...	N	2	o	"	29.97	761.1	64	...	SW	2	bf
Cape St. James,	"	29.87	758.7	79	...	E	6	o	"	29.87	758.7	73	...	ENE	2	bf
Basco,	14	29.93	760.2	79	69	NE	4	o	6	29.99	761.7	68	68	NNE	2	o
Aparri,	"	29.79	759.3	79	78	NE	4	o	"	29.92	759.9	72	88	ENE	4	o
Tuguegarao,	"	29.86	758.4	86	58	N	2	o	"	29.91	759.6	68	96	...	0	o
Vigan,	"	29.81	757.2	86	58	NNW	4	b	"	29.80	756.9	75	56	E	2	o
Manila,	"	29.79	756.6	86	56	SW	2	o	"	29.82	757.5	72	91	...	0	b
Legaspi,	"	29.78	756.3	81	84	NNE	2	o	"	29.81	757.2	77	91	NNE	2	o
Calboyog,	"	29.78	756.3	81	86	SW	2	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	81	84	NE	4	o	"	29.80	756.9	75	100	NE	4	o
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.75	755.7	82	84	...	0	o	"	29.78	756.3	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.77	756.1	76	...	ESE	5	be
Guam,	12.22	29.82	757.5	...	...	E	6	o	4.22	29.85	758.1	...	...	E	1	o
Yap,	11.00	29.82	757.5	...	...	ENE	4	o	5	29.84	757.8	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	29.86	758.4	81	...	E	2	c
Labuan,	14	29.81	757.2	86	84	NW	2	b	6	29.82	757.4	78	91	NW	2	b

March 20*d.* 11*h.* 30*m.*—The depression has deepened considerably and is now central to the N.E. of Japan.

The anticyclone has weakened and is central to the N.N.W. of Shanghai.

Moderate monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 4·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hong Kong and Lamooks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.78	756.3	38	...	N	2	b	6	29.76	755.8	30	...	WNW	2	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.43	747.5	...	...	WSW	1	...
Hokodate,	,,	29.39	746.5	...	...	WNW	5	...	,,	29.61	752.0	...	...	WSW	5	...
Tokio,	,,	29.61	752.0	...	...	WNW	3	...	,,	29.90	759.5	...	...	NW	1	...
Kochi,	,,	29.88	759.0	...	...	W	1	...	,,	30.06	763.5	...	...	...	0	...
Nagasaki,	,,	30.06	763.5	...	...	NNW	2	...	,,	30.12	765.0	...	...	NNW	1	...
Kagoshima,	,,	30.02	762.5	...	...	NNW	2	...	,,	30.10	764.5	...	...	...	0	...
Oshima,	,,	30.08	764.0	...	...	NNE	2	...	,,	30.14	765.5	...	...	N	2	...
Naha,	,,	30.12	765.0	...	...	N	3	...	,,	30.12	765.0	...	...	NE	1	...
Ishigakijima,	,,	30.12	765.0	...	...	NE	2	...	,,	30.06	763.5	...	...	SSE	2	...
Bonin Island,	,,	29.84	758.0	...	...	W	1	...	,,	29.98	761.5	...	...	WNW	1	...
Chefoo,	15	30.11	764.8	44	92	NW	4	b	6	29.99	761.7	42	58	S	1	b
Shanghai,	14	30.12	765.0	59	43	E	2	o	,,	30.21	767.4	25	71	ENE	1	b
Gutzlaff,	,,	30.19	766.8	52	60	SE	4	o	,,	30.27	768.8	44	86	SE	4	b
Sharp Peak,	,,	30.23	767.8	70	90	NE	1	b	7	30.12	765.0	56	87	E	1	b
Amoy,	,,	30.03	762.7	67	60	SSE	4	b	6	30.08	764.0	58	81	W	4	o
Swatow,	,,	29.97	761.1	64	79	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.06	763.5	75	49	E	4	b	5	30.08	764.1	63	94	...	0	o
Taichu,	,,	30.08	764.1	73	...	...	0	b	,,	30.12	765.0	61	...	N	2	o
Tainan,	,,	30.07	763.8	79	...	NW	2	b	,,	30.07	763.8	61	...	NNE	4	b
Koshun,	,,	30.06	763.5	77	...	NE	4	b	,,	30.07	763.8	59	...	...	0	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.07	763.8	63	...	NE	4	o
Hong Kong,	14	30.01	762.2	69	67	E	3	b	6	30.05	763.2	66	79	E	2	o
Gap Rock,	,,	30.01	762.2	...	...	ENE	4	o	,,	30.02	762.5	...	...	ENE	4	o
Macao,	,,	29.98	761.4	77	61	SSE	2	o	,,	30.01	762.2	64	88	ESE	2	o
Hoihow,	,,	29.93	760.2	75	91	ENE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.97	761.2	78	62	NE	4	b	,,	29.98	761.5	71	74	NE	4	b
Phulien,	15	29.93	760.2	81	55	SSE	2	b	7	30.02	762.6	64	90	ENE	2	bf
Tourane,	,,	29.93	760.2	73	...	SE	2	o	,,	29.98	761.4	66	...	SSW	2	bf
Cape St. James,	,,	29.85	758.1	79	...	E	6	o	,,	29.89	759.3	73	...	ENE	7	of
Basco,	14	29.95	760.8	75	56	ESE	4	o	6	29.99	761.7	70	69	E	2	o
Aparri,	,,	29.93	760.2	77	72	ENE	4	o	,,	29.97	761.1	66	94	...	0	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.95	760.8	66	96	N	1	o
Vigan,	,,	29.79	756.6	84	52	WNW	4	b	,,	29.86	758.4	75	67	SE	1	b
Manila,	,,	29.81	757.2	86	56	W	2	o	,,	29.89	759.3	70	82	NE	1	b
Legaspi,	,,	29.80	756.9	79	76	NNE	4	o	,,	29.86	758.4	77	79	N	2	o
Calboyog,	,,	29.76	756.0	79	89	ENE	4	o	,,	29.85	758.1	75	96	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	75	89	N	2	o
Iloilo,	,,	29.75	755.7	82	81	N	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	SE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	ESE	1	o	5	29.85	758.1	...	...	NNE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	86	84	NW	2	b	6	29.83	757.7	76	91	NW	2	b

March 21*d.* 11*h.* 00*m.*—The anticyclone, central near Shanghai, has strengthened slightly.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 4·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st March, 1929.								22nd March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.70	754.3	40	...	SW	3	c	6	29.62	752.3	33	...	...	0	8
Nemuro,	11	20.45	748.0	...	...	WSW	2	...	5	29.71	754.5	...	...	SW	2	...
Hokodate,	,,	29.67	753.5	...	...	WNW	2	...	,,	29.76	756.0	...	...	WSW	3	...
Tokio,	,,	29.90	759.5	...	...	S	2	...	,,	30.00	762.0	...	...	WNW	1	...
Kochi,	,,	30.06	763.5	...	...	SE	1	...	,,	30.06	763.5	...	...	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	W	2	...	,,	30.10	764.5	..	...	WSW	1	...
Kagoshima,	,,	30.12	765.0	...	...	W	2	...	,,	30.12	765.0	..	...	WNW	1	...
Oshima,	,,	30.14	765.5	...	...	NE	1	...	,,	30.14	765.5	...	...	S	1	...
Naha,	,,	30.14	765.5	...	...	NNE	2	...	,,	30.10	764.5	...	...	ENE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	SW	1	...	,,	30.05	763.5	...	..	NE	1	...
Bonin Island,	,,	30.02	762.5	...	...	W	1	...	,,	30.12	765.0	...	...	...	...	...
Chefoo,	15	29.77	756.1	66	59	SSW	4	b	6	29.73	755.1	50	72	S	1	o
Shanghai,	14	30.15	765.9	64	41	SSW	1	b	,,	30.02	762.6	46	97	SSE	1	b
Gutzlaff,	,,	30.22	767.6	50	72	SSE	2	o	,,	30.08	764.0	47	100	S	4	b
Sharp Peak,	,,	30.23	767.8	69	65	NNE	2	b	7	30.06	763.5	58	81	W	2	o
Amoy,	,,	30.07	763.8	68	70	SSE	2	b	6	30.05	763.2	58	81	NE	4	o
Swatow,	,,	30.05	763.2	64	79	E	2	c	,,	30.01	763.0	56	94	NE	1	o
Taihoku,	11	30.12	765.0	73	58	E	2	b	5	30.06	763.5	54	97	...	0	b
Taichu,	,,	30.12	765.0	72	...	SSW	2	o	,,	30.08	764.1	52	...	...	0	b
Tainan,	,,	30.08	764.1	79	...	N	2	b	,,	30.04	762.9	59	...	E	2	b
Koshun,	,,	30.07	763.8	79	...	ENE	2	b	,,	30.04	762.9	64	...	...	0	b
Pescadores,	,,	30.11	764.7	70	...	N	4	b	,,	30.05	763.2	64	...	NNE	4	b
Hong Kong,	14	30.04	763.0	72	63	ESE	2	b	6	30.03	762.7	64	90	E	2	o
Gap Rock,	,,	30.03	762.7	...	...	ENE	4	b	,,	30.04	763.0	...	...	ENE	4	b
Macao,	,,	30.01	762.3	77	68	SE	2	o	,,	30.01	762.3	64	94	SE	2	o
Hoihow,	,,	30.00	762.0	73	91	ENE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.0	76	73	NE	5	b	,,	29.99	761.7	71	85	NE	4	bc
Phulien,	15	29.99	761.7	75	67	SE	2	o	7	30.04	762.9	63	98	NW	2	of
Tourane,	,,	29.97	761.1	73	...	NNW	2	b	,,	29.99	761.7	68	...	E	2	of
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	73	...	ENE	6	bf
Basco,	14	29.97	761.1	79	61	ESE	4	o	6	29.98	761.4	72	75	E	4	o
Aparri,	,,	29.91	759.6	81	66	NE	4	b	,,	29.95	760.8	70	94	...	0	b
Tuguegarao,	,,	29.88	759.0	86	56	SE	1	o	,,	29.95	760.8	70	94	...	0	o
Vigan,	,,	29.84	757.8	84	64	NW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.5	86	46	SW	2	o	,,	29.89	759.3	70	85	E	1	b
Legaspi,	,,	29.82	757.5	84	68	NNE	4	o	,,	29.86	758.4	77	86	NW	4	b
Calboyog,	,,	29.80	756.9	82	74	N	4	o	,,	29.85	758.1	75	96	N	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	57	79	NE	1	o
Iloilo,	,,	29.80	756.9	82	74	N	6	o	,,	29.84	757.8	75	91	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	82	87	N	2	o	,,	29.82	757.5	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.82	757.5	...	...	E	4	o	4.22	29.85	758.1	...	...	NE	4	o
Yap,	11.00	29.80	756.9	...	...	E	4	o	5	29.84	757.8	...	...	NE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	84	NW	2	b	6	29.82	757.4	78	86	NE	1	o

March 22*d.* 10*h.* 55*m.*—The anticyclone has weakened further and is now central between the Loochoos and the Bonins.

Moderate monsoon may be expected over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 5·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Light, N.E. or variable winds; fine at first, fog later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd March, 1929.								23rd March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.64	752.9	35	...	...	0	0	6	29.82	757.4	31	...	SE	5	0
Nemuro,	11	...	...	...	...	SE	1	...	5	29.92	760.0	...	...	NE	1	...
Hokodate,	,,	29.76	756.0	...	...	SW	1	...	,,	29.84	758.0	...	...	...	...	...
Tokio,	,,	29.86	758.5	...	...	SW	1	...	,,	29.86	758.5	...	...	...	0	...
Kochi,	,,	29.98	761.5	...	...	S	1	...	,,	30.00	762.0	...	...	W	1	...
Nagasaki,	,,	30.08	764.0	...	...	WSW	3	...	,,	30.04	763.0	...	...	S	1	...
Kagoshima,	,,	30.08	764.0	...	...	W	2	...	,,	30.06	763.5	...	...	NW	1	...
Oshima,	,,	30.14	765.5	...	...	NNE	1	...	,,	30.06	763.5	...	...	SSE	1	...
Naha,	,,	30.12	765.0	...	...	...	0	...	,,	30.04	763.0	...	...	SSE	1	...
Ishigakijima,	,,	30.08	764.0	...	...	SE	1	...	,,	30.00	762.0	...	...	SSW	4	...
Bonin Island,	,,	30.12	765.0	...	...	WNW	1	...	,,	30.08	764.0	...	...	NNW	1	...
Chefoo,	15	29.68	753.9	60	76	E	1	b	6	29.60	751.8	56	75	E	1	b
Shanghai,	14	29.92	759.9	75	26	SSE	4	b	,,	29.80	756.9	54	85	SSE	1	b
Gutzlaff,	,,	30.00	762.0	58	70	S	4	b	,,	29.87	758.7	54	89	S	6	b
Sharp Peak,	,,	30.23	767.8	70	57	S	1	b	7	30.24	768.1	58	61	...	0	of
Amoy,	,,	29.98	761.5	69	70	SSE	4	b	6	29.99	761.7	62	90	SSE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.06	763.5	77	50	...	0	b	5	29.98	761.4	55	98	...	0	b
Taichu,	,,	30.10	764.5	75	...	...	0	b	,,	30.01	762.3	55	...	...	0	b
Tainan,	,,	30.06	763.5	81	...	WSW	2	b	,,	29.97	761.1	57	...	...	0	b
Koshun,	,,	30.07	763.8	82	...	NE	2	b	,,	29.95	760.8	64	...	...	0	b
Pescadores,	,,	30.08	764.1	73	...	NNE	2	b	,,	29.95	760.8	64	...	NNE	2	b
Hong Kong,	14	29.98	761.5	69	72	E	3	b	6	29.92	759.9	67	87	E	1	o
Gap Rock,	,,	29.98	761.5	...	...	ENE	4	c	,,	29.92	759.9	...	...	ENE	4	cf
Macao,	,,	29.95	760.8	77	68	SE	2	b	,,	29.88	759.0	66	92	SE	2	o
Hoihow,	,,	29.91	759.7	73	91	ENE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.95	760.8	79	63	NE	4	b	,,	29.90	759.4	72	85	NE	3	bc
Phulien,	15	29.91	759.6	75	67	SSE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.91	759.6	73	...	NE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	79	...	ENE	6	o	,,	...	...	...	...	...	...	...
Basco,	14	29.94	760.5	79	66	ESE	4	o	6	29.92	759.9	72	65	SE	4	o
Aparri,	,,	29.88	759.0	81	69	NE	4	b	,,	29.89	759.3	68	96	...	0	b
Tuguegarao,	,,	29.86	758.4	86	41	SW	1	o	,,	29.91	759.6	68	92	...	0	o
Vigan,	,,	29.81	757.2	86	56	WNW	4	b	,,	29.82	757.5	75	63	SE	2	o
Manila,	,,	29.81	757.2	90	55	WSW	4	b	,,	29.85	758.1	72	84	...	0	o
Legaspi,	,,	29.80	756.9	81	89	NNE	4	o	,,	29.82	757.5	77	94	N	1	o
Calboyog,	,,	29.79	756.6	79	89	N	2	o	,,	29.80	756.9	75	96	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	75	96	NW	1	of
Iloilo,	,,	29.75	755.7	86	68	NE	6	o	,,	29.79	756.6	75	92	N	4	o
Cebu.	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	91	...	0	b
Surigao,	,,	29.74	755.4	82	87	N	4	b	,,	29.79	756.6	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	E	4	o	4.22	29.81	757.2	...	...	NE	4	o
Yap,	11.00	29.79	756.6	...	...	ENE	4	o	5	29.81	757.2	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Jabuan,	14	29.77	756.1	86	84	NW	4	b	6	29.85	758.2	76	86	NW	2	b

March 23*d*. 11*h*. 16*m*.—The anticyclone continues to weaken; a depression is approaching Shantung from the west.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 5·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	Easterly or variable winds, moderate; fine generally, some fog.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd March, 1929.								24th March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.74	755.3	32	...	SE	4	o	6	29.78	756.3	31	...	...	o	b
Nemuro,	11	29.94	760.5	...	...	E	1	...	5	29.84	758.0	...	...	S	2	...
Hokodate,	,,	29.92	760.0	...	...	SE	1	...	,,	29.73	755.0	...	...	...	o	...
Tokio,	,,	29.98	761.5	...	...	...	o	...	,,	30.00	762.0	...	...	NW	1	...
Kochi,	,,	30.02	762.5	...	...	SE	1	...	,,	30.03	763.0	...	...	WSW	1	...
Nagasaki,	,,	30.00	762.0	...	...	S	2	...	,,	29.96	761.0	...	...	SSW	4	...
Kagoshima,	,,	30.04	763.0	...	...	ESE	1	...	,,	30.02	762.5	...	...	...	o	...
Oshima,	,,	30.04	763.0	...	...	SSW	1	...	,,	30.00	762.0	...	...	S	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	...	...	SSE	2	...
Ishigakijima,	,,	30.04	763.0	...	...	SSW	2	...	,,	29.94	760.5	...	...	S	2	...
Bonin Island,	,,	30.12	765.0	...	...	W	1	...	,,	30.16	766.0	...	...	...	...	...
Chefoo,	15	29.48	748.8	58	76	NE	1	b	6	29.87	758.7	40	100	NE	1	of
Shanghai,	14	29.69	754.2	84	34	S	2	b	,,	29.69	754.2	59	98	SSE	2	o
Gutzlaff,	,,	29.77	756.1	64	53	S	6	b	,,	29.77	756.1	54	94	E	6	o
Sharp Peak,	,,	...	...	80	62	...	o	b	7	29.90	759.4	65	73	...	o	b
Amoy,	,,	29.86	758.4	78	58	S	4	o	6	29.87	758.7	68	91	S	4	of
Swatow,	,,	29.88	758.9	67	80	E	2	c	,,	29.83	757.7	66	95	E	1	o
Taihoku,	11	29.99	761.7	79	52	ENE	2	b	5	29.88	759.0	61	96	E	2	o
Taichu,	,,	30.00	762.0	79	...	NW	2	b	,,	29.91	759.6	59	...	...	o	b
Tainan,	,,	29.97	761.1	82	...	WNW	2	b	,,	29.86	758.4	63	...	...	o	b
Koshun,	,,	29.98	761.4	82	...	E	4	b	,,	29.87	758.7	72	...	ESE	2	b
Pescadores,	,,	29.99	761.7	77	...	NNW	4	b	,,	29.85	758.1	70	...	ESE	2	b
Hong Kong,	14	29.86	758.4	71	79	E	3	c	6	29.82	757.4	67	92	E	1	cm
Gap Rock,	,,	29.86	758.4	...	...	E	4	b	,,	29.81	757.2	...	...	E	4	c
Macao,	,,	29.85	758.1	79	66	SE	2	o	,,	29.78	756.3	68	98	SE	2	of
Hoihow,	,,	29.76	756.0	77	83	ENE	1	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.90	759.4	81	70	NE	1	b	,,	29.83	757.7	69	85	NE	1	b
Phulien,	15	29.78	756.3	73	75	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.79	756.6	79	...	SSE	4	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.2	81	...	ENE	4	o	,,	...	...	...	...	...	...	...
Basco,	14	29.87	758.7	79	61	SE	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.84	757.8	82	67	NE	4	bf	,,	29.84	757.8	75	79	S	2	o
Tuguegarao,	,,	29.82	757.5	86	56	SW	1	o	,,	29.87	758.7	72	89	S	1	o
Vigan,	,,	29.79	756.6	86	61	NW	4	b	,,	29.79	756.6	77	76	SW	1	o
Manila,	,,	29.79	756.6	84	64	WSW	4	o	,,	29.80	756.9	75	86	...	o	o
Legaspi,	,,	29.76	756.0	79	92	...	o	o	,,	29.80	756.9	77	94	...	o	o
Calboyog,	,,	29.75	755.7	81	89	NNW	2	o	,,	29.80	756.9	75	92	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	75	94	SW	2	o
Iloilo,	,,	29.73	755.1	90	69	NE	4	o	,,	29.76	756.0	75	92	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	96	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	NE	4	o	4.22	29.84	757.8	...	...	NE	2	o
Yap,	11.00	29.78	756.3	...	...	ENE	4	o	5	29.82	757.5	...	...	NW	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	84	83	NW	2	b	6	29.84	757.9	78	86	NW	2	h

March 24*d.* 11*h.* 23*m.*—The anticyclone is central near the Bonins. Depressions lie over the lower Yangtze Valley and over the Sea of Japan.

Light, variable winds over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 5·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. or variable winds, moderate to light; generally overcast, fog.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th March, 1929.								25th March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.80	756.8	43	...	NW	2	c	6	30.28	769.0	31	...	NW	3	b
Nemuro,	11	29.70	754.5	...	...	S	2	...	5	29.57	751.0	...	...	...	0	...
Hokodate,	,,	29.63	752.5	...	...	SW	5	...	,,	29.88	759.0	...	...	W	6	...
Tokio,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.86	758.5	...	...	NW	1	...
Kochi,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	29.98	761.5	...	...	SW	5	...	,,	29.94	760.5	...	...	SSW	4	...
Kagoshima,	,,	30.02	762.5	...	...	SW	2	...	,,	30.10	764.5	...	...	...	0	...
Oshima,	,,	30.06	763.5	...	...	S	1	...	,,	29.98	761.5	...	...	S	1	...
Naha,	,,	30.04	763.0	...	...	SSE	3	...	,,	29.96	761.0	...	...	SE	2	...
Ishigakijima,	,,	29.96	761.0	...	...	S	3	...	,,	29.90	759.5	...	...	S	2	...
Bonin Island,	,,	30.16	766.0	...	...	S	1	...	,,	30.16	766.0	...	...	...	...	...
Chefoo,	15	30.04	763.0	47	63	NE	4	b	6	30.16	766.0	38	84	NE	4	b
Shanghai,	14	29.79	756.6	64	98	SSE	1	o	,,	29.87	758.7	50	95	NNE	4	o
Gutzlaff,	,,	29.81	757.2	63	78	SW	2	o	,,	29.91	759.7	48	100	N	1	of
Sharp Peak,	,,	30.24	768.1	75	77	SSW	4	o	7	29.80	756.9	68	79	NW	1	b
Amoy,	,,	29.78	756.3	73	86	S	4	b	6	29.83	757.7	64	95	S	4	of
Swatow,	,,	29.81	757.2	76	54	SSE	1	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.88	759.0	82	51	ENE	2	o	5	29.85	758.1	68	91	...	0	o
Taichu,	,,	20.93	760.2	84	...	...	0	b	,,	29.88	759.0	68	...	...	0	o
Tainan,	,,	29.91	759.6	86	...	S	4	b	,,	29.85	758.1	68	...	...	0	b
Koshun,	,,	29.92	759.9	81	...	E	2	o	,,	29.84	757.8	75	...	ESE	2	o
Pescadores,	,,	29.89	759.3	82	...	SSE	4	b	,,	29.84	757.8	73	...	...	0	o
Hong Kong,	14	29.81	757.2	77	67	S	1	o	6	29.82	757.5	69	93	E	2	om
Gap Rock,	,,	29.81	757.2	...	...	E	3	o	,,	29.80	756.9	...	...	E	3	o
Macao,	,,	29.76	756.0	73	86	SE	2	o	,,	29.78	756.3	68	96	ESE	2	o
Hoihow,	,,	29.63	752.6	90	58	SSE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.4	81	70	...	0	c	,,	29.82	757.5	73	95	...	0	b
Phulien,	15	29.65	753.0	75	85	SSE	6	of	7	29.71	754.5	72	100	SE	6	of
Tourane,	,,	29.71	754.5	81	...	SSE	4	b	,,	29.73	755.1	73	...	SW	7	bf
Cape St. James,	,,	29.78	756.3	81	...	E	4	bf	,,	29.82	757.5	75	...	E	2	o
Basco,	14	29.82	757.5	82	77	SE	4	o	6	29.82	757.5	77	91	SE	4	o
Aparri,	,,	29.79	756.6	82	70	NE	4	o	,,	29.80	756.9	73	91	SE	4	b
Tuguegarao,	,,	29.81	757.2	82	74	S	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.76	756.0	86	61	NW	4	o	,,	29.78	756.3	77	76	SSE	2	b
Manila,	,,	29.76	756.0	84	68	SW	1	o	,,	29.80	756.9	75	92	SE	1	o
Legaspi,	,,	29.76	756.0	86	78	NE	2	o	,,	29.82	757.5	77	89	NE	2	b
Calbayog,	,,	29.75	755.7	86	75	SW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	77	86	E	2	b
Iloilo,	,,	29.72	754.8	90	69	NE	4	o	,,	29.79	756.6	75	94	NE	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	77	84	NW	2	o
Surigao,	,,	29.74	755.4	86	71	E	4	b	,,	29.80	756.9	77	89	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.88	758.9	75	...	ENE	3	bc
Guam,	12.22	29.80	756.9	...	...	NE	4	o	4.22	29.85	758.1	...	...	NE	4	o
Yap,	11.00	29.79	756.6	...	...	ENE	6	r	5	29.72	754.9	80	...	ENE	2	c
Pelew,	...	...	...	...	...	...	...	...	,,	29.79	756.6	79	...	W	3	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.9	82	...	ESE	2	c
Labuan,	14	29.77	756.1	84	79	NW	2	o	6	29.82	757.4	77	91	NW	2	b

March 25*d.* 10*h.* 55*m.*—The anticyclone remains central near the Bonins. Another is central to the north of Korea.

Depressions are shown to the N.E. of Japan and over S.W. China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 5·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	E. or variable winds, moderate; generally overcast, fog.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th March, 1929.								26th March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.28	769.2	38	...	NNW	3	b	6	30.32	770.1	27	...	...	0	b
Nemuro,	11	29.70	754.5	...	...	WNW	3	...	5	30.18	766.5	...	...	W	1	...
Hokodate,	,,	30.04	763.0	...	...	W	5	...	,,	30.30	769.5	...	...	WSW	1	...
Tokio,	,,	30.00	762.0	...	...	E	1	...	,,	30.34	770.5	...	...	NE	1	...
Kochi,	,,	30.02	762.5	...	...	...	...	...	,,	30.10	764.5	...	...	...	...	...
Nagasaki,	,,	30.02	762.5	...	...	N	1	...	,,	29.92	760.0	...	...	SE	1	...
Kagoshima,	,,	30.02	762.5	...	...	...	0	...	,,	29.94	760.5	...	...	ENE	1	...
Oshima,	,,	29.98	761.5	...	...	S	1	...	,,	29.82	757.5	...	...	S	1	...
Naha,	,,	29.94	760.5	...	...	SE	3	...	,,	29.86	758.5	...	...	SE	3	...
Ishigakijima,	,,	29.88	759.0	...	...	S	2	...	,,	29.84	758.0	...	..	SW	1	...
Bouin Island,	,,	30.14	765.5	...	...	SSE	1	...	,,	30.14	765.5	...	...	E	1	...
Chefoo,	15	30.11	764.8	44	68	NE	2	b	6	30.05	763.2	42	85	NW	1	o
Shanghai,	14	29.81	757.2	55	81	NNE	2	o	,,	29.88	759.0	50	87	WNW	4	o
Gutzlaff,	,,	29.85	758.2	52	93	NNE	2	of	,,	29.90	759.4	48	100	NW	4	o
Sharp Peak,	,,	30.24	768.1	81	67	SW	1	o	7	29.84	757.9	69	90	...	o	r
Amoy,	,,	29.79	756.6	78	78	SSE	4	b	6	29.80	756.9	65	91	E	2	o
Swatow,	,,	29.82	757.5	77	79	S	2	b	,,	...	..	...	...	...	...	...
Taihoku,	11	29.87	758.7	84	58	W	2	b	5	29.81	757.2	72	94	...	o	o
Taichu,	,,	29.91	759.6	84	...	SSE	2	o	,,	29.86	758.4	68	...	...	o	b
Tainan,	,,	29.88	759.0	86	...	S	4	b	,,	29.84	757.8	70	...	...	o	o
Koshun,	,,	29.88	759.0	86	...	SSE	2	b	,,	29.81	757.2	73	...	...	o	b
Pescadores,	,,	29.91	759.6	77	...	W	2	o	,,	29.84	757.8	73	...	SE	2	b
Hong Kong,	14	29.80	756.9	73	86	E	3	o	6	29.81	757.2	71	97	ENE	1	of
Gap Rock,	,,	29.79	756.6	...	...	ESE	3	b	,,	29.81	757.2	...	...	ESE	3	c
Macao,	,,	29.76	756.0	79	76	SSE	4	o	,,	29.82	757.5	70	98	SE	2	of
Hoihow,	,,	9.66	753.3	94	54	SSE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.92	759.9	81	79	NE	2	b	,,	29.83	757.7	73	95	E	1	b
Phulien,	15	29.67	753.6	73	100	SE	4	bf	7	29.73	755.1	72	...	SE	6	od
Tourane,	,,	29.67	753.6	84	...	SSW	2	bf	,,	29.74	755.4	75	...	SW	4	bf
Cape St. James,	,,	29.79	756.6	84	...	SSE	2	o	,,	29.83	757.7	75	...	SSW	2	cf
Basco,	14	29.78	756.3	82	81	SE	4	o	6	29.81	757.2	77	92	SE	2	b
Aparri,	,,	29.75	755.7	84	71	N	4	b	,,	29.81	757.2	75	94	S	2	b
Tuguegarao,	,,	29.75	755.7	86	41	S	2	o	,,	29.84	757.8	72	98	...	...	...
Vigan,	,,	29.76	756.0	86	65	WNW	4	b	,,	29.80	756.9	79	85	W	1	o
Manila,	,,	29.76	756.0	93	40	SE	2	b	,,	29.84	757.8	72	88	NE	1	b
Legaspi,	,,	29.78	756.3	86	68	ENE	2	o	,,	29.82	757.5	79	89	...	o	o
Calboyog,	,,	29.76	756.0	86	75	SW	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	77	92	WNW	2	o
Iloilo,	,,	29.73	755.1	90	60	NE	4	o	,,	29.80	756.9	77	86	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.74	755.4	86	68	E	2	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	NE	4	o	5	29.81	757.2	...	...	ENE	4	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	83	NE	4	b	6	29.82	757.4	80	87	...	2	b

March 26*d.* 10*h.* 53*m.*—The Bonins anticyclone has dispersed. The other is central to the east of Wladivostock.

Depressions are shown over the Eastern Sea and over north Indo-China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 5·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds.
2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.E. or variable winds, moderate; generally overcast, some rain and fog.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	27th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.30	769.6	41	...	E	4	b	6	30.21	767.3	30	...	ESE	2	c
Kemuro,	11	30.18	766.5	...	...	SW	2	...	5	30.28	769.0	...	...	...	0	...
Hakodate,	"	30.30	769.5	...	...	SW	1	...	"	30.28	769.0	...	...	...	0	...
Tokio,	"	30.33	770.5	...	...	N	1	...	"	30.18	766.5	...	...	N	1	...
Kochi,	"	30.12	765.0	...	...	...	0	...	"	29.96	761.0	...	...	...	0	...
Nagasaki,	"	29.88	759.0	...	...	ESE	4	...	"	29.88	759.0	...	...	SW	1	...
Kagoshima,	"	29.94	760.5	...	...	ENE	1	...	"	29.90	759.5	...	...	...	0	...
Oshima,	"	29.90	759.5	...	...	SSW	1	...	"	29.90	759.5	...	...	...	0	...
Naha,	"	29.90	759.5	...	...	SE	2	...	"	29.88	759.0	...	...	S	1	...
Ishigakijima,	"	29.90	759.5	...	...	...	0	...	"	29.88	759.0	...	..	...	0	...
Bonin Island,	"	30.14	765.5	...	...	ESE	3	...	"	30.10	764.5	...	...	SSE	3	...
Chefoo,	15	30.03	762.7	44	86	NE	1	0	6	30.01	762.2	44	86	NE	1	0
Shanghai,	14	29.92	759.9	55	77	WNW	4	0	"	30.01	762.3	48	92	NNW	1	0
Gutzlaff,	"	29.95	760.7	52	88	WNW	4	0	"	30.03	762.7	48	93	NNW	2	c
Sharp Peak,	"	29.85	758.1	76	87	E	1	0	7	29.91	759.6	60	93	E	1	r
Amoy,	"	29.78	756.3	75	72	SSE	1	0	6	29.86	758.4	66	84	NE	4	0
Swatow,	"	29.78	756.3	78	77	S	2	c	"	29.85	758.2	77	95	ESE	1	c
Taihoku,	11	29.86	758.4	82	70	N	1	0	5	29.92	759.9	70	91	W	2	0
Taichu,	"	29.92	759.9	86	...	S	2	b	"	29.94	760.5	70	...	...	0	b
Tainan,	"	29.89	759.3	93	...	WNW	1	0	"	29.89	759.3	70	...	NE	2	b
Koshun,	"	29.86	758.4	90	...	W	2	b	"	29.88	759.0	70	...	...	0	b
Pescadores,	"	29.89	759.3	82	...	SW	2	b	"	29.88	759.0	72	...	NE	4	b
Hong Kong,	14	29.85	758.1	74	90	...	0	om	6	29.84	757.9	71	100	E	2	cf
Gap Rock,	"	29.83	757.7	...	...	ESE	3	0	"	29.84	757.9	...	...	ESE	3	0
Macao,	"	29.81	757.2	77	84	NE	2	of	"	29.80	756.9	72	98	SE	2	of
Hoihow,	"	29.75	755.6	86	77	SSE	2	c	"	...	...	...	...	...	...	...
Pratas Island,	"	29.83	757.7	91	77	..	0	b	"	29.87	758.7	74	98	NNE	1	b
Phulien,	15	29.66	753.3	73	98	SE	4	of	7	29.76	756.0	72	100	SE	4	of
Tourane,	"	29.69	754.2	81	...	SSE	2	bf	"	29.78	756.3	73	...	SSW	6	bf
Cape St. James,	"	29.78	756.3	86	...	S	2	of	"	...	...	...	...	...	...	...
Basco,	14	29.81	757.2	86	68	SE	4	b	6	29.87	758.7	77	91	SE	1	b
Aparri,	"	29.80	756.9	82	77	NNE	4	0	"	29.86	758.4	73	96	...	0	b
Tuguegarao,	"	29.78	756.3	97	40	S	1	0	"	...	...	...	...	...	...	...
Vigan,	"	29.80	756.9	86	68	W	4	b	"	29.84	757.8	77	89	NNW	1	b
Manila,	"	29.79	756.6	96	42	SE	4	b	"	29.85	758.1	73	89	E	1	b
Legaspi,	"	29.81	757.2	86	71	NE	2	0	"	29.86	758.4	79	90	...	0	b
Calboyog,	"	29.80	756.9	86	46	SW	2	r	"	29.85	758.1	75	94	NNE	1	0
Tacloban,	"	...	...	...	...	...	...	...	"	29.86	758.4	75	94	NW	2	0
Iloilo,	"	29.75	755.7	86	61	NE	4	0	"	29.82	757.5	77	91	N	4	0
Cebu.	"		...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.84	757.8	86	78	SE	2	0	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	NE	4	0	4.22	29.86	758.4	...	...	NE	2	b
Yap,	11.00	29.79	756.6	...	...	ENE	4	0	5	29.85	758.1	...	...	NE	4	0
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Rabaul,	14	29.79	756.6	86	84	SW	2	b	6	29.83	757.7	78	86	E	2	b

March 27*d*. 11*h*. 16*m*.—The anticyclone is central to the N.E. of Tokio.

The depressions over the Eastern Sea and Indo-China are not so deep this morning.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 5·64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.E. or variable winds; generally cloudy, some rain and fog.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	28th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.14	765.6	40	...	SSE	3	c	6	30.00	762.0	33	...	...	0	r
Nemuro,	11	30.28	769.0	...	...	NNE	1	...	5	30.00	762.0	...	...	SSE	3	...
Hokodate,	,,	30.22	767.5	...	...	SE	3	...	,,	29.88	759.0	...	...	N	1	...
Tokio,	,,	30.14	765.5	...	...	N	1	...	,,	29.84	758.0	...	...	N	1	...
Kochi,	,,	29.94	760.5	...	...	...	0	...	,,	29.92	760.0	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	WSW	1	...	,,	29.90	759.5	...	...	N	1	...
Kagoshima,	,,	29.90	759.5	...	...	...	0	...	,,	29.86	758.5	...	...	...	...	...
Oshima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.88	759.0	...	...	N	1	...
Nalia,	,,	29.92	760.0	...	...	...	0	...	,,	29.88	759.0	...	...	NW	1	...
Ishigakijima,	,,	29.92	760.0	...	...	SW	1	...	,,	29.86	758.5	...	...	...	0	...
Bonin Island,	,,	30.06	763.5	...	...	S	3	...	,,	29.94	760.5	...	...	S	2	...
Chefoo,	15	29.98	761.5	52	60	N	1	b	6	30.17	766.3	40	91	N	2	o
Shanghai,	14	30.00	762.0	54	78	NNW	1	o	,,	30.02	762.6	48	92	...	0	o
Gutzlaff,	,,	30.04	763.0	52	88	NNW	1	o	,,	30.06	763.5	47	100	N	2	rf
Sharp Peak,	,,	29.92	759.9	60	82	E	2	o	7	...	...	60	88	S	1	rf
Amoy,	,,	29.89	759.2	67	84	SSE	4	o	6	29.92	759.9	63	94	SSE	4	of
Swatow,	,,	29.86	758.4	73	86	ESE	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	29.93	760.2	77	72	NNW	2	o	5	29.88	759.0	70	94	...	0	o
Taichu,	,,	29.95	760.8	86	...	W	1	b	,,	29.92	759.9	70	...	...	0	o
Tainan,	,,	29.94	760.5	90	...	WSW	2	b	,,	29.88	759.0	68	...	...	0	b
Koshun,	,,	29.91	759.6	90	...	...	0	b	,,	29.89	759.3	68	...	...	0	o
Pescadores,	,,	29.94	760.5	82	...	WNW	2	b	,,	29.89	759.3	70	...	NNE	2	b
Hong Kong,	14	29.81	757.2	82	68	SSE	2	o	6	29.86	758.4	74	92	ENE	1	o
Gap Rock,	,,	29.82	757.4	...	...	SE	3	c	,,	29.84	757.9	...	...	SE	3	c
Macao,	,,	29.78	756.3	75	96	SSW	2	o	,,	29.82	757.5	73	96	SSE	4	o
Hoihow,	,,	29.68	753.9	96	69	SSE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	758.9	81	79	SE	1	b	,,	29.89	759.2	74	95	...	0	c
Phulien,	15	29.71	754.5	73	100	SSE	4	rf	7	29.79	756.6	72	...	E	4	of
Tourane,	,,	29.72	754.8	84	...	SSW	4	b	,,	29.77	756.1	75	...	SSW	4	cf
Cape St. James,	,,	29.82	757.5	86	...	SSE	2	b	,,	29.84	757.8	75	...	NE	2	c
Basco,	14	29.86	758.4	84	77	SE	4	o	6	29.85	758.1	77	89	SE	4	b
Aparri,	,,	29.82	757.5	86	68	NE	4	b	,,	29.85	758.1	75	91	S	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.9	86	65	NW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	96	49	SE	4	b	,,	29.85	758.1	73	89	...	0	b
Legaspi,	,,	29.82	757.5	90	69	NE	4	b	,,	29.85	758.1	77	91	...	0	b
Calboyog,	,,	29.80	756.9	86	68	N	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	77	94	N	1	b
Iloilo,	,,	29.78	756.3	90	60	NE	6	o	,,	29.81	757.2	77	91	N	4	b
Cebu,	,,	29.79	756.6	86	58	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	NE	4	o	4.22	29.80	756.9	...	...	SW	2	b
Yap,	11.00	29.81	757.2	...	...	NE	4	o	5	29.80	756.9	...	...	NNE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	88	NW	4	b	6	29.82	757.4	76	91	SW	2	o

March 28*d.* 11*h.* 35*m.*—The anticyclone has passed into the Pacific; another appears to be developing to the north of Shantung. Shallow depressions are situated over Tongking and in the vicinity of Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1·52 inches, against an average of 5·75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.E. or variable winds, moderate; cloudy, fog, probably some rain.

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	29th March, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.03	762.7	41	...	NNE	4	o	6	30.41	772.5	26	...	NE	2	b
Nemuro,	11	29.82	757.5	...	...	SSE	1	...	5	29.76	756.0	...	...	...	...	...
Hokodate,	,,	29.74	755.5	...	...	NNW	1	...	,,	29.94	760.5	...	...	NNW	4	...
Tokio,	,,	29.74	755.5	...	...	S	1	...	,,	29.75	755.5	...	...	N	3	...
Kochi,	,,	29.80	757.0	...	...	...	0	...	,,	29.90	759.5	...	...	N	1	...
Nagasaki,	,,	29.90	759.5	...	...	NNW	1	...	,,	30.00	762.0	...	...	NE	2	...
Kagoshima,	,,	29.84	758.0	...	...	WNW	1	...	,,	29.90	759.5	...	...	...	0	...
Oshima,	,,	29.88	759.0	...	...	...	0	...	,,	29.88	759.0	...	...	SE	1	...
Naha,	,,	29.88	759.0	...	...	W	1	...	,,	29.88	759.0	...	...	NNE	1	...
Ishigakijima,	,,	29.90	759.5	...	...	WSW	2	...	,,	29.92	760.0	...	...	NNE	1	...
Bonin Island,	,,	29.88	759.0	...	...	S	2	...	,,	29.84	758.0	...	...	SSW	1	...
Chefoo,	15	30.25	768.3	42	58	N	6	o	6	30.31	769.9	36	83	NE	1	b
Shanghai,	14	30.08	764.0	50	79	NNW	1	o	,,	30.20	767.1	43	85	NNW	1	o
Gutzlaff,	,,	30.12	765.0	46	100	N	4	r	,,	30.19	766.8	44	86	N	6	r
Sharp Peak,	,,	30.23	767.8	60	88	E	2	o	7	30.03	762.7	54	87	E	1	r
Amoy,	,,	29.89	759.2	65	95	SSE	4	o	6	29.97	761.2	60	90	ENE	4	o
Swatow,	,,	29.89	759.2	68	95	E	2	dh	,,	...	...	...	...	...	...	...
Taihoku,	11	29.97	761.1	70	85	E	2	o	5	29.98	761.4	61	93	E	4	o
Taichu,	,,	29.98	761.4	75	...	NNW	2	o	,,	29.95	760.8	66	...	NW	...	o
Tainan,	,,	29.93	760.2	86	...	W	2	b	,,	29.89	759.3	70	...	NE	2	o
Koshun,	,,	29.91	759.6	90	...	NW	2	b	,,	29.89	759.3	72	...	NW	2	b
Pescadores,	,,	29.94	760.5	79	...	N	2	b	,,	29.92	759.9	68	...	NNE	4	o
Hong Kong,	14	29.84	757.8	80	73	S	2	o	6	29.88	758.9	73	97	ENE	1	of
Gap Rock,	,,	29.84	757.8	...	...	SE	3	c	,,	29.86	758.4	...	...	SE	3	o
Macao,	,,	29.81	757.2	82	77	SE	4	o	,,	29.81	757.2	73	100	SSE	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	82	74	NE	2	b	,,	29.90	759.4	77	78	ENE	2	c
Phulien,	15	29.73	755.1	73	100	SSE	4	rf	7	29.80	756.9	73	...	E	4	of
Tourane,	,,	29.73	755.1	86	...	SSE	2	b	,,	29.78	756.3	75	...	WNW	2	cf
Cape St. James,	,,	29.82	757.5	90	...	SSE	2	o	,,	29.84	757.8	75	...	E	2	c
Basco,	14	29.81	757.2	86	68	SE	2	b	6	29.87	758.7	72	96	...	o	b
Aparri,	,,	29.80	756.9	86	...	N	2	b	,,	29.87	758.7	75	94	...	o	o
Tuguegarao,	,,	29.78	756.3	93	40	...	o	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.79	756.6	86	71	WNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	93	46	SE	4	b	,,	29.85	758.1	72	84	NE	1	b
Legaspi,	,,	29.81	757.2	90	69	NE	2	b	,,	29.84	757.8	75	92	...	o	b
Calboyog,	,,	29.78	756.3	86	75	WSW	4	c	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	90	55	NE	6	o	,,	29.81	757.2	75	91	NE	4	o
Cebu,	,,	29.78	756.3	86	61	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	29.80	756.9	...	...	NE	2	o
Yap,	11.00	29.79	756.6	...	...	ENE	2	o	5	29.80	756.9	...	...	NE	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Rabaul,	14	29.81	757.2	84	83	NW	1	o	6	29.85	758.2	76	86	NW	2	b

March 29*d*. 11*h*. 40*m*.—The anticyclone is central to the north of Korea.

The northern depression is passing into the Pacific.

The southern depression is central over the Gulf of Tonkin.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 1·54 inches, against an average of 5·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate to fresh.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; generally overcast, some rain and fog.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th March, 1929.								30th March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.32	770.2	37	...	N	2	o	6	30.34	770.6	...	...	SE	...	...
Nemuro,	11	29.92	760.0	...	...	NNW	4	...	5	30.34	770.5	...	...	NW	1	...
Hokodate,	,,	30.01	763.0	...	...	NNW	4	...	,,	30.39	772.0	...	...	...	0	...
Tokio,	,,	29.96	761.0	...	...	E	2	...	,,	30.41	772.5	...	...	NW	1	...
Kochi,	,,	29.96	761.0	...	...	N	1	...	,,	30.22	767.5	...	...	W	1	...
Nagasaki,	,,	30.08	764.0	...	...	ENE	3	...	,,	30.16	766.0	...	...	E	1	...
Kagoshima,	,,	29.98	761.5	...	...	NE	3	...	,,	30.12	765.0	...	...	NE	2	...
Oshima,	,,	29.96	761.0	...	...	NNE	3	...	,,	29.98	761.5	...	...	...	0	...
Naha,	,,	29.96	761.0	...	...	NNE	2	...	,,	29.96	761.0	...	...	...	0	...
Ishigakijima,	,,	29.96	761.0	...	...	NNE	1	...	,,	29.98	761.5	...	...	...	0	...
Bonin Island,	,,	29.84	758.0	...	...	SSW	1	...	,,	29.96	761.0	...	...	N	1	...
Chefoo,	15	30.28	769.1	42	75	N	1	b	6	30.17	766.3	36	100	NE	1	o
Shanghai,	14	30.19	766.8	50	69	N	2	o	,,	30.24	768.0	48	95	ENE	1	o
Gutzlaff,	,,	30.20	767.1	47	87	N	4	o	,,	30.26	768.6	48	93	NNE	2	o
Sharp Peak,	,,	30.24	768.1	60	55	ENE	4	o	7	30.22	768.1	73	79	NW	1	o
Amoy,	,,	29.99	761.7	60	93	ENE	4	o	6	30.07	763.8	56	83	ENE	4	o
Swatow,	,,	30.03	762.7	61	94	NE	2	o	,,	30.05	763.2	59	94	NE	3	o
Taihoku,	11	30.04	762.9	64	80	E	4	o	5	30.06	763.5	59	93	E	2	o
Taichu,	,,	29.97	761.1	72	...	NNW	2	o	,,	30.00	762.0	61	...	NNW	2	o
Tainan,	,,	29.93	760.2	81	...	N	2	o	,,	29.99	761.7	63	...	N	4	o
Koshun,	,,	29.92	759.9	84	...	N	2	b	,,	29.95	760.8	72	...	NNE	4	o
Pescadores,	,,	29.94	760.5	72	...	NNE	6	o	,,	30.01	762.3	64	...	NE	6	o
Hong Kong,	14	29.89	759.2	69	90	E	3	or	6	30.01	762.2	65	95	ENE	3	od
Gap Rock,	,,	29.87	758.7	...	...	SE	3	o	,,	29.99	761.7	...	...	ENE	5	o
Macao,	,,	29.79	756.6	68	98	NNE	4	r	,,	29.97	761.1	61	98	N	4	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	758.9	83	71	SE	1	b	,,	29.96	761.0	72	90	NE	5	o
Phulien,	15	29.79	756.6	73	91	SE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.74	755.4	84	...	S	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	90	...	S	2	o	,,	...	...	...	...	...	...	...
Basco,	14	29.82	757.5	86	71	N	2	b	6	29.91	759.6	75	89	N	2	o
Aparri,	,,	29.81	757.2	86	71	N	2	b	,,	29.91	759.6	75	96	...	0	b
Tuguegarao,	,,	29.79	756.6	93	47	NE	1	o	,,	29.89	759.3	75	92	N	1	o
Vigan,	,,	29.79	756.6	90	57	NNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	90	48	WSW	4	b	,,	29.88	759.0	70	85	ENE	1	b
Legaspi,	,,	29.81	757.2	90	57	NE	4	b	,,	29.88	759.0	79	89	NNE	1	b
Calboyog,	,,	29.79	756.6	90	48	WSW	4	b	,,	29.87	758.7	73	94	N	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	75	92	WNW	1	b
Iloilo,	,,	29.75	755.7	90	57	NE	6	b	,,	29.85	758.1	75	91	N	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	NE	4	o	4.22	29.82	757.5	...	...	NE	2	b
Yap,	11.00	29.75	755.7	...	...	NE	4	o	5	29.82	757.5	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	NW	2	b	6	29.83	757.7	78	91	SW	2	b

March 30*d.* 12*h.* 05*m.*—The anticyclone has moved eastward and is now central over the Sea of Japan.

An area of low pressure remains over Indo-China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·48 inch. Total since January 1st, 2·02 inches, against an average of 5·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh to moderate.
2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; overcast, some drizzle or rain.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th March, 1929.								31st March, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.31	770.0	34	...	ESE	3	o	6	30.24	768.0	32	...	ESE	2	o
Nemuro,	11	30.39	772.0	...	...	S	2	...	5	30.47	774.0	...	...	S	1	...
Hokodate,	,,	30.41	772.5	...	...	S	1	...	,,	30.34	770.5	...	...	ENE	1	...
Tokio,	,,	30.41	772.5	...	...	NE	1	...	,,	30.43	773.0	...	...	NW	1	...
Kochi,	,,	30.26	768.5	...	...	WSW	1	...	,,	30.22	767.5	...	...	SW	1	...
Nagasaki,	,,	30.16	766.0	...	...	ESE	1	...	,,	30.16	766.0	...	...	...	o	...
Kagoshima,	,,	30.14	765.5	...	...	NE	1	...	,,	30.20	767.0	...	...	NNE	1	...
Oshima,	,,	30.04	763.0	...	...	...	o	...	,,	30.02	762.5	...	...	...	o	...
Naha,	,,	30.00	762.0	...	...	N	1	...	,,	30.00	762.0	...	...	...	...	...
Ishigakijima,	,,	30.04	763.0	...	...	N	1	...	,,	30.04	763.0	...	...	NNW	1	...
Bonin Island,	,,	30.00	762.0	...	...	NE	1	...	,,	30.04	763.0	...	...	NNE	1	...
Chefoo,	15	30.10	764.5	52	66	E	1	o	6	30.15	765.8	48	78	SW	2	o
Shanghai,	14	30.20	767.1	63	47	ESE	1	b	,,	30.22	767.7	39	100	NE	2	bf
Gutzlaff,	,,	30.25	768.3	56	69	NNE	2	b	,,	30.25	768.3	46	100	NNE	2	b
Sharp Peak,	,,	30.07	763.8	62	83	ENE	2	o	7	30.08	764.0	54	87	E	2	r
Amoy,	,,	30.04	763.0	65	73	NE	4	b	6	30.07	763.8	60	82	NE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	30.08	764.0	60	89	NE	2	o
Taihoku,	11	30.11	764.7	63	90	...	o	o	5	30.06	763.5	59	89	E	4	o
Taichu,	,,	30.05	763.2	63	...	NW	2	o	,,	30.05	763.2	59	...	...	o	o
Tainan,	,,	30.01	762.3	77	...	N	4	b	,,	30.00	762.0	61	...	N	2	b
Koshun,	,,	30.00	762.0	77	...	NE	4	o	,,	29.95	760.8	72	...	NE	4	b
Pescadores,	,,	30.05	763.2	68	...	NNE	6	o	,,	30.01	762.3	66	...	NNE	4	o
Hong Kong,	14	30.01	762.2	64	90	ENE	3	od	6	30.03	762.7	65	83	E	3	o
Gap Rock,	,,	29.99	761.7	...	...	ENE	5	o	,,	30.01	762.2	...	...	ENE	5	o
Macao,	,,	29.98	761.4	63	90	NNE	4	o	,,	29.99	761.7	61	98	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.97	761.2	77	78	NE	4	o	,,	29.99	761.7	72	85	NE	4	o
Phulien,	15	29.94	760.5	65	100	ENE	2	of	7	29.99	761.7	63	...	ENE	4	od
Tourane,	,,	29.86	758.4	75	...	SE	4	of	,,	29.96	761.0	72	...	S	2	of
Cape St. James,	,,	29.84	757.8	84	...	SE	4	b	,,	29.89	759.3	77	...	E	6	bo
Basco,	14	29.88	759.0	77	88	NNE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.84	757.8	84	64	NE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.9	90	48	WNW	4	b	,,	29.84	757.8	75	86	W	1	b
Manila,	,,	29.80	756.9	93	40	SE	4	b	,,	29.87	758.7	72	84	ENE	1	b
Legaspi,	,,	29.84	757.8	90	60	NE	2	b	,,	29.85	758.1	77	84	...	c	b
Calboyog,	,,	29.79	756.6	90	57	N	4	b	,,	29.86	758.4	75	94	N	2	b
Tacloban,	,,	29.80	756.9	86	71	S	4	o	,,	29.86	758.4	75	84	NW	4	b
Iloilo,	,,	29.78	756.3	86	65	NE	6	b	,,	29.84	757.8	75	91	N	4	b
Cebu,	,,	29.81	757.2	93	46	SW	1	o	,,	29.84	757.8	77	84	N	2	b
Surigao,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	77	89	E	2	b
Saipan,	...	...	...	...	...	...	...	...	5	29.76	755.9	76	...	ENE	3	b
Guam,	12.22	29.78	756.3	...	...	E	4	o	4.22	29.82	757.5	...	...	NE	2	b
Yap,	11.00	29.76	756.0	...	...	NE	4	o	5	29.84	757.8	75	...	NNE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.83	757.7	77	...	NE	1	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	79	...	ENE	3	c
Labuan,	14	29.82	757.4	80	82	NW	2	b	6	29.83	757.7	77	91	NW	2	b

March 31*d.* 11*h.* 50*m.*—The anticyclone has passed into the Pacific to the east of Japan.

Moderate monsoon will prevail along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·02 inches, against an average of 6·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh to moderate; cloudy.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh to moderate; cloudy.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh to moderate; cloudy.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh to moderate; cloudy.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

APRIL,

1929.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.

HONG KONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1929.

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

APRIL,

1929.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of APRIL, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·986	29·990	29·990	29·985	29·978	29·992	30·013	30·038	30·044	30·065	30·066	30·040	1
2	30·024	30·008	30·002	29·994	30·002	30·014	30·039	30·055	30·085	30·070	30·058	30·056	2
3	30·017	29·999	29·972	29·970	29·984	30·005	30·023	30·044	30·061	30·063	30·063	30·037	3
4	30·027	30·019	30·007	30·003	30·003	30·019	30·041	30·061	30·073	30·075	30·072	30·059	4
5	30·031	30·015	30·003	29·995	29·987	29·997	30·001	30·021	30·024	30·024	30·018	29·992	5
6	29·952	29·944	29·943	29·936	29·925	29·925	29·929	29·932	29·942	29·952	29·928	29·905	6
7	29·830	29·816	29·802	29·802	29·806	29·804	29·810	29·820	29·835	29·847	29·846	29·826	7
8	29·837	29·839	29·823	29·821	29·823	29·833	29·855	29·879	29·891	29·904	29·897	29·883	8
9	29·889	29·874	29·863	29·841	29·851	29·857	29·863	29·880	29·892	29·890	29·902	29·880	9
10	29·905	29·891	29·879	29·863	29·860	29·876	29·878	29·910	29·928	29·948	29·947	29·946	10
11	29·949	29·946	29·933	29·925	29·930	29·945	29·944	29·990	30·004	30·026	30·026	30·001	11
12	30·016	29·996	29·980	29·984	29·998	30·028	30·044	30·070	30·089	30·084	30·077	30·062	12
13	30·016	30·001	30·003	30·007	30·005	30·025	30·009	30·024	30·029	30·018	30·013	29·999	13
14	29·980	29·985	29·968	29·964	29·977	29·988	30·008	30·020	30·026	30·028	30·010	29·993	14
15	29·962	29·956	29·956	29·954	29·970	29·989	30·009	30·032	30·043	30·037	30·034	30·025	15
16	29·944	29·928	29·921	29·927	29·931	29·936	29·951	29·970	29·972	29·968	29·955	29·938	16
17	29·828	29·807	29·783	29·789	29·795	29·797	29·813	29·838	29·850	29·848	29·832	29·817	17
18	29·758	29·739	29·718	29·715	29·707	29·716	29·734	29·746	29·748	29·768	29·758	29·729	18
19	29·730	29·718	29·719	29·719	29·713	29·725	29·741	29·769	29·792	29·796	29·802	29·790	19
20	29·818	29·808	29·798	29·792	29·808	29·818	29·850	29·864	29·900	29·880	29·874	29·854	20
21	29·892	29·889	29·890	29·885	29·906	29·922	29·952	29·956	29·973	29·976	29·971	29·966	21
22	29·977	29·962	29·954	29·950	29·947	29·959	29·985	30·010	30·014	30·024	30·019	30·004	22
23	29·998	29·964	29·954	29·942	29·949	29·959	29·972	29·982	30·012	30·012	30·002	30·002	23
24	29·937	29·924	29·909	29·903	29·911	29·921	29·931	29·942	29·954	29·950	29·940	29·919	24
25	29·882	29·866	29·857	29·838	29·838	29·848	29·852	29·870	29·870	29·876	29·869	29·851	25
26	29·819	29·805	29·784	29·772	29·784	29·794	29·806	29·814	29·831	29·825	29·820	29·809	26
27	29·781	29·769	29·755	29·760	29·760	29·776	29·792	29·806	29·812	29·806	29·810	29·789	27
28	29·745	29·741	29·730	29·724	29·724	29·740	29·769	29·774	29·781	29·790	29·786	29·784	28
29	29·748	29·742	29·731	29·725	29·725	29·741	29·750	29·773	29·790	29·794	29·784	29·764	29
30	29·726	29·710	29·703	29·703	29·712	29·714	29·748	29·764	29·767	29·767	29·762	29·736	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·004	30·001	29·976	29·967	29·975	29·982	29·992	30·010	30·024	30·036	30·042	30·034	1
2	30·043	30·018	30·000	29·978	29·964	29·970	29·976	30·014	30·028	30·022	30·022	30·008	2
3	30·020	29·998	29·987	29·973	29·979	29·989	30·001	30·011	30·029	30·045	30·019	30·025	3
4	30·036	30·008	29·998	29·994	29·984	29·978	29·982	30·007	30·021	30·045	30·052	30·045	4
5	29·972	29·960	29·946	29·930	29·926	29·932	29·934	29·954	29·962	29·966	29·962	29·960	5
6	29·873	29·841	29·808	29·792	29·788	29·790	29·797	29·814	29·828	29·838	29·844	29·836	6
7	29·789	29·751	29·736	29·724	29·732	29·737	29·780	29·813	29·825	29·828	29·832	29·840	7
8	29·857	29·833	29·803	29·795	29·787	29·805	29·822	29·850	29·865	29·889	29·895	29·893	8
9	29·882	29·871	29·861	29·850	29·838	29·858	29·879	29·888	29·899	29·929	29·929	29·919	9
10	29·920	29·889	29·870	29·854	29·858	29·872	29·876	29·900	29·922	29·942	29·942	29·944	10
11	29·992	29·978	29·961	29·976	29·977	29·989	30·015	30·034	30·022	30·034	30·032	30·024	11
12	30·044	30·028	30·000	30·000	29·992	30·000	30·010	30·021	30·039	30·052	30·042	30·037	12
13	29·977	29·950	29·942	29·940	29·941	29·964	29·975	29·982	29·996	30·003	30·003	29·999	13
14	29·972	29·944	29·928	29·916	29·913	29·922	29·930	29·965	29·977	29·986	29·985	29·972	14
15	30·002	29·972	29·954	29·945	29·936	29·933	29·942	29·953	29·967	29·973	29·975	29·954	15
16	29·909	29·882	29·864	29·845	29·837	29·840	29·842	29·856	29·864	29·865	29·869	29·848	16
17	29·788	29·767	29·745	29·729	29·730	29·733	29·746	29·749	29·763	29·777	29·779	29·760	17
18	29·700	29·674	29·667	29·656	29·666	29·664	29·671	29·697	29·726	29·760	29·753	29·732	18
19	29·769	29·738	29·719	29·718	29·743	29·776	29·756	29·770	29·792	29·818	29·820	29·820	19
20	29·834	29·822	29·806	29·804	29·807	29·820	29·835	29·856	29·872	29·887	29·897	29·902	20
21	29·950	29·934	29·923	29·913	29·912	29·922	29·939	29·958	29·978	29·987	29·992	29·982	21
22	29·985	29·951	29·935	29·928	29·926	29·936	29·952	29·964	30·000	30·010	30·012	30·002	22
23	29·973	29·963	29·939	29·928	29·930	29·944	29·954	29·964	29·970	29·972	29·970	29·957	23
24	29·902	29·886	29·864	29·871	29·859	29·866	29·865	29·879	29·888	29·888	29·906	29·894	24
25	29·838	29·818	29·804	29·782	29·770	29·766	29·775	29·789	29·815	29·823	29·819	29·815	25
26	29·788	29·767	29·745	29·726	29·745	29·749	29·757	29·760	29·773	29·793	29·807	29·799	26
27	29·768	29·746	29·736	29·711	29·697	29·721	29·728	29·742	29·754	29·757	29·765	29·746	27
28	29·772	29·732	29·725	29·702	29·698	29·704	29·706	29·732	29·750	29·758	29·764	29·752	28
29	29·733	29·709	29·695	29·689	29·681	29·692	29·710	29·706	29·716	29·738	29·742	29·736	29
30	29·708	29·685	29·666	29·632	29·627	29·658	29·674	29·680	29·708	29·722	29·736	29·732	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of APRIL, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	64·7	64·3	64·3	64·2	64·2	64·1	64·2	63·8	63·6	64·0	64·5	65·0	1
2	64·9	64·6	64·3	64·0	64·0	63·8	63·7	64·7	65·3	65·0	65·0	66·4	2
3	63·7	63·7	63·7	63·7	63·0	62·8	62·7	63·0	63·5	63·7	63·8	64·2	3
4	63·7	63·5	63·3	63·5	63·5	63·5	63·7	64·0	64·3	64·4	65·0	63·9	4
5	63·0	63·3	63·9	63·9	64·0	63·7	64·3	66·4	68·4	68·9	69·6	69·4	5
6	64·9	64·9	64·9	65·4	65·3	65·5	65·7	68·6	70·5	69·7	72·6	74·0	6
7	68·0	67·8	67·6	67·2	67·5	67·0	67·7	70·7	73·6	73·2	74·7	74·7	7
8	69·8	69·8	69·7	69·7	69·7	69·0	69·0	70·3	71·8	72·5	73·8	74·8	8
9	68·9	67·9	69·4	70·1	70·1	71·0	71·8	76·0	77·6	78·5	78·2	75·1	9
10	68·5	68·6	68·8	69·0	69·1	68·8	69·2	69·9	70·6	70·2	69·1	67·6	10
11	64·1	63·7	63·9	63·9	63·7	63·0	63·9	63·8	63·7	63·2	63·3	65·8	11
12	66·0	64·8	65·5	65·4	66·2	66·0	65·7	67·9	69·9	71·8	75·3	73·7	12
13	63·5	62·8	62·4	61·8	61·5	61·6	63·7	67·7	71·6	72·4	74·7	76·7	13
14	65·7	64·7	62·9	63·9	63·7	63·2	64·1	68·7	72·7	71·7	74·0	76·7	14
15	67·6	67·8	67·0	67·0	66·9	66·6	68·2	71·0	72·1	73·3	74·6	75·5	15
16	67·4	67·1	67·0	67·5	67·7	67·7	68·8	71·8	73·5	74·3	75·0	74·8	16
17	70·3	69·9	69·8	70·3	69·9	69·8	71·0	73·7	74·9	76·6	78·7	80·4	17
18	71·7	71·0	71·3	71·4	70·7	71·1	72·2	74·9	78·1	81·4	82·1	83·0	18
19	73·8	73·9	73·7	73·7	71·8	72·6	72·9	73·2	71·7	71·6	71·5	72·1	19
20	70·7	70·6	70·8	70·2	70·7	71·7	71·9	75·0	77·5	79·2	82·0	86·8	20
21	69·9	68·9	69·9	70·3	70·0	70·0	71·3	73·2	75·8	78·0	80·0	79·8	21
22	69·5	68·8	68·8	68·4	68·1	67·9	68·6	68·6	68·5	68·9	69·5	71·4	22
23	69·5	69·0	68·9	68·9	68·7	68·8	68·9	70·2	70·0	70·9	73·5	73·9	23
24	69·9	70·4	70·2	70·1	70·3	70·4	70·9	71·7	72·2	73·9	74·0	74·9	24
25	71·8	72·0	71·9	71·7	71·6	71·7	71·9	72·0	73·0	73·5	74·8	74·3	25
26	73·0	72·6	72·6	72·6	72·5	72·0	72·3	72·9	75·0	77·9	78·2	78·2	26
27	72·3	72·0	71·9	71·6	71·4	71·7	71·8	72·1	72·9	75·7	75·4	76·3	27
28	74·7	74·6	74·8	74·6	74·5	74·5	76·3	77·9	80·2	81·4	80·5	79·9	28
29	77·2	77·9	76·7	76·6	76·6	76·8	77·7	79·3	80·5	79·6	79·8	79·2	29
30	79·0	79·1	79·1	78·8	78·9	79·0	79·6	79·8	81·7	81·9	82·1	83·0	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	65·8	65·6	65·9	65·6	65·0	64·9	64·6	64·9	64·9	64·1	64·6	64·7	1
2	66·5	66·8	65·8	65·3	65·3	65·0	64·6	64·7	64·4	64·7	64·1	64·1	2
3	64·7	65·1	64·7	64·5	64·0	63·6	63·6	63·5	63·6	63·7	63·7	63·7	3
4	64·9	66·1	65·8	66·0	66·7	66·6	64·7	63·7	63·7	63·5	63·5	63·6	4
5	68·5	69·6	68·1	68·5	67·8	67·1	65·1	64·6	64·7	64·7	64·7	65·1	5
6	72·0	75·8	74·7	77·8	74·7	72·7	69·9	69·4	68·7	68·5	68·7	68·7	6
7	76·8	78·1	79·2	77·3	76·2	75·0	72·9	72·7	71·9	71·9	71·0	71·6	7
8	74·3	74·5	73·7	73·2	73·2	71·7	70·1	69·7	69·6	69·4	69·3	69·0	8
9	75·5	75·0	74·3	72·6	71·6	71·0	69·8	69·4	69·0	68·5	68·1	68·2	9
10	66·9	67·0	67·8	68·6	68·8	68·8	68·6	68·5	68·5	68·5	67·6	66·5	10
11	65·9	65·9	65·9	64·7	63·6	63·9	63·9	64·3	65·5	65·9	65·9	66·6	11
12	72·7	71·7	71·7	70·0	69·7	67·9	66·6	66·3	65·6	64·7	64·6	64·0	12
13	77·1	75·9	73·0	72·3	71·1	70·0	68·5	67·5	66·5	65·9	65·5	65·8	13
14	76·9	76·7	76·9	75·7	75·0	73·6	71·4	70·0	68·6	67·8	67·7	67·5	14
15	75·8	75·8	75·0	73·7	72·8	71·8	70·7	69·8	69·3	69·1	69·0	68·1	15
16	75·0	76·3	75·6	74·5	73·8	72·5	71·5	71·4	70·7	70·8	70·8	70·6	16
17	79·2	76·8	79·8	78·3	77·3	75·6	73·9	73·2	73·8	73·8	72·9	72·8	17
18	83·2	84·0	85·0	82·8	80·0	77·6	75·8	75·9	75·7	75·1	74·0	73·6	18
19	73·8	74·3	72·6	71·1	70·8	70·0	70·0	70·1	70·3	70·6	70·3	70·8	19
20	87·5	87·5	86·1	85·7	82·7	79·7	76·4	74·3	72·2	71·8	70·1	70·0	20
21	79·6	78·4	77·9	76·2	75·6	73·5	72·4	71·8	70·3	70·1	70·0	69·9	21
22	71·7	70·7	71·1	72·5	71·3	69·9	69·0	68·7	68·9	69·4	69·3	69·6	22
23	75·7	73·6	73·3	72·8	72·8	71·8	70·8	70·8	70·3	70·8	70·0	70·0	23
24	76·7	75·9	74·3	73·3	73·0	72·1	71·1	71·1	71·1	71·0	71·6	71·8	24
25	74·4	74·3	74·2	74·7	73·9	73·9	73·0	72·9	72·9	72·9	72·8	73·0	25
26	82·4	82·5	82·5	80·2	76·7	75·2	73·8	72·9	72·8	72·8	72·8	72·8	26
27	78·0	77·7	76·9	77·9	77·3	75·9	75·2	75·5	75·5	75·3	75·4	75·0	27
28	81·0	84·9	82·5	83·3	81·2	79·0	78·2	78·2	78·3	78·9	77·6	77·6	28
29	79·9	80·3	80·0	79·9	80·0	78·9	75·8	78·2	78·7	79·0	79·0	79·1	29
30	84·3	84·5	81·7	82·6	81·1	80·6	79·9	79·4	79·1	79·1	79·0	79·0	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of APRIL, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·5	61·4	61·5	61·7	61·7	61·8	61·7	61·8	61·9	61·0	61·0	61·6	1
2	61·0	60·1	58·9	58·4	58·0	57·7	57·7	57·8	57·7	57·8	56·9	57·0	2
3	57·8	57·8	57·8	57·0	57·0	56·6	55·8	55·6	56·7	57·3	57·9	58·2	3
4	59·0	59·5	59·3	59·4	59·0	58·0	58·1	58·1	58·3	58·8	59·0	58·7	4
5	59·5	59·3	59·9	58·1	57·0	56·6	57·0	57·4	56·4	56·8	57·0	57·7	5
6	62·7	62·9	62·9	63·1	63·0	63·0	62·9	64·5	65·2	65·4	67·0	68·0	6
7	66·5	66·5	66·2	66·0	66·0	65·5	66·0	67·4	68·8	68·8	69·8	69·6	7
8	68·0	68·0	68·5	68·5	68·5	67·0	66·2	66·9	66·6	66·5	66·8	67·0	8
9	65·8	65·3	65·6	65·7	65·5	64·0	65·1	65·3	66·5	66·7	69·0	67·1	9
10	64·9	64·8	64·5	63·0	60·2	61·1	62·2	62·3	63·5	64·3	63·9	62·6	10
11	62·9	62·9	61·4	61·4	60·9	60·8	60·7	61·0	61·0	61·2	60·7	60·9	11
12	58·1	58·4	57·2	56·9	56·0	55·8	54·5	55·2	54·9	56·2	58·8	60·1	12
13	58·7	58·5	58·9	57·8	58·5	58·8	59·8	61·8	59·8	60·6	59·4	58·0	13
14	58·8	58·6	57·8	58·9	57·8	58·6	59·0	61·6	62·0	60·4	61·8	63·7	14
15	58·8	58·7	58·8	58·5	57·7	57·6	59·8	61·4	63·1	64·3	64·6	64·0	15
16	64·7	64·6	64·7	65·0	65·2	65·5	66·1	67·4	67·7	67·9	68·4	67·8	16
17	68·6	68·7	68·8	68·9	68·6	68·8	69·0	69·6	69·7	70·2	71·5	72·7	17
18	69·1	69·0	68·9	69·0	68·2	68·8	69·2	70·7	71·6	72·4	72·6	71·6	18
19	69·8	70·2	70·5	70·9	70·0	70·0	70·1	70·2	69·7	69·3	69·8	69·7	19
20	69·2	69·1	69·1	69·0	69·0	68·6	69·2	66·8	63·3	62·2	61·8	63·8	20
21	64·0	64·4	65·0	65·0	65·4	66·0	66·0	64·9	63·2	62·5	63·0	62·9	21
22	65·0	64·3	63·4	63·9	63·8	63·9	64·1	63·6	63·6	63·9	64·0	64·6	22
23	65·9	65·5	65·2	65·0	65·2	65·0	65·1	65·2	65·0	65·9	66·8	67·1	23
24	67·1	67·0	67·0	66·9	66·6	66·9	67·0	67·2	67·9	68·5	68·7	68·7	24
25	69·0	69·2	69·7	69·9	70·0	69·3	69·1	69·0	70·0	70·3	71·2	71·0	25
26	72·0	71·8	71·8	71·8	71·6	71·0	71·2	71·8	73·0	74·1	74·0	73·7	26
27	70·8	70·9	71·0	70·8	70·4	70·7	70·7	71·0	71·9	72·7	72·4	72·9	27
28	73·1	73·1	73·3	73·1	73·2	73·0	74·3	74·7	75·7	75·4	74·3	74·1	28
29	74·4	74·7	74·8	74·8	74·9	75·0	75·2	76·0	76·5	76·3	76·4	76·2	29
30	76·0	75·9	75·8	75·8	75·9	75·5	75·6	75·8	76·7	77·3	76·4	76·0	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·9	61·4	61·8	61·2	61·2	61·6	61·1	61·5	61·5	61·7	61·1	61·0	1
2	55·8	56·5	55·6	55·0	55·8	56·0	57·1	57·9	57·4	57·0	56·6	57·2	2
3	59·0	59·1	59·1	59·0	58·0	57·9	58·3	58·5	58·6	58·4	58·9	59·0	3
4	60·0	60·8	60·5	60·9	61·1	60·7	60·6	60·4	60·4	60·3	60·0	59·9	4
5	56·9	57·0	57·5	57·8	59·2	59·6	60·8	61·0	61·8	61·8	62·5	62·2	5
6	66·5	68·8	67·8	69·8	67·8	67·2	66·4	66·8	66·9	66·6	66·6	66·6	6
7	70·8	71·1	72·0	70·2	69·2	69·0	69·4	69·2	69·4	69·4	69·0	68·8	7
8	67·1	67·5	66·6	66·0	66·7	66·2	65·0	65·0	65·4	65·8	65·9	65·8	8
9	67·2	67·0	66·9	67·1	67·0	65·9	65·8	65·9	65·3	65·1	65·0	65·0	9
10	61·3	61·0	60·9	61·1	61·0	61·0	61·3	62·0	62·0	62·0	61·6	62·1	10
11	60·3	60·3	60·0	60·0	59·3	59·0	59·0	59·0	58·5	58·6	58·8	58·9	11
12	59·9	61·0	61·7	61·0	60·8	60·8	59·8	59·3	59·5	59·6	59·6	59·3	12
13	58·8	59·0	62·1	59·3	58·7	58·0	57·5	59·0	59·5	58·8	58·5	58·8	13
14	62·8	61·0	59·1	59·1	58·5	58·7	59·0	58·8	60·2	60·8	59·9	59·8	14
15	63·7	64·0	63·8	63·8	63·8	63·7	63·8	63·5	63·7	63·7	63·6	63·9	15
16	67·7	68·6	68·3	68·0	68·2	67·8	67·7	67·8	67·8	68·3	68·3	68·6	16
17	71·9	71·1	70·6	70·3	70·1	68·4	69·0	69·0	69·0	69·0	69·1	69·0	17
18	73·0	74·0	74·0	73·0	72·0	72·2	71·8	72·0	72·5	72·8	71·0	71·9	18
19	70·1	70·2	69·8	69·0	68·8	69·0	69·1	69·1	69·2	69·3	69·2	69·4	19
20	63·9	67·0	66·9	66·2	65·0	63·5	65·4	64·8	63·8	63·2	62·8	62·7	20
21	61·6	61·3	62·3	62·7	61·1	62·5	62·9	64·2	66·0	66·2	66·0	65·9	21
22	64·7	63·9	64·3	64·5	64·3	64·8	64·0	64·2	64·9	65·9	65·5	65·4	22
23	68·2	67·6	67·2	66·3	66·8	67·0	67·0	67·0	67·0	67·0	67·0	67·0	23
24	69·4	69·8	68·4	68·0	68·0	68·0	67·3	67·8	68·2	68·3	69·0	69·1	24
25	71·4	71·5	71·8	72·0	72·0	71·8	72·0	71·9	71·9	71·9	71·8	72·0	25
26	75·4	75·0	74·1	73·9	72·0	71·7	71·1	70·8	71·0	71·0	71·0	71·0	26
27	74·0	73·7	73·6	73·8	73·6	73·3	73·0	73·1	73·0	73·0	73·1	73·0	27
28	74·7	76·6	75·0	75·1	75·2	75·0	74·9	74·9	74·3	74·9	74·8	74·1	28
29	76·2	76·3	76·0	76·1	76·0	75·9	75·3	75·9	76·0	76·0	76·0	75·9	29
30	77·0	77·2	76·2	76·7	76·3	76·0	76·0	75·8	76·0	75·9	76·0	76·0	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of APRIL, 1929.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	9	10	10	10	10	2
3	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	8	7	4	4	9	2	9	4
5	10	10	10	9	9	10	8	4	4	4	7	4	3	1	1	1	1	2	1	1	1	2	2	5	5
6	9	10	10	10	9	8	10	7	3	5	1	1	3	7	3	1	2	1	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	1	1	1	4	1	2	5	9	10	10	10	9	9	7
8	10	10	10	10	10	10	9	6	4	3	1	1	3	2	...	2	2	7	...	...	2	...	5	1	8
9	2	1	9	4	6	4	2	3	2	...	...	...	...	...	...	...	2	2	...	...	1	...	...	10	9
10	10	10	10	9	8	8	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	11
12	6	7	7	9	8	5	5	5	6	8	3	2	7	7	6	8	8	8	8	2	2	...	...	...	12
13	...	...	...	...	...	2	2	2	2	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	15
16	...	...	...	4	7	7	4	1	1	2	2	2	2	3	1	1	1	3	1	7	5	9	10	8	16
17	7	6	7	9	6	3	4	7	5	8	7	5	7	9	8	3	4	4	5	10	10	10	8	7	17
18	9	8	7	9	8	8	7	4	4	4	4	2	6	3	4	5	8	9	8	10	10	10	9	1	18
19	9	9	10	4	2	9	10	10	9	10	10	10	10	3	4	9	10	10	10	10	9	9	10	10	19
20	10	10	10	10	10	7	6	8	8	7	3	3	2	3	4	3	2	2	3	3	3	1	2	7	20
21	4	9	10	6	3	4	4	5	8	6	2	4	7	6	6	6	7	4	1	1	1	3	2	4	21
22	9	9	9	9	10	9	8	9	9	10	10	8	7	7	7	6	6	8	7	8	9	9	10	10	22
23	10	10	10	10	10	9	9	9	10	10	7	7	9	10	10	10	10	10	10	10	10	10	7	6	23
24	9	10	10	10	9	10	10	10	10	9	9	7	7	7	9	10	9	9	10	10	7	3	8	10	24
25	10	10	10	10	10	10	10	10	10	10	10	10	9	9	10	9	10	9	10	10	10	10	10	10	25
26	10	10	10	10	10	10	10	10	10	9	9	10	9	9	10	10	10	9	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27
28	9	9	9	10	10	6	9	9	8	8	8	9	8	7	8	6	7	7	7	9	8	9	9	8	28
29	9	9	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	29
30	10	10	10	10	9	9	10	10	10	8	10	9	8	8	10	10	10	9	9	9	9	9	9	9	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of APRIL, 1929.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	0·3	0·2	...	4
5	...	0·2	1·0	1·0	1·0	0·4	1·0	1·0	1·0	1·0	1·0	1·0	0·1	5
6	...	0·1	0·8	0·4	1·0	1·0	1·0	0·8	0·9	1·0	1·0	1·0	...	6
7	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	7
8	...	0·3	0·7	1·0	1·0	1·0	0·7	1·0	1·0	1·0	1·0	0·5	...	8
9	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·7	0·2	9
10	...	...	...	0·1	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	0·4	1·0	1·0	0·9	1·0	1·0	1·0	1·0	0·5	0·2	0·1	...	12
13	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	13
14	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	14
15	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	15
16	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	16
17	...	0·8	0·8	1·0	0·9	1·0	1·0	1·0	0·5	1·0	0·9	0·6	...	17
18	...	0·4	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·8	0·5	0·2	...	18
19	...	...	...	0·1	...	...	0·1	0·8	0·9	0·5	...	...	...	19
20	...	0·4	0·4	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	20
21	0·2	0·6	0·8	0·8	1·0	1·0	0·6	1·0	1·0	1·0	0·8	0·7	0·2	21
22	...	...	...	...	...	0·2	0·8	0·2	...	0·5	0·9	0·3	...	22
23	...	...	0·1	...	0·4	0·9	0·2	0·2	...	...	...	...	...	23
24	...	...	0·1	0·7	0·1	0·9	0·9	1·0	0·7	...	0·2	0·1	...	24
25	...	...	...	...	...	0·2	0·2	0·3	...	0·5	0·2	...	...	25
26	...	...	0·4	0·3	0·3	...	0·2	1·0	0·1	...	...	...	...	26
27	...	...	...	0·1	...	...	...	...	...	...	...	...	...	27
28	0·4	0·8	0·4	0·5	0·6	...	0·2	0·6	1·0	0·7	1·0	0·7	0·2	28
29	...	0·1	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	0·8	0·9	1·0	1·0	1·0	1·0	0·9	0·9	0·9	0·5	...	30

TABLE VI.—AMOUNT OF RAINFALL registered in each HOUR of the DAY, in the MONTH of APRIL, 1929.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	d	...	...	...	...	...	...	d	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	d	d	...	...	3
4	d	d	d	d	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	d	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	d	d	10
11	0·005	0·050	0·005	d	d	d	...	0·060	0·050	0·070	0·005	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	d	...	...	...	...	d	d	0·015	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	d	...	...	...	...	...	...	...	d	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	d	...	...	...	...	...	...	...	d	25
26	0·005	...	d	...	...	d	0·010	d	...	...	...	...	26
27	...	...	0·050	0·415	0·025	0·015	d	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	d	d	d	d	d	...	...	...	...	...	29
30	...	...	...	...	...	...	d	...	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	d	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	d	...	...	...	...	...	...	...	...	...	d	10
11	...	...	d	d	d	0·010	d	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	d	0·035	0·010	d	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	d	d	22
23	...	d	d	d	...	0·010	...	...	...	...	...	...	23
24	...	...	...	...	...	...	d	...	...	...	...	...	24
25	...	...	d	...	d	d	0·005	d	...	...	d	d	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	d	...	d	...	d	d	0·005	d	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	0·050	0·630	0·005	...	...	...	...	29
30	...	...	...	...	d	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of APRIL, 1929.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time. 1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	7	19	7	12	7	13	7	14	7	17	7	19	7	18	7	19	7	20	6	19	6	16	7	19	1
2	6	19	7	23	6	22	7	23	6	26	7	23	7	23	7	24	7	18	6	21	7	24	7	23	2
3	7	19	7	21	7	24	7	23	7	27	6	21	6	21	7	16	6	11	5	9	6	9	9	11	3
4	7	13	7	9	7	12	7	11	7	15	8	15	7	15	7	14	7	14	7	14	7	16	8	15	4
5	9	7	9	7	9	9	8	13	7	13	6	15	6	17	7	20	6	25	7	29	8	24	9	27	5
6	8	9	7	10	6	9	6	7	10	7	10	9	9	7	8	11	7	12	8	12	8	14	8	12	6
7	28	4	...	1	...	1	...	...	...	...	...	...	...	...	...	1	6	3	31	5	29	6	27	7	7
8	8	12	9	12	9	11	7	11	7	15	7	16	7	17	7	15	8	20	8	21	9	18	9	19	8
9	7	4	...	...	7	2	...	1	1	2	24	3	...	...	12	6	10	9	10	13	10	17	9	24	9
10	8	9	9	13	9	11	8	13	8	16	8	15	8	19	7	23	7	18	6	18	6	20	5	18	10
11	7	12	6	2	1	3	32	4	32	8	2	7	2	5	31	4	1	4	2	6	3	8	3	14	11
12	1	14	1	7	1	13	1	15	1	16	1	18	1	23	32	21	1	22	3	16	7	15	9	15	12
13	...	...	...	...	...	...	9	2	7	3	...	...	8	2	...	...	9	5	9	10	9	12	9	10	13
14	9	6	...	1	9	2	...	...	10	2	...	1	...	...	...	1	11	2	17	4	22	7	28	6	14
15	...	...	10	3	11	5	12	5	11	7	11	8	10	7	8	11	8	11	9	11	9	12	9	11	15
16	8	9	9	8	8	2	8	6	7	7	7	11	7	10	8	12	8	13	8	13	9	17	8	18	16
17	7	7	7	7	7	8	8	5	8	6	8	7	8	6	8	6	8	5	8	5	14	3	19	7	17
18	27	3	...	...	...	1	27	3	...	1	...	1	27	3	27	4	25	7	23	9	24	8	25	8	18
19	4	5	5	3	6	2	...	...	7	3	8	6	8	8	8	15	8	16	8	17	9	15	8	15	19
20	7	5	8	4	9	5	8	4	7	2	10	2	10	3	1	7	2	13	2	16	2	18	1	13	20
21	...	...	30	4	6	7	9	11	10	6	10	1	11	3	10	8	9	10	8	13	8	16	7	16	21
22	6	21	6	18	7	19	7	21	7	23	7	22	7	27	7	25	6	24	6	22	6	22	6	25	22
23	6	12	7	12	6	12	6	14	7	14	7	18	7	17	8	20	7	19	7	17	7	21	7	19	23
24	8	9	7	10	6	9	7	11	8	12	8	12	8	14	7	17	7	17	7	19	8	17	8	20	24
25	9	15	9	12	9	13	9	14	9	14	9	12	9	11	8	12	9	11	9	10	9	14	9	16	25
26	9	6	8	8	7	9	8	9	8	9	8	9	8	10	8	10	8	9	7	8	7	3	4	2	26
27	25	3	24	3	23	4	24	6	25	2	...	1	...	1	25	5	24	2	...	1	25	3	...	1	27
28	27	4	...	...	27	3	28	3	27	2	27	3	25	4	23	6	23	9	22	8	21	8	19	11	28
29	20	4	23	4	23	5	22	8	22	10	22	6	20	12	19	12	19	15	21	10	23	7	21	9	29
30	17	14	17	19	18	20	18	14	18	16	17	18	17	19	17	19	18	18	18	16	19	22	18	18	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	18	9	14	9	14	9	16	9	13	8	12	7	13	6	10	6	11	6	15	7	14	7	17	1
2	7	19	8	20	7	20	7	22	7	22	8	21	7	22	6	19	6	19	7	27	6	26	6	24	2
3	8	13	8	14	9	15	10	15	9	15	9	10	9	9	8	13	8	12	8	11	8	14	7	13	3
4	8	9	10	10	10	8	9	7	9	6	10	8	9	11	8	10	8	9	8	9	8	8	8	4	4
5	8	26	7	24	9	23	8	23	8	19	7	20	8	15	8	14	7	13	7	12	8	12	8	10	5
6	7	10	7	5	6	5	27	4	28	3	29	3	29	5	29	8	28	7	28	4	28	2	28	4	6
7	27	7	28	7	30	9	30	5	20	6	9	2	31	4	27	2	28	3	...	1	...	1	...	1	7
8	9	16	8	20	8	19	8	16	8	13	8	12	7	8	7	9	7	8	8	9	7	7	7	6	8
9	9	20	9	19	9	23	9	24	9	19	9	17	8	15	7	14	6	14	6	10	6	8	8	10	9
10	6	19	5	21	5	16	6	20	6	16	6	14	6	15	6	15	7	19	7	29	7	29	7	20	10
11	3	13	3	13	2	10	3	10	2	10	32	15	32	15	32	16	32	12	32	11	32	14	1	16	11
12	10	15	10	14	9	10	8	7	8	7	8	8	8	4	8	4	8	6	8	8	8	6	9	2	12
13	10	11	9	13	8	14	8	14	8	13	8	11	9	11	9	8	9	8	9	9	9	7	9	8	13
14	8	18	8	16	8	15	9	17	9	15	9	16	8	16	7	3	7	6	8	5	7	5	...	1	14
15	9	10	8	13	9	11	8	16	7	13	8	12	8	10	9	9	8	10	9	8	8	9	9	9	15
16	9	18	8	19	9	16	8	18	8	16	8	15	8	14	9	9	9	9	8	11	7	8	7	7	16
17	16	6	15	9	16	10	15	13	16	10	16	9	16	7	16	5	17	4	22	3	26	4	27	3	17
18	25	11	24	9	21	8	18	7	17	5	16	5	15	5	7	3	28	6	28	5	...	1	29	3	18
19	8	15	8	16	9	22	9	20	8	15	8	10	7	16	7	14	9	11	9	6	9	6	8	4	19
20	1	9	19	7	23	7	24	6	24	3	...	1	...	1	27	4	28	4	...	...	...	...	...	...	20
21	9	19	10	21	9	20	9	19	9	17	9	15	9	14	9	16	7	15	7	17	7	17	6	19	21
22	7	22	7	20	6	17	7	14	8	17	7	19	8	16	7	17	8	15	8	18	8	10	6	12	22
23	7	19	7	17	7	16	7	17	6	20	7	15	6	13	9	13	8	13	9	12	10	11	9	11	23
24	9	22	9	25	9	21	9	19	9	20	8	19	7	15	7	14	8	18	9	22	9	18	9	18	24
25	8	18	8	14	8	13	8	14	9	16	9	15	9	14	9	14	9	11	7	12	8	12	9	9	25
26	24	7	24	9	22	6	24	7	26	10	26	8	24	7	24	7	23	6	23	6	23	8	24	5	26
27	24	2	27	3	24	6	22	6	24	6	26	6	25	5	24	6	25	7	26	4	26	4	27	4	27
28	19	10	20	15	19	14	19	14	20	15	20	13	20	10	20	8	20	9	21	2	21	4	19	5	28
29	20	13	20	14	19	15	19	16	18	10	18	11	18	10	16	11	17	10	17	11	17	9	16	17	29
30	19	17	19	20	18	17	18	20	18	14	19	14	18	11	16	7	15	7	15	8	15	8	14	8	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of APRIL, 1929.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time. 1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character	Direction.
1	nb	E	nb	E	nb	E	nb	E	cu	E	st-cu	E	nb	E	nb	E
2	st-cu	E	st-cu	E	st-cu	E	st-cu	E	st-cu	E	st-cu	E	cu	E	cu	E
3	cu	E	cu	E	st-cu	E	nb	E	st-cu	E	st-cu	E	st-cu	E	st-cu	E
4	st-cu	E	nb	E	nb	E	st-cu	E	st-cu	E	st-cu	E	a-cu / cu	SW / E	cu	E
5	cu	E	cu	E	cu	E	a-cu / cu	SSW / E	a-cu / cu	SW / E	a-cu	SW	cu	E	cu	E
6	cu	E	cu	E	st	E	cu	E	st-cu	E	cu	E	...	...	...	...
7	...	...	...	...	...	...	...	...	cu	E	cu	ENE	cu	W	cu	W
8	cu	E	cu	E	cu	E	a-cu / cu	WNW / E	a-cu	WNW	a-cu	WNW	...	...	...	...
9	a-cu	W	a-cu	W	a-cu	E	...	...	...	...	...	...	...	...	...	...
10	cu	E	cu	E	cu	E	nb	E	nb	E	nb	E	cu-nb	ENE	cu-nb	ENE
11	nb	E	nb	E	nb	E	nb	ENE	cu-nb	NNE	nb	NNE	nb	NNE	nb	NNE
12	cu	NE	cu	NE	ci-st	WSW	ci-st	WSW	ci-st	WSW	st-cu	ENE	ci-st	W	...	...
13	...	...	...	...	ci-st	WSW	...	...	ci-st	W	...	...	...	...	...	...
14	...	...	...	...	ci-st	W	...	...	...	...	...	...	...	...	...	...
15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
16	...	...	cu	E	cu	E	cu	ESE	cu	SE	cu	SE	cu	SE	cu	ESE
17	cu	ESE	cu	ESE	ci-st / cu	W / ESE	ci-st / cu	W / ESE	cu	SSW	cu	SW	cu	SSW	cu	SSW
18	a-cu / cu	W / SW	cu	SW	a-cu	WSW	ci-cu / cu	WSW / SW	ci-st	WSW	ci-cu / cu	WSW / SW	a-cu / cu	W / SW	cu-nb	WNW
19	cu	SW	cu	SW	st-cu	SW	nb	E	cu	E	cu-nb	E	nb	W	nb	W
20	nb	W	nb	W	a-cu	WSW	a-cu	W	a-cu	W	ci-st	W	a-cu	WSW	a-cu	W
21	a-cu	W	ci-st / cu	WSW / E	a-cu	W	a-cu	WSW	a-cu	WSW	a-cu	WSW	cu	ENE	cu	E
22	cu	E	cu	ENE	cu	ENE	cu	E	cu	E	ci-st / cu	WSW / E	a-cu / cu	WSW / E	cu	E
23	nb	E	cu	E	cu	E	cu	E	cu	E	nb	ENE	nb	ENE	cu	E
24	cu	E	cu	E	cu	E	a-cu / cu	WSW / E	cu	E	cu	E	nb	E	cu	E
25	cu	ESE	cu-nb	ESE	nb	E	nb	E	cu-nb	E	cu	E	nb	E	nb	E
26	nb	E	nb	E	nb	E	cu	ESE	cu	WSW	cu	WSW	cu	SW	cu	SW
27	cu	WSW	nb	WSW	nb	W	nb	SSW	nb	SW	nb	SW	nb	SW	nb	SW
28	nb	WSW	nb	WSW	cu	WSW	ci-st / cu	SW / W	cu	SW	a-cu / cu	W / SW	cu	WSW	cu	WSW
29	cu	SW	cu	SW	nb	SW	cu	SW	cu-nb	SW	nb	SW	nb	SW	nb	SW
30	cu-nb	SSW	cu-nb	SSW	nb	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1929.
(*British Units.*)

Days of the Month	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·010	66·1	63·3	2·8	64·6	61·5	0·511	84	100	...	...	...	1	+ 2·5	+ 15·3	81	15·5	15·5
2	·019	67·2	63·6	3·6	64·9	57·4	·388	63	99	...	...	...	...	+ 5·2	+ 21·5	76	22·1	22·1
3	·013	65·8	62·6	3·2	63·7	57·9	·416	71	100	...	...	...	...	+ 1·6	+ 14·8	84	14·9	15·2
4	·025	67·1	63·3	3·8	64·4	59·6	·457	76	88	0·5	4	...	1	+ 0·5	+ 10·8	87	10·8	10·9
5	29·980	69·6	62·9	6·7	66·1	58·8	·414	65	46	9·7	78	...	...	+ 1·5	+ 17·1	85	17·1	17·4
6	·878	77·8	64·8	13·0	69·7	65·8	·591	81	42	9·0	73	...	...	+ 1·5	+ 4·5	72	4·7	7·5
7	·801	79·2	67·0	12·2	72·3	68·5	·653	83	30	10·4	83	...	...	+ 1·8	− 1·4	322	2·3	3·2
8	·849	74·9	68·8	6·1	71·1	66·7	·605	79	45	9·2	74	...	...	+ 0·3	+ 13·7	89	13·7	13·7
9	·879	78·9	67·9	11·0	72·0	66·0	·571	73	20	10·8	86	...	...	− 1·2	+ 10·7	96	10·8	11·4
10	·901	70·8	66·5	4·3	68·6	62·3	·491	70	97	0·1	1	...	1	+ 4·5	+ 16·8	75	17·4	17·7
11	·986	66·6	63·0	3·6	64·5	60·3	·476	78	100	...	...	0·255	9	+ 8·7	+ 2·7	17	9·1	9·7
12	30·029	75·9	64·0	11·9	68·1	58·5	·384	56	53	8·1	64	...	...	+ 6·2	+ 6·4	46	8·9	11·9
13	29·993	77·1	61·5	15·6	68·3	59·1	·399	58	5	10·9	87	...	...	− 1·0	+ 7·1	98	7·1	7·1
14	·973	77·5	62·9	14·6	70·0	59·9	·403	55	1	11·3	90	...	...	− 0·5	+ 5·5	95	5·5	6·9
15	·978	76·3	66·4	9·9	70·8	62·2	·463	62	...	11·4	90	...	...	− 1·3	+ 9·0	98	9·1	9·2
16	·903	76·7	67·0	9·7	71·5	67·2	·617	80	34	11·0	87	...	...	− 0·3	+ 11·9	91	11·9	11·9
17	·786	82·0	69·6	12·4	74·3	69·6	·670	79	66	9·5	75	...	...	− 3·1	+ 2·2	145	3·8	6·5
18	·717	85·0	70·7	14·3	76·7	71·3	·705	77	65	8·8	69	...	...	− 0·2	− 3·2	266	3·2	4·8
19	·761	74·8	70·0	4·8	72·0	69·7	·699	89	86	2·4	19	0·060	4	− 0·1	+ 10·7	91	10·7	10·8
20	·842	88·2	70·0	18·2	76·7	65·7	·509	56	53	9·8	77	...	...	+ 2·9	+ 1·0	19	3·1	5·6
21	·940	81·0	68·9	12·1	73·4	64·0	·490	59	47	9·7	76	...	...	− 0·8	+ 12·2	94	12·2	12·7
22	·975	72·5	67·9	4·6	69·5	64·4	·547	76	85	2·9	23	...	1	+ 4·4	+ 19·2	77	19·7	19·8
23	·967	75·9	68·8	7·2	71·0	66·3	·592	78	93	1·8	14	0·010	2	+ 2·5	+ 15·2	81	15·4	15·5
24	·905	78·1	69·9	8·2	72·2	67·9	·633	81	88	4·7	37	...	...	− 0·4	+ 16·5	91	16·5	16·6
25	·830	75·5	71·6	3·9	73·0	70·8	·728	90	98	1·4	11	0·005	2	− 1·8	+ 13·3	98	13·2	13·2
26	·786	83·2	72·0	11·2	75·3	72·3	·758	87	98	2·3	18	0·015	3	+ 0·2	+ 0·3	56	0·4	7·4
27	·762	78·8	71·4	7·4	74·6	72·3	·765	90	100	0·1	1	0·510	5	+ 0·5	− 3·5	278	3·5	3·8
28	·745	86·2	74·4	11·8	78·5	74·4	·803	83	82	7·1	55	...	...	− 4·1	− 5·4	233	6·8	7·5
29	·734	80·5	75·7	4·8	78·6	75·7	·855	87	98	0·1	1	0·685	5	− 7·8	− 5·6	216	9·6	10·4
30	·710	85·4	78·6	6·8	80·5	76·2	·853	82	93	8·9	69	...	...	− 14·1	− 4·7	198	14·9	15·2
Means	29·889	76·5	67·8	8·7	71·2	65·7	0·582	75	67	Sum. 171·9	45	Sum. 1·540	Sum. 32	+ 0·3	+ 7·8	88	7·8	11·4
Normals	29·844	74·6	66·9	7·7	70·2	67·1	0·632	84	80	115·6	30	5·556	78	+ 0·1	+ 11·2	90	11·2	14·0
Absolute Max.	30·089	88·2	...	18·2	...	78·6	0·922	...	...	11·4	90	0·685	9	...	...	...	...	29·0 †
Day.	12	20	...	20	...	30	30	..	...	15	14.15	29	11	...	...	...	...	5d 10h, 16d 23h 23h
Absolute Min.	29·627	...	61·5	2·8	...	54·5	0·263	26	...	...	...	...	...	...	...	...	...	...
day.	30	...	13	1	...	12	12	20	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1014·1	297·7	292·9	4·8	294·8	291·7	19·7	...	...	...	...	Sum. 39·1	Sum. 32	+ 0·1	+ 2·6	88	2·6	3·7
Normals	1012·6	296·7	292·4	4·3	294·2	292·5	21·3	...	...	...	...	141·1	78	...	+ 3·7	90	3·7	4·6
Absolute Maximum.	1020·9	304·2	...	10·1	...	298·9	31·2	...	...	...	...	17·4	9	...	...	...	...	9·5
Absolute Minimum.	1005·2	...	289·4	1·5		285·5	8·9	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 6 days. The mean hourly intensity was 0·048*in*, and the maximum fall in one hour was 0·630*in* at 19*h* on the 29th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 45 miles per hour from S.S.W. at 15*h* 05*m* on the 30th.

Clouds with base less than 2,000 feet high were observed on 5 days.
Clouds with base less than 1,000 feet high were observed on 1 day.

*0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1929.
(British Units.)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10)	Percentage of Possible Sunshine.	Rainfall. Amount.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%		%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h
1	29·900	68·9	65·4	·597	83	74		0·010	1	8	+ 1·3	+ 6·6	79	6·7	8·8
2	·888	68·7	65·4	·599	84	76		0·050	3	5	+ 0·3	+ 6·0	87	6·0	7·8
3	·878	68·6	65·3	·597	84	79		0·055	4	7	+ 0·9	+ 6·1	82	6·2	8·5
4	·873	68·6	65·1	·590	83	77		0·415	27	7	+ 0·9	+ 6·5	82	6·6	9·0
5	·877	68·5	64·8	·582	82	74		0·025	2	6	+ 1·1	+ 7·4	82	7·5	10·0
6	·889	68·5	64·7	·579	82	73	4	0·015	1	6	+ 1·0	+ 7·7	83	7·8	10·0
7	·904	69·1	64·9	·578	80	72	32	0·010	1	4	+ 1·1	+ 7·9	82	8·0	10·7
8	·922	70·8	65·4	·576	75	70	47	0·060	4	4	+ 1·1	+ 8·5	83	8·6	12·1
9	·934	72·2	65·6	·567	71	68	52	0·050	3	4	+ 1·6	+ 8·8	80	8·9	12·7
10	·937	72·9	65·8	·566	69	67	54	0·070	4	4	+ 1·7	+ 9·2	80	9·4	13·1
11	·931	73·8	66·2	·569	67	61	55	0·020	1	5	+ 0·6	+ 9·4	86	9·4	13·7
Noon.	·915	74·4	66·2	·562	65	59	56	...	...	1	+ 0·3	+ 9·9	88	9·9	14·3
13	·893	74·9	66·4	·563	64	63	63	...	...	...	− 0·7	+ 9·8	94	9·8	14·4
14	·871	75·0	66·6	·568	64	61	57	...	...	1	− 1·4	+ 9·2	99	9·3	14·7
15	·853	74·5	66·5	·571	66	62	55	...	...	1	− 1·7	+ 8·9	101	9·0	14·0
16	·842	74·1	66·2	·566	66	60	53	...	...	4	− 2·0	+ 9·1	102	9·3	14·2
17	·841	73·1	65·9	·567	68	63	41	...	...	4	− 1·3	+ 8·3	99	8·4	12·8
18	·850	72·0	65·7	·572	72	65	5	0·105	7	8	− 0·8	+ 7·8	96	7·8	11·9
19	·861	70·7	65·7	·587	77	62		0·645	42	10	...	+ 7·3	90	7·3	11·0
20	·877	70·4	65·9	·597	79	64		0·005	...	2	+ 0·5	+ 6·6	86	6·6	10·1
21	·892	70·2	66·0	·602	80	64		...	...	1	+ 0·7	+ 6·3	84	6·3	10·1
22	·905	70·1	66·1	·606	81	64		...	...	1	+ 0·5	+ 7·5	86	7·5	10·2
23	·907	69·8	65·9	·604	81	64		0·005	...	4	+ 0·6	+ 7·1	85	7·1	9·7
Midn.	·899	69·8	66·0	·606	82	68		...	...	3	+ 0·6	+ 6·2	84	6·2	9·0

Phenomena :—

Solar halo :—on the 12th and 21st.
Lunar corona :—on the 18th, 21st, 24th, 26th and 27th.
Slight Fog :—on the 7th and 18th.
Haze:—on the 14th.
Unusual visibility :—on the 11th and 20th.
Lghtning:—on the 18th and 30th.
Thunder :—on the 19th.

Thunderstorms :—

18*d*. 21*h*. 16*m*. to 21*h*. 47*m*. in N.N.W.; distant.
29*d*. 18*h*. 25*m*. to 19*h*. 20*m*. N.W. to S.E.; nearest at 18*h*. 37*m*. (5*s*).

ADOPTED ERRORS OF TIMEBALL, APRIL, 1929.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	0·0	11	+ 0·1	21	− 0·1
2	0·0	12	0·0	22	− 0·1
3	0·0	13	0·0	23	− 0·1
4	0·0	14	+ 0·1	24	+ 0·1
5	0·0	15	0·0	25	0·0
6	0·0	16	0·0	26	+ 0·1
7	0·0	17	0·0	27	+ 0·1
8	− 0·1	18	0·0	28	+ 0·1
9	− 0·1	19	− 0·1	29	0·0
10	− 0·1	20	− 0·1	30	0·0

+ = Late ; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0ˢ·10

* 0° = N. 90° = E., &c

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

APRIL,

1929.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	31st MARCH, 1929.								1st APRIL, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.24	768.1	40	...	N	4	o	6	30.51	775.0	21	...	NNW	2	b
Nemuro,	11	30.47	774.0	...	...	SSE	2	...	5	30.18	766.5	...	...	SSE	2	...
Hokodate,	,,	30.28	769.0	...	...	WNW	1	...	,,	30.10	764.5	...	...	...	0	...
Tokio,	,,	30.33	770.5	...	...	NNE	1	...	,,	30.16	766.0	...	...	N.	1	...
Kochi,	,,	30.20	767.0	...	...	...	0	...	,,	30.12	765.0	...	...	...	0	...
Nagasaki,	,,	30.18	766.5	...	...	N	1	...	,,	30.18	766.5	...	...	E	1	...
Kagoshima,	,,	30.10	764.5	...	...	NE	1	...	,,	30.08	764.0	...	...	...	0	...
Oshima,	,,	30.02	762.5	...	...	SE	1	...	,,	30.02	762.5	...	...	...	...	...
Naha,	,,	30.02	762.5	...	...	NW	1	...	,,	29.98	761.5	...	...	...	...	...
Ishigakijima,	,,	30.08	764.0	...	...	N	1	...	,,	30.02	762.5	...	..	N	1	...
Bonin Island,	,,	30.02	762.5	...	...	W	1	...	,,	30.02	762.5	...	...	...	0	...
Chefoo,	15	30.33	770.4	46	69	N	4	b	6	30.44	773.2	36	83	N	2	b
Shanghai,	14	30.22	767.7	61	41	NE	4	b	,,	30.33	770.4	46	81	N	4	o
Gutzlaff,	,,	30.29	769.3	58	70	NE	4	o	,,	30.31	769.9	48	78	NNE	4	o
Sharp Peak,	,,	...	...	...	...	...	...	...	7	30.11	764.8	56	75	E	1	o
Amoy,	,,	30.08	764.0	64	48	NE	2	b	6	30.13	765.3	56	75	NE	2	rf
Swatow,	,,	30.07	763.8	60	94	NE	2	o	,,	30.10	764.5	56	88	NE	2	o
Taihoku,	11	30.11	764.7	64	76	E	4	o	5	30.10	764.4	61	93	E	4	o
Taichu,	,,	30.06	763.5	73	...	NNW	2	o	,,	30.06	763.5	61	...	...	0	o
Tainan,	,,	30.02	762.6	81	...	NW	2	b	,,	30.01	762.3	63	...	N	2	o
Koshun,	,,	30.01	762.1	79	...	NNE	4	b	,,	29.99	761.7	70	...	NNE	2	b
Pescadores,	,,	30.07	763.8	72	...	NNE	6	o	,,	30.04	762.9	66	...	NNE	6	o
Hong Kong,	14	30.01	762.2	64	84	ENE	4	o	6	30.05	763.2	64	89	E	3	o
Gap Rock,	,,	29.99	761.7	...	...	ENE	5	o	,,	30.03	762.7	...	...	ENE	5	o
Macao,	,,	29.99	761.7	66	90	NE	2	o	,,	30.01	762.3	64	90	ESE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.99	761.7	76	78	NE	5	o	,,	29.99	761.7	71	89	NE	5	o
Phulien,	15	29.95	760.8	66	100	ENE	2	rf	7	30.04	763.0	63	...	N	2	d
Tourane,	,,	29.89	759.3	79	...	SSE	2	o	,,	29.98	761.4	73	...	SSE	2	f
Cape St. James,	,,	29.85	758.1	81	...	E	6	b	,,	...	...	...	...	...	...	...
Basco,	14	29.92	759.9	75	85	E	2	o	6	29.94	760.5	73	86	NE	1	o
Aparri,	,,	29.86	758.4	86	68	NE	4	b	,,	29.93	760.2	77	84	NE	4	o
Tuguegarao,	,,	29.80	756.9	90	55	NE	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.82	757.5	86	65	W	2	b	,,	29.86	758.4	75	83	W	1	o
Manila,	,,	29.84	757.8	90	51	SE	4	o	,,	29.88	759.0	75	83	ESE	1	o
Legaspi,	,,	29.84	757.8	90	63	NE	4	b	,,	29.87	758.7	79	84	NNE	2	b
Calboyog,	,,	29.81	757.2	90	55	N	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	86	71	SE	2	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	86	52	NE	6	b	,,	29.86	758.4	75	88	NE	4	b
Cebu,	,,	29.80	756.9	86	52	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.80	756.9	81	80	NNE	4	o	,,	29.82	757.5	75	96	...	0	r
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	76	...	NE	2	bo
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	29.81	757.2	...	...	NE	2	o
Yap,	11.00	29.78	756.3	...	...	NE	4	o	5	29.81	757.2	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.81	757.2	78	...	NE	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	80	...	ENE	3	c
Labuan,	14	29.78	756.4	88	84	NE	4	bf	6	29.80	756.9	78	91	SW	2	b

April 1*d.* 11*h.* 40*m.*— An anticyclone has formed over S.E. Mongolia.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·02 inches, against an average of 6·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate to fresh; overcast, some drizzle or mist.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st April, 1929.								2nd April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.50	774.6	30	...	NNE	3	b	6	30.56	776.1	24	...	...	0	b
Nemuro,	11	30.06	763.5	...	...	SSE	4	...	5	30.08	764.0	...	...	NW	5	...
Hokodate,	,,	30.06	763.5	...	...	SW	1	...	,,	30.30	769.5	..	...	NNW	1	...
Tokio,	,,	30.12	765.0	...	...	NNE	1	...	,,	30.24	768.0	...	.	ENE	1	...
Kochi,	,,	30.12	765.0	...	...	...	0	...	,,	30.14	765.5	...	.	NW	1	...
Nagasaki,	,,	30.14	765.5	...	...	N	1	...	,,	30.18	766.5	..	.	NE	2	...
Kagoshima,	,,	30.10	764.5	...	...	N	1	...	,,	30.08	764.0	..	...	NNE	1	...
Oshima,	,,	30.02	762.5	...	...	...	0	...	,,	29.94	760.5	...	...	NNE	5	...
Naha,	,,	30.00	762.0	...	...	W	1	...	,,	29.92	760.0	..	...	NNW	6	...
Ishigakijima,	,,	30.06	763.5	...	...	N	1	...	,,	30.06	763.5	..	..	N	1	...
Bonin Island,	,,	29.98	761.5	...	...	ENE	1	...	,,	29.96	761.0	...	...	ESE	1	...
Chefoo,	15	30.44	773.2	44	60	NE	4	b	6	30.45	773.4	34	100	NW	1	b
Shanghai,	14	30.33	770.4	55	66	NNE	1	o	,,	30.37	771.3	45	77	N	2	o
Gutzlaff,	,,	30.33	770.4	47	87	NNE	6	o	,,	30.37	771.4	44	86	NNE	4	o
Sharp Peak,	,,	30.10	764.5	60	68	ENE	2	o	7	30.13	765.3	56	75	ENE	2	o
Amoy,	,,	30.09	764.3	67	64	E	4	o	6	30.14	765.5	58	64	ENE	1	o
Swatow,	,,	30.09	764.3	64	90	ESE	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.15	765.9	63	90	ESE	4	o	5	30.15	765.9	59	83	E	2	o
Taichu,	,,	30.13	765.3	64	...	NNW	2	o	,,	30.08	764.1	59	...	N	2	o
Tainan,	,,	30.10	764.4	64	...	N	2	r	,,	30.05	763.2	61	...	NNE	4	o
Koshun,	,,	30.06	763.5	81	...	N	2	o	,,	30.02	762.6	68	...	NNE	4	o
Pescadores,	,,	30.12	765.0	63	...	NNE	4	r	,,	30.05	763.2	64	...	NE	6	o
Hong Kong,	14	30.06	763.5	66	79	E	2	o	6	30.08	764.0	64	69	E	5	o
Gap Rock,	,,	30.03	762.7	...	...	ENE	5	o	,,	30.03	762.7	...	...	ENE	5	o
Macao,	,,	30.04	762.9	66	87	...	0	o	,,	29.98	761.4	64	76	ESE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.99	761.7	74	82	NE	5	o	,,	30.01	762.3	70	87	NE	6	o
Phulien,	15	30.02	762.6	66	100	NE	1	rf	7	30.06	763.5	63	...	NE	2	of
Tourane,	,,	29.93	760.2	79	...	SSE	2	of	,,	29.98	761.4	70	...	WNW	4	od
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.93	760.2	75	79	NE	4	o	6	29.97	761.1	72	86	NE	4	b
Aparri,	,,	29.89	759.3	84	71	NE	4	o	,,	29.93	760.2	75	91	NE	2	b
Tuguegarao,	,,	29.85	758.1	90	48	N	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.84	757.8	86	61	WNW	4	b	,,	29.86	758.4	75	86	NNW	1	o
Manila,	,,	29.82	757.5	86	61	SW	4	o	,,	29.89	759.3	75	86	...	0	o
Legaspi,	,,	29.81	757.2	90	57	NE	2	o	,,	29.86	758.4	79	85	NNE	2	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	72	96	N	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	75	92	NW	2	b
Iloilo,	,,	29.78	756.3	90	55	NE	6	b	,,	29.85	758.1	75	91	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	77	86	N	2	b
Surigao,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.73	755.1	76	...	...	...	bc
Guam,	12.22	29.75	755.7	...	...	NE	4	o	4.22	29.80	756.9	...	...	E	2	o
Yap,	11.00	29.76	756.0	...	...	NE	4	o	5	29.80	756.9	...	...	NNE	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.80	756.9	77	...	SSE	1	bc
Ponape,	...	[illegible]	...	...	...	...	...	...	,,	29.79	756.6	80	...	E	4	c
Labuan,	14	29.80	756.9	86	88	NE	2	b	6	29.82	757.4	78	91	NW	2	b

April 2*d.* 11*h.* 10*m.*—The anticyclone is now central over S. Manchuria and has increased in intensity; a depression is situated S.E. of Naha.

Fresh monsoon will prevail along the coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·02 inches, against an average of 6·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.48	774.3	36	...	...	0	b	6	30.12	764.9	32	...	SSE	2	0
Nemuro,	11	30.16	766.0	...	...	WNW	4	...	5	30.34	770.5	...	...	WNW	1	...
Hokodate,	,,	30.30	769.5	...	...	W	1	...	,,	30.38	771.5	...	...	...	0	...
Tokio,	,,	30.26	768.5	...	...	NE	2	...	,,	30.32	770.0	...	...	N	1	...
Kochi,	,,	30.14	765.5	...	...	N	1	...	,,	30.20	767.0	...	...	...	0	...
Nagasaki,	,,	30.18	766.5	...	...	NE	3	...	,,	30.20	767.0	...	...	NE	1	...
Kagoshima,	,,	30.08	764.0	...	...	NE	1	...	,,	30.14	765.5	...	...	...	0	...
Oshima,	,,	30.02	762.5	...	...	ESE	2	...	,,	30.06	763.5	...	...	SSE	1	...
Naha,	,,	30.00	762.0	...	...	N	5	...	,,	30.02	762.5	...	...	NNE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	NNW	1	...	,,	30.04	763.0	...	...	N	1	...
Bonin Island,	,,	29.90	759.5	...	...	NW	3	...	,,	29.86	758.5	...	...	W	1	...
Chefoo,	15	30.35	770.9	44	86	ENE	2	0	6	30.25	768.3	44	68	NW	1	0
Shanghai,	14	30.34	770.7	52	63	NNE	1	0	,,	30.30	769.5	46	92	ENE	2	0
Gutzlaff,	,,	30.38	771.6	48	93	N	4	0	,,	30.32	770.1	47	100	NE	4	0
Sharp Peak,	,,	30.12	765.0	58	70	ENE	4	0	7	30.01	762.2	56	69	NW	2	0
Amoy,	,,	30.10	764.5	67	60	ENE	4	b	6	30.12	765.0	56	75	NE	2	0
Swatow,	,,	30.11	764.8	65	80	E	2	b	,,	30.10	764.5	59	78	NE	2	c
Taihoku,	11	30.19	766.8	63	70	ENE	4	0	5	30.12	765.0	59	83	ENE	2	0
Taichu,	,,	30.11	764.7	68	...	NNW	2	0	,,	30.06	763.5	59	...	N	2	0
Tainan,	,,	30.05	763.2	77	...	N	2	0	,,	30.00	762.0	61	...	N	2	b
Koshun,	,,	30.04	762.9	77	...	NE	4	b	,,	30.00	762.0	68	...	NE	4	0
Pescadores,	,,	30.11	764.7	68	...	NE	6	0	,,	30.04	762.9	64	...	NE	6	0
Hong Kong,	14	30.08	764.0	67	52	E	3	0	6	30.07	763.8	63	68	E	4	0
Gap Rock,	,,	30.06	763.5	...	...	ENE	5	0	,,	30.03	762.7	...	...	ENE	5	0
Macao,	,,	30.02	762.6	68	64	NE	2	0	,,	30.02	762.6	63	75	ENE	4	0
Hoihow,	,,	29.96	761.0	71	95	ENE	2	0	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.02	762.5	71	78	NNE	6	0	,,	30.00	762.0	69	90	NE	6	0
Phulien,	15	30.01	762.3	64	100	ENE	1	rf	7	30.02	762.5	63	...	N	2	of
Tourane,	,,	29.98	761.4	75	...	NW	4	0	,,	29.94	760.5	70	...	WNW	4	cf
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	79	...	ENE	6	of
Basco,	14	29.94	760.5	75	76	NE	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.91	759.6	81	73	NE	4	0	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.88	759.0	86	56	N	1	0	,,	29.91	759.6	72	96	NNW	1	0
Vigan,	,,	29.80	756.9	86	52	NW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	82	77	S	2	0	,,	29.85	758.1	73	86	...	0	b
Legaspi,	,,	29.80	756.9	86	65	ENE	4	b	,,	29.82	757.5	79	89	...	0	b
Calboyog,	,,	29.79	756.6	86	65	N	4	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	61	NE	6	b	,,	29.80	756.9	75	91	NE	4	0
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	756.0	...	...	E	4	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	NE	4	0	5	29.79	756.6	...	...	ENE	4	0
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Jabuan,	14	29.79	756.6	86	92	NE	4	b	6	29.80	756.9	78	91	...	0	b

April 3*d.* 11*h.* 10*m.*—The anticyclone is central over N. Japan, the depression near the Bonins yesterday is not indicated this morning.

Moderate monsoon will prevail along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·02 inches, against an average of 6·49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; cloudy.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	4th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.02	762.5	32	...	SSE	2	o	6	30.14	765.6	29	...	...	o	b
Nemuro,	11	30.31	770.0	...	...	WNW	1	...	5	30.08	764.0	...	...	S	2	...
Hokodate,	,,	30.31	770.0	...	...	SE	2	...	,,	30.06	763.5	...	...	...	o	...
Tokio,	,,	30.28	769.0	...	...	ENE	1	...	,,	30.16	766.0	...	...	...	o	...
Kochi,	,,	30.16	766.0	...	...	SE	1	...	,,	30.12	765.0	...	...	...	o	...
Nagasaki,	,,	30.18	766.5	...	...	NW	1	...	,,	30.18	766.5	...	...	NW	1	...
Kagoshima,	,,	30.14	765.5	...	...	SSE	1	...	,,	30.14	765.5	...	...	NW	1	...
Oshima,	,,	30.08	764.0	...	...	SSE	1	...	,,	30.08	764.0	...	...	...	o	...
Naha,	,,	30.04	763.0	...	...	ENE	3	...	,,	30.06	763.5	...	...	NE	1	...
Ishigakijima,	,,	30.06	763.5	...	...	N	1	...	,,	30.04	763.0	...	...	NNW	2	...
Bonin Island,	,,	29.92	760.0	...	...	WNW	1	...	,,	29.98	761.5	...	...	ENE	1	...
Chefoo,	15	30.14	765.5	54	68	NW	1	b	6	30.15	765.8	48	63	SW	1	b
Shanghai,	14	30.26	768.6	61	45	ENE	1	b	,,	30.24	768.0	41	97	ESE	1	b
Gutzlaff,	,,	30.31	769.9	54	62	NE	2	b	,,	30.29	769.3	47	87	ESE	4	b
Sharp Peak,	,,	30.11	764.8	62	61	E	4	b	7	30.13	765.3	56	93	NE	2	o
Amoy,	,,	30.09	764.3	65	58	NE	4	o	6	30.14	765.5	56	75	NE	1	o
Swatow,	,,	30.10	764.5	60	68	ESE	2	o	,,	30.10	764.4	58	94	NE	2	c
Taiboku,	11	30.10	764.4	63	75	NE	2	o	5	30.12	765.0	55	96	ESE	2	b
Taichu,	,,	30.11	764.7	66	...	NNW	1	o	,,	30.08	764.1	59	...	NNE	1	o
Tainan,	,,	30.06	763.5	77	...	W	1	o	,,	30.05	763.2	59	...	NNE	1	o
Koshun,	,,	30.05	763.2	72	...	NE	4	o	,,	30.01	762.3	70	...	NE	4	o
Pescadores,	,,	30.11	764.7	66	...	NNE	6	o	,,	30.06	763.5	64	...	NE	4	o
Hong Kong,	14	30.06	763.5	65	70	E	3	o	6	30.08	764.0	64	72	E	3	o
Gap Rock,	,,	30.04	763.0	...	...	ENE	5	o	,,	30.06	763.5	...	...	ENE	4	o
Macao,	,,	30.01	762.3	68	64	ESE	2	o	,,	30.05	763.2	63	88	ESE	2	o
Hoihow,	,,	30.03	762.7	71	95	ENE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.0	70	85	NNE	6	o	,,	30.03	762.7	69	79	NE	5	o
Phulien,	15	30.04	762.9	64	100	NW	2	rf	7	30.07	763.8	61	100	NNE	2	of
Tourane,	,,	29.92	759.9	73	...	NNW	4	o	,,	29.97	761.1	70	...	NNW	4	of
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	77	...	ENE	6	of
Basco,	14	29.95	760.8	75	71	NE	4	o	6	29.98	761.4	72	86	E	2	o
Aparri,	,,	29.91	759.6	82	63	NE	4	b	,,	29.95	760.8	75	83	E	2	o
Tuguegarao,	,,	29.87	758.7	86	56	N	2	o	,,	29.84	757.8	73	89	N	1	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	75	79	NW	1	o
Manila,	,,	29.81	757.2	90	44	ENE	4	o	,,	29.88	759.0	73	82	...	o	o
Legaspi,	,,	29.79	756.6	90	66	NE	4	o	,,	29.87	758.7	77	89	...	o	o
Calboyog,	,,	29.78	756.3	90	60	N	4	o	,,	29.86	758.4	72	65	NNE	1	o
Tacloban,	,,	29.78	756.3	90	69	S	4	b	,,	29.86	758.4	75	91	NW	2	o
Iloilo,	,,	29.75	755.7	86	61	NE	6	b	,,	29.85	758.1	75	91	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.88	758.9	76	...	ENE	3	bc
Guam,	12.22	29.78	756.3	...	...	E	4	o	4.22	29.85	758.1	...	...	NE	2	o
Yap,	11.00	29.74	755.4	...	...	NE	4	o	5	29.80	756.9	80	...	ENE	2	c
Pelew,	...	...	...	...	...	...	...	...	,,	29.78	756.4	79	...	NE	2	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.77	756.1	78	...	SSE	1	bc
Labuan,	14	29.79	756.6	86	88	NE	4	b	6	29.83	757.7	76	86	NW	2	b

April 4*d.* 11*h.* 15*m.*—The anticyclone has passed into the Pacific, leaving an area of moderately high pressure over the Eastern Sea.

Moderate monsoon will continue along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·02 inches, against an average of 6·63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; cloudy.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	5th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.13	765.4	43	...	...	0	c	6	29.95	760.8	35	...	SE	2	o
Gemuro,	11	29.96	761.0	...	...	SSW	5	...	5	30.06	763.5	...	...	NW	2	...
Hokodate,	,,	29.98	761.5	...	...	SW	3	...	,,	30.16	766.0	...	...	NW	1	...
Tokio,	,,	30.08	764.0	...	...	SE	1	...	,,	30.20	767.0	...	...	NNW	1	...
Kochi,	,,	30.08	764.0	...	...	SE	1	...	,,	30.16	766.0	...	...	NNE	1	...
Nagasaki,	,,	30.18	766.5	...	...	W	2	...	,,	30.22	767.5	...	...	...	0	...
Kagoshima,	,,	30.12	765.0	...	...	SSE	1	...	,,	30.18	766.5	...	...	NW	1	...
Oshima,	,,	30.10	764.5	...	...	NE	1	...	,,	30.14	765.5	...	...	...	0	...
Saba,	,,	30.08	764.0	...	...	NE	2	...	,,	30.10	764.5	...	...	NE	1	...
Ishigakijima,	,,	30.08	764.0	...	...	NW	2	...	,,	30.04	763.0	...	...	...	0	...
Bonin Island,	,,	29.98	761.5	...	...	ENE	1	...	,,	30.00	762.0	...	...	NE	1	...
Chefoo,	15	30.10	764.5	62	67	N	1	b	6	30.12	765.0	46	86	...	0	b
Shanghai,	14	30.21	767.4	70	21	ENE	2	b	,,	30.22	767.7	45	97	ESE	2	b
Gutzlaff,	,,	30.28	769.1	54	55	ESE	1	b	,,	30.27	768.8	48	100	SE	4	b
Sharp Peak,	,,	30.06	763.5	65	73	E	2	b	7	30.11	764.8	58	81	NE	1	b
Amoy,	,,	30.12	765.0	67	37	ENE	4	b	6	30.13	765.3	56	75	NE	2	o
Swatow,	,,	30.09	764.3	64	90	ESE	2	o	,,	30.11	764.8	57	94	NE	1	c
Taihoku,	11	30.15	765.9	66	71	E	4	o	5	30.10	764.4	61	91	E	4	o
Taichu,	,,	30.12	765.0	72	...	...	0	o	,,	30.08	764.1	59	...	...	0	o
Tainan,	,,	30.08	764.1	79	...	N	2	o	,,	30.05	763.2	63	...	...	0	b
Koshun,	,,	30.06	763.5	75	...	NNE	4	o	,,	30.02	762.6	70	...	N	4	o
Pescadores,	,,	30.12	765.0	70	...	NNE	4	o	,,	30.07	763.8	64	...	NNE	4	o
Hong Kong,	14	30.07	763.8	66	74	E	2	o	6	30.06	763.5	64	64	E	3	o
Gap Rock,	,,	30.08	764.0	...	...	ENE	4	o	,,	30.05	763.2	...	...	ENE	4	o
Macao,	,,	30.05	763.2	68	77	NE	2	o	,,	30.01	762.3	64	80	ESE	2	o
Hoihow,	,,	30.03	762.7	71	95	ENE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.02	762.5	75	71	NE	5	c	,,	30.00	762.0	71	90	NE	6	c
Phulien,	15	30.05	763.2	66	82	...	0	o	7	30.02	762.6	63	100	NNE	2	rf
Tourane,	,,	29.94	760.5	70	...	NNW	6	o	,,	29.98	761.4	68	...	NW	4	of
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.65	760.8	73	79	E	4	r	6	...	...	...	...	...	...	...
Aparri,	,,	29.91	759.6	82	63	NE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.87	758.7	86	49	NW	1	o	,,	29.94	760.5	72	91	N	1	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	79	58	ESE	2	o
Manila,	,,	29.84	757.8	86	52	ESE	4	o	,,	29.88	759.0	70	91	ENE	1	b
Legaspi,	,,	29.81	757.2	86	71	NE	1	o	,,	29.87	758.7	79	84	NNE	2	b
Daiboyog,	,,	29.80	756.9	86	71	NNW	4	o	,,	29.86	758.4	72	86	...	0	o
Tacloban,	,,	29.80	756.9	86	75	NW	2	o	,,	29.86	758.4	75	91	NW	2	o
Iloilo,	,,	29.79	756.6	90	57	NE	6	o	,,	29.84	757.8	75	91	N	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	75	79	N	2	o
Surigao,	,,	29.80	756.9	77	91	NE	1	r	,,	29.82	757.5	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.91	759.7	76	...	ESE	3	o
Guam,	12.22	29.80	756.9	...	...	E	4	o	4.22	29.87	758.7	...	...	NE	1	o
Yap,	11.00	29.76	756.0	...	...	NE	4	o	5	29.81	757.2	...	...	E	3	c
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	82	...	ESE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.9	79	...	ENE	1	c
Jabuan,	14	29.79	756.6	88	92	NW	4	b	6	29.83	757.7	78	91	...	0	b

April 5*d.* 11*h.* 15*m.*—The anticyclone is now central to the south of Korea.

Moderate monsoon will continue along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·02 inches, against an average of 6·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	6th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.75	755.6	36	...	SE	2	0	6	29.69	754.0	36	...	NE	2	0
Nemuro,	11	30.04	763.0	...	...	W	1	...	5	29.73	755.0	...	...	SW	3	...
Hokodate,	"	30.10	764.5	...	...	SSW	3	...	"	29.82	757.5	...	...	SSW	2	...
Tokio,	"	30.22	767.5	...	...	SE	2	...	"	30.16	766.0	...	...	...	0	...
Kochi,	"	30.20	767.0	...	...	SE	1	...	"	30.18	766.5	...	...	WSW	1	...
Nagasaki,	"	30.20	767.0	...	...	SE	1	...	"	30.12	765.0	...	...	SE	4	...
Kagoshima,	"	39.20	767.0	...	...	SE	1	...	"	30.12	765.0	...	...	NW	1	...
Oshima,	"	30.16	766.0	...	...	N	2	...	"	30.06	763.5	...	...	SE	1	...
Naha,	"	30.16	766.0	...	...	ENE	2	...	"	30.04	763.0	...	...	SE	2	...
Ishigakijima,	"	30.08	764.0	...	...	E	2	...	"	29.98	761.5	...	...	S	2	...
Bonin Island,	"	30.04	763.0	...	...	ENE	1	...	"	30.12	765.0	...	...	E	1	...
Chefoo,	15	29.95	760.7	72	50	SSW	2	b	6	29.82	757.4	54	68	SSE	1	0
Shanghai,	14	30.11	764.7	68	32	SE	4	b	"	29.86	758.4	54	92	SE	1	0
Gutzlaff,	"	30.19	766.8	56	69	SE	4	b	"	29.91	759.7	54	100	S	4	0
Sharp Peak,	"	30.02	762.5	64	78	E	2	b	7	29.88	758.9	60	82	...	0	b
Amoy,	"	30.02	762.5	72	50	SE	4	b	6	29.99	761.7	60	94	SE	4	0
Swatow,	"	30.06	763.5	64	84	ESE	2	c	"	...	...	...	...	...	...	...
Taihoku,	11	30.10	764.4	72	75	E	4	b	5	29.98	761.4	63	96	SE	1	0
Taichu,	"	30.06	763.5	77	...	NW	2	0	"	30.01	762.3	66	...	...	0	0
Tainan,	"	30.04	762.9	81	...	NW	2	0	"	29.98	761.4	63	...	NE	2	b
Koshun,	"	30.04	762.9	82	...	NE	2	b	"	29.97	761.1	68	...	...	0	0
Pescadores,	"	30.07	763.8	73	...	NNE	4	0	"	29.99	761.7	66	...	N	2	b
Hong Kong,	14	30.02	762.5	70	45	E	4	b	6	29.99	761.7	66	87	E	2	0
Gap Rock,	"	30.02	762.5	...	...	ENE	5	b	"	29.99	761.7	...	...	NE	4	0
Macao,	"	29.99	761.7	72	57	SE	4	b	"	29.94	760.5	66	90	...	0	0
Hoihow,	"	29.94	760.5	78	83	E	2	c	"	...	...	...	...	...	...	...
Pratas Island,	"	29.99	761.7	72	85	NE	5	0	"	29.96	761.0	72	93	NE	2	0
Phulien,	15	29.94	760.5	73	84	ESE	4	0	7	29.94	760.5	68	100	ENE	4	of
Tourane,	"	29.93	760.2	73	...	NNW	4	of	"	29.92	759.9	72	...	SSW	5	of
Cape St. James,	"	29.86	758.4	82	...	NE	4	of	"	...	...	...	...	...	...	...
Basco,	14	29.94	760.5	81	62	SE	4	0	6	29.92	759.9	73	79	E	2	0
Aparri,	"	29.91	759.6	82	70	NE	4	0	"	29.91	759.6	72	94	...	0	0
Tuguegarao,	"	29.88	759.0	86	71	NNE	1	b	"	29.91	759.6	72	91	...	0	0
Vigan,	"	29.84	757.8	84	71	W	4	0	"	29.86	758.4	75	76	WSW	1	0
Manila,	"	29.84	757.8	93	57	W	4	0	"	29.88	759.0	72	86	WNW	1	0
Legaspi,	"	29.82	757.5	86	68	NNE	2	0	"	29.84	757.8	79	85	NNE	2	0
Calboyog,	"	29.80	756.9	86	61	N	4	0	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.80	756.9	77	86	NE	4	0
Cebu,	"	29.79	756.6	86	58	NNE	4	0	"	29.81	757.2	77	88	N	2	0
Surigao,	"	29.79	756.6	81	89	...	0	0	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	NE	4	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	ENE	4	0	5	29.86	758.4	...	...	SW	2	1
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Labuan,	14	29.86	758.4	86	84	...	0	1	6	29.84	757.9	76	86	NW	1	0

April 6*d.* 10*h.* 58*m.*—The anticyclone is now central between Tokio and the Bonins.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·02 inches, against an average of 6·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fair, probably some fog.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.69	754.0	...	...	E	1	...	5	29.73	755.0	...	...	N	1	...
Hokodate,	,,	29.82	757.5	...	...	SSW	1	...	,,	29.75	755.5	...	...	NNW	3	...
Tokio,	,,	30.02	762.5	...	...	SSW	4	...	,,	29.80	757.0	...	...	SSE	1	...
Kochi,	,,	30.10	764.5	...	...	...	0	...	,,	29.59	751.5	...	...	WSW	1	...
Nagasaki,	,,	29.98	761.5	...	...	SE	1	...	,,	29.29	744.0	...	...	WNW	4	...
Kagoshima,	,,	30.00	762.0	...	...	SE	1	...	,,	29.35	745.5	...	...	SW	1	...
Oshima,	,,	29.98	761.5	...	...	SSE	3	...	,,	29.86	758.5	...	...	N	1	...
Naha,	,,	30.00	762.0	...	...	SSE	4	...	,,	29.90	759.5	...	...	SW	3	...
Ishigakijima,	,,	29.98	761.5	...	...	S	1	...	,,	29.90	759.5	...	...	...	0	...
Iouin Island,	,,	30.12	765.0	...	...	WNW	1	...	,,	30.02	762.5	...	...	NNW	1	...
Chefoo,	15	29.83	757.7	58	76	NNE	1	0	6	29.96	761.0	42	85	WNW	1	0
Shanghai,	14	29.81	757.2	66	76	W	4	b	,,	30.02	762.6	50	87	N	1	0
Gutzlaff,	,,	29.86	758.5	54	94	WSW	4	r	,,	30.07	763.8	50	93	NNE	4	0
Sharp Peak,	,,	29.76	755.9	70	80	S	1	b	7	29.87	758.7	66	84	NW	2	b
Amoy,	,,	29.84	757.9	76	60	SSE	4	b	6	30.01	762.2	64	78	E	1	0
Swatow,	,,	29.89	759.3	76	87	S	2	b	,,	29.85	758.1	67	95	NW	1	b
Taihoku,	11	29.94	760.5	81	56	W	2	b	5	...	...	63	96	...	0	b
Taichu,	,,	29.99	761.7	82	...	NNW	2	b	,,	29.89	759.3	64	...	...	0	b
Tainan,	,,	29.95	760.8	86	...	WNW	2	b	,,	29.89	759.3	66	...	...	0	b
Koshun,	,,	29.97	761.1	73	...	...	0	r	,,	29.86	758.4	64	...	...	0	b
Pescadores,	,,	29.99	761.7	75	...	WNW	2	b	,,	29.89	759.3	68	...	...	0	b
Hong Kong,	14	29.87	758.7	75	71	E	2	c	6	29.86	758.4	67	92	...	0	bf
Gap Rock,	,,	29.92	759.9	...	...	ENE	3	o	,,	29.87	758.7	...	...	WNW	2	of
Macao,	,,	29.89	759.3	79	73	SSE	2	b	,,	29.84	757.8	66	100	...	0	of
Hoihow,	,,	29.84	757.9	82	76	ESE	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.89	759.2	79	77	NNE	4	c	,,	29.87	758.7	61	94	FSE	2	bf
Chulien,	15	29.86	758.4	73	92	E	2	of	7	29.86	758.4	70	100	SE	4	of
Tourane,	,,	29.82	757.5	81	...	WNW	2	b	,,	29.84	757.8	73	...	SSW	4	bf
Cape St. James,	,,	29.84	757.8	81	...	ENE	6	of	,,	29.87	758.7	77	...	ENE	4	of
Basco,	14	29.82	757.5	82	67	SE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.80	756.9	84	71	NE	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.79	756.6	93	46	SSW	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	86	58	WNW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.80	756.9	84	60	SW	1	o	,,	29.82	757.5	73	85	E	1	o
Legaspi,	,,	29.80	756.9	79	91	N	2	o	,,	29.78	756.3	77	88	...	0	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	73	94	...	0	o
Tacloban,	,,	29.78	756.3	77	64	N	2	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	97	84	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.75	755.7	79	84	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.73	755.4	75	92	N	4	r	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	N	4	o	5	29.82	757.5	...	...	SW	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Jabuan,	14	29.80	756.9	86	92	NW	4	b	6	29.84	757.9	80	87	...	0	b

April 7*d.* 11*h.* 10*m.*—The anticyclone remains in the vicinity of the Bonins, and continues to weaken; another is developing over N. China. A depression has formed in the Sea of Japan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·02 inches, against an average of 7·07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Light, variable winds, probably freshening from N.E.; fine to cloudy, some fog.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th April, 1929.								8th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.00	761.9	45	...	NNE	1	b	6	30.07	763.7	32	...	SE	1	b
Nemuro,	11	29.80	757.0	...	...	NNE	3	...	5	29.94	760.5	...	...	NNW	1	...
Hokodate,	,,	29.78	756.5	...	...	NNW	4	...	,,	30.02	762.5	...	...	...	0	...
Tokio,	,,	29.61	752.0	...	...	SSE	1	...	,,	30.00	762.0	...	...	...	0	...
Kochi,	,,	29.65	753.0	...	...	W	1	...	,,	29.96	761.0	...	...	W	1	...
Nagasaki,	,,	29.88	759.0	...	...	N	3	...	,,	29.98	761.5	...	...	...	0	...
Kagoshima,	,,	29.80	757.0	...	...	NNW	1	...	,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	29.92	760.0	...	...	N	1	...	,,	29.92	760.0	...	...	...	0	...
Naha,	,,	29.96	761.0	...	...	N	2	...	,,	29.92	760.0	...	...	NE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	E	1	...	,,	29.90	759.5	...	...	NE	1	...
Bonin Island,	,,	29.94	760.5	...	...	S	2	...	,,	29.94	760.5	...	...	...	0	...
Chefoo,	15	29.98	761.5	46	77	NNE	1	0	6	30.01	762.2	42	85	WNW	1	b
Shanghai,	14	30.05	763.2	70	49	ESE	2	b	,,	30.00	762.0	48	95	ESE	1	0
Gutzlaff,	,,	30.10	764.5	58	76	NE	1	0	,,	30.03	762.7	48	100	SSE	4	0
Sharp Peak,	,,	29.94	760.5	71	80	NE	1	b	7	29.92	759.9	63	89	...	0	b
Amoy,	,,	29.86	758.4	76	53	E	4	b	6	29.93	760.2	65	84	ENE	2	r
Swatow,	,,	...		...	...	...	...	...	,,	30.12	765.0	67	90	E	2	0
Taihoku,	11	29.94	760.5	79	69	ENE	4	b	5	29.92	759.9	68	91	W	2	0
Taichu,	,,	29.94	760.5	81	...	NW	2	b	,,	29.93	760.2	68	...	NNE	2	0
Tainan,	,,	29.91	759.6	84	...	W	2	b	,,	29.89	759.3	70	...	N	4	b
Koshun,	,,	29.89	759.3	84	...	...	0	0	,,	29.86	758.4	70	...	...	0	b
Pescadores,	,,	29.93	760.2	79	...	NNW	2	b	,,	29.91	759.6	68	...	NNE	4	0
Hong Kong,	14	29.81	757.2	78	71	W	1	b	6	29.89	759.2	69	90	E	3	0
Gap Rock,	,,	29.83	757.7	...	...	WNW	2	b	,,	29.89	759.2	...	...	ENE	3	0
Macao,	,,	29.80	756.9	84	68	SE	1	b	,,	29.86	758.4	70	94	SE	2	0
Hoihow,	,,	29.75	755.7	84	69	NE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	757.8	80	71	NE	1	b	,,	29.87	758.7	73	92	NNE	3	0
Phulien,	15	29.7[illegible]	756.3	79	76	SSE	2	0	7	29.88	759.0	70	...	SSE	4	or
Tourane,	,,	29.76	756.0	81	...	SE	4	0	,,	29.84	757.8	73	...	S	4	of
Cape St. James,	,,	29.81	757.2	90	...	ESE	4	0	,,	29.86	758.4	77	...	S	2	of
Basco,	14	29.80	756.9	82	74	SE	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	86	68	NE	4	b	,,	29.80	756.9	73	92	...	0	0
Tuguegarao,	,,	29.72	754.8	97	42	SE	1	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.4	86	56	NW	4	0	,,	29.78	756.3	77	89	WSW	1	0
Manila,	,,	29.73	755.1	86	56	W	4	0	,,	29.79	756.6	73	85	N	1	b
Legaspi,	,,	29.76	756.0	84	86	NNE	2	0	,,	29.73	755.1	75	85	NW	1	0
Calboyog,	,,	29.71	754.5	79	96	N	2	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	77	86	N	2	0
Iloilo,	,,	29.72	754.8	81	76	ENE	4	0	,,	29.76	756.0	75	91	NE	1	0
Cebu,	,,	29.71	754.5	79	80	NW	2	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.68	753.9	82	81	W	2	0	,,	29.73	755.1	77	92	SW	2	0
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	E	2	0	4.22	29.86	758.4	...	...	NE	2	b
Yap,	11.00	29.81	757.2	...	...	ESE	1	0	5	29.84	757.8	...	...	...	0	0
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	84	83	NE	2	b	6	29.82	757.4	78	70	SW	2	b

April 8*d.* 11*h.* 03*m.*—The anticyclone has moved into the Sea of Japan, and the depression has passed into the Pacific. Another depression is situated more than 400 miles E.S.E. of Manila.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·02 inches, against an average of 7·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	9th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.04	763.1	39	...	SE	2	b	6	30.00	761.9	34	...	SE	1	o
Nemuro,	11	30.00	762.0	...	...	SSE	1	...	5	30.22	767.5	...	...	...	0	...
Hokodate,	,,	30.06	763.5	...	...	WSW	1	...	,,	30.06	763.5	...	...	E	2	...
Tokio,	,,	30.06	763.5	...	...	E	2	...	,,	29.90	759.5	...	...	N	2	...
Kochi,	,,	29.98	761.5	...	...	SE	1	...	,,	29.82	757.5	...	...	WSW	1	...
Nagasaki,	,,	29.92	760.0	...	...	N	1	...	,,	29.92	760.0	...	...	NNW	1	...
Kagoshima,	,,	29.92	760.0	...	...	SE	1	...	,,	29.92	760.0	...	...	...	0	...
Oshima,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.94	760.5	...	...	NNE	1	...
Naha,	,,	29.94	760.5	...	...	NW	1	...	,,	29.96	761.0	...	...	N	3	...
Ishigakijima,	,,	29.92	760.0	...	...	NE	2	...	,,	29.94	760.5	...	...	NNE	1	...
Bonin Island,	,,	29.94	760.5	...	...	WNW	1	...	,,	30.00	762.0	...	...	...	...	...
Chefoo,	15	29.89	759.2	48	71	NW	4	b	6	29.82	757.4	48	56	SW	2	b
Shanghai,	14	29.97	761.1	68	48	WNW	1	o	,,	30.08	764.1	45	97	SSW	1	b
Gutzlaff,	,,	30.01	762.2	60	71	SE	1	o	,,	30.13	765.3	50	100	W	2	b
Sharp Peak,	,,	29.84	757.9	70	83	E	1	b	7	29.98	761.5	64	99	...	o	b
Amoy,	,,	29.96	761.0	70	75	SE	4	b	6	29.93	760.2	65	84	NE	4	b
Swatow,	,,	30.01	762.2	77	79	E	1	o	,,	...	...	...	...	...	...	...
Taihoku,	11	29.93	760.2	75	76	NE	4	b	5	29.97	761.1	66	88	E	4	o
Taichu,	,,	29.91	760.2	82	...	...	o	b	,,	29.92	759.9	66	...	...	o	b
Tainan,	,,	29.89	759.3	93	...	NNW	2	o	,,	29.89	759.3	66	...	NNE	2	b
Koshun,	,,	29.89	759.3	77	...	NNW	2	b	,,	29.88	759.0	73	...	NNE	4	b
Pescadores,	,,	29.94	760.5	77	...	SE	4	o	,,	29.91	759.6	70	...	NNE	4	b
Hong Kong,	14	29.89	759.2	74	70	E	3	b	6	29.92	759.9	71	68	...	o	cm
Gap Rock,	,,	29.89	759.2	...	...	ENE	4	b	,,	29.92	759.9	...	...	ENE	2	c
Macao,	,,	29.87	758.7	81	69	SE	2	b	,,	29.99	761.7	68	88	N	2	b
Hoihow,	,,	29.85	758.1	78	83	E	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.87	758.7	79	94	NNE	3	bc	,,	29.90	759.4	72	85	NNE	3	b
Phulien,	15	29.86	758.4	81	80	ESE	4	of	7	29.88	759.0	70	96	ENE	4	o
Tourane,	,,	29.82	757.5	79	...	ESE	2	of	,,	29.88	759.0	73	...	SE	2	bf
Cape St. James,	,,	29.82	757.5	75	...	S	2	bf	,,	29.85	758.1	77	...	NE	2	o
Basco,	14	29.79	756.6	86	68	SE	4	b	6	29.84	757.8	73	96	...	o	o
Aparri,	,,	29.73	755.1	86	68	NE	4	b	,,	29.84	757.8	72	96	...	o	b
Tuguegarao,	,,	29.71	754.5	97	42	NW	1	b	,,	29.79	756.6	75	91	W	1	b
Vigan,	,,	29.74	755.4	84	71	WNW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	90	57	W	2	b	,,	29.81	757.2	75	94	NE	1	b
Legaspi,	,,	29.71	754.5	82	84	N	4	o	,,	29.78	756.3	73	96	...	o	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	96	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	77	91	...	o	o
Iloilo,	,,	29.73	755.1	84	74	SW	4	o	,,	29.80	756.9	73	96	N	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.73	755.1	82	81	SW	1	o	,,	29.80	756.9	77	89	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	29.92	759.9	76	...	E	2	bc
Guam,	12.22	29.80	756.9	...	...	E	4	o	4.22	29.88	759.0	...	...	NE	4	o
Yap,	11.00	29.81	757.2	...	...	SE	1	o	5	29.88	759.0	...	...	...	o	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	79	...	SE	2	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.88	758.9	76	...	ENE	2	c
Labuan,	14	29.83	757.7	82	91	SW	2	o	6	29.84	757.9	76	91	SW	1	b

April 9*d.* 11*h.* 05*m.*—Pressure is highest to the north-east of Japan, although a weak anticyclonic area is situated over the lower Yangtze Valley. The depression appears to be situated more than 500 miles east of N. Luzon; another depression covers S. Japan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·02 inches, against an average of 7·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	E. winds, moderate; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th April, 1929.								10th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.00	762.0	36	...	ENE	2	0	6	29.94	760.5	35	...	...	0	c
Nemuro,	11	30.20	767.0	...	...	S	2	...	5	29.71	754.5	...	...	ENE	4	...
Hokodate,	,,	30.02	762.5	...	...	NE	4	...	,,	29.67	753.5	...	...	E	2	...
Tokio,	,,	29.76	756.0	...	...	SW	1	...	,,	29.80	757.0	...	...	...	0	...
Kochi,	,,	29.84	758.0	...	...	WSW	2	...	,,	29.96	761.0	...	...	...	0	...
Nagasaki,	,,	29.98	761.5	...	...	WNW	3	...	,,	30.00	762.0	...	...	WSW	3	...
Kagoshima,	,,	29.96	761.0	...	...	W	2	...	,,	30.02	762.5	...	...	NW	1	...
Oshima,	,,	30.00	762.0	...	...	NNE	1	...	,,	30.06	763.5	...	...	NNW	1	...
Naha,	,,	30.00	762.0	...	...	N	3	...	,,	30.04	763.0	...	...	N	1	...
Ishigakijima,	,,	29.98	761.5	...	...	NNE	3	...	,,	30.00	762.0	...	...	NE	1	...
Bonin Island,	,,	29.98	761.5	...	...	S	1	...	,,	29.98	761.5	...	...	...	0	...
Chefoo,	15	29.75	755.6	52	73	NW	4	b	6	30.07	763.8	40	100	...	0	b
Shanghai,	14	30.00	762.0	72	23	WSW	2	0	,,	30.14	765.6	52	63	NNE	1	0
Gutzlaff,	,,	30.08	764.0	58	76	SW	2	0	,,	30.17	766.3	54	55	NNE	1	0
Sharp Peak,	,,	29.96	761.0	70	75	ESE	2	b	7	29.87	758.7	67	89	N	1	0
Amoy,	,,	29.94	760.5	73	58	E	4	b	6	29.96	761.0	66	75	NE	2	0
Swatow,	,,	29.94	760.5	70	52	E	2	b	,,	30.02	762.5	64	95	E	2	c
Taihoku.	11	30.01	762.3	77	54	E	6	b	5	...	...	...	...	...	...	...
Taichu,	,,	29.94	760.5	82	...	W	2	b	,,	...	...	...	...	...	...	...
Tainan,	,,	29.92	759.9	86	...	WNW	2	b	,,	...	...	...	...	...	...	...
Koshun,	,,	29.95	760.8	81	...	NE	6	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.95	760.8	77	...	NE	6	b	,,	...	...	...	...	...	...	...
Hong Kong,	14	29.93	760.2	75	66	E	3	b	6	29.94	760.5	69	64	E	3	o
Gap Rock,	,,	29.93	760.2	...	...	ENE	3	b	,,	29.93	760.2	...	...	ENE	4	o
Macao,	,,	29.91	759.6	81	62	SSE	2	o	,,	29.88	759.0	68	81	SE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.92	759.9	79	71	NE	4	c	,,	29.91	759.7	74	90	ENE	3	c
Phulien,	15	29.88	759.0	75	79	E	2	o	7	29.89	759.3	68	96	E	4	of
Tourane,	,,	29.84	757.8	82	...	SE	4	b	,,	29.88	759.0	73	...	S	4	of
Cape St. James,	,,	29.85	758.1	86	...	SSE	2	o	,,	29.86	758.4	77	...	E	2	o
Basco,	14	29.82	757.5	82	67	ENE	2	o	6	29.88	759.0	73	91	ENE	4	o
Aparri,	,,	29.80	756.9	84	68	NE	4	b	,,	29.86	758.4	73	94	...	0	b
Tugnegarao,	,,	29.75	755.7	93	46	NW	1	o	,,	29.86	758.4	72	94	...	0	o
Vigan,	,,	29.75	755.7	86	68	WNW	4	o	,,	29.80	756.9	75	71	SE	1	b
Manila,	,,	29.75	755.7	90	57	W	4	b	,,	29.82	757.5	73	92	SE	1	b
Legaspi,	,,	29.72	754.8	90	66	NNE	4	b	,,	29.81	757.2	77	86	...	0	b
Calboyog,	,,	29.73	755.1	86	74	W	4	o	,,	29.80	756.9	75	96	...	0	o
Tacloban,	,,	29.74	755.4	86	74	N	6	o	,,	29.81	757.2	77	91	N	1	o
Iloilo,	,,	29.74	755.4	86	68	SW	4	o	,,	29.80	756.9	75	88	NE	4	o
Cebu.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.89	759.2	76	...	E	4	bc
Guam,	12.22	29.80	756.9	...	...	E	4	o	4.22	29.84	757.8	...	...	NE	4	o
Yap,	11.00	29.81	757.2	...	...	ENE	4	o	5	29.82	757.5	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.93	760.2	79	...	...	0	b
Ponape,	...	...	...	...	...	...	...	...	,,	29.86	758.4	81	...	NE	3	c
Labuan,	14	29.80	756.9	88	84	SW	2	b	6	29.84	757.9	86	92	SW	2	b

April 10*d.* 11*h.* 16*m.*—A moderate anticyclone has developed over N. China, and a depression covers N. Japan. The southern depression has apparently filled up.

Moderate monsoon may be expected along the coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·02 inches, against an average of 7·55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; cloudy, drizzle or mist.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th April, 1929.								11th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.91	759.6	48	...	N	2	c	6	29.99	761.6	33	...	...	0	c
Nemuro,	11	30.06	763.5	...	...	NNE	3	...	5	29.90	759.5	...	...	WNW	1	...
Hokodate,	,,	29.65	753.0	...	...	SSW	3	...	,,	29.98	761.5	...	...	W	2	...
Tokio,	,,	29.78	756.5	...	...	E	1	...	,,	30.06	763.5	...	...	...	0	...
Kochi,	,,	29.94	760.5	...	...	...	0	...	,,	30.12	765.0	...	...	SW	1	...
Nagasaki,	,,	30.04	763.0	...	...	NW	3	...	,,	30.10	764.5	...	...	NE	1	...
Kagoshima,	,,	30.00	762.0	...	...	NW	3	...	,,	30.10	764.5	...	...	NW	1	...
Oshima,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.06	763.5	...	...	...	0	...
Naha,	,,	30.08	764.0	...	...	N	4	...	,,	30.02	762.5	...	...	NNE	2	...
Ishigakijima,	,,	30.06	763.5	...	...	NE	2	...	,,	30.00	762.0	...	...	ENE	2	...
Bonin Island,	,,	29.96	761.0	...	...	WSW	1	...	,,	30.00	762.0	...	...	...	0	...
Chefoo,	15	30.11	764.8	46	92	NW	2	o	6	30.12	765.0	42	100	W	1	b
Shanghai,	14	30.10	764.5	72	29	ESE	2	o	,,	30.12	765.0	52	84	N	1	o
Gutzlaff,	,,	30.17	766.3	58	58	NE	1	of	,,	30.13	765.3	52	93	NNE	2	of
Sharp Peak,	,,	29.99	761.7	64	84	N	2	r	7	30.01	762.2	62	89	N	1	r
Amoy,	,,	30.00	762.0	71	53	NNE	4	o	6	30.04	763.0	60	90	N	4	r
Swatow,	,,	29.98	761.5	70	86	E	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.07	763.8	68	81	E	4	r	5	29.98	761.4	61	96	E	2	r
Taichu,	,,	30.00	762.0	73	...	NNE	2	o	,,	29.99	761.7	64	...	...	0	r
Tainan,	,,	29.97	761.1	82	...	WSW	4	b	,,	29.95	760.8	68	...	N	4	o
Koshun,	,,	29.95	760.8	82	...	NE	4	b	,,	29.94	760.5	70	...	NE	4	o
Pescadores,	,,	29.99	761.7	73	...	N	4	o	,,	29.98	761.4	66	...	N	4	r
Hong Kong,	14	29.95	760.7	67	71	E	4	od	6	30.01	762.2	63	88	ENE	1	od
Gap Rock,	,,	29.95	760.7	...	...	ENE	5	o	,,	30.00	762.0	...	...	ENE	4	o
Macao,	,,	29.93	760.2	64	84	NE	4	r	,,	29.97	761.1	61	93	NNE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.01	759.7	76	84	NE	5	o	,,	29.93	760.2	71	95	NNE	6	o
Phulien,	15	29.88	759.0	66	100	ENE	4	rf	7	...	...	...	...	...	...	...
Tourane,	,,	29.80	756.9	...	...	SE	4	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	81	...	ESE	4	b	,,	...	...	...	...	...	...	...
Basco,	14	29.88	759.0	77	76	ENE	4	o	6	29.91	759.6	73	85	E	1	o
Aparri,	,,	29.84	757.8	86	65	NE	4	b	,,	29.87	758.7	77	85	ENE	4	o
Tuguegarao,	,,	29.78	756.3	90	48	N	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	86	61	W	4	b	,,	29.84	757.8	75	79	W	1	o
Manila,	,,	29.76	756.0	90	55	SW	4	o	,,	29.86	758.4	73	88	E	1	o
Legaspi,	,,	29.74	755.4	90	60	ENE	4	o	,,	29.84	757.8	72	91	N	1	b
Calboyog,	,,	29.76	756.0	86	58	NNW	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	86	71	N	6	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	90	66	NE	4	o	,,	29.84	757.8	75	88	NE	4	o
Cebu,	,,	29.76	756.0	81	87	W	2	r	,,	29.82	757.5	77	85	...	0	o
Surigao,	,,	29.74	755.4	84	81	N	2	o	,,	29.81	757.2	72	91	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.91	759.6	77	...	ESE	4	b
Guam,	12.22	29.81	757.2	...	...	E	4	o	4.22	29.84	757.8	...	...	E	2	o
Yap,	11.00	29.78	756.3	...	...	NE	4	o	5	29.76	756.0	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	29.96	761.0	75	...	ENE	1	r
Labuan,	14	29.78	756.4	86	84	NW	4	b	6	29.89	759.2	76	91	SW	2	b

April 11*d.* 11*h.* 50*m.*—The anticyclone has extended eastward to Japan; the depression has passed into the Pacific.

Moderate monsoon will prevail along the S.E. coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·24 inch. Total since January 1st, 2·26 inches, against an average of 7·72 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; cloudy with occasional rain, probably improving later.

C. W. JEFFRIES.—*Director.*

ROYAL OBSERVATORY, HONG KONG,

DAILY WEATHER REPORT.

Station.	11th April 1929.								12th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.96	760.9	46	...	S	1	o	6	29.99	761.6	34	...	SE	4	o
Nemuro,	11	29.96	761.0	...	...	NNW	1	...	5	30.12	765.0	...	...	SE	1	...
Hokodate,	,,	29.98	761.5	...	...	SW	2	...	,,	30.08	764.0	...	...	W	1	...
Tokio,	,,	30.06	763.5	...	...	SE	6	...	,,	30.06	763.5	...	...	...	0	...
Kochi,	,,	30.10	764.5	...	...	...	0	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	30.08	764.0	...	...	SE	2	...	,,	30.00	762.0	...	...	WNW	3	...
Kagoshima,	,,	30.02	762.5	...	...	SSE	1	...	,,	30.02	762.5	...	...	NW	1	...
Oshima,	,,	30.06	763.5	...	...	...	0	...	,,	30.04	763.0	...	...	NNE	3	...
Naha,	,,	30.06	763.5	...	...	NNE	2	...	,,	30.04	763.0	...	...	N	5	...
Ishigakijima,	,,	30.04	763.0	...	...	SW	2	...	,,	30.06	763.5	...	...	NNE	3	...
Bonin Island,	,,	30.02	762.5	...	...	NE	1	...	,,	29.90	759.5	...	...	NE	1	...
Chefoo,	15	29.98	761.5	56	94	NW	4	b	6	29.80	756.9	56	100	W	4	o
Shanghai,	14	30.22	767.7	61	41	WNW	4	o	,,	30.18	766.5	41	94	SW	1	b
Gutzlaff,	,,	30.25	768.3	56	69	N	4	o	,,	30.21	767.3	50	79	W	4	b
Sharp Peak,	,,	30.04	763.0	65	89	...	0	o	7	30.10	764.5	60	76	E	2	cf
Amoy,	,,	29.94	760.5	65	84	W	2	o	6	30.11	764.8	60	82	ENE	4	o
Swatow,	,,	30.06	763.5	67	90	N	1	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.05	763.2	64	96	NE	4	r	5	30.12	765.0	59	81	E	4	o
Taichu,	,,	30.06	763.5	64	...	...	0	r	,,	30.04	762.9	59	...	...	0	o
Tainan,	,,	30.01	762.3	70	...	N	4	o	,,	30.00	762.0	61	...	N	4	o
Koshun,	,,	29.97	761.1	79	...	NNE	4	o	,,	29.95	760.8	70	...	NE	6	o
Pescadores,	,,	30.05	763.2	66	...	N	4	r	,,	30.04	762.9	64	...	NNE	6	o
Hong Kong,	14	30.04	763.0	66	73	NNE	2	o	6	30.09	764.3	66	52	N	3	c
Gap Rock,	,,	30.0[illegible]	762.7	...	...	NNE	4	o	,,	30.10	764.5	...	...	N	4	o
Macao,	,,	30.01	762.3	63	84	NNE	4	o	,,	30.06	763.5	63	75	NNE	4	o
Hoihow,	,,	30.03	762.7	67	94	NE	3	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.96	761.0	68	90	NNE	7	or	,,	30.00	762.0	69	87	NNE	6	cd
Phulien,	15	30.05	763.2	68	73	NNE	2	o	7	30.17	766.2	63	90	NE	4	bf
Tourane,	,,	29.91	759.6	79	...	NE	2	o	,,	30.04	762.9	70	...	NNE	6	of
Cape St. James,	,,	29.82	757.5	82	...	E	4	o	,,	29.89	759.3	79	...	ENE	6	o
Basco,	14	29.86	758.4	81	69	NE	4	o	6	29.93	760.2	72	78	...	0	o
Aparri,	,,	29.81	757.2	84	71	NE	4	b	,,	29.89	759.3	77	84	ENE	4	o
Tuguegarao,	,,	29.76	756.0	90	48	NW	1	o	,,	29.87	758.7	75	86	NW	2	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	73	86	NNW	1	o
Manila,	,,	29.78	756.3	90	55	SW	4	b	,,	29.86	758.4	77	92	...	0	o
Legaspi,	,,	29.76	756.0	86	65	NE	4	o	,,	29.84	757.8	73	94	...	0	b
Calboyog,	,,	29.76	756.0	82	81	WSW	4	o	,,	29.85	758.1	72	96	...	0	o
Tacloban,	,,	29.76	756.0	86	68	N	2	o	,,	29.85	758.1	77	92	N	2	o
Iloilo,	,,	29.75	755.7	90	60	NE	4	o	,,	29.82	757.5	75	88	NE	4	o
Cebu,	,,	29.74	755.4	86	65	NE	4	o	,,	29.82	757.5	77	86	N	1	o
Surigao,	,,	29.75	755.7	84	81	N	2	o	,,	29.81	757.2	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.86	758.4	76	...	E	4	be
Guam,	12.22	29.80	756.9	...	...	E	4	o	4.22	29.82	757.5	...	...	NE	1	o
Yap,	11.00	29.76	756.0	...	...	E	4	o	5	29.84	757.8	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.90	759.4	76	...	...	0	o
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.8	66	...	NE	2	c
Labuan,	14	29.80	756.9	78	91	SW	1	o	6	29.85	758.2	76	94	NW	1	o

April 12*d.* 11*h.* 00*m.*—The anticyclone now covers S. China and Tongking; pressure is also high to the north-east of Japan. Depressions are situated to the north of Shantung and to the west of the Bonins.

Moderate monsoon will prevail over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 2·27 inches, against an average of 7·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th April, 1929.								13th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.98	761.5	37	...	SE	...	o	6	29.74	755.3	34	...	ESE	2	o
Gemuro,	11	30.16	766.0	...	...	SE	1	...	5	30.00	762.0	...	...	ESE	3	...
Hokodate,	"	30.08	764.0	...	...	S	1	...	"	29.72	755.0	...	...	...	o	...
Tokio,	"	30.00	762.0	...	...	S	1	...	"	29.75	755.5	...	...	...	...	...
Kochi,	"	29.86	758.5	...	...	W	1	...	"	29.90	759.5	...	...	W	1	...
Nagasaki,	"	30.02	762.5	...	...	WNW	4	...	"	29.96	761.0	...	...	WNW	6	...
Kagoshima,	"	30.02	762.5	...	...	WSW	2	...	"	29.96	761.0	...	...	...	o	...
Oshima,	"	30.08	764.0	...	...	NNE	2	...	"	30.04	763.0	...	...	E	1	...
Naha,	"	30.10	764.5	...	...	N	2	...	"	30.08	764.0	...	...	E	1	...
Ishigakijima,	"	30.14	765.5	...	...	N	3	...	"	30.08	764.0	...	...	N	1	...
Bonin Island,	"	29.82	757.5	...	...	SSW	4	...	"	29.88	759.0	...	...	...	o	...
Chefoo,	15	29.90	759.4	52	53	NW	4	b	6	29.90	759.4	38	84	WNW	1	b
Shanghai,	14	30.11	764.7	70	21	WSW	1	b	"	30.01	762.3	46	77	SW	1	b
Gutzlaff,	"	30.17	766.3	60	60	SW	4	b	"	30.05	763.2	54	80	WSW	4	b
Sharp Peak,	"	30.08	764.0	66	79	E	1	b	7	30.06	763.5	60	82	NW	2	b
Amoy,	"	30.10	764.5	70	61	ESE	4	b	6	30.07	763.8	60	82	NE	4	b
Swatow,	"	30.10	764.5	66	90	E	2	b	"	...	...	...	...	...	...	...
Taihoku,	11	30.17	766.2	65	67	E	6	o	5	30.11	764.7	54	95	...	o	b
Taichu,	"	30.10	764.4	73	...	N	2	b	"	30.06	763.5	54	...	...	o	b
Tainan,	"	30.06	763.5	75	...	N	4	o	"	30.02	762.6	55	...	N	2	b
Toshun,	"	...	...	70	...	NE	4	o	"	30.01	762.3	66	...	NNE	2	b
Pescadores,	"	30.11	764.7	70	...	NNE	6	b	"	30.05	763.2	66	...	N	4	b
Hong Kong,	14	30.09	764.3	72	54	ESE	3	c	6	30.09	764.3	62	85	...	o	bm
Gap Rock,	"	30.10	764.5	...	...	ENE	4	c	"	30.07	763.8	...	...	ENE	4	b
Macao,	"	30.07	763.8	73	38	NNE	4	o	"	30.04	762.9	61	83	...	o	cf
Hoihow,	"	30.09	764.3	72	77	E	2	c	"	...	...	...	...	...	...	...
Pratas Island,	"	30.05	762.7	71	81	NNE	6	o	"	30.02	762.5	70	72	NNE	5	b
Hualien,	15	30.11	764.7	79	55	SSW	2	b	7	30.10	764.4	64	86	NW	2	bf
Tourane,	"	30.02	762.6	68	...	NW	6	o	"	30.04	762.9	66	...	NW	6	of
Cape St. James,	"	29.86	758.4	81	...	ENE	7	of	"	29.89	759.3	77	...	ENE	4	o
Basco,	14	29.94	760.5	72	82	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.89	759.3	82	63	NE	4	o	"	29.92	759.9	73	94	NE	2	o
Tuguegarao,	"	29.87	758.7	86	58	N	2	o	"	...	...	...	...	...	...	...
Vigan,	"	29.81	757.2	90	69	WNW	4	b	"	...	...	...	...	...	...	...
Manila,	"	29.84	757.8	79	89	...	0	r	"	29.86	758.4	75	85	...	o	o
Legaspi,	"	29.81	757.2	86	75	NE	4	o	"	29.82	757.5	79	84	N	1	b
Calboyog,	"	29.79	756.6	86	65	NNW	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	29.79	756.6	86	75	NE	4	r	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	90	86	ENE	6	o	"	...	...	...	...	...	...	...
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.78	756.3	81	86	NNE	4	r	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	ENE	4	o	5	29.81	757.2	...	...	NE	2	o
Melew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Jabuan,	14	29.84	757.9	80	87	SW	2	o	6	29.83	757.7	78	86	SW	2	b

April 13*d.* 9*h.* 59*m.*—Pressure is highest over S. China and Tongking. The northern depression has entered the Sea of Japan, that near the Bonins yesterday has filled up.

Moderate monsoon will continue over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·27 inches, against an average of 8·07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th April, 1929.								14th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.88	759.0	...	...	ESE	3	...	5	29.75	755.5	...	...	ENE	1	...
Hokodate,	,,	29.63	752.5	...	...	SE	1	...	,,	29.73	755.0	...	...	...	0	...
Tokio,	,,	29.72	755.0	...	...	NE	1	...	,,	29.63	752.5	...	...	SW	2	...
Kochi,	,,	29.82	757.5	...	...	S	1	...	,,	29.86	758.5	...	...	NW	1	...
Nagasaki,	,,	29.88	759.0	...	...	W	3	...	,,	29.98	761.5	...	...	NW	2	...
Kagoshima,	,,	29.92	760.0	...	...	W	3	...	,,	29.96	761.0	...	...	NNW	1	...
Oshima,	,,	30.02	762.5	...	...	N	1	...	,,	30.00	762.0	...	...	N	1	...
Naha,	,,	30.06	763.5	...	...	NNW	1	...	,,	30.04	763.0	...	...	W	1	...
Ishigakijima,	,,	30.08	764.0	...	...	SW	1	...	,,	30.06	763.5	...	...	...	0	...
Bonin Island,	,,	29.92	760.0	...	...	NNW	1	...	,,	29.98	761.5	...	...	...	...	...
Chefoo,	15	29.96	761.0	46	62	NW	6	o	6	29.96	761.0	42	58	...	0	b
Shanghai,	14	29.95	760.8	73	32	WNW	1	b	,,	30.12	765.0	41	85	...	0	b
Gutzlaff,	,,	30.02	762.5	60	65	NNE	2	b	,,	30.18	766.6	48	71	NE	1	b
Sharp Peak,	,,	29.97	761.2	62	83	S	1	b	7	30.06	763.5	63	83	...	0	b
Amoy,	,,	30.03	762.7	70	85	SSE	4	o	6	30.04	763.0	60	82	W	4	o
Swatow,	,,	30.05	763.2	68	85	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.08	764.1	75	39	NE	4	b	5	30.06	763.5	50	95	...	0	b
Taichu,	,,	30.06	763.5	73	...	WNW	2	b	,,	30.08	764.0	52	...	...	0	b
Tainan,	,,	30.02	762.6	82	...	NW	2	b	,,	30.05	763.2	54	...	...	0	b
Koshun,	,,	30.01	762.3	79	...	NE	4	b	,,	30.04	762.9	66	...	NNE	2	b
Pescadores,	,,	30.06	763.5	73	...	NNE	4	b	,,	30.04	762.9	66	...	N	2	b
Hong Kong,	14	30.01	762.2	76	35	E	2	b	6	30.05	763.2	63	76	...	0	b
Gap Rock,	,,	30.04	763.0	...	...	NNE	3	b	,,	30.05	763.2	...	...	NNE	3	b
Macao,	,,	30.00	762.0	77	28	NE	2	b	,,	30.01	762.3	64	84	...	0	cf
Hoihow,	,,	30.02	762.5	75	70	NE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.0	76	71	NE	4	b	,,	30.01	762.2	70	62	NE	4	b
Phulien,	15	30.04	762.9	81	43	E	2	bf	7	30.08	764.0	66	...	NW	2	bf
Tourane,	,,	29.9	761.7	72	...	NNW	4	o	,,	30.04	762.9	68	...	NW	2	bof
Cape St. James,	,,	29.86	758.4	82	...	ENE	7	o	,,	29.90	759.4	75	...	NE	4	o
Basco,	14	29.93	760.2	75	67	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.88	759.0	77	76	NE	4	o	,,	...	...	...	...	...	...	...
Tugnegarao,	,,	29.81	757.2	84	60	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.9	86	58	WNW	4	o	,,	29.85	758.1	79	76	...	0	o
Manila,	,,	29.81	757.2	84	68	NE	4	o	,,	29.87	758.7	75	88	E	1	o
Legaspi,	,,	29.79	756.6	86	65	NE	4	o	,,	29.86	758.4	81	80	NE	4	o
Calboyog,	,,	29.78	756.3	90	57	NNW	4	o	,,	29.86	758.4	75	86	N	2	o
Tacloban,	,,	29.79	756.6	79	91	SE	1	o	,,	29.85	758.1	77	91	N	1	o
Iloilo,	,,	29.74	755.4	86	65	NE	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.78	756.3	79	85	N	1	o	,,	29.82	757.5	75	94	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.84	757.8	77	...	E	4	c
Guam,	12.22	29.74	755.4	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	E	2	o	5	29.81	757.2	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.81	757.2	77	...	NNE	1	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.86	758.4	82	...	E	3	c
Labuan,	14	29.81	757.2	80	91	NW	2	b	6	29.84	757.9	78	46	SW	2	b

April 14*d.* 10*h.* 47*m.*—The anticyclone remains over S. China and Tongking, the depression is crossing central Japan.

Moderate monsoon will continue over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·27 inches, against an average of 8·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	15th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.63	752.5	40	...	SE	2	c	6	29.51	749.5	37	...	SE	1	o
Nemuro,	11	29.67	753.5	...	...	SE	1	...	5	29.37	746.0	...	...	W	+	...
Hokodate,	,,	29.59	751.5	...	...	NW	2	...	,,	29.67	753.5	...	...	SW	2	...
Tokio,	,,	29.55	750.5	...	...	NNW	1	...	,,	29.90	759.5	...	...	S	1	...
Kochi,	,,	29.86	758.5	...	...	WSW	1	...	,,	30.04	763.0	...	...	WSW	1	...
Nagasaki,	,,	30.02	762.5	...	...	NW	3	...	,,	30.08	764.0	...	...	S	1	...
Kagoshima,	,,	29.98	761.5	...	...	W	3	...	,,	30.10	764.5	..	...	NW	1	...
Oshima,	,,	30.04	763.0	...	...	N	1	...	,,	30.12	765.0	..	...	S	1	...
Naha,	,,	30.08	764.0	...	...	W	1	...	,,	30.10	764.5	..	...	ENE	1	...
Ishigakijima,	,,	30.08	764.0	...	...	SSW	1	...	,,	30.10	764.5	...	..	...	0	...
Bonin Island,	,,	29.96	761.0	...	...	WNW	1	...	,,	30.08	764.0	...	...	...	0	...
Chefoo,	15	29.90	759.4	74	55	SW	6	o	6	29.56	750.8	69	52	S	6	b
Shanghai,	14	30.07	763.8	72	91	SW	2	b	,,	29.98	761.4	52	80	SSE	4	b
Gutzlaff,	,,	30.15	765.8	58	53	SSW	2	b	,,	30.05	763.2	54	80	S	6	b
Sharp Peak,	,,	30.02	762.5	70	70	E	1	b	7	30.01	762.2	64	39	...	0	b
Amoy,	,,	29.94	760.5	75	44	S	4	b	6	30.07	763.8	62	77	ENE	4	b
Swatow,	,,	30.02	762.5	75	74	ESE	2	b	,,	...	...	...	...	...	...	...
Taihoku.	11	30.08	764.1	75	26	NW	2	b	5	30.06	763.5	52	90	...	0	b
Taichu,	,,	30.10	764.4	77	...	NNW	2	b	,,	30.08	764.1	54	...	...	0	b
Tainan,	,,	30.06	763.5	81	...	SW	2	b	,,	30.05	763.2	57	...	E	2	b
Koshun,	,,	30.05	763.2	81	...	NNE	4	b	,,	30.04	762.9	70	...	NE	4	b
Pescadores,	,,	30.08	764.1	77	...	NNW	4	b	,,	30.05	763.2	68	...	N	4	b
Hong Kong,	14	30.00	762.0	77	40	E	3	b	6	30.05	763.2	67	58	E	1	b
Gap Rock,	,,	30.02	762.5	...	...	NNE	3	b	,,	30.04	763.0	...	...	ENE	3	b
Macao,	,,	29.98	761.4	82	54	SE	2	b	,,	30.01	762.3	63	88	SSE	1	bf
Hoihow,	,,	30.00	762.0	72	82	NE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.99	761.7	79	54	NE	4	b	,,	30.04	763.0	73	70	ENE	5	b
Phulien,	15	30.00	762.0	81	46	S	2	b	7	30.00	762.0	66	92	N	1	bf
Tourane,	,,	29.98	761.4	75	...	N	2	b	,,	30.00	762.0	68	...	WSW	2	bf
Cape St. James,	,,	29.84	757.8	84	...	E	6	o	,,	29.88	759.0	79	...	ENE	6	of
Basco,	14	29.95	760.8	77	57	NE	4	b	6	29.99	761.7	72	54	ESE	4	o
Aparri,	,,	29.91	759.6	75	71	NE	4	o	,,	29.97	761.1	72	92	S	2	o
Tuguegarao,	,,	29.88	759.0	77	86	NW	2	o	,,	29.95	760.8	72	91	...	0	o
Vigan,	,,	29.80	756.9	86	61	WNW	4	o	,,	29.85	758.1	81	56	ESE	2	o
Manila,	,,	29.81	757.2	86	61	SW	4	o	,,	29.88	759.0	77	79	E	1	o
Legaspi,	,,	29.81	757.2	86	65	NE	4	o	,,	29.88	759.0	79	76	NNE	4	o
Calboyog,	,,	29.80	756.9	86	65	N	2	o	,,	29.88	759.0	77	88	N	2	o
Tacloban,	,,	29.80	756.9	82	81	E	1	o	,,	29.89	759.3	75	91	...	0	r
Iloilo,	,,	29.76	756.0	86	58	NE	6	o	,,	29.85	758.1	75	91	NE	4	o
Cebu,	,,	29.76	756.0	86	61	NE	4	o	,,	29.85	758.1	75	91	N	4	o
Surigao,	,,	29.76	756.0	82	84	N	4	o	,,	29.84	757.8	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.77	756.1	77	...	E	5	c
Guam,	12.22	29.75	755.7	...	...	NE	6	o	4.22	29.82	757.5	...	...	E	1	r
Yap,	11.00	29.76	756.0	...	...	NE	4	o	5	29.81	757.2	78	...	N	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.5	78	...	...	0	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	81	...	ENE	3	bc
Labuan,	14	29.81	757.2	80	87	SW	2	b	6	29.84	757.9	77	91	NW	2	b

April 15*d.* 10*h.* 56*m.*—The anticyclone now extends from the Gulf of Tongking across the Loochoos to the Bonins. Depressions are situated over S. Manchuria and to the north-east of Hokkaido.

Moderate monsoon will continue over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·27 inches, against an average of 8·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	E. winds, moderate; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th April, 1929.								16th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.54	750.2	48	...	ESE	2	0	6	29.80	756.8	39	...	...	0	c
Nemuro,	11	20.41	747.0	...	...	SW	4	...	5	29.65	753.0	...	...	WNW	2	...
Hokodate,	,,	29.61	752.0	...	...	WSW	2	...	,,	20.78	756.5	..	...	W	1	...
Tokio,	,,	20.82	757.5	...	...	S	1	...	,,	29.90	759.5	...	...	...	0	...
Kochi	,,	30.00	762.0	...	...	SSE	1	...	,,	30.06	763.5	...	...	WSW	1	...
Nagasaki	,,	30.10	764.5	...	...	W	3	...	,,	30.08	764.0	..	...	SSW	2	...
Kagoshima	,,	30.10	764.5	...	...	S	1	...	,,	30.12	765.0	..	...	NW	1	...
Osaka	,,	30.16	766.0	...	...	NNE	1	...	,,	30.14	765.5	.	...	SSE	1	...
Nagasaki	,,	30.14	765.5	...	...	W	1	...	,,	30.10	764.5	.	...	ENE	1	...
Ishigaki,	,,	30.14	765.5	...	...	S	1	...	,,	30.08	764.0	..	..	S	1	...
Bonin Island,	,,	30.10	764.5	...	...	NNE	1	...	,,	30.16	766.0	...	...	...	0	...
Ch[illegible]	15	29.49	749.0	64	73	ENE	4	b	6	29.80	756.9	46	92	WNW	2	b
Shanghai,	14	29.93	760.2	43	...	SSW	4	b	,,	29.91	759.6	55	71	SSE	2	b
Gutzaff,	,,	30.01	762.2	65	58	S	4	b	,,	29.98	761.5	58	100	S	6	b
Sharp Peak,	,,	29.95	760.7	72	76	SE	1	b	7	29.98	761.5	65	91	...	0	b
Amoy,	,,	30.05	763.2	72	62	SSE	4	b	6	30.03	762.7	64	84	SSE	4	b
Swatow,	,,	30.05	763.2	71	86	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.08	764.1	81	32	...	0	b	5	30.04	762.9	57	96	...	0	b
Taichu,	,,	30.11	764.8	79	...	WSW	2	b	,,	30.06	763.5	61	...	...	0	b
Tainan,	,,	30.10	764.4	82	...	W	2	b	,,	30.04	762.9	59	...	E	2	b
Koshun,	,,	30.08	764.1	82	...	ENE	4	b	,,	30.02	762.6	68	...	...	0	b
Pescadores,	,,	30.10	764.4	77	...	WNW	2	b	,,	30.02	762.6	61	...	...	0	b
Hong Kong,	14	30.03	762.7	76	52	E	3	b	6	30.00	762.0	68	89	E	2	c
Gap Rock,	,,	30.04	763.0	...	...	ENE	4	b	,,	30.00	762.0	...	...	ENE	4	c
Macao,	,,	30.01	762.3	81	59	SE	2	b	,,	29.95	760.8	68	91	ESE	2	o
Hoihow,	,,	29.99	761.7	78	79	ENE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.0	80	59	ENE	5	b	,,	29.96	761.0	73	86	E	3	b
Phulien,	15	29.98	761.4	63	39	SSE	2	bf	7	29.98	761.4	66	96	SSE	2	bf
Tourane,	,,	29.98	761.4	77	...	NNE	2	bf	,,	29.95	760.8	70	...	NW	2	bf
Cape St. James,	,,	29.86	758.4	82	...	ENE	4	of	,,	29.89	759.3	77	...	ENE	6	of
Basco,	14	29.98	761.4	79	55	E	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.93	760.2	79	69	ENE	4	o	,,	29.95	760.8	72	91	...	0	o
Tuguegarao,	,,	29.91	759.6	86	58	S	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.85	758.1	86	56	SE	4	o	,,	29.92	759.9	72	88	E	1	b
Legaspi,	,,	29.85	758.1	86	65	NNE	4	o	,,	29.89	759.3	79	80	NNE	2	...
Calboyog,	,,	29.84	757.8	86	61	N	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.85	758.1	79	85	N	1	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	86	85	NE	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.80	756.9	86	58	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.81	757.2	82	81	NNE	2	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	E	6	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	E	2	o	5	29.81	757.2	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	84	NW	4	b	6	29.84	757.9	78	86	SW	2	b

April 16*d.* 10*h.* 13*m.*—The anticyclone is now central between the Loochoos and the Bonins. A depression is still indicated to the north-east of Hokkaido, and pressure remains relatively low over S. Manchuria.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·27 inches, against an average of 8·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	E. winds, moderate; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th April, 1929.								17th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.78	756.3	54	...	SE	2	o	6	29.90	759.5	39	...	...	o	b
Nemuro,	11	29.72	755.0	...	...	WNW	1	...	5	29.69	754.0	...	...	NNE	1	...
Hokodate,	,,	29.80	757.0	...	...	SSW	1	...	,,	29.80	757.0	...	...	...	o	...
Tokio,	,,	29.86	758.5	...	...	SE	1	...	,,	29.76	756.0	...	...	...	o	...
Kochi,	,,	30.02	762.5	...	...	SE	1	...	,,	29.96	761.0	...	...	...	o	...
Nagasaki,	,,	30.10	764.5	...	...	...	...	...	,,	30.00	762.0	...	...	SW	2	...
Kagoshima,	,,	30.10	764.5	...	...	SE	1	...	,,	30.02	762.5	...	...	WNW	1	...
Oshima,	,,	30.12	765.0	...	...	NNE	1	...	,,	30.04	763.0	...	...	S	1	...
Naha,	,,	30.14	765.5	...	...	S	2	...	,,	30.00	762.0	...	...	SE	1	...
Ishigakijima,	,,	30.08	764.8	...	...	S	1	...	,,	29.94	760.5	...	...	SSE	2	...
Bonin Island,	,,	30.14	765.5	...	...	ENE	1	...	,,	30.08	764.0	...	...	...	...	...
Chefoo,	15	29.84	757.9	56	57	NE	4	o	6	30.01	762.2	50	51	...	o	o
Shanghai,	14	29.84	757.8	43	...	SSW	2	b	,,	29.84	757.8	59	73	NNW	1	b
Gutzlaff,	,,	29.91	759.7	65	68	SSE	6	b	,,	29.88	758.9	60	71	S	4	o
Sharp Peak,	,,	29.88	758.9	72	76	E	1	b	7	...	...	...	...	...	...	...
Amoy,	,,	29.82	757.0	78	61	S	4	b	6	29.89	759.2	69	91	SSW	4	o
Swatow,	,,	29.96	761.0	75	91	ESE	2	b	,,	29.89	759.2	69	95	ENE	1	c
Taihoku,	11	30.04	762.9	79	52	WNW	2	b	5	29.92	759.9	61	96	...	o	b
Taichu,	,,	30.07	763.8	79	...	NW	2	b	,,	29.94	760.5	61	...	...	o	b
Tainan,	,,	30.02	762.6	86	...	N	2	b	,,	29.89	759.3	66	...	...	o	o
Koshun,	,,	30.02	762.6	79	...	ENE	4	b	,,	29.89	759.3	73	...	...	o	o
Pescadores,	,,	30.04	762.9	77	...	NNW	2	b	,,	29.89	759.3	68	...	...	o	b
Hong Kong,	14	29.94	760.5	76	67	E	3	c	6	29.86	758.4	70	95	E	1	c
Gap Rock,	,,	29.95	760.7	...	...	ENE	4	b	,,	29.84	757.9	...	...	E	3	b
Macao,	,,	29.97	761.1	82	63	SE	2	b	,,	29.82	757.5	70	98	SE	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.2	83	71	ENE	1	b	,,	29.85	758.2	69	95	SE	1	bcf
Phulien,	15	29.88	759.0	81	66	SSE	4	b	7	29.84	757.8	70	98	SSE	1	of
Tourane,	,,	29.88	759.0	79	...	SE	2	b	,,	29.85	758.1	72	...	ESE	2	bf
Cape St. James,	,,	29.86	758.4	82	...	NE	4	b	,,	29.84	757.8	77	...	ESE	4	o
Basco,	14	29.92	759.9	81	62	ESE	4	b	6	29.87	758.7	75	85	ESE	2	o
Aparri,	,,	29.87	758.7	84	71	NE	4	b	,,	29.86	758.4	72	96	...	o	b
Tuguegarao,	,,	29.87	758.7	90	57	...	o	o	,,	29.86	758.4	68	91	...	o	o
Vigan,	,,	29.84	757.8	86	61	WNW	4	b	,,	29.81	757.2	75	85	NNW	1	b
Manila,	,,	29.85	758.1	90	48	ENE	2	o	,,	29.86	758.4	72	88	NE	1	b
Legaspi,	,,	29.82	757.5	86	75	NE	2	o	,,	29.84	757.8	79	84	NNE	2	b
Calboyog,	,,	29.82	757.5	81	84	NNE	2	o	,,	29.82	757.5	75	94	...	o	o
Tacloban,	,,	29.82	757.5	82	81	W	1	o	,,	29.82	757.5	75	96	NW	1	o
Iloilo,	,,	29.81	757.2	86	65	NE	6	o	,,	29.82	757.5	75	91	N	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	88	...	o	o
Surigao,	,,	29.80	756.9	81	96	NNE	2	o	,,	29.80	756.9	75	96	SE	1	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	NE	4	o	4.22	29.80	756.9	...	...	NE	2	o
Yap,	11.00	29.80	756.9	...	...	...	o	r	5	29.78	756.3	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	86	84	SW	2	b	6	29.84	757.9	80	91	SW	2	b

April 17*d.* 11*h.* 10*m.*—The anticyclone is central near the Bonins; another appears to have developed to the north-west of Shantung.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·27 inches, against an average of 8·79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Light, variable winds, freshening from N.E.; fine to cloudy.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	18th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.83	757.6	54	...	SW	4	b	6	29.97	761.3	37	...	...	0	b
Nemuro,	11	29.67	753.5	...	...	SE	1	...	5	29.86	758.5	...	...	S	1	...
Hokodate,	,,	29.76	756.0	...	...	WNW	3	...	,,	29.94	760.5	...	...	...	0	...
Tokio,	,,	29.72	755.0	...	...	S	1	...	,,	29.84	758.0	...	...	...	0	...
Kochi,	,,	29.90	759.5	...	...	SE	1	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.96	761.0	...	...	SW	2	...	,,	29.82	757.5	...	...	WNW	1	...
Kagoshima,	,,	29.96	761.0	...	...	W	1	...	,,	29.84	758.0	...	...	...	0	...
Oshima,	,,	30.00	762.0	...	...	NNE	1	...	,,	29.86	758.5	...	...	S	1	...
Naha,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.84	758.0	...	...	SE	1	...
Ishigakijima,	,,	29.96	761.0	...	...	SSE	2	...	,,	29.80	757.0	...	...	S	3	...
Bonin Island,	,,	30.02	762.5	...	...	ENE	1	...	,,	30.00	762.0	...	...	...	0	...
Chefoo,	15	30.01	762.2	56	63	E	1	b	6	29.97	761.2	44	92	...	0	b
Shanghai,	14	29.86	758.4	64	62	NNE	1	o	,,	30.00	762.0	48	84	NNW	1	o
Gutzlaff,	,,	29.87	758.7	64	91	NNW	4	o	,,	30.10	764.5	52	66	N	4	o
Sharp Peak,	,,	29.74	755.4	77	77	S	2	o	7	29.74	755.4	68	85	NE	2	o
Amoy,	,,	29.79	756.6	75	86	W	1	o	6	29.75	755.6	69	95	SSE	1	cf
Swatow,	,,	29.82	757.4	79	83	S	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.89	759.3	82	51	...	0	b	5	29.76	756.0	70	92	S	2	o
Taichu,	,,	29.93	760.2	82	...	...	0	b	,,	29.81	757.2	73	...	...	0	o
Tainan,	,,	29.91	759.6	84	...	SW	4	b	,,	29.80	756.9	72	...	...	0	o
Koshun,	,,	29.91	759.6	82	...	S	2	b	,,	29.79	756.6	73	...	W	2	o
Pescadores,	,,	29.92	759.9	82	...	SSE	4	o	,,	29.78	756.3	73	...	SSW	2	o
Hong Kong,	14	29.82	757.4	77	76	ESE	1	o	6	29.78	756.3	71	89	...	0	of
Gap Rock,	,,	29.85	758.2	...	...	ESE	2	b	,,	29.78	756.3	...	...	SE	2	c
Macao,	,,	29.80	756.9	81	73	SSE	2	o	,,	29.75	755.7	68	96	...	0	o
Hoihow,	,,	29.78	756.4	81	87	N	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	757.9	80	77	SSW	1	c	,,	29.80	756.9	70	99	...	0	bf
Phulien,	15	29.76	756.0	79	76	SSE	4	o	7	29.81	757.2	72	94	NE	2	of
Tourane,	,,	29.79	756.6	81	...	SE	4	b	,,	29.78	756.3	73	...	ESE	2	of
Cape St. James,	,,	29.82	757.5	90	...	SE	4	b	,,	29.81	757.2	77	...	ESE	2	o
Basco,	14	29.82	757.5	84	68	SE	4	o	6	29.79	756.6	77	85	SE	2	b
Aparri,	,,	29.76	756.0	86	65	NNE	4	o	,,	29.79	756.6	73	92	SW	2	o
Tuguegarao,	,,	29.75	755.7	97	42	SE	1	o	,,	29.81	757.2	75	92	...	0	o
Vigan,	,,	29.79	756.6	86	65	W	4	b	,,	29.78	756.3	75	83	NW	1	b
Manila,	,,	29.76	756.0	93	46	SE	4	b	,,	29.81	757.2	73	88	...	0	b
Legaspi,	,,	29.78	756.3	90	63	NNE	2	o	,,	29.81	757.2	79	90	NE	1	o
Calboyog,	,,	29.75	755.7	81	90	W	4	o	,,	29.80	756.9	75	98	...	0	o
Tacloban,	,,	29.76	756.0	90	72	S	2	o	,,	29.81	757.2	77	91	NE	1	o
Iloilo,	,,	29.73	755.1	86	65	NE	4	o	,,	29.78	756.3	75	96	NE	4	o
Cebu,	,,	29.74	755.4	86	65	NE	4	o	,,	29.78	756.3	77	91	...	0	r
Surigao,	,,	29.74	755.4	82	87	NNE	2	o	,,	29.76	756.0	77	96	W	6	r
Saipan,	...	...	...	...	...	...	...	...	5	29.72	754.9	77	...	E	3	c
Guam,	12.22	29.74	755.4	...	...	NE	4	o	4.22	29.80	756.9	...	...	E	4	r
Yap,	11.00	29.74	755.4	...	...	ENE	4	o	5	29.78	756.3	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.77	756.1	77	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	78	...	E	2	c
Labuan,	14	29.79	756.6	86	84	NE	4	b	6	29.85	758.2	78	91	SW	2	b

April 18*d*. 11*h*. 40*m*.— The anticyclone is still indicated to the east of the Bonins; another has developed over N. China and South Manchuria. Pressure is relatively low over Japan and the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·27 inches, against an average of 8·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel, ...	Easterly or variable winds, light to moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th April, 1929.								19th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.95	760.7	54	...	S	2	b	6	30.05	763.3	40	...	...	0	0
Gemuro,	11	...	...	...	...	...	...	...	5	30.10	764.5	...	...	...	...	...
Hokodate,	,,	29.90	759.5	...	...	SSW	3	...	,,	30.16	766.0	...	...	NW	1	...
Tokio,	,,	29.88	759.0	...	...	ENE	2	...	,,	30.12	765.0	...	...	N	1	...
Kochi,	,,	29.82	757.5	...	...	N	1	...	,,	29.96	761.0	...	...	...	0	...
Nagasaki,	,,	20.84	758.0	...	...	N	1	...	,,	29.96	761.0	...	...	NNE	1	...
Kagoshima,	,,	29.82	757.5	...	...	NE	1	...	,,	29.90	759.5	...	...	N	1	...
Oshima,	,,	29.84	758.0	...	...	SSW	1	...	,,	29.78	756.5	...	...	...	...	...
Naha,	,,	29.82	757.5	...	...	S	3	...	,,	29.80	757.0	...	...	SSW	1	...
Ishigakijima,	,,	29.80	757.0	...	...	S	2	...	,,	29.82	757.5	...	...	...	...	...
Bonin Island,	,,	29.96	761.0	...	...	SE	1	...	,,	29.94	760.5	...	...	S	2	...
Chefoo,	15	29.98	761.5	64	48	SSW	1	0	6	30.02	762.5	52	53	SE	1	0
Shanghai,	14	29.94	760.5	68	25	NE	2	b	,,	29.99	761.7	43	97	ESE	1	b
Gutzlaff,	,,	30.12	765.0	60	49	N	2	0	,,	30.04	763.0	54	94	ESE	2	0
Sharp Peak,	,,	29.81	757.2	64	89	ENE	4	r	7	29.88	758.9	62	89	E	1	0
Amoy,	,,	29.73	755.1	74	86	E	4	0	6	29.89	759.2	62	83	ENE	4	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.81	757.2	73	96	NW	4	0	5	29.87	758.7	63	90	E	4	r
Taichu,	,,	29.85	758.1	82	...	W	2	0	,,	29.87	758.7	66	...	...	0	r
Tainan,	,,	29.82	757.5	84	...	SE	4	0	,,	29.86	758.4	68	...	NNE	2	r
Koshun,	,,	29.81	757.2	86	...	WNW	2	b	,,	29.84	757.8	70	...	...	0	0
Pescadores,	,,	29.82	757.5	77	...	SSW	4	0	,,	29.81	757.2	72	...	ENE	4	0
Hong Kong,	14	29.73	755.1	84	62	W	2	c	6	29.78	756.3	73	88	...	0	0
Gap Rock,	,,	29.76	755.9	...	...	SE	3	c	,,	29.78	756.3	...	...	NNW	3	0
Macao,	,,	29.72	754.8	90	63	SSW	2	0	,,	29.75	755.7	72	94	N	2	of
Hoihow,	,,	29.71	754.6	78	91	NW	2	0	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.77	756.1	82	76	SSW	2	b	,,	29.80	756.9	75	99	...	0	0
Phulien,	15	29.73	755.1	84	68	SSW	2	0	7	29.81	757.2	72	98	E	2	of
Tourane,	,,	29.74	755.4	75	...	NW	4	0	,,	29.76	756.0	73	...	SW	4	bf
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	...	ESE	2	0
Basco,	14	29.73	755.1	86	75	WSW	4	b	6	29.80	756.9	73	91	N	1	0
Aparri,	,,	20.71	754.5	86	65	NE	4	b	,,	29.82	757.5	77	84	NW	2	0
Tuguegarao,	,,	29.68	753.9	75	26	SSE	1	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.8	86	58	WNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	93	40	SE	4	b	,,	29.81	757.2	79	85	...	0	0
Legaspi,	,,	29.73	755.1	90	69	NE	4	0	,,	29.81	757.2	79	90	NE	1	0
Calboyog,	,,	29.73	755.1	82	86	...	0	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.75	755.7	82	87	S	2	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	71	NE	4	0	,,	29.79	756.6	79	91	NE	4	0
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.72	754.8	81	87	...	0	0	,,	29.80	756.9	75	96	...	0	0
Saipan,	...	...	...	...	...	...	...	...	5	29.77	756.1	75	...	E	3	c
Guam,	12.22	29.75	755.7	...	...	E	4	0	4.22	29.84	757.8	...	...	NE	4	0
Yap,	11.00	29.73	755.1	...	...	NE	4	0	5	29.79	756.6	...	...	NE	1	0
Pelew,	...	...	...	...	...	...	...	...	,,	29.81	757.2	79	...	NE	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.87	758.7	76	...	ENE	2	c
Labuan,	14	29.77	756.1	88	88	SW	4	b	6	29.84	757.9	75	90	SW	1	0

April 19*d.* 11*h.* 30*m.*— Pressure is highest over Japan and relatively low over the Eastern Sea and the Gulf of Tongking. Gradients continue to be slight.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·27 inches, against an average of 9·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Easterly or variable winds, moderate; cloudy, some rain.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	20th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.02	762.5	49	...	SE	4	b	6	30.13	765.4	42	...	NNE	3	c
Nemuro,	11	30.14	765.5	...	...	S	1	...	5	30.28	769.0	...	...	SE	2	...
Hokodate,	,,	30.18	766.5	...	...	SE	1	...	,,	30.12	765.0	...	...	...	0	...
Tokio,	,,	30.16	766.0	...	...	NW	1	...	,,	30.08	764.0	...	...	NNW	1	...
Kochi,	,,	29.96	761.0	...	...	SE	1	...	,,	29.80	757.0	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	NNE	1	...	,,	29.75	755.5	...	...	...	0	...
Kagoshima,	,,	29.90	759.5	...	...	NE	2	...	,,	29.75	755.5	...	...	...	0	...
Oshima,	,,	29.78	756.5	...	...	N	1	...	,,	29.76	756.0	...	...	...	0	...
Naha,	,,	29.84	758.0	...	...	W	1	...	,,	29.76	756.0	...	...	SSW	1	...
Ishigakijima,	,,	29.86	758.4	...	...	...	0	...	,,	29.78	756.5	...	...	...	...	...
Bonin Island,	,,	29.98	761.5	...	...	...	...	...	,,	29.94	760.5	...	...	S	1	...
Chefoo,	15	30.04	763.0	50	72	E	2	o	6	30.09	764.3	46	86	...	0	o
Shanghai,	14	29.95	760.8	63	60	ENE	1	o	,,	29.85	758.1	54	95	NNW	2	r
Gutzlaff,	,,	30.09	764.3	60	82	NE	2	o	,,	29.87	758.7	58	100	NNE	2	rf
Sharp Peak,	,,	29.83	757.7	66	79	NE	1	o	7	29.81	757.2	64	91	S	1	o
Amoy,	,,	29.88	758.9	66	79	NNE	1	o	6	29.85	758.2	65	91	SSE	2	b
Swatow,	,,	29.86	758.4	68	95	NE	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	29.92	759.9	70	77	E	4	o	5	29.82	757.5	64	96	...	o	r
Taichu,	,,	29.89	759.3	79	...	...	o	b	,,	29.88	759.0	68	...	...	o	r
Tainan,	,,	29.86	758.4	82	...	W	2	o	,,	29.86	758.4	72	...	...	o	r
Koshun,	,,	29.85	758.1	86	...	S	2	o	,,	29.81	757.2	72	...	NW	2	o
Pescadores,	,,	29.88	759.0	77	...	NE	4	o	,,	29.87	758.7	70	...	NNW	4	o
Hong Kong,	14	29.80	756.9	74	82	E	3	o	6	29.88	758.9	72	86	...	o	c
Gap Rock,	,,	29.81	757.2	...	...	ENE	3	c	,,	29.89	759.2	...	...	NNE	4	c
Macao,	,,	29.75	755.7	81	73	SE	2	o	,,	29.86	758.4	70	88	NNE	2	o
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.2	81	83	W	1	c	,,	29.88	758.9	73	94	NNW	2	c
Phulien,	15	29.79	756.6	81	76	SSE	1	o	7	29.94	760.5	68	98	WNW	4	of
Tourane,	,,	29.81	757.2	75	...	NNW	6	o	,,	29.89	759.3	73	...	NW	4	of
Cape St. James,	,,	29.78	756.3	93	...	SE	2	b	,,	29.84	757.8	79	...	ESE	2	b
Basco,	14	29.79	756.6	86	65	W	2	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	86	61	NE	4	b	,,	29.85	758.1	73	96	SW	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	93	57	WSW	4	b	,,	29.85	758.1	79	89	...	0	o
Legaspi,	,,	29.75	755.7	90	69	NE	4	b	,,	29.84	757.8	81	87	NE	1	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	90	57	E	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.74	755.4	86	71	E	4	b	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.89	759.3	75	...	ENE	3	c
Guam,	12.22	29.81	757.2	...	...	NE	4	o	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	NE	4	o	5	29.82	757.5	...	...	NE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.80	756.9	80	...	ENE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.86	758.4	79	...	ENE	2	c
Labuan,	14	29.78	756.4	86	84	NE	4	b	6	29.81	757.2	78	91	SW	2	b

April 20*d.* 10*h.* 45*m.*— Pressure is highest to the north-east of Japan; a shallow depression covers the Loochoos.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 2·33 inches, against an average of 9·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine generally.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.08	764.1	56	...	N	2	c	6	29.79	756.6	35	...	NNE	5	o
Nemuro,	11	30.20	767.0	...	...	SSE	2	...	5	29.82	757.5	..	...	ENE	3	...
Hokodate,	,,	30.06	763.5	...	...	SW	1	...	,,	29.47	748.5	..	...	E	2	...
Tokio,	,,	29.96	761.0	...	...	NNW	1	...	,,	29.15	740.5	..	...	SSW	3	...
Kochi,	,,	29.70	754.5	...	...	...	0	...	,,	29.51	749.5	...	...	W	1	...
Nagasaki,	,,	29.67	753.5	...	...	...	0	...	,,	29.78	756.5	..	...	NNW	1	...
Kagoshima,	,,	29.67	753.5	...	...	...	0	...	,,	29.75	755.5	..	...	WNW	2	...
Oshima,	,,	29.69	754.0	...	...	S	1	...	,,	29.90	759.5	...	...	N	2	...
Naha,	,,	29.76	756.0	...	...	WSW	3	...	,,	29.98	761.5	..	...	NNW	5	...
Ishigakijima,	,,	29.82	757.5	...	...	NW	2	...	,,	30.02	762.5	...	..	NNE	1	...
Bonin Island,	,,	29.94	760.5	...	...	SSW	2	...	,,	29.84	758.0	...	...	SW	3	...
Chefoo,	15	29.99	761.7	54	38	NW	4	o	6	30.04	763.0	42	66	W	2	b
Shanghai,	14	29.94	760.5	60	41	WNW	4	b	,,	30.17	766.2	43	91	W	2	b
Gutzlaff,	,,	29.95	760.8	64	82	NNW	4	b	,,	30.21	767.3	54	89	NW	6	b
Sharp Peak,	,,	29.78	756.4	73	76	SW	1	b	7	30.05	763.2	66	84	ENE	2	o
Amoy,	,,	29.86	758.4	76	60	SSE	2	b	6	30.02	762.5	66	91	SSW	1	bf
Swatow,	,,	29.89	759.2	80	72	S	2	b	,,	30.03	762.7	65	90	ENE	1	c
Taihoku,	11	29.88	759.0	79	58	W	4	b	5	30.04	762.9	59	91	E	2	b
Taichu,	,,	29.92	759.9	79	...	NNW	2	b	,,	30.00	762.0	57	...	...	0	b
Tainan,	,,	29.87	758.7	82	...	NNW	4	b	,,	29.95	760.8	61	...	NW	1	o
Koshun,	,,	29.84	757.8	82	...	NW	4	o	,,	29.95	760.8	72	...	NE	4	o
Pescadores,	,,	29.89	759.3	79	...	NW	8	o	,,	29.97	761.1	72	...	NNE	4	b
Hong Kong,	14	29.88	759.0	87	33	WSW	2	c	6	29.98	761.5	70	81	E	1	c
Gap Rock,	,,	29.91	759.6	...	...	...	0	b	,,	29.96	761.0	...	...	E	2	b
Macao,	,,	29.92	759.9	82	40	NW	2	o	,,	29.94	760.5	70	74	ESE	2	o
Hoihow,	,,	29.89	759.2	85	87	NE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	758.9	79	74	NNW	1	bc	,,	29.95	760.7	74	69	NE	4	c
Phulien,	15	29.92	759.9	81	69	W	2	o	7	29.95	760.7	72	...	ENE	4	o
Tourane,	,,	29.88	759.0	73	...	NW	6	o	,,	29.91	759.7	72	...	W	2	of
Cape St. James,	,,	29.82	757.5	86	...	SE	2	o	,,	29.87	758.7	75	...	NNE	4	o
Basco,	14	29.80	756.9	79	80	WNW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.79	756.6	90	57	NNW	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	75	86	WNW	1	o
Manila,	,,	29.75	755.7	93	50	WNW	2	b	,,	29.85	758.1	77	79	NE	1	b
Legaspi,	,,	29.78	756.3	90	63	NE	2	b	,,	29.82	757.5	77	91	...	0	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	75	94	NW	2	b
Iloilo,	,,	29.74	755.4	90	57	E	4	b	,,	29.80	756.9	75	88	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	77	85	N	2	o
Surigao,	,,	29.78	756.3	86	68	E	4	r	,,	29.80	756.9	75	94	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.77	756.1	77	...	E	3	bc
Guam,	12.22	29.80	756.9	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	ENE	2	o	5	29.80	756.9	...	...	NE	2	bc
Pelew,	...	...	...	...	...	...	...	...	,,	29.79	756.6	79	...	NE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.8	82	...	ENE	2	bc
Labuan,	14	29.82	757.4	84	83	SW	2	b	6	29.84	757.9	75	90	SW	2	b

April 21*d.* 11*h.* 15*m.*—An anticyclone has formed over China. The depression has deepened considerably and moved north-eastward. It is now central to the N. of Tokio.

The monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·33 inches, against an average of 9·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate to fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; fine to cloudy.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st April, 1929.								22nd April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.68	753.9	35	...	N	5	0	6	29.84	757.8	42	...	NNW	2	0
Nemuro,	11	29.45	748.0	...	...	E	6	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.80	757.0	...	...	N	2	...	,,	29.13	740.0	...	...	NW	3	...
Tokio,	,,	29.04	737.5	...	...	SSW	6	...	,,	29.69	754.0	...	...	...	0	...
Kochi,	,,	29.65	753.0	...	...	E	1	...	,,	30.00	762.0	...	...	SW	1	...
Nagasaki,	,,	29.90	759.5	...	...	NNW	2	...	,,	30.12	765.0	...	...	NNW	1	...
Kagoshima,	,,	29.86	758.5	...	...	NW	4	...	,,	30.12	765.0	...	...	...	0	...
Oshima,	,,	30.00	762.0	...	...	N	2	...	,,	30.14	765.5	...	...	N	1	...
Naha,	,,	30.08	763.0	...	...	NNW	4	...	,,	30.16	766.0	...	...	NE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	N	2	...	,,	30.12	765.0	...	...	N	1	...
Bonin Island,	,,	29.82	757.5	...	...	SSW	1	...	,,	29.98	761.5	...	...	NW	1	...
Chefoo,	15	29.81	757.2	52	66	WNW	4	b	6	30.04	763.0	48	56	SW	4	b
Shanghai,	14	30.19	766.8	64	20	NW	4	b	,,	30.20	767.1	45	74	SE	2	b
Gutzlaff,	,,	30.25	768.3	58	42	N	2	b	,,	30.25	768.3	56	69	S	4	b
Sharp Peak,	,,	30.06	763.5	68	79	E	2	b	7	30.09	764.3	62	83	E	1	o
Amoy,	,,	30.05	763.2	70	80	ENE	2	b	6	30.09	764.3	63	72	ENE	4	b
Swatow,	,,	29.95	760.8	71	86	E	2	b	,,	30.11	764.8	64	95	ENE	3	o
Taihoku,	11	30.12	763.0	72	62	ENE	6	o	5	30.10	764.4	59	81	E	4	b
Taichu,	,,	30.04	762.9	79	...	N	4	o	,,	30.06	763.5	57	...	...	0	b
Tainan,	,,	30.01	762.3	84	...	N	4	b	,,	30.02	762.6	59	...	NE	2	b
Koshun,	,,	30.02	762.6	81	...	NE	4	o	,,	30.04	762.9	66	...	NE	4	b
Pescadores,	,,	30.06	763.5	79	...	NNE	6	b	,,	30.04	762.9	66	...	NNE	4	b
Hong Kong,	14	29.91	761.7	78	36	E	3	c	6	30.02	762.5	68	81	ENE	4	o
Gap Rock,	,,	30.00	762.0	...	...	ENE	4	c	,,	30.01	762.1	...	...	E	4	c
Macao,	,,	29.97	761.1	84	34	SE	4	o	,,	30.06	763.5	73	79	ESE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.97	761.2	80	70	ENE	4	c	,,	29.97	761.2	73	78	ENE	5	b
Phulien,	15	29.93	760.2	82	60	ESE	4	o	7	29.95	760.8	70	88	E	4	of
Tourane,	,,	29.80	759.0	73	...	NW	2	o	,,	29.91	759.6	73	...	NE	2	of
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	79	...	ENE	6	o
Basco,	14	29.93	760.2	79	52	NE	4	o	6	29.99	761.7	75	71	ENE	4	o
Aparri,	,,	29.87	758.7	81	62	ENE	4	o	,,	29.95	760.8	73	79	E	4	o
Tuguegarao,	,,	29.81	757.2	90	55	NW	2	o	,,	29.91	759.6	73	82	N	2	o
Vigan,	,,	29.76	756.0	90	51	NNW	4	b	,,	29.81	757.2	81	56	E	4	b
Manila,	,,	29.76	756.0	90	55	WSW	2	o	,,	29.86	758.4	75	92	ENE	1	o
Legaspi,	,,	29.80	756.9	90	63	NE	4	o	,,	29.84	757.8	81	80	NNE	2	o
Calboyog,	,,	29.78	756.3	85	68	SW	2	o	,,	29.85	758.1	73	94	...	0	o
Tacloban,	,,	29.78	756.3	86	71	E	2	o	,,	29.85	758.1	77	89	NW	1	b
Iloilo,	,,	29.75	755.7	90	55	NE	4	b	,,	29.82	757.5	77	91	NNE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	50	N	2	o
Surigao,	,,	29.78	756.3	86	78	...	0	b	,,	29.81	757.2	79	85	SE	1	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.73	755.1	...	...	ENE	4	o	5	29.78	756.3	...	...	NE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	84	83	NW	2	b	6	29.82	757.4	78	86	NE	2	b

April 22*d.* 10*h.* 35*m.*—The anticyclone is moving eastward, and is now central over the Eastern Sea. The depression is situated in the immediate vicinity of Hakodate.

Fresh monsoon will prevail along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·33 inches, against an average of 9·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	23rd April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29 87	758.6	56	...	N	4	c	6	29.84	757.8	37	...	...	0	0
Nemuro,	11	...	...	...	...	...	...	...	5	29.78	756.5	...	...	NW	6	...
Hokodate,	"	29 37	746.0	...	...	WNW	4	...	"	30.04	763 0	...	...	NW	3	...
Tokio,	"	29 69	754.0	...	...	NNE	1	...	"	30.18	766.5	...	...	WNW	1	...
Kochi,	"	30.04	763 0	...	...	NW	2	...	"	30.34	770.5	...	...	WSW	1	...
Nagasaki,	"	30.18	766.5	...	...	WNW	4	...	"	30 30	769.5	...	...	SE	2	...
Kagoshima,	"	30.16	766 0	...	...	NW	2	...	"	30.30	769.5	...	...	NW	1	...
Oshima,	"	30.20	767.0	...	...	NNE	2	...	"	30.24	768 0	...	...	S	1	...
Naha,	"	30.18	766.5	...	...	N	3	...	"	30.18	766.5	...	...	ENE	1	...
Ishigakijima,	"	30 16	766.0	...	...	NE	2	...	"	30.12	765.0	...	...	SE	1	...
Bonin Island,	"	30.04	763.0	...	...	WNW	1	...	"	30.18	766.5	...	...	NNE	1	...
Chefoo,	15	29.86	758.4	68	56	SE	6	b	6	29.73	755.1	56	81	S	7	0
Shanghai,	14	30.10	764.4	68	32	SSE	4	b	"	30.02	762.6	55	71	SSE	2	b
Gutzlaff,	"	30.18	766.6	60	49	SSE	6	b	"	30.11	764.8	58	90	SSE	6	b
Sharp Peak,	"	30.08	764.1	67	72	E	2	b	7	29.94	760.5	63	78	NW	1	cf
Amoy,	"	...	...	74	76	ENE	4	b	6	30.07	763.8	64	76	NNW	4	0
Swatow,	"	30.05	763.2	68	95	E	2	b	"	...	...	...	...	...	...	...
Taihoku,	11	30.12	765.0	77	54	E	4	b	5	30.06	763.5	61	85	SE	2	0
Taichu,	"	30.08	764.1	79	...	...	0	b	"	30 07	763.8	63	...	...	0	0
Tainan,	"	30.06	763 5	79	...	SW	2	b	"	30.04	762.9	63	...	..	0	0
Koshun,	"	30.04	762.9	77	...	NE	4	b	"	30.05	763.2	70	...	NE	2	0
Pescadores,	"	30 07	763.8	77	...	NNE	6	b	"	30.04	762.9	68	...	NNE	2	0
Hong Kong,	14	30 01	762.2	71	69	E	3	c	6	30 02	762 5	69	82	E	3	0
Gap Rock,	"	29.90	761.7	...	...	ENE	5	0	"	29.99	761.7	...	...	E	5	0
Macao,	"	30 06	763.5	77	68	ESE	2	0	"	30.05	763.2	73	86	ESE	2	0
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.97	761.2	79	66	ENE	6	c	"	29.98	761.4	74	80	ENE	5	c
Phulien,	15	29 93	760.2	77	72	E	6	cf	7	29.97	761.1	70	100	NE	2	of
Tourane,	"	29 86	758.4	81	...	ESE	2	b	"	29.92	759.9	72	...	SE	4	1f
Cape St. James,	"	...	...	...	...	...	...	...	"	29.85	758.1	79	...	ENE	4	0
Basco,	14	29.98	761 5	73	62	NE	4	0	6	29.99	761 7	73	71	...	0	0
Aparri,	"	29.94	760.5	73	86	NE	4	0	"	29.95	760.8	73	91	...	0	0
Tuguegarao,	"	29.89	759.3	81	50	N	4	0	"	29.97	761.1	73	91	N	1	0
Vigan,	"	29.79	756.6	86	52	WNW	4	b	"	29 86	758.4	82	63	E	1	b
Manila,	"	29.80	756.9	90	55	NE	4	0	"	29.89	759.3	75	96	...	0	b
Legaspi,	"	29.79	756.6	90	63	ENE	4	0	"	..	...	...	...	...	...	...
Calbayog,	"	29.78	756.3	84	81	WSW	4	0	"	29.86	758 4	75	94	NW	1	b
Tacloban,	"	29.78	756 3	86	68	SE	2	0	"	29.86	758.4	77	92	NW	2	b
Iloilo,	"	29.75	755.7	90	57	NE	6	0	"	29.84	757.8	75	96	NE	4	b
Cebu,	"	29.75	755.7	90	51	NE	4	0	"	29.84	757.8	77	84	N	1	b
Surigao,	"	29.76	756 0	86	71	E	2	0	"	29.84	757.8	73	96	...	0	b
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	...	E	4	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	E	4	0	5	29.81	757.2	...	...	SE	2	r
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NE	4	b	6	29.82	757.4	78	86	NE	2	b

April 23*d.* 11*h.* 30*m.*—The anticyclone has moved eastward to South Japan, the depression near Nemuro yesterday having passed into the Pacific. The continental depression has reached the Gulf of Pechili.

Fresh monsoon will prevail over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·33 inches, against an average of 10·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	E. winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; fair.
3.—Hong Kong to Gap Rock,	E. winds, moderate; fair.
4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fair.

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd April, 1929.								24th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.22	767.7	50	...	SE	2	o	6	30.20	767.0	41	...	...	0	o
Nemuro,	11	30.04	763.0	...	...	NW	4	...	5	30.24	768.0	...	...	SW	1	...
Hokodate,	"	30.16	766.0	...	...	NW	2	...	"	30.30	769.5	...	...	...	...	...
Tokio,	"	30.24	768.0	...	...	N	3	...	"	30.32	770.0	...	...	NNW	1	...
Kochi,	"	30.30	769.5	...	...	S	1	...	"	30.32	770.0	...	...	WSW	1	...
Nagasaki,	"	30.31	770.0	...	...	SW	2	...	"	30.14	765.5	...	...	SSE	3	...
Kagoshima,	"	30.30	769.5	...	...	S	1	...	"	30.26	768.5	...	...	NW	1	...
Oshima,	"	30.26	768.5	...	...	SSE	1	...	"	30.20	767.0	...	...	...	0	...
Naha,	"	30.22	767.5	...	...	ENE	2	...	"	30.14	765.5	...	...	E	1	...
Ishigakijima,	"	30.18	766.5	...	...	SE	3	...	"	30.06	763.5	...	...	ESE	1	...
Bonin Island,	"	30.24	768.0	...	...	NE	1	...	"	30.24	768.0	...	...	E	1	...
Chefoo,	15	29.90	759.4	52	93	NW	6	o	6	30.15	765.8	44	100	NNE	2	b
Shanghai,	14	30.00	762.0	...	...	SSE	2	b	"	30.05	763.2	57	96	SE	1	b
Gutzlaff,	"	30.08	764.0	64	78	SSE	5	b	"	30.11	764.8	60	94	SSE	2	b
Sharp Peak,	"	30.02	762.5	69	80	...	0	o	7	29.99	761.7	66	84	...	0	b
Amoy,	"	30.05	763.2	73	67	SSE	4	b	6	30.02	762.5	66	91	SE	2	o
Swatow,	"	30.05	763.2	68	81	ESE	1	c	"	...	...	...	...	...	...	...
Taihoku,	11	30.11	764.7	79	55	NE	2	o	5	30.02	762.6	61	59	...	0	b
Taichu,	"	30.15	765.9	75	...	...	0	o	"	30.00	762.0	64	...	...	0	b
Tainan,	"	30.07	763.8	82	...	NNW	2	o	"	30.01	762.3	64	...	...	0	b
Koshun,	"	30.08	764.1	75	...	NE	4	o	"	30.00	762.0	73	...	NNE	2	o
Pescadores,	"	30.10	764.4	75	...	NE	4	o	"	30.01	762.3	68	...	...	0	b
Hong Kong,	14	30.02	762.5	74	74	E	3	o	6	29.98	761.5	70	83	E	2	o
Gap Rock,	"	30.01	762.2	...	...	ENE	5	o	"	29.96	761.0	...	...	E	5	o
Macao,	"	30.06	763.5	72	75	ESE	2	o	"	30.01	762.3	72	86	ESE	4	o
Hoihow,	"	29.91	759.7	81	78	NE	2	c	"	...	...	...	...	...	...	...
Pratas Island,	"	29.99	761.7	76	78	ENE	5	o	"	29.95	760.7	74	86	ENE	4	b
Phulien,	15	29.03	760.2	75	86	SSE	2	of	7	29.89	759.3	72	98	ESE	4	of
Tourane,	"	29.86	758.4	79	...	SE	2	of	"	29.88	759.0	73	...	NE	2	of
Cape St. James,	"	29.81	757.2	82	...	ENE	7	b	"	29.82	757.5	79	...	ENE	6	bf
Basco,	14	29.98	761.4	81	62	ESE	4	o	6	29.94	760.5	75	76	E	2	o
Aparri,	"	29.91	759.6	84	64	ENE	4	o	"	29.91	759.6	72	94	...	0	o
Tuguegarao,	"	29.88	759.0	90	55	SE	1	o	"	29.91	759.6	72	92	SE	1	o
Vigan,	"	29.82	757.5	86	58	WNW	4	b	"	29.82	757.5	79	61	ESE	2	b
Manila,	"	29.84	757.8	90	48	NE	2	o	"	29.85	758.1	75	85	NE	1	b
Legaspi,	"	29.80	756.9	86	71	NNE	2	o	"	29.80	756.9	79	89	NNE	2	b
Calbayog,	"	29.79	756.6	90	60	NNE	4	o	"	29.80	756.9	75	96	...	0	o
Tacloban,	"	29.81	757.2	84	77	E	7	o	"	29.81	757.2	77	92	NW	4	o
Iloilo,	"	29.76	756.0	90	60	NE	6	b	"	29.80	756.9	75	91	NE	4	b
Cebu,	"	...	...	...	...		...	...	"	29.79	756.6	79	76	...	0	o
Surigao,	"	29.79	756.6	86	71	N	2	b	"	29.78	756.3	77	92	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.91	759.7	76	...	E	4	c
Guam,	12.22	29.85	758.1	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	S	2	o	5	29.82	757.5	...	...	SE	4	o
Pelew,	...	...	...	...	...	...	...	...	"	29.80	756.9	80	...	ESE	2	o
Ponape,	...	...	...	...	...	...	...	...	"	29.84	757.9	77	...	ENE	2	c
Labuan,	14	29.78	756.4	90	77	NE	2	b	6	29.85	758.2	78	91	NE	2	b

April 24*d.* 10*h.* 57*m.*—The anticyclone now covers Japan; the depression appears to have filled up.

Moderate monsoon will prevail over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 2·34 inches, against an average of 10·26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; fair.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.
DAILY WEATHER REPORT.

Station.	24th April, 1929.								25th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Vladivostock,	12	30.18	766.5	49	...	SE	2	c	6	29.63	752.6	39	...	SE	2	o
Kemuro,	11	30.14	765.5	...	...	SSW	4	...	5	30.02	762.5	...	...	SW	1	...
Hakodate,	,,	30.22	767.5	...	...	WSW	1	...	,,	30.10	764.5	...	...	...	o	...
Tokio,	,,	30.22	767.5	...	...	SSE	2	...	,,	30.12	765.0	...	...	...	o	...
Kochi,	,,	30.26	768.5	...	...	SE	1	...	,,	30.22	767.5	...	...	W	1	...
Nagasaki,	,,	30.24	768.0	...	...	S	2	...	,,	30.16	766.0	...	...	SSE	1	...
Kagoshima,	,,	30.26	768.5	...	...	SE	1	...	,,	30.20	767.0	...	...	...	o	...
Oshima,	,,	30.22	767.5	...	...	SE	1	...	,,	30.12	765.0	...	...	SSE	1	...
Taiha,	,,	30.18	766.5	...	...	E	3	...	,,	30.06	763.5	...	...	E	1	...
Ishigakijima,	,,	30.12	765.0	...	...	ENE	2	...	,,	30.00	762.0	...	..	ESE	1	...
Bonin Island,	,,	30.22	767.5	...	...	ENE	1	...	,,	30.24	768.0	...	...	E	1	...
Chefoo,	15	30.02	762.5	54	80	E	1	o	6	29.72	754.9	48	100	E	1	r
Shanghai,	14	30.00	762.0	84	40	SSE	2	b	,,	29.91	759.6	63	90	SSE	2	b
Tsingtaff,	,,	30.07	763.8	64	84	SSE	4	b	,,	29.99	761.7	60	71	SSE	6	o
Sharp Peak,	,,	29.96	761.0	73	81	ENE	2	b	7	29.91	759.7	71	80	SE	1	b
Amoy,	,,	30.05	763.2	75	52	ESE	2	b	6	29.96	761.0	70	85	SSE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.04	762.9	84	45	E	2	b	5	29.95	760.8	64	94	...	o	b
Taichu,	,,	30.05	763.2	81	...	WSW	2	b	,,	29.99	761.7	63	...	...	o	b
Tainan,	,,	30.02	762.6	72	...	WNW	2	o	,,	29.97	761.1	63	...	...	o	b
Koshun,	,,	30.02	762.6	82	...	ENE	4	b	,,	29.94	760.5	72	...	NE	2	b
Escadores,	,,	30.04	762.9	54	...	NNW	4	b	,,	29.95	760.8	68	...	...	o	o
Hong Kong,	14	29.94	760.5	76	74	E	4	c	6	29.91	759.7	72	89	E	3	o
Gap Rock,	,,	29.93	760.2	...	...	ENE	5	o	,,	29.90	759.4	...	...	E	4	o
Macao,	,,	29.93	760.2	75	79	SE	4	o	,,	29.86	758.4	72	94	SE	4	of
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.92	759.9	81	71	E	5	b	,,	29.90	759.4	75	88	E	3	o
Haulien,	15	29.82	757.5	81	76	SSE	6	o	7	29.82	757.5	75	98	SSE	6	of
Tourane,	,,	29.84	757.8	82	...	SE	2	b	,,	29.82	757.5	75	...	S	4	of
Cape St. James,	,,	29.80	756.9	82	...	ENE	6	c	,,	29.81	757.2	79	...	ENE	6	o
Basco,	14	...	...	...	...	...	...	...	6	29.91	759.6	75	79	NE	2	o
Aparri,	,,	29.87	758.7	82	70	NE	4	o	,,	29.87	758.7	73	94	...	o	b
Dagupegarao,	,,	29.84	757.8	90	55	N	1	o	,,	29.87	758.7	72	92	N	1	o
Legan,	,,	29.79	756.6	86	65	WNW	2	o	,,	29.79	756.6	77	84	WNW	1	b
Manila,	,,	29.80	756.9	86	61	WSW	2	o	,,	29.82	757.5	73	85	NE	1	b
Legaspi,	,,	29.75	755.7	86	65	NNE	4	o	,,	29.75	755.7	79	90	N	1	o
Calboyog,	,,	...	...	...	...		...	...	,,	29.75	755.7	77	96	NNW	2	o
Tacloban,	,,	29.72	754.8	86	78	N	6	r	,,	29.75	755.7	79	90	W	2	o
Iloilo,	,,	29.73	755.1	90	57	NE	4	o	,,	29.78	756.3	77	88	NE	4	o
Cebu,	,,	29.73	755.1	86	65	S	4	o	,,	29.76	756.0	79	80	...	o	o
Surigao,	,,	29.72	754.8	86	71	NNW	2	o	,,	29.73	755.1	79	87	...	o	o
Davao,	...	...	...	...	...	...	...	...	5	29.91	759.7	76	...	E	4	bc
Iloilo,	12.22	29.80	756.9	...	...	NE	4	o	4.22	29.87	758.7	...	...	NE	3	o
Cebu,	11.00	29.80	756.9	...	...	ESE	4	o	5	29.84	757.8	83	...	ESE	2	bc
Zamboanga,	...	...	...	...	...	...	...	...	,,	29.82	757.5	80	...	ESE	2	bc
Iloilo,	...	...	...	...	...	...	...	...	,,	29.88	758.9	78	...	E	2	r
Cebu,	14	29.77	756.1	88	84	NW	4	b	6	29.85	758.2	76	56	SW	2	b

April 25*d.* 11*h.* 30*m.*—The anticyclone is now central between S.W. Japan and the Bonins, and has weakened.

Depressions exist to the W.N.W. of Shanghai and to the east of N. Mindanao.

Manila warning. 24*d.* 18*h.* 00*m.*:—Cyclone or typhoon east of southern Visayas or northern Mindanao moving N.W. or N.N.W. Recd. 24*d.* 19*h.* 25*m.*

Shanghai warning 24*d.* 21*h.* 20*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 131° E., moving N.W. Recd. 24*d.* 21*h.* 56*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·34 inches, against an average of 10·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; cloudy, misty, some rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th April, 1929.								26th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.97	761.3	39	...	SE	2	r	6	29.52	749.9	39	...	...	0	r
Nemuro,	11	29.92	760.0	...	...	S	1	...	5	29.71	754.5	...	...	...	...	...
Hokodate,	,,	30.00	762.0	...	...	SSW	1	...	,,	29.76	756.0	...	...	...	...	...
Tokio,	,,	30.08	764.0	...	...	SE	1	...	,,	29.96	761.0	...	...	SSW	1	...
Kochi,	,,	30.20	767.0	...	...	SE	1	...	,,	30.00	762.0	...	...	...	0	...
Nagasaki,	,,	30.12	765.0	...	...	S	5	...	,,	29.86	758.5	...	...	SW	3	...
Kagoshima,	,,	30.16	766.0	...	...	S	1	...	,,	29.94	760.5	...	...	...	...	...
Oshima,	,,	30.12	765.0	...	...	SSE	2	...	,,	29.90	759.5	...	...	S	1	...
Naha,	,,	30.06	763.5	...	...	ESE	3	...	,,	29.90	759.5	...	...	ESE	1	...
Ishigakijima,	,,	30.00	762.0	...	...	SE	2	...	,,	29.88	759.0	...	...	SE	1	...
Bonin Island,	,,	30.22	767.5	...	...	E	1	...	,,	30.16	766.0	...	...	SSE	1	...
Chefoo,	15	29.80	756.9	50	100	NW	4	o	6	29.67	753.6	54	94	SW	2	o
Shanghai,	14	29.91	759.6	68	77	WNW	4	r	,,	29.98	761.4	55	93	WSW	1	o
Gutzlaff,	,,	29.93	760.2	65	84	SSW	2	o	,,	29.99	761.7	54	94	WNW	2	r
Sharp Peak,	,,	29.83	757.7	75	81	S	1	o	7	29.81	757.2	70	90	S	1	b
Amoy,	,,	29.89	759.2	75	81	SSE	4	b	6	29.86	758.4	73	86	SW	2	o
Swatow,	,,	29.91	759.7	74	91	E	1	o	,,	...	...	...	...	...	...	...
Taihoku,	11	29.94	760.5	84	55	NNW	2	b	5	29.86	758.4	66	94	...	o	b
Taichu,	,,	29.97	761.1	82	...	NW	2	b	,,	29.89	759.3	64	...	...	o	b
Tainan,	,,	29.94	760.5	90	...	NW	4	o	,,	29.86	758.4	66	...	...	o	b
Koshun,	,,	29.93	760.2	79	...	ENE	4	o	,,	29.85	758.1	72	...	...	o	b
Pescadores,	,,	29.97	761.1	75	...	NNW	2	b	,,	29.87	758.7	72	...	NW	2	b
Hong Kong,	14	29.88	758.9	74	87	E	3	o	6	29.85	758.1	72	95	E	2	cd
Gap Rock,	,,	29.88	758.9	...	...	E	4	c	,,	29.85	758.1	...	...	NE	3	o
Macao,	,,	29.92	759.9	75	76	SE	2	o	,,	29.80	756.9	73	96	SE	2	o
Hoihow,	,,	29.75	755.6	95	...	ENE	2	or	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	758.9	81	78	ENE	3	o	,,	29.85	758.2	75	96	E	2	o
Phulien,	15	29.75	755.7	81	76	SSE	6	o	7	29.82	757.3	66	...	NW	6	or
Tourane,	,,	29.78	756.3	82	...	SE	6	o	,,	29.81	757.1	75	...	SSW	4	c
Cape St. James,	,,	29.80	756.9	84	...	ENE	6	o	,,	...	...	77	...	E	4	c
Basco,	14	29.85	758.1	82	70	ESE	4	o	6	29.80	756.9	73	91	E	1	b
Aparri,	,,	29.81	757.2	84	71	E	4	o	,,	29.79	756.6	73	96	...	o	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	75	89	...	o	o
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	61	SSW	4	o	,,	29.80	756.9	79	80	SE	1	o
Legaspi,	,,	29.71	754.5	86	65	NNE	4	o	,,	29.79	756.6	79	95	...	o	o
Calboyog,	,,	29.73	755.1	82	81	NW	4	o	,,	29.80	756.9	73	98	N	2	b
Tacloban,	,,	29.75	755.7	84	77	N	4	o	,,	29.81	757.2	77	91	NW	1	b
Iloilo,	,,	29.74	755.4	86	75	SW	4	o	,,	29.81	757.2	75	91	N	2	b
Cebu,	,,	29.73	755.1	86	61	E	2	o	,,	29.80	756.9	79	87	W	2	o
Surigao,	,,	29.73	755.1	84	77	W	1	o	,,	29.79	756.6	75	94	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	29.83	757.7	87	...	ENE	4	b
Guam,	12.22	29.85	758.1	...	...	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	E	2	o	5	29.88	759.0	78	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	29.89	759.2	81	...	ENE	2	bo
Labuan,	14	29.80	756.9	90	77	SW	2	b	6	29.85	758.2	78	86	SW	2	b

April *26d. 11h. 20m.*—The anticyclone is central near the Bonins. Depressions are situated over S. Manchuria, the Gulf of Tongking, and to the east of Luzon. The latter appears to be moving northward.

Manila warning *26d. 8h. 30m.*:—Typhoon in Lat. 16° N. Long. 129° E., moving N. Recd. *26d. 9h. 10m.*

Shanghai warning *25d. 14h. 35m.*:—Typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 129° E., moving N.N.W. Recd. *25d. 15h. 05m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 2·36 inches, against an average of 10·70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	E. or variable winds, moderate; cloudy, occasaional rain.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th April, 1929.								27th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.44	747.8	37	...	SSE	4	o	6	29.38	746.1	38	...	ESE	3	c
Nemuro,	11	29.69	754.0	...	...	SSW	2	...	5	29.33	745.0	...	...	S	2	...
Hokodate,	,,	29.69	754.0	...	...	SSW	...	...	,,	29.43	747.5	...	...	NE	4	...
Tokio,	,,	29.82	757.5	...	...	SW	4	...	,,	29.69	754.0	...	...	NE	1	...
Kochi,	,,	29.90	759.5	...	...	WSW	1	...	,,	29.84	758.0	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	W	1	...	,,	29.90	759.5	...	...	SE	1	...
Kagoshima,	,,	29.84	758.0	...	...	SSW	2	...	,,	29.98	761.5	...	...	S	3	...
Oshima,	,,	29.90	759.5	...	...	S	1	...	,,	29.86	758.5	...	...	...	...	...
Naha,	,,	29.90	759.5	...	...	SSE	3	...	,,	29.80	757.0	...	...	NE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.84	758.0	...	...	...	0	...
Bonin Island,	,,	30.12	765.0	...	...	ESE	1	...	,,	29.98	761.5	...	...	S	3	...
Chefoo,	15	29.57	751.1	74	43	W	4	b	6	29.53	750.0	64	48	S	2	b
Shanghai,	14	29.91	759.6	77	35	WNW	2	o	,,	29.87	758.7	57	86	SSW	1	o
Gutzlaff,	,,	29.99	761.7	60	94	SW	2	o	,,	29.94	760.5	58	76	SSW	4	o
Sharp Peak,	,,	29.84	757.9	67	92	NNE	2	r	7	29.85	758.2	65	89	...	o	rf
Amoy,	,,	29.85	758.2	80	78	SE	2	o	6	29.88	758.9	66	95	ENE	2	r
Swatow,	,,	29.84	757.9	79	91	S	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.89	759.3	84	55	...	o	o	5	29.85	758.1	68	92	E	4	o
Taichu,	,,	29.91	759.6	86	...	W	2	b	,,	29.86	758.4	72	...	...	o	o
Tainan,	,,	29.87	758.7	86	...	W	2	o	,,	29.84	757.8	72	...	...	o	o
Koshun,	,,	29.86	758.4	90	...	...	o	b	,,	29.84	757.8	68	...	...	o	b
Pescadores,	,,	29.88	759.0	82	...	W	2	b	,,	29.84	757.8	73	...	ENE	2	o
Hong Kong,	14	29.82	757.4	82	71	W	3	o	6	29.84	757.9	72	95	...	o	or
Gap Rock,	,,	29.83	757.7	...	...	ESE	2	o	,,	29.82	757.4	...	...	N	3	o
Macao,	,,	29.80	756.9	81	76	SSW	2	o	,,	29.80	756.9	66	98	NNW	2	of
Hoihow,	,,	29.80	756.9	80	91	W	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.7	83	74	S	2	b	,,	29.84	757.9	76	94	...	o	lo
Phulien,	15	29.86	758.4	72	84	...	o	o	7	29.82	757.5	66	100	NNE	4	of
Tourane,	,,	29.79	756.6	82	...	SE	2	o	,,	29.86	758.4	73	...	NW	4	of
Cape St. James,	,,	29.79	756.6	86	...	ESE	4	o	,,	29.86	758.4	79	...	E	2	o
Basco,	14	29.78	756.3	84	71	SE	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.76	756.0	86	65	NE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.73	755.1	97	53	S	2	o	,,	29.82	757.5	77	92	...	o	o
Vigan,	,,	29.78	756.3	90	63	WSW	4	b	,,	29.80	756.9	79	80	SSE	2	b
Manila,	,,	29.78	756.3	90	57	SW	4	b	,,	29.84	757.8	79	89	NE	1	o
Legaspi,	,,	29.76	756.0	93	64	N	2	o	,,	29.82	757.5	79	92	...	o	b
Calbayog,	,,	29.79	756.6	86	68	WSW	4	b	,,	29.85	758.1	75	96	NNW	2	o
Tacloban,	,,	29.79	756.6	82	84	SW	2	o	,,	29.85	758.1	79	94	NW	2	b
Iloilo,	,,	29.76	756.0	90	66	SW	4	o	,,	29.82	757.5	75	94	NE	2	o
Cebu,	,,	29.76	756.0	86	65	S	4	o	,,	29.82	757.5	79	84	N	2	b
Surigao,	,,	29.76	756.0	86	71	W	2	b	,,	29.81	757.2	75	96	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	29.93	760.2	82	...	E	4	b
Guam,	12.22	29.85	758.1	...	...	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.5	...	...	ENE	4	o	5	29.90	759.4	81	...	...	...	c
Pelew,	...	...	...	...	...	...	...	...	,,	29.76	755.9	81	...	E	2	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.83	757.7	81	...	E	2	c
Labuan,	14	29.77	756.1	86	88	NW	4	b	6	29.84	757.9	78	86	...	o	r

April 27*d.* 11*h.* 00*m.*—Pressure is highest in the Pacific to the east of the Bonins and a weak anticyclonic area extends from the mouth of the Yangtze to S. Japan. Depressions are situated over S. Manchuria and to the north of Japan. The depression of the Philippines appears to be situated about 250 miles south of Naha, moving north.

Shanghai warning 26*d.* 11*h.* 30*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 128° E., moving N.N.W. Recd. 26*d.* 11*h.* 43*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·51 inch. Total since January 1st, 2·87 inches, against an average of 10·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Northerly or variable winds, moderate to light; cloudy, occasional rain.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	28th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.29	743.9	45	...	SE	4	c	6	29.64	752.9	42	...	NW	4	o
Nemuro,	11	29.23	742.5	...	...	SW	3	...	5	29.41	747.0	...	...	SW	4	...
Hokodate,	,,	29.51	749.5	...	...	SSW	3	...	,,	29.49	747.0	...	...	SW	5	...
Tokio,	,,	29.72	755.0	...	...	SW	2	...	,,	29.67	753.5	...	...	...	...	...
Kochi,	,,	29.82	757.5	...	...	SE	1	...	,,	29.76	756.0	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	WNW	1	...	,,	29.84	758.0	...	...	WSW	1	...
Kagoshima,	,,	29.84	758.0	...	...	E	1	...	,,	29.82	757.5	...	...	...	0	...
Oshima,	,,	29.86	758.5	...	...	N	2	...	,,	29.80	757.0	...	...	...	...	...
Naha,	,,	29.84	758.0	...	...	NNW	1	...	,,	29.82	757.5	...	...	S	1	...
Ishigakijima,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.80	757.0	...	...	SSW	2	...
Bonin Island,	,,	29.98	761.5	...	...	S	2	...	,,	29.86	758.5	...	...	S	4	...
Chefoo,	15	29.50	749.3	68	51	NE	1	b	6	29.88	758.9	50	58	ENE	4	b
Shanghai,	14	29.84	757.8	64	67	SSW	1	r	,,	29.75	755.7	57	89	...	0	o
Gutzlaff,	,,	29.90	759.4	60	71	SSW	4	o	,,	29.85	758.2	56	94	SSW	1	o
Sharp Peak,	,,	29.79	756.6	66	89	...	0	o	7	29.73	755.1	65	94	...	0	o
Amoy,	,,	29.92	759.9	68	91	SSE	2	o	6	29.79	756.6	60	60	SE	2	o
Swatow,	,,	29.95	760.7	70	95	E	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	29.87	758.7	73	82	...	0	o	5	29.81	757.2	70	96	...	0	r
Taichu,	,,	29.89	759.3	82	...	SSW	2	o	,,	29.85	758.1	73	...	...	0	o
Tainan,	,,	29.87	758.7	86	...	SW	4	b	,,	29.84	757.8	73	...	...	0	o
Koshun,	,,	29.87	758.7	86	...	WNW	2	b	,,	29.82	757.5	75	...	NW	2	b
Pescadores,	,,	29.88	759.0	82	...	SSW	2	o	,,	29.84	757.8	73	...	SW	2	r
Hong Kong,	14	29.80	756.9	78	83	...	0	om	6	29.80	756.9	75	93	...	0	cm
Gap Rock,	,,	29.81	757.2	...	...	SSE	2	c	,,	29.81	757.2	...	...	SW	3	c
Macao,	,,	29.79	756.6	79	84	NE	1	o	,,	29.78	756.3	73	98	...	0	of
Hoihow,	,,	29.81	757.2	79	91	WNW	1	r	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.7	83	75	SSW	1	b	,,	29.85	758.2	76	92	SSW	2	b
Phulien,	15	29.80	756.9	72	91	SSE	2	o	7	29.82	757.4	70	...	NE	4	or
Tourane,	,,	29.82	757.5	77	...	NW	4	o	,,	29.81	757.1	77	...	SSW	4	c
Cape St. James,	,,	29.81	757.2	86	...	ESE	2	o	,,	29.87	758.7	79	...	E	2	c
Basco,	14	29.80	756.9	86	58	SW	1	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.79	756.6	86	68	NNE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.76	756.0	97	53	S	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.9	90	63	W	2	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	93	50	WSW	4	b	,,	29.86	758.4	79	87	E	1	o
Legaspi,	,,	29.79	756.6	90	66	NE	2	b	,,	29.85	758.1	79	91	...	0	b
Calboyog,	,,	29.78	756.3	90	63	WSW	4	b	,,	29.86	758.4	75	96	N	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	77	96	NW	1	o
Iloilo,	,,	29.75	755.7	93	57	NE	4	b	,,	29.84	757.8	79	84	NE	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	81	80	N	2	b
Surigao,	,,	29.79	756.6	90	66	E	4	b	,,	29.84	757.8	75	96	...	0	b
Saipan,	...	...	...	...	...	...	...	...	5	29.87	758.7	77	...	E	5	bc
Guam,	12.22	29.87	758.7	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.8	...	...	ENE	2	o	5	...	...	...	...	...	...	...
Pelew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	79	...	ENE	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.85	758.2	83	...	ENE	4	bo
Labuan,	14	29.83	757.7	86	84	SW	2	b	6	29.84	757.9	78	91	SW	2	b

April 28*d.* 11*h.* 08*m.*—A depression remains to the north of Japan, the depression originating near the Philippines being shown as a secondary between Oshima and the Bonins. Gradients elsewhere are slight.

Manila warning 27*d.* 10*h.* 30*m.*:—Typhoon in Lat. 21° N. Long. 130° E., recurving north-eastward. Recd. 27*d.* 11*h.* 10*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·87 inches, against an average of 11·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Southerly or variable winds, moderate; fair to showery.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	29th April, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.64	752.9	48	...	NW	4	o	6	29.95	760.8	41	...	W	2	b
Kemuro,	11	29.41	747.0	...	...	S	3	...	5	29.69	754.0	...	...	WSW	1	...
Hokodate,	,,	29.45	748.0	...	...	SSW	3	...	,,	29.86	758.5	...	...	WNW	1	...
Tokio,	,,	29.59	751.5	...	...	S	1	...	,,	29.86	758.5	...	...	E	1	...
Kochi,	,,	29.70	754.5	...	...	SE	1	...	,,	29.86	758.5	...	...	...	...	...
Nagasaki,	,,	29.82	757.5	...	...	WNW	1	...	,,	29.90	759.5	...	...	...	0	...
Kagoshima,	,,	29.78	756.5	...	...	WNW	1	...	,,	29.88	759.0	...	...	NNW	1	...
Oshima,	,,	29.80	757.0	...	...	S	1	...	,,	29.82	757.5	...	...	...	...	...
Naha,	,,	29.84	758.0	...	...	SSW	2	...	,,	29.82	757.5	...	...	S	1	...
Ishigakijima,	,,	29.84	758.0	...	...	WSW	2	...	,,	29.80	757.0	...	...	SSW	2	...
Bonin Island,	,,	29.84	758.0	...	...	SSW	1	...	,,	29.96	761.0	...	...	...	...	...
Chefoo,	15	29.93	760.2	67	60	ENE	1	b	6	29.94	760.5	48	43	ESE	2	b
Shanghai,	14	29.85	758.1	77	54	WNW	1	o	,,	29.97	761.1	54	90	ENE	1	b
Gutzlaff,	,,	29.89	759.2	65	84	W	1	o	,,	29.98	761.5	54	100	NE	2	of
Sharp Peak,	,,	29.72	754.9	70	90	SE	1	b	7	29.84	757.9	66	91	NNE	1	r
Amoy,	,,	29.78	756.4	72	95	S	4	r	6	29.83	757.7	72	95	SE	1	of
Swatow,	,,	29.78	756.4	75	100	N	2	r	,,	29.77	756.1	64	90	S	2	c
Taihoku,	11	29.81	757.2	82	77	...	0	b	5	29.79	756.6	73	95	...	0	o
Taichu,	,,	29.91	759.6	82	...	SSW	2	o	,,	29.86	758.4	75	...	...	0	o
Tainan,	,,	29.88	759.0	82	...	SW	2	o	,,	29.85	758.1	75	...	...	0	o
Toshim,	,,	29.87	758.7	86	...	NW	2	b	,,	29.82	757.5	75	...	NW	2	o
Pescadores,	,,	29.86	758.4	79	...	SSW	4	r	,,	29.84	757.8	75	...	SSW	4	o
Hong Kong,	14	29.79	756.6	85	69	SW	2	c	6	29.80	756.9	77	92	W	2	o
Gap Rock,	,,	29.81	757.2	...	...	SW	3	c	,,	29.81	757.2	...	...	SW	3	o
Macao,	,,	29.76	756.0	86	65	SW	4	o	,,	29.76	756.0	77	96	WSW	4	o
Hoihow,	,,	29.89	759.2	77	91	NE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	757.9	84	77	SSW	3	b	,,	29.83	757.7	76	96	SSW	1	b
Phulien,	15	29.79	756.6	75	92	ESE	2	o	7	29.78	756.4	73	100	ESE	2	of
Tourane,	,,	29.78	756.3	82	...	...	0	b	,,	29.80	756.9	81	...	S	2	b
Cape St. James,	,,	29.82	757.5	90	...	S	2	o	,,	29.86	758.4	79	...	S	2	o
Basco,	14	29.81	757.2	86	71	WSW	4	b	6	29.84	757.8	72	92	S	1	b
Aparri,	,,	29.81	757.2	86	68	NNE	4	b	,,	29.84	757.8	77	94	...	0	o
Tuguegarao,	,,	29.78	756.3	97	53	N	1	o	,,	29.85	758.1	79	89	SE	1	o
Vigan,	,,	29.81	757.2	90	57	WNW	4	b	,,	29.84	757.8	75	83	NNW	1	b
Manila,	,,	29.79	756.6	90	63	W	4	b	,,	29.84	757.8	79	89	E	1	b
Legaspi,	,,	29.80	756.9	90	66	NE	2	o	,,	29.85	758.1	81	59	...	0	b
Calboyog,	,,	29.80	756.9	90	72	WSW	4	b	,,	29.84	757.8	75	96	NNE	2	b
Tacloban,	,,	29.82	757.5	86	78	SE	4	o	,,	29.85	758.1	79	92	NW	2	b
Iloilo,	,,	29.78	756.3	93	59	NE	4	o	,,	29.82	755.5	77	91	NE	1	b
Cebu,	,,	29.79	756.6	90	55	NNE	4	o	,,	29.84	757.8	81	80	...	0	o
Surigao,	,,	29.80	756.9	90	66	NE	2	b	,,	29.84	757.8	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.84	757.8	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.5	...	...	E	2	o	5	29.86	758.4	...	...	ENE	4	o
Melew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Sonape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Malakal,	14	29.78	756.3	90	77	SW	2	b	6	29.84	757.9	76	91	SW	1	o

April 29*d*. 11*h*. 05*m*.—The depression remains to the north of Japan, and the secondary has filled up. Shallow depressions are also indicated over Tongking and the Eastern Sea. Pressure is relatively high over N. China and in the Pacific to the east of the Bonins.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·87 inches, against an average of 11·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. or variable winds, moderate; cloudy, occasional rain.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th April, 1929.								30th April, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.90	759.4	49	...	S	4	b	6	29.86	758.5	42	...	...	0	b
Nemuro,	11	29.72	755.0	...	...	S	1	...	5	30.00	762.0	...	...	S	1	...
Hokodate,	,,	29.90	759.5	...	...	W	6	...	,,	29.98	761.5	...	...	...	...	...
Tokio,	,,	29.98	761.5	...	...	ESE	2	...	,,	30.08	764.0	...	...	...	0	...
Kochi,	,,	29.90	759.5	...	...	SE	1	...	,,	30.00	762.0	...	...	WSW	1	...
Nagasaki,	,,	29.90	759.5	...	...	WNW	1	...	,,	29.92	760.0	...	...	NE	1	...
Kagoshima,	,,	29.88	759.0	...	...	SE	1	...	,,	29.90	759.5	...	...	...	0	...
Oshima,	,,	29.86	758.5	...	...	NNE	1	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.88	759.0	...	...	ENE	1	...	,,	29.86	758.5	...	...	S	3	...
Ishigakijima,	,,	29.80	757.0	...	...	SW	1	...	,,	29.84	758.0	...	...	SSW	2	...
Bonin Island,	,,	29.98	761.5	...	...	W	1	...	,,	30.04	763.0	...	...	...	...	...
Chefoo,	15	29.80	756.9	68	38	S	2	o	6	29.78	756.4	56	63	ESE	2	o
Shanghai,	14	29.91	759.6	77	50	ESE	2	b	,,	29.80	756.9	59	85	ESE	2	o
Gutzlaff,	,,	29.96	761.0	64	78	ESE	2	b	,,	29.85	758.2	58	100	SSE	4	o
Sharp Peak,	,,	29.82	757.7	68	77	NE	2	r	7	29.79	756.6	65	89	E	1	o
Amoy,	,,	29.84	757.9	71	91	E	4	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.88	759.0	72	96	E	2	r	5	29.82	757.5	70	96	...	o	r
Taichu,	,,	29.91	759.6	79	...	SSW	2	o	,,	29.87	758.7	75	...	...	o	o
Tainan,	,,	29.89	759.3	86	...	SW	2	o	,,	29.85	758.1	73	...	SE	2	b
Koshun,	,,	29.87	758.7	90	...	NW	4	b	,,	29.85	758.1	72	...	...	o	b
Pescadores,	,,	29.89	759.3	81	...	SW	2	o	,,	29.84	757.8	75	...	SSW	2	o
Hong Kong,	14	29.77	756.1	80	83	SW	3	o	6	29.77	756.1	79	85	SW	3	oq
Gap Rock,	,,	29.76	755.9	...	...	SW	4	c	,,	29.78	756.4	...	...	S	4	o
Macao,	,,	29.74	755.4	81	84	SW	4	o	,,	29.75	755.7	77	94	SW	4	o
Hoihow,	,,	29.69	754.1	86	73	SE	1	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	757.9	86	72	S	2	bo	,,	29.83	757.7	76	95	S	2	b
Phulien,	15	29.68	753.9	82	77	SSE	4	o	7	29.70	754.4	75	...	ESE	4	cf
Tourane,	,,	29.74	755.4	84	...	SE	2	o	,,	29.78	756.3	81	...	SSW	4	c
Cape St. James,	,,	29.80	756.9	90	...	S	2	o	,,	29.85	758.1	79	...	SE	2	c
Basco,	14	29.81	757.2	86	68	SW	2	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.78	756.3	86	71	NNE	4	b	,,	29.84	757.8	77	91	S	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	93	50	WSW	2	o	,,	29.85	758.1	75	86	ENE	1	b
Legaspi,	,,	29.79	756.6	93	61	ENE	4	b	,,	29.84	757.8	79	91	NE	2	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...		...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	93	57	E	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	86	68	ENE	2	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	ENE	4	o	5	29.85	758.1	...	...	NE	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	90	81	SW	2	b	6	29.82	757.4	80	87	SW	2	b

April 30*d.* 10*h.* 24*m.*—Pressure is highest in the Pacific to the east of Japan, and relatively low over China generally.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·69 inch. Total since January 1st, 3·56 inches, against an average of 11·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, moderate; fair to showery.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

MAY,

1929.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.

HONG KONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1929.

Price 60c.]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

MAY,

1929.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of MAY, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·710	29·699	29·692	29·698	29·706	29·713	29·734	29·752	29·767	29·770	29·766	29·752	1
2	29·764	29·750	29·738	29·736	29·744	29·762	29·801	29·812	29·822	29·827	29·835	29·821	2
3	29·842	29·820	29·813	29·809	29·814	29·834	29·864	29·880	29·890	29·879	29·830	29·855	3
4	29·840	29·840	29·838	29·855	29·859	29·864	29·897	29·916	29·915	29·917	29·914	29·906	4
5	29·903	29·877	29·861	29·866	29·870	29·882	29·892	29·915	29·912	29·904	29·902	29·891	5
6	29·828	29·798	29·784	29·778	29·776	29·788	29·801	29·813	29·828	29·825	29·822	29·819	6
7	29·778	29·760	29·752	29·746	29·764	29·765	29·778	29·787	29·799	29·814	29·788	29·780	7
8	29·746	29·733	29·723	29·725	29·714	29·734	29·758	29·780	29·787	29·785	29·788	29·784	8
9	29·750	29·756	29·740	29·736	29·750	29·752	29·764	29·774	29·787	29·790	29·796	29·807	9
10	29·802	29·784	29·776	29·780	29·789	29·797	29·819	29·830	29·844	29·855	29·863	29·865	10
11	29·829	29·817	29·802	29·802	29·806	29·815	29·813	29·839	29·842	29·856	29·853	29·847	11
12	29·754	29·736	29·732	29·728	29·730	29·742	29·762	29·764	29·780	29·783	29·780	29·768	12
13	29·700	29·680	29·674	29·664	29·676	29·684	29·700	29·713	29·704	29·706	29·792	29·700	13
14	29·711	29·695	29·695	29·702	29·699	29·726	29·741	29·756	29·758	29·769	29·766	29·748	14
15	29·721	29·693	29·691	29·695	29·687	29·699	29·715	29·720	29·735	29·734	29·732	29·721	15
16	29·705	29·704	29·696	29·690	29·686	29·694	29·718	29·717	29·721	29·736	29·731	29·712	16
17	29·685	29·689	29·675	29·673	29·657	29·672	29·681	29·706	29·713	29·715	29·706	29·700	17
18	29·722	29·723	29·715	29·712	29·718	29·734	29·761	29·784	29·808	29·810	29·812	29·811	18
19	29·804	29·794	29·801	29·805	29·823	29·837	29·858	29·867	29·862	29·872	29·868	29·856	19
20	29·790	29·784	29·776	29·774	29·774	29·784	29·806	29·814	29·818	29·829	29·814	29·800	20
21	29·718	29·707	29·699	29·685	29·689	29·704	29·718	29·730	29·737	29·733	29·729	29·712	21
22	29·678	29·666	29·650	29·642	29·647	29·657	29·695	29·703	29·715	29·718	29·716	29·693	22
23	29·689	29·681	29·679	29·681	29·695	29·705	29·710	29·713	29·724	29·729	29·725	29·698	23
24	29·732	29·715	29·707	29·703	29·710	29·728	29·724	29·739	29·740	29·741	29·732	29·713	24
25	29·655	29·643	29·631	29·619	29·611	29·607	29·611	29·615	29·623	29·629	29·635	29·613	25
26	29·539	29·525	29·517	29·499	29·503	29·513	29·538	29·556	29·570	29·585	29·608	29·584	26
27	29·593	29·589	29·610	29·610	29·625	29·635	29·656	29·669	29·679	29·687	29·690	29·696	27
28	29·705	29·702	29·700	29·701	29·715	29·719	29·730	29·745	29·771	29·765	29·770	29·757	28
29	29·757	29·743	29·741	29·746	29·742	29·748	29·761	29·766	29·782	29·791	29·793	29·780	29
30	29·713	29·699	29·687	29·687	29·687	29·695	29·717	29·734	29·744	29·734	29·720	29·716	30
31	29·642	29·636	29·636	29·643	29·641	29·649	29·666	29·680	29·686	29·684	29·665	29·650	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·728	29·705	29·679	29·668	29·682	29·680	29·706	29·728	29·741	29·767	29·781	29·778	1
2	29·800	29·776	29·756	29·748	29·744	29·760	29·784	29·802	29·830	29·830	29·846	29·842	2
3	29·843	29·827	29·817	29·809	29·820	29·836	29·851	29·868	29·894	29·891	29·857	29·856	3
4	29·889	29·872	29·859	29·850	29·848	29·863	29·871	29·891	29·919	29·932	89·932	29·917	4
5	29·871	29·841	29·815	29·808	29·804	29·812	29·833	29·834	29·834	29·842	29·840	29·836	5
6	29·805	29·795	29·767	29·747	29·735	29·736	29·742	29·752	29·770	29·792	29·798	29·792	6
7	29·762	29·741	29·723	29·706	29·708	29·712	29·713	29·734	29·753	29·761	29·767	29·757	7
8	29·762	29·755	29·740	29·719	29·702	29·709	29·721	29·724	29·752	29·760	29·764	29·756	8
9	29·779	29·756	29·742	29·730	29·723	29·747	29·774	29·786	29·787	29·795	29·800	29·800	9
10	29·839	29·828	29·812	29·805	29·792	29·796	29·798	29·810	29·831	29·837	29·834	29·827	10
11	29·816	29·779	29·758	29·756	29·743	29·724	29·729	29·742	29·742	29·760	29·764	29·762	11
12	29·744	29·719	29·702	29·687	29·671	29·682	29·689	29·697	29·705	29·716	29·722	29·707	12
13	29·675	29·664	29·656	29·647	29·613	29·629	29·643	29·661	29·692	29·704	29·698	29·690	13
14	29·745	29·737	29·724	29·717	29·711	29·713	29·713	29·722	29·724	29·736	29·744	29·734	14
15	29·707	29·694	29·672	29·661	29·664	29·668	29·674	29·691	29·711	29·717	29·730	29·719	15
16	29·681	29·651	29·622	29·604	29·596	29·602	29·604	29·621	29·657	29·667	29·675	29·677	16
17	29·686	29·668	29·648	29·651	29·633	29·641	29·651	29·685	29·709	29·714	29·714	29·722	17
18	29·802	29·794	29·780	29·769	29·747	29·760	29·784	29·811	29·831	29·848	29·852	29·818	18
19	29·838	29·820	29·804	29·788	29·776	29·772	29·790	29·810	29·820	29·824	29·818	29·804	19
20	29·784	29·760	29·732	29·712	29·698	29·697	29·713	29·721	29·732	29·742	29·742	29·734	20
21	29·695	29·658	29·641	29·623	29·620	29·621	29·641	29·657	29·667	29·679	29·689	29·688	21
22	29·673	29·642	29·627	29·617	29·615	29·623	29·624	29·653	29·663	29·683	29·689	29·681	22
23	29·678	29·665	29·679	29·673	29·670	29·672	29·694	29·708	29·722	29·735	29·760	29·746	23
24	29·693	29·667	29·639	29·624	29·615	29·612	29·616	29·638	29·658	29·669	29·677	29·667	24
25	29·607	29·581	29·557	29·541	29·533	29·527	29·530	29·546	29·548	29·556	29·572	29·556	25
26	29·587	29·543	29·531	29·521	29·531	29·525	29·528	29·544	29·575	29·587	29·585	29·597	26
27	29·702	29·690	29·678	29·652	29·664	29·674	29·691	29·709	29·713	29·719	29·724	29·715	27
28	29·750	29·734	29·718	29·707	29·698	29·711	29·714	29·730	29·749	29·764	29·777	29·765	28
29	29·764	29·736	29·706	29·705	29·693	29·704	29·711	29·726	29·732	29·738	29·748	29·730	29
30	29·695	29·663	29·647	29·621	29·617	29·622	29·632	29·652	29·656	29·663	29·670	29·660	30
31	29·637	29·626	29·608	29·598	29·598	29·608	29·619	29·627	29·638	29·644	29·646	29·644	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of MAY, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·7	79·0	79·0	79·0	79·1	79·5	79·2	80·9	80·0	81·3	82·6	82·2	1
2	78·9	78·8	77·9	78·5	79·0	78·3	79·0	79·4	81·0	81·5	83·6	85·7	2
3	77·2	76·9	76·7	76·6	76·2	75·9	71·8	72·7	75·7	77·2	81·1	83·8	3
4	76·4	76·6	76·7	74·5	72·6	71·4	71·2	70·5	70·0	71·7	73·2	71·8	4
5	68·8	69·0	68·9	68·0	68·0	67·6	67·2	68·3	69·1	69·6	70·0	70·0	5
6	71·7	71·5	71·6	71·7	71·8	71·8	72·1	73·0	73·5	74·1	76·8	76·1	6
7	74·0	74·0	74·1	74·0	74·3	74·0	76·1	77·8	79·3	79·5	79·5	77·9	7
8	76·6	76·2	76·0	75·0	75·6	74·2	76·1	76·0	74·9	74·9	74·9	74·6	8
9	73·9	73·9	74·0	74·1	74·3	74·3	74·9	76·1	76·4	79·9	77·6	75·6	9
10	77·5	76·9	76·7	76·3	76·0	75·8	76·5	77·4	78·8	76·5	75·9	76·0	10
11	73·6	73·8	74·2	74·4	73·9	73·8	73·8	74·5	76·0	76·8	77·6	77·1	11
12	78·8	78·7	78·9	79·1	79·0	78·9	79·3	80·7	81·0	82·9	82·7	81·9	12
13	80·1	80·7	80·8	80·5	80·1	79·9	80·9	81·0	83·1	82·7	83·3	81·2	13
14	74·9	74·4	73·9	73·7	73·7	73·7	74·0	74·7	74·8	74·9	75·8	76·4	14
15	74·9	74·8	74·6	74·0	73·9	74·0	74·2	75·3	74·9	75·7	75·5	73·8	15
16	72·9	72·9	73·1	73·3	73·5	73·1	73·4	74·8	74·8	75·7	77·9	77·4	16
17	81·9	81·5	81·5	81·0	80·8	81·0	81·4	81·8	82·8	83·7	85·5	85·0	17
18	78·1	77·8	77·3	77·0	76·9	76·8	79·1	79·1	80·9	81·7	82·9	81·9	18
19	76·7	76·5	76·1	76·1	75·6	75·2	75·8	76·2	75·1	75·7	75·0	75·1	19
20	73·9	73·9	74·5	74·8	74·8	73·9	74·2	75·3	75·8	78·0	79·0	78·7	20
21	77·7	77·3	77·6	77·9	79·0	79·6	80·9	83·3	83·8	85·9	85·0	88·3	21
22	81·4	81·4	81·3	81·0	81·0	81·3	82·0	82·7	83·7	85·5	86·3	87·6	22
23	80·4	80·9	81·1	81·5	81·0	81·4	83·0	85·2	85·3	87·8	88·0	88·5	23
24	77·0	76·9	77·0	77·0	76·8	76·5	76·8	77·9	79·0	80·9	81·2	81·9	24
25	81·9	81·9	81·8	81·9	81·9	81·9	82·4	83·8	85·7	87·3	88·9	88·8	25
26	83·0	83·0	83·0	83·0	83·0	83·0	83·8	84·3	85·3	87·1	79·6	81·9	26
27	80·6	81·1	76·4	75·7	74·8	74·8	74·6	74·7	74·7	75·9	77·0	78·4	27
28	76·9	76·7	76·2	75·4	75·0	75·2	75·4	76·5	77·1	78·7	79·3	79·9	28
29	75·2	75·2	74·8	74·6	74·6	74·5	77·2	80·0	81·9	82·7	82·7	81·8	29
30	76·1	75·6	75·4	75·3	75·1	75·2	77·1	79·1	80·6	82·5	83·2	84·3	30
31	76·9	76·2	76·4	76·9	76·4	76·7	77·8	78·8	79·8	79·9	81·9	82·2	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	81·9	82·8	82·4	81·5	80·4	79·6	79·4	79·4	79·2	79·5	79·5	78·7	1
2	84·3	82·4	82·4	82·0	82·0	81·0	79·8	79·3	78·3	78·3	77·9	77·0	2
3	85·1	84·5	84·2	84·2	80·8	80·5	77·7	77·0	77·1	76·0	75·5	76·0	3
4	71·7	71·5	71·6	70·5	70·5	69·7	69·6	69·0	68·0	67·1	68·7	69·8	4
5	70·4	71·0	71·0	71·0	71·2	70·2	70·7	70·6	70·9	71·0	71·0	71·1	5
6	78·7	77·6	77·8	76·2	75·7	74·7	74·1	74·2	74·2	74·1	74·0	74·1	6
7	79·0	79·9	81·4	81·7	80·6	79·5	79·1	79·4	78·9	78·0	78·1	78·1	7
8	75·2	74·7	74·7	73·9	73·5	73·8	74·0	74·0	73·8	73·5	73·9	73·8	8
9	76·3	79·5	81·1	80·8	82·7	81·4	79·5	78·7	78·3	78·2	78·0	77·7	9
10	76·1	75·5	75·1	73·0	73·0	73·2	73·3	73·3	73·2	73·2	74·0	73·6	10
11	77·1	77·4	78·0	77·0	76·9	77·7	76·9	78·9	77·9	78·9	78·9	78·8	11
12	82·9	85·5	84·0	82·9	83·5	81·9	81·0	80·8	80·5	80·4	80·4	80·5	12
13	83·8	85·7	83·1	80·6	81·8	82·7	81·8	80·8	80·7	80·0	80·1	79·1	13
14	76·4	75·7	75·5	75·3	75·0	73·9	74·1	74·2	74·0	74·5	74·6	74·8	14
15	73·8	73·3	73·4	73·4	73·5	73·6	73·8	73·9	73·7	73·6	73·6	73·5	15
16	78·5	79·0	79·8	79·5	81·8	81·7	81·0	81·7	81·7	81·9	81·9	81·7	16
17	84·5	84·7	85·7	84·2	83·1	80·9	79·9	79·7	79·7	79·3	78·9	79·0	17
18	79·9	79·0	78·5	78·5	78·0	77·2	76·8	76·6	76·5	76·6	76·6	76·6	18
19	73·7	74·8	74·5	73·5	72·9	73·0	73·4	73·7	73·7	73·4	73·4	73·5	19
20	78·3	78·4	78·5	78·3	78·0	77·0	76·3	76·5	76·4	77·0	77·3	77·8	20
21	88·1	87·8	87·9	87·7	85·9	83·7	82·0	81·5	81·4	81·5	81·6	81·4	21
22	88·8	88·0	88·9	87·0	84·2	83·9	83·2	82·7	81·9	82·7	82·6	81·2	22
23	87·9	87·7	85·9	84·5	83·1	80·8	78·8	77·9	77·7	77·9	77·9	78·0	23
24	82·6	82·6	81·6	80·8	80·8	79·1	78·7	79·2	79·5	80·2	80·9	81·6	24
25	85·9	87·9	87·7	86·1	85·1	84·0	83·5	83·5	83·3	83·2	83·5	83·1	25
26	83·5	82·9	83·6	83·9	82·5	80·7	79·7	79·9	79·6	79·3	79·6	80·8	26
27	77·9	79·4	79·2	78·5	78·1	77·7	77·0	76·9	77·0	77·2	77·4	77·5	27
28	80·2	79·6	80·0	79·0	78·3	77·5	76·8	76·1	76·3	76·2	76·8	75·8	28
29	81·1	80·9	80·9	80·9	80·5	79·2	77·9	77·9	77·9	77·1	77·0	76·1	29
30	84·3	84·4	84·7	81·9	80·4	79·6	79·1	78·5	78·2	77·9	77·5	77·2	30
31	81·0	81·3	80·7	80·1	79·8	79·0	78·7	78·4	78·0	77·8	77·6	77·2	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of MAY, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	76·2	75·9	75·9	75·9	75·7	76·0	76·0	77·0	76·3	77·1	77·8	77·4	1
2	76·0	75·9	75·5	75·0	75·0	75·3	75·8	75·8	76·1	76·5	77·4	78·0	2
3	76·0	75·8	75·7	75·8	75·3	75·4	71·3	72·0	72·9	73·7	74·6	76·1	3
4	71·2	71·2	71·7	72·7	71·5	70·4	69·3	68·9	68·3	69·0	70·1	68·9	4
5	65·9	66·0	66·0	66·4	65·8	65·2	65·0	65·3	65·6	66·0	66·0	66·9	5
6	69·9	69·8	70·0	70·1	70·2	70·2	70·7	71·0	71·2	72·0	73·8	73·1	6
7	73·0	73·0	73·1	73·0	73·0	73·0	74·8	74·8	76·0	76·5	76·5	75·8	7
8	75·9	75·0	75·0	74·5	74·0	73·0	74·0	74·7	73·0	73·7	73·0	72·6	8
9	73·0	73·0	73·0	73·1	73·2	73·0	73·6	74·1	74·8	77·0	74·5	73·9	9
10	76·7	76·2	76·0	75·6	75·3	75·0	75·6	75·9	76·4	74·5	73·5	73·2	10
11	72·2	72·5	72·9	73·0	72·2	72·0	71·8	72·0	73·1	72·8	73·0	73·2	11
12	75·0	74·9	75·0	75·1	75·0	75·0	75·3	76·2	76·0	77·7	77·2	77·4	12
13	76·7	76·5	76·6	76·8	76·7	76·8	77·1	77·0	78·2	78·0	79·5	78·2	13
14	72·2	71·7	71·2	71·0	71·0	70·9	70·9	71·2	70·8	70·7	71·0	71·7	14
15	71·2	71·3	71·0	71·2	71·0	71·0	71·3	71·9	71·8	71·9	72·0	72·0	15
16	72·0	72·0	72·2	72·3	72·3	72·3	72·4	73·3	73·3	74·0	75·1	74·6	16
17	78·5	78·6	78·6	78·5	78·5	78·6	78·8	79·3	79·8	80·6	79·7	79·0	17
18	74·2	74·2	74·1	74·0	73·8	73·8	74·1	73·1	73·6	73·6	74·9	75·7	18
19	73·0	73·0	73·1	73·1	73·0	72·8	72·5	73·0	72·2	72·3	72·0	72·0	19
20	72·8	73·0	73·0	73·1	73·6	73·0	73·1	73·6	73·8	75·0	75·5	75·0	20
21	76·2	76·4	76·4	76·8	76·8	76·6	77·0	77·8	78·1	78·7	79·2	80·4	21
22	77·4	77·5	77·6	77·7	77·7	77·6	78·0	78·8	79·4	80·5	80·1	79·7	22
23	78·4	78·1	78·6	78·9	78·6	78·7	79·2	79·9	79·9	81·0	80·8	79·2	23
24	75·2	75·1	75·0	75·0	75·3	75·0	75·8	76·4	76·5	77·5	77·6	78·1	24
25	78·1	78·1	78·3	77·9	77·9	78·1	78·3	79·0	80·0	80·9	81·6	80·5	25
26	79·8	80·0	79·0	79·2	79·8	79·8	80·0	80·0	81·0	82·1	74·0	74·0	26
27	73·6	72·5	75·0	74·2	73·4	73·3	73·0	72·6	72·2	72·4	72·5	72·3	27
28	72·2	72·0	72·2	71·5	70·7	70·5	70·9	71·2	71·7	72·5	72·9	72·0	28
29	70·2	70·5	71·0	70·7	70·4	70·9	71·7	71·1	68·0	69·7	67·8	71·0	29
30	69·8	70·3	70·9	71·0	71·0	71·2	71·1	70·3	70·5	70·5	70·4	72·0	30
31	73·0	72·7	73·2	73·0	73·2	73·2	74·0	74·4	74·9	75·0	75·4	76·0	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·0	77·2	76·8	77·0	76·3	76·0	75·9	75·9	76·1	75·7	75·7	75·3	1
2	76·3	75·5	75·5	75·4	76·0	76·1	75·9	75·8	76·0	76·0	76·0	76·0	2
3	76·3	76·1	75·8	76·2	74·3	75·2	75·0	75·0	75·6	74·7	73·0	72·0	3
4	68·5	68·5	68·5	67·7	68·0	67·0	67·4	67·0	67·0	64·9	64·7	64·5	4
5	66·9	67·0	67·0	67·0	67·5	67·7	68·3	69·0	69·1	69·0	69·0	69·1	5
6	74·0	74·0	73·9	73·1	72·7	72·9	72·8	73·0	73·0	73·1	73·0	73·1	6
7	76·1	76·3	76·4	77·0	76·3	76·0	76·0	76·2	76·4	76·0	76·1	76·7	7
8	73·6	73·0	73·0	72·4	72·0	72·1	72·2	72·0	71·8	72·1	72·7	72·9	8
9	74·7	75·6	76·2	77·0	76·7	76·5	76·0	75·8	76·0	76·2	76·5	76·7	9
10	73·0	72·7	72·4	72·2	72·0	72·1	72·2	72·2	72·1	72·1	72·8	72·2	10
11	73·2	73·9	73·9	74·0	74·6	75·0	75·0	75·3	75·0	75·1	75·1	75·0	11
12	77·1	78·0	77·6	76·9	76·7	76·3	76·0	76·0	76·3	76·3	76·4	76·2	12
13	80·4	79·3	78·0	77·0	77·4	78·0	78·1	77·8	78·2	78·0	78·2	78·1	13
14	71·9	71·0	70·9	71·4	71·0	70·4	70·3	70·8	71·0	71·5	71·4	71·3	14
15	72·0	72·0	72·2	72·2	72·3	72·5	72·6	72·6	72·5	72·4	72·4	72·5	15
16	75·2	76·0	76·8	76·5	79·0	78·1	78·0	78·1	78·1	78·3	78·8	78·2	16
17	78·5	78·7	78·7	78·1	77·4	76·2	76·1	75·4	75·0	74·8	74·9	75·0	17
18	74·2	72·0	74·7	74·7	74·0	73·6	74·1	73·8	73·8	74·0	74·0	73·3	18
19	71·4	71·8	71·7	72·2	72·0	72·0	72·2	72·4	72·3	72·2	72·2	72·3	19
20	75·2	75·4	75·4	75·2	75·0	75·1	74·9	75·0	75·2	75·7	76·0	76·0	20
21	79·7	79·5	79·1	79·1	78·1	78·0	77·4	77·8	77·7	77·8	77·8	77·4	21
22	80·3	79·5	79·3	78·7	78·0	78·9	78·3	78·2	78·1	78·2	78·6	78·2	22
23	80·8	79·8	78·9	78·5	80·0	76·9	76·1	76·0	75·9	76·0	76·0	75·8	23
24	78·6	77·9	78·2	77·9	77·9	77·1	77·2	77·8	77·9	78·0	78·0	78·1	24
25	80·8	80·6	80·7	80·0	75·6	79·0	78·8	78·8	78·7	78·9	79·0	79·1	25
26	76·0	76·2	77·2	76·4	77·0	76·5	76·0	76·6	76·3	76·2	75·2	74·2	26
27	71·7	73·0	72·8	72·0	72·0	72·0	72·0	71·9	72·1	72·2	72·4	72·0	27
28	72·3	71·6	71·3	71·5	71·7	72·0	71·4	71·8	71·7	71·2	70·8	70·4	28
29	70·9	70·4	70·7	71·1	71·0	70·1	69·7	70·0	69·9	70·0	70·0	70·1	29
30	71·0	71·3	72·0	72·6	70·9	72·0	71·6	72·0	71·0	71·2	72·0	72·8	30
31	74·8	75·0	74·3	72·0	73·0	72·0	72·7	73·0	73·0	73·3	73·5	73·1	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of MAY, 1929.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	10	9	9	9	10	10	10	9	10	8	10	9	10	8	9	9	9	9	9	8	9	8	9	8	1
2	9	9	10	10	10	8	8	9	9	8	6	8	7	8	9	9	7	8	7	6	3	5	7	9	2
3	8	5	6	2	4	10	10	9	8	6	7	5	6	6	6	7	9	9	10	10	10	10	10	8	3
4	9	10	10	10	10	10	10	10	9	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	4
5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	10	10	10	7	8	8	7	7	7	6	8	4	4	3	6	6
7	7	2	4	2	9	7	6	7	6	7	8	10	10	9	9	10	10	9	10	10	10	9	10	10	7
8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6	9	10	10	8
9	10	10	10	10	10	10	10	9	9	10	10	10	10	10	9	9	7	7	7	7	9	9	9	10	9
10	10	9	8	10	10	9	9	9	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	10	10	10	10	10	10	10	9	8	6	7	7	3	2	3	8	9	9	9	9	10	10	10	8	11
12	7	8	9	7	8	9	9	8	8	8	9	10	10	7	7	8	10	7	8	7	8	7	8	9	12
13	9	9	10	10	9	8	10	10	10	10	3	10	6	6	8	5	2	9	8	2	3	8	5	8	13
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	14
15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	10	9	10	9	9	10	10	10	10	16
17	10	10	10	10	10	9	9	8	8	8	7	8	6	5	5	4	6	9	10	10	10	10	10	9	17
18	7	7	3	9	5	4	4	9	10	9	7	7	9	10	10	10	2	3	9	3	5	4	8	9	18
19	9	8	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	9	9	8	7	8	8	8	8	7	6	8	5	4	8	8	8	9	20
21	6	8	7	6	8	8	7	8	8	8	8	7	7	7	7	6	4	5	5	4	6	8	8	8	21
22	9	8	8	7	7	9	10	10	10	10	9	8	7	7	6	4	6	5	8	9	9	9	7	7	22
23	7	9	9	9	8	8	7	6	7	8	5	8	8	7	8	9	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	10	10	10	8	8	8	8	8	8	7	9	9	9	7	10	24
25	10	10	9	9	9	9	9	7	5	5	6	5	7	6	8	9	10	9	9	9	9	8	8	8	25
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	8	9	8	4	2	1	1	2	2	26
27	8	10	10	10	10	10	10	10	10	10	10	10	10	9	8	3	2	9	9	10	10	9	10	10	27
28	9	10	10	9	9	9	9	9	9	5	5	3	3	5	4	4	3	8	8	4	2	1	7	3	28
29	...	...	1	4	5	3	2	1	1	...	1	1	...	1	1	...	1	2	5	2	1	...	...	...	29
30	...	...	...	...	...	2	1	1	2	2	2	5	6	5	4	3	2	6	4	7	6	4	2	1	30
31	1	3	2	4	3	8	9	10	10	10	9	9	8	9	9	9	9	9	9	9	7	9	9	9	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of MAY, 1929.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	0·1	0·3	0·2	0·3	0·3	0·7	0·6	0·7	0·8	0·4	0·4	...	1
2	0·1	0·5	0·5	0·8	1·0	0·7	0·8	1·0	0·8	0·5	0·4	0·7	0·2	2
3	...	...	...	0·3	0·7	1·0	1·0	1·0	1·0	0·7	0·4	...	...	3
4	...	...	...	0·4	0·2	0·6	...	0·5	0·1	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	0·1	...	0·5	0·8	1·0	1·0	1·0	0·5	0·6	...	6
7	0·1	1·0	0·7	1·0	0·9	0·3	...	0·2	0·3	...	0·1	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	0·3	0·6	...	...	...	0·2	0·5	0·1	0·3	0·7	0·2	9
10	...	0·1	0·3	0·2	...	0·2	0·1	...	...	...	...	...	...	10
11	...	0·1	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	0·5	0·1	11
12	0·1	0·2	0·7	0·2	0·3	0·1	0·3	0·6	1·0	0·8	0·7	1·0	0·3	12
13	...	...	...	0·2	0·1	0·8	0·2	1·0	0·9	0·4	1·0	1·0	...	13
14	...	...	0·1	...	0·4	0·4	0·3	...	...	...	...	...	...	14
15	...	0·1	0·1	...	...	...	...	...	...	...	...	...	...	15
16	...	...	0·2	0·5	0·1	0·5	0·6	0·4	0·7	0·4	...	...	...	16
17	...	0·2	0·1	0·7	1·0	1·0	1·0	1·0	1·0	0·9	0·9	0·1	...	17
18	0·2	0·5	0·1	0·3	0·6	0·5	0·7	0·2	0·5	0·1	0·5	1·0	0·2	18
19	...	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	0·4	1·0	0·8	0·7	0·7	0·7	0·2	0·9	0·5	.	20
21	...	1·0	0·8	0·9	0·2	0·9	1·0	0·8	0·7	0·8	1·0	1·0	0·5	21
22	...	...	...	0·2	0·6	1·0	1·0	1·0	1·0	1·0	1·0	0·2	...	22
23	0·4	1·0	1·0	1·0	0·9	1·0	0·8	1·0	0·9	0·1	...	...	...	23
24	...	...	...	...	...	0·2	0·1	0·2	1·0	0·7	0·2	0·4	0·2	24
25	0·1	0·5	0·9	1·0	1·0	0·9	0·7	0·9	1·0	1·0	1·0	...	...	25
26	...	...	...	...	0·1	...	...	...	...	0·6	0·2	...	0·4	26
27	...	...	...	...	...	...	...	...	1·0	1·0	1·0	0·9	...	27
28	...	...	...	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	...	28
29	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	29
30	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	30
31	...	...	...	...	0·1	0·1	...	0·5	0·5	...	0·1	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of MAY, 1929.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	d	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	1·550	0·570	0·050	d	...	...	...	3
4	...	...	...	0·110	0·025	0·260	0·070	0·085	0·085	d	d	d	4
5	...	...	d	d	d	d	d	...	...	...	...	...	5
6	d	...	...	d	d	d	d	d	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	0·670	0·040	0·080	0·085	...	...	0·010	0·030	0·075	0·100	0·055	0·055	8
9	...	...	d	d	...	...	d	0·005	0·045	0·005	0·025	0·175	9
10	d	...	...	d	d	...	...	...	...	...	...	...	10
11	0·030	0·005	d	d	d	d	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	d	12
13	...	...	...	...	...	...	...	...	d	d	0·090	0·270	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	d	d	d	...	...	...	...	...	0·025	15
16	d	...	...	d	...	d	d	...	...	...	...	...	16
17	...	...	...	...	d	...	...	...	...	0·120	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	0·005	d	19
20	0·010	0·015	0·020	0·010	d	d	...	...	...	...	...	...	20
21	...	...	...	d	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	0·010	d	0·005	0·040	0.080	0·110	0·100	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	d	0·005	...	26
27	...	...	0·010	0·005	d	d	d	d	d	d	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	0·005	d	0·035	0·010	...	...	3
4	d	...	d	d	d	d	d	d	d	d	...	...	4
5	...	...	...	...	...	d	0·005	0·030	0·010	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	d	...	...	...	...	d	0·280	7
8	0·015	0·085	0·170	0·115	0·035	0·005	...	...	...	d	0·015	...	8
9	...	d	...	...	...	...	...	...	...	...	...	...	9
10	d	...	d	d	d	d	d	d	0·020	0·030	0·010	0·045	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	d	...	...	...	...	...	...	...	d	13
14	...	...	d	...	0·050	0·010	...	...	...	...	d	...	14
15	0·070	0·180	0·045	d	d	d	...	...	0·020	0·005	0·010	d	15
16	...	...	...	...	d	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	d	d	d	d	0·010	0·005	d	0·005	0·005	0·010	0·010	0·015	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	d	d	0·010	d	...	...	0·010	0·005	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	d	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	d	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII. DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of MAY, 1929.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East, 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time. 1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	16	12	16	14	17	15	17	11	15	11	17	9	16	9	15	11	15	11	15	10	16	9	16	11	1
2	14	5	14	5	15	5	15	8	17	9	15	6	15	7	15	9	15	9	16	10	16	9	16	8	2
3	7	3	7	4	7	4	...	1	...	1	7	6	6	5	5	3	...	1	2	2	26	4	24	7	3
4	29	2	...	1	...	1	7	20	6	24	6	28	6	27	6	30	5	34	6	35	6	32	6	31	4
5	7	30	6	30	6	25	6	24	6	23	7	27	6	24	6	26	6	24	6	25	6	21	6	21	5
6	6	17	6	19	6	19	6	18	7	18	7	17	7	17	7	17	7	17	8	12	8	15	9	13	6
7	9	6	9	7	8	6	7	5	7	4	7	5	7	5	7	9	7	10	7	11	7	12	7	11	7
8	26	2	...	1	22	2	20	5	16	4	4	4	...	...	11	3	17	3	19	6	19	3	19	3	8
9	...	1	...	...	...	1	...	1	...	...	1	2	3	2	...	...	28	3	22	2	20	7	20	4	9
10	...	1	28	2	...	...	30	2	5	5	7	7	8	9	8	10	8	15	7	21	7	23	7	22	10
11	6	17	7	14	8	13	7	15	7	19	7	16	8	18	8	18	8	17	8	19	8	18	8	18	11
12	19	9	17	7	18	9	17	9	17	5	17	8	17	6	16	7	16	7	17	8	17	13	18	14	12
13	16	12	19	12	19	13	19	12	20	11	21	10	21	9	20	7	20	8	20	8	19	9	20	11	13
14	7	26	8	22	8	27	7	26	7	24	7	22	7	25	7	27	7	27	7	28	6	29	7	31	14
15	6	22	6	25	6	23	7	22	7	25	7	25	5	24	6	25	5	23	6	26	5	24	5	25	15
16	7	14	8	14	8	15	8	16	8	16	8	16	8	15	8	14	7	17	7	17	7	15	6	17	16
17	20	14	19	18	20	17	19	16	19	17	20	15	21	11	21	10	21	10	22	11	22	12	23	11	17
18	25	4	25	6	24	4	23	4	...	1	12	4	6	4	5	3	5	2	6	4	8	11	9	19	18
19	6	24	6	23	6	19	6	17	6	17	6	19	6	20	7	21	6	29	6	25	6	26	6	24	19
20	6	17	5	15	6	13	7	11	7	14	7	16	7	12	7	13	8	14	8	12	9	13	9	17	20
21	5	4	6	6	6	6	7	3	13	4	17	3	18	7	19	9	20	10	19	12	20	10	20	11	21
22	19	8	19	7	18	10	18	10	18	12	19	9	19	13	20	11	21	11	22	9	23	5	23	7	22
23	...	...	...	...	6	3	8	4	22	5	23	6	22	5	21	6	21	6	21	7	19	7	18	7	23
24	7	20	7	21	7	19	7	17	7	15	8	13	8	14	8	12	8	11	8	9	8	8	8	9	24
25	15	7	16	12	17	9	17	11	18	12	18	11	19	10	19	12	20	13	21	12	20	13	20	13	25
26	21	15	21	11	29	10	19	12	20	13	20	9	21	9	21	7	22	9	25	13	3	11	26	5	26
27	1	10	2	13	6	19	6	21	6	19	6	21	6	21	7	22	7	20	6	22	7	19	7	19	27
28	7	19	6	17	6	19	6	17	6	15	6	15	6	14	7	15	7	15	7	15	7	17	7	19	28
29	6	12	7	12	7	10	6	10	7	11	7	5	8	6	8	11	8	12	9	16	9	16	9	16	29
30	9	10	10	9	10	8	9	9	8	8	9	7	9	8	9	7	9	6	8	11	8	14	8	17	30
31	7	5	9	2	9	3	...	...	8	2	7	3	8	6	9	8	8	9	9	10	10	11	9	12	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	16	15	17	16	16	14	16	17	16	14	16	13	17	11	16	11	17	7	18	8	17	4	16	4	1
2	15	9	15	10	16	10	16	8	16	7	15	8	16	7	16	4	14	3	11	3	7	4	6	4	2
3	24	10	24	10	24	7	24	9	23	9	25	8	27	7	27	6	27	4	28	4	29	8	29	3	3
4	6	33	6	32	6	30	6	31	7	30	6	30	7	27	7	27	8	30	7	27	6	27	7	32	4
5	6	22	6	23	7	23	7	22	7	22	7	21	6	20	7	22	6	22	7	20	6	20	7	18	5
6	9	12	8	14	8	16	9	17	9	16	9	17	9	14	9	11	9	11	9	12	9	9	9	9	6
7	8	9	10	4	15	7	17	5	17	6	17	5	17	4	17	6	16	3	13	4	8	2	2	2	7
8	24	2	19	3	18	2	24	3	28	2	...	...	...	...	...	1	...	...	...	1	29	2	...	1	8
9	20	6	20	6	20	7	19	5	20	6	22	3	...	1	...	1	...	1	...	1	26	7	27	5	9
10	7	22	7	23	7	22	6	19	7	19	7	16	7	17	6	21	7	20	7	19	7	19	6	21	10
11	8	21	8	21	8	21	7	15	7	12	7	13	6	7	6	7	12	5	13	6	14	9	15	6	11
12	18	15	19	19	19	14	19	15	18	13	18	11	19	12	19	15	18	12	17	8	19	9	19	11	12
13	21	7	20	8	21	8	8	9	13	4	21	6	22	3	...	1	24	2	...	...	...	...	4	15	13
14	7	21	6	22	7	22	8	17	9	14	7	19	7	19	7	17	6	21	7	22	7	24	6	18	14
15	6	17	6	18	6	18	6	15	6	12	7	16	7	17	7	15	7	16	7	16	7	17	7	19	15
16	6	14	7	11	8	8	12	7	16	6	16	8	17	7	17	10	19	11	18	10	18	14	19	12	16
17	23	10	23	11	24	13	24	11	23	8	23	8	24	9	25	9	26	10	26	6	25	5	25	6	17
18	9	19	9	20	8	23	7	18	6	19	7	19	7	16	7	18	7	17	6	19	6	22	6	23	18
19	6	21	7	23	7	22	6	20	7	21	6	20	6	20	6	19	7	19	6	19	6	19	7	18	19
20	8	19	8	18	8	16	8	15	8	13	8	12	9	13	9	11	8	9	7	7	6	7	6	5	20
21	19	14	19	13	19	10	19	11	18	11	18	9	18	7	18	6	18	6	17	5	17	4	18	5	21
22	21	10	20	10	20	13	19	13	18	12	18	7	16	3	...	1	7	2	...	1	...	1	...	...	22
23	14	9	15	10	16	10	16	9	11	12	8	20	8	16	8	14	7	18	7	19	7	17	7	19	23
24	9	12	8	15	9	15	9	15	9	17	9	19	8	14	8	15	8	12	9	10	10	8	13	7	24
25	19	13	18	13	18	17	18	15	19	15	19	11	19	10	18	9	18	7	19	9	20	10	20	11	25
26	25	15	25	10	24	11	23	7	24	11	24	8	23	5	23	6	26	6	27	8	4	6	2	6	26
27	8	19	8	22	9	20	9	21	9	17	7	13	7	13	7	14	7	16	7	16	7	19	7	19	27
28	9	18	9	19	9	19	9	18	9	17	9	17	8	12	8	14	7	14	7	15	6	13	7	11	28
29	9	18	9	19	8	19	8	16	8	14	8	13	7	13	8	13	8	12	8	11	9	11	9	10	29
30	8	12	8	10	6	6	7	11	7	13	7	8	8	9	9	7	11	6	12	4	10	4	8	4	30
31	8	14	8	13	8	15	9	15	9	12	8	14	9	11	8	11	6	10	7	9	7	8	7	8	31

Table VIII.—Character and Direction of Motion of the Clouds at Three-Hourly Intervals, in the Month of May, 1929.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time. 1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	nb	SW	cu	SW	cu-nb	SW	cu	SSW	cu-nb	SW	cu / cu-nb	SW / SSW	cu	SSW	cu	SSW
2	cu	SSW	cu	SSE	ci-cu / cu	WSW / S	cu	SSW	cu	SW	cu	SSW	cu	SSW	cu	SSW
3	cu	S	cu	S	nb	WSW	ci-cu / cu	W / SSW	ci-cu / cu	W / SW	cu	SW	nb	SSW	nb	SSW
4	nb	E	nb	E	nb	E	s-cu / cu	SSE / E	nb	E	nb	E	nb	E	nb	E
5	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
6	nb	ENE	nb	ENE	nb	E	cu / nb	ESE / E	cu	ESE	ci-st / cu	W / E	cu	ESE	cu	ESE
7	cu	ESE	cu	ESE	cu	SW	ci-cu / cu	WSW / SSW	ci-st / cu	W / WSW	ci-st / cu	WSW / SW	nb	WSW	cu	WSW
8	nb	SW	nb	SW	nb	SW	nb	WSW	nb	WSW	nb	WSW	nb	WSW	cu	WSW
9	cu	SW	nb	SW	nb	WSW	nb	SW	nb	WSW	cu	WSW	s-cu / cu	S / SW	cu	SW
10	nb	WSW	nb	WSW	cu	SW	nb	E	nb	ESE	nb	E	nb	ENE	nb	ENE
11	nb	E	nb	E	nb	E	s-cu / cu	SSW / E	cu	E	cu	E	cu	WSW	cu	SSE
12	cu	SE	cu	SE	cu	SSW	cu	WSW	cu	WSW	cu	SSW	ci-st / cu	W / SW	cu	SW
13	cu	SW	cu	SW	cu	WSW	cu	SW	cu	SW	cu / cu	NNW / SW	cu	NNW	cu	NNW
14	cu-nb	E	cu-nb	E	nb	ENE	cu-nb	ENE	cu-nb	ENE	nb	ENE	cu-nb	ENE	cu-nb	ENE
15	nb	E	nb	E	nb	E	cu / nb	SE / E	nb	E	nb	E	nb	E	nb	E
16	nb	E	nb	E	nb	E	nb	SSE	st-cu	SW	st-cu	SW	cu-nb	SSW	cu-nb	SSW
17	cu-nb	SSW	cu-nb	SSW	ci-st / cu	ESE / SW	ci-st / cu	NW / SW	ci-cu / cu	SW / W	cu	W	st-cu	WSW	cu	WSW
18	s-cu / cu	W / WSW	cu	WSW	cu	WSW	s-cu / cu	WSW / W	cu	W	cu	W	s-cu / cu	WNW / E	cu	E
19	cu	ENE	cu	ENE	st-cu	ENE	nb	ESE	nb	E	nb	E	nb	E	nb	E
20	nb	E	nb	E	nb	ENE	s-cu / cu	SW / E	s-cu / cu	SW / E	s-cu / cu	WSW / E	cu	E	cu	E
21	cu	SW	cu	SSW	ci-st / cu	N / SW	s-cu / cu	WSW / SW	s-cu / cu	SW / WSW	s-cu / cu	W / WSW	cu	SW	cu	SW
22	cu	SW	cu	SW	ci-st / cu	WSW / SW	ci-st / cu	W / WSW	ci-st / cu	W / SW	ci-st / cu	W / WSW	ci-st / cu	NE / WSW	ci-st / cu	NE / WSW
23	cu	WSW	cu	WSW	cu	SW	ci-cu / cu	W / SW	cu	SW	cu	SW	nb	E	nb	E
24	nb	E	nb	E	nb	E	nb	SSE	cu	SSE	cu	WSW	cu	WSW	cu	SW
25	cu-nb	S	cu	S	cu	SSW	cu	SW	cu	SW	ci-st / cu	ENE / SW	cu	SW	cu	SW
26	cu	SW	cu	SW	cu	WSW	nb	WNW	cu-nb	WNW	s-cu / cu	NNW / WNW	cu	WNW	cu	WNW
27	cu	ENE	nb	ENE	nb	ENE	nb	E	nb	E	cu	E	cu	E	cu	E
28	cu	E	cu	E	cu	E	s-cu / cu	WNW / E	ci-st / cu	WNW / ENE	ci-st / s-cu / cu	WSW / W / ENE	s-cu / cu	W / ENE	cu	ENE
29	...	...	cu	ENE	s-cu	WNW	...	...	...	...	...	...	s-cu	W	...	...
30	...	...	...	...	ci-st	W	ci-cu / cu	WNW / NW	ci-st	WNW	ci-st	WNW	ci-st	WNW	ci-st	W
31	s-cu	WNW	s-cu	WNW	s-cu / cu	WNW / E	s-cu / cu	W / ESE	s-cu	WNW	s-cu / cu	W / NE	ci-st / cu	W / ESE	cu	ESE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1929.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·725	83·8	78·7	5·1	80·2	76·3	0·861	83	91	4·8	37	...	...	− 11·1	− 0·5	182	11·1	11·1
2	·789	85·7	77·0	8·7	80·3	75·9	·844	81	79	8·0	62	...	...	− 6·5	+ 1·3	169	6·6	7·0
3	·848	85·1	71·7	13·4	78·3	74·7	·817	85	75	6·1	47	2·220	4	+ 1·4	− 2·6	298	3·0	5·2
4	·883	76·7	67·1	9·6	71·4	68·6	·666	87	99	1·8	14	0·635	9	+ 8·4	+ 24·1	71	25·5	25·9
5	·860	71·4	67·2	4·2	69·8	66·9	·627	86	100	...	...	0·045	5	+ 7·2	+ 21·8	72	23·0	23·1
6	·787	79·5	71·2	8·3	74·2	72·1	·762	91	81	5·5	42	...	1	+ 0·7	+ 14·7	87	14·7	14·9
7	·756	81·8	73·9	7·9	77·8	75·3	·847	89	80	4·6	35	0·280	1	− 1·1	+ 4·4	104	4·5	6·2
8	·747	78·1	73·0	5·1	74·7	73·3	·803	93	98	...	...	1·640	15	− 0·8	− 0·8	225	1·1	2·2
9	·768	82·7	73·6	9·1	77·4	75·0	·839	89	92	2·9	22	0·255	4	− 0·8	− 1·8	246	2·0	3·0
10	·817	78·9	72·8	6·1	75·3	73·8	·816	93	97	0·9	7	0·105	7	+ 3·2	+ 14·2	77	14·6	14·8
11	·791	78·9	73·5	5·4	76·4	73·6	·796	88	82	8·5	65	0·035	4	+ 0·5	+ 13·6	88	13·6	14·4
12	·729	86·1	78·5	7·6	81·1	76·2	·846	80	82	6·3	48	...	...	− 9·7	− 4·0	202	10·5	10·7
13	·678	86·3	79·0	7·3	81·4	77·8	·910	85	76	5·6	43	0·360	2	− 4·3	− 3·7	221	5·7	7·7
14	·729	79·0	73·5	5·5	74·7	71·1	·719	84	100	1·2	9	0·060	1	+ 4·3	+ 22·5	79	22·9	22·9
15	·702	75·7	73·3	2·4	74·1	71·9	·756	90	100	0·2	2	0·355	8	+ 7·0	+ 18·9	70	20·1	20·2
16	·674	82·2	72·8	9·4	77·6	75·3	·849	90	98	3·4	26	...	1	− 2·2	+ 8·2	105	8·5	12·7
17	·683	86·1	78·9	7·2	82·0	77·8	·903	83	84	7·9	60	0·120	1	− 4·3	− 9·3	245	10·3	11·2
18	·779	84·1	76·5	7·6	78·3	74·0	·789	82	68	5·4	41	...	...	+ 1·7	+ 10·6	81	10·7	12·5
19	·821	76·7	72·8	3·9	74·7	72·4	·768	90	98	...	...	0·065	12	+ 7·0	+ 19·8	71	21·0	21·0
20	·764	81·0	73·5	7·5	76·5	74·5	·829	91	82	5·9	45	0·055	5	+ 1·1	+ 12·7	85	12·7	13·0
21	·685	88·5	77·1	11·4	82·8	77·9	·899	80	68	9·6	72	...	...	− 5·6	− 2·6	205	6·2	7·7
22	·665	89·0	80·9	8·1	83·7	78·6	·919	80	79	7·0	53	...	...	− 5·5	− 4·5	219	7·1	7·7
23	·701	88·6	77·0	11·6	82·6	78·4	·922	83	85	8·1	61	0·025	3	− 2·3	+ 4·4	118	5·0	9·5
24	·686	83·4	76·5	6·9	79·4	77·0	·899	89	91	3·0	23	0·345	4	− 0·3	+ 13·5	91	13·5	13·6
25	·589	89·9	81·3	8·6	84·4	79·3	·941	80	80	9·0	68	...	...	− 9·5	− 5·5	210	11·0	11·4
26	·550	87·4	79·2	8·2	82·3	77·6	·892	81	77	1·3	10	0·005	...	− 1·1	− 6·8	261	6·9	9·3
27	·670	81·1	74·5	6·6	77·2	72·6	·748	80	90	3·9	29	0·015	6	+ 4·0	+ 17·0	77	17·5	18·1
28	·733	80·7	75·0	5·7	77·3	71·6	·709	76	62	7·6	57	...	...	+ 2·0	+ 15·7	83	15·8	16·0
29	·743	83·0	74·5	8·5	78·4	70·3	·649	67	13	12·2	91	...	...	− 0·1	+ 12·7	90	12·7	12·7
30	·680	85·2	75·1	10·1	79·3	71·2	·672	68	27	11·8	88	...	...	− 0·6	+ 8·5	94	8·5	8·7
31	·640	82·7	76·2	6·5	78·7	73·7	·774	79	76	1·3	10	...	...	− 0·5	+ 8·7	92	8·7	8·8
Means	29·731	82·6	75·0	7·6	78·1	74·3	0·809	84	81	Sum. 153·8	38	Sum. 6·620	Sum. 93	− 0·6	+ 7·3	95	7·3	12·4
Normals	29·743	81·5	73·6	7·9	76·9	73·3	0·777	83	76	154·9	38	11·954	91	− 1·4	+ 7·7	100	7·8	12·4
Absolute Max.	29·932	89·9	...	13·4	...	83·0	1·077	...	...	12·2	91	2·220	15	...	...	...	...	35·0 †
Day.	4	25	...	3	...	26	26	...	...	29	29	3	8	...	...	...	...	4d 10h
Absolute Min.	29·499	...	67·1	2·4	...	63·9	0·512	46	...	...	...	...	...	...	...	...	...	...
day.	26	...	4	15	...	4	29	29	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1008·7	301·1	296·9	4·2	298·6	296·5	27·4	...	...	...	...	Sum. 168·1	Sum. 93	− 0·2	+ 2·4	95	2·4	4·1
Normals	1009·1	300·5	296·1	4·4	297·9	295·9	26·2	...	...	...	...	303·6	91	− 0·5	+ 2·5	100	2·6	4·1
Absolute Maximum.	1015·6	305·2	...	7·4	...	301·3	36·5	...	...	...	...	56·4	15	...	...	...	...	11·5
Absolute Minimum.	1000·8	...	292·5	1·3	...	290·7	17·3	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 17 days. The mean hourly intensity was 0·071*in*, and the maximum fall in one hour was 1·550*in* at 6*h* on the 3rd.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 42 miles per hour from W.S.W. at 10*h* 04*m* on the 4th.

Clouds with base less than 2,000 feet high were observed on 16 days.
Clouds with base less than 1,000 feet high were observed on 7 days.

*0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1929.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine	Rainfall. Amount.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed. Velocity.
	ins.	°	°	ins.	%	%	%		%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·736	77·0	74·0	·808	87	82		0·720	11	4	+ 1·3	+ 6·5	87	6·5	11·2
2	·724	76·9	74·0	·809	87	82		0·060	1	3	...	+ 6·4	90	6·4	11·3
3	·717	76·7	74·1	·816	89	82		0·115	2	5	− 0·6	+ 6·4	95	6·4	11·2
4	·716	76·5	74·1	·818	89	83		0·250	4	7	− 0·7	+ 6·7	96	6·7	11·5
5	·720	76·4	73·9	·811	89	85		0·105	2	6	− 0·6	+ 6·8	95	6·8	11·7
6	·730	76·2	73·8	·809	89	87	8	1·920	29	5	− 0·2	+ 7·2	92	7·2	11·7
7	·748	76·8	73·9	·807	87	87	24	0·750	11	6	+ 0·1	+ 7·0	89	7·0	11·7
8	·761	77·8	74·2	·807	85	86	27	0·170	3	4	− 0·5	+ 7·9	94	7·9	12·4
9	·770	78·5	74·4	·807	83	85	40	0·205	3	3	+ 0·1	+ 7·6	89	7·6	13·0
10	·773	79·6	74·9	·815	80	83	44	0·225	3	3	+ 0·1	+ 7·8	89	7·8	13·8
11	·771	80·1	74·8	·805	78	81	51	0·180	3	3	...	+ 8·5	90	8·5	14·0
Noon.	·760	80·2	74·8	·804	77	83	48	0·525	8	5	− 0·5	+ 8·4	93	8·4	14·6
13	·743	80·3	74·9	·806	77	79	54	0·085	1	4	− 1·6	+ 7·9	101	8·1	14·8
14	·722	80·5	74·8	·801	77	77	62	0·265	4	3	− 2·0	+ 8·0	104	8·3	15·0
15	·704	80·4	74·8	·802	77	78	49	0·215	3	4	− 2·3	+ 7·7	107	8·0	14·8
16	·692	79·6	74·6	·803	79	76	45	0·115	2	4	− 2·1	+ 7·5	106	7·8	13·8
17	·686	79·1	74·5	·804	81	73	36	0·095	1	3	− 2·5	+ 7·1	109	7·5	13·0
18	·692	78·3	74·3	·805	83	82	9	0·020	...	4	− 1·1	+ 7·6	98	7·7	12·6
19	·702	77·7	74·2	·809	85	82		0·020	...	4	− 0·6	+ 6·7	95	6·7	11·1
20	·719	77·6	74·3	·814	86	77		0·035	1	4	− 0·6	+ 6·9	95	6·9	11·0
21	·734	77·3	74·3	·817	87	76		0·090	1	4	...	+ 7·0	90	7·0	10·7
22	·744	77·3	74·2	·813	87	77		0·055	1	3	+ 0·1	+ 7·0	89	7·0	10·2
23	·749	77·4	74·3	·816	87	80		0·055	1	5	+ 0·9	+ 6·8	82	6·9	10·6
Midn.	·741	77·3	74·1	·809	86	81		0·345	5	4	+ 1·0	+ 7·0	82	7·1	10·7

Phenomena :—

Solar halo :—on the 7th and 17th.
Lunar halo :—on the 22nd.
Lunar corona :—on the 18th, 21st, 24th, 26th and 27th.
Fog :—on the 8th.
Slight Fog :—on the 7th, 8th, 9th and 10th.
Unusual visibility :—on the 1st, 2nd, 3rd, 12th, 18th, 23rd, 26th, 27th and 29th.
Dew :—on the 7th and 21st.
Lightning:—on the 1st, 3rd, 8th, 13th, 14th, 16th, 17th, 18th, 22nd, 23rd and 26th.
Thunder :—on the 22nd, 23rd and 24th.

Thunderstorms :—

3d. 5h. 13m. to *6h. 27m.* in N.W.; distant.
3d. 6h. 33m. to *7h. 21m.* N.N.W. to S.S.E.; nearest at *6h. 57m.* (*12s*).
3d. 20h. 41m. to *21h. 20m.* in W.; distant.
8d. 1h. 50m. to *2h. 20m.* in S.W.; distant.
8d. 2h. 21m. to *5h. 26m.* S.S.W to N.N.E.; nearest at *2h 46m* (*5s*).
8d. 5h. 40m. to *8h. 36m.* in S.S.E.; distant.
8d. 9h. 40m. to *10h. 25m.* in N.N.E.; distant.
9d. 8h. 46m. to *8h. 56m.* in N.N.E.; distant.
9d. 10h. 47m. to *12h. 36m.* S.S.W. to N.N.W.; nearest at *11h. 55m.* (*8s*).
23d. 16h. 35m. to *17h. 45m.* in N.N.E.; distant.
24d. 0h. 01m. to *2h. 16m.* in S.S.W.; distant.

ADOPTED ERRORS OF TIMEBALL, MAY, 1929.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	0·0	11	0·0	21	0·0
2	0·0	12	0·0	22	− 0·1
3	0·0	13	0·0	23	− 0·2
4	0·0	14	0·0	24	− 0·2
5	0·0	15	0·0	25	− 0·1
6	0·0	16	+ 0·1	26	0·0
7	0·0	17	+ 0·1	27	0·0
8	+ 0·1	18	+ 0·1	28	− 0·1
9	0·0	19	+ 0·1	29	− 0·1
10	0·0	20	0·0	30	− 0·1
				31	− 0·1

+ = Late ; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0s·10

* 0° = N. 90° = E., &c

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

MAY,

1929.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th April, 1929.								1st May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.86	758.4	53	...	NE	4	b	6	20.92	759.9	41	...	...	0	0
Nemuro,	11	29.86	758.5	...	...	S	5	...	5	29.86	758.5	...	...	NNE	1	...
Hokodate,	,,	29.86	758.5	...	...	SE	1	...	,,	29.90	759.5	...	...	NNW	1	...
Tokio,	,,	29.98	761.5	...	...	S	1	...	,,	29.80	757.0	...	...	NNW	1	...
Kochi,	,,	29.94	760.5	...	...	SE	1	...	,,	29.73	755.0	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.78	756.5	...	...	N	1	...
Kagoshima,	,,	29.88	759.0	...	...	ENE	1	...	,,	29.76	756.0	...	...	...	...	...
Oshima,	,,	29.84	758.0	...	...	...	0	...	,,	29.82	757.5	...	...	...	0	...
Naha,	,,	29.86	758.5	...	...	S	4	...	,,	29.86	758.5	...	...	SSW	2	...
Ishigakijima,	,,	29.86	758.5	...	...	SW	2	...	,,	29.82	757.5	...	...	SW	1	...
Bonin Island,	,,	30.02	762.5	...	...	S	1	...	,,	30.02	762.5	...	...	S	1	...
Chefoo,	15	29.69	754.1	62	67	...	0	0	6	29.65	753.1	64	63	SW	4	0
Shanghai,	14	29.76	756.0	72	75	SSW	1	0	,,	29.86	758.4	59	100	ESE	1	of
Gutzlaff,	,,	29.80	756.9	62	94	SSE	4	0	,,	29.91	759.7	58	100	SE	2	of
Sharp Peak,	,,	29.69	754.2	72	90	SE	1	0	7	29.78	756.4	70	90	E	2	0
Amoy,	,,	29.76	755.9	72	95	SSE	4	r	6	29.80	756.9	72	95	SW	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.84	758.0	81	76	N	1	0	5	29.80	756.9	73	96	...	0	0
Taichu,	,,	29.89	759.3	00	...	SSW	2	0	,,	29.86	758.4	70	...	...	0	0
Tainan,	,,	29.87	758.7	86	...	SW	4	b	,,	29.82	757.5	73	...	...	0	0
Koshun,	,,	29.88	759.0	86	...	W	2	b	,,	29.82	757.5	75	...	...	0	0
Pescadores,	,,	29.88	759.0	86	...	SSW	4	b	,,	29.81	757.2	75	...	SW	2	b
Hong Kong,	14	29.74	755.4	84	72	SSW	4	oq	6	29.77	756.1	80	85	S	2	0
Gap Rock,	,,	29.73	755.1	...	...	SSW	4	b	,,	29.76	755.9	...	...	S	4	0
Macao,	,,	29.71	754.5	84	85	SW	4	0	,,	29.73	755.1	77	96	S	4	0
Hoihow,	,,	29.56	750.8	84	92	SSW	3	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.4	85	76	SSW	2	bc	,,	29.82	757.4	76	96	...	0	b
Phulien,	15	29.61	752.2	86	78	SSE	4	b	7	29.66	753.4	77	...	SSE	4	0
Tourane,	,,	29.71	754.5	86	...	SE	2	0	,,	29.73	755.1	81	...	SSW	4	0
Cape St. James,	,,	29.79	756.6	93	...	SSE	4	0	,,	...	...	...	...	...	...	...
Basco,	14	29.80	756.9	86	71	SE	4	0	6	29.80	756.9	81	90	SE	4	0
Aparri,	,,	29.76	756.0	90	66	NE	4	b	,,	29.81	757.2	77	91	S	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	..	..	...	,,	29.79	756.6	79	96	SW	1	b
Manila,	,,	29.76	756.0	93	46	SSE	2	b	,,	29.81	757.2	77	86	ENE	1	b
Legaspi,	,,	29.80	756.9	86	78	NE	2	0	,,	29.81	757.2	81	84	NNE	2	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	73	96	N	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.7	77	92	NW	2	0
Iloilo,	,,	29.74	755.4	90	66	NE	6	0	,,	29.79	756.6	79	91	NE	4	0
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	90	66	SE	2	b	,,	29.78	756.3	77	94	NNE	1	0
Saipan,	...	...	...	...	...	...	...	...	5	29.80	756.9	76	...	ESE	3	c
Guam,	12.22	29.81	757.2	...	...	E	4	0	4.22	29.84	757.8	...	...	NE	2	b
Yap,	11.00	29.79	756.6	...	...	NE	4	0	5	29.81	757.2	...	...	ENE	4	0
Pelew,	...	...	...	...	...	...	...	...	,,	29.79	756.6	78	...	NE	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.9	...	...	ESE	1	c
Jabuan,	14	29.78	756.4	88	84	SW	4	b	6	29.84	757.9	77	91	SW	2	b

May 1*d.* 11*h.* 00*m.*—Pressure is highest in the Pacific to the east of the Bonins; depressions are situated over Tongking and to the north of Shantung.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 3·56 inches, against an average of 11·84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate; fair to showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st May, 1929.								2nd May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.87	758.8	43	...	SE	4	o	6	30.10	764.5	39	...	...	o	b
Nemuro,	11	29.86	758.5	...	...	SE	1	...	5	29.86	758.5	...	...	...	...	...
Hokodate,	,,	29.86	758.5	...	...	S	1	...	,,	29.80	756.9	...	...	E	1	...
Tokio,	,,	29.76	756.0	...	...	N	3	...	,,	29.92	760.0	...	...	...	...	...
Kochi,	,,	29.80	757.0	...	...	SW	1	...	,,	30.00	762.0	...	...	...	o	...
Nagasaki,	,,	29.86	758.5	...	...	WSW	1	...	,,	29.96	761.0	...	...	ESE	1	...
Kagoshima,	,,	29.84	758.0	...	...	NW	1	...	,,	29.96	761.0	...	...	...	o	...
Oshima,	,,	29.88	759.0	...	...	...	o	...	,,	29.90	759.5	...	...	...	o	...
Nabe	,,	29.92	760.0	...	...	ENE	2	...	,,	29.90	759.5	...	...	S	3	...
Ishi akijima,	,,	29.88	759.0	...	...	SW	1	...	,,	29.88	759.0	...	...	SSW	2	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	30.06	763.5	...	...	SW	1	...
Chefoo,	15	29.87	758.7	52	88	NW	2	b	6	29.96	761.0	50	88	E	4	o
Shanghai,	14	29.86	758.4	82	54	S	1	b	,,	29.85	758.1	61	98	ESE	1	o
Gutzlaff,	,,	29.92	759.9	60	100	SE	2	o	,,	29.89	759.2	60	100	SE	4	rf
Sharp Peak,	,,	29.77	756.1	73	93	E	2	o	7	29.77	756.1	70	95	...	o	rf
Amoy,	,,	29.75	755.6	92	85	SSE	4	b	6	29.83	757.7	74	95	WSW	5	r
Swatow,	,,	29.82	757.4	80	91	S	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.87	758.7	84	34	WSW	2	o	5	29.86	758.4	72	94	...	o	o
Taichu,	,,	29.88	759.0	86	...	WSW	2	b	,,	29.92	759.9	73	...	...	o	b
Tainan,	,,	29.91	759.7	86	...	SW	4	b	,,	29.88	759.0	72	...	...	o	b
Koshun,	,,	29.86	758.4	86	...	W	2	b	,,	29.88	759.0	72	...	...	o	b
Pescadores,	,,	29.87	758.7	84	...	SSW	4	b	,,	29.87	758.7	75	...	S	2	b
Hong Kong,	14	29.76	755.9	83	78	S	3	o	6	29.82	757.4	78	87	SSE	2	o
Gap Rock,	,,	29.76	755.9	...	...	S	4	c	,,	29.82	757.4	...	...	SSE	3	c
Macao,	,,	29.72	754.8	82	87	SSW	4	o	,,	29.78	756.3	77	96	SSW	4	o
Hoihow,	,,	29.67	753.6	86	73	SSE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	77	96	ESE	1	b
Phulien,	15	29.61	752.1	86	71	SSE	4	b	7	29.72	754.8	77	94	ESE	4	o
Tonrane,	,,	29.69	754.2	84	...	SSE	4	b	,,	29.78	756.3	75	...	SSW	4	o
Cape St. James,	,,	29.75	755.7	90	...	SE	2	o	,,	29.80	756.9	77	...	ESE	2	o
Basco,	14	29.79	756.6	86	75	SE	4	b	6	29.87	758.7	79	91	SE	2	o
Aparri,	,,	29.75	755.7	90	63	NE	4	b	,,	29.85	758.1	77	85	S	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	75	92	S	1	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	81	76	SSE	1	b
Manila,	,,	29.75	755.7	93	50	W	4	o	,,	29.85	758.1	75	86	...	o	b
Legaspi,	,,	29.78	756.3	82	84	NNE	2	o	,,	29.84	757.8	81	86	NE	2	b
Calboyog,	,,	29.76	756.0	81	86	NE	2	o	,,	29.84	757.8	75	94	N	4	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	59	87	E	2	r
Iloilo,	,,	29.72	754.8	90	55	NE	4	b	,,	29.79	756.6	79	84	NE	4	o
Cebu.	,,	...	...	...	...	...	...	...	,,	29.80	756.9	81	80	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	75	96	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	29.93	760.2	76	...	ENE	3	bc
Guam,	12.22	29.80	756.9	...	...	NE	4	o	4.22	29.89	759.3	...	...	NE	4	r
Yap,	11.00	29.79	756.6	...	...	ENE	4	o	5	29.84	757.8	...	...	ENE	4	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.79	756.6	78	...	ENE	2	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.89	759.2	77	...	ESE	3	r
Labuan,	14	29.79	756.6	90	81	SW	2	b	6	29.83	757.7	76	94	SE	2	o

May 2*d.* 11*h.* 29*m.*—A depression is situated over S.W. China. Pressure is relatively high over S. Manchuria and in the vicinity of the Bonins.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 3·56 inches, against an average of 12·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate; fair to showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.07	763.8	43	...	N	1	c	6	30.00	762.0	39	...	SE	2	o
Nemuro,	11	29.88	759.0	...	...	ENE	1	...	5	30.14	765.5	...	...	W	1	...
Hokodate,	,,	29.92	760.0	...	...	NW	1	...	,,	30.14	765.5	...	...	...	...	...
Tokio,	,,	29.88	759.0	...	...	S	2	...	,,	30.08	764.0	...	...	NNE	2	...
Kochi,	,,	29.98	761.5	...	...	...	0	...	,,	29.86	758.5	...	...	WSW	1	...
Nagasaki,	,,	29.94	760.5	...	...	SE	1	...	,,	29.82	757.5	...	...	N	1	...
Kagoshima,	,,	29.94	760.5	...	...	...	0	...	,,	29.78	756.5	...	...	ENE	1	...
Oshima,	,,	29.88	759.0	...	...	S	1	...	,,	29.84	758.0	...	...	S	2	...
Naha,	,,	29.94	760.5	...	...	S	5	...	,,	29.90	759.5	...	...	S	4	...
Ishigakijima,	,,	29.94	760.5	...	...	SW	2	...	,,	29.90	759.5	...	...	SSW	2	...
Bonin Island,	,,	30.04	763.0	...	...	W	1	...	,,	30.08	764.0	...	...	...	0	...
Chefoo,	15	29.85	758.2	52	100	NE	1	r	6	29.98	761.5	48	87	WNW	2	b
Shanghai,	14	29.85	758.1	79	58	SE	2	h	,,	29.95	760.8	63	98	NNW	4	o
Gutzlaff,	,,	29.92	759.9	63	100	NE	1	of	,,	29.99	761.7	68	100	NNW	4	o
Sharp Peak,	,,	29.76	755.9	78	91	S	2	b	7	29.88	759.0	72	94	E	1	o
Amoy,	,,	29.83	757.7	81	83	SSW	4	b	6	29.88	759.0	75	92	SW	2	o
Swatow,	,,	29.86	758.4	84	88	S	2	c	,,	...	...	...	...	...	...	...
Haihokn,	11	29.87	758.7	90	57	WSW	2	h	5	29.88	759.0	73	92	...	o	o
Haichu,	,,	29.93	760.2	90	...	SSW	2	b	,,	29.92	759.9	72	...	...	o	b
Hainan,	,,	29.91	759.6	90	...	SW	4	h	,,	29.88	759.0	73	...	...	o	b
Koshun,	,,	29.91	759.6	90	...	S	2	h	,,	29.88	759.0	77	...	...	...	r
Pescadores,	,,	29.93	760.2	86	...	SSW	4	h	,,	29.88	759.0	75	...	SSE	2	o
Hong Kong,	14	29.83	757.7	82	72	SE	2	o	6	29.89	759.2	76	98	NNE	1	orlt
Gap Rock,	,,	29.83	757.7	...	...	SSE	3	c	,,	29.88	758.9	...	...	SE	3	c
Macao,	,,	29.80	756.9	90	72	S	4	o	,,	29.86	758.4	73	100	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	...	...	...	...	...	...	...	,,	29.89	759.2	76	95	...	o	b
Phulien,	15	29.75	755.7	81	86	SSE	4	o	7	29.87	758.7	77	96	SSE	4	o
Tourane,	,,	29.76	756.0	86	...	SSE	4	b	,,	29.86	758.4	75	...	SSW	2	of
Cape St. James,	,,	29.78	756.3	86	...	ESE	4	o	,,	...	...	...	...	...	...	...
Basco,	14	29.84	757.8	86	75	SE	4	b	6	29.87	758.7	79	84	SE	4	b
Aparri,	,,	29.78	756.3	86	58	NE	4	b	,,	29.87	758.7	75	76	S	4	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	72	86	S	1	b
Vigan,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	81	80	...	o	o
Manila,	,,	29.78	756.3	93	50	ESE	4	o	,,	29.88	759.0	73	79	NE	1	b
Legaspi,	,,	29.79	756.6	90	63	ENE	4	b	,,	29.86	758.4	81	84	NE	1	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	77	92	N	1	o
Tacloban,	,,	29.78	756.3	86	75	S	4	o	,,	29.84	757.8	79	91	N	4	o
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	79	84	N	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.78	756.3	82	87	ENE	1	o	,,	29.81	757.2	77	94	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.85	758.1	...	...	E	4	o	4.22	29.88	759.0	...	...	NE	2	o
Yap,	11.00	29.80	756.9	...	...	ENE	6	o	5	29.86	758.4	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Jaluan,	14	29.78	756.4	90	81	NW	2	b	6	29.83	757.7	78	86	E	2	b

May 3*d.* 11*h.* 20*m.*—Pressure is highest in the Pacific to the east of Japan; a depression is situated in the Eastern Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 2·17 inch. Total since January 1st, 5·73 inches, against an average of 12·32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	S.E. or variable winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd May, 1929.								4th May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.95	760.6	39	...	SE	4	or	6	29.90	759.5	37	...	N	2	o
Nemuro,	11	30.14	765.5	...	...	S	2	...	5	30.00	762.0	...	...	SE	1	...
Hokodate,	,,	30.08	764.0	...	...	ESE	3	...	,,	29.82	757.5	...	...	ESE	4	...
Tokio,	,,	30.02	762.5	...	...	NNE	2	...	,,	29.69	754.0	...	...	...	0	...
Kochi,	,,	29.78	756.5	...	...	...	0	...	,,	29.76	756.0	...	...	W	1	...
Nagasaki,	,,	29.86	758.5	...	...	W	1	...	,,	30.00	762.0	...	...	NNW	2	...
Kagoshima,	,,	29.82	757.5	...	...	NW	1	...	,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	29.92	760.0	...	...	W	1	...	,,	30.02	762.5	...	...	N	2	...
Naha,	,,	29.94	760.5	...	...	SSW	3	...	,,	29.98	761.5	...	...	ESE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	SSW	1	...	,,	29.98	761.5	...	..	NE	1	...
Bonin Island,	,,	30.06	763.5	...	...	SSW	1	...	,,	29.98	761.5	...	...	NE	1	...
Chefoo,	15	30.05	763.2	54	62	NW	1	o	6	...	...	...	...	...	...	...
Shanghai,	14	30.00	762.0	72	43	NNE	2	b	,,	30.18	766.5	48	89	ESE	2	b
Gutzlaff,	,,	30.14	765.5	58	94	NNE	4	o	,,	30.25	768.3	54	74	ESE	2	b
Sharp Peak,	,,	29.93	762.0	72	90	E	1	o	7	30.04	763.0	66	79	NE	1	o
Amoy,	,,	29.91	759.7	80	78	SSE	2	o	6	30.01	762.2	68	70	NNE	6	o
Swatow,	,,	29.91	759.7	86	81	SW	1	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.95	760.8	81	73	NNW	4	o	5	30.02	762.6	68	96	ENE	4	r
Taichu,	,,	29.97	761.1	86	...	SW	2	o	,,	29.93	760.2	75	...	...	o	o
Tainan,	,,	29.94	760.5	90	...	WSW	4	b	,,	29.91	759.6	72	...	N	2	o
Koshun,	,,	29.93	760.2	90	...	SW	2	o	,,	29.89	759.3	75	...	NE	4	o
Pescadores,	,,	29.94	760.5	84	...	SW	2	o	,,	29.93	760.2	75	...	NNE	4	o
Hong Kong,	14	29.88	758.9	84	67	WSW	2	o	6	29.92	759.9	71	95	E	5	or
Gap Rock,	,,	29.90	759.4	...	...	NNE	3	o	,,	29.90	759.4	...	...	ENE	5	or
Macao,	,,	29.87	758.7	82	77	ESE	2	o	,,	29.88	759.0	81	94	ENE	2	o
Hoihow,	,,	29.85	758.2	84	57	SSE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.89	759.2	86	72	...	0	b	,,	29.91	759.7	78	86	ENE	3	c
Phulien,	15	29.91	759.6	81	73	ESE	1	o	7	29.93	760.3	73	...	SSE	2	cf
Tourane,	,,	29.82	757.5	82	...	SSE	4	b	,,	29.89	759.2	77	...	...	0	bc
Cape St. James,	,,	29.81	757.2	84	...	ENE	6	o	,,	29.81	757.1	81	...	NE	6	c
Basco,	14	29.85	758.1	86	65	SE	4	b	6	29.89	759.3	77	89	SE	2	b
Aparri,	,,	29.81	757.2	90	60	NE	4	b	,,	29.86	758.4	73	91	S	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	73	91	...	0	b
Vigan,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	79	84	SE	1	o
Manila,	,,	29.79	756.6	97	42	SE	4	b	,,	29.85	758.1	75	83	NE	1	b
Legaspi,	,,	29.82	757.5	82	81	NE	4	o	,,	29.85	758.1	79	95	...	0	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	77	94	...	0	r
Tacloban,	,,	...	...	...	...		...	...	,,	29.85	758.1	79	89	E	2	o
Iloilo,	,,	29.75	755.7	90	66	NE	6	o	,,	29.80	756.9	79	91	NW	4	o
Cebu.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.78	756.3	82	89	ESE	2	o	,,	29.81	757.2	77	92	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.91	759.7	76	...	E	3	b
Guam,	12.22	29.86	758.4	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.5	...	...	ENE	4	o	5	29.86	758.4	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.81	757.2	80	...	E	3	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.87	758.7	78	...	ENE	2	c
Labuan,	14	29.83	757.7	86	84	SW	2	o	6	29.82	757.4	78	86	SW	2	b

May 4*d.* 10*h.* 54*m.*—An anticyclone has developed over N. China; the depression is situated N.W. of Tokio.

Moderate monsoon will prevail along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·68 inch. Total since January 1st, 6·41 inches, against an average of 12·57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; cloudy, with occasional rain, improving
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	5th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.92	760.0	46	...	NE	2	o	6	30.15	765.8	43	...	...	o	b
Gemuro,	11	29.94	760.5	...	...	E	3	...	5	29.84	758.0	...	...	NE	3	...
Hakodate,	"	29.72	755.0	...	...	E	6	...	"	29.86	758.4	...	...	E	1	...
Tokio,	"	29.63	752.5	...	...	SE	1	...	"	29.92	760.0	...	...	NW	1	...
Kochi,	"	29.80	757.0	...	...	WNW	1	...	"	30.18	766.5	...	...	NW	1	...
Nagasaki,	"	30.04	763.0	...	...	W	4	...	"	30.20	767.0	...	...	ESE	1	...
Kagoshima,	"	30.00	762.0	...	...	NW	3	...	"	30.20	767.0	...	...	WNW	1	...
Oshima,	"	30.06	763.5	...	...	NNE	2	...	"	30.12	765.0	...	...	ENE	1	...
Naha,	"	30.04	763.0	...	...	NNE	2	...	"	30.10	764.5	...	...	NE	2	...
Ishigakijima,	"	30.04	763.0	...	...	NNE	1	...	"	30.04	763.0	...	...	ENE	2	...
Bonin Island,	"	29.94	760.5	...	...	SW	1	...	"	30.00	762.0	...	...	NW	1	...
Chefoo,	15	30.01	762.2	65	53	E	2	b	6	29.92	759.9	58	58	NE	6	o
Shanghai,	14	30.15	765.9	75	33	SSE	2	b	"	30.10	764.5	52	87	SE	4	b
Gutzlaff,	"	30.21	767.3	63	52	SE	2	b	"	30.19	766.8	58	81	SE	4	b
Sharp Peak,	"	30.04	763.0	68	74	ENE	2	o	7	30.01	762.2	66	84	NNE	1	o
Amoy,	"	30.00	762.0	75	48	ENE	4	o	6	30.01	762.2	67	64	ENE	2	o
Swatow,	"	29.98	761.4	74	82	E	2	c	"	...	...	...	...	...	...	...
Taihoku,	11	30.07	763.8	70	88	ESE	4	r	5	29.99	761.7	68	91	E	4	r
Taichu,	"	29.99	761.7	77	...	N	2	o	"	29.97	761.1	72	...	...	o	o
Tainan,	"	29.94	760.5	84	...	NE	2	o	"	29.94	760.5	73	...	...	o	o
Koshun,	"	29.95	760.8	84	...	NE	6	b	"	29.92	759.9	75	...	NE	4	o
Pescadores,	"	30.00	762.0	75	...	NNE	6	r	"	29.95	760.8	72	...	NNE	4	o
Hong Kong,	14	29.93	760.2	71	86	ENE	5	o	6	29.94	760.5	68	88	ENE	5	od
Gap Rock,	"	29.90	759.4	...	...	ENE	5	o	"	29.90	759.4	...	...	E	5	od
Macao,	"	29.88	758.9	73	85	SE	4	o	"	29.88	759.0	70	91	ESE	4	o
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.91	759.7	80	79	N	4	o	"	29.90	759.4	77	86	E	5	o
Phulien,	15	29.86	758.4	84	71	SSE	4	o	7	29.84	758.0	75	...	SE	2	ef
Tourane,	"	29.87	758.7	75	...	ESE	4	of	"	29.83	757.7	77	...	SSW	4	bc
Cape St. James,	"	29.79	756.6	84	...	ENE	6	o	"	29.78	756.3	81	...	ENE	6	c
Basco,	14	29.86	758.4	82	74	NE	4	o	6	29.91	759.6	75	83	ESE	4	o
Aparri,	"	29.80	756.9	86	65	NE	4	b	"	29.87	758.7	77	88	S	2	o
Tuguegarao,	"	29.75	755.7	97	47	...	o	o	"	...	...	...	...	...	...	...
Vigan,	"	29.75	755.7	90	51	WNW	4	b	"	...	...	...	...	...	...	...
Manila,	"	29.75	755.7	93	46	SE	4	b	"	29.84	757.8	79	80	ESE	2	o
Legaspi,	"	29.78	756.3	84	87	ENE	1	o	"	29.82	757.5	79	91	NNE	1	o
Calboyog,	"	29.76	756.0	86	68	E	2	o	"	...	...	...	...	...	...	...
Tacloban,	"	29.78	756.3	86	78	S	2	o	"	29.82	757.5	77	91	W	1	o
Iloilo,	"	29.72	754.8	86	71	NE	6	o	"	29.78	756.3	79	91	N	4	o
Cebu,	"	29.75	755.7	86	61	NE	4	o	"	29.79	756.6	79	84	N	2	o
Surigao,	"	29.76	756.0	82	84	ESE	2	o	"	29.80	756.9	77	96	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	29.86	758.4	78	...	NE	2	c
Guam,	12.22	29.81	757.2	...	...	E	4	o	4.22	29.85	758.1	...	...	NE	1	b
Yap,	11.00	29.79	756.6	...	...	ENE	4	o	5	29.84	757.8	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	"	29.80	756.9	80	...	ENE	3	r
Ponape,	...	...	...	...	...	...	...	...	"	29.81	757.2	79	...	E	2	c
Labuan,	14	29.79	756.6	86	84	NW	4	b	6	29.85	758.2	76	69	NW	1	o

May 5*d.* 11*h.* 32*m.*—The anticyclone is central over S. Japan; the depression has passed into the Pacific to the east of Hakodate.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 6·41 inches, against an average of 12·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; cloudy.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th May, 1929.								6th May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.14	765.6	55	...	NNW	1	c	6	30.17	766.4	41	...	SE	4	o
Nemuro,	11	29.88	759.0	...	...	NE	1	...	5	30.16	766.0	...	...	NW	2	...
Hokodate,	,,	29.96	761.0	...	...	SSW	1	...	,,	30.22	767.5	...	...	...	0	...
Tokio,	,,	29.98	761.5	...	...	N	4	...	,,	30.36	771.0	...	...	N	1	...
Kochi,	,,	30.14	765.5	...	...	N	1	...	,,	30.28	769.0	...	...	WSW	1	...
Nagasaki,	,,	30.20	767.0	...	...	...	0	...	,,	30.20	767.0	...	...	ESE	1	...
Kagoshima,	,,	30.20	767.0	...	...	SE	1	...	,,	30.20	767.0	...	...	...	0	...
Oshima,	,,	30.14	765.5	...	...	ENE	1	...	,,	30.12	765.0	...	...	SSE	1	...
Naha,	,,	30.12	765.0	...	...	ENE	2	...	,,	30.02	762.5	...	...	E	1	...
Ishigakijima,	,,	30.08	764.0	...	...	ENE	3	...	,,	29.96	761.0	...	...	ESE	3	...
Bonin Island,	,,	30.04	763.0	...	...	N	1	...	,,	30.16	766.0	...	...	ENE	1	...
Chefoo,	15	29.93	760.2	60	34	S	6	o	6	29.85	758.2	60	90	SSW	6	o
Shanghai,	14	30.04	762.9	75	100	SE	6	b	,,	29.91	759.6	61	96	SE	2	r
Gutzlaff,	,,	30.11	764.8	62	77	SE	6	o	,,	29.93	760.2	62	94	SSE	6	r
Sharp Peak,	,,	29.97	761.2	67	84	N	2	of	7	29.86	758.4	67	89	N	1	of
Amoy,	,,	29.99	761.7	71	76	NNW	4	o	6	29.91	759.7	70	85	ENE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	70	95	NNE	2	r
Taihoku,	11	30.00	762.0	50	62	E	4	o	5	29.88	759.0	68	96	...	0	b
Taichu,	,,	29.97	761.1	82	...	...	0	o	,,	29.88	759.0	72	...	...	0	b
Tainan,	,,	29.95	760.8	86	...	WSW	2	o	,,	29.88	759.0	72	...	...	0	o
Koshun,	,,	29.97	761.1	86	...	NE	4	b	,,	29.88	759.0	73	...	ENE	2	o
Pescadores,	,,	29.98	761.4	81	...	NNE	4	b	,,	29.89	759.3	72	...	NNE	2	o
Hong Kong,	14	29.90	759.4	71	81	ENE	4	o	6	29.85	758.1	72	93	E	3	od
Gap Rock,	,,	29.89	759.2	...	...	ENE	5	o	,,	29.83	757.7	...	...	ENE	4	o
Macao,	,,	29.86	758.4	72	84	SE	4	o	,,	29.79	756.6	73	94	ESE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.87	758.7	81	77	ENE	5	c	,,	29.82	757.5	78	91	ENE	3	o
Phulien,	15	29.78	756.3	82	81	SSE	4	o	7	29.79	756.6	77	98	SSW	4	rf
Tourane,	,,	29.78	756.3	84	...	SSE	6	o	,,	29.79	756.6	75	...	SSW	4	b
Cape St. James,	,,	29.75	755.7	84	...	ENE	7	o	,,	29.78	756.3	77	...	ENE	4	o
Basco,	14	29.88	759.0	84	71	E	4	o	6	29.85	758.1	79	80	SE	4	o
Aparri,	,,	29.81	757.2	86	61	NE	4	o	,,	29.84	757.8	77	84	SE	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	76	86	ESE	1	o
Vigan,	,,	29.75	755.7	86	68	NW	4	b	,,	29.78	756.3	81	80	ESE	1	b
Manila,	,,	29.76	756.0	97	42	ESE	4	o	,,	29.81	757.2	79	76	...	0	o
Legnspi,	,,	29.78	756.3	90	72	NE	4	b	,,	29.80	756.9	81	87	NE	2	b
Calboyog,	,,	29.76	756.0	86	78	SSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	84	71	S	4	o	,,	29.81	757.2	77	89	N	4	o
Iloilo,	,,	29.72	754.8	90	60	NE	6	o	,,	29.76	756.0	79	91	N	4	o
Cebu,	,,	29.75	755.7	86	61	NE	4	o	,,	29.76	756.0	79	84	N	2	o
Surigao,	,,	29.75	755.7	85	75	E	4	o	,,	29.76	756.0	79	91	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.76	755.9	78	...	E	3	r
Guam,	12.22	29.79	756.6	...	...	NE	2	o	4.22	29.82	757.5	...	...	NE	2	b
Yap,	11.00	29.78	756.3	...	...	ENE	4	o	5	29.81	757.2	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.78	756.4	80	...	E	3	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.85	758.2	79	...	...	0	c
Labuan,	14	29.79	756.6	88	84	NW	2	b	6	29.85	758.2	76	94	SW	2	b

May *6d.* 11*h.* 18*m.*—The anticyclone, which has attained considerable intensity, is now central near Tokio. Pressure is relatively low over China and Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·05 inch. Total since January 1st, 6·46 inches, against an average of 13·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. to S. winds, moderate; cloudy and misty at first, improving later.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.13	765.3	42	...	SE	4	r	6	30.04	762.9	41	...	SE	4	r
Kemmuro,	11	30.14	765.5	...	...	SSW	3	...	5	30.24	768.0	...	...	NE	2	...
Hokodate,	"	30.18	766.5	...	...	SW	1	...	"	30.26	768.5	...	...	...	...	...
Tokio,	"	30.33	770.5	...	...	SE	1	...	"	30.28	769.0	...	...	...	0	...
Kochi,	"	30.26	768.5	...	...	SE	1	...	"	30.12	765.0	...	...	...	0	...
Nagasaki,	"	30.16	766.0	...	...	SSE	2	...	"	29.86	758.5	...	...	SSE	3	...
Kagoshima,	"	30.18	766.5	...	...	ESE	2	...	"	29.94	760.5	...	...	ESE	1	...
Oshima,	"	30.10	764.5	...	...	SE	3	...	"	29.90	759.5	...	...	S	3	...
Naha,	"	30.06	763.5	...	...	ESE	3	...	"	29.92	760.0	...	...	SE	2	...
Ishigakijima,	"	29.98	761.5	...	...	SE	3	...	"	29.88	759.0	...	...	SSW	3	...
Bonin Island,	"	30.18	766.5	...	...	ENE	1	...	"	30.16	766.0	...	...	E	1	...
Chefoo,	15	29.84	757.9	62	83	SW	4	b	6	29.85	758.2	52	100	E	1	of
Shanghai,	14	29.78	756.3	66	98	S	1	r	"	29.82	757.5	59	96	NNW	2	o
Dutzlaff,	"	29.80	756.9	58	100	SE	7	r	"	29.87	758.7	58	100	NNW	1	r
Sharp Peak,	"	29.81	757.2	73	88	S	1	o	7	29.76	755.9	72	90	...	0	o
Amoy,	"	29.89	759.2	74	81	SSE	4	o	6	29.85	758.2	72	92	SSE	2	o
Swatow,	"	29.88	758.9	76	91	ESE	1	c	"	...	...	...	...	...	...	...
Taihoku,	11	29.91	759.6	84	60	NW	2	o	5	29.84	757.8	72	96	...	0	o
Taichu,	"	29.89	759.3	86	...	WNW	2	b	"	29.87	758.7	70	...	...	0	o
Tainan,	"	29.91	759.6	86	...	WSW	2	o	"	29.84	757.8	73	...	...	0	b
Koshun,	"	29.92	759.9	82	...	E	2	b	"	29.85	758.1	75	...	...	0	b
Pescadores,	"	29.91	759.6	81	...	ENE	2	o	"	29.84	757.8	77	...	SW	4	b
Hong Kong,	14	29.85	758.1	78	85	E	2	o	6	29.82	757.4	74	95	...	0	cm
Gap Rock,	"	29.83	757.7	...	...	E	3	c	"	29.82	757.4	...	...	ESE	3	c
Macao,	"	29.81	757.2	84	74	SE	2	o	"	29.79	756.6	75	98	SE	2	of
Koihow,	"	29.71	754.5	94	72	SE	2	c	"	...	...	...	...	...	...	...
Pratas Island,	"	29.83	757.7	86	75	SE	2	b	"	29.84	757.9	72	92	...	0	bc
Shulien,	15	29.73	755.1	82	80	SSE	6	o	7	29.79	756.6	77	98	SE	2	b
Tourane,	"	29.73	755.1	84	...	SSE	6	o	"	29.80	756.9	79	...	E	2	o
Cape St. James,	"	...		84	...	ENE	6	o	"	...	...	...	...	...	...	...
Basco,	14	29.84	757.8	82	81	SE	4	o	6	29.82	757.5	81	84	SE	4	o
Aparri,	"	29.79	756.6	90	57	NE	4	o	"	29.82	757.5	77	84	S	2	b
Tuguegarao,	"	29.79	756.6	93	46	S	1	o	"	29.84	757.8	73	79	...	0	o
Tigan,	"	29.76	756.0	90	60	WNW	4	b	"	29.80	756.9	77	85	ESE	2	o
Manila,	"	29.76	756.0	93	46	SE	4	o	"	29.81	757.2	73	79	E	1	b
Legaspi,	"	29.80	756.9	86	75	NE	4	o	"	29.79	756.6	81	89	NNE	1	b
Daloyog,	"	29.76	756.0	90	63	NE	2	b	"	29.80	756.9	75	94	N	2	o
Iloilo,	"	29.76	756.0	90	69	S	4	o	"	29.80	756.9	77	91	NW	1	b
Cebu,	"	29.73	755.1	86	65	NE	6	o	"	...	...	...	...	...	...	...
Surigao,	"	29.76	756.0	84	74	NE	6	o	"	...	...	...	...	...	...	...
Davao,	"	29.74	755.4	86	68	E	2	o	"	29.76	756.0	79	...	NE	1	o
Saipan,	...	...	...	...	...	...	...	...	5	29.71	754.6	78	...	E	4	bc
Guam,	12.22	29.79	756.6	...	...	NE	4	o	4.22	29.81	757.2	...	...	NE	2	r
Yap,	11.00	29.76	756.0	...	...	NE	4	o	5	29.79	756.6	...	...	ENE	4	o
Melew,	...	...	...	...	...	...	...	...	"	29.78	756.4	70	...	ENE	2	c
Ponape,	...	...	...	...	...	...	...	...	"	29.84	757.9	88	...	E	2	r
Jaluan,	14	29.78	756.4	86	84	NW	4	b	6	29.84	757.9	77	91	SW	2	b

May 7*d.* 11*h.* 43*m.*—The anticyclone has moved into the Pacific to the east of Japan. The Yangtze depression has passed into the Eastern Sea and the Tongking depression remains stationary.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 6·46 inches, against an average of 13·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	S. winds, moderate.
3.—Hong Kong to Gap Rock,	S.E. winds, moderate; fair to showery.
4.—South coast of China between Hong Kong and Hainan,	S.E. winds, moderate; fair to showery.

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th May, 1929.								8th May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.24	768.0	...	...	SSE	1	...	5	30.02	762.5	...	...	ENE	1	...
Hokodate,	,,	30.18	766.5	...	...	SE	1	...	,,	30.00	762.0	...	...	...	0	...
Tokio,	,,	30.22	767.5	...	...	SSE	1	...	,,	29.84	758.0	...	...	NNE	2	...
Kochi,	,,	30.04	763.0	...	...	ESE	1	...	,,	29.75	755.5	...	...	...	0	...
Nagasaki,	,,	29.75	755.5	...	...	SSE	6	...	,,	29.82	757.5	...	...	...	0	...
Kagoshima,	,,	29.86	758.5	...	...	SSE	2	...	,,	29.82	757.5	...	...	...	...	...
Oshima,	,,	29.02	760.0	...	...	S	1	...	,,	29.82	757.5	...	...	...	0	...
Naha,	,,	29.94	760.5	...	...	S	3	...	,,	29.86	758.5	...	...	SSW	3	...
Ishigakijima,	,,	29.92	760.0	...	...	SSW	2	...	,,	29.84	758.0	...	...	SSW	6	...
Bonin Island,	,,	30.16	766.0	...	...	ESE	1	...	,,	30.06	763.5	...	...	SSE	2	...
Chefoo,	15	29.78	756.4	64	78	E	1	b	6	29.75	755.6	58	90	E	2	b
Shanghai,	14	29.86	758.4	68	77	N	1	o	,,	29.88	758.9	57	98	...	0	o
Gutzlaff,	,,	29.91	759.7	60	94	NNW	2	o	,,	29.96	761.0	58	100	NE	1	o
Sharp Peak,	,,	29.72	754.9	78	86	...	0	o	7	29.78	756.4	70	90	E	1	o
Amoy,	,,	29.77	756.1	82	75	SE	2	b	6	29.80	756.9	73	95	S	1	b
Swatow,	,,	29.78	756.4	81	87	S	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.86	758.4	86	65	WSW	2	o	5	29.82	757.5	73	94	...	0	o
Taichu,	,,	29.89	759.3	90	...	SSE	2	b	,,	29.85	758.1	73	...	...	0	o
Tainan,	,,	29.87	758.7	93	...	S	4	b	,,	29.82	757.5	75	...	...	0	o
Koshun,	,,	29.87	758.7	93	...	S	2	b	,,	29.82	757.5	75	...	...	0	o
Pescadores,	,,	29.87	758.7	84	...	S	4	o	,,	29.81	757.2	77	...	S	2	o
Hong Kong	14	29.80	756.9	80	85	E	1	o	6	29.79	756.6	74	94	...	0	olt
Gap Rock,	,,	29.81	757.2	...	...	ESE	3	c	,,	29.79	756.6	...	...	WSW	4	orlt
Macao,	,,	29.78	756.3	81	89	SE	2	o	,,	29.73	755.1	75	96	W	2	r
Hoihow,	,,	29.73	755.1	87	77	W	1	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.4	86	71	...	0	bc	,,	29.83	757.7	78	93	...	0	c
Phulien,	15	29.73	755.1	86	78	SSE	4	o	7	29.76	756.0	79	96	SSE	4	o
Tourane,	,,	29.74	755.4	84	...	NNE	2	o	,,	29.80	756.9	79	...	SW	2	b
Cape St. James,	,,	29.78	756.3	82	...	ENE	4	o	,,	29.81	757.2	77	...	NE	2	o
Basco,	14	29.80	756.9	86	68	SE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.76	756.0	90	63	NE	4	b	,,	29.82	757.5	...	...	S	2	b
Tuguegarao,	,,	29.74	755.4	97	42	S	1	b	,,	...	...	...	...	...	...	...
Vigan,	,,	29.76	756.0	90	63	W	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	93	46	SE	4	b	,,	29.84	757.8	73	82	E	1	b
Legaspi,	,,	29.78	756.3	90	63	NE	4	o	,,	29.82	757.5	79	91	...	0	b
Calbayog,	,,	29.86	758.4	90	66	SW	2	bf	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	90	63	S	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	90	55	NE	6	b	,,	...	...	...	...	...	...	...
Cebu,	,,	29.75	755.7	86	56	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	85	68	ENE	4	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	NE	4	o	5	29.78	756.3	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	88	84	SW	2	b	6	29.85	758.2	78	86	SW	2	b

May 8*d.* 11*h.* 16*m.*– Pressure is highest in the Pacific to the east of Japan and the Bonins, and relatively low over China generally. Depressions are situated over Tongking and South Japan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·37 inch. Total since January 1st, 7·83 inches, against an average of 13·67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hong Kong and Lamocks,	S. winds, moderate.
3.—Hong Kong to Gap Rock, ... 4.—South coast of China between Hong Kong and Hainan,	S.W. or variable winds, moderate; cloudy, rain.

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	9th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.01	762.2	40	...	SE	1	f	6	30.04	762.9	40	...	SE	2	o
Nemuro,	11	29.92	760.0	...	...	N	1	...	5	30.06	763.5	...	...	NNE	2	...
Hokodate,	,,	29.94	760.5	...	...	SE	1	...	,,	30.02	762.5	...	...	...	...	...
Tokio,	,,	29.78	756.5	...	...	NW	2	...	,,	29.96	761.0	...	...	NE	1	...
Kochi,	,,	29.78	756.5	...	...	...	0	...	,,	29.84	758.0	...	...	...	0	...
Nagasaki,	,,	29.84	758.0	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	0	...
Kagoshima,	,,	29.84	758.0	...	...	...	...	...	,,	29.86	758.5	...	...	...	0	...
Oshima,	,,	29.82	757.5	...	...	SW	1	...	,,	29.82	757.5	...	...	WSW	1	...
Naha,	,,	29.88	759.0	...	...	S	4	...	,,	29.84	758.0	...	...	S	3	...
Ishigakijima,	,,	29.86	758.5	...	...	SW	2	...	,,	29.84	758.0	...	...	SW	2	...
Bonin Island,	,,	30.04	763.0	...	...	S	2	...	,,	30.04	763.0	...	...	...	0	...
Chefoo,	15	29.75	755.6	60	94	NNW	2	r	6	29.79	756.6	50	100	...	0	b
Shanghai,	14	29.85	758.1	73	66	E	1	o	,,	29.87	758.7	55	100	ESE	2	of
Gutzlaff,	,,	29.90	759.4	62	90	ENE	1	o	,,	29.96	761.0	58	94	SE	2	o
Sharp Peak,	,,	29.75	755.7	71	85	E	2	o	7	29.88	758.9	68	94	...	0	r
Amoy,	,,	29.74	755.4	77	92	SW	4	r	6	29.87	758.7	72	92	ENE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.82	757.5	82	77	NW	2	o	5	29.81	757.2	73	96	...	0	o
Taichu,	,,	29.87	758.7	86	...	W	2	o	,,	29.85	758.1	75	...	...	0	o
Tainan,	,,	29.86	758.4	90	...	SW	2	b	,,	29.82	757.5	75	...	...	...	...
Toshun,	,,	29.85	758.1	84	...	W	2	b	,,	29.84	757.8	75	...	...	0	b
Pescadores,	,,	29.85	758.1	84	...	S	4	o	,,	29.82	757.5	75	...	...	0	o
Hong Kong,	14	29.81	757.2	75	92	SSE	1	or	6	29.81	757.2	74	94	...	0	of
Gap Rock,	,,	29.81	757.2	...	...	SW	3	o	,,	29.81	757.2	...	...	SSE	2	o
Macao,	,,	29.78	756.3	70	100	SW	2	r	,,	29.78	756.3	75	94	SSE	2	o
Hoihow,	,,	29.81	757.2	87	77	WSW	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.2	85	76	W	2	c	,,	29.84	757.9	77	86	...	0	bo
Phulien,	15	29.67	753.6	86	78	SE	2	o	7	29.76	756.0	75	92	SE	4	o
Tourane,	,,	29.73	755.1	84	...	SE	4	o	,,	29.79	756.6	79	...	NNE	2	o
Cape St. James,	,,	29.78	756.3	86	...	ESE	4	o	,,	29.81	757.2	79	...	ESE	2	o
Basco,	14	29.78	756.3	90	63	SW	2	b	6	29.82	757.5	81	84	SE	1	o
Aparri,	,,	29.75	755.7	90	66	NNE	4	b	,,	29.84	757.8	75	92	SW	2	b
Tuguegarao,	,,	29.72	754.8	97	42	N	2	o	,,	29.84	757.8	77	88	SSE	1	o
Vigan,	,,	29.75	755.7	90	63	W	4	b	,,	29.81	757.2	79	73	N	1	b
Manila,	,,	29.74	755.4	93	40	SE	4	b	,,	29.81	757.2	77	79	E	1	b
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	81	89	...	0	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	75	94	NE	2	o
Tacloban,	,,	29.78	755.3	86	95	S	4	b	,,	29.82	757.5	79	87	NW	1	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	79	89	NE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.74	755.4	82	81	E	2	o	,,	29.79	756.6	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.76	756.0	87	...	NE	4	b
Guam,	12.22	29.78	756.3	...	...	NE	4	o	4.22	29.81	757.2	...	...	NE	2	o
Yap,	11.00	29.76	756.0	...	...	ENE	4	o	5	29.80	756.9	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.77	756.1	79	...	NNE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.76	756.0	81	...	E	4	fc
Labuan,	14	29.77	756.1	84	83	NW	2	b	6	29.84	757.9	78	91	SW	2	r

May 9*d.* 11*h.* 13*m.*—Pressure remains highest to the east of Japan and the Bonins, and relatively low over China generally. The depression remains over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·60 inch. Total since January 1st, 8·43 inches, against an average of 13·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	S. or variable winds, light to moderate; cloudy, rain.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th May, 1929.								10th May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.03	762.8	41	...	...	0	0	6	29.99	761.8	39	...	...	0	r
Nemuro,	11	30.08	764.0	...	...	N	1	...	5	30.06	763.5	...	...	SW	1	...
Hokodate,	,,	30.02	762.5	...	...	ESE	3	...	,,	30.00	762.0	...	...	E	1	...
Tokio,	,,	29.96	761.0	...	...	ENE	1	...	,,	29.94	760.5	...	...	ENE	1	...
Kochi,	,,	29.84	758.0	...	...	ESE	1	...	,,	29.86	758.5	...	...	SW	1	...
Nagasaki,	,,	29.88	759.0	...	...	SSW	1	...	,,	29.98	761.5	...	...	...	0	...
Kagoshima,	,,	29.86	758.5	...	...	...	0	...	,,	29.92	760.0	...	...	WNW	1	...
Oshima,	,,	29.86	758.5	...	...	N	1	...	,,	29.90	759.5	...	...	...	0	...
Naha,	,,	29.86	758.5	...	...	SSW	4	...	,,	29.88	759.0	...	...	NNE	1	...
Ishigakijima,	,,	29.82	757.5	...	...	SW	2	...	,,	29.86	758.5	...	...	NE	1	...
Bonin Island,	,,	30.02	762.5	...	...	SSW	1	...	,,	30.00	762.0	...	...	SSW	1	...
Chefoo,	15	29.80	756.9	56	100	ENE	4	r	6	29.97	761.2	46	100	NW	1	cf
Shanghai,	14	29.89	759.3	72	82	ESE	1	of	,,	30.00	762.0	54	100	S	1	of
Gutzlaff,	,,	29.99	761.7	60	94	SE	2	o	,,	30.05	763.2	58	100	S	2	of
Sharp Peak,	,,	29.79	756.6	68	95	E	2	rf	7	29.93	760.2	69	97	N	1	b
Amoy,	,,	29.80	756.9	73	95	SSE	4	o	6	30.04	763.0	70	61	ENE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	29.90	759.4	71	90	NE	1	o
Taiboku,	11	29.84	757.8	82	84	E	2	o	5	...	...	...	...	...	...	...
Taichu,	,,	29.88	759.0	86	...	SSW	2	o	,,	...	...	...	...	...	...	...
Tainan,	,,	29.86	758.4	90	...	SW	4	b	,,	...	...	...	...	...	...	...
Koshun,	,,	29.85	758.1	90	...	WSW	2	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.86	758.4	81	...	WSW	2	o	,,	...	...	...	...	...	...	...
Hong Kong,	14	29.81	757.2	79	83	...	0	od	6	29.86	758.4	76	96	E	2	of
Gap Rock,	,,	29.84	757.9	...	...	SSW	3	e	,,	29.84	757.9	...	...	SSW	2	f
Macao,	,,	29.79	756.6	82	84	SW	2	o	,,	29.82	757.5	75	96	...	0	o
Hoihow,	,,	29.73	755.1	94	72	SE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.85	758.2	85	76	SW	1	b	,,	29.88	758.9	72	95	...	0	bem
Phulien,	15	29.73	755.1	81	90	SSE	6	o	7	29.80	756.9	79	98	SSE	4	b
Tourane,	,,	29.73	755.1	82	...	S	2	b	,,	29.81	757.2	77	...	SSW	4	b
Cape St. James,	,,	29.79	756.6	82	...	SSE	2	o	,,	29.82	757.5	79	...	E	2	o
Basco,	14	29.79	756.6	90	66	S	2	b	6	29.85	758.1	77	85	SE	1	o
Aparri,	,,	29.76	756.0	86	65	NE	4	b	,,	29.85	758.1	75	94	...	0	b
Tuguegarao,	,,	29.74	755.4	97	42	...	0	o	,,	29.86	758.4	75	92	...	0	o
Vigan,	,,	29.76	756.0	90	57	NW	4	b	,,	29.82	757.5	79	85	NNW	2	o
Manila,	,,	29.75	755.7	93	46	W	4	b	,,	29.85	758.1	75	86	...	0	o
Legaspi,	,,	29.78	756.3	90	63	ENE	4	o	,,	29.82	757.5	81	86	...	0	b
Calboyog,	,,	29.78	756.3	84	81	NNW	4	o	,,	29.84	757.8	75	98	...	0	o
Tacloban,	,,	29.80	756.9	81	89	SSE	1	o	,,	29.85	758.1	79	91	NW	1	o
Hoilo,	,,	29.74	755.4	90	48	E	4	o	,,	29.82	757.5	79	87	N	6	o
Cebu,	,,	29.75	755.7	90	55	E	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	82	77	NE	1	o	,,	29.81	757.2	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	NE	4	o	4.22	29.81	757.2	...	...	NE	2	b
Yap,	11.00	29.75	755.7	...	...	ENE	4	o	5	29.82	757.5	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	84	NE	2	b	6	29.85	758.2	76	91	NW	2	b

May 10*d.* 10*h.* 50*m.*—Pressure remains highest to the north-east of Japan, although a weak anticyclone area has developed over N. China. A shallow depression is indicated over S. Japan, and the depression over Tongking has partially filled up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·20 inch. Total since January 1st, 8·63 inches, against an average of 14·31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate.
3.—Hong Kong to Gap Rock,	E. winds, moderate; cloudy, with drizzle or mist.
4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; cloudy, with drizzle or mist.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th May, 1929.								11th May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Vladivostock,	12	29.96	761.0	42	...	SE	2	o	6	30.01	762.1	40	...	...	o	o
Nemuro,	11	30.02	762.5	...	...	SSW	1	...	5	30.06	763.5	...	...	...	o	...
Hokodate,	,,	29.98	761.5	...	...	E	1	...	,,	30.02	762.5	...	...	...	o	...
Tokio,	,,	29.90	759.5	...	...	NNE	1	...	,,	30.02	762.5	...	...	...	o	...
Kochi,	,,	29.88	759.0	...	...	SW	1	...	,,	29.98	761.5	...	...	...	o	...
Nagasaki,	,,	30.00	762.0	...	...	SW	2	...	,,	30.04	763.0	...	...	...	o	...
Kagoshima,	,,	29.94	760.5	...	...	SSE	1	...	,,	30.04	763.0	...	...	NW	1	...
Oshima,	,,	29.96	761.0	...	...	N	2	...	,,	30.00	762.0	...	...	SSE	1	...
Saba,	,,	29.96	761.0	...	...	NNE	3	...	,,	29.96	761.0	...	...	NE	1	...
Ishigakijima,	,,	29.96	761.0	...	...	NE	2	...	,,	29.90	759.5	...	...	E	2	...
Bonin Island,	,,	29.96	761.0	...	...	SSW	2	...	,,	29.94	760.5	...	...	...	o	...
Chefoo,	15	29.91	759.7	58	90	E	2	b	6	29.94	760.5	58	58	S	1	b
Shanghai,	14	29.99	761.7	82	100	SSE	1	b	,,	29.94	760.5	61	83	SE	1	o
Sutzlaff,	,,	30.05	763.2	63	91	SSE	4	o	,,	29.98	761.5	62	83	SSE	4	o
Sharp Peak,	,,	29.96	761.0	73	76	E	2	b	7	29.89	759.2	68	90	SSE	1	b
Amoy,	,,	29.98	761.5	80	55	E	4	b	6	29.92	759.9	70	75	SSE	4	o
Swatow,	,,	29.94	760.5	75	87	E	2	c	,,	29.92	759.9	71	86	E	2	c
Taihoku,	11	29.99	761.7	79	66	E	4	b	5	29.87	758.7	70	94	...	o	b
Taichu,	,,	29.93	760.2	84	...	WNW	2	b	,,	29.91	759.6	70	...	...	o	b
Tainan,	,,	29.91	759.6	93	...	WNW	2	b	,,	29.87	758.7	73	...	...	o	b
Toshun,	,,	29.93	760.2	90	...	NE	2	b	,,	29.87	758.7	75	...	...	o	b
Pescadores,	,,	29.94	760.5	81	...	NNE	4	b	,,	29.88	759.0	72	...	NNE	2	b
Hong Kong,	14	29.89	759.2	75	88	ENE	4	o	6	29.87	758.7	74	92	E	3	od
Gap Rock,	,,	29.86	758.4	...	...	E	3	o	,,	29.86	758.4	...	...	E	4	o
Macao,	,,	29.85	758.1	79	89	SE	4	o	,,	29.82	757.5	75	96	SE	4	o
Hoihow,	,,	29.79	756.6	90	71	SSE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.90	759.4	88	79	NNE	1	bc	,,	29.87	758.7	78	87	NE	2	bc
Phulien,	15	29.74	755.4	84	81	SSE	6	o	7	29.78	756.3	79	92	SSE	6	o
Tourane,	,,	29.78	756.3	86	...	SE	6	b	,,	29.81	757.2	75	...	SSW	6	o
Cape St. James,	,,	29.81	757.2	85	...	SE	4	o	,,	29.85	758.1	79	...	E	4	o
Basco,	14	29.85	758.1	86	71	N	4	b	6	29.84	757.8	77	89	NE	1	b
Aparri,	,,	29.82	757.5	86	61	NNE	4	b	,,	29.82	757.5	75	91	SW	2	b
Tuguegarao,	,,	29.78	756.3	97	42	N	2	o	,,	29.82	757.5	75	91	...	o	o
Vigan,	,,	29.79	756.6	90	57	NNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	93	40	SE	2	o	,,	29.82	757.5	77	84	NE	1	o
Legaspi,	,,	29.79	756.6	90	66	NNE	2	o	,,	29.82	757.5	81	86	...	o	o
Calboyog,	,,	29.79	756.6	86	71	SW	2	o	,,	29.81	757.2	79	90	NNE	2	o
Tacloban,	,,	29.80	756.9	86	71	S	4	o	,,	29.82	757.5	79	90	N	2	o
Iloilo,	,,	29.76	756.0	90	57	NE	4	o	,,	29.80	756.9	79	89	NE	4	o
Cebu,	,,	29.78	756.3	90	55	NE	2	o	,,	29.80	756.9	79	80	N	2	o
Surigao,	,,	29.79	756.6	81	89	NE	4	r	,,	29.80	756.9	75	96	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.5	...	...	E	2	o	5	29.81	757.2	...	...	NNE	4	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	84	83	NW	2	b	6	29.84	757.9	77	86	E	2	b

May 11*d.* 10*h.* 55*m.*—A weak anticyclone is central to the north-east of Japan, and the depression remains over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·14 inch. Total since January 1st, 8·77 inches, against an average of 14·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, moderate; fair to showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th May, 1929.								12th May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.03	762.8	42	...	SE	1	c	6	30.12	765.1	41	...	SE	1	o
Nemuro,	11	30.12	765.0	...	...	SE	2	...	5	30.22	767.5	...	...	...	0	...
Hokodate,	,,	30.06	763.5	...	...	SE	2	...	,,	30.14	765.5	...	...	E	1	...
Tokio,	,,	30.00	762.0	...	...	ESE	1	...	,,	30.08	764.0	...	...	N	1	...
Kochi,	,,	29.96	761.0	...	...	SE	1	...	,,	30.04	763.0	...	...	...	0	...
Nagasaki,	,,	30.10	764.5	...	...	SW	1	...	,,	30 02	762.5	...	...	...	...	...
Kagoshima,	,,	30.04	763.0	...	...	WNW	1	...	,,	30.00	762.0	...	...	NW	1	...
Oshima,	,,	30.02	762.5	...	...	NNE	1	...	,,	29.94	760.5	...	...	SE	1	...
Naha,	,,	30.00	762.0	...	...	ENE	2	...	,,	29.86	758.5	...	...	ESE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	ENE	1	...	,,	29.82	757.5	...	...	SW	2	...
Bonin Island,	,,	29.94	760.5	...	...	WSW	1	...	,,	29.98	761.5	...	...	NNE	1	...
Chefoo,	15	29.90	759.4	63	78	E	2	b	6	29.83	757.7	64	73	SSW	4	b
Shanghai,	14	29.95	760.8	70	65	SE	2	o	,,	29.85	758.1	59	98	E	6	r
Gutzlaff,	,,	29.99	761.7	62	94	SE	4	o	,,	29.93	760.2	58	100	SE	6	rf
Sharp Peak,	,,	29.87	758.7	75	81	E	1	o	7	29.72	754.9	71	93	...	0	o
Amoy,	,,	29.86	758.4	77	69	SE	4	b	6	29.92	759.9	72	100	SSW	2	b
Swatow,	,,	29.87	758.7	75	91	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.91	759.6	84	68	...	0	o	5	29.78	756.3	73	98	...	0	o
Taichu,	,,	29.94	760 5	81	...	SW	2	r	,,	29.86	758.4	73	...	...	0	o
Tainan,	,,	29.91	759.6	86	...	WSW	2	o	,,	29.84	757.8	73	...	...	0	b
Koshun,	,,	29.89	759.3	...	...	WSW	2	o	,,	29.82	757.5	73	...	...	0	b
Pescadores,	,,	29.92	759.9	77	...	NNW	2	o	,,	29.81	757.2	75	...	SSE	2	b
Hong Kong,	14	29.84	757.9	77	85	E	4	b	6	29 80	756.9	79	83	S	2	o
Gap Rock,	,,	29.85	758 2	...	...	E	3	c	,,	29.80	756.9	...	...	S	3	c
Macao,	,,	29.80	756.9	82	86	SE	4	o	,,	29.75	755.7	77	92	S	4	o
Hoihow,	,,	29.73	755.1	61	89	SSE	3	lt	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.87	758.7	86	72	NE	1	hc	,,	29.83	757.7	77	91	...	0	hc
Phulien,	15	29 74	755.4	86	78	SSE	6	o	7	29.74	755.4	77	...	SSE	4	cf
Tourane,	,,	29.78	756.3	84	...	SSE	6	b	,,	29.81	757.2	79	...	SSW	2	hc
Cape St. James,	,,	29.82	757 5	86	...	E	4	o	,,	29.87	758.7	79	...	WNW	2	c
Basco,	14	29.82	757.5	86	71	ESE	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.78	756.3	90	66	NE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.75	755.7	...	...	NE	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	90	57	WSW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	93	46	SE	2	o	,,	29.82	757.5	77	85	...	0	o
Legaspi,	,,	29.78	756.3	90	66	NE	2	o	,,	29.82	757.5	81	84	...	0	o
Calboyog,	,,	29.79	756.6	82	84	...	0	o	,,	29.84	757.8	75	98	N	2	o
Tacloban,	,,	29.79	756.6	75	91	...	0	o	,,	29.86	758.4	77	91	S	6	r
Iloilo,	,,	29.74	755.4	90	60	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.74	755.4	86	56	NE	4	o	,,	29.85	758.1	75	94	NW	2	o
Surigao,	,,	29.76	756.0	82	87	SE	2	o	,,	29.82	757.5	75	98	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	77	...	ENE	2	hc
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	ENE	2	o	5	29.84	757.8	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.87	758.7	78	...	SW	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.87	758.7	81	...	...	0	hc
Labuan,	14	29.70	754.4	86	84	SW	2	b	6	29.86	758.4	76	91	SW	1	b

May 12*d*. 11*h*. 40*m*.—The anticyclone remains to the north-east of Japan. Depressions are situated over Tongking and the lower Yangtze Valley.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·77 inches, against an average of 15·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, moderate; cloudy, occasional rain.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th May, 1929.								13th May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.12	765.0	46	...	SSE	1	0	6	30.09	764.3	40	...	...	0	f
Nemuro,	11	30.20	767.0	...	...	SE	1	...	5	30.14	765.5	...	...	SSW	1	...
Hokodate,	,,	30.12	765.0	...	...	E	2	...	,,	30.06	763.5	...	...	...	0	...
Tokio,	,,	30.06	763.5	...	...	NE	1	...	,,	30.02	762.5	...	...	N	1	...
Kochi,	,,	30.02	762.5	...	...	...	0	...	,,	29.94	760.5	...	...	...	0	...
Nagasaki,	,,	30.00	762.0	...	...	SE	1	...	,,	29.92	760.0	...	...	...	0	...
Kagoshima,	,,	30.00	762.0	...	...	...	0	...	,,	29.90	759.5	...	...	NW	1	...
Oshima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.80	757.0	...	...	...	...	...
Naha,	,,	29.78	756.5	...	...	SSE	4	...	,,	29.73	755.0	...	...	WSW	1	...
Ishigakijima,	,,	29.78	756.5	...	...	WSW	2	...	,,	29.73	755.0	...	...	...	0	...
Bonin Island,	,,	29.96	761.0	...	...	NE	1	...	,,	29.90	759.5	...	...	SE	1	...
Chefoo,	15	29.83	757.7	70	70	ENE	2	0	6	29.90	759.4	52	100	...	0	b
Shanghai,	14	29.87	758.7	63	96	ESE	4	r	,,	29.97	761.1	61	93	ENE	1	o
Gutzlaff,	,,	29.92	759.9	60	100	ESE	6	o	,,	29.98	761.5	58	94	ENE	4	o
Sharp Peak,	,,	29.68	753.9	77	86	...	0	o	7	29.77	756.1	74	90	NNE	2	r
Amoy,	,,	29.72	754.9	60	79	S	4	o	6	29.74	755.4	77	95	ENE	2	o
Swatow,	,,	29.81	757.2	80	91	S	2	c	,,	29.75	755.7	...	96	SSW	2	c
Taihoku,	11	29.78	756.3	84	74	N	2	o	5	29.75	755.7	70	98	...	0	r
Taichu,	,,	29.84	757.8	86	...	WSW	2	b	,,	29.78	756.3	72	...	SE	2	r
Tainan,	,,	29.84	757.8	90	...	SW	4	b	,,	29.76	756.0	77	...	...	0	o
Koshun,	,,	29.84	757.8	86	...	WNW	2	b	,,	29.74	755.4	77	...	NW	4	o
Pescadores,	,,	29.84	757.8	82	...	SW	4	b	,,	29.74	755.4	75	...	SW	4	o
Hong Kong,	14	29.77	756.1	85	71	SSW	3	c	6	29.74	755.4	80	87	SW	2	o
Gap Rock,	,,	29.79	756.6	...	...	S	3	c	,,	29.74	755.4	...	...	SSW	3	c
Macao,	,,	29.74	755.4	86	75	SW	4	o	,,	29.74	755.4	79	92	WSW	4	o
Hoihow,	,,	29.71	754.6	96	...	SSE	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.7	87	69	SSW	2	b	,,	29.77	756.1	80	93	SSW	1	bc
Phulien,	15	29.68	753.9	86	81	SSE	4	o	7	29.71	754.5	79	92	ESE	4	b
Tourane,	,,	29.76	756.0	90	...	SE	6	o	,,	29.76	756.0	84	...	SW	2	o
Cape St. James,	,,	29.81	757.2	93	...	S	2	b	,,	29.85	758.1	81	...	WSW	4	o
Basco,	14	29.76	756.0	86	71	WSW	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	90	60	N	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.72	754.8	97	42	S	1	b	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	93	46	W	2	o	,,	29.80	756.9	79	84	E	1	b
Legaspi,	,,	29.78	756.3	90	57	NE	2	o	,,	29.81	757.2	75	96	...	0	o
Calbayog,	,,	29.78	756.3	86	71	SW	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	84	77	S	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	61	E	4	o	,,	29.81	757.2	77	91	NE	1	o
Cebu,	,,	29.79	756.6	81	73	...	0	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.78	756.3	84	77	...	0	o	,,	...	...	...	...	...	...	...
Saipan,	...	..	...	...	...	...	...	...	5	29.78	756.3	66	...	ENE	2	c
Guam,	12.22	29.80	756.9	...	...	NE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.5	...	...	ESE	1	o	5	29.85	758.1	...	...	E	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.84	757.9	79	...	...	0	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	79	...	SE	2	bc
Labuan,	14	29.80	756.9	84	87	SW	2	b	6	29.83	757.7	78	86	SW	2	b

May 13*d.* 11*h.* 06*m.*—The anticyclone remains to the north-east of Japan. A trough of low pressure extends from Indo-China to the Ladrones, with depressions over Tongking and the Loochoos.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·77 inches, against an average of 15·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	S.W. or variable winds, moderate; cloudy, showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th May, 1929.								14th May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.06	763.5	46	...	SE	1	b	6	30.04	763.1	38	...	SE	2	o
Nemuro,	11	30.12	765.0	...	...	S	3	...	5	29.67	753.5	...	...	...	...	...
Hokodate,	,,	30.04	763.0	...	...	S	1	...	,,	30.02	762.5	...	...	N	1	...
Tokio,	,,	29.96	761.0	...	...	SE	1	...	,,	29.82	757.5	...	...	NNW	1	...
Kochi,	,,	29.86	758.5	...	...	...	0	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	NNE	1	...	,,	29.98	761.5	...	...	NE	1	...
Kagoshima,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.90	759.5	...	...	NW	1	...
Oshima,	,,	29.82	757.5	...	...	NE	1	...	,,	29.88	759.0	...	...	SSE	1	...
Naha,	,,	29.76	756.0	...	...	NE	2	...	,,	29.84	758.0	...	...	NNE	1	...
Ishigakijima,	,,	29.75	755.5	...	...	NNW	1	...	,,	29.80	757.0	...	...	ENE	2	...
Bonin Island,	,,	29.82	757.5	...	...	SSW	2	...	,,	29.75	755.5	...	...	SW	2	...
Chefoo,	15	29.94	760.5	60	90	E	2	o	6	29.91	759.7	60	90	...	0	o
Shanghai,	14	29.98	761.4	75	49	E	2	b	,,	29.99	761.7	64	100	SSW	7	b
Gutzlaff,	,,	30.01	762.2	66	75	NE	2	o	,,	30.05	763.2	56	100	ESE	1	cf
Sharp Peak,	,,	29.79	756.6	73	86	E	2	o	7	29.87	758.7	68	94	WNW	2	o
Amoy,	,,	29.80	756.9	74	86	NE	4	o	6	29.81	757.2	71	91	NE	2	o
Swatow,	,,	29.75	755.7	75	95	E	4	o	,,	29.82	757.4	70	95	NNE	2	c
Taihoku,	11	29.80	756.9	72	92	E	2	r	5	29.81	757.2	72	96	E	4	o
Taichu,	,,	29.81	757.2	73	...	...	0	r	,,	29.80	756.9	72	...	...	0	o
Tainan,	,,	29.78	756.3	86	...	SW	4	o	,,	29.76	756.0	72	...	N	4	r
Koshun,	,,	29.78	756.3	84	...	NNW	4	b	,,	29.75	755.7	75	...	NE	2	o
Pescadores,	,,	29.76	756.0	77	...	NNE	4	r	,,	29.78	756.3	73	...	N	4	o
Hong Kong,	14	29.72	754.8	86	75	SW	2	c	6	29.78	756.3	74	88	E	3	o
Gap Rock,	,,	29.74	755.4	...	...	SW	3	c	,,	29.75	755.6	...	...	ENE	5	o
Macao,	,,	29.71	754.5	82	84	ENE	2	o	,,	29.71	754.5	73	91	ESE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.9	88	74	SW	3	b	,,	29.77	756.1	76	93	NE	4	o
Phulien,	15	29.66	753.3	90	76	SSE	4	b	7	29.73	755.1	75	92	ENE	4	o
Tourane,	,,	29.71	754.5	90	...	SSE	4	b	,,	29.72	754.8	84	...	SSW	4	b
Cape St. James,	,,	29.78	756.3	90	...	S	2	o	,,	29.84	757.8	81	...	SW	4	o
Basco,	14	29.74	755.4	86	71	WSW	4	o	6	29.74	755.4	75	89	N	1	o
Aparri,	,,	29.75	755.7	90	66	N	4	b	,,	29.76	756.0	77	94	W	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.76	756.0	90	48	W	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	93	64	SW	4	b	,,	29.78	756.3	77	86	...	0	b
Legaspi,	,,	29.74	755.4	90	63	NE	2	o	,,	29.78	756.3	79	92	...	0	o
Calboyog,	,,	29.75	755.7	86	71	SSW	2	o	,,	29.79	756.6	77	96	...	0	o
Tacloban,	,,	29.75	755.7	84	77	E	2	o	,,	29.81	757.2	77	91	SW	1	o
Iloilo,	,,	29.76	756.0	86	71	SW	4	o	,,	29.80	756.9	79	89	S	2	b
Cebu,	,,	29.75	755.7	82	74	S	4	o	,,	29.79	756.6	79	90	SW	2	b
Surigao,	,,	29.75	755.7	84	71	NW	2	b	,,	29.80	756.9	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	E	2	o	4.22	29.82	757.5	...	...	E	1	b
Yap,	11.00	29.79	756.6	...	...	E	1	o	5	29.84	757.8	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	86	84	NW	2	b	6	29.84	757.9	78	91	SW	2	b

May 14*d.* 11*h.* 39*m.*—The trough of low pressure now extends from Indo-China to the Bonins, depressions being indicated in each extremity. The anticyclone has weakened considerably, leaving a wedge of high pressure over Korea and the Sea of Japan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·36 inch. Total since January 1st, 9·13 inches, against an average of 15·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate.
3.—Hong Kong to Gap Rock,	E. winds, moderate; cloudy.
4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; cloudy.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th May, 1929.								15th May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer. at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.02	762.4	42	...	SSE	1	o	6	29.98	761.4	41	...	SE	4	r
Nemuro,	11	30.08	764.0	...	...	SE	1	...	5	30.06	763.5	...	...	ENE	1	...
Hokodate,	"	30.02	762.5	...	...	SE	2	...	"	30.08	764.0	...	...	...	0	...
Tokio,	"	29.84	758.0	...	...	N	2	...	"	30.10	764.5	...	...	NE	1	...
Kochi,	"	29.88	759.0	...	...	NE	1	...	"	30.00	762.0	...	...	...	0	...
Nagasaki,	"	29.96	761.0	...	...	NNW	1	...	"	29.96	761.0	...	...	ESE	1	...
Kagoshima,	"	29.92	760.0	...	...	SE	1	...	"	29.90	759.5	...	...	NW	1	...
Oshima,	"	29.92	760.0	...	...	NNE	2	...	"	29.92	760.0	...	...	S	1	...
Naha,	"	29.88	759.0	...	...	ENE	3	...	"	29.88	759.0	...	...	E	1	...
Ishigakijima,	"	29.84	758.0	...	...	ENE	3	...	"	29.80	757.0	...	...	E	2	...
Bonin Island,	"	29.80	757.0	...	...	N	1	...	"	29.94	760.5	...	...	NE	1	...
Chefoo,	15	29.86	758.4	60	90	WNW	1	o	6	29.92	759.9	56	94	...	0	o
Shanghai,	14	29.92	759.9	79	48	SE	1	b	"	29.85	758.1	64	90	SSE	1	o
Gutzlaff,	"	29.98	761.5	65	84	SE	2	o	"	29.88	758.9	62	100	SSE	4	o
Sharp Peak,	"	29.78	756.4	72	81	NE	2	o	7	29.78	756.4	70	90	N	1	o
Amoy,	"	29.81	757.2	72	92	NE	2	o	6	29.78	756.4	72	92	N	2	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	11	29.84	757.8	81	76	E	4	b	5	29.76	756.0	72	88	E	4	o
Taichu,	"	29.80	756.9	84	...	...	0	b	"	29.76	756.0	72	...	...	0	b
Tainan,	"	29.80	756.9	82	...	WSW	2	o	"	29.75	755.7	73	...	...	0	b
Koshun,	"	29.80	756.9	77	...	...	0	r	"	29.75	755.7	72	...	...	0	b
Pescadores,	"	29.81	757.2	81	...	N	4	o	"	29.76	756.0	73	...	N	4	o
Hong Kong,	14	29.79	756.6	76	79	ENE	4	o	6	29.76	755.9	74	86	ENE	4	od
Gap Rock,	"	29.76	756.0	...	...	ENE	5	o	"	29.73	755.1	...	...	ENE	4	or
Macao,	"	29.74	755.4	75	88	SE	4	o	"	29.69	754.2	72	91	SE	4	o
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.79	756.6	80	79	NNE	4	o	"	29.80	756.9	77	88	ENE	1	bo
Phulien,	15	29.68	753.9	86	75	SE	2	o	7	29.68	753.9	79	92	ESE	4	o
Tourane,	"	29.67	753.6	90	...	SSE	2	o	"	29.68	753.9	84	...	SSE	2	b
Cape St. James,	"	...	...	...	...	...	...	...	"	29.79	756.6	81	...	SW	4	o
Basco,	14	29.75	755.7	79	87	W	1	r	6	29.72	754.8	81	87	WSW	2	o
Aparri,	"	29.72	754.8	86	65	N	4	o	"	29.75	755.7	77	91	S	2	b
Tuguegarao,	"	29.68	753.9	97	47	N	1	o	"	...	...	...	...	...	...	...
Vigan,	"	29.75	755.7	86	65	WNW	4	o	"	29.74	755.4	79	80	S	2	b
Manila,	"	29.74	755.4	90	63	SW	4	b	"	29.78	756.3	79	92	...	0	b
Legaspi,	"	29.72	754.8	90	63	S	4	o	"	29.78	756.3	77	92	...	0	b
Calboyog,	"	29.75	755.7	86	68	SW	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	29.78	756.3	81	84	NW	1	o	"	29.81	757.2	77	94	NW	1	o
Iloilo,	"	29.75	755.7	85	71	S	1	b	"	29.78	756.3	79	91	...	0	o
Cebu.	"	29.75	755.7	86	68	SW	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.75	755.7	86	65	...	0	o	"	29.80	756.9	75	94	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.86	758.4	78	...	E	3	bo
Guam,	12.22	29.79	756.6	...	...	E	1	o	4.22	29.84	757.8	...	...	NE	1	o
Yap,	11.00	29.82	757.5	...	...	ENE	2	r	5	29.82	757.5	...	...	E	4	o
Pelew,	...	...	...	...	...	...	...	...	"	29.81	757.2	78	...	NW	4	c
Ponape,	...	...	...	...	...	...	...	...	"	29.84	757.9	80	...	SE	1	lc
Labuan,	14	29.78	756.4	86	84	SW	4	b	6	29.83	757.7	76	91	SW	1	r

May 15*d.* 11*h.* 00*m.*—Pressure is highest in the Pacific to the east of Japan, and relatively low in a trough extending from Indo-China to the Caroline Islands.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 9·19 inches, against an average of 16·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	E. or variable winds, moderate; cloudy, occasional rain.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th May, 1929.								16th May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.96	761.1	41	...	SE	2	or	6	29.95	760.7	42	...	SE	2	f
Nemuro,	11	30.10	764.5	...	...	NE	1	...	5	30.20	767.0	...	...	SSE	2	...
Hokodate,	,,	30.06	763.5	...	...	SE	1	...	,,	30.04	763.0	...	...	NW	1	...
Tokio,	,,	30.10	764.5	...	...	SSE	1	...	,,	30.08	764.0	...	...	...	0	...
Kochi,	,,	30.00	762.0	...	...	...	0	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	29.96	761.0	...	...	W	1	...	,,	30.00	762.0	...	...	N	1	...
Kagoshima,	,,	29.92	760.0	...	...	E	1	...	,,	29.98	761.5	...	...	NW	1	...
Oshima,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.92	760.0	...	...	S	1	...
Naha,	,,	29.90	759.5	...	...	ENE	2	...	,,	29.90	759.5	...	...	NNE	1	...
Ishigakijima,	,,	29.84	758.0	...	...	E	3	...	,,	29.76	756.0	...	...	E	4	...
Bonin Island,	,,	29.94	760.5	...	...	ENE	1	...	,,	29.94	760.5	...	...	ESE	1	...
Chefoo,	15	29.40	746.7	68	74	NE	1	b	6	29.91	759.7	60	76	...	0	b
Shanghai,	14	29.84	757.8	81	59	SSE	1	b	,,	29.89	759.3	66	98	ENE	2	r
Gutzlaff,	,,	29.91	759.7	70	85	SSE	4	b	,,	29.96	761.0	62	100	SSE	4	r
Sharp Peak,	,,	29.81	757.2	75	86	NE	1	o	7	29.77	756.1	70	94	NE	1	r
Amoy,	,,	29.75	755.6	82	67	NE	4	o	6	29.79	756.6	74	92	ESE	2	o
Swatow,	,,	29.79	756.6	77	91	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.78	756.3	86	61	E	4	o	5	...	...	73	92	...	0	o
Taichu,	,,	29.82	757.5	82	...	WSW	2	o	,,	29.81	757.2	75	...	...	0	o
Tainan,	,,	29.81	757.2	86	...	SW	2	b	,,	29.79	756.6	75	...	...	0	o
Koshun,	,,	29.79	756.6	86	...	...	0	b	,,	29.78	756.3	77	...	...	0	b
Pescadores,	,,	29.78	756.3	81	...	NNW	4	o	,,	29.84	757.8	75	...	...	0	o
Hong Kong,	14	29.75	755.7	73	94	E	3	or	6	29.75	755.6	73	96	E	3	omd
Gap Rock,	,,	29.74	755.4	...	...	E	4	o	,,	29.74	755.4	...	...	S	3	o
Macao,	,,	29.69	754.2	73	100	SE	4	o	,,	29.71	754.5	75	98	SE	2	o
Hoihow,	,,	29.80	756.9	89	67	SE	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.9	83	76	E	1	c	,,	29.77	756.1	80	79	S	2	o
Phulien,	15	29.65	753.0	84	77	SSE	6	o	7	29.68	753.9	79	96	SE	4	b
Tourane,	,,	29.65	753.0	90	...	SE	2	b	,,	29.74	755.4	82	...	...	0	b
Cape St. James,	,,	29.74	755.4	90	...	SW	2	b	,,	29.84	757.8	81	...	SSW	4	o
Basco,	14	29.72	754.8	86	75	WSW	4	b	6	29.78	756.3	79	84	NW	2	o
Aparri,	,,	29.72	754.8	90	60	N	4	b	,,	29.80	756.9	75	96	S	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.73	755.1	90	60	NW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	90	55	WSW	2	b	,,	29.82	757.5	79	89	ESE	1	o
Legaspi,	,,	29.73	755.1	90	66	ENE	1	o	,,	29.81	757.2	77	92	...	0	o
Calboyog,	,,	29.75	755.7	86	75	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.75	755.7	85	71	S	4	o	,,	29.85	758.1	79	91	N	1	b
Iloilo,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu.	,,	29.75	755.7	86	61	S	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	86	75	N	1	o	,,	29.85	758.1	75	94	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.90	759.4	78	...	E	2	ho
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	29.85	758.1	...	...	NE	1	o
Yap,	11.00	29.79	756.6	...	...	ENE	4	o	5	29.84	757.8	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	77	...	SW	3	r
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.8	79	...	E	1	c
Labuan,	14	29.80	756.9	84	83	SW	6	o	6	29.83	757.7	78	86	NW	2	b

May 16*d.* 11*h.* 07*m.*—The anticyclone remains stationary to the east of Japan, and has increased in intensity. The trough now extends from S. China across Formosa and N. Luzon to the Pacific.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·36 inch. Total since January 1st, 9·55 inches, against an average of 16·56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. or variable winds, moderate; cloudy, occasional rain.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th May, 1929.								17th May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.93	760.3	43	...	SE	3	f	6	29.91	759.6	43	...	...	0	f
Nemuro,	11	30.16	766.0	...	...	SSE	3	...	5	29.98	761.5	...	...	S	1	...
Hokodate,	„	30.02	762.5	...	...	S	1	...	„	29.98	761.5	...	...	...	0	...
Tokio,	„	30.00	762.0	...	...	N	1	...	„	29.98	761.5	...	...	NNE	1	...
Kochi,	„	29.94	760.5	...	...	E	1	...	„	29.96	761.0	...	...	...	0	...
Nagasaki,	„	29.98	761.5	...	...	ESE	1	...	„	29.90	759.5	...	...	ENE	1	...
Kagoshima,	„	29.96	761.0	...	...	...	0	...	„	29.90	759.5	...	...	...	0	...
Oshima,	„	29.92	760.0	...	...	...	0	...	„	29.78	756.5	...	...	SE	2	...
Naha,	„	29.88	759.0	...	...	NE	4	...	„	29.73	755.0	...	...	SSW	2	...
Ishigakijima,	„	29.74	755.5	...	...	SW	1	...	„	29.73	755.0	...	...	SSW	2	...
Bonin Island,	„	29.90	759.5	...	...	S	2	...	„	29.88	759.0	...	...	SW	2	...
Chefoo,	15	29.88	759.0	77	46	S	2	0	6	29.99	761.7	47	87	...	0	b
Shanghai,	14	29.88	759.0	64	94	ESE	1	0	„	29.85	758.1	59	98	E	4	0
Gutzlaff,	„	29.95	760.7	62	100	SE	2	r	„	29.89	759.2	58	100	ENE	6	r
Sharp Peak,	„	29.72	754.9	71	90	ENE	2	0	7	29.66	753.3	71	90	...	0	0
Amoy,	„	29.73	755.1	77	95	SSE	4	0	6	29.70	754.4	75	95	SE	1	r
Swatow,	„	29.74	755.4	75	100	E	1	0	„	...	...	...	...	...	...	...
Taihoku,	11	29.78	756.3	81	84	NW	2	0	5	29.72	754.8	73	96	...	0	b
Taichu,	„	29.84	757.8	81	...	SSE	2	r	„	29.79	756.6	77	...	S	1	0
Tainan,	„	29.82	757.5	82	...	...	0	0	„	29.79	756.6	75	...	ENE	2	0
Koshun,	„	29.81	757.2	90	...	WNW	2	0	„	29.78	756.3	75	...	...	0	0
Pescadores,	„	29.82	757.5	81	...	SSW	2	0	„	29.75	755.7	61	...	S	4	0
Hong Kong,	14	29.71	754.6	79	87	E	2	0	6	29.73	755.1	81	90	SW	2	0
Gap Rock,	„	29.72	754.9	...	...	ENE	3	0	„	29.74	755.4	...	...	SSW	3	0
Macao,	„	29.67	753.6	81	90	SE	2	0	„	29.69	754.2	79	95	WSW	4	0
Hoihow,	„	29.61	752.1	94	63	NW	1	b	„	...	...	...	...	...	...	...
Pratas Island,	„	29.77	756.1	85	83	SSW	1	0	„	29.77	756.1	80	96	SSW	2	bc
Phulien,	15	29.60	751.8	93	61	S	4	b	7	29.72	754.8	81	96	SE	2	0
Tourane,	„	29.67	753.6	90	...	SE	2	0	„	29.74	755.4	84	...	NW	2	b
Cape St. James,	„	29.75	755.7	90	...	S	4	0	„	...	...	...	...	...	...	...
Basco,	14	29.75	755.7	86	75	W	2	0	6	...	...	...	...	...	...	...
Aparri,	„	29.74	755.4	86	68	NE	4	0	„	...	...	...	...	...	...	...
Tuguegarao,	„	29.72	754.8	93	71	S	1	0	„	...	...	...	...	...	...	...
Vigan,	„	29.75	755.7	90	57	W	4	0	„	...	...	...	...	...	...	...
Manila,	„	29.74	755.4	90	63	SW	4	0	„	29.82	757.5	77	92	...	0	0
Legaspi,	„	29.74	755.4	90	60	NE	4	0	„	29.82	757.5	77	94	SW	1	b
Calboyog,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Tacloban,	„	29.78	756.3	84	77	S	2	0	„	...	...	...	...	...	...	...
Iloilo,	„	29.78	756.3	82	77	SW	4	0	„	29.84	757.8	82	89	S	4	0
Cebu,	„	29.79	756.6	81	76	SW	2	0	„	...	...	...	...	...	...	...
Surigao,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.87	758.7	77	...	ESE	5	r
Guam,	12.22	29.79	756.6	...	...	E	2	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	ENE	4	0	5	29.84	757.8	...	...	ENE	4	0
Pelew,	...	...	...	...	...	...	...	...	„	29.85	758.2	74	...	ENE	1	r
Ponape,	...	...	...	...	...	...	...	...	„	29.91	759.7	77	...	ESE	2	c
Labuan,	14	29.79	756.6	88	84	NE	4	b	6	29.84	757.9	78	86	SW	2	b

May 17*d.* 11*h.* 05*m.*—The anticyclone remains to the east of Japan, and has weakened considerably. A trough of low pressure extends from S. China across Formosa, to the Pacific.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·12 inch. Total since January 1st, 9·67 inches, against an average of 16·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18th.

District.	Forecast.
1.—Formosa Channel,	S.W. or variable winds, moderate; fair to showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	18th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.83	757.6	56	...	SE	2	b	6	29.89	759.3	51	...	...	0	b
Nemuro,	11	29.90	759.5	...	...	S	3	...	5	29.92	760.0	...	...	...	0	...
Hokodate,	,,	30.08	764.0	...	...	SSW	2	...	,,	29.92	760.0	...	...	...	0	...
Tokio,	,,	29.94	760.5	...	...	ENE	1	...	,,	29.96	761.0	...	...	N	1	...
Kochi,	,,	29.90	759.5	...	...	...	0	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	SE	1	...	,,	29.78	756.5	...	...	N	1	...
Kagoshima,	,,	29.84	758.0	...	...	NE	1	...	,,	29.69	754.0	...	...	NE	2	...
Oshima,	,,	29.72	755.0	...	...	S	1	...	,,	29.61	752.0	...	...	S	1	...
Naha,	,,	29.74	755.5	...	...	SSW	2	...	,,	29.75	755.5	...	...	...	0	...
Ishigakijima,	,,	29.72	755.0	...	...	W	1	...	,,	29.78	756.5	...	...	N	1	...
Bonin Island,	,,	29.88	759.0	...	...	NW	1	...	,,	29.90	759.5	...	...	SW	1	...
Chefoo,	15	29.87	758.7	67	79	NE	1	o	6	29.88	758.9	66	75	SSW	1	h
Shanghai,	14	29.91	759.6	61	91	NE	4	r	,,	29.94	760.5	57	91	NW	1	o
Gutzlaff,	,,	29.91	759.7	58	100	NE	4	o	,,	29.99	761.7	60	94	NNW	4	o
Sharp Peak,	,,	29.67	753.6	76	88	ESE	2	o	7	...	...	...	...	...	...	...
Amoy,	,,	29.68	753.9	82	83	SW	4	o	6	29.83	757.7	74	81	NE	4	o
Swatow,	,,	29.73	755.1	79	96	SW	2	o	,,	29.77	756.2	78	96	NW	2	o
Taihoku,	11	29.74	755.4	75	96	WSW	1	r	5	29.84	757.8	70	92	E	4	o
Taichu,	,,	29.81	757.2	79	...	WSW	2	r	,,	29.81	757.2	73	...	...	0	r
Tainan,	,,	29.81	757.2	84	...	SW	4	o	,,	29.78	756.3	79	...	NW	4	o
Koshun,	,,	29.80	756.9	84	...	W	2	o	,,	29.78	756.3	81	...	WSW	2	o
Pescadores,	,,	29.78	756.3	81	...	SW	4	r	,,	29.78	756.3	75	...	NNE	4	o
Hong Kong,	14	29.72	754.9	82	77	W	2	c	6	29.79	756.6	77	87	...	0	c
Gap Rock,	,,	29.75	755.6	...	...	WSW	4	c	,,	29.79	756.6	...	...	NW	3	c
Macao,	,,	29.72	754.8	84	77	NE	2	o	,,	29.78	756.3	75	86	N	2	o
Hoihow,	,,	29.70	754.4	89	74	ENE	1	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.77	756.1	88	77	SSW	3	bc	,,	29.81	757.2	80	96	...	0	bc
Phulien,	15	29.72	754.8	86	71	E	2	o	7	29.81	757.2	77	79	E	2	o
Tourane,	,,	29.71	754.5	90	...	ESE	2	b	,,	29.75	755.7	84	...	WSW	2	b
Cape St. James,	,,	29.80	756.9	90	...	SW	4	o	,,	29.85	758.1	77	...	NW	2	o
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.75	755.7	90	63	WNW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	86	75	SW	4	o	,,	29.82	757.5	79	89	S	2	o
Legaspi,	,,	29.76	756.0	90	69	WSW	1	o	,,	29.82	757.5	79	95	...	0	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	84	81	SW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	86	75	SW	6	o	,,	29.85	758.1	75	91	...	0	o
Cebu,	,,	29.73	756.3	86	61	S	6	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.91	759.7	76	...	ESE	4	c
Guam,	12.22	29.79	756.6	...	...	SE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	ENE	4	o	5	29.85	758.1	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.84	757.9	77	...	N	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.90	759.4	78	...	ESE	3	r
Labuan,	14	29.77	756.1	88	84	SW	4	b	6	29.82	757.4	78	91	SW	2	b

May 18*d.* 10*h.* 47*m.*—Pressure is highest in the Pacific to the east of Japan, and relatively low in a trough extending from Indo-China to the Loochoos. A depression is situated between Kiushiu and Oshima.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 9·67 inches, against an average of 17·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	Easterly or variable winds, moderate; fair generally.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	19th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.86	758.4	70	...	...	0	b	6	29.94	760.5	13	...	SE	2	f
Gemuro,	11	29.86	758.5	...	...	S	2	...	5	29.94	760.5	...	...	NE	1	...
Hokodate,	"	29.90	759.5	...	...	SE	1	...	"	29.90	759.5	...	...	...	0	...
Tokio,	"	29.92	760.0	...	...	ENE	1	...	"	29.84	758.0	...	...	N	1	...
Kochi,	"	29.84	758.0	...	...	...	0	...	"	29.76	756.0	...	...	WSW	1	...
Nagasaki,	"	29.78	756.5	...	...	ENE	2	...	"	29.86	758.5	...	...	...	0	...
Kagoshima,	"	29.72	755.0	...	...	NE	2	...	"	29.84	758.0	...	...	...	0	...
Ishima,	"	29.67	753.5	...	...	W	1	...	"	29.88	759.0	...	...	N	1	...
Taiha,	"	29.84	758.0	...	...	WNW	3	...	"	29.94	760.5	...	...	NW	2	...
Shigakijima,	"	29.88	759.0	...	...	NNE	2	...	"	29.96	761.0	...	...	N	1	...
Gouin Island,	"	29.92	760.0	...	...	SW	1	...	"	29.82	757.5	...	...	S	3	...
Chefoo,	15	29.89	759.2	70	75	NW	2	b	6	29.91	759.7	66	100	...	0	b
Shanghai,	14	30.00	762.0	77	50	N	2	b	"	30.00	762.0	57	100	...	0	bf
Gutzlaff,	"	30.04	763.0	69	75	NNW	2	b	"	30.08	764.0	63	67	NNE	1	o
Sharp Peak,	"	29.92	759.9	72	85	E	1	o	7	29.99	761.7	70	85	N	1	o
Amoy,	"	29.88	758.9	81	67	ENE	4	b	6	29.96	761.0	71	76	NE	4	o
Swatow,	"	29.89	759.2	76	95	E	2	b	"	29.89	759.2	72	76	E	2	c
Taihoku,	11	29.95	760.8	70	91	ESE	2	r	5	29.98	761.4	68	85	E	4	o
Taichu,	"	29.89	759.3	81	...	...	0	o	"	29.94	760.5	72	...	...	0	o
Tainan,	"	29.85	758.1	86	...	N	2	o	"	29.91	759.6	72	...	NNE	2	o
Koshun,	"	29.88	759.0	75	...	NNW	2	r	"	29.91	759.6	73	...	ENE	2	o
Pescadores,	"	29.88	759.0	81	...	NE	4	o	"	29.92	759.9	73	...	NNE	4	o
Hong Kong,	14	29.85	758.2	79	71	E	3	o	6	29.90	759.4	75	89	ENE	3	o
Gap Rock,	"	29.85	758.2	...	...	ENE	4	c	"	29.88	758.9	...	...	ENE	4	o
Macao,	"	29.82	757.5	86	68	SE	2	o	"	29.84	757.8	77	88	ESE	4	o
Hoihow,	"	29.77	756.1	88	77	ENE	2	o	"	...	...	...	...	...	...	...
Pratas Island,	"	29.83	757.7	85	76	...	0	lc	"	29.87	758.7	80	92	E	2	c
Phulien,	15	29.75	755.7	82	77	ESE	4	b	7	...	...	...	...	...	...	...
Tourane,	"	29.75	755.7	86	...	N	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.80	756.9	90	...	S	2	b	"	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tuguegarao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tigan,	"	29.80	756.9	90	60	NW	4	o	"	29.82	757.5	81	80	ESE	2	o
Manila,	"	29.79	756.6	93	64	W	4	o	"	29.86	758.4	79	95	NE	2	o
Legaspi,	"	29.79	756.6	86	78	E	4	o	"	29.86	758.4	77	96	...	0	b
Malboyog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	29.80	756.9	90	69	S	2	o	"	29.88	759.0	77	84	W	2	b
Iloilo,	"	29.80	756.9	86	75	SW	4	o	"	29.87	758.7	77	91	NE	2	b
Cebu,	"	29.80	756.9	86	61	S	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.80	756.9	90	63	NW	2	b	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.85	758.1	...	...	E	2	r	4.22	29.87	758.7	...	...	NE	1	o
Yap,	11.00	29.81	757.2	...	...	ENE	4	o	5	29.81	757.2	...	...	S	4	o
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NE	4	b	6	29.83	757.7	77	86	E	2	b

May 19*d.* 11*h.* 35*m.*—The anticyclone remains over the lower Yangtze Valley, and the depression has moved north eastward; it is now situated between Kochi and Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 9·67 inches, against an average of 17·80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	E. to variable winds, moderate; cloudy with drizzle or mist, improving later.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	20th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.95	760.6	41	...	SSE	2	f	6	29.88	759.0	42	...	SSE	2	o
Nemuro,	11	29.94	760.5	...	...	NNW	1	...	5	29.94	760.5	...	...	...	...	...
Hokodate,	"	29.86	758.5	...	...	SE	1	...	"	29.96	761.0	...	...	...	o	...
Tokio,	"	29.78	756.5	...	...	NNE	2	...	"	29.98	761.5	...	...	...	...	...
Kochi,	"	29.78	756.5	...	...	NE	1	...	"	30.02	762.5	...	...	W	1	...
Nagasaki,	"	29.04	760.5	...	...	NW	1	...	"	29.96	761.0	...	...	...	o	...
Kagoshima,	"	29.88	759.0	...	...	E	1	...	"	29.98	761.5	...	...	WNW	1	...
Oshima,	"	29.94	760.5	...	...	NNE	2	...	"	30.00	762.0	...	...	...	...	...
Naha,	"	29.98	761.5	...	...	NNW	1	...	"	29.94	760.5	...	...	...	o	...
Ishigakijima,	"	30.00	762.0	...	...	NNE	2	...	"	29.96	761.0	...	...	SE	1	...
Bonin Island,	"	29.82	757.5	...	...	SW	1	...	"	29.88	759.0	...	...	NW	1	...
Chefoo,	15	29.79	756.6	52	...	SW	4	o	6	29.74	755.4	70	66	S	4	b
Shanghai,	14	29.98	761.4	81	38	SSE	1	b	"	29.85	758.1	61	87	SE	2	b
Gutzlaff,	"	30.03	762.7	70	70	SW	2	o	"	29.91	759.7	64	91	SSE	4	o
Sharp Peak,	"	29.99	761.7	75	72	E	6	r	7	30.05	763.2	67	84	N	1	o
Amoy,	"	29.89	759.2	81	56	E	4	b	6	29.84	757.9	73	81	SE	2	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	11	29.98	761.4	77	61	E	2	o	5	29.89	759.3	70	92	...	o	r
Taichu,	"	29.95	760.8	86	...	...	o	b	"	29.91	759.6	72	...	SW	1	r
Tainan,	"	29.94	760.5	84	...	SW	2	o	"	29.86	758.4	75	...	...	o	o
Koshun,	"	29.94	760.5	81	...	ENE	4	o	"	29.87	758.7	73	...	ENE	2	b
Pescadores,	"	29.95	760.8	82	...	NNE	4	o	"	29.87	758.7	73	...	NE	2	o
Hong Kong,	14	29.88	759.0	75	87	E	4	od	6	29.84	757.9	74	96	E	3	o
Gap Rock,	"	29.87	758.7	...	...	ESE	4	c	"	29.83	757.7	...	...	E	4	o
Macao,	"	29.84	757.8	77	86	SE	4	o	"	29.80	756.9	77	96	SE	4	o
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.87	758.7	83	78	NE	4	c	"	29.84	758.0	79	95	SE	2	b
Phulien,	15	29.72	754.9	84	77	SSE	4	o	7	29.74	755.4	81	96	SE	6	o
Tourane,	"	29.75	755.7	86	...	SE	4	b	"	29.76	756.0	77	...	SSW	6	o
Cape St. James,	"	29.81	757.2	73	...	S	2	o	"	29.85	758.1	79	...	SW	2	o
Basco,	14	29.86	758.4	84	74	ENE	2	o	6	29.84	757.8	81	86	SE	2	b
Aparri,	"	29.79	756.6	90	69	NE	4	b	"	29.82	757.5	79	91	S	2	b
Tuguegarao,	"	...	...	...	...	...	...	...	"	29.85	758.1	79	91	...	o	o
Vigan,	"	...	...	...	...	...	...	...	"	29.84	757.8	75	85	SSW	1	o
Manila,	"	29.78	756.3	97	53	SE	4	b	"	29.85	758.1	79	92	E	1	o
Legaspi,	"	29.81	757.2	93	74	NE	4	b	"	29.84	757.8	75	94	...	o	o
Calboyog,	"	...	...	...	...	...	...	...	"	29.85	758.1	73	96	NNW	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.85	758.1	77	92	NW	2	b
Iloilo,	"	29.79	756.6	90	63	NE	4	o	"	29.85	758.1	79	91	...	o	o
Cebu,	"	...	...	...	...	...	...	...	"	29.84	757.8	59	77	...	o	b
Surigao,	"	...	...	...	...	...	...	...	"	29.84	757.8	75	92	...	o	b
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	77	...	ESE	3	c
Guam,	12.22	29.82	757.5	...	...	E	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	ENE	2	r	5	29.76	756.0	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	"	29.80	756.9	75	...	...	o	1c
Ponape,	...	...	...	...	...	...	...	...	"	29.87	758.7	80	...	SE	1	b
Labuan,	14	29.80	756.9	84	83	SW	1	o	6	29.84	757.9	77	91	SW	2	b

May 20*d.* 11*h.* 10*m.*—The anticyclone is central over S. Japan; a depression is situated over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·12 inch. Total since January 1st, 9·79 inches, against an average of 18·22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	E. to S. winds, moderate; cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th May, 1929.								21st May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.85	758.2	45	...	S	3	o	6	29.86	758.3	41	...	SSW	2	o
Nemuro,	11	29.96	761.0	...	...	NNW	1	...	5	30.00	762.0	...	...	SSE	1	...
Hokodate,	,,	29.94	760.5	...	...	S	1	...	,,	29.94	760.5	...	...	E	1	...
Tokio,	,,	29.96	761.0	...	...	S	2	...	,,	29.94	760.5	...	...	...	o	...
Kochi,	,,	29.98	761.5	...	...	...	o	...	,,	29.94	760.5	...	...	WSW	1	...
Nagasaki,	,,	29.98	761.5	...	...	WNW	1	...	,,	29.90	759.5	...	...	SE	1	...
Kagoshima,	,,	29.98	761.5	...	...	SE	1	...	,,	29.90	759.5	...	...	...	o	...
Oshima,	,,	29.96	761.0	...	...	S	1	...	,,	29.84	758.0	...	...	...	...	...
Naha,	,,	29.94	760.5	...	...	E	1	...	,,	29.82	757.5	...	...	ESE	1	...
Ishigakijima,	,,	29.90	759.5	...	...	SE	2	...	,,	29.76	756.0	...	...	S	1	...
Bonin Island,	,,	29.90	759.5	...	...	N	1	...	,,	29.90	759.5	...	...	...	o	...
Chefoo,	15	29.68	753.9	80	58	NE	1	b	6	29.70	754.4	68	70	...	o	b
Shanghai,	14	29.81	757.2	81	50	SE	1	o	,,	29.78	756.3	66	96	SE	1	o
Gutzlaff,	,,	29.86	758.4	69	79	SSE	4	o	,,	29.83	757.7	64	100	SE	2	of
Sharp Peak,	,,	29.77	756.1	72	85	SSE	1	o	7	29.69	754.1	71	95	NE	1	o
Amoy,	,,	29.82	757.4	75	81	SSE	4	o	6	29.85	758.2	74	95	SW	2	o
Swatow,	,,	29.83	757.7	78	87	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.88	759.0	75	83	...	o	o	5	29.75	755.7	72	91	SW	2	o
Taichu,	,,	29.92	759.9	82	...	SSW	2	o	,,	29.79	756.6	75	...	...	o	o
Tainan,	,,	29.89	759.3	86	...	SW	2	b	,,	29.79	756.6	75	...	SE	2	b
Koshun,	,,	29.87	758.7	86	...	SSE	2	o	,,	29.75	755.7	77	...	NW	2	b
Pescadores,	,,	29.89	759.3	84	...	SE	2	b	,,	29.75	755.7	77	...	S	2	b
Hong Kong,	14	29.82	757.4	78	87	E	3	o	6	29.76	755.9	80	87	S	2	o
Gap Rock,	,,	29.82	757.4	...	...	ENE	4	c	,,	29.76	755.9	...	...	SSE	3	b
Macao,	,,	29.79	756.6	82	84	SE	2	o	,,	...	...	...	...	...	...	...
Hoihow,	,,	29.81	757.2	93	65	SSE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.4	87	75	...	o	b	,,	29.77	756.1	80	96	S	1	bc
Phulien,	15	29.71	754.5	86	78	S	6	o	7	29.71	754.6	81	...	SSE	4	bc
Tourane,	,,	29.73	755.1	86	...	SE	2	b	,,	29.73	755.1	79	...	SE	2	bc
Cape St. James,	,,	29.81	757.2	82	...	SW	2	o	,,	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	29.74	755.4	82	87	NNE	1	o
Aparri,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	77	91	...	o	b
Tuguegarao,	,,	29.73	755.1	97	42	NE	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	90	63	WSW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	90	66	WSW	4	o	,,	29.81	757.2	79	90	...	o	o
Legaspi,	,,	29.78	756.3	93	61	ENE	2	o	,,	29.81	757.2	77	96	SE	1	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	90	66	S	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	90	69	SW	4	o	,,	29.82	757.5	77	91	...	o	b
Cebu,	,,	29.78	756.3	90	69	SW	4	o	,,	...	...	...	...	...	..	...
Surigao,	,,	29.78	756.3	86	71	N	1	b	,,	29.82	757.5	75	96	...	o	b
Saipan,	...	...	...	...	...	...	...	...	5	29.72	754.9	78	...	ESE	4	bc
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	29.78	756.3	...	...	E	4	o
Yap,	11.00	29.78	756.3	...	...	E	4	o	5	29.78	756.3	81	...	ESE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.75	755.6	76	...	WNW	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.81	757.2	81	...	ESE	2	bc
Labuan,	14	29.79	756.6	88	88	SW	4	b	6	29.86	758.4	76	91	SW	1	o

May 21*d.* 11*h.* 05*m.*—Pressure is highest to the east of N. Japan, and relatively low over China generally. A depression is indicated between the Pelew Islands and Yap.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 9·79 inches, against an average of 18·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; fair to showery.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st May, 1929.								22nd May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.84	757.9	43	...	S	2	or	6	29.88	758.9	45	...	S	1	o
Nemuro,	11	29.98	761.5	...	...	SE	3	...	5	30.00	762.0	...	...	...	o	...
Hokodate,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.96	761.0	...	...	...	o	...
Tokio,	,,	29.92	760.0	...	...	SSW	1	...	,,	30.00	762.0	...	...	...	o	...
Kochi,	,,	29.94	760.5	...	...	...	o	...	,,	29.92	760.0	...	...	...	...	...
Nagasaki,	,,	29.88	759.0	...	...	SE	2	...	,,	29.80	757.0	...	...	...	...	...
Kagoshima,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.80	757.0	...	...	ENE	1	...
Oshima,	,,	29.82	757.5	...	...	SSE	1	...	,,	29.63	752.5	...	...	...	o	...
Naha,	,,	29.76	756.0	...	...	ESE	3	...	,,	29.69	754.0	...	...	S	3	...
Ishigakijima,	,,	29.74	755.4	...	...	SW	1	...	,,	29.63	752.5	...	...	...	...	...
Bonin Island,	,,	29.92	760.0	...	...	...	o	...	,,	29.88	759.0	...	...	...	...	...
Chefoo,	15	29.68	753.9	67	84	NE	2	o	6	29.67	753.6	63	100	...	o	b
Shanghai,	14	29.75	755.7	72	82	ESE	1	o	,,	29.76	756.0	66	98	NNE	1	of
Gutzlaff,	,,	29.79	756.6	65	100	ESE	2	of	,,	29.78	756.4	64	100	NNE	1	of
Sharp Peak,	,,	29.65	753.1	73	93	...	o	rf	7	29.56	750.8	72	95	...	o	rf
Amoy,	,,	29.64	752.8	83	83	SE	2	o	6	29.73	755.1	78	92	SE	2	o
Swatow,	,,	29.69	754.2	86	88	SW	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	29.69	754.2	86	71	W	2	o	5	29.66	753.3	75	94	...	o	o
Taichu,	,,	29.80	756.9	86	...	...	o	o	,,	29.75	755.7	79	...	...	o	o
Tainan,	,,	29.80	756.9	90	...	WSW	2	o	,,	29.74	755.4	77	...	E	2	o
Koshun,	,,	29.78	756.3	90	...	WNW	4	b	,,	29.71	754.5	79	...	NW	2	o
Pescadores,	,,	29.80	756.9	84	...	SW	4	b	,,	29.72	754.8	79	...	SSW	4	o
Hong Kong,	14	29.71	754.6	88	69	SSW	2	o	6	29.71	754.6	81	85	SW	2	o
Gap Rock,	,,	29.74	755.4	...	...	SSE	3	o	,,	29.72	754.9	...	...	SW	3	o
Macao,	,,	29.69	754.2	93	67	SSW	2	o	,,	29.68	753.9	81	96	SW	4	o
Hoihow,	,,	29.70	754.4	92	65	ENE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.9	89	69	SW	2	b	,,	29.74	755.4	80	92	SSW	1	b
Phulien,	15	29.65	753.1	90	72	SSE	4	o	7	29.69	754.2	81	94	SSE	4	o
Tourane,	,,	29.69	754.2	86	...	N	2	o	,,	29.73	755.1	82	...	SSW	2	b
Cape St. James,	,,	29.79	756.6	90	...	S	4	o	,,	29.82	757.5	77	...	NE	2	o
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	29.72	754.8	90	72	NNW	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.76	756.0	93	53	SW	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.75	755.7	90	66	WSW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	90	63	WSW	4	b	,,	29.79	756.6	77	89	NE	1	b
Legaspi,	,,	29.73	755.1	93	61	NE	2	o	,,	29.76	756.0	77	96	...	o	b
Calboyog,	,,	29.74	755.4	90	57	SW	4	o	,,	29.79	756.6	75	92	NNW	2	o
Tacloban,	,,	29.74	755.4	90	63	E	2	b	,,	29.78	756.3	79	91	NW	2	b
Iloilo,	,,	29.74	755.4	90	66	SW	4	b	,,	...	...	...	...	...	...	...
Cebu,	,,	29.76	756.0	86	61	W	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	83	...	ENE	3	be
Guam,	12.22	29.75	755.7	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	E	4	o	5	29.79	756.6	...	...	...	o	b
Pelew,	...	...	...	...	...	...	...	...	,,	29.76	756.0	79	...	SW	2	b
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.9	83	...	...	...	...
Labuan,	14	29.77	756.1	90	84	E	4	b	6	29.86	758.4	76	86	NW	2	b

May 22*d.* 11*h.* 15*m.*—Pressure is highest to the east of Japan, and relatively low over China generally. Depressions are indicated over the Eastern Sea and Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 9·79 inches, against an average of 19·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate; cloudy, rain later.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	23rd May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.04	763.0	...	...	SE	2	...	5	30.18	766.5	...	...	NE	1	...
Hokodate,	,,	30.00	762.0	...	...	SSE	1	...	,,	30.02	762.5	...	...	E	2	...
Tokio,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.80	757.0	...	...	NE	2	...
Kochi,	,,	29.92	760.0	...	...	SE	1	...	,,	29.61	752.0	...	...	NW	1	...
Nagasaki,	,,	29.78	756.5	...	...	ESE	1	...	,,	29.76	756.0	...	...	...	0	...
Kagoshima,	,,	29.76	756.0	...	...	ENE	1	...	,,	29.73	755.0	...	...	NNW	1	...
Oshima,	,,	29.63	752.5	...	...	W	4	...	,,	29.73	755.0	...	...	N	2	...
Naha,	,,	29.67	753.5	...	...	S	3	...	,,	29.76	756.0	...	...	N	3	...
Ishigakijima,	,,	29.69	754.0	...	...	W	1	...	,,	29.76	756.0	...	...	NW	1	...
Bonin Island,	,,	29.88	759.0	...	...	SE	1	...	,,	29.78	756.5	...	...	SSW	3	...
Chefoo,	15	29.63	752.6	70	100	NE	1	b	6	29.78	756.4	60	100	ENE	1	o
Shanghai,	14	29.78	756.3	79	69	ESE	1	o	,,	29.86	758.4	64	98	ESE	1	of
Gutzleff,	,,	29.83	757.7	69	91	NE	1	o	,,	29.92	759.9	62	100	SSE	4	o
Sharp Peak,	,,	29.66	753.3	75	93	E	2	o	7	29.84	757.9	73	90	...	c	o
Amoy,	,,	29.67	753.6	82	79	SW	4	o	6	29.74	755.4	75	81	NE	6	of
Swatow,	,,	29.68	753.9	82	96	ESE	2	o	,,	29.80	756.9	76	100	E	2	o
Taihoku,	11	29.68	753.9	84	71	W	4	o	5	29.84	757.8	68	96	E	2	o
Taichu,	,,	29.79	756.6	82	...	SSW	2	r	,,	29.81	757.2	75	...	...	o	o
Tainan,	,,	29.78	756.3	86	...	W	4	o	,,	29.76	756.0	77	...	SE	2	o
Koshun,	,,	29.74	755.4	90	...	WNW	4	o	,,	29.78	756.3	77	...	...	o	b
Pescadores,	,,	29.75	755.7	82	...	SW	4	o	,,	29.78	756.3	75	...	NE	4	o
Hong Kong,	14	29.70	754.4	88	69	SW	2	c	6	29.76	755.9	81	89	WSW	1	o
Gap Rock,	,,	29.71	754.6	...	...	SSW	3	c	,,	29.73	755.1	...	...	SW	3	b
Macao,	,,	29.68	753.9	63	94	SSW	2	o	,,	29.72	754.8	79	95	SSW	2	of
Hoihow,	,,	29.72	754.8	92	61	NE	1	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.75	755.6	88	73	WSW	2	b	,,	29.79	756.6	81	96	SW	1	fo
Phulien,	15	29.68	753.9	81	69	SSE	2	o	7	29.73	755.1	75	...	SSW	2	c
Tourane,	,,	29.69	754.2	90	...	NNE	2	b	,,	29.73	755.1	82	...	NW	2	b
Cape St. James,	,,	29.80	756.9	86	...	SW	2	o	,,	29.83	757.7	77	...	SW	2	c
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	29.73	755.1	90	57	WSW	4	b	,,	29.78	756.3	77	91	S	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.75	755.7	90	60	W	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	93	64	SW	4	b	,,	29.79	756.6	79	87	SE	1	o
Legaspi,	,,	29.73	755.1	86	75	WSW	2	o	,,	29.78	756.3	77	94	...	o	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	94	N	1	b
Tacloban,	,,	29.74	755.4	90	63	NW	4	o	,,	29.79	756.6	79	90	NW	2	b
Iloilo,	,,	29.73	755.1	90	69	SW	4	b	,,	...	...	...	...	...	...	...
Cebu,	,,	29.75	755.7	86	68	S	1	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29.78	756.3	...	...	...	o	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NE	4	b	6	29.84	757.9	78	86	SW	2	b

May 23*d.* 10*h.* 53*m.*—Pressure is now highest to the north-east of Japan; it is relatively low over China generally. A depression is situated between Kochi and Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 9.79 inches, against an average of 19.52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, ...	S.W. or variable winds, moderate; fair to showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	24th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.14	765.5	...	...	NNE	1	...	5	30.00	762.0	...	...	E	5	...
Hokodate,	,,	30.00	762.0	...	...	E	2	...	,,	29.75	755.5	...	...	ENE	1	...
Tokio,	,,	29.55	750.5	...	...	NE	1	...	,,	29.27	743.5	...	...	WNW	1	...
Kochi,	,,	29.63	752.5	...	...	N	1	...	,,	29.75	755.5	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	N	1	...	,,	29.88	759.0	...	...	NNW	1	...
Kagoshima,	,,	29.76	756.0	...	...	NNW	2	...	,,	29.86	758.5	...	...	...	0	...
Oshima,	,,	29.82	757.5	...	...	NNE	2	...	,,	29.88	759.0	...	...	...	0	...
Naha,	,,	29.84	758.0	...	...	N	4	...	,,	29.88	759.0	...	...	NE	1	...
Ishigakijima,	,,	29.84	758.0	...	...	N	2	...	,,	29.84	758.0	...	...	ENE	1	...
Bonin Island,	,,	29.76	756.0	...	...	SW	2	...	,,	29.84	758.0	...	...	WNW	1	...
Chefoo,	15	29.75	755.6	60	94	ESE	1	o	6	29.74	755.4	58	100	E	2	o
Shanghai,	14	29.85	758.1	82	60	SSE	2	b	,,	29.78	756.3	66	90	SE	2	b
Gutzlaff,	,,	29.91	759.7	69	91	SSE	2	b	,,	29.84	757.9	66	84	SSE	4	o
Sharp Peak,	,,	29.83	757.7	77	82	E	1	b	7	29.81	757.2	71	90	NE	1	o
Amoy,	,,	29.81	757.2	82	63	ENE	4	o	6	29.84	757.9	75	81	E	4	of
Swatow,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	73	95	NNE	1	o
Taihoku,	11	29.86	758.4	81	76	E	2	b	5	29.79	756.6	72	92	...	0	o
Taichu,	,,	29.86	758.4	79	...	...	0	o	,,	29.84	757.8	75	...	...	0	o
Tainan,	,,	29.82	757.5	86	...	SSE	4	b	,,	29.80	756.9	75	...	ENE	2	b
Koshun,	,,	29.85	758.1	79	...		0	b	,,	29.80	756.9	75	...	NE	2	b
Pescadores,	,,	29.85	758.1	84	...	NE	4	o	,,	29.80	756.9	77	...	NNE	2	o
Hong Kong,	14	29.72	754.9	88	70	SSE	2	c	6	29.79	756.6	77	93	ENE	2	or
Gap Rock,	,,	29.74	755.4	...	...	SW	3	c	,,	29.78	756.3	...	...	SE	4	or
Macao,	,,	29.71	754.5	86	75	SW	4	o	,,	29.72	754.8	75	98	SE	4	r
Hoihow,	,,	29.67	753.6	88	74	NW	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.77	756.1	90	67	...	0	o	,,	29.78	756.4	81	91	...	0	fc
Phulien,	15	29.66	753.3	90	72	S	4	o	7	29.68	753.9	81	92	S	6	b
Tourane,	,,	29.71	754.5	86	...	N	2	o	,,	29.75	755.7	84	...	NW	2	b
Cape St. James,	,,	29.79	756.6	90	...	S	2	b	,,	29.84	757.8	81	...	NNW	4	o
Basco,	14	29.75	755.7	86	78	NW	4	r	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	90	72	N	4	o	,,	29.78	756.3	77	94	S	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	77	94	...	0	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	79	84	SE	2	o
Manila,	,,	29.73	755.1	90	66	SW	4	o	,,	29.76	756.0	75	88	N	1	o
Legaspi,	,,	29.72	754.8	93	61	ENE	2	o	,,	29.72	754.8	79	91	...	0	o
Calbayog,	,,	29.73	755.1	90	66	WNW	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	90	69	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.73	755.1	86	61	S	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.73	755.1	86	75	WNW	4	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.88	758.9	79	...	E	3	b
Guam,	12.22	29.79	756.6	...	...	SE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29.84	757.8	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	29.87	758.7	75	...	...	0	r
Labuan,	14	29.79	756.6	88	84	SW	4	b	6	29.83	757.7	80	91	SW	2	b

May 24*d.* 11*h.* com.—The depression has moved to the north-east of Tokio; another is indicated over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·37 inch. Total since January 1st, 10·16 inches, against an average of 19·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.E. or variable winds, moderate; cloudy, occasional rain.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	25th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.86	758.4	53	...	...	0	0	6	29.85	758.1	52	...	N	1	0
Nemuro,	11	29.86	758.5	...	...	ENE	5	...	5	29.37	746.0	...	...	N	2	...
Hokodate,	,,	29.55	750.5	...	...	NE	3	...	,,	29.53	750.0	...	...	...	0	...
Tokio,	,,	29.41	747.0	...	...	NW	4	...	,,	29.71	754.5	...	...	...	0	...
Kochi,	,,	29.72	755.0	...	...	SE	1	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	WNW	2	...	,,	29.84	758.0	...	...	S	1	...
Kagoshima,	,,	29.86	758.5	...	...	NW	1	...	,,	29.86	758.5	...	...	NW	1	...
Oshima,	,,	29.88	759.0	...	...	NE	1	...	,,	29.80	757.0	...	...	...	0	...
Naha,	,,	29.86	758.5	...	...	ENE	2	...	,,	29.78	756.5	...	...	E	1	...
Ishigakijima,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.73	755.0	...	...	S	1	...
Bonin Island,	,,	29.88	759.0	...	...	NW	1	...	,,	29.94	760.5	...	...	...	0	...
Chefoo,	15	29.72	754.9	64	84	ENE	2	b	6	29.86	758.4	60	76	N	2	b
Shanghai,	14	29.72	754.8	86	46	SE	2	b	,,	29.72	754.8	66	98	SE	1	b
Gutzlaff,	,,	29.79	756.6	71	76	S	4	0	,,	29.78	756.4	66	100	SSE	4	0
Sharp Peak,	,,	29.74	755.4	78	78	E	2	0	7	29.64	752.8	73	94	...	0	r
Amoy,	,,	29.76	755.9	76	86	SSE	4	0	6	29.79	756.6	75	86	SE	2	0
Swatow,	,,	29.77	756.1	76	95	E	2	0	,,	...	...	...	...	...	...	...
Taihoku,	11	29.79	756.6	84	74	...	0	0	5	29.72	754.8	73	96	...	0	r
Taichu,	,,	29.82	757.5	84	...	SSW	1	0	,,	29.74	755.4	75	...	...	0	0
Tainan,	,,	29.81	757.2	84	...	W	4	0	,,	29.72	754.8	77	...	SE	2	0
Koshun,	,,	29.81	757.2	85	...	...	0	0	,,	29.71	754.5	73	...	...	0	0
Pescadores,	,,	29.82	757.5	82	...	NW	1	r	,,	29.71	754.5	79	...	S	2	0
Hong Kong,	14	29.72	754.9	83	81	E	3	0	6	29.66	753.3	82	85	SSW	2	0
Gap Rock,	,,	29.72	754.9	...	...	ESE	3	c	,,	29.65	753.1	...	...	SW	4	b
Macao,	,,	29.69	754.2	82	90	SE	1	0	,,	29.62	752.4	81	92	SSW	4	0
Hoihow,	,,	29.65	753.1	95	...	NW	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.75	755.6	89	74	...	0	bc	,,	29.70	754.4	81	95	...	0	b
Phulien,	15	29.60	751.8	93	67	SSE	6	b	7	29.60	751.8	81	90	SSW	6	b
Tourane,	,,	29.67	753.6	93	...	ESE	2	b	,,	29.67	753.6	82	...	SSW	4	n
Cape St. James,	,,	29.78	756.3	93	...	SSW	2	b	,,	29.79	756.6	79	...	SW	4	b
Basco,	14	29.74	755.4	86	71	N	2	0	6	29.68	753.9	77	92	...	0	0
Aparri,	,,	29.71	754.5	90	66	NNE	4	b	,,	29.69	754.2	77	94	S	2	b
Tuguegarao,	,,	29.71	754.5	93	57	NE	1	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.8	90	66	NW	4	0	,,	29.67	753.6	79	84	SE	2	0
Manila,	,,	29.71	754.5	86	78	NW	1	r	,,	29.72	754.8	75	92	...	0	0
Legaspi,	,,	29.67	753.6	84	81	...	0	0	,,	29.58	751.2	79	91	NNE	2	0
Calboyog,	,,	29.62	752.4	82	87	NW	4	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.56	750.9	81	84	NW	6	r	,,	29.62	752.4	75	83	SW	4	r
Iloilo,	,,	29.69	754.2	86	78	W	4	0	,,	...	...	...	...	...	...	...
Cebu,	,,	29.68	753.9	77	89	W	1	r	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	E	4	0	4.22	29.81	757.2	...	...	NE	2	b
Yap,	11.00	29.78	756.3	...	...	...	0	0	5	...	...	...	...	...	...	...
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	90	77	E	4	b	6	29.85	758.2	77	94	SW	2	b

May 24*d.* 12*h.* 15*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 128° E., direction unknown.

May 25*d.* 11*h.* 25*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 13° N. Long. 125° E., moving N.W.

May 25*d.* 11*h.* 30*m.*—The depression is passing into the Pacific to the east of Hokkaido. Pressure is low over China generally, and a typhoon is situated about 150 miles E.S.E. of Manila moving N.W.

Shanghai warning 24*d.* 21*h.* 15*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 127° E., moving W.N.W. Recd. 24*d.* 22*h.* 36*m.*

Manila warning 25*d.* 9*h.* 15*m.*:—Typhoon in Lat. 13° N. Long. 124° E., Inclining northward. Recd. 25*d.* 10*h.* 15*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·16 inches, against an average of 20·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel, ...	S.W. or variable winds, moderate; cloudy generally.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.
DAILY WEATHER REPORT.

Station.	25th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	26th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.85	758.2	56	...	E	2	o	6	29.94	760.5	51	...	...	o	b
Nemuro,	11	29.33	745.0	...	...	NNW	3	...	5	29.57	751.0	...	...	NW	1	...
Hokodate,	"	29.51	749.5	...	...	SW	1	...	"	29.73	755.0	...	...	W	1	...
Tokio,	"	29.70	754.5	...	...	SE	1	...	"	29.73	755.0	...	...	SSE	1	...
Kochi,	"	29.78	756.5	...	...	SE	1	...	"	29.76	756.0	...	...	WSW	1	...
Nagasaki,	"	29.80	757.0	...	...	WSW	2	...	"	29.78	756.5	...	...	NE	1	...
Kagoshima,	"	29.80	757.0	...	...	SE	1	...	"	29.76	756.0	...	...	...	o	...
Oshima,	"	29.80	757.0	...	...	SSE	1	...	"	29.73	755.0	...	...	...	o	...
Naha,	"	29.78	756.5	...	...	...	o	...	"	29.67	753.5	...	...	ESE	1	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	29.63	752.5	...	...	S	2	...
Bonin Island,	"	29.92	760.0	...	...	E	1	...	"	29.84	758.0	...	...	SSW	3	...
Chefoo,	15		...	65	68	ENE	2	b	6	29.93	760.2	54	89	...	o	b
Shanghai,	14	29.73	755.1	79	76	E	2	o	"	...	...	...	...	...	...	...
Gutzlaff,	"	29.79	756.6	69	100	SE	4	of	"	...	...	...	...	...	...	...
Sharp Peak,	"	29.52	749.8	75	95	...	o	rf	7	29.57	751.1	72	93	E	2	o
Amoy,	"	29.62	752.3	82	83	SE	4	r	6	...	...	...	...	...	...	...
Swatow,	"	29.61	752.1	86	88	SSW	2	c	"	...	...	...	...	...	...	...
Taihoku,	11	29.71	754.5	82	77	N	1	o	5	29.60	751.8	75	96	...	o	o
Taichu,	"	29.74	755.4	90	...	SW	2	o	"	29.65	753.0	77	...	...	o	o
Tainan,	"	29.73	755.1	90	...	SW	4	b	"	29.63	752.7	77	...	SE	2	o
Koshun,	"	29.74	755.4	90	...	SW	2	b	"	29.62	752.4	79	...	...	o	b
Pescadores,	"	29.71	754.5	86	...	S	4	o	"	29.61	752.1	81	...	SSW	4	o
Hong Kong,	14	29.64	752.8	88	73	SSW	3	c	6	29.57	751.1	83	87	SW	2	o
Gap Rock,	"	29.65	753.1	...	...	SW	4	b	"	29.59	751.6	...	...	SW	4	o
Macao,	"	29.61	752.1	90	76	SSW	4	o	"	29.53	750.0	81	96	SW	4	o
Hoihow,	"	...		...	...	...	...	...	"		...	...	...	...	...	...
Pratas Island,	"	29.69	754.1	90	69	SW	2	b	"	29.60	751.8	81	93	SSW	1	bo
Phulien,	15	29.54	750.3	97	63	SSE	6	b	7	29.54	750.4	82	...	ESE	2	c
Tourane,	"	29.63	752.7	90	...	NNW	2	b	"	29.62	752.3	82	...	S	2	c
Cape St. James,	"	29.75	755.7	93	...	SSW	2	c	"	29.77	756.1	79	...	SW	4	o
Basco,	14	29.67	753.6	86	75	SE	2	o	6	...	...	...	...	...	...	...
Aparri,	"	29.63	752.7	90	63	NE	4	b	"	...	...	...	...	...	...	...
Tuguegarao,	"	29.62	752.4	93	59	ESE	1	o	"	...	...	...	...	...	...	...
Vigan,	"	...	...	...	...		...	...	"	...	...	...	...	...	...	...
Manila,	"	29.62	752.4	84	77	WSW	2	r	"	29.61	752.1	77	94	SW	4	r
Legaspi,	"	29.46	748.2	82	84	ESE	2	o	"	29.67	753.6	79	89	SW	2	o
Calboyog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	29.68	753.9	81	89	WNW	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.69	754.2	79	76	SW	6	o	"	...	...	...	...	...	...	...
Cebu,	"	29.68	753.9	81	76	SSW	2	o	"	...	...	...	...	...	...	...
Surigao,	"	29.69	754.2	81	89	SW	4	o	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	ENE	2	o	5	...	...	...	...	...	...	...
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"		...	...	...	...	...	...
Labuan,	14	29.79	756.6	88	84	SW	4	b	6	29.82	757.4	80	87	SW	2	b

May 25*d.* 17*h.* 16*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 13° N. Long. 123° E., moving N.W.

May 26*d.* 10*h.* 54*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 122° E., moving N.N.W.

May 26*d.* 11*h.* 15*m.*—The northern depression has passed into the Pacific. Pressure is highest over S. Manchuria and low over S. China. The typhoon is situated more than 150 miles N.E. of Manila, moving N.N.W.

Shanghai warning 25*d.* 21*h.* 30*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 13° N. Long. 123° E., moving W.N.W. Recd. 25*d.* 23*h.* 28*m.*

Manila warning 26*d.* 10*h.* 00*m.*:—Typhoon in Lat. 17° N. Long. 122° E., moving N.N.W. Recd. 26*d.* 10*h.* 52*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·16 inches, against an average of 20·90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, ...	S.W. or variable winds, moderate; cloudy, occasional rain.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	27th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.93	760.2	68	...	NW	1	b	6	29.94	760.5	55	...	SE	4	c
Nemuro,	11	29.65	753.0	...	...	NNW	3	...	5	29.82	757.5	...	...	NNW	1	...
Hokodate,	,,	29.74	755.5	...	...	WSW	1	...	,,	29.94	760.5	...	...	S	1	...
Tokio,	,,	29.76	756.0	...	...	NW	1	...	,,	29.96	761.0	...	...	...	0	...
Kochi,	,,	29.78	756.5	...	...	N	1	...	,,	29.88	759.0	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	E	2	...	,,	29.82	757.5	...	...	NE	1	...
Kagoshima,	,,	29.78	756.5	...	...	...	0	...	,,	29.80	757.0	...	...	NE	1	...
Oshima,	,,	29.74	755.5	...	...	...	0	...	,,	29.67	753.5	...	...	...	...	...
Naha,	,,	29.67	753.5	...	...	S	3	...	,,	29.67	753.5	...	...	NNW	1	...
Ishigakijima,	,,	29.67	753.5	...	...	SW	1	...	,,	29.65	753.0	...	..	N	1	...
Bonin Island,	,,	29.86	758.5	...	...	SSW	1	...	,,	29.90	759.5	...	...	SSW	1	...
Chefoo,	15	29.91	759.7	70	75	E	1	b	6	29.91	759.7	60	76	SW	1	b
Shanghai,	14	29.88	759.0	73	52	ESE	4	o	,,	29.93	760.2	57	98	ENE	1	b
Gutzlaff,	,,	29.90	759.4	66	84	NE	2	o	,,	29.95	760.7	62	83	ENE	2	b
Sharp Peak,	,,	29.55	750.5	72	90	ENE	4	o	7	20.62	752.3	71	91	NE	1	o
Amoy,	,,	29.61	752.1	82	87	SE	4	o	6	29.72	754.9	72	76	NE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	29.62	752.3	77	96	SE	2	o
Taihoku,	11	29.63	752.7	84	77	W	2	o	5	29.74	755.4	70	94	E	4	o
Taichu,	,,	29.67	753.6	86	...	SSE	[illegible]	o	,,	29.68	753.9	70	...	...	o	b
Tainan,	,,	29.67	753.6	90	...	WSW	2	b	,,	29.63	752.7	73	...	N	2	o
Koshun,	,,	29.66	753.3	90	...	W	2	b	,,	29.62	752.4	79	...	...	o	b
Pescadores,	,,	29.66	753.3	85	...	SSW	4	o	,,	29.67	753.6	75	...	NNE	6	o
Hong Kong,	14	29.60	751.8	83	74	W	2	o	6	29.69	754.2	75	93	ENE	4	od
Gap Rock,	,,	29.63	752.6	...	...	NNW	4	o	,,	29.67	753.6	...	...	ENE	5	o
Macao,	,,	29.61	752.1	81	86	NNW	2	o	,,	29.67	753.6	75	91	NE	4	o
Hoihow,	,,	29.60	751.8	90	64	W	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.63	752.6	89	74	W	2	o	,,	29.65	753.1	78	93	NNE	4	o
Phulien,	15	29.50	749.4	93	64	SE	2	o	7	29.65	753.0	77	98	E	4	o
Tourane,	,,	29.60	751.8	97	...	NE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	754.8	81	...	SW	4	o	,,	...	...	...	...	...	...	...
Basco,	14	29.62	752.4	79	...	W	4	r	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	..	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.63	752.7	79	89	SSW	2	o
Manila,	,,	29.66	753.3	81	76	SSW	4	r	,,	29.71	754.5	75	96	S	1	r
Legaspi,	,,	29.66	753.3	86	78	SW	2	o	,,	29.73	755.1	77	94	...	o	b
Calboyog,	,,	29.69	754.2	81	69	SW	2	b	,,	29.76	756.0	81	80	SSW	4	b
Tacloban,	,,	29.69	754.2	86	75	SE	4	b	,,	29.78	756.3	77	88	S	1	b
Iloilo,	,,	29.71	754.5	84	74	SW	6	o	,,	29.78	756.3	79	89	SW	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	92	...	o	b
Saipan,	...	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	NE	4	o	4.22	29.80	756.9	...	...	NE	4	r
Yap,	11.00	29.78	756.3	...	...	NE	4	o	5	29.80	756.9	...	...	NNE	1	b
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	75	81	SW	4	b	6	29.84	757.9	78	86	E	2	b

May 26*d.* 18*h.* 34*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon in Lat. 18° N. Long. 124° E., direction unknown position uncertain.

May 27*d.* 11*h.* 40*m.*—Pressure is highest over Japan and south Manchuria. The typhoon has recurved north eastwards, and is probably situated about 200 miles south-east of Ishigakijima.

Shanghai warning 26*d.* 21*h.* 40*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 122° E., recurving. Recd. 26*d.* 22*h.* 08*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 10·18 inches, against an average of 21·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh.
3.—Hong Kong to Gap Rock,	E. or variable winds, moderate; cloudy.
4.—South coast of China between Hong Kong and Hainan,	E. or variable winds, moderate; cloudy.

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th May, 1929.								28th May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.90	759.5	55	...	ESE	4	c	6	29.93	760.1	62	...	...	0	0
Nemuro,	11	29.84	758.0	...	...	NNW	2	...	5	29.80	757.0	...	...	S	2	...
Hokodate,	"	29.94	760.5	...	...	SSW	2	...	"	29.96	761.0	...	...	WSW	1	...
Tokio,	"	29.98	761.5	...	...	SSE	1	...	"	30.00	762.0	...	...	...	..	...
Kochi,	"	29.92	760.0	...	...	...	0	...	"	29.84	758.0	...	...	...	0	...
Nagasaki,	"	29.86	758.5	...	...	SSE	2	...	"	29.78	756.5	..	...	NNE	1	...
Kagoshima,	"	29.84	758.0	...	...	ENE	2	...	"	29.69	754.0	...	...	NE	1	...
Oshima,	"	29.69	754.0	...	...	...	...	...	"	29.69	754.0	...	...	WSW	1	...
Naha,	"	29.72	755.0	...	...	...	0	...	"	29.73	755.0	...	...	NNE	1	...
Ishigakijima,	"	29.71	754.5	...	...	NNE	3	...	"	29.75	755.5	...	..	N	1	...
Bonin Island,	"	29.92	760.0	...	...	SSW	1	...	"	29.94	760.5	...	...	SSW	1	...
Chefoo,	15	29.91	759.7	71	71	ESE	1	b	6	29.90	759.4	62	100	...	0	0
Shanghai,	14	29.97	761.1	73	52	ENE	2	b	"	29.95	760.8	59	89	...	0	0
Gutzlaff,	"	29.99	761.7	67	74	NE	4	b	"	29.98	761.5	58	81	NNE	1	0
Sharp Peak,	"	29.77	756.1	73	76	E	4	b	7	29.82	757.4	68	90	NE	1	0
Amoy,	"	29.54	750.3	82	60	E	4	b	6	29.81	757.2	70	75	E	4	bf
Swatow,	"	29.78	756.4	78	87	E	2	c	"	29.76	756.0	70	90	NE	1	b
Taihoku,	11	29.79	756.6	73	79	E	4	o	5	29.81	757.2	66	94	E	2	o
Taichu,	"	29.67	753.6	86	...	N	2	b	"	29.76	756.0	72	...	...	0	o
Tainan,	"	29.67	753.6	86	...	N	2	b	"	29.73	755.1	72	...	ESE	8	b
Koshun,	"	29.67	753.6	77	...	NNE	2	o	"	29.73	755.1	75	...	NE	2	o
Pescadores,	"	29.72	754.8	79	...	NNE	6	o	"	29.74	755.4	73	...	ESE	6	o
Hong Kong,	14	29.75	755.6	79	73	E	3	o	6	29.78	756.4	75	79	E	3	o
Gap Rock,	"	29.74	755.4	...	...	ESE	5	o	"	29.76	755.9	...	...	ENE	5	o
Macao,	"	29.72	754.8	84	45	SE	2	o	"	29.85	758.1	77	84	ESE	4	o
Hoihow,	"	..		...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.72	754.9	80	80	NNE	3	o	"	29.74	755.4	76	86	NE	4	b
Phulien,	15	29.66	753.3	90	66	SSE	4	o	7	29.69	754.2	77	96	ENE	4	o
Tourane,	"	29.62	752.4	86	...	NNW	4	o	"	29.69	754.2	77	...	NW	2	o
Cape St. James,	"	29.73	755.1	75	...	WNW	0	r	"	29.75	755.7	79	...	SW	6	r
Basco,	14	29.63	752.7	86	81	NNE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.65	753.0	81	87	NW	4	r	"	...	...	...	...	...	...	...
Tuguegarao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	29.69	754.2	77	82	WNW	4	o	"	29.72	754.8	77	96	WNW	1	o
Manila,	"	29.64	754.2	86	60	SW	4	o	"	29.75	755.7	77	91	...	0	o
Legaspi,	"	29.69	754.2	86	78	SW	4	o	"	29.76	756.0	79	96	SW	1	b
Calbayog,	"	...	...	...	...	...	...	...	"	29.76	756.0	63	92	N	2	b
Tacloban,	"	29.73	755.1	86	75	S	4	b	"	29.79	756.6	79	...	SE	1	b
Iloilo,	"	29.72	754.8	86	75	SSW	4	b	"	29.76	756.0	75	91	NE	2	o
Cebu,	"	29.73	755.1	86	58	SW	4	b	"	29.76	756.0	79	84	SW	1	b
Surigao,	"	29.73	755.1	86	71	N	2	b	"	29.78	756.3	77	94	...	0	b
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	756.0	...	...	SE	7	r	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	N	4	o	5	29.73	755.1	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	90	84	NW	4	h	6	29.83	757.7	80	87	E	2	b

May 28*d.* 10*h.* 42*m.*—Weak anticyclonic areas are situated over N. China and S. Manchuria, and in the Pacific to the east of Japan. Pressure is relatively low in an irregular trough extending from Indo-China across the Philippines and the Loochoos to the Pacific.

The typhoon is situated about 100 miles north of Oshima, moving N. or N.N.E.

Shanghai warning 27*d.* 12*h.* 20*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 121° E., stationary or very slow. Recd. 27*d.* 12*h.* 51*m.*

Manila warning. 27*d.* 12*h.* 35*m.*:—Cyclone or typhoon east of Balintang Channel moving N.E. or E.N.E. Recd. 27*d.* 13*h.* 06*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·18 inches, against an average of 21·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	29th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.76	756.0	...	...	SE	1	...	5	29.75	755.5	...	...	...	0	...
Hokodate,	"	29.88	759.0	...	...	SE	1	...	"	29.76	756.0	..	...	SE	1	...
Tokio,	"	30.02	762.5	...	...	S	1	...	"	29.69	754.0	..	.	N	1	...
Kochi,	"	29.74	755.5	...	...	WSW	1	...	"	29.76	756.0	..	..	...	0	...
Nagasaki,	"	29.76	756.0	...	...	SW	1	...	"	29.82	757.5	..	..	...	0	...
Kagoshima,	"	29.72	755.0	...	...	...	0	...	"	29.80	757.0	..	.	NW	1	...
Oshima,	"	29.76	756.0	...	...	NE	1	...	"	29.82	757.5	..	...	NNW	1	...
Saba,	"	29.78	756.5	...	...	N	3	...	"	29.82	757.5	..	..	N	2	...
Ishigakijima,	"	30.22	767.5	...	...	NNE	1	...	"	29.82	757.5	..		...	0	...
Bonin Island,	"	29.94	760.5	...	...	SSW	1	...	"	29.96	761.0	...	...	S	1	...
Chefoo,	15	29.87	758.7	70	57	NW	2	b	6	29.88	759.0	60	71	W	1	b
Shanghai,	14	29.92	759.9	75	53	ENE	2	b	"	29.93	760.2	57	100	SSW	1	o
Gutzlaff,	"	29.98	761.5	68	74	NE	1	o	"	29.97	761.2	60	94	S	1	b
Sharp Peak,	"	29.83	757.7	73	79	E	2	o	7	29.87	758.7	71	90	N	1	o
Amoy,	"	29.80	756.9	82	60	ESE	4	b	6	29.85	758.2	71	80	ENE	1	b
Swatow,	"	29.83	757.7	75	91	E	2	o	"	29.84	757.9	70	95	N	2	c
Taihoku,	11	29.87	758.7	79	61	E	4	b	5	29.86	758.4	64	96	E	2	b
Taichu,	"	29.82	757.5	81	...	NNW	2	o	"	29.84	757.8	68	...	...	0	b
Tainan,	"	29.79	756.6	85	...	WSW	2	o	"	29.80	756.9	72	...	N	2	b
Koshun,	"	29.78	756.3	84	...	NE	4	o	"	29.79	756.6	77	...	NNE	2	b
Pescadores,	"	29.86	758.4	81	...	NE	6	b	"	29.81	757.2	73	...	NNE	4	b
Hong Kong,	14	29.79	756.6	80	68	E	3	c	6	29.81	757.2	75	84	E	1	c
Gap Rock,	"	29.79	756.6	...	...	ENE	5	b	"	29.79	756.6	...	...	ENE	4	b
Macao,	"	29.78	756.3	84	71	SE	2	o	"	29.78	756.3	75	67	ESE	2	o
Hoihow,	"	29.73	755.1	78	100	E	2	r	"	...	...	...	...	...	...	...
Pratas Island,	"	29.76	755.9	79	83	NNE	5	o	"	29.76	755.9	78	91	NE	4	o
Phulien,	15	29.69	754.2	79	91	E	4	r	7	29.76	756.0	75	98	ENE	4	if
Fourane,	"	29.67	753.6	82	...	NE	2	o	"	29.73	755.1	81	...	NNW	2	o
Cape St. James,	"	29.71	754.5	84	...	SSW	2	o	"	29.79	756.6	77	...	SW	6	o
Basco,	14	29.73	755.1	79	92	NE	4	o	6	29.76	756.0	77	92	NE	2	r
Aparri,	"	29.71	754.5	86	78	NE	4	o	"	29.74	755.4	79	95	...	0	r
Tuguegarao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	...	...	...	...	...	...	o	"	...	...	...	...	...	..	...
Manila,	"	29.72	754.8	86	65	W	4	b	"	29.78	756.3	77	92	SE	1	o
Legaspi,	"	29.71	754.5	93	61	SW	4	b	"	29.78	756.3	75	96	...	0	b
Daiboyog,	"	29.73	755.1	90	66	SSE	2	b	"	29.78	756.3	79	95	...	0	b
Puerto Princesa,	"	29.73	755.1	90	72	S	4	b	"	29.79	756.6	79	92	NE	1	o
Iloilo,	"	29.72	754.8	86	65	SSW	4	b	"	29.78	756.3	77	96	...	0	b
Cebu,	"	29.71	754.5	86	58	S	4	b	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	29.78	756.3	77	86	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	SE	4	o	4.22	29.85	758.3	...	...	E	4	o
Yap,	11.00	29.73	755.1	...	...	SSW	1	o	5	29.81	757.2	...	...	S	2	o
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Saigon,	14	29.79	756.6	90	84	NE	4	b	6	29.86	758.4	77	91	E	2	b

May 29*d.* 11*h.* 36*m* — Weak anticyclonic areas are situated over N. China and to the east of the Bonins. Pressure is relatively low in a trough extending from Indo-China to the Pacific. A depression is situated in the vicinity of Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·18 inches, against an average of 22·34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, moderate.
3.—Hong Kong to Gap Rock,	E. winds, moderate; fine to cloudy.
4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fine to cloudy.

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th May, 1929.								30th May, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.75	755.7	59	...	N	1	0	6	29.75	755.5	60	...	...	0	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.63	752.5	...	...	...	0	...
Hokodate,	,,	29.70	754.5	...	...	...	0	...	,,	29.71	754.5	...	...	...	0	...
Tokio,	,,	29.67	753.5	...	...	S	1	...	,,	29.76	756.0	...	...	ESE	1	...
Kochi,	,,	29.74	755.5	...	...	...	0	...	,,	29.78	756.5	...	...	...	0	...
Nagasaki,	,,	29.82	757.5	...	...	W	1	...	,,	29.82	757.5	...	...	E	1	...
Kagoshima,	,,	29.80	757.0	...	...	WNW	2	...	,,	29.82	757.5	...	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	NNE	1	...	,,	29.82	757.5	...	...	SSE	1	...
Naha,	,,	29.86	758.5	...	...	N	2	...	,,	29.82	757.5	...	...	NNE	1	...
Ishigakijima,	,,	29.86	758.5	...	...	NNE	1	...	,,	29.80	757.0	...	...	...	0	...
Bonin Island,	,,	29.92	760.0	...	...	SW	2	...	,,	29.94	760.5	...	...	SSW	1	...
Chefoo,	15	29.82	757.4	72	54	NW	4	b	6	29.77	756.1	62	56	...	0	b
Shanghai,	14	29.89	759.3	75	49	E	1	0	,,	29.86	758.4	61	96	SE	1	0
Gutzlaff,	,,	29.94	760.5	69	70	N	1	0	,,	29.90	759.4	64	91	SSE	2	0
Sharp Peak,	,,	29.82	757.4	76	82	ESE	1	b	7	29.70	754.4	71	88	N	1	0
Amoy,	,,	29.82	757.4	83	60	SSE	2	b	6	29.78	756.4	75	77	ENE	1	b
Swatow,	,,	29.79	756.6	78	87	E	2	b	,,	29.80	756.9	73	91	NE	2	b
Taihoku,	11	29.85	758.1	84	64	E	4	b	5	29.78	756.3	66	96	E	2	b
Taichu,	,,	29.85	758.1	86	...	SW	2	b	,,	29.84	757.8	75	...	...	0	0
Tainan,	,,	29.81	757.2	90	...	WNW	2	0	,,	29.75	755.7	77	...	N	2	0
Koshun,	,,	29.80	756.9	86	...	NE	2	0	,,	29.74	755.4	77	...	NE	2	0
Pescadores,	,,	29.84	757.8	82	...	NNE	4	0	,,	29.78	756.3	75	...	N	4	0
Hong Kong,	14	29.79	756.6	81	59	E	3	b	6	29.75	755.6	76	78	E	1	b
Gap Rock,	,,	29.81	757.2	...	...	ENE	4	b	,,	29.75	755.6	...	...	ENE	3	b
Macao,	,,	29.79	756.6	86	65	SE	2	b	,,	29.71	754.5	75	88	SE	2	0
Hoihow,	,,	29.76	755.9	83	80	ENE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.75	755.6	81	83	NE	6	c	,,	29.72	754.9	77	94	NNE	2	c
Phulien,	15	29.76	756.0	79	89	ENE	6	r	7	29.76	756.0	77	92	ENE	4	b
Tourane,	,,	29.72	754.8	86	...	ESE	4	0	,,	29.75	755.7	77	...	WNW	2	0
Cape St. James,	,,	29.78	756.3	82	...	SW	4	0	,,	29.81	757.2	79	...	SW	4	b
Basco,	14	29.74	755.4	82	87	SW	2	0	6	29.72	754.8	77	92	E	2	0
Aparri,	,,	29.72	754.8	84	81	NE	2	0	,,	29.73	755.1	77	92	SW	2	r
Tuguegarao,	,,	29.73	755.1	90	66	NW	1	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.8	86	71	W	2	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	86	68	SW	4	0	,,	29.76	756.0	79	89	NE	1	0
Legaspi,	,,	29.72	754.8	90	66	WNW	2	0	,,	29.75	755.7	79	91	NW	1	0
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	96	NNE	2	0
Tacloban,	,,	29.74	755.4	90	72	S	2	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	68	SW	4	b	,,	...	...	...	...	...	...	...
Cebu,	,,	29.73	755.1	86	58	S	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.73	755.1	86	71	NW	2	0	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	E	4	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	SSW	1	0	5	29.86	758.4	...	...	S	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	NW	2	b	6	29.87	758.7	76	91	NE	2	r

May 30*d.* 11*h.* 15*m.*– Pressure is highest in the Pacific to the east of the Bonins, and relatively low in a trough extending from Tongking across Luzon to the Pacific.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·18 inches, against an average of 22·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel, ...	E. or variable winds, moderate; fine generally.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	31st May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.69	754.1	67	...	E	2	c	6	29.81	757.1	59	...	...	0	b
Nemuro,	11	29.59	751.5	...	...	SSW	1	...	5	29.73	755.0	...	...	...	0	...
Hokodate,	,,	29.67	753.5	...	...	SW	3	...	,,	29.86	758.5	...	...	...	0	...
Tokio,	,,	29.74	755.5	...	...	S	1	...	,,	29.96	761.0	...	...	NW	1	...
Kochi,	,,	29.80	757.0	...	...	...	0	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.84	758.0	...	...	SW	1	...	,,	29.82	757.5	...	...	SE	1	...
Kagoshima,	,,	29.82	757.5	...	...	E	1	...	,,	29.82	757.5	...	...	WNW	1	...
Oshima,	,,	29.82	757.5	...	...	NE	1	...	,,	29.76	756.0	...	...	SSE	1	...
Naha,	,,	29.82	757.5	...	...	N	1	...	,,	29.75	755.5	...	...	NE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	ENE	1	...	,,	29.73	755.0	...	...	...	0	...
Bonin Island,	,,	29.92	760.0	...	...	SSW	2	...	,,	29.92	760.0	...	...	S	1	...
Chefoo,	15	29.72	754.9	88	62	SW	2	b	6	29.74	755.4	66	68	SE	1	b
Shanghai,	14	29.81	757.2	86	36	E	2	b	,,	29.81	757.2	64	100	E	1	b
Gutzlaff,	,,	29.89	759.2	73	100	SE	1	b	,,	29.88	758.9	65	91	SSE	4	b
Sharp Peak,	,,	29.74	755.4	76	82	E	1	o	7	29.75	755.6	73	90	N	1	b
Amoy,	,,	29.73	755.1	83	79	SSE	4	b	6	29.69	754.2	74	76	ENE	1	b
Swatow,	,,	29.73	755.1	78	91	E	2	c	,,	29.75	755.7	73	95	NNE	1	c
Taihoku,	11	29.75	755.7	90	66	E	4	b	5	29.69	754.2	73	82	ENE	2	b
Taichu,	,,	29.78	756.3	86	...	...	0	b	,,	29.72	754.8	75	...	...	0	o
Tainan,	,,	29.75	755.7	90	...	N	2	o	,,	29.69	754.2	75	...	N	2	o
Koshun,	,,	29.74	755.4	84	...	NE	2	o	,,	29.67	753.6	77	...	E	4	o
Pescadores,	,,	29.76	756.0	82	...	NNE	4	o	,,	29.69	754.2	75	...	NNE	4	b
Hong Kong,	14	29.72	754.9	84	52	E	2	c	6	29.71	754.6	77	85	...	0	o
Gap Rock,	,,	29.73	755.1	...	...	ENE	3	c	,,	29.70	754.4	...	...	E	2	c
Macao,	,,	29.71	754.5	86	52	SE	2	o	,,	...	...	...	...	...	...	...
Hoihow,	,,	29.68	753.9	85	77	ENE	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.72	754.9	82	82	NNE	4	o	,,	29.69	754.1	77	92	N	3	c
Phulien,	15	29.69	754.2	84	77	S	4	o	7	29.68	753.9	75	94	ENE	1	if
Tourane,	,,	29.68	753.9	84	...	N	4	o	,,	29.68	753.9	...	...	SE	4	o
Cape St. James,	,,	29.76	756.0	90	...	WSW	4	o	,,	29.79	756.6	79	...	W	6	o
Basco,	14	29.67	753.6	82	84	WSW	4	o	6	29.69	754.2	77	92	SE	2	r
Aparri,	,,	29.66	753.3	84	81	NE	2	o	,,	29.65	753.0	75	96	S	2	r
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.67	753.6	84	74	SSW	6	r	,,	29.68	753.9	75	91	SW	1	o
Manila,	,,	29.74	755.4	81	86	SW	6	o	,,	29.73	755.1	79	89	SW	2	o
Legaspi,	,,	29.69	754.2	90	76	SW	2	o	,,	29.74	755.4	79	92	SW	1	o
Calbayog,	,,	29.73	755.1	90	66	WSW	4	o	,,	29.76	756.0	77	92	N	1	o
Tacloban,	,,	29.73	755.1	79	84	W	1	o	,,	29.79	756.6	79	89	...	0	o
Iloilo,	,,	29.72	754.8	86	71	SW	4	o	,,	29.76	756.0	82	91	S	4	o
Cebu,	,,	...		...	...	...	...	...	,,	29.76	756.0	81	76	...	0	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	81	84	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.82	757.5	...	...	E	4	o	4.22	29.84	757.8	...	...	NE	2	b
Yap,	11.00	29.82	757.5	...	...	SW	1	o	5	29.85	758.1	...	...	NE	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.78	756.3	82	84	SW	2	b	6	29.82	757.4	78	70	SW	6	b

May 31*d.* 11*h.* 15*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 120° E., direction unknown.

May 31*d.* 11*h.* 17*m.*—A weak anticyclonic area extends from Shantung across Japan to the Pacific. A depression or typhoon has formed in the centre of the trough; it is situated about 120 miles north west of Aparri, and its direction is unknown.

Manila warnings. 31*d.* 10*h.* 15*m.*:—1. Typhoon in Lat. 20° N. Long. 120° E., direction unknown.
,, ,, ,, :—2. Typhoon in Lat. 21° N. Long. 127° E., inclining northward. Recd. 31*d.* 10*h.* 41*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·18 inches, against an average of 23·32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N. and N.E. winds, moderate, freshening; cloudy, rain later.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

Blank page retained for pagination

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

JUNE,

1929.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.

HONG KONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1929.

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JUNE,

1929.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JUNE, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·628	29·617	29·615	29·617	29·625	29·637	29·663	29·668	29·680	29·676	29·672	29·660	1
2	29·657	29·645	29·651	29·657	29·663	29·672	29·685	29·688	29·698	29·717	29·722	29·711	2
3	29·660	29·646	29·639	29·635	29·639	29·635	29·641	29·651	29·662	29·654	29·642	29·618	3
4	29·557	29·539	29·537	29·533	29·525	29·530	29·541	29·560	29·552	29·548	29·531	29·510	4
5	29·570	29·558	29·542	29·540	29·540	29·556	29·572	29·581	29·585	29·591	29·598	29·595	5
6	29·651	29·639	29·631	29·645	29·651	29·677	29·687	29·693	29·707	29·705	29·704	29·697	6
7	29·691	29·681	29·669	29·667	29·669	29·671	29·691	29·697	29·697	29·702	29·708	29·684	7
8	29·635	29·623	29·605	29·593	29·599	29·603	29·605	29·603	29·605	29·615	29·597	29·599	8
9	29·561	29·547	29·547	29·551	29·551	29·569	29·583	29·591	29·592	29·600	29·606	29·609	9
10	29·589	29·587	29·581	29·585	29·591	29·607	29·616	29·635	29·640	29·639	29·627	29·618	10
11	29·602	29·594	29·590	29·596	29·594	29·600	29·604	29·618	29·629	29·625	29·618	29·609	11
12	29·616	29·598	29·596	29·588	29·580	29·596	29·604	29·613	29·621	29·628	29·623	29·615	12
13	29·628	29·622	29·618	29·626	29·630	29·650	29·664	29·674	29·687	29·685	29·680	29·667	13
14	29·691	29·687	29·691	29·699	29·701	29·705	29·721	29·738	29·748	29·749	29·756	29·748	14
15	29·717	29·700	29·699	29·695	29·703	29·707	29·715	29·712	29·720	29·724	29·702	29·694	15
16	29·669	29·655	29·655	29·664	29·657	29·668	29·687	29·695	29·699	29·702	29·700	29·695	16
17	29·673	29·663	29·651	29·639	29·657	29·655	29·667	29·680	29·703	29·708	29·702	29·700	17
18	29·687	29·671	29·669	29·663	29·669	29·691	29·702	29·709	29·724	29·734	29·737	29·739	18
19	29·749	29·730	29·714	29·718	29·718	29·721	29·734	29·746	29·754	29·753	29·759	29·758	19
20	29·737	29·721	29·711	29·715	29·721	29·737	29·749	29·750	29·755	29·758	29·751	29·741	20
21	29·684	29·674	29·667	29·653	29·655	29·669	29·679	29·688	29·697	29·695	29·691	29·681	21
22	29·660	29·644	29·636	29·625	29·619	29·613	29·610	29·614	29·614	29·618	29·658	29·662	22
23	29·657	29·633	29·613	29·611	29·623	29·633	29·631	29·635	29·638	29·635	29·638	29·630	23
24	29·636	29·622	29·620	29·600	29·604	29·620	29·648	29·644	29·668	29·669	29·667	29·645	24
25	29·653	29·635	29·649	29·649	29·657	29·670	29·686	29·690	29·711	29·718	29·737	29·735	25
26	29·744	29·738	29·732	29·724	29·728	29·742	29·764	29·774	29·781	29·794	29·789	29·785	26
27	29·781	29·773	29·758	29·760	29·764	29·782	29·794	29·805	29·803	29·797	29·794	29·786	27
28	29·693	29·677	29·670	29·665	29·657	29·657	29·671	29·675	29·681	29·678	29·667	29·645	28
29	29·593	29·573	29·559	29·559	29·551	29·565	29·587	29·587	29·590	29·587	29·577	29·552	29
30	29·510	29·498	29·493	29·485	29·491	29·497	29·507	29·521	29·521	29·519	29·519	29·518	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	29·649	29·637	29·623	29·611	29·620	29·628	29·633	29·646	29·658	29·668	29·669	29·669	1
2	29·709	29·692	29·678	29·660	29·648	29·652	29·669	29·675	29·681	29·685	29·689	29·677	2
3	29·602	29·579	29·564	29·546	29·544	29·544	29·548	29·564	29·578	29·580	29·578	29·563	3
4	29·492	29·459	29·447	29·447	29·447	29·471	29·483	29·522	29·549	29·565	29·575	29·574	4
5	29·583	29·563	29·549	29·545	29·551	29·554	29·585	29·619	29·629	29·653	29·667	29·657	5
6	29·682	29·667	29·645	29·629	29·633	29·638	29·653	29·675	29·695	29·706	29·722	29·705	6
7	29·663	29·659	29·637	29·615	29·607	29·608	29·617	29·630	29·652	29·655	29·655	29·651	7
8	29·593	29·579	29·558	29·539	29·529	29·535	29·545	29·557	29·567	29·577	29·585	29·573	8
9	29·595	29·578	29·562	29·552	29·547	29·550	29·550	29·572	29·589	29·599	29·609	29·599	9
10	29·603	29·589	29·579	29·573	29·557	29·561	29·563	29·576	29·584	29·610	29·618	29·616	10
11	29·587	29·576	29·560	29·553	29·545	29·539	29·549	29·567	29·581	29·603	29·617	29·612	11
12	29·591	29·559	29·547	29·537	29·534	29·543	29·557	29·571	29·585	29·610	29·626	29·630	12
13	29·669	29·657	29·645	29·630	29·617	29·621	29·637	29·648	29·668	29·694	29·701	29·699	13
14	29·734	29·713	29·693	29·678	29·665	29·661	29·665	29·675	29·700	29·721	29·727	29·725	14
15	29·687	29·677	29·694	29·667	29·660	29·658	29·669	29·679	29·677	29·687	29·689	29·681	15
16	29·685	29·675	29·660	29·649	29·649	29·641	29·646	29·661	29·683	29·697	29·707	29·693	16
17	29·683	29·686	29·665	29·645	29·655	29·647	29·654	29·669	29·679	29·697	29·699	29·701	17
18	29·715	29·706	29·698	29·687	29·689	29·685	29·696	29·712	29·728	29·748	29·760	29·749	18
19	29·740	29·731	29·717	29·712	29·693	29·691	29·697	29·708	29·730	29·750	29·752	29·752	19
20	29·728	29·704	29·689	29·671	29·655	29·651	29·661	29·684	29·687	29·695	29·702	29·697	20
21	29·668	29·661	29·635	29·609	29·603	29·603	29·622	29·638	29·644	29·658	29·670	29·674	21
22	29·650	29·645	29·608	29·602	29·614	29·606	29·634	29·644	29·650	29·662	29·664	29·667	22
23	29·607	29·605	29·597	29·576	29·582	29·582	29·594	29·608	29·643	29·648	29·646	29·636	23
24	29·657	29·655	29·627	29·631	29·633	29·621	29·651	29·649	29·674	29·694	29·703	29·688	24
25	29·697	29·719	29·693	29·714	29·696	29·706	29·702	29·723	29·724	29·742	29·758	29·755	25
26	29·779	29·773	29·757	29·743	29·739	29·742	29·754	29·780	29·792	29·800	29·805	29·803	26
27	29·762	29·741	29·719	29·699	29·687	29·687	29·688	29·693	29·699	29·700	29·708	29·708	27
28	29·620	29·601	29·585	29·579	29·563	29·553	29·568	29·584	29·591	29·601	29·609	29·605	28
29	29·540	29·519	29·503	29·495	29·487	29·491	29·508	29·526	29·532	29·548	29·554	29·532	29
30	29·500	29·477	29·449	29·441	29·435	29·443	29·451	29·465	29·487	29·510	29·510	29·500	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of JUNE, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·0	76·9	76·9	76·9	76·5	76·9	78·0	79·6	80·7	81·0	79·9	80·0	1
2	76·8	76·9	77·6	77·5	77·1	77·0	77·4	78·8	79·1	79·2	79·7	79·9	2
3	76·3	76·0	75·9	75·7	75·8	76·1	77·2	78·2	79·7	79·3	82·3	82·6	3
4	77·0	76·7	76·4	75·3	75·5	75·8	78·1	80·5	79·9	83·5	87·8	87·4	4
5	79·7	79·6	79·3	79·0	79·1	78·8	79·8	81·6	82·9	85·5	85·9	87·9	5
6	80·9	80·6	80·5	80·1	80·0	80·2	81·5	82·5	85·6	86·8	86·3	88·0	6
7	79·1	79·9	79·8	79·5	79·5	80·3	81·1	83·0	84·8	85·5	80·4	80·6	7
8	81·9	82·0	81·8	81·7	81·7	81·8	82·1	82·5	83·2	82·9	83·1	81·9	8
9	82·5	82·7	82·7	82·7	82·7	82·6	83·2	83·6	84·2	85·2	79·4	83·4	9
10	82·6	82·7	83·0	82·7	82·9	83·2	83·6	83·0	84·3	85·2	89·7	87·9	10
11	83·2	83·4	83·5	83·6	83·7	83·0	84·9	84·6	86·1	88·0	88·7	89·2	11
12	84·0	84·0	84·0	83·6	83·6	83·8	83·9	85·3	85·0	86·7	85·3	87·6	12
13	83·5	83·5	83·5	82·9	82·0	83·0	84·1	85·2	87·6	87·7	89·3	89·3	13
14	82·0	81·9	82·6	82·3	82·1	82·5	83·9	86·0	86·0	88·6	86·2	88·7	14
15	82·1	82·0	81·7	81·4	81·6	82·3	83·7	86·6	88·7	86·2	89·6	86·8	15
16	81·0	80·9	80·9	80·0	79·8	80·5	81·8	83·5	83·9	84·9	85·7	87·0	16
17	82·2	82·0	82·0	82·0	82·0	81·8	82·9	83·9	83·5	86·3	84·0	84·4	17
18	82·0	82·0	82·0	82·0	81·9	82·2	84·6	85·5	85·9	85·8	86·0	87·2	18
19	81·6	81·8	81·9	81·8	82·3	82·6	83·8	84·7	86·5	87·7	84·5	83·8	19
20	81·8	81·8	82·0	82·3	82·0	82·3	85·0	85·4	85·1	86·4	86·0	85·8	20
21	82·9	82·8	82·1	82·0	81·7	81·7	82·6	83·6	82·5	85·2	85·2	86·3	21
22	83·2	83·2	83·0	83·0	83·0	83·1	83·6	83·7	84·1	83·9	83·9	83·0	22
23	83·0	82·1	81·9	81·9	82·5	81·2	81·9	83·1	83·3	82·0	85·0	85·5	23
24	78·7	78·7	78·7	78·7	78·7	78·1	78·1	78·8	79·3	79·1	81·7	82·7	24
25	75·9	75·9	75·8	76·0	75·9	76·6	77·1	77·9	77·0	76·5	75·6	75·0	25
26	76·0	76·5	76·5	76·5	76·7	76·9	77·7	79·4	80·0	80·0	82·0	82·3	26
27	78·3	78·0	78·0	77·8	77·0	77·0	78·9	82·0	83·1	85·2	85·4	87·2	27
28	80·8	80·2	80·3	80·2	80·1	79·9	80·9	81·9	83·9	85·9	85·8	87·1	28
29	81·8	81·8	81·7	81·9	81·9	81·9	82·2	84·3	86·4	87·6	88·0	88·8	29
30	82·9	83·0	82·9	82·7	82·3	82·7	83·0	83·9	87·1	88·5	87·8	85·6	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·1	80·2	80·6	80·3	79·5	78·9	78·5	78·0	77·8	77·4	77·0	77·0	1
2	79·7	79·1	78·9	78·7	78·4	77·9	77·3	76·8	76·8	76·6	76·9	76·5	2
3	81·2	81·0	79·9	79·7	80·6	80·9	78·8	77·3	76·9	77·0	77·0	77·1	3
4	86·9	87·3	87·3	87·0	85·0	82·9	81·8	80·1	80·7	79·8	79·8	79·5	4
5	89·3	90·0	86·9	85·9	84·9	83·6	82·2	81·9	81·1	80·9	80·7	80·9	5
6	88·3	89·3	87·9	88·1	85·0	82·8	82·0	80·8	80·5	80·0	79·6	79·6	6
7	82·0	81·9	81·4	80·9	80·9	80·3	80·1	80·1	80·7	81·3	81·4	81·8	7
8	81·1	81·6	82·1	82·8	83·0	82·9	82·8	83·2	83·1	83·1	83·3	83·0	8
9	83·1	84·3	85·1	84·6	84·9	84·0	83·8	83·5	83·0	83·0	83·3	83·0	9
10	88·9	88·7	87·1	86·7	85·8	84·8	83·9	83·5	83·3	83·3	83·3	83·2	10
11	89·5	88·9	88·5	87·6	86·5	85·2	84·4	84·1	83·9	84·0	83·9	84·2	11
12	89·8	89·9	88·9	86·9	86·0	84·6	84·1	83·8	83·6	83·6	83·5	83·1	12
13	88·0	87·6	86·8	87·2	85·4	85·0	84·2	83·8	83·7	83·6	82·9	82·7	13
14	84·8	88·0	88·1	87·8	85·2	85·1	83·9	83·0	83·0	82·7	82·7	82·3	14
15	87·5	86·8	80·5	81·9	82·5	84·0	80·0	80·9	80·9	81·8	81·8	81·8	15
16	89·5	88·9	86·2	86·0	84·5	83·8	82·9	82·6	82·1	82·1	82·0	82·3	16
17	85·0	83·9	85·2	84·3	84·4	83·9	83·5	83·0	81·5	81·5	81·9	81·9	17
18	87·5	86·5	86·9	85·4	84·5	83·9	83·1	82·9	82·7	82·8	82·9	82·6	18
19	85·0	87·2	86·0	84·0	85·3	84·4	83·0	83·2	82·6	82·9	82·9	81·0	19
20	83·7	84·8	87·5	88·0	86·6	85·0	83·9	83·5	83·4	83·0	83·0	82·9	20
21	82·5	84·0	86·6	86·0	84·7	84·2	82·0	82·0	82·0	82·0	82·0	81·5	21
22	82·0	82·5	83·8	83·0	84·0	83·5	83·3	83·1	83·1	83·1	82·9	82·5	22
23	86·0	85·2	85·9	84·0	83·5	83·3	83·3	83·1	77·4	77·3	77·1	76·7	23
24	83·6	82·5	84·0	82·1	79·2	80·0	79·8	79·1	78·2	75·0	75·8	75·8	24
25	74·8	75·2	76·2	77·8	78·2	77·9	77·8	77·7	76·9	76·6	76·5	76·5	25
26	82·0	80·7	81·8	82·0	81·7	80·8	80·5	80·0	78·9	79·1	78·9	78·6	26
27	86·2	87·0	87·6	87·8	87·0	85·1	83·7	82·6	82·2	81·1	81·0	80·9	27
28	87·6	88·0	87·0	86·0	85·0	83·9	83·0	82·6	82·1	81·9	81·9	81·9	28
29	88·6	87·3	85·9	85·4	84·9	84·0	83·5	83·0	83·4	83·1	83·1	83·7	29
30	85·9	86·0	86·7	85·6	86·5	85·6	84·8	84·7	84·2	84·0	83·9	83·9	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of JUNE, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	73·4	73·4	73·1	73·1	73·0	73·0	73·1	73·9	73·7	74·0	73·0	74·0	1
2	72·8	72·0	70·6	70·0	69·7	69·6	69·4	68·0	66·6	68·0	68·5	68·5	2
3	71·0	70·8	70·3	70·3	70·0	69·3	69·2	70·0	70·9	71·3	73·0	73·4	3
4	73·0	72·9	72·4	71·9	71·6	72·4	74·0	74·9	74·8	76·0	76·6	77·4	4
5	75·7	75·8	76·0	76·0	76·1	76·1	76·6	76·2	76·6	77·5	77·9	79·0	5
6	77·0	76·6	76·0	76·8	75·5	76·1	77·0	77·7	79·0	79·1	78·8	79·3	6
7	76·0	76·8	76·7	76·8	76·8	78·0	78·0	78·1	79·5	79·3	76·0	76·6	7
8	78·3	78·8	78·6	78·4	78·3	78·1	78·1	78·3	78·0	78·7	78·6	78·2	8
9	79·0	78·7	78·5	78·7	78·7	78·8	78·7	79·1	79·3	80·7	76·0	79·3	9
10	79·3	79·0	78·8	79·1	78·8	79·0	79·2	79·5	79·8	80·0	82·7	80·7	10
11	79·2	79·1	79·0	79·1	79·2	79·8	79·7	79·5	79·9	80·5	80·2	81·0	11
12	79·3	79·3	79·3	79·1	79·4	79·0	79·7	80·7	80·0	80·9	80·4	81·3	12
13	79·0	79·0	78·6	79·6	78·7	79·0	79·4	80·0	80·4	80·7	81·0	80·5	13
14	78·8	78·2	78·0	78·0	77·6	77·7	78·8	79·2	78·3	79·4	78·5	79·3	14
15	77·7	77·0	76·7	77·1	77·0	77·5	78·7	79·8	80·6	78·0	79·2	77·6	15
16	77·9	77·8	77·5	76·3	76·8	77·5	78·3	79·4	77·7	78·9	78·7	79·0	16
17	77·5	77·8	77·8	78·0	78·0	78·0	79·0	78·9	78·5	80·0	80·0	80·0	17
18	78·0	78·0	78·0	78·0	77·9	77·8	79·4	80·0	80·0	79·1	78·0	79·2	18
19	78·2	78·2	78·0	78·0	78·0	78·0	78·4	78·7	79·0	79·7	79·0	78·6	19
20	77.8	77·8	77·9	77·8	77·3	77·2	79·0	77·6	78·2	78·8	78·4	78·6	20
21	78·1	78·0	78·0	78·1	78·2	78·2	78·3	78·5	77·4	79·0	79·0	79·5	21
22	78·4	78·4	78·4	78·0	78·1	78·3	78·3	78·5	78·9	78·9	78·4	79·0	22
23	79·0	78·7	78·2	78·2	79·0	78·2	78·9	78·9	79·0	79·0	80·5	81·0	23
24	76·0	75·0	75·0	75·0	75·0	75·2	75·6	76·0	76·0	73·7	75·6	76·7	24
25	74·0	73·7	73·5	74·0	74·0	74·0	74·1	74·3	74·0	73·0	73·0	73·0	25
26	74·5	74·8	75·0	75·0	75·2	75·3	75·8	76·8	77·0	77·5	78·0	78·3	26
27	77·2	77·0	76·8	76·5	76·0	76·2	77·0	78·0	77·3	76·7	77·0	77·6	27
28	76·9	76·0	76·8	76·7	76·6	76·9	77·9	77·1	77·7	78·9	78·8	79·9	28
29	78·1	78·3	78·2	78·7	78·7	78·7	78·8	79·9	80·6	81·5	82·0	81·0	29
30	79·1	79·0	79·1	79·0	79·0	79·0	79·2	79·8	81·0	81·5	80·8	79·6	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	73·6	73·2	71·9	71·3	72·0	72·0	72·0	72·2	72·0	72·3	72·8	73·0	1
2	67·8	66·2	68·7	69·2	70·2	70·8	70·7	70·8	70·8	71·3	71·8	71·5	2
3	73·1	72·7	72·0	71·7	72·6	71·7	73·0	73·1	73·7	73·7	73·7	73·1	3
4	76·4	75·9	75·8	75·0	76·0	76·0	75·0	75·0	74·7	75·0	75·0	75·0	4
5	78·6	79·6	78·6	77·6	77·6	77·6	77·0	77·0	76·8	76·1	76·0	76·1	5
6	79·1	79·4	78·8	79·0	77·0	77·2	77·0	76·1	76·0	76·0	76·2	76·2	6
7	76·0	76·4	76·7	76·9	76·9	77·3	77·0	77·2	77·8	78·4	78·1	78·0	7
8	77·3	78·3	78·4	78·3	78·0	77·4	77·6	77·8	78·0	78·0	78·2	78·0	8
9	79·4	79·3	79·8	79·9	80·0	79·3	78·8	79·0	79·0	79·0	78·8	78·8	9
10	81·0	80·9	80·0	80·5	80·3	79·3	78·8	78·8	78·8	79·4	79·2	79·2	10
11	80·5	79·3	79·0	79·6	79·0	78·8	78·7	78·9	79·0	79·0	79·2	79·2	11
12	81·5	81·0	81·9	81·1	79·2	79·7	78·9	79·0	79·0	79·6	79·2	79·0	12
13	79·8	79·8	79·4	79·5	78·9	79·0	78·9	79·0	79·0	78·9	78·8	78·7	13
14	79·8	80·0	79·8	79·6	78·4	78·8	78·9	78·7	78·7	78·2	78·2	77·9	14
15	77·9	78·0	77·0	79·3	79·0	80·0	77·0	78·0	78·0	78·0	78·0	78·1	15
16	80·0	79·6	79·6	79·0	78·8	78·0	78·0	77·7	77·3	77·2	77·6	77·6	16
17	80·1	77·8	79·3	79·5	79·6	78·7	78·3	78·0	78·0	78·0	78·4	78·0	17
18	79·3	78·0	78·2	77·7	78·0	77·2	78·0	78·0	78·3	78·7	78·7	78·6	18
19	79·0	79·0	79·2	79·0	79·5	79·2	78·0	78·1	78·1	78·3	78·5	77·9	19
20	79·0	78·0	78·8	79·0	78·1	78·9	78·2	78·2	78·0	77·9	78·0	77·8	20
21	79·0	78·0	79·2	78·0	77·4	78·0	77·0	78·0	78·3	78·3	78·5	78·6	21
22	79·0	79·0	79·3	79·0	79·0	78·0	78·3	78·4	78·4	78·5	78·6	78·8	22
23	80·0	79·2	79·9	79·0	79·0	78·9	78·8	79·0	75·0	75·3	75·0	75·2	23
24	76·7	76·0	77·5	76·6	75·8	76·3	76·2	76·7	77·0	73·7	74·3	74·0	24
25	73·2	73·4	73·6	74·1	75·0	75·0	74·8	74·8	74·7	74·5	74·3	74·0	25
26	78·0	77·1	77·7	78·0	78·1	78·1	78·0	78·0	77·9	78·0	77·7	77·3	26
27	76·2	77·0	77·9	78·0	77·0	76·1	77·0	76·0	76·3	76·2	76·0	76·0	27
28	80·2	80·0	79·0	79·0	78·0	77·5	77·0	76·7	76·8	77·0	77·6	77·8	28
29	80·8	79·3	78·8	78·6	78·5	78·0	77·5	78·0	78·6	78·6	78·6	79·0	29
30	79·9	80·0	80·1	79·1	80·0	79·8	79·6	79·4	79·2	79·3	79·1	79·0	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JUNE, 1929.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	10	10	10	10	10	9	10	7	9	8	10	10	10	9	9	9	10	10	9	9	9	9	9	8	1
2	10	10	10	9	10	9	9	8	5	10	9	9	9	9	9	10	9	9	9	10	10	10	10	10	2
3	10	10	10	10	10	9	8	8	7	8	7	8	7	9	9	9	8	7	5	4	4	3	8	7	3
4	8	6	6	5	6	4	5	8	7	6	2	2	2	2	1	1	1	2	1	1	...	...	1	3	4
5	4	2	1	...	7	3	2	2	4	1	2	2	2	2	3	2	4	4	5	6	1	...	1	1	5
6	7	1	2	8	5	8	4	5	6	8	8	5	7	7	4	2	2	4	7	3	2	...	2	4	6
7	6	8	9	9	7	7	9	8	9	10	10	10	10	10	10	10	10	10	10	10	9	8	9	10	7
8	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	8
9	9	9	9	9	9	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	9	9	8	8	9
10	9	9	10	10	10	10	9	10	10	9	8	10	10	9	9	9	8	7	8	9	9	9	9	9	10
11	8	9	9	10	10	10	10	9	9	7	7	7	7	7	7	7	7	5	9	9	3	8	8	9	11
12	9	9	9	9	9	10	9	9	8	9	9	8	8	7	6	7	4	5	6	7	8	8	8	9	12
13	9	9	10	10	7	9	9	8	4	5	3	6	6	7	7	7	7	8	8	9	9	9	7	4	13
14	5	5	8	7	8	8	7	7	7	5	7	7	7	5	4	3	3	4	2	3	9	7	3	4	14
15	7	5	4	7	7	8	7	7	6	6	6	7	8	9	10	9	9	8	7	2	5	6	8	7	15
16	4	1	...	5	2	9	6	7	6	7	8	9	9	5	7	7	5	3	5	3	2	1	2	5	16
17	9	9	7	7	9	9	4	7	9	7	8	8	8	6	5	4	7	8	8	9	9	9	9	8	17
18	8	8	10	9	8	9	8	8	9	8	8	7	7	8	8	8	8	4	4	7	8	7	8	8	18
19	10	8	5	3	9	8	7	7	8	8	9	9	8	7	9	9	8	7	7	9	8	7	8	8	19
20	7	8	8	7	8	7	8	6	7	7	6	7	8	8	8	9	7	9	10	9	8	8	9	8	20
21	8	8	10	10	9	9	9	8	9	7	8	9	9	10	9	8	9	8	8	9	10	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	10	9	9	9	10	9	9	10	10	10	10	10	10	10	10	24
25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	8	7	8	8	25
26	8	8	9	7	7	7	8	7	7	9	7	6	5	6	5	3	3	6	3	2	1	1	1	3	26
27	1	2	1	1	2	4	3	2	1	2	1	2	2	1	2	1	1	1	...	...	...	...	...	1	27
28	...	1	1	...	...	2	5	5	4	2	4	6	5	3	4	5	3	6	7	2	1	1	1	2	28
29	8	9	9	9	8	8	8	8	7	7	3	2	5	9	8	9	9	9	9	8	8	8	8	8	29
30	10	10	10	10	10	7	5	8	4	8	6	8	8	7	6	7	7	9	9	9	9	8	8	9	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JUNE, 1929.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	0·8	0·8	0·1	...	0·1	0·1	0·2	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	0·6	0·6	1·0	1·0	0·9	...	...	...	0·1	0·4	0·6	0·3	3
4	0·4	0·5	0·1	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	4
5	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	5
6	0·3	0·5	0·7	1·0	0·6	0·6	1·0	1·0	1·0	1·0	1·0	0·9	0·5	6
7	0·1	0·1	0·6	0·4	0·4	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	0·2	...	...	...	...	0·3	0·5	0·1	...	9
10	...	...	...	...	0·8	1·0	1·0	1·0	1·0	0·9	0·9	0·9	0·7	10
11	0·2	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	11
12	...	0·1	0·2	0·4	0·2	0·4	0·8	1·0	1·0	0·9	0·7	...	...	12
13	0·4	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·4	...	13
14	0·3	0·9	0·9	1·0	0·8	...	...	0·2	1·0	0·9	1·0	1·0	0·8	14
15	0·3	1·0	1·0	0·9	1·0	1·0	1·0	0·8	0·4	...	0·1	0·9	0·2	15
16	0·4	1·0	1·0	1·0	0·8	0·8	0·9	1·0	1·0	1·0	0·8	1·0	0·7	16
17	0·2	0·9	0·8	0·8	0·5	0·3	0·9	1·0	1·0	1·0	1·0	0·9	0·2	17
18	0·6	1·0	0·6	0·9	1·0	1·0	1·0	0·8	0·6	0·9	0·7	0·7	0·3	18
19	0·5	1·0	1·0	1·0	1·0	...	0·3	1·0	1·0	0·7	0·7	1·0	0·6	19
20	0·6	0·7	1·0	1·0	1·0	0·9	0·4	0·3	1·0	1·0	1·0	0·7	...	20
21	0·2	0·5	0·2	0·7	0·7	0·9	0·5	0·4	0·7	0·8	0·5	0·6	...	21
22	...	...	...	...	...	...	...	...	...	...	0·3	...	...	22
23	...	...	...	...	0·3	0·5	0·3	0·1	...	...	...	...	...	23
24	...	...	0·1	...	...	0·4	0·1	...	...	0·4	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	...	25
26	0·2	0·8	1·0	0·8	1·0	1·0	1·0	0·9	1·0	1·0	1·0	0·7	0·4	26
27	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	27
28	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	28
29	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	0·2	0·2	...	29
30	...	0·2	0·9	1·0	1·0	0·5	0·7	0·7	0·8	0·8	0·8	0·3	0·3	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JUNE, 1929.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	d	d	0·010	0·080	0·015	...	7
8	...	...	d	d	...	...	...	...	...	0·005	0·010	0·095	8
9	...	...	...	d	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	d	d	...	...	...	...	10
11	...	...	...	...	...	d	...	...	d	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	d	...	d	d	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	0·010	0·050	14
15	...	...	...	...	...	d	d	...	...	...	...	...	15
16	...	...	...	...	...	0·015	...	...	...	...	d	d	16
17	d	d	...	...	d	d	...	...	d	0·040	d	d	17
18	...	...	d	...	...	...	...	d	d	...	d	...	18
19	0·050	...	...	...	...	...	...	...	d	...	0·005	d	19
20	...	...	...	d	...	...	...	...	...	...	...	d	20
21	d	d	...	0·050	0·015	...	0·015	d	0·040	d	d	d	21
22	...	...	...	...	...	...	...	...	d	...	d	0·145	22
23	0·035	0·040	0·010	...	0.020	0·020	d	...	d	0·030	...	d	23
24	0·005	0·015	0·250	0·005	...	d	d	...	0·060	...	...	...	24
25	d	...	...	...	...	...	...	0·030	0·840	0·010	0·035	0·150	25
26	...	...	...	...	...	...	d	...	...	d	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	d	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	0·020	d	...	...	0·015	d	...	7
8	0·100	0·005	d	d	...	...	...	d	...	d	d	d	8
9	d	d	d	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	d	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	0·085	...	...	...	...	...	...	...	...	...	...	...	14
15	...	0·010	0·380	0·155	...	d	d	...	...	...	...	...	15
16	d	...	d	d	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	d	d	...	0·015	...	0·015	...	17
18	...	...	...	...	d	...	...	...	...	...	...	...	18
19	...	...	0·045	0·050	...	...	...	0·020	...	...	...	0·065	19
20	0·035	...	...	...	...	...	...	...	...	...	...	...	20
21	0·050	d	...	...	...	0·010	...	...	...	...	...	d	21
22	0·095	0·030	d	0·010	...	...	...	...	d	...	...	0·195	22
23	...	...	...	...	...	...	...	...	0·065	0·045	0·100	0·005	23
24	...	...	...	0·010	0·005	...	...	0·020	0·050	0·080	0·005	d	24
25	0·165	0·035	d	d	...	...	d	d	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of JUNE, 1929.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time. 1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	5	5	6	7	7	8	7	5	6	8	6	12	6	10	6	15	6	19	6	18	6	18	6	20	1
2	6	14	7	16	7	20	7	25	6	21	7	21	6	26	6	28	7	29	7	25	7	25	7	20	2
3	7	30	6	24	6	23	6	24	6	23	6	23	5	20	6	20	7	17	9	18	10	18	10	16	3
4	7	17	5	12	3	2	32	4	...	...	...	...	...	...	...	...	28	6	24	6	22	9	22	11	4
5	20	9	21	9	21	6	22	4	23	2	24	2	...	...	26	3	26	7	25	4	24	6	24	8	5
6	21	3	21	4	21	2	21	3	19	5	17	5	16	4	17	3	20	5	23	6	24	7	25	7	6
7	...	1	13	4	...	1	...	...	11	4	9	6	9	3	12	3	13	3	15	10	18	18	20	16	7
8	18	9	18	9	18	7	18	11	18	12	18	13	18	13	18	11	18	15	18	14	18	13	19	15	8
9	18	14	19	12	18	15	19	19	19	14	19	16	19	18	19	18	18	18	19	19	25	8	20	15	9
10	19	19	18	16	19	18	19	16	18	17	18	18	19	14	18	14	18	9	19	14	19	16	19	17	10
11	18	13	19	14	20	18	19	19	19	17	19	17	19	13	18	12	19	14	18	17	19	11	20	13	11
12	18	12	18	10	18	16	19	17	20	13	19	13	20	11	20	11	20	12	20	13	20	14	20	14	12
13	15	4	16	6	16	7	16	7	17	8	16	9	17	7	15	11	16	10	16	9	17	9	16	10	13
14	15	9	14	11	15	11	15	8	15	8	16	6	16	6	16	6	18	6	20	6	22	5	20	8	14
15	14	12	13	7	13	7	12	4	12	2	12	4	12	4	13	8	15	7	17	8	16	9	15	10	15
16	12	6	12	4	12	5	11	8	10	4	9	5	9	5	11	7	13	11	13	11	12	11	14	12	16
17	12	11	12	12	12	13	11	10	12	8	12	8	12	9	11	11	11	12	10	14	9	17	9	17	17
18	13	9	12	7	12	8	13	10	13	7	13	6	14	6	14	11	15	9	15	11	16	13	16	15	18
19	14	8	15	5	16	6	16	5	16	7	16	5	16	8	15	8	15	11	16	13	17	14	20	6	19
20	18	9	18	8	18	8	18	10	18	9	18	9	18	7	18	10	18	9	19	10	21	10	20	12	20
21	18	11	18	8	18	11	19	11	19	11	19	16	20	14	20	15	20	13	19	13	19	14	19	18	21
22	18	9	18	11	17	13	17	10	17	15	18	16	19	17	19	22	19	19	19	24	19	20	18	17	22
23	18	6	18	13	18	16	19	16	20	17	19	9	18	9	19	14	18	13	17	18	18	18	19	16	23
24	1	2	...	1	7	4	9	4	9	7	9	9	6	8	3	2	16	4	16	5	15	5	16	7	24
25	...	1	5	3	...	1	5	3	...	1	7	3	8	10	8	9	9	7	10	6	11	7	8	4	25
26	8	7	8	13	8	12	9	11	8	10	9	11	8	9	9	12	8	14	9	11	9	14	8	14	26
27	9	6	9	5	9	2	...	...	...	...	...	...	...	...	9	2	29	3	24	5	24	8	25	8	27
28	19	6	21	5	22	5	22	6	21	8	20	9	23	7	24	7	24	7	24	8	23	9	23	9	28
29	20	10	20	13	20	15	19	12	20	15	20	18	20	17	20	18	20	18	20	18	19	20	20	18	29
30	20	12	19	14	19	15	20	15	20	9	20	10	22	9	21	8	20	7	19	13	19	11	19	10	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	7	19	7	18	6	16	6	13	7	13	7	14	6	13	6	14	6	15	6	16	6	12	6	15	1
2	7	20	7	21	7	16	6	15	7	16	7	16	7	17	6	19	6	18	7	21	6	20	6	11	2
3	10	14	9	14	8	18	8	13	9	9	9	7	9	11	9	11	8	12	7	17	7	18	7	21	3
4	21	12	21	12	20	15	20	9	19	8	18	8	17	7	16	6	16	3	18	2	20	9	21	8	4
5	23	7	17	8	16	14	17	12	17	13	17	13	17	3	16	7	16	4	16	6	17	5	19	3	5
6	23	7	17	9	16	9	22	5	17	10	15	11	15	11	15	9	14	7	13	2	13	4	...	...	6
7	23	9	22	8	22	8	24	6	24	3	21	3	17	4	...	1	...	1	19	5	19	7	18	8	7
8	19	17	20	13	20	12	20	10	20	14	19	15	18	19	18	12	18	11	17	14	18	13	17	16	8
9	18	19	19	21	19	24	18	25	18	24	18	22	18	19	18	19	18	15	18	16	18	16	18	15	9
10	19	15	19	18	19	18	19	19	19	18	18	18	17	14	18	14	19	14	18	14	18	15	18	14	10
11	19	12	19	19	20	18	19	17	19	17	18	16	18	10	18	12	18	11	18	12	18	14	18	12	11
12	19	10	17	10	16	12	16	9	17	11	17	9	18	7	17	9	17	5	17	8	16	12	15	8	12
13	16	10	16	11	17	12	16	13	16	11	16	8	16	13	16	11	15	10	16	6	16	7	16	6	13
14	17	6	17	7	16	6	16	11	16	12	17	8	16	6	15	6	14	4	13	10	14	14	15	13	14
15	15	10	17	10	19	10	17	2	10	7	7	7	9	7	10	8	11	7	13	6	12	4	12	4	15
16	14	13	13	12	12	13	11	14	10	12	11	13	12	12	12	10	12	8	11	7	11	9	11	12	16
17	10	21	11	20	9	15	9	18	10	17	10	17	11	16	12	16	12	18	12	15	12	11	13	10	17
18	15	10	16	14	16	13	16	12	15	9	15	9	14	7	13	6	12	6	12	6	12	6	13	6	18
19	20	6	17	9	16	9	17	12	17	8	17	9	17	8	17	7	16	8	17	7	16	5	17	7	19
20	17	11	17	11	19	14	20	14	19	12	20	13	19	11	20	12	19	11	19	9	17	8	18	9	20
21	19	18	18	20	19	19	19	18	19	19	19	16	19	14	19	10	19	11	18	7	18	7	18	9	21
22	13	16	12	17	12	9	12	9	14	10	16	8	17	7	16	7	14	10	14	5	15	7	17	6	22
23	19	22	19	25	19	26	19	25	19	24	19	23	19	17	20	17	24	17	23	2	4	4	1	3	23
24	15	4	15	10	15	6	14	6	7	3	...	1	10	4	10	6	16	10	22	8	24	6	26	4	24
25	5	2	12	8	23	8	30	3	8	3	13	4	13	3	...	1	12	4	9	7	6	5	7	3	25
26	8	15	8	16	7	16	8	14	8	15	8	10	7	7	9	6	9	5	9	4	9	7	9	6	26
27	24	9	24	9	24	10	23	9	23	5	21	5	18	6	17	4	15	2	...	...	...	...	...	1	27
28	23	9	22	10	21	8	19	13	19	13	19	17	20	13	20	9	20	11	20	13	20	15	20	13	28
29	19	18	19	18	18	17	18	14	18	13	19	10	19	4	18	4	19	2	19	10	19	9	19	10	29
30	19	12	19	8	17	10	18	12	19	9	19	10	18	11	17	9	17	10	17	6	17	6	18	7	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of JUNE, 1929.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	ENE	cu	ENE	a-cu / cu	W / ENE	a-cu / cu	WNW / ENE	a-cu / cu	WNW / ENE	a-cu / cu	WNW / ENE	cu	ENE	cu	ENE
2	cu-nb	E	cu	E	a-cu / cu	SW / ENE	st-cu	ESE	cu	E	cu-nb	E	a-cu / cu	SW / ENE	cu	ENE
3	cu	ENE	cu	ENE	cu	ENE	a-cu / cu	SW / ENE	a-cu / cu	SW / ENE	a-cu / cu	SW / ENE	cu	ENE	cu	ENE
4	cu	ENE	cu	ENE	a-cu / cu	WSW / SE	a-cu / cu	SSW / NE	cu	W	cu	W	ci-st	WSW	...	...
5	cu	SW	...	...	cu	WSW	cu	W	cu	W	cu	W	ci-st / cu	NNE / W	...	...
6	cu	SW	cu	SW	cu	SW	ci-st / cu	NNE / WSW	ci-st / cu	NNE / SW	ci-st / cu	NE / SW	ci-st / cu	NNE / SW	...	...
7	cu	SSE	cu	SSE	cu-nb	SSW	cu	SSW	nb	SSW	st-cu	SW	st-cu	SSW	cu	SSW
8	cu	SW	nb	SW	nb	SW	nb	SW	ub	SW	nb	SW	nb	SW	nb	SW
9	nb	SW	nb	SW	nb	SW	nb	SW	nb	SW	nb	SW	cu-nb	SW	cu-nb	SW
10	cu-nb	SW	cu-nb	SW	st-cu	SW	ci-cu / cu	SW / WSW	cu	SW	cu	SSW	cu	SSW	cu	SSW
11	cu	SW	cu	SW	cu	WSW	ci-st / cu	NE / WSW	ci-st / cu	NE / WSW	cu	WSW	a-cu / cu	W / SW	a-cu / cu	W / SW
12	cu	SSW	cu	SSW	cu	SSW	cu	SSW	ci-st / cu	NNE / SW	ci-st / cu	NE / SW	ci-st / cu	NE / SW	cu	SW
13	cu	SSW	nb	SSW	cu-nb	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SSW
14	cu	S	cu	S	cu	SSW	cu	S	cu	SSW	cu	SSW	cu	SSW	cu	SSE
15	cu	S	cu	S	cu / nb	S / SSW	cu	S	cu	S	nb	S	cu	E	cu	SSE
16	cu	SE	cu	SE	cu	ESE	cu	SSE	cu	SSE	cu	SSE	ci-st / cu	W / SSE	cu	SE
17	cu-nb	ESE	cu-nb	ESE	cu	SSE	cu / nb	SSE / ESE	cu	SE	ci-st / cu	W / SE	ci-st / nb	W / SSE	nb	SSE
18	cu	SSE	cu	SSE	ci-cu / cu	NNE / SSW	cu	S	cu	S	cu	S	cu	S	cu	S
19	nb	SSW	cu	SSW	cu	SSW	ci-st / cu	ENE / SSW	cu	SSW	nb	SSW	ci-st / cu	ENE / SSW	cu	SSW
20	nb	SSW	nb	SSW	cu-nb	SSW	cu	SW	cu	SSW	ci-st / cu	ENE / SSW	cu	SW	cu	SW
21	cu	SW	nb	SW	nb	SW	ci-st / cu	WNW / SW	nb	SW	ci-st / cu	W / SW	cu	SSW	cu	SSW
22	cu	SSW	cu	SSW	cu-nb	SW	nb	SW	nb	SW	nb	SSW	nb	SSW	nb	SSW
23	nb	S	nb	S	nb	SSW	nb	SSW	nb	SSW	nb	SSW	cu-nb	SW	nb	SW
24	nb	SW	nb	SW	nb	SSE	cu-nb	WSW	a-st / cu	NW / WSW	nb	WSW	cu-nb	WSW	nb	WSW
25	nb	SW	nb	SW	nb	S	nb	SSW	nb	SSW	nb	SSW	cu-nb	SSE	cu	SE
26	ci-cu / cu	NE / ESE	ci-st / cu	NE / E	cu	E	cu / nb	SE / ESE	cu	ESE	cu	SE	ci-st / cu	WSW / ESE	cu	ESE
27	cu	ESE	cu	ESE	cu	WSW	cu	SSW	cu	SW	cu	SW	...	...	...	...
28	...	...	...	...	cu	W	cu	SW	cu	SW	cu	SW	ci-st / cu	NNE / SW	cu	SW
29	cu	SW	cu	SW	cu	SW	ci-st / cu	NNE / WSW	ci-st / cu	NE / W	ci-st / cu	NE / W	ci-st / cu	NE / WSW	cu	WSW
30	cu	WSW	cu	WSW	cu	WSW	ci-st / cu	NNE / WSW	cu	WSW	cu	WSW	cu	WSW	cu	WSW

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1929.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·645	81·8	76·4	5·4	78·6	72·9	0·743	76	91	2·1	16	...	...	+ 4·7	+ 12·7	70	13·5	13·5
2	·687	80·0	76·5	3·5	77·9	69·7	·632	66	94	...	...	...	...	+ 5·5	+ 20·0	75	20·6	20·6
3	·605	83·3	75·6	7·7	78·4	71·8	·705	73	77	5·5	41	...	...	+ 2·2	+ 16·7	82	16·9	17·5
4	·521	88·4	75·1	13·3	81·3	74·7	·783	74	33	10·0	75	...	...	− 2·5	− 2·5	225	3·5	6·9
5	·583	90·7	78·3	12·4	82·8	77·0	·860	77	25	11·7	87	...	...	− 4·5	− 3·2	215	5·5	6·5
6	·672	90·0	79·4	10·6	83·2	77·4	·873	77	46	10·1	75	...	...	− 4·1	− 1·7	203	4·4	5·7
7	·661	88·0	79·1	8·9	81·1	77·3	·892	84	91	1·6	12	0·140	2	− 3·3	− 1·8	209	3·8	5·5
8	·584	84·0	81·0	3·0	82·4	78·2	·916	83	99	...	...	0·215	3	−11·3	− 5·6	206	12·6	12·8
9	·575	86·5	79·0	7·5	83·4	79·0	·939	82	95	1·1	8	...	...	−15·2	− 8·3	209	17·3	17·5
10	·598	89·8	82·4	7·4	84·7	79·7	·955	80	91	8·2	61	...	...	−13·9	− 7·5	208	15·7	15·8
11	·590	90·0	82·8	7·2	85·5	79·4	·933	77	80	11·4	84	...	...	−12·3	− 7·5	211	14·4	14·5
12	·590	91·0	83·1	7·9	85·2	79·9	·958	79	79	5·7	42	...	...	− 9·6	− 4·7	206	10·7	11·1
13	·655	89·8	81·9	7·9	85·1	79·4	·938	78	74	10·6	79	...	...	− 9·0	− 0·1	181	9·0	9·0
14	·708	89·0	81·9	7·1	84·6	78·7	·913	76	56	8·8	65	0·145	1	− 7·6	+ 0·3	178	7·6	8·0
15	·692	90·9	79·8	11·1	83·5	78·1	·899	78	69	8·6	64	0·545	2	− 5·2	+ 2·7	153	5·9	6·8
16	·675	89·5	79·5	10·0	83·4	78·2	·905	79	49	11·4	84	0·015	1	− 6·2	+ 6·7	133	9·1	9·3
17	·674	86·9	80·5	6·4	83·2	78·6	·924	82	76	9·5	70	0·070	2	− 7·2	+ 11·7	122	13·7	14·0
18	·707	89·0	81·7	7·3	84·1	78·4	·905	77	77	10·1	75	...	1	− 8·2	+ 2·7	162	8·6	9·0
19	·730	88·8	81·0	7·8	83·8	78·6	·918	79	77	9·8	73	0·235	2	− 7·8	− 0·7	185	7·8	8·0
20	·711	88·1	81·7	6·4	84·2	78·2	·895	76	78	9·6	71	0·035	1	− 8·6	− 5·0	210	10·0	10·2
21	·659	87·1	81·3	5·8	83·3	78·3	·911	80	90	6·7	50	0·180	3	−11·2	− 7·3	213	13·4	13·5
22	·634	84·2	81·7	2·5	83·2	78·6	·924	82	100	0·3	2	0·475	4	−11·1	− 1·7	189	11·2	12·7
23	·621	86·0	76·7	9·3	82·3	78·5	·930	85	100	1·2	9	0·370	7	−11·9	− 8·0	214	14·3	15·4
24	·647	84·5	74·7	9·8	79·4	75·6	·841	84	98	1·0	7	0·505	5	− 2·4	+ 1·5	148	2·8	5·2
25	·701	78·2	74·7	3·5	76·6	74·0	·809	89	96	...	...	1·265	7	− 0·5	+ 3·0	100	3·0	4·4
26	·765	83·4	76·0	7·4	79·4	77·0	·899	89	54	11·0	81	...	...	− 0·5	+ 10·8	93	10·8	10·8
27	·745	87·9	76·9	11·0	82·5	76·8	·856	77	13	12·0	89	...	...	− 0·7	− 2·4	254	2·5	4·1
28	·629	88·1	79·8	8·3	83·2	77·8	·890	78	29	12·1	90	...	...	− 5·2	− 7·4	235	9·1	9·6
29	·546	89·2	81·6	7·6	84·3	79·1	·934	79	77	8·8	65	...	...	−10·5	− 8·2	218	13·3	13·4
30	·489	88·5	82·3	6·2	84·8	79·6	·950	79	80	8·0	59	...	...	− 8·2	− 5·4	213	9·8	10·1
Means	29·643	87·1	79·4	7·7	82·5	77·3	0·881	79	73	Sum, 206·9	51	Sum. 4·195	Sum 41	− 6·2	...	180	6·2	10·7
Normals	29·647	85·3	77·6	7·7	80·9	76·9	0·873	83	77	164·4	40	15·449	88	− 4·7	+ 3·0	147	5·6	11·7
Absolute Max.	29·805	91·0	...	13·3	...	83·6	1·085	...	...	12·1	90	1·265	7	...	...	...	...	30·0 †
Day.	26,27	12	...	4	...	10	10	...	...	28	28	25	23,25	...	...	...	...	3*d* 1*h*
Absolute Min.	29·435	...	74·7	2·5	...	66·2	0·498	50	...	...	...	...	...	...	...	...	...	...
day.	30	...	24,25	22	...	2	2	2	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1005·7	303·6	299·3	4·3	301·1	298·2	29·8	...	...	...	...	Sum. 106·5	Sum. 41	− 2·0	...	180	2·0	3·5
Normals	1005·9	302·6	298·3	4·3	300·2	297·9	29·5	...	...	...	...	392·4	88	− 1·5	+ 1·0	147	1·8	3·8
Absolute Maximum.	1011·2	305·8	...	7·4	...	301·7	36·7	...	...	...	...	32·1	7	...	...	...	...	9·8
Absolute Minimum.	998·6	...	296·7	1·4	...	292·0	16·9	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 13 days. The mean hourly intensity was 0·102*in*, and the maximum fall in one hour was 0·840*in* at 9*h* on the 25th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 43 miles per hour from S.W. by S. at 13*h* 51*m* on the 23rd.

Clouds with base less than 2,000 feet high were observed on 4 days.
Clouds with base less than 1,000 feet high were observed on 1 day.

*0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1929.

(British Units.)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10).	Percentage of Possible Sunshine.	Rainfall. Amount.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed. Velocity.
	ins.	°	°	ins.	%	%	%		%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h
1	29·653	80·7	77·0	·887	84	78		0·090	2	6	− 5·1	+ 1·2	167	5·2	9·5
2	·640	80·6	76·9	·884	84	75		0·055	1	5	− 4·8	+ 0·9	169	4·9	9·4
3	·634	80·6	76·7	·876	83	75		0·260	6	4	− 5·6	+ 0·2	178	5·6	9·8
4	·632	80·5	76·7	·877	84	77		0·055	1	2	− 5·3	...	180	5·3	9·9
5	·634	80·4	76·6	·874	84	79		0·035	1	2	− 5·1	− 0·3	183	5·1	9·4
6	·644	80·5	76·7	·877	84	81	20	0·035	1	5	− 5·4	+ 0·3	177	5·4	10·0
7	·657	81·6	77·3	·890	83	76	51	0·015	...	2	− 4·2	+ 0·1	179	4·2	9·5
8	·664	82·8	77·6	·389	79	76	58	0·030	1	2	− 5·2	+ 0·4	176	5·2	10·6
9	·672	83·6	77·7	·884	76	74	64	0·950	23	6	− 5·6	+ 0·1	179	5·6	11·1
10	·674	84·5	78·0	·887	75	75	65	0·165	4	6	− 7·2	− 0·8	186	7·2	12·2
11	·672	84·7	77·9	·880	74	72	57	0·075	2	8	− 6·9	− 1·3	191	7·0	12·6
Noon.	·664	85·1	78·2	·889	73	74	57	0·440	11	8	− 6·8	− 2·1	197	7·1	12·9
13	·662	85·0	78·1	·885	73	75	58	0·530	13	9	− 7·2	− 0·9	187	7·3	12·4
14	·636	85·1	77·7	·867	71	74	62	0·080	2	5	− 8·8	− 0·4	183	8·8	13·5
15	·619	84·9	77·9	·878	73	73	61	0·425	10	4	− 8·3	− 1·4	190	8·4	13·4
16	·608	84·4	77·7	·875	74	71	58	0·225	5	6	− 7·7	− 0·9	187	7·8	12·4
17	·603	83·8	77·6	·878	75	69	53	0·005	...	1	− 7·9	− 0·3	182	7·9	11·9
18	·604	83·1	77·4	·877	77	71	26	0·030	1	2	− 7·7	− 0·4	183	7·7	11·3
19	·615	82·2	77·1	·875	80	72		...	...	1	− 7·3	+ 0·5	176	7·3	10·0
20	·631	81·8	77·2	·883	82	70		0·040	1	1	− 6·2	+ 0·7	174	6·2	9·4
21	·645	81·3	77·1	·885	83	66		0·130	3	3	− 5·4	+ 0·9	171	5·5	9·0
22	·659	81·1	77·1	·887	83	64		0·140	3	4	− 5·1	+ 1·3	166	5·3	8·7
23	·666	81·1	77·1	·887	83	68		0·120	3	4	− 5·2	+ 1·0	169	5·3	9·2
Midn.	·660	80·9	77·0	·885	83	70		0·265	6	4	− 4·9	+ 1·0	168	5·0	9·0

Phenomena :—

Solar halo :—on the 6th and 21st.
Lunar halo :—on the 21st and 26th.
Lunar corona :—on the 16th, 17th, 18th and 19th.
Fog :—on the 27th.
Unusual visibility :—on the 7th, 14th, 15th, 16th, 17th, 27th and 30th.
Dew :—on the 26th.
Rainbow :—on the 15th and 18th.
Lightning :—on the 7th, 8th, 9th, 11th, 12th, 13th, 15th, 22nd, 23rd, 24th and 30th.
Thunder :—on the 22nd, 23rd and 25th.

Thunderstorms :—

22d. 11h. 20m. to *12h. 40m.* N.N.W. to S.S.E.; nearest at *12h. 23m.* (3½*s*).
23d. 5h. 20m. to *5h. 40m.* N.N.W. to S.S.E.; distant.
23d. 20h. 41m. to *21h. 35m.* N.W. to S.E.; distant.
24d. 0h. 43m. to *5h. 20m.* N.W. to S.E.; distant.
25d. 9h. 45m. to *10h. 32m.* in S.S.W.; distant.

ADOPTED ERRORS OF TIMEBALL, JUNE, 1929.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	0·0	11	0·0	21	− 0·1
2	0·0	12	− 0·1	22	0·0
3	0·0	13	− 0·1	23	0·0
4	− 0·1	14	− 0·1	24	0·0
5	0·0	15	− 0·1	25	+ 0·1
6	0·0	16	− 0·1	26	+ 0·2
7	+ 0·1	17	− 0·1	27	0·0
8	0·0	18	− 0·1	28	0·0
9	+ 0·1	19	− 0·1	29	− 0·2
10	+ 0·1	20	− 0·1	30	− 0·1

+ = Late ; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0s·10

* 0° = N. 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

JUNE,

1929.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	31st May, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	1st June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.78	756.4	67	...	ESE	1	b	6	29.78	756.3	55	...	SE	1	o
Gemuro,	11	29.72	755.0	...	...	S	2	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.88	759.0	...	...	SSW	3	...	,,	29.86	758.5	...	...	...	o	...
Tokio,	,,	29.96	761.0	...	...	NNE	1	...	,,	29.94	760.5	...	...	...	...	...
Kochi,	,,	29.90	759.5	...	...	...	o	...	,,	29.80	757.0	...	...	...	o	...
Nagasaki,	,,	29.84	758.0	...	...	WNW	1	...	,,	29.78	756.5	...	...	...	...	...
Kagoshima,	,,	29.84	758.0	...	...	ENE	1	...	,,	29.76	756.0	...	...	...	o	...
Ishima,	,,	29.78	756.5	...	...	...	o	...	,,	29.73	755.0	...	...	...	o	...
Naha,	,,	29.72	755.0	...	...	NNE	2	...	,,	29.71	754.5	...	...	NE	1	...
Ishigakijima,	,,	29.74	755.5	...	...	NE	1	...	,,	29.73	755.0	...	..	...	...	...
Bonin Island,	,,	29.92	760.0	...	...	S	1	...	,,	29.86	758.5	...	...	S	3	...
Chefoo,	15	29.71	754.6	54	21	SSW	4	b	6	29.79	756.6	70	53	S	1	b
Shanghai,	14	29.80	756.9	84	40	E	1	b	,,	29.82	757.5	61	100	ESE	1	b
Gutzlaff,	,,	29.86	758.4	72	76	SE	4	b	,,	29.88	758.9	64	95	ESE	4	b
Sharp Peak,	,,	29.68	753.9	76	82	E	2	o	7	29.73	755.1	72	85	NE	1	b
Amoy,	,,	29.68	753.9	81	91	E	4	b	6	29.74	755.4	74	76	NE	4	b
Swatow,	,,	29.70	754.4	79	87	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.72	754.8	86	65	ENE	4	b	5	29.71	754.5	70	96	E	2	b
Tsiehu,	,,	29.71	754.5	90	...	W	2	b	,,	29.71	754.5	73	...	NW	1	o
Tainan,	,,	29.69	754.2	86	...	NNW	2	o	,,	29.68	753.9	75	...	N	2	o
Koshun,	,,	29.69	754.2	82	...	NE	4	o	,,	29.66	753.3	77	...	N	4	o
Pescadores,	,,	29.71	754.5	84	...	NE	4	b	,,	29.68	753.9	75	...	NNE	4	o
Hong Kong,	14	29.68	753.9	81	75	E	2	o	6	29.70	754.4	77	83	E	2	o
Gap Rock,	,,	29.71	754.6	...	...	E	3	o	,,	29.69	754.2	...	...	E	3	o
Macao,	,,	29.66	753.3	86	71	SE	2	o	,,	29.65	753.0	77	84	ESE	2	o
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.68	753.9	85	72	NE	2	b	,,	29.69	754.1	77	95	NE	1	bo
Phulien,	15	29.60	751.8	82	81	SSE	4	o	7	29.62	752.4	75	100	ESE	4	bf
Tourane,	,,	29.62	752.4	84	...	ESE	2	o	,,	..	...	...	...	...	..	...
Cape St. James,	,,	29.74	755.4	90	...	SW	4	o	,,	29.78	756.3	79	...	SW	4	o
Basco,	14	...	..	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Vigan,	,,	29.65	753.0	79	61	SW	4	1	,,	29.65	753.0	79	80	SSW	2	o
Manila,	,,	29.69	754.2	84	77	SW	4	o	,,	29.69	754.2	75	92	SE	1	o
Legaspi,	,,	29.68	753.9	90	73	SW	4	o	,,	29.71	754.5	77	96	..	o	o
Calbayog,	,,	29.72	754.8	90	63	WSW	4	o	,,	29.75	755.7	77	92	SW	1	o
Tacloban,	,,	29.73	755.1	86	71	SE	4	o	,,	29.79	756.6	79	80	S	2	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	79	91	SE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	E	4	o	4.22			...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	E	2	o	5	29.84	757.8	...	...	NNE	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.72	754.9	86	84	SW	2	o	6	29.84	757.9	77	94	SW	2	b

May 31*d.* 17*h.* 51*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 120° E, stationary or very slow.

June 1*d.* 11*h.* 03*m.*—Pressure is highest in the Pacific to the east of Japan. The depression or typhoon remains nearly stationary to the west of the Balintang Channel; a depression is indicated over Tongking.

Manilas warning. 31*d.* 17*h.* com.:—1. Cyclone or typhoon W. of Balintag Channel almost stationary.
" " " :—2. " " S. of Naha recurving northeastward. Recd. 31*d.* 21*h.* 05*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·18 inches, against an average of 23·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, fresh.
3.—Hong Kong to Gap Rock,	E. winds, moderate; cloudy, probably some rain.
4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; cloudy, probably some rain.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Symbols.)	2nd June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Symbols.)
Wladivostock,	12	29.72	755.0	75	...	NE	2	b	6	29.77	756.1	59	...	...	0	0
Nemuro,	11	29.63	752.5	...	...	NNE	1	...	5	...	...	...	...	...	...	...
Hokodate,	„	29.80	757.0	...	...	SE	...	...	„	...	...	...	...	...	...	...
Tokio,	„	29.86	758.5	...	...	N	1	...	„	29.82	757.5	...	...	W	1	...
Kochi,	„	29.78	756.5	...	...	...	0	...	„	29.84	758.0	...	...	WSW	1	...
Nagasaki,	„	29.78	756.5	...	...	WSW	1	...	„	29.88	759.0	...	...	...	0	...
Kagoshima,	„	29.76	756.0	...	...	SSE	1	...	„	29.86	758.5	...	...	NW	1	...
Oshima,	„	29.76	756.0	...	...	NNE	1	...	„	29.84	758.0	...	...	...	0	...
Naha,	„	29.72	755.0	...	...	NNE	2	...	„	29.78	756.5	...	...	NE	2	...
Ishigakijima,	„	29.82	757.5	...	...	N	2	...	„	29.76	756.0	...		N	1	...
Bonin Island,	„	29.84	758.0	...	...	SW	2	...	„	29.84	758.0	...	...	...	0	...
Chefoo,	15	29.76	755.9	76	60	E	1	b	6	29.76	755.9	70	70	NW	1	b
Shanghai,	14	29.87	758.7	84	34	E	2	b	„	29.86	758.4	57	98	SE	2	b
Gutzlaff,	„	29.91	759.7	70	75	E	2	b	„	29.92	759.9	63	91	SE	2	bf
Sharp Peak,	„	29.76	755.9	76	82	ENE	4	o	7	29.84	757.9	71	85	N	2	o
Amoy,	„	29.72	754.9	84	60	E	4	o	6	29.78	756.4	72	81	ENE	1	b
Swatow,	„	...	...	...	...	...	...	...	„	29.78	756.3	72	95	ESE	1	c
Taihoku,	11	29.75	755.7	79	...	NE	6	r	5	29.78	756.3	70	91	E	4	o
Taichu,	„	29.73	755.1	84	...	...	0	b	„	29.74	755.4	70	...	...	0	b
Tainan,	„	29.68	753.9	85	...	WSW	2	b	„	29.71	754.5	73	...	...	0	o
Koshun,	„	29.69	754.2	86	...	NE	4	b	„	29.69	754.2	77	...	NE	4	o
Pescadores,	„	29.72	754.8	84	...	NNE	4	b	„	29.72	754.8	75	...	NNE	6	b
Hong Kong,	14	29.69	754.1	80	72	ENE	4	o	6	29.73	755.1	77	69	E	4	o
Gap Rock,	„	29.69	754.1	...	...	ENE	4	o	„	29.71	754.6	...	...	ENE	4	o
Macao,	„	29.67	753.6	81	76	SE	2	o	„	...	...	...	...	...	...	...
Hoihow,	„	29.66	753.3	83	84	SE	1	o	„	...	...	...	...	...	...	...
Pratas Island,	„	29.61	754.1	84	76	ENE	3	b	„	29.69	754.1	79	84	E	3	o
Phulien,	15	29.59	751.5	82	81	E	4	o	7	29.65	753.1	73	...	NNE	4	or
Tourane,	„	...		...	...	...	...	...	„	...	...	...	...	...	...	...
Cape St. James,	„	29.71	75 .5	86	...	WSW	6	o	„	29.78	756.4	75	...	W	4	o
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Tuguegarao,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Vigan,	„	29.65	753.0	79	90	SW	4	r	„	29.72	754.8	70	85	SSW	2	o
Manila,	„	29.68	753.9	82	77	SW	4	o	„	29.72	754.8	77	89	SW	4	r
Legaspi,	„	29.67	753.6	90	66	WSW	4	o	„	29.73	755.1	77	94	...	0	o
Calboyog,	„	29.71	754.5	86	68	SW	2	o	„	29.76	756.0	82	77	SSW	4	o
Tacloban,	„	29.72	754.8	86	71	S	4	o	„	29.79	756.6	77	91	...	0	o
Iloilo,	„	29.73	755.1	82	89	W	6	r	„	...	...	...	...	...	...	...
Cebu,	„	29.72	754.8	86	58	SW	6	o	„	...	...	...	...	...	...	...
Surigao,	„	29.71	754.5	86	61	WNW	4	o	„	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	SE	2	r	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	ENE	2	o	5		...	...	...	...	...	...
Pelew,	...	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	SW	2	b	6	29.82	757.4	...	...	...	...	...

June *1d.* 17*h.* 15*m.*—Warning to Hong Kong.:—Typhoon in Lat. 20° N. Long. 124° E., moving E.N.E. position uncertain.

June *2d.* 11*h.* 05*m.*—A weak anticyclonic area extends from the lower Yangtze Valley across S. Japan to the Pacific. The depression or typhoon is not indicated this morning; it has probably filled up.

A depression is situated over the Gulf of Tongking.

Manila warnings. *1d.* 12*h.* 20*m.*:—1. Typhoon E. of Balintag Channel moving E.
„ „ „ :—2. „ S.E. of Naha moving N.E. Recd. *1d.* 14*h.* 09*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·18 inches, against an average of 24·33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	E. winds, moderate; cloudy, some rain.
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.69	754.0	74	...	N	1	0	6	29.71	754.6	61	...	...	0	0
Kemuro,	11	29.55	750.5	...	...	N	2	...	5	29.65	753.0	...	...	...	0	...
Hakodate,	,,	29.61	752.0	...	...	SW	2	...	,,	29.67	753.5	...	...	...	0	...
Tokio,	,,	29.72	755.0	...	...	S	2	...	,,	29.76	756.0	...	...	...	0	...
Kochi,	,,	29.84	758.0	...	...	SW	1	...	,,	29.86	758.5	...	...	WSW	1	...
Nagasaki,	,,	29.90	759.5	...	...	WSW	1	...	,,	29.90	759.5	...	...	...	0	...
Kagoshima,	,,	29.88	759.0	...	...	E	1	...	,,	29.90	759.5	...	...	WNW	1	...
Oshima,	,,	29.86	758.5	...	...	NNE	1	...	,,	29.86	758.5	...	...	...	0	...
Naha,	,,	29.82	757.5	...	...	NE	4	...	,,	29.80	757.0	...	...	NE	1	...
Ishigakijima,	,,	29.78	756.5	...	...	NE	3	...	,,	29.75	755.5	...	...	ENE	2	...
Bonin Island,	,,	29.86	758.5	...	...	NNW	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.69	754.1	62	32	E	1	b	6	29.68	753.9	81	48	SW	2	0
Shanghai,	14	29.87	758.7	86	36	SE	4	b	,,	29.84	757.8	64	100	SE	2	b
Gutzlaff,	,,	29.96	761.0	73	76	ESE	2	0	,,	29.91	759.7	67	95	SSE	4	b
Sharp Peak,	,,	29.70	754.4	77	77	E	2	0	7	29.66	753.3	73	90	NNE	2	0
Amoy,	,,	29.76	755.9	86	58	NE	4	b	6	29.74	755.4	76	82	ENE	2	0
Swatow,	,,	29.80	756.9	77	87	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.80	756.9	84	68	ENE	4	0	5	29.73	755.1	73	86	ENE	4	b
Taichu,	,,	29.75	755.7	86	...	NNW	4	b	,,	29.71	754.5	73	...	...	0	0
Tainan,	,,	29.73	755.1	86	...	SW	2	b	,,	29.67	753.6	73	...	...	0	0
Koshun,	,,	29.74	755.4	82	...	NE	4	0	,,	29.66	753.3	77	...	N	4	b
Pescadores,	,,	29.75	755.7	82	...	NE	6	0	,,	29.67	753.6	77	...	N	2	0
Hong Kong,	14	29.75	755.6	79	50	E	4	0	6	29.69	754.1	76	71	ENE	4	0
Gap Rock,	,,	29.72	754.9	...	...	ENE	5	0	,,	29.67	753.6		...	ENE	5	0
Macao,	,,	29.69	754.2	82	57	ESE	4	0	,,	29.66	753.3	77	72	ESE	4	0
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	82	75	NE	5	b	,,	29.64	752.8	78	91	NE	5	0
Phulien,	15	29.67	753.6	75	88	NE	6	r	7	29.73	755.1	73	96	NW	4	0
Tourane,	,,	...	..	...	...	...	...	...	,,	29.65	753.0	77	...	NW	2	rf
Cape St. James,	,,	29.74	755.4	79	...	SSW	4	r	,,	29.78	756.3	77	...	SW	2	0
Musco,	14	29.63	754.2	81	73	NNE	1	0	6	29.63	752.7	77	92	NW	2	r
Aparri,	,,	...	...	...	...	...	...	...	,,	29.65	753.0	75	96	S	4	0
Tuguegarao,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.68	752.7	84	74	SW	4	0	,,	...	...	...	...	...	..	...
Manila,	,,	29.71	754.5	81	84	SW	4	0	,,	29.71	754.5	77	92	SE	1	0
Legaspi,	,,	29.72	754.8	86	68	SSW	4	0	,,	29.74	755.5	77	94	...	0	b
Calbayog,	,,	29.73	755.1	90	66	SW	4	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	86	71	S	4	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	78	SW	6	0	,,	29.78	756.3	81	89	S	2	0
Cebu,	,,	29.72	754.8	86	58	SW	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	75	94	...	0	0
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	ESE	2	0	4.22	29.85	758.1	...	...	E	1	b
Yap,	11.00	29.81	757.2	...	...	SSW	2	0	5	29.87	758.7	...	...	...	0	r
Pelew,	...	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Jabuan,	14	29.80	756.9	88	84	NE	2	b	6	29.80	756.9	80	87	SW	2	b

June 3*d.* 11*h.* 04*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles forming in Lat. 18° N. Long. 115° E.

June 3*d.* 11*h.* 20*m.*—The weak anticyclonic area has moved eastward and is now central between S.W. Japan and the Bonins.

A depression or typhoon appears to be forming in about Lat. 18° N. Long. 115° E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·18 inches, against an average of 24·84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate to fresh.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate to fresh; cloudy.
3.—Hong Kong to Gap Rock,	E. winds, moderate to fresh; cloudy.
4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate to fresh; cloudy.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	4th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.69	754.2	66	...	N	1	0	6	29.74	755.4	59	...	N	4	0
Nemuro,	11	29.65	753.0	...	...	SE	1	...	5	29.73	755.0	...	...	E	1	...
Hokodate,	,,	29.65	753.0	...	...	...	0	...	,,	29.69	754.0	...	...	...	0	...
Tokio,	,,	29.70	754.5	...	...	S	1	...	,,	29.69	754.0	...	...	...	0	...
Kochi,	,,	29.80	757.0	...	...	SE	1	...	,,	29.78	756.5	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	WSW	1	...	,,	29.82	757.5	...	...	...	0	...
Kagoshima,	,,	29.57	751.0	...	...	...	0	...	,,	29.82	757.5	...	...	NW	1	...
Oshima,	,,	29.84	758.0	...	...	ENE	1	...	,,	29.76	756.0	...	...	...	0	...
Naha,	,,	29.78	756.5	...	...	ENE	3	...	,,	29.75	755.5	...	...	S	2	...
Ishigakijima,	,,	29.76	756.0	...	...	E	3	...	,,	29.59	751.5	..	..	S	1	...
Bonin Island,	,,	29.90	759.5	...	...	...	0	...	,,	29.88	759.0	...	...	...	...	...
Chefoo,	15	29.70	754.4	78	50	ENE	4	0	6	29.71	754.6	65	73	NE	2	0
Shanghai,	14	29.84	757.8	86	46	NNE	4	b	,,	29.72	754.8	66	100	SE	2	b
Gutzlaff,	,,	29.85	758.2	74	81	SSE	4	b	,,	29.78	756.4	69	95	SSE	4	b
Sharp Peak,	,,	29.72	754.9	77	82	ENE	2	0	7	29.62	752.3	73	86	N	1	0
Amoy,	,,	29.63	752.6	86	76	NE	4	0	6	29.59	751.6	77	82	N	4	b
Swatow,	,,	29.66	753.3	80	83	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.72	754.8	85	58	ESE	4	b	5	29.55	750.6	75	94	E	2	0
Taichu,	,,	29.68	753.9	90	...	NNW	2	0	,,	29.56	750.9	73	...	...	0	0
Tainan,	,,	29.67	753.6	86	...	WSW	2	0	,,	29.53	750.0	77	...	...	0	0
Koshun,	,,	29.65	753.0	81	...	NE	4	0	,,	29.52	749.7	75	...	E	2	r
Pescadores,	,,	29.67	753.6	86	...	NNE	4	b	,,	29.52	749.7	77	...	N	2	0
Hong Kong,	14	29.64	752.8	81	67	E	2	0	6	29.59	751.6	76	85	...	0	c
Gap Rock,	,,	29.65	753.1	...	...	ENE	5	c	,,	29.59	751.6	...	...	N	4	c
Macao,	,,	29.62	752.4	86	61	SE	2	0	,,	29.56	750.9	73	96	N	2	of
Hoihow,	,,	29.69	754.1	77	91	SE	2	r	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.57	751.1	78	88	NE	6	or	,,	29.49	749.0	78	88	N	5	c
Phulien,	15	29.65	753.0	86	65	...	0	0	7	29.68	752.7	77	91	...	0	0
Tourane,	,,	29.60	751.8	77	...	NW	7	0	,,	29.65	753.0	77	...	NW	4	of
Cape St. James,	,,	29.73	755.7	86	...	SSW	2	0	,,	29.76	756.0	77	...	W	4	0
Basco,	14	29.62	752.4	79	91	N	1	r	6	...	...	...	...	...	...	...
Aparri,	,,	29.59	751.5	86	78	NE	4	0	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.60	751.8	86	71	S	1	0	,,	...	...	...	...	...	...	...
Vigan,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	82	84	SW	4	0	,,	29.71	754.5	77	91	NE	1	0
Legaspi,	,,	29.68	753.9	90	63	S	2	0	,,	29.75	755.7	77	96	...	0	0
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	77	86	E	2	0
Tacloban,	,,	29.73	755.1	90	69	S	4	b	,,	29.81	757.2	77	85	S	2	0
Iloilo,	,,	29.72	754.8	86	75	SW	4	0	,,	29.76	756.0	79	92	SE	1	0
Cebu,	,,	29.72	754.8	86	61	SSW	4	0	,,	29.78	756.3	81	76	...	0	0
Surigao,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	77	92	...	0	0
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	ESE	1	r	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.5	...	...	ESE	1	0	5	29.84	757.8	...	...	...	0	b
Pelew,	...	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Labuan,	14	29.77	756.1	90	84	SW	4	b	6	29.83	757.7	80	87	...	0	b

June 3*d.* 18*h.* 58*m.*—Warning to Hong Kong, :—Typhoon of unknown intensity within 60 miles of Lat. 18° N. Long. 116° E., direction unknown

June 4*d.* 7*h.* 46*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 118° E. moving N.N.W.

June 4*d.* 7*h.* 46*m.*—Local signal No. 1 hoisted.

June 4*d.* 11*h.* 10*m.*—Pressure is highest in the vicinity of the Bonins. A typhoon developed yesterday to the west of N. Luzon; at 6 a.m. this morning, it was situated about 120 miles south-east of Pratas, moving N. or N.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·18 inches, against an average of 25·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	Cyclonic gales.
2.—South coast of China between Hong Kong and Lamocks,	N. to W. winds, moderate, freshening considerably; fine at first, cloudy with rain later.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	5th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.73	755.1	71	...	NNE	1	o	6	29.91	759.7	51	...	SE	1	o
Nemuro,	11	...	...	...	...	...	...	...	5	29.90	759.5	..	...	SE	1	...
Hokodate,	,,	29.70	754.5	...	...	ESE	1	...	,,	29.88	759.0	..		ESE	1	...
Tokio,	,,	29.69	754.0	...	...	SE	1	...	,,	29.80	757.0	..	.	...	...	...
Kochi,	,,	29.78	756.5	...	...	ESE	1	...	,,	29.80	757.0	..	..	WSW	1	...
Nagasaki,	,,	29.78	756.5	...	...	SW	2	...	,,	29.75	755.5	..	.	E	1	...
Kagoshima,	,,	29.78	756.5	...	...	SSE	1	...	,,	29.59	751.5	...	..	NE	1	...
Oshima,	,,	29.76	756.0	...	...	S	1	...	,,	29.61	752.0	...	...	ESE	3	...
Naha,	,,	29.74	755.5	...	...	SSE	3	...	,,	29.57	751.0	...	...	S	7	...
Ishigakijima,	,,	29.63	752.5	...	...	SSE	2	...	,,	29.57	751.0	...	...	WSW	2	...
Bonin Island,	,,	29.86	758.5	...	...	...	0	...	,,	29.88	759.0	...	...	...	...	...
Chefoo,	15	29.71	754.6	72	62	NNE	2	o	6	29.72	754.9	64	91	...	o	b
Shanghai,	14	29.62	752.4	86	52	SE	4	b	,,	29.61	752.1	72	100	E	1	o
Sinzlaff,	,,	29.71	754.6	75	86	SE	2	b	,,	29.66	753.3	70	100	NNE	1	of
Sharp Peak,	,,	29.52	749.8	78	82	ENE	2	o	7	29.49	749.0	78	93	...	o	b
Amoy,	,,	29.47	748.5	86	76	SSE	4	b	6	29.60	751.8	76	92	S	4	o
Swatow,	,,	.	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.50	749.4	84	77	E	2	o	5	29.59	751.5	75	92	NW	2	o
Taichu,	,,	29.50	749.4	86	...	...	o	o	,,	29.63	752.7	75	...	...	...	...
Tainan,	,,	29.48	748.8	84	...	N	2	o	,,	29.59	751.5	77	...	ESE	2	o
Koshun,	,,	29.33	744.9	75	...	NE	4	r	,,	29.56	750.9	77	...	...	o	o
Pescadores,	,,	29.50	749.4	79	...	N	4	o	,,	29.59	751.5	75	...	NNW	2	o
Hong Kong,	14	29.51	749.5	87	58	WSW	3	b	6	29.61	752.1	79	88	...	o	o
Gap Rock,	,,	29.56	750.8	...	...	N	2	b	,,	29.62	752.3	...	...	WSW	4	b
Macao,	,,	29.53	750.0	90	60	SW	2	b	,,	29.56	750.9	79	91	...	o	o
Hoihow,	,,	29.56	750.8	87	70	WNW	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.53	750.0	84	72	NE	3	bo	,,	29.61	752.1	78	91	NNW	2	o
Phulien,	15	29.56	750.9	86	65	SSE	4	o	7	29.61	752.1	79	92	E	4	o
Lorraine,	,,	29.59	751.6	82	...	NE	2	o	,,	29.65	753.0	81	...	SW	2	o
Cape St. James,	,,	29.74	755.4	82	...	SSW	2	o	,,	29.79	756.6	79	...	SW	2	of
Basco,	14	29.49	749.1	79	73	S	6	o	6	29.55	750.6	82	81	SSE	4	o
Aparri,	,,	29.54	750.3	84	74	S	4	o	,,	29.60	751.8	79	76	S	4	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.58	751.2	82	74	SSW	4	o	,,	29.66	753.3	79	87	SSW	4	r
Manila,	,,	29.66	753.3	90	60	SW	4	o	,,	29.74	755.4	79	89	SE	2	o
Legaspi,	,,	29.68	753.9	90	66	SW	4	o	,,	29.81	757.2	81	90	SW	1	o
Calbayog,	,,	29.71	754.5	90	65	SW	2	o	,,	29.81	757.2	79	87	SE	4	o
Tacloban,	,,	29.72	754.8	86	71	S	4	o	,,	29.85	758.1	77	92	SW	2	b
Iloilo,	,,	29.72	754.8	86	81	SW	6	o	,,	29.81	757.2	79	91	S	2	o
Cebu,	,,	29.69	754.2	86	61	S	4	o	,,	29.81	757.2	81	80	...	o	o
Surigao,	,,	29.71	754.5	90	69	NE	2	b	,,	29.82	757.5	75	60	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	E	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	E	2	o	5	29.86	758.4	...	...	NE	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	88	84	SW	2	b	6	29.83	757.7	80	82	...	o	b

June 4*d.* 17*h.* 03*m.*—Warning to Hong Kong, Coast Ports, &c. :— Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 120° E., moving N

June 5*d.* 9*h.* 58*m.*—Warning to Hong Kong, Coast Ports, &c. :—Typhoon of unknown intensity within 120 miles of Lat. 26° N. Long. 125° E. moving N.N.E.

June 4*d.* 21*h.* 35*m.*—Local signal No. 1 lowered.

June 5*d.* 11*h.* 10*m.*– A weak anticyclonic area is situated over S. Manchuria, and to the north and east of Japan; pressure is relatively low over S. China.

The typhoon appears to have moved rapidly north-eastward, and is now situated about 120 miles west of Naha. An ill-defined secondary remains in the Bashi Channel.

Manila warning 4*d.* 17*h.* 00*m.*:—Typhoon in Lat. 21° N. Long. 120° E., recurving northeastward. Recd. 4*d.* 18*h.* 34*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·18 inches, against an average of 25·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	S.W. winds, moderate; fair generally.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	6th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.91	759.7	55	...	SSE	1	f	6	29.85	758.2	54	...	W	2	o
Nemuro,	11	29.94	760.5	...	...	NE	1	...	5	30.02	762.5	...	...	SE	1	...
Hokodate,	,,	29.90	759.5	...	...	SE	1	...	,,	29.86	758.5	...	...	E	2	...
Tokio,	,,	29.78	756.5	...	...	S	1	...	,,	29.53	750.0	...	...	ENE	1	...
Kochi,	,,	29.72	755.0	...	...	...	0	...	,,	29.45	748.0	...	...	...	0	...
Nagasaki,	,,	29.65	753.0	...	...	...	0	...	,,	29.67	753.5	...	...	N	1	...
Kagoshima,	,,	29.63	752.5	...	...	SE	1	...	,,	29.63	752.5	...	...	NW	1	...
Oshima,	,,	29.55	750.5	...	...	S	3	...	,,	29.65	753.0	...	...	...	0	...
Naha,	,,	29.65	753.0	...	...	SSW	7	...	,,	29.61	752.0	...	...	SSE	4	...
Ishigakijima,	,,	29.65	753.0	...	...	NNE	1	...	,,	29.69	754.0	...	...	NW	2	...
Bonin Island,	,,	29.90	759.5	...	...	...	...	...	,,	29.92	760.0	...	...	...	0	...
Chefoo,	15	29.71	754.6	65	73	N	1	o	6	29.75	755.6	60	90	...	0	h
Shanghai,	14	29.63	752.7	84	74	NNE	2	o	,,	29.75	755.7	78	98	E	1	o
Gutzlaff,	,,	29.68	753.9	78	82	N	1	of	,,	29.80	756.9	68	100	E	2	o
Sharp Peak,	,,	29.56	750.8	82	83	SSE	1	b	7	29.71	754.6	78	91	NE	1	of
Amoy,	,,	29.56	750.8	86	76	SE	4	o	6	29.67	753.6	80	96	NNE	2	b
Swatow,	,,	29.60	751.8	91	85	SSW	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	29.60	751.8	86	78	...	0	o	5	29.73	755.1	77	79	W	2	o
Taichu,	,,	29.61	752.1	86	...	NW	2	o	,,	29.79	756.6	75	...	...	0	b
Tainan,	,,	29.60	751.8	82	...	NNW	4	r	,,	29.74	755.4	73	...	E	2	b
Koshun,	,,	29.50	749.4	75	...	...	...	...	,,	29.73	755.1	79	...	S	2	b
Pescadores,	,,	29.62	752.4	82	...	NNW	4	o	,,	29.73	755.1	77	...	...	0	o
Hong Kong,	14	29.62	752.3	90	63	S	2	b	6	29.73	755.1	80	83	S	1	c
Gap Rock,	,,	29.61	752.8	...	...	WSW	4	b	,,	29.74	755.4	...	...	SW	4	b
Macao,	,,	29.68	753.9	84	58	SSE	1	o	,,	29.68	753.9	79	91	SW	2	c
Hoihow,	,,	29.61	752.1	90	68	ENE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.68	753.9	86	72	WSW	2	b	,,	29.75	755.7	79	91	SSW	2	bo
Phulien,	15	29.59	751.5	86	78	SSE	4	o	7	29.66	753.3	75	98	W	4	r
Tourane,	,,	29.63	752.7	86	...	SE	2	o	,,	29.69	754.2	82	...	NW	2	o
Cape St. James,	,,	29.81	757.2	75	...	SW	4	r	,,	29.84	757.8	79	...	SW	4	o
Basco,	14	29.62	752.4	82	86	WSW	4	o	6	29.75	755.7	...	...	WSW	2	o
Aparri,	,,	29.66	753.3	81	86	SW	4	r	,,	29.75	755.7	77	91	...	0	o
Tuguegarao,	,,	29.66	753.3	90	76	NW	2	o	,,	29.76	756.0	77	94	...	0	o
Vigan,	,,	29.72	754.8	77	92	SSW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	90	63	SW	4	o	,,	29.81	757.2	79	92	E	1	o
Legaspi,	,,	29.72	754.8	93	61	SW	4	o	,,	29.82	757.5	77	92	...	0	h
Calboyog,	,,	29.75	755.7	90	60	WSW	2	b	,,	29.84	757.8	75	94	NNE	2	o
Tacloban,	,,	29.76	756.0	86	71	S	4	b	,,	29.85	758.1	79	91	...	0	b
Iloilo,	,,	29.75	755.7	86	75	SW	4	b	,,	29.84	757.8	79	91	...	0	o
Cebu,	,,		...	...	...	...	...	...	,,	29.82	757.5	81	80	...	0	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.82	757.2	...	...	E	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.8	...	...	E	2	o	5	29.87	758.7	...	...	NE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	90	77	...	2	b	6	29.85	758.2	78	91	...	0	b

June 6*d.* 11*h.* 40*m.*—Pressure is highest to the north-east of Japan and relatively low over China.

The typhoon is situated between Tokio and Kochi, moving north-eastward; the secondary is about 100 miles west of Naha.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·18 inches, against an average of 26·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, moderate; cloudy, probably some rain.

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.83	757.6	64	...	W	2	b	6	29.86	758.4	51	...	SE	4	f
Gemuro,	11	29.98	761.5	...	...	ENE	1	...	5	29.82	757.5	...	...	NE	4	...
Hakodate,	,,	29.80	757.0	...	...	E	1	...	,,	29.78	756.5	...	...	W	1	...
Tokio,	,,	29.33	745.0	...	...	NNW	2	...	,,	29.76	756.0	...	...	NE	1	...
Kochi,	,,	29.57	751.0	...	...	NNW	2	...	,,	29.69	754.0	...	...	W	1	...
Nagasaki,	,,	29.72	755.0	...	...	N	1	...	,,	29.78	756.5	...	...	...	0	...
Kagoshima,	,,	29.67	753.5	...	...	NW	1	...	,,	29.75	755.5	...	...	NW	1	...
Ishima,	,,	29.67	753.5	...	...	WNW	1	...	,,	29.78	756.5	...	...	N	1	...
Taiwan,	,,	29.59	751.5	...	...	NW	6	...	,,	29.82	757.5	...	...	W	1	...
Ishigakijima,	,,	29.80	757.0	...	...	NNW	1	...	,,	29.76	756.0	...	...	SSE	1	...
Bonin Island,	,,	29.90	759.5	...	...	S	1	...	,,	29.90	759.5	...	...	SW	1	...
Chefoo,	15	29.72	754.9	76	64	E	2	b	6	29.72	754.9	68	70	W	1	b
Shanghai,	14	29.80	756.9	81	59	NE	2	o	,,	29.87	758.7	63	100	SE	1	b
Turzlaff,	,,	29.85	758.2	74	81	NNE	1	of	,,	29.91	759.7	67	91	NE	1	o
Sharp Peak,	,,	29.68	753.9	84	83	S	2	b	7	29.77	756.1	75	86	E	2	of
Amoy,	,,	29.71	754.6	88	93	SSE	4	b	6	29.74	755.4	80	100	SSE	4	b
Swatow,	,,	29.72	754.9	89	81	S	2	b	,,	29.78	756.4	78	91	SW	2	b
Taihoku,	11	29.75	755.7	90	60	N	2	b	5	29.79	756.6	75	91	...	0	o
Taichu,	,,	29.80	756.9	90	...	SSW	2	b	,,	29.67	753.6	73	...	...	0	o
Tainan,	,,	29.80	756.9	90	...	WSW	2	b	,,	29.81	757.2	73	...	...	0	b
Toshun,	,,	29.81	757.2	86	...	WNW	2	b	,,	29.79	756.6	73	...	...	0	r
Pescadores,	,,	29.80	756.9	86	...	SSW	4	b	,,	29.79	756.6	79	...	...	0	o
Hong Kong,	14	29.72	754.9	89	64	SSW	2	c	6	29.73	755.1	80	90	ENE	1	c
Gap Rock,	,,	29.74	755.4	...	...	SW	3	c	,,	29.73	755.1	...	...	SE	3	c
Macao,	,,	29.71	754.5	93	61	SSW	2	o	,,	29.68	753.9	81	84	SSE	2	o
Hoihow,	,,	29.61	752.8	91	75	ESE	1	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.77	756.1	87	72	SSW	1	b	,,	29.76	756.0	80	95	S	2	bc
Shulien,	15	29.65	753.0	86	75	SE	1	o	7	29.67	753.6	75	100	NE	1	o
Tourane,	,,	29.68	753.9	86	...	SSE	2	o	,,	29.74	755.4	82	...	SW	2	o
Cape St. James,	,,	29.80	756.9	86	...	SSW	2	o	,,	29.86	758.4	79	...	SW	2	o
Basco,	14	29.78	756.3	79	90	NW	2	r	6	29.74	755.4	79	90	S	1	o
Aparri,	,,	29.76	756.0	84	77	N	2	o	,,	29.79	756.6	77	94	S	2	b
Tuguegarao,	,,	29.74	755.4	93	59	N	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.9	79	95	SW	2	r	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	86	68	WSW	4	o	,,	29.82	757.5	79	91	...	0	o
Legaspi,	,,	29.78	756.3	93	57	WSW	4	o	,,	29.81	757.2	77	94	...	0	o
Calbayog,	,,	29.78	756.3	90	72	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.79	756.6	86	75	S	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	86	78	SW	4	o	,,	29.82	757.5	77	92	...	0	o
Cebu,	,,	29.76	756.0	90	55	S	1	b	,,	...	...	...	...	...	...	...
Surigao,	,,	29.78	756.3	90	60	...	0	b	,,	29.82	757.5	77	94	...	0	o
Saipan,	...		...	...	...	...	...	...	5	29.91	759.7	78	...	E	3	c
Guam,	12.22	29.85	758.1	...	...	E	1	o	4.22	29.87	758.7	...	...	E	1	b
Yap,	11.00	29.84	757.8	...	...	E	4	o	5	29.86	758.4	...	...	E	2	b
Pelew,	...	...	...	...	...	...	...	...	,,	29.85	758.2	78	...	E	...	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.86	758.4	80	...	NE	2	c
Labuan,	14	29.78	756.4	88	88	NE	4	b	6	29.86	758.4	77	91	SW	1	r

June 7*d.* 11*h.* 15*m.*— Pressure is highest in the Pacific to the east of the Bonins. The typhoon has passed into Pacific leaving the secondary depression over south Japan.

A weak anticyclonic area is situated over the lower Yangtze Valley.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·09 inch. Total since January 1st, 10·27 inches, against an average of 26·88 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate; cloudy, showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	8th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.83	757.6	56	...	SE	6	m	6	29.82	757.5	50	...	SW	2	m
Nemuro,	11	29.84	758.0	...	...	NE	2	...	5	29.90	759.5	...	...	SSE	1	...
Hokodate,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	E	1	...
Tokio,	,,	29.78	756.5	...	...	ENE	1	...	,,	29.92	760.0	...	...	...	...	...
Kochi,	,,	29.70	754.5	...	...	N	1	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	NW	2	...	,,	29.88	759.0	...	...	ESE	1	...
Kagoshima,	,,	29.78	756.5	...	...	WSW	1	...	,,	29.88	759.0	...	...	...	0	...
Oshima,	,,	29.82	757.5	...	...	N	1	...	,,	29.82	757.5	...	...	...	0	...
Naha,	,,	29.84	758.0	...	...	N	1	...	,,	29.80	757.0	...	...	ENE	1	...
Ishigakijima,	,,	29.82	757.5	...	...	S	1	...	,,	29.73	755.0	..	..	SSE	2	...
Bonin Island,	,,	29.90	759.5	...	...	SW	1	...	,,	29.92	760.0	...	...	W	1	...
Chefoo,	15	29.61	752.1	63	100	...	0	b	6	29.68	753.9	75	56	SE	4	o
Shanghai,	14	29.80	756.9	84	45	SE	2	b	,,	29.82	757.5	68	87	SE	2	o
Gutzlaff,	,,	29.91	759.7	73	72	SSE	2	o	,,	29.88	758.9	68	85	SE	4	o
Sharp Peak,	,,	29.75	755.6	77	86	NE	4	o	7	29.62	752.3	74	95	SE	1	o
Amoy,	,,	29.63	752.6	86	93	SSE	4	b	6	29.67	753.6	78	100	SE	2	o
Swatow,	,,	29.67	753.6	86	84	S	2	c	,,	...		...	...	...	...	...
Taihoku,	11	29.80	756.9	84	74	NNW	2	o	5	29.72	754.8	72	96	...	o	b
Taichu,	,,	29.82	757.5	90	...	SW	2	b	,,	29.74	755.4	73	...	...	o	o
Tainan,	,,	29.81	757.2	86	...	SW	2	o	,,	29.72	754.8	77	...	SE	2	r
Koshun,	,,	29.80	756.9	86	...	SW	2	b	,,	29.73	755.1	77	...	...	o	b
Pescadores,	,,	29.80	756.9	86	...	S	2	b	,,	29.71	75..5	81	...	S	2	o
Hong Kong,	14	29.72	754.9	82	78	W	2	o	6	29.66	753.3	82	85	S	2	o
Gap Rock,	,,	29.72	754.9	...	...	SW	4	o	,,	29.67	753.6	...	...	SSW	4	o
Macao,	,,	29.75	755.7	86	94	SSW	1	o	,,	29.62	752.4	81	92	SSW	4	o
Hoihow,	,,	29.54	752.8	87	92	ESE	1	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.75	755.6	88	77	SW	3	bc	,,	29.71	754.6	80	96	SSW	3	bc
Phulien,	15	29.62	752.4	80	76	SSE	4	o	7	29.59	751.5	81	87	SSW	4	o
Tourane,	,,	29.69	754.2	86	...	NE	2	o	,,	29.69	754.2	82	...	W	2	o
Cape St. James,	,,	29.81	757.2	90	...	SSW	2	o	,,	29.85	758.1	79	...	WSW	4	o
Basco,	14	29.76	756.0	82	87	WSW	1	o	6	29.74	755.4	81	90	SW	2	o
Aparri,	,,	29.75	755.7	86	71	NW	4	o	,,	29.76	756.0	75	96	S	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	94	S	1	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	77	88	SSE	2	o
Manila,	,,	29.79	756.6	90	72	SW	4	o	,,	29.80	756.9	79	92	NE	1	o
Legaspi,	,,	29.76	756.0	93	67	N	2	o	,,	...	...	...	...	...	...	...
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	79	87	NE	2	b
Iloilo,	,,	29.76	756.0	86	68	SW	4	o	,,	29.82	757.5	75	96	...	o	o
Cebu,	,,		...	...	...	...	...	...	,,	29.81	757.2	79	89	...	o	o
Surigao,	,,	29.81	757.2	79	92	S	2	o	,,	29.81	757.2	73	94	...	o	b
Saipan,	...	...	...	...	...	...	...	...	5	29.88	758.9	...	...	E	3	bc
Guam,	12.22	29.81	757.2	...	...	E	2	o	4.22	...	..	...	...	...	...	...
Yap,	11.00	29.84	757.8	...	...	ENE	4	o	5	29.85	758.1	...	...	ESE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.4	77	...	NE	1	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.9	82	...	NE	3	c
Labuan,	14	29.81	757.2	84	83	SW	2	b	6	29.83	757.7	80	91	NE	2	b

June 8*d.* 11*h.* 15*m.*—Pressure is highest in the Pacific to the east of Japan and the Bonins, and relatively low over China generally. A depression is situated over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·05 inch. Total since January 1st, 10·32 inches, against an average of 27·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate; cloudy, showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	9th June, 1929. Hong Kong Standard Time.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.74	755.5	54	...	SW	2	c	6	29.82	757.3	53	...	...	0	0
Kemuro,	11	29.90	759.5	...	...	S	2	...	5	29.90	759.5	...	...	SSW	1	...
Hokodate,	"	29.88	759.0	...	...	SE	1	...	"	29.92	760.0	...	...	...	0	...
Tokio,	"	29.94	760.5	...	...	...	0	...	"	30.00	762.0	...	...	...	0	...
Kochi,	"	29.90	759.5	...	...	SE	...	...	"	29.92	760.0	...	...	...	0	...
Nagasaki,	"	29.86	758.5	...	...	SSE	1	...	"	29.82	757.5	...	...	...	0	...
Kagoshima,	"	29.86	758.5	...	...	S	1	...	"	29.80	757.0	...	...	E	1	...
Oshima,	"	29.84	758.0	...	...	...	0	...	"	29.69	754.0	...	...	SSE	1	...
Naha,	"	29.78	756.5	...	...	E	2	...	"	29.67	753.5	...	...	S	4	...
Ishigakijima,	"	29.70	754.5	...	...	SW	2	...	"	29.65	753.0	...	...	SW	2	...
Bonin Island,	"	29.94	760.5	...	...	...	0	...	"	29.92	760.0	...	...	N	1	...
Chefoo,	15	29.64	752.8	82	52	E	1	b	6	29.67	753.6	65	91	...	0	b
Shanghai,	14	29.87	758.7	75	63	SE	4	o	"	29.61	752.1	68	98	ENE	2	r
Sutzlaff,	"	29.81	757.2	67	91	SSE	6	o	"	29.65	753.1	68	100	SE	6	rf
Sharp Peak,	"	29.58	751.3	75	90	N	1	of	7	29.66	753.3	76	94	...	0	o
Amoy,	"	29.69	754.1	78	100	SSW	4	r	6	29.60	751.8	78	100	SSW	4	o
Swatow,	"	29.65	753.1	82	84	SW	2	r	"	29.65	753.1	78	100	SW	1	r
Taihoku,	11	...	...	...	...	...	...	...	5	29.63	752.7	73	96	...	0	o
Taichu,	"	...	...	...	...	...	...	...	"	29.72	754.8	75	...	...	0	o
Tainan,	"	...	...	...	...	...	...	...	"	29.69	754.2	81	...	SSW	4	o
Toshun,	"	...	...	...	...	...	...	...	"	29.69	754.2	81	...	SW	2	o
Pescadores,	"	...	...	...	...	...	...	...	"	29.67	753.6	81	...	SSW	4	b
Hong Kong,	14	29.63	752.6	82	87	SW	3	or	6	29.63	752.6	83	85	SW	3	o
Gap Rock,	"	29.65	753.1	...	...	SSW	5	o	"	29.63	752.6	.	...	SSW	4	o
Macao,	"	29.68	753.9	82	87	SW	2	o	"	29.58	751.2	81	92	SW	4	o
Hoihow,	"	29.62	752.3	93	81	WNW	1	o	"	...	...	...	...	...	...	...
Pratas Island,	"	29.69	754.1	83	92	SW	3	o	"	29.68	753.9	80	96	SSW	3	b
Phulien,	15	29.53	750.0	93	57	SSW	6	o	7	29.55	750.6	81	76	NE	6	o
Tourane,	"	29.66	753.3	86	...	N	2	o	"	29.71	754.5	82	...	W	4	o
Cape St. James,	"	29.80	756.9	86	...	SSW	2	o	"	29.82	757.5	79	...	SW	2	b
Basco,	14	...	...	...	...	...	...	...	6	29.73	755.1	81	80	SW	2	o
Aparri,	"	29.71	754.5	90	63	N	4	o	"	29.75	755.7	75	96	S	4	o
Tuguegarao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.75	755.7	90	69	SW	4	o	"	29.80	756.9	79	91	SW	2	b
Legaspi,	"	29.73	755.1	93	64	NE	2	o	"	29.81	757.2	77	89	NE	1	b
Calboyog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	29.75	755.7	90	69	SE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	75	SSW	4	o	"	29.82	757.5	75	96	...	0	o
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.75	755.7	86	65	...	0	o	"	29.82	757.5	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	79	...	E	3	bc
Guam,	12.22	29.82	757.5	...	...	SE	2	o	4.22	29.82	757.5	...	...	E	2	b
Yap,	11.00	29.82	757.5	...	...	E	4	o	5	29.87	758.7	77	...	...	0	r
Pelew,	...	...	...	...	...	...	...	...	"	29.85	758.2	78	...	WNW	1	bc
Ponape,	...	...	...	...	...	...	...	...	"	29.84	757.9	80	...	SSE	1	bc
Labuan,	14	29.80	756.9	86	84	SW	2	b	6	29.85	758.2	77	91	SW	2	b

June 9*d.* 11*h.* 28*m.*—Pressure is highest to the east of Japan and relatively low over China generally, with depression centres indicated over Tongking and the lower Yangtze Valley.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·21 inch. Total since January 1st, 10·53 inches, against an average of 27·90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate; cloudy, showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th June, 1929.								10th June, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.78	756.4	61	...	ESE	2	o	6	29.78	756.5	55	...	SSE	2	o
Nemuro,	11	29.88	759.0	...	...	WSW	1	...	5	29.53	750.0	...	...	SE	1	...
Hokodate,	"	29.90	759.5	...	...	SE	1	...	"	29.82	757.5	...	...	...	...	...
Tokio,	"	29.96	761.0	...	...	S	1	...	"	29.88	759.0	...	...	...	o	...
Kochi,	"	29.88	759.0	...	...	SSE	1	...	"	29.82	757.5	...	...	WSW	1	...
Nagasaki,	"	29.76	756.0	...	...	SE	1	...	"	29.73	755.0	...	...	...	o	...
Kagoshima,	"	29.78	756.5	...	...	ESE	1	...	"	29.73	755.0	...	...	ENE	2	...
Oshima,	"	29.65	753.0	...	...	...	o	...	"	29.65	753.0	...	...	N	1	...
Naha,	"	29.69	754.0	...	...	S	5	...	"	29.67	753.5	...	...	SSW	4	...
Ishigakijima,	"	29.69	754.0	...	...	WSW	3	...	"	29.65	753.0	...	...	WSW	1	...
Bonin Island,	"	29.88	759.0	...	...	SE	1	...	"	29.78	756.5	...	...	SSW	1	...
Chefoo,	15	29.65	753.1	84	50	SSE	4	o	6	29.63	752.6	69	95	S	1	b
Shanghai,	14	29.60	751.8	73	91	ESE	4	r	"	29.61	752.1	68	100	...	o	o
Gutzlaff,	"	29.65	753.1	70	95	ESE	6	o	"	29.67	753.6	69	100	W	1	of
Sharp Peak,	"	29.59	751.6	84	87	SW	1	o	7	29.53	750.0	80	74	SW	2	o
Amoy,	"	29.58	751.3	86	93	S	4	b	6	29.63	752.6	80	96	S	2	o
Swatow,	"	29.66	753.3	81	100	SW	1	r	"	...		...	...	...	...	...
Taihoku,	11	29.67	753.6	79	89	WSW	2	o	5	...	...	...	...	...	...	...
Taichu,	"	29.74	755.4	79	...	S	2	r	"	...	...	...	...	...	...	...
Tainan,	"	29.74	755.4	79	...	SSW	4	o	"	...	...	...	...	...	...	...
Koshun,	"	29.74	755.4	82	...	SW	4	o	"	...	...	...	...	...	...	...
Pescadores,	"	29.71	754.5	77	...	SW	4	o	"	...	...	...	...	...	...	...
Hong Kong,	14	29.63	752.6	84	80	SW	4	op	6	29.66	753.3	83	83	SW	3	oq
Gap Rock,	"	29.64	752.8	...	...	SSW	5	o	"	29.67	753.6	...	...	SW	4	o
Macao,	"	29.72	754.8	82	92	SW	4	r	"	29.71	754.5	82	94	SW	2	o
Hoihow,	"	29.72	752.3	93	78	NE	1	b	"	...	...	...	...	...	...	...
Pratas Island,	"	29.71	754.6	86	80	SSW	3	lo	"	29.73	755.1	80	96	SW	3	c
Phulien,	15	29.56	750.9	90	66	SSW	6	o	7	29.61	752.1	82	...	SSW	6	c
Tourane,	"	29.67	753.6	88	...	N	2	bo	"	29.75	755.7	84	...	SE	1	o
Cape St. James,	"	29.81	757.2	88	...	SSW	2	b	"	29.88	759.0	79	...	WSW	6	o
Basco,	14	29.73	755.1	86	78	WSW	4	o	6	29.75	755.7	82	84	WSW	4	o
Aparri,	"	29.73	755.1	90	60	NE	4	o	"	29.78	756.3	77	92	...	o	o
Tuguegarao,	"	...	...	...	...	...	...	...	"	29.85	758.1	...	...	NE	1	o
Vigan,	"	...	...	...	...	...	...	...	"	29.79	756.6	79	84	SSW	2	o
Manila,	"	29.76	756.0	90	69	WSW	2	b	"	29.81	757.2	79	91	E	1	o
Legaspi,	"	29.74	755.4	93	64	NE	2	b	"	29.81	757.2	79	95	...	o	b
Calboyog,	"	...	...	...	...	...	...	...	"	29.84	757.8	77	94	N	1	b
Tacloban,	"	...	...	...	...	...	...	...	"	29.85	758.1	79	90	SW	1	o
Iloilo,	"	29.76	756.0	86	71	SW	4	o	"	29.82	757.5	79	96	...	o	o
Cebu,	"	...	...	...	...	...	...	...	"	29.84	757.8	77	86	NW	2	o
Surigao,	"	29.76	756.0	86	75	WSW	2	o	"	29.82	757.5	75	96	...	o	b
Saipan,	...	...	...	...	...	...	...	...	5	29.86	758.4	78	...	NE	2	b
Guam,	12.22	29.81	757.2	...	...	NE	4	o	4.22	29.82	757.5	...	...	...	o	b
Yap,	11.00	29.84	757.8	...	...	E	2	o	5	29.85	758.1	...	...	NE	1	o
Pelew,	...	...	...	...	...	...	...	...	"	29.85	758.1	79	...	...	...	c
Ponape,	...	...	...	...	...	...	...	...	"	29.83	757.7	81	...	...	o	bc
Labuan,	14	29.79	756.6	88	84	NE	2	b	6	29.86	758.4	78	91	...	o	r

June 10*d.* 10*h.* 57*m.*—Pressure continues highest in the Pacific to the east of Japan, and relatively low over China generally.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·53 inches, against an average of 28·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate; fair to showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th JUNE, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	11th JUNE, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.76	756.0	56	...	SSE	2	o	6	29.83	757.7	51	...	SSE	4	o
Nemuro,	11	29.92	760.0	...	...	SE	2	...	5	29.98	761.5	...	...	...	o	...
Hokodate,	"	29.84	758.0	...	...	NW	1	...	"	29.88	759.0	...	...	ESE	1	...
Takio,	"	29.84	758.0	...	...	SSE	1	...	"	29.84	758.0	...	...	...	...	...
Kochi,	"	29.82	757.5	...	...	SSW	1	...	"	29.84	758.0	...	...	...	o	...
Nagasaki,	"	29.72	755.0	...	...	ESE	2	...	"	29.73	755.0	...	...	...	o	...
Kagoshima,	"	29.72	755.0	...	...	E	1	...	"	29.69	754.0	...	...	E	1	...
Osaima,	"	29.67	753.5	...	...	...	o	...	"	29.67	753.5	...	...	S	1	...
Naha,	"	29.70	754.5	...	...	SSW	3	...	"	29.69	754.0	...	...	S	3	...
Ishigakijima,	"	29.69	754.0	...	...	SW	2	...	"	29.65	753.0	...	...	WSW	1	...
Hoan Island,	"	29.78	756.5	...	...	SW	1	...	"	29.78	756.5	...	...	...	o	...
Chefoo,	15	29.61	752.1	80	70	SE	2	o	6	29.65	753.1	70	75	SSE	1	b
Shanghai,	14	29.58	751.2	86	61	W	1	o	"	29.56	750.9	72	100	SSE	1	o
Gutzlaff,	"	29.64	752.8	75	86	SSW	1	o	"	29.61	752.1	71	95	SSE	1	of
Sharp Peak,	"	29.56	750.8	82	87	S	2	o	7	29.58	751.3	81	91	S	1	o
Amoy,	"	29.72	754.9	86	83	SSW	4	o	6	29.63	752.6	81	96	SSW	6	o
Swatow,	"	29.66	753.3	82	92	SW	2	r	"	...	...	...	...	...	...	...
Taihoku,	11	29.66	753.3	86	68	S	2	o	5	29.63	752.7	77	91	...	o	o
Taichu,	"	29.76	756.0	86	...	SSE	4	o	"	29.75	755.7	79	...	S	2	o
Tainan,	"	29.78	756.3	86	...	S	2	r	"	29.74	755.4	81	...	SSW	2	o
Koshun,	"	29.76	756.0	86	...	WSW	2	o	"	29.73	755.1	81	...	W	2	o
Pescadores,	"	29.75	755.7	86	...	SSW	4	o	"	29.71	754.5	81	...	S	4	o
Hong Kong,	14	29.64	752.8	89	71	SSW	4	o	6	29.66	753.3	83	87	SW	2	oq
Gap Rock,	"	29.65	753.1	...	...	SW	5	c	"	29.64	752.8	...	...	SSW	5	b
Macao,	"	29.69	754.2	86	71	SW	1	o	"	29.61	752.1	81	94	WSW	4	o
Bolhow,	"	29.60	751.8	87	77	NW	2	b	"	...	...	...	...	...	...	...
Pratas Island,	"	29.73	755.1	88	77	SSW	3	b	"	29.72	754.9	80	95	SW	3	c
Phulien,	15	29.59	751.5	93	57	SW	4	o	7	29.60	751.8	82	77	SSW	6	o
Tourane,	"	29.68	753.9	90	...	N	2	o	"	29.73	755.1	82	...	...	o	b
Cape St. James,	"	29.85	758.1	86	...	SSW	2	o	"	29.88	759.0	77	...	W	4	b
Basco,	14	29.74	755.4	86	81	WSW	4	o	6	29.73	755.1	81	89	WSW	2	b
Aparri,	"	29.75	755.7	90	66	NNE	4	b	"	29.75	755.7	77	96	...	o	b
Tuguegarao,	"	...	...	...	...	...	...	...	"	29.76	756.0	77	96	..	o	o
Vigan,	"	...	...	...	...	...	...	...	"	29.84	757.8	79	89	SSW	1	b
Manila,	"	29.79	756.6	90	69	WSW	4	b	"	29.78	756.3	79	95	E	1	b
Legaspi,	"	29.78	756.3	86	71	WSW	4	o	"	29.79	756.6	77	96	...	o	b
Calbayog,	"	...	...	...	...	...	...	...	"	29.80	756.9	75	96	NNW	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.82	757.5	77	89	...	o	o
Iloilo,	"	29.76	756.0	86	75	SW	4	o	"	29.85	758.1	75	96	E	2	o
Cebu,	"	...	...	...	...	...	...	...	"	29.80	756.9	79	85	W	1	o
Surigao,	"	29.79	756.6	86	68	WSW	4	o	"	29.81	757.2	79	89	SW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	78	...	ESE	3	b
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.5	...	...	N	2	o	5	29.85	758.1	...	...	NE	1	b
Pelew,	...	...	...	...	...	...	...	...	"	29.83	757.7	76	...	S	1	c
Ponape,	...	...	...	...	...	...	...	...	"	29.85	758.2	75	...	...	o	c
Labuan,	14	29.77	756.1	88	84	SW	4	b	6	29.86	758.4	76	94	SW	2	b

June 11*d.* 10*h.* 45*m.*—Pressure is highest to the north-east of Japan and relatively low over China generally.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·53 inches, against an average of 28·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, moderate; fair generally, some local showers.

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONG KONG.
DAILY WEATHER REPORT.

Station.	11th June, 1929.								12th June, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.83	757.7	57	...	SSE	4	o	6	29.93	760.2	51	...	...	o	f
Nemuro,	11	29.96	761.0	...	...	ENE	1	...	5	30.02	762.5	...	...	NE	1	...
Hokodate,	,,	29.86	758.5	...	...	SE	1	...	,,	29.96	761.0	...	...	ESE	2	...
Tokio,	,,	29.82	757.5	...	...	S	2	...	,,	29.82	757.5	...	...	...	...	...
Kochi,	,,	29.84	758.0	...	...	SW	1	...	,,	29.71	754.5	...	...	...	o	...
Nagasaki,	,,	29.67	753.5	...	...	SE	2	...	,,	29.61	752.0	...	...	E	1	...
Kagoshima,	,,	29.69	754.0	...	...	ENE	1	...	,,	29.61	752.0	...	...	...	o	...
Oshima,	,,	29.65	753.0	...	...	SSW	1	...	,,	29.61	752.0	...	...	S	1	...
Naha,	,,	29.70	754.5	...	...	SSW	3	...	,,	29.69	754.0	...	...	SSW	4	...
Ishigakijima,	,,	29.67	753.5	...	...	WSW	1	...	,,	29.67	753.5	...	...	WSW	1	...
Bonin Island,	,,	29.78	756.5	...	...	NNE	1	...	,,	29.78	756.5	...	...	SW	1	...
Chefoo,	15	29.64	752.8	75	95	E	2	b	6	29.67	753.6	67	84	SE	1	b
Shanghai,	14	29.59	751.5	82	77	N	1	o	,,	29.65	753.0	72	98	N	1	o
Gutzlaff,	,,	29.63	752.6	78	92	NW	1	o	,,	29.70	754.4	68	100	NNE	1	of
Sharp Peak,	,,	29.54	750.3	84	83	S	2	o	7	29.62	752.3	80	95	S	1	1
Amoy,	,,	29.72	754.9	86	93	S	6	b	6	29.69	754.1	81	96	S	4	o
Swatow,	,,	...	...	87	92	S	1	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.63	752.7	93	61	SW	4	b	5	29.65	753.0	77	96	...	o	o
Taichu,	,,	29.75	755.7	90	...	S	4	o	,,	29.74	755.4	79	...	SSW	2	o
Tainan,	,,	29.78	756.3	90	...	SW	2	b	,,	29.73	755.1	79	...	SE	2	o
Koshun,	,,	29.75	755.7	86	...	WNW	2	o	,,	29.73	755.1	81	...	WNW	2	b
Pescadores,	,,	29.74	755.4	86	...	S	4	b	,,	29.72	754.8	81	...	S	4	b
Hong Kong,	14	29.63	752.6	89	66	SSW	4	c	6	29.65	753.1	84	81	SSW	3	o
Gap Rock,	,,	29.64	752.8	...	...	SW	5	c	,,	29.65	753.1	...	...	SSW	5	c
Macao,	,,	29.60	751.8	90	66	SSW	4	o	,,	29.61	752.1	81	94	SW	4	o
Hoihow,	,,	29.67	753.6	94	60	S	1	b	,,	...		...	...	...	...	...
Pratas Island,	,,	29.72	754.9	88	77	SW	3	b	,,	29.71	754.6	80	95	SSW	3	b
Phulien,	15	29.54	750.3	93	57	WSW	4	o	7	29.58	751.3	75	83	SSW	4	o
Tourane,	,,	29.56	753.3	90	...	N	2	b	,,	29.69	754.2	83	...	SSW	2	b
Cape St. James,	,,	29.81	757.2	86	...	WSW	6	o	,,	29.84	757.8	77	...	W	4	b
Basco,	14	29.73	755.1	86	78	WSW	4	b	6	29.74	755.4	81	87	SW	2	o
Aparri,	,,	29.73	755.1	90	55	NNE	4	b	,,	29.75	755.7	79	96	...	o	b
Tuguegarao,	,,	29.71	754.5	97	53	...	o	o	,,	29.76	756.0	81	96	SE	1	o
Vigan,	,,	29.75	755.7	90	69	WSW	2	b	,,	29.75	755.7	81	86	WSW	1	o
Manila,	,,	29.76	756.0	90	69	SW	4	b	,,	29.78	756.3	79	94	E	1	b
Legaspi,	,,	29.75	755.7	86	71	WSW	2	o	,,	29.78	756.3	79	96	...	o	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	96	N	2	o
Tacloban,	,,	29.75	755.7	86	71	NW	2	o	,,	29.81	757.2	77	88	NE	2	o
Iloilo,	,,	29.76	756.0	86	78	S	4	o	,,	29.79	756.6	...	...	...	o	o
Cebu,	,,	29.76	756.0	86	68	S	4	o	,,	29.79	756.6	79	84	...	o	o
Surigao,	,,	29.75	755.7	86	71	WSW	4	o	,,	29.78	756.3	77	89	WSW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	29.87	758.7	79	...	ESE	2	bc
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	29.85	758.1	...	...	E	1	b
Yap,	11.00	29.80	756.9	...	...	ESE	1	b	5	29.86	758.4	...	...	ESE	2	b
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.5	76	...	NW	1	o
Ponape,	...	...	...	...	...	...	...	...	,,	29.90	759.4	79	...	ENE	1	b
Labuan,	14	29.79	756.6	88	84	SW	2	b	6	29.80	756.9	78	86	SW	2	b

June 12*d.* 10*h.* 31*m.*— Pressure continues to be highest to the north-east of Japan, and relatively low over China generally; a depression is situated in the Eastern Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·53 inches, against an average of 29·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, moderate; cloudy, local showers.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	13th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.92	760.0	55	...	WSW	1	o	6	29.96	761.0	51	...	SSE	2	f
Fenburo,	11	30.02	762.5	...	...	NNW	1	...	5	30.04	763.0	...	...	SE	1	...
Hakodate,	"	29.94	760.5	...	...	ESE	4	...	"	29.98	761.5	...	...	E	1	...
Tokio,	"	29.82	757.5	...	...	ENE	1	...	"	29.90	759.5	...	...	NE	2	...
Kochi,	"	29.69	754.0	...	...	...	0	...	"	29.86	758.5	...	...	...	0	...
Nagasaki,	"	29.65	753.0	...	...	NE	1	...	"	29.80	757.0	...	...	...	0	...
Kagoshima,	"	29.65	753.0	...	...	...	0	...	"	29.80	757.0	...	...	NE	1	...
Koshima,	"	29.65	753.0	...	...	W	1	...	"	29.73	755.0	...	...	...	...	...
Naha,	"	29.74	755.5	...	...	SSW	3	...	"	29.75	755.5	...	...	SSW	4	...
Ishigakijima,	"	29.69	754.2	...	...	SW	1	...	"	29.73	755.0	...	...	SW	1	...
Tomin Island,	"	29.76	756.0	...	...	SW	1	...	"	29.76	756.0	...	...	SW	2	...
Chefoo,	15	29.64	752.8	88	52	S	1	o	6	29.75	755.7	70	85	S	1	o
Shanghai,	14	29.69	754.0	81	69	NE	1	o	"	29.78	756.3	70	92	E	1	o
Gutzlaff,	"	29.74	755.4	77	77	NNE	1	o	"	29.83	757.7	68	95	NE	2	o
Sharp Peak,	"	29.60	751.8	84	87	S	2	r	7	29.67	753.6	78	91	NE	1	of
Amoy,	"	29.60	751.8	86	88	S	4	o	6	29.68	753.9	82	92	S	2	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	11	29.56	753.3	93	57	W	2	b	5	...	...	...	...	...	...	...
Taichu,	"	29.76	756.0	90	...	S	4	b	"	...	...	...	...	...	...	...
Tainan,	"	29.76	756.0	90	...	S	2	b	"	...	...	...	...	...	...	...
Toshun,	"	29.75	755.7	90	...	WNW	2	o	"	...	...	...	...	...	...	...
Pescadores,	"	29.74	755.4	90	...	S	4	b	"	...	...	...	...	...	...	...
Hong Kong,	14	29.61	752.1	90	68	S	2	c	6	29.71	754.6	83	84	S	2	od
Gap Rock,	"	29.64	752.8	...	...	SSW	4	c	"	29.70	754.4	...	...	S	4	c
Macao,	"	29.59	751.5	93	71	S	2	o	"	29.66	753.3	82	89	SSW	4	o
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.70	754.4	88	77	SSW	2	b	"	29.75	755.7	80	96	SSW	3	b
Phulien,	15	29.52	749.7	97	53	W	2	b	7	29.58	751.2	84	86	...	o	b
Tourane,	"	29.62	752.4	90	...	NE	2	b	"	29.67	753.6	84	...	SSW	2	b
Cape St. James,	"	29.75	755.7	84	...	WNW	4	o	"	29.80	756.9	79	...	W	6	o
Basco,	14	29.72	754.8	86	78	WSW	4	o	6	29.75	755.7	82	87	SE	4	b
Aparri,	"	29.69	754.2	93	67	NE	4	b	"	29.75	755.7	79	91	S	2	b
Tuguegarao,	"	...	...	...	...	...	...	...	"	29.78	756.3	79	91	S	2	o
Vigan,	"	29.69	754.2	90	66	WSW	4	b	"	29.74	755.4	79	87	NE	1	b
Manila,	"	29.71	754.5	90	63	SW	2	o	"	29.75	755.7	77	89	E	1	b
Legaspi,	"	29.69	754.2	93	61	NE	2	b	"	...	...	...	...	...	...	...
Calbayog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	29.72	754.8	86	75	N	4	o	"	29.79	756.6	79	89	NE	4	b
Iloilo,	"	29.72	754.8	84	74	S	2	o	"	29.79	756.6	75	96	W	2	o
Cebu,	"	29.72	754.8	86	65	NE	2	o	"	29.79	756.6	79	80	...	o	o
Surigao,	"	29.72	754.8	86	75	W	2	b	"	29.78	756.3	77	91	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	79	...	E	1	...
Guam,	12.22	29.80	756.9	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	ESE	1	o	5	29.86	758.4	...	...	ENE	1	o
Pelew,	...	...	...	...	...	...	...	...	"	...	...	78	...	W	1	c
Ponape,	...	...	...	...	...	...	...	...	"	29.87	758.7	79	...	ESE	3	c
Rabaul,	14	29.79	756.6	86	84	SW	1	o	6	29.86	758.4	77	91	SW	1	o

June 13*d.* 11*h.* 00*m.*– Pressure is highest to the north-east of Japan, and relatively low over China generally; the depression is not indicated this morning.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·53 inches, against an average of 29·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; fair generally, local showers.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th June, 1929.									14th June, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.96	760.9	50	...	SSE	3	f		6	29.78	756.4	51	...	SE	4	f
Nemuro,	11	30.00	762.0	...	...	S	1	...		5	29.96	761.0	...	...	SW	1	...
Hokodate,	,,	29.98	761.5	...	...	ESE	3	...		,,	29.98	761.5	...	...	...	0	...
Tokio,	,,	29.92	760.0	...	...	ENE	1	...		,,	30.02	762.5	...	...	...	...	...
Kochi,	,,	29.90	759.5	...	...	...	0	...		,,	29.94	760.5	...	...	...	...	...
Nagasaki,	,,	29.80	757.0	...	...	SE	1	...		,,	29.82	757.5	...	...	...	0	...
Kagoshima,	,,	29.80	757.0	...	...	ESE	1	...		,,	29.78	756.5	...	...	ENE	1	...
Oshima,	,,	29.72	755.0	...	...	S	1	...		,,	29.73	755.0	...	...	W	1	...
Naha,	,,	29.80	757.0	...	...	S	4	...		,,	29.80	757.0	...	...	S	2	...
Ishigakijima,	,,	29.78	756.5	...	...	WSW	2	...		,,	29.80	757.0	...	...	SW	2	...
Bonin Island,	,,	29.74	755.5	...	...	W	2	...		,,	29.92	760.0	...	...	ENE	2	...
Chefoo,	15	29.72	754.9	90	...	S	4	b		6	29.72	754.9	70	80	S	1	o
Shanghai,	14	29.75	755.7	77	72	ESE	1	o		,,	29.72	754.8	70	98	SE	2	o
Gutzlaff,	,,	29.80	756.9	71	95	ENE	2	of		,,	29.77	756.1	70	100	SE	4	if
Sharp Peak,	,,	29.65	753.1	84	85	...	0	o		7	29.73	755.1	80	91	N	1	o
Amoy,	,,	29.67	753.6	90	84	S	4	b		6	29.74	755.4	81	96	S	4	b
Swatow,	,,	29.72	754.9	90	85	S	2	b		,,	...	...	...	...	...	...	...
Taihoku,	11	29.74	755.4	90	63	...	0	o		5	29.78	756.3	75	96	...	0	b
Taichu,	,,	29.80	756.9	90	...	SSW	2	b		,,	29.84	757.8	77	...	...	0	o
Tainan,	,,	29.80	756.9	90	...	SSW	2	b		,,	29.80	756.9	77	...	SE	2	o
Koshun,	,,	29.79	756.6	90	...	W	2	b		,,	29.81	757.2	75	...	...	0	b
Pescadores,	,,	29.79	756.6	90	...	SSW	4	b		,,	29.80	756.9	79	...	SSW	4	b
Hong Kong,	14	29.71	754.6	88	71	S	2	c		6	29.76	755.9	83	81	S	2	o
Gap Rock,	,,	29.71	754.6	...	...	S	4	b		,,	29.76	755.9	...	...	S	4	o
Macao,	,,	29.68	753.9	93	74	SSW	2	o		,,	29.72	754.8	81	87	S	4	o
Hoihow,	,,	29.57	751.1	91	68	NW	1	b		,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.9	83	74	SSW	2	b		,,	29.78	756.4	80	95	S	1	b
Phulien,	15	29.55	750.6	97	53	SSW	2	o		7	29.67	753.6	82	94	SSE	6	b
Tourane,	,,	29.63	752.7	90	...	SSE	4	o		,,	29.71	754.5	81	...	SSW	6	b
Cape St. James,	,,	29.74	755.4	84	...	WNW	4	r		,,	29.78	756.3	77	...	WNW	4	o
Basco,	14	29.74	755.4	86	68	S	2	o		6	29.79	756.6	82	84	SE	4	b
Aparri,	,,	29.72	754.8	90	63	NE	4	b		,,	29.79	756.6	79	91	S	2	b
Tuguegarao,	,,	29.71	754.5	97	53	S	1	o		,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.8	90	69	NNE	2	b		,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	93	53	SE	2	b		,,	29.84	757.8	81	90	N	1	o
Legaspi,	,,	29.73	755.1	93	64	NE	4	b		,,	29.85	758.1	77	92	...	0	b
Calboyog,	,,	29.74	755.4	...	...	SSE	4	o		,,	29.85	758.1	77	94	N	1	o
Tacloban,	,,	29.74	755.4	90	69	S	4	o		,,	29.86	758.4	79	80	NW	4	o
Iloilo,	,,	29.75	755.7	84	89	SW	6	o		,,	...	...	...	...	...	...	...
Cebu,	,,	29.74	755.4	86	65	S	4	o		,,	...	...	...	...	...	...	...
Surigao,	,,	29.74	755.4	84	77	SW	2	o		,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	ESE	4	o		4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	E	2	o		5	29.87	758.7	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	83	SW	1	o		6	29.86	758.4	76	94	SW	2	b

June 14*d.* 10*h.* 55*m.*— Pressure is now highest in the Pacific to the east of Tokio, and relatively low over China generally. A depression appears to be situated over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 10·53 inches, against an average of 30·45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; fair generally, some local showers.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th June, 1929.								15th June, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.73	755.1	55	...	SE	4	f	6	29.60	751.9	54	...	...	0	r
Nemuro,	11	29.92	760.0	...	...	SW	6	...	5	29.80	757.0	...	...	SW	1	...
Hokodate,	,,	29.94	760.5	...	...	SE	1	...	,,	29.80	757.0	...	...	...	...	...
Tokio,	,,	30.00	762.0	...	...	SE	1	...	,,	29.92	760.0	...	...	SSW	1	...
Kochi,	,,	29.92	760.0	...	...	SE	1	...	,,	29.76	756.0	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	E	1	...	,,	29.67	753.5	...	...	NNE	1	...
Kagoshima,	,,	29.78	756.5	...	...	E	1	...	,,	29.69	754.0	...	...	...	...	...
Oshima,	,,	29.74	755.5	...	...	...	0	...	,,	29.71	754.5	...	...	...	0	...
Naha,	,,	29.80	757.0	...	...	SW	4	...	,,	29.76	756.0	...	...	SSW	5	...
Ishigakijima,	,,	29.80	757.0	...	...	WSW	2	...	,,	29.78	756.5	...	..	WSW	2	...
Bonin Island,	,,	29.94	760.5	...	...	ENE	1	...	,,	29.90	759.5	...	...	ESE	1	...
Chefoo,	15	29.64	752.8	82	63	SW	2	o	6	29.64	752.8	68	91	WSW	1	o
Shanghai,	14	29.63	752.7	82	77	SE	1	o	,,	29.66	753.3	75	100	NW	1	of
Gutzlaff,	,,	29.70	754.4	73	100	SSE	2	o	,,	29.70	754.4	74	100	N	1	of
Sharp Peak,	,,	29.66	753.3	86	84	S	2	o	7	29.75	755.6	82	71	SW	1	h
Amoy,	,,	29.67	753.6	90	77	S	4	b	6	29.73	755.1	82	92	SSW	4	h
Swatow,	,,	29.78	756.3	94	60	S	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.78	756.3	90	...	W	2	b	5	29.75	755.7	75	98	...	0	o
Taichu,	,,	29.85	758.1	90	...	SSW	2	b	,,	29.82	757.5	75	...	...	0	b
Tainan,	,,	29.84	757.8	90	...	SW	2	b	,,	29.81	757.2	77	...	...	0	o
Koshun,	,,	29.82	757.5	90	...	WNW	2	b	,,	29.79	756.6	59	...	...	0	b
Pescadores,	,,	29.84	757.8	86	...	SE	4	b	,,	29.80	756.9	79	...	SSW	2	o
Hong Kong,	14	29.77	756.1	88	70	S	2	c	6	29.76	755.9	82	81	E	1	cp
Gap Rock,	,,	29.78	756.4	...	...	S	4	c	,,	29.75	755.6	...	...	SSE	4	c
Macao,	,,	29.75	755.7	93	79	S	2	o	,,	29.75	755.7	81	84	SSW	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.79	756.6	85	73	...	0	b	,,	29.79	756.6	80	91	S	2	b
Phulien,	15	29.67	753.6	90	82	SSE	6	o	7	29.72	754.8	81	94	S	4	b
Tourane,	,,	29.67	753.6	86	...	SE	4	o	,,	29.72	754.8	79	...	...	0	o
Cape St. James,	,,	29.78	756.3	79	...	SW	6	o	,,	29.81	757.2	77	...	WSW	6	o
Basco,	14	29.78	756.3	90	72	SSE	4	o	6	29.79	756.6	77	92	S	1	b
Aparri,	,,	29.74	755.4	90	63	ENE	4	b	,,	29.81	757.2	79	91	...	0	b
Tuguegarao,	,,	29.74	755.4	97	47	S	2	o	,,	29.82	757.5	75	91	...	0	o
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	93	53	SE	4	o	,,	29.81	757.2	79	91	E	1	o
Legaspi,	,,	29.78	756.3	90	69	NE	2	o	,,	29.81	757.2	77	91	...	0	o
Calbayog,	,,	...	...	...		...	...	...	,,	29.82	757.5	75	98	N	1	o
Tacloban,	,,	29.80	756.9	86	78	E	1	o	,,	29.85	758.1	79	91	SW	2	o
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	79	96	SE	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.79	756.6	86	75	...	0	o	,,	29.82	757.5	77	92	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.88	758.9	78	...	NE	1	c
Guam,	12.22	29.82	757.5	...	...	SE	2	b	4.22	29.85	758.1	...	...	NE	2	b
Yap,	11.00	29.84	757.8	...	...	E	2	o	5	29.88	759.0	...	...	ENE	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	79	...	W	2	ho
Ponape,	...	..	...	...	...	...	...	...	,,	29.84	757.9	77	...	E	3	r
Labuan,	14	29.78	756.4	88	84	SW	2	b	6	29.84	757.9	77	91	E	2	b

June 15*d.* 10*h.* 51*m.*— An anticyclone is situated in the Pacific to the east of Japan, and pressure is relatively low over China and S. Manchuria.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·15 inch. Total since January 1st, 10·68 inches, against an average of 30·96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; fair generally, local showers.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th June, 1929.								16th June, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.54	750.2	71	...	...	0	0	6	29.55	750.5	60	...	...	0	0
Nemuro,	11	29.78	756.5	...	...	SSW	4	...	5	29.71	754.5	...	...	S	3	...
Hokodate,	,,	29.72	755.0	...	...	SE	1	...	,,	29.53	750.0	...	...	SSE	1	...
Tokio,	,,	29.84	758.0	...	...	SE	2	...	,,	29.61	752.0	...	...	NNW	1	...
Kochi,	,,	29.70	754.5	...	...	...	0	...	,,	29.65	753.0	...	...	...	...	...
Nagasaki,	,,	29.63	752.5	...	...	SE	4	...	,,	29.65	753.0	...	...	W	1	...
Kagoshima,	,,	29.65	753.0	...	...	...	0	...	,,	29.63	752.5	...	...	WNW	1	...
Oshima,	,,	29.69	754.0	...	...	SSW	1	...	,,	29.69	754.0	...	...	S	1	...
Naha,	,,	29.78	756.5	...	...	SSW	4	...	,,	29.76	756.0	...	...	SW	3	...
Ishigakijima,	,,	29.78	756.5	...	...	SW	2	...	,,	29.75	755.5	...	...	SW	2	...
Bonin Island,	,,	29.86	758.5	...	...	SSE	3	...	,,	29.80	757.0	...	...	SW	1	...
Chefoo,	15	29.65	753.1	76	73	ENE	1	b	6	29.74	755.4	63	57	ESE	1	b
Shanghai,	14	29.65	753.0	81	92	NW	1	r	,,	29.68	753.9	68	100	ENE	1	r
Gutzlaff,	,,	29.70	754.4	78	95	SSW	1	o	,,	29.75	755.6	69	100	E	1	r
Sharp Peak,	,,	29.55	750.5	88	84	S	4	b	7	29.71	754.6	81	87	S	1	o
Amoy,	,,	29.68	753.9	90	70	S	4	b	6	29.72	754.9	81	92	S	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.74	755.4	93	57	WSW	4	b	5	29.74	755.4	75	94	S	2	b
Taichu,	,,	29.81	757.2	75	...	SW	2	o	,,	29.80	756.9	77	...	...	0	b
Tainan,	,,	29.81	757.2	90	...	W	2	b	,,	29.79	756.6	75	...	...	0	b
Koshun,	,,	29.79	756.6	90	...	NW	4	b	,,	29.78	756.3	79	...	...	0	o
Pescadores,	,,	29.80	756.9	86	...	SW	4	b	,,	29.76	756.0	79	...	S	2	b
Hong Kong,	14	29.73	755.1	87	67	S	2	o	6	29.73	755.1	81	87	E	1	cp
Gap Rock,	,,	29.74	755.4	...	...	SSE	4	c	,,	29.72	754.8	...	...	SSE	4	c
Macao,	,,	29.71	754.5	93	64	S	4	o	,,	29.69	754.2	81	87	SSE	4	o
Hoihow,	,,	29.66	753.3	85	85	ESE	1	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.77	756.1	88	69	S	2	b	,,	29.76	755.9	80	91	SSE	1	b
Phulien,	15	29.65	753.0	86	75	SSE	4	b	7	29.68	753.9	81	...	SE	4	o
Tourane,	,,	29.67	753.6	86	...	N	4	o	,,	29.69	754.0	79	...	NW	2	bo
Cape St. James,	,,	29.75	755.7	86	...	W	6	o	,,	29.78	756.5	73	...	W	6	o
Basco,	14	29.75	755.7	86	71	SW	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.73	755.1	90	63	NNE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.72	754.8	97	47	S	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.75	755.7	90	69	W	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	84	77	S	4	o	,,	29.79	756.6	79	90	SE	1	b
Legaspi,	,,	29.78	756.3	84	74	...	0	o	,,	29.80	756.9	77	94	...	0	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.79	756.6	82	77	NE	4	o	,,	29.85	758.1	75	94	W	1	o
Iloilo,	,,	29.78	756.3	82	81	SW	2	o	,,	29.81	757.2	75	96	...	0	o
Cebu,	,,	29.78	756.3	81	76	N	1	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.5	...	...	E	4	o	5	29.89	759.3	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.88	758.9	88	84	SW	2	b	6	29.82	757.4	80	87	SW	2	b

June 16*d.* 10*h.* 40*m.*—Pressure appears to be highest in the Pacific to the south-east of the Bonins; it remains relatively low over China. A depression is situated in the Sea of Japan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·56 inch. Total since January 1st, 11·24 inches, against an average of 31·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; fair to showery.

C. W. JEFFRIES. *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	17th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.48	748.8	71	...	SSE	2	c	6	29.53	750.1	56	...	...	0	r
Nemuro,	11	29.63	752.5	...	...	SSE	3	...	5	29.39	746.5	...	...	NE	3	...
Hokodate,	,,	29.49	749.0	...	...	SSW	1	...	,,	29.49	749.0	...	...	SE	1	...
Tokio,	,,	29.51	749.5	...	...	E	1	...	,,	29.67	753.5	...	...	...	...	...
Kochi,	,,	29.61	752.0	...	...	S	1	...	,,	29.73	755.0	...	...	...	...	...
Nagasaki,	,,	29.69	754.0	...	...	SW	2	...	,,	29.71	754.5	...	...	ESE	1	...
Kagoshima,	,,	29.65	753.0	...	...	WNW	1	...	,,	29.71	754.5	...	...	...	0	...
Oshima,	,,	29.74	755.5	...	...	WSW	1	...	,,	29.69	754.0	...	...	W	1	...
Naha,	,,	29.80	757.0	...	...	SSW	4	...	,,	29.78	756.5	...	...	SSW	2	...
Ishigakijima,	,,	29.80	757.0	...	...	WSW	3	...	,,	29.76	756.0	...	..	SW	..	...
Bonin Island,	,,	29.80	757.0	...	...	SSW	2	...	,,	29.82	757.5	...	...	SW	1	...
Chefoo,	15	29.72	754.9	78	75	E	1	o	6	29.64	752.8	76	49	SW	4	o
Shanghai,	14	29.73	755.1	73	91	ENE	2	r	,,	29.61	752.1	72	98	SE	4	o
Sutzlaff,	,,	29.77	756.1	71	100	ENE	2	o	,,	29.67	753.6	71	100	SE	4	of
Sharp Peak,	,,	29.66	753.3	86	80	SW	1	bf	7	29.69	754.1	82	87	SW	1	b
Amoy,	,,	29.72	754.9	90	77	S	4	b	6	29.74	755.4	81	83	SSW	4	b
Swatow,	,,	29.72	754.9	86	88	S	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.76	756.0	90	76	W	2	b	5	29.73	755.1	75	91	...	0	b
Taichu,	,,	29.82	757.5	90	...	SSW	2	b	,,	29.79	756.6	75	...	...	0	b
Tainan,	,,	29.89	759.3	90	...	SSW	4	b	,,	29.79	756.6	77	...	SE	2	b
Koshun,	,,	29.81	757.2	86	...	SW	2	o	,,	29.78	756.3	75	...	...	0	b
Pescadores,	,,	29.81	757.2	90	...	SSW	4	b	,,	29.76	756.0	81	...	SSW	2	b
Hong Kong,	14	29.73	755.1	89	66	SSE	2	c	6	29.71	754.5	82	85	SE	2	cp
Gap Rock,	,,	29.73	755.1	...	...	SSE	4	c	,,	29.70	754.4	...	...	ESE	4	c
Macao,	,,	29.64	754.2	93	59	SSE	2	b	,,	29.66	753.3	81	89	SSE	4	o
Hoihow,	,,	29.61	752.1	85	70	NE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.9	88	71	S	2	b	,,	29.74	755.4	81	87	SSE	3	b
Haulien,	15	29.61	752.1	86	81	SE	4	b	7	29.66	753.3	81	92	SE	4	b
Tourane,	,,	29.62	752.4	86	...	NE	4	b	,,	29.65	753.0	81	...	...	0	b
Cape St. James,	,,	29.72	754.8	86	...	SW	4	o	,,	29.73	755.1	77	...	WSW	6	o
Basco,	14	29.74	755.4	90	69	SSE	4	o	6	29.76	756.0	82	84	SSE	4	o
Aparri,	,,	29.72	754.8	90	66	ENE	4	b	,,	29.78	756.3	79	91	S	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	79	89	...	0	o
Vigan,	,,	29.72	754.8	86	71	W	2	o	,,	29.78	756.3	79	92	W	1	o
Manila,	,,	29.73	755.1	86	71	SW	4	o	,,	29.79	756.6	79	95	E	1	o
Legaspi,	,,	29.75	755.7	90	66	NE	4	o	,,	29.79	756.6	77	94	...	0	b
Daboyog,	,,	29.76	756.0	86	68	SSE	2	o	,,	29.79	756.6	77	96	NNE	2	o
Puerto Princesa,	,,	29.76	756.0	86	78	SE	2	b	,,	29.80	756.9	77	94	NW	1	o
Iloilo,	,,	29.75	755.7	90	69	SW	4	o	,,	29.79	756.6	79	91	S	1	o
Cebu,	,,	29.74	755.4	86	68	S	4	o	,,	29.78	756.3	79	80	W	1	o
Surigao,	,,	29.73	755.1	86	68	WSW	2	o	,,	29.80	756.9	77	94	...	0	r
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.84	757.8	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.8	...	...	E	2	o	5	29.87	758.7	...	...	NE	1	o
Palau,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Jaluit,	14	29.78	756.4	88	84	SW	2	b	6	29.82	757.4	78	91	SW	2	b

June 17*d.* 10*h.* 40*m.*— Pressure is highest in the Pacific to the east of Guam; depressions are situated over Hokkaido, the Yangtze Valley, and Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 11·28 inches, against an average of 31·99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, moderate; fair to showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th June, 1929.								18th June, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.51	749.5	62	...	SE	1	0	6	29.48	748.7	51	...	W	2	r
Nemuro,	11	29.27	743.5	...	...	NW	2	...	5	29.41	747.0	...	...	SW	1	...
Hokodate,	,,	29.45	748.0	...	...	SSE	1	...	,,	29.49	749.0	...	...	...	0	...
Tokio,	,,	29.65	753.0	...	...	S	3	...	,,	29.51	749.5	...	...	...	...	...
Kochi,	,,	29.70	754.5	...	...	ESE	1	...	,,	29.39	746.5	...	...	...	0	...
Nagasaki,	,,	29.67	753.5	...	...	SW	1	...	,,	29.35	745.5	...	...	WNW	7	...
Kagoshima,	,,	29.69	754.0	...	...	SSE	1	...	,,	29.41	747.0	...	...	SW	2	...
Oshima,	,,	29.74	755.5	...	...	SSW	1	...	,,	29.65	753.0	...	...	SSW	1	...
Naha,	,,	29.82	757.5	...	...	SSW	3	...	,,	29.75	755.5	...	...	SSW	5	...
Ishigakijima,	,,	29.80	756.9	...	...	SW	2	...	,,	29.76	756.0	...	...	WSW	2	...
Bonin Island,	,,	29.86	758.5	...	...	WSW	1	...	,,	29.86	758.5	...	...	...	0	...
Chefoo,	15	29.46	748.2	83	49	NW	2	0	6	29.60	751.8	68	79	WNW	1	b
Shanghai,	14	29.54	750.3	84	77	SW	1	0	,,	29.69	754.2	64	98	W	1	0
Gutzlaff,	,,	29.61	752.1	80	87	WNW	1	0	,,	29.74	755.4	68	95	NW	2	0
Sharp Peak,	,,	29.55	750.5	88	84	S	2	0	7	29.72	754.9	86	80	S	2	b
Amoy,	,,	29.72	754.9	90	73	S	4	b	6	29.76	755.9	82	83	SSW	4	h
Swatow,	,,	29.77	756.1	87	81	S	2	b	,,	29.77	756.1	81	62	S	2	b
Taihoku,	11	29.78	756.3	90	57	W	4	0	5	29.74	755.4	79	85	...	0	b
Taichu,	,,	29.84	757.8	90	...	S	2	0	,,	29.84	757.8	77	...	...	0	b
Tainan,	,,	29.81	757.2	90	...	SW	2	b	,,	29.81	757.2	77	...	ESE	2	b
Koshun,	,,	29.80	756.9	90	...	...	0	b	,,	29.78	756.3	81	...	WNW	2	b
Pescadores,	,,	29.82	757.5	90	...	SSW	7	b	,,	...	...	...	...	...	..	...
Hong Kong,	14	29.74	755.4	84	76	SE	4	c	6	29.75	755.6	82	83	SE	1	0
Gap Rock,	,,	29.73	755.1	...	...	ESE	4	c	,,	29.75	755.6	-	...	SE	4	c
Macao,	,,	29.66	753.3	81	97	SSE	2	0	,,	29.71	754.5	81	92	SSE	4	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.9	90	68	S	2	b	,,	29.76	755.9	81	90	S	2	b
Phulien,	15	29.61	752.1	90	69	SSE	4	b	7	29.67	753.6	79	91	ENE	2	b
Tourane,	,,	29.71	752.1	86	...	ENE	2	b	,,	29.65	753.0	82	...	SSW	2	0
Cape St. James,	,,	29.69	754.2	79	...	SW	7	0	,,	29.76	756.0	75	...	WSW	6	0
Basco,	14	29.75	755.7	90	66	SSE	4	0	6	29.79	756.6	82	89	SW	1	b
Aparri,	,,	29.73	755.1	90	63	NE	4	b	,,	29.79	756.6	77	91	S	2	b
Tuguegarao,	,,	29.72	754.8	97	47	SE	1	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.4	86	71	W	2	0	,,	29.78	756.3	77	79	ESE	2	b
Manila,	,,	29.73	755.1	93	59	SE	4	0	,,	29.84	757.8	77	89	E	1	0
Legaspi,	,,	29.74	755.4	86	75	ENE	2	0	,,	29.82	757.5	81	84	NE	1	b
Calboyog,	,,	29.78	756.3	86	71	S	2	0	,,	29.84	757.8	75	96	N	2	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	77	94	NW	2	0
Iloilo,	,,	29.74	755.4	86	68	SW	4	0	,,	29.82	757.5	75	96	NE	2	0
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	86	65	...	0	0	,,	29.82	757.5	75	96	...	0	0
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.82	757.5	...	...	NE	4	b	4.22	29.87	758.7	...	...	E	1	b
Yap,	11.00	29.84	757.8	...	...	E	2	0	5	29.88	759.0	...	...	NE	1	0
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	88	84	SW	2	b	6	29.84	757.9	78	91	SW	2	b

June 18*d.* 11*h.* 25*m.*— Pressure is highest to the south-east of the Carolines. Depressions are situated over Kiusiu and Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 11·31 inches, against an average of 32·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.E. winds, moderate; fair to showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	19th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.49	749.0	60	...	NNW	4	o	6	29.68	753.8	57	...	N	2	o
Nemuro,	11	29.43	747.5	...	...	SSE	1	...	5	29.37	746.0	...	...	N	4	...
Hokodate,	,,	29.45	748.0	...	...	SE	1	...	,,	29.37	746.0	...	...	ESE	1	...
Tokio,	,,	29.43	747.5	...	...	...	o	...	,,	29.41	747.0	...	...	...	...	...
Kochi,	,,	29.41	747.0	...	...	NW	1	...	,,	29.63	752.5	...	...	W	1	...
Nagasaki,	,,	29.51	749.5	...	...	WNW	2	...	,,	29.71	754.5	...	...	WNW	1	...
Kagoshima,	,,	29.49	749.0	...	...	NW	2	...	,,	29.71	754.5	...	...	...	o	...
Oshima,	,,	29.65	753.0	...	...	SW	1	...	,,	29.75	755.5	...	...	NNE	1	...
Naha,	,,	29.76	756.0	...	...	NW	6	...	,,	29.78	756.5	...	...	SSW	2	...
Ishigakijima,	,,	29.78	756.5	...	...	ENE	1	...	,,	29.78	756.5	...	...	SSW	1	...
Bonin Island,	,,	29.86	758.5	...	...	SW	1	...	,,	29.76	756.0	...	...	SW	1	...
Chefoo,	15	29.67	753.6	77	53	NNW	2	b	6	29.72	754.9	66	75	...	o	b
Shanghai,	14	29.74	755.4	81	76	WSW	1	o	,,	29.75	755.7	68	98	...	o	o
Gutzlaff,	,,	29.78	756.3	74	86	SW	2	o	,,	29.80	756.9	70	100	SW	1	o
Sharp Peak,	,,	29.58	751.3	88	76	S	2	b	7	29.63	752.6	81	91	...	o	o
Amoy,	,,	29.75	755.6	88	76	S	4	b	6	29.76	755.9	82	87	SW	4	b
Swatow,	,,	29.77	756.1	87	81	S	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.78	756.3	90	63	W	4	b	5	29.78	756.3	77	96	...	o	o
Taichu,	,,	29.86	758.4	90	...	S	2	b	,,	29.85	758.1	77	...	...	o	o
Tainan,	,,	29.85	758.1	90	...	SW	4	b	,,	29.84	757.8	77	...	...	o	b
Koshun,	,,	29.82	757.5	90	...	W	2	b	,,	29.80	756.9	81	...	WNW	2	b
Pescadores,	,,	29.85	758.2	90	...	SSW	4	b	,,	29.81	757.2	81	...	SSW	4	b
Hong Kong,	14	29.76	755.9	86	68	S	3	o	6	29.78	756.4	83	82	S	1	o
Gap Rock,	,,	29.76	755.9	...	...	SSW	4	c	,,	29.77	756.1	...	...	S	4	c
Macao,	,,	29.73	755.1	90	72	S	2	o	,,	29.74	755.4	81	92	SSE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.2	89	72	S	1	b	,,	29.82	757.4	80	91	S	2	bo
Phulien,	15	29.65	753.0	90	66	E	1	o	7	29.72	754.8	79	89	S	4	r
Tourane,	,,	29.66	753.3	86	...	NE	2	o	,,	29.71	754.5	79	...	SW	2	b
Cape St. James,	,,	29.73	755.1	84	...	SW	4	o	,,	29.80	756.9	73	...	WSW	6	r
Basco,	14	29.79	756.6	90	60	WSW	4	o	6	29.84	757.8	79	90	...	o	o
Aparri,	,,	29.76	756.0	90	63	NNE	4	b	,,	29.84	757.8	79	91	S	2	o
Tuguegarao,	,,	29.74	755.4	97	47	SE	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	86	68	WSW	2	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	93	57	SE	4	o	,,	29.85	758.1	77	96	E	1	b
Legaspi,	,,	29.73	756.3	90	63	NE	4	o	,,	29.85	758.1	84	86	...	o	b
Calboyog,	,,	29.81	757.2	79	90	NNW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.80	756.9	81	87	S	2	o	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	86	75	SW	4	o	,,	29.84	757.8	79	96	NE	2	o
Cebu,	,,	29.78	756.3	90	66	SE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,		...	...	...	...	...	...	,,	29.84	757.8	77	96	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.82	757.5	...	...	N	2	o	4.22	...	...	...	...	E	1	b
Yap,	11.00	29.84	757.8	...	...	ENE	4	o	5	29.88	759.0	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	84	SW	2	b	6	29.83	757.7	78	94	SW	2	b

June 19*d.* 10*h.* 35*m.*— A depression is situated over Hokkaido; pressure is relatively high over the Philippines and in the Pacific to the south-eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·05 inch. Total since January 1st, 11·36 inches, against an average of 33·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; fair to showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th June, 1929.								20th June, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.67	753.6	67	...	NNE	4	b	6	29.66	753.4	54	...	SE	4	f
Nemuro,	11	29.37	746.0	...	...	NNW	2	...	5	29.59	751.5	...	...	WSW	1	...
Hokodate,	,,	29.39	746.5	...	...	ESE	1	...	,,	29.69	754.0	...	...	WNW	1	...
Tokio,	,,	29.43	747.5	...	...	N	1	...	,,	29.75	755.5	...	...	NNW	1	...
Kochi,	,,	29.65	753.0	...	...	SW	1	...	,,	29.76	756.0	...	...	...	0	...
Nagasaki,	,,	29.72	755.0	...	...	...	0	...	,,	29.73	755.0	...	...	E	1	...
Kagoshima,	,,	29.70	754.5	...	...	W	1	...	,,	29.75	755.5	...	...	...	0	...
Oshima,	,,	29.76	756.0	...	...	N	1	...	,,	29.69	754.0	...	...	S	1	...
Naha,	,,	29.80	757.0	...	...	SSW	3	...	,,	29.75	755.5	...	...	SSW	4	...
Ishigakijima,	,,	29.78	756.5	...	...	WSW	2	...	,,	29.76	756.0	...	...	SW	2	...
Bonin Island,	,,	29.78	756.5	...	...	W	2	...	,,	29.86	758.5	...	...	SSE	1	...
Chefoo,	15	29.63	752.6	82	49	E	2	b	6	29.58	751.3	74	71	S	1	b
Shanghai,	14	29.72	754.8	79	76	ESE	1	o	,,	29.67	753.6	70	96	ENE	1	o
Gutzlaff,	,,	29.77	756.1	71	76	SE	4	o	,,	29.71	754.6	69	100	SE	4	r
Sharp Peak,	,,	29.66	753.3	88	80	S	2	b	7	29.68	753.9	83	87	S	1	o
Amoy,	,,	29.76	755.9	90	93	S	4	o	6	29.74	755.4	83	79	SSW	4	b
Swatow,	,,	29.79	756.6	89	85	SSW	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.78	756.3	90	63	W	2	b	5	29.72	754.8	77	94	...	0	b
Taichu,	,,	29.84	757.8	90	...	SSW	4	b	,,	29.82	757.5	75	...	...	0	b
Tainan,	,,	29.84	757.8	90	...	SW	4	b	,,	29.81	757.2	77	...	...	0	b
Koshun,	,,	29.84	757.8	90	...	W	2	b	,,	29.79	756.6	81	...	WNW	2	c
Pescadores,	,,	29.84	757.8	90	...	SSW	4	b	,,	29.79	756.6	81	...	SSW	4	b
Hong Kong,	14	29.79	756.6	87	70	S	3	c	6	29.79	756.6	82	80	S	2	c
Gap Rock,	,,	29.80	756.9	...	...	S	4	c	,,	29.79	756.6	...	...	SW	4	c
Macao,	,,	29.76	756.0	90	76	SSW	2	o	,,	29.75	755.7	79	89	SSW	4	o
Hoihow,	,,	29.69	754.2	95	57	SE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.4	85	73	S	2	b	,,	29.81	757.2	81	90	SW	2	b
Phulien,	15	29.69	754.2	90	72	SSE	4	o	7	29.74	755.4	79	92	S	4	o
Tourane,	,,	29.68	753.9	90	...	SE	6	o	,,	29.74	755.4	81	...	NW	2	b
Cape St. James,	,,	29.78	756.3	81	...	W	2	b	,,	29.81	757.2	77	...	SW	4	o
Basco,	14	29.79	756.6	90	72	SE	2	o	6	29.80	756.9	77	91	...	0	o
Aparri,	,,	29.78	756.3	93	57	ENE	4	b	,,	29.82	757.5	79	89	SW	2	o
Tuguegarao,	,,	29.76	756.0	97	47	S	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.79	756.6	90	69	W	2	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	90	66	WNW	2	o	,,	29.86	758.4	79	90	...	0	o
Legaspi,	,,	29.80	756.9	93	61	NE	2	b	,,	29.85	758.1	79	91	...	0	b
Calboyog,	,,	29.81	757.2	84	64	N	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	86	78	S	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	86	78	SE	4	o	,,	29.84	757.8	79	95	...	0	o
Cebu,	,,	29.78	756.3	86	56	NE	2	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.79	756.6	84	74	NE	2	b	,,	29.85	758.1	75	94	...	0	b
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.84	757.8	...	...	SE	4	b	4.22	29.88	759.0	...	...	E	0	b
Yap,	11.00	29.85	758.1	...	...	ENE	4	o	5	29.88	759.0	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	90	77	SW	4	b	6	29.83	757.7	77	91	SW	2	b

June 20*d.* 11*h.* 05*m.*—Pressure continues to be highest in the vicinity of the Carolines; it is relatively low over N. China and to the north-east of Japan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·18 inch. Total since January 1st, 11·54 inches, against an average of 33·57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, moderate; fair to showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.59	751.7	55	...	SE	3	f	6	29.64	752.8	58	...	NNW	2	o
Nemuro,	11	29.65	753.0	...	...	NNE	2	...	5	29.67	753.5	...	...	SSE	2	...
Hokodate,	,,	29.72	755.0	...	...	WSW	1	...	,,	29.69	754.0	...	...	...	0	...
Tokio,	,,	29.78	756.5	...	...	SSE	2	...	,,	29.69	754.0	...	...	N	1	...
Kochi,	,,	29.74	755.5	...	...	SSW	1	...	,,	29.61	752.0	...	...	...	0	...
Nagasaki,	,,	29.69	754.0	...	...	S	1	...	,,	29.59	751.5	...	...	E	1	...
Kagoshima,	,,	29.67	753.5	...	...	S	1	...	,,	29.55	750.5	...	...	NE	1	...
Oshima,	,,	29.65	753.0	...	...	SSW	1	...	,,	29.57	751.0	...	...	S	1	...
Naha,	,,	29.76	756.0	...	...	S	5	...	,,	29.65	753.0	...	...	SSW	5	...
Ishigakijima,	,,	29.78	756.5	...	...	SW	4	...	,,	29.63	752.5	..	..	WSW	2	...
Bonin Island,	,,	29.84	758.0	...	...	...	0	...	,,	29.82	757.5	...	...	SW	1	...
Chefoo,	15	29.54	750.3	82	63	SW	2	o	6	29.60	751.8	67	84	NW	1	o
Shanghai,	14	29.65	753.0	73	82	E	1	o	,,	29.65	753.0	64	98	NNW	1	b
Gutzlaff,	,,	29.66	753.3	67	95	E	4	r	,,	29.70	754.4	67	95	NNE	2	o
Sharp Peak,	,,	29.62	752.3	86	80	S	4	of	7	29.61	752.1	82	87	SW	1	b
Amoy,	,,	29.68	753.9	90	73	S	6	b	6	29.66	753.3	82	83	SSW	4	b
Swatow,	,,	29.77	756.1	89	85	S	2	o	,,	29.72	754.9	82	92	SW	2	c
Taihoku,	11	29.75	755.7	90	60	SW	2	o	5	29.63	752.7	75	88	...	0	o
Taichu,	,,	29.85	758.1	90	...	SW	4	b	,,	29.76	756.0	77	...	S	2	b
Tainan,	,,	29.85	758.1	90	...	WSW	2	o	,,	29.75	756.0	77	...	SE	2	b
Koshun,	,,	29.84	757.8	86	...	NW	2	o	,,	29.75	755.7	79	...	WNW	2	o
Pescadores,	,,	29.84	757.8	90	...	SSW	4	b	,,	29.73	755.1	81	...	SSW	4	b
Hong Kong,	14	29.76	755.9	85	74	S	2	o	6	29.73	755.1	82	86	SSW	3	o
Gap Rock,	,,	29.77	756.1	...	...	SW	4	c	,,	29.74	755.4	...	...	SW	4	o
Macao,	,,	29.74	755.4	90	69	SW	4	o	,,	29.72	754.8	81	87	SSW	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.79	756.6	83	64	SW	2	b	,,	29.77	756.1	81	90	SW	2	c
Phulien,	15	29.69	754.2	84	85	S	4	o	7	29.69	754.2	81	92	S	1	o
Tourane,	,,	29.71	754.5	90	...	ESE	2	b	,,	29.73	755.1	81	...	N	2	b
Cape St. James,	,,	29.79	756.6	81	...	WSW	4	o	,,	29.82	757.5	77	...	SW	4	o
Basco,	14	29.76	756.0	90	72	WSW	4	o	6	29.76	756.0	79	84	SW	2	o
Aparri,	,,	29.78	756.3	90	63	NNW	4	b	,,	29.80	756.9	79	91	SW	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	79	90	S	1	o
Vigan,	,,	29.79	756.6	86	68	W	2	o	,,	29.80	756.9	...	...	W	1	o
Manila,	,,	29.75	756.3	90	63	SW	4	b	,,	29.82	757.5	77	89	NE	1	b
Legaspi,	,,	29.76	756.0	93	59	ENE	2	b	,,	29.82	757.5	79	92	...	0	b
Calboyog,	,,	29.78	756.3	86	68	SSE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.79	756.6	86	61	S	4	o	,,	29.85	758.1	77	79	SW	1	o
Iloilo,	,,	29.79	756.6	86	75	SW	4	o	,,	29.84	757.8	79	96	...	0	o
Cebu,	,,	29.78	756.3	90	57	S	4	b	,,	...	...	...	...	...	...	...
Surigao,	,,	29.78	756.3	90	63	...	0	b	,,	29.84	757.8	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.85	758.1	...	...	E	4	b	4.22	29.86	758.4	...	...	NE	1	b
Yap,	11.00	29.84	757.8	...	...	E	4	o	5	29.87	758.7	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	88	84	SW	2	b	6	29.84	757.9	76	91	...	0	r

June 21*d*. 11*h*. 00*m*.—A depression is situated over the Eastern Sea. Pressure continues to be highest in the Pacific to the south-east of the Carolines.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·16 inch. Total since January 1st, 11·70 inches, against an average of 34·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate; cloudy, showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st June, 1929.								22nd June, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.71	754.6	68	...	...	0	b	6	29.79	756.7	55	...	E	1	0
Nemuro,	11	29.65	753.0	...	...	S	2	...	5	29.65	753.0	...	...	...	...	...
Hokodate,	,,	29.63	752.5	...	...	SE	1	...	,,	29.59	751.5	...	...	...	0	...
Tokio,	,,	29.61	752.0	...	...	NNE	1	...	,,	29.63	752.5	...	...	...	...	...
Kochi,	,,	29.61	752.0	...	...	...	0	...	,,	29.71	754.5	...	...	...	...	...
Nagasaki,	,,	29.59	751.5	...	...	NNE	1	...	,,	29.71	754.5	...	...	...	...	...
Kagoshima,	,,	29.55	750.5	...	...	N	1	...	,,	29.71	754.5	...	...	NW	1	...
Oshima,	,,	29.55	750.5	...	...	SSW	1	...	,,	29.67	753.5	...	...	...	0	...
Naha,	,,	29.65	753.0	...	...	SSW	5	...	,,	29.69	754.0	...	...	...	0	...
Ishigakijima,	,,	29.65	753.0	...	...	WSW	4	...	,,	29.71	754.5	...	...	...	...	...
Bonin Island,	,,	29.78	756.5	...	...	SW	1	...	,,	29.80	757.0	...	...	SW	1	...
Chefoo,	15	29.60	751.8	72	85	NE	2	of	6	29.65	753.1	65	84	...	0	b
Shanghai,	14	29.67	753.6	84	55	SW	1	b	,,	29.67	753.6	72	94	SE	1	0
Gutzlaff,	,,	29.73	755.1	74	76	NE	1	b	,,	29.72	754.9	70	95	SE	4	0
Sharp Peak,	,,	29.64	752.8	83	79	E	1	r	7	29.66	753.3	80	82	W	1	0
Amoy,	,,	29.73	755.1	86	80	WSW	4	rf	6	29.69	754.1	78	92	SSW	4	r
Swatow,	,,	29.69	754.1	86	73	SW	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.63	752.7	93	53	WSW	4	o	5	29.58	751.2	73	94	...	0	r
Taichu,	,,	29.79	756.6	84	...	SSW	4	o	,,	29.75	755.7	73	...	...	0	o
Tainan,	,,	29.80	756.9	82	...	SSW	2	r	,,	29.75	755.7	73	...	S	2	o
Koshun,	,,	29.76	756.0	90	...	WNW	2	o	,,	29.75	755.7	75	...	...	0	o
Pescadores,	,,	29.76	756.0	86	...	SW	4	b	,,	29.75	755.7	77	...	SSE	4	o
Hong Kong,	14	29.72	754.9	84	76	SSW	4	op	6	29.67	753.6	83	81	SW	3	o
Gap Rock,	,,	29.72	754.9	...	...	SW	4	c	,,	29.67	753.6	...	...	SW	4	o
Macao,	,,	29.68	753.9	90	69	SW	4	o	,,	29.66	753.3	81	90	SW	4	o
Hoihow,	,,	29.65	753.1	92	62	NW	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.9	89	72	SW	4	bc	,,	29.75	755.6	82	88	SW	2	c
Phulien,	15	29.61	752.7	86	81	SSE	4	o	7	29.65	753.0	82	...	SSE	4	o
Tourane,	,,	29.65	753.9	90	...	ESE	2	o	,,	29.71	754.5	81	...	SW	2	o
Cape St. James,	,,	29.79	756.6	82	...	SW	4	o	,,	29.80	756.9	77	...	SW	2	o
Basco,	14	29.73	755.1	86	75	WSW	1	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.74	755.4	90	60	N	4	b	,,	29.78	756.3	81	92	...	0	o
Tuguegarao,	,,	29.72	754.8	93	53	SW	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.73	755.3	86	71	W	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	90	63	WSW	2	b	,,	29.80	756.9	79	92	E	1	b
Legaspi,	,,	29.75	755.7	97	71	ENE	1	b	,,	29.80	756.9	77	92	...	0	b
Calboyog,	,,	29.78	756.3	90	66	S	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.79	756.6	86	71	S	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	86	68	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.82	757.5	...	...	E	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.8	...	...	S	2	o	5	29.87	758.7	...	...	NE	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	90	81	...	0	b	6	29.84	757.9	77	94	SW	2	b

June 22*d.* 11*h.* 10*m.*—The depression is now situated to the south of Hokkaido. Pressure is highest in the south eastern portion of the area, and relatively low over China generally.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 11·76 inches, against an average of 34·64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, fresh; cloudy, squally, rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	23rd June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.79	756.7	62	...	WSW	2	0	6	30.00	762.0	55	...	...	0	0
Nemuro,	11	29.65	753.0	...	...	SE	1	...	5	29.94	760.5	...	...	ENE	1	...
Hakodate,	,,	29.63	752.5	...	...	S	1	...	,,	29.86	758.5	...	...	...	0	...
Tokio,	,,	29.65	753.0	...	...	SE	2	...	,,	29.84	758.0	...	...	NW	1	...
Kochi,	,,	29.70	754.5	...	...	...	0	...	,,	29.84	758.0	...	...	...	0	...
Nagasaki,	,,	29.74	755.5	...	...	SSW	1	...	,,	29.80	757.0	...	...	...	...	...
Kagoshima,	,,	29.74	755.5	...	...	ESE	1	...	,,	29.80	757.0	...	...	...	0	...
Oshima,	,,	29.72	755.0	...	...	NE	1	...	,,	29.73	755.0	...	...	SSE	1	...
Naha,	,,	29.74	755.5	...	...	NW	1	...	,,	29.69	754.0	...	...	S	2	...
Ishigakijima,	,,	29.74	755.5	...	...	S	1	...	,,	29.69	754.0	...	...	W	1	...
Tomin Island,	,,	29.78	756.5	...	...	SW	1	...	,,	29.82	757.5	...	...	SW	1	...
Chefoo,	15	29.64	752.8	78	65	E	2	b	6	29.74	755.4	69	80	...	0	b
Shanghai,	14	29.66	753.3	82	60	NNW	2	0	,,	29.68	753.9	70	100	ESE	2	b
Sintzlaff,	,,	29.70	754.4	72	92	SSE	4	0	,,	29.77	756.1	70	95	ESE	2	0
Sharp Peak,	,,	29.52	749.8	71	85	S	1	0	7	29.52	749.8	80	87	S	1	0
Amoy,	,,	29.69	754.1	80	87	SW	2	0	6	...	...	...	...	...	...	...
Swatow,	,,	29.73	755.1	76	100	NW	1	or	,,	...	...	...	...	...	...	...
Taihoku,	11	29.75	755.7	77	89	WSW	2	r	5	29.68	753.9	72	89	SE	2	0
Taichu,	,,	29.81	757.2	73	...	NE	2	r	,,	29.76	756.0	72	...	SSE	2	0
Hainan,	,,	29.76	756.0	86	...	SE	2	b	,,	29.75	755.7	73	...	SE	2	b
Koshun,	,,	29.76	756.0	86	...	WNW	2	r	,,	29.74	755.4	77	...	NW	2	0
Pescadores,	,,	29.74	755.4	84	...	SSE	4	r	,,	29.73	755.1	79	...	S	4	r
Hong Kong,	14	29.70	754.4	82	86	SW	4	or	6	29.69	754.1	81	87	SW	2	or
Gap Rock,	,,	29.71	754.6	...	...	SW	5	0	,,	29.69	754.1	...	...	SW	5	0
Macao,	,,	29.66	753.3	84	85	SW	4	0	,,	29.65	753.0	79	95	WSW	4	r
Hoilow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	82	87	WSW	3	0
Phulien,	15	29.60	751.8	86	81	SSE	4	0	7	29.62	752.2	79	...	SSW	4	cp
Fourane,	,,	29.65	753.0	90	...	ESE	4	0	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	86	...	S	2	b	,,	29.79	756.6	79	...	WSW	4	c
Basco,	14	29.73	755.1	86	71	WSW	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.72	754.8	90	66	NNE	4	0	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	753.4	90	63	SW	4	0	,,	29.79	756.6	79	91	E	1	0
Legaspi,	,,	29.73	755.1	93	59	ENE	2	b	,,	29.78	756.3	77	92	...	0	b
Daiboyog,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	75	98	N	2	b
Puerto Princesa,	,,	29.78	756.3	86	75	...	...	...	,,	29.81	757.2	79	89	N	1	0
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	91	...	0	0
Cebu,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	79	85	NW	2	0
Surigao,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	92	...	0	0
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	N	2	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	SE	1	0	5	29.81	757.2	...	...	NNW	1	0
Peew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Jaluan,	14	29.82	757.4	88	84	SW	2	b	6	29.86	758.4	78	92	...	0	b

June 23*d.* 10*h.* 50*m.*—Pressure is now highest over S. Manchuria, and relatively low over China generally.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·63 inch. Total since January 1st, 12·39 inches, against an average of 35·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, fresh; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd June, 1929.								24th June, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.03	762.8	62	...	SSE	2	b	6	30.03	762.7	51	...	SSE	2	o
Nemuro,	11	30.00	762.0	...	...	SE	1	...	5	30.12	765.0	...	...	ESE	1	...
Hokodate,	,,	30.02	762.5	...	...	SE	1	...	,,	30.04	763.0	...	...	ESE	1	...
Tokio,	,,	29.88	759.0	...	...	NE	1	...	,,	30.00	762.0	...	...	N	1	...
Kochi,	,,	29.86	758.5	...	...	SE	1	...	,,	29.88	759.0	...	...	W	1	...
Nagasaki,	,,	29.82	757.5	...	...	E	2	...	,,	29.82	757.5	...	...	ENE	1	...
Kagoshima,	,,	29.80	757.0	...	...	NE	1	...	,,	29.80	757.0	...	...	NE	1	...
Oshima,	,,	29.70	754.5	...	...	...	0	...	,,	29.75	755.5	...	...	...	0	...
Naha,	,,	29.74	755.5	...	...	SW	3	...	,,	29.75	755.5	...	...	E	1	...
Ishigakijima,	,,	29.72	755.0	...	...	SW	1	...	,,	29.71	754.5	...	...	W	2	...
Bonin Island,	,,	29.86	758.5	...	...	W	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.72	754.9	80	66	ESE	1	b	6	29.77	756.1	74	63	S	2	b
Shanghai,	14	29.72	754.8	81	97	ESE	2	o	,,	29.76	756.0	68	98	NE	2	r
Gutzlaff,	,,	29.81	757.2	73	81	SE	4	o	,,	29.74	755.4	68	100	SSE	4	o
Sharp Peak,	,,	29.67	753.6	80	87	S	1	r	7	29.67	753.6	74	86	W	1	o
Amoy,	,,	29.67	753.6	80	78	SW	4	o	6	29.68	753.9	75	95	N	4	r
Swatow,	,,	29.79	756.6	77	91	E	2	o	,,	29.71	754.6	74	100	NNE	1	o
Taihoku,	11	29.73	755.1	90	63	...	0	r	5	29.69	754.2	72	98	...	0	r
Taichu,	,,	29.81	757.2	77	...	S	2	o	,,	29.81	757.2	72	...	...	0	r
Tainan,	,,	29.79	756.6	90	...	S	2	o	,,	29.79	756.6	...	...	...	...	...
Koshun,	,,	29.79	756.6	90	...	WNW	2	o	,,	29.73	755.1	81	...	...	0	o
Pescadores,	,,	29.79	756.6	75	...	WSW	4	r	,,	29.72	754.8	75	...	...	...	...
Hong Kong,	14	29.66	753.3	85	77	SSW	5	oq	6	29.68	753.9	78	87	E	2	op
Gap Rock,	,,	29.66	753.3	...	...	SW	5	o	,,	29.68	753.9	...	...	NW	5	or
Macao,	,,	29.63	752.7	86	81	SW	4	o	,,	29.63	752.7	75	98	ESE	1	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.72	754.9	90	73	SSW	3	bo	,,	29.72	754.9	82	87	SW	2	o
Phulien,	15	29.59	751.5	82	89	SSE	4	r	7	29.59	751.6	81	90	S	4	o
Tourane,	,,	29.66	753.3	90	...	ESE	4	o	,,	29.66	753.3	82	...	SSW	2	b
Cape St. James,	,,	29.76	756.0	86	...	S	2	o	,,	29.76	756.0	79	...	SW	4	o
Basco,	14	29.74	755.4	86	71	SW	2	o	6	29.75	755.7	79	91	...	0	o
Aparri,	,,	29.74	755.4	90	60	NNE	4	o	,,	29.76	756.0	79	91	S	2	o
Tuguegarao,	,,	29.72	754.8	93	50	SSW	4	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.4	90	66	W	4	o	,,	29.74	755.4	75	79	ESE	1	b
Manila,	,,	29.75	755.7	90	60	W	4	o	,,	29.76	756.0	77	91	E	1	b
Legaspi,	,,	29.75	755.7	93	57	NE	2	b	,,	29.76	756.0	81	89	...	0	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	96	N	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	79	85	...	0	b
Iloilo,	,,	29.72	754.8	90	66	SW	4	o	,,	29.75	755.7	79	...	NE	2	o
Cebu,	,,	29.73	755.1	90	55	NE	2	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	75	...	...	0	b
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	...	NE	2	o	4.22	29.72	754.8	...	...	S	1	o
Yap,	11.00	29.76	756.0	...	...	ENE	2	o	5	29.76	756.0	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	80	91	SW	2	o	6	29.86	758.4	76	91	SW	1	r

June 24*d.* 11*h.* 25*m.*—Pressure is highest to the north-east of Japan, and relatively low over S. China. A depression or typhoon appears to be forming to the south of Guam.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·55 inch. Total since January 1st, 12·94 inches, against an average of 35·73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th June, 1929.								25th June, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.01	762.1	55	...	SSE	2	o	6	29.97	761.2	54	...	SE	2	t
Nemuro,	11	...	...	...	...	...	...	...	5	30.08	764.0	...	...	SE	1	...
Hokodate,	,,	30.04	763.0	...	...	ESE	2	...	,,	30.04	763.0	...	...	...	...	...
Tokio,	,,	30.02	762.5	...	...	NNW	1	...	,,	30.04	763.0	...	...	N	1	...
Kochi,	,,	29.76	756.0	...	...	...	...	...	,,	30.00	762.0	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	ENE	1	...	,,	29.92	760.0	...	...	NE	1	...
Kagoshima,	,,	29.88	759.0	...	...	SSW	1	...	,,	29.90	759.5	...	...	NE	1	...
Oshima,	,,	29.82	757.5	...	...	W	1	...	,,	29.84	758.0	...	...	S	1	...
Naha,	,,	29.82	757.5	...	...	S	2	...	,,	29.80	757.0	...	...	SE	1	...
Ishigakijima,	,,	29.76	756.0	...	...	SW	1	...	,,	29.78	756.5	...	...	...	...	...
Bonin Island,	,,	29.90	759.5	...	...	...	0	...	,,	29.94	760.5	...	...	...	...	...
Chefoo,	15	29.76	755.9	88	52	SW	2	b	6	29.92	759.9	75	68	SW	4	b
Shanghai,	14	29.81	757.2	77	76	ENE	4	o	,,	29.84	757.8	70	98	NNE	2	o
Gutzlaff,	,,	29.84	757.9	69	95	NE	4	r	,,	29.86	758.4	69	95	NE	1	o
Sharp Peak,	,,	29.71	754.6	81	74	SE	2	b	7	29.76	755.9	76	91	S	1	b
Amoy,	,,	29.71	754.6	82	83	SSE	4	b	6	29.80	756.0	75	92	S	4	o
Swatow,	,,	29.74	755.4	78	91	NNE	1	r	,,	29.75	755.6	76	91	SSE	1	o
Taihoku,	11	29.79	756.6	75	89	...	0	r	5	29.79	756.6	73	96	...	0	o
Taichu,	,,	29.82	757.5	72	...	E	2	r	,,	29.82	757.5	72	...	...	0	1
Tainan,	,,	29.79	756.6	77	...	...	0	r	,,	29.78	756.3	73	...	ESE	2	b
Koshun,	,,	29.78	756.3	77	...	NW	2	o	,,	29.76	756.0	75	...	...	0	o
Pescadores,	,,	29.76	756.0	75	...	NNE	4	r	,,	29.76	756.0	79	...	SSW	2	b
Hong Kong,	14	29.71	754.6	82	74	S	3	o	6	29.73	755.1	77	89	...	0	om
Gap Rock,	,,	29.70	754.4	...	...	WSW	4	o	,,	29.70	754.4	...	...	SE	4	o
Macao,	,,	29.66	753.3	84	81	SW	2	o	,,	29.69	754.2	75	98	N	2	o
Hoihow,	,,	29.67	753.6	87	79	SW	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.75	755.6	87	74	WSW	2	o	,,	29.75	755.6	81	87	SE	2	o
Phulien,	15	29.53	750.1	86	71	S	4	o	7	29.61	752.1	77	98	SSW	4	rf
Tourane,	,,	29.66	753.3	90	...	ESE	4	o	,,	29.67	753.6	82	...	W	2	o
Cape St. James,	,,	29.76	756.0	86	...	SSW	2	o	,,	29.74	755.4	77	...	WSW	2	o
Basco,	14	29.74	755.4	90	57	SW	2	o	6	29.76	756.0	79	91	...	0	o
Aparri,	,,	29.71	754.5	97	47	S	4	o	,,	29.76	756.0	77	91	S	2	o
Tuguegarao,	,,	29.72	754.8	97	42	SW	1	of	,,	...	...	...	...	...	...	...
Vigan,	,,	29.73	755.1	90	66	WNW	2	o	,,	29.74	755.4	75	85	SE	1	o
Manila,	,,	29.72	754.8	90	59	WSW	4	o	,,	29.75	755.7	77	91	...	0	o
Legaspi,	,,	29.72	754.8	93	67	NE	2	o	,,	29.74	755.4	79	90	...	0	o
Calbayog,	,,	29.72	754.8	90	69	SSE	2	o	,,	29.75	755.7	75	94	N	2	o
Tacloban,	,,	29.74	755.4	86	68	SE	4	o	,,	29.78	756.3	77	85	NW	2	o
Iloilo,	,,	29.71	754.5	90	69	E	4	o	,,	29.73	755.1	79	91	NE	2	o
Cebu,	,,	29.72	754.8	90	55	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	75	94	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.72	754.8	...	...	N	1	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	ESE	2	o	5	29.75	755.7	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.83	757.7	84	83	SW	2	b	6	29.83	757.7	78	91	SW	2	b

June 25*d*. 11*h*. 10*m*.— A weak anticyclone covers Japan, and a depression is situated over Tongking. There are no returns from Guam.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·05 inch. Total since January 1st, 13·99 inches, against an average of 36·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. or variable winds, moderate; cloudy, rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th June, 1929.								26th June, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.98	761.4	56	...	SE	3	t	6	30.03	762.8	59	...	SE	2	f
Nemuro,	11	30.06	763.5	...	...	SE	1	...	5	30.08	764.0	...	...	S	1	...
Hokodate,	,,	30.04	763.0	...	...	SE	1	...	,,	30.10	764.5	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	SE	1	...	,,	30.10	764.5	...	...	...	...	...
Kochi,	,,	30.02	762.5	...	...	...	0	...	,,	30.08	764.0	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	NE	1	...	,,	30.00	762.0	...	...	ENE	2	...
Kagoshima,	,,	29.92	760.0	...	...	NE	1	...	,,	30.02	762.5	...	...	...	...	...
Oshima,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.94	760.5	...	...	S	1	...
Naha,	,,	29.86	758.5	...	...	WSW	1	...	,,	29.92	760.0	...	...	SSW	1	...
Ishigakijima,	,,	29.82	757.5	...	...	SSW	2	...	,,	29.88	759.0	...	...	S	1	...
Bonin Island,	,,	29.96	761.0	...	...	NNE	1	...	,,	30.00	762.0	...	...	ENE	1	...
Chefoo,	15	29.84	757.9	83	60	SE	2	b	6	29.86	758.4	78	82	E	1	b
Shanghai,	14	29.82	757.5	81	69	ENE	2	o	,,	29.84	757.8	68	100	ESE	1	b
Gutzlaff,	,,	29.87	758.7	75	86	NNE	1	o	,,	29.89	759.2	70	100	SE	2	b
Sharp Peak,	,,	29.77	756.1	82	79	SE	2	b	7	29.82	757.4	80	95	S	1	b
Amoy,	,,	29.77	756.1	82	83	SSE	4	b	6	29.83	757.7	78	95	SSE	2	o
Swatow,	,,	29.77	756.1	82	84	S	2	c	,,	29.84	757.9	75	95	ESE	2	c
Taihoku,	11	29.84	757.8	79	84	...	0	r	5	29.86	758.4	73	96	...	0	b
Taichu,	,,	29.86	758.4	77	...	N	2	r	,,	29.88	759.0	70	...	...	0	b
Tainan,	,,	29.82	757.5	84	...	SSW	2	b	,,	29.84	757.8	73	...	E	2	b
Koshun,	,,	29.81	757.2	86	...	...	0	o	,,	29.84	757.8	77	...	...	0	b
Pescadores,	,,	29.81	757.2	77	...	NNW	4	r	,,	29.84	757.8	75	...	...	0	b
Hong Kong,	14	29.78	756.4	75	92	E	2	or	6	29.80	756.9	77	73	E	2	c
Gap Rock,	,,	29.76	755.9	...	...	N	4	o	,,	29.80	756.9	...	...	SE	4	c
Macao,	,,	29.72	754.8	75	100	SSW	4	r	,,	29.75	755.7	81	98	SE	2	r
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.78	756.4	89	68	S	2	bc	,,	29.80	756.9	82	85	ESE	1	bc
Phulien,	15	29.63	752.7	77	91	NNE	1	o	7	29.69	754.2	81	94	SSE	4	r
Tourane,	,,	29.65	753.0	86	...	SE	4	o	,,	29.75	755.7	84	...	SSW	2	o
Cape St. James,	,,	29.72	754.8	86	...	SSW	2	o	,,	29.75	755.7	75	...	NNW	2	o
Basco,	14	29.75	755.7	90	69	SE	4	o	6	29.80	756.9	81	84	ESE	2	o
Aparri,	,,	29.73	755.1	90	63	ENE	4	b	,,	29.79	756.6	77	92	SW	2	b
Tuguegarao,	,,	29.72	754.8	93	50	SW	1	o	,,	29.79	756.6	75	89	...	0	o
Vigan,	,,	29.72	754.8	86	68	WNW	4	o	,,	29.73	755.1	81	80	ESE	2	o
Manila,	,,	29.72	754.8	90	60	SW	4	o	,,	29.75	755.7	75	91	...	0	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	79	89	...	0	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	81	80	E	2	o	,,	29.74	755.4	77	86	N	4	o
Iloilo,	,,	29.71	754.5	84	68	NE	4	o	,,	29.73	755.1	79	91	NE	4	o
Cebu,	,,	29.69	754.2	86	56	NE	4	o	,,	29.72	754.8	77	88	...	0	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.81	757.2	79	...	ESE	5	bc
Guam,	12.22	29.71	754.5	...	...	SE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.72	754.8	...	...	SSW	2	o	5	29.80	756.9	79	...	SSW	1	c
Pelew,	...	...	...	...	...	...	...	...	,,	29.77	756.1	80	...	SW	1	b
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	80	...	...	0	bc
Labuan,	14	29.79	756.6	88	84	SW	2	b	6	29.84	757.9	77	91	SW	2	b

June 26*d.* 11*h.* 03*m.*—The anticyclone is situated in the Pacific to the east of Japan, and has increased in intensity. Pressure is relatively low over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·38 inch. Total since January 1st, 14·37 inches, against an average of 36·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	S.E. or variable winds, moderate; fair to showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	27th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.03	762.8	63	...	...	0	f	6	29.98	761.4	59	...	SE	2	f
Nemuro,	11	30.06	763.5	...	...	...	0	...	5	30.10	764.5	...	...	N	1	...
Hokodate,	,,	30.08	764.0	...	...	SSE	1	...	,,	30.10	764.5	...	...	...	0	...
Tokio,	,,	30.06	763.5	...	...	S	2	...	,,	30.08	764.0	...	...	WSW	1	...
Kochi,	,,	30.10	764.5	...	...	...	...	...	,,	30.20	767.0	...	...	...	0	...
Nagasaki,	,,	30.00	762.0	...	...	ESE	3	...	,,	30.02	762.5	...	...	E	1	...
Kagoshima,	,,	30.00	762.0	...	...	SE	1	...	,,	30.00	762.0	...	...	...	0	...
Oshima,	,,	...	...	...	...		...	...	,,	...	...	...	...	SE	1	...
Naha,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.88	759.0	...	...	ENE	2	...
Ishigakijima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.84	758.0	...	...	ENE	1	...
Bonin Island,	,,	30.00	762.0	...	...	NE	1	...	,,	29.98	761.5	...	...	...	0	...
Chefoo,	15	29.77	756.1	83	60	SSE	1	0	6	29.68	753.9	73	86	SSW	1	b
Shanghai,	14	29.82	757.5	86	65	SSE	2	0	,,	29.78	756.3	75	96	SSE	1	0
Gutzlaff,	,,	29.88	758.9	78	86	SSE	4	0	,,	29.85	758.2	74	100	S	4	0
Sharp Peak,	,,	29.80	756.9	84	83	S	2	b	7	29.81	757.2	83	87	...	0	b
Amoy,	,,	29.84	757.9	88	69	SSE	4	b	6	29.81	757.2	80	87	SSW	2	b
Swatow,	,,	29.84	757.9	85	88	E	2	b	,,	...	...	...	.	...	...	...
Taihoku,	11	29.86	758.4	91	61	E	2	b	5	29.85	758.1	75	94	...	0	b
Taichu,	,,	29.88	759.0	86	...	...	0	b	,,	29.87	758.7	73	...	...	0	b
Tainan,	,,	29.86	758.4	90	...	SW	2	b	,,	29.82	757.5	75	...	...	0	b
Koshun,	,,	29.86	758.4	90	...	ESE	2	b	,,	29.82	757.5	73	...	...	0	b
Pescadores,	,,	29.86	758.4	86	...	S	2	b	,,	29.84	757.8	77	...	...	0	b
Hong Kong,	14	29.83	757.7	81	85	E	3	c	6	29.84	757.9	77	97	...	0	cf
Gap Rock,	,,	29.83	757.7	...	...	SE	3	c	,,	29.82	757.4	...	...	SE	3	c
Macao,	,,	29.76	756.0	90	79	SE	2	b	,,	29.81	757.2	77	96	...	0	0
Bolhow,	,,	29.74	755.4	92	62	SE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.4	91	62	...	0	b	,,	29.82	757.4	82	83	E	1	b
Phulien,	15	29.69	754.2	84	77	SSE	4	0	7	29.81	757.2	81	96	S	4	c
Tourane,	,,	29.72	754.8	86	...	SE	6	0	,,	29.82	757.5	77	...	SSW	4	b
Cape St. James,	,,	29.69	754.2	86	...	SSE	2	0	,,	29.80	756.9	75	...	NNW	2	of
Basco,	14	29.79	756.6	86	68	ESE	4	0	6	29.76	756.0	81	87	NE	1	0
Aparri,	,,	29.75	755.7	93	61	NE	4	0	,,	29.76	756.0	79	95	...	0	0
Tuguegarao,	,,	29.73	755.1	93	53	N	2	0	,,	29.78	756.3	77	91	...	0	0
Vigan,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	79	85	SSE	2	b
Manila,	,,	29.75	755.7	81	89	E	1	0	,,	29.78	756.3	75	92	NE	1	0
Legaspi,	,,	29.69	754.2	90	71	ENE	2	0	,,	29.74	755.4	77	92	...	0	b
Calbayog,	,,	29.69	754.2	84	89	...	0	0	,,	29.74	755.4	75	96	NNE	2	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	96	N	1	b
Iloilo,	,,	29.68	753.9	90	69	N	4	0	,,	29.76	756.0	79	91	...	0	0
Cebu,	,,	29.68	753.9	86	61	S	2	0	,,	29.76	756.0	79	84	...	0	0
Surigao,	,,	29.68	753.9	86	75	N	2	0	,,	29.75	755.7	75	94	...	0	0
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	ESE	6	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	SE	2	0	5	29.84	757.8	...	...	NE	1	0
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	SW	4	b	6	29.89	759.2	76	94	SW	2	b

June 27*d.* 11*h.* 15*m.*—The anticyclone remains to the east of Japan. Pressure is relatively low over N. China and the Philippines.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 14·37 inches, against an average of 37·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.E. or variable winds, moderate; fine generally.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th June, 1929.								28th June, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.93	760.1	59	...	SE	2	r	6	29.67	753.5	60	...	ESE	7	r
Nemuro,	11	30.10	764.5	...	...	NNE	1	...	5	30.14	765.5	...	...	...	0	...
Hokodate,	,,	30.14	765.5	...	...	SSE	1	...	,,	30.06	763.5	...	...	E	1	...
Tokio,	,,	30.05	763.5	...	...	S	2	...	,,	30.02	762.5	...	...	S	1	...
Kochi,	,,	30.04	763.0	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Nagasaki,	,,	29.96	761.0	...	...	ENE	2	...	,,	29.80	757.0	...	...	E	1	...
Kagoshima,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.82	757.5	...	...	NE	1	...
Oshima,	,,	29.90	759.5	...	...	SE	1	...	,,	29.75	755.5	...	...	SE	1	...
Naha,	,,	29.84	758.0	...	...	ENE	4	...	,,	29.67	753.5	...	...	E	2	...
Ishigakijima,	,,	29.82	757.5	...	...	NNE	2	...	,,	29.63	752.5	...	...	NNW	1	...
Bonin Island,	,,	29.98	761.5	...	...	ENE	1	...	,,	29.92	760.0	...	...	ENE	1	...
Chefoo,	15	29.53	750.0	74	86	E	1	o	6	29.47	748.5	75	81	...	0	h
Shanghai,	14	29.71	754.5	86	75	S	2	o	,,	29.55	750.6	77	92	WSW	2	o
Gutzlaff,	,,	29.77	756.1	78	92	SSE	4	o	,,	29.57	751.1	74	95	S	6	o
Sharp Peak,	,,	29.75	755.6	86	84	SE	2	b	7	29.64	752.8	80	96	SW	1	o
Amoy,	,,	29.73	755.1	90	77	SSE	4	h	6	29.71	754.6	82	92	SSE	2	h
Swatow,	,,	29.76	755.9	88	81	S	2	h	,,	29.69	754.1	80	96	W	2	h
Taihoku,	11	29.82	757.5	90	57	W	2	h	5	29.66	753.3	77	96	...	0	h
Taichu,	,,	29.85	758.1	90	...	...	0	b	,,	29.73	755.1	75	...	...	0	h
Tainan,	,,	29.82	757.5	90	...	NNW	4	h	,,	29.71	754.5	75	...	...	0	h
Koshun,	,,	29.80	756.9	90	...	..	0	b	,,	29.71	754.5	73	...	...	0	h
Pescadores,	,,	29.84	757.8	86	...	...	0	b	,,	29.69	754.2	79	...	S	2	o
Hong Kong,	14	20.80	756.9	87	63	W	2	h	6	29.71	754.6	80	87	WSW	1	h
Gap Rock,	,,	29.82	757.4	...	...	...	0	b	,,	29.73	755.1	...	...	SW	3	h
Macao,	,,	29.79	756.6	93	64	SSW	2	h	,,	29.69	754.2	79	90	W	2	h
Hoihow,	,,	29.77	756.1	91	68	S	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.2	92	61	...	0	h	,,	29.72	754.9	81	79	W	1	h
Phulien,	15	29.76	756.0	86	65	SSE	6	o	7	29.74	755.4	79	95	SSE	4	h
Tourane,	,,	29.78	756.7	86	...	SE	4	o	,,	29.76	756.0	77	...	SSW	4	h
Cape St. James,	,,	29.81	757.2	77	...	...	0	o	,,	29.80	756.9	75	...	ENE	2	rf
Basco,	14	29.73	755.1	86	71	NNE	2	o	6	29.65	753.0	79	91	NW	1	o
Aparri,	,,	29.73	755.1	90	57	N	4	o	,,	29.69	754.2	77	92	SW	2	o
Tuguegarao,	,,	29.69	754.2	93	50	N	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.73	755.1	90	60	W	2	o	,,	29.69	754.2	79	84	SE	2	o
Manila,	,,	29.72	754.8	86	65	W	2	o	,,	29.73	755.1	79	92	...	0	o
Legaspi,	,,	29.68	753.9	90	63	E	1	b	,,	29.71	754.5	77	96	NE	1	o
Calbayog,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	84	77	NW	1	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	75	SW	2	o	,,	29.74	755.4	77	...	NW	1	o
Cebu,	,,	20.72	754.8	90	58	S	2	o	,,	29.73	755.1	64	76	...	0	o
Surigao,	,,	29.72	754.8	90	72	N	1	h	,,	29.73	755.1	75	96	...	0	h
Saipan,	...	...	...	...	...	...	...	...	5	29.75	755.6	78	...	ESE	3	hc
Guam,	12.22	29.76	756.0	...	...	NE	4	r	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	E	4	o	5	29.78	756.3	...	...	N	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.77	756.1	77	...	ENE	1	o
Ponape,	...	...	...	...	...	...	...	...	,,	29.77	756.1	78	...	WSW	1	r
Labuan,	14	29.78	756.4	88	76	NE	4	h	6	29.86	758.4	76	91	SW	1	r

June 28*d.* 10*h.* 52*m.*—The anticyclone is now situated in the Pacific to the east of N. Japan. Pressure has decreased slightly to moderately throughout the area; a depression is situated over Shantung, and a depression or typhoon about 400 miles east of Bashi Channel. The direction of motion of the latter is at present unknown.

Shanghai warning 28*d.* 10*h.* 30*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 30° N. Long. 130° E., moving N.W. Recd. 28*d.* 10*h.* 47*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 14·37 inches, against an average of 37·93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate; fine generally.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	29th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.16	766.0	...	...	SE	1	...	5	..	...	...	...	...	...	...
Hokodate,	,,	30.06	763.5	...	...	E	2	...	,,	30.02	762.5	...	...	E	2	...
Tokio,	,,	30.00	762.0	...	...	SSE	4	...	,,	30.04	763.0	...	...	SE	1	...
Kochi,	,,	29.94	760.5	...	...	SE	1	...	,,	29.88	759.0	...	...	SE	1	...
Nagasaki,	,,	29.74	755.5	...	...	S	2	...	,,	29.65	753.0	...	...	SSE	2	...
Kagoshima,	,,	29.80	757.0	...	...	SE	2	...	,,	29.67	753.5	...	...	SSE	1	...
Oshima,	,,	29.72	755.0	...	...	SE	2	...	,,	29.61	752.0	...	...	SSE	1	...
Naha,	,,	29.63	752.5	...	...	E	3	...	,,	29.51	749.5	...	...	NE	2	...
Ishigakijima,	,,	29.61	752.0	...	...	NNW	2	...	,,	29.55	750.5	...	..	...	...	...
Bashi Island,	,,	29.88	759.0	...	...	ENE	1	...	,,	29.90	759.5	...	...	NE	1	...
Chefoo,	15	29.36	745.7	80	62	NE	2	b	6	29.38	746.4	74	51	WSW	2	b
Shanghai,	14	29.56	750.9	73	94	NNW	1	r	,,	29.59	751.5	68	100	SE	1	b
Gutzlaff,	,,	29.59	751.6	72	100	NNE	4	r	,,	29.64	752.8	72	100	NW	1	o
Sharp Peak,	,,	29.52	749.8	84	85	S	2	o	7	29.58	751.3	81	91	S	1	r
Amoy,	,,	29.59	751.6	92	70	S	2	b	6	29.51	749.5	83	87	SW	1	b
Swatow,	,,	29.60	751.8	95	79	W	1	b	,,	...	...	...	...	...	..	...
Taihoku,	11	29.63	752.7	90	55	NW	2	b	5	29.54	750.3	75	94	...	0	o
Taichu,	,,	29.72	754.8	90	...	SSW	2	b	,,	29.63	752.7	77	...	SSE	2	b
Tainan,	,,	29.71	754.5	90	...	W	2	b	,,	29.63	752.7	77	...	SE	2	o
Koshun,	,,	29.67	753.6	90	...	W	4	o	,,	29.60	751.8	82	...	NW	4	o
Pescadores,	,,	29.68	753.9	86	...	SSW	4	b	,,	29.60	751.8	81	...	...	...	...
Hong Kong,	14	29.66	753.3	88	70	SW	2	c	6	29.62	752.3	82	87	WSW	3	o
Gap Rock,	,,	29.67	753.6	...	...	WSW	5	b	,,	29.63	752.6	..	...	SW	5	c
Macao,	,,	29.63	752.7	90	65	WSW	2	b	,,	29.58	751.2	81	89	WSW	4	o
Hoihow,	,,	29.66	753.3	90	78	N	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.69	754.1	89	67	W	3	b	,,	29.65	753.1	82	79	WSW	4	b
Phulien,	15	29.68	753.9	86	75	SSE	4	o	7	29.62	752.2	79	...	SSE	2	bc
Tourane,	,,	29.72	754.8	86	...	ESE	2	b	,,	29.69	754.0	72	...	SW	2	b
Cape St. James,	,,	29.78	756.3	79	...	ENE	4	o	,,	29.80	757.0	77	...	WSW	4	bc
Basco,	14	29.62	752.4	90	72	SSE	4	b	6	29.61	752.1	82	77	WSW	4	o
Aparri,	,,	29.53	752.7	90	63	NW	4	o	,,	29.63	752.7	77	92	S	2	b
Tuguegarao,	,,	29.63	752.7	93	50	S	1	o	,,	29.67	753.6	75	91	...	0	o
Vigan,	,,	29.67	753.6	90	60	SW	2	o	,,	29.69	754.2	79	91	...	0	o
Manila,	,,	29.68	753.9	90	66	SW	4	o	,,	29.72	754.8	81	76	SW	4	o
Legaspi,	,,	29.68	753.9	86	71	SW	4	b	,,	29.71	754.5	79	87	SW	2	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	81	89	...	0	o
Tacloban,	,,		...	...	...	...	...	...	,,	29.78	756.3	79	89	...	0	o
Iloilo,	,,	29.71	754.5	86	68	SW	4	o	,,	29.74	755.4	82	84	SW	4	o
Cebu,	,,	29.69	754.2	86	58	S	4	o	,,	29.75	755.7	81	76	NW	2	o
Surigao,	,,	29.68	753.0	90	60	WNW	4	o	,,	29.74	755.4	77	92	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.74	755.4	78	...	ESE	3	c
Guam,	12.22	29.68	753.9	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.72	754.8	...	...	E	2	o	5	29.73	755.7	...	...	W	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.76	755.9	79	...	NW	1	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	77	...	NE	3	c
Lamian,	14	29.79	756.6	88	84	NE	2	b	6	29.84	757.9	76	94	SW	2	b

June 29*d.* 10*h.* 30*m.*—The anticyclone remains to the east of Japan, and the northern depression is moving into S. Manchuria. The southern depression or typhoon is situated about 100 miles south of Naha moving northward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 14·37 inches, against an average of 38·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, fresh; cloudy, probably some rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	30th June, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.57	751.2	56	...	SE	2	r	6	29.75	755.6	58	...	SE	4	f
Nemuro,	11	30.14	765.5	...	...	SSE	1	...	5	30.20	767.0	...	...	SSE	3	...
Hokodate,	,,	30.00	762.0	...	...	E	2	...	,,	29.96	761.0	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	S	2	...	,,	30.04	763.0	...	...	S	1	...
Kochi,	,,	29.88	759.0	...	...	SSE	2	...	,,	29.90	759.5	...	...	SE	1	...
Nagasaki,	,,	29.67	753.5	...	...	SSE	5	...	,,	29.69	754.0	...	...	SE	2	...
Kagoshima,	,,	29.70	754.5	...	...	SE	1	...	,,	29.69	754.0	...	...	...	0	...
Oshima,	,,	29.61	752.0	...	...	SE	2	...	,,	29.47	748.5	...	...	SE	2	...
Naha,	,,	29.47	748.5	...	...	NE	2	...	,,	29.23	742.5	...	...	N	6	...
Ishigakijima,	,,	29.53	750.0	...	...	W	1	...	,,	29.53	750.0	...	...	NW	1	...
Bonin Island,	,,	29.88	759.0	...	...	E	1	...	,,	29.86	758.5	...	...	...	0	...
Chefoo,	15	29.36	745.7	86	51	NE	1	b	6	29.49	749.0	78	78	SE	1	b
Shanghai,	14	29.58	751.2	86	68	S	1	o	,,	29.59	751.5	72	91	ENE	2	o
Gutzlaff,	,,	29.64	752.8	80	87	WSW	1	b	,,	29.65	753.1	70	100	NE	1	of
Sharp Peak,	,,	29.52	749.8	82	91	NNE	2	of	7	29.54	750.3	80	85	...	0	o
Amoy,	,,	29.59	751.6	92	67	SW	4	b	6	29.51	749.5	82	92	SSE	2	o
Swatow,	,,	29.51	749.5	94	85	SSW	2	b	,,	...	...	...	...	...	..	...
Taihoku,	11	29.55	750.6	86	71	...	0	o	5	29.53	750.0	82	84	W	2	o
Taichu,	,,	29.63	752.7	90	...	SSW	4	b	,,	29.59	751.5	79	...	...	0	o
Tainan,	,,	29.55	753.0	90	...	WSW	2	o	,,	29.56	750.9	81	...	WSW	4	b
Koshun,	,,	29.60	751.8	86	...	WNW	4	o	,,	29.54	750.3	81	...	W	4	b
Pescadores,	,,	29.62	752.4	86	...	SSW	4	r	,,	29.55	750.6	81	...	S	4	o
Hong Kong,	14	29.57	751.1	87	70	SSW	4	o	6	29.55	750.5	83	85	SW	2	c
Gap Rock,	,,	29.59	751.6	...	...	WSW	5	b	,,	29.56	750.8	...	...	SW	5	c
Macao,	,,	29.55	750.6	90	72	SW	2	o	,,	29.53	750.0	81	92	SW	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.63	752.6	88	69	WSW	3	bo	,,	29.58	751.3	83	81	WSW	4	bc
Phulien,	15	29.48	748.8	97	47	SW	4	o	7	29.47	748.5	82	...	SSW	6	bc
Tourane,	,,	29.63	752.7	90	...	E	2	b	,,	29.62	752.3	82	...	SSW	2	bc
Cape St. James,	,,	29.75	755.7	84	...	WSW	4	o	,,	29.74	755.4	77	...	W	6	bc
Basco,	14	...	...	...	...	...	...	...	6	29.56	750.9	82	81	WSW	4	o
Aparri,	,,	...	...	...	...	...	...	...	,,	29.60	751.8	77	86	S	2	o
Tuguegarao,	,,	29.60	751.8	97	47	NE	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.66	753.3	84	71	SW	1	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.66	753.3	90	69	SW	4	o	,,	29.67	753.6	79	92	E	1	o
Legaspi,	,,	29.65	753.0	90	66	SW	4	b	,,	29.67	753.6	75	94	SW	4	o
Calbayog,	,,	29.71	754.5	90	72	SW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.66	753.3	86	75	S	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.67	753.6	86	68	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.66	753.3	86	56	S	6	b	,,	...	...	...	...	...	...	...
Surigao,	,,	29.67	753.6	90	66	WSW	4	b	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.75	755.6	75	...	SE	2	r
Guam,	12.22	29.69	754.2	...	...	SE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.72	754.8	...	...	...	0	o	5	29.74	755.4	79	...	...	0	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.75	755.7	79	...	ENE	3	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.76	755.9	77	...	ESE	1	r
Labuan,	14	29.82	757.4	84	83	SW	2	b	6	29.84	757.9	77	94	SW	2	b

June 30*d.* 11*h.* 08*m.*—The anticyclone remains to the east of Japan; depressions are situated over S.W. China and to the north-east of Shantung. The typhoon is close to Naha moving northward. The are no returns from Guam.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 14·37 inches, against an average of 39·00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate; fair to showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

STATISTICAL SECTION

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

JULY,

1929.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.

ARMY MEDICAL
OCT 21 1929
LIBRARY

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1929.

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JULY,

1929.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JULY, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·488	29·470	29·468	29·462	29·470	29·490	29·498	29·503	29·523	29·525	29·521	29·513	1
2	29·528	29·518	29·508	29·518	29·526	29·534	29·543	29·565	29·567	29·577	29·581	29·576	2
3	29·629	29·613	29·613	29·611	29·611	29·629	29·641	29·648	29·661	29·663	29·664	29·661	3
4	29·641	29·625	29·611	29·613	29·605	29·615	29·623	29·621	29·630	29·628	29·627	29·607	4
5	29·569	29·533	29·527	29·529	29·533	29·544	29·553	29·553	29·558	29·561	29·551	29·535	5
6	29·517	29·501	29·491	29·479	29·481	29·485	29·491	29·502	29·499	29·511	29·508	29·499	6
7	29·491	29·475	29·473	29·465	29·475	29·485	29·491	29·499	29·509	29·516	29·515	29·511	7
8	29·485	29·467	29·445	29·451	29·451	29·455	29·475	29·488	29·491	29·485	29·480	29·463	8
9	29·425	29·411	29·391	29·393	29·403	29·411	29·413	29·422	29·428	29·420	29·415	29·422	9
10	29·408	29·404	29·404	29·416	29·420	29·435	29·440	29·440	29·455	29·473	29·487	29·475	10
11	29·583	29·585	29·589	29·583	29·601	29·609	29·617	29·622	29·639	29·661	29·669	29·670	11
12	29·673	29·653	29·643	29·643	29·643	29·653	29·659	29·668	29·699	29·713	29·729	29·711	12
13	29·661	29·628	29·618	29·617	29·611	29·623	29·627	29·627	29·629	29·636	29·641	29·635	13
14	29·627	29·617	29·605	29·600	29·599	29·605	29·615	29·624	29·626	29·628	29·632	29·635	14
15	29·632	29·614	29·596	29·590	29·586	29·594	29·608	29·614	29·617	29·636	29·641	29·629	15
16	29·622	29·612	29·600	29·590	29·590	29·592	29·604	29·612	29·619	29·631	29·633	29·626	16
17	29·615	29·597	29·587	29·590	29·576	29·590	29·591	29·599	29·597	29·602	29·588	29·587	17
18	29·529	29·511	29·495	29·485	29·475	29·485	29·486	29·493	29·498	29·492	29·491	29·463	18
19	29·388	29·352	29·346	29·338	29·332	29·330	29·340	29·352	29·355	29·357	29·359	29·358	19
20	29·436	29·440	29·437	29·440	29·441	29·463	29·475	29·488	29·497	29·507	29·507	29·507	20
21	29·547	29·541	29·531	29·541	29·542	29·546	29·554	29·561	29·570	29·578	29·581	29·569	21
22	29·625	29·606	29·576	29·572	29·574	29·586	29·610	29·609	29·610	29·613	29·609	29·603	22
23	29·643	29·627	29·635	29·641	29·627	29·636	29·650	29·662	29·670	29·689	29·685	29·665	23
24	29·638	29·629	29·617	29·616	29·616	29·622	29·640	29·650	29·654	29·677	29·686	29·676	24
25	29·660	29·650	29·630	29·631	29·642	29·655	29·668	29·675	29·681	29·689	29·684	29·676	25
26	29·689	29·681	29·665	29·659	29·667	29·657	29·659	29·673	29·680	29·683	29·686	29·685	26
27	29·667	29·664	29·654	29·640	29·643	29·642	29·656	29·662	29·682	29·676	29·685	29·696	27
28	29·637	29·628	29·625	29·612	29·614	29·620	29·642	29·650	29·665	29·673	29·683	29·675	28
29	29·610	29·607	29·597	29·587	29·590	29·602	29·600	29·604	29·617	29·619	29·619	29·602	29
30	29·610	29·588	29·580	29·580	29·570	29·583	29·604	29·620	29·634	29·636	29·639	29·623	30
31	29·637	29·633	29·630	29·626	29·629	29·638	29·655	29·675	29·681	29·677	29·678	29·670	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·507	29·493	29·477	29·471	29·481	29·477	29·495	29·523	29·527	29·539	29·539	29·536	1
2	29·567	29·555	29·551	29·543	29·535	29·549	29·581	29·608	29·633	29·640	29·653	29·643	2
3	29·644	29·627	29·619	29·603	29·604	29·586	29·609	29·637	29·635	29·660	29·656	29·652	3
4	29·586	29·566	29·542	29·524	29·515	29·509	29·519	29·538	29·550	29·590	29·592	29·584	4
5	29·523	29·506	29·486	29·469	29·469	29·475	29·479	29·488	29·512	29·528	29·536	29·528	5
6	29·490	29·483	29·472	29·459	29·460	29·455	29·471	29·487	29·500	29·506	29·504	29·500	6
7	29·497	29·483	29·461	29·443	29·439	29·439	29·459	29·479	29·484	29·500	29·511	29·501	7
8	29·448	29·420	29·402	29·408	29·409	29·435	29·418	29·423	29·427	29·427	29·425	29·435	8
9	29·406	29·388	29·378	29·378	29·348	29·355	29·371	29·397	29·406	29·432	29·424	29·426	9
10	29·483	29·479	29·469	29·461	29·475	29·507	29·537	29·540	29·564	29·577	29·585	29·589	10
11	29·658	29·636	29·642	29·641	29·629	29·625	29·605	29·641	29·665	29·689	29·699	29·683	11
12	29·699	29·677	29·615	29·608	29·616	29·629	29·642	29·652	29·678	29·690	29·691	29·681	12
13	29·625	29·612	29·616	29·618	29·629	29·595	29·615	29·628	29·628	29·638	29·630	29·625	13
14	29·613	29·602	29·600	29·604	29·598	29·590	29·596	29·606	29·620	29·636	29·640	29·640	14
15	29·619	29·602	29·605	29·602	29·599	29·587	29·610	29·610	29·614	29·644	29·644	29·636	15
16	29·618	29·608	29·601	29·602	29·594	29·603	29·605	29·614	29·615	29·627	29·639	29·639	16
17	29·569	29·555	29·539	29·523	29·505	29·516	29·528	29·541	29·559	29·563	29·563	29·551	17
18	29·433	29·405	29·383	29·363	29·351	29·351	29·365	29·393	29·407	29·415	29·429	29·407	18
19	29·349	29·336	29·326	29·326	29·319	29·329	29·356	29·369	29·399	29·443	29·479	29·465	19
20	29·497	29·491	29·482	29·471	29·465	29·487	29·503	29·523	29·539	29·549	29·559	29·555	20
21	29·563	29·555	29·549	29·535	29·534	29·540	29·554	29·579	29·589	29·607	29·611	29·630	21
22	29·594	29·572	29·571	29·574	29·587	29·599	29·626	29·656	29·667	29·676	29·667	29·663	22
23	29·644	29·644	29·626	29·592	29·612	29·625	29·616	29·628	29·637	29·657	29·662	29·658	23
24	29·664	29·644	29·650	29·638	29·632	29·630	29·640	29·660	29·672	29·682	29·684	29·674	24
25	29·677	29·669	29·654	29·656	29·640	29·655	29·651	29·645	29·671	29·704	29·700	29·698	25
26	29·679	29·655	29·647	29·633	29·611	29·623	29·626	29·639	29·671	29·677	29·689	29·681	26
27	29·662	29·669	29·650	29·650	29·633	29·627	29·634	29·642	29·645	29·664	29·668	29·663	27
28	29·671	29·658	29·634	29·618	29·606	29·601	29·606	29·622	29·642	29·650	29·642	29·624	28
29	29·583	29·575	29·553	29·529	29·543	29·551	29·580	29·591	29·607	29·624	29·622	29·618	29
30	29·615	29·609	29·601	29·595	29·593	29·605	29·619	29·643	29·659	29·669	29·673	29·661	30
31	29·661	29·665	29·651	29·656	29·644	29·651	29·661	29·685	29·695	29·704	29·700	29·704	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of JULY, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	83·8	83·3	83·2	83·2	82·7	83·0	84·0	85·8	88·4	82·9	85·0	85·0	1
2	83·2	83·0	82·8	82·5	82·5	81·5	82·0	83·4	84·7	85·0	86·2	87·5	2
3	82·2	82·0	82·0	81·9	81·9	82·1	83·0	84·7	84·9	86·9	88·0	88·0	3
4	81·7	82·5	81·9	81·8	81·0	81·7	82·5	83·3	84·4	84·0	88·0	88·9	4
5	82·0	81·0	81·7	79·8	79·4	80·1	82·4	84·5	83·9	84·5	84·6	86·3	5
6	82·7	82·0	82·0	82·0	80·5	80·8	82·2	84·8	85·0	88·0	90·8	90·0	6
7	80·8	80·9	80·7	79·4	79·8	80·0	81·9	82·2	81·8	84·0	86·0	83·5	7
8	81·0	80·5	80·0	79·7	79·5	79·9	81·9	84·3	86·3	86·8	87·8	89·6	8
9	81·8	81·8	82·1	82·1	81·7	82·0	82·1	83·3	84·5	88·2	88·0	87·3	9
10	83·9	83·7	83·7	83·6	83·5	83·1	83·9	85·4	85·3	85·0	86·5	86·2	10
11	81·7	81·1	81·1	82·0	82·1	79·0	81·0	80·9	82·0	77·3	77·8	76·9	11
12	76·8	77·0	77·0	76·0	76·0	76·4	77·3	79·6	74·4	75·0	75·8	76·0	12
13	75·4	75·0	75·3	76·0	76·0	76·5	76·4	76·8	77·8	78·8	77·3	76·7	13
14	77·5	77·6	77·0	76·5	77·4	78·0	77·8	78·5	78·7	80·5	81·9	82·0	14
15	77·8	78·0	78·6	78·9	79·0	78·8	79·2	77·9	82·0	82·0	81·1	81·4	15
16	80·1	80·0	80·0	79·9	79·7	79·2	79·4	81·0	82·8	84·0	84·9	85·0	16
17	80·9	80·1	80·0	80·0	79·8	79·9	81·0	83·1	85·0	85·5	85·3	85·8	17
18	79·7	79·7	78·8	78·8	78·8	79·8	81·3	82·6	84·0	85·2	86·6	86·8	18
19	83·6	82·8	82·8	83·2	82·6	82·0	83·1	84·4	86·7	88·4	90·5	90·1	19
20	82·8	82·2	82·2	82·5	82·1	82·0	83·2	84·1	86·2	86·9	86·0	85·8	20
21	81·7	81·9	82·1	78·5	78·1	77·8	79·0	81·8	84·1	84·7	85·8	86·4	21
22	77·6	75·7	77·7	78·6	80·4	78·0	76·7	79·8	80·2	81·6	82·9	82·8	22
23	76·8	77·2	77·2	77·2	77·0	78·0	77·3	77·7	77·7	74·6	74·7	76·8	23
24	77·9	75·7	77·0	76·8	77·5	77·8	78·6	79·4	80·0	80·4	77·1	77·5	24
25	78·9	79·2	78·7	77·8	77·8	78·5	79·9	81·3	82·9	84·4	85·0	84·8	25
26	80·0	80·2	80·1	80·5	80·2	80·4	81·9	83·7	80·8	82·5	80·7	81·8	26
27	80·3	79·7	79·3	77·8	78·6	78·9	77·5	76·8	77·0	79·0	79·9	77·1	27
28	80·7	80·0	80·2	79·8	75·2	77·5	77·3	76·8	77·8	76·5	76·8	77·1	28
29	78·7	78·8	78·8	78·5	76·9	77·8	77·8	79·4	82·7	83·8	86·0	85·3	29
30	79·6	79·6	78·8	79·0	76·8	77·0	78·0	77·8	78·2	80·8	82·6	83·0	30
31	80·8	80·8	80·8	80·8	81·0	81·2	81·8	82·5	82·8	83·3	83·5	84·4	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	85·5	85·0	85·4	84·7	85·3	85·3	84·1	84·0	83·9	83·8	83·5	83·6	1
2	87·9	86·2	85·0	86·2	85·9	84·6	83·8	82·6	82·1	82·0	82·2	82·6	2
3	88·8	88·9	88·8	88·1	86·7	86·7	84·0	83·1	83·0	83·0	83·0	81·1	3
4	89·8	87·9	87·9	86·2	85·0	84·2	83·0	82·4	82·0	82·2	82·0	82·2	4
5	86·2	86·8	88·0	85·8	85·4	85·0	83·9	83·0	82·7	81·9	82·0	81·9	5
6	90·7	87·1	86·9	86·7	87·0	85·5	84·2	82·7	81·0	81·1	81·1	81·0	6
7	83·5	83·8	83·7	84·1	85·0	85·3	84·2	82·7	82·6	82·5	81·1	82·0	7
8	90·1	91·0	92·2	90·1	86·9	81·0	81·0	80·4	80·5	80·3	81·0	81·4	8
9	88·8	90·4	91·2	90·2	84·7	83·7	83·0	83·5	82·9	83·4	82·9	82·8	9
10	86·5	86·9	86·7	86·0	85·7	84·4	83·9	83·0	82·6	81·0	82·8	81·3	10
11	77·2	77·4	76·0	76·2	76·0	76·0	76·0	75·9	76·0	76·1	76·1	76·2	11
12	76·2	76·5	77·1	78·0	78·5	79·3	77·7	77·1	77·1	77·5	75·9	75·6	12
13	77·7	78·4	79·4	78·9	76·2	75·8	75·9	75·9	76·0	76·1	76·0	76·5	13
14	79·9	79·8	79·6	76·5	77·0	77·0	78·3	78·7	79·4	79·4	79·9	79·0	14
15	80·2	82·2	82·8	80·7	80·9	80·7	79·8	80·7	80·0	80·4	80·0	79·9	15
16	84·1	84·4	84·7	83·6	83·1	82·0	81·6	80·8	81·0	80·9	80·8	81·1	16
17	86·8	86·8	85·9	86·1	85·3	84·0	82·6	81·5	80·8	80·8	80·5	80·0	17
18	87·6	88·0	88·8	89·8	89·0	88·5	88·4	87·5	86·9	85·4	84·5	84·2	18
19	91·0	90·4	88·6	88·2	86·5	85·1	84·8	84·0	84·5	84·6	84·5	84·0	19
20	87·5	87·0	86·3	86·0	85·1	84·6	84·6	83·8	83·8	81·3	79·4	81·1	20
21	85·8	82·0	81·0	82·3	83·6	84·6	83·4	82·6	82·6	79·8	79·8	78·0	21
22	82·8	80·6	79·8	77·6	77·2	76·8	76·9	75·8	75·8	75·6	75·6	76·8	22
23	77·8	76·9	78·3	79·0	78·9	79·0	78·5	78·6	78·1	78·1	77·9	78·0	23
24	79·5	78·0	78·0	78·0	78·5	78·5	78·2	78·0	78·0	78·7	78·8	78·8	24
25	85·0	85·3	84·6	83·9	83·2	82·0	80·7	80·5	80·2	80·3	80·6	80·4	25
26	81·7	83·0	81·9	81·5	81·5	81·2	80·8	80·8	80·2	79·8	80·0	80·0	26
27	80·0	81·0	79·8	80·5	80·7	79·8	79·7	80·0	80·0	80·3	80·5	80·6	27
28	76·8	77·8	78·6	78·7	78·8	79·3	79·6	79·8	79·8	79·8	79·4	78·7	28
29	85·7	86·4	86·6	83·0	81·8	81·5	80·3	80·0	80·2	79·0	78·9	78·8	29
30	84·2	83·5	83·1	82·5	82·2	81·8	81·6	81·6	81·4	81·3	81·4	81·4	30
31	83·0	83·0	82·8	78·7	77·9	79·2	79·8	81·3	81·0	80·8	81·3	81·0	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of JULY, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·0	79·0	79·0	79·0	79·2	79·0	79·5	80·6	81·6	80·1	80·0	79·6	1
2	79·2	79·0	79·4	79·0	79·0	79·0	79·5	80·0	80·1	80·5	80·8	81·0	2
3	78·2	78·3	78·3	78·3	77·9	78·2	79·0	79·9	79·2	80·0	80·5	79·9	3
4	78·2	78·0	78·0	77·8	77·5	77·2	77·2	77·8	77·9	79·5	80·0	80·6	4
5	77·6	77·7	77·9	77·0	77·3	77·8	79·1	79·8	79·3	79·2	79·0	80·5	5
6	78·7	78·8	78·8	79·0	78·0	78·6	79·0	80·4	78·8	80·0	80·8	80·0	6
7	78·3	78·3	78·1	76·8	77·7	78·0	78·9	78·9	78·1	79·0	80·0	78·8	7
8	79·0	78·5	78·5	78·1	78·0	77·6	78·8	80·0	81·3	81·1	81·6	81·8	8
9	79·1	79·8	80·8	79·8	78·9	78·0	77·3	78·0	78·8	79·7	80·0	80·0	9
10	77·6	79·5	79·5	80·0	79·8	80·5	80·8	81·3	80·7	80·0	80·7	79·8	10
11	78·7	78·9	77·5	79·0	77·7	75·8	77·3	77·7	78·6	75·8	76·3	74·8	11
12	75·2	75·3	75·8	74·8	74·8	75·8	76·3	77·8	73·8	74·0	73·0	74·5	12
13	74·2	73·9	74·0	74·9	75·0	75·0	75·4	75·6	76·5	76·7	76·0	75·3	13
14	75·5	75·9	76·0	75·1	76·1	76·5	76·7	77·2	77·2	78·5	78·9	79·0	14
15	75·9	76·7	76·8	76·9	77·0	76·5	76·8	76·7	79·0	78·8	78·3	78·1	15
16	77·7	77·6	77·7	77·6	77·4	77·2	76·4	77·8	78·2	79·0	79·4	79·5	16
17	77·8	77·6	77·2	76·8	76·8	76·5	77·5	78·3	79·5	78·7	78·1	78·2	17
18	77·3	77·4	76·8	76·8	76·8	76·4	76·5	76·0	77·6	79·1	80·0	79·8	18
19	80·8	80·3	80·2	79·4	79·7	79·0	79·6	80·4	79·8	80·4	81·0	81·0	19
20	79·5	79·2	79·2	78·0	78·6	78·0	79·4	79·9	80·8	80·5	80·0	79·8	20
21	79·0	78·8	78·7	77·0	76·9	76·7	77·8	79·0	79·8	78·8	79·2	78·9	21
22	76·4	74·6	76·6	77·0	78·0	76·0	76·0	76·8	77·4	78·5	79·2	78·8	22
23	75·0	75·4	75·4	75·4	75·0	76·0	74·8	75·8	75·8	74·2	74·2	75·2	23
24	76·8	73·8	75·0	75·4	75·7	75·8	76·0	76·0	76·8	77·4	75·0	75·5	24
25	77·0	77·0	76·4	75·8	76·0	76·5	77·1	77·8	78·3	78·7	78·0	78·5	25
26	76·0	75·7	75·9	76·0	75·7	74·7	76·2	76·4	76·0	76·1	76·5	77·0	26
27	76·8	77·2	76·6	76·1	76·5	76·6	76·8	76·6	76·0	77·0	76·9	75·3	27
28	77·4	77·0	77·2	77·7	74·0	75·8	75·0	75·1	75·3	75·8	75·7	75·9	28
29	76·4	76·4	76·1	75·8	75·7	75·8	76·5	76·8	77·7	77·6	78·7	77·4	29
30	74·8	74·8	75·4	75·6	73·8	74·8	75·6	75·0	75·8	78·8	79·2	79·0	30
31	77·5	77·5	76·9	76·9	77·0	77·0	77·1	77·5	77·4	77·8	78·0	78·3	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·0	80·0	80·8	80·5	80·3	79·9	79·5	79·3	79·2	79·3	79·2	79·4	1
2	80·5	80·0	79·2	78·0	76·4	79·0	77·0	76·9	77·0	77·0	78·2	78·8	2
3	80·2	79·7	79·7	79·6	78·2	78·2	79·0	78·4	78·9	79·0	79·0	78·7	3
4	80·2	79·6	79·2	78·4	77·4	78·4	78·0	77·4	77·8	78·0	77·9	78·0	4
5	79·8	79·1	79·3	79·3	78·5	79·0	78·4	78·3	78·7	78·7	79·0	78·9	5
6	81·3	79·6	78·5	79·7	79·0	78·9	79·0	78·7	78·5	78·8	78·8	78·6	6
7	79·4	79·9	79·7	79·4	80·0	79·9	78·9	78·8	78·8	79·0	79·0	79·0	7
8	82·0	81·1	80·0	80·8	79·9	76·1	77·7	77·0	76·1	75·8	76·2	77·5	8
9	80·8	80·5	81·4	82·8	77·9	77·5	76·9	76·7	77·0	76·4	76·5	76·6	9
10	79·5	80·6	80·2	80·4	80·4	80·8	80·8	79·1	78·8	78·0	78·4	77·8	10
11	75·4	75·9	75·4	75·5	75·0	75·0	74·8	74·9	75·0	75·1	75·1	74·8	11
12	74·8	75·0	75·8	76·0	76·0	76·5	75·7	75·6	75·6	75·8	74·8	75·0	12
13	75·8	76·5	77·3	77·0	75·0	74·8	74·7	74·6	74·7	74·7	74·8	75·0	13
14	77·9	77·8	77·6	76·0	76·1	75·8	76·9	77·5	77·0	77·6	77·6	77·0	14
15	77·6	79·0	78·8	77·4	77·6	76·8	76·8	77·8	77·0	77·5	77·7	77·6	15
16	78·8	79·0	79·0	78·8	78·6	78·0	77·8	77·8	77·4	77·1	77·5	77·6	16
17	78·8	79·0	78·2	78·0	77·4	77·4	77·6	76·7	76·4	76·4	77·0	77·0	17
18	80·5	81·0	81·1	81·2	81·0	80·6	79·8	79·8	80·3	80·8	81·3	81·0	18
19	81·6	81·8	81·5	82·6	81·6	80·7	80·4	79·8	79·9	80·0	80·0	80·0	19
20	81·0	80·4	79·9	80·0	79·8	79·8	79·8	79·6	79·8	77·8	77·4	78·7	20
21	79·0	77·8	78·8	78·8	79·4	78·7	78·4	78·1	78·5	74·8	77·8	76·0	21
22	79·8	77·7	76·9	76·0	75·6	75·6	75·6	74·8	74·8	74·0	74·6	75·0	22
23	75·8	75·0	75·8	75·9	76·0	76·0	75·8	76·1	76·4	76·4	76·4	76·8	23
24	76·0	74·8	74·7	76·0	76·0	75·7	75·7	75·9	75·0	76·4	76·3	76·8	24
25	78·1	77·6	77·5	75·8	76·5	76·4	77·0	75·0	74·9	75·7	76·0	76·8	25
26	77·1	77·0	77·2	77·0	77·3	76·8	76·8	77·2	77·0	76·3	77·0	76·8	26
27	77·0	77·8	76·2	77·0	77·2	77·3	76·8	77·0	77·0	77·0	76·1	77·1	27
28	75·7	76·0	76·5	76·3	76·6	76·4	76·5	76·8	76·8	77·6	77·6	76·9	28
29	77·4	77·7	77·8	77·8	75·8	76·0	76·3	75·0	74·1	75·0	75·8	74·8	29
30	80·2	79·0	78·5	78·1	78·1	77·9	78·0	78·0	77·9	77·7	77·8	77·8	30
31	77·8	79·0	78·1	76·0	76·8	76·8	77·2	77·7	77·6	76·5	76·8	77·0	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JULY, 1929.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	8	8	9	8	10	7	7	7	8	9	8	9	9	9	9	9	9	8	9	9	9	9	9	9	1
2	9	10	10	10	10	10	9	9	9	9	9	9	9	9	8	9	7	8	7	5	9	7	9	7	2
3	8	8	9	9	8	8	9	7	8	8	8	7	5	8	8	5	8	5	7	4	2	3	5	3	3
4	4	2	1	2	3	9	7	9	9	7	9	8	5	5	5	8	8	7	8	4	2	3	2	9	4
5	9	6	9	9	8	9	8	6	8	9	9	7	6	7	6	6	5	7	7	2	2	2	3	3	5
6	7	8	9	8	7	7	9	7	7	7	6	7	8	8	8	8	8	8	5	6	2	...	...	2	6
7	1	3	1	1	6	3	4	7	8	9	7	8	8	9	9	5	5	5	2	1	...	...	...	...	7
8	...	...	...	...	3	5	6	7	3	7	6	5	3	4	5	6	6	8	10	10	9	8	9	9	8
9	9	8	3	3	8	5	7	8	6	7	7	8	9	9	8	8	8	7	8	10	10	10	10	10	9
10	10	10	10	9	10	9	7	7	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	10	9	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	7	7	7	11
12	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	10	9	9	10	10	10	12
13	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	9	9	6	13
14	9	10	10	9	10	10	10	10	10	8	9	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	10	9	8	10	7	9	10	10	10	9	9	10	9	9	8	10	10	10	10	6	15
16	7	6	5	8	9	9	9	9	9	7	3	4	7	3	6	8	8	9	9	8	2	1	1	3	16
17	9	5	8	7	6	7	4	5	5	5	2	4	3	3	5	6	7	8	7	4	4	6	7	7	17
18	9	9	7	7	6	5	4	2	2	5	5	5	4	4	5	3	4	4	3	2	1	...	...	3	18
19	3	5	7	3	2	5	3	3	5	7	6	6	3	5	6	7	8	9	8	10	10	10	10	10	19
20	10	10	10	10	10	9	8	9	9	9	9	10	8	9	9	9	10	10	10	9	10	10	10	10	20
21	10	10	10	10	10	10	8	8	9	7	9	9	9	10	10	10	9	9	8	9	9	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	9	9	9	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	9	9	9	9	10	10	10	24
25	10	10	9	9	7	5	7	6	6	4	4	6	2	3	2	2	1	4	1	...	...	...	2	3	25
26	6	9	9	10	10	8	7	8	10	9	10	9	8	9	10	10	9	8	9	9	8	8	9	9	26
27	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	8	7	10	27
28	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7	7	10	28
29	7	8	8	7	5	8	...	2	6	6	7	9	4	3	3	9	3	6	6	6	6	5	2	8	29
30	8	10	10	10	10	5	8	10	10	10	9	10	10	10	10	10	10	10	10	10	9	7	9	10	30
31	10	10	10	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	8	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JULY, 1929.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	0·8	1·0	0·4	0·4	...	0·5	...	...	...	0·1	0·6	0·2	1
2	0·1	0·6	0·8	0·7	0·7	0·7	1·0	0·7	0·3	0·9	1·0	0·6	...	2
3	...	0·8	1·0	0·7	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·9	0·5	3
4	0·3	0·2	0·5	1·0	1·0	1·0	0·9	1·0	1·0	1·0	0·9	1·0	0·6	4
5	0·2	0·7	1·0	1·0	0·8	0·8	1·0	1·0	1·0	0·9	0·8	0·6	0·4	5
6	0·4	1·0	1·0	1·0	1·0	1·0	1·0	0·5	0·4	0·1	1·0	0·7	0·2	6
7	0·4	0·2	0·1	0·5	1·0	0·6	0·8	0·6	0·8	0·7	0·9	1·0	0·4	7
8	0·5	0·8	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·1	...	...	8
9	...	...	0·8	1·0	0·7	1·0	1·0	0·7	0·9	1·0	0·8	...	0·3	9
10	0·2	0·6	0·6	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	0·4	0·3	12
13	...	...	0·1	0·1	...	...	...	...	0·3	...	...	...	...	13
14	0·1	0·4	0·1	0·7	0·4	0·1	...	...	...	..	...	...	...	14
15	...	...	1·0	0·9	0·4	0·7	...	0·3	0·7	0·6	0·3	0·4	...	15
16	0·1	0·7	0·8	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	0·4	...	16
17	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	17
18	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	18
19	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	...	19
20	0·1	0·7	0·7	0·9	0·6	0·2	0·4	1·0	...	0·2	0·3	...	...	20
21	0·3	1·0	1·0	0·9	1·0	1·0	1·0	0·2	...	...	0·8	0·6	0·2	21
22	...	...	...	...	...	0·1	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	0·1	0·8	...	...	23
24	...	0·1	0·1	0·2	...	...	...	0·1	...	...	...	...	...	24
25	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	25
26	0·6	1·0	0·5	0·8	0·1	0·2	0·8	0·9	0·6	0·2	...	...	...	26
27	...	...	...	...	0·1	0·4	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	...	28
29	0·4	1·0	1·0	0·6	1·0	0·7	1·0	1·0	1·0	1·0	0·7	0·3	...	29
30	...	...	...	...	0·1	0·3	...	...	...	...	...	...	...	30
31	...	0·1	0·2	0·1	0·2	0·8	0·2	...	...	...	...	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JULY, 1929.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	0·050	d	...	...	...	0·005	0·290	...	0·005	1
2	...	d	0·010	...	...	0·115	0·005	0·010	d	0·005	d	...	2
3	...	...	0·005	d	...	d	...	...	d	...	...	...	3
4	...	...	...	...	d	d	...	0·005	...	0·030	...	...	4
5	0·075	...	...	0·020	0·005	0·010	0·010	...	...	d	...	...	5
6	...	...	...	...	...	d	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	0·150	d	0·030	...	0·005	0·185	...	d	0·035	0·220	0·005	d	11
12	...	...	...	0·155	0·060	0·430	0·020	0·170	0·900	0·600	0·160	0·100	12
13	0·065	0·020	0·005	0·020	0·005	0·015	0·020	0·010	0·095	0·035	0·735	0·020	13
14	...	0·005	0·280	0·105	0·020	0·095	0·175	0·010	0·015	d	0·110	0·005	14
15	0·435	0·025	d	...	0·010	0·020	0·030	0·240	d	d	d	0·065	15
16	...	...	...	0·030	...	d	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	d	...	...	d	d	20
21	0·165	...	0·230	0·015	0·040	0·010	d	...	...	...	...	...	21
22	0·955	0·100	0·010	...	0·065	0·085	0·235	0·005	0·030	...	...	0·015	22
23	d	d	...	d	...	...	d	0·030	0·015	0·400	0·065	0·065	23
24	0·100	0·065	0·025	0·015	0.005	d	d	...	d	d	0·030	0·020	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	0·005	0·185	0·010	...	26
27	0·010	0·010	d	0·125	d	0·090	0·295	0·555	0·255	0·060	0·030	0·100	27
28	d	d	d	0·020	0·270	0·440	0·090	0·045	d	0·585	0·295	0·870	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	0·045	d	...	0·200	0·010	d	d	d	30
31	...	...	0·015	...	...	...	...	d	...	...	...	d	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	0·005	...	...	...	...	d	...	...	...	1
2	...	d	d	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	0·055	...	3
4	...	...	...	...	...	...	...	...	...	...	...	d	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	d	0·035	0·005	...	...	...	...	8
9	...	...	...	...	...	...	d	d	...	...	...	...	9
10	...	...	...	...	...	...	...	...	0·005	d	...	...	10
11	0·035	0·035	0·420	0·150	0·060	0·065	d	...	...	...	...	...	11
12	0·025	0·010	0·005	d	...	...	d	...	...	0·160	0·255	0·145	12
13	d	d	0·005	0·200	0·580	0·015	d	...	...	...	...	...	13
14	0·010	0·075	0·345	0·350	0·310	...	...	...	0·010	0·160	0·005	0·020	14
15	0·075	0·010	0·030	d	d	...	...	d	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	d	...	...	...	19
20	...	...	...	...	d	0·020	...	...	d	0·030	0·040	0·225	20
21	0·030	0·230	d	...	...	...	...	...	...	0·110	0·550	0·345	21
22	d	0·125	0·325	1·050	0·350	0·075	0·070	0·180	0·185	0·090	0·040	0·010	22
23	d	d	...	...	...	...	...	...	...	...	d	0·010	23
24	0·010	d	0·005	0·010	...	...	...	...	...	...	d	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	d	0·005	d	...	...	...	...	...	...	...	...	...	26
27	0·020	...	d	d	0·010	0·030	...	...	...	...	...	...	27
28	0·075	0·050	0·015	0·010	d	d	...	...	...	...	d	0·090	28
29	...	...	...	d	...	...	...	...	d	...	...	...	29
30	0·010	...	...	...	...	...	...	...	...	d	...	0·020	30
31	...	...	...	0·170	0·215	d	d	d	...	...	0·010	0·175	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of JULY, 1929.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	18	9	18	11	18	10	18	4	18	7	18	9	19	7	18	10	18	9	17	8	18	10	18	13	1
2	16	8	16	8	17	8	16	5	16	4	16	8	15	9	16	9	16	9	16	10	16	13	16	12	2
3	14	5	14	6	14	2	15	6	16	5	16	6	16	4	15	6	16	6	16	6	15	10	16	8	3
4	13	6	14	6	12	6	11	6	14	4	19	3	19	4	15	4	16	4	18	5	18	5	17	8	4
5	15	4	15	7	14	4	12	8	17	4	17	2	18	2	23	2	26	4	25	5	24	2	17	9	5
6	14	5	12	5	9	3	...	...	...	1	...	...	22	2	16	3	14	8	15	9	16	7	16	8	6
7	10	4	10	4	10	2	10	2	...	...	...	...	...	...	...	...	10	5	10	6	10	8	9	11	7
8	...	...	...	...	...	1	25	3	...	...	...	...	24	2	24	6	23	8	23	10	22	11	22	10	8
9	23	7	23	6	23	8	23	6	24	7	25	9	25	10	23	10	25	9	24	13	24	11	23	11	9
10	22	6	20	14	20	15	20	17	20	18	21	19	20	16	20	19	19	18	19	17	19	15	18	14	10
11	6	5	13	8	16	9	16	9	16	10	14	8	10	3	8	7	24	9	27	11	17	7	9	15	11
12	9	13	9	11	9	9	10	9	10	4	8	9	6	13	10	7	14	17	17	12	19	13	18	4	12
13	9	13	9	11	9	11	10	8	10	7	9	9	8	14	8	10	8	14	7	14	8	12	8	13	13
14	9	11	9	11	10	6	9	10	8	9	8	8	8	10	8	13	9	12	9	12	8	11	8	14	14
15	8	11	7	12	6	14	6	14	6	14	7	12	8	12	8	12	8	14	7	13	7	14	7	11	15
16	10	11	9	11	9	12	9	12	8	10	7	11	7	12	6	13	6	13	7	14	8	15	9	17	16
17	7	11	8	10	7	8	7	8	7	10	6	9	5	8	8	10	8	7	7	14	8	12	8	12	17
18	26	5	26	4	27	5	26	5	26	6	26	7	26	9	26	11	25	9	24	11	24	11	24	10	18
19	24	8	24	7	25	12	25	12	26	11	26	11	26	10	25	9	23	10	22	11	22	10	22	10	19
20	16	8	16	10	17	8	16	6	16	9	16	5	16	5	17	5	17	5	16	5	16	8	17	6	20
21	15	15	16	12	19	10	25	4	27	6	28	6	...	1	21	5	16	13	16	13	16	12	15	11	21
22	7	6	6	11	6	13	8	13	9	14	8	9	8	12	9	12	10	14	10	9	10	6	9	10	22
23	9	9	8	10	7	6	7	2	6	8	7	6	6	13	7	4	6	17	8	8	7	3	...	1	23
24	8	9	8	8	7	9	7	8	7	11	7	12	6	14	6	14	6	16	7	16	8	17	8	12	24
25	6	11	6	13	6	11	7	9	7	8	6	9	6	13	6	10	7	11	8	10	9	9	9	10	25
26	6	19	5	15	5	16	5	19	5	18	5	14	5	16	6	20	6	21	6	24	6	23	6	29	26
27	6	23	6	23	6	21	6	22	6	24	6	25	7	26	8	26	8	25	6	23	8	27	9	20	27
28	8	23	8	20	9	17	9	20	10	21	9	10	9	20	8	18	7	17	7	19	6	18	8	15	28
29	12	10	12	5	12	4	...	1	...	...	...	...	...	1	20	5	24	5	24	7	24	7	25	6	29
30	21	2	...	...	...	...	18	4	19	13	22	4	...	1	22	7	15	3	15	3	17	7	17	9	30
31	16	7	16	7	17	8	17	6	18	10	17	9	17	9	17	11	18	15	18	13	18	16	17	13	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	18	11	18	13	18	9	18	11	18	9	18	11	17	8	17	6	17	8	17	9	16	8	16	10	1
2	16	13	16	14	16	6	17	6	16	7	15	7	16	4	...	1	...	...	...	1	16	3	15	4	2
3	17	7	16	7	15	9	14	8	15	8	14	6	13	11	13	8	12	7	11	6	11	4	12	8	3
4	16	9	16	12	16	8	16	8	15	9	14	9	13	9	12	6	11	6	12	6	12	7	13	7	4
5	16	12	16	7	17	8	16	10	16	8	16	10	15	8	16	5	15	4	15	3	14	6	13	5	5
6	16	7	17	11	16	8	16	8	16	8	16	8	15	5	12	2	11	4	11	7	10	4	10	4	6
7	8	14	8	14	8	12	9	9	9	3	24	3	...	...	...	...	...	...	...	...	24	3	25	2	7
8	22	10	22	13	21	12	20	9	16	6	7	8	...	1	21	3	23	3	24	2	24	4	24	6	8
9	22	12	21	13	20	15	23	20	27	16	26	16	23	6	25	10	26	10	25	7	23	5	23	4	9
10	17	19	17	15	17	11	17	9	18	15	20	13	24	7	28	5	31	3	10	7	11	3	8	2	10
11	9	8	9	6	8	11	3	2	32	3	4	9	10	6	10	11	9	9	9	13	9	13	9	14	11
12	32	2	28	6	29	3	31	2	4	8	7	9	8	10	8	10	9	9	9	7	9	11	9	8	12
13	9	7	9	14	9	16	10	9	10	5	8	2	7	4	8	4	8	8	8	8	8	7	9	10	13
14	7	15	8	12	8	14	9	11	9	9	9	11	8	10	8	12	7	15	7	17	6	20	6	16	14
15	8	14	8	13	8	15	8	14	7	9	7	16	7	13	6	14	6	15	7	15	8	15	9	12	15
16	10	20	10	19	9	15	9	13	9	12	9	12	9	11	8	11	7	13	7	13	7	13	8	13	16
17	9	10	9	9	9	9	16	9	17	6	17	11	17	6	17	3	21	4	24	5	...	...	26	3	17
18	23	13	22	13	22	13	22	10	22	12	22	11	22	10	23	6	23	7	23	10	24	8	25	7	18
19	21	11	20	12	19	16	19	15	19	13	18	11	18	9	18	12	18	15	18	13	18	11	17	6	19
20	17	10	16	12	16	11	16	11	16	8	17	8	17	11	18	9	14	3	13	14	10	9	13	10	20
21	14	13	12	10	7	3	...	1	10	6	12	11	12	9	11	14	12	17	13	13	12	13	10	9	21
22	10	12	7	6	27	6	19	4	8	6	7	6	7	8	7	13	7	14	8	9	10	8	9	9	22
23	7	6	8	16	7	11	7	15	8	18	9	15	9	12	8	7	9	5	8	4	8	5	8	5	23
24	8	17	8	18	8	13	8	13	8	11	7	9	7	9	7	8	7	10	6	12	6	12	6	11	24
25	9	7	9	10	9	13	9	13	9	12	9	15	7	12	6	9	7	11	7	17	6	17	6	20	25
26	6	29	6	27	6	26	6	28	6	28	6	27	6	27	6	26	6	24	6	22	6	23	6	22	26
27	7	17	6	17	7	19	6	21	6	21	8	20	8	21	8	23	8	30	10	27	10	26	8	24	27
28	7	16	6	12	6	19	6	19	6	18	6	20	6	18	7	24	8	19	9	13	9	13	11	10	28
29	25	8	23	7	20	7	18	12	18	7	19	3	20	3	20	5	22	12	23	6	24	3	...	...	29
30	16	8	16	11	16	11	16	11	16	12	16	9	16	11	16	11	16	9	16	7	15	6	16	8	30
31	16	8	16	11	16	9	16	8	4	3	3	4	9	6	13	7	14	7	15	6	14	7	15	5	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of JULY, 1929.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	SW	cu	SW	cu-nb	SSW	cu/nb	SSW/S	cu	SSW	nb	SSW	ci-st/cu	ENE/SW	cu	SW
2	cu	SW	nb	SW	nb	SW	cu/nb	SSW/S	cu	SSW	ci-st/cu	NE/SW	ci-st/cu	NE/SW	cu	SW
3	cu	SW	cu	SW	cu	SW	cu	SSW	cu	SW	a-cu/cu	ENE/SW	ci-st/cu	NNW/SSE	cu	SSE
4	cu	SE	cu	SE	cu	SSW	ci-st/cu/nb	NNE/SSW/S	ci-st/cu	NE/S	ci-st/cu	NE/S	ci-st/cu	NE/ESE	cu	SE
5	nb	SSW	nb	S	cu	S	cu/nb	S/S	ci-st/cu	NE/SSW	ci-st/cu	NNE/S	ci-st/cu	NNE/S	cu	S
6	cu	S	cu	S	ci-st/cu	NNE/S	ci-st/cu	NE/SSW	ci-st/cu	NNE/SW	ci-st/cu	NNE/SW	ci-st/cu	N/SW	...	...
7	cu	ESE	cu	ESE	ci-st/cu	NE/SSE	cu-nb	SSE	cu	SSE	cu	SSE	ci-st	NE	...	...
8	...	...	...	...	ci-st	NE	ci-st/cu	ENE/SW	ci-st/cu	NE/SW	ci-st/cu	NE/SW	nb	SW	cu	SW
9	cu	WSW	cu	WSW	ci-st/cu	ENE/WNW	ci-st	ENE	cu	WSW	ci-st/cu	ENE/WSW	cu	WNW	cu	WNW
10	cu	SW	cu	SW	cu	SW	cu-nb	WSW	cu-nb	WSW	cu-nb	SW	nb	WSW	nb	WSW
11	nb	SSW	cu-nb	SSW	nb	S	nb	SSW	nb	SSW	nb	SSW	nb	S	cu	S
12	cu-nb	S	nb	S	nb	SSE	nb	S	nb	SSW	nb	SSW	cu-nb	S	nb	S
13	nb	SSE	nb	SSE	nb	SSE	cu-nb	SSE	nb	SSE	nb	SSE	nb	SE	cu	ESE
14	nb	ESE	nb	ESE	nb	SE	cu	ESE	nb	ESE	nb	ESE	nb	ESE	nb	ESE
15	nb	ESE	nb	ESE	cu/nb	SE/ESE	nb	ESE	nb	ESE	nb	ESE	cu-nb	ESE	cu-nb	ESE
16	cu	ESE	cu	ESE	cu-nb	E	cu	ESE	cu	ESE	cu	ESE	ci-st/cu	WSW/ESE	cu	E
17	cu-nb	E	cu-nb	ENE	ci-st/cu	WSW/E	ci-st/cu	W/ENE	ci-st/cu	WSW/E	ci-st/cu	WSW/ENE	ci-st/cu	ESE/E	ci-st/cu	ESE/ENE
18	ci-st/cu	WSW/E	cu	E	ci-st	WSW	ci-cu	NE	ci-st/cu	NE/NW	ci-st/cu	NE/NW	ci-st	NE	...	...
19	ci-st	NE	ci-st	NE	ci-st	NE	ci-st	ENE	ci-st	NE	ci-st	NE	cu	SW	cu	SW
20	cu	SSW	cu	SSW	cu	SW	cu	SW	cu	SW	cu	SW	cu-nb	SW	nb	S
21	nb	SSW	nb	SSW	cu/nb	SW/SW	cu	S	cu	SSW	cu-nb	SSW	cu	SSE	nb	SSE
22	nb	SE	nb	ESE	nb	E	cu-nb	SSE	cu-nb	SSE	nb	SSE	nb	SSW	nb	SSW
23	nb	ESE	nb	ESE	cu-nb	SSE	nb	S	nb	S	a-cu/cu	SW/S	cu	ESE	cu	ESE
24	nb	ESE	nb	ESE	cu-nb	E	cu-nb	ESE	nb	ESE	nb	ESE	cu	ESE	cu-nb	ESE
25	cu	ESE	ci-st/cu	WSW/ESE	ci-st/cu	S/ESE	ci-cu/cu	E/ESE	cu	ESE	cu	ESE	cu	E	...	...
26	ci-cu/cu	NW/ENE	cu	ENE	cu	E	cu/nb	E/ESE	cu/nb	E/E	nb	E	cu-nb	E	cu-nb	E
27	cu-nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	ESE	cu-nb	ESE
28	nb	E	nb	ESE	nb	SE	nb	SSE	nb	SSE	nb	ESE	nb	E	cu	E
29	cu-nb	ESE	cu	E	...	...	a-cu/cu	E/ESE	ci-cu/cu	ENE/E	cu/nb	SW/SSW	ci-st/cu	ENE/E	cu	E
30	cu	SSE	cu	SSE	cu	SW	cu-nb	SSW	nb	SSW	nb	SSW	nb	SSW	cu	SSW
31	cu-nb	SSW	cu-nb	SSW	nb	SSW	cu-nb	SSW	cu-nb	SSW	nb	SSW	nb	SSW	cu	SSW

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1929.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·500	88·4	82·1	6·3	84·3	79·7	0·960	82	85	4·0	30	0·355	1	− 8·5	− 3·0	200	9·0	9·2
2	·567	88·9	80·7	8·2	84·0	78·9	·929	80	86	8·1	60	0·145	2	− 7·0	...	180	7·0	7·0
3	·632	89·0	81·1	7·9	84·7	79·0	·925	78	67	10·8	80	0·060	1	− 6·1	+ 1·9	163	6·4	6·6
4	·586	90·1	81·0	9·1	84·0	78·3	·902	77	57	10·4	78	0·035	1	− 5·7	+ 1·6	164	5·9	6·5
5	·523	88·8	79·2	9·6	83·4	78·7	·926	81	64	10·2	76	0·120	1	− 5·0	...	180	5·0	5·8
6	·490	90·8	80·0	10·8	84·4	79·2	·937	79	63	9·3	69	...	...	− 4·6	+ 1·2	165	4·8	5·3
7	·483	86·0	79·4	6·6	82·6	78·9	·944	85	42	8·0	60	...	...	− 0·8	+ 3·5	103	3·6	4·2
8	·446	92·2	79·5	12·7	83·9	78·9	·930	80	54	9·2	69	0·040	1	− 1·7	− 3·9	247	4·2	5·3
9	·403	91·7	81·4	10·3	84·7	78·8	·916	76	77	8·2	61	...	...	− 0·5	− 9·5	267	9·5	10·0
10	·480	87·0	80·0	7·0	84·4	79·8	·963	82	96	1·4	10	0·005	1	− 8·9	− 6·3	215	10·9	12·4
11	·635	82·3	75·8	6·5	78·2	76·2	·879	91	95	...	...	1·395	9	− 2·3	+ 4·8	115	5·3	8·6
12	·665	79·7	74·4	5·3	76·8	75·3	·858	93	98	0·7	5	3·195	12	− 1·8	+ 5·5	108	5·8	8·6
13	·625	79·5	75·0	4·5	76·7	75·3	·859	94	97	0·5	4	1·845	11	− 1·0	+ 9·5	96	9·6	9·6
14	·615	82·1	76·3	5·8	78·7	77·0	·907	92	98	1·8	13	2·105	10	+ 0·2	+ 11·9	89	11·9	12·0
15	·614	83·0	77·7	5·3	80·1	77·5	·912	89	93	5·3	40	0·940	5	+ 2·0	+ 13·0	81	13·2	13·2
16	·612	85·3	79·1	6·2	81·8	78·0	·914	85	62	8·7	65	0·030	1	− 0·6	+ 12·9	93	12·9	13·2
17	·568	87·1	79·7	7·4	82·8	77·6	·886	79	56	11·6	87	...	...	− 1·0	+ 5·4	100	5·5	8·1
18	·442	90·1	78·7	11·4	84·6	79·1	·930	78	40	12·4	93	...	...	− 0·4	− 8·5	267	8·5	8·9
19	·363	91·2	81·7	9·5	85·7	80·5	·980	80	63	10·8	81	...	...	− 4·9	− 7·7	238	9·1	11·0
20	·490	88·2	79·1	9·1	84·0	79·5	·954	82	95	5·1	38	0·315	2	− 7·7	+ 0·4	177	7·7	8·2
21	·563	87·3	77·7	9·6	82·0	78·2	·920	85	93	8·0	60	1·725	5	− 6·5	+ 2·7	157	7·0	9·5
22	·610	84·5	75·2	9·3	78·5	76·5	·888	91	100	0·1	1	4·000	16	− 0·3	+ 8·6	92	8·6	9·6
23	·643	80·0	74·5	5·5	77·6	75·6	·861	91	98	0·9	7	0·585	6	+ 0·7	+ 8·4	85	8·4	8·6
24	·650	81·4	75·5	5·9	78·2	75·8	·862	89	97	0·5	4	0·285	8	+ 2·0	+ 11·8	80	12·0	12·0
25	·665	85·6	77·6	8·0	81·5	76·8	·867	81	43	11·8	89	...	...	+ 1·5	+ 11·2	82	11·3	11·7
26	·663	84·0	77·4	6·6	81·0	76·5	·860	81	88	5·7	43	0·205	1	+ 9·3	+ 20·5	66	22·5	22·6
27	·657	81·7	76·0	5·7	79·4	76·7	·857	88	97	0·5	4	1·590	7	+ 3·0	+ 22·0	82	22·2	23·0
28	·637	81·0	75·2	5·8	78·4	76·3	·881	91	97	...	...	2·855	12	+ 1·2	+ 17·0	86	17·0	17·5
29	·593	86·7	76·9	9·8	81·1	76·4	·855	81	56	9·7	73	...	...	− 2·0	− 2·9	235	3·5	5·2
30	·617	84·3	76·8	7·5	80·7	77·1	·888	85	94	0·4	3	0·285	3	− 6·5	− 0·9	188	6·6	7·0
31	·663	85·1	77·4	7·7	81·4	77·3	·889	83	98	1·6	12	0·585	3	− 7·5	− 0·5	184	7·5	8·5
Means	29·571	85·9	78·1	7·8	81·6	77·7	0·905	84	79	Sum. 175·7	43	Sum. 22·700	Sum 119	− 2·3	+ 4·2	119	4·8	10·0
Normals	29·613	86·8	78·4	8·4	82·0	77·8	0·897	82	68	213·2	52	14·595	72	− 3·7	+ 3·3	138	4·9	10·9
Absolute Max.	29·729	92·2	...	12·7	...	83·4	1·064	...	...	12·4	93	4·000	16	...	...	...	...	30·0 †
Day.	12	8	...	8	...	9	19	...	...	18	18	22	22	...	...	...	...	27d 21h
Absolute Min.	29·319	...	74·4	4·5	...	73·0	0·772	59	...	...	...	...	...	...	...	...	...	...
day.	19	...	12	13	...	12	29	8	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1003·3	302·9	298·6	4·3	300·6	298·4	30·6	...	...	...	...	Sum. 576·6	Sum. 119	− 0·8	+ 1·4	119	1·6	3·3
Normals	1004·7	303·4	298·8	4·6	300·8	298·4	30·3	...	...	...	...	370·7	72	− 1·2	+ 1·1	138	1·6	3·6
Absolute Maximum.	1008·7	306·4	...	7·1	...	301·6	36·0	...	...	...	...	101·6	16	...	...	...	...	9·8
Absolute Minimum.	994·7	...	296·6	2·5	...	295·8	26·1	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 22 days. The mean hourly intensity was 0·191*in*, and the maximum fall in one hour was 1·050*in* at 16*h* on the 22nd.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 49 miles per hour from E. by S. at 11*h* 30*m* on the 27th.

Clouds with base less than 2,000 feet high were observed on 7 days.
Clouds with base less than 1,000 feet high were observed on 5 days.

*0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1929.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-10).	Percentage of Possible Sunshine.	Rainfall. Amount.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%		%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·578	80·4	77·4	·904	87	81		1·955	9	5	− 2·1	+ 5·2	112	5·6	9·2
2	·564	80·1	77·4	·908	88	82		0·225	1	4	− 2·3	+ 4·7	116	5·2	9·2
3	·554	80·1	77·4	·908	88	82		0·610	3	4	− 1·5	+ 3·5	113	3·8	8·6
4	·552	79·8	77·2	·903	89	80		0·555	2	4	− 1·3	+ 3·6	110	3·8	8·3
5	·553	79·5	77·0	·898	89	83		0·530	2	4	− 1·6	+ 3·0	118	3·4	8·8
6	·562	79·6	77·0	·897	89	81	20	1·495	7	5	− 0·6	+ 2·7	103	2·8	8·0
7	·572	80·4	77·4	·904	87	76	47	0·880	4	4	− 0·2	+ 4·2	93	4·2	9·0
8	·580	81·5	78·0	·917	86	79	55	1·280	6	6	− 1·5	+ 3·3	114	3·6	9·6
9	·588	82·4	78·2	·916	83	81	56	1·365	6	4	− 2·5	+ 3·7	124	4·5	11·2
10	·595	82·9	78·4	·919	82	83	53	2·410	10	6	− 2·1	+ 3·1	124	3·7	11·3
11	·596	83·6	78·5	·916	80	81	54	1·440	6	6	− 3·6	+ 3·0	140	4·7	11·3
Noon.	·588	83·7	78·4	·910	79	84	54	1·265	6	6	− 4·0	+ 3·9	136	5·6	11·4
13	·576	84·1	78·7	·919	78	77	48	0·290	1	5	− 4·1	+ 4·2	134	5·9	11·8
14	·563	83·9	78·5	·912	78	79	45	0·540	2	5	− 4·4	+ 4·2	136	6·1	12·3
15	·550	83·9	78·4	·908	78	81	43	1·150	5	4	− 3·6	+ 4·3	130	5·6	11·5
16	·542	83·2	78·3	·912	80	83	43	1·945	9	5	− 3·8	+ 3·4	138	5·1	10·9
17	·528	82·6	77·8	·897	81	81	35	1·525	7	4	− 2·5	+ 3·9	123	4·6	10·2
18	·542	82·0	77·6	·895	83	83	13	0·205	1	3	− 2·5	+ 4·4	120	5·1	10·6
19	·554	81·4	77·5	·897	84	81		0·105	...	2	− 2·3	+ 4·9	115	5·4	9·2
20	·571	81·0	77·3	·893	84	76		0·185	1	1	− 1·5	+ 5·1	106	5·3	9·2
21	·584	80·8	77·3	·895	85	71		0·200	1	2	− 1·5	+ 5·4	106	5·6	9·7
22	·600	80·6	77·1	·889	85	67		0·550	2	3	− 2·2	+ 5·6	111	6·0	9·6
23	·604	80·4	77·3	·900	87	70		0·955	4	4	− 1·7	+ 5·9	106	6·1	9·3
Midn.	·598	80·3	77·4	·906	87	75		1·040	5	4	− 1·7	+ 5·7	107	6·0	8·8

Phenomena :—

Lunar halo :—on the 13th, 17th, 25th, 26th and 28th.
Lunar corona :—on the 18th and 25th.
Rainbow :—on the 5th and 8th.
Unusual visibility :—on the 3rd, 5th, 6th, 16th and 25th.
Dew :—on the 7th, 8th and 9th.
Lightning :—on the 6th, 9th, 10th, 11th, 12th, 13th, 16th, 17th, 18th, 20th, 21st and 29th.
Thunder :—on the 8th, 10th, 11th, 12th, 14th and 21st.

Thunderstorms :—

10*d.* 19*h.* 46*m.* to 23*h.* 18*m.* in S.S.E.; distant.
12*d.* 8*h.* 40*m.* to 9*h.* 18*m.* in N.N.W.; distant.
20*d.* 22*h.* 12*m.* to 23*h.* 05*m.* in E.S.E.; distant.
21*d.* 23*h.* 14*m.* to 23*h.* 59*m.* S.W. to N.E.; nearest at 23*h.* 42*m.* (6*s*).
22*d.* 0*h.* 09*m.* to 2*h.* 11*m.* N.N.W. to S.S.E.; nearest at 1*h* 37*m* (8*s*).
22*d.* 6*h.* 47*m.* to 7*h.* 15*m.* N. to S.; nearest at 7*h.* 05*m.* (8*s*).
22*d.* 15*h.* 44*m.* to 17*h.* 07*m.* N.E. to S.W.; distant.

ADOPTED ERRORS OF TIMEBALL, JULY, 1929.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	− 0·1	11	− 0·2	21	0·0
2	− 0·2	12	− 0·2	22	0·0
3	− 0·2	13	− 0·2	23	0·0
4	− 0·1	14	− 0·2	24	0·0
5	− 0·1	15	− 0·3	25	0·0
6	0·0	16	− 0·3	26	0·0
7	0·0	17	− 0·2	27	0·0
8	− 0·1	18	− 0·1	28	− 0·1
9	− 0·2	19	− 0·1	29	− 0·1
10	− 0·2	20	0·0	30	− 0·1
				31	0·0

+ = Late ; − = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0·12

* 0° = N. 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

JULY,

1929.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th June, 1929.								1st July, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.78	756.3	59	...	SE	5	f	6	29.89	759.1	57	...	SE	2	f
Nemuro,	11	30.10	764.5	...	...	S	3	...	5	30.08	764.0	...	...	S	2	...
Hokodate,	,,	30.00	762.0	...	...	...	0	...	,,	30.04	763.0	...	...	...	..	...
Tokio,	,,	30.04	763.0	...	...	SE	2	...	,,	30.06	763.5	...	...	...	0	...
Kochi,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.94	760.5	...	...	...	...	...
Nagasaki,	,,	29.70	754.5	...	...	E	1	...	,,	29.65	753.0	...	...	E	3	...
Kagoshima,	,,	29.70	754.5	...	...	NNW	2	...	,,	29.63	752.5	...	...	ESE	4	...
Oshima,	,,	29.47	748.5	...	...	SE	2	...	,,	29.29	744.0	...	...	SSW	3	...
Naha,	,,	29.25	743.0	...	...	NW	5	...	,,	29.47	748.5	...	...	SW	5	...
Ishigakijima,	,,	29.51	749.5	...	...	NNW	2	...	,,	29.51	749.5	...	...	...	...	...
Bonin Island,	,,	29.84	758.0	...	...	ENE	1	...	,,	29.84	758.0	...	...	ENE	1	...
Chefoo,	15	29.51	749.5	88	66	S	4	o	6	29.63	752.6	72	85	SW	4	b
Shanghai,	14	29.58	751.2	86	71	E	2	b	,,	29.59	751.5	75	100	ESE	1	o
Gutzlaff,	,,	29.62	752.3	77	95	E	1	o	,,	29.61	752.1	73	100	E	1	of
Sharp Peak,	,,	29.52	749.8	83	83	E	1	o	7	29.42	747.2	80	93	...	0	o
Amoy,	,,	29.46	748.2	86	80	SSE	4	o	6	29.69	754.1	81	96	ENE	2	o
Swatow,	,,	29.47	748.5	91	81	WSW	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.55	750.6	79	91	E	2	o	5	29.54	750.3	79	91	...	0	o
Taichu,	,,	29.61	752.1	77	...	ESE	2	r	,,	29.60	751.8	75	...	SSW	2	o
Tainan,	,,	29.59	751.5	90	...	W	4	b	,,	29.58	751.2	81	...	WSW	2	o
Koshun,	,,	29.59	751.5	90	...	WNW	4	o	,,	29.56	750.9	81	...	W	2	b
Pescadores,	,,	29.56	750.9	86	...	SW	4	b	,,	29.55	750.6	81	...	SSW	4	b
Hong Kong,	14	29.53	750.0	86	77	SW	3	c	6	29.55	750.5	83	84	SW	2	c
Gap Rock,	,,	29.53	750.0	...	...	SW	4	b	,,	29.54	750.3	..	...	SW	4	c
Macao,	,,	29.50	749.4	93	71	SW	2	b	,,	29.49	749.1	82	94	SW	2	o
Loihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.57	751.1	91	67	WSW	3	bc	,,	29.58	751.3	83	83	SW	3	bc
Phulien,	15	29.43	747.6	97	47	WSW	4	o	7	...	...	...	...	...	...	...
Fourane,	,,	29.[illegible]5	750.5	93	...	ESE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.69	754.2	84	...	SW	4	b	,,	...	...	...	...	...	...	...
Basco,	14	29.56	750.9	86	75	WSW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.56	750.9	90	55	N	4	b	,,	...	...	...	...	...	...	...
Paguegarao,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.62	752.4	82	89	W	1	o	,,	29.62	752.4	79	87	ESE	2	o
Manila,	,,	29.63	752.7	90	66	WSW	4	o	,,	29.68	753.9	79	89	NE	1	o
Legaspi,	,,	29.63	752.7	86	75	SW	4	o	,,	29.71	754.5	77	91	SW	4	o
Taiboyog,	,,	29.65	753.0	86	75	WSW	2	o	,,	29.73	755.1	79	92	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.68	753.9	...	...	SW	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.69	754.2	...	...	SSE	2	o	5	29.71	754.5	...	...	NNE	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Sabuan,	14	29.56	758.4	78	91	...	0	o	6	29.84	757.9	78	91	SW	2	b

July 1*d.* 10*h.* 20*m.*—The anticyclone remains stationary; the typhoon is situated to north-west of Oshima, moving N.N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·35 inch. Total since January 1st, 14·72 inches, against an average of 39·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate; cloudy, showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	2nd July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	..	...
Nemuro,	11	30.04	763.0	...	...	SSW	3	...	5	30.00	762.0	...	...	S	2	...
Hokodate,	,,	30.24	768.0	...	...	S	1	...	,,	29.94	760.5	...	...	...	0	...
Tokio,	,,	30.06	763.5	...	...	ESE	1	...	,,	30.00	762.0	...	...	...	...	...
Kochi,	,,	29.92	760.0	...	...	SE	1	...	,,	29.73	755.0	...	...	E	1	...
Nagasaki,	,,	29.63	752.5	...	...	NNE	4	...	,,	29.43	747.5	...	...	S	5	...
Kagoshima,	,,	...	...	...	...	..	...	...	,,	29.57	751.0	...	...	SSW	2	...
Oshima,	,,	29.43	747.5	...	...	S	2	...	,,	29.63	752.5	...	...	...	...	...
Naha,	,,	29.57	751.0	...	...	SSW	5	...	,,	29.67	753.5	...	...	SSW	5	...
Ishigakijima,	,,	29.57	751.0	...	...	...	...	...	,,	29.61	752.0	...	...	SSW	2	...
Bonin Island,	,,	29.88	759.0	...	...	E	1	...	,,	29.90	759.5	...	...	E	1	...
Chefoo,	15	29.59	751.6	90	60	E	2	b	6	29.67	753.6	75	95	NE	1	b
Shanghai,	14	29.56	750.9	84	74	E	1	o	,,	29.63	752.7	73	94	E	2	o
Gutzlaff,	,,	29.62	752.3	77	92	ENE	2	o	,,	29.70	754.4	72	95	ESE	4	o
Sharp Peak,	,,	29.51	749.5	83	87	S	2	o	7	29.59	751.6	81	95	...	o	bf
Amoy,	,,	29.51	749.5	88	80	SE	4	b	6	29.68	753.9	81	96	S	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Taihoku,	11	29.55	750.6	86	68	WSW	4	o	5	29.62	752.4	75	94	...	o	b
Taichu,	,,	29.67	753.6	79	...	S	2	r	,,	29.68	753.9	73	...	...	o	b
Tainan,	,,	29.63	752.7	90	...	SW	2	o	,,	29.65	753.0	75	...	SE	2	b
Koshun,	,,	29.62	752.4	86	...	W	2	o	,,	29.62	752.4	79	...	WNW	2	b
Pescadores,	,,	29.85	758.1	86	...	SW	4	b	,,	29.62	752.4	81	...	SSW	4	b
Hong Kong,	14	29.55	750.5	85	80	S	3	o	6	29.59	751.6	82	90	S	2	op
Gap Rock,	,,	29.55	750.5	...	...	S	4	b	,,	29.59	751.6	..	...	S	4	b
Macao,	,,	29.50	749.4	90	76	SSW	4	o	,,	29.54	750.3	81	94	SSW	4	o
Hoihow,	,,	29.48	748.8	88	77	NW	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.59	751.6	91	67	SW	3	bc	,,	29.63	752.6	82	87	SSW	2	b
Phulien,	15	29.48	748.8	86	78	WNW	4	o	7	29.53	750.0	75	96	SSE	2	o
Tourane,	,,	29.53	750.0	90	...	NNE	2	o	,,	29.53	750.0	86	...	SW	2	b
Cape St. James,	,,	29.68	753.9	82	...	SW	6	o	,,	29.72	754.8	79	...	SSW	4	o
Basco,	14	...	...	...	...	...	...	...	6	29.66	753.3	79	90	...	o	o
Aparri,	,,	29.60	751.8	90	60	NNW	4	o	,,	29.67	753.6	77	91	S	2	o
Tuguegarao,	,,	29.60	751.8	93	50	NE	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.62	752.4	86	71	SW	4	o	,,	29.66	753.3	77	85	SE	2	o
Manila,	,,	29.66	753.3	86	71	SW	4	o	,,	29.71	754.5	77	89	...	o	b
Legaspi,	,,	29.65	753.0	86	71	SW	4	o	,,	29.71	754.5	77	91	SW	2	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	77	94	N	1	o
Tacloban,	,,	29.67	753.6	90	76	E	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	82	74	S	4	o	,,	29.74	755.4	77	91	S	4	o
Cebu,	,,	29.69	754.2	84	64	SW	4	o	,,	...	..	...	...	...	...	...
Surigao,	,,	29.67	753.6	86	68	SW	4	o	,,	29.73	755.1	81	80	SW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.71	754.5	...	...	N	2	o	4.22	29.74	755.4	...	...	S	1	r
Yap,	11.00	29.69	754.2	...	...	ESE	2	o	5	29.75	755.7	...	...	...	o	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	84	SW	2	b	6	29.84	757.9	78	86	SW	4	b

July 2*d.* 10*h.* 50*m.*—The anticyclone remains to the east of Japan, and has decreased in intensity. The typhoon is situated in the Korea Straits, moving N.N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·15 inch. Total since January 1st, 14·87 inches, against an average of 39·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate; cloudy, showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFERIES *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force (Beaufort).	Weather (Beaufort).	3rd July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force (Beaufort).	Weather (Beaufort).
Wladivostock,	12	29.83	757.8	61	...	...	0	0	6	29.69	754.2	61	...	...	0	f
Nemuro,	11	29.98	761.5	...	...	S	4	...	5	29.90	759.5	...	...	S	2	...
Hakodate,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.80	757.0	...	...	SW	1	...
Tokio,	,,	29.94	760.5	...	...	SSE	2	...	,,	29.86	758.5	...	...	SSW	1	...
Kochi,	,,	29.69	754.0	...	...	SE	2	...	,,	29.76	756.0	...	...	...	0	...
Nagasaki,	,,	29.65	753.0	...	...	WSW	2	...	,,	29.76	756.0	...	...	SSE	1	...
Kagoshima,	,,	29.67	753.5	...	...	W	1	...	,,	29.76	756.0	...	...	NW	1	...
Oshima,	,,	29.69	754.0	...	...	SSW	1	...	,,	29.76	756.0	...	...	...	0	...
Naha,	,,	29.72	755.0	...	...	SSW	3	...	,,	29.84	758.0	...	...	S	2	...
Ishigakijima,	,,	29.69	754.0	...	...	SW	2	...	,,	29.75	755.5	...	...	WSW	2	...
Bonin Island,	,,	29.88	759.0	...	...	E	1	...	,,	29.94	760.5	...	...	...	...	...
Chefoo,	15	29.63	752.6	77	82	ENE	4	0	6	29.65	753.1	70	95	NW	2	0
Shanghai,	14	29.67	753.6	79	89	E	1	r	,,	29.71	754.5	72	100	...	0	0
Gutzlaff,	,,	29.72	754.9	76	92	SE	4	0	,,	29.76	755.9	71	100	ENE	4	r
Sharp Peak,	,,	29.65	753.1	84	83	SSW	1	0	7	29.69	754.1	82	87	W	1	b
Amoy,	,,	29.60	751.8	90	77	SSE	4	b	6	29.63	752.6	81	96	SW	4	0
Swatow,	,,	29.64	752.8	90	85	SSW	2	b	,,	...	...	...	...	...	..	...
Taihoku,	11	29.65	753.0	90	57	W	2	0	5	29.72	754.8	75	98	ESE	1	0
Taichu,	,,	29.74	755.4	90	...	SSW	2	b	,,	29.76	756.0	75	...	...	0	0
Tainan,	,,	29.68	753.9	90	...	SW	2	0	,,	29.73	755.1	77	...	...	0	b
Koshun,	,,	29.69	754.2	90	...	WNW	2	b	,,	29.73	755.1	79	...	...	0	0
Pescadores,	,,	29.69	754.2	90	...	SW	2	0	,,	29.73	755.1	81	...	SSW	2	0
Hong Kong,	14	29.61	752.1	86	76	S	3	cp	6	29.69	754.1	82	84	S	1	0
Gap Rock,	,,	29.62	752.3	...	...	SSW	4	c	,,	29.69	754.1	...	...	S	4	c
Macao,	,,	29.58	751.2	90	72	SSW	2	0	,,	29.63	752.7	81	92	S	4	b
Hoihow,	,,	29.65	753.1	79	91	W	1	0	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.65	753.0	90	68	S	3	b	,,	29.70	754.4	82	86	S	2	c
Haulien,	15	29.50	749.4	86	75	SE	1	0	7	29.60	751.8	81	...	S	4	c
Tourane,	,,	29.56	750.9	90	...	WSW	6	b	,,	29.65	753.1	84	...	NW	2	c
Cape St. James,	,,	...		...	...	...	...	...	,,	29.77	756.1	79	...	SW	4	of
Basco,	14	29.67	753.6	97	...	SW	2	0	6	29.72	754.8	82	87	SE	2	0
Aparri,	,,	29.65	753.0	93	64	NE	4	0	,,	29.74	755.4	77	92	...	0	0
Tuguegarao,	,,	29.75	755.7	90	66	ENE	1	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.66	753.3	86	71	WSW	4	0	,,	29.72	754.8	77	88	SW	1	0
Manila,	,,	29.69	754.2	90	63	SW	4	0	,,	29.75	755.7	75	91	E	1	b
Legaspi,	,,	29.68	753.9	90	63	WSW	4	0	,,	29.78	756.3	77	86	...	0	0
Calbayog,	,,	29.67	753.6	86	68	SW	4	of	,,	29.79	756.6	77	96	NNW	2	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.75	755.7	82	77	SW	4	0	,,	29.79	756.6	79	91	S	2	0
Cebu,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	79	86	...	0	0
Surigao,	,,	...	...	...	...	..	...	...	,,	29.80	756.9	75	94	SSW	2	r
Saipan,	...	..	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	...	SE	2	0	4.22	29.79	756.6	...	...	SE	1	0
Yap,	11.00	29.73	755.1	...	...	SSE	2	0	5	29.80	756.9	...	...	E	1	r
Pelew,	...	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Jabakan,	14	29.78	756.4	74	81	SW	2	b	6	29.83	757.7	78	91	SW	2	b

July 3*d.* 11*h.* 05*m.*—Pressure is highest in the Pacific to the east of Japan and the Bonins, and is relatively low over China generally. The position of the typhoon is uncertain; it probably exists as a depression to the south of Wladivostock.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 14·88 inches, against an average of 40·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; cloudy, local showers.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.
DAILY WEATHER REPORT.

Station.	3rd July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	4th July, 1929. Hong Kong Standard Time.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.63	752.7	73	...	W	1	b	6	29.69	754.0	60	...	SE	1	f
Nemuro,	11	29.86	758.5	...	...	SSE	4	...	5	29.78	756.5	...	...	SSE	3	...
Hokodate,	,,	29.75	755.5	...	...	SW	1	...	,,	29.65	753.0	...	...	SSE	1	...
Tokio,	,,	29.78	756.5	...	...	S	2	...	,,	29.67	753.5	...	...	S	1	...
Kochi,	,,	29.75	755.5	...	...	SSE	1	...	,,	29.63	752.5	...	...	...	0	...
Nagasaki,	,,	29.76	756.0	...	...	S	1	...	,,	29.67	753.5	...	...	N	1	...
Kagoshima,	,,	29.75	755.5	...	...	...	0	...	,,	29.65	753.0	...	...	...	0	...
Oshima,	,,	29.76	756.0	...	...	SSE	1	...	,,	29.73	755.0	...	...	SSW	1	...
Naha,	,,	29.82	757.5	...	...	S	3	...	,,	29.76	756.0	...	...	SSW	1	...
Ishigakijima,	,,	29.78	756.5	...	...	SW	1	...	,,	29.73	755.0	...	...	SW	2	...
Bonin Island,	,,	29.92	760.0	...	...	NE	1	...	,,	29.86	758.5	...	...	...	...	...
Chefoo,	15	29.62	752.3	72	100	NE	2	r	6	29.62	752.3	72	95	...	0	o
Shanghai,	14	29.72	754.8	84	74	ESE	2	o	,,	29.61	752.1	73	100	ESE	2	o
Gutzlaff,	,,	29.77	756.1	76	86	E	2	o	,,	29.64	752.8	74	100	SE	4	o
Sharp Peak,	,,	29.66	753.3	88	80	S	4	o	7	29.56	750.8	82	87	S	1	o
Amoy,	,,	29.64	752.8	88	80	SSE	4	b	6	29.68	753.9	81	92	S	4	b
Swatow,	,,	29.72	754.9	88	77	S	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.75	755.7	90	66	WSW	2	o	5	29.71	754.5	77	94	...	o	o
Taichu,	,,	29.80	756.9	90	...	SSE	2	o	,,	29.74	755.4	79	...	...	o	o
Tainan,	,,	29.76	756.0	90	...	WSW	2	o	,,	29.73	755.1	77	...	E	2	b
Koshun,	,,	29.76	756.0	90	...	NW	2	b	,,	29.72	754.8	77	...	...	o	b
Pescadores,	,,	29.76	756.0	90	...	WSW	2	b	,,	29.71	754.5	70	...	SSW	2	b
Hong Kong,	14	29.68	753.9	88	70	S	1	o	6	29.67	753.6	82	82	...	o	o
Gap Rock,	,,	29.69	754.2	...	...	S	4	b	,,	29.67	753.6	...	...	SW	4	b
Macao,	,,	29.66	753.3	93	67	S	2	o	,,	29.65	753.0	81	87	SSW	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.72	754.9	87	73	SW	1	o	,,	29.69	754.1	81	86	S	1	b
Phulien,	15	29.55	750.6	93	67	SSE	4	o	7	29.58	751.2	82	90	SSE	4	o
Tourane,	,,	29.63	752.7	90	...	SE	2	o	,,	29.73	755.1	82	...	NE	2	b
Cape St. James,	,,	29.79	756.6	75	...	SW	7	r	,,	29.80	756.9	75	...	WNW	4	o
Basco,	14	29.72	754.8	90	72	SW	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.69	754.2	90	66	NE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.68	753.9	97	47	S	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.69	754.2	90	66	WSW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	90	66	SW	4	o	,,	29.75	755.7	77	91	E	1	o
Legaspi,	,,	29.73	755.1	90	66	WSW	2	o	,,	29.74	755.4	77	91	...	o	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	77	92	WSW	2	o
Tacloban,	,,	29.73	755.1	86	71	N	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	71	SW	4	o	,,	29.75	755.7	79	84	SW	4	o
Cebu,	,,	29.73	755.1	77	61	S	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.73	755.1	82	77	SW	1	o	,,	29.74	755.4	77	91	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	29.78	756.3	78	...	NE	1	c
Guam,	12.22	29.80	756.9	...	...	E	1	r	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	S	2	o	5	29.75	755.7	...	...	SSW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.79	756.6	75	...	SW	2	1
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	79	...	...	o	ho
Labuan,	14	29.78	756.4	88	84	SW	2	b	6	29.83	757.7	80	87	NE	2	h

July 4*d.* 10*h.* 32*m.* – Pressure remains highest in the vicinity of the Bonins, and is relatively low over China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·09 inch. Total since January 1st, 14·97 inches, against an average of 40·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; fair generally with local showers.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	5th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.63	752.7	67	...	SE	2	o	6	29.66	753.4	60	...	SE	2	f
Nemuro,	11	29.74	755.5	...	...	SSE	3	...	5	29.61	752.0	...	...	SSE	2	...
Hakodate,	,,	29.65	753.0	...	...	SSE	1	...	,,	29.63	752.5	...	...	WSW	1	...
Tokio,	,,	29.63	752.5	...	...	S	2	...	,,	29.61	752.0	...	...	NE	1	...
Tochi,	,,	29.59	751.5	...	...	SE	1	...	,,	29.63	752.5	...	...	...	0	...
Nagasaki,	,,	29.69	754.0	...	...	SW	1	...	,,	29.53	750.0	...	...	SW	6	...
Kagoshima,	,,	29.69	754.0	...	...	W	1	...	,,	29.61	752.0	...	...	S	1	...
Okina,	,,	29.70	754.5	...	...	SW	1	...	,,	29.67	753.5	...	...	N	1	...
Naha,	,,	29.74	755.5	...	...	SSW	3	...	,,	29.73	755.0	...	...	S	2	...
Ishigakijima,	,,	29.72	755.0	...	...	SW	2	...	,,	29.67	753.5	...	...	SW	3	...
Bonin Island,	,,	29.84	758.0	...	...	NNE	1	...	,,	29.82	757.5	...	...	...	...	...
Chefoo,	15	29.50	749.3	70	100	NW	1	o	6	29.49	749.0	68	95	SSW	1	b
Shanghai,	14	29.53	750.0	81	92	SSW	1	r	,,	29.53	750.0	73	100	...	0	r
Gutzlaff,	,,	29.59	751.6	77	95	S	1	o	,,	29.58	751.3	76	95	ENE	1	o
Sharp Peak,	,,	29.57	751.1	88	78	S	2	o	7	29.47	748.5	82	87	S	1	b
Amoy,	,,	29.60	751.8	88	76	S	4	b	6	29.69	754.1	81	92	SSE	2	b
Swatow,	,,	29.68	753.9	88	77	S	2	b	,,	...	...	...	...	...	..	...
Haiphong,	11	29.67	753.6	91	59	NW	2	b	5	29.63	752.7	75	94	...	0	b
Haichu,	,,	29.74	755.4	90	...	S	2	b	,,	29.68	753.9	75	...	...	0	o
Haiman,	,,	29.73	755.1	90	...	SSW	2	o	,,	29.66	753.3	79	...	E	2	b
Yoshun,	,,	29.72	754.8	90	...	SW	2	b	,,	29.65	753.0	77	...	...	0	b
Pescadores,	,,	29.73	755.1	86	...	SSW	4	r	,,	29.65	753.0	81	...	S	2	b
Hong Kong,	14	29.62	752.3	88	69	S	2	c	6	29.60	751.8	80	91	...	0	o
Gap Rock,	,,	29.63	752.6	...	...	SSW	3	b	,,	29.60	751.8	...	...	S	3	b
Macao,	,,	29.59	751.5	93	64	S	2	o	,,	29.55	750.6	77	92	SSW	4	o
Holhow,	,,	29.53	750.0	93	62	E	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.66	753.3	85	64	S	2	bc	,,	29.61	752.1	82	81	S	3	bc
Phulien,	15	29.49	749.1	93	67	SSE	4	b	7	29.51	749.5	82	...	SSE	4	c
Tourane,	,,	29.59	751.5	90	...	ENE	2	o	,,	29.59	751.6	82	...	NW	2	bc
Cape St. James,	,,	29.76	756.0	81	...	SW	4	o	,,	29.74	755.4	77	...	SW	4	or
Basco,	14	29.66	753.3	90	69	S	4	b	6	29.63	752.7	81	84	SE	2	o
Aparri,	,,	29.62	752.4	90	66	NE	4	o	,,	29.63	752.7	79	91	S	2	b
Tuguegarao,	,,	29.62	752.4	97	47	S	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.66	753.3	86	71	SW	4	o	,,	...	...	...	...	...	..	...
Manila,	,,	29.67	753.6	86	71	SW	4	o	,,	29.67	753.6	75	96	SE	1	o
Legaspi,	,,	29.67	753.6	84	81	SW	4	o	,,	29.65	753.0	77	89	WSW	1	o
Calbayog,	,,	29.67	753.6	84	77	WSW	2	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.69	754.2	84	71	NW	6	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	86	71	SW	4	o	,,	29.71	754.5	75	91	N	2	o
Cebu,	,,	29.68	753.9	82	74	S	2	o	,,	29.68	753.9	79	73	SW	4	o
Surigao,	,,	29.68	753.9	82	77	SW	4	o	,,	29.66	753.3	81	76	WSW	4	o
Saipan,	...	...	...	...	...		...	...	5	29.76	756.0	79	...	...	c	c
Guam,	12.22	29.73	755.1	...	...	N	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.73	755.1	...	...	E	2	o	5	29.76	756.0	...	...	NW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.75	755.6	81	...	WSW	7	c
Ponape,	...	...	...	...	...	...	...	...	..	29.80	756.9	76	...	E	1	c
Labuan,	14	29.76	755.9	88	84	SW	2	b	6	29.84	757.9	77	94	SW	2	b

July 5*d.* 10*h.* 40*m.*—Pressure continues highest near the Bonins, and is relatively low over China generally.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·12 inch. Total since January 1st, 15·09 inches, against an average of 41·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate; fair to showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th July, 1929.								6th July, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.67	753.6	59	...	SE	2	f	6	29.73	755.2	57	...	SSE	2	o
Nemuro,	11	29.59	751.5	...	...	SSE	1	...	5	29.63	752.5	...	...	ESE	5	...
Hokodate,	,,	29.63	752.5	...	...	SSE	1	...	,,	29.59	751.5	...	...	...	...	...
Tokio,	,,	29.61	752.0	...	...	NE	1	...	,,	29.51	749.5	...	...	WNW	1	...
Kochi,	,,	29.61	752.0	...	...	...	0	...	,,	29.59	751.5	...	...	...	0	...
Nagasaki,	,,	29.55	750.5	...	...	SW	4	...	,,	29.57	751.0	...	...	...	0	...
Kagoshima,	,,	29.59	751.5	...	...	SW	2	...	,,	29.61	752.0	...	...	WSW	1	...
Oshima,	,,	29.67	753.5	...	...	SSW	1	...	,,	29.67	753.5	...	...	...	0	...
Naha,	,,	29.70	754.5	...	...	SSW	3	...	,,	29.69	754.0	...	...	SSE	1	...
Ishigakijima,	,,	29.69	754.0	...	...	SW	2	...	,,	29.63	752.5	...	...	SSW	2	...
Bonin Island,	,,	29.80	757.0	...	...	...	0	...	,,	29.80	757.0	...	...	...	0	...
Chefoo,	15	29.48	748.8	77	86	E	2	b	6	29.49	749.0	72	95	...	0	o
Shanghai,	14	29.56	750.9	77	96	NNE	1	r	,,	29.52	749.7	73	100	...	0	rf
Gutzlaff,	,,	29.60	751.8	75	95	NE	2	r	,,	29.55	750.5	74	100	N	1	r
Sharp Peak,	,,	29.54	750.3	88	80	S	2	o	7	...	...	86	84	S	2	b
Amoy,	,,	29.58	751.3	84	87	SE	4	o	6	29.67	753.6	81	92	S	2	b
Swatow,	,,	29.59	751.6	87	81	S	2	b	,,	...	...	...	...	...	..	...
Taihoku,	11	29.63	752.7	93	61	SW	2	o	5	29.60	751.8	77	96	...	0	b
Taichu,	,,	29.68	753.9	90	...	S	2	b	,,	29.62	752.4	77	...	...	0	b
Tainan,	,,	29.66	753.3	93	...	SSW	4	b	,,	29.59	751.5	77	...	...	0	b
Koshun,	,,	29.67	753.6	90	...	SSE	2	b	,,	29.59	751.5	75	...	...	0	b
Pescadores,	,,	29.65	753.0	90	...	SSW	4	b	,,	29.59	751.5	81	...	...	0	b
Hong Kong,	14	29.56	750.8	87	71	S	2	c	6	20.54	750.3	81	91	...	0	cp
Gap Rock,	,,	29.58	751.3	...	...	SSW	3	b	,,	29.55	750.5	...	...	S	3	b
Macao,	,,	29.54	750.3	93	71	S	2	o	,,	29.52	749.7	81	90	SSW	4	o
Hoihow,	,,	29.51	749.5	93	69	ENE	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.61	752.1	91	67	S	1	b	,,	29.56	750.8	82	83	S	2	b
Phulien,	15	29.46	748.2	90	72	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.54	750.3	86	...	NNE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	753.9	81	...	SW	6	o	,,	...	...	...	...	...	...	...
Basco,	14	29.60	751.8	90	69	SE	2	b	6	29.58	751.2	81	86	SE	2	o
Aparri,	,,	29.58	751.2	90	63	NE	4	b	,,	29.58	751.2	79	85	...	0	o
Tuguegarao,	,,	...	...	...	...		...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.60	751.8	86	68	WSW	2	o	,,	...	...	...	...	...	..	...
Manila,	,,	29.61	752.1	86	71	WSW	4	o	,,	29.60	751.8	79	96	...	0	r
Legaspi,	,,	29.59	751.5	81	90	SW	1	o	,,	29.59	751.5	77	96	WSW	1	o
Calbayog,	,,	29.60	751.8	81	84	SE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,		...	...	...	...	...	...
Iloilo,	,,	29.63	752.7	86	68	SW	4	o	,,	29.65	753.0	75	96	W	4	r
Cebu,	,,	29.62	752.4	86	52	SW	6	o	,,	29.74	755.4	81	73	SW	4	o
Surigao,	,,	29.65	753.0	86	65	SW	4	o	,,	29.63	752.7	81	73	SW	4	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.73	755.1	...	...	NE	2	r	4.22	29.73	755.1	...	...	E	1	o
Yap,	11.00	29.73	755.1	...	...	WSW	2	o	5	29.78	756.3	...	...	W	1	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	SW	4	b	6	29.84	757.9	77	91	SW	2	b

July 6*d.* 11*h.* 40*m.*— Pressure is highest in the Pacific to the south of the Bonins, and relatively low over China, S. Japan and Luzon.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 15·09 inches, against an average of 41·55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. or variable winds, moderate; fair generally, local showers

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.72	755.0	64	...	SSE	2	0	6	29.80	757.0	59	...	...	0	0
Nemuro,	11	29.65	753.0	...	...	N	1	...	5	29.69	754.0	...	...	...	0	...
Hokodate,	,,	29.61	752.0	...	...	S	1	...	,,	29.71	754.5	...	..	SSW	1	...
Tokio,	,,	29.53	750.0	...	...	NE	1	...	,,	29.73	755.0	...	..	ENE	1	...
Kochi,	,,	29.61	752.0	...	...	...	...	...	,,	29.69	754.0	...	..	...	0	...
Nagasaki,	,,	29.59	751.5	...	...	ENE	2	...	,,	29.67	753.5	...	...	S	1	...
Kagoshima,	,,	29.63	752.5	...	...	WSW	1	...	,,	29.69	754.0	...	...	...	0	...
Oshima,	,,	29.65	753.0	...	...	S	1	...	,,	29.71	754.5	...	...	S	1	...
Naha,	,,	29.69	754.0	...	...	S	2	...	,,	29.67	753.5	...	...	SE	2	...
Ishigakijima,	,,	29.63	752.5	...	...	SSW	2	...	,,	29.59	751.5	...	..	E	1	...
Bonin Island,	,,	29.74	755.5	...	...	NNW	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.48	748.8	78	82	E	1	b	6	29.60	751.8	69	100	NW	1	o
Shanghai,	14	29.56	750.9	75	92	ENE	1	0	,,	29.61	752.1	73	100	ENE	2	of
Gutzlaff,	,,	29.60	751.8	74	100	SSE	2	r	,,	29.66	753.3	73	100	NNE	4	rf
Sharp Peak,	,,	29.52	749.8	86	84	S	4	0	7	29.54	750.3	81	91	S	1	o
Amoy,	,,	29.55	750.5	88	80	SSE	4	0	6	29.62	752.3	82	92	S	2	b
Swatow,	,,	29.58	751.3	87	81	S	2	c	,,	...	...	...	...	...	..	...
Taihoku,	11	29.59	751.5	90	63	NNW	2	b	5	29.56	750.9	75	96	...	0	b
Taichu,	,,	29.62	752.4	90	...	SW	2	0	,,	29.59	751.5	75	...	...	0	b
Tainan,	,,	29.61	752.1	93	...	SSW	2	0	,,	29.56	750.9	77	...	...	0	o
Koshun,	,,	29.60	751.8	82	...	...	0	0	,,	29.54	750.3	77	...	...	0	b
Pescadores,	,,	29.60	751.8	90	...	SSW	2	b	,,	29.54	750.3	79	...	...	0	b
Hong Kong,	14	29.54	750.3	87	72	S	2	0	6	29.54	750.3	80	91	...	0	cm
Gap Rock,	,,	29.55	750.5	...	...	S	3	b	,,	29.54	750.3	...	...	SE	3	o
Macao,	,,	29.52	749.7	97	63	SSW	2	0	,,	29.50	749.4	81	89	S	2	o
Hoihow,	,,	29.45	748.0	92	68	SSW	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.56	750.8	90	66	S	1	b	,,	29.53	750.0	82	83	...	0	b
Phulien,	15	29.41	747.0	93	64	SSE	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.49	749.1	90	...	NE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.6	75	...	SW	7	0	,,	...	...	...	...	...	...	...
Basco,	14	29.55	750.6	86	71	SE	2	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.53	750.0	90	63	NNE	4	0	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.54	750.3	84	77	SE	2	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.54	750.3	86	75	WSW	2	0	,,	...	...	...	...	...	..	...
Manila,	,,	29.58	751.2	82	81	SW	4	r	,,	29.59	751.5	77	92	S	2	r
Legaspi,	,,	29.56	750.9	81	84	N	4	0	,,	29.61	752.1	77	89	SW	4	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.61	752.1	79	85	SW	4	0	,,	29.71	754.5	77	84	SW	4	o
Iloilo,	,,	29.62	752.4	81	80	SW	4	0	,,	29.67	753.6	81	76	SW	6	o
Cebu,	,,	29.63	752.7	82	70	SW	7	0	,,	29.69	754.2	81	73	SW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	79	80	SW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.71	754.5	...	...	E	2	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	S	1	r	5	...	...	...	...	...	...	...
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	88	84	SW	1	0	6	29.85	758.2	76	94	SW	2	b

July 7*d.* 10*h.* 48*m.*—Pressure continues to be highest in the vicinity of the Bonins, and is relatively low over Tongking and to the east of Luzon.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 15·09 inches, against an average of 41·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	S. or variable winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	8th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladi vostock,	12	29.82	757.4	64	...	SSE	2	o	6	29.91	759.7	61	...	SE	2	f
Nemu ro,	11	29.70	754.5	...	...	SE	2	...	5	29.84	758.0	...	...	WNW	1	...
Hokodate,	,,	29.74	755.5	...	...	WNW	1	...	,,	29.84	758.0	...		...	...	...
Tokio,	,,	29.76	756.0	...	...	NE	1	...	,,	29.84	758.0	...		...	...	...
Kochi,	,,	29.74	755.5	...	...	...	...	...	,,	29.88	759.0	...		SE	1	...
Nagasaki,	,,	29.69	754.0	...	...	SSW	4	...	,,	29.82	757.5	...		ESE	2	...
Kagoshima,	,,	29.72	755.0	...	...	ENE	1	...	,,	29.82	757.5	...	...	...	0	...
Oshima,	,,	29.74	755.5	...	...	S	1	...	,,	29.76	756.0	...	...	SSE	1	...
Naha,	,,	29.69	754.0	...	...	SE	3	...	,,	29.69	754.0	...	...	SE	3	...
Ishigakijima,	,,	29.59	751.5	...	...	ESE	3	...	,,	29.51	749.5	...	...	SE	3	...
Bonin Island,	,,	29.88	759.0	...	...	...	0	...	,,	29.96	761.0	...	...	...	...	...
Chefoo,	15	29.65	753.1	78	78	NNW	1	b	6	29.78	756.4	70	100	E	1	b
Shanghai,	14	29.63	752.7	79	84	ENE	2	r	,,	29.72	754.8	73	98	NE	1	0
Gutzlaff,	,,	29.69	754.1	76	100	NNE	1	o	,,	29.76	757.9	75	100	SSE	1	0
Sharp Peak,	,,	29.57	751.1	84	87	E	2	b	7	29.55	750.5	80	91	N	2	0
Amoy,	,,	29.51	749.5	88	76	SSE	4	b	6	29.48	748.8	83	83	NW	4	b
Swatow,	,,	29.55	750.5	90	81	SE	1	o	,,	...	...	...	...	...	...	...
Taihoku,	11	29.55	750.6	93	59	SE	2	b	5	29.49	749.1	79	84	E	4	0
Taichu,	,,	29.60	751.8	86	...	NW	2	o	,,	29.42	747.3	52	...	...	0	0
Tainan,	,,	29.56	750.9	90	...	NNW	2	o	,,	29.40	746.7	81	...	...	0	0
Koshun,	,,	29.54	750.3	80	...	NNE	2	b	,,	29.41	747.0	77	...	NNE	2	r
Pescadores,	,,	29.59	751.5	86	...	WNW	2	b	,,	29.40	746.7	82	...	N	6	0
Hong Kong,	14	29.54	750.3	84	84	E	3	o	6	29.51	749.5	80	90	...	0	cm
Gap Rock,	,,	29.55	750.5	...	...	E	1	b	,,	29.52	749.8	...	...	WNW	2	b
Macao,	,,	29.52	749.7	97	60	SSE	2	o	,,	29.49	749.1	81	86	WNW	2	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.54	750.3	91	65	...	0	bo	,,	29.51	749.5	83	...	NNW	2	b
Phulien,	15	29.48	748.8	86	81	E	4	o	7	29.49	749.1	82	81	SE	4	b
Tourane,	,,	29.53	750.0	90	...	NNE	2	o	,,	29.56	750.9	81	...	SSW	2	0
Cape St. James,	,,	29.72	754.8	81	...	SW	6	o	,,	29.76	756.0	75	...	W	4	0
Basco,	14	29.39	746.4	86	81	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.45	747.9	77	94	WSW	4	r	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.49	749.1	71	91	S	1	r	,,	...	...	...	...	...	...	...
Vigan,	,,	29.50	749.4	77	79	SSW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.60	751.8	77	91	WSW	6	r	,,	29.61	752.1	77	94	SSW	2	r
Legaspi,	,,	29.62	752.4	81	92	WSW	4	o	,,	29.68	753.9	79	80	SSW	4	0
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	82	74	ESE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	84	74	SW	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.69	754.2	82	63	SW	6	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.81	757.2	79	...	ESE	2	r
Guam,	12.22	29.78	756.3	...	...	NE	2	r	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	NE	4	o	5	29.84	757.8	...	...	...	0	0
Pelew,	...	...	...	...	...	...	...	...	,,	29.83	757.7	79	...	...	...	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	84	...	SE	2	c
Labuan,	14	29.80	756.9	86	84	SW	2	o	6	29.80	756.9	78	86	SW	2	b

July 7*d.* 16*h.* 25*m.*—Warning to Hong Kong, Coast Ports, &c :—Typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 124° E. moving W.N.W.

July 8*d.* 9*h.* 00*m.*—Warning to Hong Kong, Coast Ports, &c. :—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 122° E., moving N.W.

July 8*d.* 10*h.* 47*m.* A weak anticyclone is situated to the east of the Bonins and a depression covers Tongking. The typhoon is situated about 100 miles south-east of Formosa, moving N.W.

Manila warning 8*d.* 9*h.* 30*m.*:—Typhoon in Lat. 21° N. Long. 123° E., moving N.W. Recd. 8*d.* 10*h.* 10*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 15·09 inches, against an average of 42·19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong to a gale.
2.—South coast of China between Hong Kong and Lamocks,	Westerly winds, moderate; fair.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	9th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.91	759.6	67	...	SE	2	o	6	29.99	761.7	62	...	SE	2	f
Nemuro,	11	29.86	758.5	...	...	SSE	2	...	5	29.96	761.0	...	...	...	o	...
Hakodate,	,,	29.88	759.0	...	...	SSE	1	...	,,	30.00	762.0	..	...	WSW	1	...
Tokio,	,,	29.88	759.0	...	...	S	1	...	,,	29.98	761.5	..	...	NE	1	...
Kochi,	,,	29.92	760.0	...	...	...	o	...	,,	29.96	761.0	..	...	...	o	...
Nagasaki,	,,	29.84	758.0	...	...	NE	1	...	,,	29.90	759.5	..	...	...	o	...
Kagoshima,	,,	29.84	758.0	...	...	...	o	...	,,	29.88	759.0	..	...	...	...	...
Oshima,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.80	757.0	..	...	SSE	1	...
Naha,	,,	29.74	755.5	...	...	SE	3	...	,,	29.73	755.0	..	...	SE	3	...
Ishigakijima,	,,	29.53	750.0	...	...	SSE	4	...	,,	29.53	750.0			S	6	...
Bonin Island,	,,	29.96	761.0	...	...	E	1	...	,,	30.22	767.5	...	...	ENE	1	...
Chefoo,	15	29.79	756.6	80	78	E	1	b	6	29.82	757.4	72	100	SE	2	o
Shanghai,	14	29.71	754.5	90	79	ESE	2	b	,,	29.72	754.8	77	98	E	2	o
Gutzlaff,	,,	29.76	755.9	78	100	SE	4	b	,,	29.76	755.9	75	100	ESE	4	o
Sharp Peak,	,,	29.52	749.8	83	87	NE	4	o	7	29.72	754.9	80	92	N	4	r
Amoy,	,,	29.42	747.2	94	68	NE	4	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.48	748.8	81	96	E	4	r	5	29.29	744.0	81	76	ESE	6	r
Taichu,	,,	29.40	746.7	82	...	...	o	r	,,	29.27	743.4	75	...	...	o	r
Tainan,	,,	29.38	746.1	82	...	NE	2	o	,,	29.26	743.1	77	...	SE	4	r
Koshun,	,,	29.35	745.5	82	...	N	4	o	,,	29.33	744.9	79	...	W	2	r
Pescadores,	,,	29.38	746.1	84	...	N	6	o	,,	29.23	742.5	79	...	NNW	4	r
Hong Kong,	14	29.47	748.5	91	65	SW	2	c	6	29.47	748.5	82	84	W	2	c
Gap Rock,	,,	29.51	749.5	...	...	WSW	3	b	,,	29.48	748.8	..	...	W	3	o
Macao,	,,	29.48	748.8	97	63	SW	2	b	,,	29.46	748.2	82	86	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	...	...	...	...	...	...	...	,,	29.45	748.0	84	87	WSW	5	o
Phulien,	15	29.48	748.8	93	71	SSE	4	o	7	29.50	749.4	81	92	SE	2	o
Tourane,	,,	29.54	750.3	90	...	ESE	2	b	,,	29.56	750.8	82	...	SSW	2	b
Cape St. James,	,,	29.73	755.1	84	...	SW	6	o	,,	29.74	755.4	77	...	SW	4	o
Basco,	14	29.33	744.9	77	91	SW	6	r	6	29.63	752.7	79	85	SW	4	o
Aparri,	,,	29.46	748.2	81	86	S	4	o	,,	29.59	751.5	77	91	S	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	.	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.63	752.7	77	91	SW	4	o	,,	29.71	754.5	75	91	SW	4	r
Legaspi,	,,	29.65	753.0	86	65	SW	4	o	,,	29.72	754.8	79	91	SW	1	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	75	89	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	82	77	SW	6	o	,,	29.75	755.7	79	89	S	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	73	89	...	1	o
Saipan,	...		...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	N	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	N	2	o	5	29.78	756.3	...	...	NE	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	..	...	...		...	...	..	...	...	...	...	...	...	...
Laoman,	14	29.81	757.2	86	84	SW	2	b	6	29.89	759.2	76	91	SW	2	b

July 9*d.* 9*h.* 05*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 23° N. Long. 120° E. moving N.W.

July 9*d.* 10*h.* 12*m.*—The anticyclone remains in the Pacific to the north-east of the Bonins, and the depression over Tongking. The typhoon has crossed southern Formosa on a north-westerly track and threatens the China coast in the vicinity of Amoy. Cyclonic gales may be expected in the northern part of the Formosa Channel.

Manila warning 8*d.* 21*h.* 00*m.*:—Typhoon in Lat. 22° N. Long. 122° E., moving N.W. Recd. 8*d.* 21*h.* 27*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 15·13 inches, against an average of 42·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	Cyclonic gales.
2.—South coast of China between Hong Kong and Lamocks.	W. and S.W. winds, moderate, freshening considerably; cloudy, rain later.
3.—Hong Kong to Gap Rock.	
4.—South coast of China between Hong Kong and Hainan.	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th July, 1929.								10th July, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.93	761.4	64	...	SE	2	o	6	29.93	760.2	62	...	S	2	f
Nemuro,	11	...	...	...	...	...	...	...	5	29.98	761.5	..	...	NW	1	...
Hokodate,	,,	30.00	762.0	...	...	SW	1	...	,,	29.98	761.5	.	..	...	...	...
Tokio,	,,	30.00	762.0	...	...	S	1	...	,,	29.98	761.5	..	..	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	..	..	...	...	...
Nagasaki,	,,	29.90	759.5	...	...	ESE	1	...	,,	29.94	760.5	..	..	LSE	2	...
Kagoshima,	,,	29.90	759.5	...	...	...	0	...	,,	29.94	760.5	..	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	S	1	...	,,	29.88	759.0	..	...	SSE	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.84	758.0	..	...	SE	2	...
Ishigakijima,	,,	29.59	751.5	...	...	S	4	...	,,	29.69	754.0	.	..	SSW	4	...
Bonin Island,	,,	29.94	760.5	...	...	ENE	1	...	,,	29.96	761.0	...	...	SSE	1	...
Chefoo,	15	29.79	756.6	88	66	SE	4	b	6	29.82	757.4	75	92	SE	2	o
Shanghai,	14	29.74	755.4	77	86	ESE	1	o	,,	29.67	753.6	77	96	ESE	4	o
Gutzlaff,	,,	29.78	756.4	72	100	ESE	8	r	,,	29.72	754.9	75	100	SE	6	o
Sharp Peak,	,,	29.32	744.7	80	89	E	2	o	7	29.41	747.0	78	91	S	4	r
Amoy,	,,	29.30	744.9	82	87	WSW	6	r	6	29.34	745.2	78	78	S	4	r
Swatow,	,,	29.34	745.2	88	85	S	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.33	744.9	82	77	SE	4	o	5	29.56	750.9	77	96	...	o	r
Taichu,	,,	29.35	745.5	79	...	S	4	r	,,	29.62	752.4	73	...	S	2	r
Tainan,	,,	29.40	746.7	77	...	SSW	4	r	,,	29.58	751.2	79	...	S	4	o
Koshun,	,,	29.46	748.2	79	...	SSW	4	r	,,	29.65	753.0	79	...	S	4	o
Pescadores,	,,	29.32	744.6	81	...	WSW	6	r	,,	29.53	750.0	77	...	S	4	r
Hong Kong,	14	29.44	747.8	90	64	WSW	2	o	6	29.49	749.0	83	90	SW	4	o
Gap Rock,	,,	29.47	748.5	...	...	W	3	o	,,	29.50	749.3	..	...	SW	5	o
Macao,	,,	29.45	747.9	93	61	WSW	2	o	,,	29.45	747.9	82	89	W	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	...	...	...	...	...	...	...	,,	29.56	750.8	83	87	SW	5	o
Phulien,	15	29.48	748.8	90	51	S	1	b	7	29.49	749.1	81	96	SW	2	h
Tourane,	,,	29.55	750.6	90	...	E	2	o	,,	29.55	750.6	82	...	W	2	h
Cape St. James,	,,	29.73	755.1	77	...	SW	6	r	,,	29.72	754.8	75	...	NW	4	o
Basco,	14	29.58	751.2	82	81	SW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.59	751.5	90	66	S	2	o	,,	29.65	753.0	77	89	S	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	77	91	S	1	o
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	82	81	SW	4	o	,,	29.74	755.4	77	86	S	2	o
Legaspi,	,,	29.68	753.9	90	63	SW	4	o	,,	29.75	755.7	75	96	SW	1	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	82	84	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.74	755.4	90	48	WSW	4	b	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	...	SE	4	o	4.22		...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	E	4	o	5	29.78	756.3	...	...	...	o	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	88	84	SW	2	b	6	29.82	757.4	78	86	SW	2	b

July 9*d*. 15*h*. 10*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 25° N. Long. 119° E. moving N.W.

July 10*d*. 10*h*. 27*m*.—Pressure is highest over Japan; the typhoon exists as a continental depression over Kiang-Si.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 15·13 inches, against an average of 42·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	S.W. winds, fresh, squally; cloudy, occasional rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th July, 1929.								11th July, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Vladivostock,	12	29.88	758.9	63	...	SSE	3	f	6	29.80	756.8	64	...	SE	2	f
Semuro,	11	29.96	761.0	...	...	SE	1	...	5	29.88	759.0	...	...	...	...	...
Hokodate,	,,	29.94	760.5	...	...	S	1	...	,,	29.84	758.0	...	...	...	...	...
Tokio,	,,	29.98	761.5	...	...	S	1	...	,,	29.90	759.5	...	...	...	...	...
Kochi,	,,	29.98	761.5	...	...	...	0	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	20.98	761.5	...	...	ESE	1	...	,,	29.98	761.5	...	...	SE	1	...
Kagoshima,	,,	29.96	761.0	...	...	...	...	...	,,	29.96	761.0	...	...	...	...	...
Ishima,	,,	20.90	759.5	...	...	S	1	...	,,	29.92	760.0	...	...	...	...	...
Taiwan,	,,	29.86	758.5	...	...	SE	3	...	,,	29.90	759.5	...	...	...	0	...
Ishigakijima,	,,	20.59	751.5	...	...	NW	4	...	,,	29.84	758.0	...	...	SSW	2	...
Bonin Island,	,,	29.94	760.5	...	...	...	...	...	,,	20.96	761.0	...	...	ESE	1	...
Chefoo,	15	29.75	755.6	90	66	SSW	2	b	6	29.67	753.6	77	95	...	0	o
Shanghai,	14	29.66	753.3	84	77	SE	6	o	,,	29.69	754.2	81	80	SSE	4	b
Gutzlaff,	,,	29.74	755.4	77	95	SE	7	o	,,	29.78	756.4	77	95	SSE	6	o
Sharp Peak,	,,	29.52	749.8	78	95	NW	4	r	7	29.73	755.1	78	91	S	1	r
Amoy,	,,	29.52	749.8	80	87	SSW	7	r	6	29.71	754.6	78	95	S	2	o
Swatow,	,,	29.58	751.3	79	83	SW	2	r	,,	...	...	...	...	...	...	...
Taihoku,	11	29.62	752.4	82	87	E	2	o	5	29.78	756.3	75	96	...	0	o
Taichu,	,,	29.66	753.3	79	...	...	0	o	,,	29.81	757.2	73	...	...	0	o
Tainan,	,,	29.67	753.6	82	...	SSE	4	o	,,	29.76	756.0	79	...	SSE	4	b
Toshun,	,,	29.66	753.3	86	...	S	2	o	,,	29.79	756.6	79	...	...	0	o
Pescadores,	,,	29.62	752.4	81	...	S	4	r	,,	29.75	755.7	81	...	S	4	o
Hong Kong,	14	29.53	750.0	87	76	SW	3	o	6	29.67	753.6	79	86	SSE	2	or
Gap Rock,	,,	29.54	750.3	...	...	SW	5	o	,,	29.66	753.3	...	...	S	4	e
Macao,	,,	29.48	748.8	90	79	SW	2	o	,,	29.61	752.1	75	96	SSW	4	r
Hoihow,	,,	29.55	750.5	91	71	SSW	1	e	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.62	752.3	89	73	SSW	4	o	,,	29.70	754.4	82	87	S	3	o
Phulien,	15	29.46	748.2	97	53	SSW	2	o	7	29.58	751.2	82	96	SSE	4	o
Tourane,	,,	20.54	750.3	90	...	ENE	2	o	,,	29.60	751.8	82	...	WNW	2	b
Cape St. James,	,,	29.74	755.4	81	...	WSW	7	o	,,	29.75	755.7	75	...	WSW	6	o
Masco,	14	29.69	754.2	90	66	SW	2	o	6	29.78	756.3	82	92	SE	2	o
Aparri,	,,	29.65	753.0	93	61	SSE	4	o	,,	29.78	756.3	75	94	...	0	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	98	S	1	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	...	...	SW	1	o
Manila,	,,	29.73	755.1	86	71	WSW	4	o	,,	29.79	756.6	75	94	E	1	o
Legaspi,	,,	29.69	754.2	90	57	WSW	4	o	,,	29.79	756.6	77	86	...	0	b
Calbayog,	,,	29.74	755.4	86	71	SW	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	91	NW	4	o
Iloilo,	,,	29.73	755.1	86	71	SW	4	o	,,	29.80	756.9	77	91	...	0	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	77	89	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	75	96	...	c	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.7	...	...	NE	4	o	4.22		...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	S	2	o	5	29.80	756.9	...	...	SSW	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Jaluan,	14	29.78	756.4	88	84	NW	4	b	6	29.86	758.4	76	94	SW	2	b

July 11*d.* 10*h.* 25*m.*— Pressure is highest between S. Japan and the Bonins, and relatively low over China generally. A depression is situated over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·63 inch. Total since January 1st, 15·76 inches, against an average of 43·12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, moderate; cloudy, occasional rain.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th July, 1929.								12th July, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.71	754.5	69	...	SE	2	f	6	29.62	752.2	64	...	...	0	f
Nemuro,	11	29.76	756.0	...	...	SSE	1	...	5	29.63	752.5	...	...	...	0	...
Hokodate,	,,	29.78	756.5	...	...	SSE	1	...	,,	29.73	755.0	..	...	SSW	2	...
Tokio,	,,	29.84	758.0	...	...	S	1	...	,,	29.84	758.0	..	...	NW	1	...
Kochi,	,,	29.96	761.0	...	...	SE	1	...	,,	29.90	759.5	..	...	...	0	...
Nagasaki,	,,	29.94	760.5	...	...	E	1	...	,,	29.92	760.0	..	...	...	...	...
Kagoshima,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.90	759.5	..	...	...	...	...
Oshima,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.92	760.0	..	...	...	0	...
Naha,	,,	29.88	759.0	...	...	E	1	...	,,	29.86	758.5	..	...	...	0	...
Ishigakijima,	,,	29.84	758.0	...	...	WSW	1	...	,,	29.82	757.5	..	.	SE	1	...
Bonin Island,	,,	29.94	760.5	...	...	SE	1	...	,,	29.94	760.5	...	...	...	...	...
Chefoo,	15	29.58	751.3	90	70	S	4	0	6	29.49	749.0	76	100	SW	2	r
Shanghai,	14	29.67	753.6	86	71	SSE	6	0	,,	29.69	754.2	79	89	SSE	4	b
Gutzlaff,	,,	29.76	755.9	78	95	SSE	6	0	,,	29.77	756.1	76	95	SSE	6	0
Sharp Peak,	,,	29.74	755.4	83	89	S	1	0	7	29.77	756.1	80	95	S	1	b
Amoy,	,,	29.73	755.1	83	87	SSE	2	0	6	29.74	755.4	78	92	S	4	0
Swatow,	,,	29.76	755.9	80	91	SE	1	0	,,	...	...	...	...	...	...	...
Taihoku,	11	29.80	756.9	90	69	...	0	0	5	29.82	757.5	73	96	...	0	b
Taichu,	,,	29.82	757.5	86	...	...	0	0	,,	29.78	756.3	72	...	...	0	df
Tainan,	,,	29.80	756.9	86	...	S	4	0	,,	29.80	756.9	72	...	E	2	0
Koshun,	,,	29.82	757.5	84	...	E	2	0	,,	29.81	757.2	75	...		0	b
Pescadores,	,,	29.79	756.6	84	...	S	4	0	,,	29.79	756.6	79	97	S	2	b
Hong Kong,	14	29.69	754.1	77	93	E	1	od	6	29.71	754.6	76	...	E	2	or
Gap Rock,	,,	29.69	754.1	...	...	SSW	4	0	,,	29.70	754.4	...	...	SE	5	orq
Macao,	,,	29.67	753.6	79	98	SW	2	0	,,	29.65	753.0	79	98	SE	4	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.73	755.1	87	92	S	3	0	,,	29.76	755.9	81	89	SW	2	r
Phulien,	15	29.59	751.5	84	85	ESE	4	0	7	29.65	753.0	75	94	SE	4	rf
Tourane,	,,	29.60	751.8	86	...	NNE	4	0	,,	29.66	753.3	81	...	...	0	0
Cape St. James,	,,	29.75	755.7	81	...	SW	6	0	,,	29.81	757.2	75	...	WSW	4	0
Basco,	14	29.79	756.6	86	78	SW	1	0	6	29.76	756.0	77	92	...	0	0
Aparri,	,,	29.76	756.0	86	78	N	4	0	,,	29.79	756.6	77	92	S	2	0
Tuguegarao,	,,	29.75	755.7	90	63	ENE	1	0	,,	29.76	756.0	77	92	...	0	0
Vigan,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Manila,	,,	29.76	756.0	90	63	WNW	2	0	,,	29.79	756.6	79	90	W	4	0
Legaspi,	,,	29.75	755.7	82	77	SW	4	0	,,	29.76	756.0	77	94	SW	2	0
Calbayog,	,,	29.78	756.3	82	77	SW	4	0	,,	29.79	756.6	79	91	WSW	4	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	82	81	S	2	0	,,	29.80	756.9	79	89	SW	2	0
Cebu.	,,	...	...	...	...	...	...	...	,,		...	...	...	...	...	...
Surigao,	,,	29.79	756.6	79	29	SW	4	0	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.7	...	...	S	4	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	WSW	4	r	5	29.78	756.3	...	...	SW	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Labuan,	14	29.77	756.1	86	84	NW	4	b	6	29.84	757.9	78	91	NE	2	b

July 12*d.* 10*h.* 40*m.*—A weak anticyclone lies between S. Japan and the Bonins; depressions are situated over the Gulf of Pechili and Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 3·10 inch. Total since January 1st, 18·86 inches, against an average of 43·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.E. winds, fresh; cloudy with rain, probably improving later.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	13th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.59	751.7	77	...	...	0	0	6	29.58	751.4	69	...	...	0	f
Nemuro,	11	29.59	751.5	...	...	S	1	...	5	29.69	754.0	..	...	...	0	...
Hokodate,	,,	29.69	754.0	...	...	SW	5	...	,,	29.73	755.0	..	...	SW	3	...
Tokio,	,,	29.80	757.0	...	...	S	1	...	,,	29.86	758.5	..	...	NNW	1	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.88	759.0	..	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	W	1	...	,,	29.86	758.5	..	...	ESE	2	...
Kagoshima,	,,	29.88	759.0	...	...	SE	1	...	,,	29.86	758.5	..	...	...	0	...
Oshima,	,,	29.86	758.5	...	...	NE	1	...	,,	29.84	758.0	..	...	...	0	...
Naha,	,,	29.82	757.5	...	...	ENE	2	...	,,	29.82	757.5	...	...	ESE	1	...
Ishigakijima,	,,	29.82	757.5	...	...	SE	1	...	,,	29.78	756.5	..	..	E	1	...
Bonin Island,	,,	29.92	760.0	...	...	...	0	...	,,	29.92	760.0	...	...	...	...	...
Chefoo,	15	29.46	748.2	86	80	S	1	o	6	29.45	748.0	76	100	...	0	o
Shanghai,	14	29.65	753.0	93	61	SSE	4	b	,,	29.66	753.3	77	92	SSE	2	b
Gutzlaff,	,,	29.72	754.9	80	87	SSE	6	b	,,	29.72	754.9	75	95	S	4	b
Sharp Peak,	,,	29.71	754.6	84	83	S	2	b	7	29.63	752.6	81	95	...	0	b
Amoy,	,,	29.79	756.6	84	79	SW	4	b	6	29.72	754.9	80	87	S	1	o
Swatow,	,,	29.68	753.9	81	79	SSE	1	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.80	756.9	90	60	NE	2	b	5	29.79	756.6	73	98	...	0	of
Taichu,	,,	29.84	757.8	90	...	SW	2	b	,,	29.79	756.6	70	...	...	0	b
Tainan,	,,	29.82	757.5	90	...	SSW	2	b	,,	29.75	755.7	73	...	...	0	b
Koshun,	,,	29.82	757.5	90	...	...	0	b	,,	29.75	755.7	75	...	...	0	o
Pescadores,	,,	29.82	757.5	86	...	S	4	b	,,	29.75	755.7	77	...	...	0	b
Hong Kong,	14	29.73	755.1	76	93	NW	1	or	6	20.68	753.9	77	93	E	2	od
Gap Rock,	,,	29.72	754.9	...	...	WSW	4	o	,,	29.68	753.9	...	...	SE	4	o
Macao,	,,	29.69	754.2	75	100	S	4	r	,,	29.63	752.7	75	92	SE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.9	86	78	S	2	op	,,	29.69	754.1	81	91	SSE	3	bo
Phulien,	15	29.61	752.1	77	96	E	4	r	7	20.56	750.9	77	...	ENE	4	of
Tourane,	,,	20.65	753.0	84	...	E	2	o	,,	29.65	753.1	79	...	WSW	4	c
Cape St. James,	,,	29.81	757.2	81	...	WSW	4	r	,,	...	...	...	...	...	...	...
Basco,	14	29.75	755.7	86	75	SE	2	o	6	29.73	755.1	79	92	...	0	o
Aparri,	,,	29.74	755.4	86	78	NNW	4	o	,,	29.74	755.4	75	96	SW	2	r
Tuguegarao,	,,	29.72	754.8	86	81	NW	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	75	89	ESE	2	o
Manila,	,,	29.75	755.7	84	77	SW	4	o	,,	20.75	755.7	77	89	N	2	o
Legaspi,	,,	29.76	756.0	77	88	...	0	o	,,	29.72	754.8	77	88	WSW	4	o
Calboyog,	,,	29.75	755.7	82	81	W	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.75	755.7	82	84	N	4	o	,,	20.78	756.3	75	94	NW	2	o
Iloilo,	,,	29.75	755.7	86	71	S	2	o	,,	29.74	755.4	81	80	SW	4	o
Cebu,	,,	29.73	755.1	86	61	NE	4	o	,,	29.75	755.7	81	76	SW	4	o
Surigao,	,,	29.73	755.1	84	71	SW	4	o	,,	29.74	755.4	81	80	SW	4	o
Saipan,	...	...	...	...	...	...	...	...	5	29.77	756.1	77	...	ESE	4	c
Guam,	12.22	29.73	755.1	...	...	E	4	o	4.22	29.74	755.4	...	...	SE	1	o
Yap,	11.00	29.73	755.1	...	...	SSW	4	o	5	20.75	755.7	...	...	SW	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.78	756.3	79	...	SW	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	78	...	SE	1	o
Labuan,	14	29.79	756.6	86	88	NE	2	b	6	29.85	758.2	76	94	SW	2	b

July 13*d*. 11*h*. 03*m*.—Pressure is highest in the vicinity of the Bonins, and is relatively low over S. Manchuria and Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·15 inch. Total since January 1st, 20·01 inches, against an average of 43·75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks; 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.E. winds, moderate; cloudy, rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	14th July, 1929. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.61	752.0	70	...	SE	2	o	6	29.67	753.7	66	...	SE	2	f
Nemuro,	11	29.84	758.0	...	...	...	...	...	5	29.73	755.0	...	...	...	0	...
Hokodate,	,,	29.72	755.0	...	...	SW	4	...	,,	29.78	756.5	...	..	S	1	...
Tokio,	,,	29.84	758.0	...	...	S	1	...	,,	29.88	759.0	...	.	...	0	...
Kochi,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.88	759.0	...	.	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.88	759.0	...	..	SSE	1	...
Kagoshima,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.88	759.0	...	..	...	...	...
Oshima,	,,	29.84	758.0	...	...	S	1	...	,,	29.84	758.0	...	...	...	...	...
Naha,	,,	29.82	757.5	...	...	E	1	...	,,	29.82	757.5	...	..	ESE	1	...
Ishigakijima,	,,	29.78	756.5	...	...	E	2	...	,,	29.78	756.5	...	..	SE	1	...
Bonin Island,	,,	29.92	760.0	...	...	SE	1	...	,,	29.92	760.0	...	...	...	...	...
Chefoo,	15	29.46	748.2	83	83	E	2	b	6	29.46	748.2	72	95	NNW	4	r
Shanghai,	14	29.66	753.3	93	64	SSW	4	b	,,	29.68	753.9	77	84	SSE	4	b
Gutzlaff,	,,	29.72	754.9	81	87	S	4	b	,,	29.75	755.6	75	92	S	4	b
Sharp Peak,	,,	29.69	754.1	86	84	S	2	b	7	29.72	754.9	81	91	ENE	1	b
Amoy,	,,	29.71	754.6	86	80	SE	4	b	6	29.72	754.9	80	92	WSW	2	b
Swatow,	,,	29.75	755.6	80	83	S	1	r	,,	...	...	...	...	...	..	...
Taihoku,	11	29.74	755.4	93	64	...	0	b	5	29.75	755.7	75	94	...	0	b
Taichu,	,,	29.78	756.3	90	...	...	0	b	,,	29.75	755.7	73	...	...	0	b
Tainan,	,,	29.75	755.7	90	...	SW	2	b	,,	29.72	754.8	75	...	...	0	b
Koshun,	,,	29.74	755.4	86	...	ENE	2	b	,,	29.72	754.8	79	...	ENE	2	b
Pescadores,	,,	29.76	756.0	86	...	S	2	b	,,	29.72	754.8	79	...	...	0	b
Hong Kong,	14	29.67	753.6	78	91	E	3	od	6	29.66	753.3	78	93	E	2	od
Gap Rock,	,,	29.68	753.9	...	...	ESE	4	o	,,	29.65	753.1	...	...	ESE	4	o
Macao,	,,	29.65	753.0	77	98	S	2	r	,,	29.62	752.4	77	96	ESE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	86	75	S	2	o	,,	29.68	753.9	82	84	SE	2	b
Phulien,	15	29.53	750.0	81	87	SE	4	o	7	29.55	750.6	73	...	NE	2	of
Tourane,	,,	29.61	752.1	86	...	E	2	o	,,	29.62	752.3	81	...	W	2	o
Cape St. James,	,,	29.78	756.3	84	...	SW	6	o	,,	29.80	756.9	77	...	WSW	4	o
Basco,	14	29.67	753.6	86	78	NNE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.68	753.9	82	84	S	1	o	,,		...	...	...	...	...	...
Tuguegarao,	,,	29.68	753.9	84	74	N	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.68	753.9	84	74	WNW	2	o	,,	..	...	...	...	...	...	...
Manila,	,,	29.68	753.9	86	71	SW	2	o	,,	29.68	753.9	77	94	...	0	o
Legaspi,	,,	29.68	753.9	79	85	S	2	o	,,	29.67	753.6	75	98	SW	2	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	79	91	N	4	o	,,	29.72	754.8	73	96	...	0	o
Iloilo,	,,	29.71	754.5	86	75	SW	4	o	,,	29.72	754.8	75	91	SSW	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	79	76	W	2	o
Surigao,	,,	29.69	754.2	86	68	WSW	4	o	,,	29.72	754.8	75	83	SW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	29.76	755.9	75	...	ESE	4	r
Guam,	12.22	29.73	755.1	...	...	SW	4	r	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.72	754.8	...	...	SW	4	o	5	29.75	755.7	.	...	SW	4	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.72	754.8	79	...	SW	3	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.77	756.1	75	...	...	0	bc
Labuan,	14	29.80	756.9	90	81	...	0	b	6	29.84	757.9	77	91	SW	2	b

July 14*d.* 10*h.* 51*m* – Pressure is highest in the vicinity of the Bonins, and depressions are situated over Tongking, and the Gulf of Pechili. A typhoon is indicated in the Pacific about 400 miles E.N.E. of Manila. Owing to lack of returns from N. Luzon, its position is uncertain and direction unknown.

Shanghai warning. 13*d.* 14*h.* 30*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 139° E., moving W.N.W. Recd. 13*d.* 14*h.* 50*m.*

Manila warnings. 13*d.* 15*h.* 10*m.*:—Typhoon in Lat. 17° N. Long. 127° E., moving W.N.W. Recd. 13*d.* 15*h.* 57*m.*

Manila warning 13*d.* 15*h.* 10*m.*:—Typhoon in Lat. 18° N. Long. 128° E., moving W.N.W. Recd. 13*d.* 18*h.* 57*m.*

Shanghai warning 13*d.* 22*h.* 00*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 134° E., moving W.N.W. Recd. 13*d.* 22*h.* 15*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 2·26 inch. Total since January 1st, 22·27 inches, against an average of 44·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	S.E. or variable winds, moderate; cloudy, and showery at first, improving later.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	15th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	20.78	756.5	...	...	NNE	1	...	5	29.86	758.5	...	...	ESE	1	...
Hokodate,	,,	29.80	757.0	...	...	SW	3	...	,,	29.86	758.5	...	...	...	0	...
Tokio,	,,	29.86	758.5	...	...	S	1	...	,,	29.90	759.5	...	...	...	0	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.90	759.5	...	...	SW	1	...
Nagasaki,	,,	29.86	758.5	...	...	SSW	1	...	,,	29.00	759.5	...	...	...	...	...
Kagoshima,	,,	29.88	759.0	...	...	ESE	1	...	,,	29.88	759.0	...	...	...	0	...
Oshima,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.84	758.0	...	...	...	...	...
Naha,	,,	29.82	757.5	...	...	E	2	...	,,	29.80	757.0	...	...	ENE	1	...
Ishigakijima,	,,	29.78	756.5	...	...	SE	2	...	,,	29.75	755.5	...	...	ESE	1	...
Bonin Island,	,,	29.92	760.0	...	...	ENE	1	...	,,	29.90	759.5	...	...	...	0	...
Chefoo,	15	29.65	753.1	74	92	E	1	0	6	29.68	753.9	71	100	...	0	b
Shanghai,	14	29.69	754.2	93	57	S	4	b	,,	29.74	755.4	77	91	SSE	2	b
Gutzlaff,	,,	29.76	755.9	82	79	S	4	b	,,	29.80	756.9	76	95	S	4	b
Sharp Peak,	,,	29.73	755.1	86	80	E	1	b	7	29.72	754.9	82	87	NNE	2	b
Amoy,	,,	29.66	753.3	88	76	SSE	2	b	6	29.70	754.4	80	93	SSW	1	b
Swatow,	,,	29.73	755.1	80	96	SSE	2	r	,,	...	...	...	...	...	...	...
Taihoku,	11	29.72	754.8	93	57	E	4	b	5	29.71	754.5	75	92	...	0	b
Taichu,	,,	29.74	755.4	90	...	NW	2	b	,,	29.75	755.7	75	...	...	0	o
Tainan,	,,	29.73	755.1	90	...	N	2	b	,,	29.69	754.2	77	...	...	0	b
Koshun,	,,	29.73	755.1	90	...	ENE	4	b	,,	29.69	754.2	77	...	...	0	o
Pescadores,	,,	29.74	755.4	86	...	NNW	2	b	,,	29.71	754.5	79	...	NNE	2	b
Hong Kong,	14	29.66	753.3	80	91	E	2	or	6	29.65	753.1	79	91	E	2	o
Gap Rock,	,,	29.66	753.3	...	...	E	4	o	,,	29.65	753.1	...	...	E	4	c
Macao,	,,	29.59	751.5	79	95	SE	2	o	,,	29.60	751.8	79	92	ESE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.67	753.6	90	64	ESE	1	b	,,	29.65	753.1	82	87	SE	3	b
Phulien,	15	29.53	750.0	81	90	ESE	2	o	7	29.54	750.3	73	98	NNE	2	rf
Tourane,	,,	29.56	750.9	86	...	E	2	o	,,	29.58	751.3	81	...	SSW	4	o
Cape St. James,	,,	29.76	755.9	73	...	WSW	6	r	,,	29.76	756.0	75	...	SW	6	o
Basco,	14	29.66	753.3	86	71	ESE	2	b	6	29.66	753.3	79	90	...	0	b
Aparri,	,,	29.62	752.4	90	69	NE	4	b	,,	29.63	752.7	75	96	SW	2	o
Tuguegarao,	,,	29.59	751.5	93	61	N	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.62	752.4	84	64	W	2	o	,,	29.60	751.8	75	92	WSW	1	o
Manila,	,,	29.65	753.0	68	85	SW	6	r	,,	29.62	752.4	75	96	E	1	r
Legaspi,	,,	29.66	753.3	75	91	WSW	4	o	,,	29.63	752.7	75	96	WSW	2	o
Calbayog,	,,	29.66	753.3	84	77	SW	4	o	,,	29.66	753.3	81	84	SW	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.66	753.3	75	94	N	1	o
Iloilo,	,,	29.73	755.1	75	91	W	2	o	,,	29.68	753.9	81	73	SW	4	o
Cebu,	,,	29.67	753.6	79	80	SW	2	rf	,,	29.68	753.9	81	73	SW	4	o
Surigao,	,,	29.65	753.0	86	71	WSW	4	o	,,	29.67	753.6	82	74	WSW	4	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.71	754.5	...	...	ESE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.66	753.3	...	...	SW	2	o	5	29.74	755.4	...	...	S	4	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	92	77	SW	4	b	6	29.84	757.9	80	91	SW	4	b

July 15*d.* 10*h.* 57*m.*—Pressure remains highest in the vicinity of the Bonins, and is relatively low in a trough extending from Tongking across Luzon to the Pacific.

Manila warnings 14*d.* 17*h.* 00*m.*:— 1. The typhoon has crossed northern Luzon in the form of a shallow depression. It may increase in intensity in the China Sea. 2. Cyclone or typhoon E. of Luzon more than 300 miles distant moving W. Recd. 41*d.* 17*h.* 58*m.*

Shanghai warning 14*d.* 22*h.* 25*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 130° E., moving W.N.W. Recd. 14*d.* 23*h.* 07*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 2·16 inch. Total since January 1st, 24·43 inches, against an average of 44·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	S.E. winds, moderate; cloudy, showery.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	16th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.74	755.5	66	...	SE	2	f	6	29.89	759.2	66	...	...	0	f
Nemuro,	11	29.86	758.5	...	...	NNE	1	...	5	29.86	758.5	...	...	...	0	...
Hokodate,	"	29.86	758.5	...	...	WSW	2	...	"	29.90	759.5	...	...	...	0	...
Tokio,	"	29.90	759.5	...	...	SSE	1	...	"	29.92	760.0	...	...	...	...	...
Kochi,	"	29.90	759.5	...	...	SSE	1	...	"	29.94	760.5	...	...	...	0	...
Nagasaki,	"	29.90	759.5	...	...	SSW	1	...	"	29.92	760.0	...	...	...	...	...
Kagoshima,	"	29.88	759.0	...	...	SE	1	...	"	29.88	759.0	...	...	NE	1	...
Oshima,	"	29.84	758.0	...	...	E	1	...	"	29.80	757.0	...	...	SSE	1	...
Naha,	"	29.80	757.0	...	...	NE	2	...	"	29.73	755.0	...	...	ENE	1	...
Ishigakijima,	"	29.74	755.5	...	...	E	2	...	"	29.69	754.0	...	...	NE	1	...
Bonin Island,	"	29.90	759.5	...	...	ESE	1	...	"	29.90	759.5	...	...	NE	1	...
Chefoo,	15	29.77	756.1	76	100	NE	1	o	6	29.72	755.9	74	92	...	0	b
Shanghai,	14	29.72	754.8	93	59	SSE	2	b	"	29.79	756.6	77	96	SE	2	b
Gutzlaff,	"	29.79	756.6	83	83	S	4	b	"	29.87	758.7	76	100	SSE	2	b
Sharp Peak,	"	29.73	755.1	86	80	NE	2	o	7	29.72	754.9	82	87	N	1	b
Amoy,	"	29.68	753.9	88	76	SSE	4	b	6	29.67	753.6	82	77	NE	4	b
Swatow,	"	29.70	754.4	85	84	ESE	2	b	"	...	...	...	...	...	..	...
Taihoku,	11	29.69	754.2	90	57	ESE	6	o	5	29.68	753.9	77	88	E	4	b
Taichu,	"	29.73	755.1	86	...	W	2	o	"	29.68	753.9	79	...	...	0	o
Tainan,	"	29.71	754.5	90	...	N	2	b	"	29.65	753.0	77	...	...	c	b
Koshun,	"	29.71	754.5	90	...	NE	2	b	"	29.63	752.7	79	...	NNE	2	o
Pescadores,	"	29.73	755.1	86	...	NW	2	b	"	29.65	753.0	79	...	...	0	b
Hong Kong,	14	29.66	753.3	82	87	ESE	1	op	6	29.65	753.1	79	91	E	2	op
Gap Rock,	"	29.65	753.1	...	...	ESE	4	c	"	29.64	752.9	...	...	E	4	o
Macao,	"	29.63	752.7	84	81	SE	2	o	"	29.61	752.1	79	91	ESE	4	o
Hoihow,	"	29.56	750.8	88	77	SSE	2	o	"	...	...	...	...	...	...	...
Pratas Island,	"	29.66	753.3	88	73	ESE	2	bc	"	29.64	752.9	82	82	ENE	3	b
Phulien,	15	29.53	750.0	77	94	SE	4	r	7	29.55	750.6	73	94	ESE	4	rf
Tourane,	"	29.59	751.5	84	...	NE	2	o	"	29.61	752.1	81	...	WNW	2	o
Cape St. James,	"	29.74	755.4	77	...	SW	6	o	"	29.76	756.0	77	...	WSW	4	o
Basco,	14	29.62	752.4	86	75	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.58	751.2	86	75	NE	4	o	"	29.58	751.2	77	92	SW	2	r
Tuguegarao,	"	29.55	750.6	90	60	NNW	2	o	"	...	...	...	...	...	...	...
Vigan,	"	29.55	750.6	86	75	WNW	4	o	"	...	...	...	...	...	...	...
Manila,	"	29.58	751.2	81	84	SW	2	o	"	29.59	751.5	75	96	...	0	r
Legaspi,	"	29.56	750.9	82	77	SW	4	o	"	29.54	750.3	77	89	SW	4	o
Calbayog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.65	753.0	79	80	SW	6	r	"	...	...	...	...	...	...	...
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.74	755.4	77	...	SSE	2	c
Guam,	12.22	29.69	754.2	...	...	SW	1	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.73	755.1	...	...	SW	4	r	5	29.72	754.9	78	...	SW	1	c
Pelew,	...	...	...	...	...	...	...	...	"	29.71	754.5	71	...	SW	3	c
Ponape,	...	...	...	...	...	...	...	...	"	29.81	757.2	79	...	...	0	b
Labuan,	14	29.79	756.6	86	84	SW	2	b	6	29.82	757.4	77	94	NW	2	b

July 15*d.* 17*h.* 34*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 126° E. moving W.N.W.

July 16*d.* 11*h.* 26*m.* Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 126° E., moving N W.

July 16*d.* 11*h.* 30*m.*— Pressure is highest in the Pacific to the east of Japan. The typhoon is situated about 300 miles N.E. of Manila moving N.W. or W.N.W.

Manila warnings. 15*d.* 11*h.* 30*m.*:—Typhoon in Lat. 17° N. Long. 127° E., moving W.N.W. Recd. 15*d.* 12*h.* 13*m.*

Shanghai warning 16*d.* 10*h.* 20*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 126° E., moving N.W. Recd. 16*d.* 10*h.* 38*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·21 inch. Total since January 1st, 24·64 inches, against an average of 44·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds, freshening from N.E.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; fair generally.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	17th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.88	758.9	74	...	...	0	b	6	29.76	755.8	68	...	SE	2	r
Gensan,	11	29.88	759.0	...	...	SSE	1	...	5	29.47	748.5	...	...	...	...	...
Hakodate,	"	29.90	759.5	...	...		0	...	"	29.40	759.5	..	..	...	...	...
Tokio,	"	29.92	760.0	...	...	S	1	...	"	29.98	761.5	..	..	...	0	...
Kochi,	"	29.94	760.5	...	...	SSE	1	...	"	29.98	761.5	...	...	...	...	...
Nagasaki,	"	29.90	759.5	...	...		0	...	"	29.92	760.0	...	...	...	0	...
Kagoshima,	"	29.90	759.5	...	...	SE	1	...	"	29.88	759.0	...	...	E	1	...
Koshima,	"	29.82	757.5	...	...	SE	1	...	"	29.76	756.0	...	...	SSE	1	...
Naha,	"	29.72	755.0	...	...	ENE	4	...	"	29.59	751.5	...	...	ENE	5	...
Ishigakijima,	"	29.69	754.0	...	...	NE	3	...	"	29.53	750.0	...	...	NE	3	...
Formosa Island,	"	29.80	759.5	...	...	E	1	...	"	29.94	760.5	...	...	E	1	...
Chefoo,	15	29.65	753.1	92	77	S	2	b	6	29.72	751.9	78	92	S	6	o
Shanghai,	14	29.78	756.3	93	59	SSE	4	b	"	29.81	757.2	75	98	ESE	2	b
Gutzlaff,	"	29.87	758.7	81	92	...	...	...	"	29.88	758.9	77	100	ESE	2	b
Sharp Peak,	"	29.72	754.9	84	83	ENE	4	b	7	29.61	752.1	81	87	NE	2	b
Amoy,	"	29.65	753.1	90	70	ENE	4	b	6	29.62	752.3	81	78	NE	2	b
Swatow,	"	29.68	753.9	85	80	ESE	1	b	"	...	...	...	...	...	..	...
Taiwan,	11	29.71	754.5	90	63	NE	4	b	5	29.63	752.7	77	96	ESE	4	r
Haichu,	"	29.67	753.6	90	...	NNW	2	b	"	29.62	752.4	79	...	...	0	o
Hainan,	"	29.67	753.6	80	...	W	2	o	"	29.56	750.9	77	...	E	2	o
Koshun,	"	29.63	752.7	86	...	ESE	4	o	"	29.56	750.9	73	...	...	0	b
Pescadores,	"	29.67	753.6	86	...	NNW	2	b	"	29.58	751.2	79	...	NE	2	b
Hong Kong,	14	29.66	753.3	84	78	E	3	c	6	29.65	753.1	80	85	ENE	2	c
Gap Rock,	"	29.67	753.6	...	...	N	4	ort	"	29.66	753.3	...	...	NE	3	c
Macao,	"	29.63	752.7	84	77	SE	2	o	"	29.61	752.1	79	91	ESE	2	b
Haihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.65	753.1	88	77	NE	1	c	"	29.62	752.3	80	87	NNW	2	bo
Phulien,	15	29.56	750.9	73	100	ENE	4	rf	7	29.58	751.2	75	98	ENE	4	r
Touraine,	"	29.60	751.8	86	...	ENE	2	o	"	29.53	752.7	79	...	SW	2	o
Cape St. James,	"	29.74	755.4	81	...	SW	4	o	"	29.79	756.6	75	...	WSW	6	o
Basco,	14	29.55	750.6	81	87	NE	2	o	6	29.43	747.6	81	86	N	4	o
Aparri,	"	29.54	750.3	86	78	N	4	o	"	29.47	748.5	81	89	NW	4	o
Tuguegarao,	"	29.54	750.3	81	92	N	1	o	"	.	...	...	...	...	...	...
Vigan,	"	29.54	750.3	86	68	WSW	2	o	"	.	...	...	...	...	...	...
Manila,	"	29.58	751.2	84	77	SW	4	o	"	29.56	750.9	73	82	WSW	4	o
Legaspi,	"	29.53	750.0	77	94	WSW	4	o	"	29.52	749.7	79	80	SW	4	o
Calbayog,	"	29.56	750.9	79	89	SW	6	r	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	29.63	752.7	79	76	W	4	o
Iloilo,	"	29.65	753.0	84	74	SW	6	o	"	29.66	753.3	70	84	SW	6	o
Cebu,	"	...	...	...	...	...	...	...	"	29.65	753.0	81	73	SW	4	o
Surigao,	"	...	...	...	...	...	...	...	"	..	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.81	757.2	73	...	SSE	2	r
Guam,	12.22	29.73	755.1	...	...	S	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.72	754.8	...	...	...	0	r	5	29.80	756.9	...	...	SW	2	o
Pelew,	...	...	...	...	...	...	...	...	"	29.78	756.3	79	...	SW	1	c
Ponape,	...	...	...	...	...	...	...	...	"	29.82	757.5	80	...	...	0	fc
Labuan,	14	29.79	756.6	86	84	SW	2	b	6	29.73	757.7	80	91	SW	2	b

July 16*d.* 17*h.* 00*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 126° E. moving N.W.

July 17*d.* 9*h.* 50*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 124° E., moving N.W.

July 17*d.* 10*h.* 50*m.*—Pressure remains highest in the Pacific to the east of Japan, and a depression covers Tongking. The typhoon is situated about 150 miles north-east of Aparri moving N.W. or N.N.W.

Shanghai warning 17*d.* 10*h.* 10*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 125° E., moving N.N.W. Recd. 17*d.* 10*h.* 30*m.*

Manila warnings. 17*d.* 10*h.* 30*m.*:—Typhoon in Lat. 19° N. Long. 125° E., moving N. Recd. 17*d.* 10*h.* 56*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 *inch.* **Total since January 1st, 24·64** inches, against an average of 45·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate; freshening considerably.
2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Moderate north easterly winds, freshening later from N. and N.W.; fine generally.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.
DAILY WEATHER REPORT.

Station.	17th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	18th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.59	751.4	70	...	SE	2	r	6	29.87	758.7	68	...	...	0	0
Nemuro,	11	29.80	757.0	...	...	SSE	1	...	5	29.59	751.6	...	...	SW	2	...
Hokodate,	,,	29.86	758.5	...	...	SW	2	...	,,	29.73	755.0	...	...	WSW	2	...
Tokio,	,,	29.94	760.5	...	...	S	3	...	,,	29.92	760.0	...	...	S	1	...
Kochi,	,,	29.98	761.5	...	...	SSE	1	...	,,	30.00	762.0	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	ESE	1	...	,,	29.92	760.0	...	...	...	0	...
Kagoshima,	,,	29.90	759.5	...	...	ESE	1	...	,,	29.88	759.0	...	...	E	1	...
Oshima,	,,	29.76	756.0	...	...	E	1	...	,,	29.73	755.0	...	...	SSE	1	...
Naha,	,,	29.59	751.5	...	...	E	4	...	,,	29.53	750.0	...	...	ESE	4	...
Ishigakijima,	,,	29.49	749.0	...	...	NE	5	...	,,	29.21	742.0	...	...	NE	6	...
Bonin Island,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.98	761.5	...	...	ESE	1	...
Chefoo,	15	29.71	754.6	92	64	WSW	4	b	6	29.83	757.7	76	92	SSW	1	b
Shanghai,	14	29.84	757.8	90	66	ESE	2	b	,,	29.78	756.3	79	95	ESE	4	r
Gutzlaff,	,,	29.83	757.7	81	87	ESE	4	b	,,	29.81	757.2	77	100	E	4	0
Sharp Peak,	,,	29.62	752.3	86	80	NE	4	b	7	29.52	749.8	81	87	NE	4	0
Amoy,	,,	29.55	750.5	92	67	NE	4	b	6	29.49	749.0	84	74	N	2	b
Swatow,	,,	29.59	751.6	88	77	ESE	2	b	,,	...	...	...	...	...	.	...
Taihoku,	11	29.63	752.7	86	75	E	4	o	5	29.43	747.6	79	92	NE	2	r
Taichu,	,,	29.55	750.6	90	...	NNE	2	b	,,	29.40	744.7	79	...	...	0	0
Tainan,	,,	29.55	750.6	90	...	NNW	2	b	,,	29.35	745.5	79	...	NNE	2	b
Koshun,	,,	29.53	750.0	90	...	NNW	2	o	,,	29.34	745.2	79	...	...	0	0
Pescadores,	,,	29.56	750.9	86	...	NNE	6	b	,,	29.39	746.4	81	...	N	5	r
Hong Kong,	14	29.61	752.1	87	71	E	2	c	6	29.54	750.3	80	85	W	1	c
Gap Rock,	,,	29.64	752.8	...	...	E	3	c	,,	29.56	750.8	...	...	W	3	b
Macao,	,,	29.53	750.0	90	69	SE	2	o	,,	29.52	749.7	79	84	NNW	2	0
Hoihow,	,,	29.64	752.8	86	81	NE	1	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.59	751.6	87	72	N	4	o	,,	29.50	749.3	82	80	NNW	2	0
Phulien,	15	29.58	751.2	77	89	E	4	o	7	29.59	751.5	75	98	E	2	b
Tourane,	,,	29.62	52.4	84	...	ENE	2	o	,,	29.61	752.1	82	...	WNW	2	0
Cape St. James,	,,	29.76	756.0	81	...	WSW	6	o	,,	29.76	756.0	77	...	WSW	6	0
Basco,	14	29.38	746.1	82	86	NNW	4	o	6	29.27	743.4	79	95	NW	6	r
Aparri,	,,	29.41	747.0	85	78	NW	6	o	,,	29.35	745.5	79	87	...	0	0
Tuguegarao,	,,	29.43	747.6	84	81	N	1	o	,,	29.39	746.4	77	85	SSE	1	0
Vigan,	,,	29.49	749.1	86	81	NW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.56	750.9	81	80	SW	4	o	,,	29.55	750.6	81	84	SW	4	0
Legaspi,	,,	29.53	750.0	81	80	WSW	4	o	,,	29.59	751.5	79	84	SW	4	0
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.66	753.3	81	80	SW	6	o	,,	29.68	753.9	82	84	SW	6	0
Cebu,	,,	...	..	...	...	...	...	...	,,	..	...	...	...	...	...	...
Surigao,	,,	29.62	752.4	86	61	SW	4	o	,,	...	...	...	..	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.81	757.2	76	...	E	5	r
Guam,	12.22	29.75	755.7	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	SW	2	o	5	29.82	757.5	...	...	...	0	0
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.5	80	...	SSW	2	r
Ponape,	...	..	...	...	...	...	...	...	,,	29.83	757.7	80	...	E	2	c
Labuan,	14	29.78	756.4	86	84	SW	2	b	6	29.87	758.7	76	91	SW	1	o

July 17*d.* 16*h.* 07*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 124° E. moving N.N.W.

July 18*d.* 9*h.* 20 *m.*—Warning to Hong Kong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 23° N. Long. 124° E., moving N.N.W.

July 18*d.* 10*h.* 27*m.*—Pressure is highest in the vicinity of the Bonins, and a depression lies to the north-east of Hokkaido.

The typhoon is situated about 50 miles south of Ishigakijima, moving N.N.W. or N.

Shanghai warning 18*d.* 9*h.* 40*m.*:—Typhoon of unknown intensity within 30 miles of Lat. 23° N. Long. 124° E., moving N.N.W. Recd. 18*d.* 10*h.* 07*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·64 inches, against an average of 45·73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N. to W. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	Westerly winds, moderate; fine to cloudy
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	19th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.57	751.0	...	...	W	1	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.72	755.0	...	...	W	1	...	"	...	...	...	...	...	...	...
Tokio,	"	29.88	759.0	...	...	SSE	2	...	"	...	...	...	...	...	...	...
Kochi,	"	30.00	762.0	...	...	SSE	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.92	760.0	...	...	SE	2	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.92	760.0	...	...	NE	1	...	"	...	...	...	...	...	...	...
Oshima,	"	29.74	755.5	...	...	SE	2	...	"	...	...	...	...	...	...	...
Naha,	"	29.55	750.5	...	...	E	5	...	"	...		...	...	...	...	...
Ishigakijima,	"	28.94	735.0	...	...	NE	7	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.98	761.5	...	...	ESE	1	...	"		...	...	...	...	...	...
Chefoo,	15	29.81	757.2	90	70	SW	2	b	6	...		...	...	...	...	...
Shanghai,	14	29.74	755.4	86	75	E	4	0	"	...	...	...	...	...	...	...
Gutzlaff,	"	29.77	756.1	78	92	ENE	4	0	"	...	...	...	...	...	...	...
Scarp Peak,	"	29.42	747.2	80	91	NNE	2	0	7	28.88	733.6	78	94	NE	8	r
Amoy,	"	29.40	746.7	90	70	ENE	6	0	6	29.11	739.4	78	95	WNW	8	r
Swatow,	"	29.39	746.5	92	68	WNW	1	c	"	...	...	...	...	...	...	...
Taiboku,	11	29.34	745.2	82	86	NNE	4	r	5	...	...	...	...	...	...	...
Taichu,	"	29.32	744.6	82	...	NNE	2	r	"	...	...	...	...	...	...	...
Tainan,	"	29.30	744.3	86	...	NNW	4	0	"	...	...	...	...	...	...	...
Koshun,	"	29.28	743.7	86	...	NW	2	0	"	...	...	...	...	...	...	...
Pescadores,	"	29.34	745.2	82	...	N	6	0	"	...	...	...	...	...	...	...
Hong Kong,	14	29.46	748.2	88	74	W	3	c	6	29.39	746.5	82	88	W	2	c
Gap Rock,	"	29.49	749.0	...	...	W	3	c	"	29.41	757.0	...	...	WSW	5	o
Macao,	"	29.46	748.2	93	67	SE	2	o	"	29.35	746.1	82	74	NW	4	o
Hoihow,	"	29.61	752.1	85	84	ENE	1	o	"	...	...	...	...	...	...	...
Pratas Island,	"	29.48	748.8	89	69	NW	4	b	"	29.43	747.5	83	83	SW	5	o
Phulien,	15	29.54	750.3	86	85	SE	2	o	7	29.53	750.0	77	92	NW	4	b
Tourane,	"	29.55	750.6	84	...	...	o	o	"	29.56	750.9	82	...	NW	4	o
Cape St. James,	"	29.75	755.7	81	...	SW	8	o	"	29.76	756.0	77	...	SW	7	o
Basco,	14	29.20	741.6	84	85	WSW	4	o	6	29.50	749.4	81	86	SW	4	o
Aparri,	"	29.34	745.2	85	68	WSW	2	o	"	29.53	750.0	81	76	S	4	o
Tagnegarao,	"	...	...	...	...	...	...	...	"	29.54	750.3	77	89	S	2	o
Vigan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.56	750.9	81	89	SW	6	r	"	29.66	753.3	77	91	SSW	4	o
Legaspi,	"	29.59	751.5	84	74	SSW	4	o	"	29.67	753.6	79	87	S	1	o
Calbayog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	29.63	752.7	90	63	SW	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.78	756.3	...	...	SSW	6	o
Cebu,	"	...	...	...	...	...	...	...	"	29.78	756.3	81	...	S	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	...	SE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	WNW	2	o	5	29.81	757.2	...	...	NW	2	o
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Labuan,	14	29.85	758.2	80	87	SW	2	r	6	29.82	757.4	80	87	SW	2	b

July 18*d.* 14*h.* 53*m.*—Warning to Hong Kong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 24° N. Long. 124° E., moving N.

July 19*d.* 8*h.* 40*m.*—Warning to Hong Kong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 25° N. Long. 119° E. moving W.N.W.

July 19*d.* 10*h.* 45*m.*—Between noon and 5 p.m. yesterday the track of the typhoon altered from N. to W.N.W.; it probably crossed northern Formosa with greatly increased velocity, and has entered the coast to the south of Foochow this morning.

Cable communication is interrupted, and no returns are available from northern stations.

Shanghai warning 18*d.* 21*h.* 50*m.*:—A severe typhoon within 30 miles of Lat. 25° N. Long. 123° E., moving N.W. Recd. 18*d.* 22*h.* 33*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·64 inches, against an average of 46·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	Southerly gale, moderating.
2.—South coast of China between Hong Kong and Lamocks,	S.W. winds, fresh; fine at first, cloudy and squally with rain later.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th July, 1929.								20th July, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.63	752.5	...	...	S	3	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.80	757.0	...	...	W	2	...	"	...	...	...	...	...	...	...
Tokio,	"	29.82	757.5	...	...	NW	1	...	"	...	...	...	...	...	...	...
Kochi,	"	29.94	760.5	...	...	SE	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.98	761.5	...	...	E	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.98	761.5	...	...	...	0	...	"	...	...	...	...	...	...	...
Oshima,	"	29.88	759.0	...	...	SSE	1	...	"	...	...	...	...	...	...	...
Naha,	"	29.80	757.0	...	...	SE	4	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...			...	...	...
Bonin Island,	"	29.96	761.0	...	...	E	1	...	"		...	...	...	...	...	...
Chefoo,	15	29.86	758.4	94	61	S	2	b	6	29.84	757.9	80	92	S	2	h
Shanghai,	14	29.74	755.4	86	78	...	...	...	"	...	...	...	...	...	...	...
Gutzlaff,	"	29.80	756.9	82	87	SE	6	o	"	...	...	...	...	...	...	...
Sharp Peak,	"	29.38	746.3	78	93	S	7	r	7	29.58	751.3	83	91	S	1	o
Amoy,	"	29.31	744.5	80	92	SSW	7	r	6	29.63	752.6	80	96	SE	2	r
Swatow,	"	29.73	755.1	88	81	WSW	2	o	"	29.61	752.1	79	96	SE	1	o
Taihoku,	11	29.45	747.9	81	96	...	0	o	5	29.69	754.2	77	96	...	0	o
Taichu,	"	29.50	749.4	77	...	SSE	4	r	"	29.69	754.2	75	...	...	0	b
Tainan,	"	...	...	...	...	...	...	...	"	29.66	753.3	77	...	SE	2	o
Koshun,	"	29.56	750.9	86	...	SSW	4	o	"	29.68	753.9	75	...	...	0	r
Pescadores,	"	...	...	...	...	...	...	...	"	29.65	753.0	81	...	SE	4	h
Hong Kong,	14	29.39	746.5	90	70	SW	2	c	6	29.52	749.8	82	84	S	1	o
Gap Rock,	"	29.43	747.5	...	...	WSW	5	c	"	29.53	750.0	...	...	SSW	5	c
Macao,	"	29.39	746.4	93	64	SW	2	o	"	29.47	748.5	81	92	SSW	4	o
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.48	748.8	89	71	SW	5	c	"	29.57	751.1	83	85	SSW	5	c
Phulien,	15	29.46	748.2	93	67	W	4	b	7	29.49	749.1	81	97	ENE	2	o
Tourane,	"	29.55	750.6	82	...	SW	6	o	"	29.58	751.2	81	...	W	2	o
Cape St. James,	"	29.75	755.7	81	...	SW	7	o	"	29.79	756.5	77	...	SW	7	o
Basco,	14	29.61	752.1	85	75	SW	2	o	6	29.69	754.2	81	90	S	2	o
Aparri,	"	29.60	751.8	86	68	S	1	o	"	29.71	754.5	79	96	...	0	o
Tuguegarao,	"	29.60	751.8	90	63	SE	2	o	"	29.72	754.8	77	96	...	0	o
Vigan,	"	29.63	752.7	79	89	SSW	4	r	"	29.71	754.5	79	84	SSW	4	o
Manila,	"	29.69	754.2	86	78	SW	4	o	"	29.76	756.0	79	91	SE	1	o
Legaspi,	"	29.71	754.5	86	68	WSW	4	o	"	29.78	756.3	77	94	SW	2	b
Calboyog,	"	29.75	755.7	86	75	SSW	4	o	"	29.80	756.9	81	86	...	...	...
Tacloban,	"		...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.81	757.2	79	84	SW	4	o
Cebu,	"	29.75	755.7	86	...	S	4	o	"	29.80	756.9	81	73	SW	2	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.78	756.3	76	...	SE	3	r
Guam,	12.22	29.75	755.7	...	...	SE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	NW	1	o	5	29.76	756.0	...	...	WSW	2	o
Pelew,	...	...	...	...	...	...	...	...	"	29.81	757.2	76	...	SW	...	c
Ponape,	...	...	...	...	...	...	...	...	"	29.83	757.7	76	...	E	1	c
Labuan,	14	29.82	757.4	88	82	SW	2	b	6	29.83	757.7	78	91	SW	2	b

July 19*d*. 16*h*. 04*m*.—Warning to Hong Kong, Coast Ports, &c.:—Continental depression in Lat. 27° N. Long. 116° E. filling up.

July 20*d*. 11*h*. 45*m*.—The typhoon has filled up, but an area of low pressure is left over S.W. China.

Another typhoon appears to be forming to the north of Yap.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·64 inches, against an average of 46·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	S.W. winds, moderate; cloudy, showery.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.72	755.0	...	...	SE	3	...	5	...	...	...	...	...	...	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.78	756.5	...	...	E	...	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.84	758.0	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.94	760.5	...	...	W	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.90	759.5	...	...	W	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.90	759.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Taiwan,	,,	29.90	759.5	...	...	SE	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.78	756.5	...	...	SSW	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.90	759.5	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.76	755.0	94	64	S	1	b	6	29.71	754.6	80	92	SSW	1	o
Shanghai,	14	29.80	756.9	93	67	ESE	2	b	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.87	758.7	82	92	SE	4	o	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.69	754.1	84	87	S	2	o	7	29.75	755.6	80	95	S	2	of
Amoy,	,,	29.55	750.5	84	87	SE	4	o	6	29.68	753.9	80	96	SSE	4	o
Swatow,	,,	29.61	752.1	84	84	SE	2	c	,,	29.56	750.8	77	100	E	1	o
Taihoku,	11	29.71	754.5	90	66	ENE	2	b	5	...	...	...	...	...	...	...
Taichu,	,,	29.75	755.7	86	...	NNW	2	o	,,	...	...	...	...	...	...	...
Tainan,	,,	29.74	755.4	84	...	SSE	4	r	,,	...	...	...	...	...	...	...
Toshun,	,,	29.76	756.0	77	...	...	o	r	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.72	754.8	81	...	SSE	4	r	,,	...	...	...	...	...	...	...
Hong Kong,	14	29.55	750.5	86	75	SW	2	o	6	29.60	751.8	78	95	NW	1	or
Gap Rock,	,,	29.56	750.8	...	...	S	4	o	,,	29.60	751.8	...	...	S	4	o
Macao,	,,	29.52	749.7	93	77	SSW	2	o	,,	29.55	750.6	81	96	S	4	o
Hoihow,	,,	29.51	749.5	89	74	SW	1	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.63	752.6	85	79	SW	5	c	,,	29.65	753.1	79	91	WSW	2	o
Phulien,	15	29.46	748.2	93	67	WSW	2	o	7	29.49	748.9	82	...	S	4	c
Tourane,	,,	29.58	751.2	90	...	NNE	2	o	,,	29.60	751.8	82	...	SSW	2	c
Cape St. James,	,,	29.78	756.3	81	...	SW	6	o	,,	29.79	756.6	77	...	SW	6	o
Bacco,	14	29.74	755.4	84	87	SE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.73	755.1	90	66	N	2	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.72	754.8	93	64	...	o	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.73	755.1	86	75	SSW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	71	SW	4	o	,,	29.74	755.4	77	96	SE	1	o
Legaspi,	,,	29.75	755.7	80	72	SW	2	o	,,	29.72	754.8	79	91	SW	1	o
Calbayog,	,,	29.80	756.9	86	71	SW	4	o	,,	29.76	756.0	79	89	WSW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	77	89	N	4	o
Iloilo,	,,	29.80	756.9	82	77	SSW	4	o	,,	29.76	756.0	81	80	SW	4	o
Cebu,	,,	29.78	756.3	86	61	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.79	756.6	86	75	SW	2	o	,,	29.76	756.0	79	84	SSW	4	o
Saipan,	...	...	...	...	...	...	...	...	5	29.76	756.0	78	...	SSE	3	lc
Guam,	12.22	29.73	755.1	...	...	SE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	WNW	2	r	5	29.73	755.1	80	...	W	2	c
Pelew,	...	...	...	...	...	...	...	...	,,	29.80	756.9	74	...	N	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.81	757.2	77	...	SE	2	c
Labuan,	14	29.82	757.4	88	84	SW	4	b	6	29.82	757.4	78	86	SW	2	b

July 21*d.* 10*h.* 56*m.*—Returns are lacking from Formosa and most stations north of Foochow.

Pressure is probably highest near the Bonins, and relatively low over Tongking. A depression or typhoon is indicated to the northward of Yap.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·78 inch. Total since January 1st, 25·42 inches, against an average of 47·05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st JULY, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	22nd JULY, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.82	757.5	...	...	SSE	1	...	5	29.78	756.5	...	...	S	1	...
Hokodate,	"	29.76	756.0	...	...	S	1	...	"	29.75	755.5	...	...	...	0	...
Tokio,	"	29.74	755.5	...	...	SSE	1	...	"	29.75	755.5	...	...	...	0	...
Kochi,	"	29.76	756.0	...	...	...	...	...	"	29.82	757.5	...	...	...	0	...
Nagasaki,	"	29.88	759.0	...	...	W	1	...	"	29.86	758.5	...	...	...	0	...
Kagoshima,	"	29.80	757.0	...	...	NNW	1	...	"	29.84	758.0	...	...	...	0	...
Oshima,	"	29.84	758.0	...	...	NE	1	...	"	29.84	758.0	...	...	...	0	...
Naha,	"	29.84	758.0	...	...	ESE	1	...	"	29.84	758.0	...	...	...	0	...
Ishigakijima,	"	29.80	757.0	...	...	ESE	2	...	"	29.82	757.5	...	...	SE	1	...
Bonin Island,	"	29.84	758.0	...	...	SW	1	...	"	29.82	757.5	...	...	...	0	...
Chefoo,	15	29.67	753.6	92	67	SE	4	o	6	29.59	751.6	81	87	S	8	r
Shanghai,	14	29.73	755.1	93	67	SSE	4	b	"	29.74	755.4	79	90	SSE	2	b
Gutzlaff,	"	29.78	756.4	80	92	SSE	4	b	"	29.81	757.2	78	92	SSE	4	b
Sharp Peak,	"	29.71	754.6	83	91	S	2	o	7	29.79	756.6	80	93	...	0	o
Amoy,	"	29.69	754.1	81	96	SE	4	r	6	29.71	754.6	80	92	SSE	1	o
Swatow,	"	...	...	...	...	...	...	...	"	29.74	755.4	77	96	SE	2	c
Taihoku,	11	29.76	756.0	90	69	WNW	2	o	5	29.79	756.6	77	92	...	0	o
Taichu,	"	29.78	756.3	90	...	...	0	o	"	29.79	756.6	75	...	...	0	o
Tainan,	"	29.86	758.4	86	...	S	4	o	"	29.75	755.7	77	...	...	0	o
Koshun,	"	29.76	756.0	86	...	E	1	o	"	29.74	755.4	75	...		0	o
Pescadores,	"	29.73	755.1	86	...	SSE	4	o	"	29.73	755.1	81	...	SE	2	o
Hong Kong,	14	29.61	752.1	82	83	ESE	1	o	6	29.64	752.8	78	91	E	2	or
Gap Rock,	"	29.61	752.1	...	...	SSE	4	c	"	29.63	752.6	...	...	SSE	4	o
Macao,	"	29.56	750.9	86	81	S	4	o	"	29.60	751.8	79	96	SSE	4	o
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.67	753.6	85	85	S	1	o	"	29.69	754.1	77	95	SW	2	o
Phulien,	15	29.47	748.5	90	79	S	1	o	7	29.55	750.6	73	94	N	4	rf
Tourane,	"	29.58	751.2	90	...	NE	2	o	"	29.60	751.8	82	...	...	0	h
Cape St. James,	"	29.76	756.0	73	...	SW	7	o	"	29.80	756.9	75	...	WSW	6	h
Basco,	14	29.71	754.5	86	75	SE	4	o	6	29.73	755.1	79	87	SE	2	o
Aparri,	"	29.71	754.5	86	75	NE	2	o	"	29.74	755.4	73	94	S	2	o
Tuguegarao,	"	...		...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	29.72	754.8	84	71	SW	4	o	"	29.71	754.5	77	85	SE	2	o
Manila,	"	29.75	755.7	77	94	...	0	r	"	29.76	756.0	75	94	SW	1	o
Legaspi,	"	29.71	754.5	82	81	SW	4	o	"	29.74	755.4	77	91	SW	1	o
Calboyog,	"	29.73	755.1	81	89	W	4	o	"		...	...	...	...	...	...
Tacloban,	"	29.72	754.8	86	75	NW	4	o	"	29.81	757.2	75	86	NE	1	o
Iloilo,	"	29.75	755.7	84	74	SW	4	o	"	29.79	756.6	77	88	SW	6	o
Cebu,	"	29.73	755.1	82	67	SSW	4	o	"	29.79	756.6	79	73	SW	4	o
Surigao,	"		...	...	...	...	...	...	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.83	757.7	78	...	SE	3	c
Guam,	12.22	29.76	756.0	...	...	S	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	SSW	2	o	5	29.85	758.1	...	...	SSE	4	o
Pelew,	...	...	...	...	...	...	...	...	"	29.85	758.1	76	...	WSW	3	r
Ponape,	...	...	...	...	...	...	...	...	"	29.87	758.7	77	...	...	0	lc
Labuan,	14	29.78	756.4	88	84	SW	2	b	6	29.89	759.2	78	86	SW	2	b

July 22*d.* 11*h.* 07*m.*—Pressure is highest in the Pacific over an irregular area extending from S. Japan to the Carolines; it is relatively low over Tongking, and to the east of Luzon.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 2·75 inch. Total since January 1st, 28·17 inches, against an average of 47·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate; cloudy, occasional rain.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	23rd July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Gensan,	11	29.76	756.0	...	...	S	2	...	5	29.67	753.5	...	...	S	1	...
Hakodate,	,,	29.72	755.0	...	...	SSW	2	...	,,	29.69	754.0	...	...	SW	2	...
Tokio,	,,	29.80	757.0	...	...	S	1	...	,,	29.82	757.5	...	...	...	0	...
Kochi,	,,	29.76	756.0	...	...	...	0	...	,,	29.80	757.0	...	...	...	0	...
Nagasaki,	,,	29.82	757.5	...	...	SSW	1	...	,,	29.84	758.0	...	...	...	0	...
Kagoshima,	,,	29.80	757.0	...	...	W	1	...	,,	29.80	757.0	...	...	...	0	...
Ishima,	,,	29.82	757.5	...	...	NNE	1	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.82	757.5	...	...	WNW	1	...	,,	29.84	758.0	...	...	ESE	1	...
Sakishima,	,,	29.80	757.0	...	...	SE	2	...	,,	29.80	757.0	...	...	...	0	...
Bonin Island,	,,	29.80	757.0	...	...	NW	1	...	,,	29.75	755.5	...	...	...	0	...
Chefoo,	15	29.59	751.6	84	83	NW	2	o	6	29.65	753.0	72	100	NW	1	r
Shanghai,	14	29.71	754.5	93	57	SSE	2	b	,,	29.73	755.1	79	92	SSE	2	b
Swatzlaff,	,,	29.78	756.5	80	87	S	4	b	,,	29.80	756.9	77	95	S	4	b
Sharp Peak,	,,	29.74	755.4	84	85	SE	1	b	7	29.78	756.4	83	91	S	1	b
Amoy,	,,	29.73	755.1	83	87	SSE	4	b	6	...	...	78	95	WSW	1	b
Swatow,	,,	29.73	755.1	79	91	E	1	or	,,	...	...	...	...	...	...	...
Taihoku,	11	29.74	755.4	93	61	E	4	b	5	29.79	756.6	77	92	...	0	o
Hsinchu,	,,	29.78	756.3	84	...	N	2	b	,,	29.79	756.6	75	...	...	0	b
Tainan,	,,	29.76	756.0	90	...	N	4	b	,,	29.76	756.0	75	...	...	0	b
Koshun,	,,	29.78	756.3	77	...	E	2	r	,,	29.76	756.0	79	...	...	0	b
Pescadores,	,,	29.78	756.3	86	...	ENE	4	o	,,	...	...	...	...	...	...	...
Hong Kong,	14	29.63	752.6	81	87	...	0	or	6	29.69	754.1	78	91	E	1	o
Gap Rock,	,,	29.63	752.6	...	...	SW	4	op	,,	29.69	754.1	...	...	ESE	4	o
Macao,	,,	29.60	751.8	81	97	S	4	o	,,	29.66	753.3	77	91	SE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.68	753.9	78	91	S	3	or	,,	29.70	754.4	80	89	SE	2	b
Hualien,	15	29.53	750.0	84	77	SSW	1	o	7	29.59	751.6	79	96	ESE	4	o
Tourane,	,,	29.58	751.2	60	...	NNE	2	o	,,	29.65	753.0	82	...	W	2	c
Cape St. James,	,,	29.78	756.3	81	...	WSW	7	o	,,	29.81	757.2	77	...	WSW	6	o
Basco,	14	29.71	754.5	86	78	SE	2	o	6	29.73	755.1	75	92	E	1	b
Aparri,	,,	29.69	754.2	86	68	NE	4	o	,,	29.72	754.8	75	94	S	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	73	98	SSE	1	o
Vigan,	,,	...		...	...	...	...	...	,,	29.69	754.2	75	92	SE	2	o
Manila,	,,	29.73	755.1	84	71	SW	4	o	,,	29.75	755.7	75	96	SE	1	o
Legaspi,	,,	29.71	754.5	81	89	WSW	2	o	,,	29.75	755.7	75	92	SW	1	o
Catbyog,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	79	87	SW	4	r
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	84	74	SW	6	o	,,	...		...	...	...	...	...
Cebu,	,,	29.73	755.1	84	64	S	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.80	756.9	76	...	W	2	c
Guam,	12.22	29.79	756.6	...	...	S	1	r	4.22		...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	SW	2	o	5	29.69	754.2	...	...	WSW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.5	72	...	WSW	3	c
Ponape,	...		...	...	...	...	...	...	,,	29.83	757.7	79	...	ESE	1	lc
Labuan,	14	29.80	756.9	86	88	SW	2	b	6	29.84	757.9	78	91	SW	2	b

July 23*d.* 11*h.* 29*m.*—A weak anticyclonic area lies over S. Japan and the Loochoos; a depression covers Tongking. Pressure is relatively low in the Pacific to the east of N. Luzon.

Manila warning 22*d.* 11*h.* 00*m.*:—Typhoon in Lat. 18° N. Long. 132° E., moving N.W. Recd. 22*d.* 12*h.* 23*m.*

Manila warning 22*d.* 20*h.* 00*m.*:—Typhoon in Lat. 18° N. Long. 131° E., inclining westward. Recd. 22*d.* 22*h.* 09*m.*

Manila warning. 23*d.* 10*h.* 30*m.*:—Typhoon in Lat. 18° N. Long. 131° E., direction unknown. Recd. 23*d.* 11*h.* 09*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 2·96 inch. Total since January 1st, 31·13 inches, against an average of 47·95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	S.E. or variable winds, moderate; cloudy with rain, probably improving later.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd July, 1929.								24th July, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.73	755.0	76	...	SW	1	o	6	29.80	756.9	71	...	ESE	1	f
Nemuro,	11	29.69	754.0	...	...	SE	1	...	5	29.78	756.5	...	...	...	o	...
Hokodate,	,,	29.70	754.5	...	...	SW	3	...	,,	29.76	756.0	...	...	...	o	...
Tokio,	,,	29.76	756.0	...	...	S	1	...	,,	29.82	757.5	...	...	...	o	...
Kochi,	,,	29.78	756.5	...	...	SE	1	...	,,	29.80	757.0	...	...	...	o	...
Nagasaki,	,,	29.80	757.0	...	...	N	1	...	,,	29.82	757.5	...	...	...	...	...
Kagoshima,	,,	29.76	756.0	...	...	...	o	...	,,	29.80	757.0	...	...	NW	1	...
Oshima,	,,	29.80	757.0	...	...	NNE	1	...	,,	29.78	756.5	...	...	SSE	1	...
Naha,	,,	29.80	757.0	...	...	N	1	...	,,	29.78	756.5	...	...	...	o	...
Ishigakijima,	,,	29.78	756.5	...	...	ESE	1	...	,,	29.76	756.0	...	...	NE	1	...
Bonin Island,	,,	29.72	755.0	...	...	NNE	1	...	,,	29.71	754.5	...	...	...	o	...
Chefoo,	15	29.61	752.1	78	86	NE	2	o	6	29.64	752.8	73	100	...	o	o
Shanghai,	14	29.69	754.2	97	58	SSW	1	b	,,	29.73	755.1	77	94	SE	2	b
Gutzlaff,	,,	29.78	756.4	82	87	S	2	b	,,	29.80	756.9	76	95	S	4	b
Sharp Peak,	,,	29.72	754.9	88	80	SE	1	b	7	29.75	755.6	82	91	N	1	o
Amoy,	,,	29.73	755.1	88	76	SE	1	b	6	29.71	754.6	78	92	SW	2	b
Swatow,	,,	29.74	755.4	79	83	ESE	2	o	,,	29.73	755.1	77	95	NE	2	o
Taihoku,	11	29.75	755.7	90	66	NW	2	b	5	29.75	755.7	75	96	...	o	b
Taichu,	,,	29.78	756.3	86	...	NW	2	b	,,	29.73	755.1	75	...	...	o	b
Tainan,	,,	29.75	755.7	86	...	N	2	b	,,	29.73	755.1	75	...	...	o	b
Koshun,	,,	29.76	756.0	86	...	ENE	2	b	,,	29.73	755.1	75	...	...	o	b
Pescadores,	,,	29.76	756.0	86	...	NE	2	o	,,	29.73	755.1	79	...	...	o	b
Hong Kong,	14	29.70	754.4	77	91	E	3	o	6	29.68	753.9	78	91	E	2	od
Gap Rock,	,,	29.70	754.4	...	...	ESE	3	or	,,	29.68	753.9	...	...	E	3	o
Macao,	,,	29.65	753.0	81	90	SE	2	o	,,	29.65	753.0	77	92	ESE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	85	78	SSE	1	o	,,	29.68	753.9	81	82	SE	3	bo
Phulien,	15	29.56	750.9	84	81	SSE	4	o	7	29.62	752.4	77	98	ENE	4	o
Tourane,	,,	29.62	752.4	86	...	ENE	2	o	,,	29.62	752.4	82	...	W	2	o
Cape St. James,	,,	29.76	756.0	84	...	SW	4	o	,,	29.78	756.3	72	...	NW	6	o
Basco,	14	29.69	754.2	86	71	ESE	2	o	6	29.69	754.2	75	91	NE	1	o
Aparri,	,,	29.66	753.3	86	68	NE	4	b	,,	29.67	753.6	77	91	...	o	o
Tuguegarao,	,,	29.66	753.3	90	60	SE	1	o	,,	29.69	754.2	75	96	...	o	o
Vigan,	,,	29.67	753.6	86	75	WSW	4	o	,,	29.66	753.3	75	88	SSW	1	o
Manila,	,,	29.72	754.8	81	80	SW	4	o	,,	29.72	754.8	77	88	S	4	o
Legaspi,	,,	29.71	754.5	82	77	WSW	4	o	,,	29.72	754.8	77	92	SW	2	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	79	89	SW	4	o
Tacloban,	,,	29.75	755.7	82	81	N	2	o	,,	29.78	756.3	79	80	SE	2	o
Iloilo,	,,	29.76	756.0	82	77	SW	4	o	,,	29.75	755.7	81	80	SW	4	o
Cebu,	,,	29.75	755.7	84	64	S	4	o	,,	29.76	756.0	79	73	S	2	o
Surigao,	,,	29.75	755.7	84	71	SW	4	o	,,	29.76	756.0	81	73	SW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	756.0	...	...	SW	1	r	4.22	29.74	755.4	...	...	ESE	1	o
Yap,	11.00	29.80	756.9	...	...	WSW	4	o	5	29.81	757.2	...	...	SE	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.83	757.7	78	86	SW	2	b	6	29.83	757.7	78	91	SW	2	b

July 24*d.* 11*h.* 10*m.*—Pressure is highest over S. Japan, and over the Curolines; it is relatively low in a trough extending from Tongking across the Balintang Channel and N. Luzon to the Pacific.

Manila warning 23*d.* 18*h.* 30*m.*:—Typhoon in Lat. 18° N. Long. 130° E., moving W. Recd. 23*d.* 19*h.* 20*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·35 inch. Total since January 1st, 31·48 inches, against an average of 48·40 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	S.E. or variable winds, moderate; cloudy, occasional rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	25th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.80	757.0	78	...	SE	1	o	6	29.85	758.1	70	...	SSE	1	f
Gemuro,	11	29.84	758.0	...	...	NNE	1	...	5	29.94	760.5	...	...	SE	1	...
Hakodate,	,,	29.80	757.0	...	...	S	1	...	,,	29.88	759.0	..	...	...	o	...
Tokio,	,,	29.84	758.0	...	...	S	1	...	,,	29.92	760.0	..	...	S	1	...
Tochi,	,,	29.80	757.0	...	...	SE	1	...	,,	...	...	...	...	...	o	...
Nagasaki,	,,	29.82	757.5	...	...	SW	1	...	,,	29.86	758.5	...	...	...	o	...
Kagoshima,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.86	758.5	..	...	...	o	...
Ishima,	,,	29.78	756.5	...	...	N	1	...	,,	29.82	757.5	...	...	...	o	...
Naha,	,,	29.78	756.5	...	...	ENE	1	...	,,	29.80	757.0	...	...	...	o	...
Shigakijima,	,,	29.76	756.0	...	...	ENE	2	...	,,	29.76	756.0	..	.	E	1	...
Tomin Island,	,,	29.72	755.0	...	...	ENE	1	...	,,	29.75	755.5	...	...	...	...	...
Shefoo,	15	29.67	753.6	77	92	NW	2	o	6	29.71	754.6	74	95	...	o	of
Shanghai,	14	29.74	755.4	97	58	SSE	1	b	,,	29.80	756.9	75	92	SE	2	b
Amtzlaff,	,,	29.81	757.2	83	83	SSE	2	b	,,	29.86	758.4	76	95	SSE	4	b
Sharp Peak,	,,	29.75	755.6	88	80	E	1	b	7	29.78	756.4	80	82	NE	1	b
Amoy,	,,	29.68	753.9	86	84	SSE	4	b	6	9.73	755.1	81	87	E	1	o
Swatow,	,,	29.73	755.1	83	88	E	1	b	,,	29.76	755.9	79	96	NE	1	b
Taihoku,	11	29.74	755.4	93	59	E	4	b	5	29.72	754.8	77	86	E	4	b
Taichu,	,,	29.76	756.0	90	...	N	2	b	,,	29.76	756.0	79	...	...	o	o
Tainan,	,,	29.74	755.4	90	...	NNE	2	b	,,	29.73	755.1	77	...	...	o	b
Koshun,	,,	29.71	754.5	86	...	NNE	4	b	,,	29.69	754.2	77	...	NNE	4	o
Pescadores,	,,	29.75	755.7	86	...	NNW	4	b	,,	29.75	755.7	79	...	N	2	b
Hong Kong,	14	29.70	754.4	78	86	E	3	o	6	29.71	754.6	79	91	ENE	3	c
Gap Rock,	,,	29.69	754.1	...	...	E	4	o	,,	29.71	754.6	...	...	E	3	c
Macao,	,,	29.67	753.6	77	94	ESE	2	r	,,	29.67	753.6	79	91	ENE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.69	754.1	89	70	SE	2	r o	,,	29.68	753.9	82	87	E	4	bo
Haiphong,	15	29.62	752.4	77	92	ESE	4	o	7	29.66	753.3	77	98	ENE	4	o
Tourane,	,,	29.63	752.7	86	...	NNW	4	o	,,	29.67	753.6	77	...	S	2	o
Cape St. James,	,,	29.79	756.6	79	...	WSW	6	o	,,	29.78	756.3	75	...	SW	4	o
Basco,	14	29.67	753.6	86	75	NE	4	o	6	29.68	753.9	79	91	...	o	o
Aparri,	,,	29.65	753.0	90	63	NE	2	o	,,	29.69	754.2	77	96	SW	2	o
Tuguegarao,	,,	29.66	753.3	90	66	SE	2	o	,,	29.66	753.3	77	94	S	1	o
Vigan,	,,	29.65	753.0	86	75	SW	4	o	,,	29.67	753.6	75	89	S	2	o
Manila,	,,	29.72	754.8	75	92	SW	4	r	,,	29.72	754.8	75	96	...	o	r
Legaspi,	,,	29.71	754.5	86	71	WSW	4	o	,,	29.73	755.1	77	92	SW	2	o
Calboyog,	,,	29.73	755.1	84	74	SW	4	o	,,	29.76	756.0	81	80	SW	4	o
Tacloban,	,,	29.73	755.1	81	59	W	4	o	,,	29.78	756.3	79	84	W	1	b
Iloilo,	,,	29.74	755.4	79	84	SW	6	o	,,	29.76	756.0	81	84	SW	4	o
Cebu,	,,	29.73	755.1	84	68	S	6	o	,,	29.76	756.0	79	76	S	2	o
Surigao,	,,	29.73	755.1	86	58	WSW	4	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.76	756.0	78	...	S	2	c
Guam,	12.22	29.73	755.1	...	...	SE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29.84	757.8	...	...	W	1	b
Pelew,	...	...	...	...	...	...	...	...	,,	29.84	757.9	77	...	SW	2	r
Ponape,	...	.	...	...	...	...	...	...	,,	29.89	759.2	75	...	SE	1	c
Labuan,	14	29.78	756.4	88	80	SW	2	b	6	29.85	758.2	78	91	SW	2	b

July 25d. 10h. 50m.—Pressure is highest in the Pacific to the east of Japan, and relatively low in a trough extending from Tongking, across Luzon to the Pacific.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·07 inch. Total since January 1st, 31·55 inches, against an average of 48·85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; fair generally.
3.—Hong Kong to Gap Rock,	E. winds, moderate; fair generally.
4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fair generally.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th July, 1929.								26th July, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.77	756.2	71	...	SE	2	f	6	29.79	756.6	72	...	SE	1	f
Nemuro,	11	29.88	759.0	...	...	SSE	1	...	5	29.94	760.5	...	...	SSW	1	...
Hokodate,	,,	29.88	759.0	...	...	SE	1	...	,,	29.90	759.5	...	...	...	...	...
Tokio,	,,	29.90	759.5	...	...	ESE	1	...	,,	29.94	760.5	...	...	...	0	...
Kochi,	,,	29.92	760.0	...	...	SSW	1	...	,,	29.94	760.5	...	...	...	...	...
Nagasaki,	,,	29.88	759.0	...	...	WSW	1	...	,,	29.92	760.0	...	...	...	...	...
Kagoshima,	,,	29.85	758.5	...	...	...	0	...	,,	29.92	760.0	...	...	...	0	...
Oshima,	,,	29.82	757.5	...	...	ENE	1	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.82	757.5	...	...	N	1	...	,,	29.84	758.0	...	...	...	...	...
Ishigakijima,	,,	29.78	756.5	...	...	E	1	...	,,	29.80	757.0	...	...	NNE	1	...
Bonin Island,	,,	29.76	756.0	...	...	...	0	...	,,	29.86	758.5	...	...	...	...	...
Chefoo,	15	29.74	755.4	78	95	E	2	r	6	29.82	757.4	76	95	...	0	h
Shanghai,	14	29.80	756.9	93	57	SSE	2	b	,,	29.86	758.4	77	94	SE	2	h
Gutzlaff,	,,	29.88	758.9	80	82	SSE	4	b	,,	29.93	760.2	77	95	SSE	4	h
Sharp Peak,	,,	29.75	755.6	84	81	E	2	o	7	29.79	756.6	81	87	NE	2	o
Amoy,	,,	29.72	754.8	94	74	NNE	4	b	6	...	...	...	...	...	...	...
Swatow,	,,	29.75	755.6	82	88	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.73	755.1	93	64	ESE	4	b	5	29.79	756.6	79	89	...	0	b
Taichu,	,,	29.73	755.1	90	...	...	0	o	,,	29.80	756.9	75	...	...	0	b
Tainan,	,,	29.75	755.7	90	...	NW	2	b	,,	29.76	756.0	75	...	...	0	b
Koshun,	,,	29.73	755.1	86	...	ENE	2	o	,,	29.76	756.0	77	...	...	0	o
Pescadores,	,,	29.73	755.1	86	...	NNE	4	b	,,	29.76	756.0	79	...	...	0	b
Hong Kong,	14	29.72	754.9	85	71	E	2	c	6	29.71	754.6	80	77	ENE	3	o
Gap Rock,	,,	29.71	754.6	...	...	E	3	c	,,	29.71	754.6	...	...	ENE	5	o
Macao,	,,	29.71	754.5	90	72	...	0	b	,,	29.69	754.2	79	80	NE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.70	754.4	82	89	NE	3	rt	,,	29.70	754.4	81	89	SE	3	bo
Phulien,	15	29.67	753.6	81	89	E	4	o	7	29.72	754.8	77	94	NE	2	r
Tourane,	,,	29.66	753.3	86	...	E	2	o	,,	29.69	754.2	79	...	...	0	o
Cape St. James,	,,	29.78	756.3	82	...	SW	4	o	,,	29.82	757.5	75	...	WSW	4	o
Basco,	14	29.67	753.6	86	78	SE	4	o	6	29.74	755.4	77	92	E	1	o
Aparri,	,,	29.66	753.3	86	71	N	4	o	,,	29.75	755.7	75	96	S	2	o
Tuguegarao,	,,	29.65	753.0	90	76	S	1	o	,,	29.75	755.7	75	96	...	0	o
Vigan,	,,	29.68	753.9	86	71	SSW	4	o	,,	29.74	755.4	79	87	SW	1	o
Manila,	,,	29.74	755.4	81	80	SW	4	o	,,	29.78	756.3	75	94	SE	1	o
Legaspi,	,,	29.73	755.1	86	68	WSW	4	o	,,	29.75	755.7	77	85	SW	2	b
Calbayog,	,,	29.76	756.0	86	71	W	4	o	,,	29.80	756.9	81	84	N	2	o
Tacloban,	,,	29.76	756.0	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	79	91	SW	6	o	,,	29.80	756.9	79	84	SW	4	c
Cebu,	,,	29.75	755.7	86	65	N	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	86	71	W	4	o	,,	29.79	756.6	79	80	SSW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	S	1	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	WSW	4	b	5	29.86	758.4	...	...	SW	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...		...	...	...	...	...	...	,,		...	...	...	...	...	...
Labuan,	14	29.78	756.4	86	84	SW	2	b	6	29.83	757.7	77	94	SW	2	b

July 26d. 10h. 03m.—Warning to Hong Kong, & Phulien:—Depression or typhoon in Lat. 18° N. Long. 113° E. direction unknown position uncertain.

July 26d. 10h. 09m.—A weak anticyclone lies over Japan; pressure is relatively low in a trough extending from Tongking across the Philippines to the Pacific. A depression has developed about 250 miles south of Hong Kong; it will probably move westward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·19 inch. Total since January 1st, 31·74 inches, against an average of 49·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, fresh; cloudy, occasional rain.
3.—Hong Kong to Gap Rock,	E. winds, fresh; cloudy, occasional rain.
4.—South coast of China between Hong Kong and Hainan,	E. winds, fresh; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	27th July, 1929. Hong Kong Standard Time.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.78	756.4	75	...	SE	2	f	6	29.79	756.7	71	...	...	0	f
Nemuro,	11	29.90	759.5	...	...	SSW	3	...	5	29.90	759.5	...	...	SSW	1	...
Hokodate,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.88	759.0	..	...	...	0	...
Tokio,	,,	29.92	760.0	...	...	SE	1	...	,,	29.94	760.5	..	..	...	0	...
Kochi,	,,	29.90	759.5	...	...	...	0	...	,,	29.94	760.5	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	WSW	1	...	,,	29.94	760.5	..	...	NNW	1	...
Kagoshima,	,,	29.90	759.5	...	...	SE	1	...	,,	29.92	760.0	..	...	NW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	..	...	...	0	...
Naha,	,,	29.84	758.0	...	...	E	1	...	,,	29.82	757.5	...	...	...	0	...
Ishigakijima,	,,	29.82	757.5	...	...	SE	1	...	,,	29.80	757.0	...	.	...	0	...
Bonin Island,	,,	29.86	758.5	...	...	SSW	1	...	,,	29.96	761.0	...	...	...	0	...
Chefoo,	15	29.78	756.4	88	84	ENE	1	b	6	29.81	757.2	78	92	...	0	b
Shanghai,	14	29.85	758.1	93	53	SE	4	b	,,	29.86	758.4	77	98	SE	2	b
Gutzlaff,	,,	29.91	759.6	82	92	SE	4	b	,,	29.83	757.7	77	95	SSE	2	b
Sharp Peak,	,,	29.82	757.4	84	83	E	2	b	7	29.81	757.2	80	95	NNE	1	b
Amoy,	,,	29.78	756.4	92	70	ESE	4	b	6	29.78	756.4	80	82	ENE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	11	29.79	756.6	93	53	E	4	b	5	29.81	757.2	75	86	ESE	2	b
Taichu,	,,	29.80	756.9	90	...	...	0	b	,,	29.82	757.5	79	...	...	0	o
Tainan,	,,	29.79	756.6	90	...	SW	2	b	,,	29.79	756.6	77	...	ENE	2	o
Koshun,	,,	29.80	756.9	86	...	ENE	2	o	,,	29.80	756.9	75	...	...	0	o
Pescadores,	,,	29.79	756.6	86	...	W	2	b	,,	29.80	756.9	81	...	...	0	o
Hong Kong,	14	29.71	754.6	83	76	ENE	5	op	6	29.70	754.4	79	90	E	5	o
Gap Rock,	,,	29.69	754.1	...	...	ENE	5	c	,,	29.68	753.9	..	...	ENE	4	o
Macao,	,,	29.68	753.9	84	74	ESE	2	o	,,	29.66	753.3	79	87	ESE	4	o
Hoihow,	,,	...	..	..	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.72	754.9	87	72	S	3	b	,,	29.73	755.1	80	86	SSE	3	o
Phulien,	15	29.69	754.2	82	84	E	4	o	7	29.77	753.6	77	...	NW	4	c
Tourane,	,,	29.66	753.3	84	...	ENE	2	o	,,	29.65	753.0	79	...	...	0	o
Cape St. James,	,,	29.80	756.9	84	...	SSW	4	o	,,	29.83	757.7	77	...	SW	4	o
Basco,	14	29.75	755.7	86	71	NW	1	o	6	29.75	755.7	79	89	NE	1	o
Aparri,	,,	29.74	755.4	86	71	NNE	2	o	,,	29.76	756.0	75	96	S	2	o
Tuguegarao,	,,	29.72	754.8	90	57	...	0	o	,,	29.76	756.0	75	96	SE	1	o
Vigan,	,,	29.75	755.7	84	71	SSW	4	o	,,	29.78	756.3	79	80	SW	4	o
Manila,	,,	29.82	757.5	75	92	W	4	r	,,	29.80	756.9	75	96	W	1	o
Legaspi,	,,	29.74	755.4	86	68	WSW	4	o	,,	29.76	756.0	77	91	SW	2	o
Calboyog,	,,	29.79	756.6	84	77	SW	4	o	,,	29.80	756.9	68	83	WNW	4	o
Tacloban,	,,	29.78	756.3	86	71	NW	4	r	,,	29.81	757.2	79	91	NW	4	o
Iloilo,	,,	29.80	756.4	86	75	SW	4	o	,,	29.82	757.5	79	84	SSW	4	o
Cebu,	,,	29.78	756.3	86	65	S	6	o	,,	29.81	757.2	81	73	SW	4	o
Surigao,	,,	29.79	756.6	86	61	W	4	o	,,	29.81	757.2	81	80	NNE	2	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.84	757.8	...	...	SE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.85	758.1	...	...	W	2	o	5	29.87	758.7	...	...	...	0	b
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	90	84	NW	4	b	6	29.86	758.4	80	87	SW	2	b

July 27*d.* 9*h.* 46*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 114° E. moving W.N.W.

July 27*d.* 10*h.* 34*m.*—Pressure is now highest in the Pacific in the vicinity of the Bonins; the trough remains stationary.

The depression has become deeper, and is now a typhoon situated about 100 miles east of S. Hainan moving slowly W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·42 inch. Total since January 1st, 33·16 inches, against an average of 49·75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	S.E. winds, moderate; cloudy, rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	E. winds, fresh to strong.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th July, 1929.								28th July, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.75	755.6	81	...	...	0	c	6	29.79	756.6	70	...	...	0	f
Nemuro,	11	29.88	759.0	...	...	SW	3	...	5	...	...	...	...	...	...	...
Hokodate,	„	29.88	759.0	...	...	S	1	...	„	29.86	758.5	...	...	...	0	...
Tokio,	„	29.90	759.5	...	...	S	3	...	„	29.92	760.0	...	...	...	0	...
Kochi,	„	29.90	759.5	...	...	SE	1	...	„	29.94	760.5	...	...	...	0	...
Nagasaki,	„	29.92	760.0	...	...	SW	1	...	„	29.96	761.0	...	...	...	...	...
Kagoshima,	„	29.92	760.0	...	...	SSE	1	...	„	29.94	760.5	...	...	...	0	...
Oshima,	„	29.88	759.0	...	...	ENE	1	...	„	29.90	759.5	...	...	...	0	...
Naha,	„	29.86	758.5	...	...	E	1	...	„	29.86	758.5	...	...	E	1	...
Ishigakijima,	„	29.82	757.5	...	...	E	2	...	„	29.76	756.0	...	...	ENE	1	...
Bonin Island,	„	29.98	761.5	...	...	...	...	...	„	29.96	761.0	...	...	...	0	...
Chefoo,	15	29.77	756.1	90	70	...	0	0	6	29.83	757.7	78	86	...	0	b
Shanghai,	14	29.86	758.4	93	53	SE	2	b	„	29.86	758.4	77	91	SE	2	b
Gutzlaff,	„	29.93	760.2	83	98	SE	4	b	„	29.92	759.9	77	95	SE	2	b
Sharp Peak,	„	29.81	757.2	86	84	SE	2	b	7	29.82	757.4	81	87	N	1	0
Amoy,	„	29.78	756.4	90	73	ENE	4	b	6	29.74	755.4	81	87	ESE	2	b
Swatow,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Taihoku,	11	29.78	756.3	93	53	E	4	b	5	29.76	756.0	79	90	E	2	0
Taichu,	„	29.81	757.2	90	...	...	0	0	„	29.79	756.6	77	...	...	0	0
Tainan,	„	29.79	756.6	90	...	NW	2	0	„	29.76	756.0	77	...	...	0	0
Koshun,	„	29.79	756.6	86	...	NE	2	0	„	29.74	755.4	75	...	...	0	0
Pescadores,	„	29.81	757.2	86	...	N	2	b	„	29.76	756.0	81	...	WNW	2	0
Hong Kong,	14	29.73	755.1	81	86	E	2	0	6	29.68	753.9	78	92	SE	3	or
Gap Rock,	„	29.71	754.6	...	...	ESE	5	0	„	29.68	753.9	...	...	ESE	5	0
Macao,	„	29.68	753.9	77	92	SE	4	0	„	29.63	752.7	79	95	SE	4	0
Hoihow,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Pratas Island,	„	29.75	755.6	83	87	SSE	3	op	„	29.72	754.9	80	88	S	3	c
Phulien,	15	29.61	752.1	77	100	N	4	0	7	29.59	751.5	75	92	NW	4	b
Tourane,	„	29.63	752.7	82	...	ENE	2	0	„	29.61	752.1	81	...	SSW	4	0
Cape St. James,	„	29.81	757.2	75	...	SW	4	r	„	29.85	758.1	77	...	SW	4	0
Basco,	14	29.75	755.7	86	71	NNE	4	0	6	...	...	...	...	...	...	...
Aparri,	„	29.74	755.4	86	75	NE	4	0	„	...	...	...	...	...	...	...
Tuguegarao,	„	29.71	754.5	90	63	N	2	0	„	...	...	...	...	...	...	...
Vigan,	„	29.75	755.7	86	68	SSW	4	0	„	...	...	...	...	...	...	...
Manila,	„	29.79	756.6	79	91	SW	4	0	„	29.79	756.6	77	92	SW	4	r
Legaspi,	„	29.75	755.7	82	77	SW	4	0	„	29.79	756.6	77	89	SW	2	0
Calboyog,	„	29.79	756.6	82	77	WSW	4	0	„	...	...	...	...	...	...	...
Tacloban,	„	29.78	756.3	86	81	NW	4	0	„	...	...	...	...	...	...	...
Iloilo,	„	...	...	...	...	...	...	...	„	29.82	757.5	79	91	SSW	2	0
Cebu,	„	29.79	756.6	84	68	SSW	4	0	„	...	...	...	...	...	...	...
Surigao,	„	29.80	756.9	86	65	WSW	4	0	„	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.82	757.4	78	...	ENE	2	10
Guam,	12.22	29.82	757.5	...	...	NE	4	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.5	...	...	N	4	0	5	29.85	758.1	78	...	NNW	2	c
Pelew,	...	...	...	...	...	...	...	...	„	29.88	758.9	76	...	ENE	1	r
Ponape,	...	...	...	...	...	...	...	...	„	29.89	759.2	76	...	SE	1	h
Labuan,	14	29.78	756.4	88	84	NW	1	r	6	29.80	756.9	78	91	SW	2	h

July 27d. 17h. 35m.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 110° E. moving W.N.W.

July 28d. 10h. 11m.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 108° E., moving W.N.W.

July 28d. 11h. 13m.—Pressure continues to be highest in the Pacific in the vicinity of the Bonins, and relatively low in a trough extending from Tongking eastwards to the Pacific. The typhoon is situated between Hainan and Haiphong moving W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·64 inch. Total since January 1st, 34·80 inches, against an average of 50·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	S.E. winds, moderate; cloudy, rain.
3.—Hong Kong to Gap Rock,	S.E. winds, moderate; cloudy, rain.
4.—South coast of China between Hong Kong and Hainan,	S.E. winds, moderate; cloudy, rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th JULY, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	29th JULY, 1929. Hong Kong Standard Time.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.77	756.1	80	...	WSW	2	o	6	29.88	758.9	74	...	...	o	b
Nemuro,	11	29.82	757.5	...	...	S	3	...	5	29.78	756.5	..	...	SSW	1	...
Hokodate,	,,	29.84	758.0	...	...	SSW	2	...	,,	29.80	757.0	.	...	...	...	...
Tokio,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.92	760.0	...	...	WNW	1	...
Kochi,	,,	29.94	760.5	...	...	SE	1	...	,,	29.94	760.5	..	..	...	o	...
Nagasaki,	,,	29.92	760.0	...	...	WSW	1	...	,,	20.96	761.0	...	...	...	...	...
Kagoshima,	,,	29.94	760.5	...	...	...	o	...	,,	29.96	761.0	...	...	...	o	...
Oshima,	,,	29.92	760.0	...	...	NNE	6	...	,,	29.90	759.5	...	...	...	...	...
Saba,	,,	29.88	759.0	...	...	ESE	2	...	,,	29.88	759.0	...	...	SE	1	...
Ishigakijima,	,,	29.78	756.5	...	...	...	...	...	,,	29.75	755.5	...	...	SSE	3	...
Bonin Island,	,,	20.96	761.0	...	...	S	1	...	,,	29.92	760.0	...	...	...	o	...
Chefoo,	15	29.79	756.6	88	96	SE	4	o	6	29.77	756.1	78	92	...	o	b
Shanghai,	14	29.87	758.7	93	61	SE	4	b	,,	29.85	758.1	79	96	SE	2	b
Gutzlaff,	,,	29.93	760.2	83	83	SE	4	b	,,	29.91	759.7	78	100	SE	4	b
Sharp Peak,	,,	29.80	756.9	80	96	E	4	of	7	29.64	752.8	82	87	NE	4	of
Amoy,	,,	29.74	755.4	88	76	NE	4	b	6	29.58	751.3	86	76	NW	4	o
Swatow,	,,	29.80	756.9	82	88	E	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	29.79	756.6	82	77	E	4	o	5	29.58	751.2	81	76	E	4	r
Taichu,	,,	29.75	755.7	86	...	NW	2	o	,,	29.54	750.3	79	...	...	o	r
Tainan,	,,	29.74	755.4	86	...	...	o	o	,,	29.52	749.7	77	...	ESE	2	o
Koshun,	,,	29.75	755.7	81	...	...	o	o	,,	29.53	750.0	75	...	W	2	r
Pescadores,	,,	29.74	755.4	86	...	NW	2	o	,,	29.48	748.8	81	...	N	4	o
Hong Kong,	14	29.71	754.6	78	92	E	2	or	6	29.56	753.3	78	91	...	o	om
Cap Rock,	,,	29.68	753.9	...	...	ENE	4	o	,,	29.65	753.0		...	SE	3	c
Macao,	,,	29.67	753.6	79	91	ENE	4	r	,,	29.62	752.4	77	96	...	o	o
Hoihow,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	..	29.72	754.9	84	79	...	o	c	,,	29.65	753.0	80	83	WSW	3	bo
Phulien,	15	29.52	749.7	82	74	NNW	6	o	7	29.50	749.2	77	...	NW	6	or
Tourane,	,,	29.61	752.1	82	...	NNE	2	o	,,	29.[illegible]9	751.6	82	...	SW	4	o
Cape St. James,	,,	29.81	757.2	84	...	SW	4	o	,,	29.82	757.4	77	...	SW	4	o
Basco,	14	29.75	755.6	79	95	NW	6	o	6	...	...		...	...	...	...
Aparri,	,,	29.68	753.9	79	91	S	4	r	,,	29.72	754.8	77	92	S	2	o
Tuguegarao,	,,	29.71	754.5	81	87	S	1	r	,,	.	...	...	...	...	...	..
Vigan,	,,	29.75	755.7	79	91	WSW	2	r	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	81	89	WSW	2	o	,,	29.80	756.9	79	89	SW	4	r
Legaspi,	,,	29.78	756.3	86	65	SW	4	o	,,	29.81	757.2	79	89	SW	1	o
Calbayog,	,,	29.80	756.9	84	81	SW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	79	89	SW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	.	..	...
Surigao,	,,	29.81	757.2	86	65	SW	2	o	,,	...	...	...	...	...	...	...
Saipan,	...	...		...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	E	1	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.9	...	...	NE	2	r	5	29.82	757.5	...	...	NE	2	o
Palau,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Ponape,	...		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Latuan,	14	29.78	756.4	88	69	SW	4	b	6	29.83	757.7	80	87	...	o	b

July 28*d.* 16*h.* 27*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 124° E. moving W.N.W.

July 29*d.* 8*h.* 56*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 23° N. Long. 122° E., moving N.W.

July 29*d.* 10*h.* 12*m.*—Pressure is highest over south Japan. The western typhoon has entered the coast between Haiphong and Pakhoi; the eastern is situated near or over S. Formosa, moving N.W. and threatening the coast between Amoy and Foochow.

Manila warning 28*d.* 10*h.* 00*m.*:—Typhoon in Lat. 20° N. Long. 124° E., moving N.W. Recd. 28*d.* 11*h.* 30*m.*

Manila warning. 28*d.* 17*h.* 25*m.*:—Typhoon in Lat. 21° N. Long. 123° E., moving N.W. Recd. 28*d.* 17*h.* 55*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·40 inch. Total since January 1st, 36·20 inches, against an average of 50·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	Cyclonic gales.
2.—South coast of China between Hong Kong and Lamocks,	Variable winds, freshening from S.W. or W.; fair at first, cloudy with rain later.
3.—Hong Kong to Cap Rock,	
4.—South coast of China between Hong Kong and Hainan,	S. and S.E. winds, fresh, moderating.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	30th July, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.85	758.2	83	...	SE	1	o	6	29.75	755.5	74	...	SE	2	o
Nemuro,	11	29.76	756.0	...	...	S	3	...	5	29.80	757.0	...	...	...	o	...
Hokodate,	,,	29.82	757.5	...	...	S	1	...	,,	29.88	759.0	...	...	...	...	...
Tokio,	,,	29.90	759.5	...	...	S	1	...	,,	29.96	761.0	...	...	NNE	1	...
Kochi,	,,	29.92	760.0	...	...	SE	1	...	,,	29.96	761.0	...	...	...	o	...
Nagasaki,	,,	29.96	761.0	...	...	W	1	...	,,	29.98	761.5	...	...	...	...	...
Kagoshima,	,,	29.94	760.5	...	...	E	1	...	,,	29.96	761.0	...	...	...	o	...
Oshima,	,,	29.92	760.0	...	...	SE	1	...	,,	29.92	760.0	...	...	...	...	...
Naha,	,,	29.92	760.0	...	...	SE	2	...	,,	29.92	760.0	...	...	ESE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	SE	3	...	,,	29.86	758.5	...	..	S	1	...
Bonin Island,	,,	29.92	760.0	...	...	E	1	...	,,	29.96	761.0	...	...	...	o	...
Chefoo,	15	29.72	754.9	92	67	S	4	b	6	29.75	755.6	83	92	SW	4	b
Shanghai,	14	29.81	757.2	93	59	SE	4	b	,,	29.86	758.4	77	96	ESE	4	b
Gutzlaff,	,,	29.89	759.2	83	83	SE	6	b	,,	29.91	759.7	78	95	SE	6	b
Sharp Peak,	,,	29.61	752.1	83	87	ENE	6	o	7	29.74	755.4	78	93	SSE	4	r
Amoy,	,,	29.55	750.5	84	87	SE	2	o	6	29.65	753.1	80	92	S	2	o
Swatow,	,,	29.58	751.3	90	74	W	1	o	,,	...	...	...	...	...	...	...
Taihoku,	11	29.61	752.1	82	70	ESE	4	o	5	29.79	756.6	75	94	...	o	o
Taichu,	,,	29.61	752.1	77	...	...	o	r	,,	29.82	757.5	70	...	...	o	r
Tainan,	,,	29.56	750.9	81	...	SSW	2	o	,,	29.78	756.3	75	...	ESE	2	r
Koshun,	,,	29.68	753.9	77	...	SSW	4	r	,,	29.79	756.6	77	...	...	o	o
Pescadores,	,,	29.53	750.0	86	...	SSE	1	o	,,	29.74	755.4	77	...	SSE	6	r
Hong Kong,	14	29.63	752.6	86	67	WNW	2	c	6	29.64	752.8	76	94	W	1	o
Gap Rock,	,,	29.65	753.1	...	...	SW	4	o	,,	29.66	753.3	..	...	SW	4	o
Macao,	,,	29.61	752.1	93	71	S	2	o	,,	29.60	751.8	79	90	SW	4	o
Hoilow,	,,	..	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.66	753.3	87	73	W	2	o	,,	29.69	754.1	79	92	W	3	r
Phulien,	15	29.47	748.5	75	100	WNW	7	rf	7	...	...	...	...	...	...	...
Tourane,	,,	29.59	751.5	86	...	E	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	84	...	SSW	2	o	,,	...	...		...	...	...	...
Basco,	14	29.76	756.0	79	89	SSW	2	o	6	29.80	756.9	73	94	W	1	o
Aparri,	,,	29.73	755.1	86	75	SW	2	o	,,	29.80	756.9	75	96	...	o	o
Tuguegarao,	,,	29.73	755.1	86	68	N	1	o	,,	29.80	756.9	75	98	...	o	o
Vigan,	,,	29.74	755.4	84	71	SSW	4	o	,,	29.79	756.6	77	89	SW	1	o
Manila,	,,	29.78	756.3	86	75	SW	4	o	,,	29.82	757.5	77	86	ENE	1	o
Legaspi,	,,	29.74	755.4	90	69	S	4	o	,,	29.79	756.6	77	92	...	o	o
Calboyog,	,,	29.79	756.6	86	71	S	2	o	,,	29.81	757.2	75	96	NW	1	o
Tacloban,	,,	29.79	756.6	86	71	NW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	...	...	SW	4	o	,,	29.82	757.5	77	91	...	o	o
Cebu,	,,	29.79	756.6	84	64	S	4	o	,,	29.81	757.2	79	84	S	1	b
Surigao,	,,	29.79	756.6	82	74	WSW	2	o	,,	29.79	756.6	73	92	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.7	...	...	SE	2	o	4.22	29.82	757.5	...	...	E	1	o
Yap,	11.00	29.78	756.3	...	...	ESE	2	o	5	29.82	757.5	...	...	SSW	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	86	84	SW	2	b	6	29.84	757.9	77	94	...	o	b

July 29*d.* 17*h.* 35*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 24° N. Long. 119° E. moving N.W.

July 30*d.* 12*h.* 02*m.*—An anticyclone is central between Japan and the Bonins. The eastern typhoon entered the coast near Amoy and is now over Kiang-si, probably filling up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·26 inch. Total since January 1st, 36·46 inches, against an average of 51·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel,	S. winds, fresh to moderate.
2.—South coast of China between Hong Kong and Lamocks,	S.W. winds, moderate; cloudy, rain.
3.—Hong Kong to Gap Rock,	S.W. winds, moderate; cloudy, rain.
4.—South coast of China between Hong Kong and Hainan,	S.W. winds, moderate; cloudy, rain.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th July, 1929.								31st July, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.74	755.5	77	...	SE	3	o	6	29.82	757.4	75	...	...	o	c
Nemuro,	11	29.80	757.0	...	...	...	o	...	5	29.76	756.0	...	...	SSW	1	...
Hokodate,	,,	29.84	758.0	...	...	S	1	...	,,	29.82	757.5	..	...	SW	1	...
Tokio,	,,	29.92	760.0	...	...	SSE	2	...	,,	29.94	760.5	..	...	WNW	1	...
Kochi,	,,	29.96	761.0	...	...	SE	1	...	,,	29.98	761.5	...	...	...	o	...
Nagasaki,	,,	29.98	761.5	...	...	WSW	1	...	,,	29.98	761.5	...	...	...	...	...
Kagoshima,	,,	29.94	760.5	...	...	SE	1	...	,,	29.96	761.0	..	...	...	o	...
Oshima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.92	760.0	...	...	...	o	...
Naha,	,,	29.90	759.5	...	...	WNW	1	...	,,	29.00	759.5	...	...	...	...	...
Ishigakijima,	,,	29.88	759.0	...	...	S	1	...	,,	29.86	758.5	...	..	...	o	...
Bonin Island,	,,	29.94	760.5	...	...	ENE	1	...	,,	...	...	...	...	NE	1	...
Chefoo,	15	29.74	755.4	96	93	SW	2	b	6	29.83	757.7	78	95	SW	1	o
Shanghai,	14	29.81	757.2	93	59	SSE	4	b	,,	29.88	759.0	77	91	SE	2	b
Gutzlaff,	,,	29.90	759.5	84	79	SSE	6	b	,,	29.96	761.0	78	92	SSE	2	b
Sharp Peak,	,,	29.78	756.4	80	89	S	2	r	7	29.84	757.9	77	91	E	2	r
Amoy,	,,	29.71	754.6	78	95	S	4	r	6	29.79	756.6	76	95	SE	4	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.84	757.8	82	77	W	2	o	5	29.84	757.8	75	96	...	o	o
Taichu,	,,	29.88	759.0	75	...	...	o	r	,,	29.85	758.1	73	...	...	o	o
Tainan,	,,	29.85	758.1	77	...	SE	2	r	,,	29.81	757.2	73	...	NNE	2	o
Koshun,	,,	29.84	757.8	84	...	S	2	o	,,	29.81	757.2	77	...	E	2	o
Pescadores,	,,	29.81	757.2	79	...	S	4	r	,,	29.81	757.2	79	...	ESE	2	r
Hong Kong,	14	29.66	753.3	86	82	S	3	o	6	29.70	754.4	81	83	S	3	o
Gap Rock,	,,	29.66	753.3	...	...	SSW	4	o	,,	29.70	754.4	..	...	S	4	o
Macao,	,,	29.62	752.4	86	81	SW	2	r	,,	29.65	753.0	79	91	SSW	4	o
Hoihow,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.73	755.1	83	84	SW	4	o	,,	29.75	755.6	80	90	SSW	5	c
Phulien,	15	29.38	746.1	79	85	SSE	8	r	7	29.37	751.1	79	...	SE	6	of
Tourane,	,,	...	...	...	...	...	...	...	,,		...	...	...	...	...	...
Cape St. James,	,,	..	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.79	756.6	86	78	SE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	86	78	N	4	o	,,	..	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,		...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	75	WSW	4	o	,,	29.82	757.5	77	88	SW	2	r
Legaspi,	,,	29.75	755.7	82	84	SW	2	o	,,	29.80	756.9	73	94	SW	2	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...		...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	78	SW	4	o	,,	..	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,		...	...	...	...	...	...
Surigao,	,,	29.75	755.7	86	71	WSW	2	o	,,	29.80	756.9	79	85	SW	4	o
Saipan,	...	...	...	...	...	...	...	...	5	29.84	757.9	76	...	ESE	2	c
Guam,	12.22	29.84	757.8	...	...	SE	1	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	...	o	o	5	29.85	758.1	...	...	SW	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.85	758.2	78	...	W	2	c
Ponape,	...		...	...	...	...	...	...	,,	29.89	759.2	79	...	ESE	1	c
Labuan,	14	29.80	756.9	86	88	SW	2	b	6	29.84	757.9	76	91	SW	2	b

July 31*d.* 10*h.* 40*m.*—A weak anticyclonic area covers S. Japan and extends to the Bonins; pressure is relatively low to the east of Luzon. A depression lies over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 36·50 inches, against an average of 51·56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, moderate; cloudy, occasional rain.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

AUGUST,

1929.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.

HONG KONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1929.

[*Price 60c.*]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

AUGUST,

1929.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of AUGUST, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·693	29·673	29·653	29·653	29·653	29·662	29·680	29·692	29·708	29·718	29·709	29·708	1
2	29·665	29·656	29·642	29·639	29·639	29·639	29·646	29·671	29·665	29·668	29·661	29·648	2
3	29·618	29·598	29·584	29·584	29·580	29·582	29·594	29·597	29·611	29·615	29·606	29·596	3
4	29·615	29·599	29·579	29·573	29·574	29·588	29·602	29·610	29·617	29·629	29·639	29·625	4
5	29·622	29·611	29·593	29·591	29·579	29·581	29·603	29·613	29·635	29·644	29·628	29·617	5
6	29·614	29·604	29·582	29·562	29·565	29·570	29·602	29·612	29·629	29·623	29·641	29·610	6
7	29·632	29·622	29·608	29·614	29·615	29·620	29·632	29·640	29·648	29·649	29·645	29·625	7
8	29·618	29·605	29·597	29·596	29·596	29·604	29·607	29·615	29·623	29·624	29·619	29·605	8
9	29·551	29·538	29·526	29·500	29·496	29·498	29·514	29·521	29·521	29·522	29·521	29·499	9
10	29·472	29·454	29·440	29·444	29·446	29·448	29·460	29·471	29·473	29·471	29·471	29·459	10
11	29·469	29·457	29·453	29·435	29·441	29·439	29·453	29·465	29·482	29·489	29·485	29·472	11
12	29·472	29·462	29·460	29·460	29·468	29·487	29·501	29·507	29·525	29·548	29·537	29·517	12
13	29·501	29·489	29·479	29·475	29·481	29·491	29·499	29·505	29·507	29·515	29·509	29·493	13
14	29·494	29·494	29·474	29·471	29·467	29·471	29·476	29·485	29·494	29·491	29·493	29·486	14
15	29·503	29·493	29·484	29·473	29·469	29·473	29·497	29·499	29·506	29·511	29·508	29·509	15
16	29·520	29·506	29·496	29·476	29·504	29·498	29·496	29·504	29·517	29·525	29·523	29·525	16
17	29·546	29·530	29·520	29·508	29·501	29·511	29·512	29·525	29·552	29·547	29·545	29·541	17
18	29·506	29·484	29·470	29·462	29·454	29·450	29·472	29·481	29·494	29·499	29·497	29·491	18
19	29·520	29·508	29·504	29·494	29·496	29·509	29·540	29·558	29·574	29·589	29·605	29·600	19
20	29·675	29·673	29·669	29·659	29·657	29·659	29·678	29·692	29·706	29·706	29·700	29·701	20
21	29·720	29·700	29·670	29·663	29·663	29·662	29·687	29·694	29·707	29·701	29·687	29·671	21
22	29·581	29·564	29·556	29·526	29·517	29·505	29·495	29·484	29·450	29·430	29·365	29·282	22
23	29·654	29·648	29·646	29·644	29·654	29·658	29·673	29·700	29·707	29·715	29·714	29·707	23
24	29·780	29·770	29·764	29·764	29·762	29·768	29·772	29·782	29·787	29·792	29·785	29·773	24
25	29·770	29·760	29·752	29·744	29·746	29·742	29·748	29·753	29·757	29·758	29·760	29·750	25
26	29·746	29·744	29·736	29·736	29·733	29·738	29·742	29·757	29·757	29·765	29·778	29·767	26
27	29·726	29·714	29·712	29·716	29·724	29·721	29·727	29·746	29·746	29·752	29·749	29·741	27
28	29·755	29·747	29·733	29·733	29·733	29·745	29·759	29·771	29·781	29·782	29·786	29·785	28
29	29·760	29·750	29·724	29·714	29·706	29·712	29·728	29·740	29·745	29·749	29·744	29·736	29
30	29·714	29·695	29·692	29·686	29·686	29·691	29·699	29·712	29·723	29·730	29·734	29·722	30
31	29·699	29·683	29·671	29·653	29·645	29·651	29·665	29·680	29·691	29·691	29·684	29·672	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·692	29·680	29·660	29·659	29·651	29·653	29·668	29·692	29·696	29·705	29·703	29·695	1
2	29·652	29·628	29·616	29·598	29·583	29·590	29·612	29·626	29·646	29·654	29·650	29·634	2
3	29·579	29·561	29·553	29·531	29·531	29·532	29·541	29·579	29·597	29·623	29·625	29·633	3
4	29·600	29·591	29·583	29·567	29·553	29·557	29·581	29·605	29·631	29·651	29·655	29·639	4
5	29·613	29·587	29·579	29·583	29·561	29·556	29·580	29·614	29·623	29·631	29·635	29·620	5
6	29·592	29·590	29·572	29·554	29·554	29·554	29·572	29·602	29·612	29·631	29·641	29·642	6
7	29·608	29·583	29·571	29·564	29·558	29·559	29·581	29·599	29·609	29·610	29·621	29·626	7
8	29·579	29·561	29·547	29·527	29·520	29·534	29·525	29·547	29·555	29·573	29·569	29·559	8
9	29·478	29·458	29·432	29·406	29·396	29·407	29·419	29·451	29·506	29·509	29·494	29·496	9
10	29·443	29·424	29·411	29·393	29·391	29·404	29·411	29·427	29·445	29·470	29·492	29·484	10
11	29·454	29·436	29·421	29·413	29·418	29·434	29·443	29·479	29·489	29·508	29·496	29·498	11
12	29·485	29·471	29·450	29·437	29·447	29·468	29·477	29·503	29·516	29·499	29·483	29·491	12
13	29·467	29·459	29·443	29·437	29·445	29·447	29·454	29·476	29·496	29·496	29·492	29·494	13
14	29·487	29·479	29·444	29·452	29·466	29·466	29·460	29·473	29·484	29·488	29·490	29·504	14
15	29·491	29·473	29·470	29·449	29·445	29·461	29·493	29·517	29·527	29·537	29·547	29·537	15
16	29·524	29·528	29·508	29·484	29·468	29·504	29·518	29·524	29·529	29·544	29·548	29·548	16
17	29·538	29·511	29·479	29·455	29·463	29·465	29·484	29·512	29·508	29·524	29·530	29·521	17
18	29·466	29·455	29·433	29·436	29·440	29·452	29·462	29·487	29·519	29·532	29·539	29·530	18
19	29·588	29·584	29·571	29·572	29·576	29·592	29·612	29·637	29·653	29·663	29·678	29·675	19
20	29·692	29·690	29·676	29·662	29·658	29·659	29·673	29·698	29·715	29·717	29·717	29·726	20
21	29·655	29·637	29·608	29·595	29·585	29·587	29·589	29·605	29·625	29·615	29·611	29·600	21
22	29·066	28·977	29·268	29·384	29·438	29·484	29·520	29·556	29·592	29·617	29·637	29·654	22
23	29·707	29·699	29·696	29·692	29·696	29·700	29·713	29·734	29·751	29·760	29·772	29·772	23
24	29·763	29·748	29·732	29·729	29·721	29·720	29·727	29·736	29·770	29·779	29·778	29·770	24
25	29·738	29·715	29·705	29·694	29·689	29·687	29·704	29·725	29·742	29·750	29·749	29·752	25
26	29·744	29·720	29·698	29·685	29·676	29·678	29·701	29·734	29·726	29·736	29·756	29·748	26
27	29·726	29·705	29·698	29·696	29·698	29·695	29·705	29·723	29·754	29·766	29·767	29·765	27
28	29·768	29·756	29·744	29·720	29·716	29·721	29·730	29·748	29·766	29·784	29·792	29·774	28
29	29·722	29·707	29·692	29·689	29·689	29·697	29·702	29·721	29·747	29·751	29·749	29·736	29
30	29·702	29·681	29·657	29·649	29·653	29·656	29·665	29·681	29·700	29·711	29·723	29·719	30
31	29·667	29·643	29·639	29·623	29·613	29·615	29·631	29·651	29·710	29·706	29·698	29·678	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of AUGUST, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·8	80·3	79·8	79·8	80·3	80·7	78·7	78·8	79·8	77·8	79·2	79·7	1
2	78·4	78·6	78·5	78·5	78·8	78·4	78·7	76·9	77·8	78·8	79·0	79·5	2
3	80·7	80·7	79·9	79·8	79·8	78·9	79·6	81·8	82·0	83·8	86·7	84·8	3
4	81·8	80·7	80·7	81·1	80·7	80·6	80·8	81·1	81·4	83·8	81·5	84·0	4
5	80·7	80·8	80·7	80·6	80·6	81·0	81·6	81·8	82·0	80·4	80·6	82·4	5
6	78·8	79·3	79·8	79·8	79·6	78·6	77·0	77·2	76·5	76·5	77·5	77·8	6
7	77·0	77·1	77·2	77·6	77·1	77·1	78·5	81·7	79·7	81·7	82·1	83·5	7
8	79·6	79·7	79·3	79·3	78·3	78·7	80·5	83·4	84·0	85·2	86·3	85·8	8
9	79·6	79·5	79·8	80·0	80·5	80·0	81·0	83·0	83·8	84·8	85·8	85·8	9
10	78·6	77·8	77·8	77·8	77·0	77·2	78·0	80·4	81·8	84·4	84·2	84·5	10
11	81·8	81·6	81·3	81·1	81·1	81·0	81·9	82·7	84·2	77·0	87·1	89·0	11
12	83·1	83·4	83·3	82·9	82·9	82·8	82·8	82·2	82·0	83·5	85·6	85·7	12
13	81·8	81·8	82·2	82·6	82·6	81·8	82·1	81·4	83·7	85·0	86·8	87·4	13
14	83·7	83·4	83·1	80·7	81·3	78·5	79·8	82·5	84·0	85·8	86·7	87·7	14
15	82·8	80·0	80·0	81·3	81·4	81·8	80·0	80·0	80·8	83·4	84·7	85·7	15
16	78·6	79·6	78·6	77·7	77·1	77·7	78·9	80·8	82·6	84·3	84·0	82·8	16
17	79·4	79·4	79·2	78·6	78·5	77·4	76·8	78·5	79·7	81·6	84·1	82·0	17
18	76·9	77·1	76·7	77·3	77·3	77·6	76·8	76·1	75·9	76·5	77·0	79·2	18
19	77·1	77·2	76·6	77·6	78·8	79·0	78·4	79·3	80·7	83·8	83·1	85·7	19
20	76·8	76·7	76·7	76·7	76·3	76·6	78·0	79·9	81·6	83·9	85·7	82·0	20
21	78·7	78·3	78·4	77·8	77·6	77·7	79·2	81·1	83·0	82·8	86·5	86·1	21
22	79·8	78·7	78·8	78·1	78·5	78·8	77·8	77·7	78·8	77·8	77·2	78·5	22
23	79·7	79·7	79·7	79·8	79·7	78·8	78·2	78·8	80·2	80·1	82·6	81·5	23
24	77·6	77·5	78·0	78·0	78·0	78·0	78·8	80·4	83·0	82·4	84·0	82·5	24
25	77·8	77·6	77·7	77·1	76·9	77·5	78·0	79·8	83·0	84·5	86·3	86·0	25
26	78·6	78·6	78·4	77·8	77·8	77·2	77·3	79·5	80·9	83·8	85·0	84·6	26
27	79·6	79·0	78·8	79·0	75·8	76·3	76·8	78·7	82·7	82·4	84·6	84·7	27
28	78·0	77·6	77·8	77·8	78·0	78·7	79·6	81·9	83·8	84·4	85·4	83·9	28
29	80·5	79·9	79·7	79·7	79·5	79·3	80·4	81·3	83·2	83·5	84·7	86·5	29
30	80·6	80·5	80·0	79·9	80·1	80·0	81·3	81·8	83·5	84·7	85·5	84·8	30
31	81·6	81·6	81·4	81·4	81·4	81·0	81·1	80·3	81·7	82·8	83·8	84·2	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·8	81·5	83·0	81·8	80·3	79·8	78·5	78·5	77·8	78·1	77·8	77·8	1
2	77·8	77·8	77·9	78·2	77·8	78·4	78·8	79·0	79·0	79·8	79·8	79·7	2
3	85·8	84·8	85·8	85·3	84·8	83·7	82·0	81·8	81·8	81·1	81·0	81·0	3
4	84·5	82·7	82·5	82·6	81·9	82·0	81·6	81·1	81·3	81·7	81·5	81·7	4
5	81·1	82·2	82·0	81·0	80·5	79·0	78·5	78·5	78·2	78·2	78·3	78·2	5
6	79·8	79·5	79·0	80·0	79·8	79·7	79·3	78·0	78·3	78·5	78·7	78·0	6
7	84·2	84·4	84·0	82·3	82·4	82·4	81·7	81·0	80·3	79·8	79·8	79·9	7
8	86·6	85·6	84·7	84·8	83·1	82·8	81·8	81·8	81·0	80·8	80·1	80·0	8
9	87·6	87·8	87·3	87·9	86·9	85·6	84·5	84·4	77·1	77·0	78·0	78·1	9
10	85·8	87·4	87·4	87·6	87·1	86·0	83·5	82·9	82·9	82·5	82·5	82·1	10
11	89·9	90·2	88·9	88·6	87·5	85·7	84·6	84·3	83·9	83·6	83·3	83·3	11
12	88·5	88·6	89·8	88·5	85·8	81·2	79·9	79·7	79·8	79·7	80·0	81·0	12
13	90·5	87·5	87·0	86·2	84·8	84·6	83·8	83·8	83·6	83·4	83·4	83·7	13
14	86·6	83·6	83·8	88·3	83·7	83·7	82·8	83·0	83·3	83·0	83·0	82·9	14
15	85·3	85·9	78·8	81·1	81·9	82·5	82·8	82·7	82·8	82·9	82·6	80·8	15
16	79·1	78·0	77·9	78·5	79·6	79·5	79·3	78·8	78·9	78·9	79·0	79·4	16
17	80·8	80·6	82·7	83·0	81·1	80·6	79·5	79·5	79·5	79·0	79·1	77·8	17
18	82·0	82·1	81·3	78·8	79·0	79·1	78·4	78·3	78·4	78·5	78·0	77·5	18
19	83·6	77·5	79·1	79·8	79·6	79·0	79·0	77·4	76·4	77·2	77·4	77·0	19
20	83·7	84·3	84·5	83·7	82·7	81·0	80·7	80·0	79·8	79·8	79·5	79·4	20
21	86·0	85·6	84·6	81·8	81·8	81·0	80·5	80·6	80·0	78·8	79·0	79·1	21
22	76·8	76·4	74·8	78·4	79·0	79·0	78·0	78·6	78·8	79·5	79·5	79·8	22
23	82·1	81·5	79·1	78·5	79·0	78·8	78·3	77·8	77·5	77·6	78·1	78·1	23
24	81·7	84·1	83·8	82·0	81·6	80·5	80·0	79·8	79·9	79·7	79·2	79·0	24
25	88·8	88·9	89·0	88·6	87·5	84·6	82·6	81·6	80·9	79·9	79·9	79·0	25
26	84·8	84·7	85·3	83·8	83·9	82·7	80·8	80·0	79·8	79·8	79·6	79·0	26
27	83·6	85·4	85·4	83·8	81·8	80·6	80·0	78·8	78·7	78·7	78·5	78·4	27
28	84·0	84·8	84·8	84·5	83·4	82·0	80·9	80·8	81·1	81·5	80·9	80·8	28
29	86·7	86·2	85·8	84·6	84·0	82·6	81·7	81·0	80·8	81·0	80·7	80·8	29
30	86·4	85·8	85·9	85·8	84·7	83·6	82·0	82·1	81·9	81·7	81·9	82·0	30
31	85·3	84·8	81·0	81·1	81·7	81·7	81·8	82·0	76·7	77·7	77·8	78·0	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of AUGUST, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	78·1	77·4	77·3	77·1	77·4	77·4	76·6	76·8	77·7	76·5	76·7	76·7	1
2	76·9	76·9	76·8	76·9	77·0	77·1	77·2	74·3	74·8	74·8	76·0	76·8	2
3	77·6	77·6	77·3	77·2	77·2	76·8	77·2	78·6	79·2	79·8	79·6	79·6	3
4	77·8	78·2	78·5	77·8	77·8	77·7	77·9	77·8	77·8	78·9	77·7	78·0	4
5	77·1	76·9	77·7	77·7	77·7	77·8	78·0	78·0	78·6	77·0	78·4	79·4	5
6	77·0	78·0	77·4	77·6	77·8	77·6	75·5	75·6	75·0	75·3	76·0	75·8	6
7	76·0	75·9	75·9	76·0	75·9	75·9	76·2	78·6	76·6	77·7	77·2	78·0	7
8	78·1	78·1	77·7	77·7	77·4	77·6	79·0	79·3	79·8	78·7	80·0	79·4	8
9	76·9	75·8	75·8	76·5	77·7	77·0	77·7	78·7	79·0	79·6	80·7	80·3	9
10	75·8	75·8	75·8	75·8	76·0	76·0	76·7	76·8	77·8	78·7	78·0	77·8	10
11	78·8	78·0	77·8	78·7	78·9	78·8	79·6	80·0	80·4	80·8	80·2	82·0	11
12	79·6	79·7	79·7	79·2	79·2	79·3	79·4	79·6	79·0	80·0	81·6	81·3	12
13	79·0	79·8	79·4	79·0	79·0	79·8	79·7	77·8	79·1	80·0	80·8	81·0	13
14	79·7	79·8	79·8	79·5	79·6	77·5	78·0	79·0	79·8	80·8	81·0	80·7	14
15	80·8	79·0	79·0	80·2	80·3	79·8	77·5	78·0	78·8	80·8	80·7	80·2	15
16	75·1	76·9	76·6	75·9	76·4	76·6	77·1	78·3	79·8	81·3	80·0	79·0	16
17	77·0	77·2	77·4	77·0	77·0	76·6	75·9	77·0	77·8	79·2	80·0	78·5	17
18	76·2	76·4	75·9	75·8	75·8	75·8	76·0	75·3	75·1	75·6	76·0	76·5	18
19	76·1	76·3	75·8	76·7	77·7	76·9	75·8	76·6	76·6	78·8	78·1	78·4	19
20	75·8	75·7	75·4	74·8	74·6	74·5	75·0	76·0	77·0	77·9	78·0	76·6	20
21	74·9	75·0	74·8	74·7	74·5	74·7	75·7	75·7	76·8	76·3	77·0	76·8	21
22	74·8	75·9	75·5	75·6	74·8	74·0	73·8	73·8	74·6	74·8	74·8	76·0	22
23	76·7	76·7	76·7	76·8	76·7	76·8	77·0	77·8	78·6	78·1	78·2	78·0	23
24	77·0	77·0	77·7	77·8	77·8	77·5	77·8	78·4	79·0	78·5	79·0	78·7	24
25	76·8	76·7	76·8	76·6	76·0	76·3	76·6	77·5	78·0	78·5	78·8	79·1	25
26	76·0	76·0	76·1	75·9	75·8	75·9	75·8	77·0	78·4	79·4	78·0	76·6	26
27	77·4	77·0	77·0	76·7	74·0	73·6	73·8	74·8	76·4	75·6	78·0	77·8	27
28	76·0	75·8	76·4	76·4	76·6	76·5	76·9	78·8	79·2	79·5	79·7	79·0	28
29	77·7	77·4	77·4	77·7	77·0	76·8	77·5	77·9	78·5	78·5	78·5	78·5	29
30	76·9	77·0	76·5	76·7	76·8	76·8	77·5	77·8	78·0	78·4	78·0	78·7	30
31	78·1	78·1	78·2	77·9	77·4	77·0	77·0	77·6	77·9	78·1	78·0	77·9	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	76·8	78·0	77·5	78·0	77·7	77·8	77·8	77·6	76·6	76·8	76·8	76·8	1
2	76·2	75·5	76·1	76·7	76·6	76·6	76·8	76·8	77·0	77·2	77·2	77·1	2
3	79·5	78·5	78·3	77·6	77·4	77·6	77·0	77·4	77·8	78·0	78·0	78·0	3
4	78·4	78·6	78·0	78·3	78·6	79·0	78·1	78·3	78·1	77·6	78·0	77·8	4
5	77·6	79·0	78·9	78·0	78·0	77·1	76·8	76·8	76·7	76·6	76·6	76·7	5
6	77·0	76·8	77·3	77·6	77·3	77·5	77·2	76·5	76·9	77·0	77·2	77·0	6
7	78·2	79·3	79·0	78·0	78·1	77·8	77·3	78·0	78·3	77·8	77·8	78·3	7
8	79·4	78·4	78·7	79·2	77·7	75·6	74·8	74·8	75·0	75·8	75·8	76·0	8
9	80·8	80·8	79·8	79·7	78·8	78·8	78·0	77·4	74·0	74·0	74·0	76·3	9
10	77·8	79·0	77·8	77·3	76·8	77·0	77·6	77·9	78·8	78·5	79·0	78·3	10
11	81·9	82·1	82·2	82·0	82·0	80·8	80·5	80·2	79·9	79·8	79·8	79·8	11
12	82·0	80·8	80·8	80·0	79·1	77·0	75·7	76·8	77·0	76·1	77·0	78·4	12
13	82·0	79·8	80·2	80·0	79·0	80·0	79·3	79·6	79·6	79·1	78·8	79·3	13
14	80·8	80·0	79·5	78·8	78·7	79·3	78·5	78·8	78·5	79·8	79·8	79·5	14
15	80·2	80·6	76·8	78·8	78·5	78·8	79·2	79·1	79·4	79·8	79·9	78·8	15
16	78·0	77·0	77·0	77·0	77·8	77·5	77·0	77·7	77·6	77·6	77·0	77·1	16
17	77·0	76·1	77·5	78·0	77·1	76·7	76·6	76·6	76·6	77·0	76·5	76·8	17
18	77·6	78·0	76·9	76·8	76·0	76·0	76·4	76·4	76·0	76·1	76·0	76·4	18
19	78·0	74·4	75·6	77·0	77·2	77·6	77·6	75·4	74·9	75·0	75·9	76·0	19
20	76·7	77·0	77·5	77·7	76·5	76·6	76·6	77·0	76·7	76·0	75·6	75·7	20
21	76·5	76·9	76·0	76·8	76·8	77·0	76·8	76·3	75·8	75·8	76·0	75·6	21
22	75·4	75·7	74·4	76·0	76·0	76·0	76·0	75·6	76·0	76·5	76·0	76·6	22
23	78·6	78·1	76·8	77·0	77·5	76·8	76·8	76·8	76·7	76·9	77·3	77·7	23
24	78·0	79·1	79·2	78·7	78·7	78·5	78·0	77·8	77·6	77·2	77·0	77·0	24
25	79·7	79·6	79·1	78·0	78·0	76·8	76·3	76·8	76·8	76·5	76·5	76·0	25
26	77·8	77·6	77·6	77·8	76·7	76·7	75·8	77·7	77·7	77·7	77·7	77·0	26
27	78·0	78·6	78·6	78·1	77·6	76·7	76·0	75·8	75·7	75·7	76·0	75·8	27
28	79·0	78·3	78·1	78·0	78·0	78·0	77·8	77·6	78·0	77·4	77·7	77·8	28
29	79·0	78·8	78·4	78·8	78·0	78·0	78·2	78·5	78·0	78·0	77·9	77·6	29
30	78·9	78·7	78·8	77·8	77·8	78·0	78·2	78·1	77·0	77·2	77·3	78·0	30
31	78·3	78·0	77·0	76·0	76·8	77·0	77·0	77·7	75·7	75·7	76·8	76·5	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of AUGUST, 1929.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	8	9	1
2	9	9	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	9	10	9	8	8	9	2
3	9	10	9	8	7	9	10	10	10	8	8	8	7	6	5	5	8	9	7	3	5	6	9	10	3
4	9	10	9	9	9	8	8	9	10	10	10	9	10	10	10	10	10	9	9	8	7	8	8	3	4
5	8	10	10	10	10	7	10	9	9	10	10	10	10	10	10	10	10	10	10	9	8	8	7	6	5
6	8	9	6	6	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	10	10	10	6
7	10	10	10	10	9	10	10	8	8	8	8	4	3	3	2	5	3	2	5	4	4	3	7	7	7
8	8	7	5	2	1	8	8	7	6	7	5	5	3	3	5	4	9	9	8	9	9	10	10	10	8
9	10	10	9	9	7	5	7	4	9	6	9	8	5	4	4	3	3	3	4	9	10	10	10	10	9
10	10	8	7	6	4	4	3	4	2	2	2	2	4	3	4	3	4	4	2	2	2	2	2	2	10
11	...	...	...	...	...	7	9	9	5	4	4	6	7	8	7	5	8	8	7	8	8	5	5	7	11
12	6	8	9	9	9	10	9	9	10	10	10	10	8	5	5	3	8	10	10	10	10	10	10	10	12
13	10	10	5	7	6	10	8	10	9	8	9	8	8	8	7	9	9	9	10	10	10	10	10	9	13
14	9	10	9	10	10	10	10	9	8	8	8	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	9	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	9	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	9	9	10	10	10	9	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	9	7	6	9	10	10	10	10	18
19	10	10	10	10	10	9	9	10	10	8	8	7	9	10	8	9	10	9	10	10	10	10	9	9	19
20	9	8	9	7	5	6	7	5	3	6	3	9	7	4	3	8	9	5	4	2	2	2	2	2	20
21	2	4	...	...	1	9	9	9	8	8	8	9	9	9	8	9	10	9	9	9	9	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	22
23	10	10	10	10	10	8	3	3	3	4	4	6	7	9	9	10	9	9	7	5	9	7	9	8	23
24	2	1	6	5	9	4	3	5	4	6	7	7	7	4	3	4	2	1	...	...	...	...	...	...	24
25	1	1	3	3	5	3	2	1	2	4	4	3	4	3	1	1	...	1	6	...	...	...	1	2	25
26	2	2	2	1	1	2	2	5	7	5	4	2	2	2	1	2	1	5	...	...	...	...	...	3	26
27	6	4	8	9	10	10	10	10	10	9	8	9	9	7	9	9	9	8	2	...	...	...	...	1	27
28	1	6	3	3	9	8	7	7	8	9	7	7	8	8	4	2	2	2	1	2	7	3	2	4	28
29	3	4	1	4	3	3	3	8	4	8	3	4	4	4	3	4	3	2	3	2	2	1	1	5	29
30	4	6	2	5	4	5	3	7	3	5	6	8	6	4	2	2	2	2	2	1	...	1	7	8	30
31	7	8	9	7	7	7	8	8	6	8	9	7	8	8	9	8	9	9	10	10	10	10	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of AUGUST, 1929.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	...	...	...	...	...	...	0·1	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	0·7	1·0	1·0	0·9	1·0	0·6	0·9	0·6	1·0	1·0	0·7	...	3
4	...	...	...	...	0·1	0·3	0·6	0·1	0·1	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	0·1	...	...	6
7	...	0·9	0·7	0·9	0·8	0·9	1·0	1·0	1·0	0·8	1·0	1·0	0·2	7
8	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	...	...	8
9	0·6	1·0	0·9	1·0	0·9	1·0	0·9	1·0	1·0	1·0	1·0	1·0	0·7	9
10	0·1	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	10
11	...	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	...	11
12	...	...	...	...	...	0·6	0·5	1·0	1·0	1·0	0·9	...	...	12
13	...	...	...	...	0·2	0·1	0·4	0·5	...	0·1	...	...	...	13
14	...	...	0·9	1·0	0·9	0·6	0·1	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	0·1	...	...	...	15
16	...	...	...	0·2	0·1	...	0·1	...	...	...	...	...	...	16
17	...	...	...	...	0·7	0·6	...	...	0·3	0·2	0·1	...	...	17
18	...	...	...	...	...	...	...	0·6	0·6	0·2	0·3	0·2	...	18
19	...	...	0·1	0·7	0·4	0·8	1·0	0·1	...	0·3	0·2	...	...	19
20	0·4	0·3	1·0	1·0	0·9	0·7	1·0	1·0	1·0	1·0	0·7	...	...	20
21	...	0·2	0·7	0·9	0·9	0·5	0·3	0·3	0·7	0·2	0·3	0·4	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	...	22
23	0·2	0·1	1·0	0·8	1·0	0·7	0·8	0·8	...	...	...	...	...	23
24	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	24
25	...	0·7	1·0	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	25
26	0·4	0·3	0·1	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	26
27	...	...	0·2	0·1	0·9	0·8	1·0	0·9	1·0	0·7	0·3	...	0·3	27
28	...	0·4	0·8	1·0	1·0	1·0	0·8	0·7	0·9	1·0	1·0	1·0	0·4	28
29	0·3	0·9	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	29
30	0·4	0·5	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	30
31	0·1	0·4	0·9	1·0	1·0	1·0	1·0	1·0	0·4	1·0	0·3	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of AUGUST, 1929.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	d	d	...	0·015	...	0·035	0·245	0·030	d	...	0·025	0·110	1
2	d	0·090	0·010	...	...	0.005	0·030	0·285	0·005	...	d	0·810	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	0·130	d	0·010	d	...	...	...	...	0·140	0·050	...	4
5	...	...	...	...	...	...	...	...	...	0·235	0·020	d	5
6	d	d	...	...	...	0·080	0·085	0·080	0·005	0·090	0·160	0·015	6
7	...	...	...	...	...	0·020	0·015	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	d	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	d	...	d	d	12
13	...	...	...	...	...	0·015	...	0·010	...	...	...	...	13
14	...	...	0·235	0·080	0·120	...	...	...	...	...	...	...	14
15	...	0·165	0·070	d	0·020	0·190	d	0·010	...	...	...	...	15
16	0·010	0·060	2·120	2.730	0·585	0·105	0·015	0·005	...	d	...	...	16
17	...	...	0·170	0·030	0·010	0·190	...	...	...	...	...	...	17
18	d	0·130	0·090	...	...	...	0·165	0·210	0·205	0·070	0·050	d	18
19	...	d	0·045	0·005	0·005	0·025	0·045	0·045	0·010	...	...	...	19
20	...	0·005	d	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	d	0·010	d	0·010	d	0·050	0·005	0·010	d	0·155	0·420	0·480	22
23	...	...	...	0·105	...	...	...	...	...	...	...	d	23
24	...	...	...	...	d	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	0·005	...	...	...	26
27	...	...	...	0·040	d	...	...	...	...	...	...	...	27
28	...	...	...	...	...	d	0·005	d	d	...	...	...	28
29	...	...	...	...	...	...	...	d	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	0·010	0·085	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	d	d	...	...	0·150	0·045	...	...	...	...	1
2	0·840	0·025	0·060	d	...	d	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	d	3
4	0·175	0·010	...	d	0·005	...	...	...	d	...	...	...	4
5	d	...	d	d	...	...	...	...	...	...	...	...	5
6	...	...	...	...	d	0·010	0·390	d	...	...	0·025	d	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	0·340	0·130	0·055	0·025	0·015	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	0·010	0·055	0·025	0·035	0·020	d	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	d	d	...	...	...	d	...	...	...	...	...	...	14
15	...	0·315	0·005	0·015	...	...	...	...	...	d	0·470	0·105	15
16	0·750	0·195	0·540	0·040	d	d	d	d	...	...	...	...	16
17	0·010	...	...	...	...	0·005	...	...	...	d	0·020	0·315	17
18	0·005	...	0·005	...	...	...	...	...	0·010	0·020	0·005	d	18
19	0·085	0·310	...	0·015	0·010	d	0·130	0·010	d	d	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	0·010	d	21
22	0·155	0·530	0·240	0·010	0·005	0·035	0·065	d	...	...	...	...	22
23	d	0·005	0·010	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	d	...	...	...	...	...	...	...	d	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	0·130	...	...	...	...	0·010	0·440	0·050	0·190	0·030	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of AUGUST, 1929.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	14	8	17	9	17	7	16	7	16	9	16	8	19	8	24	3	27	4	28	7	29	2	...	1	1
2	7	7	6	4	6	2	...	1	...	1	...	1	9	3	14	5	14	3	13	2	12	5	11	9	2
3	14	5	15	5	...	...	...	...	15	3	14	4	...	1	10	5	9	6	11	6	14	6	17	6	3
4	14	11	15	7	15	8	13	6	12	6	16	8	15	6	14	7	15	11	16	8	17	5	19	7	4
5	13	8	14	9	14	7	14	8	14	9	15	7	15	8	14	9	15	10	13	8	12	6	13	8	5
6	8	11	8	8	9	6	9	8	8	11	7	10	8	5	11	7	23	5	30	6	16	2	...	1	6
7	7	10	7	8	9	9	28	3	...	...	1	5	3	3	5	2	6	8	7	12	8	12	8	14	7
8	8	3	...	1	...	...	...	...	...	...	...	...	...	..	12	2	9	5	8	7	8	11	9	12	8
9	31	3	...	1	28	4	27	8	26	6	25	4	24	3	24	4	23	5	23	7	23	9	24	12	9
10	24	8	24	6	24	4	24	4	25	4	...	1	24	3	23	8	23	7	23	9	22	10	23	12	10
11	25	4	25	4	25	5	24	8	24	6	25	8	25	6	25	9	24	9	24	8	23	8	22	9	11
12	19	11	20	13	20	15	20	17	20	15	21	14	22	9	22	6	27	7	27	4	26	6	23	10	12
13	22	10	22	9	21	14	20	13	20	13	21	10	11	14	23	7	22	9	22	7	21	7	20	11	13
14	19	11	19	16	20	15	22	8	25	10	26	5	26	2	26	2	25	3	25	6	24	6	21	10	14
15	22	14	23	10	23	10	22	6	21	8	21	12	22	8	25	2	28	3	27	4	25	5	24	5	15
16	25	10	27	3	28	8	1	12	3	3	...	1	...	1	...	...	...	1	14	2	15	2	16	11	16
17	...	1	25	2	...	1	25	2	28	3	28	7	26	2	...	...	...	1	...	1	18	3	17	14	17
18	9	4	9	8	16	6	23	4	...	1	32	4	8	10	11	10	10	9	9	15	9	10	10	9	18
19	7	9	7	13	8	11	9	11	10	13	10	13	12	11	17	4	17	10	16	14	15	12	14	16	19
20	58	12	8	11	8	8	8	14	8	12	8	10	8	11	9	10	9	9	10	9	9	9	9	14	20
21	8	5	8	7	7	2	...	...	1	2	...	1	...	1	4	3	6	7	6	6	5	6	4	6	21
22	31	2	29	5	28	3	27	5	29	10	31	14	32	15	32	20	32	26	32	27	32	37	2	49	22
23	12	17	12	16	13	18	13	18	13	14	11	8	9	6	8	9	8	11	8	16	8	13	8	18	23
24	9	8	9	5	9	7	9	7	9	5	9	5	8	4	8	5	8	9	8	9	8	11	8	13	24
25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	2	31	2	28	2	27	3	26	3	25
26	...	1	...	1	6	2	...	...	...	...	...	...	...	...	...	...	...	1	9	4	9	9	9	14	26
27	...	...	...	...	8	3	8	11	7	14	7	14	8	10	9	6	...	...	10	6	9	8	7	4	27
28	9	5	9	2	9	4	9	4	...	...	...	1	7	3	7	7	8	11	8	15	8	15	9	13	28
29	10	9	10	11	10	8	10	7	8	6	7	6	8	7	7	10	8	12	8	12	9	10	9	13	29
30	8	11	8	12	8	9	8	10	8	12	7	9	6	10	6	11	7	16	7	15	7	16	7	19	30
31	6	25	6	25	6	23	6	23	6	21	6	21	6	23	6	23	6	23	6	26	6	26	7	27	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel	Dir.	Ve.	Dir.	Vel	Dir.	Vel.	Dir.	Vel.	
1	5	6	10	8	13	7	12	10	10	13	8	9	6	10	5	7	6	10	7	11	7	10	8	9	1
2	11	6	9	4	8	3	6	4	6	5	7	4	7	4	7	3	10	2	11	3	12	3	...	...	2
3	18	6	18	12	17	9	17	8	17	10	17	8	15	4	16	3	16	4	14	4	12	7	12	7	3
4	20	8	20	7	19	7	17	4	15	8	14	6	12	7	11	9	12	8	13	9	13	8	12	7	4
5	14	5	13	2	12	6	10	6	9	12	8	13	8	11	8	13	8	15	9	14	9	11	8	12	5
6	...	...	17	2	10	11	8	12	8	12	9	12	9	9	8	5	8	9	8	11	9	12	8	11	6
7	8	12	8	13	8	16	8	15	8	14	8	13	8	7	9	4	8	4	9	6	8	4	8	2	7
8	9	11	9	16	9	15	9	11	8	9	8	8	8	5	7	6	6	2	...	...	...	...	6	2	8
9	23	12	23	11	23	10	24	10	24	10	24	7	25	5	1	16	7	12	9	7	...	...	...	1	9
10	23	12	23	10	22	11	22	8	21	10	21	11	20	16	21	9	22	7	23	5	24	4	24	6	10
11	21	10	21	10	20	12	20	11	19	10	19	8	19	7	19	10	19	11	20	13	20	10	19	11	11
12	21	9	21	10	21	8	19	10	19	11	18	12	16	6	31	5	...	1	27	5	26	7	23	6	12
13	19	11	18	14	18	12	18	13	18	13	19	12	18	11	19	13	19	15	19	15	18	14	19	12	13
14	19	14	18	13	20	14	20	13	19	16	18	9	18	10	18	15	20	12	21	11	21	12	20	14	14
15	23	6	25	11	25	5	23	10	21	15	21	11	21	15	21	10	20	10	20	11	21	10	23	10	15
16	18	10	19	2	19	4	...	1	...	...	16	3	18	2	20	3	25	2	...	1	25	2	25	2	16
17	18	16	19	15	20	10	20	11	19	8	17	8	16	9	16	8	15	7	14	5	12	6	10	4	17
18	11	9	12	10	12	10	11	10	10	9	9	7	8	8	8	10	9	9	8	9	8	8	7	10	18
19	12	16	9	14	7	12	7	16	8	14	9	13	10	9	9	11	8	8	7	12	7	12	7	12	19
20	9	15	9	19	9	18	8	17	7	16	7	11	6	7	6	9	6	6	6	7	6	6	7	4	20
21	7	3	10	14	10	18	10	15	10	9	9	11	7	12	6	13	4	14	2	10	31	5	31	4	21
22	6	75	12	89	15	53	15	33	14	30	13	20	13	17	12	19	13	17	12	16	12	21	12	20	22
23	9	19	9	16	9	16	9	13	9	12	9	23	9	14	9	14	10	10	9	13	9	13	9	13	23
24	9	13	9	9	9	10	8	11	9	12	8	11	9	4	...	1	...	...	...	...	...	...	...	...	24
25	25	5	24	6	24	7	25	7	24	5	19	5	15	6	14	4	...	...	...	...	11	2	8	2	25
26	9	15	9	14	9	11	8	13	8	11	8	12	8	9	8	3	...	...	...	...	...	...	...	...	26
27	2	5	25	8	23	9	21	7	...	1	14	3	12	2	10	8	9	7	9	6	9	6	9	5	27
28	8	16	9	18	10	14	10	15	10	12	10	12	9	11	7	9	7	8	11	13	11	10	9	11	28
29	9	13	9	14	10	15	9	17	9	17	9	13	8	12	9	12	8	12	9	12	8	12	8	13	29
30	7	18	7	16	7	18	7	19	6	20	6	15	6	15	7	14	8	20	7	23	7	25	6	25	30
31	6	24	6	26	6	25	6	24	6	24	6	29	6	30	7	31	9	28	9	19	8	22	8	24	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of AUGUST, 1929.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	nb	SSW	nb	SSW	nb	SSW	nb	SSW	nb	SW	nb	SW	nb	SSW	cu-nb	SSW
2	cu-nb	SSW	nb	SSW	nb	S	cu-nb	SSW	nb	SSW	nb	SSW	cu-nb	SSW	cu-nb	SSW
3	cu	SSW	cu	SSW	cu	SSW	cu	SSE	cu	SSW	cu	SSW	ci-st / cu	ENE / SSW	cu	SSW
4	nb	SSW	nb	SSW	cu	SSW	cu-nb	SSW	cu-nb	SW	cu-nb	SSW	cu-nb	S	nb	S
5	cu	SE	cu	SE	cu-nb	SSE	nb	S	nb	S	nb	S	nb	S	cu	SSE
6	cu	ESE	cu	ESE	nb	SSW	nb	SSW	nb	SSW	nb	SSW	nb	SW	nb	SW
7	nb	S	nb	S	nb	SSW	ci-st / cu	W / S	ci-st / cu	NE / SSW	cu	SSW	ci-st / cu	NNW / E	cu	ENE
8	cu	E	cu	E	cu	SE	ci-st / cu	ENE / ESE	cu	ENE	cu	ENE	cu-nb	NW	cu-nb	NW
9	cu	NW	cu	NW	cu	NW	a-cu / cu	NNE / N	ci-cu / cu	NNW / N	ci-st / cu	NNW / N	ci-st / cu	ENE / NNE	nb	NE
10	nb	W	cu-nb	W	a-cu	NW	ci-st / cu	NNW / W	ci-st / cu	NNW / W	ci-st / cu	NNW / W	cu	W	cu	W
11	...	...	...	...	ci-st / cu	SW / W	ci-cu / cu	SSE / W	ci-st / cu	ESE / W	ci-st / cu	ESE / W	cu	W	cu	W
12	cu	W	cu	W	ci-st / cu	ENE / W	cu	SW	cu	W	cu	W	nb	WSW	nb	WSW
13	cu	W	cu	WSW	cu-nb	WSW	cu	WSW	a-cu / cu	NE / WSW	a-cu / cu	NE / WSW	cu-nb	SSW	cu-nb	SSW
14	cu	WSW	nb	WSW	nb	WSW	ci-st / cu	ESE / WSW	cu	WSW	cu	WSW	cu-nb	SSW	cu-nb	SSW
15	cu-nb	SW	nb	SW	nb	WSW	cu-nb	WSW	cu-nb	WSW	cu-nb	WSW	cu-nb	WSW	cu-nb	WSW
16	nb	WSW	nb	W	nb	W	a-cu / cu	NNW / WNW	nb	W	nb	SW	nb	WSW	nb	WSW
17	nb	W	nb	W	cu-nb	WSW	a-cu / cu	W / SW	nb	SSW	nb	SSW	nb	SSW	nb	SSW
18	nb	W	nb	W	nb	E	nb	SE	nb	ESE	cu-nb	ESE	a-cu / cu	SW / ESE	nb	ESE
19	nb	ESE	nb	ESE	cu-nb	ESE	cu	SSW	cu	SSE	cu	SSE	nb	ESE	nb	ESE
20	cu-nb	SE	cu	SE	cu	ESE	ci-cu / cu	ENE / ESE	cu	E	cu	E	cu	E	cu	E
21	cu	E	...	...	cu	E	cu	ENE	cu	ENE	cu-nb	ENE	cu-nb	ENE	cu-nb	ENE
22	nb	ENE	nb	ENE	nb	NE	nb	NNE	nb	ENE	nb	S	nb	S	nb	S
23	cu	SE	cu-nb	SE	cu	SSE	cu	SE	cu	ESE	nb	E	cu	ESE	cu	ESE
24	cu	SE	cu	SE	cu	SSE	cu	SSE	cu	SSE	cu	SSE	...	...	...	...
25	cu	S	cu	S	cu	SSE	cu	SSE	cu	SSE	cu	SE	ci-st	WSW	...	...
26	ci-st	NE	ci-st	ENE	cu	SSW	ci-cu / cu	SE / SSW	cu	ESE	cu	ESE	...	...	...	...
27	ci-st / cu	NE / SE	cu	ESE	nb	ENE	a-cu / cu	ESE / ENE	cu	NNW	cu	N	cu	NNW	...	...
28	cu	ESE	cu	ESE	cu	ESE	ci-st / cu	ENE / SSE	cu / nb	SSE / ESE	ci-st / cu	E / SSE	cu	SSE	cu	ESE
29	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	E	cu	E
30	cu	ESE	cu	ESE	cu	E	cu	ESE	cu	E	cu	E	cu	E	cu	E
31	cu	E	cu	E	cu	E	ci-st / cu	WNW / E	cu	E	cu	E	cu	E	nb	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1929.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·681	83·1	77·5	5·6	79·6	77·2	0·905	89	98	0·1	1	0·655	4	− 2·0	+ 3·4	120	3·9	7·6
2	·639	79·9	76·9	3·0	78·6	76·5	·887	91	95	...	...	2·160	7	− 0·7	+ 2·8	104	2·9	3·5
3	·585	87·0	79·0	8·0	82·4	78·0	·907	32	77	9·4	72	...	...	− 4·5	+ 0·9	169	4·6	5·2
4	·603	86·5	80·5	6·0	81·8	78·1	·918	85	88	1·2	9	0·520	3	− 6·4	+ 1·5	167	6·6	7·4
5	·604	82·5	78·0	4·5	80·4	77·6	·913	88	93	...	...	0·255	1	− 4·5	+ 6·2	126	7·7	9·0
6	·597	80·3	76·3	4·0	78·6	76·8	·899	92	94	0·1	1	0·940	7	− 0·6	+ 6·7	95	6·7	7·7
7	·610	85·1	76·9	8·2	80·5	77·4	·903	87	64	10·2	78	0·035	1	+ 0·6	+ 7·7	86	7·7	8·2
8	·579	86·7	78·3	8·4	82·2	77·7	·897	82	66	9·4	72	...	...	− 0·5	+ 5·2	95	5·2	5·2
9	·486	87·9	76·9	11·0	82·7	77·8	·896	80	70	12·0	92	0·565	3	+ 0·9	− 4·3	282	4·4	7·0
10	·446	87·7	77·0	10·7	82·4	77·4	·882	80	37	11·4	88	...	...	− 2·2	− 7·0	253	7·3	7·7
11	·460	90·2	81·0	9·2	84·7	80·2	·978	82	53	9·4	72	...	...	− 3·7	− 6·8	241	7·7	8·6
12	·486	89·9	79·4	10·5	83·4	79·1	·944	83	87	5·0	39	0·145	2	− 4·1	− 6·5	238	7·7	9·0
13	·481	90·5	81·1	9·4	84·2	79·6	·957	82	87	1·3	10	0·025	1	− 8·4	− 7·3	221	11·1	11·6
14	·479	88·0	78·5	9·5	83·3	79·5	·962	85	96	3·5	27	0·435	2	− 6·4	− 7·0	228	9·5	10·3
15	·495	86·0	78·7	7·3	82·2	79·4	·971	89	99	0·1	1	1·365	7	− 3·0	− 7·8	249	8·4	8·8
16	·513	84·9	77·1	7·8	79·6	77·6	·922	91	99	0·4	3	7·155	11	− 0·5	− 1·2	247	1·3	3·6
17	·514	86·3	76·1	10·2	79·9	77·2	·902	88	99	1·9	15	0·750	3	− 4·2	− 1·7	202	4·5	6·0
18	·480	82·9	75·3	7·6	78·2	76·2	·879	91	95	1·9	15	0·965	8	− 2·2	+ 6·9	108	7·2	8·3
19	·579	86·0	76·3	9·7	79·2	76·6	·885	89	93	3·6	28	0·740	6	− 3·4	+ 9·3	110	9·9	11·9
20	·686	86·6	76·2	10·4	80·4	76·3	·859	83	53	9·0	70	0·005	...	− 0·2	+ 10·8	91	10·8	11·0
21	·647	86·9	77·5	9·4	81·1	76·0	·838	79	74	5·4	42	0·010	1	+ 1·2	+ 5·8	78	5·9	7·2
22	·456	79·9	74·8	5·1	78·3	75·4	·846	87	100	...	...	2·180	15	− 1·8	+ 10·1	100	10·3	26·0
23	·700	83·9	77·4	6·5	79·4	77·3	·911	91	75	5·4	43	0·120	1	− 4·5	+ 12·3	110	13·1	13·7
24	·761	84·4	77·4	7·0	80·4	78·0	·930	89	33	10·9	86	...	...	− 0·7	+ 6·6	96	6·6	6·6
25	·737	89·1	76·8	12·3	82·2	77·4	·884	81	21	11·0	87	...	...	− 0·2	− 1·3	261	1·3	2·5
26	·733	86·3	77·0	9·3	81·0	77·0	·881	83	21	10·1	80	0·005	...	− 0·5	+ 4·9	96	4·9	5·0
27	·728	85·8	75·7	10·1	80·5	76·4	·862	83	65	6·2	49	0·040	...	− 0·3	+ 3·7	95	3·7	6·0
28	·755	85·9	77·6	8·3	81·5	77·8	·909	85	50	10·0	79	0·005	1	− 1·8	+ 9·2	101	9·4	9·5
29	·725	87·1	79·3	7·8	82·3	78·0	·908	83	34	11·5	91	...	...	− 1·7	+ 11·2	99	11·3	11·4
30	·695	86·8	79·8	7·0	82·8	77·7	·890	80	40	11·3	90	...	...	+ 3·3	+ 15·4	78	15·7	15·7
31	·665	85·5	76·3	9·2	81·3	77·3	·890	83	84	8·1	64	0·945	4	+ 7·2	+ 23·0	73	24·1	24·7
Means	29·600	85·8	77·6	8·2	81·1	77·6	0·904	85	72	Sum. 179·8	45	Sum. 20·020	Sum. 88	− 1·8	+ 3·6	116	4·0	9·2
Normals	29·615	86·6	77·9	8·7	81·6	77·6	0·893	83	67	200·6	50	14·519	69	− 2·3	+ 2·1	137	3·1	9·4
Absolute Max.	29·792	90·5	...	12·3	...	84·4	1·117	...	...	12·0	92	7·155	15	...	...	...	...	89·0 †
Day.	24, 28	13	...	25	...	11	11	...	...	9	9	16	22	...	...	...	...	22d 14h
Absolute Min.	28·912	...	74·8	3·0	...	73·2	0·769	61	...	...	...	...	...	...	...	...	...	...
Day.	22	...	22	2	...	9	8	25	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1004·3	302·9	298·3	4·6	300·3	298·3	30·6	...	...	...	...	Sum. 508·5	Sum. 88	− 0·6	+ 1·2	116	1·3	3·0
Normals	1004·8	303·3	298·5	4·8	300·6	298·3	30·2	...	...	...	...	368·8	69	− 0·8	+ 0·7	137	1·0	3·1
Absolute Maximum.	1010·8	305·5	...	6·8	...	302·1	37·8	...	...	...	...	181·7	15	...	...	...	...	29·2
Absolute Minimum.	980·9	...	296·8	1·7	...	295·9	26·0	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 20 days. The mean hourly intensity was 0·228*in*, and the maximum fall in one hour was 2·730*in* at 4*h* on the 16*th*.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 117 miles per hour from E. by S. at 13*h* 39*m* on the 22nd.

Clouds with base less than 2,000 feet high were observed on 6 days.
Clouds with base less than 1,000 feet high were observed on 4 days.

*0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1929.

(British Units.)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall. Amount.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Wind. Observed. Velocity.
	ins.	°	°	ins.	%	%	%		%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·620	79·7	77·2	·904	89	72		0·010	...	2	− 1·7	+ 2·7	122	3·2	7·8
2	·607	79·5	77·2	·906	90	76		0·590	3	5	− 1·6	+ 2·3	125	2·8	7·5
3	·596	79·4	77·1	·903	90	71		2·740	14	4	− 1·9	+ 1·3	146	2·3	7·1
4	·589	79·3	77·1	·904	90	71		3·025	15	5	− 1·3	+ 1·5	131	2·0	7·3
5	·589	79·1	77·0	·902	91	72		0·740	4	4	− 1·2	+ 1·5	129	1·9	7·0
6	·593	79·0	76·9	·899	91	78	10	0·715	4	7	− 0·3	+ 1·3	103	1·3	6·8
7	·605	79·3	76·9	·896	89	77	30	0·620	3	7	− 0·4	+ 1·8	103	1·8	6·2
8	·616	80·3	77·4	·906	87	79	49	0·770	4	6	...	+ 2·2	90	2·2	6·4
9	·624	81·5	77·9	·913	85	75	56	0·230	1	5	+ 0·3	+ 2·5	83	2·5	7·5
10	·627	82·6	78·3	·918	83	78	60	0·690	3	5	+ 0·3	+ 3·5	85	3·5	9·0
11	·623	83·7	78·5	·915	79	75	60	0·725	4	4	...	+ 3·5	90	3·5	9·4
Noon.	·611	83·8	78·5	·913	79	76	58	1·415	7	4	− 1·4	+ 4·3	108	4·5	11·9
13	·590	84·2	78·6	·913	78	76	58	2·020	10	5	− 2·1	+ 5·7	110	6·1	12·9
14	·572	83·9	78·4	·908	78	72	54	1·390	7	6	− 5·2	+ 5·7	132	7·7	14·0
15	·566	83·4	78·0	·896	78	67	54	0·990	5	5	− 5·0	+ 4·3	139	6·6	12·8
16	·559	83·1	78·0	·900	80	69	46	0·080	...	2	− 3·7	+ 4·7	128	6·0	12·1
17	·558	82·5	77·8	·898	81	73	34	0·030	...	1	− 3·6	+ 5·2	125	6·3	11·9
18	·566	81·7	77·6	·898	83	72	13	0·105	...	2	− 3·0	+ 5·4	119	6·2	10·5
19	·579	80·9	77·3	·894	85	68		0·760	4	4	− 2·4	+ 4·7	117	5·3	9·5
20	·602	80·6	77·3	·898	86	65		0·440	2	3	− 1·4	+ 5·0	106	5·2	9·6
21	·621	80·0	77·1	·896	87	67		0·600	3	3	− 2·0	+ 4·7	113	5·1	8·7
22	·630	80·0	77·1	·896	87	65		0·125	1	3	− 2·1	+ 4·6	114	5·1	8·7
23	·633	79·9	77·2	·902	88	69		0·745	4	4	− 2·0	+ 4·5	114	4·9	8·5
Midn.	·630	79·8	77·3	·907	89	72		0·465	2	4	− 1·4	+ 4·3	108	4·5	8·4

Phenomena :—

Solar halo :—on the 11th, 28th and 31st.
Lunar halo :—on the 16th and 26th.
Lunar corona :—on the 23rd, 24th and 27th.
Slight Fog :—on the 2nd.
Unusual visibility :—on the 8th, 20th, 26th, 28th and 29th.
Dew :—on the 11th, 24th, 25th and 28th.
Solar rainbow :—on the 18th.
Lightning :—on the 2nd, 4th, 6th, 7th, 8th, 9th, 10th, 11th, 12th, 15th, 16th, 20th, 21st, 25th, 26th and 31st.
Thunder :—on the 4th, 5th, 6th, 12th, 14th, 15th and 21st.

Thunderstorms :—

2d. 12h. 22m. to *13h. 15m.* S. to N.; nearest at *12h. 35m.* (*4s*).
6d. 8h. 19m. to *8h. 53m.* N.W. to S.E.; nearest at *8h. 38m.* (*18s*).
7d. 1h. 24m. to *1h. 35m.* in S.W.; distant.
8d. 19h. 07m. to *19h. 15m.* in N.W.; distant.
9d. 19h. 26m. to *23h. 10m.* N. to S.; nearest at *21h. 43m.* (*2s*).
12d. 2h. 56m. to *3h. 17m.* in N.N.W.; distant.
12d. 17h. 22m. to *19h. 49m.* S.S.W. to N.N.E.; nearest at *17h. 47m.* (*6s*).
15d. 14h. 06m. to *14h. 21m.* in N.N.W.; distant.
16d. 0h. 20m. to *1h. 20m.* in N.N.W.; distant.
16d. 2h. 37m. to *3h. 20m.* W.N.W. to E.S.E.; nearest at *3h. 07m.* (*7s*).
16d. 4h. 32m. to *5h. 30m.* in S.S.W.; distant.
16d. 12h. 42m. to *13h. 34m.* N.W. to S.E.; nearest at *13h 20m* (*7s*).

ADOPTED ERRORS OF TIMEBALL, AUGUST, 1929.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	− 0·1	11	− 0·1	21	− 0·1
2	− 0·1	12	− 0·1	22	0·0
3	− 0·1	13	− 0·1	23	0·0
4	− 0·1	14	− 0·1	24	0·0
5	− 0·1	15	0·0	25	0·0
6	− 0·2	16	0·0	26	− 0·1
7	− 0·2	17	+ 0·1	27	− 0·1
8	− 0·2	18	+ 0·1	28	0·0
9	− 0·1	19	+ 0·1	29	0·0
10	0·0	20	+ 0·1	30	0·0
				31	− 0·1

+ = Late ; − = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0·10

Owing to electrical defects the Time-ball dropped 12s4 early on August 2d 10h and 30s early on August 4d 10h.]
On August 6d 21h Time Signal sent out 13s late.
On August 22d 16h Time-ball was not raised owing to high wind.

* 0° = N. 90° = E. &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

AUGUST,

1929.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	31st JULY, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	1st AUGUST, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.79	756.7	87	...	SE	1	c	6	29.76	755.8	79	...	SE	2	b
Nemuro,	11	29.70	754.5	...	...	SW	1	...	5	29.78	756.5	..	...	...	0	...
Hokodate,	,,	29.80	757.0	...	...	SW	4	...	,,	29.84	758.0	..	..	...	0	...
Tokio,	,,	29.90	759.5	...	...	SSE	2	...	,,	29.94	760.5	..	..	NW	1	...
Kochi,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.96	761.0	..	..	...	0	...
Nagasaki,	,,	29.96	761.0	...	...	SW	1	...	,,	29.96	761.0	..	...	...	0	...
Kagoshima,	,,	29.94	760.5	...	...	SE	1	...	,,	29.98	761.5	..	..	...	0	...
Oshima,	,,	29.92	760.0	...	...	ESE	1	...	,,	29.00	759.5	..	...	...	0	...
Naha,	,,	29.90	759.5	...	...	E	1	...	,,	29.85	758.5	..	...	ESE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	...	..	E	1	...
Bonin Island,	,,	29.94	760.5	...	...	NNE	1	...	,,	29.88	759.0	...	...	...	0	...
Chefoo,	15	20.75	755.6	94	71	S	1	b	6	29.78	756.4	82	83	NE	1	b
Shanghai,	14	29.86	758.4	93	57	SSE	4	b	,,	29.86	758.4	75	96	SE	2	b
Gutzlaff,	,,	29.95	760.7	84	75	SSE	4	b	,,	29.93	760.2	77	92	SSE	4	b
Sharp Peak,	,,	29.85	758.2	78	92	WSW	2	r	7	29.81	757.2	76	77	N	1	o
Amoy,	,,	29.78	756.4	80	92	S	4	r	6	29.79	756.6	76	95	NE	2	o
Swatow,	,,	29.80	756.9	80	91	SW	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	29.87	758.7	81	84	...	o	r	5	29.79	756.6	73	96	E	2	o
Taichu,	,,	29.86	758.4	84	...	...	o	o	,,	29.84	757.8	73	...	...	o	o
Tainan,	,,	29.84	757.8	82	...	NW	2	o	,,	29.80	756.9	73	...	...	o	b
Koshun,	,,	29.84	757.8	86	...	ENE	2	o	,,	29.84	757.8	75	...	...	o	b
Pescadores,	,,	29.85	758.1	77	...	SSE	2	r	,,	29.80	756.9	77	...	NE	2	o
Hong Kong,	14	29.72	754.9	83	84	S	1	o	6	29.72	754.9	81	86	S	2	od
Gap Rock,	,,	29.75	755.6	...	...	SSW	4	o	,,	29.72	754.9	...	...	S	4	o
Macao,	,,	29.68	753.9	90	79	SSW	4	o	,,	29.69	754.2	77	96	WSW	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.77	756.1	84	82	SSW	3	o	,,	29.77	756.1	79	87	SSW	3	o
Phulien,	15	29.58	751.2	84	77	ESE	6	o	7	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Basco,	14	29.76	755.0	86	75	NE	1	o	6	29.76	756.0	79	91	...	o	o
Aparri,	,,	29.80	756.9	86	68	NNE	2	o	,,	29.78	756.3	75	96	...	o	o
Tuguegarao,	,,	29.75	755.7	84	71	W	2	o	,,	29.79	756.6	73	98	...	o	o
Vigan,	,,	29.76	756.0	82	77	W	2	o	,,	29.79	756.6	75	91	SW	2	r
Manila,	,,	29.78	756.3	82	77	SW	2	o	,,	29.82	757.5	75	92	E	1	o
Legaspi,	,,	29.75	755.7	84	74	WSW	4	o	,,	29.82	757.5	73	94	SW	1	o
Calboyog,	,,	29.78	756.3	86	75	SSW	2	o	,,	29.84	757.8	81	84	SSW	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	77	88	...	o	b
Iloilo,	,,	29.80	756.0	82	74	SW	4	o	,,	29.84	757.8	79	91	S	2	o
Cebu,	,,	29.75	756.3	84	68	S	6	o	,,	29.85	758.1	79	73	SW	2	o
Surigao,	,,	29.79	756.6	86	61	W	4	o	,,	29.85	758.1	79	89	SW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.84	757.8	...	...	SW	1	r	4.22	20.82	757.5	...	...	SE	1	o
Yap,	11.00	29.85	758.1	...	...	SSW	4	o	5	29.87	758.7	...	...	WSW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	88	69	SW	2	b	6	29.84	757.9	77	94	SW	2	b

August 1*d.* 11*h.* 40*m.*—No returns from Indo-China.

The anticyclone remains over S. Japan; pressure is relatively low in a trough extending from Tongking across S. Formosa and N. Luzon to the Pacific.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·90 inch. Total since January 1st, 37·40 inches, against an average of 52·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	S. winds, moderate; cloudy, occasional rain.
3.—Hong Kong to Gap Rock,	S. winds, moderate; cloudy, occasional rain.
4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	2nd August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.76	755.9	81	...	SE	2	c	6	29.80	756.8	71	...	...	0	0
Nemuro,	11	29.78	756.5	...	...	SE	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.80	757.0	...	...	SW	3	...	,,	29.73	755.0	..	...	SW	1	...
Tokio,	,,	29.90	759.5	...	...	SE	1	...	,,	29.88	759.0	..	..	...	...	...
Kochi,	,,	29.92	760.0	...	...	SE	1	...	,,	29.80	759.5	...	..	...	0	...
Nagasaki,	,,	29.94	760.5	...	...	SE	1	...	,,	29.88	759.0	...	...	SSE	1	...
Kagoshima,	,,	29.94	760.5	...	...	SE	1	...	,,	29.88	759.0	..	...	...	0	...
Oshima,	,,	29.88	759.0	...	...	...	0	...	,,	29.84	758.0	..	...	...	...	...
Naha,	,,	29.86	758.5	...	...	NNW	1	...	,,	29.82	757.5	..	..	FSE	1	...
Ishigakijima,	,,	29.84	758.0	...	...	SE	2	...	,,	29.78	756.5	..	.	SW	1	...
Bonin Island,	,,	29.82	757.5	...	...	NE	1	...	,,	29.76	756.0	...	...	SSW	4	...
Chefoo,	15	29.75	755.6	96	65	E	4	b	6	29.79	756.6	78	92	...	0	b
Shanghai,	14	29.81	757.2	93	53	SSE	4	b	,,	29.76	756.0	73	94	ESE	2	b
Gutzlaff,	,,	29.89	759.2	82	71	SSE	4	b	,,	29.83	757.7	76	92	SE	4	b
Sharp Peak,	,,	29.78	756.4	81	93	NE	1	o	7	29.71	754.6	77	94	...	0	o
Amoy,	,,	29.77	756.1	76	95	SSE	2	r	6	29.73	755.1	77	95	SW	2	o
Swatow,	,,	29.82	757.5	76	100	SE	1	r	,,	...	...	...	...	...	...	...
Taihoku,	11	29.81	757.2	90	66	ESE	4	o	5	29.76	756.0	73	94	ESE	2	b
Taichu,	,,	29.85	758.1	86	...	...	0	o	,,	29.78	756.3	73	...	...	0	b
Tainan,	,,	29.82	757.5	86	...	...	0	o	,,	29.75	755.7	73	...	E	2	b
Koshun,	,,	29.82	757.5	84	...	NE	2	o	,,	29.75	755.7	73	...	...	0	b
Pescadores,	,,	29.85	758.1	84	...	SW	2	o	,,	29.73	755.1	77	...	...	0	o
Hong Kong,	14	29.74	755.4	81	86	E	2	o	6	29.70	754.4	78	94	...	0	o
Gap Rock,	,,	29.74	755.4	...	...	SW	4	o	,,	29.71	754.6	...	...	SW	4	o
Macao,	,,	29.71	754.5	86	81	SSW	2	o	,,	29.66	753.3	79	92	SW	2	b
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.77	756.1	82	91	S	2	o	,,	29.73	755.1	76	95	SSW	1	or
Phulien,	15	29.62	752.4	90	69	SSE	4	b	7	29.62	752.4	81	96	S	4	o
Tourane,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	82	...	...	0	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.75	755.7	81	90	N	1	r	6	29.73	755.1	77	91	...	0	o
Aparri,	,,	29.75	755.7	82	81	...	0	o	,,	29.75	755.7	77	92	...	0	o
Tuguegarao,	,,	29.76	756.0	84	71	...	0	o	,,	29.75	755.7	75	98	S	1	o
Vigan,	,,	29.79	756.6	82	77	SW	2	o	,,	29.79	756.6	75	94	SSE	2	o
Manila,	,,	29.81	757.2	82	77	SW	4	o	,,	29.81	757.2	73	92	...	0	o
Legaspi,	,,	29.76	756.0	86	68	WSW	4	o	,,	29.78	756.3	77	91	SW	2	o
Calbayog,	,,	29.80	756.9	86	75	SW	4	o	,,	29.81	757.2	79	84	W	2	o
Tacloban,	,,	29.81	757.2	81	89	SW	4	o	,,	29.85	758.1	77	91	...	0	o
Iloilo,	,,	29.80	756.9	86	71	SW	4	o	,,	29.84	757.8	79	89	SW	4	o
Cebu,	,,	29.79	756.6	86	65	S	4	o	,,	..	...	...	...	...	...	...
Surigao,	,,	29.80	756.9	86	58	SW	4	b	,,	29.82	757.5	81	80	SSW	4	c
Saipan,	...	...	...	...	...	...	...	...	5	29.82	757.5	76	...	ESE	4	c
Guam,	12.22	29.80	756.9	...	...	S	4	o	4.22	29.79	756.6	...	...	SE	1	o
Yap,	11.00	29.82	757.5	...	...	SW	4	o	5	29.86	758.4	...	...	SW	4	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.88	759.0	76	...	WNW	2	r
Ponape,	...	..	...	...	...	...	...	...	,,	29.86	758.4	76	...	SE	1	c
Labuan,	14	29.81	757.2	88	69	SE	4	b	6	29.83	757.7	80	87	...	0	h

August 2*d.* 11*h.* 47*m.*— Pressure is highest over S. Japan, and relatively low over Tongking. A depression is indicated between the S. Ladrones and the Bonins.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·75 inch. Total since January 1st, 38·15 inches, against an average of 52.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	S.W. winds, moderate; cloudy, occasional rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd August, 1929.								3rd August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.78	756.4	81	...	SW	1	0	6	29.88	758.9	73	...	...	0	0
Nemuro,	11	29.63	752.5	...	...	SW	2	...	5	29.73	755.0	..	...	...	0	...
Hakodate,	,,	29.72	755.0	...	...	SW	2	...	,,	29.78	756.5	..	...	N	1	...
Tokio,	,,	29.86	758.5	...	...	S	3	...	,,	29.94	760.5	..	..	...	...	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.88	759.0	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	SE	1	...	,,	29.86	758.5	..	...	SE	1	...
Kagoshima,	,,	29.86	758.5	...	...	SE	1	...	,,	29.86	758.5	..	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	SE	1	...	,,	29.82	757.5	..	...	...	...	...
Naha,	,,	29.80	757.0	...	...	SE	1	...	,,	29.78	756.5	..	...	...	0	...
Ishigakijima,	,,	29.80	757.0	...	...	...	0	...	,,	29.75	755.5	-	..	SE	1	...
Bonin Island,	,,	29.82	757.5	...	...	SSW	3	...	,,	29.88	759.0	...	...	SE	1	...
Chefoo,	15	29.73	755.1	84	83	SE	1	0	6	29.73	755.1	76	95	E	1	b
Shanghai,	14	29.71	754.5	86	65	SSE	2	0	,,	29.69	754.2	77	91	SE	1	0
Gutzlaff,	,,	29.77	756.1	81	87	SE	4	0	,,	29.76	756.0	78	92	S	6	0
Sharp Peak,	,,	29.69	754.1	83	83	N	2	0	7	29.69	754.1	80	91	...	0	b
Amoy,	,,	29.70	754.4	80	92	SSE	4	0	6	29.66	753.3	78	95	SSW	4	0
Swatow,	,,	29.71	754.6	80	83	SSW	1	c	,,	29.71	754.6	78	96	S	1	0
Taihoku,	11	29.75	755.7	90	66	ENE	2	0	5	29.71	754.5	75	96	...	0	b
Taichu,	,,	29.78	756.3	86	...	NW	2	0	,,	29.66	753.3	75	...	...	0	of
Tainan,	,,	29.76	756.0	90	...	...	0	b	,,	29.69	754.2	75	...	E	2	b
Koshun,	,,	29.78	756.3	84	...	E	2	r	,,	29.71	754.5	75	...	...	0	r
Pescadores,	,,	29.76	756.0	86	...	SSE	2	b	,,	29.69	754.2	77	...	SW	2	r
Hong Kong,	14	29.68	753.9	78	90	NE	1	ort	6	29.64	752.8	80	87	S	1	o
Gap Rock,	,,	29.68	753.9	...	...	SW	4	or	,,	29.64	752.8	...	...	S	4	b
Macao,	,,	29.65	753.0	82	84	SW	2	o	,,	29.61	752.1	79	94	SSW	2	o
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.73	755.1	79	93	...	0	o	,,	29.67	753.6	80	93	SSW	1	o
Phulien,	15	29.55	750.6	90	69	SSW	4	o	7	29.53	750.0	81	76	SSW	6	b
Tourane,	,,	...	...	...	...	...	...	...	,,	29.66	753.3	81	...	SW	6	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	77	...	WSW	6	o
Basco,	14	29.72	754.8	82	81	WSW	1	o	6	29.68	753.9	79	90	WSW	4	o
Aparri,	,,	29.71	754.5	86	75	NE	4	o	,,	29.69	754.2	75	96	...	0	o
Tuguegarao,	,,	29.71	754.5	86	68	NW	1	o	,,	29.71	754.5	73	100	...	0	b
Vigan,	,,	29.78	756.3	79	80	WSW	2	r	,,	29.69	754.2	75	89	N	2	o
Manila,	,,	29.76	756.0	84	77	SW	4	o	,,	29.74	755.4	75	94	NE	1	o
Legaspi,	,,	29.72	754.8	84	77	WSW	4	o	,,	29.74	755.4	79	89	SW	4	o
Calboyog,	,,	29.75	755.7	84	77	...	...	...	,,	29.76	756.0	82	84	WSW	4	o
Tacloban,	,,	29.74	755.4	86	61	NW	4	o	,,	29.78	756.3	79	87	W	1	o
Iloilo,	,,	29.76	756.0	86	75	SSW	4	o	,,	29.76	756.0	81	84	SW	4	o
Cebu,	,,	29.74	755.4	86	61	S	4	o	,,	29.76	756.0	81	73	SW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	81	80	WSW	4	o
Saipan,	...	...	...	...	...	...	...	...	5	29.83	757.7	74	...	SSE	4	c
Guam,	12.22	29.75	755.7	...	...	S	4	o	4.22	29.82	757.5	...	...	S	1	o
Yap,	11.00	29.80	756.9	...	...	SW	4	r	5	29.84	757.8	...	...	SW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.83	757.7	79	...	...	...	c
Ponape,	...	..	...	...	...	...	...	...	,,	29.87	758.7	78	...	...	0	c
Labuan,	14	29.76	755.[illegible]	88	69	S	4	o	6	29.82	757.4	78	86	...	0	b

August 3*d.* 11*h.* 32*m.*— Pressure is highest in the Pacific to the south-east of Japan. A depression covers Tongking, and a typhoon may be forming between Luzon and the Ladrones.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·74 inch. Total since January 1st, 39·89 inches, against an average of 53.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; fair to showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd August, 1929.								4th August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.90	759.5	70	...	...	0	r	6	29.95	760.8	68	...	NE	4	0
Nemuro,	11	29.78	756.5	...	...	N	2	...	5	29.96	761.0	...	...	...	0	...
Hokodate,	,,	29.82	757.5	...	...	SW	2	...	,,	29.96	761.0	..	...	NNW	1	...
Tokio,	,,	29.92	760.0	...	...	SSE	3	...	,,	29.96	761.0	...	...	SW	1	...
Kochi,	,,	29.86	758.5	...	...	...	...	...	,,	29.80	757.0	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	SW	1	...	,,	29.86	758.5	...	...	...	0	...
Kagoshima,	,,	29.84	758.0	...	...	SE	1	...	,,	29.84	758.0	..	...	...	0	...
Oshima,	,,	29.82	757.5	...	...	NNE	1	...	,,	29.82	757.5	..	...	...	0	...
Naha,	,,	29.80	757.0	...	...	E	1	...	,,	29.80	757.0	..	...	ENE	1	...
Ishigakijima,	,,	29.76	756.0	...	...	SSE	2	...	,,	29.76	756.0	.	.	SSE	1	...
Bonin Island,	,,	29.88	759.0	...	...	SE	2	...	,,	29.92	760.0	...	...	ESE	1	...
Chefoo,	15	29.69	754.2	84	87	E	1	b	6	29.73	755.1	78	95	E	1	b
Shanghai,	14	29.69	754.2	81	94	SSE	2	0	,,	29.75	755.7	79	91	SSE	4	0
Gutzlaff,	,,	29.78	756.4	80	87	SSE	6	0	,,	29.84	757.9	78	95	SSE	4	0
Sharp Peak,	,,	29.69	754.1	84	79	S	1	b	7	29.72	754.8	80	91	...	0	0
Amoy,	,,	29.65	753.0	83	87	SE	4	b	6	29.68	753.9	80	87	SSE	4	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.72	754.8	86	75	SW	2	0	5	29.73	755.1	75	96	...	0	0
Taichu,	,,	29.74	755.4	86	...	...	0	b	,,	29.75	755.7	73	...	...	0	0
Tainan,	,,	29.73	755.1	82	...	W	2	r	,,	29.71	754.5	75	...	...	0	0
Koshun,	,,	29.73	755.1	82	...	...	0	0	,,	29.72	754.8	75	...	...	0	0
Pescadores,	,,	29.73	755.1	81	...	...	0	0	,,	29.72	754.8	77	...	SSW	2	r
Hong Kong,	14	29.62	752.3	85	76	S	2	c	6	29.65	753.1	81	87	SSW	2	0
Gap Rock,	,,	29.63	752.6	...	...	SW	4	c	,,	29.64	752.8	...	...	S	4	0
Macao,	,,	29.60	751.8	86	75	SW	2	0	,,	29.61	752.1	81	92	S	4	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.66	753.3	80	82	WSW	3	0	,,	29.69	754.2	79	92	S	3	bc
Phulien,	15	29.48	748.8	90	63	SW	4	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.61	752.1	86	...	NE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	86	...	WSW	2	0	,,	...	...	...	...	...	...	...
Basco,	14	29.68	753.9	79	90	NW	2	0	6	29.72	754.8	75	96	W	1	0
Aparri,	,,	29.67	753.6	90	63	NE	4	0	,,	29.73	755.1	73	92	S	2	0
Tuguegarao,	,,	29.74	755.4	86	65	...	0	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.69	754.2	86	75	SSW	4	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	81	89	...	0	0	,,	29.76	756.0	77	92	WSW	2	r
Legaspi,	,,	29.69	754.2	86	71	W	2	0	,,	29.75	755.7	79	92	SW	1	0
Calboyog,	,,	...	...	..	...	...	...	...	,,	29.78	756.3	81	86	WSW	6	0
Tacloban,	,,	29.73	755.1	86	95	N	6	b	,,	29.79	756.6	77	...	N	1	0
Iloilo,	,,	29.74	755.4	86	78	SW	4	0	,,	29.78	756.3	79	55	SW	4	0
Cebu,	,,	29.73	755.1	86	61	SSW	4	0	,,	29.78	756.3	81	73	SW	4	0
Surigao,	,,	29.74	755.4	86	61	SW	4	b	,,	29.76	756.0	82	74	SW	4	0
Saipan,	...	...	...	...	...	...	...	...	5	29.84	757.8	78	...	SE	3	c
Guam,	12.22	29.79	756.6	...	...	SW	4	0	4.22	29.81	757.2	...	...	SSE	...	0
Yap,	11.00	29.79	756.6	...	...	S	4	0	5	29.86	758.4	...	...	SW	2	0
Pelew,	...	...	...	...	...	...	...	...	,,	29.85	758.1	80	...	SW	2	b
Ponape,	...	...	...	...	...	...	...	...	,,	29.88	758.9	78	...	W	1	c
Labuan,	14	29.76	755.9	88	76	W	6	b	6	29.84	757.9	80	82	SW	4	b

August 4*d.* 11*h.* 20*m.*— Pressure is highest over Japan, and low over China generally. The typhoon has not developed to the east of Luzon, but pressure is relatively low in that area.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·28 inch. Total since January 1st, 40·17 inches, against an average of 53.51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	5th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.96	760.9	78	...	NNE	2	0	6	29.95	760.6	72	...	...	0	0
Nemuro,	11	29.80	757.0	...	...	E	1	...	5	30.02	762.5	...	...	...	0	...
Hokodate,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.98	761.5	..	...	...	...	...
Tokio,	,,	29.92	760.0	...	...	SSE	3	...	,,	29.96	761.0	...	..	...	0	...
Kochi,	,,	29.86	758.5	...	...	SE	3	...	,,	29.94	760.5	...	...	...	0	...
Nagasaki,	,,	29.84	758.0	...	...	NW	1	...	,,	29.84	758.0	...	...	...	0	...
Kagoshima,	,,	29.80	757.0	...	...	NW	1	...	,,	29.82	757.5	...	...	NE	1	...
Oshima,	,,	29.82	757.5	...	...	N	2	...	,,	29.75	755.5	...	...	...	...	...
Naha,	,,	29.80	757.0	...	...	E	1	...	,,	29.75	755.5	...	...	NNE	2	...
Ishigakijima,	,,	29.78	756.5	...	...	SSE	2	...	,,	29.76	756.0	..	..	...	0	...
Bonin Island,	,,	29.92	760.0	...	...	SE	2	...	,,	29.92	760.0	...	...	SE	1	...
Chefoo,	15	29.68	753.9	92	70	S	4	b	6	29.68	753.9	81	87	S	2	0
Shanghai,	14	29.76	756.0	86	78	SE	4	0	,,	29.75	755.7	79	96	SE	2	0
Gutzlaff,	,,	29.84	757.9	81	87	SSE	4	0	,,	29.81	757.2	78	95	SSE	4	0
Sharp Peak,	,,	29.75	755.7	86	80	S	1	b	7	29.71	754.6	81	91	...	0	0
Amoy,	,,	29.69	754.1	86	80	SSE	4	b	6	29.69	754.1	80	92	ENE	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.74	755.4	90	66	...	0	0	5	29.74	755.4	75	96	...	0	0
Taichu,	,,	29.78	756.3	86	...	...	0	0	,,	29.75	755.7	75	...	...	0	b
Tainan,	,,	29.75	755.7	90	...	...	0	b	,,	29.73	755.1	75	...	ENE	2	b
Koshun,	,,	29.76	756.0	86	...	ESE	2	0	,,	29.74	755.4	75	...	...	0	0
Pescadores,	,,	29.76	756.0	82	...	WSW	2	0	,,	29.72	754.8	77	...	E	2	0
Hong Kong,	14	29.65	753.1	83	84	S	2	0	6	29.64	752.8	81	86	S	2	0
Gap Rock,	,,	29.64	752.8	...	...	SW	4	0	,,	29.64	752.8	...	...	S	4	0
Macao,	,,	29.61	752.1	90	76	SSW	2	0	,,	29.58	751.2	79	96	S	4	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.70	754.4	82	87	S	3	0	,,	29.69	754.2	80	89	...	0	c
Phulien,	15	29.48	748.8	86	61	SSW	4	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.60	751.8	86	...	NW	2	b	,,	29.63	752.7	82	...	SW	2	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	77	...	SW	4	...
Basco,	14	29.71	754.5	82	81	WSW	2	0	6	29.71	754.5	75	92	...	0	0
Aparri,	,,	29.69	754.2	86	71	NE	4	0	,,	29.73	755.1	75	96	S	2	0
Tuguegarao,	,,	29.69	754.2	86	71	E	1	0	,,	29.74	755.4	75	98	S	1	0
Vigan,	,,	29.72	754.8	86	75	WSW	4	0	,,	29.73	755.1	75	88	SW	1	0
Manila,	,,	29.79	756.6	75	94	S	2	r	,,	29.78	756.3	75	96	E	2	0
Legaspi,	,,	29.73	755.1	82	84	SW	2	0	,,	29.76	756.0	77	91	SW	2	0
Calbayog,	,,	29.76	756.0	84	81	SW	6	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	756.0	84	74	W	2	0	,,	29.82	757.5	77	91	NE	4	0
Iloilo,	,,	29.79	756.6	81	80	SSW	4	0	,,	29.81	757.2	79	91	WNW	4	0
Cebu,	,,	29.78	756.3	84	68	SSW	6	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	86	68	WSW	4	0	,,	29.80	756.9	81	80	WSW	2	0
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.85	758.1	...	...	SW	1	0	4.22	29.81	757.2	...	...	W	1	0
Yap,	11.00	29.80	756.9	...	...	SSW	2	0	5	29.86	758.4	...	...	SSW	2	0
Pelew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	77	...	WSW	1	0
Ponape,	...	.	...	...	...	...	...	...	,,	29.87	758.7	77	...	S	1	c
Labuan,	14	29.81	757.2	90	81	SW	4	b	6	29.82	757.4	83	87	SW	6	b

August 5*d.* 11*h.* 53*m.*—A weak anticyclone is situated to the north-east of Japan, and a depression covers Tongking. Pressure continues to be low in the Pacific to the east of N. Luzon.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·47 inch. Total since January 1st, 40·64 inches, against an average of 54.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	S. winds, moderate; cloudy, occasional rain.
3.—Hong Kong to Gap Rock,	S. winds, moderate; cloudy, occasional rain.
4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Symbols.)	6th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Symbols.)
Wladivostock,	12	29.92	759.9	73	...	SE	4	o	6	29.81	757.2	74	...	SE	4	f
Nemuro,	11	30.02	762.5	...	...	S	1	...	5	30.02	762.5	...	...	S	1	...
Hokodate,	,,	29.98	761.5	...	...	SE	2	...	,,	29.98	761.5	...	...	...	0	...
Tokio,	,,	29.94	760.5	...	...	S	1	...	,,	30.00	762.0	...	...	...	...	...
Kochi,	,,	29.92	760.0	...	...	SE	1	...	,,	29.94	760.5	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	ESE	1	...	,,	29.76	756.0	...	...	E	1	...
Kagoshima,	,,	29.78	756.5	...	...	NE	2	...	,,	29.76	756.0	...	...	...	0	...
Oshima,	,,	29.69	754.0	...	...	NNE	3	...	,,	29.71	754.5	...	...	...	0	...
Naha,	,,	29.70	754.5	...	...	N	2	...	,,	29.67	753.5	...	...	WSW	1	...
Ishigakijima,	,,	29.76	756.0	...	...	SE	1	...	,,	29.71	754.5	...	...	NNE	1	...
Bonin Island,	,,	29.92	759.9	...	...	SSE	2	...	,,	29.94	760.5	...	...	SE	1	...
Chefoo,	15	29.59	751.6	90	77	S	4	o	6	29.56	750.8	78	100	SE	4	o
Shanghai,	14	29.72	754.8	86	65	SSE	4	o	,,	29.68	753.9	79	92	SSE	1	o
Gutzlaff,	,,	29.80	756.9	81	83	SSE	4	b	,,	29.76	755.9	77	95	S	2	o
Sharp Peak,	,,	29.70	754.4	84	87	S	2	o	7	29.68	753.9	81	78	...	0	b
Amoy,	,,	29.71	754.6	82	92	S	4	o	6	29.67	753.6	78	95	SE	1	o
Swatow,	,,	29.70	754.4	82	76	ESE	2	c	,,	29.74	755.4	76	91	SE	1	c
Taihoku,	11	29.74	755.4	90	66	NW	2	o	5	29.71	754.5	75	91	S	2	o
Taichu,	,,	29.75	755.7	86	...	NW	2	o	,,	29.72	754.8	75	...	...	0	o
Tainan,	,,	29.75	755.7	90	...	SSW	4	o	,,	29.71	754.5	75	...	...	0	b
Koshun,	,,	29.74	755.4	90	...	SSW	2	o	,,	29.69	754.2	73	...	...	0	b
Pescadores,	,,	29.74	755.4	86	...	SSE	4	b	,,	29.69	754.2	79	...	SE	2	b
Hong Kong,	14	29.64	752.8	82	87	SSE	1	o	6	29.63	752.6	79	96	ENE	3	op
Gap Rock,	,,	29.65	753.1	...	...	S	4	o	,,	29.61	752.1	...	...	SE	4	o
Macao,	,,	29.61	752.1	90	79	S	4	o	,,	29.58	751.2	81	90	...	0	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.69	754.1	85	79	SSW	3	c	,,	29.67	753.6	80	91	S	2	b
Phulien,	15	29.54	750.3	81	89	SSE	2	o	7	29.52	749.7	81	92	SSW	2	o
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	77	...	SW	4	b
Basco,	14	29.69	754.2	84	77	W	2	o	6	29.67	753.6	77	92	...	0	o
Aparri,	,,	29.67	753.6	86	68	N	2	o	,,	29.69	754.2	75	94	S	4	b
Tuguegarao,	,,	29.67	753.6	90	63	NW	1	o	,,	29.72	754.8	75	96	S	1	o
Vigan,	,,	29.71	754.5	86	71	SW	4	o	,,	29.71	750.5	77	88	SSW	1	o
Manila,	,,	29.78	756.3	84	74	SW	1	o	,,	29.75	755.7	75	94	...	0	o
Legaspi,	,,	29.72	754.8	84	77	SW	4	o	,,	29.75	755.7	79	91	SW	2	o
Calbayog,	,,	29.75	755.7	84	71	SW	6	o	,,	29.78	756.3	82	86	SW	6	o
Tacloban,	,,	29.74	755.4	82	86	SE	1	o	,,	29.80	756.9	79	90	W	2	o
Iloilo,	,,	29.78	756.3	82	81	SW	4	o	,,	29.80	756.9	75	92	SSW	4	o
Cebu,	,,	29.75	755.7	86	66	S	4	o	,,	29.80	756.9	81	73	SW	4	b
Surigao,	,,	29.74	755.4	86	81	WSW	4	o	,,	29.78	756.3	81	84	SW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	NNW	1	o	4.22	29.81	757.2	...	...	SE	1	r
Yap,	11.00	29.82	757.5	...	...	SW	2	o	5	29.84	757.8	...	...	SW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	88	76	SW	4	b	6	29.82	757.4	82	75	SW	6	h

August *6d. 11h. 27m.*—The anticyclone remains in the Pacific to the east of Japan; depressions are situated over Shantung, Tongking, and to the south-east of the Loochoos.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·36 inch. Total since January 1st, 41·00 inches, against an average of 54.50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	Northerly or variable winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	S.E. or variable winds, moderate; cloudy, rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th August, 1929.								7th August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.76	755.8	77	...	SE	2	f	6	29.78	756.3	77	...	SE	2	f
Nemuro,	11	29.98	761.5	...	...	S	2	...	5	29.80	757.0	...	...	SSW	1	...
Hakodate,	,,	29.94	760.5	...	...	S	1	...	,,	29.86	758.5	...	...	...	...	...
Tokio,	,,	29.94	760.5	...	...	S	2	...	,,	29.94	760.5	...	...	...	0	...
Kochi,	,,	29.94	760.5	...	...	SE	1	...	,,	29.98	761.5	...	...	NNE	1	...
Nagasaki,	,,	29.74	755.5	...	...	ESE	3	...	,,	29.90	759.5	...	...	ESE	1	...
Kagoshima,	,,	29.76	756.0	...	...	ESE	2	...	,,	29.90	759.5	...	...	...	0	...
Oshima,	,,	29.74	755.5	...	...	SSE	1	...	,,	29.82	757.5	...	...	...	0	...
Naha,	,,	29.70	754.5	...	...	NNE	1	...	,,	29.75	755.5	...	...	NE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.69	754.0	...	...	N	1	...
Bonin Island,	,,	29.94	760.5	...	...	ENE	1	...	,,	29.00	759.5	...	...	E	1	...
Chefoo,	15	29.57	751.1	88	76	SW	1	0	6	29.66	753.3	79	100	NW	1	r
Shanghai,	14	29.65	753.0	93	59	NE	1	0	,,	29.74	755.4	79	96	SSE	2	0
Gutzlaff,	,,	29.71	754.6	81	87	SE	2	0	,,	29.80	756.9	78	95	SSE	4	b
Sharp Peak,	,,	29.65	753.1	86	82	S	2	0	7	29.71	754.6	81	95	...	0	b
Amoy,	,,	29.69	754.1	86	84	SSE	2	0	6	29.69	754.1	80	96	SSE	1	b
Swatow,	,,	29.65	753.1	83	73	SW	1	r	,,	29.74	755.4	79	91	S	1	c
Taihoku,	11	29.71	754.5	90	69	WNW	2	b	5	29.71	754.5	75	89	SSE	2	b
Taichu,	,,	29.74	755.4	86	...	...	0	b	,,	29.73	755.1	77	...	...	0	0
Tainan,	,,	29.71	754.5	90	...	WSW	2	0	,,	29.71	754.5	77	...	...	0	0
Koshun,	,,	29.71	754.5	90	...	WNW	2	b	,,	29.67	753.6	75	...	...	0	b
Pescadores,	,,	29.73	755.1	86	...	W	2	b	,,	29.69	754.2	77	...	...	0	b
Hong Kong,	14	29.65	753.1	79	88	.	0	0	6	29.68	753.9	77	95	SE	1	op
Gap Rock,	,,	29.64	752.8	...	...	W	3	0	,,	29.67	753.6	...	...	SW	3	op
Macao,	,,	29.61	752.1	79	96	SE	2	0	,,	29.65	753.0	77	100	SE	2	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.67	753.6	88	81	SW	2	b	,,	29.69	754.1	77	95	...	0	b
Phulien,	15	29.50	749.4	90	76	SSW	4	0	7	29.59	751.5	79	89	S	4	0
Tourane,	,,	...	...	...	...	...	...	...	,,	29.63	752.7	82	...	SW	2	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	...	SW	4	b
Basco,	14	29.67	753.6	86	78	WSW	2	0	6	29.66	753.3	77	91	NNW	1	0
Aparri,	,,	29.65	753.0	84	77	...	0	r	,,	29.66	753.3	79	96	S	2	0
Tuguegarao,	,,	29.65	753.0	90	63	NE	1	0	,,	29.69	754.2	75	94	...	0	0
Vigan,	,,	29.68	753.9	84	74	SW	4	0	,,	29.73	755.1	75	96	WSW	1	0
Manila,	,,	29.72	754.8	84	74	SW	4	0	,,	29.71	754.5	79	89	W	4	0
Legaspi,	,,	29.68	753.9	86	65	WSW	4	0	,,	29.71	754.5	79	89	SW	4	0
Calbayog,	,,	29.72	754.8	84	81	SW	4	0	,,	29.73	755.1	82	81	SW	4	0
Tacloban,	,,	29.71	754.5	90	66	NW	4	0	,,	29.75	755.7	77	92	NW	1	b
Iloilo,	,,	29.74	755.4	86	78	SW	4	0	,,	29.75	755.7	79	98	S	4	0
Cebu,	,,	29.72	754.8	86	68	SW	6	0	,,	29.75	755.7	81	76	SW	4	b
Surigao,	,,	29.72	754.8	90	55	WSW	4	0	,,	29.75	755.7	82	77	WSW	4	0
Saipan,	...	...	...	...	...	...	...	...	5	29.80	756.9	...	...	...	...	c
Guam,	12.22	29.74	755.4	...	...	WNW	2	0	4.22	29.76	756.0	...	...	S	6	0
Yap,	11.00	29.80	756.9	...	...	SW	2	0	5	29.82	757.5	...	...	W	2	0
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.4	80	...	SW	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.81	757.2	74	...	...	0	c
Labuan,	14	29.80	756.9	90	73	SE	6	b	6	29.84	757.9	76	94	...	0	b

August 7*d.* 11*h.* 13*m.*—Pressure is highest in the Pacific to the east of Japan. Depressions remain over Tongking and the south-east of the Loochoos. The northern depression has moved eastwards to Korea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·64 inch. Total since January 1st, 41·64 inches, against an average of 55.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	S. or variable winds, moderate; cloudy generally, occasional rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	8th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.73	755.1	79	...	SE	2	f	6	29.80	756.8	75	...	...	0	c
Nemuro,	11	29.74	755.5	...	...	S	1	...	5	29.90	759.5	...	...	ESE	3	...
Hokodate,	,,	29.84	758.0	...	...	WNW	1	...	,,	29.84	758.0	...	...	...	0	...
Tokio,	,,	29.90	759.5	...	...	S	1	...	,,	29.88	759.0	...	...	...	0	...
Kochi,	,,	29.96	761.0	...	...	SE	1	...	,,	29.94	760.5	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	S	1	...	,,	29.92	760.0	...	...	...	0	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.90	759.5	...	...	NE	1	...
Oshima,	,,	29.82	757.5	...	...	SE	1	...	,,	29.78	756.5	...	...	...	0	...
Naha,	,,	29.72	755.0	...	...	E	4	...	,,	29.65	753.0	...	...	ENE	3	...
Ishigakijima,	,,	29.70	754.5	...	...	NE	2	...	,,	29.61	752.0	...	...	NE	1	...
Bonin Island,	,,	29.90	759.5	...	...	E	1	...	,,	29.84	758.0	...	...	...	0	...
Chefoo,	15	29.71	754.6	82	92	NW	1	0	6	29.77	756.1	73	100	...	0	b
Shanghai,	14	29.75	755.7	90	66	SSE	1	0	,,	29.80	756.9	77	98	S	2	b
Gutzlaff,	,,	29.81	757.2	83	83	SSE	4	b	,,	29.86	758.4	77	100	SSE	4	b
Sharp Peak,	,,	29.70	754.4	88	84	ESE	2	b	7	29.69	754.1	81	87	NNE	1	b
Amoy,	,,	29.65	753.1	88	80	SSE	4	b	6	29.64	752.8	81	92	ENE	2	o
Swatow,	,,	29.75	755.6	85	84	ESE	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.72	754.8	93	64	E	2	b	5	29.63	752.7	77	94	E	4	b
Taichu,	,,	29.73	755.1	90	...	NNW	2	b	,,	29.62	752.4	77	...	...	0	o
Tainan,	,,	29.72	754.8	86	...	W	2	o	,,	29.60	751.8	77	...	...	0	b
Koshun,	,,	29.72	754.8	90	...	NE	2	b	,,	29.60	751.8	75	...	...	0	b
Pescadores,	,,	29.72	754.8	86	...	NNW	2	b	,,	29.58	751.2	81	...	NNE	4	b
Hong Kong,	14	29.64	752.8	84	80	E	2	c	6	29.66	753.3	79	95	...	0	o
Gap Rock,	,,	29.65	753.1	...	...	ENE	4	b	,,	29.65	753.1	...	...	SE	3	b
Macao,	,,	29.66	753.3	90	79	SE	2	o	,,	29.61	752.1	79	95	...	0	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.67	753.6	89	74	ENE	1	b	,,	29.65	753.1	79	91	NNW	2	b
Phulien,	15	29.56	750.9	86	71	SSE	4	o	7	29.61	752.1	79	95	ESE	4	o
Tourane,	,,	29.62	752.4	86	...	NE	2	o	,,	29.65	753.0	81	...	N	2	b
Cape St. James,	,,	29.80	756.9	77	...	SW	6	o	,,	29.80	756.9	77	...	WSW	6	o
Basco,	14	29.61	752.1	86	91	NNW	2	o	6	29.49	749.1	81	89	N	4	o
Aparri,	,,	29.61	752.1	86	68	NNW	4	o	,,	29.53	750.0	75	92	SW	4	r
Tuguegarao,	,,	29.61	752.1	80	63	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.63	752.7	84	74	SW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.69	754.2	82	81	SW	4	o	,,	29.60	751.8	79	92	W	4	r
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.60	751.8	79	91	S	2	o
Caibayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.68	753.9	90	60	NW	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	77	88	SW	4	o	,,	29.67	753.6	77	92	SW	6	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.69	754.2	86	52	SE	4	b	,,	29.69	754.2	79	80	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	SW	1	o	4.22	29.74	755.4	...	...	SE	1	o
Yap,	11.00	29.79	756.6	...	...	WSW	4	o	5	29.81	757.2	...	...	SSW	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	90	77	SW	4	b	6	29.83	757.7	80	87	SW	6	b

August 7*d.* 22*h.* 00*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 126° E., moving W.N.W.

August 8*d.* 11*h.* 08*m.*—Pressure is highest over S. Japan, and a shallow depression lies over Tongking. The depression in the Pacific is now a typhoon situated about 200 miles east of Balintang Channel, moving W.N.W. or W.

Manila warning. 7*d.* 15*h.* 30*m.*:—Typhoon in Lat. 19° N. Long. 127° E., almost stationary. Recd. 7*d.* 16*h.* 20*m.*

Manila warning. 7*d.* 21*h.* 00*m.*:—Typhoon E.N.E. of Aparri moving W. or W.N.W. Recd. 7*d.* 21*h.* 29*m.*

Manila warning. 8*d.* 9*h.* 45*m.*:—Typhoon in Lat. 19° N. Long. 126° E., moving W. Recd. 8*d.* 10*h.* 47*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 41.64 inches, against an average of 55.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate, probably freshening to a gale.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate to fresh; fine generally.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	9th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.77	756.1	83	...	...	0	c	6	29.84	757.8	74	...	...	0	b
Nemuro,	11	29.90	759.5	...	...	SE	3	...	5	29.67	753.5	...	...	S	1	...
Hakodate,	,,	29.80	757.0	...	...	SW	3	...	,,	29.69	754.0	...	...	...	0	...
Tokio,	,,	29.82	757.5	...	...	SSE	1	...	,,	29.80	757.0	...	...	...	0	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.84	758.0	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	SW	1	...	,,	29.82	757.5	...	...	ESE	1	...
Kagoshima,	,,	29.84	758.0	...	...	ENE	1	...	,,	29.78	756.5	...	...	...	0	...
Oshima,	,,	29.78	756.5	...	...	ESE	1	...	,,	29.71	754.5	...	...	SE	1	...
Saba,	,,	29.67	753.5	...	...	ENE	4	...	,,	29.59	751.5	...	...	E	2	...
Ishigakijima,	,,	29.63	752.5	...	...	NE	3	...	,,	29.51	749.5	...	...	ENE	3	...
Bonin Island,	,,	29.84	758.0	...	...	E	1	...	,,	29.82	757.5	...	...	...	...	...
Chefoo,	15	29.80	756.9	86	84	E	1	b	6	29.84	757.9	73	100	SE	1	b
Shanghai,	14	29.80	756.9	93	59	SE	1	b	,,	29.79	756.6	75	98	ESE	2	b
Gutzlaff,	,,	29.86	758.4	84	79	SE	4	b	,,	29.85	758.2	77	95	ENE	2	b
Sharp Peak,	,,	29.66	753.3	86	84	NNW	4	o	7	29.60	751.8	80	91	NNW	2	o
Amoy,	,,	29.59	751.6	88	76	ENE	4	b	6	29.51	749.5	82	87	ENE	2	o
Swatow,	,,	29.62	752.3	88	74	SE	2	b	,,	29.61	752.1	78	96	S	2	c
Taihoku,	11	29.65	753.0	81	92	E	4	r	5	29.55	750.6	77	96	NNE	2	r
Taichu,	,,	29.61	752.1	86	...	...	0	o	,,	29.53	750.0	77	...	...	0	b
Tainan,	,,	29.59	751.5	86	...	...	0	o	,,	29.49	749.1	77	...	E	2	o
Koshun,	,,	29.58	751.2	84	...	NE	4	o	,,	29.48	748.8	77	...	NNE	2	o
Pescadores,	,,	29.60	751.8	86	...	NNE	4	o	,,	29.49	749.1	79	...	NE	2	b
Hong Kong,	14	29.62	752.3	86	72	E	3	c	6	29.56	750.8	80	87	W	1	c
Gap Rock,	,,	29.63	752.6	...	...	SE	3	b	,,	29.57	751.1	...	...	NW	3	c
Macao,	,,	29.60	751.8	90	72	SE	1	b	,,	29.53	750.0	79	91	NNW	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.61	752.0	86	74	N	3	bc	,,	29.52	749.8	78	96	N	6	o
Phulien,	15	29.59	751.5	86	71	SE	4	o	7	29.61	752.1	75	98	NNE	1	o
Tourane,	,,	29.62	752.4	86	...	E	2	b	,,	29.60	751.8	81	...	W	2	o
Cape St. James,	,,	29.76	756.0	82	...	SW	6	o	,,	29.76	756.0	77	...	WSW	6	o
Basco,	14	29.43	747.6	86	78	NNE	4	o	6	...		...	...	...	...	...
Aparri,	,,	29.46	748.2	81	96	WNW	4	r	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.55	750.6	75	96	SW	6	o	,,	29.50	749.4	75	96	WSW	4	r
Manila,	,,	29.60	751.8	77	94	SW	6	r	,,	29.59	751.5	79	90	SW	4	r
Legaspi,	,,	29.58	751.2	82	81	WSW	4	o	,,	29.60	751.8	77	94	SW	2	o
Calbayog,	,,	29.66	753.3	79	89	SSW	6	r	,,	29.65	753.0	81	84	SW	6	r
Tacloban,	,,	29.69	754.2	79	80	SW	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.68	753.9	90	57	SW	2	o	,,	29.69	754.2	82	63	SSW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	29.79	756.6	78	...	SW	2	bc
Guam,	12.22	29.75	755.7	...	...	ENE	1	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	SSW	1	o	5	29.81	757.2	...	...	SSW	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.83	757.7	80	...	SW	1	bc
Ponape,	...		...	...	...	...	...	...	,,	29.82	757.5	76	...	SW	1	bc
Labuan,	14	29.74	755.4	90	66	SW	2	b	6	29.86	758.4	76	91	SW	1	o

August 8*d.* 16*h.* 55*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 124° E., moving W.N.W.

August 9*d.* 11*h.* 10*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 122° E. moving N.W.

August 9*d.* 11*h.* 21*m.*—Pressure is highest over S. Manchuria, and a depression is situated to the north of Hokkaido. The typhoon is situated in the eastern portion of the Bashi Channel, moving north-west.

Manila warning. 9*d.* 10*h.* 00*m.*:—Typhoon in Lat. 21° N. Long. 123° E., moving N.W. Recd. 9*d.* 11*h.* 06*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 41·64 inches, against an average of 56·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	Northerly winds, freshening to a gale.
2.—South coast of China between Hong Kong and Lamocks,	N.W. winds, fresh; fine to cloudy.
3.—Hong Kong to Gap Rock,	N.W. winds, fresh; fine to cloudy.
4.—South coast of China between Hong Kong and Hainan,	N.W. winds, fresh; fine to cloudy.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	10th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather.
Wladivostock,	12	29.78	756.4	84	...	NE	2	b	6	29.74	755.3	76	...	...	0	b
Nemuro,	11	29.55	750.5	...	...	...	0	...	5	29.53	750.0		...	W	1	...
Hokodate,	,,	29.65	753.6	...	...	...	0	...	,,	29.63	752.5			...	...	...
Tokio,	,,	29.72	755.0	...	...	S	2	...	,,	29.73	755.0	..	..	...	0	...
Kochi,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.80	757.0	...	..	SSW	1	...
Nagasaki,	,,	29.80	757.0	...	...	SE	1	...	,,	29.78	756.5	...	.	...	0	...
Kagoshima,	,,	29.80	757.0	...	...	S	1	...	,,	29.78	756.5	...	...	...	0	...
Oshima,	,,	29.72	755.0	...	...	E	1	...	,,	29.65	753.0	...	...	SE	1	...
Naha,	,,	29.61	752.0	...	...	E	4	...	,,	29.57	751.0	...	...	E	1	...
Ishigakijima,	,,	29.49	749.0	...	...	NE	4	...	,,	29.39	746.5	...	...	ESE	4	...
Bonin Island,	,,	29.80	757.0	...	...	E	1	...	,,	29.84	758.0	...	...	...	...	...
Chefoo,	15	29.76	755.9	84	79	E	1	b	6	29.77	756.1	76	95	...	0	b
Shanghai,	14	29.75	755.7	93	59	E	2	b	,,	29.74	755.4	79	95	ENE	2	b
Gutzlaff,	,,	29.79	756.6	84	83	ENE	2	b	,,	29.75	755.6	78	95	ENE	4	o
Sharp Peak,	,,	29.54	750.3	84	85	NE	4	o	7	29.49	749.0	82	88	NE	2	bf
Amoy,	,,	29.46	748.2	90	73	ENE	4	o	6	29.43	747.5	83	83	NE	1	o
Swatow,	,,	29.50	749.3	84	84	...	0	c	,,	29.57	751.1	79	87	WNW	2	c
Taihoku,	11	29.53	750.0	86	81	E	4	o	5	29.40	746.7	79	95	E	4	r
Taichu,	,,	29.47	748.5	86	...	...	0	o	,,	29.36	745.8	79	...	...	0	o
Tainan,	,,	29.47	748.5	90	...	NNW	2	o	,,	29.33	744.9	77	...	...	0	o
Koshun,	,,	29.47	748.5	...	...	...	...	...	,,	29.32	744.6	77	...	...	0	r
Pescadores,	,,	29.50	749.3	86	...	NNE	4	b	,,	29.33	744.9	81	...	NNE	4	b
Hong Kong,	14	29.51	749.5	78	74	W	3	c	6	29.51	749.5	77	95	...	0	c
Gap Rock,	,,	29.54	750.3	...	...	NW	4	c	,,	29.50	749.3	...	...	SW	3	b
Macao,	,,	29.52	749.7	90	63	NNW	4	o	,,	29.47	748.5	79	89	...	0	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.50	749.3	84	78	NNW	4	o	,,	29.47	748.5	81	87	NW	3	bc
Phulien,	15	29.54	750.3	86	71	W	1	o	7	...		...	...	...	...	...
Tourane,	,,	29.58	751.2	86	...	NE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.5	82	...	SW	6	o	,,	...	...	...	...	...	...	...
Basco,	14	29.27	743.4	75	96	WNW	7	r	6	29.32	744.6	79	...	WSW	4	r
Aparri,	,,	29.39	746.4	79	91	S	4	r	,,	29.41	747.0	77	86	S	2	r
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	..	...	...	...	...	,,	29.50	749.4	79	91	SW	4	o
Manila,	,,	29.58	751.2	84	81	SW	4	o	,,	29.60	751.8	79	90	WSW	4	r
Legaspi,	,,	29.58	751.2	84	74	SSW	4	o	,,	29.66	753.3	79	90	SW	4	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	82	77	SSW	6	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	79	84	SW	4	o
Hoilo,	,,	29.67	753.6	77	96	SW	4	r	,,	29.69	754.2	81	87	SSE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	81	76	SW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	75	92	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	29.80	756.9	79	...	E	2	bc
Guam,	12.22	29.76	756.0	...	...	NE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	WSW	2	o	5	29.80	756.9	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.83	757.7	78	...	SSW	1	b
Ponape,	...		...	...	...	...	...	...	,,	29.86	758.4	75	...	...	0	h
Labuan,	14	29.80	756.9	90	66	SW	4	b	6	29.81	757.2	81	87	SW	6	b

August 9*d.* 17*h.* 35*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 122° E., stationary or very slow.

August 10*d.* 9*h.* 58*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 22° N. Long. 122° E. moving N.W.

August 10*d.* 10*h.* 45*m.*—Pressure is highest in the Pacific in the vicinity of the Bonins. The depression is situated to the north-east of Hokkaido, and the typhoon remains in the Bashi Channel to the south-east of Koshun; it is moving slowly north-westward.

Manila warning. 9*d.* 21*h.* 35*m.*:—Typhoon in Lat. 21° N. Long. 123° E., almost stationary. Recd. 9*d.* 23*h.* 02*m.*

Shanghai warning. 10*d.* 9*h.* 15*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 23° N. Long. 122° E., moving N.W. Recd. 10*d.* 9*h.* 36*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·56 inch. Total since January 1st, 42·20 inches, against an average of 56.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	Northerly winds, fresh to strong.
2.—South coast of China between Hong Kong and Lamocks,	W. and S.W. winds, moderate; fine to cloudy.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	11th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.71	754.6	85	...	SW	1	c	6	29.92	759.9	75	...	N	2	b
Nemuro,	11	29.57	751.0	...	...	NNW	1	...	5	29.75	755.5	...	...	...	0	...
Hokodate,	,,	29.63	752.5	...	...	WNW	3	...	,,	29.78	756.5	...	...	...	...	...
Tokio,	,,	29.72	755.0	...	...	SE	1	...	,,	29.86	758.5	...	...	...	...	...
Kochi,	,,	29.78	756.5	...	...	SE	1	...	,,	29.84	758.0	...	...	...	...	...
Nagasaki,	,,	29.76	756.0	...	...	SSE	2	...	,,	29.80	757.0	...	...	...	0	...
Kagoshima,	,,	29.76	756.0	...	...	SE	1	...	,,	29.76	756.0	...	...	NE	1	...
Oshima,	,,	29.67	753.5	...	...	ESE	1	...	,,	29.69	754.0	...	...	...	0	...
Naha,	,,	29.61	752.0	...	...	SE	2	...	,,	29.61	752.0	...	...	SE	1	...
Ishigakijima,	,,	29.41	747.0	...	...	SE	5	...	,,	29.41	747.0	...	...	SSE	6	...
Bonin Island,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	...	...
Chefoo,	15	29.74	755.4	83	83	E	1	o	6	29.76	755.9	74	100	...	0	o
Shanghai,	14	29.68	753.9	86	71	E	4	r	,,	29.69	754.2	79	98	E	2	b
Gutzlaff,	,,	29.74	755.4	82	92	ENE	4	o	,,	29.73	755.1	78	95	E	4	b
Sharp Peak,	,,	...	...	...	...	...	...	...	7	29.38	746.3	78	95	N	4	o
Amoy,	,,	29.41	747.0	92	88	N	4	b	6	29.38	746.3	82	87	WSW	4	o
Swatow,	,,	29.43	747.5	92	75	W	1	b	,,	29.47	748.5	77	95	WNW	2	c
Taihoku,	11	29.40	746.7	82	84	ENE	4	r	5	29.15	740.4	79	92	NE	4	o
Taichu,	,,	29.26	743.1	86	...	...	0	o	,,	29.14	740.1	75	...	N	4	r
Tainan,	,,	29.29	744.0	84	...	WNW	2	o	,,	29.34	745.2	77	...	W	6	r
Koshun,	,,	29.29	744.0	82	...	NW	2	o	,,	29.41	747.0	75	...	WSW	4	r
Pescadores,	...	29.32	744.6	82	...	NNE	6	r	,,	29.34	745.2	77	...	WNW	7	r
Hong Kong,	14	29.48	748.8	87	69	W	4	c	6	29.50	749.3	81	91	WNW	1	c
Gap Rock,	,,	29.50	749.3	...	...	WSW	4	b	,,	29.51	749.5	...	...	SW	4	c
Macao,	,,	29.48	748.8	90	72	SW	2	o	,,	29.48	748.8	81	90	W	2	o
Moihow,	,,	...	...	...	...	...	...	...	,,	...		...	...	...	...	...
Pratas Island,	,,	29.50	749.3	86	81	WNW	3	o	,,	29.51	749.5	82	86	WSW	4	bc
Phulien,	15	29.50	749.4	84	77	...	o	o	7	29.54	750.2	75	...	ENE	2	o
Tourane,	,,	...	...	...	...	...	...	...	,,	29.56	750.7	82	...	W	2	bc
Cape St. James,	,,	29.68	753.9	84	...	WSW	7	o	,,	29.75	755.5	77	...	SW	6	bc
Basco,	14	29.34	745.2	77	94	WSW	4	r	6	...		...	...	...	...	...
Aparri,	,,	29.50	749.4	82	84	WNW	2	r	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.49	749.1	90	69	S	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.55	750.5	77	94	WSW	4	r	,,	...	...	...	...	...	...	...
Manila,	,,	29.65	753.0	81	89	SW	4	o	,,	29.69	754.2	77	92	SSW	2	o
Legaspi,	,,	29.65	753.0	86	71	SW	4	o	,,	29.72	754.8	77	92	SW	2	o
Calbayog,	,,	29.69	754.2	86	78	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.69	754.2	86	65	SW	4	o	,,	29.78	756.3	77	91	N	2	b
Iloilo,	,,	29.72	754.8	79	89	SW	4	r	,,	29.75	755.7	79	91	S	4	o
Cebu,	,,	29.69	754.2	86	65	S	6	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.68	753.9	80	55	WSW	2	b	,,	29.78	756.3	75	94	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.78	756.3	76	...	ESE	5	r
Guam,	12.22	29.74	755.4	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	N	2	o	5	29.78	756.3	75	...	...	...	r
Pelew,	...	...	...	...	...	...	...	..	,,	29.82	757.4	79	...	NW	2	o
Ponape,	...	...	...	...	...	...	...	...	,,	29.81	757.2	81	...	ENE	2	b
Labuan,	14	29.85	758.2	88	69	SW	4	b	6	29.83	757.7	84	68	SW	6	b

August 10*d.* 16*h.* 20*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 23° N. Long. 121° E., moving N.N.W.

August 11*d.* 8*h.* 54*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 24° N. Long. 121° E. moving N.N.W.

August 11*d.* 10*h.* 41*m.* Pressure is highest in the Pacific to the east of the Bonins. The typhoon is crossing northern Formosa on a N.N.W. track.

Manila warning. 11*d.* 9*h.* 30*m.*:—Typhoon near or over northern Formosa moving N. or N.N.E. Recd. 11*d.* 10*h.* 28*m.*

Shanghai warning. 11*d.* 9*h.* 30*m.*:—Typhoon of unknown intensity within 30 miles of Lat. 24° N. Long. 121° E., moving N.N.W. Recd. 11*d.* 10*h.* 34*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 42·20 inches, against an average of 57.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	S.W. winds, fresh; fine to cloudy.
3.—Hong Kong to Gap Rock,	S.W. winds, fresh; fine to cloudy.
4.—South coast of China between Hong Kong and Hainan,	S.W. winds, fresh; fine to cloudy.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	12th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.88	758.9	86	...	...	0	b	6	29.99	761.6	72	...	SE	3	o
Nemuro,	11	29.80	757.0	...	...	NNE	1	...	5	30.02	762.5	...	...	E	1	...
Hokodate,	,,	29.80	757.0	...	...	S	1	...	,,	29.94	760.5	...	...	...	0	...
Tokio,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	...	...
Kochi,	,,	29.84	758.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	SSW	1	...
Nagasaki,	,,	29.78	756.5	...	...	SSE	1	...	,,	29.80	757.0	...	...	...	0	...
Kagoshima,	,,	29.76	756.0	...	...	ENE	2	...	,,	29.76	756.0	...	...	NE	1	...
Oshima,	,,	29.69	754.0	...	...	NE	1	...	,,	29.71	754.5	...	...	...	0	...
Naha,	,,	29.67	753.5	...	...	...	0	...	,,	29.69	754.0	...	...	SSW	1	...
Ishigakijima,	,,	29.49	749.0	...	...	SSW	7	...	,,	29.55	750.5	...	...	SSW	4	...
Bonin Island,	,,	29.94	760.5	...	...	...	0	...	,,	29.92	760.0	...	...	...	...	...
Chefoo,	15	29.75	755.6	84	87	E	1	b	6	29.78	756.4	75	95	S	1	b
Shanghai,	14	29.66	753.3	90	66	ESE	4	b	,,	29.66	753.3	81	94	E	4	b
Gutzlaff,	,,	29.71	754.6	81	92	E	4	o	,,	29.70	754.4	78	95	ESE	6	b
Sharp Peak,	,,	29.31	744.5	80	96	NE	4	r	7	29.31	744.5	78	86	W	1	rf
Amoy,	,,	...	...	86	80	SSW	4	b	6	29.39	746.5	84	83	WSW	4	o.
Swatow,	,,	29.43	747.5	93	78	SW	2	c	,,	29.47	748.5	82	92	SW	2	c
Taihoku,	11	29.15	740.4	81	94	SW	2	r	5	29.39	746.4	75	96	SSE	2	r
Taichu,	,,	29.24	742.8	79	...	W	4	r	,,	29.48	748.8	77	...	SW	4	r
Tainan,	,,	29.42	47.3	77	...	W	4	r	,,	29.50	749.4	81	...	SSW	6	o
Koshun,	,,	29.46	748.2	79	...	SW	4	r	,,	29.55	750.6	81	...	SW	4	o
Pescadores,	,,	29.41	747.0	77	...	W	6	r	,,	29.46	748.2	79	...	SW	6	r
Hong Kong,	14	29.49	749.0	90	71	W	3	o	6	29.54	750.3	83	86	SW	3	o
Gap Rock,	,,	29.52	749.8	...	...	WSW	4	c	,,	29.55	750.5	...	...	SW	5	c
Macao,	,,	29.48	748.8	93	61	SW	2	b	,,	29.50	749.4	81	90	W	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.54	750.3	86	80	WSW	4	o	,,	29.58	751.3	82	90	SW	4	c
Phulien,	15	29.50	749.4	86	75	S	2	o	7	29.56	750.9	79	92	...	0	o
Tourane,	,,	29.55	750.6	86	...	E	2	b	,,	29.61	752.1	81	...	SW	2	b
Cape St. James,	,,	29.72	754.8	86	...	SW	6	o	,,	29.78	756.3	77	...	SW	6	o
Basco,	14	29.53	750.0	84	81	SW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.56	750.9	90	63	SW	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.69	754.2	84	74	SW	4	o	,,	29.74	755.4	79	90	WSW	1	o
Legaspi,	,,	29.69	754.2	90	63	SW	4	o	,,	29.73	755.1	79	91	SW	1	b
Calbayog,	,,	...	...	...		...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...		...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.72	754.8	90	48	N	2	b	,,	29.74	755.4	79	89	SW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	29.81	757.2	77	...	ESE	4	c
Guam,	12.22	29.73	755.1	...	...	SE	4	r	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	W	4	o	5	29.76	756.0	...	...	SW	1	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	90	66	SW	6	b	6	29.83	757.7	81	87	SW	4	b

August 11*d.* 17*h.* 17*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 25° N. Long. 121° E., moving N.

August 12*d.* 9*h.* 40*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 27° N. Long. 121° E. moving N.

August 12*d.* 10*h.* 48*m.*—Pressure is now highest to the north of Hokkaido. The typhoon is probably situated in the vicinity of Wenchow moving northward.

Shanghai warning. 12*d.* 9*h.* 10*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 27° N. Long. 131° E., moving N. Recd. 12*d.* 9*h.* 28*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 42·20 inches, against an average of 57.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, fresh; cloudy, rain later.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	13th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.98	761.5	75	...	SE	4	o	6	29.89	759.3	72	...	SE	5	o
Nemuro,	11	30.04	763.0	...	...	SE	1	...	5	30.10	764.5	...	...	NE	1	...
Hokodate,	,,	29.96	761.0	...	...	SE	2	...	,,	30.02	762.5	...	...	SE	1	...
Tokio,	,,	29.90	759.5	...	...	S	2	...	,,	29.96	761.0	...	...	N	1	...
Kochi,	,,	29.86	758.5	...	...	S	1	...	,,	29.82	757.5	...	...	...	...	...
Nagasaki,	,,	29.78	756.5	...	...	NE	1	...	,,	29.76	756.0	...	...	NNE	1	...
Kagoshima,	,,	29.76	756.0	...	...	NE	3	...	,,	29.71	754.5	...	...	NE	2	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.69	754.0	...	...	...	0	...
Naha,	,,	29.70	754.5	...	...	SSW	2	...	,,	29.69	754.0	...	...	ESE	1	...
Ishigakijima,	,,	29.63	752.5	...	...	SSW	4	...	,,	29.59	751.5	...	...	SW	4	...
Bonin Island,	,,	29.92	760.0	...	...	ESE	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.74	755.4	88	80	E	2	b	6	29.72	754.9	80	92	...	0	o
Shanghai,	14	29.65	753.0	86	71	ESE	6	o	,,	29.59	751.5	81	90	ESE	6	o
Gutzlaff,	,,	29.68	753.9	94	79	SE	6	o	,,	29.64	752.8	80	92	SE	7	o
Sharp Peak,	,,	29.33	745.0	78	93	SW	2	r	7	29.42	747.2	80	91	WSW	2	o
Amoy,	,,	29.39	746.5	84	87	WSW	6	o	6	29.46	748.2	81	96	S	4	o
Swatow,	,,	29.49	749.0	88	81	WSW	1	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.47	748.5	75	98	...	o	r	5	29.50	749.4	75	98	...	o	o
Taichu,	,,	29.56	750.9	79	...	WSW	4	r	,,	29.59	751.5	75	...	...	o	o
Tainan,	,,	29.59	751.5	84	...	SSW	4	o	,,	29.58	751.2	79	...	S	4	o
Koshun,	,,	...	...	...	...	...	...	...	,,	29.60	751.8	79	...	...	o	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.54	750.3	81	...	SSW	4	o
Hong Kong,	14	29.53	750.0	89	71	SW	2	c	6	29.55	750.5	82	92	SW	2	cp
Gap Rock,	,,	29.54	750.3	...	...	SW	5	o	,,	29.55	750.5	...	...	SW	5	o
Macao,	,,	29.50	749.4	90	69	WSW	2	o	,,	29.53	750.0	81	96	WSW	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pattas Island,	,,	29.58	751.3	87	79	WSW	4	c	,,	29.59	751.6	82	89	SW	4	o
Phulien,	15	29.53	750.0	84	77	S	4	o	7	29.55	750.6	79	96	...	o	o
Tourane,	,,	29.58	751.2	64	...	E	2	o	,,	29.60	751.8	82	...	SW	2	b
Cape St. James,	,,	29.75	755.7	84	...	SW	6	o	,,	29.78	756.3	77	...	SW	6	b
Basco,	14	29.61	752.1	86	78	WSW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.62	752.4	86	78	NW	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	75	98	S	1	o
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.69	754.2	86	75	SW	4	o	,,	29.71	754.5	77	96	SSE	1	r
Legaspi,	,,	29.68	753.9	90	66	WSW	4	o	,,	29.71	754.5	79	91	SW	2	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	75	88	W	1	b
Iloilo,	,,	29.72	754.8	84	74	SW	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	81	84	...	o	o	,,	29.73	755.1	75	94	SW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	29.78	756.3	78	...	E	2	bc
Guam,	12.22	29.79	756.6	...	...	S	4	r	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	WSW	4	o	5	29.79	756.6	...	...	SW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	29.79	756.6	76	...	ESE	2	bc
Labuan,	14	29.78	756.4	90	77	SW	4	b	6	29.83	757.7	78	86	SW	2	b

August 12*d.* 15*h.* 55*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 28° N. Long. 121° E., moving N.N.W.

August 13*d.* 9*h.* 33*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 29° N. Long. 121° E. moving N.

August 13*d.* 11*h.* 00*m.*—Pressure is highest to the north-east of Hokkaido. The typhoon has entered the coast on a northerly track, and is now situated about 150 miles south of Shanghai.

Shanghai warning. 13*d.* 9*h.* 10*m.*:—Typhoon of unknown intensity within 30 miles of Lat. 29° N. Long. 121° E., moving N. Recd. 13*d.* 9*h.* 20*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·17 inch. Total since January 1st, 42·37 inches, against an average of 58.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel. 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th August, 1929.								14th August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.83	757.7	72	...	SE	7	0	6	29.73	755.1	76	...	SSW	1	f
Nemuro,	11	...	...	...	...	...	...	...	5	30.02	762.5	...	...	SE	1	...
Hokodate,	,,	30.04	763.0	...	...	ESE	3	...	,,	29.92	760.0	...	...	ESE	1	...
Tokio,	,,	29.92	760.0	...	...	NE	1	...	,,	29.94	760.5	...	...	...	0	...
Kochi,	,,	29.82	757.5	...	...	...	0	...	,,	29.80	757.0	...	...	...	0	...
Nagasaki,	,,	29.72	755.0	...	...	NE	1	...	,,	29.69	754.0	...	...	ENE	1	...
Kagoshima,	,,	29.70	754.5	...	...	NE	2	...	,,	29.67	753.5	...	...	ENE	1	...
Oshima,	,,	29.67	753.5	...	...	NNE	1	...	,,	29.65	753.0	...	...	...	...	...
Naha,	,,	29.67	753.5	...	...	SSW	2	...	,,	29.63	752.5	...	...	...	0	...
Ishigakijima,	,,	29.63	752.5	...	...	SW	4	...	,,	29.59	751.5	...	...	SW	3	...
Bonin Island,	,,	29.86	758.5	...	...	SE	1	...	,,	29.86	758.5	...	...	...	...	...
Chefoo,	15	29.67	753.6	92	67	SSE	1	0	6	29.70	754.4	80	96	...	0	0
Shanghai,	14	29.56	750.9	82	84	ESE	6	r	,,	29.50	749.4	79	91	ESE	6	0
Gutzlaff,	,,	29.61	752.1	78	95	SE	6	0	,,	29.56	750.8	78	95	SE	6	0
Sharp Peak,	,,	29.40	746.7	81	87	SW	2	r	7	29.42	747.2	80	96	SW	4	r
Amoy,	,,	29.45	748.0	84	87	S	4	0	6	29.47	748.5	81	92	S	2	0
Swatow,	,,	29.59	751.6	88	77	SW	2	c	,,	29.55	750.5	83	88	SW	2	c
Taihoku,	11	29.56	750.9	77	96	...	0	r	5	29.52	749.7	73	96	S	2	0
Taichu,	,,	29.63	752.7	77	...	ESE	2	r	,,	29.59	751.5	75	...	...	0	0
Tainan,	,,	29.61	752.1	79	...	WSW	4	r	,,	29.55	750.6	77	...	S	2	0
Koshun,	,,	29.63	752.7	84	...	SW	2	0	,,	29.59	751.5	81	...	SW	2	0
Pescadores,	,,	29.59	751.5	82	...	SW	4	0	,,	29.54	750.3	81	...	SSW	4	0
Hong Kong,	14	29.51	749.5	87	71	SSW	3	0	6	29.53	750.0	79	96	NNE	1	0
Gap Rock,	,,	29.53	750.0	...	...	WSW	4	0	,,	29.52	749.8	...	...	SW	4	0
Macao,	,,	29.50	749.4	90	76	SW	2	0	,,	29.48	748.8	81	95	WSW	4	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.58	751.3	84	84	WSW	4	0	,,	29.59	751.6	82	89	SW	4	c
Phulien,	15	29.49	749.1	90	72	WSW	2	0	7	29.53	750.0	77	98	NNW	2	b
Tourane,	,,	29.55	750.6	86	...	NE	2	0	,,	29.54	750.3	82	...	W	2	0
Cape St. James,	,,	29.73	755.1	79	...	W	4	0	,,	29.78	756.3	81	...	SW	6	0
Basco,	14	29.61	752.1	86	78	WSW	4	0	6	29.61	752.1	82	81	WSW	4	0
Aparri,	,,	29.60	751.8	86	71	N	4	0	,,	29.65	753.0	75	91	S	4	0
Tuguegarao,	,,	29.58	751.2	93	57	WNW	1	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.63	752.7	86	75	SW	2	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.55	750.6	82	81	WSW	4	0	,,	29.71	754.5	75	94	E	2	r
Legaspi,	,,	29.53	750.0	86	75	WSW	4	0	,,	29.71	754.5	77	92	SW	2	0
Calboyog,	,,	29.61	753.0	82	81	SW	6	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.69	754.2	74	80	SW	4	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	84	77	SW	6	0	,,	29.76	756.0	79	91	S	2	0
Cebu,	,,	29.56	750.9	86	65	S	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.68	753.9	86	65	SW	4	b	,,	29.75	755.7	79	80	WSW	2	0
Saipan,	...	...	...	...	...	...	...	...	5	29.76	755.9	79	...	ENE	1	b
Guam,	12.22	29.74	755.4	...	...	SW	2	0	4.22	29.75	755.7	...	...	NE	1	b
Yap,	11.00	29.75	755.7	...	...	WSW	4	0	5	29.80	756.9	...	...	...	0	0
Pelew,	...	...	...	...	...	...	...	...	,,	29.79	756.6	80	...	SW	1	be
Ponape,	...	...	...	...	...	...	...	...	,,	29.81	757.2	78	...	ESE	1	r
Labuan,	14	29.81	757.2	88	76	SW	4	b	6	29.83	757.7	83	87	SW	4	b

August 13*d.* 18*h.* 155*m.*—Warning to Hong Kong,:—Typhoon in Lat. 30° N. Long. 119° filling up, position uncertain.

August 14*d.* 10*h.* 47*m.*—Pressure is highest in the Pacific to the east of Hokkaido. The typhoon exists as a depression over the lower Yangtze Valley.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·44 inch. **Total since January 1st,** 42·81 inches, against an average of 58.69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, moderate; fair to showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th August, 1929.								15th August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.69	754.0	81	...	SW	3	o	6	29.71	754.5	72	...	...	0	o
Nemuro,	11	20.61	752.0	...	...	S	1	...	5	29.86	758.5	...	...	S	3	...
Hokodate,	,,	29.86	758.5	...	...	SE	1	...	,,	29.78	756.5	...	...	...	...	...
Tokio,	,,	20.00	759.5	...	...	S	1	...	,,	29.84	758.0	...	...	...	...	...
Kochi,	,,	29.69	754.0	...	...	E	1	...	,,	...	...	...	...	N	2	...
Nagasaki,	,,	29.67	753.5	...	...	E	1	...	,,	29.59	751.5	...	...	WSW	1	...
Kagoshima,	,,	29.63	752.5	...	...	NW	1	...	,,	29.59	751.5	...	...	W	1	...
Oshima,	,,	29.63	752.5	...	...	NE	1	...	,,	29.65	753.0	...	...	...	0	...
Naha,	,,	20.67	753.5	...	...	SW	2	...	,,	29.63	752.5	...	...	S	1	...
Ishigakijima,	,,	29.63	752.5	...	...	SW	3	...	,,	29.59	751.5	...	..	SW	3	...
Bonin Island,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.66	753.3	80	87	E	1	of	6	29.62	752.3	77	95	N	1	o
Shanghai,	14	29.47	748.5	79	95	ESE	4	r	,,	29.28	743.7	77	100	SSE	4	o
Gutzlaff,	,,	29.53	750.0	78	92	SE	7	o	,,	29.35	745.5	77	100	SSE	8	r
Sharp Peak,	,,	29.43	747.5	81	96	SW	2	r	7	29.45	748.0	81	91	SW	1	o
Amoy,	,,	29.46	748.2	86	84	SSW	4	o	6	...	...	...	...	...	...	...
Swatow,	,,	29.55	750.5	85	88	SSE	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.58	751.2	81	87	SSE	2	o	5	29.53	750.0	75	94	...	o	o
Taichu,	,,	29.67	753.6	75	...	S	2	r	,,	29.62	752.4	75	...	...	o	o
Tainan,	,,	29.63	752.7	79	...	SSE	2	o	,,	29.60	751.8	77	...	ESE	2	o
Koshun,	,,	29.63	752.7	86	...	WSW	2	o	,,	29.61	752.1	75	...	SW	2	o
Pescadores,	,,	29.59	751.5	84	...	SSW	4	o	,,	29.56	750.9	75	...	S	4	o
Wong Kong,	14	29.53	750.0	84	86	SSW	3	odt	6	29.53	750.0	81	96	W	2	ort
Gap Rock,	,,	29.52	749.8	...	...	SW	5	o	,,	29.55	750.5	...	...	SW	4	c
Macao,	,,	29.52	749.7	84	81	NW	4	o	,,	29.52	749.7	79	98	SW	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	.	...	...	...	...	...
Pratas Island,	,,	29.59	751.6	88	78	SW	4	bc	,,	29.58	751.3	82	81	SSW	4	c
Phulien,	15	20.47	747.5	90	72	SW	4	o	7	29.55	750.6	77	96	NW	4	o
Tourane,	,,	29.55	750.6	86	...	NNE	2	o	,,	29.58	751.2	82	...	SW	2	o
Cape St. James,	,,	29.74	755.4	82	...	SW	4	o	,,	29.78	756.3	77	...	SW	4	o
Basco,	14	29.61	752.1	86	75	WSW	4	o	6	29.62	752.4	81	86	SW	4	o
Aparri,	,,	29.61	752.1	84	81	NNW	4	o	,,	29.63	752.7	75	92	S	4	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.66	753.3	75	88	SW	2	o
Manila,	,,	29.69	754.2	84	77	SW	4	o	,,	29.73	755.1	75	96	...	o	o
Legaspi,	,,	29.66	753.3	86	71	SW	4	o	,,	29.73	755.1	77	92	...	o	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	81	89	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	77	89	NW	1	b
Iloilo,	,,	29.69	754.2	81	80	SSW	4	o	,,	29.76	756.0	77	96	S	1	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	81	73	S	2	o
Surigao,	,,	29.71	754.5	86	65	WSW	4	o	,,	29.76	756.0	73	94	SSW	1	d
Saipan,	...	...	...	...	...	...	...	...	5	29.78	756.3	79	...	NE	1	b
Guam,	12.22	29.75	755.7	...	...	SE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	WSW	4	o	5	29.81	757.2	...	...	NW	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.5	80	...	WSW	1	r
Ponape,	...	...	...	...	...		...	...	,,	29.80	756.9	78	...	SSE	1	bc
Labuan,	14	29.71	754.6	88	76	SW	4	b	6	29.83	757.7	77	94	...	o	b

August 15*d*. 10*h*. 32*m*.—Pressure is highest in the Pacific to the east of Japan. The depression over the lower Yangtze Valley is of considerable intensity, and appears to be central less than 100 miles westward of Shanghai.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·45 inch. Total since January 1st, 43·26 inches, against an average of 59.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th August, 1929.								16th August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	29.67	753.5	...	...	S	1	...
Hokodate,	"	29.72	755.0	...	...	SE	1	...	"	29.59	751.5	...	...	N	1	...
Tokio,	"	29.78	756.5	...	...	S	4	...	"	29.57	751.0	...	...	SSW	5	...
Kochi,	"	29.45	748.0	...	...	WNW	2	...	"	29.73	755.0	...	...	...	0	...
Nagasaki,	"	29.59	751.5	...	...	SW	2	...	"	...	..	...	...	SSE	2	...
Kagoshima,	"	29.61	752.0	...	...	W	2	...	"	29.67	753.5	...	...	SE	1	...
Oshima,	"	29.67	753.5	...	...	SSW	1	...	"	29.67	753.5	...	...	SSW	1	...
Naha,	"	29.65	753.0	...	...	S	2	...	"	29.65	753.0	...	...	S	2	...
Ishigakijima,	"	29.61	752.0	...	...	SW	3	...	"	29.57	751.0	...	...	SW	4	...
Bonin Island,	"	29.88	759.0	...	...	SE	1	...	"	29.92	760.0	...	...	...	...	...
Chefoo,	15	29.57	751.1	84	79	NE	2	b	6	29.50	749.3	78	92	NE	4	o
Shanghai,	14	29.24	742.8	82	77	SW	2	o	"	29.40	746.7	77	91	W	6	r
Gutzlaff,	"	29.32	744.7	81	87	S	6	r	"	29.47	748.5	77	93	W	6	o
Sharp Peak,	"	29.44	747.8	81	89	SW	2	r	7	29.51	749.5	81	91	SW	1	b
Amoy,	"	29.50	749.3	81	96	S	4	r	6	29.53	750.0	80	87	SW	2	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	11	29.50	749.4	93	59	SW	2	b	5	29.55	750.6	75	96	...	o	b
Taichu,	"	29.66	753.3	82	...	SSW	4	o	"	29.62	752.4	75	...	...	o	r
Taiman,	"	29.65	753.0	77	...	WSW	4	r	"	29.61	752.1	77	...	WSW	2	r
Koshun,	"	29.62	752.4	84	...	W	2	o	"	29.60	751.8	79	...	SW	2	r
Pescadores,	"	29.59	751.5	81	...	SW	4	o	"	29.56	750.9	79	...	SW	2	o
Hong Kong,	14	29.53	750.0	86	80	SW	1	opt	6	29.56	750.8	78	95	...	o	or
Gap Rock,	"	29.54	750.3	...	...	SW	4	o	"	29.55	750.5	...	...	SW	4	o
Macao,	"	29.53	750.0	77	95	N	2	r	"	29.52	749.7	79	95	...	o	o
Hoihow,	"	..	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.59	751.6	84	87	SW	5	o	"	29.58	751.3	82	91	SW	4	o
Phulien,	15	29.52	749.7	84	81	WNW	2	o	7	29.56	750.8	77	...	NNW	4	c
Tourane,	"	29.56	750.9	90	...	SE	1	of	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	..	"	...	..	...	...		...	...
Basco,	14	29.61	752.1	86	75	SW	4	o	6	29.62	752.4	79	80	WSW	4	o
Aparri,	"	29.61	752.1	90	63	SE	2	o	"	29.67	753.6	75	92	S	4	o
Tuguegarao,	"	29.62	752.4	90	56	NW	1	r	"	29.67	753.6	75	98	...	o	o
Vigan,	"	29.68	753.9	79	92	SW	2	r	"	29.68	753.9	79	80	WSW	2	o
Manila,	"	29.72	754.8	84	74	SW	4	o	"	29.74	755.4	77	96	...	o	o
Legaspi,	"	29.68	753.9	90	63	SSW	4	o	"	29.73	755.1	77	94	...	o	b
Calbayog,	"	29.72	754.5	90	63	SW	4	b	"	29.76	756.0	75	96	...	o	o
Tacloban,	"	29.71	754.5	86	71	S	2	o	"	29.76	756.0	77	89	NW	1	b
Iloilo,	"	29.74	755.4	86	71	SW	4	b	"	29.76	756.0	77	96	S	2	b
Cebu,	"	29.72	754.8	86	65	ESE	6	b	"	29.75	755.7	79	80	SW	2	b
Surigao,	"	29.72	754.8	86	65	NW	2	o	"	29.75	755.7	73	94	...	o	o
Saipan,	...	...	...	...	...	..	...	...	5	29.76	756.0	79	...	SE	2	c
Guam,	12.22	29.74	755.4	...	...	NE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	WNW	2	o	5	29.79	756.6	...	...	NW	2	o
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	29.86	758.4	78	...	SSW	1	r
Labuan,	14	29.80	756.9	88	69	NE	4	b	6	29.78	756.4	84	79	SW	4	b

August 16*d*. 10*h*. 41*m*.– Pressure is now highest to the east of the Bonins; the depression is situated in the Yellow Sea between Shantung and the mouth of the Yangtze, moving north-eastward. Another depression is crossing Japan between Tokio and Hakodate.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 6·54 inch. Total since January 1st, 49·80 inches, against an average of 59.71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lambocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th August, 1929.								17th August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.65	753.1	78	...	...	0	0	6	29.65	753.2	70	...	...	0	0
Nemuro,	11	29.63	752.5	...	...	WSW	1	...	5	29.41	747.0	...	...	NNE	5	...
Hokodate,	"	29.53	750.0	...	...	NNE	1	...	"	29.63	752.5	...	...	NNW	1	...
Tokio,	"	29.61	752.0	...	...	SSW	2	...	"	29.73	755.0	...	...	SW	1	...
Kochi,	"	29.76	756.0	...	...	...	0	...	"	29.78	756.5	...	...	E	1	...
Nagasaki,	"	29.67	753.5	...	...	SSE	5	...	"	29.69	754.0	...	...	SW	3	...
Kagoshima,	"	29.70	754.5	...	...	SSE	1	...	"	29.73	755.0	...	...	WSW	1	...
Oshima,	"	29.69	754.0	...	...	S	1	...	"	29.86	758.5	...	...	...	...	...
Saki,	"	29.67	753.5	...	...	SSW	3	...	"	29.69	754.0	...	...	SSE	1	...
Ishigakijima,	"	29.63	752.5	...	...	SW	2	...	"	29.63	752.5	...	...	WSW	2	...
Bonin Island,	"	29.90	759.5	...	...	WNW	2	...	"	29.92	760.0	...	...	...	0	...
Chefoo,	15	29.48	748.8	86	84	N	2	b	6	29.56	750.8	75	95	WNW	4	b
Shanghai,	14	29.54	750.3	84	85	W	4	0	"	29.67	753.6	75	98	W	1	0
Sutzlaff,	"	29.59	751.6	80	87	WNW	6	0	"	29.73	755.1	78	92	WNW	2	0
Sharp Peak,	"	29.52	749.8	86	80	S	2	b	7	29.64	752.8	80	96	...	0	0
Amoy,	"	29.51	749.5	86	80	SE	4	b	6	29.55	750.5	81	92	S	2	0
Swatow,	"	29.55	750.5	85	84	SSW	2	c	"	29.56	750.8	79	95	SW	2	0
Taihoku,	11	29.58	751.2	86	71	NW	2	0	5	29.62	752.4	75	...	...	0	0
Taichu,	"	29.63	752.7	81	...	S	2	0	"	29.63	752.7	75	...	...	0	0
Tainan,	"	29.63	752.7	82	...	SSE	2	0	"	29.61	752.1	75	...	S	2	r
Koshun,	"	29.66	753.3	77	...	WNW	2	r	"	29.63	752.7	77	...	...	0	0
Pescadores,	"	29.61	752.1	81	...	S	4	0	"	29.59	751.5	77	...	SSW	4	0
Wong Kong,	14	29.58	751.3	73	96	...	0	or	6	29.57	751.1	77	97	NW	3	or
Gap Rock,	"	29.58	751.3	...	...	SW	4	or	"	29.55	750.5	...	...	W	4	0
Macao,	"	29.56	750.9	77	100	WSW	2	r	"	29.53	750.0	77	98	WNW	2	r
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.62	752.3	75	95	NW	5	rr	"	29.59	751.6	81	91	SW	4	0
Phulien,	15	29.53	750.0	86	85	SW	2	0	7	29.58	751.2	77	98	NW	4	0
Tourane,	"	29.59	751.5	86	...	N	2	0	"	29.63	752.7	82	...	S	2	0
Cape St. James,	"	29.74	755.4	82	...	SW	4	0	"	29.80	756.9	75	...	SSW	4	0
Basco,	14	29.63	752.7	84	77	SW	4	0	6	29.67	753.6	77	92	SW	4	r
Aparri,	"	29.63	752.7	84	81	SSE	4	0	"	29.67	753.6	77	94	S	2	0
Tuguegarao,	"	29.66	753.3	86	78	...	0	0	"	...	...	...	...	...	...	...
Vigan,	"	...	...	...	...	...	...	...	"	29.71	754.5	79	84	SSW	2	0
Manila,	"	29.72	754.8	86	68	SW	4	0	"	29.75	755.7	75	83	W	2	0
Legaspi,	"	29.68	753.9	90	60	SW	4	0	"	29.73	755.1	79	89	SW	1	b
Caiboyog,	"	...	...	...	...	...	...	...	"	29.75	755.7	73	94	NW	1	0
Tacloban,	"	29.73	755.1	81	76	N	2	0	"	29.73	755.1	79	87	N	1	b
Iloilo,	"	29.73	755.1	86	71	SW	4	0	"	29.75	755.7	77	96	...	0	0
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.72	754.8	90	63	NNW	2	0	"	29.76	756.0	75	94	S	1	0
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.71	754.5	...	...	NE	2	0	4.22	29.72	754.8	...	...	ESE	1	b
Yap,	11.00	29.75	755.7	...	...	NNE	2	0	5	29.78	756.3	...	...	NNE	2	0
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Labuan,	14	29.89	759.2	90	92	NE	2	b	6	29.84	757.9	76	94	SW	2	b

August 17*d.* 10*h.* 45*m.*—Pressure is highest near the Bonins and relatively low over S. China. Depressions are situated over Korea, and to the east of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·93 inch. Total since January 1st, 51·73 inches, against an average of 60.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.W. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th August, 1929.								18th August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.58	751.4	79	...	NNW	2	0	6	29.69	754.0	74	...	W	1	b
Nemuro,	11	29.57	751.0	...	...	NW	3	...	5	29.63	752.5	...	...	E	1	...
Hokodate,	"	29.63	752.5	...	...	WSW	2	...	"	29.31	744.5	...	...	WSW	5	...
Tokio,	"	29.69	754.0	...	...	SW	3	...	"	29.67	753.5	...	...	SW	2	...
Kochi,	"	29.78	756.5	...	...	S	1	...	"	29.82	757.5	...	...	...	...	...
Nagasaki,	"	29.74	755.5	...	...	WSW	2	...	"	29.82	757.5	...	...	SSW	1	...
Kagoshima,	"	29.74	755.5	...	...	S	1	...	"	29.82	757.5	...	...	...	0	...
Oshima,	"	29.74	755.5	...	...	S	1	...	"	29.78	756.5	...	...	S	1	...
Naha,	"	29.70	754.5	...	...	SE	2	...	"	29.69	754.0	...	...	SE	2	...
Ishigakijima,	"	29.67	753.5	...	...	SW	2	...	"	29.67	753.5	...	...	S	1	...
Bonin Island,	"	29.90	759.5	...	...	SE	1	...	"	29.90	759.5	...	...	...	0	...
Chefoo,	15	29.61	752.1	86	76	NNW	4	b	6	29.75	755.6	72	92	SSW	1	0
Shanghai,	14	29.69	754.2	93	64	SSW	1	b	"	29.75	755.7	75	100	ESE	1	b
Gutzlaff,	"	29.76	755.9	84	79	...	0	0	"	29.79	756.6	77	100	SE	2	b
Sharp Peak,	"	29.59	751.6	86	84	SE	1	0	7	29.63	752.6	81	91	N	2	0
Amoy,	"	29.55	750.5	86	84	SE	4	0	6	29.58	751.3	80	92	NE	2	0
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	11	29.65	753.0	90	69	E	2	0	5	29.63	752.7	73	96	...	0	b
Taichu,	"	29.66	753.3	90	...	SW	2	0	"	29.65	753.0	73	...	...	0	b
Tainan,	"	29.65	753.0	77	...	SE	2	r	"	29.62	752.4	75	...	SE	2	0
Koshun,	"	29.65	753.0	86	...	SW	2	0	"	29.63	752.7	75	...	..	0	0
Pescadores,	"	29.63	752.7	79	...	S	4	r	"	...		77	...	...	0	0
Hong Kong,	14	29.57	751.1	81	81	SW	3	0	6	29.51	749.5	78	92	...	0	0
Gap Rock,	"	29.57	751.6	...	...	WSW	4	0	"	29.51	749.5	...	...	WSW	4	od
Macao,	"	29.54	750.3	79	91	SW	4	0	"	29.48	748.8	77	92	SSW	2	r
Hothow,	"	.	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.62	752.3	80	89	W	4	0	"	29.60	751.8	80	90	SW	3	0
Phulien,	15	29.54	750.3	86	78	NW	4	0	7	...	...	...	...	...	...	...
Tourane,	"	29.63	752.7	82	...	N	2	0	"	29.60	751.8	82	...	W	2	d
Cape St. James,	"	...	...	...	...	...	...	...	"	29.74	755.4	79	...	WSW	4	0
Basco,	14	29.63	752.7	84	77	WSW	4	0	6	...	...	...	...	...	...	...
Aparri,	"	29.65	753.0	82	81	...	0	0	"	...	...	...	...	...	...	...
Tuguegarao,	"	29.65	753.0	86	68	N	1	0	"	...	...	...	...	...	...	...
Vigan,	"	29.69	754.2	82	77	SW	4	0	"	...	...	...	...	...	...	...
Manila,	"	29.73	755.1	86	75	SW	4	0	"	29.73	755.1	81	87	W	4	0
Legaspi,	"	29.67	753.6	90	63	SSW	4	0	"	...	...	...		...	...	...
Caiboyog,	"	...	...	...	...	...	...	...	"	29.71	754.5	79	91	SW	2	0
Tacloban,	"	29.69	754.2	80	72	S	2	b	"	29.74	755.4	77	85	NE	1	0
Iloilo,	"	29.71	754.5	86	71	SW	4	0	"	29.74	755.4	81	84	SW	4	0
Cebu,	"	29.69	754.2	90	60	SE	1	0	"	29.73	755.1	79	80	...	0	0
Surigao,	"	29.71	754.5	86	61	WSW	4	b	"	29.72	754.8	79	95	SW	1	0
Saipan,	...	...	...	...	...	...	...	...	5	29.72	754.8	79	...	E	2	bc
Guam,	12.22	29.71	754.5	...	...	S	1	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.73	755.1	...	...	WSW	1	0	5	29.74	755.4	...	...	NW	2	0
Pelew,	...	...	...	...	...	...	...	...	"	29.75	755.7	78	...	...	0	bc
Ponape,	...	...	...	...	...	...	...	...	"	29.80	756.9	76	...	SE	2	b
Labuan,	14	29.81	757.2	88	75	W	4	b	6	29.83	757.7	83	79	...	0	b

August 18d. 11h. com.— Pressure continues to be highest in the vicinity of the Bonins, and relatively low over S. China and Tongking. The eastern depression has passed into the Pacific; the western is crossing Hokkaido on a north-east track.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·22 inch. Total since January 1st, 52·95 inches, against an average of 60.65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S. winds, moderate; cloudy, rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	19th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.70	754.4	83	...	NW	1	or	6	29.81	757.2	70	...	...	0	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.73	755.0	..	...	W	1	...
Hokodate,	"	29.55	750.5	...	...	W	6	...	"	29.78	756.5	..	...	...	0	...
Tokio,	"	29.65	753.0	...	...	S	1	...	"	29.84	758.0	..	...	NE	1	...
Kochi,	"	29.82	757.5	...	...	SE	1	...	"	29.86	758.5	...	...	...	0	...
Nagasaki,	"	29.86	758.5	...	...	SSW	1	...	"	29.90	759.5	..	...	SW	1	...
Kagoshima,	"	29.84	758.0	...	...	SSE	1	...	"	29.90	759.5	..	...	...	0	...
Oshima,	"	29.80	757.0	...	...	S	1	...	"	29.88	759.0	...	...	SE	1	...
Naha,	"	29.76	756.0	...	...	S	3	...	"	29.82	757.5	...	...	ESE	1	...
Ishigakijima,	"	29.69	754.0	...	...	SSE	2	...	"	29.75	755.5	..	..	SE	2	...
Bonin Island,	"	29.88	759.0	...	...	E	1	...	"	29.86	758.5	...	...	...	0	...
Chefoo,	15	29.72	754.9	84	75	NE	1	b	6	29.77	756.1	77	92	...	0	b
Shanghai,	14	29.75	755.7	86	61	SE	2	b	"	29.80	756.9	77	100	ESE	2	b
Gutzlaff,	"	29.81	757.2	83	87	SE	4	b	"	29.88	758.9	78	100	SE	2	b
Sharp Peak,	"	29.52	749.8	86	92	E	1	b	7	29.62	752.3	80	96	ESE	4	r
Amoy,	"	29.60	751.8	86	84	SSE	1	b	6	29.65	753.1	80	96	NE	2	r
Swatow,	"	29.61	752.1	81	96	E	2	c	"	...	...	...	...	...	...	...
Taihoku,	11	29.63	752.7	90	60	E	2	b	5	29.67	753.6	79	84	ESE	2	b
Taichu,	"	29.67	753.6	90	...	...	0	b	"	29.69	754.2	84	...	..	0	o
Taiwan,	"	29.65	753.0	86	...	SW	2	o	"	29.67	753.6	75	...	...	0	o
Koshun,	"	29.66	753.3	84	...	...	c	o	"	29.67	753.6	75	...	...	0	r
Pescadores,	"	29.66	753.3	82	...	WNW	2	o	"	29.67	753.6	79	...	...	0	b
Hong Kong,	14	29.51	749.5	82	84	SE	2	o	6	29.57	751.1	79	91	SE	2	o
Gap Rock,	"	29.51	749.5	...	...	S	4	or	"	29.55	750.5	...	...	SE	4	o
Macao,	"	29.42	747.3	82	90	S	2	o	"	29.52	749.7	77	96	SE	4	o
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.59	751.6	82	87	S	3	od	"	29.65	753.1	79	91	S	3	c
Phulien,	15	29.48	748.8	86	81	W	4	o	7	29.49	749.1	75	...	WNW	6	or
Tourane,	"	29.58	751.2	86	...	NW	4	o	"	29.56	750.7	79	...	NW	4	o
Cape St. James,	"	...	...	...	...	...	...	...	"	29.79	756.6	77	...	SW	4	c
Basco,	14	29.62	752.4	86	75	WSW	4	o	6	29.63	752.7	77	89	WNW	4	o
Aparri,	"	29.65	753.0	84	74	SSW	2	o	"	29.67	753.6	75	91	S	2	o
Tuguegarao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	...	...	...	...	...	...	...	"	29.68	753.9	75	89	WSW	1	o
Manila,	"	29.69	754.2	82	81	WSW	4	o	"	29.74	755.4	75	94	SE	1	o
Legaspi,	"	29.66	753.3	90	60	WSW	4	b	"	29.73	755.1	75	96	...	0	o
Calloyog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	29.74	755.4	77	91	...	0	b
Iloilo,	"	29.68	753.9	86	71	SW	4	o	"	29.75	755.7	79	91	S	4	o
Cebu,	"	...	...	...	...	...	...	...	"	29.76	756.0	79	80	SW	1	o
Surigao,	"	29.68	753.9	86	65	WSW	2	o	"	29.75	755.7	77	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.72	754.9	80	...	ESE	1	bc
Guam,	12.22	29.66	753.3	...	...	N	2	o	4.22	29.71	754.5	...	...	SE	1	o
Yap,	11.00	29.69	754.2	...	...	WNW	2	o	5	29.73	755.1	...	...	W	1	o
Pelew,	...	...	...	...	...	...	...	...	"	..	.	79	...	...	0	c
Ponape,	...	...	...	...	...	...	...	...	"	29.80	756.9	78	...	...	0	b
Labuan,	14	29.82	757.4	80	74	...	0	o	6	29.84	757.9	76	94	NW	2	b

August 19*d.* 10*h.* 30*m.*—Warning to Hong Kong, and Phulien:—Depression of unknown intensity within 60 miles of Lat. 20° N. Long. 108° E., moving W.

August 19*d.* 10*h.* 35*m.*—A weak anticyclone is central over S. Japan. A depression of considerable intensity has developed over the Gulf of Tongking; it will probably move westwards.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·27 inch. Total since January 1st, 53·22 inches, against an average of 61.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	S.E. winds, fresh; cloudy, showery.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th August, 1929.								20th August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivosteck,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	13	29.74	755.5	...	...	W	1	...	5	29.88	759.0	...	...	...	...	...
Hokodate,	"	29.76	756.0	...	...	SSE	1	...	"	29.86	758.5	...	...	NW	1	...
Tokio,	"	29.88	759.0	...	...	ENE	1	...	"	29.90	759.5	...	...	...	...	...
Kochi,	"	29.88	759.0	...	...	SE	1	...	"	29.92	760.0	...	...	...	...	...
Nagasaki,	"	29.92	760.0	...	...	SW	1	...	"	29.94	760.5	...	...	WSW	1	...
Kagoshima,	"	29.92	760.0	...	...	NNW	1	...	"	29.94	760.5	...	...	WNW	1	...
Oshima,	"	29.90	759.5	...	...	SSE	1	...	"	29.92	760.0	...	...	...	...	...
Naha,	"	29.86	758.5	...	...	E	2	...	"	29.88	759.0	...	...	...	...	...
Ishigakijima,	"	29.78	756.5	...	...	SE	3	...	"	29.82	757.5	...	...	SSE	1	...
Bonin Island,	"	29.88	759.0	...	...	NE	1	...	"	29.84	758.0	...	...	ENE	1	...
Chefoo,	15	29.72	754.9	92	74	E	1	o	6	29.82	757.5	78	95	NW	1	o
Shanghai,	14	29.84	757.8	93	67	SSE	1	b	"	29.88	759.0	77	96	SSE	2	b
Gutzlaff,	"	29.90	759.4	83	83	SSE	4	b	"	29.95	760.7	78	92	SSE	2	b
Sharp Peak,	"	29.72	754.9	83	91	ENE	4	o	7	29.78	756.4	81	91	NNE	4	o
Amoy,	"	29.69	754.1	86	82	SSE	1	b	6	29.72	754.9	80	96	ENE	1	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	11	29.73	755.1	93	61	ESE	4	b	5	29.74	755.4	79	80	E	4	b
Taichu,	"	29.74	755.4	90	...	...	o	b	"	29.74	755.4	75	...	...	o	o
Tainan,	"	29.73	755.1	86	...	WSW	2	b	"	29.72	754.8	77	...	...	o	b
Koshun,	"	29.72	754.8	82	...	NNE	4	r	"	29.75	755.7	75	...	ENE	2	r
Pescadores,	"	29.74	755.4	84	...	WSW	2	b	"	29.71	754.5	79	...	...	o	b
Hong Kong,	14	29.64	752.8	77	87	S	3	cp	6	29.72	754.8	77	91	E	2	c
Gap Rock,	"	29.62	752.3	...	...	SSE	5	o	"	29.71	754.5	...	...	E	4	c
Macao,	"	29.59	751.5	84	71	SSE	4	o	"	29.68	753.9	77	96	ESE	2	o
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.69	754.1	84	80	S	2	o	"	29.70	754.4	77	95	...	o	o
Phulien,	15	29.43	747.5	77	92	NW	8	r	7	29.57	751.1	75	...	SSE	4	or
Tourane,	"	...	...	...	...	...	...	...	"	29.62	752.4	81	...	S	2	of
Cape St. James,	"	...	...	...	...	...	...	...	"	29.79	756.6	79	...	SSW	6	ch
Basco,	14	29.59	751.5	84	81	NW	2	o	6	29.71	754.5	75	91	SE	4	r
Aparri,	"	29.63	752.7	84	77	S	2	o	"	29.71	754.5	73	96	S	2	r
Tuguegarao,	"	29.66	753.3	86	68	S	1	o	"	...	...	...	...	...	...	...
Vigan,	"	29.68	753.9	82	74	SSW	4	o	"	...	...	...	...	...	...	...
Manila,	"	29.72	754.8	84	74	SW	4	o	"	29.75	755.7	75	89	W	4	r
Legaspi,	"	29.69	754.2	86	71	SW	4	o	"	29.75	755.7	77	94	...	o	o
Calbayog,	"	29.72	754.8	86	65	SW	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.72	754.8	86	75	SSW	4	o	"	29.78	756.3	77	91	SW	1	b
Cebu,	"	29.71	754.5	86	61	S	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.69	754.2	90	57	WSW	2	b	"	29.78	756.3	75	92	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.69	754.2	...	...	SW	1	o	4.22	29.71	754.5	...	...	SE	1	o
Yap,	11.00	29.72	754.8	...	...	NW	1	r	5	29.75	755.7	...	...	N	1	o
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Labuan,	14	29.70	754.4	86	84	SW	4	b	6	29.84	757.9	80	74	...	o	b

August 20d. 11h. 35m.—The anticyclone remains over Japan; the depression has entered the coast and is now situated to the west of Haiphong. A shallow secondary covers the north part of the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·57 inch. Total since January 1st, 53·79 inches, against an average of 61.52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21ST.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; fair to showery.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Haiman,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	21st August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.63	752.6	82	...	W	4	c	6	29.65	753.1	73	...	SE	1	b
Nemuro,	11	29.88	759.0	...	...	...	...	...	5	29.80	757.0	..	...	SE	1	...
Hokodate,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.65	753.0	..	..	...	0	...
Tokio,	,,	29.86	758.5	...	...	S	1	...	,,	29.76	756.0	..	..	...	0	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.82	757.5	..	...	...	0	...
Nagasaki,	,,	29.94	760.5	...	...	W	1	...	,,	29.86	758.5	..	...	...	...	...
Kagoshima,	,,	29.92	760.0	...	...	W	1	...	,,	29.86	758.5	..	...	...	0	...
Oshima,	,,	29.92	760.0	...	...	N	1	...	,,	29.88	759.0	..	...	SSE	1	...
Naha,	,,	29.88	759.0	...	...	E	2	...	,,	29.84	758.0	..	...	ESE	1	...
Ishigakijima,	,,	29.84	758.0	...	...	SE	2	...	,,	29.82	757.5	..	..	SSE	1	...
Bonin Island,	,,	29.84	758.0	...	...	ENE	1	...	,,	29.80	757.0	...	...	E	1	...
Chefoo,	15	29.81	757.2	84	65	NW	1	o	6	29.79	756.5	72	81	NW	1	o
Shanghai,	14	29.87	758.7	90	66	SSE	2	b	,,	29.82	757.5	75	98	SSE	1	b
Gutzlaff,	,,	...	...	83	83	SSE	4	b	,,	29.87	758.7	78	86	SSW	4	b
Sharp Peak,	,,	29.58	751.3	86	84	NE	2	b	7	29.77	756.1	81	91	NE	2	b
Amoy,	,,	29.74	755.4	90	77	E	4	b	6	29.74	755.4	81	83	NE	1	b
Swatow,	,,	29.78	756.4	84	84	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.75	755.7	93	64	ESE	6	b	5	29.74	755.4	75	79	E	4	b
Taichu,	,,	29.78	756.3	90	...	...	0	b	,,	29.74	755.4	77	...	...	0	o
Tainan,	,,	29.75	755.7	90	...	NNW	2	b	,,	29.72	754.8	75	...	...	0	o
Koshun,	,,	29.78	756.3	79	...	ESE	2	r	,,	29.74	755.4	75	...	ENE	4	r
Pescadores,	,,	29.75	755.7	86	...	SW	4	b	,,	29.72	754.8	79	...	NW	2	b
Hong Kong,	14	29.75	755.6	84	72	E	3	c	6	29.72	754.9	78	87	...	0	o
Gap Rock,	,,	29.76	755.9	...	...	E	4	c	,,	29.72	754.9	...	...	NE	4	b
Macao,	,,	29.73	755.1	90	72	SE	2	o	,,	29.71	754.5	77	91	NNE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.70	754.4	79	91	NNE	4	or	,,	29.71	754.5	79	87	E	5	bc
Phulien,	15	29.61	752.1	82	81	SSE	6	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.63	752.7	86	...	S	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.69	754.2	75	92	SE	4	r	6	29.69	754.2	79	89	ESE	4	o
Aparri,	,,	29.69	754.2	79	84	SSE	4	●	,,	29.68	753.9	75	92	SSE	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.68	753.9	73	96	...	●	o
Vigan,	,,	29.69	754.2	79	84	SSW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	84	74	SW	4	o	,,	29.76	756.0	79	96	SE	1	o
Legaspi,	,,	29.72	754.8	90	69	SW	2	o	,,	29.75	755.7	75	94	...	0	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	90	69	S	4	o	,,	29.78	756.3	75	91	NW	2	b
Iloilo,	,,	29.74	755.4	90	72	SSW	4	o	,,	29.78	756.3	75	96	...	0	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	79	85	...	0	o
Surigao,	,,	29.73	755.1	86	58	W	2	o	,,	29.75	755.7	77	92	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	29.77	756.1	79	...	SSE	2	bc
Guam,	12.22	29.68	753.9	...	...	S	1	o	4.22	29.74	755.4	...	...	S	1	b
Yap,	11.00	...	...	...	...	...	...	...	5	29.78	756.3		...	...	0	●
Pelew,	...	...	...	...	...	...	...	...	,,	29.77	756.1	78	...	W	4	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	76	...	W	5	bc
Labuan,	14	29.79	756.6	88	84	SW	4	b	6	29.83	757.7	77	86	...	0	b

August 20*d.* 17*h.* 50*m.*—Warning to Hong Kong, Coast Ports, &c.:—Depression or typhoon forming in Lat. 19° N. Long. 119° E., position uncertain.

August 21*d.* 7*h.* 46*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 30 miles of Lat. 19° N. Long. 118° E. moving W.

August 21*d.* 11*h.* 08*m.*—The anticyclone remains over Japan, and has weakened. A depression or typhoon has formed about 120 miles S.S.E. of Pratas, and appears to be moving slowly westward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 53·79 inches, against an average of 61.95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair at first, cloudy with rain later.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	22nd August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.59	751.5	79	...	SW	2	b	6	29.64	752.9	69	...	SE	3	o
Nemuro,	11	29.72	755.0	...	...	SE	3	...	5	29.61	752.0	...	...	NE	1	...
Hokodate,	,,	29.63	752.5	...	...	S	1	...	,,	29.59	751.5	...	...	WNW	1	...
Tokio,	,,	29.69	754.0	...	...	S	1	...	,,	29.63	752.5	...	...	...	0	...
Kochi,	,,	29.78	756.5	...	...	E	1	...	,,	29.75	755.5	...	...	...	...	...
Nagasaki,	,,	29.86	758.5	...	...	W	1	...	,,	29.78	756.5	...	...	W	1	...
Kagoshima,	,,	29.84	758.0	...	...	NNW	1	...	,,	29.78	756.5	...	...	...	0	...
Oshima,	,,	29.86	758.5	...	...	NNE	1	...	,,	29.78	756.5	...	...	S	1	...
Naha,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.76	756.0	...	...	SE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	SSE	3	...	,,	29.76	756.0	...	...	S	1	...
Bonin Island,	,,	29.76	756.0	...	...	E	1	...	,,	29.73	755.0	...	...	SE	2	...
Chefoo,	15	29.75	755.6	86	58	NW	1	b	6	29.79	756.6	68	85	W	1	b
Shanghai,	14	29.76	756.0	93	57	S	1	b	,,	29.75	755.7	75	100	...	0	b
Gutzlaff,	,,	29.84	757.9	83	83	SSW	4	b	,,	29.85	758.2	78	95	SSW	2	b
Sharp Peak,	,,	29.74	755.4	84	81	ENE	2	b	7	29.71	754.6	80	87	N	1	o
Amoy,	,,	29.70	754.4	88	76	SSE	4	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.74	755.4	93	59	SE	4	b	5	29.68	753.9	73	92	...	0	...
Taichu,	,,	29.78	756.3	90	...	SSW	2	o	,,	29.75	755.7	73	...	...	0	o
Tainan,	,,	29.75	755.7	86	...	WSW	2	o	,,	29.68	753.9	77	...	...	0	o
Koshun,	,,	29.75	755.7	81	...	NE	4	r	,,	29.72	754.8	77	...	E	2	o
Pescadores,	,,	29.76	756.0	82	...	WSW	2	r	,,	29.71	754.5	79	...	S	2	o
Hong Kong,	14	29.69	754.1	86	67	E	2	o	6	29.56	750.8	79	80	N	3	cd
Gap Rock,	,,	29.69	754.1	...	...	NE	4	c	,,	29.58	751.3	...	...	NW	4	o
Macao,	,,	29.68	753.9	86	68	ENE	2	o	,,	29.60	751.8	77	89	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.60	751.8	80	85	NE	7	or	,,	29.58	751.3	77	95	S	4	or
Phulien,	15	29.71	754.5	84	81	SSE	2	o	7	29.69	754.2	77	98	NW	2	k
Tourane,	,,	29.69	754.2	77	...	NW	2	o	,,	29.68	753.9	77	...	NW	4	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	73	...	NNW	4	o
Basco,	14	29.68	753.9	82	84	SE	4	o	6	29.69	754.2	81	90	SE	4	o
Aparri,	,,	29.63	752.7	90	66	SSE	4	●	,,	29.71	754.5	77	94	...	0	o
Tuguegarao,	,,	29.66	753.3	90	63	S	1	o	,,	29.68	753.9	75	96	...	0	o
Vigan,	,,	29.67	753.6	82	77	SSW	4	o	,,	29.68	753.9	75	88	WSW	1	o
Manila,	,,	29.72	754.8	86	68	SW	4	o	,,	29.73	755.1	75	96	SE	1	o
Legaspi,	,,	29.72	754.8	82	86	...	0	o	,,	29.72	754.8	77	92	...	0	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	81	76	W	2	o	,,	29.76	756.0	77	91	NW	1	o
Iloilo,	,,	29.73	755.1	90	69	SSW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	77	85	W	2	o
Surigao,	,,	29.76	756.0	79	91	...	0	r	,,	29.74	755.4	77	89	S	1	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.72	754.8	...	...	S	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.73	755.1	...	...	SW	2	o	5	29.80	756.9	...	...	SW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	88	76	SW	6	b	6	29.82	757.4	84	79	...	½ o	b

August 21*d.* 2*h.* 40*m.*—Local signal No. 1 hoisted.
August 21*d.* 2*h.* 50*m.*— ,, ,, 2 ,,

August 22*d.* 6*h.* 40*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 50 miles of Lat. 22° N. Long. 116° E., moving N.W.

August 22*d.* 8*h.* 55*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 50 miles of Lat. 22° N. Long. 115° E. moving N.W.

August 22*d.* 10*h.* 45*m.*—Pressure is highest over Korea and S. Japan; a depression is crossing Hokkaido.

The typhoon passed to the east of the Pratas at about 10 p.m. last night, and was situated about 60 miles south-east of Hong Kong at 6 a.m. this morning. It is moving on a north-west track and threatens the coast near Hong Kong.

Manila warning, 22*d.* 9*h.* 00*m.*:—Typhoon in Lat. 22° N. Long. 115° E., moving W. Recd. 22*d.* 9*h.* 40*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·25 inch. Total since January 1st, 54·04 inches, against an average of 62.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, strong, moderating.
2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Gale commencing in the north quadrant, with heavy squalls and rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd August, 1929.								23rd August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.64	752.9	74	...	ESE	2	0	6	29.86	758.4	62	...	N	2	0
Nemuro,	11	29.65	753.0	...	...	NNE	1	...	5	29.84	758.0	...	...	E	1	...
Hokodate,	"	29.61	752.0	...	...	ESE	1	...	"	29.80	757.0	...	...	...	0	...
Tokio,	"	29.63	752.5	...	...	S	1	...	"	29.76	756.0	...	...	N	1	...
Kochi,	"	29.72	755.0	...	...	...	...	...	"	29.78	756.5	...	...	...	...	...
Nagasaki,	"	29.78	756.5	...	...	WSW	2	...	"	29.84	758.0	...	...	NNE	1	...
Kagoshima,	"	29.76	756.0	...	...	WNW	1	...	"	29.80	757.0	...	...	...	0	...
Oshima,	"	29.80	757.0	...	...	N	1	...	"	29.82	757.5	...	...	...	0	...
Naha,	"	29.78	756.5	...	...	N	1	...	"	29.80	757.0	...	...	...	0	...
Ishigakijima,	"	29.78	756.5	...	...	SSW	2	...	"	29.82	757.5	...	...	SW	1	...
Bonin Island,	"	29.74	755.5	...	...	SSE	2	...	"	29.82	757.5	...	...	SSE	1	...
Chefoo,	15	29.76	755.9	86	58	NNW	4	b	6	29.82	757.4	72	85	...	0	b
Shanghai,	14	29.76	756.0	86	55	W	1	b	"	29.80	756.9	77	100	E	1	b
Gutzlaff,	"	29.81	757.2	86	80	WSW	1	0	"	29.87	758.7	78	95	SSE	1	b
Sharp Peak,	"	29.72	754.9	88	76	E	2	b	7	29.73	755.1	82	87	...	0	b
Amoy,	"	29.70	754.4	88	69	ESE	4	b	6	29.78	756.4	82	87	SE	1	0
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	13	29.73	755.1	90	66	...	0	b	5	29.80	756.9	75	91	...	0	b
Taichu,	"	29.75	755.7	90	...	NW	2	b	"	29.84	757.8	77	...	...	0	0
Tainan,	"	29.73	755.1	90	...	NNE	2	b	"	29.80	756.9	75	...	E	2	b
Koshun,	"	29.75	755.7	82	...	NE	2	0	"	29.80	756.9	73	...	...	0	b
Pescadores,	"	29.74	755.4	86	...	NNE	2	0	"	29.79	756.5	79	...	SSE	2	b
Hong Kong,	14	29.03	737.3	76	97	ESE	12	orq	6	29.72	754.9	79	91	E	2	0
Gap Rock,	"	29.33	745.0	...	...	WSW	10	orq	"	29.70	754.4	...	...	ESE	3	b
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Holbow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.65	753.1	86	81	S	3	b	"	29.74	755.4	79	93	SSE	2	bc
Paulien,	15	29.61	752.1	90	66	NW	1	b	7	29.66	753.3	79	95	SSW	2	0
Tourane,	"	29.66	753.3	79	...	NW	2	0	"	29.69	754.2	79	...		0	0
Cape St. James,	"	29.76	756.0	81	...	W	4	0	"	29.80	756.9	75	...	NNW	4	0
Basco,	14	29.71	754.5	86	81	SE	4	0	6	29.76	756.0	79	92	SE	1	0
Aparri,	"	29.67	753.6	86	71	...	0	b	"	29.76	756.0	77	94	...	0	b
Tuguegarao,	"	...	...	...	...	...	...	...	"	29.75	755.7	77	96	NW	1	0
Vigan,	"	..	...	...	...	...	...	...	"	29.75	755.7	77	89	WSW	1	0
Manila,	"	29.69	754.2	86	71	SW	4	0	"	29.76	756.0	75	94	E	1	0
Legaspi,	"	29.72	754.8	84	80	WSW	2	0	"	29.75	755.7	77	94	SSW	1	0
Calayog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	29.78	756.3	75	91	NE	1	0
Iloilo,	"	29.71	754.5	86	71	SW	4	•	"	29.78	756.3	75	96	SSW	4	0
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.73	755.1	82	70	WNW	2	0	"	29.76	756.0	75	94	SW	1	0
Saisiai,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.73	755.1	...	...	N	1	0	4.22	29.79	756.6	...	...	S	1	0
Yap,	11.00	29.75	755.7	...	...	SSW	2	0	5	29.85	758.2	..	...	WSW	2	0
Palau,	...	...	...	...	...	...	...	...	"	...	...	..	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	88	80	SW	6	b	6	29.89	759.2	77	91	S	2	b

August 22*d*. 11*h*. 45*m*.—Local signal No. 7 hoisted.
August 22*d*. 15*h*. 00*m*.— " " 8 "
August 22*d*. 18*h*. 30*m*.— " " 3 lowered.

August 23*d*. 10*h*. 53*m*.—An irregular area of high pressure covers S. Manchuria and N. Japan, and extends southward to the Loochoos; a depression covers Tongking.

The typhoon probably entered the coast near Macao yesterday afternoon and filled up rapidly, as it is not indicated this morning.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 2·04 inch. Total since January 1st, 56·08 inches, against an average of 62.79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	S.E. or variable winds, moderate; fair generally.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd August, 1929.								24th August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.07	761.1	70	...	N	2	b	6	29.96	761.0	62	...	NW	1	o
Nemuro,	11	29.86	758.5	...	...	NE	1	...	5	30.00	762.0	...	...	...	o	...
Hokodate,	,,	29.80	757.0	...	...	SE	1	...	,,	29.92	760.0	...	...	ESE	1	...
Tokio,	,,	29.84	758.0	...	...	NNE	1	...	,,	29.94	760.5	...	...	...	o	...
Kochi,	,,	29.78	756.5	...	...	...	o	...	,,	29.88	759.0	...	...	SW	1	...
Nagasaki,	,,	29.84	758.0	...	...	NNW	1	...	,,	29.86	758.5	...	...	...	o	...
Kagoshima,	,,	29.80	757.0	...	...	WSW	1	...	,,	29.84	758.0	...	...	NW	1	...
Oshima,	,,	29.84	758.0	...	...	NNE	1	...	,,	29.82	757.5	...	...	...	o	...
Naha,	,,	29.82	757.5	...	...	NNW	1	...	,,	29.84	758.0	...	...	...	o	...
Ishigakijima,	,,	29.84	758.0	...	...	SW	1	...	,,	29.84	758.0	...	...	...	o	...
Bonin Island,	,,	29.82	757.5	...	...	S	2	...	,,	29.86	758.5	...	...	S	1	...
Chefoo,	15	29.74	755.4	81	78	NE	1	o	6	29.74	755.4	70	100	E	4	o
Shanghai,	14	29.80	756.9	93	61	SSE	1	b	,,	29.80	756.9	79	98	ESE	1	b
Gutzlaff,	,,	29.87	758.7	84	83	SE	2	b	,,	29.87	758.7	78	92	S	4	b
Sharp Peak,	,,	29.81	757.2	86	80	S	2	b	7	29.84	757.9	84	83	S	1	b
Amoy,	,,	29.79	756.6	90	73	SSE	4	o	6	29.84	757.9	80	96	SSW	1	b
Swatow,	,,	29.80	756.9	81	87	ESE	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.82	757.5	90	76	W	2	b	5	29.86	758.4	75	92	...	o	1
Taichu,	,,	29.86	758.4	90	...	...	o	b	,,	29.88	759.0	77	...	...	o	o
Tainan,	,,	29.82	757.5	90	...	WSW	4	b	,,	29.85	758.1	77	...	...	o	b
Koshun,	,,	29.81	757.2	84	...	...	o	b	,,	29.84	757.8	75	...	...	o	b
Pescadores,	,,	29.84	757.8	90	...	SSW	2	b	,,	29.85	758.1	81	...	...	o	b
Hong Kong,	14	29.76	755.9	81	86	E	3	cp	6	29.83	757.7	78	98	E	1	c
Gap Rock,	,,	29.76	755.9	...	...	E	3	c	,,	29.83	757.7	...	...	E	3	c
Macao,	,,	29.73	755.1	90	79	SE	2	b	,,	29.79	756.6	77	98	SE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.78	756.4	86	80	S	2	b	,,	29.84	757.9	79	94	SSE	1	b
Phulien,	15	29.66	753.3	86	71	SSE	2	b	7	29.79	756.6	79	91	SSE	4	o
Tourane,	,,	29.69	754.2	84	...	NE	2	o	,,	29.78	756.3	77	...	W	2	o
Cape St. James,	,,	29.81	757.2	75	...	NW	4	r	,,	29.84	757.8	77	...	SW	6	of
Baseo,	14	29.78	756.3	86	78	SE	4	b	6	29.80	756.9	73	94	...	o	b
Aparri,	,,	29.75	755.7	86	78	N	4	o	,,	29.81	757.2	75	92	...	o	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	75	96	...	o	o
Vigan,	,,	29.76	756.0	86	75	W	2	o	,,	29.80	756.9	75	94	W	1	o
Manila,	,,	29.75	755.7	84	77	SW	4	o	,,	29.80	756.9	75	94	NE	1	o
Legaspi,	,,	29.76	756.0	79	91	NE	2	o	,,	29.76	756.0	75	93	...	o	o
Calbayog,	,,	29.79	756.6	75	94	...	o	1	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	77	88	W	2	1	,,	29.81	757.2	75	92	NW	2	o
Iloilo,	,,	29.76	756.0	84	74	SW	4	o	,,	29.81	757.2	77	91	S	4	o
Cebu,	,,	29.76	756.0	77	88	W	2	o	,,	29.79	756.6	77	89	...	o	o
Surigao,	,,	29.75	755.7	84	64	NW	4	o	,,	29.79	756.6	79	85	WSW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	29.80	756.9	79	...	NNE	2	bc
Guam,	12.22	29.76	756.0	...	...	N	2	r	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	WSW	4	o	5	29.84	757.8	...	...	NW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.81	757.2	77	...	W	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.5	78	...	ESE	2	c
Labuan,	14	29.80	756.9	88	80	SW	4	b	6	29.83	757.7	83	83	...	...	b

August 24d. 11h. 03m.—A weak anticyclone is central to the north of Hokkaido, and pressure is relatively low over China generally, and in the Pacific to the east of Luzon.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 56·10 inches, against an average of 63.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Easterly or variable winds, moderate; fair generally.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	25th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.93	760.2	69	...	SE	2	0	6	29.92	759.9	62	...	SE	2	0
Nemuro,	11	30.00	762.0	...	...	NW	1	...	5	30.00	762.0	...	...	ESE	1	...
Hokodate,	,,	29.92	760.0	...	...	ESE	2	...	,,	29.88	759.0	..	..	E	1	...
Tokio,	,,	29.84	760.5	...	...	NE	1	...	,,	29.92	760.0	..	..	N	1	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.88	759.0	...	...	WSW	1	...
Nagasaki,	,,	29.86	758.5	...	...	WSW	1	...	,,	29.88	759.0	...	...	...	0	...
Kagoshima,	,,	29.84	758.0	...	...	SE	1	...	,,	29.86	758.5	..	..	NW	1	...
Oshima,	,,	29.88	759.0	...	...	NNE	1	...	,,	29.86	758.5	...	...	S	1	...
Naha,	,,	29.86	758.5	...	...	N	1	...	,,	29.84	758.0	...	...	...	...	...
Ishigakijima,	,,	29.86	758.5	...	...	E	1	...	,,	29.88	759.0	...	...	...	0	...
Bonin Island,	,,	29.90	759.5	...	...	S	1	...	,,	29.92	760.0	...	...	S	1	...
Chefoo,	15	29.73	755.1	75	92	NE	4	b	6	29.81	757.2	71	95	...	0	b
Shanghai,	14	29.78	756.3	97	55	WNW	2	b	,,	29.81	757.2	79	56	...	0	b
Gutzlaff,	,,	29.85	758.2	86	80	SSW	2	b	,,	29.88	758.9	80	100	SSW	2	0
Sharp Peak,	,,	29.77	756.1	88	76	S	1	b	7	29.81	757.2	83	91	...	0	0
Amoy,	,,	29.79	756.6	90	77	SSE	2	b	6	29.80	756.9	83	87	SSE	1	0
Swatow,	,,	29.80	756.9	82	80	S	2	[illegible]	,,	...	...	...	...	...	...	...
Taihoku,	11	29.86	758.4	86	61	W	2	b	5	29.82	757.5	77	91	...	0	b
Taichu,	,,	29.87	758.7	90	...	W	2	b	,,	29.86	758.4	77	...	...	0	0
Tainan,	,,	29.85	758.1	90	...	WSW	2	b	,,	29.82	757.5	73	...	...	0	b
Koshun,	,,	29.82	757.8	86	...		0	b	,,	29.81	757.2	75	...	...	0	b
Pescadores,	,,	29.86	758.4	86	...	W	2	b	,,	29.82	757.5	79	...	...	0	b
Hong Kong,	14	29.80	756.9	84	80	E	2	c	6	29.80	756.9	78	95	...	0	cm
Gap Rock,	,,	29.82	757.4	...	...	E	3	b	,,	29.82	757.4	...	...	E	1	b
Macao,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	79	92	...	0	bf
Holhow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.7	88	73	...	0	b	,,	29.81	757.2	75	95	...	0	bc
Fhulien,	15	29.74	755.4	84	85	SSE	4	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.72	754.8	86	...	NNE	2	0	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.8	77	...	SW	6	0	,,	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	90	69	NE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.73	755.1	90	60	N	1	0	,,	29.78	756.3	75	96	...	0	0
Vigan,	,,	29.74	755.4	84	77	W	4	0	,,	29.73	755.1	77	79	SW	2	0
Manila,	,,	29.73	755.1	86	68	WSW	2	0	,,	29.76	756.0	75	88	N	2	0
Legaspi,	,,	29.74	755.4	84	77	NNW	1	0	,,	...	...	...	...	...	...	...
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	756.0	81	80	NW	2	0	,,	29.81	757.2	77	91	NE	1	0
Iloilo,	,,	29.74	755.4	86	71	SW	4	0	,,	29.78	756.3	75	96	S	1	0
Cebu,	,,	29.73	755.1	82	70	S	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	77	90	WSW	2	1	,,	29.80	756.9	75	96	...	0	0
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	756.0	...	...	N	2	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.5	...	...	WSW	2	0	5	29.81	757.2	..	...	W	1	0
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Ponape,	...	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.83	757.7	86	76	SW	7	b	6	29.84	757.9	77	91	SE	2	b

August 25*d.* 11*h.* 30*m.*—The anticyclone remains central to the north of Hokkaido; pressure is relatively low over China and to the east of Luzon.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 56·10 inches, against an average of 63.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	Light easterly or variable winds; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	26th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.89	759.2	71	...	SE	4	b	6	29.76	755.8	65	...	ESE	4	r
Nemuro,	11	29.98	761.5	...	...	SE	2	...	5	29.90	759.5	...	...	SSE	1	...
Hokodate,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.86	758.5	...	...	...	0	...
Tokio,	,,	29.88	759.0	...	...	E	1	...	,,	29.86	758.5	...	...	...	0	...
Kochi,	,,	29.82	757.5	...	...	SE	1	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	W	1	...	,,	29.82	757.5	...	...	SW	3	...
Kagoshima,	,,	29.86	758.5	...	...	...	0	...	,,	29.86	758.5	...	...	...	...	...
Oshima,	,,	29.88	759.0	...	...	NE	1	...	,,	29.88	759.0	...	...	...	0	...
Naha,	,,	29.88	759.0	...	...	WNW	1	...	,,	29.86	758.5	...	...	SSE	1	...
Ishigakijima,	,,	29.86	758.5	...	...	SE	1	...	,,	29.84	758.0	...	...	SE	1	...
Bonin Island,	,,	29.92	760.0	...	...	SSW	1	...	,,	29.90	759.5	...	...	NW	1	...
Chefoo,	15	29.75	755.6	78	92	E	2	o	6	29.64	752.8	68	100	N	7	o
Shanghai,	14	29.79	756.6	97	63	ESE	2	b	,,	29.75	755.7	79	95	SSE	1	b
Gutzlaff,	,,	29.85	758.2	88	76	SSE	1	b	,,	29.82	757.4	78	95	S	4	b
Sharp Peak,	,,	29.81	757.2	90	81	NE	1	b	7	29.85	758.2	82	87	NE	1	b
Amoy,	,,	29.77	756.1	90	77	SSE	4	b	6	29.79	756.6	81	92	SSE	4	o
Swatow,	,,	29.75	755.6	88	96	S	2	b	,,	29.82	757.4	78	90	NW	1	c
Taihoku,	11	29.82	757.5	90	69	...	0	b	5	29.81	757.2	75	89	...	0	b
Taichu,	,,	29.85	758.1	86	...	W	2	o.	,,	29.84	757.8	79	...	...	0	o
Tainan,	,,	29.81	757.2	90	...	NW	2	o	,,	29.81	757.2	77	...	...	0	b
Koshun,	,,	29.82	757.5	90	...	NE	2	b	,,	29.79	756.6	79	...	NE	4	o
Pescadores,	,,	29.82	757.5	86	...	W	2	b	,,	29.80	756.9	79	...	...	0	b
Hong Kong,	14	29.77	756.1	89	66	W	1	c	6	29.80	756.9	77	95	...	0	b
Gap Rock,	,,	29.79	756.6	...	...	ENE	2	c	,,	29.79	756.6	...	...	ESE	2	b
Macao,	,,	29.76	756.0	90	72	SSE	2	b	,,	29.76	756.0	79	91	...	0	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.79	756.6	88	77	NE	1	bo	,,	29.78	756.4	80	89	E	2	b
Phulien,	15	29.75	755.7	90	79	SE	2	b	7	29.80	756.9	77	94	ENE	2	o
Tourane,	,,	29.72	754.8	84	...	NW	2	b	,,	29.76	756.0	77	...	S	2	b
Cape St. James,	,,	29.80	756.9	82	...	WSW	4	o	,,	29.84	757.8	73	...	WSW	4	o
Basco,	14	...	...	...	...	...	...	...	6	29.72	754.8	79	91	SE	4	o
Aparri,	,,	29.73	755.1	86	68	ENE	4	o	,,	29.73	755.1	75	96	S	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.68	753.9	86	71	WSW	2	o	,,	29.72	754.8	77	89	SW	1	o
Manila,	,,	29.71	754.5	75	91	NE	2	r	,,	29.76	756.0	73	96	...	0	o
Legaspi,	,,	29.68	753.9	82	84	S	2	o	,,	29.78	756.3	75	96	W	1	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	81	94	N	4	b
Tacloban,	,,	29.69	754.2	90	66	S	4	o	,,	29.81	757.2	77	91	S	2	b
Iloilo,	,,	29.71	754.5	82	84	SW	4	o	,,	29.79	756.6	75	91	SSW	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	81	76	SW	4	o
Surigao,	,,	29.71	754.5	86	65	WSW	2	o	,,	29.81	757.2	73	94	S	1	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.7	...	...	NE	2	o	4.22	29.76	756.0	...	...	NE	2	o
Yap,	11.00	29.81	757.2	...	...	NNW	2	r	5	29.76	756.0	..	...	NNE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Ponape,	...	.	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	86	76	SW	4	b	6	29.83	757.7	80	74	SW	4	b

August 26*d.* 11*h.* 00*m.*– Pressure is now highest to the east of Japan, and continues to be relatively low to the east of Luzon. A depression is moving north-eastwards across the Yellow Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 56·10 inches, against an average of 64.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Light easterly or variable winds; fair generally.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th August, 1929.								27th August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.70	754.5	65	...	ESE	4	r	6	29.49	749.0	63	...	N	2	c
Nemuro,	11	29.88	759.0	...	...	NW	1	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.80	757.0	...	...	SE	3	...	"	29.35	745.5	...	...	ESE	3	...
Tokio,	"	29.80	757.0	...	...	...	0	...	"	29.65	753.0	...	...	...	0	...
Kochi,	"	29.80	757.0	...	...	SE	1	...	"	29.75	755.5	...	...	...	0	...
Nagasaki,	"	29.72	757.5	...	...	SW	4	...	"	29.75	755.5	...	...	SSW	4	...
Kagoshima,	"	29.86	758.5	...	...	W	1	...	"	29.76	756.0	...	...	...	...	...
Oshima,	"	29.88	759.0	...	...	NNE	1	...	"	29.86	758.5	...	...	...	0	...
Naha,	"	29.88	759.0	...	...	SSW	2	...	"	29.86	758.5	...	...	SSW	1	...
Ishigakijima,	"	29.86	758.5	...	...	SSW	1	...	"	29.86	758.5	...	...	SSW	2	...
Bonin Island,	"	29.92	760.0	...	...	WSW	1	...	"	29.90	759.5	...	...	WSW	1	...
Chefoo,	15	29.73	755.1	73	85	NW	2	o	6	29.78	756.4	68	95	W	1	b
Shanghai,	14	29.74	755.4	97	63	SW	1	b	"	29.85	758.1	77	92	NE	1	o
Gutzlaff,	"	29.81	757.2	86	88	SSW	4	b	"	29.90	759.4	78	92	ENE	2	o
Sharp Peak,	"	29.78	756.3	90	77	ESE	1	b	7	29.83	757.7	82	96	...	0	o
Amoy,	"	29.73	755.7	88	76	S	2	b	6	29.81	757.2	82	87	SSE	2	b
Swatow,	"	29.77	756.1	88	85	WSW	2	c	"	...	...	...	...	...	...	...
Taihoku,	11	29.82	757.5	90	63	W	2	b	5	29.81	757.2	75	92	SSE	4	o
Taichu,	"	29.85	758.1	90	...	WNW	2	o	"	29.85	758.1	77	...	...	0	b
Tainan,	"	29.81	757.2	82	...	...	0	r	"	29.80	756.9	75	...	..	0	b
Koshun,	"	29.80	756.9	81	...	NNE	4	r	"	29.81	757.2	79	...	...	0	o
Pescadores,	"	29.85	758.1	86	...	NNW	2	o	"	29.81	757.2	79	...	NNE	2	b
Hong Kong,	14	29.78	756.4	85	73	E	3	b	6	29.78	756.4	76	88	E	3	o
Gap Rock,	"	29.78	756.4	...	...	ENE	3	b	"	29.77	756.1	...	...	NE	3	or
Macao,	"	29.76	756.0	90	69	SE	2	b	"	29.74	755.4	79	90	SE	2	o
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.78	756.4	83	79	E	4	c	"	29.75	755.7	79	91	ESE	2	b
Phulien,	15	29.76	756.0	90	69	SW	1	o	7	29.79	756.6	79	66	SSE	1	bf
Tourane,	"	29.71	754.5	84	...	E	4	b	"	29.76	756.0	77	...	SSE	2	b
Cape St. James,	"	29.80	756.9	77	...	SW	7	r	"	29.82	757.5	77	...	SW	4	o
Basco,	14	29.74	755.4	86	78	SE	4	o	6	29.79	756.6	81	90	SE	4	o
Aparri,	"	29.72	754.8	86	61	N	2	o	"	29.79	756.6	75	91	S	2	b
Tuguegarao,	"	29.71	754.5	93	57	WSW	1	o	"	...	...	...	...	...	...	...
Vigan,	"	29.72	754.8	86	68	WSW	4	o	"	29.76	756.0	77	91	WSW	1	o
Manila,	"	29.73	755.1	86	71	SW	2	o	"	29.78	756.3	77	96	...	0	o
Legaspi,	"	29.73	755.1	86	68	S	2	o	"	29.79	756.6	77	96	...	0	o
Calboyog,	"	29.75	755.7	86	65	SW	2	o	"	...	...	...	...	...	...	...
Tacloban,	"	29.74	755.4	86	68	S	4	b	"	29.81	757.2	75	91	N	4	o
Iloilo,	"	29.75	755.7	81	80	SW	6	o	"	29.79	756.6	77	92	S	4	o
Cebu,	"	...	...	...	...	...	...	...	"	29.79	756.6	79	76	SW	4	o
Surigao,	"	29.74	755.4	90	57	WNW	2	o	"	29.79	756.6	79	87	WSW	4	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.66	753.3	...	...	E	4	o	4.22	29.78	756.3	...	...	E	2	b
Yap,	11.00	...	...	...	...	...	...	...	5	29.73	755.1	..	...	NE	4	o
Pelew,	...	...	...	...	...	...	...	...	"	...	...	..	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	88	NW	2	b	6	...	...	...	...	...	...	...

August 27*d.* 11*h.* 13*m.*— Pressure is highest near the Bonins, and relatively low in a trough extending from Indo-China, across Luzon to the Ladrones. The depression is approaching Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 56·14 inches, against an average of 64.42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Easterly or variable winds, moderate; fair to showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th August, 1929.								28th August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.46	748.3	77	...	NNW	1	c	6	29.53	750.1	62	...	N	2	c
Nemuro,	11	...	...	...	...	...	...	...	5	29.53	750.0	...	...	...	0	...
Hokodate,	,,	29.31	744.5	...	...	SSW	5	...	,,	29.51	749.5	...	...	SSW	1	...
Tokio,	,,	29.55	750.5	...	...	SSW	1	...	,,	29.65	753.0	...	...	NNW	1	...
Kochi,	,,	29.69	754.0	...	...	...	0	...	,,	29.78	756.5	...	...	SW	1	...
Nagasaki,	,,	29.80	757.0	...	...	SW	1	...	,,	29.82	757.5	...	...	...	0	...
Kagoshima,	,,	29.80	757.0	...	...	WNW	1	...	,,	29.80	757.0	...	...	...	0	...
Oshima,	,,	29.86	758.5	...	...	W	1	...	,,	29.82	757.5	...	...	...	0	...
Naha,	,,	29.88	759.0	...	...	SSW	2	...	,,	29.86	758.5	...	...	SSW	2	...
Ishigakijima,	,,	29.86	758.5	...	...	SSW	1	...	,,	29.86	758.5	...	...	SSW	1	...
Bonin Island,	,,	29.88	759.0	...	...	W	2	...	,,	29.90	759.5	...	...	WSW	1	...
Chefoo,	15	29.81	757.2	82	83	NW	2	b	6	29.73	755.1	74	81	SW	1	0
Shanghai,	14	29.86	758.5	84	77	NE	1	0	,,	29.84	758.0	77	...	ENE	1	c
Gutzlaff,	,,	29.90	759.4	80	87	ENE	1	0	,,	29.89	759.2	77	95	ESE	2	0
Sharp Peak,	,,	29.81	757.2	88	80	S	2	b	7	29.84	757.9	84	91	S	1	b
Amoy,	,,	29.82	757.4	90	73	ENE	4	b	6	29.84	757.9	82	87	SSE	1	b
Swatow,	,,	29.78	756.4	81	92	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.85	758.2	90	66	...	0	b	5	29.85	758.1	75	96	...	0	0
Taichu,	,,	29.86	758.4	90	...	...	0	b	,,	29.84	757.8	79	...	...	0	0
Tainan,	,,	29.84	757.8	90	...	NW	2	0	,,	29.84	757.8	79	...	...	0	0
Koshun,	,,	29.86	758.4	86	...	E	2	b	,,	29.86	758.4	77	...	...	0	b
Pescadores,	,,	29.84	757.8	90	...	SSW	2	b	,,	29.84	757.8	79	...	...	0	b
Hong Kong,	14	29.76	755.9	85	74	W	2	c	6	29.80	756.9	79	90	...	0	0
Gap Rock,	,,	29.80	756.9	...	...	NE	3	c	,,	29.80	756.9	...	...	ENE	3	b
Macao,	,,	29.75	755.7	84	77	W	2	0	,,	29.76	756.0	79	91	SE	2	0
Hoihow,	,,	29.75	755.6	87	74	ENE	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.80	756.9	87	76	SSE	2	b	,,	29.81	757.2	81	88	SE	3	b
Phulien,	15	29.74	755.4	90	63	SSW	2	0	7	29.80	756.9	79	87	SSW	1	0
Tourane,	,,	29.73	755.1	84	...	NE	4	0	,,	29.78	756.3	77	...	W	2	0
Cape St. James,	,,	29.74	757.3	73	...	WSW	6	r	,,	29.84	757.8	75	...	W	4	0
Basco,	14	29.80	756.9	86	75	ESE	2	b	6	29.80	756.9	81	86	...	0	0
Aparri,	,,	29.74	755.4	90	69	NE	4	0	,,	29.78	756.3	77	89	...	0	r
Tuguegarao,	,,	29.74	755.4	93	59	S	1	0	,,	29.78	756.3	75	96	...	0	0
Vigan,	,,	29.73	755.1	86	41	NW	4	0	,,	29.74	755.4	79	87	SSW	1	0
Manila,	,,	29.72	754.8	79	85	NW	1	0	,,	29.78	756.3	75	92	E	1	r
Legaspi,	,,	29.72	754.8	86	73	ESE	2	0	,,	29.75	755.7	75	96	...	0	0
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	756.0	77	86	NW	1	0	,,	29.75	755.7	77	88	NE	2	0
Iloilo,	,,	29.74	755.4	86	75	SSW	4	0	,,	29.76	756.0	77	88	SW	4	0
Cebu,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	77	86	SW	4	r
Surigao,	,,	29.73	755.1	82	77	W	4	0	,,	29.74	755.4	75	96	WSW	2	r
Saipan,	...	...	...	...	...	...	...	...	5	29.83	757.7	78	...	E	2	c
Guam,	12.22	29.71	754.5	...	...	ESE	4	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.73	755.1	...	...	SE	2	0	5	29.84	757.8	.	...	SW	4	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.89	759.2	78	...	W	3	r
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.9	79	...	NE	1	r
Labuan,	14	29.80	756.9	88	84	SW	4	b	6	29.86	758.4	76	91	NW	1	r

August 28*d.* 10*h.* 50*m.*—A weak anticyclonic area, central to the east of the Bonins, extends westward over S. China; the trough remains over the China Sea, the Philippines, and the Pacific to the eastward. The depression is situated to the north of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 56·15 inches, against an average of 64.81 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Easterly or variable winds, moderate; fair generally with local showers.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	29th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.52	749.7	68	...	N	2	0	6	29.68	753.8	66	...	...	0	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.55	750.5	...	...	SSW	2	...
Hokodate,	"	29.47	748.5	...	...	SSW	3	...	"	29.55	750.5	...	...	SW	1	...
Tokio,	"	29.63	752.5	...	...	NE	1	...	"	29.65	753.0	...	...	...	0	...
Kochi,	"	29.72	755.0	...	...	...	0	...	"	29.76	756.0	...	...	WSW	1	...
Nagasaki,	"	29.80	757.0	...	...	N	1	...	"	29.80	757.0	...	...	...	0	...
Kagoshima,	"	29.80	757.0	...	...	W	1	...	"	29.80	757.0	...	...	...	0	...
Oshima,	"	29.82	757.5	...	...	NW	1	...	"	29.80	757.0	...	...	S	1	...
Naha,	"	29.86	758.5	...	...	SW	2	...	"	29.82	757.5	...	...	SSW	1	...
Ishigakijima,	"	29.88	759.0	...	...	NE	1	...	"	29.82	757.5	...	...	SSW	1	...
Bonin Island,	"	29.90	759.5	...	...	W	1	...	"	29.90	759.5	...	...	SW	1	...
Chefoo,	15	29.80	756.9	84	75	NW	1	b	6	29.74	755.4	70	91	...	0	0
Shanghai,	14	29.79	756.6	79	96	ESE	1	r	"	29.75	755.7	77	96	ESE	1	0
Gutzlaff,	"	29.86	758.4	82	83	E	2	0	"	29.81	757.2	78	100	ESE	2	0
Sharp Peak,	"	29.80	756.9	90	88	S	2	b	7	29.74	755.4	86	84	...	0	b
Amoy,	"	29.82	757.4	92	67	SSE	2	b	6	29.79	756.6	81	92	WSW	2	b
Swatow,	"	29.83	757.7	86	77	E	2	b	"	...	...	...	...	...	...	...
Taihoku,	11	29.87	758.7	86	71	W	2	0	5	29.80	756.9	75	94	...	0	b
Taichu,	"	29.89	759.3	90	...	NW	2	0	"	29.84	757.8	75	...	...	0	b
Tainan,	"	29.85	758.1	90	...	NW	2	0	"	29.80	756.9	77	...	...	0	b
Koshun,	"	29.85	758.1	90	...	ENE	2	b	"	29.79	756.6	75	...	...	0	b
Pescadores,	"	29.87	758.7	90	...	NW	2	b	"	29.79	756.6	79	...	...	0	b
Hong Kong,	14	29.81	757.2	85	75	ESE	3	0	6	29.77	756.1	79	89	E	1	r
Gap Rock,	"	29.81	757.2	...	...	ENE	3	0	"	29.77	756.1	...	...	ENE	3	b
Macao,	"	29.79	756.6	90	72	SE	2	0	"	29.75	755.7	79	89	ESE	2	0
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.80	756.9	88	78	ENE	2	b	"	29.77	756.1	82	87	E	3	b
Phulien,	15	29.75	755.7	86	71	ESE	4	0	7	29.76	756.0	77	96	NE	2	b
Tourane,	"	29.74	755.4	81	...	N	4	0	"	29.74	755.4	75	...	W	2	0
Cape St. James,	"	29.76	756.0	79	...	W	7	0	"	29.79	756.6	75	...	WSW	8	r
Basco,	14	29.79	756.6	86	71	SE	4	b	6	29.79	756.6	81	80	ENE	4	0
Aparri,	"	29.75	755.7	86	71	SSE	2	0	"	29.73	755.1	75	94	...	0	0
Tuguegarao,	"	29.76	756.0	85	65	NW	1	0	"	...	...	...	...	...	...	...
Vigan,	"	29.65	753.9	86	78	WNW	2	0	"	...	...	...	...	...	...	...
Manila,	"	29.72	754.8	84	71	SE	2	0	"	29.71	754.5	75	96	...	0	r
Legaspi,	"	29.71	754.5	82	84	...	0	0	"	29.69	754.2	73	98	...	0	0
Calboyog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	29.72	754.8	77	54	NW	4	0	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	82	81	WSW	4	0	"	...	...	...	...	...	...	...
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.72	754.8	77	92	SW	1	r	"	29.74	755.4	79	66	SW	4	0
Saipan,	...	...	...	...	...	...	...	...	5	29.78	756.3	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	SE	2	0	4.22	29.80	756.9	...	...	E	1	0
Yap,	11.00	29.80	756.9	...	...	...	0	r	5	29.80	756.9	78	...	SW	4	0
Pelew,	...	...	...	...	...	...	...	...	"	29.87	758.7	78	...	W	2	0
Ponape,	...	...	...	...	...	...	...	...	"	29.85	758.1	76	...	SE	1	0
Labuan,	14	29.82	757.4	73	91	SW	6	b	6	29.83	757.7	78	91	SW	6	b

August 29*d*. 10*h*. 50*m*.— Pressure is highest in the vicinity of the Bonins and is relatively low over China, and in a trough extending from Indo-China to the Ladrones. The depression remains to the north of Hokkaido, and a typhoon may be developing to the east of S. Luzon.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 56·15 inches, against an average of 65.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	E. or variable winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th August, 1929.								30th August, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.68	753.9	76	...	N	1	b	6	29.73	755.0	66	...	ESE	2	o
Nemuro,	11	29.53	750.0	...	...	S	3	...	5	29.69	754.0	..	...	NE	1	...
Hokodate,	,,	29.55	750.5	...	...	WSW	1	...	,,	29.73	755.0	..	...	NW	1	...
Tokio,	,,	29.65	753.0	...	...	S	1	...	,,	29.80	757.0	..	..	NNW	1	...
Kochi,	,,	29.76	756.0	...	...	...	0	...	,,	29.84	758.0	...	...	WSW	1	...
Nagasaki,	,,	29.82	757.5	...	...	WNW	1	...	,,	29.80	757.0	..	...	SE	1	...
Kagoshima,	,,	29.80	757.0	...	...	W	1	...	,,	29.80	757.0	...	...	WNW	1	...
Oshima,	,,	29.88	759.0	...	...	...	0	...	,,	29.80	757.0	...	...	S	1	...
Naha,	,,	29.84	758.0	...	...	W	2	...	,,	29.80	757.0	...	...	S	1	...
Ishigakijima,	,,	29.84	758.0	...	...	SW	1	...	,,	29.78	756.5	...	...	SSW	1	...
Bonin Island,	,,	29.88	759.0	...	...	SW	1	...	,,	29.86	758.5	...	...	SSW	1	...
Chefoo,	15	29.70	754.4	74	92	S	2	o	6	29.44	747.8	80	96	SW	6	r
Shanghai,	14	29.72	754.8	90	72	...	0	o	,,	29.68	753.9	79	100	SSE	1	b
Gutzlaff,	,,	29.79	756.6	83	92	ESE	1	o	,,	29.76	755.9	81	92	SSW	2	o
Sharp Peak,	,,	29.73	755.1	90	77	S	2	b	7	29.75	755.6	84	87	...	0	b
Amoy,	,,	29.75	755.6	94	68	SSE	4	b	6	29.77	756.1	81	87	SW	2	b
Swatow,	,,	29.78	756.4	88	74	S	2	b	,,	29.79	756.6	77	96	NE	1	o
Taihoku,	11	29.80	756.9	90	63	S	2	b	5	29.78	756.3	77	89	...	0	o
Taichu,	,,	29.82	757.5	90	...	NW	2	b	,,	29.80	756.9	79	...	...	0	o
Tainan,	,,	29.81	757.2	90	...	NNW	2	o	,,	29.76	756.0	75	...	...	0	b
Koshun,	,,	29.82	757.5	86	...	ENE	2	o	,,	29.78	756.3	77	...	...	0	b
Pescadores,	,,	29.82	757.5	86	...	N	2	b	,,	29.76	756.0	79	...	...	0	b
Hong Kong,	14	29.76	756.0	86	71	E	3	c	6	29.75	755.6	80	86	ENE	2	c
Gap Rock,	,,	29.77	756.1	...	...	ENE	3	b	,,	20.75	755.6	...	...	ENE	4	b
Macao,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	79	87	ESE	2	b
Hoihow,	,,	29.73	755.1	83	86	E	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	756.0	87	78	E	3	bc	,,	29.71	754.5	82	87	E	5	bc
Phulien,	15	29.71	754.5	90	63	SE	1	b	7	29.73	755.1	79	95	NE	2	b
Tourane,	,,	29.69	754.2	84	...	NW	2	o	,,	29.69	754.2	77	...	W	2	o
Cape St. James,	,,	29.73	755.1	75	...	WSW	6	o	,,	29.74	755.4	75	...	WSW	7	o
Basco,	14	29.74	755.4	86	75	SE	4	o	6	29.73	755.1	81	86	SE	4	o
Aparri,	,,	29.71	754.5	84	77	NE	2	o	,,	29.72	754.8	77	94	S	2	b
Tuguegarao,	,,	29.73	755.1	79	95	...	0	r	,,	29.72	754.8	75	96	SW	1	o
Vigan,	,,	...	...	..	...	...	...	...	,,	29.66	753.3	77	92	WSW	1	o
Manila,	,,	29.68	753.9	79	84	NNE	2	o	,,	29.72	754.8	75	94	SE	1	o
Legaspi,	,,	29.67	753.6	81	86	SSW	4	o	,,	29.74	755.4	75	98	S	1	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.69	754.2	85	65	W	4	o	,,	29.80	756.9	75	92	NW	2	o
Iloilo,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.77	756.1	80	...	E	2	c
Guam,	12.22	29.78	756.3	...	...	SW	1	o	4.22	..	...	...	...		...	...
Yap,	11.00	29.78	756.3	...	...	SW	4	r	5	29.80	756.9		...	WSW	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.80	756.9	80	...	WSW	3	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	76	...	SE	2	r
Labuan,	14	29.81	757.2	88	69	SW	7	b	6	29.89	759.2	77	94	SW	2	b

August 30*d.* 11*h.* 08*m.*— Pressure is highest near the Bonins; it is relatively low over the China Sea, and in the Pacific to the east of the Philippines.

The depression has passed into the Pacific and another is moving eastward to the north of Shantung.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 56·15 inches, against an average of 65.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31ST.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fair to showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	31st August, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.67	753.5	68	...	ESE	5	o	6	29.49	748.9	64	...	ENE	2	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.80	757.0	...	...	S	1	...
Hokodate,	,,	29.74	755.5	...	...	WSW	1	...	,,	29.73	755.0	...	..	...	...	...
Tokio,	,,	29.78	756.5	...	...	SE	1	...	,,	29.80	757.0	...	..	...	...	...
Kochi,	,,	20.80	757.0	...	...	...	0	...	,,	29.82	757.5	...		...	...	...
Nagasaki,	,,	29.80	757.0	...	...	SE	2	...	,,	29.75	755.5	...	..	SW	2	...
Kagoshima,	,,	20.80	757.0	...	...	...	0	...	,,	29.78	756.5	...	...	...	0	...
Oshima,	,,	29.82	757.5	...	...	N	1	...	,,	29.82	757.5	...	...	...	0	...
Naha,	,,	29.84	758.0	...	...	SSW	2	...	,,	29.82	757.5	...	..	...	0	...
Ishigakijima,	,,	29.84	758.0	...	...	SSW	1	...	,,	29.80	757.0	...	..	S	1	...
Bonin Island,	,,	29.86	758.5	...	...	SSW	1	...	,,	29.86	758.5	...	...	...	0	...
Chefoo,	15	29.62	752.3	76	86	NW	4	o	6	29.69	754.1	73	95	W	4	h
Shanghai,	14	29.69	754.2	97	55	W	1	b	,,	29.79	756.6	79	92	NW	1	o
Gutzlaff,	,,	20.76	755.9	90	73	SW	2	b	,,	29.82	757.4	81	96	N	2	o
Sharp Peak,	,,	29.72	754.9	94	64	S	1	b	7	29.78	756.4	84	87	...	0	b
Amoy,	,,	20.74	755.4	92	67	SSE	4	b	6	29.79	756.6	81	92	WSW	4	h
Swatow,	,,	29.79	756.6	87	77	E	1	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.81	757.2	90	66	NNW	2	b	5	29.79	756.6	77	86	SW	2	o
Taichu,	,,	20.85	758.1	90	...	W	2	o	,,	29.82	757.5	79	...	...	0	o
Tainan,	,,	20.81	757.2	90	...	NNE	2	b	,,	29.78	756.3	77	...	...	0	h
Koshun,	,,	29.80	756.9	90	...	ENE	2	b	,,	29.78	756.3	77	...	...	0	h
Pescadores,	,,	20.81	757.2	86	...	NNW	2	b	,,	29.78	756.3	79	...	NNW	2	o
Hong Kong,	14	29.74	755.1	85	75	E	3	c	6	29.71	754.6	81	83	ENE	4	c
Gap Rock,	,,	29.74	755.4	...	...	ENE	4	c	,,	29.69	754.1	...	...	ENE	5	o
Macao,	,,	29.72	754.8	90	72	ESE	2	h	,,	29.68	753.9	81	84	ENE	4	b
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	86	80	E	4	b	,,	29.71	754.6	81	83	SE	5	h
Phulien,	15	29.67	753.6	90	66	SSE	2	b	7	29.72	754.8	79	95	NNE	4	h
Tourane,	,,	29.61	752.1	79	...	NNW	6	o	,,	29.59	751.5	77	...	NW	4	r
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	73	...	WSW	6	o
Basco,	14	29.73	755.1	86	71	ESE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.67	753.6	90	69	N	2	o	,,	29.76	756.0	75	91	...	0	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Manila,	,,	29.72	754.8	84	74	W	1	o	,,	29.78	756.3	75	94	E	1	o
Legaspi,	,,	29.73	755.1	84	77	W	4	o	,,	29.74	755.4	77	92	SW	1	o
Calboyog,	,,	29.75	755.7	82	48	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	86	71	N	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	84	77	SW	4	o	,,	29.78	756.3	77	96	...	0	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	...	NW	1	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	SW	2	o	5	...	...		...	...	...	...
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lat'uan,	14	29.81	757.2	88	76	SW	6	b	6	29.84	757.9	77	91	...	0	b

August 30*d.* 22*h.* 12*m.*—Warning to Hong Kong, and Phulien:—Typhoon of unknown intensity forming within 120 miles of Lat. 16° N. Long. 113° E.

August 31*d.* 9*h.* 40*m.*—Warning to Hong Kong, and Phulien:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 111° E. moving W.N.W.

August 31*d.* 10*h.* 13*m.*—Pressure remains highest near the Bonins, and is relatively low in the Pacific to the east of the Philippines; the depression has entered the Sea of Japan.

A depression or typhoon formed yesterday near the Macclesfield Bank; it is now situated about 100 miles S.E. of Hainan moving W.N.W.

Manila warning. 30*d.* 19*h.* 00*m.*:—Typhoon in Lat. 16° N. Long. 114° E., direction unknown. Recd. 30*d.* 19*h.* 42*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·09 inch. Total since January 1st, 56·24 inches, against an average of 65.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; fair to showery.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

SEPTEMBER,

1929.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.

HONG KONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1929.

[*Price 60c.*]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

SEPTEMBER,

1929.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·660	29·660	29·652	29·642	29·636	29·652	29·685	29·679	29·696	29·697	29·695	29·683	1
2	29·703	29·690	29·690	29·682	29·680	29·699	29·713	29·726	29·736	29·738	29·734	29·729	2
3	29·722	29·699	29·675	29·664	29·668	29·672	29·676	29·671	29·681	29·697	29·697	29·685	3
4	29·657	29·645	29·627	29·621	29·625	29·627	29·637	29·633	29·646	29·642	29·631	29·619	4
5	29·631	29·621	29·601	29·591	29·599	29·603	29·603	29·625	29·639	29·650	29·662	29·654	5
6	29·698	29·693	29·680	29·670	29·690	29·690	29·706	29·720	29·734	29·734	29·732	29·736	6
7	29·732	29·723	29·706	29·707	29·710	29·715	29·705	29·717	29·726	29·730	29·721	29·710	7
8	29·686	29·676	29·666	29·652	29·650	29·660	29·669	29·680	29·681	29·681	29·656	29·637	8
9	29·625	29·623	29·615	29·605	29·615	29·629	29.638	29·656	29·671	29·678	29·673	29·661	9
10	29·685	29·691	29·691	29·689	29·695	29·707	29·743	29·758	29·778	29·770	29·753	29·745	10
11	29·748	29·746	29·738	29·738	29·738	29·749	29·758	29·766	29·779	29·791	29·790	29·773	11
12	29·762	29·758	29·741	29·735	29·735	29·751	29·762	29·769	29·784	29·793	29·792	29·777	12
13	29·769	29·757	29·757	29·756	29·752	29·774	29·790	29·806	29·809	29·822	29·822	29·816	13
14	29·798	29·790	29·775	29·771	29·773	29·799	29·809	29·833	29·857	29·857	29·855	29·848	14
15	29·847	29·840	29·842	29·830	29·824	29·830	29·844	29·861	29·876	29·881	29·878	29·866	15
16	29·860	29·852	29·828	29·814	29·820	29·836	29·849	29·873	29·868	29·875	29·871	29·848	16
17	29·844	29·826	29·826	29·817	29.817	29·819	29·829	29·841	29·862	29·862	29·860	29·860	17
18	29·834	29·818	29·806	29·792	29·801	29·799	29·806	29·816	29·832	29·835	29·828	29·814	18
19	29·808	29·796	29·778	29·764	29·762	29·768	29·778	29·806	29·818	29·826	29·825	29·823	19
20	29·820	29·815	29·788	29·776	29·774	29·784	29·806	29·828	29·838	29·852	29·846	29·844	20
21	29·864	29·850	29·844	29·846	29·842	29·856	29·868	29·884	29·897	29·900	29·899	29·892	21
22	29·870	29·856	29·849	29·839	29·837	29·841	29·857	29·866	29·874	29·881	29·870	29·854	22
23	29·826	29·814	29·798	29·792	29·792	29·800	29·822	29·832	29·836	29·837	29·838	29·828	23
24	29·822	29·816	29·808	29·802	29·808	29·826	29·856	29·864	29·880	29·889	29·886	29·876	24
25	29·813	29·799	29·795	29·801	29·809	29·819	29·831	29·846	29·851	29·857	29·852	29·832	25
26	29·766	29·744	29·736	29·738	29·744	29·750	29·761	29·776	29·791	29·790	29·779	29·760	26
27	29·756	29·748	29·744	29·737	29·743	29·757	29·773	29·794	29·812	29·820	29·822	29·812	27
28	29·803	29·797	29·789	29·788	29·788	29·794	29·804	29·821	29·825	29·824	29·818	29·802	28
29	29·795	29·789	29·775	29·777	29·777	29·791	29·806	29·831	29·850	29·844	29·848	29·842	29
30	29·870	29·865	29·860	29·864	29·877	29·900	29·912	29·915	29·936	29·933	29·934	29·920	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	29·683	29·651	29·642	29·652	29·651	29·651	29·659	29·683	29·696	29·708	29·711	29·712	1
2	29·712	29·695	29·677	29·663	29·657	29·664	29·683	29·711	29·732	29·740	29·744	29·734	2
3	29·677	29·657	29·623	29·607	29·607	29·610	29·636	29·651	29·679	29·683	29·683	29·675	3
4	29·611	29·587	29·578	29·562	29·560	29·565	29·580	29·588	29·620	29·632	29·634	29·637	4
5	29·646	29·640	29·631	29·623	29·623	29·631	29·659	29·659	29·691	29·695	29·700	29·710	5
6	29·720	29·701	29·679	29·681	29·677	29·691	29·701	29·705	29·726	29·742	29·754	29·738	6
7	29·705	29·690	29·672	29·660	29·651	29·661	29·663	29·686	29·701	29·711	29·707	29·696	7
8	29·621	29·594	29·572	29·566	29·558	29·560	29·571	29·597	29·626	29·641	29·637	29·637	8
9	29·653	29·641	29·636	29·629	29·626	29·629	29·649	29·667	29·682	29·690	29·690	29·681	9
10	29·728	29·712	29·700	29·695	29·694	29·692	29·697	29·715	29·735	29·756	29·756	29·756	10
11	29·753	29·741	29·727	29·717	29·708	29·718	29·733	29·741	29·758	29·772	29·774	29·772	11
12	29·761	29·733	29·711	29·713	29·722	29·724	29·732	29·749	29·773	29·783	29·785	29·779	12
13	29·789	29·778	29·762	29·764	29·760	29·758	29·770	29·774	29·796	29·808	29·814	29·804	13
14	29·821	29·806	29·809	29·808	29·817	29·824	29·832	29·834	29·846	29·863	29·859	29·857	14
15	29·842	29·824	29·804	29·791	29·795	29·802	29·810	29·826	29·856	29·874	29·877	29·871	15
16	29·833	29·798	29·794	29·788	29·783	29·794	29·801	29·822	29·844	29·868	29·870	29·854	16
17	29·835	29·817	29·799	29·781	29·780	29·788	29·792	29·810	29·830	29·844	29·844	29·844	17
18	29·780	29·754	29·728	29·718	29·710	29·716	29·723	29·754	29·782	29·805	29·814	29·812	18
19	29·813	29·790	29·778	29·771	29·770	29·756	29·777	29·802	29·814	29·832	29·820	29·826	19
20	29·820	29·812	29·802	29·793	29·796	29·796	29·822	29·825	29·853	29·875	29·885	29·880	20
21	29·862	29·848	29·839	29·833	29·836	29·844	29·853	29·866	29·888	29·898	29·892	29·884	21
22	29·826	28·804	29·788	29·780	29·776	29·777	29·795	29·800	29·822	29·828	29·828	29·834	22
23	29·804	29·788	29·777	29·773	29·766	29·771	29·795	29·808	29·816	29·824	29·823	29·816	23
24	29·850	29·828	29·817	29·812	29·811	29·811	29·816	29·820	29·826	29·832	29·832	29·816	24
25	29·806	29·779	29·755	29·741	29·734	29·735	29·742	29·751	29·769	29·787	29·786	29·782	25
26	29·736	29·728	29·715	29·708	29·708	29·708	29·711	29·738	29·754	29·766	29·769	29·764	26
27	29·799	29·779	29·764	29·763	29·769	29·774	29·781	29·797	29·817	29·823	29·819	29·817	27
28	29·777	29·750	29·720	29·725	29·730	29·732	29·747	29·766	29·790	29·806	29·806	29·800	28
29	29·828	29·811	29·788	29·779	29·797	29·815	29·826	29·866	29·880	29·895	29·886	29·887	29
30	29·902	29·882	29·866	29·866	29·863	29·872	29·894	29·904	29·918	29·938	29·931	29·939	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·2	76·8	77·3	77·3	78·1	79·8	78·5	81·0	80·9	81·4	82·0	82·8	1
2	80·9	81·0	81·0	80·9	80·8	80·8	80·8	82·0	82·6	83·3	84·3	84·8	2
3	78·6	78·8	78·1	78·0	78·1	78·3	79·8	81·8	84·8	86·4	87·0	87·1	3
4	80·6	80·0	80·5	81·0	80·9	80·8	81·6	83·7	86·2	85·7	86·1	88·9	4
5	82·6	82·0	82·2	81·9	81·7	82·0	82·2	82·1	82·8	83·8	84·0	83·3	5
6	78·7	77·7	78·9	78·9	78·8	78·7	78·3	77·7	77·5	77·8	78·5	78·4	6
7	79·8	78·8	78·6	78·6	78·6	78·0	79·1	80·5	81·5	82·6	83·1	84·7	7
8	78·1	77·8	77·7	77·5	77·4	77·6	78·6	80·3	82·7	83·8	85·9	88·2	8
9	80·6	79·8	80·6	80·8	80·0	79·9	79·8	81·7	84·8	86·1	88·0	89·0	9
10	80·1	80·3	80·6	80·3	80·0	79·8	75·5	75·2	76·8	79·1	80·8	83·2	10
11	78·7	79·0	79·6	79·4	79·0	79·1	79·1	80·5	80·6	78·6	80·5	84·7	11
12	78·6	77·1	78·2	78·8	78·7	78·5	78·8	80·2	80·8	82·4	82·0	82·2	12
13	79·0	78·9	78·9	78·5	78·5	78·2	78·4	79·0	79·8	80·3	80·5	81·8	13
14	80·3	79·7	79·6	78·5	78·7	78·1	80·4	80·4	77·8	78·6	80·0	81·1	14
15	79·5	78·8	77·8	77·1	77·1	77·1	78·1	80·1	80·4	79·3	79·0	77·9	15
16	77·8	77·8	77·8	77·3	77·5	77·8	78·8	81·0	82·5	83·5	84·0	84·4	16
17	79·5	79·6	79·4	79·0	79·0	79·0	79·4	79·6	80·4	81·2	81·0	81·9	17
18	79·8	79·5	79·4	79·2	78·8	79·4	79·7	80·8	83·0	83·5	83·7	84·2	18
19	80·0	80·0	80·4	80·2	80·0	79·7	79·9	80·2	81·3	82·4	83·8	86·5	19
20	81·2	81·0	80·8	79·9	79·8	79·8	80·5	80·7	80·7	81·1	81·6	82·0	20
21	80·1	80·1	80·3	80·2	80·0	79·8	80·0	80·8	80·9	82·1	82·8	83·6	21
22	78·8	78·8	78·0	77·3	77·8	78·6	79·6	82·0	82·5	84·8	86·0	86·0	22
23	79·8	79·8	79·6	79·1	78·9	79·0	79·7	81·3	81·8	82·8	84·5	83·4	23
24	79·6	79·6	79·3	78·9	79·0	79·2	79·7	80·8	82·8	83·8	83·3	84·5	24
25	78·8	78·6	78·0	78·0	78·0	77·4	77·5	80·4	82·1	83·8	83·0	84·8	25
26	79·8	79·8	79·7	79·5	79·0	78·5	80·3	82·5	84·6	85·8	87·3	88·0	26
27	81·9	82·2	81·8	81·5	81·5	81·8	81·7	82·0	83·7	83·5	84·9	85·6	27
28	79·9	79·8	79·8	78·9	79·0	78·4	79·9	81·1	82·7	85·0	86·7	87·7	28
29	81·6	81·6	81·0	80·8	81·0	80·8	81·0	83·4	84·7	85·8	85·0	79·4	29
30	77·1	74·8	74·9	74·7	74·5	74·5	74·8	76·7	78·9	80·5	81·6	82·5	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·1	81·2	80·8	79·8	80·5	80·8	80·8	81·0	81·5	81·5	81·5	81·4	1
2	85·4	85·2	86·0	85·8	84·6	82·6	80·8	80·6	80·0	79·8	79·2	79·3	2
3	85·8	85·8	85·9	84·9	84·7	83·0	81·6	80·8	80·3	79·8	79·5	79·3	3
4	88·3	88·1	87·8	87·2	86·0	83·8	83·0	83·3	83·5	82·8	82·7	82·8	4
5	82·7	83·2	82·4	81·2	81·0	79·5	79·8	80·0	79·9	79·5	78·9	78·0	5
6	79·8	81·0	80·9	81·0	81·1	80·3	80·3	80·3	80·5	80·5	80·2	80·0	6
7	83·9	83·9	83·4	82·5	81·6	81·0	79·8	79·6	79·6	79·5	78·9	79·0	7
8	89·1	89·8	89·4	89·0	87·8	85·7	84·4	83·0	82·1	81·1	81·1	81·0	8
9	89·1	89·3	88·8	87·6	86·9	84·5	82·8	82·3	81·6	81·7	81·1	80·8	9
10	84·7	85·2	84·4	84·8	83·5	82·6	81·8	81·6	81·1	77·9	77·8	77·8	10
11	83·7	82·8	82·4	81·8	81·5	81·0	80·4	80·0	79·8	79·9	80·1	79·8	11
12	82·3	82·4	82·2	81·8	81·6	79·8	79·5	79·2	79·5	79·5	79·8	79·3	12
13	81·0	80·7	80·6	80·3	80·8	80·2	80·0	79·9	80·5	80·5	80·5	80·4	13
14	81·9	83·7	78·5	78·5	80·5	79·8	77·8	76·8	77·8	79·0	79·3	79·1	14
15	81·0	80·2	81·3	81·3	81·0	80·5	79·7	79·5	79·2	78·8	78·1	78·6	15
16	84·8	84·1	83·2	82·5	81·8	80·8	80·1	80·1	79·9	79·9	79·9	80·0	16
17	83·0	82·8	82·7	81·8	81·2	80·9	79·7	79·8	79·7	79·8	79·9	79·6	17
18	84·0	83·8	83·9	84·7	84·6	82·7	81·0	80·1	79·9	79·9	79·9	79·7	18
19	84·6	85·8	84·0	83·5	84·0	82·8	81·9	80·7	80·7	81·8	81·0	80·9	19
20	82·0	81·9	81·8	82·7	81·9	81·1	81·0	80·9	80·8	80·8	80·8	80·4	20
21	83·6	83·4	83·0	81·7	81·1	81·0	80·5	80·3	80·0	79·9	79·5	79·3	21
22	86·1	85·4	85·2	84·2	82·8	81·5	80·5	80·2	79·7	79·7	79·6	79·4	22
23	84·8	84·8	83·8	83·8	82·7	81·8	80·4	80·0	79·8	79·7	79·7	79·6	23
24	84·2	83·9	83·6	83·0	82·6	80·8	79·9	79·0	79·0	79·4	78·8	78·8	24
25	86·3	86·7	86·5	85·8	84·1	83·0	82·3	81·7	80·8	80·8	80·0	80·2	25
26	88·8	88·8	88·0	87·7	86·5	85·8	85·0	84·5	83·8	83·2	82·6	82·2	26
27	85·9	85·0	83·2	84·0	84·0	83·0	82·2	82·0	81·6	81·3	81·3	80·8	27
28	88·6	89·0	88·5	87·5	85·8	84·4	83·7	83·5	82·8	82·6	82·4	81·8	28
29	78·7	78·6	80·0	82·8	81·8	79·4	78·2	75·8	76·3	76·7	77·0	77·0	29
30	82·6	81·7	81·7	81·6	81·0	79·8	79·8	80·3	80·1	76·7	75·0	74·8	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	76·7	75·0	75·9	76·0	76·3	77·5	77·0	77·8	77·9	77·8	78·0	78·8	1
2	78·7	78·0	77·8	77·7	77·8	77·8	77·8	78·0	78·6	78·8	78·9	77·8	2
3	77·2	77·0	76·6	76·0	76·6	76·0	77·0	77·2	78·2	77·2	76·0	76·6	3
4	76·1	76·0	76·8	77·0	77·7	76·8	77·8	79·0	80·0	79·2	79·0	79·4	4
5	77·0	77·2	76·8	76·5	77·0	76·0	76·7	76·8	77·0	77·8	78·0	77·2	5
6	76·2	77·0	76·9	76·9	76·5	76·7	75·9	75·7	75·0	75·3	75·5	74·7	6
7	76·3	75·8	73·4	73·3	72·9	73·0	73·1	73·5	73·4	74·6	75·7	76·9	7
8	74·8	74·8	74·7	74·5	74·4	74·6	75·6	76·3	76·8	72·5	76·9	75·5	8
9	68·6	68·4	67·6	67·3	67·0	67·4	68·8	68·8	71·0	72·3	74·0	74·8	9
10	74·7	75·0	75·2	75·0	75·0	75·6	73·0	73·0	73·2	75·1	75·6	76·0	10
11	75·5	75·0	74·3	73·9	73·0	73·1	73·8	75·0	74·8	75·0	73·0	71·9	11
12	75·1	74·3	74·8	74·4	74·1	72·8	73·1	73·6	73·8	74·4	73·5	73·6	12
13	74·0	73·8	73·7	73·3	73·2	73·0	73·1	73·1	73·3	73·8	74·2	76·5	13
14	77·1	76·8	76·0	75·0	76·3	75·8	77·7	77·4	76·6	77·1	77·8	77·8	14
15	77·5	77·5	76·7	75·8	75·8	75·8	76·8	77·8	76·8	77·8	77·8	76·0	15
16	76·7	76·7	76·7	75·9	76·1	76·3	77·0	78·0	78·1	77·5	76·9	77·0	16
17	76·5	76·0	75·8	75·6	75·5	75·0	74·8	74·9	75·4	75·2	76·0	75·0	17
18	75·3	75·0	74·9	75·3	75·4	75·1	75·4	76·0	77·0	77·4	77·1	77·9	18
19	77·0	76·8	75·9	75·8	75·8	75·8	75·0	74·0	74·3	76·0	76·0	76·6	19
20	74·9	74·8	75·0	75·3	74·6	75·0	74·5	74·8	74·8	75·1	75·6	75·6	20
21	76·8	76·8	77·0	76·2	76·5	76·8	77·0	77·8	76·8	77·5	77·0	77·8	21
22	76·8	76·8	76·0	75·8	75·8	75·8	76·6	77·4	77·0	78·3	78·8	79·0	22
23	76·2	76·0	76·0	76·0	76·3	76·0	76·2	76·8	77·0	76·8	78·0	77·8	23
24	75·8	75·5	75·7	75·4	75·3	75·2	75·0	75·8	77·0	77·3	76·9	77·0	24
25	75·8	75·0	74·8	74·8	74·8	74·8	75·0	76·5	75·8	76·8	76·7	77·1	25
26	75·8	75·7	75·9	76·0	76·0	75·9	77·1	78·8	79·6	79·5	79·8	80·0	26
27	78·7	79·2	78·8	78·6	78·6	78·0	77·8	77·9	78·4	78·5	79·0	79·6	27
28	77·0	77·2	77·0	76·8	76·8	76·6	77·6	77·8	78·8	79·2	79·8	80·0	28
29	77·0	77·0	77·0	76·9	77·0	75·3	75·0	76·8	77·5	77·8	77·0	75·4	29
30	75·6	74·1	74·1	73·9	73·6	71·7	70·8	72·3	72·1	73·5	72·0	73·5	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·1	77·8	77·8	77·0	77·8	77·8	77·8	78·7	78·7	78·7	78·7	78·6	1
2	79·1	78·8	78·8	78·8	77·9	78·0	77·4	77·0	77·4	77·6	77·0	77·0	2
3	76·8	76·2	76·3	76·2	76·0	76·0	76·0	76·0	76·8	77·2	77·5	77·3	3
4	78·4	79·5	79·1	78·3	78·0	78·0	78·0	77·9	78·0	77·8	77·7	77·7	4
5	77·6	77·9	77·5	77·3	77·3	77·0	76·6	76·8	76·8	76·8	76·7	77·0	5
6	74·8	76·0	75·6	75·8	76·6	76·3	76·8	76·8	76·8	76·8	76·8	76·6	6
7	75·9	75·6	75·7	75·3	75·0	74·9	74·7	74·3	74·7	74·8	75·3	75·0	7
8	73·8	73·8	73·0	74·0	73·0	73·7	72·6	73·0	73·7	72·8	69·8	69·0	8
9	75·6	75·5	75·8	75·4	74·8	74·0	73·8	74·3	73·8	75·2	74·3	74·6	9
10	75·8	76·1	75·8	75·8	75·0	74·6	74·7	74·7	74·8	74·8	74·1	75·0	10
11	71·3	71·3	71·1	72·1	71·9	71·8	71·9	72·0	73·2	73·1	73·3	73·0	11
12	73·7	73·5	73·7	73·8	73·7	74·0	73·8	73·8	73·8	73·8	73·8	73·6	12
13	75·8	75·7	76·0	75·9	76·3	75·7	76·3	76·7	76·5	76·5	76·5	76·4	13
14	78·5	78·8	75·6	75·0	76·9	77·6	76·0	75·0	75·8	77·3	77·3	77·2	14
15	78·8	77·0	77·8	77·0	77·8	77·5	77·0	77·0	77·1	76·9	76·4	76·8	15
16	76·1	76·8	77·3	77·0	75·8	76·6	75·8	76·6	76·7	76·7	76·5	76·3	16
17	75·0	75·6	75·9	75·1	74·9	74·8	75·0	74·8	74·9	75·0	75·2	75·3	17
18	78·0	77·8	78·0	78·2	78·3	77·5	77·0	76·7	76·8	76·8	76·8	77·0	18
19	76·0	76·6	77·0	77·5	77·0	75·8	76·6	77·0	77·0	76·3	76·0	76·0	19
20	75·0	75·6	75·1	75·8	75·8	75·7	75·0	75·2	76·2	75·8	75·8	76·0	20
21	77·8	77·6	77·5	77·3	77·0	77·5	77·0	77·2	77·1	76·6	77·0	76·9	21
22	78·1	77·1	76·8	76·0	76·3	75·8	75·5	76·0	76·3	76·6	76·6	76·6	22
23	78·5	78·4	77·8	77·8	77·6	76·7	76·6	76·7	76·0	76·0	76·0	75·8	23
24	76·9	77·0	76·9	76·7	76·3	75·8	75·5	75·5	75·5	75·3	75·3	75·8	24
25	77·6	77·8	77·0	76·0	76·0	75·5	75·5	75·8	76·1	76·0	76·0	76·0	25
26	80·2	80·0	80·0	80·3	79·0	78·8	78·0	78·0	78·0	78·4	77·9	78·0	26
27	79·8	79·0	78·1	78·8	77·8	78·0	77·7	78·1	77·9	77·6	77·8	77·0	27
28	80·1	79·0	78·9	79·0	78·3	78·5	78·7	78·8	79·0	78·8	77·6	77·8	28
29	75·3	76·0	77·0	76·5	76·0	75·3	75·6	73·8	74·2	75·0	75·2	75·0	29
30	73·2	72·7	72·9	73·4	73·0	72·9	72·9	73·8	74·1	73·8	74·0	74·5	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1929.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	10	10	9	10	10	9	10	9	10	10	9	9	7	4	3	2	2	1	1	1	...	...	...	2	2
3	9	3	2	2	...	2	3	3	...	1	6	1	1	1	1	1	2	2	...	...	...	...	..	8	3
4	...	...	7	10	10	4	4	3	5	4	7	7	7	5	5	5	3	3	7	2	7	6	2	6	4
5	5	6	7	5	9	8	8	8	10	9	10	10	10	10	10	8	9	10	10	10	10	10	10	10	5
6	10	10	9	10	10	10	10	10	10	10	10	10	9	8	6	8	7	9	10	9	9	8	6	8	6
7	10	10	8	9	8	4	4	5	3	4	3	4	1	4	4	2	6	5	4	1	...	...	...	1	7
8	...	...	2	...	1	...	...	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	..	...	...	...	...	...	...	...	...	...	1	2	4	4	3	2	4	1	...	...	...	...	9
10	...	7	3	...	...	3	10	10	10	10	10	9	7	9	8	8	7	6	3	8	9	9	7	9	10
11	6	7	9	6	3	3	8	7	9	10	9	7	7	9	9	7	3	...	...	2	2	4	9	10	11
12	10	10	10	9	9	4	4	5	6	6	2	3	3	1	1	2	3	1	2	2	1	8	5	5	12
13	6	6	8	7	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	13
14	10	9	7	8	9	9	9	9	10	10	10	10	10	10	10	10	8	5	9	8	2	10	10	7	14
15	9	8	9	8	4	7	5	8	10	10	10	9	8	9	7	7	9	5	...	...	1	2	2	2	15
16	1	1	1	...	3	2	3	3	4	4	3	3	3	3	4	4	4	5	4	4	4	4	5	7	16
17	10	4	7	2	3	8	9	8	9	8	8	8	7	7	4	3	4	3	3	3	4	2	3	6	17
18	6	3	4	5	3	7	9	8	7	7	4	5	6	6	7	4	2	1	...	...	1	1	7	9	18
19	9	10	10	9	10	9	3	9	9	10	9	9	9	9	9	9	8	8	9	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	9	9	8	20
21	9	9	9	9	9	9	10	8	10	9	8	8	6	8	9	8	8	9	8	4	3	3	2	2	21
22	2	3	7	2	1	2	2	2	1	2	1	3	3	3	2	3	4	5	4	1	1	6	7	7	22
23	8	10	8	7	6	7	7	5	7	8	8	9	9	8	5	3	3	2	2	1	...	1	2	8	23
24	9	8	8	7	6	5	4	8	8	7	8	6	4	2	3	3	3	3	1	...	...	...	...	4	24
25	8	7	7	8	7	8	3	5	3	4	4	3	3	3	3	1	2	2	...	...	...	...	...	2	25
26	...	...	2	..	1	2	5	5	4	3	4	4	6	5	7	3	2	1	...	...	...	...	...	...	26
27	...	8	9	6	8	5	4	9	8	8	8	3	5	7	8	9	9	8	5	7	8	7	7	4	27
28	3	2	3	2	1	1	1	3	4	2	3	4	3	3	3	2	3	5	6	2	2	2	...	...	28
29	4	8	8	8	9	6	3	3	6	5	8	10	10	10	9	9	9	9	10	10	10	10	9	8	29
30	9	10	10	10	10	10	10	10	10	10	9	8	8	8	7	7	3	8	9	9	9	10	10	10	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of SEPTEMBER, 1929.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	0·2	0·6	...	...	...	...	...	...	...	1
2	...	0·2	0·5	0·1	0·8	0·8	0·9	1·0	1·0	1·0	1·0	1·0	0·4	2
3	0·3	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	3
4	0·1	1·0	1·0	0·9	1·0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	0·1	4
5	...	0·1	...	0·4	0·4	...	...	0·3	0·2	0·7	0·3	...	...	5
6	...	...	...	...	...	...	...	0·2	0·8	...	0·8	0·7	...	6
7	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	1·0	0·4	...	7
8	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	8
9	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·3	9
10	...	...	...	...	...	0·2	0·4	0·8	0·1	0·4	0·2	0·3	0·2	10
11	...	0·3	0·3	...	...	0·1	0·6	0·4	0·1	...	0·3	0·9	0·2	11
12	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	...	13
14	..	0·1	0·1	...	...	...	0·1	...	0·1	...	0·1	0·2	...	14
15	...	0·6	0·4	...	...	...	0·3	0·6	0·1	0·9	0·7	0·7	...	15
16	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	16
17	...	0·2	0·6	0·3	0·7	0·7	0·6	1·0	1·0	1·0	1·0	1·0	0·1	17
18	...	0·7	0·9	1·0	1·0	1·0	1·0	0·7	0·8	1·0	1·0	1·0	0·1	18
19	...	0·3	...	...	...	0·7	0·6	0·4	0·6	0·3	0·8	1·0	0·1	19
20	...	...	...	...	0·3	...	...	0·2	0·1	0·3	0·5	...	...	20
21	...	0·3	0·7	0·4	0·9	1·0	0·9	1·0	0·4	0·1	0·1	...	...	21
22	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	22
23	...	0·1	0·7	0·5	0·5	0·8	0·9	1·0	1·0	0·9	1·0	0·9	...	23
24	...	0·7	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	24
25	...	0·7	0·7	1·0	0·9	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·1	25
26	...	1·0	1·0	1·0	1·0	1·0	1·0	0·9	1·0	0·9	0·9	1·0	0·1	26
27	...	...	0·9	1·0	0·6	1·0	1·0	1·0	0·4	0·4	1·0	0·2	...	27
28	...	0·2	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	...	28
29	...	0·8	1·0	1·0	0·9	0·2	...	...	...	0·8	0·4	...	...	29
30	...	...	0·1	0·2	0·2	0·9	1·0	1·0	0·3	0·8	1·0	0·7	...	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of SEPTEMBER, 1929.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	d	0·275	0·140	0·380	0·355	0·280	0·040	0·025	0·020	0·005	...	d	1
2	...	...	...	...	...	d	d	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	d	d	5
6	0·030	0·640	0·010	d	0·005	0·075	d	0·105	0·105	0·010	0·005	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	0·030	0·265	d	d	...	...	...	10
11	...	d	...	...	...	...	...	...	d	...	...	...	11
12	0·090	0·240	0·005	d	...	...	...	...	...	...	...	...	12
13	...	...	...	...	0·005	d	d	d	...	...	...	...	13
14	d	...	...	...	d	...	d	0·020	0·055	0·050	0·085	0·025	14
15	d	0·005	d	...	...	...	...	0·050	0·280	0·310	0·280	0·030	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	0·025	...	0·005	...	d	d	...	...	...	...	...	...	17
18	d	...	...	...	...	...	...	...	...	...	...	...	18
19	...	d	...	...	...	d	...	...	...	...	...	d	19
20	...	...	d	0·020	...	d	...	d	d	...	...	...	20
21	...	...	...	...	...	...	d	0·005	d	d	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	d	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	0.005	0·005	...	...	...	...	...	27
28	d	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	0·005	0·520	29
30	0·055	1·370	0·120	0·190	0·530	0·080	0·010	...	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	0·090	0·135	0·020	d	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	d	d	...	...	d	0·045	d	d	0·005	0·170	0·015	0·335	5
6	...	...	...	...	...	d	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	d	0·150	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	0·095	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	d	d	...	d	0·005	d	...	d	...	d	13
14	0·025	0·005	0·010	0·005	...	...	0·010	...	...	d	0·005	...	14
15	...	d	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	0·050	16
17	...	...	...	...	...	...	...	...	...	...	...	d	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	0·420	0·010	d	...	...	19
20	...	...	...	d	d	d	d	...	...	...	...	...	20
21	...	d	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	d	0·005	d	...	d	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	0·100	0·055	d	...	0·010	...	0·005	0·580	0·045	d	...	...	29
30	...	...	...	...	...	...	...	d	0·110	0·480	0·480	0·045	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1929.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	28	9	27	9	27	9	15	9	24	10	29	9	26	8	28	8	31	8	30	8	30	8	32	1
2	8	24	8	22	7	20	6	17	6	17	8	18	8	20	7	18	7	15	7	16	6	13	8	15	2
3	9	3	...	1	...	1	31	4	30	2	...	...	...	1	4	4	8	9	9	11	9	16	9	15	3
4	...	...	...	...	8	2	8	7	8	7	7	7	7	4	8	3	...	1	20	5	25	7	4	6	4
5	6	26	6	27	6	35	6	28	6	27	6	22	6	32	6	33	6	34	6	34	6	30	7	29	5
6	7	35	7	26	7	23	6	24	6	19	6	22	6	27	6	30	6	26	7	30	7	30	8	28	6
7	6	18	6	19	6	16	6	16	5	17	6	15	6	16	7	15	7	12	8	13	9	12	9	12	7
8	9	4	...	1	...	...	...	...	...	...	...	...	...	...	14	4	26	6	31	7	23	8	28	10	8
9	27	3	...	1	32	3	1	6	1	8	32	8	1	6	1	12	1	10	1	10	1	11	26	5	9
10	13	3	11	10	11	8	11	4	...	1	9	4	3	13	27	3	23	3	23	5	24	5	23	6	10
11	10	5	9	5	7	12	7	14	7	10	7	9	7	3	7	5	4	7	32	6	4	8	9	17	11
12	6	15	4	16	6	20	6	22	6	22	6	18	6	16	6	21	6	22	5	23	6	22	7	24	12
13	6	21	6	22	6	22	5	22	6	28	5	21	6	21	6	23	6	24	6	24	7	25	6	24	13
14	9	27	9	24	10	23	8	17	8	19	8	11	9	14	9	18	8	14	6	16	8	20	9	20	14
15	9	8	12	5	20	5	...	1	...	1	3	2	...	...	3	2	8	4	3	4	...	1	9	11	15
16	...	1	...	...	7	2	8	2	7	3	8	5	9	7	9	7	9	8	9	12	10	12	10	14	16
17	8	17	8	18	6	20	7	19	7	22	7	24	6	24	7	25	6	21	7	19	7	19	8	20	17
18	8	16	7	15	7	13	7	11	7	10	7	10	6	8	6	10	7	12	8	14	9	14	9	12	18
19	7	11	7	10	6	9	4	4	3	3	...	...	1	8	1	9	1	7	1	8	2	7	6	9	19
20	6	28	6	26	6	29	6	28	6	32	6	29	6	31	6	30	6	32	6	33	6	30	6	30	20
21	7	26	6	22	7	22	6	20	7	20	7	18	6	16	6	17	6	18	6	18	7	17	7	16	21
22	10	3	10	3	...	...	...	...	...	...	10	5	9	5	9	3	12	5	10	8	10	11	9	13	22
23	10	6	10	5	9	5	8	5	7	6	7	7	6	6	6	6	8	9	9	11	9	13	9	14	23
24	12	7	11	7	10	6	10	7	10	8	9	10	8	10	7	10	8	11	8	12	8	13	8	14	24
25	10	7	11	7	12	3	...	...	...	...	...	...	...	1	...	...	...	1	24	4	25	5	24	7	25
26	...	1	18	2	23	4	22	3	23	2	23	2	23	3	24	5	24	7	23	8	22	8	22	9	26
27	...	...	...	...	...	1	26	2	26	6	10	14	6	12	6	14	7	16	7	16	8	17	9	19	27
28	10	6	11	2	...	...	...	1	...	...	...	...	...	...	...	...	17	3	25	6	24	7	23	9	28
29	31	4	...	1	...	...	10	2	11	2	10	3	...	1	10	2	10	5	11	6	11	6	27	12	29
30	6	8	7	17	9	17	8	13	8	19	9	18	10	15	11	14	10	15	8	18	6	19	6	18	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	9	28	7	34	9	32	9	22	8	20	8	21	9	23	8	25	8	26	8	28	8	25	8	24	1
2	9	11	10	10	10	11	11	13	10	10	9	11	10	8	10	3	...	1	...	...	...	...	...	1	2
3	9	13	9	14	9	17	9	13	9	9	9	8	8	5	7	8	7	9	8	7	8	4	...	...	3
4	10	10	10	15	10	19	8	18	7	17	7	19	7	16	7	22	7	22	7	29	6	25	6	29	4
5	7	30	7	30	7	36	7	30	7	32	6	37	7	34	6	34	7	32	7	31	7	32	7	32	5
6	8	24	8	23	8	21	8	22	9	23	9	23	9	22	8	19	8	18	7	19	7	19	7	19	6
7	8	13	9	14	7	8	6	7	7	8	8	8	9	5	9	7	8	2	7	3	8	2	9	4	7
8	31	13	30	13	30	15	30	11	30	11	30	7	30	5	30	2	...	1	...	1	31	5	26	3	8
9	23	8	23	7	22	8	22	8	22	6	21	3	...	1	...	...	...	...	...	...	...	...	...	...	9
10	23	7	23	6	22	7	22	6	22	5	23	5	23	4	...	1	23	5	6	11	8	9	10	7	10
11	9	20	9	16	10	16	10	15	10	12	9	12	8	14	8	15	7	15	8	15	7	18	7	15	11
12	6	18	7	19	8	20	8	20	8	20	7	18	8	18	7	22	8	20	7	23	7	21	6	19	12
13	6	27	7	25	7	24	7	20	6	19	7	22	6	19	7	23	8	23	8	28	8	27	8	24	13
14	10	21	9	17	6	14	5	6	6	8	7	7	7	10	8	12	9	11	10	11	10	11	8	10	14
15	8	10	7	5	7	3	8	6	9	5	8	7	9	9	8	8	7	6	8	2	...	...	...	...	15
16	10	15	10	19	9	18	9	19	9	17	10	17	10	14	10	13	10	16	9	14	9	14	9	16	16
17	8	21	8	19	8	18	8	21	8	17	8	16	8	18	7	15	8	16	7	14	8	16	7	14	17
18	9	12	8	10	16	5	25	7	25	5	25	3	26	5	7	7	8	8	8	8	8	9	7	10	18
19	6	10	8	5	10	12	9	14	8	9	8	12	7	10	6	13	6	11	6	22	6	23	6	24	19
20	6	31	6	27	7	28	7	26	7	28	7	24	8	27	8	27	8	26	9	25	7	22	6	21	20
21	7	16	8	20	9	18	10	19	10	13	11	10	10	11	11	10	10	9	11	6	10	6	11	6	21
22	9	13	9	14	9	15	8	13	8	13	8	12	9	11	9	9	8	7	9	7	9	4	9	5	22
23	9	14	10	15	9	13	9	14	9	13	9	11	10	6	10	5	10	5	10	4	10	5	11	9	23
24	9	14	9	15	9	16	8	13	8	14	9	12	10	7	11	4	11	3	11	5	11	5	10	6	24
25	24	7	23	6	24	7	23	7	24	7	23	5	21	4	18	3	17	5	17	3	...	1	...	...	25
26	22	11	22	9	22	11	22	9	22	8	22	6	24	5	25	3	26	2	...	...	...	...	...	...	26
27	10	20	9	19	9	16	8	15	8	15	9	13	10	11	9	9	10	5	11	7	11	6	10	5	27
28	22	9	21	10	20	10	19	11	20	13	19	13	20	13	21	9	23	5	24	6	25	6	27	5	28
29	12	6	27	4	31	2	7	3	14	2	21	9	27	7	29	7	...	1	7	2	8	4	8	10	29
30	7	17	7	19	7	16	8	19	8	18	7	20	8	17	8	20	6	20	5	19	6	19	6	15	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of SEPTEMBER, 1929.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	nb	E	nb	E	nb	E	nb	ESE	nb	ESE	nb	ESE	nb	ESE	nb	ESE
2	nb	E	nb	E	nb	E	cu	E	cu	E	cu	ESE	cu	E	...	...
3	cu	ESE	cu	ESE	cu	E	cu	ENE	cu	E	cu	E	...	...	...	...
4	...	...	cu	ENE	ci-st / cu	ENE / NE	ci-st / cu	ENE / NNE	cu	E	cu	E	cu	E	cu	E
5	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu-nb	ENE	cu	ENE	nb	ENE	nb	ENE
6	nb	ENE	nb	ENE	nb	ENE	nb	E	cu-nb	E	cu	E	nb	E	cu	E
7	nb	ENE	cu-nb	ENE	ci-st / cu	NW / ENE	ci-st / cu	WNW / ENE	ci-st	WNW	cu	ENE	ci-st	WNW	...	...
8	...	...	...	...	...	...	cu	ENE	...	...	...	...	...	...	...	...
9	...	...	...	...	...	...	...	...	cu	E	cu	N	cu	NNE	...	...
10	...	...	...	...	nb	E	nb	E	a-cu / cu-nb	N / NNW	a-cu / cu-nb	N / NNW	a-cu / cu	N / NW	cu-nb	NW
11	cu	E	cu	E	cu	E	cu-nb	ENE	cu	E	cu	E	...	...	cu	E
12	nb	E	nb	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
13	cu	E	cu	E	nb	ENE	cu	E	st-cu	ENE	cu-nb	ENE	nb	ENE	nb	ENE
14	nb	E	cu	E	cu	E	nb	ESE	nb	ESE	nb	ESE	nb	E	nb	ESE
15	cu-nb	E	nb	E	cu	E	nb	SSE	cu	SE	cu	SSW	...	...	cu	E
16	cu	E	...	...	ci-st / cu	NW / E	cu	E	ci-st / cu	ENE / E	ci-st / cu	ENE / E	ci-st / cu	ENE / E	cu	E
17	nb	ESE	cu	ESE	nb	E	cu	E	cu	E	cu	E	cu	E	cu	E
18	cu-nb	E	cu	E	cu	E	cu	ENE	cu	NE	cu	NE	...	...	cu	ENE
19	cu	ENE	cu-nb	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu-nb	ENE	nb	ENE
20	cu-nb	E	nb	E	cu-nb	ENE	cu-nb	E	cu-nb	ENE	cu-nb	ENE	nb	E	cu	E
21	cu	E	cu	E	nb	E	cu	E	cu	E	cu	E	cu	E	cu	ESE
22	cu	E	cu	ESE	ci-st	NNE	cu	ESE	cu	E	ci-st / cu	NW / E	ci-st	NW	ci-st	NW
23	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	ESE
24	cu	ESE	ci-st / cu	NNE / ESE	cu	ESE	cu	SSE	ci-st / cu	W / ESE	ci-st / cu	W / SW	ci-st	W	...	...
25	cu	ESE	cu	ESE	cu	SE	cu	SE	cu	SE	cu	SE	...	...	...	...
26	...	...	...	...	ci-st	NE	cu	WSW	ci-st / cu	NE / WSW	ci-st / cu	NE / WSW	...	...	...	...
27	...	...	cu	SW	cu	ESE	cu	E	cu	E	ci-st / cu	NE / SSW	cu	SSE	nb	E
28	cu	ESE	cu	SE	cu	WSW	cu	WSW	cu	NW	cu	NW	ci-st / cu	NNW / WSW	cu	WSW
29	cu	WSW	cu	WSW	a-cu	NNW	ci-st / cu	NW / WSW	nb	NNW	a-cu / st-cu	ESE / NW	nb	NW	nb	NW
30	nb	E	nb	E	nb	E	cu-nb	E	ci-st / cu	SW / E	a-cu / cu	SW / E	cu	E	nb	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1929.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·672	83·1	75·5	7·6	80·3	77·6	0·914	88	100	0·8	6	1·765	9	− 1·9	+ 26·2	94	26·3	26·5
2	·705	86·0	79·1	6·9	82·2	78·0	·910	83	57	8·7	70	...	...	+ 0·2	+ 11·8	89	11·8	12·2
3	·666	87·5	77·8	9·7	82·0	76·7	·858	79	20	11·1	89	...	...	− 0·5	+ 6·7	94	6·7	7·2
4	·615	89·8	79·9	9·9	84·0	78·0	·889	76	50	11·0	88	...	...	+ 1·3	+ 10·7	83	10·8	12·1
5	·641	85·0	76·7	8·3	81·5	77·1	·879	82	88	2·4	19	0·570	3	+ 9·2	+ 29·4	73	30·8	31·1
6	·708	81·8	76·6	5·2	79·4	76·2	·866	86	90	2·5	20	0·985	6	+ 3·5	+ 23·2	81	23·5	23·8
7	·700	84·9	78·0	6·9	80·7	74·7	·791	76	42	10·4	84	...	...	+ 2·1	+ 10·5	79	10·7	10·9
8	·632	90·2	77·3	12·9	82·9	73·9	·734	66	3	11·5	93	...	...	+ 3·6	− 2·0	331	4·1	5·3
9	·648	89·5	79·3	10·2	83·6	72·2	·661	57	9	11·6	94	...	...	+ 2·7	− 1·3	334	3·0	5·2
10	·723	85·3	74·8	10·5	80·6	74·9	·800	77	67	2·6	21	0·445	2	− 0·7	− 0·4	210	0·8	5·7
11	·751	85·0	78·6	6·4	80·5	73·1	·730	70	61	3·2	26	0·095	1	+ 0·2	+ 11·3	89	11·3	11·8
12	·755	82·6	77·0	5·6	80·1	73·9	·766	75	47	10·9	89	0·335	2	+ 5·4	+ 18·9	74	19·7	20·0
13	·784	81·8	77·7	4·1	79·9	75·0	·811	79	93	...	...	0·010	2	+ 6·4	+ 22·0	74	22·9	23·2
14	·823	83·7	77·4	6·3	79·4	76·8	·891	89	87	0·7	6	0·295	6	− 1·3	+ 14·6	95	14·6	15·0
15	·841	82·0	77·0	5·0	79·2	77·0	·901	90	62	4·3	35	0·955	3	− 0·1	+ 3·7	92	3·7	4·4
16	·835	85·0	77·2	7·8	80·7	76·7	·872	83	33	11·3	93	0·050	1	− 2·9	+ 10·7	105	11·0	11·0
17	·826	83·2	78·9	4·3	80·4	75·3	·818	79	55	8·2	67	0·030	1	+ 2·5	+ 18·6	82	18·8	18·9
18	·787	84·9	78·8	6·1	81·5	76·7	·862	80	47	10·2	84	...	...	+ 0·7	+ 7·8	85	7·8	9·7
19	·796	86·5	79·7	6·8	81·9	76·2	·838	77	90	4·8	39	0·430	2	+ 3·6	+ 8·6	67	9·3	10·4
20	·822	83·1	79·4	3·7	81·0	75·3	·811	77	98	1·4	12	0·020	2	+ 7·8	+ 26·6	74	27·8	27·9
21	·866	84·2	79·3	4·9	81·0	77·1	·885	83	74	5·8	48	0·005	1	+ 1·0	+ 14·8	86	14·8	15·6
22	·831	86·3	77·2	9·1	81·4	76·7	·864	81	31	11·0	91	...	...	− 1·5	+ 7·3	102	7·5	7·5
23	·807	85·1	78·9	6·2	81·3	76·8	·869	82	56	8·3	69	...	...	− 1·8	+ 8·5	102	8·6	8·6
24	·833	84·5	78·6	5·9	81·0	76·0	·839	79	45	9·7	80	...	...	− 1·8	+ 9·1	101	9·3	9·5
25	·795	86·9	77·3	9·6	81·6	76·0	·833	78	35	10·3	86	...	...	− 1·0	− 2·0	243	2·2	3·7
26	·747	89·1	78·4	10·7	83·8	78·2	·900	78	22	10·8	90	...	...	− 1·3	− 4·5	254	4·7	4·9
27	·784	86·0	80·8	5·2	82·8	78·4	·920	82	67	7·5	62	0·015	1	− 1·0	+ 9·7	96	9·8	10·7
28	·783	89·0	78·3	10·7	83·3	78·3	·911	80	25	9·2	77	...	...	− 2·6	− 4·0	237	4·8	6·0
29	·824	86·0	75·3	10·7	80·3	76·0	·847	82	80	5·1	43	1·320	5	+ 0·1	+ 0·7	82	0·7	4·2
30	·898	82·6	74·5	8·1	78·4	73·2	·757	78	89	6·2	52	3·470	9	+ 1·6	+ 16·5	84	16·6	17·1
Means	29·763	85·4	77·8	7·6	81·2	76·1	0·841	79	57	Sum. 211·5	58	Sum. 10·795	Sum 56	+ 1·1	+ 10·5	84	10·6	12·7
Normals	29·720	85·4	76·8	8·6	80·6	75·2	0·808	77	59	201·9	55	9·714	52	+ 1·1	+ 6·8	81	6·9	11·3
Absolute Max.	29·939	90·2	...	12·9	...	81·9	1·013	...	...	11·6	94	3·470	9	...	...	...	...	37·0 †
Day.	30	8	...	8	...	26	26	..	...	9	9	30	1,30	...	...	...	...	5*d* 18*h*
Absolute Min.	29·588	...	74·5	3·7	...	66·6	0·503	43	...	...	...	...	...	...	...	...	...	...
day.	8	...	30	20	...	9	9	8	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1009·8	302·7	298·4	4·3	300·3	297·5	28·5	...	...	...	...	Sum. 274·2	Sum. 56	+ 0·4	+ 3·4	84	3·5	4·2
Normals	1008·3	302·7	297·9	4·8	300·0	297·0	27·3	...	...	...	...	246·7	52	+ 0·4	+ 2·2	81	2·3	3·7
Absolute Maximum.	1015·8	305·3	...	7·2	...	300·7	34·3	...	...	...	...	88·1	9	...	...	...	...	12·1
Absolute Minimum.	1002·8	...	296·6	2·1	..	292·2	17·0	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 16 days. The mean hourly intensity was 0·193*in*, and the maximum fall in one hour was 1·370*in* at 2*h* on the 30th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 55 miles per hour from E. by S. at 6*h* 26*m* on the 1st and from E.N.E. at 2*h* 30*m* on the 5th.

No clouds with base less than 2,000 feet high were observed in September.

*0°=N., 90°=E., &c. † Maximum velocity in one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1929.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10)	Percentage of Possible Sunshine.	Rainfall. Amount.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed. Velocity.
	ins.	°	°	ins.	%	%	%		%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·769	79·7	76·0	·855	84	61		0·200	2	4	+ 1·3	+ 11·1	83	11·2	12·0
2	·760	79·3	75·8	·851	85	63		2·530	23	7	+ 1·1	+ 10·4	84	10·5	11·4
3	·749	79·3	75·6	·843	84	68		0·280	3	4	+ 1·6	+ 10·3	81	10·4	11·6
4	·743	79·1	75·4	·837	84	60		0·590	6	4	+ 2·8	+ 9·1	73	9·5	10·5
5	·746	79·0	75·4	·838	85	60		0·895	8	4	+ 2·7	+ 9·8	75	10·2	11·2
6	·757	79·0	75·2	·830	84	58	8	0·470	4	6	+ 1·7	+ 10·1	80	10·3	11·0
7	·770	79·4	75·4	·834	83	59	46	0·320	3	7	+ 3·0	+ 10·1	73	10·5	11·5
8	·783	80·6	76·0	·845	81	64	55	0·205	2	4	+ 3·2	+ 10·7	73	11·2	12·4
9	·795	81·8	76·2	·840	78	68	56	0·460	4	7	+ 2·8	+ 10·6	75	11·0	12·9
10	·800	82·6	76·5	·843	76	67	61	0·375	3	5	+ 3·1	+ 10·9	74	11·3	14·2
11	·796	83·4	76·7	·843	74	67	66	0·375	3	3	+ 2·0	+ 11·0	80	11·2	14·5
Noon.	·785	84·1	76·8	·838	72	64	67	0·575	5	3	+ 0·9	+ 11·7	86	11·7	15·7
13	·766	84·2	76·8	·837	71	61	72	0·215	2	5	− 0·2	+ 11·8	91	11·8	15·6
14	·747	84·3	76·7	·832	71	61	63	0·195	2	5	− 0·2	+ 11·8	91	11·8	15·3
15	·732	83·8	76·5	·829	72	59	67	0·030		3	− 1·0	+ 11·3	95	11·3	15·2
16	·725	83·5	76·4	·829	73	54	74	0·005		3	− 0·7	+ 10·5	94	10·5	14·2
17	·724	83·0	76·2	·826	73	52	64	0·010	1	2	− 0·3	+ 9·7	92	9·7	13·2
18	·729	81·8	76·1	·836	77	49	12	0·045		2	− 0·3	+ 9·9	92	9·9	13·0
19	·742	81·0	75·9	·836	79	47		0·020		2	− 0·5	+ 9·1	93	9·1	12·0
20	·757	80·6	75·9	·841	80	41		1·000	9	3	+ 0·5	+ 10·2	87	10·2	11·8
21	·777	80·4	76·1	·851	82	41		0·175	2	3	+ 0·2	+ 9·7	89	9·7	11·0
22	·791	80·1	76·2	·859	83	47		0·800	8	5	+ 0·6	+ 10·7	87	10·7	11·7
23	·791	79·9	76·0	·853	83	47		0·500	5	4	+ 1·2	+ 10·3	83	10·4	11·3
Midn.	·787	79·7	75·9	·850	84	57		0·525	5	5	+ 1·4	+ 10·1	82	10·2	11·2

Phenomena :—

Lunar halo :—on the 22nd and 24th.
Lunar corona :—on the 14th, 16th, 17th, 20th and 23rd.
Unusual visibility :—on the 3rd and 8th.
Dew :—on the 3rd, 4th, 15th, 16th, 22nd, 25th and 26th.
Solar rainbow :—on the 5th, 6th, 14th and 20th.
Lightning:—on the 1st, 2nd, 3rd, 4th, 6th, 7th, 27th, 28th and 29th.
Thunder :—on the 15th and 29th.

Thunderstorms :—

1*d.* 14*h.* 08*m.* to 14*h.* 20*m.* N.N.W. to S.S.E.; nearest at 14*h.* 14*m.* (10*s*).
29*d.* 18*h.* 13*m.* to 20*h.* 25*m.* in N.W.; distant.

ADOPTED ERRORS OF TIMEBALL, SEPTEMBER. 1929.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	− 0·1	11	+ 0·1	21	+ 0·1
2	− 0·1	12	+ 0·1	22	− 0·1
3	− 0·2	13	0·0	23	+ 0·1
4	− 0·1	14	0·0	24	+ 0·1
5	− 0·1	15	− 0·1	25	0·0
6	− 0·1	16	− 0·1	26	0·0
7	− 0·1	17	− 0·1	27	0·0
8	− 0·1	18	− 0·1	28	0·0
9	0·0	19	0·0	29	0·0
10	+ 0·1	20	0·0	30	− 0·1

+ = Late ; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0ˢ·10

* 0° = N. 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

SEPTEMBER,

1929.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	31st August, 1929.								1st September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.50	749.2	75	...	SW	1	b	6	29.65	753.1	67	...	SE	1	b
Nemuro,	11	29.80	757.0	...	...	SSE	3	...	5	29.63	752.5	...	...	S	1	...
Hokodate,	,,	29.61	752.0	...	...	E	1	...	,,	29.71	754.5	..	..	ENE	1	...
Tokio,	,,	29.70	754.5	...	...	SSW	2	...	,,	29.69	754.0	...	.	...	0	...
Kochi,	,,	29.74	755.4	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.74	755.4	...	...	SW	3	...	,,	29.82	757.5	...	...	...	0	...
Kagoshima,	,,	29.78	756.5	...	...	WSW	1	...	,,	29.80	757.0	...	...	...	...	...
Oshima,	,,	29.84	758.0	...	...	N	1	...	,,	29.82	757.5	...	...	S	1	...
Naha,	,,	29.84	758.0	...	...	SW	1	...	,,	29.82	757.5	...	..	...	0	...
Ishigakijima,	,,	29.84	758.0	...	...	S	1	...	,,	29.82	757.5	...	..	...	0	...
Bonin Island,	,,	29.88	759.0	...	...	WSW	1	...	,,	29.86	758.5	...	...	SSW	1	...
Chefoo,	15	29.71	754.6	84	54	NW	1	0	6	29.64	752.8	70	85	SW	1	b
Shanghai,	14	29.81	757.2	84	74	NE	1	e	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.87	758.7	84	75	NNE	2	b	,,	...	...	..	...	...	...	...
Sharp Peak,	,,	29.75	755.6	90	88	S	2	b	7	29.82	757.4	84	85	NE	1	o
Amoy,	,,	29.77	756.1	92	70	SSE	4	b	6	29.81	757.2	80	92	SSW	2	b
Swatow,	,,	29.77	755.1	87	81	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.82	757.5	90	66	...	0	b	5	29.82	757.5	75	94	...	0	b
Taichu,	,,	29.85	758.1	90	...	NW	2	b	,,	29.82	757.5	77	...	...	0	b
Tainan,	,,	29.81	757.2	90	...	NNE	2	b	,,	29.84	757.8	77	...	NE	2	b
Koshun,	,,	29.82	757.5	90	...	ENE	2	b	,,	29.79	756.6	77	...	...	0	b
Pescadores,	,,	29.82	757.5	90	...	W	2	b	,,	29.79	756.6	79	...	...	0	b
Hong Kong,	14	29.70	754.4	85	74	ENE	4	o	6	29.71	754.6	80	90	E	4	or
Gap Rock,	,,	29.70	754.4	...	...	ENE	5	cp	,,	29.70	754.4	...	...	ESE	5	o
Macao,	,,	29.68	753.9	84	71	ESE	4	b	,,	29.68	753.9	77	98	ESE	4	r
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.72	754.8	83	80	SE	5	o	,,	29.74	755.4	80	87	SE	4	o
Phulien,	15	29.61	752.1	93	61	WNW	2	b	7	29.58	751.2	81	...	NNE	4	o
Tourane,	,,	29.50	749.5	77	...	NW	6	o	,,	29.60	751.7	75	...	W	2	of
Cape St. James,	,,	29.65	753.0	...	...	SW	7	o	,,	...	...	...	...	...	...	...
Basco,	14	29.74	755.4	86	71	SE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.71	754.5	86	68	ENE	2	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.71	754.5	90	63	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.71	754.5	90	76	WSW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	86	65	WSW	2	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.71	754.5	86	68	WSW	4	o	,,	...	...	...	...	...	...	...
Calbayog,	,,	29.73	755.1	86	65	WSW	6	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	84	74	NW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	82	81	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.75	755.7	77	...	ESE	4	c
Guam,	12.22	29.71	754.5	...	...	ESE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	W	4	o	5	29.77	756.1	78	...	WSW	2	c
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	29.78	756.3	76	...	SE	1	e
Labuan,	14	29.80	756.9	88	76	SW	2	b	6	29.84	757.9	77	94	SW	2	b

August 31*d.* 18*h.* 02*m.*—Warning to Hong Kong, and Phulien:—A severe typhoon within 60 miles of Lat. 17° N. Long. 110° E., moving W.N.W.

September 1*d.* 10*h.* 18*m.*—Warning to Hong Kong, and Phulien:—Typhoon of unknown intensity within 60 miles of Lat. 18° N. Long. 109° E. moving W.N.W.

September 1*d.* 10*h.* 55*m.*—No returns from the Philippines.

Pressure remains highest near the Bonins, relatively low in the Pacific to the east of the Bonins. The typhoon is near or over S. Hainan, moving W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 2·37 inch. Total since January 1st, 58·61 inches, against an average of 66.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.E. winds, fresh, moderating; cloudy with rain, improving later.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st September, 1929.								2nd September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.64	752.9	72	...	SSW	2	b	6	29.58	751.3	62	...	...	0	0
Nemuro,	11	29.63	752.5	...	...	ESE	1	...	5	29.78	756.5	...	...	...	...	...
Hokodate,	,,	29.72	755.0	...	...	...	0	...	,,	29.75	755.5	...	...	N	1	...
Tokio,	,,	29.70	754.5	...	...	WNW	1	...	,,	29.76	756.0	...	...	N	1	...
Kochi,	,,	29.78	756.5	...	...	...	0	...	,,	29.78	756.5	...	...	WSW	1	...
Nagasaki,	,,	29.82	757.5	...	...	WNW	1	...	,,	29.78	756.5	...	...	NNW	4	...
Kagoshima,	,,	29.78	756.5	...	...	WNW	1	...	,,	29.78	756.5	...	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	N	1	...	,,	29.82	757.5	...	...	...	0	...
Naha,	,,	29.84	758.0	...	...	WNW	1	...	,,	29.80	757.0	...	...	ESE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	SE	1	...	,,	29.78	756.5	...	...	E	1	...
Bonin Island,	,,	29.86	758.5	...	...	WSW	1	...	,,	29.88	759.0	...	...	S	1	...
Chefoo,	15	29.61	752.1	82	71	WNW	4	b	6	29.71	754.6	98	86	W	1	b
Shanghai,	14	29.79	756.6	93	61	NW	4	b	,,	29.86	758.4	72	96	NNW	2	b
Gutzlaff,	,,	29.84	757.9	84	83	SSW	2	o	,,	29.89	759.2	78	82	NNW	4	o
Sharp Peak,	,,	29.78	756.4	88	88	SE	2	b	7	29.82	757.4	83	87	E	1	o
Amoy,	,,	29.78	756.4	90	93	SSE	2	b	6	29.78	756.4	82	92	SW	1	b
Swatow,	,,	...	...	84	100	E	2	b	,,	29.81	757.2	78	96	NNW	1	o
Taihoku,	11	29.84	757.8	90	51	W	2	b	5	29.80	756.9	75	91	...	0	b
Taichu,	,,	29.86	758.4	90	...	WNW	2	o	,,	29.82	757.5	77	...	...	0	b
Tainan,	,,	29.82	757.5	90	...	NE	2	b	,,	29.79	756.6	79	...	...	0	b
Koshun,	,,	29.84	757.8	90	...	E	2	b	,,	29.79	756.6	75	...	...	0	b
Pescadores,	,,	29.85	758.1	86	...	W W	2	b	,,	29.79	756.6	79	...	...	0	b
Hong Kong,	14	29.71	754.6	81	85	E	5	or	6	29.76	755.9	81	87	E	4	o
Gap Rock,	,,	29.70	754.4	...	...	E	5	o	,,	29.74	755.4	...	...	E	5	o
Macao,	,,	29.68	753.9	81	92	ESE	4	o	,,	29.71	754.5	79	90	ESE	4	o
Hoihow,	,,	29.50	749.3	81	92	E	1	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.75	755.7	84	87	SE	3	o	,,	29.77	756.1	80	90	ESE	2	b
Phulien,	15	29.50	749.4	77	84	NNW	6	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.49	749.1	81	...	NNW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.74	755.4	86	75	NNE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.73	755.1	86	75	NW	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.72	754.8	90	69	N	2	r	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.8	59	48	WSW	1	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	84	71	NW	2	o	,,	29.63	752.7	75	92	NNW	2	o
Legaspi,	,,	29.63	752.3	77	92	WSW	4	o	,,	29.39	746.4	73	94	SW	6	r
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.66	753.3	...	...	SW	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.65	753.0	82	74	SW	6	o	,,	29.62	752.4	82	70	WSW	4	o
Saipan,	...	...	...	...	...	...	...	...	5	29.69	754.2	77	...	E	4	o
Guam,	12.22	29.72	754.8	...	...	N	1	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	W	4	o	5	29.74	755.4	...	...	W	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.76	755.9	80	...	W	2	o
Ponape,	...	...	...	...	...	...	...	...	,,	29.81	757.2	77	...	SSE	1	o
Labuan,	14	29.80	756.9	90	77	SW	2	b	6	29.83	757.7	81	87	SW	2	b

September 1*d.* 18*h.* 00*m.*—Warning to Hong Kong, and Phulien:—Typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 108° E. moving W.N.W.

September 2*d.* 9*h.* 50*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 124° E. moving W.

September 2*d.* 10*h.* 50*m.*—An area of relatively high pressure extends from N. China to the Bonins. The typhoon has probably entered the coast near Haiphong, but in the absence of return from Indo-China, this is uncertain.

The typhoon of the Pacific is situated about 200 miles east of Manila, moving westward.

Manila warning. 1*d.* 23*h.* 45*m.*:—Typhoon in Lat. 15° N. Long. 126° E., moving W. Recd. 2*d.* 6*h.* 45*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·25 inch. Total since January 1st, 58·86 inches, against an average of 66.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fair generally.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd September, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force, (Beaufort.)	Weather. (Beaufort.)	3rd September, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force, (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.76	756.0	...	...	S	2	...	5	29.80	757.0	...	...	SSE	1	...
Hokodate,	,,	29.74	755.5	...	...	...	0	...	,,	29.73	755.0	...	...	...	...	...
Tokio,	,,	29.76	756.0	...	...	ENE	1	...	,,	29.76	756.0	...	..	...	0	...
Kochi,	,,	29.76	756.0	...	...	...	0	...	,,	29.80	757.0	...	...	...	0	...
Nagasaki,	,,	29.78	756.5	...	...	SW	1	...	,,	29.86	758.5	...	...	...	0	...
Kagoshima,	,,	29.80	757.0	...	...	...	0	...	,,	29.84	758.0	...	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	N	1	...	,,	29.82	757.5	...	...	...	0	...
Naha,	,,	29.82	757.5	...	...	N	1	...	,,	29.78	756.5	...	...	...	0	...
Ishigakijima,	,,	20.80	757.0	...	...	E	2	...	,,	29.75	755.5	...	...	ENE	1	...
Bonin Island,	,,	29.86	758.5	...	...	S	1	...	,,	29.92	760.0	...	...	...	0	...
Chefoo,	15	29.76	755.9	78	70	NW	4	b	6	29.78	756.4	66	75	SW	1	b
Shanghai,	14	29.88	759.0	86	43	NNW	2	b	,,	29.89	759.2	70	91	ENE	1	b
Gutzlaff,	,,	29.93	760.2	84	68	NNW	1	o	,,	29.94	760.5	76	73	ENE	2	o
Sharp Peak,	,,	29.75	756.4	90	77	ESE	1	b	7	29.77	756.1	81	87	NE	1	b
Amoy,	,,	29.74	755.4	90	81	SSE	4	b	6	29.73	755.1	80	87	NW	2	b
Swatow,	,,	29.83	757.7	90	78	S	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.78	756.3	93	59	...	0	b	5	29.73	755.1	79	87	E	4	b
Taichu,	,,	29.81	757.2	86	...	N	2	b	,,	29.74	755.4	77	...		0	b
Tainan,	,,	29.78	756.3	90	...	N	4	o	,,	29.69	754.2	77	...	...	0	b
Koshun,	,,	29.78	756.3	86	...	NE	2	o	,,	29.69	754.2	81	...	NE	4	b
Pescadores,	,,	29.80	756.3	90	...	N	2	b	,,	29.68	753.9	81	...	N	4	b
Hong Kong,	14	29.75	755.6	85	76	E	2	o	6	29.73	755.1	78	99	...	0	b
Gap Rock,	,,	20.75	755.6	...	...	E	4	o	,,	29.75	755.6	...	...	NNW	3	b
Macao,	,,	29.74	755.4	84	77	ESE	2	o	,,	29.71	754.5	77	96	N	2	b
Hoihow,	,,	29.68	753.9	87	81	ENE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.75	755.6	87	76	ENE	2	o	,,	29.69	754.1	81	86	NE	4	b
Phulien,	15	29.63	752.7	79	87	SE	6	o	7	29.73	755.1	75	98	NE	4	1
Tourane,	,,	29.61	752.1	86	...	N	4	o	,,	29.71	754.5	77	...	...	0	o
Cape St. James,	,,	29.71	754.5	84	...	SW	6	o	,,	29.76	756.0	75	...	WSW	6	o
Basco,	14	29.67	753.6	86	81	NNE	4	o	6	29.63	752.7	82	81	ENE	2	o
Aparri,	,,	29.60	751.8	84	81	NE	4	o	,,	29.56	750.9	79	91	ENE	4	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.59	751.5	77	96	NNW	2	o	,,	29.38	746.1	79	87	WNW	4	r
Legaspi,	,,	29.30	744.3	75	92	SW	6	r	,,	29.45	747.9	77	92	S	4	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.63	752.7	63	...	SW	6	r	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.68	753.9	...	...	SE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.73	755.1	...	...	SW	4	o	5	29.74	755.4	...	...	SW	1	b
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	88	NW	2	b	6	29.85	758.2	76	91	SW	2	b

September 2*d*. 17*h*. 20*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 124° E. moving W.

September 3*d*. 9*h*. 28*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 122° E. moving W.N.W.

September 3*d*. 10*h*. 20*m*.—Pressure is highest near the Bonins, and a weak anticyclonic area extends westward to the Yangtze Valley.

The typhoon is situated within 100 miles E.N.E. of Manila, moving W.N.W.

Manila warning. 3*d*. 9*h*. 30*m*.:—Typhoon in Lat. 15° N. Long. 123° E., moving W. Recd. 3*d*. 9*h*. 49*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 58·86 inches, against an average of 66.94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine generally.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd September, 1929.								4th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.71	754.6	71	...	SW	1	b	6	29.88	758.8	59	...	...	0	b
Nemuro,	11	29.78	756.5	...	...	SSE	3	...	5	29.88	759.0	...	...	...	...	...
Hokodato,	"	29.72	755.0	...	...	SSW	3	...	"	29.90	759.5	...	...	...	...	...
Tokio,	"	29.78	756.5	...	...	...	...	...	"	29.92	760.0	...	..	NNW	1	...
Kochi,	"	29.82	757.5	...	...	WSW	1	...	"	29.94	760.5	...	...	...	0	...
Nagasaki,	"	29.88	759.0	...	...	...	0	...	"	29.96	761.0	...	...	...	0	...
Kagoshima,	"	29.86	758.5	...	...	E	1	...	"	29.90	759.5	...	...	NW	1	...
Oshima,	"	29.84	758.0	...	...	NE	1	...	"	29.84	758.0	...	...	...	..	...
Naha,	"	29.80	757.0	...	...	ENE	2	...	"	29.78	756.5	...	...	E	1	...
Ishigakijima,	"	29.76	756.0	...	...	ESE	3	...	"	29.73	755.0	...	..	ESE	1	...
Bonin Island,	"	29.92	760.0	...	...	SSW	1	...	"	29.98	761.5	...	...	ESE	1	...
Chefoo,	15	29.75	755.6	86	65	NW	2	b	6	29.89	759.2	68	85	...	0	bf
Shanghai,	14	29.87	758.7	82	57	ESE	1	o	"	29.88	759.0	73	82	E	1	o
Gutzlaff,	"	29.92	759.9	78	58	S	4	o	"	29.94	760.5	76	82	ENE	4	o
Sharp Peak,	"	29.75	755.6	86	76	NE	2	b	7	29.75	755.6	82	91	NE	1	o
Amoy,	"	29.69	754.1	92	61	NE	4	b	6	29.69	754.1	82	73	N	2	b
Swatow,	"	29.69	754.1	89	77	ESE	1	b	"	29.69	754.1	80	100	NW	2	b
Taihoku,	11	29.73	755.1	93	61	ENE	4	b	5	29.68	753.9	79	87	E	4	b
Taichu,	"	29.71	754.5	90	...	NNW	2	b	"	29.66	753.3	75	...	...	0	b
Tainan,	"	29.68	753.9	93	...	WSW	2	b	"	29.65	753.0	75	...	...	0	b
Koshun,	"	29.69	754.2	84	...	NNE	4	b	"	29.65	753.0	79	...	NE	4	r
Pescadores,	"	29.69	754.2	90	...	ESE	4	b	"	29.65	753.0	81	...	...	0	b
Hong Kong,	14	29.71	754.6	86	65	E	3	b	6	29.68	753.9	81	83	ENE	1	c
Gap Rock,	"	29.71	754.6	...	...	ENE	3	b	"	29.65	753.9	...	...	ENE	3	c
Macao,	"	...	...	...	...	...	...	...	"	29.68	753.9	81	94	N	2	of
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.65	753.0	86	78	NE	5	b	"	29.61	752.1	81	91	NE	4	b
Phulien,	15	29.71	754.5	81	89	SSE	2	o	7	29.74	755.4	77	98	N	2	b
Tourane,	"	29.66	753.3	84	...	N	2	b	"	29.72	754.8	77	...	NWE	4	b
Cape St. James,	"	29.71	754.5	81	...	SW	7	o	"	29.71	754.5	75	...	NW	6	of
Basco,	14	29.59	751.5	86	68	NNE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.50	749.4	81	87	ENE	4	o	"	29.53	750.0	81	86	E	2	o
Tuguegarao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.17	741.0	70	88	WSW	6	r	"	29.50	749.4	75	92	SE	4	o
Legaspi,	"	29.50	749.4	81	84	SSW	4	o	"	29.61	752.1	79	90	SW	2	o
Calbayog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.55	750.6	84	81	SW	6	o	"	...	...	...	...	...	...	...
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.78	756.4	...	...	...	...	...
Guam,	12.22	29.67	753.6	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.71	754.5	...	...	WSW	4	o	5	29.84	757.8	...	...	W	1	r
Pelew,	...	...	...	...	...	...	...	...	"	29.78	756.4	81	...	WSW	2	c
Ponape,	...	...	...	...	...	...	...	...	"	...	...	..	...	...	...	...
Labuan,	14	29.81	757.2	86	84	...	0	b	6	29.84	757.9	77	94	SW	...	...

September 3*d.* 16*h.* 46*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 121° E. moving W.N.W.

September 4*d.* 10*h.* 20*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 118° E. moving W.N.W.

September 4*d.* 11*h.* 12*m.*—A weak anticyclone covers Korea and Japan and extends eastward into the Pacific.

The typhoon is situated more than 400 miles south-east of Hong Kong moving W.N.W. or N.W.

Manila warning. 3*d.* 17*h.* 15*m.*:—Typhoon in Lat. 15° N. Long. 121° E., moving N.
" " " :—Typhoon in Lat. 16° N. Long. 139° E., almost stationary. Recd. 3*d.* 18*h.* 20*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 58·86 inches, against an average of 67.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate, freshening; cloudy, rain later.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th September, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	5th September, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.87	758.8	69	...	SW	1	b	6	29.95	760.6	59	...	N	2	o
Nemuro,	11	29.90	759.5	...	...	...	0	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.90	759.5	...	...	S	1	...	,,	29.94	760.5	...	...	...	0	...
Tokio,	,,	29.92	760.0	...	...	NE	1	...	,,	29.98	761.5	...	...	N	1	...
Kochi,	,,	29.98	761.5	...	...	...	...	...	,,	29.94	760.5	..	...	WSW	1	...
Nagasaki,	,,	29.98	761.5	...	...	ENE	1	...	,,	29.94	760.5	...	...	...	0	...
Kagoshima,	,,	29.94	760.5	...	...	NNE	1	...	,,	20.90	759.5	...	...	NNE	1	...
Oshima,	,,	29.80	757.0	...	...	S	1	...	,,	29.76	756.0	...	...	...	0	...
Naha,	,,	29.76	756.0	...	...	ESE	2	...	,,	29.71	754.5	...	...	NE	1	...
Ishigakijima,	,,	29.72	755.0	...	...	SE	2	...	,,	29.71	754.5	...	...	N	1	...
Bonin Island,	,,	29.98	761.5	...	...	SE	1	...	,,	29.98	761.5	...	...	ESE	1	...
Chefoo,	15	29.99	761.7	70	85	SW	1	o	6	30.00	762.0	92	100	SW	1	b
Shanghai,	14	29.93	760.2	81	73	ESE	1	o	,,	20.99	761.7	66	98	ENE	1	b
Gutzlaff,	,,	20.97	761.2	74	81	ESE	2	o	,,	30.01	762.2	73	86	NE	2	o
Sharp Peak,	,,	29.72	754.9	86	76	NE	2	o	7	29.81	757.2	78	91	NNE	2	o
Amoy,	,,	29.62	752.3	94	58	ENE	4	b	6	29.74	755.4	81	83	NE	4	b
Swatow,	,,	29.68	753.9	89	77	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.69	754.2	90	63	ENE	4	b	5	29.73	755.1	77	92	E	2	b
Taichu,	,,	29.68	753.9	90	...	...	0	o	,,	29.72	754.8	77	...	...	0	o
Tainan,	,,	29.66	753.3	90	...	WSW	2	b	,,	29.68	753.9	77	...	...	0	b
Koshun,	,,	29.67	753.6	86	...	ENE	4	b	,,	29.69	754.2	79	...	...	0	b
Pescadores,	,,	20.67	753.6	90	...	NW	2	b	,,	29.68	753.9	81	...	NE	4	b
Hong Kong,	14	29.64	752.8	88	69	ESE	3	c	6	20.66	753.3	82	76	ENE	5	c
Gap Rock,	,,	29.67	753.6	...	...	ENE	3	c	,,	29.63	752.6	...	77	ENE	5	b
Macao,	,,	29.63	752.7	90	69	NE	2	b	,,	29.62	752.4	82	...	E	4	o
Hoihow,	,,	29.55	750.5	87	81	NW	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.59	751.6	85	82	NE	6	bc	,,	29.63	753.0	81	88	SE	4	c
Phulien,	15	29.66	753.3	90	66	NW	1	b	7	20.67	753.6	79	92	NW	4	o
Tourane,	,,	29.65	753.0	84	...	NNW	6	o	,,	29.59	751.5	79	...	NNW	6	o
Cape St. James,	,,	29.71	754.5	82	...	WSW	4	o	,,	29.74	755.4	75	...	WSW	6	o
Basco,	14	29.59	751.5	86	75	ESE	4	o	6	20.66	753.3	81	92	SE	2	o
Aparri,	,,	29.53	750.0	86	68	SE	4	of	,,	29.67	753.6	77	94	S	2	o
Tuguegarao,	,,	29.53	750.0	90	66	S	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.46	748.2	86	71	WNW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.56	750.9	82	81	S	2	o	,,	29.68	753.9	75	96	...	0	o
Legaspi,	,,	29.61	752.1	84	77	WSW	2	o	,,	29.72	754.8	79	91	...	0	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	75	79	SW	4	b
Iloilo,	,,	29.66	753.3	84	77	SW	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.66	753.3	86	71	S	6	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	75	94	S	1	o
Saipan,	...	...	...	...	...	...	...	...	5		...	...	...	...	...	...
Guam,	12.22	29.72	754.8	...	...	ESE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	WSW	2	o	5	29.80	756.9	...	...	WSW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	
Lamam,	14	29.81	757.2	84	83	...	0	b	6	29.86	758.4	76	91	SW	2	b

September 4*d.* 16*h.* 50*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 117° E. moving W.N.W.

September 5*d.* 8*h.* 38*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 18° N. Long. 115° E. moving W.N.W.

September 4*d.* 21*h.* 00*m.*—Local signal No. 1 hoisted.
September 5*d.* 2*h.* 33*m.*— ,, ,, 4 ,,

September 5*d.* 10*h.* 30*m.*—A weak anticyclone is situated between Shantung and the Yangtze Valley and another to the north-east of the Bonins. The typhoon is situated about 250 miles south of Hong Kong, moving W.N.W.

Slight north-east monsoon condition will prevail along the China coast, and cyclonic gales over the north part of the China Sea.

Manila warning, 4*d.* 18*h.* 00*m.*:—Typhoon W. of northern Luzon more than 100 miles distant moving W.N.W. or N.W. Recd. 4*d.* 19*h.* 30*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 58·86 inches, against an average of 67.55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	E. winds, strong; cloudy; rain later.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th September, 1929.								6th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind: Direction.	Wind: Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind: Direction.	Wind: Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.93	760.2	71	...	S	1	c	6	29.99	761.6	60	...	...	0	b
Nemuro,	11	29.92	760.0	...	...	...	0	...	5	29.92	760.0	...	...	...	0	...
Hokodate,	,,	29.90	759.5	...	...	SW	2	...	,,	29.94	760.5	...	...	...	0	...
Tokio,	,,	29.94	760.5	...	...	NE	1	...	,,	29.94	760.5	...	...	N	1	...
Kochi,	,,	29.90	759.5	...	...	...	0	...	,,	29.90	759.5	...	...	WSW	1	...
Nagasaki,	,,	29.92	760.0	...	...	NNW	1	...	,,	29.90	759.5	...	...	...	0	...
Kagoshima,	,,	29.88	759.0	...	...	E	1	...	,,	29.84	758.0	...	...	NE	1	...
Oshima,	,,	29.78	756.5	...	...	SE	1	...	,,	29.73	755.0	...	...	SE	1	...
Naha,	,,	29.72	755.0	...	...	NNE	1	...	,,	29.59	751.5	...	...	NNE	3	...
Ishigakijima,	,,	29.74	755.5	...	...	NE	1	...	,,	29.73	755.0	...	...	N	2	...
Bonin Island,	,,	29.94	760.5	...	...	SE	2	...	,,	29.90	759.5	...	...	ESE	1	...
Chefoo,	15	29.98	761.5	78	74	ENE	1	b	6	30.02	762.5	65	91	...	0	b
Shanghai,	14	29.99	761.7	84	49	ENE	2	b	,,	29.99	761.7	66	90	NE	1	o
Gutzlaff,	,,	30.03	762.7	80	58	NE	4	o	,,	30.01	762.2	73	72	NNE	2	o
Sharp Peak,	,,	29.70	756.9	82	75	ENE	4	o	7	29.84	757.9	78	78	NNE	2	b
Amoy,	,,	...	...	84	79	NE	4	o	6	29.81	757.2	80	66	E	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.76	756.0	90	63	ENE	4	b	5	29.82	757.5	77	86	E	2	o
Taichu,	,,	29.74	755.4	90	...	...	0	b	,,	29.78	756.3	77	...	...	0	o
Tainan,	,,	29.74	755.4	90	...	SW	4	o	,,	29.75	755.7	75	...	...	0	b
Koshun,	,,	29.75	755.7	86	...	ENE	2	o	,,	29.75	755.7	75	...	...	0	o
Pescadores,	,,	29.75	755.7	86	...	NNE	4	o	,,	29.73	755.1	79	...	E	2	o
Hong Kong,	14	29.70	754.4	83	79	ENE	5	oq	6	29.75	755.7	79	91	ENE	5	orq
Gap Rock,	,,	29.67	753.6	...	...	ENE	6	o	,,	29.72	754.9	...	...	ENE	5	o
Macao,	,,	29.67	753.6	82	84	ESE	4	o	,,	29.72	754.8	77	100	ESE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.70	754.4	80	88	SE	4	o	,,	29.75	755.6	80	92	ESE	2	bc
Phulien,	15	29.65	753.0	82	81	NNE	4	o	7	29.58	751.8	81	...	NNE	4	c
Tourane,	,,	29.52	749.7	79	...	NW	7	r	,,	29.47	748.4	73	...	ESE	4	oc
Cape St. James,	,,	29.71	754.5	79	...	WSW	6	o	,,	29.75	755.5	75	...	SW	2	o
Basco,	14	29.69	754.2	84	86	W	1	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.67	753.6	86	71	NNW	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.65	753.0	93	59	N	2	o	,,	29.75	755.7	75	98	...	0	o
Vigan,	,,	29.67	753.6	86	71	SW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.69	754.2	86	65	WSW	2	o	,,	29.75	755.7	79	89	WSW	2	o
Legaspi,	,,	29.69	754.2	86	71	SW	4	o	,,	29.71	754.5	79	87	SW	1	o
Calbayog,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.69	754.2	90	60	SW	4	o	,,	29.73	755.1	79	85	N	4	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.67	753.6	...	...	SE	1	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	SW	2	o	5	29.78	756.3	...	...	NW	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	84	SW	2	b	6	29.83	757.7	80	87	...	0	b

September 5*d.* 17*h.* 40*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 18° N. Long. 112° E. moving W.

September 6*d.* 10*h.* 24*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 30 miles of Lat. 18° N. Long. 108° E. moving W.N.W.

September 6*d.* 5*h.* 10*m.*—Local signal No. 4 lowered.

September 6*d.* 10*h.* 46*m.*—A weak anticyclone is situated over N. China and S. Manchuria. The typhoon is situated midway between the south of Hainan and the coast of Indo-China, moving W.N.W. or W.

Another typhoon is indicated in the Pacific about 400 miles to the south-east of Naha, probably moving N.W.

Manila warning. 5*d.* 19*h.* 10*m.*:—Typhoon in Lat. 17° N. Long. 112° E., moving W. Recd. 5*d.* 20*h.* 35*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·55 inch. Total since January 1st, 60·41 inches, against an average of 67.85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; cloudy with occasional rain, improving.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	6TH SEPTEMBER, 1929.								7TH SEPTEMBER, 1929.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER. AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.97	761.3	70	...	SW	1	c	6	30.04	763.1	63	...	...	0	c
Nemuro,	11	29.90	759.5	...	...	...	0	...	5	30.06	763.5	...	...	...	0	...
Hokodate,	,,	29.94	760.5	...	...	SW	1	...	,,	30.06	763.5	...	...	...	...	...
Tokio,	,,	29.92	760.0	...	...	ENE	1	...	,,	30.02	762.5	...	...	...	0	...
Kochi,	,,	29.90	759.5	...	...	SE	1	...	,,	29.92	760.0	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	NE	1	...	,,	29.88	759.0	...	...	NNE	1	...
Kagoshima,	,,	29.90	759.5	...	...	NNE	1	...	,,	29.80	757.0	...	...	ENE	3	...
Oshima,	,,	29.72	755.0	...	...	SE	1	...	,,	29.63	752.5	...	...	SSE	2	...
Naha,	,,	29.55	750.5	...	...	N	5	...	,,	29.47	748.5	...	...	SW	3	...
Ishigakijima,	,,	29.70	754.5	...	...	N	3	...	,,	29.65	753.0	...	...	N	2	...
Bonin Island,	,,	29.86	758.5	...	...	SE	1	...	,,	29.84	758.0	...	...	ESE	1	...
Chefoo,	15	29.97	761.2	83	75	NE	1	b	6	29.94	760.5	70	80	SW	2	b
Shanghai,	14	29.98	761.4	79	58	NE	4	o	,,	29.94	760.5	82	96	NE	2	b
Gutzlaff,	,,	30.00	762.0	81	59	NE	4	o	,,	29.96	761.0	72	71	NNE	4	o
Sharp Peak,	,,	29.82	757.5	83	67	E	4	b	7	29.79	756.6	77	77	N	1	b
Amoy,	,,	29.78	756.4	88	62	ENE	4	b	6	29.78	756.4	77	75	NE	2	b
Swatow,	,,	29.80	756.9	85	80	ENE	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.84	757.8	82	74	ESE	2	o	5	29.79	756.6	68	92	...	o	b
Taichu,	,,	29.80	756.9	86	...	...	o	o	,,	29.75	755.7	73	...	...	o	b
Tainan,	,,	29.76	756.0	90	...	...	o	b	,,	29.69	754.2	75	...	N	2	o
Koshun,	,,	29.76	756.0	81	...	...	o	o	,,	29.71	754.5	73	...	...	o	o
Pescadores,	,,	29.80	756.9	82	...	NE	4	o	,,	29.73	755.1	79	...	NE	2	b
Hong Kong,	14	29.76	755.9	81	79	E	4	o	6	29.77	756.1	78	79	E	3	c
Gap Rock,	,,	29.75	755.7	...	...	ENE	5	c	,,	29.76	755.9	...	...	ENE	4	c
Macao,	,,	29.68	753.9	84	77	ESE	4	o	,,	29.74	755.4	79	76	ESE	4	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.74	755.4	85	85	...	o	c	,,	29.72	754.9	81	83	NE	4	o
Phulien,	15	29.55	750.6	79	87	NE	6	o	7	29.66	753.3	79	89	ESE	6	o
Tourane,	,,	29.47	748.5	81	...	SW	4	o	,,	29.63	752.7	81	...	SSE	2	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	77	...	SW	6	o
Basco,	14	29.69	754.2	79	91	NNE	2	o	6	29.65	753.0	79	80	NNE	4	o
Aparri,	,,	29.66	753.3	86	71	NW	4	o	,,	29.67	753.6	77	91	NW	2	r
Tuguegarao,	,,	29.67	753.6	90	66	...	o	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.8	81	87	WSW	2	o	,,	29.69	754.2	75	96	N	1	o
Manila,	,,	29.73	755.1	82	81	WSW	4	o	,,	29.72	754.8	75	96	...	o	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.65	753.0	77	91	WSW	4	o
Caboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.72	754.8	84	71	NW	4	o	,,	29.69	754.2	79	84	NW	4	o
Iloilo,	,,	29.73	755.1	86	78	SW	6	o	,,	29.73	755.1	81	80	SW	2	o
Cebu,	,,	29.71	754.5	86	65	S	6	o	,,	29.73	755.1	81	73	SSW	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	.	...	...	...	...	...	...
Guam,	12.22	29.61	752.1	...	...	SSW	6	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.71	754.5	...	...	SW	4	o	5	29.72	754.8	...	...	SSW	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	84	83	SW	6	b	6	29.85	758.2	77	91	SW	2	b

September 7*d.* 10*h.* 58*m.*—The anticyclone now covers S. Manchuria and N. Japan. A depression lies over Indo-China, and a typhoon or depression is situated near Naha moving N.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 60·41 inches, against an average of 68.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

DISTRICT.	FORECAST.
1.—Formosa Channel,	N.E. winds, moderate; fine generally.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th September, 1929.								8th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.02	762.5	65	...	SW	2	t	6	30.01	762.3	62	...	...	0	b
Nemuro,	11	30.08	764.0	...	...	SE	1	...	5	30.12	765.0	...	...	SE	1	...
Hokodate,	,,	30.06	763.5	...	...	SW	1	...	,,	30.04	763.0	..	..	NNW	1	...
Tokio,	,,	30.02	762.5	...	...	NNW	2	...	,,	30.06	763.5	...	..	NNW	1	...
Kochi,	,,	29.98	761.5	...	...	...	...	...	,,	29.90	759.5	...	...	WNW	1	...
Nagasaki,	,,	29.86	758.5	...	...	ENE	2	...	,,	29.80	757.0	...	...	...	0	...
Kagoshima,	,,	29.82	757.5	...	...	ENE	4	...	,,	29.78	756.5	...	...	NE	1	...
Oshima,	,,	29.67	753.5	...	...	SSE	1	...	,,	29.61	752.0	...	...	...	0	...
Naha,	,,	29.53	750.0	...	...	SSW	3	...	,,	29.53	750.0	...	...	ENE	2	...
Ishigakijima,	,,	29.65	753.0	...	...	NNW	3	...	,,	...	...	...	...	NW	1	...
Bonin Island,	,,	29.80	757.0	...	...	NNW	2	...	,,	29.82	757.5	...	...	SE	4	...
Chefoo,	15	29.92	759.9	88	66	S	4	b	6	29.97	761.2	71	95	...	0	bf
Shanghai,	14	29.92	759.9	81	50	NE	2	o	,,	29.88	759.0	73	86	NE	4	o
Gutzlaff,	,,	29.93	760.2	80	62	NNE	2	o	,,	29.87	758.7	71	95	NE	6	r
Sharp Peak,	,,	29.75	755.6	84	87	E	1	b	7	29.67	753.6	80	63	W	2	b
Amoy,	,,	29.73	755.1	88	59	NE	2	b	6	29.70	754.4	76	88	W	4	b
Swatow,	,,	29.75	755.6	82	88	ESE	2	c	,,	29.71	754.5	76	96	NW	2	r
Taihoku,	11	29.76	756.0	84	64	NW	4	b	5	29.65	753.0	73	94	WNW	4	r
Taichu,	,,	29.74	755.4	84	...	NNW	4	b	,,	29.66	753.3	73	...	N	4	c
Tainan,	,,	29.72	754.8	85	...	N	4	b	,,	29.62	752.4	73	...	N	2	b
Koshun,	,,	29.71	754.5	84	...	NNE	2	o	,,	29.63	752.7	74	...	...	0	bf
Pescadores,	,,	29.74	755.4	84	...	NE	6	b	,,	29.65	753.0	79	...	NNE	6	b
Hong Kong,	14	29.75	755.6	85	69	E	2	c	6	29.72	754.9	77	90	...	0	bm
Gap Rock,	,,	29.76	755.9	...	...	E	4	b	,,	29.72	754.9	...	...	E	3	b
Macao,	,,	29.74	755.4	90	69	SE	2	b	,,	29.69	754.2	77	92	SSE	2	of
Hoihow,	,,	29.69	754.1	86	81	ENE	1	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.72	754.9	85	71	NE	5	b	,,	29.68	753.9	80	78	NE	3	b
Phulien,	15	29.67	753.6	82	87	ESE	7	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.66	753.3	84	...	NNW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.62	752.4	84	74	N	4	o	6	29.55	750.6	79	87	NW	2	o
Aparri,	,,	29.62	752.4	86	71	NW	2	o	,,	29.58	751.2	75	92	...	0	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.67	753.6	81	87	SW	4	o	,,	29.61	752.1	75	96	S	1	o
Legaspi,	,,	29.61	752.1	81	86	SW	4	o	,,	29.60	751.8	77	89	SW	4	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.66	753.3	77	85	W	1	o
Iloilo,	,,	29.69	754.2	82	77	SW	4	o	,,	29.69	754.2	79	84	SW	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	82	74	WSW	4	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.73	755.1	...	...	S	1	o	4.22	29.81	757.2	...	...	S	1	o
Yap,	11.00	29.71	754.5	...	...	SSW	4	o	5	29.80	756.9	...	...	S	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Labuan,	14	29.81	757.2	86	84	SW	4	b	6	29.83	757.7	82	83	...	0	b

September 8*d.* 11*h.* 54*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon in Lat. 19° N. Long. 127° E., position uncertain, direction unknown.

September 8*d.* 11*h.* 54*m.*—The anticyclone remains to the north-east of Hokkaido. The position of the typhoon is uncertain, as a fresh centre appears to have developed to the east of the Balintang Channel.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 60·41 inches, against an average of 68.48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.W. winds, moderate; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th September, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	9th September, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.02	762.4	70	...	N	2	b	6	30.09	764.3	59	...	N	4	b
Nemuro,	11	30.10	764.5	...	...	SE	2	...	5	30.00	762.0	...	...	SSE	1	...
Hokodate,	,,	30.02	762.5	...	...	SSE	1	...	,,	29.90	759.5	..	..	W	1	...
Tokio,	,,	30.02	762.5	...	...	NNW	2	...	,,	29.71	754.5	..	..	NNW	3	...
Kochi,	,,	29.82	757.5	...	...	...	0	...	,,	29.65	753.0	...	..	WSW	1	...
Nagasaki,	,,	29.76	756.0	...	...	NE	1	...	,,	29.63	752.5	...	...	NE	1	...
Kagoshima,	,,	29.70	754.5	...	...	ENE	2	...	,,	29.53	750.0	...	..	...	0	...
Oshima,	,,	29.57	751.0	...	...	NNE	1	...	,,	29.49	749.0	..	...	NNE	2	...
Naha,	,,	29.53	750.0	...	...	NE	4	...	,,	29.47	748.5	..	..	NNE	3	...
Ishigakijima,	,,	29.47	748.5	...	...	ESE	3	...	,,	29.57	751.0	...	.	...	0	...
Bonin Island,	,,	29.84	758.0	...	...	S	2	...	,,	29.86	758.5	...	...	S	2	...
Chefoo,	15	29.98	761.5	78	86	E	1	0	6	29.97	761.2	71	85	NNE	4	b
Shanghai,	14	29.86	758.5	79	55	NE	4	0	,,	29.87	758.7	72	91	ENE	2	0
Gutzlaff,	,,	29.88	759.0	73	67	NE	6	0	,,	29.86	758.4	74	81	NNE	4	0
Sharp Peak,	,,	29.66	753.5	82	83	NE	2	b	7	29.69	754.1	78	82	NNE	1	0
Amoy,	,,	29.61	752.4	88	66	SSE	4	0	6	29.67	753.6	80	87	NE	4	b
Swatow,	,,	29.63	752.6	89	74	SW	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.60	751.8	79	92	NW	4	r	5	29.63	752.7	75	98	...	0	r
Taichu,	,,	29.60	751.8	82	...	N	4	b	,,	29.60	751.8	77	...	N	4	b
Tainan,	,,	29.58	751.2	82	...	N	4	b	,,	29.56	750.9	77	...	NNE	2	0
Koshun,	,,	29.54	750.3	83	...	NNW	2	b	,,	29.56	750.9	79	...	...	0	0
Pescadores,	,,	29.62	752.4	82	...	NNE	4	0	,,	29.61	752.1	79	...	NNE	6	0
Hong Kong,	14	29.65	753.1	90	47	N	2	b	6	29.67	754.2	80	52	N	2	b
Gap Rock,	,,	29.67	753.6	...	...	NNW	3	b	,,	29.68	753.9	...	...	N	3	b
Macao,	,,	29.63	752.7	90	55	N	2	b	,,	29.68	753.9	77	72	N	2	b
Hoihow,	,,	29.64	752.8	87	74	NE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.65	753.1	85	69	NW	3	b	,,	29.66	753.3	79	79	NW	1	b
Phulien,	15	29.69	754.2	81	80	SSE	4	0	7	...	...	...	...	..	...	...
Tourane,	,,	29.68	753.9	81	...	WNW	2	0	,,	...	...	...	...	...	...	...
Cape St. James,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.52	749.7	86	68	WSW	4	b	6	29.52	749.6	82	89	WSW	2	0
Aparri,	,,	29.53	750.0	86	65	NNW	4	0	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.56	750.9	84	74	WNW	4	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.61	752.1	82	81	SW	4	0	,,	29.65	753.0	70	94	W	1	0
Legaspi,	,,	29.60	751.8	79	92	SW	2	r	,,	29.67	753.6	77	91	...	0	0
Calbayog,	,,	29.62	752.4	86	75	SW	4	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.62	752.4	86	61	SW	4	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.66	753.3	79	61	SW	6	0	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Saipan,	...		...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	N	1	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	S	4	0	5	29.86	758.4	...	...	W	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Lamam,	14	29.81	757.2	86	76	SW	4	b	6	29.89	759.2	76	94	SW	2	b

September 8*d.* 18*h.* 40*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 22° N. Long. 124° E., moving N.W.

September 9*d.* 10*h.* 27*m.*—The anticyclone is now situated over S. Manchuria. The typhoon has curved to the north eastward and partially filled up; it exists as a depression near Naha this morning.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 60·41 inches, against an average of 68.82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, moderate; fine.
3.—Hong Kong to Gap Rock,	N. winds, moderate; fine.
4.—South coast of China between Hong Kong and Hainan,	N. winds, moderate; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th September, 1929.								10th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Observer.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Observer.)
Wladivostock,	12	30.04	762.9	68	...	N	4	b	6	30.09	764.3	52	...	N	2	b
Nemuro,	11	29.90	759.5	...	...	ESE	1	...	5	29.90	759.5	...	...	ESE	1	...
Hokodate,	,,	29.84	758.0	...	...	NW	1	...	,,	29.84	758.0	..	.	...	...	...
Tokio,	,,	29.74	755.5	...	...	...	0	...	,,	29.67	753.5	...	.	NW	2	...
Kochi,	,,	29.59	751.5	...	...	WSW	1	...	,,	29.43	747.5	...	..	N	2	...
Nagasaki,	,,	29.61	752.0	...	...	NE	4	...	,,	29.65	753.0	...	...	N	3	...
Kagoshima,	,,	29.51	749.5	...	...	N	1	...	,,	29.57	751.0	...	...	...	0	...
Oshima,	,,	29.49	749.0	...	...	NNE	3	...	,,	29.61	752.0	...	...	NNE	3	...
Naha,	,,	29.53	750.0	...	...	N	4	...	,,	29.67	753.5	...	...	NNE	3	...
Ishigakijima,	,,	29.61	752.0	...	...	NNW	2	...	,,	29.69	754.0	...	..	NNE	1	...
Bonin Island,	,,	29.82	757.5	...	...	S	3	...	,,	29.84	758.0	...	...	S	3	...
Chefoo,	15	29.95	760.7	73	82	NNE	4	b	6	29.98	761.5	71	85	NNE	2	b
Shanghai,	14	29.88	759.0	82	51	N	2	0	,,	29.92	759.9	66	96	NNW	2	b
Gutzlaff,	,,	29.89	759.2	77	69	N	6	0	,,	29.94	760.5	72	76	NNE	2	0
Sharp Peak,	,,	29.72	754.9	80	82	E	2	b	7	29.82	757.5	78	80	NE	2	0
Amoy,	,,	29.68	753.9	88	93	SE	4	0	6	29.77	756.1	78	78	ENE	4	b
Swatow,	,,	29.70	754.4	85	77	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.68	753.9	77	96	...	0	r	5	29.75	755.7	75	88	...	0	0
Taichu,	,,	29.68	753.9	82	...	N	4	0	,,	29.72	754.8	75	...	...	0	0
Tainan,	,,	29.63	752.7	90	...	SSE	4	0	,,	29.67	753.5	77	...	...	0	0
Koshun,	,,	29.63	752.7	86	...	NNE	2	b	,,	29.67	753.6	79	...	NE	2	0
Pescadores,	,,	29.69	754.2	81	...	NNE	6	0	,,	29.69	754.2	79	...	NE	6	0
Hong Kong,	14	29.70	754.4	89	53	W	2	b	6	29.76	755.9	80	82	...	0	0
Gap Rock,	,,	29.71	754.6	...	...	N	3	b	,,	29.77	756.1	...	...	E	2	b
Macao,	,,	29.69	754.2	90	55	NNE	2	b	,,	29.74	755.4	79	84	ESE	2	0
Hoilow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Praras Island,	,,	29.69	754.1	82	79	NE	4	0	,,	29.72	754.9	81	83	NE	5	bc
Phulien,	15	29.71	754.5	86	75	SSE	4	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.68	753.9	84	...	NW	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.54	750.3	84	86	W	1	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.55	750.6	90	57	SSE	2	0	,,	29.65	753.0	77	96	SW	2	0
Tuguegarao,	,,	29.56	750.9	93	59	S	1	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.60	751.8	84	77	SW	4	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.65	753.0	84	74	SW	4	0	,,	29.71	754.5	77	91	S	1	0
Legaspi,	,,	29.65	753.0	86	68	NNW	2	0	,,	29.72	754.8	77	96	...	0	0
Calboyog,	,,	29.69	754.2	84	74	SW	6	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.71	754.5	81	84	W	4	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	79	87	SW	6	0	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,		...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	..	...	...	...	...	...
Guam,	12.22	29.75	755.7	...	...	N	1	0	4.22	...		...	...	...	...	...
Yap,	11.00	29.82	757.5	...	...	W	2	0	5	29.84	757.8	...	...	NNW	2	0
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Labuan,	14	29.81	757.2	88	76	SW	4	b	6	29.83	757.7	82	83	SW	6	b

September 10*d.* 10*h.* 20*m.*—The anticyclone is stationary over South Manchuria. The depression is approaching Tokio on a north easterly track.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·30 inch. Total since January 1st, 60·71 inches, against an average of 69.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; cloudy, probably some rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th September, 1929.								11th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.06	763.4	66	...	N	2	b	6	30.15	765.7	54	...	N	2	b
Nemuro,	11	29.92	760.0	...	...	E	1	...	5	29.80	757.0	...	...	NE	1	...
Hakodate,	,,	29.82	757.5	...	...	NE	1	...	,,	29.84	758.0	...	...	NW	1	...
Tokio,	,,	29.39	746.5	...	...	N	3	...	,,	29.82	757.5	...	...	W	1	...
Kochi,	,,	29.53	750.0	...	...	N	1	...	,,	29.78	756.5	...	...	NNW	1	...
Nagasaki,	,,	29.70	754.5	...	...	N	3	...	,,	29.88	759.0	...	...	N	1	...
Kagoshima,	,,	29.63	752.5	...	...	WNW	1	...	,,	29.84	758.0	...	...	NNW	1	...
Oshima,	,,	29.70	754.5	...	...	NNE	2	...	,,	29.78	756.5	...	...	N	1	...
Naha,	,,	29.72	755.0	...	...	NNE	3	...	,,	29.78	756.5	...	...	NE	1	...
Ishigakijima,	,,	29.74	755.5	...	...	NE	2	...	,,	29.78	756.5	...	...	NE	1	...
Bonin Island,	,,	29.80	757.0	...	...	SSW	3	...	,,	29.84	758.0	...	...	SSW	1	...
Chefoo,	15	30.02	762.5	78	92	NNE	1	b	6	30.04	763.0	69	80	N	2	b
Shanghai,	14	29.93	760.2	81	53	NNE	2	b	,,	30.00	762.0	63	96	NE	1	b
Gutzlaff,	,,	29.97	761.2	81	62	NNE	2	b	,,	30.04	763.0	70	70	NNE	2	b
Sharp Peak,	,,	29.81	757.2	82	71	ENE	4	b	7	29.83	757.7	77	77	NE	1	b
Amoy,	,,	29.77	756.1	90	63	ENE	2	b	6	29.83	757.7	78	65	N	4	o
Swatow,	,,	29.78	756.4	82	84	ESE	2	c	,,	29.84	757.9	75	91	NNW	1	o
Taihoku,	11	29.82	757.5	79	85	...	o	o	5	29.85	758.1	73	91	E	2	o
Taichu,	,,	29.75	755.7	84	...	N	2	o	,,	29.79	756.6	73	...	...	o	o
Tainan,	,,	29.72	754.8	90	...	...	o	o	,,	29.75	755.7	75	...	...	o	b
Koshun,	,,	29.73	755.1	84	...	ENE	2	o	,,	29.73	755.1	79	...	NE	4	b
Pescadores,	,,	29.75	755.7	84	...	NE	6	b	,,	29.76	756.0	79	...	NE	6	o
Hong Kong,	14	29.77	756.1	85	66	W	2	o	6	29.81	757.2	79	75	E	2	c
Gap Rock,	,,	29.79	756.6	...	...	E	2	c	,,	29.81	757.2	...	...	ENE	4	o
Macao,	,,	29.75	755.7	90	60	ESE	2	o	,,	29.78	756.3	79	84	ESE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.73	755.1	83	75	NE	6	b	,,	29.75	755.6	80	83	NE	5	c
Phulien,	15	29.78	756.3	83	75	E	4	o	7	29.82	757.5	79	87	E	1	o
Tourane,	,,	29.72	754.8	86	...	E	2	b	,,	29.79	756.5	77	...	S	2	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.74	757.8	73	...	W	2	o
Basco,	14	29.66	753.3	84	74	NNE	2	o	6	29.68	753.9	79	90	NNE	1	o
Aparri,	,,	29.65	753.0	86	71	N	4	o	,,	29.69	754.2	77	96	SW	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.69	754.2	77	96	S	1	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.69	754.2	75	88	SW	1	o
Manila,	,,	29.71	754.5	79	89	SW	4	r	,,	29.74	755.4	75	96	ESE	1	o
Legaspi,	,,	29.71	754.5	86	68	SW	4	o	,,	29.74	755.4	77	94	SW	2	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.72	754.8	90	60	SW	4	b	,,	29.78	756.3	77	94	...	o	b
Iloilo,	,,	29.75	755.7	84	77	SSW	6	o	,,	29.79	756.6	79	91	S	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	79	80	SW	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...		...	...	5	29.79	756.6	79	...	NE	2	b
Guam,	12.22	29.75	755.7	...	...	N	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	NNW	2	o	5	29.85	758.1	...	...	NE	4	r
Peiew,	...	...	...	...	...	...	...	...	,,	29.84	757.9	76	...	NNE	2	r
Ponape,	...	...	...	...	...	...	...	...	,,	29.89	759.2	76	...	ESE	1	r
Laiman,	14	29.81	757.2	88	76	SW	2	b	6	29.84	757.9	78	91	...	o	b

September 11*d.* 10*h.* 47*m.*—The anticyclone continues to be central over S. Manchuria and has increased in intensity. The depression appears to have filled up, but a trough of relatively low pressure extends from the China Sea north-eastward to S. Japan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·15 inch. Total since January 1st, 60·86 inches, against an average of 69.55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. or variable winds, moderate; cloudy, occasional rain.
3.—Hong Kong to Gap Rock,	N.E. or variable winds, moderate; cloudy, occasional rain.
4.—South coast of China between Hong Kong and Hainan,	N.E. or variable winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th September, 1929.								12th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.10	764.4	69	...	N	2	b	6	30.10	764.5	59	...	N	2	b
Nemuro,	11	29.82	757.5	...	...	N	2	...	5	30.02	762.5	..	...	N	2	...
Hokodate,	,,	29.86	758.5	...	...	WNW	1	...	,,	30.04	763.0	..	..	...	0	...
Tokio,	,,	29.88	759.0	...	...	N	1	...	,,	29.94	760.5	..	..	N	1	...
Kochi,	,,	29.76	756.0	...	...	ENE	1	...	,,	29.80	757.0	...	..	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	NNW	2	...	,,	29.88	759.0	...	...	NNE	1	...
Kagoshima,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.82	757.5	...	...	NW	1	...
Oshima,	,,	29.80	757.0	...	...	NNW	1	...	,,	29.80	757.0	...	...	N	1	...
Naha,	,,	29.80	757.0	...	...	NNE	4	...	,,	29.80	757.0	...	...	NNE	4	...
Ishigakijima,	,,	29.82	757.5	...	...	NE	3	...	,,	29.82	757.5	...	...	NE	1	...
Bonin Island,	,,	29.86	758.5	...	...	SSW	2	...	,,	29.86	758.5	...	...	S	1	...
Chefoo,	15	30.02	762.5	75	77	NE	2	b	6	30.03	762.7	67	95	...	0	o
Shanghai,	14	29.99	761.7	82	48	NE	2	b	,,	29.95	760.8	63	96	E	1	b
Gutzlaff,	,,	30.04	763.0	80	58	NNE	2	b	,,	30.03	762.7	71	66	NE	2	o
Sharp Peak,	,,	29.84	757.9	80	87	ENE	1	b	7	29.89	759.2	84	94	ENE	1	o
Amoy,	,,	29.80	756.9	88	62	NNE	4	b	6	29.85	758.2	78	70	NNE	4	b
Swatow,	,,	29.81	757.2	82	84	E	2	c	,,	29.87	758.7	77	100	NE	1	o
Taihoku,	11	29.87	758.7	77	85	E	4	o	5	29.86	758.4	73	82	E	2	o
Taichu,	,,	29.79	756.6	86	...	NW	2	o	,,	29.82	757.5	73	...	...	0	b
Tainan,	,,	29.76	756.0	86	...	...	0	b	,,	29.78	756.3	75	...	ESE	2	b
Koshun,	,,	29.79	756.6	82	...	NE	4	o	,,	29.78	756.3	79	...	NE	4	o
Pescadores,	,,	29.79	756.6	84	...	NE	6	b	,,	29.79	756.6	77	...	NE	4	o
Hong Kong,	14	29.80	756.9	83	57	E	3	o	6	29.81	757.2	79	76	E	4	c
Gap Rock,	,,	29.80	756.9	...	...	ENE	4	c	,,	29.80	756.9	...	...	ENE	4	b
Macao,	,,	29.78	756.3	86	58	SE	2	o	,,	29.78	756.3	79	80	ESE	4	o
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	80	84	NE	5	o	,,	29.77	756.1	73	91	NE	5	or
Phulien,	15	29.78	756.3	86	81	S	2	o	7	29.80	756.9	79	91	SE	4	of
Tourane,	,,	29.75	755.7	82	...	ENE	4	o	,,	29.78	756.3	77	...	S	2	o
Cape St. James,	,,	29.78	756.3	84	...	W	2	o	,,	29.80	756.9	77	...	WSW	4	o
Basco,	14	29.69	754.2	79	91	NE	4	r	6	29.72	754.8	77	89	SE	2	o
Aparri,	,,	29.68	753.9	86	68	N	2	o	,,	29.75	755.7	77	94	SW	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	86	71	SW	4	o	,,	29.75	755.7	75	94	...	0	b
Legaspi,	,,	29.71	754.5	90	65	WSW	4	b	,,	29.78	756.3	77	91	SW	1	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	85	78	S	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	..	...	...	,,	29.80	756.9	75	92	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	...	N	4	o	4.22	29.79	756.6	...	...	SE	1	b
Yap,	11.00	29.74	755.4	...	...	ENE	4	b	5	29.82	757.5	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	76	...	0	b	6	29.84	757.9	80	87	SW	2	b

September 12*d.* 11*h.* 03*m.*—The anticyclone remains stationary over S. Manchuria; the trough now extends from Indo-China across the Philippines to the Pacific.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·43 inch. Total since January 1st, 61·29 inches, against an average of 69.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fair generally.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th September, 1929.								13th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.09	764.4	75	...	...	0	b	6	30.08	764.1	59	...	...	0	c
Nemuro,	11	30.10	764.5	...	...	N	1	...	5	30.20	767.0	...	...	ESE	1	...
Hokodate,	,,	30.06	763.5	...	...	NE	2	...	,,	30.08	764.0	..	..	E	2	...
Tokio,	,,	29.92	760.0	...	...	N	1	...	,,	29.80	757.0	...	..	NW	3	...
Kochi,	,,	...	...	...	...	NNE	1	...	,,	29.84	758.0	...	..	WSW	1	...
Nagasaki,	,,	29.88	759.0	...	...	NE	2	...	,,	29.90	759.5	..	...	NE	1	...
Kagoshima,	,,	29.82	757.5	...	...	NNE	1	...	,,	29.86	758.5	...	...	NW	1	...
Oshima,	,,	29.82	757.5	...	...	NNE	2	...	,,	29.84	758.0	..	...	...	...	...
Naha,	,,	29.84	758.0	...	...	NNE	3	...	,,	29.86	758.5	...	...	NE	1	...
Ishigakijima,	,,	29.86	758.5	...	...	NE	3	...	,,	29.88	759.0	...	...	NNE	1	...
Bonin Island,	,,	...		...	...	S	2	...	,,	29.80	757.0	...	...	SW	1	...
Chefoo,	15	30.01	762.2	88	84	ENE	1	b	6	30.01	762.2	62	90	...	0	b
Shanghai,	14	29.95	760.8	86	46	E	1	b	,,	29.99	761.7	66	82	E	1	o
Gutzlaff,	,,	30.01	762.2	80	58	NE	1	o	,,	30.04	763.0	72	67	ENE	2	o
Sharp Peak,	,,	29.87	758.7	84	91	NE	2	b	7	29.90	759.4	77	94	NE	1	b
Amoy,	,,	29.81	757.2	84	68	SSE	4	o	6	29.88	758.9	77	77	N	4	b
Swatow,	,,	29.81	757.2	82	76	E	2	b	,,	...	...	...	...	...	...	...
Tailokn,	11	29.87	758.7	84	68	E	4	b	5	29.87	758.7	75	85	E	4	o
Taichu,	,,	29.84	757.8	90	...	WNW	2	b	,,	29.87	758.7	73	...	...	0	b
Tainan,	,,	29.81	757.2	90	...	SW	2	b	,,	29.84	757.8	77	...	...	0	o
Koshun,	,,	29.82	757.5	82	...	NE	4	b	,,	29.85	758.1	77	...	NE	4	b
Pescadores,	,,	29.84	758.8	84	...	NE	4	b	,,	29.85	758.1	77	...	NNE	4	b
Hong Kong,	14	29.79	756.6	82	65	E	3	b	6	29.83	757.7	78	78	ENE	4	o
Gap Rock,	,,	29.80	756.9	...	...	ENE	5	c	,,	29.79	756.6	...	...	ENE	5	or
Macao,	,,	29.78	756.3	86	61	SE	4	b	,,	29.80	756.9	79	76	ENE	4	o
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.78	756.3	79	82	E	5	o	,,	29.81	757.2	80	87	SE	4	bc
Phulien,	15	29.74	755.4	84	74	ESE	4	o	7	29.81	757.2	77	...	ENE	4	c
Tourane,	,,	29.71	754.5	84	...	E	4	o	,,	29.78	756.3	77	...	SW	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	75	...	W	4	bo
Basco,	14	29.74	755.4	81	...	NE	2	o	6	29.79	756.6	79	80	NE	4	o
Aparri,	,,	29.72	754.8	86	71	N	4	o	,,	29.80	756.9	77	94	...	0	o
Tuguegarao,	,,	29.71	754.5	90	66	...	0	o	,,	29.80	756.9	77	96	...	0	o
Vigan,	,,	29.73	755.1	84	77	WNW	2	o	,,	29.79	756.6	77	92	NW	1	o
Manila,	,,	29.74	755.4	90	66	SW	4	o	,,	29.81	757.2	77	94	...	0	o
Legaspi,	,,	29.73	755.1	90	60	SW	2	b	,,	29.81	757.2	73	96	...	0	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	90	66	S	4	o	,,	29.85	758.1	77	89	NW	2	o
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	79	91	S	1	o
Cebu,	,,	29.73	755.1	85	58	S	4	b	,,	29.82	757.5	79	85	E	1	o
Surigao,	,,	29.74	755.4	90	60	NW	1	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.76	755.9	78	...	E	3	bo
Guam,	12.22	29.74	755.4	...	...	N	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	S	2	o	5	29.81	757.2	...	...	SSW	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.4	77	...	...	0	bc
Ponape,	...	...	...	...	...		...	...	,,	29.84	757.9	80	...	SE	1	bo
Labuan,	14	29.80	756.9	88	84	SW	4	o	6	29.89	759.2	77	100	SW	2	b

September 13d. 10h. 4cm.—The anticyclone is now central to the north of Hokkaido; pressure is relatively low over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 61·29 inches, against an average of 70.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th September, 1929.								14th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Symbols.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Symbols.)
Wladivostock,	12	30.04	763.0	71	...	SE	2	b	6	29.86	758.4	64	...	SSE	2	o
Nemuro,	11	30.16	766.0	...	...	ESE	2	...	5	29.84	758.0	...	...	ENE	4	...
Hokodate,	,,	30.04	763.0	...	...	E	2	...	,,	29.75	755.5	...	...	...	0	...
Tokio,	,,	29.67	753.5	...	...	NNW	4	...	,,	29.69	754.0	...	...	...	0	...
Kochi,	,,	29.80	757.0	...	...	...	0	...	,,	29.80	757.0	...	...	WSW	1	...
Nagasaki,	,,	29.90	759.5	...	...	NW	2	...	,,	29.90	759.5	...	...	NNE	1	...
Kagoshima,	,,	29.84	758.0	...	...	N	1	...	,,	29.86	758.5	...	...	WNW	1	...
Oshima,	,,	29.86	758.5	...	...	NNE	2	...	,,	29.86	758.5	...	...	N	1	...
Naha,	,,	29.88	759.0	...	...	NNE	3	...	,,	29.88	759.0	...	...	ENE	1	...
Ishigakijima,	,,	29.90	759.5	...	...	ENE	2	...	,,	29.90	759.5	...	...	N	1	...
Bonin Island,	,,	29.80	757.0	...	...	SW	1	...	,,	29.82	757.5	...	...	...	0	...
Chefoo,	15	29.92	759.9	78	70	E	1	b	6	29.86	758.4	68	85	SW	2	b
Shanghai,	14	29.97	761.1	84	45	ENE	1	o	,,	29.98	761.4	66	98	...	0	o
Gutzlaff,	,,	30.01	762.2	81	56	NNE	1	o	,,	30.03	762.7	71	80	NE	1	o
Sharp Peak,	,,	29.84	757.9	84	95	E	1	b	7	29.92	759.9	78	95	NW	1	b
Amoy,	,,	29.84	757.9	88	62	SW	1	b	6	29.89	759.2	77	86	ENE	4	b
Swatow,	,,	29.83	758.9	82	76	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.91	759.6	86	65	E	4	o	5	29.92	759.9	70	94	...	0	o
Taichu,	,,	29.91	759.6	90	...	W	2	b	,,	29.91	759.6	77	...	...	0	o
Tainan,	,,	29.88	75[illegible].0	86	...	WSW	2	b	,,	29.87	758.7	75	...	...	0	b
Koshun,	,,	29.91	759.6	86	...	NNE	4	o	,,	29.85	759.0	68	...	N	2	b
Pescadores,	,,	29.[illegible]8	759.0	84	...	N	4	b	,,	29.88	759.0	77	...	NNE	2	b
Hong Kong,	14	29.83	757.7	81	79	E	5	o	6	29.86	758.4	78	90	E	2	o
Gap Rock,	,,	29.83	757.7	...	...	ENE	5	o	,,	29.83	757.7	...	...	E	5	o
Macao,	,,	29.61	757.2	82	81	ESE	4	o	,,	29.82	757.5	77	100	ESE	4	r
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	757.9	85	80	ESE	3	b	,,	29.86	758.4	80	87	ESE	2	b
Phulien,	15	29.79	756.6	86	71	E	2	o	7	29.82	757.5	77	89	NE	1	of
Tourane,	,,	29.74	755.4	84	...	NNE	4	o	,,	29.81	757.2	75	...	W	2	o
Cape St. James,	,,	29.80	756.9	81	...	WSW	4	o	,,	29.86	758.4	77	...	WSW	2	of
Basco,	14	29.80	756.9	82	70	NE	4	o	6	29.84	757.8	75	86	...	0	o
Aparri,	,,	29.79	756.6	84	77	NW	4	o	,,	29.84	757.8	59	96	W	2	o
Tuguegarao,	,,	29.76	756.0	86	61	NW	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.9	82	84	NW	2	o	,,	29.80	756.9	77	92	WSW	1	o
Manila,	,,	29.79	756.6	90	66	W	2	b	,,	29.82	757.5	77	96	...	0	o
Legaspi,	,,	29.74	755.4	90	86	SW	2	o	,,	29.82	757.5	75	96	N	1	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	85	68	S	1	o	,,	29.85	758.1	77	94	N	2	b
Iloilo,	,,	29.75	755.7	86	75	SW	4	b	,,	29.81	757.2	75	96	NE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	75	96	SW	1	b
Saipan,	...	...	...	...	...	...	...	...	5	29.76	755.9	80	...	ESE	5	be
Guam,	12.22	29.72	754.8	...	...	W	2	r	4.22	29.74	755.4	...	...	S	2	o
Yap,	11.00	29.79	756.6	...	...	SW	2	o	5	29.78	756.3	...	...	SW	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.78	756.3	80	...	SW	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.86	758.4	83	...	ENE	2	fe
Labuan,	14	29.81	757.2	88	76	SW	2	b	6	29.84	757.9	80	91	...	0	b

September 14*d.* 10*h.* 40*m.*—The anticyclone has dispersed, leaving a weak area over the lower Yangtze Valley; pressure remains relatively low in the China Sea. The depression is situated in the Pacific to the north-east of Tokio; a typhoon may be developing to the north of Yap.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·13 inch. Total since January 1st, 61·42 inches, against an average of 70.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	S.E. or variable winds, moderate; cloudy, rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th September, 1929.								15th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.80	756.8	68	...	SSE	2	c	6	29.62	752.3	57	....	NNW	2	b
Nemuro,	11	29.51	749.5	...	...	ENE	6	...	5	29.51	749.5	...	...	W	2	...
Hokodate,	"	29.90	759.5	...	...	...	0	...	"	29.71	754.5	...	..	WNW	3	...
Tokio,	"	29.67	753.5	...	...	N	1	...	"	29.82	757.5	...	..	...	0	...
Kochi,	"	29.78	756.5	...	...	SW	1	...	"	29.86	758.5	...	..	WSW	1	...
Nagasaki,	"	29.88	759.0	...	...	N	1	...	"	29.90	759.5	...	..	...	...	...
Kagoshima,	"	29.84	758.0	...	...	WNW	1	...	"	29.90	759.5	...	...	NW	3	...
Oshima,	"	29.88	759.0	...	...	NNE	2	...	"	29.90	759.5	...	...	S	1	...
Nahu,	"	29.88	759.0	...	...	N	2	...	"	29.90	759.5	...	...	...	0	...
Ishigakijima,	"	29.92	760.0	...	...	NNW	1	...	"	29.92	760.0	...	...	N	1	...
Bonin Island,	"	29.84	758.0	...	...	S	1	...	"	29.92	760.0	...	...	S	1	...
Chefoo,	15	29.87	758.7	74	72	NNW	4	b	6	29.87	758.7	62	77	W	4	b
Shanghai,	14	29.95	760.8	86	41	N	1	b	"	30.01	762.3	66	96	E	2	b
Gutzlaff,	"	30.01	762.2	76	61	NE	1	b	"	30.04	763.0	73	72	S	2	b
Sharp Peak,	"	29.87	758.7	82	96	S	1	b	7	29.93	760.2	80	96	E	1	o
Amoy,	"	29.85	758.1	88	69	SSE	4	b	6	29.92	759.9	76	86	N	4	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	11	29.92	759.9	90	63	NE	4	b	5	29.92	759.9	72	94	...	0	b
Taichu,	"	29.94	760.5	86	...	...	0	o	"	29.94	760.5	73	...	...	0	o
Tainan,	"	29.92	759.9	90	...	WSW	2	b	"	29.91	759.6	75	...	...	0	b
Koshun,	"	29.91	759.6	90	...	ENE	2	b	"	29.89	759.3	73	...	...	0	b
Pescadores,	"	29.93	760.2	82	...	NNW	4	o	"	29.91	759.6	77	...	NNW	2	b
Hong Kong,	14	29.86	758.4	84	80	E	3	o	6	29.89	759.2	77	95	...	0	cm
Gap Rock,	"	29.86	758.4	...	...	ESE	4	c	"	29.89	759.2	...	...	E	3	b
Macao,	"	29.84	757.8	81	84	SE	4	o	"	29.86	758.4	79	92	ESE	2	o
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.88	758.9	88	69	...	0	b	"	29.89	759.2	79	88	...	0	b
Phulien,	15	29.80	756.9	81	85	WNW	1	o	7	29.87	758.6	77	...	NE	2	of
Tourane,	"	29.79	756.6	84	...	E	2	b	"	29.87	758.6	77	...	N	2	cp
Cape St. James,	"	29.85	758.1	86	...	SW	2	o	"	29.89	759.1	77	...	WSW	2	bf
Basco,	14	29.82	757.5	84	71	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.80	756.9	86	68	NE	4	o	"	...	...	...	...	...	...	...
Tuguegarao,	"	29.78	756.3	86	68	NW	2	o	"	...	...	...	...	...	...	...
Vigan,	"	29.79	756.6	84	81	NW	4	o	"	...	...	...	...	...	...	...
Manila,	"	29.78	756.3	90	63	W	2	b	"	29.84	757.8	77	96	E	1	o
Legaspi,	"	29.75	755.7	93	67	NE	2	b	"	29.81	757.2	77	94	W	1	b
Calboyog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	29.74	755.4	90	66	S	4	b	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	90	66	ENE	2	o	"	29.81	757.2	75	91	NE	2	o
Cebu,	"	29.74	755.4	86	65	SE	2	b	"	29.80	756.9	79	84	...	0	b
Surigao,	"	...	...	...	...	...	...	...	"	29.79	756.6	75	96	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	29.81	757.2	77	...	SE	2	b
Guam,	12.22	29.74	755.4	...	...	SSW	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	WNW	1	o	5	29.80	756.9	...	...	SW	2	o
Pelew,	...	...	...	...	...	...	...	...	"	29.79	756.6	76	...	SW	2	o
Ponape,	...	...	...	...	...	...	...	...	"	29.86	758.4	80	...	SE	2	lo
Labuan,	14	29.81	757.2	82	76	NE	2	b	6	29.88	758.9	76	98	NE	2	b

September 15*d.* 10*h.* 25*m.*—Weak anticyclonic areas are situated over the lower Yangtze Valley and to the east of the Bonins. Pressure is relatively low in the Pacific to the east of the Philippines; the depression is situated to the north of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·82 inch. Total since January 1st, 62·24 inches, against an average of 71.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16th.

District.	Forecast.
1.—Formosa Channel,	Light northerly winds.
2.—South coast of China between Hong Kong and Lamocks,	S.E. or variable winds, moderate; cloudy, showery.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th September, 1929.								16th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.56	750.7	...	...	WNW	2	b	6	29.68	753.9	55	...	...	0	b
Nemuro,	11	29.59	751.5	...	...	NNW	1	...	5	29.61	752.0	...	...	WSW	1	...
Hokodate,	,,	29.65	753.0	...	...	W	1	...	,,	29.73	755.0	...	...	WSW	6	...
Tokio,	,,	29.78	756.5	...	...	S	1	...	,,	29.80	757.0	...	...	...	0	...
Kochi,	,,	29.84	758.0	...	...	...	0	...	,,	29.88	759.0	...	...	WSW	1	...
Nagasaki,	,,	29.90	759.5	...	...	SW	2	...	,,	29.96	761.0	...	...	NNW	1	...
Kagoshima,	,,	29.88	759.0	...	...	W	1	...	,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.96	761.0	...	...	S	1	...
Naha,	,,	29.92	760.0	...	...	N	1	...	,,	29.92	760.0	...	...	NE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	ENE	1	...	,,	29.94	760.5	...	...	N	1	...
Bonin Island,	,,	29.94	760.5	...	...	SSW	1	...	,,	29.98	761.5	...	...	S	1	...
Chefoo,	15	29.86	758.4	72	76	NW	4	b	6	29.93	760.2	65	78	W	2	b
Shanghai,	14	30.00	762.0	90	48	NNW	2	b	,,	30.05	763.2	68	87	...	0	b
Gutzlaff,	,,	30.01	762.2	83	63	S	1	b	,,	30.10	764.5	73	55	NE	1	c
Sharp Peak,	,,	29.90	75[illegible].4	78	95	ENE	2	o	7	29.98	761.5	76	91	N	1	b
Amoy,	,,	29.85	758.2	88	69	NNE	4	b	6	29.45	760.7	78	86	NE	2	r
Swatow,	,,	29.83	758.9	84	84	E	2	b	,,	29.96	761.0	76	91	E	2	c
Taihoku,	11	29.93	760.2	77	64	...	0	o	5	29.92	759.9	73	89	E	4	b
Taichu,	,,	29.94	760.5	90	...	...	0	b	,,	29.91	760.2	75	...	...	0	b
Taitan,	,,	29.91	759.6	90	...	NW	2	b	,,	29.92	759.9	77	...	...	0	o
Koshun,	,,	29.92	759.9	86	...	...	0	o	,,	29.89	759.3	75	...	...	0	o
Pescadores,	,,	29.93	760.2	86	...	NNW	2	b	,,	29.92	759.9	79	...	NNE	2	b
Hong Kong,	14	29.88	758.9	79	89	E	2	o	6	29.89	759.2	78	93	ESE	1	b
Gap Rock,	,,	29.88	758.9	...	...	ESE	2	b	,,	29.89	759.2	...	...	E	2	b
Macao,	,,	29.86	758.4	79	95	NE	2	o	,,	29.86	758.4	77	96	SE	2	o
Hoihow,	,,	29.93	760.[illegible]	86	81	SSE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.87	758.7	82	83	...	0	c	,,	29.89	759.2	80	87	E	2	b
Phulien,	15	29.78	756.3	86	81	SSE	2	o	7	29.82	757.5	77	...	SSE	2	of
Tourane,	,,	29.80	756.9	86	...	SE	4	b	,,	29.85	758.1	79	...	SW	2	bo
Cape St. James,	,,	29.84	757.8	86	...	WSW	2	o	,,	29.89	759.1	75	...	NNW	2	bo
Basco,	14	29.81	757.2	86	65	NE	4	o	6	29.85	758.1	81	73	NE	4	o
Aparri,	,,	29.79	756.6	86	61	NE	4	b	,,	29.82	757.5	77	94	W	2	b
Tuguegarao,	,,	29.76	756.0	86	58	NW	1	o	,,	29.84	757.8	73	91	...	0	o
Vigan,	,,	29.74	755.4	90	90	W	2	o	,,	29.78	756.3	75	91	WSW	1	b
Manila,	,,	29.75	755.7	82	84	ENE	1	o	,,	29.80	756.9	77	92	NE	1	o
Legaspi,	,,	29.72	754.8	93	64	ENE	2	b	,,	29.78	756.3	75	96	NW	1	o
Calboyog,	,,	29.73	755.1	90	72	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.71	754.5	90	60	SE	4	o	,,	29.81	757.2	75	85	...	0	o
Iloilo,	,,	29.72	754.8	93	64	NE	2	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	77	88	S	1	o
Saipan,	...	...	...	...	...	...	...	...	5	29.84	757.8	77	...	ENE	2	b
Guam,	12.22	29.79	756.6	...	...	S	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	SW	2	o	5	29.81	757.2	...	...	SW	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	77	...	SW	2	r
Ponape,	...	...	...	...	...	...	...	...	,,	29.89	759.2	78	...	ESE	1	c
Labuan,	14	29.81	757.2	88	76	SW	...	b	6	29.84	757.9	80	74	...	0	b

September 16*d.* 10*h.* 40*m.*—The anticyclones have merged, pressure being highest over the lower Yangtze Valley. It is relatively low in the Pacific to the east of the Visayas.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·31 inch. Total since January 1st, 62·55 inches, against an average of 71.39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	Light northerly winds.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; fair.
3.—Hong Kong to Gap Rock,	E. winds, moderate; fair.
4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th September, 1929.								17th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.65	753.2	61	...	N	1	c	6	29.92	760.0	53	...	...	0	b
Nemuro,	11	29.67	753.5	...	...	SW	3	...	5	29.63	752.5	...	...	WSW	1	...
Hokodate,	,,	29.69	754.0	...	...	SW	3	...	,,	29.73	755.0	...	...	NNW	1	...
Tokio,	,,	29.76	756.0	...	...	...	0	...	,,	29.88	759.0	...	...	NW	1	...
Kochi,	,,	29.84	758.0	...	...	SW	1	...	,,	...	...	...	...	WSW	1	...
Nagasaki,	,,	29.96	761.0	...	...	WNW	3	...	,,	30.08	764.0	...	...	...	...	...
Kagoshima,	,,	29.96	761.0	...	...	NW	2	...	,,	...	...	...	...	WNW	1	...
Oshima,	,,	29.98	761.5	...	...	NNE	1	...	,,	30.02	762.5	...	...	...	0	...
Naha,	,,	29.96	761.0	...	...	NNE	3	...	,,	30.00	762.0	...	...	NE	2	...
Ishigakijima,	,,	29.96	761.0	...	...	ENE	2	...	,,	29.94	760.5	...	...	E	2	...
Bonin Island,	,,	29.96	761.0	...	...	S	1	...	,,	29.98	761.5	...	...	...	...	...
Chefoo,	15	29.93	760.2	76	93	NW	4	b	6	29.95	760.7	65	73	S	1	b
Shanghai,	14	30.05	763.2	86	36	N	1	b	,,	30.06	763.5	68	81	NE	1	o
Gutzlaff,	,,	30.11	764.8	80	55	ENE	1	b	,,	30.11	764.8	73	67	ESE	4	o
Sharp Peak,	,,	29.94	760.5	81	74	ENE	2	o	7	29.96	761.0	78	82	ENE	4	o
Amoy,	,,	29.87	758.7	84	75	E	4	o	6	29.91	759.7	78	70	N	4	b
Swatow,	,,	29.91	759.6	83	80	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.97	761.1	84	68	E	4	o	5	29.92	759.9	73	82	E	4	b
Taichu,	,,	29.92	759.9	86	...	NNW	4	b	,,	29.88	759.0	73	...	...	0	b
Tainan,	,,	29.92	759.9	90	...	SW	2	b	,,	29.86	758.4	75	...	...	0	b
Koshun,	,,	29.92	759.9	86	...	NE	2	b	,,	29.89	759.2	77	...	NE	4	b
Pescadores,	,,	29.91	759.6	86	...	NNE	4	b	,,	29.86	758.4	79	...	NNE	4	o
Hong Kong,	14	29.85	758.1	84	72	E	3	c	6	29.88	758.9	79	83	E	4	o
Gap Rock,	,,	29.87	758.7	...	...	E	3	c	,,	29.86	758.4	...	...	ENE	4	c
Macao,	,,	29.85	758.1	90	72	SE	2	b	,,	29.85	758.1	79	87	ESE	2	o
Hoihow,	,,	29.91	759.7	85	77	SE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.87	758.7	86	76	E	2	b	,,	29.87	758.7	78	97	NE	4	or
Phulien,	15	29.79	756.6	73	98	SSW	1	o	7	29.85	758.1	77	94	SE	4	r
Tourane,	,,	29.78	756.3	86	...	SE	2	b	,,	29.81	757.2	77	...	SSW	2	b
Cape St. James,	,,	29.81	757.2	84	...	SSW	2	b	,,	29.82	757.5	75	...	...	0	o
Basco,	14	29.81	757.2	84	68	NE	4	o	6	29.82	757.5	81	76	NE	4	o
Aparri,	,,	29.79	756.6	82	81	...	0	r	,,	29.79	756.6	79	80	ENE	2	r
Tuguegarao,	,,	29.79	756.6	86	75	WSW	2	o	,,	29.79	756.6	77	79	...	0	o
Vigan,	,,	29.74	755.4	86	61	WNW	2	b	,,	29.75	755.7	77	91	WNW	1	o
Manila,	,,	29.73	755.1	86	75	SW	2	r	,,	29.76	756.0	77	92	...	0	o
Legaspi,	,,	29.69	754.2	86	71	NNE	2	o	,,	29.71	754.5	77	94	SW	1	o
Calboyog,	,,	29.71	754.5	82	89	N	1	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	77	86	S	2	o	,,	29.73	755.1	77	89	N	2	o
Iloilo,	,,	29.74	755.4	82	77	SW	2	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.72	754.8	86	68	SSE	2	o	,,	29.74	755.4	79	80	SW	2	o
Surigao,	,,	29.72	754.8	82	77	WSW	4	o	,,	29.71	754.5	79	85	WSW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	74	...	SE	2	r
Guam,	12.22	29.76	756.0	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.8	...	...	...	0	o	5	29.86	758.4	...	...	NNW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.83	757.7	78	...	...	0	c
Ponape,	...	...	...	...	...		...	...	,,	29.86	758.4	77	...	SSE	1	c
Labuan,	14	29.81	757.2	86	76	W	2	b	6	29.86	758.4	77	91	NW	1	o

September 17*d.* 10*h.* 40*m.*—The anticyclone is central to the south of Korea; depressions are situated to the north east of Hokkaido, and to the east of the Visayas.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·08 inch. Total since January 1st, 62·63 inches, against an average of 71.74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; fair to showery.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.
DAILY WEATHER REPORT.

Station.	17th September, 1929.								18th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.93	760.2	67	...	ESE	2	b	6	29.89	759.1	63	...	SE	2	o
Nemuro,	11	29.61	752.0	...	...	W	1	...	5	29.92	760.0	...	...	SW	1	...
Hokodate,	,,	29.82	757.5	...	...	W	5	...	,,	30.02	762.5	...	...	SW	1	...
Tokio,	,,	29.98	761.5	...	...	NNW	2	...	,,	30.14	765.5	...	..	NNW	1	...
Kochi,	,,	30.04	763.0	...	...	WSW	1	...	,,	30.08	764.0	...	..	WSW	1	...
Nagasaki,	,,	30.06	763.5	...	...	S	1	...	,,	30.02	762.5	...	...	SE	3	...
Kagoshima,	,,	30.06	763.5	...	...	SE	1	...	,,	30.02	762.5	...	...	WNW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.96	761.0	...	...	...	0	...
Nahn,	,,	29.96	761.0	...	...	ENE	4	...	,,	29.00	759.5	...	...	NE	1	...
Ishigakijima,	,,	29.96	761.0	...	...	E	3	...	,,	29.88	759.0	...	...	E	1	...
Bonin Island,	,,	29.98	761.5	...	...	SW	7	...	,,	30.02	762.5	...	...	...	0	...
Chefoo,	15	29.80	757.4	80	55	SSW	2	o	6	29.89	759.2	60	100	...	0	r
Shanghai,	14	29.99	761.7	81	50	S	2	o	,,	29.93	760.2	70	91	W	2	o
Gutzlaff,	,,	30.04	763.0	77	65	SE	4	o	,,	29.94	760.5	76	82	SSW	6	o
Sharp Peak,	,,	29.92	759.9	82	75	NE	2	o	7	29.91	759.7	76	82	SE	1	b
Amoy,	,,	29.84	757.9	86	68	NNE	4	b	6	29.88	758.9	77	82	NE	1	b
Swatow,	,,	29.85	758.1	83	95	ESE	2	b	,,	29.90	759.4	77	100	NE	1	c
Taihoku,	11	29.94	760.5	90	60	ESE	4	b	5	29.86	758.4	77	86	ENE	4	b
Taichu,	,,	29.91	759.6	86	...	...	0	b	,,	29.85	758.1	79	...	...	0	o
Tainan,	,,	29.88	759.0	90	...	SW	2	b	,,	29.82	757.5	77	...	...	0	b
Koshun,	,,	29.89	759.3	86	...	NNE	4	b	,,	29.82	757.5	79	...	NE	2	b
Pescadores,	,,	29.89	759.3	84	...	NE	4	o	,,	29.84	757.8	79	...	NE	4	b
Hong Kong,	14	29.87	758.7	83	72	E	3	c	6	29.86	758.4	79	82	E	2	c
Gap Rock,	,,	29.86	758.4	...	...	ENE	4	c	,,	29.86	758.4	...	...	ENE	4	c
Macao,	,,	29.84	757.8	84	68	SE	4	b	,,	29.84	757.8	77	91	NE	2	o
Hoihow,	,,	29.74	755.4	85	81	NE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	757.9	84	77	NE	3	c	,,	29.82	757.4	80	87	NE	3	b
Phulien,	15	29.79	756.6	84	81	SSE	6	b	7	29.86	758.4	77	89	W	1	r
Tourane,	,,	29.78	756.3	84	...	ESE	4	b	,,	29.81	757.2	77	...	SW	...	o
Cape St. James,	,,	29.80	756.9	86	...	SSE	2	b	,,	29.85	758.1	77	...	SW	4	b
Basco,	14	29.78	756.3	82	81	NE	4	o	6	...	...	...	...	...	.	...
Aparri,	,,	29.74	755.4	84	77	NE	4	o	,,	29.71	754.5	79	91	ENE	4	o
Tuguegarao,	,,	29.74	755.4	79	90	NW	1	r	,,	...	...	...	...	...	...	...
Vigan,	,,	29.68	753.9	68	77	SW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	79	94	SW	2	o	,,	29.61	752.1	77	94	W	4	r
Legaspi,	,,	29.62	752.4	77	94	WSW	4	o	,,	29.67	753.6	75	92	SW	4	r
Calbayog,	,,	29.68	753.9	75	92	SW	4	o	,,	..	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	79	87	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.69	754.2	84	64	SW	6	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.83	757.7	79	...	E	3	bo
Guam,	12.22	29.78	756.3	...	...	NE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	NNW	2	o	5	29.85	758.1	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.85	758.2	76	...	...	0	o
Ponape,	...	...	...	...	...		...	...	..	29.83	757.7	75	...	...	0	o
Labuan,	14	29.82	757.5	86	76	W	2	b	6	29.84	757.9	82	83	SW	2	o

September 17*d.* 17*h.* 05*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 128° E., moving W.

September 18*d.* 9*h.* 58*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 125° E. moving W.N.W.

September 18*d.* 10*h.* 50*m.*—The anticyclone is now central in the Pacific to the east of Tokio. The typhoon is situated about 180 miles E.N.E. of Manila, moving W. or W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 62·63 inches, against an average of 72.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine generally.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th September, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	19th September, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.85	758.2	67	...	SE	2	0	6	29.89	759.3	51	...	N	5	0
Nemuro,	11	29.94	760.5	...	...	SSW	1	...	5	29.99	759.5	...	...	S	1	...
Hokodate,	,,	30.02	762.5	...	...	SSW	1	...	,,	29.88	759.0	...	...	SSW	1	...
Tokio,	,,	30.10	764.5	...	...	SSW	1	...	,,	30.00	762.0	...	...	...	...	...
Kochi,	,,	30.08	764.0	...	...	SSE	1	...	,,	30.02	762.5	...	...	...	0	...
Nagasaki,	,,	29.98	761.5	...	...	S	2	...	,,	30.00	762.0	...	...	WSW	1	...
Kagoshima,	,,	30.00	762.0	...	...	E	1	...	,,	30.00	762.0	...	...	...	...	...
Oshima,	,,	29.96	761.0	...	...	SE	1	...	,,	29.96	761.0	...	...	...	...	...
Naha,	,,	29.90	759.5	...	...	E	3	...	,,	29.86	758.5	...	...	E	2	...
Ishigakijima,	,,	29.88	759.0	...	...	E	2	...	,,	29.78	756.5	...	...	NNE	1	...
Bonin Island,	,,	30.02	762.5	...	...	ESE	1	...	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	29.90	759.4	70	85	NE	2	0	6	30.06	763.5	60	94	...	0	b
Shanghai,	14	29.93	760.2	72	84	WNW	2	0	,,	30.07	763.8	64	90	WNW	1	0
Gutzlaff,	,,	30.00	762.0	74	72	NW	4	0	,,	30.10	764.5	75	81	N	2	0
Sharp Peak,	,,	29.84	757.9	84	72	E	1	b	7	29.90	759.4	78	86	ENE	2	0
Amoy,	,,	29.81	757.2	88	73	SSE	4	b	6	29.85	758.2	80	82	NE	2	b
Swatow,	,,	29.82	757.4	83	88	E	2	b	,,	29.86	758.4	77	100	N	1	b
Taihoku,	11	29.84	757.8	90	60	E	4	b	5	29.86	758.4	77	94	E	2	b
Taichu,	,,	29.85	758.1	90	...	W	2	0	,,	29.82	757.5	75	...	...	0	b
Tainan,	,,	29.84	757.8	90	...	W	2	b	,,	29.80	756.9	77	...	...	0	b
Koshun,	,,	29.82	757.5	90	...	NE	4	1	,,	29.80	756.9	81	...	NE	2	b
Pescadores,	,,	29.85	758.1	84	...	N	4	b	,,	29.79	756.6	79	...	NNE	4	b
Hong Kong,	14	29.81	757.2	84	76	E	2	c	6	29.83	757.7	80	83	...	0	0
Gap Rock,	,,	29.81	757.2	...	...	ENE	4	b	,,	29.83	757.7	...	...	NE	4	c
Macao,	,,	29.80	756.9	90	69	ESE	2	b	,,	29.73	755.1	77	98	NE	2	r
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.79	756.6	85	77	NE	4	b	,,	29.78	756.4	81	88	NE	4	b.c
Phulien,	15	29.82	757.5	84	77	E	4	b	7	29.89	759.3	72	91	NW	4	b
Tourane,	,,	29.76	756.0	82	...	N	4	0	,,	29.81	757.2	75	...	W	2	0
Cape St. James,	,,	29.78	756.3	86	...	S	2	b	,,	29.82	757.5	77	...	WNW	6	0
Pasco,	14	29.71	754.5	84	77	ENE	4	0	6	...	...	...	...	...	.	...
Aparri,	,,	29.65	753.0	86	71	ENE	4	0	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.50	749.4	90	55	ENE	4	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.63	752.7	75	95	SSE	4	0	,,	29.72	754.8	75	96	SE	1	b
Legaspi,	,,	29.71	754.5	86	71	SW	4	0	,,	29.78	756.3	75	96	...	0	b
Calbayog,	,,	29.73	755.1	86	71	SSE	2	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	90	63	S	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	78	SW	4	0	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	75	92	...	0	b
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	76	...	NNE	2	c
Guam,	12.22	29.79	756.6	...	...	SE	4	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	...	0	0	5	29.82	757.5	...	...	NE	1	0
Pelew,	...	...	...	...	...	...	...	...	,,	29.84	757.8	78	...	N	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.87	758.7	75	...	...	0	c
Labuan,	14	29.82	757.4	86	76	SW	6	b	6	29.85	758.2	77	94	SW	2	b

September 18*d*. 16*h*. 24*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 120° E., moving W.N.W.

September 19*d*. 9*h*. 30*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 116° E. moving W.

September 19*d*. 10*h*. 30*m*.—An anticyclone has developed over N. China. The typhoon is situated about 400 miles S.S.E. of Hong Kong, moving W. or W.N.W.

Fresh to strong north-east winds will prevail over the N. China Sea, and cyclonic gales may be expected between the Macclesfield Bank and the coast of Indo-China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 62·63 inches, against an average of 72.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; cloudy, rain later.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy, rain later.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; cloudy, rain later.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th September, 1929.								20th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.91	759.7	62	...	N	2	b	6	29.73	755.0	59	...	...	0	b
Nemuro,	11	29.82	757.5	...	...	SSW	2	...	5	29.88	759.0	...	...	WSW	1	...
Hokodate,	,,	29.74	755.5	...	...	ESE	2	...	,,	30.06	763.5	...	...	WSW	2	...
Tokio,	,,	29.94	760.5	...	...	S	2	...	,,	...	...	...	..	NW	1	...
Kochi,	,,	30.02	762.5	...	...	...	0	...	,,	30.10	764.5	...	...	...	0	...
Nagasaki,	,,	30.04	763.0	...	...	WSW	1	...	,,	30.08	764.0	...	...	SW	4	...
Kagoshima,	,,	30.04	763.0	...	...	SE	1	...	,,	30.02	762.5	...	...	...	0	...
Oshima,	,,	30.00	762.0	...	...	SE	1	...	,,	29.92	760.0	...	...	SE	1	...
Naha,	,,	29.90	759.5	...	...	ESE	2	...	,,	29.78	756.5	...	...	SE	4	...
Ishigakijima,	,,	29.76	756.0	...	...	NNE	3	...	,,	29.80	757.0	...	..	WNW	2	...
Bonin Island,	,,	30.08	764.0	...	...	ESE	2	...	,,	30.10	764.5	...	...	E	1	...
Chefoo,	15	30.06	763.5	77	77	ENE	2	b	6	30.12	765.0	68	91	SW	2	b
Shanghai,	14	30.08	764.1	77	68	NE	4	o	,,	30.10	764.4	66	90	ENE	2	b
Gutzlaff,	,,	30.12	765.0	80	70	NNE	1	o	,,	30.11	764.8	72	76	NE	6	o
Sharp Peak,	,,	29.80	759.4	83	75	ENE	2	b	7	29.95	760.7	80	82	N	1	o
Amoy,	,,	29.87	758.7	90	63	ENE	4	b	6	29.92	759.9	80	82	NE	2	o
Swatow,	,,	29.88	758.9	85	88	E	2	b	,,	29.93	760.2	78	100	NE	3	o
Taihoku,	11	29.89	759.3	75	71	NE	2	o	5	29.92	759.9	75	98	SW	1	r
Taichu,	,,	29.87	758.7	86	...	...	0	o	,,	29.91	759.6	75	...	...	0	o
Tainan,	,,	29.85	758.1	90	...	SW	2	o	,,	29.86	758.4	77	...	...	0	b
Koshun,	,,	29.84	757.8	90	...	NNE	4	b	,,	29.86	758.4	77	...	...	0	o
Pescadores,	,,	29.87	758.7	86	...	NE	6	o	,,	29.88	759.0	79	...	NNE	6	o
Hong Kong,	14	29.85	758.2	86	66	E	1	o	6	29.84	757.9	80	80	ENE	5	o
Gap Rock,	,,	29.84	757.9	...	...	ENE	4	o	,,	29.82	757.4	...	...	ENE	5	o
Macao,	,,	29.85	758.1	86	68	NE	2	o	,,	29.81	757.2	79	84	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.80	756.9	83	85	NE	4	o	,,	29.84	757.9	80	87	E	4	bo
Phulien,	15	29.86	758.4	86	65	NW	4	o	7	29.88	759.0	73	85	N	4	o
Tourane,	,,	29.78	756.3	82	...	NNW	6	o	,,	29.72	754.8	75	...	N	7	o
Cape St. James,	,,	29.80	756.9	75	...	W	4	r	,,	29.84	757.8	75	...	W	4	o
Basco,	14	29.76	756.0	85	71	SE	4	o	6	29.85	758.1	77	94	...	0	o
Aparri,	,,	29.72	754.8	86	68	NE	4	b	,,	29.85	758.1	75	94	S	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	82	77	WSW	2	o	,,	29.85	758.1	75	96	...	0	o
Legaspi,	,,	29.78	756.3	90	63	SSW	2	b	,,	29.85	758.1	77	96	...	0	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Iloilo,	,,	29.79	756.6	86	71	SW	2	b	,,	29.86	758.4	75	92	SW	2	b
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	77	94	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	79	...	ESE	5	bo
Guam,	12.22	29.80	756.9	...	...	NE	4	o	4.22	29.82	757.5	...	...	E	4	o
Yap,	11.00	29.81	757.2	...	...	E	4	o	5	29.85	758.1	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.84	757.9	79	...	SE	2	c
Ponape,	...	...	...	...	...		...	...	,,	29.83	757.7	79	...	...	0	c
Labuan,	14	29.83	757.7	86	68	SW	4	b	6	29.85	758.2	80	74	SW	6	b

September 19*d.* 15*h.* 15*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 114° E., moving W.

September 20*d.* 9*h.* 22*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 112° E. moving W.N.W.

September 20*d.* 10*h.* 47*m.* The anticyclone has extended eastwards to Korea. The typhoon is situated in the vicinity of the Paracels moving W.N.W. or W. Another typhoon is passing between Naha and Ishigakijima on a N.N.W. track.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·45 inch. Total since January 1st, 63·08 inches, against an average of 72.74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, strong, moderating; cloudy, rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th September, 1929.								21st September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.06	763.6	68	...	SW	3	b	6	30.05	763.3	53	...	N	5	o
Nemuro,	11	29.98	761.5	...	...	NW	1	...	5	29.96	761.0	...	...	SSW	1	...
Hokodate,	,,	30.10	764.5	...	...	SW	2	...	,,	30.02	762.5	...	...	N	1	...
Tokio,	,,	30.18	766.5	...	...	SSE	1	...	,,	30.04	763.0	...	...	NNW	1	...
Kochi,	,,	30.10	764.5	...	...	...	0	...	,,	29.84	758.0	...	...	...	...	...
Nagasaki,	,,	30.08	764.0	...	...	...	0	...	,,	29.84	758.0	...	...	ENE	1	...
Kagoshima,	,,	30.04	763.0	...	...	...	...	...	,,	29.80	757.0	...	...	NE	1	...
Oshima,	,,	29.92	760.0	...	...	SSE	2	...	,,	29.49	749.0	...	...	SSW	2	...
Naha,	,,	29.78	756.5	...	...	S	6	...	,,	29.82	757.5	...	...	W	3	...
Ishigakijima,	,,	29.88	759.0	...	...	WNW	2	...	,,	29.92	760.0	...	...	N	1	...
Bonin Island,	,,	30.06	763.5	...	...	E	1	...	,,	29.98	761.5	...	...	SE	1	...
Chefoo,	15	30.11	764.8	80	78	SW	1	b	6	30.02	762.5	66	91	...	0	b
Shanghai,	14	30.07	763.8	81	43	NNE	2	b	,,	30.07	763.8	59	96	NE	1	b
Gutzlaff,	,,	30.09	764.3	78	58	NNE	4	b	,,	30.08	764.0	69	80	NE	4	b
Sharp Peak,	,,	29.93	760.2	84	65	E	2	b	7	29.96	761.0	78	86	E	1	o
Amoy,	,,	29.89	759.2	90	63	SE	6	b	6	29.97	761.2	78	86	ENE	1	b
Swatow,	,,	29.89	759.2	85	87	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.97	761.1	79	91	...	0	r	5	29.98	761.4	72	96	...	0	o
Taichu,	,,	29.93	760.2	90	...	NW	2	b	,,	29.98	761.4	77	...	...	0	o
Tainan,	,,	29.91	759.6	90	...	SW	2	...	,,	29.93	760.2	77	...	...	0	o
Koshun,	,,	29.91	759.6	86	...	NE	2	b	,,	29.91	759.6	75	...	...	0	b
Pescadores,	,,	29.93	760.2	84	...	NE	6	o	,,	29.94	760.5	79	...	NNW	4	b
Hong Kong,	14	29.87	758.7	82	75	E	5	o	6	29.91	759.7	80	87	E	4	o
Gap Rock,	,,	29.84	757.9	...	...	ENE	6	o	,,	29.91	759.7	...	...	ENE	5	r
Macao,	,,	29.84	757.9	82	74	ESE	4	o	,,	29.87	758.7	77	94	ESE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	84	83	SE	2	c	,,	29.91	759.7	80	89	SE	2	b
Phulien,	15	29.78	756.3	90	60	N	4	o	7	29.68	753.9	73	92	NE	8	r
Tourane,	,,	29.54	750.3	75	...	N	12	or	,,	29.69	754.2	77	...	SSW	4	o
Cape St. James,	,,	29.79	756.6	77	...	WSW	4	o	,,	29.84	757.8	75	...	N	2	o
Basco,	14	29.84	757.8	86	81	N	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.84	757.8	90	60	N	2	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.82	757.5	93	57	S	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.84	757.8	90	60	WSW	2	b	,,	29.86	758.4	78	87	NW	1	o
Manila,	,,	29.84	757.8	90	57	WNW	4	o	,,	29.88	759.0	75	94	...	0	o
Legaspi,	,,	29.82	757.5	86	65	ENE	2	b	,,	29.84	757.8	79	90	E	1	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.82	757.5	81	76	SE	4	o	,,	29.86	758.4	75	83	NW	2	o
Iloilo,	,,	29.81	757.2	86	71	ENE	4	o	,,	29.86	758.4	77	96	N	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	SE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	SE	2	o	5	29.84	757.8	...	...	...	o	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lainan,	14	29.80	756.9	88	69	...	0	b	6	29.86	758.4	77	69	NE	2	b

September 20*d.* 15*h.* 35*m.*—Warning to Hong Kong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 16° N. Long. 110° E., moving W.

September 21*d.* 10*h.* 20*m.*—The anticyclone has passed into the Pacific, leaving weak anticyclonic areas over N. China and South Manchuria. The typhoon in the China Sea appears to have taken a northwesterly track yesterday evening; it has probably entered the coast in about latitude 18° N. The typhoon of the Loochoos is approaching S. Japan on a N.N.E. track.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 63·08 inches, against an average of 73.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	Moderate northerly or variable winds.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; cloudy, occasional rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st September, 1929.								22nd September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.07	763.8	61	...	N	4	b	6	30.06	763.6	46	...	N	4	o
Nemuro,	11	29.78	756.5	...	...	SW	4	...	5	29.98	761.5	...	...	NNW	1	...
Hokodate,	,,	29.92	760.0	...	...	SW	1	...	,,	29.06	761.0	...	...	...	0	...
Tokio,	,,	20.98	761.5	...	...	N	1	...	,,	29.86	758.5	...	...	N	2	...
Kochi,	,,	29.84	758.0	...	...	...	0	...	,,	29.75	755.5	...	...	NE	1	...
Nagasaki,	,,	29.78	756.5	...	...	NNE	1	...	,,	29.88	759.0	...	...	NNW	1	...
Kagoshima,	,,	29.72	755.0	...	...	N	1	...	,,	29.82	757.5	...	...	...	0	...
Oshima,	,,	29.78	756.5	...	...	N	3	...	,,	29.82	757.5	...	...	N	2	...
Naha,	,,	29.86	758.5	...	...	...	...	...	,,	29.84	758.0	...	...	NNE	3	...
Ishigakijima,	,,	29.94	760.5	...	...	N	2	...	,,	29.92	760.0	...	...	N	1	...
Bonin Island,	,,	29.94	760.5	...	...	S	1	...	,,	29.86	758.5	...	...	S	1	...
Chefoo,	15	29.95	760.7	78	92	NE	1	b	6	29.91	759.7	66	91	...	0	b
Shanghai,	14	30.01	762.3	82	44	NNW	1	b	,,	30.00	762.0	59	100	N	1	b
Gutzlaff,	,,	30.05	763.2	78	58	N	2	o	,,	30.05	763.2	68	85	NNE	4	b
Sharp Peak,	,,	29.93	760.2	80	91	E	1	o	7	29.94	760.5	78	74	E	1	o
Amoy,	,,	29.92	759.9	86	76	SE	4	b	6	29.93	760.2	80	82	ENE	2	o
Swatow,	,,	29.92	759.9	84	88	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.01	762.3	84	68	E	2	o	5	29.97	761.1	63	96	...	0	b
Taichu,	,,	29.99	761.7	90	...	NNW	2	o	,,	29.94	760.5	73	...	...	0	o
Tainan,	,,	29.95	760.8	90	...	WNW	2	o	,,	29.89	759.3	75	...	...	0	b
Koshun,	,,	29.97	761.1	86	...	NW	1	b	,,	29.89	759.3	75	...	...	0	o
Pescadores,	,,	29.97	761.1	86	...	NE	1	r	,,	29.91	759.6	77	...	NE	4	b
Hong Kong,	14	29.90	759.4	83	77	E	3	od	6	29.90	759.4	79	88	E	1	b
Gap Rock,	,,	29.92	759.9	...	...	ENE	4	o	,,	29.91	759.6	...	...	NE	3	b
Macao,	,,	29.88	759.0	86	75	SE	4	o	,,	29.88	759.0	79	91	ENE	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.89	759.2	87	77	ENE	1	b	,,	29.89	759.2	80	91	NE	2	b
Phulien,	15	29.72	754.8	81	80	E	7	r	7	...	...	...	...	...	...	...
Tourane,	,,	29.73	755.1	84	...	SE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.85	758.1	86	...	NE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.82	757.5	86	71	NW	2	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.81	757.2	90	66	NE	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.9	86	75	N	6	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.80	756.9	86	68	W	2	o	,,	29.81	757.2	73	96	NE	1	o
Legaspi,	,,	29.81	757.2	84	81	NNE	2	o	,,	29.78	756.3	79	89	...	0	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	756.0	86	71	NW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	86	68	NE	4	o	,,	29.78	756.3	77	92	N	4	o
Cebu,	,,	29.76	756.0	90	63	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.78	756.3	84	71	...	0	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	...	SE	1	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	WSW	1	o	5	29.81	757.2	...	...	WSW	...	...
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	88	69	NE	2	b	6	29.84	757.9	82	83	SW	4	b

September 22*d*. 10*h*. 35*m*.—Weak anticyclonic areas covers N. China and S. Manchuria; the typhoon is situated to the south of Kochi, moving north-eastward.

Pressure is relatively low in the Pacific to the east of the Philippines.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 63·08 inches, against an average of 73.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; fine generally.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd September, 1929.								23rd September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.03	762.8	57	...	...	0	0	6	30.07	763.8	62	...	SE	2	r
Nemuro,	11	29.98	761.5	...	...	WNW	1	...	5	30.18	766.5	...	...	...	0	...
Hokodate,	,,	30.00	762.0	...	...	SSE	1	...	,,	...	...	..	...	...	0	...
Tokio,	,,	29.84	758.0	...	...	NW	2	...	,,	30.02	762.5	..	...	NW	1	...
Kochi,	,,	29.78	756.5	...	...	NE	1	...	,,	29.94	760.5	..	...	WSW	1	...
Nagasaki,	,,	29.88	759.0	...	...	NW	1	...	,,	29.94	760.5	..	..	...	0	...
Kagoshima,	,,	29.82	757.5	...	...	ENE	1	...	,,	29.92	760.0	..	...	NW	1	...
Oshima,	,,	29.84	758.0	...	...	NNE	2	...	,,	29.88	759.0	..	...	...	0	...
Naha,	,,	29.84	758.0	...	...	N	2	...	,,	29.88	759.0	..	...	NE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.88	759.0	..	...	...	0	...
Bonin Island,	,,	29.84	758.0	...	...	SW	1	...	,,	29.88	759.0	...	...	SSW	1	...
Chefoo,	15	29.81	757.2	86	58	S	1	b	6	29.82	757.4	72	81	S	4	b
Shanghai,	14	29.93	760.2	86	41	ESE	1	b	,,	29.92	759.9	64	96	ESE	1	b
Gutzlaff,	,,	30.00	762.0	78	61	ENE	1	b	,,	29.98	761.5	71	85	SSE	4	o
Sharp Peak,	,,	29.88	758.9	85	68	E	1	b	7	29.88	758.9	78	82	SE	1	b
Amoy,	,,	29.95	760.7	86	76	SSE	4	b	6	29.85	758.2	78	86	ENE	2	o
Swatow,	,,	29.89	759.2	82	92	ESE	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.94	760.5	84	60	E	2	b	5	29.87	758.7	64	86	SSE	2	b
Taichu,	,,	29.92	759.9	90	...	WNW	2	b	,,	29.85	758.1	70	...	...	0	b
Tainan,	,,	29.89	759.3	75	...	NW	2	b	,,	29.85	758.1	72	...	...	0	b
Koshun,	,,	29.91	759.6	84	...	NNE	2	o	,,	29.86	758.4	72	...	...	0	b
Pescadores,	,,	29.92	759.9	86	...	NE	4	b	,,	29.85	758.1	75	...	NNE	2	b
Hong Kong,	14	29.86	758.4	85	69	E	3	c	6	29.86	758.4	79	87	E	2	c
Gap Rock,	,,	29.88	758.9	...	...	ENE	3	b	,,	29.86	758.4	..	...	E	3	c
Macao,	,,	29.86	758.4	90	69	SE	2	b	,,	29.82	757.5	79	91	SE	2	o
Heihow,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Pratas Island,	,,	29.85	758.1	87	77	NE	2	b	,,	29.85	758.2	80	85	E	2	b
Phulien,	15	29.84	757.8	84	81	SSE	6	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.80	756.9	82	...	SE	4	bf	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.81	757.2	84	74	ENE	2	o	6	...	..	...	...	...	...	...
Aparri,	,,	29.79	756.6	86	75	ENE	4	o	,,	29.82	757.5	81	80	ENE	4	o
Tuguegarao,	,,	29.76	756.0	90	65	NE	1	o	,,	...		...	...	...	...	...
Vigan,	,,	29.74	755.4	86	65	W	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	90	66	W	2	o	,,	29.80	756.9	75	94	E	1	o
Legaspi,	,,	29.73	755.1	90	69	ENE	4	b	,,	29.78	756.3	79	91	NNE	2	o
Calboyog,	,,	29.72	754.8	86	75	W	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.69	754.2	86	71	SE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	65	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...		...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.69	754.2	86	75	N	4	b	,,	...		...	...	...		...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	...	SE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	SSW	2	o	5	29.78	756.3	...	...	SSW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lamon,	14	29.80	756.9	88	69	NE	2	b	6	29.84	757.9	76	94	SW	1	r

September 23*d*. 10*h*. 30*m*.—Pressure is highest to the north of Hokkaido, and relatively low over the Visayas and the Pacific to the eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 63·08 inches, against an average of 73.67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	E. or variable winds, moderate; fair.
3.—Hong Kong to Gap Rock,	E. or variable winds, moderate; fair.
4.—South coast of China between Hong Kong and Hainan,	E. or variable winds, moderate; fair.

C. W. JEFFERIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd September, 1929.								24th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.96	761.1	65	...	SE	3	0	6	30.05	763.2	64	...	SE	1	0
Nemuro,	11	30.20	767.0	...	...	SE	...	...	5	30.22	767.5	..	...	SSW	1	...
Hokodate,	,,	30.12	765.0	...	...	ESE	3	...	,,	30.16	766.0	..	...	E	1	...
Tokio,	,,	30.04	763.0	...	...	NNE	2	...	,,	30.14	765.5	..	...	NNW	1	...
Kochi,	,,	29.98	761.5	...	...	WSW	1	...	,,	30.10	764.5	..	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	SW	1	...	,,	30.02	762.5	..	...	NE	1	...
Kagoshima,	,,	29.90	759.5	...	...	ENE	1	...	,,	30.00	762.0	..	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	N	1	...	,,	29.94	760.5	..	...	...	0	...
Naha,	,,	29.90	759.5	...	...	N	1	...	,,	29.92	760.0	..	...	ENE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	SE	1	...	,,	29.90	759.5	..	..	NE	1	...
Bonin Island,	,,	29.94	760.5	...	...	N	1	...	,,	29.96	761.0	...	...	...	0	...
Chefoo,	15	29.85	758.2	90	60	SSW	2	b	6	30.12	765.0	67	91	NW	1	b
Shanghai,	14	29.94	760.5	86	46	SE	1	b	,,	29.93	760.2	72	88	ESE	2	o
Gutzlaff,	,,	30.01	762.2	78	74	SE	4	o	,,	30.05	763.2	74	81	SE	6	o
Sharp Peak,	,,	29.90	759.4	84	72	E	2	o	7	29.93	760.2	78	91	N	1	b
Amoy,	,,	29.86	758.4	88	73	SE	4	b	6	29.89	759.2	78	82	ENE	2	o
Swatow,	,,	29.85	758.2	83	88	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.89	759.3	85	58	E	2	b	5	29.88	759.0	70	85	...	0	b
Taichu,	,,	29.92	759.9	86	...	SW	2	b	,,	29.91	759.6	73	...	...	0	o
Tainan,	,,	29.79	759.3	90	...	WSW	2	b	,,	29.88	759.0	73	...	...	0	o
Koshun,	,,	29.89	759.3	84	...	NE	4	b	,,	29.89	759.3	75	...	NE	2	b
Pescadores,	,,	29.91	759.6	84	...	NNW	4	b	,,	29.88	759.0	77	...	NNE	2	b
Hong Kong,	14	29.84	757.9	85	76	E	2	o	6	29.88	758.9	79	83	E	2	c
Gap Rock,	,,	29.85	758.2	...	...	E	3	c	,,	29.87	758.7	...	...	E	3	c
Macao,	,,	29.82	757.5	90	76	SE	2	o	,,	29.86	758.4	79	87	SE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	757.9	87	72	ENE	2	b	,,	29.88	758.9	80	79	E	2	b
Phulien,	15	29.84	757.8	86	71	SSE	4	b	7	29.88	759.0	77	94	SSW	2	be
Tourane,	,,	29.81	757.2	81	...	ESE	2	b	,,	29.86	758.4	77	...	E	2	cf
Cape St. James,	,,	29.79	756.6	82	...	E	4	o	,,	29.82	757.5	75	[illegible]	NE	2	o
Basco,	14	29.80	756.9	86	65	NNE	4	b	6	29.82	757.5	79	76	ENE	2	o
Aparri,	,,	29.76	756.0	86	65	ENE	4	b	,,	29.84	757.8	73	94	S	4	b
Tuguegarao,	,,	...	...	...	...	..	...	...	,,	29.85	758.1	70	68	...	0	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	73	88	SE	1	b
Manila,	,,	29.74	755.4	86	68	SW	2	o	,,	29.81	757.2	75	92	...	0	o
Legaspi,	,,	29.72	754.8	90	66	NE	4	o	,,	29.78	756.3	77	96	...	0	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	94	NW	2	o
Iloilo,	,,	29.71	754.5	86	75	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	96	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	29.84	757.9	78	...	ENE	2	c
Guam,	12.22	29.76	756.0	...	...	E	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	S	2	o	5	29.84	757.8	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.83	757.7	77	...	SW	1	b
Ponape,	...	...	...	...	...	...	...	...	,,	29.88	758.9	76	...	SE	1	be
Labuan,	14	29.82	757.4	86	68	...	0	b	6	29.85	758.2	82	83	...	0	b

September 24*d.* 10*h.* 28*m.*— Pressure continues highest to the north of Hokkaido and is relatively low to the east of the Philippines.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 63·08 inches, against an average of 73.96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	Moderate northely winds.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; fair.
3.—Hong Kong to Gap Rock,	E. winds, moderate; fair.
4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th September, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	25th September, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.00	762.1	69	...	SE	3	0	6	30.03	762.8	61	...	NNE	2	c
Nemuro,	11	30.18	766.5	...	...	SSW	2	...	5	30.02	762.5	...	...	S	1	...
Hokudate,	,,	30.14	765.5	...	...	ESE	3	...	,,	30.04	763.0	...	...	NE	1	...
Tokio,	,,	30.12	765.0	...	...	S	1	...	,,	30.10	764.5	...	...	...	...	...
Kochi,	,,	30.06	763.5	...	...	...	0	...	,,	30.04	763.0	...	...	WSW	1	...
Nagasaki,	,,	30.02	762.5	...	...	ESE	1	...	,,	29.96	761.0	..	...	ESE	1	...
Kagoshima,	,,	30.00	762.0	...	...	NE	1	...	,,	29.96	761.0	...	...	...	0	...
Oshima,	,,	29.96	761.0	...	...	NNE	1	...	,,	29.92	760.0	...	...	SSE	1	...
Naha,	,,	29.94	760.5	...	...	E	1	...	,,	29.86	758.5	...	..	ENE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.86	758.5	...	..	NE	1	...
Bonin Island,	,,	29.98	761.5	...	...	SSW	1	...	,,	29.98	761.5	...	...	...	...	...
Chefoo,	15	29.93	760.2	83	71	SE	4	0	6	29.94	760.5	70	100	...	0	0
Shanghai,	14	29.91	759.6	73	88	SE	2	0	,,	29.76	756.0	72	98	SSE	1	0
Gutzlaff,	,,	29.98	761.5	71	95	SSE	6	r	,,	29.84	757.9	75	92	SSW	4	r
Sharp Peak,	,,	29.89	759.2	84	72	E	2	b	7	29.87	758.7	80	82	S	1	b
Amoy,	,,	29.90	759.4	88	66	SSE	4	b	6	29.85	758.2	80	78	SSE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	29.88	758.9	75	100	SE	2	b
Taihoku,	11	29.92	759.9	85	58	...	0	b	5	29.87	758.7	70	96	...	0	b
Taichu,	,,	29.95	760.8	86	...	SSW	2	0	,,	29.89	759.3	70	...	...	0	b
Tainan,	,,	29.93	760.2	90	...	WSW	2	b	,,	...	...	72	...	NW	1	b
Koshun,	,,	29.93	760.2	86	...	...	0	b	,,	29.86	758.4	73	...	...	0	b
Pescadores,	,,	29.95	760.8	84	...	NNW	2	b	,,	29.86	758.4	75	...	NW	2	b
Hong Kong,	14	29.88	758.9	84	73	E	3	b	6	29.88	758.9	77	89	...	0	0
Gap Rock,	,,	29.90	759.4	...	...	E	3	0	,,	29.88	758.9	...	...	SE	3	c
Macao,	,,	29.87	758.7	90	69	SE	2	0	,,	29.85	758.1	77	89	...	0	0
Hoihow,	,,	...	...	...	...	...	..	...	,,	..	...	...	...	...	...	...
Pratas Island,	,,	29.88	758.9	87	67	ENE	2	b	,,	29.86	758.4	80	81	E	1	b
Phulien,	15	29.86	758.4	86	68	SSE	4	b	7	29.89	759.3	77	96	S	1	0
Tourane,	,,	29.82	757.5	82	...	SE	2	0	,,	29.86	758.4	75	...	S	2	0
Cape St. James,	,,	29.80	756.9	81	...	ESE	4	0	,,	29.82	757.5	77	...	E	6	0
Basco,	14	29.82	757.5	86	71	NE	4	b	6	29.81	757.2	77	89	...	0	b
Aparri,	,,	29.80	756.9	86	65	NE	4	b	,,	29.80	756.9	73	92	SW	2	b
Tuguegarao,	,,	29.78	756.3	90	48	NE	1	0	,,	29.82	757.5	72	91	...	0	0
Vigan,	,,	29.76	756.0	90	63	WSW	2	b	,,	29.78	756.3	75	83	SW	2	b
Manila,	,,	29.78	756.3	86	68	SW	2	0	,,	29.80	756.9	73	94	NE	1	0
Legaspi,	,,	29.74	755.4	90	66	NE	2	0	,,	29.75	755.7	75	88	N	1	b
Calbayog,	,,	29.76	756.0	77	88	N	2	0	,,	...	...	..	...	...	...	...
Tacloban,	,,	29.78	756.3	77	91	NE	4	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	94	S	1	0
Saipan,	...	...	...	...	...	...	...	...	5	29.83	757.7	79	...	E	3	c
Guam,	12.22	29.79	756.6	...	...	E	2	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	SE	2	0	5	29.82	757.5	...	...	NE	0	bc
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.4	78	...	E	1	b
Ponape,	...	...	...	...	...	...	...	...	..	29.82	757.4	75	...	SE	1	c
Labuan,	14	29.81	757.2	88	76	...	0	b	6	29.82	757.4	78	91	SW	2	b

September 25*d.* 11*h.* 10*m.*— Pressure is highest over Japan and relatively low over the Philippines and the Pacific to the eastward. A depression is situated over the lower Yangtze Valley.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 63·08 inches, against an average of 74.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	Light S.E. or variable winds; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th September, 1929.								26th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.02	762.4	66	...	NNE	3	c	6	30.07	763.7	51	...	N	2	0
Nemuro,	11	29.92	760.0	...	...	SW	4	...	5	29.90	759.5	...	...	NW	2	...
Hokodate,	,,	29.94	760.5	...	...	SSW	3	...	,,	29.94	760.5	...	..	NNW	1	...
Tokio,	,,	30.06	763.5	...	...	S	1	...	,,	29.96	761.0	..	.	NW	1	...
Kochi,	,,	30.06	763.5	...	...	...	...	...	,,	29.80	757.0	...	.	...	...	...
Nagasaki,	,,	29.94	760.5	...	...	SSW	1	...	,,	29.73	755.0	..	..	SW	2	...
Kagoshima,	,,	29.96	761.0	...	...	...	0	...	,,	29.78	756.5	..	..	...	...	...
Oshima,	,,	29.92	760.0	...	...	SE	1	...	,,	29.80	757.0	..	...	...	0	...
Naha,	,,	29.90	759.5	...	...	SE	2	...	,,	29.78	756.5	..	..	SE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	SE	1	...	,,	29.80	757.0	...		NNE	1	...
Bonin Island,	,,	29.96	761.0	...	...	..	0	...	,,	29.94	760.5	...	...	...	...	...
Chefoo,	15	29.88	758.9	73	92	E	1	0	6	29.86	758.4	65	100	W	1	0
Shanghai,	14	29.74	755.4	84	68	WSW	2	0	,,	29.92	759.9	66	96	NW	4	0
Gutzlaff,	,,	29.81	757.2	78	86	SW	4	0	,,	29.92	759.9	69	95	NNW	6	0
Sharp Peak,	,,	29.78	756.4	84	72	SE	2	0	7	29.85	758.2	82	87	S	1	0
Amoy,	,,	29.78	756.4	90	66	SSE	4	b	6	29.78	756.4	80	92	SSE	2	b
Swatow,	,,	29.85	758.2	83	73	SE	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.88	759.0	85	68	W	2	0	5	29.82	757.5	73	86	...	0	b
Taichu,	,,	29.91	759.6	86	...	...	0	b	,,	29.85	758.1	73	...	...	0	b
Tainan,	,,	29.88	759.0	86	...	SW	2	b	,,	29.82	757.5	70	...	...	0	b
Koshun,	,,	29.88	759.0	86	...	N	2	b	,,	29.79	756.6	72	...	...	0	b
Pe-cadores,	,,	29.89	759.3	86	...	NW	2	b	,,	29.81	757.2	75	...	...	0	b
Hong Kong,	14	29.83	757.8	87	66	W	2	c	6	29.81	757.2	79	89	...	0	b
Gap Rock,	,,	29.85	758.2	...	...	SE	2	b	,,	29.81	757.2	...	...	W	3	b
Macao,	,,	29.82	757.5	90	69	SSE	2	0	,,	29.79	756.6	77	96	NNW	2	of
Hoihow,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	757.9	87	71	NE	2	b	,,	29.80	756.9	77	86	NNE	1	b
Phulien,	15	29.82	757.5	86	71	...	0	0	7	29.87	758.7	77	98	...	0	bf
Tourane,	,,	29.80	756.9	82	...	SE	2	b	,,	29.85	758.1	75	...	W	2	0
Cape St. James,	,,	29.79	756.6	81	...	E	6	0	,,	29.81	757.2	77	...	ENE	4	0
Basco,	14	29.76	756.0	86	75	W	2	b	6	..	...	...	...	...	...	...
Aparri,	,,	29.76	756.0	90	63	N	4	0	,,	29.74	755.4	75	94	...	0	b
Tuguegarao,	,,	29.74	755.4	90	57	N	2	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.75	755.7	86	81	WNW	2	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	90	63	SW	2	0	,,	29.76	756.0	75	91	E	1	0
Legaspi,	,,	29.71	754.5	86	85	SSE	2	0	,,	29.73	755.1	75	98	NNW	1	b
Calboyog,	,,	29.72	754.8	86	75	WSW	4	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	90	60	NE	4	0	,,	...	...	...	...	...	...	...
Cebu,	,,	29.71	754.5	90	60	...	0	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.71	754.5	86	68	N	2	b	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.73	755.1	...	...	E	4	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	NNE	4	0	5	29.76	756.0	...	...	...	0	0
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	86	76	NE	2	b	6	29.85	758.2	78	74	...	0	b

September 26*d.* 10*h.* com.—Pressure is now highest over S. Manchuria, and is relatively low in the Pacific to the east of Luzon. The depression is moving north-eastward through the Straits of Korea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 63·08 inches, against an average of 74.50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Moderate easterly or variable winds; fine generally.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	26TH SEPTEMBER, 1929.								27TH SEPTEMBER, 1929.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER. AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.02	762.6	60	...	NNE	3	b	6	30.05	763.2	51	...	...	0	b
Nemuro,	11	29.94	760.5	...	...	NE	2	...	5	29.96	761.0	...	...	ESE	1	...
Hokodate,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.90	759.5	...	...	...	0	...
Tokio,	,,	29.90	759.5	...	...	N	1	...	,,	29.78	756.5	...	...	...	...	...
Kochi,	,,	29.76	756.0	...	...	...	0	...	,,	29.86	758.5	...	...	WSW	1	...
Nagasaki,	,,	29.69	754.0	...	...	SW	6	...	,,	29.86	758.5	...	...	NE	1	...
Kagoshima,	,,	29.76	756.0	...	...	S	1	...	,,	29.84	758.0	...	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	WSW	1	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.84	758.0	...	...	SW	2	...	,,	29.80	757.0	...	...	NNE	3	...
Ishigakijima,	,,	29.84	758.0	...	...	W	1	...	,,	29.80	757.0	...	...	NNE	1	...
Bonin Island,	,,	29.92	760.0	...	...	SE	1	...	,,	29.94	760.5	...	...	...	...	...
Chefoo,	15	29.92	759.9	77	77	N	2	b	6	29.92	759.9	70	85	...	0	b
Shanghai,	14	29.95	760.8	81	53	N	2	b	,,	29.99	761.7	63	98	NNW	1	b
Gutzlaff,	,,	29.97	761.2	75	72	NNW	4	o	,,	30.01	762.2	70	85	NNE	4	o
Sharp Peak,	,,	29.83	757.7	80	82	ENE	2	r	7	29.90	759.4	76	73	NE	1	o
Amoy,	,,	29.77	756.1	90	66	SSE	4	b	6	29.95	760.7	78	82	ENE	2	o
Swatow,	,,	29.78	756.4	89	74	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.86	758.4	90	63	...	0	b	5	29.86	758.4	73	91	E	2	o
Taichu,	,,	29.86	758.4	90	...		0	b	,,	29.85	758.1	72	...	...	0	b
Tainan,	,,	29.84	757.8	90	...	WNW	2	b	,,	29.81	757.2	73	...	...	0	b
Keelung,	,,	29.84	757.8	73	...	...	0	b	,,	29.81	757.2	72	...	...	0	b
Pescadores,	,,	29.84	757.8	85	...	W	2	b	,,	29.81	757.2	79	...	NE	4	b
Hong Kong,	14	29.78	756.4	89	68	WSW	2	c	6	29.81	757.2	82	85	E	3	c
Gap Rock,	,,	29.80	756.9	...	...	W	3	b	,,	29.81	757.2	...	...	ESE	3	b
Macao,	,,	29.78	756.3	93	67	SE	2	o	,,	29.79	756.6	79	90	N	2	o
Hoihow,	,,	29.82	757.4	88	70	NNW	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.2	87	67	...	0	b	,,	29.82	757.4	80	84	ENE	1	b
Finlien,	15	29.81	757.2	90	63	WSW	1	b	7	29.85	758.2	79	98	SSE	1	b
Tourane,	,,	29.80	756.9	82	...	N	2	b	,,	29.84	757.9	75	...	ENE	2	o
Cape St. James,	,,	29.78	756.3	81	...	E	6	o	,,	29.80	756.9	79	...	ENE	6	o
Iloilo,	14	29.74	755.4	84	74	NNE	4	o	6	29.74	755.4	79	84	NNE	2	o
Aparri,	,,	29.73	755.1	86	68	N	4	b	,,	29.74	755.4	79	92	SW	1	o
Tuguegarao,	,,	29.69	754.2	86	61	W	2	o	,,	29.76	756.0	77	96	S	1	o
Vigan,	,,	29.72	754.8	86	66	WNW	2	b	,,	29.72	754.8	75	91	NNW	2	b
Manila,	,,	29.72	754.8	90	66	WSW	2	o	,,	29.76	756.0	77	96	E	1	o
Legaspi,	,,	29.71	754.5	84	89	N	1	o	,,	29.74	755.4	75	98	...	0	b
Caboyog,	,,	29.72	754.8	86	68	SW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.71	754.5	79	89	NW	4	o	,,	29.78	756.3	77	91	W	1	o
Iloilo,	,,	29.71	754.5	86	78	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.71	754.5	86	68	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.69	754.2	93	50	NW	1	o	,,	29.76	756.0	75	96	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	29.82	757.4	78	...	ESE	3	r
Guam,	12.22	29.75	755.7	...	...	SE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	ENE	6	r	5	29.84	757.9	75	...	NNE	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.77	756.1	78	...	WSW	1	bo
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	81	...	E	3	r
Labuan,	14	29.82	757.4	86	68	...	...	...	6	29.84	757.9	77	91	NE	2	b

September 27*d*. 10*h*. 52*m*.— Pressure is highest over S. Manchuria, and relatively low in the Pacific to the east of Luzon. The depression is crossing Japan to the north of Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 63·09 inches, against an average of 74·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

DISTRICT.	FORECAST.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; fair.
3.—Hong Kong to Gap Rock,	E. winds, moderate; fair.
4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th September, 1929.								28th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.02	762.4	62	...	S	2	0	6	29.82	757.3	63	...	SE	5	1
Nemuro,	11	29.98	761.5	...	...	ESE	1	...	5	30.10	764.5	...	...	S	2	...
Hokodate,	,,	29.98	761.5	...	...	W	1	...	,,	30.02	762.5	...	...	...	0	...
Tokio,	,,	29.92	760.0	...	...	E	1	...	,,	30.14	765.5	...	...	...	0	...
Kochi,	,,	29.96	761.0	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	NE	1	...	,,	29.90	759.5	...	...	...	...	...
Kagoshima,	,,	29.90	759.5	...	...	...	0	...	,,	29.86	758.5	...	...	NE	1	...
Oshima,	,,	29.84	758.0	...	...	...	0	...	,,	29.80	757.0	...	...	S	1	...
Naha,	,,	29.80	757.0	...	...	NNE	2	...	,,	29.63	752.5	...	...	ENE	5	...
Ishigakijima,	,,	29.82	757.5	...	...	NNE	3	...	,,	29.67	753.5	...	...	N	3	...
Bonin Island,	,,	29.94	760.5	...	...	S	1	...	,,	30.00	762.0	...	...	...	...	...
Chefoo,	15	29.89	759.2	83	67	S	2	0	6	29.86	758.4	70	95	SW	1	0
Shanghai,	14	29.97	761.1	77	72	NE	1	0	,,	29.95	760.8	64	100	ENE	1	h
Gutzlaff,	,,	29.99	761.7	80	74	NNE	2	0	,,	29.97	761.2	71	91	NE	4	h
Sharp Peak,	,,	29.86	758.4	88	52	E	1	h	7	29.84	757.9	77	75	W	1	h
Amoy,	,,	29.85	758.4	83	71	SE	4	0	6	29.85	758.2	77	82	ENE	2	0
Swatow,	,,	29.95	760.7	83	84	E	3	n	,,	...	...	...	...	...	...	...
Taihoku,	11	29.92	759.9	82	67	ENE	2	0	5	29.82	757.5	68	94	...	0	h
Taichu,	,,	29.87	758.7	86	...	N	4	h	,,	29.82	757.5	68	...	...	0	h
Tainan,	,,	29.85	758.1	90	...	NW	2	0	,,	29.81	757.2	70	...	N	2	h
Koshun,	,,	29.84	757.8	85	...	NNE	2	h	,,	29.78	756.3	75	...	...	0	0
Pescadores,	,,	29.88	759.0	84	...	NE	6	h	,,	29.81	757.2	77	...	N	4	h
Hong Kong,	14	29.83	757.7	85	77	E	3	c	6	29.85	758.2	78	93	...	0	h
Gap Rock,	,,	29.85	758.1	...	...	ESE	2	h	,,	29.85	758.2	...	...	SE	2	h
Macao,	,,	29.82	757.5	90	69	SE	2	h	,,	29.84	757.8	79	92	ENE	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	757.9	87	72	...	0	c	,,	29.85	758.2	79	84	NE	2	h
Phulien,	15	29.82	757.5	90	63	SSE	1	h	7	29.87	758.7	79	90	WSW	1	h
Tourane,	,,	29.81	757.2	82	...	E	2	b	,,	29.87	758.7	75	...	W	2	h
Cape St. James,	,,	29.86	758.4	81	...	ENE	6	h	,,	29.84	757.8	79	...	NE	4	0
Basco,	14	29.74	755.4	86	75	N	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.74	755.4	73	82	N	4	0	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.73	755.1	86	71	N	2	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.8	86	68	NW	2	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	90	60	SW	2	0	,,	29.79	756.6	77	94	SE	1	h
Legaspi,	,,	29.72	754.8	82	84	SW	4	0	,,	29.79	756.6	75	98	...	0	0
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.71	754.5	73	58	SE	2	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	29.72	754.8	86	58	SE	2	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.71	754.5	90	72	N	1	b	,,	29.79	756.6	75	94	SW	1	0
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	756.0	...	...	E	2	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	SSW	1	0	5	29.84	757.8	...	...	...	0	0
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	86	68	NE	2	b	6	29.84	757.9	82	75	...	...	b

September 28*d.* 9*h.* 50*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 24° N. Long. 127° E., moving N.W.

September 28*d.* 10*h.* 00*m.*—An anticyclone is situated in the Pacific to the east of Tokio; a weaker anticyclone extends from Tongking to the Yangtze. A depression is crossing S. Manchuria on an easterly track and a typhoon about 300 miles east of N. Formosa is moving north-westward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 63·10 inches, against an average of 75.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	Northerly winds, moderate to fresh.
2.—South coast of China between Hong Kong and Lamocks,	E. or variable winds, moderate; fair.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th September, 1929.								29th September, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.74	755.5	63	...	SW	3	o	6	29.99	761.8	50	...	NNE	2	b
Nemuro,	11	30.04	763.0	...	...	S	4	...	5	29.76	756.0	...	...	SSW	2	...
Hokodate,	,,	29.96	761.0	...	...	S	1	...	,,	29.73	755.0	...	...	...	o	...
Tokio,	,,	30.08	764.0	...	...	SE	1	...	,,	29.82	757.5	...	...	SSW	1	...
Kochi,	,,	29.96	761.0	...	...	...	o	...	,,	29.84	758.0	...	...	...	o	...
Nagasaki,	,,	29.88	759.0	...	...	ENE	1	...	,,	29.82	757.5	...	...	N	1	...
Kagoshima,	,,	29.86	758.5	...	...	SE	1	...	,,	29.78	756.5	...	...	NE	1	...
Oshima,	,,	29.80	757.0	...	...	SE	1	...	,,	28.80	731.5	...	...	E	5	...
Naha,	,,	29.53	750.0	...	...	E	6	...	,,	20.59	751.5	...	...	W	5	...
Ishigakijima,	,,	29.69	754.0	...	...	NW	3	...	,,	29.80	757.0	...	...	N	1	...
Bonin Island,	,,	30.02	762.5	...	...	ENE	1	...	,,	30.00	762.0	...	...	S	2	...
Chefoo,	15	29.91	759.7	72	92	NNW	2	b	6	30.18	766.6	64	84	NNW	6	b
Shanghai,	14	29.91	759.6	79	61	NNE	1	b	,,	29.98	761.4	66	98	N	4	b
Gutzlaff,	,,	29.94	760.5	80	70	NNE	2	b	,,	29.99	761.7	71	91	N	4	b
Sharp Peak,	,,	29.80	756.9	86	65	E	1	b	7	29.90	759.4	78	80	...	o	o
Amoy,	,,	29.81	757.2	88	66	SSE	4	b	6	29.85	758.2	78	92	N	2	b
Swatow,	,,	29.79	756.6	83	84	S	2	o	,,	29.85	758.2	77	96	NNE	2	b
Taihoku,	11	29.84	757.8	82	70	WSW	4	b	5	29.88	759.0	68	94	...	o	b
Taichu,	,,	29.84	757.8	90	...	NNW	2	b	,,	29.86	758.4	66	...	...	o	b
Tainan,	,,	29.81	757.2	90	...	N	4	b	,,	29.82	757.5	70	...	...	o	b
Koshun,	,,	29.78	756.3	85	...	ESE	2	b	,,	29.84	757.8	75	...	...	o	o
Pescadores,	,,	29.85	758.1	84	...	N	4	o	,,	29.84	757.8	79	...	NNE	4	b
Hong Kong,	14	29.80	756.9	89	64	WSW	3	c	6	29.85	758.2	81	77	E	1	c
Gap Rock,	,,	29.83	757.7	...	...	WSW	3	b	,,	29.85	758.2	..	...	NNW	3	c
Macao,	,,	29.80	756.9	93	67	SSW	2	o	,,	29.82	757.5	79	89	NNW	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	757.9	86	72	N	1	bc	,,	29.86	758.4	76	95	...	o	c
Phulien,	15	29.82	757.5	86	71	SW	2	b	7	29.91	759.6	79	84	..	o	o
Tourane,	,,	29.81	757.2	82	...	SE	2	b	,,	29.87	758.7	75	...	SSW	2	b
Cape St. James,	,,	29.80	756.9	81	...	E	4	o	,,	29.85	758.1	79	...	ENE	6	o
Basco,	14	...	...	...	...	...	...	...	6	...		...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	..	...	...	..	...	...	...
Vigan,	,,	29.74	755.4	86	65	WNW	4	b	,,		...	...	...	...	...	...
Manila,	,,	29.74	755.4	90	66	WSW	4	o	,,	29.82	757.5	77	92	E	1	o
Legaspi,	,,	29.74	755.4	82	92	SSW	2	o	,,	29.82	757.5	75	98	...	o	b
Calbayog,	,,	29.75	755.7	86	78	SSE	1	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	82	70	W	1	o	,,	29.85	758.1	79	85	...	o	b
Iloilo,	,,	29.74	755.4	86	81	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Surigao,	,,	29.73	755.1	90	60	ENE	4	b	,,	29.82	757.5	75	92	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	29.83	757.7	79	...	E	3	f
Guam,	12.22	29.78	756.3	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	...	E	2	o	5	29.85	758.1	79	...	NNW	2	c
Pelew,	...	...	...	...	...	...	...	...	,,	20.85	758.2	78	...	NNE	1	b
Ponape,	...	...	...	...	...	...	...	...	,,	29.85	758.2	79	...	SSE	1	bc
Labuan,	14	29.81	757.2	88	62	...	o	b	6	29.86	758.4	76	91	NW	1	r

September 28*d.* 17*h.* 50*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 26° N. Long. 127° E., moving N.N.W.

September 29*d.* 9*h.* 20*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 28° N. Long. 129° E. moving N.N.E.

September 29*d.* 10*h.* 45*m.*—The anticyclone over China has increased considerably in intensity; the depression is passing to the north of Japan.

The typhoon is situated near Oshima moving N.N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 63·10 inches, against an average of 75.31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th September, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	30th September, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.99	761.7	60	...	N	2	b	6	30.36	768.5	46	...	...	0	b
Nemuro,	11	29.80	757.0	...	...	S	1	...	5	29.78	756.5	...	...	WNW	3	...
Hokodate,	"	29.80	757.0	...	...	SSE	1	...	"	29.98	761.5	...	...	NNW	1	...
Tokio,	"	29.76	756.0	...	...	SSW	2	...	"	29.78	756.5	...	...	NW	...	...
Kochi,	"	29.78	756.5	...	...	...	...	...	"	29.86	758.5	...	...	N	1	...
Nagasaki,	"	29.72	755.0	...	...	NE	1	...	"	30.00	762.0	...	...	N	1	...
Kagoshima,	"	29.63	752.5	...	...	NNW	1	...	"	29.92	760.0	...	...	NW	1	...
Oshima,	"	29.43	747.5	...	...	N	5	...	"	29.90	759.5	...	...	N	2	...
Naha,	"	29.76	756.0	...	...	WNW	4	...	"	29.92	760.0	...	...	N	2	...
Ishigakijima,	"	29.86	758.5	...	...	NNW	2	...	"	29.94	760.5	...	...	NNE	1	...
Bonin Island,	"	29.96	761.0	...	...	SSE	2	...	"	29.76	761.0	...	...	SSW	1	...
Chefoo,	15	30.08	764.0	68	74	NNW	6	b	6	30.16	766.0	62	90	N	2	b
Shanghai,	14	30.04	762.9	77	47	N	4	b	"	30.13	765.3	59	91	N	2	o
Gutzlaff,	"	30.05	763.2	74	59	NNE	6	b	"	30.15	765.8	68	70	NNE	4	o
Sharp Peak,	"	29.95	760.7	84	68	E	2	o	7	29.94	760.5	76	82	NNE	4	o
Amoy,	"	29.88	758.9	84	72	E	4	o	6	29.97	761.2	76	100	NNE	4	o
Swatow,	"	29.90	759.4	81	92	SSE	2	o	"	30.06	763.5	73	86	W	1	o
Taihoku,	11	29.94	760.5	81	66		0	o	5	30.00	762.0	68	88	E	2	o
Taichu,	"	29.92	759.9	84	...	NE	2	o	"	...	...	70	...	...	0	b
Taiman,	"	29.88	759.0	90	...	WNW	2	b	"	29.89	759.3	77	...	SE	2	b
Koshun,	"	29.89	759.3	84	...	ENE	2	o	"	29.87	758.7	77	...	NE	4	b
Pescadores,	"	29.92	759.9	86	...	NE	4	b	"	29.88	759.0	77	...	NNE	6	o
Hong Kong,	14	29.87	758.7	79	89	N	1	ort	6	29.96	761.0	75	87	E	3	or
Gap Rock,	"	29.86	758.4	...	...	NNW	3	o	"	29.95	760.8	...	...	ENE	3	o
Macao,	"	29.92	759.9	81	69	NNW	1	o	"	29.71	757.6	75	92	ESE	4	o
Hoihow,	"	29.87	758.7	89	77	NW	1	b	"	...	...	...	...	...	...	...
Pratas Island,	"	29.87	758.7	77	95	ENE	2	or	"	29.89	759.2	79	85	E	3	b
Phulien,	15	29.86	758.4	90	60	SW	2	b	7	29.98	761.4	75	85	NNE	2	o
Tourane,	"	29.84	757.8	82	...	E	2	b	"	29.93	760.2	75	...	W	2	o
Cape St. James,	"	29.80	756.9	81	...	E	6	o	"	29.87	758.7	73	...	NE	2	o
Pasco,	14	29.81	757.2	79	90	E	1	r	6	...		...	...	...	...	...
Aparri,	"	29.78	756.3	86	65	N	4	b	"	...	...	...	...	...	...	...
Tuguegarao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	...	...	...	...	...	...	...	"	...	...	...		...	...	...
Manila,	"	29.76	756.0	90	66	SW	2	o	"	29.82	757.5	77	94	...	0	o
Legaspi,	"	29.74	755.4	90	79	E	2	o	"	29.82	757.5	75	98	E	1	b
Calbayog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	68	SW	2	o	"	...	...	...	...	...	...	...
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.75	755.7	90	66	ENE	4	o	"	29.82	757.5	77	94	S	1	b
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.7	...	...	E	2	o	4.22		...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	NNE	4	o	5	29.80	756.9	...	...	ESE	1	r
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Lalomau,	14	29.81	757.2	86	68	NE	4	b	6	29.85	758.2	78	91	W	...	o

September 30*d.* 10*h.* 10*m.*—The anticyclone has increased in intensity, and is now central over S. Manchuria. The typhoon is situated in the Pacific to the north-east of Tokio.

Moderate monsoon will prevail along the coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 3·67 inch. Total since January 1st, 66·77 inches, against an average of 75.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; cloudy.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

OCTOBER,

1929.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1929.

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

OCTOBER,

1929.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of OCTOBER, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·916	29·897	29·874	29·875	29·884	29·892	29·910	29·920	29·937	29·947	29·950	29·932	1
2	29·909	29·893	29·879	29·866	29·873	29·883	29·902	29·924	29·933	29·941	29·948	29·931	2
3	29·898	29·886	29·876	29·870	29·876	29·897	29·907	29·922	29·937	29·940	29·934	29·905	3
4	29·881	29·867	29·863	29·853	29·855	29·874	29·884	29·893	29·904	29·906	29·910	29·891	4
5	29·831	29·817	29·807	29·804	29·810	29·826	29·844	29·870	29·885	29·880	29·869	29·852	5
6	29·795	29·784	29·776	29·774	29·778	29·792	29·810	29·828	29·835	29·838	29·836	29·814	6
7	29·818	29·796	29·792	29·786	29·792	29·804	29·820	29·828	29·846	29·853	29·841	29·818	7
8	29·849	29·833	29·819	29·817	29·821	29·832	29·854	29·870	29·872	29·870	29·861	29·843	8
9	29·804	29·794	29·774	29·762	29·768	29·787	29.803	29·827	29·845	29·842	29·829	29·802	9
10	29·761	29·747	29·728	29·726	29·730	29·746	29·764	29·786	29·809	29·810	29·800	29·776	10
11	29·783	29·777	29·769	29·778	29·775	29·793	29·814	29·837	29·850	29·850	29·847	29·828	11
12	29·814	29·799	29·791	29·789	29·795	29·814	29·840	29·862	29·883	29·885	29·882	29·860	12
13	29·863	29·851	29·842	29·844	29·844	29·861	29·882	29·898	29·906	29·913	29·904	29·884	13
14	29·875	29·859	29·845	29·839	29·850	29·868	29·893	29·904	29·893	29·917	29·907	29·879	14
15	29·854	29·845	29·837	29·330	29·828	29·842	29·864	29·877	29·892	29·897	29·885	29·857	15
16	29·833	29·819	29·817	29·817	29·823	29·833	29·850	29·867	29·878	29·880	29·864	29·842	16
17	29·860	29·848	29·845	29·851	29.860	29·886	29·911	29·928	29·945	29·943	29·937	29·908	17
18	29·928	29·909	29·897	29·898	29·904	29·917	29·948	29·960	29·981	29·995	29·995	29·968	18
19	29·940	29·933	29·920	29·916	29·918	29·938	29·958	29·983	29·995	30·000	29·988	29·961	19
20	29·932	29·922	29·920	29·910	29·916	29·918	29·932	29·944	29·960	29·973	29·972	29·954	20
21	29·938	29·916	29·914	29·906	29·908	29·920	29·932	29·946	29·952	29·953	29·940	29·920	21
22	29·896	29·876	29·862	29·860	29·858	29·873	29·885	29·901	29·908	29·910	29·901	29·880	22
23	29·882	29·870	29·866	29·862	29·863	29·871	29·879	29·892	29·903	29·902	29·894	29·878	23
24	29·873	29·865	29·855	29·851	29·857	29·865	29·875	29·884	29·898	29·904	29·882	29·860	24
25	29·902	29·896	29·890	29·894	29·904	29·927	29·946	29·968	29·980	29·989	29·973	29·952	25
26	29·986	29·978	29·980	29·984	29·994	30·007	30·025	30·045	30·061	30·064	30·055	30·032	26
27	30·026	30·018	30·012	30·013	30·019	30·039	30·059	30·075	30·092	30·090	30·073	30·052	27
28	30·048	30·032	30·021	30·023	30·030	30·051	30·072	30·084	30·095	30·100	30·082	30·062	28
29	30·027	30·012	29·999	30·001	30·007	30·025	30·047	30·048	30·066	30·071	30·052	30·034	29
30	30·015	30·003	29·997	29·999	29·999	30·007	30·026	30·034	30·040	30·042	30·034	30·004	30
31	30·009	29·995	29·979	29·969	29·977	29·981	30·007	30·013	30·009	30·003	29·989	29·959	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·917	29·892	29·880	29·881	29·882	29·881	29·887	29·901	29·915	29·925	29·921	29·919	1
2	29·903	29·888	29·870	29·858	29·870	29·872	29·883	29·901	29·914	29·922	29·918	29·916	2
3	29·872	29·845	29·816	29·812	29·812	29·826	29·846	29·868	29·896	29·910	29·909	29·895	3
4	29·865	29·842	29·821	29·813	29·812	29·807	29·818	29·831	29·847	29·859	29·857	29·841	4
5	29·820	29·788	29·771	29·773	29·772	29·768	29·785	29·797	29·809	29·813	29·813	29·809	5
6	29·797	29·773	29·748	29·742	29·730	29·742	29·771	29·799	29·809	29·819	29·823	29·826	6
7	29·788	29·768	29·754	29·756	29·771	29·789	29·812	29·836	29·855	29·858	29·864	29·856	7
8	29·822	29·798	29·785	29·792	29·790	29·792	29·804	29·818	29·836	29·840	29·840	29·829	8
9	29·771	29·748	29·726	29·716	29·723	29·730	29·742	29·774	29·788	29·794	29·796	29·776	9
10	29·745	29·724	29·704	29·705	29·707	29·710	29·740	29·772	29·800	29·806	29·804	29·794	10
11	29·798	29·762	29·740	29·725	29·736	29·762	29·770	29·786	29·804	29·810	29·816	29·818	11
12	29·832	29·806	29·788	29·786	29·790	29·798	29·816	29·847	29·865	29·873	29·869	29·869	12
13	29·867	29·847	29·822	29·822	29·819	29·824	29·844	29·867	29·875	29·885	29·889	29·889	13
14	29·850	29·822	29·809	29·803	29·809	29·814	29·827	29·856	29·872	29·882	29·872	29·868	14
15	29·828	29·809	29·793	29·786	29·799	29·810	29·816	29·833	29·852	29·858	29·856	29·844	15
16	29·814	29·788	29·768	29·772	29·779	29·787	29·802	29·834	29·867	29·875	29·878	29·873	16
17	29·893	29·871	29·865	29·869	29·876	29·892	29·906	29·926	29·934	29·946	29·944	29·930	17
18	29·933	29·907	29·890	29·878	29·883	29·891	29·906	29·924	29·946	29·950	29·944	29·941	18
19	29·939	29·919	29·892	29·874	29·893	29·892	29·913	29·927	29·940	29·948	29·948	29·941	19
20	29·926	29·901	29·885	29·888	29·898	29·913	29·922	29·944	29·958	29·962	29·956	29·946	20
21	29·892	29·878	29·865	29·868	29·880	29·889	29·892	29·904	29·919	29·916	29·913	29·904	21
22	29·850	29·829	29·820	29·820	29·835	29·845	29·857	29·874	29·891	29·895	29·891	29·894	22
23	29·859	29·837	29·827	29·829	29·836	29·842	29·853	29·871	29·885	29·897	29·895	29·889	23
24	29·842	29·821	29·805	29·798	29·802	29·815	29·836	29·864	29·878	29·891	29·903	29·904	24
25	29·922	29·908	29·896	29·894	29·905	29·914	29·928	29·956	29·971	29·988	29·988	29·997	25
26	30·004	29·976	29·962	29·956	29·963	29·978	29·999	30·020	30·030	30·036	30·038	30·036	26
27	30·020	29·999	29·981	29·982	29·992	30·006	30·029	30·046	30·058	30·070	30·070	30·056	27
28	30·026	29·999	29·979	29·972	29·979	29·994	30·012	30·028	30·045	30·047	30·051	30·042	28
29	30·000	29·970	29·950	29·938	29·947	29·958	29·976	29·992	30·006	30·016	30·015	30·018	29
30	29·976	29·943	29·930	29·921	29·931	29·950	29·970	30·002	30·020	30·021	30·024	30·021	30
31	29·937	29·906	29·892	29·895	29·911	29·924	29·945	29·957	29·984	30·000	30·001	29·999	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of OCTOBER, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	76·5	76·4	78·1	77·9	77·9	77·8	78·4	79·3	80·5	80·4	81·7	81·8	1
2	79·0	78·7	78·8	77·0	77·3	77·0	77·3	79·0	80·8	79·8	80·8	80·9	2
3	78·8	78·9	79·0	77·9	77·6	77·6	78·0	79·7	80·4	81·6	82·5	83·1	3
4	79·4	79·0	78·8	79·0	78·5	78·0	78·7	80·0	81·0	81·8	81·8	82·0	4
5	79·2	79·0	78·8	78·4	77·9	78·0	78·3	78·7	79·8	80·8	81·8	82·8	5
6	78·8	78·8	78·3	78·8	78·5	78·5	78·5	79·6	80·2	81·4	81·7	81·6	6
7	78·8	78·5	78·8	78·6	78·3	78·4	78·5	79·9	80·7	82·1	83·5	83·7	7
8	74·7	74·9	74·8	74·6	74·6	74·4	74·8	75·1	78·5	79·8	79·8	80·1	8
9	77·0	77·0	76·8	76·8	75·9	75·8	76·0	77·6	79·7	78·8	79·6	80·3	9
10	74·9	74·6	72·9	72·6	72·0	71·9	73·2	75·4	77·7	79·8	81·0	81·6	10
11	74·8	74·9	76·1	76·0	75·3	75·0	74·8	75·8	77·7	78·8	79·6	80·8	11
12	76·0	75·7	75·4	75·6	75·0	74·8	74·8	76·1	76·4	76·8	77·6	78·9	12
13	75·8	75·6	75·3	74·7	74·6	74·0	73·8	74·5	75·6	77·8	79·5	80·5	13
14	76·6	76·7	76·7	76·4	75·0	74·0	74·5	76·7	79·0	79·4	79·2	80·2	14
15	76·1	76·0	74·5	74·6	74·4	74·2	74·9	77·8	79·7	80·3	80·7	81·4	15
16	75·8	76·0	75·8	75·6	75·6	72·8	73·0	76·8	79·0	80·8	82·6	83·8	16
17	75·8	75·8	75·0	74·9	74·5	73·6	73·9	75·2	77·5	79·8	80·4	81·8	17
18	75·7	75·3	75·0	74·6	74·1	73·3	73·4	74·1	75·8	74·8	75·8	76·7	18
19	74·8	73·9	73·0	73·0	72·5	71·8	72·7	74·9	74·8	76·9	76·7	78·1	19
20	72·9	72·6	72·6	72·5	72·5	72·7	72·9	75·4	76·4	77·9	77·7	79·0	20
21	73·7	73·6	73·5	73·0	72·8	72·5	73·3	74·9	76·0	77·0	77·5	77·7	21
22	72·8	72·6	72·8	72·7	71·4	70·8	71·0	73·8	75·7	77·0	79·2	79·8	22
23	73·0	72·5	70·6	69·6	70·0	70·6	71·0	71·1	72·0	73·3	74·0	73·9	23
24	72·9	72·9	72·0	71·6	71·8	71·5	71·8	74·6	77·0	78·7	79·8	77·5	24
25	73·5	72·8	72·8	72·8	72·7	71·8	73·0	74·2	75·0	76·0	77·3	78·8	25
26	72·5	72·3	72·2	72·1	72·0	71·4	71·8	74·3	75·8	77·6	79·5	80·0	26
27	72·8	72·9	72·7	72·0	71·3	70·8	70·7	72·0	74·4	75·6	77·0	77·1	27
28	72·0	71·7	71·0	70·8	70·7	70·0	70·0	72·6	73·6	75·3	74·7	75·0	28
29	72·5	72·1	71·9	71·8	71·1	69·8	69·8	70·7	70·8	72·8	72·5	72·5	29
30	72·2	72·2	71·9	71·5	70·5	70·7	71·0	73·0	74·8	75·8	77·1	77·9	30
31	72·7	71·6	71·9	71·0	71·0	71·4	71·5	74·0	76·3	78·8	81·3	81·8	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·6	80·8	80·9	80·3	80·0	78·8	78·8	78·8	78·8	78·8	78·8	78·7	1
2	80·9	80·8	80·8	80·0	80·0	79·2	78·5	78·1	77·8	77·8	78·4	78·9	2
3	83·7	84·0	83·6	83·1	82·8	80·5	80·1	79·3	79·6	79·8	78·6	79·3	3
4	82·2	82·0	81·8	81·6	80·9	80·5	79·6	79·5	79·5	79·6	79·2	79·0	4
5	83·0	82·8	82·0	81·8	80·8	79·7	79·3	79·5	79·6	79·5	79·4	79·0	5
6	81·8	82·3	82·1	81·1	80·7	79·4	78·9	79·0	78·9	78·9	78·8	78·4	6
7	84·3	84·5	83·1	83·8	81·7	82·8	81·8	79·9	77·8	78·8	74·8	74·2	7
8	81·2	81·5	80·7	79·7	80·0	78·8	78·1	78·0	77·8	77·8	77·8	77·8	8
9	80·5	80·4	79·4	78·7	78·0	77·0	76·0	76·0	75·7	75·7	75·5	74·9	9
10	81·4	81·0	80·7	80·1	79·1	77·8	76·8	76·2	75·8	75·5	75·6	74·8	10
11	79·6	80·2	79·3	78·5	77·8	76·7	76·0	75·8	75·9	76·2	76·3	76·0	11
12	79·0	79·5	79·6	79·0	78·6	77·6	76·7	76·3	76·1	75·8	75·9	75·9	12
13	80·5	79·1	78·4	78·3	77·3	76·1	75·6	75·6	75·8	75·8	75·8	76·0	13
14	80·8	81·8	80·8	80·0	78·5	76·8	76·5	76·3	75·9	76·8	76·8	76·7	14
15	81·0	80·8	80·1	79·5	78·8	77·8	77·0	76·6	76·4	76·0	75·8	75·8	15
16	86·1	85·8	84·2	84·0	81·9	81·6	80·0	79·8	78·1	78·8	77·8	76·8	16
17	82·5	82·5	79·7	78·8	77·7	77·0	76·6	76·5	76·5	76·3	76·2	76·0	17
18	77·0	77·1	76·7	76·0	76·2	75·0	74·8	74·8	74·7	74·7	74·8	75·0	18
19	77·6	76·8	76·3	75·8	75·0	73·8	73·8	74·0	74·0	74·0	74·0	73·9	19
20	78·8	78·5	78·3	77·5	76·5	74·0	74·0	73·8	73·6	73·4	73·8	73·8	20
21	77·2	75·9	75·4	75·0	74·8	74·0	73·5	73·2	73·2	72·8	72·6	72·6	21
22	80·9	81·0	78·0	76·7	75·4	73·9	74·8	74·5	74·5	74·5	74·2	74·1	22
23	75·1	75·7	74·8	75·6	74·5	73·7	72·5	72·4	72·6	72·8	72·8	72·6	23
24	77·6	77·2	78·5	77·6	77·0	75·2	74·8	74·8	74·2	73·8	73·5	73·8	24
25	79·6	78·3	78·4	78·8	77·7	74·8	74·1	73·6	73·1	72·8	72·5	72·6	25
26	79·5	78·8	77·8	77·0	75·7	73·6	73·0	72·9	72·8	72·9	72·8	73·0	26
27	75·6	74·8	74·8	74·1	73·6	72·8	72·4	72·5	72·7	72·9	72·5	72·5	27
28	75·6	75·8	74·9	74·4	73·8	72·3	72·2	71·8	71·8	72·1	72·5	72·6	28
29	73·3	74·0	72·8	74·0	72·8	71·9	71·8	71·9	72·0	72·3	72·5	72·5	29
30	79·0	79·2	77·1	75·8	74·6	73·6	73·6	73·0	72·9	72·8	72·8	72·8	30
31	82·1	80·8	79·8	78·8	76·4	75·6	75·5	75·0	73·7	71·8	71·0	70·5	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of OCTOBER, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	73·7	72·8	73·1	72·6	72·6	72·5	72·8	73·0	73·6	73·9	73·8	74·8	1
2	73·1	73·2	73·0	73·8	73·2	72·0	71·8	72·6	73·2	72·3	72·7	72·8	2
3	73·8	73·6	73·5	72·8	72·6	72·6	72·8	73·6	73·8	74·8	74·0	73·5	3
4	73·8	74·0	74·8	74·0	74·0	73·7	72·8	73·0	73·2	72·8	73·0	72·8	4
5	73·8	74·0	73·5	73·2	73·0	73·0	73·1	73·5	74·2	73·6	73·0	73·0	5
6	74·0	74·6	73·9	74·3	74·0	73·6	73·7	74·0	74·1	74·4	73·9	73·8	6
7	74·2	74·2	74·2	74·1	74·0	73·8	74·0	74·2	74·5	75·1	76·0	75·8	7
8	67·7	67·8	67·1	67·0	66·8	66·3	67·0	67·6	70·0	70·8	69·9	70·6	8
9	70·5	70·0	69·7	70·3	69·6	69·8	69·8	70·8	71·8	70·5	68·8	70·0	9
10	69·8	69·2	68·8	68·0	68·0	67·8	65·0	63·9	65·0	66·5	68·0	68·1	10
11	68·8	68·8	69·7	69·8	69·8	69·5	69·1	69·8	70·0	70·8	71·0	70·8	11
12	70·0	69·6	69·8	70·1	70·0	69·4	69·7	69·8	69·4	70·2	68·8	69·9	12
13	69·2	68·9	68·8	68·7	68·1	67·8	67·7	67·9	68·6	67·3	67·2	67·0	13
14	69·8	69·7	69·7	70·0	69·0	68·0	66·7	67·6	69·5	69·4	70·0	70·5	14
15	71·6	70·0	69·0	69·0	69·2	68·2	68·2	69·9	69·9	70·7	71·0	71·6	15
16	71·8	72·3	71·8	71·7	71·2	70·1	70·4	70·6	69·6	69·5	70·8	70·0	16
17	67·0	65·8	65·0	64·2	63·8	63·2	63·4	64·5	66·0	66·7	67·3	68·8	17
18	70·2	69·4	68·4	68·7	68·3	67·8	67·8	67·8	68·8	68·8	68·8	67·2	18
19	68·2	67·8	67·0	67·0	66·7	65·5	65·7	66·8	67·3	68·2	67·0	66·4	19
20	67·0	67·0	67·1	67·0	68·1	67·9	67·8	68·6	68·6	68·9	68·9	68·8	20
21	67·9	67·6	67·0	65·9	65·6	65·0	66·8	67·7	68·5	67·2	66·2	66·9	21
22	66·8	66·8	66·8	66·5	66·5	66·0	66·3	68·2	66·0	65·0	65·0	64·0	22
23	66·0	66·9	67·0	66·6	66·0	66·6	66·6	66·8	67·0	67·3	68·0	67·1	23
24	65·9	66·0	65·8	65·7	65·9	66·5	66·8	67·8	69·2	69·2	69·3	69·0	24
25	67·5	66·8	66·8	66·8	67·4	67·0	67·8	68·2	69·0	69·7	68·6	68·8	25
26	66·8	66·9	66·9	66·8	66·7	66·7	66·3	67·4	67·3	65·3	65·5	67·0	26
27	67·4	67·0	66·4	66·1	65·8	65·6	65·5	65·5	65·8	65·6	66·8	66·4	27
28	65·8	66·0	65·8	65·5	64·8	64·0	64·8	65·7	66·0	66·8	66·0	65·5	28
29	67·5	67·1	67·2	67·0	66·8	65·3	65·0	65·1	65·4	65·6	66·0	65·0	29
30	66·9	66·7	66·9	66·1	65·0	64·8	65·0	66·3	66·2	67·5	66·6	67·0	30
31	68·7	67·6	67·4	67·5	67·5	67·0	67·8	67·8	68·0	68·8	69·7	70·8	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	73·8	73·0	73·5	72·8	73·0	72·7	71·9	71·9	72·7	72·4	72·7	72·5	1
2	72·8	72·4	71·8	72·4	72·4	72·4	72·5	72·9	73·0	73·0	73·0	73·6	2
3	74·5	74·9	75·0	75·0	74·4	74·0	73·8	74·2	75·1	74·8	75·0	74·8	3
4	72·7	73·0	74·1	73·8	73·9	73·8	74·0	74·5	74·5	75·0	75·0	74·2	4
5	72·4	72·0	72·7	73·0	73·4	73·0	73·2	73·3	73·5	73·0	73·1	73·3	5
6	73·2	73·8	73·5	73·5	73·7	73·7	73·8	73·9	74·2	74·2	74·0	73·9	6
7	75·7	76·2	76·0	76·5	75·6	72·8	70·8	69·8	70·7	69·6	68·8	68·0	7
8	71·8	71·6	71·9	70·5	70·0	71·5	71·9	71·0	70·0	70·0	69·9	70·2	8
9	71·0	70·9	70·5	69·8	69·8	69·0	69·7	69·8	69·8	69·8	70·0	69·8	9
10	70·1	69·0	68·6	68·1	67·7	67·2	67·8	67·5	68·5	68·7	67·5	68·5	10
11	70·1	70·2	69·8	69·0	69·4	69·2	69·0	69·4	69·3	69·4	69·5	70·0	11
12	69·8	67·0	67·2	67·3	67·2	67·8	68·8	69·8	69·5	69·3	69·1	69·0	12
13	67·3	68·4	68·4	68·7	69·0	68·8	69·0	69·8	70·1	69·8	69·8	70·0	13
14	69·9	70·2	70·8	70·0	69·0	69·8	70·0	69·8	70·7	71·6	71·8	71·7	14
15	71·8	72·0	71·4	71·0	70·6	71·0	71·0	71·2	71·8	72·0	72·0	71·8	15
16	72·1	71·3	73·4	72·0	71·4	70·9	71·0	71·8	72·4	70·0	71·8	67·8	16
17	68·8	69·8	70·0	70·4	71·7	70·8	70·4	70·0	70·0	69·9	70·4	70·0	17
18	66·0	66·3	66·0	66·5	65·8	66·5	67·8	67·8	67·7	67·9	68·0	68·6	18
19	66·5	66·4	66·8	66·8	66·0	65·8	65·9	66·8	66·8	66·8	66·8	66·9	19
20	68·8	68·8	68·4	68·4	68·0	67·3	67·0	67·8	67·6	67·7	68·0	68·0	20
21	67·6	66·8	66·8	66·0	65·0	65·0	65·0	65·7	66·1	66·4	66·8	66·8	21
22	64·9	65·0	67·5	66·8	66·4	65·7	65·8	65·8	65·8	66·0	66·7	66·6	22
23	67·8	67·8	66·2	66·5	67·7	66·8	66·0	66·0	66·0	65·5	65·5	65·6	23
24	69·4	69·2	69·6	69·0	69·0	68·5	68·7	68·9	68·7	69·0	69·0	67·0	24
25	69·8	69·5	69·6	69·8	69·1	68·2	67·8	67·8	67·3	67·7	67·0	67·1	25
26	66·0	67·0	65·8	65·4	66·8	66·8	67·0	67·5	67·7	67·6	67·5	67·0	26
27	65·0	64·6	63·8	64·0	65·0	65·3	65·6	65·0	64·4	65·9	66·0	65·0	27
28	66·0	65·3	65·7	66·2	66·3	66·3	66·4	66·8	66·8	67·1	67·0	67·0	28
29	64·9	66·5	66·3	66·5	66·1	66·8	66·7	66·8	66·7	66·8	66·9	67·0	29
30	67·0	68·0	67·0	67·1	67·3	67·7	67·9	68·0	68·2	68·5	68·5	68·5	30
31	70·3	70·0	70·3	69·8	69·7	68·8	65·0	64·0	63·2	61·9	61·0	60·5	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of OCTOBER, 1929.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	10	10	10	10	10	10	9	3	3	8	6	5	6	2	2	3	5	7	7	2	4	7	9	7	1
2	9	7	6	9	8	5	5	4	6	6	7	4	3	3	4	7	6	4	...	1	1	2	7	9	2
3	7	8	9	5	7	5	4	4	4	2	3	3	4	4	5	6	5	6	2	2	3	9	10	8	3
4	4	4	3	2	2	2	2	1	1	2	1	1	2	2	1	1	1	...	...	...	2	3	6	2	4
5	2	5	4	5	2	4	7	6	6	4	2	1	...	...	...	...	...	1	...	...	3	2	4	4	5
6	3	4	2	9	9	10	9	8	9	7	8	3	3	1	...	...	...	1	...	...	1	1	1	8	6
7	8	7	10	9	8	9	9	7	9	9	7	5	5	6	4	9	9	9	10	9	10	10	10	3	7
8	...	9	8	9	9	9	3	4	4	4	5	6	7	6	6	4	3	8	9	4	2	3	9	9	8
9	6	9	8	9	7	3	2	3	6	2	1	...	1	1	2	1	1	2	...	...	...	...	...	2	9
10	...	...	..	...	...	1	...	...	...	...	...	..	...	1	...	...	...	...	...	...	...	...	...	...	10
11	1	3	6	6	2	4	3	2	3	2	3	4	3	1	...	..	...	...	...	1	2	2	3	4	11
12	3	3	4	7	2	7	9	9	9	4	2	3	2	...	...	...	...	...	...	2	3	2	3	8	12
13	6	7	7	7	6	7	6	4	4	...	...	...	...	...	...	...	...	...	...	2	2	3	7	8	13
14	8	6	7	9	6	4	1	1	1	...	...	1	2	1	2	1	1	...	...	...	2	2	5	6	14
15	6	7	2	2	1	1	...	...	...	1	1	1	1	1	1	1	1	1	...	...	1	...	1	1	15
16	5	7	7	5	2	2	1	1	1	...	...	...	...	...	...	...	...	...	...	1	1	...	..	...	16
17	...	...	...	...	...	1	1	1	...	...	1	...	...	1	2	1	1	1	1	1	2	1	4	9	17
18	9	9	9	8	8	6	4	3	9	10	9	6	1	1	...	...	...	1	1	1	2	3	3	8	18
19	9	8	6	5	6	1	...	...	4	4	3	2	1	1	1	1	1	1	1	2	2	2	2	1	19
20	...	...	...	...	1	2	2	3	4	5	6	3	1	1	2	1	1	2	...	...	1	1	1	6	20
21	7	7	8	6	7	5	1	2	5	4	3	4	7	8	9	9	10	2	..	1	1	1	2	2	21
22	10	10	10	8	7	2	2	2	1	...	1	1	1	2	3	4	6	9	10	10	10	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	3	2	7	10	10	10	23
24	10	10	10	9	6	2	...	1	2	4	5	8	9	9	7	...	...	...	...	...	...	...	2	3	24
25	2	2	1	1	1	6	7	8	9	7	4	2	2	4	6	3	2	1	...	...	...	...	...	...	25
26	...	...	1	..	...	1	1	1	2	...	...	...	..	...	...	...	...	1	...	...	1	2	1	5	26
27	7	6	8	7	6	3	3	3	2	...	2	2	1	1	...	1	1	2	1	...	...	2	2	2	27
28	2	7	7	7	6	2	1	1	2	2	2	2	1	1	1	1	1	1	2	2	2	2	2	7	28
29	7	5	8	8	8	6	5	7	8	8	6	7	3	2	1	2	2	4	7	5	7	10	10	9	29
30	9	10	10	10	6	1	2	1	1	...	1	1	1	1	...	...	...	...	...	..	...	...	1	1	30
31	3	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of OCTOBER, 1929.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h	h.	h.	h.	h.	h.	
1	...	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	1
2	...	0·5	1·0	1·0	0·9	0·9	1·0	1·0	1·0	1·0	0·7	1·0	...	2
3	...	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	3
4	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	4
5	...	0·5	0·9	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	5
6	...	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	6
7	...	0·1	0·7	0·5	0·5	1·0	1·0	1·0	1·0	0·8	...	...	...	7
8	...	0·9	0·9	1·0	1·0	0·8	0·8	1·0	1·0	0·9	1·0	0·9	...	8
9	...	0·7	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	9
10	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	10
11	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	11
12	...	0·1	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	12
13	...	0·1	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	13
14	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	14
15	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	15
16	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	16
17	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	1·0	0·6	...	17
18	...	0·3	0·9	...	0·1	0·7	1·0	1·0	1·0	1·0	1·0	0·7	...	18
19	...	0·7	1·0	0·9	1·0	0·9	1·0	1·0	1·0	1·0	1·0	0·6	...	19
20	...	0·1	1·0	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	...	20
21	...	0·2	1·0	0·9	1·0	1·0	1·0	0·9	0·1	...	...	...	...	21
22	...	0·2	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·7	0·4	0·3	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	0·6	1·0	1·0	1·0	0·8	0·2	0·2	0·3	1·0	1·0	0·7	...	24
25	...	0·3	...	0·3	1·0	1·0	1·0	1·0	0·8	1·0	1·0	0·8	...	25
26	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	26
27	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	27
28	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	28
29	...	...	0·2	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	29
30	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	30
31	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of OCTOBER, 1929.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	0·010	0·070	...	...	...	...	...	...	...	...	...	...	1
2	...	...	0·010	0·015	...	...	...	...	...	...	...	...	2
3	...	...	d	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	d	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	d	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	d	0·015	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	0·010	d	0·010	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of OCTOBER, 1929.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time. 1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	4	12	3	10	5	15	6	14	6	17	7	18	7	19	6	19	5	18	7	20	7	17	8	17	1
2	7	18	8	18	7	20	6	15	5	17	5	20	5	16	5	21	6	23	6	24	5	22	6	19	2
3	7	15	7	17	6	16	6	18	5	16	5	17	5	17	5	18	6	17	7	16	8	16	9	13	3
4	7	18	7	18	6	16	6	15	6	13	5	13	6	15	6	20	6	21	7	24	8	24	7	21	4
5	8	18	7	17	7	18	7	20	7	19	7	21	6	21	6	19	6	24	6	24	7	25	7	22	5
6	7	20	7	19	6	20	7	21	6	20	6	15	5	13	5	14	6	20	7	23	7	24	6	20	6
7	6	9	5	9	4	7	4	9	5	9	5	9	5	9	5	9	2	6	7	11	9	11	10	13	7
8	1	10	1	13	32	14	32	13	1	13	1	9	2	9	3	10	4	17	5	16	6	22	7	22	8
9	7	21	7	17	7	22	6	20	5	17	4	16	4	12	6	14	7	19	7	16	8	13	10	13	9
10	4	5	4	7	3	3	...	1	3	4	3	5	2	11	1	8	4	7	8	7	10	8	10	11	10
11	6	9	5	7	6	13	6	14	6	17	5	13	4	13	2	8	6	10	9	10	10	13	10	17	11
12	8	21	8	15	7	17	6	16	6	19	5	17	6	20	6	21	7	24	7	21	7	18	8	18	12
13	7	18	7	21	6	20	6	19	5	20	6	18	5	20	6	20	6	20	7	19	7	19	8	20	13
14	8	22	7	24	7	21	6	22	5	20	3	15	4	11	5	13	7	15	8	15	9	15	9	15	14
15	7	12	5	11	3	5	3	6	4	8	4	4	4	7	5	11	6	12	9	17	8	17	9	15	15
16	5	12	6	12	6	13	5	9	5	9	3	3	2	2	1	6	32	10	1	12	1	19	32	13	16
17	2	10	2	14	1	10	2	8	1	13	2	16	1	10	1	14	1	12	6	8	6	14	8	12	17
18	6	21	6	23	6	21	6	19	6	18	6	13	6	8	6	7	5	9	5	11	10	15	10	21	18
19	7	17	6	16	6	17	7	17	6	13	6	12	5	8	6	9	7	11	9	12	10	15	10	17	19
20	6	9	6	6	6	5	6	7	5	9	6	11	7	12	8	11	9	13	10	13	11	14	10	15	20
21	7	13	7	14	7	12	7	14	7	16	7	12	6	9	5	7	6	8	10	12	11	10	9	8	21
22	5	6	6	10	7	13	6	7	4	4	3	3	3	4	2	4	1	7	1	7	32	6	1	10	22
23	8	7	7	11	7	13	7	7	...	...	...	...	6	2	8	9	11	2	8	2	28	3	25	3	23
24	14	4	14	2	...	1	5	3	...	...	...	...	...	1	9	2	10	4	12	5	11	8	10	7	24
25	8	8	7	10	7	8	7	8	7	7	5	6	6	9	5	7	7	7	9	9	10	8	9	10	25
26	6	6	6	6	6	9	6	12	5	11	5	9	5	10	6	11	5	12	6	12	7	10	9	11	26
27	7	15	6	18	6	21	6	20	5	19	3	16	4	16	4	15	5	15	7	15	8	13	9	16	27
28	7	19	6	20	6	24	6	19	6	18	5	17	5	14	6	20	7	20	7	20	7	24	7	20	28
29	7	20	6	20	6	20	5	22	5	20	6	22	5	17	7	23	6	26	7	24	8	24	7	25	29
30	6	21	5	21	6	19	6	21	6	17	6	17	5	14	5	13	6	16	7	14	8	17	9	14	30
31	6	11	3	6	6	8	7	6	...	1	...	...	...	1	7	6	8	4	9	6	10	5	10	9	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	9	18	10	17	9	18	9	17	8	16	8	15	7	14	8	14	7	17	7	16	7	18	7	19	1
2	6	21	7	19	7	17	8	15	9	12	9	11	8	12	8	9	7	8	7	7	7	11	8	13	2
3	9	10	10	8	9	10	10	6	9	5	9	9	9	13	10	11	9	16	10	16	9	20	7	18	3
4	7	21	7	19	9	19	10	19	8	16	7	13	7	12	7	12	7	14	7	15	7	16	8	19	4
5	7	20	7	17	9	19	8	16	8	15	7	16	7	17	7	18	7	19	7	21	7	20	7	21	5
6	7	20	7	18	8	15	8	14	9	15	9	13	8	14	8	11	7	13	6	12	5	9	5	7	6
7	10	9	10	8	9	8	8	7	6	11	3	12	2	14	2	16	2	10	2	12	1	12	1	17	7
8	7	18	7	20	7	20	7	17	7	18	6	18	6	20	7	23	7	21	6	21	7	21	7	18	8
9	10	13	9	15	9	16	9	14	9	12	11	8	11	7	8	7	5	6	5	8	5	7	5	6	9
10	9	16	9	16	9	16	10	11	10	10	9	11	10	8	11	6	13	6	13	6	12	6	8	6	10
11	10	16	10	16	10	16	10	19	9	18	8	15	8	11	7	13	7	12	7	18	8	15	8	19	11
12	8	17	8	18	7	18	8	17	8	19	7	18	8	18	8	18	8	18	7	18	8	18	8	16	12
13	9	18	10	19	10	16	9	15	8	16	7	16	7	10	7	12	7	14	7	16	8	18	7	21	13
14	9	10	10	14	10	13	10	9	10	14	9	12	8	7	7	10	6	9	7	9	8	10	7	13	14
15	10	16	10	15	9	13	8	11	9	11	10	10	9	10	8	11	7	10	6	10	6	12	6	12	15
16	12	8	11	7	12	8	17	4	19	5	21	3	23	5	...	1	27	3	3	4	4	10	2	6	16
17	11	11	10	16	9	17	9	19	9	17	8	15	7	15	7	14	7	16	7	17	7	16	7	18	17
18	10	16	11	19	10	23	9	21	7	18	8	18	8	18	8	19	8	19	8	22	8	19	8	21	18
19	10	16	11	16	11	18	10	17	9	14	8	13	7	12	7	10	7	13	7	15	6	13	6	12	19
20	10	18	10	16	11	13	10	12	9	10	10	9	10	9	8	9	7	9	6	10	6	8	7	13	20
21	9	14	9	13	10	11	11	7	11	9	10	11	10	7	8	9	7	6	6	8	6	7	6	6	21
22	2	10	6	11	9	15	10	15	9	9	9	7	10	7	11	5	11	5	10	7	9	4	8	8	22
23	...	1	...	1	25	2	22	5	18	9	16	7	16	4	15	5	16	5	15	4	...	1	...	1	23
24	16	8	16	4	16	6	17	4	18	4	21	6	19	4	...	1	14	2	8	5	8	4	10	7	24
25	9	10	8	9	11	7	16	5	21	2	23	3	13	5	12	3	12	2	10	3	8	6	7	7	25
26	10	12	9	16	9	15	10	14	10	14	9	15	8	10	8	12	7	13	7	13	7	13	6	13	26
27	10	21	10	17	10	19	10	19	8	18	8	17	7	14	7	13	7	14	7	16	7	16	6	20	27
28	8	19	9	18	10	17	10	20	9	19	8	17	7	16	7	13	7	13	7	15	7	16	7	18	28
29	8	22	7	19	7	18	7	18	7	20	7	18	8	18	8	17	8	16	7	16	6	20	6	21	29
30	10	11	10	13	9	17	8	19	9	16	8	15	8	12	7	11	7	12	7	12	7	11	7	13	30
31	9	7	9	11	9	10	10	8	9	9	9	8	6	11	32	18	1	17	2	12	1	9	32	3	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of OCTOBER, 1929.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	nb	ENE	cu-nb	ENE	a-cu / cu	NE / ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE
2	cu	ENE	cu	ENE	cu	ENE	ci-st / cu	WNW / ENE	cu	ENE	ci-st	WNW	...	...	cu	E
3	cu	ENE	cu	ENE	cu	ENE	cu	ENE	ci-st / cu	WNW / ENE	ci-st / cu	NNW / NE	ci-st	NW	nb	ENE
4	cu	ENE	cu	ENE	cu	E	cu	E	cu	E	cu	E	...	...	cu	ENE
5	cu	ENE	cu	ENE	cu	E	cu	E	...	...	...	...	...	...	cu	E
6	cu	ENE	nb	ENE	cu	ENE	cu	ENE	cu	ENE	...	...	...	...	cu	ENE
7	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu-nb	ENE	nb	ENE
8	...	...	cu	ENE	cu	ENE	ci-cu / cu	ESE / E	cu	E	ci-st / cu	WSW / E	cu	ENE	cu	ENE
9	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	E	cu	E	...	...	...	...
10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11	cu	E	cu	E	cu	ENE	cu	ENE	cu	ENE	...	...	...	...	cu	E
12	cu	E	cu	E	cu	ENE	cu	ENE	cu	ENE	...	...	...	...	cu	ENE
13	cu	ENE	cu	E	cu	E	...	...	...	...	...	...	...	...	cu	E
14	cu	E	cu	E	cu	E	...	...	cu	E	cu	E	...	...	cu	ENE
15	cu	E	cu	E	...	...	cu	E	cu	E	cu	E	...	...	...	...
16	cu	E	cu	ENE	cu	E	...	...	...	...	...	...	...	...	...	...
17	...	...	...	...	cu	ENE	...	...	...	...	cu	ENE	cu	E	cu	E
18	cu	NE	cu	NE	cu	ENE	cu	ENE	cu	ENE	...	...	cu	ENE	cu	ENE
19	cu	ENE	cu	E	...	...	cu	ENE	cu	ENE	cu	ENE	cu	E	cu	E
20	...	...	...	...	cu	ENE	cu	ENE	cu	E	cu	E	...	...	cu	E
21	cu	E	cu	E	cu	ENE	cu	ENE	cu	NNW	st-cu	N	...	...	cu	ENE
22	cu	ENE	cu	ENE	cu	ENE	...	...	cu	ENE	cu	ENE	cu	E	cu	ESE
23	cu	E	nb	E	cu-nb	E	nb	WNW	st-cu	WNW	cu	WNW	cu	WNW	cu	NW
24	cu	NW	cu	NW	...	...	cu	NNW	cu	NW	...	...	...	...	...	...
25	cu	ESE	cu	E	a-cu / cu	NW / ENE	a-cu / cu	WNW / ENE	cu	E	cu	E	...	...	...	...
26	...	...	...	...	cu	E	...	...	...	...	...	...	...	...	cu	E
27	cu	E	cu	E	cu	E	...	...	cu	E	cu	E	cu	E	cu	E
28	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
29	cu	E	cu	E	cu	ENE	cu	E	cu	E	cu	E	cu	E	cu	E
30	cu	E	cu	E	cu	ENE	...	...	cu	ENE	...	...	...	...	...	...
31	cu	ENE	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1929.
(British Units.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·906	81·8	75·8	6·0	79·2	73·0	0·741	74	65	10·2	86	0·080	1	+ 2·8	+ 15·7	80	16·0	16·5
2	·900	81·0	76·5	4·5	79·1	72·7	·731	73	51	10·0	84	0·025	...	+ 4·5	+ 15·1	73	15·7	16·2
3	·881	84·2	77·5	6·7	80·4	74·0	·756	74	52	10·1	85	0·015	1	+ 1·4	+ 13·3	84	13·4	14·1
4	·858	82·3	78·0	4·3	80·1	73·8	·762	75	19	10·9	92	...	...	+ 3·2	+ 16·7	79	17·0	17·2
5	·817	83·2	77·8	5·4	80·0	73·2	·740	73	26	10·3	87	...	...	+ 3·7	+ 19·2	79	19·5	19·5
6	·793	82·4	78·3	4·1	79·8	73·9	·769	75	40	9·9	84	...	...	+ 3·9	+ 15·5	76	16·0	16·2
7	·813	85·1	74·0	11·1	80·3	73·5	·748	73	80	6·6	56	0·020	1	+ 5·1	+ 6·7	53	8·4	10·3
8	·829	81·7	74·3	7·4	77·7	69·5	·628	66	58	10·2	86	...	...	+ 7·5	+ 13·2	60	15·2	16·8
9	·780	81·0	74·9	6·1	77·5	70·1	·652	69	27	10·3	88	...	...	+ 1·9	+ 12·4	81	12·6	13·3
10	·758	81·7	71·8	9·9	76·8	67·8	·578	63	1	11·0	94	...	...	− 0·3	+ 6·5	93	6·5	8·1
11	·793	80·8	74·6	6·2	77·0	69·7	·643	69	23	10·3	88	...	...	+ 0·7	+ 12·9	87	12·9	13·8
12	·831	79·7	74·7	5·0	76·8	69·1	·624	68	34	9·8	84	...	...	+ 2·7	+ 18·0	81	18·2	18·3
13	·864	80·5	73·6	6·9	76·5	68·6	·610	66	32	9·9	85	...	...	+ 3·0	+ 17·0	80	17·3	17·7
14	·859	81·9	74·0	7·9	77·6	69·8	·640	68	27	10·6	91	...	...	+ 1·7	+ 13·2	83	13·3	14·1
15	·841	81·9	73·8	8·1	77·5	70·7	·673	72	13	10·4	90	...	...	+ 1·2	+ 10·2	83	10·3	11·1
16	·832	86·1	72·7	13·4	79·3	71·1	·668	67	14	10·4	90	...	...	+ 3·4	+ 3·0	41	4·5	7·7
17	·899	82·8	73·4	9·4	77·3	67·8	·572	61	12	9·9	85	...	...	+ 4·5	+ 10·4	67	11·4	13·8
18	·929	77·8	73·2	4·6	75·2	67·8	·596	68	46	7·7	67	...	...	+ 0·9	+ 16·5	87	16·5	17·5
19	·936	78·2	71·4	6·8	74·7	66·7	·564	66	27	10·1	88	...	...	+ 0·4	+ 13·1	88	13·1	13·9
20	·931	79·4	72·4	7·0	75·0	68·0	·605	70	18	9·3	81	...	...	− 0·9	+ 10·1	95	10·1	10·9
21	·911	78·6	72·5	6·1	74·4	66·5	·561	67	46	6·1	53	...	...	− 0·2	+ 9·5	91	9·5	10·1
22	·871	81·0	70·3	10·7	75·1	66·1	·540	62	58	8·5	74	...	...	+ 1·8	+ 5·7	72	6·0	7·7
23	·870	75·7	69·5	6·2	72·8	66·6	·583	72	92	...	...	...	...	− 1·1	+ 1·7	123	2·0	4·3
24	·859	80·0	71·4	8·6	75·0	68·0	·605	70	40	7·8	68	...	...	− 2·2	+ 1·4	147	2·6	3·8
25	·937	80·1	71·8	8·3	74·9	68·1	·610	71	28	8·2	72	...	...	− 0·4	+ 5·6	94	5·6	6·6
26	30·009	80·1	71·2	8·9	74·6	66·7	·566	67	7	10·5	92	...	...	+ 1·5	+ 10·9	82	11·0	11·5
27	·037	77·3	70·4	6·9	73·4	65·6	·542	66	26	10·4	91	...	...	+ 3·1	+ 15·4	79	15·7	16·8
28	·036	76·0	69·8	6·2	72·8	66·0	·562	70	27	10·4	92	...	...	+ 3·1	+ 17·5	80	17·8	18·2
29	·007	74·1	69·6	4·5	72·1	66·3	·580	74	60	8·5	75	...	...	+ 5·1	+ 19·3	75	20·0	20·2
30	29·996	79·5	70·4	9·1	74·0	67·0	·582	70	23	10·2	90	...	...	+ 2·7	+ 14·5	80	14·7	15·2
31	·968	82·6	70·5	12·1	75·2	67·2	·576	66	3	10·1	89	...	...	+ 2·4	+ 5·3	66	5·8	7·7
Means	29·889	80·6	73·2	7·4	76·5	69·2	0·633	69	35	Sum. 288·6	80	Sum. 0·140	Sum. 3	+ 2·2	+ 11·8	79	12·0	13·2
Normals	29·878	80·7	72·6	8·1	76·2	69·7	0·647	71	51	217·4	61	4·835	34	+ 2·9	+ 10·1	74	10·5	13·7
Absolute Max.	30·100	86·1	...	13·4	...	77·9	0·882	...	...	11·0	94	0·080	1	...	...	...	...	26·0 †
Day.	28	16	...	16	...	7	7	...	...	10	10	1	1,3,7	...	...	...	...	29d 9h
Absolute Min.	29·704	...	69·5	4·1	...	60·5	0·415	41	...	...	...	...	...	...	...	...	...	...
day.	10	...	23	6	...	31	31	22	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1014·1	300·0	295·9	4·1	297·7	293·7	21·4	...	...	...	...	Sum. 3·6	Sum. 3	+ 0·7	+ 3·9	79	3·9	4·3
Normals	1013·7	300·1	295·6	4·5	297·6	293·9	21·8	...	...	...	...	122·8	34	+ 1·0	+ 3·3	74	3·4	4·5
Absolute Maximum.	1021·3	303·1	...	7·4	...	298·5	29·9	...	...	...	...	2·0	1	...	...	...	...	8·5
Absolute Minimum.	1007·8	...	293·8	2·3	...	288·8	14·0	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 4 days. The mean hourly intensity was 0·047*in*, and the maximum fall in one hour was 0·070*in* at 2*h* on the 1st.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 37 miles per hour from E. by S. at 3*h* 26*m* on the 14th.

No clouds with base less than 2,000 feet high were observed in October.

*0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1929.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10).	Percentage of Possible Sunshine.	Rainfall. Amount.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed Velocity.
	ins.	°	°	ins.	%	%	%		%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·895	75·2	69·5	·659	75	53		0·010	7	23	+ 3·5	+ 12·7	75	13·2	13·8
2	·882	75·0	69·3	·654	75	59		0·070	50	20	+ 4·9	+ 12·4	69	13·3	13·9
3	·872	74·8	69·1	·649	75	59		0·010	7	10	+ 5·3	+ 12·6	67	13·7	14·2
4	·870	74·5	68·9	·646	76	59		0·015	11	7	+ 5·4	+ 11·9	66	13·1	13·6
5	·875	74·1	68·7	·642	76	49		...	...	...	+ 6·3	+ 10·9	60	12·6	13·0
6	·889	73·7	68·3	·633	76	42	...	...	...	...	+ 6·0	+ 9·6	58	11·3	11·8
7	·908	74·0	68·3	·630	75	35	46	...	...	...	+ 6·1	+ 8·9	56	10·8	11·3
8	·923	75·7	68·9	·632	71	32	88	...	...	...	+ 6·0	+ 10·3	60	11·9	12·5
9	·935	77·2	69·3	·629	67	40	87	...	...	...	+ 5·5	+ 11·8	65	13·0	13·8
10	·939	78·3	69·5	·624	64	34	92	...	...	...	+ 2·6	+ 13·4	79	13·7	14·4
11	·930	79·2	69·4	·611	61	32	94	...	...	...	+ 1·0	+ 13·7	86	13·7	15·1
Noon.	·908	79·7	69·5	·609	60	27	94	...	...	...	− 0·2	+ 13·8	91	13·8	15·1
13	·881	79·9	69·6	·610	60	25	94	...	...	...	− 2·1	+ 13·4	99	13·6	14·4
14	·857	79·8	69·6	·611	60	23	91	...	...	...	− 2·5	+ 13·6	100	13·8	14·4
15	·840	79·1	69·6	·619	62	22	90	...	...	...	− 3·2	+ 13·7	103	14·1	14·5
16	·836	78·6	69·4	·617	·63	21	87	...	...	...	− 3·0	+ 12·1	104	12·5	13·4
17	·843	77·7	69·4	·627	66	22	69	...	...	...	− 1·7	+ 11·8	98	11·9	12·9
18	·852	76·5	69·2	·634	69	24	...	...	...	...	− 0·4	+ 10·9	92	10·9	12·2
19	·868	76·0	69·1	·636	70	17		...	...	...	+ 0·4	+ 10·2	88	10·2	11·4
20	·889	75·8	69·2	·642	72	15		...	...	...	+ 1·5	+ 10·1	82	10·2	11·3
21	·905	75·5	69·3	·648	73	23		0·010	7	10	+ 2·0	+ 10·3	79	10·5	11·5
22	·913	75·5	69·3	·648	73	29		...	...	13	+ 2·5	+ 11·4	78	11·7	12·4
23	·913	75·3	69·3	·650	74	40		0·025	18	17	+ 2·7	+ 11·4	77	11·7	12·5
Midn.	·908	75·2	69·1	·644	74	49		...	...	...	+ 3·3	+ 12·3	75	12·7	13·3

Phenomena :—

Lunar corona :—on the 14th.

Unusual visibility :—on the 29th and 30th.

ADOPTED ERRORS OF TIMEBALL, OCTOBER, 1929.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	− 0·1	11	0·0	21	0·0
2	− 0·1	12	0·0	22	− 0·1
3	− 0·1	13	0·0	23	− 0·1
4	0·0	14	0·0	24	− 0·1
5	+ 0·1	15	0·0	25	− 0·1
6	+ 0·1	16	+ 0·1	26	0·0
7	0·0	17	+ 0·1	27	0·0
8	0·0	18	0·0	28	0·0
9	0·0	19	0·0	29	0·0
10	0·0	20	0·0	30	+ 0·1
				31	0·0

+ = Late ; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0s·10

October 24 and 25, 10h and 16h. Time ball not raised, electric cable broken.

* 0° = N. 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

OCTOBER,

1929.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th September, 1929.								1st October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.30	769.7	59	...	N	2	b	6	30.39	771.9	47	...	SE	1	b
Nemuro,	11	29.98	761.5	...	...	NNW	5	...	5	30.36	771.0	...	...	SW	1	...
Hokodate,	,,	30.04	763.0	...	...	NW	3	...	,,	30.38	771.5	...	...	NNW	1	...
Tokio,	,,	29.88	759.0	...	...	NNW	3	...	,,	30.34	770.5	...	..	NW	1	...
Kochi,	,,	30.02	762.5	...	...	NNW	2	...	,,	30.20	767.0	...	..	SW	1	...
Nagasaki,	,,	30.08	764.0	...	...	NE	1	...	,,	30.16	766.0	...	...	NE	2	...
Kagoshima,	,,	30.16	766.0	...	...	NE	1	...	,,	30.12	765.0	...	...	NNE	1	...
Oshima,	,,	29.96	761.0	...	...	NNE	2	...	,,	30.00	762.0	...	...	...	0	...
Naha,	,,	30.02	762.5	...	...	N	2	...	,,	29.56	761.0	...	...	ENE	1	...
Ishigakijima,	,,	...	...	...	...		...	...	,,	...	...	...	.	...	...	...
Bonin Island,	,,	29.98	761.5	...	...	S	1	...	,,	30.00	762.0	...	...	...	0	...
Chefoo,	15	30.18	766.6	69	80	NE	2	b	6	30.22	767.6	56	89	...	0	b
Shanghai,	14	30.13	765.3	77	57	NNE	1	o	,,	30.17	766.2	66	98	...	0	o
Gutzlaff,	,,	30.17	766.3	76	56	NNE	1	b	,,	30.19	766.8	71	71	E	6	b
Sharp Peak,	,,	30.00	762.0	80	66	E	2	b	7	30.03	762.7	74	76	W	1	b
Amoy,	,,	29.97	761.2	82	71	NE	4	o	6	30.00	762.0	73	72	NNE	4	b
Swatow,	,,	29.95	760.7	82	72	E	2	c	,,	30.01	762.2	71	96	NNE	1	c
Taihoku,	11	30.05	763.2	84	52	NE	4	b	5	29.99	761.7	64	94	...	0	b
Taichu,	,,	29.99	761.7	84	...	NNW	2	b	,,	29.97	761.1	66	...	...	0	b
Tainan,	,,	29.94	760.5	90	...	WSW	2	b	,,	29.94	760.5	68	...	...	0	b
Koshun,	,,	29.94	760.5	82	...	NE	4	b	,,	29.92	759.9	75	...	NE	4	b
Pescadores,	,,	29.98	761.4	84	...	NE	6	b	,,	29.94	760.5	75	...	NE	4	b
Hong Kong,	14	29.94	760.5	82	65	E	3	o	6	20.95	760.7	73	78	ENE	3	o
Gap Rock,	,,	29.93	760.2	...	...	E	4	c	,,	29.94	760.5	...	...	ENE	4	c
Macao,	,,	29.92	759.9	86	63	ESE	2	o	,,	29.92	759.9	79	76	E	4	o
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.7	81	77	NE	5	o	,,	29.92	759.9	79	79	ENE	5	fo
Phulien,	15	29.94	760.5	85	65	NW	2	b	7	20.08	761.4	73	92	NNW	2	b
Tourane,	,,	29.86	758.4	81	...	N	2	b	,,	29.89	759.3	77	...	NNW	4	r
Cape St. James,	,,	29.82	757.5	79	...	ENE	6	o	,,	29.87	758.7	73	...	WSW	6	r
Basco,	14	29.86	758.4	79	87	NE	4	r	6	29.86	758.4	79	85	E	2	o
Aparri,	,,	29.82	757.5	82	77	ESE	4	o	,,	29.84	757.8	77	94	SW	1	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	75	96	...	0	o
Vigan,	,,	..	...	...	...	...	...	...	,,	29.81	757.2	77	88	...	0	b
Manila,	,,	29.79	756.6	86	78	WNW	2	o	,,	29.82	757.5	75	94	E	1	o
Legaspi,	,,	29.80	756.9	90	69	NE	2	o	,,	29.80	756.9	81	92	E	1	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	90	57	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	86	71	NE	4	b	,,	29.80	756.9	77	94	...	0	b
Saipan,	...	...	...	...	...	...	...	...	5	29.79	756.6	79	...	ESE	3	c
Guam,	12.22	29.76	756.0	...	...	E	1	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	ENE	2	o	5	29.78	756.3	...	...	SSE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.80	756.9	76	...	SW	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.5	80	...	ESE	1	c
Labuan,	14	29.80	756.9	84	83	NW	2	b	6	29.86	758.4	77	86	SW	2	b

October 1*d.* 10*h.* 35*m.*— The anticyclone has moved to the north of Japan and increased considerably in intensity. Pressure is low to the east of the Visayas.

Fresh monsoon will prevail along the coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1·20 inch. Total since January 1st, 67·97 inches, against an average of 75.87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fair.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st October, 1929.								2nd October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.37	771.3	62	...	SSE	2	b	6	30.34	770.7	58	...	...	0	0
Nemuro,	11	30.37	771.5	...	...	WNW	1	...	5	30.41	772.5	...	...	SSW	1	...
Hokodate,	,,	30.37	771.5	...	...	SE	1	...	,,	30.38	771.5	..	...	N	1	...
Tokio,	,,	30.33	770.5	...	...	NNE	1	...	,,	30.39	772.0	..	..	NNW	1	...
Kochi,	,,	30.18	766.5	...	...		0	...	,,	30.20	767.0	...	..	WSW	1	...
Nagasaki,	,,	30.18	766.5	...	...	NE	1	...	,,	30.12	765.0	...	..	...	0	...
Kagoshima,	,,	30.14	765.5	...	...	NE	1	...	,,	30.10	764.5	...	...	NW	1	...
Oshima,	,,	30.02	762.5	...	...	SSE	1	...	,,	29.98	761.5	...	...	...	0	...
Naha,	,,	30.00	762.0	...	...	E	1	...	,,	29.96	761.0	...	...	NE	1	...
Ishigakijima,	,,	29.98	761.5	...	...	NE	1	...	,,	29.94	760.5	...	..	N	1	...
Bonin Island,	,,	30.00	762.0	...	...	E	1	...	,,	30.00	762.0	...	...	ENE	1	...
Chefoo,	15	30.22	767.6	73	81	NE	1	b	6	30.19	766.8	60	94	SW	1	b
Shanghai,	14	30.15	765.9	81	50	E	1	b	,,	30.17	766.2	64	96	ENE	1	b
Gutzlaff,	,,	30.20	767.1	75	64	ENE	4	b	,,	30.19	766.8	70	80	NE	4	b
Sharp Peak,	,,	30.01	762.2	80	78	E	4	0	7	30.02	762.5	75	81	NW	1	b
Amoy,	,,	29.96	761.0	84	60	NNE	4	0	6	29.99	761.7	80	92	NE	2	b
Swatow,	,,	29.97	761.2	78	75	E	2	b	,,	...	...	...	...	...	..	...
Taihoku,	11	30.01	762.3	86	56	E	4	b	5	29.99	761.7	73	91	E	2	0
Taichu,	,,	29.99	761.7	84	...	N	2	b	,,	29.95	760.8	68	...	...	0	b
Tainan,	,,	29.95	760.8	86	...	N	2	b	,,	29.99	761.7	70	...	...	0	b
Koshun,	,,	29.94	760.5	84	...	NE	4	b	,,	29.99	761.7	77	...	NNE	2	b
Pescadores,	,,	29.98	761.4	84	...	NE	6	b	,,	29.94	760.5	77	...	NE	4	b
Hong Kong,	14	29.95	760.7	81	69	E	3	b	6	29.94	760.5	77	79	ENE	3	c
Gap Rock,	,,	29.95	760.7	...	...	ENE	5	b	,,	29.92	759.9	...	...	NE	4	c
Macao,	,,	29.93	760.2	90	66	SE	2	b	,,	29.92	759.9	77	79	ENE	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Pratas Island,	,,	29.91	759.7	82	76	NE	5	b3	,,	29.91	759.7	79	83	NE	4	b
Phulien,	15	29.92	759.9	86	65	ESE	2	0	7	29.94	760.5	75	96	NNE	2	0
Tourane,	,,	29.86	758.4	75	...	NW	4	0	,,	29.86	758.4	75	...	NE	2	0
Cape St. James,	,,	29.86	758.4	72	...	ENE	4	r	,,	29.85	758.1	75	...	NW	2	b
Basco,	14	29.84	757.8	77	89	SE	2	0	6	29.86	758.4	77	92	NNE	1	0
Aparri,	,,	29.80	756.9	90	63	ENE	4	0	,,	29.84	757.8	77	94	SW	2	0
Tuguegarao,	,,	29.79	756.6	90	63	N	1	0	,,	29.85	758.1	75	96	...	0	c
Vigan,	,,	29.78	756.3	86	71	WNW	4	0	,,	29.79	756.6	75	89	S	1	b
Manila,	,,	29.76	756.0	90	66	WNW	2	0	,,	29.81	757.2	73	96	NE	1	0
Legaspi,	,,	29.75	755.7	90	69	ENE	4	0	,,	29.75	755.7	77	92	...	0	0
Calbayog,	,,	29.76	756.0	79	90	N	2	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	755.7	81	87	N	1	0	,,	29.78	756.3	77	91	NW	1	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.73	755.1	86	75	NNW	2	0	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	...	SE	1	0	4.22	...	...	...	...		...	...
Yap,	11.00	29.74	755.4	...	...	SSW	2	0	5	29.79	756.6	...	...	N	2	0
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	29.81	757.2	75	...	SE	1	c
Labuan,	14	29.82	757.4	85	68	W	6	b	6	29.85	758.2	80	74	SW	6	b

October 2*d.* 10*h.* 25*m.*—The anticyclone is now situated in the Pacific to the east of Japan, and pressure is low to the east of the Visayas.

Fresh monsoon will continue along the south east coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 67·99 inches, against an average of 76.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.30	769.7	68	...	S	1	b	6	30.33	770.4	52	...	N	4	f
Nemuro,	11	30.35	771.0	...	...	SSW	3	...	5	30.36	771.0	...	...	SSW	1	...
Hokodate,	,,	30.33	770.5	...	...	ESE	1	...	,,	30.30	769.5	...	...	ENE	1	...
Tokio,	,,	30.35	771.0	...	...	NNE	1	...	,,	30.30	769.5	...	...	...	0	...
Kochi,	,,	30.22	767.5	...	...	...	...	...	,,	30.10	764.5	...	...	SW	1	...
Nagasaki,	,,	30.10	764.5	...	...	ESE	1	...	,,	30.08	764.0	...	...	NNE	1	...
Kagoshima,	,,	30.08	764.0	...	...	NE	2	...	,,	30.02	762.5	...	...	ENE	2	...
Oshima,	,,	30.00	762.0	...	...	SSE	1	...	,,	29.96	761.0	...	...	...	0	...
Naha,	,,	29.96	761.0	...	...	N	2	...	,,	29.94	760.5	...	...	...	0	...
Ishigakijima,	,,	29.98	761.5	...	...	NE	1	...	,,	29.94	760.5	...	...	...	0	...
Bonin Island,	,,	29.94	760.5	...	...	E	1	...	,,	29.94	760.5	...	...	...	0	...
Chefoo,	15	30.19	766.8	75	86	E	1	b	6	30.23	767.8	65	95	...	0	b
Shanghai,	14	30.15	765.9	75	71	ENE	1	o	,,	30.14	765.6	66	85	ENE	1	o
Gutzlaff,	,,	30.18	766.6	75	60	NE	4	o	,,	30.18	766.6	70	80	NNE	4	o
Sharp Peak,	,,	29.99	761.7	80	78	E	2	o	7	29.98	761.5	76	73	N	1	b
Amoy,	,,	29.95	760.7	86	61	E	2	b	6	29.99	761.7	75	81	NNW	1	b
Swatow,	,,	29.96	761.0	82	72	ENE	2	c	,,	30.00	762.0	72	95	NNE	1	b
Taihoku,	11	29.98	761.4	84	71	ENE	4	o	5	29.95	760.8	72	96	E	2	b
Taichu,	,,	29.97	761.1	86	...	W	2	o	,,	29.95	760.8	70	...	...	0	o
Tainan,	,,	29.9.	760.5	90	...	WNW	2	b	,,	29.92	759.9	72	...	...	0	b
Koshun,	,,	29.91	759.6	86	...	NE	4	b	,,	29.89	759.3	77	...	NNE	2	b
Pescadores,	,,	29.97	761.1	84	...	NNE	6	b	,,	29.94	760.5	77	...	NNE	4	o
Hong Kong,	14	29.94	760.5	81	66	E	4	c	6	29.96	761.0	73	79	ENE	4	c
Gap Rock,	,,	29.94	760.0	...	...	ENE	5	c	,,	29.94	760.5	...	...	ENE	4	c
Macao,	,,	29.93	760.2	90	60	ESE	4	o	,,	29.93	760.2	77	84	E	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.89	759.2	83	76	NE	5	c	,,	29.91	759.7	79	86	NE	5	c
Phulicu,	15	29.88	759.0	90	63	ESE	2	b	7	29.93	760.2	75	98	NNE	4	bf
Tourane,	,,	29.82	757.5	77	...	E	2	o	,,	29.87	758.7	75	...	SE	2	o
Cape St. James,	,,	29.82	757.5	84	...	SSW	2	o	,,	29.86	758.4	77	...	NW	2	b
Basco,	14	29.81	757.2	82	77	NE	4	b	6	29.84	757.8	81	86	NE	2	o
Aparri,	,,	29.78	756.3	90	66	NE	4	o	,,	29.82	757.5	77	96	SW	2	o
Tuguegarao,	,,	29.76	756.0	90	60	NW	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.4	86	63	NW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	90	69	SW	4	o	,,	29.76	756.0	75	96	...	0	o
Legaspi,	,,	29.69	754.2	90	76	N	4	o	,,	...	...	...	...	...	...	...
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	75	ESE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.74	755.4	77	88	NW	1	b	,,	...	...	...	...	...	...	...
Surigao,	,,	29.72	754.8	79	89	NW	1	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.73	755.1	...	...	NE	1	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	NNW	1	r	5	29.80	756.9	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.83	757.7	82	75	W	4	b	6	29.83	757.7	78	46	S	2	b

October 3*d.* 10*h.* 25*m.*—The anticyclone is now central to the north-east of Hokkaido, and pressure remains low to the east of the Visayas.

Fresh monsoon will continue along the south east coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·99 inches, against an average of 76.46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd October, 1929.								4th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.31	769.8	71	...	...	0	b	6	30.23	767.9	58	...	...	0	c
Nemuro,	11	30.35	771.0	...	...	S	2	...	5	30.34	770.5	...	...	SE	1	...
Hokodate,	,,	30.30	769.5	...	...	W	1	...	,,	30.22	767.5	...	...	ENE	1	...
Tokio,	,,	30.28	769.0	...	...	NNW	1	...	,,	30.06	763.5	...	..	NNW	2	...
Kochi,	,,	30.12	765.0	...	...	...	...	...	,,	29.94	760.5	...	..	...	0	...
Nagasaki,	,,	30.06	763.5	...	...	ENE	3	...	,,	30.00	762.0	..	...	N	1	...
Kagoshima,	,,	30.02	762.5	...	...	E	2	...	,,	29.96	761.0	...	...	NNW	1	...
Oshima,	,,	29.96	761.0	...	...	NE	1	...	,,	29.92	760.0	...	...	...	...	...
Naha,	,,	29.96	761.0	...	...	N	2	...	,,	29.90	759.5	..	...	ESE	1	...
Ishigakijima,	,,	29.96	761.0	...	...	NE	2	...	,,	29.92	760.0	...	..	...	0	...
Bonin Island,	,,	29.92	760.0	...	...	ESE	2	...	,,	29.88	759.0	...	...	SE	3	...
Chefoo,	15	30.18	766.6	74	81	E	1	b	6	30.13	765.3	60	94	...	0	b
Shanghai,	14	30.11	764.7	77	61	NNE	1	0	,,	30.10	764.4	64	100	NE	2	c
Gutzlaff,	,,	30.15	765.8	80	66	NE	2	0	,,	30.13	765.3	71	95	NE	2	b
Sharp Peak,	,,	29.95	760.7	80	82	NE	2	0	7	29.03	760.2	78	82	NW	2	c
Amoy,	,,	29.89	759.2	86	65	NE	4	b	6	29.96	761.0	80	66	NNE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	73	95	NNE	1	b
Taihoku,	11	29.97	761.1	90	63	ENE	4	0	5	29.95	760.8	73	96	E	2	r
Taichu,	,,	29.95	760.8	90	...	N	2	b	,,	29.92	759.9	73	...	...	0	b
Tainan,	,,	29.92	759.9	90	...	W	2	b	,,	29.88	759.0	73	...	...	0	b
Koshun,	,,	29.93	760.2	90	...	NE	2	b	,,	29.89	759.3	79	...	NNE	4	b
Pescadores,	,,	29.95	760.8	84	...	NNE	4	0	,,	29.88	759.0	79	...	NNE	6	0
Hong Kong,	14	29.90	759.4	84	66	E	2	c	6	29.93	760.2	78	82	ENE	3	b
Gap Rock,	,,	29.92	759.9	...	...	ENE	5	b	,,	29.92	759.9	.	...	ENE	4	b
Macao,	,,	29.89	759.3	86	58	NE	2	b	,,	29.91	759.6	77	84	ENE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	84	76	NE	5	b	,,	29.88	758.9	80	87	NE	4	r
Phulien,	15	29.91	759.6	86	65	SE	4	b	7	29.95	760.8	75	98	NE	1	of
Tourane,	,,	29.88	759.0	75	...	ESE	2	0	,,	29.87	758.7	75	...	NE	2	of
Cape St. James,	,,	29.84	757.8	86	...	SE	2	b	,,	29.85	758.1	77	...	WNW	2	c
Basco,	14	29.80	756.9	85	78	NE	4	0	6	..	..	...	...	...	.	...
Aparri,	,,	29.76	756.0	84	81	NE	4	0	,,	29.82	757.5	75	96	...	0	r
Tuguegarao,	,,	29.73	755.1	68	64	NW	2	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.8	86	65	WNW	2	0	,,	...	...	...	...	...	..	...
Manila,	,,	29.75	755.7	75	96	...	0	1	,,	29.75	755.7	75	96	NE	1	c
Legaspi,	,,	29.69	754.2	86	81	E	1	0	,,	29.75	755.7	75	96	NE	1	c
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Tacloban,	,,	29.72	754.8	86	71	NW	2	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	29.71	754.5	86	68	S	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.71	754.5	...	...	SW	2	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	WSW	2	0	5	29.79	756.6	...	...	W	2	c
Psiew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	86	68	...	0	b	6	29.86	758.4	78	91	W	7	bf

October 4*d.* 10*h.* 20*m.*—The anticyclone has decreased in intensity but remains stationary to the north-east of Hokkaido. Pressure is relatively low over the Visayas and the Pacific to the eastward.

Moderate monsoon will prevail along the south east coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 68·01 inches, against an average of 76.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate; fair.
3.—Hong Kong to Gap Rock,	N.E. winds, moderate; fair.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th October, 1929.								5th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.16	766.0	60	...	S	1	o	6	30.03	762.7	54	...	...	o	b
Nemuro,	11	30.30	769.5	...	...	SSE	2	...	5	29.96	761.0	...	...	E	4	...
Hokodate,	,,	30.14	765.5	...	...	ESE	3	...	,,	29.88	759.0	..	...	...	o	...
Tokio,	,,	30.06	763.5	...	...	NNW	2	...	,,	29.80	757.0	...	...	...	o	...
Kochi,	,,	29.90	759.5	...	...	N	1	...	,,	29.94	760.5	...	...	NW	1	...
Nagasaki,	,,	29.98	761.5	...	...	NNW	1	...	,,	30.00	762.0	...	...	NNE	1	...
Kagoshima,	,,	29.94	760.5	...	...	SE	1	...	,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	29.92	760.0	...	...	...	o	...	,,	29.90	759.5	...	...	SSE	1	...
Naha,	,,	29.92	760.0	...	...	NNW	1	...	,,	29.88	759.0	...	...	NE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	NNE	2	...	,,	29.90	759.5	...	..	N	1	...
Bonin Island,	,,	29.86	758.5	...	...	SSE	3	...	,,	29.80	757.0	...	...	S	1	...
Chefoo,	15	30.07	763.8	74	86	ENE	1	b	6	30.00	762.0	66	79	SW	2	o
Shanghai,	14	30.07	763.8	77	68	ENE	2	b	,,	30.06	763.5	61	98	ENE	1	b
Gutzlaff,	,,	30.11	764.8	76	73	NE	4	b	,,	30.10	764.5	70	80	ENE	4	o
Sharp Peak,	,,	29.94	760.5	82	79	ENE	2	b	7	29.94	760.5	76	86	E	1	c
Amoy,	,,	29.92	759.9	88	62	E	4	b	6	29.88	758.9	76	77	NE	2	b
Swatow,	,,	29.90	759.4	81	76	E	2	b	,,	29.87	758.7	73	95	E	1	b
Taihoku,	11	29.99	761.7	81	76	E	4	o	5	29.93	760.2	72	94	E	2	b
Taichu,	,,	29.94	760.5	86	...	N	2	b	,,	29.89	759.3	73	...	...	o	o
Tainan,	,,	29.91	759.6	86	...	SW	2	b	,,	29.86	758.4	73	...	...	o	b
Koshun,	,,	29.91	759.6	86	...	NNE	4	b	,,	29.85	758.1	77	...	NE	2	r
Pescadores,	,,	29.94	760.5	84	...	NE	6	b	,,	29.86	758.4	77	...	NNE	4	h
Hong Kong,	14	29.90	759.4	82	65	E	4	b	6	29.88	759.0	73	79	E	4	c
Gap Rock,	,,	29.90	759.4	...	...	ENE	5	c	,,	29.87	758.7	..	...	ENE	5	c
Macao,	,,	29.88	759.0	90	63	SE	2	b	,,	29.86	758.4	79	80	E	2	o
Heihow,	,,	29.96	761.0	85	73	ENE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.85	758.2	83	78	NE	5	bc	,,	29.84	757.9	80	87	ENE	4	b
Phulien,	15	29.89	759.3	86	65	...	o	o	7	29.89	759.3	77	85	NW	2	o
Tourane,	,,	29.84	757.8	77	...	NE	2	o	,,	29.84	757.8	77	...	ENE	2	o
Cape St. James,	,,	29.80	756.9	79	...	SW	4	o	,,	29.81	757.2	75	...	WSW	2	o
Basco,	14	29.79	756.6	84	74	NE	4	o	6	29.80	756.9	79	84	E	2	o
Aparri,	,,	29.76	756.0	81	87	N	2	o	,,	29.76	756.0	77	91	E	2	o
Tuguegarao,	,,	29.75	755.7	82	77	NW	2	o	,,	29.78	756.3	75	98	NNW	1	o
Vigan,	,,	29.73	755.1	84	71	WNW	1	o	,,	29.69	754.2	79	76	S	2	o
Manila,	,,	29.72	754.8	84	81	WSW	4	o	,,	29.74	755.4	75	96	E	1	o
Legaspi,	,,	29.71	754.5	86	68	SW	2	o	,,	29.74	755.4	75	96	...	o	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	63	92	N	2	o
Iloilo,	,,	29.74	755.4	86	75	SW	4	o	,,	29.76	756.0	79	91	SW	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	..	...	...	,,	29.75	755.7	81	87	W	2	r
Saipan,	...	...	...	...	...	...	...	...	5	29.68	753.9	78	...	ESE	6	c
Guam,	12.22	29.66	753.1	...	...	E	4	o	4.22	29.66	753.3	...	...	SE	2	r
Yap,	11.00	29.74	755.4	...	...	NW	2	o	5	29.73	755.1	...	...	...	o	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.77	756.1	76	...	S	3	r
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	78	...	SE	1	bc
Labuan,	14	29.82	757.4	83	71	W	6	b	6	29.86	758.4	76	91	NW	1	r

October 5d. 11h. 10m.—The anticyclone has dispersed: pressure is now highest over the lower Yangtze Valley. A typhoon is situated about 150 miles west of Guam moving W.N.W.

Moderate monsoon will prevail along the south east coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·01 inches, against an average of 77.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	6th October, 1929. Hong Kong Standard Time.	Barometer. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.99	761.8	66	...	...	0	b	6	30.08	764.1	52	...	NNE	4	f
Nemuro,	11	29.74	755.5	...	...	NNE	6	...	5	29.92	760.0	...	...	N	3	...
Hokodate,	,,	29.84	758.0	...	...	NNW	3	...	,,	29.98	761.5	...	...	...	0	...
Tokio,	,,	29.82	757.5	...	...	...	0	...	,,	30.04	763.0	...	...	...	0	...
Kochi,	,,	29.94	760.5	...	...	N	1	...	,,	30.02	762.5	...	...	...	0	...
Nagasaki,	,,	30.00	762.0	...	...	N	1	...	,,	30.00	762.0	...	...	E	1	...
Kagoshima,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.98	761.5	...	...	NW	1	...
Oshima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.94	760.5	...	...	S	1	...
Naha,	,,	29.88	759.0	...	...	ENE	2	...	,,	29.88	759.0	...	...	NE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	E	1	...	,,	29.86	758.5	...	...	E	1	...
Bonin Island,	,,	29.80	757.0	...	...	SSW	1	...	,,	29.86	758.5	...	...	SSE	1	...
Chefoo,	15	30.01	762.2	75	77	N	1	0	6	30.00	762.0	65	100	NE	2	1
Shanghai,	14	30.02	762.6	81	59	E	1	b	,,	29.99	761.7	66	98	E	1	b
Gutzlaff,	,,	30.08	764.0	77	69	ENE	2	b	,,	30.04	763.0	71	85	SE	4	b
Sharp Peak,	,,	29.91	759.7	81	78	ENE	4	0	7	29.91	759.7	74	84	N	2	0
Amoy,	,,	29.85	758.2	88	62	ENE	4	b	6	29.88	758.9	76	77	NNE	2	b
Swatow,	,,	29.87	758.7	81	76	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.93	760.2	86	61	ENE	4	b	5	29.87	758.7	75	92	E	4	0
Taichu,	,,	29.91	759.6	90	...	SW	2	b	,,	29.85	758.1	72	...	...	0	b
Tainan,	,,	29.87	758.7	90	...	SW	2	b	,,	29.82	757.5	73	...	...	0	b
Koshun,	,,	29.88	759.0	79	...	NE	4	0	,,	29.81	757.2	84	...	NNE	2	b
Pescadores,	,,	29.91	759.6	84	...	NE	6	b	,,	29.84	757.8	79	...	NNE	4	b
Hong Kong,	14	29.84	757.9	83	59	E	3	b	6	29.85	758.2	79	79	ENE	3	0
Gap Rock,	,,	29.86	758.4	...	...	ENE	5	c	,,	29.85	758.2	...	...	ENE	5	b
Macao,	,,	29.84	757.8	90	60	SE	2	b	,,	29.82	757.5	79	80	ENE	2	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.4	82	76	NE	5	b	,,	29.81	757.2	80	87	NE	5	bc
Phulien,	15	29.82	757.5	90	60	SSE	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.79	756.6	79	...	N	4	0	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	79	...	WSW	2	0	,,	...	...	...	...	...	...	...
Basco,	14	29.78	756.3	84	74	NE	4	0	6	29.78	756.3	75	89	E	1	b
Aparri,	,,	29.74	755.4	84	77	ENE	2	0	,,	29.76	756.0	75	96	...	0	0
Tuguegarao,	,,	29.73	755.1	86	68	N	1	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.67	753.6	86	71	WNW	2	0	,,	29.71	754.5	77	92	WSW	1	0
Manila,	,,	29.71	754.5	81	92	SSW	2	r	,,	29.74	755.4	75	98	...	0	r
Legaspi,	,,	29.69	754.2	82	87	N	1	0	,,	29.71	754.5	75	96	...	0	0
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	79	90	NE	2	0	,,	29.73	755.1	77	91	W	1	0
Iloilo,	,,	29.69	754.2	86	71	SW	4	0	,,	29.73	755.1	79	89	SW	4	0
Cebu,	,,	29.67	754.2	86	68	S	4	0	,,	29.73	755.1	79	76	SW	4	0
Surigao,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	81	80	SW	4	0
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.65	753.0	...	...	S	4	0	4.22	29.69	754.2	...	...	S	2	1
Yap,	11.00	29.66	753.3	...	...	WSW	4	r	5	29.63	752.7	...	...	WSW	4	0
Peiew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Laimau,	14	29.82	757.4	84	85	...	0	b	6	29.85	758.2	76	94	W	8	0

October 6*d*. 11*h*. 15*m*.—Pressure is highest in the vicinity of Wladivostock. The northern depression has passed into the Pacific.

The typhoon is about 200 miles to the north of Yap, moving W. or W.N.W.

Moderate monsoon will prevail along the south east coast of China and over the N. China Sea.

Manila warning. *6d. 8h. 00m.*:—Typhoon in Lat. 13° N. Long. 138° E., moving W. Recd. *6d. 9h. 10m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·01 inches, against an average of 77.34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.07	763.8	49	...	NNE	3	o	6	29.87	758.7	46	...	N	5	1
Nemuro,	11	29.06	761.0	...	...	NNW	1	...	5	30.00	762.0	...	...	SSE	1	...
Hokodate,	,,	30.00	762.0	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Tokio,	,,	30.06	763.5	...	...	NE	1	...	,,	30.06	763.5	...	...	...	0	...
Kochi,	,,	30.02	762.5	...	...	...	0	...	,,	29.98	761.5	...	...	SW	1	...
Nagasaki,	,,	29.98	761.5	...	...	...	0	...	,,	29.94	760.5	...	...	ESE	3	...
Kagoshima,	,,	20.98	761.5	...	...	SE	1	...	,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	29.01	760.5	...	...	NE	1	...	,,	29.90	759.5	...	...	...	0	...
Naha,	,,	29.88	759.0	...	...	ENE	3	...	,,	29.86	758.5	...	...	NE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	E	2	...	,,	29.86	758.5	...	...	E	1	...
Bonin Island,	,,	29.84	758.0	...	...	S	1	...	,,	29.88	759.0	...	...	...	0	...
Chefoo,	15	29.96	761.0	62	100	NNW	2	o	6	29.94	760.5	62	99	NW	2	o
Shanghai,	14	29.94	760.5	82	51	SSE	2	o	,,	29.99	761.7	63	92	NW	4	o
Gutzlaff,	,,	29.09	761.7	80	58	SE	4	o	,,	30.04	763.0	65	91	NW	6	o
Sharp Peak,	,,	29.88	759.0	83	79	E	2	b	7	20.03	760.2	75	86	N	1	b
Amoy,	,,	29.83	757.7	88	62	ENE	4	b	6	29.87	758.7	77	86	NW	1	o
Swatow,	,,	29.90	759.4	82	84	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.86	758.4	86	65	NE	4	b	5	29.86	758.4	81	96	E	2	b
Taichu,	,,	29.87	758.7	90	...	W	2	b	,,	29.85	758.1	75	...	...	0	b
Tainan,	,,	29.85	758.1	90	...	SW	2	b	,,	20.84	757.8	77	...	...	0	o
Koshun,	,,	29.85	758.1	85	...	NE	4	b	,,	20.82	757.5	77	...	NNE	2	b
Pescadores,	,,	29.87	758.7	86	...	NNE	4	o	,,	20.82	757.5	77	...	NNE	4	b
Hong Kong,	14	29.83	757.7	82	67	E	3	b	6	20.86	758.4	78	81	ENE	2	o
Gap Rock,	,,	29.82	757.5	...	...	ENE	5	b	,,	29.85	758.2	...	...	E	4	b
Macao,	,,	29.81	757.2	86	65	SE	4	b	,,	29.84	757.8	77	92	NNE	2	o
Hoihow,	,,	29.77	756.1	85	77	ENE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.79	756.6	84	78	ENE	5	bc	,,	29.81	757.2	80	87	NE	5	c
Phulien,	15	29.82	757.5	90	60	SSE	2	o	7	29.88	759.0	73	...	NNE	6	op
Tourane,	,,	...	..	...	...	...	...	...	,,	29.69	754.2	77	...	E	8	or
Cape St. James,	,,	...	..	...	...	...	...	...	,,	29.73	755.1	75	...	W	4	o
Pasco,	14	29.73	755.1	86	71	SW	4	o	6	29.78	756.3	79	84	NE	2	o
Aparri,	,,	29.73	753.1	81	69	E	2	r	,,	29.75	755.7	75	96	SW	2	r
Tuguegarao,	,,	20.69	754.2	86	65	N	1	r	,,	..	...	...	...	...	...	...
Vigan,	,,	29.65	753.0	82	86	WNW	2	of	,,	20.72	754.8	75	91	SSW	1	o
Manila,	,,	29.68	753.9	86	71	SW	1	o	,,	29.76	756.0	75	94	SW	4	r
Legaspi,	,,	29.68	753.9	81	89	E	1	o	,,	29.68	753.9	77	92	WSW	2	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Tacloban,	,,	29.69	754.2	86	78	NW	6	o	,,	29.69	754.2	79	87	NW	4	o
Iloilo,	,,	29.68	753.9	86	75	SW	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.67	753.6	86	81	S	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.67	753.6	75	63	WSW	4	o	,,	...	...	...	...	...	...	...
Saipan,	...	.	...	...	...	...	...	...	5	29.74	755.4	77	...	SSE	3	c
Guam,	12.22	29.66	753.3	...	...	SE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.61	752.1	...	...	SW	4	r	5	29.68	753.9	..	...	SSW	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.70	754.4	79	...	SW	3	r
Ponape,	...	...	...	...	...	...	...	...	,,	29.78	756.3	83	...	NNE	2	c
Labuan,	14	29.82	757.4	82	73	W	4	b	6	29.86	758.4	77	91	NW	1	o

October 7*d.* 10*h.* 40*m.*— The anticyclone has passed into the Pacific, another appears to be developing over China; depressions are situated in the Sea of Japan and over southern Annam.

The typhoon is situated about 700 miles east of Manila, moving W. or W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·01 inches, against an average of 77.60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th October, 1929.								8th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Glasgow.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Glasgow.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.82	757.4	49	...	N	4	0	6	29.95	760.6	46	...	NNE	2	b
Nemuro,	11	29.98	761.5	...	...	S	2	...	5	29.76	756.0	...	...	S	6	...
Hokodate,	,,	29.90	759.5	...	...	S	1	...	,,	29.73	755.0	...	..	...	...	...
Tokio,	,,	30.02	762.5	...	...	SSE	1	...	,,	29.88	759.0	...	...	NW	1	...
Kochi,	,,	29.6	761.0	...	...	...	0	...	,,	29.88	759.0	...	..	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	ESE	1	...	,,	29.98	761.5	...	.	NNW	1	...
Kagoshima,	,,	29.92	760.0	...	...	S	1	...	,,	29.92	760.0	...	...	...	0	...
Oshima,	,,	29.92	760.0	...	...	...	0	...	,,	29.86	758.5	...	...	N	2	...
Naha,	,,	29.88	759.0	...	...	N	3	...	,,	29.84	758.0	...	...	NE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.86	758.5	...	..	NNE	2	...
Bonin Island,	,,	29.86	758.5	...	...	ESE	1	...	,,	29.82	757.5	...	...	ESE	1	...
Chefoo,	15	29.96	761.0	65	84	WNW	4	b	6	30.13	765.3	58	90	N	1	b
Shanghai,	14	30.08	764.1	70	65	NW	2	0	,,	30.15	765.9	55	93	NW	1	b
Gutzlaff,	,,	30.10	764.5	69	75	NNW	6	0	,,	30.17	766.3	67	64	N	4	0
Sharp Peak,	,,	29.90	759.4	81	78	ENE	4	b	7	29.72	759.9	74	76	NE	2	0
Amoy,	,,	29.82	757.4	90	56	E	4	b	6	30.93	760.2	75	64	NE	6	b
Swatow,	,,	29.85	758.2	83	69	E	2	b	,,	29.94	760.5	75	82	NE	2	b
Taihoku,	11	29.92	759.9	84	71	E	4	0	5	29.97	761.1	72	92	E	2	0
Taichu,	,,	29.87	758.7	90	...	W	2	0	,,	29.86	758.4	72	...	...	0	b
Tainan,	,,	29.85	758.1	90	...	WNW	2	b	,,	29.82	757.5	73	...	N	2	0
Koshun,	,,	29.85	758.1	85	...	NE	4	b	,,	29.82	757.5	77	...	NE	4	b
Pescadores,	,,	29.87	758.7	86	...	NE	6	b	,,	29.85	758.1	77	...	NNW	6	0
Hong Kong,	14	29.82	757.4	84	69	E	2	c	6	29.89	759.2	74	66	NE	2	0
Gap Rock,	,,	29.85	758.2	...	...	ENE	4	b	,,	29.87	758.7	...	...	NNE	4	0
Macao,	,,	29.81	757.2	86	61	NNE	2	0	,,	29.88	759.0	73	71	NNE	4	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.79	756.6	84	78	NE	4	b	,,	29.85	758.2	77	86	ENE	5	r
Phulien,	15	29.88	759.0	82	60	NNW	6	b	7	29.92	759.9	70	...	NNE	4	bc
Tourane,	,,	29.68	753.9	82	...	ENE	7	r	,,	29.73	755.1	77	...	ENE	8	ot
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.73	755.1	86	75	NE	4	0	6	29.79	756.6	79	76	NE	4	b
Aparri,	,,	29.72	754.8	84	77	NNW	2	0	,,	29.79	756.6	79	80	NE	4	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.69	754.2	84	74	SW	2	0	,,	29.79	756.6	77	89	WSW	4	0
Legaspi,	,,	29.66	753.3	79	91	WSW	4	0	,,	29.73	755.1	77	88	WSW	4	0
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.66	753.3	84	81	NW	6	0	,,	29.74	755.4	79	85	W	4	0
Iloilo,	,,	29.69	754.2	86	68	SSW	2	0	,,	...	...	...	...	...	...	...
Cebu,	,,	29.67	753.6	86	56	WSW	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.66	753.3	...	...	SSW	4	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.66	753.3	...	...	SSW	4	0	5	29.76	756.0	..	...	SSW	8	0
Pelew,	...	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...		...	...
Labuan,	14	29.82	757.4	84	68	SW	4	b	6	29.84	757.9	84	91	SW	4	b

October 8*d.* 11*h.* 10*m.*—The anticyclone over China continues to increase in intensity; depressions cover Hokkaido and S. Annam.

The typhoon is situated about 600 miles east of Manila, moving slowly W.N.W.

Moderate to fresh monsoon will prevail along the coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 68·03 inches, against an average of 77.85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th October, 1929.								9th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.98	761.4	56	...	NNE	2	b	6	30.13	765.4	54	...	SE	3	c
Nemuro,	11	29.69	754.0	...	...	S	5	...	5	30.12	765.0	...	...	NNW	4	...
Hokodate,	,,	20.70	754.5	...	...	S	4	...	,,	30.16	766.0	..	..	...	0	...
Tokio,	,,	20.86	758.5	...	...	NW	1	...	,,	30.04	763.0	..	..	NNE	1	...
Kochi,	,,	29.88	759.0	...	...	NNW	1	...	,,	29.94	760.5	..	..	SW	1	...
Nagasaki,	,,	30.00	762.0	...	...	NNE	1	...	,,	20.98	761.5	..	..	ENE	1	...
Kagoshima,	,,	20.92	760.0	...	...	NNW	1	...	,,	29.96	761.0	..	..	NW	1	...
Oshima,	,,	29.00	759.5	...	...	N	4	...	,,	29.80	757.0	..	...	...	...	...
Naha,	,,	20.84	758.0	...	...	NNE	5	...	,,	29.75	755.5	..	..	NNE	3	...
Ishigakijima,	,,	29.88	759.0	...	...	NE	3	...	,,	29.78	756.5	...	..	NE	1	...
Bonin Island,	,,	29.82	757.5	...	...	SSE	2	...	,,	20.86	758.5	...	...	SSW	2	...
Chefoo,	15	30.05	763.5	65	91	E	1	b	6	29.97	761.1	84	96	..	0	b
Shanghai,	14	30.11	764.7	73	38	N	1	b	,,	30.05	763.2	54	85	NNE	1	b
Gutzlaff,	,,	30.13	765.3	72	46	NNE	2	b	,,	20.07	763.8	65	58	ENE	2	o
Sharp Peak,	,,	29.93	760.2	78	61	ENE	4	b	7	29.90	759.4	71	80	NE	1	b
Amoy,	,,	29.88	758.9	86	...	ENE	4	b	6	29.88	759.0	72	71	NNE	4	b
Swatow,	,,	29.88	758.9	80	79	E	2	b	,,	29.89	759.2	71	90	NE	2	b
Taihoku,	11	30.00	762.0	77	76	E	4	o	5	29.88	758.9	66	92	...	0	b
Taichu,	,,	29.87	758.7	84	...	N	4	b	,,	29.82	757.5	68	...	N	2	b
Tainan,	,,	29.84	757.8	90	...	...	0	b	,,	29.79	756.6	68	...	N	2	b
Koshun,	,,	29.84	757.8	82	...	NE	6	b	,,	29.78	756.3	73	...	NNE	4	o
Pescadores,	,,	...	.	82	...	NE	7	b	,,	29.80	756.9	75	...	NNE	6	b
Hong Kong,	14	29.85	758.2	81	61	E	4	c	6	20.85	758.2	76	74	NE	3	c
Gap Rock,	,,	29.85	758.2	...	...	ENE	5	o	,,	29.82	757.4	...	...	ENE	4	c
Macao,	,,	29.84	757.8	82	60	NE	4	o	,,	29.82	757.5	75	79	ENE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.2	81	82	NE	6	o	,,	29.81	757.2	77	76	NE	5	b
Phulien,	15	29.79	756.6	86	52	N	4	b	7	29.85	758.1	73	89	NNE	2	b
Tourane,	,,	...	..	...	...	...	...	...	,,	29.61	752.1	75	...	...	0	r
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.73	755.1	84	71	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.73	755.1	86	61	NNW	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.72	754.8	85	58	N	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.71	754.5	84	77	W	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	79	84	WSW	2	o	,,	29.76	756.0	75	96	...	0	r
Legaspi,	,,	29.68	753.9	79	84	WSW	4	o	,,	29.72	754.8	77	91	SW	2	o
Calbayog,	,,		...	...	...	...	...	...	,,	..	...	..	...	...	...	...
Tacloban,	,,	29.67	752.6	81	84	NW	4	o	,,	29.74	755.4	81	84	W	4	o
Iloilo,	,,	29.72	754.8	86	71	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,		..	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.9	...	...	SE	2	o	4.22		...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	SSW	4	o	5	29.81	757.2		...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.81	757.2	80	...	SW	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	76	...	...	b	6	29.84	757.9	77	86	N	2	b

October 9*d.* 10*h.* 48*m.*—The anticyclone now covers N. Japan; a depression is situated near the Annam coast W.S.W. of the Paracels.

The typhoon is situated more than 500 miles E.N.E. of Manila, moving N.W.

Moderate monsoon will prevail along the south east coast of China, and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 78.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	10th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.09	764.3	54	...	SE	5	c	6	29.89	759.1	51	...	SW	3	0
Nemuro,	11	30.20	767.0	...	...	NNW	2	...	5	29.84	758.0	...	...	E	1	...
Hokodate,	,,	30.18	766.5	...	...	SE	1	...	,,	29.98	761.5	...	...	ESE	3	...
Tokio,	,,	30.06	763.5	...	...	NNE	2	...	,,	29.90	759.5	...	...	NW	1	...
Kochi,	,,	29.92	760.0	...	...	...	0	...	,,	29.82	757.5	...	...	WSW	1	...
Nagasaki,	,,	29.92	760.0	...	...	SE	1	...	,,	29.82	757.5	..	...	NNE	1	...
Kagoshima,	,,	29.88	759.0	...	...	ENE	1	...	,,	29.75	755.5	..	...	...	0	...
Oshima,	,,	29.78	756.5	...	...	NNE	1	...	,,	29.63	752.5		...	NE	1	...
Naha,	,,	29.69	754.0	...	...	NNE	4	...	,,	29.49	749.0	..	...	NNE	6	...
Ishigakijima,	,,	29.76	756.0	...	...	NNE	3	...	,,	29.63	752.5	...	...	N	4	...
Bonin Island,	,,	29.82	757.5	...	...	S	2	...	,,	29.82	757.5	...	...	...	0	...
Chefoo,	15	29.88	758.9	72	62	WSW	2	0	6	30.07	763.8	58	76	NE	6	b
Shanghai,	14	29.97	761.1	77	40	...	0	b	,,	30.01	762.3	55	96	N	1	b
Gutzlaff,	,,	30.01	762.2	75	52	NE	1	0	,,	30.22	767.6	66	68	NNE	6	b
Sharp Peak,	,,	29.83	757.7	78	61	E	2	b	7	29.84	758.0	72	76	W	1	b
Amoy,	,,	29.79	756.6	84	57	NE	4	0	6	29.82	757.4	70	75	NE	2	b
Swatow,	,,	29.80	756.9	78	79	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.88	759.0	81	62	NE	2	b	5	29.82	757.5	68	87	...	0	0
Taichu,	,,	29.82	757.5	82	...	NNW	4	b	,,	29.76	756.0	68	...	N	2	b
Tainan,	,,	29.80	756.9	86	...	N	2	b	,,	29.74	755.4	68	...	N	2	b
Koshun,	,,	29.78	756.3	82	...	NNE	4	0	,,	29.71	754.5	70	...	...	0	b
Pescadores,	,,	29.84	757.8	81	...	NNE	6	b	,,	29.76	756.0	73	...	NNE	6	b
Hong Kong,	14	29.80	756.9	80	63	E	3	b	6	29.81	757.2	72	81	NNE	1	b
Gap Rock,	,,	29.83	757.7	...	...	ENE	4	b	,,	29.79	756.6	...	...	ENE	4	b
Macao,	,,	29.79	756.6	86	58	SE	2	b	,,	29.78	756.3	73	71	ENE	2	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.79	756.6	82	67	NE	5	b	,,	29.78	756.4	76	76	NE	5	10
Phulien,	15	29.78	756.3	84	64	NNW	2	0	7	29.81	757.2	77	76	NE	4	b
Tourane,	,,	29.59	751.5	75	...	N	2	0	,,	29.61	752.1	77	...	...	0	0
Cape St. James,	,,	29.72	754.8	79	...	SW	6	0	,,	29.73	755.1	77	...	SW	6	0
Basco,	14	29.67	753.6	81	73	NNE	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.67	753.6	84	71	NNW	4	0	,,	29.69	754.2	73	96	W	2	1
Tuguegarao,	,,	29.66	753.3	86	68	N	2	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.68	753.9	82	70	NW	2	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	79	91	WSW	4	1	,,	29.73	755.1	75	96	SW	1	0
Legaspi,	,,	29.68	753.9	82	81	WSW	4	0	,,	29.71	754.5	77	94	SW	1	0
Calbayog,	,,	..	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Tacloban,	,,	29.71	754.5	86	65	NW	4	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...		...	...	...	...	...
Surigao,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	...	N	4	0	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	SW	4	0	5	29.80	756.9	..	...	NW	1	0
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	88	76	W	2	b	6	29.84	757.9	82	83	...	0	b

October 10*h.* 10*h.* 10*m.*—The anticyclone has moved into the Pacific, and another is developing over N. China; the depression remains near Tourane.

The typhoon is situated about 150 miles south of Naha, moving northward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total since January 1st,** 68·03 **inches, against an average of** 78.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	11th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	20.79	756.6	56	...	...	0	0	6	29.97	761.1	44	...	NW	2	b
Nemuro,	11	30.12	765.0	...	...	E	3	...	5	29.65	753.0	...	...	E	3	...
Hokodate,	,,	29.88	759.0	...	...	ESE	5	...	,,	26.69	754.0	...	...	W	5	...
Tokio,	,,	29.82	757.5	...	...	NNW	1	...	,,	29.76	756.0	...	...	...	0	...
Kochi,	,,	29.80	757.0	...	...	...	0	...	,,	29.76	756.0	...	...	NE	1	...
Nagasaki,	,,	29.82	757.5	...	...	N	2	...	,,	29.78	756.5	...	...	NNE	3	...
Kagoshima,	,,	29.76	756.0	...	...	...	0	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.65	753.0	...	...	NNE	5	...	,,	20.41	747.0	...	...	NNE	6	...
Naha,	,,	29.45	748.0	...	...	NNE	9	...	,,	29.45	748.0	...	...	NNW	7	...
Ishigakijima,	,,	29.65	753.0	...	...	N	4	...	,,	29.71	754.5	...	...	NNW	3	...
Bonin Island,	,,	20.78	756.5	...	...	SSW	1	...	,,	29.78	756.5	...	...	S	1	...
Chefoo,	15	30.09	764.3	64	68	NNW	2	b	6	30.14	765.5	58	81	NE	1	b
Shanghai,	14	30.00	762.0	77	40	N	4	b	,,	30.05	763.2	54	95	NNE	2	b
Gutzlaff,	,,	30.01	762.2	72	58	N	6	b	,,	30.03	762.7	65	73	NNE	6	o
Sharp Peak,	,,	29.79	756.6	78	61	E	4	b	7	29.83	757.7	72	81	SW	1	b
Amoy,	,,	29.78	756.4	84	59	E	4	b	6	29.87	758.7	71	76	NNE	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.87	758.7	81	50	NNE	4	o	5	29.89	759.3	66	94	...	0	o
Taichu,	,,	29.78	756.3	82	...	N	4	b	,,	29.84	757.8	66	...	N	2	b
Tainan,	,,	29.75	755.7	84	...	N	2	b	,,	29.79	756.6	66	...	N	2	b
Koshun,	,,	29.75	755.7	86	...	NW	2	b	,,	29.79	756.6	72	...	...	0	o
Pescadores,	,,	29.81	757.2	81	...	NNE	6	o	,,	29.81	757.2	73	...	NNE	6	b
Hong Kong,	14	29.78	756.4	81	54	E	3	b	6	29.85	758.2	75	76	ENE	3	c
Gap Rock,	,,	29.78	756.4	...	...	ENE	4	b	,,	20.82	757.4	...	...	ENE	4	b
Macao,	,,	29.76	756.0	86	52	ESE	2	b	,,	29.82	757.5	73	82	...	0	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.75	755.6	81	64	NNE	5	b	,,	29.79	756.6	77	76	NE	6	o
Phulien,	15	29.71	754.5	90	51	ESE	2	b	7	29.84	757.8	73	89	ENE	4	b
Tourane,	,,	29.58	751.2	77	...	SE	4	o	,,	29.65	753.0	75	...	E	6	rf
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	77	...	SW	6	o
Basco,	14	29.66	753.3	82	67	N	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.67	753.6	82	74	N	4	o	,,	29.75	755.7	73	91	...	0	r
Tuguegarao,	,,	29.65	753.0	86	61	NNE	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.68	753.9	86	65	W	2	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.69	754.2	82	81	W	4	o	,,	29.73	755.1	77	94	S	1	r
Legaspi,	,,	29.67	753.6	81	87	WSW	4	o	,,	29.74	755.4	77	89	SW	2	o
Calbayog,	,,	29.71	754.5	84	74	SW	6	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.69	754.2	86	68	W	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	75	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.69	754.2	...	...	SW	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	WSW	2	o	5	29.79	756.6	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.4	74	...	WNW	2	r
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	76	SW	7	b	6	29.84	757.9	78	91	NW	2	b

October 11*d.* 10*h.* 42*m.*—The anticyclone over N. China has increased in intensity; depressions cover Hokkaido, and south Annam.

The typhoon is situated about 100 miles S.S.E. of Oshima moving north-eastwards.

Fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 78.48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th October, 1929.								12th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.94	760.5	58	...	NNW	3	b	6	30.17	766.2	43	...	NE	2	b
Nemuro,	11	29.59	751.5	...	...	...	0	...	5	29.63	752.5	...	...	W	3	...
Hokodate,	,,	29.70	754.5	...	...	W	5	...	,,	29.90	759.5	...	...	...	0	...
Tokio,	,,	29.82	757.5	...	...	ENE	1	...	,,	29.88	759.0	...	...	NNW	2	...
Kochi,	,,	29.76	756.0	...	...	N	1	...	,,	29.67	753.5	...	...	NE	3	...
Nagasaki,	,,	29.78	756.5	...	...	NNE	1	...	,,	29.84	758.0	...	...	NNE	1	...
Kagoshima,	,,	29.61	752.5	...	...	NW	1	...	,,	29.75	755.5	...	...	NNW	1	...
Oshima,	,,	29.43	747.5	...	...	N	6	...	,,	29.75	755.5	...	...	N	2	...
Naha,	,,	29.59	751.5	...	...	NNW	5	...	,,	29.76	756.0	...	...	NNW	5	...
Ishigakijima,	,,	29.80	757.0	...	...	N	4	...	,,	29.82	757.5	...	...	N	1	...
Bonin Island,	,,	29.72	755.0	...	...	S	2	...	,,	29.67	753.5	...	...	SSW	1	...
Chefoo,	15	30.12	765.0	63	94	N	1	o	6	30.06	763.5	56	94	...	0	h
Shanghai,	14	30.02	762.6	73	48	NNE	2	b	,,	30.05	763.2	54	95	N	1	b
Gutzlaff,	,,	30.03	762.7	70	61	NNE	4	o	,,	30.06	763.5	65	73	NNE	4	o
Sharp Peak,	,,	29.87	758.7	78	61	E	2	b	7	29.93	760.2	70	85	NNW	1	o
Amoy,	,,	29.86	758.4	83	57	ESE	4	b	6	29.72	759.9	69	75	NE	4	b
Swatow,	,,	29.84	757.9	76	74	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.94	760.5	77	54	NNE	2	o	5	...	...	63	90	E	2	o
Taichu,	,,	29.87	758.7	86	...	N	4	b	,,	...	...	64	...	...	0	b
Tainan,	,,	29.85	758.1	86	...	NW	2	b	,,	29.84	757.8	63	...	...	0	b
Koshun,	,,	29.85	758.1	82	...	NE	4	b	,,	29.86	758.4	70	...	NNE	2	b
Pescadores,	,,	29.88	759.0	79	...	NNE	6	o	,,	29.85	758.1	70	...	NE	4	b
Hong Kong,	14	29.82	757.4	80	61	E	3	b	6	29.87	758.7	75	76	ENE	3	c
Gap Rock,	,,	29.82	757.4	...	...	ENE	4	c	,,	29.85	758.1	...	...	ENE	4	c
Macao,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	75	76	ESE	4	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.79	756.6	79	95	NE	5	c	,,	29.82	757.4	76	85	NE	5	c
Phulien,	15	29.78	756.3	86	49	ESE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.61	752.1	73	...	E	6	r	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.73	755.1	75	...	SW	6	o	,,	...	...	...	...	...	...	...
Basco,	14	29.73	755.1	81	59	NE	4	o	6	29.80	756.9	77	68	NE	4	o
Aparri,	,,	29.72	754.8	84	60	NE	4	o	,,	29.79	756.6	77	68	NE	4	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.66	753.3	86	58	NW	2	b	,,	29.72	754.8	77	84	E	1	o
Manila,	,,	29.72	754.8	79	87	SW	4	o	,,	29.74	755.4	77	96	E	1	r
Legaspi,	,,	29.69	754.2	84	77	SSW	4	o	,,	29.74	755.4	77	91	SW	1	o
Calbayog,	,,	29.74	755.4	81	87	SW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	82	81	N	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	79	84	SW	4	o
Cebu,	,,	29.72	754.8	86	58	SW	4	o	,,	29.76	756.0	77	79	WSW	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	81	76	WSW	4	o
Saipan,	...	...	...	...	...	...	...	...	5	29.78	756.4	77	...	S	2	r
Guam,	12.22	29.72	754.8	...	...	SW	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.73	755.1	...	...	...	0	r	5	29.75	755.7	...	...	ENE	4	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.79	756.6	76	...	N	3	r
Ponape,	...	...	...	...	...	...	...	...	,,	29.78	756.4	75	...	SSW	1	c
Labuan,	14	29.80	756.9	90	66	SW	2	b	6	29.85	758.2	77	94	SW	2	h

October 12*d.* 10*h.* 55*m.*—No returns from Indo-China. The anticyclone has spread over S. Manchuria, and the depression has moved to the north-east of Hokkaido.

The typhoon is situated about 350 miles south-west of Tokio, moving north-eastwards.

Moderate monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches; against an average of 78.65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	13th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.12	764.9	53	...	NW	1	0	6	30.12	765.1	51	...	SE	2	0
Nemuro,	11	29.86	758.5	...	...	NW	4	...	5	30.14	765.5	...	...	N	1	...
Hokodate,	,,	29.68	761.5	...	...	NNW	3	...	,,	30.10	764.5	...	...	...	...	...
Tokio,	,,	29.90	759.5	...	...	NE	2	...	,,	29.94	760.5	...	...	N	2	...
Kochi,	,,	29.75	756.0	...	...	NNE	1	...	,,	29.94	760.5	...	...	SW	1	...
Naensaki,	,,	29.88	759.0	...	...	N	2	...	,,	30.00	762.0	...	...	...	0	...
Kagoshima,	,,	29.78	756.5	...	...	E	1	...	,,	29.94	760.5	...	...	NW	1	...
Oshima,	,,	29.80	757.0	...	...	N	2	...	,,	29.90	759.5	...	...	SSE	1	...
Naha,	,,	29.82	757.5	...	...	NNE	4	...	,,	29.88	759.0	...	...	N	1	...
Ishigakijima,	,,	29.90	759.5	...	...	NNE	2	...	,,	29.90	759.5	...	...	...	0	...
Bonin Island,	,,	29.67	753.5	...	...	SW	1	...	,,	29.80	757.0	...	...	...	...	...
Chefoo,	15	30.02	762.5	68	91	NE	1	b	6	30.09	764.3	54	94	...	0	b
Shanghai,	14	30.02	762.6	77	40	N	1	b	,,	30.07	763.8	61	93	...	0	b
Gutzlaff,	,,	30.07	763.8	76	56	NNE	2	b	,,	30.12	765.0	65	84	NNE	1	b
Sharp Peak,	,,	...	...	78	70	E	2	b	7	29.97	761.2	71	71	N	1	b
Amoy,	,,	29.88	758.9	82	56	NE	4	b	6	29.97	761.2	70	75	ENE	2	b
Swatow,	,,	29.90	759.4	77	79	E	2	b	,,	...	...	...	...	...	...	...
Taiholoh,	11	29.95	760.8	81	53	NE	4	b	5	29.95	760.8	64	94	E	2	b
Taichu,	,,	29.92	759.9	82	...	...	0	b	,,	29.94	760.5	63	...	...	0	b
Tainan,	,,	29.88	759.0	86	...	SW	2	b	,,	29.89	759.3	66	...	...	0	b
Koshun,	,,	29.89	759.3	81	...	NNE	4	b	,,	29.89	759.3	72	...	NNE	2	b
Pescadores,	,,	29.91	759.6	79	...	NE	6	b	,,	29.91	759.6	73	...	NNE	4	b
Hong Kong,	14	29.86	758.4	79	52	E	3	b	5	29.92	759.9	74	73	ENE	3	c
Gap Rock,	,,	29.86	758.4	...	...	ENE	5	b	,,	29.89	759.2	...	...	ENE	5	b
Macao,	,,	29.84	757.8	84	60	ESE	2	b	,,	29.89	759.2	73	75	E	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.7	81	75	NE	5	c	,,	29.87	758.7	77	71	E	4	bc
Phulien,	15	29.84	757.8	86	61	ESE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.68	753.9	79	...	E	4	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.79	756.6	81	62	NE	4	c	6	...	...	...	...	...	...	...
Aparri,	,,	29.76	756.0	84	60	NE	4	c	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.69	754.2	86	61	NW	4	c	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	77	91	SE	2	r	,,	29.78	756.3	75	89	...	0	c
Legaspi,	,,	29.71	754.5	81	92	N	1	c	,,	29.76	756.0	73	98	N	1	c
Calbayog,	,,	29.75	755.7	79	85	WNW	1	c	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.72	754.8	82	77	NW	6	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	65	SSW	5	c	,,	29.79	756.6	79	84	SW	2	c
Cebu,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	91	...	0	c
Surigao,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	73	91	W	2	c
Saipan,	...	...	...	...	...	...	...	...	5	29.84	757.9	74	...	NNW	2	bc
Guam,	12.22	29.74	755.4	...	...	S	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.72	754.8	...	...	SSW	4	c	5	29.79	756.6	...	...	S	2	c
Pelew,	...	...	...	...	...	...	...	...	,,	29.79	756.6	80	...	SW	1	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	79	...	...	0	c
Labuan,	14	29.80	756.9	90	63	SW	4	b	6	29.84	757.9	81	78	SW	4	b

October 13*d.* 10*h.* 18*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 116° E. moving W.

October 13*d.* 10*h.* 45*m.*—No returns from Indo-China. The anticyclone now covers S. Manchuria and Hokkaido, and extends south-westward to the Yangtze.

A depression or typhoon has developed about 120 miles south-east of the Macclesfield Bank, and is probably moving westwards.

Fresh monsoon will prevail along the China coast and over the N. China Sea; cyclonic gales may be expected over the S. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 78.80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, [illegible]

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th October, 1929.								14th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Symbols.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Symbols.)
Wladivostock,	12	30.11	764.7	52	...	SE	2	o	6	30.04	763.0	47	...	...	o	o
Nemuro,	11	30.18	766.5	...	...	SE	1	...	5	30.06	763.5	...	...	SSE	1	...
Hokodate,	,,	30.08	764.0	...	...	ESE	3	...	,,	30.02	762.5	...	...	..	o	...
Tokio,	,,	29.94	760.5	...	...	NNW	3	...	,,	20.96	761.0	...	...	...	o	...
Kochi,	,,	29.90	759.5	...	...	N	1	...	,,	30.00	762.0	...	...	SW	1	...
Nagasaki,	,,	30.00	762.0	...	...	N	3	...	,,	30.06	763.5	...	...	N	1	...
Kagoshima,	,,	29.94	760.5	...	...	E	1	...	,,	30.02	762.5	..	...	WNW	1	...
Oshima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.96	761.0	...	...	SSE	1	...
Naha,	,,	29.90	759.5	...	...	NNE	2	...	,,	29.94	760.5	...	...	NE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	NNE	2	...	,,	29.94	760.5	...	..	NNE	1	...
Bonin Island,	,,	29.70	754.5	...	...	WSW	4	...	,,	29.84	758.0	...	...	WNW	1	...
Chefoo,	15	30.06	763.5	69	80	NE	1	b	6	29.98	761.5	63	94	S	4	b
Shanghai,	14	30.06	763.5	79	48	NE	4	b	,,	30.05	763.2	59	96	E	1	b
Gutzlaff,	,,	30.11	764.8	78	61	NNE	1	b	,,	30.11	764.8	68	79	ESE	4	b
Sharp Peak,	,,	29.94	760.5	78	70	ENE	4	b	7	29.97	761.2	84	83	N	1	b
Amoy,	,,	29.87	758.7	86	58	E	4	b	6	29.94	760.5	72	69	E	2	b
Swatow,	,,	29.92	759.9	77	87	E	2	b	..	...	...	...	...	...	...	...
Taihoku,	11	29.98	761.4	82	54	NE	4	b	5	29.94	760.5	70	87	E	4	b
Taichu,	,,	29.94	760.5	84	...	...	o	b	,,	29.93	760.2	66	...	...	o	b
Tainan,	,,	29.91	759.6	86	...	SW	2	b	,,	29.88	759.0	68	...	...	o	b
Koshun,	,,	29.92	759.9	82	...	NE	4	b	,,	29.89	759.3	75	...	NE	4	b
Pescadores,	,,	29.92	759.9	81	...	NE	6	b	,,	29.87	758.7	73	...	NNE	6	b
Hong Kong,	14	29.90	759.4	79	58	E	3	b	6	29.93	760.2	74	74	ENE	3	o
Gap Rock,	,,	29.90	759.4	...	...	ENE	5	b	,,	29.92	759.9	...	...	ENE	5	b
Macao,	,,	29.88	759.0	86	52	SE	2	b	,,	29.91	759.6	75	79	ESE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	83	66	ENE	2	o	,,	29.86	758.4	78	78	ENE	4	b
Phulien,	15	29.88	759.0	90	55	ESE	2	b	7	29.91	760.2	73	85	ENE	4	bf
Tourane,	,,	29.75	755.7	77	...	N	2	o	,,	29.79	756.6	73	...	W	2	of
Cape St. James,	,,	29.80	756.9	81	...	WSW	2	o	,,	29.82	757.5	75	...	WNW	4	o
Basco,	14	29.78	756.3	79	73	NE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.79	756.6	86	...	NE	4	o	,,	29.82	757.5	70	92	SW	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.71	754.5	86	61	NW	4	o	,,	..	...	...	...	...	...	...
Manila,	,,	29.74	755.4	82	67	WNW	2	o	,,	29.79	756.6	73	96	...	o	o
Legaspi,	,,	29.73	755.1	84	77	N	2	o	,,	29.76	756.0	73	96	N	1	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	84	74	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.71	754.5	84	71	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.71	754.5	84	77	WSW	4	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	..	...	...	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.73	755.1	...	...	S?	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	SSW	4	o	5	29.81	757.2	..	...	SSE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	88	69	SW	2	b	6	29.85	758.2	78	91	W	...	...

October 13*d.* 17*h.* 16*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 115° E., moving W.

October 14*d.* 8*h.* 48*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 114° E. moving W.

October 14*d.* 10*h.* 22*m.*—The anticyclone has weakened and moved eastward; pressure is now highest to the north of Hokkaido.

The typhoon is situated about 500 miles south of Hong Kong moving West.

Fresh to strong north-east winds will prevail over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 78.93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	15th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.75	755.5	52	...	SE	7	r	6	30.09	764.3	46	...	NW	2	b
Nemuro,	11	30.00	762.0	...	...	SE	1	...	5	29.75	755.5	...	...	S	3	...
Hokodate,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.78	756.5	...	...	WSW	5	...
Tokio,	,,	29.94	760.5	...	...	S	1	...	,,	30.00	762.0	...	...	WNW	1	...
Kochi,	,,	30.00	762.0	...	...	SE	1	...	,,	30.02	762.5	...	...	WSW	1	...
Nagasaki,	,,	29.67	753.5	...	...	SW	1	...	,,	30.04	763.0	...	...	...	0	...
Kagoshima,	,,	30.02	762.5	...	...	...	0	...	,,	30.02	762.5	...	...	NW	1	...
Oshima,	,,	29.98	761.5	...	...	NNE	1	...	,,	29.98	761.5	...	...	...	0	...
Naha,	,,	29.96	761.0	...	...	N	2	...	,,	29.92	760.0	...	...	ENE	1	...
Ishigakijima,	,,	29.96	761.0	...	...	E	2	...	,,	29.90	759.5	...	...	ENE	1	...
Bonin Island,	,,	29.92	760.0	...	...	NW	1	...	,,	29.92	760.0	...	...	N	1	...
Chefoo,	15	30.08	764.0	65	78	NE	4	o	6	30.14	765.5	58	76	NE	1	o
Shanghai,	14	30.00	762.0	79	48	...	0	o	,,	30.02	762.6	66	90	NE	1	r
Gutzlaff,	,,	30.06	763.5	76	64	SE	4	b	,,	30.08	764.0	69	85	ESE	2	o
Sharp Peak,	,,	29.92	759.9	81	71	E	2	b	7	29.94	760.5	74	81	N	1	b
Amoy,	,,	29.88	759.0	83	60	E	4	b	6	29.92	759.9	72	85	E	1	b
Swatow,	,,	29.91	759.6	78	67	E	2	b	,,	29.94	760.5	68	95	N	2	b
Taihoku,	11	29.93	760.2	84	58	ENE	4	b	5	29.91	759.6	70	92	ENE	2	b
Taichu,	,,	29.93	760.2	86	...	...	0	o	,,	29.89	759.3	68	...	...	0	b
Tainan,	,,	29.91	759.6	86	...	WSW	2	b	,,	29.86	758.4	70	...	...	0	b
Koshun,	,,	29.92	759.9	79	...	NE	2	b	,,	29.85	758.1	75	...	NNE	4	b
Pescadores,	,,	29.92	759.9	82	...	NNE	4	b	,,	29.86	758.4	73	...	NE	2	b
Hong Kong,	14	29.88	758.9	81	57	E	2	b	6	29.90	759.4	74	74	NE	1	b
Gap Rock,	,,	29.89	759.2	...	...	ENE	4	b	,,	29.88	758.9	...	...	ENE	4	b
Macao,	,,	29.87	758.7	86	49	ESE	2	b	,,	29.87	758.7	75	79	E	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.85	758.2	80	76	NE	4	o	,,	...	...	79	75	NE	3	b
Phulien,	15	29.87	758.7	86	58	SSE	4	b	7	29.95	760.8	72	78	NNE	2	b
Tourane,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	72	...	NW	4	o
Cape St. James,	,,	29.79	756.6	79	...	NW	4	o	,,	29.84	757.8	75	...	NW	4	of
Basco,	14	29.80	756.9	82	57	NE	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.79	756.6	86	49	ENE	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.8	86	61	WNW	2	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	84	64	W	4	o	,,	29.75	755.7	73	92	E	1	o
Legaspi,	,,	29.72	754.8	84	71	...	0	o	,,	29.71	754.5	73	92	SW	2	o
Calbayog,	,,	29.72	754.8	86	68	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.71	754.5	86	71	NW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	82	81	SW	4	o	,,	29.75	755.7	77	91	W	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.78	756.3	75	...	NE	3	r
Guam,	12.22	29.73	755.1	...	...	NNE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	SSW	2	o	5	29.80	756.9	...	...	...	0	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.80	756.9	78	...	WNW	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	77	...	SSE	1	c
Labuan,	14	29.79	756.6	84	83	NE	2	b	6	29.85	758.2	76	94	SW	2	b

October 14*d.* 17*h.* 20*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 113° E., moving W.

October 15*d.* 10*h.* 45*m.*—Pressure is highest over S. Manchuria, and relatively low in a trough extending from S. Annam across the Philippines to the Ladrones; a depression covers Hokkaido.

The depression or typhoon in the China Sea appears to have filled up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total** since January 1st, 68·03 inches, against an average of 79·05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—**Formosa Channel,**	N.E. winds, moderate; fine.
2.—**South coast of China between Hong Kong and Lamocks,**	
3.—**Hong Kong to Gap Rock,**	
4.—**South coast of China between Hong Kong and Hainan,**	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th October, 1929.								16th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.09	764.4	46	...	N	2	c	6	30.09	764.3	47	...	WSW	2	o
Nemuro,	11	29.63	752.5	...	...	SW	5	...	5	30.10	764.5	...	...	SW	1	...
Hakodate,	,,	29.90	759.5	...	...	WNW	5	...	,,	30.14	765.5	...	...	NNW	1	...
Tokio,	,,	29.96	761.0	...	...	SE	1	...	,,	30.08	764.0	...	...	NE	1	...
Kochi,	,,	30.02	762.5	...	...	...	0	...	,,	30.00	762.0	...	...	WSW	1	...
Nagasaki,	,,	30.02	762.5	...	...	E	1	...	,,	30.00	762.0	...	...	SE	1	...
Kagoshima,	,,	30.00	762.0	...	...	E	1	...	,,	29.98	761.5	...	...	NW	1	...
Oshima,	,,	29.98	761.5	...	...	ESE	1	...	,,	29.96	761.0	...	...	SSE	1	...
Naha,	,,	29.96	761.0	...	...	NNE	1	...	,,	29.90	759.5	...	...	ESE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	E	2	...	,,	29.86	758.5	...	...	NE	1	...
Bonin Island,	,,	29.90	759.5	...	...	NNE	1	...	,,	29.94	760.5	...	...	...	0	...
Chefoo,	15	30.05	763.2	65	84	E	1	b	6	29.93	760.2	58	94	SW	1	b
Shanghai,	14	30.05	763.2	63	90	NNE	2	r	,,	30.05	763.2	61	96	NNW	1	o
Gutzlaff,	,,	30.04	763.0	69	85	ENE	1	o	,,	30.07	763.8	65	95	NNW	4	r
Sharp Peak,	,,	29.90	759.4	82	67	E	2	b	7	29.92	759.9	74	81	NE	1	o
Amoy,	,,	29.85	758.2	86	58	SE	2	b	6	29.89	759.2	72	92	ENE	2	b
Swatow,	,,	29.89	759.2	78	75	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.92	759.9	84	64	E	4	b	5	29.87	758.7	73	89	E	4	b
Taichu,	,,	29.92	759.9	86	...	...	0	o	,,	29.84	757.8	66	...	...	0	b
Tainan,	,,	29.91	759.6	90	...	WNW	2	b	,,	29.80	756.9	70	...	...	0	b
Koshun,	,,	29.91	759.6	86	...	NNE	4	b	,,	29.76	756.0	77	...	NNE	2	b
Pescadores,	,,	29.91	759.6	82	...	N	4	b	,,	29.81	757.2	77	...	NE	4	o
Hong Kong,	14	29.87	758.7	81	65	E	3	b	6	29.89	759.2	73	87	...	0	b
Gap Rock,	,,	29.90	759.4	...	...	ENE	4	b	,,	29.88	758.9	...	...	ENE	4	b
Macao,	,,	29.85	758.2	86	61	SE	2	b	,,	29.86	758.4	72	92	N	2	bf
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.4	81	77	NE	5	c	,,	29.82	757.4	77	77	NE	4	b
Phulien,	15	29.89	759.3	86	52	WNW	1	b	7	29.94	760.5	72	94	NW	4	bf
Tourane,	,,	29.75	755.7	77	...	N	4	b	,,	29.81	757.2	73	...	NW	4	b
Cape St. James,	,,	29.79	756.6	81	...	WSW	4	o	,,	29.81	757.2	75	...	E	4	o
Basco,	14	29.76	756.0	82	79	NE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.71	754.5	82	74	NE	4	o	,,	29.72	754.8	75	94	SW	4	r
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.68	753.9	86	61	WNW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	82	74	SW	4	o	,,	29.78	756.3	75	92	NE	1	o
Legaspi,	,,	29.74	755.4	86	68	SW	4	o	,,	29.76	756.0	75	96	SW	2	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	86	78	S	1	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.67	753.6	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	SSE	4	o	5	29.72	754.8	...	...	...	o	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.71	755.4	88	69	SW	2	b	6	29.81	757.2	78	91	SW	...	o

October 15*d*. 17*h*. 55*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 126° E., moving W.N.W.

October 16*d*. 9*h*. 50*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 123° E. moving N.W.

October 16*d*. 10*h*. 04*m*.—Pressure is now highest over N. Japan. The typhoon is situated in the eastern part of the Balintang Channel moving N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 79.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel, ...	N. winds, moderate, probably freshening to a gale.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate, freshening; fine to cloudy.
3.—Hong Kong to Gap Rock	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th October, 1929.								17th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.03	762.6	48	...	SE	7	0	6	29.78	756.3	43	...	NE	2	r
Nemuro,	11	30.12	765.0	...	...	SE	1	...	5	29.90	759.5	...	...	E	1	...
Hakodate,	,,	30.10	764.5	...	...	S	1	...	,,	29.65	753.0	...	...	...	0	...
Tokio,	,,	30.06	763.5	...	...	NE	1	...	,,	29.82	757.5	...	...	SE	1	...
Kochi,	,,	29.98	761.5	...	...	...	0	...	,,	...	...	...	...	...	0	...
Nagasaki,	,,	29.96	761.0	...	...	SE	1	...	,,	30.00	762.0	..	..	NW	1	...
Kagoshima,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.96	761.0	..	...	...	...	...
Oshima,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.96	761.0	...	...	NNW	1	...
Naha,	,,	29.96	761.0	...	...	E	1	...	,,	29.94	760.5	...	...	ENE	1	...
Ishigakijima,	,,	29.90	759.5	...	...	E	3	...	,,	29.84	758.0	...	...	ENE	4	...
Bonin Island,	,,	29.90	759.5	...	...	SE	1	...	,,	29.92	760.0	...	...	...	0	...
Chefoo,	15	29.89	759.2	60	94	NW	7	0	6	30.10	764.5	58	90	N	2	b
Shanghai,	14	30.04	762.9	75	49	WNW	2	b	,,	30.19	766.8	50	87	NW	1	b
Gutzlaff,	,,	30.06	763.5	74	63	NNW	2	b	,,	30.21	767.3	63	57	NNW	6	c
Sharp Peak,	,,	29.89	759.2	81	71	E	4	b	7	30.03	762.7	72	71	E	1	0
Amoy,	,,	29.81	757.2	88	52	NE	4	b	6	30.98	761.5	73	74	NE	6	b
Swatow,	,,	29.84	757.9	80	75	E	2	b	,,	29.98	761.5	71	95	N	1	c
Taihoku,	11	29.80	759.3	81	73	E	4	0	5	29.99	761.7	72	84	NE	2	0
Taichu,	,,	29.82	757.5	83	...	..	0	0	,,	...	..	..	...	...	...	...
Tainan,	,,	29.81	757.2	90	...	NNW	2	0	,,	...	...	...	...	...		...
Koshun,	,,	29.80	756.9	84	...	NNE	4	0	,,	..	...	...	...	...	...	...
Pescadores,	,,	29.86	758.4	77	...	NNE	6	0	,,	...	...	...	...	...	...	...
Hong Kong,	14	29.84	757.9	86	49	E	2	b	6	29.95	760.7	74	56	N	3	b
Gap Rock,	,,	29.87	758.7	...	...	N	3	b	,,	...	...	...	...	...	...	...
Macao,	,,	29.85	758.2	86	49	NE	2	b	,,	29.92	759.9	72	70	N	4	b
Hoihow,	,,	29.88	759.2	84	69	ENE	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	..	29.82	757.4	82	74	NNE	5	c	,,	29.89	759.2	78	76	NE	6	b
Phulien,	15	29.87	758.7	90	44	NE	1	b	7	29.93	760.8	73	82	NE	2	bf
Tourane,	,,	29.78	756.3	77	...	NW	4	0	,,	29.80	756.9	75	...	NW	4	c
Cape St. James,	,,	29.80	756.9	81	...	ENE	2	0	,,	...	...	...	...	...	...	...
Basco,	14	29.61	752.1	79	84	NW	6	0	6	29.79	756.6	77	86	N	4	0
Aparri,	,,	29.72	754.8	81	84	W	4	1	,,	29.82	757.5	73	96	SW	2	0
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.8	84	71	NNW	4	0	,,	29.81	757.2	77	94	W	1	0
Manila,	,,	29.74	755.4	86	61	WSW	2	0	,,	29.82	757.5	77	91	NW	2	r
Legaspi,	,,	29.73	755.1	86	71	WSW	4	0	,,	29.79	756.6	77	94	SW	2	b
Calbayog,	,,	29.76	756.0	86	75	...	...	...	,,	29.81	757.2	73	96	N	1	b
Tacloban,	,,	29.75	755.7	86	75	S	2	b	,,	29.82	757.5	75	91	NW	1	b
Iloilo,	,,	29.76	756.0	86	75	S	4	0	,,	...	...	...	...	...	...	...
Cebu,	,,	29.76	756.0	86	65	SSW	4	0	,,	29.80	756.9	77	84	...	0	0
Surigao,	,,	29.74	755.4	86	68	WSW	2	0	,,	29.79	756.6	79	89	W	1	0
Saipan,	...	...	...	...	...	...	...	...	5	29.73	755.1	78	...	SE	5	c
Guam,	12.22	29.63	752.7	...	...	SE	4	0	4.22	..	...	...	...	..	...	...
Yap,	11.00	29.71	754.5	...	...	WNW	2	0	5	29.71	754.5	.	...	NNW	4	0
Pelew,	...	...	...	...	...	...	...	...	,,	29.76	756.0	76	...	WNW	3	c
Ponape,	...	...	...	...	..	...	..	...	..	29.77	756.1	82	...	WNW	2	c
Labuan,	14	29.81	757.2	86	76	SW	4	b	6	29.87	758.7	76	91	...	0	0

October 16*d*. 16*h*. 10*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 123° E., stationary or very slow.

October 17*d*. 10*h*. 45*m*.—An anticyclone of moderate intensity covers N. China, and a depression is situated in the Sea of Japan.

The typhoon has recurved north-eastward and is probably filling up; another typhoon is situated about 250 miles east of Yap, probably moving W.N.W.

Fresh monsoon may be expected along the coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 79.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	18th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.88	759.0	43	...	N	5	o	6	30.15	765.9	39	...	N	2	b
Nemuro,	11	29.67	753.5	...	...	WSW	1	...	5	29.73	755.0	...	...	NNW	3	...
Hokodate,	,,	29.55	750.5	...	...	SSW	3	...	,,	29.76	756.0	..	...	NW	1	...
Tokio,	,,	29.72	755.0	...	...	...	0	...	,,	29.92	760.0	...	...	NW	1	...
Kochi,	,,	29.85	759.0	...	...	WSW	1	...	,,	30.08	764.0	...	...	WSW	1	...
Nagasaki,	,,	30.04	763.0	...	...	WNW	2	...	,,	30.10	764.5	..	...	...	0	...
Kagoshima,	,,	29.98	761.5	...	...	...	0	...	,,	30.08	764.0	..	...	NW	1	...
Oshima,	,,	29.98	761.5	...	...	N	2	...	,,	30.02	762.5	...	...	N	3	...
Naha,	,,	29.94	760.5	...	...	NNE	3	...	,,	29.98	761.5	...	...	NNE	5	...
Ishigakijima,	,,	29.85	759.0	...	...	NNE	4	...	,,	29.96	761.0	...	...	NNE	3	...
Bonin Island,	,,	29.90	759.5	...	...	E	1	...	,,	29.88	759.0	...	...	SE	1	...
Chefoo,	15	30.16	766.0	63	94	NNW	2	b	6	30.19	766.8	48	93	...	0	b
Shanghai,	14	30.21	767.4	72	29	NNE	2	b	,,	30.25	768.3	50	90	NNE	1	b
Gutzlaff,	,,	30.24	768.1	70	48	N	4	b	,,	30.26	768.6	64	68	NNE	4	o
Sharp Peak,	,,	30.00	762.0	75	60	ENE	4	b	7	30.07	763.8	69	65	NW	2	b
Amoy,	,,	29.97	761.2	82	52	E	6	b	6	30.05	763.2	69	65	NNE	6	b
Swatow,	,,	29.96	761.0	78	79	E	2	c	,,	30.01	762.2	68	90	N	2	b
Taiboku,	11	30.06	763.5	73	75	NE	2	o	5	30.06	763.5	68	83	E	2	o
Taichu,	,,	29.94	760.5	79	...	NE	2	b	,,	29.94	760.5	64	...	...	0	c
Tainan,	,,	29.91	759.6	84	...	NNE	2	b	,,	29.91	759.6	66	...	...	0	b
Koshun,	,,	29.88	759.0	85	...	NNE	2	o	,,	29.87	758.7	73	...	NNE	4	b
Pescadores,	,,	29.95	760.8	81	...	NNE	7	b	,,	29.93	760.2	73	...	NNE	6	b
Hong Kong,	14	29.93	760.2	82	52	ESE	2	b	6	29.98	761.5	73	76	ENE	2	c
Gap Rock,	,,	29.95	760.8	...	...	ENE	4	b	,,	29.95	760.8	...	...	ENE	5	o
Macao,	,,	29.99	761.7	77	40	ENE	1	b	,,	30.02	762.6	72	75	ENE	1	o
Hoihow,	,,	..	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.90	759.4	80	72	NE	5	c	,,	29.92	759.9	77	74	NE	5	c
Phulien,	15	29.91	759.6	90	45	SE	2	b	7	29.99	761.7	73	...	NNE	4	bf
Tourane,	,,	29.79	756.6	79	...	NNE	4	o	,,	29.75	755.7	75	...	NE	6	of
Cape St. James,	,,	29.79	756.6	81	...	NNW	4	o	,,	...	...	...	...	...	...	...
Basco,	14	29.79	756.6	79	89	NNE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.79	756.6	81	84	NNW	2	r	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	84	71	NW	4	o	,,	29.79	756.6	75	91	NNW	1	b
Manila,	,,	29.78	756.3	86	68	W	4	o	,,	29.81	757.2	75	94	N	2	o
Legaspi,	,,	29.74	755.4	86	78	WSW	4	b	,,	29.75	755.7	79	87	WSW	4	o
Calbayog,	,,	29.76	756.0	86	75	SSW	4	o	,,	...	...	..	...	...	...	...
Tacloban,	,,	29.76	756.0	86	71	NW	6	o	,,	29.78	756.3	79	90	NW	4	o
Iloilo,	,,	29.76	756.0	86	75	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.75	755.7	90	48	SW	2	o	,,	29.76	756.0	75	67	SW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	82	77	NNW	4	o
Saipan,	...	..	...	...	...	...	...	...	5	29.71	754.6	77	...	SSW	3	r
Guam,	12.22	29.66	753.3	...	...	SE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.65	753.0	...	...	W	2	o	5	29.68	753.9	..	...	WSW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.74	755.4	80	...	W	4	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.77	756.1	78	...	SW	1	c
Labuan,	14	29.78	756.4	86	88	NW	2	b	6	29.84	757.9	80	87	SW	6	b

October 18*d.* 10*h.* 48*m.*—The anticyclone remains stationary over N. China and continues to increase in intensity; depressions are situated to the east of Hokkaido, and near the coast of S. Annam to the S.W. of the Paracels.

The typhoon is more than 150 miles north-east of Yap moving W.N.W. or N.W.

Fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 79.39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fair.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	19th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.12	765.0	53	...	N	1	b	6	30.01	762.1	49	...	SE	2	o
Nemuro,	11	29.88	759.0	...	...	N	3	...	5	30.14	765.5	...	...	S	1	...
Hokodate,	,,	29.90	759.5	...	...	NNW	3	...	,,	30.12	765.0	..	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	NNW	1	...	,,	30.10	764.5	...	...	WNW	1	...
Kochi,	,,	30.08	764.0	...	...	NE	1	...	,,	30.08	764.0	...	...	WSW	1	...
Nagasaki,	,,	30.12	765.0	...	...	NNE	1	...	,,	30.12	765.0	..	...	...	0	...
Kagoshima,	,,	30.10	764.5	...	...	NE	1	...	,,	30.06	763.5	..	...	NW	1	...
Oshima,	,,	30.04	761.0	...	...	NNE	3	...	,,	30.00	762.0	...	...	NNE	2	...
Naha,	,,	30.00	762.0	...	...	NNE	4	...	,,	29.96	761.0	..	...	NNE	2	...
Ishigakijima,	,,	30.02	762.5	...	...	NE	4	...	,,	29.98	761.5	..	...	NNE	1	...
Bonin Island,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.84	758.0	...	...	...	0	...
Chefoo,	15	30.13	765.3	69	100	ESE	2	b	6	30.08	764.0	58	81	SW	2	b
Shanghai,	14	30.22	767.7	73	38	ENE	1	b	,,	30.19	766.8	46	100	E	1	b
Gutzlaff,	,,	30.26	768.6	71	45	NE	2	o	,,	30.23	767.8	60	65	NNE	1	b
Sharp Peak,	,,	30.05	763.2	78	61	ENE	4	b	7	30.06	763.5	68	79	N	2	b
Amoy,	,,	29.98	761.5	80	58	NE	4	b	6	30.03	762.7	69	70	NNE	6	b
Swatow,	,,	30.00	762.0	78	79	E	2	b	,,	30.02	762.5	64	90	N	1	b
Taihoku,	11	...	...	81	50	E	4	b	5	30.04	762.9	64	84	ENE	2	b
Taichu,	,,	29.95	760.8	82	...	NNW	2	b	,,	29.97	761.1	64	...	...	0	b
Tainan,	,,	29.94	760.5	84	...	WNW	2	b	,,	29.92	759.9	66	...	...	0	b
Koshun,	,,	29.93	760.2	82	...	NE	6	b	,,	29.92	759.9	73	...	NNE	4	o
Pescadores,	,,	29.99	761.7	79	...	NNE	6	b	,,	29.93	760.2	72	...	NNE	6	b
Hong Kong,	14	29.96	761.0	77	57	E	3	b	6	30.00	762.0	72	72	ENE	2	b
Gap Rock,	,,	29.96	761.0	...	...	ENE	5	b	,,	29.98	761.5	...	...	ENE	4	o
Macao,	,,	29.93	760.2	84	60	SE	2	b	,,	29.98	761.4	73	79	ENE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.2	81	68	NE	5	b	,,	29.95	760.7	76	78	NE	5	o
Phulien,	15	29.91	759.6	86	52	SE	2	b	7	29.99	761.7	73	86	NE	4	b
Tourane,	,,	29.71	754.5	75	...	ESE	6	o	,,	29.76	756.0	73	...	ESE	4	of
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.81	757.2	75	92	NE	6	r	6	...	...	...	...	...	...	...
Aparri,	,,	29.73	755.1	81	84	NNE	6	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Vigan,	,,	29.72	754.8	84	71	NNW	4	b	,,	29.74	755.4	75	...	NNW	4	o
Manila,	,,	29.74	755.4	84	77	SW	4	o	,,	29.76	756.0	77	94	NE	1	o
Legaspi,	,,	29.71	754.5	81	89	WSW	4	o	,,	29.66	753.3	75	94	W	4	o
Calbayog,	,,	29.73	755.1	82	84	W	4	r	,,	...	...	..	...	...	...	...
Tacloban,	,,	29.72	754.8	86	75	NW	6	o	,,	29.66	753.3	81	76	NW	6	r
Iloilo,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	29.73	755.1	86	56	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.69	754.2	81	96	WSW	6	o
Saipan,	...	..	...	...	...	...	...	...	5	29.72	754.9	78	...	ESE	4	r
Guam,	12.22	29.67	753.6	...	...	NE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.65	753.0	...	...	WSW	2	o	5	29.73	755.1	..	...	W	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.71	754.6	82	...	WSW	4	e
Ponape,	...	...	...	...	...	...	...	...	,,	29.79	756.6	79	...	S	1	e
Labuan,	14	29.80	756.9	84	83	SW	2	b	6	29.88	758.9	77	86	SW	2	b

October 19d. 11h. 18m.—The anticyclone has weakened and spread eastward to Japan; a depression remains over S. Annam.

The typhoon appears to be situated more than 400 miles E. of Manila moving W.N.W. or N.W.

Moderate monsoon will prevail along the south east coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 79.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th October, 1929.								20th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.97	761.3	52	...	...	0	r	6	30.08	763.9	34	...	N	3	b
Nemuro,	11	30.14	765.5	...	...	S	3	...	5	30.00	762.0	...	...	SSE	2	...
Hokodate,	,,	30.08	764.0	...	...	S	1	...	,,	29.84	758.0	...	...	N	1	...
Tokio,	,,	30.08	764.0	...	...	NNW	1	...	,,	29.86	758.5	...	...	N	1	...
Kochi,	,,	30.02	762.5	...	...	SW	1	...	,,	29.92	760.0	...	...	WSW	1	...
Nagasaki,	,,	30.14	765.5	...	...	ENE	1	...	,,	30.00	762.0	...	...	...	...	...
Kagoshima,	,,	30.04	76[illegible]0	...	...	NW	1	...	,,	29.98	761.5	...	...	...	0	...
Oshima,	,,	29.98	761.5	...	...	NNE	1	...	,,	29.92	760.0	...	...	N	2	...
Naba,	,,	29.96	761.0	...	...	NNE	4	...	,,	29.92	760.0	...	...	NE	2	...
Ishigakijima,	,,	30.00	762.0	...	...	NNE	3	...	,,	29.94	760.5	...	...	NNE	2	...
Bonin Island,	,,	29.82	757.5	...	...	SE	1	...	,,	29.80	757.0	...	...	S	1	...
Chefoo,	15	30.17	766.3	64	76	N	2	b	6	30.28	769.1	54	80	N	2	b
Shanghai,	14	30.17	766.2	73	32	NE	1	b	,,	30.17	766.2	54	88	NW	2	b
Gutzlaff,	,,	30.20	767.1	74	47	NNE	1	b	,,	30.21	767.3	60	82	NNW	4	o
Sharp Peak,	,,	29.94	760.5	76	82	ESE	2	b	7	30.05	763.2	70	70	NE	2	o
Amoy,	,,	29.98	761.5	81	56	E	4	b	6	30.03	762.7	68	72	N	4	b
Swatow,	,,	29.98	761.5	78	79	E	2	b	,,	...	...	...	...	...	...	...
Taiboku,	11	30.07	763.8	81	50	NE	4	b	5	30.05	763.2	61	84	E	2	b
Taichu,	,,	29.98	761.4	81	...	NNW	4	b	,,	29.95	760.8	63	...	NNE	2	b
Tainan,	,,	29.94	760.5	86	...	NNW	2	b	,,	29.92	759.9	64	...	N	2	o
Koshun,	,,	29.95	760.8	81	...	NE	6	b	,,	29.92	759.9	70	...	NE	2	b
Pescadores,	,,	29.99	761.7	79	...	NE	6	b	,,	...	...	...	...	...	...	...
Hong Kong,	14	29.9[illegible]	761.5	77	57	ESE	3	b	6	29.98	761.5	73	78	ENE	2	b
Gap Rock,	,,	29.96	761.0	...	...	ENE	5	b	,,	29.98	761.5	...	...	E	4	o
Macao,	,,	29.94	760.5	85	56	SE	2	b	,,	29.94	760.5	70	83	NNE	2	of
Hoihow,	,,	29.93	760.2	82	69	E	1	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.92	759.9	80	75	NE	5	b	,,	29.94	760.5	74	76	NE	5	b
Phulien,	15	29.94	760.5	86	58	SE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.80	756.9	77	...	ESE	4	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.84	757.8	79	61	NE	4	o	6	29.85	758.1	75	65	NE	4	o
Aparri,	,,	29.81	757.2	81	69	NE	6	o	,,	29.82	757.5	77	72	N	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	86	71	W	2	o	,,	29.76	756.0	75	96	E	2	o
Legaspi,	,,	29.67	753.6	79	91	W	2	o	,,	29.67	753.6	75	92	...	0	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.66	753.3	79	89	W	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	79	89	SW	6	o	,,	29.75	755.7	75	96	SW	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.68	753.9	79	84	SW	6	r
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.66	753.3	...	...	SSW	4	o	4.22	29.71	754.5	...	...	NW	1	c
Yap,	11.00	29.72	754.8	...	...	SW	2	o	5	29.73	755.1	...	...	SSW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	83	69	SW	7	b	6	29.83	757.7	82	83	...	0	b

October 20*d.* 11*h.* 05*m.*—The anticyclone is strengthened over N. China. A depression is crossing Japan to the north of Tokio.

The typhoon remains in the Pacific to the east of S. Luzon; it appears to have recurved and its position is uncertain.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 79·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21ST.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th October, 1929.								21st October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.04	763.0	42	...	N	3	b	6	29.96	761.0	39	...	N	5	o
Nemuro,	11	29.92	760.0	...	...	S	2	...	5	29.69	754.0	...	...	E	3	...
Hokodate,	,,	29.78	756.5	...	...	SE	1	...	,,	29.67	753.5	...	...	...	0	...
Tokio,	,,	29.78	756.5	...	...	NNW	1	...	,,	29.75	755.5	...	...	NW	2	...
Kochi,	,,	29.86	758.5	...	...	SW	1	...	,,	29.98	761.5	...	...	WSW	1	...
Nagasaki,	,,	29.98	761.5	...	...	NNW	3	...	,,	30.04	763.0	...	...	...	0	...
Kagoshima,	,,	29.96	761.0	...	...	NNW	1	...	,,	30.02	762.5	...	...	NW	1	...
Oshima,	,,	29.96	761.0	...	...	N	4	...	,,	29.94	760.5	...	...	N	2	...
Naha,	,,	29.94	760.5	...	...	NNE	6	...	,,	29.92	760.0	...	...	NE	3	...
Ishigakijima,	,,	29.94	760.5	...	...	NNE	3	...	,,	29.92	760.0	...	..	NNE	3	...
Bonin Island,	,,	29.78	756.5	...	...	S	2	...	,,	29.75	755.5	...	...	SSW	1	...
Chefoo,	15	30.24	768.1	58	76	NNW	4	b	6	30.16	766.0	54	89	N	1	b
Shanghai,	14	30.21	767.4	70	49	N	4	b	,,	30.21	767.4	46	92	NNW	1	o
Gutzlaff,	,,	30.21	767.3	68	60	N	6	o	,,	30.21	767.3	62	56	NNE	4	o
Sharp Peak,	,,	29.99	761.7	73	63	ENE	4	b	7	30.03	762.7	69	75	NE	2	o
Amoy,	,,	29.94	760.5	82	52	E	4	b	6	30.00	762.0	68	74	NNE	4	b
Swatow,	,,	30.03	762.7	75	82	E	2	b	,,	30.12	765.0	69	76	NE	2	b
Taihoku,	11	30.05	763.2	81	46	NE	4	b	5	30.02	762.6	64	92	E	2	o
Taichu,	,,	29.97	761.1	77	...	NNW	4	c	,,	29.95	760.8	64	...	...	0	o
Tainan,	,,	29.94	760.5	82	...	N	2	b	,,	29.91	759.6	64	...	NE	2	b
Koshun,	,,	29.93	760.2	79	...	NNE	4	b	,,	29.91	759.6	72	...	NE	4	b
Pescadores,	,,	29.94	760.5	79	...	NNE	6	b	,,	29.92	759.9	72	...	NNE	6	b
Hong Kong,	14	29.96	761.0	78	61	ESE	3	b	6	29.98	761.5	73	67	ENE	2	c
Gap Rock,	,,	29.97	761.2	...	...	ENE	4	b	,,	29.97	761.2	...	...	ENE	4	b
Macao,	,,	29.94	760.5	82	65	ESE	2	b	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.92	759.9	80	63	NE	6	c	,,	29.94	760.5	75	66	NE	5	b
Phulien,	15	29.94	760.5	86	58	SSE	4	o	7	29.95	760.8	75	86	SSE	1	of
Tourane,	,,	29.85	758.1	77	...	E	2	o	,,	29.89	759.3	72	...	SE	2	o
Cape St. James,	,,	29.89	759.3	81	...	ENE	4	o	,,	29.92	759.9	75	...	E	4	of
Basco,	14	29.80	756.9	79	61	NNE	4	o	6	...	...	...	...	..	..	...
Aparri,	,,	29.78	756.3	79	66	N	4	o	,,	29.79	756.6	77	64	N	6	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	86	58	NW	4	o	,,	29.74	755.4	70	92	NE	1	o
Legaspi,	,,	29.65	753.0	84	77	NNW	2	o	,,	...	...	...	...	...	...	...
Calbayog,	,,	...	...	...	...	...	..	...	,,	...	...	..	...	...	...	...
Tacloban,	,,	..	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.71	754.5	82	84	SW	2	o	,,	...	...	..	...	...	...	...
Cebu,	,,	...	...	...		...	...	...	,,		..	...	...	...	...	...
Surigao,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.73	755.1	...	...	NW	1	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	SSW	4	o	5	29.78	756.3	..	...	SSW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	90	66	SW	2	b	6	29.86	758.4	77	94	SW	2	b

October 21*d.* 10*h.* 00*m.*—The anticyclone over N. China has weakened slightly; depressions are situated over Hokkaido and to the south-east of Tokio.

The typhoon remains practically stationary about 500 miles east of S. Luzon.

Fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 79.69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	22nd October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.99	761.7	45	...	NNE	5	b	6	30.14	765.5	39	...	N	1	b
Nemuro,	11	29.63	752.5	...	...	NE	2	...	5	29.65	753.0	...	...	NNE	1	...
Hokodate,	,,	29.6	752.5	...	...	WSW	1	...	,,	29.78	756.5	...	...	...	0	...
Tokio,	,,	29.76	756.0	...	...	NNW	2	...	,,	29.88	759.0	...	...	NNW	1	...
Kochi,	,,	29.96	761.0	...	...	SW	1	...	,,	30.04	763.0	...	...	...	0	...
Nagasaki,	,,	30.00	762.0	...	...	NNE	1	...	,,	30.04	763.0	...	...	NE	1	...
Kagoshima,	,,	30.00	762.0	...	...	E	1	...	,,	30.00	762.0	...	...	WNW	1	...
Oshima,	,,	29.98	761.5	...	...	N	2	...	,,	29.96	761.0	...	...	SSE	1	...
Naha,	,,	29.92	760.0	...	...	NE	4	...	,,	29.86	758.5	...	...	NNE	5	...
Ishigakijima,	,,	29.96	761.0	...	...	N	3	...	,,	29.85	758.5	...	...	NNE	2	...
Bonin Island,	,,	29.76	756.0	...	...	...	0	...	,,	29.86	758.5	...	...	NNE	1	...
Chefoo,	15	30.13	765.3	60	100	NW	2	b	6	30.15	765.8	52	100	...	0	b
Shanghai,	14	30.14	765.6	64	53	N	1	o	,,	30.18	766.5	50	95	N	1	b
Gutzlaff,	,,	30.17	766.3	66	59	NNW	4	o	,,	30.18	766.6	62	72	N	4	b
Sharp Peak,	,,	29.98	761.5	75	60	ENE	2	b	7	29.98	761.5	68	70	NNW	2	o
Amoy,	,,	29.94	760.5	84	57	E	4	b	6	29.96	761.0	69	65	N	4	b
Swatow,	,,	29.97	761.2	73	78	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	...	...	73	62	ENE	2	o	5	29.97	761.1	64	92	...	0	o
Taichu,	,,	29.97	761.1	79	...	N	2	b	,,	29.89	759.3	59	...	...	0	b
Tainan,	,,	29.92	759.9	84	...	N	2	b	,,	29.86	758.4	61	...	NNE	2	b
Koshun,	,,	29.91	759.6	...	...	NE	4	b	,,	29.84	757.8	72	...	NE	4	b
Pescadores,	,,	29.95	760.8	77	...	NE	7	b	,,	29.88	759.0	72	...	NNE	6	b
Hong Kong,	14	29.94	760.5	76	62	E	2	o	6	29.93	760.2	71	78	NNE	1	b
Gap Rock,	,,	29.96	761.0	...	...	E E	4	b	,,	29.94	760.5	...	...	ENE	4	c
Macao,	,,	29.93	760.2	84	55	SE	2	o	,,	29.91	759.6	70	82	N	2	of
Hoihow,	,,	30.01	762.2	83	66	ESE	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.90	759.4	79	66	NE	5	bc	,,	29.89	759.2	74	68	NE	6	bc
Phulien,	15	29.89	759.3	86	68	SSE	4	b	7	29.91	759.6	75	89	S	4	of
Tourane,	,,	29.85	758.1	81	...	SE	2	b	,,	29.86	758.4	73	...	SW	2	b
Cape St. James,	,,	29.86	758.4	79	...	ENE	6	o	,,	29.88	759.0	77	...	ENE	6	cf
Basco,	14	29.78	756.3	73	72	NE	4	o	6	29.82	757.5	75	63	NE	4	o
Aparri,	,,	29.75	755.7	75	71	NE	6	r	,,	29.73	755.1	75	79	NNE	6	r
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.71	754.5	82	57	N	6	o	,,	29.72	754.8	72	78	NNW	4	o
Manila,	,,	29.69	754.2	84	68	WSW	2	o	,,	29.69	754.2	72	91	NNE	2	o
Legaspi,	,,	29.63	752.7	77	92	WSW	2	o	,,	29.69	754.2	75	96	...	0	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.68	753.9	77	89	W	2	o
Tacloban,	,,	29.65	753.0	81	76	W	4	o	,,	29.66	753.3	77	84	SW	2	o
Iloilo,	,,	29.68	753.9	84	71	SW	4	o	,,	29.72	754.8	75	88	W	2	r
Cebu,	,,	29.67	753.6	84	60	SW	4	o	,,	29.72	754.8	79	73	SW	4	o
Surigao,	,,	29.63	752.7	79	76	WSW	6	o	,,	29.71	754.5	77	79	SW	4	o
Saipan,	...	...	...	...	...	...	...	...	5	29.81	757.2	76	...	SE	1	c
Guam,	12.22	29.74	755.4	...	...	SE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	SSW	2	o	5	29.82	757.5	...	...	...	0	b
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.5	80	...	SW	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.9	79	...	...	0	c
Labuan,	14	29.82	757.5	86	76	SW	7	b	6	29.83	757.7	82	84	SW	4	b

October 22*d.* 10*h.* 10*m.*—The anticyclone covers N. China and S. Manchuria and has increased slightly in intensity; the depression has passed into the Pacific to the east of Hokkaido.

The typhoon is situated about 350 miles east of S. Luzon, and appears to have resumed a W.N.W. or N.W. track.

Fresh monsoon will continue along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 79.78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

C. W. JEFFRIES

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd October, 1929.								23rd October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.13	765.3	56	...	NE	3	b	6	30.24	768.0	39	...	...	0	b
Nemuro,	11	29.84	758.0	...	...	NNW	4	...	5	30.18	766.5	...	...	SW	1	...
Hokodate,	,,	29.94	760.5	...	...	NNW	3	...	,,	30.16	766.0	...	...	...	...	...
Tokio,	,,	29.96	761.0	...	...	N	1	...	,,	30.14	765.5	...	...	NW	1	...
Kochi,	,,	30.04	763.0	...	...	...	0	...	,,	30.10	764.5	...	...	SW	1	...
Nagasaki,	,,	30.06	763.5	...	...	NW	1	...	,,	30.10	764.5	...	...	NE	1	...
Kagoshima,	,,	30.02	762.5	...	...	NE	1	...	,,	30.08	764.0	...	...	WNW	1	...
Oshima,	,,	29.04	760.5	...	...	NNE	2	...	,,	29.94	760.5	...	...	NNE	1	...
Naha,	,,	29.86	758.5	...	...	NNE	5	...	,,	29.84	758.0	...	...	NE	4	...
Ishigakijima,	,,	29.86	758.5	...	...	NE	4	...	,,	29.80	757.0	...	...	NNE	4	...
Bonin Island,	,,	29.86	758.5	...	...	ENE	1	...	,,	29.84	758.0	...	...	ENE	1	...
Chefoo,	15	30.14	765.5	65	100	NW	4	b	6	30.15	765.8	48	100	...	0	b
Shanghai,	14	30.15	765.9	68	43	NNE	2	o	,,	30.17	766.2	52	92	NE	1	o
Gutzlaff,	,,	30.18	766.6	71	53	NNE	4	o	,,	30.19	766.8	62	61	NE	4	o
Sharp Peak,	,,	29.93	760.2	76	60	ENE	4	b	7	29.76	761.0	66	68	NE	2	b
Amoy,	,,	29.90	759.4	80	55	E	4	b	6	29.92	759.9	68	65	N	4	b
Swatow,	,,	29.93	760.2	73	78	E	2	b	,,	30.01	762.2	70	95	NE	2	b
Taihoku,	11	29.98	761.4	77	54	ENE	4	b	5	29.94	760.5	66	80	ESE	2	o
Taichu,	,,	29.88	759.0	79	...	NNW	2	b	,,	29.85	758.1	66	...	.	0	b
Taitan,	,,	29.86	758.4	82	...	W	2	b	,,	29.82	757.5	64	...	N	2	b
Koshun,	,,	29.85	758.1	81	...	NE	4	b	,,	29.81	757.2	70	...	NE	2	b
Pescadores,	,,	29.89	759.3	79	...	NE	6	b	,,	29.85	758.1	72	...	NE	6	b
Hong Kong,	14	29.89	759.2	81	42	NNE	2	b	6	29.93	760.2	71	81		0	cm
Gap Rock,	,,	29.90	759.4	...	...	ENE	4	b	,,	29.92	759.9	...	...	NNE	4	o
Macao,	,,	29.87	758.7	79	45	NE	4	b	,,	29.89	759.3	70	74	NNW	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	78	66	NE	5	c	,,	29.86	758.4	74	71	NE	5	c
Phulien,	15	29.86	758.4	73	96	NE	4	o	7	29.94	760.5	70	88	NE	4	o
Tourane,	,,	29.80	756.9	82	...	SE	2	b	,,	29.84	757.8	73	...	S	2	b
Cape St. James,	,,	29.85	758.1	79	...	ENE	6	b	,,	29.85	758.1	75	...	ENE	4	bf
Basco,	14	29.69	754.2	77	76	NNE	4	o	6	29.72	754.8	75	71	NE	6	o
Aparri,	,,	29.71	754.5	75	85	NNW	6	o	,,	29.72	754.8	75	76	N	4	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.67	753.6	81	59	NNW	6	o	,,	29.72	754.8	72	82	N	4	o
Manila,	,,	29.67	753.6	82	67	NW	2	o	,,	29.72	754.8	73	92	NNE	1	o
Legaspi,	,,	29.63	752.7	84	77	WSW	4	o	,,	29.69	754.2	77	92	SW	1	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	75	86	NW	2	o
Iloilo,	,,	29.68	753.9	82	70	SW	6	o	,,	29.72	754.8	79	80	SW	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	79	73	SW	4	o
Surigao,	,,	29.66	753.3	84	64	WSW	4	o	,,	29.74	755.4	79	73	WSW	4	o
Saipan,	...	...	...	...	...	...	...	...	5	29.82	757.2	75	...	N	2	c
Guam,	12.22	29.75	755.7	...	...	N	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	S	2	o	5	29.84	757.8	..	...	SSE	1	b
Peliew,	...	...	...	...	...	...	...	...	,,	29.83	757.7	77	...	SW	1	b
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.9	79	...	...	0	c
Labuan,	14	29.79	756.6	86	84	NE	2	b	6	29.85	758.2	76	91	SW	1	o

October 23*d.* 10*h.* 45*m.*—The anticyclone is now central over S. Manchuria; the typhoon remains to the east of Luzon, and appears to be moving slowly northward.

Fresh monsoon will prevail along the south-east coast of China, and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 79·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; cloudy.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Observer.)	24th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force. (Beaufort.)	Weather. (Observer.)
Wladivostock,	12	30.20	767.0	53	...	ENE	2	b	6	30.34	770.6	41	...	...	0	o
Nemuro,	11	30.20	767.0	...	...	S	1	...	5	30.14	765.5	...	...	SSW	2	...
Hokodate,	,,	30.18	766.5	...	...	...	0	...	,,	30.26	768.5	...	...	...	0	...
Tokio,	,,	30.16	766.0	...	...	N	1	...	,,	30.30	769.5	...	...	NNW	1	...
Kochi,	,,	30.08	764.0	...	...	SW	1	...	,,	30.16	766.0	...	...	WSW	1	...
Nagasaki,	,,	30.10	764.5	...	...	NE	3	...	,,	30.10	764.5	...	...	...	0	...
Kagoshima,	,,	30.06	763.5	...	...	ENE	1	...	,,	30.04	763.0	...	...	ENE	1	...
Oshima,	,,	29.96	761.0	...	...	NE	2	...	,,	29.90	759.5	...	...	NNE	1	...
Naha,	,,	20.82	757.5	...	...	ENE	6	...	,,	29.79	754.0	...	...	NE	6	...
Ishigakijima,	,,	29.80	757.0	...	...	NNE	3	...	,,	29.69	754.0	...	...	NNE	5	...
Bonin Island,	,,	29.84	758.0	...	...	ENE	1	...	,,	29.06	761.0	...	...	NNE	1	...
Chefoo,	15	30.16	766.0	65	91	ESE	1	o	6	30.38	771.6	50	100	SSE	1	o
Shanghai,	14	30.13	765.3	72	43	NE	2	b	,,	30.12	765.0	59	96	ENE	1	b
Gutzlaff,	,,	30.06	763.5	71	53	NNE	2	b	,,	30.14	765.5	66	75	NNE	4	b
Sharp Peak,	,,	29.92	759.9	73	63	ENE	4	o	7	29.94	760.5	69	80	NNE	2	o
Amoy,	,,	29.89	759.2	80	55	ENE	4	b	6	29.91	759.7	67	74	N	2	b
Swatow,	,,	29.92	759.9	74	78	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.95	760.8	72	75	ESE	4	o	5	29.87	758.7	66	94	NE	4	r
Taichu,	,,	29.86	758.4	79	...	N	2	b	,,	29.86	758.4	66	...	...	0	b
Tainan,	,,	29.84	757.8	84	...	N	2	b	,,	29.82	757.5	64	...	...	0	b
Koshun,	,,	29.82	757.5	82	...	NE	4	b	,,	29.80	756.9	66	...	...	0	o
Pescadores,	,,	29.87	758.7	81	...	NNE	6	b	,,	29.85	758.1	73	...	NNE	6	o
Hong Kong,	14	29.89	759.2	76	66	...	0	o	6	29.92	759.9	72	77	...	0	b
Gap Rock,	,,	29.92	759.9	...	...	E	4	o	,,	29.93	760.2	...	...	ENE	4	c
Macao,	,,	29.85	758.1	77	61	ESE	1	o	,,	29.89	759.3	70	92	...	0	bf
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	75	69	NE	5	bc	,,	29.89	759.2	74	72	NE	5	bc
Phulien,	15	29.92	759.9	77	72	E	2	o	7	29.94	760.5	70	85	NE	4	of
Tourane,	,,	29.79	756.6	82	...	SE	2	b	,,	29.84	757.8	72	...	SSW	2	b
Cape St. James,	,,	29.82	757.5	79	...	E	6	b	,,	29.87	758.7	75	...	ENE	4	bf
Basco,	14	29.68	753.9	77	68	NNE	4	o	6	29.73	755.1	75	79	NNW	4	o
Aparri,	,,	29.71	754.5	82	67	NNW	4	o	,,	29.76	756.0	77	84	NW	4	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.69	754.2	82	60	N	6	o	,,	29.75	755.7	72	87	NNW	2	b
Manila,	,,	29.69	754.2	80	58	W	4	o	,,	29.76	756.0	73	96	NE	1	o
Legaspi,	,,	29.68	753.9	86	71	SW	4	b	,,	29.78	756.3	73	98	SW	1	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.71	754.5	82	77	NE	4	o	,,	29.81	757.2	73	96	W	2	b
Iloilo,	,,	29.71	754.5	86	71	SW	4	o	,,	29.79	756.6	77	91	...	0	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	79	73	SW	4	o
Surigao,	,,	29.72	754.8	86	58	WSW	4	o	,,	29.80	756.9	77	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.84	757.9	76	...	E	2	bc
Guam,	12.22	29.75	755.7	...	...	N	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	SSE	2	b	5	29.86	758.4	...	...	ESE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	77	...	SW	1	b
Ponape,	...	...	...	...	...	...	...	...	,,	29.88	758.9	78	...	SSE	1	c
Labuan,	14	29.81	757.2	86	68	SW	4	b	6	29.84	757.9	82	75	...	0	b

October 24*d.* 10*h.* 48*m.*—The anticyclone has increased considerably in intensity and is now central to the north of Korea. The typhoon is situated about 400 miles east of S. Formosa, moving N. or N.N.E.

Fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 79.96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th October, 1929.								25th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.33	770.4	61	...	...	0	0	6	30.38	771.7	42	...	...	0	b
Nemuro,	11	30.10	764.5	...	...	W	2	...	5	30.53	775.5	...	...	SSW	1	...
Hokodate,	,,	30.26	768.5	...	...	W	1	...	,,	30.43	773.0	...	...	NE	1	...
Tokio,	,,	30.28	769.0	...	...	ENE	1	...	,,	30.36	771.0	...	...	NNW	1	...
Kochi,	,,	30.14	765.5	...	...	WSW	1	...	,,	30.12	765.0	...	...	SW	1	...
Nagasaki,	,,	30.06	763.5	...	...	NE	1	...	,,	29.68	761.5	...	...	...	0	...
Kagoshima,	,,	30.02	762.5	...	...	NE	1	...	,,	29.92	760.0	...	...	NE	2	...
Oshima,	,,	29.82	757.5	...	...	...	0	...	,,	29.53	750.0	...	...	NE	5	...
Naha,	,,	29.59	751.5	...	...	ENE	6	...	,,	29.49	749.0	...	...	NNW	7	...
Ishigakijima,	,,	29.70	754.5	...	...	N	4	...	,,	29.82	757.5	...	...	NNW	3	...
Bonin Island,	,,	29.96	761.0	...	...	NE	1	...	,,	29.98	761.5	...	...	ENE	1	...
Chefoo,	15	30.21	767.3	64	78	SE	1	b	6	30.21	767.3	48	93	...	0	b
Shanghai,	14	30.11	764.7	73	52	NE	2	b	,,	30.14	765.6	55	96	N	1	b
Gutzlaff,	,,	30.12	765.0	73	58	NNE	4	b	,,	30.13	765.3	65	84	NNE	6	b
Sharp Peak,	,,	29.89	759.2	74	62	ENE	4	o	7	30.02	762.6	70	75	SE	1	b
Amoy,	,,	29.86	758.4	81	52	ESE	4	b	6	29.99	761.7	69	75	N	4	b
Swatow,	,,	29.90	759.4	76	74	E	2	b	,,	29.97	761.2	69	90	E	2	b
Taihoku,	11	29.93	760.2	70	92	...	0	r	5	29.98	761.4	66	96	...	0	r
Taichu,	,,	29.86	758.4	81	...	NNW	4	b	,,	29.91	760.5	66	...	..	0	b
Tainan,	,,	29.81	757.2	84	...	N	2	b	,,	29.89	759.3	66	...	N	2	o
Koshun,	,,	29.81	757.2	81	...	NW	2	b	,,	29.87	758.7	73	...	...	0	o
Pescadores,	,,	29.87	758.7	75	...	NNE	6	o	,,	29.92	759.9	72	...	NNE	6	o
Hong Kong,	14	29.88	758.9	77	67	S	1	o	6	29.90	761.7	72	78	NNE	1	c
Gap Rock,	,,	29.60	759.4	...	...	ENE	4	b	,,	29.98	761.5	...	...	E	4	b
Macao,	,,	29.86	758.4	84	58	SE	2	o	,,	29.95	760.8	73	79	ESE	2	o
Hoihow,	,,	...	...	...	...	..	...	...	,,	..	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	78	70	NNE	5	bc	,,	29.95	760.7	75	71	NE	5	b
Phulien,	15	29.89	759.3	75	70	...	0	c	7	29.95	760.8	73	98	ENE	6	r
Tourane,	,,	29.80	756.9	81	...	ESE	2	b	,,	29.86	758.4	73	...	S	4	o
Cape St. James,	,,	29.84	757.8	79	...	ENE	6	b	,,	29.87	758.7	73	...	ENE	4	b
Basco,	14	29.73	755.1	79	73	NNW	4	o	6	29.85	758.1	75	76	NE	4	o
Aparri,	,,	29.76	756.0	79	84	...	0	o	,,	29.86	758.4	73	96	...	0	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.73	755.1	82	63	NNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	86	65	SW	2	b	,,	29.84	757.8	73	94	E	1	o
Legaspi,	,,	29.74	755.4	90	57	SW	2	b	,,	29.84	757.8	70	96	SW	1	b
Calbayog,	,,	29.76	756.0	86	68	SW	2	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.75	755.7	86	71	S	2	b	,,	29.87	758.7	75	94	W	2	b
Iloilo,	,,	29.76	756.0	80	71	SSW	4	b	,,	29.85	758.1	73	96	N	1	b
Cebu,	,,	29.75	755.7	84	64	S	4	o	,,	29.85	758.1	77	84	...	0	b
Surigao,	,,	29.75	755.7	86	56	W	4	b	,,	29.85	758.1	73	92	SW	2	o
Saipan,	...	..	...	...	...	...	...	...	5	29.84	757.9	79	...	E	3	bc
Guam,	12.22	29.78	756.3	...	...	N	2	o	4.22	29.82	757.5	...	...	SE	1	b
Yap,	11.00	29.78	756.3	...	...	NNE	2	o	5	29.84	757.8	...	...	NNE	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	80	...	NNW	2	o
Ponape,	...	...	...	...	...	...	...	...	,,	29.92	759.9	80	...	SE	1	c
Labuan,	14	29.81	757.2	86	68	SW	2	b	6	29.83	757.7	77	91	SW	2	b

October 25*d.* 10*h.* 45*m.*—The anticyclone is central to the north of Hokkaido, and has increased considerably in intensity. The typhoon is situated about 80 miles east of Naha moving N.N.E.

Fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 80.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th October, 1929.								26th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.33	770.4	55	...	SSE	2	b	6	30.13	765.2	46	...	...	0	o
Nemuro,	11	30.51	775.0	...	...	S	2	...	5	30.41	772.5	...	...	S	1	...
Hokodate,	,,	30.39	772.0	...	...	ESE	4	...	,,	30.18	766.5	...	...	ESE	4	...
Tokio,	,,	30.33	770.5	...	...	NNW	2	...	,,	30.08	764.0	...	...	NNW	1	...
Kochi,	,,	30.06	763.5	...	...	...	0	...	,,	29.55	750.5	...	...	N	4	...
Nagasaki,	,,	29.90	759.5	...	...	N	1	...	,,	29.80	757.0	...	...	NNW	2	...
Kagoshima,	,,	29.82	757.5	...	...	ENE	2	...	,,	29.73	755.0	...	...	NW	1	...
Oshima,	,,	29.43	747.5	...	...	N	7	...	,,	29.86	758.5	...	...	E	2	...
Naha,	,,	29.69	754.0	...	...	NNW	6	...	,,	29.92	760.0	...	...	N	10	...
Ishigakijima,	,,	29.90	759.5	...	...	NNW	3	...	,,	30.02	762.5	...	...	N	2	...
Bonin Island,	,,	29.96	761.0	...	...	ESE	1	...	,,	29.96	761.0	...	...	SSE	1	...
Chefoo,	15	30.38	771.6	73	86	SE	1	b	6	30.27	768.8	54	89	N	8	o
Shanghai,	14	30.12	765.0	72	51	N	1	b	,,	30.21	767.4	50	87	N	1	b
Gutzlaff,	,,	30.14	765.5	71	71	N	6	b	,,	30.23	767.8	60	82	N	6	b
Sharp Peak,	,,	29.98	761.5	77	61	ENE	2	b	7	30.13	765.3	70	70	NNW	2	b
Amoy,	,,	29.94	760.5	82	67	S	4	b	6	30.10	764.5	69	80	N	4	b
Swatow,	,,	30.00	762.0	75	82	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.02	762.6	75	71	NE	2	b	5	30.11	764.7	64	92	...	0	o
Taichu,	,,	29.99	761.7	79	...	NNW	4	b	,,	30.05	763.2	66	...	...	0	b
Tainan,	,,	29.95	760.8	86	...	NNW	2	b	,,	30.00	762.0	66	...	...	0	b
Koshun,	,,	29.94	760.5	82	...	ENE	4	b	,,	29.99	761.7	73	...	NNE	4	b
Pescadores,	,,	29.99	761.7	79	...	NNE	6	b	,,	30.02	762.6	73	...	NNE	6	o
Hong Kong,	14	29.97	761.2	78	64	E	2	c	6	30.07	763.8	71	78	ENE	2	b
Gap Rock,	,,	29.95	760.7	...	...	ENE	4	b	,,	30.06	763.5	...	...	ENE	4	b
Macao,	,,	29.95	760.8	81	50	NE	2	b	,,	30.05	763.2	73	66	NE	2	b
Hoihow,	,,	29.98	761.5	82	55	E	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.94	760.5	79	67	NE	5	bc	,,	30.02	762.5	74	81	NE	5	b
Phulien,	15	29.98	761.4	75	85	E	4	o	7	30.07	763.8	70	...	NNE	2	c
Tourane,	,,	29.86	758.4	81	...	ESE	2	o	,,	29.94	760.5	75	...	E	4	bc
Cape St. James,	,,	29.88	759.0	79	...	ENE	6	b	,,	29.91	759.6	73	...	ENE	6	cf
Basco,	14	29.86	758.4	82	67	NNE	4	o	6	...		...	...	...	...	...
Aparri,	,,	29.85	758.1	81	76	NNE	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,		...	...	...	...	...	...
Vigan,	,,	29.81	757.2	86	65	W	2	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	86	68	NW	2	o	,,	29.91	759.6	75	92	NE	2	o
Legaspi,	,,	29.80	756.9	90	66	NE	2	o	,,	29.87	758.7	79	92	...	0	b
Calbayog,	,,	29.81	757.2	86	68	SSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	90	63	SW	4	b	,,	29.87	758.7	75	96	NE	4	o
Cebu,	,,	29.78	756.3	85	52	S	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.78	756.3	86	61	NW	1	b	,,	...	...	...	...	...	...	...
Saipan,	...		...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	SW	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	ENE	4	o	5	29.84	757.8	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	86	76	SW	4	b	6	29.83	757.7	82	75	SW	4	b

October 26*d.* 9*h.* 55*m.*—The anticyclone has passed into the Pacific to the north-east of Japan, and another has developed over N. China. The typhoon is situated to the south of Kochi moving N.N.E.

Fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 80.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th October, 1929.								27th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.05	763.2	46	...	...	0	c	6	30.20	767.1	35	...	N	3	b
Nemuro,	11	30.30	769.5	...	...	SSE	1	...	5	29.67	753.5	...	...	NNW	4	...
Hokodate,	,,	30.04	763.0	...	...	ESE	4	...	,,	29.69	754.0	...	...	NW	4	...
Tokio,	,,	29.86	758.5	...	...	NE	1	...	,,	29.60	754.0	...	...	WSW	1	...
Kochi,	,,	20.53	750.0	...	...	NW	1	...	,,	29.08	761.5	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	N	2	...	,,	30.08	764.0	...	...	NNE	1	...
Kagoshima,	,,	29.80	757.0	...	...	NW	2	...	,,	30.04	763.0	..	..	...	0	...
Oshima,	,,	29.94	760.5	...	...	N	2	...	,,	30.02	762.5	...	...	N	2	...
Naha,	,,	29.98	761.5	...	...	N	5	...	,,	30.02	762.5	...	...	NW	2	...
Ishigakijima,	,,	30.06	763.5	...	...	NNE	2	...	,,	30.10	764.5	.	..	NNE	1	...
Bonin Island,	,,	29.94	760.5	...	...	SSW	1	...	,,	29.96	761.0	...	...	SSW	1	...
Chefoo,	15	30.26	768.6	54	74	NW	6	b	6	30.21	767.3	54	80	N	4	bf
Shanghai,	14	30.21	767.4	70	42	N	2	b	,,	30.31	769.8	52	87	N	1	b
Gutzlaff,	,,	30.24	768.1	70	61	NNW	6	b	..	30.32	770.1	60	71	N	6	o
Sharp Peak,	,,	30.13	765.3	76	60	E	1	b	7	30.17	766.3	67	74	NE	1	b
Amoy,	,,	30.02	762.5	80	58	E	4	b	6	30.13	765.3	67	74	N	4	b
Swatow,	,,	30.07	763.8	73	78	E	2	b	..	30.10	764.5	68	81	NE	2	b
Taihoku,	11	30.13	765.3	77	61	E	4	o	5	30.17	766.2	61	91	ESE	2	o
Taichu,	,,	30.01	762.3	81	...	NNW	2	b	,,	30.07	763.8	64	...	NNE	2	b
Tainan,	,,	30.04	762.9	77	...	WSW	2	b	,,	30.05	763.2	63	...	NE	2	b
Koshun,	,,	30.04	762.9	81	...	NE	4	b	,,	30.05	763.2	72	...	NE	4	o
Pescadores,	,,	30.07	763.8	79	...	NE	6	b	..	30.06	763.5	72	...	NE	6	b
Hong Kong,	14	30.03	762.7	79	54	ESE	3	b	6	30.10	764.5	71	76	NE	3	c
Gap Rock,	,,	30.05	763.2	...	...	ENE	4	b	,,	30.08	764.0	...	...	ENE	4	b
Macao,	,,	30.02	762.5	81	43	NE	2	b	,,	30.06	763.5	72	75	ENE	4	o
Hoihow,	,,	30.01	762.2	82	72	E	1	c	,,	...	...	...	...	...	...	...
Pratas Island,	..	30.00	762.0	80	68	NE	5	bc	,,	30.04	763.0	74	72	NE	6	1
Phuilien,	15	30.02	762.6	82	54	SE	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.91	759.6	79	...	E	4	b	,,	29.92	759.9	75	...	E	6	of
Cape St. James,	,,	29.86	758.4	79	...	ENE	6	b	,,	29.89	759.3	73	...	NE	2	bc
Basco,	14	29.93	760.2	82	70	NE	4	o	6	...	...	...	..	...	...	...
Aparri,	,,	29.91	759.6	77	85	ENE	4	r	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Manila,	,,	29.85	758.1	82	77	WNW	2	o	,,	29.87	758.7	75	94	...	0	o
Legaspi,	,,	29.84	757.8	86	71	NE	2	o	,,	29.85	758.1	77	91	...	0	o
Calboyog,	,,		..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	90	66	SE	4	o	,,	29.85	758.1	77	86	W	2	b
Iloilo,	,,	29.81	757.2	82	77	NE	4	o	,,	29.82	757.5	75	96	NNE	4	o
Cebu,	,,	29.80	756.9	81	58	NE	4	o	,,	29.81	757.2	77	86	...	0	o
Surigao,	,,	29.81	757.2	84	68	E	2	o	,,	29.84	757.8	73	98	SW	1	of
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	E	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	ENE	2	o	5	29.85	758.1	...	...	ESE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	86	84	NE	4	b	6	29.83	757.7	83	79	NE	2	b

October 27*d.* 11*h.* 04*m.*—The anticyclone remains over China, and has increased in intensity; the typhoon has passed into the Pacific to the east of N. Japan.

Fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 80.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—**Formosa Channel,**	N.E. winds, strong.
2.—**South coast of China between Hong Kong and Lamocks,**	N.E. winds, fresh; fine.
3.—**Hong Kong to Gap Rock,**	N.E. winds, fresh; fine.
4.—**South coast of China between Hong Kong and Hainan,**	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th October, 1929.								28th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.17	766.2	47	...	NE	2	b	6	30.36	771.2	37	...	...	0	0
Nemuro,	11	29.59	751.5	...	...	NW	2	...	5	30.02	762.5	...	...	NW	4	...
Hokodate,	,,	29.76	756.0	...	...	WNW	3	...	,,	30.22	767.5	...	...	WNW	3	...
Tokio,	,,	29.80	757.0	...	...	NNW	4	...	,,	30.20	767.0	...	...	NNW	1	...
Kochi,	,,	30.02	762.5	...	...	N	1	...	,,	30.16	766.0	...	...	WSW	1	...
Nagasaki,	,,	30.10	764.5	...	...	NNW	1	...	,,	30.16	766.0	...	...	...	0	...
Kagoshima,	,,	30.04	763.0	...	...	E	1	...	,,	30.12	765.0	...	...	...	0	...
Oshima,	,,	30.04	763.0	...	...	N	3	...	,,	30.06	763.5	...	...	NNW	1	...
Naha,	,,	30.06	763.5	...	...	NNE	4	...	,,	30.08	764.0	...	...	N	2	...
Ishigakijima,	,,	30.10	764.5	...	...	NNE	2	...	,,	30.10	764.5	..	..	NE	1	...
Bonin Island,	,,	29.96	761.0	...	...	WNW	1	...	,,	30.04	763.0	...	...	...	0	...
Chefoo,	15	30.28	769.1	58	81	NW	2	b	6	30.35	770.9	54	74	...	0	cf
Shanghai,	14	30.30	769.5	64	53	N	2	o	,,	30.31	769.8	52	83	N	1	b
Gutzlaff,	,,	30.30	769.6	65	58	N	4	o	,,	30.33	770.4	60	71	NNE	4	o
Sharp Peak,	,,	30.11	764.8	63	85	E	4	b	7	30.15	765.8	68	85	ENE	2	o
Amoy,	,,	30.07	763.8	78	46	NNE	4	b	6	30.14	765.5	66	84	NNE	4	b
Swatow,	,,	30.09	764.3	73	86	ESE	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.15	765.9	77	61	NE	4	b	5	30.15	765.9	64	94	...	0	o
Taichu,	,,	30.08	764.1	81	...	N	2	b	,,	30.11	764.7	61	...	...	0	b
Tainan,	,,	30.06	763.5	84	...	...	0	b	,,	30.06	763.5	63	...	...	0	b
Koshun,	,,	30.06	763.5	79	...	NE	6	b	,,	30.04	762.9	72	...	NE	4	b
Pescadores,	,,	30.10	764.4	77	...	NE	6	b	,,	30.07	763.8	72	...	NE	6	b
Hong Kong,	14	30.06	763.5	75	57	E	4	b	6	30.11	764.8	70	72	E	4	b
Gap Rock,	,,	30.06	763.5	...	...	ENE	5	b	,,	30.09	764.3	...	...	ENE	4	o
Macao,	,,	30.04	762.9	79	58	SE	2	b	,,	30.07	763.8	72	75	ESE	4	b
Hoihow,	,,	...	..	...	...	...	...	...	,,	..	...	...	...	...	...	...
Pratas Island,	..	30.03	762.7	78	66	NE	5	b	,,	30.04	763.0	74	78	NE	5	c
Phulien,	15	30.02	762.6	77	70	E	4	o	7	30.08	764.1	70	98	NE	2	rf
Tourane,	,,	29.88	759.0	77	...	E	6	o	,,	29.93	760.2	75	...	E	6	r
Cape St. James,	,,	29.84	757.8	81	...	ENE	6	b	,,	29.86	758.4	79	...	ENE	4	bf
Basco,	14	29.95	760.8	77	68	NE	4	o	6	30.01	762.3	73	66	ENE	2	o
Aparri,	,,	29.92	759.9	75	94	ENE	4	r	,,	29.95	760.8	77	85	NE	6	o
Tuguegarao,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.79	756.6	86	68	NNW	4	o	,,	29.86	758.4	73	85	NW	1	b
Manila,	,,	29.82	757.5	82	74	W	4	o	,,	29.86	758.4	75	89	NE	1	o
Legaspi,	,,	29.80	756.9	86	71	NNE	2	o	,,	29.82	757.5	79	91	N	2	o
Calbayog,	,,	...	...	...	...	...	...	...	,,		...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	81	86	N	1	o	,,	29.84	757.8	77	91	NW	2	r
Iloilo,	,,	29.75	755.7	86	61	NE	6	b	,,	29.80	756.9	77	91	NE	4	o
Cebu,	,,	29.75	755.7	86	58	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...		...	...	...	..	...	...	5	29.86	758.4	79	...	E	3	fc
Guam,	12.22	29.79	756.6	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	ENE	2	o	5	29.84	757.8	...	...	ENE	4	o
Peiew,	...	...	...	...	...	...	...	...	,,	29.82	757.4	78	...	ESE	1	fc
Ponape,	...	...	...	...	...	...	...	...	,,	29.87	758.7	79	...	...	0	b
Labuan,	14	29.81	757.2	86	76	NE	2	b	6	29.84	757.9	80	91	NE	2	b

October 28*d.* 10*h.* 29*m.*—The anticyclone has spread north-eastwards to South Manchuria.

Fresh monsoon will continue along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 63·03 inches, against an average of 80.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	29th October, 1929. Hong Kong Standard Time.	Barometer. At Sea Level. Inches.	Barometer. At Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.28	769.2	49	...	E	2	b	6	30.21	767.4	46	...	...	0	b
Nemuro,	11	30.14	765.5	...	...	NNW	3	...	5	30.30	769.5	...	...	ESE	1	...
Hokodate,	,,	30.26	768.5	...	...	W	5	...	,,	30.30	769.5	...	...	...	0	...
Tokio,	,,	30.22	767.5	...	...	ENE	2	...	,,	30.24	768.0	...	...	NNW	2	...
Kochi,	,,	30.12	765.0	...	...	...	0	...	,,	30.18	766.5	...	...	SW	1	...
Nagasaki,	,,	30.14	765.5	...	...	E	1	...	,,	30.20	767.0	...	...	NE	1	...
Kagoshima,	,,	30.12	76 0	...	...	...	...	...	,,	30.16	766.0	...	...	...	0	...
Oshima,	,,	30.08	764.0	...	...	N	2	...	,,	30.08	764.0	...	...	...	0	...
Naha,	,,	30.08	764.0	...	...	NNE	3	...	,,	30.10	764.5	...	...	NE	1	...
Ishigakijima,	,,	30.12	765.0	...	...	N	2	...	,,	30.08	764.0	..	.	N	1	...
Bonin Island,	,,	30.02	762.5	...	...	NNE	1	...	,,	30.06	763.5	...	...	E	1	...
Chefoo,	15	30.24	768.1	62	77	NE	1	b	6	30.26	768.6	52	88	...	0	b
Shanghai,	14	30.27	768.9	66	46	N	2	b	,,	30.32	770.1	50	92	NNE	1	b
Gutzlaff,	,,	30.10	769.6	70	53	N	2	b	,,	30.34	770.6	60	71	N	2	o
Sharp Peak,	,,	30.09	764.1	74	63	E	2	b	7	30.16	766.0	67	74	NE	1	o
Amoy,	,,	30.05	763.2	80	58	ESE	4	b	6	30.13	765.3	66	75	NNE	4	b
Swatow,	,,	30.11	764.8	72	82	E	2	b	,,	30.16	766.0	62	100	NNE	1	b
Taihoku,	11	30.17	766.2	7[illegible]	57	E	4	b	5	30.14	765.6	59	93	...	0	b
Taichu,	,,	30.12	765.0	81	...	NW	2	b	,,	30.08	764.0	59	...	...	0	b
Tainan,	,,	30.07	763.8	84	...	NW	2	b	,,	30.05	763.2	61	...	NE	2	b
Koshun,	,,	30.08	764.1	81	...	NE	4	b	,,	30.04	762.9	72	...	NE	4	b
Pescadores,	,,	30.11	764.7	77	...	NE	6	b	,,	30.06	763.5	70	...	NE	6	b
Hong Kong,	14	30.06	763.5	76	57	E	3	b	6	30.09	764.3	70	79	ENE	4	c
Gap Rock,	,,	30.06	763.5	...	...	ENE	5	c	,,	30.07	763.8	.	...	ENE	5	c
Macao,	,,	30.04	762.9	82	51	SE	2	b	,,	30.04	762.9	72	75	ESE	2	b
Hoihow,	,,	30.03	762.7	81	72	ENE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.02	762.5	79	70	NE	5	b	,,	30.04	763.0	71	90	ENE	7	o
Phulien,	15	30.02	762.6	81	66	SE	6	b	7	30.06	763.5	70	92	ENE	2	b
Tourane,	,,	29.89	759.3	79	...	ENE	4	o	,,	29.93	760.2	75	...	ENE	4	o
Cape St. James,	,,	29.79	756.6	81	...	ENE	7	b	,,	29.86	758.4	75	...	NE	4	b
Basco,	14	29.98	761.4	81	69	NE	4	o	6	30.00	762.0	75	67	NE	4	o
Aparri,	,,	29.93	760.2	79	69	ENE	4	o	,,	29.95	760.8	73	88	ENE	4	r
Tuguegarao,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.9	86	61	NNW	4	b	,,	29.85	758.1	77	64	N	2	b
Manila,	,,	29.82	757.5	82	81	...	0	o	,,	29.85	758.1	75	88	NE	1	o
Legaspi,	,,	29.79	756.6	79	90	N	1	o	,,	29.80	756.9	79	91	N	2	o
Calbayog,	,,	29.79	756.6	82	67	SE	2	r	,,	.	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	79	90	NE	1	o	,,	29.82	757.5	75	94	S	1	b
Iloilo,	,,	29.76	756.0	82	81	N	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.76	756.0	82	70	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	84	77	NE	1	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.89	759.2	79	...	E	3	bo
Guam,	12.22	29.80	756.9	...	...	N	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	ESE	2	o	5	29.85	758.1	...	...	NE	4	o
Peiew,	...	...	...	...	...	...	...	...	,,	29.82	757.4	80	...	ESE	2	bo
Ponape,	...	...	...	...	...	...	...	...	,,	29.88	758.9	80	...	ESE	1	b
Laiuan,	14	29.78	756.4	86	85	NE	4	b	6	29.82	757.4	78	91	NE	2	b

October 29*d.* 11*h.* 06*m.*—The anticyclone now shows maxima over N. China and to the east of N. Japan. Fresh monsoon will prevail along the south east coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 80.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fair.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th October, 1929.								30th October, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.13	765.3	54	...	SSE	3	b	6	30.23	767.8	44	...	...	0	o
Nemuro,	11	30.28	769.0	...	...	SW	2	...	5	30.18	766.5	...	...	S	2	...
Hokodate,	,,	30.2[illegible]	769.0	...	...	SE	1	...	,,	30.26	768.5	...	...	NNE	1	...
Tokio,	,,	30.22	767.5	...	...	NNW	2	...	,,	30.26	768.5	...	...	N	1	...
Kochi,	,,	30.18	766.5	...	...		0	...	,,	30.30	769.5	...	...	SW	1	...
Nagasaki,	,,	30.20	767.0	...	...	NE	1	...	,,	30.22	767.5	...	...	NE	1	...
Kagoshima,	,,	30.16	766.0	...	...	...	0	...	,,	30.20	767.0	...	...	NW	1	...
Oshima,	,,	30.10	764.5	...	...	NNE	1	...	,,	30.12	765.0	...	...	...	0	...
Naha,	,,	30.10	764.5	...	...	NNE	2	...	,,	30.08	764.0	...	...	NNE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	ENE	2	...	,,	30.08	764.0	...	..	NE	1	...
Bonin Island,	,,	30.04	763.0	...	...	...	0	...	,,	30.08	764.0	...	...	...	0	...
Chefoo,	15	30.20	767.1	67	69	SSW	2	b	6	30.22	767.6	56	94	SE	4	b
Shanghai,	14	30.25	768.3	70	49	ENE	2	o	,,	30.21	767.4	59	93	ENE	1	r
Gutzlaff,	,,	30.24	768.1	68	56	ESE	2	b	,,	30.25	768.3	63	94	NNE	1	o
Sharp Peak,	,,	30.07	763.8	75	64	E	4	b	7	30.10	764.5	68	74	N	1	o
Amoy,	,,	30.05	763.2	81	56	ENE	4	b	6	30.09	764.3	68	85	WSW	4	o
Swatow,	,,	30.08	764.0	72	82	E	2	b	,,	30.13	765.3	62	100	N	1	b
Taihoku,	11	30.13	765.3	75	67	ENE	4	o	5	30.06	763.5	70	88	E	4	o
Taichu,	,,	30.08	764.1	81	...	...	0	b	,,	30.06	763.5	63	...	...	0	b
Tainan,	,,	30.06	763.5	84	...	WSW	2	b	,,	30.02	762.6	64	...	...	0	b
Koshun,	,,	30.05	763.2	81	...	NE	4	b	,,	30.02	762.6	72	...	NNE	2	b
Pescadores,	,,	30.08	764.1	77	...	NNE	6	b	,,	30.04	762.9	72	...	NNE	4	b
Hong Kong,	14	30.03	762.7	74	67	E	4	b	6	30.07	763.8	71	73	ENE	4	b
Gap Rock,	,,	30.03	762.7	...	...	ENE	5	c	,,	30.07	763.8	...	...	ENE	4	c
Macao,	,,	30.01	762.3	79	61	SE	4	b	,,	30.04	762.9	72	75	SE	4	o
Hoihow,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.0	78	72	NE	5	b	,,	30.01	762.2	75	82	NE	5	c
Phulien,	15	29.97	761.1	82	63	SE	6	b	7	30.04	762.9	70	91	NE	4	or
Tourane,	,,	29.87	758.7	75	...	E	4	o	,,	29.91	759.6	73	...	E	4	b
Cape St. James,	,,	29.80	756.9	81	...	ENE	7	b	,,	29.85	758.1	73	...	NE	4	bf
Busco,	14	29.93	760.2	77	68	NE	4	o	6	...	...	...	...	..	...	...
Aparri,	,,	29.89	759.3	81	73	NE	4	o	,,	29.87	758.7	77	91	NE	6	r
Tuguegarao,	,,	...	...	...	...	...	...	...	,,		...	...	...	...	...	...
Vigan,	,,	29.76	756.0	86	56	NW	4	b	,,	29.82	757.5	75	71	NNW	2	o
Manila,	,,	29.79	756.6	86	61	NE	4	o	,,	29.84	757.8	75	92	ENE	1	o
Legaspi,	,,	29.76	756.0	81	92	NE	4	o	,,	29.82	757.5	73	98	...	0	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	72	98	N	2	b
Tacloban,	,,	29.76	756.0	...	...	E	2	o	,,	29.85	758.1	75	92	WNW	1	b
Iloilo,	,,	29.72	754.8	86	71	N	4	o	,,	29.82	757.5	77	92	NE	4	o
Cebu,	,,	29.72	754.8	86	58	NE	4	b	,,	29.82	757.5	70	85	N	1	b
Surigao,	,,	29.74	755.4	82	84	N	2	o	,,	29.82	757.5	77	96	SE	1	o
Saipan,	...	...	...	...	...	...	...	...	5	29.87	758.7	79	...	E	3	c
Guam,	12.22	29.81	757.2	...	...	NE	4	o	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	ENE	4	o	5	29.85	758.1	...	...	ENE	2	o
Peiew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	78	...	SE	1	b
Ponap,	...	...	...	...	...	...	...	...	,,	29.86	758.4	80	...	S	1	c
Labuan,	14	29.77	756.1	90	84	NE	4	b	6	29.84	757.9	80	91	NE	6	b

October 30*d.* 10*h.* 25*m.*—The anticyclone has moved eastward, and pressure is highest over the Sea of Japan.

Moderate monsoon will prevail along the south east coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 80.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	31st October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.16	766.0	52	...	E	2	b	6	30.00	761.9	45	...	NNW	2	o
Nemuro,	11	30.18	766.5	...	...	NNW	1	...	5	30.14	765.5	...	...	S	1	...
Hokodate,	,,	30.26	768.5	...	...	SW	2	...	,,	30.08	764.0	...	..	NE	1	...
Tokio,	,,	30.24	768.0	...	...	NE	1	...	,,	30.16	766.0	...	.	...	0	...
Kochi,	,,	30.20	767.0	...	...	...	0	...	,,	30.06	763.5	...	.	...	...	...
Nagasaki,	,,	30.22	767.5	...	...	SE	1	...	,,	30.06	763.5	...		WNW	1	...
Kagoshima,	,,	30.18	766.5	...	...	ENE	1	...	,,	30.06	763.5	...	..	...	0	...
Oshima,	,,	30.12	765.0	...	...	...	0	...	,,	30.06	763.5	...	...	...	...	...
Naha,	,,	30.10	764.5	...	...	E	1	...	,,	30.04	763.0	...	..	NE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	..	..	...	,,	30.02	762.5	..	.	NNE	1	...
Bonin Island,	,,	30.04	763.0	...	...	SSE	1	...	,,	30.02	762.5	...	...	...	0	...
Chefoo,	15	30.11	765.3	64	78	SW	1	o	6	30.25	768.3	46	86	N	4	b
Shanghai,	14	30.14	765.6	70	74	NNW	1	o	,,	30.22	767.7	55	93	NNW	1	r
Gutzlaff,	,,	30.19	766.8	73	72	WSW	1	b	,,	30.25	768.3	58	94	N	6	r
Sharp Peak,	,,	30.04	763.0	76	73	ENE	2	b	7	30.06	763.5	70	75	NNW	1	b
Amoy,	,,	30.02	762.5	80	66	NE	4	b	6	30.08	764.0	69	85	NNE	2	b
Swatow,	,,	30.06	763.5	74	82	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.08	764.1	81	62	E	4	b	5	30.05	763.2	64	94	...	0	b
Taichu,	,,	30.06	763.5	84	...	WNW	2	b	,,	30.05	763.2	63	...	...	0	b
Tainan,	,,	30.05	763.2	84	...	WSW	2	b	,,	30.01	762.3	68	...	...	0	b
Koshun,	,,	30.04	762.9	82	...	NE	4	b	,,	29.98	761.4	77	...	NNE	2	r
Pescadores,	,,	30.06	763.5	79	...	NNE	4	b	,,	30.02	762.6	72	...	NNE	4	b
Hong Kong,	14	30.00	762.0	79	56	E	2	b	6	30.04	763.0	71	79	...	0	b
Gap Rock,	,,	30.00	762.0	...	...	ENE	4	b	,,	30.04	763.0	...	...	ENE	4	b
Macao,	,,	29.99	761.7	64	41	ENE	2	b	,,	30.01	762.3	70	88	N	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	.	...	...
Pratas Island,	,,	29.97	761.2	75	79	NE	5	o	,,	29.99	761.7	76	82	NNE	6	o
Phulien,	15	29.98	761.4	84	64	SE	4	b	7	30.06	763.5	72	78	NE	4	b
Tourane,	,,	29.87	758.7	73	...	N	2	o	,,	29.89	759.3	75	...	ENE	4	of
Cape St. James,	,,	29.84	757.8	81	...	ENE	6	bf	,,	...	...	...	...	...	...	...
Basco,	14	29.89	759.3	70	87	NE	4	r	6	...	...	...	...	...	...	...
Aparri,	,,	29.84	757.8	79	87	ENE	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.73	755.1	86	68	NW	4	o	,,	29.81	757.2	77	86	SW	1	o
Manila,	,,	29.78	756.3	86	65	SSW	2	o	,,	29.84	757.8	75	92	N	1	o
Legaspi,	,,	29.76	756.0	86	73	NE	4	b	,,	29.84	757.8	77	92	NE	2	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	57	93	NE	4	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	77	79	N	4	o
Iloilo,	,,	29.74	755.4	90	69	NE	4	b	,,	29.80	756.9	79	91	N	4	o
Cebu,	,,	29.75	755.7	86	65	NE	4	b	,,	29.81	757.2	79	84	N	1	o
Surigao,	,,	29.78	756.3	82	77	ENE	4	o	,,	29.82	757.5	75	96	SSW	1	r
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	78	...	E	3	r
Guam,	12.22	29.82	757.5	...	...	NE	2	o	4.22		...	...	...	...	...	...
Yap,	11.00	29.84	757.8	...	...	E	4	o	5	29.84	757.8	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.4	79	...	E	1	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.83	757.7	79	...	ESE	1	c
Labuan,	14	29.80	756.9	88	69	NE	2	b	6	29.83	757.7	78	86	NE	6	b

October 31*d*. 10*h*. 30*m*.—The anticyclone has passed into the Pacific, and another has developed over N. China.

Fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 80.50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

NOVEMBER,

1929.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONG KONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1929

[*Price 60c.*]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

NOVEMBER,

1929.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of NOVEMBER, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·002	29·988	29·981	29·974	29·981	29·992	30·006	30·015	30·025	30·027	30·011	29·980	1
2	29·986	29·978	29·976	29·978	29·976	29·991	30·017	30·026	30·040	30·049	30·021	30·008	2
3	30·003	30·001	29·993	29·993	29·999	30·014	30·025	30·040	30·050	30·059	30·036	30·014	3
4	29·990	29·978	29·970	29·968	29·971	29·981	29·997	30·006	30·021	30·027	30·008	29·981	4
5	29·949	29·943	29·921	29·925	29·923	29·929	29·946	29·960	29·956	29·966	29·943	29·917	5
6	29·890	29·883	29·876	29·846	29·855	29·871	29·901	29·911	29·914	29·940	29·954	29·924	6
7	29·965	29·969	29·965	29·961	29·961	29·988	30·006	30·024	30·033	30·024	30·008	29·983	7
8	29·985	29·979	29·963	29·957	29·952	29·958	29·978	29·992	30·000	30·011	29·991	29·972	8
9	30·000	29·990	29·978	29·972	29·978	29·996	30·013	30·025	30·030	30·037	30·030	30·013	9
10	30·050	30·032	30·030	30·037	30·045	30·051	30·046	30·068	30·090	30·096	30·098	30·082	10
11	30·143	30·125	30·115	30·116	30·125	30·139	30·158	30·172	30·176	30·167	30·146	30·115	11
12	30·057	30·048	30·053	30·056	30·056	30·068	30·084	30·095	30·093	30·075	30·072	30·042	12
13	30·010	29·998	30·002	29·992	29·995	30·006	30·026	30·044	30·042	30·044	30·028	30·000	13
14	30·018	30·008	29·992	29·986	29·991	30·000	30·019	30·029	30·036	30·037	30·024	30·004	14
15	30·011	29·998	29·986	29·974	29·982	29·996	30·008	30·016	30·028	30·024	30·014	29·991	15
16	29·932	29·925	29·924	29·926	29·931	29·937	29·962	29·980	29·986	29·989	29·976	29·953	16
17	29·963	29·945	29·933	29·931	29·931	29·951	29·977	29·996	30·001	30·021	30·018	30·006	17
18	30·087	30·082	30·088	30·078	30·080	30·096	30·118	30·127	30·135	30·135	30·131	30·108	18
19	30·067	30·053	30·041	30·047	30·047	30·064	30·083	30·094	30·105	30·103	30·095	30·072	19
20	30·012	29·992	29·982	29·970	29·962	29·966	29·977	29·993	30·004	30·012	29·996	29·978	20
21	29·980	29·968	29·963	29·958	29·952	29·976	29·990	30·004	30·005	30·005	29·995	29·979	21
22	30·023	30·023	30·026	30·034	30·044	30·059	30·074	30·086	30·114	30·132	30·118	30·100	22
23	30·106	30·099	30·096	30·108	30·115	30·119	30·140	30·142	30·157	30·152	30·127	30·103	23
24	30·102	30·088	30·086	30·082	30·078	30·098	30·114	30·128	30·146	30·157	30·137	30·094	24
25	30·119	30·119	30·111	30·105	30·103	30·113	30·125	30·146	30·156	30·172	30·148	30·125	25
26	30·090	30·089	30·084	30·079	30·085	30·099	30·117	30·130	30·148	30·153	30·136	30·104	26
27	30·087	30·083	30·077	30·076	30·075	30·087	30·109	30·125	30·138	30·141	30·128	30·110	27
28	30·123	30·125	30·129	30·137	30·145	30·157	30·169	30·165	30·177	30·172	30·160	30·130	28
29	30·106	30·100	30·098	30·088	30·082	30·094	30·118	30·126	30·142	30·148	30·134	30·102	29
30	30·052	30·047	30·033	30·029	30·024	30·044	30·055	30·068	30·090	30·103	30·088	30·053	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·941	29·914	29·902	29·898	29·907	29·918	29·940	29·968	29·985	29·990	29·996	29·992	1
2	29·981	29·956	29·944	29·946	29·955	29·968	29·994	30·005	30·015	30·025	30·025	30·013	2
3	29·991	29·977	29·965	29·964	29·971	29·987	29·997	30·015	30·021	30·023	30·013	29·997	3
4	29·964	29·928	29·929	29·930	29·928	29·943	29·951	29·969	29·973	29·977	29·975	29·967	4
5	29·899	29·877	29·865	29·866	29·868	29·870	29·888	29·898	29·914	29·912	29·912	29·910	5
6	29·925	29·901	29·897	29·887	29·913	29·934	29·966	29·980	29·988	29·982	29·984	29·970	6
7	29·948	29·932	29·926	29·926	29·930	29·939	29·953	29·981	29·983	29·999	30·007	29·999	7
8	29·940	29·917	29·911	29·920	29·934	29·946	29·964	29·986	30·004	30·008	30·006	30·000	8
9	29·998	29·978	29·968	29·967	29·981	29·993	30·013	30·033	30·056	30·064	30·068	30·058	9
10	30·070	30·054	30·042	30·032	30·042	30·061	30·093	30·122	30·136	30·140	30·145	30·144	10
11	30·080	30·053	30·041	30·030	30·032	30·044	30·064	30·080	30·096	30·090	30·086	30·068	11
12	30·009	29·987	29·984	29·977	29·986	29·993	30·018	30·038	30·046	30·046	30·042	30·026	12
13	29·971	29·950	29·937	29·944	29·957	29·972	29·986	30·014	30·020	30·026	30·020	30·018	13
14	29·973	29·945	29·928	29·935	29·940	29·960	29·964	29·982	30·002	30·012	30·014	30·003	14
15	29·950	29·928	29·912	29·906	29·908	29·916	29·933	29·945	29·954	29·948	29·952	29·934	15
16	29·923	29·897	29·883	29·878	29·890	29·903	29·921	29·947	29·957	29·967	29·967	29·967	16
17	29·986	29·970	29·964	29·966	29·986	30·013	30·030	30·062	30·094	30·099	30·102	30·098	17
18	30·082	30·048	30·032	30·024	30·033	30·038	30·054	30·066	30·072	30·080	30·080	30·072	18
19	30·039	30·013	29·997	29·993	30·008	30·012	30·018	30·034	30·040	30·031	30·035	30·027	19
20	29·952	29·930	29·920	29·910	29·927	29·943	29·962	29·976	29·988	29·993	29·993	29·986	20
21	29·953	29·929	29·925	29·938	29·951	29·962	29·970	29·994	30·008	30·014	30·019	30·021	21
22	30·066	30·052	30·040	30·038	30·043	30·047	30·067	30·087	30·103	30·107	30·111	30·108	22
23	30·074	30·033	30·026	30·026	30·041	30·067	30·072	30·090	30·104	30·108	30·112	30·110	23
24	30·065	30·040	30·027	30·027	30·038	30·051	30·082	30·097	30·120	30·120	30·122	30·120	24
25	30·082	30·056	30·042	30·038	30·044	30·051	30·067	30·085	30·089	30·096	30·096	30·096	25
26	30·068	30·046	30·038	30·041	30·058	30·069	30·075	30·085	30·093	30·097	30·103	30·087	26
27	30·090	30·062	30·044	30·055	30·054	30·066	30·085	30·095	30·108	30·114	30·128	30·125	27
28	30·092	30·064	30·052	30·052	30·066	30·081	30·098	30·112	30·124	30·126	30·118	30·110	28
29	30·056	30·033	30·011	29·999	30·010	30·024	30·033	30·042	30·052	30·063	30·058	30·060	29
30	30·028	29·998	29·990	29·986	29·986	29·999	30·009	30·027	30·034	30·031	30·035	30·034	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of NOVEMBER, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	69·1	67·8	67·7	67·0	65·8	64·7	65·0	69·0	71·5	74·0	76·7	78·6	1
2	71·6	71·7	70·6	69·7	68·8	67·8	67·5	69·7	73·0	75·5	77·0	78·7	2
3	72·7	72·2	72·0	71·7	71·7	71·0	70·8	70·7	73·0	74·8	74·8	75·6	3
4	71·4	71·2	71·2	71·3	71·1	70·9	71·0	71·5	72·5	73·7	74·7	74·7	4
5	72·7	72·3	72·3	72·5	72·6	72·5	72·6	73·5	73·9	75·0	75·1	76·0	5
6	74·7	74·7	74·0	73·9	72·8	71·8	70·5	69·7	70·0	69·7	68·2	66·9	6
7	68·0	68·3	66·9	66·9	67·0	66·6	66·5	66·5	67·4	68·2	69·0	70·0	7
8	68·3	67·8	67·2	67·1	66·8	66·8	66·9	69·7	71·3	72·2	74·2	74·0	8
9	69·9	69·7	69·2	68·0	68·0	68·6	68·6	69·6	72·3	71·7	72·0	73·0	9
10	64·7	64·7	64·7	63·7	63·0	62·7	62·5	62·7	64·5	68·2	69·5	70·7	10
11	60·5	59·9	59·1	58·2	57·7	57·4	57·8	58·6	60·2	64·0	64·5	65·5	11
12	61·7	61·6	58·7	57·8	56·7	56·3	56·3	58·5	61·3	65·0	67·4	70·0	12
13	63·2	62·1	61·0	60·0	60·5	59·8	60·7	63·6	67·6	68·7	69·7	70·7	13
14	68·5	68·1	67·0	67·0	67·0	66·7	66·7	68·4	69·7	70·2	71·7	70·7	14
15	67·3	66·0	65·9	66·4	67·0	65·7	66·7	66·7	67·6	68·7	70·7	72·0	15
16	68·6	67·8	68·0	67·8	67·6	68·0	67·7	68·0	69·0	71·0	72·9	74·6	16
17	69·4	69·4	69·5	69·7	69·8	69·0	69·0	69·7	70·7	71·3	71·7	72·1	17
18	62·8	62·6	62·1	61·7	61·7	61·0	60·7	61·1	62·7	63·7	66·4	68·7	18
19	65·0	62·7	63·0	60·9	60·6	60·7	61·0	62·0	64·3	66·7	66·7	66·7	19
20	66·4	66·2	66·1	66·6	66·4	66·3	66·7	67·2	68·7	71·1	71·1	71·8	20
21	67·6	67·0	66·7	65·8	66·7	66·8	67·8	70·0	71·8	73·7	76·1	76·7	21
22	69·3	68·7	68·0	67·7	66·7	66·7	66·3	67·7	68·6	69·0	68·5	68·8	22
23	66·7	65·7	65·3	65·0	64·7	63·7	63·8	65·1	66·3	67·0	67·7	67·7	23
24	64·7	64·7	64·5	63·7	63·6	63·0	62·9	63·1	64·0	65·4	68·5	70·1	24
25	58·7	58·5	58·0	57·8	57·7	57·6	57·7	58·8	61·7	63·0	65·5	65·7	25
26	60·3	60·0	58·3	58·3	57·9	57·5	57·7	59·4	63·0	64·2	65·2	65·9	26
27	59·3	[illegible]·1	60·7	60·2	59·9	60·7	60·8	62·0	63·8	64·7	65·3	65·7	27
28	63·4	[illegible]·5	62·0	60·9	60·8	61·0	61·7	63·7	65·2	66·0	66·7	67·0	28
29	65·7	[illegible]·5	65·0	64·7	64·5	63·7	63·5	64·8	66·7	67·4	68·9	69·5	29
30	63·8	63·7	63·5	62·9	62·9	62·7	62·5	65·5	67·7	69·0	69·6	69·7	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·0	77·3	77·3	76·7	75·5	74·8	73·0	72·7	71·9	71·7	70·8	70·7	1
2	78·7	78·1	76·7	75·2	74·0	73·0	72·7	72·4	72·7	72·7	72·8	72·8	2
3	76·0	76·0	74·5	74·0	73·5	73·3	73·2	73·3	73·4	73·3	73·0	72·5	3
4	75·4	75·3	74·8	74·6	73·7	72·5	72·6	72·7	72·6	72·6	72·8	72·5	4
5	76·9	76·7	76·8	77·0	75·8	74·6	73·5	73·5	73·6	73·7	73·7	74·4	5
6	67·3	68·1	68·6	68·4	68·0	67·7	66·4	66·5	66·8	67·7	67·5	67·5	6
7	71·7	71·7	70·5	70·0	70·0	69·9	69·4	68·9	69·3	69·1	69·0	68·7	7
8	74·3	74·5	73·5	73·0	72·7	71·5	71·1	71·1	70·9	70·7	70·0	69·9	8
9	72·3	71·5	70·7	70·7	70·7	69·7	69·2	68·5	68·7	68·2	67·3	66·7	9
10	70·0	69·4	69·7	67·7	66·8	64·2	62·5	61·9	61·7	61·6	61·5	61·0	10
11	65·2	65·5	65·1	65·2	65·1	64·7	64·0	64·0	63·6	62·5	61·0	61·0	11
12	69·7	70·0	69·7	68·0	67·6	66·7	65·8	66·8	65·7	65·4	63·4	63·7	12
13	71·7	72·7	71·3	70·4	69·5	67·6	67·0	66·7	67·5	68·0	68·8	68·5	13
14	71·3	72·2	71·3	70·7	69·4	69·3	70·3	69·5	69·6	69·7	69·0	69·0	14
15	73·1	72·6	73·0	72·4	72·4	71·9	70·7	70·4	69·7	69·7	69·7	69·7	15
16	74·0	74·0	73·0	71·7	70·7	69·3	68·9	69·1	69·0	69·0	69·1	69·5	16
17	72·0	73·1	73·4	74·0	73·6	69·8	68·7	66·7	65·7	64·7	64·4	63·8	17
18	70·0	70·2	70·2	69·6	69·6	67·7	66·2	65·7	65·4	65·0	65·4	65·2	18
19	66·7	66·2	65·9	65·7	65·3	65·6	65·8	66·6	65·8	66·2	66·6	66·7	19
20	72·3	72·1	71·6	71·3	69·4	68·7	68·5	68·1	68·0	67·7	67·5	67·7	20
21	75·7	75·0	74·2	73·3	73·7	71·5	70·9	70·7	70·6	70·5	69·6	69·6	21
22	68·8	68·7	69·5	68·7	68·3	67·4	66·8	66·6	66·6	66·7	67·3	66·8	22
23	67·9	67·6	67·4	67·2	67·0	65·0	64·8	64·7	64·7	64·7	64·8	64·7	23
24	72·0	71·5	71·3	71·2	67·8	65·7	64·6	63·5	61·7	59·9	59·5	58·8	24
25	66·5	67·4	67·4	67·0	66·1	64·3	63·5	60·9	61·7	60·7	60·2	60·1	25
26	66·9	66·7	64·8	63·9	63·1	62·5	61·6	61·6	60·7	60·6	60·3	59·6	26
27	66·7	64·5	64·5	64·5	64·0	63·6	63·6	63·6	63·3	63·5	63·5	63·7	27
28	66·0	65·9	66·7	66·7	65·0	64·5	64·7	64·9	65·0	65·0	65·1	65·3	28
29	69·7	70·0	69·7	69·5	67·6	66·0	65·0	64·4	64·2	64·4	64·1	64·5	29
30	70·0	69·2	68·5	67·9	67·3	66·5	65·8	65·7	65·7	65·7	65·5	65·1	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of NOVEMBER, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	60·5	60·2	60·1	60·0	59·8	58·5	59·2	61·0	61·8	63·0	64·9	66·2	1
2	66·3	66·1	63·6	60·7	59·8	59·8	60·8	60·8	63·0	64·0	63·6	65·8	2
3	67·7	67·6	67·3	66·9	66·9	65·6	64·8	64·4	65·8	66·0	66·0	66·6	3
4	65·9	65·5	65·5	65·0	64·7	63·8	64·0	64·5	65·4	65·0	66·0	65·2	4
5	68·6	68·5	68·5	68·0	67·4	68·0	68·1	68·5	68·7	69·0	68·3	68·4	5
6	69·8	69·8	70·0	69·2	68·8	68·0	67·8	67·0	66·9	66·0	65·4	63·3	6
7	63·3	63·5	63·5	63·5	63·6	63·7	63·6	63·6	63·9	64·0	64·2	65·2	7
8	63·0	62·8	62·3	61·9	61·5	61·5	61·8	63·7	63·7	64·2	65·4	65·5	8
9	64·3	63·8	63·3	63·0	63·0	63·8	63·5	63·8	65·8	64·9	65·6	66·0	9
10	57·6	56·7	55·8	54·8	54·0	53·7	53·0	52·8	55·0	56·8	58·0	59·2	10
11	52·0	50·9	50·1	49·5	49·2	49·2	49·7	49·8	50·9	53·0	52·5	52·8	11
12	51·1	51·6	50·6	49·7	48·9	48·6	48·5	49·6	51·0	53·0	53·9	56·0	12
13	54·8	54·0	52·9	52·0	52·5	52·8	53·4	54·5	57·5	58·3	58·8	59·2	13
14	63·3	62·9	62·6	62·6	62·1	59·5	58·8	59·5	60·3	60·6	61·7	61·6	14
15	63·7	63·8	63·8	63·8	63·8	64·4	63·8	64·3	64·8	64·6	65·8	66·0	15
16	63·3	63·5	63·6	62·8	62·8	62·6	62·0	62·5	63·0	64·5	65·1	66·4	16
17	65·9	65·9	66·0	65·8	65·3	65·0	64·5	65·3	65·0	66·3	66·5	66·7	17
18	54·0	53·6	52·8	51·8	51·0	50·0	49·7	49·3	50·1	51·0	52·2	52·7	18
19	54·0	52·1	52·3	52·4	52·7	53·0	53·6	52·0	55·0	57·0	57·5	56·8	19
20	61·4	60·8	60·8	59·8	59·9	60·1	60·5	61·6	62·7	63·4	62·4	61·0	20
21	63·8	63·2	62·6	61·8	62·6	62·4	63·0	64·9	66·3	66·0	67·6	68·0	21
22	63·7	62·0	61·2	60·0	59·6	59·6	59·8	60·6	61·0	61·0	61·2	61·1	22
23	61·8	60·3	59·8	59·0	58·5	58·5	58·0	59·0	59·5	60·0	60·2	60·0	23
24	59·5	59·5	59·8	59·5	58·9	59·0	59·0	59·2	59·2	59·8	61·3	59·8	24
25	49·7	49·5	49·3	49·1	48·6	48·0	47·4	48·0	49·6	50·0	52·0	52·0	25
26	49·0	49·4	48·5	48·3	49·0	46·0	46·1	48·4	51·0	53·2	54·2	54·3	26
27	53·8	54·8	54·9	54·9	55·1	55·8	55·6	56·6	57·0	56·7	55·5	55·8	27
28	57·8	56·8	56·9	56·2	56·0	56·0	55·8	55·8	56·5	57·0	57·3	57·0	28
29	57·8	57·6	57·0	57·8	58·0	57·8	57·5	58·5	58·7	58·8	59·4	59·5	29
30	59·7	60·0	59·0	59·7	59·7	59·0	58·6	59·5	59·0	59·2	59·1	58·8	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	67·0	65·8	66·0	66·0	64·0	63·0	62·0	61·8	64·6	65·6	65·7	66·3	1
2	65·8	66·0	65·4	65·0	64·9	66·0	66·8	67·4	68·0	68·0	68·3	68·3	2
3	66·0	67·0	66·5	66·0	66·5	65·7	65·6	65·8	66·0	66·3	66·4	66·0	3
4	65·4	65·6	65·8	65·1	66·0	66·8	67·6	68·0	68·0	68·0	68·1	68·0	4
5	68·7	69·0	68·2	68·4	68·7	68·3	68·9	69·1	69·5	69·6	69·6	69·6	5
6	63·2	63·8	63·8	63·6	63·0	62·7	62·7	63·0	63·0	62·8	63·0	63·0	6
7	65·8	65·8	66·0	66·0	66·0	65·6	65·0	64·5	63·8	63·8	63·7	63·0	7
8	65·7	65·8	65·4	66·0	65·8	66·0	66·4	66·4	65·0	64·9	64·8	64·7	8
9	65·3	65·7	66·1	65·0	65·0	63·7	62·6	61·6	61·0	59·0	58·0	57·0	9
10	58·0	57·8	57·8	56·8	56·1	55·0	53·0	52·8	52·7	52·6	52·5	52·0	10
11	52·5	52·7	52·0	52·1	52·0	51·8	51·0	50·8	50·6	50·4	50·0	50·0	11
12	55·8	55·2	54·2	55·4	55·8	54·8	53·8	54·3	54·5	54·1	53·7	54·0	12
13	59·8	60·7	60·0	60·6	59·0	59·8	61·0	60·7	62·4	64·0	64·6	64·0	13
14	61·4	62·4	62·8	62·5	62·4	63·0	63·3	64·0	63·6	63·0	63·0	63·0	14
15	67·1	66·6	66·9	66·1	66·1	65·1	64·0	63·7	63·4	63·0	63·4	63·4	15
16	66·0	65·8	65·8	66·0	66·5	65·6	65·6	65·5	65·7	65·7	65·8	66·0	16
17	66·6	67·0	65·8	65·3	63·0	60·8	58·8	57·8	56·7	55·9	55·0	54·4	17
18	53·1	53·4	53·5	51·9	52·5	51·8	50·8	50·3	50·8	50·8	52·8	54·0	18
19	56·2	57·7	58·3	57·9	58·4	58·4	59·5	60·4	61·6	62·0	62·0	61·9	19
20	61·3	61·1	62·0	61·8	61·7	62·8	63·5	63·6	64·0	64·1	64·0	64·2	20
21	67·7	66·7	67·2	66·7	66·2	65·8	65·8	64·9	65·0	65·0	65·1	64·0	21
22	61·5	61·7	62·2	62·3	62·5	62·0	62·0	61·9	61·9	62·0	61·8	61·8	22
23	60·1	59·8	59·6	59·7	59·6	58·5	58·7	59·2	59·2	59·3	59·4	59·6	23
24	60·7	59·8	58·8	58·7	57·2	55·8	54·8	53·7	52·7	50·7	50·0	49·8	24
25	52·8	53·4	53·4	53·0	52·6	50·6	48·0	48·3	48·3	47·4	47·8	47·7	25
26	55·5	55·2	54·4	53·8	53·0	52·9	52·0	52·7	52·8	52·8	53·8	54·0	26
27	57·4	56·0	57·0	57·0	57·4	58·5	58·5	59·0	59·0	58·5	58·5	58·5	27
28	56·7	56·4	55·7	56·7	57·0	58·1	58·3	58·5	58·4	58·4	58·5	57·2	28
29	59·6	60·0	59·8	60·0	59·2	59·0	58·0	58·3	57·8	57·6	57·9	59·2	29
30	57·8	59·6	59·8	59·6	59·5	61·0	61·4	61·8	61·9	61·9	62·0	61·8	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of NOVEMBER, 1929.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	7	1
2	8	5	9	7	7	2	2	2	1	...	...	1	1	1	1	1	1	1	...	2	3	7	8	7	2
3	9	10	10	10	10	10	9	9	8	2	1	2	3	7	9	9	9	8	9	10	7	10	9	7	3
4	7	8	9	9	9	10	9	9	9	8	7	2	6	5	8	8	8	4	9	7	8	9	9	9	4
5	10	10	10	10	10	10	10	10	10	10	9	9	8	8	7	8	9	8	9	10	10	9	9	10	5
6	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6
7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7
8	9	10	8	9	9	9	6	7	8	10	10	10	9	10	10	10	9	9	9	10	10	10	10	10	8
9	10	10	10	7	7	9	10	10	9	10	10	10	10	10	10	9	9	9	9	9	9	9	9	7	9
10	7	8	8	7	7	6	5	2	2	...	...	...	...	...	...	..	...	...	...	...	2	2	1	2	10
11	2	2	...	...	1	...	...	...	...	...	...	..	...	...	...	..	..	...	...	...	...	...	...	2	11
12	7	9	8	9	7	2	...	...	...	..	...	...	...	...	...	...	...	...	..	8	3	2	2	4	12
13	3	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...		1	...	1	6	6	9	9	13
14	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	10	10	10	10	9	9	5	15
16	3	9	10	10	10	10	9	10	10	9	1	4	2	1	...	...	2	3	6	9	8	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	17
18	10	10	10	10	10	8	7	8	9	9	6	3	6	8	7	6	8	9	10	10	10	7	5	...	18
19	3	1	2	...	1	4	5	5	6	4	7	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	9	7	5	1	...	1	1	5	2	1	...	...	...	...	1	2	20
21	1	...	...	6	10	10	8	...	...	...	1	...	...	1	1	...	1	9	8	10	9	7	6	2	21
22	2	9	9	10	10	10	10	5	9	10	10	10	10	10	10	8	..	...	.	...	9	8	6	9	22
23	10	8	9	9	7	5	2	...	2	1	1	...	...	...	...	...	...	1	...	1	1	1	2	4	23
24	5	5	5	6	2	2	5	8	10	10	6	3	4	6	6	7	5	2	5	2	...	...	...	...	24
25	...	..	...	...	1	3	4	2	1	2	3	7	...	...	...	...	...	...	..	...	...	...	..	...	25
26	...	...	...	.	...	...	...	...	...	...	.	...	..	...	...	..	...	...	...	...	...	...	...	...	26
27	...	...	...	2	2	4	2	2	1	...	...	...	3	4	2	8	8	8	..	2	1	2	3	7	27
28	3	1	1	...	1	1	1	...	.	...	...	...	...	1	...	9	9	9	10	10	10	10	10	10	28
29	10	10	10	10	10	9	2	1	...	...	...	..	...	...	...	...	...	...	...	..	...	...	...	...	29
30	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	1	1	2	4	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of NOVEMBER, 1929.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	..	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	1
2	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	2
3	...	...	...	0·5	1·0	1·0	1·0	1·0	0·6	0·2	...	...	...	3
4	...	...	0·2	0·7	0·9	1·0	1·0	0·2	0·1	0·3	0·7	0·2	...	4
5	...	...	0·2	0·5	0·3	0·1	...	...	0·6	0·4	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	0·7	1·0	1·0	0·1	...	...	...	...	...	...	...	...	8
9	...	...	0·1	0·5	...	...	...	...	...	...	...	...	...	9
10	...	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	10
11	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	11
12	..	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	12
13	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	13
14	..	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	0·1	...	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	16
17	...	...	...	...	...	...	...	...	...	0·1	...	...	...	17
18	...	0·3	0·3	0·5	1·0	1·0	1·0	1·0	0·6	1·0	0·8	...	...	18
19	...	0·4	0·7	1·0	1·0	0·3	0·1	...	...	...	...	...	...	19
20	...	...	...	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	20
21	...	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	21
22	...	...	0·9	0·1	0·1	...	...	...	...	...	0·4	0·5	...	22
23	...	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	23
24	...	...	0·1	...	0·5	1·0	1·0	0·9	1·0	0·9	1·0	0·3	...	24
25	...	0·6	1·0	1·0	1·0	0·7	0·5	1·0	1·0	1·0	1·0	0·6	...	25
26	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	26
27	...	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·7	0·2	...	27
28	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	...	...	28
29	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	29
30	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of NOVEMBER, 1929.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	0·010	0·010	...	...	d	0·055	0·010	d	0·270	0.270	0·050	6
7	d	0·040	0·040	...	d	d	0·005	d	d	d	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	d	...	...	...	...	...	...	14
15	0·105	0·015	0·020	0·035	0·020	0·005	0·010	d	d	d	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	d	...	...	...	d	0·005	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	d	...	...	d	...	...	3
4	...	...	...	...	...	...	...	...	...	d	...	...	4
5	...	...	...	...	...	d	d	...	...	d	...	d	5
6	0·015	d	d	0·045	0·075	0·170	0·075	0·005	d	...	...	0·005	6
7	...	...	d	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	d	8
9	...	d	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	d	d	d	d	d	d	0·005	d	d	d	...	0·005	14
15	...	...	d	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	d	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of NOVEMBER, 1929.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	32	3	32	2	1	4	3	7	2	4	32	4	1	3	1	9	32	10	1	9	32	6	23	4	1
2	4	10	3	7	1	10	1	11	32	13	1	7	2	6	2	12	3	9	6	8	9	11	11	12	2
3	7	22	8	20	7	18	8	17	6	14	5	13	4	9	3	6	4	10	6	10	8	15	8	19	3
4	7	26	6	22	6	23	7	21	7	23	8	23	7	21	7	20	8	18	7	19	8	19	8	21	4
5	7	27	6	25	6	28	6	25	6	24	6	20	7	21	7	21	7	22	8	23	9	20	9	20	5
6	8	16	7	17	6	18	6	18	5	15	4	13	2	9	1	11	1	15	1	22	1	15	3	22	6
7	32	23	32	15	32	13	32	19	32	18	1	14	1	18	1	16	32	15	1	21	32	18	32	14	7
8	1	9	32	10	32	8	1	5	32	5	1	10	1	7	1	9	1	13	32	9	32	5	31	6	8
9	2	6	2	9	2	6	2	6	1	8	...	...	3	4	2	8	32	5	32	10	32	9	32	8	9
10	20	3	17	11	26	5	32	11	32	15	1	33	32	35	1	37	1	18	2	13	32	12	1	13	10
11	2	17	2	25	2	21	2	19	2	20	2	14	3	15	3	12	4	10	4	10	5	15	6	13	11
12	3	4	32	11	30	5	32	2	32	7	32	8	32	9	32	10	32	11	31	9	32	9	11	9	12
13	4	3	2	6	1	6	6	5	3	5	32	8	32	10	3	4	4	16	4	13	4	14	6	13	13
14	5	12	4	10	4	5	5	9	3	5	32	9	1	5	1	5	1	6	2	4	4	7	6	8	14
15	9	5	8	3	7	12	6	12	4	10	...	1	29	2	...	1	4	4	30	4	5	7	30	4	15
16	4	3	...	1	3	2	3	6	2	3	2	2	1	10	2	7	3	4	6	5	7	7	8	15	16
17	7	17	6	16	6	20	6	21	6	19	6	19	6	18	7	15	7	13	5	9	5	4	1	6	17
18	3	14	1	20	32	18	32	19	32	21	32	22	1	25	1	24	32	22	32	19	32	20	32	19	18
19	5	12	3	8	4	12	3	7	3	7	3	6	3	5	4	11	4	12	6	15	9	13	8	15	19
20	6	14	7	17	8	19	8	20	8	21	8	21	7	20	7	19	8	18	8	19	9	19	8	18	20
21	9	4	9	3	...	1	...	...	4	0	31	2	...	...	...	...	...	1	26	3	25	4	29	10	21
22	6	7	2	4	32	10	32	14	1	12	1	5	2	4	2	6	4	3	6	6	5	13	5	13	22
23	7	23	6	23	6	21	6	21	6	23	6	19	7	17	7	18	7	18	8	21	8	20	9	20	23
24	6	15	6	16	6	15	6	15	6	13	6	9	5	11	4	9	5	9	4	7	3	7	1	11	24
25	2	15	2	11	2	13	3	11	16	5	31	6	1	11	1	11	1	10	32	11	32	6	32	8	25
26	10	3	...	1	...	1	...	1	...	1	4	8	3	4	3	4	4	5	8	8	9	12	9	9	26
27	...	1	5	6	5	11	4	11	4	13	4	16	5	16	5	16	6	21	6	24	6	24	7	22	27
28	5	22	5	20	5	20	4	17	4	15	4	17	5	21	6	31	5	32	6	30	6	27	7	24	28
29	6	13	6	14	6	13	7	16	7	18	6	16	5	13	6	17	7	16	8	18	8	18	9	15	29
30	8	10	8	10	8	11	7	15	6	17	5	10	5	9	7	12	8	15	8	18	8	20	8	19	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	21	5	22	4	22	7	21	6	30	5	3	6	3	4	4	7	5	6	6	8	5	6	5	6	1
2	11	11	10	12	9	11	9	12	10	12	9	11	8	13	8	12	7	16	7	18	7	19	7	20	2
3	9	17	10	15	10	18	9	20	8	20	7	17	7	16	7	18	7	16	7	17	7	21	7	23	3
4	9	22	9	22	9	19	8	17	7	19	7	16	7	18	7	22	7	21	7	20	7	23	7	24	4
5	9	17	9	15	9	14	9	12	8	12	7	14	7	10	7	10	7	10	6	15	6	13	7	17	5
6	3	15	2	14	1	14	2	20	2	15	2	17	3	13	5	14	5	17	3	13	1	12	32	21	6
7	32	13	31	11	32	11	31	12	31	11	32	12	32	9	32	10	32	13	1	11	1	5	1	10	7
8	1	5	6	7	8	9	9	11	7	9	7	9	7	9	4	4	4	3	3	5	1	3	2	6	8
9	31	8	29	10	28	11	32	8	32	8	1	7	2	12	32	17	30	11	1	8	32	6	30	4	9
10	2	16	2	13	2	17	1	18	1	13	1	14	1	21	1	28	1	27	1	25	1	26	1	19	10
11	7	11	32	9	32	13	32	10	31	6	30	7	1	10	1	10	1	14	32	15	32	13	1	14	11
12	10	11	11	8	10	3	10	6	9	2	4	3	3	6	3	5	4	4	4	2	4	4	...	...	12
13	10	13	10	10	11	12	10	14	9	12	7	15	6	10	4	6	4	10	6	12	6	15	5	16	13
14	6	8	7	12	7	17	7	14	7	19	6	13	5	9	4	4	19	2	...	1	3	4	6	3	14
15	31	3	32	3	32	4	32	3	31	5	1	5	2	7	2	6	3	6	4	4	4	2	5	4	15
16	8	15	10	17	10	17	9	18	8	16	8	16	7	12	7	12	7	13	7	12	7	13	7	15	16
17	1	6	1	2	32	6	1	7	1	14	1	13	2	12	4	12	12	6	19	8	17	10	9	6	17
18	32	15	32	14	32	12	1	14	1	9	1	8	1	7	2	6	3	5	...	...	...	...	7	8	18
19	8	17	9	15	8	15	8	13	7	13	6	13	6	15	6	12	6	16	6	12	6	14	6	16	19
20	9	16	8	16	9	14	8	17	9	19	9	14	8	12	8	11	8	7	9	8	9	8	9	9	20
21	7	9	8	6	8	6	7	7	6	5	6	3	...	...	8	9	8	6	9	12	8	11	7	9	21
22	4	10	6	7	10	6	10	6	9	9	9	8	8	8	7	5	8	2	7	6	7	14	7	21	22
23	9	21	10	20	10	20	9	20	8	20	6	20	6	19	6	20	6	21	6	19	6	17	7	16	23
24	30	5	30	5	31	8	31	10	32	12	1	12	1	13	32	16	32	13	1	14	1	16	2	15	24
25	32	8	1	8	32	8	1	10	2	9	2	7	1	7	32	10	32	13	1	9	1	10	4	3	25
26	9	11	10	13	9	17	9	15	9	13	9	10	8	9	9	6	10	3	6	3	...	...	...	1	26
27	7	17	6	21	6	22	6	19	5	21	5	17	6	18	6	20	5	20	5	20	5	19	5	20	27
28	7	27	8	23	8	20	7	17	8	11	9	12	7	9	6	9	5	10	5	10	6	11	7	15	28
29	9	14	10	13	9	12	8	10	7	8	7	7	7	6	8	7	8	10	8	13	8	9	8	10	29
30	8	20	9	20	9	22	8	22	7	21	6	20	6	22	6	23	6	25	6	23	6	23	6	25	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of NOVEMBER, 1929.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2	cu	E	cu	E	a-cu	WSW	...	...	a-cu	WSW	cu	E	...	...	cu	E
3	cu	ENE	cu	ENE	cu	ENE	cu	ENE	a-cu / cu	SW / ENE	cu	ENE	cu	ENE	nb	ENE
4	cu	ENE	cu	ENE	cu	ENE	a-cu / cu	WSW / ENE	ci-st	WNW	a-cu	WNW	cu	ESE	cu	E
5	cu	E	cu	E	cu	ENE	st-cu	ENE	cu	ENE	cu	E	cu	E	cu	E
6	cu	E	nb	E	nb	E	nb	E	nb	ENE	nb	ENE	nb	ENE	nb	ENE
7	nb	NE	nb	NE	nb	ENE	nb	ENE	cu-nb	ENE	nb	ENE	nb	ENE	cu-nb	NE
8	cu	ENE	cu	ENE	cu	ENE	st-cu	ENE	cu	NE	st-cu	ENE	cu	ENE	cu	ENE
9	nb	ENE	cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	cu-nb	NNW	cu	ENE	cu	ENE
10	cu	ENE	cu	ENE	cu	ENE	...	...	...	...	...	...	...	...	cu	ENE
11	cu	ENE	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12	cu	ENE	cu	ENE	...	...	...	...	...	...	...	...	...	...	a-cu	SSW
13	a-cu	SW	...	...	...	...	...	...	...	...	...	...	...	...	cu	ENE
14	cu	ENE	cu	ENE	nb	ENE	nb	ESE	nb	E	nb	ENE	nb	E	nb	E
15	nb	E	nb	E	nb	ENE	nb	E	nb	ENE	nb	ENE	cu	ENE	a-cu	WSW
16	cu	E	cu-nb	ENE	cu-nb	ENE	cu	E	cu	E	...	...	cu	E	cu	E
17	cu	E	cu	E	cu-nb	ENE	cu-nb	ENE	nb	ENE	cu	ENE	cu-nb	ENE	cu-nb	ENE
18	cu-nb	ENE	cu-nb	ENE	a-cu	WSW	a-cu	WSW	a-cu	WSW	a-cu	WSW	cu	ENE	cu	ENE
19	cu	NE	...	...	a-cu	WSW	a-cu	WSW	st-cu	ENE	st-cu	ENE	cu-nb	E	cu-nb	E
20	st-cu	ENE	st-cu	ENE	a-cu / cu	WSW / ENE	a-cu	WSW	...	...	a-cu	W	...	...	...	...
21	ci-cu	W	cu	NW	st-cu	NNW	...	...	...	...	...	...	cu	E	cu	E
22	cu	E	cu	ENE	cu	ENE	cu	ENE	st-cu	ENE	cu	ENE	...	...	cu	ENE
23	cu	ENE	cu	ENE	cu	ENE	cu	ENE	...	...	...	...	...	...	cu	ENE
24	cu	ENE	cu	ENE	cu	NE	a-cu / cu	NNE / ENE	cu	ENE	a-cu / cu	NNE / ENE	cu	ENE	...	...
25	...	...	...	...	a-cu / cu	NW / ENE	cu	ENE	...	...	...	...	...	...	...	...
26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
27	...	...	cu	ENE	cu	E	...	...	cu	E	cu	E	...	...	cu	ENE
28	cu	E	...	...	a-cu	SW	...	...	...	...	a-cu	WSW	cu	E	cu	E
29	cu	E	cu	ENE	a-cu	ENE	...	...	...	...	...	...	...	...	...	...
30	...	...	...	...	...	...	...	...	...	...	...	...	cu	E	cu	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1929.
(British Units.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-10).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·972	79·4	64·5	14·9	72·0	63·0	0·475	61	3	10·5	93	...	...	+ 3·2	+ 0·8	14	3·3	5·6
2	·995	79·5	67·4	12·1	73·1	64·8	·520	64	32	10·6	95	...	...	+ 2·7	+ 9·1	73	9·5	11·8
3	30·006	76·2	70·4	5·8	73·2	66·2	·564	69	78	5·3	47	...	...	+ 1·9	+ 15·7	83	15·8	16·3
4	29·972	75·6	70·9	4·7	72·8	66·0	·562	70	77	5·3	47	...	...	+ 2·6	+ 20·6	83	20·8	20·8
5	·915	77·6	72·2	5·4	74·2	68·6	·635	76	93	2·1	19	...	...	+ 2·9	+ 17·6	81	17·9	18·1
6	·920	74·9	66·3	8·6	69·5	65·4	·579	81	99	...	...	1·065	9	+ 11·7	+ 8·0	34	14·2	15·7
7	·975	71·9	66·4	5·5	68·7	64·4	·556	79	100	...	...	0·085	3	+ 13·8	+ 0·5	2	13·8	13·8
8	·970	75·0	66·7	8·3	70·6	64·3	·531	71	92	2·8	25	...	...	+ 5·2	+ 3·1	31	6·1	7·3
9	30·010	73·1	66·7	6·4	69·8	63·4	·511	70	92	0·6	5	...	...	+ 7·3	...	360	7·3	7·7
10	·075	71·2	61·0	10·2	65·0	55·2	·327	53	25	9·5	86	...	...	+ 16·9	+ 3·0	10	17·1	18·5
11	·103	65·5	57·1	8·4	62·1	51·1	·253	45	3	10·7	96	...	...	+ 11·6	+ 4·7	22	12·5	13·5
12	·040	70·1	56·0	14·1	63·9	52·8	·277	47	27	10·4	94	...	...	+ 3·6	+ 2·0	29	4·1	6·2
13	·000	72·7	59·8	12·9	66·6	58·2	·392	60	13	10·6	95	...	...	+ 3·8	+ 7·7	64	8·6	10·3
14	29·992	72·3	66·4	5·9	69·3	62·1	·477	66	100	...	...	0·010	5	+ 3·9	+ 5·9	57	7·1	8·0
15	·968	73·2	65·7	7·5	69·4	64·6	·555	77	96	...	...	0·210	7	+ 3·2	+ 2·3	36	3·9	4·9
16	·938	74·8	67·5	7·3	69·9	64·7	·552	76	65	6·9	63	...	...	+ 1·5	+ 9·0	81	9·1	10·0
17	30·002	74·1	63·8	10·3	69·6	63·1	·504	70	100	0·1	1	0·005	1	+ 4·5	+ 7·8	60	9·0	11·6
18	·081	70·5	60·5	10·0	65·2	51·8	·237	38	77	7·5	68	...	...	+ 13·8	+ 1·8	7	13·9	14·2
19	·047	67·4	60·4	7·0	64·7	56·8	·374	61	70	3·5	32	...	...	+ 4·2	+ 10·8	69	11·6	12·2
20	29·972	73·0	66·1	6·9	68·6	62·0	·482	69	48	7·9	72	...	...	− 0·3	+ 15·6	91	15·6	15·7
21	·977	76·7	65·7	11·0	70·9	65·1	·554	74	37	9·7	89	...	...	+ 0·7	+ 3·2	78	3·3	4·7
22	30·071	69·7	66·2	3·5	67·8	61·4	·472	69	72	2·0	18	...	...	+ 3·6	+ 6·0	59	7·0	8·3
23	·097	68·3	63·7	4·6	65·8	59·5	·438	69	27	9·8	90	...	...	+ 3·1	+ 19·0	81	19·3	19·9
24	·092	72·9	58·8	4·1	65·2	57·4	·385	62	42	6·7	61	...	...	+ 8·7	+ 5·0	30	10·0	11·5
25	·099	67·7	57·6	10·1	61·9	49·9	·227	41	10	9·4	86	...	...	+ 8·4	+ 1·8	12	8·6	9·2
26	·091	67·1	57·3	9·8	61·7	51·7	·273	50	...	10·0	92	...	...	− 0·4	+ 6·0	94	6·0	6·6
27	·094	67·1	59·2	7·9	63·0	56·7	·390	68	25	9·0	83	...	...	+ 8·0	+ 15·0	62	17·0	17·3
28	·120	67·0	60·7	6·3	64·4	57·0	·382	63	40	8·3	76	...	...	+ 7·0	+ 16·8	67	18·2	18·7
29	·074	70·0	63·5	6·5	66·2	58·5	·405	63	26	10·1	94	...	...	+ 1·5	+ 12·4	83	12·5	12·7
30	·035	70·2	62·3	7·9	66·1	60·0	·449	71	5	10·4	96	...	...	+ 3·4	+ 17·2	79	17·6	18·0
Means	30·023	72·2	63·7	8·5	67·7	60·2	0·445	64	53	Sum. 189·7	57	Sum. 1·375	Sum. 25	+ 5·4	+ 8·3	57	9·9	12·3
Normals	29·989	74·2	65·2	9·0	69·3	62·5	0·487	66	53	186·4	...	1·734	30	+ 4·3	+ 8·7	64	9·7	12·5
Absolute Max.	30·177	79·5	...	14·9	...	70·0	0·689	...	...	10·7	96	1·065	9	...	...	...	...	37·0 †
Day.	28	2	...	1	...	6	6	...	...	11	11,30	6	6	...	...	...	...	10*d* 8*h*
Absolute Min.	29·846	...	56·0	3·5	...	46·0	0·164	26	...	...	...	...	...	...	...	...	...	...
day.	6	...	12	22	...	26	25	18	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1018·7	295·3	290·6	4·7	292·8	288·7	15·1	...	...	...	...	Sum. 34·9	Sum. 25	+ 1·8	+ 2·7	57	3·2	4·0
Normals	1017·5	296·4	291·4	5·0	293·7	289·9	16·4	...	...	...	...	44·0	30	+ 1·4	+ 2·9	64	3·2	4·1
Absolute Maximum.	1023·9	299·4	...	8·3	...	294·1	23·3	...	...	...	...	27·0	9	...	...	...	...	12·1
Absolute Minimum.	1012·7	...	286·3	1·9	...	280·8	5·6	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 4 days. The mean hourly intensity was 0·055*in*, and the maximum fall in one hour was 0·270*in* at 10*h* on the 6th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 51 miles per hour from N. by E. at 7*h* 36*m* on the 10th.

Clouds with base less than 2,000 feet high were observed on 1 day.
Clouds with base less than 1,000 feet high were observed on 1 day.

*0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1929.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-10).	Percentage of Possible Sunshine.	Rainfall. Amount.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. *Direction.	Wind. Resultant. Velocity.	Wind. Observed Velocity.
	ins.	°	°	ins.	%	%	%		%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·030	66·5	60·2	·459	69	59		0·105	8	4	+ 5·3	+ 9·0	60	10·5	12·0
2	·022	66·1	59·9	·454	69	62		0·065	5	7	+ 6·0	+ 7·9	53	9·9	12·1
3	·016	65·6	59·5	·448	69	63		0·070	5	8	+ 6·8	+ 7·9	49	10·4	12·3
4	·013	65·2	59·0	·438	68	64		0·035	3	4	+ 7·1	+ 8·4	50	11·0	12·7
5	·015	64·9	58·8	·435	69	63		0·020	1	4	+ 7·3	+ 7·6	46	10·5	12·5
6	·028	64·6	58·5	·430	69	61	...	0·005	...	4	+ 7·6	+ 6·6	41	10·1	11·8
7	·045	64·7	58·4	·426	68	55	33	0·070	5	8	+ 8·1	+ 6·5	39	10·4	11·9
8	·057	65·9	59·0	·430	65	50	57	0·010	1	2	+ 8·0	+ 7·5	43	11·0	12·5
9	·068	67·7	59·9	·437	63	51	64	...	...	3	+ 7·4	+ 7·8	47	10·8	12·7
10	·073	69·1	60·5	·439	60	47	66	0·270	20	4	+ 6·6	+ 8·5	52	10·8	13·2
11	·059	70·2	61·1	·445	59	32	67	0·270	20	4	+ 4·9	+ 9·0	61	10·3	13·2
Noon.	·035	70·9	61·2	·440	56	41	65	0·055	4	4	+ 3·9	+ 9·4	68	10·2	13·7
13	·007	71·3	61·4	·442	55	41	64	0·015	1	4	+ 2·4	+ 9·5	76	9·8	12·9
14	29·982	71·1	61·4	·444	56	44	63	...	...	2	+ 1·4	+ 8·6	81	8·7	12·2
15	·971	70·7	61·3	·445	57	44	61	...	...	2	+ 1·9	+ 8·6	78	8·8	12·8
16	·970	70·2	61·2	·448	59	49	59	0·045	3	2	+ 3·0	+ 9·2	72	9·7	12·9
17	·980	69·4	60·9	·447	60	46	35	0·075	5	5	+ 4·1	+ 8·9	65	9·8	12·3
18	·992	68·3	60·6	·450	63	48	...	0·170	12	8	+ 4·9	+ 8·3	59	9·7	11·5
19	30·009	67·7	60·3	·449	64	48		0·080	6	8	+ 5·6	+ 8·1	55	9·9	11·2
20	·027	67·4	60·3	·452	66	54		0·005	...	4	+ 6·1	+ 7·9	52	10·0	11·7
21	·039	67·2	60·4	·457	67	66		...	...	3	+ 5·7	+ 7·7	53	9·6	11·5
22	·043	67·0	60·2	·453	67	56		...	...	2	+ 5·2	+ 8·0	57	9·5	11·4
23	·044	66·8	60·3	·458	68	57		...	...	...	+ 5·1	+ 8·1	58	9·6	11·6
Midn.	·037	66·7	60·2	·457	68	59		0·010	1	4	+ 5·4	+ 9·6	61	11·0	12·5

Phenomena :—

Lunar corona :—on the 9th, 13th, 14th and 22nd.

Slight Fog :—on the 21st.

Unusual visibility :—on the 4th, 6th, 7th, 10th, 13th and 28th.

ADOPTED ERRORS OF TIMEBALL, NOVEMBER, 1929.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	0·0	11	+ 0·3	21	— 0·2
2	0·0	12	0·0	22	— 0·1
3	0·0	13	0·0	23	— 0·1
4	0·0	14	— 0·1	24	— 0·1
5	0·0	15	0·0	25	0·0
6	0·0	16	0·0	26	— 0·1
7	0·0	17	— 0·1	27	— 0·2
8	+ 0·1	18	— 0·1	28	— 0·2
9	+ 0·1	19	— 0·1	29	— 0·1
10	+ 0·2	20	— 0·2	30	— 0·1

+ = Late ; — = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0ˢ·11

* 0° = N. 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

NOVEMBER,

1929.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	31st October, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	1st November, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.99	761.7	41	...	NNW	2	b	6	30.23	767.7	25	...	NW	2	b
Nemuro,	11	29.98	761.5	...	...	S	2	...	5	29.61	752.0	...	...	NW	5	...
Hokodate,	,,	29.88	759.0	...	...	S	1	...	,,	29.88	759.0	...	...	W	5	...
Tokio,	,,	29.98	761.5	...	...	...	0	...	,,	29.84	758.0	...	...	NNW	1	...
Kochi,	,,	30.00	762.0	...	...	...	0	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	30.02	762.5	...	...	WNW	2	...	,,	30.08	764.0	...	...	NNW	1	...
Kagoshima,	,,	30.02	762.5	...	...	W	1	...	,,	30.04	763.0	..	...	...	0	...
Oshima,	,,	30.06	763.5	...	...	...	0	...	,,	30.02	762.5	..	...	N	2	...
Naha,	,,	30.04	763.0	...	...	N	2	...	,,	30.00	762.0	...	...	NNE	5	...
Ishigakijima,	,,	30.06	763.5	...	...	E	1	...	,,	30.00	762.0	..	..	NNE	2	...
Bonin Island,	,,	29.98	761.5	...	...	...	0	...	,,	29.98	761.5	...	...	...	0	...
Chefoo,	15	30.26	768.6	48	87	NW	4	b	6	30.22	767.6	44	86	...	0	b
Shanghai,	14	30.25	768.3	57	91	NNW	1	r	,,	30.27	768.9	50	87	NNW	1	b
Gutzlaff,	,,	30.25	768.3	58	90	NW	6	o	,,	30.30	769.6	58	81	NNW	6	o
Sharp Peak,	,,	30.00	762.0	78	74	E	4	b	7	30.12	765.0	69	75	NE	2	b
Amoy,	,,	29.98	761.5	82	63	ESE	4	b	6	30.08	764.0	67	84	ENE	4	o
Swatow,	,,	30.01	762.2	75	66	E	2	b	..	30.10	764.5	64	90	N	1	b
Taihoku,	11	30.06	763.5	84	55	ENE	4	b	5	30.08	764.1	68	91	E	2	o
Taichu,	,,	30.04	762.9	84	...	NNW	2	b	,,	30.01	762.3	70	...	N	2	r
Tainan,	,,	30.00	762.0	86	...	NNW	2	b	,,	29.97	761.1	70	...	N	2	o
Koshun,	,,	30.00	762.0	81	...	NE	4	o	,,	29.93	760.2	73	...	NNE	4	o
Pescadores,	,,	30.04	762.9	79	...	NNE	6	o	,,	30.00	762.0	72	...	NNE	6	o
Hong Kong,	14	29.96	761.0	81	58	ESE	2	b	6	30.05	763.2	65	69	...	0	b
Gap Rock,	,,	29.99	761.7	...	...	NNE	4	b	,,	30.04	763.0		...	N	5	b
Macao,	,,	29.97	761.1	81	50	NNE	4	b	,,	30.04	762.9	64	71	NNE	4	b
Hoihow,	,,	29.98	761.5	80	72	ENE	2	b	,,	...	...	...	...		...	...
Pratas Island,	,,	29.91	760.5	80	74	NE	5	bo	,,	29.94	760.5	76	78	NE	7	o
Phulien,	15	30.01	762.3	81	66	NNE	4	b	7	30.11	764.7	64	71	NNE	2	b
Tourane,	,,	29.88	759.0	73	...	E	4	rf	,,	29.92	759.9	75	...	NE	4	o
Cape St. James,	,,	29.84	757.8	81	...	ENE	6	o	,,	29.86	758.4	75	...	ENE	2	o
Basco,	14	29.87	758.7	79	89	ESE	2	o	6	29.91	759.6	77	94	ESE	2	o
Aparri,	,,	29.82	757.5	81	80	S	2	o	,,	29.88	759.0	73	94	...	0	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.76	756.0	82	77	NNW	4	o	,,	29.82	757.5	75	88	N	2	o
Manila,	,,	29.78	756.3	90	66	NE	4	o	,,	29.84	757.8	73	94	E	1	o
Legaspi,	,,	29.78	756.3	84	85	ENE	4	o	,,	29.84	757.8	77	96	NE	2	o
Calbayog,	,,	29.79	756.6	77	88	NNE	4	r	,,	29.82	757.5	75	98	...	0	b
Tacloban,	,,	29.79	756.6	77	84	...	0	r	,,	29.81	757.2	77	91	NW	2	b
Iloilo,	,,	29.73	755.1	90	66	NE	4	b	,,	29.79	756.6	79	91	NE	4	o
Cebu,	,,	29.74	755.4	86	61	NE	4	o	,,	29.80	756.9	79	84	NW	2	o
Surigao,	,,	29.75	755.7	82	84	ENE	2	o	,,	29.80	756.9	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.81	757.2	79	...	ESE	3	bo
Guam,	12.22	29.76	756.0	...	...	E	4	o	4.22	29.80	756.9	...	...	NE	1	o
Yap,	11.00	29.76	756.0	...	...	ENE	4	o	5	29.79	756.6	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.79	756.6	78	...	ENE	1	bo
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	79	...	E	2	bo
Labuan,	14	29.77	756.1	88	84	NE	4	b	6	29.85	758.2	78	70	NE	6	b

November 1*d.* 11*h.* 03*m.*—The anticyclone has extended north-eastward to S. Manchuria; a depression is situated to the east of Hokkaido.

Fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 80.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	N. winds, fresh; fine.
4.—South coast of China between Hong Kong and Hainan,	N. winds, fresh; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st November, 1929.								2nd November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.16	766.0	37	...	NNW	2	b	6	30.15	765.8	27	...	NNE	2	o
Nemuro,	11	29.67	753.5	...	...	NNW	1	...	5	30.00	762.0	...	...	WSW	2	...
Hokodate,	,,	29.94	760.5	...	...	WNW	5	...	,,	30.08	764.0	...	...	WSW	3	...
Tokio,	,,	29.92	759.9	...	...	ENE	2	...	,,	30.14	765.5	...	...	ENE	1	...
Kochi,	,,	29.96	761.0	...	...	...	0	...	,,	30.12	765.0	...	...	SW	1	...
Nagasaki,	,,	30.10	764.5	...	...	N	1	...	,,	30.16	766.0	...	...	...	0	...
Kagoshima,	,,	30.04	763.0	...	...	NW	2	...	,,	30.16	766.0	...	...	...	0	...
Oshima,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.14	765.5	...	...	N	1	...
Naha,	,,	30.02	762.5	...	...	NNE	5	...	,,	30.10	764.5	...	...	NE	2	...
Ishigakijima,	,,	30.04	763.0	...	...	NNE	2	...	,,	30.04	763.0	..	..	ENE	2	...
Bonin Island,	,,	29.96	761.0	...	...	W	1	...	,,	30.04	763.0	...	...	...	0	...
Chefoo,	15	30.15	765.8	58	81	SW	1	b	6	30.28	769.1	44	92	NNW	6	o
Shanghai,	14	30.22	767.7	64	28	WNW	2	b	,,	30.30	769.5	39	90	NW	1	b
Gutzlaff,	,,	30.26	768.6	65	44	NNW	4	b	,,	30.33	770.4	56	57	NNW	2	o
Sharp Peak,	,,	30.04	763.0	74	68	ESE	2	o	7	30.14	765.5	67	74	E	1	o
Amoy,	,,	30.00	762.0	78	61	NE	4	b	6	30.08	764.0	68	74	NNE	4	o
Swatow,	,,	30.01	762.2	73	82	E	2	c	,,	30.12	765.0	66	90	N	1	c
Taihoku,	11	30.11	764.7	70	88	ESE	2	r	5	30.10	764.4	66	96	E	4	r
Taichu,	,,	30.00	762.0	77	...	NNW	2	o	,,	30.01	762.3	68	...	...	0	o
Tainan,	,,	29.98	761.4	84	...	N	4	b	,,	29.98	761.4	68	...	N	2	o
Koshun,	,,	29.97	761.1	77	...	NE	6	o	,,	29.95	760.8	73	...	NE	6	b
Pescadores,	,,	30.02	762.6	75	...	NE	6	o	,,	30.01	762.3	72	...	NNE	6	o
Hong Kong,	14	29.97	761.2	77	54	W	1	b	6	30.05	763.2	68	63	NNE	2	b
Gap Rock,	,,	29.99	761.7	...	...	N	4	b	,,	30.04	763.0	..	...	NNE	4	c
Macao,	,,	29.97	761.1	75	53	NE	4	b	,,	30.02	762.6	66	67	NNE	2	b
Hoihow,	,,	29.97	761.2	77	67	NE	3	b	,,	...	...	...	...	...	...	...
Pratas Island,	..	29.92	759.9	76	82	NE	6	o	,,	29.98	761.5	74	85	NE	6	o
Phulien,	15	29.99	761.7	79	55	NW	1	b	7	30.07	762.8	66	94	N	2	b
Tourane,	,,	29.89	759.3	77	...	E	6	o	,,	29.80	759.3	73	...	NE	4	o
Cape St. James,	,,	29.81	757.2	81	...	NE	4	o	,,	29.86	758.4	73	...	N	2	o
Basco,	14	29.85	758.1	81	80	SE	4	o	6	29.92	759.9	75	94	NE	2	r
Aparri,	,,	29.81	757.2	81	84	NE	4	o	,,	29.91	759.6	75	94	...	0	o
Tuguegarao,	,,	29.78	756.3	90	69	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.76	756.0	86	68	W	4	b	,,	29.84	757.8	75	92	NE	1	b
Manila,	,,	29.78	756.3	86	71	NNE	2	o	,,	29.85	758.1	73	96	NE	1	o
Legaspi,	,,	29.76	756.0	82	86	ENE	1	o	,,	29.80	756.9	79	92	NNE	2	o
Calbayog,	,,	29.76	756.0	84	77	NNW	2	o	,,	29.81	757.2	73	96	...	0	b
Tacloban,	,,	29.74	755.4	86	75	SE	4	o	,,	29.82	757.5	77	92	NW	2	o
Iloilo,	,,	29.72	754.8	86	65	E	4	o	,,	29.80	756.9	77	96	NE	4	o
Cebu,	,,	29.74	755.4	86	68	NE	4	o	,,	29.80	756.9	77	85	N	2	o
Surigao,	,,	29.74	755.4	86	68	E	4	o	,,	29.75	755.7	75	96	S	1	o
Saipan,	...		...	...	...	...	...	...	5	29.84	757.9	79	...	ESE	1	bc
Guam,	12.22	29.74	755.4	...	...	NE	4	o	4.22	..	..	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	ENE	2	o	5	29.80	756.9	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.80	756.9	80	...	...	0	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.83	757.7	80	...	NE	3	bc
Labuan,	14	29.80	756.9	86	84	NW	2	b	6	29.86	758.4	80	82	NE	6	b

November 2*d*. 10*h*. 55*m*.—The anticyclone remains central over N. China, and has increased in intensity. Fresh monsoon will prevail along the south east coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 80.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd November, 1929.								3rd November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.06	763.5	36	...	N	2	b	6	30.12	765.0	36	...	W	4	c
Nemuro,	11	29.94	760.5	...	...	SW	2	...	5	29.90	759.5	...	...	NW	4	...
Hokodate,	,,	30.02	762.5	...	...	WSW	2	...	,,	30.04	763.0	...	...	WNW	1	...
Tokio,	,,	30.12	765.0	...	...	N	1	...	,,	30.06	763.5	...	...	...	...	...
Kochi,	,,	30.12	765.0	...	...	...	0	...	,,	30.22	767.5	...	...	WSW	1	...
Nagasaki,	,,	30.20	766.0	...	...	WNW	3	...	,,	30.26	768.5	...	...	...	0	...
Kagoshima,	,,	30.16	766.0	...	...	NNW	1	...	,,	30.22	767.5	...	...	...	...	...
Oshima,	,,	30.16	766.0	...	...	E	2	...	,,	30.18	766.5	...	...	NNE	2	...
Naha,	,,	30.10	764.5	...	...	NNE	3	...	,,	30.16	766.0	...	...	NE	1	...
Ishigakijima,	,,	30.08	764.0	...	...	NE	3	...	,,	30.10	764.5	...	...	NE	2	...
Bonin Island,	,,	30.02	762.5	...	...	...	0	...	,,	30.02	762.5	...	...	...	0	...
Chefoo,	15	30.25	768.3	46	92	NNW	4	o	6	30.30	769.6	40	91	SW	4	b
Shanghai,	14	30.28	769.2	68	25	NW	1	b	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	30.34	770.6	68	38	NNW	1	o	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	30.06	761.5	70	70	ENE	4	o	7	30.19	766.8	65	63	N	1	b
Amoy,	,,	30.10	764.5	75	72	ENE	4	o	6	30.15	765.8	66	68	NNE	6	b
Swatow,	,,	30.07	763.8	73	87	E	2	c	,,	30.15	765.8	65	85	N	2	b
Taihoku,	11	30.14	765.6	68	92	E	4	r	5	30.18	766.5	64	86	E	4	r
Taichu,	,,	30.02	762.6	81	...	NNW	2	o	,,	30.06	763.5	64	...	N	2	b
Tainan,	,,	30.01	762.3	81	...	NNW	2	o	,,	30.01	762.3	72	...	N	2	b
Koshun,	,,	30.00	762.0	...	...	NE	4	o	,,	29.98	761.4	73	...	NE	6	o
Pescadores,	,,	30.06	763.5	77	...	NE	6	o	,,	30.05	763.2	72	...	NNE	6	b
Hong Kong,	14	30.01	762.2	78	53	E	2	b	6	30.07	763.8	71	75	ENE	3	o
Gap Rock,	,,	30.04	763.0	...	...	ENE	4	b	,,	30.06	763.5	...	...	ENE	4	o
Macao,	,,	30.01	762.3	79	45	ENE	4	b	,,	30.04	762.9	70	77	NE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.97	761.2	77	78	NE	5	o	,,	30.01	762.2	74	81	NE	7	c
Phulien,	15	30.01	762.3	81	53	...	0	b	7	30.07	763.8	68	...	NE	4	c
Tourane,	,,	29.89	759.3	72	...	NE	4	of	,,	29.87	758.7	70	...	NW	4	or
Cape St. James,	,,	29.84	757.8	84	...	SE	4	o	,,	29.87	758.7	77	...	NE	2	c
Basco,	14	29.92	759.9	75	92	NE	2	r	6	...	...	...	...	...	...	...
Aparri,	,,	29.87	758.7	84	74	NE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.82	757.5	90	63	NNW	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.9	84	74	NW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	82	86	SE	1	r	,,	29.85	758.1	73	92	NNE	1	o
Legaspi,	,,	29.78	756.3	86	81	NNE	2	o	,,	29.82	757.5	79	91	NE	2	o
Calbayog,	,,	29.78	756.3	86	71	NE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	84	81	E	1	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	90	60	NE	6	b	,,	29.81	757.2	77	92	N	4	o
Cebu,	,,	29.74	755.4	90	55	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	82	84	E	2	o	,,	29.81	757.2	75	96	ENE	2	r
Saipan,	...		...	...	...	...	...	...	5	29.82	757.4	79	...	E	2	b
Guam,	12.22	29.75	755.7	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	ENE	4	o	5	29.81	757.2	80	...	ENE	2	b
Pelew,	...	...	...	...	...	...	...	...	,,	29.80	756.9	78	...	...	0	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.77	756.1	82	...	FSE	2	bc
Labuan,	14	29.79	756.6	86	88	NE	4	b	6	29.84	757.9	80	91	NE	4	b

November 3*d.* 10*h.* 40*m.*—The anticyclone over N. China has increased in intensity. A depression appears to be forming to the south-west of the Paracels.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 80.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—**Formosa Channel,**	N.E. winds, strong.
2.—**South coast of China between Hong Kong and Lamocks,**	N.E. winds, fresh; fine.
3.—**Hong Kong to Gap Rock,**	N.E. winds, fresh; fine.
4.—**South coast of China between Hong Kong and Hainan,**	N.E. winds, fresh; fine.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd November, 1929.								4th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.05	763.3	47	...	W	4	b	6	30.13	765.3	35	...	...	0	b
Nemuro,	11	29.96	761.0	...	...	W	1	...	5	30.08	764.0	...	...	SW	1	...
Hokodate,	,,	30.06	763.5	...	...	W	4	...	,,	30.16	766.0	...	...	NE	1	...
Tokio,	,,	30.08	764.0	...	...	...	0	...	,,	30.28	769.0	...	...	NNW	1	...
Kochi,	,,	30.18	766.5	...	...	...	0	...	,,	30.28	769.0	...	...	WSW	1	...
Nagasaki,	,,	...	...	...	...	N	2	...	,,	30.30	769.5	...	...	E	1	...
Kagoshima,	,,	30.24	768.0	...	...	N	1	...	,,	30.28	769.0	...	...	NW	1	...
Oshima,	,,	30.20	76[illegible].0	...	...	N	2	...	,,	30.22	767.5	...	...	SSE	1	...
Naha,	,,	30.16	766.0	...	...	NE	3	...	,,	30.12	765.0	...	...	NE	2	...
Ishigakijima,	,,	30.14	765.5	...	...	ENE	2	...	,,	30.10	764.5	...	..	ENE	2	...
Bonin Island,	,,	30.04	763.0	...	...	NNE	1	...	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	30.21	767.3	58	76	SW	1	b	6	30.16	766.0	44	86	...	0	b
Shanghai,	14	30.36	771.0	64	20	NNW	2	b	,,	30.28	769.2	52	75	NNE	1	o
Gutzlaff,	,,	30.36	771.1	65	40	NNE	2	b	,,	30.34	770.6	58	53	NE	2	o
Sharp Peak,	,,	30.14	765.5	71	80	NE	2	b	7	30.13	765.3	66	84	NE	2	o
Amoy,	,,	30.07	763.8	75	58	NE	4	b	6	30.11	764.8	66	75	N	4	o
Swatow,	,,	30.08	764.0	74	78	NE	2	c	,,	30.12	765.0	66	85	NE	2	c
Taihoku,	11	30.18	766.5	73	66	E	4	o	5	30.07	763.8	66	94	E	4	b
Taichu,	,,	30.05	76[illegible].2	81	...	N	2	b	,,	30.05	763.2	63	...	...	0	b
Tainan,	,,	30.04	762.9	79	...	N	2	b	,,	30.01	762.3	64	...	..	0	b
Koshun,	,,	30.00	762.0	73	...	NE	7	b	,,	29.97	761.1	72	...	NE	6	b
Pescadores,	,,	30.06	763.5	77	...	NNE	6	b	,,	30.02	762.6	72	...	NNE	4	b
Hong Kong,	14	30.03	762.7	76	63	E	3	c	6	30.04	763.0	71	68	ENE	4	o
Gap Rock,	,,	30.02	762.5	...	...	ENE	4	o	,,	30.02	762.5	..	...	ENE	4	o
Macao,	,,	30.01	762.3	77	61	ESE	2	o	,,	30.01	762.3	72	75	ESE	4	o
Hoihow,	,,	..	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.99	761.7	77	76	NE	6	o	,,	29.98	761.4	74	88	NE	6	cd
Phulien,	15	30.00	762.0	82	51	E	4	b	7	30.02	762.6	68	87	N	2	o
Tourane,	,,	29.81	757.2	81	...	NE	6	rf	,,	29.82	757.5	75	...	E	4	of
Cape St. James,	,,	29.81	757.2	79	...	NE	4	b	,,	29.84	757.8	73	...	ENE	6	b
Basco,	14	29.93	760.2	75	91	ENE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.86	758.4	84	74	ENE	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.82	757.5	82	81	N	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	86	71	NNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	84	71	SSE	1	o	,,	29.82	757.5	75	94	...	0	o
Legaspi,	,,	29.76	756.0	86	75	NE	4	b	,,	29.82	757.5	79	92	...	0	o
Calbayog,	,,	29.76	756.0	81	66	...	0	r	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	84	77	SE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	65	NE	6	o	,,	29.78	756.3	77	91	NE	4	o
Cebu,	,,	29.73	755.1	86	65	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.74	755.4	81	86	SE	2	o	,,	...	...	...	...	...	...	...
Saipan,	...		...	...	...	...	...	...	5	29.80	756.9	77	...	E	4	c
Guam,	12.22	29.75	755.7	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	NE	2	o	5	29.79	756.6	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.78	756.4	78	...	NNE	1	b
Ponape,	...	...	...	...	...	...	...	...	,,	29.76	755.9	80	...	E	2	c
Labuan,	14	29.78	756.4	88	84	NE	4	b	6	29.84	757.9	88	91	NE	6	b

November 4*d.* 10*h.* 41*m.*—The anticyclone has moved eastward, and is now central over S. Japan. Fresh monsoon will continue along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 80.71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th November, 1929.								5th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.06	763.6	48	...	SE	2	b	6	30.12	765.1	41	...	...	0	c
Nemuro,	11	30.14	765.5	...	...	...	0	...	5	30.18	766.5	...	...	SSW	1	...
Hokodate,	,,	30.16	766.0	...	...	W	2	...	,,	30.18	766.5	...	...	N	1	...
Tokio,	,,	30.26	768.5	...	...	N	1	...	,,	30.30	769.5	...	...	NW	1	...
Kochi,	,,	30.26	76[illegible].5	...	...	SE	1	...	,,	30.32	770.0	...	...	SW	1	...
Nagasaki,	,,	30.31	770.0	...	...	N	1	...	,,	30.28	769.0	...	...	E	2	...
Kagoshima,	,,	30.26	768.5	...	...	ESE	1	...	,,	30.26	768.5	...	...	WNW	1	...
Oshima,	,,	30.20	76[illegible].0	...	...	NNE	2	...	,,	30.20	767.0	...	...	...	0	...
Naha,	,,	30.12	765.0	...	...	E	3	...	,,	30.10	764.5	...	...	ENE	2	...
Ishigakijima,	,,	30.10	764.5	...	...	E	2	...	,,	30.06	763.5	..	...	E	3	...
Bonin Island,	,,	30.06	763.5	...	...	ENE	1	...	,,	30.12	765.0	...	...	ENE	1	...
Chefoo,	15	30.08	764.0	65	95	SW	2	b	6	30.11	764.8	56	94	SW	1	b
Shanghai,	14	30.24	768.0	64	41	ESE	1	o	,,	30.15	765.9	57	98	ESE	1	r
Gutzlaff,	,,	30.28	769.1	62	51	ESE	2	o	,,	30.19	766.8	62	100	SW	2	r
Sharp Peak,	,,	30.07	763.8	71	73	NE	2	o	7	30.03	762.7	70	90	N	1	o
Amoy,	,,	30.02	762.5	80	62	ENE	4	b	6	30.05	763.2	75	86	W	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	30.07	763.8	67	95	NNE	2	o
Taihoku,	11	30.07	763.8	82	67	E	4	b	5	29.99	761.7	72	88	E	4	b
Taichu,	,,	30.02	762.6	84	...	NW	2	b	,,	30.01	762.3	66	...	...	0	o
Tainan,	,,	30.04	762.9	84	...	NNE	2	b	,,	29.99	761.7	75	...	...	0	b
Koshun,	,,	30.05	763.2	79	...	NNE	6	o	,,	29.98	761.4	75	...	NE	4	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	73	...	N	2	b
Hong Kong,	14	29.99	761.7	75	59	E	4	c	6	29.99	761.7	73	79	ENE	4	o
Gap Rock,	,,	30.00	762.0	...	...	ENE	5	b	,,	29.98	761.5	...	...	ENE	4	o
Macao,	,,	29.97	761.1	81	59	E	2	o	,,	29.94	760.5	73	79	SE	4	o
Hoihow,	,,	29.94	760.5	78	83	NE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.95	760.7	78	79	NE	6	c	,,	29.95	760.7	76	90	NE	4	o
Phulien,	15	29.97	761.1	79	66	E	4	o	7	29.97	761.1	70	96	NNE	4	of
Tourane,	,,	29.79	756.6	75	...	E	4	of	,,	29.80	756.9	72	...	NNW	2	of
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	...	NE	2	b
Basco,	14	...	...	...	...	..	...	...	6	...	..	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.85	758.1	75	94	NW	4	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.76	756.0	86	65	W	2	b	,,	29.80	756.9	75	88	ENE	1	b
Manila,	,,	29.78	756.3	86	71	NE	2	o	,,	29.82	757.5	72	96	NE	1	b
Legaspi,	,,	29.78	756.3	86	58	NE	4	o	,,	29.78	756.3	81	87	NNE	2	o
Calboyog,	,,	29.76	756.0	82	81	NE	4	r	,,	29.79	756.6	75	94	N	2	o
Tacloban,	,,	29.75	755.7	86	71	E	2	o	,,	29.78	756.3	77	88	NW	2	b
Iloilo,	,,	29.71	754.5	81	56	NE	6	o	,,	29.75	755.7	77	94	NE	4	o
Cebu,	,,	29.72	754.8	86	65	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.73	755.1	84	77	ESE	2	r	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.82	757.4	79	...	E	3	c
Guam,	12.22	29.73	755.1	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.72	754.8	...	...	ENE	1	b	5	29.78	756.3	75	...	ENE	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.74	755.4	78	...	ENE	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	78	...	ESE	3	c
Labuan,	14	29.79	756.6	88	88	NE	4	b	6	29.83	757.7	81	87	NE	2	b

November 5*d.* 10*h.* 36*m.*—The anticyclone remains central over Japan, and fresh monsoon will prevail along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·03 inches, against an average of 80.76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; cloudy.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th November, 1929.								6th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.09	764.2	50	...	SE	3	o	6	30.15	765.9	35	...	N	2	f
Nemuro,	11	30.14	765.5	...	...	SSW	3	...	5	30.28	769.0	...	...	SW	1	...
Hokodate,	,,	30.18	766.5	...	...	W	4	...	,,	30.32	770.0	...	...	...	...	...
Tokio,	,,	30.30	769.5	...	...	N	1	...	,,	30.39	772.0	...	...	...	0	...
Kochi,	,,	30.30	769.5	...	...	...	0	...	,,	30.26	768.5	...	...	SW	1	...
Nagasaki,	,,	30.26	768.5	...	...	SE	1	...	,,	30.14	765.5	...	...	SE	4	...
Kagoshima,	,,	30.22	767.5	...	...	...	0	...	,,	30.18	766.5	...	...	ENE	1	...
Oshima,	,,	30.14	765.5	...	...	SE	1	...	,,	30.08	764.0	...	...	SE	1	...
Naha,	,,	30.08	764.0	...	...	E	2	...	,,	30.02	762.5	...	...	E	1	...
Ishigakijima,	,,	30.06	763.5	...	...	E	3	...	,,	29.98	761.5	...	...	E	1	...
Bonin Island,	,,	30.10	764.5	...	...	ENE	1	...	,,	30.18	766.5	...	...	ENE	1	...
Chefoo,	15	30.10	764.5	60	71	WNW	6	b	6	30.19	766.8	44	92	NW	2	b
Shanghai,	14	30.14	765.6	64	71	NNW	2	o	,,	30.19	766.8	57	98	N	1	o
Gutzlaff,	,,	30.17	766.3	66	79	NNW	4	o	,,	30.22	767.6	60	94	NNW	4	r
Sharp Peak,	,,	29.96	761.0	78	82	N	1	o	7	30.04	763.0	71	90	SE	1	rf
Amoy,	,,	29.94	760.5	82	71	SSE	2	b	6	29.98	761.5	72	92	W	4	o
Swatow,	,,	29.90	759.4	75	78	ESE	1	c	,,	29.94	760.5	71	95	NNE	2	or
Taihoku,	11	29.99	761.7	82	67	SE	4	b	5	29.95	760.8	72	92	...	0	o
Taichu,	,,	30.00	762.0	82	...	...	0	b	,,	30.00	762.0	70	...	...	0	o
Tainan,	,,	30.00	762.0	84	...	W	2	b	,,	29.98	761.4	70	...	...	0	b
Koshun,	,,	29.98	761.4	84	...	NNE	4	b	,,	29.94	760.5	75	...	NE	2	b
Pescadores,	,,	30.00	762.0	79	...	N	4	b	,,	29.95	760.8	73	...	N	2	o
Hong Kong,	14	29.93	760.2	77	68	E	2	o	6	29.93	760.2	72	83	ENE	2	o
Gap Rock,	,,	29.94	760.5	...	...	ENE	4	o	,,	29.92	759.9	...	...	ENE	4	od
Macao,	,,	29.91	759.6	81	62	ESE	2	o	,,	29.91	759.6	70	91	NE	2	r
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.90	759.4	78	86	ENE	4	o	,,	29.90	759.4	77	92	E	3	o
Phulien,	15	29.89	759.3	73	92	N	2	r	7	29.93	760.2	68	98	NE	4	of
Tourane,	,,	29.75	755.7	75	...	N	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	756.0	81	...	ENE	2	b	,,	29.79	756.6	77	...	ENE	4	b
Basco,	14	29.87	758.7	82	77	ESE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.81	757.2	84	77	ENE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.80	756.9	86	71	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.75	755.7	86	71	W	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	65	SE	2	o	,,	29.81	757.2	73	94	NE	2	o
Legaspi,	,,	29.73	755.1	90	72	NE	4	b	,,	29.78	756.3	79	90	NE	4	b
Calbayog,	,,	29.73	755.1	84	77	NNE	2	r	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	86	65	NE	6	b	,,	29.75	755.7	77	96	NE	2	b
Cebu,	,,	29.69	754.2	90	63	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.69	754.2	84	77	NE	4	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...		...	...	5	29.87	758.7	79	...	E	2	c
Guam,	12.22	29.75	755.7	...	...	E	6	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.69	754.2	...	...	ENE	4	o	5	29.76	756.0	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.75	755.6	82	...	E	3	bo
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	80	...	E	3	r
Labuan,	14	29.79	756.6	88	84	NE	2	b	6	29.87	758.7	76	91	SW	2	b

November 6*d.* 10*h.* 48*m.*—The anticyclone has passed into the Pacific to the east of Japan, and another appears to be developing over N. China.

Moderate to fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·35 inch. Total since January 1st, 68·38 inches, against an average of 80.81 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; cloudy, rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th November, 1929.								7th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.12	764.9	43	...	NE	3	b	6	30.17	766.3	37	...	NE	2	f
Nemuro,	11	30.24	768.0	...	...	SW	2	...	5	30.06	763.5	...	...	S	3	...
Hokodate,	,,	30.26	768.5	...	...	ESE	1	...	,,	30.02	762.5	...	...	...	...	...
Tokio,	,,	30.31	770.0	...	...	...	0	...	,,	30.00	762.0	...	...	NNW	1	...
Kochi,	,,	30.22	767.5	...	...	...	0	...	,,	29.98	761.5	...	...	WSW	1	...
Nagasaki,	,,	30.18	766.5	...	...	...	0	...	,,	30.02	762.5	...	...	...	0	...
Kagoshima,	,,	30.14	765.5	...	...	E	1	...	,,	20.96	761.0	...	...	NW	1	...
Oshima,	,,	30.06	762.5	...	...	SE	1	...	,,	29.98	761.5	...	...	...	...	...
Naha,	,,	30.02	762.5	...	...	SE	2	...	,,	30.00	762.0	...	...	NW	1	...
Ishigakijima,	,,	29.98	761.5	...	...	S	1	...	,,	29.98	761.5	...	...	NE	1	...
Bonin Island,	,,	30.14	765.5	...	...	ESE	1	...	,,	30.12	765.0	...	...	NE	1	...
Chefoo,	15	30.20	767.1	58	81	NE	1	b	6	30.19	766.8	50	79	SE	1	b
Shanghai,	14	30.14	765.6	61	96	N	1	r	,,	30.22	767.7	57	89	N	1	o
Gutzlaff,	,,	30.14	765.5	62	100	NNE	2	r	,,	30.25	768.3	69	76	N	6	o
Sharp Peak,	,,	30.00	762.0	72	85	E	1	r	7	30.07	763.8	69	85	ENE	2	r
Amoy,	,,	30.00	762.0	74	51	N	4	o	6	30.05	763.2	70	85	E	2	o
Swatow,	,,	29.95	760.7	70	86	NNE	2	r	,,	30.00	762.0	67	90	NNE	1	o
Taihoku,	11	30.02	762.6	73	82	NW	4	r	5	30.05	763.2	70	92	ESE	2	o
Taichu,	,,	30.02	762.6	81	...	N	2	b	,,	30.00	762.0	66	...	...	0	b
Tainan,	,,	29.97	761.1	86	...	NNW	4	b	,,	29.97	761.1	68	...	...	0	b
Koshun,	,,	29.94	760.5	86	...	NE	2	b	,,	29.94	760.5	73	...	NE	4	o
Pescadores,	,,	29.99	761.7	75	...	NNE	6	o	,,	29.99	761.7	72	...	NNE	6	o
Hong Kong,	14	29.96	761.0	68	80	NE	3	o	6	30.05	763.2	67	85	N	2	od
Gap Rock,	,,	29.94	760.5	...	...	ENE	6	o	,,	30.03	762.7	...	...	N	5	o
Macao,	,,	29.95	760.8	66	92	NE	4	r	,,	30.02	762.6	64	90	NNE	4	o
Hoihow,	,,	29.90	759.4	73	95	NE	2	r	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	758.9	80	87	ENE	4	c	,,	29.95	760.7	75	89	NE	5	o
Phulien,	15	29.94	760.5	68	91	NE	4	r	7	30.08	764.1	66	87	NNE	4	o
Tourane,	,,	29.76	756.0	81	...	ESE	2	b	,,	29.85	758.1	75	...	E	4	of
Cape St. James,	,,	29.76	756.0	81	...	ENE	6	b	,,	29.82	757.5	77	...	ENE	4	b
Basco,	14	29.84	757.8	82	84	ESE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.80	756.9	82	77	...	0	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.78	756.3	86	78	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.4	86	71	WNW	2	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	82	84	ESE	4	o	,,	29.82	757.5	75	96	E	1	o
Legaspi,	,,	29.74	755.4	86	78	NE	4	o	,,	29.80	756.9	79	95	NNE	2	o
Calbayog,	,,	29.71	754.5	84	68	NE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	86	68	NE	6	o	,,	29.75	755.7	75	91	NE	4	o
Cebu,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.71	754.5	82	81	E	2	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...		...	...	5	29.83	757.7	79	...	ENE	4	b
Guam,	12.22	29.76	756.0	...	...	E	6	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.73	755.1	...	...	NNE	6	r	5	29.78	756.3	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.80	756.9	76	...	ESE	1	r
Ponape,	...	...	...	...	...	...	...	...	,,	29.75	755.6	82	...	E	4	bo
Labuan,	14	29.80	756.9	88	69	NE	2	b	6	29.84	757.9	90	92	NE	6	b

November 7*d.* 10*h.* 46*m.*—The anticyclone over China, has extended north-eastward to S. Manchuria.

Fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·80 inch. Total since January 1st, 69·18 inches, against an average of 80.86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; cloudy with occasional rain, probably improving later.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th November, 1929.								8th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.12	765.0	45	...	NE	2	b	6	30.18	766.6	35	...	...	0	b
Nemuro,	11	29.88	759.0	...	...	NW	1	...	5	29.98	761.5	...	...	NW	2	...
Hokodate,	,,	29.92	760.0	...	...	NNE	1	...	,,	30.04	763.0	...	...	N	1	...
Tokio,	,,	29.88	759.0	...	...	NW	1	...	,,	30.04	763.0	...	...	...	0	...
Kochi,	,,	29.92	760.0	...	...	...	0	...	,,	30.10	764.5	...	...	...	0	...
Nagasaki,	,,	30.04	763.0	...	...	NNW	1	...	,,	30.16	766.0	...	...	N	1	...
Kagoshima,	,,	30.00	762.0	...	...	NNW	1	...	,,	30.10	764.5	...	...	...	0	...
Oshima,	,,	29.98	761.5	...	...	...	...	...	,,	30.06	763.5	...	...	N	1	...
Naha,	,,	30.00	762.0	...	...	W	1	...	,,	29.98	761.5	...	...	NNE	4	...
Ishigakijima,	,,	30.00	762.0	...	...	NNE	2	...	,,	29.98	761.5	...	...	NE	2	...
Bonin Island,	,,	30.06	763.5	...	...	S	1	...	,,	30.04	763.0	...	...	SE	1	...
Chefoo,	15	30.19	766.8	58	81	NW	4	b	6	30.33	770.4	42	85	...	0	b
Shanghai,	14	30.21	767.4	61	69	N	1	o	,,	30.30	769.5	50	97	N	1	b
Gutzlaff,	,,	30.25	768.3	60	65	N	4	o	,,	30.30	769.5	60	65	NNE	4	o
Sharp Peak,	,,	30.01	762.2	69	75	ENE	4	o	7	30.10	764.5	64	78	NE	2	o
Amoy,	,,	30.02	762.5	74	72	NE	4	o	6	30.07	763.8	66	75	E	4	o
Swatow,	,,	29.97	761.2	74	82	NNE	1	o	,,	29.99	761.7	65	95	N	1	o
Taihoku,	11	30.07	763.8	77	68	ENE	4	o	5	30.07	763.8	66	92	E	2	o
Taichu,	,,	30.00	762.0	81	...	NNW	4	b	,,	30.00	762.0	68	...	N	2	b
Tainan,	,,	29.98	761.4	84	...	NNW	2	o	,,	29.97	761.1	68	...	NNW	2	b
Koshun,	,,	29.98	761.4	82	...	NE	4	b	,,	29.94	760.5	75	...	N	4	o
Pescadores,	,,	30.01	762.3	75	...	NNE	6	o	,,	29.99	761.7	72	...	NNE	6	o
Hong Kong,	14	29.99	761.7	72	73	N	2	o	6	30.02	762.5	67	74	N	2	o
Gap Rock,	,,	29.98	761.4	...	...	N	5	o	,,	30.01	762.2	.	...	NNE	4	o
Macao,	,,	29.99	761.7	68	88	NE	2	o	,,	30.00	762.0	64	80	NNE	4	o
Hoihow,	,,	29.99	761.7	71	95	NE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.2	74	86	NE	6	o1	,,	29.94	760.5	75	86	NNE	6	o
Phulien,	15	30.00	762.0	75	60	NW	1	b	7	30.06	763.5	68	...	NNE	4	o
Tourane,	,,	29.81	757.2	73	...	E	2	of	,,	29.86	758.4	73	...	ENE	4	op
Cape St. James,	,,	29.76	756.0	81	...	ENE	6	b	,,	29.80	757.0	77	...	ENE	4	c
Basco,	14	29.85	758.1	82	77	NE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.81	757.2	84	77	ENE	2	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.79	756.6	86	75	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.73	755.1	86	68	NW	4	b	,,	29.78	756.3	77	86	SW	1	b
Manila,	,,	29.75	755.7	86	68	WNW	2	o	,,	29.80	756.9	75	96	NE	1	o
Legaspi,	,,	29.75	755.7	82	87	...	0	o	,,	29.79	756.6	77	92	NNE	1	o
Calboyog,	,,	29.75	755.7	84	81	SSW	2	o	,,	29.78	756.3	75	100	NNE	1	o
Tacloban,	,,	29.74	755.4	84	77	NE	4	b	,,	29.78	756.3	77	92	S	2	o
Iloilo,	,,	29.71	755.1	90	63	NE	4	o	,,	29.74	755.4	77	96	NE	4	o
Cebu,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.71	754.5	86	78	N	1	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.82	757.5	78	...	E	5	bo
Guam,	12.22	29.74	755.4	...	...	NE	6	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	ENE	1	r	5	29.74	755.4	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.72	754.8	79	...	NE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.67	753.6	90	66	W	6	b	6	29.83	757.7	77	86	SW	2	b

November 8*d.* 10*h.* 45*m.*—The anticyclone remains stationary and has increased in intensity.

Fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·18 inches, against an average of 80.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fair.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th November, 1929.								9th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.17	766.3	46	...	NW	3	b	6	30.40	772.2	30	...	NW	3	b
Nemuro,	11	30.00	762.0	...	...	WNW	1	...	5	30.10	764.5	...	...	NNE	1	...
Hokodate,	,,	30.02	762.5	...	...	S	1	...	,,	30.20	767.0	...	...	...	0	...
Tokio,	,,	30.04	762.0	...	...	NE	1	...	,,	30.20	767.0	...	...	NNE	1	...
Kochi,	,,	30.12	765.0	...	...	...	0	...	,,	30.24	768.0	...	...	SW	1	...
Nagasaki,	,,	30.22	767.5	...	...	NW	1	...	,,	30.24	768.0	...	...	NNE	1	...
Kagoshima,	,,	30.14	765.5	...	...	NW	1	...	,,	30.22	767.5	...	...	NW	1	...
Oshima,	,,	30.08	764.0	...	...	NE	1	...	,,	30.10	764.5	...	...	...	...	...
Naha,	,,	30.02	762.5	...	...	NNE	6	...	,,	30.04	763.0	...	..	NNE	3	...
Ishigakijima,	,,	30.04	763.0	...	...	NE	2	...	,,	30.00	762.0	...	..	ENE	2	...
Bonin Island,	,,	30.00	762.0	...	...	SSE	2	...	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	30.32	770.1	54	74	NNE	1	b	6	30.36	771.1	42	85	SW	1	b
Shanghai,	14	30.27	768.9	66	49	NE	2	o	,,	30.32	770.1	55	81	NE	2	o
Gutzlaff,	,,	30.30	769.6	66	59	NNE	4	o	,,	30.33	770.4	58	70	NE	6	o
Sharp Peak,	,,	30.04	763.0	69	73	NE	4	o	7	20.04	763.0	65	73	NE	2	o
Amoy,	,,	30.01	762.2	74	47	ENE	2	o	6	30.09	764.5	68	74	NNE	6	o
Swatow,	,,	29.95	760.8	72	86	E	2	c	,,	30.00	762.0	65	95	NNE	2	c
Taihoku,	11	30.11	764.7	73	82	ENE	4	o	5	20.07	763.8	68	98	E	4	r
Taichu,	,,	29.99	761.7	79	...	NNW	4	b	,,	30.02	762.6	68	...	NNE	4	o
Tainan,	,,	29.98	761.4	81	...	NNW	2	o	,,	29.98	761.4	68	...	N	2	o
Koshun,	,,	29.95	760.8	77	...	NE	6	o	,,	29.95	760.8	73	...	ENE	2	o
Pescadores,	,,	30.00	762.0	75	...	NNE	6	o	,,	30.01	762.3	70	...	NNE	4	r
Hong Kong,	14	29.98	761.5	74	63	E	2	o	6	30.06	763.5	69	77	...	0	o
Gap Rock,	,,	29.99	761.7	...	...	ENE	4	o	,,	30.05	763.2	..	...	NNE	4	o
Macao,	,,	29.97	761.1	72	65	NE	4	o	,,	30.01	762.3	66	80	NNE	2	o
Hoihow,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.7	77	82	NE	6	o	,,	29.97	761.2	73	88	NE	6	od
Phulien,	15	29.97	761.1	79	55	NNE	2	b	7	30.07	763.8	70	74	NE	2	b
Tourane,	,,	29.82	757.5	77	...	ENE	4	o	,,	29.87	758.7	75	...	ENE	4	o
Cape St. James,	,,	29.75	755.7	81	...	ENE	6	o	,,	29.81	757.2	75	...	NE	4	b
Basco,	14	29.86	758.4	84	68	ENE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.82	757.5	79	85	E	4	r	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.81	757.2	82	81	SE	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.4	82	89	W	1	r	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	86	75	NE	2	r	,,	29.81	757.2	75	94	NE	1	o
Legaspi,	,,	29.73	755.1	86	78	NE	4	o	,,	29.76	756.0	79	91	N	2	o
Calbayog,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.71	754.5	79	91	NE	4	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	86	68	ENE	4	b	,,	29.75	755.7	77	96	NNE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	.	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.87	758.7	79	...	ESE	4	b
Guam,	12.22	29.75	755.7	...	...	E	6	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.69	754.2	...	...	E	2	r	5	29.79	756.6	...	...	ENE	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.71	754.6	76	...	SSE	5	r
Ponape,	...	...	...	...	...	...	...	...	,,	29.76	755.9	79	...	SE	1	c
Labuan,	14	29.71	754.6	90	63	SW	2	b	6	29.72	754.9	80	87	N	6	b

November 9*d.* 10*h.* 30*m.*— The anticyclone remains stationary over China and has increased in intensity.

Fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·18 inches, against an average of 80.97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th November, 1929.								10th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.38	771.6	38	...	NW	3	b	6	30.61	777.5	27	...	...	0	b
Nemuro,	11	30.08	764.0	...	...	...	0	...	5	30.28	769.0	...	...	W	1	...
Hokodate,	,,	30.24	768.0	...	...	W	6	...	,,	30.41	772.5	...	...	WNW	2	...
Tokio,	,,	30.24	768.0	...	...	NE	1	...	,,	30.34	770.5	...	...	NNW	1	...
Kochi,	,,	30.22	767.5	...	...	...	0	...	,,	30.22	767.5	...	...	SW	1	...
Nagasaki,	,,	30.22	767.5	...	...	NE	1	...	,,	30.16	766.0	...	...	NE	4	...
Kagoshima,	,,	30.20	767.0	...	...	NE	1	...	,,	30.06	763.5	...	...	NE	1	...
Oshima,	,,	30.12	765.0	...	...	NNE	1	...	,,	29.02	760.0	...	...	NNE	1	...
Naha,	,,	30.04	763.0	...	...	NE	2	...	,,	29.88	759.0	...	...	ENE	3	...
Ishigakijima,	,,	30.00	762.0	...	...	E	3	...	,,	29.04	760.5	...	...	NNE	3	...
Bonin Island,	,,	30.04	763.0	...	...	S	1	...	,,	30.08	764.0	...	...	SE	1	...
Chefoo,	15	30.43	772.9	44	100	NW	4	r	6	30.55	775.9	36	100	NW	6	b
Shanghai,	14	30.34	770.7	59	63	NE	2	o	,,	30.39	771.9	52	75	NW	4	o
Gutzlaff,	,,	30.36	771.1	58	64	NNE	4	o	,,	30.39	771.9	52	88	NNE	4	r
Sharp Peak,	,,	30.07	763.8	65	73	NE	2	rf	7	30.19	766.8	62	72	NE	2	o
Amoy,	,,	30.03	762.7	72	71	NE	4	o	6	30.14	765.5	65	84	NE	4	o
Swatow,	,,	29.97	761.2	73	82	E	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.08	764.1	70	92	E	4	r	5	30.14	765.6	64	94	...	0	r
Taichu,	,,	30.02	762.6	73	...	NNW	2	o	,,	30.06	763.5	63	...	N	4	r
Tainan,	,,	30.00	762.0	81	...	NNW	4	o	,,	29.99	761.7	66	...	NNW	4	o
Koshun,	,,	29.99	761.7	81	...	NNE	4	o	,,	29.98	761.4	70	...	NNE	4	r
Pescadores,	,,	30.03	762.2	70	...	NNE	6	r	,,	30.05	763.2	66	...	NNE	6	o
Hong Kong,	14	30.04	763.0	71	74	NW	2	od	6	30.11	764.8	63	55	NNE	5	o
Gap Rock,	,,	30.03	762.7	...	...	NNE	5	o	,,	30.12	765.0	...	...	N	6	o
Macao,	,,	30.02	762.6	72	70	NNE	4	o	,,	30.12	765.0	61	64	NNE	4	o
Hoihow,	,,	30.10	764.5	77	71	NE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.94	760.5	75	86	NE	5	o	,,	30.02	762.5	71	87	NE	6	o
Phulien,	15	30.06	763.5	73	55	NNE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.86	758.4	75	...	NW	6	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	84	...	SE	2	b	,,	...	...	...	...	...	...	...
Basco,	14	29.85	758.1	81	84	SE	4	r	6	...	...	...	...	...	...	...
Aparri,	,,	29.81	757.2	84	74	NE	2	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.79	756.6	86	71	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.75	755.7	86	71	WNW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	90	69	SW	2	o	,,	29.81	757.2	75	88	NE	1	o
Legaspi,	,,	29.74	755.4	90	72	NE	4	o	,,	...	...	...	...	...	...	...
Calbayog,	,,	29.72	754.8	86	65	N	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	.	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	86	68	NE	6	o	,,	29.71	754.5	79	91	NE	2	o
Cebu,	,,	29.68	753.9	90	60	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.68	753.9	86	78	ENE	4	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	SSW	2	r	5	29.82	757.5	...	...	NE	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.7[illegible]	756.1	83	87	NE	4	bf	6	...	...	...	...	...	...	...

November 10*d.* 11*h.* 03*m.*—The anticyclone has now attained considerable intensity and is central to the north of Shantung.

Fresh monsoon will prevail along the China coast and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·18 inches, against an average of 81.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th November, 1929.								11th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.56	776.1	31	...	N	1	b	6	30.46	773.6	23	...	NNE	3	b
Nemuro,	11	30.28	769.0	...	...	W	3	...	5	30.39	772.0	...	...	NW	1	...
Hokodate,	,,	30.41	772.5	...	...	WSW	4	...	,,	30.36	771.0	...	...	...	0	...
Tokio,	,,	30.31	770.0	...	...	N	1	...	,,	30.16	766.0	...	...	N	3	...
Kochi,	,,	30.14	765.5	...	...	WSW	1	...	,,	29.98	761.5	...	...	SW	1	...
Nagasaki,	,,	30.16	766.0	...	...	NE	3	...	,,	30.14	765.5	...	...	N	1	...
Kagoshima,	,,	30.06	763.5	...	...	NE	2	...	,,	30.10	764.5	...	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	...	...	...	,,	30.08	764.0	...	...	N	2	...
Naha,	,,	29.92	760.0	...	...	N	6	...	,,	30.06	763.5	...	...	N	6	...
Ishigakijima,	,,	30.06	763.5	...	...	NNW	3	...	,,	30.12	765.0	...	..	NNE	2	...
Bonin Island,	,,	30.04	763.0	...	...	SE	1	...	,,	30.06	763.5	...	...	S	1	...
Chefoo,	15	30.44	773.2	44	86	NNW	2	b	6	30.38	771.6	36	90	SW	1	o
Shanghai,	14	30.41	772.5	55	66	NNW	6	o	,,	30.45	773.4	37	86	NW	1	b
Gutzlaff,	,,	30.39	771.9	60	71	NNW	6	o	,,	30.43	772.9	46	86	NNW	6	o
Sharp Peak,	,,	30.19	766.5	68	60	NNE	2	o	7	30.23	767.8	60	71	N	2	b
Amoy,	,,	30.12	765.0	70	70	ENE	4	o	6	30.09	764.3	60	65	N	6	o
Swatow,	,,	30.06	762.5	71	77	NNW	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.25	768.3	63	88	NW	2	r	5	30.22	767.7	61	85	E	2	o
Taichu,	,,	30.11	764.7	66	...	N	4	b	,,	30.11	764.7	61	...	N	2	b
Tainan,	,,	30.07	763.8	72	...	N	4	o	,,	30.07	763.8	61	...	N	2	b
Koshun,	,,	30.01	762.3	73	...	NE	6	o	,,	30.00	762.0	68	...	NE	6	b
Pescadores,	,,	30.13	765.3	66	...	NNE	7	o	,,	30.11	764.7	66	...	NNE	7	o
Hong Kong,	14	30.11	764.8	69	49	NNE	3	b	6	30.20	767.1	57	55	N	3	b
Gap Rock,	,,	30.12	765.0	...	...	N	5	b	,,	30.19	766.8	..	...	NNW	5	b
Macao,	,,	30.10	764.4	68	48	NNE	4	b	,,	30.18	766.5	57	56	NNE	4	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.02	762.5	72	80	NE	7	od	,,	30.07	763.8	69	75	NE	7	o
Phulien,	15	30.15	765.9	73	44	N	1	b	7	...	...	...	...	...	...	...
Tourane,	,,	30.04	762.9	68	...	NNW	4	of	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.91	759.6	75	86	NE	6	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.86	758.4	77	89	N	6	r	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.80	756.9	84	81	SE	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.73	755.1	86	71	NNW	6	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	86	61	NE	4	o	,,	29.74	755.4	75	94	E	1	r
Legaspi,	,,	29.67	753.6	81	92	N	2	o	,,	29.72	754.8	77	92	...	0	o
Calbayog,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.65	753.0	81	80	SE	6	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.66	753.3	77	96	WSW	2	o	,,	29.69	754.2	75	91	S	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.67	753.6	82	77	N	1	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	756.0	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	NNE	2	o	5	29.76	756.0	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Labuan,	14	29.71	754.6	90	66	NE	2	b	6	29.85	758.2	78	91	NE	...	...

November 11*d.* 10*h.* 45*m.*—The anticyclone remains stationary over N. China and S. Mongolia. Fresh to strong monsoon will prevail along the coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·18 inches, against an average of 81.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th November, 1929.								12th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.38	771.5	...	...	...	0	...	5	30.34	770.5	...	...	NE	1	...
Hokodate,	,,	30.31	770.0	...	...	ENE	2	...	,,	30.20	767.0	...	...	ENE	2	...
Tokio,	,,	30.10	764.5	...	...	N	3	...	,,	30.16	766.0	...	...	...	0	...
Kochi,	,,	30.02	762.3	...	...	...	0	...	,,	30.18	766.5	...	...	SW	1	...
Nagasaki,	,,	30.18	766.5	...	...	N	2	...	,,	30.28	769.0	...	...	NW	1	...
Kagoshima,	,,	30.14	765.5	...	...	NW	1	...	,,	30.24	768.0	...	...	NW	1	...
Oshima,	,,	30.12	765.0	...	...	N	3	...	,,	30.20	767.0	...	...	NNE	1	...
Naha,	,,	30.12	765.0	...	...	NNE	4	...	,,	30.12	765.0	...	...	NE	2	...
Ishigakijima,	,,	30.16	766.0	...	...	NNE	3	...	,,	30.12	765.0	...	..	NNE	2	...
Bonin Island,	,,	30.04	763.0	...	...	S	1	...	,,	30.08	764.0	...	...	...	0	...
Chefoo,	15	30.29	769.3	48	87	NW	4	b	6	30.42	772.6	40	74	NW	1	b
Shanghai,	14	30.41	772.5	55	39	NW	2	b	,,	30.43	772.8	34	85	NNW	1	b
Gutzlaff,	,,	30.42	772.6	54	55	NNW	4	b	,,	30.44	773.2	48	71	N	4	b
Sharp Peak,	,,	30.17	766.3	68	60	E	2	b	7	30.19	766.8	58	76	NE	2	b
Amoy,	,,	30.12	765.0	67	50	NE	4	b	6	30.16	766.0	60	71	ENE	6	b
Swatow,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.24	768.0	66	76	E	4	o	5	30.18	766.5	63	86	E	4	o
Taichu,	,,	30.11	764.7	73	...	NNW	4	b	,,	30.06	763.5	59	...	...	0	b
Tainan,	,,	30.08	764.1	79	...	N	2	b	,,	30.04	762.9	61	...	N	2	o
Koshun,	,,	30.02	762.6	73	...	NE	6	b	,,	29.97	761.1	68	...	NE	7	r
Pescadores,	,,	30.12	765.0	70	...	NNE	6	o	,,	30.06	763.5	66	...	NNE	6	o
Hong Kong,	14	30.11	764.8	65	41	NNW	3	b	6	30.13	765.3	56	57	NNE	2	b
Gap Rock,	,,	30.12	765.0	...	...	N	5	b	,,	30.12	765.0	...	...	N	5	b
Macao,	,,	30.11	764.8	66	46	NE	4	b	,,	30.12	765.0	55	66	N	4	b
Hoihow,	,,	30.11	764.8	68	72	NE	2	c	,,	...	...	...	...	..	...	...
Pratas Island,	,,	30.00	762.0	72	71	NE	7	o	,,	30.01	762.2	71	76	NE	7	o
Phulien,	15	30.13	765.3	72	43	W	1	b	7	30.18	766.5	59	79	ENE	4	bf
Tourane,	,,	29.98	761.4	75	...	NE	4	o	,,	30.01	762.3	68	...	N	4	bf
Cape St. James,	,,	29.81	757.2	79	...	N	4	o	,,	29.85	758.1	72	...	NE	4	o
Basco,	14	29.91	759.6	73	71	ENE	6	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.82	757.5	73	94	NE	6	r	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...		...	...	...	...	...	,,	29.80	756.9	72	98	...	0	r
Vigan,	,,	29.71	754.5	81	73	N	6	o	,,	29.76	756.0	75	91	NNW	1	o
Manila,	,,	29.71	754.5	79	91	NE	4	o	,,	29.76	756.0	73	96	...	0	r
Legaspi,	,,	29.69	754.2	90	76	NE	4	o	,,	29.75	755.7	79	90	NNE	2	o
Calbayog,	,,	29.72	754.8	81	84	E	4	r	,,	29.76	756.0	73	96	NNE	1	o
Tacloban,	,,	29.71	754.5	86	75	SE	6	o	,,	29.76	756.0	77	89	W	2	o
Iloilo,	,,	29.69	754.2	79	90	SW	4	o	,,	..	...	...	...	...	...	...
Cebu,	,,	29.68	753.9	86	65	...	0	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.69	754.2	86	78	E	2	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.79	756.6	79	...	E	4	bc
Guam,	12.22	29.73	755.1	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.71	754.5	...	...	NE	2	o	5	29.73	755.1	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.68	753.9	78	...	...	0	b
Ponape,	...	...	...	...	...	...	...	...	,,	29.78	756.4	78	...	...	0	r
Labuan,	14	29.84	757.9	88	69	NE	4	bf	6	29.78	756.4	77	94	NE	10	b

November 12*d.* 10*h.* 57*m.*—The anticyclone remains stationary, pressure being highest to the north of the lower Yangtze Valley.

Fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total since January 1st,** 69·18 **inches, against an average of** 81.15 **inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th November, 1929.								13th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.26	768.7	47	...	...	0	b	6	30.36	771.1	30	...	...	0	f
Nemuro,	11	30.31	770.0	...	...	SE	1	...	5	30.22	767.5	...	...	SSE	2	...
Hokodate,	,,	30.12	765.0	...	...	SE	2	...	,,	30.30	769.5	...	...	...	...	...
Tokio,	,,	30.12	765.0	...	...	N	1	...	,,	30.26	768.5	...	...	NW	1	...
Kochi,	,,	30.16	766.0	...	...	SW	1	...	,,	30.24	768.0	...	...	NNW	1	...
Nagasaki,	,,	30.30	769.5	...	...	NNW	1	...	,,	30.30	769.5	...	...	NNE	1	...
Kagoshima,	,,	30.24	768.0	...	...	NW	1	...	,,	30.24	768.0	...	...	NW	1	...
Oshima,	,,	30.18	766.5	...	...	NNE	2	...	,,	30.22	767.5	...	...	...	0	...
Naha,	,,	30.16	766.0	...	...	NE	3	...	,,	30.12	765.0	...	...	NE	3	...
Ishigakijima,	,,	30.10	764.5	...	...	ENE	2	...	,,	30.06	763.5	...	..	E	3	...
Bonin Island,	,,	30.02	762.5	...	...	SE	1	...	,,	30.04	763.0	...	...	...	0	...
Chefoo,	15	30.39	769.3	56	51	SSW	1	b	6	30.33	770.4	40	85	...	0	b
Shanghai,	14	30.37	771.3	57	37	ENE	1	b	,,	30.31	769.8	43	94	NNE	1	o
Gutzlaff,	,,	30.40	772.1	60	55	N	2	o	,,	30.37	771.4	54	55	ENE	2	o
Sharp Peak,	,,	30.09	764.3	69	61	ENE	4	b	7	30.11	764.8	62	77	NE	2	o
Amoy,	,,	30.08	764.0	72	58	NE	4	b	6	30.11	764.8	62	77	NNE	2	b
Swatow,	,,	30.03	762.7	68	81	ESE	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.15	765.9	70	74	E	4	o	5	30.10	764.4	64	96	E	4	r
Taichu,	,,	30.07	763.8	70	...	...	0	o	,,	30.04	762.9	63	...	...	0	o
Taihoku,	,,	30.05	763.2	68	...	...	0	o	,,	29.99	761.7	63	...	N	2	o
Koshun,	,,	30.01	762.3	68	...	NE	6	o	,,	29.94	760.5	68	...	NNE	6	r
Pescadores,	,,	30.07	763.8	70	...	NNE	6	o	,,	30.01	762.3	70	...	NNE	6	o
Hong Kong,	14	30.05	763.2	69	40	SE	1	b	6	30.07	763.8	59	67	NNW	1	b
Gap Rock,	,,	30.07	763.8	...	...	ENE	4	b	,,	30.06	763.5	...	...	ENE	4	b
Macao,	,,	30.04	762.9	66	38	NNE	4	b	,,	30.06	763.5	57	72	N	2	b
Hoihow,	,,	30.07	763.8	69	85	N	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.96	761.0	72	76	NE	6	o	,,	29.98	761.5	71	80	NE	6	o
Phulien,	15	30.07	763.8	72	43	...	0	b	7	30.15	765.9	63	65	NNE	2	bf
Tourane,	,,	29.97	761.1	68	...	NW	2	ot	,,	29.97	761.1	68	...	NW	4	ot
Cape St. James,	,,	29.80	756.9	81	...	SW	2	o	,,	29.80	756.9	73	...	NNW	4	o
Baseo,	14	29.86	758.4	72	89	NE	6	r	6	29.91	759.6	70	96	NE	6	o
Aparri,	,,	29.81	757.2	75	96	NE	4	r	,,	29.85	758.1	72	96	...	0	o
Tuguegarao,	,,	29.79	756.6	75	96	N	1	r	,,	29.84	757.8	73	96	...	0	o
Vigan,	,,	29.73	755.1	82	77	NNW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	84	77	NE	2	o	,,	29.79	756.6	73	94	NE	1	o
Legaspi,	,,	29.72	754.8	86	75	NE	4	o	,,	29.78	756.3	79	91	N	2	o
Calbayog,	,,	29.72	754.8	84	77	SSW	4	o	,,	29.79	756.6	73	96	...	0	b
Tacloban,	,,	29.71	754.5	86	71	SE	4	o	,,	29.81	757.2	77	88	NW	4	b
Iloilo,	,,	29.71	754.5	82	84	SW	2	o	,,	29.78	756.3	75	96	NE	2	o
Cebu,	,,	29.69	754.2	86	61	NE	4	o	,,	29.76	756.0	81	86	...	0	o
Surigao,	,,	29.69	754.2	84	71	N	1	o	,,	29.76	756.0	75	96	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.72	754.8	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.69	754.2	...	...	ENE	2	o	5	29.76	756.0	...	...	E	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.74	755.4	78	...	SSE	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.83	757.7	81	83	NE	...	...	6	29.83	757.7	84	83	NE	2	b

November 13*d*. 10*h*. 40*m*.—The anticyclone has extended north-eastward, pressure being highest over Korea.

Fresh monsoon will prevail along the S.E. coast of China and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·18 inches, against an average of 81.21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th November, 1929.								14th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.35	770.8	47	...	NE	3	b	6	30.36	771.0	38	...	...	0	b
Nemuro,	11	30.22	767.5	...	...	...	0	...	5	30.36	771.0	...	...	SW	1	...
Hokodate,	,,	30.30	769.5	...	...	WNW	3	...	,,	30.38	771.5	...	...	...	0	...
Tokio,	,,	30.2[illegible]	769.0	...	...	NNW	1	...	,,	30.34	770.5	...	...	NW	1	...
Kochi,	,,	30.26	768.5	...	...	...	0	...	,,	30.28	769.0	...	...	WSW	1	...
Nagasaki,	,,	30.28	769.0	...	...	NE	1	...	,,	30.28	769.0	...	...	...	...	...
Kagoshima,	,,	30.24	768.0	...	...	E	1	...	,,	30.26	768.5	...	...	...	0	...
Oshima,	,,	30.20	767.0	...	...	...	0	...	,,	30.20	767.0	...	...	...	0	...
Naha,	,,	30.14	765.5	...	...	NE	2	...	,,	30.12	765.0	...	...	NNE	3	...
Ishigakijima,	,,	30.08	764.0	...	...	ENE	4	...	,,	30.06	763.5	..	...	ENE	2	...
Bonin Island,	,,	30.00	762.0	...	...	SE	1	...	,,	30.02	762.5	...	...	S	1	...
Chefoo,	15	30.27	768.8	58	76	S	2	0	6	30.24	768.1	44	92	SW	1	b
Shanghai,	14	30.28	769.2	64	45	ESE	2	b	,,	30.28	769.2	50	92	E	1	0
Gutzlaff,	,,	30.32	770.1	60	60	ENE	1	b	,,	30.33	770.4	58	76	E	2	0
Sharp Peak,	,,	30.06	763.5	66	75	N	2	0	7	30.11	764.8	63	89	N	2	0
Amoy,	,,	30.01	762.2	75	64	NE	4	b	6	30.10	764.5	68	79	NNE	1	0
Swatow,	,,	29.96	761.0	72	82	E	2	c	,,	30.05	763.2	63	84	N	1	c
Taihoku,	11	30.14	765.6	68	91	E	4	r	5	30.06	763.5	68	94	ENE	4	b
Taichu,	,,	30.05	763.2	73	...	...	0	0	,,	30.07	763.8	64	...	...	0	0
Tainan,	,,	30.02	762.6	73	...	NNW	2	r	,,	30.02	762.6	68	...	...	0	0
Koshun,	,,	30.02	762.6	73	...	NE	4	r	,,	29.99	761.7	72	...	N	2	0
Pescadores,	,,	30.04	762.9	73	...	NNE	6	0	,,	30.04	762.9	70	...	NNE	6	0
Hong Kong,	14	30.01	762.2	73	50	ENE	2	b	6	30.06	763.5	67	59	N	2	od
Gap Rock,	,,	30.02	762.5	...	...	ENE	4	b	,,	30.04	763.0	..	...	NE	5	0
Macao,	,,	29.99	761.7	68	51	ESE	4	b	,,	30.05	763.2	64	67	N	2	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.92	759.9	74	85	NE	5	od	,,	29.98	761.5	72	95	NE	6	or
Phulien,	15	30.00	762.0	73	41	...	0	b	7	30.11	764.7	63	60	NE	4	bf
Tourane,	,,	29.93	760.2	70	...	N	2	of	,,	29.95	760.8	68	...	NW	2	of
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	73	...	NW	2	0
Basco,	14	29.87	758.7	73	89	NE	4	r	6	29.93	760.3	75	91	ENE	2	0
Aparri,	,,	29.81	757.2	77	89	NE	4	0	,,	29.88	759.0	75	96	...	0	r
Tuguegarao,	,,	29.78	756.3	82	77	N	1	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.71	754.5	86	68	NW	4	0	,,	29.79	756.6	75	91	NW	1	0
Manila,	,,	29.73	755.1	86	68	WSW	2	0	,,	29.84	757.8	75	94	N	1	0
Legaspi,	,,	29.74	755.4	90	76	NE	2	0	,,	29.84	757.8	77	96	ENE	2	0
Calbayog,	,,	29.74	755.4	82	90	SSE	2	r	,,	29.84	757.8	75	98	...	0	0
Tacloban,	,,	29.75	755.7	84	77	...	0	0	,,	29.86	758.4	77	85	S	2	0
Iloilo,	,,	29.71	754.5	86	71	NE	4	0	,,	29.81	757.2	77	91	N	4	0
Cebu,	,,	29.71	754.5	86	58	NE	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	77	89	SW	1	0	,,	29.82	757.5	75	96	...	0	r
Saipan,	...	...	...	...	...	...	...	...	5	29.83	757.7	78	...	ENE	2	bc
Guam,	12.22	29.75	755.7	...	...	NE	4	0	4.22	29.81	757.2	...	...	NE	2	b
Yap,	11.00	29.74	755.4	...	...	E	4	0	5	29.81	757.2	...	...	NNE	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.81	757.2	79	...	...	0	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	80	...	WNW	1	c
Labuan,	14	29.80	756.9	88	69	...	0	b	6	29.83	757.7	75	100	...	...	...

November 14*d.* 11*h.* 29*m.*—The anticyclone is now central over north Japan. Fresh monsoon will prevail along the S.E. coast of China and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·18 inches, against an average of 81.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; cloudy, probably some drizzle or light rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th November, 1929.								15th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.28	769.1	46	...	SE	2	o	6	30.12	765.0	37	...	...	o	f
Nemuro,	11	30.30	769.5	...	...	NNW	1	...	5	30.12	765.0	...	...	...	...	...
Hokodate,	,,	30.33	770.5	...	...	...	o	...	,,	30.12	765.0	...	...	N	1	...
Tokio,	,,	30.30	769.5	...	...	NNW	1	...	,,	30.08	764.0	...	...	NW	1	...
Kochi,	,,	30.22	767.5	...	...	...	...	...	,,	30.12	765.0	...	...	SW	1	...
Nagasaki,	,,	30.24	768.0	...	...	W	1	...	,,	30.20	767.0	...	...	...	o	...
Kagoshima,	,,	30.22	767.5	...	...	...	o	...	,,	30.18	766.5	...	...	WNW	1	...
Oshima,	,,	30.16	766.0	...	...	NE	1	...	,,	30.12	765.0	...	...	...	o	...
Naha,	,,	30.20	767.0	...	...	NE	3	...	,,	30.06	763.5	...	...	NE	2	...
Ishigakijima,	,,	30.20	767.0	...	...	ENE	4	...	,,	30.02	762.5	...	...	ENE	3	...
Bonin Island,	,,	30.00	762.0	...	...	S	1	...	,,	30.02	762.5	...	...	...	o	...
Chefoo,	15	30.22	767.6	56	89	SW	1	b	6	30.24	768.1	46	92	W	1	b
Shanghai,	14	30.26	768.6	64	58	SSE	1	o	,,	30.25	768.3	55	93	NE	1	r
Gutzlaff,	,,	30.30	769.6	62	72	ENE	1	o	,,	30.30	769.6	58	81	ENE	2	o
Sharp Peak,	,,	30.03	763.2	66	84	N	1	o	7	30.08	764.0	65	84	WNW	2	r
Amoy,	,,	30.03	762.7	75	72	ENE	4	o	6	30.12	765.0	67	91	ENE	4	r
Swatow,	,,	29.90	759.4	71	86	E	2	o	,,	30.07	763.8	66	95	N	1	o
Taiboku,	11	30.07	763.8	77	76	ENE	4	o	5	30.05	763.2	70	96	E	2	r
Taichu,	,,	30.08	764.1	75	...	NNW	2	o	,,	30.00	762.0	68	...	...	o	o
Tainan,	,,	30.04	762.9	79	...	N	2	o	,,	29.97	761.1	70	...	NNE	2	o
Koshun,	,,	30.02	762.6	81	...	NNE	4	o	,,	29.97	761.1	73	...	...	o	r
Pescadores,	,,	30.07	763.8	70	...	N	4	r	,,	30.00	762.0	68	...	NNE	6	r
Hong Kong,	14	30.00	762.0	72	58	ENE	2	od	6	30.06	763.5	66	93	NE	1	od
Gap Rock,	,,	30.01	762.2	...	...	ENE	4	o	,,	30.03	762.7	...	...	ENE	4	o
Macao,	,,	29.99	761.7	70	57	NNE	2	o	,,	30.04	762.9	63	94	NNE	2	r
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.96	761.0	75	81	NE	5	o	,,	29.97	761.2	73	86	NE	6	o
Phulien,	15	29.99	761.7	75	45	...	o	b	7	30.06	763.5	63	90	NNW	4	of
Tourane,	,,	29.89	759.3	68	...	NW	4	rf	,,	29.86	758.4	68	...	NW	6	of
Cape St. James,	,,	29.76	756.0	84	...	SSW	2	o	,,	29.84	757.8	75	...	NNW	4	o
Basco,	14	29.88	750.0	81	76	ENE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.85	758.1	84	81	ENE	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	82	81	NW	2	o	,,	29.85	758.1	75	96	NE	1	o
Legaspi,	,,	29.76	756.0	77	96	NE	2	o	,,	29.81	757.2	79	91	N	2	o
Calbayog,	,,	29.79	756.6	79	92	SE	2	r	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	71	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.82	757.4	76	...	E	3	b
Guam,	12.22	29.76	756.0	...	...	NE	1	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	NE	2	r	5	29.82	757.5	...	...	NNE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.82	757.4	79	...	...	o	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	78	...	SE	1	c
Labuan,	14	29.81	757.2	86	68	NE	2	b	6	29.84	757.9	82	91	...	o	b

November 15*d.* 10*h.* 47*m.*– A moderate anticyclone is situated to the north of the lower Yangtze Valley. Fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·22 inch. Total since January 1st, 69·40 inches, against an average of 81.33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; cloudy, occasional rain.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy, occasional rain.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th November, 1929.								16th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.05	763.2	44	...	NE	1	c	6	30.08	764.0	30	...	NNE	4	o
Nemuro,	11	30.00	762.0	...	...	SSW	2	...	5	29.94	760.5	...	...	NNE	1	...
Hokodate,	,,	29.96	761.0	...	...	NNW	1	...	,,	29.94	760.5	...	...	NNW	1	...
Tokio,	,,	29.98	761.5	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Kochi,	,,	30.06	763.5	...	...	...	0	...	,,	30.04	763.0	...	...	WSW	1	...
Nagasaki,	,,	30.16	766.0	...	...	NNW	1	...	,,	30.14	765.5	...	...	NW	1	...
Kagoshima,	,,	30.14	765.5	...	...	...	0	...	,,	30.10	764.5	...	...	...	0	...
Oshima,	,,	30.10	764.5	...	...	N	2	...	,,	30.08	764.0	...	...	N	1	...
Naha,	,,	30.04	763.0	...	...	ENE	2	...	,,	30.00	762.0	...	...	NNE	3	...
Ishigakijima,	,,	30.02	762.5	...	...	E	3	...	,,	29.98	761.5	...	...	NE	2	...
Bonin Island,	,,	29.96	761.0	...	...	S	1	...	,,	29.92	760.0	...	...	...	0	...
Chefoo,	15	30.20	767.1	50	93	NW	4	b	6	30.24	768.1	40	100	NW	2	b
Shanghai,	14	30.25	768.3	54	89	NNW	2	r	,,	30.21	767.4	43	100	NW	1	of
Gutzlaff,	,,	30.32	770.1	56	94	NW	4	r	,,	30.25	768.3	54	94	NNW	2	o
Sharp Peak,	,,	30.01	762.2	65	92	N	2	r	7	30.06	763.5	62	83	NE	2	o
Amoy,	,,	30.00	762.0	71	85	NE	4	o	6	30.06	763.5	66	91	NE	4	o
Swatow,	,,	29.93	760.2	75	74	N	1	o	,,	30.03	762.7	65	95	N	1	c
Taihoku,	11	30.07	763.8	70	94	E	4	r	5	30.04	762.9	66	94	ENE	2	r
Taichu,	,,	30.01	762.3	77	...	...	0	o	,,	29.94	760.5	68	...	...	0	o
Tainan,	,,	29.99	761.7	84	...	N	4	b	,,	29.94	760.5	68	...	...	0	o
Koshun,	,,	29.97	761.1	82	...	N	4	o	,,	29.92	759.9	73	...	NE	4	o
Pescadores,	,,	30.04	762.9	70	...	N	6	o	,,	29.95	760.8	66	...	NNE	6	o
Hong Kong,	14	29.99	761.7	73	73	N	1	o	6	30.00	762.0	68	74	...	0	o
Gap Rock,	,,	30.01	762.2	...	...	NE	4	o	,,	30.00	762.0	...	...	ENE	4	o
Macao,	,,	29.98	761.4	70	77	NNE	2	o	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.2	76	81	NE	6	o	,,	29.93	760.2	75	83	ENE	4	o
Phulien,	15	29.99	761.7	79	42	SSW	1	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.75	755.7	70	...	NW	8	rf	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.85	758.1	81	86	SE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.82	757.5	84	77	NE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.80	756.9	86	61	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	84	77	WNW	2	o	,,	29.81	757.2	75	91	W	1	b
Manila,	,,	29.80	756.9	84	71	SSW	1	o	,,	29.81	757.2	72	96	...	0	o
Legaspi,	,,	29.74	755.4	84	81	NE	1	o	,,	29.78	756.3	77	92	N	2	o
Calbayog,	,,	29.76	756.0	79	91	SE	1	r	,,	29.80	756.9	75	96	NNE	1	b
Tacloban,	,,	29.76	756.0	84	71	NE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	75	NE	4	o	,,	29.76	756.0	77	96	N	4	o
Cebu,	,,	29.72	754.8	86	61	NE	4	o	,,	29.76	756.0	79	89	...	0	o
Surigao,	,,	29.73	755.1	82	86	NE	4	o	,,	29.78	756.3	77	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.81	757.2	78	...	ESE	2	bc
Guam,	12.22	29.75	755.7	...	...	E	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	ENE	1	o	5	29.78	756.3	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.77	756.1	78	...	SE	1	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.75	755.6	80	...	N	2	c
Labuan,	14	29.81	757.2	88	69	NE	2	b	6	29.87	758.7	76	94	NE	6	o

November *16d.* 10*h.* 50*m.*—The anticyclone remains to the north of the lower Yangtze Valley, and moderate monsoon will prevail along the China coast, and fresh monsoon over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, *against an average of 81.38 inches.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th November, 1929.								17th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.11	764.7	32	...	NNE	4	b	6	30.10	764.4	28	...	...	0	c
Nemuro,	11	29.92	760.0	...	...	...	0	...	5	29.82	757.5	...	...	W	1	...
Hokodate,	,,	29.86	758.5	...	...	...	0	...	,,	29.88	759.0	...	...	N	1	...
Tokio,	,,	29.94	760.5	...	...	N	1	...	,,	30.04	763.0	...	...	NW	1	...
Kochi,	,,	30.02	762.5	...	...	...	0	...	,,	30.10	764.5	...	...	WSW	1	...
Nagasaki,	,,	30.14	765.5	...	...	NNW	1	...	,,	30.14	765.5	...	...	...	0	...
Kagoshima,	,,	30.08	764.0	...	...	NNW	1	...	,,	30.14	765.5	...	...	NW	1	...
Oshima,	,,	30.06	763.5	...	...	NNE	1	...	,,	30.08	764.0	...	...	S	1	...
Naha,	,,	30.02	762.5	...	...	NE	3	...	,,	30.04	763.0	...	...	NE	2	...
Ishigakijima,	,,	30.00	762.0	...	...	E	2	...	,,	30.00	762.0	...	...	E	1	...
Bonin Island,	,,	29.86	758.5	...	...	S	1	...	,,	29.94	760.5	...	...	NE	1	...
Chefoo,	15	30.13	765.3	52	88	NNE	1	o	6	30.02	762.5	47	97	SW	2	o
Shanghai,	14	30.15	765.9	66	54	ENE	1	b	,,	30.18	766.5	54	100	NNE	2	r
Gutzlaff,	,,	30.10	766.8	62	90	NNE	4	o	,,	30.21	767.3	56	100	ENE	4	r
Sharp Peak,	,,	29.99	761.7	67	79	NNE	2	o	7	30.05	763.2	64	84	N	1	o
Amoy,	,,	29.97	761.2	77	69	ENE	4	b	6	30.06	763.5	66	91	NE	2	o
Swatow,	,,	29.93	760.2	70	90	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.06	763.5	72	82	E	4	o	5	30.01	762.3	66	98	E	4	b
Taichu,	,,	29.98	761.4	79	...	...	0	b	,,	29.98	761.4	66	...	...	0	o
Tainan,	,,	29.95	760.8	82	...	NNE	2	b	,,	29.97	761.1	66	...	NNE	2	b
Koshun,	,,	29.95	760.8	79	...	NE	6	b	,,	29.97	761.1	72	...	NNE	2	b
Pescadores,	,,	29.99	761.7	72	...	NNE	6	o	,,	29.98	761.4	70	...	NNE	4	o
Hong Kong,	14	29.96	761.0	74	65	ESE	3	b	6	30.01	762.2	69	81	E	3	o
Gap Rock,	,,	29.97	761.2	...	...	ENE	4	c	,,	30.00	762.0	...	...	ENE	4	o
Macao,	,,	29.94	760.5	73	62	NE	2	b	,,	29.99	761.7	68	88	...	0	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.7	77	79	NE	5	bc	,,	29.95	760.7	73	88	NE	5	o
Phulien,	15	29.92	759.9	79	...	E	2	c	7	...	...	...	...	...	...	...
Tourane,	,,	29.79	756.6	73	...	E	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,		...	...	...	...	...	...
Basco,	14	29.85	758.1	77	84	NE	4	o	6	29.92	759.9	75	92	NE	2	o
Aparri,	,,	29.82	757.5	81	86	ENE	2	o	,,	29.88	759.0	73	96	...	0	b
Tuguegarao,	,,	29.78	756.3	86	65	NNE	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.4	86	68	WNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	81	87	NW	2	o	,,	29.81	757.2	73	94	NW	1	o
Legaspi,	,,	29.74	755.4	90	72	NE	2	b	,,	29.81	757.2	79	87	N	1	o
Calbayog,	,,	29.74	755.4	81	62	S	4	r	,,	29.81	757.2	72	98	N	1	b
Tacloban,	,,	29.74	755.4	82	84	N	1	r	,,	29.81	757.2	75	91	NW	2	b
Iloilo,	,,	29.71	754.5	86	71	NE	6	o	,,	29.78	756.3	77	91	N	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	79	85	N	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	75	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.83	757.7	75	...	E	3	bc
Guam,	12.22	29.74	755.4	...	...	E	4	o	4.22	29.80	756.9	...	...	NE	2	o
Yap,	11.00	29.74	755.4	...	...	E	4	o	5	29.80	756.9	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.79	756.6	76	...	E	1	r
Ponape,	...	...	...	...	...	...	...	...	,,	29.77	756.1	79	...	...	0	c
Labuan,	14	29.80	756.9	84	87	NW	1	o	6	29.85	758.2	80	91	NE	6	b

November 17*d.* 11*h.* 50*m.*—The anticyclone has moved eastward and is now central over S. Korea.

Fresh to moderate monsoon will prevail along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh to moderate; cloudy, some drizzle or light rain.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th November, 1929.								18th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.02	762.6	37	...	NE	3	o	6	29.85	758.2	27	...	NNE	3	b
Nemuro,	11	29.86	758.5	...	...	N	2	...	5	29.90	759.5	...	...	S	1	...
Hokodate,	"	29.92	760.0	...	...	WSW	4	...	"	29.71	754.5	...	...	ESE	4	...
Tokio,	"	30.02	762.5	...	...	NNE	1	...	"	29.80	757.0	...	..	...	0	...
Kochi,	"	30.06	763.5	...	...	...	0	...	"	29.92	760.0	...	...	...	0	...
Nagasaki,	"	30.08	764.0	...	...	ESE	2	...	"	30.06	763.5	...	...	W	2	...
Kagoshima,	"	30.08	764.0	...	...	ESE	1	...	"	30.06	763.5	...	...	N	1	...
Oshima,	"	30.08	764.0	...	...	N	1	...	"	30.10	764.5	...	...	NNE	5	...
Naha,	"	30.04	763.0	...	...	ENE	3	...	"	30.10	764.5	...	...	N	6	...
Ishigakijima,	"	30.02	762.5	...	...	E	3	...	"	30.16	766.0	...	...	NNE	3	...
Bonin Island,	"	29.96	761.0	...	...	NE	1	...	"	29.98	761.5	...	...	ESE	1	...
Chefoo,	15	30.09	764.3	38	100	SW	1	r	6	30.14	765.5	36	90	WSW	4	o
Shanghai,	14	30.25	768.3	54	42	NW	4	o	"	30.44	773.1	32	96	WNW	2	b
Gutzlaff,	"	30.24	768.1	54	74	NW	7	o	"	30.42	772.6	42	50	NNW	7	b
Sharp Peak,	"	30.00	762.0	72	76	E	1	b	7	30.33	770.4	62	67	NE	4	b
Amoy,	"	30.02	762.5	74	72	WSW	4	o	6	30.20	767.1	62	67	NE	6	o
Swatow,	"	30.00	762.0	75	78	N	1	o	"	30.14	765.5	60	78	N	2	c
Taihoku,	11	30.00	762.0	77	79	E	4	b	5	30.26	768.6	59	79	ENE	2	r
Taichu,	"	30.04	762.9	75	...	...	0	b	"	30.12	765.0	82	...	N	4	o
Tainan,	"	30.00	762.0	79	...	N	2	o	"	30.06	763.5	63	...	N	4	o
Koshun,	"	30.00	762.0	81	...	NNE	4	o	"	30.02	762.5	70	...	NE	6	o
Pescadores,	"	30.04	762.9	70	...	NNE	4	o	"	30.13	765.3	81	...	NNE	7	o
Hong Kong,	14	30.03	762.7	73	73	N	1	o	6	30.16	766.0	61	45	N	4	o
Gap Rock,	"	30.03	762.7	...	...	ENE	4	o	"	30.15	765.8	...	...	N	5	c
Macao,	"	29.97	761.1	72	75	NE	2	o	"	30.17	766.2	59	43	NNE	4	of
Hoihow,	"	29.99	761.7	75	100	NE	2	o	"	...	...	...	...	...	...	...
Pratas Island,	"	29.95	760.8	77	77	NE	5	o	"	30.07	763.8	72	73	NE	7	o
Phulien,	15	30.04	762.9	68	100	N	2	r	7	...	...	...	..	...	...	...
Tourane,	"	29.87	758.7	72	...	NW	2	of	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Basco,	14	29.87	758.7	77	79	ESE	2	r	6	29.99	761.7	72	84	NE	4	o
Aparri,	"	29.84	757.8	84	77	NE	4	b	"	29.93	760.2	77	89	NE	4	o
Tuguegarao,	"	29.78	756.3	86	58	NNW	1	o	"	...	...	...	...	...	...	...
Vigan,	"	29.75	755.7	86	65	NW	4	b	"	29.86	758.4	73	85	NW	1	o
Manila,	"	29.79	756.6	82	81	NW	2	o	"	29.86	758.4	72	96	...	0	o
Legaspi,	"	29.76	756.0	90	72	NE	4	b	"	29.81	757.2	81	89	N	2	o
Calbayog,	"	29.74	755.4	86	75	WSW	4	o	"	29.82	757.5	73	96	NNE	2	o
Tacloban,	"	29.73	755.1	86	71	S	2	b	"	29.81	757.2	77	89	NW	4	r
Iloilo,	"	29.71	754.5	86	68	NE	4	o	"	29.80	756.9	75	91	NE	4	b
Cebu,	"	...	...	...	...	...	...	...	"	29.79	756.6	79	84	...	0	o
Surigao,	"	29.72	754.8	84	77	N	2	b	"	29.79	756.6	77	79	N	4	o
Saipan,	...	...	...	...	...	...	...	...	5	29.82	757.4	78	...	ENE	3	c
Guam,	12.22	29.74	755.4	...	...	E	4	o	4.22	29.78	756.3	...	...	NE	1	o
Yap,	11.00	29.74	755.4	...	...	ESE	2	o	5	29.82	757.5	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	"	29.83	757.7	78	...	NNW	2	c
Ponape,	...	...	...	...	...	...	...	...	"	29.77	756.1	78	...	ENE	2	c
Labuan,	14	29.85	757.7	80	91	...	...	...	6	29.74	755.4	76	86	SE	6	b

November 18*d.* 11*h.* 24*m.* - An anticyclone of considerable intensity is situated over the lower Yangtze Valley. Fresh to strong monsoon will prevail along the coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th November, 1929.								19th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.87	758.7	35	...	NNW	4	o	6	30.01	762.2	32	...	WSW	4	b
Nemuro,	11	29.67	753.5	...	...	SSE	5	...	5	29.51	749.5	...	...	W	2	...
Hokodate,	,,	29.43	747.5	...	...	S	4	...	,,	...	...	..	..	WSW	2	...
Tokio,	,,	29.67	753.5	...	...	NNW	1	...	,,	29.98	761.5	...	..	...	...	...
Kochi,	,,	29.96	761.0	...	...	WSW	1	...	,,	30.18	766.5	...	..	WNW	1	...
Nagasaki,	,,	30.14	765.5	...	...	NW	3	...	,,	30.24	768.0	...	...	...	0	...
Kagoshima,	,,	30.10	764.5	...	...	NW	1	...	,,	30.24	768.0	...	...	...	0	...
Oshima,	,,	30.14	765.5	...	...	NNE	3	...	,,	30.18	766.5	...	...	NNW	1	...
Naha,	,,	30.14	765.5	...	...	N	4	...	,,	30.18	766.5	...	...	NE	2	...
Ishigakijima,	,,	30.20	767.0	...	...	N	3	...	,,	30.16	766.0	...	.	NNE	1	...
Bonin Island,	,,	29.90	759.5	...	...	SSW	1	...	,,	29.98	761.5	...	...	N	1	...
Chefoo,	15	30.10	764.5	44	100	WSW	2	b	6	30.16	766.0	36	90	SW	1	b
Shanghai,	14	30.36	771.0	50	21	WNW	2	b	,,	30.32	770.1	34	89	SE	1	b
Gutzlaff,	,,	30.38	771.4	50	38	NNW	4	b	,,	30.37	771.4	46	47	WNW	1	o
Sharp Peak,	,,	30.17	766.3	67	60	E	2	b	7	30.18	766.6	56	75	N	2	bf
Amoy,	,,	30.16	766.0	68	51	NNE	4	b	6	30.19	766.8	58	70	NNE	6	o
Swatow,	,,	30.08	764.0	68	76	N	2	bc	,,	...	...	...	...	...	...	...
Taihoku,	11	30.30	769.5	59	63	ENE	4	o	5	30.18	766.5	57	79	E	4	b
Taichu,	,,	30.14	765.6	63	...	N	2	o	,,	30.11	764.7	57	...	...	0	o
Tainan,	,,	30.11	764.7	66	...	NNE	4	o	,,	30.07	763.8	59	...	...	0	o
Koshun,	,,	30.07	763.8	72	...	NE	6	b	,,	30.07	763.8	66	...	NE	4	b
Pescadores,	,,	30.15	765.9	66	...	NNE	7	b	,,	30.08	764.0	63	...	NNE	6	b
Hong Kong,	14	30.11	764.8	70	30	N	2	o	6	30.13	765.3	61	60	NE	2	c
Gap Rock,	,,	30.11	764.8	...	...	NNE	5	c	,,	30.11	764.8	...	...	ENE	4	c
Macao,	,,	30.10	764.4	64	37	N	4	o	,,	30.10	764.4	59	58	N	2	o
Hoihow,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.04	76[illegible].0	71	79	NE	6	o	,,	30.05	763.2	69	90	NE	5	od
Phulien,	15	30.13	765.3	68	51	NNW	1	o	7	30.12	765.0	63	80	ENE	4	o
Tourane,	,,	29.94	760.5	72	...	ENE	6	o	,,	29.97	761.1	72	...	NE	6	of
Cape St. James,	,,	...	...	...	...	...	...	...	,,	..	.	...	...	...	...	...
Basco,	14	29.98	761.4	70	82	NE	6	o	6	30.02	762.6	68	91	NE	4	o
Aparri,	,,	29.91	759.6	77	84	NE	6	r	,,	29.95	760.8	73	88	NE	6	r
Tuguegarao,	,,	29.85	75[illegible].1	82	74	N	4	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.76	756.0	86	68	N	6	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	84	71	E	2	o	,,	29.86	758.4	73	96	ENE	1	o
Legaspi,	,,	29.76	756.0	86	75	ENE	4	o	,,	...	...	..	...	...	...	...
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.79	756.6	77	89	S	2	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	75	NE	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.73	755.1	82	77	N	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.73	755.1	79	91	N	4	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.78	756.3	79	...	E	5	lc
Guam,	12.22	29.75	755.7	...	...	E	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	N	2	o	5	29.75	755.7	...	...	NNE	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.77	756.1	77	...	SSE	1	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.75	755.6	80	...	ESE	3	c
Labuan,	14	29.82	757.4	90	66	NE	2	b	6	29.84	757.9	81	83	NE	4	b

November 19*d*. 10*h*. 55*m*.—The anticyclone is moving into the Eastern Sea; the depression is situated to the north-east of Hokkaido.

Fresh monsoon will prevail along the S.E. coast of China, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
—Formosa Channel,	N.E. winds, strong.
—South coast of China between Hong Kong and Lamocks, —Hong Kong to Gap Rock, —South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; cloudy.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th November, 1929.								20th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.01	762.3	39	...	SW	4	b	6	29.90	759.4	39	...	SE	5	c
Nemuro,	11	30.59	751.5	...	...	WSW	5	...	5	30.08	764.0	...	...	SW	1	...
Hokodate,	"	29.90	759.5	...	...	W	6	...	"	30.10	764.5	..	..	ESE	1	...
Tokio,	"	30.00	762.0	...	...	...	0	...	"	30.22	767.5	...	..	NW	1	...
Kochi,	"	30.18	766.5	...	...	...	0	...	"	30.24	768.0	...	..	...	0	...
Nagasaki,	"	30.26	768.5	...	...	NNW	1	...	"	30.20	767.0	...	...	ESE	3	...
Kagoshima,	"	30.24	768.0	...	...	E	1	...	"	30.22	767.5	...	...	NW	1	...
Oshima,	"	30.22	767.5	...	...	N	1	...	"	30.16	766.0	...	...	S	1	...
Naha,	"	30.18	766.5	...	...	NNE	3	...	"	30.06	763.5	...	...	NE	1	...
Ishigakijima,	"	30.18	766.5	...	...	ENE	2	...	"	30.08	764.0	...	...	ENE	1	...
Bonin Island,	"	30.00	762.0	...	...	NNE	1	...	"	30.08	764.0	...	...	NE	1	...
Chefoo,	15	29.99	761.7	54	89	S	4	b	6	30.16	766.0	46	92	S	1	b
Shanghai,	14	30.20	767.1	57	37	SE	1	b	"	30.13	765.3	50	79	N	1	o
Gutzlaff,	"	30.26	768.6	56	45	SSE	4	b	"	30.19	766.8	58	76	S	4	o
Sharp Peak,	"	30.10	764.5	68	65	ENE	2	o	7	30.05	763.2	60	76	NNW	1	o
Amoy,	"	30.12	765.0	69	56	NE	4	b	6	30.08	764.0	60	90	WSW	4	b
Swatow,	"	30.05	763.2	67	80	E	2	b	"	30.04	763.0	57	94	N	1	b
Taihoku,	11	30.15	765.9	72	54	E	4	b	5	30.07	763.8	59	87	SSE	1	o
Taichu,	"	30.13	765.3	75	...	...	0	o	"	30.08	764.1	61	...	...	0	b
Tainan,	"	30.11	764.7	79	...	W	7	b	"	30.04	762.9	63	...	...	0	b
Koshun,	"	30.11	764.7	73	...	NNE	4	b	"	30.01	762.3	66	...	...	0	b
Pescadores,	"	30.11	764.7	72	...	NE	6	b	"	30.05	763.2	64	...	NE	4	b
Hong Kong,	14	30.07	763.8	66	60	E	3	o	6	30.03	762.7	66	70	E	3	o
Gap Rock,	"	30.09	764.3	...	...	ENE	5	o	"	30.03	762.7	...	...	ENE	4	o
Macao,	"	30.06	763.5	68	48	NE	2	o	"	29.99	761.7	64	84	NE	2	o
Hoihow,	"	...		...	...	...	...	...	"		...	...	...	...	...	...
Pratas Island,	"	30.01	762.2	74	77	NE	5	o	"	29.99	761.7	72	89	ENE	4	od
Phulien,	15	30.08	764.1	72	...	E	2	o	7	30.01	762.2	66	71	ENE	2	o
Tourane,	"	29.93	760.2	75	...	NE	6	of	"	29.94	760.5	70	...	WNW	4	of
Cape St. James,	"	...	...	...	...	...	...	...	"	29.81	757.2	73	...	NE	6	rf
Basco,	14	29.98	761.4	72	88	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.95	760.8	79	80	NE	4	o	"	29.91	759.6	77	86	ENE	4	o
Tuguegarao,	"	29.87	758.7	82	74	N	4	o	"	...	...	...	...	...	...	...
Vigan,	"	29.78	756.1	90	63	NW	2	b	"	29.80	756.9	77	79	NW	1	o
Manila,	"	29.84	757.8	79	85	...	0	o	"	29.81	757.2	73	96	...	0	o
Legaspi,	"	29.79	756.6	79	91	NNE	1	o	"	29.80	756.9	77	94	NE	2	b
Calbayog,	"	29.79	756.6	82	81	...	0	o	"	29.79	756.6	72	98	...	0	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.80	756.9	77	92	NW	2	o
Iloilo,	"	29.79	756.6	79	90	NE	4	o	"	29.78	756.3	75	96	NE	4	b
Cebu,	"	29.74	755.4	79	85	NE	4	r	"	29.78	756.3	75	89	N	2	o
Surigao,	"	29.76	756.0	81	84	E	1	o	"	29.76	756.0	73	98	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.71	754.5	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.73	755.1	...	...	NE	2	o	5	29.71	754.5	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Labuan,	14	29.84	757.9	88	69	NE	4	b	6	29.74	755.4	78	86	SE	4	b

November 20*d.* 10*h* 47*m.*—The anticyclone has moved to the south of Japan, and the depression has passed into the Pacific; another depression is indicated over S. Manchuria.

Fresh monsoon will prevail along the S.E. coast of China, and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate, fair.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th November, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st November, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.80	757.0	43	...	SE	2	0	6	30.13	765.2	20	...	NW	5	b
Nemuro,	11	30.08	764.0	...	...	SW	2	...	5	29.73	755.0	...	...	S	1	...
Hokodate,	,,	30.00	762.0	...	...	W	3	...	,,	29.76	755.0	..	...	WSW	3	...
Tokio,	,,	30.14	765.5	...	...	N	1	...	,,	30.00	762.0	..	..	...	0	...
Kochi,	,,	30.20	767.0	...	...	...	0	...	,,	30.12	765.0	...	...	WSW	1	...
Nagasaki,	,,	30.20	767.0	...	...	ESE	3	...	,,	30.10	764.5	...	...	SE	1	...
Kagoshima,	,,	30.20	767.0	...	...	ENE	1	...	,,	30.10	764.5	..	...	NW	1	...
Oshima,	,,	30.14	765.5	...	...	...	0	...	,,	30.08	764.0	...	...	...	0	...
Naha,	,,	30.12	765.0	...	...	NE	2	...	,,	30.02	762.5	..	...	ENE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	E	1	...	,,	30.02	762.5	...	..	ENE	1	...
Bonin Island,	,,	30.04	763.0	...	...	NE	1	...	,,	30.02	762.5	...	...	NE	1	...
Chefoo,	15	30.12	765.0	47	100	NNE	2	b	6	30.26	768.6	40	100	N	2	o
Shanghai,	14	30.08	764.1	66	34	SSW	1	o	,,	30.17	766.2	50	97	WNW	1	o
Gutzlaff,	,,	30.15	765.8	60	71	...	0	o	,,	30.21	767.3	52	93	NNW	4	o
Sharp Peak,	,,	30.07	763.8	69	75	NE	1	o	7	30.05	763.2	64	84	N	1	o
Amoy,	,,	29.99	761.7	70	91	SSE	4	b	6	30.05	763.2	64	95	SSW	2	o
Swatow,	,,	29.97	761.2	68	76	E	2	b	,,	30.00	762.0	61	94	NE	1	c
Taihoku,	11	30.07	763.8	77	61	ESE	1	b	5	30.05	763.2	61	96	...	0	o
Taichu,	,,	30.10	764.4	75	...	NNW	2	b	,,	30.06	763.5	61	...	...	0	o
Tainan,	,,	30.06	763.5	81	...	NNE	2	b	,,	30.02	762.6	61	...	...	0	b
Koshun,	,,	30.05	763.2	77	...	NNE	4	b	,,	30.00	762.0	64	...	...	0	b
Pescadores,	,,	30.08	764.1	73	...	NNE	4	o	,,	30.04	762.9	68	...	NNE	2	o
Hong Kong,	14	29.99	761.7	72	53	E	3	b	6	30.04	763.0	67	78	...	0	om
Gap Rock,	,,	30.00	762.0	...	...	ENE	4	b	,,	30.04	763.0	...	...	NE	4	b
Macao,	,,	29.97	761.1	79	61	SE	2	b	,,	30.01	762.3	64	92	NNE	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.96	761.0	76	78	NE	5	o	,,	29.99	761.7	74	86	NE	4	o
Phulien,	15	29.97	761.1	79	73	SSE	2	o	7	30.03	762.7	70	...	NE	4	o
Tourane,	,,	29.91	759.6	82	...	NW	2	o	,,	29.96	761.0	72	...	W	2	cf
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.93	760.2	73	85	NE	4	o	6	29.94	760.5	73	79	NE	4	o
Aparri,	,,	29.87	758.7	82	74	ENE	4	o	,,	29.89	759.3	75	91	ENE	4	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	75	94	NW	1	b
Manila,	,,	29.79	756.6	90	69	NE	2	o	,,	29.82	757.5	75	96	E	1	o
Legaspi,	,,	29.76	756.0	84	87	ENE	2	o	,,	29.79	756.6	79	89	NE	2	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	73	98	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	77	94	W	2	b
Iloilo,	,,	29.73	755.1	86	71	NE	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.73	755.1	79	91	...	0	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.65	753.0	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.65	753.0	...	...	ENE	2	o	5	29.67	753.6	...	...	N	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	76	NE	7	b	6	29.86	758.4	78	94	...	...	...

November 21*d.* 10*h* 53*m.*—The anticyclone has passed into the Pacific, and another is developing to the northwest of Shantung. The depression remains to the north of Hokkaido.

Fresh monsoon will prevail along the China coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine to cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st November, 1929.								22nd November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.13	765.2	26	...	N	3	b	6	30.13	765.2	15	...	NW	4	c
Nemuro,	11	29.61	752.0	...	...	SW	4	...	5	29.73	755.0	...	...	WSW	3	...
Hokodate,	,,	29.82	757.5	...	...	SW	3	...	,,	29.88	759.0	...	...	W	2	...
Tokio,	,,	29.90	759.5	...	...	SE	1	...	,,	29.82	757.5	...	...	SE	1	...
Kochi,	,,	30.06	763.5	...	...	...	...	...	,,	30.04	763.0	...	...	WSW	1	...
Nagasaki,	,,	30.10	764.5	...	...	NE	1	...	,,	30.20	767.0	...	...	NW	2	...
Kagoshima,	,,	30.06	763.5	...	...	NE	1	...	,,	30.14	765.5	...	...	NNW	1	...
Oshima,	,,	30.04	763.0	...	...	...	0	...	,,	30.08	764.0	...	...	N	2	...
Naha,	,,	30.02	762.5	...	...	ESE	1	...	,,	30.04	763.0	...	...	NNE	6	...
Ishigakijima,	,,	30.06	763.5	...	...	ESE	1	...	,,	30.08	764.0	...	...	NNE	2	...
Bonin Island,	,,	29.98	761.5	...	...	ENE	1	...	,,	29.92	760.0	...	...	SE	1	...
Chefoo,	15	30.31	769.9	34	100	NE	2	r	6	30.43	762.9	34	100	E	4	b
Shanghai,	14	30.20	767.1	64	53	W	1	b	,,	30.47	774.0	41	72	NNW	4	o
Gutzlaff,	,,	30.22	767.6	60	71	NNW	4	o	,,	30.43	772.9	48	78	NNW	6	o
Sharp Peak,	,,	30.02	762.5	70	75	E	4	o	7	30.20	767.1	63	67	NE	2	b
Amoy,	,,	30.01	762.2	76	69	SSE	4	b	6	30.19	766.8	65	73	NE	4	o
Swatow,	,,	29.97	761.2	70	77	ESE	1	b	,,	30.11	764.8	65	90	NE	2	o
Taihoku,	11	30.10	764.4	73	75	...	0	o	5	30.19	766.8	63	84	E	2	o
Taichu,	,,	30.06	763.5	77	...	...	...	...	,,	30.08	764.1	64	...	...	0	o
Tainan,	,,	30.04	762.9	81	...	N	2	b	,,	30.05	763.2	63	...	N	2	b
Koshun,	,,	30.01	762.3	79	...	...	0	b	,,	30.00	762.0	72	...	NE	6	b
Pescadores,	,,	30.05	763.2	75	...	NNE	4	b	,,	30.08	764.1	68	...	NNE	6	o
Hong Kong,	14	29.99	761.7	75	65	E	2	b	6	30.12	765.0	67	66	NE	1	o
Gap Rock,	,,	30.02	762.5	...	...	ENE	3	b	,,	30.09	764.3	...	...	NE	4	o
Macao,	,,	29.97	761.1	79	55	NE	2	b	,,	30.10	764.4	66	67	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.96	761.0	77	71	NNE	4	b	,,	30.05	763.2	73	74	NE	7	o
Phulien,	15	29.98	761.4	77	79	WSW	2	o	7	30.14	765.5	63	...	NNE	4	or
Tourane,	,,	29.93	760.2	77	...	SE	2	rf	,,	30.01	762.3	72	...	E	4	c
Cape St. James,	,,	29.84	757.8	79	...	ENE	6	b	,,	29.88	759.0	73	...	ENE	4	cf
Basco,	14	29.89	759.3	79	73	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.86	758.4	82	77	NE	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	75	86	NNW	2	b
Manila,	,,	29.79	756.6	79	95	SSE	1	o	,,	29.82	757.5	75	96	E	1	o
Legaspi,	,,	29.74	755.4	90	79	NNE	2	b	,,	29.79	756.6	79	92	N	2	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	75	92	NW	4	o
Iloilo,	,,	29.72	754.8	86	71	NE	4	o	,,	29.79	756.0	77	96	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	77	84	N	2	o
Surigao,	,,	29.73	755.1	81	86	S	2	o	,,	29.76	756.0	77	94	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	29.69	754.0	78	...	ESE	8	r
Guam,	12.22	29.60	751.8	...	...	E	6	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	30.58	751.2	...	...	NNW	2	o	5	29.59	751.5	...	...	W	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.70	754.4	80	...	WNW	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.79	756.6	82	...	ENE	2	bc
Labuan,	14	29.83	757.7	83	79	...	...	o	6	29.78	756.4	77	87	SW	6	b

November 22*d.* 10*h.* 23*m* The anticyclone over China has increased considerably in intensity and fresh to strong monsoon will prevail along the China coast, and over the China Sea.

A depression or typhoon is situated between Yap and Guam, probably moving N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total** since January 1st, 69·40 **inches, against an average of 81.65 inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fair.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

C. W. JEFFERIS, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd November, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	23rd November, 1929. Hong Kong Standard Time.	Barometer. At Sea Level. Inches.	Barometer. At Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.11	764.9	18	...	NW	4	o	6	30.42	772.7	7	...	N	3	b
Nemuro,	11	29.70	754.5	...	...	WSW	3	...	5	29.73	755.0	...	...	W	2	...
Hokodate,	,,	29.82	757.5	...	...	W	2	...	,,	29.92	760.0	...	..	W	3	...
Tokio,	,,	29.72	755.0	...	...	...	o	...	,,	30.02	762.5	...	..	NW	2	...
Kochi,	,,	30.04	763.0	...	...	WNW	1	...	,,	30.26	768.5	...	...	SSE	1	...
Nagasaki,	,,	30.24	768.0	...	...	NW	3	...	,,	30.34	770.5	...	...	NNW	1	...
Kagoshima,	,,	30.16	766.0	...	...	N	1	...	,,	30.32	770.0	...	...	NW	1	...
Oshima,	,,	30.14	765.5	...	...	N	3	...	,,	30.22	767.5	...	...	N	2	...
Naha,	,,	30.10	764.5	...	...	NNE	6	...	,,	30.20	767.0	...	...	NE	3	...
Ishigakijima,	,,	30.14	765.5	...	...	NNE	3	...	,,	30.20	767.0	...	..	NNE	2	...
Bonin Island,	,,	29.86	758.5	...	...	SSW	2	...	,,	29.94	760.5	...	...	N	1	...
Chefoo,	15	...	...	36	90	WSW	2	b	6	30.46	773.7	30	67	SW	1	b
Shanghai,	14	30.50	774.6	48	42	NNW	4	b	,,	30.50	774.6	36	100	NW	2	b
Gutzlaff,	,,	30.49	774.4	50	65	NNW	6	o	,,	30.49	774.4	46	77	NNW	4	o
Sharp Peak,	,,	30.16	766.0	68	67	ENE	4	b	7	30.26	768.6	54	65	NE	2	b
Amoy,	,,	30.14	765.5	74	47	NE	4	b	6	30.25	768.3	58	76	NNE	4	o
Swatow,	,,	30.06	763.5	71	77	E	2	b	,,	30.18	766.6	56	88	NE	2	b
Taihoku,	11	30.22	767.7	70	65	ENE	4	c	5	30.26	768.6	59	79	SE	2	o
Taichu,	,,	30.10	764.4	75	...	NNW	4	b	,,	30.12	765.0	61	...	...	o	o
Tainan,	,,	30.07	763.8	79	...	NNW	2	b	,,	30.11	764.7	57	...	NNE	2	b
Koshun,	,,	30.06	763.5	75	...	NNE	6	b	,,	30.10	764.4	66	...	NE	6	b
Pescadores,	,,	30.13	765.3	73	...	NNE	6	o	,,	30.13	765.3	64	...	NNE	6	b
Hong Kong,	14	30.11	764.8	69	67	E	1	o	6	30.18	766.6	64	74	E	4	c
Gap Rock,	,,	30.11	764.8	...	...	ENE	4	o	,,	30.18	766.6	...	...	ENE	4	c
Macao,	,,	30.10	764.4	66	63	N	4	o	,,	30.14	765.6	64	76	ESE	2	o
Hoihow,	,,	...	.	...	...	...	...	...	,,	...	..	...	...	...	...	...
Pratas Island,	,,	30.03	762.7	74	72	NE	6	o	,,	30.11	764.8	69	76	NE	6	o
Phulien,	15	30.08	764.1	72	75	WNW	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	30.00	762.0	75	...	E	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.94	760.5	75	76	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.88	759.0	77	79	NE	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Vigan,	,,	29.74	755.4	86	65	NNW	4	o	,,	29.87	758.7	75	76	NNW	4	o
Manila,	,,	29.78	756.3	84	71	ENE	1	o	,,	29.87	758.7	73	89	N	1	o
Legaspi,	,,	29.74	755.4	90	72	NNE	4	o	,,	..	...	...	...	...	...	...
Calboyog,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	86	71	NW	4	o	,,	29.85	758.1	75	92	NW	4	o
Iloilo,	,,	29.73	755.1	86	68	NE	4	o	,,	29.82	757.5	75	96	NE	2	o
Cebu,	,,	29.67	753.6	86	61	SE	4	o	,,	29.81	757.2	54	76	...	o	o
Surigao,	,,	29.73	755.1	82	81	N	4	o	,,	29.81	757.2	73	98	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	29.68	753.9	79	...	SE	7	r
Guam,	12.22	29.62	752.4	...	...	SE	4	r	4.22	...	...	...	...	...	...	...
Yap,	11.00	30.58	751.2	...	...	WSW	4	o	5	29.65	753.0	...	...	WSW	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.73	755.1	81	...	WNW	4	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.79	756.6	80	...	NE	7	c
Labuan,	14	29.81	757.2	86	93	NE	4	b	6	29.84	757.9	80	91	SW	8	b

November 23*d.* 10*h.* 35*m.*—The anticyclone has spread south-eastward and now affects the greater portion of the map area.

The typhoon is situated about 300 miles north of Yap, moving N.W.

Fresh to strong monsoon will prevail along the China coast, and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fair.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd November, 1929.								24th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.36	771.0	21	...	N	3	b	6	30.18	766.5	29	...	...	0	0
Nemuro,	11	29.74	755.5	...	...	WNW	4	...	5	30.10	764.5	...	...	SW	1	...
Hokodate,	,,	30.00	762.0	...	...	NW	5	...	,,	30.18	766.5	...	...	WSW	3	...
Tokio,	,,	30.08	764.0	...	...	N	5	...	,,	30.34	770.5	...	...	NW	1	...
Kochi,	,,	30.26	768.5	...	...	NNE	1	...	,,	30.32	770.0	...	...	...	0	...
Nagasaki,	,,	30.37	771.5	...	...	NW	1	...	,,	30.30	769.5	...	...	...	0	...
Kagoshima,	,,	30.31	770.0	...	...	N	1	...	,,	30.26	768.5	...	...	NW	1	...
Oshima,	,,	30.24	768.0	...	...	NNE	4	...	,,	30.20	767.0	...	...	SSE	1	...
Naha,	,,	30.20	767.0	...	...	NE	4	...	,,	30.12	765.0	...	...	NE	2	...
Ishigakijima,	,,	30.20	767.0	...	...	NE	2	...	,,	30.12	765.0	...	...	ENE	1	...
Bonin Island,	,,	29.92	760.0	...	...	NNW	1	...	,,	30.00	762.0	...	...	N	1	...
Chefoo,	15	30.30	769.6	44	92	S	2	0	6	30.18	766.5	36	100	SW	1	b
Shanghai,	14	30.39	771.9	52	57	E	1	0	,,	30.28	769.2	43	94	NNW	1	0
Gutzlaff,	,,	30.42	772.6	52	66	NNE	2	0	,,	30.32	770.1	50	93	NNW	4	0
Sharp Peak,	,,	30.20	767.1	65	63	NE	2	b	7	30.12	765.0	58	70	NW	2	0
Amoy,	,,	30.15	765.8	69	61	ENE	4	b	6	30.19	766.8	60	71	W	4	0
Swatow,	,,	30.09	764.3	65	75	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.24	768.0	68	56	E	4	0	5	30.13	765.3	61	87	E	2	0
Taichu,	,,	30.13	765.3	75	...	...	0	b	,,	30.13	765.3	61	...	...	0	0
Tainan,	,,	30.11	764.7	79	...	WSW	2	b	,,	30.10	764.5	57	...	...	0	b
Koshun,	,,	30.12	765.0	72	...	NE	6	0	,,	30.08	764.0	64	...	N	2	b
Pescadores,	,,	30.14	765.6	70	...	NNE	6	b	,,	30.08	764.0	66	...	NNE	4	b
Hong Kong,	14	30.09	764.3	68	64	E	3	b	6	30.16	766.0	63	79	NNE	1	b
Gap Rock,	,,	30.10	764.5	...	...	ENE	5	b	,,	30.15	765.7	...	...	ENE	4	b
Macao,	,,	30.08	764.1	75	63	SE	2	b	,,	30.12	765.0	61	87	NE	2	0
Hoihow,	,,	30.04	763.0	75	74	E	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.06	763.5	72	77	NE	6	0	,,	30.10	764.5	69	75	NNE	4	c
Phulien,	15	30.05	763.2	73	92	ESE	1	0	7	30.13	765.3	66	...	NE	6	of
Tourane,	,,	30.01	762.3	72	...	E	4	of	,,	30.06	763.5	72	...	E	4	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.90	759.5	75	...	NNE	2	0
Basco,	14	30.00	762.0	75	45	NE	4	b	6	30.06	763.5	68	77	NE	2	0
Aparri,	,,	29.95	760.8	79	69	NE	4	0	,,	29.99	761.7	73	66	NE	4	0
Tuguegarao,	,,	29.92	759.9	79	73	N	4	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.81	757.2	90	48	NE	4	b	,,	29.78	756.3	75	96	...	0	0
Manila,	,,	29.82	757.5	86	65	ENE	2	0	,,	29.89	759.3	70	92	WNW	1	b
Legaspi,	,,	29.81	757.2	82	84	N	4	0	,,	29.86	758.4	77	88	NNE	4	0
Calbayog,	,,	29.80	756.9	79	87	N	4	r	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	84	77	N	4	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	81	90	NE	4	0	,,	29.84	757.8	75	96	NE	4	b
Cebu,	,,	29.75	755.7	84	74	NE	4	0	,,	29.82	757.5	77	84	N	1	0
Surigao,	,,	29.78	756.3	82	74	N	1	0	,,	29.78	756.3	75	96	...	0	0
Saipan,	...	...	...	...	...	...	...	...	5	29.67	753.6	79	...	SE	5	c
Guam,	12.22	29.61	752.1	...	...	SE	6	0	4.22	29.63	752.7	...	...	SE	4	0
Yap,	11.00	29.63	752.7	...	...	SW	4	0	5	29.68	753.9	...	...	SW	2	0
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	29.79	756.6	82	...	ENE	2	c
Labuan,	14	29.81	757.2	86	76	SW	4	b	6	29.84	757.9	74	86	SW	7	of

November 24*d.* 10*h.* 15*m.*—The anticyclone is central over S. Japan; the typhoon is situated to the west of the S. Ladrones, moving slowly northwards.

Fresh monsoon will prevail along the S.E. coast of China, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th November, 1929.								25th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.15	765.9	44	...	...	0	b	6	30.27	768.9	24	...	...	0	b
Nemuro,	11	30.04	763.0	...	...	SW	1	...	5	30.12	765.0	...	...	...	0	...
Hokodate,	,,	30.16	766.0	...	...	WSW	3	...	,,	30.20	767.0	..	..	...	0	...
Tokio,	,,	30.30	769.5	...	...	NNW	1	...	,,	...	...	..	..	NNW	1	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.04	763.0	...	..	SW	1	...
Nagasaki,	,,	30.22	767.5	...	...	E	3	...	,,	30.04	763.0	...	...	...	0	...
Kagoshima,	,,	30.20	767.0	...	...	NE	1	...	,,	30.02	762.5	..	...	...	0	...
Oshima,	,,	30.16	766.0	...	...	NNW	1	...	,,	30.04	763.0	...	...	N	1	...
Naha,	,,	30.10	764.5	...	...	NE	2	...	,,	30.04	763.0	...	...	N	5	...
Ishigakijima,	,,	30.10	764.5	...	...	ESE	2	...	,,	30.08	764.0	...	...	NNE	4	...
Bonin Island,	,,	29.92	760.0	...	...	E	1	...	,,	29.80	757.0	...	...	...	0	...
Chefoo,	15	30.19	766.8	42	100	NW	4	b	6	30.23	767.8	40	74	NW	2	b
Shanghai,	14	30.27	768.9	54	38	WNW	6	b	,,	30.32	770.1	32	89	W	2	b
Gutzlaff,	,,	30.29	769.3	50	58	NW	6	o	,,	30.33	770.4	44	60	NW	6	b
Sharp Peak,	,,	30.08	764.0	70	61	E	2	b	7	30.19	766.8	58	70	W	2	b
Amoy,	,,	29.90	759.4	67	64	W	4	o	6	30.21	767.3	56	69	N	4	b
Swatow,	,,	30.08	764.0	70	77	NW	1	b	,,	30.11	764.7	59	83	NW	2	b
Taihoku,	11	30.15	765.9	64	92	E	2	o	5	30.21	767.3	59	73	ENE	4	o
Taichu,	,,	30.13	765.3	73	...	NNW	2	b	,,	30.11	764.7	57	...	N	2	b
Tainan,	,,	30.10	764.4	77	...	NNW	2	b	,,	30.07	763.8	61	...	N	4	b
Koshun,	,,	30.10	764.4	77	...	E	2	b	,,	30.04	762.9	63	...	SE	1	b
Pescadores,	,,	30.13	765.3	68	...	NE	4	o	,,	30.11	764.7	64	...	NNE	6	o
Hong Kong,	14	30.10	764.5	71	50	N	2	c	6	30.18	766.6	58	49	N	2	c
Gap Rock,	,,	30.11	764.8	...	...	N	4	b	,,	30.17	766.3	...	...	N	4	c
Macao,	,,	30.08	764.1	68	60	N	4	o	,,	30.15	765.9	57	46	N	4	b
Hoihow,	,,	30.03	762.7	76	66	NE	3	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.05	763.2	73	63	NE	4	b	,,	30.08	764.1	69	71	NE	5	bc
Phulien,	15	30.11	764.7	70	83	NE	4	o	7	30.20	767.1	59	73	NE	4	o
Tourane,	,,	29.99	761.7	73	...	E	4	o	,,	30.07	763.8	72	...	E	2	o
Cape St. James,	,,	29.88	759.0	81	...	ESE	2	o	,,	...	...	...	...	...	...	...
Basco,	14	29.98	761.4	77	57	NE	4	b	6	29.98	761.4	64	80	NE	1	o
Aparri,	,,	29.95	760.8	81	56	NE	4	b	,,	29.97	761.1	64	92	SW	2	b
Tuguegarao,	,,	29.91	759.6	79	61	NW	2	o	,,	..	...	..	...	...	...	...
Vigan,	,,	29.84	757.8	82	54	NW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.85	758.1	82	70	SSW	2	o	,,	29.88	759.0	70	94	...	0	b
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	75	85	N	2	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	82	79	N	4	b	,,	...	...	...	...	...	..	...
Iloilo,	,,	29.79	756.6	86	71	NE	6	o	,,	29.85	758.1	73	91	NE	4	o
Cebu,	,,	29.78	756.3	86	65	N	4	o	,,	..	...	...	...	...	...	..
Surigao,	,,	29.80	756.9	81	87	N	4	o	,,	29.82	757.5	79	80	N	4	o
Saipan,	...	...	..	...	...	...	...	...	5	29.73	755.1	78	...	...	...	...
Guam,	12.22	29.65	753.0	...	...	S	4	o	4.22	29.72	754.8	...	...	SE	2	o
Yap,	11.00	29.66	753.3	...	...	WSW	4	o	5	29.74	755.4	...	...	W	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.77	756.1	78	...	NW	1	r
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	76	...	...	...	6	29.85	758.2	80	91	...	...	b

November 25*d.* 11*h* 18*m.* An anticyclone of considerable intensity has developed over China and S. Manchuria. The typhoon is situated about 500 miles south of the Bonins moving N.N.E.

Fresh to strong monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th November, 1929.								26th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather.
Wladivostock,	12	30.22	767.5	41	...	...	0	b	6	30.17	766.3	30	...	NNE	5	b
Nemuro,	11	...	...	...	...	...	...	...	5	30.16	766.0	...	...	...	0	...
Hokodate,	,,	30.22	767.5	...	...	NNW	1	...	,,	30.06	763.5	...	...	NNW	1	...
Tokio,	,,	30.12	765.0	...	...	NNW	2	...	,,	...	...	...	.	WNW	1	...
Kochi,	,,	29.94	760.3	...	...	WSW	1	...	,,	29.84	758.0	...	..	...	0	...
Nagasaki,	,,	30.04	763.0	...	...	NW	2	...	,,	30.00	762.0	...	..	...	0	...
Kagoshima,	,,	30.00	762.0	...	...	NW	1	...	,,	29.96	761.0	...	...	...	0	...
Oshima,	,,	30.06	763.5	...	...	N	2	...	,,	30.02	762.5	...	...	N	2	...
Naha,	,,	30.06	763.5	...	...	N	6	...	,,	30.06	763.5	...	..	N	5	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.14	765.5	...	..	N	1	...
Bonin Island,	,,	29.72	755.0	...	...	S	2	...	,,	29.75	755.5	...	...	N	1	...
Chefoo,	15	30.22	767.6	46	86	NW	1	b	6	30.21	767.3	34	82	...	0	b
Shanghai,	14	30.32	770.1	50	27	WNW	4	b	,,	30.33	770.4	28	83	NW	1	b
Gutzlaff,	,,	30.33	770.4	50	51	NNW	6	b	,,	30.34	770.6	44	76	NNW	4	b
Sharp Peak,	,,	30.13	765.3	67	84	E	2	b	7	30.17	766.3	58	70	W	2	b
Amoy,	,,	30.12	765.0	68	51	SE	4	b	6	30.19	766.8	52	76	N	4	b
Swatow,	,,	30.09	764.3	66	71	ESE	2	c	,,	...	...	55	82	NE	2	b
Taihoku,	11	30.24	768.0	61	59	NE	2	o	5	30.21	767.4	45	97	...	0	b
Taichu,	,,	30.11	764.7	66	...	N	4	b	,,	30.13	765.3	50	...	...	0	b
Tainan,	,,	30.10	764.4	73	...	N	4	b	,,	30.08	764.1	50	...	NNE	2	b
Koshun,	,,	30.06	763.5	73	...	NE	4	b	,,	30.06	763.5	63	...	NE	6	b
Pescadores,	,,	30.14	765.6	66	...	NNE	6	b	,,	...	..	...	...	...	...	...
Hong Kong,	14	30.12	765.0	67	37	NNE	2	b	6	30.16	766.0	58	39	N	2	b
Gap Rock,	,,	30.13	765.3	...	...	NE	4	b	,,	30.13	765.3	...	...	NE	4	b
Macao,	,,	30.10	764.4	63	35	NNE	4	b	,,	30.13	765.3	54	59	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.05	763.2	71	76	NE	6	oc	,,	30.09	764.3	67	66	NE	5	b
Phulien,	15	30.05	763.2	61	79	NNE	2	o	7	30.20	767.1	57	84	NNW	2	b
Tourane,	,,	30.01	762.3	75	...	E	4	of	,,	30.06	763.5	70	...	E	4	of
Cape St. James,	,,	29.87	758.7	79	...	E	4	b	,,	29.93	760.2	73	...	NE	4	or
Basco,	14	29.94	760.5	68	85	NE	4	o	6	30.02	762.5	68	51	NE	4	o
Aparri,	,,	29.91	759.6	79	61	NNW	2	b	,,	29.99	761.7	63	92	E	4	r
Tuguegarao,	,,	29.87	758.7	81	56	NW	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.82	757.5	81	53	NNW	6	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.85	758.1	82	54	ESE	4	o	,,	29.91	759.6	66	96	NE	1	b
Legaspi,	,,	29.81	757.2	84	68	NNE	4	o	,,	29.88	759.0	73	96	N	1	o
Calbayog,	,,	...	...	...	...	..	...	...	,,	29.88	759.0	66	96	N	1	b
Tacloban,	,,	29.80	756.9	84	64	NW	4	o	,,	29.89	759.3	73	82	NW	2	b
Iloilo,	,,	29.81	757.2	84	60	NE	6	o	,,	29.86	758.4	72	91	NE	4	o
Cebu,	,,	29.79	756.6	84	58	NNE	4	o	,,	29.87	758.7	75	79	N	2	o
Surigao,	,,	29.80	756.9	81	73	N	4	o	,,	29.87	758.7	77	79	NNE	2	o
Saipan,	...	...	..	...	...	...	...	...	5	29.82	757.4	78	...	SE	3	lc
Guam,	12.22	29.72	754.8	...	...	SE	4	o	4.22	29.79	756.6	...	...	SE	1	b
Yap,	11.00	29.73	755.1	...	...	SW	2	o	5	29.80	756.9	...	...	WNW	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.80	756.9	80	...	NW	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	86	76	E	8	o	6	29.83	757.7	77	86	...	...	...

November *26d.* 10*h.* 55*m.*—The anticyclone has weakened considerably over S. Manchuria, leaving pressure highest over the lower Yangtze Valley. The typhoon probably continues on a north-eastly track, to the south-east of the Bonins.

Fresh to strong monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th November, 1929.								27th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.14	765.5	40	...	NNE	3	b	6	30.30	769.6	29	...	NNE	3	b
Nemuro,	11	30.08	764.0	...	...	ENE	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.92	760.0	...	...	NE	2	...	,,	29.76	756.0	...	...	NW	4	...
Tokio,	,,	29.47	748.5	...	...	SE	1	...	,,	29.65	753.0	...	...	WNW	2	...
Kochi,	,,	29.78	755.5	...	...	WSW	1	...	,,	30.06	763.5	...	...	NNW	1	...
Nagasaki,	,,	30.02	762.5	...	...	NNW	2	...	,,	30.18	766.5	...	...	...	0	...
Kagoshima,	,,	30.00	762.0	...	...	N	2	...	,,	30.12	765.0	...	...	...	0	...
Oshima,	,,	30.02	762.5	...	...	N	1	...	,,	30.08	764.0	...	...	N	2	...
Naha,	,,	30.06	763.5	...	...	NNW	5	...	,,	30.08	764.0	...	...	N	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.16	766.0	...	..	NNE	1	...
Bonin Island,	,,	29.70	754.5	...	...	NE	1	...	,,	29.71	754.5	...	...	WNW	1	...
Chefoo,	15	30.19	766.8	48	87	NNE	1	b	6	30.29	769.3	32	90	...	0	b
Shanghai,	14	30.28	769.2	55	31	NNW	1	b	,,	30.32	770.1	34	77	NE	1	b
Gutzlaff,	,,	30.32	770.1	54	62	NNW	4	b	,,	30.36	771.1	48	87	NNE	2	b
Sharp Peak,	,,	30.11	764.8	68	56	E	2	b	7	30.25	768.3	56	69	NW	2	b
Amoy,	,,	30.12	765.0	66	49	E	4	b	6	30.23	767.8	52	76	N	4	b
Swatow,	,,	30.09	764.3	65	75	ESE	2	b	,,	30.15	765.8	50	87	NE	2	b
Taihoku,	11	30.24	768.0	64	84	E	4	b	5	30.22	767.7	45	97	...	0	b
Taichu,	,,	30.14	765.6	68	...	N	4	b	,,	30.19	766.8	45	...	...	0	b
Tainan,	,,	30.11	764.7	75	...	N	2	b	,,	30.14	765.6	50	...	WSW	2	b
Koshun,	,,	30.10	764.4	73	...	NE	7	b	,,	30.12	765.0	63	...	NNE	4	b
Pescadores,	,,	30.17	766.2	68	...	NNE	6	b	,,	30.15	765.9	61	...	NNE	4	b
Hong Kong,	14	30.11	764.8	67	47	ESE	2	b	6	30.15	765.8	61	74	ENE	3	c
Gap Rock,	,,	30.12	765.0	...	...	ENE	4	b	,,	30.14	765.5	...	...	ENE	4	c
Macao,	,,	30.10	764.4	66	38	NE	2	b	,,	30.12	765.0	57	86	NNE	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.06	763.5	71	63	NE	5	bc	,,	30.08	764.0	69	76	NE	5	b
Phulien,	15	30.08	764.1	72	36	ENE	1	b	7	...	...	...	...	...	...	...
Tourane,	,,	30.00	762.0	73	...	E	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.89	759.3	81	...	SE	2	b	,,	...	...	...	...	...	...	...
Basco,	14	29.98	761.5	70	57	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.98	761.5	70	74	ENE	4	r	,,	30.04	762.9	72	62	ENE	4	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.86	758.4	84	60	SW	2	o	,,	29.93	760.2	72	89	...	0	o
Legaspi,	,,	29.85	758.1	86	71	NNE	2	b	,,	29.92	759.9	75	96	NE	4	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.82	757.5	82	63	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.84	757.8	81	76	N	4	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.84	757.9	75	...	ESE	2	c
Guam,	12.22	29.75	755.7	...	...	SW	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	WNW	2	o	5	29.84	757.8	...	...	NW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.85	758.2	78	...	NE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.79	756.6	82	...	E	4	c
Labuan,	14	29.81	757.2	86	76	NE	2	b	6	29.80	756.9	78	91	...	...	...

November 27*d.* 10*h.* 30*m.*—The anticyclone has strengthened and has extended north-eastwards to South Manchuria. The typhoon is indicated to the east of the Bonins, and the depression has moved into the Pacific to the north-east of Tokio.

Fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th November, 1929.								28th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.32	770.2	45	...	NNE	4	o	6	30.42	772.7	25	...	...	o	b
Nemuro,	11	29.76	756.0	...	...	NNE	6	...	5	30.26	768.5	...	...	NNW	3	...
Hokodate,	,,	29.84	758.0	...	...	NNW	5	...	,,	30.30	769.5	...	...	N	1	...
Tokio,	,,	29.74	755.5	...	...	NNW	4	...	,,	30.28	769.0	...	...	N	1	...
Kochi,	,,	30.06	763.5	...	...	NNW	1	...	,,	30.26	768.5	...	...	NNE	1	...
Nagasaki,	,,	30.20	767.0	...	...	NW	1	...	,,	30.32	770.0	...	...	...	o	...
Kagoshima,	,,	30.14	765.5	...	...	NNW	1	...	,,	30.24	768.0	...	...	NW	1	...
Oshima,	,,	30.14	765.5	...	...	NNE	3	...	,,	30.20	767.0	...	...	NNE	2	...
Naha,	,,	30.12	765.0	...	...	NNE	5	...	,,	30.20	767.0	...	...	ENE	1	...
Ishigakijima,	,,	30.20	767.0	...	...	NNE	1	...	,,	30.20	767.0	...	...	NNE	1	...
Bonin Island,	,,	29.78	756.5	...	...	WSW	1	...	,,	29.98	761.5	...	...	NNW	1	...
Chefoo,	15	30.32	770.1	48	93	...	o	b	6	30.35	770.9	32	90	...	o	b
Shanghai,	14	30.33	770.4	61	32	S	1	b	,,	30.39	771.9	34	100	ENE	1	bf
Gutzlaff,	,,	30.36	771.1	62	51	NNE	1	b	,,	30.42	772.6	50	88	NNE	1	b
Sharp Peak,	,,	30.14	765.5	68	56	E	1	b	7	30.22	767.6	56	69	NNW	1	b
Amoy,	,,	30.13	765.3	69	56	ENE	4	b	6	30.29	769.3	56	72	ENE	4	b
Swatow,	,,	30.09	764.3	64	79	E	2	b	,,	30.13	765.3	57	88	NE	2	b
Taihoku,	11	30.24	768.0	68	51	E	4	b	5	30.25	768.3	50	95	...	o	o
Taichu,	,,	30.13	765.3	72	...	NW	2	b	,,	30.26	768.6	46	...	...	o	b
Tainan,	,,	30.17	766.2	75	...	WNW	2	b	,,	30.20	767.1	54	...	...	o	b
Koshun,	,,	30.17	766.2	73	...	NE	4	b	,,	30.19	766.8	66	...	NNE	2	o
Pescadores,	,,	30.20	767.1	70	...	NE	6	b	,,	30.21	767.4	63	...	NNE	4	b
Hong Kong,	14	30.12	765.0	64	58	ENE	4	c	6	30.22	767.6	61	73	NNE	3	b
Gap Rock,	,,	30.10	764.5	...	...	ENE	5	c	,,	30.18	766.6	...	...	ENE	5	b
Macao,	,,	30.08	764.1	68	64	ESE	2	o	,,	30.18	766.5	61	74	ENE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.8	74	74	E	4	b	,,	30.14	765.5	70	80	NE	5	bc
Phulien,	15	30.04	762.9	72	62	ESE	4	b	7	30.13	765.3	64	90	ENE	4	of
Tourane,	,,	30.00	762.0	73	...	NW	2	b	,,	30.10	764.4	68	...	NW	2	b
Cape St. James,	,,	29.91	759.6	81	...	NW	2	o	,,	29.95	760.8	72	...	ENE	2	of
Basco,	14	30.06	763.5	72	51	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	30.02	762.6	73	62	ENE	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.99	761.7	73	91	NW	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.88	759.0	84	49	NW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.91	759.6	81	62	NE	2	o	,,	29.99	761.7	66	92	NNE	1	o
Legaspi,	,,	29.91	759.6	77	91	NNE	2	o	,,	29.97	761.1	73	92	N	2	o
Calbayog,	,,	29.89	759.3	81	87	N	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.87	758.7	77	92	SE	2	o	,,	29.97	761.1	73	91	W	2	o
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	73	88	NE	6	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.73	755.1	74	...	E	2	bc
Guam,	12.22	29.76	756.0	...	...	N	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	E	2	o	5	29.84	757.8	...	...	NE	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.84	757.9	75	...	W	3	r
Ponape,	...	...	...	...	...	...	...	...	,,	29.77	756.1	77	...	ESE	2	r
Labuan,	14	29.82	757.4	84	83	NE	4	b	6	29.85	758.2	78	91	...	...	b

November 28*d.* 10*h.* 48*m.*—The anticyclone is now central over Korea, and has increased slightly in intensity.

Fresh monsoon will prevail along the S.E. coast of China and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th November, 1929.								29th November, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.38	771.6	39	...	ESE	4	o	6	30.21	767.3	41	...	ESE	5	o
Nemuro,	11	30.33	770.5	...	...	NW	3	...	5	30.43	773.0	...	...	...	...	...
Hokodate,	,,	30.35	771.0	...	...	...	0	...	,,	30.39	772.0	...		NNW	1	...
Tokio,	,,	30.35	771.0	...	...	NNE	2	...	,,	30.47	774.0	..		NNW	1	...
Kochi,	,,	30.28	769.0	...	...	...	0	...	,,	30.30	769.5	...	.	WSW	1	...
Nagasaki,	,,	30.30	769.5	...	...	ENE	1	...	,,	30.26	768.5	..		..	0	...
Kagoshima,	,,	30.28	769.0	...	...	E	1	...	,,	30.24	768.0	..	..	NW	1	...
Oshima,	,,	30.24	768.0	...	...	N	1	...	,,	30.20	767.0	..	...	S	1	...
Naha,	,,	30.22	767.5	...	...	NNE	3	...	,,	30.14	765.5	..	..	NE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.16	766.0	...	..	NNE	1	...
Bonin Island,	,,	29.96	761.0	...	...	NNW	1	...	,,	29.94	760.5	...	...	...	0	...
Chefoo,	15	30.28	769.1	52	88	SW	2	o	6	30.26	768.6	42	85	NW	1	o
Shanghai,	14	30.32	770.1	63	39	SSE	1	b	,,	30.26	768.6	43	100	E	1	bf
Gutzlaff,	,,	30.36	771.1	60	60	NE	1	o	,,	30.31	769.9	52	79	SSW	2	b
Sharp Peak,	,,	30.11	764.8	70	61	E	2	b	7	30.14	765.5	58	70	W	2	b
Amoy,	,,	30.17	766.3	69	65	NE	4	b	6	30.20	767.1	54	65	W	4	b
Swatow,	,,	30.12	765.0	64	79	E	2	b	,,	30.09	764.3	55	82	NE	2	b
Taihoku,	11	30.26	768.6	73	55	ENE	4	b	5	30.18	766.5	55	83	SSE	2	b
Taichu,	,,	30.22	767.7	70	...	...	0	b	,,	30.21	767.4	73	...	...	0	b
Tainan,	,,	30.20	767.1	77	...	...	0	b	,,	30.15	765.9	52	...	...	0	b
Koshun,	,,	30.20	767.1	75	...	NNE	4	b	,,	30.19	766.8	61	...	...	0	b
Pescadores,	,,	30.21	767.4	72	...	NE	4	b	,,	30.17	766.2	64	...	N	4	b
Hong Kong,	14	30.12	765.0	66	55	E	5	b	6	30.16	766.0	64	70	E	4	o
Gap Rock,	,,	30.14	765.5	...	...	ENE	5	c	,,	30.14	765.5	...	...	ENE	4	o
Macao,	,,	30.07	763.8	73	52	SE	2	o	,,	30.13	765.3	64	71	SE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.10	764.5	73	68	NE	5	c	,,	30.10	764.5	70	75	NE	5	bc
Phulien,	15	30.08	764.1	77	64	SE	4	b	7	30.13	765.3	64	94	ENE	4	o
Tourane,	,,	30.00	762.0	72	...	NNW	...	...	,,	30.10	764.4	72	...	E	4	of
Cape St. James,	,,	29.89	759.3	81	...	WSW	2	o	,,	29.92	759.9	73	...	NE	2	o
Basco,	14	30.07	763.8	81	69	NE	4	b	6	30.05	763.2	72	70	ENE	2	o
Aparri,	,,	30.04	762.9	77	54	ENE	4	b	,,	30.02	762.6	63	92	...	0	o
Tuguegarao,	,,	30.01	762.3	79	61	NW	1	o	,,	30.04	762.9	61	98	...	0	o
Vigan,	,,	29.89	759.3	82	48	WNW	4	b	,,	29.93	760.2	86	58	E	4	o
Manila,	,,	29.93	760.2	81	59	SSW	1	o	,,	29.98	761.4	64	92	NNE	2	b
Legaspi,	,,	29.93	760.2	82	70	NNE	4	b	,,	29.93	760.2	75	89	N	2	o
Calboyog,	,,	29.92	759.9	82	54	N	6	o	,,	29.93	760.2	72	89	...	0	o
Tacloban,	,,	29.89	759.3	79	69	NE	6	o	,,	29.93	760.2	73	86	W	2	b
Iloilo,	,,	29.87	758.7	82	67	NE	6	o	,,	29.91	759.6	70	87	NE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.88	759.0	82	60	NE	4	o	,,	29.89	759.3	75	88	NE	4	o
Saipan,	...	...	...	...	...	...	...	...	5	29.82	757.4	75	...	E	2	c
Guam,	12.22	29.75	755.7	...	...	E	2	o	4.22	29.79	756.6	...	...	NE	1	o
Yap,	11.00	29.79	756.6	...	...	N	2	o	5	29.79	756.6	76	...	N	2	c
Pelew,	...	...	...	...	...	...	...	...	,,	29.81	757.2	76	...	NE	1	b
Ponape,	...	...	..	...	...	...	...	...	,,	29.78	756.3	79	...	S	3	c
Labuan,	14	29.83	757.7	88	69	...	0	b	6	29.85	758.2	78	91	...	...	o

November 29*d.* 11*h.* 30*m.* – The anticyclone has passed into the Pacific to the east of Japan, another will probably develope over China.

Fresh monsoon will prevail along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th November, 1929.									30th November, 1929.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.14	765.5	44	...	ESE	3	0		6	30.41	772.4	25	...	NNE	4	b
Nemuro,	11	30.39	772.0	...	...	S	2	...		5	30.28	769.0	...	...	S	4	...
Hokodate,	,,	30.35	771.0	...	...	SE	1	...		,,	30.22	767.5	...	...	NNE	1	...
Tokio,	,,	30.39	772.0	...	...	N	1	...		,,	30.28	769.0	...	...	NNW	1	...
Kochi,	,,	30.24	768.0	...	...	...	0	...		,,	30.12	765.0	...	...	...	0	...
Nagasaki,	,,	30.26	768.5	...	...	...	...	...		,,	30.28	769.0	...	...	NW	1	...
Kagoshima,	,,	30.22	767.5	...	...	WNW	1	...		,,	30.16	766.0	...	...	NW	1	...
Oshima,	,,	30.20	767.0	...	...	...	0	...		,,	30.12	765.0	...	...	...	0	...
Naha,	,,	30.18	766.5	...	...	NNE	1	...		,,	30.10	764.5	...	...	ENE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...		,,	30.10	764.5	..	..	NE	1	...
Bonin Island,	,,	29.92	760.0	...	...	WSW	1	...		,,	29.94	760.5	...	...	NE	1	...
Chefoo,	15	30.22	767.6	46	86	NW	4	b		6	30.28	769.1	32	100	SW	1	b
Shanghai,	14	30.21	767.4	64	41	WNW	1	b		,,	30.25	768.3	45	97	NE	1	b
Gutzlaff,	,,	30.27	768.8	60	71	W	4	b		,,	30.31	769.9	52	93	NNE	2	o
Sharp Peak,	,,	30.08	764.0	71	62	ENE	1	b		7	30.12	765.0	60	65	W	2	b
Amoy,	,,	30.18	766.6	66	68	SW	4	b		6	30.12	765.0	56	87	ENE	2	b
Swatow,	,,	30.04	763.0	69	72	ESE	1	b		,,	30.08	764.0	55	76	NE	2	b
Taihoku,	11	30.19	766.8	72	65	E	2	b		5	30.14	765.6	61	93	E	4	r
Taichu,	,,	30.18	766.5	68	...	...	0	b		,,	30.12	765.0	50	...	...	0	b
Tainan,	,,	30.13	765.3	77	...	N	2	b		,,	30.02	762.6	55	...	...	0	b
Koshun,	,,	30.13	765.3	70	...	NNE	2	o		,,	30.05	763.2	68	...	NNE	4	b
Pescadores,	,,	30.17	766.2	72	...	NE	4	b		,,	30.08	764.1	66	...	NNE	4	b
Hong Kong,	14	30.09	764.3	70	55	E	2	b		6	30.11	764.8	63	80	NE	1	b
Gap Rock,	,,	30.09	764.3	...	...	ENE	4	b		,,	30.10	764.5	...	...	ENE	4	b
Macao,	,,	30.07	763.8	73	52	ESE	2	b		,,	30.06	763.5	63	84	SE	2	b
Hoihow,	,,	30.05	763.2	73	73	ENE	2	o		,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.05	763.2	75	66	NE	4	b		,,	30.05	763.2	71	78	NE	5	o
Phulien,	15	30.05	763.2	79	58	SE	4	b		7	30.06	763.5	63	92	NE	4	bf
Tourane,	,,	29.09	761.7	73	...	SSE	2	o		,,	30.05	763.2	70	...	...	0	of
Cape St. James,	,,	29.87	758.7	77	...	NE	6	o		,,	29.89	759.3	73	...	ENE	4	bf
Basco,	14	29.99	761.7	77	72	ESE	2	o		6	...	...	...	...	...	...	...
Aparri,	,,	29.98	761.4	73	75	E	2	o		,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.95	760.8	75	67	N	2	o		,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Manila,	,,	29.88	759.0	84	60	SW	2	o		,,	29.92	759.9	70	94	NNE	2	r
Legaspi,	,,	29.86	758.5	86	65	NNE	4	b		,,	29.88	759.0	75	91	N	2	o
Calboyog,	,,	...	...	...	...	...	...	...		,,	29.88	759.0	68	77	...	0	b
Tacloban,	,,	29.85	758.1	84	64	NW	4	b		,,	29.88	759.0	73	91	NW	2	b
Iloilo,	,,	29.84	757.8	84	58	NE	4	b		,,	29.87	758.7	72	89	NE	4	b
Cebu,	,,	...	...	...	...	...	...	...		,,	29.86	758.4	75	79	N	2	b
Surigao,	,,	29.84	757.8	81	73	NNE	4	o		,,	29.85	758.1	72	94	SW	1	o
Saipan,	...	...	...	...	...	...	...	...		5	29.79	756.6	76	...	NE	2	bo
Guam,	12.22	29.72	754.8	...	...	NE	4	o		4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.7	...	...	ENE	1	o		5	29.79	756.6	...	...	NNE	1	o
Pelew,	...	...	...	...	...	...	...	...		,,	29.79	756.6	78	...	NNW	2	c
Ponape,	...	...	...	...	...	...	...	...		,,	29.82	757.5	77	...	SE	1	c
Labuan,	14	29.81	757.2	83	79	NE	...	...		6	29.78	756.4	78	86	S	4	b

November 30*d.* 11*h.* 07*m.*— A fresh anticyclone appears to have developed over S. Manchuria.

Moderate to fresh monsoon will prevail along the coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFERIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

DECEMBER,

1929.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST, TOGETHER WITH MEAN MONTHLY AND ANNUAL VALUES OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT HONG KONG, TYPHOON TRACKS, AND RESULTS OF MAGNETIC OBSERVATIONS MADE IN THE YEAR 1929.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1930.

[Price 60c.]

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

DECEMBER, 1929.

INTRODUCTION.

In this Bulletin an annual summary of the Hong Kong Observations for the year 1929 is given in Tables XI to XVIII, following the usual monthly Tables. They contain mean and extreme values of the principal Meteorological Elements, in British and C.G.S. Units, and of the prevalence of different phenomena for each month, and for the year, together with the normal values (for the period 1884-1928 unless otherwise stated). Also five-day means of the principal meteorological elements for the year 1929 and the period 1884-1928.

The readings of the barometer in British Units are *not* reduced to sea-level, or to the gravity at latitude 45°.

In the column headed "Days of rain" only those days have been counted on which the fall amounted to or exceeded 0·01 inch.

The remaining columns in the Tables require no special remark, the necessary explanations having been given in the Introduction to the Bulletin for the month of January.

The tracks of the typhoons which occurred in the Far East during the year 1929 are shown on a chart following the five-day means.

The results of Magnetic Observations made in the year 1929 are given at the end of the Bulletin.

T. F. CLAXTON.

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

DECEMBER,

1929.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of DECEMBER, 1929.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·038	30·032	30·022	30·020	30·024	30·034	30·054	30·071	30·087	30·105	30·106	30·077	1
2	30·065	30·055	30·057	30·057	30·055	30·067	30·086	30·108	30·127	30·141	30·133	30·102	2
3	30·107	30·101	30·093	30·090	30·089	30·110	30·130	30·145	30·170	30·172	30·162	30·135	3
4	30·205	30·198	30·198	30·195	30·202	30·205	30·220	30·234	30·240	30·242	30·235	30·209	4
5	30·187	30·181	30·175	30·158	30·152	30·162	30·174	30·185	30·210	30·213	30·199	30·156	5
6	30·081	30·067	30·050	30·047	30·058	30·068	30·089	30·115	30·135	30·134	30·126	30·092	6
7	30·102	30·091	30·085	30·084	30·084	30·091	30·112	30·137	30·146	30·138	30·115	30·085	7
8	30·069	30·051	30·039	30·029	30·023	30·042	30·047	30·056	30·063	30·067	30·042	30·019	8
9	29·987	29·985	29·970	29·963	29·965	29·981	30·001	30·016	30·040	30·042	30·033	30·011	9
10	29·994	29·990	29·979	29·981	29·985	29·989	30·012	30·032	30·048	30·057	30·054	30·034	10
11	29·993	29·981	29·965	29·957	29·963	29·970	29·989	30·010	30·013	30·020	29·994	29·972	11
12	29·925	29·913	29·899	29·884	29·888	29·891	29·908	29·918	29·925	29·935	29·920	29·893	12
13	29·851	29·849	29·834	29·832	29·834	29·845	29·866	29·884	29·891	29·896	29·875	29·863	13
14	29·828	29·825	29·817	29·814	29·812	29·819	29·835	29·852	29·863	29·882	29·872	29·840	14
15	29·780	29·776	29·766	29·750	29·748	29·750	29·768	29·787	29·804	29·820	29·812	29·794	15
16	29·801	29·803	29·789	29·777	29·783	29·789	29·809	29·835	29·859	29·873	29·868	29·848	16
17	29·868	29·864	29·858	29·854	29·854	29·868	29·890	29·912	29·940	29·956	29·954	29·938	17
18	29·949	29·937	29·932	29·932	29·936	29·944	29·958	29·968	29·992	30·006	29·987	29·952	18
19	29·886	29·878	29·854	29·838	29·828	29·842	29·858	29·869	29·884	29·900	29·886	29·863	19
20	29·936	29·921	29·920	29·926	29·933	29·963	29·959	29·977	29·995	30·007	30·005	29·977	20
21	29·968	29·956	29·952	29·934	29·920	29·947	29·951	29·984	29·995	30·004	29·991	29·973	21
22	30·103	30·102	30·104	30·102	30·108	30·119	30·131	30·159	30·176	30·192	30·194	30·177	22
23	30·227	30·217	30·211	30·211	30·214	30·235	30·249	30·270	30·281	30·281	30·265	30·233	23
24	30·185	30·177	30·169	30·168	30·171	30·177	30·195	30·224	30·240	30·235	30·221	30·191	24
25	30·122	30·116	30·091	30·082	30·083	30·088	30·101	30·107	30·117	30·115	30·102	30·074	25
26	30·001	29·999	29·988	29·974	29·972	29·977	29·991	30·007	30·015	30·014	30·004	29·968	26
27	29·932	29·916	29·894	29·886	29·880	29·890	29·914	29·943	29·969	29·970	29·967	29·948	27
28	29·934	29·913	29·903	29·891	29·893	29·899	29·915	29·937	29·949	29·953	29·951	29·940	28
29	29·976	29·964	29·948	29·940	29·936	29·940	29·964	29·994	30·021	30·036	30·026	30·014	29
30	30·020	30·012	29·993	29·983	29·979	29·987	30·001	30·023	30·055	30·067	30·065	30·048	30
31	30·061	30·054	30·044	30·034	30·032	30·034	30·056	30·075	30·089	30·098	30·096	30·070	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	ins.	ins.	ins	ins.	
1	30·056	30·030	30·030	30·025	30·034	30·045	30·060	30·076	30·089	30·089	30·084	30·067	1
2	30·073	30·056	30·048	30·038	30·050	30·069	30·082	30·084	30·096	30·104	30·116	30·108	2
3	30·099	30·082	30·073	30·077	30·089	30·113	30·136	30·166	30·199	30·214	30·220	30·212	3
4	30·178	30·148	30·128	30·123	30·136	30·156	30·179	30·195	30·205	30·215	30·209	30·204	4
5	30·124	30·098	30·078	30·070	30·076	30·072	30·085	30·090	30·098	30·096	30·098	30·092	5
6	30·056	30·038	30·033	30·037	30·055	30·074	30·092	30·106	30·109	30·105	30·092	30·099	6
7	30·061	30·036	30·026	30·036	30·045	30·053	30·050	30·064	30·076	30·078	30·070	30·064	7
8	29·985	29·950	29·934	29·926	29·938	29·955	29·962	29·977	29·984	30·004	29·999	29·995	8
9	29.987	29·950	29·928	29·928	29·943	29·958	29·973	29·989	30·001	30·000	30·000	30·002	9
10	30·006	29·988	29·973	29·962	29·970	29·983	29·991	29·994	29·998	30·001	29·995	29·995	10
11	29·942	29·924	29·900	29·907	29·932	29·933	29·945	29·956	29·962	29·961	29·953	29·941	11
12	29·868	29·841	29·826	29·821	29·828	29·831	29·849	29·863	29·869	29·867	29·867	29·855	12
13	29·825	29·809	29·800	29·795	29·801	29·802	29·816	29·820	29·829	29·833	29·834	29·827	13
14	29·818	29·794	29·765	29·776	29·788	29·800	29·800	29·804	29·798	29·808	29·804	29·795	14
15	29·764	29·737	29·724	29·728	29·736	29·740	29·757	29·768	29·789	29·801	29·807	29·811	15
16	29·824	29·796	29·794	29·800	29·816	29·828	29·833	29·835	29·851	29·865	29·875	29·876	16
17	29·915	29·905	29·895	29·895	29·907	29·923	29·923	29·926	29·939	29·951	29·945	29·954	17
18	29·905	29·884	29·876	29·884	29·898	29·910	29·921	29·911	29·910	29·908	29·900	29·894	18
19	29·834	29·804	29·802	29·800	29·819	29·832	29·854	29·867	29·884	29·906	29·924	29·927	19
20	29·948	29·924	29·922	29·912	29·936	29·948	29·962	29·969	29·967	29·971	29·972	29·971	20
21	29·962	29·944	29·950	29·967	29·991	30·021	30·043	30·061	30·074	30·076	30·079	30·088	21
22	30·152	30·130	30·123	30·133	30·158	30·172	30·198	30·216	30·226	30·228	30·233	30·233	22
23	30·188	30·159	30·138	30·130	30·141	30·154	30·174	30·191	30·203	30·205	30·194	30·195	23
24	30·148	30·119	30·107	30·105	30·108	30·120	30·133	30·150	30·146	30·144	30·132	30·123	24
25	30·046	30·018	29·996	30·006	30·008	30·010	30·020	30·024	30·018	30·016	30·006	30·000	25
26	29·933	29·909	29·890	29·886	29·891	29·894	29·906	29·918	29·932	29·938	29·940	29·942	26
27	29·922	29·885	29·873	29·871	29·881	29·894	29·909	29·914	29·920	29·931	29·931	29·935	27
28	29·914	29·894	29·884	29·884	29·901	29·917	29·930	29·952	29·965	29·971	29·971	29·978	28
29	29·987	29·964	29·954	29·960	29·957	29·971	29·985	30·001	30·019	30·024	30·022	30·017	29
30	30·025	30·001	29·993	29·997	30·010	30·018	30·034	30·052	30·057	30·063	30·065	30·061	30
31	30·042	30·020	30·004	30·011	30·015	30·023	30·048	30·054	30·076	30·082	30·080	30·068	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of DECEMBER, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	65·4	65·3	65·3	65·2	65·2	65·0	64·9	65·0	68·1	67·9	68·9	68·5	1
2	66·7	66·7	66·7	66·7	66·7	67·0	66·9	67·9	69·5	70·7	71·1	71·8	2
3	67·3	66·8	66·8	66·6	66·4	66·2	65·8	69·0	71·5	72·0	72·8	73·6	3
4	58·9	58·7	58·2	57·5	56·8	55·9	55·7	57·5	58·7	62·0	64·5	65·7	4
5	59·0	56·7	56·5	55·2	54·2	54·5	55·8	56·0	59·8	60·8	62·6	63·4	5
6	62·7	62·7	62·7	62·7	62·3	61·7	62·0	62·2	63·3	64·9	66·5	67·0	6
7	63·6	63·6	63·5	63·6	63·7	63·5	63·5	65·7	69·7	70·0	71·3	73·4	7
8	65·6	65·4	65·2	65·2	64·7	64·3	64·0	66·2	68·7	70·0	71·0	71·8	8
9	65·0	65·2	65·2	65·3	65·3	65·5	65·5	65·6	68·8	69·3	69·5	69·3	9
10	63·1	64·5	64·6	64·0	64·6	65·0	65·0	65·2	66·2	66·7	68·0	67·4	10
11	65·7	65·5	65·5	65·4	65·4	65·0	65·2	65·5	66·0	67·2	67·7	69·4	11
12	67·2	67·1	66·9	66·7	66·7	66·8	67·3	67·8	69·2	69·8	70·1	69·6	12
13	69·7	69·9	69·2	69·2	69·1	68·7	68·5	69·0	71·0	72·3	73·6	72·0	13
14	69·4	69·6	68·7	68·6	68·6	68·0	67·7	68·3	69·0	70·6	71·5	72·5	14
15	72·8	72·8	72·8	73·0	73·3	72·8	72·8	73·8	75·0	74·8	75·3	76·0	15
16	73·6	73·0	73·4	73·2	73·0	73·0	73·2	73·2	74·5	74·8	75·3	75·1	16
17	71·5	70·8	70·5	70·5	70·7	70·7	70·2	70·2	70·6	71·5	71·0	70·6	17
18	68·8	68·0	67·9	67·6	67·3	67·4	67·2	67·5	67·2	67·3	67·8	68·1	18
19	66·2	66·3	66·1	66·1	66·2	66·6	67·1	67·3	67·5	68·4	70·0	69·5	19
20	61·3	59·0	57·7	58·4	55·9	54·7	55·1	55·9	59·5	62·3	63·5	63·7	20
21	62·0	62·0	62·1	61·7	61·0	61·4	61·6	61·0	61·3	62·0	62·9	62·7	21
22	47·8	46·4	46·5	46·8	47·0	46·7	47·0	48·0	48·7	49·3	50·7	50·7	22
23	45·7	45·7	45·6	46·6	45·7	44·5	44·5	45·0	46·7	47·2	49·3	52·6	23
24	46·7	45·7	45·0	45·2	44·8	45·0	45·5	47·8	52·5	56·4	58·0	58·2	24
25	59·5	59·4	58·8	58·8	58·7	58·9	57·8	59·1	62·5	61·3	64·2	63·5	25
26	63·6	63·5	63·0	62·9	62·7	62·8	62·8	63·5	64·6	65·8	66·5	67·7	26
27	65·7	65·8	65·8	66·7	66·7	66·5	67·2	67·6	68·5	69·6	71·0	71·2	27
28	66·7	67·6	68·6	69·3	68·6	68·0	68·6	69·6	72·3	73·7	73·0	71·4	28
29	66·9	66·7	65·5	65·7	66·1	66·3	66·1	65·2	63·8	63·5	63·8	64·0	29
30	62·8	62·8	62·8	62·7	62·5	62·0	61·9	61·7	62·1	62·7	63·0	63·7	30
31	58·9	59·0	58·8	57·9	57·6	57·5	57·6	57·6	58·6	59·4	58·4	60·4	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	68·4	68·7	68·6	68·7	68·5	67·5	67·5	66·7	66·5	66·6	66·7	66·7	1
2	72·5	72·9	71·8	70·6	69·6	69·0	68·7	68·7	67·8	67·8	67·5	67·5	2
3	74·4	74·4	73·0	71·5	70·2	68·3	66·8	64·7	62·6	60·5	59·4	58·8	3
4	65·9	66·3	66·7	66·7	64·5	63·3	61·8	60·1	59·5	59·1	59·0	59·0	4
5	64·5	65·4	65·5	64·0	62·8	61·9	61·5	61·6	61·4	61·5	62·4	62·7	5
6	67·3	69·0	68·8	67·8	66·5	65·5	64·6	63·8	62·9	63·0	63·7	63·8	6
7	73·5	73·0	72·3	71·0	68·7	66·7	66·7	66·4	65·9	66·0	65·7	65·8	7
8	70·7	71·5	71·2	70·6	69·7	68·4	66·2	65·5	64·7	64·3	64·3	64·5	8
9	70·3	70·0	70·0	68·7	67·8	67·1	65·0	64·7	64·0	64·1	63·7	64·0	9
10	67·8	67·7	66·8	67·0	65·8	65·7	65·5	65·7	65·9	66·0	66·0	65·8	10
11	68·1	68·0	68·3	67·9	66·6	65·7	66·7	66·8	67·5	67·6	67·4	67·1	11
12	69·5	70·6	70·6	70·8	70·8	70·0	69·3	68·9	69·1	69·2	69·0	69·1	12
13	72·8	73·4	74·7	74·7	72·0	69·7	70·7	70·7	70·0	69·6	69·6	69·6	13
14	72·6	72·8	73·1	71·9	70·8	70·3	69·7	69·9	70·0	70·7	70·7	72·5	14
15	75·7	77·2	76·0	75·4	74·6	73·5	73·0	73·4	73·5	73·4	73·7	73·8	15
16	75·5	75·2	75·1	74·7	74·7	73·8	73·6	73·4	73·5	71·4	71·6	71·6	16
17	67·9	67·4	67·5	68·8	68·5	68·7	68·7	69·3	69·6	69·6	69·5	69·1	17
18	68·5	68·8	67·8	67·5	66·8	65·8	65·8	66·1	66·3	66·6	66·6	66·5	18
19	70·2	70·4	69·8	69·8	69·2	68·7	67·8	67·0	67·0	66·2	65·8	64·0	19
20	64·6	63·6	64·0	63·1	62·6	62·7	62·7	62·7	62·6	62·0	61·8	62·4	20
21	61·0	59·2	57·0	55·7	54·2	52·7	51·6	49·7	49·4	49·6	48·1	47·5	21
22	50·7	50·7	49·9	49·5	48·0	47·7	47·5	47·8	47·6	47·6	46·2	45·5	22
23	54·1	54·3	54·1	53·0	51·8	51·6	49·8	49·8	49·7	48·7	48·7	47·3	23
24	59·3	58·7	58·7	59·4	58·6	58·0	58·0	58·3	58·5	58·9	59·0	59·1	24
25	64·9	63·7	62·9	62·9	62·9	62·7	63·2	63·2	63·6	63·8	63·8	64·0	25
26	70·0	68·7	68·0	66·9	66·0	65·6	65·6	65·4	65·7	65·4	65·4	65·7	26
27	72·1	72·9	72·0	71·7	71·0	69·6	69·6	68·7	67·9	67·4	66·7	66·7	27
28	72·4	73·0	73·3	73·3	71·5	70·0	69·5	69·2	69·0	69·2	69·1	68·5	28
29	64·7	64·5	64·0	62·7	62·5	61·8	61·7	61·8	61·7	61·7	61·7	61·7	29
30	63·4	62·6	62·4	61·9	60·9	60·0	59·5	59·7	59·7	59·7	59·8	59·1	30
31	62·6	62·9	62·7	62·0	60·7	59·9	59·8	59·1	58·9	58·9	58·7	59·2	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of DECEMBER, 1929.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·6	61·7	61·7	61·6	61·6	61·0	60·7	60·8	62·0	62·1	62·1	62·0	1
2	62·6	62·7	62·7	62·6	62·2	61·8	61·9	62·5	63·0	63·1	63·6	63·4	2
3	63·3	62·3	61·8	61·5	61·3	61·4	61·0	62·6	63·0	63·2	63·2	64·3	3
4	52·0	52·2	51·5	51·0	50·6	49·8	49·6	50·7	51·1	53·0	55·0	54·7	4
5	52·0	50·8	50·6	49·8	49·3	49·5	50·0	50·4	53·0	53·8	54·2	54·6	5
6	58·6	58·6	58·8	58·8	57·8	57·0	57·2	57·3	57·4	58·2	59·0	59·3	6
7	60·6	60·6	60·6	60·0	60·1	60·5	60·6	62·0	63·1	63·0	63·2	64·4	7
8	62·0	61·9	61·6	61·5	61·4	61·5	61·0	61·9	62·7	63·2	63·0	63·2	8
9	62·8	62·4	61·9	62·3	62·3	61·8	62·0	62·0	63·8	63·3	63·0	63·0	9
10	60·4	61·6	61·5	61·0	61·6	61·5	61·5	61·6	61·5	62·0	62·5	62·0	10
11	62·2	62·7	62·7	62·4	62·0	61·8	61·8	61·7	61·8	62·3	62·7	63·7	11
12	65·1	64·9	64·8	64·5	64·3	64·5	64·8	65·0	66·0	66·8	66·9	66·5	12
13	68·4	68·5	68·0	68·0	68·0	68·0	67·8	68·3	69·5	69·8	69·9	69·0	13
14	68·7	68·9	68·0	67·9	67·9	67·5	67·5	68·0	68·5	68·6	69·0	69·8	14
15	70·3	70·3	70·3	70·4	70·8	70·6	70·6	71·4	71·5	71·3	71·4	71·4	15
16	70·4	70·3	70·6	70·2	70·6	70·6	70·6	70·7	71·0	71·5	71·5	71·6	16
17	70·6	70·0	70·5	70·2	70·4	70·1	69·6	69·7	69·9	70·5	70·0	69·4	17
18	66·8	66·0	65·9	65·6	65·4	65·4	65·1	65·0	64·8	65·1	65·2	65·7	18
19	65·0	65·1	65·1	65·1	65·0	65·3	65·8	66·2	66·5	66·8	67·8	67·0	19
20	57·6	55·0	52·7	53·0	50·8	49·7	49·6	50·3	52·0	54·3	55·0	55·5	20
21	57·1	57·1	56·9	56·7	57·0	57·2	57·6	57·8	57·8	58·3	58·8	58·8	21
22	44·8	43·8	45·8	43·8	44·6	43·8	45·0	45·5	44·8	45·1	46·1	46·0	22
23	41·8	41·8	42·8	42·8	41·8	39·6	39·8	40·3	41·3	42·2	43·6	45·5	23
24	40·6	40·7	40·5	40·7	40·5	40·8	41·0	42·5	46·0	48·6	50·0	49·8	24
25	53·7	53·4	53·0	53·0	52·9	52·5	51·9	52·8	56·0	54·5	56·6	56·0	25
26	59·9	59·8	59·4	59·6	59·6	59·0	58·8	59·4	60·3	60·8	61·0	61·8	26
27	61·6	61·7	61·5	61·5	61·5	61·9	62·0	62·8	63·0	63·5	63·8	64·0	27
28	61·2	60·8	60·8	61·0	60·8	61·0	61·1	62·1	63·8	64·9	64·5	64·2	28
29	65·6	65·2	63·1	63·3	63·1	63·2	62·9	61·9	61·7	61·8	61·8	61·7	29
30	60·3	60·4	60·4	60·3	60·0	60·0	59·9	59·7	59·9	60·2	60·0	60·8	30
31	55·8	56·0	55·6	55·2	55·0	56·0	55·7	55·2	55·2	56·4	56·8	57·3	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	62·1	61·7	61·8	62·2	62·0	62·0	62·9	62·8	63·2	63·0	62·8	62·5	1
2	63·8	63·8	63·9	63·8	64·0	63·7	63·8	63·8	63·8	63·8	63·8	63·0	2
3	63·8	65·8	65·8	64·0	62·5	58·5	57·5	55·7	54·4	52·6	52·1	52·0	3
4	55·8	56·0	56·0	54·7	53·9	53·4	52·2	51·0	51·0	51·1	51·0	51·0	4
5	55·0	55·8	55·9	55·6	55·7	55·5	56·0	55·9	56·1	57·1	57·3	57·4	5
6	59·5	60·8	60·7	60·7	60·2	60·0	60·0	60·3	60·4	60·0	59·7	60·4	6
7	64·0	64·0	64·5	63·5	63·0	62·2	62·2	62·2	62·4	62·0	62·0	62·4	7
8	62·2	63·2	62·8	63·7	63·5	62·8	61·5	61·8	61·7	61·8	61·8	62·4	8
9	63·2	63·0	63·0	62·4	62·2	61·7	61·6	61·7	62·0	61·7	61·2	61·2	9
10	62·5	62·2	62·2	62·5	61·8	61·6	61·8	62·0	62·1	62·3	62·4	62·5	10
11	63·0	63·0	63·3	62·7	63·0	63·7	64·8	64·7	65·3	65·5	65·4	65·2	11
12	66·5	66·8	67·3	67·8	68·0	68·0	67·3	67·5	67·8	68·0	68·0	67·9	12
13	69·1	69·4	69·8	69·8	69·0	68·4	68·7	68·8	68·7	68·7	68·9	68·9	13
14	70·2	69·8	70·0	69·6	69·4	69·4	69·0	69·2	69·0	69·8	69·8	70·0	14
15	71·2	72·0	71·2	71·0	70·4	70·2	70·0	70·3	70·7	70·1	70·5	70·6	15
16	71·7	71·6	71·3	71·4	71·1	71·0	70·9	70·8	71·0	70·7	70·6	70·6	16
17	67·0	66·4	66·6	67·7	67·7	67·5	67·5	67·8	67·8	67·8	67·5	67·1	17
18	65·8	66·0	65·4	65·4	65·0	64·8	64·8	64·9	65·0	65·1	65·1	65·0	18
19	67·6	67·9	67·6	67·6	67·2	66·9	66·9	66·0	65·8	64·0	63·0	60·0	19
20	55·7	55·5	55·9	55·0	55·3	56·3	56·8	57·0	57·4	57·0	56·8	57·0	20
21	57·2	55·5	53·8	52·8	51·5	49·8	48·2	46·2	45·8	45·8	44·2	43·5	21
22	45·8	45·4	44·8	44·7	43·5	43·0	42·6	42·9	42·7	42·7	41·0	41·6	22
23	46·2	46·3	46·0	44·8	44·0	44·0	43·6	43·0	42·8	41·9	41·7	40·6	23
24	50·8	51·4	51·2	51·4	50·9	50·3	50·5	50·8	50·6	51·4	52·0	52·0	24
25	56·9	56·8	57·1	57·4	57·0	57·4	57·6	58·7	58·7	59·3	59·5	59·8	25
26	61·5	62·0	60·8	61·4	61·0	61·0	60·8	61·6	61·5	61·6	61·6	61·6	26
27	64·1	64·2	63·0	62·7	62·0	62·1	61·6	61·8	61·7	61·8	62·2	61·8	27
28	64·6	65·0	66·3	66·3	65·5	65·0	65·6	65·7	65·8	66·0	66·0	66·0	28
29	61·9	61·5	60·4	59·2	58·7	58·4	58·4	58·8	59·5	59·8	59·8	59·8	29
30	60·7	59·6	58·9	58·4	57·8	57·4	57·0	56·8	56·8	57·4	56·2	56·2	30
31	58·4	59·0	58·2	58·0	58·7	58·5	58·6	58·0	57·4	57·5	57·4	57·3	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of DECEMBER, 1929.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	6	7	10	10	8	9	8	7	7	8	9	8	8	6	4	9	9	6	8	3	1	1	1	2	1
2	6	7	9	9	5	5	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	1	...	...	...	...	...	2	3	3	7	4	6	8	8	2	...	2	8	3
4	10	9	5	6	5	6	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	1	2	2	7	7	3	6	4	3	2	1	2	...	...	...	...	3	2	4	5
6	2	9	9	9	10	6	5	10	10	9	9	9	3	2	2	2	2	2	...	1	1	...	...	1	6
7	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	1	1	1	1	1	...	...	...	...	...	...	...	...	3	8
9	5	6	9	9	10	9	9	9	8	7	3	4	4	4	2	1	1	2	...	...	...	...	...	1	9
10	1	5	3	1	8	10	10	10	10	8	7	8	8	8	8	2	2	1	1	1	2	2	1	5	10
11	8	8	8	9	9	9	9	9	9	9	8	9	7	8	5	9	10	10	10	10	10	10	10	10	11
12	10	10	10	10	10	10	10	10	9	10	9	8	10	10	9	8	7	7	8	9	9	8	9	8	12
13	7	8	6	9	7	9	10	9	8	4	7	9	8	9	9	9	10	8	10	10	10	10	10	9	13
14	9	9	9	9	9	9	10	10	10	10	9	9	9	8	9	8	9	9	10	10	10	10	10	9	14
15	10	9	10	10	10	9	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15
16	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7	7	3	10	8	8	9	16
17	8	9	10	10	10	9	9	8	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	8	9	7	8	8	9	8	10	10	10	10	10	10	9	19
20	9	9	9	9	6	3	2	1	...	...	3	7	6	8	6	1	9	10	10	10	10	10	10	10	20
21	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	10	9	7	6	8	...	...	1	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	2	8	1	9	7	8	8	10	10	7	10	10	10	10	10	10	9	24
25	10	9	7	8	9	9	8	4	7	6	6	7	7	9	4	9	8	10	10	9	10	10	10	10	25
26	6	6	2	8	7	6	6	4	4	9	8	8	9	8	7	7	10	9	10	9	9	9	9	10	26
27	10	10	10	9	10	9	10	9	9	9	9	9	9	7	4	4	8	9	8	3	7	1	1	1	27
28	2	3	7	9	4	3	3	10	9	10	10	9	8	10	10	10	10	9	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30
31	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of DECEMBER, 1929.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1		...	0·9	1·0	0·5	...	0·1	0·1	1·0	1·0	0·2	0·3		1
2		0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7		2
3		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...		3
4		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		4
5		0·1	0·4	0·2	0·8	0·9	1·0	1·0	1·0	1·0	1·0	0·6		5
6		...	...	...	...	...	0·3	1·0	1·0	1·0	1·0	0·6		6
7		0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5		7
8		0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		8
9		...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		9
10		...	...	0·3	0·8	0·8	0·9	0·7	0·9	0·8	1·0	0·5		10
11		...	...	0·1	...	0·9	0·5	0·8	0·4	0·8	...	...		11
12		...	0·4	0·3	0·1	0·2	...	...	0·3	0·6	1·0	0·3		12
13		...	0·6	0·8	1·0	0·3	0·4	0·6	0·8	0·3	...	...		13
14		...	...	0·2	0·1	0·2	0·4	0·5	0·7	1·0	0·4	...		14
15		0·2	0·6	0·1	...	...	0·1	0·4	0·6	0·3	...	...		15
16		...	0·1	...	0·1	0·1	...	...	0·1	0·2	0·1	...		16
17		...	0·2	...	...	...	...	...	...	...	...	...		17
18		...	...	...	...	...	...	...	...	...	...	...		18
19		...	...	0·1	0·1	0·8	0·8	1·0	1·0	0·7	0·4	0·4		19
20		0·5	1·0	1·0	1·0	1·0	1·0	0·8	0·2	0·7	0·9	...		20
21		...	...	...	...	...	...	...	...	...	...	...		21
22		...	...	...	...	...	...	...	...	...	...	...		22
23		...	...	...	...	0·7	0·9	1·0	1·0	1·0	1·0	0·6		23
24		0·7	0·9	0·4	0·9	...	0·2	0·8	0·3	0·1	0·2	0·1		24
25		0·1	1·0	0·7	0·4	1·0	1·0	1·0	0·2	0·8	0·1	...		25
26		0·4	0·7	0·8	0·8	0·6	0·6	0·3	0·8	0·2	0·2	...		26
27		...	...	...	0·1	...	0·7	0·9	1·0	1·0	1·0	...		27
28		...	...	...	0·1	0·1	0·6	...	...	...	...	...		28
29		...	...	...	...	...	...	...	...	...	...	...		29
30		...	...	...	...	...	...	...	...	...	...	...		30
31		...	...	...	...	...	...	...	...	...	...	...		31

Table VI.—Amount of Rainfall registered in each Hour of the Day, in the Month of December, 1929.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	d	...	...	...	...	15
16	...	...	...	...	...	...	d	...	...	...	...	...	16
17	...	...	...	...	d	d	...	...	...	...	d	d	17
18	...	...	...	...	...	d	d	...	...	...	...	...	18
19	d	d	d	0·010	0·005	0·005	d	d	d	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	0·010	0·020	0·010	d	0·015	0·025	d	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	d	d	0·010	0·015	d	d	...	29
30	0·005	0·005	d	...	...	d	...	...	...	...	...	d	30
31	...	...	...	...	d	0·005	d	...	...	0·010	d	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	d	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	d	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	d	0·045	0·055	0·005	...	...	...	...	...	...	d	d	17
18	...	...	...	d	0·015	0·025	d	d	d	...	d	d	18
19	...	...	...	...	...	...	0·030	...	d	d	d	d	19
20	...	...	...	...	...	...	d	...	...	...	...	...	20
21	d	d	...	...	...	d	d	...	...	...	...	d	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	d	0·005	d	...	...	28
29	...	...	...	...	...	d	d	d	0.020	0·005	d	d	29
30	d	d	d	...	...	...	...	...	d	0·005	...	...	30
31	...	...	...	d	0·005	0·010	0·010	0·015	0·010	0·010	d	d	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of DECEMBER, 1929.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	
1	6 24	6 21	6 22	6 22	5 23	5 25	6 23	6 23	6 24	7 24	8 21	8 26	1
2	7 24	7 24	8 19	9 14	10 16	7 18	7 16	8 19	8 24	9 24	8 24	9 24	2
3	8 10	8 9	8 11	7 11	7 8	7 6	8 3	7 6	8 12	8 14	8 16	9 14	3
4	32 9	32 4	... 1	32 4	1 5	32 4	1 2	1 4	1 7	2 6	23 6	23 9	4
5	... ...	1 3	32 4	32 3	32 6	32 4	32 4	32 4	4 6	6 16	7 19	8 15	5
6	6 19	6 18	6 20	6 19	6 16	6 14	6 8	6 8	6 11	6 15	7 15	7 19	6
7	9 11	9 10	8 11	7 7	7 12	7 12	7 9	7 5	8 6	9 10	10 11	10 7	7
8	10 7	10 7	10 6	10 11	9 4	7 3	6 4	6 3	9 7	10 9	10 12	10 11	8
9	7 11	6 17	6 16	6 17	7 18	7 20	7 15	8 18	8 17	8 17	9 15	9 15	9
10	8 5	7 10	7 12	6 12	6 11	5 12	6 15	7 17	7 18	7 18	7 20	7 19	10
11	6 18	5 19	5 19	6 19	6 18	6 17	7 17	7 22	7 22	6 22	6 23	6 26	11
12	7 13	7 15	7 17	7 18	7 18	6 13	7 12	8 15	7 17	7 18	7 19	8 10	12
13	9 9	9 8	9 9	8 8	9 9	8 7	8 8	8 6	8 11	8 11	8 11	7 13	13
14	7 9	7 6	8 8	8 9	8 12	8 15	8 16	8 16	9 14	8 15	9 19	8 17	14
15	14 8	15 8	15 11	16 10	16 11	16 9	15 6	15 4	15 8	15 10	15 10	15 11	15
16	13 9	13 6	14 9	14 8	12 6	13 5	15 7	15 6	15 7	15 8	15 8	15 9	16
17	8 6	7 7	7 7	8 7	8 9	8 10	8 8	8 9	8 10	8 9	11 6	20 3	17
18	6 16	7 22	7 20	7 24	7 23	7 22	6 25	6 23	6 22	6 22	6 23	7 21	18
19	6 17	6 16	7 18	7 20	8 22	8 18	8 17	7 14	7 13	6 14	8 16	8 16	19
20	2 9	1 12	32 9	31 7	31 7	32 6	32 4	31 4	27 4	23 8	22 9	21 9	20
21	6 12	7 17	7 13	6 19	6 17	5 10	5 15	6 10	8 16	7 12	7 10	9 7	21
22	1 9	1 11	1 11	1 6	32 10	31 11	1 3	... ...	3 3	3 6	2 6	1 8	22
23	1 3	1 3	2 2	2 2	2 5	2 6	1 4	1 3	30 5	26 11	25 10	24 9	23
24	3 2	2 4	1 5	32 4	32 5	32 4	32 3	... ...	... ...	... 1	10 3	17 4	24
25	5 12	5 14	5 17	5 15	6 15	6 15	5 12	6 15	7 21	7 21	7 25	8 21	25
26	6 18	6 20	7 19	7 20	8 16	8 13	9 14	9 16	9 14	9 16	10 15	10 13	26
27	10 7	9 9	8 12	7 12	8 14	8 15	8 15	8 11	8 11	9 13	8 14	9 14	27
28	8 11	9 11	9 6	8 4	... 1	8 2	8 5	... 1	... ...	8 8	9 16	9 17	28
29	6 9	2 4	27 6	24 5	23 2	24 2	... 1	32 4	... ...	25 4	... 1	25 2	29
30	6 2	9 6	9 10	8 12	7 7	7 7	8 9	7 7	5 7	5 7	5 5	5 4	30
31	... 1	... 1	... 1	... 1	... 1	2 2	... ...	... 1	11 2	... 1	... ...	12 4	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Ve.	Dir. Vel.	Dir. Vel.	Dir. Vel.	
1	6 25	6 24	7 20	7 18	6 19	7 18	8 16	8 14	7 21	7 21	7 19	7 22	1
2	9 23	9 16	8 18	9 14	10 10	10 10	9 12	8 11	9 10	9 12	9 10	8 8	2
3	11 8	16 12	21 12	20 13	10 11	2 13	1 9	1 14	1 9	31 7	31 7	31 8	3
4	24 11	23 14	29 9	32 9	32 10	32 10	32 8	32 9	32 10	32 3	32 2	... 1	4
5	9 13	9 13	10 15	10 15	10 17	9 16	8 13	6 12	6 12	7 15	7 18	6 21	5
6	8 21	8 12	9 15	9 15	10 19	9 16	9 10	8 11	8 2	9 6	9 9	9 10	6
7	10 7	9 11	6 5	4 9	6 8	8 12	9 13	8 13	8 11	8 14	8 10	9 7	7
8	10 14	10 12	12 7	16 6	20 6	27 3	5 7	9 8	9 9	9 6	10 5	9 7	8
9	10 13	9 14	9 14	8 16	8 12	8 7	9 7	8 11	8 11	7 13	8 5	9 7	9
10	7 18	7 18	6 16	7 15	7 16	6 16	6 18	6 20	6 20	5 22	6 23	5 22	10
11	7 22	7 22	7 21	9 19	7 18	7 20	7 16	7 18	6 16	7 16	6 16	6 14	11
12	8 11	8 13	8 12	8 14	9 12	9 11	8 13	8 10	8 11	8 10	8 10	8 9	12
13	8 13	12 7	16 8	16 6	10 6	7 9	7 9	7 9	8 12	8 11	8 13	8 11	13
14	8 17	7 16	7 16	6 15	7 11	7 7	7 9	8 8	8 7	9 7	10 6	13 11	14
15	15 12	16 14	16 13	16 11	15 13	13 8	12 8	14 16	15 14	14 16	15 16	14 12	15
16	15 11	15 10	16 10	15 10	16 10	15 8	16 10	15 9	14 6	9 3	... 1	8 3	16
17	26 6	27 6	14 5	7 10	8 8	8 4	9 2	9 6	7 8	6 11	7 16	6 15	17
18	8 25	7 20	6 20	6 20	6 19	6 19	7 19	7 22	7 20	6 20	6 20	6 20	18
19	8 18	8 17	9 17	8 18	8 16	7 13	6 10	1 5	28 2	27 7	29 10	2 8	19
20	22 8	22 8	11 10	6 16	5 10	5 5	5 5	6 9	6 9	6 11	5 10	6 10	20
21	22 6	1 6	32 6	32 7	32 7	31 7	1 8	1 7	1 5	1 4	32 8	32 10	21
22	32 9	1 7	1 6	2 5	1 6	1 2	2 2	3 2	3 3	3 3	2 10	1 9	22
23	24 11	26 13	29 7	32 9	32 8	1 7	2 6	1 9	32 5	1 3	2 5	2 5	23
24	27 4	4 5	3 4	29 2	22 5	27 3	5 6	6 7	5 10	4 11	4 12	4 12	24
25	8 20	7 22	6 23	6 17	6 17	6 19	6 18	6 18	6 23	6 22	6 23	6 21	25
26	10 12	9 16	8 17	8 17	9 16	8 15	9 11	8 13	9 13	9 11	8 11	9 9	26
27	8 17	8 19	8 17	7 17	8 14	9 10	8 14	8 14	7 16	7 14	7 12	8 15	27
28	9 18	8 12	8 10	7 12	8 13	8 12	8 10	9 9	8 6	3 2	... 1	5 10	28
29	... 1	29 5	32 6	1 10	1 7	2 6	... 1	... 1	... ...	... ...	... ...	... ...	29
30	27 2	28 5	1 6	1 6	2 5	2 6	2 3	2 2	... 1	... ...	2 2	... ...	30
31	14 3	20 6	23 5	21 4	20 3	23 3	... ...	... 1	... ...	1 2	2 2	... 1	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of DECEMBER, 1929.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	E	cu	E	a-cu/cu	WNW/E	a-cu/cu	WNW/E	a-cu/cu	SSW/E	cu	E	cu	E	cu	E
2	cu	E	cu	E	cu	E	...	...	...	...	...	...	...	...	...	...
3	...	...	...	...	a-cu	WNW	...	...	cu	E	cu	E	cu	ENE	...	...
4	cu	E	cu	ENE	cu	ENE	...	...	...	...	...	...	...	...	...	...
5	...	...	...	...	cu	WSW	a-cu	ESE	a-cu	SE	a-cu	SE	...	...	a-cu	SE
6	cu	E	cu	E	a-cu/cu	SW/ESE	cu	ESE	cu	ESE	cu	ESE	...	...	...	...
7	...	...	...	...	cu	E	...	...	...	...	...	...	...	...	...	...
8	...	...	...	...	...	...	...	...	cu	ENE	...	...	...	...	...	...
9	cu	E	cu	E	ci-st/cu	WSW/E	ci-st/cu	WSW/ESE	ci-st/cu	WSW/ESE	ci-st	WSW	...	...	...	...
10	cu	E	cu	E	cu-nb	ENE	cu	E	cu	E	cu	E	cu	E	cu	E
11	cu	ENE	cu	ENE	cu	E	cu	E	a-cu/cu	SE/E	st-cu	E	nb	E	cu-nb	E
12	cu-nb	E	cu-nb	E	nb	E	st-cu	ESE	cu-nb	E	cu	E	cu	ESE	cu	ESE
13	cu	SE	cu	SE	st	ESE	cu	S	cu	S	cu	S	cu	S	cu	S
14	cu	S	cu	S	st	E	st-cu	S	cu	S	a-cu/cu	WSW/SSW	cu	SSW	cu	SSW
15	cu	SSW	cu	SSW	cu	SW	nb	WSW	cu-nb	WSW	cu-nb	WSW	cu	SE	cu	SSE
16	cu	S	cu-nb	SSW	cu-nb	SSW	cu	S	cu	S	cu-nb	S	cu	SSW	cu	SSW
17	cu	SSW	st	SSW	cu	SSE	nb	SSE	nb	SSE	nb	SSE	nb	SSE	nb	E
18	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
19	nb	E	nb	E	nb	E	nb	ESE	cu	ESE	cu	SSW	nb	SSW	nb	SSW
20	cu	ESE	cu	ESE	a-cu	SSW	...	...	a-cu/cu	SSW/E	a-cu	SSW	nb	E	nb	ENE
21	cu	ENE	a-cu/cu	WSW/ENE	st-cu	ENE	st-cu	ENE	nb	ENE	st-cu	ENE	nb	ENE	st-cu	ENE
22	nb	ENE	nb	ENE	nb	ENE	nb	ENE	st-cu	NE	st-cu	ENE	st-cu	ENE	st-cu	ENE
23	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	a-cu	W	...	...	...	...	...	...
24	...	...	...	...	...	...	cu	E	cu	ESE	st-cu	SSE	st-cu	SSE	st-cu	SSE
25	st-cu	SE	cu	SE	cu	SE	cu	SE	cu	SSE	cu	ESE	cu	ESE	cu	ESE
26	cu	ESE	cu	ESE	cu	SSE	cu	SSE	cu	SSE	cu	SSE	cu	ESE	cu	ESE
27	st-cu	ESE	cu	ESE	st-cu	E	cu	ESE	cu	E	cu	E	cu	E	cu	E
28	cu	E	cu	E	a-cu/cu	SSW/E	st-cu	SE	cu	E	cu	E	cu	E	nb	E
29	nb	E	nb	E	nb	E	nb	NE	nb	ENE	nb	ENE	nb	ENE	nb	ENE
30	nb	ENE	nb	ENE	nb	ENE	a-st	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE
31	nb	E	cu-nb	E	st	E	nb	E	nb	ENE	nb	ENE	nb	E	nb	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1929.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·056	69·1	64·7	4·4	66·9	62·0	0·500	76	65	5·1	47	...	...	+ 6·1	+ 20·3	73	21·2	21·5
2	·082	73·0	66·6	6·4	68·9	63·2	·516	73	20	10·1	94	...	...	− 1·2	+ 16·5	94	16·5	16·7
3	·133	75·4	58·7	6·7	67·9	60·6	·447	66	22	9·1	84	...	...	+ 1·4	+ 5·2	75	5·4	10·1
4	·194	66·9	55·5	11·4	60·9	52·4	·300	56	18	10·2	94	...	...	+ 4·5	− 1·7	339	4·8	6·5
5	·135	65·6	54·0	11·6	60·4	53·8	·341	65	20	8·0	74	...	...	+ 1·7	+ 9·5	80	9·7	11·0
6	·082	69·3	61·4	7·9	64·5	59·2	·444	73	47	4·9	45	...	...	+ 1·7	+ 13·2	83	13·3	13·7
7	·080	74·1	63·4	10·7	67·4	62·2	·501	75	1	10·0	93	...	...	− 0·1	+ 9·3	91	9·3	9·6
8	·006	71·9	63·8	8·1	67·2	62·3	·506	76	3	10·1	94	...	...	− 2·0	+ 5·9	109	6·2	7·2
9	29·986	70·4	63·5	6·9	66·6	62·3	·513	79	43	9·2	85	...	...	+ 0·6	+ 13·4	87	13·4	13·6
10	30·000	68·7	63·0	5·7	65·8	61·9	·509	80	51	6·7	63	...	...	+ 5·3	+ 15·5	71	16·4	16·4
11	29·962	69·7	65·0	4·7	66·7	63·2	·540	83	89	3·5	33	...	...	+ 5·7	+ 18·4	73	19·2	19·2
12	·878	71·1	66·5	4·6	68·8	66·5	·623	89	91	3·2	30	...	...	+ 1·3	+ 13·3	84	13·4	13·4
13	·838	76·3	68·4	7·9	70·8	68·8	·680	90	85	4·8	45	...	...	− 0·8	+ 8·7	95	8·7	9·3
14	·817	73·1	67·6	5·5	70·3	69·0	·693	94	93	3·5	33	...	...	...	+ 11·7	90	11·7	11·9
15	·772	78·1	72·3	5·8	74·1	70·8	·716	85	98	2·3	21	...	1	− 10·5	+ 2·3	168	10·7	10·8
16	·826	75·8	71·3	4·5	73·7	70·9	·723	88	92	0·7	7	...	...	− 6·9	+ 2·0	164	7·2	7·5
17	·910	71·9	67·0	4·9	69·7	68·7	·689	95	97	0·2	2	0·105	4	+ 0·5	+ 6·4	86	6·4	7·8
18	·929	69·2	65·5	3·7	67·3	65·3	·601	90	100	...	...	0·040	6	+ 6·0	+ 20·2	74	21·1	21·1
19	·860	70·7	64·0	6·7	67·6	65·9	·616	91	94	5·3	50	0·050	7	+ 2·5	+ 12·4	79	12·7	14·2
20	·955	64·8	54·7	10·1	60·9	54·6	·356	67	66	8·1	76	...	...	+ 3·1	+ 1·8	30	3·6	8·3
21	·993	63·0	47·5	15·5	57·4	53·6	·369	78	99	...	...	...	2	+ 4·9	+ 6·2	52	7·9	10·0
22	30·161	51·2	45·2	6·0	48·1	44·1	·245	73	100	...	...	0·080	5	+ 6·0	+ 1·3	12	6·1	6·2
23	·207	55·1	44·4	10·7	48·8	42·8	·209	61	59	6·2	58	...	...	+ 4·5	− 1·6	340	4·8	6·3
24	·162	61·3	44·8	16·5	54·0	47·3	·252	60	58	4·6	43	...	...	+ 2·9	+ 1·9	33	3·5	4·8
25	·057	64·9	57·7	7·2	61·8	55·9	·381	69	82	6·3	59	...	...	+ 6·2	+ 17·3	70	18·4	18·6
26	29·954	70·7	62·6	8·1	65·3	60·7	·479	77	75	5·4	50	...	...	− 0·8	+ 14·5	93	14·5	14·8
27	·916	73·2	65·6	7·6	68·7	62·4	·493	70	73	4·7	44	...	...	...	+ 13·5	90	13·5	13·6
28	·927	74·0	66·6	7·4	70·2	63·9	·522	71	82	0·8	7	0·005	1	− 0·2	+ 8·0	91	8·0	8·2
29	·984	68·5	61·6	6·9	63·9	61·3	·512	86	100	...	...	0·050	7	+ 2·0	− 0·3	351	2·0	3·2
30	30·025	64·0	58·9	5·1	61·6	59·0	·470	86	100	...	...	0·015	5	+ 2·0	+ 3·5	60	4·0	5·0
31	·053	63·0	57·1	5·9	59·5	57·0	·437	86	100	...	...	0·075	10	− 0·5	− 0·4	219	0·6	1·9
Means	29·998	68·8	60·9	7·9	64·7	60·4	0·490	78	68	Sum. 143·0	43	Sum. 0·420	Sum 48	+ 1·5	+ 8·7	80	8·8	11·0
Normals	30·049	67·7	58·7	9·0	62·9	56·9	0·397	67	54	174·5	53	1·013	35	+ 3·5	+ 8·2	67	8·9	11·8
Absolute Max.	30·282	78·1	...	16·5	...	72·7	0·751	...	...	10·2	94	0·150	10	...	...	...	...	26·0 †
Day.	23	15	...	24	...	15	16	...	...	4	2, 4, 8	17	31	...	...	...	...	1d 12h 11d 12h
Absolute Min.	29·724	...	44·4	3·7	...	39·6	0·179	44	...	...	...	...	...	...	...	...	...	...
day.	15	...	23	18	...	23	23	4	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1017·9	293·4	289·1	4·4	291·2	288·8	16·6	...	...	...	...	Sum. 10·7	Sum 48	+ 0·5	+ 2·9	80	2·9	3·6
Normals	1019·6	292·8	287·8	5·0	290·2	286·8	13·4	...	...	...	...	25·7	35	+ 1·1	+ 2·7	67	2·9	3·9
Absolute Maximum.	1027·7	298·6	...	9·2	...	295·6	25·4	...	...	...	...	2·7	10	...	...	...	...	8·5
Absolute Minimum.	1008·5	...	279·9	2·1	...	277·2	6·1	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 7 days. The mean hourly intensity was 0·009*in*, and the maximum fall in one hour was 0·055*in* at 15*h* on the 17th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 36 miles per hour from E.N.E. at 12*h* 59*m* on the 1st and from E. by N. at 6*h* 47*m* on the 18th.

Clouds with base less than 2,000 feet high were observed on 8 days.
Clouds with base less than 1,000 feet high were observed on 5 days.

*0°=N., 90°=E., &c.

† Maximum velocity for one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1929.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Amount.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Wind. Observed. Velocity.
	ins.	°	°	ins.	%	%	%		%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h
1	30·006	63·5	60·1	·495	82	67		0·015	4	5	+ 2·5	+ 8·8	74	9·1	10·3
2	29·998	63·3	59·9	·491	82	72		0·025	6	5	+ 2·9	+ 9·3	73	9·7	11·0
3	·987	63·1	59·6	·485	82	72		0·010	2	5	+ 2·3	+ 9·2	76	9·5	11·3
4	·980	63·1	59·5	·482	81	75		0·010	2	3	+ 2·3	+ 9·3	76	9·6	11·3
5	·981	62·8	59·4	·482	82	73		0·020	5	4	+ 2·4	+ 9·1	75	9·4	11·2
6	·991	62·6	59·2	·479	82	72	...	0·035	8	6	+ 2·9	+ 8·5	71	9·0	10·5
7	30·008	62·7	59·2	·478	81	70	17	...	...	4	+ 2·0	+ 8·4	77	8·6	9·7
8	·027	63·4	59·6	·482	80	70	40	0·010	2	4	+ 1·6	+ 8·4	79	8·6	9·5
9	·043	65·0	60·4	·488	77	72	39	0·015	4	2	+ 1·3	+ 9·6	82	9·7	10·9
10	·051	65·9	60·9	·492	75	70	41	0·010	2	4	+ 1·2	+ 10·1	83	10·2	12·6
11	·041	66·9	61·3	·493	73	70	44	...	...	2	...	+ 10·7	90	10·7	13·2
Noon.	·016	67·2	61·5	·496	72	73	50	...	...	2	− 1·0	+ 9·7	96	9·8	12·8
13	29·987	67·6	61·5	·491	71	69	55	...	...	4	− 1·0	+ 8·6	97	8·7	12·9
14	·962	67·7	61·7	·496	71	70	56	0·045	11	4	− 0·4	+ 7·7	93	7·7	12·7
15	·951	67·3	61·5	·495	72	65	56	0·055	13	2	+ 0·2	+ 7·9	89	7·9	11·9
16	·951	66·8	61·2	·492	73	63	45	0·005	1	2	+ 1·4	+ 8·5	81	8·6	12·1
17	·963	65·8	60·8	·490	75	66	24	0·020	5	4	+ 0·7	+ 8·3	85	8·3	11·4
18	·975	64·9	60·5	·491	78	66	...	0·035	8	5	+ 2·0	+ 7·8	76	8·1	10·2
19	·989	64·5	60·3	·490	78	68		0·040	10	6	+ 1·6	+ 7·9	79	8·1	9·5
20	30·000	64·2	60·3	·494	80	63		0·015	4	6	+ 1·8	+ 8·2	78	8·4	10·3
21	·009	63·9	60·3	·497	81	65		0·035	8	7	+ 1·8	+ 8·0	77	8·2	9·7
22	·015	63·7	60·2	·496	82	62		0·020	5	5	+ 2·1	+ 8·0	75	8·3	9·8
23	·014	63·6	60·0	·491	81	62		...	...	4	+ 2·5	+ 7·7	72	8·1	10·1
Midn.	·011	63·5	59·9	·489	81	67		...	...	5	+ 2·6	+ 8·1	72	8·5	10·3

Phenomena :—

Lunar corona :—on the 16th, 20th and 21st.

Fog :—on the 13th, 14th, 17th, 29th and 31st.

Slight Fog :—on the 12th.

Haze:—on the 28th.

ADOPTED ERRORS OF TIMEBALL, DECEMBER, 1929.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	0·0	11	− 0·1	21	− 0·1
2	0·0	12	− 0·2	22	− 0·1
3	+ 0·1	13	− 0·2	23	− 0·1
4	+ 0·2	14	− 0·2	24	− 0·2
5	+ 0·2	15	− 0·3	25	− 0·3
6	+ 0·2	16	− 0·1	26	− 0·3
7	+ 0·3	17	0·0	27	− 0·2
8	+ 0·3	18	− 0·1	28	− 0·2
9	+ 0·1	19	− 0·1	29	0·0
10	0·0	20	− 0·1	30	− 0·1
				31	− 0·1

+ = Late ; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0ˢ·14

* 0° = N. 90° = E., &c.

TABLE XI—MONTHLY VALUES of the METEOROLOGICAL ELEMENTS in the YEAR 1929. (*British Units*).

Month, 1929.	Barometric Pressure. Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range.)	Air Temperature. Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	Temperature of Evaporation.	Vapour Tension. Highest	Lowest.	Mean.
	ins.	ins.	ins.	ins.	°	°	°	°	°	°	°	°	ins.	ins.	ins.
January	30·238	29·758	30·030	0·109	74·4	52·2	22·2	66·9	59·4	7·5	62·5	57·9	0·621	0·218	0·432
February	·212	·811	·003	·101	76·0	47·4	28·6	63·1	55·6	7·5	58·9	55·3	·694	·243	·404
March	·231	·699	29·995	·109	83·1	51·9	31·2	70·6	61·1	9·5	64·9	59·6	·811	·200	·464
April	·089	·627	·889	·096	88·2	61·5	26·7	76·5	67·8	8·7	71·2	65·7	·922	·263	·582
May	29·932	·499	·731	·087	89·9	67·1	22·8	82·6	75·0	7·6	78·1	74·3	1·077	·512	·809
June	·805	·435	·643	·071	91·0	74·7	16·3	87·1	79·4	7·7	82·5	77·3	·085	·498	·881
July	·729	·319	·571	·066	92·2	74·4	17·8	85·9	78·1	7·8	81·6	77·7	·064	·772	·905
August	·792	28·912	·600	·075	90·5	74·8	15·7	85·8	77·6	8·2	81·1	77·6	·117	·769	·904
September	·939	29·558	·763	·076	90·2	74·5	15·7	85·4	77·8	7·6	81·2	76·1	·013	·503	·841
October	30·100	·704	·889	·103	86·1	69·5	16·6	80·6	73·2	7·4	76·5	69·2	0·882	·415	·633
November	·177	·846	30·023	·103	79·5	56·0	23·5	72·2	63·7	8·5	67·7	60·2	·689	·164	·445
December	·282	·724	29·998	·100	78·1	44·4	33·7	68·8	60·9	7·9	64·7	60·4	·751	·179	·490
Year.	30·282	28·912	29·845	0·091	92·2	44·4	47·8	77·1	69·1	8·0	72·6	67·6	1·117	0·164	0·649
Date.	Dec. 23. 9h 30m	Aug. 22. 13h 33m	...	...	July 8d 15h 0m	Dec. 23d 8h 55m	...	...	...	...	...	...	Aug. 1st 14h 30m	Nov. 2nd 19h 0m	...

Month, 1929.	Degree of Humidity. Mean.	Lowest.	Clouds. Mean amount (0-100).	Direction of motion.* of Upper.	of Lower.	Bright Sunshine. Daily Duration.	Percentage of Possible Sunshine.	Rainfall. Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Wind. Resultant. † Direction*	Velocity.	Observed Velocity Mean. †	Maximum Hourly†	Maximum Gust‡
	%	%		°	°	hrs	%	ins.	hrs.		ins.	ins.	ins.	°	m.p.h.	m.p.h.	m.p.h.	m.p.h.
Jan.	76	34	63	271	83	164·0	49	0·930	80	8	0·012	0·420	0·130	84	12·5	13·6	33	47
Feb.	79	52	83	248	76	74·0	23	0·585	52	4	0·011	0·325	0·095	76	10·1	11·7	38	50
Mar.	73	37	58	264	99	186·0	50	0·505	22	1	0·023	0·500	0·020	84	8·6	10·8	26	36
April	75	26	67	256	110	171·9	45	1·540	32	6	0·048	0·685	0·630	88	7·8	11·4	29	45
May	84	46	81	271	165	153·8	38	6·620	93	17	0·071	2·220	1·550	95	7·3	12·4	35	42
June	79	50	73	335	199	206·9	51	4·195	41	13	0·102	1·265	0·840	180	6·2	10·7	30	43
July	84	59	79	43	163	175·7	43	22·700	119	22	0·191	4·000	1·050	119	4·8	10·0	30	49
Aug.	85	61	72	38	173	179·8	45	20·020	88	20	0·228	7·155	2·730	116	4·0	9·2	89	117
Sept.	79	43	57	347	89	211·5	58	10·795	56	16	0·193	3·470	1·370	84	10·6	12·7	37	55
Oct.	69	41	35	309	75	288·6	80	0·140	3	4	0·047	0·080	0·070	79	12·0	13·2	26	37
Nov.	64	26	53	256	73	189·7	57	1·375	25	4	0.055	1·065	0·270	57	9·9	12·3	37	51
Dec.	78	44	68	217	106	143·0	43	0·420	48	7	0·009	0·105	0·055	80	8·8	11·0	26	36
Year.	77	26	66	282	108	2144·9	49	69·825	659	122	0·106	7·155	2·730	87	7·7	11·6	89	117
Date.	...	Apr. 20d 15h 0m Nov. 18d 16h 0m	...	...	...	...	...	...	...	...	...	Aug. 16.	Aug. 16d 4h	...	...	...	Aug. 22d 14h	Aug. 22d 15h 30m

* 0° = North, 90° = East &c. † Beckley Anemograph. ‡ Dines-Baxendell Anemograph

TABLE XII.—MONTHLY NORMALS of the METEOROLOGICAL ELEMENTS and EXTREME VALUES for the PERIOD 1884-1929. (*British Units*).

Month.	Barometric Pressure.				Air Temperature.							Temperature of Evaporation.	Vapour Tension.		
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.		Highest.	Lowest.	Mean.
	ins.	ins	ins.	ins.	°	°	°	°	°	°	°	°	ins.	ins.	ins.
January	30·509	29·605	30·049	0·108	79·3	32·0	47·3	64·5	56·3	8·2	59·9	55·4	0·748	0·053	0·396
February.....	30·400	29·421	30·015	0·106	79·4	38·4	41·0	63·0	55·3	7·7	58·8	55·0	0·820	0·058	0·399
March	30·355	29·527	29·943	0·104	83·1	45·4	37·7	67·3	59·8	7·5	63·1	60·0	0·884	0·120	0·491
April.....	30·273	29·488	29·844	0·094	88·6	51·8	36·8	74·6	66·9	7·7	70·2	67·1	0·972	0·208	0·636
May	30·045	29·330	29·743	0·084	91·5	59·7	31·8	81·5	73·6	7·9	76·9	73·3	1·077	0·257	0·782
June.....	29·898	29·137	29·647	0·070	93·6	66·6	27·0	85·3	77·6	7·7	80·9	76·9	1·086	0·360	0·879
July	29·894	28·762	29·613	0·068	94·0	72·1	21·9	86·7	78·4	8·3	82·0	77·8	1·134	0·568	0·902
August....	29·883	28·590	29·615	0·073	97·0	71·6	25·4	86·6	77·9	8·7	81·6	77·6	1·168	0·573	0·898
September.....	30·009	28·876	29·720	0·079	94·0	65·6	28·4	85·4	76·8	8·6	80·6	75·2	1·083	0·222	0·816
October	30·192	29·089	29·878	0·092	93·8	57·4	36·4	80·7	72·6	8·1	76·2	69·7	0·979	0·217	0·658
November.....	30·445	28·735	29·988	0·101	86·1	43·7	42·4	74·2	65·2	9·0	69·3	62·5	0·893	0·078	0·499
December..	30·454	29·724	30·049	0·107	81·9	40·7	41·2	67·7	58·7	9·0	62·9	56·9	0·786	0·071	0·408
Year.	30·509	28·590	29·842	0·090	97·0	32·0	...	76·5	68·3	8·2	71·9	67·3	1·168	0·053	0·647
Date.	1903, Jan. 6*d* 9*h* 0*m*	1923, Aug. 18*d* 10*h* 15*m*	...	...	1900 Aug. 19*d* 14*h* 30*m*	1893, Jan. 18*d* 6*h* 30*m*	...	...	...	...	...	...	1927, Aug. 6*d* 13*h* 30*m*	1888, Jan. 3*d* 0*h* 0*m*	...

Month.	Degree of Humidity.		Clouds.			Bright Sunshine.		Rainfall.						Wind. †			
				Direction of Motion. *										Resultant.		Observed Velocity.	
	Mean.	Lowest.	Mean Amount (0-100).	of Upper.	of Lower.	Daily Duration.	Percentage of Possible Sunshine.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum	Direction.*	Velocity.	Mean.	Absolute Maximum.
	%	%		°	°	hrs.	%	ins.	hrs.		ins.	ins.	ins.	°	m.p.h.	m.p.h.	m.p.h.
Jan.....	75	12	63	253	95	146·6	43	1·315	50	6·4	0·026	3·920	0·725	76	10·2	12·9	53
Feb	78	15	76	260	98	95·9	30	1·804	65	8·1	0·028	2·185	0·970	79	11·3	14·0	53
Mar.....	83	22	82	259	113	93·5	25	2·893	79	10·8	0·037	3·785	1·570	84	13·0	15·1	49
April....	85	22	80	260	129	115·6	30	5·556	78	11·8	0·071	6·225	2·420	90	11·2	14·0	47
May	84	32	76	268	158	154·9	38	11·954	91	15·9	0·132	20·495	3·400	100	7·5	12·4	52
June	83	29	77	338	187	164·4	41	15·449	88	20·3	0·176	12·630	3·160	147	5·6	11·7	48
July.....	83	52	68	53	176	213·2	52	14·595	72	18·6	0·203	21·025	3·965	138	4·9	10·9	108
Aug	84	41	67	46	182	200·6	50	14·519	69	17·1	0·210	11·135	2·730	137	3·1	9·4	106
Sept.....	78	28	59	34	93	201·9	55	9·714	52	14·2	0·187	6·060	3·125	81	6·9	11·3	89
Oct.....	72	27	51	273	83	217·4	61	4·835	34	7·9	0·142	11·505	2·820	74	10·5	13·7	85
Nov.....	68	17	53	250	84	186·4	56	1·733	30	5·4	0·058	5·875	1·740	64	9·7	12·5	90
Dec.....	69	14	54	248	89	174·5	52	1·013	35	4·8	0·029	1·670	0·500	67	8·9	11·8	63
Year.	79	12	67	272	122	1964·9	44	85·380	743	141·3	0·115	21·025	3·965	86	7·9	12·5	108
Date.	...	1888, Jan. 3*d* 0*h* 0*m*	...	...	...	...	...	...	...	...	...	1926, July 19.	1926, July 19*d* 4*h*	...	...	...	1896, July 29*d* 22*h*

* 0° = North, 90° = East &c.

† Beckley Anemograph.

TABLE XIII.—MONTHLY VALUES of the METEOROLOGICAL ELEMENTS in the YEAR 1929. (*C.G.S. Units*).

Month, 1929.	Barometric Pressure.				Air Temperature.							Temperature of Evaporation.
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	
	m.b.	m.b.	m.b.	m.b.	°	°	°	°	°	°	°	°
January	1026·0	1009·8	1019·0	3·7	296·6	284·2	12·4	292·4	288·2	4·2	289·9	287·4
February	1025·3	1011·6	1018·1	3·4	297·4	281·6	15·8	290·3	286·1	4·2	287·9	285·9
March	1025·8	1007·7	1017·8	3·7	301·4	284·1	17·3	294·4	289·2	5·3	291·3	288·3
April	1020·9	1005·2	1014·1	3·3	304·2	289·4	14·8	297·7	292·9	4·8	294·8	291·7
May	1015·6	1000·8	1008·7	2·9	305·2	292·5	12·7	301·1	296·9	4·2	298·6	296·5
June	1011·2	998·6	1005·7	2·4	305·8	296·7	9·1	303·6	299·3	4·3	301·1	298·2
July	1008·7	994·7	1003·3	2·2	306·4	296·6	9·8	302·9	298·6	4·3	300·6	298·4
August	1010·8	980·9	1004·3	2·5	305·5	296·8	8·7	302·9	298·3	4·6	300·3	298·3
September	1015·8	1002·8	1009·8	2·6	305·3	296·6	8·7	302·7	298·4	4·3	300·3	297·5
October	1021·3	1007·8	1014·1	3·5	303·1	293·8	9·3	300·0	295·9	4·1	297·7	293·7
November	1023·9	1012·7	1018·7	3·5	299·4	286·3	13·1	295·3	290·6	4·7	292·8	288·7
December	1027·6	1008·5	1017·9	3·4	298·6	279·9	18·7	293·4	289·1	4·3	291·2	288·8
Year.	1027·6	980·9	1012·6	3·1	306·4	279·9	26·5	298·1	293·6	4·5	295·5	292·8
Date.	Dec. 23*d* 9*h* 30*m*	Aug. 22*d* 13*h* 33*m*	...	...	July 8*d* 15*h* 0*m*	Dec. 23*d* 6*h* 55*m*	...	...	...	...	...	...

Month, 1929.	Vapour Tension.			Rainfall.						Wind.				
										Resultant. †		Observed Velocity.		
	Highest.	Lowest.	Mean.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Direction.*	Velocity.	Mean †	Maximum Hourly.†	Maximum Squall.‡
	m.b.	m.b.	m.b.	m.m.	hrs.		m.m.	m.m.	m.m.	°	m.p.s.	m.p.s.	m.p.s.	m.p.s.
January	21·0	7·4	14·6	23·6	80	8	0·3	10·7	3·3	84	4·1	4·5	10·8	15
February	23·5	8·2	13·7	14·9	52	4	0·3	8·3	2·4	76	3·3	3·8	12·5	16
March	27·5	6·8	15·7	12·8	22	1	0·6	12·7	0·5	84	2·8	3·5	8·5	12
April	31·2	8·9	19·7	39·1	32	6	1·2	17·4	16·0	88	2·6	3·7	9·5	15
May	36·5	17·3	27·4	168·1	93	17	1·8	56·4	39·4	95	2·4	4·1	11·5	14
June	36·7	16·9	29·8	106·5	41	13	2·6	32·1	21·3	180	2·0	3·5	9·8	14
July	36·0	26·1	30·6	576·6	119	22	4·8	101·6	26·7	119	1·6	3·3	9·8	16
August	37·8	26·0	30·6	508·5	88	20	5·8	181·7	69·3	116	1·3	3·0	29·2	38
September	34·3	17·0	28·5	274·2	56	16	4·9	88·1	34·8	84	3·5	4·2	12·1	18
October	29·9	14·0	21·4	3·6	3	4	1·2	2·0	1·8	79	3·9	4·3	8·5	12
November	23·3	5·6	15·1	34·9	25	4	1·4	27·0	6·9	57	3·2	4·0	12·1	17
December	25·4	6·1	16·6	10·7	48	7	0·2	2·7	1·4	80	2·9	3·6	8·5	12
Year.	37·8	5·6	22·0	1773·5	659	122	2·7	181·7	69·3	87	2·5	3·8	29·2	38
Date.	Aug. 11*d* 14*h* 30*m*	Nov. 25*d* 18*h* 0*m*	...	...	...	...	...	Aug. 16.	Aug. 16*d* 4*h*	...	...	...	Aug. 22*d* 14*h*	Aug. 22*d* 13*h* 39*m*

* 0°=North, 90°=East &c. † Beckley Anemograph. ‡ Dines-Baxendell Anemograph.

TABLE XIV.—MONTHLY NORMALS of the METEOROLOGICAL ELEMENTS and EXTREME VALUES for the PERIOD 1884-1929. (*C.G.S. Units*).

Month.	Barometric Pressure.				Air Temperature.							Temperature of Evaporation.
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	
	m.b.	m.b.	m.b.	m.b.	°	°	°	°	°	°	°	°
January	1035·4	1004·6	1019·6	3·6	299·3	273·0	26·3	291·1	286·5	4·6	288·5	286·0
February	1031·7	998·3	1018·5	3·6	299·3	276·6	22·7	290·2	285·9	4·3	287·9	285·8
March	1030·2	1001·9	1016·0	3·5	301·4	280·4	21·0	292·6	288·4	4·2	290·3	288·6
April	1027·3	1000·5	1012·6	3·2	304·4	284·0	20·4	296.7	292·4	4·3	294·2	292·5
May	1019·5	995·1	1009·2	2·8	306·1	288·4	17·7	300·5	296·1	4·4	297·9	295·9
June	1014·4	988·5	1005·9	2·4	307·2	292·2	15·0	302·6	298·3	4·3	300·2	297·9
July	1014·3	975·8	1004·7	2·3	307·4	295·3	12·1	303·4	298·8	4·6	300·8	298·4
August	1013·9	970·0	1004·8	2·5	309·1	295·0	14·1	303·3	298·5	4·8	300·6	298·3
September	1018·2	979·7	1008·4	2·7	307·4	291·7	15·7	302·7	297·9	4·8	300·0	297·0
October	1024·5	986·9	1013·7	3·1	307·3	287·1	20·2	300·1	295·6	4·5	297·6	293·9
November	1033·2	974·9	1017·5	3·4	303·1	279·5	23·6	296·4	291·4	5·0	293·7	289·9
December	1033·5	1008·5	1019·7	3·6	300·7	277·8	22·9	292·8	287·8	5·0	290·2	286·8
Year.	1035·4	970·0	1012·6	3·1	309·1	273·0	...	297·7	293·2	4·5	295·2	292·6
Date.	1903, Jan. 6*d* 9*h* 0*m*	1923, Aug 18*d* 10*h* 15*m*	...	...	1900, Aug. 19*d* 14*h* 30*m*	1893, Jan. 18*d* 6*h* 30*m*	...	...	...	...	...	...

Month.	Vapour Tension.			Rainfall.						Wind. †			
										Resultant.		Observed Velocity.	
	Highest.	Lowest.	Mean.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Direction.*	Velocity.	Mean.	Absolute Maximum
	m.b.	m.b.	m.b.	m.m.	hrs.		m.m.	m.m.	m.m.	°	m.p.s.	m.p.s.	m.p.s.
January	25·3	1·8	13·4	33·4	50	6·4	0·7	99·6	18·4	76	3·3	4·2	17
February	27·8	2·0	13·5	45·8	65	8·1	0·7	55·5	24·6	79	3·7	4·6	17
March	29·9	4·1	16·6	73·5	79	10·8	0·9	96·1	39·9	84	4·3	5·0	16
April	32·9	7·0	21·5	141·1	78	11·8	1·8	158·1	61·5	90	3·7	4·6	15
May	36·5	8·7	26·5	303·6	91	15·9	3·4	520·6	86·4	100	2·6	4·1	17
June	36·8	12·2	29·8	392·4	88	20·3	4·5	320·8	80·3	147	1·8	3·8	16
July	38·3	19·2	30·5	370·7	72	18·6	5·2	534·0	100·7	138	1·6	3·6	35
August	39·5	19·4	30·4	368·8	69	17·1	5·3	282·8	69·3	137	1·0	3·1	35
September	36·7	7·5	27·6	246·7	52	14·2	4·7	153·9	79·4	81	2·3	3·7	29
October	33·1	7·3	22·3	122·8	34	7·9	3·6	292·2	54·1	74	3·4	4·5	28
November	30·2	2·6	16·9	44·0	30	5·4	1·5	149·2	44·2	64	3·2	4·1	30
December	26·6	2·4	13·8	25·7	35	4·8	0·7	42·4	12·7	67	2·9	3·9	21
Year.	39·5	1·8	21·9	2168·5	743	141·3	2·9	534·0	100·7	86	2·6	4·1	35
Date.	1927, Aug. 6*d* 13*h* 30*m*	1888, Jan. 3*d* 0*h* 0*m*	...	...	...	...	...	1926, July 19.	1926, July 19*d* 4*h*	...	...	...	1896, July 29*d* 22*h*

* 0° = North, 90° = East &c.

† Beckley Anemograph.

TABLE XV.—MONTHLY PREVALENCE of METEOROLOGICAL PHENOMENA in the YEAR 1929.

Month, 1929.	Percentage of Wind from the Eight Principal Points of the Compass.									Number of Days on which different Phenomena were observed.						
	N	NE	E	SE	S	SW	W	NW	Calm.	Fog.	Electric Phenomena	Lightning.	Thunder.	Rainbow.	Unusual Visibility.	Dew.
January....	8	11	68	7	1	...	1	1	3	2	...	...	...	1	...	3
February...	15	16	49	4	...	...	1	4	10	5	...	...	...	...	3	...
March.....	12	9	58	7	4	...	3	3	4	7	1	1	1	...	3	2
April.....	5	6	58	3	5	6	6	5	6	2	4	3	3	...	2	...
May.....	1	9	46	3	13	15	6	2	5	5	13	13	6	...	9	2
June.....	...	4	15	12	27	32	6	1	3	1	12	12	4	2	7	1
July.....	1	6	36	9	23	9	10	2	4	...	15	13	8	2	5	3
August.....	3	4	37	11	9	12	11	3	10	1	18	16	12	1	5	4
September.	4	9	57	8	1	3	7	2	9	...	10	9	3	4	2	7
October....	5	22	58	9	2	1	1	...	2	...	...	...	...	...	2	...
November.	28	26	37	2	...	1	1	2	3	1	...	...	...	...	6	...
December..	13	14	52	4	6	1	3	2	5	6	...	...	...	...	...	...
Year.....	8	11	48	6	8	7	5	2	5	30	73	67	37	10	44	22

Month, 1929.	Number of Days on which different Phenomena were observed.					Number of Times different Forms of Cloud were observed, (8 observations a day.)									
	Halo.		Corona.		No. of Thunder-Storms.										
	Solar.	Lunar.	Solar.	Lunar.		Cirrus.	Cirro-Stratus.	Cirro-Cumulus.	Alto-Stratus.	Alto-Cumulus.	Cumulus.	Strato-Cumulus.	Cumulo-Nimbus.	Nimbus.	Stratus.
January....	...	...	...	1	...	...	4	...	...	29	111	23	5	50	...
February...	...	...	...	1	...	...	...	...	...	12	76	60	9	51	3
March.....	...	...	...	1	1	...	27	...	2	10	93	20	1	36	4
April.....	2	...	...	5	2	...	14	2	...	26	99	19	10	49	1
May.....	2	1	...	5	11	...	22	7	...	24	138	4	15	78	...
June.....	2	2	...	4	5	...	27	3	1	13	163	4	16	51	...
July.....	...	5	...	2	7	...	46	4	...	3	121	...	32	85	...
August.....	3	2	...	3	12	...	22	4	...	8	134	...	32	70	...
September.	...	2	...	5	2	...	25	...	...	6	133	2	18	48	...
October....	...	...	...	1	...	...	6	1	...	3	164	2	3	6	...
November.	...	...	...	4	...	...	1	1	...	23	92	12	13	28	...
December..	...	...	...	3	...	...	4	...	1	17	107	22	11	52	4
Year.....	9	12	...	35	40	...	198	22	4	174	1431	168	165	604	12

TABLE XVI.—NORMAL PREVALENCE of METEOROLOGICAL PHENOMENA for the PERIOD 1884-1929.

Month.	Percentage of Wind from the Eight Principal Points of the Compass.									Number of Days on which different Phenomena were observed.					
	N	NE	E	SE	S	SW	W	NW	Calm.	Fog.	Electric Phenomena.	Lightning.	Thunder.	Rainbow.	Dew.
January ...	17	12	52	5	1	1	4	3	5	4·2	0·3	0·3	0·1	0·2	2·3
February...	15	11	55	5	2	1	4	3	4	4·8	0·7	0·6	0·5	0·1	1·3
March.....	8	9	65	4	3	1	3	3	4	8·7	2·8	2·4	2·4	0·1	1·7
April.....	4	7	63	5	7	3	3	3	5	7·4	6·9	6·2	4·9	0·2	3·5
May.....	3	5	50	6	12	10	5	3	6	2·5	12·3	11·8	6·6	1·1	4·5
June.....	1	4	29	9	24	20	5	3	5	0·9	14·8	13·9	8·2	3·2	3·4
July	1	4	27	12	19	16	9	4	8	1·1	15·6	14·6	7·8	4·1	7·1
August.....	2	4	26	9	12	15	14	6	12	2·7	18·9	17·7	10·0	3·2	9·9
September.	8	10	38	10	5	4	9	5	11	2·2	13·1	12·4	5·4	2·2	7·9
October....	15	15	49	8	2	1	3	2	5	0·6	2·9	2·8	1·0	0·7	3·7
November.	24	19	42	5	1	1	2	1	5	0·8	0·3	0·3	0·2	0·4	3·4
December..	24	14	44	5	1	1	3	2	6	2·4	0·3	0·3	0·1	0·1	3·3
Year.....	10	9	45	7	8	7	5	3	6	38·3	88·9	83·3	47·2	15·6	52·0

Month.	Number of Days on which different Phenomena were observed.					Number of Times different Forms of Cloud were observed, (8 observations a day).									
	Halo.		Corona.		No. of Thunder Storms.										
	Solar.	Lunar.	Solar.	Lunar.		Cirrus.	Cirro-Stratus.	Cirro-Cumulus.	Alto-Stratus.*	Alto-Cumulus.	Cumulus.	Strato-Cumulus.	Cumulo-Nimbus.	Nimbus.	Stratus.
January....	0·2	0·2	...	1·3	0·1	0·2	6·2	4·7	0·6	40·1	94·4	12·4	17·1	25·7	13·2
February...	0·1	0·1	0·1	1·0	0·3	0·2	4·1	2·4	1·5	28·9	81·2	14·6	21·2	38·3	20·0
March.....	0·5	0·4	0·2	0·7	1·9	...	4·8	2·7	1·2	26·7	103·4	14·6	25·3	48·2	21·5
April.....	1·1	0·3	0·3	1·4	4·2	0·3	9·8	6·0	0·6	29·1	116·6	8·0	24·1	46·9	12·8
May.....	2·2	1·7	0·2	2·3	5·9	0·7	22·8	13·5	1·1	22·8	141·1	5·2	21·8	47·3	5·8
June.....	3·6	3·1	0·3	3·0	5·7	1·0	39·9	19·8	0·5	21·2	157·5	3·3	18·6	44·7	4·6
July.....	4·8	4·0	0·3	3·5	5·8	1·3	58·7	25·1	0·5	16·3	164·8	2·5	14·9	37·7	3·7
August.....	4·8	4·1	0·8	3·4	6·7	1·5	55·7	25·2	0·8	23·3	154·4	1·3	15·3	37·5	4·9
September.	2·8	2·8	0·3	3·4	3·5	0·4	37·2	21·1	0·4	30·0	143·4	2·9	11·3	24·8	4·1
October....	1·0	1·1	0·3	2·3	0·7	0·3	14·9	11·9	0·4	33·2	136·4	3·9	9·5	18·5	4·9
November.	1·1	1·0	0·1	2·2	0·1	0·2	19·6	9·8	1·5	40·7	103·2	5·8	8·4	17·5	7·6
December..	0·1	0·3	0·1	2·0	0·1	0·4	12·1	5·8	1·9	41·7	88·4	9·5	10·0	20·9	8·9
Year.....	22·3	19·2	3·0	26·5	35·0	6·5	285·8	148·0	11·0	364·0	1484·8	84·0	197·5	408·0	1112·0

* For the Period 1913-1929.

TABLE XVII.—FIVE-DAY MEANS OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT THE ROYAL OBSERVATORY, HONG KONG, IN THE YEAR 1929, AND NORMALS FOR THE PERIOD 1884–1928. (*British Units*).

Five-day periods beginning.	Barometric Pressure.		Temperature of the Air.		Relative Humidity.		Vapour Tension.		Wind * Direction.		Wind Velocity.		Amount of Cloud (0–100).		Bright Sunshine.		Rainfall.	
	1929.	Normals.	1929.	Normals.	1929.	Normals.	1929.	Normals.	1929.	Normals.	1929.	Normals.	1929.	Normals	1929.	Normals	1929.	Normals.
	ins.	ins.	°	°			ins	ins.	°	°	m.p.h.	m.p.h.			hrs.	hrs.	ins.	ins
Jan. 1	30·094	30·090	60·6	60·1	65	67	0·349	0·364	70	70	14·9	11·5	70	56	5·0	5·4	...	0·031
6	·106	·074	62·2	60·3	70	70	·390	·378	80	74	11·5	12·6	48	54	5·8	5·6	0·010	0·028
11	29·949	·028	66·1	60·8	76	73	·486	·404	88	77	11·7	11·5	24	66	8·7	4·6	...	0·026
16	30·124	·046	62·4	59·1	76	74	·430	·384	87	76	16·0	12·6	62	68	7·3	4·1	...	0·031
21	·066	·041	63·0	60·1	77	75	·442	·403	82	78	13·8	14·0	68	66	6·1	4·6	0·002	0·034
26	29·878	·024	62·1	59·1	91	77	·507	·396	94	77	15·0	13·5	100	71	...	3·8	0·168	0·107
31	30·039	·036	51·6	57·4	78	74	·298	·361	33	70	7·1	13·7	100	71	0·1	3·9	0·007	0·068
Feb. 5	·031	·031	55·4	58·0	79	73	·349	·372	65	76	7·6	13·7	95	75	0·5	3·4	0·006	0·051
10	·020	·046	57·8	58·2	75	75	·360	·373	73	78	16·0	14·2	90	70	2·5	4·0	...	0·050
15	·030	·000	59·7	59·4	78	79	·401	·411	84	81	15·8	13·1	52	77	5·8	3·3	...	0·085
20	29·907	29·997	66·8	59·4	84	78	·547	·404	80	81	7·9	13·9	70	78	5·1	3·0	0·002	0·074
25	·956	·973	62·8	60·6	85	81	·488	·443	94	80	15·6	14·2	86	80	2·8	2·9	0·108	0·058
Mar. 2	30·139	·967	57·4	61·4	63	81	·302	·452	39	82	8·8	15·5	85	80	3·3	3·2	...	0·047
7	·106	·952	63·1	62·8	61	82	·351	·483	91	84	14·8	16·1	14	85	10·4	2·8	...	0·058
12	·061	·945	62·1	62·2	63	83	·350	·477	55	81	5·9	14·8	58	83	6·0	2·6	0·001	0·098
17	29·985	·943	67·0	62·8	72	81	·479	·475	94	83	10·0	14·6	19	81	9·5	3·1	...	0·107
22	·810	·926	69·6	64·5	87	82	·635	·514	91	84	11·5	14·5	73	85	4·9	2·7	...	0·142
27	·869	·911	70·3	65·2	87	83	·652	·529	86	85	13·0	15·7	97	83	1·2	3·2	0·100	0·122
Apr. 1	30·009	·880	64·7	67·0	72	82	·437	·556	82	88	16·2	14·5	87	82	2·0	3·3	...	0·138
6	29·862	·873	70·7	67·9	77	83	·582	·579	81	89	10·7	14·1	47	84	7·9	2·9	...	0·180
11	·992	·842	68·3	69·9	62	85	·425	·634	69	87	9·0	13·7	32	81	8·3	3·8	0·051	0·198
16	·802	·828	74·2	70·5	76	86	·640	·649	93	88	7·9	13·9	61	79	8·3	3·6	0·012	0·218
21	·923	·819	71·8	72·6	77	85	·598	·683	87	91	15·6	13·3	82	76	4·1	4·7	0·003	0·151
26	·747	·815	77·5	73·1	86	86	·807	·693	217	90	8·9	14·5	94	78	3·7	4·4	0·242	0·244
May 1	·821	·811	76·0	73·9	84	83	·763	·706	91	88	14·5	13·6	89	75	4·1	4·8	0·580	0·224
6	·775	·765	75·9	75·6	91	84	·813	·744	88	96	8·2	12·4	90	72	2·8	5·2	0·456	0·299
11	·726	·755	77·5	76·6	85	83	·805	·763	92	96	15·2	12·7	88	75	4·4	5·3	0·162	0·358
16	·744	·730	77·8	77·7	87	84	·828	·803	85	110	14·1	11·9	86	77	4·5	5·1	0·048	0·430
21	·665	·712	82·6	78·2	82	84	·916	·815	167	108	10·0	12·0	81	80	7·3	4·4	0·074	0·499
26	·675	·696	78·9	78·9	74	82	·734	·816	85	107	13·0	12·0	54	75	7·4	5·2	0·004	0·480
31	·618	·692	79·0	79·3	74	83	·727	·830	80	122	13·5	11·8	74	75	3·8	5·2	...	0·540
June 5	·615	·669	82·6	79·6	81	84	·896	·848	208	116	9·6	12·1	71	80	4·9	4·5	0·071	0·508
10	·628	·645	85·0	80·5	78	84	·939	·869	200	139	11·7	11·2	76	79	8·9	5·2	0·029	0·567
15	·696	·632	83·6	81·5	79	82	·910	·882	146	169	9·4	11·9	70	79	9·9	5·2	0·173	0·522
20	·654	·635	82·5	81·8	81	83	·900	·900	205	161	11·4	11·8	93	79	3·8	5·4	0·313	0·557
25	·677	·629	81·2	82·1	82	81	·878	·894	193	158	8·5	11·4	54	72	8·8	6·9	0·253	0·429
30	·555	·629	84·4	81·7	79	83	·933	·893	188	154	7·9	11·8	75	76	8·3	5·6	0·119	0·576
July 5	·469	·651	83·8	82·1	80	82	·931	·899	214	161	6·1	10·7	60	71	9·0	6·9	0·032	0·350
10	·604	·640	79·0	82·6	90	80	·893	·898	119	137	10·2	10·7	97	63	0·9	8·1	1·709	0·239
15	·520	·596	83·0	82·1	82	81	·924	·895	108	149	10·9	10·5	63	64	9·8	7·7	0·194	0·741
20	·591	·586	80·1	81·9	88	82	·897	·896	110	110	9·6	11·2	97	67	2·9	6·6	1·382	0·439
25	·643	·585	80·3	81·8	84	83	·870	·896	79	118	16·0	11·2	76	66	5·5	6·7	0·930	0·517
30	·637	·586	80·5	82·0	86	82	·895	·895	165	153	6·4	11·1	92	68	2·3	6·5	0·737	0·525
Aug. 4	·599	·595	80·7	82·0	87	83	·906	·902	113	172	7·5	10·3	81	68	4·2	6·7	0·350	0·441
9	·472	·595	83·5	81·5	81	84	·931	·902	241	149	8·8	8·9	67	72	7·8	5·8	0·147	0·516
14	·496	·610	80·6	81·5	89	83	·927	·897	214	137	7·4	9·6	98	69	1·6	6·3	2·134	0·462
19	·614	·639	79·7	81·4	86	83	·868	·887	100	100	14·0	8·8	79	60	4·7	7·1	0·611	0·348
24	·743	·640	81·1	81·5	84	82	·893	·883	99	121	5·9	8·1	38	62	9·6	6·7	0·010	0·480
29	·692	·655	81·8	81·6	83	81	·902	·879	85	97	18·1	9·2	63	64	8·1	6·7	0·542	0·376
Sept. 3	·666	·653	81·5	81·9	80	78	·857	·852	79	100	17·0	8·8	58	56	7·5	7·4	0·311	0·295
8	·702	·671	81·5	80·8	69	77	·738	·815	67	78	9·6	10·6	37	61	8·0	6·6	0·175	0·351
13	·822	·726	79·9	80·5	84	77	·859	·806	86	80	14·5	10·4	66	59	4·9	6·7	0·268	0·326
18	·820	·754	81·4	80·1	80	77	·852	·801	80	80	14·2	13·2	68	59	6·6	6·3	0·091	0·487
23	·793	·784	82·1	79·7	80	75	·872	·769	109	79	7·5	13·0	45	58	9·3	6·8	0·003	0·202
28	·862	·778	80·1	79·0	77	73	·797	·733	82	71	12·0	13·7	62	61	8·1	6·1	0·979	0·305
Oct. 3	·832	·814	80·1	78·2	74	71	·757	·695	76	76	15·5	14·5	43	55	9·6	6·7	0·007	0·276
8	·798	·855	77·2	77·1	67	71	·625	·672	79	71	14·1	13·6	29	52	10·3	6·8	...	0·176
13	·859	·882	77·6	76·2	67	71	·633	·651	75	74	12·9	12·4	20	49	10·2	7·2	...	0·070
18	·916	·908	74·9	75·5	67	70	·573	·628	88	71	12·0	13·2	39	50	8·3	7·1	...	0·133
23	·942	·923	74·1	74·8	69	70	·581	·610	88	77	8·6	13·5	39	43	7·4	7·6	...	0·053
28	·996	·927	73·2	73·5	68	70	·555	·590	74	66	13·4	12·3	23	50	9·9	6·7	...	0·165
Nov. 2	·962	·954	72·6	72·6	72	71	·572	·573	73	71	16·5	13·2	76	53	4·7	6·7	0·213	0·042
7	30·027	·959	67·2	71·4	64	67	·436	·526	12	66	12·2	13·4	62	55	4·7	6·2	0·017	0·058
12	29·988	·987	67·8	69·5	65	65	·451	·475	59	60	7·9	12·5	60	56	5·6	6·0	0·044	0·084
17	30·016	·989	67·8	68·7	62	66	·430	·470	60	61	11·7	11·6	66	56	5·7	6·0	0·001	0·074
22	·090	30·019	64·5	67·0	58	63	·359	·437	58	60	11·1	12·4	30	48	7·6	6·5	...	0·050
27	·076	·035	65·3	65·6	68	65	·425	·422	72	63	17·6	12·0	32	54	8·6	5·9	...	0·037
Dec. 2	·125	·041	64·5	64·6	67	65	·410	·413	79	60	11·6	11·8	25	54	8·5	5·8	...	0·047
7	·007	·028	66·7	63·5	79	65	·514	·398	81	64	13·2	11·0	37	53	7·9	5·8	...	0·036
12	29·826	·047	71·5	63·1	89	65	·687	·394	114	65	10·6	11·6	92	55	2·9	5·4	...	0·015
17	·929	·054	64·6	62·4	84	68	·526	·398	70	69	12·3	12·1	91	56	2·7	5·5	0·039	0·044
22	30·108	·070	55·6	61·3	68	68	·313	·380	60	67	10·1	11·8	75	54	4·5	5·6	0·016	0·030
27	29·981	·063	64·8	61·1	80	68	·487	·375	82	74	6·4	12·0	91	54	1·1	5·7	0·029	0·034

*0°=N, 90°E, etc.

TABLE XVIII.—FIVE-DAY MEANS OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT THE ROYAL OBSERVATORY, HONG KONG, IN THE YEAR 1929, AND NORMALS FOR THE PERIOD 1884-1928. (*C.G.S. Units*).

Five-day periods beginning.	Barometric Pressure.		Temperature of the Air.		Vapour Tension.		Wind. N. Component.		Wind. E. Component.		Wind. Direction.		Wind. Velocity.		Rainfall.	
	1929.	Normal.	1929.	Normal.	1929.	Normal.	1929.	Normal.	1929.	Normal.	1929.	Normal.	1929.	Normal.	1929.	Normal.
	m.b.	m.b.	°	°	m.b.	m.b.	m.p.s.	m.p.s.	m.p.s.	m.p.s.	°	°	m.p.s.	m.p.s.	m.m.	m.m.
Jan. 1	1021·2	1021·0	288·9	288·6	11·8	12·3	+1·5	+1·0	+4·2	+2·6	70	70	4·9	3·8	...	0·8
6	1021·6	1020·5	289·8	288·7	13·2	12·7	+0·6	+0·9	+3·2	+3·2	80	74	3·8	4·1	0·3	0·7
11	1016·2	1018·9	291·9	289·0	16·4	13·6	+0·1	+0·8	+3·6	+3·2	88	77	3·8	3·8	...	0·7
16	1022·2	1019·6	289·9	288·1	14·6	12·9	+0·3	+0·8	+5·1	+3·1	87	76	5·2	4·1	...	0·8
21	1020·2	1019·4	290·2	288·6	15·0	13·6	+0·5	+0·7	+3·9	+3·4	82	78	4·5	4·6	0·1	0·9
26	1013·9	1018·8	289·7	288·1	17·2	13·4	−0·3	+0·8	+4·8	+3·4	94	77	4·9	4·4	4·3	2·7
31	1019·4	1019·2	283·9	287·1	10·1	12·2	+1·7	+1·1	+1·1	+3·0	33	70	2·3	4·5	0·2	1·7
Feb. 5	1019·1	1019·1	286·0	287·4	11·8	12·5	+0·7	+0·8	+1·5	+3·3	65	76	2·5	4·5	0·2	1·3
10	1018·7	1019·6	287·3	287·6	12·2	12·6	+1·5	+0·8	+4·8	+3·7	73	78	5·2	4·7	...	1·3
15	1019·0	1018·0	288·4	288·2	13·6	13·9	+0·6	+0·6	+5·0	+3·7	84	81	5·2	4·3	...	2·2
20	1014·8	1017·9	292·3	288·2	18·5	13·6	+0·3	+0·6	+1·9	+3·4	80	81	2·6	4·6	0·1	1·9
25	1016·5	1017·1	290·1	288·9	16·5	14·9	−0·3	+0·7	+4·9	+3·8	94	80	5·1	4·7	2·7	1·5
Mar. 2	1022·7	1016·9	287·1	289·3	10·2	15·2	+1·6	+0·6	+1·3	+4·1	39	82	2·9	5·1	...	1·2
7	1021·6	1016·3	290·3	290·1	11·9	16·3	−0·1	+0·5	+4·7	+4·6	91	84	4·9	5·3	...	1·5
12	1020·1	1016·1	289·7	289·8	11·8	16·1	+0·6	+0·7	+0·8	+4·0	55	81	1·9	4·9	...	2·5
17	1017·4	1016·0	292·4	290·1	16·2	16·0	−0·2	+0·5	+2·5	+4·0	94	83	3·3	4·8	...	2·7
22	1011·5	1015·5	293·9	291·1	21·5	17·3	−0·1	+0·4	+3·7	+4·1	91	84	3·8	4·8	...	3·6
27	1013·5	1014·9	294·3	291·4	22·1	17·9	+0·3	+0·4	+3·6	+4·5	86	85	4·3	5·1	2·5	3·1
Apr. 1	1018·3	1013·9	291·2	292·4	14·8	18·8	+0·8	+0·2	+5·2	+3·9	82	88	5·3	4·8	...	3·5
6	1013·2	1013·6	294·5	292·9	19·7	19·5	+0·5	+0·1	+2·9	+3·7	81	89	3·5	4·6	...	4·6
11	1017·7	1012·6	293·2	294·1	14·4	21·4	+0·8	+0·2	+2·0	+3·5	69	87	3·0	4·5	1·3	5·0
16	1011·2	1012·1	296·4	294·4	21·7	21·9	−0·1	+0·1	+1·5	+3·7	93	88	2·6	4·6	0·3	5·5
21	1015·3	1011·8	295·1	295·6	20·2	23·0	+0·3	...	+5·0	+3·3	87	91	5·1	4·4	0·1	3·8
26	1009·3	1011·6	298·3	295·8	27·3	23·4	−1·7	...	−1·2	+3·8	217	90	2·9	4·8	6·2	6·2
May 1	1011·8	1011·5	297·4	296·3	25·8	23·8	...	+0·1	+2·9	+3·6	91	88	4·8	4·5	14·7	5·7
6	1010·2	1009·9	297·4	297·2	27·5	25·1	+0·1	−0·3	+2·0	+2·7	88	96	2·7	4·1	11·6	7·6
11	1008·6	1009·6	298·3	297·8	27·3	25·7	−0·1	−0·3	+3·1	+2·8	92	96	5·0	4·2	4·1	9·1
16	1009·2	1008·7	298·4	298·4	28·0	27·1	+0·2	−0·7	+2·8	+2·0	85	110	4·6	3·9	1·2	10·9
21	1006·4	1008·1	301·1	298·7	31·0	27·5	−1·5	−0·7	+0·4	+2·1	167	108	3·3	3·9	1·9	12·7
26	1006·8	1007·5	299·1	299·1	24·9	27·5	+0·3	−0·6	+3·1	+2·0	85	107	4·3	3·9	0·1	12·2
31	1004·9	1007·4	299·1	299·3	24·6	28·0	+0·6	−0·9	+3·6	+1·4	80	122	4·4	3·9	...	13·7
June 5	1004·7	1006·6	301·1	299·4	30·3	28·6	−2·5	−0·9	−1·3	+1·8	208	116	3·1	4·0	1·8	12·9
10	1005·2	1005·8	302·4	299·9	31·8	29·3	−3·4	−1·3	−1·3	+1·1	200	139	3·8	3·7	0·7	14·4
15	1007·5	1005·4	301·7	300·5	30·8	29·8	−2·3	−1·9	+1·5	+0·4	146	169	3·1	3·9	4·4	13·3
20	1006·1	1005·5	301·1	300·7	30·5	30·4	−3·0	−2·1	−1·3	+0·7	205	161	3·7	3·9	7·9	14·1
25	1006·9	1005·2	300·3	300·8	29·7	30·2	−1·1	−1·8	−0·3	+0·7	193	158	2·8	3·7	6·4	10·9
30	1002·7	1005·2	302·1	300·6	31·6	30·1	−2·3	−1·8	−0·3	+0·9	188	154	2·6	3·9	3·0	14·6
July 5	999·8	1006·0	301·8	300·8	31·5	30·3	−0·8	−1·6	−0·6	+0·6	214	161	2·0	3·5	0·8	8·9
10	1004·4	1005·6	299·1	301·1	30·2	30·3	−0·9	−1·2	+1·7	+1·2	119	137	3·3	3·5	43·4	6·1
15	1001·5	1004·1	301·3	300·8	31·3	30·2	−0·3	−1·0	+1·0	+0·6	108	149	3·6	3·4	4·9	18·8
20	1004·0	1003·8	299·7	300·7	30·4	30·2	−0·8	−0·6	+2·1	+1·5	110	110	3·1	3·7	35·1	11·1
25	1005·7	1003·7	299·8	300·7	29·5	30·2	+0·9	−0·8	+4·5	+1·5	79	118	5·2	3·7	23·6	13·1
30	1005·5	1003·8	299·9	300·8	30·3	30·2	−1·4	−1·2	+0·4	+0·6	165	153	2·1	3·6	18·7	13·3
Aug. 4	1004·2	1004·1	300·1	300·8	30·7	30·4	−0·8	−1·4	+1·8	+0·2	113	172	2·5	3·4	8·9	11·2
9	999·9	1004·1	301·6	300·5	31·5	30·4	−1·1	−0·9	−2·1	+0·6	241	149	2·9	2·9	3·7	13·1
14	1000·8	1004·6	300·0	300·5	31·4	30·3	−1·1	−0·8	−0·7	+0·8	214	137	2·4	3·1	54·2	11·7
19	1004·7	1005·6	299·5	300·4	29·4	29·9	−0·6	−0·4	+3·2	+1·4	100	106	4·6	2·9	15·5	8·8
24	1009·1	1005·6	300·3	300·5	30·2	29·8	−0·2	−0·4	+1·5	+0·7	99	121	1·9	2·7	0·3	12·2
29	1007·4	1006·1	300·7	300·6	30·5	29·7	+0·5	−0·1	+5·7	+1·0	85	97	5·9	3·0	13·8	9·6
Sept. 3	1006·5	1006·1	300·5	300·7	29·0	28·7	+1·0	−0·2	+5·3	+0·9	79	100	5·6	2·9	7·9	7·5
8	1007·7	1006·7	300·5	300·1	25·0	27·5	+0·7	+0·4	+1·7	+1·8	67	78	3·1	3·5	4·4	9·9
13	1011·8	1008·5	299·6	299·9	29·1	27·2	+0·3	+0·4	+4·6	+2·1	86	80	4·8	3·4	6·8	8·3
18	1011·7	1009·5	300·4	299·7	28·8	27·0	+0·8	+0·5	+4·3	+2·9	80	80	4·7	4·3	2·3	12·4
23	1010·8	1010·5	300·8	299·5	29·5	25·9	−0·5	+0·6	+1·4	+3·1	109	79	2·5	4·3	0·1	5·1
28	1013·1	1010·3	299·7	299·1	27·0	24·7	+0·4	+1·0	+2·9	+3·1	82	71	3·9	4·5	24·9	7·7
Oct. 3	1012·1	1011·6	299·7	298·7	25·6	23·4	+1·1	+0·9	+4·7	+3·5	76	76	5·1	4·8	0·2	7·0
8	1011·0	1012·9	298·1	298·1	21·2	22·7	+0·8	+1·1	+4·1	+3·1	79	71	4·6	4·5	...	4·5
13	1013·1	1013·9	298·3	297·6	21·4	21·0	+0·9	+1·0	+3·5	+3·5	75	74	4·2	4·1	...	1·8
18	1015·0	1014·7	296·8	297·2	19·4	21·2	+0·1	+1·0	+3·6	+3·1	88	71	3·9	4·3	...	3·4
23	1015·9	1015·3	296·4	296·8	19·7	20·6	+0·1	+0·8	+2·3	+3·5	88	77	2·8	4·4	...	1·3
28	1017·8	1015·4	295·9	296·1	18·8	19·9	+1·1	+1·2	+3·8	+2·8	74	66	4·4	4·0	...	4·2
Nov. 2	1016·6	1016·3	295·6	295·6	19·4	19·3	+1·4	+1·2	+4·7	+3·3	73	71	5·4	4·3	5·4	1·1
7	1018·9	1016·5	292·6	294·9	14·8	17·8	+3·6	+1·4	+0·8	+3·2	12	66	4·0	4·4	0·4	1·5
12	1017·5	1017·5	292·9	293·8	15·3	16·0	+1·0	+1·6	+1·8	+2·7	59	60	2·6	4·1	1·1	2·1
17	1018·5	1017·5	292·9	293·4	14·6	15·9	+1·5	+1·4	+2·6	+2·5	60	61	3·8	3·8	...	1·9
22	1021·0	1018·6	291·1	292·4	12·1	14·7	+1·5	+1·5	+2·5	+2·7	58	60	3·6	4·1	...	1·3
27	1020·5	1019·1	291·5	291·7	14·4	14·2	+1·7	+1·4	+5·3	+2·8	72	63	5·8	3·9	...	0·9
Dec. 2	1022·2	1019·3	291·1	291·1	13·9	13·9	+0·5	+1·4	+2·8	+2·5	79	60	3·8	3·9	...	1·2
7	1018·2	1018·9	292·3	290·5	17·4	13·4	+0·6	+1·2	+4·1	+2·4	81	64	4·3	3·6	...	0·9
12	1012·0	1019·6	294·9	290·3	23·3	13·3	−1·1	+1·2	+2·5	+2·6	114	65	3·5	3·8	...	0·4
17	1015·6	1019·8	291·1	289·9	17·8	13·4	+1·1	+1·1	+3·1	+3·0	70	69	4·0	4·0	1·0	1·1
22	1021·7	1020·4	286·1	289·3	10·6	12·8	+1·2	+1·1	+2·2	+2·7	60	67	3·3	3·9	0·4	0·8
27	1017·3	1020·1	291·2	289·2	16·5	12·6	+0·2	+0·9	+1·6	+3·0	82	74	2·1	3·9	0·7	0·9

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

DECEMBER,

1929.

ROYAL OBSERVATORY, HONGKONG.

TRACKS OF TYPHOONS IN THE FAR EAST DURING THE YEAR 1929.

The circles indicate the position of the centre at 6 a.m. of the 120th meridian on each day.



Typhoon

Typhoon developing or filling up

Track Uncertain.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th November, 1929.								1st December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.41	772.3	32	...	N	5	b	6	30.45	773.5	23	...	...	0	c
Nemuro,	11	30.22	767.5	...	...	S	4	...	5	30.38	771.5	...	...	NNE	3	...
Hokodate,	,,	30.22	767.5	...	...	...	0	...	,,	30.28	769.0	..	...	NNW	1	...
Tokio,	,,	30.20	767.0	...	...	NNW	1	...	,,	30.06	763.5	...	..	NNW	2	...
Kochi,	,,	30.08	764.0	...	...	...	0	...	,,	30.20	767.0	...	..	NNW	1	...
Nagasaki,	,,	30.20	767.0	...	...	N	1	...	,,	30.30	769.5	...	...	NE	1	...
Kagoshima,	,,	30.16	766.0	...	...	NNW	1	...	,,	30.24	768.0	...	...	WNW	1	...
Oshima,	,,	30.14	765.5	...	...	NNE	2	...	,,	30.20	767.0	...	...	N	1	...
Naha,	,,	30.14	765.5	...	...	NNE	1	...	,,	30.20	767.0	...	...	NE	2	...
Ishigakijima,	,,	30.14	765.5	...	...	ESE	1	...	,,	30.14	765.5	.	.	NE	1	...
Bonin Island,	,,	29.90	759.5	...	...	E	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	30.24	768.1	44	86	NE	1	b	6	30.27	768.8	62	94	...	0	bc
Shanghai,	14	30.22	767.7	66	41	SE	1	b	,,	30.28	769.2	48	97	E	1	b
Gutzlaff,	,,	30.28	769.1	60	65	ENE	2	b	,,	30.34	770.6	56	75	SE	2	b
Sharp Peak,	,,	30.10	764.5	72	62	E	2	b	7	30.16	766.0	60	76	NNW	2	b
Amoy,	,,	30.07	763.8	73	58	ENE	4	b	6	30.17	766.3	60	74	NE	4	b
Swatow,	,,	30.04	763.0	67	85	ESE	2	b	,,	30.12	765.0	57	88	E	2	b
Taihoku,	11	30.17	766.2	70	69	E	4	o	5	30.17	766.2	82	57	E	2	b
Taichu,	,,	30.13	765.3	75	...	...	0	b	,,	30.13	765.3	54	...	...	0	b
Tainan,	,,	30.11	764.7	77	...	NW	2	b	,,	30.08	764.1	57	...	NE	1	b
Koshun,	,,	30.08	764.1	77	...	NE	4	b	,,	30.07	763.8	68	...	NE	4	b
Pescadores,	,,	30.12	765.0	73	...	NNE	4	b	,,	30.10	764.4	66	...	NNE	4	b
Hong Kong,	14	30.06	763.5	69	57	E	3	b	6	30.10	764.5	65	80	E	4	o
Gap Rock,	,,	30.06	763.5	...	...	ENE	4	b	,,	30.07	763.8	..	...	ENE	4	b
Macao,	,,	30.04	762.9	75	56	SE	2	b	,,	30.05	763.2	66	80	ESE	4	o
Hoihow,	,,	30.00	762.0	74	70	E	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.03	762.7	69	92	ENE	3	or	,,	30.06	763.5	71	80	ENE	4	bo
Phulien,	15	30.01	762.3	79	61	SE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.97	761.1	70	...	ENE	2	o	,,	..	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	70	...	ENE	6	o	,,	...	...	...	...	...	...	...
Basco,	14	29.99	761.7	79	61	NE	4	o	6	30.05	763.2	72	75	ENE	4	o
Aparri,	,,	29.97	761.1	77	76	S	2	o	,,	30.01	762.3	68	94	SE	2	o
Tuguegarao,	,,	29.94	760.5	79	73	N	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.82	757.5	82	54	SE	4	bf	,,	...	...	...	...	...	...	...
Manila,	,,	29.87	758.7	86	65	NE	2	o	,,	29.93	760.2	72	91	N	1	o
Legaspi,	,,	29.86	758.4	77	96	N	2	o	,,	29.88	759.0	75	96	N	2	o
Calbayog,	,,	29.82	757.5	84	64	ESE	2	o	,,	29.98	761.4	73	94	...	o	r
Tacloban,	,,	29.81	757.2	82	67	NE	2	b	,,	29.82	757.5	75	92	N	4	of
Iloilo,	,,	29.81	757.2	84	71	NE	4	o	,,	29.86	758.4	75	92	N	4	o
Cebu,	,,	29.80	756.9	84	55	NW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.81	757.2	81	84	N	4	o	,,	29.84	757.8	72	96	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	...	NE	4	o	4.22	29.79	756.6	...	...	NE	6	o
Yap,	11.00	29.76	756.0	...	...	E	2	o	5	29.79	756.6	...	...	N	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	68	NE	2	b	6	29.85	758.2	78	91	SW	4	b

December 1*d.* 11*h.* 45*m.* – The anticyclone remains central over S. Manchuria and has increased in intensity.

Moderate to fresh monsoon will prevail along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, moderate to fresh; fair.
3.—Hong Kong to Gap Rock,	N.E. winds, moderate to fresh; fair.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate to fresh; fair.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st December, 1929.								2nd December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.43	773.0	36	...	ESE	4	o	6	30.60	777.2	25	...	NNE	4	c
Nemuro,	11	30.30	772.0	...	...	NE	3	...	5	30.28	769.0	...	...	...	...	...
Hokodate,	,,	30.28	769.0	...	...	...	0	...	,,	30.30	769.5			NW	1	...
Tokio,	,,	30.02	762.5	...	...	N	3	...	,,	30.20	767.0	.		N	2	...
Kochi,	,,	30.24	768.0	...	...	NNE	1	...	,,	30.28	769.0	..	..	WSW	1	...
Nagasaki,	,,	30.31	770.0	...	...	ENE	1	...	,,	30.34	770.5	.		...	...	...
Kagoshima,	,,	30.28	769.0	...	...	NE	1	...	,,	30.32	770.0	.	..	NW	1	...
Oshima,	,,	30.24	768.0	...	...	NNE	2	...	,,	30.28	769.0	..	...	SSE	1	...
Naha,	,,	30.24	768.0	...	...	NNE	3	...	,,	30.24	768.0	..	..	NE	1	...
Ishigakijima,	,,	30.22	767.5	...	...	E	1	...	,,	30.20	767.0	..	.	NNE	2	...
Bonin Island,	,,	29.86	758.5	...	...	WNW	1	...	,,	29.88	759.0	...	...	NNW	3	...
Chefoo,	15	30.28	769.1	52	100	SSE	1	r	6	30.45	773.4	38	100	NW	6	r
Shanghai,	14	30.25	768.3	70	49	SSE	4	b	,,	30.26	768.6	54	95	SE	1	b
Gutzlaff,	,,	30.31	769.9	65	73	SE	4	b	,,	30.32	770.1	58	90	SSE	4	o
Sharp Peak,	,,	30.16	766.0	72	67	ENE	1	o	7	30.16	766.0	64	78	NNE	1	o
Amoy,	,,	30.12	765.0	75	64	ENE	4	b	6	30.15	765.8	62	94	SW	4	b
Swatow,	,,	30.08	764.0	69	85	E	2	b	,,	30.13	765.3	58	94	N	1	b
Taihoku,	11	30.19	766.8	77	54	E	4	b	5	30.17	766.2	64	82	E	4	b
Taichu,	,,	30.18	766.5	75	...	...	0	b	,,	30.17	766.2	54	...	...	0	b
Tainan,	,,	30.14	765.6	81	...	WSW	2	b	,,	30.13	765.3	59	...	...	0	b
Koshun,	,,	30.19	766.8	63	...	NE	4	r	,,	30.13	765.3	70	...	NE	4	b
Pescadores,	,,	30.17	766.2	73	...	NNE	4	b	,,	30.12	765.0	66	...	NW	2	b
Hong Kong,	14	30.09	764.3	69	67	ENE	4	c	6	30.13	765.3	67	75	E	4	c
Gap Rock,	,,	30.09	764.3	...	...	ENE	5	c	,,	30.10	764.5	..	...	ENE	5	o
Macao,	,,	30.06	763.5	72	75	SE	4	b	,,	30.11	764.7	68	85	NE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.06	763.5	77	69	E	3	c	,,	30.08	764.0	73	82	ENE	5	or
Phulien,	15	30.00	762.0	79	66	SE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.93	760.2	75	...	N	2	o	,,	.	...	...	...	...	...	...
Cape St. James,	,,	29.89	759.3	77	...	ENE	6	b	,,	...	...	...	...	...	...	...
Basco,	14	30.05	763.2	75	49	NE	4	b	6	30.06	763.5	72	57	ENE	4	rf
Aparri,	,,	30.01	762.3	79	61	ENE	4	o	,,	30.05	763.2	68	94	S	2	o
Tuguegarao,	,,	29.98	761.4	79	58	N	4	o	,,	30.05	763.2	68	92	...	0	o
Vigan,	,,	29.87	758.7	86	46	NNE	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.89	759.3	81	73	NE	2	o	,,	29.97	761.1	66	96	NNW	1	b
Legaspi,	,,	29.88	759.0	79	90	N	2	o	,,	29.92	759.9	75	96	NE	2	o
Calbayog,	,,	29.86	758.4	79	73	N	4	r	,,	29.92	759.9	68	96	...	0	b
Tacloban,	,,	29.85	758.1	82	74	NE	4	o	,,	29.91	759.6	73	91	NW	4	b
Iloilo,	,,	29.82	757.5	82	70	NE	6	o	,,	29.89	759.3	72	82	NE	6	b
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.84	757.8	79	80	ENE	4	o	,,	29.88	759.0	79	91	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.79	756.6	74	...	ENE	2	r
Guam,	12.22	29.71	754.5	...	...	NE	4	o	4.22	29.79	756.6	...	...	E	1	o
Yap,	11.00	29.78	756.3	...	...	NE	2	o	5	29.78	756.3	...	...	NNW	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.81	757.2	77	...	NNE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.86	758.4	77	...	...	0	bo
Labuan,	14	29.88	758.9	86	76	NE	6	b	6	29.88	758.9	80	87	SE	4	b

December 2d. 10h. 40m.—The anticyclone over Manchuria continues to increase in intensity. Fresh monsoon will prevail along the S.E. coast of China and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 81.99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd December, 1929.								3rd December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.62	777.8	23	...	N	5	o	6	30.61	777.5	10	...	NNE	4	o
Nemuro,	11	29.80	757.0	...	...	WNW	1	...	5	30.20	767.0	...	...	NNW	3	...
Hokodate,	,,	30.30	769.5	...	...	NW	2	...	,,	30.51	775.0		.	NW	2	...
Tokio,	,,	30.16	766.0	...	...	N	3	...	,,	30.24	768.0		.	...	0	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.22	767.5	.	..	WSW	1	...
Nagasaki,	,,	30.30	769.5	...	...	...	0	...	,,	30.24	768.0	.	..	...	0	...
Kagoshima,	,,	30.28	769.0	...	...	ESE	1	...	,,	30.22	767.5		...	NW	1	...
Oshima,	,,	30.26	768.5	...	...	NE	1	...	,,	30.22	767.5	.	...	S	1	...
Naha,	,,	30.26	768.5	...	...	ENE	2	...	,,	30.22	767.5	.	...	NE	1	...
Ishigakijima,	,,	30.22	767.5	...	...	E	2	...	,,	30.16	766.0		..	NNE	1	...
Bonin Island,	,,	29.88	759.0	...	...	NW	2	...	,,	29.58	761.5	...	...	NNW	1	...
Chefoo,	15	30.52	775.2	32	100	NNE	4	r	6	30.58	776.7	28	100	NE	6	b
Shanghai,	14	30.26	768.6	72	51	W	2	b	,,	30.45	773.4	41	97	WNW	6	r
Gutzlaff,	,,	30.27	768.8	66	75	SSE	4	b	,,	30.44	773.2	44	100	NW	6	o
Sharp Peak,	,,	30.14	765.5	72	76	N	1	o	7	30.19	766.8	64	78	N	1	b
Amoy,	,,	30.10	764.5	77	65	ENE	2	b	6	30.16	766.0	64	91	ENE	2	b
Swatow,	,,	30.08	764.0	70	86	ESE	2	b	,,	30.14	765.5	60	94	N	1	b
Taihoku,	11	30.19	766.8	79	55	SE	4	b	5	30.18	766.5	64	90	E	2	o
Taichu,	,,	30.20	767.1	77	...	...	0	b	,,	30.17	766.2	55	...	...	0	b
Tainan,	,,	30.18	766.5	79	...	WNW	2	b	,,	30.12	765.0	61	...	...	0	b
Koshun,	,,	30.18	766.5	75	...	NNE	4	o	,,	30.12	765.0	70	...	NE	2	b
Pescadores,	,,	30.18	766.5	75	...	NW	4	b	,,	30.13	765.3	68	...	NNE	4	b
Hong Kong,	14	30.11	764.8	73	61	E	3	b	6	30.17	766.3	66	76	E	1	b
Gap Rock,	,,	30.12	765.0	...	...	ENE	4	b	,,	30.17	766.3	...	...	NE	4	b
Macao,	,,	30.11	764.7	79	55	SE	2	b	,,	30.14	765.6	66	87	ENE	2	of
Hoihow,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.09	764.3	74	80	NE	5	o	,,	30.11	764.8	71	77	NE	4	b
Phulien,	15	30.06	764.5	79	76	ESE	4	o	7	30.17	766.2	68	92	NE	4	o
Tourane,	,,	30.05	763.2	72	...	...	0	rf	,,	30.11	764.7	73	...	E	2	o
Cape St. James,	,,	29.89	759.3	79	...	NE	6	b	,,	29.95	760.8	75	...	NE	4	o
Tasco,	14	30.04	762.9	77	61	NE	4	o	6	30.06	763.5	72	70	NE	4	o
Aparri,	,,	30.01	762.3	73	79	...	0	o	,,	30.01	762.3	73	86	E	4	o
Tuguegarao,	,,	...	...	..	...	...	...	...	,,	30.01	762.3	68	96	N	1	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	72	70	NNW	1	b
Manila,	,,	29.89	759.3	84	60	WNW	2	o	,,	29.94	760.5	72	84	N	1	b
Legaspi,	,,	29.88	759.0	84	74	NNE	4	o	,,	29.91	759.6	75	92	NNE	4	o
Calbayog,	,,	29.88	759.0	81	73	NNE	4	o	,,	29.91	759.6	72	98	...	0	o
Tacloban,	,,	29.86	758.4	84	71	NW	4	o	,,	29.92	759.9	75	91	NW	2	b
Iloilo,	,,	29.86	758.4	84	60	NE	6	o	,,	29.91	759.6	73	88	NE	4	b
Cebu,	,,	29.85	758.1	84	55	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	73	96	SW	2	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.7	...	...	E	2	o	4.22	29.81	757.2	...	...	NE	1	b
Yap,	11.00	29.71	754.5	...	...	NNE	2	o	5	29.74	755.4	79	...	ENE	2	r
Palau,	...	...	...	...	...	...	...	...	,,	29.80	756.9	75	...	NNW	2	r
Ponape,	...	...	...	...	...	...	...	...	,,	29.86	758.4	77	...	...	0	bc
Labuan,	14	29.88	758.9	86	84	NE	2	b	6	29.77	756.1	76	88	...	0	b

December 3*d.* 11*h.* 25*m.*—The anticyclone now covers the whole of China and Manchuria and has attained considerable intensity.

Fresh to strong monsoon will prevail along the China coast and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh to strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fine.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd December, 1929.								4th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.48	774.3	14	...	NNE	5	o	6	30.39	772.0	10	...	NNE	4	b
Nemuro,	11	30.18	766.5	...	...	WNW	2	...	5	30.06	763.5	...	...	...	...	...
Hokodate,	"	30.24	768.0	...	...	NNW	1	...	"	29.96	761.0	...	...	NNW	1	...
Tokio,	"	30.14	765.5	...	...	ENE	1	...	"	29.80	757.0	...	...	...	6	...
Kochi,	"	30.12	765.0	...	...	...	...	...	"	29.96	761.0	...	...	S	1	...
Nagasaki,	"	30.16	766.0	...	...	E	1	...	"	30.18	766.5	...	...	WNW	1	...
Kagoshima,	"	30.18	766.5	...	...	W	1	...	"	30.12	765.0	...	...	NW	2	...
Oshima,	"	30.20	767.0	...	...	N	1	...	"	30.20	767.0	...	...	NNE	3	...
Naha,	"	30.20	767.0	...	...	NNE	1	...	"	30.20	767.0	...	...	N	6	...
Ishigakijima,	"	30.20	767.0	...	...	ENE	2	...	"	30.22	767.5	...	...	NNE	3	...
Bonin Island,	"	30.00	762.0	...	...	N	2	...	"	30.08	764.0	...	...	...	0	...
Chefoo,	15	30.55	775.9	34	82	NNW	7	o	6	30.46	773.7	32	90	NNW	2	o
Shanghai,	14	30.54	775.8	34	77	NW	6	r	"	30.59	777.0	28	83	NW	4	b
Gutzlaff,	"	30.50	774.7	44	92	NNW	8	o	"	30.57	776.5	38	100	NNW	7	o
Sharp Peak,	"	30.17	766.3	63	83	ENE	4	o	7	30.32	770.1	56	75	NE	2	o
Amoy,	"	30.14	765.5	77	65	ENE	6	b	6	30.30	769.6	58	76	ENE	4	o
Swatow,	"	30.11	764.8	71	81	ESE	2	b	"	30.28	769.1	53	94	N	3	c
Tailoku,	11	30.22	767.5	70	77	E	4	r	5	30.33	770.4	59	89	E	2	o
Taichu,	"	30.18	766.5	75	...	...	o	b	"	30.24	768.0	57	...	N	4	b
Tainan,	"	30.17	766.2	81	...	N	2	b	"	30.18	766.5	59	...	N	4	b
Koshun,	"	30.17	766.2	77	...	NNE	4	b	"	30.15	765.8	68	...	NNE	4	b
Pescadores,	"	30.18	766.5	75	...	NNE	4	b	"	30.22	767.7	63	...	NNE	6	o
Hong Kong,	14	30.14	765.5	74	64	WSW	3	c	6	30.27	768.8	56	65	N	1	c
Gap Rock,	"	30.17	766.3	...	...	ENE	4	b	"	30.22	767.6	...	...	NNW	5	o
Macao,	"	30.13	765.3	73	58	NNE	2	o	"	30.27	768.4	50	74	NNE	4	b
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	30.09	764.3	76	70	NE	5	b	"	30.16	766.0	70	80	NE	7	od
Phulien,	15	30.13	765.3	75	63	ENE	4	o	7	30.28	769.2	59	...	NE	4	o
Tourane,	"	30.02	762.6	68	...	NE	2	of	"	30.15	765.7	70	...	NE	6	od
Cape St. James,	"	29.91	759.6	77	...	ENE	4	of	"	29.96	760.9	72	...	ENE	4	cf
Pasco,	14	30.02	762.6	77	61	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.98	761.4	77	76	NE	4	o	"	...	...	...	...	...	...	...
Tuguegarao,	"	29.94	760.5	75	83	NW	2	o	"	...	...	...	...	...	...	...
Vigan,	"	29.88	759.0	82	63	NW	4	o	"	...	...	...	...	...	...	...
Manila,	"	29.88	759.0	84	64	SW	2	o	"	...	...	...	...	...	...	...
Legaspi,	"	29.86	758.4	81	87	NNE	2	o	"	...	...	...	...	...	...	...
Calbayog,	"	29.85	758.1	82	70	NNE	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	29.84	757.8	82	77	NE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.84	757.8	82	74	NE	6	o	"	...	...	...	...	...	...	...
Cebu,	"	29.81	757.2	86	56	NE	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.81	757.2	82	81	N	4	o	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.79	756.6	76	...	NNE	2	b
Guam,	12.22	29.76	756.0	...	...	NE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.73	755.1	...	...	E	2	r	5	29.80	756.9	...	...	E	2	o
Pelew,	...	...	...	...	...	...	...	...	"	29.74	755.4	78	...	SSE	3	c
Ponape,	...	...	...	...	...	...	...	...	"	29.87	758.7	77	...	SE	1	bc
Labuan,	14	29.81	757.2	84	83	NE	2	b	6	29.84	757.9	80	91	SW	6	b

December 4d. 10h. 44m. – The anticyclone is now central over the lower Yangtze Valley, pressure having decreased over S. Manchuria.

Fresh to strong monsoon will continue along the China coast and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.— Formosa Channel, ...	N. winds, fresh; fine.
2.— South coast of China between Hong Kong and Lamocks,	
3.— Hong Kong to Gap Rock, ...	
4.— South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th December, 1929.								5th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.32	770.1	18	...	NNE	5	c	6	30.36	771.2	11	...	NE	3	b
Nemuro,	11	...	...	...	...	E	1	...	5	29.92	760.0	...	...	NNW	2	...
Hokodate,	,,	29.90	759.5	...	...	NW	3	...	,,	30.24	768.0	..	...	N	1	...
Tokio,	,,	29.76	756.0	...	...	NNW	3	...	,,	30.08	764.0	..	...	NNW	1	...
Kochi,	,,	30.02	762.5	...	...	N	2	...	,,	30.20	767.0	...	...	...	0	...
Nagasaki,	,,	30.18	766.5	...	...	NW	2	...	,,	30.34	770.5	..	..	NW	1	...
Kagoshima,	,,	30.14	765.5	...	...	NW	2	...	,,	30.28	769.0	..	...	NNW	1	...
Oshima,	,,	30.20	767.0	...	...	NNE	3	...	,,	30.24	768.0	..	...	N	3	...
Naha,	,,	30.20	767.0	...	...	N	5	...	,,	30.24	768.0	..	..	NE	2	...
Ishigakijima,	,,	30.24	768.0	...	...	NNE	3	...	,,	30.22	767.5	..	..	NNE	1	...
Bonin Island,	,,	30.02	762.5	...	...	S	1	...	,,	30.02	762.5	...	...	N	1	...
Chefoo,	15	30.34	770.6	36	90	WSW	1	b	6	30.41	772.4	36	100	WSW	1	b
Shanghai,	14	30.53	775.5	45	36	NW	2	b	,,	30.51	774.9	25	87	NW	1	b
Gutzlaff,	,,	30.54	775.7	44	60	NNW	6	o	,,	30.53	775.4	38	63	N	2	b
Sharp Peak,	,,	30.28	769.1	60	65	E	4	o	7	30.29	769.3	54	68	NE	2	o
Amoy,	,,	30.00	762.0	68	47	ENE	4	o	6	30.26	768.6	55	80	NE	4	b
Swatow,	,,	30.20	767.1	63	84	E	2	b	,,	30.22	767.7	51	87	N	2	b
Taihoku,	11	30.37	771.3	61	85	...	0	o	5	30.30	769.5	57	96	E	4	r
Taichu,	,,	30.25	768.3	64	...	N	4	o	,,	30.22	767.7	55	...	...	0	o
Tainan,	,,	30.21	767.4	64	...	N	4	o	,,	30.18	766.5	55	...	N	2	b
Koshun,	,,	30.17	766.2	72	...	NE	6	b	,,	30.13	765.3	66	...	NE	4	b
Pescadores,	,,	30.26	768.6	64	...	NE	6	o	,,	30.20	767.1	63	...	NNE	6	o
Hong Kong,	14	30.21	767.3	66	52	W	3	b	6	30.23	767.8	55	71	...	0	b
Gap Rock,	,,	30.21	767.3	...	...	NNW	5	b	,,	30.22	767.6	...	...	NNE	4	b
Macao,	,,	30.21	767.4	59	58	NNE	4	b	,,	30.21	767.4	50	74	N	4	b
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.15	765.8	70	75	NE	7	o	,,	30.13	765.3	69	85	NE	6	o
Phulien,	15	30.22	767.7	66	63	...	0	o	7	...	...	...	...	...	...	...
Tourane,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	30.05	763.2	75	67	NE	4	o	6	30.07	763.8	70	74	NE	4	o
Aparri,	,,	30.00	762.0	73	82	NE	6	r	,,	30.02	762.5	73	75	NE	6	o
Tuguegarao,	,,	29.95	760.8	77	76	N	4	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.87	758.7	82	57	NNW	6	r	,,	...	...	...	...	...	...	...
Manila,	,,	29.91	759.6	81	73	E	1	o	,,	29.92	759.9	72	94	NNE	1	o
Legaspi,	,,	29.86	758.4	84	81	NNE	2	o	,,	29.86	758.4	79	91	N	4	o
Calbayog,	,,	...		...	...	...	...	...	,,	29.85	758.1	75	91	...	0	o
Tacloban,	,,	29.81	757.2	82	74	N	...	...	,,	29.85	758.1	77	85	NW	4	o
Iloilo,	,,	29.82	757.5	86	58	NE	4	o	,,	29.84	757.8	73	88	NE	6	o
Cebu,	,,	29.82	757.5	66	58	NW	4	o	,,	29.81	757.2	79	73	N	2	o
Surigao,	,,	29.81	757.2	81	73	NNE	1	o	,,	29.78	756.3	75	94	NW	2	r
Saipan,	...	...	...	...	...	...	...	...	5	29.91	759.7	75	...	ENE	2	b
Guam,	12.22	29.80	756.9	...	...	NE	4	o	4.22	29.87	758.7	...	...	NE	1	b
Yap,	11.00	29.78	756.3	...	...	E	2	o	5	29.85	758.1	...	...	ENE	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.83	757.7	78	...	SSE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.84	757.9	77	...	ESE	1	bc
Labuan,	14	29.80	756.9	88	66	NW	...	...	6	29.78	756.4	78	86	...	0	b

December 5*d.* 10*h.* 56*m.*—The anticyclone remains stationary over the lower Yangtze Valley, and a depression is approaching the southern Visayas.

Fresh to strong monsoon will prevail along the coast and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th December, 1929.								6th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.36	771.0	21	...	NE	4	b	6	30.48	774.1	14	...	NE	3	c
Nemuro,	11	29.94	760.5	...	...	NW	3	...	5	30.26	768.5	...	...	NW	3	...
Hokodate,	,,	30.00	762.0	...	...	N	1	...	,,	30.34	770.5	...	...	NNW	1	...
Tokio,	,,	30.10	764.5	...	...	N	3	...	,,	30.38	771.5	...	...	NW	1	...
Kochi,	,,	30.22	767.5	...	...	NW	1	...	,,	30.41	772.5	...	...	SW	1	...
Nagasaki,	,,	30.35	771.0	...	...	NNW	8	...	,,	30.45	773.5	...	...	NE	1	...
Kagoshima,	,,	30.30	769.5	...	...	NW	1	...	,,	30.36	771.0	...	...	W	1	...
Oshima,	,,	30.26	768.5	...	...	N	3	...	,,	30.30	769.5	...	...	SSE	1	...
Naha,	,,	30.24	768.0	...	...	NNE	3	...	,,	30.26	768.5	...	...	NE	2	...
Ishigakijima,	,,	30.24	768.0	...	...	NE	3	...	,,	30.20	767.0	...	..	ENE	1	...
Bonin Island,	,,	30.00	762.0	...	...	NNW	1	...	,,	30.18	766.5	...	...	N	1	...
Chefoo,	15	30.34	770.6	38	63	SSW	1	b	6	30.28	769.1	36	90	SW	1	b
Shanghai,	14	30.40	772.2	48	36	ESE	1	b	,,	30.32	770.1	36	93	ESE	1	o
Gutzlaff,	,,	30.45	773.4	48	56	N	1	b	,,	30.37	771.4	52	79	SE	4	o
Sharp Peak,	,,	30.21	767.3	56	66	NE	1	o	7	30.16	766.0	56	81	N	1	o
Amoy,	,,	30.18	766.6	66	68	ENE	4	b	6	30.18	766.6	58	81	NW	2	o
Swatow,	,,	30.14	765.5	63	89	E	2	b	,,	30.15	765.8	54	94	N	1	b
Taihoku,	11	29.88	759.0	64	76	E	4	o	5	30.19	766.8	61	93	E	4	b
Taichu,	,,	30.21	767.4	68	...	N	4	b	,,	30.17	766.2	54	...	...	o	b
Tainan,	,,	30.18	766.5	75	...	NNW	2	b	,,	30.13	765.3	59	...	...	o	b
Koshun,	,,	30.17	766.2	73	...	NE	4	b	,,	30.11	764.7	64	...	N	4	b
Pescadores,	,,	30.21	767.4	66	...	NE	6	o	,,	30.13	765.3	66	...	NNE	4	b
Hong Kong,	14	30.16	766.0	65	54	E	2	c	6	30.13	765.3	62	75	E	2	c
Gap Rock,	,,	30.17	766.3	...	...	NNE	4	b	,,	30.11	764.8	...	...	ENE	4	o
Macao,	,,	30.15	765.9	61	59	NE	4	o	,,	30.12	765.0	59	85	NNE	2	o
Hoihow,	,,	30.12	765.0	67	80	NNE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.08	764.0	72	76	NE	5	o	,,	30.07	763.8	69	91	NE	5	or
Phulien,	15	30.12	765.0	68	60	SSE	1	b	7	...	...	...	...	...	...	...
Tourane,	,,	30.11	764.7	72	...	NE	6	of	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	30.01	762.3	73	71	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.98	761.4	77	68	ENE	4	o	,,	30.02	762.6	72	91	ENE	4	r
Tuguegarao,	,,	29.93	760.2	79	73	N	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.82	757.5	93	50	ENE	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.86	758.4	81	66	..	o	o	,,	29.87	758.7	73	79	NE	2	o
Legaspi,	,,	29.79	756.6	81	86	NNE	4	o	,,	29.79	756.6	77	96	NE	4	o
Calbayog,	,,	29.75	755.7	79	80	N	4	r	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.69	754.2	75	91	NNW	6	r	,,	...	...	...	...	...	..	...
Iloilo,	,,	29.75	755.7	79	80	NNE	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...		...	...	...	...	...	5	29.91	759.7	75	...	ENE	3	lc
Guam,	12.22	29.81	757.2	...	...	N	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	...	ENE	2	o	5	29.87	758.7	...	...	ENE	6	b
Pelew,	...	...	...	...	...	...	...	...	,,	29.85	758.2	76	...	SE	1	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.83	757.7	77	...	SSE	1	bc
Labuan,	14	29.82	757.4	90	66	NE	4	b	6	29.85	758.2	80	91	NE	6	b

December 6*d.* 11*h.* 05*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 125° E moving W.

December 6*d.* 11*h.* 07*m.* The anticyclone is now central over the Sea of Japan. The monsoon is interrupted to the north of Foochow, but will remains fresh over the China Sea.

A depression is crossing the Visayas in a westerly direction. It will probably develope into a typhoon in the China Sea.

Manila warning. 5*d.* 22*h.* 00*m.*:—Typhoon in Lat. 9° N. Long. 126° E., moving W. Recd. 5*d.* 22*h.* 39*m.*

Shanghai warning. 5*d.* 21*h.* 30*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 128° E., moving W.N.W. Recd. 5*d.* 22*h.* 39*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th December, 1929.								7th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.47	773.9	30	...	S	1	o	6	30.14	765.6	32	...	NNW	5	c
Nemuro,	11	30.33	770.5	...	...	NW	2	...	5	30.43	773.0	...	...	...	o	...
Hokodate,	,,	30.39	772.0	...	...	WNW	1	...	,,	30.39	772.0	..		...	o	...
Tokio,	,,	30.41	772.5	...	...	N	2	...	,,	30.51	775.0	..	...	WNW	1	...
Kochi,	,,	30.45	773.5	...	...	...	o	...	,,	30.47	774.0	..	..	WSW	1	...
Nagasaki,	,,	30.45	773.5	...	...	NW	1	...	,,	30.39	772.0	...	...	...	o	...
Kagoshima,	,,	30.41	772.5	...	...	...	o	...	,,	30.39	772.0	...	...	WNW	1	...
Oshima,	,,	30.33	770.5	...	...	NNE	1	...	,,	30.30	769.5	..	...	S	1	...
Naha,	,,	30.30	769.5	...	...	NE	3	...	,,	30.26	768.5	...	...	E	2	...
Ishigakijima,	,,	30.24	768.0	...	...	E	3	...	,,	30.18	766.5	...	...	ENE	1	...
Bonin Island,	,,	30.22	767.5	...	...	NNE	2	...	,,	30.28	769.0	...	...	ENE	1	...
Chefoo,	15	30.31	769.9	48	78	SW	1	o	6	30.53	773.4	32	100	N	6	b
Shanghai,	14	30.31	769.8	55	71	SSE	2	o	,,	30.37	771.3	46	83	NW	2	o
Gutzlaff,	,,	30.34	770.6	54	89	SE	4	o	,,	30.39	771.9	50	93	N	4	o
Sharp Peak,	,,	30.12	765.0	64	73	NNE	1	o	7	30.14	765.5	62	83	N	2	o
Amoy,	,,	30.15	765.8	70	75	SSE	4	of	6	30.17	766.3	60	94	W	4	b
Swatow,	,,	30.08	764.0	66	85	E	2	b	,,	30.04	762.9	59	94	NE	4	b
Taihoku,	11	30.20	767.1	75	63	E	4	b	5	30.17	766.2	66	80	E	4	o
Taichu,	,,	30.18	766.5	75	...	...	o	b	,,	30.15	765.9	59	...	...	o	b
Tainan,	,,	30.15	765.9	75	...	...	o	o	,,	30.13	765.3	61	...	...	o	b
Koshun,	,,	30.15	765.9	73	...	NNE	4	b	,,	30.08	764.1	70	...	NE	4	b
Pe-cadores,	,,	30.18	766.5	70	...	N	4	o	,,	30.13	765.3	68	...	N	4	b
Hong Kong,	14	30.10	764.5	69	62	E	2	b	6	30.15	765.8	64	84	E	2	b
Gap Rock,	,,	30.08	764.0	...	...	ENE	4	b	,,	30.14	765.5	...	...	ENE	4	c
Macao,	,,	30.07	763.8	70	65	NE	2	b	,,	30.13	765.3	61	89	NNE	2	bf
Hoihow,	,,	30.14	765.5	69	85	NNE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.8	73	85	ENE	4	o	,,	30.08	764.0	73	76	E	4	bc
Phulien,	15	30.02	762.6	75	53	SSE	2	b	7	30.14	765.6	64	90	NNE	2	of
Tourane,	,,	30.02	762.6	68	...	NNW	2	o	,,	30.07	763.8	70	...	E	2	of
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	72	...	NNE	2	bf
Basco,	14	30.02	762.6	77	64	NE	2	o	6	30.05	763.2	73	71	E	4	o
Aparri,	,,	29.97	761.1	73	92	ENE	4	r	,,	29.95	760.8	72	96	NE	4	r
Tuguegarao,	,,	29.93	760.2	79	80	N	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	86	52	NNW	4	o	,,	29.84	757.8	79	73	NW	2	o
Manila,	,,	29.81	757.2	81	69	NE	4	o	,,	29.84	757.8	73	96	NNW	2	o
Legaspi,	,,	29.76	756.0	79	96	NE	4	o	,,	29.84	757.8	79	91	NE	4	o
Calbayog,	,,	29.74	755.4	77	91	NE	2	o	,,	29.84	757.8	75	94	NE	2	o
Tacloban,	,,	29.71	754.5	79	85	ESE	6	o	,,	29.82	757.5	79	91	E	4	o
Iloilo,	,,	..		...	...	...	...	...	,,	29.76	756.0	75	96	...	c	r
Cebu,	,,	29.65	753.0	75	98	E	6	r	,,	29.79	756.6	77	92	N	2	r
Surigao,	,,	29.71	754.5	81	87	...	o	o	,,	29.79	756.6	77	91	SE	2	o
Saipan,	...	...	...	...	...	...	...	...	5	29.90	759.4	77	...	ENE	3	c
Guam,	12.22	29.81	757.2	...	...	NE	4	b	4.22	29.85	758.1	...	...	NE	4	o
Yap,	11.00	29.80	756.9	...	...	ENE	2	o	5	29.87	758.7	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.86	758.4	77	...	NNE	1	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.83	757.7	79	...	ESE	2	bc
Labuan,	14	...	...	88	69	NE	2	b	6	29.78	756.4	78	86	NE	6	o

December 6*d.* 17*h.* 23*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 123° E., moving W.

December 7*d.* 10*h.* 20*m.*—Warning to Hong Kong, Coast Ports, &c:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 120° E. moving W.

December 7*d.* 10*h* 47*m.*—The anticyclone is moving into the Pacific. Another has formed over N. China.

The monsoon will set in again along the E. coast of China and be fresh to strong over the China Sea.

The depression or typhoon is moving westward across N. Palawan.

Manila warning. 7*d.* 9*h.* 45*m.*:—Typhoon in Lat. 10° N. Long. 120° E., moving W. Recd. 7*d.* 10*h.* 29*m.*

Shanghai warning. 6*d.* 21*h.* 00*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 122° E., moving W.N.W. Recd. 6*d.* 21*h.* 45*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th December, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	8th December, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.21	767.3	29	...	NNW	4	b	6	30.40	772.1	13	...	NNW	3	b
Nemuro,	11	30.30	769.5	...	...	SSE	1	...	5	29.86	758.5	...	...	WSW	1	...
Hokodate,	,,	30.20	767.0	...	...	S	2	...	,,	30.06	763.5	...	.	WSW	5	...
Tokio,	,,	30.39	772.0	...	...	...	...	...	,,	30.14	765.5	...	...	NW	1	...
Kochi,	,,	30.37	771.5	...	...	...	0	...	,,	30.18	766.5	...	...	WSW	1	...
Nagasaki,	,,	30.31	770.0	...	...	SE	3	...	,,	30.18	766.5	...	...	E	1	...
Kagoshima,	,,	30.33	770.5	...	...	...	0	...	,,	30.18	766.5	...	...	NW	1	...
Oshima,	,,	30.26	768.5	...	...	SE	1	...	,,	30.16	766.0	...	...	S	1	...
Naha,	,,	30.20	767.0	...	...	NE	3	...	,,	30.08	764.0	...	...	E	2	...
Ishigakijima,	,,	30.18	766.5	...	...	ENE	2	...	,,	30.06	763.5	...	...	NNE	1	...
Bonin Island,	,,	30.24	768.0	...	...	ENE	1	...	,,	30.16	766.0	...	...	ESE	1	...
Chefoo,	15	30.53	775.4	32	82	NNE	2	o	6	30.38	771.6	28	79	...	o	b
Shanghai,	14	30.37	771.3	50	92	NW	1	o	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	30.38	771.6	50	100	NNW	4	r	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	30.14	765.5	69	77	NE	2	bf	7	30.11	764.8	62	89	E	2	of
Amoy,	,,	30.09	764.3	76	73	E	2	b	6	30.12	765.0	63	83	E	2	b
Swatow,	,,	30.10	764.5	69	81	E	2	b	,,	30.07	763.8	59	94	N	1	b
Taihoku,	11	30.19	766.8	77	57	E	4	b	5	30.12	765.0	59	89	...	o	b
Taichu,	,,	30.18	766.5	73	...	...	o	b	,,	30.12	765.0	57	...	...	o	b
Tainan,	,,	30.15	765.9	79	...	N	2	b	,,	30.07	763.8	63	...	NNE	2	o
Koshun,	,,	30.14	765.6	75	...	NE	4	o	,,	30.07	763.8	64	...	...	o	b
Pescadores,	,,	30.17	766.2	72	...	N	4	o	,,	30.08	764.1	68	...	NNE	4	b
Hong Kong,	14	30.09	764.3	73	61	E	3	b	6	30.10	764.5	64	85	E	1	b
Gap Rock,	,,	30.11	764.8	...	...	ENE	4	b	,,	30.09	764.3	...	...	ENE	4	o
Macao,	,,	30.08	764.1	75	56	NE	2	b	,,	30.07	763.8	61	87	N	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.05	763.2	75	78	NE	5	b	,,	30.03	762.7	72	76	NE	4	b
Phulien,	15	30.11	764.7	72	75	ENE	4	b	7	30.10	764.3	64	92	ENE	4	o
Tourane,	,,	30.06	763.5	72	...	ENE	4	b	,,	30.05	763.2	70	...	E	4	o
Cape St. James,	,,	...		...	...	...	...	...	,,	29.87	758.7	72	...	NE	4	o
Basco,	14	30.00	762.0	73	71	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.92	759.9	73	94	NE	6	r	,,	...	.	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Vigan,	,,	...	...	...	...	..	...	...	,,	...	...	..	...	...	...	...
Manila,	,,	29.82	757.5	79	89	ESE	2	r	,,	29.87	758.7	72	96	ENE	1	o
Legaspi,	,,	29.81	757.2	82	86	NE	4	o	,,	29.85	758.1	77	92	NE	1	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	75	96	E	4	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	82	77	NE	2	o	,,	29.81	757.2	75	94	NE	2	b
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...		...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	..	...	...
Guam,	12.22	29.81	757.2	...	...	NE	6	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.9	...	...	ENE	4	o	5	29.82	757.5	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...		...	...	...	...	...
Labuan,	14	29.86	758.4	80	91	NE	...	r	6	29.84	757.9	78	91	NE	4	b

December 7*d.* 17*h.* 20*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 118° E., moving W.

December 8*d.* 10*h.* 40*m.*—Warning to Hong Kong, Coast Ports,:—Typhoon of unknown intensity within 120 miles o' Lat. 10° N. Long. 116° E. moving W.

December 8*d.* 10*h.* 40*m.*—The anticyclone has weakened and is now central to the north of Korea.

The position of the depression or typhoon is uncertain. It is probably about 150 miles W. of N. Palawan moving west.

Moderate monsoon may be expected over the N. China Sea.

Manila warning. 7*d.* 18*h.* 00*m.*:—Typhoon in Lat. 10° N. Long. 119° E., moving W. Recd. 7*d.* 19*h.* 27*m.*

Shanghai warning. 7*d.* 14*h.* 50*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 119° E., moving W.N.W. Recd. 7*d.* 15*h.* 30*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th December, 1929.								9th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.36	771.1	23	...	NNE	4	b	6	30.45	773.3	10	...	NNE	6	b
Nemuro,	11	29.84	758.0	...	...	W	2	...	5	30.02	762.5	..	...	NW	5	...
Hokodate,	,,	30.04	763.0	...	...	WNW	4	...	,,	30.24	768.0	..		WNW	2	...
Tokio,	,,	30.08	764.0	...	...	N	1	...	,,	30.18	766.5	..	.	ENE	1	...
Kochi,	,,	30.10	764.5	...	...	...	0	...	,,	30.12	765.0	..	..	...	0	...
Nagasaki,	,,	30.16	766.0	...	...	NNE	1	...	,,	30.14	765.5	..	..	...	0	...
Kagoshima,	,,	30.06	763.5	...	...	ENE	1	...	,,	30.10	764.5	..	...	NW	1	...
Oshima,	,,	30.10	764.5	...	...	...	0	...	,,	30.04	763.0	..	...	...	0	...
Naha,	,,	30.04	763.0	...	...	SE	1	...	,,	30.04	763.0	..	...	NE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	W	1	...	,,	30.00	762.0	..	..	NE	1	...
Bonin Island,	,,	30.04	763.0	...	...	SE	3	...	,,	30.06	763.5	...	...	ENE	1	...
Chefoo,	15	30.32	770.1	40	74	W	2	b	6	30.29	769.3	28	100	...	0	b
Shanghai,	14	30.30	769.5	50	79	NNE	2	o	,,	30.21	767.4	46	87	NNE	1	o
Gutzlaff,	,,	30.31	769.9	50	79	NNE	4	o	,,	30.24	768.1	50	79	NNE	4	o
Sharp Peak,	,,	30.07	763.8	64	78	E	2	o	7	30.00	762.0	60	82	NW	1	o
Amoy,	,,	30.03	762.7	75	64	E	4	b	6	30.07	763.8	62	61	ENE	2	b
Swatow,	,,	30.08	764.0	68	95	SSE	1	b	,,	30.00	762.0	62	95	SSE	2	b
Taihoku,	11	30.12	765.0	68	81	..	0	o	5	30.06	763.5	64	92	E	2	o
Taichu,	,,	30.08	764.1	75	...	NNW	2	b	,,	30.02	762.6	63	...	...	0	b
Tainan,	,,	30.05	763.2	81	...	NNW	2	b	,,	29.99	761.7	63	...	N	2	o
Koshun,	,,	30.04	762.9	77	...	NE	2	o	,,	29.97	761.1	72	...	NNE	4	o
Pescadores,	,,	30.08	764.1	72	...	NNE	4	o	,,	30.02	762.6	66	...	NNE	4	o
Hong Kong,	14	30.01	762.2	71	63	E	2	b	6	30.04	763.0	66	81	E	3	o
Gap Rock,	,,	30.02	762.5	...	...	ENE	4	b	,,	30.03	762.7	..	...	ENE	4	b
Macao,	,,	29.99	761.7	72	57	NE	2	b	,,	30.00	762.0	61	91	NNE	2	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.96	761.0	75	72	NE	5	o	,,	29.98	761.5	71	85	NE	5	o
Phulien,	15	30.01	762.3	79	61	SE	2	o	7	30.02	762.6	64	83	ENE	4	cf
Tourane,	,,	29.98	761.4	73	...	E	6	b	,,	29.98	761.4	72	...	NE	4	o
Cape St. James,	,,	29.80	756.9	81	...	SW	6	b	,,	29.80	756.9	70	...	NNW	2	o
Basco,	14	29.91	759.6	75	76	NNE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.86	758.4	77	86	ENE	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.85	758.1	81	80	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	86	58	S	2	o	,,	...	...	..	...		...	...
Manila,	,,	29.79	756.6	81	73	ESE	1	o	,,	29.86	758.4	70	94	NE	1	o
Legaspi,	,,	29.80	756.9	86	75	NE	4	b	,,	29.84	757.8	77	94	N	1	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	86	71	S	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	71	NE	4	b	,,	29.80	756.9	75	91	NE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	77	...	E	4	b
Guam,	12.22	29.78	756.3	...	...	E	6	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	NNE	4	o	5	29.81	757.2	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.80	756.9	79	...	E	2	o
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	78	...	ENE	1	o
Labuan,	14	29.79	756.6	90	66	NE	2	b	6	29.73	755.1	80	82	SW	4	b

December 8*d.* 18*h.* 00*m.*—Warning to Hong Kong; Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 114° E., moving W.

December 9*d.* 10*h.* 20*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 112° E. moving W.

December 9*d.* 10*h* 26*m.*—The anticyclone remains central to the north of Korea; the typhoon appears to be situated less than 300 miles east of Saigon, moving westward.

Fresh monsoon will prevail over the N. China Sea.

Manila warning. 8*d.* 11*h.* 45*m.*:—Typhoon in Lat. 11° N. Long. 115° E., moving W.N.W. Recd. 8*d.* 12*h.* 41*m.*

Shanghai warning. 8*d.* 12*h.* 05*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 116° E., moving W.N.W. Recd. 8*d.* 12*h.* 41*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th December, 1929.									10th December, 1929.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.44	773.3	19	...	NNE	5	b		6	30.37	771.3	13	...	NNE	4	c	
Nemuro,	11	30.20	767.0	...	...	NNW	3	...		5	30.36	771.0	...	...	SW	1	...	
Hokodate,	,,	30.30	769.5	...	...	NNW	1	...		,,	30.36	771.0	...	...	NNW	1	...	
Tokio,	,,	30.28	769.0	...	...	NE	2	...		,,	30.34	770.5	...	...	N	1	...	
Kochi,	,,	30.16	766.0	...	...	..	0	...		,,	30.14	765.5	...	...	SW	1	...	
Nagasaki,	,,	30.14	765.5	...	...	NE	1	...		,,	30.14	765.5	...	...	ENE	1	...	
Kagoshima,	,,	30.10	764.5	...	...	NE	1	...		,,	30.10	764.5	...	...	NW	1	...	
Oshima,	,,	30.06	763.5	...	...	NNE	1	...		,,	30.06	763.5	...	...	S	1	...	
Naha,	,,	30.02	762.5	...	...	NE	3	...		,,	30.04	763.0	...	...	...	0	...	
Ishigakijima,	,,	30.04	763.0	...	...	NE	2	...		,,	30.06	763.5	...	...	NE	1	...	
Bonin Island,	,,	30.04	763.0	...	...	...	0	...		,,	30.00	762.0	...	...	ENE	1	...	
Chefoo,	15	30.27	768.8	42	75	...	0	0		6	30.24	768.1	34	100	...	0	b	
Shanghai,	14	30.21	767.4	48	92	NNE	1	r		,,	30.24	768.0	45	88	NNW	1	o	
Gutzlaff,	,,	30.22	767.6	50	100	NNE	2	r		,,	30.31	769.9	48	87	NNW	4	of	
Sharp Peak,	,,	30.06	763.5	70	75	NE	1	b		7	30.10	764.5	60	88	N	2	o	
Amoy,	,,	30.02	762.5	75	64	S	2	b		6	30.10	764.5	60	82	ENE	4	o	
Swatow,	,,	29.99	761.7	66	90	ESE	2	b		,,	29.96	761.0	61	95	SE	2	b	
Taihoku,	11	30.06	763.5	72	75	E	4	o		5	30.08	764.0	64	92	E	2	o	
Taichu,	,,	30.06	763.5	75	...	NNW	2	b		,,	30.07	763.8	59	...	...	0	b	
Tainan,	,,	30.04	762.9	77	...	N	2	b		,,	30.04	762.9	61	...	NNE	2	o	
Koshun,	,,	30.02	762.6	79	...	NE	4	b		,,	30.02	762.6	70	...	NE	2	b	
Pescadores,	,,	30.07	763.8	72	...	NNE	4	o		,,	30.05	763.2	68	...	NNE	4	b	
Hong Kong,	14	30.01	762.2	70	68	E	3	c		6	30.05	763.2	65	82	ENE	2	o	
Gap Rock,	,,	30.00	762.0	...	...	ENE	4	b		,,	30.02	762.5	...	...	NE	4	c	
Macao,	,,	29.95	760.8	75	63	SE	2	b		,,	30.02	762.6	63	94	E	2	o	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.97	761.2	74	77	NE	4	c		,,	30.01	762.2	72	78	NE	4	o	
Phulien,	15	29.98	761.4	75	63	ESE	4	o		7	30.06	763.5	63	92	NNW	2	of	
Tourane,	,,	29.95	760.8	68	...	NE	4	o		,,	29.94	760.5	72	...	E	4	rf	
Cape St. James,	,,	...	...	...	...	...	...	...		,,	29.78	756.3	75	...	ENE	10	of	
Basco,	14	29.91	759.6	75	76	NE	4	o		6	...	...	...	...	...	...	...	
Aparri,	,,	29.87	758.7	79	80	NE	4	o		,,	...	...	...	...	...	...	...	
Tuguegarao,	,,	...	...	...	..	...	...	...		,,	...	...	...	...	...	...	...	
Vigan,	,,	...	...	...	...	...	...	...		,,	29.86	758.4	73	89	NW	1	b	
Manila,	,,	29.81	757.2	81	76	W	2	o		,,	29.88	759.0	70	94	ENE	1	o	
Legaspi,	,,	29.79	756.6	86	71	NE	4	b		,,	29.87	758.7	77	94	N	2	o	
Calbayog,	,,	...	...	...	...	...	...	...		,,	29.86	758.4	75	96	WSW	1	b	
Tacloban,	,,	...	...	...	...	...	...	...		,,	29.86	758.4	77	88	W	2	b	
Iloilo,	,,	...	...	...	...	...	...	...		,,	29.84	757.8	75	96	NE	4	o	
Cebu,	,,	...	...	...	...	...	...	...		,,	29.84	757.8	77	88	N	2	o	
Surigao,	,,	..	...	...	...	...	...	...		,,	29.82	757.5	75	96	ESE	2	o	
Saipan,	...	...	...	...	...	...	...	...		5	29.89	759.2	76	...	E	2	bc	
Guam,	12.22	29.78	756.3	...	...	ENE	4	o		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.76	756.0	...	...	NE	2	b		5	29.81	757.2	...	...	ENE	2	o	
Pelew,	...	...	...	...	...	...	...	...		,,	29.80	756.9	77	...	NNE	2	b	
Ponape,	...	...	...	...	...	...	...	...		,,	...	...	78	...	ESE	2	c	
Labuan,	14	29.82	757.4	86	68	NE	6	b		6	29.84	757.9	80	87	...	0	b	

December 9*d.* 17*h.* 22*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 111° E., moving W.N.W.

December 10*d.* 10*h.* 35*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 09° N. Long. 107° E. moving W.S.W.

December 10*d.* 10*h.* 50*m.*—The anticyclone is now central over N. Japan. The typhoon is moving W.S.W. about 60 miles south of Cape St. James from which station a gale of force 10 is reported.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Manila warning. 9*d.* 11*h.* 45*m.*:—Typhoon in Lat. 11° N. Long. 111° E., moving W. Recd. 9*d.* 12*h.* 30*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fine generally.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th December, 1929.								11th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.33	770.3	28	...	ENE	2	c	6	30.27	768.8	32	...	ESE	3	o
Nemuro,	11	30.31	770.0	...	...	WSW	1	...	5	30.32	770.0	...	...	...	...	...
Hokodate,	,,	30.31	770.0	...	...	S	1	...	,,	30.22	767.5	...	...	NNW	1	...
Tokio,	,,	30.26	768.5	...	...	NW	2	...	,,	30.14	765.5	...	...	NNW	2	...
Kochi,	,,	....	..	...	...	..	...	...	,,	30.10	764.5	...	...	SW	1	...
Nagasaki,	,,	30.10	764.5	...	...	WNW	1	...	,,	30.18	766.5	...	...	...	o	...
Kagoshima,	,,	30.06	763.5	...	...	ENE	1	...	,,	30.14	765.5	...	...	NW	1	...
Oshima,	,,	30.06	763.5	...	...	N	1	...	,,	30.10	764.5	...	...	SSE	1	...
Naha,	,,	30.08	764.0	...	...	N	2	...	,,	30.08	764.0	...	...	N	2	...
Ishigakijima,	,,	30.12	765.0	...	...	NNE	2	...	,,	30.08	764.0	...	..	ENE	1	...
Bonin Island,	,,	29.94	760.5	...	...	NNE	1	...	,,	29.94	760.5	...	...	WNW	1	...
Chefoo,	15	30.21	767.3	46	86	NNE	1	o	6	30.32	770.1	38	91	...	o	b
Shanghai,	14	30.22	767.7	54	65	NNW	1	o	,,	30.19	766.8	36	100	WNW	1	b
Gutzlaff,	,,	30.26	768.6	50	93	NNW	4	o	,,	30.23	767.8	47	93	NNW	2	b
Sharp Peak,	,,	30.05	763.2	75	72	E	1	b	7	30.08	764.0	62	83	N	2	o
Amoy,	,,	30.07	763.8	73	67	SE	2	b	6	30.11	764.8	60	90	NE	1	b
Swatow,	,,	...	...	...	...	...	..	...	,,	30.05	763.2	61	94	NE	2	b
Taihoku,	11	30.14	765.6	68	77	ESE	4	o	5	30.10	764.4	63	96	E	4	o
Taichu,	,,	30.10	764.5	75	...	...	o	b	,,	30.08	764.1	55	...	...	o	bf
Tainan,	,,	30.07	763.8	77	...	N	2	b	,,	30.05	763.2	59	...	...	o	b
Koshun,	,,	30.05	763.2	79	...	NE	4	b	,,	30.04	762.9	68	...	...	o	r
Pescadores,	,,	30.11	764.7	73	...	NE	4	b	,,	30.06	763.5	66	...	NE	4	b
Hong Kong,	14	30.05	763.2	68	73	E	4	o	6	30.03	762.7	65	84	E	3	o
Gap Rock,	,,	30.03	762.7	...	...	ENE	4	c	,,	30.03	762.7	...	...	ENE	4	o
Macao,	,,	30.02	762.6	72	65	SE	2	o	,,	29.99	761.7	66	88	SE	4	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.99	761.7	73	81	E	4	o	,,	29.99	761.7	72	90	E	4	o
Phulien,	15	29.98	761.4	75	67	E	2	o	7	29.97	761.1	68	96	NNE	4	o
Tourane,	,,	29.94	760.5	75	...	ENE	2	o	,,	29.95	760.8	72	...	SE	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.94	760.5	79	73	NE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.91	759.0	79	80	NE	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.86	758.4	84	71	...	o	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.81	757.2	82	70	NW	4	o	,,	...	..	...	...	...	...	...
Manila,	,,	29.81	757.2	84	74	WSW	2	o	,,	29.91	759.6	72	94		o	o
Legaspi,	,,	29.81	757.2	86	75	ENE	4	b	,,	29.87	758.7	77	85	N	1	b
Calboyog,	,,	29.81	757.2	82	77	NNE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.80	756.9	84	64	NE	4	h	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	71	NE	6	b	,,	29.85	758.1	73	96	NE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.78	756.3	82	74	ENE	4	b	,,	...	...	...	...	...	.	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	ENE	4	o	5	29.79	756.6	...	...	NE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.83	757.7	84	79	NE	6	b	6	29.79	756.6	78	86	SW	6	o

December 11*d.* 10*h.* 50*m.*—The anticyclone is passing into the Pacific. The typhoon is probably continuing on a westerly course towards N. Malay.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th December, 1929.								12th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.24	768.2	36	...	ESE	2	o	6	30.24	768.2	22	...	NNE	6	o
Nemuro,	11	30.24	768.0	...	...	S	2	...	5	30.18	766.5	...	...	...	o	...
Hokodate,	,,	30.20	767.0	...	...	WSW	1	...	,,	30.22	767.5	...	...	...	o	...
Tokio,	,,	30.10	764.5	...	...	N	2	...	,,	30.22	767.5	...	...	NW	1	...
Kochi,	,,	30.12	765.0	...	...	NNW	1	...	,,	30.18	766.5	...	...	...	o	...
Nagasaki,	,,	30.16	766.0	...	...	N	1	...	,,	30.10	764.5	...	...	E	3	...
Kagoshima,	,,	30.14	765.5	...	...	...	o	...	,,	30.08	764.0	...	...	...	o	...
Oshima,	,,	30.12	765.0	...	...	N	1	...	,,	30.06	763.5	...	...	S	1	...
Naha,	,,	30.12	765.0	...	...	N	1	...	,,	30.08	764.0	...	...	NE	1	...
Ishigakijima,	,,	30.12	765.0	...	...	E	2	...	,,	30.02	762.5	...	...	SE	1	...
Bonin Island,	,,	29.92	760.0	...	...	N	1	...	,,	29.94	760.5	...	...	WNW	1	...
Chefoo,	15	30.12	765.0	46	92	...	o	o	6	30.07	763.8	44	92	NNE	2	r
Shanghai,	14	30.07	763.8	61	55	SSE	1	b	,,	29.98	761.4	52	83	SSE	1	o
Gutzlaff,	,,	30.13	765.3	56	69	SSE	1	b	,,	30.02	762.5	54	100	SSE	1	o
Sharp Peak,	,,	30.11	764.8	68	79	N	1	o	7	29.96	761.0	64	84	...	o	b
Amoy,	,,	30.05	763.2	71	71	SE	4	o	6	30.01	762.2	64	95	SE	2	b
Swatow,	,,	30.05	763.2	62	95	ENE	2	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.08	764.1	73	75	ENE	4	b	5	30.01	762.3	61	96	...	o	b
Taichu,	,,	30.07	763.8	75	...	...	o	b	,,	30.04	762.9	59	...	...	o	b
Tainan,	,,	30.06	763.5	79	...	W	2	b	,,	30.04	762.9	63	...	...	o	b
Koshun,	,,	30.07	763.8	77	...	NE	2	b	,,	30.00	762.0	66	...	...	o	b
Pescadores,	,,	30.07	763.8	73	...	NNE	4	b	,,	30.04	762.9	64	...	...	o	b
Hong Kong,	14	29.98	761.5	68	76	E	4	o	6	29.95	760.7	67	88	E	3	o
Gap Rock,	,,	29.97	761.2	...	...	ENE	4	o	,,	29.95	760.7	...	...	ENE	4	o
Macao,	,,	29.94	760.5	70	82	ESE	4	o	,,	29.92	759.9	68	94	SE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...		...	...
Pratas Island,	,,	29.96	761.0	78	75	E	3	c	,,	29.94	760.5	74	90	E	1	o
Phulien,	15	29.91	759.6	77	79	SSE	1	b	7	29.86	758.4	70	98	S	4	of
Tourane,	,,	29.97	761.1	77	...	SE	2	b	,,	29.92	759.9	72	...	SE	4	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.94	760.5	79	66	ESE	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.89	759.3	81	76	NE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.86	758.4	86	61	NE	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.82	757.5	82	67	WNW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	90	55	ESE	4	o	,,	29.89	759.3	70	94	NNE	1	b
Legaspi,	,,	29.82	757.5	86	68	NE	2	b	,,	29.86	758.4	77	89	N	2	o
Calboyog,	,,	29.82	757.5	82	70	N	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	81	80	NW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	86	65	NE	6	o	,,	29.82	757.5	75	88	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.79	756.6	77	96	...	o	r	,,	...	...	...	...	...		...
Saipan,	...	...	...	...	...	...	...	...	5	29.87	758.7	76	...	ENE	2	bo
Guam,	12.22	29.78	756.3	...	...	NE	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	ENE	4	o	5	29.84	757.8	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.83	757.7	78	...	NE	2	bo
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	81	...	ENE	2	c
Labuan,	14	29.82	757.4	84	83	NE	6	b	6	29.78	756.4	78	86	NE	4	b

December 12*d.* 10*h.* 45*m.*—A feeble anticyclone is central over the Sea of Japan and a shallow depression over S.W. China.

Moderate to light, variable winds over the N. China Sea with coastal fog.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.40 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, ...	E. or variable winds, moderate to light; generally overcast, some drizzle or mist.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th December, 1929.								13th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.22	767.5	25	...	NNE	6	0	6	30.35	770.8	22	...	NNE	5	0
Nemuro,	11	30.18	766.5	...	...	...	0	...	5	30.24	768.0	...	...	...	...	...
Hokodate,	,,	30.20	767.0	...	...	W	1	...	,,	30.22	767.5	...	...	NNW	1	...
Tokio,	,,	30.20	767.0	...	...	NNW	1	...	,,	30.22	767.5	...	...	NNW	1	...
Kochi,	,,	30.14	765.5	...	...	...	0	...	,,	30.12	765.0	...	...	WSW	1	...
Nagasaki,	,,	30.04	763.0	...	...	ESE	5	...	,,	30.12	765.0	...	...	...	0	...
Kagoshima,	,,	30.10	764.5	...	...	...	0	...	,,	30.02	762.5	...	...	...	0	...
Oshima,	,,	30.06	763.5	...	...	S	1	...	,,	30.06	763.5	...	...	...	0	...
Naha,	,,	30.04	763.0	...	...	SSE	1	...	,,	30.04	763.0	...	...	ESE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	S	2	...	,,	30.00	762.0	...	..	NE	1	...
Bonin Island,	,,	29.94	760.5	...	...	NNW	1	...	,,	30.00	762.0	...	...	...	0	...
Chefoo,	15	30.01	762.2	46	100	E	1	0	6	30.10	764.5	46	100	...	0	r
Shanghai,	14	29.95	760.8	61	74	NW	1	0	,,	30.00	762.0	54	95	E	1	o
Gutzlaff,	,,	29.98	761.5	60	90	NW	1	0	,,	30.06	763.5	54	94	NNE	2	o
Sharp Peak,	,,	29.80	756.9	71	76	...	0	b	7	29.93	760.2	65	89	N	1	o
Amoy,	,,	29.71	754.6	72	76	SSE	4	0	6	29.94	760.5	67	95	ESE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...		...	...	...
Taihoku,	11	30.00	762.0	77	61	NW	2	b	5	29.97	761.1	64	94	...	0	o
Taichu,	,,	30.01	762.3	77	...	...	0	o	,,	29.97	761.1	66	...	...	0	b
Tainan,	,,	29.99	761.7	82	...	...	0	b	,,	29.94	760.5	66	...	...	0	b
Koshun,	,,	29.99	761.7	81	...	ENE	4	b	,,	29.93	760.2	73	...	ENE	2	b
Pescadores,	,,	29.99	761.7	81	...	SSE	1	b	,,	29.93	760.2	72	...	E	2	o
Hong Kong,	14	29.90	759.4	71	82	E	2	o	6	29.91	759.7	69	96	E	1	of
Gap Rock,	,,	29.90	759.4	...	...	ENE	4	cm	,,	29.89	759.3	...	...	E	3	cf
Macao,	,,	29.87	758.7	75	83	SE	2	o	,,	29.87	758.7	68	100	SE	2	of
Hoihow,	,,	29.82	757.4	78	83	ESE	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.89	759.2	80	79	E	2	bc	,,	29.90	759.4	72	99	...	0	b
Phulien,	15	29.78	756.3	82	67	S	4	b	7	29.80	756.9	73	94	S	6	o
Tourane,	,,	29.86	758.4	77	...	SE	2	b	,,	29.86	758.4	72	...	SSE	2	o
Cape St. James,	,,	29.85	758.1	79	...	ENE	6	b	,,	...	...	...	...	...	...	...
Basco,	14	29.88	759.0	79	73	NE	6	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.85	758.1	79	80	NE	2	o	,,	...	...	...	...	...	...	...
Tugnegarao,	,,	29.84	757.8	82	67	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.9	84	68	WNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.5	84	64	WSW	2	o	,,	29.88	759.0	66	94	NE	1	b
Legaspi,	,,	29.81	757.2	86	68	NNE	2	b	,,	...	...	...	...	...	...	...
Calboyog,	,,	29.81	757.2	82	81	...	0	r	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.79	756.6	84	77	SE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	84	71	NE	6	o	,,	29.87	758.7	75	96	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	75	88	NW	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	73	96	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	29.85	758.2	76	...	E	2	c
Guam,	12.22	29.76	756.0	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	NE	2	b	5	29.87	758.7	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.84	757.9	77	...	NE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.78	756.4	80	...	E	2	c
Labuan,	14	29.81	757.2	88	69	NE	2	b	6	29.84	757.9	80	91	NE	2	b

December 13*d.* 10*h.* 54*m.*—An anticyclone is situated over S. Manchuria and a shallow depression over S.W. China.

Moderate to light, variable winds over the China Sea with coastal fog.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate to light; generally fair some fog.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th December, 1929.								14th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.39	771.8	23	...	NNE	6	o	6	30.19	766.9	4	...	NNE	7	o
Nemuro,	11	30.16	766.0	...	...	WNW	1	...	5	30.22	767.5	...	...	NNE	3	...
Hokodate,	,,	30.18	766.5	...	...	...	...	...	,,	30.24	768.0	...	...	NNW	1	...
Tokio,	,,	30.20	767.0	...	...	N	1	...	,,	30.16	766.0	...	...	...	0	...
Kochi,	,,	30.08	764.0	...	...	...	0	...	,,	30.10	764.5	...	...	WSW	1	...
Nagasaki,	,,	30.12	765.0	...	...	...	0	...	,,	30.02	762.5	...	...	...	0	...
Kagoshima,	,,	30.10	764.5	...	...	ENE	1	...	,,	30.04	763.0	...	...	...	0	...
Oshima,	,,	30.06	763.5	...	...	SE	1	...	,,	29.98	761.5	...	...	...	0	...
Naha,	,,	30.04	763.0	...	...	SSE	1	...	,,	29.98	761.5	...	...	SSE	1	...
Ishigakijima,	,,	30.02	762.5	...	...	S	1	...	,,	29.92	760.0	...	...	SE	1	...
Bonin Island,	,,	29.98	761.5	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Chefoo,	15	30.03	762.7	46	92	N	1	r	6	30.06	763.5	34	100	NW	2	r
Shanghai,	14	29.88	759.0	68	68	ESE	1	o	,,	29.89	759.3	57	96	NW	2	o
Gutzlaff,	,,	29.95	760.7	58	100	SE	4	of	,,	29.94	760.5	56	72	NNW	4	of
Sharp Peak,	,,	29.87	758.7	74	72	...	0	b	7	29.87	758.7	66	89	N	1	of
Amoy,	,,	29.89	759.2	70	95	SSE	1	o	6	29.90	759.4	68	95	SE	1	of
Swatow,	,,	29.85	758.2	71	95	E	2	c	,,	29.84	757.9	67	100	E	1	o
Taihoku,	11	29.99	761.7	79	66	...	0	b	5	29.93	760.2	63	94	...	0	b
Taichu,	,,	30.00	762.0	81	...	...	0	o	,,	29.94	760.5	68	...	...	0	o
Tainan,	,,	29.97	761.1	84	...	NW	2	b	,,	29.92	759.9	72	...	...	0	o
Koshun,	,,	29.98	761.4	82	...	ENE	2	b	,,	29.92	759.9	68	...	...	0	b
Pescadores,	,,	29.97	761.1	82	...	SSE	2	b	,,	29.94	760.5	72	...	...	0	b
Hong Kong,	14	29.87	758.7	73	82	E	2	om	6	29.88	758.9	68	97	E	3	of
Gap Rock,	,,	29.88	758.9	...	...	ESE	3	of	,,	29.88	758.9	...	...	E	3	o
Macao,	,,	29.84	757.8	77	84	SE	2	o	,,	29.86	758.4	68	98	SE	2	of
Hoihow,	,,	29.78	756.4	85	80	SE	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	758.9	82	75	...	0	b	,,	29.90	759.4	63	91	...	0	b
Phulien,	15	29.75	755.7	79	80	S	4	o	7	29.79	756.6	73	91	S	6	of
Tourane,	,,	29.80	756.9	79	...	SSE	2	b	,,	30.84	757.8	73	...	SE	2	b
Cape St. James,	,,	29.81	757.2	77	...	ENE	6	o	,,	29.85	758.1	75	...	ENE	4	of
Basco,	14	29.87	758.7	82	74	SE	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.85	758.1	81	69	ENE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.82	757.5	79	52	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.82	757.5	84	64	WNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	86	61	WNW	2	b	,,	29.86	758.4	66	92	NE	2	b
Legaspi,	,,	29.84	757.8	86	68	NNE	4	b	,,	29.84	757.8	77	91	N	1	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	73	94	NNE	2	b
Tacloban,	,,	29.84	757.8	86	75	S	4	b	,,	29.86	758.4	75	92	W	2	b
Iloilo,	,,	29.80	756.9	86	65	NE	6	b	,,	29.82	757.5	75	91	NE	4	o
Cebu,	,,	29.80	756.9	86	58	NE	4	o	,,	29.84	757.8	75	83	N	2	b
Surigao,	,,	29.81	757.2	79	91	E	2	o	,,	29.84	757.8	72	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.79	756.6	75	...	NNE	3	bo
Guam,	12.22	29.72	754.8	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	...	NE	2	r	5	29.79	756.6	...	...	NNE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.78	756.4	77	...	NE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.75	755.6	78	...	ESE	2	c
Labuan,	14	29.79	756.6	90	66	...	0	b	6	29.73	755.1	81	74	SE	4	b

December 14*d.* 10*h.* 53*m.*—The anticyclone is central over N.E. Japan. A shallow depression remains stationary over S.W. China.

Moderate to light, variable winds over the China Sea with coastal fog.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
1.—Formosa Channel, ...	E. or variable winds, moderate to light; generally cloudy, some fog.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th December, 1929.								15th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.61	777.6	4	...	NNE	7	o	6	30.57	776.5	6	...	NNE	7	o
Nemuro,	11	...	...	...	...	...	...	...	5	30.47	774.0	...	...	N	1	...
Hokodate,	"	30.22	767.5	...	...	NNW	4	...	"	30.36	771.0	...	...	...	0	...
Tokio,	"	30.10	764.5	...	...	N	1	...	"	30.16	766.0	...	...	N	1	...
Kochi,	"	30.04	763.0	...	...	...	0	...	"	30.02	762.5	...	...	SW	1	...
Nagasaki,	"	29.98	761.5	...	...	ESE	2	...	"	29.94	760.5	...	...	...	0	...
Kagoshima,	"	29.96	761.0	...	...	E	1	...	"	29.92	760.0	...	...	...	0	...
Oshima,	"	29.94	760.5	...	...	S	1	...	"	29.86	758.5	...	...	S	1	...
Naha,	"	29.96	761.0	...	...	S	4	...	"	29.88	759.0	...	...	SSE	1	...
Ishigakijima,	"	29.94	760.5	...	...	S	1	...	"	29.88	759.0	...	...	...	0	...
Bonin Island,	"	29.92	760.0	...	...	...	0	...	"	29.94	760.5	...	...	ENE	1	...
Chefoo,	15	30.08	764.0	34	100	N	2	o	6	30.09	764.3	38	100	NNW	4	r
Shanghai,	14	29.92	759.9	54	95	NW	2	r	"	29.92	759.9	48	100	N	2	o
Gutzlaff,	"	29.94	760.5	54	100	NNW	2	of	"	30.00	762.0	50	100	N	1	o
Sharp Peak,	"	...	...	75	77	N	1	of	7	29.83	757.7	66	89	E	2	of
Amoy,	"	29.82	757.4	80	74	SSE	4	b	6	29.83	757.7	66	95	SE	1	of
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	11	29.92	759.9	79	66	...	0	b	5	29.89	759.3	68	96	...	0	o
Taichu,	"	29.94	760.5	84	...	SW	2	b	"	29.91	759.6	66	...	...	0	b
Tainan,	"	29.92	759.9	86	...	...	0	b	"	29.87	758.7	66	...	...	0	b
Koshun,	"	29.93	760.2	84	...	SSE	2	b	"	29.86	758.4	68	...	...	0	b
Pescadores,	"	29.93	760.2	77	...	W	2	b	"	29.86	758.4	70	...	SSW	2	b
Hong Kong,	14	29.85	758.2	73	86	E	3	o	6	30.81	757.2	73	90	S	2	om
Gap Rock,	"	29.85	758.2	...	...	ESE	3	c	"	29.81	757.2	...	...	SE	3	o
Macao,	"	29.82	757.5	75	86	SSE	2	of	"	29.76	756.0	72	100	SSE	4	of
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.88	758.9	80	90	...	0	b	"	29.84	757.9	71	93	...	0	b
Phulien,	15	29.74	755.4	81	80	SSE	6	b	7	...	...	...	...	...	...	...
Tourane,	"	29.80	756.9	81	...	...	0	b	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Basco,	14	29.84	757.8	82	77	SE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.81	757.2	86	56	SSE	2	b	"	29.86	758.4	73	94	...	0	o
Tuguegarao,	"	29.79	756.6	90	60	SSE	1	o	"	...	...	...	...	...	...	...
Vigan,	"	29.81	757.2	84	64	WNW	2	b	"	29.84	757.8	73	92	WNW	1	b
Manila,	"	29.81	757.2	86	52	SE	4	b	"	29.85	758.1	68	91	N	1	b
Legaspi,	"	29.82	757.5	86	68	NNE	2	b	"	29.85	758.1	72	98	...	0	b
Calboyog,	"	29.80	756.9	86	52	NNE	4	b	"	...	...	...	...	...	...	...
Tacloban,	"	29.79	756.6	86	71	SE	2	b	"	29.86	758.4	73	91	NW	2	b
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.78	756.4	71	...	ENE	3	r
Guam,	12.22	29.71	754.5	...	...	NNE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.72	754.8	...	...	NE	2	o	5	29.75	755.7	...	...	NNE	2	r
Pelew,	...	...	...	...	...	...	...	...	"	29.75	755.6	76	...	NNE	2	r
Ponape,	...	...	...	...	...	...	...	...	"	29.73	755.1	80	...	NE	3	e
Labuan,	14	29.71	754.6	90	70	S	6	b	6	29.85	758.2	78	91	NE	...	...

December 15*d.* 11*h.* 05*m.*—A strong anticyclone is central over S. Manchuria.

The depression over S.W. China appears to have deepened slightly.

Moderate S.E. or variable winds over the N. China Sea with coastal fog.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	S.E. or variable winds, moderate to light; generally cloudy, some fog.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th December, 1929.								16th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.48	774.3	9	...	NNE	7	o	6	30.31	769.9	13	...	NNE	8	o
Nemuro,	11	30.41	772.5	...	...	NNE	1	...	5	30.51	775.0	...	...	SSE	1	...
Hokodate,	,,	30.39	772.0	...	...	ENE	2	...	,,	30.30	769.5	...	...	ESE	2	...
Tokio,	,,	30.16	766.0	...	...	N	2	...	,,	30.22	767.5	...	...	N	2	...
Kochi,	,,	30.00	762.0	...	...	...	0	...	,,	30.02	762.5	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	...	0	...	,,	29.92	760.0	...	...	SE	1	...
Kagoshima,	,,	29.90	759.0	...	...	NNE	1	...	,,	29.94	760.5	...	...	NE	1	...
Oshima,	,,	29.88	759.0	...	...	...	0	...	,,	29.96	761.0	...	...	S	1	...
Naha,	,,	29.88	759.0	...	...	SSW	3	...	,,	29.96	761.0	...	...	SSE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.92	760.0	...	...	SSE	1	...
Bonin Island,	,,	29.92	760.0	...	...	NE	1	...	,,	29.96	761.0	...	...	...	0	...
Chefoo,	15	30.03	762.7	40	100	NNE	4	r	6	30.00	762.0	38	100	NNE	6	r
Shanghai,	14	29.92	759.9	48	100	NW	2	o	,,	30.06	763.5	45	97	NW	4	r
Gutzlaff,	,,	29.99	761.7	50	100	NW	4	r	,,	30.07	763.8	48	100	NNW	4	o
Sharp Peak,	,,	29.79	756.6	68	85	E	1	rf	7	29.88	759.0	65	91	E	2	r
Amoy,	,,	29.82	757.5	71	91	SE	2	o	6	29.88	759.0	68	95	ENE	4	of
Swatow,	,,	29.81	757.2	68	95	S	1	b	,,	29.86	758.4	64	95	SW	2	o
Taihoku,	11	29.91	759.6	77	72	...	0	o	5	29.94	760.5	66	98	...	0	o
Taichu,	,,	29.93	760.2	77	...	...	0	o	,,	29.97	761.1	66	...	...	0	o
Tainan,	,,	29.88	759.0	84	...	W	2	o	,,	29.91	759.6	64	...	...	0	o
Koshun,	,,	29.89	759.3	81	...	NNW	2	o	,,	29.91	759.6	68	...	...	0	b
Pescadores,	,,	29.91	759.6	79	...	W	2	b	,,	29.91	759.6	70	...	ENE	2	b
Hong Kong,	14	29.79	756.6	77	78	SSE	3	o	6	29.85	758.2	73	89	SSE	1	o
Gap Rock,	,,	29.81	757.2	...	...	SSE	3	o	,,	29.84	757.9	...	...	SE	3	c
Macao,	,,	29.76	756.0	77	84	SE	4	o	,,	29.82	757.5	70	98	SSE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.85	758.2	81	74	...	0	bc	,,	29.89	759.2	71	95	...	0	b
Phulien,	15	29.67	753.6	61	83	SSE	4	o	7	29.78	756.3	73	...	SSE	4	of
Tourane,	,,	29.74	755.4	81	...	SE	2	b	,,	29.80	756.9	73	...	W	2	c
Cape St. James,	,,	29.78	756.3	77	...	ENE	6	o	,,	29.82	757.3	75	...	ENE	4	c
Basco,	14	29.82	757.5	81	73	SW	2	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.81	757.2	84	71	NE	2	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.80	756.9	86	71	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.81	757.2	84	60	NW	4	b	,,	29.82	757.5	73	82	ESE	2	b
Manila,	,,	29.79	756.6	86	65	SW	2	b	,,	29.86	758.4	68	94	...	0	b
Legaspi,	,,	29.80	756.9	86	71	ENE	4	b	,,	29.85	758.1	77	89	NNE	2	b
Calboyog,	,,	29.79	756.6	86	56	NE	4	b	,,	29.85	758.1	70	98	N	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	72	94	W	2	b
Iloilo,	,,	29.75	755.7	84	60	NE	6	b	,,	29.82	757.5	73	58	N	4	b
Cebu,	,,	29.78	756.3	...	...	NE	4	b	,,	29.82	757.5	75	79	SE	2	b
Surigao,	,,	29.78	756.3	84	64	ENE	4	b	,,	30.81	757.2	73	92	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.71	754.5	...	...	NE	6	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.72	754.8	...	...	NNE	2	o	5	29.80	756.9	...	...	NE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	29.78	756.4	78	...	...	2	r
Labuan,	14	29.81	757.2	86	68	...	0	b	6	29.73	755.1	80	82	SE	4	b

December 16*d.* 10*h.* 55*m.*—The anticyclone is central to the N.E. of Japan. The depression over S.W. China is shallower.

A depression is shown to the south of Korea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.54 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
1.—Formosa Channel, ...	S.E. to E. or N.E. winds, moderate; generally cloudy, some drizzle or mist, becoming cooler.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th DECEMBER, 1929.								17th DECEMBER, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.19	766.9	17	...	NNE	8	s	6	29.91	759.7	22	...	NNE	4	s
Nemuro,	11	30.51	775.0	...	...	E	1	...	5	29.98	761.5	...	...	ESE	2	...
Hokodate,	,,	30.22	767.5	...	...	E	3	...	,,	29.88	759.0	...	...	...	0	...
Tokio,	,,	30.16	766.0	...	...	N	1	...	,,	29.98	761.5	...	...	...	0	...
Kochi,	,,	30.00	762.0	...	...	ENE	1	...	,,	29.96	761.0	...	...	SW	1	...
Nagasaki,	,,	29.96	761.0	...	...	S	2	...	,,	29.96	761.0	...	...	S	1	...
Kagoshima,	,,	29.96	761.0	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Oshima,	,,	29.98	761.5	...	...	NE	1	...	,,	29.94	760.5	...	...	...	...	...
Naha,	,,	29.98	761.5	...	...	SSW	2	...	,,	29.94	760.5	...	...	SSW	1	...
Ishigakijima,	,,	29.94	760.5	...	...	SSW	1	...	,,	29.96	761.0	...	...	WSW	1	...
Bonin Island,	,,	29.94	760.5	...	...	E	1	...	,,	29.98	761.5	...	...	...	..	...
Chefoo,	15	30.03	762.7	36	83	NW	6	o	6	30.20	767.1	32	100	NW	7	o
Shanghai,	14	30.04	762.9	46	97	NW	1	r	,,	30.22	767.6	39	90	NW	4	o
Gutzlaff,	,,	30.07	763.8	48	100	NNW	4	o	,,	30.22	767.6	42	92	NNW	6	o
Sharp Peak,	,,	29.72	754.9	66	89	E	1	rf	7	29.98	761.5	63	89	NE	2	r
Amoy,	,,	29.91	759.7	70	91	E	2	o	6	29.96	761.0	66	95	SSE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.95	760.8	77	79	...	0	o	5	29.98	761.4	66	94	...	0	o
Taichu,	,,	29.98	761.4	77	...	...	0	o	,,	29.97	761.1	66	...	...	0	o
Tainan,	,,	29.95	760.8	81	...	...	0	o	,,	29.94	760.5	64	...	...	0	b
Koshun,	,,	29.94	760.5	82	...	ESE	2	b	,,	29.94	760.5	63	...	...	0	b
Pescadores,	,,	29.95	760.8	79	...	SSW	2	b	,,	29.94	760.5	70	...	E	2	b
Hong Kong,	14	29.85	758.2	75	84	S	2	o	6	29.93	760.2	71	97	E	2	omd
Gap Rock,	,,	29.86	758.4	...	...	SSE	3	o	,,	29.93	760.2	...	...	ESE	3	cf
Macao,	,,	29.81	757.2	79	80	S	4	o	,,	29.89	759.3	70	100	SSE	...	f
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.90	759.4	80	70	...	0	b	,,	29.93	760.2	72	85	...	0	b
Phulien,	15	29.79	756.6	81	84	SSE	4	b	7	29.87	758.7	72	100	SSE	4	rf
Tourane,	,,	29.84	757.8	81	...	SE	2	b	,,	29.85	758.1	73	...	S	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	75	...	ENE	4	b
Basco,	14	29.87	758.7	82	74	SE	4	b	6	29.92	759.9	72	70	...	0	o
Aparri,	,,	29.84	757.8	86	56	S	4	b	,,	29.89	759.3	70	91	S	2	b
Tuguegarao,	,,	29.82	757.5	86	56	S	1	o	,,	29.89	759.3	66	96	...	0	o
Vigan,	,,	29.82	757.5	84	64	W	2	b	,,	29.86	758.4	72	88	ESE	2	b
Manila,	,,	29.81	757.2	84	60	WSW	2	o	,,	29.87	758.7	68	83	E	1	b
Legaspi,	,,	29.81	757.2	86	75	NE	6	o	,,	29.84	757.8	75	94	NNE	2	o
Calboyog,	,,		...	...	...	...	...	...	,,	29.85	758.1	70	88	NE	1	b
Tacloban,	,,	29.80	756.9	82	63	NE	6	b	,,	29.86	758.4	72	92	N	2	r
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.81	757.2	76	...	ENE	3	c
Guam,	12.22	29.75	755.7	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	ENE	4	o	5	29.78	756.3	...	...	NNE	4	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.78	756.4	78	...	NE	2	bc
Ponape,	...	...	...	...	...	...	...	...	..	29.73	755.1	80	...	ESE	3	c
Labuan,	14	29.80	756.9	88	69	NE	2	b	6	29.85	758.2	80	74	SW	4	b

December 17*d.* 10*h.* 50*m.*—The northern depression is now central over the Sea of Japan.

The depression over S.W. China has filled up. An anticyclone has formed over N. China.

The monsoon will set in again along the S.E. coast of China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·40 inches, against an average of 82.58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	Light E. or N.E. winds, freshening; generally overcast, some drizzle or mist, colder.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th December, 1929.								18th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer. at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.88	758.8	26	...	...	0	s	6	30.24	768.0	3	...	NE	4	b
Nemuro,	11	29.86	758.5	...	...	...	0	...	5	29.55	750.5	...	...	WSW	1	...
Hokodate,	,,	29.78	756.5	...	...	S	2	...	,,	29.78	756.5	...	...	W	4	...
Tokio,	,,	29.92	760.0	...	...	...	0	...	,,	29.80	757.0	...	...	...	0	...
Kochi,	,,	29.92	760.0	...	...	...	0	...	,,	29.92	760.0	...	...	SW	1	...
Nagasaki,	,,	29.94	760.5	...	...	WNW	1	...	,,	30.06	763.5	...	...	WNW	1	...
Kagoshima,	,,	29.92	760.0	...	...	...	0	...	,,	30.02	762.5	...	...	NW	1	...
Oshima,	,,	29.96	761.0	...	...	...	0	...	,,	30.06	763.5	...	...	N	2	...
Naha,	,,	29.98	761.5	...	...	WSW	4	...	,,	30.08	764.0	...	...	N	3	...
Ishigakijima,	,,	30.04	763.0	...	...	N	2	...	,,	30.06	763.5	...	...	ENE	3	...
Bonin Island,	,,	29.96	761.0	...	...	NW	1	...	,,	29.96	761.0	...	...		0	...
Chefoo,	15	30.49	774.4	24	100	NW	6	r	6	30.44	773.2	24	87	NNE	4	o
Shanghai,	14	30.26	768.6	43	76	NW	4	o	,,	30.30	769.5	39	87	N	2	o
Gutzlaff,	,,	30.27	768.8	44	76	NNW	6	o	,,	30.29	769.3	46	86	NNE	4	o
Sharp Peak,	,,	30.07	763.8	62	92	ENE	4	rf	7	30.12	765.0	58	88	ENE	1	o
Amoy,	,,	29.98	761.5	69	91	ENE	4	o	6	30.11	764.8	60	90	ENE	6	o
Swatow,	,,	29.94	760.5	71	90	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.07	763.8	77	68	ESE	2	o	5	30.11	764.7	63	94	E	2	o
Taichu,	,,	30.04	762.9	79	...	NNW	2	b	,,	30.06	763.5	64	...	...	0	o
Tainan,	,,	30.01	762.3	82	...	NNW	2	b	,,	30.02	762.6	66	...	NNE	2	o
Koshun,	,,	30.01	762.3	82	...	E	2	b	,,	30.02	762.6	72	...	NNE	2	o
Pescadores,	,,	30.04	762.9	75	...	NNE	4	o	,,	30.04	762.9	68	...	NNE	6	o
Hong Kong,	14	29.96	761.0	67	95	W	2	orf	6	30.00	762.0	67	90	E	4	o
Gap Rock,	,,	29.96	761.0	...	...	NW	4	om	,,	29.99	761.7	...	...	ENE	4	c
Macao,	,,	29.94	760.5	63	96	NNW	4	of	,,	29.98	761.4	61	96	N	2	o
Hoihow,	,,	29.88	758.9	84	73	SSE	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.94	760.5	79	73	ENE	1	bo	,,	29.98	761.5	74	89	ENE	3	c
Phulien,	15	29.85	758.2	75	85	S	6	o	7	29.88	759.0	70	91	ESE	6	o
Tourane,	,,	29.84	757.8	79	...	S	2	o	,,	29.91	759.6	72	...	S	4	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	72	...	NE	4	o
Basco,	14	29.91	759.6	82	70	SE	4	b	6	29.98	761.4	72	92	SSW	2	b
Aparri,	,,	29.87	758.7	84	64	ENE	4	b	,,	29.95	760.8	68	94	S	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	64	96	...	c	o
Vigan,	,,	29.84	757.8	82	67	WNW	4	b	,,	29.87	758.7	70	92	NW	1	b
Manila,	,,	29.85	758.1	86	58	NE	2	b	,,	29.88	759.0	72	92	NE	2	o
Legaspi,	,,	29.82	757.5	86	68	NE	2	b	,,	29.84	757.8	77	91	NNE	2	b
Calboyog,	,,	29.81	757.2	82	74	SSW	4	o	,,	29.85	758.1	72	91	NNE	2	o
Tacloban,	,,		...	...	...	...	...	...	,,	29.85	758.1	73	91	NW	4	o
Iloilo,	,,	29.80	756.9	86	58	NE	4	b	,,	...	...	...	...	...	..	...
Cebu,	,,	29.79	756.6	84	60	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.80	756.9	75	...	NE	3	bo
Guam,	12.22	29.76	756.0	...	...	SE	4	r	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	ENE	4	o	5	29.76	756.0	...	...	NE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.76	756.0	77	...	ENE	1	bo
Ponape,	...	...	...	...	...	...	...	...	,,	29.73	755.1	79	...	ESE	2	c
Labuan,	14	29.81	757.2	86	68	N	2	b	6	29.73	755.1	82	83	NE	4	b

December 18*d.* 10*h.* 47*m.*—The anticyclone over N. China has weakened slightly. The depression has deepened and passed into the Pacific.

Fresh monsoon along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·11 inch. Total since January 1st, 69·51 inches, against an average of 82.62 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; overcast at first, finer later.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th December, 1929.								19th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.21	767.4	11	...	NE	3	b	6	30.37	771.4	3	...	NNE	1	b
Nemuro,	11	29.65	753.0	...	...	N	1	...	5	29.76	756.0	...	...	WSW	2	...
Hokodate,	,,	29.88	759.0	...	...	WNW	5	...	,,	29.98	761.5	...	...	WNW	5	...
Tokio,	,,	29.78	756.5	...	...	N	1	...	,,	29.94	760.5	...	...	E	1	...
Kochi,	,,	29.90	759.5	...	...	WSW	1	...	,,	29.94	760.5	...	...	SW	1	...
Nagasaki,	,,	30.08	764.0	...	...	...	0	...	,,	30.04	763.0	...	...	...	0	...
Kagoshima,	,,	30.02	762.5	...	...	NW	1	...	,,	30.02	762.5	...	...	...	0	...
Oshima,	,,	30.06	763.5	...	...	N	1	...	,,	30.04	763.0	...	...	N	1	...
Naha,	,,	30.10	764.5	...	...	N	1	...	,,	30.04	763.0	...	...	NE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	E	3	...	,,	30.00	762.0	...	...	ENE	1	...
Bonin Island,	,,	29.92	760.0	...	...	WNW	1	...	,,	29.94	760.5	...	...	...	0	...
Chefoo,	15	30.40	772.1	26	100	NNE	6	o	6	30.39	771.9	26	100	NNW	4	o
Shanghai,	14	30.21	767.4	41	94	NE	2	r	,,	30.17	766.2	43	100	NNE	2	r
Gutzlaff,	,,	30.22	767.6	46	100	NNE	4	r	,,	30.16	766.0	47	100	NNE	4	r
Sharp Peak,	,,	30.02	762.5	60	82	N	1	o	7	29.95	760.7	60	88	N	1	rf
Amoy,	,,	30.02	762.5	68	79	SSE	4	o	6	30.03	762.7	62	91	ENE	4	o
Swatow,	,,	29.94	760.5	65	90	E	2	o	,,	30.01	762.2	63	95	NE	2	o
Taihoku,	11	30.10	764.4	73	75	NNE	4	b	5	29.98	761.4	63	96	...	o	o
Taichu,	,,	30.08	764.1	73	...	NW	2	o	,,	29.98	761.4	61	...	...	o	o
Tainan,	,,	30.04	762.9	79	...	N	4	b	,,	29.94	760.5	64	...	N	2	o
Koshun,	,,	30.02	762.6	77	...	NNE	4	b	,,	29.93	760.2	72	...	...	o	o
Pescadores,	,,	30.08	764.1	72	...	NNE	4	o	,,	29.94	760.5	68	...	NE	4	b
Hong Kong,	14	29.04	760.5	69	86	E	4	o	6	20.90	759.4	67	93	E	3	od
Gap Rock,	,,	29.92	759.9	...	...	ENE	4	b	,,	29.89	759.2	...	...	E	3	o
Macao,	,,	29.92	759.9	70	87	SE	4	o	,,	29.86	758.4	68	98	SE	4	of
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.94	760.5	79	79	E	3	bo	,,	29.90	759.4	74	90	ESE	1	b
Phulien,	15	29.82	757.5	73	89	SE	6	o	7	29.84	757.8	72	98	S	4	cf
Tourane,	,,	29.87	758.7	77	...	SSE	2	b	,,	29.87	758.7	70	...	S	4	b
Cape St. James,	,,	29.85	758.1	79	...	ENE	6	o	,,	29.87	758.7	73	...	ENE	4	b
Basco,	14	29.92	759.9	81	66	NE	2	o	6	29.91	759.6	73	85	ESE	4	o
Aparri,	,,	29.89	759.3	82	81	ENE	2	b	,,	29.91	759.6	70	92	...	o	b
Tuguegarao,	,,	29.87	758.7	84	64	NNE	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.81	757.2	82	57	WNW	2	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	81	76	WSW	2	o	,,	29.87	758.7	72	94	NNE	1	o
Legaspi,	,,	29.84	757.8	79	91	NNE	2	o	,,	29.84	757.8	75	94	N	1	b
Calboyog,	,,	30.81	757.2	86	56	NNE	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	86	65	NE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	82	63	NE	4	o	,,	29.82	757.5	73	91	NE	4	b
Cebu,	,,	29.79	756.6	86	52	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.80	756.9	82	84	N	1	o	,,	29.81	757.2	72	98	...	o	o
Saipan,	...	...	...	...	...	...	...	...	5	29.74	755.4	75	...	NE	3	o
Guam,	12.22	29.71	754.5	...	...	NE	6	o	4.22	29.71	754.5	...	...	NE	6	o
Yap,	11.00	29.73	755.1	...	...	NE	4	o	5	29.75	755.7	...	...	NE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.76	755.9	78	...	NE	2	bo
Ponape,	...	...	...	...	...	...	...	...	,,	29.77	756.1	76	...	...	o	c
Labuan,	14	29.79	756.6	88	69	NE	2	b	6	29.84	757.9	80	91	SW	4	b

December 19*d.* 10*h.* 59*m.*—A strong anticyclone is central over S.E. Mongolia.

Depressions are shown over N. Indo-China and to the S.E. of Guam.

Moderate monsoon over the N. China Sea and along the S.E. coast of China; coastal fog.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 69·57 inches, against an average of 82.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; generally fair, some fog.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th DECEMBER, 1929.								20th DECEMBER, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.36	771.2	10	...	NNE	3	b	6	30.41	772.4	−2	...	NNE	4	c
Nemuro,	11	29.70	754.5	...	...	W	1	...	5	30.00	762.0	...	...	WNW	2	...
Hokodate,	,,	29.98	761.5	...	...	WNW	3	...	,,	30.10	764.5	...	...	...	0	...
Tokio,	,,	29.96	761.0	...	...	ENE	1	...	,,	30.04	763.0	...	...	NNE	1	...
Kochi,	,,	29.92	760.0	...	...	...	0	...	,,	29.88	759.0	...	...	...	0	...
Nagasaki,	,,	30.02	762.5	...	...	...	0	...	,,	29.88	759.0	...	...	...	...	...
Kagoshima,	,,	30.00	762.0	...	...	NW	1	...	,,	29.82	757.5	...	...	NW	1	...
Oshima,	,,	30.04	763.0	...	...	NE	1	...	,,	29.82	757.5	...	...	S	1	...
Naha,	,,	30.02	762.5	...	...	ENE	1	...	,,	29.92	760.0	...	...	NW	4	...
Ishigakijima,	,,	29.98	761.5	...	...	SE	2	...	,,	29.98	761.5	...	..	NNE	2	...
Bonin Island,	,,	29.92	760.0	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Chefoo,	15	30.32	770.1	28	100	NE	2	o	6	30.23	767.8	30	80	NE	4	b
Shanghai,	14	30.14	765.6	43	91	N	2	r	,,	30.32	770.1	34	89	NW	4	o
Gutzlaff,	,,	30.11	764.8	46	100	NNE	6	r	,,	30.29	769.3	40	91	NNW	6	o
Sharp Peak,	,,	29.86	758.4	61	92	N	1	r	7	30.06	763.5	58	90	NNW	1	r
Amoy,	,,	29.91	759.7	63	94	ENE	2	rf	6	30.03	762.7	60	82	NE	4	o
Swatow,	,,	29.86	758.4	67	80	E	1	o	,,	...	...	...	..	...	...	...
Taihoku,	11	29.98	761.4	73	75	...	0	o	5	30.07	763.8	61	96	SW	2	r
Taichu,	,,	29.99	761.7	75	...	...	0	b	,,	30.04	762.9	63	...	...	0	o
Tainan,	,,	29.97	761.1	79	...	...	0	o	,,	29.97	761.1	63	...	NNE	4	b
Koshun,	,,	29.97	761.1	79	...	ENE	4	r	,,	29.94	760.5	68	...	NW	2	o
Pescadores,	,,	29.97	761.1	73	...	NE	4	o	,,	29.99	761.7	66	...	NNE	4	b
Hong Kong,	14	29.86	758.4	70	88	E	3	om	6	30.03	762.7	55	71	N	2	c
Gap Rock,	,,	29.87	758.7	...	...	E	3	bm	,,	30.00	762.0	.	...	NNW	4	b
Macao,	,,	29.85	758.1	75	83	SE	2	o	,,	30.05	763.2	50	84	N	4	o
Hoihow,	,,	29.89	759.2	79	79	SSE	1	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	82	76	...	0	b	,,	29.96	761.0	71	86	NE	5	b
Phulien,	15	29.79	756.6	86	71	S	4	b	7	29.97	761.2	66	...	E	4	or
Tourane,	,,	29.82	757.5	79	...	SE	2	b	,,	29.91	759.8	72	...	SE	2	c
Cape St. James,	,,	29.89	759.3	79	...	ENE	4	o	,,	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	29.91	759.6	73	91	SE	1	b
Aparri,	,,	29.84	757.8	81	73	SE	2	o	,,	29.89	759.3	72	92	...	0	b
Tuguegarao,	,,	29.82	757.5	84	74	SSE	1	o	,,	29.88	759.0	72	96	S	1	o
Vigan,	,,	29.80	756.9	84	55	W	4	b	,,	29.85	758.1	73	85	NNW	1	o
Manila,	,,	29.81	757.2	84	68	NW	2	o	,,	29.87	758.7	72	91	...	0	o
Legaspi,	,,	29.80	756.9	86	71	NE	2	b	,,	29.86	758.4	66	98	N	1	b
Calbayog,	,,	30.81	757.2	86	71	SW	4	b	,,	29.86	758.4	68	96	N	2	o
Tacloban,	,,	29.79	756.6	86	71	NW	2	b	,,	29.86	758.4	73	94	NW	2	b
Iloilo,	,,	29.79	756.6	86	68	NE	4	b	,,	29.85	758.1	72	91	NE	4	b
Cebu,	,,	29.78	756.3	86	56	NE	4	b	,,	29.84	757.8	75	83	...	0	b
Surigao,	,,	29.78	756.3	81	80	N	4	o	,,	29.84	757.8	73	96	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.74	755.4	74	...	ENE	4	c
Guam,	12.22	29.66	753.3	...	...	NE	6	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.69	754.2	...	...	NE	4	o	5	29.75	755.7	...	...	NNE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.78	756.4	77	...	NNE	2	b
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	78	...	...	0	fo
Labuan,	14	29.80	756.9	86	68	NE	6	b	6	29.78	756.4	80	87	...	4	b

December 20*d.* 10*h.* 57*m.*—The northern portion of the anticyclone is moving eastward, leaving a separate anticyclone central over N. China.

Depressions are shown to the east of the Loochoos and to the south of Guam.

Fresh monsoon along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 69·60 inches, against an average of 82.70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	Northerly winds, fresh; fine.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th December, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st December, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.33	770.3	1	...	NNE	4	o	6	30.28	769.2	−5	...	NNE	2	b
Nemuro,	11	29.98	761.5	...	...	WNW	1	...	5	29.67	753.5	...	...	ENE	1	...
Hokodate,	,,	30.02	762.5	...	...	NW	1	...	,,	29.78	756.5	...	...	NNW	2	...
Tokio,	,,	29.94	760.5	...	...	N	2	...	,,	29.84	758.0	...	...	NNW	1	...
Kochi,	,,	29.61	752.0	...	...	...	0	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	WNW	5	...	,,	30.06	763.5	...	...	...	0	...
Kagoshima,	,,	29.84	758.0	...	...	NNW	1	...	,,	30.08	764.0	...	...	...	0	...
Oshima,	,,	29.96	761.0	...	...	NNE	4	...	,,	30.08	764.0	...	...	NNW	1	...
Naha,	,,	30.02	762.5	...	...	NNW	6	...	,,	30.08	764.0	...	...	ENE	1	...
Ishigakijima,	,,	30.06	763.5	...	...	N	3	...	,,	30.06	763.5	...	...	NNE	1	...
Bonin Island,	,,	29.92	760.0	...	...	...	0	...	,,	29.94	760.5	...	...	W	1	...
Chefoo,	15	30.29	769.3	26	100	NW	4	o	6	30.37	771.4	24	100	NW	4	r
Shanghai,	14	30.28	769.2	37	66	NNW	4	o	,,	30.38	771.6	28	83	NW	4	o
Gutzlaff,	,,	30.31	769.9	38	84	NNW	6	o	,,	30.35	770.9	32	100	NNW	6	o
Sharp Peak,	,,	30.16	766.0	58	81	E	4	o	7	30.09	764.3	56	81	E	2	o
Amoy,	,,	30.01	762.2	62	83	ENE	4	o	6	30.04	763.0	54	89	NE	4	h
Swatow,	,,	29.97	761.3	63	84	E	2	o	,,	30.14	765.5	54	88	ENE	2	c
Taihoku,	11	30.12	765.0	63	80	E	4	o	5	30.10	764.4	59	96	E	4	o
Taichu,	,,	30.11	764.7	70	...	NNW	4	b	,,	30.06	763.5	61	...	...	0	o
Tainan,	,,	30.00	762.0	73	...	NNE	4	h	,,	30.01	762.3	59	...	NNE	2	h
Koshun,	,,	30.00	762.0	75	...	NE	4	b	,,	29.99	761.7	66	...	NNE	4	b
Pescadores,	,,	30.01	762.3	68	...	NE	6	o	,,	30.04	762.9	64	...	NNE	6	o
Hong Kong,	14	29.98	761.5	64	60	SW	1	o	6	30.01	762.2	61	77	ENE	2	o
Gap Rock,	,,	29.66	761.0	...	...	N	4	b	,,	29.97	761.2	...	...	ENE	4	o
Macao,	,,	29.98	761.4	59	68	NE	4	o	,,	29.98	761.4	54	83	N	2	cf
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.2	74	76	ENE	4	c	,,	29.96	761.0	70	90	NE	5	cd
Phulien,	15	29.91	759.6	66	88	ESE	6	o	7	29.94	760.5	64	98	E	4	of
Tourane,	,,	29.88	759.0	77	...	SE	2	o	,,	29.91	759.6	70	...	SSW	4	h
Cape St. James,	,,	...	...		...	...	...	...	,,	29.87	758.7	75	...	ENE	4	h
Basco,	14	...	...	...	...	...	...	...	6	29.93	760.2	70	94	NE	4	o
Aparri,	,,	29.85	758.1	82	70	NNE	4	b	,,	29.89	759.3	70	96	S	2	b
Tuguegarao,	,,	20.85	758.1	61	83	NE	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	57	41	S	6	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	84	64	E	2	o	,,	29.86	758.4	68	94	E	1	b
Legaspi,	,,	29.79	756.6	86	71	NE	2	o	,,	29.82	757.5	77	91	N	1	b
Calbayog,	,,	29.80	756.9	86	61	NNW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	72	91	NE	4	b
Cebu,	,,	29.86	758.4	86	61	NE	4	b	,,	...	...	...	...	...	...	...
Surigao,	,,	29.78	756.3	82	84	N	4	o	,,	29.79	756.6	72	96	SW	1	o
Saipan,	...	...	...	...	...	...	...	...	5	29.70	754.4	75	...	E	3	c
Guam,	12.22	29.62	752.4	...	...	ENE	4	o	4.22	29.66	753.3	...	...	S	1	o
Yap,	11.00	29.68	753.9	...	...	NNE	2	o	5	29.72	754.8	...	...	N	2	r
Pelew,	...	...	...	...	...	...	...	...	,,	29.77	756.1	78	...	NNE	1	bo
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	77	...	S	2	bc
Labuan,	14	29.82	757.4	86	68	...	...	...	6	29.84	757.9	80	92	...	...	...

December 21*d.* 10*h.* 55*m.*—The anticyclone remains central over N. China. The northern depression has moved to the N.E. of Tokio.

The southern depression appears to be about 150 miles W. of Guam moving N. or N.N.W.

Fresh monsoon along the S.E. coast of China and over the N. China Sea.

Manila warning. 20*d.* 15*h.* 00*m.*:—Typhoon south of Guam moving W.N.W. or N.W. Recd. 20*d.* 15*h.* 54*m.*

Shanghai warning. 20*d.* 12*h.* 55*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 09° N. Long. 144° E., moving W.N.W. Recd. 20*d.* 22*h.* 10*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·60 inches, against an average of 82.74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; cloudy.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st December, 1929.								22nd December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.21	767.4	1	...	NNE	5	c	6	30.24	768.1	−3	...	NNE	2	c
Nemuro,	11	29.69	754.0	...	...	NNW	1	...	5	29.86	758.5	...	...	...	0	...
Hokodate,	,,	29.80	757.0	...	...	SW	1	...	,,	29.94	760.5	...	...	NNW	1	...
Tokio,	,,	29.92	760.0	...	...	ESE	1	...	,,	29.78	756.5	...	...	...	...	...
Kochi,	,,	30.00	762.0	...	...	...	0	...	,,	30.02	762.5	...	...	W	1	...
Nagasaki,	,,	30.08	764.0	...	...	NW	2	...	,,	30.20	767.0	...	...	NNW	8	...
Kagoshima,	,,	30.04	763.0	...	...	...	0	...	,,	30.14	765.5	...	...	NNW	1	...
Oshima,	,,	30.08	764.0	...	...	N	1	...	,,	30.10	764.5	...	...	N	3	...
Naha,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.06	763.5	...	...	NNE	...	...
Ishigakijima,	,,	30.06	763.5	...	...	E	2	...	,,	30.08	764.0	...	...	NNE	2	...
Bonin Island,	,,	29.96	761.0	...	...	N	1	...	,,	29.96	761.0	...	...	ESE	1	...
Chefoo,	15	30.35	770.9	26	78	NW	6	o	6	30.47	773.9	26	100	NW	4	o
Shanghai,	14	30.40	772.2	28	91	NW	4	r	,,	30.57	776.4	21	95	NW	4	b
Gutzlaff,	,,	30.36	771.1	34	100	NNW	4	r	,,	30.53	775.4	28	100	NW	6	o
Sharp Peak,	,,	30.05	763.2	54	55	NE	7	o	7	30.15	765.8	42	83	NNW	2	o
Amoy,	,,	30.06	763.5	62	67	ENE	2	o	6	30.21	767.3	52	79	NE	4	o
Swatow,	,,	30.00	762.0	58	77	N	1	o	,,	30.15	765.8	44	85	N	2	o
Taihoku,	11	30.07	763.8	66	82	E	4	o	5	30.26	768.6	52	92	E	2	r
Taichu,	,,	30.05	763.2	70	...	N	2	b	,,	30.11	764.7	55	...	N	2	o
Tainan,	,,	30.01	762.3	75	...	NNW	2	b	,,	30.06	763.5	55	...	N	4	o
Koshun,	,,	29.99	761.7	75	...	NNE	4	b	,,	30.02	762.6	66	...	NNE	4	b
Pescadores,	,,	30.02	762.6	70	...	NNE	6	b	,,	30.11	764.7	59	...	NNE	6	o
Hong Kong,	14	30.01	762.2	59	80	N	2	od	6	30.19	766.8	47	80	N	3	cd
Gap Rock,	,,	30.00	762.0	...	...	NNW	5	cm	,,	30.16	766.0	...	...	NNW	5	o
Macao,	,,	30.01	762.3	46	87	NNE	4	o	,,	30.20	767.1	43	85	N	4	o
Hoihow,	,,	29.98	761.4	67	90	ENE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.94	760.5	74	80	NE	4	o	,,	30.04	763.0	68	88	NNE	6	cd
Phulien,	15	29.94	760.5	63	100	ENE	6	o	7	30.21	767.4	50	...	NNE	2	o
Tourane,	,,	29.89	759.3	77	...	ESE	4	o	,,	30.00	762.1	72	...	E	4	of
Cape St. James,	,,	29.84	757.8	77	...	ENE	6	b	,,	29.90	759.4	75	...	ENE	6	o
Basco,	14	29.86	758.4	72	92	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.84	757.8	82	63	NE	4	b	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.9	82	63	NW	2	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	84	55	WSW	2	b	,,	29.89	759.3	66	90	NE	1	b
Legaspi,	,,	29.79	756.6	86	68	NE	2	b	,,	29.86	758.4	75	96	N	1	b
Calboyog,	,,	29.78	756.3	90	72	SW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	84	71	NE	4	o	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.76	756.0	86	61	NE	6	b	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...		...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.75	755.6	77	...	ESE	5	c
Guam,	12.22	29.65	753.0	...	...	S	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.68	753.9	...	...	NNE	4	o	5	29.71	754.5	...	...	NW	1	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.76	755.9	78	...	NE	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.82	757.4	78	...	E	2	c
Labuan,	14	29.81	757.2	86	65	W	4	b	6	29.79	756.6	77	91	...	...	...

December 22*d.* 11*h.* 25*m.*— A strong anticyclone remains central over N. China.

The position of the Guam typhoon is doubtful.

Strong monsoon along the S.E. coast of China and over the N. China Sea.

Shanghai warning. 21*d.* 16*h.* 55*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 142° E., moving N.W. Recd. 21*d.* 17*h.* 30*m.*

Manila warning. 22*d.* 9*h.* 20*m.*:—Typhoon in Lat. 11° N. Long. 141° E., moving N.W. Recd. 22*d.* 9*h.* 38*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·08 inch. Total since January 1st, 69·68 inches, against an average of 82.78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel, ...	Northerly winds, strong; overcast at first, finer later.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd December, 1929.								23rd December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer. at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.20	767.1	8	...	NNE	2	o	6	30.36	771.2	−1	...	N	2	o
Nemuro,	11	29.80	757.0	...	...	NW	1	...	5	29.82	757.5	...	...	WSW	1	...
Hokodate,	,,	29.88	759.0	...	...	NNW	4	...	,,	30.04	763.0	...	...	WNW	1	...
Tokio,	,,	29.78	756.5	...	...	N	1	...	,,	30.12	765.0	...	...	N	2	...
Kochi,	,,	30.02	762.5	...	...	W	1	...	,,	30.28	769.0	...	...	WSW	1	...
Nagasaki,	,,	30.26	768.5	...	...	NW	3	...	,,	30.34	770.5	...	...	...	0	...
Kagoshima,	,,	30.18	766.5	...	...	NNW	2	...	,,	30.28	769.0	...	...	NW	1	...
Oshima,	,,	30.16	766.0	...	...	N	3	...	,,	30.18	766.5	...	...	SSE	1	...
Naha,	,,	30.12	765.0	...	...	NNE	7	...	,,	30.16	766.0	...	...	NE	1	...
Ishigakijima,	,,	30.16	766.0	...	...	NNE	3	...	,,	30.14	765.5	...	..	NE	1	...
Bonin Island,	,,	29.94	760.5	...	...	SSW	1	...	,,	30.02	762.5	...	...	ENE	1	...
Chefoo,	15	30.40	772.1	32	100	WNW	4	b	6	30.31	769.9	24	100	S	1	b
Shanghai,	14	30.56	776.1	32	100	WNW	4	b	,,	30.47	774.0	21	79	WNW	1	b
Gutzlaff,	,,	30.53	775.4	32	100	NNW	6	o	,,	30.48	774.2	28	100	NNW	6	o
Sharp Peak,	,,	30.26	768.6	44	84	ENE	2	o	7	30.15	765.8	46	69	W	1	o
Amoy,	,,	30.24	768.1	52	73	NE	4	o	6	30.31	769.9	50	79	WNW	4	o
Swatow,	,,	30.14	765.5	48	86	N	2	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.33	770.4	54	95	E	2	r	5	30.25	768.3	54	97	...	o	r
Taichu,	,,	30.18	766.5	61	...	N	2	o	,,	30.20	767.1	55	...	...	o	o
Tainan,	,,	30.14	765.6	63	...	N	4	o	,,	30.19	766.8	52	...	N	2	b
Koshun,	,,	30.12	765.0	68	...	NE	6	o	,,	30.15	765.9	59	...	...	o	b
Pescadores,	,,	30.20	767.1	61	...	NNE	6	r	,,	30.20	767.1	61	...	..	4	o
Hong Kong,	14	30.19	766.8	51	66	NNW	1	o	6	30.30	769.6	45	65	N	2	o
Gap Rock,	,,	30.17	766.3	...	...	NNW	6	o	,,	30.28	769.1	...	...	NNW	5	o
Macao,	,,	30.19	766.8	45	64	N	4	o	,,	30.31	769.8	41	69	N	4	o
Hoihow,	,,	...	...	..	...	...	...	...	,,	...	...	...	...		...	...
Pratas Island,	,,	30.08	764.0	68	81	NE	6	o	,,	30.18	766.6	66	79	NE	5	o
Phulien,	15	30.21	767.4	55	60	NNE	2	o	7	30.36	771.2	48	...	NNE	4	o
Tourane,	,,	30.02	761.6	68	...	ENE	6	o	,,	30.14	765.5	66	...	WNW	6	od
Cape St. James,	,,	29.89	759.3	79	...	ENE	4	o	,,	...	...	...	...	...	...	...
Basco,	14	29.95	760.8	72	82	NE	6	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.93	760.2	75	71	NNE	4	r	,,	30.05	763.2	73	82	NNE	4	b
Tuguegarao,	,,	29.91	759.6	68	68	...	o	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.85	758.1	82	86	NNW	6	o	,,	29.97	761.1	68	83	N	4	b
Manila,	,,	29.84	757.8	84	60	SW	2	b	,,	29.95	760.8	70	94	E	1	o
Legaspi,	,,	29.82	757.5	86	71	N	4	b	,,	29.91	759.6	75	92	N	1	o
Calbayog,	,,	29.82	757.5	86	56	N	4	b	,,	29.91	759.6	72	94	N	2	o
Tacloban,	,,	29.81	757.2	84	68	NE	4	o	,,	29.89	759.3	73	94	W	4	o
Iloilo,	,,	29.80	756.9	84	68	NE	4	b	,,	...	...	...	...	...	...	...
Cebu,	,,	29.78	756.3	86	52	NE	4	b	,,	...	...	...		...	...	...
Surigao,	,,	29.79	756.6	79	89	...	o	o	,,	..	...	...	...	...	...	...
Saipan,	...	...	..	...	...	...	...	...	5	29.81	757.2	76	...	ESE	4	c
Guam,	12.22	29.69	754.2	...	...	SE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.67	753.6	...	...	N	1	o	5	29.73	755.1	...	...	...	o	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.76	755.9	79	...	NNW	3	bo
Ponape,	...	...	...	...	...	...	...	...	,,	29.80	756.9	80	...	ENE	2	bo
Labuan,	14	29.80	756.9	88	66	NE	2	b	6	29.85	758.2	80	91	NE	2	b

December 23*d.* 10*h* 50*m.*—The anticyclone is now central over the Yangtze Valley.

The Guam depression or typhoon is probably filling up.

Strong to fresh monsoon along the S.E. coast of China and over the China Sea.

Shanghai warning. 22*d.* 16*h.* 45*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 140° E., moving N.N.W. Recd. 22*d.* 17*h.* 23*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·68 inches, against an average of 82.82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N. winds, fresh; cloudy at first, then clearing.
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd December, 1929.								24th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.28	769.0	14	...	NE	2	o	6	30.08	763.9	4	...	NNE	2	c
Nemuro,	11	29.90	759.5	...	...	WNW	5	...	5	30.08	764.0	...	...	WSW	1	...
Hokodate,	,,	30.14	765.5	...	...	WNW	3	...	,,	30.04	763.0	...	...	NNW	1	...
Tokio,	,,	30.14	765.5	...	...	N	2	...	,,	30.10	764.5	...	...	N	1	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.18	766.5	...	...	...	0	...
Nagasaki,	,,	30.31	770.0	...	...	...	0	...	,,	30.18	766.5	...	...	WSW	5	...
Kagoshima,	,,	30.26	768.5	...	...	NNE	1	...	,,	30.22	767.5	...	...	NW	1	...
Oshima,	,,	30.20	767.0	...	...	...	0	...	,,	30.20	767.0	...	...	N	2	...
Naha,	,,	30.16	766.0	...	...	NNE	1	...	,,	30.20	767.0	...	...	N	3	...
Ishigakijima,	,,	30.16	766.0	...	...	N	1	...	,,	30.18	766.5	...	...	NE	2	...
Bonin Island,	,,	30.02	762.5	...	...	WNW	1	...	,,	30.10	764.5	...	...	...	0	...
Chefoo,	15	30.16	766.0	32	90	NW	4	b	6	30.30	769.6	28	88	NW	4	o
Shanghai,	14	30.41	772.5	37	44	WNW	2	b	,,	30.50	774.6	25	87	WNW	1	b
Gutzlaff,	,,	30.41	772.4	36	100	NW	4	b	,,	30.50	774.7	32	90	NW	4	b
Sharp Peak,	,,	30.1[illegible]	766.3	54	68	NE	1	o	7	30.26	768.6	47	77	NE	1	o
Amoy,	,,	30.22	767.6	56	75	NNW	2	o	6	30.28	769.1	52	73	ENE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	30.31	769.9	49	80	N	1	o
Taihoku,	11	30.27	768.9	57	93	...	0	r	5	30.26	768.6	55	96	E	2	o
Taichu,	,,	30.22	767.7	64	...	N	2	b	,,	30.21	767.4	55	...	N	2	o
Tainan,	,,	30.19	766.8	70	...	N	2	b	,,	30.15	765.9	55	...	NNE	4	b
Koshun,	,,	30.17	766.2	70	...	...	0	o	,,	30.13	765.3	63	...	NNW	2	b
Pescadores,	,,	30.24	768.0	59	...	NNE	4	o	,,	30.19	766.8	61	...	NNE	6	o
Hong Kong,	14	30.22	767.6	54	53	WNW	2	c	6	30.24	768.1	45	69	...	0	b
Gap Rock,	,,	30.22	767.6	...	...	NNW	5	c	,,	30.23	767.8	...	...	NNE	4	o
Macao,	,,	30.26	768.6	46	59	N	4	o	,,	30.24	768.0	43	62	N	4	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...		...	...
Pratas Island,	,,	30.14	765.5	69	69	NNE	3	o	,,	30.16	766.0	66	74	NE	4	o
Phulien,	15	30.28	769.2	57	51	NW	4	o	7	30.31	769.8	50	79	NNE	2	bf
Tourane,	,,	30.13	765.3	64	...	N	6	o	,,	30.17	766.2	64	...	NNW	4	cf
Cape St. James,	,,	29.92	759.9	79	...	ENE	4	b	,,	29.98	761.4	73	...	ENE	7	of
Basco,	14	30.01	762.3	73	75	NNE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.98	761.4	79	69	N	4	o	,,	30.02	762.6	73	79	NE	4	o
Tuguegarao,	,,	29.94	760.5	79	69	N	4	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.88	759.0	79	66	N	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.87	758.7	81	69	S	2	o	,,	29.94	760.5	72	96	NE	2	o
Legaspi,	,,	29.85	758.1	84	81	NNE	2	o	,,	29.87	758.7	79	90	N	4	o
Calbayog,	,,	29.85	758.1	79	80	N	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	82	67	N	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	82	63	NE	6	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.80	756.9	86	61	N[illegible]	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.68	753.9	...	...	SE	2	o	5	29.75	755.7	...	...	ENE	2	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	86	68	NE	2	b	6	29.83	757.7	78	78	NE	4	b

December 24*d.* 10*h.* 52*m.*—The anticyclone remains central over the lower Yangtze Valley.

Fresh monsoon along the S.E. coast of China and over the China Sea.

Manila warning. 23*d.* 11*h.* 00*m.*:—Typhoon in Lat. 14° N. Long. 138° E., moving N.W. Recd. 23*d.* 17*h.* 30*m.*

Shanghai warning. 23*d.* 14*h.* 55*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 142° E., moving N.N.E. Recd. 23*d.* 15*h.* 18*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·68 inches, against an average of 82.86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hong Kong and Lamocks,	N.E. winds, fresh; fair.
3.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; fair.

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th December, 1929.								25th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.13	765.2	10	...	NE	4	b	6	30.36	771.0	2	...	NNE	1	b
Nemuro,	11	29.96	761.0	...	...	...	...	...	5	30.41	747.0	...	...	W	6	...
Hokodate,	,,	29.78	756.5	...	...	SE	2	...	,,	29.90	759.5	...	...	WNW	6	...
Tokio,	,,	29.92	760.0	...	...	...	0	...	,,	30.06	763.5	...	...	N	2	...
Kochi,	,,	30.10	764.5	...	...	WSW	1	...	,,	30.32	770.0	...	...	...	0	...
Nagasaki,	,,	30.24	768.0	...	...	WNW	5	...	,,	30.41	772.5	...	...	N	1	...
Kagoshima,	,,	30.20	767.0	...	...	WNW	1	...	,,	30.38	771.5	...	...	NW	1	...
Oshima,	,,	30.26	768.5	...	...	N	2	...	,,	30.28	769.0	...	...	N	1	...
Naha,	,,	30.24	768.0	...	...	NNE	5	...	,,	30.26	768.5	...	...	NE	2	...
Ishigakijima,	,,	30.22	767.5	...	...	NNE	3	...	,,	30.18	766.5	...	..	ENE	4	...
Bonin Island,	,,	30.08	764.0	...	...	N	1	...	,,	30.14	765.5	...	...	W	1	...
Chefoo,	15	30.41	772.4	32	100	NW	4	b	6	30.16	766.0	24	100	...	0	b
Shanghai,	14	30.49	774.3	39	52	NW	1	b	,,	30.44	773.1	25	100	...	0	bf
Gutzlaff,	,,	30.50	774.7	40	65	NNW	4	b	,,	30.48	774.2	36	90	N	2	b
Sharp Peak,	,,	30.23	767.8	54	62	ENE	2	o	7	30.23	767.8	50	72	N	1	o
Amoy,	,,	30.22	767.6	60	55	NE	4	o	6	30.23	767.8	56	75	NE	4	b
Swatow,	,,	30.16	766.0	59	72	E	2	b	,,	30.25	768.3	51	87	NE	2	c
Taihoku,	11	30.32	770.1	59	85	E	4	of	5	30.25	768.3	57	96	E	4	o
Taichu,	,,	30.22	767.7	64	...	N	4	b	,,	30.18	766.5	52	...	...	0	b
Tainan,	,,	30.20	767.1	61	...	NNE	4	b	,,	30.14	765.6	54	...	NNE	2	b
Koshun,	,,	30.18	766.5	70	...	NNE	4	b	,,	30.10	764.4	66	...	NE	6	b
Pescadores,	,,	30.24	768.0	63	...	SE	6	o	,,	30.15	765.9	64	...	NNE	6	o
Hong Kong,	14	30.18	766.6	59	60	ESE	1	o	6	30.15	765.8	59	65	E	3	o
Gap Rock,	,,	30.18	766.6	...	...	NNW	4	o	,,	30.12	765.0	...	...	ENE	4	c
Macao,	,,	30.14	765.6	55	60	ENE	2	o	,,	30.11	764.7	52	80	N	2	o
Hoihow,	,,	30.16	766.0	72	68	NE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.11	764.8	69	75	NE	5	o	,,	30.08	764.0	70	74	NE	4	c
Phulien,	15	30.17	766.2	64	62	SSW	2	o	7	30.13	765.2	55	...	NE	2	o
Tourane,	,,	...	...	66	...	NNW	4	o	,,	30.07	763.7	66	...	WNW	2	of
Cape St. James,	,,	29.93	760.2	77	...	ENE	4	o	,,	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	..	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	29.95	760.8	79	69	NNE	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.86	758.4	86	52	ENE	4	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.80	756.9	86	71	NNE	2	o	,,	...	...	...	...	...	...	...
Calboyog,	,,	29.80	756.9	82	70	S	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	756.0	81	84	NW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	82	67	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.75	755.7	86	52	NW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	77	92	N	2	r	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	...	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.71	754.5	...	..	ENE	4	o	5	...	...	...	...	...	...	...
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	..	...	...	...	,,	..	...	...	...	...	...	...
Labuan,	14	29.81	757.2	84	68	NE	6	b	6	29.83	757.7	78	94	NE	7	b

December 25*d.* 11*h.* 00*m.*—The anticyclone is central over the Yellow Sea.

A depression is shown to the N.E. of Hokkaido.

Fresh to moderate monsoon along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·68 inches, against an average of 82.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock, ...	
4.—South coast of China between Hong Kong and Hainan,.	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th December, 1929.								26th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.30	769.5	14	...	E	4	b	6	30.11	764.8	6	...	...	0	b
Nemuro,	11	29.67	753.5	...	...	NW	7	...	5	30.12	765.0	...	...	WSW	1	...
Hokodate,	,,	30.00	762.0	...	...	WNW	5	...	,,	30.24	768.0	...	...	W	1	...
Tokio,	,,	30.12	765.0	...	...	NW	3	...	,,	30.38	771.5	...	...	...	0	...
Kochi,	,,	30.31	770.0	...	...	SW	1	...	,,	30.41	772.5	...	...	W	1	...
Nagasaki,	,,	30.41	772.5	...	...	...	0	...	,,	30.36	771.0	...	...	E	1	...
Kagoshima,	,,	30.37	771.5	...	...	...	0	...	,,	30.36	771.0	...	...	NW	1	...
Oshima,	,,	30.30	769.5	...	...	NNE	2	...	,,	30.24	768.0	...	...	...	0	...
Naha,	,,	30.28	769.0	...	...	NE	4	...	,,	30.18	766.5	...	...	ENE	1	...
Ishigakijima,	,,	30.22	767.5	...	...	E	3	...	,,	30.10	764.5	...	...	ESE	2	...
Bonin Island,	,,	30.10	764.5	...	...	N	1	...	,,	30.22	767.5	...	...	NE	1	...
Chefoo,	15	30.25	768.3	40	91	SW	2	o	6	30.09	764.3	36	90	...	0	o
Shanghai,	14	30.34	770.7	50	62	SE	4	o	,,	30.18	766.5	45	100	W	1	rf
Gutzlaff,	,,	30.36	771.1	46	86	WNW	2	o	,,	30.20	767.1	46	100	NW	4	rf
Sharp Peak,	,,	30.09	764.3	54	80	NE	2	o	7	30.04	763.0	58	85	NW	2	o
Amoy,	,,	30.11	764.7	65	73	ENE	4	b	6	30.10	764.5	58	94	NE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	30.04	763.0	59	89	E	1	o
Taihoku,	11	30.20	767.1	66	76	NNE	4	b	5	30.08	764.1	59	93	SW	2	b
Taichu,	,,	30.15	765.9	72	...	...	0	b	,,	30.12	765.0	61	...		0	o
Tainan,	,,	30.13	765.3	73	...	N	2	b	,,	30.07	763.8	63	...	NNE	2	o
Koshun,	,,	30.11	764.7	73	...	NE	4	b	,,	30.04	762.9	68	...	...	0	b
Pescadores,	,,	30.04	762.9	70	...	NNE	4	b	,,	30.10	764.4	63	...	N	4	o
Hong Kong,	14	30.08	764.0	64	65	E	4	o	6	30.04	76[illegible].0	63	80	E	3	c
Gap Rock,	,,	30.07	763.8	...	...	ENE	5	c	,,	30.04	763.0	...	...	ENE	4	o
Macao,	,,	30.06	763.5	66	96	SE	2	b	,,	30.01	762.3	59	85	NNE	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.02	762.5	73	79	ENE	4	o	,,	30.00	762.0	70	92	NE	5	od
Phulien,	15	30.06	763.5	63	80	WNW	2	o	7	30.02	762.4	61	...	NE	2	cf
Tourane,	,,	30.00	762.0	72	...	N	2	o	,,	29.99	761.7	66	...	WNW	2	fo
Cape St. James,	,,	29.89	759.3	77	...	ENE	4	o	,,	...	...	...	...	...	...	...
Baseo,	14	29.95	760.8	73	82	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.91	759.6	82	67	ENE	4	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.87	758.7	82	67	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	86	41	NNE	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	82	70	NNW	2	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.73	755.1	75	98	N	4	r	,,	...	...	...	...	...	...	...
Calboyog,	,,	29.72	754.8	75	86	...	0	r	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	77	84	NE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	77	92	NE	4	r	,,	...	...	...	...	...	...	...
Cebu,	,,	29.69	754.2	77	89	SW	2	r	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.82	757.5	75	...	E	3	bo
Guam,	12.22	29.74	755.4	...	...	SW	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.71	754.5	...	...	E	4	o	5	...	...	...	...	...	...	...
Pelew,	...	...	...	...	...	...	...	...	,,	29.76	755.9	76	...	WSW	1	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.78	756.4	80	...	ENE	2	o
Labuan,	14	29.81	757.2	86	68	NE	4	b	6	29.73	755.1	77	73	...	...	b

December 26*d.* 10*h.* 37*m.*—The anticyclone is central over mid-Japan.

Fresh to moderate monsoon over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·68 inches, against an average of 82.94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hong Kong and Lamocks,	E. winds, moderate; fine.
3.—Hong Kong to Gap Rock,	E. winds, moderate; fine.
4.—South coast of China between Hong Kong and Hainan,	E. winds, moderate; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th December, 1929.								27th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	30.25	768.2	29	...	ENE	2	o	6	30.32	770.1	13	...	NNW	2	b
Nemuro,	11	30.16	766.0	...	...	W	1	...	5	29.67	753.5	...	...	NW	1	...
Hokodate,	"	30.18	766.5	...	...	SW	1	...	"	29.78	756.5	..	...	W	4	...
Tokio,	"	30.35	771.0	...	...	ENE	1	...	"	30.10	764.5	...	...	...	0	...
Kochi,	"	30.37	771.5	...	...	...	0	...	"	30.20	767.0	...	...	WSW	1	...
Nagasaki,	"	30.28	769.0	...	...	E	1	...	"	30.08	764.0	..	...	SE	3	...
Kagoshima,	"	30.31	770.0	...	...	WSW	1	...	"	30.12	765.0	..	...	...	...	...
Oshima,	"	30.22	767.5	...	...	SE	1	...	"	30.12	765.0	..	...	S	1	...
Naha,	"	30.16	766.0	...	...	ESE	2	...	"	30.10	764.5	..	...	ESE	1	...
Ishigakijima,	"	30.12	767.0	...	...	ESE	3	...	"	30.04	763.0	...	...	NE	1	...
Bonin Island,	"	30.28	769.0	...	...	NE	1	...	"	30.22	767.5	...	...	E	1	...
Chefoo,	15	30.18	766.5	38	91	N	2	b	6	30.42	772.6	30	88	N	6	b
Shanghai,	14	30.12	765.0	48	95	NNW	1	o	"	30.15	765.9	45	97	N	1	r
Gutzlaff,	"	30.14	765.5	48	100	NNW	1	rf	"	30.18	766.6	44	100	NNE	4	bf
Sharp Peak,	"	29.83	757.7	76	64	W	1	b	7	29.89	759.2	60	93	N	1	of
Amoy,	"	29.99	761.7	63	65	WSW	2	b	6	30.02	762.5	60	94	SE	2	b
Swatow,	"	29.99	761.7	64	84	E	1	c	"	...	...	...	...	...	...	...
Taihoku,	11	30.25	768.3	70	69	E	2	o	5	30.04	762.9	54	97	...	0	bf
Taichu,	"	30.13	765.3	66	...	NNW	2	b	"	30.05	763.2	54	...	...	0	b
Tainan,	"	30.08	764.1	72	...	NE	4	b	"	29.99	761.7	57	...	NNE	2	b
Koshun,	"	30.05	763.2	75	...	NNE	2	o	"	29.92	759.9	73	...	NE	2	b
Pescadores,	"	30.08	764.1	73	...	NE	4	b	"	30.00	762.0	64	...	NNE	2	b
Hong Kong,	14	29.97	761.2	69	68	ESE	3	c	6	29.95	760.7	67	77	E	3	o
Gap Rock,	"	29.98	761.5	...	...	ENE	4	o	"	29.95	760.7	...	...	ENE	4	o
Macao,	"	29.95	760.8	72	70	SE	2	o	"	29.92	759.9	64	90	ESE	2	of
Hoihow,	"	29.90	759.4	73	91	ENE	2	o	"	...	...	...	...	...	...	...
Pratas Island,	"	29.93	760.2	72	73	NE	5	o	"	29.93	760.2	72	78	E	4	c
Phulien,	15	29.88	759.0	72	75	SSE	2	o	7	29.92	759.9	64	94	ESE	4	o
Tourane,	"	29.91	759.6	73	...	E	2	o	"	29.91	759.7	70	...	S	2	o
Cape St. James,	"	29.84	757.8	79	...	SW	2	of	"	29.87	758.7	72	...	WNW	2	o
Basco,	14	29.89	759.3	77	61	ESE	4	o	6	29.92	759.9	75	83	NE	2	o
Aparri,	"	29.87	758.7	79	73	ENE	4	o	"	29.86	758.4	75	91	ENE	4	r
Tuguegarao,	"	29.84	757.8	82	70	N	1	o	"	29.85	758.1	72	98	...	0	r
Vigan,	"	29.73	755.1	86	52	NW	4	b	"	...	...	...	...	...	...	...
Manila,	"	29.76	756.0	79	89	...	0	o	"	29.80	756.9	72	96	NE	1	o
Legaspi,	"	29.71	754.5	81	90	NE	4	o	"	...	...	...	...	...	...	...
Calboyog,	"	29.72	754.8	79	89	...	0	o	"	...	...	...	...	...	...	...
Tacloban,	"	29.72	754.8	77	92	S	2	r	"	29.78	756.3	73	96	W	2	o
Iloilo,	"	29.66	753.3	82	81	NE	6	o	"	29.75	755.7	75	91	NNE	4	o
Cebu,	"	29.69	754.2	81	80	NE	2	o	"	29.75	755.7	75	71	N	4	b
Surigao,	"	29.68	753.9	79	90	E	2	o	"	29.74	755.4	72	98	...	0	o
Saipan,	...	...	...	...	...	...	...	...	5	29.83	757.7	76	...	ENE	4	bc
Guam,	12.22	29.74	755.4	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.73	755.1	...	...	E	4	o	5	29.76	756.0	...	...	NE	4	o
Pelew,	...	...	...	...	...	...	...	...	"	29.78	756.3	75	...	SE	1	bo
Ponape,	...	...	...	...	...	...	...	...	"	29.77	756.1	75	...	ESE	1	bo
Labuan,	14	29.82	757.4	84	68	NE	6	b	6	29.85	758.2	80	82	NE	6	b

December 27*d.* 11*h.* 03*m.*— An anticyclone has formed over S.E. Mongolia.

Moderate monsoon along the S.E. coast of China and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·68 inches, against an average of 82.98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, moderate; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th December, 1929.								28th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.41	772.5	15	...	NNE	4	b	6	30.68	779.2	1	...	NNE	2	b
Nemuro,	11	29.53	750.0	...	...	W	4	...	5	30.18	766.5	...	...	NW	2	...
Hokodate,	,,	30.02	762.5	...	...	W	6	...	,,	30.30	769.5	...	...	NNW	1	...
Tokio,	,,	30.00	762.0	...	...	S	2	...	,,	30.22	767.5	...	...	N	1	...
Kochi,	,,	30.10	764.5	...	...	WSW	1	...	,,	30.10	764.5	...	...	SW	1	...
Nagasaki,	,,	30.12	765.0	...	...	WNW	2	...	,,	30.08	764.0	...	...	ENE	1	...
Kagoshima,	,,	30.08	764.0	...	...	SW	2	...	,,	30.08	764.0	...	...	...	0	...
Oshima,	,,	30.10	764.5	...	...	S	1	...	,,	30.08	764.0	...	...	...	...	...
Naha,	,,	30.10	764.5	...	...	SE	1	...	,,	30.06	763.5	...	...	SE	1	...
Ishigakijima,	,,	30.06	763.5	...	...	E	2	...	,,	30.02	762.5	...	..	NE	1	...
Bonin Island,	,,	30.18	766.5	...	...	ESE	1	...	,,	30.10	764.5	...	...	...	...	...
Chefoo,	15	30.43	772.9	32	82	N	2	o	6	30.36	771.1	30	100	NE	2	b
Shanghai,	14	30.12	765.0	48	97	ENE	1	cf	,,	30.20	767.1	45	97	N	4	r
Gutzlaff,	,,	30.12	765.0	48	100	NE	4	rf	,,	30.18	766.6	46	100	NNW	4	r
Sharp Peak,	,,	29.94	760.5	77	61	NE	1	b	7	29.96	761.0	60	88	NNW	1	b
Amoy,	,,	29.94	760.5	72	71	SSE	4	b	6	30.02	762.5	62	94	SSE	1	o
Swatow,	,,	29.90	759.4	68	71	E	1	b	,,	30.05	761.2	53	94	NE	1	o
Taihoku,	11	30.04	762.9	72	71	...	0	b	5	30.02	762.6	61	98	...	0	r
Taichu,	,,	30.05	763.2	75	...	...	0	b	,,	30.01	762.3	64	...	...	0	o
Tainan,	,,	30.00	762.0	77	...	NNE	4	b	,,	29.95	760.8	66	...	NNE	2	o
Koshun,	,,	30.00	762.0	77	...	NE	4	b	,,	29.95	760.8	73	...	...	0	o
Pescadores,	,,	30.02	762.6	72	...	NNE	4	o	,,	29.99	761.7	68	...	NNE	4	o
Hong Kong,	14	29.94	760.5	73	62	E	3	c	6	29.96	761.0	68	67		0	c
Gap Rock,	,,	29.94	760.5	...	...	ENE	4	b	,,	29.96	761.0	...	...	NE	4	b
Macao,	,,	29.93	760.2	73	66	E	2	o	,,	29.94	760.5	64	80	N	2	o
Hoihow,	,,	29.89	759.3	74	91	ENE	1	c	,,	...		...	...	...	...	...
Pratas Island,	,,	29.91	759.7	76	78	E	3	o	,,	29.92	759.9	72	91	NE	4	o
Phulien,	15	29.89	759.3	81	66	SSE	4	o	7	29.94	760.5	66	96	E	4	bf
Tourane,	,,	29.88	759.0	75	...	E	2	o	,,	29.89	759.3	70	...	S	2	b
Cape St. James,	,,	29.82	757.5	79	...	W	2	o	,,	29.84	757.8	75	...	WNW	2	o
Basco,	14	29.87	758.7	81	73	ENE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.84	757.8	77	91	E	2	r	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.82	757.5	81	84	NW	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.4	90	57	SW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	81	80	WNW	2	o	,,	29.84	757.8	75	96	...	0	o
Legaspi,	,,	29.75	755.7	79	96	NNE	2	o	,,	29.82	757.5	79	94	NE	2	o
Calboyog,	,,	29.75	755.7	79	90	NNE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.75	755.7	79	91	S	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	82	77	NE	4	o	,,	29.80	756.9	75	96	NE	2	o
Cebu,	,,	29.71	754.5	84	68	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.72	754.8	82	81	NE	2	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	...	ENE	4	o	5	29.82	757.5	...	...	NE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Labuan,	14	29.81	757.2	84	68	NE	6	b	6	29.73	755.1	78	78	SW	4	b

December 28*d.* 10*h.* 35*m.*—The anticyclone is central over S. Manchuria.

Moderate to fresh monsoon along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·68 inches, against an average of 83.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hong Kong and Lamocks,	
3.—Hong Kong to Gap Rock,	
4.—South coast of China between Hong Kong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th December, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	29th December, 1929. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.66	778.7	10	...	NNE	3	c	6	29.56	776.2	2	...	N	5	o
Nemuro,	11	30.22	767.5	...	...	NW	2	...	5	30.34	770.5	...	...	NW	3	...
Hokodate,	,,	30.31	770.0	...	...	W	4	...	,,	30.43	773.0	...	...	WNW	3	...
Tokio,	,,	30.28	769.0	...	...	NE	1	...	,,	30.36	771.0	...	...	N	1	...
Kochi,	,,	30.12	765.0	...	...	...	...	...	,,	30.18	766.5	...	...	...	0	...
Nagasaki,	,,	30.08	764.0	...	...	E	1	...	,,	30.16	766.0	...	...	NE	1	...
Kagoshima,	,,	30.08	764.0	...	...	...	0	...	,,	30.10	764.5	...	...	ENE	1	...
Oshima,	,,	30.08	764.0	...	...	S	1	...	,,	30.08	764.0	...	...	NW	1	...
Naha,	,,	30.08	764.0	...	...	SSE	1	...	,,	30.06	763.5	...	...	NE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	NE	1	...	,,	30.06	763.5	...	...	NNE	1	...
Bonin Island,	,,	30.08	764.0	...	...	SSW	1	...	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	30.38	771.6	34	90	N	1	o	6	30.38	771.6	32	90	NW	2	o
Shanghai,	14	30.27	768.9	46	87	NNW	2	o	,,	30.37	771.3	39	84	NNW	4	o
Gutzlaff,	,,	30.27	768.8	44	100	NNW	6	o	,,	30.36	771.1	40	100	NNW	6	o
Sharp Peak,	,,	29.97	761.2	67	79	E	2	o	7	30.14	765.5	54	94	E	2	rf
Amoy,	,,	29.98	761.5	67	84	S	2	o	6	30.14	765.5	60	90	ENE	4	o
Swatow,	,,	29.94	760.5	66	85	E	1	o	,,	30.00	762.0	61	94	NE	2	or
Taihoku,	11	30.06	763.5	70	85	...	0	o	5	30.12	765.0	61	93	E	4	b
Taichu,	,,	30.01	762.3	77	...	...	0	o	,,	30.02	762.6	64	...	NNE	2	o
Tainan,	,,	30.00	762.0	75	...	NNE	4	o	,,	29.99	761.7	64	...	NNE	2	o
Koshun,	,,	29.97	761.1	82	...	NE	4	b	,,	29.95	760.8	72	...	NE	4	b
Pescadores,	,,	30.01	762.3	72	...	NNE	4	o	,,	30.01	762.3	66	...	NE	6	o
Hong Kong,	14	29.95	760.7	73	65	E	3	o	6	30.00	762.0	66	85	...	0	cd
Gap Rock,	,,	29.95	760.7	...	...	ENE	3	o	,,	30.02	762.5	...	...	NE	4	o
Macao,	,,	29.94	760.5	75	71	ESE	2	o	,,	29.98	761.4	59	85	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...		...	...	...	...	...
Pratas Island,	,,	29.92	759.9	75	86	NE	4	o	,,	29.95	760.7	72	95	NE	5	od
Phulien,	15	29.95	760.8	77	68	SE	4	o	7	30.02	762.4	64	96	ENE	2	cf
Tourane,	,,	29.91	759.6	77	...	N	2	o	,,	29.93	760.3	72	...	NNE	4	of
Cape St. James,	,,	29.81	757.2	79	...	SW	2	o	,,	29.82	757.5	75	...	WNW	2	c
Basco,	14	29.88	759.0	82	77	SE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.85	758.1	82	74	ENE	2	o	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	29.85	758.1	84	77	S	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.9	82	60	SE	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	82	81	W	2	o	,,	29.86	758.4	72	96	...	0	o
Legaspi,	,,	29.80	756.9	86	81	ENE	2	o	,,	29.85	758.1	79	96	N	2	b
Calbayog,	,,	29.79	756.6	82	84	SW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	75	91	NW	2	b
Iloilo,	,,	29.75	755.7	86	68	NE	6	o	,,	29.80	756.9	75	91	N	4	o
Cebu,	,,	29.86	758.4	86	61	NE	2	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	86	81	ENE	2	o	,,	...	...	...	...	...	...	...
Saipan,	...	...	...	...	...	...	...	...	5	29.86	758.4	73	...	ESE	4	bc
Guam,	12.22	29.80	756.9	...	...	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	...	NE	4	o	5	29.81	757.2	...	...	ENE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.81	757.2	75	...	NE	2	bc
Ponape,	...	...	...	...	...	...	...	...	,,	29.60	751.8	76	...	...	0	c
Labuan,	14	29.81	757.2	86	68	NE	2	b	6	29.85	758.2	78	86	ENE	6	b

December 29*d.* 10*h.* 55*m.*—The northern portion of the anticyclone is moving eastward leaving a separate anticyclone central over N. China.

Freshening monsoon along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 69·71 inches, against an average of 83.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—**Formosa Channel,**	N.E. winds, strong.
2.—**South coast of China between Hong Kong and Lamocks,**	N. winds, fresh.
3.—**Hong Kong to Gap Rock,**	N. winds, fresh.
4.—**South coast of China between Hong Kong and Hainan,**	N.E. winds, moderate; overcast, drizzle or mist, colder.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th December, 1929.								30th December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.48	774.1	16	...	...	0	c	6	30.32	770.2	10	...	...	0	0
Nemuro,	11	30.35	771.0	...	...	NNW	2	...	5	30.34	770.5	...	...	...	...	...
Hokodate,	,,	30.41	772.5	...	...	NW	2	...	,,	30.28	769.0	...	...	NNW	1	...
Tokio,	,,	30.35	771.0	...	...	N	1	...	,,	30.22	767.5	...	...	NNW	2	...
Kochi,	,,	30.18	766.5	...	...	...	0	...	,,	30.14	765.5	...	...	...	0	...
Nagasaki,	,,	30.20	767.0	...	...	NE	1	...	,,	30.16	766.0	...	...	ENE	1	...
Kagoshima,	,,	30.14	765.5	...	...	...	0	...	,,	30.14	765.5	...	...	...	0	...
Oshima,	,,	30.12	765.0	...	...	...	0	...	,,	30.12	765.0	...	...	...	0	...
Naha,	,,	30.10	764.5	...	...	NNE	4	...	,,	30.08	764.0	...	...	NNE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	NE	3	...	,,	30.08	764.0	...	...	...	0	...
Bonin Island,	,,	30.06	763.5	...	...	NNE	1	...	,,	30.04	763.0	...	...	NW	1	...
Chefoo,	15	30.36	771.0	34	100	NW	4	0	6	30.25	768.3	32	100	NW	1	0
Shanghai,	14	30.36	771.0	43	79	NNW	2	0	,,	30.39	771.9	36	89	NW	2	0
Gutzlaff,	,,	30.35	770.9	44	92	NNW	6	0	,,	30.39	771.9	38	91	NNW	6	0
Sharp Peak,	,,	30.14	765.5	56	75	NE	2	0	7	30.17	766.3	54	87	NE	2	r
Amoy,	,,	30.09	764.3	63	83	ENE	4	0	6	30.13	765.3	46	92	NE	4	r
Swatow,	,,	30.03	762.7	63	89	NE	2	0	,,	30.05	763.2	59	94	NE	1	or
Taihoku,	11	30.17	766.2	68	77	E	4	0	5	30.12	765.0	63	96	ENE	4	0
Taichu,	,,	30.06	763.5	72	...	NNE	2	0	,,	30.08	764.1	61	...	...	0	b
Tainan,	,,	30.05	763.2	77	...	N	2	b	,,	30.04	762.9	61	...	N	2	b
Koshun,	,,	30.00	762.0	77	...	NE	6	b	,,	30.02	762.6	72	...	NE	2	b
Pescadores,	,,	30.10	764.4	68	...	NE	6	0	,,	30.06	763.5	66	...	...	...	0
Hong Kong,	14	30.02	762.5	64	84	N	1	of	6	30.05	763.2	62	89	E	1	0
Gap Rock,	,,	30.02	762.5	...	...	NNE	4	0	,,	30.05	763.2	...	...	NE	4	od
Macao,	,,	30.01	762.2	61	74	N	4	0	,,	30.02	762.6	55	96	N	4	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...		...	...	...	...	...
Pratas Island,	,,	29.96	761.0	72	94	NE	4	od	,,	30.00	762.0	71	95	NE	4	od
Phulien,	15	29.97	761.1	81	59	SE	2	b	7	30.02	762.7	63	94	NE	2	cf
Tourane,	,,	29.92	759.9	72	...	NW	4	0	,,	29.92	759.9	70	...	NNW	4	rf
Cape St. James,	,,	29.81	757.2	81	...	SW	2	0	,,	...	...	...	...	...	...	...
Basco,	14	29.93	760.2	82	77	NE	2	r	6	29.95	760.8	77	88	ENE	4	0
Aparri,	,,	29.89	759.3	82	77	NE	2	0	,,	29.94	760.5	72	96	...	0	b
Tuguegarao,	,,	29.86	758.4	90	63	S	1	0	,,	...		...	...	...	...	...
Vigan,	,,	29.82	757.5	86	65	WSW	2	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.5	86	58	SE	2	b	,,	29.88	759.0	72	92	NE	2	b
Legaspi,	,,	29.82	757.5	86	83	NE	2	0	,,	29.86	758.4	77	98	NE	4	0
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	75	94	NE	2	0
Tacloban,	,,	29.81	757.2	86	78	S	4	r	,,	29.86	758.4	75	92	N	2	r
Iloilo,	,,	29.78	756.3	84	68	NE	6	0	,,	29.84	757.8	75	96	NE	4	0
Cebu,	,,	29.78	756.3	82	70	NE	4	0	,,	29.84	757.8	77	84	N	2	b
Surigao,	,,	29.79	756.6	82	77	SE	2	b	,,	29.82	757.5	75	94	...	0	0
Saipan,	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	...	E	4	0	4.22	29.82	757.5	...	...	NE	2	b
Yap,	11.00	29.75	755.7	...	...	ENE	4	0	5	29.79	756.6	...	...	ENE	4	0
Pelew,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ponape,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	84	68	NE	6	b	6	29.74	755.4	77	88	NE	4	b

December 30*d.* 10*h.* 48*m.*—The anticyclone remains central over N. China.

Fresh monsoon along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 69·74 inches, against an average of 83.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; overcast with drizzle or mist at first, finer later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th December, 1929.								31st December, 1929.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.30	769.6	23	...	...	0	c	6	30.36	771.0	5	...	NNE	4	b
Nemuro,	11	30.18	766.5	...	...	E	1	...	5	29.92	760.0	...	...	N	1	...
Hokodate,	,,	30.18	766.5	...	...	N	1	...	,,	30.04	763.0	...	...	NNW	1	...
Tokio,	,,	30.12	765.0	...	...	NNW	1	...	,,	30.00	762.0	...	...	...	0	...
Kochi,	,,	30.12	765.0	...	...	...	0	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	E	2	...	,,	30.18	766.5	...	...	W	2	...
Kagoshima,	,,	30.14	765.5	...	...	...	0	...	,,	30.12	765.0	...	...	NNW	1	...
Oshima,	,,	30.16	766.0	...	...	...	0	...	,,	30.12	765.0	...	...	N	2	...
Naha,	,,	30.12	765.0	...	...	NE	2	...	,,	30.12	765.0	...	...	NNE	4	...
Ishigakijima,	,,	30.12	765.0	...	...	NE	1	...	,,	30.12	765.0	...	...	NE	1	...
Bonin Island,	,,	30.00	762.0	...	...	WNW	2	...	,,	30.00	762.0	...	...	NNW	1	...
Chefoo,	15	30.31	770.4	36	83	N	4	o	6	30.45	773.4	30	100	N	2	b
Shanghai,	14	30.38	771.6	39	84	NW	2	o	,,	30.47	774.0	28	88	WNW	1	b
Gutzlaff,	,,	30.38	771.6	40	91	NNW	6	o	,,	30.46	773.7	34	100	NNW	6	o
Sharp Peak,	,,	30.11	764.8	54	94	NE	2	rf	7	30.09	764.3	50	92	NNW	4	r
Amoy,	,,	30.11	764.8	62	90	E	4	o	6	30.17	766.3	58	90	NE	4	o
Swatow,	,,	30.05	763.2	62	89	N	1	o	,,	30.10	764.5	54	94	N	1	or
Taihoku,	11	30.17	766.2	70	82	ENE	4	b	5	30.19	766.8	59	91	E	4	r
Taichu,	,,	30.08	764.1	75	...	NNW	2	b	,,	30.11	764.7	63	...	N	2	o
Tainan,	,,	30.07	763.8	77	...	N	2	b	,,	30.06	763.5	64	...	NNE	4	o
Koshun,	,,	30.06	763.5	79	...	NE	4	b	,,	30.04	762.9	72	...	NE	4	b
Pescadores,	,,	30.11	764.7	68	...	NNE	6	o	,,	30.10	764.4	64	...	NNE	6	o
Hong Kong,	14	30.06	763.5	63	84	NE	1	od	6	30.10	764.5	58	91	...	0	cd
Gap Rock,	,,	30.07	763.8	...	...	N	4	odm	,,	30.11	764.8	...	...	NNE	4	o
Macao,	,,	30.05	763.2	59	81	N	4	o	,,	30.08	764.1	50	92	NNE	4	o
Hoihow,	,,	30.01	762.2	65	94	NE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.99	761.7	72	93	ENE	4	od	,,	30.02	762.5	71	96	NE	5	or
Phulien,	15	30.04	762.9	68	87	...	0	r	7	30.11	766.8	57	...	NE	1	cd
Tourane,	,,	29.93	760.2	72	...	NW	2	o	,,	29.93	760.7	70	...	WNW	2	cf
Cape St. James,	,,	29.81	757.2	77	...	ENE	6	o	,,	29.86	758.4	73	...	ENE	2	od
Basco,	14	29.95	760.8	77	83	ESE	2	r	6	30.00	762.0	75	89	NE	1	o
Aparri,	,,	29.91	759.6	84	71	ENE	4	b	,,	29.98	761.4	70	94	E	2	b
Tuguegarao,	,,	29.89	759.3	86	58	SE	1	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.82	757.5	84	68	NW	4	b	,,	29.87	758.7	72	92	N	1	b
Manila,	,,	29.84	757.8	86	61	W	1	o	,,	29.88	759.0	72	94	...	0	b
Legaspi,	,,	29.84	757.8	84	86	NE	4	o	,,	29.87	758.7	77	91	NNE	2	b
Calbayog,	,,	29.82	757.5	82	74	NNE	4	o	,,	29.86	758.4	73	94	NNE	2	o
Tacloban,	,,	29.82	757.5	75	83	N	4	o	,,	29.86	758.4	75	91	NW	4	o
Iloilo,	,,	29.79	756.6	86	68	NE	6	b	,,	29.84	757.8	75	91	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.80	756.9	86	71	E	4	o	,,	29.82	757.5	75	91	...	0	r
Saipan,	...	...	...	...	...	...	...	...	5	29.76	755.9	75	...	NE	3	c
Guam,	12.22	29.78	756.3	...	...	NE	4	o	4.22	29.81	757.2	...	...	NE	2	o
Yap,	11.00	29.75	755.7	...	...	NE	6	o	5	29.80	756.9	...	...	NE	4	o
Pelew,	...	...	...	...	...	...	...	...	,,	29.79	756.6	79	...	NE	2	c
Ponape,	...	...	...	...	...	...	...	...	,,	29.71	754.6	78	...	ENE	2	c
Labuan,	14	29.81	757.2	74	63	NE	6	b	6	29.85	758.2	78	94	SW	6	b

December 31*d.* 10*h.* 59*m.*—The anticyclone remains central over N. China.

Fresh monsoon along the S.E. coast of China and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 69·76 inches, against an average of 83.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hong Kong and Lamocks, 3.—Hong Kong to Gap Rock, 4.—South coast of China between Hong Kong and Hainan,	N.E. winds, fresh; overcast with drizzle or mist at first, finer later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

MAGNETIC OBSERVATIONS,

1929

ROYAL OBSERVATORY, HONG KONG.

RESULTS OF MAGNETIC OBSERVATIONS AT THE AU TAU MAGNETIC STATION, 1929.

The following tables give the results of absolute determinations of the magnetic elements made at the Au Tau Magnetic Station in the year 1929.

The geographical co-ordinates of the pier used for absolute measures of magnetic declination and horizontal force are :—

Latitude	22°	26′	50″.6 N.
Longitude	114	2	40.5 E.

The station is approximately 14 miles north-west from the Royal Observatory (27.5 miles by road). It is situated 200 yards NNE of the Au Tau Police Station, in the midst of extensive rice cultivation, and would appear to be reasonably safeguarded from future building encroachments.

The instruments used are a unifilar by Cooke, Troughton and Simms, No. 31, and an Earth Inductor by the Cambridge Instrument Co., No. C65818. A detailed description of both instruments will be given in a future publication.

Determinations of Magnetic Horizontal Force in the Year 1929.

Hong Kong Standard Time,				Deflecting Magnet. Corrected Time of one Vibration.	Deflecting Magnet. Temperature (A.)	Deflecting Magnet. Effect of 10° of Torsion.	Observed Deflection. Distance. 30 cms.	Observed Deflection. Distance. 40 cms.	Temperature. (A.)	C. G. S. Units. Log. mX.	C. G. S. Units. Log. $\frac{m}{X}$	C. G. S. Units. m.	C. G. S. Units. X.	Observer.
1929.	d.	h.	m.	s	°	′	° ′	° ′	°					
January,...	3	11	29	3·2299	288·9	7·34	11 3·46	4 37·35	288·8	2·55876	3·41126	966·07	0·37476	B.D.E.
,,	10	11	2	3·2321	291·6	7·38	11 3·20	4 36·88	291·7	2·55862	3·41133	966·00	0·37466	C.W.J.
,,	17	11	37	3·2330	294·8	7·23	11 1·48	4 36·57	294·9	2·55892	3·41114	966·12	0·37487	B.D.E.
,,	24	10	50	3·2327	292·3	7·28	11 2·14	4 36·68	292·4	2·55857	3·41099	965·56	0·37479	C.W.J.
,,	31	11	20	3·2271	285·6	7·33	11 4·14	4 37·70	285·4	2·55892	3·41111	966·10	0·37488	B.D.E.
February,..	7	11	6	3·2263	285·5	7·24	11 4·31	4 37·78	285·9	2·55912	3·41132	966·54	0·37488	C.W.J.
,,	14	11	28	3·2286	289·5	7·19	11 2·78	4 37·02	289·2	2·55920	3·41084	966·10	0·37513	B.D.E.
,,	21	10	43	3·2343	295·1	7·24	11 2·37	4 36·99	294·8	2·55863	3·41175	966·47	0·37449	C.W.J.
,,	28	11	28	3·2380	294·0	7·35	11 4·05	4 37·64	293·8	2·55744	3·41260	966·10	0·37561	B.D.E.
March, ...	7	10	40	3·2297	291·2	7·16	11 2·38	4 36·98	291·2	2·55920	3·41105	966·33	0·37504	C.W.J.
,,	14	11	20	3·2322	290·9	7·32	11 3·49	4 37·33	290·7	2·55845	3·41160	966·12	0·37447	B.D.E.
,,	21	10	30	3·2355	297·0	7·00	11 1·70	4 36·52	296·9	2·55867	3·41155	966·30	0·37459	C.W.J.
,,	28	11	7	3·2369	301·2	7·38	10 59·22	4 35·67	301·1	2·55900	3·41082	965·85	0·37505	B.D.E.
April, ...	4	11	21	3·2299	292·0	7·40	11 1·77	4 36·64	292·1	2·55926	3·41078	966·10	0·37518	B.D.E.
,,	11	11	7	3·2304	292·6	7·42	11 1·35	4 36·51	292·6	2·55926	3·41061	965·92	0·37525	,,
,,	18	11	4	3·2377	301·7	7·49	10 59·33	4 35·63	301·6	2·55886	3·41098	965·87	0·37492	,,
,,	24	11	12	3·2363	301·0	7·60	10 59·18	4 35·51	301·3	2·55911	3·41080	965·94	0·37511	,,
May, ...	2	10	56	3·2376	302·9	7·63	10 58·95	4 35·43	302·9	2·55908	3·41094	966·07	0·37503	,,
,,	8	11	19	3·2356	298·9	7·56	10 59·78	4 35·71	299·0	2·55893	3·41069	965·62	0·37507	,,
,,	16	11	8	3·2393	302·7	7·84	10 59·56	4 35·66	302·9	2·55857	3·41132	965·94	0·37464	,,
,,	23	11	22	3·2397	305·8	8·08	10 57·64	4 34·92	305·8	2·55903	3·41067	965·72	0·37513	,,
June, ...	14	16	1	3·2418	307·0	8·08	10 57·82	4 34·99	306·8	2·55868	3·41098	965·67	0·37484	,,
July, ...	15	11	24	3·2401	303·3	8·01	10 59·36	4 35·67	303·6	2·55846	3·41141	965·90	0·37456	,,
August, ...	15	10	56	3·2413	304·1	8·06	10 59·29	4 35·64	303·9	2·55830	3·41141	965·74	0·37449	,,
September,	5	11	17	3·2394	302·5	8·04	10 59·45	4 35·66	302·0	2·55850	3·41111	965·62	0·37471	,,
,,	12	11	29	3·2396	303·2	8·10	10 59·30	4 35·63	303·0	2·55856	3·41123	965·82	0·37468	,,
,,	19	11	9	3·2388	302·0	8·02	10 59·19	4 35·58	302·3	2·55858	3·41102	965·60	0·37477	,,
,,	26	11	22	3·2392	304·1	8·08	10 58·42	4 35·24	304·1	2·55886	3·41085	965·73	0·37497	,,
October, ...	2	11	4	3·2376	303·0	8·05	10 58·78	4 35·36	302·7	2·55909	3·41079	965·92	0·37510	,,
,,	9	11	11	3·2390	302·4	8·05	10 59·58	4 35·78	302·3	2·55860	3·41132	965·96	0·37466	,,
,,	17	11	0	3·2398	301·5	8·04	11 0·26	4 36·00	301·7	2·55822	3·41159	965·82	0·37438	,,
,,	24	11	3	3·2358	300·1	8·06	10 59·56	4 35·78	300·3	2·55906	3·41092	966·02	0·37503	,,
,,	30	11	0	3·2349	300·6	8·01	10 59·08	4 35·50	300·6	2·55938	3·41060	966·02	0·37531	,,
November.	7	11	14	3·2339	294·7	7·88	11 1·89	4 36·77	294·7	2·55866	3·41139	966·12	0·37465	,,
,,	14	11	10	3·2326	284·8	7·80	11 0·98	4 36·41	295·0	2·55900	3·41087	965·92	0·37502	,,
,,	21	10	47	3·2341	296·6	7·74	11 0·71	4 36·22	297·4	2·55893	3·41109	966·07	0·37490	,,
,,	28	11	7	3·2318	293·9	7·87	11 1·48	4 36·53	294·6	2·55906	3·41106	966·18	0·37497	,,
December,	4	11	12	3·2332	290·9	7·96	11 3·54	4 37·38	291·6	2·55814	3·41183	966·00	0·37425	B.D.E.
,,	12	11	10	3·2359	298·2	7·91	11 1·11	4 36·27	298·0	2·55869	3·41137	966·12	0·37468	C.W.J.
,,	19	11	6	3·2351	298·2	7·77	11 0·87	4 36·26	298·6	2·55894	3·41140	966·42	0·37478	B.D.E.
,,	27	11	25	3·2340	296·7	7·95	11 0·62	4 36·29	296·8	2·55895	3·41100	965·99	0·37495	C.W.J.
Year,				3·2351	297·4		11 0·82	4 36·25	297·4			965·99	0·37481	

Results of Observations of Magnetic Declination and Dip in the year 1929, with deduced Values of Vertical Force and Total Force.

Hong Kong Standard Time.	Observed Declination. (West.)	Observer.	Hong Kong Standard Time.	Observed Dip. (North.)	Observer.	Values in C. G. S. Units of Vertical Force.	Values in C. G. S. Units of Total Force.
1929 d. h. m.	° ′		1929 d. h. m.	° ′			
January, ... 3 10 34	0 42·38	B.D.E.	January, ... 3 10 10	30 38·00	B.D.E.	0·22193	0·43554
" 10 10 18	0 43·51	C.W.J.	" ... 10 9 55	30 39·73	C.W.J.	0·22213	0·43556
" 17 10 46	0 42·68	B.D.E.	" ... 17 10 23	30 38·97	B.D.E.	0·22214	0·43575
" 24 10 11	0 43·33	C.W.J.	" ... 24 9 49	30 39·42	C.W.J.	0·22215	0·43568
" 31 10 32	0 41·65	B.D.E.	" ... 31 10 2	30 39·10	B.D.E.	0·22216	0·43577
February, ... 7 10 21	0 44·43	C.W.J.	February,... 7 9 49	30 39·48	C.W.J.	0·22222	0·43580
" ... 14 10 39	0 42·97	B.D.E.	" ... 14 10 19	30 36·87	B.D.E.	0·22198	0·43588
" ... 21 10 7	0 43·81	C.W.J.	" ... 21 9 45	30 38·90	C.W.J.	0·22190	0·43529
" ... 28 10 42	0 45·82	B.D.E.	" ... 28 10 4	30 43·73	B.D.E.	0·22209	0·43464
March, ... 7 10 7	0 42·61	C.W.J.	March,..... 7 9 43	30 39·35	C.W.J.	0·22229	0·43596
" 14 10 40	0 42·75	B.D.E.	" 14 10 17	30 39·77	B.D.E.	0·22202	0·43534
" 21 9 50	0 42·25	C.W.J.	" 14 9 40	30 41·15	C.W.J.	0·22229	0·43558
" 28 10 25	0 42·09	B.D.E.	" 28 10 1	30 37·77	B.D.E.	0·22206	0·43586
April, ... 4 10 21	0 41·61	B.D.E.	April, ... 4 10 23	30 36·87	B.D.E.	0·22201	0·43594
" 11 10 22	0 41·87	"	" 11 9 58	30 36·88	"	0·22205	0·43602
" 18 10 11	0 42·70	"	" 18 9 48	30 39·92	"	0·22230	0·43587
" 24 10 22	0 42·87	"	" 24 10 10	30 38·23	"	0·22217	0·43596
May, ... 2 10 16	0 44·73	"	May,..... 2 9 56	30 38·80	"	0·22221	0·43592
" 8 10 32	0 44·97	"	" 8 10 14	30 38·30	"	0·22216	0·43593
" 16 10 17	0 43·35	"	" 16 9 58	30 39·40	"	0·22206	0·43551
" 23 10 35	0 41·42	"	" 23 10 22	30 37·20	"	0·22203	0·43591
June, ... 14 15 20	0 45·42	"	June, ... 14 15 5	30 37·38	"	0·22188	0·43559
July, ... 15 10 40	0 45·07	"	July,..... 15 10 20	30 38·83	"	0·22195	0·43537
August, ... 15 10 11	0 44·39	"	August, ... 15 9 54	30 39·53	"	0·22199	0·43534
September,... 5 10 36	0 44·85	"	September,.. 5 10 17	30 38·55	"	0·22198	0·43552
" ... 12 10 48	0 42·98	"	" ... 12 10 33	30 38·97	"	0·22202	0·43552
" ... 19 10 28	0 45·39	"	" ... 19 10 10	30 37·13	"	0·22181	0·43550
" ... 26 10 41	0 43·64	"	" ... 26 10 24	30 36·95	"	0·22190	0·43571
October, ... 2 10 20	0 43·47	"	October, ... 2 9 58	30 37·37	"	0·22203	0·43589
" 9 10 27	0 43·00	"	" ... 9 10 9	30 39·23	"	0·22205	0·43552
" 17 10 14	0 44·29	"	" ... 17 9 55	30 39·47	"	0·22192	0·43521
" 24 10 17	0 43·03	"	" ... 24 9 59	30 39·67	"	0·22234	0·43598
" 30 10 22	0 44·49	"	" ... 30 10 4	30 37·08	"	0·22212	0·43611
November,... 7 10 26	0 43·04	"	November,.. 7 10 8	30 39·23	"	0·22204	0·43551
" ... 14 10 19	0 44·31	"	" ... 14 9 59	30 37·90	"	0·22206	0·43584
" ... 21 10 7	0 43·24	"	" ... 21 9 50	30 38·03	"	0·22202	0·43571
" ... 28 10 24	0 43·12	"	" ... 28 10 5	30 38·62	"	0·22214	0·43583
December, ... 4 10 29	0 43·01	B.D.E.	December,.. 4 10 14	30 39·25	B.D.E.	0·22181	0·43503
" ... 12 10 28	0 44·44	C.W.J.	" ... 12 10 5	30 37·03	C.W.J.	0·22173	0·43537
" ... 19 10 22	0 43·28	B.D.E.	" ... 19 10 4	30 38·72	B.D.E.	0·22204	0·43561
" ... 27 10 44	0 43·66	C.W.J.	" ... 27 10 19	30 39·62	C.W.J.	0·22228	0·43588
Year,	0 43·46			30 38·69		0·22206	0·43565

The initials C.W.J. and B.D.E. are those of Mr. Jeffries and Mr. Evans, respectively.