ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

JANUARY,

1932.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF
T. F. CLAXTON, F.R.A.S.,
DIRECTOR.

QC
.H15
N32
1932

LIBRARY
NOAA
U S Dept of Commerce

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1932.

54557

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

ROYAL OBSERVATORY, HONG KONG.

Latitude.....22° 18′ 13·2″ North.
Longitude.... 7ʰ 36ᵐ 41·25ˢ East.

RESULTS OF METEOROLOGICAL OBSERVATIONS,

1 9 3 2 .

Introduction.

§ 1. *Buildings and Instruments.*

A detailed description of the Observatory and Instruments is contained in the Introduction for 1913 and 1914.

§ 2. *Reduction of the Observations.*

The continuous records of the temperature of the air and of evaporation, and direction of the wind are measured at each hour of the day, from 1ʰ to 24ʰ of Hong Kong standard time ; those of wind velocity, rainfall and sunshine at 30 minutes before the above hours, so as to obtain the value of these elements at the hour.

The hourly values of the principal meteorological elements are given in Tables I to VII. Three-hourly observations of the character and direction of motion of the clouds are given in Table VIII and a list of phenomena observed during the month at the foot of Table X. The daily values of the meteorological elements are collected in Table IX and the mean hourly values for the month in Table X. The normals given in Tables IX refer to the periods 1884–1932.

The values given in Table I, barometric pressure, are derived from the hourly readings of the Kew pattern Station barometer No. 1323. The results are corrected for index error and reduced to the temperature 32° F. They are ***not*** reduced to sea level, nor to the gravity at latitude 45°. The height of the barometer cistern above mean sea level is 109 feet.

Air and evaporation temperatures (Tables II and III) are derived from the hourly measures of the Richard dry and wet-bulb thermograph. The highest and lowest temperatures given in Tables IX are the highest and lowest points on the thermograms. The records are obtained on plain paper, on which a base-line for each day's register is laid down from the eye observations of rotating thermometers.

The index corrections of all thermometers in use are determined near mid-summer and mid-winter, by comparison in water with a standard thermometer (Kew No. 647).

The amount of rainfall given in Table VI is derived from the hourly measures of the Nakamura pluviograph, corrected when necessary by observation of the standard rain-gauge. In order to contrast the dry and wet hours the former are indicated by three dots, thus,...and the same symbol has been used to indicate clear sky (Tables IV and VIII), no sunshine (Tables V and IX), and calms (Table VII). In Table VI the letter *d* indicates that drizzle occurred but that the amount was too small to be recorded on the pluviogram. As regards the duration of rain given in Tables IX–X, it should be mentioned that frequently in the winter months very fine drizzle occurs at intervals during the day, but the amount collected in the gauge is less than 0·005 inch.

The direction and velocity of the wind (Table VII) are derived from the hourly measures of the Beckley anemograms. The mean daily direction and velocity, and the mean hourly values in each month, given in Tables IX—X, are derived from the north and east components by the aid of Table III (B) in Chapter VI of the International Meteorological Tables. For the sake of continuity Dr. Robinson's factor (3) has been retained for converting the velocity of the cups into wind velocity.

In Table VIII the cloud classification adopted by the London Meteorological Office is used. Where the names of upper and lower clouds are given, but only one direction, the latter refers to the lower clouds.

As whirling thermometers are used for air and evaporation temperatures the relative humidity given in Tables IX and X are obtained by means of Pertners's "Strong Wind" formula.

$$x = f' - 000364\ (t - t')\ (1 + \frac{t' - 32}{1098})\ h$$

where

x is the pressure of aqueous vapour in the air at a temperature t.

f' is the pressure of saturated aqueous vapour at temperature t'.

t is the temperature of the air in fahrenheit degrees.

t' is the temperature of evaporation in fahrenheit degrees.

h is the barometric pressure in inches.

A mean pressure of 29.8 inches has been used in constructing the tables.

The values of aqueous vapour pressures are taken from the International Meteorological Tables.

The monthly values of the Meteorological Elements in C.G.S. units will be found under Table IX. The wind velocities, in miles per hour by Beckley, have been multiplied by $\frac{22}{50}$ to give true velocities, before converting them into metres per second.

T. F. CLAXTON.

ROYAL OBSERVATORY, HONG KONG.

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JANUARY,

1932.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, at 109 feet above MEAN SEA LEVEL, in the MONTH of JANUARY, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·164	30·164	30·158	30·154	30·152	30·162	30·184	30·205	30·223	30·237	30·232	30·206	1
2	30·171	30·162	30·162	30·158	30·154	30·168	30·173	30·178	30·189	30·195	30·190	30·162	2
3	30·172	30·158	30·145	30·136	30·128	30·132	30·146	30·160	30·176	30·174	30·166	30·139	3
4	30·115	30·095	30·089	30·095	30·097	30·102	30·107	30·120	30·133	30·134	30·114	30·088	4
5	30·082	30·076	30·060	30·051	30·043	30·043	30·047	30·057	30·076	30·083	30·064	30·041	5
6	29·973	29·976	29·970	29·961	29·968	29·986	29·988	30·002	30·036	30·050	30·034	30·014	6
7	30·033	30·027	30·025	30·024	30·036	30·046	30·078	30·105	30·147	30·157	30·167	30·159	7
8	30·275	30·278	30·270	30·270	30·265	30·271	30·277	30·275	30·296	30·308	30·305	30·282	8
9	30·301	30·295	30·285	30·273	30·271	30·277	30·281	30·290	30·315	30·329	30·327	30·311	9
10	30·310	30·306	30·301	30·289	30·293	30·291	30·298	30·310	30·329	30·342	30·335	30·317	10
11	30·273	30·255	30·253	30·253	30·257	30·258	30·275	30·304	30·329	30·334	30·327	30·302	11
12	30·248	30·240	30·236	30·234	30·233	30·245	30·258	30·272	30·295	30·297	30·283	30·253	12
13	30·230	30·222	30·215	30·201	30·199	30·212	30·236	30·252	30·272	30·291	30·285	30·256	13
14	30·233	30·328	30·206	30·205	30·205	30·207	30·222	30·241	30·265	30·268	30·255	30·229	14
15	30·183	30·181	30·162	30·150	30·147	30·156	30·165	30·183	30·191	30·197	30·188	30·152	15
16	30·184	30·180	30·170	30·160	30·157	30·168	30·184	30·202	30·218	30·226	30·214	30·204	16
17	30·176	30·166	30·160	30·164	30·170	30·174	30·188	30·215	30·234	30·246	30·228	30·208	17
18	30·162	30·149	30·136	30·144	30·147	30·165	30·172	30·195	30·217	30·228	30·221	30·198	18
19	30·180	30·170	30·155	30·162	30·176	30·192	30·201	30·213	30·232	30·238	30·232	30·209	19
20	30·190	30·186	30·173	30·167	30·177	30·187	30·197	30·213	30·228	30·256	30·254	30·223	20
21	30·204	30·188	30·180	30·172	30·166	30·176	30·196	30·222	30·242	30·251	30·242	30·218	21
22	30·178	30·164	30·146	30·132	30·136	30·148	30·170	30·184	30·201	30·209	30·196	30·177	22
23	30·131	30·125	30·122	30·102	30·092	30·102	30·119	30·140	30·159	30·170	30·167	30·148	23
24	30·135	30·126	30·115	30·107	30·111	30·125	30·134	30·150	30·176	30·193	30·191	30·171	24
25	30·138	30·124	30·120	30·112	30·114	30·124	30·122	30·130	30·150	30·158	30·151	30·116	25
26	30·079	30·075	30·067	30·065	30·067	30·081	30·093	30·111	30·132	30·148	30·153	30·114	26
27	30·122	30·110	30·106	30·100	30·110	30·130	30·154	30·162	30·174	30·174	30·171	30·145	27
28	30·104	30·092	30·069	30·050	30·049	30·065	30·068	30·090	30·102	30·109	30·111	30·095	28
29	30·048	30·032	30·030	30·022	30·027	30·037	30·053	30·085	30·106	30·118	30·107	30·086	29
30	30·060	30·048	30·034	30·015	30·018	30·024	30·034	30·050	30·058	30·071	30·065	30·037	30
31	29·976	29·964	29·950	29·943	29·943	29·956	29·966	29·974	29·983	29·993	29·988	29·952	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·176	30·145	30·131	30·124	30·129	30·137	30·148	30·160	30·169	30·181	30·182	30·181	1
2	30·116	30·091	30·087	30·081	30·098	30·118	30·129	30·141	30·161	30·175	30·175	30·175	2
3	30·113	30·087	30·076	30·070	30·076	30·083	30·092	30·106	30·120	30·124	30·130	30·122	3
4	30·053	30·014	29·996	29·991	29·998	30·013	30·018	30·035	30·041	30·053	30·069	30·075	4
5	30·007	29·969	29·945	29·947	29·950	29·952	29·962	29·973	29·985	29·988	29·981	29·981	5
6	29·985	29·950	29·943	29·952	29·964	29·978	29·991	30·005	30·015	30·023	30·033	30·037	6
7	30·138	30·130	30·122	30·119	30·137	30·158	30·187	30·213	30·229	30·250	30·259	30·269	7
8	30·240	30·218	30·212	30·220	30·229	30·243	30·256	30·275	30·291	30·294	30·297	30·299	8
9	30·281	30·259	30·245	30·245	30·260	30·276	30·298	30·317	30·323	30·327	30·323	30·319	9
10	30·285	30·262	30·245	30·245	30·245	30·254	30·256	30·270	30·278	30·281	30·276	30·274	10
11	30·277	30·250	30·238	30·228	30·228	30·230	30·243	30·253	30·267	30·272	30·274	30·261	11
12	30·224	30·172	30·152	30·154	30·172	30·194	30·207	30·224	30·234	30·250	30·250	30·241	12
13	30·232	30·205	30·194	30·194	30·205	30·210	30·232	30·248	30·252	30·258	30·256	30·243	13
14	30·188	30·160	30·147	30·138	30·136	30·145	30·161	30·169	30·181	30·182	30·178	30·186	14
15	30·119	30·087	30·071	30·072	30·081	30·098	30·116	30·145	30·160	30·172	30·182	30·188	15
16	30·160	30·132	30·113	30·112	30·123	30·143	30·154	30·174	30·184	30·188	30·192	30·186	16
17	30·168	30·147	30·134	30·129	30·131	30·133	30·133	30·145	30·159	30·181	30·175	30·164	17
18	30·179	30·145	30·112	30·102	30·098	30·119	30·126	30·154	30·154	30·170	30·186	30·184	18
19	30·193	30·161	30·138	30·126	30·136	30·148	30·172	30·182	30·199	30·202	30·196	30·184	19
20	30·188	30·168	30·146	30·143	30·154	30·155	30·160	30·177	30·191	30·207	30·205	30·205	20
21	30·187	30·156	30·139	30·130	30·136	30·148	30·160	30·181	30·185	30·196	30·197	30·193	21
22	30·138	30·107	30·084	30·078	30·087	30·092	30·097	30·116	30·128	30·130	30·140	30·135	22
23	30·125	30·093	30·066	30·062	30·068	30·077	30·093	30·116	30·132	30·138	30·142	30·139	23
24	30·136	30·102	30·081	30·068	30·084	30·100	30·111	30·123	30·131	30·142	30·147	30·142	24
25	30·094	30·076	30·066	30·060	30·069	30·071	30·067	30·078	30·083	30·091	30·092	30·086	25
26	30·082	30·070	30·054	30·048	30·053	30·075	30·094	30·108	30·131	30·141	30·137	30·125	26
27	30·117	30·089	30·075	30·078	30·090	30·102	30·108	30·120	30·132	30·132	30·128	30·124	27
28	30·062	30·052	30·039	30·043	30·046	30·052	30·061	30·073	30·077	30·080	30·074	30·058	28
29	30·057	30·034	30·014	30·018	30·020	30·030	30·049	30·061	30·068	30·068	30·070	30·062	29
30	30·007	29·976	29·958	29·952	29·964	29·981	29·995	30·000	30·005	29·997	29·993	29·987	30
31	29·926	29·882	29·865	29·863	29·872	29·881	29·889	29·918	29·922	29·920	29·923	29·919	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of JANUARY, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	49·7	49·7	49·0	49·0	48·0	47·7	49·0	51·1	53·5	57·7	59·7	59·7	1
2	56·0	55·9	56·3	55·3	55·4	55·1	55·2	56·9	58·7	59·8	61·7	63·6	2
3	58·6	58·3	57·0	54·4	55·1	53·9	55·3	58·3	60·8	62·9	64·3	67·2	3
4	56·6	55·6	55·4	53·9	54·9	54·9	54·4	56·5	59·9	62·1	63·0	64·9	4
5	56·0	55·6	54·2	55·5	54·8	55·6	55·5	57·4	59·9	61·3	63·3	63·5	5
6	57·7	59·5	60·0	60·3	60·5	60·5	59·8	60·7	60·7	61·8	62·7	63·3	6
7	64·7	65·8	65·1	64·4	63·7	64·7	65·0	64·5	64·1	63·8	63·5	62·2	7
8	46·8	46·0	45·5	44·9	44·5	43·7	43·7	44·8	46·8	49·3	50·9	53·3	8
9	47·8	47·6	46·9	46·8	46·3	46·1	47·5	47·0	50·3	53·9	54·5	56·0	9
10	50·9	51·3	50·8	49·8	49·4	49·3	50·7	52·7	55·6	57·9	58·7	57·6	10
11	56·7	56·3	55·9	55·5	54·7	54·2	54·9	54·7	57·7	58·4	59·7	60·8	11
12	57·7	57·3	57·3	57·6	57·0	58·2	57·6	59·3	62·7	65·4	65·4	67·5	12
13	59·7	58·9	58·7	57·7	57·0	56·7	57·0	58·0	61·4	62·7	63·7	63·7	13
14	58·7	58·5	58·3	57·8	56·7	56·5	56·5	56·7	57·8	59·9	60·1	60·8	14
15	59·7	59·7	59·5	59·4	59·2	59·3	59·1	60·1	62·3	65·7	65·6	67·0	15
16	59·9	59·9	58·9	58·6	59·9	60·4	60·7	61·0	62·4	65·7	68·7	69·5	16
17	58·7	58·7	58·3	58·1	58·3	58·3	58·6	59·0	60·7	59·7	59·3	60·7	17
18	59·7	60·8	60·3	60·6	60·1	59·8	60·7	60·7	60·9	61·7	62·7	62·9	18
19	61·0	61·3	60·7	60·5	60·0	60·7	60·0	60·4	62·1	64·0	63·9	63·6	19
20	61·0	60·4	60·3	59·8	60·0	59·9	60·3	61·2	62·9	63·1	63·6	64·8	20
21	60·7	61·3	61·4	60·9	60·5	60·3	60·4	61·4	62·7	63·3	64·7	64·8	21
22	60·8	61·7	60·2	60·6	60·3	60·0	60·3	62·6	63·8	66·9	69·1	69·7	22
23	64·6	64·1	63·7	62·8	62·8	62·3	62·1	61·8	63·1	67·9	68·0	68·9	23
24	61·0	61·0	61·2	61·2	61·5	61·2	61·3	60·8	60·7	61·6	62·7	64·7	24
25	60·8	59·9	60·0	60·0	60·7	60·7	60·7	61·3	61·7	62·7	64·5	64·5	25
26	61·7	61·8	62·4	62·4	62·4	62·9	62·6	63·0	66·0	67·9	68·7	66·8	26
27	56·9	56·7	56·7	56·9	56·7	56·4	55·8	55·6	56·8	60·2	62·6	63·6	27
28	59·7	59·6	59·4	59·2	59·1	58·9	58·8	58·8	58·8	59·1	59·3	59·6	28
29	60·7	60·8	60·8	60·6	60·5	59·6	59·6	60·6	62·1	64·0	65·8	66·6	29
30	62·7	62·8	62·8	61·5	61·2	61·2	61·3	62·1	63·6	64·9	64·0	64·5	30
31	61·7	61·4	61·6	61·0	60·1	60·0	60·6	61·6	62·7	64·2	64·6	64·8	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·3	61·4	60·5	60·2	60·1	58·8	55·3	55·1	56·1	54·8	56·6	56·3	1
2	65·4	67·3	66·4	64·6	63·5	62·0	61·7	60·3	59·7	61·3	61·3	60·4	2
3	67·9	69·7	70·0	67·7	66·5	64·0	60·7	60·9	59·0	58·5	58·5	57·0	3
4	64·9	65·2	64·0	62·7	61·5	59·7	58·7	58·2	57·0	57·7	57·7	57·6	4
5	63·9	63·4	63·1	62·7	62·0	58·9	58·6	57·6	56·7	55·7	56·7	55·8	5
6	65·5	66·9	66·7	65·9	64·8	64·6	64·4	64·2	64·3	64·3	64·2	65·1	6
7	62·5	62·7	61·7	63·0	60·7	58·3	56·8	55·9	55·1	52·3	49·9	48·2	7
8	54·3	55·7	53·5	53·6	52·6	51·0	50·0	50·0	49·9	49·5	49·0	48·7	8
9	57·5	55·9	56·7	55·1	54·3	53·5	53·0	52·8	52·3	52·1	51·8	50·6	9
10	57·6	57·1	57·2	57·3	56·7	56·6	56·6	56·7	56·7	57·3	56·7	56·7	10
11	61·3	61·0	60·7	61·3	60·0	60·4	59·1	59·0	58·9	59·7	59·8	58·1	11
12	68·5	68·0	67·9	69·0	65·0	62·7	62·3	62·0	60·3	60·5	60·5	60·2	12
13	65·1	65·2	65·3	63·7	62·6	60·6	59·8	59·3	58·9	58·9	58·9	59·0	13
14	61·7	62·4	61·7	61·4	60·3	59·5	59·3	59·3	59·4	59·4	59·6	59·6	14
15	68·5	69·3	70·0	68·7	67·0	64·5	62·7	61·7	61·0	60·5	60·1	60·1	15
16	69·8	69·6	69·3	68·1	64·7	61·8	60·7	60·1	59·8	60·2	59·7	59·5	16
17	59·3	60·0	59·8	59·7	59·7	59·7	59·7	59·9	60·0	60·3	60·0	59·9	17
18	63·0	63·2	63·6	64·7	63·3	62·9	62·6	62·3	62·0	61·8	61·7	61·7	18
19	63·8	63·1	62·7	62·5	61·8	61·3	60·9	60·7	60·7	60·9	61·3	61·4	19
20	64·8	64·9	64·7	64·6	64·1	63·1	61·8	61·5	61·1	61·1	61·0	61·0	20
21	66·7	68·6	69·4	67·7	66·5	64·7	63·5	62·3	62·3	62·4	62·7	62·7	21
22	72·2	73·1	70·8	69·2	67·7	64·8	63·7	64·0	63·5	63·7	63·7	64·6	22
23	70·1	70·7	71·3	69·7	66·1	64·0	62·3	61·7	61·7	61·7	61·8	61·5	23
24	65·7	66·7	67·8	67·0	65·0	62·5	61·5	61·2	60·7	60·8	60·9	60·7	24
25	64·8	63·8	64·0	63·5	62·4	62·2	62·2	61·8	61·8	61·7	61·7	61·7	25
26	70·5	69·4	69·6	68·4	67·1	65·8	63·6	62·7	61·7	60·5	59·3	58·0	26
27	63·7	63·1	61·7	60·9	60·7	60·1	59·9	59·9	59·9	59·9	59·7	59·8	27
28	59·9	60·3	61·0	60·3	61·5	61·6	61·6	61·2	60·7	60·6	60·7	60·7	28
29	67·7	68·1	68·3	67·6	66·0	64·5	62·6	62·4	62·0	62·0	61·7	61·7	29
30	65·6	66·4	65·1	64·4	63·9	62·9	62·0	62·7	62·7	62·9	62·7	61·7	30
31	63·7	63·5	65·1	64·9	64·0	63·7	61·8	61·7	61·7	61·4	61·4	62·5	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of JANUARY, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	42·7	42·9	42·7	42·7	42·7	42·4	42·8	44·1	46·5	49·8	50·7	50·6	1
2	45·1	44·9	45·0	44·7	44·6	43·7	43·4	44·1	44·3	45·0	46·4	46·6	2
3	45·2	44·6	43·9	42·8	43·1	43·0	43·0	42·6	45·4	46·6	47·2	49·2	3
4	50·8	50·5	50·3	49·5	49·9	49·7	50·4	52·0	52·8	52·8	53·0	53·2	4
5	49·8	49·7	49·2	49·0	47·9	49·9	50·2	51·1	52·8	53·1	54·8	54·4	5
6	53·0	55·2	55·6	56·2	56·2	56·5	55·9	56·8	57·6	58·1	57·8	58·0	6
7	58·8	58·8	59·0	58·8	57·8	58·6	58·0	57·5	58·3	58·3	58·5	58·1	7
8	40·7	39·8	39·0	38·8	38·4	38·1	38·0	38·6	39·7	42·6	43·8	45·2	8
9	38·5	38·3	37·8	37·4	37·4	37·2	39·3	40·3	43·0	44·4	44·9	46·0	9
10	45·9	45·7	45·5	45·0	45·0	45·2	45·8	47·2	48·5	50·1	50·8	48·7	10
11	52·2	51·9	51·7	52·0	51·2	50·8	50·8	51·0	52·4	52·6	52·6	53·5	11
12	52·7	51·8	50·8	51·7	52·0	50·0	51·2	53·2	54·8	55·5	55·5	56·0	12
13	51·8	50·6	50·6	49·4	48·4	47·5	47·0	47·8	50·0	50·6	52·0	51·8	13
14	54·9	54·8	54·4	54·4	52·8	52·3	50·3	48·5	47·5	50·7	49·9	51·8	14
15	55·6	55·6	55·5	55·5	55·3	55·2	55·2	55·3	57·0	57·7	57·8	59·0	15
16	56·9	56·8	55·8	55·1	52·4	51·1	50·1	50·0	50·8	52·2	54·2	55·2	16
17	55·7	55·1	55·1	54·9	54·6	54·6	54·3	53·0	54·1	53·8	53·1	53·8	17
18	54·7	53·8	53·4	53·8	54·1	53·8	54·6	54·5	55·5	56·5	56·4	56·4	18
19	56·8	56·8	56·9	57·0	57·0	57·0	56·8	57·1	58·5	59·1	58·5	58·6	19
20	57·3	57·5	57·2	57·0	56·8	56·7	56·9	57·2	57·9	57·8	58·4	58·6	20
21	57·1	56·8	56·9	56·8	56·8	56·5	56·3	56·6	57·0	57·6	57·9	58·0	21
22	55·4	55·2	55·4	54·2	54·1	55·0	55·0	56·6	59·2	60·9	61·4	62·3	22
23	59·6	59·4	59·6	59·2	59·2	59·1	57·6	56·9	57·6	60·4	60·0	60·8	23
24	58·7	58·7	58·8	58·8	59·0	58·8	57·6	57·5	56·9	57·1	57·4	58·5	24
25	58·1	57·6	57·6	57·6	57·8	58·0	57·8	58·4	58 8	59·2	60·8	60·1	25
26	59·2	59·6	59·6	59·6	59·6	58·8	57·0	56·5	58·3	58·9	59·8	59·9	26
27	51·1	50·7	50·1	49·3	48·5	48·3	48·2	48·3	49·8	51·7	53·0	53·8	27
28	54·8	54·6	54·4	54·2	53·5	53·2	52·9	52·6	52·6	52·8	52·7	52·8	28
29	55·5	55·5	55·6	55·5	55·3	54·8	54·6	54·8	55·0	55·0	56·1	56·1	29
30	55·8	55·8	55·9	56·8	57·0	56·8	57·6	57·8	58·1	58·7	59·0	59·0	30
31	59·4	58·9	58·8	58·3	57·8	58·0	58·5	59·1	59·6	60·6	60·6	60·8	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	51·3	49·6	49·5	49·4	49·8	49·4	48·2	46·1	45·8	44·8	45·0	45·2	1
2	47·8	48·8	48·2	51·2	50·8	48·0	47·7	47·9	47·8	46·3	46·3	44·8	2
3	50·5	51·1	50·0	50·1	48·0	50·0	49·0	50·4	50·7	50·0	50·8	50·3	3
4	52·8	53·1	51·5	50·2	48·8	48·8	49·5	49·4	49·6	49·8	50·2	50·1	4
5	54·6	54·3	54·0	53·6	53·6	51·1	50·6	51·0	50·5	50·3	50·6	49·9	5
6	59·0	60·1	60·2	58·8	58·6	58·4	58·2	58·2	58·4	58·7	58·6	58·4	6
7	57·6	57·7	56·4	54·5	51·2	49·3	48·0	46·8	46·5	44·8	43·4	42·1	7
8	46·3	45·2	44·8	44·5	44·0	43·5	42·0	42·0	40·6	39·8	39·0	38·8	8
9	46·7	45·5	46·7	45·8	45·3	45·0	45·5	45·5	45·8	45·3	45·6	45·4	9
10	49·1	48·4	48·7	49·0	49·6	50·7	50·7	51·7	51·7	51·8	51·7	52·2	10
11	53·3	53·9	53·6	54·2	54·0	53·6	53·8	54·0	54·0	53·3	53·0	52·7	11
12	57·0	55·8	56·1	55·0	56·9	55·8	54·8	53·0	53·2	53·3	53·5	52·8	12
13	53·0	52·9	53·3	52 1	51·9	51·2	52·8	53·6	54·8	55·4	55·1	55·3	13
14	52·7	52·8	53·4	53·4	52·8	53·0	53·1	53·1	54·1	54·1	54·8	54·9	14
15	60·0	61·1	60·3	59·8	59·0	59·0	58·0	57·6	57·0	57·0	57·1	57·1	15
16	56·1	56·2	56·3	55·1	54·3	56·8	56·8	56·8	56·8	56·6	56·1	56·0	16
17	52·3	53·0	52·8	53·8	54·2	54·5	54·5	54·9	55·2	55·3	55·4	55·1	17
18	57·0	57·8	58·0	58·8	57·1	56·9	57·0	56·8	56·9	56·9	56·8	56·8	18
19	58·8	58·0	58·4	58·2	57·9	57·7	57·7	57·4	57·5	57·8	57·8	58·0	19
20	58·2	58·3	58·7	58·7	58·6	58·6	58·0	57·9	57·7	57·7	58·0	57·9	20
21	58·8	59·0	59·4	58·7	58·1	57·4	57·0	56·8	56·8	57·0	57·4	57·1	21
22	63·4	63·1	61·2	60·6	60·5	59·8	59·9	59·5	59·5	59·8	59·8	60·6	22
23	60·9	61·1	60·3	59·5	58·2	59·5	59·3	59·5	59·1	59·0	59·2	58·8	23
24	59·4	59·8	60·0	59·8	59·0	57·8	57·1	57·2	57·0	57·0	57·1	57·4	24
25	60·3	60·3	60·0	59·8	58·9	58·7	58·6	58·2	58·3	58·2	58·1	58·1	25
26	61·0	59·8	60·5	59·8	59·2	58·0	55·9	54·6	53·6	52·8	51·8	51·3	26
27	54·0	54·3	53·6	53·7	54·0	53·6	54·1	54·1	54·8	54·8	54·6	54·7	27
28	52·3	52·1	52·2	52·1	52·6	52·8	52·6	53·1	53·2	54·8	55·4	55·5	28
29	57·4	57·5	57·6	57·5	57·0	56·8	57·1	57·1	56·8	56·8	57·2	57·1	29
30	59·8	60·0	59·6	59·4	59·4	59·4	59·4	59·8	59·8	60·4	60·2	59·4	30
31	59·8	59·8	60·0	59·7	60·0	59·7	59·6	59·7	59·3	59·4	59·4	60·2	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JANUARY, 1932.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	2	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	2	...	1	10	10	10	10	10	10	10	10	9	7	7	7	9	9	10	8	6	4	7	10	6
7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6	8	8	7
8	10	9	4	...	...	...	1	1	3	6	9	9	10	13	10	9	2	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	3	2	3	6	6	4	5	10
11	6	2	2	6	9	5	4	4	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	...	2	6	1	1	1	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	6	8	9	9	13
14	6	10	10	10	10	9	10	9	9	9	9	10	10	9	10	9	9	10	10	10	10	10	10	10	14
15	10	10	10	10	10	10	10	9	4	3	2	2	...	...	1	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	8	6	3	16
17	...	...	...	...	...	6	6	6	7	8	8	8	9	9	10	10	10	10	10	10	9	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	8	8	10	8	9	9	9	9	9	18
19	10	10	10	10	10	10	7	4	1	...	2	6	5	5	6	5	7	8	10	6	2	7	9	9	19
20	10	10	10	10	10	7	4	3	1	1	2	1	1	1	5	2	1	2	1	1	1	2	2	1	20
21	4	2	2	...	...	...	1	1	1	1	...	1	...	...	1	1	1	1	...	...	...	1	1	2	21
22	...	...	...	...	...	...	2	5	7	4	5	4	2	6	1	2	2	3	9	9	8	9	9	9	22
23	10	10	10	9	9	4	3	3	2	1	1	1	...	1	1	...	...	...	...	...	...	1	1	4	23
24	9	9	10	10	10	10	10	10	10	10	10	7	1	1	1	...	...	...	...	1	1	5	8	4	24
25	9	7	8	9	10	9	9	10	10	10	9	9	9	10	9	8	10	9	9	8	9	9	9	10	25
26	10	10	10	10	10	4	1	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	26
27	...	1	...	2	7	7	5	5	2	1	1	4	8	8	8	9	6	9	10	9	9	10	9	9	27
28	9	9	9	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	9	9	10	10	28
29	10	10	10	8	7	2	2	6	7	7	8	9	8	3	1	1	1	...	...	...	...	...	...	...	29
30	...	6	8	1	...	2	6	8	9	9	8	3	2	3	2	2	2	2	4	7	4	8	6	6	30
31	9	10	10	10	10	10	9	10	4	3	3	4	2	1	2	6	6	4	3	1	...	...	...	...	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JANUARY, 1932.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		1
2		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		2
3		0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		3
4		0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5		4
5		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		5
6		...	...	0·1	...	...	...	0·8	0·8	0·6	0·4	...		6
7		...	...	...	...	...	...	...	...	0·1	...	...		7
8		0·4	1·0	0·4	0·2	...	...	...	...	...	0·1	0·3		8
9		0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3		9
10		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5		10
11		...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		11
12		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	1·0	0·5		12
13		0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4		13
14		...	...	0·2	0·2	...	...	0·2	0·1	...	0·2	...		14
15		...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2		15
16		0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3		16
17		...	1·0	0·6	0·2	0·9	0·2	0·1	0·5	...	...	...		17
18		...	...	...	0·1	0·1	...	...	0·1	0·4	0·6	0·1		18
19		0·3	1·0	1·0	1·0	0·9	0·9	0·8	0·4	0·8	0·1	0·1		19
20		0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		20
21		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7		21
22		0·4	1·0	1·0	0·2	1·0	1·0	1·0	1·0	1·0	1·0	0·5		22
23		...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3		23
24		...	...	...	...	0·5	1·0	1·0	1·0	1·0	1·0	0·5		24
25		...	...	...	0·1	0·2	0·1	0·1	...	...	...	...		25
26		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4		26
27		...	0·9	1·0	1·0	1·0	0·7	1·0	0·7	...	0·4	...		27
28		...	...	...	...	...	...	...	...	...	...	...		28
29	...	0·1	0·9	0·3	0·2	...	0·2	1·0	1·0	1·0	1·0	0·6	...	29
30	...	...	...	...	...	0·5	1·0	1·0	1·0	1·0	1·0	0·6	...	30
31	...	...	0·7	1·0	0·9	1·0	1·0	1·0	1·0	0·9	1·0	0·5	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JANUARY, 1931.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	d	d	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	d	d	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	d	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	..	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	d	d	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	d	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	..	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	d	d	d	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, at 148 feet above MEAN SEA LEVEL, in the MONTH of JANUARY, 1932.
(The Direction is given in points and the Velocity in miles per hour.)
(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	
1	2 9	2 6	... 1	5 2	32 3	32 4	2 7	2 7	2 4	3 3	8 6	10 10	1
2	1 11	1 16	1 14	1 15	1 14	1 12	1 13	1 18	1 22	1 21	1 16	1 13	2
3	1 7	1 8	1 7	1 6	32 5	32 2	3 3	5 3	2 7	32 8	32 14	32 9	3
4	... ...	... ...	... ...	... 1	9 2	8 3	... 1	... 1	9 7	10 12	10 11	10 13	4
5	... ...	... ...	11 3	10 3	8 2	8 7	8 5	8 6	9 7	10 9	10 11	10 12	5
6	10 3	10 10	9 10	8 16	8 7	... 1	10 2	10 4	9 17	9 10	9 16	9 10	6
7	5 6	7 6	5 3	32 2	32 3	... 1	1 15	1 15	1 16	4 12	4 4	2 4	7
8	1 12	1 9	1 4	1 9	1 8	1 8	1 14	1 11	1 10	1 4	2 8	1 5	8
9	2 12	2 10	2 5	2 7	2 2	... 1	... 1	31 2	32 2	4 5	7 9	10 12	9
10	... 1	... ...	... 1	... ...	6 2	5 5	5 11	5 7	6 13	7 13	8 16	8 20	10
11	6 21	6 22	6 23	6 23	6 23	6 28	6 27	6 24	7 22	8 22	8 20	9 19	11
12	... 1	... ...	... ...	... ...	8 2	8 4	... ...	... ...	... ...	7 2	13 4	21 8	12
13	2 10	1 11	1 14	1 15	1 14	1 15	32 15	2 10	2 8	2 7	6 9	8 13	13
14	7 20	7 11	5 8	6 8	3 4	2 6	3 5	4 4	4 6	8 5	9 6	10 11	14
15	7 13	7 10	7 11	7 6	7 6	7 6	8 3	... ...	8 2	8 4	8 6	12 4	15
16	8 5	... 1	... 1	6 3	3 9	2 15	2 16	2 13	2 11	2 7	3 6	8 8	16
17	7 20	7 23	6 14	6 13	6 18	7 21	7 21	7 25	7 23	7 24	7 28	7 25	17
18	7 25	7 26	6 23	6 18	6 17	6 17	7 16	8 15	8 16	8 21	8 21	8 18	18
19	6 20	6 23	7 22	7 16	7 14	7 13	8 13	9 19	9 19	10 24	10 25	9 23	19
20	7 26	7 25	7 21	8 24	8 24	7 23	8 18	8 17	8 23	7 26	8 27	7 28	20
21	9 20	8 25	7 20	7 19	8 14	9 15	9 15	8 15	9 14	9 21	9 19	9 16	21
22	12 2	... ...	12 2	... ...	... 1	... 1	... 1	12 3	10 12	9 11	9 5	10 8	22
23	10 15	10 13	9 15	9 6	8 6	7 5	7 8	7 8	... ...	8 8	9 13	11 7	23
24	7 14	7 12	7 12	8 14	6 13	7 13	7 14	6 14	5 12	5 11	5 12	7 5	24
25	7 14	7 12	7 8	8 8	9 7	9 9	10 9	10 9	9 9	9 9	10 12	10 11	25
26	8 7	8 5	... 1	... 1	... 1	7 5	6 3	6 2	7 2	9 5	9 9	10 11	26
27	1 7	2 6	2 3	2 18	1 12	1 10	1 13	1 10	2 11	4 5	6 5	8 11	27
28	7 16	8 19	8 20	7 22	7 23	7 23	7 26	7 24	7 25	7 22	7 21	7 18	28
29	8 14	8 19	8 20	8 15	8 16	8 15	8 13	8 14	9 14	9 15	9 14	9 18	29
30	9 16	9 19	9 19	8 24	8 23	7 21	8 22	8 21	8 24	8 29	8 30	8 32	30
31	7 20	6 18	7 15	7 15	8 15	9 15	9 14	9 17	9 17	8 17	8 16	8 18	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	
1	11 7	11 12	11 9	16 4	24 4	1 3	... 1	2 3	... 1	1 4	2 7	1 12	1
2	4 4	8 7	16 7	22 6	27 7	29 6	2 5	2 2	2 2	2 9	2 12	1 7	2
3	5 7	8 8	9 9	8 8	6 6	3 3	1 3	... 1	6 6	8 9	8 5	8 2	3
4	10 11	10 14	10 14	10 15	10 13	9 12	9 10	9 8	9 8	9 5	... ...	... 1	4
5	10 13	10 13	9 16	9 15	9 14	9 11	10 10	10 5	11 3	11 2	... 1	... ...	5
6	10 12	9 14	8 18	8 18	8 15	8 13	9 6	10 4	... 1	8 5	2 2	... 1	6
7	2 5	1 4	2 9	2 11	2 15	1 11	2 10	3 6	2 6	32 11	32 10	32 13	7
8	1 4	1 10	32 11	1 8	1 7	2 6	2 7	2 10	2 11	1 18	1 19	1 15	8
9	10 11	10 12	9 16	10 12	10 11	10 8	10 6	10 6	9 5	... 1	9 2	... ...	9
10	8 21	7 21	7 17	7 18	7 17	7 18	6 15	6 17	7 19	7 20	6 19	6 19	10
11	9 18	9 22	9 21	9 18	10 10	11 5	9 10	9 14	10 10	11 3	10 4	8 4	11
12	24 9	23 14	24 10	5 8	9 7	9 10	9 6	9 2	9 3	9 11	9 8	8 5	12
13	10 10	11 9	10 12	11 12	12 12	11 12	9 9	8 10	6 9	6 18	6 15	6 17	13
14	10 10	10 11	10 12	10 8	10 12	9 14	8 12	8 13	7 14	7 13	7 15	7 11	14
15	21 7	23 7	23 8	23 7	24 4	27 2	... 1	28 2	28 3	... ...	7 11	9 11	15
16	8 11	7 14	9 15	10 15	10 13	10 18	8 21	7 15	7 18	7 14	7 14	8 11	16
17	7 25	8 21	7 19	8 17	7 17	8 19	7 18	8 21	7 18	7 17	7 21	7 23	17
18	10 13	10 13	9 15	8 17	7 19	7 17	8 15	8 18	7 21	7 20	7 17	6 20	18
19	8 24	8 20	8 20	7 19	7 20	7 21	7 22	6 21	6 21	7 20	6 24	6 24	19
20	9 28	9 23	9 25	9 23	9 19	8 17	8 16	8 17	10 17	9 18	8 19	8 19	20
21	10 15	10 13	10 14	10 15	10 13	10 10	10 12	10 9	10 10	10 12	10 9	11 2	21
22	9 4	8 2	4 6	1 6	1 6	5 7	8 9	9 13	9 16	9 14	10 13	10 10	22
23	18 4	19 2	16 8	11 6	7 8	8 12	8 17	8 17	8 11	8 11	8 12	7 14	23
24	10 7	11 9	11 6	11 10	10 17	9 18	8 11	7 8	7 10	6 14	7 13	7 16	24
25	9 14	9 16	9 12	9 12	9 13	8 11	8 11	8 13	8 10	7 7	7 6	7 7	25
26	19 6	22 13	22 9	32 5	9 5	11 3	3 5	32 4	2 8	4 7	2 8	1 4	26
27	8 12	8 17	8 18	7 15	7 14	7 12	7 14	7 13	7 15	7 13	8 16	7 16	27
28	8 20	9 13	9 11	9 6	10 5	11 6	11 7	11 9	10 13	9 15	8 18	8 19	28
29	9 18	9 15	10 17	10 15	10 12	9 14	9 14	9 11	10 12	10 13	10 13	10 15	29
30	7 31	7 28	7 34	7 31	7 22	7 18	7 11	7 12	8 16	7 15	7 13	7 16	30
31	8 19	9 22	9 20	9 17	8 17	8 17	8 18	8 11	8 13	9 11	10 7	10 9	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of JANUARY, 1932.
(... = no clouds.)

Days of the Month	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	...	...	...	...	cu	E	...	...	...	...	...	...	...	...	...	...
2	...	...	...	...	...	...	a-cu	ENE	...	...	...	...	...	...	...	...
3	...	...	...	...	ci-st	ENE	ci-st	ENE	...	...	...	...	...	...	...	...
4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6	...	...	cu	E	cu	SSE	cu	SSE	cu	SSE	a-cu / cu	S / SSE	cu	SSE	cu	SSE
7	cu	SSE	cu	SSE	nb	ENE	nb	ENE	nb	NNE	a-cu / cu	E / NE	nb	NNE	cu	NE
8	cu	NE	...	...	cu	E	cu	E	cu	NE	cu	ENE	...	...	...	...
9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10	...	...	...	...	...	...	...	...	...	...	...	...	cu	ENE	cu	NE
11	cu	ENE	cu	ENE	cu	E	cu	E	...	...	...	...	...	...	...	...
12	...	...	...	...	...	...	...	...	...	...	a-cu	SSW	...	...	...	...
13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	cu	ENE
14	cu	ENE	cu	ENE	st-cu	ESE	st-cu	SSE	st-cu	SSE	st-cu	S	st-cu	S	st-cu	S
15	st-cu	S	st-cu	S	nb	WSW	cu	W	...	...	...	...	...	...	...	...
16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	cu	E
17	...	...	...	...	cu	ENE	cu	SE	cu	ESE	st-cu	ESE	st-cu	ESE	st-cu	SE
18	st-cu	E	st-cu	E	st-cu	E	st-cu	E	st-cu	E	cu	E	a-cu / cu	WNW / E	a-cu / cu	WNW / E
19	cu	E	cu	E	a-cu / cu	NW / E	...	...	cu	E	cu	E	nb	ENE	cu	ENE
20	st-cu	E	st-cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
21	cu	E	...	...	cu	E	cu	E	...	...	cu	E	...	...	cu	ENE
22	...	...	...	...	cu	E	cu	E	cu	ESE	cu	ESE	a-cu / cu	SSE / ESE	cu	ESE
23	st-cu	E	st-cu	E	cu	E	a-cu	W	...	...	...	...	...	...	cu	E
24	cu	E	cu	E	cu	E	st-cu	E	cu	E	...	...	...	...	cu	E
25	cu	E	cu	ENE	cu	E	cu	ESE	cu	SE	cu	SSE	cu	SSE	cu	SSE
26	cu-nb	E	cu-nb	E	cu	SSE	...	...	...	...	...	...	...	...	...	...
27	...	...	a-cu	WSW	a-cu	WSW	a-cu	WSW	a-cu	SW	a-cu / cu	SW / WNW	cu	WNW	cu	WNW
28	cu	ENE	cu	ENE	st-cu	SSE	st-cu	SSE	st-cu	SSE	st-cu	SE	st-cu	SE	cu	ESE
29	st-cu	E	cu	E	a-cu	W	a-cu	W	a-cu	W	a-cu	W	...	...	...	...
30	...	...	a-cu	W	a-cu / cu	W / E	cu	E	cu	E	a-cu / cu	W / E	cu	E	cu	E
31	cu	E	cu	E	cu	E	cu	E	a-cu / cu	WSW / E	a-cu	WSW	a-cu	WSW	...	...

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1932.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-10).	Bright Sunshine. Daily Duration.	Percentage of possible Amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·171	62·2	47·3	14·9	55·0	46·4	0·221	51	1	10·2	95	...	...	+ 1·8	+ 2·5	54	3·1	5·4
2	·150	68·1	54·3	13·8	60·2	46·4	·164	31	..	10·3	96	...	..	+ 9·3	+ 1·9	12	9·5	10·8
3	·126	70·2	53·7	16·5	61·1	47·4	·176	33	2	10·4	97	...	...	+ 3·6	+ 3·1	41	4·7	6·1
4	·069	65·3	53·9	11·4	59·0	50·8	·280	56	...	10·0	93	...	...	— 2·0	+ 6·2	108	6·5	6·7
5	·015	64·1	53·9	10·2	58·7	51·5	·301	61	...	10·3	95	...	...	— 1·9	+ 6·6	106	6·9	7·0
6	29·993	67·2	55·7	11·5	62·8	57·6	·417	73	73	2·7	25	...	1	— 1·2	+ 8·7	98	8·8	9·0
7	30·134	65·8	48·2	17·6	60·8	54·1	·344	65	97	0·1	1	...	2	+ 7·5	+ 2·6	19	7·9	8·2
8	·269	54·6	43·3	11·3	49·0	41·4	·177	51	39	2·4	22	...	...	+ 9·3	+ 2·2	13	9·5	9·5
9	·293	58·4	45·0	13·4	51·5	43·0	·184	48	...	9·8	91	...	...	+ 0·3	+ 5·1	87	5·1	6·6
10	·287	58·7	49·1	9·6	54·9	48·7	·275	64	12	10·1	94	...	...	+ 3·1	+ 12·3	76	12·9	12·9
11	·268	62·0	54·2	7·8	58·1	52·8	·338	70	17	9·5	88	...	...	+ 1·5	+ 16·4	85	16·5	17·2
12	·232	69·9	56·2	13·7	62·1	53·8	·322	57	5	10·0	93	...	...	— 0·6	+ 1·2	117	1·3	4·7
13	·233	66·3	56·6	9·7	60·5	51·6	·284	54	14	9·8	91	...	...	+ 4·2	+ 7·5	61	8·6	11·9
14	·197	62·9	56·1	6·8	59·2	52·7	·326	65	95	0·9	8	...	...	+ 0·6	+ 9·2	86	9·2	10·0
15	·148	70·0	59·1	10·9	62·9	57·4	·411	71	38	8·6	79	...	...	+ 0·1	+ 2·3	88	2·3	5·6
16	·172	69·9	58·1	11·8	62·9	54·8	·340	59	8	9·7	89	...	...	+ 2·7	+ 9·2	74	9·6	11·3
17	·172	62·4	58·0	4·4	59·4	54·3	·365	72	69	3·5	32	...	...	+ 3·7	+ 20·3	80	20·5	20·5
18	·161	64·7	59·6	5·1	61·8	56·0	·384	70	95	1·4	13	...	...	+ 2·2	+ 17·9	83	18·0	18·2
19	·183	64·1	59·9	4·2	61·6	57·7	·433	79	66	7·3	67	...	...	+ 2·2	+ 19·6	84	19·7	20·3
20	·190	65·1	59·8	5·3	62·1	57·8	·431	78	37	10·1	93	...	...	— 0·2	+ 21·7	91	21·7	21·8
21	·186	69·4	60·2	9·2	63·4	57·4	·405	69	9	10·4	95	...	...	— 2·8	+ 14·0	101	14·3	14·5
22	·141	73·9	59·0	14·9	64·9	58·8	·427	70	40	9·1	83	...	...	— 0·6	+ 5·4	96	5·4	6·3
23	·118	71·3	61·2	10·1	64·8	59·3	·443	72	30	8·7	79	...	...	— 1·2	+ 8·5	98	8·6	9·4
24	·129	68·8	60·5	8·3	62·5	58·2	·438	77	57	6·0	55	...	...	+ 1·3	+ 11·2	83	11·3	11·9
25	·104	65·5	59·8	5·7	62·0	58·7	·458	82	91	0·5	5	...	...	— 1·0	+ 10·2	96	10·3	10·4
26	·096	70·8	58·0	12·8	64·4	57·7	·402	67	24	10·0	91	...	...	+ 0·7	+ 2·0	71	2·1	5·4
27	·123	64·0	55·4	8·6	59·3	52·2	·312	62	58	6·7	61	...	...	+ 4·8	+ 9·1	62	10·3	11·9
28	·072	61·6	58·6	3·0	60·0	53·3	·332	64	97	...	...	...	...	+ 0·6	+ 16·5	88	16·5	16·7
29	·054	68·7	59·4	9·3	63·2	56·2	·374	65	42	6·3	57	...	...	— 2·8	+ 14·5	101	14·8	14·8
30	·014	66·5	61·0	5·5	63·1	58·5	·439	76	45	6·1	55	...	...	+ 1·6	+ 21·8	86	21·9	22·0
31	29·932	65·4	59·9	5·5	62·5	59·5	·475	84	49	9·0	81	...	...	— 0·6	+ 15·6	92	15·6	15·7
Means.	30·143	65·7	56·0	9·7	60·4	53·7	0·344	64	39	Sum. 219·9	65	Sum. 0·000	Sum. 3	+ 1·5	+ 9·9	81	10·0	11·7
Normals	30·051	64·5	56·2	8·3	59·9	55·3	0·395	75	64	146·9	44	1·287	49	+ 2·4	+ 9·7	76	10·0	12·7
Absolute Max.	30·342	73·9	...	16·5	...	64·9	0·515	...	...	10·4	97	0·000	2	...	...	...	...	34·0†
Day.	10	22	...	3	...	22	22	...	...	3	3	...	7	...	...	...	...	30d 15h*
Absolute Min.	29·861	...	43·3	3·0	...	37·2	0·101	19	...	...	...	...	...	...	...	...	...	...
Day.	31	...	8	28	...	9	3	3	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

												Sum.	Sum.					
Means.	1022·8	291·7	286·3	5·4	288·8	285·1	11·6	...	...	...	...	...	3	+ 0·5	+ 3·2	81	3·3	3·8
Normals	1019·7	291·1	286·4	4·6	288·5	285·9	13·4	...	...	...	...	32·7	49	+ 0·8	+ 3·2	76	3·3	4·2
Absolute Max.	1029·6	296·3	...	9·2	...	291·3	17·4	...	...	...	...	...	2	...	...	...	...	11·1
Absolute Min.	1013·3	...	279·3	1·6	...	275·9	3·4	...	...	...	...	...	...	...	...	...	...	...

No rain fell in January.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 43 miles per hour from E. by N. at 13*h* 20*m* on the 30th.

No clouds with base less than 2,000 feet high were observed in January.

*0° = N., 90° = E., &c.

† Maximum velocity for one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1932.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-10).	Percentage of Possible Bunshine.	Rain(fall). Amount.	Percentage of Total. Amount.	Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Resultant. Direction.	Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	ins.	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·156	58·4	53·0	0·347	69	46		...	...	...	+ 3·3	+ 9·9	72	10·4	11·8
2	·147	58·3	52·8	·343	69	47		...	...	...	+ 3·2	+ 9·9	72	10·4	11·8
3	·138	58·0	52·6	·342	69	46		...	...	...	+ 2·7	+ 8·7	73	9·1	10·3
4	·131	57·6	52·5	·343	70	44		...	...	...	+ 3·5	+ 8·7	68	9·4	10·6
5	·135	57·5	52·1	·334	69	49		...	...	...	+ 3·4	+ 8·0	67	8·7	10·0
6	·142	57·4	52·0	·333	69	44	...	...	...	...	+ 3·5	+ 8·4	67	9·1	10·5
7	·154	57·6	51·8	·326	66	43	30	...	...	...	+ 3·9	+ 8·4	65	9·3	11·1
8	·171	58·4	52·2	·327	65	43	68	...	...	...	+ 3·4	+ 8·6	68	9·3	10·9
9	·190	60·1	53·2	·334	63	39	70	...	...	...	+ 2·9	+ 9·8	73	10·2	12·1
10	·199	61·9	54·2	·340	59	37	65	...	...	...	+ 1·7	+ 11·0	81	11·1	12·6
11	·192	62·9	54·7	·342	58	38	71	...	...	...	+ 0·8	+ 12·0	86	12·0	13·5
Noon.	·168	63·6	55·1	·345	57	38	71	...	...	...	− 0·5	+ 11·9	92	11·9	13·5
13	·137	64·4	55·5	·347	55	34	77	...	...	...	− 1·5	+ 10·8	98	10·9	12·9
14	·109	64·6	55·5	·345	55	35	76	...	...	...	− 1·8	+ 10·5	100	10·7	13·5
15	·093	64·5	55·3	·340	54	36	73	...	...	...	− 1·5	+ 11·0	98	11·1	14·1
16	·090	63·9	55·1	·342	56	32	74	...	...	...	− 0·7	+ 10·6	94	10·6	12·7
17	·098	62·6	54·6	·343	59	31	37	...	...	...	− 0·2	+ 10·1	91	10·1	12·1
18	·110	61·3	54·3	·349	62	33	...	...	...	...	+ 0·1	+ 10·2	89	10·2	11·4
19	·121	60·3	54·1	·355	66	34		...	...	...	+ 0·6	+ 10·0	87	10·0	10·7
20	·137	60·0	54·0	·356	67	34		...	...	...	+ 0·8	+ 9·3	85	9·3	10·2
21	·148	59·6	54·0	·360	69	32		...	...	...	+ 1·0	+ 9·6	84	9·7	10·6
22	·155	59·5	53·8	·356	68	39		...	...	...	+ 1·9	+ 9·9	79	10·1	11·3
23	·157	59·4	53·8	·357	68	41		...	...	...	+ 2·5	+ 9·7	76	10·0	11·4
Midn.	·153	59·2	53·7	·358	69	42		...	...	...	+ 2·7	+ 9·3	74	9·7	11·1

Phenomena :—

Lunar corona :—on the 18th, 19th, 23rd, 25th, 29th and 30th.

Slight Fog :—on the 9th and 22nd.

Dew :—on the 4th, 5th, 10th, 12th and 26th.

ADOPTED ERRORS OF TIMEBALL, JANUARY, 1932.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	− 0·1	11	0·0	21	0·0
2	− 0·1	12	0·0	22	0·0
3	0·0	13	− 0·1	23	+ 0·1
4	0·0	14	− 0·1	24	+ 0·2
5	0·0	15	− 0·1	25	0·0
6	0·0	16	0·0	26	0·0
7	0·0	17	− 0·1	27	0·0
8	0·0	18	− 0·1	28	0·0
9	+ 0·1	19	− 0·1	29	− 0·1
10	+ 0·1	20	− 0·1	30	−1 0·1
				31	− 0·2

+ = Late ; − = Early.

The above may also be regarded as the errors of the time signals by radio telegraphy and by signal lights.

The probable error for the month was ± 0·10

* 0° = N. 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

JANUARY,

1932.

Latitude and Longitude of Meteorological Stations reporting telegraphically to the Royal Observatory, Hong Kong.

Station	Latitude N.		Longitude E.		Station	Latitude N.		Longitude E.	
	°	′	°	′		°	′	°	′
Changchun	43	54	125	20	Tainan	23	00	120	13
Wladivostock	43	07	131	54	Koshun	22	00	120	45
Nemuro	43	20	145	35	Pescadores	23	32	119	33
Hakodate	41	47	140	43	Canton	23	08	113	17
Tokio	35	41	139	46	Hongkong	22	18	114	10
Kochi	33	33	133	32	Gap Rock	21	49	113	56
Nagasaki	32	44	129	52	Pratas Island	20	40	116	47
Kagoshima	31	34	130	33	Macao	22	11	113	33
Oshima	28	23	129	30	Wuchow	23	29	111	20
Naha	26	13	127	41	Pakhoi	21	29	109	06
Ishigakijima	24	20	124	10	*Hoihow*	20	01	110	20
Bonin Island	27	05	142	11	Yunnanfu	25	02	102	42
Chefoo	37	33	121	30	Lao Kay	22	29	103	57
Nanking	32	7	118	47	Phulien	20	48	106	37
Wuhu	31	21	118	25	Tourane	16	08	108	17
Wan-hsien	30	52	108	33	Cape St. James	10	20	107	05
Hankow	30	36	114	20	Basco	20	28	121	59
Ichang	30	42	111	16	Aparri	18	22	121	38
Kiukiang	29	44	116	8	Manila	14	35	120	58
Chungking	29	32	106	50	Legaspi	13	09	123	45
Changsha	28	12	112	47	Tacloban	11	15	125	00
Shanghai	31	14	121	29	Iloilo	10	42	122	34
Gutzlaff	30	48	122	10	Surigao	9	48	125	29
Kamei	28	05	121	13	*Saipan*	15	14	145	46
Sharp Peak	26	03	119	39	Guam	13	24	144	38
Amoy	24	28	118	05	Yap	9	29	138	08
Swatow	23	20	116	43	Pelew	7	20	134	29
Taihoku	25	02	121	31	Labuan	5	16	115	13
Taichu	24	09	120	41	...	...		...	

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	31st DECEMBER, 1931.								1st JANUARY, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.55	776.0	19	...	N	3	b	6	30.18	766.6	5	...	...	0	b
Nemuro,	11	30.00	762.0	...	...	NW	4	...	5	30.22	767.5	...	...	NW	1	...
Hakodate,	,,	30.12	765.0	...	...	NNW	3	...	,,	30.18	766.5	...	...	N	1	...
Tokio,	,,	30.08	764.0	...	...	N	2	...	,,	30.22	767.5	...	...	NNW	1	...
Kochi,	,,	30.12	765.0	...	...	...	0	...	,,	30.08	764.0	...	...	WSW	1	...
Nagasaki,	,,	30.14	765.5	...	...	NNW	1	...	,,	30.12	765.0	...	...	N	1	...
Kagoshima,	,,	30.10	764.5	...	...	NE	1	...	,,	30.10	764.5	...	...	NW	1	...
Oshima,	,,	30.08	764.0	...	...	N	2	...	,,	30.10	764.5	...	...	N	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.16	766.0	...	...	NNW	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.20	767.0	...	...	NNE	1	...
Bonin Island,	,,	29.92	760.0	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Chefoo,	15	30.27	768.8	34	...	NW	2	o	6	30.07	763.8	...	...	SSW	...	...
Shanghai,	14	30.41	772.3	40	6	WNW	2	be	,,	30.37	761.3	29	6	WSW	2	b
Gutzlaff,	,,	30.47	773.9	40	...	NNW	4	o	,,	30.26	768.6	54	...	NW	...	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.22	767.6	56	8	E	2	be	7	30.31	769.9	54	8	N	2	b
Amoy,	,,	30.23	767.8	60	6	NE	2	b	6	30.12	765.0	63	6	NE	4	bf
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	13	30.28	769.0	56	...	...	0	d	5	30.28	769.1	52	...	ENE	2	be
Taichu,	,,	30.22	767.5	58	...	N	2	o	,,	30.17	766.2	54	...	N	2	o
Tainan,	,,	30.15	765.7	63	...	NNE	4	o	,,	30.13	765.3	54	...	N	4	o
Koshun,	,,	...	...	...	...	...	...	...	,,	30.07	763.8	63	...	NE	4	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.17	766.4	58	...	NNE	6	c
Hong Kong,	14	30.19	766.8	56	7	N	2	c	6	30.23	767.8	48	7	...	0	b
Gap Rock,	,,	30.18	766.6	68	8	N	5	c	,,	30.21	767.3	65	8	NNE	4	c
Macao,	,,	30.18	766.6	54	4	NNE	4	c	,,	30.21	767.2	45	4	N	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.09	764.2	65	8	NE	6	o	6	30.11	764.8	63	8	NE	6	o
Phulien,	15	30.14	765.5	59	8	NNW	2	o	7	30.29	769.3	50	8	NNE	3	c
Tourane,	,,	30.09	764.2	63	6	NNW	4	r	,,	30.15	765.8	61	2	NW	3	...
Cape St. James,	,,	29.88	759.0	61	6	E	6	o	,,	29.95	760.6	70	6	SSE	3	be
Basco,	14	29.94	760.6	68	4	NE	6	d	6	30.00	762.0	68	1	NE	4	o
Aparri,	,,	29.89	759.3	72	4	NE	6	d	,,	29.98	761.5	70	4	NNE	6	p
Tuguegarao,	,,	29.83	757.6	74	1	N	2	d	,,	29.92	760.0	68	1	N	2	o
Vigan,	,,	29.80	756.8	79	6	NNW	6		,,	29.85	758.2	72	8	..	0	o
Manila,	,,	29.78	756.3	83	8	SSW	2	o	,,	29.82	757.4	74	4	ENE	2	d
Legaspi,	,,	29.74	755.4	86	6	...	0	be	,,	29.79	756.6	76	6	...	0	c
Calboyog,	,,	29.73	755.2	83	8	WSW	4	o	,,	29.79	756.6	74	6		0	o
Tacloban,	,,	29.72	754.9	91	8	E	2	b	,,	29.78	756.4	77	8	NW	2	b
Iloilo,	,,	29.71	754.6	86	8	E	4	o	,,	29.75	755.6	76	4	NE	2	o
Cebu,	,,	29.71	754.7	86	8	NE	4	o	,,	29.76	755.8	77	8	N	2	be
Surigao,	...	29.72	754.8	85	8	N	2	o	,,	29.75	755.5	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.78	756.4	76	...	ESE	2	be
Guam,	12.22	29.70	754.4	...	6	ENE	6	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.67	753.5	...	6	ENE	6	be	5	29.65	753.1	80	...	ENE	2	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.67	752.6	79	...	ENE	1	c
Labuan,	14	29.94	760.4	83	6	N	6	be	6	29.78	756.4	74	1	NNE	...	be

January 1*d.* 10*h.* 52*m.*— The anticyclone remains central over the lower Yangtze Valley.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. and variable winds, light to moderate; generally fine, local fog in morning.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fine.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	2nd JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Windyvorock,	12	30.05	763.3	23	...	WSW	2	b	6	29.92	760.0	10	...	NE	1	b
Nemuro,	11	30.12	765.0	...	...	W	1	...	5	29.86	758.5	...	...	...	...	...
Hokodate,	,,	30.12	765.0	...	...	NW	1	...	,,	29.75	755.5	...	...	N	1	...
Tokio,	,,	30.14	765.5	...	...	N	2	...	,,	29.67	753.5	...	...	...	0	...
Kochi,	,,	30.00	762.0	...	...	...	0	...	,,	29.88	759.0	...	...	W	1	...
Nagasaki,	,,	30.12	765.0	...	...	NNW	2	...	,,	30.02	762.5	...	...	NNW	2	...
Kagoshima,	,,	30.08	764.0	...	...	...	0	...	,,	30.02	762.5	...	...	...	0	...
Oshima,	,,	30.14	765.5	...	...	N	1	...	,,	30.10	764.5	...	...	W	1	...
Naha,	,,	30.18	766.5	...	...	NNW	4	...	,,	30.18	766.5	...	...	NW	4	...
Ishigakijima,	,,	30.22	767.5	...	...	NNE	2	...	,,	30.20	767.0	...	...	NNE	1	...
Bonin Island,	,,	29.92	760.0	...	...	W	1	...	,,	29.90	759.5	...	...	W	1	...
Chefoo,	15	30.07	763.8	50	...	NW	6	r	6	30.38	771.6	46	..	SSW	8	c
Shanghai,	14	30.28	769.2	47	8	WSW	2	f	,,	30.34	770.6	29	6	W	2	c
Gutzlaff,	,,	30.24	768.1	62	...	W	...	b	,,	30.31	769.9	50	...	NW	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.29	769.3	62	8	E	2	b	,,	30.10	762.6	54	8	NNW	2	b
Amoy,	,,	30.08	764.0	71	6	NE	4	bf	6	30.12	765.0	64	6	ENE	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Talloken,	11	30.31	770.0	59	...	E	4	be	5	30.28	769.2	43	...	...	0	b
Taiein,	,,	30.18	766.6	65	...	N	2	b	,,	30.21	767.2	43	...	...	0	b
Tairut,	,,	30.17	766.3	65	...	N	4	be	,,	30.13	765.3	50	...	N	4	b
Koshon,	,,	30.14	765.5	67	...	NE	6	b	,,	30.14	765.5	61	...	NE	6	b
Pescadores,	,,	30.21	767.4	61	...	NE	6	b	,,	30.19	766.8	58	...	NNE	6	b
Hong Kong,	14	30.21	767.3	61	-	SE	3	b	6	30.23	767.8	55	-	N	3	b
Gap Rock,	,,	30.20	767.1	66	8	ENE	4	b	,,	30.21	767.3	65	8	NNE	4	b
Macao,	,,	30.20	767.0	58	8	NE	4	b	,,	30.21	767.4	49	4	N	2	o
Hollow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.10	764.6	65	8	NE	6	o	6	30.14	765.5	65	8	NE	6	be
Phulier,	15	30.20	767.1	66	8	NW	2	be	,,	30.31	769.8	50	8	N	4	b
Tourane,	,,	30.10	764.6	64	6	NW	4	o	,,	30.16	766.2	59	6	NW	4	r
Cape St. James,	,,	29.94	760.5	81	6	SW	3	c	,,	29.97	761.3	68	6	ENE	2	c
Baco,	14	30.01	762.3	68	6	NE	6	o	6	30.07	763.7	67	1	ENE	4	o
Aparri,	,,	29.97	761.2	70	4	NE	4	p	,,	30.02	762.5	70	4	NE	4	p
Tuguegarao,	,,	29.91	759.6	74	1	N	2	o	,,	29.96	761.0	67	1	N	2	o
Vigan,	,,	29.80	756.8	79	8	NNW	4	o	,,	29.88	758.8	72	8	NNW	4	c
Manila,	,,	29.80	757.0	83	8	NE	4	o	,,	29.93	760.1	72	6	...	c	c
Legaspi,	,,	29.76	755.8	86	8	N	4	o	,,	29.79	756.6	77	6	...	o	be
Calbayog,	,,	29.74	755.4	85	8	ENE	2	be	,,	29.78	756.5	74	8	...	o	o
Tacloban,	,,	...	...	83	8	NE	2	be	,,	29.79	756.7	77	8	NW	2	o
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.77	756.1	74	1	NE	4	o
Cebu,	,,	29.74	755.4	88	8	NE	4	be	,,	29.77	756.1	79	8	...	c	o
Surigao,	...	29.73	754.7	82	8	N	2	o	,,	29.78	756.3	76	4	...	c	r
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.72	755.0	...	6	NE	4	b	4.22	29.70	754.3	...	6	E	4	c
Yap,	11.00	29.65	753.1	...	6	NE	6	c	5	29.71	754.6	...	6	NE	2	r
Petew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	85	6	N	6	be	6	29.90	759.4	74	...	...	...	c

January 2d. 10h 45m — The anticyclone remains central over the lower Yangtze Valley.

A depression which formed to the east of Kor a least evening has moved to the N.E. of Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd.

District.	Forecast.
A.—Shanghai to Turnabout,	Light, variable winds, fine.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Banka Straits,	
E.—North China Sea,	N.E. winds, fresh; fine to cloudy.

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.84	757.9	23	...	N	2	o	6	29.63	752.7	18	...	...	o	b
Nemuro,	11	29.72	755.0	...	...	...	o	...	5	29.67	757.5	...	...	N	1	...
Hokodate,	,,	29.67	753.5	...	...	NNW	3	...	,,	29.76	756.0	...	...	W	2	...
Tokio,	,,	29.55	750.5	...	...	SW	1	...	,,	29.88	759.0	..	...	NNE	1	...
Kochi,	,,	29.88	759.0	...	...	NNW	1	...	,,	30.02	762.5	...	...	WSW	1	...
Nagasaki,	,,	30.08	764.0	...	...	NNW	1	...	,,	30.04	763.0	...	...	...	o	...
Kagoshima,	,,	30.06	763.5	...	...	N	1	...	,,	30.06	763.5	...	...	NW	1	...
Oshima,	,,	30.10	764.5	...	...	N	1	...	,,	30.08	764.0	...	...	NNW	1	...
Naha,	,,	30.16	766.0	...	...	NW	5	...	,,	30.12	765.0	...	...	NW	3	...
Ishigakijima,	,,	30.24	768.0	...	...	NNE	1	...	,,	30.18	766.5	...	...	N	1	...
Bonin Island,	,,	29.86	758.5	...	...	WSW	1	...	,,	29.94	760.5	...	...	NW	1	...
Chefoo,	15	...	...	60	...	SW	6	r	6	29.86	758.4	54	...	SW	1	b
Shanghai,	14	30.25	768.3	49	8	W	4	b	,,	30.17	766.3	35	8	SW	2	b
Gutzlaff,	,,	30.20	767.1	62	...	NW	...	bf	,,	30.19	766.8	41	...	WSW	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.28	769.1	62	8	E	2	b	7	30.21	767.3	54	8	...	o	b
Amoy,	,,	...	...	71	6	ESE	2	b	6	30.09	764.3	...	8	E	4	bf
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tathoku,	11	30.30	769.6	61	...	E	2	b	5	30.25	768.3	40	...	...	o	b
Taichu,	,,	30.21	767.4	63	...	N	4	b	,,	30.23	767.9	40	...	...	o	b
Tainan,	,,	30.18	766.6	67	...	NNE	4	b	,,	30.16	766.0	45	...	NNE	2	b
Koshun,	,,	30.16	766.0	68	...	NE	4	be	,,	30.12	765.0	58	...	...	o	b
Pescadores,	,,	30.22	767.5	65	...	NNE	6	b	,,	30.18	766.5	58	...	NNE	4	b
Hong Kong,	14	30.15	765.8	67	8	SE	2	b	6	30.20	767.0	54	8	N	1	b
Gap Rock,	,,	30.17	766.3	66	8	NNE	4	b	,,	30.20	767.0	66	8	N	4	b
Macao,	,,	30.14	765.6	65	8	NE	4	b	,,	30.17	766.4	54	6	N	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.10	764.6	68	8	NE	6	be	6	30.13	765.3	65	8	N	6	b
Phulien,	15	30.20	767.2	70	8	NW	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	30.09	764.4	63	8	NW	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.91	759.7	77	6	SW	2	o	,,	...	...	...	...	...	...	...
Baseo,	14	30.04	763.0	68	6	NE	4	o	6	30.05	763.2	67	1	NE	4	o
Aparri,	,,	29.99	761.8	67	4	ENE	4	p	,,	30.01	762.3	67	4	ENE	4	p
Tuguegarao,	,,	29.91	759.8	72	1	NW	2	o	,,	29.95	760.8	65	1	N	2	o
Vigan,	,,	29.83	757.8	77	8	N	4	o	,,	29.89	759.3	68	8	NNW	2	o
Manila,	,,	29.82	757.4	81	8	NNE	4	o	,,	29.88	758.0	72	8	..	o	le
Legnepi,	,,	29.76	755.9	79	6	NNE	4	o	,,	29.82	757.4	76	6	N	2	o
Calbayog,	,,	29.74	755.4	86	8	N	2	c	,,	29.83	757.6	74	8	...	o	o
Tacloban,	,,	29.76	755.9	79	6	N	2	o	,,	29.81	757.1	77	6	NW	4	o
Iloilo,	,,	29.71	754.6	83	8	NE	4	o	,,	29.78	756.5	74	4	NE	4	p
Cebu,	,,	29.72	755.0	86	8	NE	4	o	,,	29.82	757.3	76	4	N	6	o
Surigao,	...	29.74	755.5	74	4	SW	2	r	,,	29.78	756.3	74	6	...	o	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.66	753.4	...	6	ESE	4	be	4.22	29.71	754.7	..	6	E	2	b
Yap,	11.00	29.60	751.8	...	6	NNE	4	be	5	29.63	752.6	...	6	S	4	e
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	83	6	N	8	o	6	29.89	759.3	76	...	...	...	o

January 3*d*. 10*h*. 41*m*.– The anticyclone is now central to the south of the lower Yangtze Valley. It has weakened slightly.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Westerly and variable winds, light to moderate; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Bainan Straits,	
E.—North China Sea,	N.E. winds, moderate to fresh; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	4th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.55	750.6	32	...	WSW	1	o	6	29.68	753.9	23	...	WNW	1	o
Nemuro,	11	29.74	755.5	...	...	NNE	1	...	5	29.63	752.5	...	...	S	4	...
Hakodate,	,,	29.76	756.0	...	...	W	2	...	,,	29.59	751.5	...	...	WNW	3	...
Tokio,	,,	29.86	758.5	...	...	E	1	...	,,	29.76	756.0	...	...	NW	1	...
Kochi,	,,	29.96	761.0	...	...	E	1	...	,,	30.02	762.5	...	...	...	0	...
Nagasaki,	,,	30.00	762.0	...	...	WNW	3	...	,,	30.14	765.5	...	...	N	1	...
Kagoshima,	,,	30.06	763.5	...	...	...	c	...	,,	30.10	764.5	...	...	...	0	...
Oshima,	,,	30.08	764.0	...	...	N	2	...	,,	30.10	764.5	...	...	NW	..	...
Naha,	,,	30.16	766.0	...	...	NNW	4	...	,,	30.12	765.0	...	...	NNW	3	...
Ishigakijima,	,,	30.20	767.0	...	...	NNE	2	...	,,	30.12	765.0	...	...	NNE	1	...
Bonin Island,	,,	29.96	761.0	...	...	NW	1	...	,,	30.00	762.0	...	...	W	1	...
Chefoo,	15	29.95	760.7	58	...	NW	3	r	6	29.82	757.4	56	...	SW	4	b
Shanghai,	14	30.19	766.7	55	8	WNW	4	b	,,	30.23	767.8	...	4	S	2	b
Gutzlaff,	,,	30.22	767.6	49	...	W	6	m	,,	30.21	767.3	56	...	SSE	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.15	765.8	56	8	SW	2	b	7	30.17	766.3	54	8	NW	2	b
Amoy,	,,	29.99	761.7	71	8	NNE	2	bf	6	30.10	764.5	65	6	W	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	11	30.26	768.5	58	...	...	0	b	5	30.21	767.2	...	...	...	c	bo
Taichu,	,,	30.21	767.3	63	...	N	4	b	,,	30.28	769.6	...	...	...	0	b
Tainan,	,,	30.19	766.9	65	...	NNE	4	b	,,	30.12	765.1	...	...	NNE	2	b
Koshun,	,,	30.15	765.8	68	...	NE	4	b	,,	30.09	764.3	61	...	NE	4	b
Pescadores,	,,	30.18	766.6	63	...	NNE	6	b	,,	30.14	765.6	58	...	NNE	4	b
Hong Kong,	14	30.15	765.8	70	8	ESE	3	b	6	30.17	766.3	55	6	E	1	b
Gap Rock,	,,	30.16	766.0	65	8	NE	4	b	,,	30.14	765.5	66	8	ENE	4	b
Macao,	,,	30.14	765.6	65	8	NE	4	b	,,	30.12	765.1	52	6	NNE	2	c
Hoilow,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pratas Island,	,,	30.11	764.8	70	8	NE	6	b	6	30.09	764.2	67	8	NE	6	b
Paulon,	15	30.20	767.0	72	8	SW	2	b	7	30.17	766.2	...	...	N	2	b
Tourane,	,,	30.11	764.8	67	8	NW	4	o	,,	30.10	766.4	...	...	NE	1	be
Cape St. James,	,,	29.93	762.2	77	6	W	2	c	,,	29.97	761.3	...	...	NW	2	c
Basco,	14	30.03	762.7	68	6	NE	4	o	6	30.03	762.8	67	1	NE	4	o
Aparri,	,,	29.99	761.8	68	4	ENE	4	o	,,	29.99	761.8	67	4	E	2	o
Tuguegarao,	,,	29.93	760.3	68	1	N	2	o	,,	29.96	761.0	63	1	NW	2	o
Vigan,	,,	29.84	757.9	79	8	NW	4	o	,,	29.85	758.2	67	8	NNE	2	h
Manila,	,,	29.83	757.8	81	8	N	4	o	,,	29.88	758.8	68	6	...	c	h
Legnepi,	,,	29.80	757.0	76	6	...	c	o	,,	29.84	757.9	74	6	N	4	o
Calbayog,	,,	29.78	756.3	76	8	...	c	r	,,	29.81	757.2	74	8	...	c	o
Tacloban,	,,	29.76	756.0	79	6	SE	2	d	,,	29.81	757.1	76	6	NW	4	s
Iloilo,	,,	29.73	755.2	81	8	NNE	4	o	,,	29.78	756.5	74	4	NNE	4	o
Cebu,	,,	29.72	755.0	86	8	NE	4	bc	,,	29.78	756.3	77	8	N	4	o
Surigao,	...	29.74	755.3	91	8	N	4	o	,,	29.76	756.0	76	4	NE	2	r
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.69	754.1	...	6	ESE	4	o	4.22	29.68	753.8	...	6	NE	4	bc
Yap,	11.00	29.59	751.7	...	6	E	4	o	5	29.62	752.2	...	6	ENE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	83	6	NE	6	bc	6	29.50	759.4	68	...	...	...	r

January 4*d.* 10*h.* 5c*m.*- The active cyclone over S.W. China is moving eastward.

A typhoon E.N.E. of Pelew Island is moving westward.

Manila warning. 3*d.* 10*h.* 45*m.*:—Typhoon in Lat. 07° N. Long. 137° E. moving W. Recd. 3*d.* 11*h.* 3c*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light, variable winds, fine.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, moderate to fresh; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	5th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.63	753.0	32	...	NNW	1	c	6	30.30	769.7	10	...	...	0	b
Nemuro,	11	29.51	749.5	...	...	S	2	...	5	29.78	756.5	...	...	...	...	...
Hokodate,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	...	...	NW	2	...
Tokio,	,,	29.84	758.0	...	...	NNE	1	...	,,	30.10	764.5	..	...	...	0	...
Kochi,	,,	30.06	763.5	...	...	...	0	...	,,	30.20	767.0	...	...	WSW	1	...
Nagasaki,	,,	30.14	765.5	...	...	WSW	1	...	,,	30.22	767.5	...	...	SE	2	...
Kagoshima,	,,	30.12	765.0	...	...	NW	1	...	,,	30.22	767.5	...	...	NW	1	...
Oshima,	,,	30.12	765.0	...	...	N	1	...	,,	30.16	766.0	...	...	SSE	1	...
Naha,	,,	30.12	765.0	...	...	N	1	...	,,	30.14	765.5	...	...	NE	1	...
Ishigakijima,	,,	30.16	766.0	...	...	NNE	1	...	,,	30.12	765.0	...	...	N	1	...
Bonin Island,	,,	30.00	762.0	...	...	N	1	...	,,	30.06	763.5	...	...	E	1	...
Chefoo,	15	29.86	758.4	67	8	SW	2	h	6	29.88	758.9	38	4	SSE	2	h
Shanghai,	14	30.11	764.8	59	8	SSW	2	h	,,	30.10	764.4	40	4	SSE	2	b
Gutzlaff,	,,	30.17	766.3	66	4	...	0	m	,,	30.16	766.0	45	6	SSW	4	be
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.10	764.5	56	8	N	2	h	7	30.09	764.3	54	6	NW	2	c
Amoy,	,,	30.06	763.5	72	8	E	4	h	6	29.99	761.7	65	6	W	4	bf
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tailoku,	11	30.18	766.6	63	...	...	0	h	5	30.13	765.3	43	...	...	c	b
Taichu,	,,	30.14	765.5	67	...	...	0	b	,,	30.14	765.5	43	...	...	0	b
Tainan,	,,	30.07	763.9	83	...	NNW	2	b	,,	30.09	764.2	49	...	ENE	2	b
Koshun,	,,	30.07	763.7	85	...	NE	4	b	,,	30.05	763.3	65	...	NE	4	b
Pescadores,	,,	30.13	765.4	67	...	NNE	6	b	,,	30.09	764.2	56	...	NNE	2	b
Hong Kong,	14	30.07	763.8	65	7	ESE	3	b	6	30.11	764.8	56	6	E	1	b
Gap Rock,	,,	30.11	764.8	65	8	ENE	4	b	,,	30.12	765.0	64	8	ENE	4	b
Macao,	,,	30.06	763.6	68	8	ESE	2	b	,,	30.06	763.6	52	6	N	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.01	762.3	72	8	NE	4	b	6	30.06	763.6	67	8	NE	4	b
Phulien,	15	30.07	763.7	74	6	S	2	b	7	30.08	764.0	56	6	ENE	4	b
Tourane,	,,	30.04	763.0	68	8	NNE	4	b	,,	30.04	763.0	56	8	ENE	2	be
Cape St. James,	,,	29.93	760.2	79	8	NNW	2	o	,,	29 97	761.2	68	6	N	2	o
Basco,	14	29.97	761.3	70	8	NE	4	be	6	30.00	761.9	67	4	NE	4	b
Aparri,	,,	29.94	760.4	70	4	ENE	4	o	,,	29.99	761.6	65	4	SW	2	o
Tuguegarao,	,,	29.89	759.1	72	1	NW	2	o	,,	29.95	760.7	63	1	...	o	o
Vigan,	,,	29.82	757.3	79	8	SSE	4	o	,,	29.86	758.3	72	8	NNE	4	be
Manila,	,,	29.82	757.3	83	8	W	2	o	,,	29.88	759.0	68	4	...	o	be
Legaspi,	,,	29.79	756.6	77	6	NNE	4	o	,,	29.86	758.3	76	6	N	2	o
Calbayog,	,,	29.78	756.3	79	8	N	4	o	,,	29.86	758.4	72	8	...	o	o
Tacloban,	,,	29.78	756.3	81	8	E	2	o	,,	29.85	758.2	76	8	NW	2	o
Iloilo,	,,	29.74	755.5	81	8	NE	6	o	,,	29.82	757.4	74	4	NE	4	o
Cebu,	,,	29.75	755.6	83	8	NNE	4	o	,,	29.81	757.2	77	8	N	4	o
Surigao,	...	29.73	755.2	83	8	NE	2	o	,,	29.83	757.6	76	6	NNE	4	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.64	752.8	...	6	E	6	o	4.22	29.67	753.7	..	6	...	o	o
Yap,	11.00	29.53	750.0	...	6	ENE	4	c	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.96	761.0	63	...	...	...	r	6	29 91	759.6	65	1	E	6	be

January 5*d.* 10*h.* 4cm.— The anticyclone is now central near Nagasaki moving E.N.E.

No information regarding the Pelew typhoon.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	Light, variable winds, fine to cloudy.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. or variable winds, moderate to light; fine.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	N.E. winds, moderate; fine to cloudy.

F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force (Beaufort).	Weather. (Beaufort.)	6th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.21	767.4	23	...	...	0	0	6	30.11	764.7	32	...	SE	5	0
Nemuro,	11	29.96	761.0	...	...	N	4	...	5	30.43	773.0	...	...	N	1	...
Hokodate,	,,	30.14	765.5	...	...	WNW	5	...	,,	30.43	773.0	...	...	N	1	...
Tokio,	,,	30.22	765.0	...	...	N	2	...	,,	30.36	771.0	..	...	NNW	1	...
Kochi,	,,	30.22	767.5	...	...	...	...	...	,,	30.32	770 0	...	...	WSW	1	...
Nagasaki,	,,	30.22	767.5	...	...	SE	3	...	,,	30.28	769.0	...	...	SE	1	...
Kagoshima,	,,	30.22	767.5	...	...	ENE	1	...	,,	30.30	769.5	...	...	NW	1	...
Oshima,	,,	30.16	766.0	...	...	NNE	1	...	,,	30.20	767 0	...	...	S	1	...
Naha,	,,	30.14	765.5	...	...	NNE	1	...	,,	30.16	766.0	...	...	NNE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	SE	1	...	,,	30.12	765.0	...	...	NNE	1	...
Bonin Island,	,,	30.04	763.0	...	...	ENE	1	...	,,	30.06	763.5	...	...	NE	1	...
Chefoo,	15	29.81	757.2	56	6	SW	2	b	6	30.09	764.2	40	4	WSW	2	2
Shanghai,	14	30.06	763.4	65	6	SSE	2	bc	,,	30.09	764.2	41	4	SSE	2	b
Gutzlaff,	,,	30.12	765.0	54	4	S	4	m	,,	30.13	765.3	50	8	SSE	6	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.07	763.8	66	6	NE	6	b	7	30.09	764.3	58	1	NW	2	2
Amoy,	,,	30.00	762.0	72	6	SSW	4	b	6	30.02	762.5	66	6	SW	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.10	764.6	63	...	...	0	b	5	30.08	764.0	48	...	...	0	b
Taichu,	,,	30.11	764.8	68	...	...	0	b	,,	...	...	...	...	...	...	...
Tainan,	,,	30.08	764.0	74	...	N	2	b	,,	30.05	763.3	59	...	NE	2	a
Koshun,	,,	30.09	764.2	72	...	NE	4	b	,,	30.03	762.7	67	...	NE	4	b
Pescadores,	,,	30.10	764.6	67	...	N	4	b	,,	30.07	763.7	58	...	NNE	2	b
Hong Kong,	14	30.03	762.7	63	8	E	3	b	6	30.05	763.2	61	6	ESE	1	0
Gap Rock,	,,	30.03	762.7	65	8	ENE	4	b	,,	30 02	762.5	65	8	ENE	4	0
Macao,	,,	30.01	762.3	67	8	SE	2	b	,,	30.01	762.1	56	4	N	2	0
Hoihow,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.0	72	8	NE	4	b	6	29.99	761.8	70	8	ESE	2	0
Phulien,	15	29.99	761.8	70	8	SE	2	b	7	29.95	760.7	65	6	SSE	4	b
Tourane,	,,	29.97	761.2	68	8	NNW	2	b	,,	29.95	760.6	63	8	SSW	4	b
Cape St. James,	,,	29.91	759.6	79	6	SE	4	c	,,	29.95	760.8	70	6	NE	2	b
Basco,	14	29.95	760.8	74	8	NE	4	b	6	30 02	762.4	68	1	E	2	bc
Aparri,	,,	29.94	760.4	72	4	NE	4	o	,,	29.99	761.8	65	6	E	2	b
Tuguegarao,	,,	29.89	759.3	74	1	N	2	o	,,	29.97	761.3	61	1	...	o	bc
Vigan,	,,	29.83	757.6	81	8	WNW	4	o	,,	29.77	756.1	70	8	ENE	2	b
Manila,	,,	29.84	757.9	79	8	WSW	4	c	,,	29.91	759.8	65	4	...	o	bc
Legaspi,	,,	29.81	757.1	77	8	NNE	4	o	,,	29.88	758.8	76	6	N	2	c
Calbayog,	,,	29.81	757.2	79	8	N	4	o	,,	29.88	758.8	72	8	N	2	o
Tacloban,	,,	29.80	757.0	77	8	N	4	o	,,	29.88	758.8	76	6	NW	4	bc
Iloilo,	,,	29.76	755.9	79	8	NE	4	o	,,	29.84	758.0	72	4	NNE	2	o
Cebu,	,,	29.76	755.8	85	8	NE	4	o	,,	29.84	758.0	76	8	N	2	o
Surigao,	...	29.78	756.4	79	6	NE	4	o	,,	29.83	757.6	77	4	N	4	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.65	753.1	77	...	SE	6	c
Guam,	12.22	29.64	752.8	...	6	E	4	c	4.22	29.64	752.8	...	6	SE	2	c
Yap,	11.00	29.50	749.4	...	6	SE	4	c	5	29.50	749.2	80	...	SSE	4	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.63	752.6	81	...	WSW	2	c
Labuan,	14	29.95	760.8	70	...	...	...	d	6	29.90	759.4	68	1	...	o	bc

January 6*d*. 11*h*. 15*m*.—The typhoon is about 200 miles N.N.W. of Yap moving N.N.E.

A new anticyclone has formed over S.E. Mongolia.

Manila warning. 5*d*. 10*h*. 45*m*.:—Typhoon in Lat. 10° N. Long. 135° E. moving N.N.W. Reed 5*d*. 11*h*. 37*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7th.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	Variable winds, light to moderate; fine to cloudy, local fog.
C.—Hong Kong to Gap Rock,	N.E. or variable winds, moderate; generally cloudy, some drizzle or mist.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	None.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	7th JANUARY, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.06	762.6	36	...	SE	5	o	6	30.13	765.3	7	...	N	4	o
Nemuro,	11	30.47	774.0	...	...	..	0	...	5	30.43	773.0	...	...	SSE	2	...
Hokodate,	,,	30.39	772.0	...	...	SE	1	...	,,	30.22	767.5	...	...	ENE	1	...
Tokio,	,,	30.37	771.5	...	...	N	1	...	,,	30.39	772.0	.	...	NNW	1	...
Kochi,	,,	30.31	770 0	...	...	...	0	...	,,	30.30	769.5	...	...	WSW	1	...
Nagasaki,	,,	30.26	768.5	...	...	ESE	3	...	,,	30.20	767.0	...	...	SE	5	...
Kagoshima,	,,	30.26	768.5	...	...	ESE	1	...	,,	30.24	768.0	...	...	NW	1	...
Oshima,	,,	30.18	766.5	...	...	ENE	1	...	,,	30.20	767.0	...	...	S	1	...
Naha,	,,	30.16	766.0	...	...	NE	3	...	,,	30.18	766.5	...	...	N	1	...
Ishigakijima,	,,	30.14	765.5	...	...	E	1	...	,,	30.14	765.5	...	...	NNE	1	...
Bonin Island,	,,	30.06	763.5	...	...	NNE	1	...	,,	30.08	764.0	...	...	ENE	1	...
Chefoo,	15	30.37	771.4	29	6	NNW	6	o	6	30.58	776.8	21	6	WNW	6	b
Shanghai,	14	30.12	765.0	65	8	SE	2	b	,,	30.61	777.5	29	4	NW	6	s
Gutzieff,	,,	30.17	766.3	54	6	SSE	2	b	,,	30.59	777.0	35	4	NNW	8	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.06	763.5	63	6	WSW	2	b	7	30.24	768.1	58	4	E	4	o
Amoy,	,,	30.03	762.8	63	6	W	4	b	6	30.00	762.0	69	6	ENE	2	b
Swatow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	11	30.11	764.8	65	...	SW	2	b	5	30.17	766.4	47	...	...	c	b
Taichu,	,,	30.17	766.3	67	...	...	0	b	,,	30.17	766.2	43	...	...	o	b
Tainan,	,,	30.13	765.3	70	...	NNE	4	b	,,	30.12	764.9	49	...	...	c	b
Koshun,	,,	30.08	764.0	74	...	NE	4	b	,,	30.08	764.0	68	...	NNE	6	be
Pescadores,	,,	30.13	765.3	67	...	N	4	b	,,	30.12	765.1	63	...	N	2	b
Hong Kong,	14	30.01	762.2	67	7	E	3	be	6	30.11	764.8	65	6	...	o	o
Gap Rock,	,,	30.01	762.2	66	8	ENE	5	c	,,	30.11	764.8	67	8	NNE	4	o
Macao,	,,	29.90	761.8	67	6	NE	4	b	,,	30.05	763.2	61	4	NE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.98	761.5	74	8	ESE	4	c	6	30.07	763.7	70	8	ENE	4	be
Phulien,	15	29.92	760.0	75	7	S	5	c	7	30.13	765.3	56	8	E	4	o
Tourane,	,,	29.91	759.6	75	8	NNE	3	be	,,	30.04	763.2	63	8	SE	2	be
Cape St. James,	,,	29.91	759.6	82	4	SSE	2	o	,,	29.97	761.3	68	6	ENE	2	c
Basco,	14	29.96	761.0	76	8	ESE	4	be	6	30.04	763.0	70	4	ENE	4	o
Aparri,	,,	29.94	760.4	77	6	ENE	4	b	,,	30.00	762.0	65	6	...	o	b
Tuguegarao,	,,	29.90	759.4	81	6	...	0	be	,,	29.99	761.6	61	1	...	o	be
Vigan,	,,	29.83	757.8	81	8	NW	4	b	,,	29.91	759.8	72	8	NNE	4	b
Manila,	,,	29.87	758.7	85	8	E	2	b	,,	29.95	760.6	61	4	...	o	b
Legaspi,	,,	29.80	756.9	83	8	NNE	2	o	,,	29.84	758.0	76	6	...	o	o
Calboyog,	,,	29.80	757.0	83	8	N	4	be	,,	29.87	758 6	72	8	...	o	o
Tacloban,	,,	29.80	756.8	83	8	NW	4	be	,,	29.85	758.2	76	6	N	4	o
Iloilo,	,,	29.78	756.5	83	8	NE	4	o	,,	29.83	757.7	70	4	NE	4	o
Cebu,	,,	29.79	756.7	83	8	NNW	4	o	,,	29.83	757.7	74	6	N	2	o
Surigao,	...	29.79	756.7	79	8	N	4	o	,,	29.81	757.2	72	6	SW	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.67	752.6	77	...	NE	4	c
Guam,	12.22	29.60	751.8	...	6	NE	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.47	748.6	...	6	W	4	be	5	29.55	750.5	...	6	WSW	4	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	80	...	W	4	c
Labuan,	14	29.95	760.8	70	6	NE	...	c	6	29.90	759.4	70	1	...	...	o

January 7*d*. 11*h*. 15*m*.— The anticyclone has strengthened and is now central over N.E. China.

The typhoon appears to be near'y stationary about 200 miles N.N.E. of Yap.

Manila warning. 7*d*. 9*h*. 20*m*.:—Typhoon in Lat. 13° N. Long. 139° E. almost stationary. Recd 7*d*. 9*h*. 51*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8th.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, strong; generally overcast, light rain.
B.—Turnabout to Hong Kong,	N.E. winds, strong; fine at first, rain later.
C.—Hong Kong to Gap Rock,	Northerly winds, fresh; generally overcast, drizzle or mist, becoming colder.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	None.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	8th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.15	765.7	10	...	N	2	b	6	30.23	767.8	00	...	...	0	b
Nemuro,	11	30.33	770 5	...	...	S	4	...	5	29 98	761.5	...	...	S	6	...
Hokodate,	,,	30.02	762.5	...	...	ESE	3	...	,,	30.06	763.5	...	...	WNW	2	...
Tokio,	,,	30.28	769.0	...	...	N	1	...	,,	29.90	759 5	..	...	...	0	...
Kochi,	,,	30.20	767.0	...	...	...	...	...	,,	30.08	764.0	...	...	...	...	...
Nagasaki,	,,	30.22	767-5	...	...	N	1	...	,,	29.92	760.0	...	...	NE	3	...
Kagoshima,	,,	30 20	767.0	...	...	...	0	...	,,	30.24	768.0	...	...	NNW	1	...
Oshima,	,,	30.20	767.0	...	...	SSE	1	...	,,	30.18	766.5	...	...	N	3	...
Naha,	,,	30.18	766.5	...	...	ENE	2	...	,,	30.18	766.5	...	...	N	6	...
Ishigakijima,	,,	30.16	766.0	...	...	E	2	...	,,	30.24	768.0	...	...	NNE	3	...
Bonin Island,	,,	30.06	763.5	...	...	ESE	1	...	,,	30.06	763.5	...	...	SE	3	...
Chefoo,	15	30.50	774.8	21	4	WNW	8	s	6	30.36	771.0	25	6	WSW	6	b
Shanghai,	14	30.65	778.6	31	6	NW	6	o	,,	30.59	776.9	21	6	NW	4	b
Gutzlaff,	,,	30.64	778.2	31	4	NNW	8	o	,,	30.62	777.0	29	4	NW	6	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.29	769.3	58	6	E	6	of	7	30.40	772 1	52	8	NE	4	e
Amoy,	,,	30.21	767.3	72	6	ENE	4	be	6	30.20	767.1	64	6	NE	6	bef
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.29	760.4	58	...	NE	4	o	5	30 42	772.6	49	...	NE	2	o
Taichu,	,,	30.19	766.8	68	...	...	0	b	,,	30.28	769.0	47	...	N	4	b
Tainan,	,,	30.17	766.3	72	...	NNW	4	b	,,	30.23	76?.8	49	...	N	6	b
Koshun,	,,	...	...	...	...	...	...	...	,,	30.17	766.2	61	...	NE	4	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.28	769.0	54	...	NNE	6	o
Hong Kong,	14	30.19	766.8	63	5	...	0	od	6	30.34	770.6	44	7	N	2	b
Gap Rock,	,,	30.18	766.6	67	7	N	5	o	,,	30.31	769.9	64	7	N	6	c
Macao,	,,	30.18	766.6	65	4	NNE	4	o	,,	30.32	770.2	41	4	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.08	764.0	76	8	NNE	6	be	6	30.21	767.2	63	8	NE	8	o
Phulien,	15	30.17	766.4	72	8	ENE	2	o	7	30.34	770.5	54	6	NE	3	o
Tourane,	,,	30.06	763.6	70	8	NNW	4	be	,,	30.15	765.8	64	2	NNE	4	r
Cape St. James,	,,	29.93	760.2	76	6	E	4	c	,,	30.02	762.5	68	6	NNE	3	c
Basco,	14	30.02	762.4	76	8	NE	4	b	6	30.08	764.0	77	1	NE	4	c
Aparri,	,,	29.98	761.6	70	4	NE	4	o	,,	30.04	763.0	72	6	NE	4	bo
Tuguegarao,	,,	29.91	759.8	76	1	NNE	2	o	,,	30.01	762.1	63	1	...	0	o
Vigan,	,,	29.89	759.1	81	8	NW	4	c	,,	29.96	761.0	63	8	N	2	h
Manila,	,,	29.89	759.1	81	8	WSW	2	c	,,	29.95	760.6	65	4	...	0	h
Legaspi,	,,	29.81	757.2	83	8	NNE	2	c	,,	29.88	758.9	74	6	N	2	o
Calbayog,	,,	29.81	757.1	83	8	N	6	c	,,	29.88	758.8	70	8	...	0	o
Tacloban,	,,	29.80	757.0	81	6	NW	6	o	,,	29.88	758.8	74	8	NW	4	b
Iloilo,	,,	29.80	757.0	81	8	NE	4	o	,,	29.86	758.4	72	4	ENE	4	o
Cebu,	,,	29.80	757.0	81	8	NNW	4	o	,,	29.86	758 5	76	8	N	2	o
Surigao,	...	29.78	756.3	81	8	N	4	o	,,	29.84	758.0	72	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.69	754.2	77	...	SE	5	c
Guam,	12.22	29.59	751.6	...	6	SSW	4	c	4.22	29.69	754.0	...	6	...	0	bo
Yap,	11.00	29.54	750.3	...	6	WSW	4	c	5	29.65	752.0	...	6	SW	4	lc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	79	...	WSW	4	lc
Labuan,	14	29.95	760.8	76	6	...	...	c	6	29.91	759.6	68	1	NE	2	b

January 8*d.* 10*h.* 4c*m.*— The anticyclone is now central over the lower Yangtze Valley.

The typhoon is nearly stationary about 200 miles N.N.E. of Yap.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Northerly winds, strong, moderating; generally fine.
B.—Turnabout to Hong Kong,	N.E. winds, strong; fine to cloudy.
C.—Hong Kong to Gap Rock,	Northerly winds, fresh; fair.
D.—Hong Kong to Bainan Straits,	
E.—North China Sea,	N.E. winds, strong; generally overcast.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th JANUARY, 1932.									9th JANUARY, 1932.									
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.			
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)	W. ather. (Beaufort.)	
Wladivostock,	12	30.15	765.9	13	...	...	0	b		6	30.25	768.2	2	...	...	0	0	
Nemuro,	11	29.96	761.0	...	...	NNW	1	...		5	30.06	763.5	...	...	N	2	...	
Hokodate,	,,	30.04	763.0	...	...	N	4	...		,,	30 06	763.5	...	...	NNW	4	...	
Tokio,	,,	29.82	757.5	...	...	SSW	2	...		,,	30.10	764.5	..	...	N	1	...	
Kochi,	,,	30.12	765.0	...	...	NNW	2	...		,,	30.28	769.0	...	...	...	...	...	
Nagasaki,	,,	30.30	769.5	...	...	N	2	...		,,	30.34	770.5	...	...	...	0	...	
Kagoshima,	,,	30.24	768.0	...	...	NW	2	...		,,	30.32	770 0	...	...	...	0	...	
Oshima,	,,	30 30	767.0	...	...	N	2	...		,,	30.26	768.5	...	...	N	2	...	
Naha,	,,	30.22	767.3	...	...	NNW	5	...		,,	30.28	769.0	...	...	N	1	...	
Ishigakijima,	,,	30.28	769.0	...	...	NNE	3	...		,,	30.34	770.5	...	...	NNE	1	...	
Bonin Island,	,,	30.04	763.0	...	...	SE	4	...		,,	30.04	763.0	...	...	SSW	1	...	
Chefoo,	15	30.33	770 3	29	6	WNW	6	bc		6	30.31	769.9	25	4	SW	4	z	
Shanghai,	14	30.52	775.2	38	6	WNW	4	b		,,	30.51	775.0	25	6	W	2	b	
Gutzlaff,	,,	30.54	775.7	35	4	NW	4	m		,,	30.57	776.5	33	4	NW	4	m	
Wenchow,	,,	30.48	774.3	41	8	N	2	b		6	...	...	...	...	...	...	...	
Foochow,	,,	30.37	771.4	52	8	E	2	b		7	30.42	772 6	50	8	N	2	b	
Amoy,	,,	30.30	769.6	59	8	ENE	4	b		6	30.40	772.1	53	6	NE	4	b	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Taihoku,	11	30.38	771.6	49	...	S	2	o		5	30 41	772.4	47	...	E	2	o	
Taichu,	,,	30.28	769.0	56	...	N	2	b		,,	30.30	769.6	49	...	...	o	b	
Tainan,	,,	30.26	768.7	59	...	N	4	b		,,	30.26	768.6	43	...	NNE	2	b	
Koshun,	,,	30.21	767.4	67	...	NE	6	b		,,	30.21	767.4	59	...	NE	4	b	
Pescadores,	,,	30.31	770.0	54	...	NNE	6	o		,,	30.28	769.2	54	...	NNE	6	b	
Hong Kong,	14	30.28	769.1	54	6	N	2	o		6	30.34	770.6	46	7	...	o	b	
Gap Rock,	,,	30.29	769.3	64	8	NNE	4	o		,,	30.33	770.4	62	8	NE	5	b	
Macao,	,,	30.29	769.3	50	4	NNE	4	o		,,	30.32	770.2	43	6	N	4	b	
Hoilow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.18	766.6	65	8	NNE	6	o		6	30.25	768.4	59	8	NE	6	o	
Phulien,	15	30.27	768.8	63	8	NNW	2	bc		7	30.39	771.8	52	6	NE	4	o	
Tourane,	,,	30.12	765.0	65	8	NE	6	o		,,	...	...	...	...	...	...	...	
Cape St. James,	,,	29.94	760.4	83	6	S	4	b		,,	30.06	763.4	70	6	E	3	bc	
Basco,	14	30.06	763.4	68	8	NE	4	bc		6	30.12	765.0	67	1	NE	6	o	
Aparri,	,,	30.02	762.6	70	4	NE	4	o		,,	30.11	764.8	68	4	NE	6	p	
Tuguegarao,	,,	29.94	760.6	77	4	N	2	o		,,	30.08	764.0	65	1	N	2	p	
Vigan,	,,	29.89	759.3	79	8	N	4	b		,,	30.03	762.8	67	6	N	4	bc	
Manila,	,,	29.90	759.4	83	8	NE	4	bc		,,	30.02	762.4	68	6	...	o	c	
Legaspi,	,,	29.83	757.7	81	8	NNE	4	b		,,	29.94	760.4	74	6	N	2	b	
Calboyog,	,,	29.83	757.6	77	8	N	4	o		,,	29.94	760.4	72	8	...	o	b	
Tacloban,	,,	29.83	757.6	77	8	N	4	o		,,	29.88	759.0	76	6	N	6	b	
Iloilo,	,,	29.81	757.2	79	8	NNE	6	o		,,	29.91	759.7	72	4	NE	4	o	
Cebu,	,,	29.82	757.4	81	8	NNE	4	o		,,	29.91	759.8	74	8	N	2	bc	
Surigao,	...	29.82	757.3	83	8	N	4	o		,,	29.89	759.1	76	4	N	4	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.65	753.0	...	6	SSW	4	bc		4.22	29.78	756.3	...	6	S	2	b	
Yap,	11.00	29.64	752.8	...	6	SW	4	bc		5	29.72	754.9	...	6	SSW	2	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	..	...	...	...	...	
Labuan,	14	29.95	760.8	77	6	NE	...	bc		6	29.91	759.6	68	1	SS	4	bc	

January 9*d.* 10*h.* 43*m.*— The anticyclone remains central over the lower Yangtze Valley. The typhoon appears to be filling up N.N.E. of Yap.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fine.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally overcast.

F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th JANUARY, 1932.								10th JANUARY, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.18	766.5	16	...	...	0	b	6	30.44	773.2	−2	...	...	0	b
Nemuro,	11	30.08	764.0	...	...	ENE	1	...	5	30.04	763.0	...	...	WNW	2	...
Hakodate,	,,	30.06	763.5	...	...	...	0	...	,,	30.18	766.5	...	...	N	1	...
Tokio,	,,	30.12	765.0	...	...	N	1	...	,,	30.20	767.0	..	...	...	0	...
Kochi,	,,	30.30	769.5	...	...	...	0	...	,,	30.39	772.0	...	...	WNW	1	...
Nagasaki,	,,	30.37	771.5	...	...	N	1	...	,,	...	...	...	...	N	1	...
Kagoshima,	,,	30.33	770.5	...	...	N	1	...	,,	30.45	773.5	...	...	...	0	...
Oshima,	,,	30.30	769.5	...	...	N	2	...	,,	30.34	770.5	...	...	N	2	...
Naha,	,,	30.31	770.0	...	...	NNW	4	...	,,	30.34	770.5	...	...	NNE	1	...
Ishigakijima,	,,	30.35	771.0	...	...	NNE	2	...	,,	30.36	771.0	...	...	NNE	1	...
Bonin Island,	,,	30.00	762.0	...	...	N	1	...	,,	29.98	761.5	...	...	N	2	...
Chefoo,	15	30.37	771.4	38	8	NW	4	b	6	30.49	774.3	25	6	SSW	2	b
Shanghai,	14	30.52	775.1	45	8	WNW	2	b	,,	30.55	776.0	29	6	WNW	2	b
Gutzlaff,	,,	30.55	775.9	41	6	NW	2	b	,,	30.64	778.2	35	4	...	0	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.42	772.6	58	8	NE	2	b	7	30.47	777.9	50	8	N	2	b
Amoy,	,,	30.36	771.1	56	4	NE	6	b	6	30.24	768.1	63	6	ENE	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.42	772.7	58	...	E	4	bc	5	30.42	772.7	...	...	E	2	b
Taichu,	,,	30.30	769.7	63	...	N	2	b	,,	30.36	771.0	...	...	...	0	b
Tainan,	,,	30.30	769.6	63	...	N	2	b	,,	30.31	769.8	...	...	N	2	b
Koshun,	,,	30.25	768.4	65	...	NE	6	b	,,	30.28	769.0	61	...	NE	4	b
Pescadores,	,,	30.33	770.3	58	...	NNE	6	o	,,	30.31	769.9	56	...	NE	6	b
Hong Kong,	14	30.32	770.1	56	7	E	3	b	6	30.36	771.1	49	6	N	1	b
Gap Rock,	,,	30.32	770.1	62	8	NE	4	b	,,	30.34	770.6	63	8	ENE	4	b
Macao,	,,	30.30	769.7	56	8	NE	4	b	,,	30.32	770.2	47	4	NE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.23	767.8	65	8	NE	8	c	6	30.27	768.8	65	8	NE	6	c
Phulien,	15	30.30	769.7	65	6	WSW	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	30.19	766.8	67	8	NE	4	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	30.01	762.3	79	6	ESE	4	b	,,	...	...	...	...	...	...	...
Basco,	14	30.14	765.5	70	8	NE	4	bc	6	30.23	767.8	65	4	ENE	4	bc
Aparri,	,,	30.10	764.5	70	4	NE	4	o	,,	30.18	766.6	68	6	NE	4	c
Tuguegarao,	,,	30.05	763.3	70	1	N	2	o	,,	30.12	765.1	61	1	N	2	o
Vigan,	,,	29.97	761.2	79	8	NNW	4	b	,,	30.07	763.8	63	8	N	4	bc
Manila,	,,	29.98	761.4	79	8	NE	4	o	,,	30.06	763.4	65	4	...	0	b
Legaspi,	,,	29.91	759.6	83	8	NNE	4	b	,,	30.01	762.1	76	6	NNE	4	c
Calbayog,	,,	29.90	759.4	83	8	NNE	4	bc	,,	30.00	761.9	72	8	N	2	bc
Tacloban,	,,	29.88	759.0	79	8	N	4	o	,,	29.99	761.8	76	8	SSW	4	o
Iloilo,	,,	29.87	758.6	85	8	NE	4	o	,,	29.95	760.8	72	4	NE	4	o
Cebu,	,,	29.87	758.6	85	8	NNW	4	bc	,,	29.95	760.8	76	8	N	2	bc
Surigao,	...	29.87	758.8	77	6	N	4	o	,,	29.95	760.6	76	6	N	4	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	77	...	SE	3	c
Guam,	12.22	29.74	755.5	...	6	SE	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.71	754.6	...	6	SSW	4	bc	5	29.81	757.2	...	6	S	2	r
Pelew,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	...	N	2	c
Labuan,	14	29.95	760.7	79	6	N	...	c	6	29.90	759.5	70	1	NE	...	lc

January 10*d.* 10*h.* 43*m.*— The anticyclone, central over the lower Yangtze Valley, is spreading east north-eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
A.—Shanghai to Turnabout,	Light, variable winds, fine, local fog in morning.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally cloudy.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th JANUARY, 1932.									11th JANUARY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.38	771.7	14	...	E	2	b		6	30.34	770.6	10	...	...	0		b
Nemuro,	11	30.02	762.5	...	...	WNW	3	...		5	30.24	768.0	...	...	W	1		...
Hokodate,	,,	30.18	766.5	...	...	NW	4	...		,,	30.38	771.5	...	...	W	5		...
Tokio,	,,	30.20	767.0	...	...	NNW	1	...		,,	30.53	775.5	..	...	NE	1		...
Kochi,	,,	30.39	772.0	...	...	NNW	1	...		,,	30.59	777.0	...	...	...	0		...
Nagasaki,	,,	30.49	774.5	...	...	NNW	2	...		,,	30.57	776.5	...	...	...	0		...
Kagoshima,	,,	30.45	773.5	...	...	N	2	...		,,	30.55	776.0	...	...	NW	1		...
Oshima,	,,	30.37	771.5	...	...	NNE	1	...		,,	30.45	773.5	...	...	S	1		...
Naha,	,,	30.35	771.0	...	...	N	3	...		,,	30.39	772.0	...	...	NNE	1		...
Ishigakijima,	,,	30.39	772.0	...	...	NNE	2	...		,,	30.36	771.0	...	...	NNE	1		...
Bonin Island,	,,	30.04	763.0	...	...	N	2	...		,,	30.30	769.5	...	...	NNE	1		...
Chefoo,	15	30.44	773.2	45	8	SSW	4	...		6	30.29	769.3	40	6	S	4		b
Shanghai,	14	30.54	775.8	49	8	ESE	2	h		,,	30.44	773.2	38	6	SE	2		b
Gutzlaff,	,,	30.61	777.5	43	4	...	0	m		,,	30.52	775.2	43	6	SSE	4		b
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...		...
Foochow,	,,	30.39	771.9	56	8	N	2	b		7	30.37	771.4	50	8	NW	2		b
Amoy,	,,	30.28	769.1	70	6	E	4	b		6	30.20	767.1	64	8	N	4		bf
Swatow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Tailoku,	11	30.44	773.3	61	...	E	2	bc		5	30.35	770.9	52	...	E	4		b
Taichu,	,,	30.37	771.5	67	...	...	0	b		,,	30.36	771.0	41	...	...	0		b
Tainan,	,,	30.35	770.8	70	...	...	0	b		,,	30.27	768.8	45	...	...	0		b
Koshun,	,,	30.31	770.0	67	...	NE	4	b		,,	30.24	768.0	63	...	NE	2		b
Pescadores,	,,	...	..	...	...	...	...	...		,,	...	...	...	...	...	...		...
Hong Kong,	14	30.33	770.3	57	8	E	4	b		6	30.32	770.1	54	6	ENE	5		bc
Gap Rock,	,,	30.32	770.1	63	8	ENE	5	b		,,	30.31	769.9	62	8	ENE	5		c
Macao,	,,	30.30	769.7	61	8	NE	2	b		,,	30.28	769.0	54	4	ENE	2		c
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Pratas Island,	,,	30.23	767.8	68	8	NE	6	c		6	30.24	768.1	67	8	NE	6		c
Phulien,	15	30.29	769.3	68	8	S	2	b		7	30.31	769.9	54	6	ENE	6		b
Tourane,	,,	30.20	767.0	67	8	NE	4	bc		,,	30.20	767.0	65	8	NE	4		c
Cape St. James,	,,	30.04	762.9	77	6	E	2	b		,,	30.10	764.5	68	8	NE	2		b
Basco,	14	30.20	767.2	70	8	NE	4	bc		6	30.22	767.5	65	1	NE	2		c
Aparri,	,,	30.16	766.0	74	6	NE	4	b		,,	30.17	766.3	68	6	ENE	4		c
Tuguegarao,	,,	30.10	764.5	76	4	N	2	c		,,	30.14	765.5	61	1	...	c		c
Vigan,	,,	...	...	...	...	...	...	...		,,	30.07	763.8	68	8	ENE	4		b
Manila,	,,	30.03	762.8	79	8	NE	4	b		,,	30.07	763.8	61	4	...	c		b
Legnapi,	,,	29.97	761.2	81	4	NNE	6	b		,,	29.99	761.8	74	6	N	4		b
Calbayog,	,,	29.94	760.5	81	8	NNE	6	bc		,,	30.02	762.6	70	8	...	c		c
Tacloban,	,,	29.93	760.1	81	6	N	8	d		,,	29.89	759.3	88	8	NW	4		c
Iloilo,	,,	29.90	759.4	81	8	NE	6	c		,,	29.98	761.5	72	4	NE	4		c
Cebu,	,,	29.90	759.4	83	8	N	4	c		,,	29.99	761.6	76	8	...	c		c
Surigao,	...	29.89	759.3	77	6	N	4	c		,,	29.97	761.2	76	6	N	4		c
Saipan,	11.00	...	...	...	...	...	...	...		5	29.93	760.2	75	...	E	1		c
Guam,	12.22	29.83	757.7	...	6	ESE	4	bc		4.22	29.90	759.4	...	6	...	c		b
Yap,	11.00	29.76	756.0	...	6	SE	2	bc		5	29.88	758.8	...	6	...	c		bc
Pelew,	,,	...	...	...	...	...	...	...		,,	29.82	757.5	79	...	...	c		c
Labuan,	14	29.95	760.7	83	6	N	4	bc		6	29.90	759.4	72	1	E	...		c

January 11*d.* 10*h.* 47*m* — The anticyclone is now central over S.W. Japan moving E.N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Southerly or variable winds, moderate to light; fine generally.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fine to cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	12th JANUARY, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Barometer. at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.25	768.4	37	...	SE	1	b	6	29.82	757.4	28	...	...	0	o
Nemuro,	11	30.24	768.0	...	...	WSW	1	...	5	30.18	766.5	...	...	W	1	...
Hokodate,	,,	30.39	772.0	...	...	W	4	...	,,	30.16	766.0	...	...	SSW	4	...
Tokio,	,,	30.57	776.5	...	...	NW	1	...	,,	30.43	773.0	..	...	...	0	...
Kochi,	,,	30.55	776.0	...	...	...	0	...	,,	30.47	774.0	...	...	SW	1	...
Nagasaki,	,,	30.55	776 0	...	...	ESE	2	...	,,	30.38	771.5	...	...	S	2	...
Kagoshima,	,,	30.55	776.0	...	...	ESE	1	...	,,	30.45	773.5	...	...	NW	1	...
Oshima,	,,	30.47	774.0	...	...	E	1	...	,,	30.43	773.0	...	...	S	1	...
Naha,	,,	30.45	773.5	...	...	ENE	3	...	,,	30.39	772.0	...	...	NNE	1	...
Ishigakijima,	,,	30.37	771.5	...	...	E	3	...	,,	30.34	770.5	...	...	ENE	1	...
Bonin Island,	,,	30.30	769.5	...	...	NE	1	...	,,	30.30	769 5	...	...	ESE	1	...
Chefoo,	15	30.14	765.5	68	6	SW	6	o	6	30.39	772.0	33	8	NW	6	b
Shanghai,	14	30.37	771.3	59	8	SSW	2	b	,,	30.51	775.0	33	4	WNW	2	b
Gutzlaff,	,,	30 42	772.6	50	6	S	2	b	,,	30.53	775.4	40	4	NNW	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.33	770.4	58	6	N	2	e	7	30.33	770.4	56	6	N	2	o
Amoy,	,,	30.22	767.6	71	8	S	4	b	6	30.25	768.3	66	6	SE	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.37	771.3	72	...	E	4	b	5	30.33	770.4	59	...	E	4	be
Taichu,	,,	30.38	771.7	68	...	...	0	b	,,	30.34	770.5	43	...	...	0	b
Tainan,	,,	30.36	771.1	70	...	N	2	b	,,	30.29	769.4	52	...	NNE	2	be
Koshun,	,,	30.35	770.8	70	...	NNE	2	bc	,,	30.26	768.7	61	...	ENE	4	r
Pescadores,	,,	30.39	771.8	65	...	N	4	bc	,,	30.30	769.6	59	...	NNE	4	b
Hong Kong,	14	30.31	769.9	61	8	E	4	b	6	30.31	769.9	58	6	...	0	h
Gap Rock,	,,	30.31	769.9	63	8	ENE	5	b	,,	30.31	769.9	64	8	NNE	4	b
Macao,	,,	30.29	769.4	63	8	NE	2	b	,,	30.28	769.1	54	4	N	2	o
Hollow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.24	768.0	70	8	NE	6	bc	6	30.23	767.9	67	8	NE	6	o
Phulien,	15	30.26	768.6	70	8	SE	4	b	7	30.32	770.2	58	6	NNW	4	o
Tourane,	,,	30.17	766.3	67	8	NNW	4	o	,,	30.19	766.8	56	8	NW	4	e
Cape St. James,	,,	30.02	762.5	70	8	ESE	4	b	,,	30.08	764.0	68	6	NE	4	h
Basco,	14	30.19	766.7	74	8	NE	4	bc	6	30.19	766.8	68	4	ENE	4	b
Aparri,	,,	30.14	765.6	76	4	ENE	4	e	,,	30.13	765.2	72	6	ENE	4	e
Tuguegarao,	,,	30.11	764.9	72	1	...	0	o	,,	30.11	764.8	65	1	...	0	o
Vigan,	,,	30.02	762.6	79	8	NNE	4	b	,,	30.03	762.8	72	8	N	2	b
Manila,	,,	30.02	762.5	83	8	NE	2	h	,,	30 04	763.1	67	4	...	0	h
Legaspi,	,,	29.98	761.5	81	8	NNE	4	o	,,	29.98	761.4	74	6	NNE	2	o
Calboyog,	,,	29.97	761.2	77	8	N	4	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.93	760.3	81	8	N	4	bc	,,	29.93	760.1	72	6	NW	4	o
Iloilo,	,,	29.89	759.3	85	8	NE	6	bc	,,	29.93	760.1	74	4	NE	4	o
Cebu,	,,	29.91	759.7	85	8	NNW	4	o	,,	29.92	760.0	77	8	N	2	bc
Surigao,	...	29.91	759.8	79	6	N	4	o	,,	29.89	759.3	72	6	N	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.91	759.7	75	...	E	5	e
Guam,	12.22	29.87	758 6	...	6	NE	2	o	4.22	29.86	758.5	...	6	NE	4	bc
Yap,	11.00	29.80	757.0	...	6	E	4	bc	5	29.85	758.2	80	...	NE	1	o
Pelew,	,,	...	...	..	...	...	...	...	,,	29.84	757.8	79	...	ESE	2	e
Labuan,	14	29.95	760.7	79	...	NNE	...	be	6	29.50	759.4	72	1	NE	...	o

January 12*d.* 10*h.* 43*m.*—The anticyclone is central S.E. of Tokio moving E. Another has formed over China.

A depression north of Wladivostock is moving E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, freshening; fine to cloudy.
C.—Hong Kong to Gap Rock,	Northerly winds, fresh; fine.
D.—Hong Kong to Bainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th January, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	13th January, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.91	759.6	28	...	W	2	c	6	30.22	767.5	10	...	...	0	b
Nemuro,	11	30.04	763 0	...	...	WSW	2	...	5	29.80	757.0	...	...	WNW	3	...
Hokodate,	,,	29.86	758.5	...	...	SW	4	...	,,	29.98	761.5	...	...	W	3	...
Tokio,	,,	30.24	768.0	...	...	SSW	4	...	,,	30.02	762.5	..	...	S	1	...
Kochi,	,,	30.35	771.0	...	...	E	1	...	,,	30.20	767.0	...	...	...	0	...
Nagasaki,	,,	30.35	771.0	...	...	NW	2	...	,,	30.36	771.0	...	...	NNW	2	...
Kagoshima,	,,	30.37	771.5	...	...	...	0	...	,,	30.30	769 5	...	...	...	0	...
Oshima,	,,	30.39	772.0	...	...	N	1	...	,,	30.28	769.0	...	...	N	2	...
Naha,	,,	30.37	771.5	...	...	NE	2	...	,,	30.28	769.0	...	...	NE	1	...
Ishigakijima,	,,	30.35	771.0	...	...	ENE	2	...	,,	30.26	768.5	...	...	NE	1	...
Bonin Island,	,,	30.28	769.0	...	...	E	1	...	,,	30.20	767.0	...	...	...	0	...
Chefoo,	15	30 42	772.7	35	8	NW	6	b	6	30.45	773.5	29	6	SW	2	b
Shanghai,	14	30.54	775.6	49	6	NNE	2	z	,,	30.60	777.1	31	4	NW	2	b
Gutzlaff,	,,	30.55	775 9	45	4	NNW	4	m	,,	30.59	777.0	36	4	N	2	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.28	769.1	60	6	E	2	o	7	30.39	771.9	56	4	NE	4	of
Amoy,	,,	30.11	764.8	74	8	WSW	2	bf	6	30.20	767.1	67	6	ENE	2	bf
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.32	770.2	72	...	ESE	4	b	5	30.32	770.0	61	...	E	4	o
Taichu,	,,	30.31	769.8	68	...	...	0	b	,,	30.26	768.7	50	...	..	0	b
Tainan,	,,	30.29	769.4	70	...	N	2	b	,,	30.23	767.9	58	...	N	2	c
Koshun,	,,	30.28	769.0	70	...	ENE	4	c	,,	30.21	767.2	65	...	...	0	b
Pescadores,	,,	30.30	769.6	67	...	N	4	bc	,,	...	...	...	...	...	...	...
Hong Kong,	14	30.23	767.8	69	7	WNW	3	b	6	30.28	769.1	57	6	N	3	b
Gap Rock,	,,	30 24	768.1	65	8	NNW	5	c	,,	30.28	769.1	66	8	NNE	4	b
Macao,	,,	30.26	768.6	68	8	NE	2	b	,,	30.26	768.6	54	6	NNE	4	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.20	767.2	72	8	NE	6	c	6	30 21	767.2	68	8	NE	6	bc
Phulien,	15	30.29	769.3	72	7	NE	1	c	7	30.30	769.6	63	6	NE	4	c
Tourane,	,,	30.18	766.6	70	6	NNW	4	r	,,	30.19	766.8	68	8	NE	4	c
Cape St. James,	,,	30.01	762.2	81	6	SW	2	bc	,,	30.05	763.3	68	8	NNE	4	b
Basco,	14	30.12	765.0	74	8	NE	4	bo	6	30.13	765.4	70	4	ENE	4	bo
Aparri,	,,	30.09	764.2	72	4	NE	4	o	,,	30.10	764.4	70	6	ENE	4	o
Tuguegarao,	,,	30.03	762.7	79	1	N	2	o	,,	30.04	763.1	68	1	N	2	o
Vigan,	,,	29.90	759.4	83	8	NNW	4	b	,,	29.95	760.7	68	8	N	2	b
Manila,	,,	29.94	760.6	86	8	NE	2	bo	,,	29.95	760.6	74	4	NNE	2	o
Legaspi,	,,	29.87	758.8	77	6	N	2	o	,,	29.88	758.8	77	6	...	0	o
Calboyog,	,,	29.87	758.8	77	8	N	4	o	,,	29.95	760.6	74	4	NNE	2	o
Tacloban,	,,	29.86	758.4	79	4	N	4	d	,,	29.88	758 8	76	6	NW	4	c
Iloilo,	,,	29.83	757.6	83	8	NNE	6	o	,,	29.85	758.2	74	4	NE	4	o
Cebu,	,,	29.83	757.7	83	8	N	4	o	,,	29.86	758.3	77	6	...	0	o
Surigao,	...	29.83	757.6	79	6	N	2	o	,,	29.84	757.8	74	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.88	758.8	73	...	SE	2	r
Guam,	12.22	29.83	757.7	...	6	SE	6	o	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.82	757.4	...	6	E	4	bo	5	29.84	757.8	...	6	ENE	4	bo
Pelew,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	79	...	ENE	2	bo
Labuan,	14	29.95	760.7	81	6	N	...	bc	6	29.90	759.4	73	1	NE	...	c

January 13*d.* 10*h.* 47*m.*— The anticyclone is central to the north of Hankow and nearly stationary.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, freshening ; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, fresh ; fine.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh ; fine to cloudy, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	14th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.19	766.8	21	...	WSW	1	h	6	30.17	766.3	13	...	...	0	h
Nemuro,	11	29.88	759.0	...	...	WNW	1	...	5	29.94	760.5	...	...	NNW	2	...
Hokodate,	,,	30.00	762.0	...	...	W	3	...	,,	30.10	764.5	...	...	WSW	1	...
Tokio,	,,	29.94	760.5	...	...	NE	1	...	,,	30.18	766.5	..	...	NNE	1	...
Kochi,	,,	30.18	766.5	...	...	W	1	...	,,	30.36	771.0	...	...	W	1	...
Nagasaki,	,,	30.37	771.5	...	...	NNW	2	...	,,	30 41	772.5	...	...	NNW	1	...
Kagoshima,	,,	30.33	770.5	...	...	NNW	2	...	,,	30.39	772.0	...	...	NNW	1	...
Oshima,	,,	30.31	770.0	...	...	N	3	...	,,	30.34	770.5	...	...	N	2	...
Naha,	,,	30.31	770.0	...	...	N	5	...	,,	30.34	770.5	...	...	NNE	2	...
Ishigakijima,	,,	30.31	770.0	...	...	NE	3	...	,,	30.30	769 5	...	...	NE	2	...
Bonin Island,	,,	30.16	766.0	...	...	...	0	...	,,	30.12	765.0	...	...	N	1	...
Chefoo,	15	30.42	772.6	38	8	NW	6	h	6	30.38	771.7	31	8	SW	2	h
Shanghai,	14	30.58	776.8	47	8	NNW	2	h	,,	30.54	775.7	25	4	NNE	2	h
Gutzlaff,	,,	30.61	777.5	43	4	NNW	4	m	,,	30.57	776.5	31	4	N	2	h
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.40	772.1	56	6	ENE	4	o	7	30.34	770.6	48	8	NE	2	h
Amoy,	,,	30.32	770.1	61	8	ENE	4	b	6	30.39	772.0	50	4	NE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.42	772.6	77	...	E	4	o	5	30.34	770.6	56	...	E	4	le
Taichu,	,,	30.31	770.0	63	...	N	4	b	,,	30.28	769.0	45	...	...	0	h
Tainan,	,,	...	...	67	...	NNE	4	h	,,	30.24	768.0	50	...	N	2	h
Koshun,	,,	30 24	768.0	72	...	NE	6	bc	,,	30.18	766.6	65	...	ENE	6	le
Pescadores,	,,	30.33	770.4	61	...	NE	6	o	,,	...	...	...	...	...	...	...
Hong Kong,	14	30.27	768.8	65	7	E	2	h	6	30.27	768.8	57	7	N	2	c
Gap Rock,	,,	30.27	768.8	65	7	ENE	4	c	,,	30.25	768.3	65	7	NE	4	o
Macao,	,,	30.26	768.6	63	8	NE	4	b	,,	30.25	768.3	54	4	NNE	2	o
Hoihow,	,,	30.35	770.8	59	1	ENE	2	h	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.19	766.7	72	8	NE	6	bc	6	30.18	766.6	68	6	NE	6	d
Phulien,	15	30.23	767.8	76	6	S	4	z	7	30.25	768.3	56	6	ENE	6	le
Tourane,	,,	30.17	766.3	68	8	NE	4	bc	,,	30.16	766.0	67	8	NE	4	o
Cape St. James,	,,	30.01	762.3	81	6	SSE	4	b	,,	30.04	763.1	70	6	NNE	4	l
Basco,	14	30.14	765.6	76	8	NE	4	bc	6	30.16	766.1	68	1	NE	2	d
Aparri,	,,	30.11	764.8	74	4	NE	4	o	,,	30.13	765.3	72	6	ENE	4	o
Tuguegarao,	,,	30.06	763.4	76	6	N	2	o	,,	30.10	764.4	83	1	N	2	o
Vigan,	,,	29.93	760.1	86	8	E	4	h	,,	29.95	760.6	77	8	NE	4	b
Manila,	,,	29.94	760.4	77	8	...	0	d	,,	29.96	761.1	72	6	...	0	le
Legnepi,	,,	29.87	758.8	85	6	NNE	2	c	,,	29.91	759.8	77	6	N	2	o
Calbayog,	,,	29.85	758 3	86	8	WSW	2	c	,,	29.91	759.8	76	8	...	0	d
Tacloban,	,,	29.85	758.2	86	8	SE	4	bc	,,	29.92	760.0	77	6	NE	4	c
Iloilo,	,,	29.83	757.6	79	8	NE	4	o	,,	29.87	758.6	76	4	NNE	4	o
Cebu,	,,	29.83	757.8	83	8	NE	2	o	,,	29.88	758.9	79	6	NE	4	o
Surigao,	...	29.83	757.6	83	6	...	0	d	,,	29.89	759.1	77	6	E	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.92	759.9	73	...	E	2	c
Guam,	12.22	29.82	757.4	...	6	ENE	4	c	4.22	29.88	758.8	...	6	ENE	4	h
Yap,	11.00	29.80	756.8	...	6	ESE	2	c	5	29.85	758.2	...	6	ENE	4	bc
Pelew,	,,	...	...	..	...	...	...	...	,,	29.86	758.4	78	...	NNE	2	c
Labuan,	14	29.95	760.7	81	6	N	4	bc	6	29.90	759 4	72	1	N	...	bc

January 14*d*. 11*h*. 00*m*.— The anticyclone is central near Shanghai, moving E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; generally overcast, some drizzle or mist.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	15th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.06	763.6	32	...	NW	1	h	6	30.24	768.1	16	...	WNW	1	h
Nemuro,	11	29.98	761.5	...	...	WNW	1	...	5	29.90	759.5	..	...	NNW	2	...
Hokodate,	,,	30.06	763.5	...	...	W	3	...	,,	30.12	765.0	...	...	NW	1	...
Tokio,	,,	30.20	767.0	...	...	...	0	...	,,	30.16	766.0	..	...	...	0	...
Kochi,	,,	30.31	770.0	...	...	...	...	...	,,	30.26	768.5	...	...	WSW	1	...
Nagasaki,	,,	30.43	773.0	...	...	NNW	1	...	,,	30.32	770.0	...	...	...	0	...
Kagoshima,	,,	30.39	772.0	...	...	N	1	...	,,	30.30	769.5	...	...	NW	1	...
Oshima,	,,	30.35	771.0	...	...	N	2	...	,,	30.28	769.0	...	...	SSE	1	...
Naha,	,,	30.33	770.5	...	...	N	1	...	,,	30.26	768.5	...	...	...	0	...
Ishigakijima,	,,	30.35	771.0	...	...	NE	2	...	,,	30.24	768.0	...	...	NE	1	...
Bonin Island,	,,	30.14	765.5	...	...	...	0	...	,,	30.16	766.0	...	...	NE	1	...
Chefoo,	15	30.35	770.8	40	8	NW	4	h	6	30.39	772.0	36	6	NE	2	h
Shanghai,	14	30.46	773.8	50	8	SE	2	hc	,,	30.35	770.8	38	4	E	2	o
Gutzlaff,	,,	30.50	774.7	45	6	...	0	b	,,	30.39	771.9	43	6	SE	4	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.34	770.6	56	4	NE	3	bc	7	30.22	767.6	40	6	NW	6	o
Amoy,	,,	30.32	770.2	63	6	ENE	4	b	6	30.25	768.3	56	4	WNW	4	bc
Swatow,	,,	30.33	770.5	60	...	ENE	3	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.35	771.0	65	...	E	4	bc	5	30.22	767.6	59	...	E	2	o
Taichu,	,,	30.30	769.7	68	...	...	0	b	,,	30.19	766.8	58	...	...	0	o
Tainan,	,,	30.28	769.0	68	...	N	4	bc	,,	30.17	766.3	56	...	NE	2	b
Koshun,	,,	30.25	768.3	70	...	ENE	6	o	,,	30.13	765.3	65	...	ENE	4	b
Pescadores,	,,	30.30	769.7	63	...	NNE	6	o	,,	30.17	766.4	61	...	NNE	4	o
Hong Kong,	14	30.22	767.6	62	6	ESE	2	c	6	30.22	767.6	59	6	E	1	o
Gap Rock,	,,	30.23	767.8	65	7	ENE	4	o	,,	30.21	767.4	65	7	ENE	4	o
Macao,	,,	30.20	767.2	61	4	NE	2	o	,,	30.18	766.6	58	4	NE	2	o
Hoilow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.15	765.8	68	8	NE	6	o	6	30.14	765.5	68	8	NE	5	o
Phulien,	15	30.17	766.4	74	6	S	4	z	7	30.23	767.8	56	6	WNW	2	b
Tourane,	,,	30.11	764.8	67	8	NNW	4	o	,,	30.12	765.1	63	6	NW	2	r
Cape St. James,	,,	29.96	761.0	81	8	SW	2	b	,,	30.02	762.6	72	6	NW	2	b
Baseo,	14	30.12	765.1	70	6	NE	2	o	6	30.10	764.6	68	1	E	2	o
Aparri,	,,	30.08	764.0	76	4	E	4	o	,,	30.06	763.6	72	6	ENE	4	o
Tuguegarao,	,,	30.03	762.8	74	1	N	2	o	,,	30.04	763.1	68	1	N	2	o
Vigan,	,,	29.89	759.3	88	8	NE	4	b	,,	29.94	760.4	76	6	...	0	o
Manila,	,,	29.92	760.0	83	8	NE	4	o	,,	29.95	760.6	72	4	...	0	o
Legaspi,	,,	29.86	758.4	79	6	NNE	2	o	,,	29.90	759.5	77	6	N	2	o
Calbayog,	,,	29.85	758.2	88	8	NNE	4	d	,,	29.90	759.4	77	8	...	0	o
Tacloban,	,,	29.85	758.2	86	8	NE	6	bc	,,	29.89	759.3	79	6	NE	4	o
Iloilo,	,,	29.80	757.0	86	8	NE	4	bc	,,	29.85	758.2	76	4	NE	4	o
Cebu,	,,	29.83	757.6	86	8	NE	4	o	,,	29.88	758.8	79	6	...	0	o
Surigao,	...	29.83	757.6	81	8	ENE	4	o	,,	29.87	758.6	76	1	E	4	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	74	...	ENE	3	bc
Guam,	12.22	29.85	758.2	...	6	NE	4	bc	4.22	29.83	757.6	...	6	NE	4	b
Yap,	11.00	29.80	757.0	...	6	ENE	4	bc	5	29.84	757.8	...	6	NE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	78	...	ESE	2	bc
Labuan,	14	29.94	760.6	85	6	N	4	bc	6	29.90	759.4	72	1	NE	6	bc

January 15*d*. 11*h*. 03*m* — A fresh anticyclone is forming over N.E. China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light, variable winds, freshening from N.E., generally overcast.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally overcast, local rain.

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th JANUARY, 1932.								16th JANUARY, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.30	769.6	19	...	NW	3	h	6	30.47	774.0	00	...	N	4	h
Nemuro,	11	29.94	760.5	...	...	NNW	1	...	5	29.98	761.5	...	...	N	3	...
Hakodate,	,,	30.08	764.0	...	...	NNW	1	...	,,	30.16	766.0	...	...	NW	3	...
Tokio,	,,	30.12	765.0	...	...	E	1	...	,,	30.02	762.5	..	...	..	0	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.08	764.0	...	...	...	0	...
Nagasaki,	,,	30.28	769.0	...	...	...	...	...	,,	30.18	766.5	...	...	...	..	...
Kagoshima,	,,	30.26	758.5	...	...	E	1	...	,,	30.14	765.5	...	...	NW	1	...
Oshima,	,,	30.26	768.5	...	...	...	0	...	,,	30.18	766.5	...	...	S	1	...
Naha,	,,	30.24	768.0	...	...	NNE	1	...	,,	30.20	767.0	...	...	NW	3	...
Ishigakijima,	,,	30.20	767.0	...	...	SE	1	...	,,	30.20	767.0	...	...	NE	1	...
Bonin Island,	,,	30.14	765.5	...	...	...	0	...	,,	30.08	764.0	...	...	...	0	...
Chefoo,	15	30.42	772.6	36	4	NNE	4	0	6	30.49	774.3	29	6	NNW	6	h
Shanghai,	14	30.31	769.9	45	4	W	2	0	,,	30.47	773.8	29	4	W	2	h
Gutzlaff,	,,	30.33	770.4	47	6	...	0	0	,,	30.48	774.2	35	4	NW	2	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.17	766.3	58	6	N	2	b	7	30.33	770.4	56	6	NNE	2	b
Amoy,	,,	30.21	767.3	63	6	SSE	4	bc	6	30.27	768.8	54	6	NE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.22	767.5	72	...	S	2	o	5	30.28	769.2	...	...	...	0	f
Taichu,	,,	30.22	767.5	71	...	...	0	b	,,	30.26	768.6	49	...	...	0	h
Tainan,	,,	30.20	767.0	70	...	...	0	c	,,	30.21	767.2	54	...	N	2	h
Koshun,	,,	30.18	766.6	72	...	ENE	4	o	,,	30.18	766.6	59	...	...	0	h
Pescadores,	,,	30.21	767.4	67	...	NNE	4	o	,,	30.23	767.8	61	...	NNE	4	le
Hong Kong,	14	30.15	765.8	69	5	W	3	lm	6	30.23	767.8	60	6	N	3	h
Gap Rock,	,,	30.17	766.3	65	7	NNE	3	c	,,	30.22	767.6	66	7	NNE	3	b
Macao,	,,	30.14	765.5	68	6	NE	2	b	,,	30.21	767.3	58	4	NNE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.11	764.9	72	8	NE	6	o	6	30.18	766.6	68	8	NE	6	bc
Phulien,	15	30.17	766.3	74	6	NNW	2	z	7	30.25	768.3	58	6	E	4	bf
Tourane,	,,	30.09	764.2	67	4	NW	4	o	,,	30.17	766.4	64	3	W	2	df
Cape St. James,	,,	29.94	760.6	83	6	SSW	2	b	,,	30.01	762.3	73	6	ENE	3	o
Basco,	14	30.07	763.7	74	8	...	0	o	6	30.13	765.3	70	4	...	0	o
Aparri,	,,	30.04	763.0	74	4	ENE	4	o	,,	30.09	764.2	70	4	NE	4	o
Tuguegarao,	,,	29.99	761.8	77	1	N	2	o	,,	30.04	763.0	70	1	...	0	o
Vigan,	,,	29.90	759.5	83	8	NW	4	bc	,,	29.95	760.8	72	6	NNW	2	o
Manila,	,,	29.93	760.2	81	8	...	0	o	,,	29.98	761.4	70	4	...	0	b
Legaspi,	,,	29.88	759.0	77	6	NE	4	o	,,	29.93	760.3	76	6	...	0	o
Calboyog,	,,	29.89	759.1	85	8	NNE	2	bc	,,	29.93	770.3	76	8	NNE	2	o
Tacloban,	,,	29.87	758.8	83	8	E	4	o	,,	29.94	760.4	77	6	N	2	c
Iloilo,	,,	29.81	757.2	83	8	NE	4	o	,,	29.88	758.9	76	4	NE	4	o
Cebu,	,,	29.84	757.9	77	8	NNE	4	o	,,	29.89	759.1	77	8	NNE	2	le
Surigao,	...	...	...	...	...	...	...	...	,,	29.89	759.1	77	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.84	757.8	74	...	E	3	lc
Guam,	12.22	29.78	756.3	...	6	NE	6	bc	4.22	29.80	757.0	...	6	NE	2	b
Yap,	11.00	29.79	756.6	...	6	NE	4	bc	5	29.86	758.4	78	...	NNE	2	c
Pelew,	,,	...	...	..	...	...	...	...	,,	29.87	758.6	78	...	NE	2	c
Labuan,	14	29.95	760.7	83	6	N	6	bc	6	29.50	759.4	74	1	NE	6	o

January 16*d.* 10*h.* 43*m.*— The anticyclone central over N.E. China is spreading southward.

A depression is shown to the west of Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
A.—Shanghai to Turnabout,	Northerly winds, moderate to fresh ; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate ; fine.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh ; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	17th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.41	772.4	9	...	NNE	3	b	6	30.46	773.6	−2	...	...	0	b
Nemuro,	11	30.00	762.0	...	...	NNW	1	...	5	29.98	761.5	...	...	NW	1	...
Hokodate,	,,	30.12	765.0	...	...	NW	3	...	,,	30.12	765.0	...	...	NNW	2	...
Tokio,	,,	30.00	762.0	...	...	NE	1	...	,,	30.14	765.5	..	...	NNE	1	...
Kochi,	,,	30.04	763.0	...	...	WSW	1	...	,,	30.24	768.0	...	...	...	...	...
Nagasaki,	,,	30.20	767.0	...	...	NNW	4	...	,,	30.32	770.0	...	...	NW	2	...
Kagoshima,	,,	30.18	766.5	...	...	NW	1	...	,,	30.30	769.5	...	...	...	0	...
Oshima,	,,	30.22	767.5	...	...	N	2	...	,,	30.28	769.0	...	...	NNE	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.30	769.5	...	...	N	5	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.34	770.5	...	...	NE	1	...
Bonin Island,	,,	30.06	763.5	...	...	NNW	...	...	,,	30.10	764.5	...	...	NW	1	...
Chefoo,	15	30.51	775.0	29	6	NW	6	bc	6	30.49	774.5	29	8	SSW	2	bc
Shanghai,	14	30.50	774.7	45	6	NNW	2	c	,,	30.55	776.0	27	...	NNE	1	b
Gutzlaff,	,,	30.52	775.2	43	4	NW	4	m	,,	30.52	775.3	36	...	N	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.30	769.5	56	4	E	4	o	7	30.39	771.9	56	6	NE	4	o
Amoy,	,,	30.29	769.3	65	6	NE	4	b	6	30.36	771.2	52	4	NNW	4	o
Swatow,	,,	30.31	769.8	61	...	E	3	b	,,	...	...	...	...	...	...	...
Taiboku,	11	30.35	770.8	65	...	E	4	c	5	30.35	770.9	54	...	N	4	b
Taichu,	,,	30.26	768.5	72	...	NW	2	b	,,	30.26	768.5	52	...	...	0	b
Tainan,	,,	30.25	768.3	72	...	N	2	b	,,	30.23	767.9	52	...	NNE	2	b
Koshun,	,,	30.20	767.0	74	...	NE	4	b	,,	30.22	767.5	65	...	ESE	4	b
Pescadores,	,,	30.28	769.0	67	...	NNE	4	bc	,,	...	...	...	...	...	...	...
Hong Kong,	14	30.19	766.8	70	8	ENE	4	b	6	30.24	768.1	58	6	ENE	4	bc
Gap Rock,	,,	30.21	767.3	67	7	NE	4	b	,,	30.22	767.6	66	7	ENE	5	b
Macao,	,,	30.19	766.8	68	6	NE	4	b	,,	30.19	766.8	56	4	ENE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.15	765.7	72	8	NE	6	b	6	30.15	765.8	67	8	NE	6	o
Phulien,	15	30.17	766.3	74	6	SSE	2	z	7	30.18	766.6	61	5	E	4	z
Tourane,	,,	30.12	765.0	68	8	NW	4	o	,,	30.12	765.1	66	2	WNW	2	r
Cape St. James,	,,	29.96	760.9	79	6	SE	4	bc	,,	30.00	762.0	70	6	NE	3	bc
Basco,	14	30.11	764.9	76	8	NE	4	b	6	30.17	766.2	68	4	NE	6	o
Aparri,	,,	30.07	763.9	74	6	ENE	4	o	,,	30.12	765.0	70	4	ENE	4	o
Tuguegarao,	,,	30.00	762.0	77	1	N	2	o	,,	30.10	764.6	68	1	...	0	o
Vigan,	,,	29.89	759.3	86	8	NW	4	b	,,	29.97	761.2	76	6	NE	4	b
Manila,	,,	29.91	759.8	86	8	E	2	c	,,	29.99	761.8	68	6	NNE	2	b
Legaspi,	,,	29.90	759.5	81	6	NNE	4	o	,,	29.96	760.9	76	6	NNE	4	bc
Calboyog,	,,	29.89	759.3	86	8	E	2	c	,,	29.94	760.4	76	8	N	2	o
Tacloban,	,,	29.89	759.3	79	8	NE	4	c	,,	29.94	760.4	76	6	N	4	o
Iloilo,	,,	29.82	757.4	86	8	NE	6	c	,,	29.88	758.9	76	4	NE	4	o
Cebu,	,,	29.84	758.0	86	8	NNE	4	o	,,	29.90	759.4	76	4	NNE	2	r
Surigao,	...	29.86	758.5	83	8	ENE	6	o	,,	29.88	758.9	74	4	NE	4	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	77	...	E	1	bc
Guam,	12.22	29.83	757.7	...	6	NE	6	bc	4.22	29.81	757.2	...	6	NE	4	b
Yap,	11.00	29.80	756.8	...	6	NNE	4	r	5	29.81	757.1	...	6	NNE	4	r
Pelew,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	77	...	NE	2	bc
Jaluan,	14	29.95	760.7	81	6	N	4	bc	6	...	...	..	1	...	...	...

January 17*d.* 11*h.* 00*m* — The anticyclone remains central over Shantung.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; generally cloudy.
C.—Hong Kong to Gap Rock,	Easterly winds, fresh; fine to cloudy.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th JANUARY, 1932.									18th JANUARY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.43	773.0	14	...	NW	1	b		6	30.38	771.6	5	...	...	0	c	
Nemuro,	11	29.96	761.0	...	...	NW	3	...		5	30.18	766.5	...	...	NW	3	...	
Hakodate,	,,	30.14	765.5	...	...	WNW	5	...		,,	30.28	769.0	...	...	WNW	3	...	
Tokio,	,,	30.16	766.0	...	...	NNW	4	...		,,	30.39	772.0	..	...	NNW	1	...	
Kochi,	,,	30.28	769.0	...	...	...	0	...		,,	30.39	772.0	...	...	WSW	1	...	
Nagasaki,	,,	30.35	771.0	...	...	NNW	1	...		,,	30.41	772.5	...	...	...	...	...	
Kagoshima,	,,	30.33	770.5	...	...	N	1	...		,,	30.39	772.0	...	...	NW	1	...	
Oshima,	,,	30.33	770.5	...	...	NNE	1	...		,,	30.34	770.5	...	...	SSE	1	...	
Naha,	,,	30.35	771.0	...	...	N	...	...		,,	30.34	770.5	...	...	NNE	1	...	
Ishigakijima,	,,	30.35	771.0	...	...	NNE	1	...		,,	30.28	769.0	...	...	ENE	1	...	
Bonin Island,	,,	30.10	764.5	...	...	W	1	...		,,	30.22	767.5	...	...	NNE	1	...	
Chefoo,	15	30.42	772.7	38	8	SW	4	b		6	30.49	774.5	33	8	SW	2	b	
Shanghai,	14	30.49	774.4	45	6	...	0	c		,,	30.45	773.5	36	4	E	2	b	
Gutzlaff,	,,	30.53	775.4	45	8	...	0	b		,,	30.50	774.7	41	8	E	4	b	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.33	770.4	63	8	NE	2	b		7	...	...	...	...	...	...	...	
Amoy,	,,	30.32	770.1	61	6	ENE	4	o		6	30.30	769.6	59	6	E	4	c	
Swatow,	,,	30.31	769.9	60	...	NE	3	c		,,	30.32	770.2	50	...	NE	1	o	
Taihoku,	11	30.37	771.3	67	...	ENE	4	b		5	30.28	769.0	58	...	E	2	o	
Taichu,	,,	30.35	770.8	63	...	NNW	2	o		,,	30.29	769.3	49	...	...	0	b	
Tainan,	,,	30.29	769.4	68	...	N	4	b		,,	30.24	768.0	54	...	NE	2	b	
Koshun,	,,	30.26	768.6	67	...	NE	6	b		,,	30.22	767.6	65	...	ENE	4	b	
Pescadores,	,,	30.32	770.2	61	...	NE	6	bc		,,	...	...	...	...	...	...	...	
Hong Kong,	14	30.21	767.3	60	6	E	5	c		6	30.23	767.8	60	6	E	4	o	
Gap Rock,	,,	30.20	767.1	66	7	ENE	6	o		,,	30.21	767.3	65	7	ENE	6	o	
Macao,	,,	30.19	766.9	63	4	ESE	2	o		,,	30.22	767.5	58	4	NE	2	o	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.13	765.4	70	8	ENE	8	r		6	30.17	766.4	70	8	ENE	6	b	
Phulien,	15	30.19	766.7	72	6	ESE	6	bc		7	30.19	766.7	61	4	ENE	4	bc	
Tourane,	,,	30.09	764.2	65	8	NE	2	o		,,	30.13	765.2	64	4	WNW	1	f	
Cape St. James,	,,	29.94	760.6	79	6	E	4	c		,,	29.99	761.8	72	5	...	0	bc	
Basco,	14	30.13	765.4	70	6	ENE	4	o		6	30.16	766.0	68	4	ENE	2	b	
Aparri,	,,	30.10	764.5	72	4	ENE	4	o		,,	30.12	765.1	68	4	E	2	d	
Tuguegarao,	,,	30.05	763.2	77	1	N	2	o		,,	30.10	764.5	68	1	...	0	o	
Vigan,	,,	29.93	760.3	85	8	NW	4	b		,,	29.99	761.8	72	6	...	0	bc	
Manila,	,,	29.95	760.8	83	8	NE	4	o		,,	30.01	762.3	67	4	...	0	b	
Legaspi,	,,	29.93	760.3	77	6	NNE	4	o		,,	29.98	761.4	77	6	N	4	o	
Calbayog,	,,	29.91	759.8	81	8	NNE	4	bc		,,	29.95	760.6	74	8	NNE	4	c	
Tacloban,	,,	29.89	759.1	85	8	NE	4	b		,,	29.94	760.4	76	4	NW	4	d	
Iloilo,	,,	29.83	757.8	81	8	NE	6	o		,,	29.89	759.1	74	4	NE	6	o	
Cuyo,	,,	29.85	758.3	81	8	N	4	o		,,	29.91	759.7	76	8	NNE	4	o	
Surigao,	...	29.87	758.8	77	8	NE	4	o		,,	29.89	759.3	77	6	ENE	4	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.87	758.7	73	...	E	3	r	
Guam,	12.22	29.78	756.5	...	6	NE	6	b		4.22	29.82	757.3	...	6	NE	4	bc	
Yap,	11.00	29.76	755.9	...	6	NE	4	r		5	29.80	757.0	...	6	NE	4	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	29.78	756.4	75	...	ENE	3	r	
Labuan,	14	29.94	760.6	...	...	...	...	...		6	29.90	759.4	70	1	N	6	o	

January 18*d.* 10*h.* 38*m.*— The anticyclone is central over the Yellow Sea, moving East.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; generally overcast.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	19th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.35	770.8	19	...	NE	1	b	6	30.49	774.3	12	...	...	0	b
Nemuro,	11	30.22	767.5	...	...	NNW	1	...	5	30.12	765.0	...	...	...	0	...
Hakodate,	,,	30.24	768.0	...	...	W	2	...	,,	30.24	768.0	...	...	NNW	1	...
Tokio,	,,	30.35	771.0	...	...	...	0	...	,,	30.32	770.0	..	...	..	0	...
Kochi,	,,	30.33	770.5	...	...	WSW	1	...	,,	30.41	772.5	...	...	WSW	1	...
Nagasaki,	,,	30.41	772.5	...	...	...	0	...	,,	30.47	774.0	...	...	...	0	...
Kagoshima,	,,	30.39	772.0	...	...	NNW	1	...	,,	30.43	773.0	...	...	NW	1	...
Oshima,	,,	30.37	771.5	...	...	...	0	...	,,	30.36	771.0	...	...	SE	...	...
Naha,	,,	30.35	771.0	...	...	NE	1	...	,,	30.34	770.5	...	...	NE	1	...
Ishigakijima,	,,	30.31	770.0	...	...	ESE	2	...	,,	30.28	769.0	...	...	NE	1	...
Bonin Island,	,,	30.22	767.5	...	...	NNE	1	...	,,	30.26	768.5	...	...	...	0	...
Chefoo,	15	30.57	776.6	36	8	NNW	2	b	6	30.63	778 0	31	8	NNW	2	b
Shanghai,	14	30.45	773.4	49	6	ENE	4	o	,,	30.49	774.3	43	4	ENE	2	o
Gutzlaff,	,,	30.48	774.2	45	4	ENE	4	b	,,	30.51	774.9	45	6	NNE	4	c
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.32	770.1	62	6	N	2	c	7	30.33	770.4	60	8	N	2	c
Amoy,	,,	30.29	769.3	73	8	W	2	b	6	30.04	763.0	58	6	ENE	4	c
Swatow,	,,	30.32	770.2	50	...	NE	1	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.29	769.3	74	...	E	4	c	5	30.28	769.0	59	...	E	2	b
Taichu,	,,	30.28	769.1	72	...	...	0	b	,,	30.29	769.3	56	...	...	0	b
Tainan,	,,	30.26	768.7	74	...	...	0	b	,,	30.25	768.3	59	...	NNE	2	b
Koshun,	,,	30.25	768.3	72	...	NE	4	b	,,	30.22	767.5	65	...	NE	4	b
Pescadores,	,,	30.28	769.0	68	...	NNE	4	c	,,	...	...	...	...	...	...	...
Hong Kong,	14	30.21	767.3	63	6	ESE	3	o	6	30.25	768.3	61	6	E	3	o
Gap Rock,	,,	30.18	766.6	66	7	ENE	5	o	,,	30.24	768.1	66	7	ENE	4	o
Macao,	,,	30.16	766.1	65	6	ESE	2	c	,,	30.21	767.4	59	4	ESE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.14	765.5	76	8	E	8	b	6	30.19	766.9	68	8	NE	6	c
Phulien,	15	30.09	764.3	72	6	ESE	6	b	7	30.21	767.2	61	6	ENE	4	c
Tourane,	,,	30.06	763.6	68	8	NNE	2	o	,,	30.13	765.3	68	8	NW	2	o
Cape St. James,	,,	29.92	760.0	79	6	E	4	z	,,	29.97	761.2	63	6	ENE	4	b
Basco,	14	30.11	764.9	76	8	ENE	4	bc	6	30.17	766 3	68	4	NE	2	b
Aparri,	,,	30.09	764.2	74	4	ENE	4	o	,,	30.12	764.9	68	4	...	0	b
Tuguegarao,	,,	30.02	762.4	79	4	N	2	o	,,	30.11	764.8	67	1	...	0	bc
Vigan,	,,	29.94	760.6	83	8	W	2	b	,,	29.99	761.8	72	6	...	0	b
Manila,	,,	29.97	761.2	83	8	W	4	bc	,,	30.04	763.0	67	4	...	0	bc
Legaspi,	,,	29.94	760.4	83	8	NNE	4	bc	,,	29.99	761.8	77	6	N	4	o
Calbayog,	,,	29.93	760.2	79	8	NNE	4	o	,,	29.97	761.2	74	8	NNE	4	c
Tacloban,	,,	29.90	759.5	83	8	NE	6	r	,,	29.95	760.8	76	6	NW	4	o
Iloilo,	,,	29.85	758.2	81	8	NE	6	o	,,	29.92	760.0	76	4	NE	4	o
Cebu,	,,	29.85	758.2	83	8	NNE	6	bc	,,	29.91	759.8	79	8	NNE	4	bc
Surigao,	...	29.85	758.3	83	8	ENE	4	o	,,	29.91	759.8	77	4	E	4	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.89	759.2	73	...	E	4	c
Guam,	12.22	29.78	756.3	...	6	NE	6	bc	4.22	29.82	757.4	...	6	NE	2	b
Yap,	11.00	29.78	756.5	...	6	NE	4	bc	5	29.82	757.3	79	...	NE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	77	...	ENE	2	bc
Labuan,	14	29.95	760.8	77	6	N	...	c	6	29.90	759.5	74	1	NE	...	bc

January 19*d.* 10*h.* 5c*m.*—The anticyclone is nearly stationary to the N.E. of Chefoo.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate to fresh; generally cloudy.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine to cloudy.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally overcast.

F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	20th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.54	775.6	19	...	N	2	b	6	30.51	774.9	3	...	...	0	b
Nemuro,	11	30.16	766.0	...	...	NNW	1	...	5	30.32	770.0	...	...	W	1	...
Hokodate,	,,	30.31	770.0	...	...	NW	3	...	,,	30.38	771.5	...	...	WNW	1	...
Tokio,	,,	30.35	771.0	...	...	NNW	2	...	,,	30.47	774.0	...	...	NNE	1	...
Kochi,	,,	30.43	773.0	...	...	N	1	...	,,	30.43	773.0	...	...	...	0	...
Nagasaki,	,,	30.47	774.0	...	...	E	1	...	,,	30.43	773.0	...	...	...	...	...
Kagoshima,	,,	30.43	773.0	...	...	E	1	...	,,	30.41	772.5	...	...	...	0	...
Oshima,	,,	30.35	771.0	...	...	NNE	1	...	,,	30.36	771.0	...	...	S	1	...
Naha,	,,	30.33	770.5	...	...	NE	2	...	,,	30.32	770.0	...	...	NNE	1	...
Ishigakijima,	,,	30.31	770.0	...	...	E	2	...	,,	30.28	769.0	...	...	ENE	1	...
Bonin Island,	,,	30.26	768.5	...	...	N	1	...	,,	30.30	769.5	...	...	...	0	...
Chefoo,	15	30.58	776.8	35	8	NNE	4	c	6	30.51	775.0	25	8	...	0	b
Shanghai,	14	30.46	773.8	45	4	ENE	2	d	,,	30.47	774.0	43	1	ENE	2	m
Gutzlaff,	,,	30.50	774.7	45	4	E	2	m	,,	30.52	775.2	43	6	ENE	2	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.32	770.1	62	6	N	2	o	7	30.34	770.6	58	6	N	2	o
Amoy,	,,	30.27	768.8	68	6	ENE	2	h	6	30.29	769.3	58	6	SW	4	c
Swatow,	,,	30.31	769.8	63	...	E	3	h	,,	...	...	...	...	...	...	...
Taihoku,	11	30.32	770.2	70	...	ENE	4	h	5	30.28	769.0	61	...	ENE	4	o
Taichu,	,,	30.29	769.3	72	...	...	0	b	,,	30.26	768.7	54	...	...	0	o
Tainan,	,,	30.28	769.1	72	...	NNW	2	h	,,	30.23	767.8	59	...	N	2	o
Koshun,	,,	30.26	768.7	72	...	NE	4	h	,,	30.21	767.2	65	...	ENE	6	b
Pescadores,	,,	30.30	769.6	70	...	NNE	6	bc	,,	...	...	...	...	...	...	...
Hong Kong,	14	30.22	767.6	61	7	E	4	bc	6	30.25	768.3	60	7	E	5	bc
Gap Rock,	,,	30.20	767.1	66	7	ENE	5	c	,,	30.24	768.1	66	7	ENE	4	o
Macao,	,,	30.19	766.9	67	6	SE	4	h	,,	30.21	767.2	59	4	ENE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.19	766.8	74	8	ENE	6	bc	6	30.17	766.4	68	6	NE	6	c
Phulien,	15	30.15	765.8	72	8	ENE	2	h	7	30.18	766.6	65	6	ENE	4	c
Tourane,	,,	30.09	764.3	72	8	E	2	c	,,	30.10	764.6	68	8	E	2	c
Cape St. James,	,,	29.93	760.2	76	4	ENE	6	c	,,	29.97	761.2	74	6	NNE	4	h
Basco,	14	30.14	765.6	77	8	NE	4	h	6	30.16	766.1	68	4	NE	4	bc
Aparri,	,,	30.10	764.6	72	4	ENE	4	o	,,	30.11	764.8	70	4	...	0	o
Tuguegarao,	,,	30.04	763.0	79	4	...	0	bc	,,	30.08	764.0	67	1	...	0	o
Vigan,	,,	29.99	761.8	81	8	NW	4	b	,,	29.97	761.2	72	6	...	0	bc
Manila,	,,	30.02	762.6	83	8	NE	2	bc	,,	30.00	762.0	68	4	...	0	h
Legaspi,	,,	29.96	760.9	83	8	NNE	2	o	,,	29.97	761.3	77	6	NE	4	o
Calbayog,	,,	29.93	760.2	81	8	NNE	4	c	,,	29.95	760.7	70	8	...	0	bc
Tacloban,	,,	29.92	759.9	79	8	NE	4	c	,,	29.93	760.3	76	6	N	4	c
Iloilo,	,,	29.87	758.8	81	8	NE	4	o	,,	29.90	759.4	74	4	NE	4	o
Cebu,	,,	29.88	759.0	85	8	NNE	4	o	,,	29.90	759.5	77	8	NNE	4	o
Surigao,	...	29.87	758.8	79	4	ENE	4	r	,,	29.88	758.9	77	6	ENE	4	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.91	759.7	75	...	ENE	2	r
Guam,	12.22	29.81	757.2	...	6	NE	6	bc	4.22	29.85	758.2	...	6	NE	4	bc
Yap,	11.00	29.78	756.5	...	6	NE	2	r	5	29.82	757.3	...	6	ENE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	77	...	ENE	1	bc
Labuan,	14	29.94	760.6	81	6	NNE	6	bc	6	29.90	759.5	74	1	N	2	b

January 20*d*. 10*h*. 48*m*.— The anticyclone is central over N.E. Korea, moving East.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate; generally cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fine to cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	21st JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.45	773.4	28	...	...	0	h	6	30.30	769.5	30	...	SE	1	0
Nemuro,	11	30.33	770.5	...	...	NW	1	...	5	30.47	774.0	...	...	...	0	...
Hakodate,	,,	30.39	772.0	...	...	NNW	1	...	,,	30.49	774.5	...	...	W	2	...
Tokio,	,,	30.47	774.0	...	...	N	1	...	,,	30.61	777.5	,,	...	...	0	...
Kochi,	,,	30.45	773.5	...	...	...	0	...	,,	30.53	775.5	...	...	WSW	1	...
Nagasaki,	,,	30.47	774.0	...	...	E	1	...	,,	30.49	774.5	...	...	...	0	...
Kagoshima,	,,	30.45	773.5	...	...	...	0	...	,,	30.47	774.0	...	...	...	0	...
Oshima,	,,	30.37	771.5	...	...	NNE	1	...	,,	30.39	772.0	...	...	S	1	...
Naha,	,,	30.35	771.0	...	...	NE	2	...	,,	30.34	770.5	...	...	ENE	3	...
Ishigakijima,	,,	30.35	770.5	...	...	E	3	...	,,	30.30	769.5	...	...	E	3	...
Bonin Island,	,,	30.31	770.0	...	...	NE	1	...	,,	30.41	772.5	...	...	...	0	...
Chefoo,	15	30.45	773.4	40	8	E	2	h	6	30.49	774.3	36	6	...	0	0
Shanghai,	14	30.45	773.5	50	6	ENE	2	o	,,	30.42	772.7	41	4	ENE	2	h
Gutzlaff,	,,	30.49	774.4	47	6	ENE	2	o	,,	30.47	773.9	47	6	SSE	4	h
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.30	769.6	60	6	ESE	2	o	7	30.28	769.1	60	6	NE	2	o
Amoy,	,,	30.25	768.3	63	6	E	4	o	6	30.32	770.2	59	6	WSW	4	o
Swatow,	,,	30.29	769.3	63	...	E	2	h	,,	...	...	...	...	...	...	...
Taihoku,	11	30.32	770.2	70	...	ENE	4	c	5	30.26	768.5	63	...	E	2	h
Taichu,	,,	30.31	769.8	72	...	...	0	b	,,	30.28	769.0	58	...	...	0	o
Tainan,	,,	30.28	769.1	72	...	NNW	2	h	,,	30.24	768.1	58	...	NE	2	h
Koshun,	,,	30.28	769.0	72	...	NE	4	bc	,,	30.22	767.5	67	...	NE	4	h
Pescadores,	,,	30.30	769.6	68	...	NNE	6	c	,,	30.24	768.1	61	...	NNE	2	bc
Hong Kong,	14	30.23	767.8	65	7	E	4	h	6	30.24	768.1	60	7	E	4	h
Gap Rock,	,,	30.23	767.8	67	8	ENE	5	c	,,	30.23	767.8	67	8	ENE	4	h
Macao,	,,	30.17	766.3	70	6	SE	2	h	,,	30.21	767.2	59	6	NE	2	h
Bolhow,	,,	30.20	767.1	58	1	E	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.17	766.2	72	8	NE	6	c	6	30.19	766.8	68	8	E	4	h
Phulien,	15	30.16	766.0	76	8	S	4	bc	7	30.19	766.7	63	6	ENE	4	c
Tourane,	,,	30.11	764.8	72	8	E	2	p	,,	30.14	765.4	68	8	...	2	bc
Cape St. James,	,,	29.93	760.3	77	6	ENE	6	z	,,	30.00	762.0	72	6	NE	4	h
Basco,	14	30.14	765.6	77	8	NE	4	h	6	30.16	766.0	68	4	NE	2	bc
Aparri,	,,	30.09	764.4	77	4	ENE	4	bc	,,	30.12	765.0	67	6	E	2	h
Tagnegarao,	,,	30.05	763.3	77	1	...	0	o	,,	30.10	764.5	67	1	...	0	o
Vigan,	,,	29.94	760.6	83	8	WNW	4	b	,,	30.00	762.0	74	6	E	2	h
Manila,	,,	29.98	761.5	83	8	NNE	2	bc	,,	30.03	762.7	67	4	...	0	bc
Legaspi,	,,	29.93	760.3	81	8	NE	4	bc	,,	29.98	761.4	77	6	N	4	o
Calbayog,	,,	29.91	759.7	83	8	NNE	4	o	,,	29.97	761.2	76	8	N	2	a
Tacloban,	,,	29.92	760.0	81	8	N	2	o	,,	29.96	761.0	76	4	NW	2	d
Iloilo,	,,	29.85	758.3	85	8	NE	6	o	,,	29.89	759.1	76	4	NE	6	o
Cebu,	,,	29.86	758.4	83	8	NNE	6	o	,,	29.90	759.4	79	8	NNE	4	o
Surigao,	...	29.83	757.7	74	6	ENE	4	c	,,	29.89	759.3	76	4	ENE	4	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.95	760.7	75	...	E	4	c
Guam,	12.22	29.85	758.3	...	6	ENE	4	bc	4.22	29.90	759.5	...	6	NE	4	h
Yap,	11.00	29.83	757.6	...	6	ENE	6	bc	5	29.88	758.8	...	6	ENE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	79	...	E	2	c
Labuan,	14	29.95	760.7	81	6	N	...	bc	6	29.90	759.5	74	1	NNE	2	h

January 21*d.* 10*h.* 50*m.*—The anticyclone is central to the east of Tokio, moving East.

Another is forming over N.E. China

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
A.—Shanghai to Turnabout,	Light, variable winds, freshening from N.E. fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine to cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st JANUARY, 1932.									22nd JANUARY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.24	768.2	37	...	W	2	c		6	30.44	773.1	14	...	...	0	b	
Nemuro,	11	30.31	770.0	...	...	SW	1	...		5	29.92	760.0	...	...	N	2	...	
Hokodate,	,,	30.37	771.5	...	...	W	1	...		,,	30.24	768.0	...	...	WNW	3	...	
Tokio,	,,	30.53	775.5	...	...	NNE	1	...		,,	30.26	768.5	..	...	NW	1	...	
Kochi,	,,	30.53	775.5	...	...	...	0	...		,,	30.36	771.0	...	...	...	0	...	
Nagasaki,	,,	30.47	774.0	...	...	SE	1	...		,,	30.38	771.5	...	...	...	0	...	
Kagoshima,	,,	30.45	773.5	...	...	E	1	...		,,	30.38	771.5	...	...	...	0	...	
Oshima,	,,	30.41	772.5	...	...	SSE	1	...		,,	30.34	770.5	...	...	...	0	...	
Naha,	,,	30.35	771.0	...	...	E	2	...		,,	30.30	769.5	...	...	...	0	...	
Ishigakijima,	,,	30.30	769.5	...	...	ESE	2	...		,,	30.24	768.0	...	...	ESE	1	...	
Bonin Island,	,,	30.39	772.0	...	...	N	1	...		,,	30.38	771.5	...	...	...	0	...	
Chefoo,	15	30.52	775.1	38	6	NW	2	c		6	30.49	774.4	35	4	...	0	0	
Shanghai,	14	30.39	772.0	59	6	W	2	c		,,	30.42	772.7	45	4	NW	2	0	
Gutzlaff,	,,	30.37	771.4	54	6	SE	2	bc		,,	30.44	773.2	45	1	ENE	2	f	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.27	768.8	62	8	N	2	c		7	30.28	769.1	60	6	N	2	0	
Amoy,	,,	30.26	768.6	63	6	SSE	4	b		6	30.28	769.1	58	1	WNW	2	f	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Taihoku,	11	30.28	769.0	77	...	ESE	4	b		5	30.25	768.3	58	...	WSW	2	e	
Taichu,	,,	30.31	769.9	72	...	...	c	b		,,	30.25	768.4	50	...	...	0	b	
Tainan,	,,	30.29	769.4	74	...	NNW	2	b		,,	30.21	767.2	58	...	NNE	2	f	
Koshun,	,,	...	...	...	...	...	...	...		,,	30.17	766.3	70	...	ENE	4	o	
Pescadores,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	..	...	
Hong Kong,	14	30.22	767.6	69	8	E	3	b		6	30.21	767.3	60	6	...	0	lm	
Gap Rock,	,,	30.22	767.6	67	8	ENE	4	b		,,	30.20	767.1	67	8	ENE	4	b	
Macao,	,,	30.22	767.6	72	8	ENE	2	b		,,	30.19	766.7	59	6	NW	...	e	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.17	766.4	74	8	NE	6	b		6	30.15	765.8	70	8	NE	6	o	
Phulien,	15	30.16	766.0	74	8	E	6	b		7	30.21	767.3	63	6	ENE	4	r	
Tourane,	,,	30.12	765.0	72	8	E	2	bc		,,	30.14	765.6	68	8	ESE	2	bc	
Cape St. James,	,,	29.94	760.4	77	6	ENE	8	z		,,	29.97	761.2	74	6	NE	4	b	
Basco,	14	30.11	764.8	77	8	E	4	o		6	...	...	..	...	...	...	...	
Aparri,	,,	30.07	763.8	77	6	NE	4	o		,,	30.09	764.2	68	4	SW	2	o	
Tuguegarao,	,,	30.03	762.8	77	4	...	0	o		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.97	761.2	83	8	NW	4	b		,,	...	...	...	...	...	...	...	
Manila,	,,	29.96	761.0	85	8	SSE	2	bc		,,	29.98	761.4	68	4	...	0	b	
Legaspi,	,,	29.93	760.3	83	8	NNE	4	o		,,	29.93	760.1	77	6	NE	4	o	
Calbayog,	,,	29.89	759.3	83	6	NNE	4	c		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.89	759.3	83	8	NE	4	o		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.85	758.2	79	8	N	4	o		,,	...	...	...	...	...	...	...	
Cebu,	,,	29.86	758.4	83	8	NNE	4	o		,,	...	...	...	...	...	...	...	
Surigao,	...	29.85	758.2	79	6	ENE	6	d		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.96	761.0	73	...	ENE	4	r	
Guam,	12.22	29.88	759.0	...	6	SE	4	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.83	757.8	...	6	ENE	4	bc		5	29.89	759.1	...	6	ENE	4	e	
Pelew,	,,	...	...	..	...	..	...	...		,,	29.86	758.5	79	...	ENE	2	o	
Labuan,	14	29.95	760.7	77	6	NNE	...	c		6	29.90	759.5	72	1	NE	...	bc	

January 22*d*. 10*h*. 30*m*.— The anticyclone is nearly stationary to the west of Pekin.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, moderate; generally overcast.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	N.E. winds, fresh; generally overcast.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	23rd JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.36	771.1	30	...	SE	1	b	6	30.30	769.6	18	...	N	1	b
Nemuro,	11	30.02	762.5	...	...	N	1	...	5	30.06	763.5	...	...	...	0	...
Hokodate,	,,	30.24	768.0	...	...	WNW	5	...	,,	30.14	765.5	...	...	NW	1	...
Tokio,	,,	30.26	768.5	...	...	NE	1	...	,,	30.18	766.5	..	...	N	1	...
Kochi,	,,	30.31	770.0	...	...	WSW	1	...	,,	30.18	766.5	...	...	WSW	1	...
Nagasaki,	,,	30.35	771.0	...	...	SW	1	...	,,	30.22	767.5	...	...	N	1	...
Kagoshima,	,,	30.35	771.0	...	...	ESE	1	...	,,	30.20	767.0	...	...	...	0	...
Oshima,	,,	30.33	770.5	...	...	...	...	...	,,	30.22	767.5	...	...	S	1	...
Naha,	,,	30.28	769.0	...	...	NE	2	...	,,	30.20	767.0	...	...	E	2	...
Ishigakijima,	,,	30.26	768.5	...	...	SE	2	...	,,	30.18	766.5	...	...	...	0	...
Bonin Island,	,,	30.33	770.5	...	...	SE	1	...	,,	30.26	768.5	...	...	...	...	...
Chefoo,	15	30.43	772.9	38	6	NW	4	o	6	30.43	773.0	33	6	W	2	b
Shanghai,	14	30.40	772.1	49	6	W	4	o	,,	30.44	773.2	41	4	NNE	2	o
Gutzlaff,	,,	30.43	772.9	45	1	...	0	f	,,	30.46	773.7	43	6	N	4	c
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.21	767.3	64	8	E	2	b	7	30.30	769.5	60	6	E	2	o
Amoy,	,,	30.22	767.6	65	6	SSE	2	b	6	30.21	767.3	59	4	ENE	2	c
Swatow,	,,	30.28	769.2	67	...	ESE	3	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.28	769.0	65	...	...	0	o	5	30.22	767.5	61	...	...	0	r
Taichu,	,,	30.26	768.7	74	...	...	0	b	,,	30.21	767.3	56	...	...	0	o
Tainan,	,,	30.24	768.0	72	...	N	4	b	,,	30.17	766.3	59	...	NNE	4	o
Koshun,	,,	30.19	766.8	77	...	ENE	4	o	,,	30.12	764.9	70	...	ENE	4	bc
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.18	766.6	65	...	NNE	4	o
Hong Kong,	14	30.17	766.3	73	7	E	1	bc	6	30.16	766.0	62	7	E	1	bc
Gap Rock,	,,	30.18	766.0	66	8	ENE	3	b	,,	30.16	766.0	66	8	ENE	3	o
Macao,	,,	30.16	766.0	72	6	NE	2	c	,,	30.12	765.1	61	4	NNE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.12	765.1	74	8	NNE	6	bc	6	30.11	764.8	70	8	NE	6	c
Phulien,	15	30.14	765.6	27	8	S	2	b	7	30.18	766.6	59	7	NNE	2	f
Tourane,	,,	30.10	764.5	74	8	ESE	2	bc	,,	30.12	765.1	64	7	SW	2	bc
Cape St. James,	,,	29.95	760.8	77	6	ENE	6	z	,,	29.98	761.4	72	6	ENE	3	bc
Basco,	14	30.08	764.0	79	8	ESE	2	b	6	30.07	763.7	72	4	SE	2	c
Aparri,	,,	30.03	762.8	76	4	NE	2	o	,,	30.04	763.0	67	4	...	0	b
Tuguegarao,	,,	29.98	761.6	85	4	...	0	bc	,,	30.02	762.6	65	1	...	0	o
Vigan,	,,	29.91	759.8	83	8	NW	4	b	,,	29.94	760.4	68	8	...	0	b
Manila,	,,	29.93	760.2	85	8	WSW	2	bc	,,	29.95	760.6	70	4	...	0	o
Legaspi,	,,	29.90	759.4	81	6	NE	4	o	,,	29.91	759.6	77	6	NE	2	o
Calbayog,	,,	29.88	758.9	83	8	N	4	o	,,	29.91	759.8	76	8	...	0	b
Tacloban,	,,	29.87	758.8	85	8	E	2	c	,,	29.90	759.4	77	8	N	2	c
Iloilo,	,,	29.82	757.4	85	8	NE	4	o	,,	29.84	758.0	76	4	NE	4	o
Cebu,	,,	29.85	758.2	79	8	NE	4	o	,,	29.88	758.8	77	8	...	0	o
Surigao,	...	29.84	758.0	81	6	E	2	o	,,	29.88	758.8	72	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.92	759.9	74	...	ENE	4	r
Guam,	12.22	29.91	759.6	...	6	ENE	4	bc	4.22	29.86	758.4	...	6	NE	4	bc
Yap,	11.00	29.79	756.7	...	6	ENE	6	r	5	29.88	758.8	...	6	ENE	4	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	79	...	ENE	3	bc
Labuan,	14	29.95	760.7	79	6	N	6	bc	6	29.90	759.5	74	1	NNE	6	o

January 23*d*. 11*h*. 00*m* — The anticyclone is central to the S.W. of Pekin and nearly stationary.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate; generally overcast.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine to cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; cloudy.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millibs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Symbols.)	24th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millibs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Symbols.)
Vladivostock,	12	30.29	769.4	30	...	...	0	b	6	30.31	769.8	12	...	...	0	b
Nemuro,	11	29.98	761.5	...	...	NW	1	...	5	30.12	765.0	..	...	...	..	...
Hokodate,	..	30.12	765.0	...	...	NW	3	...	..	30.22	767.5	...	...	N	1	...
Tokio,	..	30.12	765.0	...	...	N	1	...	..	30.22	767.5	..	...	..	0	...
Kochi,	..	30.12	765.0	...	...	...	0	...	..	30.22	767.5	...	...	...	0	...
Nagasaki,	..	30.28	769.0	...	...	NNW	2	...	..	30.28	769.0	...	...	..	0	...
Kagoshima,	..	30.20	767.0	...	...	NNW	1	...	..	30.26	768.5	...	...	WNW	1	...
Oshima,	..	30.20	767.0	...	...	SE	1	...	..	30.22	767.5	...	...	NNW	1	...
Naha,	..	30.20	767.0	...	...	SSE	1	...	..	30.18	766.5	...	...	N	3	...
Ishigakijima,	..	30.18	766.5	...	...	S	1	...	..	30.18	766.5	...	...	NE	1	...
Bonin Island,	..	30.22	767.5	...	...	...	0	...	..	30.18	766.5	...	...	...	0	...
Chefoo,	15	30.38	771.6	41	8	NNW	2	b	6	30.38	771.7	35	4	SW	2	x
Shanghai,	14	30.43	772.9	43	4	NNE	2	0	..	30.46	773.6	41	6	NNE	2	0
Gutzlaff,	..	30.45	773.4	45	4	N	2	m	..	30.47	773.9	43	6	N	2	0
Wenchow,	..	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	..	30.23	767.8	60	6	E	2	0	..	30.30	769.6	58	6	NE	2	0
Amoy,	..	30.22	767.6	65	6	E	4	0	6	30.27	768.8	58	6	ENE	2	0
Swatow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Tailoko,	11	30.26	768.5	68	...	ESE	2	0	5	30.24	768.1	61	...	E	2	r
Taichu,	..	30.17	766.4	76	...	...	0	0	..	30.21	767.2	52	...	...	0	f
Tainan,	..	30.16	766.1	77	...	NW	2	b	..	30.16	766.0	59	...	NNE	4	0
Koshun,	..	30.15	765.8	79	...	NE	2	b	..	30.11	764.8	70	...	NE	4	b
Pescadores,	..	30.20	767.2	70	...	NE	4	0	..	30.17	766.4	63	...	NNE	6	0
Hong Kong,	14	30.15	766.8	71	-	W	2	b	6	30.19	766.8	61	6	ENE	3	0
Gap Rock,	..	30.17	766.3	67	8	ENE	4	f	..	30.18	766.5	65	8	ENE	4	0
Macao,	..	30.15	765.7	68	8	NE	2	b	..	30.14	765.6	59	4	NE	2	0
Hoihow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	..	30.09	764.4	74	8	NE	6	be	6	30.12	765.0	67	8	NE	6	be
Phulien,	15	30.11	764.8	79	8	S	2	b	..	30.15	765.9	61	5	ENE	3	e
Tamsui,	..	30.07	763.9	72	8	NNE	2	b	..	30.09	764.2	61	7	WNW	3	e
Cape St. James,	..	29.92	760.6	79	6	E	4	b	..	29.93	760.3	75	6	Nr.	3	be
Basco,	14	30.04	763.0	79	8	NE	2	be	6	..	...	..	..	...	..	...
Aparri,	..	30.01	762.3	79	4	NE	2	0	..	30.02	762.4	72	4	NNE	4	r
Tuguegarao,	..	29.94	760.6	83	4	...	0	0	..	...	...	...	...	...	...	...
Vigan,	..	29.90	759.4	83	6	W	2	b	..	..	..	...	...	...	...	...
Manila,	..	29.91	759.8	83	8	NNE	2	0	..	29.93	760.3	70	4	...	0	b
Legaspi,	..	29.88	759.0	86	8	NE	4	b	..	29.93	760.1	79	...	NE	4	be
Calbayog,	..	29.86	758.5	85	8	NE	4	d	..	...	...	...	...	...	...	...
Tacloban,	..	29.85	758.3	86	8	NE	4	be	..	...	...	...	...	...	..	...
Iloilo,	..	29.79	756.7	85	8	NE	6	0	..	...	...	...	...	...	...	...
Cebu,	..	29.81	757.2	85	8	NE	4	0	..	...	...	..	...	..	..	...
Surigao,	...	29.82	757.3	83	8	ENE	4	0	..	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.83	757.7	...	6	NE	6	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.5	...	6	ENE	4	be	5	29.83	757.7	...	...	E	4	be
Pelew,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Labuan,	14	29.95	760.7	81	6	N	8	c	6	29.90	759.4	72	1	N	4	b

January 24*d.* 10*h.* 37*m.*— The anticyclone appears to be nearly stationary N.W. of Nanking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 *inches, against an average of* 0.87 *inches.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
A.—Shanghai to Turnabout,	North to N.E. winds, moderate; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; generally cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Bashee Straits,	
E.—North China Sea,	N.E. winds, fresh; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	25th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.26	768.6	30	...	WSW	2	c	6	30.22	767.6	16	...	...	0	f
Nemuro,	11	30.14	765.5	...	...	W	1	...	5	30.20	767.0	...	...	W	1	...
Hakodate,	,,	30.22	767.5	...	...	WNW	2	...	,,	30.22	767.5	...	...	W	1	...
Tokio,	,,	30.24	768.0	...	...	...	0	...	,,	30.30	769.5	...	...	NNW	1	...
Kochi,	,,	30.22	767.5	...	...	S	1	...	,,	30.30	769.5	...	...	...	0	...
Nagasaki,	,,	30.33	770.5	...	...	NNW	1	...	,,	30.32	770.0	...	...	...	0	...
Kagoshima,	,,	30.28	769.0	...	...	...	0	...	,,	30.28	769.0	...	...	NW	1	...
Oshima,	,,	30.26	768.5	...	...	N	2	...	,,	30.24	768.0	...	...	SSE	1	...
Naha,	,,	30.22	767.5	...	...	NNE	2	...	,,	30.24	768.0	...	...	NE	1	...
Ishigakijima,	,,	30.24	768.0	...	...	ENE	3	...	,,	30.20	767.0	...	...	ENE	1	...
Bonin Island,	,,	30.16	766.0	...	...	NE	1	...	,,	30.14	765.5	...	...	...	0	...
Chefoo,	15	30.37	771.3	43	6	NNW	2	h	6	30.28	769.0	36	6	...	0	h
Shanghai,	14	30.42	772.6	50	6	E	2	o	,,	30.31	769.9	43	4	ESE	2	o
Gutzlaff,	,,	30.55	775.9	50	6	...	0	o	,,	30.40	772.1	47	6	...	0	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.24	768.1	58	6	NE	2	o	7	30 24	768.1	58	6	N	2	o
Amoy,	,,	30.22	767.6	63	6	ENE	2	bo	6	20.23	767.8	56	6	NNW	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	30.26	768.7	59	...	NE	1	o
Taihoku,	11	30.28	769.1	65	...	ENE	4	o	5	30.17	766.3	63	...	ENE	4	o
Taichu,	,,	30.19	766.9	72	...	NNW	2	h	,,	30.19	766.7	56	...	...	0	o
Tainan,	,,	30.17	766.4	72	...	N	4	h	,,	30.15	765.7	61	...	NNE	2	o
Koshun,	,,	30.13	765.3	76	...	NE	6	b	,,	30.13	765.3	68	...	N	2	o
Pescadores,	,,	30.20	767.2	67	...	NNE	6	o	,,	...	...	...	...	...	...	...
Hong Kong,	14	30.16	766.1	67	8	E	2	b	6	30.19	766.8	61	6	E	2	o
Gap Rock,	,,	30.18	766.5	66	7	NE	5	c	,,	30.18	766 6	66	6	ENE	4	b
Macao,	,,	30.15	765.8	67	6	ENE	4	b	,,	30.13	765.4	59	4	NE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.09	764.4	70	8	NE	6	o	6	30.12	764.9	67	8	NE	6	o
Phulien,	15	30.11	764.9	75	7	ENE	4	c	7	30.13	765.7	61	5	ENE	2	o
Tourane,	,,	30.06	763.4	70	5	NW	1	c	,,	30.08	763.9	68	4	N	1	d
Cape St. James,	,,	29.94	760.6	81	8	N	3	c	,,	29.95	760.6	72	6	NE	3	bo
Basco,	14	30.05	763.2	74	6	NE	4	o	6	30.09	764.2	72	4	E	2	o
Aparri,	,,	30.00	762.0	76	4	ENE	4	o	,,	30.05	763.3	70	6	S	2	b
Tuguegarao,	,,	29.94	760.4	77	1	...	0	o	,,	30.03	760.4	68	1	...	0	bo
Vigan,	,,	29.85	758.2	88	8	NW	4	c	,,	29.94	762.8	79	6	E	2	o
Manila,	,,	29.89	759 1	86	8	ESE	4	c	,,	29.98	761.5	74	6	...	0	bc
Legaspi,	,,	29.89	759.1	86	8	NE	4	c	,,	29.93	760.1	77	6	NE	2	o
Calloyog,	,,	29.86	758.5	85	8	SW	4	c	,,	29.93	760.3	70	8	...	0	o
Tacloban,	,,	29.86	758.4	85	8	NE	6	h	,,	29.92	760.0	76	6	NW	4	b
Iloilo,	,,	29.89	757.0	85	8	NE	4	o	,,	29.87	758.6	74	4	NE	4	o
Cebu,	,,	29.83	757.6	85	8	NE	4	c	,,	29.89	759.1	77	8	NNE	2	bo
Surigao,	...	29.83	757.6	83	8	ENE	6	o	,,	29.86	758.5	77	6	N	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	71	...	ENE	1	bc
Guam,	12.22	29.83	757.7	...	6	NE	6	c	4.22	29.84	757.8	...	6	NE	2	bo
Yap,	11.00	29.80	757.0	...	6	ENE	4	c	5	29.89	759.3	78	...	NE	1	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	77	...	ENE	1	bc
Labuan,	14	29.95	760.7	81	6	S	8	c	6	29.50	759.4	70	1	...	...	o

January 25*d.* 10*h.* 5*cm.*—The anticyclone has weakened and spread eastward. It is now central over the Yellow Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Variable winds, light to moderate; fine to cloudy, local fog in morning.
B.—Turnabout to Hong Kong,	NE. winds, moderate; generally cloudy, some drizzle or mist.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	NE. winds, fresh; generally overcast, local rain,

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	26th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladiwostock,	12	30.15	765.8	34	...	SE	1	h	6	30.16	766.0	16	...	...	0	f
Nemuro,	11	30.16	766.0	...	...	SSE	1	...	5	30.02	762.3	..	...	...	...	...
Hokodate,	,,	30.18	766.5	...	...	W	2	...	,,	30.08	764.0	...	...	NNW	1	...
Tokio,	,,	30.26	768.5	...	...	SE	1	...	,,	30.12	765.0	..	...	NNW	1	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.12	765.0	...	...	...	0	...
Nayasaki,	,,	30.28	769.0	...	...	W	1	...	,,	30.18	766.5	...	...	N	1	...
Kagoshima,	,,	30.26	768.5	...	...	ESE	1	...	,,	30.20	767.0	...	...	NW	1	...
Oshima,	,,	30.24	768.0	...	...	NNE	1	...	,,	30.18	766.5	...	...	S	1	...
Naha,	,,	30.24	768.0	...	...	N	1	...	,,	30.16	766.0	...	...	N	1	...
Ishigakijima,	,,	30.20	767.0	...	...	SE	2	...	,,	30.10	764.5	...	...	ESE	2	...
Bonin Island,	,,	30.14	765.5	...	...	...	0	...	,,	30.16	766.0	...	...	...	0	...
Chefoo,	15	30.27	768.8	41	6	W	2	o	6	30.30	769.7	35	6	...	0	h
Shanghai,	14	30.31	769.9	61	6	SW	2	o	,,	30.36	771.1	43	4	NW	2	o
Gutzlaff,	,,	30.33	770.4	50	6	...	0	o	,,	30.37	771.4	41	1	NW	4	f
Wenchow,	,,	...	...	...	...	...	...	...	6	..	...	...	...	..	...	...
Foochow,	,,	30.17	766.3	58	8	E	2	bc	7	30.21	767.3	58	6	ENE	2	o
Amoy,	,,	30.17	766.3	65	8	SE	4	h	6	30.15	765.8	59	6	ENE	2	bc
Swatow,	,,	30.21	767.3	63	...	E	3	o	,,	30.41	772.4	59	...	ENE	1	o
Taihoku,	11	30.19	766.9	74	...	E	4	c	5	30.16	766.0	63	...	W	2	r
Taichu,	,,	30.20	767.0	68	...	NNW	2	c	,,	30.16	766.0	61	...	...	0	o
Tainan,	,,	30.17	766.2	74	...	NNE	4	bc	,,	30.11	764.8	63	...	NNE	4	o
Koshun,	,,	30.14	765.6	77	...	NNE	4	bc	,,	30.09	764.3	68	...	...	0	o
Pescadores,	,,	30.20	767.2	67	...	NNE	6	c	,,	30.13	765.3	65	...	NNE	4	o
Hong Kong,	14	30.14	765.5	64	6	E	3	o	6	30.14	765.5	63	7	ESE	1	bc
Gap Rock,	,,	30.15	765.8	67	8	ENE	4	o	,,	30.15	765.8	67	8	ENE	4	o
Macao,	,,	30.13	765.3	68	6	ESE	2	c	,,	30.12	765.0	63	6	NNE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.8	70	8	NE	6	o	6	30.09	764.3	68	8	NE	6	o
Phulien,	15	30.08	764.0	73	6	E	2	b	7	30.16	766.1	61	6	...	0	f
Tourane,	,,	30.04	763.1	70	7	NE	4	c	,,	30 08	763.9	66	1	NW	1	df
Cape St. James,	,,	29.86	758.4	77	6	ENE	5	b	,,	29.96	761.0	70	6	NE	3	bc
Basco,	14	30.02	762.5	79	8	ESE	4	b	6	30.02	762.5	72	4	...	0	o
Aparri,	,,	29.98	761.5	77	4	NE	4	o	,,	30.00	761.9	68	6	...	0	h
Tuguegarao,	,,	29.93	760.3	81	1	...	0	o	,,	29.99	761.8	68	1	...	0	bc
Vigan,	,,	29.87	758.8	83	8	NW	4	h	,,	29.91	759.7	72	6	SSE	2	h
Manila,	,,	29.90	759.5	85	8	W	2	bc	,,	29.93	760.3	67	4	...	0	h
Legaspi,	,,	29.87	758.8	85	8	ENE	4	h	,,	29.90	759.4	77	6	NE	2	o
Calbayog,	,,	29.88	759.0	81	8	NE	4	o	,,	29.90	759.4	74	8	...	0	o
Tacloban,	,,	29.84	758.0	86	8	NE	4	h	,,	29.88	758.9	76	8	N	2	o
Iloilo,	,,	29.81	757.2	86	8	NE	6	bc	,,	29.85	758.2	74	4	NE	4	o
Cebu,	,,	29.82	757.4	86	8	NNE	4	o	,,	29.85	758.2	77	8	NNE	2	o
Surigao,	...	29.82	757.4	79	6	NE	2	o	,,	29.84	757.8	76	6	ENE	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	72	...	ESE	4	c
Guam,	12.22	29.80	757.0	...	6	ENE	4	h	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	757.0	...	6	ENE	4	bc	5	29.79	756.6	79	...	ENE	2	o
Pelew,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	78	...	E	2	h
Labuan,	14	29.95	760.7	76	6	N	8	c	6	29.90	759.5	74	1	NNE	4	h

January 26*d*. 10*h*. 4 *cm*.—The anticyclone has dissipated. Another is forming over western China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 1.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
A.—*Shanghai* to Turnabout,	*N. to N.E. winds, moderate; generally overcast.*
B.—Turnabout to Hong Kong,	*N.E. winds, moderate; fine to cloudy.*
C.—*Hong Kong to Gap Rock*,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	*N.E. winds, fresh; generally overcast.*

F. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	27th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.09	764.3	28	...	N	3	0	6	30.19	766.7	17	...	N	4	b
Nemuro,	11	30.00	762.0	...	...	NW	1	...	5	29.88	759.0	...	...	...	...	...
Hakodate,	,,	30.04	763.0	...	...	...	0	...	,,	29.88	759.0	...	...	N	1	...
Tokio,	,,	30.04	763.0	...	...	W	1	...	,,	29.86	758.5	...	...	...	0	...
Kochi,	,,	30.08	764.0	...	...	...	0	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	30.18	766.5	...	...	NNW	1	...	,,	30.10	764.5	...	...	N	1	...
Kagoshima,	,,	...	...	...	...	...	0	...	,,	30.08	764.0	...	...	...	0	...
Dahima,	,,	30.16	766.0	...	...	NNE	1	...	,,	30.08	764.0	...	...	N	1	...
Naha,	,,	30.14	765.5	...	...	NE	1	...	,,	30.10	764.5	...	...	NNW	3	...
Ishigakijima,	,,	30.14	765.5	...	...	SSE	1	...	,,	30.16	766.0	...	...	NNE	3	...
Bonin Island,	,,	30.08	764.0	...	...	NE	1	...	,,	30.02	762.5	...	...	...	0	...
Chefoo,	15	30.25	768.3	41	6	NNW	2	b	8	30.32	770.2	35	6	WNW	2	b
Shanghai,	14	30.35	770.8	45	4	WNW	2	0	,,	30.39	772.0	35	4	NW	2	b
Gutzlaff,	,,	30.38	771.6	45	6	N	2	0	,,	30.42	772.6	40	4	NW	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.19	766.8	60	6	E	2	0	7	30.28	769.1	58	8	E	2	b
Amoy,	,,	30.18	766.6	67	8	NE	4	b	6	30.24	768.1	56	6	NE	4	bc
Swatow,	,,	30.21	767.3	65	...	E	3	b	,,	30.28	769.0	57	...	N	3	b
Taihoku,	11	30.21	767.4	65	...	NW	4	0	5	30.27	768.8	56	...	...	0	0
Taicim,	,,	30.17	766.2	70	...	N	4	b	,,	30.16	766.0	56	...	N	2	0
Tainan,	,,	30.14	765.5	72	...	N	4	b	,,	30.11	764.8	56	...	N	4	c
Koshun,	,,	30.12	765.0	77	...	...	0	c	,,	30.06	763.6	65	...	NE	4	b
Pescadores,	,,	30.16	766.1	68	...	NNE	6	c	,,	30.16	766.0	61	...	NNE	6	0
Hong Kong,	14	30.13	765.3	69	7	SW	3	b	6	30.19	766.8	56	7	NNE	2	bc
Gap Rock,	,,	30.14	765.5	65	8	ENE	4	c	,,	30.19	766.8	66	8	NNE	4	b
Macao,	,,	30.12	765.0	68	6	NNE	2	b	,,	30.17	766.4	54	4	NNE	4	c
Hoilow,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pratas Island,	,,	30.09	764.2	72	8	NE	6	c	6	30.10	764.6	67	8	NE	8	c
Fhulien,	15	30.13	765.1	79	8	SSW	2	b	7	30.19	766.9	59	6	NE	3	z
Tourane,	,,	30.04	763.1	68	1	ENE	4	r	,,	30.10	764.5	66	1	...	0	r
Cape St. James,	,,	29.89	759.1	77	6	E	6	bc	,,	29.93	760.1	72	5	NE	3	z
Bauco,	14	29.98	761.5	79	8	NE	2	bc	6	...	...	...	...	...	...	...
Ajurri,	,,	29.95	760.7	77	6	NE	4	0	,,	29.98	761.4	72	6	N	2	bc
Tagnegarao,	,,	29.89	759.3	81	4	...	0	c	,,	...	...	...	...	...	...	...
Vigan,	,,	29.87	758.6	83	8	NW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.86	758.4	81	8	SW	2	0	,,	29.89	759.3	72	4	NE	2	0
Legaspi,	,,	29.84	758.0	85	8	NE	2	0	,,	29.84	758.0	72	6	...	0	b
Calbayog,	,,	29.83	757.6	85	8	N	4	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.82	757.3	85	8	N	2	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	85	8	NE	4	0	,,	...	...	...	...	...	...	...
Cebu,	,,	29.80	756.8	85	8	NE	4	0	,,	...	...	...	...	...	...	...
Surigao,	...	29.79	756.7	77	6	...	C	r	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	74	...	SE	4	c
Guam,	12.22	29.78	756.3	...	6	ENE	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	6	ENE	4	bc.	5	...	...	...	...	...	...	...
Pelow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiwan,	14	29.95	760.7	81	6	N	6	bc	6	29.90	759.5	72	1	N	4	bc

January 27d. 10h. 41m.—The anticyclone appears to be central to the north of Ichang spreading eastward.

A depression is shown to the N.E. of Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 1.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. and N.E. winds, light to moderate; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine to cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	28th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.23	767.9	23	...	NE	3	b	6	30.25	768.2	10	...	...	0	f
Nemuro,	11	29.80	757.6	...	...	SE	1	...	5	29.96	761.0	...	...	N	5	...
Hokodate,	,,	29.84	758.0	...	...	N	1	...	,,	30.10	764.5	...	...	NW	2	...
Tokio,	,,	29.80	757.0	...	...	NNE	1	...	,,	30.14	765.5	..	...	NNW	1	...
Kochi,	,,	30.00	762.0	...	...	NNW	2	...	,,	30.28	769.0	...	...	NNW	1	...
Nagasaki,	,,	30.20	767.0	...	...	N	3	...	,,	30.32	770.0	...	...	...	...	...
Kagoshima,	,,	30.16	766.0	...	...	NW	3	...	,,	30.30	769.5	...	...	NW	1	...
Oshima,	,,	30.14	765.5	...	...	N	3	...	,,	30.22	767.5	...	...	NE	1	...
Naha,	,,	30.16	766.0	...	...	NNW	5	...	,,	30.18	766.5	...	...	NE	1	...
Ishigakijima,	,,	30.20	767.0	...	...	NNE	2	...	,,	30.18	766 5	...	...	NNE	1	...
Bonin Island,	,,	29.94	760.5	...	...	SW	1	...	,,	30.00	762.0	...	...	W	1	...
Chefoo,	15	30.33	770.4	38	8	NW	2	b	6	30.26	768.6	31	6	...	0	b
Shanghai,	14	30.41	772.3	52	8	NW	2	b	,,	30.36	771.0	33	6	E	2	c
Gutzlaff,	,,	30 43	772.9	49	4	NNW	2	m	,,	30.40	772.1	40	6	NE	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.22	767.6	62	6	ENE	2	b	7	30.24	768.1	54	6	N	2	bc
Amoy,	,,	30.24	768.1	65	8	ENE	4	b	6	30.25	768.3	52	6	NNE	4	o
Swatow,	,,	30.25	768.4	63	...	E	3	b	,,	30.30	769.7	54	...	NE	3	c
Taiboku,	11	30.32	770.2	58	...	E	4	o	5	30.21	767.2	54	...	...	...	...
Taichu,	,,	30.17	766.4	67	...	ESE	2	b	,,	30.14	765.6	54	...	SE	2	o
Tainan,	,,	30.15	765.7	68	...	NNE	4	b	,,	30.11	764.8	54	...	N	4	o
Koshun,	,,	30.11	764.9	70	...	NE	6	c	,,	30.10	764.4	63	...	NE	6	b
Pescadores,	,,	30.20	767.0	63	...	NNE	6	bc	,,	30.12	765.1	59	...	NNE	6	o
Hong Kong,	14	30.15	765.8	63	7	E	4	c	6	30.13	765.2	59	7	ENE	5	o
Gap Rock,	,,	30.16	766.0	65	8	NE	4	c	,,	30.12	765.1	66	8	ENE	4	o
Macao,	,,	30.13	765.3	63	6	NE	4	c	,,	30.10	764.4	59	4	ESE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.9	68	8	NE	6	c	6	30.07	763.7	65	6	NE	6	c
Phulien,	15	30.11	764.8	70	8	...	0	bc	7	30.11	764.8	59	6	NE	5	,,
Tourane,	,,	30.03	762.8	68	8	E	4	o	,,	30.00	762.0	66	3	NW	1	d
Cape St. James,	,,	29.82	767.4	77	6	ENE	6	z	,,	29.91	759.7	72	6	NE	5	z
Basco,	14	29.99	761.8	68	6	NE	4	d	6	30.04	763.1	67	4	ENE	4	d
Aparri,	,,	29.94	760.6	74	4	NE	4	o	,,	29.99	761.8	70	4	NE	6	p
Tuguegarao,	,,	29.87	758.8	83	4	N	2	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.82	757.4	86	8	NNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.85	758.2	81	8	NE	4	o	,,	29.90	759.5	70	6	...	0	bc
Legaspi,	,,	29.82	757.4	77	6	NE	2	o	,,	29.86	758.5	77	6	NE	4	bc
Calbuyog,	,,	29.80	757.0	79	8	...	0	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.79	756.6	83	8	NE	2	bc	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	755.8	86	8	E	4	bc	,,	29.83	757.6	76	4	NE	4	o
Cebu,	,,	29.77	756.1	86	8	NE	4	bc	,,	...	...	...	...	...	...	...
Surigao,	...	29.78	756.4	79	6	N	2	d	,,	29.82	757.4	76	4	N	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.84	758.0	78	...	ESE	3	bc
Guam,	12.22	29.78	756.3	...	6	E	4	bc	4.22	29.80	757.0	...	6	E	2	b
Yap,	11.00	29.74	755.4	...	6	ENE	4	bc	5	29.81	757.1	...	6	NE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	77	...	NE	2	c
Labuan,	14	29.95	760.7	79	6	N	6	bc	6	30.13	765.4	70	1	NNE	4	b

January 28*d*. 10*h*. 37*m*.—The anticyclone has weakened. It is central near Shanghai and moving eastward.

A depression has developed over S.E. Mongolia.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 1.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light, variable winds, fine to cloudy, local fog in morning.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; generally overcast.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th JANUARY, 1932.									29th JANUARY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.15	765.9	27	...	SE	6	o		6	30.17	766.4	19	...	...	o	o	
Nemuro,	11	30.04	763.0	...	...	NNW	6	...		5	30.22	767.5	..	...	NNW	7	...	
Hokodate,	,,	30.16	766.0	...	...	N	2	...		,,	30.22	767.5	...	...	NNE	1	...	
Tokio,	,,	30.18	766.5	...	...	NW	2	...		,,	30.30	769.5	..	...	N	1	...	
Kochi,	,,	30.30	769.5	...	...	N	1	...		,,	30.30	769.5	...	...	WSW	1	...	
Nagasaki,	,,	30.33	770.5	...	...	N	1	...		,,	30.30	769.5	...	...	ESE	1	...	
Kagoshima,	,,	30.31	770.0	...	...	...	0	...		,,	30.28	769.0	...	...	NW	1	...	
Oshima,	,,	30.24	768.0	...	...	...	0	...		,,	30.20	767.0	...	...	S	1	...	
Naha,	,,	30.22	767.5	...	...	ENE	1	...		,,	30.18	766.5	...	...	...	0	...	
Ishigakijima,	,,	30.22	767.5	...	...	E	1	...		,,	30.14	765.5	...	...	ENE	1	...	
Bonin Island,	,,	30.06	763.5	...	...	NNW	2	...		,,	30.16	766.0	...	...	ENE	1	...	
Chefoo,	15	30.20	767.0	47	6	SW	4	b		6	30.28	769.2	33	4	...	o	g	
Shanghai,	14	30.28	769.0	49	6	SSE	2	o		,,	30.28	769.0	43	4	NNW	2	d	
Gutzlaff,	,,	30.31	769.9	50	6	SE	2	o		,,	30.31	769.9	45	6	...	o	o	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.18	766.6	58	6	NE	2	o		7	30.16	766 o	52	6	SE	2	o	
Amoy,	,,	30.14	765.5	61	6	ENE	2	bc		6	30.23	767.8	56	6	ENE	2	b	
Swatow,	,,	30.20	767.1	61	...	E	3	c		,,	30.21	767.2	57	...	E	1	o	
Taihoku,	11	30.18	766.6	68	...	ENE	4	bc		5	30.14	765.5	56	...	...	o	o	
Taichu,	,,	30.16	766.0	67	...	...	o	o		,,	30.14	765.6	58	...	W	4	bc	
Tainan,	,,	30.13	765.4	74	...	...	0	bc		,,	30.10	764 5	63	...	...	o	o	
Koshun,	,,	30.13	765.3	68	...	NE	6	o		,,	30.09	704.2	65	...	...	o	o	
Pescadores,	,,	30.16	766.0	63	...	NNE	4	o		,,	30.12	764.9	61	...	NNE	2	c	
Hong Kong,	14	30.11	764.8	60	6	E	2	o		6	30.10	764.5	6c	7	E	3	b	
Gap Rock,	,,	30.10	764.5	67	7	ENE	5	o		,,	30.09	764.3	68	7	ENE	4	c	
Macao,	,,	30.09	764.4	61	4	ENE	2	o		,,	30.07	763.7	58	4	NNE	2	c	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.04	763.0	70	8	ENE	6	o		6	30.06	763.4	67	8	ENE	6	o	
Phulien,	15	30 04	763.1	68	8	E	4	c		7	30.09	764.2	58	6	ENE	4	c	
Tourane,	,,	29.98	761.6	70	8	E	4	bc		,,	30.01	762.1	68	8	NE	4	c	
Cape St James,	,,	29.84	758.0	79	6	ENE	6	z		,,	29.91	759.7	74	6	NNE	4	e	
Basco,	14	30.00	762.1	70	6	FSE	2	o		6	...	...	...	...	...	...	...	
Aparri,	,,	29.94	760.6	74	4	ENE	4	o		,,	29.98	761.4	72	4	E	4	o	
Tuguegarao,	,,	29.88	759.0	79	1	NW	2	o		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.82	757.3	85	8	WNW	2	b		,,	...	...	...	...	...	...	...	
Manila,	,,	29.84	757.9	86	8	SW	2	c		,,	29.89	759 3	74	4	...	o	o	
Legnapi,	,,	29.82	757.4	77	6	NNE	2	o		,,	29.88	758.8	77	6	NE	2	o	
Calboyog,	,,	29.79	756.6	83	8	NNE	4	c		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.79	756.7	81	6	NW	2	o		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.77	756.1	83	8	NE	4	o		,,	...	...	...	...	...	...	...	
Cebu,	,,	29.76	756.0	85	8	NE	4	o		,,	...	...	...	...	...	...	...	
Surigao,	...	29.78	756.3	79	6	SSE	2	r		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.87	758.7	74	...	ENE	2	o	
Guam,	12.22	29.78	756.3	...	6	NE	6	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.78	756.3	...	6	NE	4	c		5	29.78	756.3	...	6	ENE	4	c	
Pelew,	,,	...	...	...	...	...	...	...		,,	29.78	756.5	79	...	NE	2	o	
Labuan,	14	29.94	760.6	79	6	N	6	bc		6	29.90	759.4	68	1	...	o	r	

January 29*d.* 10*h.* 35*m.*— The anticyclone is central over S.W. Japan moving E.N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 1.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light, variable winds, fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, moderate to fresh; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	30th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Windivostock,	12	30.19	766.9	34	...	N	3	b	6	30.39	772.0	14	...	N	3	b
Nemuro,	11	30.14	765.5	...	...	NW	1	...	5	29.80	757.0	...	...	SSE	3	...
Hakodate,	,,	30.10	764.3	...	...	...	0	...	,,	29.98	761.5	...	...	WNW	2	...
Tokio,	,,	30.24	768.0	...	...	NNW	1	...	,,	30.00	762.0	..	...	...	0	...
Kochi,	,,	30.26	768.5	...	...	...	c	...	,,	30.18	766.5	...	...	WSW	1	...
Nagasaki,	,,	30.28	769.0	...	...	E	1	...	,,	30.22	767.5	...	...	...	0	...
Kagoshima,	,,	30.28	769.0	...	...	N	1	...	,,	30.20	767.0	...	...	...	0	...
Oshima,	,,	30.22	767.5	...	...	NNE	1	...	,,	30.16	766 0	...	...	...	0	...
Naha,	,,	30.20	767.0	...	...	NE	1	...	,,	30.18	766.5	...	...	ENE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	E	1	...	,,	30.14	765.5	...	...	E	1	...
Bonin Island,	,,	30.16	766.0	...	...	E	1	...	,,	30.08	764.0	...	...	...	0	...
Chefoo,	15	30.32	770.2	43	8	N	2	b	6	30 43	772.8	35	8	N	2	b
Shanghai,	14	30.26	768.5	59	8	WNW	2	bc	,,	30.30	769 6	43	4	E	2	bc
Gutzlaff,	,,	30.30	769.6	52	6	...	0	b	,,	30.36	771.1	49	6	ESE	2	c
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.15	765.8	68	8	E	2	b	7	30.22	767.6	58	8	E	2	b
Amoy,	,,	30.16	766.0	65	8	SSE	4	b	6	30.21	767.4	58	6	NE	2	c
Swatow,	,,	30.21	767.3	63	...	ESE	3	b	,,	30.21	767.4	59	...	E	1	m
Taihoku,	11	30.19	766.7	86	...	SSW	2	bc	5	30.13	765.3	61	...	ENE	2	b
Taichu,	,,	30.18	766.6	72	...	NNW	2	b	,,	30.15	765.7	54	...	...	0	b
Tainan,	,,	30.16	766.0	88	...	N	2	b	,,	30.10	764.4	58	...	NNE	2	c
Koshun,	,,	30.12	765.1	77	...	ENE	2	bc	,,	30.06	763.6	70	...	NE	4	c
Pescadores,	,,	30.17	766.3	68	...	NNE	4	bc	,,	30.11	764.8	65	...	NNE	4	c
Hong Kong,	14	30.09	764.3	68	7	E	3	bc	6	30.09	764.3	61	6	E	5	b
Gap Rock,	,,	30.10	764.5	68	8	ENE	4	b	,,	30.07	763.8	68	8	E	4	b
Macao,	,,	30.08	764.0	70	6	ESE	2	c	,,	30.05	763.2	63	4	SE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.09	764.2	72	8	NE	6	c	6	30.04	763.0	70	8	NE	6	c
Phulien,	15	30.04	763.0	76	8	ESE	4	b	7	30.06	763.6	63	5	ENE	3	c
Tourane,	,,	29.99	761.8	70	8	NE	4	c	,,	29.99	761.8	68	1	W	1	rf
Cape St James,	,,	29.87	758 6	79	6	E	4	c	,,	29.91	759.7	73	6	E	3	bc
Banco,	14	30.01	762.3	74	8	NE	4	c	6	...	...	...	...	...	...	...
Aparri,	,,	29.96	761.0	79	4	E	4	c	,,	29.99	761.8	70	6	SE	2	bc
Tuguegarao,	,,	29.91	759.8	79	1	...	0	c	,,	...	...	...	...	...	...	...
Vigan,	,,	29.84	758.0	85	8	W	4	c	,,	...	...	...	...	...	...	...
Manila,	,,	29.87	758.6	83	8	W	4	c	,,	29.90	759.4	72	6	...	0	bc
Legaspi,	,,	29.85	758.2	85	8	NE	4	c	,,	29.85	758.1	77	6	NE	4	bc
Calbayog,	,,	29.83	757.8	86	8	NE	4	c	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.83	757.6	85	8	NE	6	b	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.78	756.4	85	8	NE	6	c	,,	...	...	...	...	...	...	...
Cebu,	,,	29.80	756.8	85	8	NE	4	c	,,	...	...	...	...	...	...	...
Surigao,	...	29.80	757.0	83	8	NE	4	c	,,	29.80	757.0	76	4	NE	2	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.86	758.5	72	...	ESE	4	c
Guam,	12.22	29.79	756.6	...	8	NE	6	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	6	ENE	4	r	5	29.75	755.5	79	...	E	1	r
Pelew,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	77	...	ESE	2	r
Taihoku,	14	29.94	760.6	81	6	NW	6	bc	6	29.90	759.4	74	1	N	8	c

January 30*d.* 10*h.* 28*m.*— A new anticyclone has formed over S.E. Mongolia.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 1.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
A.—Shanghai to Turnabout,	E. and N.E. winds, moderate; fine to cloudy.
B.—*Turnabout to Hong Kong*,	N.E. winds, fresh; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	31st JANUARY, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.35	770.9	21	...	N	3	b	6	30.39	771.8	9	...	N	3	o
Nemuro,	11	29.80	757.0	...	...	N	2	...	5	30.04	763.0	...	...	NNE	5	...
Hokodate,	,,	29.96	761.0	...	...	W	4	...	,,	30.16	766.0	...	...	N	1	...
Tokio,	,,	30.00	762.0	...	...	NW	3	...	,,	30.14	765.5	..	...	NNE	1	...
Kochi,	,,	30.12	765.0	...	...	N	1	...	,,	30.12	765.0	...	...	...	0	...
Nagasaki,	,,	30.20	767.0	...	...	...	0	...	,,	30.12	765.0	...	...	...	0	...
Kagoshima,	,,	30.18	766.5	...	...	NW	1	...	,,	30.10	764.5	...	...	NW	1	...
Oshima,	,,	30.14	765.5	...	...	N	1	...	,,	30.06	763.5	...	...	...	0	...
Naha,	,,	30.16	766.0	...	...	N	1	...	,,	30.06	763.5	...	...	...	0	...
Ishigakijima,	,,	30.16	766.0	...	...	ESE	2	...	,,	30.00	762.0	...	...	SE	1	...
Bonin Island,	,,	30.02	762.5	...	...	...	0	...	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	30.31	769.9	36	8	N	2	bc	6	30.17	766.3	31	4	...	0	z
Shanghai,	14	30.22	767.5	58	6	E	2	c	,,	30.10	764.4	49	4	ESE	2	o
Gutzlaff,	,,	30.26	768.6	50	6	NE	2	b	,,	30.14	765.5	47	6	SE	4	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.11	764.8	60	6	E	2	b	7	30.03	762.7	60	6	...	0	o
Amoy,	,,	30.10	764.5	70	8	E	2	b	6	30.08	764.0	58	6	ENE	2	b
Swatow,	,,	30.17	766.2	63	...	E	3	b	,,	30.08	764.0	59	...	ESE	1	m
Taihoku,	11	30.17	766.4	70	...	E	4	b	5	30.04	763.0	50	...	...	0	b
Taichu,	,,	30.14	765.5	74	...	...	0	b	,,	30.05	763.3	56	...	...	0	bc
Tainan,	,,	...	...	...	...	...	...	...	,,	30.01	762.3	59	...	SE	2	o
Koshun,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	59	...	...	0	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.02	762.5	63	...	NNE	4	o
Hong Kong,	14	30.04	763.0	66	7	E	5	bc	6	30.02	762.5	60	6	E	3	o
Gap Rock,	,,	30.05	763.2	68	8	ENE	5	o	,,	30.00	762.0	69	8	ENE	4	o
Macao,	,,	30 02	762.6	68	6	SE	2	b	,,	29 97	761.2	63	4	NE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.02	762.5	72	8	NE	6	o	6	29.96	760.9	70	8	ENE	2	b
Phulien,	15	29.99	761.8	72	7	E	1	c	7	29.98	761.5	64	6	N	2	r
Tourane,	,,	29.93	760.3	75	6	NE	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	73	5	ENE	2	bc
Basco,	14	29.98	761.5	77	8	ESE	4	bc	6	...	...	...	...	...	...	...
Aparri,	,,	29.94	760.6	79	4	E	4	bc	,,	29.91	759.6	68	6	...	0	b
Tuguegarao,	,,	29.90	759.5	79	1	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.84	757.9	83	8	W	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.85	758.2	85	8	ESE	2	o	,,	29.86	758.5	65	6	...	0	bc
Legaspi,	,,	29.81	757.2	85	6	NNE	4	bc	,,	29.81	757.2	77	6	NW	4	bc
Calbayog,	,,	29.78	756.4	85	8	N	4	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	755.9	83	8	NE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	755.9	83	8	NE	6	o	,,	29.76	756.0	76	4	N	4	o
Cebu,	,,	29.76	755.8	83	8	N	2	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.5	76	4	...	0	r	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.80	757.0	74	...	E	3	bc
Guam,	12.22	29.75	755.6	...	6	ENE	4	r	4.22	...	...	...	...	...	...	...
Yap,	11.00	29 71	754.7	...	6	NE	4	bc	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	29.73	755.0	77	...	E	2	o
Labuan,	14	29.83	757.6	81	6	N	6	bc	6	...	...	...	...	...	...	...

January 31*d.* 10*h.* 5*cm.*—The anticyclone is central to the north of Wladivostock, moving East.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 1.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
A.—Shanghai to Turnabout,	Variable winds, light to moderate; generally overcast, local fog in morning.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine to cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN

FEBRUARY,

1932.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF
T. F. CLAXTON, F.R.A.S.,
DIRECTOR.



HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1932.

[redacted]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

FEBRUARY,

1932.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, at 109 feet above MEAN SEA LEVEL, in the MONTH of FEBRUARY, 1932.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·920	29·910	29·889	29·875	29·887	29·899	29·917	29·939	29·959	29·989	29·957	29·946	1
2	29·953	29·943	29·929	29·924	29·918	29·948	29·963	29·986	29·994	30·009	30·004	29·976	2
3	29·960	29·950	29·934	29·920	29·904	29·917	29·937	29·951	29·963	29·978	29·964	29·952	3
4	29·884	29·876	29·846	29·834	29·817	29·829	29·843	29·854	29·864	29·881	29·889	29·876	4
5	29·952	29·945	29·941	29·935	29·941	29·981	29·993	30·035	30·057	30·070	30·076	30·058	5
6	30·093	30·084	30·075	30·071	30·074	30·082	30·095	30·097	30·101	30·109	30·107	30·092	6
7	30·010	30·006	29·980	29·962	29·943	29·959	29·991	29·966	29·999	29·998	29·985	29·960	7
8	29·892	29·886	29·867	29·867	29·871	29·877	29·871	29·887	29·905	29·913	29·928	29·920	8
9	29·933	29·924	29·926	29·946	29·958	29·957	29·997	29·997	30·072	30·072	30·086	30·034	9
10	30·085	30·085	30·069	30·064	30·061	30·065	30·066	30·106	30·118	30·139	30·136	30·110	10
11	30·127	30·126	30·117	30·115	30·121	30·132	30·151	30·157	30·160	30·164	30·162	30·162	11
12	30·150	30·132	30·119	30·111	30·113	30·129	30·141	30·137	30·140	30·158	30·145	30·127	12
13	30·097	30·085	30·077	30·071	30·049	30·049	30·063	30·069	30·087	30·102	30·082	30·064	13
14	30·034	30·034	30·032	30·026	30·026	30·040	30·050	30·065	30·073	30·080	30·071	30·051	14
15	30·085	30·079	30·074	30·076	30·076	30·090	30·125	30·128	30·126	30·151	30·141	30·111	15
16	30·133	30·123	30·110	30·106	30·103	30·115	30·138	30·150	30·168	30·185	30·177	30·145	16
17	30·131	30·130	30·121	30·115	30·124	30·138	30·159	30·171	30·179	30·188	30·169	30·156	17
18	30·186	30·182	30·158	30·156	30·165	30·181	30·183	30·208	30·228	30·220	30·233	30·210	18
19	30·200	30·181	30·165	30·159	30·159	30·169	30·174	30·190	30·189	30·220	30·199	30·176	19
20	30·122	30·116	30·110	30·100	30·094	30·100	30·122	30·136	30·156	30·160	30·144	30·112	20
21	30·050	30·031	30·017	29·997	29·977	29·969	29·980	29·995	30·001	30·014	30·009	29·988	21
22	29·874	29·876	29·866	29·856	29·852	29·864	29·884	29·902	29·920	29·927	29·914	29·894	22
23	29·962	29·955	29·929	29·945	29·943	29·935	29·985	30·005	30·021	30·017	30·012	29·994	23
24	29·961	29·943	29·921	29·908	29·910	29·932	29·950	29·972	29·991	29·999	30·005	30·003	24
25	30·126	30·110	30·106	30·109	30·117	30·147	30·166	30·163	30·187	30·209	30·205	30·191	25
26	30·170	30·140	30·132	30·112	30·116	30·126	30·134	30·154	30·177	30·179	30·178	30·134	26
27	30·159	30·145	30·135	30·121	30·105	30·119	30·139	30·180	30·200	30·245	30·215	30·181	27
28	30·245	30·241	30·219	30·215	30·215	30·225	30·254	30·263	30·271	30·267	30·264	30·253	28
29	30·229	30·231	30·229	30·229	30·224	30·244	30·260	30·267	30·279	30·292	30·289	30·264	29

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·920	29·900	29·887	29·873	29·888	29·890	29·913	29·933	29·947	29·955	29·945	29·949	1
2	29·960	29·929	29·914	29·914	29·918	29·926	29·934	29·946	29·966	29·974	29·964	29·962	2
3	29·921	29·872	29·856	29·842	29·844	29·856	29·876	29·886	29·888	29·910	29·906	29·892	3
4	29·843	29·833	29·823	29·837	29·853	29·863	29·880	29·884	29·910	29·926	29·954	29·948	4
5	30·033	30·008	29·996	30·004	30·024	30·038	30·062	30·074	30·092	30·086	30·088	30·096	5
6	30·058	30·034	30·001	30·017	30·011	30·028	30·029	30·029	30·025	30·053	30·045	30·029	6
7	29·950	29·902	29·870	29·866	29·877	29·878	29·887	29·890	29·900	29·914	29·904	29·891	7
8	29·887	29·847	29·820	29·806	29·816	29·869	29·871	29·932	29·949	29·957	29·961	29·939	8
9	30·051	30·020	30·004	29·967	30·027	30·039	30·050	30·053	30·074	30·084	30·074	30·089	9
10	30·087	30·069	30·034	30·040	30·050	30·063	30·078	30·106	30·126	30·132	30·144	30·144	10
11	30·129	30·103	30·082	30·076	30·081	30·089	30·101	30·124	30·141	30·167	30·171	30·149	11
12	30·102	30·062	30·054	30·040	30·045	30·065	30·064	30·084	30·085	30·084	30·091	30·091	12
13	30·029	29·983	29·967	29·970	29·972	29·981	29·980	30·006	30·006	30·012	30·022	30·034	13
14	30·032	30·008	29·994	29·980	29·988	29·997	30·007	30·029	30·051	30·060	30·070	30·077	14
15	30·081	30·043	30·019	30·018	30·019	30·040	30·063	30·081	30·094	30·107	30·121	30·132	15
16	30·117	30·079	30·075	30·069	30·071	30·080	30·086	30·100	30·113	30·127	30·133	30·133	16
17	30·147	30·116	30·118	30·116	30·118	30·131	30·148	30·174	30·194	30·200	30·204	30·192	17
18	30·198	30·180	30·157	30·150	30·152	30·162	30·170	30·196	30·210	30·220	30·218	30·206	18
19	30·151	30·123	30·094	30·092	30·098	30·108	30·128	30·139	30·144	30·147	30·138	30·134	19
20	30·078	30·049	30·029	30·017	30·020	30·024	30·028	30·033	30·049	30·055	30·058	30·067	20
21	29·950	29·895	29·876	29·853	29·849	29·846	29·863	29·876	29·890	29·902	29·902	29·886	21
22	29·878	29·851	29·842	29·834	29·843	29·853	29·866	29·884	29·909	29·938	29·941	29·962	22
23	29·974	29·940	29·918	29·924	29·936	29·934	29·973	29·985	29·981	29·981	29·975	29·968	23
24	29·993	29·978	29·976	29·989	30·013	30·017	30·054	30·070	30·097	30·111	30·115	30·124	24
25	30·164	30·138	30·116	30·114	30·120	30·135	30·147	30·167	30·183	30·183	30·163	30·168	25
26	30·114	30·078	30·078	30·073	30·092	30·104	30·104	30·130	30·147	30·165	30·171	30·166	26
27	30·166	30·133	30·138	30·119	30·141	30·165	30·168	30·192	30·224	30·235	30·260	30·262	27
28	30·223	30·186	30·165	30·162	30·162	30·181	30·194	30·209	30·234	30·241	30·249	30·237	28
29	30·233	30·197	30·170	30·167	30·168	30·178	30·185	30·196	30·213	30·222	30·222	30·217	29

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of FEBRUARY, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·8	61·6	61·7	62·5	62·7	62·6	62·7	62·7	63·7	65·7	66·7	68·7	1
2	63·7	63·9	64·7	64·5	65·0	65·3	65·9	66·3	66·9	67·8	68·3	69·6	2
3	64·8	64·6	64·1	64·5	64·7	63·3	63·2	63·3	63·8	64·4	64·7	64·5	3
4	62·0	61·9	62·0	61·8	61·9	61·8	61·7	61·6	61·7	61·3	61·4	61·8	4
5	55·8	55·8	55·4	55·2	54·9	53·8	52·8	52·7	53·2	53·3	54·5	56·0	5
6	53·6	53·8	53·9	53·4	53·1	53·2	53·8	54·4	55·6	56·9	58·0	56·7	6
7	56·7	56·7	56·2	56·2	56·3	56·5	56·4	56·0	56·3	56·1	55·8	56·5	7
8	58·9	59·3	59·3	59·0	59·5	59·5	59·7	59·7	60·4	60·9	61·7	61·5	8
9	53·6	52·7	53·7	53·3	51·7	49·1	50·3	50·9	52·0	51·7	50·7	50·3	9
10	47·7	46·6	45·9	46·1	45·3	45·7	45·9	46·2	47·4	47·7	48·5	50·9	10
11	48·6	48·7	48·1	49·3	48·7	49·8	50·0	51·8	54·6	56·3	56·9	55·7	11
12	55·8	55·7	55·9	55·9	56·6	56·9	56·9	57·4	58·0	59·4	60·0	61·1	12
13	61·6	61·6	61·0	60·8	60·5	60·5	60·6	61·3	61·9	62·6	63·7	64·3	13
14	62·9	63·0	62·6	61·7	62·5	60·9	60·6	59·9	60·7	62·4	62·7	62·9	14
15	59·3	58·8	58·7	58·7	57·7	56·7	56·7	57·7	59·6	60·6	62·0	63·3	15
16	58·7	59·1	58·7	58·3	58·7	59·1	58·9	59·0	59·2	59·3	58·8	58·8	16
17	57·8	57·4	57·2	56·9	56·8	56·6	55·7	55·6	56·6	57·7	57·9	59·0	17
18	54·8	55·6	54·9	54·6	53·8	53·7	53·5	53·5	53·5	54·6	54·7	55·3	18
19	53·7	53·7	53·6	53·6	53·4	53·2	53·5	53·9	54·9	56·7	58·0	58·7	19
20	57·0	56·7	56·7	56·7	56·3	56·0	56·6	56·7	57·3	60·6	60·6	60·6	20
21	58·7	58·6	57·7	57·8	58·4	58·2	58·7	59·5	59·8	60·6	62·1	63·0	21
22	61·0	61·7	61·7	62·4	63·5	62·1	62·2	63·1	65·5	66·8	70·4	73·8	22
23	59·7	59·8	60·0	60·7	61·0	59·1	58·9	59·6	59·9	60·7	60·6	60·7	23
24	58·8	58·8	57·8	57·7	57·7	58·1	58·1	58·7	58·1	58·9	59·0	58·7	24
25	47·1	47·1	46·8	46·4	46·4	46·7	45·7	45·7	46·9	47·7	48·9	50·7	25
26	51·8	51·7	51·8	51·7	50·1	49·7	50·6	50·7	50·7	51·4	51·6	52·7	26
27	46·7	46·6	45·7	45·4	45·4	46·5	46·2	44·0	45·0	45·2	47·5	47·6	27
28	44·7	44·7	45·2	45·5	45·0	45·3	45·2	46·4	48·0	48·7	52·1	53·1	28
29	47·7	47·6	47·3	47·3	46·7	47·3	47·6	49·4	52·4	54·0	56·2	58·4	29

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	68·9	69·4	68·7	67·7	66·3	65·3	65·0	64·7	64·6	64·5	64·4	64·4	1
2	69·5	69·4	68·1	67·6	66·1	65·8	65·1	64·9	64·0	64·0	63·9	63·9	2
3	66·1	65·9	65·3	65·1	64·1	63·5	63·4	63·6	63·6	63·4	62·9	62·2	3
4	61·7	60·7	60·9	60·9	59·9	59·3	58·3	57·9	57·0	57·1	56·4	56·3	4
5	57·7	56·7	57·8	56·7	56·0	55·4	54·6	53·7	53·5	54·0	54·0	53·8	5
6	57·6	57·5	58·2	58·4	57·7	57·7	57·7	57·7	57·7	57·7	57·0	57·1	6
7	55·9	56·5	56·6	57·7	57·7	57·9	57·7	58·0	58·2	58·0	58·6	58·7	7
8	61·0	62·5	61·7	62·0	61·1	58·4	56·7	55·0	56·3	55·5	56·8	55·5	8
9	50·6	49·7	48·5	48·8	47·9	47·3	47·3	47·0	47·8	48·9	47·6	46·7	9
10	52·4	53·6	54·0	53·6	53·1	51·5	50·6	50·0	49·7	49·3	48·8	48·7	10
11	57·4	57·2	56·8	56·1	55·5	55·9	56·0	56·5	56·7	56·9	57·0	56·1	11
12	61·8	61·9	61·7	61·5	61·2	60·2	59·7	60·5	61·2	61·5	61·7	61·7	12
13	65·9	65·9	64·6	63·7	62·8	62·7	61·9	62·1	61·8	62·3	62·6	63·0	13
14	62·5	62·3	62·0	62·2	62·0	61·6	60·7	60·6	60·7	61·0	61·1	61·3	14
15	65·8	65·9	65·1	64·3	63·0	61·6	61·8	60·6	59·5	59·3	59·1	58·7	15
16	59·3	59·8	59·4	58·8	58·6	58·5	58·9	59·0	59·3	59·3	59·0	58·8	16
17	58·7	58·7	58·0	58·7	58·4	58·3	57·7	57·8	57·8	56·7	55·9	55·6	17
18	56·1	55·6	56·1	56·0	55·6	54·7	54·5	53·6	54·7	53·8	52·7	52·5	18
19	59·8	59·8	59·6	58·6	58·0	57·0	57·7	57·6	57·4	57·2	57·4	57·7	19
20	62·0	61·4	60·7	60·3	59·6	58·7	58·4	58·5	58·7	58·7	58·7	59·0	20
21	64·3	66·4	65·3	65·0	63·2	62·9	61·8	60·8	61·2	61·6	61·8	61·4	21
22	74·7	73·3	68·7	69·9	67·6	66·6	66·5	65·7	64·3	61·4	60·2	59·8	22
23	61·7	61·6	61·3	60·3	60·5	59·7	59·7	59·7	59·6	59·6	59·4	59·1	23
24	58·6	57·7	55·6	54·3	52·5	50·7	49·7	49·7	49·5	47·5	47·0	46·9	24
25	51·3	51·0	52·3	52·0	51·7	51·7	51·6	51·5	51·7	51·8	51·7	51·8	25
26	53·0	52·5	52·5	51·5	51·0	50·6	49·7	49·0	48·7	48·3	47·8	46·7	26
27	46·1	47·0	46·4	46·7	45·8	45·5	45·1	45·1	44·7	44·1	44·7	45·0	27
28	56·1	56·7	55·7	56·6	56·8	55·9	53·9	53·4	53·0	51·3	49·8	49·0	28
29	59·2	59·9	59·0	57·9	57·4	56·5	55·0	53·8	53·1	52·6	52·5	52·4	29

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of FEBRUARY, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	60·2	59·8	60·0	60·0	60·7	60·8	60·7	60·7	60·9	62·2	62·8	63·0	1
2	59·8	59·8	59·8	59·8	60·0	60·4	60·5	60·6	61·3	61·5	61·8	61·7	2
3	61·6	61·4	61·1	61·5	61·4	61·0	61·1	61·1	61·0	60·8	60·7	60·5	3
4	58·8	58·7	58·7	58·5	58·2	58·1	58·0	58·0	58·0	58·2	58·3	58·8	4
5	53·0	52·6	51·8	51·7	51·4	50·6	49·6	49·3	49·4	49·3	49·8	51·0	5
6	49·0	49·3	49·6	49·1	49·1	49·1	49·8	50·6	51·1	52·5	53·0	52·5	6
7	52·6	52·6	52·5	52·5	52·6	53·0	53·6	53·8	53·8	54·2	54·0	54·5	7
8	57·4	57·8	57·8	58·0	58·3	58·3	58·2	58·7	58·9	59·8	60·4	60·5	8
9	51·2	50·0	49·6	49·7	48·6	45·3	46·3	46·5	47·4	47·0	46·5	46·2	9
10	42·8	41·8	41·6	41·5	40·8	40·9	40·7	40·8	42·1	42·0	42·2	44·9	10
11	44·6	44·5	44·3	44·5	44·4	44·8	45·2	46·2	48·3	49·8	50·0	50·6	11
12	51·6	51·7	51·5	51·6	53·0	52·8	52·8	53·4	54·0	54·4	55·0	55·0	12
13	56·8	56·8	56·7	56·8	56·4	56·4	56·6	56·5	57·1	57·8	58·8	59·7	13
14	60·5	60·7	60·8	59·4	58·7	58·4	58·4	57·8	58·0	58·9	58·9	59·0	14
15	56·8	56·8	56·8	56·8	55·6	54·4	53·9	54·9	55·9	56·2	57·3	57·6	15
16	53·6	53·1	52·8	52·3	52·4	52·5	52·4	52·5	52·8	53·0	53·9	54·2	16
17	52·8	52·7	52·6	52·2	52·1	52·0	51·7	51·3	51·8	52·7	52·8	54·0	17
18	51·6	51·0	51·0	50·9	50·2	49·8	49·7	49·7	50·0	50·8	50·2	50·8	18
19	49·7	49·7	49·5	49·5	49·7	49·6	49·7	50·4	51·0	51·9	53·2	53·2	19
20	52·0	52·1	51·8	51·8	51·8	51·8	51·9	52·1	52·8	54·5	54·8	54·7	20
21	55·5	55·4	54·8	55·1	55·3	55·0	54·6	54·2	54·0	54·2	55·9	56·2	21
22	59·0	59·2	59·6	59·9	60·5	59·6	59·8	60·5	61·8	62·8	65·0	66·5	22
23	57·8	57·3	56·4	55·8	56·0	55·1	55·1	54·9	55·6	56·2	56·2	56·2	23
24	56·6	56·8	56·3	56·3	55·8	55·8	55·8	56·2	55·8	56·4	56·0	56·8	24
25	41·8	41·8	41·5	40·8	40·8	41·2	41·1	40·8	41·2	40·9	41·6	42·8	25
26	44·6	44·8	44·6	44·8	44·6	44·6	45·5	45·7	45·6	45·2	45·5	47·0	26
27	45·3	44·7	43·8	43·5	43·5	43·0	43·1	42·3	42·8	43·0	44·8	44·2	27
28	41·8	41·1	41·2	41·0	41·0	41·0	41·1	41·2	42·3	42·8	44·5	44·8	28
29	41·7	41·0	39·9	39·9	40·0	39·3	39·5	40·4	42·6	43·6	44·7	48·3	29

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·4	62·8	62·2	61·5	59·7	58·9	58·8	58·6	58·7	58·8	58·7	58·9	1
2	62·0	62·1	61·8	62·0	61·7	61·6	61·6	61·7	61·8	61·8	61·8	61·8	2
3	61·0	61·0	60·7	60·8	60·5	60·0	60·1	60·2	60·2	60·1	59·4	59·0	3
4	59·0	59·2	59·3	58·8	57·8	57·8	56·8	56·2	55·2	55·0	54·4	54·3	4
5	52·4	51·9	52·2	51·6	51·0	50·8	50·2	49·5	49·1	49·4	49·4	49·4	5
6	53·1	53·2	53·4	53·7	53·6	53·6	53·6	53·7	53·8	54·2	53·7	53·6	6
7	54·6	54·8	54·8	55·6	55·6	55·8	56·0	56·2	56·8	57·0	57·1	57·0	7
8	59·0	61·3	61·2	61·0	60·4	57·7	56·0	54·4	55·6	54·8	55·6	54·5	8
9	47·1	46·9	46·1	45·9	45·6	44·6	44·5	44·0	44·1	44·1	42·6	42·4	9
10	46·4	46·6	47·0	46·5	46·0	45·0	44·3	44·3	43·9	43·7	44·3	44·1	10
11	51·0	51·7	51·5	51·2	51·0	51·2	50·8	51·0	51·2	51·7	51·9	51·0	11
12	55·2	56·4	56·2	56·6	56·2	55·5	55·8	56·6	57·1	57·3	57·8	57·7	12
13	60·5	59·8	59·6	59·4	59·0	58·8	59·1	59·5	59·0	59·3	59·6	60·0	13
14	59·0	58·7	58·5	58·2	57·4	57·5	57·3	57·1	57·2	57·3	57·3	57·1	14
15	58·0	57·9	58·0	57·7	57·0	56·0	54·2	53·0	52·2	51·9	51·3	52·0	15
16	54·7	54·0	53·8	53·6	53·0	53·0	53·4	53·7	54·1	54·1	53·0	53·0	16
17	54·0	53·8	53·0	53·8	53·4	53·5	53·2	53·8	53·8	52·7	52·1	51·8	17
18	51·0	51·0	50·9	50·7	50·0	49·4	49·3	48·7	49·7	49·6	49·2	49·0	18
19	53·6	53·8	53·8	53·0	53·0	52·8	52·2	51·8	51·7	51·4	51·9	52·2	19
20	56·0	55·9	55·2	55·3	54·9	54·6	54·5	55·1	55·5	55·1	55·4	56·0	20
21	56·6	57·4	57·8	58·0	57·2	58·2	57·8	57·2	57·4	58·6	58·6	58·8	21
22	67·0	66·5	64·1	65·1	63·3	62·6	62·0	61·9	61·2	58·6	57·7	57·5	22
23	56·9	56·8	56·5	56·5	57·0	56·7	56·6	56·6	56·4	56·4	56·1	56·1	23
24	57·0	55·2	52·8	51·0	48·8	47·8	46·8	45·8	45·5	44·1	44·0	43·4	24
25	43·2	43·0	44·4	43·8	43·3	43·9	43·3	43·5	43·9	43·8	43·9	44·0	25
26	47·0	47·5	47·5	46·0	45·5	45·1	44·2	43·8	43·8	43·7	43·8	43·8	26
27	43·6	44·5	43·6	43·5	43·3	43·0	42·6	42·6	42·6	42·5	42·6	41·7	27
28	46·7	47·2	46·0	46·5	46·3	45·9	44·8	44·0	43·0	42·5	41·8	42·0	28
29	48·4	48·6	47·2	46·5	46·2	46·8	46·0	45·8	46·8	46·8	47·6	45·6	29

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of FEBRUARY, 1932.

(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mdt.	
1	1	1	9	9	10	9	8	10	10	9	10	10	9	9	9	9	10	10	10	9	8	9	10	10	1
2	10	10	10	10	10	10	10	10	8	6	10	8	9	9	10	9	8	9	9	9	7	10	6	6	2
3	10	9	10	10	10	8	10	10	9	9	6	5	6	3	4	3	2	7	10	9	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	4
5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	9	9	9	10	9	9	7	9	9	10	10	10	10	10	10	10	6
7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7
8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8
9	10	10	10	10	10	4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9
10	10	10	10	10	10	10	9	10	10	10	10	9	10	10	8	9	9	9	9	10	10	10	9	9	10
11	7	8	7	8	9	3	8	9	4	2	8	9	6	6	3	4	4	3	4	5	5	4	1	2	11
12	6	4	4	9	10	10	9	10	7	6	9	9	8	2	...	...	1	3	4	8	10	10	10	10	12
13	10	10	10	10	9	5	7	10	10	10	10	10	8	4	8	10	10	10	9	10	5	9	9	10	13
14	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	9	9	10	10	10	10	14
15	10	10	10	10	10	10	10	10	10	7	3	2	5	3	5	8	7	9	10	2	2	8	8	8	15
16	10	10	10	10	10	10	9	9	10	10	10	10	10	8	10	10	9	10	10	10	10	10	10	10	16
17	10	10	10	9	10	10	10	10	10	9	6	7	9	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	9	18
19	10	10	10	10	10	10	10	9	8	9	9	4	5	9	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	10	10	10	6	9	9	10	10	10	10	10	10	10	10	10	10	20
21	10	8	8	10	10	10	9	10	10	10	10	10	10	5	10	3	1	3	8	2	2	10	10	4	21
22	3	10	10	10	10	8	9	10	9	2	2	2	3	8	8	6	9	10	10	10	9	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	9	9	8	9	9	10	10	9	9	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	24
25	10	9	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27
28	10	10	10	10	10	10	9	7	2	1	1	1	3	8	6	8	3	8	3	1	...	...	...	...	28
29	...	...	...	...	4	8	6	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	29

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of FEBRUARY, 1932.

(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	0·1	0·2	0·6	...	0·2	0·3	...	...	...	...	1
2	...	...	...	0·4	0·4	0·4	0·4	...	...	0·1	...	...	...	2
3	...	...	...	0·1	0·1	0·2	0·9	1·0	1·0	1·0	1·0	0·5	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	0·2	1·0	1·0	0·3	0·1	0·4	0·9	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	0·2	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	0·1	...	...	0·6	...	...	...	...	10
11	...	0·4	1·0	1·0	1·0	0·5	1·0	1·0	1·0	1·0	1·0	0·8	...	11
12	...	...	0·2	0·6	0·2	0·1	0·4	0·9	1·0	1·0	1·0	0·5	...	12
13	...	...	...	...	0·1	0·3	0·6	0·9	0·2	...	...	...	...	13
14	...	...	...	0·2	0·3	...	...	...	...	0·1	...	...	...	14
15	...	...	...	0·2	0·9	1·0	1·0	1·0	1·0	0·5	...	0·1	...	15
16	...	...	...	..	...	...	...	0·5	0·4	...	...	...	...	16
17	...	...	...	0·1	1·0	1·0	0·4	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	0·7	0·7	1·0	1·0	0·2	...	...	...	...	...	19
20	...	...	...	0·8	1·0	0·7	0·5	0·1	...	...	...	...	...	20
21	...	...	...	...	...	...	...	0·8	1·0	1·0	1·0	0·5	...	21
22	...	...	0·1	0·6	1·0	1·0	1·0	0·6	0·2	0·8	0·2	...	...	22
23	...	...	...	0·1	...	0·3	1·0	0·9	0·4	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	0·1	1·0	1·0	1·0	1·0	1·0	0·5	1·0	1·0	1·0	0·1	...	28
29	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	29

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of FEBRUARY, 1932.

(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	d	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	d	d	...	...	...	...	d	4
5	0·010	d	d	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	d	6
7	...	...	d	...	...	d	0·010	d	d	d	d	d	7
8	d	d	d	d	d	d	d	d	0·005	...	d	d	8
9	...	0·015	0·010	...	...	...	...	...	0·005	...	d	d	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	d	0·020	d	...	...	...	...	...	...	...	...	14
15	...	...	...	0·010	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	0·005	...	...	...	...	...	...	...	...	...	...	...	23
24	0·005	d	d	...	...	...	...	...	0·015	...	...	0·005	24
25	...	...	...	...	...	d	0·005	...	...	...	...	...	25
26	...	...	...	...	0·005	...	...	...	...	...	...	...	26
27	0·040	0·080	0·050	0·010	d	...	0·010	0·095	0·035	0·055	d	...	27
28	d	d	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	0·085	0·380	0·100	0·070	0·065	0·130	0·035	0·030	0·010	0·010	0·005	0·020	4
5	...	...	...	...	...	...	d	d	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	d	...	d	6
7	d	d	d	...	...	d	d	0·005	d	d	d	d	7
8	d	d	d	d	0·050	0·120	0·050	0·165	0·055	0·180	0·005	0·085	8
9	d	d	0·015	d	0·015	d	0·010	d	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	d	22
23	...	...	...	...	...	...	...	...	...	...	d	d	23
24	0·025	0·005	d	...	d	0·010	0·025	d	0·035	0·025	d	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	0·005	0·040	0·075	26
27	0·020	0·010	d	0·005	d	0·015	0·010	0·010	0·015	0·010	d	d	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, at 148 feet above MEAN SEA LEVEL, in the MONTH of FEBRUARY, 1932.

(The Direction is given in points and the Velocity in miles per hour.)

8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	10	11	9	7	7	5	...	1	...	...	8	3	9	3	9	3	9	2	9	6	10	9	11	6	1
2	9	11	10	20	10	13	10	15	10	12	9	11	9	13	9	11	8	17	8	21	8	22	8	24	2
3	8	21	7	25	8	27	8	26	8	26	7	25	7	27	7	39	7	38	8	30	8	30	8	33	3
4	8	29	8	27	8	25	8	18	8	21	8	21	8	24	7	21	7	23	7	22	6	17	5	7	4
5	1	12	32	9	32	10	32	8	32	9	32	14	32	13	1	13	1	10	1	10	1	12	1	11	5
6	5	12	5	10	4	11	5	15	5	13	5	16	6	17	6	26	6	30	6	29	6	26	6	30	6
7	7	21	7	23	7	22	7	26	7	28	7	28	7	22	7	30	7	30	7	30	6	31	7	28	7
8	8	22	8	22	8	23	8	19	8	18	8	18	8	22	9	19	9	19	9	17	9	14	9	7	8
9	1	13	32	7	31	5	29	6	30	9	31	13	5	5	5	5	3	6	1	8	32	4	1	8	9
10	31	4	31	7	31	4	30	5	30	4	30	4	31	7	30	4	30	6	32	7	31	6	29	5	10
11	2	2	...	1	2	3	6	8	7	7	8	9	9	10	9	11	9	18	7	20	7	22	7	24	11
12	9	18	9	15	9	14	10	12	10	12	10	18	8	18	7	21	8	21	8	19	8	19	8	19	12
13	8	13	8	17	9	19	9	18	9	20	9	18	8	16	7	13	7	12	8	13	8	16	9	15	13
14	8	3	9	3	10	2	10	9	10	11	10	10	9	15	9	17	7	20	7	23	6	23	7	21	14
15	7	16	7	11	7	8	5	4	3	10	32	7	1	2	...	1	...	1	24	5	27	4	25	6	15
16	3	4	3	5	...	1	2	5	4	6	6	10	7	11	7	13	5	12	6	16	6	19	7	23	16
17	6	24	7	25	7	27	7	29	7	25	7	26	7	26	8	30	7	29	7	29	7	31	7	28	17
18	3	5	5	5	5	11	5	10	4	8	4	5	5	13	5	14	5	14	5	15	3	11	1	9	18
19	5	6	5	8	5	13	5	9	5	11	5	9	6	12	6	14	6	21	6	17	7	19	8	18	19
20	9	7	8	5	8	4	7	5	6	3	7	3	8	6	9	5	10	6	10	9	10	12	10	16	20
21	7	19	8	15	8	16	8	18	9	21	9	17	10	20	9	20	8	21	8	19	8	15	9	17	21
22	16	2	22	2	26	2	...	1	...	...	...	...	...	1	...	...	...	...	27	2	25	5	23	4	22
23	7	27	7	26	7	30	7	27	7	27	7	36	7	33	7	33	7	34	7	31	7	31	7	31	23
24	8	25	8	27	7	27	7	28	7	29	7	26	7	22	8	21	7	26	7	23	7	21	8	8	24
25	2	7	1	6	2	6	3	10	2	14	32	9	32	5	32	14	1	15	1	20	1	18	1	15	25
26	2	6	2	6	2	6	3	9	3	7	4	7	4	10	4	20	4	14	4	16	4	14	5	16	26
27	2	7	1	9	1	8	2	8	2	4	3	9	2	7	32	11	32	9	32	8	32	15	32	17	27
28	2	6	2	9	3	15	2	17	1	12	32	11	1	8	1	10	1	19	1	18	32	13	1	11	28
29	1	7	1	8	1	7	1	13	1	14	32	18	1	16	4	7	5	5	5	7	6	8	11	9	29

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	11	7	10	7	10	9	8	15	9	12	9	15	9	14	9	13	8	13	8	19	8	16	9	11	1
2	9	18	9	21	8	24	8	16	8	14	9	13	9	18	9	21	8	13	8	17	8	17	8	16	2
3	7	31	8	33	8	31	9	29	8	31	8	34	7	27	7	32	7	31	7	25	7	27	7	29	3
4	5	6	4	6	2	6	1	7	3	8	5	5	6	6	3	5	1	6	32	9	32	8	1	11	4
5	32	9	1	10	32	10	32	12	32	9	32	11	1	11	1	13	2	9	4	7	5	11	5	11	5
6	6	27	6	27	7	25	7	19	7	20	7	20	7	18	7	17	7	21	7	20	6	19	6	19	6
7	7	27	6	31	6	29	7	30	7	27	7	28	6	23	7	25	7	21	7	21	7	27	8	26	7
8	9	3	10	9	10	13	9	16	32	12	25	17	25	17	27	19	28	6	26	5	8	6	2	6	8
9	28	7	26	8	27	5	28	4	29	6	31	7	31	8	31	7	31	4	31	5	32	4	31	8	9
10	25	3	24	3	28	3	2	6	1	10	1	12	1	7	1	6	2	6	2	3	2	3	2	2	10
11	7	26	7	26	7	23	7	23	7	25	7	23	7	21	7	19	7	19	7	15	7	14	8	11	11
12	8	22	8	26	9	23	9	20	9	20	8	17	7	17	6	15	8	12	8	16	8	16	8	17	12
13	9	18	9	17	10	19	9	21	9	17	9	20	9	17	8	14	7	14	7	13	7	10	8	7	13
14	7	19	7	17	7	16	8	19	7	17	7	15	7	14	7	16	7	14	6	12	6	15	7	10	14
15	23	5	22	7	23	9	23	9	22	9	23	7	1	7	3	9	2	9	1	13	2	4	3	3	15
16	7	22	8	26	8	21	7	18	7	17	7	13	6	14	6	18	6	19	6	23	6	25	6	24	16
17	7	27	8	26	9	20	9	15	9	16	8	15	8	14	8	16	6	17	5	10	4	10	3	7	17
18	1	11	1	8	1	6	2	3	4	7	4	5	2	4	4	6	6	8	4	4	2	2	5	4	18
19	9	15	10	15	10	14	9	9	9	11	9	9	9	7	9	4	9	4	9	3	9	5	9	5	19
20	10	15	9	15	9	14	9	16	9	13	9	11	8	13	8	17	7	20	7	20	7	17	7	17	20
21	9	15	9	13	9	13	8	12	8	10	8	8	8	8	8	7	8	4	7	2	7	2	10	2	21
22	23	7	17	6	15	4	17	2	23	8	25	3	27	2	28	2	7	10	8	24	8	26	8	25	22
23	7	34	8	35	7	35	7	30	8	21	6	22	8	18	7	21	8	25	8	26	8	28	8	27	23
24	8	4	2	6	1	12	2	8	3	11	1	13	6	8	3	10	4	8	3	13	2	10	2	5	24
25	1	13	1	10	32	11	32	10	1	9	32	7	1	6	1	7	1	5	1	6	1	6	2	7	25
26	6	20	7	17	6	10	2	8	1	9	1	9	32	10	1	10	1	13	1	13	32	14	32	11	26
27	32	10	1	11	32	12	32	10	32	10	1	10	1	14	1	11	1	10	1	6	1	3	2	5	27
28	1	4	1	3	1	7	2	10	3	8	3	6	3	3	3	7	2	8	1	9	1	9	1	10	28
29	32	8	32	8	11	6	8	5	2	4	26	5	24	4	...	1	...	...	21	2	17	2	...	1	29

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of FEBRUARY, 1932.

(... = no clouds.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	E	cu	E	st	WSW	cu	SW	st-cu	SSW	a-cu	SSW	cu	SSW	cu	SSW
2	nb	SSW	nb	SSW	cu	SSE	a-cu / cu	WSW / ESE	a-cu / cu	WSW / E	s-cu / cu	WSW / E	cu	E	cu	E
3	cu	E	cu	E	st-cu	E	cu	E	cu	ENE	cu	ENE	cu	E	cu	E
4	cu	E	cu	E	nb	E	nb	E	nb	E	nb	ENE	nb	NE	nb	NE
5	nb	ENE	nb	ENE	nb	ENE	nb	ENE	st-cu	WSW	st-cu	WSW	st-cu	WNW	st-cu	WSW
6	nb	ENE	nb	ENE	nb	E	cu	ENE	cu	ENE	cu	ENE	cu	ENE	nb	ENE
7	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	E
8	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	W	nb	WNW
9	nb	WNW	nb	WNW	st-cu	WNW	nb	WNW	nb	NW	nb	WNW	nb	WNW	nb	WNW
10	nb	WNW	st-cu	WNW	st-cu	NW	st-cu	SSE	st-cu	SSE	st-cu	N	st-cu	N	st-cu	N
11	cu	NE	cu	NE	st-cu	SE	cu	SSE	cu	ESE	cu	ESE	cu	ENE	cu	ENE
12	cu	E	cu	E	cu	SSW	cu	SSW	s-cu / cu	SSW / E	...	...	cu	E	cu	E
13	cu	E	cu	E	cu	ESE	st-cu	ESE	cu	E	cu	W	cu	ESE	cu	ESE
14	st-cu	ESE	cu-nb	ESE	cu	E	cu	E	cu	E	cu	E	cu	E	st-cu	E
15	cu-nb	E	nb	E	nb	E	a-cu / cu	WNW / E	cu	NE	cu	NE	cu	NNE	cu	NW
16	cu	NNW	st-cu	NNW	st-cu	E	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE
17	st-cu	ENE	st-cu	ENE	st-cu	ENE	cu	ENE	cu	E	cu	E	cu	E	st-cu	E
18	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE
19	st-cu	ENE	st-cu	ENE	cu	E	cu	ENE	cu	E	st-cu	E	st-cu	E	st-cu	E
20	a-cu / cu	NW / ENE	cu	ENE	st-cu	WSW	a-cu / cu	WSW / E	cu	E	st-cu	E	st-cu	E	st-cu	E
21	st-cu	E	cu	E	ci-cu / cu	WNW / ESE	st-cu	E	st-cu	E	a-cu	W	cu	E	cu	E
22	a-cu	W	cu	WNW	st-cu	NW	cu	NW	cu	WNW	a-cu / cu	W / ENE	cu	ENE	cu	ENE
23	nb	ENE	st-cu	ENE	st-cu	ENE	cu	ENE	cu	E	cu-nb	E	cu	E	cu-nb	E
24	nb	E	cu	E	nb	E	nb	E	nb	E	cu-nb	N	nb	N	nb	N
25	nb	W	nb	W	nb	WNW	st-cu	WNW	st-cu	W	st-cu	W	st-cu	W	st-cu	W
26	st-cu	W	st-cu	W	nb	E	st-cu	E	st-cu	E	st-cu	E	st-cu	E	nb	E
27	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
28	nb	E	st-cu	E	st-cu	WNW	ci-st	WNW	ci-st	WNW	a-cu	W	a-cu	W	...	...
29	...	...	...	...	a-cu	W	...	...	...	...	...	...	...	...	...	...

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1932.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity†
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·920	69·4	61·6	7·8	64·9	60·4	0·475	77	87	1·4	13	...	...	− 1·5	+ 8·3	100	8·4	8·6
2	·952	70·3	63·7	6·6	66·0	61·2	·486	76	89	1·7	15	...	..	− 2·2	+ 16·4	98	16·6	16·6
3	·912	66·7	62·2	4·5	64·1	60·7	·492	82	79	5·8	52	...	...	+ 2·6	+ 29·3	85	29·4	29·7
4	·869	62·1	56·1	6·0	60·3	57·7	·448	85	100	...	...	0·940	12	+ 3·8	+ 11·9	72	12·5	14·1
5	30·024	57·9	52·4	5·5	54·9	50·7	·323	75	100	...	...	0·010	2	+ 10·0	+ 1·9	11	10·2	10·6
6	·060	58·4	53·1	5·3	56·2	52·0	·341	76	96	3·9	35	...	1	+ 7·2	+ 19·0	69	20·3	20·3
7	29·937	58·8	55·7	3·1	57·0	54·6	·399	86	100	...	...	0·015	11	+ 5·7	+ 25·6	77	26·2	26·4
8	·889	62·5	54·8	7·7	59·2	58·1	·471	94	100	...	...	0·715	16	+ 0·6	+ 8·7	86	8·7	14·5
9	30·018	55·7	46·7	9·0	49·9	46·3	·274	76	97	0·2	2	0·070	5	+ 6·0	− 1·0	351	6·1	6·7
10	·092	54·3	45·1	9·2	49·1	43·5	·220	63	96	0·7	6	...	...	+ 5·0	− 0·5	354	5·0	5·3
11	·129	57·8	47·9	9·9	54·0	48·8	·287	69	54	9·7	86	...	..	+ 2·5	+ 15·6	81	15·8	15·8
12	·103	62·3	55·6	6·7	59·3	54·8	·379	75	66	5·9	52	...	...	− 1·1	+ 17·6	94	17·6	17·8
13	·036	66·1	60·4	5·7	62·5	58·3	·440	78	89	2·1	19	...	...	− 1·4	+ 15·8	95	15·9	15·9
14	·036	63·1	59·8	3·3	61·7	58·4	·452	82	99	0·6	5	0·020	1	+ 1·7	+ 13·9	83	14·0	14·2
15	·087	66·4	56·6	9·8	60·6	55·5	·384	73	74	5·7	50	0·010	...	+ 2·4	+ 0·1	2	2·4	6·9
16	·118	60·1	58·0	2·1	59·0	53·3	·343	69	98	0·9	8	...	...	+ 4·6	+ 14·3	72	15·0	15·3
17	·158	59·6	55·1	4·5	57·4	52·8	·348	74	96	2·5	22	...	...	+ 3·5	+ 21·0	81	21·3	21·7
18	·189	56·2	52·4	3·8	54·5	50·2	·315	74	99	...	...	...	...	+ 5·5	+ 5·1	43	7·5	7·8
19	·153	60·0	53·2	6·8	56·4	51·6	·329	72	93	3·6	32	...	...	+ 1·3	+ 10·0	83	10·1	10·7
20	·082	63·0	55·9	7·1	58·6	54·0	·366	74	97	3·1	27	...	...	− 0·9	+ 11·0	95	11·0	11·2
21	29·942	66·9	57·5	9·4	61·2	56·4	·402	74	76	4·3	37	...	...	− 1·2	+ 13·0	95	13·1	13·1
22	·885	74·9	59·8	15·1	65·5	61·7	·507	81	78	5·5	48	...	...	− 0·5	+ 2·0	104	2·1	5·7
23	·966	62·3	58·8	3·5	60·1	56·3	·411	79	97	2·7	23	0·005	1	+ 3·9	+ 28·1	82	28·4	28·7
24	30·001	59·3	46·8	12·5	55·0	52·4	·364	84	100	...	...	0·150	8	+ 5·3	+ 13·8	69	14·8	16·3
25	·151	52·4	44·3	8·1	49·4	42·5	·196	56	99	...	...	0·005	2	+ 9·6	+ 1·9	11	9·8	9·8
26	·132	53·2	46·7	6·5	50·7	45·2	·240	65	100	...	...	0·125	3	+ 8·4	+ 5·7	34	10·2	11·0
27	·173	47·9	43·7	4·2	45·7	43·3	·253	83	100	...	...	0·470	14	+ 9·1	+ 1·5	9	9·2	9·3
28	·224	57·0	44·4	12·6	50·5	43·4	·203	55	50	8·7	75	...	1	+ 9·2	+ 2·6	16	9·6	9·6
29	·226	60·9	46·6	14·3	53·0	44·3	·195	48	8	10·7	92	...	...	+ 3·4	+ 2·3	34	4·1	6·9
Means.	30·050	60·9	53·6	7·3	57·1	52·7	0·357	74	87	Sum. 79·7	24	Sum. 2·535	Sum. 77	+ 3·5	+ 10·9	72	11·4	13·8
Normals	30·015	63·0	55·4	7·6	58·9	55·0	0·400	78	76	95·4	30	1·785	67	+ 2·2	+ 11·0	79	11·3	13·9
Absolute Max.	30·293	74·9	...	15·1	...	68·7	0·631	...	...	10·7	92	0·940	16	...	...	...	...	39·0†
Day.	29	22	...	22	...	22	22	...	...	29	29	4	8	...	...	...	...	3d 8h
Absolute Min.	29·801	...	43·7	2·1	...	39·3	0·152	38	...	...	...	...	...	...	...	...	...	...
Day.	8	...	27	16	...	29	29	29	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

												Sum.	Sum.					
Means.	1019·7	289·1	285·0	4·1	286·9	284·5	12·1	...	...	...	...	64·4	77	+ 1·1	+ 3·6	72	3·7	4·5
Normals	1018·5	290·2	286·0	4·2	287·9	285·8	13·5	...	...	...	...	45·3	67	+ 0·7	+ 3·6	79	3·7	4·6
Absolute Max.	1028·0	296·8	...	8·4	...	293·4	21·4	...	...	...	...	23·9	16	...	...	...	...	12·8
Absolute Min.	1011·2	...	279·5	1·2	...	277·1	5·1	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 10 days. The mean hourly intensity was 0·033*in*, and the maximum fall in one hour was 0·380*in* at 14*h* on the 4th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 50 miles per hour from E. by N. at 8*h* 12*m* on the 3rd.

Clouds with base less than 2,000 feet high were observed on 4 days.

Clouds with base less than 1,000 feet high were observed on 2 days.

*0°=N., 90°=E., &c. † Maximum velocity for one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1932.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Amount.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	ins.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·059	56·0	52·4	0·361	78	89		0·060	+ 3·1	+ 10·3	73	10·8	12·4
2	·051	56·0	52·2	·356	77	89		0·095	+ 2·9	+ 10·2	74	10·6	12·4
3	·038	55·8	52·0	·353	77	92		0·080	+ 3·2	+ 10·2	73	10·7	12·5
4	·032	55·8	51·9	·351	76	95		0·020	+ 3·5	+ 10·4	71	11·0	13·1
5	·030	55·7	51·8	·349	76	97		0·005	+ 3·5	+ 10·4	71	11·0	13·1
6	·042	55·4	51·5	·345	76	91	...	...	+ 4·0	+ 10·4	69	11·1	13·8
7	·060	55·5	51·6	·347	76	94	5	0·025	+ 3·3	+ 11·7	74	12·2	13·9
8	·073	55·8	51·8	·348	76	94	12	0·095	+ 3·7	+ 12·8	74	13·3	15·0
9	·089	56·7	52·3	·351	74	88	28	0·060	+ 4·9	+ 14·0	71	14·8	16·5
10	·101	57·6	52·8	·354	72	82	34	0·055	+ 5·0	+ 13·8	70	14·7	16·9
11	·095	58·4	53·4	·361	71	83	33	...	+ 5·2	+ 13·3	69	14·3	16·8
Noon.	·074	59·1	54·0	·369	71	80	36	0·005	+ 3·7	+ 12·6	74	13·1	16·1
13	·051	59·9	54·3	·367	69	82	34	0·130	+ 2·7	+ 11·6	77	11·9	14·9
14	·019	59·9	54·5	·373	70	80	34	0·395	+ 1·7	+ 12·3	82	12·4	15·4
15	·003	59·3	54·1	·369	70	82	26	0·115	+ 2·1	+ 11·3	79	11·5	14·8
16	29·998	59·1	53·9	·366	70	82	21	0·075	+ 2·4	+ 19·8	77	11·1	13·9
17	30·007	58·3	53·4	·362	72	80	11	0·130	+ 3·2	+ 9·8	72	10·3	13·7
18	·019	57·6	53·0	·359	73	86	...	0·275	+ 3·1	+ 8·6	70	9·2	13·2
19	·031	57·1	52·6	·354	73	88		0·130	+ 3·4	+ 8·2	67	8·9	12·1
20	·049	56·8	52·4	·353	74	84		0·210	+ 4·3	+ 9·1	65	10·1	12·7
21	·064	56·8	52·5	·355	74	82		0·115	+ 4·2	+ 9·8	67	10·7	12·2
22	·074	56·5	52·3	·353	75	90		0·230	+ 4·3	+ 9·6	66	10·5	12·4
23	·076	56·2	52·2	·354	76	87		0·050	+ 3·9	+ 10·1	69	10·8	12·3
Midn.	·074	56·0	52·0	·351	76	86		0·180	+ 3·6	+ 9·4	69	10·1	11·6

Phenomena :—

Lunar corona :—on the 15th and 21st.

Thick fog :—on the 22nd.

Slight Fog :—on the 1st, 21st, and 22nd.

Dew :—on the 1st.

ADOPTED ERRORS OF TIMEBALL, FEBRUARY, 1932.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	— 0·1	11	0·0	21	0·0
2	0·0	12	0·0	22	— 0·2
3	0·0	13	+ 0·1	23	— 0·2
4	— 0·1	14	+ 0·1	24	— 0·1
5	— 0·1	15	+ 0·1	25	0·0
6	— 0·1	16	+ 0·1	26	— 0·1
7	— 0·1	17	+ 0·2	27	— 0·2
8	— 0·1	18	+ 0·2	28	— 0·2
9	0·0	19	+ 0·3	29	— 0·2
10	0·0	20	+ 0·1		

+ = Late : — = Early.

The above may also be regarded as the errors of the time signals by radio telegraphy and by signal lights.

The probable error for the month was ± 0·11.

* 0° = N. 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

FEBRUARY,

1932.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	31st JANUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	1st FEBRUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.30	769.7	18	...	NE	3	b	6	30.43	773.0	5	...	NE	5	b
Nemuro,	11	30.16	766.0	...	...	NNE	4	...	5	30.26	768.5	...	...	N	2	...
Hokodate,	,,	30.16	766.0	...	...	WNW	1	...	,,	30.20	767.0	...	...	N	1	...
Tokio,	,,	30.16	766.0	...	...	ENE	1	...	,,	30.20	767.0	..	...	N	1	...
Kochi,	,,	30.08	764.0	...	...	...	0	...	,,	30.10	764.5	...	...	...	0	...
Nagasaki,	,,	30.10	764.5	...	...	...	0	...	,,	30.12	765.0	...	...	E	1	...
Kagoshima,	,,	30.08	764.0	...	...	...	0	...	,,	30.10	764.5	...	...	NW	1	...
Oshima,	,,	30.02	762.5	...	...	NNW	1	...	,,	30.04	763.0	...	...	...	0	...
Naha,	,,	30.04	763.0	...	...	E	1	...	,,	30.02	762.5	...	...	NE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	SSE	1	...	,,	29.98	761.5	...	...	...	0	...
Bonin Island,	,,	30.04	763.0	...	...	...	0	...	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	30.14	765.5	40	8	NE	2	b	6	30.18	766.6	35	6	...	0	0
Shanghai,	14	29.97	761.2	52	6	E	4	o	,,	30.13	765.4	47	1	N	2	f
Gutzlaff,	,,	30.04	763.0	49	6	NE	4	o	,,	30.17	766 3	47	1	...	0	ff
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.97	761.2	60	8	NNE	2	b	7	30.01	762.2	60	6	NE	2	c
Amoy,	,,	30.08	764.1	63	6	SSE	2	b	6	29 97	761.2	61	6	SSE	4	b
Swatow,	,,	30.03	762.8	65	...	...	0	b	,,	...	...	...	...	...	...	...
Taihoku,	11	...	...	72	...	...	0	bo	5	30.01	762.3	59	...	...	0	f
Taichu,	,,	30.04	763.0	76	...	...	0	b	,,	30.01	762.3	54	...	...	0	b
Tainan,	,,	30.02	762.5	76	...	...	0	b	,,	29.95	760.8	58	...	NE	2	b
Koshun,	,,	30.00	762.0	79	...	ENE	2	b	,,	29.95	760.6	63	...	...	0	b
Pescadores,	,,	30.04	763.0	70	...	NE	2	b	,,	29.97	761.2	65	...	NNE	2	b
Hong Kong,	14	29.94	760.5	63	8	E	4	b	6	29.96	761.0	63	6	E	1	c
Gap Rock,	,,	29.95	760.7	68	8	ENE	4	o	,,	29.96	761.0	69	8	NNE	3	o
Macao,	,,	29.94	760.4	70	6	SE	2	bo	,,	29.95	760.6	63	6	...	0	o
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.8	76	8	NE	4	b	6	29.91	759.8	70	8	ENE	4	b
Phulien,	15	29.91	759.7	73	7	S	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.89	759.1	77	8	E	4	bc	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.6	77	6	ENE	4	c	,,	...	...	...	...	...	...	...
Basco,	14	29.85	758.8	77	6	ESE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.83	757.7	81	6	NE	4	bc	,,	29.88	758.9	67	6	...	...	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	..	...
Manila,	,,	29.78	756.5	85	8	WSW	4	b	,,	29.83	757.7	68	4	...	0	bo
Legaspi,	,,	29.78	756.5	83	8	NNE	2	o	,,	29.79	756.6	77	6	...	c	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	755.0	79	8	NE	4	o	,,	29.75	755.6	76	4	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.3	74	6	SE	2	r	,,	...	...	...	...	..	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	74	...	E	3	bc
Guam,	12.22	29.74	755.3	...	6	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29 71	754.6	...	6	ENE	4	bc	5	29.75	755.6	77	4	NE	4	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.76	755.8	78	...	SSE	1	c
Taihoku,	14	29.82	757.4	83	6	NE	6	bc	6	29.78	756.4	74	1	N	6	bc

February 1d. 10h. 30m.—The anticyclone is central N.E. of Wladivostock, moving East.

The depression south of Shanghai has filled up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 1.51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate; generally overcast.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st FEBRUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	2nd FEBRUARY, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Barometer. at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.40	772.2	16	...	N	5	b	6	30.41	772.5	7	...	NE	3	b
Nemuro,	11	29.88	759.0	...	...	NNW	2	...	5	30.38	771.5	..	...	NNE	2	...
Hokodate,	,,	30.24	768.0	...	...	NNW	2	...	,,	30.38	771.5	...	...	NNE	1	...
Tokio,	,,	30.20	767.0	...	...	N	1	...	,,	30.30	769.5	..	...	NNE	1	...
Kochi,	,,	30.12	765.0	...	...	...	0	...	,,	30.16	766.0	...	...	...	0	...
Nagasaki,	,,	30.12	765.0	...	...	SE	2	...	,,	30.10	764.5	...	...	SE	1	...
Kagoshima,	,,	30.12	765.0	...	...	...	0	...	,,	30.12	765.0	...	...	...	0	...
Oshima,	,,	30.10	764.5	...	...	NNE	1	...	,,	30.08	764.0	...	...	...	0	...
Naha,	,,	30.06	763.5	...	...	NW	1	...	,,	30.06	763.5	...	...	...	0	...
Ishigakijima,	,,	30.06	763.5	...	...	SSE	1	...	,,	30.06	763.5	...	...	ENE	1	...
Bonin Island,	,,	30.04	763.0	...	...	S	1	...	,,	30.04	763.0	...	...	N	1	...
Chefoo,	15	30.11	764.9	41	6	NE	2	bc	6	30.09	764.2	36	4	NW	6	bc
Shanghai,	14	30.13	765.3	50	4	...	0	c	,,	30.17	766.2	45	1	NNE	2	f
Gutzlaff,	,,	30.16	766.0	50	1	N	2	f	,,	30.21	767.3	47	6	...	0	h
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.01	762.2	62	6	E	2	c	7	30.12	765.0	62	6	E	2	o
Amoy,	,,	30.04	763.0	63	6	NNE	2	c	6	30.01	762.2	61	6	W	2	o
Swatow,	..	30.05	763.3	64	...	E	3	c	,,	...	..	...	...	...	...	...
Taihoku,	11	30.04	763.1	70	...	...	0	b	5	30.02	762.6	67	...	ESE	2	bc
Taichu,	,,	30.04	763.0	76	...	...	0	b	,,	30.04	763.0	61	...	...	0	o
Tainan,	,,	30.01	762.3	74	...	N	4	b	,,	30.01	762.3	63	...	N	2	o
Koshun,	,,	30.00	762.0	77	...	ENE	4	o	,,	29.99	761.6	68	...	N	2	b
Pescadores,	,,	30.05	763.2	70	...	NE	4	b	,,	30.00	762.0	67	...	NNE	4	o
Hong Kong,	14	29.96	761.0	69	6	E	2	c	6	30.01	762.5	65	7	E	2	o
Gap Rock,	,,	29.98	761.5	68	8	NNE	3	c	,,	29.98	761.5	68	8	ENE	4	c
Macao,	,,	29.94	760.6	72	6	...	0	c	,,	29.96	761.0	63	1	NE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Praias Island,	,,	29.91	759.7	76	8	NE	4	bc	6	29.96	760.9	72	8	NE	4	c
Pinlien,	15	29.91	759.7	72	7	SE	3	c	7	29.98	761.4	66	5	ESE	3	f
Tourane,	,,	29.86	758.5	77	8	E	2	bc	,,	29.94	760.4	70	6	WNW	1	c
Cape St. James,	,,	...	..	...	...	...	...	...	,,	29.86	758.5	73	6	NE	5	c
Faero,	14	29.89	759.3	76	6	E	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.86	758.4	79	6	E	4	o	,,	29.91	759.8	72	6	...	0	o
Tuguegarao,	,,	29.87	758.8	83	4	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	83	8	WNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.80	757.0	81	8	W	2	o	,,	29.83	757.7	72	4	...	0	o
Legaspi,	,,	29.76	756.0	81	6	ENE	2	o	,,	29.80	756.8	77	6	NE	2	o
Calbayog,	,,	29.76	755.8	83	8	N	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	756.0	79	6	N	2	d	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	86	8	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.72	754.8	83	8	NE	4	o	,,	...	..	...	...	...	...	...
Surigao,	...	29.72	754.9	77	6	NE	2	d	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	74	...	NE	3	c
Guam,	12.22	29.76	755.8	...	6	NE	4	d	4.22	...	..	...	...	...	...	...
Yap,	11.00	29.73	755.2	...	6	ENE	4	bc	5	29.79	756.7	...	6	ENE	2	bc
Palau,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	77	...	NE	2	bc
Labuan,	14	29.83	757.7	79	6	N	4	bc	6	29.78	756.4	74	...	N	...	o

February 2*d.* 10*h.* 27*m.*—The anticyclone is central N.W. of Hokkaido travelling East.

Another is forming over N.E. China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 1.58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD

District.	Forecast.
A.—*Shanghai to Turnabout,*	*N.E. winds, moderate; fine to cloudy.*
B.—Turnabout to Hong Kong,	N.E. winds, moderate; generally cloudy.
C.—Hong Kong to Gap Rock,	
H.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, moderate; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.32	770.2	19	...	N	2	0	6	30.27	768.8	9	...	N	5	0
Nemuro,	11	30.33	770.5	...	...	N	3	...	5	30.26	768.5	..	...	NE	1	...
Hokodate,	,,	30.33	770.5	...	...	NNW	1	...	,,	30.04	763.0	...	...	W	2	...
Tokio,	,,	30.28	769.0	...	...	NNE	1	...	,,	29.71	754.5	..	...	NNW	2	...
Kochi,	,,	30.12	765.0	...	...	...	0	...	,,	29.94	760.5	...	...	...	0	...
Nagasaki,	,,	30.10	764.5	...	...	WNW	4	...	,,	30.14	765.5	...	...	NNW	1	...
Kagoshima,	,,	30.10	764.5	...	...	NW	1	...	,,	30.08	764.0	...	...	NNW	1	...
Oshima,	,,	30.12	765.0	...	...	...	0	...	,,	30.06	763.5	...	...	N	3	...
Naha,	,,	30.10	764.5	...	...	...	0	...	,,	30.04	763.0	...	...	N	5	...
Ishigakijima,	,,	30.08	764.0	...	...	ESE	1	...	,,	30.02	762.5	...	...	ENE	1	...
Bonin Island,	,,	30.04	763.0	...	...	N	1	...	,,	29.98	761.5	...	...	SSW	1	...
Chefoo,	15	30.24	768.0	33	6	NW	8	0	6	30.42	772.7	29	4	NW	8	bc
Shanghai,	14	30.26	768.5	50	6	NNW	2	2	,,	30.34	770.6	36	4	NW	2	0
Gutzlaff,	,,	30.27	768.8	47	6	NNW	4	0	,,	30.36	771.1	41	6	NNW	4	0
Wenchow,	,,	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Foochow,	,,	30.04	763.0	62	6	...	0	0	7	30.14	765.5	60	6	NNE	4	0
Amoy,	,,	30.07	763.8	67	6	S	4	0	6	29.98	761.5	61	6	ESE	2	0
Swatow,	,,	30.09	764.3	67	...	F	3	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.06	763.6	76	...	ENE	4	bc	5	30.07	763.8	63	...	E	4	r
Taichu,	,,	30.02	762.4	77	...	...	0	c	,,	30.01	762.1	65	...	NW	2	0
Tainan,	,,	30.00	762.1	76	...	N	2	b	,,	29.96	761.0	65	...	NE	2	0
Koshun,	,,	30.01	762.3	76	...	NE	4	c	,,	29.97	761.2	70	...	N	2	c
Pescadores,	,,	30.04	763.0	70	...	NE	6	0	,,	...	...	...	...	...	...	...
Hong Kong,	14	29.99	761.7	69	7	E	4	c	6	29.98	761.5	63	7	E	5	c
Gap Rock,	,,	29.99	761.7	68	8	ENE	4	0	,,	29.97	761.2	69	7	ENE	5	c
Macao,	,,	29.97	761.3	70	4	SE	2	0	,,	29.95	760.7	65	4	ESE	2	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.94	760.6	76	8	NE	6	0	6	29.93	760.2	70	8	NE	8	bc
Phulien,	15	29.94	760.6	73	7	S	4	c	7	29.92	760.0	66	6	ESE	6	0
Tourane,	,,	29.91	759.7	75	8	NNE	1	c	,,	29.91	759.6	68	6	WNW	2	c
Cape St. James,	,,	29.85	758.1	79	7	E	3	bc	,,	29.85	758.1	73	4	ENE	5	z
Basco,	14	29.91	759.7	79	8	ENE	2	bc	6	...	...	...	...	...	...	...
Aparri,	,,	29.87	758.8	79	6	E	4	0	,,	29.89	759.1	72	6	E	2	0
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	72	6	...	0	0
Manila,	,,	29.80	757.0	83	8	WNW	2	0	,,	29.82	757.3	72	6	...	0	bc
Legaspi,	,,	29.76	755.8	86	8	ENE	2	0	,,	29.79	756.7	77	6	...	0	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	72	8	...	0	0
Tacloban,	,,	..	...	...	...	...	...	...	,,	29.80	757.0	74	6	NW	2	d
Iloilo,	,,	29.71	754.6	86	8	NE	4	0	,,	29.74	753.3	74	4	NE	4	0
Cebu,	,,	..	..	...	...	...	...	...	,,	29.78	756.3	74	8	N	2	bc
Surigao,	...	29.74	755.3	85	8	ESE	2	bc	,,	29.78	756.3	74	4	E	2	d
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	756.0	...	6	NE	6	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.5	...	6	ENE	4	bc	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	.	...	...
Labuan,	14	...	..	...	...	...	...	...	6	29.78	756.4	68	1	N	6	bc

February 3*d.* 10*h.* 28*m.*—The anticyclone central over N.E. China has strengthened.

A depression to the E.S.E. of Tokio is moving eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 1.65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; generally cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	4th February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.24	768.0	18	...	NNW	5	0	6	30.31	769.8	9	...	N	3	b
Nemuro,	11	...	...	...	...	...	...	...	5	30.10	764.5	..	...	...	0	...
Hakodate,	,,	30.02	762.5	...	...	ESE	3	...	,,	30.02	762.5	...	...	E	1	...
Tokio,	,,	29.65	753.0	...	...	N	1	...	,,	29.94	760.5	..	...	...	0	...
Kochi,	,,	...	...	...	...	W	1	...	,,	30.06	763.5	...	...	...	0	...
Nagasaki,	,,	30.16	766.0	...	...	N	2	...	,,	30.10	764.5	...	...	ENE	1	...
Kagoshima,	,,	30.08	764.0	...	...	NNW	1	...	,,	30.06	763.5	...	...	NW	1	...
Oshima,	,,	30.10	764.5	...	...	N	2	...	,,	30.04	763.0	...	...	SSE	1	...
Naha,	,,	30.08	764.0	...	...	N	4	...	,,	30.02	762.5	...	...	NNE	1	...
Ishigakijima,	,,	30.06	763.5	...	...	NE	2	...	,,	29.96	761.0	...	...	E	2	...
Bonin Island,	,,	29.92	760.0	...	...	WSW	2	...	,,	29.92	760.0	...	...	NW	1	...
Chefoo,	15	30.41	772.4	29	8	N	8	r	6	30.42	772.7	29	6	NW	8	b
Shanghai,	14	30.28	769.0	43	6	NE	2	o	,,	30.29	769.4	38	4	N	2	r
Gutzlaff,	,,	30.30	769.6	49	6	NNE	4	o	,,	30.25	768.3	41	6	NNW	6	o
Wenchow,	,,	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Foochow,	,,	30.10	764.5	56	6	E	2	o	7	30.04	763.0	58	6	NE	2	o
Amoy,	,,	30.04	763.0	68	6	NNE	2	b	6	29.97	761.2	59	6	ENE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.11	764.9	63	...	E	4	r	5	29.95	760.6	63	...	E	4	o
Taichu,	,,	30.03	762.7	74	...	...	0	bo	,,	29.95	760.7	59	...	...	0	o
Tainan,	,,	30.01	762.4	74	...	N	2	bo	,,	29.92	760.0	61	...	N	2	o
Koshun,	,,	29.99	761.8	74	...	NE	4	o	,,	29.90	759.4	68	...	NE	2	o
Pescadores,	,,	30.03	762.7	67	...	NNE	6	c	,,	29.94	760.4	63	...	N	4	o
Hong Kong,	14	29.93	760.2	66	7	E	6	bo	6	29.89	759.3	62	7	E	4	o
Gap Rock,	,,	29.94	760.5	69	7	ENE	5	o	,,	29.88	759.0	69	7	E	5	o
Macao,	,,	29.91	759.6	68	6	SE	4	c	,,	29.85	758.2	61	4	SE	4	o
Haihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.89	759.3	74	8	NE	6	c	6	29.86	758.5	70	8	NE	6	o
Hhubien,	15	29.83	757.8	77	8	SSE	4	bo	7	29.84	757.9	66	6	ESE	2	o
Tourane,	,,	29.82	757.4	74	8	E	2	b	,,	29.82	757.4	66	4	...	0	f
Cape St. James,	,,	29.80	756.9	77	6	E	4	b	,,	...	...	...	...	...	...	...
Basco,	14	29.87	758.8	76	6	NE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.83	757.8	79	4	ENE	4	o	,,	29.84	757.8	70	6	S	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	755.9	85	8	WSW	4	o	,,	29.79	756.6	72	4	...	0	bo
Legaspi,	,,	29.76	755.8	85	8	NNE	4	bo	,,	29.78	756.4	76	6	...	0	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Tacloban,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	86	8	NE	4	b	,,	29.73	755.0	76	4	NE	4	o
Cebu,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.72	755.0	83	8	N	2	b	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.79	756.6	73	...	ENE	2	c
Guam,	12.22	29.73	755.2	...	6	NE	4	bo	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	755.8	...	6	NE	2	p	5	29.75	755.5	78	...	NE	2	bc
Palau,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	76	...	NE	1	b
Saigon,	14	29.83	757.6	85	6	NE	6	bo	6	29.78	756.4	72	...	...	...	o

February 4*d.* 10*h.* 20*m.*—The anticyclone is central to the north of the Gulf of Pechili, moving E.N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, *against an average of 1.71 inches.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate to fresh; generally overcast.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	E. winds, fresh; generally overcast, some drizzle or mist.
D.—Hong Kong to Hainan Straits,	E. to S.E. winds, moderate; generally overcast, some rain.
E.—North China Sea,	N.E. winds, fresh; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th February, 1932.								5th February, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.10	764.5	...	...	N	1	...	5	30.06	763.5	..	...	ENE	1	...
Hokodate,	,,	30.00	762.0	...	...	ENE	1	...	,,	29.94	760.5	...	...	NE	1	...
Tokio,	,,	29.94	760.5	...	...	...	0	...	,,	29.92	760.0	.	...	NW	1	...
Kochi,	,,	30.06	763.5	...	...	...	0	...	,,	30.00	762.0	...	...	...	0	...
Nagasaki,	,,	30.08	764.0	...	...	N	1	...	,,	30.06	763.5	...	...	NNW	1	...
Kagoshima,	,,	30.04	763.0	...	...	...	0	...	,,	30.04	763.0	...	...	...	0	...
Oshima,	,,	30.02	762.5	...	...	N	1	...	,,	29.98	761.5	...	...	NNW	2	...
Naha,	,,	30.02	762.5	...	...	NE	2	...	,,	29.94	760.5	...	...	N	6	...
Ishigakijima,	,,	29.94	760.5	...	...	E	3	...	,,	29.96	761.0	...	...	NNE	4	...
Ponin Island,	,,	29.92	760.0	...	...	NNW	1	...	,,	29.92	760.0	...	...	...	0	...
Chefoo,	15	30 45	773.4	25	8	N	8	c	6	30.52	775.1	25	6	NW	8	bc
Shanghai,	14	30.30	769.6	40	6	N	2	c	,,	30.47	773.8	35	8	NW	2	c
Gutzlaff,	,,	30.31	769.9	40	4	N	4	d	,,	30.42	772.6	36	6	NNW	6	c
Wenchow,	,,	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Foochow,	,,	30.00	762.0	60	4	NNE	2	r	7	30.16	766.0	54	6	NE	4	r
Amoy,	,,	30.03	762.7	61	6	NE	2	c	6	30.09	764.3	50	6	NE	4	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	.	...	...
Taihoku,	11	29.97	761.2	67	...	...	0	r	5	30.12	765.0	52	...	E	2	c
Taichu,	,,	29.96	760.9	70	...	N	2	c	,,	29.97	761.2	54	...	N	4	c
Tainan,	,,	29.92	760.0	76	...	N	4	bc	,,	29.92	760.4	56	...	N	4	c
Koshun,	,,	29.90	759.4	79	...	ENE	2	c	,,	29.88	758.9	65	...	NE	6	c
Pescadores,	,,	29.96	760.9	65	...	NNE	6	c	,,	29.98	761.5	58	...	NE	6	c
Hong Kong,	14	29.89	759.2	61	4	NE	2	crm	6	30 05	763.2	54	6	N	2	c
Gap Rock,	,,	29.91	759.7	71	6	ENE	4	cr	,,	30.03	762.7	69	7	N	4	c
Macao,	,,	29.87	758.8	61	4	NNE	4	c	,,	30.02	762.5	50	4	N	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.3	76	8	ENE	4	c	6	29.93	760.3	70	8	NE	6	bc
Phulien,	15	29.81	757.2	70	8	ENE	2	bc	7	29.97	761.1	57	7	NE	5	c
Tourane,	,,	29.77	756.1	74	8	NE	2	bc	,,	29.87	758 6	70	5	N	1	c
Cape St. James,	,,	29.80	757.0	79	8	E	4	b	,,	29.85	758.2	72	6	E	3	d
Basco,	14	29.78	756.4	79	8	SE	4	c	6	29.84	757.8	68	4	NNE	4	c
Aparri,	,,	29.76	756.0	81	6	NE	4	bc	,,	29.81	757.1	72	6	...	0	c
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	70	1	...	0	c
Vigan,	,,	..	...	...	...	...	...	...	,,	29.80	757.0	83	4	...	0	bc
Manila,	,,	29.74	755.5	85	8	...	0	c	,,	29.82	757.4	72	4	...	0	c
Legaspi,	,,	29.74	755.4	86	8	NE	2	bc	,,	29.85	758.2	74	6	...	0	bc
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	70	8	N	2	bc
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.1	74	8	...	0	b
Iloilo,	,,	29.69	754.2	88	8	NE	6	c	,,	29.76	756.0	74	4	NE	4	c
Cebu,	,,	...	..	...	...	...	...	...	,,	29.79	756.6	76	6	...	0	b
Surigao,	...	29.74	755.5	81	8	ESE	2	c	,,	29.77	756.1	74	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.73	755.1	80	...	ENE	3	c
Guam,	12.22	29.72	754.8	...	6	NE	4	bc	4.22	29.78	756.4	...	6	E	2	b
Yap,	11.00	29.74	755.3	...	6	E	2	b	5	29.78	756.5	...	6	...	0	c
Palau,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	76	...	NNE	1	bc
Batavia,	14	29.82	757.4	86	6	SW	6	bc	6	29.90	759.4	72	1	S	...	b

February 5*d*. 10*h*. 45*m*.—The anticyclone has strengthened. It is central near Pekin.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.95 inch. Total since January 1st, 0.95 inches, against an average of 1.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6th.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, strong; overcast occasional rain.
B.—Turnabout to Hong Kong,	N.E. winds, strong; overcast, occasional rain.
C.—Hong Kong to Gap Rock,	N. winds, fresh; generally overcast, cold.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	6th February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.38	771.6	32	...	N	5	b	6	30.29	769.4	7	...	...	0	b
Nemuro,	11	30.06	763.5	...	...	NE	2	...	5	30.04	763.0	..	...	NNW	1	...
Hakodate,	,,	29.96	761.0	...	...	N	2	...	,,	30.02	762.5	...	...	NNE	1	...
Tokio,	,,	29.90	759.5	...	...	N	3	...	,,	30.02	762.5	..	...	NNW	1	...
Kochi,	,,	30.04	763.0	...	...	NW	1	...	,,	30.14	765.5	...	...	NNW	1	...
Nagasaki,	,,	30.10	764.5	...	...	NE	1	...	,,	30.24	768.0	...	...	ENE	1	...
Kagoshima,	,,	30.04	763.0	...	...	NW	1	...	,,	30.18	766.5	...	...	...	0	...
Oshima,	,,	30.00	762.0	...	...	N	2	...	,,	30.06	763.5	...	...	NNW	2	...
Naha,	,,	30.00	762.0	...	...	N	4	...	,,	30.08	764.0	...	...	NNW	4	...
Ishigakijima,	,,	30.08	764.0	...	...	NNE	2	...	,,	30.18	766.5	...	...	NNE	2	...
Bonin Island,	,,	29.90	759.5	...	...	SSW	1	...	,,	...	...	...	...	...	0	...
Chefoo,	15	30.50	774.6	29	8	NNW	4	be	6	30.47	773.9	29	6	NW	6	bo
Shanghai,	14	30.44	773.2	35	6	NW	4	o	,,	30.49	774.3	33	6	NNW	2	o
Gutzlaff,	,,	30.43	772.9	38	6	NNW	4	o	,,	30.47	773.9	35	6	NW	6	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.20	767.1	54	4	NE	2	o	7	30.28	769.1	50	6	ENE	4	o
Amoy,	,,	30.15	765.8	54	6	NNE	4	o	6	30.22	767.5	50	6	NE	4	o
Swatow,	,,	30.19	766.9	54	...	N	3	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.23	767.8	54	...	E	2	r	5	30.24	768.0	50	...	E	4	o
Tsiehu,	,,	30.06	763.6	54	...	N	4	o	,,	30.13	765.3	52	...	N	2	o
Tainan,	,,	30.03	762.7	58	...	NNE	4	o	,,	30.09	764.2	52	...	N	2	o
Koshun,	,,	30.01	762.3	67	...	NE	6	o	,,	30.08	764.0	63	...	ENE	6	b
Pescadores,	,,	30.10	764.5	58	...	NNE	6	r	,,	30.13	765.4	56	...	NNE	6	f
Hong Kong,	14	30.07	763.8	57	6	N	3	o	6	30.15	765.8	53	6	ENE	3	o
Gap Rock,	,,	30.05	763.2	69	8	N	4	o	,,	30.12	765.0	66	7	NE	5	o
Macau,	,,	30.06	763.4	54	4	NNE	4	o	,,	30.11	764.8	47	4	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.99	760.8	67	8	NE	6	o	6	30.08	764.0	63	8	NE	6	o
Phulien,	15	30.01	762.3	56	8	NE	2	o	7	30.11	764.8	50	2	NE	2	df
Tourane,	,,	29.86	758.4	72	8	E	4	c	,,	29.94	760.4	70	6	NW	3	f
Cape St. James,	,,	29.83	757.8	77	8	ENE	4	b	,,	29.88	758.8	73	6	ENE	4	bo
Baco,	14	29.90	759.4	70	6	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.86	758.4	74	4	NE	4	p	,,	29.99	761.6	72	4	ENE	4	z
Tuguegarao,	,,	29.79	756.7	83	4	NE	2	c	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	757.0	83	8	NNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	86	8	SW	4	b	,,	29.88	758.9	76	6	...	0	bc
Legaspi,	,,	29.76	755.8	86	8	NE	2	b	,,	29.85	758.2	77	6	NE	4	l
Calbayog,	,,	29.76	756.0	86	8	WSW	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.75	755.6	88	8	S	4	b	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.71	754.6	91	8	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.74	755.5	85	8	NE	4	c	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.5	83	8	N	4	b	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.6	72	...	SE	3	c
Guam,	12.22	29.78	756.3	...	6	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.5	...	6	ENE	4	c	5	29.80	757.0	...	6	...	0	c
Ualan,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	75	...	...	0	bc
Canton,	14	29.94	760.4	85	6	NW	4	bc	6	29.90	759.4	70	...	...	...	c

February 6*d.* 10*h.* 25*m.*—The anticyclone appears to be central over N.E. China and nearly stationary.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.95 inches, against an average of 1.83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, strong; generally overcast.
B.—Turnabout to Hong Kong,	N.E. winds, strong; generally overcast.
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally overcast, local rain.

W. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th February, 1932.									7th February, 1932.									
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer. at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)			
Wladivostock,	12	30.50	774.8	9	...	NW	1	b		6	30.36	771.2	co	...	NW	2	b		
Nemuro,	11	29.90	759.5	...	...	NW	1	...		5	29.75	755.5	..	...	WNW	1	...		
Hokodate,	,,	29.94	760.5	...	...	WNW	4	...		,,	29.94	760.5	...	...	NW	3	...		
Tokio,	,,	30.00	762.0	...	...	N	2	...		,,	30.04	763.0		...	NW	1	...		
Kochi,	,,	30.12	765.0	...	...	N	1	...		,,	30.18	766.5	...	...	WSW	1	...		
Nagasaki,	,,	30.24	768.0	...	...	NNE	1	...		,,	30.26	768.5	...	...	...	0	...		
Kagoshima,	,,	30.18	766.5	...	...	NNW	1	...		,,	30.22	767.5	...	...	NNW	1	...		
Oshima,	,,	30.12	765.0	...	...	NNE	2	...		,,	30.14	765.5	...	...	SSE	1	...		
Naha,	,,	30.14	765.5	...	...	N	3	...		,,	30.10	764.5	...	...	NNW	1	...		
Ishigakijima,	,,	30.20	767.0	...	...	NE	3	...		,,	30.12	765.0	...	...	NE	1	...		
Ponin Island,	,,	29.84	758.0	...	...	NNE	1	...		,,	29.96	761.0	...	...	NW	1	...		
Chefoo,	15	30.43	772.9	31	8	NW	6	b		6	30.35	770.9	29	6	NW	2	b		
Shanghai,	14	30.42	772.7	36	6	NW	4	o		,,	30.35	770.8	33	6	NNW	6	o		
Gutzlaff,	,,	30.44	773.2	38	6	NNW	4	o		,,	30.38	771.6	36	6	NNW	6	o		
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...		
Foochow,	,,	30.23	767.8	52	6	E	2	o		7	30.16	766.0	50	6	NNW	2	o		
Amoy,	,,	30.46	774.4	54	6	NE	2	o		6	30.21	767.3	50	6	ENE	4	o		
Swatow,	,,	30.24	768.0	56	...	NE	4	c		,,	...	...	...	...	...	...	...		
Taihoku,	11	30.28	769.0	58	...	ENE	4	o		5	30.13	765.4	54	...	E	4	bo		
Taichu,	,,	30.20	767.0	58	...	NNW	2	o		,,	30.07	763.8	54	...	...	0	o		
Tainan,	,,	30.17	766.2	65	...	N	2	o		,,	30.06	763.4	54	...	...	0	b		
Koshun,	,,	30.13	765.3	67	...	ENE	4	o		,,	30.06	763.4	61	...	ENE	4	b		
Pescadores,	,,	30.20	767.0	58	...	NNE	6	o		,,	30.06	763.6	61	...	NNE	4	o		
Hong Kong,	14	30.10	764.6	57	6	ENE	5	o		6	30.02	762.5	57	6	E	5	cd		
Gap Rock,	,,	30.09	764.3	65	7	ENE	5	o		,,	30.00	762.0	66	7	ENE	5	o		
Macao,	,,	30.07	763.9	54	4	NNE	4	o		,,	29.99	761.8	56	4	ESE	4	o		
Hoilow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...		
Lintao Island,	,,	30.04	763.0	68	8	NE	6	o		6	29.98	761.5	65	8	ENE	6	c		
Hualien,	15	30.07	763.7	54	7	...	0	o		7	29.96	761.0	54	5	NE	1	f		
Tourane,	,,	29.92	760.0	65	4	NW	4	r		,,	29.92	759.9	66	6	WNW	1	f		
Cape St. James,	,,	29.86	758.5	79	8	ENE	4	b		,,	29.89	759.3	73	4	ENE	5	o		
Pasco,	14	30.04	763.0	70	8	NE	4	bc		6	30.01	762.3	68	4	NE	2	o		
Aparri,	,,	29.97	761.2	76	4	ENE	4	o		,,	29.97	761.2	72	4	E	4	o		
Tuguegarao,	,,	...	...	...	...	...	...	...		,,	29.95	760.8	68	1	...	0	bc		
Vigan,	,,	...	...	...	...	...	...	...		,,	29.86	758.3	77	6	...	0	b		
Manila,	,,	29.84	757.9	85	8	W	2	bc		,,	29.89	759.3	70	4	...	0	b		
Iloilo,	,,	29.83	757.6	88	8	NNE	2	b		,,	29.88	758.8	77	6	NE	6	o		
Calbayog,	,,	...	...	...	...	...	...	...		,,	29.88	759.0	74	8	N	2	c		
Tacloban,	,,	...	...	...	...	...	...	...		,,	29.88	758.8	76	8	NE	2	o		
Iloilo,	,,	29.78	756.4	85	8	NE	6	o		,,	29.83	757.6	76	4	NE	4	o		
Cebu,	,,	...	...	...	...	...	...	...		,,	29.84	758.0	77	8	N	2	o		
Surigao,	...	29.80	757.0	81	8	NE	4	o		,,	...	...	...	...	...	...	...		
Saipan,	11.00	...	...	...	...	...	...	...		5	29.81	757.2	74	...	ESE	2	bc		
Guam,	12.22	29.77	756.1	...	6	E	4	b		4.22	...	...	...	...	...	...	...		
Yap,	11.00	29.76	755.9	...	6	ENE	4	b		5	29.83	757.6	...	6	NE	2	bo		
Pelew,	,,	...	...	...	...	...	...	...		,,	29.80	757.0	77	...	NE	2	bc		
Talaud,	14	29.95	760.7	86	6	N	4	bc		6	..	...	...	...	...	...	...		

February 7*d.* 10*h.* 45*m.*—The anticyclone central over N.E. China has weakened.

Hong Kong rainfall for the 24 hours ending at 10 a.m. 10-day, 0.01 inch. Total since January 1st, 0.96 inches, against an average of 1.89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, fresh to moderate; generally overcast.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; overcast, drizzle and mist.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan straits,	N.E. winds, fresh; generally overcast, local rain.
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th February, 1932.									8th February, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.34	770.5	10	...	N	5	b		6	30.52	775.1	−2	...	...	0	h	
Nemuro,	11	29.80	757.0	...	...	NNE	4	...		5	30.14	765.5	...	...	N	2	...	
Hokodate,	,,	29.92	760.0	...	...	WNW	4	...		,,	30.16	766.0	...	...	N	1	...	
Tokio,	,,	30.02	762.5	...	...	NW	3	...		,,	30.16	766.0	..	...	NNW	2	...	
Kochi,	,,	30.20	767.0	...	...	...	0	...		,,	30.24	768.0	...	...	SW	1	...	
Nagasaki,	,,	30.26	768.5	...	...	...	0	...		,,	30.22	767.5	...	...	...	...	...	
Kagoshima,	,,	30.22	767.5	...	...	NW	1	...		,,	30.20	767.0	...	...	...	0	...	
Oshima,	,,	30.16	766.0	...	...	E	1	...		,,	30.08	764.0	...	...	...	0	...	
Naha,	,,	30.12	765.0	...	...	ESE	1	...		,,	30.04	763.0	...	...	ESE	2	...	
Ishigakijima,	,,	30.16	766.0	...	...	NNW	1	...		,,	30.02	762.5	...	...	S	3	...	
Pauin Island,	,,	30.00	762.0	...	...	NNW	1	...		,,	30.12	765.0	...	...	...	0	...	
Chefoo,	15	30.31	770.0	35	8	NW	2	b		6	30.33	770.4	35	6	N	2	bo	
Shanghai,	14	30.30	769.6	38	6	NNE	4	s		,,	30.21	767.3	40	4	NE	2	r	
Gutzlaff,	,,	30.43	772.9	40	8	NNE	2	d		,,	30.22	767.6	43	4	E	4	d	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.07	763.8	52	6	S	4	r		7	30.02	762.5	52	6	N	4	r	
Amoy,	,,	30.12	765.0	56	6	NE	4	o		6	30.03	762.7	54	4	NE	2	r	
Swatow,	,,	30.09	764.3	58	...	NE	3	o		,,	...	...	...	...	...	...	...	
Tailoku,	11	30.11	764.8	68	...	E	2	c		5	30.00	761.9	58	...	...	0	o	
Taichu,	,,	30.10	764.6	68	...	...	0	b		,,	30.03	762.7	54	...	...	0	b	
Tainan,	,,	30.09	764.2	70	...	...	0	bc		,,	29.97	761.3	58	...	NNE	2	o	
Koshun,	,,	30.07	763.8	72	...	E	2	b		,,	29.97	761.2	67	...	E	2	b	
Pescadores,	,,	30.09	764.4	63	...	NNE	4	o		,,	29.98	761.4	65	...	NE	4	o	
Hong Kong,	14	29.96	761.0	56	6	E	5	od		6	29.94	760.5	60	4	E	4	od	
Gap Rock,	,,	29.94	760.5	66	6	ENE	5	od		,,	29.93	760.2	67	6	ENE	5	od	
Macao,	,,	29.92	760.0	59	4	ESE	4	o		,,	29.89	759.1	56	1	NNE	2	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.95	760.7	74	8	E	4	c		6	29.92	760.0	70	8	ESE	2	h	
Phulien,	15	29.89	759.2	61	8	NW	1	o		7	29.89	759.2	57	4	WNW	1	d	
Tourane,	,,	29.84	758.0	75	7	E	2	c		,,	29.88	758.9	72	4	W	1	f	
Cape St. James,	,,	29.86	758.4	77	6	ENE	5	bc		,,	29.91	759.6	73	6	E	4	bc	
Basco,	14	29.98	761.4	76	1	ESE	4	o		6	29.95	760.7	74	4	SE	2	o	
Aparri,	,,	29.93	760.2	77	4	E	4	o		,,	29.94	760.4	68	6	S	2	h	
Tuguegarao,	,,	29.87	758.8	83	4	...	0	bc		,,	29.95	760.7	65	1	...	0	bc	
Vigan,	,,	29.83	757.8	83	8	WNW	4	b		,,	29.88	758.8	74	6	...	0	b	
Manila,	,,	29.85	758.3	85	8	WSW	4	o		,,	29.93	760.3	68	6	NE	2	b	
Legaspi,	,,	29.85	758.2	86	8	ENE	4	b		,,	29.91	759.6	77	6	NE	2	b	
Calboyog,	,,	29.83	757.8	83	8	NNE	4	o		,,	29.92	760.0	74	8	...	0	o	
Tacloban,	,,	29.83	757.8	83	8	NE	6	bc		,,	29.90	759.5	76	6	NW	2	bc	
Iloilo,	,,	29.78	756.5	86	8	NE	6	o		,,	29.85	758.2	76	4	NE	4	o	
Cebu,	,,	29.81	757.1	85	8	NE	4	o		,,	29.88	758.8	77	8	...	0	o	
Surigao,	...	29.81	757.1	85	8	NE	4	bo		,,	29.85	758.2	77	4	E	4	d	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.78	756.4	...	6	E	4	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.76	755.8	...	6	NE	4	bo		5	29.80	757.0	...	6	NE	4	bo	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.94	760.4	85	6	SW	2	b		6	29.90	759.4	76	...	NE	...	r	

February 8*d*. 10*h*. 28*m*.—The anticyclone has strengthened. It is now central N.W. of Wladivostock, moving N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 0.97 inches, *against an average of 1.94 inches.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9th.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate; generally overcast, rain.
B.—Turnabout to Hong Kong,	E. winds, fresh; generally overcast, drizzle and mist.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. and S.E. winds, fresh; fine to cloudy, local rain.

T. F. CLAXTON. *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th February, 1932.								9th February, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.51	775.0	10	...	N	2	b	6	30.52	775.2	1	...	...	0	b
Nemuro,	11	30.18	766.5	...	...	NNW	3	...	5	30.16	766.0	..	...	NNW	1	...
Hokodate,	,,	30.18	766.5	...	...	NNW	1	...	,,	30.16	766.0	...	...	N	1	...
Tokio,	,,	30.16	766.0	...	...	N	3	...	,,	30.20	767.0	..	...	NNW	1	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.16	766.0	...	...	...	0	...
Nagasaki,	,,	30.22	767.5	...	...	E	2	...	,,	30.12	765.0	...	...	NNE	1	...
Kagoshima,	,,	30.20	767.0	...	...	ENE	1	...	,,	30.00	762.0	...	...	ENE	3	...
Oshima,	,,	30.06	763.5	...	...	S	1	...	,,	29.90	759.5	...	...	SE	1	...
Naha,	,,	30.06	763.5	...	...	SSE	2	...	,,	29.90	759.5	...	...	S	3	...
Ishigakijima,	,,	30.02	762.5	...	...	S	2	...	,,	29.90	759.5	...	...	ENE	1	...
Formosa Island,	,,	30.12	765.0	...	...	N	1	...	,,	30.12	765.0	...	...	...	0	...
Chefoo,	15	30.35	770.9	36	8	N	4	c	6	30.38	771.6	29	6	N	4	o
Shanghai,	14	30.19	766.9	43	4	NNE	2	r	,,	30.29	769.3	36	4	NNW	2	o
Sutzlaff,	,,	30.25	768.3	43	4	N	4	m	,,	30.29	769.3	40	1	NNW	6	d
Amoychow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.02	762.5	56	6	N	2	r	7	30.06	763.5	54	6	NE	2	r
Amoy,	,,	30.04	763.0	58	6	NE	4	o	6	30.03	762.7	54	4	NE	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Laiboku,	11	30.05	763.3	59	...	NW	4	o	5	30.04	763.1	59	...	ENE	2	r
Faichu,	,,	30.02	762.6	67	...	NW	2	o	,,	30.00	762.0	58	...	N	4	o
Fainan,	,,	29.98	761.6	79	...	...	0	b	,,	29.95	760.6	63	...	NNW	4	r
Yoshan,	,,	29.99	761.8	79	...	E	2	b	,,	29.92	760.0	68	...	...	0	c
Pescadores,	,,	30.02	762.4	67	...	NE	4	b	,,	29.99	761.6	56	...	NNE	6	r
Hong Kong,	14	29.91	759.7	62	4	E	2	cm	6	30.02	762.5	49	7	NE	3	bc
Gap Rock,	,,	29.91	759.7	68	4	NE	4	f	,,	30.01	762.2	67	7	NNW	5	o
Macao,	,,	29.89	759.3	56	1	NNW	2	...	,,	30.02	762.5	45	4	N	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.7	79	6	S	2	b	6	29.96	761.0	67	8	NNE	6	o
Phulien,	15	29.93	760.2	59	1	NNE	2	o	7	30.16	766.1	48	5	NNE	3	r
Tourane,	,,	29.80	757.0	77	8	SSE	2	b	,,	29.95	760.7	72	5	NNW	5	c
Cape St. James,	,,	29.90	759.5	81	8	ENE	4	b	,,	29.94	760.5	73	6	ENE	1	c
Basco,	14	29.91	759.7	79	8	SE	4	b	6	29.91	759.7	74	4	SE	2	bc
Aparri,	,,	29.90	759.4	83	6	NE	4	b	,,	29.92	760.0	70	6	S	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.90	759.5	70	6	...	0	b
Manila,	,,	29.89	759.1	86	8	NW	4	bc	,,	29.92	760.0	68	4	...	0	b
Legaspi,	,,	29.87	758.6	88	8	NE	4	b	,,	29.89	759.3	76	6	...	0	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.90	759.4	68	8	NE	2	bc
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.90	759.4	74	6	NW	4	bc
Iloilo,	,,	29.82	757.3	86	8	NE	4	o	,,	29.86	758.4	72	4	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.87	758.6	76	8	NNE	2	b
Surigao,	...	29.83	757.6	83	8	NNE	4	o	,,	29.85	758.2	77	6	N	4	o
Saipan	11.00	...	...	...	...	...	...	...	5	29.86	758.4	73	...	E	3	r
Guam,	12.22	29.77	756.1	...	6	NE	6	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	753.3	...	8	NE	4	c	5	29.76	756.0	...	6	NE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.79	756.7	77	...	NE	2	r
Menado,	14	29.94	760.6	86	6	SW	1/6	bc	6	29.90	759.4	72	6	...	0	c

February 9*d.* 10*h.* 55*m.*—The anticyclone is central to the north of Wladivostock, moving East. Another is forming over China.

A depression has formed to the East of the Loochoos.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.74 inch. Total since January 1st, 1.71 inches, against an average of 1.99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, strong; overcast, rain.
B.—Turnabout to Hong Kong,	N.E. winds, strong; overcast, rain.
C.—Hong Kong to Gap Rock,	N. winds, strong; overcast at first, finer later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N. and N.E. winds, fresh; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	10th February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.44	773.3	16	...	N	5	b	6	30.27	768.8	3	...	....	0	h
Nemuro,	11	30.12	765.0	...	...	N	1	...	5	30.02	762.5	..	...	NNW	1	...
Hokodate,	,,	30.14	765.5	...	...	WNW	4	...	,,	30.12	765.0	...	...	...	0	...
Tokio,	,,	30.14	765.5	...	...	N	1	...	,,	30.08	764.0	..	...	N	1	...
Kochi,	,,	30.08	764.0	...	...	...	0	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	30.02	762.5	...	...	NE	1	...	,,	29.98	761.5	...	...	NE	3	...
Kagoshima,	,,	29.96	761.0	...	...	NE	2	...	,,	29.90	759.5	...	...	NE	1	...
Oshima,	,,	29.88	759.0	...	...	...	0	...	,,	29.86	758.5	...	...	NNW	2	...
Naha,	,,	29.90	759.5	...	...	S	4	...	,,	29.96	761.0	...	...	NW	4	...
Ishigakijima,	,,	29.96	761.0	...	...	N	3	...	,,	30.04	763.0	...	...	N	1	...
Formosa Island,	,,	30.06	763.5	...	...	...	0	...	,,	29.90	759.5	...	...	WSW	1	...
Chefoo,	15	30.33	770.3	29	8	NW	6	o	6	30.24	768.1	29	4	WNW	2	bc
Shanghai,	14	30.25	768.3	40	6	NW	2	o	,,	30.30	769.6	31	6	NW	2	c
Gutzlaff,	,,	30.28	769.1	40	6	NW	6	o	,,	30.25	768.3	33	6	NNW	6	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.07	763.8	56	6	E	4	r	7	30.14	765.5	62	6	N	2	d
Amoy,	,,	30.07	763.8	56	6	SE	2	r	6	30.13	765.3	49	4	NE	2	o
Swatow,	,,	30.16	766.1	50	...	NW	3	o	..	...	...	...	...	...	..	...
Turnabout,	11	30.09	764.3	56	...	...	0	1	5	30.14	765.5	50	...	...	0	o
Tairchu,	,,	30.05	763.2	56	...	N	2	o	,,	30.06	763.6	52	...	N	4	o
Tainan,	,,	30.01	762.3	67	...	NNW	4	o	,,	30.02	762.6	54	...	N	4	b
Koshun,	,,	29.95	760.8	81	...	...	0	bc	,,	29.99	761.8	63	...	...	0	b
Pescadores,	,,	30.04	763.0	61	...	NNE	6	b	,,	30.08	763.9	56	...	NNE	6	o
Hong Kong,	14	30.08	764.0	50	6	NW	2	od	6	30.13	765.3	46	7	N	1	o
Gap Rock,	,,	30.05	763.2	65	7	NNW	6	o	,,	30.11	764.8	66	7	NNW	5	o
Macao,	,,	30.08	764.0	41	4	N	4	d	,,	30.07	763.8	41	4	N	4	o
Hoihow,	,,	...	...	...	...	...	...	...	....	...	...	...	...	...	...	...
Pratas Island,	,,	29.97	761.2	68	8	NE	6	o	6	30.05	763.3	63	8	N	6	o
Phulien,	15	30.16	766.1	50	8	NNW	1	o	7	30.23	767.8	50	6	NNE	2	o
Tourane,	,,	29.97	761.2	70	8	NNW	6	e	,,	30.06	763.6	61	8	NNW	6	o
Cape St. James,	,,	29.89	759.2	86	7	S	1	bc	6	29.95	760.6	74	6	ENE	4	d
Basco,	14	29.87	758.8	83	8	WSW	2	h	6	29.93	760.3	70	1	NNE	2	o
Aparri,	,,	29.86	758.5	83	6	NE	4	o	,,	29.91	759.8	74	4	N	4	bc
Tuguegarao,	,,	29.83	757.6	88	8	...	0	h	,,	29.91	759.6	70	1	...	0	o
Vigan,	,,	29.85	758.2	83	8	WNW	4	h	,,	29.88	759.0	74	6	N	4	bc
Manila,	,,	29.86	758 4	86	8	SSW	2	bc	,,	29.91	759.6	67	4	..	0	h
Lerumpi,	,,	29.84	757.9	88	8	NE	2	bc	,,	29.88	758.8	72	6	...	0	h
Calloyog,	,,	29.85	758.2	81	8	NNE	4	bc	,,	29.88	758.8	94	8	N	2	bc
Tacloban,	,,	29.82	757.4	86	8	...	0	bc	,,	29.86	758.5	76	8	NW	2	h
Iloilo,	,,	29.80	757.0	86	8	NE	4	o	,,	29.83	757.6	74	4	N	4	o
Cebu,	,,	29.82	757.3	85	8	NE	4	o	,,	29.84	757.8	76	8	NE	2	o
Surigao,	...	29.83	757.6	83	8	N	2	b	,,	29.83	757.6	72	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.84	757.9	74	...	ESE	4	...
Guam,	12.22	29.79	756.7	...	6	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	755.8	...	6	ENE	6	bc	5	29.75	755.7	79	...	ESE	3	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.74	755.3	78	...	N	2	r
Labuan,	14	29.94	760.6	76	6	SW	6	bc	6	29.90	759.4	74	1	SW	6	bc

February 10*d*. 10*h*. 55*m*.—The northern portion of the anticyclone has moved eastward, leaving a separate anticyclone over China.

The depression is about 200 miles south of Kobe, moving N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inch. Total since January 1st, 1.75 inches, against an average of 2.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, strong; generally overcast, local rain.
B.—Turnabout to Hong Kong,	N.E. winds, strong; generally overcast.
C.—Hong Kong to Gap Rock,	N. winds, fresh; generally cloudy.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th FEBRUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	11th FEBRUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.45	773.4	16	...	N	5	b	6	30.20	767.0	14	...	...	0	f
Nagasaki,	11	29.98	761.5	...	...	NW	2	...	5	30.12	765.0	...	...	...	...	...
Fukuoka,	,,	30.10	764.5	...	...	WNW	3	...	,,	30.16	766.0	...	...	...	0	...
Tokio,	,,	30.08	764.0	...	...	NE	1	...	,,	30.20	767.0	..	...	NNW	1	...
Kochi,	,,	29.98	761.5	...	...	N	1	...	,,	30.06	763.5	...	...	...	0	...
Nagasaki,	,,	29.98	761.5	...	...	NNE	1	...	,,	30.14	763.5	...	...	NNE	1	...
Kagoshima,	,,	29.92	760.0	...	...	NE	3	...	,,	30.06	763.5	...	...	NNW	1	...
Oshima,	,,	29.92	760.0	...	...	N	2	...	,,	29.98	761.5	...	...	NW	5	...
Naha,	,,	30.02	762.5	...	...	WNW	4	...	,,	30.16	766.0	...	...	NW	5	...
Ishigakijima,	,,	30.08	764.0	...	...	N	1	...	,,	30.20	767.0	...	...	N	1	...
Formosa Island,	,,	29.86	758.5	...	...	SW	3	...	,,	...	...	...	...	...	...	...
Chefoo,	15	30.22	767.5	33	8	NW	4	bc	6	30.30	769.6	25	6	W	2	b
Shanghai,	14	30.28	769.0	41	6	WNW	4	bc	,,	30.40	772.1	25	6	WNW	2	b
Gutzlaff,	,,	30.28	769.0	36	6	NNW	...	c	,,	30.44	773.2	31	6	NW	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.12	765.0	52	6	E	2	o	7	...	...	...	...	...	...	...
Amoy,	,,	30.17	766.3	50	6	S	2	o	6	30.27	768.8	45	6	NE	4	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tailoko,	11	30.18	766.5	50	...	...	0	o	5	30.29	769.3	47	...	ESE	2	bc
Taichu,	,,	30.14	765.5	56	...	NNW	2	o	,,	30.22	767.6	45	...	...	0	b
Tainan,	,,	30.09	764.4	59	...	NNE	4	o	,,	30.16	766.1	47	...	N	2	b
Koshun,	,,	30.04	763.0	67	...	NNW	2	d	,,	30.12	764.9	61	...	NE	4	b
Pescadores,	,,	30.13	765.3	58	...	NNE	4	o	,,	30.19	766.8	54	...	NNE	4	b
Hong Kong,	14	30.13	765.3	54	6	W	1	o	6	30.20	767.0	50	7	N	2	bc
Gap Rock,	,,	30.15	765.8	67	8	NNW	5	o	,,	30.19	766.8	62	8	NE	4	o
Macao,	,,	30.13	765.3	50	4	NNE	4	c	,,	30.17	766.3	45	4	NNE	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.04	763.1	72	8	N	4	c	6	30.12	765.0	65	8	NE	6	o
Phulien,	15	30.14	765.6	59	8	...	0	c	7	30.15	765 9	50	5	ENE	5	o
Tourane,	,,	30.03	762.8	63	8	NNW	6	c	,,	30.08	763.9	64	6	NW	2	o
Cape St. James,	,,	29.91	759.6	79	6	E	4	b	,,	29.93	760.3	...	...	ENE	5	bc
Basco,	14	29.90	759.5	76	6	NNE	4	o	6	30.05	763.3	68	4	NE	4	o
Aparri,	,,	29.90	759.5	74	4	...	0	o	,,	30.01	762.1	74	4	NNE	4	o
Tuguegarao,	,,	29.85	758.3	79	1	N	2	o	,,	29.99	761.8	72	1	...	0	o
Vigan,	,,	29.83	757.7	83	8	NNW	2	o	,,	29.95	760.6	68	6	N	2	bc
Manila,	,,	29.85	758.2	86	8	SW	4	bc	,,	29.95	760.6	68	4	...	0	bc
Legaspi,	,,	29.81	757.2	88	8	NE	2	b	,,	29.93	760.1	77	6	NE	2	bc
Calbayog,	,,	29.82	757.4	86	8	NNE	4	bc	,,	29.91	759.8	74	8	NNE	4	o
Tacloban,	,,	29.81	757.2	86	8	NW	4	bc	,,	29.90	759.5	76	8	N	4	b
Iloilo,	,,	29.78	756.4	85	8	NE	4	o	,,	29.89	759.1	74	4	NE	4	o
Cebu,	,,	29.79	756.7	85	8	SW	4	bc	,,	29.89	759.3	77	6	N	2	o
Surigao,	...	29.79	756.7	81	8	N	4	o	,,	29.86	758.5	76	4	NE	4	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.90	759.5	74	...	ESE	3	c
Guam,	12.22	29.81	757.1	...	6	E	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	6	E	4	c	5	29.86	758.3	...	6	ENE	2	r
Pelew,	,,	...	...	...	...	...	...	...	,,	29.78	756.5	78	...	S	2	c
Labuan,	14	29.95	760.8	77	6	N	...	c	6	29.90	759.4	70	1	E	4	b

February 11*d.* 10*h.* 33*m.*—The anticyclone is now central near Shanghai, moving East.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.75 inches, against an average of 2.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Variable winds, moderate to light; fine to cloudy,
B.—Turnabout to Hong Kong,	N.E. winds, fresh; generally cloudy.
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th February, 1932.								12th February, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.13	765.2	30	...	N	1	b	6	30.27	768.9	16	...	...	c	1
Nemuro,	11	30.08	764.0	...	...	WNW	1	...	5	30.16	766.0	...	...	...	0	...
Dokodate,	,,	30.16	766.0	...	...	W	1	...	,,	30.22	767.5	...	...	WNW	2	...
Tokio,	,,	30.16	766.0	...	...	NNE	1	...	,,	30.26	768.5	..	...	NE	1	...
Kochi,	,,	30.20	767.0	...	...	...	...	...	,,	30.34	770.5	...	...	WSW	1	...
Nagasaki,	,,	30.22	767.5	...	...	N	1	...	,,	30.34	770.5	...	...	...	...	...
Kagoshima,	,,	30.16	766.0	...	...	NNW	2	...	,,	30.34	770.5	...	...	NW	1	...
Oshima,	,,	30.14	765.5	...	...	N	4	...	,,	30.26	768.5	...	...	SSE	1	...
Naha,	,,	30.20	767.0	...	...	NW	5	...	,,	30.26	768.5	...	...	NE	1	...
Ishigakijima,	,,	30.31	770.0	...	...	NNE	2	...	,,	30.26	768.5	...	...	NNE	1	...
Pouin Island,	,,	29.92	760.0	...	...	ESE	1	...	,,	30.00	762.0	...	...	W	3	...
Chefoo,	15	30.26	768.7	38	8	ENE	4	b	6	30.27	768.8	36	6	SSW	2	bc
Shanghai,	14	30.35	771.0	47	8	ESE	2	b	,,	30.30	769.6	41	6	S	2	c
Gutzlaff,	,,	30.45	773.4	41	4	...	0	m	,,	30.38	771.6	41	6	S	4	a
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.23	767.8	68	8	E	2	b	7	30.22	767.6	52	8	NW	2	b
Amoy,	,,	30.26	768.6	56	6	E	2	bc	6	30.25	768.3	52	6	NE	2	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.30	769.6	58	...	NE	2	bc	5	30.22	767.6	50	...	SE	2	b
Taichu,	,,	30.22	767.6	63	...	...	0	b	,,	30.24	768.1	47	...	...	0	b
Tainan,	,,	30.20	767.2	65	...	N	2	b	,,	30.19	766.8	52	...	NNE	2	b
Koshun,	,,	30.17	766.2	67	...	NE	6	b	,,	30.18	766.6	61	...	ESE	4	b
Pescadores,	,,	30.22	767.6	61	...	NE	6	b	,,	30.21	767.2	58	...	NNE	4	b
Hong Kong,	14	30.17	765.3	57	7	E	5	bc	6	30.19	766.8	57	6	E	3	a
Gap Rock,	,,	30.15	765.8	64	8	ENE	5	c	,,	30.18	766.6	65	8	ENE	5	a
Macao,	,,	30.15	765.8	58	4	NE	2	c	,,	30.15	765.7	50	4	N	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.11	764.8	70	8	NE	4	c	6	30.12	765.0	70	8	E	6	b
Phulien,	15	30.09	764.4	58	8	ENE	2	o	7	30.13	765.4	55	1	NNE	1	df
Tourane,	,,	30.01	762.3	65	8	NW	2	o	,,	30.09	764.2	66	8	NW	1	c
Cape St. James,	,,	29.89	759.3	79	6	E	6	b	,,	29.95	760.8	73	5	E	5	bc
Basco,	14	30.06	763.6	68	6	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	30.00	762.1	76	4	NE	4	o	,,	30.06	763.6	72	4	ENE	4	o
Tuguegurao,	,,	29.95	760.8	79	4	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.89	759.3	83	8	WNW	2	c	,,	...	...	...	...	...	...	...
Manila,	,,	29.91	759.8	85	8	W	2	o	,,	29.97	761.2	76	4	...	0	b
Legaspi,	,,	29.89	759.1	85	8	NNE	4	o	,,	29.91	759.8	79	6	NNE	4	o
Calbayog,	,,	29.89	759.1	85	8	N	4	c	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.87	758.6	83	8	N	6	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.82	757.4	85	8	NE	4	o	,,	29.86	758.5	76	4	NE	4	o
Cebu,	,,	29.83	757.7	86	8	N	4	o	,,	...	...	...	...	...	...	...
Surigao,	....	29.83	757.6	77	6	N	4	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.86	758.4	...	6	ENE	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.83	757.6	...	6	ENE	4	c	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lalunn,	14	29.95	760.7	83	6	N	6	bc	6	29.90	759.4	72	1	NE	4	bc

February 12*d.* 10*h.* 4*cm.*—The anticyclone is central over S.E. Korea, moving E.N.E. Another is forming over S.E. Mongolia.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.75 inches, against an average of 2.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Variable winds, moderate to light; fine to cloudy.
B.—*Turnabout to Hong Kong*,	N.E. winds, fresh; generally cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—*North China Sea*,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force, (Beaufort.)	Weather. (Beaufort.)	13th February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force, (Beaufort.)	Weather. (Beaufort.)
Vladivostock, .	12	30.20	767.2	30	...	W	1	o	6	30.18	766.6	21	...	...	c	h
Nemuro,	11	30.18	766.5	...	...	NNW	1	...	5	30.12	765.0	..	...	SSW	1	...
Hakodate,	,,	30.24	768.0	...	...	WSW	1	...	,,	30.06	763.5	...	...	NNW	1	...
Tokio,	,,	30.28	769.0	...	...	NE	1	...	,,	30.20	767.0		...	...	o	...
Kochi,	,,	30.30	769.5	...	...	...	o	...	,,	30.28	769.0	...	...	...	o	...
Nagasaki,	,,	30.35	771.0	...	...	WNW	1	...	,,	30.24	768.0	...	...	WNW	1	...
Kagoshima,	,,	30.33	770.5	...	...	ESE	1	...	,,	30.26	768.5	...	...	...	o	...
Oshima,	,,	30.28	769.0	...	...	ESE	1	...	,,	30.26	768.5	...	...	...	o	...
Naha,	,,	30.26	768.5	...	...	NE	1	...	,,	30.22	767.5	...	...	ENE	1	...
Ishigakijima,	,,	30.24	768.0	...	...	ESE	1	...	,,	30.18	766.5	...	...	E	1	...
Formosa,	,,	30.04	763.0	...	...	N	2	...	,,	30.18	766.5	...	...	NE	1	...
Chefoo,	15	30.23	767.8	36	6	NW	6	bc	6	30.40	772.1	25	6	WNW	2	b
Shanghai,	14	30.33	770.3	49	6	NW	2	c	,,	30.37	771.4	40	4	NNE	2	c
Gutzlaff,	,,	30.37	771.4	47	4	...	o	m	,,	30.40	772.2	41	4	NNE	2	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.14	765.5	58	6	...	o	b	7	30.19	766.8	54	6	...	o	o
Amoy,	,,	30.25	768.3	61	6	E	4	b	6	30.21	767.3	56	6	W	2	b
Swatow,	,,	30.27	768.9	59	...	NE	3	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.26	768.6	68	...	W	2	b	5	30.17	766.2	49	...	...	o	b
Taichu,	,,	30.26	768.6	65	...	NNW	4	b	,,	30.19	766.8	49	...	...	o	b
Tainan,	,,	30.23	767.8	72	...	N	4	b	,,	30.16	766.0	52	...	N	2	b
Koshun,	,,	30.20	767.2	72	...	ENE	4	b	,,	30.12	765.0	67	...	NE	2	b
Pescadores,	,,	30.25	768.3	63	...	NNE	4	bc	,,	30.16	766.0	59	...	N	4	b
Hong Kong,	14	30.12	765.1	62	8	E	5	b	6	30.11	764.8	61	6	E	3	bc
Gap Rock,	,,	30.12	765.1	65	8	E	5	b	,,	30.10	764.5	68	8	ENE	4	o
Macao,	,,	30.11	764.8	67	6	SE	2	b	,,	30.08	764.0	59	4	...	o	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.10	764.6	76	8	ENE	4	c	6	30.11	764.8	70	8	ENE	4	b
Phulien,	15	30.07	763.7	58	6	NW	4	o	7	30.09	764.2	59	3	ENE	2	d
Tourane,	,,	30.02	762.5	74	8	SE	2	bc	,,	30.05	763.2	68	6		o	o
Cape St. James,	,,	29.94	760.4	79	6	ENE	6	bc	,,	29.98	761.5	72	7	ENE	4	b
Basco,	14	30.08	764.0	72	6	NE	4	o	6	30.07	763.7	72	4	NE	2	o
Aparri,	,,	30.04	763.0	76	4	ENE	4	o	,,	30.03	763.1	70	4	...	o	o
Tuguegarao,	,,	29.98	761.4	81	1	N	2	o	,,	30.03	762.8	68	6	...	o	o
Vigan,	,,	29.90	759.4	85	8	NW	4	bc	,,	29.95	760.6	72	6	...	o	bc
Manila,	,,	29.96	760.9	79	6	E	2	d	,,	29.97	761.2	72	4	...	o	o
Legaspi,	,,	29.91	759.6	77	6	NE	2	o	,,	29.93	760.1	77	6	NNE	4	o
Calbayog,	,,	29.91	759.6	76	8	N	2	m	,,	29.93	760.1	76	8	NNE	4	o
Tacloban,	,,	29.89	759.3	76	4	NE	2	d	,,	29.91	759.6	76	6	...	o	c
Iloilo,	,,	29.84	758.0	79	8	NE	4	o	,,	29.85	758.2	76	4	NE	4	o
Cebu,	,,	29.86	758.5	76	8	N	4	d	,,	29.85	758.2	77	6	NNE	4	o
Surigao,	...	29.83	757.6	81	6	NE	4	o	,,	29.90	759.4	76	4	E	4	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.94	760.3	72	...	NE	2	c
Guam,	12.22	29.87	758.8	...	6	NE	6	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.9	...	6	ENE	4	bc	5	29.91	759.8	...	6	NE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.91	759.8	77	...	ENE	1	c
Labuan,	14	29.95	760.7	81	6	N	6	bc	6	29.90	759.5	74	1	N	8	c

February 13*d.* 10*h.* 46*m.*—The anticyclone has passed into the Pacific, The new one is now central over N.E. China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.75 inches, against an average of 2.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	Light, N.E. winds, freshening ; generally overcast, local rain.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, moderate to fresh ; generally overcast, drizzle or mist later.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	N.E. winds, moderate to fresh ; fine to cloudy, local rain.

T. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th FEBRUARY, 1932.									14th FEBRUARY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Nemuro,	11	30.02	762.5	...	...	W	2	...		5	...	...	...	...	...	...	...	
Dokodate,	,,	29.94	760.5	...	...	WSW	1	...		,,	30.22	767.5	...	...	WNW	2	...	
Tokio,	,,	30.06	763.5	...	...	...	0	...		,,	30.20	767.0	...	...	...	0	...	
Kochi,	,,	30.22	767.5	...	...	...	...	...		,,	30.14	765.5	...	...	...	0	...	
Nagasaki,	,,	30.26	768.5	...	...	N	1	...		,,	30.20	767.0	...	...	...	...	...	
Kagoshima,	,,	30.22	767.5	...	...	ESE	1	...		,,	30.14	765.5	...	...	NW	1	...	
Oshima,	,,	30.24	768.0	...	...	SE	1	...		,,	30.06	763.5	...	...	S	1	...	
Naha,	,,	30.22	767.5	...	...	E	2	...		,,	30.08	764.0	...	...	SSE	1	...	
Ishigakijima,	,,	30.18	766.5	...	...	SE	2	...		,,	30.12	765.0	...	...	W	1	...	
Ponin Island,	,,	30.14	765.5	...	...	ENE	1	...		,,	30.18	766.5	...	...	...	0	...	
Chefoo,	15	30.37	771.3	36	8	NNW	2	bo		6	30.32	770.2	29	6	WSW	2	b	
Shanghai,	14	30.35	771.0	36	4	N	2	s		,,	30.37	771.4	33	6	NW	2	b	
Gutzlaff,	,,	30.38	771.6	40	4	NNE	4	d		,,	30.43	772.9	38	6	N	4	b	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.10	764.5	56	4	ENE	2	of		7	30.20	767.1	54	6	E	4	o	
Amoy,	,,	30.15	765.8	59	4	SSE	4	bc		6	30.14	765.5	54	6	ENE	2	r	
Swatow,	,,	30.17	766.4	63	...	E	3	b		,,	...	...	...	...	...	...	...	
Taiwan,	11	30.17	766.3	67	...	W	2	b		5	30.17	766.3	59	...	...	0	o	
Taichu,	,,	30.19	766.8	70	...	...	0	b		,,	30.14	765.5	56	...	...	0	b	
Tainan,	,,	30.16	766.1	70	...	E	...	bc		,,	30.09	764.2	58	...	N	4	bc	
Koshun,	,,	30.13	765.3	74	...	ENE	4	c		,,	30.06	763.6	67	...	...	0	bc	
Pescadores,	,,	30.18	766.6	67	...	NE	4	b		,,	30.12	764.9	61	...	NNE	4	c	
Hong Kong,	14	30.04	763.0	66	7	N	3	bc		6	30.10	764.5	61	6	*ESE*	2	o	
Gap Rock,	,,	30.05	763.2	69	7	NE	4	c		,,	30.08	764.0	69	7	ENE	4	o	
Macao,	,,	30.03	763.7	70	4	SSE	2	o		,,	30.06	763.4	56	4	NNW	2	o	
Hoihow,	,,	...	...	...	...	...	...	...		...	...	...	...	...	...	...	...	
Pratas Island,	,,	30.06	763.4	79	8	E	4	b		6	30.07	763.7	70	8	NE	4	c	
Phulien,	15	30.00	762.0	65	6	NNW	2	o		7	30.08	763.9	59	...	ENE	4	d	
Tourane,	,,	29.99	761.8	74	8	SE	2	b		,,	30.01	762.1	70	6	S	1	f	
Cape St. James,	,,	29.91	759.7	77	6	ENE	6	b		,,	29.95	760.8	73	6	ENE	3	bc	
Hasco,	14	29.99	761.8	79	8	SE	4	bc		6	30.01	762.1	72	4	...	0	b	
Aparri,	,,	29.96	761.0	79	6	E	4	b		,,	29.98	761.5	70	6	.	0	o	
Tuguegarao,	,,	29.91	759.7	86	6	...	0	bc		,,	29.97	761.2	70	1	...	0	o	
Vigan,	,,	29.89	759.3	83	8	W	4	b		,,	29.93	760.1	70	6	...	0	b	
Manila,	,,	29.91	759.8	83	6	E	4	o		,,	29.95	760.7	68	4	...	0	b	
Legaspi,	,,	29.87	758.8	81	6	NE	4	o		,,	29.95	760.6	77	6	NE	2	o	
Calbayog,	,,	29.87	758.8	79	8	NE	2	o		,,	29.91	759.8	76	8	NNE	2	o	
Tacloban,	,,	29.86	758.4	83	6	E	4	d		,,	29.90	759.5	76	4	N	2	d	
Iloilo,	,,	29.83	757.6	83	8	NE	4	o		,,	29.86	758.5	76	4	N	4	o	
Cuyo,	,,	29.84	757.9	83	8	..	0	o		,,	29.89	759.3	76	6	...	0	d	
Surigao,	...	29.83	757.6	81	6	SE	2	o		,,	29.88	758.8	76	6	...	0	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.91	759.7	71	...	NNE	3	r	
Guam,	12.22	29.86	758.4	...	6	NNE	4	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.83	757.8	...	6	NE	2	bc		5	29.87	758.7	77	...	NNE	1	c	
Pelew,	,,	...	...	...	...	...	...	...		,,	29.87	758.7	77	...	NNE	1	bc	
Labuan,	14	29.95	760.7	83	6	N	...	c		6	29.90	759.5	70	1	ENE	...	c	

February 14*d.* 10*h.* 57*m.*—The northern portion of the anticyclone has moved eastward, leaving a separate anticyclone over China.

A depression has formed to the S.E. of the Loochoos.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 1.77 inches, against an average of 2.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate to fresh; generally fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate to fresh; generally overcast, with drizzle or mist at first, finer later.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—*North China Sea*,	N.E. winds, moderate to fresh; fine to cloudy, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	15th February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.26	768.7	32	...	...	0	b	6	30.29	769.3	14	...	N	3	o
Nemuro,	11	30.16	766.0	...	...	NNE	1	...	5	30.30	769.5	..	...	E	1	...
Hakodate,	,,	30.24	768.0	...	...	NW	1	...	,,	30.26	768.5	...	...	N	1	...
Tokio,	,,	30.20	767.0	...	...	NNW	1	...	,,	30.22	767.3	..	...	NW	1	...
Kochi,	,,	30.14	765.5	...	...	...	0	...	,,	30.10	764.5	...	...	...	0	...
Nagasaki,	,,	30.20	767.0	...	...	N	1	...	,,	30.12	765.0	...	...	...	0	...
Kagoshima,	,,	30.14	765.5	...	...	N	1	...	,,	30.10	764.5	...	...	...	0	...
Oshima,	,,	30.06	763.5	...	...	SW	1	...	,,	30.08	764.0	...	...	SSE	1	...
Naha,	,,	30.12	765.0	...	...	N	3	...	,,	30.10	764.5	...	...	NE	1	...
Ishigakijima,	,,	30.14	765.5	...	...	NE	3	...	,,	30.08	764.0	...	...	ENE	1	...
Pomin Island,	,,	30.14	765.5	...	...	SE	1	...	,,	30.12	765.0	...	...	...	0	...
Chefoo,	15	30.22	767.6	43	8	ESE	2	b	6	30.24	768.1	35	8	W	4	b
Shanghai,	14	30.31	769.8	45	6	ENE	2	bo	,,	30.33	770.3	36	6	NNW	2	c
Gutzlaff,	,,	30.39	771.9	47	6	...	0	b	,,	30.36	771.1	40	6	...	0	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.16	766.0	54	6	ENE	2	o	7	30.18	766.6	54	8	NNW	2	c
Amoy,	,,	30.10	764.5	59	6	NE	4	o	6	30.18	766.6	54	6	SW	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tailoklo,	11	30.20	767.2	65	...	E	4	o	5	30.13	765.3	59	...	...	0	o
Taichu,	,,	30.13	765.3	68	...	NNW	2	b	,,	30.15	765.7	58	...	...	0	o
Tainan,	,,	30.09	764.4	74	...	N	4	b	,,	30.09	764.3	58	...	N	4	h
Koshun,	,,	30.07	763.8	76	...	NNE	4	b	,,	30.05	763.3	65	...	...	0	h
Pescadores,	,,	30.13	765.3	63	...	NE	6	o	,,	30.12	765.1	59	...	NNE	4	o
Hong Kong,	14	30.07	763.8	62	6	E	3	o	6	30.15	765.8	57	6	NE	2	o
Gap Rock,	,,	30.07	763.8	70	7	ENE	4	o	,,	30.14	765.5	68	7	N	4	o
Macao,	,,	30.06	763.6	59	4	NNW	2	o	,,	30.14	765.5	54	4	N	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.1	74	8	NE	6	bo	6	30.10	764.5	67	8	NNE	4	c
Phulien,	15	30.02	762.4	63	2	ENE	1	d	7	30.16	766.0	55	1	NNE	3	df
Tourane,	,,	29.92	760.0	79	7	E	3	bc	,,	30.02	762.5	70	6	...	0	c
Cape St. James,	,,	29.88	758 9	79	6	ENE	4	bc	,,	29.95	760.7	72	6	NE	3	bc
Pasco,	14	29.95	760.8	79	8	NNE	4	c	6	...	...	...	...	...	...	...
Amori,	,,	29.91	759.7	83	6	NE	2	b	,,	29.98	761.4	70	6	...	0	o
Tagnegarao,	,,	29.86	758 4	91	6	...	0	b	,,	...	...	...	...	...	...	...
Vigan,	,,	29.87	758.6	83	8	NW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.86	758.5	86	8	W	4	b	,,	29.95	760 8	70	4	...	0	o
Legaspi,	,,	29.85	758.2	86	8	NNE	2	bc	,,	29.91	759.7	76	6	N	2	o
Calbayog,	,,	29.84	757.9	85	8	NNE	4	d	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.85	758.2	77	4	NE	2	d	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	83	8	NNE	4	o	,,	..	...	...	...	...	...	...
Cebu,	,,	29.81	757.2	86	8	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.80	757.0	83	8	N	4	bc	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	73	...	ENE	2	o
Guam,	12.22	29.82	757.4	...	6	NE	4	bo	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.83	757.7	...	6	ENE	2	bo	5	29.85	758.2	...	6	NE	2	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.86	758.3	76	...	NE	1	bc
Taiwan,	14	29.94	760.6	85	6	SE	6	bc	6	29.90	759.4	72	1	SE	6	bo

February 15d. 10h. 45m.—The anticyclone is central N.E. of Ichang and nearly stationary.

The depression is central about 200 miles East of Oshima, moving N.N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 1.78 inches, against an average of 2.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate; generally cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine to cloudy.
C.—Hong Kong to Gap Rock,	N. winds, moderate; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th FEBRUARY, 1932.									16th FEBRUARY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	30.17	766.4	16	...	N	0	0		6	30.06	763.5	9	...	N	5	t	
Nemuro,	11	30.28	769.0	...	...	ESE	1	...		5	29.90	759.5	..	...	E	3	...	
Hakodate,	,,	30.16	766.0	...	...	E	1	...		,,	29.67	753.5	...	...	ESE	1	...	
Tokio,	,,	30.14	765.5	...	...	NW	1	...		,,	29.65	753.0	..	...	...	0	...	
Kochi,	,,	30.00	762.0	...	...	...	...	...		,,	29.98	761.5	...	...	W	1	...	
Nagasaki,	,,	30.10	764.5	...	...	WNW	2	...		,,	30.10	764.5	...	...	NNW	4	...	
Kagoshima,	,,	30.06	763.5	...	...	WNW	1	...		,,	30.08	764.0	...	...	...	0	...	
Oshima,	,,	30.06	763.5	...	...	...	0	...		,,	30.12	765.0	...	...	N	3	...	
Naha,	,,	30.10	764.5	...	...	S	1	...		,,	30.14	765.5	...	...	NNE	3	...	
Ishigakijima,	,,	30.10	764.5	...	...	ENE	2	...		,,	30.16	766.0	...	...	NE	1	...	
Pauk Island,	,,	30.04	763.0	...	...	SE	1	...		,,	29.96	761.0	...	...	WSW	1	...	
Chefoo,	15	30.33	770.3	29	6	NW	6	c		6	30.49	774.3	21	4	NW	6	s	
Shanghai,	14	30.31	770.0	50	6	NW	2	bc		,,	30.44	773.2	36	6	NNE	2	b	
Gutzluff,	,,	30.35	770.9	47	6	N	2	o		,,	30.45	773.4	38	6	N	4	bc	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.14	765.5	56	6	E	4	o		7	30.26	768.6	52	6	ENE	2	c	
Amoy,	,,	30.19	766.8	58	6	SSE	4	o		6	30.28	769.1	52	6	NE	4	b	
Swatow,	,,	30.23	767.9	59	...	NNW	3	o		,,	...	...	...	...	...	...	...	
Taihoku,	11	30.19	766.9	59	...	...	0	d		5	30.26	768.5	54	...	E	2	c	
Taichu,	,,	30.15	765.8	70	...	N	2	b		,,	30.16	766.0	54	...	N	2	o	
Tainan,	,,	30.12	765.1	70	...	N	2	b		,,	30.12	765.1	52	...	NNE	4	b	
Koshun,	,,	30.09	764.3	74	...	NW	2	bc		,,	30.09	764.3	63	...	NE	4	b	
Pescadores,	,,	...	...	...	...	...	...	...		,,	30.15	765.8	58	...	NNE	6	b	
Hong Kong,	14	30.10	764.5	66	7	SW	2	bc		6	30.18	766.6	59	7	ENE	2	c	
Gap Rock,	,,	30.12	765.0	65	8	N	4	b		,,	30.16	766.0	67	8	ENE	4	c	
Macao,	,,	30.10	764.5	61	4	NE	2	c		,,	30.15	765.7	56	4	NNW	2	o	
Hoilow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.07	763.9	70	8	NNE	4	o		6	30.12	765.1	65	8	NE	6	c	
Phulien,	15	30.12	765.0	58	1	NNE	2	d		7	30.17	766.3	55	5	ENE	3	m	
Tourane,	,,	30.00	761.9	72	8	ENE	2	bc		,,	30.06	763.4	70	5	NW	1	z	
Cape St. James,	,,	29.87	758.6	81	6	ENE	2	bc		,,	29.93	760.6	73	5	ENE	3	c	
Faifo,	14	29.95	760.7	77	8	NNE	4	bc		6	30.03	762.7	68	4	NE	4	o	
Aparri,	,,	29.92	760.0	83	6	NE	4	b		,,	29.99	761.6	74	4	N	4	o	
Tuguegarao,	,,	29.87	758.8	86	6	...	0	bc		,,	29.98	761.4	72	1	...	0	hc	
Vigan,	,,	29.89	759.1	83	8	N	4	b		,,	29.93	760.3	72	6	N	4	b	
Manila,	,,	29.88	759.0	88	8	SW	2	bc		,,	29.93	760.3	70	6	...	0	c	
Legaspi,	,,	29.87	758.8	81	6	NE	2	o		,,	29.91	759.6	76	6	...	0	b	
Calbuyog,	,,	29.89	759.1	77	8	NNE	2	o		,,	29.91	759.8	70	8	...	0	hc	
Tacloban,	,,	29.87	758.8	77	8	NW	4	o		,,	29.91	759.6	74	6	NW	2	hc	
Iloilo,	,,	29.83	757.6	83	8	NE	4	bc		,,	29.86	758.5	74	4	...	...	o	
Cebu,	,,	29.83	757.6	85	8	NE	4	o		,,	29.88	758.8	76	8	WNW	2	bc	
Surigao,	...	29.83	757.7	83	8	N	4	o		,,	29.86	758.3	76	6	...	0	c	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	73	...	E	3	o	
Guam,	12.22	29.78	756.5	...	6	ENE	4	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.80	757.0	...	6	NE	2	bc		5	29.83	757.7	76	...	NNE	2	r	
Pelew,	,,	...	...	...	...	...	...	...		,,	29.84	757.9	77	...	NE	2	r	
Labuan,	14	29.94	760.6	85	6	N	4	bc		6	29.90	759.4	74	1	SE	...	c	

February 16*d.* 10*h.* 45*m.*—The anticyclone central over N.E. China has strengthened and spread northward.

The depression has deepened and moved to the north of Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.78 inches, against an average of 2.35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate to fresh; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	16TH FEBRUARY, 1932.									17TH FEBRUARY, 1932.								
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)		HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	29.96	761.1	10	...	N	5	s		6	30.10	764.5	9	...	NW	5	o	
Seoul,	11	29.57	751.0	...	...	ENE	6	...		5	29.55	750.5	...	...	N	6	...	
Fukuoka,	"	30.53	749.5	...	...	ENE	1	...		"	29.53	750.0	...	...	NNE	1	...	
Tokio,	"	29.61	752.0	...	...	NNE	1	...		"	29.67	757.5	...	...	WSW	1	...	
Kochi,	"	29.92	760.0	...	...	W	2	...		"	30.02	762.5	...	...	NW	1	...	
Nagasaki,	"	30.20	767.0	...	...	NNW	5	...		"	30.24	768.0	...	...	N	3	...	
Kagoshima,	"	30.14	765.5	...	...	NW	4	...		"	30.20	767.0	...	...	NNW	5	...	
Oshima,	"	30.18	766.5	...	...	NNW	2	...		"	30.20	767.0	...	...	N	2	...	
Naha,	"	30.20	767.0	...	...	N	5	...		"	30.25	768.5	...	...	NNE	5	...	
Ishigakijima,	"	30.22	767.3	...	...	NNE	2	...		"	30.24	768.0	...	...	NE	2	...	
Iomote Island,	"	29.92	760.0	...	...	NNE	1	...		"	29.94	760.5	...	...	WNW	2	...	
Chefoo,	15	30.54	775.6	21	6	NW	8	o		6	30.58	776.8	18	6	NW	6	s	
Shanghai,	14	30.49	774.5	45	8	NNE	4	bo		"	30.55	775.9	31	6	NNW	2	o	
Gutzlaff,	"	30.51	774.9	41	6	N	4	b		"	30.57	776.5	33	6	N	4	o	
Wenchow,	"	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	"	30.30	769.6	54	8	ENE	4	b		7	30.32	770.1	54	6	E	4	o	
Amoy,	"	30.21	767.3	63	8	E	4	b		6	30.27	768.9	50	6	NE	4	o	
Swatow,	"	30.25	768.4	59	...	E	4	o		"	...	...	...	...	...	...	...	
Tailokto,	11	30.31	769.8	56	...	E	4	o		5	30.29	769.4	50	...	E	4	d	
Taichu,	"	30.21	767.4	63	...	N	2	o		"	30.15	765.8	54	...	N	2	o	
Tainan,	"	30.15	765.8	68	...	NNW	2	b		"	30.16	766.0	56	...	N	2	o	
Koshun,	"	30.14	765.6	68	...	NE	6	b		"	30.13	765.3	63	...	NE	6	b	
Pescadores,	"	30.19	766.9	63	...	NNE	6	b		"	30.19	766.7	56	...	NNE	6	o	
Hong Kong,	14	30.14	765.5	60	7	E	5	c		6	30.20	767.1	57	6	ENE	5	o	
Cap Rock,	"	30.14	765.5	65	7	ENE	5	c		"	30.19	766.8	66	7	ENE	5	o	
Macao,	"	30.14	765.5	58	4	NNE	4	o		"	30.16	766.0	58	4	SE	2	o	
Hoilow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Pratas Island,	"	30.09	764.3	67	8	NE	6	o		6	30.12	765.1	65	8	NE	6	o	
Hualien,	15	30.11	764.8	59	7	NE	2	o		7	30.13	765.3	58	8	ENE	4	o	
Tourane,	"	30.02	762.4	77	7	ENE	3	o		"	30.06	763.6	68	8	ESE	2	b	
Cape St. James,	"	29.93	760.1	77	6	E	4	bc		"	29.93	760.1	68	4	ENE	4	b	
Faces,	14	30.00	762.1	72	6	NE	4	o		6	30.09	764.2	68	4	NE	4	bc	
Aparri,	"	29.96	761.0	76	4	NE	6	o		"	30.04	763.0	70	7	NE	6	p	
Tuguegarao,	"	29.89	759.3	81	6	N	2	bo		"	30.00	761.9	68	1	N	2	bc	
Vigan,	"	29.85	758.2	81	8	NNW	6	q		"	29.93	760.3	70	6	N	4	bc	
Manila,	"	29.87	758.6	85	8	SSW	2	o		"	29.95	760.6	68	4	...	0	b	
Legaspi,	"	29.83	757.8	86	8	NNE	4	b		"	29.93	760.2	76	6	...	0	o	
Calbayog,	"	29.83	757.8	85	8	NNE	4	bo		"	29.92	760.0	68	8	...	0	bc	
Tacloban,	"	29.83	757.7	85	8	...	0	b		"	29.90	759.4	74	8	NW	2	b	
Iloilo,	"	29.81	757.2	83	8	NNE	4	o		"	29.88	758.9	74	4	NE	4	o	
Cebu,	"	29.83	757.6	86	8	NE	4	bc		"	29.89	759.1	76	8	NNE	2	b	
Surigao,	...	29.82	757.4	83	8	N	2	b		"	29.87	758.6	77	6	N	2	bc	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.80	756.9	74	...	E	1	c	
Guam,	12.22	29.77	756.1	...	6	NE	4	bo		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.78	756.3	...	6	ENE	4	bo		5	29.80	757.0	76	...	NNE	2	bc	
Palau,	"	...	...	...	...	...	...	...		"	29.82	757.5	75	...	NNE	1	bc	
Labuan,	14	29.95	760.7	74	6	W	...	r		6	29.90	759.5	67	...	...	...	c	

February 17*d.* 10*h.* 5*cm.*—The anticyclone central over N.E. China has strengthened further.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.78 inches, against an average of 2.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	N. winds, strong; generally overcast.
B.—Turnabout to Hong Kong,	N.E. winds, strong; generally overcast.
C.—Hong Kong to Cap Rock,	E. winds, strong; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, strong; generally cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th FEBRUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	18th FEBRUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather.
Vladivostock,	12	30.19	766.7	10	...	NNW	5	o	6	30.37	771.3	3	...	N	3	o
Nemuro,	11	29.63	752.5	...	...	N	6	...	5	29.84	758.0	..	...	N	5	...
Patchoo,	,,	29.59	751.5	...	...	SW	2	...	,,	29.84	758.0	...	...	N	2	...
Tokio,	,,	29.67	753.5	...	...	WNW	3	...	,,	29.92	760.0	..	...	NNW	1	...
Kochi,	,,	30.06	763.5	...	...	NNW	1	...	,,	30.20	767.0	...	...	...	0	...
Nagasaki,	,,	30.28	769.0	...	...	N	3	...	,,	30.30	769.5	...	...	N	1	...
Kagoshima,	,,	30.22	767.5	...	...	NNW	3	...	,,	30.28	769.0	...	...	NNW	1	...
Okinawa,	,,	30.22	767.5	...	...	N	3	...	,,	30.22	767.5	...	...	N	2	...
Naha,	,,	30.26	768.5	...	...	N	4	...	,,	30.26	768.5	...	...	N	4	...
Ishigakijima,	,,	30.28	769.0	...	...	ENE	3	...	,,	30.26	768.5	...	...	NE	1	...
Formosa Island,	,,	29.94	760.5	...	...	WNW	3	...	,,	30.02	762.5	...	...	W	2	...
Chefoo,	15	30.59	776.9	21	8	NNW	6	bc	6	29.52	775.2	21	8	NW	6	bc
Shanghai,	14	30.54	775.8	38	8	NNW	2	bc	,,	29.56	776.2	25	6	NNW	2	b
Gutzlaff,	,,	30.57	776.5	36	6	NNW	4	bc	,,	30.58	776.7	31	6	NNW	4	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.32	770.1	52	4	NE	4	o	7	30.37	771.4	50	6	NNE	2	o
Amoy,	,,	30.30	769.6	54	6	NE	4	o	6	30.35	770.9	47	6	NNE	4	o
Swatow,	,,	30.33	770.4	54	...	NE	4	o	,,	...	..	...	...	...	...	...
Bailoku,	11	30.34	770.6	52	...	E	4	r	5	30.35	770.8	49	...	E	2	r
Tricbin,	,,	30.23	767.8	61	...	SE	2	o	,,	30.25	768.3	50	...	N	2	o
Tainan,	,,	30.19	766.7	70	...	NW	2	b	,,	30.20	767.0	52	...	N	4	o
Koshun,	,,	30.16	766.0	70	...	NE	6	b	,,	30.17	766.2	61	...	NE	4	bc
Pescadores,	,,	30.24	768.1	59	...	NE	6	o	,,	30.24	768.0	54	...	NNE	6	o
Hong Kong,	14	30.18	766.6	59	6	E	5	o	6	30.25	768.3	54	6	NE	2	o
Gap Rock,	,,	30.16	766.0	66	7	ENE	6	o	,,	30.22	767.6	65	7	ENE	5	o
Macao,	,,	30.16	766.1	59	4	ENE	4	o	,,	30.21	767.2	52	4	NNE	4	o
Hoilow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.11	764.9	68	8	NE	6	o	6	30.17	766.2	63	8	NE	6	o
Bluff Is.,	15	30.13	765.3	58	1	NE	2	d	7	30.23	767.7	52	3	NNE	2	df
Tourane,	,,	30.02	762.5	72	8	ESE	4	bc	,,	30.09	764.3	70	6	ENE	2	o
Cape St. James,	,,	29.92	760.0	77	6	ENE	6	c	,,	29.94	760.4	73	5	E	5	c
Faso,	14	30.06	763.6	72	8	ENE	4	c	6	...	...	...	...	...	...	...
Aparri,	,,	30.01	762.3	76	4	ENE	4	p	,,	30.06	763.4	72	4	E	2	c
Tuguegarao,	,,	29.95	760.8	79	4	N	2	p	,,	...	...	...	...	...	...	...
Vigan,	,,	29.88	759.0	83	8	NW	4	b	,,	...	..	...	...	...	...	...
Manila,	,,	29.89	759.3	83	8	SW	2	o	,,	29.97	761.2	72	4	...	0	o
Legaspi,	,,	29.86	758.5	86	8	NNE	2	b	,,	29.90	759.5	77	6	NNE	4	b
Calbayog,	,,	29.87	758.8	86	8	N	4	b	,,	...	..	...	...	...	...	...
Tacloban,	,,	29.86	758.4	85	8	NW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.82	757.3	86	8	NE	4	c	,,	...	...	...	...	...	...	...
Cebu,	,,	29.83	757.8	85	8	NE	6	b	,,	...	...	...	..	...	...	...
Surigao,	...	29.85	758.2	83	8	...	4	b	,,	...	..	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	73	...	E	3	bc
Guam,	12.22	29.76	755.9	...	6	E	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	6	NNE	4	c	5	29.83	757.7	...	6	NNE	2	bc
Palau,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	76	...	NNE	1	c
Batavia,	14	29.95	760.7	79	...	...	...	bc	6	29.90	759.5	72	...	SW	...	r

February 18*d*. 10*h*. 45*m*.—The anticyclone central over N.E. China is moving eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.78 inches, against an average of 2.47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, fresh; generally overcast.
B.—*Turnabout to Hong Kong*,	N.E. winds, fresh; generally overcast, drizzle or mist.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th FEBRUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	19th FEBRUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.32	770.2	10	...	N	5	f	6	30.30	769.7	co	...	N	1	b
Nemuro,	11	29.88	759.0	...	...	NNE	3	...	5	30.00	762.0	...	...	NE	1	...
Yokohama,	,,	29.88	759.0	...	...	NNW	2	...	,,	29.98	761.5	...	...	NNW	3	...
Tokio,	,,	29.92	760.0	...	...	W	1	...	,,	30.06	763.5	..	...	WNW	1	...
Cochi,	,,	30.18	766.5	...	...	...	0	...	,,	30.18	766.5	...	...	WSW	1	...
Nagasaki,	,,	30.31	770.0	...	...	N	2	...	,,	30.28	769.0	...	...	N	2	...
Kagoshima,	,,	30.28	769.0	...	...	NNW	1	...	,,	30.24	768.0	...	...	...	0	...
Oshima,	,,	30.26	768.5	...	...	N	1	...	,,	30.24	768.0	...	...	N	2	...
Naha,	,,	30.28	769.0	...	...	N	3	...	,,	30.26	768.5	...	...	N	3	...
Ishigakijima,	,,	30.26	768.5	...	...	NE	3	...	,,	30.22	767.5	...	...	NNE	2	...
Formosa Island,	,,	30.06	763.5	...	...	WNW	2	...	,,	30.08	764.0	...	...	NW	1	...
Chefoo,	15	30.48	774.1	25	8	ESE	4	b	6	30.26	768.7	27	...	SE	3	b
Shanghai,	14	30.52	775.1	41	8	N	2	be	,,	29.41	772.5	28	...	E	4	b
Gutzlaff,	,,	30.54	775.7	40	6	N	4	c	,,	30.36	771.0	32	...	...	0	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.33	770.4	52	6	E	4	o	7	30.30	769.6	48	6	N	2	c
Amoy,	,,	30.32	770.2	54	6	E	3	o	6	30.34	770.6	47	6	NE	4	o
Swatow,	,,	30.35	770.9	54	...	ENE	2	o	,,	...	...	...	...	...	...	...
Tailoku,	11	30.37	771.3	52	...	E	4	o	5	30.30	769.6	50	...	E	4	r
Turdin,	,,	30.28	769.0	52	...	NE	4	o	,,	30.21	767.4	52	...	...	0	o
Tsimun,	,,	30.25	768.3	61	...	N	4	b	,,	30.18	766.6	52	...	N	2	o
Koshun,	,,	30.20	767.0	70	...	NNE	4	b	,,	30.23	767.8	61	...	NE	4	b
Pescadores,	,,	30.28	769.2	56	...	NNE	6	o	,,	30.21	767.2	56	...	NE	6	o
Hong Kong,	14	30.24	768.1	56	6	N	2	o	6	30.22	767.6	53	6	ENE	2	o
Gap Rock,	,,	30.24	767.8	65	7	ENE	6	o	,,	30.22	767.6	64	8	NE	4	o
Macao,	,,	30.24	768.0	52	6	NNE	4	o	,,	30.17	766.2	47	4	N	2	o
Bolinow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hatas Island,	,,	30.14	765.5	68	8	NE	6	o	6	30.15	765.7	67	8	NE	o	o
Haifen,	15	30.20	767.0	54	6	NNE	2	d	7	30.23	767.8	52	6	NNE	1	o
Touraine,	,,	30.06	763.6	72	8	ESE	4	be	,,	30.09	764.3	66	7	WNW	3	o
Cape St. James,	,,	29.89	759.3	77	4	E	6	b	,,	29.95	760 7	73	5	ENE	4	z
Basco,	14	30.06	763.6	72	8	NE	2	c	6	30.09	764.2	68	4	NE	2	d
Aparri,	,,	30.02	762.5	77	4	E	4	o	,,	30.06	763.4	68	6	S	2	bo
Tuguegarao,	,,	29.95	760.8	81	4	NNW	4	b	,,	...	...	...	...	...	...	...
Vigan,	,,	29.89	759.3	83	8	...	0	d	,,	...	...	...	...	...	...	...
Manila,	,,	29.92	760.0	85	8	NE	4	bo	,,	29.98	761.4	68	4	...	0	b
Tagaytay,	,,	29.87	758.6	85	8	NNE	4	b	,,	29 94	759.4	77	6	NE	4	o
Calbayog,	,,	29.86	758.4	79	8	N	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.86	758.4	77	8	...	0	c	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.83	757.6	86	8	NE	4	o	,,	29.87	758.8	74	4	NE	4	o
Cebu,	,,	29.83	757.6	86	8	NE	4	bo	,,	...	...	...	...	...	...	...
Surigao,	...	29.83	757.8	83	8	...	0	b	,,	29.87	758.8	76	6	ENE	4	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	75	...	ENE	3	c
Guam,	12.22	29.79	756.6	...	6	ENE	4	be	4.22	29.80	757.0	...	6	NE	2	b
Yap,	11.00	29.79	756.7	...	6	NE	4	bc	5	29.82	757.3	...	6	NNE	2	bc
Palaw,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	77	...	ENE	1	bo
Truk,	14	29.94	760.5	82	8	N	6	bo	6	29.92	760.0	68	1	SW	4	bc

February 19*d.* 1*h.* 4*cm.*—The northern portion of the anticyclone has moved eastward, leaving a separate anticyclone central to the west of Shanghai.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.78 inches, against an average of 2.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Northern portion: Variable winds, moderate to light; fine generally, fog in morning.
	Southern portion: N.E. winds, moderate; generally cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Haitan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th FEBRUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	20th FEBRUARY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
A.																
Vladivostock,	12	30.23	767.9	10	...	N	2	b	6	30.12	764.9	00	...	N	1	b
Nemuro,	11	30.00	762.0	...	...	NNW	1	...	5	29.98	761.5	..	...	...	...	...
Hakodate,	,,	29.96	761.0	...	...	NNW	1	...	,,	29.92	760.0	...	...	N	1	...
Tokio,	,,	30.04	763.5	...	...	NNW	3	...	,,	30.00	762.0	..	...	NW	1	...
Kochi,	,,	30.12	765.0	...	...	W	1	...	,,	30.06	763.5	...	...	...	0	...
Nagasaki,	,,	30.28	769.0	...	...	N	2	...	,,	30.06	763.5	...	...	NNW	4	...
Kagoshima,	,,	30.24	768.0	...	...	NNW	2	...	,,	30.08	764.0	...	...	NNW	1	...
Oshima,	,,	30.22	767.5	...	...	N	2	...	,,	30.18	766.5	...	...	...	0	...
Naha,	,,	30.26	768.5	...	...	NNE	2	...	,,	30.20	767.0	...	...	E	1	...
Ishigakijima,	,,	30.26	768.5	...	...	ENE	2	...	,,	30.18	766.5	...	...	NE	1	...
Formosa Island,	,,	30.08	764.0	...	...	NW	1	...	,,	30.08	764.0	...	...	WNW	1	...
Chefoo,	15	30.07	763.7	35	6	SW	6	c	6	30.25	768.3	21	8	...	0	b
Shanghai,	14	30.28	769.2	49	8	SSE	2	bc	,,	30.34	770.5	35	4	NE	2	b
Gutzlaff,	,,	30.34	770.6	43	8	S	4	b	,,	30.35	770.9	38	4	NE	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.19	766.8	54	6	E	2	o	7	30.22	767.6	50	8	NW	2	b
Amoy,	,,	...	...	54	6	W	4	o	6	30.25	768.3	50	4	NE	4	o
Swatow,	,,	30.28	769.2	58	...	NE	3	o	,,	...	...	...	...	...	...	...
Taitoku,	11	30.28	769.0	52	...	ESE	4	r	5	30.21	767.2	54	...	...	0	r
Taichu,	,,	30.24	768.0	58	...	...	0	o	,,	30.16	766.1	56	...		0	o
Tainan,	,,	30.19	766.9	67	...	N	4	bc	,,	30.12	765.1	54	...	N	4	b
Koshun,	,,	30.17	766.4	72	...	NNE	4	b	,,	30.10	764.5	58	...	...	0	o
Pescadores,	,,	30.19	766.7	61	...	NNE	6	o	,,	30.16	766.0	58	...	NNE	4	o
Hong Kong,	14	30.18	766.6	60	7	E	3	c	6	30.16	766.0	56	7	NNE	1	o
Gap Rock,	,,	30.18	766.6	65	8	ENE	5	o	,,	30.16	766.0	65	8	ENE	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	30.13	765.3	52	4	N	2	o
Hollow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.11	764.8	70	8	NE	6	o	6	30.12	765.1	65	8	NE	4	o
Bhuleu,	15	30.16	766.0	59	8	...	0	o	7	30.16	766.1	55	7	E	1	f
Tourane,	,,	30.04	763.0	70	8	NW	4	bc	,,	30.08	764.0	66	6	NNW	3	d
Cape St. James,	,,	29.91	759.6	77	6	ENE	6	bc	,,	29.96	760.9	73	5	E	5	c
Faifo,	14	30.04	763.0	74	8	...	0	c	6	30.03	762.7	70	4	NE	2	c
Aparri,	,,	30.00	761.9	81	6	NE	4	b	,,	30.01	762.3	67	6	...	0	b
Tuguegarao,	,,	29.92	760.0	85	8	...	0	bc	,,	30.01	762.1	67	1	...	0	bc
Vigan,	,,	29.92	760.0	83	8	NW	4	b	,,	29.95	760.6	72	8	ENE	2	b
Manila,	,,	29.92	760.0	83	8	W	2	c	,,	29.97	761.2	68	6	...	0	b
Legaspi,	,,	29.90	759.5	81	6	WSW	2	o	,,	29.93	760.2	76	6	NE	4	o
Calbayog,	,,	29.89	759.1	79	8	NE	4	o	,,	29.93	760.3	72	8	...	0	c
Tacloban,	,,	29.88	758.9	79	6	NE	4	o	,,	29.92	760.0	76	6	N	4	b
Iloilo,	,,	29.83	757.6	81	8	NNE	4	o	,,	29.87	758.6	74	4	NE	4	o
Cebu,	,,	29.84	757.9	83	8	NNE	4	o	,,	29.89	759.3	74	2	N	2	o
Surigao,	...	29.83	757.7	83	8	E	4	o	,,	29.88	758.8	79	6	ENE	4	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	74	...	E	3	c
Guam,	12.22	29.80	757.0	...	6	NE	6	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	6	NE	2	bc	5	29.83	757.6	...	6	NE	4	r
Pelew,	,,	...	...	...	...	...	...	...	,,	29.81	757.1	77	...	NE	1	bc
Lamma,	14	29.95	760.7	83	6	N	2	bc	6	29.90	759.5	74	1	N	2	b

February 20d. 10h. 29m.—The anticyclone is nearly stationary to the N.E. of Shanghai.

A depression has developed to the east of Korea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.78 inches, against an average of 2.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
A.—Shanghai to Turnabout,	N.W. or variable winds, moderate; generally fair.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine to cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, moderate; generally cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.09	764.2	12	...	N	3	b	6	30.33	770.3	3	...	...	0	c
Nemuro,	11	29.92	760.0	...	...	SE	3	...	5	29.98	761.5	..	...	...	0	...
Hokodate,	,,	29.92	760.0	...	...	WSW	2	...	..	29.84	758 0	...	...	NNE	1	...
Tokio,	,,	29.90	759.5	...	...	SE	1	...	,,	30.02	762.5	.	...	NNW	1	...
Kochi,	,,	29.94	760.5	...	...	NW	3	...	,,	30.22	767.5	...	...	W	1	...
Nagasaki,	,,	30.20	767.0	...	...	N	4	...	,,	30.28	769.0	...	...	...	0	...
Kagoshima,	,,	30.14	765.5	...	...	WNW	3	...	,,	30.26	768.5	...	...	NW	1	...
Oshima,	,,	30.22	767.5	...	...	N	1	...	,,	30.22	767.5	...	...	S	1	...
Naha,	,,	30.24	768.0	...	...	N	3	...	,,	30.18	766.5	...	...	NE	1	...
Ishigakijima,	,,	30.22	767.5	...	...	ENE	3	...	,,	30.08	764.0	...	...	SE	3	...
Bonin Island,	,,	30.06	763.5	...	...	W	1	...	,,	30.08	764.0	...	...	W	1	...
Chefoo,	15	30.24	768.0	54	8	N	2	bc	6	30.12	765.0	33	8	W	2	b
Shanghai,	14	30.28	769.1	54	8	SE	2	b	,,	30.14	765.6	43	6	SSE	2	b
Gutzlaff,	,,	30.31	769.8	45	6	...	0	b	,,	30.24	768.1	43	4	SE	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.17	766.3	54	6	E	2	b	7	30.01	762.3	54	8	NW	2	c
Amoy,	,,	30.20	767.0	63	6	NE	4	b	6	30.12	765.0	54	6	W	4	b
Swatow,	,,	30.22	767.6	59	...	ESE	3	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.25	768.3	59	...	ESE	4	b	5	30.08	763.9	59	...	...	0	b
Taichu,	,,	30.16	766.0	68	...	NNW	4	b	,,	30.11	764.8	56	...	...	0	c
Tainan,	,,	30.15	765.8	70	...	NNW	2	bc	,,	30.01	762.3	58	...	N	2	b
Koshun,	,,	30.12	765.3	72	...	NE	4	bc	,,	30.04	763.0	63	...	...	0	b
Pescadores,	,,	30.19	766.7	63	...	NNE	6	c	,,	30.09	764.2	58	...	NNE	4	bc
Hong Kong,	14	30.11	764.8	61	7	E	3	c	6	30.03	762 7	58	7	E	3	b
Gap Rock,	,,	30.12	765.0	66	8	ENE	4	c	,,	30 05	763.2	64	8	ENE	4	c
Macao,	,,	30.09	764.2	63	6	ESE	2	c	,,	29.99	761.8	58	4	SE	2	b
Hoihow,	,,	30.17	766.3	59	1	ENE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.8	72	8	NE	4	bc	6	30.01	762.3	67	8	NE	4	b
Phulien,	15	30.07	763.7	59	6	SE	2	b	7	29.99	761.8	57	0	ESE	3	f
Tourane,	,,	30.02	762.4	68	8	NW	4	b	,,	29.98	761 6	64	6	...	0	bc
Cape St. James,	,,	29 91	759.8	77	6	E	6	bc	,,	29.94	760.5	73	6	ENE	5	bc
Basco,	14	30.00	762.0	77	8	NNE	4	bc	6	...	...	...	...	...	...	...
Aparri,	,,	29.96	761.0	81	6	NE	4	bc	,,	29.97	761.2	67	6	...	0	b
Tuguegarao,	,,	29.90	759.4	88	8	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.90	759.4	83	8	NW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.92	760.0	85	8	WSW	2	bc	,,	29.95	760.6	67	6	...	0	b
Legnapi,	,,	29.93	760.1	86	8	NE	4	bc	,,	29.93	760.1	77	6	NNE	2	b
Calboyog,	,,	29.92	760.0	83	8	N	2	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.90	759.5	85	8	NE	4	b	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.85	758 3	85	8	NE	6	b	,,	...	...	...	...	...	...	...
Cebu,	,,	29.88	758 8	85	6	NE	4	bc	,,	...	...	...	...	...	...	...
Surigao,	...	29.88	758.9	83	8	ENE	4	b	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	NE	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.5	...	6	NE	4	bc	5	29.81	757.1	...	6	NE	6	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.7	83	6	N	4	b	6	29.90	759.5	74	1	SE	2	b

February 21*d.* 10*h.* 59*m.*— The anticyclone is now central to the east of Korea. The depression has deepened and passed to the S.E. of Hokodate.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.78 inches, against an average of 2.65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
A.—Shanghai to Turnabout,	Light, variable winds, rainy, foggy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; generally cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, moderate; fine to cloudy, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	22nd February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	21	29.96	761.0	...	...	ENE	2	...	5	30.10	764.5	...	...	E	1	...
Hokodate,	,,	29.94	760.5	...	...	WNW	5	...	,,	30.16	766.0	...	...	...	0	...
Tokio,	,,	30.04	763.0	...	...	NNW	3	...	,,	30.24	768.0	-	...	NNE	1	...
Kochi,	,,	30.22	767.5	...	...	WSW	1	...	,,	30.22	767.5	...	...	...	...	...
Nagasaki,	,,	30.28	769.0	...	...	SSE	1	...	,,	30.14	765.5	...	...	NE	1	...
Kagoshima,	,,	30.26	768.5	...	...	...	0	...	,,	30.10	764.5	...	...	ENE	1	...
Oshima,	,,	30.18	766.5	...	...	NNE	1	...	,,	29.88	759 0	...	...	SE	2	...
Naha,	,,	30.12	765.0	...	...	ESE	2	...	,,	29.84	758 0	...	...	NNW	3	...
Ishigakijima,	,,	30.04	763.0	...	...	SSE	3	...	,,	29.88	759.0	...	...	N	2	...
Bonin Island,	,,	30.10	764.5	...	...	NNW	1	...	,,	30.12	765.0	...	...	...	0	...
Chefoo,	15	30.00	761.9	50	8	SW	4	bc	6	30.30	769.6	29	8	N	6	o
Shanghai,	14	30.06	763.6	49	6	SE	2	o	,,	30.13	765.3	47	4	NNE	2	r
Gutzlaff,	,,	30.17	766.3	45	4	SE	4	d	,,	30.16	766.0	43	1	N	2	ff
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.94	760.5	58	4	...	0	o	7	29.98	761 5	54	6	...	0	o
Amoy,	,,	29.99	761.7	59	6	W	2	b	6	29.97	761.2	54	6	SW	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	29.97	761.3	57	...	WNW	2	b
Taihoku,	11	30.04	763.0	70	...	...	0	bc	5	29.97	761.3	54	...	...	0	r
Taichu,	,,	30.07	763.9	74	...	...	0	o	,,	29.91	759.6	63	...	...	0	r
Tainan,	,,	30.04	763.1	77	...	NW	2	b	,,	29.92	760.0	63	...	NNE	2	o
Koshun,	,,	30.01	762.3	77	...	E	2	b	,,	29.89	759.3	67	...	N	2	bc
Pescadores,	,,	30.07	763.7	67	...	N	2	bc	,,	29.94	760.4	63	...	NNE	2	c
Hong Kong,	14	29.95	760.7	66	7	E	3	bc	6	29.93	760.2	62	5	...	0	cm
Gap Rock,	,,	29.97	761.2	65	8	ENE	4	b	,,	29.92	759.9	66	8	E	3	c
Macao,	,,	29.93	760.3	63	6	SE	2	o	,,	29.89	759.1	59	6	...	c	o
Hoilow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.94	760.4	74	8	NE	4	o	6	29.93	760.2	70	8	...	0	b
Phulien,	15	29.91	759.6	64	7	...	0	z	7	29.90	759.5	64	0	...	0	d
Tourane,	,,	29.87	758 8	77	8	ESE	3	b	,,	29.87	758.6	66	4	S	1	f
Cape St. James,	,,	29.91	759.7	77	6	ENE	4	bc	,,	29.90	759 5	73	6	ENE	3	bc
Basco,	14	29.88	759.0	81	8	SSE	4	c	6	29.88	758.8	74	6	WSW	4	bc
Aparri,	,,	29.88	759.0	81	6	NE	4	b	,,	29.89	759.1	68	6	S	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.86	758.5	81	8	WSW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.87	758.8	85	8	W	2	bc	,,	29.91	759.8	67	6	...	0	b
Legaspi,	,,	29.87	758.8	83	8	NE	2	o	,,	29.88	758.8	72	6	...	0	b
Calbayog,	,,	29.85	758.8	88	8	NE	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.86	758.4	83	8	NE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	86	8	NE	4	o	,,	29.86	758.3	72	4	NE	4	o
Cebu,	,,	29.83	757.8	86	8	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.83	757.8	79	8	N	2	o	,,	29.86	758.3	76	4	...	o	d
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.83	757.8	...	4	NE	2	o	4.22	29.78	756.3	...	4	NE	6	o
Yap,	11.00	29.78	756.3	...	6	NE	2	o	5	29.79	756.7	...	6	NE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lamian,	14	29.94	760.6	85	6	N	4	bc	6	29.90	759.5	68	1	...	...	o

February 22*d.* 10*h.* 55*m.*—The anticyclone has weakened. It is now central near Tokio moving eastward. Another is forming over S.E. Mongolia.

A depression is shown to the S.E. of Naha.

Shanghai warning. 21*d.* 17*h.* 05*m.*:—A continental depression in Lat. 32° N. Long. 119° E., moving N.E. Recd. 21*d.* 18*h.* 43*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.78 inches, against an average of 2.71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
A.—Shanghai to Turnabout,	Light, variable winds, freshening from N. and N.E.
B.—Turnabout to Hong Kong,	N.E. or variable winds, light to moderate; fine to cloudy
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd February, 1932.									23rd February, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer. at Sea Level.		Temperature.	Visibility.	Wind.			
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.33	770.4	16	...	N	5	b		6	30.43	773.0	12	...	N	3		b
Nemuro,	11	30.12	765.0	...	...	FSE	2	...		5	30.06	763.5	...	...	N	1		...
Hokodate,	,,	30.16	766 0	...	...	WNW	3	...		,,	30.04	763.0	...	...	...	0		...
Tokio,	,,	30.22	767.5	...	...	E	1	...		,,	29 98	761.5	..	...	NW	1		...
Fochi,	,,	30.16	766.0	...	...	...	0	...		,,	30.10	764.5	...	...	NNW	1		...
Nagasaki,	,,	30.12	765.0	...	...	...	...	...		,,	30.18	766.5	...	...	N	1		...
Kagoshima,	,,	30.08	764.0	...	...	ENE	2	...		,,	30.14	765.5	...	...	...	0		...
Oshima,	,,	29.82	757.5	...	...	NNE	1	...		,,	30.06	763.5	...	...	N	4		...
Naha,	,,	29.86	758.5	...	...	WNW	3	...		,,	30.00	762.0	...	...	NE	2		...
Ishigakijima,	,,	29.94	760.5	...	...	N	1	...		,,	30.04	763.0	...	...	NE	1		...
Bonin Island,	,,	30.06	763.5	...	...	...	0	...		,,	29.96	761 0	...	...	NE	1		...
Chefoo,	15	30.41	772.4	29	8	N	8	b		6	30.58	776.6	29	8	N	8		b
Shanghai,	14	30.20	767.0	52	4	NE	4	c		,,	30.42	772.6	41	4	NE	2		o
Gutzlaff,	,,	30.23	767.8	50	6	N	4	bc		,,	30.43	772.9	41	6	NNE	4		o
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...		...
Foochow,	,,	30.00	762.0	58	6	ESE	2	o		7	30.18	766.6	56	6	NE	2		o
Amoy,	,,	30.00	762.0	65	6	E	4	bc		6	30.12	765.0	56	6	ENE	2		c
Swatow,	,,	30.02	762.5	62	...	E	3	c		,,	30.12	765.0	56	6	ENE	2		c
Taihoku,	11	30.06	763.4	59	...	NW	2	r		5	30.13	765.4	58	...	E	2		r
Taichu,	,,	30.02	762.4	63	...	N	2	o		,,	30.06	763.6	54	...	...	0		h
Tainan,	,,	29.96	761.0	79	...	N	2	bc		,,	30.01	762.1	56	...	NNE	2		h
Koshun,	,,	29.93	760.2	79	...	NNW	4	b		,,	29.93	760.3	65	...	NNE	4		b
Pescadores,	,,	30.00	761.9	68	...	NE	4	o		,,	30.05	763.3	61	...	NE	6		o
Hong Kong,	14	29.91	759.6	72	6	W	2	c		6	30.00	762.0	59	7	E	6		o
Gap Rock,	,,	29.94	760.5	68	7	NNE	2	o		,,	30.00	762.0	67	7	ENE	5		o
Macao,	,,	29.91	759.6	72	4	...	0	c		,,	29.97	761.3	59	6	ESE	4		c
Hoihow,	,,	29.92	760.0	54	2	SSE	2	h		,,	...	...	...	...	...	...		...
Pratas Island,	,,	29 93	760.1	79	8	N	2	b		6	29.98	761.4	68	8	ENE	6		b
Phulien,	15	29.83	757.8	64	0	SSW	1	df		7	29.88	758.9	64	5	E	4		o
Tourane,	,,	29.81	757.1	77	7	N	3	b		,,	29.86	758.5	72	3	NW	1		df
Cape St. James,	,,	29.86	758.5	79	6	E	2	bc		,,	29.91	759.7	73	5	E	2		c
Basco,	14	29.85	758.3	77	6	NW	4	bc		6	...	...	...	...	...	...		...
Aparri,	,,	29.85	758.3	85	6	N	4	b		,,	29.93	760.1	68	6	W	2		o
Tuguegrao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Vigan,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Manila,	,,	29.85	758.2	85	8	SW	2	b		,,	29.89	759.1	68	4	NE	2		b
Legaspi,	,,	29.83	757.8	88	8	NE	4	bc		,,	29.86	758.5	70	6	SE	2		g
Calbayog,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Iloilo,	,,	29.80	757.0	86	8	ENE	4	o		,,	...	...	...	...	...	...		...
Cebu,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Surigao,	...	29.83	757.7	77	6	...	0	o		,,	...	...	...	...	...	...		...
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...		...
Guam,	12.22	29.75	755.6	...	6	NE	8	q		4.22	...	...	...	...	...	...		...
Yap,	11.00	29.76	755.8	...	6	NNE	4	bc		5	29.78	756.3	...	6	NNE	2		bo
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Labuan,	14	29.95	760.7	83	6	N	8	c		6	29.90	759.5	74	...	...	...		d

February 23*d*. 10*h*. 45*m*.—The anticyclone has strengthened. It is now central over Eastern Gobi.

The depression has moved rapidly to the east of Tokio.

Shanghai warning. 22*d*. 17*h*. 10*m*.:—A continental depression in Lat. 30° N. Long. 131° E. moving E.S.E. Recd. 22*d*. 19*h*. 05*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.78 inches, against an average of 2.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, strong; generally overcast, local drizzle or mist.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	N.E. winds, fresh; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd FEBRUARY, 1932.									24th FEBRUARY, 1932.									
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.39	771.9	21	...	N	5	b		6	30.43	772.9	10	...	...	0	b	
Nemuro,	11	29.98	761.5	...	...	N	1	...		5	29.82	757.5	...	...	N	2	...	
Hokodate,	,,	29.98	761.5	...	...	NE	2	...		,,	29.96	761.0	...	...	NNW	2	...	
Tokio,	,,	29.90	759.5	...	...	NNW	3	...		,,	30.14	765.5	,,	...	W	1	...	
Kochi,	,,	30.14	765.5	...	...	W	1	...		,,	30.30	769.5	...	...	...	0	...	
Nagasaki,	,,	30.24	768.0	...	...	NNW	1	...		,,	30.26	768.5	...	...	NE	4	...	
Kagoshima,	,,	30.18	766.5	...	...	NW	1	...		,,	30.20	767.0	...	...	NE	1	...	
Oshima,	,,	30.14	765.5	...	...	N	2	...		,,	30.10	764.5	...	...	SSE	1	...	
Naha,	,,	30.10	764.5	...	...	NNE	6	...		,,	30.00	762.0	...	...	NE	1	...	
Ishigakijima,	,,	30.12	765.0	...	...	NE	2	...		,,	30.00	762.0	...	...	SE	2	...	
Bonin Island,	,,	29.86	758.5	...	...	NE	1	...		,,	30.00	762.0	...	...	N	1	...	
Chefoo,	15	30.58	776.8	29	8	N	8	o		6	30.51	775.0	25	8	N	6	b	
Shanghai,	14	30.39	772.0	43	6	NE	4	o		,,	30.39	771.8	36	4	NNW	2	c	
Gutzlaff,	,,	30.40	772.1	45	6	NNE	4	o		,,	30.41	772.4	38	4	N	6	m	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.13	765.3	56	6	ENE	4	o		7	30.12	765.0	54	6	ENE	2	o	
Amoy,	,,	30.12	765.0	68	8	E	4	b		6	30.12	765.0	56	6	NE	2	r	
Swatow,	,,	30.09	764.4	61	...	E	4	b		,,	...	...	...	...	...	...	...	
Tailoka,	11	30.16	766 0	67	...	ENE	4	o		5	30.04	763.1	61	...	NW	2	r	
Taichu,	,,	30.06	763.6	74	...	...	0	b		,,	30.06	763.6	59	...	...	0	o	
Tainan,	,,	30.05	763.2	77	...	SSE	2	bc		,,	30.01	762.3	61	...	N	2	o	
Koshun,	,,	30.04	763.0	74	...	*NE*	6	*bc*		,,	29.99	761.8	63	...	...	0	*bc*	
Pescadores,	,,	30.09	764.1	65	...	NNE	6	c		,,	30.04	763.0	58	...	NNE	6	r	
Hong Kong,	14	30.00	762.0	62	6	E	6	c		6	30.00	762.0	58	6	E	5	o	
Gap Rock,	,,	30.00	762.0	67	7	ENE	6	o		,,	29.97	761.2	67	7	ENE	5	o	
Macao,	,,	29.97	761.3	63	6	ESE	4	c		,,	29.96	760.9	59	4	ENE	2	o	
Hoihow,	,,	29.94	760.5	56	1	SSE	2	o		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.97	761.2	74	8	ENE	4	o		6	29.95	760.8	70	8	ENE	4	o	
Phulien,	15	29.87	758.7	70	6	ESE	4	o		7	29.92	760.0	64	4	ENE	4	f	
Tourane,	,,	29.88	758.9	73	6	NNW	3	o		,,	29.87	758.6	72	5	SSE	1	o	
Cape St. James,	,,	29.90	759.4	79	6	E	2	bc		7	29.91	759.8	73	6	ENE	3	bc	
Basco,	14	29.93	760.3	74	8	NE	4	bc		6	...	...	...	...	...	...	...	
Aparri,	,,	29.91	759.7	79	6	ENE	4	o		,,	29.93	760.2	67	6	W	2	b	
Tuguegarao,	,,	29.84	758.0	83	8	N	2	bc		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.80	757.0	83	8	NW	4	b		,,	...	...	...	...	...	...	...	
Manila,	,,	29.78	756.3	88	8	SE	4	bc		,,	29.89	759.3	72	6	...	0	c	
Legaspi,	,,	29.82	757.4	88	8	NE	2	b		,,	29.88	758.8	76	6	NNE	2	bc	
Calbayog,	,,	29.83	757.6	86	8	N	4	bc		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.81	757.1	86	8	SE	2	*bc*		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.78	756.4	85	8	NE	4	bc		,,	29.83	757.7	72	4	NNE	4	o	
Cebu,	,,	29.78	756.5	86	8	NE	4	bc		,,	...	...	...	...	...	...	...	
Surigao,	...	29.80	756.8	83	8	N	4	bc		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.75	755.6	75	...	NNE	2	r	
Guam,	12.22	29.79	756.7	...	6	NE	4	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.75	755.6	...	6	NNE	4	bc		5	29.80	757.0	75	...	N	2	c	
Pelew,	,,	...	...	...	...	...	...	...		,,	29.79	756.6	75	...	NE	2	c	
Labuan,	14	29.95	760.7	79	6	N	8	c		6	29.90	759.5	72	1	N	...	c	

February 24*d.* 10*h.* 35*m.*— The anticyclone appears to be central over Eastern Gobi, and nearly stationary. The depression has moved to the east of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 1.80 inches, against an average of 2.83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits,	N.E. winds, strong; generally overcast, local drizzle or mist
E.—North China Sea,	N.E. winds, fresh; generally cloudy, local rain.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th February, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	25th February, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.35	770.9	21	...	N	5	b	6	30.27	768.8	9	...	NE	1	c
Nemuro,	11	29.72	755.0	...	...	N	4	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.96	761.0	...	...	NNW	5	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.10	764.5	...	...	WNW	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.28	769.0	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.22	767.5	...	...	E	3	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.22	767.5	...	...	NE	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.08	764.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.02	762.5	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.00	762.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.04	763.0	...	...	N	3	...	,,	...	...	...	...	...	...	...
Chefoo,	15	30.44	773.2	25	8	NNW	8	o	6	30.36	771.0	25	8	NW	8	o
Shanghai,	14	30.37	771.4	40	6	NNW	2	o	,,	30.43	772.8	29	6	WNW	4	b
Gutzlaff,	,,	30.35	770.9	40	6	NNW	6	o	,,	30.44	773.2	31	6	NW	6	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.16	766.0	54	4	NE	2	r	7	30.24	768.1	52	6	NW	2	l
Amoy,	,,	30.13	765.3	54	6	E	4	r	6	30.27	768.8	52	6	NNE	4	e
Swatow,	,,	30.15	765.8	54	...	ENE	3	r	,,	...	...	...	...	...	...	...
Taihoku,	11	30.12	765.1	59	...	ESE	4	r	5	30.27	768.8	47	...	...	0	r
Tuichin,	,,	30.06	763.6	59	...	N	2	o	,,	30.12	765.1	47	..	N	6	o
Tainan,	,,	30.01	762.3	70	...	N	4	b	,,	30.09	764.2	49	...	N	6	o
Koshun,	,,	29.98	761.5	81	...	ENE	2	be	,,	30.02	762.6	61	...	NE	4	o
Pescadores,	,,	30.05	761.2	59	...	NE	6	o	,,	30.16	766.0	52	...	NE	6	o
Hong Kong,	14	30.04	763.0	68	4	NNE	2	cd	6	30.21	767.3	47	4	N	2	cd
Gap Rock,	,,	30.05	763.3	67	6	NNW	6	cmd	,,	30.18	766.6	62	8	NNW	6	o
Macao,	,,	30.03	762.8	50	4	NNW	4	o	,,	30.19	766.8	43	4	NNE	4	d
Hoihow,	,,	...	...	...	...	..	..	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.94	760.6	72	8	NE	6	o	6	30.08	764.0	63	8	NE	8	o
Phulien,	15	29.97	761.2	61	8	NE	7	o	7	30.23	767.7	50	8	NE	4	o
Tourane,	,,	29.89	759.1	73	7	NNW	1	c	,,	30.06	763.4	68	7	NW	4	d
Cape St. James,	,,	29.87	758.8	79	7	E	2	b	,,	29.92	760.0	73	6	ENE	2	c
Basco,	14	29.88	758.8	79	8	SE	2	b	6	29.96	761.0	68	4	NNE	4	o
Aparri,	,,	29.85	758.3	81	6	NE	4	b	,,	29.94	760.4	70	6	...	0	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.99	761.8	67	1	...	0	be
Vigan,	,,	..	...	...	..	...	...	...	,,	29.90	759.4	70	6	...	0	b
Manila,	,,	29.83	757.8	86	8	SSW	2	be	,,	29.92	760.0	72	6	...	0	o
Legnapi,	,,	29.82	757.4	88	8	NE	2	b	,,	29.89	759.3	76	6	NE	2	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.91	759.7	67	8	NNE	2	bc
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.90	759.5	72	8	N	2	b
Iloilo,	,,	29.79	756.6	85	8	NE	4	c	,,	29.86	758.5	72	1	SE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.86	758.5	76	6	NNE	2	b
Surigao,	...	29.81	757.0	83	8	N	2	b	,,	29.88	758.8	76	6	N	2	o
Saipan,	11.00	...	..	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.71	754.6	...	6	N	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.5	...	6	NNE	2	c	5	29.83	757.6	...	...	N	2	c
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.7	81	6	N	4	b	6	...	...	...	...	...	...	...

February 25d. 10h. 45m.— The anticyclone is now central to the north of the upper Yangtze Valley.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inch. Total since January 1st, 1.94 inches, against an average of 2.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, fresh; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, strong; overcast.
C.—Hong Kong to Gap Rock,	N. winds, strong; overcast at first, finer later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh to strong; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th FEBRUARY, 1932.								26th FEBRUARY, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Vladivostock,	12	30.19	766.7	19	...	N	3	b	6	30.16	766 0	12	...	N	3	0
Nemuro,	11	29.78	756.5	...	...	NNW	2	...	5	29.80	757.0	...	...	NE	2	...
Hokodate,	,,	30.00	762.0	...	...	WNW	4	...	,,	29.75	755.5	...	...	N	1	...
Tokio,	,,	30.02	762.5	...	...	N	1	...	,,	29.57	751.0	...	...	N	1	...
Kochi,	,,	29.78	756.5	...	...	N	1	...	,,	29.88	759.0	...	...	...	0	...
Nagasaki,	,,	30.00	762.0	...	...	NW	4	...	,,	30.18	766.5	...	...	NNW	2	...
Kagoshima,	,,	29.94	760.5	...	...	NW	2	...	,,	30.16	766.0	...	...	S	1	...
Oshima,	,,	30.00	762.0	...	...	N	2	...	,,	30.18	766.5	...	...	N	2	...
Naha,	,,	30.10	764.5	...	...	NNW	6	...	,,	30.22	767.5	...	...	NNW	5	...
Ishigakijima,	,,	30.20	767.0	...	...	N	3	...	,,	30.26	768.5	...	...	NNE	1	...
Bonin Island,	,,	29.94	760.5	...	...	S	3	...	,,	29.86	758.5	...	...	W	3	...
Chefoo,	15	30.32	770.2	25	8	NW	6	bc	6	30.38	771.5	25	8	NW	4	b
Shanghai,	14	30.40	772.2	41	8	NW	2	bc	,,	30.43	772.8	29	6	S	2	b
Gutzlaff,	,,	30.43	772.9	40	6	NNW	4	b	,,	30.42	772.7	40	6	...	0	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.20	767.1	52	8	E	2	b	7	30.31	769.9	48	6	NNE	2	0
Amoy,	,,	30.24	768.1	59	8	E	2	b	6	30.31	769.9	47	6	NE	4	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	11	30.23	770.5	47	...	NW	2	r	5	30.31	769.8	47	...	E	2	0
Taichu,	,,	30.24	768.0	56	...	N	4	0	,,	30.20	767.0	49	...	NNE	2	0
Tainan,	,,	30.19	766.7	50	...	NNE	4	0	,,	30.17	766.2	47	...	NNE	2	0
Koshun,	,,	30.12	765.1	63	...	NE	4	0	,,	30.14	765.6	58	...	NE	6	0
Pescadores,	,,	30.23	767.9	52	...	NNE	6	0	,,	30.17	766.3	52	...	NE	6	0
Hong Kong,	14	30.20	767.1	51	7	NNE	3	0	6	30.10	766.8	50	6	N	1	0
Gap Rock,	,,	30.18	766.6	62	8	N	5	0	,,	30.16	766.0	62	8	ENE	4	0
Macao,	,,	30.19	766.8	49	4	NNE	4	0	,,	30.15	765.8	50	4	NE	2	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.10	764.6	63	8	NE	6	0	6	30.10	764.6	61	8	NE	6	0
Phulien,	15	30.21	767.4	55	8	NE	1	0	7	30.19	766.7	50	6	ENE	5	0
Tourane,	,,	30.09	764.3	66	7	NNW	6	0	,,	30.08	764.0	63	7	WNW	2	0
Cape St. James,	,,	29.91	759.6	77	6	E	4	bc	,,	29.92	759.9	75	6	ENE	5	bc
Basco,	14	29.98	761.6	68	6	NE	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.93	760.7	74	6	NNE	4	0	,,	30.02	762.4	68	6	E	4	p
Tuguegarao,	,,	29.91	759.8	81	1	N	2	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.85	758.2	83	8	NNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.85	758.3	86	8	SW	2	b	,,	29.95	760.7	74	8	...	0	bc
Legaspi,	,,	29.85	758 2	86	8	NNE	2	b	,,	29.94	760.4	74	6	...	0	b
Calboyog,	,,	29.86	758.4	85	8	NE	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.85	758.2	85	8	N	2	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.82	757.3	85	8	ENE	4	bc	,,	...	...	...	...	...	...	...
Cebu,	,,	29.83	757.7	85	8	NE	4	bc	,,	...	...	...	...	...	...	...
Surigao,	...	29.85	758.2	83	8	N	2	bc	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.6	...	6	NNE	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.8	...	6	NE	2	bc	5	29.88	758.9	...	6	NNE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.7	81	6	N	2	b	6	29.90	759.4	74	1	E	4	b

February 26*d.* 16*h.* 41*m.*— The anticyclone is central to the east of Sianfu, moving eastward.

The depression has deepened and moved to the east of Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.94 inches, against an average of 2.97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, strong, moderating; generally overcast.
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; generally overcast.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th FEBRUARY, 1932.								27th FEBRUARY, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.12	765.0	23	...	N	3	o	6	30.11	764.8	18	...	N	1	o
Nemuro,	11	29.65	753.0	...	...	ENE	3	...	5	29.67	752.5	..	...	NNE	3	...
Hokodate,	,,	29.65	753.0	...	...	N	3	...	,,	29.73	755.0	...	...	NNW	6	...
Tokio,	,,	29.61	752.0	...	...	SW	1	...	,,	29.88	759.0		...	NW	1	...
Kochi,	,,	29.98	761.5	...	...	W	1	...	,,	30.16	766.0	...	...	...	0	...
Nagasaki,	,,	30.22	767.5	...	...	NNW	3	...	,,	30.28	769.0	...	...	N	1	...
Kagoshima,	,,	30.18	766.5	...	...	NNW	2	...	,,	30.28	769.0	...	...	...	0	...
Oshima,	,,	30.20	767.0	...	...	NNE	3	...	,,	30.24	768.0	...	...	NNW	2	...
Naha,	,,	30.24	768.0	...	...	N	4	...	,,	30.24	768.0	...	...	NE	2	...
Ishigakijima,	,,	30.28	769.0	...	...	NNE	2	...	,,	30.22	767.5	...	...	NE	1	...
Bonin Island,	,,	29.90	759.5	...	...	W	2	...	,,	30.04	763.0	...	...	W	1	...
Chefoo,	15	30.37	771.3	29	8	NW	4	o	6	30.36	771.0	21	8	...	0	b
Shanghai,	14	30.38	771.6	47	8	W	2	bc	,,	30.32	775.3	31	8	NW	4	bc
Gutzlaff,	,,	30.43	772.9	38	6	...	0	bc	,,	30.30	774.7	33	6	NW	6	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.26	768.6	50	8	E	4	o	7	30.34	770 6	47	4	N	2	r
Amoy,	,,	30.46	773.7	49	6	NE	4	o	6	30 29	769.4	47	6	NE	4	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.31	770.0	49	...	ESE	4	r	5	30.30	769.6	49	...	SSE	2	r
Taichu,	,,	30.23	767.8	47	...	...	0	r	,,	30.21	767.2	49	...	N	2	r
Tainan,	,,	30.21	767.3	52	...	N	2	o	,,	30.15	765.8	52	...	N	4	o
Koshun,	,,	...	...	...	...	...	..	...	,,	30.09	764 2	63	...	ENE	4	o
Pescadores,	,,	30.23	767.8	52	...	NNE	6	r	,,	30.20	767.0	52	...	NNE	8	r
Hong Kong,	14	30.14	765.5	52	6	E	4	o	6	30.10	766.8	47	6	NE	3	o
Gap Rock,	,,	30.12	765.0	61	8	ENE	6	o	,,	30.16	766.0	60	7	NE	5	or
Macao,	,,	30.22	767.5	50	4	NE	4	o	,,	30.15	765.7	45	1	NNE	4	o
Hoihow,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.8	65	8	NE	6	o	6	30.09	764.2	59	8	NE	8	d
Fhulien,	15	30.17	766.2	48	3	WNW	3	d	7	30 24	768.0	46	5	NNW	2	df
Tourane,	,,	30.01	762.2	68	7	NNW	5	o	,,	30.08	764.0	64	8	NW	3	o
Cape St. James,	,,	29.91	759.6	79	6	ENE	4	bc	,,	29.97	761.2	75	6	NE	4	bc
Basco,	14	30.04	763.0	68	6	ENE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.99	761.8	74	4	ENE	4	o	,,	30 02	762.6	70	4	...	0	o
Tuguegarao,	,,	29.92	760.0	81	4	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.89	759.1	81	8	WNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.91	759.6	81	8	WSW	2	c	,,	29.98	761.5	68	4	...	o	b
Legaspi,	,,	29.87	758.8	83	8	ENE	2	bc	,,	29.94	760.4	74	6	NNE	2	c
Calbayog,	,,	29.86	758.4	81	8	NE	4	c	,,	...	...	..	...	...	...	...
Tacloban,	,,	29.86	758 4	85	8	NW	2	b	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.83	757.8	86	8	ENE	4	b	,,	...	...	...	...	...	...	...
Cebu,	,,	29.85	758.2	83	8	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.85	758.2	79	8	N	4	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	74	...	NNE	3	c
Guam,	12.22	29.78	756.5	...	6	ENE	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.83	757.8	...	6	N	2	bc	5	29.88	758 8	...	6	NNE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.88	759 0	76	...	NE	1	bc
Zamuan,	12	29.95	760.7	83	6	N	4	bc	6	29.90	759.4	74	1	SE	4	bc

February 27*d.* 10*h.* 30*m.*— The anticyclone has strengthened and is now central over the lower Yangtze Valley.

The depression is central to the S.E. of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.50 inch. Total since January 1st, 2.44 inches, against an average of 3.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, fresh; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; overcast, rainy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th FEBRUARY, 1932.								28th FEBRUARY, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.67	753.5	...	...	NNE	3	...	5	29.65	753.0	..	...	NNW	2	...
Hokodate,	,,	29.70	754.5	...	...	NNW	3	...	,,	29.73	755.0	...	...	NNW	2	...
Tokio,	,,	29.84	758.0	...	...	NNE	1	...	,,	29.82	757.5		...	...	0	...
Kochi,	,,	30.10	764.5	...	...	WSW	1	...	,,	30.08	764.0	...	...	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	WSW	6	...	,,	30.18	766.5	...	...	N	1	...
Kagoshima,	,,	30.20	767.0	...	...	SSE	1	...	,,	30.16	766.0	...	...	...	0	...
Oshima,	,,	30.24	768.0	...	...	N	1	...	,,	30.18	766.5	...	...	NW	1	...
Naha,	,,	30.26	768.5	...	...	N	3	...	,,	30.20	767.0	...	...	N	6	...
Ishigakijima,	,,	30.26	768.5	...	...	NE	2	...	,,	30.24	768.0	...	...	NNE	2	...
Pouin Island,	,,	30.04	763.0	...	...	W	1	...	,,	30.00	762.0	...	...	W	1	...
Chefoo,	15	30.32	770.2	29	6	NW	6	bc	6	30.32	770 2	25	8	SW	2	b
Shanghai,	14	30.49	774.4	40	8	NW	4	bc	,,	30.47	773.8	29	8	W	2	b
Gutzlaff,	,,	30.52	775.2	35	6	NNW	6	bc	,,	30.30	774.7	31	6	WNW	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.32	770.1	52	6	NNE	2	o	7	30.34	770.6	48	6	N	2	o
Amoy,	,,	30.31	769 8	47	6	NE	4	r	6	30.34	770.6	43	6	ENE	2	b
Swatow,	,,	30.30	769.7	49	...	NNE	3	b	,,	30.35	770.8	43	...	N	3	o
Taihoku,	11	30.35	770.8	65	...	E	4	r	5	30.36	771 0	45	...	...	0	r
Taichu,	,,	30.36	771.1	52	...	NE	4	r	,,	30.24	768.0	45	..	N	2	r
Tainan,	,,	30.18	766.6	50	...	NNE	4	r	,,	30.21	767.2	45	...	N	4	r
Koshun,	,,	30.12	765.1	50	...	NE	6	o	,,	30.15	765.8	58	...	NNE	4	o
Pescadores,	,,	30.24	768.0	52	...	NNE	6	r	,,	30 26	768.6	49	...	NNE	6	r
Hong Kong,	14	30.20	767.1	47	5	NNE	3	od	6	30.29	769.3	45	7	N	3	o
Gap Rock,	,,	30.18	766.6	60	8	NNE	5	o	,,	30 27	768.8	58	8	NNE	4	o
Macao,	,,	30.19	766.7	45	4	N	4	o	,,	30.26	768.7	43	4	NNE	4	o
Hoihow,	,,	...	...	...	...	..	..	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.10	764.5	65	6	NE	6	d	6	30.18	766.6	58	6	NE	8	d
Phulien,	15	30.23	767.8	52	8	NE	2	o	7	30.33	770.4	48	5	NE	3	o
Tourane,	,,	30.03	762.8	63	8	NNW	4	o	,,	30.18	766.5	61	6	NW	2	r
Cape St. James,	,,	29.91	759.7	79	6	ENE	6	bc	,,	29.95	760.8	73	7	E	5	bc
Basco,	14	29.99	761.8	68	4	NE	4	bc	6	30.04	763.0	68	4	NE	4	b
Aparri,	,,	29.93	760.3	79	6	ENE	4	bc	,,	29.98	761.4	72	4	NE	6	o
Tuguegarao,	,,	29.88	758.9	88	8	...	0	bc	,,	29.95	760.8	72	1	...	0	d
Vigan,	,,	29.91	759.6	83	8	W	4	b	,,	29.95	760.6	72	6	...	0	bc
Manila,	,,	29.96	760.9	85	8	W	4	bc	,,	29.96	761.0	67	6	...	0	b
Legaspi,	,,	29.90	759.4	85	8	NNE	2	bc	,,	29.91	759.8	76	6	NE	2	b
Calboyog,	,,	29.88	758.9	79	8	NE	4	d	,,	29.92	760.0	72	8	...	0	o
Tacloban,	,,	29.87	758.6	83	8	S	4	o	,,	29.91	759.8	76	4	NE	2	d
Iloilo,	,,	29.83	757.8	86	8	E	4	o	,,	29.88	758.9	74	4	NE	4	o
Cebu,	,,	29.85	758 3	85	8	ENE	2	bc	,,	29.89	759.3	74	8	...	0	bc
Surigao,	...	29.85	758.3	83	8	...	0	bc	,,	29.88	759 0	72	6	...	0	d
Saigon,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	73	...	ENE	3	c
Guam,	12.22	29.80	756.8	...	6	NE	6	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.9	...	6	NNE	2	bc	5	29.84	757.9	75	...	NNE	1	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.86	758.3	75	...	...	0	bc
Labuan,	14	29.95	760.7	83	6	N	4	bc	6	29.90	759.4	78	1	N	6	bc

February 28*d.* 10*h.* 42*m.*—The anticyclone is central to the north of Hankow and is nearly stationary.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inch. Total since January 1st, 2.53 *inches, against an average of 3.11 inches.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate to fresh; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fine to cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th February, 1932.									29th February, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	29.96	761.1	30	...	N	2	c		6	29.77	756.2	14	...	...	0	c	
Nemuro,	11	29.65	753.0	...	...	NNE	3	...		5	29.61	752.0	..	...	...	0	...	
Hokodate,	,,	29.72	755.0	...	...	N	3	...		,,	29.65	751.0	...	...	W	3	...	
Tokio,	,,	29.84	758.0	...	...	N	2	...		,,	29.82	757.5	..	...	...	0	...	
Kochi,	,,	30.04	763.0	...	...	WNW	1	...		,,	30.00	762.0	...	...	...	0	...	
Nagasaki,	,,	30.18	766.5	...	...	NW	1	...		,,	30.12	765.0	...	...	N	...	...	
Kagoshima,	,,	30.12	765.0	...	...	W	1	...		,,	30.12	765.0	...	...	...	0	...	
Oshima,	,,	30.18	766.5	...	...	N	2	...		,,	30.14	765.5	...	...	N	2	...	
Naha,	,,	30.22	767.5	...	...	NNW	6	...		,,	30.22	767.5	...	...	NNW	5	...	
Ishigakijima,	,,	30.26	768.5	...	...	NNE	2	...		,,	30.28	769.0	...	...	NNE	2	...	
Ponin Island,	,,	29.96	761.0	...	...	WSW	2	...		,,	29.90	759.5	...	...	WSW	1	...	
Chefoo,	15	30.32	770.2	31	8	NW	6	b		6	30.25	768.4	25	6	SW	2	b	
Shanghai,	14	30.39	771.8	43	8	NW	4	b		,,	30.42	772.6	25	6	WSW	2	b	
Gutzlaff,	,,	30.43	772.9	40	6	NNW	6	b		,,	30.45	773.4	35	6	NNW	4	b	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.29	769.3	52	6	E	2	b		7	30.33	770.4	48	8	...	...	b	
Amoy,	,,	30.31	769.9	54	6	NE	4	b		6	...	...	...	...	...	...	...	
Swatow,	,,	30.31	769.8	54	...	ESE	4	b		,,	30.38	771.6	50	...	ENE	1	b	
Taihoku,	11	30.38	771.7	49	...	...	0	o		5	30.23	770.3	41	...	...	0	o	
Taichu,	,,	30.26	768.5	56	...	N	4	bc		,,	30.28	769.0	45	...	...	0	b	
Tainan,	,,	30.24	768.0	56	...	N	4	c		,,	30.21	767.4	47	...	N	4	b	
Koshun,	,,	30.19	766.8	61	...	NE	4	c		,,	30.17	766.2	57	...	NE	4	bc	
Pescadores,	,,	30.28	769.0	54	...	NNE	6	c		,,	30.25	768.3	50	...	NNE	6	b	
Hong Kong,	14	30.25	768.3	57	7	S	1	c		6	30.31	769.9	47	7	N	4	c	
Gap Rock,	,,	30.26	768.6	58	8	NE	4	b		,,	30.31	769.9	58	8	NNE	4	b	
Macao,	,,	30.25	768.3	54	4	NNE	4	c		,,	30.27	768.8	49	4	NE	2	c	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.14	765.6	63	8	NE	6	o		6	30.21	767.4	61	8	NE	6	o	
Phulien,	15	30.28	769.2	56	8	WSW	2	o		7	30.33	770.3	52	6	ENE	2	o	
Tourane,	,,	30.15	765.8	61	8	NW	4	o		,,	30.19	766.8	63	3	N	3	d	
Cape St. James,	,,	29.93	760.3	77	8	ENE	4	bc		,,	29.97	761.2	73	6	ENE	3	c	
Baseo,	14	30.06	763.4	67	6	SSE	4	o		6	30.10	764.6	65	4	NE	4	o	
Aparri,	,,	29.99	761.8	72	4	NNE	4	d		,,	30.05	763.3	68	4	E	4	d	
Tuguegarao,	,,	29.91	759.7	81	8	N	2	bc		,,	30.02	762.6	68	1	...	c	bc	
Vigan,	,,	29.90	759.4	79	8	N	6	o		,,	29.95	760.8	67	8	N	4	b	
Manila,	,,	29.88	759.0	86	8	WSW	2	bc		,,	29.95	760.8	72	6	...	0	b	
Legaspi,	,,	29.88	759.0	85	6	NE	2	o		,,	29.92	760.0	76	6	...	0	b	
Calboyog,	,,	29.89	759.3	77	8	NE	4	o		,,	29.93	760.3	72	8	...	0	bc	
Tacloban,	,,	29.89	759.1	76	4	SE	4	d		,,	29.92	760.0	74	6	...	0	b	
Iloilo,	,,	29.83	757.8	77	8	NE	4	o		,,	29.89	759.3	72	4	NE	4	o	
Cebu,	,,	29.84	757.9	85	8	NE	4	bc		,,	29.91	759.8	76	8	N	2	bc	
Surigao,	...	29.85	758.3	77	6	...	0	o		,,	29.91	759.7	74	4	...	0	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.80	756.8	76	...	E	4	o	
Guam,	12.22	29.76	755.8	...	6	NE	6	o		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.81	757.2	...	6	ENE	2	r		5	29.73	755.2	78	...	N	3	o	
Pelew,	,,	...	...	...	...	...	...	...		..	29.81	757.2	79	...	N	3	c	
Labuan,	14	29.95	760.7	81	1	N	2	b		6	29.90	759.4	72	1	NE	4	b	

February 29*d.* 10*h.* 47*m.*—The anticyclone remains central to the N.E. of Hankow.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 2.53 inches, against an average of 3.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
A.—Shanghai to Turnabout,	N. or variable winds, light to moderate; fine generally.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fine to cloudy.
C.—Hong Kong to Gap Rock,	N.E. winds, moderate; fine to cloudy.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, strong; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

MARCH,

1932.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF
C. W. JEFFRIES, F.R.A.S.,
DIRECTOR.

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1932.

ARMY MEDICAL LIBRARY
365077
WASHINGTON, D. C.

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

MARCH,

1932.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, at 109 feet above MEAN SEA LEVEL, in the MONTH of MARCH, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·208	30·194	30·171	30·157	30·152	30·161	30·183	30·204	30·214	30·214	30·209	30·182	1
2	30·113	30·101	30·093	30·093	30·094	30·098	30·107	30·111	30·143	30·143	30·143	30·120	2
3	30·072	30·062	30·054	30·042	30·048	30·052	30·066	30·077	30·092	30·104	30·097	30·086	3
4	30·023	30·021	30·003	29·993	30·005	30·025	30·039	30·057	30·070	30·072	30·074	30·045	4
5	29·988	29·980	29·965	29·963	29·948	29·950	29·973	29·989	30·019	30·014	30·006	29·993	5
6	29·950	29·941	29·927	29·916	29·913	29·920	29·935	29·964	29·977	29·988	29·975	29·956	6
7	29·970	29·954	29·947	29·927	29·920	29·924	29·935	29·948	29·970	29·976	29·965	29·954	7
8	30·041	30·029	30·027	30·019	30·021	30·032	30·052	30·066	30·089	30·103	30·102	30·084	8
9	29·991	29·981	29·967	29·965	29·962	29·970	29·985	29·995	30·004	30·009	29·997	29·973	9
10	29·867	29·867	29·845	29·827	29·823	29·833	29·845	29·857	29·864	29·857	29·854	29·842	10
11	29·803	29·788	29·760	29·762	29·762	29·772	29·782	29·798	29·806	29·801	29·769	29·749	11
12	29·680	29·673	29·665	29·651	29·649	29·659	29·682	29·700	29·710	29·720	29·711	29·700	12
13	29·735	29·727	29·725	29·721	29·735	29·752	29·759	29·806	29·826	29·824	29·835	29·825	13
14	29·980	29·992	29·997	30·002	30·025	30·054	30·073	30·111	30·152	30·159	30·153	30·162	14
15	30·162	30·156	30·145	30·136	30·138	30·142	30·156	30·175	30·203	30·214	30·212	30·187	15
16	30·178	30·166	30·142	30·148	30·136	30·162	30·172	30·186	30·199	30·209	30·197	30·174	16
17	30·070	30·059	30·031	30·015	29·989	30·000	30·030	30·060	30·052	30·056	30·053	30·013	17
18	29·952	29·950	29·942	29·936	29·938	29·945	29·958	29·976	29·992	29·987	29·974	29·957	18
19	29·982	29·974	29·974	29·962	29·976	30·003	30·026	30·043	30·076	30·091	30·092	30·072	19
20	30·127	30·127	30·119	30·099	30·106	30·119	30·145	30·165	30·181	30·198	30·196	30·192	20
21	30·152	30·133	30·105	30·103	30·087	30·097	30·096	30·117	30·132	30·136	30·124	30·091	21
22	29·985	29·961	29·965	29·941	29·949	29·941	29·937	29·930	29·940	29·956	29·946	29·931	22
23	29·968	29·964	29·952	29·952	29·948	29·972	30·004	30·018	30·026	30·039	30·038	30·014	23
24	30·072	30·062	30·063	30·068	30·084	30·112	30·124	30·136	30·156	30·161	30·142	30·110	24
25	30·098	30·094	30·072	30·058	30·070	30·090	30·106	30·131	30·141	30·149	30·140	30·124	25
26	30·038	30·014	30·000	29·988	29·987	30·009	30·013	30·026	30·027	30·035	30·034	30·014	26
27	29·874	29·864	29·844	29·836	29·838	29·844	29·858	29·873	29·885	29·886	29·864	29·834	27
28	29·818	29·812	29·794	29·784	29·787	30·805	29·829	29·860	29·880	29·881	29·870	29·867	28
29	29·960	29·952	29·943	29·935	29·935	29·945	29·965	29·987	29·984	29·984	29·968	29·957	29
30	29·924	29·898	29·868	29·868	29·870	29·902	29·923	29·947	29·965	29·971	29·947	29·944	30
31	30·019	30·013	29·997	29·997	30·008	30·020	30·035	30·058	30·083	30·087	30·076	30·062	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·149	30·111	30·099	30·089	30·095	30·097	30·091	30·112	30·112	30·119	30·130	30·125	1
2	30·090	30·058	30·030	30·019	30·021	30·027	30·041	30·048	30·069	30·077	30·078	30·082	2
3	30·067	30·022	29·999	30·000	30·004	30·007	30·020	30·034	30·047	30·053	30·045	30·037	3
4	30·022	29·993	29·966	29·952	29·945	29·957	29·967	29·980	29·994	30·006	30·008	30·011	4
5	29·960	29·931	29·909	29·891	29·888	29·893	29·898	29·924	29·946	29·950	29·946	29·948	5
6	29·918	29·898	29·884	29·874	29·872	29·884	29·899	29·924	29·940	29·965	29·970	29·980	6
7	29·943	29·930	29·912	29·926	29·940	29·954	29·978	29·982	29·994	30·018	30·026	30·039	7
8	30·056	30·026	29·994	29·990	29·996	29·997	30·003	30·016	30·013	30·019	30·020	30·007	8
9	29·937	29·910	29·888	29·884	29·876	29·891	29·885	29·894	29·900	29·910	29·898	29·887	9
10	29·810	29·782	29·751	29·740	29·738	29·747	29·756	29·776	29·840	29·815	29·823	29·811	10
11	29·732	29·692	29·668	29·654	29·652	29·656	29·658	29·667	29·672	29·692	29·697	29·682	11
12	29·672	29·647	29·623	29·623	29·621	29·635	29·654	29·678	29·707	29·723	29·726	29·738	12
13	29·806	29·794	29·794	29·803	29·824	29·840	29·857	29·887	29·911	29·941	29·959	29·980	13
14	30·146	30·127	30·106	30·100	30·103	30·117	30·125	30·140	30·162	30·184	30·174	30·166	14
15	30·179	30·142	30·130	30·126	30·131	30·142	30·150	30·164	30·175	30·187	30·156	30·196	15
16	30·132	30·094	30·071	30·052	30·054	30·060	30·067	30·086	30·104	30·117	30·095	30·085	16
17	29·995	29·975	29·963	29·929	29·933	29·937	29·955	29·966	29·978	29·989	29·997	29·980	17
18	29·937	29·904	29·900	29·895	29·904	29·912	29·930	29·953	29·962	29·998	29·998	29·986	18
19	30·050	30·030	30·009	30·014	30·020	30·030	30·049	30·080	30·100	30·136	30·147	30·142	19
20	30·172	30·145	30·120	30·113	30·103	30·122	30·140	30·154	30·170	30·182	30·180	30·180	20
21	30·093	30·047	30·017	30·001	29·995	29·999	29·995	30·019	30·021	30·021	30·017	29·997	21
22	29·910	29·872	29·852	29·854	29·858	29·872	29·874	29·902	29·922	29·936	29·960	29·958	22
23	29·986	29·960	29·948	29·944	29·954	29·966	29·992	30·017	30·037	30·058	30·068	30·068	23
24	30·080	30·035	30·008	29·992	29·990	30·000	30·016	30·036	30·051	30·072	30·095	30·094	24
25	30·112	30·042	30·009	29·995	29·996	30·004	30·026	30·041	30·046	30·055	30·059	30·060	25
26	29·987	29·945	29·905	29·874	29·862	29·860	29·866	29·882	29·888	29·894	29·894	29·890	26
27	29·800	29·772	29·756	29·740	29·741	29·754	29·760	29·786	29·802	29·812	29·820	29·826	27
28	29·855	29·840	29·829	29·854	29·870	29·885	29·909	29·935	29·949	29·964	29·972	29·968	28
29	29·941	29·902	29·884	29·870	29·872	29·868	29·878	29·908	29·932	29·932	29·932	29·922	29
30	29·913	29·904	29·881	29·882	29·886	29·892	29·924	29·954	29·978	30·003	30·015	30·017	30
31	30·026	29·994	29·992	29·982	29·984	30·001	30·018	30·032	30·043	30·062	30·057	30·045	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of MARCH, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	51·6	51·9	51·6	51·5	51·1	50·3	50·4	53·8	55·8	56·7	56·9	57·9	1
2	53·8	53·7	53·8	53·9	53·9	54·4	55·3	55·7	56·7	57·7	59·0	60·6	2
3	57·5	57·5	57·7	57·5	57·8	57·9	57·7	58·7	60·6	61·9	64·5	65·7	3
4	60·7	60·4	59·7	59·5	59·7	59·2	60·7	63·9	65·6	66·5	68·7	67·1	4
5	61·8	61·8	61·3	61·8	61·6	61·9	61·3	64·7	66·3	69·5	69·6	68·9	5
6	62·7	62·5	62·1	61·9	61·4	60·9	62·7	60·8	64·9	68·3	71·0	74·0	6
7	63·7	63·5	62·8	62·9	62·9	63·2	63·2	65·2	69·6	71·2	75·0	78·8	7
8	60·8	60·7	60·0	59·6	59·4	58·6	59·2	60·7	62·1	63·8	64·3	64·3	8
9	62·8	62·6	61·8	61·5	61·0	61·7	62·0	62·0	62·5	63·7	64·7	64·5	9
10	63·0	62·8	63·2	62·8	63·0	63·4	64·2	64·6	67·2	68·6	69·1	69·1	10
11	66·4	66·7	65·7	65·7	56·5	65·7	66·7	66·9	66·7	67·5	67·5	69·9	11
12	72·0	71·0	70·6	70·8	70·5	72·0	71·2	71·8	72·8	71·1	73·8	71·8	12
13	70·0	65·6	64·0	62·2	62·2	61·9	60·7	61·0	61·5	61·6	61·7	61·5	13
14	55·7	55·2	53·6	51·7	50·8	50·3	49·9	49·5	49·4	49·2	49·0	49·3	14
15	48·4	48·4	48·2	48·3	48·3	48·8	49·6	49·8	49·9	49·0	47·8	48·4	15
16	48·6	47·8	47·1	47·2	49·6	49·9	50·0	50·9	52·7	53·1	53·1	54·9	16
17	56·9	57·2	57·2	57·5	57·5	57·8	58·0	58·7	59·7	60·3	61·5	61·7	17
18	59·6	59·6	59·6	59·6	59·6	59·7	59·7	59·9	59·7	61·0	62·7	64·8	18
19	62·0	61·7	61·0	60·8	60·7	61·1	61·5	61·6	63·0	63·3	63·9	65·1	19
20	62·4	61·6	61·5	61·2	60·9	60·3	62·0	61·3	62·1	63·5	65·0	64·7	20
21	59·7	59·5	59·1	59·0	58·9	58·9	58·8	58·7	58·9	59·2	59·5	60·5	21
22	60·9	60·8	60·7	60·5	60·5	59·6	60·0	61·4	62·6	62·7	62·8	62·8	22
23	62·2	61·8	61·7	61·7	61·3	61·7	61·7	63·9	67·5	69·9	72·7	72·7	23
24	61·9	60·9	60·5	60·5	59·9	59·5	60·1	62·9	65·7	68·0	70·9	72·2	24
25	64·1	62·7	61·7	63·0	60·9	59·7	60·6	62·5	64·7	66·0	67·6	68·1	25
26	60·6	60·6	59·8	59·6	59·0	58·8	59·8	61·7	63·7	65·0	67·7	68·0	26
27	64·1	64·5	64·3	64·7	64·4	64·7	64·9	67·6	69·0	70·5	70·6	70·7	27
28	68·6	68·5	68·5	67·3	67·4	66·6	66·9	67·7	70·0	72·7	75·0	72·2	28
29	62·6	62·5	62·5	62·4	62·3	61·8	61·9	63·6	63·8	66·3	65·1	66·5	29
30	64·6	64·8	64·6	64·0	63·4	62·6	62·8	62·0	61·3	61·9	64·0	64·6	30
31	62·5	62·8	62·5	62·5	61·7	61·3	60·7	61·7	62·5	62·7	64·4	64·6	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	57·7	57·2	56·8	56·6	56·0	55·0	54·1	53·8	53·8	53·8	53·8	53·6	1
2	60·6	61·7	62·6	64·3	62·6	61·2	58·8	58·7	59·0	59·1	57·7	58·1	2
3	67·4	66·5	64·9	64·4	63·7	62·8	60·6	60·7	60·3	60·4	60·3	60·6	3
4	68·0	68·0	67·7	68·3	66·7	63·7	62·0	61·8	62·0	61·9	62·0	61·8	4
5	70·0	67·3	69·4	67·5	65·7	66·6	65·6	65·3	65·1	65·6	65·3	64·7	5
6	75·1	75·4	73·0	71·3	70·2	68·0	67·1	65·9	64·9	64·5	63·8	62·7	6
7	70·7	71·1	69·7	66·1	63·6	63·4	62·7	63·7	64·5	63·4	61·7	61·3	7
8	65·6	65·3	65·0	64·7	64·0	63·4	61·7	61·7	61·7	61·7	62·0	61·8	8
9	64·7	66·4	66·2	65·7	65·3	64·8	64·1	64·0	63·7	63·7	63·4	63·5	9
10	71·8	72·4	72·2	72·7	72·0	69·7	68·4	67·5	67·1	67·1	66·3	66·1	10
11	73·0	73·2	74·1	74·0	74·3	72·0	72·7	72·9	73·2	73·1	69·7	71·0	11
12	78·8	76·3	77·0	73·2	74·7	73·0	72·8	72·8	72·7	71·0	70·8	70·5	12
13	61·5	60·9	60·9	60·7	60·0	59·1	59·5	59·5	60·0	59·5	58·3	57·0	13
14	46·8	48·6	48·7	49·6	48·8	48·9	48·9	48·3	48·9	48·7	48·7	48·6	14
15	48·4	49·3	50·1	49·0	48·6	48·4	48·7	48·9	48·7	48·7	48·9	48·4	15
16	55·3	55·5	55·6	55·3	55·4	55·2	54·6	54·8	55·0	56·0	56·3	56·1	16
17	62·6	62·3	61·8	61·7	61·9	61·2	61·2	61·3	61·3	61·0	60·7	60·2	17
18	65·5	66·5	64·7	65·7	64·7	63·9	63·5	63·3	61·9	62·0	61·9	61·7	18
19	65·4	65·7	65·3	64·2	64·7	62·7	62·2	62·1	62·7	62·7	62·6	62·0	19
20	64·2	64·3	63·7	62·7	62·8	62·3	61·7	61·7	61·5	61·0	60·6	59·9	20
21	60·8	60·7	60·7	60·6	61·4	60·7	60·9	61·0	60·9	60·9	60·4	60·5	21
22	63·6	63·2	62·6	62·4	62·4	62·2	62·0	62·0	61·7	61·9	61·9	61·8	22
23	71·3	68·6	66·9	66·4	65·8	65·5	64·0	64·1	64·0	63·7	63·6	63·5	23
24	73·8	73·9	74·1	73·7	73·0	70·9	69·8	68·4	68·0	67·8	67·7	66·1	24
25	68·2	69·0	69·5	68·3	66·0	63·7	62·8	62·7	62·3	62·2	61·9	61·7	25
26	67·3	68·8	69·5	67·1	67·0	65·3	64·5	64·4	64·3	63·8	63·7	63·7	26
27	71·2	71·7	71·3	71·1	79·2	69·0	68·9	68·4	68·4	68·9	68·4	68·0	27
28	74·0	70·1	72·7	64·8	63·6	63·0	63·0	62·8	63·4	63·6	63·6	63·4	28
29	67·1	66·1	66·4	66·7	66·9	65·6	65·3	64·8	63·7	63·7	64·7	64·3	29
30	65·0	65·9	65·7	65·3	65·4	65·1	64·6	64·1	63·7	63·7	63·7	63·8	30
31	66·4	67·0	66·9	66·7	65·7	64·0	63·8	63·7	63·6	63·9	64·0	63·8	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of MARCH, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	45·2	46·3	46·5	46·4	45·3	45·6	45·4	49·0	49·6	49·7	49·2	50·1	1
2	48·4	48·4	48·6	48·7	48·9	48·1	47·9	49·1	50·2	50·4	51·0	51·4	2
3	53·8	53·8	54·1	53·8	54·2	53·9	54·1	54·6	55·4	55·7	56·7	56·7	3
4	56·3	56·1	56·1	55·8	55·7	56·0	56·6	54·8	53·6	54·5	56·8	55·3	4
5	58·5	58·3	57·9	58·5	58·5	58·7	58·5	60·8	61·8	63·1	63·7	61·8	5
6	61·0	60·8	60·9	61·5	60·8	60·5	60·4	60·5	62·7	62·8	64·0	65·0	6
7	61·1	60·9	60·0	60·1	60·1	60·1	60·1	61·3	62·3	63·9	66·4	66·9	7
8	57·9	57·6	57·1	56·2	56·0	55·4	55·3	55·6	56·0	56·2	55·8	55·7	8
9	60·0	58·8	58·6	56·8	56·2	56·3	56·5	56·5	57·0	57·7	58·7	58·1	9
10	59·8	60·3	61·4	60·3	61·3	61·9	62·5	63·0	64·2	65·8	65·8	65·8	10
11	64·7	65·0	64·5	64·5	65·0	64·7	65·6	65·8	65·5	66·3	66·3	67·9	11
12	70·1	68·9	68·9	69·3	69·0	70·2	70·0	70·6	70·8	69·0	71·2	70·1	12
13	69·6	64·7	62·9	61·0	61·0	60·2	59·6	59·7	59·2	59·2	59·1	58·9	13
14	52·7	52·1	50·9	49·0	47·9	47·3	46·8	46·4	46·1	45·6	44·6	45·8	14
15	43·4	43·4	43·1	43·1	43·1	44·6	45·0	45·0	44·8	44·6	44·1	45·4	15
16	46·6	46·0	45·4	45·6	46·7	46·9	47·0	48·2	49·1	49·3	49·3	50·8	16
17	53·5	53·6	53·6	53·8	53·8	54·5	55·0	55·2	55·2	55·9	56·1	56·8	17
18	56·8	56·8	56·8	57·0	57·0	57·0	57·0	57·4	57·8	58·8	59·7	60·8	18
19	58·8	58·0	57·0	56·8	56·1	55·7	55·9	56·0	57·5	57·7	58·0	58·9	19
20	53·2	54·1	53·1	53·3	53·2	54·6	55·5	56·2	56·0	56·0	55·0	54·8	20
21	54·8	54·1	54·1	54·0	53·4	52·9	52·9	52·8	53·3	54·0	53·7	52·4	21
22	57·6	57·3	57·1	55·8	55·7	56·1	56·8	57·2	58·2	58·7	58·7	58·8	22
23	60·4	60·6	60·6	60·3	59·8	58·9	58·9	59·9	61·0	62·2	63·2	63·0	23
24	56·8	56·9	57·1	57·0	56·8	56·8	57·0	58·0	59·5	60·0	59·5	60·7	24
25	52·1	51·8	51·0	51·5	51·6	54·5	56·4	57·8	58·0	58·2	57·8	58·5	25
26	56·8	56·7	56·3	55·8	55·0	54·0	54·8	56·2	57·5	58·4	59·9	60·3	26
27	61·7	62·0	61·9	62·4	62·4	62·7	62·8	64·7	65·4	65·7	65·8	65·9	27
28	65·7	65·6	65·6	64·7	64·8	64·6	64·9	65·4	66·2	67·0	67·5	66·5	28
29	59·8	59·6	59·4	59·2	59·0	59·0	59·0	59·6	59·8	61·3	59·0	57·0	29
30	58·6	57·8	57·6	57·7	58·0	58·6	59·5	59·8	59·7	60·0	61·0	61·2	30
31	60·6	60·8	60·6	60·0	59·6	59·3	58·6	58·8	58·8	58·8	60·4	60·6	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	49·9	48·2	48·6	48·0	48·0	49·0	49·4	49·0	49·0	48·8	48·8	48·6	1
2	51·6	52·9	53·9	54·7	54·7	54·0	53·8	54·1	54·5	54·6	53·8	53·6	2
3	57·2	57·2	54·8	55·4	54·8	54·0	53·6	53·2	54·3	54·5	54·7	55·3	3
4	55·3	57·0	56·7	56·6	56·4	56·8	56·2	56·5	56·8	57·0	57·2	58·5	4
5	62·2	61·1	63·1	61·4	60·5	60·1	59·9	60·1	60·1	60·3	60·8	61·9	5
6	65·8	65·9	65·0	64·3	63·7	63·0	62·6	62·1	61·7	61·6	61·3	61·4	6
7	63·6	63·6	62·4	61·5	60·6	60·3	60·0	60·8	61·0	60·7	59·5	59·4	7
8	56·0	55·3	55·4	55·2	55·0	56·2	56·5	57·1	57·9	58·8	59·5	59·4	8
9	58·3	58·9	59·0	58·5	58·8	59·3	58·8	58·8	59·1	59·5	59·5	59·5	9
10	67·8	67·8	67·0	67·6	67·0	65·9	65·8	65·0	64·6	64·6	64·3	64·1	10
11	70·0	70·1	70·1	70·3	70·6	70·0	70·0	70·0	70·0	70·0	67·8	68·3	11
12	73·3	72·0	71·9	70·4	70·7	70·3	70·5	71·0	71·0	69·8	70·1	69·5	12
13	58·9	58·8	58·8	58·6	58·1	57·1	57·6	57·6	58·0	57·6	55·8	54·5	13
14	44·5	45·2	45·1	45·4	44·8	44·9	44·4	43·7	44·2	43·7	43·7	43·7	14
15	45·0	46·1	46·2	46·0	46·1	46·5	46·9	47·2	46·9	46·9	47·2	47·0	15
16	50·7	50·8	51·0	51·0	51·5	51·1	50·8	51·1	51·3	52·0	52·5	52·6	16
17	57·0	56·8	56·6	56·8	56·8	56·7	57·0	57·2	57·2	57·0	56·9	56·7	17
18	61·0	62·2	61·2	62·6	61·1	60·8	60·6	60·4	60·0	59·9	59·7	59·8	18
19	59·8	59·7	59·4	59·0	59·2	57·8	58·0	58·4	58·0	58·6	56·0	54·7	19
20	54·8	54·8	55·0	54·7	54·9	54·8	54·6	54·6	54·7	55·0	55·1	55·2	20
21	53·0	53·8	53·7	53·8	54·6	55·5	56·7	57·4	57·8	57·8	57·4	57·5	21
22	58·9	59·1	58·6	58·6	58·6	58·8	58·3	58·3	58·6	58·8	59·5	59·8	22
23	62·2	61·7	61·3	60·2	59·8	61·0	60·0	60·2	59·5	58·8	58·8	58·0	23
24	61·0	59·8	60·0	60·6	60·6	60·0	56·8	55·5	55·1	55·2	54·8	53·6	24
25	59·2	59·0	57·0	56·7	55·0	56·8	57·7	57·8	57·6	56·4	56·6	56·6	25
26	60·0	61·8	61·8	61·2	61·3	60·8	60·4	60·3	60·4	60·4	60·4	60·9	26
27	66·4	66·3	65·8	65·8	65·6	65·5	65·6	65·5	65·5	65·6	65·5	65·3	27
28	64·5	64·6	66·0	62·1	61·4	61·0	60·8	60·4	60·4	60·1	60·1	60·1	28
29	57·7	56·6	56·5	56·9	57·0	57·7	58·4	59·3	59·3	58·8	58·4	58·4	29
30	61·3	62·0	61·9	61·6	62·0	62·1	62·2	62·6	62·0	62·0	62·0	61·8	30
31	61·6	61·8	62·0	61·8	61·6	60·7	60·5	60·4	60·2	60·3	60·6	60·8	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of MARCH, 1932.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	...	...	...	...	...	2	3	2	1	...	7	6	9	10	8	9	8	10	9	9	8	10	6	5	1
2	7	9	10	10	10	10	10	9	9	10	9	10	10	10	9	2	2	3	1	3	7	...	...	9	2
3	10	10	10	10	10	10	10	10	10	10	10	8	4	1	1	...	1	1	3	...	...	...	...	2	3
4	...	...	...	...	9	9	8	6	2	8	2	1	...	...	...	...	...	...	...	...	...	...	...	...	4
5	9	8	7	7	6	3	5	...	1	2	3	3	4	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	1	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	4	10	9	9	8	6	9	7
8	9	9	10	9	8	5	4	9	2	1	...	1	1	1	1	...	...	...	2	7	3	4	7	8	8
9	7	9	8	10	10	10	10	9	10	9	9	9	9	10	10	10	10	10	10	10	8	9	8	10	9
10	10	10	10	10	10	10	10	9	10	10	10	10	9	4	2	2	2	3	...	...	...	...	...	10	10
11	10	10	9	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	11
12	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	8	10	10	10	10	10	10	12
13	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	13
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	9	10	10	10	10	10	10	17
18	9	10	10	10	10	10	10	10	10	10	8	10	10	10	10	10	10	10	4	10	4	10	10	10	18
19	10	10	10	10	10	10	10	9	10	10	10	9	10	9	10	9	10	9	9	10	10	10	10	10	19
20	10	10	10	10	9	9	8	10	10	8	7	6	7	9	7	9	9	9	10	9	9	9	9	9	20
21	10	10	10	10	10	10	10	5	9	9	10	8	9	9	9	10	10	10	10	10	10	9	8	10	21
22	10	10	10	10	10	10	10	8	7	9	10	10	10	10	10	10	9	9	8	9	10	10	10	10	22
23	10	10	10	8	6	9	8	3	1	...	1	1	1	4	2	3	2	5	6	9	9	10	10	9	23
24	9	9	9	9	7	3	1	1	...	1	1	1	...	...	...	...	2	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	1	1	2	3	8	5	1	...	2	2	...	...	...	1	3	26
27	...	7	4	1	1	2	2	1	5	7	6	5	5	6	6	6	6	5	8	7	9	10	9	8	27
28	9	10	7	7	8	5	5	9	9	9	8	9	10	10	10	10	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	10	7	6	2	3	6	5	9	10	10	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30
31	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of MARCH, 1932.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	0·7	1·0	1·0	1·0	0·9	0·4	0·3	0·2	...	...	...	...	1
2	...	...	...	...	...	...	...	...	0·1	0·9	1·0	0·8	...	2
3	...	...	...	...	...	...	0·7	1·0	1·0	1·0	1·0	0·9	...	3
4	...	0·3	1·0	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	4
5	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	5
6	...	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	6
7	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	7
8	...	...	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	8
9	...	...	0·1	...	0·1	0·2	0·3	0·4	...	...	...	...	...	9
10	...	...	0·1	...	...	...	0·4	0·5	0·6	1·0	1·0	0·1	...	10
11	...	...	...	...	...	0·3	...	...	...	...	...	...	...	11
12	...	...	...	0·1	...	0·1	0·6	0·7	0·7	...	0·1	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	0·2	0·1	...	0·1	0·1	...	0·1	...	0·7	0·1	...	17
18	...	...	...	...	0·4	...	...	...	...	0·1	...	...	...	18
19	...	...	...	...	...	...	...	0·1	0·2	...	...	...	...	19
20	...	...	...	0·2	0·4	0·9	0·9	0·4	0·3	0·2	...	0·1	...	20
21	...	...	...	...	...	...	...	...	0·1	...	...	...	...	21
22	...	0·1	0·7	0·1	0·1	...	0·1	...	0·1	...	...	...	...	22
23	...	0·6	1·0	1·0	1·0	2·0	1·0	0·8	1·0	1·0	1·0	1·0	...	23
24	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	24
25	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	25
26	0·1	1·0	1·0	1·0	1·0	1·0	0·4	0·8	0·8	1·0	1·0	0·6	...	26
27	...	0·8	0·7	1·0	0·7	0·5	0·7	0·9	0·4	0·8	0·3	...	...	27
28	...	...	...	...	0·1	0·1	...	...	...	...	...	...	...	28
29	...	...	...	0·7	0·5	1·0	1·0	1·0	0·9	0·2	...	...	...	29
30	...	...	...	...	0·1	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	0·1	0·1	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of MARCH, 1932.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	0·005	d	d	0·010	...	...	...	...	d	10
11	...	...	...	...	...	...	...	...	...	...	d	...	11
12	...	...	0·010	0·110	0·005	0·035	d	...	d	...	d	...	12
13	...	d	d	0·015	d	0·035	0·315	0·895	0·005	0·005	0·005	d	13
14	d	d	...	d	...	d	0·010	d	d	d	d	0·295	14
15	...	...	...	...	d	...	...	d	...	d	...	...	15
16	0·050	0·010	d	...	...	...	...	...	...	...	d	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	0·010	...	...	...	18
19	...	...	...	...	...	...	d	d	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	d	...	21
22	...	...	...	d	d	d	d	...	...	...	...	...	22
23	0.040	0·065	d	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	d	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	d	d	d	d	d	...	...	...	30
31	d	...	...	...	...	d	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	d	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	d	d	...	d	d	0·040	d	...	...	d	0·005	d	11
12	...	...	...	d	...	...	d	...	d	d	...	...	12
13	d	d	d	d	d	d	d	d	...	0·015	d	...	13
14	0·075	0·020	d	...	...	d	d	...	...	...	...	d	14
15	d	d	...	...	d	0·005	d	d	...	0·015	0·005	0·015	15
16	...	...	...	d	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	0·005	0·025	0·005	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	d	0·010	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	d	d	d	0·015	0·015	d	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, at 148 feet above MEAN SEA LEVEL, in the MONTH of MARCH, 1932.

(The Direction is given in points and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time.																								Days of the Month.
	1		2		3		4		5		6		7		8		9		10		11		Noon.		
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	11	4	12	4	11	3	10	2	8	3	11	3	...	1	10	4	11	10	11	14	10	15	9	14	1
2	8	11	8	12	9	12	9	11	10	12	10	10	10	11	10	14	9	11	9	11	9	10	9	3	2
3	...	...	...	...	...	1	...	...	...	1	16	6	12	7	9	7	8	8	8	8	8	8	9	12	3
4	11	10	11	8	11	6	8	3	...	1	...	...	10	6	10	13	9	18	9	20	9	16	9	17	4
5	10	6	10	2	10	4	10	3	...	1	...	...	10	2	10	2	9	9	9	8	9	11	9	14	5
6	10	2	...	1	10	4	10	7	...	1	...	1	...	...	...	...	..	...	11	3	14	5	23	5	6
7	26	2	...	...	26	2	...	1	...	...	...	...	...	...	...	...	26	2	26	5	22	5	15	13	7
8	6	27	7	31	7	27	7	30	7	31	7	31	7	28	7	21	8	22	8	17	7	20	7	20	8
9	10	17	9	18	9	21	9	24	9	24	8	22	9	20	8	22	7	16	8	17	9	18	9	21	9
10	9	16	8	13	8	9	8	10	8	4	8	3	7	2	7	2	...	1	...	...	...	1	1	4	10
11	...	1	30	5	7	12	8	11	8	11	8	11	8	11	7	9	7	13	8	11	8	7	13	6	11
12	21	11	24	5	27	6	27	6	25	4	21	11	20	6	20	7	20	14	20	8	20	14	21	9	12
13	8	13	8	26	9	35	8	34	8	35	7	36	7	36	7	36	7	38	7	40	7	36	7	36	13
14	32	14	1	12	2	14	2	15	2	18	1	16	2	15	2	12	2	6	2	10	2	10	32	7	14
15	1	7	1	6	1	9	1	7	1	7	3	3	5	5	2	4	31	8	31	8	32	10	32	5	15
16	32	7	1	5	3	6	4	3	4	2	1	3	2	3	4	3	3	7	5	3	5	5	4	4	16
17	6	22	6	28	6	30	7	28	7	32	6	26	6	18	6	18	7	20	8	17	8	19	7	23	17
18	7	21	8	17	9	14	9	14	9	11	10	10	10	5	9	8	9	11	8	13	8	14	8	10	18
19	...	1	2	4	1	5	1	4	1	10	1	11	1	10	1	9	1	6	4	7	7	11	9	11	19
20	7	20	6	9	7	8	9	8	9	4	...	1	9	3	9	8	9	14	8	13	7	19	8	24	20
21	6	25	6	27	7	31	7	27	7	28	7	24	7	29	8	28	8	29	9	25	8	27	8	30	21
22	7	25	7	23	7	20	7	21	7	21	7	20	8	27	9	24	9	25	8	24	9	20	9	20	22
23	9	4	9	2	9	3	8	4	9	4	9	3	2	7	1	6	4	3	2	5	9	3	11	9	23
24	8	19	8	25	7	14	7	13	7	13	8	10	9	11	10	8	9	5	4	9	2	12	2	13	24
25	1	8	2	6	2	6	5	7	8	6	8	12	6	10	7	12	8	11	10	16	10	12	10	14	25
26	8	13	7	18	8	12	9	13	8	13	7	12	7	11	8	19	8	19	8	16	9	11	9	14	26
27	8	9	10	8	10	7	10	8	10	7	10	10	11	12	10	10	9	10	9	14	9	13	9	13	27
28	4	3	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	23	2	31	5	28
29	7	18	6	17	6	16	7	14	8	15	7	15	7	16	6	19	6	21	7	22	7	27	7	26	29
30	8	13	8	20	8	23	7	20	7	24	7	19	7	16	9	15	9	18	9	21	9	22	8	15	30
31	3	6	6	5	6	3	5	4	3	6	2	4	2	5	2	3	2	3	4	7	7	11	9	8	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	13	8	16	8	17	8	13	7	13	7	17	8	15	7	12	7	10	7	16	7	14	7	11	1
2	9	3	14	5	21	7	23	7	24	7	25	8	24	9	23	5	23	4	22	6	23	2	...	1	2
3	9	16	9	20	9	19	9	19	9	19	9	19	9	15	10	9	11	9	11	10	11	8	11	8	3
4	9	18	9	19	9	17	9	17	9	20	9	16	10	8	10	10	10	6	10	9	10	7	10	8	4
5	8	14	8	15	8	14	8	16	8	17	8	14	8	12	8	9	8	8	8	6	8	9	9	7	5
6	27	6	29	5	29	6	29	7	29	7	30	7	30	5	30	5	30	6	30	2	28	4	27	3	6
7	9	34	6	28	7	30	10	20	10	19	8	20	6	20	6	26	6	29	6	26	5	28	6	27	7
8	7	20	7	21	7	18	7	16	7	17	7	13	7	15	6	13	7	9	8	8	10	9	10	10	8
9	9	22	9	22	9	17	9	15	9	15	9	11	9	15	9	15	9	17	9	17	9	17	8	14	9
10	27	4	26	7	25	7	25	7	25	2	26	2	...	...	...	1	26	2	...	...	...	...	...	...	10
11	16	13	16	14	16	11	17	18	18	20	18	16	19	18	19	19	19	27	21	18	23	10	22	14	11
12	19	16	19	16	19	15	19	9	21	11	24	6	26	4	27	3	...	1	4	6	7	8	8	12	12
13	7	38	7	35	7	32	7	32	7	32	7	30	8	30	8	23	8	22	5	10	2	7	1	11	13
14	2	8	1	5	2	6	1	7	1	12	32	11	32	13	31	16	1	11	32	12	32	10	32	7	14
15	31	7	31	4	31	7	32	7	3	5	...	1	1	2	1	3	5	2	7	9	5	16	1	5	15
16	5	8	7	6	6	5	4	6	3	4	4	6	5	5	5	7	5	9	5	11	6	13	6	17	16
17	7	23	8	19	8	22	8	23	8	19	8	14	7	13	7	13	7	19	7	20	7	16	8	21	17
18	10	8	19	5	23	10	25	11	25	11	25	4	28	2	29	5	28	7	26	6	24	4	27	3	18
19	9	11	10	12	10	13	9	13	8	8	9	15	8	10	8	5	8	6	8	5	8	12	7	12	19
20	7	23	7	23	7	21	7	22	7	22	6	24	6	19	6	21	6	23	7	22	7	24	7	24	20
21	8	25	7	29	7	30	7	26	8	24	8	25	7	27	7	28	7	31	7	31	7	26	7	25	21
22	8	24	8	24	8	25	9	23	9	22	9	24	9	23	8	22	8	22	8	17	8	4	11	3	22
23	9	11	8	14	8	14	8	15	9	17	10	13	9	13	9	10	7	13	7	13	6	16	7	23	23
24	2	8	2	14	1	15	1	8	29	7	31	4	31	10	32	17	1	18	2	9	2	13	2	10	24
25	10	11	10	15	10	19	9	18	9	22	9	14	9	8	9	7	8	8	7	16	9	12	10	13	25
26	9	14	9	9	9	14	8	17	8	17	8	16	9	16	9	13	9	10	9	11	9	10	8	9	26
27	6	15	7	17	7	15	7	13	8	15	8	11	8	10	7	9	7	7	6	4	...	1	...	1	27
28	1	9	2	4	6	7	8	24	9	20	8	21	7	18	7	15	8	17	7	12	6	15	7	13	28
29	9	20	9	25	9	26	8	23	8	18	8	18	8	16	7	19	7	21	7	23	6	20	7	18	29
30	9	19	9	18	9	20	9	18	9	15	9	16	9	14	9	14	9	11	9	7	7	2	1	6	30
31	10	9	10	5	10	3	11	3	24	2	6	6	8	7	8	9	8	8	9	7	8	6	7	9	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of MARCH, 1932.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	...	...	...	...	ci-st / cu	W / E	...	...	ci-cu / cu	WSW / E	cu	E	st-cu	E	st-cu	E
2	cu	E	st-cu	E	st-cu	W	st-cu	W	st-cu	W	cu	WNW	cu	W	...	...
3	cu	W	cu	W	cu	W	cu	W	cu	W	...	...	a-cu	WSW	...	...
4	...	...	...	...	cu	W	a-cu	WNW	...	...	...	...	...	...	...	...
5	cu	E	cu	E	a-cu	W	a-cu / cu	WSW / E	cu	E	...	...	...	...	...	...
6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7	...	...	...	...	...	...	...	...	...	...	...	...	cu-nb	E	cu	E
8	cu	E	cu	E	cu	ENE	cu	E	cu	E	...	...	a-cu / cu	S / ENE	cu	ENE
9	cu	E	cu	E	cu	E	cu	E	cu	E	cu	ESE	nb	S	a-cu / cu	SSW / ESE
10	cu	E	nb	E	nb	ESE	st	ENE	cu	W	cu	WSW	...	...	...	...
11	st	WSW	cu	ENE	st	SSE	nb	S	nb	S	nb	S	nb	S	nb	S
12	nb	S	nb	S	nb	SSW	nb	SW	cu	SW	nb	SW	nb	SW	nb	SW
13	st	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
14	nb	E	nb	E	nb	E	nb	E	nb	E	st-cu	ENE	nb	ENE	st-cu	ENE
15	nb	ENE	st-cu	ENE	st-cu	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE
16	nb	ENE	nb	ENE	nb	ENE	st-cu	ENE	st-cu	ENE	nb	ENE	nb	ENE	nb	ENE
17	nb	ENE	nb	ENE	cu	E	st-cu	E	cu	ESE	cu	S	st-cu	ESE	st-cu	ESE
18	cu	ESE	cu	ESE	st-cu	ESE	st-cu	SE	st-cu	SE	st-cu	NNW	cu	NNW	st-cu	NNW
19	cu	ENE	cu	ENE	nb	ENE	st-cu	ENE	cu	E	cu	ENE	cu	E	st-cu	E
20	st-cu	E	cu	E	a-cu	SSW	a-cu	WSW	a-cu / cu	W / E	cu	SW	cu	SW	cu	SW
21	cu	SW	cu	SW	st-cu	W	a-cu / st-cu	W / SSE	a-cu / st-cu	W / ESE	st-cu	E	st-cu	ENE	cu	E
22	cu	E	nb	E	nb	ESE	nb	ESE	st-cu	ESE	st-cu	ESE	cu	ESE	st-cu	ESE
23	nb	E	cu	N	a-cu / cu	NNW / NNE	...	...	a-cu	NW	cu	NNE	cu	NNW	cu	NNW
24	a-cu / cu	NW / NNW	a-cu / cu	NW / NNW	cu	ENE	cu	ENE	...	...	...	...	...	...	...	...
25	...	...	...	...	cu	E	...	...	...	...	...	...	...	...	...	...
26	...	...	...	...	...	...	cu	SSW	cu	SW	cu	SSW	ci-st	W	...	...
27	...	...	cu	SE	cu	ESE	a-cu / cu	S / ESE	cu	ESE	cu	SSE	cu	S	cu	S
28	cu	SSE	a-cu / cu	SW / SE	ci-st / cu	WNW / SE	st	W	nb	ESE	nb	E	cu	E	cu	E
29	st-cu	E	cu	E	cu-nb	ENE	cu	ENE	a-cu	WSW	cu	ENE	cu-nb	S	cu-nb	ESE
30	cu-nb	E	cu-nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
31	nb	E	nb	E	nb	E	st-cu	ENE	a-cu / cu	W / ENE	cu	ENE	cu	ENE	cu	ENE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1932.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h	m.p.h.
1	30·149	58·4	50·2	8·2	54·2	48·1	·268	64	51	5·5	47	...	...	− 0·7	+ 9·7	94	9·7	10·2
2	·083	64·5	53·6	10·9	58·0	51·6	·311	65	70	2·8	24	...	...	− 1·8	+ 3·1	120	3·6	8·0
3	·049	67·4	57·3	10·1	61·1	54·8	·359	67	55	5·6	48	...	...	− 2·6	+ 8·8	106	9·2	9·5
4	·009	68·9	59·0	9·9	63·6	56·2	·369	63	19	9·6	82	...	...	− 3·0	+ 10·9	105	11·3	11·4
5	29·953	70·2	61·1	9·1	65·4	60·5	·472	75	24	10·8	91	...	...	− 0·8	+ 8·4	95	8·4	8·5
6	·932	75·5	60·5	15·0	66·4	62·5	·521	81	2	9·3	79	...	...	+ 1·6	− 1·0	328	1·9	3·8
7	·960	81·5	61·3	10·2	66·0	61·5	·495	77	24	10·1	86	...	...	+ 2·1	+ 11·3	79	11·5	14·0
8	30·033	65·7	58·6	7·1	62·2	56·5	·393	70	42	8·9	75	...	...	+ 3·3	+ 19·3	80	19·6	19·7
9	29·940	66·4	61·0	5·4	63·6	58·3	·428	73	93	1·1	9	...	...	− 2·8	+ 18·2	99	18·2	18·2
10	·814	72·9	62·1	10·8	67·3	64·3	·568	85	63	3·7	31	0·015	2	+ 0·4	+ 1·3	73	1·4	4·0
11	·728	74·3	65·7	8·6	69·8	67·6	·650	89	99	0·3	3	0·045	2	− 6·3	+ 0·2	178	6·3	12·7
12	·677	78·8	70·4	8·4	72·6	70·4	·718	90	99	2·3	19	0·160	4	− 3·6	− 4·3	231	5·8	8·7
13	·819	70·5	57·0	13·5	61·3	59·4	·485	90	100	...	...	1·290	12	+ 4·3	+ 28·1	81	28·4	29·3
14	30·105	56·8	46·8	10·0	49·9	46·2	·272	76	100	...	...	0·400	7	+ 10·8	+ 2·4	13	11·1	11·1
15	·163	50·8	47·6	3·2	48·8	45·3	·264	76	100	...	...	0·040	4	+ 5·3	+ 1·5	16	5·5	6·1
16	·129	56·4	47·1	9·3	52·9	49·5	·316	79	100	...	...	0·060	3	+ 3·7	+ 4·4	50	5·8	6·2
17	·001	62·9	56·1	6·8	60·0	55·8	·398	77	99	1·4	12	...	...	+ 4·0	+ 20·5	79	20·9	21·0
18	29·949	66·9	59·5	7·4	62·1	59·3	·473	85	94	0·5	4	0·010	1	− 0·2	+ 3·9	93	3·9	9·3
19	30·045	67·1	60·4	6·7	62·8	57·7	·420	73	97	0·3	2	...	...	+ 2·0	+ 6·7	73	7·0	8·8
20	·148	65·9	59·9	6·0	62·2	54·7	·344	62	88	3·4	28	...	...	+ 3·0	+ 16·2	79	16·5	16·6
21	·066	61·5	58·4	3·1	60·0	54·6	·366	71	94	0·1	1	...	...	+ 3·8	+ 26·8	82	27·1	27·4
22	29·923	64·3	59·5	4·8	61·8	58·1	·442	80	95	1·2	10	0·035	3	− 0·5	+ 20·5	91	20·5	20·5
23	·996	73·3	61·2	12·1	65·3	60·4	·471	75	57	10·4	86	0·105	2	+ 0·4	+ 8·7	87	8·7	9·4
24	30·073	74·9	59·3	15·6	67·1	57·8	·375	57	22	11·3	93	...	...	+ 6·6	+ 6·5	45	9·3	11·9
25	·072	69·5	59·3	10·2	64·2	56·1	·360	60	1	11·2	92	...	...	− 0·9	+ 10·8	95	10·8	11·8
26	29·955	70·0	58·7	11·3	63·9	58·8	·439	74	12	9·7	80	...	...	− 0·8	+ 13·6	93	13·6	13·6
27	·820	72·9	63·7	9·2	68·2	64·7	·571	83	52	6·8	56	...	...	− 0·8	+ 9·5	95	9·5	10·0
28	·867	75·2	62·8	12·4	67·3	63·7	·549	82	90	0·2	2	0·010	1	+ 1·5	+ 6·8	78	7·0	7·8
29	·931	67·9	61·8	6·1	64·4	58·6	·428	71	87	5·1	41	...	...	+ 2·7	+ 19·4	82	19·6	19·7
30	·929	66·3	61·3	5·0	64·0	60·5	·487	82	100	0·1	1	0·030	6	− 1·0	+ 15·9	94	15·9	16·1
31	30·029	67·3	60·7	6·6	63·7	60·4	·488	83	100	0·2	2	...	1	+ 1·2	+ 4·8	76	5·0	5·8
Means.	29·979	67·9	58·8	9·1	62·6	57·9	0·435	75	69	Sum. 131·7	35	Sum. 2·200	Sum. 48	+ 1·0	+ 10·1	84	10·1	12·6
Normals	29·944	67·4	59·8	7·6	63·1	59·9	0·489	83	82	94·5	25	2·973	79	+ 1·4	+ 12·8	84	12·9	15·0
Absolute Max.	30·218	81·5	...	15·6	...	73·3	0·736	...	...	11·3	93	1·290	12	...	...	...	...	40·0†
Day.	15	7	...	24	...	12	12	...	...	24	24	13	13	...	...	...	...	13[d]10[h]
Absolute Min.	29·621	...	46·8	3·1	...	42·8	0·213	39	...	...	...	...	...	...	...	...	...	...
Day.	12	...	14	21	...	15	15	24	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

												Sum.	Sum.					
Means.	1017·3	292·9	287·9	5·0	290·0	287·4	14·7	...	...	...	...	55·9	48	+ 0·3	+ 3·3	84	3·3	4·1
Normals	1016·1	292·7	288·4	4·3	290·3	288·5	16·5	...	...	...	...	75·5	79	+ 0·5	+ 4·2	84	4·2	4·9
Absolute Max.	1025·5	300·5	...	8·7	...	295·9	25·6	...	...	...	...	32·8	12	...	...	...	...	13·1
Absolute Min.	1005·0	...	281·2	1·7	...	279·0	7·2	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 12 days. The mean hourly intensity was 0·046*in*, and the maximum fall in one hour was 0·895*in* at *8h* on the 13th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 50 miles per hour from E. by N. at *6h 50m* on the 18th.

Clouds with base less than 2,000 feet high were observed on 6 days.

Clouds with base less than 1,000 feet high were observed on 4 days.

*0°=N., 90°=E., &c.

† Maximum velocity for one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1932.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall. Amount.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	ins.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·993	61·0	57·3	0·437	79	74		0·090	+ 2·0	+ 9·1	78	9·3	11·5
2	·984	60·7	57·0	·432	79	78		0·075	+ 2·2	+ 9·8	77	10·1	11·5
3	·971	60·3	56·7	·428	79	75		0·010	+ 1·7	+ 10·0	80	10·1	11·7
4	·963	60·1	56·4	·422	79	74		0·130	+ 1·4	+ 10·1	82	10·2	11·4
5	·965	59·9	56·3	·421	79	75		0·005	+ 1·7	+ 9·8	80	10·0	11·3
6	·978	59·8	56·4	·425	80	73	3	0·070	+ 1·6	+ 8·7	80	8·9	10·8
7	·993	60·1	56·7	·429	80	73	22	0·335	+ 1·5	+ 9·2	81	9·3	10·7
8	30·012	61·1	57·3	·435	78	68	35	0·895	+ 0·8	+ 9·7	85	9·7	11·1
9	·028	62·5	57·8	·434	74	67	38	0·015	+ 0·5	+ 10·3	87	10·3	12·2
10	·033	63·6	58·3	·436	72	68	39	0·005	+ 0·4	+ 10·5	88	10·5	12·3
11	·025	64·8	58·6	·431	68	67	42	0·005	+ 0·1	+ 11·1	89	11·1	13·4
Noon.	·007	65·4	58·8	·430	67	65	44	0·295	— 0·3	+ 11·4	92	11·4	13·7
13	29·983	65·8	59·0	·431	66	65	45	0·075	— 0·2	+ 12·3	91	12·3	15·2
14	·952	65·8	59·1	·434	66	67	44	0·030	— 0·1	+ 12·1	90	12·1	15·2
15	·932	65·7	58·9	·430	66	63	43	...	+ 0·1	+ 11·7	90	11·7	15·5
16	·925	64·9	58·6	·430	68	61	43	...	— 0·2	+ 11·3	91	11·3	15·3
17	·927	64·3	58·4	·431	69	62	29	...	— 0·4	+ 10·6	92	10·6	14·8
18	·936	63·2	58·3	·440	74	64	1	0·045	+ 0·3	+ 10·5	88	10·5	13·6
19	·948	62·6	58·2	·445	76	65		...	+ 0·9	+ 9·5	85	9·5	12·6
20	·967	62·4	58·2	·447	77	68		...	+ 1·8	+ 9·1	79	9·3	12·4
21	·982	62·3	58·3	·450	78	66		...	+ 1·7	+ 9·2	80	9·4	12·7
22	·996	62·2	58·2	·449	78	67		0·050	+ 1·8	+ 9·0	79	9·2	11·9
23	·999	61·9	58·0	·446	78	66		0·050	+ 2·6	+ 8·5	73	8·9	11·1
Midn.	·997	61·6	57·9	·447	79	75		0·020	+ 2·0	+ 8·6	77	8·8	11·1

Phenomena :—

Lunar corona :—on the 18th, 21st, 22nd, 23rd and 24th.

Thick fog :—on the 6th and 7th.

Fog :—on the 6th, 7th, 10th, 11th, 12th, 13th and 28th.

Dew :—on the 5th, 6th and 27th.

Thunder :—on the 9th and 16th.

Thunderstorms :—

9*d*. 16*h*. 35*m*. to 17*h*. 05*m*. W. to E.; nearest at 16*h*. 45*m* ($\frac{1}{2}$*s*).

10*d*. 3*h*. 51*m*. to 4*h*. 26*m*. S.S.W. to N.N.E.; nearest at 4*h*. 03*m*. (12*s*).

14*d*. 11*h*. 59*m*. to 12*h*. 35*m*. in N.W.; distant.

ADOPTED ERRORS OF TIMEBALL, MARCH, 1932.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	0·0	11	+ 0·2	21	+ 0·1
2	— 0·1	12	+ 0·1	22	+ 0·1
3	— 0·1	13	0·0	23	0·0
4	+ 0·1	14	— 0·1	24	+ 0·1
5	0·0	15	0·0	25	+ 0·3
6	+ 0·1	16	0·0	26	+ 0·2
7	0·0	17	+ 0·1	27	+ 0·1
8	0·0	18	0·0	28	0·0
9	0·0	19	0·0	29	— 0·1
10	+ 0·1	20	0·0		0·0
					— 0·1

+ = Late ; — = Early.

The above may also be regarded as the errors of the time signals by radio telegraphy and by signal lights.

The probable error for the month was ± 0·10

* 0° = N, 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

MARCH,

1932.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	29TH FEBRUARY, 1932.								1ST MARCH, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	Force. (Beaufort.)	WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER. AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	Force. (Beaufort.)	WEATHER. (Beaufort.)
Vladivostock,	12	29.66	753.4	39	...	WSW	1	b	6	30.05	763.2	18	...	...	0	b
Nemuro,	11	29.53	750.0	...	...	SW	2	...	5	29.45	748.0	...	...	WNW	1	...
Hakodate,	,,	29.67	753.5	...	...	W	3	...	,,	29.63	752.5	...	...	NNW	4	...
Tokio,	,,	29.76	756.0	...	...	NNW	1	...	,,	29.82	757.5	,,	...	...	0	...
Kochi,	,,	29.96	761.0	...	...	SW	1	...	,,	30.08	764.0	...	...	WSW	1	...
Nagasaki,	,,	30.14	765.5	...	...	N	2	...	,,	30.18	766.5	...	...	NNW	1	...
Kagoshima,	,,	30.12	765.0	...	...	NNW	3	...	,,	30.14	765.5	...	...	...	0	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.18	766.3	...	...	N	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.24	768.0	...	...	NE	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.28	769.0	...	...	NNE	1	...
Fonin Island,	,,	29.82	757.5	...	...	WSW	2	...	,,	29.96	761.0	...	...	W	2	...
Chefoo,	15	30.16	765.8	41	6	WNW	6	b	6	30.08	763.9	38	6	SW	2	b
Shanghai,	14	30.37	771.5	49	8	WNW	4	b	,,	30.35	770.9	29	6	WSW	2	b
Gutzlaff,	,,	30.39	771.9	45	6	NNW	4	b	,,	30.40	772.1	36	6	SSE	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.30	769.6	58	8	E	2	b	7	30.29	769.3	50	8	NW	2	b
Amoy,	,,	30.32	770.1	56	6	ENE	4	b	6	30.32	770.1	45	6	NE	2	b
Swatow,	,,	30.35	770.9	54	...	ESE	3	b	,,	30.32	770.1	45	...	NNW	1	b
Taihoku,	11	30.38	771.6	49	...	...	0	0	5	30.34	770.5	36	...	...	0	b
Taichu,	,,	30.28	769.2	56	...	N	4	0	,,	30.24	768.0	41	...	...	0	b
Tainan,	,,	30.26	768.6	63	...	N	4	0	,,	30.21	767.2	43	...	N	2	b
Koshun,	,,	30.21	767.4	67	...	NE	4	b	,,	30.16	766.0	58	...	NE	4	b
Pescadores,	,,	30.10	769.7	58	...	NNE	6	b	,,	30.22	767.6	52	...	NE	6	b
Hong Kong,	14	30.26	768.6	60	8	E	2	b	6	30.23	767.8	50	7	ENE	1	b
Gap Rock,	,,	30.27	768.9	59	8	ENE	4	b	,,	30.22	767.6	59	8	ENE	3	b
Macao,	,,	30.25	768.4	58	8	NE	4	b	,,	30.18	766.6	49	4	NE	2	c
Bolhow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Patas Island,	,,	30.20	767.0	63	8	NE	6	bc	6	30.17	766.4	61	8	NE	6	bc
Hinlien,	15	30.26	768.7	61	8	...	0	0	7	30.21	767.4	54	7	E	3	c
Tourane,	,,	30.17	766.3	61	8	NW	4	0	,,	30.15	765.7	63	7	N	2	c
Cape St. James,	,,	29.96	761.0	79	6	E	4	bc	,,	29.99	761.7	72	7	ENE	3	bc
Iloilo,	14	30.06	763.6	70	8	NE	4	bc	6	30.10	764.6	65	4	E	4	bc
Aparri,	,,	30.04	763.1	68	4	NE	4	d	,,	30.06	763.6	67	4	E	4	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	30.05	763.2	67	1	...	0	b
Vigan,	,,	...	...	...	...	...	...	...	,,	29.97	761.2	67	8	...	0	bc
Manila,	,,	29.92	760.0	86	8	W	4	bc	,,	29.97	761.2	72	6	...	0	b
Iloenapi,	,,	29.90	759.4	83	6	...	...	0	,,	29.95	760.6	76	6	N	2	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.95	760.7	72	8	...	0	b
Tacloban,	,,	29.89	759.3	81	8	N	2	bc	,,	29.95	760.8	74	4	N	2	d
Iloilo,	,,	29.85	758.2	85	8	SSE	6	b	,,	29.90	759.5	74	4	NE	4	b
Cebu,	,,	...	...	...	...	...	...	...	,,	29.91	759.8	76	8	N	2	b
Surigao,	...	29.87	758.8	85	8	N	4	bc	,,	29.91	759.7	72	6	...	0	b
Saipan,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	73	...	ENE	2	c
Guam,	12.22	29.74	755.4	...	6	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	755.8	...	6	N	4	bc	5	29.74	755.5	75	...	WNW	2	...
Ponape,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	78	...	NE	4	bc
Labuan,	14	29.95	760.7	83	6	N	4	bc	6	29.90	759.4	74	1	NE	4	b

March 1*d.* 10*h.* 4*cm.*—The anticyclone has weakened further. It is central to the south of Shanghai and moving eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 2.53 inches, against an average of 5.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	Light, variable winds, fine generally.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine to cloudy.
C.—Hong Kong to Gap Rock,	N.E. winds, moderate; fine at first, rain later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; generally cloudy, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st MARCH, 1932.								2nd MARCH, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.04	763.0	29	...	N	3	b	6	30.21	767.2	19	...	...	0	b
Nemuro,	11	29.55	750.5	...	...	NNE	3	...	5	29.92	760.0	...	...	NW	2	...
Hakodate,	,,	29.69	754.0	...	...	WNW	4	...	,,	29.96	761.0	...	...	...	0	...
Tokio,	,,	29.82	757.5	...	...	WNW	1	...	,,	30.08	764.0	...	...	N	1	...
Kochi,	,,	30.08	764.0	...	...	SE	1	...	,,	30.16	766.0	...	...	WSW	1	...
Nagasaki,	,,	30.20	767.0	...	...	NNW	1	...	,,	30.20	767.0	...	...	...	0	...
Kagoshima,	,,	30.18	766.5	...	...	NW	2	...	,,	30.20	767.0	...	...	...	0	...
Oshima,	,,	30.22	767.5	...	...	NNW	1	...	,,	30.20	767.0	...	...	S	1	...
Naha,	,,	30.24	768.0	...	...	N	3	...	,,	30.24	768.0	...	...	ENE	1	...
Ishigakijima,	,,	30.28	769.0	...	...	NE	1	...	,,	30.18	766.5	...	...	NE	1	...
Bonin Island,	,,	30.00	762.0	...	...	WNW	1	...	,,	30.12	765.0	...	...	NNW	1	...
Chefoo,	15	30.09	764.4	49	8	ENE	2	b	6	30.17	766.2	31	4	S	2	c
Shanghai,	14	30.25	768.4	56	8	SSW	2	b	,,	30.22	767.5	49	6	SE	2	b
Gutzlaff,	,,	30.32	770.1	45	6	SSW	2	b	,,	30.28	769.1	41	6	E	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.21	767.3	58	8	E	2	c	7	30.15	765.8	50	6	...	0	m
Amoy,	,,	30.23	767.8	61	6	ESE	2	b	6	30.22	767.6	50	8	SW	4	b
Swatow,	,,	30.35	770.9	54	...	ESE	3	b	,,	30 26	768.6	...	...	E	...	b
Taihoku,	11	30.29	769.4	59	...	E	4	b	5	30.18	766.6	50	...	...	0	b
Taichu,	,,	30.23	767.8	65	...	...	0	b	,,	30.21	767.3	49	...	...	0	b
Tainan,	,,	30.20	767.2	65	...	NNW	2	b	,,	30.15	765.8	52	...	N	2	b
Koshun,	,,	30.20	767.2	65	...	NNW	2	b	,,	30.13	765.3	61	...	ENE	2	b
Pescadores,	,,	30.18	766.6	67	...	NE	4	b	,,	30.17	766.1	54	...	NNE	2	c
Hong Kong,	14	30.17	766.3	57	7	E	4	o	6	30.16	766.0	54	6	E	2	c
Gap Rock,	,,	30.18	766.6	58	8	ENE	4	c	,,	30.15	765.8	62	8	ENE	4	c
Macao,	,,	30.16	766.1	59	6	SE	2	o	,,	30.15	765.8	54	4	ENE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.12	765.0	68	8	NE	4	c	6	30.10	764.6	67	8	NE	6	o
Phulien,	15	30.12	765.1	65	8	E	2	o	7	30.11	764.8	57	5	ENE	3	o
Tourane,	,,	30.07	763.9	65	8	NW	1	o	,,	30.06	763.4	64	6	WSW	1	c
Cape St. James,	,,	29.96	761.0	79	8	ENE	4	bc	,,	30.00	762.0	73	5	ENE	5	f
Basco,	14	30.06	763.4	67	6	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	30.02	762.6	74	4	E	4	o	,,	30.04	761.0	68	6	...	0	o
Tuguegarao,	,,	29.96	761.0	56	6	...	0	o	,,	30.02	762.6	65	1	...	0	bc
Vigan,	,,	29.91	759.6	83	8	W	4	b	,,	29.91	759.7	72	8	E	2	b
Manila,	,,	29.93	760.1	85	8	WSW	2	o	,,	30.00	761.9	67	6	...	0	b
Legaspi,	,,	29.92	760.0	79	6	NE	4	o	,,	29.96	761.0	74	4	SE	2	b
Calboyog,	,,	29.91	759.6	81	8	NE	4	d	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.90	759.5	79	8	NE	4	o	,,	29.96	761.0	74	8	NW	4	o
Iloilo,	,,	29.85	758.3	85	8	ENE	4	o	,,	29.92	760.0	72	4	NE	4	o
Cebu,	,,	29.87	758.8	85	8	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.88	758.8	79	8	NE	2	o	,,	29.92	760.0	76	6	NE	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	74	...	...	0	o
Guam,	12.22	29.76	755.8	...	6	SE	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29 72	754.8	...	...	SW	4	bc
Peiew,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	78	...	NNW	4	c
Labuan,	14	29.95	760.7	83	6	N	4	bc	6	29.90	759.4	67	1	S	8	c

March 2*d*. 10*h*. 45*m* – The anticyclone has weakened further. It is central to the south-east of Shanghai and is nearly stationary.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 2.53 inches, against an average of 5.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd.

District.	Forecast.
A.—Shanghai to Turnabout,	Light, variable winds, fine to cloudy, local fog in morning.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; generally overcast, some rain later.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.33	770.3	19	...	N	2	o	6	30.17	766.4	16	...	...	o	f
Nemuro,	11	29.92	760.0	...	...	N	2	...	5	29.92	760.0	..	...	WNW	1	...
Hokodate,	,,	30.00	762.0	...	...	N	1	...	,,	30.02	762.5	...	...	W	2	...
Tokio,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.14	765.5	..	...	NNE	1	...
Kochi,	,,	30.16	766.0	...	...	...	o	...	,,	30.16	766.0	...	...	WSW	1	...
Nagasaki,	,,	30.22	767.5	...	...	WNW	2	...	,,	30.20	767.0	...	...	E	1	...
Kagoshima,	,,	30.20	767.0	...	...	NW	1	...	,,	30.18	766.5	...	...	NW	1	...
Oshima,	,,	30.22	767.5	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.22	767.5	...	...	NNW	1	...	,,	30.16	766.0	...	...	E	1	...
Ishigakijima,	,,	...	...	...	...	...	..	...	,,	30.14	765.5	...	...	NE	1	...
Fonin Island,	,,	30.10	764.5	...	...	NNW	1	...	,,	30.16	766.0	...	...	...	o	...
Chefoo,	15	30.15	765.8	41	6	E	2	o	6	30.05	763.3	31	4	...	o	z
Shanghai,	14	30.16	766.0	56	6	WSW	2	o	,,	30.18	766.6	38	6	W	2	b
Gutzlaff,	,,	30.22	767.6	47	6	...	o	b	,,	30.30	769.6	43	4	SW	2	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.08	764.0	56	6	E	2	b	7	30.13	765.3	52	6	ENE	2	b
Amoy,	,,	30.14	765.5	61	6	N	4	b	6	30.16	766.0	54	1	E	2	f
Swatow,	,,	30.21	767.3	61	...	W	3	c	,,	30.21	767.3	50	...	NE	1	b
Taihoku,	11	30.17	766.4	67	...	...	o	b	5	30.16	766.1	49	...	...	o	b
Taichu,	,,	30.19	766.8	68	...	...	o	b	,,	30.15	765.7	50	...	...	o	b
Tainan,	,,	30.17	766.2	72	...	NNW	2	b	,,	30.11	764.8	52	...	N	2	b
Koshun,	,,	30.19	766.7	74	...	ENE	2	b	,,	30.10	764.4	54	...	...	o	b
Pescadores,	,,	30.19	766.7	61	...	NE	4	b	,,	30.12	764.9	56	...	NNE	6	b
Hong Kong,	14	30.12	765.0	62	4	W	1	om	6	30.12	765.0	58	5	E	1	om
Gap Rock,	,,	30.14	765.5	63	8	NNE	3	o	,,	30.11	764.8	65	8	N	2	o
Macao,	,,	30.11	764.8	65	4	ENE	2	c	,,	30.09	764.2	58	4	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.08	764.0	72	8	NE	4	c	6	30.08	764.0	68	8	NNE	4	c
Phulien,	15	30.11	764.9	61	6	ENE	2	o	7	30.13	765.3	59	4	...	o	o
Tourane,	,,	30.01	762.3	74	8	SE	2	o	,,	30.07	763.8	65	1	NW	2	o
Cape St. James,	,,	29.95	760.7	77	6	ENE	6	b	,,	29.98	761.5	74	6	E	6	o
Basco,	14	30.03	762.8	73	8	NE	4	b	6	...	..	...	.	...	...	...
Aparri,	,,	29.99	761.8	77	4	E	4	b	,,	30.02	762.6	70	6	E	2	c
Tuguegarao,	,,	29.93	760.2	81	6	...	o	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.92	760.0	83	8	WSW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.93	760.1	85	8	SW	4	bc	,,	29.97	761.2	72	6	...	o	o
Legaspi,	,,	29.93	760.2	81	8	ENE	4	o	,,	29.95	760.8	74	6	NE	4	b
Calbayog,	,,	29.95	760.2	81	8	N	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.91	759.8	77	8	N	4	o	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.87	758.8	83	8	NE	6	bc	,,	...	...	...	...	...	...	...
Cebu,	,,	29.88	758.9	83	8	NNE	4	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.89	759.1	81	8	N	4	o	,,	...	..	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.91	759.7	74	...	NE	2	c
Guam,	12.22	29.80	756.8	...	6	ESE	2	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.5	...	6	SSW	4	bc	5	29.86	758.3	...	6	SSW	2	o
Lenew,	,,	...	...	...	...	...	...	...	,,	29.86	758.3	76	...	W	2	c
Palauan,	14	29.94	760.6	81	6	N	6	bc	6	29.90	759.4	74	1	N	6	o

March 3*d.* 10*h.* 38*m* — The anticyclone is central to the S.W. of Nagasaki, moving slowly eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 2.53 inches, against an average of 3.35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	Light, variable winds, fine to cloudy, local fog in morning.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. or variable winds, light to moderate; fair generally, local fog in morning.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	4th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.09	764.3	36	...	...	0	h	6	29.95	760.6	19	...	...	0	f
Nemuro,	11	29.88	759.0	...	...	NNW	2	...	5	29.80	757.0	...	...	...	...	...
Hokodate,	,,	30.02	762.5	...	...	NW	3	...	,,	29.90	759.5	...	...	W	2	...
Tokio,	,,	30.06	763.5	...	...	ESE	1	...	,,	29.98	761.5	..	...	NNW	1	...
Kochi,	,,	30.10	764.5	...	...	SW	1	...	,,	30.04	763.0	...	...	W	1	...
Nagasaki,	,,	30.18	766.5	...	...	WSW	2	...	,,	30.06	763.5	...	...	NW	1	...
Kagoshima,	,,	30.16	766.0	...	...	W	1	...	,,	30.08	764.0	...	...	NW	1	...
Oshima,	,,	30.16	766.0	...	...	SSE	1	...	,,	30.12	765.0	...	...	SSE	1	...
Naha,	,,	30.16	766.0	...	...	SSW	2	...	,,	30.14	765.5	...	...	...	0	...
Ishigakijima,	,,	30.16	766.0	...	...	ESE	1	...	,,	30.10	764.5	...	...	ENE	1	...
Fonin Island,	,,	30.14	765.5	...	...	NNW	1	...	,,	30.10	764.5	...	...	W	1	...
Chefoo,	15	30.03	762.7	25	8	ENE	2	bc	6	30.14	765.5	29	4	SW	2	z
Shanghai,	14	30.13	765.4	68	6	WSW	2	b	,,	30.16	766.0	45	6	SSE	2	b
Gutzlaff,	,,	30.20	767.1	52	4	...	0	m	,,	30.20	767.1	50	4	...	0	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.09	764.3	58	6	...	0	bc	7	30.12	765.0	54	6	NW	2	bc
Amoy,	,,	30.14	765.6	65	6	SSE	4	b	6	30.13	765.3	56	8	SW	2	b
Swatow,	,,	30.20	767.1	61	...	E	3	b	,,	30.16	766.1	52	...	N	1	b
Taihoku,	11	30.15	765.8	72	...	NE	2	b	5	30.10	764.5	58	...	...	0	b
Taichu,	,,	30.15	765.7	70	...	SE	2	b	,,	30.13	765.4	54	..	...	0	b
Tainan,	,,	30.13	765.4	74	...	NW	2	b	,,	30.06	763.6	54	...	NNE	2	b
Koshun,	,,	30.10	764.5	74	...	NE	4	d	,,	30.03	762.8	68	...	ENE	4	b
Pescadores,	,,	30.16	766.0	67	...	NNE	4	bc	,,	30.06	763.6	61	...	NNE	4	b
Hong Kong,	14	30.08	764.1	66	8	E	3	b	6	30.09	764.3	72	6	...	0	e
Gap Rock,	,,	30.10	764.5	63	8	ENE	2	b	,,	30.07	763.8	65	8	NE	3	b
Macao,	,,	30.07	763.7	68	6	SE	2	c	,,	30.04	763.0	58	4	ENE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.7	77	8	ENE	4	b	6	30.03	762.8	68	8	NE	4	b
Hualien,	15	30.06	763.6	65	8	SSE	4	o	7	30.05	763.2	59	4	ESE	3	f
Tourane,	,,	30.02	762.6	70	8	NE	2	b	,,	30.02	762.5	63	5	ENE	1	f
Cape St. James,	,,	29.94	760.6	77	6	E	6	bc	,,	29.97	761.2	72	5	NE	4	f
Basco,	14	30.02	762.4	77	8	ESE	4	bc	6	30.00	762.0	72	6	ESE	4	c
Aparri,	,,	29.99	761.8	79	6	ENE	4	b	,,	30.00	762.0	67	6	...	0	o
Tuguegarao,	,,	29.94	760.4	83	8	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.91	759.6	81	8	WNW	4	b	,,	29.90	759.4	58	8	E	2	b
Manila,	,,	29.93	760.2	77	8	W	2	o	,,	29.93	760.3	70	6	...	0	c
Legaspi,	,,	29.89	759.3	85	8	NNE	4	b	,,	29.89	759.1	77	6	...	0	bc
Calbayog,	,,	29.89	759.3	81	8	NNE	4	o	,,	29.90	759.4	70	8	...	0	c
Puerto Princesa,	,,	29.88	758.8	81	8	N	4	o	,,	29.90	759.5	72	6	NW	2	b
Iloilo,	,,	29.85	758.3	83	8	NE	4	bc	,,	29.89	759.3	68	4	NE	4	o
Cebu,	,,	29.85	758.3	83	8	NE	4	bc	,,	29.90	759.4	72	8	...	0	o
Surigao,	...	29.86	758.5	83	8	N	4	b	,,	29.88	758.8	70	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.88	758.9	76	...	...	0	bc
Guam,	12.22	29.84	757.9	...	6	ESE	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.83	757.6	...	6	ESE	4	bc	5	29.88	758.9	79	...	E	2	bc
Koror,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	77	...	SW	1	o
Lamotan,	14	29.95	760.7	83	6	N	6	bc	6	29.90	759.4	74	1	N	...	c

March 4*d*. 10*h*. 55*m*.—The anticyclone has dissipated. Another may be forming over N.E. China.

Manila warning. 4*d*. 8*h*. 15*m*.:—Typhoon in Lat. 12° N. Long. 132° E. moving W. Reed 4*d*. 9*h*. 26*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 2.53 inches, against an average of 3.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	Light, variable winds, fine at first, overcast, later.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, moderate; fine generally.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millibs.	Temperature, Attached.	Visibility.	Wind. Direction.	Force, (Beaufort.)	Weather. (Beaufort.)	5th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millibs.	Temperature, Attached.	Visibility.	Wind. Direction.	Force, (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	22	...	...	...	...	...	...	...	6	29.76	755.9	32	...	...	0	h
Nemuro,	21	29.76	756.0	...	...	...	0	...	5	29.82	757.5	...	...	...	...	...
Hokodate,	,,	29.86	758.5	...	...	W	3	...	,,	29.84	758.0	...	...	W	2	...
Tokio,	,,	29.90	759.5	...	...	SSE	1	...	,,	30.04	763.0	,,	...	...	0	...
Kochi,	,,	30.02	762.5	...	...	W	1	...	,,	30.16	766.0	...	...	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	NW	4	...	,,	30.20	767.0	...	...	SE	1	...
Kagoshima,	,,	30.10	764.5	...	...	NW	3	...	,,	30.20	767.0	...	...	NW	1	...
Oshima,	,,	30.18	766.5	...	...	NNE	1	...	,,	30.18	766.5	...	...	S	1	...
Naha,	,,	30.20	767.0	...	...	N	2	...	,,	30.14	765.5	...	...	E	1	...
Ishigakijima,	,,	30.18	766.5	...	...	ESE	2	...	,,	30.08	764.0	...	...	SE	1	...
Ponin Island,	,,	30.06	763.5	...	...	S	1	...	,,	30.06	763.5	...	...	NW	1	...
Chefoo,	15	30.01	762.1	59	4	SW	6	h	6	29.92	760.0	43	6	...	0	h
Shanghai,	14	30.11	764.8	74	6	ENE	2	b	,,	30.14	763.1	50	4	SSE	2	bo
Gutzlaff,	,,	30.18	766.6	58	4	...	0	m	,,	30.11	764.8	49	6	SSE	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.08	764.0	68	1	NE	2	lt	7	30.03	762.7	60	6	...	0	c
Amoy,	,,	...	...	...	...	...	...	...	6	30.09	764.3	61	4	SSE	2	d
Swatow,	,,	30.20	767.1	61	...	E	3	b	,,	30.12	765.0	59	...	ESE	1	r
Tailoko,	21	30.15	765.7	74	...	...	0	0	5	30.05	763.2	65	...	...	0	0
Taichu,	,,	30.15	765.8	77	...	...	0	b	,,	30.07	763.8	61	...	...	0	0
Tainan,	,,	30.11	764.8	74	...	N	2	bo	,,	30.04	763.1	59	...	ENE	2	be
Koshun,	,,	30.11	764.8	77	...	ENE	4	be	,,	30.01	762.3	70	...	ENE	4	b
Pescadores,	,,	30.14	765.5	67	...	NNE	4	o	,,	30.05	763.2	61	...	N	2	o
Hong Kong,	14	30.05	763.2	68	7	E	4	b	6	30.01	762.3	62	7	...	0	bo
Gap Rock,	,,	30.06	763.5	65	8	ENE	3	b	,,	30.02	762.5	65	8	NE	3	b
Macao,	,,	30.03	762.8	70	6	SSE	2	b	,,	29.99	761.8	59	6	ENE	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.03	762.8	74	6	NE	2	o	6	30.00	762.0	70	8	...	0	b
Fhulien,	15	30.02	762.3	65	6	ESE	2	o	7	30.02	762.6	63	5	E	3	o
Tourane,	,,	29.97	761.2	74	8	SE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.91	759.8	77	6	E	6	be	,,	29.92	759.9	73	6	ENE	4	f
Basco,	14	30.01	762.3	77	8	E	4	o	6	29.96	761.0	68	6	...	0	o
Aparri,	,,	29.98	761.4	77	6	ENE	4	o	,,	29.95	760.7	70	6	E	2	p
Tuguegarao,	,,	29.93	760.3	81	4	...	0	o	,,	29.93	760.3	70	1	...	0	o
Vigan,	,,	29.90	759.4	81	8	WNW	2	b	,,	29.88	758.9	68	8	...	0	o
Manila,	,,	29.91	759.7	81	8	NNW	2	o	,,	29.88	758.8	72	4	...	0	be
Legaspi,	,,	29.83	757.7	85	8	NE	4	c	,,	29.78	756.4	76	4	...	0	o
Calbóyog,	,,	29.85	758.2	81	8	N	4	o	,,	29.83	757.7	76	8	SW	4	o
Tacloban,	,,	29.83	757.8	81	8	NW	4	o	,,	29.84	757.9	76	8	...	0	bo
Iloilo,	,,	29.83	757.7	85	8	NE	4	o	,,	29.81	757.2	74	4	NE	4	o
Cebu,	,,	29.84	758.0	83	8	SSW	4	o	,,	29.83	757.6	74	8	...	0	be
Surigao,	...	...	...	...	...	...	...	...	,,	29.83	757.7	72	6	S	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.93	760.2	75	...	...	0	bo
Guam,	12.22	29.85	758.2	...	6	ESE	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.83	757.8	...	6	ESE	2	b	5	29.90	759.5	...	6	ENE	2	be
Pelew,	n	...	...	...	...	...	...	...	7	29.88	758.9	76	...	W	1	b
Labuan,	11	29.95	760.7	79	...	N	...	c	6	29.90	759.5	74	1	N	...	c

March 5*d*. 11*h*. 30*m*.—Warning to Hong Kong Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 13° N. Long. 124° E, moving W.N.W.

March 5*d*. 10*h*. 50*m*.—A feeble anticyclone, moving E.N.E. is central over S.W. Japan.

A depression or typhoon, moving W.N.W. is central near Legaspi.

Manila warning. 5*d*. 10*h*. 30*m*.:—Typhoon in Lat. 14° N. Long. 125° E. moving W.N.W. Reed 5*d*. 11*h*. 16*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 2.53 inches, against an average of 3.47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
A.—Shanghai to Turnabout,	South or variable winds, light to moderate; fine at first, rain later.
B.—Turnabout to Hong Kong,	N.E. or variable winds, light to moderate; generally overcast, local rain.
C.—Hong Kong to Gap Rock,	N.E. or variable winds winds, light to moderate; fine to cloudy.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th MARCH, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	6th MARCH, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.80	756.9	48	...	NE	1	b	6	30.02	762.6	27	...	NW	1	c
Nemuro,	11	29.74	755.5	...	...	SSW	2	...	5	29.63	752.5	...	...	NW	1	...
Hokodate,	,,	29.76	756.0	...	...	W	3	...	,,	29.84	758.0	...	...	W	1	...
Tokio,	,,	30.00	762.0	...	...	S	2	...	,,	29.94	760.5	...	...	...	...	...
Kochi,	,,	30.14	765.5	...	...	SE	1	...	,,	30.04	763.0	...	...	W	1	...
Nagasaki,	,,	30.20	767.0	...	...	SE	1	...	,,	30.02	762.5	...	...	SE	2	...
Kagoshima,	,,	30.18	766.5	...	...	ENE	1	...	,,	30.06	763.5	...	...	...	0	...
Oshima,	,,	30.16	766.0	...	...	N	1	...	,,	30.06	763.5	...	...	S	1	...
Naha,	,,	30.14	765.5	...	...	SE	2	...	,,	30.00	762.0	...	...	ESE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	SSE	1	...	,,	29.98	761.5	...	...	NE	1	...
Ponin Island,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.12	765.0	...	...	...	0	...
Chefoo,	15	30.06	763.6	41	6	ENE	2	b	6	30.18	766.6	35	6	N	2	bc
Shanghai,	14	29.96	761.0	67	6	SSE	2	o	,,	29.99	761.8	54	6	WNW	2	o
Gutzlaff,	,,	30.02	762.5	52	6	SE	6	m	,,	30.02	762.5	52	4	NNW	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.97	761.2	63	6	S	2	m	7	30.00	762.0	62	4	...	0	f
Amoy,	,,	30.06	763.5	68	6	S	4	b	6	29.69	761.7	61	4	SW	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	13	30.07	763.8	76	...	...	0	o	5	30.00	761.9	58	...	...	0	b
Taichu,	,,	30.07	763.7	79	...	...	0	b	,,	29.99	761.8	58	...	...	0	b
Tainan,	,,	30.07	763.8	81	...	N	2	b	,,	29.97	761.2	61	...	ENE	2	b
Koshun,	,,	30.06	763.4	77	...	ENE	4	o	,,	29.97	761.2	59	...	...	0	b
Pescadores,	,,	30.08	764.0	72	...	N	2	b	,,	29.98	761.4	61	...	NE	2	b
Hong Kong,	14	29.99	761.7	67	7	E	4	b	6	29.98	761.5	61	2	...	0	bf
Gap Rock,	,,	30.01	762.2	65	8	NE	3	b	,,	29.98	761.5	68	3	NE	2	of
Macao,	,,	29.98	761.6	72	6	SE	2	b	,,	29.96	761.0	61	6	...	0	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.98	761.5	83	8	...	0	b	6	29.96	760.9	70	8	...	0	c
Phulien,	15	29.96	760.9	68	6	ESE	2	o	7	30.01	762.1	63	6	ESE	2	f
Tourane,	,,	29.93	760.1	74	8	SE	2	bc	,,	29.96	761.0	66	4	SE	1	f
Cape St. James,	,,	29.87	758.8	79	6	E	6	b	,,	29.93	760.2	72	6	ENE	4	f
Baseo,	14	29.93	760.2	79	6	N	2	o	6	29.89	759.3	72	6	...	0	o
Aparri,	,,	29.91	759.8	79	6	S	4	o	,,	29.88	758.8	74	6	NE	2	r
Tuguegarao,	,,	29.87	758.8	83	4	...	0	o	,,	29.86	758.5	72	6	SE	2	o
Vigan,	,,	29.83	757.7	85	8	WNW	2	b	,,	29.84	757.8	72	8	...	0	b
Manila,	,,	29.84	758.0	85	8	WSW	2	o	,,	29.86	758.5	74	6	...	0	bc
Legaspi,	,,	29.80	757.0	77	6	...	0	o	,,	29.84	757.8	74	4	...	0	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.88	758.8	70	8	N	2	bc
Tacloban,	,,	29.83	757.6	86	8	SE	4	b	,,	29.87	758.6	76	6	NW	2	o
Iloilo,	,,	29.89	757.0	88	8	SW	4	o	,,	29.83	757.7	76	4	NE	2	o
Cebu,	,,	29.82	757.7	86	8	SSW	2	bc	,,	29.86	758.3	74	6	NE	2	bc
Surigao,	...	29.82	757.4	85	8	W	2	bc	,,	29.85	758.2	72	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.90	759.4	74	...	E	2	c
Guam,	12.22	29.87	758.6	...	6	NE	4	b	4.22	29.87	758.6	...	6	E	2	bc
Yap,	11.00	29.84	757.9	...	6	ENE	4	bc	5	29.90	759.4	...	6	NNE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.88	758.9	78	...	ENE	3	b
Labuan,	14	29.95	760.7	79	6	N	6	bc	6	29.90	759.4	70	1	N	6	bc

March 5*d*. 17*h*. 22*m*.—Warning to Hong Kong Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 13° N. Long. 122° E, moving W.N.W.

March 6*d*. 10*h*. 56*m*.—Warning to Hong Kong Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 119° E., moving West.

March 6*d*. 10*h*. 49*m*.—The anticyclone is dissipating to the east of the Bonins. Another is forming over S.E. Mongolia.

A depression is shown in the Eastern Sea.

The typhoon or depression to the west of Iloilo is moving westward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 2.53 inches, against an average of 3.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Northerly winds, moderate; generally overcast.
B.—Turnabout to Hong Kong,	N.E. or variable winds, light to moderate; fine to cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Bashee Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th MARCH, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th MARCH, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	c
Nemuro,	11	29.70	754.5	...	...	N	3	...	5	...	..	...	...	...	...	...
Hokodate,	,,	29.88	759.0	...	...	NW	3	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.90	759 5	...	...	S	1	...	,,	...	...	..	...	...	...	...
Kochi,	,,	29.96	761.0	...	...	E	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.96	761.0	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.00	762.0	...	...	S	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.00	762.0	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.00	762.0	...	...	S	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.00	762.0	...	...	SSE	1	...	,,	..	...	...	...	...	...	...
Ponin Island,	,,	30.10	764.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	30.20	767.0	38	6	NW	4	bc	6	...	...	...	...	...	...	...
Shanghai,	14	30.07	763.7	49	6	NNW	2	o	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	30.09	764.3	47	1	N	4	f	,,	...	...	...	...	...	...	...
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.93	760.2	62	8	...	o	bf	7	30.09	764.1	58	6	E	2	f
Amoy,	,,	...	...	...	...	...	...	...	6	30.06	763.5	63	4	SE	4	b
Swatow,	,,	29 99	761.8	76	...	SE	1	b	,,	30.04	763.0	63	...	NE	2	b
Taihoku,	11	29.99	761.8	79	...	...	o	b	5	...	...	...	...	...	...	...
Taichu,	,,	30.03	762.7	73	...	...	o	b	,,	...	...	...	...	...	...	...
Tainan,	,,	30.00	761.9	81	...	NNW	2	b	,,	...	...	...	...	...	...	...
Koshun,	,,	29.99	761.8	79	...	SW	2	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.01	762.3	76	...	SSW	2	b	,,	...	...	...	...	...	...	...
Hong Kong,	14	29.96	761 0	75	7	WNW	1	b	6	29.09	761.5	63	3	..	o	bf
Gap Rock,	,,	29.98	761.5	68	8	N	1	b	,,	30 00	762.0	69	8	WNW	2	b
Macao,	,,	29.95	760.8	74	6	...	o	b	,,	29.96	761.0	61	6	...	c	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.96	761.0	79	8	NNE	4	bc	6	30.00	761.9	70	6	...	o	b
Phulien,	15	29.98	761 5	73	8	SSW	1	o	7	30.01	762.2	64	5	WNW	4	o
Tourane,	,,	29.95	760.8	77	8	ENE	3	bc	,,	30.01	762.2	64	6	NW	1	f
Cape St. James,	,,	29 90	759.5	79	6	ENE	4	f	,,	29.93	760.2	72	6	E	5	f
Basco,	14	29.87	758.8	79	8	NNE	4	c	6	29.93	760.2	72	6	NNE	2	bc
Aparri,	,,	29.85	758.2	72	6	NE	4	o	,,	29.91	759.7	74	4	ENE	2	p
Tuguegarao,	,,	29.82	757.4	88	4	...	o	c	,,	29.89	759.3	72	1	...	o	o
Vigan,	,,	29.84	757.8	85	8	WNW	4	b	,,	29.88	758 8	72	8	...	o	b
Manila,	,,	29.84	758.0	85	8	SW	2	o	,,	29.88	758 8	72	6	...	o	b
Legaspi,	,,	29.82	757.4	88	8	SW	4	b	,,	29.87	758.6	70	6	...	o	b
Calboyog,	,,	29.84	757.9	88	8	SW	4	b	,,	29.89	759.3	72	8	N	2	bc
Tacloban,	,,	29.84	757.9	86	8	S	4	b	,,	29 88	758.9	74	6	...	o	b
Iloilo,	,,	29.78	756.5	94	8	SSW	2	o	,,	29.84	758.0	74	4	NE	2	o
Cebu,	,,	29.81	757.2	88	8	...	o	c	,,	29.86	758.4	76	8	...	o	o
Surigno,	...	29.81	757.2	85	8	N	4	z	,,	29.86	758.5	74	6	...	o	o
Saipan,	11.00	...	...	...	..	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.83	757.6	...	6	E	4	c	4.22	29.84	757.9	...	...	ENE	2	b
Yap,	11.00	29.84	757.9	...	6	ENE	2	c	5	29.87	758.6	...	6	NNE	2	be
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	83	6	N	6	bc	6	29.90	759.4	72	...	...	...	bc

March 6*d*. 17*h*. 53*m*.—Warning to Hong Kong Const Ports, &c.:—Depression or typhoon in Lat. 11° N. Long. 11;° E., moving West position uncertain.

March 7*d*. 10*h*. 40*m*.—Warning to Hong Kong, Coast Ports, &c.:—Depression or typhoon in Lat. 11° N. Long. 115° E., direction unknown, position uncertain.

March 7*d*. 11*h*. 10*m*.—The position of the typhoon or depression in the S. China Sea is uncertain. It may be filling up.

The anticyclone appears to be central over N.E. China and spreading southward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 2.53 inches, against an average of 5.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Northerly winds, moderate; fine to cloudy.
B.—Turnabout to Hong Kong,	Light, variable winds, freshening slightly from N.E. fine to cloudy.
C.—Hong Kong to Gap Rock,	Northerly or variable winds, light to moderate; fine to cloudy.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	8th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.76	756.0	...	...	NE	1	...	5	29.75	755.5	..	...	NE	1	...
Hekodate,	,,	29.84	758.0	...	...	WNW	4	...	,,	29.84	758.0	...	...	NNW	1	...
Tokio,	,,	29.76	756.0	...	...	NE	2	...	,,	29.86	758.5	..	...	...	0	...
Kochi,	,,	29.78	756.5	...	...	NW	1	...	,,	30.00	762.0	...	...	...	0	...
Nagasaki,	,,	29.94	760.5	...	...	NW	4	...	,,	30.12	765.0	...	...	NNE	1	...
Kagoshima,	,,	29.92	760.0	...	...	NW	1	...	,,	30.12	765.0	...	...	NNW	1	...
Oshima,	,,	29.96	761.0	...	...	N	1	...	,,	30.10	764.5	...	...	N	2	...
Naha,	,,	30.02	762.5	...	...	NW	3	...	,,	30.16	766.0	...	...	N	3	...
Ishigakijima,	,,	30 08	764 0	...	...	N	2	...	,,	30.16	766.0	...	...	NNE	1	...
Ponin Island,	,,	29.90	759.5	...	...	SSW	2	...	,,	29.80	757.0	...	...	NW	2	...
Chefoo,	15	30.09	764.3	53	8	W	4	b	6	30.17	766.2	31	6	SW	2	b
Shanghai,	14	30.26	768.7	58	8	NNW	2	b	,,	30.26	768.5	36	6	SE	2	b
Gutzlaff,	,,	30.47	773.9	50	6	NNW	2	b	,,	30.33	770.4	40	6	...	0	be
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.12	765.0	60	6	E	2	f	7	30.19	766.8	56	6	N	2	of
Amoy,	,,	30.10	764.5	67	6	NE	4	o	6	30.19	766.8	56	4	ENE	2	b
Swatow,	,,	30.14	765.6	63	...	ESE	3	c	,,	30.19	766.9	55	...	NE	3	b
Taihoku,	11	30.13	765.4	65	...	NE	8	o	5	30.18	766.6	56	...	E	4	b
Taichu,	,,	30.05	763.3	76	...	N	2	bo	,,	30.14	765.5	54	...	...	0	b
Tainan,	,,	30.03	762.7	81	...	NW	2	b	,,	30.07	763.8	56	...	NNE	2	b
Koshun,	,,	30.02	762.4	81	...	ENE	4	b	,,	30.07	763 8	67	...	NE	4	b
Pescadores,	,,	30.06	763.6	68	...	NE	6	o	,,	30.10	764.4	61	...	NE	6	b
Hong Kong,	14	29 99	761.7	71	7	E	4	b	6	30.10	764.5	59	6	E	6	bc
Gap Rock,	,,	29.93	761.7	68	8	ENE	2	b	,,	30.06	763.5	68	7	ENE	5	o
Macao,	,,	29.96	761.0	81	6	NE	2	b	,,	30.06	763.6	59	4	SE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.98	761.5	81	8	NNE	2	b	6	30.03	762.7	70	8	NE	6	o
Phulien,	15	29.98	761.4	77	6	SSE	3	z	7	30.00	761.9	64	4	SE	2	c
Tourane,	,,	29.97	761.2	79	7	ENE	2	z	,,	29.99	761.8	64	4	...	0	d
Cape St. James,	,,	29.91	759.8	77	7	E	5	f	,,	29.91	759.8	73	6	ENE	4	f
Basco,	14	29.93	760.3	73	8	NE	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.91	759 8	...	4	E	4	o	,,	29.92	760.0	74	4	SSW	4	o
Tuguegarao,	,,	29.87	758.6	81	4	NNW	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.84	757.6	85	8	NNW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.88	758.9	88	8	SW	2	bo	,,	29.91	759.6	74	6	...	0	c
Legaspi,	,,	29.83	757.6	91	8	NNE	2	b	,,	29.88	759.0	77	6	...	0	o
Calboyog,	,,	29.83	757.8	86	8	SW	4	b	,,	...	...	...	..	...	...	...
Tacloban,	,,	29.83	757.8	86	8	S	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.4	91	8	NE	4	bc	,,	..	...	...	...	...	...	...
Cebu,	,,	29.81	757.2	86	8	NNE	4	b	,,	..	..	....	...	...	...	...
Surigao,	...	29.81	757.2	83	8	N	2	o	,,	29.89	759.3	72	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	6	E	4	bo	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.4	...	6	NE	4	bo	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Labuan,	14	29.95	760.7	81	6	N	6	bc	6	29.90	759.5	68	...	...	...	c

March 8d. 10h. 05m.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon filled up in Lat. 11° N. Long. 114° E., position uncertain.

March 8d. 10h. 37m.—The typhoon or depression in the S. China Sea appears to have filled up.

The anticyclone is central to the west of Shanghai.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 2.53 inches, against an average of 5.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
A.—*Shanghai to Turnabout,*	*Light, variable winds, fine generally.*
B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	8TH MARCH, 1932.								9TH MARCH, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	Force. (Beaufort.)	WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	Force. (Beaufort.)	WEATHER. (Beaufort.)
Vladivostock,	12	29.96	761.0	25	...	NE	3	o	6	30.06	763.5	21	...	N	2	b
Nemuro,	11	29.76	756.0	...	...	ENE	1	...	5	29.75	755.5	...	...	...	0	...
Hokodate,	,,	29.76	756.0	...	...	W	1	...	,,	29.75	755.5	...	...	N	1	...
Tokio,	,,	29.82	757.5	...	...	...	0	...	,,	29.82	757.5	...	...	NW	1	...
Kochi,	,,	29.96	761.0	...	...	NW	1	...	,,	30.08	764.0	...	...	NW	2	...
Nagasaki,	,,	30.16	766.0	...	...	NW	4	...	,,	30.20	767.0	...	...	...	0	...
Kagoshima,	,,	30.12	765.0	...	...	NNW	2	...	,,	30.14	765.5	...	...	...	...	...
Oshima,	,,	30.14	765.5	...	...	N	2	...	,,	30.16	766.0	...	...	WNW	6	...
Naha,	,,	30.18	766.5	...	...	N	2	...	,,	30.18	766.5	...	...	ENE	1	...
Ishigakijima,	,,	30.20	767.0	...	...	NE	1	...	,,	30.16	766.0	...	...	NE	1	...
Ponin Island,	,,	29.86	758.5	...	...	WNW	2	...	,,	29.98	761.5	...	...	WNW	3	...
Chefoo,	15	30.20	767.2	45	8	NNE	4	b	6	30.09	764.2	40	6	SSE	2	c
Shanghai,	14	30.26	768.6	63	8	E	2	b	,,	30.15	765.7	43	6	ESE	2	o
Gutzlaff,	,,	30.33	770.4	50	6	...	o	b	,,	30.22	767.6	43	6	SE	4	be
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.14	765.5	60	6	ESE	2	bc	7	30.11	764.8	58	8	NNW	2	bc
Amoy,	,,	30.18	766.6	59	6	NNE	2	b	6	30.13	765.3	58	6	NE	2	b
Swatow,	,,	30.23	767.8	67	...	ESE	3	b	,,	30.15	765.8	55	...	NE	1	b
Taihoku,	11	30.16	766.1	72	...	E	4	b	5	30.10	764.4	59	...	E	4	b
Taichu,	,,	30.16	766.1	76	...	...	o	b	,,	30.09	764.3	54	...	SE	2	b
Tainan,	,,	30.14	765.5	76	...	...	o	b	,,	30.06	763.6	59	...	...	o	b
Koshun,	,,	30.12	765.0	74	...	NE	4	b	,,	30.06	763.6	67	...	ENE	2	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.08	764.0	61	...	N	2	bc
Hong Kong,	14	30.09	764.3	65	7	E	4	b	6	30.03	762.7	62	6	E	4	o
Gap Rock,	,,	30.07	763.8	68	7	ENE	4	o	,,	30.02	762.5	67	7	ENE	4	o
Macao,	,,	30.06	763.4	67	6	SE	4	c	,,	29.59	761.6	61	4	ESE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.02	762.5	77	8	ENE	6	b	6	30.00	761.9	72	8	E	4	bc
Pholien,	15	29.98	761.5	72	7	SE	4	o	7	29.95	760.7	64	6	ESE	3	o
Tourane,	,,	29.95	760.8	76	8	SE	2	bc	,,	29.95	760.7	68	5	SE	1	o
Cape St. James,	,,	29.89	759.2	79	6	ENE	6	b	,,	29.90	759.4	73	7	ENE	5	bc
Basco,	14	30.04	763.0	76	8	ENE	4	bc	6	30.02	762.4	70	6	ENE	4	bc
Aparri,	,,	29.99	761.8	76	4	E	4	o	,,	29.99	761.6	70	4	...	o	o
Tuguegarao,	,,	29.93	760.2	83	4	...	o	o	,,	29.96	761.0	68	1	...	o	o
Vigan,	,,	29.86	758.4	86	8	NNW	4	b	,,	29.88	758.8	77	8	E	2	b
Manila,	,,	29.88	759.0	86	8	W	2	o	,,	29.91	759.7	70	4	...	o	b
Legaspi,	,,	29.84	757.9	86	8	NE	2	bc	,,	29.88	758.8	77	6	N	2	o
Calboyog,	,,	29.85	758.2	86	8	SW	4	bc	,,	29.88	758.9	74	8	N	2	o
Tacloban,	,,	29.85	758.3	86	8	S	4	bc	,,	29.88	758.9	74	8	N	2	bc
Iloilo,	,,	29.80	756.8	91	8	NE	4	bc	,,	29.84	757.8	76	4	NE	2	o
Cebu,	,,	29.83	757.6	91	8	NE	4	bc	,,	29.85	758.2	76	8	...	o	bc
Surigao,	...	29.85	758.2	85	8	ENE	4	o	,,	29.84	757.9	74	6	...	o	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	74	...	NE	2	e
Guam,	12.22	29.78	756.4	...	6	ENE	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.83	757.7	...	6	NNE	4	bc	5	29.83	757.6	79	8	NE	2	e
Pelew,	,,	...	...	...	...	...	...	...	,,	29.89	759.2	79	...	NE	1	e
Labuan,	14	29.94	760.6	83	6	N	...	bc	6	29.90	759.4	74	1	N	...	bc

March 9*d.* 10*h.* 42*m.*—The anticyclone has weakened. It is now central over S. Korea, moving N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 2.53 inches, against an average of 3.74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	S.E. or variable winds, moderate to light; fine to cloudy, local fog in morning
B.—Turnabout to Hong Kong,	N.E. winds, moderate; generally cloudy, local fog in morning.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, moderate; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th MARCH, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	10th MARCH, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.07	763.9	27	...	N	4	b	6	30.06	763.5	21	...	...	0	f
Nemuro,	11	29.76	756.0	...	...	ENE	1	...	5	29.92	760.0	...	...	N	1	...
Hokodate,	,,	29.78	756.5	...	...	NNW	1	...	,,	30.04	763.0	...	...	...	0	...
Tokio,	,,	29.88	759.0	...	...	NNW	4	...	,,	30.16	766.0	,,	...	NW	1	...
Kochi,	,,	30.12	765.0	...	...	...	0	...	,,	30.18	766.5	...	...	...	0	...
Nagasaki,	,,	30.20	767.0	...	...	...	0	...	,,	30.06	763.5	...	...	E	2	...
Kagoshima,	,,	30.18	766.5	...	...	ESE	1	...	,,	30.08	764.0	...	...	...	0	...
Oshima,	,,	30.16	766.0	...	...	NNE	1	...	,,	30.04	763 0	...	...	S	1	...
Naha,	,,	30.16	766.0	...	...	E	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.12	765.0	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.98	761.5	...	...	WNW	3	...	,,	30.14	765.5	...	...	W	1	...
Chefoo,	15	...	...	...	...	...	...	...	6	29.81	757.1	43	8	SW	4	o
Shanghai,	14	30.02	762.6	49	4	SE	4	d	,,	29.89	759.1	47	4	NW	2	o
Gutzlaff,	,,	30.08	764.0	45	4	SE	6	d	,,	29.90	759.4	47	1	WNW	4	f
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.99	761.7	60	6	NE	2	bc	7	29.84	757.9	58	6	S	2	o
Amoy,	,,	30.06	763.5	68	6	SSE	4	b	6	29.92	760.0	59	4	SSW	2	o
Swatow,	,,	30.05	763.3	65	...	ENE	3	e	,,	29.95	760.8	63	...	WNW	1	o
Taihoku,	11	30.05	763.3	77	...	ESE	4	b	5	29.90	759.4	58	...	...	0	h
Taichu,	,,	30.03	762.7	77	...	S	2	o	,,	29.94	760.4	58	...	...	0	o
Tainan,	,,	30 06	763.6	74	...	WNW	2	e	,,	29.91	759.7	65	...	SE	2	o
Koshun,	,,	30.06	763.6	76	...	ENE	4	bc	,,	29.95	760.6	68	...	...	0	b
Pescadores,	,,	30.06	763.6	67	...	N	4	e	,,	29.91	759.7	54	...	SSE	4	o
Hong Kong,	14	29.97	761.2	66	6	E	4	o	6	29.89	759.2	63	5	NE	1	od
Gap Rock,	,,	29.98	761.5	67	7	ENE	4	e	,,	29.90	759.4	70	7	ENE	4	o
Macao,	,,	*29.95*	*760.8*	*68*	4	ESE	2	o	,,	*29.88*	*758 8*	65	4	...	0	m
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.96	760.9	79	8	FSE	4	h	6	29.89	759.3	72	8	...	0	e
Phulien,	15	29.89	759.3	70	6	SE	4	o	7	29.88	758.9	66	5	E	2	o
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29 97	761.2	77	8	S?	4	bc	6	29.88	758.9	74	6	SE	4	h
Aparri,	,,	29.92	760.0	85	4	E	4	o	,,	29.90	759 4	67	6	S	2	b
Tuguegarao,	,,	29.87	758.8	86	8	...	0	bc	,,	29.90	759.4	65	1	...	0	bc
Vigan,	,,	29.84	758.0	85	8	WSW	4	b	,,	29.87	758.6	77	8	...	0	b
Manila,	,,	29.86	758.5	83	6	WSW	4	o	,,	29.90	759 4	68	4	...	0	b
Legaspi,	,,	29.86	758.5	79	6	NNE	4	o	,,	29.88	758 8	76	6	...	0	o
Calbayog,	,,	29.87	758.8	76	8	NE	6	b	,,	29.88	758.8	72	8	...	0	bc
Tacloban,	,,	29.84	758.0	77	8	NW	2	o	,,	29.83	757.7	76	6	NW	2	c
Iloilo,	,,	29.79	756.6	85	8	N	4	o	,,	29.84	757.9	77	4	NE	2	o
Cebu,	,,	29.82	757.3	85	8	NE	4	bc	,,	29.84	757.8	77	8	...	0	o
Surigao,	...	29.80	757.0	86	8	NE	4	o	,,	29.83	757.6	76	4	...	0	r
Saipan,	11.00	..	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	NE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.1	...	6	ENE	4	bc	5	..	...	..	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Labuan,	14	29.95	760.7	83	6	N	6	bc	6	29.90	759.4	68	1	...	0	bc

March 10*d.* 10*h.* 37*m.*—The anticyclone has weakened. It is now central S.W. of Tokio, moving E.N.E.

A shallow depression covers China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 2.55 inches, against an average of 3.82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	Light, variable winds, overcast, foggy.
C.—Hong Kong to Gap Rock,	N.E. or variable winds, moderate to light; overcast, foggy.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	Light, variable winds, fair generally.

W. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Hazlitt.)	11th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Hazlitt.)
Wladivostock,	12	30.02	762.6	30	...	...	0	b	6	30.05	763.3	23	...	...	0	b
Nemuro,	11	29.96	761.0	...	...	NNW	1	...	5	29.98	761.5	...	...	WNW	1	...
Hokodate,	,,	30.02	762.5	...	...	W	5	...	,,	30.02	762.5	...	...	...	0	...
Tokio,	,,	30.14	765.5	...	...	E	1	...	,,	30.02	762.5	...	...	NW	2	...
Kochi,	,,	30.08	764.0	...	...	...	0	...	,,	29.94	760.5	...	...	W	1	...
Nagasaki,	,,	29.90	759.5	...	...	ESE	6	...	,,	29.98	761.5	...	...	NNE	1	...
Kagoshima,	,,	29.96	761.0	...	...	ESE	1	...	,,	29.92	760.0	...	...	NW	1	...
Oshima,	,,	29.92	760.0	...	...	SSE	3	...	,,	29.88	759.0	...	...	S	1	...
Naha,	,,	29.96	761.0	...	...	S	4	...	,,	29.88	759.0	...	...	...	0	...
Ishigakijima,	,,	29.92	760.0	...	...	S	4	...	,,	29.88	759.0	...	...	ENE	1	...
Bonin Island,	,,	30.16	766.0	...	...	...	0	...	,,	30.08	764.0	...	...	...	0	...
Chefoo,	15	29.93	760.3	40	6	N	2	o	6	29.81	757.2	41	6	SE	2	o
Shanghai,	14	29.93	760.2	58	6	N	2	e	,,	29.97	761.2	41	4	ESE	2	f
Gutzlaff,	,,	29.96	761.0	49	4	...	0	m	,,	30.03	762.7	43	1	SE	4	ff
Wenchow,	,,	...	...	...	...	...	...	...	6	29.86	758.3	72	8	S	2	b
Foochow,	,,	29.81	757.2	60	6	NE	2	e	7	29.94	760.5	60	6	...	0	o
Amoy,	,,	29.79	756.6	70	6	SW	4	b	6	29.93	760.2	59	4	SE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	63	...	NW	1	f
Taihoku,	11	29.89	759.3	70	...	W	2	o	5	29.91	759.8	63	...	...	0	r
Taichu,	,,	29.90	759.5	76	...	...	0	o	,,	29.93	760.3	63	...	...	0	bc
Tainan,	,,	29.90	759.4	68	...	E	2	r	,,	29.89	759.3	...	...	ENE	2	b
Koshun,	,,	29.90	759.4	79	...	...	0	o	,,	29.88	758.8	59	...	...	0	b
Pescadores,	,,	29.89	759.3	72	...	S	2	o	,,	29.93	760.3	65	...	NW	2	bc
Hong Kong,	14	29.84	758.0	72	6	W	2	bc	6	29.83	757.7	66	3	E	2	om
Gap Rock,	,,	29.85	758.2	69	6	ENE	3	om	,,	29.83	757.7	70	2	ENE	2	of
Macao,	,,	29.85	758.2	72	4	SSE	2	e	,,	29.80	757.0	63	1	SE	2	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.85	758.3	79	8	S	2	b	6	29.87	758.6	72	6	SSW	2	bc
Phulien,	15	29.78	756.3	68	6	SSE	4	o	7	29.74	755.3	66	0	ESE	6	df
Tourane,	,,	29.80	757.0	72	1	N	2	o	,,	29.78	756.5	70	5	ESE	2	f
Cape St. James,	,,	29.87	758.8	79	8	E	2	b	,,	29.88	758.8	73	8	E	3	bc
Basco,	14	29.83	757.6	81	8	SE	4	c	6	29.87	758.6	70	6	...	0	o
Aparri,	,,	29.83	757.6	86	6	ENE	4	b	,,	29.88	758.9	68	6	W	2	b
Tuguegarao,	,,	29.80	757.0	91	8	...	0	c	,,	29.88	758.8	68	4	...	0	bc
Vigan,	,,	29.82	757.4	83	8	W	2	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.4	77	8	SSE	2	b	,,	29.88	759.0	70	6	...	0	bc
Legaspi,	,,	29.82	757.3	88	8	NNE	2	c	,,	29.88	758.8	77	6	...	0	b
Calboyog,	,,	29.81	757.2	86	8	NE	2	c	,,	29.88	758.8	72	8	...	0	o
Tacloban,	,,	29.80	757.0	85	6	NE	4	c	,,	29.86	758.5	77	6	NW	2	bc
Iloilo,	,,	29.79	756.7	81	8	E	2	o	,,	29.82	757.4	76	6	NE	4	o
Cebu,	,,	29.79	756.7	86	6	NE	4	o	,,	29.84	758.0	76	4	NNE	2	b
Surigao,	...	29.79	756.8	81	8	E	2	o	,,	29.83	757.6	72	4	...	0	o
Saipan,	11.00	..	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.4	...	6	ENE	6	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.77	756.1	...	6	ENE	4	c	5	...	...	...	...	...	...	...
Petew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	86	6	SE	6	bc	6	29.89	759.3	74	...	SW	...	c

March 11*d.* 11*h.* 10*m.*— The anticyclone has passed into the Pacific to the east of Japan; the depression remains over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 2.55 inches, against an average of 5.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	None.
C.—Hong Kong to Gap Rock,	E. or variable winds, light; cloudy generally, local fog.
D.—Hong Kong to Hainan Straits,	E. or variable winds, light; cloudy generally, local fog.
E.—North China Sea,	S.E. winds, moderate; fair.

C. W. JEFFRIES.—*Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th MARCH, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	12th MARCH, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.01	762.2	32	...	SE	1	o	6	29.80	756.8	32	...	SE	5	o
Nemuro,	11	29.98	761.5	...	...	W	1	...	5	30.26	768.5	...	...	E	1	...
Hokodate,	"	30.04	763.0	...	...	...	...	...	"	30.10	764.5	...	...	E	1	...
Tokio,	"	29.98	761.5	...	...	NNE	1	...	"	30.14	765.5	..	...	...	0	...
Kochi,	"	29.94	760.5	...	...	...	0	...	"	29.90	759.5	...	...	SW	1	...
Nagasaki,	"	29.94	760.5	...	...	ESE	2	...	"	29.76	756.0	...	...	ESE	2	...
Kagoshima,	"	29.94	760.5	...	...	E	1	...	"	29.78	756.5	...	...	NE	1	...
Oshima,	"	29.90	759.5	...	...	N	1	...	"	29.76	756.0	...	...	...	0	...
Naha,	"	29.90	759.5	...	...	...	0	...	"	29.75	755.5	...	...	SSW	5	...
Ishigakijima,	"	29.88	759.0	...	...	SSE	1	...	"	29.73	755.0	...	...	SW	3	...
Bonin Island,	"	30.06	763.5	...	...	SW	2	...	"	30.08	764.0	...	...	...	0	...
Chefoo,	15	29.71	754.7	54	4	SW	4	o	6	29.88	758.8	36	6	W	8	o
Shanghai,	14	29.76	755.8	52	4	SE	2	o	"	29.90	759.4	49	4	NW	4	o
Gutzlaff,	"	29.82	757.4	50	4	SSE	6	m	"	29.77	761.2	47	1	NNW	4	fl
Wenchow,	"	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	"	29.79	756.6	62	4	...	0	f	7	29.97	756.1	62	8	NW	2	b
Amoy,	"	29.75	755.6	61	6	SSE	4	o	6	29.77	756.1	63	6	SW	2	bc
Swatow,	"	29.88	759.0	69	...	ESE	3	o	"	29.78	756.3	64	...	N	1	o
Taihoku,	11	29.90	759.4	72	...	NNW	2	b	5	29.73	755.2	65	...	...	0	r
Taichu,	"	29.90	759.4	77	...	SSW	2	b	"	29.78	756.3	67	...	...	0	r
Tainan,	"	29.89	759.3	79	...	...	0	b	"	29.78	756.5	72	...	S	2	o
Koshun,	"	29.88	758.9	81	...	...	0	b	"	29.78	756.4	74	...	WSW	2	bc
Pescadores,	"	29.89	759.3	70	...	N	2	o	"	...	...	...	...	...	...	...
Hong Kong,	14	29.75	755.6	73	5	SSW	2	o	6	29.72	754.9	72	5	WSW	3	or
Gap Rock,	"	29.75	755.6	72	6	S-E	3	om	"	29.73	755.1	72	4	SW	3	orf
Macao,	"	29.72	754.9	70	4	S	2	o	"	29.69	754.2	70	1	WSW	4	...
Hoihow,	"	29.68	753.9	86	1	S	2	b	"	...	...	...	...	...	...	...
Pratas Island,	"	29.81	757.1	81	8	S	4	b	6	29.78	756.3	74	8	SSW	2	bc
Phulien,	15	29.67	753.7	72	6	SSE	2	o	7	29.67	753.7	68	4	ESE	4	f
Tourane,	"	29.70	754.3	79	6	E	3	bc	"	29.72	754.9	70	0	ESE	1	f
Cape St. James,	"	29.86	758.4	84	8	SSE	2	bc	"	29.86	758.3	68	8	SE	2	bc
Basco,	14	29.79	756.6	83	8	WSW	2	b	6	29.78	756.5	76	6	SE	2	b
Aparri,	"	29.79	756.7	83	6	E	4	b	"	29.80	756.8	72	6	S	2	b
Tuguegarao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.79	756.6	91	8	SE	2	b	"	29.83	757.6	72	4	...	c	b
Legaspi,	"	29.80	756.8	88	8	NE	2	bc	"	29.82	757.4	77	6	...	o	b
Calbayog,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	29.81	757.2	86	8	S	4	c	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.6	91	8	NE	6	bc	"	29.79	756.6	76	4	NNE	4	o
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Sarigao,	...	29.80	757.0	77	6	...	0	r	"	29.80	756.9	74	6	...	0	o
Saipan,	11.00	..	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	ENE	4	o	4.22	29.84	757.8	...	6	ENE	2	bc
Yap,	11.00	29.84	758.0	...	6	...	0	r	5	...	...	...	...	...	...	...
Pelew,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	86	6	SW	...	bc	6	29.78	756.4	72	1	NW	...	c

March 12*d.* 11*h.* 30*m.*— Depressions are shown over Tongking and over Korea.

An anticyclone is forming over N.E. China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inch. Total since January 1st, 2.75 inches, against an average of 4.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	S.W. or variable winds, moderate; some rain and fog.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	*Southerly or variable winds, moderate to light; fair generally.*

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	13th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.33	770.5	...	...	SE	2	...	5	29.82	757.5	...	...	SE	4	...
Hokodate,	,,	30.06	763.5	...	...	E	3	...	,,	29.82	757.5	...	...	ESE	3	...
Tokio,	,,	30.08	764.0	...	...	NNW	1	...	,,	29.80	757.0	...	...	...	0	...
Kochi,	,,	29.74	755.5	...	...	SW	1	...	,,	29.84	758.0	...	...	WSW	1	...
Nagasaki,	,,	29.74	755.5	...	...	E	6	...	,,	30.02	762.5	...	...	NW	1	...
Kagoshima,	,,	29.74	755.5	...	...	NE	1	...	,,	29.94	760.5	...	...	NW	1	...
Oshima,	,,	29.74	755.5	...	...	SSW	1	...	,,	29.94	760.5	...	...	N	3	...
Naha,	,,	29.78	756.5	...	...	SSW	5	...	,,	29.94	760.5	...	...	N	4	...
Ishigakijima,	,,	29.76	756.0	...	...	NW	1	...	,,	29.94	760.5	...	...	NNE	1	...
Bonin Island,	,,	30.06	763.5	...	...	SSE	2	...	,,	30.04	763.0	...	...	S	2	...
Chefoo,	15	29.96	761.0	35	6	WNW	8	o	6	30.13	765.3	31	6	WSW	4	o
Shanghai,	14	30.02	762.4	50	6	N	2	o	,,	30.30	769.6	40	4	N	2	c
Gutzlaff,	,,	30.03	762.7	49	4	NNW	6	m	,,	30.29	769.3	40	4	NNW	6	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.83	757.7	62	8	E	2	bc	7	30.06	763.5	56	4	NE	4	o
Amoy,	,,	29.83	757.7	67	6	ENE	2	o	6	...	...	...	...	...	...	...
Swatow,	,,	29.80	756.9	68	...	E	2	r	,,	29.96	761.0	59	...	NE	3	o
Taihoku,	11	29.83	757.6	67	...	NW	2	d	5	29.99	761.8	59	...	E	4	r
Taichu,	,,	29.85	758.2	73	...	...	0	lt	,,	29.89	759.1	61	...	N	2	r
Tainan,	,,	29.85	758.2	70	...	SE	2	lt	,,	29.84	757.9	67	...	N	2	o
Koshun,	,,	29.83	757.7	79	...	SW	2	o	,,	29.86	758.3	70	...	ENE	2	bo
Pescadores,	,,	29.83	757.6	70	...	SW	2	r	,,	29.88	758.9	63	...	NNE	6	r
Hong Kong,	14	29.70	754.4	76	4	W	3	odm	6	29.81	759.2	62	5	E	6	od
Gap Rock,	,,	29.72	754.9	74	3	S	3	of	,,	29.79	756.6	71	7	ENE	4	or
Macao,	,,	29.68	753.8	74	4	SE	4	o	,,	29.77	756.1	63	4	SE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.78	756.3	81	8	SSW	2	h	6	29.82	757.4	74	8	...	0	h
Phulien,	15	29.59	751.6	77	6	SE	4	bc	7	29.70	754.3	68	5	ENE	4	f
Tourane,	,,	29.63	752.5	94	8	SE	2	b	,,	29.72	754.9	72	5	ESE	1	f
Cape St. James,	,,	29.80	757.0	85	8	S	2	h	,,	29.85	758.1	73	8	SSE	2	bo
Basco,	14	29.78	756.3	85	8	WSW	4	b	6	29.85	758.2	76	6	...	0	bc
Aparri,	,,	29.78	756.3	83	6	NNE	4	b	,,	29.95	758.2	74	6	...	0	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	58	1	...	0	c
Vigan,	,,	29.76	756.0	85	8	WSW	2	h	,,	29.83	757.6	76	8	...	0	b
Manila,	,,	29.76	756.0	94	8	SE	4	b	,,	29.84	758.0	72	6	...	0	b
Legaspi,	,,	29.79	756.7	88	8	NE	4	b	,,	29.85	758.2	79	6	...	0	b
Calbayog,	,,	29.80	756.8	83	8	SE	4	d	,,	29.85	758.2	72	8	...	0	c
Tacloban,	,,	29.81	757.1	79	8	...	0	o	,,	29.85	758.2	76	6	NW	2	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cuyo,	,,	29.78	756.3	88	8	NE	4	bc	,,	29.81	757.1	79	6	NNE	2	bc
Surigao,	...	29.78	756.3	85	8	E	2	o	,,	29.81	757.2	76	4	S	2	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.50	749.3	75	...	ESE	5	c
Guam,	12.22	29.79	756.7	...	6	ENE	2	bc	4.22	..	...	...	6	...	...	...
Yap,	11.00	29.79	756.7	...	6	N	2	r	5	29.85	758.2	...	...	ENE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	77	...	E	3	c
Labuan,	14	29.83	757.6	83	6	N	6	bc	6	29.78	756.4	72	1	SW	...	c

March 13*d.* 10*h.* 52*m.*—The anticyclone central to the north of the lower Yangtze Valley has strengthened.

The depression over Tongking is nearly stationary.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1.27 inch. Total since January 1st, 4.02 inches, against an average of 4.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Northerly winds, fresh; generally cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; rainy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	S.E. to E. winds, fine to cloudy, rain later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th MARCH, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	14th MARCH, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.72	754.8	28	...	W	1	o	6	29.94	760.4	18	...	WNW	3	h
Nemuro,	11	30.14	765.5	...	...	SSE	6	...	5	29.90	759.5	...	...	NNE	3	...
Hokodate,	,,	30.12	765.0	...	...	ESE	4	...	,,	29.98	761.5	...	...	WNW	1	...
Tokio,	,,	29.74	755.5	...	...	SSE	1	...	,,	29.96	761.0	..	...	E	1	...
Kochi,	,,	29.84	758.0	...	...	SW	1	...	,,	29.96	761.0	...	...	SW	1	...
Nagasaki,	,,	30.10	764.5	...	...	N	3	...	,,	30.12	765.0	...	...	...	0	...
Kagoshima,	,,	29.98	761.5	...	...	...	...	...	,,	30.14	765.5	...	...	N	1	...
Oshima,	,,	30.00	762.0	...	...	N	3	...	,,	30.10	764.5	...	...	NNW	2	...
Naha,	,,	30.02	762.5	...	...	NNE	4	...	,,	30.04	763.0	...	...	NNE	5	...
Ishigakijima,	,,	29.98	761.5	...	...	NE	2	...	,,	30.06	763.5	...	...	NNE	3	...
Bonin Island,	,,	30.04	763.0	...	...	S	2	...	,,	30.06	763.5	...	...	SW	2	...
Chefoo,	15	30.19	766.7	31	6	NW	8	b	6	30.25	768.3	25	8	W	6	b
Shanghai,	14	30.30	769.7	40	6	NNW	4	o	,,	30.42	772.7	31	4	WNW	4	o
Gutzlaff,	,,	30.33	770.4	41	4	N	4	m	,,	30.43	772.9	33	1	NNW	6	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.06	763.5	56	4	NE	2	d	7	30.23	767.8	52	6	NE	2	r
Amoy,	,,	30.07	763.8	49	6	NE	4	r	6	30.16	766.0	47	4	ENE	4	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.08	764.0	58	...	E	4	r	5	30.18	766.6	52	...	ESE	4	r
Taichu,	,,	29.98	761.4	58	...	N	2	r	,,	30.09	764.2	54	...	N	2	o
Tainan,	,,	29.93	760.3	67	...	N	2	o	,,	30.02	762.4	56	...	...	...	...
Koshun,	,,	29.93	760.3	76	...	NE	2	o	,,	29.99	761.6	67	...	ENE	4	o
Pescadores,	,,	29.97	761.2	61	...	NNE	6	r	,,	30.11	764 8	58	...	NE	6	o
Hong Kong,	14	29.86	758.4	61	5	E	6	od	6	30.12	765.0	50	7	N	3	o
Gap Rock,	,,	29.83	757.7	71	6	ENE	6	cm	,,	30 08	764.1	69	7	N	5	o
Macao,	,,	29.83	757.6	61	4	ESE	2	d	,,	30.09	764.3	49	4	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	758.0	81	8	SSW	2	c	6	30.02	762.5	67	8	NE	6	o
Phulien,	15	29.70	754.5	81	7	ESE	3	z	7	30.04	763.0	61	6	ENE	5	d
Tourane,	,,	29.71	754.6	82	6	ESE	3	z	,,	29.85	758.1	73	4	NNW	2	bc
Cape St. James,	,,	29.85	758.1	82	8	S	2	bc	,,	29.88	758.9	72	7	E	1	bc
Basco,	14	29.84	757.9	83	8	SSE	2	o	6	29.95	760.7	74	6	NNE	4	c
Aparri,	,,	29.81	757.1	91	6	...	0	b	,,	29.91	759 8	76	6	NW	2	o
Tuguegarao,	,,	29.76	755.9	98	8	...	0	bc	,,	29.90	759.5	74	1	...	0	bc
Vigan,	,,	29 81	757.1	88	8	NW	4	b	,,	29.88	759.0	72	8	...	0	b
Manila,	,,	29.80	756.8	94	8	SE	4	b	,,	29.92	760.0	70	6	...	0	b
Legaspi,	,,	29.82	757.3	91	8	NE	4	b	,,	29.87	758.6	79	6	...	0	bc
Calbayog,	,,	29.77	756.1	83	4	SE	4	c	,,	29.85	758.2	74	8	...	0	b
Tacloban,	,,	29.82	757.3	83	8	SE	2	o	,,	29.88	758.8	77	6	N	2	b
Iloilo,	,,	29.75	755.6	91	8	NE	4	o	,,	29.83	757.6	77	4	NNE	4	o
Cebu,	,,	29.78	756.5	91	8	NE	4	bc	,,	29.85	758.2	79	8	N	2	o
Surigao,	...	29.79	756.7	79	8	...	0	o	,,	29.85	758.2	76	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.95	760.6	74	...	ENE	3	bc
Guam,	12.22	29.83	757.8	...	6	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.1	...	6	ENE	2	bc	5	29.88	759.0	...	6	NE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.87	758.6	77	...	...	0	c
Labuan,	14	29.94	760.4	86	6	SE	...	bc	6	29.90	759.4	72	1	SW	...	c

March 14*d.* 10*h.* 50*m.*—The anticyclone central over the lower Yangtze Valley has increased slightly in intensity.

The depression over Tongking has filled up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inch. Total since January 1st, 4.05 inches, against an average of 4.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Northely winds, fresh ; overcast, local rain.
B.—Turnabout to Hong Kong,	N.E. winds, strong ; overcast with rain at first, improving later.
C.—Hong Kong to Gap Rock,	N. to N.E. winds, strong ; overcast at first, finer later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, strong ; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	15th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.93	760.2	18	...	SSW	4	o	6	30.02	762.5	16	...	NNW	3	c
Nemuro,	11	29.90	759.5	...	...	E	1	...	5	29.82	757.5	...	...	SE	1	...
Hokodate,	,,	29.98	761.5	...	...	...	0	...	,,	29.88	759.0	...	...	NW	1	...
Tokio,	,,	29.92	760.0	...	...	NE	1	...	,,	29.80	757.0	...	...	...	0	...
Kochi,	,,	29.96	761.0	...	...	SW	1	...	,,	30.06	763.5	...	...	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	N	1	...	,,	30.20	767.0	...	...	NNW	3	...
Kagoshima,	,,	30.04	763.0	...	...	NW	1	...	,,	30.18	766.5	...	...	NNW	1	...
Oshima,	,,	30.08	764.0	...	...	N	2	...	,,	30.20	767.0	...	...	N	2	...
Naha,	,,	30.10	764.5	...	...	NNE	5	...	,,	30.24	768.0	...	...	N	5	...
Ishigakijima,	,,	30.14	765.5	...	...	NNE	3	...	,,	30.26	768.5	...	...	NE	1	...
Bonin Island,	,,	30.04	763.0	...	...	SSW	2	...	,,	30.04	763.0	...	...	SSW	1	...
Chefoo,	15	30.21	767.2	29	6	WNW	8	c	6	30.15	765.8	29	8	WSW	4	b
Shanghai,	14	30.39	772.0	43	6	WNW	4	c	,,	30.42	772.6	31	6	W	2	b
Gutzlaff,	,,	30.43	772.9	38	4	NW	6	m	,,	30.49	774.4	35	4	NNW	6	z
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.22	767.6	56	6	ENE	2	o	7	30.31	769.9	52	6	N	2	o
Amoy,	,,	30.27	768.9	52	6	ENE	4	o	6	30.30	769.6	47	6	NNE	4	r
Swatow,	,,	30.21	767.3	50	...	NE	1	o	,,	30.30	769.7	45	...	N	3	o
Taihoku,	11	30.28	769.1	52	...	E	4	r	5	30.31	769.9	49	...	E	2	o
Taichu,	,,	30.16	766.0	54	...	N	4	r	,,	30.21	767.2	49	...	NNE	2	o
Tainan,	,,	30.11	764.8	56	...	NNE	4	o	,,	30.17	766.4	50	...	N	...	...
Koshun,	,,	30.07	763.8	68	...	NNE	6	o	,,	30.12	765.0	63	...	NE	6	b
Pescadores,	,,	30.18	766.6	54	...	NNE	6	r	,,	30.20	767.0	56	...	NNE	6	b
Hong Kong,	14	30.19	766.9	49	6	NNE	1	or	6	30.21	767.3	49	6	N	1	o
Gap Rock,	,,	30.16	766.0	66	8	N	6	o	,,	30.19	766.8	64	8	NE	4	o
Macao,	,,	30.18	766.6	47	4	NNE	4	o	,,	30.18	766.6	45	4	NNE	4	o
Hallow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.06	763.6	65	8	NE	8	c	6	30.11	764.8	65	6	NE	6	d
Haitien,	15	30.17	766.3	57	7	NNE	3	o	7	30.23	767.7	50	6	ENE	4	lt
Tourane,	,,	29.93	760.3	75	8	NNW	5	c	,,	30.09	764.3	66	7	N	3	o
Cape St. James,	,,	29.86	758.5	84	7	SSE	2	bc	,,	29.92	760.0	75	8	E	5	bc
Basco,	14	29.97	761.3	72	6	NE	4	d	6	30.10	764.4	68	6	NE	4	p
Aparri,	,,	29.91	759.6	85	6	NNE	4	b	,,	29.99	761.6	74	4	ENE	4	p
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.97	761.2	74	1	...	0	o
Vigan,	,,	29.86	758.4	86	8	N	4	o	,,	29.89	759.3	74	8	NNW	4	b
Manila,	,,	29.85	758.2	91	8	W	4	bc	,,	29.90	759.4	74	4	...	0	b
Legaspi,	,,	29.83	757.6	91	8	ENE	2	b	,,	29.88	758.8	79	6	N	2	e
Calbayog,	,,	29.82	757.3	88	8	SW	4	bc	,,	29.86	758.4	74	8	...	0	b
Tacloban,	,,	29.81	757.2	86	8	S	4	bc	,,	29.90	759.5	77	6	N	2	bc
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	77	4	N	4	bc
Cebu,	,,	29.83	757.8	86	8	NE	4	o	,,	29.86	758.4	77	8	N	2	c
Surigao,	...	29.79	756.7	85	8	ENE	2	c	,,	29.85	758.2	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.95	760.7	74	...	NE	3	b
Guam,	12.22	29.87	758.6	...	6	NE	6	bc	4.22	29.91	759.8	...	6	ENE	2	b
Yap,	11.00	29.83	757.6	...	6	ENE	4	bc	5	29.88	758.9	...	6	ENE	4	bc
Palau,	,,	...	...	...	...	...	...	...	,,	29.84	758.0	78	...	ENE	2	c
Luluan,	14	29.94	760.4	85	6	SE	...	bc	6	29.90	759.4	76	1	NE	...	o

March 15*d.* 10*h.* 4*cm.*—The anticyclone is now central to the west of Shanghai, moving eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.39 inch. Total since January 1st, 4.44 inches, against an average of 4.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Fresh Northerly or variable winds, moderating; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; generally overcast, local rain.
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; generally overcast, some drizzle or mist.
D.—Hong Kong to Hainan straits,	
E.—North China Sea,	N.E. winds, fresh to strong; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th MARCH, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	16th MARCH, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.98	761.4	...	...	NE	7	o	6	30.01	762.3	14	...	NW	1	o
Nemuro,	11	29.74	755.5	...	...	SSW	2	...	5	29.76	756.0	...	...	NW	1	...
Hokodate,	,,	29.84	758.0	...	...	WNW	1	...	,,	29.86	758.5	...	...	...	...	...
Tokio,	,,	29.80	757.0	...	...	ENE	1	...	,,	29.56	761.0	,,	...	...	o	...
Kochi,	,,	30.06	763.5	...	...	WSW	2	...	,,	30.18	766.5	...	...	...	o	...
Nagasaki,	,,	30.22	767.5	...	...	NW	3	...	,,	30.26	768.3	...	...	N	2	...
Kagoshima,	,,	30.18	766.5	...	...	WNW	2	...	,,	30.24	768.0	...	...	...	o	...
Oshima,	,,	30.26	768.5	...	...	N	2	...	,,	30.26	768.5	...	...	NNE	2	...
Naha,	,,	30.28	769.0	...	...	N	4	...	,,	30.24	768.0	...	...	NNE	4	...
Ishigakijima,	,,	30.28	769.0	...	...	NNE	...	...	,,	30.22	767.5	...	...	NE	2	...
Bonin Island,	,,	30.04	763.0	...	...	SW	1	...	,,	30.12	765.0	...	...	...	o	...
Chefoo,	15	30.15	765.8	31	8	NW	8	b	6	30.32	770.2	25	6	W	2	b
Shanghai,	14	30.33	770.5	49	6	WNW	4	c	,,	30.39	772.0	35	6	SSW	2	b
Gutzlaff,	,,	30.38	771.6	43	4	WSW	4	z	,,	30.42	772.6	41	4	SW	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.27	768.8	54	4	NE	2	c	7	30.30	769.5	54	6	NNE	2	u
Amoy,	,,	30.30	769.6	49	4	ENE	4	d	6	30.30	769.6	49	6	NE	4	r
Swatow,	,,	30.31	769.9	48	...	N	3	o	,,	30.31	769.9	46	...	N	1	o
Taihoku,	11	30.32	770.2	52	...	ESE	4	o	5	30.29	769.4	50	...	E	2	r
Taichu,	,,	30.22	767.6	50	...	...	o	o	,,	30.23	767.9	50	...	N	2	r
Tainan,	,,	30.19	766.9	56	...	N	2	o	,,	30.18	766.6	54	...	N	4	r
Koshun,	,,	30.16	766.1	65	...	NE	6	o	,,	30.15	765.7	63	...	NE	2	o
Pescadores,	,,	30.22	767.6	59	...	NE	6	o	,,	30.21	767.2	56	...	NNE	6	r
Hong Kong,	14	30.21	767.3	49	5	N	1	od	6	30.25	767.8	50	5	N	1	o
Gap Rock,	,,	30.19	766 8	64	7	NE	5	o	,,	30.21	767.3	62	7	NNE	4	o
Macao,	,,	30.20	767.2	45	4	NNE	4	o	,,	30.24	768.1	45	4	N	4	o
Hollow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.13	765.3	67	8	NE	6	o	6	30.11	764.8	68	8	NE	6	d
Haikien,	15	30.21	767.3	54	8	NNE	2	o	7	30.23	767.9	52	7	NNE	1	o
Tourane,	,,	30 05	763.3	65	8	NNW	4	bc	,,	30.09	764.2	68	8	N	2	o
Cape St. James,	,,	29 89	759.3	79	8	E	6	bc	,,	29.92	760.0	75	7	ENE	5	c
Basco,	14	30 04	763.0	70	6	NE	4	o	6	30 07	763.5	68	6	NE	4	d
Aparri,	,,	29.97	761.8	79	4	E	6	o	,,	30.01	762.3	74	6	ENE	4	d
Tuguegarao,	,,	29.92	760.0	85	8	N	2	bc	,,	29.99	761.6	72	1	...	o	d
Vigan,	,,	29.83	757.7	91	8	WNW	4	bc	,,	29.91	759 8	77	8	...	o	bc
Manila,	,,	29.87	758.8	85	8	...	o	o	,,	29.92	760.0	76	6	...	o	o
Legaspi,	,,	29.85	758.2	83	6	NNE	2	bc	,,	29.89	759.3	76	4	...	o	o
Calbayog,	,,	29.85	758.2	85	8	NE	4	o	,,	29.88	759.0	76	8	...	o	d
Tacloban,	,,	29.85	758.2	85	8	NE	4	o	,,	29.88	758.8	77	6	NE	2	o
Iloilo,	,,	29.80	756.8	88	6	NE	6	bc	,,	29.85	758.2	76	6	NE	4	bc
Cebu,	,,	29.81	757.2	91	8	NE	4	o	,,	29.85	758 2	79	8	NNE	2	o
Surigao,	...	29.83	757.6	83	8	ENE	4	o	,,	29.84	758.0	76	6	...	o	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.91	759.6	75	...	E	4	bc
Guam,	12.22	29.87	758.6	...	6	NE	6	o	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.84	758.0	...	6	NE	6	bc	5	29.86	758.5	..	6	NE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.86	758.5	77	...	ENE	2	bc
Labuan,	14	29.94	760.4	86	6	NW	2	bc	6	29.90	759.4	76	1	S	6	bc

March 16*d.* 1c*h.* 5c*m.*—The anticyclone has been absorbed by another forming over N.E. China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inch. Total since January 1st, 4.54 inches, against an average of 4.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—*Turnabout to Hong Kong,*	*N.E. winds, fresh; overcast, rainy.*
C.—Hong Kong to Gap Rock,	N.E. winds, moderate; generally overcast, occasional rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh to strong; generally overcast, local rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	17th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.01	762.2	19	...	NW	1	o	6	30.17	766.4	16	...	...	o	b
Nemuro,	11	29.76	756.0	...	...	NW	1	...	5	29.65	753.0	...	...	WNW	2	...
Hokodate,	,,	29.80	757.0	...	...	NW	1	...	,,	29.84	758.0	...	...	WNW	2	...
Tokio,	,,	29.86	758.5	...	...	S	1	...	,,	30.02	762.5	..	...	NW	1	...
Kochi,	,,	30.12	765.0	...	...	WSW	2	...	,,	30.24	768.0	...	...	...	o	...
Nagasaki,	,,	30.30	769.5	...	...	NNW	5	...	,,	30.28	769.0	...	...	N	1	...
Kagoshima,	,,	30.24	768.0	...	...	NW	3	...	,,	30.26	768.5	...	...	NNW	1	...
Oshima,	,,	30.28	769.0	...	...	N	1	...	,,	30.26	768.5	...	...	N	1	...
Naha,	,,	30.30	769.5	...	...	N	4	...	,,	30.26	768.5	...	...	NE	1	...
Ishigakijima,	,,	30.28	769.0	...	...	ENE	3	...	,,	30.18	766.5	...	...	E	2	...
Ponin Island,	,,	30.10	764.5	...	...	...	o	...	,,	30.10	764.5	...	...	NW	1	...
Chefoo,	15	30.30	769.6	33	8	NNW	2	b	6	30.32	770.2	25	4	WSW	2	z
Shanghai,	14	30.32	770.2	58	1	NW	2	b	,,	30.35	770.9	40	6	ENE	2	e
Gutzlaff,	,,	30.37	771.4	50	6	NE	4	b	,,	30.38	771.6	43	6	ENE	4	be
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.26	768.6	58	6	E	2	be	7	30.17	766.3	56	6	N	2	c
Amoy,	,,	30.26	768.6	59	6	E	4	b	6	30.20	767.1	54	6	NE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	30.18	766.6	57	...	NE	1	c
Taihoku,	11	30.31	769.8	54	...	E	4	r	5	30.17	766.4	58	...	E	4	o
Taichu,	,,	30.25	768.4	56	...	NW	2	o	,,	30.13	765.1	54	...	...	o	h
Tainan,	,,	30.21	767.3	63	...	NNE	4	o	,,	30.10	764.4	52	...	N	2	b
Koshun,	,,	30.16	766.1	70	...	NE	6	o	,,	30.05	763.2	54	...	ENE	4	b
Pescadores,	,,	30.24	768.0	61	...	NNE	6	o	,,	30.10	764.4	61	...	NNE	6	b
Hong Kong,	14	30.16	766.0	55	6	NE	2	o	6	30.06	763.5	58	6	E	5	o
Gap Rock,	,,	30.16	766 0	63	7	NNE	4	o	,,	30.07	763.8	64	7	ENE	4	o
Macao,	,,	30.14	765.6	52	4	NNE	2	o	,,	30.04	763.0	52	4	NNE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	761.8	70	8	NE	6	o	6	30.04	763.0	70	8	ENE	6	o
Hatien,	15	30.16	766.1	56	8	...	o	o	7	30.11	764.7	54	3	N	2	df
Tourane,	,,	30.03	762.7	65	8	NNW	4	o	,,	30.02	762.4	66	7	NW	2	o
Cape St. James,	,,	29.87	758.8	79	6	ENE	6	be	,,	29.89	759.2	75	7	E	4	f
Basco,	14	30.03	762.8	70	6	ENE	4	o	6	30 01	762.3	70	1	NE	4	o
Aparri,	,,	29.97	761.2	74	4	ENE	4	d	,,	29.95	760.8	72	4	E	4	r
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	72	1	...	o	d
Vigan,	,,	...	...	...	...	...	...	..	,,	29.86	758.4	74	8	...	o	h
Manila,	,,	29.85	758.3	86	8	S	4	o	,,	29.88	759.0	74	6	...	o	b
Legaspi,	,,	29.86	758.4	76	6	NE	4	o	,,	29.87	758.6	79	6	NNE	2	be
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.88	758.9	72	8	...	o	be
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.87	758.6	76	6	...	o	b
Iloilo,	,,	29.79	756.6	88	8	NE	4	o	,,	29.82	757.4	76	6	NNE	4	be
Cebu,	,,	...	...	...	...	...	...	...	,,	29.84	758 o	79	6	N	2	be
Surigao,	...	29.79	756.7	86	8	ESE	4	be	,,	29.84	757.8	76.	6	E	4	be
Saipan,	11.00	...	...	...	...	...	...	...	5	29.93	760.2	71	...	E	3	r
Guam,	12.22	29.83	757.6	...	6	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.1	...	6	ENE	2	be	5	29.86	758.3	...	6	ENE	4	be
Pelew,	,,	...	...	...	...	...	...	...	,,	758.3	757.7	76	...	ENE	1	c
Latuan,	14	29.94	760.4	86	8	NW	2	be	6	29.90	759.4	74	1	NE	6	b

March 17*d*. 10*h*. 37*m*.—The anticyclone appears to be central over the Yellow Sea, moving eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.54 inches, against an average of 4.52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; generally cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th MARCH, 1932.									18th MARCH, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.11	764.7	25	...	W	1	b		6	30.11	765.0	18	...	NW	1	b	
Nemuro,	11	29.55	750.5	...	...	WNW	2	...		5	29.61	752.0	...	...	WNW	2	...	
Hokodate,	,,	29.86	758.5	...	...	W	5	...		,,	29.82	757.5	...	...	WNW	3	...	
Tokio,	,,	30.02	762.5	...	...	NNW	1	...		,,	30.04	763.0	..	...	...	0	...	
Kochi,	,,	30.16	766.0	...	...	SW	1	...		,,	30.20	767 0	...	...	...	0	...	
Nagasaki,	,,	30.31	770.0	...	...	N	1	...		,,	30.26	768.5	...	...	...	0	...	
Kagoshima,	,,	30.26	768.5	...	...	NW	1	...		,,	30.24	768.0	...	...	NW	1	...	
Oshima,	,,	30.26	768.5	...	...	N	1	...		,,	30.20	767.0	...	...	S	1	...	
Naha,	,,	30.26	768.5	...	...	NNE	2	...		,,	30.10	764.5	...	...	NE	1	...	
Ishigakijima,	,,	30.18	766.5	...	...	E	3	...		,,	30.00	762.0	...	...	ESE	4	...	
Bonin Island,	,,	30.10	764.5	...	...	NW	1	...		,,	30.12	765.0	...	...	...	0	...	
Chefoo,	15	30.23	767.8	43	6	ESE	4	b		6	30.19	766.7	36	6	S	2	o	
Shanghai,	14	30.26	768.5	58	6	ESE	2	c		,,	30.19	766.7	45	6	SE	2	o	
Gutzlaff,	,,	30.33	770.4	47	4	ESE	4	m		,,	30.24	768.1	45	6	SE	4	o	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.13	765.3	58	6	N	2	r		7	30.07	763.8	54	4	NNW	2	r	
Amoy,	,,	30.13	765.3	61	6	N	2	o		6	...	...	...	...	...	..	...	
Swatow,	,,	30.15	765.7	61	...	E	3	c		,,	30.09	764.2	56	...	E	1	o	
Taiboku,	11	30.16	766 0	65	...	E	6	o		5	30.02	762.4	61	...	...	0	r	
Taichu,	,,	30.11	764.9	68	...	...	0	o		,,	30.04	763.1	59	...	...	0	o	
Tainan,	,,	30.09	764.4	70	...	N	2	c		,,	29.95	760.6	61	...	N	...	o	
Koshun,	,,	30 07	763.8	76	...	NE	4	bc		,,	29.95	760.6	70	...	...	0	o	
Pescadores,	,,	30.11	764.8	65	...	NNE	4	o		,,	29.89	759.3	61	...	NNE	4	o	
Hong Kong,	14	30.04	763.0	62	7	E	4	o		6	30.01	762.2	60	7	ESE	3	o	
Gap Rock,	,,	30.03	762.8	64	7	ENE	5	o		,,	30 01	762.2	64	7	ENE	5	o	
Macao,	,,	30 02	762.4	61	4	NNW	2	o		,,	29.97	761.2	58	4	NNW	2	o	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.98	761.5	76	8	ENE	4	o		6	29.93	760.2	70	6	ENE	4	d	
Haulien,	15	30.00	761.9	63	6	NE	2	o		7	30.02	762.6	59	o	NNE	1	df	
Tourane,	,,	29.94	760.6	68	8	NNW	2	bc		,,	29.95	760.8	68	6	N	1	c	
Cape St. James,	,,	29.83	757.8	79	8	E	6	b		,,	29.87	758.6	75	6	ENE	4	f	
Basco,	14	29.96	760 9	76	6	ESE	4	c		6	29.89	759 3	74	6	...	c	o	
Aparri,	,,	29.89	759.3	77	6	E	4	o		,,	29.89	759.1	72	6	...	o	c	
Tuguegarao,	,,	29 83	757.8	86	4	...	o	o		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.82	757.3	83	8	WNW	4	b		,,	...	...	...	...	...	...	...	
Manila,	,,	29.82	757.4	88	8	E	4	c		,,	29.88	758.8	72	4	...	o	b	
Legaspi,	,,	29 85	757.7	88	8	NE	4	b		,,	29.84	757.9	79	6	NE	4	b	
Calbayog,	,,	29.83	757.6	83	8	NE	2	c		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.82	757.3	79	6	...	o	o		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.76	756.0	88	8	NE	4	c		,,	29.81	757.2	76	6	N	4	o	
Cebu,	,,	29.80	756.8	88	8	NE	4	b		,,	...	...	...	...	...	...	...	
Surigao,	...	29.80	756.8	86	8	ENE	4	b		,,	29.80	757.0	77	6	ENE	4	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.86	758.4	...	6	E	4	o		4.22	29.86	758.3	...	6	E	4	b	
Yap,	11.00	29.83	757.6	...	6	ENE	4	r		5	29.84	758.0	...	6	ENE	2	c	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.94	760.4	83	6	N	...	bc		6	29.90	759.4	74	1	NE	6	bc	

March 18*d.* 10*h.* 48*m.*—The anticyclone has weakened. It is central over S. Korea, moving E.N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 4.55 inches, against an average of 4.64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. or variable winds, moderate; generally overcast, local rain.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fair to showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	18TH MARCH, 1932.								19TH MARCH, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	...	...	...	...	...	...	...	6	30.11	764.7	19	...	...	0	b
Nemuro,	11	29.59	751.5	...	...	WNW	2	...	5	29.71	754.5	...	...	WNW	3	...
Hokodate,	,,	29.82	757.5	...	...	W	4	...	,,	29.90	759.5	...	...	N	1	...
Tokio,	,,	30.00	762.0	...	...	...	...	...	,,	30.04	763.0	..	...	...	0	...
Kochi,	,,	30.14	765.5	...	...	...	0	...	,,	30.12	765.0	...	...	WSW	1	...
Nagasaki,	,,	30.22	767.5	...	...	N	1	...	,,	30.12	765.0	...	...	...	...	...
Kagoshima,	,,	30.18	766.5	...	...	...	0	...	,,	30.10	764.5	...	...	NW	1	...
Oshima,	,,	30.16	766.0	...	...	...	0	...	,,	30.02	762.3	...	...	NNE	1	...
Naha,	,,	30.08	764.0	...	...	SE	1	...	,,	29.92	760.0	...	...	NNE	1	...
Ishigakijima,	,,	29.96	761.0	...	...	SSE	3	...	,,	29.98	761.5	...	...	N	2	...
Bonin Island,	,,	30.10	764.5	...	...	W	1	...	,,	30.10	764.5	...	...	...	0	...
Chefoo,	15	30.09	764.3	38	6	SE	4	d	6	30.28	769.2	33	8	NNE	4	b
Shanghai,	14	30.16	766.0	56	6	SSE	2	c	,,	30.22	767.6	45	4	NNW	4	o
Gutzlaff,	,,	30.20	767.1	47	6	SE	2	o	,,	30.26	768.6	45	6	WNW	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	...	...	60	4	NE	2	r	7	30.15	765.8	56	6	E	2	c
Amoy,	,,	30.04	763.0	61	6	ENE	4	c	6	30.12	765.0	56	6	ENE	2	c
Swatow,	,,	30.08	764.0	61	...	ESE	3	c	,,	30.14	765.6	57	...	NE	1	o
Taihoku,	11	30.04	763.1	59	...	SW	2	lt	5	30.09	764.3	58	...	...	0	r
Taichu,	,,	30.04	763.1	67	...	NNW	2	o	,,	30.04	763.1	59	...	N	2	f
Tainan,	,,	29.99	761.8	72	...	N	4	bc	,,	29.99	761.6	59	...	N	4	o
Koshun,	,,	...	...	...	...	...	...	...	,,	29.96	760.9	68	...	NNW	2	o
Pescadores,	,,	30.03	762.8	63	...	NNE	6	o	,,	30.03	762.7	61	...	NNE	6	o
Hong Kong,	14	29.96	761.0	66	6	W	1	o	6	30.07	763.8	61	6	N	2	o
Gap Rock,	,,	29.98	761.5	68	7	N	4	o	,,	30.05	763.2	68	7	NNE	4	o
Macao,	,,	29.96	761.0	67	4	NNE	2	o	,,	30.04	763.0	59	4	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Paias Island,	,,	29.92	760.0	72	8	NE	6	o	6	30.03	762.8	67	8	NE	4	o
Haulien,	15	30.01	762.3	63	7	N	2	o	7	30.10	764.6	59	7	NNE	1	f
Tourane,	,,	29.90	759.4	23	8	NNW	4	bc	,,	29.99	761.8	68	6	NE	2	c
Cape St. James,	,,	29.82	757.4	79	7	ENE	5	bc	,,	29.86	758.3	59	8	ENE	6	f
Basco,	14	29.82	757.4	81	8	SE	4	bc	6	...	..	...	...	...	...	...
Aparri,	,,	29.80	757.0	85	6	E	4	b	,,	29.91	759.8	76	6	N	2	o
Tegnegarao,	,,	29.78	756.3	94	4	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	757.0	86	8	W	4	z	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	91	8	SE	4	b	,,	29.88	759.0	70	4	...	0	b
Legaspi,	,,	29.80	757.0	88	8	NE	4	bc	,,	29.86	758.4	76	4	...	0	o
Calboyog,	,,	29.80	757.0	77	8	NNE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.80	757.0	79	6	...	0	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.6	88	8	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.77	756.1	85	8	ENE	4	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.76	755.9	86	8	E	4	b	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.84	757.9	...	6	E	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	757.0	...	6	E	4	bc	5	29.86	758.5	...	6	WNW	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	6	N	4	bc	6	29.90	759.4	70	1	SE	6	bc

March 19*d.* 10*h.* 30*m.*—The anticyclone has dissipated. Another is forming over N.E. China.

A depression situated to the S.E. of the Loochoos, is moving E.N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.55 inches, against an average of 4.76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	Northerly winds, moderate; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; generally cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th March, 1932.									20th March, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Symbols.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Symbols.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	30.03	762.8	27	...	NNW	4	bc		6	29.97	761.3	23	...	WNW	3	o	
Nemuro,	11	29.74	755.5	...	...	N	3	...		5	29.76	756.0	...	...	...	o	...	
Hokodate,	,,	29.92	760.0	...	...	NNW	2	...		,,	29.76	756.0	...	...	N	1	...	
Tokio,	,,	30.00	762.0	...	...	ESE	1	...		,,	29.61	752.0	..	...	NW	1	...	
Koehi,	,,	30.02	762.5	...	...	SE	1	...		,,	29.94	760.5	...	...	NW	1	...	
Nagasaki,	,,	30.04	763.0	...	...	S	2	...		,,	30.18	766.5	...	...	NNW	3	...	
Kagoshima,	,,	30.04	763.0	...	...	SE	1	...		,,	30.14	765.5	...	...	NW	2	...	
Oshima,	,,	30.06	763.5	...	...	N	2	...		,,	30.18	766.5	...	...	NNE	4	...	
Naha,	,,	30.04	763.0	...	...	NNE	6	...		,,	30.22	767.5	...	...	N	5	...	
Ishigakijima,	,,	30.08	764.0	...	...	N	3	...		,,	30.24	768.0	...	...	NE	2	...	
Bonin Island,	,,	30.06	763.5	...	...	...	0	...		,,	29.80	757.0	...	...	N	1	...	
Chefoo,	15	30.26	768.7	36	8	NW	4	b		6	30.42	772.6	29	4	WSW	2	z	
Shanghai,	14	30.37	771.3	50	6	NNW	2	bc		,,	30.47	774.0	31	8	...	0	b	
Gutzlaff,	,,	30.41	772.4	45	4	NNW	6	m		,,	30.52	775.2	40	6	N	2	bc	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.16	766.0	64	8	E	2	b		7	30.40	772.1	58	6	NE	4	o	
Amoy,	,,	30.14	765.6	70	6	E	2	b		6	...	..	...	...	...	...	...	
Swatow,	,,	30.14	765.6	57	...	NE	1	o		,,	...	...	..	...	...	...	...	
Taihoku,	11	30.19	766 8	63	...	...	0	o		5	30.30	769.7	58	...	ENE	4	o	
Taichu,	,,	30.09	764.2	67	...	NNW	4	b		,,	30.15	765.8	59	...	N	2	o	
Tainan,	,,	30.07	763 9	70	...	N	4	bc		,,	30.10	764.6	61	...	...	o	bc	
Koshun,	,,	30.05	763.2	74	...	NNE	4	bc		,,	30.10	764.5	67	...	NE	6	o	
Pescadores,	,,	30.11	764.9	65	...	NNE	6	b		,,	30.14	765.5	61	...	NNE	6	o	
Hong Kong,	14	30.09	764.3	66	7	E	3	c		6	30.18	766.6	60	7	...	o	c	
Gap Rock,	,,	30.09	764.5	67	8	ENE	4	o		,,	30.18	766.6	66	8	ENE	4	o	
Macao,	,,	30.07	763.9	67	4	NE	4	o		,,	30.16	766.0	59	6	...	o	o	
Hollow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Pratas Island,	,,	30.04	763.0	70	8	NE	6	o		6	30.12	764.9	67	8	NE	6	o	
Phulien,	15	30.09	764.4	65	8	N	2	o		7	30.19	766.9	59	7	NNE	2	o	
Tourane,	,,	30 00	761.9	67	8	NW	2	b		,,	30.08	763.9	66	5	NW	1	d	
Cape St. James,	,,	29.86	758.4	79	8	ENE	6	bc		,,	29.90	759.5	75	8	ENE	4	bc	
Basco,	14	29.94	760.4	76	6	ENE	4	o		6	...	...	...	...	...	...	...	
Aparri,	,,	29.90	759.5	83	6	N	4	b		,,	30.01	762.1	76	4	ENE	4	o	
Tuguegarao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Vigan,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Manila,	,,	29.83	757.6	91	8	W	2	b		,,	29.91	759.8	72	4	...	c	b	
Legaspi,	,,	29.84	758.0	88	8	NE	4	b		,,	29.89	759.3	79	6	NNE	4	b	
Calbayog,	,,	...	...	...	..	...	...	...		,,	...	...	...	...	...	...	...	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	...	...	...	...	...	...	...		,,	29.84	757.8	76	6	NE	4	o	
Cebu,	,,	...	...	...	..	...	...	...		,,	...	...	...	...	...	...	...	
Surigao,	...	29.82	757.3	79	8	...	0	o		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.85	758.2	...	6	S	4	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.83	757.6	...	6	ENE	4	bc		5	...	...	...	...	...	...	...	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.94	760.4	85	6	N	4	bc		6	29.89	759.3	74	1	NE	4	b	

March 20*d.* 10*h.* 48*m.*—The anticyclone over N.E. China has strengthened and spread eastward.

The depression is now central to the east of Tokio, moving N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.55 *inches, against an average of 4.88 inches.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	*Forecast*
A.—Shanghai to Turnabout,	Northerly winds, moderate; fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate to fresh; generally cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; overcast.

B. D. EVANS,—*First Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	20TH MARCH, 1932.								21ST MARCH, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Vladivostock,	12	29.91	759.7	34	...	NNW	5	c	6	30.08	764.0	14	...	NW	3	b
Nemuro,	11	29.70	754.5	...	...	NNE	1	...	5	29.61	752.0	...	...	...	0	...
Hokodate,	,,	29.70	754.5	...	...	NNW	2	...	,,	29.71	754.5	...	...	WNW	4	...
Tokio,	,,	29.63	752.5	...	...	NNW	4	...	,,	29.96	761.0	.	...	...	0	...
Kochi,	,,	30.02	762.5	...	...	NNW	1	...	,,	30.14	765.5	...	...	...	0	...
Nagasaki,	,,	30.22	767.3	...	...	NNW	2	...	,,	30.26	768.3	...	...	NW	2	...
Kagoshima,	,,	30.18	766.5	...	...	NW	3	...	,,	30.22	767.5	...	...	...	0	...
Oshima,	,,	...	..	...	...	...	...	...	,,	30.24	768.0	...	...	N	2	...
Naha,	,,	30.30	769.5	...	...	N	5	...	,,	30.28	769.0	...	...	NNW	2	...
Ishigakijima,	,,	30.33	770.5	...	...	NE	3	...	,,	30.30	769.5	...	...	NNE	1	...
Iwain Island,	,,	29.88	759.0	...	...	W	2	...	,,	30.04	763.0	...	...	WNW	2	...
Chefoo,	15	30.29	769.4	43	8	E	4	b	6	30.31	769.9	29	4	SSE	2	m
Shanghai,	14	30.44	773.3	56	8	NNW	2	b	,,	30.36	771.1	35	4	SSE	2	b
Turzlaff,	,,	30.50	774.7	50	6	...	0	b	,,	30.40	772.1	41	6	S	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	..	...	...	...	...	...
Foochow,	,,	30.35	770.9	56	6	NNE	4	c	7	30 30	769.6	56	8	N	2	b
Amoy,	,,	30.29	769.4	63	6	E	4	bc	6	30.31	769.9	54	6	N	4	b
Swatow,	,,	30.28	769.1	63	...	E	3	b	,,	30.28	769.0	54	...	NE	4	b
Taihoku,	13	30.38	771.6	58	...	E	4	r	5	30.30	769.6	52	...	E	4	b
Tachin,	,,	30.26	768.6	59	...	NNE	2	r	,,	30.21	767.3	52	...	..	0	be
Tainan,	,,	30.21	767.3	59	...	N	4	o	,,	30.17	766.2	52	...	NNE	2	b
Koshun,	,,	30.20	767.0	67	...	NE	6	o	,,	30.17	766.2	63	...	NE	6	be
Pescadores,	,,	30.25	768.3	61	...	NE	6	o	,,	30.19	767.7	59	...	NE	6	b
Hong Kong,	14	30.21	767.3	64	7	E	4	c	6	30.16	766.0	59	7	E	5	b
Gap Rock,	,,	30.20	767.1	67	8	ENE	5	o	,,	30.15	765.8	70	7	ENE	5	o
Macao,	,,	30.19	766 7	68	6	SE	4	c	,,	30.12	765.1	59	4	E E	2	c
Itobow,	,,	30.18	766.6	59	1	NE	4	r	,,	...	...	...	...	...	...	...
Bates Island,	,,	30.12	765.1	72	8	NE	6	o	6	30.09	764.3	68	8	E	6	c
Thamen,	15	30.23	767.9	57	4	N	3	df	7	30.16	766.0	55	0	NNW	3	df
Tourane,	,,	30.08	764.1	66	3	N	2	d	,,	30.06	763.6	64	7	WNW	3	c
Cape St. James,	,,	29.87	758.8	79	6	E	5	f	,,	29.89	759.1	75	8	ENE	4	be
Iusan,	14	30.11	764.9	72	6	NE	6	bc	6	30.14	765.6	67	6	NE	4	bc
Aparri,	,,	30.04	763.1	76	4	E	6	o	,,	30.07	763.7	70	4	E	4	b
Tuguegarao,	,,	29.96	760.9	77	4	N	2	o	,,	30.03	762.7	68	1	N	2	bo
Vigan,	,,	29.87	758.6	91	8	NW	4	b	,,	29.90	759.4	56	6	NE	4	bo
Manila,	,,	29.90	759.5	83	8	...	0	o	,,	29.92	760.0	76	6	...	0	o
Legaspi,	,,	29.89	759 3	88	8	NE	4	bc	,,	29.95	760.7	70	4	NE	4	o
Cuboyog,	,,	29.88	759.0	83	8	NNE	4	o	,,	29.91	759.7	77	8	NE	2	o
Tacloban,	,,	29.87	758.6	83	8	S	4	o	,,	29.91	759.6	76	2	SE	4	r
Iloilo,	,,	29.82	757.3	88	8	E	6	bc	,,	29.84	758 0	76	4	NE	4	o
Cebu,	,,	29.83	757.6	88	8	NNE	4	bc	,,	29.89	759.1	77	6	NNE	2	d
Surigao,	...	29.83	757.8	79	6	...	0	d	,,	29.88	758.9	74	4	...	0	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.90	759.4	75	...	NE	1	c
Guam,	12.22	29.84	758.0	...	6	E	4	bc	4.22	29.87	758.6	...	6	ENE	2	b
Yap,	11.00	29.83	757.6	...	6	ENE	4	bc	5	29.86	758.5	..	6	NE	2	be
Peiew,	,,	..	...	...	...	...	...	...	..	29.85	758.2	77	...	NE	1	bc
Lawuan,	14	29.94	760.4	83	4	N	4	b	6	29.90	759.4	76	1	NE	6	bc

March 21*st*. 10*h*. 53*m*.—The anticyclone is central near Nanking, moving eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.55 inches, against an average of 5.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	Northerly or variable winds, light to moderate; fine generally.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; generally cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	22nd March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather.
Wladivostock,	12	30.07	763.9	23	...	N	3	b	6	30.18	766.6	16	...	N	1	c
Nemuro,	11	29.57	751.0	...	...	NE	2	...	5	29.82	757.5	...	...	NNE	1	...
Hakodate,	,,	29.70	754.5	...	...	WNW	5	...	,,	29.84	758.0	...	...	WNW	6	...
Tokio,	,,	29.88	759.0	...	...	E	1	...	,,	30.06	763.5	..	...	NNW	2	...
Kochi,	,,	30.08	764.0	...	...	WNW	1	...	,,	30.20	767.0	...	...	WSW	1	...
Nagasaki,	,,	30.26	768.5	...	...	NNW	3	...	,,	30.24	768.0	...	...	...	0	...
Kagoshima,	,,	30.24	768.0	...	...	NNW	2	...	,,	30.22	767.5	...	...	...	0	...
Oshima,	,,	30.28	769.0	...	...	N	3	...	,,	30.24	768.0	...	...	S	1	...
Naha,	,,	30.30	769.5	...	...	N	2	...	,,	30.18	766.5	...	...	...	0	...
Ishigakijima,	,,	30.28	769.0	...	...	NE	1	...	,,	30.14	765.5	...	...	ESE	5	...
Fonin Island,	,,	30.04	763.0	...	...	WNW	3	...	,,	30.10	764.5	...	...	WNW	1	...
Chefoo,	15	30.23	767.8	43	8	E	2	b	6	30.16	766.0	38	8	S	2	be
Shanghai,	14	30.25	768.4	63	8	SE	2	bo	,,	30.17	766.3	47	4	ESE	4	d
Gutziaff,	,,	30.33	770.4	52	6	S	2	b	,,	30.23	767.8	47	6	SE	2	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.19	766.8	58	6	E	2	b	7	30.10	764.5	56	6	N	2	c
Amoy,	,,	30.27	768.8	68	6	ENE	4	be	6	30.12	765.0	56	6	N	4	be
Swatow,	,,	30.29	769.4	59	...	E	5	c	,,	30.11	764.8	57	...	NE	3	o
Taiwan,	11	30.28	769.2	67	...	E	4	b	5	30.07	763.7	59	...	SE	2	o
Tainan,	,,	30.19	766.7	72	...	...	c	b	,,	30.09	764.2	59	...	...	0	b
Tainan,	,,	30.18	766.6	74	...	...	o	b	,,	30.06	763.6	63	...	...	0	o
Koslun,	,,	30.18	766.6	72	...	ENE	6	b	,,	30.04	763.1	65	...	NE	4	b
Pescadores,	,,	30.20	767.1	68	...	NE	6	o	,,	30.06	763.5	61	...	N	4	b
Hong Kong,	14	30.11	764.8	61	7	E	5	c	6	30.00	762.0	60	6	E	4	cd
Gap Rock,	,,	30.09	764.3	70	7	ENE	6	o	,,	29.99	761.7	74	7	ENE	6	o
Macao,	,,	30.07	763.8	63	4	SE	2	o	,,	29.96	760.9	59	4	SE	2	d
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.06	763.6	76	8	E	6	bo	6	29.98	761.4	70	8	E	4	b
Pinlien,	15	30.04	763.0	59	6	NNE	2	o	7	29.99	761.7	59	2	...	0	f
Tourane,	,,	29.97	761.2	67	8	NW	4	o	,,	29.95	760.6	66	5	NW	2	f
Cape St. James,	,,	29.84	758.0	79	8	ENE	8	be	,,	29.84	757.9	75	6	ENE	4	f
Baren,	14	30.09	764.2	72	8	ENE	4	bo	6	30.00	762.0	79	6	NE	4	c
Aparri,	,,	30.03	762.8	74	4	E	4	o	,,	30.00	761.9	68	8	...	0	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	67	1	...	0	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.88	758.9	74	8	E	2	b
Manila,	,,	29.89	759.3	86	8	E	6	be	,,	29.90	759.5	74	6	...	0	be
Legnapi,	,,	29.87	758.8	79	6	NNE	4	o	,,	29.83	757.7	76	4	NE	2	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.82	757.3	74	8	NE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	76	8	NW	2	o
Iloilo,	,,	29.80	756.8	83	8	NE	6	o	,,	29.81	757.2	74	4	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	76	8	...	0	o
Surigao,	...	29.83	757.7	77	6	N	6	d	,,	29.83	757.6	74	6	...	0	c
Saipan,	11.00	...	...	...	...	..	...	...	5	29.89	759.2	74	...	ENE	2	be
Guam,	12.22	29.83	757.7	...	6	E	4	be	4.22	....	...	...	...	...	...	...
Yap,	11.00	29.82	757.4	...	6	ENE	4	be	5	29.81	757.2	...	6	ENE	4	be
Pelew,	,,	...	...	...	...	...	...	...	..	29.81	757.2	79	...	E	2	c
Labuan,	14	29.94	760.4	85	6	N	6	be	6	29.89	759.3	76	1	N	6	be

March 22*d.* 10*h.* 45*m.*— The anticyclone has weakened. It is central near Nagasaki and moving eastward. Another is forming over S.E. Mongolia.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.55 inches, against an average of 5.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	N.E. winds, strong, moderating; overcast at first, finer later.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh to moderate; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	23rd March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.17	766.3	7	...	NNE	5	o	6	30.31	769.9	10	...	N	4	o
Nemuro,	11	29.82	757.5	...	...	NNE	1	...	5	29.96	761.0	...	...	N	2	...
Hokodate,	,,	29.96	761.0	...	...	WNW	4	...	,,	30.14	765.5	...	...	NNW	1	...
Tokio,	,,	30.06	763.5	...	...	N	2	...	,,	30.16	766.0	..	...	...	0	...
Kochi,	,,	30.16	766.0	...	...	N	1	...	,,	30.10	764.5	...	...	...	0	...
Nagasaki,	,,	30.24	768.0	...	...	W	1	...	,,	30.12	765.0	...	...	...	...	...
Kagoshima,	,,	30.22	767.5	...	...	W	1	...	,,	30.10	764.5	...	...	NW	1	...
Oshima,	,,	30.22	767.5	...	...	NE	1	...	,,	30.08	764.0	...	...	SSE	1	...
Naha,	,,	30.20	767.0	...	...	E	1	...	,,	29.96	761.0	...	...	SE	4	...
Ishigakijima,	,,	30.12	765.0	...	...	E	2	...	,,	29.98	761.5	...	...	WNW	1	...
Ponin Island,	,,	30.12	765.0	...	...	W	1	...	,,	30.16	766.0	...	...	...	...	...
Chefoo,	15	30.13	765.3	35	4	NE	2	s	6	30.31	769.8	35	8	NW	2	f
Shanghai,	14	30.09	764.2	56	4	SSE	4	o	,,	30.24	768.1	45	4	NNW	4	o
Gutzlaff,	,,	30.14	765.5	49	4	SE	4	o	,,	30.28	769.1	43	6	NNW	6	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.99	761.7	58	6	...	0	o	7	30.11	764.8	58	8	...	0	b
Amoy,	,,	30.07	763.8	59	6	SSE	2	o	6	30.10	764.5	56	6	ESE	2	o
Swatow,	,,	30.09	764.4	61	...	NNE	3	o	,,	30.11	764.8	57	...	NE	1	o
Tailoku,	11	30.07	763.7	67	...	...	0	o	5	30.09	764.2	58	...	NW	2	r
Taichu,	,,	30.07	763.7	74	...	...	0	bq	,,	30.08	764.0	59	...	...	0	r
Tainan,	,,	30.04	763.0	76	...	NW	2	b	,,	30.02	762.5	59	...	N	4	r
Koshun,	,,	30.03	762.8	74	...	ENE	4	b	,,	29.95	760.8	67	...	...	0	o
Pescadores,	,,	30.04	763.1	70	...	NE	4	b	,,	30.08	763.9	63	...	NNE	4	o
Hong Kong,	14	29.93	760.2	63	6	E	5	o	6	30.03	762.7	62	6	...	0	c
Gap Rock,	,,	29.93	760.2	70	7	ENE	5	o	,,	30.03	762.7	70	7	ESE	4	o
Macao,	,,	29.91	759.7	65	4	SE	2	o	,,	30.01	762.3	61	4	NNE	2	o
Bolhow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.6	81	8	ESE	4	b	6	29.99	761.8	70	8	NE	6	o
Haulien,	15	29.90	759.5	70	8	NW	4	c	7	30.05	763.2	64	6	ENE	2	o
Tourane,	,,	29.89	759.3	67	8	NNW	2	bc	,,	29.95	760.7	68	6	N	3	o
Cape St. James,	,,	29.83	757.6	79	8	ENE	6	c	,,	29.85	758.2	75	7	ENE	5	f
Basco,	14	29.92	760.0	79	8	SE	4	bc	6	29.91	759.7	76	4	SE	4	o
Aparri,	,,	29.89	759.3	79	6	E	4	bc	,,	29.91	759.6	70	6	...	0	b
Tuguegarao,	,,	29.85	758.2	85	4	...	0	bc	,,	29.89	759.3	68	1	...	0	bc
Vigan,	,,	29.81	757.2	86	8	WNW	4	b	,,	29.87	758.6	74	8	...	0	o
Manila,	,,	29.84	757.9	86	8	WSW	2	bc	,,	29.88	758.8	72	4	...	c	bc
Legaspi,	,,	29.83	757.6	77	6	NE	2	o	,,	29.84	757.8	76	4	...	0	o
Calbayog,	,,	29.80	756.8	85	8	NNE	2	bc	,,	29.83	757.7	76	8	...	0	c
Tacloban,	,,	29.79	756.6	81	6	...	0	d	,,	29.83	757.6	76	6	NW	2	b
Iloilo,	,,	29.75	755.6	88	8	NE	4	bc	,,	29.79	756.6	76	6	NNE	4	c
Cebu,	,,	29.76	756.0	86	8	NE	4	o	,,	29.81	757.2	61	8	N	2	c
Surigao,	...	29.78	756.3	86	8	ENE	4	o	,,	29.80	757.0	77	4	...	0	l
Saipan,	11.00	...	...	...	...	...	...	...	5	29.78	756.4	...	...	E	3	bc
Guam,	12.22	29.81	757.2	...	6	E	4	bc	4.22	29.88	758.9	...	6	E	4	b
Yap,	11.00	29.79	756.7	...	6	ENE	4	bc	5	29.83	757.6	...	6	ENE	4	c
Petew,	,,	...	...	...	...	...	...	...	,,	29.81	757.1	78	...	ENE	3	c
Lamian,	14	29.86	758.5	85	6	NE	6	bc	6	29.90	759.4	74	1	NE	6	bc

March 23*d*. 11*h*. 24*m*.— A moderate anticyclone has developed over N. China and S. Manchuria.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inch. Total since January 1st, 4.69 inches, against an average of 5.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, moderate, freshening; fine to cloudy.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, moderate to fresh; fine to cloudy.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES.—*Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd March, 1932.									24th March, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Vladivostock,	12	30.25	768.3	23	...	NNW	5	b		6	30.18	766.6	19	...	...	0	h
Nemuro,	11	30.08	764.0	...	...	N	3	...		5	30.08	764.0	..	...	...	0	...
Hokodate,	,,	30.16	766.0	...	...	NNW	1	...		,,	30.10	764.5	...	...	NW	1	...
Tokio,	,,	30.12	765.0	...	...	E	2	...		,,	30.06	763.5	..	...	N	1	...
Kochi,	,,	30.06	763.5	...	...	WSW	1	...		,,	30.06	763.5	...	...	...	0	...
Nagasaki,	,,	30.10	764.5	...	...	...	0	...		,,	30.12	765.0	...	...	...	0	...
Kagoshima,	,,	30.04	763.0	...	...	...	0	...		,,	30.08	764.0	...	...	NW	1	...
Oshima,	,,	30.02	762.5	...	...	SSE	1	...		,,	30.06	763.5	...	...	NNW	1	...
Naha,	,,	29.98	761.5	...	...	WNW	3	...		,,	30.06	763.5	...	...	NNW	5	...
Ishigakijima,	,,	30.04	763.0	...	...	NNE	2	...		,,	30.10	764.5	...	...	NNE	2	...
Pouin Island,	,,	30.14	765.5	...	...	WSW	1	...		,,	30.10	764.5	...	...	WSW	1	...
Chefoo,	15	30.30	769.7	43	8	NW	4	b		6	30.16	766.0	38	8	SW	4	h
Shanghai,	14	30.29	769.4	56	8	NNE	2	be		,,	30.30	769.6	38	6	...	0	o
Gutzlaff,	,,	30.30	769.6	49	6	NNW	4	b		,,	30.32	770.1	41	6	N	2	o
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...
Foochow,	,,	30.12	765.0	60	8	E	2	be		7	30.06	763.5	56	8	ENE	2	of
Amoy,	,,	30.11	764.8	67	6	ENE	4	b		6	30.21	767.3	56	6	ENE	2	o
Swatow,	,,	30.11	764.9	63	...	ESE	3	b		,,	30.23	767.6	57	...	NE	3	b
Taiboku,	11	30.18	766.6	59	...	...	0	o		5	30.17	766.4	56	...	E	8	o
Taichu,	,,	30.08	764.0	68	...	NNW	4	b		,,	30.13	765.3	58	...	...	0	bc
Tainan,	,,	30.04	763.0	74	...	N	6	b		,,	30.02	762.6	59	...	N	4	o
Koshun,	,,	29.98	761.5	81	...	E	2	b		,,	30.06	763.4	65	...	...	0	c
Pescadores,	,,	30.09	764.3	68	...	NNE	6	o		,,	30.11	764.8	61	...	NE	6	b
Hong Kong,	14	30.02	762.5	69	7	E	3	bc		6	30.17	766.3	60	8	E	2	bc
Gap Rock,	,,	30.05	763.2	68	8	NE	4	b		,,	30.15	765.8	70	8	ENE	4	c
Macao,	,,	30.00	762.0	74	8	NE	2	b		,,	30.12	765.1	61	6	ENE	2	c
Hoilow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.0	72	8	NNE	6	o		6	30.09	764.2	68	8	NE	6	bc
Haifong,	15	29.98	761.6	76	8	S	4	b		7	30.12	765.1	64	6	ENE	3	o
Tourane,	,,	29.96	761.0	68	8	NW	2	o		,,	30.05	763.2	72	6	...	0	f
Cape St. James,	,,	29.84	757.9	79	8	ENE	6	bc		,,	29.88	758.8	77	7	ENE	5	f
Basco,	14	29.91	759.7	76	6	ESE	2	d		6	29.98	761.4	70	4	NE	2	d
Aparri,	,,	29.87	758.8	83	6	NNE	4	b		,,	29.94	760.4	72	4	...	0	b
Tuguegarao,	,,	29.82	757.3	91	4	...	0	o		,,	29.92	760.0	72	1	...	0	o
Vigan,	,,	29.83	757.7	83	8	NW	4	o		,,	29.87	758.6	76	8	...	0	bc
Manila,	,,	29.84	757.9	81	6	...	0	o		,,	29.89	759.3	76	8	...	0	o
Legaspi,	,,	29.80	757.0	81	6	...	0	o		,,	29.86	758.3	77	6	NE	4	bc
Calbayog,	,,	29.82	757.4	77	8	N	2	o		,,	29.83	757.6	74	8	N	2	b
Tacloban,	,,	29.79	756.7	81	8	E	4	d		,,	29.86	758.3	77	8	N	2	bc
Iloilo,	,,	...	...	...	...	...	...	...		,,	29.80	757.0	77	6	NE	4	o
Cebu,	,,	29.75	755.6	88	8	NE	2	bc		,,	29.83	757.6	79	8	...	0	o
Surigao,	...	29.77	756.1	81	6	ESE	2	o		,,	29.82	757.4	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...		5	29.93	760.2	73	...	E	2	c
Guam,	12.22	29.82	757.4	...	6	E	4	bc		4.22	29.88	758.8	...	6	E	4	o
Yap,	11.00	29.80	757.0	...	6	ENE	4	bc		5	29.84	757.9	...	6	ENE	4	bc
Perew,	,,	...	...	...	...	...	...	...		,,	...	...	79	...	ESE	1	c
Labuan,	14	29.94	760.4	83	4	N	4	b		6	29.90	759.4	74	1	...	0	h

March 24*d.* 11*h.* 27*m.*— A moderate anticyclone is central over the lower Yangtze Valley.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.69 inches, against an average of 5.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Northerly winds, light to moderate; cloudy, some coastal fog in morning.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine to cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	E. winds, moderate; fine to cloudy.
E.—North China Sea,	N.E. winds, moderate to fresh; generally cloudy.

B. D. EVANS,— *First Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th MARCH, 1932.								25th MARCH, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.11	764.8	32	...	SW	1	o	6	29.99	761.8	30	...	SE	1	b
Nemuro,	11	30.06	763.5	...	...	S	1	...	5	30.00	762.0	...	...	S	1	...
Hakodate,	,,	30.10	764.5	...	...	NNW	1	...	,,	29.94	760.5	...	...	NNW	2	...
Tokio,	,,	30.06	763.5	...	...	ESE	1	...	,,	29.92	760.0	..	...	N	1	...
Kochi,	,,	30.00	762.0	...	...	SSE	1	...	,,	29.96	761.0	...	...	...	0	...
Nagasaki,	,,	30.10	764.5	...	...	N	1	...	,,	30.14	765.5	...	...	N	2	...
Yeoshima,	,,	30.06	763.5	...	...	NW	1	...	,,	30.06	763.5	...	...	...	0	...
Oshima,	,,	30.06	763.5	...	...	NW	1	...	,,	30.14	765.5	...	...	N	2	...
Naha,	,,	30.10	764.5	...	...	NNW	3	...	,,	30.18	766.5	...	...	N	4	...
Ishigakijima,	,,	30.14	765.5	...	...	NNE	2	...	,,	30.20	767.0	...	...	NNE	1	...
Sarin Island,	,,	30.08	764.0	...	...	SW	1	...	,,	29.92	760.0	...	...	SW	2	...
Chefoo,	15	30.07	763.7	52	6	WSW	4	r	6	29.99	761.8	41	6	SW	2	o
Shanghai,	14	30.25	768.3	59	8	WNW	4	bc	,,	30.23	767.8	40	6	SSW	2	b
Gutzlaff,	,,	30.30	769.6	50	6	...	0	b	,,	30.28	769.1	45	6	SW	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	..	...	...	...	...	...
Foochow,	,,	30.13	765.3	62	6	E	2	c	7	30.23	767.8	58	6	W	2	b
Amoy,	,,	30.15	765.8	65	8	SE	4	b	6	30.23	767.8	54	6	NE	2	b
Swatow,	,,	30.20	767.1	63	...	ESE	2	b	,,	30.23	767.7	58	...	NE	2	b
Taitokan,	11	30.22	767.6	61	...	W	2	o	5	30.22	767.6	50	...	E	2	b
Taichu,	,,	30.17	766.3	67	...	N	2	b	,,	30.15	765.7	54	...	...	0	b
Tainan,	,,	30.13	765.3	72	...	N	4	b	,,	30.09	764.3	58	...	SW	4	b
Koshun,	,,	30.09	764.3	72	...	NE	2	o	,,	30.09	764.2	52	...	NE	4	b
Pescadores,	,,	30.16	766.0	67	...	NE	6	bc	,,	30.13	765.3	61	...	NNE	6	b
Hong Kong,	14	30.09	764.3	74	8	NNE	3	b	6	30.15	765.8	60	8	E	3	b
Gap Rock,	,,	30.13	765.3	71	8	N	3	b	,,	30.15	765.8	70	8	ENE	3	b
Yeung,	,,	30.10	764.5	74	6	NNE	4	b	,,	30.10	764.6	61	6	NE	2	b
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	761.7	74	8	NE	6	bc	6	30.09	764.3	68	8	NE	6	bc
Haulien,	15	30.16	766.1	65	8	ENE	6	o	7	30.17	766.2	57	8	NNW	3	f
Tourane,	,,	30.02	762.6	74	8	E	2	bc	,,	30.12	764.9	70	8	...	0	o
Cape St. James,	,,	29.83	757.7	79	6	ENE	6	bc	,,	29.91	759.7	72	7	NE	4	f
Iloilo,	14	29.97	761.2	70	6	NE	4	o	6	...	..	...	...	...	...	...
Aparri,	,,	29.89	759.3	83	6	NE	4	b	,,	29.99	761.6	70	4	NE	4	r
Tagnegnao,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Vigan,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.83	757.6	86	8	W	4	bc	,,	29.89	759.1	74	6	..	0	bc
Legaspi,	,,	29.82	757.4	88	8	NE	4	b	,,	29.86	758.3	77	6	NE	2	o
Calbayog,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Surigao,	...	29.79	756.6	83	8	ENE	4	o	,,	...	..	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.90	759.4	76	...	ESE	5	c
Guam,	12.22	29.84	757.9	...	6	E	6	o	4.22	...	...	...	..	...	..	...
Yap,	11.00	29.81	757.2	...	6	ENE	4	bc	5	29.85	758.2	..	6	ENE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.84	758.0	78	...	SSE	2	c
Labuan,	14	29.94	760.6	83	6	N	6	bc	6	...	..	..	...	...	...	...

March 25*d.* 10*h.* 30*m.*—The anticyclone has moved eastward and is now central to the S.E. of Shanghai.

A depression has formed to the S.E. of Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.69 inches, against an average of 5.48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light, variable winds, fine to cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine to cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	E. or variable winds, moderate; fine to cloudy.
E.—North China Sea,	N.E. winds, fresh to moderate; generally cloudy.

B. D. EVANS,— *First Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	26th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather.
Wladivostock,	12	29.96	760.9	36	...	SE	3	c	6	29.91	759.6	30	...	FSE	1	o
Nemuro,	11	29.90	759.3	...	...	SSE	2	...	5	30.04	763.0	...	...	NNE	1	...
Hokodate,	,,	29.94	760.5	...	...	WNW	2	...	,,	30.08	764.0	...	...	N	1	...
Tokio,	,,	29.88	759.0	...	...	N	1	...	,,	30.22	767.5	..	...	...	...	...
Kochi,	,,	30.02	762.5	...	...	NNW	2	...	,,	30.22	767.5	...	...	W	1	...
Nagasaki,	,,	30.20	767.0	...	...	N	1	...	,,	30.22	767.5	...	...	ESE	1	...
Kagoshima,	,,	30.14	765.3	...	...	NNW	2	...	,,	30.24	768.0	...	...	NW	1	...
Oshima,	,,	30.18	766.5	...	...	N	3	...	,,	30.20	767.0	...	...	S	1	...
Naha,	,,	30.22	767.5	...	...	N	4	...	,,	30.18	766.5	...	...	...	0	...
Ishigakijima,	,,	30.22	767.5	...	...	ENE	3	...	,,	30.14	765.5	...	...	NE	1	...
Ponin Island,	,,	29.90	759.5	...	...	WSW	2	...	,,	30.08	764.0	...	...	NNE	1	...
Chefoo,	15	29.84	757.9	67	8	SW	6	b	6	29.71	754.7	50	8	S	4	be
Shanghai,	14	30.13	765.3	67	8	SSE	4	b	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	30.23	767.8	54	6	SSE	2	b	,,	...	...	...	...	...	...	...
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.18	766.6	60	6	E	2	b	7	30.07	763.8	58	6	W	6	be
Amoy,	,,	30.26	768.6	65	4	NE	4	b	6	30.15	765.8	54	6	W	4	b
Swatow,	,,	30.12	765.0	67	8	E	2	b	,,	...	...	...	...	...	...	...
Taiwan,	11	30.21	767.3	67	...	E	4	b	5	30.11	764.8	52	...	SSE	2	b
Taichu,	,,	30.16	766.0	70	...	NNW	2	b	,,	30.12	764.9	54	..	...	0	b
Tainan,	,,	30.13	765.3	74	...	NNW	2	b	,,	30.09	764.2	56	...	NE	2	b
Koshun,	,,	30.13	765.4	79	...	NE	4	b	,,	30.08	764.0	67	...	NE	4	b
Fesendores,	,,	30.17	766.4	68	...	NNE	6	b	,,	30.09	764.2	59	...	...	0	b
Hong Kong,	14	30.10	764.5	69	7	E	3	b	6	30.07	763.8	59	8	E	3	b
Gap Rock,	,,	30.11	764.7	68	8	NE	4	b	,,	30.05	763.2	70	8	ENE	4	b
Macao,	,,	30.09	764.4	72	8	ESE	2	b	,,	30.04	763.0	61	6	E	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.7	74	8	NE	6	b	6	30.02	762.5	70	8	ENE	4	be
Thuilen,	15	30.07	763.7	75	8	SSE	3	be	7	30.02	762.6	61	5	SE	1	f
Tourane,	,,	30.03	762.8	73	7	N	2	c	,,	30.01	762.3	61	6	...	0	be
Cape St. James,	,,	29.85	758.3	79	7	ENE	4	b	,,	29.92	759.9	72	7	NE	3	f
Iusco,	14	30.04	763.0	70	6	NE	4	c	6	...	...	...	...	...	...	...
Aparri,	,,	30.02	762.4	68	4	NE	4	d	,,	30.00	761.9	70	4	ENE	2	c
Tuguegarao,	,,	29.94	760.6	77	4	NW	2	c	,,	...	...	...	...	...	...	...
Vigan,	,,	29.82	757.4	85	8	NNW	4	c	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.9	85	8	NNW	2	c	,,	29.89	759.3	74	8	...	0	be
Legaspi,	,,	29.81	757.2	85	8	NNE	2	c	,,	29.82	757.4	79	6	NNE	2	c
Calboyog,	,,	29.83	757.6	86	8	NE	2	c	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.83	757.6	79	6	...	0	c	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	29.79	756.6	88	8	NE	4	b	,,	...	...	...	...	...	...	...
Surigao,	...	29.79	756.7	81	6	...	0	c	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.84	757.9	...	6	SE	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.4	...	6	ENE	4	c	5	29.82	757.4	...	6	ENE	4	be
Perew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lamotan,	12	29.94	760.6	83	6	N	6	be	6	29.90	759.4	68	5	...	0	b

March 26*d.* 9*h.* 33*m.*—The anticyclone is situated to the south-east of Kochi moving E.N.E.; a depression is indicated to the north-west of Shantung.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.69 inches, against an average of 5.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	S. winds, *moderate; fair.*
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	E. winds, moderate to fresh; fine to cloudy.

C. W. JEFFRIES.—*Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	26TH MARCH, 1932.									27TH MARCH, 1932.								
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)		HONG KONG STANDARD TIME.	BAROMETER. AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wadivostock,	12	29.67	763.5	32	...	SE	3	0		6	30.06	763.4	28	...	...	0	0	
Nemuro,	11	30.10	764.5	...	...	N	2	...		5	30.06	763.5	...	...	SSE	3	...	
Hakodate,	,,	30.06	763.5	...	...	SSW	1	...		,,	29.82	757.5	...	...	SSW	2	...	
Tokio,	,,	30.24	768.0	...	...	S	1	...		,,	30.08	764.0	..	...	...	...	...	
Kochi,	,,	30.22	767.5	...	...	SE	1	...		,,	30.08	764.0	...	...	SW	1	...	
Nagasaki,	,,	30.22	767.5	...	...	SW	2	...		,,	30.00	762.0	...	...	SE	1	...	
Kagoshima,	,,	30.24	768.0	...	...	ESE	1	...		,,	30.06	763.5	...	...	NW	1	...	
Oshima,	,,	30.20	767.0	...	...	NNE	1	...		,,	30.06	763.5	...	...	...	0	...	
Naha,	,,	30.20	767.0	...	...	SE	1	...		,,	30.04	763.0	...	...	S	1	...	
Ishigakijima,	,,	30.16	766.0	...	...	S	1	...		,,	29.98	761.5	...	...	...	0	...	
Formosa Island,	,,	30.18	766.5	...	...	NE	1	...		,,	30.20	767.0	...	...	E	1	...	
Chefoo,	15	29.78	756.3	41	6	N	4	0		6	30.07	763.8	36	8	NNW	2	b	
Shanghai,	14	29.88	758.9	74	8	SSE	2	b		,,	29.89	759.3	54	6	NNW	2	b	
Gutzlaff,	,,	29.95	760.7	58	6	SSE	6	b		,,	29.90	759.4	56	4	W	4	m	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.97	761.2	60	6	S	2	10		7	29.92	759.9	58	6	NW	2	0	
Amoy,	,,	29.99	761.7	67	6	SE	4	b		6	29.97	761.2	59	6	SE	2	bc	
Swatow,	,,	30.09	764.4	65	...	E	3	bc		,,	29.95	760.7	64	...	ESE	2	0	
Taihoku,	11	30.09	764.4	74	...	NW	2	b		5	29.99	761.6	59	...	...	0	0	
Taichu,	,,	30.11	764.8	74	...	...	0	b		,,	29.99	761.6	58	...	...	0	bc	
Tainan,	,,	30.08	764.0	77	...	W	2	b		,,	29.94	760.4	63	...	NE	2	b	
Koshun,	,,	30.07	764.8	76	...	ENE	4	b		,,	29.93	760.2	68	...	...	0	0	
Pescadores,	,,	30.09	764.4	70	...	NNW	2	b		,,	29.93	760.2	63	...	E	2	b	
Hong Kong,	14	30.00	762.0	69	7	E	3	c		6	29.91	759.7	65	7	E	2	b	
Gap Rock,	,,	30.01	762.2	71	8	NE	4	c		,,	29.92	759.9	72	7	NE	4	b	
Macao,	,,	29.98	761.5	72	6	SSE	2	c		,,	29.88	758.9	65	4	ESE	2	c	
Bonbow,	,,	30.04	763.0	72	1	NE	2	c		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.98	761.4	81	8	E	2	c		6	29.89	759.3	72	8	ESE	2	0	
Thirteen,	15	29.89	759.2	72	8	SSE	4	b		7	..	...	...	...	...	...	...	
Tourane,	,,	29.91	759.7	76	8	SE	2	bc		,,	...	...	...	...	...	...	...	
Cape St. James,	,,	29.87	758.6	81	6	E	4	bc		,,	...	...	...	...	...	...	...	
Iloilo,	14	29.95	760.8	72	6	E	2	0		6	29.88	759.0	76	6	SE	4	c	
Aparri,	,,	29.91	759.6	79	6	NE	4	b		,,	29.86	758.5	74	6	SE	2	b	
Tuguegarao,	,,	29.88	759.0	85	4	...	0	c		,,	...	...	..	...	...	...	...	
Vigan,	,,	29.81	757.2	86	8	NW	4	b		,,	...	...	...	...	...	...	...	
Manila,	,,	29.81	757.2	88	8	SW	2	c		,,	29.85	758.2	74	6	...	0	b	
Legaspi,	,,	29.82	757.4	88	6	NE	2	c		,,	29.84	757.8	79	4	...	0	c	
Calayog,	,,	29.83	757.6	83	8	N	2	c		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.82	757.4	83	6	...	0	c		,,	..	...	...	...	...	...	...	
Iloilo,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Cebu,	,,	29.78	756.5	86	8	NE	4	c		,,	..	..	...	...	...	...	...	
Surigao,	...	29.78	756.4	88	8	E	4	c		,,	29.81	757.2	76	4	S	2	r	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.65	753.1	79	...	E	3	c	
Guam,	12.22	29.84	757.9	...	6	E	4	b		4.22	29.91	759.6	...	6	E	4	b	
Yap,	11.00	29.83	757.8	...	6	ENE	4	b		5	29.84	757.9	...	6	WNW	4	bc	
Perew,	,,	...	..	...	...	...	...	...		,,	29.81	757.2	80	...	E	3	bc	
Labuan,	14	29.94	760.4	83	4	NE	4	bc		6	29.89	759.3	72	1	SW	6	bc	

March 27*d.* 11*h.* 13*m.*—The anticyclone has passed into the Pacific to the north-east of the Bonins; a weak anticyclonic area is indicated over S. Manchuria and a depression is crossing Hokkaido on are easterly track.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.69 inches, against an average of 5.70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout, ...	None.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	*E. winds, moderate; fair.*
D.—*Hong Kong to Hainan Straits*, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th MARCH, 1932.								28th MARCH, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.90	759.5	...	...	S	2	...	5	29.53	750.0	...	...	W	2	...
Hokodate,	,,	29.72	755.0	...	...	SSW	2	...	,,	29.67	753.5	...	...	W	3	...
Tokio,	,,	29.96	761.0	...	...	SW	4	...	,,	29.63	752.5	...	...	S	3	...
Kochi,	,,	30.02	762.5	...	...	WSW	1	...	,,	29.75	755.5	...	...	SW	1	...
Nagasaki,	,,	29.92	760.0	...	...	S	4	...	,,	29.92	760.0	...	...	N	1	...
Kagoshima,	,,	29.98	761.5	...	...	S	1	...	,,	29.86	758.5	...	...	W	1	...
Oshima,	,,	30.00	762.0	...	...	SSE	1	...	,,	29.84	758.0	...	...	N	2	...
Naha,	,,	30.00	762.0	...	...	SSE	1	...	,,	29.80	757.0	...	...	ESE	1	...
Ishigakijima,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.78	756.5	...	...	NNW	1	...
Bonin Island,	,,	30.18	766.5	...	...	SE	1	...	,,	30.04	763.0	...	...	SE	2	...
Chefoo,	15	...	...	...	...	...	...	...	6	30.03	762.7	33	6	WNW	4	h
Shanghai,	14	30.05	763.2	56	6	NNE	4	bc	,,	30.14	765.6	41	6	WSW	2	c
Gutzlaff,	,,	30.05	763.3	47	4	NNE	6	m	,,	30.16	766.1	43	6	...	c	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.85	758.2	63	6	NE	2	o	7	30.03	762.7	58	4	ENE	4	rf
Amoy,	,,	29.90	759.4	72	6	SSE	4	fo	6	29.86	758.4	61	6	ENE	4	o
Swatow,	,,	29.89	759.3	74	...	ESE	1	h	,,	29.91	759.8	66	...	NW	3	c
Taiwan,	11	29.95	760.8	77	...	...	0	h	5	29.94	760.4	61	...	E	4	r
Taichu,	,,	29.96	760.9	81	...	...	0	h	,,	29.89	759.3	63	...	NNW	2	r
Tainan,	,,	29.93	760.2	85	...	SW	2	c	,,	29.84	757.9	72	...	N	2	r
Koshun,	,,	29.92	760.0	85	...	ESE	2	c	,,	29.82	757.3	74	...	...	0	o
Pescadores,	,,	29.94	760.6	76	...	N	4	h	,,	29.88	758.8	67	...	NE	6	r
Hong Kong,	14	29.83	757.7	72	7	E	3	bc	6	29.87	758.6	67	5	...	0	hem
Gap Rock,	,,	29.85	758.2	70	7	ENE	4	h	,,	29.87	758.6	71	7	NNE	2	o
Macao,	,,	29.83	757.6	76	6	SE	2	h	,,	29.83	757.7	67	6	...	...	...
Bolhow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.85	758.3	83	8	...	0	h	6	29.88	758.9	72	...	...	...	c
Phulien,	15	29.76	755.8	70	6	SE	4	o	7	29.89	759.3	66	1	ENE	3	bc
Tourane,	,,	29.74	755.3	76	6	SE	4	h	,,	29.79	756.6	70	2	...	0	f
Cape St. James,	,,	29.84	758.0	81	8	ENE	4	bc	,,	29.87	758.7	75	7	NE	2	f
Basco,	14	29.83	757.6	81	8	SE	2	bc	6	29.80	756.8	77	6	SE	2	o
Aparri,	,,	29.79	756.7	85	6	NE	4	h	,,	29.80	757.0	74	6	S	2	h
Tuguegarao,	,,	29.76	755.8	91	6	...	0	bc	,,	29.80	757.0	74	1	...	0	bc
Vigan,	,,	29.77	756.1	86	8	WNW	4	h	,,	29.80	757.0	77	8	...	0	o
Manila,	,,	29.78	756.3	86	8	N	2	bc	,,	29.80	757.0	76	6	...	0	h
Legaspi,	,,	29.78	756.4	88	8	NE	4	h	,,	29.80	757.0	77	6	...	0	c
Calbayog,	,,	29.79	756.7	79	8	SSW	2	o	,,	29.83	757.7	77	8	ESE	4	d
Tacloban,	,,	29.78	756.4	85	8	...	0	o	,,	29.82	757.3	79	6	SE	2	h
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.76	755.8	79	6	N	2	o
Cebu,	,,	29.74	755.5	88	8	NE	4	o	,,	29.80	757.0	79	6	ENE	4	o
Surigao,	...	29.76	755.8	83	6	...	0	o	,,	29.80	757.0	74	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.83	757.6	76	...	ESE	5	bc
Guam,	12.22	29.84	757.9	...	6	E	6	bc	4.22	29.88	759.0	...	6	E	4	b
Yap,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	...	6	NE	2	bc
Peraw,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	78	...	ENE	1	bc
Labuan,	14	29.94	760.4	86	4	S	4	b	6	29.90	759.4	68	...	...	...	bc

March 28*d.* 10*h.* 58*m.*—A weak anticyclone has formed over N. China. Depressions are situated over Indo-China, to the south of the Loochoos, and to the north of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.69 inches, against an average of 5.81 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light variable winds; cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; cloudy, local rain.
C.—Hong Kong to Gap Rock,	N.E. winds, moderate; fair generally, local fog or mist.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	28TH MARCH, 1932.								29TH MARCH, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)
Vladivostock,	12	29.63	752.6	37	...	SE	3	o	6	29.75	755.6	19	...	N	4	o
Nemuro,	11	29.53	750.0	...	...	W	1	...	5	29.53	750.0	..	...	NNW	2	...
Hakodate,	,,	29.65	753.0	...	...	WNW	5	...	,,	29.55	750.5	...	...	...	0	...
Tokio,	,,	29.63	752.5	...	...	N	2	...	,,	29.63	752.5		...	...	...	...
Kochi,	,,	29.76	756.0	...	...	SW	1	...	,,	29.92	760.0	...	...	...	0	...
Nagasaki,	,,	29.94	762.5	...	...	N	1	...	,,	30.06	763.5	...	..	N	2	...
Kagoshima,	,,	29.86	758.5	...	...	NW	1	...	,,	30.02	762.5	...	...	N	1	...
Oshima,	,,	29.86	758.5	...	...	N	3	...	,,	30.06	763.5	...	...	N	3	...
Naha,	,,	29.80	757.5	...	...	NNE	7	...	,,	30.08	764.0	...	...	NNE	4	...
Ishigakijima,	,,	29.92	760.0	...	...	NNE	2	...	,,	30.08	764.0	...	...	NE	1	...
Ponin Island,	,,	29.96	761.0	...	...	SSE	4	...	,,	29.71	754.5	...	...	SSW	2	...
Chefoo,	15	30.00	762.0	38	8	NW	8	b	6	30.08	764.0	36	8	N	4	b
Shanghai,	14	30.06	763.4	63	6	WSW	4	z	,,	30.18	766.6	41	6	ENE	2	b
Gutzlaff,	,,	30.12	765.0	50	6	SW	2	bc	,,	30.24	768.1	43	4	E	2	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.01	762.2	60	6	E	2	o	7	30.10	764.5	58	6	...	o	b
Amoy,	,,	30.03	762.7	61	4	ENE	4	c	6	30.10	764.5	56	6	NE	2	c
Swatow,	,,	30.04	763.1	61	...	ENE	3	o	,,	...	...	...	...	...	...	...
Tsiloku,	11	30.05	763.2	59	...	E	4	o	5	30.08	763.9	56	...	E	4	b
Taichu,	,,	29.92	760.0	63	...	N	4	o	,,	30.00	762.0	58	..		o	o
Tainan,	,,	29.90	759.4	76	...	N	4	b	,,	29.96	761.0	59	...	..	o	bc
Koshun,	,,	29.85	758.3	85	...	NNW	4	c	,,	29.98	761.4	65	...	NE	6	o
Pescadores,	,,	29.96	760.9	67	...	NE	6	o	,,	29 99	761.6	65	...	NNE	6	b
Hong Kong,	14	29.90	759.4	70	5	N	1	cd	6	30.01	762.2	62	6	E	3	c
Gap Rock,	,,	29.93	760.2	71	6	NNW	2	cm	,,	30.00	762.0	70	7	ENE	4	o
Macao,	,,	29.89	759.3	67	4	N	2	o	,,	29.96	761.0	63	4	ENE	2	o
Hoihow,	,,	29.87	758.7	77	1	NE	2	bc	,,	...	..	...	...		...	...
Pratas Island,	,,	29.89	759.1	81	8	N	2	b	6	29.96	761.0	70	8	NE	4	o
Phulien,	15	29.89	759.3	72	6	NW	2	c	7	29.94	760.4	64	6	E	5	o
Tourane,	,,	29.79	756.7	79	6	N	3	b	,,	29.90	759.5	72	4	N	3	c
Cape St. James,	,,	29.81	757.2	82	8	S	1	f	,,	29.87	758.6	76	8	E	4	bc
Basco,	14	29.80	757.0	81	8	NW	4	bc	6	29.95	760.6	79	4	NNE	4	o
Aparri,	,,	29.79	756.6	83	6	NW	4	o	,,	29.90	759.5	76	6	NE	4	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.88	758.8	74	1	N	2	o
Vigan,	,,	...	..	...	..	...	...	...	,,	29.81	757.2	74	8	...	o	b
Manila,	,,	29.76	755.8	94	8	...	o	b	,,	29.84	758.0	77	6	NE	2	bc
Legaspi,	,,	29.75	755.6	91	8	NE	2	b	,,	29.84	757.9	79	6	NE	2	b
Cailoyog,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	68	8	NNE	2	bc
Cuelobun,	,,	29.78	756.3	86	8	S	6	b	,,	29.86	758.3	74	6	SW	2	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	77	6	NE	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.83	757.6	77	8	N	2	b
Surigao,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	...	o	bc	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.76	755.9	...	6	NE	4	bc	5	29.84	757.8	..	6	ENE	4	bc
Petew,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lamma,	14	29.94	760.4	85	6	E	6	bc	6	29.90	759.4	74	1	SE	6	bc

March 29*d.* 11*h.* 20*m.*—The anticyclone is stationary to the north-west of Shanghai, and has regained intensity. The Formosa depression has passed into the Pacific; the Loochoos depression has filled up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 4.70 inches, against an average of 5.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout, ...	N.E. winds, moderate; fine.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	30th March, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.82	757.3	28	...	NW	3	b	6	30.20	767.1	25	...	...	0	b
Nemuro,	11	29.45	748.0	...	...	NNW	1	...	5	29.55	750.5	..	...	NW	3	...
Hokodate,	,,	29.53	749.5	...	...	W	1	...	,,	29.76	756.0	...	...	W	4	...
Tokio,	,,	29.82	757.5	...	...	W	4	...	,,	30.04	763.0	..	...	...	0	...
Kochi,	,,	29.96	761.0	...	...	W	1	...	,,	30.16	766.0	...	...	W	1	...
Nagasaki,	,,	30.10	764.5	...	...	WNW	4	...	,,	30.24	768.0	...	...	NNW	2	...
Kagoshima,	,,	30.10	764.5	...	...	NW	2	...	,,	30.20	767.0	...	...	...	0	...
Oshima,	,,	30.12	765.0	...	...	NNE	2	...	,,	30.20	767.0	...	...	N	1	...
Naha,	,,	30.14	765.5	...	...	NNE	3	...	,,	30.20	767.0	...	...	NE	1	...
Ishigakijima,	,,	30.14	765.5	...	...	ENE	2	...	,,	30.10	764.5	...	...	E	1	...
Bonin Island,	,,	29.88	759.0	...	...	NW	1	...	,,	30.12	765.0	...	...	...	0	...
Chefoo,	15	30.14	765.5	40	8	NNW	4	b	6	30.35	770.8	31	6	SW	2	b
Shanghai,	14	30.16	766.0	56	6	ENE	4	o	,,	30.26	768.5	45	4	E	4	o
Gutzlaff,	,,	30.22	767.6	50	4	ENE	4	m	,,	30.32	770.5	43	4	ENE	6	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.10	764.5	62	6	NE	2	b	7	30.07	763.8	58	6	N	2	r
Amoy,	,,	30.03	762.7	72	6	E	2	b	6	29.99	761.7	63	6	ENE	4	o
Swatow,	,,	30.06	763.6	67	...	ESE	3	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.09	764.3	70	...	ESE	6	o	5	30.02	762.5	63	...	ESE	2	o
Taichu,	,,	30.06	763.6	74	...	SSW	2	bc	,,	30.02	762.5	67	..	...	0	o
Tainan,	,,	30.02	762.4	76	...	SW	2	o	,,	30.01	762.1	65	...	...	0	b
Koshun,	,,	30.03	762.8	74	...	ENE	6	c	,,	30.02	762.5	67	...	ENE	4	b
Pescadores,	,,	30.02	762.6	70	...	NNE	4	b	,,	29.99	761.8	67	...	NE	2	c
Hong Kong,	14	29.96	761.0	66	7	E	5	bc	6	29.96	761.0	63	5	E	4	cd
Gap Rock,	,,	29.95	760.8	68	8	ENE	5	c	,,	29.94	760.5	69	6	ENE	5	cm
Macau,	,,	29.91	759.7	67	6	SE	2	c	,,	29.92	760.0	63	1	SE	4	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.1	76	6	E	4	r	6	29.95	760.7	72	8	ESE	4	b
Hatien,	15	29.87	758.8	65	1	ENE	1	d	7	29.88	759.0	67	0	ESE	1	m
Tourane,	,,	29.83	757.6	76	4	NW	2	o	,,	29.86	758.5	72	6	...	0	c
Cape St. James,	,,	29.81	757.1	83	8	ENE	6	bc	,,	29.88	758.8	76	8	ENE	4	c
Basco,	14	29.93	760.2	72	6	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.89	759.1	76	4	NE	4	o	,,	29.93	760.3	72	6	...	0	o
Tuguegarao,	,,	29.82	757.3	81	4	NW	2	o	,,	...	...	..	...	...	...	...
Vigan,	,,	29.75	755.6	91	8	W	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.5	81	8	SE	2	r	,,	29.88	758.9	76	4	...	0	bc
Legaspi,	,,	29.78	756.3	81	8	ENE	2	o	,,	29.86	758.5	79	6	NE	2	c
Calbayog,	,,	29.78	756.3	88	8	SW	4	c	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	88	8	SE	4	c	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	29.74	755.5	91	8	NNE	4	c	,,	...	...	...	...	...	...	...
Surigao,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.83	757.6	...	6	E	6	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	6	NE	4	c	5	29.84	758.0	...	6	ENE	4	c
Paiew,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lamon,	14	29.94	760.6	83	4	NE	4	bc	6	29.90	759.4	70	...	...	...	bc

March 30*d.* 10*h.* 5*cm.*— The anticyclone has increased in intensity and appears to be central over Shantung.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.70 inches, against an average of 6.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; cloudy generally, local rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th March, 1932.									31st March, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Nemuro,	11	...	...	...	...	NNW	3	...		5	29.71	754.5	..	...	W	2	...	
Hakodate,	,,	29.82	757.5	...	...	WNW	4	...		,,	29.86	758.5	...	...	WSW	4	...	
Tokio,	,,	30.02	762.5	...	...	S	2	...		,,	30.08	764.0	..	...	N	1	...	
Kochi,	,,	30.12	765.0	...	...	WSW	2	...		,,	30.22	767.5	...	...	WSW	1	...	
Nagasaki,	,,	30.28	769.0	...	...	WNW	3	...		,,	30.28	769.0	...	..	N	1	...	
Kagoshima,	,,	30.24	768.0	...	...	NNW	1	...		,,	30.28	769.0	...	...	NW	1	...	
Oshima,	,,	30.24	768.0	...	...	N	1	...		,,	30.22	767.5	...	...	...	0	...	
Naha,	,,	30.20	767.0	...	...	ENE	3	...		,,	30.16	766.0	...	...	NNE	2	...	
Ishigakijima,	,,	30.10	764.5	...	...	ESE	4	...		,,	30.04	763.0	...	...	NE	6	...	
Formosa Island,	,,	30.14	765.5	...	...	N	2	...		,,	30.12	765.0	...	...	...	...	...	
Chefoo,	15	30.35	770.9	41	8	NW	4	b		6	30.20	767.0	38	8	SW	4	b	
Shanghai,	14	30.35	770.8	49	6	ENE	4	o		,,	30.36	771.1	40	6	ENE	2	b	
Gutzlaff,	,,	30.37	771.4	45	4	ENE	4	m		,,	30.40	772.1	43	6	...	0	b	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.07	763 8	58	4	N	2	r		7	30.19	766.3	66	6	E	2	o	
Amoy,	,,	30.07	763.8	63	6	N	4	r		6	30.11	764.8	59	6	ENE	4	o	
Swatow,	,,	30.00	762.1	59	...	NE	3	r		,,	30.12	764.9	59	...	NE	3	o	
Taihoku,	11	30.03	762.7	74	...	NW	2	bo		5	30.12	765.1	59	...	E	2	r	
Taichu,	,,	30.03	763.2	83	...	...	0	o		,,	30.09	764.2	63	..	...	0	r	
Tainan,	,,	30.01	762.3	77	...	NNE	2	bc		,,	30.01	762.3	65	...	N	4	o	
Koshun,	,,	30.01	762.3	77	...	ENE	6	b		,,	29.99	761.6	70	...	..	0	o	
Pescadores,	,,	30.04	763.0	70	...	NE	4	o		,,	30.05	763.3	68	...	NE	6	r	
Hong Kong,	14	29.96	761.0	66	4	E	4	om		6	30.08	764.0	61	6	NNE	2	o	
Gap Rock,	,,	29.96	761.0	70	6	ENE	4	cm		,,	30.03	763.2	69	7	ENE	4	o	
Macao,	,,	29.95	760 7	67	4	ENE	2	o		,,	30.05	763.2	61	4	NNE	4	o	
Bolhow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Batus Island,	,,	29.92	760.0	79	8	ESE	2	o		6	30.01	762.3	70	8	NE	6	o	
Hualien,	15	29.88	759.0	68	1	NE	2	df		7	30.02	762.8	65	8	E	4	o	
Tourane,	,,	29.82	757.3	81	7	SE	3	o		,,	29.95	760.7	67	4	SSE	2	c	
Cape St. James,	,,	29.82	757.5	79	8	ENE	6	bc		,,	29.88	759.0	77	8	ENE	6	c	
Basco,	14	29.89	759.3	77	8	ESE	4	bc		6	29.91	759.7	76	6	Sh	2	o	
Aparri,	,,	29.89	759.1	79	4	NE	4	o		,,	29.91	759.7	74	6	...	0	b	
Tuguegarao,	,,	29.83	757.8	85	6	...	0	bc		,,	29.90	759.5	74	1	..	0	bc	
Vigan,	,,	29.81	757.2	86	8	W	4	b		,,	29.88	759.0	77	8	...	0	bc	
Manila,	,,	29.83	757.8	91	8	SSE	2	bc		,,	29.91	759.8	70	6	...	0	bc	
Legaspi,	,,	29.83	757.8	91	8	NE	2	bc		,,	29.88	758.9	77	6	...	0	bc	
Calbayog,	,,	29.83	757.6	83	8	NNE	4	d		,,	29.88	758.8	72	8	N	2	bc	
Tacloban,	,,	29.84	758.0	79	6	E	6	d		,,	29.88	758 8	76	6	NW	2	bc	
Iloilo,	,,	...	...	...	...	...	...	...		,,	29.83	757.6	76	6	N	4	o	
Cebu,	,,	29.82	757.4	86	8	NE	4	o		,,	29.84	758.0	77	6	N	4	o	
Surigao,	...	29.82	757.3	83	8	E	2	o		,,	29.84	757.9	76	6	ESE	4	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.80	756.8	...	6	E	4	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.76	756.0	...	6	NE	4	bc		5	29.82	757.4	..	6	NE	2	bc	
Peiew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Lacuam,	14	29.94	760.4	85	6	SW	6	bc		6	29.90	759.4	72	1	...	...	bc	

March 31*d.* 10*h.* 32*m.*—The anticyclone has moved into the Yellow Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inch. Total since January 1st, 4.73 inches, against an average of 6.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
A.—Shanghai to Turnabout,	Light easterly or variable winds; fine generally.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

APRIL,

1932.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1932.

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

APRIL,

1932.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, at 109 feet above MEAN SEA LEVEL, in the MONTH of APRIL, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·045	30·029	30·009	29·993	29·995	30·007	30·017	30·037	30·060	30·060	30·052	30·033	1
2	29·966	29·948	29·930	29·922	29·916	29·933	29·957	29·975	29·992	29·992	29·979	29·959	2
3	29·895	29·879	29·857	29·851	29·849	29·859	29·885	29·899	29·910	29·907	29·899	29·878	3
4	29·804	29·792	29·756	29·752	29·752	29·766	29·796	29·801	29·814	29·822	29·822	29·799	4
5	29·760	29·750	29·734	29·721	29·721	29·730	29·756	29·782	29·798	29·801	29·808	29·795	5
6	29·806	29·790	29·777	29·779	29·786	29·800	29·818	29·836	29·847	29·843	29·840	29·825	6
7	29·830	29·808	29·782	29·754	29·766	29·770	29·788	29·805	29·826	29·846	29·836	29·819	7
8	29·801	29·786	29·759	29·746	29·756	29·774	29·795	29·820	29·824	29·821	29·818	29·806	8
9	29·805	29·806	29·798	29·784	29·788	29·808	29·816	29·836	29·838	29·837	29·836	29·821	9
10	29·832	29·820	29·818	29·816	29·822	29·828	29·838	29·848	29·867	29·874	29·871	29·843	10
11	29·808	29·808	29·798	29·792	29·800	29·814	29·852	29·856	29·878	29·888	29·897	29·881	11
12	29·830	29·818	29·806	29·812	29·818	29·832	29·846	29·876	29·901	29·913	29·905	29·878	12
13	29·846	29·816	29·806	29·797	29·818	29·836	29·834	29·838	29·839	29·844	29·835	29·816	13
14	29·749	29·737	29·733	29·726	29·730	29·764	29·778	29·800	29·813	29·796	29·786	29·785	14
15	29·806	29·786	29·768	29·770	29·788	29·802	29·816	29·829	29·834	29·856	29·851	29·844	15
16	29·852	29·836	29·820	29·811	29·824	29·844	29·862	29·890	29·902	29·908	29·911	29·900	16
17	29·864	29·850	29·822	29·810	29·810	29·830	29·845	29·867	29·872	29·888	29·885	29·881	17
18	29·914	29·892	29·878	29·882	29·882	29·909	29·919	29·930	29·960	29·972	29·980	29·978	18
19	29·954	29·938	29·925	29·913	29·907	29·913	29·936	29·960	29·980	29·990	29·980	29·964	19
20	29·884	29·875	29·869	29·861	29·859	29·867	29·890	29·924	29·934	29·947	29·945	29·935	20
21	29·908	29·902	29·886	29·878	29·882	29·892	29·908	29·922	29·937	29·960	29·968	29·970	21
22	29·889	29·867	29·850	29·849	29·846	29·852	29·861	29·885	29·899	29·910	29·897	29·887	22
23	29·825	29·811	29·793	29·785	29·793	29·801	29·807	29·826	29·841	29·849	29·841	29·834	23
24	29·793	29·741	29·779	29·771	29·772	29·778	29·789	29·811	29·825	29·825	29·835	29·820	24
25	29·865	29·848	29·836	29·850	29·860	29·876	29·885	29·912	29·942	29·940	29·938	29·946	25
26	29·964	29·939	29·929	29·909	29·917	29·931	29·949	29·975	29·983	29·985	29·988	29·982	26
27	29·926	29·918	29·900	29·898	29·902	29·906	29·928	29·948	29·966	29·965	29·969	29·932	27
28	29·863	29·863	29·849	29·849	29·851	29·857	29·881	29·890	29·900	29·901	29·886	29·866	28
29	29·787	29·770	29·758	29·760	29·750	29·769	29·782	29·791	29·807	29·803	29·794	29·776	29
30	29·759	29·750	29·736	29·729	29·739	29·745	29·764	29·780	29·790	29·811	29·808	29·795	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Mean	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·002	29·976	29·953	29·939	29·946	29·946	29·954	29·970	29·988	30·002	30·000	29·992	1
2	29·925	29·898	29·876	29·857	29·850	29·857	29·878	29·886	29·898	29·912	29·922	29·912	2
3	29·848	29·820	29·797	29·781	29·776	29·775	29·785	29·805	29·826	29·834	29·834	29·830	3
4	29·784	29·741	29·712	29·700	29·704	29·711	29·720	29·737	29·749	29·762	29·766	29·762	4
5	29·779	29·753	29·729	29·721	29·723	29·734	29·749	29·767	29·783	29·804	29·808	29·806	5
6	29·794	29·783	29·768	29·750	29·757	29·776	29·789	29·791	29·797	29·798	29·812	29·824	6
7	29·798	29·780	29·758	29·748	29·742	29·739	29·745	29·758	29·782	29·802	29·802	29·804	7
8	29·783	29·760	29·751	29·746	29·741	29·748	29·767	29·780	29·789	29·813	29·826	29·819	8
9	29·809	29·773	29·761	29·746	29·742	29·756	29·772	29·790	29·820	29·838	29·834	29·830	9
10	29·815	29·783	29·773	29·749	29·750	29·762	29·776	29·786	29·805	29·824	29·820	29·818	10
11	29·854	29·818	29·802	29·786	29·786	29·800	29·814	29·824	29·838	29·858	29·862	29·852	11
12	29·866	29·838	29·826	29·831	29·825	29·817	29·831	29·851	29·863	29·881	29·881	29·875	12
13	29·790	29·725	29·717	29·709	29·713	29·729	29·738	29·738	29·747	29·759	29·761	29·757	13
14	29·776	29·756	29·759	29·754	29·762	29·754	29·776	29·778	29·808	29·822	29·824	29·824	14
15	29·838	29·810	29·791	29·791	29·790	29·798	29·814	29·836	29·854	29·876	29·879	29·876	15
16	29·883	29·844	29·825	29·821	29·825	29·846	29·858	29·871	29·878	29·892	29·880	29·883	16
17	29·855	29·839	29·809	29·811	29·819	29·820	29·850	29·868	29·887	29·911	29·914	29·920	17
18	29·969	29·944	29·932	29·929	29·936	29·944	29·959	29·971	29·987	29·989	29·984	29·974	18
19	29·944	29·924	29·906	29·877	29·866	29·864	29·876	29·884	29·898	29·908	29·912	29·906	19
20	29·925	29·900	29·886	29·872	29·866	29·870	29·878	29·892	29·906	29·924	29·926	29·916	20
21	29·948	29·931	29·907	29·894	29·896	29·898	29·905	29·915	29·919	29·916	29·926	29·903	21
22	29·874	29·848	29·834	29·820	29·816	29·809	29·814	29·820	29·828	29·840	29·846	29·840	22
23	29·815	29·786	29·772	29·754	29·757	29·762	29·767	29·782	29·803	29·819	29·823	29·809	23
24	29·803	29·764	29·744	29·724	29·736	29·737	29·776	29·816	29·829	29·857	29·865	29·870	24
25	29·932	29·906	29·906	29·904	29·904	29·908	29·918	29·921	29·948	29·966	29·976	29·975	25
26	29·968	29·940	29·923	29·896	29·887	29·887	29·899	29·906	29·920	29·936	29·942	29·932	26
27	29·917	29·897	29·871	29·860	29·846	29·842	29·858	29·873	29·901	29·911	29·911	29·895	27
28	29·836	29·811	29·786	29·773	29·761	29·758	29·755	29·761	29·789	29·798	29·804	29·802	28
29	29·756	29·739	29·723	29·700	29·700	29·724	29·736	29·745	29·771	29·779	29·783	29·769	29
30	29·762	29·748	29·735	29·720	29·707	29·731	29·734	29·740	29·769	29·781	29·785	29·780	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of APRIL, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	63·8	63·8	63·5	63·2	62·8	63·0	63·2	64·3	64·8	68·0	69·7	72·6	1
2	64·7	64·6	64·0	63·8	63·5	62·8	63·7	63·9	66·6	67·4	68·4	68·6	2
3	67·5	67·7	67·4	67·7	67·6	67·7	67·8	68·5	69·7	70·0	71·8	75·3	3
4	67·7	67·8	67·5	67·5	67·3	67·0	67·2	67·6	70·7	73·3	73·3	72·8	4
5	71·1	71·1	71·1	70·6	70·7	70·8	70·1	71·0	71·0	72·2	73·0	74·0	5
6	72·0	71·8	71·2	71·2	71·3	71·3	72·0	71·9	74·3	76·0	78·2	79·5	6
7	65·3	65·3	65·1	65·1	65·0	65·3	65·3	66·0	66·9	67·4	66·5	66·3	7
8	67·7	67·9	67·3	67·6	67·6	67·9	68·8	69·6	69·6	71·0	76·0	78·1	8
9	68·9	68·8	68·8	68·8	68·0	67·3	67·1	67·1	67·5	67·5	69·2	69·8	9
10	67·3	67·2	67·2	67·3	67·1	67·2	67·3	67·5	67·8	68·3	68·6	69·1	10
11	69·5	69·4	69·4	69·3	69·0	68·6	68·3	68·9	69·1	69·5	69·9	70·4	11
12	72·5	72·5	72·4	72·5	72·3	72·2	73·5	70·3	69·8	69·3	69·8	74·7	12
13	68·4	67·9	67·6	66·7	66·4	66·0	66·4	66·0	65·8	65·3	65·2	65·5	13
14	66·3	66·2	66·0	65·3	65·7	65·9	66·3	66·7	67·7	69·1	72·0	74·4	14
15	69·0	68·3	68·6	68·3	68·7	68·2	67·7	68·4	69·7	69·3	70·4	70·8	15
16	63·4	62·2	62·4	62·5	62·3	63·5	62·5	62·3	62·4	62·6	62·7	63·9	16
17	63·7	64·2	64·2	64·4	64·7	64·8	65·6	65·6	65·8	66·9	67·8	68·0	17
18	99·3	67·8	67·4	67·7	67·8	67·7	68·7	71·5	73·6	74·2	75·4	75·3	18
19	68·7	68·5	68·5	68·1	67·8	67·7	67·7	67·8	67·8	68·8	68·9	70·3	19
20	68·7	68·6	68·5	68·5	68·6	68·9	69·7	69·7	69·7	70·1	70·7	71·1	20
21	71·9	72·0	72·0	71·9	70·9	71·3	71·2	73·7	74·2	74·8	72·7	71·3	21
22	70·5	70·5	70·5	70·3	70·6	70·4	70·3	71·1	73·8	73·5	75·7	75·0	22
23	73·9	74·2	74·1	74·3	74·2	74·4	73·0	76·7	79·0	79·1	81·0	84·1	23
24	77·5	77·2	76·6	75·9	75·3	75·0	76·1	76·8	78·0	80·3	82·8	83·3	24
25	71·1	69·8	69·8	69·8	69·9	70·0	70·3	70·3	69·0	68·8	69·6	70·0	25
26	68·0	67·6	68·0	67·9	68·0	68·3	67·8	67·3	68·5	70·0	71·5	72·0	26
27	70·7	70·7	70·4	70·7	70·9	71·2	71·7	72·0	73·2	75·0	77·0	77·9	27
28	74·7	73·7	73·9	73·5	73·0	73·5	75·3	76·3	76·8	79·9	81·4	82·1	28
29	74·1	74·0	73·8	73·2	73·0	73·2	74·5	76·0	78·2	78·6	80·4	81·6	29
30	75·3	74·0	73·7	73·4	73·5	73·5	74·4	74·7	75·7	76·6	75·4	77·2	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	71·0	68·9	67·5	66·7	67·3	65·5	64·8	64·8	65·2	65·0	65·2	64·9	1
2	69·9	68·6	70·0	69·6	68·0	67·4	66·8	66·6	66·4	66·4	66·6	67·1	2
3	73·3	75·6	75·6	75·2	71·9	69·9	69·9	68·6	68·4	67·9	68·3	67·4	3
4	75·6	78·1	77·7	76·1	75·6	73·6	72·0	71·2	71·2	71·0	71·0	70·9	4
5	74·8	74·8	76·1	74·8	77·0	74·6	74·4	73·0	73·3	72·3	72·0	71·8	5
6	79·6	77·8	77·6	75·3	68·8	67·4	66·8	66·7	65·7	65·3	66·0	66·0	6
7	66·8	66·3	67·0	67·2	66·8	66·9	67·0	66·9	67·4	67·7	67·6	67·8	7
8	79·4	79·4	73·5	71·3	70·9	69·5	68·2	68·3	68·4	68·4	68·5	69·0	8
9	70·0	70·1	69·6	69·3	69·0	67·9	67·1	67·1	67·4	67·4	67·5	67·6	9
10	69·4	69·6	70·0	69·8	69·1	68·8	68·7	68·7	68·9	69·0	69·0	69·1	10
11	71·6	71·8	71·3	71·0	70·8	71·0	71·8	71·7	71·8	72·3	73·0	73·0	11
12	73·9	72·6	71·8	71·4	70·0	69·4	70·4	70·0	70·0	70·8	70·6	69·0	12
13	66·0	66·8	66·0	66·9	67·2	67·3	66·9	67·0	66·9	66·9	66·9	67·0	13
14	71·0	69·9	69·0	67·9	67·5	67·4	67·5	67·8	68·8	68·9	68·8	68·8	14
15	70·8	70·7	71·0	70·9	70·7	69·4	69·3	68·6	66·9	64·8	64·1	63·3	15
16	63·3	63·6	63·6	63·6	62·8	62·6	62·8	62·6	63·0	63·2	63·3	63·3	16
17	68·1	67·5	67·6	68·0	68·6	68·6	68·4	68·0	68·7	68·7	68·9	69·6	17
18	75·2	75·5	75·3	73·7	72·4	71·7	70·6	69·7	69·4	69·7	69·5	69·5	18
19	69·6	68·7	69·0	70·5	70·0	69·7	69·2	69·3	69·3	69·1	69·0	68·9	19
20	71·2	71·7	72·0	73·7	72·8	72·2	72·2	71·8	71·9	72·3	71·9	71·9	20
21	79·9	74·4	74·9	74·0	70·9	70·2	69·6	69·5	69·6	69·7	69·9	70·2	21
22	75·2	74·9	74·9	75·2	75·5	76·0	75·2	74·7	74·5	74·3	74·5	74·4	22
23	85·2	84·0	83·1	82·0	80·8	79·5	78·0	77·3	77·0	77·7	77·3	77·2	23
24	83·5	82·4	82·3	81·3	80·0	78·8	78·5	76·9	75·9	76·1	75·0	72·1	24
25	79·0	79·0	69·9	69·6	69·1	69·0	68·9	67·8	68·8	69·5	68·5	69·0	25
26	73·2	73·2	72·8	72·1	72·0	71·5	71·6	71·5	70·9	70·9	71·0	70·8	26
27	79·0	78·2	77·1	76·7	76·0	74·0	73·1	72·2	72·0	71·9	72·0	71·8	27
28	83·3	84·0	84·5	80·4	81·6	80·0	76·3	75·5	75·4	75·1	74·8	74·5	28
29	83·5	81·0	81·0	79·2	78·2	77·6	77·1	76·6	76·4	76·5	76·0	75·7	29
30	79·2	79·8	79·5	79·0	78·8	79·2	78·0	77·0	76·3	76·0	75·5	75·4	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of APRIL, 1932.

Hours, Hong Kong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
1	60·6	60·6	59·7	59·6	59·2	58·6	58·8	59·7	61·1	63·0	63·8	64·6	1
2	57·8	57·2	57·0	57·3	57·0	56·4	56·7	56·8	57·4	58·5	60·0	59·8	2
3	63·5	63·9	63·9	64·2	64·4	64·7	64·8	65·2	65·8	66·0	67·1	68·5	3
4	65·9	66·0	65·8	65·8	65·9	66·1	66·3	66·5	67·0	69·2	69·3	68·3	4
5	68·9	68·9	69·0	68·9	68·9	69·0	68·6	69·5	69·6	70·2	70·4	71·0	5
6	71·0	70·9	70·6	70·6	70·6	70·5	71·0	70·6	72·2	73·1	73·7	73·9	6
7	64·3	64·3	64·0	64·0	64·1	64·2	64·4	64·9	65·7	65·8	65·0	64·9	7
8	67·0	67·1	66·9	67·0	67·0	67·3	67·9	68·5	68·6	69·9	72·6	71·9	8
9	66·1	67·9	68·0	67·9	67·0	66·6	66·2	66·3	66·5	66·6	68·3	68·1	9
10	66·8	66·7	66·7	66·6	66·6	66·6	66·7	66·9	67·1	67·8	68·1	68·6	10
11	69·2	69·1	69·1	69·0	68·7	68·4	68·1	68·1	68·0	68·0	68·6	68·8	11
12	70·9	71·1	71·1	71·4	71·2	72·2	72·6	69·7	69·3	68·5	69·3	69·7	12
13	67·2	66·9	66·5	65·5	65·3	65·0	64·9	64·3	63·9	64·0	64·3	64·5	13
14	64·9	64·9	64·9	64·7	64·8	65·0	65·3	65·1	65·5	65·0	66·5	66·8	14
15	62·0	61·9	61·8	62·1	61·9	61·8	61·9	63·8	62·3	62·4	63·3	63·2	15
16	62·0	60·9	60·8	60·3	59·9	60·0	60·1	60·1	60·0	60·0	60·1	60·0	16
17	61·8	62·4	62·4	62·5	63·3	63·8	64·5	64·5	61·8	65·8	66·8	67·0	17
18	66·6	66·0	65·8	62·4	65·2	65·4	65·8	67·0	68·1	67·8	68·4	68·8	18
19	65·8	65·7	65·7	65·6	65·3	65·2	65·0	64·8	64·8	65·2	65·1	65·9	19
20	66·4	66·4	66·3	66·3	66·4	66·6	67·0	67·8	68·0	68·4	69·0	69·6	20
21	71·3	71·5	71·5	71·1	70·8	71·0	70·7	71·7	72·6	72·2	71·0	69·7	21
22	69·9	69·6	69·7	69·8	70·0	69·9	70·0	70·4	70·9	71·0	72·7	72·0	22
23	71·3	71·4	71·5	71·6	71·5	71·7	72·2	73·6	74·2	75·1	75·0	75·8	23
24	73·1	73·0	73·0	73·0	73·0	72·8	73·2	74·0	74·8	75·7	76·8	77·1	24
25	66·4	65·8	64·5	64·7	64·9	65·3	65·3	66·2	66·0	67·0	66·6	66·0	25
26	65·1	64·9	65·1	64·4	65·1	64·8	64·3	64·9	65·5	65·9	66·5	66·9	26
27	69·2	69·2	69·0	69·2	69·3	69·9	69·9	70·5	71·3	72·1	72·9	73·4	27
28	70·9	71·0	70·9	70·9	71·0	71·0	71·9	72·0	72·8	73·8	74·0	74·6	28
29	72·2	72·4	72·2	72·0	71·8	71·9	72·8	73·0	74·4	74·1	75·0	74·1	29
30	73·1	71·9	71·6	71·7	71·7	71·6	72·5	72·8	73·7	73·5	72·7	73·9	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	63·0	62·8	62·0	61·7	61·7	61·2	61·3	59·0	58·7	58·6	58·4	58·5	1
2	61·6	61·5	62·0	62·1	60·5	61·0	61·8	61·8	61·0	62·4	62·8	63·1	2
3	68·5	68·3	68·3	67·8	66·6	66·3	66·2	65·9	66·1	66·0	66·5	65·6	3
4	69·8	70·2	69·5	68·5	68·3	66·6	67·0	66·7	66·7	67·1	67·1	67·1	4
5	71·8	71·5	72·0	71·5	72·0	71·2	71·2	70·7	70·9	70·2	70·4	70·3	5
6	73·9	73·5	73·2	72·9	67·5	65·9	65·8	65·2	64·5	64·8	64·9	65·0	6
7	65·3	65·0	65·7	65·8	65·5	65·6	65·5	65·6	66·1	66·3	66·5	66·8	7
8	72·9	72·5	70·0	68·9	68·8	68·4	67·9	67·9	67·9	67·9	67·9	68·0	8
9	68·7	68·5	67·7	67·4	67·1	66·3	66·1	66·2	66·4	66·4	66·6	66·5	9
10	68·9	68·8	68·9	68·4	68·1	67·9	68·1	68·1	68·4	68·5	68·9	69·0	10
11	69·0	69·3	69·2	69·0	68·9	69·7	70·0	70·2	70·5	71·0	71·6	71·5	11
12	69·7	68·9	68·0	67·9	67·4	67·1	66·9	66·1	66·5	67·1	67·6	67·5	12
13	64·5	65·0	64·9	65·6	65·6	65·7	65·8	65·7	65·7	65·6	65·7	65·7	13
14	67·0	65·8	65·5	66·0	65·8	65·7	65·6	64·3	63·3	62·8	62·3	62·3	14
15	63·7	63·0	62·1	60·9	61·0	61·7	61·7	60·9	61·5	63·7	62·8	62·6	15
16	60·3	60·6	60·7	60·8	60·8	60·8	60·8	60·8	61·0	61·2	61·3	61·3	16
17	66·8	66·5	66·7	67·0	67·6	67·7	67·0	66·6	66·4	66·7	66·8	66·6	17
18	68·8	69·0	68·7	68·1	68·8	68·6	67·6	66·7	66·6	66·5	66·0	66·0	18
19	65·8	65·6	65·8	66·4	66·0	65·8	65·8	65·7	65·9	66·0	66·0	66·0	19
20	69·7	70·0	70·0	71·8	71·0	71·1	71·2	71·0	71·3	71·7	71·3	71·1	20
21	69·0	69·2	69·5	69·1	69·0	68·8	68·7	68·5	68·8	68·8	69·0	69·6	21
22	72·2	72·1	72·4	72·3	72·2	72·5	72·0	71·9	72·0	71·9	72·0	72·1	22
23	76·5	74·8	74·9	74·3	73·8	73·0	72·9	73·5	73·6	73·7	73·8	74·0	23
24	77·0	76·3	76·2	75·9	75·0	74·1	74·4	69·0	68·0	68·9	68·0	67·0	24
25	65·8	65·4	65·3	65·4	64·9	65·0	65·2	65·0	65·1	65·0	65·1	65·0	25
26	68·3	68·9	68·7	68·5	68·9	68·8	68·9	69·0	69·2	69·2	69·1	69·2	26
27	74·0	73·2	72·6	72·7	72·1	71·9	71·5	71·6	71·6	71·5	71·5	71·4	27
28	74·7	75·2	74·5	73·2	73·0	72·5	71·7	71·7	71·5	71·3	71·2	71·5	28
29	74·1	73·6	73·6	73·1	73·2	72·1	72·7	72·5	72·3	72·0	73·0	72·9	29
30	75·0	75·1	75·0	75·0	74·6	74·9	74·8	74·0	73·9	74·3	74·3	74·2	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of APRIL, 1932.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	10	10	10	7	4	5	2	2	8	6	2	1	1	1	1	...	...	...	...	...	...	...	...	...	1
2	10	10	10	10	7	8	6	4	4	7	2	4	2	4	6	8	8	8	9	9	9	7	6	10	2
3	10	10	10	10	10	10	7	9	10	10	10	9	8	7	4	1	2	1	...	...	...	...	...	1	3
4	2	2	...	...	4	9	3	9	8	9	6	5	5	4	3	3	1	2	...	...	6	2	2	8	4
5	10	10	10	10	10	10	10	10	10	10	10	9	8	9	10	9	9	8	10	8	8	9	10	9	5
6	9	10	8	9	9	10	10	10	9	8	9	8	9	10	10	10	10	10	10	10	10	10	10	10	6
7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7
8	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	9	10	10	10	10	10	10	10	8
9	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	9	10	10	10	10	10	10	10	10	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	11
12	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	12
13	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	13
14	10	10	10	10	10	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	10	10	9	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	9	9	8	9	9	9	10	10	9	9	9	9	9	9	8	8	8	5	9	18
19	8	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	9	9	9	10	20
21	10	10	10	10	10	10	10	9	8	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	9	9	7	7	7	7	5	7	7	6	5	3	2	3	4	9	9	8	22
23	5	9	10	9	8	9	8	9	5	7	5	6	4	4	4	2	2	3	4	7	6	9	9	9	23
24	9	9	8	8	7	5	6	8	9	7	6	3	4	4	3	3	6	5	8	10	5	8	8	10	24
25	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	9	10	10	10	10	10	10	9	9	9	9	9	10	10	10	10	10	10	10	26
27	10	9	9	10	10	10	9	10	10	9	9	7	6	7	6	5	6	7	3	...	...	9	3	8	27
28	5	8	9	9	10	10	9	10	10	5	7	5	4	4	5	6	4	2	2	6	7	...	...	...	28
29	...	4	...	3	4	4	6	9	8	9	7	4	4	9	9	9	9	9	9	5	4	8	9	9	29
30	9	10	10	10	10	10	10	10	10	10	10	9	9	9	10	10	10	8	9	3	8	9	8	9	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of APRIL, 1932.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	0·9	0·6	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	1
2	...	0·7	1·0	1·0	0·6	1·0	0·8	1·0	0·7	0·9	0·3	0·1	...	2
3	...	...	0·1	...	...	0·4	0·3	0·4	0·7	1·0	1·0	0·5	...	3
4	...	...	0·1	1·0	0·7	0·7	0·8	0·6	0·9	1·0	1·0	0·9	...	4
5	...	...	...	...	...	0·1	0·1	0·1	0·1	...	0·4	0·1	...	5
6	...	...	0·1	0·6	0·9	0·4	0·6	...	...	...	0·4	...	...	6
7	...	...	...	0·1	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	0·4	0·4	0·7	0·4	0·1	0·1	...	...	8
9	...	...	...	...	...	0·3	...	0·1	0·3	0·1	...	...	...	9
10	...	...	...	...	...	...	0·1	...	...	...	...	...	...	10
11	...	...	0·1	...	...	...	...	0·5	0·5	...	...	...	...	11
12	...	...	...	...	...	...	1·0	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	0·4	0·3	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	0·1	0·9	0·5	0·1	...	...	...	0·1	0·7	0·2	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	0·1	...	...	...	20
21	...	...	0·3	0·5	...	...	...	...	...	...	...	...	...	21
22	...	...	0·4	1·0	0·9	0·5	0·8	0·7	0·7	0·9	1·0	1·0	0·4	22
23	...	0·8	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	23
24	0·1	0·9	0·9	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	0·1	24
25	...	...	...	...	...	0·1	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	0·1	0·4	0·6	0·2	0·2	...	...	26
27	...	...	...	0·2	0·2	0·9	1·0	1·0	0·8	0·9	1·0	0·5	...	27
28	...	0·1	0·2	0·6	1·0	1·0	0·8	1·0	1·0	0·7	0·9	1·0	0·1	28
29	...	0·1	0·3	0·4	0·5	1·0	1·0	0·5	...	0·3	...	...	...	29
30	...	...	...	0·1	...	...	...	0·1	0·2	0·1	...	0·2	...	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of APRIL, 1922.

(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	d	d	0·005	d	0·010	d	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	0·005	d	...	...	...	...	...	...	...	...	...	...	7
8	d	d	d	d	d	d	...	...	d	...	...	...	8
9	...	...	d	d	d	d	d	d	d	d	...	...	9
10	...	...	...	d	...	...	...	...	...	d	d	d	10
11	...	...	...	d	d	d	d	d	d	d	d	d	11
12	...	...	...	...	...	...	0·020	0·005	d	...	d	...	12
13	d	0·005	d	0·005	d	0·090	d	...	0·050	0·260	0·155	0·070	13
14	...	...	...	d	...	d	d	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	0·005	0·025	0·020	0·005	0·005	0·015	0·035	d	d	d	...	d	16
17	d	d	0·015	0·030	0·020	0·020	0·020	0·010	d	0·005	0·075	0·150	17
18	d	...	...	...	0·005	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	0·055	0·030	d	0·010	20
21	...	d	d	...	...	...	...	...	...	...	d	d	21
22	d	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	d	d	...	...	d	d	d	d	..	25
26	d	d	d	...	...	...	...	d	...	...	...	...	26
27	d	d	...	...	...	...	...	...	d	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	0·010	0·010	0·010	0·020	0·010	0·045	0·005	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	..	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	0·105	...	...	d	d	d	d	0·005	d	0·005	6
7	d	d	...	...	...	...	...	...	...	...	d	d	7
8	...	...	...	...	...	...	d	...	.	d	...	...	8
9	d	...	...	...	...	...	d	d	d	d	...	...	9
10	d	d	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	0·005	0·005	...	...	...	...	...	...	d	12
13	d	0·185	0·020	d	...	...	...	...	...	...	..	...	13
14	...	...	0·013	0·025	0·015	0·005	0·005	d	...	...	...	...	14
15	...	...	d	d	...	...	...	d	0·020	0·025	0·015	0·035	15
16	...	...	...	...	0·030	0·025	0·005	0·010	0·010	0·010	...	0·005	16
17	0·210	0·550	0·620	0·135	0·225	d	d	...	...	d	d	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	d	...	...	d	...	...	...	...	...	...	19
20	d	..	...	0·005	...	...	...	...	...	...	...	...	20
21	d	...	...	...	...	d	d	d	...	...	d	d	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	d	...	...	...	d	d	0·005	0·015	d	d	0·005	d	25
26	...	...	...	...	...	...	...	d	d	d	...	d	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, at 148 feet above MEAN SEA LEVEL, in the MONTH of APRIL, 1932.

(The Direction is given in points and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	6	10	6	11	6	15	6	14	7	17	7	16	7	20	8	17	9	16	10	12	11	10	12	10	1
2	7	16	7	17	8	13	9	13	7	18	7	14	7	14	8	17	8	19	8	17	8	14	8	19	2
3	7	4	8	9	8	11	9	12	8	9	9	9	10	10	9	13	10	10	11	7	11	4	11	2	3
4	...	1	7	2	7	3	7	3	7	6	8	7	8	3	11	2	...	1	10	3	24	5	26	6	4
5	...	1	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	1	...	...	27	2	5
6	26	2	...	1	...	1	29	2	...	...	...	...	...	1	8	3	8	3	8	5	11	6	14	4	6
7	8	19	9	22	9	25	9	21	9	21	9	19	9	20	8	21	9	20	8	18	8	21	8	22	7
8	9	17	9	18	9	20	8	17	8	18	8	15	7	12	7	9	7	11	7	9	13	9	15	12	8
9	10	22	9	18	7	14	9	15	9	17	8	21	8	20	9	16	9	20	8	15	8	12	7	15	9
10	8	17	9	8	9	25	8	19	8	17	9	18	8	21	8	17	8	17	8	18	8	13	8	18	10
11	7	12	7	11	9	15	9	18	9	18	9	22	7	16	8	20	8	21	8	16	8	15	9	17	11
12	...	1	...	1	...	1	...	...	...	...	...	...	13	3	25	10	25	11	23	10	26	2	29	3	12
13	7	26	7	25	7	27	7	27	7	26	7	25	7	25	7	29	8	28	8	24	8	24	9	22	13
14	9	17	9	15	9	10	10	7	10	8	10	6	10	5	7	3	6	4	6	8	6	2	28	6	14
15	...	1	...	1	...	...	...	...	6	2	...	...	8	2	8	2	10	6	11	5	10	3	10	3	15
16	6	28	7	30	7	27	7	32	6	32	6	29	6	24	6	22	7	23	6	24	6	27	7	5	16
17	7	29	7	26	7	27	7	27	7	27	7	26	7	25	7	24	8	25	8	22	7	16	7	14	17
18	10	3	3	4	5	2	30	4	30	5	3	3	...	...	4	3	5	6	5	11	5	10	5	12	18
19	6	20	7	19	7	17	6	17	6	14	7	14	7	15	8	18	7	21	7	16	7	19	8	20	19
20	9	13	9	13	9	12	8	18	8	15	8	15	8	13	9	15	9	13	9	11	8	14	9	13	20
21	9	9	9	11	9	14	10	15	10	11	10	13	10	12	10	20	10	20	9	22	7	16	7	19	21
22	9	8	9	10	9	6	9	7	10	9	9	11	9	13	9	11	9	13	8	13	8	14	9	16	22
23	...	...	18	2	21	2	...	...	...	...	...	1	...	1	19	2	19	7	22	4	21	8	19	11	23
24	20	4	22	7	22	5	24	3	26	3	22	4	21	5	24	4	24	7	23	8	21	10	21	12	24
25	2	6	2	8	1	10	3	4	6	6	7	16	7	24	7	25	6	21	7	24	7	32	7	31	25
26	7	25	7	25	7	28	7	24	7	24	7	23	7	23	7	20	7	20	7	20	7	20	8	20	26
27	7	10	8	14	8	14	8	11	9	10	8	9	8	10	8	11	7	8	8	6	10	11	10	15	27
28	8	4	...	...	...	...	...	1	...	...	11	2	...	...	...	...	...	1	27	6	26	8	25	9	28
29	30	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	28	5	24	7	25	8	23	8	29
30	26	5	28	5	...	1	...	...	...	...	2	2	...	1	6	2	12	3	...	1	26	4	25	2	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	10	19	9	16	9	18	9	15	10	12	9	16	8	12	7	12	8	11	8	11	7	12	7	13	1
2	8	14	9	19	9	15	9	17	9	17	10	15	11	13	10	13	9	11	10	9	10	8	9	5	2
3	...	1	21	3	11	4	9	8	8	12	10	7	7	6	8	7	8	5	8	2	8	2	8	2	3
4	26	7	24	7	19	5	17	5	18	3	18	6	18	2	...	1	15	5	17	3	16	2	...	1	4
5	...	1	27	4	27	4	27	5	17	4	28	2	...	1	13	3	14	2	...	...	23	2	...	...	5
6	15	8	15	10	14	5	12	7	7	21	8	26	8	24	8	26	7	26	7	26	7	24	7	21	6
7	8	22	9	18	8	18	8	17	8	17	8	19	8	18	8	17	9	16	9	16	9	18	8	15	7
8	14	16	14	14	7	15	7	17	8	16	8	20	8	17	8	21	8	18	8	21	9	20	9	18	8
9	7	16	8	21	8	23	9	23	9	22	9	22	8	22	9	21	8	13	8	17	9	17	10	18	9
10	8	19	8	17	8	17	8	22	8	19	9	18	9	17	9	16	9	15	9	15	10	16	9	14	10
11	9	18	8	21	8	21	8	18	8	14	8	12	7	9	6	9	7	4	12	5	...	1	...	1	11
12	30	3	26	5	24	7	24	3	...	1	28	2	28	3	3	5	7	8	9	7	9	9	9	22	12
13	10	21	9	19	7	15	7	14	8	12	8	10	6	12	7	11	8	11	8	14	8	19	8	16	13
14	26	4	26	2	26	5	26	3	...	...	...	1	32	2	1	4	1	10	1	8	2	6	2	4	14
15	9	7	6	12	6	14	6	22	7	21	8	23	8	28	8	29	7	26	8	30	7	26	6	25	15
16	7	26	7	30	7	29	7	28	7	28	7	27	7	30	7	32	7	34	7	32	7	33	7	31	16
17	8	14	9	8	9	10	8	6	5	3	4	3	4	4	30	4	30	9	30	4	8	2	11	3	17
18	6	18	9	13	9	11	9	18	8	17	8	13	7	18	7	21	7	19	6	20	6	26	7	22	18
19	8	14	8	18	8	17	8	14	7	17	7	19	8	18	8	17	8	17	9	15	9	13	9	13	19
20	9	12	9	12	9	14	8	12	8	12	8	12	8	10	8	12	8	11	9	15	10	15	9	13	20
21	7	19	7	17	8	16	8	14	8	13	8	14	7	15	8	13	8	13	8	12	8	11	9	12	21
22	9	13	9	13	9	8	9	6	10	6	12	7	15	6	15	5	15	2	16	3	...	1	16	3	22
23	19	11	19	13	19	13	18	12	19	14	18	8	17	9	17	6	18	5	18	6	17	6	19	7	23
24	22	13	22	15	22	15	21	16	20	12	19	12	23	5	30	9	5	3	3	4	3	5	3	3	24
25	7	32	7	36	7	33	7	29	7	29	7	33	7	30	7	36	7	31	7	32	7	26	6	23	25
26	7	21	7	17	8	18	8	17	9	14	7	14	7	11	8	11	8	12	8	13	7	12	7	12	26
27	10	16	9	13	8	16	8	16	8	13	8	14	8	13	7	10	7	5	7	4	...	...	7	4	27
28	25	9	24	9	24	9	23	7	24	6	25	2	27	5	28	4	28	3	29	3	...	1	31	2	28
29	19	11	18	9	17	9	17	9	18	5	19	8	18	10	18	8	18	7	19	6	...	1	23	3	29
30	25	2	24	3	23	2	22	3	21	4	20	5	...	1	...	1	15	2	13	4	11	3	10	5	30

TABLE VIII.—CHARACTER AND DIRECTION OF MOTION OF THE CLOUDS AT THREE-HOURLY INTERVALS, in the MONTH of APRIL, 1932.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	st-cu	ENE	cu	E	ci-st / cu	W / ENE	a-cu / cu	WSW / E	cu	E	...	...	...	...	...	...
2	cu	E	cu	E	a-cu	W	a-cu / cu	SSW / E	cu	ESE	cu	ESE	cu	SE	cu	ESE
3	cu	ESE	cu	ESE	a-cu / cu	WSW / E	st-cu	ESE	cu	SSW	cu	SSW	...	...	...	...
4	cu	SW	...	...	a-cu / cu	SW / S	cu	S	cu	S	cu	SSW	...	...	cu	SSW
5	cu	SW	cu	SW	nb	SW	nb	SW	cu	SW	cu	SW	cu	SW	cu	SW
6	cu	SW	cu	SSW	cu	S	cu	S	cu	SSW	nb	SSW	nb	E	nb	E
7	nb	E	nb	E	st	E	st	E	nb	E	nb	E	nb	E	nb	E
8	nb	E	nb	E	nb	S	nb	SSE	cu	SSE	st	SSE	nb	SSE	nb	SSE
9	nb	SSE	nb	SSE	nb	ESE	nb	E	nb	E	nb	S	nb	ESE	nb	ESE
10	nb	E	nb	E	nb	ESE	nb	E	nb	E	nb	SSW	nb	SSW	nb	SSW
11	nb	SSW	nb	SSW	nb	E	nb	E	cu-nb	ESE	nb	S	nb	SSW	nb	SSW
12	cu	S	cu	S	nb	SW	nb	SW	nb	WSW	nb	WSW	cu-nb	WSW	st-cu	WSW
13	nb	E	nb	E	nb	E	nb	E	cu-nb	SSW	cu-nb	SSW	nb	SW	nb	SW
14	nb	SW	nb	SW	nb	ESE	a-cu / cu	SW / ESE	cu	W	nb	WSW	nb	NW	nb	NW
15	nb	WNW	st-cu	WNW	a-cu / cu	W / SE	st-cu	ESE	st-cu	ESE	nb	SE	st-cu	ESE	nb	E
16	nb	E	nb	E	nb	E	nb	ENE	nb	E	nb	ENE	nb	ENE	nb	ENE
17	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
18	nb	E	nb	E	cu	E	cu	ENE	cu	ENE	cu	ENE	cu	E	cu	E
19	cu	ENE	cu	ENE	cu	E	cu-nb	E	st-cu	ESE	cu-nb	ESE	nb	E	nb	E
20	nb	ESE	nb	SE	cu-nb	ESE	nb	ESE	nb	E	nb	SE	cu	ESE	cu	ESE
21	cu	ESE	cu	ESE	nb	ESE	st-cu	E	nb	E	st	E	nb	E	nb	E
22	nb	E	nb	ESE	a-cu / cu	WSW / E	a-cu / cu	W / ESE	cu	ESE	a-cu / cu	WSW / E	cu	S	cu	S
23	cu	SSW	cu	SW	a-cu / cu	SW / SSW	ci-st / cu	NE / WSW	cu	SW	cu	WSW	cu	SW	cu	SW
24	cu	SSW	cu	SSW	ci-st / cu	ENE / SW	cu	SW	cu	SW	cu	SW	cu	W	cu	SSW
25	cu	SSW	nb	SSW	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
26	nb	E	nb	E	nb	E	nb	E	cu	ESE	cu	ESE	st-cu	E	nb	E
27	nb	E	nb	E	cu-nb	E	cu	ESE	cu	SE	ci-st / cu	W / SW	ci-st	W	cu	SSW
28	cu	E	cu	E	a-cu / cu	W / SSE	a-cu / cu	WSW / S-E	a-cu / cu	SW / W	a-cu / cu	SW / WSW	ci-st	W	...	...
29	...	...	ci-st	W	a-cu / cu	W / SE	ci-st / cu	W / SSW	a-cu / cu	SSW / WSW	a-cu / cu	SSW / SW	cu	W	cu	W
30	cu	W	cu	W	nb	SW	cu / nb	SSW / SW	cu	SW	cu	SSW	cu	SW	cu	SSW

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1932.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·000	72·7	62·8	9·9	65·8	60·7	0·473	75	29	9·9	80	...	...	− 0·4	+ 13·5	92	13·5	14·0
2	29·922	71·0	62·8	8·2	66·6	59·8	·438	68	70	8·1	65	...	..	− 1·1	+ 14·2	94	14·2	14·5
3	·845	76·3	67·2	9·1	70·1	66·0	·592	81	58	4·4	35	...	...	− 1·2	+ 6·1	101	6·2	6·6
4	·763	78·2	66·8	11·4	71·4	67·4	·625	81	39	7·7	62	...	...	− 1·0	− 0·1	186	1·0	3·7
5	·763	77·0	69·9	7·1	72·7	70·3	·713	89	94	0·9	7	0·015	2	...	− 0·6	270	0·6	1·5
6	·799	80·2	65·2	15·0	71·8	69·8	·705	91	95	3·0	24	0·115	6	− 0·4	+ 9·2	92	9·2	10·5
7	·787	68·0	64·9	3·1	66·5	65·2	·606	93	100	0·1	1	0·005	2	− 1·8	+ 19·2	95	19·2	19·2
8	·785	80·6	67·3	13·3	70·6	68·7	·679	91	59	2·1	17	...	2	− 2·2	+ 14·5	99	14·7	15·8
9	·802	70·8	67·0	3·8	68·3	67·1	·649	94	99	0·8	6	...	4	− 1·8	+ 18·4	96	18·5	18·5
10	·814	70·0	67·0	3·0	68·4	67·8	·672	97	100	0·1	1	...	1	− 1·5	+ 17·2	95	17·2	17·2
11	·832	73·2	68·3	4·9	70·5	69·3	·701	94	100	1·1	9	...	4	− 0·5	+ 13·7	92	13·7	13·9
12	·851	74·5	69·0	5·5	71·3	69·1	·685	89	100	0·1	1	0·035	4	+ 0·4	− 0·1	346	0·4	4·9
13	·784	69·0	65·1	3·9	66·6	65·3	·609	93	100	...	...	0·840	10	+ 1·6	+ 19·8	85	19·9	20·1
14	·774	73·9	65·1	8·8	68·0	65·0	·583	85	99	0.7	6	0·065	5	+ 1·4	+ 3·0	65	3·3	5·8
15	·823	71·0	63·3	7·7	68·7	62·2	·487	69	99	...	...	0·095	5	+ 1·5	+ 11·6	83	11·7	12·0
16	·861	64·0	62·2	1·8	62·9	60·6	·502	88	100	...	...	0·205	13	+ 6·7	+ 26·3	76	27·3	27·6
17	·855	69·6	63·3	6·3	66·9	65·5	·612	93	100	...	...	2·085	18	+ 2·7	+ 13·6	79	13·9	14·9
18	·942	76·2	67·1	9·1	71·2	67·2	·621	81	90	2·6	20	0·005	1	+ 2·8	+ 10·2	75	10·6	11·4
19	·922	70·5	67·6	2·9	68·9	65·6	·593	84	98	...	...	...	...	+ 1·7	+ 16·6	84	16·7	16·7
20	·898	73·7	68·4	5·3	70·8	69·2	·695	92	98	0·1	1	0·100	4	− 1·6	+ 13·1	97	13·1	13·1
21	·915	76·1	69·4	6·7	71·3	70·1	·721	94	98	0·8	6	...	4	− 1·3	+ 14·3	95	14·4	14·6
22	·853	77·7	70·1	7·6	73·4	71·3	·742	91	72	8·3	65	...	...	− 2·4	+ 7·6	107	8·0	8·5
23	·802	85·7	72·0	13·7	77·7	73·5	·777	82	64	11·1	87	...	...	− 5·2	− 3·0	210	6·0	6·2
24	·796	83·8	72·1	11·7	78·2	73·3	·763	79	66	10·4	81	...	...	− 2·3	− 5·5	247	6·0	7·7
25	·911	72·0	67·8	4·2	69·5	65·4	·579	81	100	0·1	1	0·025	6	+ 5·9	+ 22·6	75	23·4	24·0
26	·937	73·6	67·1	6·5	70·3	67·1	·627	85	97	1·5	12	...	3	+ 2·6	+ 18·5	82	18·5	18·5
27	·906	79·4	70·4	9·0	73·5	71·3	·740	90	72	6·5	50	...	1	− 0·5	+ 10·4	93	10·4	10·5
28	·829	84·6	71·7	12·9	77·4	72·4	·738	79	57	8·4	65	...	...	+ 0·9	− 2·9	287	3·0	13·9
29	·761	83·7	73·0	10·7	77·1	73·0	·764	83	63	4·1	32	...	...	− 2·9	− 2·6	222	3·9	4·8
30	·758	80·1	73·3	6·8	76·3	73·6	·797	88	92	0·7	5	0·110	4	− 0·3	− 0·7	247	0·7	2·5
Means.	29·843	75·2	67·6	7·6	70·8	67·8	0·650	86	85	Sums. 93·6	25	Sums. 3·700	Sums. 99	...	+ 9·9	90	9·9	12·1
Normals	29·843	74·7	67·0	7·7	70·3	67·2	0·638	85	80	114·9	...	5·586	80	...	+ 11·2	90	11·2	14·0
Absolute Max.	30·060	85·7	...	15·0	...	77·8	0·883	...	...	11·1	87	2·085	18	...	...	...	...	36·0 †
Day.	1	23	...	6	...	24	24	...	...	23	23	17	17	...	...	...	...	25th 14h & 30h
Absolute Min.	29·694	...	62·2	1·8	...	55·9	0·347	56	...	...	...	...	...	...	...	...	...	...
Day.	29	...	16	16	...	2	2	15	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

												Sums.	Sums.					
Means.	1012·6	297·0	292·8	4·2	294·7	292·9	22·0	...	...	...	...	94·0	99	...	+ 3·2	90	3·2	4·0
Normals	1012·6	296·7	292·4	4·3	294·3	292·6	21·6	...	...	...	...	140·1	80	...	+ 3·7	90	3·7	4·6
Absolute Max	1020·0	302·8	...	8·3	...	298·4	29·9	...	...	...	...	53·0	18	...	...	...	...	11·8
Absolute Min	1007·4	...	289·8	1·0	..	286·3	11·7	...	...	...	..	...	...	...	...	...	...	...

Rain fell on 11 days. The mean hourly intensity was 0·037*in.*, and the maximum fall in one hour was 0·620*in.* at 15*h* on the 17th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 50 miles per hour from E. by N. at 14*h* 09*m* on the 25th.

Clouds with base less than 2,000 feet high were observed on 14 days.

Clouds with base less than 1,000 feet high were observed on 10 days.

*0°=N., 90°=E., &c.

† Maximum velocity for one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1932.
(*British Units.*)

Hours. Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10)	Percentage of Possible Sunshine.	Rainfall. Amount.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. *Direction.	Wind. Resultant. Velocity.	Observed. Velocity.
	ins.	°	°	ins.	%	%	%	ins.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·854	69·3	67·1	0·643	89	89		0·010	+ 1·1	+ 9·7	84	9·8	11·1
2	·841	69·1	67·0	·642	90	93		0·030	+ 0·6	+ 9·9	87	9·9	11·1
3	·825	69·0	66·8	·636	89	91		0·035	+ 0·5	+ 10·5	87	10·5	11·5
4	·819	68·8	66·8	·639	90	92		0·040	+ 0·5	+ 10·2	87	10·2	11·0
5	·823	68·7	66·7	·636	90	91		0·030	+ 0·9	+ 10·4	85	10·4	11·1
6	·836	68·8	66·8	·639	90	93		0·140	+ 0·5	+ 10·9	87	10·9	11·3
7	·853	69·1	67·0	·642	90	88	12	0·085	+ 0·7	+ 10·7	86	10·7	11·3
8	·872	69·7	67·2	·643	88	92	19	0·035	+ 0·5	+ 10·6	87	10·6	11·9
9	·886	70·5	67·7	·650	87	91	28	0·125	− 0·2	+ 10·5	91	10·5	12·7
10	·892	71·4	68·2	·657	85	90	28	0·305	+ 0·3	+ 9·5	88	9·5	12·1
11	·889	72·5	68·7	·663	83	86	34	0·275	+ 0·4	+ 8·6	87	8·6	11·9
Noon.	·875	73·3	68·9	·661	80	82	33	0·235	− 0·9	+ 8·0	96	8·0	12·3
13	·855	73·8	69·2	·666	80	79	34	0·210	− 1·3	+ 9·0	98	9·1	13·4
14	·828	73·6	69·0	·661	80	82	33	0·735	− 1·6	+ 9·0	100	9·1	13·8
15	·811	73·3	68·8	·657	80	82	35	0·760	− 0·9	+ 9·3	95	9·3	13·5
16	·799	72·6	68·6	·658	82	80	32	0·170	− 1·0	+ 9·8	96	9·9	13·4
17	·798	72·0	68·2	·651	83	80	23	0·275	− 0·9	+ 10·0	95	10·0	12·8
18	·803	71·2	67·9	·649	84	78	5	0·030	− 1·2	+ 10·5	96	10·6	13·0
19	·816	70·7	67·9	·655	87	78		0·015	+ 0·1	+ 10·1	89	10·1	12·4
20	·829	70·2	67·4	·644	87	76		0·025	+ 0·5	+ 10·8	87	10·8	12·8
21	·846	70·2	67·4	·644	87	78		0·030	+ 0·8	+ 10·1	85	10·1	12·0
22	·860	70·2	67·6	·651	88	82		0·040	+ 0·1	+ 10·2	89	10·2	11·9
23	·864	70·1	67·6	·652	88	79		0·020	+ 0·1	+ 10·2	89	10·2	11·2
Midn.	·858	69·9	67·6	·654	89	87		0·045	+ 0·2	+ 9·9	89	9·9	11·0

Phenomena :—

Lunar corona :—on the 18th and 24th.

Thick fog :—on the 10th, 11th and 22nd.

Fog :—on the 4th, 5th, 6th, 7th, 8th, 10th, 11th, 12th, 17th, 23rd and 29th.

Slight Fog :—on the 5th, 12th and 21st.

Unusual visibility :—on the 18th.

Dew :—on the 3rd, 29th and 30th.

Thunder :—on the 5th, 13th and 30th.

ADOPTED ERRORS OF TIMEBALL, APRIL, 1932.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	+ 0·1	11	− 0·1	21	0·0
2	+ 0·1	12	0·0	22	0·0
3	0·0	13	0·0	23	+ 0·1
4	+ 0·1	14	0·0	24	+ 0·1
5	+ 0·1	15	0·0	25	− 0·1
6	0·0	16	0·0	26	0·0
7	0·0	17	0·0	27	0·0
8	0·0	18	0·0	28	0·0
9	− 0·1	19	0·0	29	0·0
10	0·0	20	0·0	30	0·0

+ = Late ; − = Early.

The above may also be regarded as the errors of the time signals by radio telegraphy and by signal lights.

The probable error for the month was ± 0·10

April 8*d* 10*h* Timeball not raised, electrical fault.

April 22*d* 10*h* Timeball fell about 35 seconds early, electrical fault.

* 0° = N. 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

APRIL,

1932.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	31ST MARCH, 1932.								1ST APRIL, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.77	756.1	39	...	SW	3	b	6	29.71	754.5	...	...	...	0	b
Nemuro,	11	29.61	752.0	...	...	W	3	...	5	29.69	754.0	...	...	W	2	...
Hakodate,	,,	29.78	756.5	...	...	W	5	...	,,	29.71	754.5	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	SE	1	...	,,	29.94	760.5	...	...	N	1	...
Kochi,	,,	30.14	765.5	...	...	SSW	1	...	,,	30.10	764.5	...	...	...	0	...
Nagasaki,	,,	30.26	768.5	...	...	WNW	4	...	,,	30.16	766.0	...	...	N	1	...
Kagoshima,	,,	30.22	767.5	...	...	WNW	1	...	,,	30.16	766.0	...	...	WNW	1	...
Oshima,	,,	30.22	767.5	...	...	NNE	2	...	,,	30.12	765.0	...	...	NNW	1	...
Naha,	,,	30.18	766.5	...	...	NE	2	...	,,	30.06	763.5	...	...	NNE	1	...
Higakijima,	,,	30.08	764.0	...	...	ENE	3	...	,,	30.04	763.0	...	...	...	0	...
Ponin Island,	,,	30.12	765.0	...	...	...	0	...	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	30.08	764.0	59	6	W	4	b	6	29.96	761.0	49	6	SW	2	b
Shanghai,	14	30.28	769.0	58	8	S	2	c	,,	30.22	767.6	41	6	SE	2	b
Gutzlaff,	,,	30.34	770.6	52	6	...	0	be	,,	30.26	768.6	45	6	SSE	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Toochow,	,,	30.19	766.8	63	6	E	2	o	7	30.14	765.5	56	6	N	2	c
Amoy,	,,	30.15	765.8	68	8	SE	4	b	6	30.11	764.8	56	6	NE	2	b
Swatow,	,,	30.12	765.1	63	...	E	3	c	,,	30.12	764.9	59	...	NE	3	c
Tailoku,	11	30.18	766.6	63	...	E	4	r	5	30.13	765.4	59	...	E	2	c
Taichu,	,,	30.11	764.9	67	...	NNW	4	o	,,	30.05	763.2	61	...	N	2	b
Tainan,	,,	30.04	763.0	77	...	N	4	b	,,	30.00	761.9	61	...	NNE	2	be
Koshun,	,,	30.00	762.0	76	...	NE	4	o	,,	30.03	762.7	68	...	N	2	o
Pescadores,	,,	30.09	764.2	67	...	NE	6	o	,,	30.04	763.0	63	...	NE	6	b
Hong Kong,	14	30.05	763.2	67	6	ESE	2	o	6	30.07	763.8	63	8	E	4	be
Gap Rock,	,,	30.07	763.8	68	8	ENE	4	o	,,	30.05	763.2	69	8	ENE	4	c
Macao,	,,	30.05	763.2	68	4	NNE	2	o	,,	30.04	763.1	63	4	E	2	o
Bolhow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bates Island,	,,	30.00	762.0	74	6	NE	6	be	6	30.02	762.4	70	8	NE	6	f
Phulien,	15	30.07	763.7	63	1	NNW	4	d	7	30.07	763.8	59	3	N	3	d
Tourane,	,,	29.94	760.6	74	8	E	2	o	,,	29.98	761.4	70	7	N	2	d
Cape St. James,	,,	29.86	758.4	79	8	ENE	6	be	,,	29.86	758.5	76	6	ENE	4	z
Baco,	14	29.89	759.3	74	6	NNE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.87	758.6	86	6	NNW	4	b	,,	29.92	760.0	76	4	NNE	2	p
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.83	757.8	85	8	NNW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	758.0	91	8	SW	2	b	,,	29.87	758.6	72	4	...	0	be
Iloilo,	,,	29.84	758.0	88	8	NE	2	o	,,	29.83	757.6	79	4	NE	2	be
Calbayog,	,,	29.83	757.6	83	8	N	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.80	757.0	86	8	S	4	be	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	91	8	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.80	756.8	91	8	ENE	4	be	,,	...	...	...	...	...	...	...
Surigao,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	8	NE	4	be	5	29.82	757.3	...	6	ENE	4	be
Perew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cabuan,	14	29.94	760.4	86	6	N	...	be	6	29.89	759.1	76	1	N	...	be

April 1d. 10h. 27m.— The anticyclone is central to the east of Shanghai, and has weakened considerably.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.73 inches, against an average of 6.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	S. or variable winds, light; fine.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, moderate; fine generally.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st APRIL, 1932.									2nd APRIL, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Nemuro,	11	29.52	750.0	...	...	WNW	3	...		5	29.47	748.5	...	...	WNW	2	...	
Hakodate,	,,	29.63	752.5	...	...	W	4	...		,,	29.53	750.0	...	...	WSW	2	...	
Tokio,	,,	29.90	759.5	...	...	NW	1	...		,,	29.92	760.0	..	...	...	0	...	
Kochi,	,,	30.06	763.5	...	...	SE	1	...		,,	30.08	764.0	...	...	WSW	1	...	
Nagasaki,	,,	30.16	766.0	...	...	NW	4	...		,,	30.14	765.5	...	...	...	0	...	
Kagoshima,	,,	30.12	765.0	...	...	NW	1	...		,,	30.14	765.5	...	...	WNW	1	...	
Oshima,	,,	30.16	766.0	...	...	NNE	2	...		,,	30.28	769.0	...	...	E	1	...	
Naha,	,,	30.14	765.5	...	...	NNE	2	...		,,	30.12	765.0	...	...	...	0	...	
Ishigakijima,	,,	30.12	765.0	...	...	NE	3	...		,,	30.06	763.5	...	...	NE	1	...	
Formosa Island,	,,	30.00	762.0	...	...	...	0	...		,,	30.08	764.0	...	...	...	...	...	
Chefoo,	15	29.88	759.0	76	8	SW	3	b		6	29.80	757.0	58	8	SSW	4	b	
Shanghai,	14	30.16	766.0	68	8	ESE	2	b		,,	30.02	762.5	49	6	SSE	2	be	
Gutzlaff,	,,	30.24	768.1	54	6	...	0	b		,,	30.10	764.5	49	6	SSE	4	be	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.11	764.8	65	6	E	2	b		7	30.03	762.7	58	6	W	2	b	
Amoy,	,,	30.13	765.3	72	6	NE	4	b		6	30.10	764.5	58	6	NE	4	b	
Swatow,	,,	30.13	765.3	65	...	ESE	3	b		,,	...	...	...	...	...	...	...	
Taihoku,	11	30.16	766.0	70	...	E	6	b		5	30.02	762.5	61	...	SW	2	o	
Taichia,	,,	30.07	763.9	74	...	N	2	b		,,	30.04	763.0	63	..	...	0	o	
Tainan,	,,	30.04	763.1	77	...	N	2	be		,,	30.01	762.1	61	...	...	0	b	
Koshun,	,,	30.02	762.6	76	...	NE	6	be		,,	29.98	761.5	67	...	NE	2	b	
Pescadores,	,,	30.07	763.9	72	...	NE	6	b		,,	30.02	762.4	63	...	NNE	4	b	
Hong Kong,	14	30.04	763.0	69	7	E	4	b		6	29.99	761.7	63	7	E	3	c	
Gap Rock,	,,	30.06	763.5	69	8	ENE	4	c		,,	29.98	761.5	69	7	ENE	4	c	
Macao,	,,	30.02	762.5	67	6	SE	2	b		,,	29.95	760.6	65	4	SE	2	c	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.01	762.3	74	8	NE	6	be		6	29.98	761.4	72	8	F	6	b	
Phulien,	15	30.00	761.9	67	8	E	2	o		7	29.95	760.7	63	1	ENE	2	m	
Tourane,	,,	29.95	760.7	67	4	NW	4	d		,,	29.94	760.4	68	8	W	2	o	
Cape St. James,	,,	29.85	758.3	81	8	E	6	be		,,	29.86	758.4	76	6	ENE	4	be	
Basco,	14	29.94	760.6	77	8	NE	4	be		6	29.95	760.7	72	6	...	0	o	
Aparri,	,,	29.91	759.6	81	4	NE	4	be		,,	29.91	759.8	74	6	NE	2	o	
Tuguegarao,	,,	29.83	757.8	86	6	N	2	be		,,	29.91	759.7	72	1	...	0	be	
Vigan,	,,	29.79	756.6	86	8	NW	4	b		,,	29.84	757.8	79	8	ESE	4	o	
Manila,	,,	29.81	757.1	91	8	NW	4	be		,,	29.86	758.3	72	6	..	0	b	
Legaspi,	,,	29.80	757.0	91	6	NE	2	c		,,	29.84	757.8	79	6	...	0	be	
Calbayog,	,,	29.80	756.8	94	8	NE	4	be		,,	29.86	758.3	74	8	...	0	be	
Tacloban,	,,	29.79	756.6	91	8	SE	2	b		,,	29.85	758.2	77	8	NW	2	b	
Iloilo,	,,	29.76	755.9	88	8	NE	6	o		,,	...	...	...	..	...	...	...	
Cebu,	,,	29.77	756.1	88	8	ENE	4	o		,,	29.82	757.4	77	8	N	2	be	
Surigao,	...	...	...	...	...	...	...	...		,,	29.82	757.4	74	4	...	0	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.87	758.7	75	...	ESE	3	be	
Guam,	12.22	29.80	756.8	...	6	E	4	be		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.77	756.1	...	6	ENE	4	be		5	29.84	757.5	..	6	NE	2	be	
Pelew,	,,	...	...	...	...	...	...	...		,,	29.81	757.1	79	...	ENE	2	c	
Lacuna,	14	29.94	760.4	83	4	N	4	b		6	29.90	759.4	72	1	...	0	be	

April 2*d.* 10*h.* 22*m.*—The anticyclone is central between S. Japan and the Loochoos, moving eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.73 inches, against an average of 6.42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd.

District.	Forecast.
A.—Shanghai to Turnabout,	S. winds, light; fine.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fine.
C.—Hong Kong to Gap Rock,	E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd April, 1932									3rd April, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.			
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Nemuro,	11	29.33	745.0	...	...	WSW	5	...		5	29.92	760.0	...	...	NNE	1	...	
Hakodate,	,,	29.57	751.0	...	...	NW	1	...		,,	29.96	761.0	...	...	N	1	...	
Tofin,	,,	29.86	758.5	...	...	SSE	1	...		,,	29.94	760.5	..	...	...	0	...	
Kochi,	,,	30.04	763.0	...	...	ESE	1	...		,,	29.98	761.5	...	...	WSW	1	...	
Nagasaki,	,,	30.12	765.0	...	...	NW	2	...		,,	30.04	763.0	...	...	SE	1	...	
Kagoshima,	,,	30.10	764.5	...	...	WNW	1	...		,,	30.06	763.5	...	...	NW	1	...	
Oshima,	,,	30.12	765.0	...	...	NNE	1	...		,,	30.04	763.0	...	...	S	1	...	
Naha,	,,	30.12	765.0	...	...	NNW	1	...		,,	30.00	762.0	...	...	SE	1	...	
Ishigakijima,	,,	30.08	764.0	...	...	E	1	...		,,	29.96	761.0	...	...	S	2	...	
Ponin Island,	,,	30.12	765.0	...	...	...	0	...		,,	30.06	763.5	...	...	...	0	...	
Chefoo,	15	29.83	757.6	59	6	E	2	b		6	29.80	757.0	49	4	...	0	m	
Shanghai,	14	29.94	760.6	68	8	SSE	2	c		,,	29.89	759.3	56	6	S	2	r	
Gutzlaff,	,,	30.00	762.0	56	6	SSE	4	bc		,,	29.95	760.7	54	1	SSE	4	d	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.03	762.7	62	8	NNE	2	b		7	29.90	759.4	60	8	...	0	ic	
Amoy,	,,	30.08	764.0	70	6	SSE	4	bc		6	29.98	761.5	59	6	SE	4	b	
Swatow,	,,	30.09	764.3	65	...	ESE	3	c		,,	...	...	...	...	...	...	...	
Tailoko,	11	30.04	763.0	77	...	...	0	b		5	29.95	760.7	59	...	...	0	bc	
Teichu,	,,	30.06	763.4	77	...	SSW	2	b		,,	29.99	761.8	59	..	...	0	b	
Taiwan,	,,	30.02	762.6	79	...	NNW	2	b		,,	29.95	760.6	65	...	NE	2	b	
Koshun,	,,	30.01	762.3	81	...	ENE	2	b		,,	29.93	760.3	70	...	...	0	c	
Ersendores,	,,	30.05	763.3	72	...	N	2	b		,,	29.95	760.8	65	...	...	0	b	
Hong Kong,	14	29.96	761.0	69	7	E	4	bc		6	29.92	759.9	68	7	E	2	o	
Gap Rock,	,,	29.95	760.7	70	7	ENE	4	c		,,	29.92	759.9	72	7	ENE	3	o	
Macao,	,,	29.94	760.6	72	6	SE	2	bc		,,	29.90	759.4	67	4	ENE	2	o	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Paias Island,	,,	29.97	761.2	83	8	E	4	bc		6	29.91	759.6	72	8	E	2	b	
Fhulieu,	15	29.8[illegible]	758.8	68	7	SE	2	o		7	29.88	758.8	66	1	E	4	df	
Tourane,	,,	29.86	758.4	79	6	SW	1	c		,,	29.86	758.3	72	5	SE	1	c	
Cape St. James,	,,	29.80	756.9	79	6	ENE	4	f		,,	29.84	757.9	75	7	ENE	4	f	
Turon,	14	29.90	759.5	79	8	SE	4	bc		6	29.89	759.3	74	6	SE	2	b	
Aparri,	,,	29.87	758.8	81	6	NE	4	b		,,	29.88	758.8	72	6	NW	2	b	
Tagnegarao,	,,	29.81	757.2	91	6	...	0	bc		,,	29.88	758.8	70	1	...	0	bc	
Vigan,	,,	29.80	756.8	86	8	W	4	b		,,	29.83	757.6	76	8	...	c	b	
Manila,	,,	29.80	757.0	94	8	ESE	2	bc		,,	29.85	758.2	72	6	...	0	b	
Tegaspi,	,,	29.79	756.7	91	8	NE	2	bc		,,	29.82	757.4	81	6	...	0	b	
Calbayog,	,,	29.79	756.6	88	8	NE	4	bc		,,	29.84	757.9	74	8	...	0	o	
Tacloban,	,,	29.78	756.5	86	8	E	2	o		,,	29.85	758.2	76	4	...	0	o	
Iloilo,	,,	29.78	756.5	91	8	WNW	6	bc		,,	...	...	...	..	...	...	...	
Cebu,	,,	29.77	756.1	91	8	ENE	4	bc		,,	29.81	757.2	72	8	...	0	o	
Surigao,	...	...	...	...	...	...	...	...		,,	29.81	757.1	76	6	...	0	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.80	757.0	...	6	E	4	b		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.78	756.3	...	6	ENE	4	bc		5	29.82	757.4	...	6	NE	2	bc	
Pelew,	,,	...	..	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Latuan,	14	29.94	760.4	85	6	N	6	bc		6	...	...	..	...	...	...	...	

April 3*d*. 10*h*. 45*m*.—A feeble anticyclone is central near the Bonins and a shallow depression to the S.W. of Chefoo.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.73 inches, against an average of 6.55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Southerly or variable winds, light to moderate; overcast, rain.
B.—Turnabout to Hong Kong,	E. or variable winds, moderate; generally overcast.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	4th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.88	759.0	54	...	SE	1	c	6	30.09	764.2	43	...	...	0	b
Nemuro,	11	...	...	...	...	SSW	3	...	5	29.86	758.5	..	...	W	2	...
Hokodate,	,,	29.96	761.0	...	...	SW	1	...	,,	29.88	759.0	...	...	...	0	...
Tokio,	,,	29.96	761.0	...	...	SE	2	...	,,	29.86	758.5	..	...	...	...	...
Kochi,	,,	29.96	761.0	...	...	SE	1	...	,,	29.90	759.5	...	...	SW	1	...
Nagasaki,	,,	30.02	762.5	...	...	WSW	1	...	,,	29.84	758.0	...	..	ESE	1	...
Kagoshima,	,,	30.00	762.0	...	...	W	1	...	,,	29.84	758.0	...	...	...	...	...
Oshima,	,,	30.00	762.0	...	...	SSE	1	...	,,	29.86	758.5	...	...	S	1	...
Naha,	,,	30.02	762.5	...	...	SSW	2	...	,,	29.90	759.5	...	...	SSW	2	...
Ishigakijima,	,,	29.98	761.5	...	...	SSW	2	...	,,	29.88	759.0	...	...	S	1	...
Bonin Island,	,,	30.06	763.5	...	...	NNW	1	...	,,	30.02	762.5	...	...	...	0	...
Chefoo,	15	29.83	757.6	45	6	N	6	o	6	29.87	758.6	41	1	...	0	f
Shanghai,	14	29.81	757.2	72	6	W	2	bc	,,	29.85	758.2	56	4	S	2	e
Gutzlaff,	,,	29.93	760.2	61	4	...	0	m	,,	29.90	759.4	59	4	...	0	m
Wenchow,	,,	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Foochow,	,,	29.81	757.2	64	6	E	2	bcf	7	29.82	757.4	65	6	N	2	gf
Amoy,	,,	29.99	761.7	70	4	WSW	4	b	6	29.86	758.4	67	6	S	2	e
Swatow,	..	29.96	761.1	63	...	W	2	e	,,	29.91	759.7	67	...	SE	1	e
Taiboku,	11	29.95	760.8	77	...	WNW	2	be	5	29.86	758.5	67	...	...	0	o
Taichu,	,,	29.99	761.8	79	...	...	0	b	,,	29.88	759.0	68	..	...	c	o
Tainan,	,,	29.95	760.8	81	...	N	2	b	,,	29.85	758.2	70	...	ESE	2	b
Koshun,	,,	29.99	761.8	79	...	E	2	o	,,	29.85	758.2	70	...	...	0	b
Pescadores,	,,	29.96	761.0	76	...	WNW	2	b	,,	29.84	758.0	68	...	...	0	b
Hong Kong,	14	29.88	758.9	76	7	...	0	bc	6	29.83	757.7	67	2	E	2	ef
Gap Rock,	,,	29.92	759.9	71	8	ENE	3	o	,,	29.84	757.9	72	7	E	2	e
Macao,	,,	29.87	758.8	77	6	ESE	2	be	,,	29.80	757.0	68	4	SE	4	e
Hoihow,	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.87	758.8	83	8	E	2	c	6	29.84	757.9	65	4	...	0	m
Phulien,	15	29.82	757.6	70	6	SE	4	z	7	29.81	757.1	68	4	E E	4	df
Tourane,	,,	29.79	756.7	81	7	ENE	2	b	,,	29.78	756.5	73	5	...	0	e
Cape St. James,	,,	29.80	757.0	79	6	ENE	3	f	,,	29.80	756.9	75	7	ENE	6	z
Hasco,	14	29.85	758.2	81	6	SE	4	be	6	...	...	...	...	...	...	...
Aparri,	,,	29.81	757.1	85	6	NE	4	h	,,	29.81	757.1	74	6	E	2	b
Tuguegarao,	,,	29.76	755.8	91	6	...	0	b	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	86	8	W	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.4	91	8	SW	2	b	,,	29.83	757.7	70	4	...	0	b
Legaspi,	,,	29.72	754.9	91	8	NE	4	o	,,	29.81	757.2	79	8	NE	2	b
Calbayog,	,,	29.78	756.3	83	8	...	0	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.9	91	8	NE	4	o	,,	...	...	...	..	...	...	...
Cebu,	,,	29.77	756.1	85	6	NNE	4	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.77	756.1	86	8	ESE	2	bc	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.5	76	...	NE	3	e
Guam,	12.22	29.78	756.3	...	6	E	4	be	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.5	...	6	ENE	4	e	5	29.80	757.0	...	6	ENE	4	e
Pelew,	,,	...	...	..	...	...	...	...	..	29.77	756.1	78	...	ENE	1	e
Labuan,	14	29.86	758.5	86	6	W	6	bc	6	29.78	756.4	72	1	SW	...	bc

April 4*d.* 10*h.* 43*m.*—Pressure is highest in the Pacific to the east of the Bonins, and relatively low over Indo-China. Gradients are everywhere slight.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.73 inches, against an average of 6.69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	Light southerly or variable winds; local fog.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	
D.—Hong Kong to Hainan Straits, ...	Light easterly or variable winds; fair with fog or mist.
E.—North China Sea, ...	E. winds, light to moderate; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th April, 1932.									5th April, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.58	751.4	48	...	SW	3	b		6	29.80	757.0	34	...	...	0	s	
Nemuro,	11	29.88	759.0	...	...	WNW	3	...		5	30.04	763.0	..	...	E	1	...	
Hokodate,	,,	29.86	758.5	...	...	S	1	...		,,	29.92	760.0	...	...	ESE	3	...	
Tokio,	,,	29.78	756.5	...	...	...	0	...		,,	29.96	761.0	..	...	NNE	1	...	
Kochi,	,,	29.88	759.0	...	...	SE	2	...		,,	29.84	758.0	...	...	SW	1	...	
Nagasaki,	,,	29.86	758.5	...	...	ESE	1	...		,,	29.78	756.5	...	...	SE	1	...	
Kagoshima,	,,	29.88	759.0	...	...	SE	1	...		,,	29.78	756.5	...	...	...	0	...	
Oshima,	,,	29.88	759.0	...	...	SSW	1	...		,,	29.78	756.5	...	...	...	0	...	
Naha,	,,	29.94	760.5	...	...	SSW	2	...		,,	29.76	756.0	...	...	S	4	...	
Ishigakijima,	,,	29.90	759.5	...	...	S	1	...		,,	29.78	756.5	...	...	SSW	2	...	
Ponin Island,	,,	29.98	761.5	...	...	...	0	...		,,	30.00	762.0	...	...	...	...	...	
Chefoo,	15	29.82	757.3	47	8	E	4	bc		6	29.91	759.7	40	4	N	6	r	
Shanghai,	14	29.82	757.3	76	6	SSE	2	bc		,,	29.76	755.9	58	4	SSW	6	m	
Gutzlaff,	,,	29.89	759.2	59	4	SSE	4	m		,,	29.75	755.6	58	4	SW	4	m	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.80	756.9	64	4	N	2	d		7	29.77	756.1	64	6	...	0	f	
Amoy,	,,	29.71	755.1	76	6	SSE	4	c		6	29.80	756.9	68	6	SSE	2	o	
Swatow,	,,	30.06	763.6	79	...	E	2	c		,,	29.87	758.6	71	...	SW	3	r	
Taihoku,	11	29.87	758.8	81	...	W	2	bc		5	29.78	756.4	68	...	...	0	r	
Taichu,	,,	29.88	758.9	83	...	N	2	bc		,,	29.84	757.9	72	..	...	0	o	
Tainan,	,,	29.87	758.8	85	...	SSW	2	b		,,	29.82	757.3	70	...	...	0	b	
Koshun,	,,	29.87	758.6	85	...	S	2	bc		,,	29.80	757.0	72	...	...	0	b	
Pescadores,	,,	29.87	758.8	79	...	SW	2	o		,,	29.80	757.0	72	...	WSW	2	b	
Hong Kong,	14	29.80	756.9	78	5	W	2	bc		6	29.79	756.6	71	3	...	0	odf	
Gap Rock,	,,	29.82	757.4	74	3	E	2	bf		,,	29.80	756.9	73	4	SSE	2	of	
Macao,	,,	29.78	756.5	77	6	SE	2	c		,,	29.76	755.9	70	1	SE	2	m	
Hoihow,	,,	...	..	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.82	757.4	79	8	...	0	c		6	29.82	757.4	65	6	...	0	h	
Phulien,	15	29.74	755.3	72	6	S	6	o		7	29.77	756.2	70	1	ESE	4	df	
Tourane,	,,	29.71	754.6	77	8	SE	4	h		,,	29.74	755.4	73	1	...	0	f	
Cape St. James,	,,	29.80	756.8	81	8	E	4	bc		,,	29.82	757.4	75	6	ENE	3	f	
Basco,	14	29.78	756.3	83	8	SE	4	bc		6	29.80	757.0	77	6	SE	4	be	
Aparri,	,,	29.74	755.5	88	6	NE	4	b		,,	29.81	757.1	76	6	...	0	b	
Tuguegarao,	,,	29.71	754.6	98	8	...	0	bc		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.76	755.8	86	8	W	4	b		,,	...	...	...	...	...	...	...	
Manila,	,,	29.76	756.0	94	8	SE	4	bc		,,	29.81	757.2	72	4	...	0	b	
Legaspi,	,,	29.78	756.5	91	8	ENE	4	bc		,,	29.80	757.0	79	6	NE	2	b	
Calbayog,	,,	29.78	756.3	86	8	SW	4	bc		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.78	756.4	85	8	...	c	b		,,	...	...	...	...	...	...	...	
Iloilo,	,,	...	...	...	...	...	...	...		,,	29.76	756.0	77	6	NE	4	o	
Cebu,	,,	29.76	756.0	86	8	SW	4	bc		,,	...	...	...	...	...	...	...	
Surigao,	...	...	...	...	...	...	...	...		,,	29.82	757.3	74	6	...	0	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.86	758.4	77	...	ESE	4	bc	
Guam,	12.22	29.76	755.9	...	6	E	4	b		4.22	29.81	757.1	...	6	...	0	b	
Yap,	11.00	29.77	756.1	...	6	ENE	4	bc		5	29.83	757.6	...	6	E	4	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	29.79	756.6	78	...	ENE	2	be	
Labuan,	14	29.94	760.4	85	6	SW	4	bc		6	29.78	756.4	72	1	S	6	bc	

April 5d. 11h. 07m.—An irregular area of low pressure covers China generally; a depression is indicated over S. Manchuria.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 4.75 inches, against an average of 6.83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	Light southerly or variable winds; cloudy with local fog or rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th APRIL, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Glossary.)	6th APRIL, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Glossary.)
Wladivostock,	12	29.76	756.0	41	...	NW	1	o	6	..	...	32	...	...	o	h
Nemuro,	11	30.02	762.5	...	...	S	2	...	5	29.41	747.0	...	...	N	2	...
Hokodate,	,,	29.78	756.5	...	...	ESE	3	...	,,	29.58	751.5	...	...	NNW	4	...
Tokio,	,,	29.88	759.0	...	...	ENE	1	...	,,	29.47	748.5	..	...	...	...	...
Kochi,	,,	29.80	757.0	...	...	...	...	...	,,	29.75	755.3	...	...	NNW	3	...
Nagasaki,	,,	29.74	755 5	...	...	ESE	1	...	,,	29.94	760.5	...	...	NNE	2	...
Kagoshima,	,,	29.71	755.5	...	...	NE	1	...	,,	29.86	758.3	...	...	ESE	1	...
Oshima,	,,	29.76	756.5	...	...	S	2	...	,,	29.88	759.0	...	...	N	1	...
Naha,	,,	29.88	759.0	...	...	SSW	5	...	,,	29.92	760.0	...	...	N	4	...
Ishigakijima,	,,	29 84	758.0	...	...	SW	1	...	,,	29.90	759.5	...	...	NE	2	...
Bonin Island,	,,	29.98	761.5	...	...	SW	1	...	,,	29.94	760.5	...	...	SSW	2	...
Chefoo,	15	30.06	763.5	41	8	NW	8	b	6	30.09	764.3	41	6	W	4	o
Shanghai,	14	29.85	758.3	65	6	NNW	4	c	,,	30.20	767.0	43	6	N	2	c
Gutzlaff,	,,	29.85	758.3	59	6	NNW	4	bc	,,	30.22	767.7	45	6	N	6	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.80	756.9	70	6	...	o	o	7	30.09	764.3	63	4	E	2	o
Amoy,	,,	29.81	757.2	74	6	SSE	2	b	6	29.92	759.9	67	6	ENE	4	o
Swatow,	,,	29.92	759 9	79	...	WSW	2	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.83	757.6	77	...	W	2	o	5	29 96	761.0	65	...	E	2	)
Taichu,	,,	29.91	759.6	77	...	...	o	r	,,	29 92	760.0	70	..	...	o	tl
Tainan,	,,	29.84	758.0	85	...	WSW	4	b	,,	29.88	758.9	74	...	...	o	b
Koshun,	,,	29.84	757.9	85	...	WNW	4	b	,,	29.88	758.8	70	...	...	o	b
Pescadores,	,,	29.87	758.8	76	...	WSW	2	c	,,	29.88	758.8	74	...	...	o	tl
Hong Kong,	14	29.81	757.2	75	4	...	o	of	6	29.86	758.4	71	4		o	of
Gap Rock,	,,	29.83	757.7	75	7	SE	2	o	,,	29.87	758.7	75	2	S	2	f
Macao,	,,	29.81	757.2	74	1	SE	2	m	,,	29.83	757.6	72	1	SSE	2	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	758.0	81	8	...	o	b	6	29.88	758.8	74	8	...	o	b
Phulien,	15	29.73	755 2	72	5	SSE	5	o	7	29.80	757.0	72	7	S	2	o
Tourane,	,,	29.71	754.7	81	7	E	3	b	,,	29.79	756.6	73	4	SE	1	f
Cape St. James,	,,	29.77	756.3	81	8	E	2	bc	,,	29.84	757.8	75	7	E	2	c
Basco,	14	29.79	756.6	83	8	W	2	b	6	29.88	758.8	72	8	...	o	b
Aparri,	,,	29.76	753.9	86	6	NE	4	b	,,	29.88	758.8	76	6	...	o	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	76	1	...	o	o
Vigan,	,,	29.77	756.1	86	8	NW	4	b	,,	29.84	757.8	77	8	...	o	bc
Manila,	,,	29.76	756.0	94	8	ESE	4	b	,,	29.88	758.8	72	6	...	o	b
Legaspi,	,,	29.76	756.0	91	8	ENE	2	o	,,	29.86	758.3	79	6	...	o	c
Calboyog,	,,	29.74	755.4	88	8	NE	4	b	,,	29.88	758.8	74	8	...	o	c
Tacloban,	,,	29.78	756.5	81	8	...	c	o	,,	29.86	758.4	77	8	NW	4	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	6	NE	4	o
Cebu,	,,	29.76	755.9	86	8	WSW	4	bc	,,	29.83	757.6	79	8	N	2	b
Surigao,	...	29.74	755.5	86	8	ESE	4	b	,,	29.82	757.4	76	6	...	o	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.7	...	6	ENE	4	b	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.80	756.8	...	6	ENE	4	bc	5	29.86	758.5	...	6	ENE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	6	N	4	bc	6	29.90	759.4	76	1	NE	...	bc

April 6*d.* 10*h.* 55*m.*—An anticyclone of moderate intensity has developed to the north of the Yangtze Valley; a *depression is situated to the east of Hokkaido.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.75 inches, against an average of 6.98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
A.—Shanghai to Turnabout, ... B.—Turnabout to Hong Kong, ...	N.E. winds, moderate to fresh; cloudy, local rain.
C.—Hong Kong to Gap Rock, ... D.—Hong Kong to Hainan Straits, ... E.—North China Sea, ...	Light, variable winds, freshening from N.E.; fair at first, probably some rain later.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	7th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.72	754.8	41	...	SW	3	b	6	29.84	757.8	32	...	...	0	o
Nemuro,	11	..	...	...	...	...	...	...	5	29.69	754.0	...	...	WSW	2	...
Hokodate,	,,	29.67	753.5	...	...	NNW	4	...	,,	29.78	756.5	...	...	WSW	5	...
Tokio,	,,	29.57	751.0	...	...	N	3	...	,,	30.08	764.0	..	...	...	...	...
Kochi,	,,	29.86	758.5	...	...	NW	1	...	,,	30.08	764.0	...	...	WSW	1	...
Nagasaki,	,,	29.98	761.5	...	...	N	2	...	,,	30.02	762.5	...	..	F	1	...
Kagoshima,	,,	29.92	760.0	...	...	NNW	1	...	,,	29.98	761.5	...	...	NW	1	...
Oshima,	,,	29.98	761.5	...	...	N	2	...	,,	29.92	760.0	...	...	SSE	1	...
Naha,	,,	29.96	761.0	...	...	NNE	3	...	,,	29.86	758.5	...	...	ESE	1	...
Ishigakijima,	,,	29.98	761.5	...	...	NE	2	...	,,	29.82	757.5	...	...	ESE	1	...
Bonin Island,	,,	29.92	760.0	...	...	SSW	1	...	,,	30.00	762.0	...	...	...	...	...
Chefoo,	15	30.00	762.1	56	8	NW	6	b	6	29.93	760.2	45	6	SW	2	b
Shanghai,	14	30.16	766.0	59	8	E	2	bc	,,	30.04	763.0	45	4	E	2	r
Gutzlaff,	,,	30.20	767.1	54	6	...	0	b	,,	30.04	763.0	43	1	E	4	d
Wenchow,	,,	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Foochow,	,,	30.03	762.7	62	6	E	2	o	7	29.87	758.7	60	6	...	0	r
Amoy,	,,	30.02	762.5	86	6	ESE	4	o	6	29.94	760.5	59	6	W	2	o
Swatow,	,,	...	...	..	...	...	...	...	,,	29.97	761.3	60	...	ENE	2	o
Taihoku,	11	30.05	763.2	63	...	E	2	r	5	29.85	758.2	65	...	...	0	o
Taichu,	,,	29.96	761.0	70	...	N	2	o	,,	29.88	758.8	67	..	...	0	o
Tainan,	,,	29.92	760.0	85	...	WSW	2	b	,,	29.85	758.2	67	...	...	0	bc
Koshun,	,,	29.93	760.2	81	...	NE	4	bc	,,	29.86	758.4	68	...	NE	2	bc
Pescadores,	,,	29.96	761.0	70	...	NNE	6	q	,,	29.85	758.2	68	...	NE	2	o
Hong Kong,	14	29.84	757.9	78	6	S	2	o	6	29.83	757.7	65	4	E	4	of
Gap Rock,	,,	29.85	758.2	76	7	SSE	3	o	,,	29.82	757.4	75	6	E	3	om
Macao,	,,	29.81	757.1	79	4	SE	2	c	,,	29.78	756.4	68	1	SE	4	m
Hoihow,	,,	29.76	756.0	81	1	S	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.87	758.8	83	8	...	0	bc	6	29.84	758.0	74	8	SE	2	b
Phulien,	15	29.74	755.4	74	8	SSE	4	o	7	29.74	755.3	72	1	E-E	3	f
Tourane,	,,	29.74	755.4	74	1	WNW	2	f	,,	29.76	755.9	73	7	...	0	o
Cape St. James,	,,	29.82	757.4	81	8	E	4	b	,,	29.83	757.7	75	7	E	4	bc
Basco,	14	29.85	758.2	81	8	W	2	b	6	29.84	757.8	76	8	E	2	bc
Aparri,	,,	29.82	757.3	86	6	N	4	b	,,	29.82	757.3	74	6	S	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.83	757.6	74	4	...	0	b
Vigan,	,,	29.78	756.5	86	8	NW	6	bc	,,	29.80	756.8	79	8	...	0	o
Manila,	,,	29.79	756.6	91	8	ESE	4	bc	,,	29.84	757.9	76	6	...	0	b
Legaspi,	,,	29.78	756.5	91	8	NE	4	bc	,,	29.84	757.8	77	6	...	0	o
Calboyog,	,,	29.78	756.5	...	8	SSW	4	b	,,	29.85	758.2	...	8	...	0	b
Tacloban,	,,	29.79	756.6	91	...	SE	4	bc	,,	29.84	757.9	77	8	...	0	b
Iloilo,	,,	29.77	756.1	91	8	NE	4	bc	,,	29.79	756.6	79	6	NE	4	o
Cebu,	,,	29.76	756.0	88	8	NE	4	bc	,,	29.83	757.6	79	8	...	0	o
Surigao,	...	29.78	756.3	79	6	E	4	r	,,	29.81	757.2	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.91	759.7	77	...	E	3	b
Guam,	12.22	29.83	757.8	...	6	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	757.0	...	6	ENE	4	bc	5	29.83	757.6	...	6	ENE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.83	757.6	79	...	NE	2	bc
Labuan,	14	29.94	760.4	83	6	NE	6	bc	6	29.90	759.4	76	...	SW	...	e

April 7*d*. 10*h*. 50*m*.—The anticyclone has weakened considerably, and is shown as a belt of relatively high pressure extending from the Yangtze Valley across S. Japan to the Pacific.

Depressions are situated to the east of Hokkaido and over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inch. Total since January 1st, 4.87 inches, against an average of 7.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock,	S.E. or variable winds, light to moderate; cloudy, local rain.
D.—Hong Kong to Hainan Straits, E.—North China Sea,	E. winds, moderate; cloudy, fog, mist, or light rain.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th April, 1932.								8th April, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.79	756.6	43	...	SSE	2	c	6	29.77	756.2	32	...	NW	1	c
Nemuro,	11	29.65	753.0	...	...	WSW	6	...	5	29.94	760.5	...	...	SW	1	...
Hokodate,	,,	29.74	755.5	...	...	W	4	...	,,	29.88	759.0	...	...	ENE	1	...
Tokio,	,,	30.02	752.5	...	...	SSE	1	...	,,	29.84	758.0	..	...	...	0	...
Kochi,	,,	30.04	763.0	...	...	...	0	...	,,	29.80	757.0	...	...	..	0	...
Nagasaki,	,,	30.02	762.5	...	...	NNE	1	...	,,	29.90	759 5	...	...	N	1	...
Kagoshima,	,,	29.92	760.0	...	...	NE	2	...	,,	29.84	758.0	...	...	NNW	1	...
Oshima,	,,	29.80	757.0	...	...	S	1	...	,,	29.86	758.5	...	...	N	3	...
Naha,	,,	29.80	757.0	...	...	S	4	...	,,	29.92	760.0	...	...	NNW	3	...
Ishigakijima,	,,	29.86	758.5	...	...	W	2	...	,,	29.92	760.0	...	...	NE	2	...
Bonin Island,	,,	29.98	761.5	...	...	ENE	1	...	,,	29.90	759.5	...	...	S	2	...
Chefoo,	15	29.84	758.0	63	6	WSW	4	bc	6	29.84	757.9	49	6	SW	4	b
Shanghai,	14	30.00	762.0	50	4	NNE	2	o	,,	30.06	763.4	45	4	...	0	bc
Gutzlaff,	,,	30.03	762.8	56	6	...	0	o	,,	30.10	764.5	45	6	...	0	b
Wenchow,	,,	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Foochow,	,,	29.84	757.9	62	6	SSE	2	bc	7	29.98	761.5	60	4	ENE	2	o
Amoy,	,,	29.90	759.4	63	6	W	4	r	6	29.94	760.5	61	4	NE	2	r
Swatow,	,,	29.95	760.8	67	...	SW	1	o	,,	30 02	762.6	56	...	E	1	r
Taihoku,	11	29.91	759.6	65	...	WSW	2	r	5	29.96	760.9	61	...	E	4	r
Taichu,	,,	29.93	760.2	74	...	...	0	o	,,	29 93	760.2	67	..	...	0	r
Tainan,	,,	29.91	759.8	79	...	NNE	2	bc	,,	29.89	759.1	70	...	NNE	2	o
Koshun,	,,	29.88	758.9	85	...	W	2	c	,,	29.88	758.9	74	...	...	0	o
Pescadores,	,,	29.95	760.7	74	...	NNE	2	o	,,	29.89	759.3	68	...	NNE	4	r
Hong Kong,	14	29.84	757.9	66	4	E	4	omd	6	29.83	757 7	68	4	E	4	omd
Gap Rock,	,,	29.83	757.7	72	6	E	4	om	,,	29.84	757.9	74	7	E	4	o
Macao,	,,	29.80	757.0	68	4	SE	2	o	,,	29.80	757.0	68	1	SSE	2	m
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	83	6	...	0	c	6	29.86	758.5	76	8	...	0	c
Phulien,	15	29.71	754.6	72	6	SE	6	o	7	29.75	755 6	72	7	E	4	f
Tourane,	,,	29.70	754.4	83	8	SSE	2	b	,,	29.75	755.5	73	6	...	0	b
Cape St. James,	,,	29.83	757.6	81	8	E	4	b	,,	29.82	757.3	75	8	E	2	bc
Basco,	14	29.78	756.5	85	8	SE	4	bc	6	..	...	...	..	..	...	...
Aparri,	,,	29.75	755.6	86	6	NE	4	b	,,	29.84	757.8	77	6	...	0	c
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.76	756.0	88	8	SW	2	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.4	91	8	W	4	bc	,,	29.84	758.0	77	6	...	0	c
Legaspi,	,,	29.79	756.7	86	6	ENE	2	o	,,	29.84	758.0	79	6	...	0	c
Calboyog,	,,	29.79	756.7	...	8	SE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.5	86	8	S	6	bc	,,	...	....	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	29.77	756.1	86	...	NE	4	o	,,	..	...	...	..	...	...	...
Surigao,	...	29.85	758.2	85	8	...	0	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.8	...	6	E	6	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	....	6	ENE	4	bc	5	29.83	757.7	...	6	ENE	2	c
Pelew,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.7	77	4	SW	6	bc	6	29.90	759.4	68	1	E	6	bc

April 8*d.* 10*h.* 15*m.*—The anticyclone has dispersed, leaving pressure highest in the Eastern Sea, and relatively low over Indo-China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.87 inches, against an average of 7.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light, variable winds, fair generally.
B.—Turnabout to Hong Kong,	E. winds, moderate; cloudy, fog, mist, or light rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. and S.E. winds, moderate; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th April, 1932.									9th April, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Nemuro,	11	29.90	759.5	...	...	S	2	...		5	29.82	757.5	...	...	N	2	...	
Hakodate,	,,	29.80	757.0	...	...	S	2	...		,,	29.96	761.0	...	...	...	0	...	
Tokio,	,,	29.76	756.0	...	...	...	0	...		,,	30.10	764.3	..	...	...	0	...	
Kochi,	,,	29.88	759.0	...	...	...	0	...		,,	30.16	766.0	...	...	WSW	1	...	
Nagasaki,	,,	29.98	761.5	...	...	N	2	...		,,	30.12	765.0	...	..	...	0	...	
Kagoshima,	,,	29.96	761.0	...	...	N	2	...		,,	30.10	764.5	...	...	NNW	1	...	
Oshima,	,,	29.96	761.0	...	...	NNE	2	...		,,	30.06	763.5	...	...	...	0	...	
Naha,	,,	29.98	761.5	...	...	N	2	...		,,	30.00	762.0	...	...	NE	1	...	
Ishigakijima,	,,	30.00	762.0	...	...	ENE	2	...		,,	29.94	760.5	...	...	ENE	1	...	
Bonin Island,	,,	29.90	759.5	...	...	SW	1	...		,,	30.06	763.5	...	...	...	0	...	
Chefoo,	15	29.79	756.7	72	8	SW	2	b		6	29.92	760.0	49	6	NE	2	b	
Shanghai,	14	30.03	762.7	59	6	SSE	2	c		,,	30.03	762.7	50	6	SE	2	bc	
Gutzlaff,	,,	30.09	764.3	54	6	SE	2	bc		,,	30.10	764.5	50	6	SE	2	bc	
Wenchow,	,,	...	....	...	...	...	...	...		6	..	...	...	...	...	...	...	
Foochow,	,,	29.95	760.7	58	6	E	2	r		7	29.98	761.5	58	6	N	2	r	
Amoy,	,,	29.97	761.3	63	4	NE	2	r		6	29.96	761.0	59	4	NE	2	r	
Swatow,	,,	29.95	760.8	66	...	NE	3	o		,,	30.03	762.7	63	...	NE	1	r	
Taihoku,	11	30.00	761.9	68	...	ENE	4	o		5	29.91	759.8	67	...	...	0	o	
Taichu,	,,	29.93	760.1	76	...	...	0	bc		,,	29.95	760.6	67	..	...	0	o	
Tainan,	,,	29.91	759.7	81	...	E	2	c		,,	29.89	759.3	68	...	NE	2	bc	
Koshun,	,,	29.92	760.0	70	...	NE	4	c		,,	29.90	759.4	70	...	ENE	2	bc	
Pescadores,	,,	29.93	760.2	74	...	NE	4	o		,,	29.91	759.7	68	...	NE	4	o	
Hong Kong,	14	29.84	757.9	79	6	SSE	4	o		6	29.87	758.7	67	5	E	4	om	
Gap Rock,	,,	29.83	757.7	75	7	SE	3	o		,,	29.84	757.9	76	7	E	3	o	
Macao,	,,	29.80	757.0	77	4	SE	4	c		,,	29.82	757.4	70	1	SE	2	m	
Hoihow,	,,	...	...	...	...	...	...	...		,,	..	...	...	...	...	...	...	
Pratas Island,	,,	29.84	758.0	85	8	SE	4	bc		6	29.89	759.1	76	8	SE	4	bc	
Phulien,	15	29.69	754.1	72	2	SE	3	df		7	29.76	756.0	72	0	ESE	4	df	
Tourane,	,,	29.71	754.6	82	7	SE	3	b		,,	29.77	756.1	73	0	SE	1	f	
Cape St. James,	,,	29.81	757.1	88	8	S	1	bc		,,	...	...	...	...	...	...	...	
Basco,	14	29.83	757.6	83	8	N	4	b		6	...	...	...	...	...	...	...	
Aparri,	,,	29.82	757.3	86	6	NNE	4	o		,,	29.85	758.2	77	6	S	2	o	
Tuguegarao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.76	756.0	88	8	NNW	4	b		,,	...	...	...	...	...	...	...	
Manila,	,,	29.78	756.3	91	8	W	2	bc		,,	29.86	758.5	72	8	...	0	b	
Legaspi,	,,	29.79	756.6	91	8	ENE	4	bc		,,	29.84	758.0	79	6	NE	2	b	
Calboyog,	,,	29.81	757.2	85	8	SW	2	bc		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.80	757.0	86	8	S	4	bc		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.74	755.4	91	8	E	4	o		,,	...	...	...	...	...	...	...	
Cebu,	,,	29.78	756.3	85	8	ENE	4	o		,,	..	...	...	..	...	...	...	
Surigao,	...	29.78	756.3	86	8	ENE	4	bc		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.87	758.7	77	...	E	3	bc	
Guam,	12.22	29.83	757.7	...	6	ESE	4	o		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.80	756.8	...	6	ENE	4	bc		5	29.82	757.4	...	6	NE	4	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	29.82	757.4	76	...	ENE	2	c	
Labuan,	14	29.94	760.6	81	6	N	6	bc		6	29.90	759.4	74	1	...	...	bc	

April 9*d.* 10*h.* 20*m.*—The anticyclone has increased slightly in intensity; and is moving eastward across S. Japan; the depression remains over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.87 inches, against an average of 7.45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. winds, light; fair.
B.—Turnabout to Hong Kong,	E. winds, moderate; cloudy, fog, mist, or light rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. and S.E. winds, moderate; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th April, 1932.									10th April, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Windivostock,	12	29.74	755.3	41	...	SW	3	c		6	30.09	764.2	34	...	NW	1	b	
Nemuro,	11	29.94	760.5	...	...	NNE	2	...		5	29.65	753.0	..	...	NNW	1	...	
Hokodate,	,,	29.98	761.5	...	...	...	0	...		,,	29.75	755.5	...	...	W	3	...	
Tokio,	,,	30.08	764.0	...	...	S	3	...		,,	29.88	759.0	..	...	SSW	1	...	
Kochi,	,,	30.14	765.5	...	...	S	1	...		,,	30.06	763.5	...	...	...	0	...	
Nagasaki,	,,	30.12	765.0	...	...	WSW	1	...		,,	30.14	765.5	...	...	...	0	...	
Kagoshima,	,,	30.10	764 5	...	...	...	0	...		,,	30.08	764.0	...	...	...	...	...	
Oshima,	,,	30.06	763.5	...	...	S	1	...		,,	30.04	763.0	...	...	...	0	...	
Naha,	,,	30.00	762.0	...	...	E	3	...		,,	29.94	760.5	...	...	NE	2	...	
Ishigakijima,	,,	29.98	761.5	...	...	E	2	...		,,	29.88	759.0	...	...	...	0	...	
Bonin Island,	,,	30.10	764.5	...	...	...	0	...		,,	30.02	762.5	...	...	...	0	...	
Chefoo,	15	30.13	765.3	50	6	ENE	2	b		6	30.23	767.8	41	6	E	2	o	
Shanghai,	14	30.00	761.9	65	6	SE	2	o		,,	...	...	...	...	...	...	...	
Gutziaff,	,,	30.06	763.5	56	6	SE	4	bc		,,	...	...	...	...	...	...	...	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.90	759.4	60	6	...	0	o		7	29.99	761.7	58	6	...	0	r	
Amoy,	,,	29.97	761.2	63	6	SSE	2	o		6	29.89	759.2	61	4	SE	2	o	
Swatow,	,,	29.95	760.8	65	...	ENE	3	o		,,	30.01	762.3	65	...	NE	1	r	
Taihoku,	11	29.96	761.0	68	...	...	0	r		5	29.92	760.0	67	...	...	0	o	
Taichu,	,,	29.97	761.2	76	...	NNW	4	o		,,	29.93	760.3	70	...	...	0	o	
Tainan,	,,	29.92	760.0	83	...	N	2	b		,,	29.89	759.3	72	...	...	0	o	
Koshun,	,,	29.91	759 7	88	...	S	2	bc		,,	29.89	759 1	70	...	...	0	bc	
Pescadores,	,,	29.94	760.5	76	...	ENE	4	o		,,	29.91	759.6	70	...	NNE	2	o	
Hong Kong,	14	29.83	757.7	70	6	E	4	cm		6	29.89	759.2	67	5	E	4	cm	
Gap Rock,	,,	29.84	757.9	76	7	SE	3	c		,,	29.89	759.2	75	7	ENE	4	o	
Macao,	,,	29.80	757.0	74	4	SE	2	o		,,	29.84	757.8	68	4	SE	4	o	
Hoihow,	,,	29.78	756.4	77	...	S	2	b		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.84	757.9	85	8	SE	2	b		6	29.90	759.5	74	8	...	0	b	
Phulien,	15	29.71	754.6	74	1	SSE	4	d		7	29.78	756.3	72	0	ESE	5	df	
Tourane,	,,	29.71	754.6	81	8	S	2	b		,,	29.78	756.4	73	3	E	1	f	
Cape St. James,	,,	29.82	757.3	91	8	SSE	2	bc		,,	29.88	759.0	77	7	ESE	1	c	
Basco,	14	29.83	757 7	85	8	SE	4	bc		6	...	..	...	...	...	...	...	
Aparri,	,,	29.79	756.6	88	6	ENE	4	b		,,	29.85	758.2	76	6	S	2	b	
Tuguegarao,	,,	29.75	755.6	98	8	...	0	bc		,,	29.82	757.3	72	4	...	0	bc	
Vigan,	,,	29.79	756.7	86	8	WSW	4	bc		,,	29.84	758.0	79	8	...	0	b	
Manila,	,,	29.79	756.6	94	8	SE	4	h		,,	29.88	758.8	72	6	...	0	b	
Legaspi,	,,	29.80	757.0	91	8	NE	4	b		,,	29.84	757.9	79	6	...	0	b	
Calboyog,	,,	29.78	756.4	91	8	NNE	2	bc		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.79	756.6	86	8	E	4	o		,,	29.86	758.4	76	6	...	0	o	
Iloilo,	,,	...	...	...	...	...	...	...		,,	29.81	757.2	77	6	NE	4	o	
Cebu,	,,	29.76	756.0	88	8	NE	4	o		,,	29.82	757.4	76	8	NE	2	bc	
Surigao,	...	29.78	756.3	83	6	ENE	4	o		,,	29.83	757.7	76	4	...	0	r	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.86	758.4	76	...	E	3	bc	
Guam,	12.22	29.78	756.4	...	6	E	4	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.78	756.5	...	6	NE	4	bc		5	29.83	757.6	...	6	ENE	4	bc	
Pelew,	,,	...	...	..	...	...	...	...		,,	29.81	757.1	78	...	NE	2	bc	
Labuan,	14	29.98	761.4	85	4	N	4	bc		6	...	...	...	...	...	...	...	

April 10*d.* 10*h.* 15*m.*— A moderate anticyclone has developed to the north of Shantung; the depression remains over Indo-China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.87 inches, against an average of 7.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	E. winds, fresh; cloudy, fog, mist, or light rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. winds, fresh; cloudy, local rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	11th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.07	763.8	37	...	NW	3	o	6	30.15	765.9	37	...	...	o	b
Nemuro,	11	29.63	752.5	...	...	NNE	1	...	5	30.06	763.5	..	...	...	o	...
Hakodate,	,,	29.90	759.5	...	...	WNW	3	...	,,	30.16	766.0	...	...	WNW	2	...
Tokio,	,,	29.90	759.5	...	...	NW	3	...	,,	30.28	769.0	..	...	NNW	2	...
Kochi,	,,	30.00	762.0	...	...	ESE	1	...	,,	30.16	766.0	...	...	SW	1	...
Nagasaki,	,,	30.10	764.5	...	...	ENE	1	...	,,	30.12	765.0	...	...	E	1	...
Kagoshima,	,,	30.06	763.5	...	...	SSE	1	...	,,	30.10	764.5	...	...	...	o	...
Oshima,	,,	30.04	763.0	...	...	...	o	...	,,	30.00	762.0	...	...	SE	1	...
Naha,	,,	29.96	761.0	...	...	NE	4	....	,,	29.92	760.0	...	...	E	2	...
Ishigakijima,	,,	29.92	760.0	...	...	NW	2	...	,,	29.90	759.5	...	...	...	o	...
Bonin Island,	,,	29.94	760.5	...	...	NNE	1	...	,,	30.00	762.0	...	...	...	...	...
Chefoo,	15	30.25	768.3	47	8	ENE	2	c	6	30.17	766.4	45	6	ESE	2	o
Shanghai,	14	30.07	763.9	63	6	E	4	o	,,	29.99	761.6	54	4	E	2	r
Gutzlaff,	,,	30.13	765.3	56	6	E	4	o	,,	30.03	762.7	54	1	ENE	4	d
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.92	759.9	62	8	...	o	o	7	29.89	759.2	62	8	...	o	b
Amoy,	,,	29.96	761.0	63	4	ENE	2	o	6	29.94	760.5	61	4	SE	2	f
Swatow,	,,	29.94	760.5	69	...	E	3	o	..	..	..	...	...	..	...	...
Tailoku,	11	29.97	761.2	68	...	...	o	o	5	29.89	759.1	65	...	...	o	b
Taichu,	,,	29.97	761.2	77	...	...	o	o	,,	29.88	759.0	67	...	...	o	o
Tainan,	,,	29.93	760.3	83	...	NNW	2	bc	,,	29.88	758.8	68	...	NE	2	o
Koshun,	,,	29.90	759.5	86	...	NNW	2	b	,,	29.88	758.8	72	...	...	o	b
Pescadores,	,,	29.94	760.6	76	...	NE	4	o	,,	29.89	759.1	68	...	ENE	2	o
Hong Kong,	14	29.84	758.0	70	2	E	3	odf	6	29.87	758.7	69	3	E	4	odf
Gap Rock,	,,	29.85	758.2	76	7	ESE	3	o	,,	29.87	758.7	76	7	ESE	3	o
Macao,	,,	29.83	757.6	72	4	SE	2	o	,,	29.79	756.6	70	4	SE	2	o
Hoihow,	,,	29.80	757.0	91	...	...	...	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	83	8	ESE	2	b	6	29.90	759.4	76	8	E	2	bc
Phulien,	15	29.72	754.8	73	6	SE	4	o	7	29.77	756.2	72	o	SE	4	df
Tourane,	,,	29.72	755.0	82	7	E	2	b	,,	29.78	756.5	73	o	ESE	1	f
Cape St. James,	,,	29.82	757.4	91	7	WNW	2	bc	,,	29.88	758.9	77	7	S	1	c
Basco,	14	29.81	757.1	86	8	S	2	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.79	756.7	91	6	SE	2	b	,,	29.86	758.4	76	6	...	o	bc
Tuguegurao,	,,	29.72	755.0	98	8	...	o	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.81	757.1	86	8	NW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.80	756.9	94	8	W	4	b	,,	29.88	759.0	72	6	...	o	b
Legaspi,	,,	29.80	756.8	91	8	NE	2	b	,,	29.86	758.5	79	6	...	o	b
Calboyog,	,,	29.79	756.7	83	8	SSW	4	d	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.84	758.0	88	8	S	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	29.79	756.6	86	8	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.78	756.5	81	8	SE	2	o	,,	..	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	755.9	...	6	NE	4	bc	5	29.85	758.2	...	6	...	o	b
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.98	761.4	85	4	W	4	bc	6	29.90	759.4	74	1	SE	...	bc

April 11*d.* 10*h.* 14*m.*—The anticyclone is moving eastwards and is now central near Tokio; the depression remains over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 4.87 inches, against an average of 7.78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
A.—Shanghai to Turnabout,	E. winds, moderate; cloudy, fog, mist, or light rain.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. and S.E. winds; cloudy, local rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th April, 1932.								12th April, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.07	763.7	41	...	SE	3	b	6	29.81	757.1	37	...	SE	3	o
Nemuro,	11	30.08	764.0	...	...	SSW	1	...	5	30.18	766.5	..	...	W	1	...
Hokodate,	,,	30.20	767.0	...	...	WNW	4	...	,,	30.08	764.0	...	...	WSW	1	...
Tokio,	,,	30.28	769.0	...	...	SSE	1	...	,,	30.14	765.5	.	...	NNW	1	...
Kochi,	,,	...	...	...	...	...	...	...	,,	29.84	758.0	...	...	...	...	...
Nagasaki,	,,	30.10	764.5	...	...	ESE	1	...	,,	29.67	753.5	...	...	N	1	...
Kagoshima,	,,	30.08	764.0	...	...	NE	1	...	,,	29.63	752.5	...	...	NE	1	...
Oshima,	,,	30.00	762.0	...	...	SSE	1	...	,,	29.73	755.0	...	...	SSW	1	...
Naha,	,,	29.90	759.5	...	...	SE	2	...	,,	29.78	756.5	...	...	SSW	3	...
Ishigakijima,	,,	29.90	759.5	...	...	SSW	1	...	,,	29.82	757.5	...	...	SSE	1	...
Bonin Island,	,,	30.04	763.0	...	...	...	0	...	,,	29.98	761.5	...	...	...	0	...
Chefoo,	15	30.08	764 0	52	6	SE	2	o	6	29.80	757.0	45	4	WSW	2	bc
Shanghai,	14	29.88	759.0	58	4	ESE	2	d	,,	29.81	757.2	50	4	NNW	4	o
Gutzlaff,	,,	29.89	759.2	54	1	ESE	6	f	,,	30.08	764.0	49	4	N	6	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.83	757.7	66	6	SE	2	bc	7	29.93	760.2	65	6	...	0	r
Amoy,	,,	29.91	759.7	70	6	SE	2	e	6	29.87	758.7	68	4	NNE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	29 97	761.3	72	...	SW	1	e
Taihoku,	11	29.93	760.2	74	...	WSW	2	o	5	29.83	757.6	70	...	...	0	o
Taichu,	,,	29.98	761.5	72	...	...	0	o	,,	29.91	759.8	70	...	...	0	o
Tainan,	,,	29 96	761.0	76	...	NW	2	o	,,	29.90	759.4	68	...	ESE	2	bc
Koshun,	,,	29.93	760.1	83	...	NW	2	e	,,	29.85	758.2	74	...	NNW	4	b
Pescadores,	,,	29 96	761.0	72	...	...	0	o	,,	29.58	758.9	74	...	SSW	2	o
Hong Kong,	14	29.88	758.9	72	5	E	4	o	6	29.89	759.2	73	4		0	of
Gap Rock,	,,	29.89	759.2	76	7	E	3	o	,,	29.91	759.7	77	4	E	2	of
Macao,	,,	29.84	758.0	74	4	SE	4	o	,,	29.88	758.9	68	4	NNW	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.7	86	8	ESE	2	bc	6	29.92	760.0	76	6	...	0	c
Phulien,	15	29.76	755 7	73	4	SE	4	f	7	29.89	759.1	73	3	ESE	2	o
Tourane,	,,	29.76	756.0	81	6	SE	3	bc	,,	29.83	757.6	75	5	...	0	bc
Cape St. James,	,,	29.86	758.4	90	8	S	2	bc	,,	29.91	759.8	77	8	S	1	bc
Basco,	14	29.84	758.0	86	8	SE	2	b	6	29.88	759.0	74	6	...	0	b
Aparri,	,,	29.83	757.6	88	6	ENE	4	b	,,	29.89	759.3	77	6	N	2	o
Tuguegarao,	,,	29.78	756.3	98	8	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.84	757.9	88	8	WSW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.83	757.7	91	8	WSW	2	b	,,	29.91	759.6	76	8	...	0	b
Legaspi,	,,	29.83	757.8	91	8	NE	4	b	,,	29.88	758.9	77	6	...	0	b
Calbayog,	,,	29.85	758.2	83	8	SW	4	bc	,,	...	...	..	...	...	...	...
Tacloban,	,,	29.85	758.2	88	8	S	4	bc	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	94	8	E	4	b	,,	29.86	758.3	76	6	NE	2	o
Cebu,	,,	29.83	757 6	88	8	NE	4	bc	,,	...	...	...	...	...	...	...
Surigao,	...	29.83	757.7	86	8	N	2	b	,,	29.88	758.8	74	6	...	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	..	...	...	...	...	...
Guam,	12.22	29.82	757.4	...	6	E	4	bc	4.22	29.87	758.6	...	6	E	2	b
Yap,	11.00	29.82	757.4	...	6	NE	4	bc	5	29.85	758.2	...	6	NE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	85	4	SW	6	bc	6	29.90	759.4	63	...	...	...	o

April 12*d.* 11*h.* 05*m*.—The anticyclone has passed into the Pacific to the east of Tokio. The depression has moved into the Eastern Sea to the north of Oshima; the Tongking depression has filled up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 4.89 inches, against an average of 7.95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13th.

District.	Forecast.
A.—Shanghai to Turnabout, ...	None.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	E. winds, moderate; cloudy, fog or light rain, probably improving.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFREYS, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	13th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.74	755.3	41	...	SE	3	o	6	29.80	757.0	36	...	...	o	b
Nemuro,	11	30.10	764.5	...	...	SW	3	...	5	29.43	747.5		...	NNW	4	...
Hokodate,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.43	747.5	...	...	NNW	3	...
Tokio,	,,	29.92	760.0	...	...	NNW	1	...	,,	29.57	751.0		...	WNW	3	...
Kochi,	,,	29.49	749.0	...	...	SE	1	...	,,	29.86	758.5	...	...	WNW	1	...
Nagasaki,	,,	29.69	754.0	...	...	N	2	...	,,	30.00	762.0	...	..	...	o	...
Kagoshima,	,,	29.61	752.0	...	...	...	o	...	,,	30.00	762.0	...	...	...	o	...
Oshima,	,,	29.74	755 5	...	...	SW	1	...	,,	29.98	761.5	...	...	N	1	...
Naha,	,,	29 88	759.0	...	...	NW	3	...	,,	29.98	761.5	...	...	NE	1	...
Ishigakijima,	,,	29.90	759 5	...	...	N	2	...	,,	29.96	761.0	...	...	NE	1	...
Penin Island,	,,	29.92	760.0	...	...	SE	1	...	,,	29.82	757.5	...	...	SSW	1	...
Chefoo,	15	29.92	760.0	50	8	NW	2	b	6	29.98	761.5	43	4	SE	2	z
Shanghai,	14	30.09	764.4	63	6	NNW	2	bc	,,	30.03	762.7	50	4	SSE	2	bc
Gutzlaff,	,,	30 14	765.6	59	6	NNW	4	bc	,,	30.09	764.3	52	6	SSW	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.04	763.0	64	8	E	2	o	7	30.01	762.2	60	8	NE	2	o
Amoy,	,,	29.95	760.7	72	6	E	4	o	6	30.01	762.2	61	6	ENE	2	r
Swatow,	,,	29.94	760.5	77	...	W	3	c	,,	29.99	761.7	63	...	NE	3	o
Taihoku,	11	29 98	761.6	65	...	E	4	r	5	29.95	760.7	63	...	E	4	o
Taichu,	,,	30.00	762.0	72	...	...	o	r	,,	29.91	759 8	65	...	...	o	o
Tainan,	,,	29.95	760.8	79	...	...	o	c	,,	29.90	759.5	65	...	N	2	o
Koshun,	,,	29 90	759.5	85	...	NNW	4	b	,,	29.91	759.8	70	...	ENE	4	o
Pescadores,	,,	29.94	760.6	77	...	SW	2	o	,,	29.92	760.0	67	...	NE	4	r
Hong Kong,	14	29.90	759.4	73	4	W	2	of	6	29.90	759.4	66	4	E	5	orm
Gap Rock,	,,	29.89	759.2	75	8	NNW	4	o	,,	29.89	759.2	75	7	ENE	4	o
Macao,	,,	29.85	758.2	72	4	N	2	o	,,	29.93	760.3	68	4	SE	2	d
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.92	760.0	83	8	...	o	b	6	29.89	759.3	74	8	SSE	2	b
Phulien,	15	29.88	758.9	68	1	SSE	4	lf	7	29.82	757.3	64	...	ESE	3	f
Tourane,	,,	29.80	757.0	76	8	WNW	4	c	,,	29.89	759.1	73	4	...	o	c
Cape St. James,	,,	29.91	759.7	91	8	S	4	bc	,,	29.94	760.4	77	8	SE	2	bc
Basco,	14	29.87	758.8	83	8	SSE	4	c	6	...	...	...	..	...	...	...
Aparri,	,,	29.87	758.6	88	6	N	4	b	,,	29.90	759.5	77	6	...	o	c
Tuguegarao,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.87	758.6	88	8	NW	4	h	,,	...	...	...	...	...	...	...
Manila,	,,	29.85	758.3	94	8	W	4	h	,,	29.89	759.3	76	4	...	o	b
Legaspi,	,,	29.84	758.0	91	8	ENE	2	bc	,,	29.88	758.8	79	6	...	o	b
Caiboyog,	,,	29.85	758.3	88	8	SW	4	h	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.85	758.2	91	8	SE	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	29.83	757.7	94	8	ENE	4	h	,,	...	...	...	...	...	...	...
Surigno,	...	29.85	758.2	86	8	N	2	b	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.77	756.1	...	6	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	6	ENE	4	c	5	29.86	758.4	...	6	NE	2	r
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	85	6	N	...	c	6	29.90	759.4	70	...	...	...	bc

April 13*d.* 10*h.* 20*m.*—The anticyclone has weakened and moved into the Eastern Sea; the depression has passed into the Pacific to the east of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.42 inch. Total since January 1st, 5.31 inches, against an average of 8.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S. winds, moderate; fair.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; cloudy, rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. winds, moderate; cloudy.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	14th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.74	755.5	50	...	SE	1	b	6	29.84	757.9	37	...	...	0	o
Nemuro,	11	29.15	740.5	...	...	NE	4	...	5	29.61	752.0	...	...	NNW	6	...
Hakodate,	,,	29.43	748.0	...	...	WNW	5	...	,,	29.86	758.5	...	...	W	2	...
Tokio,	,,	29.65	753.0	...	...	N	2	...	,,	30.00	762.0	...	...	N	2	...
Kochi,	,,	29.90	759.5	...	...	W	1	...	,,	30.02	762.5	...	...	W	1	...
Nagasaki,	,,	30.02	762.5	...	...	SW	2	...	,,	29.96	761.0	...	...	...	0	...
Kagoshima,	,,	30.00	762.0	...	...	W	1	...	,,	29.96	761.0	...	...	...	0	...
Oshima,	,,	29.98	761.5	...	...	N	1	...	,,	29.90	759.5	...	...	S	1	...
Naha,	,,	29.98	761.5	...	...	ENE	1	...	,,	29.86	758.5	...	...	...	0	...
Ishigakijima,	,,	29.96	761.0	...	...	E	2	...	,,	29.78	756.5	...	...	ESE	3	...
Ponin Island,	,,	29.88	759.0	...	...	...	0	...	,,	29.96	761.0	...	...	W	1	...
Chefoo,	15	29.94	760.6	54	8	NE	2	b	6	29.73	755.0	52	6	SSW	6	o
Shanghai,	14	30.01	762.3	61	6	S	2	o	,,	29.90	759.4	50	4	SSE	2	b
Gutzlaff,	,,	30.16	766.1	54	6	...	0	o	,,	29.95	760.7	52	6	SSE	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.96	761.0	58	4	NNW	2	r	7	29.86	758.4	58	6	E	2	o
Amoy,	,,	29.95	760.7	63	4	NE	2	r	6	29.86	758.4	61	6	W	2	o
Swatow,	,,	29.94	760.6	61	...	NE	1	or	,,	30.01	762.1	61	...	NNE	1	o
Taihoku,	11	29.90	759.4	65	...	E	4	r	5	29.70	756.6	65	...	...	0	r
Taichu,	,,	29.94	760.6	65	...	...	0	o	,,	29.83	757.6	67	...	...	0	r
Tainan,	,,	29.91	759.8	74	...	...	0	o	,,	29.78	756.4	72	...	NE	2	o
Koshun,	,,	29.91	759.7	74	...	E	4	o	,,	29.76	755.9	76	...	WSW	2	o
Pescadores,	,,	30.04	763.1	68	...	NNE	4	r	,,	29.80	757.0	67	...	NNE	4	o
Hong Kong,	14	29.79	756.6	67	5	E	4	ort	6	29.82	757.5	66	4	E	2	omd
Gap Rock,	,,	29.80	756.9	76	7	WSW	4	or	,,	29.83	757.7	74	7	ENE	4	o
Macao,	,,	29.87	758.8	68	4	SSE	2	d	,,	29.88	758.8	65	1	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.85	758.2	83	8	SSE	4	c	6	29.79	756.7	74	6	SSW	2	r
Phulien,	15	29.78	756.4	68	6	SSE	4	o	7	29.82	757.3	68	1	ENE	3	o
Tourane,	,,	29.83	757.6	81	8	...	0	o	,,	29.78	756.3	72	5	...	0	c
Cape St. James,	,,	29.87	758.8	91	8	SSE	2	bc	,,	29.87	758.6	77	8	SE	1	bc
Basco,	14	29.81	757.2	81	8	SE	4	b	6	29.78	756.5	74	6	...	0	bc
Aparri,	,,	29.78	756.5	86	6	NE	4	b	,,	29.83	757.6	74	6	...	0	b
Tuguegarao,	,,	29.74	755.5	98	8	...	0	bc	,,	29.82	757.4	76	4	...	0	bc
Vigan,	,,	29.81	757.1	88	8	WSW	4	b	,,	29.80	757.0	76	8	NE	2	bc
Manila,	,,	29.79	756.7	94	8	WSW	2	b	,,	29.84	758.0	76	4	...	0	b
Legaspi,	,,	29.81	757.1	91	8	NE	4	b	,,	29.83	757.7	74	6	...	0	b
Calbayog,	,,	29.87	758.6	77	8	N	2	o	,,	29.85	758.2	72	8	NNE	2	b
Tacloban,	,,	29.85	758.2	83	8	NW	4	bc	,,	29.85	758.2	77	6	NW	2	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	76	6	NE	2	o
Cebu,	,,	29.80	757.0	91	8	ENE	2	bo	,,	29.84	757.8	77	8	NNE	2	bc
Surigao,	...	29.82	757.4	91	8	E	2	b	,,	29.83	757.7	74	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	NE	4	bc	4.22	29.79	756.7	...	6	...	0	b
Yap,	11.00	29.80	756.8	...	6	ENE	4	bc	5	29.83	757.7	...	6	...	0	bc
Peiew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	6	ESE	4	bc	6	29.90	759.4	74	1	S	6	bc

April 14*d*. 11*h*. 10*m*.—The anticyclone is central to the south-east of Tokio: another may be developing over N. China. A depression is moving eastward across South Manchuria, and the trough of low pressure extends from Tongking across S. Formosa to the Pacific.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.43 inch. Total since January 1st, 5.74 inches, against an average of 8.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S. winds, light, probably freshening from N.E.; fair.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; cloudy generally.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. winds, moderate; cloudy, local rain.

C. W. JEFFREES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	15th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.82	757.4	43	...	SE	3	o	6	29.75	755.6	41	...	SE	5	o
Nemuro,	11	29.72	755.0	...	...	NNW	4	...	5	30.12	765.0		...	...	o	...
Hokodate,	,,	29 88	759.0	...	...	W	4	...	,,	30.00	762.0	...	...	N	1	...
Tokio,	,,	30.14	765.5	...	...	ESE	1	...	,,	29.96	761.0		...	NNW	1	...
Kochi,	,,	30.00	762 0	...	...	SW	1	...	,,	29.78	756.5	...	...	W	1	...
Nagasaki,	,,	29.92	760.0	...	...	...	o	...	,,	29.76	756.0	...	...	WNW	3	...
Kagoshima,	,,	29.92	760.0	...	...	ESE	1	...	,,	29.76	756.0	...	...	...	o	...
Oshima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.78	756.5	...	...	N	2	...
Naha,	,,	29.80	757.0	...	...	ESE	1	...	,,	29.82	757.5	...	...	N	4	...
Ishigakijima,	,,	29.72	755.0	...	...	E	1	...	,,	29.84	758.0	...	...	N	2	...
Ironin Island,	,,	29.96	761.0	...	...	...	o	...	,,	30.26	768 5	...	...	...	o	...
Chefoo,	15	29.66	753.3	59	6	SE	4	bc	6	29.88	759.0	41	6	W	2	bc
Shanghai,	14	29.83	757.8	72	6	WSW	2	bc	,,	29.99	761.6	52	4	WNW	2	z
Gutzlaff,	,,	29 90	759.4	61	6	...	o	bc	,,	30.02	762.5	54	4	NW	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.83	757.7	62	8	F	2	bc	7	29.99	761.7	60	8	...	o	c
Amoy,	,,	29.75	755 6	67	6	SSE	4	c	6	29.90	759 4	63	4	WNW	2	o
Swatow,	,,	29.85	758.3	70	...	E	3	o	,,	29.93	760.3	65	...	NNE	2	o
Tailokin,	11	29.82	757.4	68	...	NW	2	o	5	29.89	759.3	65	...	ESE	2	o
Tuichu,	,,	29.84	758.0	70	...	...	o	o	,,	29.88	758.8	65	..	...	o	o
Tainan,	,,	29.83	757.6	68	...	NNE	4	o	,,	29.84	757.9	67	...	NNE	2	o
Koshun,	,,	29.79	756.7	74	...	WNW	2	t	,,	29.83	757 6	72	...	NE	2	o
Pescadores,	,,	29.84	758.0	68	...	NE	4	o	,,	29.84	757.9	70	...	NNE	2	o
Hong Kong,	14	29.81	757.2	70	6	W	1	o	6	29.86	758.4	68	7	...	o	o
Gap Rock,	,,	29.83	757.7	74	8	ENE	4	o	,,	29.85	758.2	73	8	NE	3	o
Macao,	,,	29.80	757.0	68	4	N	2	o	,,	29.83	757.6	67	4	NNE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Pratas Island,	,,	29.81	757.1	79	6	...	o	r	6	29.82	757.4	74	8	ENE	2	o
Phulien,	15	29.83	757.6	70	7	S	1	o	7	29.87	758.7	66	o	SW	2	o
Tourane,	,,	29.79	756.6	84	5	N	4	o	,,	29.84	758.0	72	2	N	1	ltr
Cape St. James,	,,	29.80	756.8	90	8	S	2	bc	6	29.85	758.2	79	8	SW	2	r
Basco,	14	29.76	756.0	85	8	W	4	bc	6	29.82	757.3	76	6	NE	2	o
Aparri,	,,	29.76	755.8	88	6	NNW	4	b	,,	29.81	757.2	74	6	...	o	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	74	4	...	o	bc
Vigan,	,,	...	...	..	...	...	...	...	,,	29.81	757.2	74	8	NE	2	b
Manila,	,,	29.78	756.3	91	6	WSW	4	b	,,	29.84	758.0	74	6	...	o	b
Legaspi,	,,	29.77	756.1	91	8	ENE	2	b	,,	29.83	757.6	72	6	...	o	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.84	758.0	72	8	N	2	b
Tacloban,	,,	...	..	...	...	...	...	...	,,	29.84	758.0	77	8	SW	2	c
Dollo,	,,	...	...	...	...	...	...	...	,,	29.82	757.3	76	6	...	o	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.83	757.6	79	8	...	o	bc
Surigao,	...	29.78	756.5	85	8	NE	4	o	,,	29.81	757.1	76	6	...	o	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	6	E	4	b	4.22	29.82	757.3	...	6	E	2	b
Yap,	11.00	29.78	756.3	...	6	NNE	2	b	5	29.84	758.0	...	6	NNE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	86	6	SE	4	bc	6	29.90	759.4	76	1	SE	4	bc

April 15*d.* 10*h.* 58*m.*— A feeble anticyclone has developed over N. China; an elongated depression is central over Korea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inch. Total since January 1st, 5.81 inches, against an average of 8.47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate; fair.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th April, 1932.								16th April, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.74	755.3	39	...	N	3	o	6	29.74	755.3	32	...	NE	3	c
Newmro,	11	30.16	766.0	...	...	S	2	...	5	30.10	764.5	..	...	SE	4	...
Hokodate,	,,	29.94	760.5	...	...	ESE	4	...	,,	29.80	757.0	...	...	E	3	...
Tokio,	,,	29.86	758.5	...	...	N	1	...	,,	29.71	754.5	.	...	...	...	...
Kochi,	,,	29.69	754.0	...	...	...	0	...	,,	29.94	760.5	...	...	...	...	...
Nagasaki,	,,	29.80	757.0	...	...	NW	4	...	,,	30.06	763.5	...	..	...	...	...
Kagoshima,	,,	29.80	757.0	...	...	NW	2	...	,,	30.04	763.0	...	...	WNW	1	...
Oshima,	,,	29.86	758.5	...	...	N	2	...	,,	30.02	762.5	...	...	NNW	1	...
Naha,	,,	29.94	760.5	...	...	NNW	4	...	,,	30.04	763.0	...	...	NE	1	...
Ishigakijima,	,,	29.98	761.5	...	...	NNE	2	...	,,	30.04	763.0	...	...	E	1	...
Bonin Island,	,,	29.76	756.0	...	...	SW	4	...	,,	29.92	760.0	...	...	...	0	...
Chefoo,	15	29.91	759.6	54	8	...	0	b	6	29.91	759.8	54	6	S	6	bc
Shanghai,	14	30.03	762 8	70	6	SSW	2	z	,,	30.09	764.2	54	4	SE	2	o
Gutzlaff,	,,	30.06	763 5	65	4	...	0	m	,,	30.15	765.8	54	4	S	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.98	761.5	64	4	E	2	o	7	30.07	763.8	62	4	NNE	2	d
Amoy,	,,	29.95	760.7	70	6	ENE	4	c	6	30.01	762.2	61	4	N	2	r
Swatow,	,,	29.97	761.3	68	...	E	3	c	,,	30.07	763.7	57	...	NE	1	r
Taihoku,	11	29.97	761.3	72	...	E	4	o	5	29.99	761.9	59	...	E	4	r
Taichu,	,,	29.93	760.1	70	...	...	0	o	,,	29.96	760.9	65	...	...	0	r
Tainan,	,,	29 89	759.3	72	...	...	0	o	,,	29.92	760.0	63	...	N	2	o
Koshun,	,,	29.89	759.3	74	...	ENE	4	o	,,	29.91	759.7	67	...	ENE	6	o
Pescadores,	,,	29.91	759.6	72	...	NNE	6	o	,,	29.93	760.1	67	...	N	4	r
Hong Kong,	14	29.87	758.7	71	7	E	3	o	6	29.91	759.7	63	6	ENE	6	or
Gap Rock,	,,	29.87	758.7	73	7	ENE	3	od	,,	29.89	759.2	72	7	ENE	5	o
Macao,	,,	29.84	758.0	68	4	NE	2	o	,,	29.89	759.3	63	4	NE	2	d
Hoilow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.8	72	8	ENE	4	o	6	29.85	758.2	76	8	ESE	4	o
Phulien,	15	29.83	758.2	66	6	NNE	2	r	7	29.88	759.0	64	1	NE	2	rf
Tourane,	,,	29.75	755.7	75	8	N	4	c	,,	29.84	758.0	72	6	NNW	1	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	77	8	S	2	c
Basco,	14	29.86	758.5	72	4	NNE	4	o	6	29.91	759.6	72	6	...	0	o
Aparri,	,,	29.79	756.7	83	4	NNE	4	o	,,	29.88	758.8	74	6	NW	2	bc
Tuguegarao,	,,	...	...	98	8	...	c	bc	,,	29.88	758.8	68	1	...	0	o
Vigan,	,,	29.80	757.0	86	8	W	4	b	,,	29.86	758.4	72	8	W	2	b
Manila,	,,	29.79	756.7	91	8	W	2	b	,,	29.89	759.1	76	6	...	0	b
Legnapi,	,,	29.78	756.5	91	8	ENE	2	b	,,	29.87	758.6	77	6	...	0	b
Calbayog,	,,	29.79	756.7	88	8	SW	4	b	,,	29.89	759.1	74	8	NNE	2	b
Tacloban,	,,	29.80	757.0	88	8	S	4	...	,,	29.89	759.1	77	8	N	2	b
Iloilo,	,,	29.74	755.4	94	8	E	4	bc	,,	29.84	758.0	76	6	NE	2	o
Cebu,	,,	29.78	756.5	88	8	W	4	bc	,,	29.87	758.6	...	...	...	0	b
Surigao,	...	29.79	756.7	86	8	N	2	b	,,	29.88	758.8	72	6	...	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	6	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	757.0	...	6	NE	2	bc	5	29.89	759.1	...	6	NNE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	6	NE	6	bc	6	29.90	759.4	76	1	S	6	bc

April 16*d*. 10*h*. 4c*m*.—The anticyclone and depression have moved eastward, the former being central over the Eastern Sea, and the latter near Tokio. Another depression is approaching Shantung from the westward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inch. Total since January 1st, 6.01 inches, against an average of 8.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. to S.W. winds, moderate; cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; cloudy, rainy, probably improving.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. winds, fresh to moderate; cloudy.

C. W. JEFFREYS, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th April, 1932.								17th April, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Barometer. at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.05	763.2	43	...	N	5	b	6	30.24	768.1	36	...	...	0	o
Nemuro,	11	30.00	762.0	...	...	ESE	4	...	5	29.92	760.0	...	...	E	4	...
Hakodate,	,,	29.74	755.5	...	...	NNW	3	...	,,	29.98	761.5	...	...	W	3	...
Tokio,	,,	29.76	756.0	...	...	NW	2	...	,,	30.10	764.5	..	...	NW	2	...
Kochi,	,,	30.02	762.5	...	...	NNW	1	...	,,	30.20	767.0	...	...	WSW	1	...
Nagasaki,	,,	30.14	765.5	...	...	N	2	...	,,	30.20	767.0	...	...	E	1	...
Kagoshima,	,,	30.10	764.5	...	...	N	1	...	,,	30.20	767.0	...	...	...	0	...
Oshima,	,,	30.10	764.5	...	...	N	2	...	,,	30.14	765.5	...	...	S	1	...
Naha,	,,	30.12	765.0	...	...	NE	1	...	,,	30.12	765.0	...	...	...	0	...
Ishigakijima,	,,	30.08	764.0	...	...	ENE	2	...	,,	30.04	763.0	...	...	E	2	...
Ponin Island,	,,	29.98	761.5	...	...	NW	1	...	,,	30.08	764.0	...	...	...	...	...
Chefoo,	15	29.88	759.0	72	6	S	6	c	6	29.84	757.9	54	6	S	8	o
Shanghai,	14	30.07	763.8	67	6	SSE	4	bc	,,	30.01	762.3	54	6	SSE	4	b
Gutzluff,	,,	30.14	765.5	58	4	SSE	4	m	,,	30.08	764.0	54	6	SSE	6	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.09	764.3	62	6	NE	2	r	7	30.01	762.3	58	4	NNW	2	r
Amoy,	,,	30.08	764.0	61	6	ENE	4	r	6	30.06	763.5	61	4	N	2	r
Swatow,	,,	30.08	764.0	59	...	N	2	or	,,	30.02	762.5	59	...	NE	1	r
Taihoku,	11	30.05	763.2	61	...	E	4	r	5	29.96	760.9	63	...	...	0	r
Taichu,	,,	30.03	762.7	65	...	...	0	r	,,	29.99	761.8	65	...	...	0	r
Tainan,	,,	30.11	764.8	67	...	N	2	r	,,	29.95	760.6	67	...	ENE	2	o
Koshun,	,,	...	...	...	...	...	...	...	,,	29.95	760.6	70	...	ENE	2	o
Pescadores,	,,	30.00	762.1	65	...	NNE	4	r	,,	29.96	760.9	68	...	NNE	2	r
Hong Kong,	14	29.90	759.3	64	7	ENE	6	o	6	29.89	759.2	65	5	E	5	or
Gap Rock,	,,	29.88	759.0	72	7	ENE	6	o	,,	29.87	758.7	72	6	E	5	omd
Macao,	,,	29.91	759.7	65	4	E	2	o	,,	29.83	757.6	67	4	ESE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	759.0	74	8	NE	6	o	6	29.91	759.6	76	6	E	4	c
Phulien,	15	29.83	757.7	72	9	NE	1	o	7	29.88	758.8	66	1	S	1	f
Tourane,	,,	29.77	756.1	77	7	N	3	c	,,	29.86	758.3	73	8	...	0	d
Cape St. James,	,,	29.83	757.6	78	8	SW	2	o	,,	29.90	759.4	79	7	S	2	o
Basco,	14	29.88	758.8	77	6	ENE	2	o	6	29.93	760.1	74	8	...	0	b
Aparri,	,,	29.82	757.7	91	6	NE	4	bc	,,	29.91	759.8	76	6	S	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.82	757.3	88	8	W	2	b	,,	29.88	759.0	76	8	...	0	o
Manila,	,,	29.82	757.3	94	8	ESE	4	b	,,	29.93	760.1	76	6	...	0	bc
Legaspi,	,,	29.83	757.7	91	8	NE	4	h	,,	29.93	760.1	76	6	...	0	b
Calboyog,	,,	29.83	757.8	91	8	WSW	4	b	,,	29.95	760.6	74	8	N	2	b
Tacloban,	,,	29.84	758.0	88	8	S	6	b	,,	29.95	760.6	77	8	N	2	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.88	758.9	79	6	N	2	b
Cebu,	,,	29.83	757.6	91	8	NE	4	bc	,,	29.92	760.0	79	8	...	0	b
Surigao,	...	29.83	757.6	88	8	ESE	4	b	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.85	758.3	...	6	E	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.87	758.6	...	6	NE	2	bc	5	29.93	760.1	...	6	...	0	r
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	6	E	6	bc	6	29.90	759.4	76	...	...	0	bo

April 17*d*. 11*h*. 15*m*.—The anticyclone has moved north-east and is now central over the Sea of Japan.

A depression is central to the east of Pekin.

The depression to the S.W. of the Paracels appears to be filling up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.22 inch. Total since January 1st, 6.23 inches, against an average of 8.85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. or variable winds, fair.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; overcast, rain at first, improving later.
C.—Hong Kong to Gap Rock,	E. winds, fresh to moderate; overcast, rain at first, improving slightly later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. winds, fresh to moderate; cloudy, showery.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	18th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.09	764.3	39	...	SE	5	o	6	29.85	758.2	34	...	SE	7	o
Nemuro,	11	30.14	765.5	...	...	ENE	3	...	5	30.41	772.5	..	...	NE	1	...
Hokodate,	,,	30.08	764.0	...	...	NNW	1	...	,,	30.30	769.5	...	...	ENE	1	...
Tokio,	,,	30.12	765.0	...	...	S	1	...	,,	30.30	769.5		...	NE	1	...
Kochi,	,,	30.20	767.0	...	...	SSE	1	...	,,	30.06	763.5	...	...	...	0	...
Nagasaki,	,,	30.20	767.0	...	...	ESE	1	...	,,	29.86	758.5	...	...	ESE	4	...
Kagoshima,	,,	30.20	767.0	...	...	S	1	...	,,	29.92	760.0	...	...	SSE	1	...
Oshima,	,,	30.16	766.0	...	...	SE	1	...	,,	29.92	760.0	...	...	S	2	...
Naha,	,,	30.10	764.5	...	...	ESE	2	...	,,	29.92	760.0	...	...	E	1	...
Ishigakijima,	,,	30.04	763.0	...	...	E	3	...	,,	30.00	762.0	...	...	...	0	...
Bonin Island,	,,	29.14	765.5	...	...	N	1	...	,,	30.12	765.0	...	...	...	0	...
Chefoo,	15	29.83	757.6	54	6	SW	3	r	6	29.84	757.9	45	6	WSW	2	bc
Shanghai,	14	29.97	761.3	67	6	S	2	o	,,	30.08	764.0	52	4	WSW	2	z
Gutzlaff,	,,	30.05	763.2	58	6	SSE	4	o	,,	30.15	765.8	52	4	NW	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.02	762.5	60	6	WNW	2	r	7	30.09	764.3	60	6	N	2	o
Amoy,	,,	30.01	762.2	61	4	W	4	r	6	30.04	763.0	63	6	W	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	30.04	763.0	64	...	NE	1	r
Taihoku,	11	30.02	762.6	68	...	...	o	r	5	30.01	762.3	67	...	...	o	r
Taichu,	,,	30.04	763.0	68	...	...	o	r	,,	30.05	763.2	67	...	...	o	r
Tainan,	,,	29.99	761.8	76	...	...	o	c	,,	29.98	761.4	70	...	NNE	2	r
Koshun,	,,	29.97	761.2	83	...	E	4	c	,,	29.96	760.9	68	...	...	o	be
Pescadores,	,,	30.00	762.0	72	...	NE	2	o	,,	30.00	762.0	70	...	NNW	2	r
Hong Kong,	14	29.90	759.4	67	4	E	3	or	6	29.97	761.2	68	6	W	1	o
Gap Rock,	,,	29.87	758.7	74	7	ESE	4	od	,,	29.96	761.0	74	7	NNE	4	o
Macao,	,,	29.94	760.4	72	4	NE	2	o	,,	29.95	760.6	67	4	NNE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.92	760.0	83	8	SE	4	c	6	29.95	760.6	76	6	...	o	r
Phulien,	15	29.90	759.4	74	6	SSE	2	o	7	29.99	761.7	68	5	NW	3	f
Tourane,	,,	29.83	757.8	72	8	N	2	o	,,	29.96	761.0	73	8	N	3	...
Cape St. James,	,,	29.86	758.5	88	8	S	2	c	,,	29.91	759.8	79	7	SE	1	o
Basco,	14	29.90	759.4	86	8	SSE	4	c	6	29.92	760.0	74	8		o	be
Aparri,	,,	29.87	758.6	91	6	NE	4	b	,,	29.92	760.0	77	6	S	2	be
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	76	4	...	o	be
Vigan,	,,	29.88	758.9	86	8	WSW	2	c	,,	29.89	759.3	77	8	...	o	be
Manila,	,,	29.86	758.4	98	8	SE	4	b	,,	29.95	760.6	74	4	...	o	b
Legaspi,	,,	29.89	759.3	91	8	NE	4	b	,,	29.93	760.3	79	6	...	o	b
Calboyog,	,,	29.89	759.3	88	8	SW	2	b	,,	29.96	760.9	72	8	N	2	b
Tacloban,	,,	29.89	759.3	86	8	S	6	c	,,	29.95	760.6	77	8	N	2	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.90	759.5	77	6	NE	2	b
Cebu,	,,	29.87	758.8	88	8	NNE	4	b	,,	29.93	760.1	79	6	NNE	2	be
Surigao,	...	29.89	759.1	88	8	E	4	b	,,	29.93	760.2	74	6	...	o	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.89	759.3	...	6	NE	2	b	4.22	29.86	758.5	...	6	...	o	b
Yap,	11.00	29.89	759.1	...	6	NE	4	c	5	29.91	759.6	...	6	NE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	86	4	...	o	h	6	29.90	759.4	76	...	SE	...	o

April 18*d.* 11*h.* 10*m.*—The anticyclone has passed into the Pacific to the east of Hokkaido; another has developed over the lower Yangtze Valley. The depression is situated to the west of Wladivostock, moving eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1.97 inch. Total since January 1st, 8.20 inches, against an average of 9.64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate; fair.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	19th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.84	758.0	41	...	SE	7	o	6	29.55	750.6	37	...	ESE	2	r
Nemuro,	11	30.39	772.0	...	...	..	0	...	5	30.22	767.5	...	...	SE	2	...
Hukodate,	,,	30.26	768.5	...	...	ESE	5	...	,,	29.90	759.5	...	...	ESE	5	...
Tokio,	,,	30.24	768.0	...	...	NE	1	...	,,	29.65	753.0	..	...	ENE	1	...
Kochi,	,,	29.92	760.0	...	...	SE	1	...	,,	29.78	756.5	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	N	2	...	,,	29.98	761.5	...	...	NW	4	...
Kagoshima,	,,	29.90	759.5	...	...	WNW	1	...	,,	29.98	761.5	...	...	...	0	...
Oshima,	,,	30.00	762.0	...	...	N	2	...	,,	30.06	763.5	...	...	S	1	...
Naha,	,,	30.02	762.5	...	...	NNW	5	...	,,	30.08	764.0	...	...	ENE	1	...
Ishigakijima,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.06	763.5	...	...	ENE	1	...
Bonin Island,	,,	30.12	765.0	...	...	E	1	...	,,	29.86	758.5	...	...	SSW	4	...
Chefoo,	15	29.84	757.9	54	8	NW	6	bc	6	29.80	757.0	47	6	NW	2	b
Shanghai,	14	30.06	763.6	74	8	WNW	4	b	,,	29.98	761.5	50	6	SSW	2	b
Gutzlaff,	,,	30.12	765.0	65	4	WNW	4	m	,,	30.04	763.0	54	4	SSW	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.12	765.0	64	4	...	0	of	7	30.05	763.2	60	4	NW	2	of
Amoy,	,,	30.01	762.2	68	6	NE	4	o	6	30.10	764.5	63	6	NE	2	b
Swatow,	,,	30.13	765.3	72	...	E	3	c	,,	30.09	764.3	65	...	NE	2	o
Taihoku,	11	30.17	766.4	63	...	E	4	o	5	30.01	762.1	88	...	E	2	o
Taichu,	,,	...	...	72	...	N	2	r	,,	30.02	762.6	67	...	...	0	o
Tsinan,	,,	30.04	763.0	85	...	N	2	o	,,	29.99	761.8	70	...	...	0	o
Koshun,	,,	30.02	762.6	77	...	NE	2	r	,,	30.00	762.0	68	...	...	0	b
Pescadores,	,,	30.06	763.6	72	...	NNE	4	o	,,	30.01	762.1	54	...	NNE	4	bc
Hong Kong,	14	30.00	762.0	75	7	ESE	3	c	6	29.97	761.2	68	6	E	4	o
Gap Rock,	,,	30.00	762.0	73	8	ENE	4	o	,,	29.96	761.0	73	7	ENE	4	o
Macao,	,,	29.99	761.8	76	4	NNE	4	c	,,	29.95	760.6	68	4	ESE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.98	761.5	79	8	SE	2	o	6	29.97	761.2	76	8	ESE	4	o
Phulien,	15	29.99	761.8	79	8	E	2	c	7	29.95	760.7	68	6	N	1	o
Tourane,	,,	29.91	759.6	75	8	N	5	c	,,	29.91	759.7	72	9	NW	1	c
Cape St. James,	,,	29.87	758.6	90	8	SSE	2	bc	,,	29.90	759.5	77	7	NE	1	o
Basco,	14	29.94	760.6	83	8	NNE	4	bc	6	29.95	760.8	76	6	ENE	2	o
Aparri,	,,	29.92	760.0	91	6	N	4	b	,,	29.92	760.0	76	6	...	0	bc
Tuguegarao,	,,	29.84	757.9	94	8	...	0	bc	,,	29.91	759.6	76	4	...	0	bc
Vigan,	,,	29.90	759.4	88	8	WNW	4	b	,,	29.88	759.0	77	8		0	bc
Manila,	,,	29.89	759.1	91	8	WNW	4	bc	,,	29.92	760.0	74	6	E	2	b
Legaspi,	,,	29.85	758.2	91	8	NE	4	b	,,	29.90	759.5	81	6	...	0	b
Calbayog,	,,	29.90	759.5	83	8	N	4	bc	,,	29.93	760.1	70	8	N	2	b
Tacloban,	,,	29.89	759.3	88	8	SE	4	b	,,	29.93	760.2	77	8	NW	2	b
Iloilo,	,,	29.83	757.6	91	8	E	4	b	,,	29.86	758.5	77	6	N	4	b
Cebu,	,,	29.87	758.6	91	8	NE	4	b	,,	29.89	759.3	81	6	NE	2	b
Surigao,	...	29.87	758.8	91	8	NE	4	b	,,	29.91	759.6	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.82	757.3	...	6	...	0	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.86	758.5	...	6	NNE	4	bc	5	29.89	759.3	...	6	NE	2	b
Pelew,	0	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	86	6	SE	4	bc	6	29.90	759.4	76	1	NE	4	bc

April 19*d*. 10*h*. 35*m*.—The anticyclone has moved into the Eastern Sea; depressions are situated near Wladivostock and Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.20 inches, against an average of 9.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	S. winds, moderate; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	E. winds, moderate; cloudy with mist or fog, probably some rain later.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th April, 1932.									20th April, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.62	752.4	39	...	SE	3	o		6	29.83	757.6	39	...	NNW	3	o	
Nemuro,	11	30.14	765.5	...	...	SE	3	...		5	29.59	751.5	...	...	SSE	3	...	
Hokodate,	,,	29.82	757.5	...	...	ESE	4	...		,,	29.63	752.5	...	...	...	0	...	
Tokio,	,,	29.65	753.0	...	...	NNW	2	...		,,	29.67	753.5	..	...	SSE	2	...	
Kochi,	,,	29.86	758.5	...	...	NW	1	...		,,	29.73	755.0	...	...	W	1	...	
Nagasuki,	,,	30.00	762.0	...	...	WNW	3	...		,,	29.88	759.0	...	...	NW	2	...	
Kagoshima,	,,	30.02	762.5	...	...	WNW	2	...		,,	29.86	758.5	...	...	NW	2	...	
Oshima,	,,	30.08	764.0	...	...	N	1	...		,,	29.98	761.5	...	...	S	1	...	
Naha,	,,	30.10	764.5	...	...	ENE	1	...		,,	29.98	761.5	...	...	SW	2	...	
Ishigakijima,	,,	30.10	764.5	...	...	SE	2	...		,,	30.00	762.0	...	...	ENE	1	...	
Bonin Island,	,,	29.88	759.0	...	...	WNW	1	...		,,	30.00	762.0	...	...	...	0	...	
Chefoo,	15	29.92	760.0	54	8	NW	4	b		6	30.10	764.6	45	6	W	4	b	
Shanghai,	14	29.90	759.4	83	8	SW	2	b		,,	30.09	764.2	56	6	NE	2	b	
Gutzlaff,	,,	29.97	761.2	61	4	SSW	4	m		...	30.13	765.3	52	6	NE	4	b	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.98	761.5	67	6	...	0	bc		7	29.98	761.5	64	6	SW	2	bf	
Amoy,	,,	30.04	763.0	72	6	SE	2	b		6	29.97	761.2	67	6	SE	2	b	
Swatow,	,,	...	...	...	...	...	...	...		,,	30.03	762.8	68	...	SW	2	o	
Taihoku,	11	30.00	762.1	81	...	...	0	b		5	29.98	761.5	86	...	...	0	b	
Taichu,	,,	30.04	763.1	83	...	SW	2	bc		,,	30.02	762.4	65	...	...	0	bc	
Tainan,	,,	30.03	762.7	83	...	W	2	b		,,	29.97	761.2	67	...	...	0	b	
Koshun,	,,	30.03	762.8	77	...	ENE	4	bc		,,	29.96	761.0	68	...	...	0	b	
Pescadores,	,,	30.04	763.0	76	...	N	4	b		,,	29.97	761.2	70	...	...	0	c	
Hong Kong,	14	29.98	761.5	69	7	E	4	o		6	29.93	760.2	69	5	E	4	om	
Gap Rock,	,,	29.96	761.0	72	6	ENE	5	om		,,	29.93	760.2	74	7	E	4	o	
Macao,	,,	29.96	761.0	68	4	ESE	2	d		,,	29.90	759.4	70	4	SE	2	o	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.96	761.0	83	8	ESE	4	c		6	29.95	760.6	76	8	E	2	b	
Phulien,	15	29.90	759.5	76	8	SE	4	c		7	29.90	759.5	68	...	ESE	2	df	
Tourane,	,,	29.86	758.4	72	8	NW	2	bc		,,	29.91	759.6	73	6	...	0	o	
Cape St. James,	,,	29.84	758.0	83	8	ESE	4	bc		,,	29.93	760.2	75	7	NE	3	c	
Basco,	14	29.94	760.4	81	8	SE	2	bc		6	29.92	760.0	76	6	...	0	bc	
Aparri,	,,	29.87	758.8	83	6	NE	4	bc		,,	29.88	759.0	76	6	S	2	b	
Tuguegarao,	,,	29.81	757.2	94	8	...	0	bc		,,	29.88	758.8	76	4	...	0	bc	
Vigan,	,,	29.84	758.0	88	8	WSW	4	b		,,	29.86	758.5	79	8	...	0	b	
Manila,	,,	29.83	757.6	94	8	SE	4	b		,,	29.92	760.0	72	6	...	0	b	
Legaspi,	,,	29.85	758.2	88	8	NE	2	c		,,	29.89	759.3	76	6	...	0	b	
Calboyog,	,,	29.83	757.6	86	8	S	2	o		,,	29.89	759.3	74	8	...	0	b	
Tacloban,	,,	29.85	758.3	86	8	SE	2	o		,,	29.90	759.5	79	8	E	4	b	
Hoilo,	,,	...	...	91	8	NE	4	b		,,	29.84	758.0	88	6	N	4	b	
Cebu,	,,	29.81	757.1	91	8	ENE	4	b		,,	29.87	758.6	81	8	NE	2	b	
Surigao,	...	29.83	757.6	86	8	E	2	bc		,,	29.86	758.5	76	6	...	0	b	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.78	756.5	...	6	NE	4	bc		4.22	...	...	...	..	...	...	...	
Yap,	11.00	29.83	757.8	...	6	NE	4	bc		5	29.88	758.9	...	6	NE	2	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.94	760.4	88	6	W	6	bc		6	29.90	759.4	76	1	SE	...	bc	

April 20*d*. 10*h*. 40*m*.—A depression covers Hokkaido and a weak anticyclone extends from Shanghai to the northward of Shantung.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inch. Total since January 1st, 8.28 inches, against an average of 9.45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate; fair.
B.—Turnabout to Hong Kong,	Light, variable winds, fair.
C.—Hong Kong to Gap Rock,	E. winds, moderate; cloudy, occasional rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFREYS, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	21st April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Symbols.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.59	751.5	...	...	WSW	2	...	5	29.63	752.5	..	...	NE	1	...
Hokodate,	,,	30.00	762.0	...	...	ESE	1	...	,,	29.67	753.5	...	...	...	0	...
Tokio,	,,	29.49	749.0	...	...	S	3	...	,,	29.71	754.5		...	WNW	1	...
Kochi,	,,	29.72	755.0	...	...	NW	1	...	,,	30.04	763.0	...	...	...	0	...
Nagasaki,	,,	29.96	761.0	...	...	NW	4	...	,,	30.06	763.5	...	...	E	1	...
Kagoshima,	,,	29.90	759.5	...	...	NW	3	...	,,	30.12	765.0	...	...	NNW	1	...
Oshima,	,,	29.96	761.0	...	...	SSW	1	...	,,	30.08	764.0	...	...	NE	1	...
Naha,	,,	30.04	763.0	...	...	SW	2	...	,,	30.06	763.5	...	...	NE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	SSW	1	...	,,	30.02	762.5	...	...	ENE	1	...
Ponin Island,	,,	29.92	760.0	...	...	S	1	...	,,	29.94	760.5	...	...	W	2	...
Chefoo,	15	30.14	765.5	54	8	NW	2	b	6	30.03	762.8	54	6	SW	2	o
Shanghai,	14	30.18	766.6	70	8	ENE	2	b	,,	29.88	758.9	52	6	SE	2	bc
Gutzlaff,	,,	30.21	767.3	63	6	...	0	b	,,	30.17	766.3	52	6	SE	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.04	763.0	72	1	ENE	6	t	7	30.08	764.0	63	6	N	2	bc
Amoy,	,,	30.03	762.7	76	8	SE	2	b	6	30.07	763.8	67	4	E	4	o
Swatow,	,,	30.03	762.8	79	...	S	3	o	,,	30.09	764.2	68	...	NE	3	o
Taihoku,	11	30.01	762.3	81	...	NW	2	b	5	30.00	761.9	68	...	E	4	c
Taichu,	,,	30.05	763.2	81	...	NNW	2	bc	,,	30.03	762.8	70	...	SSE	2	o
Tainan,	,,	...	...	...	...	...	...	...	,,	30.00	761.9	70	...	NNE	2	b
Koshun,	,,	...	...	...	...	...	...	...	,,	29.93	760.1	74	...	...	0	bc
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.02	762.4	70	...	NE	4	o
Hong Kong,	14	29.96	761.0	72	5	E	3	o	6	29.95	760.8	71	4	E	3	of
Gap Rock,	,,	29.96	761.0	75	6	E	4	om	,,	29.96	761.0	75	7	E	3	o
Macao,	,,	...	...	70	2	WSW	2	d	,,	29.91	759.7	70	1	SE	2	f
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.97	761.3	85	8	E	2	c	6	29.97	761.2	76	8	ENE	4	b
Phulien,	15	29.87	758.6	79	8	SE	3	c	7	29.89	759.1	72	6	SSE	3	o
Tourane,	,,	29.84	757.9	82	8	E	2	bc	,,	29.89	759.1	75	8	S	1	o
Cape St. James,	,,	29.84	757.9	82	8	SE	4	bc	,,	29.91	759.6	77	7	ENE	2	c
Basco,	14	29.92	760.0	83	6	SE	4	o	6	29.95	760.6	77	8	ESE	2	c
Aparri,	,,	29.87	758.8	88	6	NNE	4	b	,,	29.93	760.1	74	6	...	0	b
Tuguegarao,	,,	29.83	757.6	98	8	...	0	bc	,,	29.91	759.7	74	4	...	0	bc
Vigan,	,,	29.87	758.8	88	8	SW	4	b	,,	29.87	758.6	79	8	ESE	2	b
Manila,	,,	29.85	758.2	94	8	SE	4	b	,,	29.93	760.1	76	8	ESE	2	b
Legaspi,	,,	29.85	758.2	91	8	NE	4	b	,,	29.91	759.7	79	6	...	0	c
Calboyog,	,,	29.85	758.3	91	8	SW	2	c	,,	29.93	760.1	74	8	NE	2	b
Tacloban,	,,	29.86	758.5	88	8	S	4	b	,,	29.92	760.0	77	8	NE	2	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.91	759.6	77	8	NE	4	c
Cebu,	,,	29.84	757.9	88	8	NE	4	b	,,	29.89	759.3	79	8	NNE	2	b
Surigao,	...	29.85	758.2	81	8	E	2	o	,,	29.89	759.3	74	6	...	0	r
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	NE	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.3	...	6	ENE	4	bc	5	29.89	759.3	...	6	NNE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	86	6	N	4	bc	6	29.90	759.4	79	1	SE	4	bc

April 21*d*. 10*h*. 42*m*.—The depression has passed into the Pacific to the east of Hokkaido, and the anticyclone is central to the south of Korea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 8.30 inches, against an average of 9.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
A.—Shanghai to Turnabout,	E. to S. winds, moderate; fair.
B.—Turnabout to Hong Kong,	E. winds, moderate; cloudy, fog, mist or occasional rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES. *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st April, 1932.									22nd April, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Vladivostock,	12	29.91	759.7	59	...	NNW	3	b		6	30.02	762.4	...	...	SE	...	...
Nemuro,	11	29.59	751.5	...	...	NNE	2	...		5	29.76	756.0	...	...	N	3	...
Hokodate,	,,	29.65	753.0	...	...	NNW	3	...		,,	29.96	761.0	...	...	...	0	...
Tokio,	,,	29.70	754.5	...	...	NNW	4	...		,,	30.02	762.5	..	...	NNW	1	...
Kochi,	,,	30.04	763.0	...	...	SW	1	...		,,	30.10	764.5	...	...	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	WNW	2	...		,,	30.08	764.0	...	...	...	...	...
Kagoshima,	,,	30.12	765.0	...	...	SSE	1	...		,,	30.08	764.0	...	...	NW	1	...
Oshima,	,,	30.12	765.0	...	...	NNE	1	...		,,	30.02	762.5	...	...	...	0	...
Naha,	,,	30.12	765.0	...	...	E	2	...		,,	30.00	762.0	...	...	ESE	1	...
Ishigakijima,	,,	30.08	764.0	...	...	E	2	...		,,	29.96	761.0	...	...	S	2	...
Bonin Island,	,,	30.02	762.5	...	...	NW	1	...		,,	30.08	764.0	...	...	E	1	...
Chefoo,	15	29.99	761.8	67	6	S	2	o		6	29.95	760.6	50	6	SE	2	r
Shanghai,	14	30.01	762.3	68	6	SE	2	c		,,	29.78	756.5	61	4	ESE	2	p
Gutzlaff,	,,	30.07	763.8	58	6	SE	6	bc		,,	29.83	757.7	59	4	SSE	4	m
Wenchow,	,,	...	...	...	...	..	...	...		6	...	...	...	...	...	...	...
Foochow,	,,	30.04	763.0	65	8	E	2	o		7	29.90	759.4	65	6	...	0	b
Amoy,	,,	29.99	761.7	72	6	E	4	bc		6	30.04	763.0	67	6	SSE	2	o
Swatow,	,,	30.06	763.5	72	...	ESE	3	o		,,	29.99	761.8	68	...	SE	2	o
Taihoku,	11	30.02	762.4	81	...	NE	4	o		5	29.92	760.0	68	...	...	0	b
Taichu,	,,	30.06	763.4	81	...	...	0	o		,,	29.97	761.3	70	...	...	0	f
Tainan,	,,	30.02	762.6	83	...	N	2	b		,,	29.93	760.2	68	...	...	0	f
Koshun,	,,	...	...	...	...	...	...	...		,,	29.92	760.0	74	...	...	0	b
Pescadores,	,,	...	...	...	...	...	...	...		,,	29.94	760.4	68	...	...	0	b
Hong Kong,	14	29.99	761.7	71	5	E	4	o		6	29.91	759.7	70	4	E	3	om
Gap Rock,	,,	29.90	761.7	75	7	E	3	c		,,	29.93	760.2	75	7	E	3	o
Macao,	,,	29.95	760.7	74	4	ESE	2	o		,,	29.88	758.9	70	4	SE	2	o
Hoihow,	,,	29.95	760.7	83	1	SE	2	bc		,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.96	760.9	85	8	E	4	b		6	29.90	759.5	76	8	E	2	b
Phulien,	15	29.86	758.4	79	8	S	6	c		7	29.86	758.4	73	7	SSE	4	o
Tourane,	,,	29.84	757.9	83	8	SSE	4	bc		,,	29.86	758.3	73	8	S	1	bc
Cape St. James,	,,	29.89	759.1	85	8	ENE	4	b		,,	29.90	759.4	79	7	E	3	c
Basco,	14	29.93	760.3	83	8	SE	4	bc		6	...	..	...	...	...	...	...
Aparri,	,,	29.88	759.0	91	8	NE	2	p		,,	29.88	758.8	76	6	S	2	b
Tuguegarao,	,,	29.85	758.2	98	8	...	0	bc		,,	...	...	...	...	...	...	...
Vigan,	,,	29.85	758.3	91	8	SW	4	h		,,	...	...	...	...	...	...	...
Manila,	,,	29.84	758.0	94	8	SE	4	b		,,	29.91	759.7	76	4	...	0	o
Legaspi,	,,	29.88	758.9	91	8	NE	4	h		,,	29.86	758.5	81	6	...	0	bc
Calboyog,	,,	29.86	758.4	88	8	WSW	4	bc		,,	...	...	...	...	...	...	...
Tacloban,	,,	29.85	758.3	86	8	S	4	bc		,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Cebu,	,,	29.84	757.9	88	8	NE	4	b		,,	...	...	...	...	...	...	...
Surigao,	...	29.85	758.2	83	8	E	2	o		,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...
Guam,	12.22	29.82	757.4	...	6	...	0	b		4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.9	...	6	NE	4	bc		5	29.85	758.2	...	6	NE	2	p
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	6	N	4	bc		6	29.90	759.4	76	1	SE	6	bc

April 22*d*. 10*h*. 39*m*.—The anticyclone is central between S. Japan and the Bonins; a depression is situated to the west of Shanghai.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.30 inches, against an average of 9.88 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
A.—Shanghai to Turnabout,	Southerly winds, moderate to fresh; cloudy, rain.
B.—Turnabout to Hong Kong,	S.E. winds, *moderate*; *fair generally*.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	23rd April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.98	761.6	45	...	SE	5	o	6	29.99	761.6	39	...	SE	6	f
Nemuro,	11	29.86	758.5	...	...	N	3	...	5	30.14	765.5	..	...	ENE	1	...
Hokodate,	,,	29.98	761.5	...	...	N	2	...	,,	30.16	766.0	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	NNW	2	...	,,	30.16	766.0	..	...	N	1	...
Kochi,	,,	30.12	765.0	...	...	...	0	...	,,	30.02	762.5	...	...	...	...	...
Nagasaki,	,,	30.06	763.5	...	...	ESE	4	...	,,	29.80	757.0	...	...	ESE	4	...
Kagoshima,	,,	30.08	764.0	...	...	...	0	...	,,	29.86	758.5	...	...	NE	1	...
Oshima,	,,	30.00	762.0	...	...	S	3	...	,,	29.84	758.0	...	...	S	1	...
Naha,	,,	29.98	761.5	...	...	SSE	3	...	,,	29.88	759.0	...	...	S	3	...
Ishigakijima,	,,	29.98	761.5	...	...	S	2	...	,,	29.86	758.5	...	...	SSW	2	...
Bonin Island,	,,	30.06	763.5	...	...	...	0	...	,,	30.10	764.5	...	...	...	0	...
Chefoo,	15	29.91	759.8	50	8	E	4	o	6	29.90	759.5	45	6	ENE	2	o
Shanghai,	14	29.77	756 1	65	4	WNW	2	o	,,	29.84	757.9	58	4	NNW	2	o
Gutzlaff,	,,	29.81	757.2	59	1	SW	4	d	,,	29.90	759.4	56	4	NNW	2	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.80	756.9	73	6	S	2	c	7	29.81	757.2	70	6	...	0	b
Amoy,	,,	29.88	758.9	79	6	SE	4	be	6	29 93	760.2	56	6	...	0	b
Swatow,	,,	29.98	761.4	81	...	ESE	2	o	,,	29.88	759.0	74	...	SW	1	b
Tailoku,	11	29.91	759.7	83	...	W	2	b	5	29.82	757.4	70	...	...	0	b
Taichu,	,,	29.97	761.2	83	...	W	2	b	,,	29.90	759.5	72	...	...	0	b
Tainan,	,,	29.96	760.9	86	...	W	2	b	,,	29.88	758.8	72	...	...	0	be
Koshun,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	76	...	...	0	b
Pescadores,	,,	29.96	760.9	83	...	SSW	2	b	,,	29.86	758.4	74	...	SW	2	b
Hong Kong,	14	29.91	759.7	75	7	E	4	be	6	29.86	758.4	72	5	...	0	om
Gap Rock,	,,	29.92	759.9	76	7	E	3	c	,,	29.87	758.7	76	7	SSE	3	c
Macao,	,,	29.89	759.3	79	4	SE	2	c	,,	29.89	759.3	74	1	S	2	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.6	88	8	...	0	b	6	29.88	759.0	74	8	...	0	lg
Phulien,	15	29.84	758.0	81	8	S	6	c	7	29.80	757.0	74	6	S	6	c
Tourane,	,,	29.80	757.0	83	8	SSE	4	b	,,	29.83	757.6	74	8	S	2	c
Cape St. James,	,,	29.87	758.8	83	8	E	2	c	,,	29.89	759.3	79	8	ENE	4	c
Basco,	14	29.87	758.6	83	8	SE	4	be	6	29.85	758.2	85	8	...	0	b
Aparri,	,,	29.84	757.9	88	6	NNE	4	b	,,	29.88	758.9	76	6	...	0	b
Tuguegrao,	,,	29.80	757.0	98	8	...	0	c	,,	29.89	759.1	76	4	...	0	be
Vigan,	,,	29.84	758.0	91	8	WSW	4	b	,,	29.86	754.5	...	6	...	0	c
Manila,	,,	29.84	758.0	94	8	SW	2	b	,,	29.90	759.5	76	6	...	0	b
Legaspi,	,,	29.84	757.9	91	8	NE	4	o	,,	29.88	758.8	79	6	...	0	b
Calboyog,	,,	29.85	758.2	88	8	WSW	2	be	,,	29.89	759.3	74	8	N	2	b
Tacloban,	,,	29.84	757.9	88	8	S	4	b	,,	29.88	759.0	77	8	NW	2	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	79	6	NE	4	o
Cebu,	,,	29.83	757.6	88	8	NNE	4	c	,,	29.86	758.3	79	8	...	0	bo
Surigao,	...	29.83	757 6	88	8	NE	4	b	,,	29.86	758.5	76	6	...	0	bc
Saipan,	11.00	....	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.5	...	6	E	4	b	4.22	...	...	...	..	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	...	6	...	0	c
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	88	6	NE	4	bc	6	29.89	759.3	76	1	S	6	bo

April 23*d*. 10*h*. 35*m*.—The anticyclone has passed into the Pacific to the east of Japan; the depression is situated to the south of Korea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.30 inches, against an average of 10.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. to S.W. winds, moderate; fair.
B.—Turnabout to Hong Kong,	S. winds, moderate; fair generally.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd April, 1932.								24th April, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.16	766.0	...	...	S	2	...	5	30.00	762.0	...	...	SW	3	...
Hokodate,	,,	30.12	765.0	...	...	W	1	...	,,	29.92	760.0	...	...	WSW	1	...
Tokio,	,,	30.12	765.0	...	...	E	1	...	,,	30.18	766.5	..	...	SE	1	...
Kochi,	,,	29.98	761.5	...	...	...	0	...	,,	29.76	756.0	...	...	SW	1	...
Nagasaki,	,,	29.78	756.5	...	...	ESE	3	...	,,	29.78	756.5	...	...	WNW	1	...
Kagoshima,	,,	29.80	757.0	...	...	ENE	1	...	,,	29.78	756.5	...	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	SSW	2	...	,,	29.78	756.5	...	...	NNE	1	...
Naha,	,,	29.90	759.5	...	...	SSW	4	...	,,	29.82	757.5	...	...	SSW	2	...
Ishigakijima,	,,	29.88	759.0	...	...	S	2	...	,,	29.80	757.0	...	...	SE	1	...
Bonin Island,	,,	30.08	764.0	...	...	ENE	1	...	,,	30.02	762.5	...	...	...	...	...
Chefoo,	15	29.88	759.0	52	8	SSE	2	b	6	29.95	760.6	43	8	NW	6	o
Shanghai,	14	29.83	757.7	67	6	W	2	c	,,	29.97	761.2	56	6	NW	2	o
Gutzlaff,	,,	29.85	758.2	61	4	...	0	m	,,	29.97	761.2	54	6	NNW	4	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.77	756.1	74	6	S	2	bf	7	29.86	758.4	70	6	E	2	of
Amoy,	,,	29.82	757.4	65	8	SSE	2	bc	6	29.86	758.4	74	4	E	2	b
Swatow,	,,	29.88	759.0	87	...	W	3	bc	,,	29.90	759.4	75	...	SW	1	b
Taihoku,	11	29.83	757.7	86	...	W	2	bc	5	29.80	757.0	72	...	...	0	bc
Taichu,	,,	29.91	759.7	86	...	SW	2	b	,,	29.88	759.0	70	...	...	0	b
Tainan,	,,	29.91	759.7	86	...	WSW	2	b	,,	29.86	758.4	70	...	...	0	b
Koshun,	,,	29.86	758.5	85	...	NW	4	b	,,	29.82	757.4	74	...	NNW	2	b
Pescadores,	,,	29.90	759.5	81	...	SSW	4	b	,,	29.83	757.7	74	...	SSW	4	b
Hong Kong,	14	29.84	758.0	84	8	S	3	bc	6	29.84	757.9	75	7	SW	1	bc
Gap Rock,	,,	29.86	758.4	79	8	SSE	2	b	,,	29.85	758.2	78	8	S	2	o
Macao,	,,	29.83	757.8	85	6	S	2	c	,,	29.81	757.1	74	4	SW	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	79	1	SE	2	bc
Pratas Island,	,,	29.87	758.6	85	8	S	2	b	6	29.86	758.5	72	8	...	0	b
Phulien,	15	29.76	755.9	81	6	S	6	c	7	29.81	757.1	73	7	SSE	4	o
Tourane,	,,	29.76	756.0	83	8	SE	2	b	,,	29.82	757.4	75	4	SSE	1	f
Cape St. James,	,,	29.85	758.2	86	8	ENE	4	bc	,,	29.89	759.1	79	8	ENE	2	c
Basco,	14	29.83	757.7	86	8	WSW	2	b	6	29.84	757.8	72	8	...	0	b
Aparri,	,,	29.81	757.1	91	6	NNW	4	b	,,	29.85	758.2	76	6	...	0	b
Tuguegarao,	,,	29.76	755.8	...	8	...	0	bc	,,	29.85	758.2	77	4	...	0	bc
Vigan,	,,	29.80	757.0	91	8	WNW	4	b	,,	29.83	757.6	77	8	N	2	bc
Manila,	,,	29.80	757.0	98	8	SSE	4	b	,,	29.87	758.6	76	6	...	0	b
Legaspi,	,,	29.84	757.9	91	8	ENE	4	b	,,	29.84	758.0	81	6	...	0	b
Calboyog,	,,	29.83	757.6	86	8	W	4	bc	,,	29.86	758.4	72	8	WNW	2	bc
Tacloban,	,,	29.83	757.6	91	8	S	4	b	,,	29.86	758.5	77	4	NW	2	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	79	6	NE	4	bc
Cebu,	,,	29.80	757.0	88	8	NE	4	bc	,,	29.83	757.6	79	8	...	0	b
Surigao,	...	29.84	757.9	79	6	E	4	r	,,	29.83	757.7	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	E	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.5	...	6	ENE	4	bc	5	29.82	757.4	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.97	761.2	86	4	NW	6	bc	6	29.84	758.0	76	8	S	2	bc

April 24*d.* 10*h.* 42*m.*—The depression has passed into the Sea of Japan. An anticyclone appears to be developing over N. China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.30 inches, against an average of 10.32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, fresh; cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate to fresh; cloudy.
C.—Hong Kong to Gap Rock,	Light, southerly winds, freshening from N.E.; fair at first, cloudy with rain later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	25th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort etc.)
Wladivostock,	12	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Nemuro,	11	29.90	759.5	...	...	WSW	3	...	5	29.53	750.0	..	...	SSW	6	...
Hokodate,	,,	29.80	757.0	...	...	...	0	...	,,	29.33	745.0	...	...	SSW	1	...
Tokio,	,,	29.92	760.0	...	...	ESE	1	...	,,	29.49	749.0	.	...	SSW	1	...
Kochi,	,,	29.70	754.5	...	...	...	0	...	,,	29.67	753.5	...	...	WSW	1	...
Nagasaki,	,,	29.78	756 5	...	...	WNW	1	...	,,	29.96	761.0	...	..	WNW	4	...
Kagoshima,	,,	29.78	756 5	...	...	SW	1	...	,,	29.92	760.0	...	...	NNW	1	...
Oshima,	,,	29.84	758.0	...	...	NNW	1	...	,,	29.96	761.0	...	...	N	3	...
Naha,	,,	29.86	758.5	...	...	WSW	2	...	,,	29.98	761.5	...	...	N	6	...
Ishigakijima,	,,	29 82	757.5	...	...	S	1	...	,,	29.98	761.5	...	...	NNE	3	...
Bonin Island,	,,	29.98	761.5	...	...	S	2	...	,,	29.98	761.5	...	...	S	1	...
Chefoo,	15	29.89	759.3	50	8	NW	6	bc	6	30.01	762.3	47	8	W	2	h
Shanghai,	14	30.00	762.0	59	6	NW	4	d	,,	30.18	766.6	45	6	WNW	2	bc
Gutzlaff,	,,	30.04	763.0	58	6	NW	4	e	,,	30.21	767.3	52	6	NW	4	bc
Wenchow,	,,	..	...	...	...	...	...	...	6	...	...	...	...	..	...	...
Foochow,	,,	29.87	758.7	69	6	NE	4	o	7	30.12	765.0	64	6	E	2	o
Amoy,	,,	29.83	757.7	79	6	SE	4	b	6	30.04	763.0	65	4	ENE	2	o
Swatow,	,,	29.83	757.7	88	...	W	1	b	,,	30.05	763.3	66	...	NE	3	o
Taiwoku,	11	29.84	757.9	83	...	NW	2	o	5	30.09	764.2	63	...	E	4	r
Taichu,	,,	29.89	759.1	86	...	SW	2	bc	,,	29.98	761.5	67	..	NNW	2	o
Tainan,	,,	29.89	759.3	85	...	WSW	2	b	,,	29.93	760.3	68	...	NNE	2	o h
Koshun,	,,	29.86	758.4	86	...	NW	2	h	,,	29.93	760.3	72	...	ENE	4	h
Pescadores,	,,	29.87	758.8	81	...	S	4	b	,,	29.95	760.8	70	...	NNE	6	o
Hong Kong,	14	29.82	757.4	82	7	SW	4	bc	6	29.94	760.5	70	6	E	4	o
Gap Rock,	,,	29.84	757 9	79	8	S	2	c	,,	29.93	760.2	76	8	ENE	4	o
Macao,	,,	29.81	757.1	86	6	SW	2	bc	,,	29.90	759.4	68	4	NE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	83	8	SW	2	b	6	29.92	760.0	76	8	NNE	4	bc
Phulien,	15	29.78	756.4	79	6	S	3	o	7	29.87	758.6	66	6	NNE	6	o lt
Tourane,	,,	29.75	755.7	82	8	E	2	c	,,	29.80	757.0	75	7	SE	1	bc
Cape St. James,	,,	29.84	758.0	90	8	SSE	2	bc	,,	29.84	757.8	79	8	ESE	2	bc
Basco,	14	29.83	757.6	86	8	WSW	4	b	6	29.91	759.7	76	6	NE	4	bc
Aparri,	,,	29.80	757.0	88	6	NNE	4	b	,,	29.80	759 3	79	6	N	4	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.87	758.6	77	4	...	0	bc
Vigan,	,,	...	...	...	...	...	...	...	,,	29.82	757.3	79	8	N	2	b
Manila,	,,	29.79	756.6	94	8	SE	2	b	,,	29.86	758.5	74	6	...	0	b
Legaspi,	,,	29.80	757.0	88	8	NE	2	b	,,	29.84	757.9	81	6	...	0	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	76	8	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.86	758.3	79	8	N	4	c
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	77	6	NNE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.83	757.6	79	8	NNW	2	b
Surigao,	...	29.80	756.8	88	8	ENE	4	b	,,	29.83	757.6	76	6	...	0	b
Saipan,	11.00	...	...	...	..	...	...	...	5	29.84	757.9	78	...	E	3	c
Guam,	12.22	29.76	755.8	...	6	E	4	h	4.22	...	...	...	..	...	...	...
Yap,	11.00	29.78	756.3	...	6	E	2	bc	5	29.80	756.8	...	6	NE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	79	...	NE	1	c
Labuan,	14	29.94	760.4	86	...	W	...	bc	6	29.89	759.3	70	...	SE	...	c

April 25*d.* 10*h.* 55*m.*—The anticyclone to the north of the lower Yangtze Valley has strengthened considerably.

The depression is moving northeastward and is now central to the north of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.30 inches, against an average of 10.54 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Northerly winds, moderate; fair.
B.—Turnabout to Hong Kong,	N.E. winds, fresh to moderate; overcast, mist and rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh to moderate; cloudy, local rain.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th APRIL, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	26th APRIL, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.63	752.5	48	...	NNW	5	c	6	29.82	757.4	41	...	ESE	1	c
Nemuro,	11	29.27	743.5	...	...	SSW	5	...	5	29.47	748.5	...	...	WNW	2	..
Hokodate,	..	29.21	742.0	...	...	WNW	1	...	..	29.71	754.5	...	...	W	6	...
Tokio,	..	29.29	744.0	...	...	SSW	3	...	..	30.16	766.0	..	...	NW	1	...
Kochi,	..	29.82	757.5	...	...	NW	3	...	..	30.24	768.0	...	...	WSW	1	...
Nagasaki,	..	30.06	763.5	...	...	NW	4	...	..	30.26	768.5	...	..	ESE	1	...
Kagoshima,	..	30.02	762.5	...	...	NW	4	...	..	30.24	768.0	..	...	NW	1	...
Oshima,	..	30.10	764.5	...	...	N	4	...	..	30.18	766.5	...	...	S	1	...
Naha,	..	30.12	765.0	...	...	N	6	...	..	30.16	766.0	...	...	NE	1	...
Ishigakijima,	..	30.10	764.5	...	...	NE	4	...	..	30.10	764.5	...	...	E	1	...
Bonin Island,	..	29.96	761.0	...	...	SSW	2	...	..	30.14	765.5	...	...	NNE	1	...
Chefoo,	15	30.02	762.6	52	8	NNW	4	bc	6	29.97	761.2	56	6	NW	2	c
Shanghai,	14	30.16	766.1	67	6	NNE	2	bc	..	30.10	764.4	56	4	SE	4	c1
Gutzlaff,	..	30.21	767.3	61	6	...	0	b	..	30.15	765.8	56	6	ESE	4	c
Wenchow,	..	..	...	...	...	...	...	...	6	..	..	...	...	...	...	...
Foochow,	..	30.14	765.5	65	8	ESE	4	b	7	30.08	764.0	62	6	SE	2	c
Amoy,	..	30.09	764.3	67	6	ENE	4	c	6	30.10	764.5	63	6	N	4	b
Swatow,	..	30.13	765.2	70	...	ENE	5	c	..	30.11	764.8	65	...	NE	3	c
Taiboku,	11	30.16	766.1	68	...	E	4	c	5	30.04	763.0	67	...	E	2	c
Taichu,	..	30.02	762.4	74	...	N	2	c	..	30.05	763.2	67	..	...	c	bc
Tainan,	..	...	...	...	...	...	...	...	..	30.02	762.4	70	...	N	2	c
Koshun,	..	....	...	...	...	...	...	...	..	30.03	762.7	70	...	NE	4	b
Pescadores,	..	...	...	...	...	...	...	...	..	30.02	762.6	68	...	NNE	4	bc
Hong Kong,	14	29.97	761.2	70	6	E	6	c	6	29.99	761.7	68	6	E	5	c
Gap Rock,	..	29.96	761.0	77	7	ENE	5	c	..	29.97	761.2	76	7	E	4	c
Macao,	..	29.92	760.0	68	4	E	2	c	..	29.95	760.6	68	4	ESE	4	c
Hoihow,	..	..	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	..	29 92	60.0	83	8	NE	4	c	6	29.97	761.3	76	8	ESE	4	b
Phulien,	15	29.89	759.2	70	6	S	2	c	7	29.90	759.4	72	5	WSW	1	r
Tourane,	..	29.82	757.4	82	8	E	3	c	..	29.88	758.8	73	7	S	1	bc
Cape St. James,	..	29.83	757.7	84	8	E	2	bc	..	29.84	757.9	79	7	ENE	3	bc
Basco,	14	29.93	760.3	77	6	NNE	4	c	6	29.99	761.8	76	6	E	2	c
Aparri,	..	29.89	759.3	85	6	NE	4	c	..	29.95	760.6	79	6	ENE	4	c
Tuguegarao,	..	29.80	757.0	94	8	N	2	bc	..	29.95	760.6	76	4	...	c	c
Vigan,	..	29.78	756.3	94	8	NW	4	b	..	29.86	758.4	83	8	E	2	b
Manila,	..	29.80	757.0	94	8	E	4	bc	..	29.89	759.3	76	8	...	c	b
Legaspi,	..	29.81	757.1	94	8	ENE	4	b	..	29.86	758.5	81	6	NNE	2	b
Calbayog,	..	29.80	757.0	91	8	NNE	4	b	..	29.88	758.8	77	8	N	2	bc
Tacloban,	..	29 81	757.1	91	8	SE	4	b	..	29.88	758.9	79	8	N	4	bc
Iloilo,	..	...	...	...	...	...	...	...	..	29.82	757.3	77	6	NE	4	bc
Cebu,	..	29.78	756.5	88	8	NE	4	bc	..	29.84	757.8	79	8	NNE	2	bc
Surigao,	...	29.78	756.5	86	8	ENE	4	c	..	29.84	757.8	77	6	...	c	c
Saipan,	11.00	...	...	...	..	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.9	...	6	ESE	4	bc	4.22	...	...	...	..	...	...	...
Yap,	11.00	29 78	756.3	...	6	ENE	4	bc	5	29.85	758.2	...	6	ENE	4	bc
Pelew,	"	...	..	..	...	...	...	...	..	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	86	6	SW	4	bc	6	29.90	759.4	76	1	S	4	bc

April 26*d.* 10*h.* 10*m* — The anticyclone has moved rapidly eastward and is now central over S. Japan. The depression has passed into the Pacific to the north-east of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 8.32 inches, against an average of 10.76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. winds, moderate; fair.
B.—Turnabout to Hong Kong,	E. winds, moderate; cloudy with drizzle or mist, probably improving.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. and S.E. winds, cloudy, local rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	26TH APRIL, 1932.									27TH APRIL, 1932.								
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)		HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.80	757.0	59	...	SE	3	o		6	29.92	760.0	43	...	...	o	o	
Nemuro,	11	29.61	752.0	...	...	NW	6	...		5	29.88	759.0	...	...	WSW	3	...	
Hokodate,	,,	29.86	758.5	...	...	W	4	...		,,	30.08	764.0	...	...	S	1	...	
Tokio,	,,	30.20	767.0	...	...	SSE	2	...		,,	30.26	758.5	...	...	...	o	...	
Kochi,	,,	30 30	769.5	...	...	...	...	...		,,	30.24	768.0	...	...	WSW	1	...	
Nagasaki,	,,	30.20	767.0	...	...	ESE	1	...		,,	30.18	766.5	...	..	ESE	1	...	
Kagoshima,	,,	30.24	768.0	...	...	W	1	...		,,	30.20	767.0	...	...	...	o	...	
Oshima,	,,	30.20	767.0	...	...	SE	1	...		,,	30.08	764.0	...	...	SSE	1	...	
Naha,	,,	30.18	766.5	...	...	ENE	2	...		,,	30.08	764.0	...	...	ESE	1	...	
Ishigakijima,	,,	30.12	765.0	...	...	SE	1	...		,,	30.02	762.5	...	...	SE	2	...	
Bonin Island,	,,	30.16	766.0	...	...	NE	1	...		,,	30.18	766.5	...	...	NE	1	...	
Chefoo,	15	29.97	761.3	70	8	S	4	c		6	29.93	760.1	52	8	SSE	2	c	
Shanghai,	14	30.03	762.7	61	4	SSE	4	d		,,	29.89	759.1	61	4	SSE	2	d	
Gutzlaff,	,,	30.09	764.2	58	6	SSE	6	o		,,	29.95	760.7	59	4	S	4	d	
Wenchow,	,,	..	...	...	...	...	...	...		6	..	...	...	...	...	...	...	
Foochow,	,,	30.04	763.0	66	6	E	2	b		7	29.98	761.5	66	6	S	2	h	
Amoy,	,,	30.06	763.5	74	6	WSW	2	b		6	30.03	762.7	67	6	SE	4	bc	
Swatow,	,,	30.12	765.0	74	...	E	3	b		,,	...	...	...	...	...	...	...	
Taihoku,	11	30.06	763.6	77	...	...	o	c		5	30.01	762.3	65	...	...	o	b	
Taichu,	,,	30.07	763.9	79	...	...	o	bc		,,	30.04	763.0	67	..	...	o	b	
Tainan,	,,	30.04	763.0	83	...	W	2	b		,,	30.00	762.0	67	...	...	o	b	
Koshun,	,,	30.04	763.1	81	...	NNE	4	b		,,	29.96	761.0	76	...	ENE	2	b	
Pescadores,	,,	30.07	763.8	76	...	NNE	4	c		,,	30.00	761.9	70	...	NNE	2	b	
Hong Kong,	14	30.00	761.9	73	7	E	4	c		6	29.97	761.2	71	6	E	2	o	
Gap Rock,	,,	30.01	762.0	75	7	ENE	4	c		,,	29.96	761.0	75	7	E	4	o	
Macao,	,,	29.96	761.0	76	4	SE	4	c		,,	29.89	759.1	72	4	SE	2	o	
Hollow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.97	761.3	81	8	E	4	b		6	29.96	760.9	76	8	E	4	b	
Phulien,	15	29.88	758.9	79	6	SSE	4	bc		7	29.89	759.1	73	6	SSE	5	o	
Tourane,	,,	29.86	758.5	85	8	E	2	bc		,,	29.90	759.4	73	6	...	o	c	
Cape St. James,	,,	29.85	758.3	81	8	ENE	4	bc		,,	29.88	759.0	81	7	ENE	3	c	
Basco,	14	29.95	760.8	83	8	SE	2	o		6	29.97	761.2	77	6	ESE	4	b	
Aparri,	,,	29.90	759.4	86	6	ENE	4	b		,,	29.93	760.2	77	6	...	o	o	
Tuguegarao,	,,	29.84	758.0	94	8	...	o	bc		,,	29.92	760.0	77	1	...	o	o	
Vigan,	,,	29.82	757.4	88	8	NW	4	b		,,	29.87	758.6	81	8	SSE	2	b	
Manila,	,,	29.82	757.4	94	8	E	4	bc		,,	29.89	759.3	77	2	...	o	b	
Legaspi,	,,	29.83	757.7	83	6	NE	2	o		,,	29.86	758.5	79	6	...	o	b	
Calboyog,	,,	29 82	757.3	86	8	N	4	bc		,,	29.88	758.8	76	8	...	o	b	
Tacloban,	,,	29.82	757.3	83	8	S	4	d		,,	29.88	758.8	79	8	NW	2	b	
Iloilo,	,,	29.74	755.5	91	8	NE	4	bc		,,	29 83	757.6	79	6	NE	4	bc	
Cebu,	,,	29.80	757.0	86	8	NE	4	o		,,	29 85	758.2	81	8	...	o	o	
Surigao,	...	29.78	756.4	88	8	ENE	4	bc		,,	29.84	757.9	76	6	...	o	r	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.79	756.7	...	6	E	4	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.78	756.4	...	6	ENE	4	bc		5	...	...	...	...	...	...	...	
Pelew,	,,	...	...	...	...	...	...	...		,,	..	...	...	...	...	...	...	
Labuan,	12	29.94	760.6	85	6	NW	6	bc		6	29.89	759.3	77	1	S	...	bc	

April 27*d*. 10*h*. 00*m*.—The anticyclone is central over the Pacific to the south-east of Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.32 inches, against an average of 10.98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	S. winds, moderate; cloudy, local rain.
B.—Turnabout to Hong Kong,	S.E. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	E. winds, moderate; cloudy, some fog or mist.
D.—Hong Kong to Hainan Straits,	E. and S.E. winds, moderate; fair.
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th APRIL, 1932.									28th APRIL, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Hourly.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	29.91	759.8	52	...	ESE	1	o		6	29.76	755.9	46	...	NW	1	b
Nemuro,	11	29.82	757.5	...	...	W	2	...		5	30.02	762.5	...	...	SSE	2	...
Hokodate,	,,	30.06	763.5	...	...	SW	4	...		,,	29.88	759.0	...	...	SE	1	...
Tokio,	,,	30.22	767.5	...	...	SSE	1	...		,,	29.98	761.5	..	...	S	2	...
Kochi,	,,	30.20	767.0	...	...	...	o	...		,,	29.90	759.5	...	...	...	o	...
Nagasaki,	,,	30.10	764.5	...	...	ESE	3	...		,,	29.78	756.5	...	..	W	2	...
Kagoshima,	,,	30.14	765.5	...	...	SSE	1	...		,,	29.82	757.5	...	...	SSW	1	...
Oshima,	,,	30.10	764.5	...	...	S	1	...		,,	29.94	760.5	...	...	S	1	...
Naha,	,,	30.08	764.0	...	...	SE	1	...		,,	29.98	761.5	...	...	SSW	2	...
Ishigakijima,	,,	30.06	763.5	...	...	S	2	...		,,	29.96	761.0	...	...	SSW	2	...
Bonin Island,	,,	30.14	765.5	...	...	ENE	1	...		,,	30.08	764.0	...	...	...	...	...
Chefoo,	15	29.89	759.1	56	4	ENE	2	c		6	30.00	762.0	45	4	SE	2	z
Shanghai,	14	29.78	756.3	68	4	S	2	d		,,	30.01	762.3	58	4	NW	2	o
Gutzlaff,	,,	29.82	757.4	63	6	SSE	4	o		,,	30.04	763.0	56	6	NNW	4	o
Wenchow,	,,	..	...	...	...	...	...	...		6	...	...	...	...	...	...	...
Foochow,	,,	29.91	759.7	72	6	S	2	bcf		7	30.02	762.5	72	8	SW	2	be
Amoy,	,,	29.99	761.7	76	6	SSE	4	b		6	29.93	760.2	74	6	SW	2	b
Swatow,	,,	30.06	763.4	79	...	ESE	1	c		,,	29.98	761.4	73	...	SW	1	b
Tailioku,	13	30.01	762.3	79	...	W	2	bc		5	29.92	760.0	70	...	...	o	b
Taichu,	,,	30.03	762.8	85	...	...	o	b		,,	29.95	760.8	70	..	...	o	bc
Tainan,	,,	30.00	762.0	85	...	WSW	2	b		,,	29.93	760.3	72	...	...	o	b
Koshun,	,,	30.02	762.4	86	...	ENE	2	c		,,	29.93	760.2	72	...	...	o	bc
Pescadores,	,,	30.01	762.3	81	...	...	o	b		,,	29.92	760.0	76	...	S	2	b
Hong Kong,	14	29.95	760.7	78	7	E	3	bc		6	29.92	759.8	74	7	...	o	o
Gap Rock,	,,	29.96	761.0	76	7	E	4	b		,,	29.93	760.2	75	7	E	4	c
Macao,	,,	29.94	760.6	77	6	SE	2	c		,,	29.90	759.4	74	4	ESE	2	o
Hoihow,	,,	...	...	...	...	...	...	...		,,	29.93	760.2	81	1	S	2	c
Pratas Island,	,,	29.94	760.4	88	8	E	2	b		6	29.92	760.0	81	8	...	o	c
Phulien,	15	29.86	758.5	81	6	S	4	bc		7	29.90	759.4	75	6	SE	4	o
Tourane,	,,	29.85	758.3	86	8	E	4	bc		,,	29.87	758.7	73	7	...	o	c
Cape St. James,	,,	29.85	758.2	83	8	ENE	6	b		,,	29.87	758.7	81	7	E	3	c
Basco,	14	29.93	760.2	85	8	ESE	4	bc		6	29.89	759.1	79	8	N	4	bc
Aparri,	,,	29.89	759.1	88	6	ENE	4	o		,,	29.88	758.9	74	6	...	o	b
Tuguegarao,	,,	29.83	757.6	91	6	...	o	o		,,	...	...	...	...	...	...	...
Vigan,	,,	29.83	757.7	88	8	W	4	b		,,	29.85	758.2	79	8	ESE	2	b
Manila,	,,	29.87	758.6	86	8	NNE	2	o		,,	29.86	758.4	76	4	...	o	b
Legaspi,	,,	29.81	757.2	91	8	NE	4	b		,,	29.84	757.9	81	6	...	c	bc
Calboyog,	,,	29.81	757.2	81	8	N	4	c		,,	29.84	757.9	76	8	N	2	c
Tacloban,	,,	29.81	757.2	86	6	S	4	d		,,	29.84	758.0	79	6	N	2	b
Iloilo,	,,	...	...	...	...	...	...	...		,,	29.78	756.5	77	6	N	4	c
Cebu,	,,	29.79	756.6	91	8	NE	4	bc		,,	29.80	756.8	81	8	N	2	bc
Surigao,	...	29.78	756.5	86	8	ENE	4	o		,,	29.79	756.7	79	6	ENE	2	o
Saipan,	11.00	...	...	...	...	...	...	...		5	29.88	759.0	78	...	ESE	2	bc
Guam,	12.22	29.76	755.8	...	6	NE	4	bc		4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	757.0	...	6	ENE	4	bc		5	29.85	758.2	78	...	ENE	2	c
Pelew,	,,	...	...	...	...	...	...	...		,,	..	...	...	...	...	...	...
Labuan,	14	29.86	758.5	88	6	SW	6	bc		6	29.90	759.4	76	1	S	6	bc

April 28*d*. 10*h*. 55*m*.—The depression has moved rapidly into the Sea of Japan and a weak anticyclone has developed over N. China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.32 inches, against an average of 11.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29th.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	N. winds, moderate; cloudy.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	E. winds, moderate; cloudy, generally.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	29th April, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.65	753.0	55	...	NW	1	b	6	29.74	755.3	43	...	SE	3	b
Nemuro,	11	29.84	758.0	...	...	S	3	...	5	29.57	751.0	..	...	WNW	1	...
Hokodate,	,,	29.69	754.0	...	...	SSE	1	...	,,	29.75	755.5	...	...	W	2	...
Tokio,	,,	29.82	757.5	...	...	S	3	...	,,	29.73	755.0		...	NW	1	...
Kochi,	,,	29.76	756.0	...	...	E	2	...	,,	29.88	759.0	...	...	WSW	1	...
Nagasaki,	,,	29.80	757.0	...	...	NW	1	...	,,	29.94	760.5	...	..	...	...	...
Kagoshima,	,,	29.80	757.0	...	...	W	1	...	,,	29.92	760.0	...	...	...	0	...
Oshima,	,,	29.88	759.0	...	...	S	2	...	,,	29.94	760.5	...	...	...	0	...
Naha,	,,	29.96	761.0	...	...	SSW	4	...	,,	29.92	760.0	...	...	NE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	SSW	1	...	,,	29.86	758.5	...	...	S	2	...
Bonin Island,	,,	30.02	762.5	...	...	...	...	...	,,	30.02	762.5	...	...	...	...	...
Chefoo,	15	29.83	757.7	67	8	NW	4	b	6	29.75	755.6	59	6	SSW	2	o
Shanghai,	14	30.00	762.0	70	6	NNW	2	c	,,	29.93	760.1	58	6	SE	2	o
Gutzlaff,	,,	30.03	762.7	61	6	N	2	bc	,,	29.99	761.7	56	6	SE	4	o
Wenchow,	,,	..	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.89	759.2	71	6	SE	4	o	7	29.93	760.2	65	6	...	0	o
Amoy,	,,	29.82	757.4	83	6	SSE	2	b	6	29.90	759.4	61	4	E	2	o
Swatow,	,,	29.92	759.9	86	...	WSW	1	c	,,	29.91	759.6	70	...	E	3	c
Tailoku,	11	29.94	760.6	85	...	W	2	c	5	29.88	759.0	70	...	E	2	c
Taichu,	,,	29.96	760.9	85	...	...	0	bc	,,	29.89	759.3	72	...	...	0	o
Tainan,	,,	29.93	760.2	88	...	WSW	4	bc	,,	29.85	758.2	72	...	N	2	o
Koshun,	,,	29.91	759.8	88	...	S	2	bc	,,	29.84	758.0	76	...	...	0	b
Pescadores,	,,	29.94	760.4	83	...	WNW	2	bc	,,	29.86	758.3	74	...	NNE	4	o
Hong Kong,	14	29.87	758.7	84	7	W	3	bc	6	29.83	757.7	73	5	...	0	bcm
Gap Rock,	,,	29.89	759.2	78	7	ENE	3	b	,,	29.85	758.2	77	7	SSE	3	b
Macao,	,,	29.85	758.2	85	4	SSW	2	bc	,,	29.76	756.0	74	4	SSW	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	758.9	86	8	...	0	b	6	29.86	758.3	76	8	...	0	c
Phulien,	15	29.83	757.6	77	7	SSE	4	o	7	29.83	757.7	73	6	E	3	c
Tourane,	,,	29.80	756.9	86	8	E	2	bc	,,	29.82	757.3	73	6	...	0	c
Cape St. James,	,,	29.82	757.5	86	7	E	3	bc	,,	29.82	757.5	81	7	ENE	3	c
Basco,	14	29.83	757.6	86	8	SE	4	c	6	29.82	757.4	79	6	SE	2	o
Aparri,	,,	29.79	756.6	91	6	NE	4	b	,,	29.82	757.4	76	6	SE	2	b
Tuguegarao,	,,	29.74	755.4	...	8	...	0	c	,,	29.81	757.2	74	4	...	0	c
Vigan,	,,	29.78	756.3	88	8	NW	4	b	,,	29.82	757.3	81	6	W	2	c
Manila,	,,	29.78	756.3	94	8	NE	4	b	,,	29.81	757.2	76	6	...	0	c
Legaspi,	,,	29.78	756.4	94	8	NE	2	bc	,,	29.79	756.7	81	6	...	0	c
Calboyog,	,,	29.76	755.9	91	8	NE	4	bc	,,	...	...	76	8	N	2	c
Tacloban,	,,	29.76	756.0	88	8	...	0	c	,,	29.80	757.0	81	8	E	2	o
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.74	755.3	79	6	NNE	4	o
Cebu,	,,	29.74	755.5	91	8	NE	4	bc	,,	29.78	756.3	81	8	NE	4	o
Surigao,	...	29.75	755.6	79	6	SE	2	d	,,	29.76	755.8	77	6	SW	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	..	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	6	E	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.5	...	6	ENE	4	a	5	29.82	757.3	...	6	NE	2	c
Petew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.04	760.4	88	6	W	6	bc	6	29.78	756.4	76	1	S	...	bc

April 29*d*. 10*h*. 51*m*.—The anticyclone has moved into the Eastern Sea and the depression into the Pacific to the north-east of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.32 inches, against an average of 11.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S. winds, moderate; fair.
B.—Turnabout to Hong Kong,	S.E. winds, moderate; fair to showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th APRIL, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millibs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	30th APRIL, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millibs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	SW	...	...
Nemuro,	11	29.69	754.0	...	...	NNE	1	...	5	29.92	760.0	..	...	SW	2	..
Hakodate,	,,	29.80	757.0	...	...	W	1	...	,,	29.98	761.5	...	...	...	...	...
Tokio,	,,	29.84	758.0	...	..	ESE	1	...	,,	30.04	763.0	..	...	...	0	...
Kochi,	,,	29.90	759.5	...	...	E	1	...	,,	29.92	760.0	...	...	S	1	...
Nagasaki,	,,	29.64	760.5	...	...	W	1	...	,,	29.76	756.0	...	..	NE	1	...
Kagoshima,	,,	29.94	760.5	...	...	S	1	...	,,	29.84	758.0	...	...	...	0	...
Oshima,	,,	29.96	761.0	...	...	NE	1	...	,,	29.88	759.0	...	...	S	2	...
Naha,	,,	29.94	760.5	...	...	E	1	...	,,	29.90	759.5	...	...	S	2	...
Ishigakijima,	,,	29.88	759.0	...	..	SSW	3	...	,,	29.86	758.5	...	...	SSW	2	...
Bonin Island,	,,	30.04	763.0	...	...	SW	1	...	,,	30.10	764.5	...	...	...	...	...
Chefoo,	15	29.69	754.0	68	6	SSW	6	o	6	29.61	752.0	54	6	SE	2	c
Shanghai,	14	29.83	757.6	59	4	SE	2	d	,,	29.80	756.8	59	4	WSW	2	m
Gutzlaff,	,,	29.90	759.4	58	6	SE	4	o	,,	29.85	758.2	59	6	WSW	2	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.81	757.9	66	6	N	2	o	7	29.84	757.9	62	4	S	2	f
Amoy,	,,	29.86	758.5	72	8	S	6	c	6	29.83	757.7	70	1	SSE	2	f
Swatow,	,,	29.89	759.2	74	...	E	3	e	,,	29.86	758.3	73	...	SW	3	c
Tailoku,	11	29.84	758.0	83	...	...	c	le	5	29.83	757.6	74	...	...	6	c
Taichu,	,,	29.87	758.8	86	...	...	c	le	,,	29.86	758.3	72	..	...	c	c
Tainan,	,,	29.85	758.3	88	...	SW	4	b	,,	29.83	757.7	74	...	SE	2	r
Koshun,	,,	29.85	758.2	91	...	SE	2	bc	,,	29.84	757.8	77	...	...	c	lc
Pescadores,	,,	29.87	758.8	81	...	NNE	4	o	,,	29.82	757.3	74	...	S	2	c
Hong Kong,	14	29.80	756.9	81	7	S	2	c	6	29.80	756.9	74	6	...	c	lpr
Gap Rock,	,,	29.83	757.7	78	7	SSE	2	c	,,	29.80	756.9	79	7	S	3	c
Macao,	,,	29.78	756.4	81	4	SSW	4	c	,,	29.82	757.3	72	4	ENE	2	c
Hoilow,	,,	29.84	757.0	85	1	NW	2	lc	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.4	88	8	...	c	b	6	29.84	757.9	74	8	..	0	...
Phulien,	15	29.78	756.3	79	6	S	3	c	7	29.79	756.6	72	6	E	3	...
Tourane,	,,	29.74	755.4	84	8	ENE	2	c	,,	29.78	756.5	75	...	...	0	c
Cape St. James,	,,	29.71	754.2	86	8	E	4	bc	,,	29.84	757.8	79	8	E	2	c
Basco,	14	29.79	756.6	86	8	SE	4	bc	6	29.83	757.6	81	8	SE	4	c
Aparri,	,,	29.75	755.6	91	6	NNE	4	b	,,	29.84	757.8	76	6	S	4	c
Tuguegarao,	,,	29.70	754.4	...	8	...	c	bc	,,	29.83	757.6	67	4	...	c	lc
Vigan,	,,	29.74	755.4	88	8	WNW	4	b	,,	29.81	757.2	70	8	...	c	l
Manila,	,,	29.74	755.5	94	8	SE	4	bc	,,	29.84	758.0	77	8	...	c	lc
Legaspi,	,,	29.75	755.6	91	8	ENE	2	bc	,,	29.83	757.7	81	6	...	c	l
Calbayog,	,,	29.74	755.4	91	8	SE	4	bc	,,	29.84	758.0	76	8	N	2	lc
Tacloban,	,,	29.76	755.8	91	8	SE	2	b	,,	29.84	758.0	79	6	...	0	b
Iloilo,	,,	29.69	754.0	91	8	NE	4	o	,,	29.78	756.3	76	5	NE	4	c
Cebu,	,,	29.74	755.4	86	8	NE	4	o	,,	29.81	757.2	79	6	NNE	4	lc
Surigao,	...	29.72	754.8	88	8	ESE	4	p	,,	29.81	757.1	76	6	...	c	l
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.7	...	6	E	2	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	..	...	..	...	5	29.84	757.8	...	6	ENE	2	lc
Pelew,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	6	W	...	bc	6	29.78	756.4	72	1	SW	6	lc

April 30*d.* 10*h.* 26*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 07° N. Long. 120° E., moving W.

April 30*d.* 10*h.* 30*m.*—Depressions are situated over S. Manchuria and Indo-China; another is moving to the north of Borneo on a westerly track.

Manila warning. 29*d.* 15*h.* 00*m.*:- Typhoon in Lat. 6° N. Long. 121° E. direction unknown Read 29*d.* 15*h.* 37*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inch. Total since January 1st, 8.33 inches, against an average of 11.67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
A.—Shanghai to Turnabout,	S.W. winds, moderate; cloudy.
B.—Turnabout to Hong Kong,	S. winds, moderate; cloudy, rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, Director.

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

MAY,

1932.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST

PREPARED UNDER THE DIRECTION OF
C. W. JEFFRIES, F.R.A.S.,
DIRECTOR.

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1932.

[Price $1.]

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

MAY,

1932.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, at 109 feet above MEAN SEA LEVEL, in the MONTH of MAY, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·767	29·749	29·745	29·735	29·735	29·742	29·769	29·766	29·782	29·785	29·780	29·766	1
2	29·756	29·742	29·724	29·714	29·717	29·727	29·742	29·758	29·769	29·764	29·758	29·748	2
3	29·718	29·710	29·696	29·687	29·680	29·692	29·718	29·738	29·744	29·750	29·753	29·749	3
4	29·752	29·738	29·712	29·708	29·709	29·720	29·739	29·768	29·776	29·794	29·798	29·794	4
5	29·817	29·807	29·798	29·802	29·804	29·826	29·838	29·851	29·872	29·881	29·881	29·868	5
6	29·835	29·816	29·812	29·814	29·822	29·846	29·860	29·881	29·894	29·900	29·894	29·884	6
7	29·852	29·839	29·825	29·819	29·825	29·839	29·851	29·866	29·878	29·892	29·891	29·878	7
8	29·782	29·760	29·752	29·750	29·750	29·762	29·787	29·800	29·809	29·816	29·807	29·796	8
9	29·746	29·739	29·726	29·736	29·732	29·747	29·767	29·779	29·787	29·797	29·793	29·783	9
10	29·807	29·795	29·786	29·786	29·794	29·798	29·821	29·830	29·841	29·859	29·852	29·844	10
11	29·851	29·836	29·824	29·822	29·832	29·842	29·862	29·876	29·906	29·908	29·901	29·886	11
12	29·862	29·859	29·850	29·848	29·842	29·850	29·868	29·878	29·881	29·866	29·851	29·837	12
13	29·788	29·772	29·774	29·767	29·768	29·767	29·780	29·787	29·792	29·790	29·781	29·769	13
14	29·706	29·708	29·701	29·710	29·714	29·720	29·734	29·741	29·748	29·754	29·752	29·736	14
15	29·702	29·692	29·693	29·695	29·704	29·713	29·732	29·746	29·762	29·765	29·764	29·754	15
16	29·748	29·740	29·722	29·726	29·724	29·737	29·756	29·767	29·782	29·783	29·785	29·783	16
17	29·783	29·766	29·756	29·751	29·751	29·755	29·765	29·775	29·788	29·802	29·800	29·784	17
18	29·751	29·721	29·703	29·696	29·698	29·711	29·738	29·754	29·776	29·781	29·782	29·778	18
19	29·754	29·736	29·728	29·731	29·738	29·750	29·778	29·801	29·804	29·819	29·822	29·809	19
20	29·798	29·787	29·776	29·770	29·761	29·761	29·776	29·794	29·803	29·813	29·823	29·806	20
21	29·774	29·758	29·753	29·745	29·741	29·741	29·770	29·774	29·785	29·794	29·773	29·759	21
22	29·703	29·695	29·693	29·685	29·685	29·689	29·705	29·714	29·723	29·727	29·703	29·704	22
23	29·674	29·660	29·662	29·668	29·672	29·680	29·685	29·695	29·695	29·698	29·698	29·693	23
24	29·645	29·631	29·619	29·601	29·597	29·605	29·617	29·615	29·613	29·610	29·598	29·595	24
25	29·587	29·591	29·589	29·591	29·593	29·597	29·611	29·621	29·626	29·628	29·622	29·611	25
26	29·582	29·568	29·571	29·565	29·567	29·571	29·600	29·612	29·628	29·628	29·619	29·621	26
27	29·586	29·576	29·578	29·582	29·592	29·610	29·630	29·642	29·648	29·657	29·655	29·641	27
28	29·644	29·640	29·634	29·643	29·653	29·672	29·690	29·697	29·702	29·706	29·704	29·708	28
29	29·730	29·720	29·721	29·723	29·729	29·748	29·758	29·771	29·778	29·780	29·774	29·769	29
30	29·790	29·776	29·766	29·774	29·765	29·777	29·785	29·800	29·819	29·814	29·820	29·810	30
31	29·767	29·753	29·750	29·752	29·756	29·766	29·790	29·794	29·799	29·804	29·794	29·779	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·746	29·730	29·712	29·699	29·708	29·698	29·707	29·712	29·726	29·746	29·748	29·756	1
2	29·728	29·706	29·684	29·669	29·658	29·656	29·661	29·677	29·700	29·716	29·728	29·728	2
3	29·733	29·708	29·698	29·688	29·679	29·686	29·702	29·717	29·737	29·757	29·758	29·758	3
4	29·784	29·778	29·762	29·749	29·763	29·768	29·770	29·790	29·808	29·828	29·829	29·832	4
5	29·852	29·832	29·796	29·772	29·759	29·759	29·778	29·803	29·826	29·842	29·846	29·847	5
6	29·866	29·844	29·825	29·801	29·800	29·800	29·818	29·843	29·858	29·884	29·888	29·870	6
7	29·855	29·824	29·800	29·781	29·773	29·766	29·777	29·786	29·808	29·812	29·816	29·798	7
8	29·772	29·749	29·737	29·719	29·703	29·706	29·722	29·721	29·737	29·761	29·753	29·742	8
9	29·763	29·744	29·723	29·715	29·731	29·744	29·758	29·769	29·784	29·792	29·812	29·812	9
10	29·836	29·832	29·816	29·800	29·802	29·820	29·838	29·856	29·877	29·887	29·875	29·863	10
11	29·866	29·851	29·831	29·812	29·816	29·826	29·841	29·859	29·866	29·868	29·886	29·868	11
12	29·815	29·793	29·773	29·749	29·751	29·757	29·760	29·774	29·797	29·803	29·797	29·796	12
13	29·749	29·728	29·713	29·704	29·695	29·703	29·704	29·708	29·715	29·728	29·730	29·714	13
14	29·717	29·690	29·672	29·653	29·653	29·657	29·672	29·683	29·707	29·715	29·719	29·715	14
15	29·737	29·717	29·708	29·690	29·685	29·699	29·704	29·712	29·734	29·742	29·756	29·754	15
16	29·783	29·763	29·743	29·721	29·720	29·730	29·742	29·753	29·783	29·794	29·792	29·788	16
17	29·768	29·765	29·737	29·718	29·714	29·728	29·740	29·756	29·759	29·771	29·771	29·766	17
18	29·774	29·748	29·730	29·719	29·717	29·723	29·730	29·768	29·785	29·788	29·774	29·766	18
19	29·794	29·771	29·757	29·752	29·745	29·735	29·745	29·760	29·787	29·810	29·814	29·804	19
20	29·791	29·764	29·748	29·734	29·720	29·721	29·733	29·738	29·753	29·770	29·782	29·786	20
21	29·752	29·724	29·702	29·685	29·673	29·675	29·693	29·707	29·708	29·712	29·718	29·707	21
22	29·694	29·677	29·672	29·650	29·644	29·660	29·658	29·664	29·674	29·694	29·698	29·694	22
23	29·675	29·646	29·622	29·619	29·617	29·615	29·627	29·637	29·633	29·653	29·659	29·655	23
24	29·580	29·557	29·542	29·522	29·530	29·526	29·530	29·551	29·561	29·583	29·585	29·589	24
25	29·601	29·573	29·557	29·539	29·529	29·533	29·560	29·576	29·586	29·592	29·604	29·602	25
26	29·597	29·583	29·569	29·547	29·539	29·548	29·558	29·572	29·588	29·598	29·614	29·600	26
27	29·619	29·603	29·593	29·591	29·581	29·583	29·598	29·610	29·622	29·640	29·644	29·644	27
28	29·692	29·673	29·657	29·646	29·647	29·661	29·679	29·697	29·718	29·722	29·728	29·728	28
29	29·766	29·753	29·743	29·740	29·742	29·746	29·757	29·780	29·797	29·810	29·811	29·807	29
30	29·789	29·760	29·739	29·722	29·718	29·731	29·737	29·761	29·781	29·793	29·801	29·788	30
31	29·769	29·750	29·738	29·716	29·710	29·727	29·751	29·764	29·779	29·794	29·794	29·766	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of MAY, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	75·9	75·8	75·9	76·1	75·9	75·6	76·6	78·9	81·6	83·0	83·0	82·9	1
2	79·8	78·4	76·8	76·1	76·1	76·2	76·7	78·0	78·5	78·5	78·5	78·7	2
3	79·2	79·0	77·8	76·8	78·6	78·8	79·1	81·7	81·7	80·3	85·0	83·9	3
4	79·4	79·6	79·5	79·4	79·5	79·6	80·2	82·2	82·1	84·8	84·8	85·5	4
5	77·7	77·5	77·5	77·0	76·6	77·3	79·6	80·9	82·9	85·0	85·2	87·0	5
6	77·6	77·3	77·3	77·2	77·4	77·2	79·0	81·3	82·0	84·0	85·9	86·3	6
7	78·1	77·0	77·1	77·0	77·0	76·9	77·4	78·6	78·8	78·9	78·8	80·9	7
8	77·0	77·1	76·9	76·7	76·6	76·6	78·1	80·3	81·0	80·0	81·2	81·3	8
9	78·6	78·7	78·6	78·6	78·5	78·9	79·4	80·5	83·4	83·8	84·8	82·9	9
10	78·0	77·8	77·8	77·8	77·7	77·7	79·7	84·0	83·7	86·9	88·9	87·9	10
11	79·3	79·2	78·2	78·1	78·0	77·8	78·7	79·5	78·3	80·9	82·0	81·5	11
12	76·9	76·9	76·9	76·3	75·7	75·6	79·0	79·9	82·2	83·6	83·9	84·0	12
13	77·3	77·3	77·7	77·0	77·2	77·3	79·3	81·0	82·6	82·6	83·9	84·0	13
14	78·8	78·3	78·3	78·1	77·3	77·2	79·2	80·3	80·2	80·5	80·6	82·4	14
15	79·0	78·8	78·6	78·2	78·0	77·9	80·7	82·6	83·5	83·2	85·0	85·5	15
16	80·8	80·7	80·7	80·2	80·1	80·0	80·6	82·5	82·0	83·2	85·0	85·3	16
17	79·0	79·5	79·5	79·2	79·0	79·1	79·3	79·4	80·5	80·9	80·5	81·6	17
18	79·5	79·6	79·6	79·6	79·7	79·7	81·2	82·5	83·6	84·6	84·2	85·4	18
19	80·5	80·0	80·0	80·0	80·0	80·3	81·0	82·9	82·9	84·3	85·2	86·3	19
20	79·0	78·7	78·7	78·9	78·8	79·0	81·7	84·1	85·0	85·1	82·8	83·6	20
21	79·4	79·3	79·0	79·0	78·6	78·7	80·0	80·4	81·9	80·2	80·4	82·6	21
22	81·2	81·2	81·1	81·1	81·1	81·1	81·6	82·8	83·4	82·2	85·6	80·0	22
23	78·9	78·8	78·8	78·9	78·6	78·7	80·0	81·6	84·0	85·5	84·5	80·8	23
24	81·6	82·0	81·1	81·1	81·6	81·6	81·7	82·3	83·9	84·0	84·3	84·6	24
25	83·0	82·9	82·8	82·7	82·4	81·8	82·6	84·0	84·0	84·9	85·3	85·9	25
26	83·6	83·6	83·2	83·0	83·0	83·8	83·7	84·6	84·9	84·7	85·0	86·7	26
27	83·4	83·2	83·0	83·1	83·3	83·4	84·0	85·2	86·4	86·7	87·1	87·1	27
28	82·3	82·1	82·2	82·3	82·2	82·2	83·6	84·2	85·6	86·2	86·0	87·8	28
29	82·3	82·1	81·9	81·9	81·8	80·0	79·6	81·8	84·6	86·7	84·6	82·5	29
30	76·5	76·4	76·3	76·0	75·7	75·2	76·0	77·5	76·6	77·6	79·7	78·6	30
31	77·2	77·2	77·2	77·1	77·1	77·4	78·2	79·4	79·5	82·6	84·5	84·2	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	82·6	82·0	81·7	81·9	80·5	80·2	80·0	78·8	80·0	80·0	79·8	79·9	1
2	78·4	79·1	79·3	80·0	79·2	79·6	79·0	78·8	78·7	78·7	78·9	79·2	2
3	83·6	83·7	85·6	84·8	84·0	82·1	80·4	80·0	79·3	79·3	79·4	79·4	3
4	86·0	86·0	84·9	84·6	82·3	81·6	79·9	79·0	79·0	78·2	78·2	78·1	4
5	87·6	88·0	87·4	87·5	85·3	83·0	81·1	80·3	79·1	79·0	78·6	78·0	5
6	86·5	86·7	86·9	87·1	84·5	82·0	80·6	80·1	78·8	77·8	78·0	77·8	6
7	81·0	80·8	80·9	80·2	79·1	78·3	77·5	76·9	76·9	77·2	76·9	77·0	7
8	81·2	83·7	83·9	84·0	82·0	81·0	80·0	80·0	80·0	80·0	78·5	78·0	8
9	84·0	84·5	82·5	82·2	81·7	81·5	81·3	81·2	80·0	79·0	79·2	78·3	9
10	84·0	79·0	79·3	81·8	82·0	81·1	80·0	80·0	79·6	79·5	79·4	79·4	10
11	82·2	81·7	80·5	80·9	79·9	79·5	78·6	78·2	78·0	78·0	77·8	77·4	11
12	83·0	82·0	82·5	82·1	81·6	81·0	80·0	79·1	79·0	78·5	78·2	77·7	12
13	82·8	81·3	82·8	81·8	81·1	80·0	79·7	79·4	79·2	78·8	79·0	79·0	13
14	83·4	85·6	83·8	82·5	82·0	81·0	80·4	79·8	79·5	79·5	79·3	79·1	14
15	85·3	84·2	84·0	83·0	82·1	81·1	80·2	80·2	80·6	80·8	80·8	80·7	15
16	83·3	83·6	83·0	82·3	82·0	81·3	80·7	80·5	81·0	80·2	80·4	80·1	16
17	83·3	78·6	79·6	81·8	82·0	80·3	80·9	79·1	79·1	79·0	79·1	79·1	17
18	82·6	83·0	82·5	83·0	82·0	81·3	81·0	80·8	80·9	80·9	80·5	80·8	18
19	85·7	84·5	83·7	83·0	82·8	81·8	80·9	80·6	80·2	80·0	79·9	79·6	19
20	86·3	85·9	86·8	85·6	84·0	82·5	81·6	80·8	80·3	79·5	79·2	79·6	20
21	82·8	82·6	81·7	82·6	82·7	81·3	81·0	81·0	80·8	80·6	81·0	81·1	21
22	81·1	79·4	79·1	79·0	78·9	79·0	79·0	79·0	78·0	78·0	77·9	78·6	22
23	83·5	86·0	83·6	82·4	82·1	82·0	82·1	82·0	81·8	82·0	82·4	82·0	23
24	86·1	86·2	84·6	84·2	84·0	83·5	83·0	82·9	83·0	83·0	83·1	83·1	24
25	87·3	86·6	87·0	86·0	85·3	83·2	83·0	83·2	83·0	83·0	83·2	83·6	25
26	87·4	86·8	85·8	86·5	84·3	83·3	82·9	82·9	82·9	82·6	82·6	85·0	26
27	86·5	86·2	87·0	85·0	84·8	83·4	82·5	82·4	82·2	82·0	82·2	82·4	27
28	88·9	89·2	88·2	87·0	85·8	85·0	83·7	83·0	82·4	82·4	82·5	82·4	28
29	82·2	80·4	80·1	78·7	78·0	78·0	77·0	76·8	76·3	76·1	76·9	76·7	29
30	79·9	81·2	80·9	80·9	80·3	78·8	77·4	78·0	78·6	78·7	78·1	77·7	30
31	84·3	84·8	85·0	85·6	85·2	81·3	80·7	80·1	80·0	80·2	79·9	78·9	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of MAY, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	74·3	74·0	73·8	73·6	73·2	73·0	73·9	75·4	75·8	76·0	75·8	75·8	1
2	75·2	74·9	74·6	74·5	74·5	74·7	74·9	76·0	75·9	75·5	75·9	75·9	2
3	76·2	76·0	75·7	75·7	75·4	75·5	75·7	76·2	77·4	77·4	77·5	76·8	3
4	75·7	75·9	75·9	75·9	75·9	75·8	76·3	77·0	76·8	78·1	77·6	78·0	4
5	75·9	75·9	75·9	75·9	75·5	75·8	76·7	76·0	77·4	77·5	77·6	78·5	5
6	75·9	75·5	75·8	75·6	75·7	75·6	76·5	76·6	77·0	77·0	77·4	77·9	6
7	74·0	73·6	73·5	73·4	73·3	73·2	73·4	73·4	75·6	75·5	75·4	76·4	7
8	74·8	74·6	74·5	74·5	74·4	74·2	75·3	75·8	76·3	76·0	76·8	76·3	8
9	76·0	75·9	75·9	75·7	75·5	76·1	76·4	77·0	77·9	77·6	77·2	76·9	9
10	76·5	76·4	76·4	76·4	76·6	76·5	77·0	77·4	77·9	79·8	79·8	79·5	10
11	76·0	76·1	76·1	75·9	75·8	74·8	75·2	75·6	75·1	76·9	77·6	76·8	11
12	74·9	74·9	74·8	74·4	74·6	74·6	76·7	76·2	77·4	77·0	77·0	77·2	12
13	75·9	75·1	75·2	74·7	74·2	74·0	75·9	76·7	77·4	76·9	77·7	78·0	13
14	75·8	75·3	75·3	75·1	75·0	75·0	75·9	76·2	76·6	76·5	76·6	77·0	14
15	76·1	75·9	75·9	75·8	75·7	75·9	78·0	78·6	78·9	77·9	78·0	78·0	15
16	77·9	77·7	77·6	77·8	77·7	77·6	77·8	78·0	78·1	78·2	79·0	78·2	16
17	77·4	77·2	77·2	77·1	77·4	77·5	77·4	77·4	76·9	77·5	77·2	77·6	17
18	77·0	77·0	77·0	77·1	76·9	76·9	77·6	78·2	78·9	78·8	78·4	79·7	18
19	78·2	77·9	77·9	77·8	77·6	77·7	78·2	78·8	79·1	79·0	79·6	79·8	19
20	77·0	76·9	76·9	76·9	76·5	76·6	77·8	78·0	78·1	78·3	77·6	78·1	20
21	76·9	77·0	76·5	76·5	76·6	76·7	76·7	76·8	76·5	76·3	74·9	77·3	21
22	77·8	77·8	77·9	77·9	78·1	78·0	78·2	79·3	79·1	79·2	80·0	78·5	22
23	77·3	77·1	77·1	77·1	76·9	76·9	77·9	79·1	79·2	80·0	79·0	76·1	23
24	77·6	77·4	77·8	77·8	77·6	77·5	77·5	77·6	78·3	78·3	78·4	78·6	24
25	78·0	78·1	78·3	78·5	78·6	78·9	78·8	78·5	79·0	78·9	79·7	80·6	25
26	79·8	79·6	79·2	79·5	79·3	79·3	79·5	79·6	79·9	80·0	80·2	80·7	26
27	79·0	78·9	78·8	78·6	78·9	78·7	78·9	79·6	80·2	80·4	80·6	79·9	27
28	78·8	78·6	78·5	78·6	78·5	78·3	78·8	78·9	79·6	79·8	78·8	80·3	28
29	79·0	79·0	78·9	78·8	78·6	77·2	77·0	78·2	80·0	81·2	80·3	79·0	29
30	74·6	74·4	74·3	74·0	73·9	74·1	74·0	74·5	74·5	74·9	76·2	75·4	30
31	75·9	75·9	75·9	75·8	75·8	75·4	75·7	76·0	75·8	76·7	77·8	78·7	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	75·6	75·9	75·5	75·4	75·0	75·0	74·8	75·0	75·0	75·2	75·1	75·2	1
2	75·9	76·5	76·6	76·9	76·0	76·3	76·0	75·9	76·0	75·9	75·9	76·2	2
3	77·8	77·9	77·0	75·9	75·7	75·0	75·5	75·8	75·5	75·5	75·6	75·7	3
4	78·0	78·2	77·4	77·5	75·5	75·9	75·7	75·7	75·9	75·9	75·9	75·9	4
5	78·1	78·2	77·3	77·4	77·1	76·6	76·6	76·6	76·1	76·0	76·0	75·9	5
6	78·3	76·4	76·8	75·9	73·9	74·0	73·8	73·7	73·3	73·5	74·0	74·1	6
7	76·0	76·0	76·3	76·0	75·8	75·1	75·0	74·8	74·8	74·9	74·8	74·8	7
8	76·4	76·4	76·5	76·8	76·0	75·8	76·0	76·4	76·7	76·7	76·4	76·0	8
9	76·8	77·8	76·7	76·8	76·9	76·8	76·7	76·9	77·0	76·6	76·9	76·9	9
10	78·8	77·5	74·0	77·6	77·9	78·0	77·3	77·1	77·0	76·7	76·4	76·3	10
11	77·2	76·5	76·0	76·5	76·1	76·3	76·1	76·0	75·9	75·9	75·6	75·4	11
12	77·0	76·2	77·0	77·2	76·5	76·4	76·2	76·0	76·0	75·9	75·8	75·3	12
13	77·2	76·7	77·3	76·7	76·5	77·0	76·6	76·6	76·7	76·2	76·0	75·9	13
14	77·5	77·6	78·2	77·3	77·0	77·0	76·4	76·3	76·6	76·3	76·3	76·3	14
15	77·6	77·6	77·4	76·4	76·6	76·9	76·6	76·6	77·3	77·7	77·7	77·8	15
16	78·1	78·2	78·1	77·9	77·8	77·9	77·4	77·5	77·6	77·2	77·8	77·6	16
17	78·0	76·5	77·0	77·6	78·1	76·8	77·7	76·8	76·6	76·0	76·9	76·9	17
18	78·6	78·5	78·0	78·0	78·5	78·4	78·2	78·4	78·6	78·6	78·5	78·5	18
19	79·3	78·6	78·9	78·0	77·6	77·5	77·2	77·0	77·5	76·8	77·7	77·2	19
20	79·7	79·2	79·0	78·6	78·3	78·0	77·1	77·4	76·9	77·0	76·7	76·9	20
21	78·2	77·8	78·0	77·6	77·5	76·3	76·2	76·9	77·1	77·3	77·5	77·6	21
22	78·6	77·3	77·0	77·0	76·9	77·8	76·9	76·9	76·6	76·6	76·7	77·1	22
23	78·0	79·0	77·0	77·5	77·7	77·9	78·1	78·1	78·5	78·5	78·2	78·0	23
24	79·7	79·9	79·0	78·9	78·6	78·0	77·5	77·4	77·6	77·4	77·5	77·8	24
25	81·8	80·6	81·0	80·8	80·3	79·5	79·2	79·4	79·7	79·7	79·6	79·8	25
26	80·4	80·1	79·7	79·9	79·3	79·1	79·0	78·9	78·9	78·9	78·7	78·9	26
27	79·7	79·6	79·9	79·2	79·1	77·9	78·0	78·3	78·9	78·9	78·9	78·7	27
28	81·2	81·4	80·9	79·9	79·1	79·5	79·1	79·3	79·3	79·3	79·0	79·1	28
29	78·6	77·9	77·7	76·9	76·6	76·2	74·9	74·9	74·7	74·7	74·7	74·7	29
30	76·8	77·5	77·3	77·4	77·2	76·6	76·2	76·6	76·6	76·6	76·1	76·2	30
31	79·1	78·4	79·0	78·9	78·7	78·1	77·9	77·5	77·4	77·5	77·3	77·6	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of MAY, 1932.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mdt.	
1	10	7	9	7	6	6	7	7	5	6	9	9	8	9	8	8	9	9	9	9	9	9	9	9	1
2	9	8	8	6	8	8	7	6	8	9	9	9	9	9	8	9	9	9	10	10	9	10	10	10	2
3	10	9	9	9	10	8	8	7	6	8	8	8	8	5	4	3	5	3	6	7	6	8	8	9	3
4	9	9	10	9	9	8	8	8	9	9	6	6	6	6	6	4	3	2	2	2	8	8	9	7	4
5	5	7	8	7	6	4	2	6	6	4	7	3	5	3	3	3	4	8	8	4	2	1	1	...	5
6	...	...	...	...	1	3	1	2	2	1	3	3	4	3	6	7	6	6	4	2	2	...	2	4	6
7	6	4	9	9	10	8	8	8	8	9	9	5	8	7	7	9	8	8	6	3	3	2	2	3	7
8	7	2	...	...	3	8	9	5	9	8	9	7	8	7	6	5	5	4	4	8	8	9	3	8	8
9	6	4	2	4	5	8	9	9	8	9	8	8	8	8	8	9	9	10	10	9	6	7	9	7	9
10	3	1	3	3	4	3	5	4	6	7	7	8	9	9	9	9	9	9	8	10	9	6	6	5	10
11	7	9	10	9	9	4	6	6	8	5	5	4	6	4	6	4	4	8	6	7	8	4	4	2	11
12	2	1	1	1	...	...	1	3	4	2	3	3	3	8	5	2	1	...	2	1	...	...	2	...	12
13	...	...	5	...	1	2	3	2	3	3	3	5	6	6	7	5	7	6	4	1	1	3	2	4	13
14	3	2	1	2	1	2	2	3	7	8	8	7	7	6	5	3	2	2	2	1	1	1	1	1	14
15	...	...	...	...	1	1	1	2	4	3	2	2	1	2	1	2	1	2	2	7	7	7	3	8	15
16	7	8	5	6	5	6	6	6	8	7	5	6	6	4	4	4	5	7	9	10	10	10	10	10	16
17	10	9	10	9	9	9	8	9	9	10	10	9	10	10	9	6	6	8	9	9	9	8	7	9	17
18	9	7	7	9	8	7	6	6	5	6	4	7	8	9	9	9	9	9	8	9	9	9	9	9	18
19	9	8	8	10	10	9	7	6	5	5	4	5	4	8	7	7	8	7	8	8	6	2	2	...	19
20	1	1	1	2	...	1	2	3	2	3	4	7	3	7	6	8	8	8	9	9	9	9	9	9	20
21	6	7	6	5	6	9	9	9	10	10	10	10	10	10	10	10	9	9	9	9	5	2	2	9	21
22	10	9	9	9	9	9	10	9	8	9	10	10	10	10	10	10	10	10	10	6	4	8	9	10	22
23	10	10	10	10	9	9	8	6	4	6	8	10	9	9	9	10	9	10	10	10	9	10	10	10	23
24	10	10	10	10	10	10	10	9	9	9	9	9	9	9	9	10	10	10	7	8	7	9	9	10	24
25	10	10	10	10	10	10	10	9	9	8	9	9	8	8	8	10	10	10	10	10	9	9	9	9	25
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	10	10	9	9	9	9	9	26
27	10	9	8	8	10	9	8	8	9	8	9	8	8	8	8	9	7	7	8	9	9	9	9	9	27
28	10	9	9	8	7	9	9	8	9	9	9	9	8	9	8	8	8	8	9	9	8	8	7	8	28
29	9	8	8	9	9	9	9	9	7	8	7	9	9	10	9	10	9	10	10	10	10	10	10	10	29
30	10	10	10	10	10	9	9	9	10	10	10	10	10	9	9	9	9	10	10	10	10	10	10	9	30
31	9	9	9	10	10	10	10	9	8	9	7	7	7	8	7	4	4	6	7	3	1	...	...	2	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of MAY, 1932.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	0·1	0·7	1·0	1·0	1·0	0·6	0·5	0·4	0·8	1·0	0·9	0·4	...	1
2	0·1	1·0	0·8	1·0	0·6	0·7	0·8	0·2	0·9	0·8	0·7	...	...	2
3	...	0·4	0·7	0·9	0·8	1·0	0·9	1·0	1·0	1·0	1·0	1·0	0·4	3
4	0·3	0·6	1·0	0·6	1·0	1·0	1·0	0·3	1·0	1·0	1·0	0·8	0·4	4
5	0·6	1·0	1·0	1·0	0·8	0·8	1·0	1·0	1·0	1·0	1·0	0·3	0·2	5
6	0·6	1·0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	6
7	...	0·6	0·3	0·6	0·4	0·5	1·0	1·0	1·0	1·0	1·0	0·1	...	7
8	0·1	0·3	1·0	0·7	0·6	0·4	0·4	0·3	0·9	0·9	0·9	0·7	0·3	8
9	...	0·1	0·4	0·9	0·9	0·5	0·1	0·9	0·8	...	...	...	...	9
10	0·5	0·7	1·0	1·0	1·0	1·0	0·9	...	0·4	0·3	0·2	0·3	...	10
11	0·3	1·0	0·4	0·8	1·0	1·0	1·0	0·9	1·0	1·0	1·0	1·0	0·1	11
12	0·4	1·0	0·8	1·0	1·0	1·0	1·0	0·8	0·4	0·9	1·0	1·0	0·3	12
13	0·4	1·0	1·0	1·0	1·0	1·0	1·0	0·7	0·7	0·6	...	...	...	13
14	0·5	0·5	0·4	...	0·1	0·6	1·0	1·0	1·0	1·0	1·0	1·0	0·3	14
15	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	15
16	0·1	0·5	0·8	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	0·4	16
17	...	0·2	0·1	0·4	0·1	...	0·1	0·1	...	0·3	0·9	0·2	0·1	17
18	0·2	0·9	1·0	1·0	0·9	1·0	0·8	0·5	0·1	...	0·1	0·2	...	18
19	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	0·8	0·9	0·2	0·4	...	19
20	0·7	1·0	1·0	1·0	0·6	1·0	1·0	1·0	1·0	0·9	1·0	0·1	...	20
21	0·1	...	...	...	...	...	...	...	...	...	...	0·3	...	21
22	...	0·1	0·8	0·3	0·7	...	..	...	...	...	...	...	...	22
23	0·1	...	0·9	1·0	0·4	0·4	...	0·1	0·8	...	...	...	...	23
24	...	0·1	0·8	0·2	0·7	...	0·5	0·6	0·8	0·6	...	...	...	24
25	...	0·2	0·2	0·6	0·4	0·7	0·8	1·0	0·9	1·0	0·5	0·1	...	25
26	...	...	...	...	...	...	0·3	...	...	0·4	0·5	...	...	26
27	...	0·3	0·7	1·0	1·0	1·0	1·0	1·0	0·7	0·6	0·2	0·7	...	27
28	0·1	0·7	0·6	0·3	0·2	0·5	0·9	1·0	1·0	1·0	0·3	0·1	0·3	28
29	...	0·5	0·8	0·9	0·9	0·3	1·0	0·5	0·2	0·4	...	0·3	...	29
30	...	0·4	0·1	...	0·3	0·1	...	0·6	0·7	0·7	0·5	0·7	...	30
31	...	0·2	0·1	0·8	0·4	1·0	0·3	0·7	1·0	1·0	1·0	1·0	0·1	31

TABLE VI.—AMOUNTS of RAINFALL registered in each HOUR of the DAY, in the MONTH of MAY, 1912.

(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	d	...	...	...	...	d	d	d	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	d	d	d	...	...	...	...	d	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	d	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	d	...	...	...	...	...	d	...	...	...	...	16
17	0·005	...	0·005	0·030	d	0·005	d	d	0·010	0·005	0·005	d	17
18	d	...	...	...	d	...	d	...	...	...	...	...	18
19	d	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	0·005	0·005	d	...	21
22	...	...	...	...	...	...	d	...	...	0·005	0·005	0·955	22
23	...	...	d	d	...	...	...	...	...	...	d	d	23
24	...	...	0·040	...	...	...	d	...	d	...	...	d	24
25	...	d	...	d	0·005	d	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	d	d	...	d	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	0·015	0·005	...	...	...	...	...	29
30	d	d	0·005	0·335	0·220	0·070	...	...	0·005	0·010	d	d	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	d	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	d	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	d	0·335	...	...	...	0·010	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	d	15
16	...	...	...	...	...	d	...	...	d	0·015	...	0·030	16
17	0·030	0·050	d	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	d	...	...	0·010	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	d	d	...	...	...	...	...	...	...	...	...	21
22	0·010	0·075	0·015	0·105	0·030	...	...	...	...	...	...	...	22
23	...	...	...	...	d	...	...	...	...	d	...	0·010	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	d	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	d	...	...	...	...	d	d	d	0·005	d	0·025	29
30	...	...	...	...	...	...	0·005	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION AND VELOCITY of the WIND at every HOUR of the DAY, at 148 feet above MEAN SEA LEVEL, in the MONTH of MAY, 1932.

(The Direction is given in points and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	
1	9 6	9 5	13 5	15 4	13 2	11 6	10 6	11 6	13 7	16 10	15 9	16 8	1
2	14 7	13 6	11 5	10 6	10 6	10 7	11 9	9 12	9 17	8 20	8 17	8 19	2
3	15 10	16 7	14 7	12 6	15 9	15 6	15 5	14 6	11 10	14 6	15 10	14 9	3
4	15 6	17 7	15 5	16 5	16 7	16 10	17 7	16 10	16 8	16 10	16 11	16 11	4
5	12 3	... 1	8 2	8 3	8 4	... ...	9 2	12 5	15 8	16 7	24 9	25 8	5
6	24 2	26 2	26 4	26 2	26 2	27 5	27 2	26 4	25 5	26 6	24 7	24 7	6
7	10 13	10 12	10 17	9 16	8 17	8 19	9 17	9 17	9 19	10 17	9 14	8 16	7
8	11 12	12 8	10 5	9 5	10 6	10 3	11 6	13 9	11 7	9 11	8 10	8 8	8
9	15 4	16 5	16 4	17 3	16 4	16 5	16 4	17 6	16 11	17 9	17 8	17 9	9
10	11 3	... 1	11 4	11 4	11 2	11 3	10 2	12 7	13 8	12 9	13 10	11 13	10
11	11 13	10 15	11 14	11 15	10 13	9 16	9 19	8 19	8 15	9 19	9 20	9 21	11
12	9 2	... ...	... ...	... ...	... ...	... ...	... ...	... 1	9 4	9 4	9 9	9 13	12
13	11 3	11 4	... 1	11 5	12 9	11 7	10 9	9 14	10 15	10 18	10 17	10 18	13
14	11 8	12 5	14 4	14 3	12 3	12 3	12 2	12 4	9 9	8 11	8 10	9 14	14
15	... ...	... ...	... ...	... ...	... 1	... 1	13 2	8 5	9 9	9 11	9 12	9 14	15
16	9 15	9 16	8 15	7 12	7 13	7 13	7 16	7 19	7 22	7 17	8 15	9 22	16
17	7 23	7 20	7 17	7 19	6 19	7 17	7 19	7 16	7 21	7 23	7 22	6 24	17
18	8 20	9 22	9 23	9 23	8 22	8 22	8 22	9 22	9 20	7 20	9 19	9 20	18
19	9 18	9 16	9 16	10 15	10 12	10 8	9 11	9 9	9 16	9 16	9 17	9 18	19
20	8 8	8 5	8 8	8 6	8 7	8 6	9 7	9 9	8 12	8 14	8 14	8 12	20
21	... 1	... ...	... ...	... ...	16 2	17 3	18 3	18 5	20 4	20 10	20 6	21 6	21
22	20 10	21 12	20 13	21 9	21 11	21 12	21 12	21 13	20 15	20 14	20 18	20 19	22
23	30 4	29 3	27 3	27 2	... ...	27 2	... 1	27 3	27 6	25 7	23 8	23 9	23
24	18 15	20 18	18 15	19 15	18 14	19 16	19 17	20 18	19 24	20 23	19 27	19 27	24
25	19 17	20 20	19 20	20 16	19 18	19 22	20 20	20 21	20 19	19 25	19 24	20 17	25
26	18 12	19 16	19 17	19 15	19 13	19 11	18 13	19 16	18 19	18 18	19 22	20 21	26
27	18 12	17 13	17 16	18 14	18 20	18 21	18 16	19 16	20 19	19 19	20 21	19 18	27
28	18 11	18 9	20 8	20 10	20 9	19 10	18 8	20 9	19 11	20 9	19 12	19 12	28
29	... 1	17 2	... ...	... 1	24 5	27 9	26 6	... ...	28 2	9 5	8 16	8 18	29
30	7 21	8 21	8 14	7 15	8 16	8 17	8 18	8 20	8 17	7 17	6 17	6 17	30
31	9 7	9 7	9 7	9 5	9 3	... 1	29 5	28 5	25 3	24 4	23 7	23 9	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	
1	16 9	16 10	16 11	15 8	15 8	14 8	13 6	13 8	14 9	13 11	13 9	13 6	1
2	8 17	8 17	9 18	9 17	11 13	12 14	12 10	12 6	11 7	12 7	13 7	14 11	2
3	11 10	14 8	16 8	16 10	15 10	15 11	14 9	13 9	13 7	13 8	14 8	14 6	3
4	16 10	15 12	17 11	17 12	17 7	17 5	17 4	14 4	8 3	8 4	12 3	13 4	4
5	25 9	24 8	25 8	26 7	24 6	17 3	16 3	17 3	16 2	... 1	... ...	... ...	5
6	24 9	24 9	24 7	24 6	22 4	16 7	15 9	14 7	12 4	10 7	10 9	10 12	6
7	8 17	9 17	9 18	9 14	9 14	10 17	9 15	9 13	10 13	10 14	9 13	9 16	7
8	9 8	17 7	16 10	16 8	16 8	15 7	15 6	15 8	15 6	16 6	14 5	14 2	8
9	17 9	18 6	18 7	18 7	18 7	18 7	19 5	19 3	18 2	13 3	13 2	11 4	9
10	11 14	14 12	9 9	12 12	12 10	12 9	12 10	11 14	10 13	10 15	11 18	11 19	10
11	9 18	9 18	9 20	9 18	9 17	9 15	9 9	9 7	9 9	9 14	9 9	9 5	11
12	8 15	9 13	9 11	9 9	9 7	12 8	13 7	12 3	13 6	13 2	12 6	12 2	12
13	9 15	9 17	9 15	10 14	10 14	9 15	11 12	11 11	11 12	11 11	12 8	11 10	13
14	8 16	8 16	9 14	8 16	8 14	10 9	11 7	12 4	... ...	... 1	13 3	13 2	14
15	9 16	9 16	9 16	9 17	9 13	10 13	10 13	11 12	11 10	10 17	10 15	10 16	15
16	9 20	9 23	9 21	9 23	9 24	9 21	8 19	9 23	8 23	7 21	7 20	7 22	16
17	7 25	10 23	9 16	8 18	7 19	8 14	8 18	9 20	9 16	8 15	7 19	8 14	17
18	9 19	9 17	9 17	8 19	9 15	9 17	8 16	9 14	9 15	9 16	8 17	9 15	18
19	8 17	8 16	8 17	9 13	9 12	9 9	9 11	10 8	9 9	9 6	10 7	9 8	19
20	9 11	9 9	15 9	16 11	15 9	15 8	16 8	16 7	17 5	16 4	16 3	16 2	20
21	21 9	22 9	28 11	21 11	20 12	20 13	21 8	21 8	22 7	21 4	20 4	19 5	21
22	20 18	25 11	27 4	27 4	25 7	24 2	... 1	... 1	... 1	... ...	31 2	30 3	22
23	21 3	19 7	18 8	17 2	17 6	17 6	17 5	17 3	16 10	17 11	18 9	20 10	23
24	19 27	19 25	19 25	19 24	19 24	19 24	19 20	19 19	19 18	18 19	19 19	20 19	24
25	20 19	19 20	19 21	20 17	20 16	19 11	18 6	18 7	17 5	17 4	17 7	18 11	25
26	20 17	19 16	19 17	18 15	18 13	18 11	18 11	18 10	18 10	17 6	17 7	17 8	26
27	19 16	20 12	19 12	19 9	18 8	17 9	17 9	16 9	16 12	17 14	17 9	18 7	27
28	19 14	19 15	18 16	18 10	18 8	17 7	16 6	17 6	17 6	17 3	... 1	... 1	28
29	7 20	8 18	8 19	7 19	8 18	7 19	7 20	7 19	7 20	8 21	7 19	7 21	29
30	8 12	9 8	9 9	9 12	9 10	9 14	8 10	8 8	9 6	9 3	9 5	9 6	30
31	25 6	28 3	24 8	24 6	25 3	9 10	9 11	9 8	9 5	7 5	7 4	7 3	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of MAY, 1932.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	SSW	cu	SSW	a-cu / cu	SW / S	cu	S	cu	S	cu	S	cu	SSW	cu	SE
2	cu	SSE	cu	S	cu	WSW	cu	SSE	cu	SSE	cu	SSE	cu	S	cu	S
3	cu	S	cu	S	cu	S	cu	S	a-cu / cu	SW / S	cu	S	cu	S	cu	SSW
4	cu	SSW	cu	SSW	cu	SSW	ci-st / cu	W / SSW	cu	SSW	cu	SSW	cu	SSW	cu	S
5	cu	S	cu	S	cu	SSW	ci-st / cu	W / SW	ci-st / cu	WNW / WSW	ci-st / cu	WNW / WSW	ci-st	W	ci-st	W
6	...	...	...	...	ci-st	NW	cu	S	ci-st / cu	NNW / W	ci-cu	WSW	a-cu	WNW	...	...
7	cu	SE	cu	ESE	a-cu / cu	W / ESE	ci-st / cu	WSW / ESE	ci-st / cu	WSW / ESE	ci-st / cu	W / ESE	cu	ESE	cu	SE
8	cu	SE	...	...	a-cu / cu	WNW / SE	cu	SSW	cu	SSW	cu	SSW	cu	SW	cu	S
9	cu	SW	cu	SW	cu	SSW	cu	SSW	cu	SW	cu	SW	cu	SW	cu	SW
10	cu	SW	cu	SW	a-cu / cu	WSW / ESE	cu	SSW	cu	S	ci-st / cu	W / SSW	cu-nb	S	cu	SSE
11	cu	SSE	nb	SE	cu	E	cu	SE	cu	SSE	cu	SSE	cu	SSE	cu	SSE
12	cu	SSE	cu	E	cu	SE	cu	SSW	cu	WSW	cu	W	ci-st	NW	...	...
13	...	...	...	...	cu	SE	cu	ESE	cu	ESE	cu	SE	ci-st / cu	WNW / SE	cu	SE
14	cu	SSE	cu	S	cu	SE	cu	SSE	cu	SSE	cu	SSE	cu	SSE	cu	ESE
15	...	...	...	...	cu	ESE	cu	ESE	cu	E	cu	E	ci-st / cu	WSW / ESE	cu	ESE
16	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	ESE	ci-st / cu	SW / E	cu	E
17	nb	E	nb	E	nb	E	nb	E	cu-nb	ENE	a-cu / cu	WSW / E	cu	ENE	a-cu / cu	SSW / ENE
18	nb	E	cu	E	cu	E	cu	ESE	cu	ESE	a-cu / cu	SSE / ESE	cu	ESE	cu	ESE
19	a-cu / cu	W / ESE	cu	ESE	a-cu / cu	SW / ESE	ci-st / cu	WSW / E	ci-st / cu	W / ESE	ci-st / cu	NNW / ESE	ci-st / cu	NW / E	ci-st / cu	WNW / E
20	cu	E	cu	E	cu	E	cu	SSE	cu	SSE	ci-st / cu	WSW / S	a-st / cu	WSW / S	ci-st / cu	WSW / S
21	ci-st / cu	SW / S	ci-st / cu	SW / S	cu	SSW	nb	SW	nb	SW	cu	WSW	cu	W	cu	WSW
22	cu-nb	SW	cu	SW	nb	WSW	nb	WSW	nb	WSW	nb	WSW	cu-nb	WSW	cu	WSW
23	nb	WSW	nb	WSW	cu	W	cu	W	cu	WSW	cu	W	nb	WSW	nb	SW
24	nb	SW	nb	SW	nb	SW	a-cu / cu	W / SW	a-cu / cu	W / SW	cu-nb	SW	ci-st / cu	W / SW	cu	SW
25	cu-nb	SW	nb	SW	nb	SW	ci-cu / cu	W / SW	cu	WSW	cu	WSW	cu	SW	cu	SW
26	cu	SW	cu	SW	nb	SW	nb	SW	cu	SW	cu	SW	cu	SSW	cu	SSW
27	cu	SSW	cu	SSW	cu	SW	cu	SW	a-cu / cu	NNW / SW	a-cu / cu	NNW / SW	a-cu / cu	NW / SW	cu	SW
28	nb	SW	nb	SW	cu	SW	cu	SSW	ci-st / cu	WNW / SSW	ci-st / cu	NE / WNW	ci-st / cu	NW / SW	cu	SW
29	cu	SW	cu	SSW	cu	SW	cu	S	cu-nb	E	nb	E	nb	ENE	nb	ENE
30	nb	E	nb	E	nb	E	nb	E	cu-nb	E	ci-st / cu	E / WSW	nb	W	nb	W
31	nb	WNW	nb	WNW	cu	W	a-cu / cu	WSW / W	ci-st / cu	WSW / SW	ci-st / cu	WSW / SW	a-st / cu	WSW / W	...	...

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1932.
(British Units.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-10).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h	m.p.h.
1	29·742	84·0	75·5	8·5	79·5	74·9	0·812	81	80	8·4	65	...	...	— 6·1	+ 2·9	155	6·8	7·4
2	·718	80·6	75·9	4·7	78·4	75·7	·857	88	86	7·6	58	...	...	— 3·8	+ 10·0	111	10·7	11·5
3	·719	86·4	76·3	10·1	81·0	76·2	·847	80	72	10·1	78	...	...	— 7·3	+ 2·7	160	7·8	8·1
4	·770	87·1	78·1	9·0	81·4	76·5	·855	80	68	10·5	81	...	...	— 7·0	+ 0·2	178	7·0	7·3
5	·827	88·2	76·5	11·7	81·6	76·7	·861	80	45	10·7	82	...	...	— 0·9	— 1·6	241	1·8	4·2
6	·848	87·2	77·1	10·1	81·2	75·6	·821	77	26	11·7	90	...	...	— 1·0	— 2·0	243	2·2	5·7
7	·827	82·0	76·8	5·2	78·3	74·8	·821	85	66	7·5	58	...	1	— 3·3	+ 15·3	102	15·6	15·6
8	·758	85·1	76·4	8·7	79·8	75·6	·845	83	59	7·5	57	...	...	— 4·6	+ 4·0	139	6·1	7·1
9	·762	86·0	78·0	8·0	80·9	76·7	·870	82	75	4·6	35	...	...	— 5·2	— 1·0	191	5·3	5·6
10	·830	89·0	75·9	13·1	81·0	77·3	·893	84	63	7·3	56	0·345	1	— 3·5	+ 7·1	128	9·0	9·2
11	·856	82·6	77·4	5·2	79·3	76·1	·863	86	60	10·5	10	...	1	— 3·6	+ 14·5	104	14·9	14·9
12	·819	84·4	75·6	8·8	79·8	76·0	·853	84	19	10·6	81	...	...	— 1·7	+ 4·5	111	4·8	5·1
13	·747	84·1	77·0	7·1	80·1	76·3	·862	84	33	8·4	64	...	...	— 4·3	+ 10·3	114	11·2	11·4
14	·707	84·3	77·2	7·1	80·2	76·4	·865	84	32	8·4	64	...	...	— 1·8	+ 6·7	105	6·9	7·4
15	·723	86·2	77·8	8·4	81·4	77·1	·880	82	25	12·2	92	...	...	— 2·8	+ 9·0	107	9·4	9·5
16	·757	85·1	79·9	5·2	81·6	77·9	·912	85	68	10·1	77	0·045	1	— 0·2	+ 19·0	91	19·0	19·0
17	·762	83·3	77·9	5·4	80·0	77·2	·901	88	88	2·5	19	0·145	3	+ 2·0	+ 18·8	84	18·9	19·0
18	·746	85·6	79·1	6·5	81·6	78·1	·920	86	78	6·7	51	...	1	— 2·2	+ 18·8	97	18·8	18·8
19	·773	86·3	79·6	6·7	81·9	78·1	·917	85	64	8·7	66	...	...	— 2·5	+ 12·5	101	12·7	12·7
20	·771	87·3	78·5	8·8	82·0	77·6	·895	83	50	10·3	78	...	...	— 3·0	+ 5·5	119	6·3	8·1
21	·734	82·9	78·5	4·4	80·8	77·0	·883	84	80	0·4	3	0·010	2	— 3·6	— 4·3	230	5·6	5·9
22	·688	88·1	77·7	10·4	80·4	77·8	·922	89	91	1·9	14	1·200	6	— 4·3	— 6·7	237	8·0	8·8
23	·660	86·3	78·6	7·7	81·7	77·9	·911	85	90	4·3	32	0·020	2	— 2·5	— 2·8	228	3·7	5·3
24	·583	86·5	81·0	5·5	83·2	78·1	·903	80	92	4·3	32	0·040	...	— 16·9	— 11·4	214	20·4	20·5
25	·588	88·0	81·8	6·2	84·0	79·5	·954	82	93	6·4	48	0·005	1	— 12·5	— 9·4	217	15·6	16·0
26	·585	87·4	82·5	4·9	84·2	79·5	·952	81	97	1·2	9	...	...	— 12·0	— 6·7	209	13·8	13·9
27	·613	89·0	82·0	7·0	84·3	79·1	·934	80	85	8·2	62	...	...	— 12·1	— 5·9	206	13·5	13·8
28	·681	89·3	82·1	7·2	84·5	79·4	·945	80	85	7·0	53	...	...	— 7·3	— 4·2	210	8·4	8·8
29	·761	87·3	76·0	11·3	80·3	77·5	·910	88	91	5·8	43	0·050	3	+ 1·5	+ 10·5	82	10·6	12·4
30	·776	82·0	75·1	6·9	78·0	75·7	·861	90	97	4·1	31	0·650	6	+ 0·3	+ 13·0	89	13·0	13·0
31	·765	86·9	77·0	9·9	80·7	77·2	·892	85	65	7·6	57	...	...	...	+ 0·8	90	0·8	5·7
Means.	29·739	85·8	78·0	7·8	81·1	77·1	0·884	84	68	Sums. 223·5	55	Sums. 2·510	Sums 28	— 4·3	+ 4·2	136	6·0	10·7
Normals	29·742	81·6	73·8	7·8	77·1	73·4	0·785	84	76	156·4	38	11·645	89	— 1·4	+ 7·6	100	7·7	12·4
Absolute Max.	29·910	89·3	...	13·1	...	82·8	1·070	...	...	12·2	92	1·200	6	...	...	...	...	27·0†
Day.	21	28	...	10	...	29	29	...	...	15	15	22	22 30	...	...	...	...	24th 14h 29m
Absolute Min.	29·520	...	75·1	4·4	...	72·0	0·716	59	...	...	...	...	...	...	...	...	...	...
Day.	24	...	30	21	...	10	6	6	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

												Sums.	Sums.					
Means.	1009·0	302·9	298·6	4·3	300·3	298·1	29·9	...	...	...	...	63·7	28	— 1·4	+ 1·4	136	2·0	3·5
Normals	1009·1	300·6	296·2	...	298·1	296·0	26·6	...	...	...	...	295·8	89	— 0·5	+ 2·5	100	2·5	4·1
Absolute Max.	1014·8	304·8	...	7·3	...	301·2	36·2	...	...	...	...	30·5	6	...	...	...	...	8·9
Absolute Min.	1001·5	...	296·9	2·4	...	295·2	24·2	...	...	...	...	...	...	...	...	...	...	...

Rain fall on 9 days. The mean hourly intensity was 0·090*in*, and the maximum fall in one hour was 0·955*in* at 12*h* on the 22nd.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 51 miles per hour from S.W. by S. at 14*h* 29*m* on the 24th.

Clouds with base less than 2,000 feet high were observed on 7 days.

Clouds with base less than 1,000 feet high were observed on nil days.

*0°=N., 90°=E., &c.

† Maximum velocity for one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1932.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10).	Percentage of Possible Sunshine.	Rainfall. Amount.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	ins.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·744	79·4	76·6	0·882	88	70		0·005	— 3·8	+ 4·3	131	5·7	9·3
2	·732	79·2	76·5	·881	88	64		...	— 3·9	+ 3·1	142	5·0	9·0
3	·724	79·0	76·4	·879	89	66		0·050	— 3·9	+ 3·3	140	5·1	8·7
4	·722	78·9	76·4	·880	89	65		0·365	— 3·2	+ 3·2	135	4·5	8·2
5	·724	78·8	76·3	·877	89	66		0·225	— 3·4	+ 3·1	138	4·6	8·7
6	·734	78·8	76·2	·873	89	67	19	0·090	— 3·4	+ 2·5	144	4·2	9·1
7	·752	79·9	76·8	·885	87	67	53	0·005	— 3·3	+ 3·3	135	4·7	9·2
8	·764	81·4	77·2	·885	83	65	67	...	— 3·8	+ 3·5	137	5·2	10·5
9	·773	82·3	77·6	·892	81	70	70	0·020	— 4·8	+ 4·5	137	6·6	12·3
10	·780	83·1	77·8	·891	79	70	67	0·025	— 4·8	+ 4·5	137	6·6	13·2
11	·775	83·7	77·9	·888	77	72	65	0·010	— 5·3	+ 4·0	143	6·6	14·1
Noon.	·766	83·7	78·0	·893	77	72	69	0·955	— 4·9	+ 4·9	135	6·9	14·7
13	·750	84·0	78·2	·898	77	73	67	0·040	— 4·6	+ 5·2	131	6·9	14·4
14	·730	83·6	77·9	·889	77	74	71	0·460	— 5·3	+ 4·4	140	6·9	13·5
15	·713	83·4	77·7	·883	77	73	69	0·015	— 5·7	+ 4·2	144	7·1	13·3
16	·697	83·2	77·6	·881	78	69	58	0·105	— 5·0	+ 4·6	137	6·8	12·5
17	·694	82·3	77·2	·875	80	68	43	0·030	— 5·1	+ 4·2	140	6·6	11·5
18	·700	81·3	77·0	·877	82	73	12	0·010	— 5·7	+ 5·1	138	7·6	11·5
19	·711	80·5	76·8	·878	84	73		0·005	— 4·7	+ 4·9	134	6·8	9·8
20	·726	80·2	76·8	·881	85	71		...	— 4·6	+ 4·7	134	6·6	9·1
21	·742	79·9	76·8	·885	87	65		...	— 4·3	+ 4·6	133	6·3	8·7
22	·755	79·8	76·8	·886	87	64		0·020	— 3·9	+ 5·3	126	6·6	8·8
23	·759	79·7	76·8	·887	87	62		0·010	— 3·5	+ 5·1	124	6·2	8·6
Midn.	·754	79·6	76·8	·888	88	67		0·065	— 3·5	+ 4·6	127	5·8	8·7

Phenomena :—

Solar halo :—on the 20th.
Solar corona :—on the 4th.
Lunar halo :—on the 17th and 20th.
Lunar corona :—on the 18th, 22nd and 23rd.
Unusual visibility :—on the 13th, 14th and 15th.
Dew :—on the 5th, 6th, 10th, 12th and 20th.
Rainbow :—on the 10th.
Lightning :—on the 1st, 8th, 9th, 10th, 28th, 29th, 30th and 31st.
Thunder :—on the 10th and 22nd.

Thunderstorms :—

22*d*. 12*h*. 05*m*. to 14*h*. 25*m*. S.E. to N.W.; nearest at 13*h*. 41*m*. (3*s*).
22*d*. 14*h*. 37*m*. to 15*h*. 33*m*. N.E. to S.W.; nearest at 15*h*. 23*m*. (12*s*).
23*d*. 11*h*. 47*m*. to 12*h*. 35*m*. W. to E.; nearest at 12*h*. 00*m* (7*s*).

ADOPTED ERRORS OF TIMEBALL, MAY, 1932.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	0·0	11	0·0	21	0·0
2	+ 0·1	12	0·0	22	0·0
3	0·0	13	+ 0·1	23	+ 0·1
4	0·0	14	+ 0·1	24	+ 0·1
5	+ 0·1	15	+ 0·1	25	0·0
6	+ 0·1	16	+ 0·1	26	0·0
7	— 0·1	17	0·0	27	0·0
8	0·0	18	0·0	28	0·0
9	0·0	19	0·0	29	0·0
10	0·0	20	0·0	30	0·0
				31	0·0

+ = Late ; — = Early.

The above may also be regarded as the errors of the time signals by radio telegraphy and by signal lights.

The probable error for the month was ± 0·10

* 0° = N. 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

MAY,

1932.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th APRIL, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	1st MAY, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.75	755.6	48	...	FE	3	o	6	29.89	759.3	37	...	SE	3	o
Kenburo,	11	29.90	759 5	...	...	SW	2	...	5	29.92	760.0	.	..	SW	1	..
Hokodate,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.78	756.5	...	...	ESE	1	...
Tokio,	,,	29.98	761.5	...	...	S	1	...	,,	29.75	755.5		...	WNW	1	...
Kochi,	,,	29.84	758.0	...	...	...	0	...	,,	29.92	760.0	...	...	WSW	1	...
Nagasaki,	,,	29.82	757.5	...	...	WSW	2	...	,,	30.02	762.5	...	..	...	0	...
Kagoshima,	,,	29.86	758.5	...	...	WSW	1	...	,,	29.98	761.5	...	...	NNW	1	...
Oshima,	,,	29.90	759.5	...	...	S	1	...	,,	29.94	760.5	...	...	W	1	...
Naha,	,,	29.92	760.0	...	...	SSW	4	...	,,	29.92	760.0	...	...	SSW	1	...
Ishigakijima,	,,	29.90	759.5	...	...	SSW	1	...	,,	29.86	758.5	...	...	S	2	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	30.06	762.5	...	...	...	...	...
Chefoo,	15	29.60	751.8	74	8	SSW	4	b	6	29.72	754.9	67	6	SSW	2	b
Shanghai,	14	29.80	757.0	79	8	WSW	2	b	,,	29.85	758.2	56	6	SE	2	b
Gutzlaff,	,,	29.86	758.4	65	6	SSW	2	b	,,	29.96	761.0	59	6	SE	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.81	757.7	71	6	...	0	c	7	29.84	757.9	70	1	E	2	d
Amoy,	,,	29.86	758.4	74	4	N	2	o	6	29.85	758.2	72	4	SSE	2	o
Swatow,	,,	29.94	760.4	79	...	E	1	or	,,	29.88	759.0	73	...	SSW	3	b
Taihoku,	11	29.89	759.1	79	...	N	2	o	5	29.86	758.3	74	...	...	0	r
Taichu,	,,	29.88	758.9	88	...	S	2	bc	,,	29.89	759.1	74	..	...	0	o
Tainan,	,,	29.87	758.8	91	...	WSW	4	b	,,	29.85	758.2	72	...	...	0	b
Koshun,	,,	29.87	758.6	86	...	SW	2	bc	,,	29.85	758.2	72	...	...	0	b
Pescadores,	,,	29.88	758.9	83	...	WSW	2	c	,,	29.84	758.0	76	...	S	2	o
Hong Kong,	14	29.80	757 0	80	6	...	0	c	6	29.80	756 9	76	6	E	1	bc
Gap Rock,	,,	29.83	757.7	78	7	S	3	o	,,	29.80	756.9	77	7	SE	3	o
Macao,	,,	29.79	756.6	76	4	SE	2	o	,,	29.76	756.0	76	4	ESE	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.7	88	8	...	0	b	6	29.84	757.8	76	8	...	0	b
Phulien,	15	29.73	755.2	77	8	SE	4	o	7	29.71	754.5	75	6	SE	6	z
Tourane,	,,	29.72	754.8	83	8	SE	2	bc	,,	29.75	755.7	75	5	...	0	o
Cape St. James,	,,	29.80	757.0	86	8	E	4	bc	,,	29 84	758.0	77	5	WSW	1	r
Basco,	14	29.80	757.0	88	8	SSE	2	bc	6	29.83	757.6	81	8	SE	4	bc
Aparri,	,,	29.78	756.3	91	6	NE	4	b	,,	29.82	757.3	77	6	S	2	b
Tuguegarao,	,,	..	...	...	...	...	...	...	,,	29.82	757.4	76	4	...	0	bc
Vigan,	,,	...	...	...	...	...	...	...	,,	29.80	757.8	79	8	...	0	b
Manila,	,,	29.74	755.4	98	8	E	4	bc	,,	29.83	757.6	76	6	...	0	bc
Legaspi,	,,	29 78	756.5	91	8	NE	2	bc	,,	29 82	757.4	81	6	NE	2	bc
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	74	8	N	2	b
Tacloban,	,,	29.78	756 5	88	8	S	4	b	,,	29.84	757.9	77	8	N	2	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.78	756 3	79	6	N	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.82	757.3	79	8	...	c	bc
Surigao,	...	29.76	756.0	88	8	SE	2	b	,,	29.82	757.3	76	6	...	0	o
Saipan,	11.00	...	..	...	...	...	...	...	5	...	..	...	...	...	...	...
Guam,	12.22	29.83	757.6	...	6	E	4	b	4.22	...	...	...	..	...	...	...
Yap,	11.00	...	...	...	..	...	...	...	5	29.83	757.6	...	6	ENE	2	r
Pelew,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.83	757.6	83	6	NE	...	c	6	29.78	756.4	76	1	S	...	c

April 30*d*. 17*h*. 52*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 8° N. Long. 118° E., moving W.

May 1*d*. 10*h*. 52*m*.—Warning to Hong Kong Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 8° N. Long. 115° E, moving W

May 1*d*. 11*h*. 00*m* — A feeble anticyclone remains central near the Bonin Islands.

Depressions are situated to the N.E. of Tokio and over Tongking.

The southern depression is now central to the N.W. of N. Borneo, moving westward.

Manila warning. 30*d*. 11*h*. 25*m*.:—Typhoon in Lat. 6° N. Long. 119° E. moving W. Reed 30*d*. 12*h*. 07*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inch. Total since January 1st, 8.43 inches, against an average of 11.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. winds, moderate; fair.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	S.E. winds, moderate; cloudy, showery.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	S.E. or variable winds, moderate; fine to cloudy.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	2nd MAY, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.90	759.5	...	...	NW	1	...	5	30.14	765.5	...	...	...	...	...
Hokodate,	,,	29.94	760.5	...	...	ESE	1	...	,,	30.14	765.5	...	...	NW	1	...
Tokio,	,,	29.76	756.0	...	...	NE	1	...	,,	30.14	765.5	...	...	ENE	2	...
Kochi,	,,	29.94	760.5	...	...	S	1	...	,,	30.02	762.5	...	...	NW	...	...
Nagasaki,	,,	30.00	762.0	...	...	WNW	1	...	,,	30.02	762.5	...	..	...	0	...
Kagoshima,	,,	29.98	761.5	...	...	SE	1	...	,,	30.02	762.5	...	...	...	0	...
Oshima,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.96	761.0	...	...	...	...	...
Naha,	,,	29.98	761.5	...	...	SSW	1	...	,,	29.92	760.0	...	...	...	0	...
Ishigakijima,	,,	29.92	760.0	...	...	S	2	...	,,	29.88	759.0	...	...	S	1	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	...	...	...	...	...
Chefoo,	15	29.75	755.6	86	6	S	4	b	6	29.91	759.6	58	6	SW	2	c
Shanghai,	14	29.83	757.6	83	6	SE	6	b	,,	29.83	757.6	65	1	ESE	2	f
Gutzlaff,	,,	29.89	759.2	61	1	SE	4	f	,,	29.86	758.4	61	1	SE	4	f
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.84	757.9	73	4	ENE	2	of	7	29.87	758.7	71	4	N	2	o
Amoy,	,,	29.83	757.7	77	6	SE	4	c	6	...	...	...	...	...	...	...
Swatow,	,,	29.87	758.6	83	...	S	1	b	,,	29.88	758.9	76	...	NE	1	c
Taihoku,	11	29.89	759 3	83	...	E	2	o	5	29.88	758.8	72	...	...	0	be
Taichu,	,,	29.88	759.0	88	...	SW	2	b	,,	29.88	759.0	72	..	...	0	b
Tainan,	,,	29.86	758.5	91	...	SW	4	b	,,	29.84	758.0	76	...	...	0	be
Koshun,	,,	29.86	758.5	91	...	S	2	b	,,	29.84	757.8	77	...	...	0	be
Pescadores,	,,	29.87	758.8	83	...	W	2	b	,,	29.83	757.7	77	...	ENE	2	o
Hong Kong,	14	29.79	756.7	82	7	S	3	c	6	29.79	756.6	76	6	SE	2	o
Gap Rock,	,,	29.79	756.7	80	7	SE	3	c	,,	29.78	756.4	79	7	ESE	3	b
Macao,	,,	29.76	756.0	83	4	S	4	c	,,	29.74	755.3	77	4	SSE	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.2	91	8	...	c	b	6	29.81	757.1	77	8	...	0	be
Phulien,	15	29.65	753.0	81	8	S	6	c	7	29.66	753.4	75	6	S	4	z
Tourane,	,,	29.68	753.8	85	8	SSE	4	b	,,	29.71	754.7	75	7	...	0	c
Cape St. James,	,,	29.79	756.6	85	8	SW	2	c	,,	29.78	756.5	79	7	S	2	c
Basco,	14	29.80	756.8	86	8	SE	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.6	91	6	NE	4	b	,,	29.82	757.3	76	6	...	0	b
Tagnegauo,	,,	...	...	...	...	...	...	...	,,	29.82	757.3	76	4	...	0	be
Vigan,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	79	8	NE	2	b
Manila,	,,	29.76	756.0	94	8	ESE	4	be	,,	29.83	757.6	77	6	...	0	be
Legaspi,	,,	29 78	756 5	91	8	NE	4	b	,,	29.80	757.0	81	6	...	0	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	74	8	N	2	be
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	77	8	...	0	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	79	6	N	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	79	8	...	0	b
Surigao,	...	29.76	755.8	88	8	NE	2	o	,,	29.80	757.0	77	6	...	0	d
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	6	E	4	be	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	755.9	...	6	ENE	4	be	5	29.78	756.4	...	6	NE	2	be
Pelew,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	74	...	SW	...	o	6	29.78	756.4	76	...	S	...	c

May 2*d*. 10*h*. 09*m*.—Warning to Hong Kong Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 9° N. Long. 112° E., moving W.N.W.

May 2*d*. 10*h*. 25*m*.—Pressure is highest over the Pacific to the east of Japan, and relatively low over China generally, with a depression central over Indo-China.

The southern depression is situated about 300 miles E.S.E. of Cape St. James, moving W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.43 inches, against an average of 12.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd.

District.	Forecast.
A.—Shanghai to Turnabout,	S. winds, moderate; cloudy, rain later.
B.—Turnabout to Hong Kong,	S.E. winds, moderate; fair to showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	S. and S.E. winds, moderate; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd May, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	3rd May, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.08	764.0	43	...	SE	3	f	6	30.15	765.7	46	...	N	3	o
Nemuro,	11	30.12	765.0	...	...	S	2	...	5	30.04	763.0	..	...	SW	2	..
Hakodate,	,,	30.12	765.0	...	...	SSE	1	...	,,	30.16	766.0	...	...	...	...	...
Tokio,	,,	30.16	766.0	...	...	ENE	2	...	,,	30.26	768.5	...	...	...	0	...
Kochi,	,,	30.06	763.5	...	...	S	1	...	,,	30.16	766.0	...	...	...	...	...
Nagasaki,	,,	30.02	762.5	...	...	WNW	1	...	,,	30.06	763.5	...	..	E.S.E	3	...
Kagoshima,	,,	30.02	762.5	...	...	SSE	1	...	,,	30.06	763.5	...	...	ENE	1	...
Oshima,	,,	30.00	762.0	...	...	SSE	1	...	,,	29.96	761.0	...	...	SSE	1	...
Naha,	,,	29.94	760.5	...	...	SE	1	...	,,	29.90	759.5	...	...	SE	1	...
Ishigakijima,	,,	29.90	759.5	...	...	S	2	...	,,	29.86	758.5	...	...	SSE	1	...
Ponin Island,	,,	...	...	...	...	...	...	...	,,	30.02	762.5	...	...	ESE	1	...
Chefoo,	15	29.93	760.2	74	8	SE	4	b	6	29.93	760.3	54	6	SE	2	o
Shanghai,	14	29.79	756.7	83	8	E	2	bc	,,	29.80	757.0	70	6	SE	4	b
Gutzlaff,	,,	29.86	758.4	65	6	ESE	4	b	,,	29.84	757.9	61	1	ESE	6	f
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.83	757.7	72	4	...	0	rf	7	29.83	757.7	72	1	...	0	f
Amoy,	,,	29.77	756.1	68	6	SE	4	o	6	...	...	...	...	...	...	...
Swatow,	,,	29.80	756.8	79	...	E	3	c	,,	29.85	758.2	73	...	NNE	1	c
Taihoku,	11	29.86	758.4	85	...	...	0	o	5	29.83	757.6	72	...	...	0	b
Taichu,	,,	29.87	758.8	86	...	...	0	bc	,,	29.85	758.2	74	...	...	0	b
Tainan,	,,	29.85	758.2	91	...	SW	4	b	,,	29.82	757.3	74	...	SE	2	b
Koshun,	,,	29.85	758.3	88	...	E	2	c	,,	29.82	757.4	77	...	...	0	b
Pescadores,	,,	29.86	758.4	86	...	...	0	c	,,	29.80	757.0	77	...	SSW	2	b
Hong Kong,	14	29.76	755.9	79	8	E	4	c	6	29.75	755.6	79	6	S	2	c
Gap Rock,	,,	29.76	755.9	80	7	E.S.E	3	c	,,	29.75	755.6	79	7	SE	4	c
Macao,	,,	29.73	755.2	81	4	SE	4	c	,,	29.71	754.6	77	4	S	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Paracs Island,	,,	29.80	757.0	91	8	E	2	b	6	29.79	756.6	77	8	...	0	b
Phulien,	15	29.60	751.8	79	6	S	6	bc	7	29.64	752.8	75	6	S	4	o
Tourane,	,,	29.62	752.4	86	8	S	4	b	,,	29.65	753.0	76	8	SSW	6	bc
Cape St. James,	,,	29.74	755.3	88	8	S	2	bc	,,	29.71	754.5	79	7	W	2	lt
Basco,	14	29.79	756.7	86	8	SE	4	b	6	29.80	757.0	83	8	SE	4	bc
Aparri,	,,	29.76	755.8	94	8	NE	4	b	,,	29.79	756.6	77	6	S	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	74	1	...	0	bc
Vigan,	,,	...	...	...	...	...	...	...	,,	29.76	755.8	79	8	...	0	b
Manila,	,,	29.72	755.0	94	8	SE	4	bc	,,	29.80	756.8	76	6	SE	2	b
Legaspi,	,,	29.74	755.4	88	8	NE	2	o	,,	29.78	756.3	79	6	...	0	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	79	8	...	0	b
Hoilo,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	79	6	N	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	81	8	...	0	b
Surigao,	...	29.73	755.2	88	8	ENE	4	b	,,	29.77	756.1	76	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	6	E	4	b	4.22	...	...	...	..	...	...	...
Yap,	11.00	29.74	755.4	...	6	ENE	4	bc	5	29.88	758.9	...	6	ENE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	6	W	...	c	6	29.78	756.4	74	...	SE	...	o

May 2*d*. 16*h*. 45*m*.—Warning to Hong Kong Coast Ports, &c.:—Typhoon in Lat. 9° N. Long. 112° E., stationary or very slow position uncertain.

May 3*d*. 10*h*. 10*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon in Lat. 10° N. Long. 110° E., moving W.N.W., position uncertain.

May 3*d*. 10*h*. 46*m*.—An anticyclone of moderate intensity is situated over the Pacific to the east of Japan. The Indo-China depression remains stationary and the depression of the south China Sea is situated about 150 miles E.S.E. of Cape St. James, moving W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.60 inch. Total since January 1st, 8.43 inches, against an average of 12.38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	S. winds, moderate; cloudy.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S.E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

Station.	3rd May, 1932.									4th May, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.08	764.0	63	...	N	1	o		6	30.11	764.7	48	...	N	3	o	
Nemuro,	11	30.02	762.5	...	...	SW	2	...		5	30.12	765.0	...	...	...	0	...	
Hakodate,	,,	30.12	765.0	...	...	SSE	1	...		,,	30.14	765.5	...	...	ESE	1	...	
Tokio,	,,	30.20	767.0	...	...	SE	1	...		,,	30.20	767.0	...	...	...	0	...	
Kochi,	,,	30.20	767.0	...	...	...	...	...		,,	30.14	765.5	...	...	SW	1	...	
Nagasaki,	,,	30.06	763.5	...	...	SE	3	...		,,	30.02	762.5	...	...	SE	5	...	
Kagoshima,	,,	30.06	763.5	...	...	S	1	...		,,	30.06	763.5	...	...	NE	1	...	
Oshima,	,,	30.02	762.5	...	...	SE	1	...		,,	29.98	761.5	...	...	SE	2	...	
Naha,	,,	29.94	760.5	...	...	SE	1	...		,,	29.94	760.5	...	...	SE	1	...	
Ishigakijima,	,,	29.92	760.0	...	...	S	2	...		,,	29.88	759.0	...	...	S	3	...	
Ponin Island,	,,	...	...	...	...	...	...	...		,,	30.02	762.5	...	...	ENE	1	...	
Chefoo,	15	29.86	758.4	63	6	ESE	2	o		6	29.66	753.4	59	8	S	2	c	
Shanghai,	14	29.73	755.2	79	6	SSE	2	c		,,	29.70	754.3	70	4	SSW	2	o	
Gutzlaff,	,,	29.80	756.9	63	1	SE	6	f		,,	29.74	755.4	65	4	S	4	m	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.86	758.4	76	8	S	2	b		7	29.81	757.2	75	8	S	2	bc	
Amoy,	,,	29.80	756.9	81	8	SE	4	b		6	...	...	77	6	S	2	b	
Swatow,	,,	29.85	758.3	83	...	E	3	b		,,	29.86	758.5	77	...	S	3	b	
Taihoku,	11	29.85	758.2	88	...	NW	2	b		5	29.84	757.9	74	...	...	0	b	
Taichu,	,,	29.86	758.5	91	...	W	2	b		,,	29.88	758.8	74	...	...	0	o	
Tainan,	,,	29.84	757.9	94	...	SSW	2	b		,,	29.85	758.2	76	...	SE	2	b	
Koshun,	,,	29.85	758.3	88	...	ESE	2	bc		,,	29.85	758.2	77	...	...	0	b	
Pescadores,	,,	29.83	757.8	86	...	S	4	b		,,	29.84	757.8	77	...	S	2	b	
Hong Kong,	14	29.76	756.0	84	8	ESE	3	bc		6	29.78	756.4	80	8	S	2	c	
Gap Rock,	,,	29.78	756.4	82	7	ESE	4	c		,,	29.78	756.4	80	7	SSE	4	b	
Macao,	,,	29.74	755.4	85	4	SSE	4	c		,,	29.75	755.5	77	4	S	4	c	
Hoihow,	,,	29.71	754.7	94	1	S	2	b		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.80	756.8	91	8	SE	2	b		6	29.83	757.6	79	8	SSE	2	b	
Phulien,	15	29.65	753.0	81	8	SSE	6	c		7	29.69	754.0	75	5	S	4	a	
Tourane,	,,	29.66	753.4	83	8	S	4	bc		,,	29.72	754.8	77	7	SE	1	c	
Cape St. James,	,,	29.69	754.2	86	8	S	2	t		,,	...	...	...	...	...	...	...	
Basco,	14	29.79	756.6	86	8	SE	4	c		6	29.82	757.4	77	6	S	2	b	
Aparri,	,,	29.75	755.6	91	6	NE	4	b		,,	...	...	...	...	...	...	...	
Tuguegarao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.74	755.4	91	8	W	4	b		,,	29.81	757.2	76	6	...	0	b	
Manila,	,,	29.72	754.8	94	8	SE	4	b		,,	29.80	756.8	81	6	...	0	bc	
Legaspi,	,,	29.73	755.2	91	8	NE	4	b		,,	...	...	...	...	...	...	...	
Calbayog,	,,	29.72	755.0	86	8	SW	4	c		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.73	755.2	91	8	S	4	b		,,	...	...	...	...	...	...	...	
Iloilo,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Cebu,	,,	29.71	754.7	91	8	NNE	4	b		,,	...	...	...	...	...	...	...	
Surigao,	...	29.72	754.9	88	8	ENE	4	b		5	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.73	755.2	...	6	E	6	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.74	755.3	...	6	ENE	4	c		5	29.80	757.0	...	6	ENE	2	r	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.82	757.4	86	6	E	6	c		6	29.78	756.4	76	1	SE	4	bc	

May 4*d.* 10*h.* 25*m.*—The anticyclone is central over the Pacific to the east of Japan. Pressure is low over China generally.

Manila warning. 3*d.* 11*h.* 45*m.*:—Typhoon in Lat. 10° N. Long. 110° E. moving N.W. Reed 3*d.* 12*h.* 20*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.43 inches, against an average of 12.63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—*Turnabout to Hong Kong*, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S. winds, moderate; fair generally.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	5th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.09	764.3	46	...	SE	1	o	6	29.88	758.9	41	...	NE	3	r
Nemuro,	11	30.08	764.0	...	...	SE	1	...	5	30.02	762.5	...	...	...	0	..
Hokolate,	,,	30.12	765.0	...	...	S	1	...	,,	30.00	762.0	...	...	...	0	...
Tokio,	,,	30.12	765.0	...	...	SSW	2	...	,,	30.06	763.5		...	...	...	...
Kochi,	,,	30.14	765.5	...	...	ESE	1	...	,,	30.04	763.0	...	...	...	0	...
Nagasaki,	,,	30.02	762.5	...	...	ESE	2	...	,,	29.84	758.0	...	..	SE	3	...
Kagoshima,	,,	30.06	763.5	...	...	SSE	2	...	,,	29.92	760.0	...	...	...	0	...
Oshima,	,,	30.00	762.0	...	...	SE	1	...	,,	29.94	760.5	...	...	S	1	...
Naha,	,,	29.98	761.5	...	...	S	3	...	,,	29.94	760.5	...	...	S	2	...
Ishigakijima,	,,	29.92	760.0	...	...	S	2	...	,,	29.90	759.5	...	...	S	3	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	30.02	762.5	...	...	...	0	...
Chefoo,	15	29.72	755.0	50	6	WNW	4	o	6	29.86	758.4	47	8	NW	8	o
Shanghai,	14	29.72	754.8	85	6	...	0	c	,,	29.86	758.3	61	4	NW	2	t
Gutzlaff,	,,	29.78	756.5	67	6	SSE	4	bc	,,	29.88	758.9	63	1	NNW	2	f
Wenchow,	,,	..	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.78	756.4	78	8	S	2	bc	7	29.87	758.7	77	6	...	0	b
Amoy,	,,	29.81	757.2	77	6	S	4	b	6	29.93	760.2	77	6	S	2	b
Swatow,	,,	29.85	758.3	85	...	S	3	b	,,	29.95	760.6	77	...	W	3	b
Tailoku,	11	29.86	758.4	91	...	...	0	b	5	29.87	758.6	74	...	...	0	bc
Taichu,	,,	29.88	758.9	88	...	SW	2	bc	,,	..	...	72	..	...	0	bc
Tainan,	,,	29.86	758.4	91	...	SSW	4	b	,,	29.89	759.3	76	...	...	...	b
Koshun,	,,	29.87	758.8	88	...	S	2	bc	,,	29.89	759.3	74	...	...	0	bc
Pescadores,	,,	29.88	759.0	85	...	S	4	bc	,,	29.88	758.9	77	...	S	2	b
Hong Kong,	14	29.83	757.7	86	7	S	3	bc	6	29.88	759.0	77	6	...	0	bc
Gap Rock,	,,	29.85	758.2	81	7	SE	4	c	,,	29.89	759.3	80	7	SSE	4	c
Macao,	,,	29.82	757.3	86	4	S	4	bc	,,	29.85	758.2	77	...	S	...	bc
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.85	758.2	94	8	ESE	2	b	6	29.92	760.0	79	8	...	0	b
Phulien,	15	29.71	754.6	81	7	...	...	o	7	29.84	757.8	77	6	SE	3	o
Tourane,	,,	29.71	754.7	84	7	E	3	c	,,	29.80	756.8	75	6	S	2	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Baseo,	14	29.82	757.3	86	8	SE	4	bc	6	29.88	758.8	81	8	SE	4	bc
Aparri,	,,	29.78	756.3	91	6	NE	4	b	,,	29.86	758.5	79	6	...	0	b
Tuguegarao,	,,	29.75	755.6	91	4	E	2	bc	,,	29.85	758.2	76	4	...	0	bc
Vigan,	,,	29.78	756.3	98	8	SW	4	b	,,	29.83	757.6	79	8	...	0	b
Manila,	,,	29.76	755.9	91	8	SE	4	bc	,,	29.86	758.5	79	6	...	0	bc
Legaspi,	,,	29.78	756.3	91	8	NE	4	b	,,	29.84	757.9	81	6	NE	2	bc
Calbayog,	,,	29.76	755.9	88	8	WSW	4	bc	,,	29.86	758.4	76	8	N	2	b
Tacloban,	,,	29.78	756.3	88	8	S	2	d	,,	29.86	758.4	79	8	N	2	b
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	79	6	NNE	4	a
Cebu,	,,	29.74	755.4	91	8	NE	4	b	,,	29.83	757.6	77	8	...	c	b
Surigao,	...	29.74	755.4	86	8	N	2	b	,,	29.83	757.6	77	6	...	o	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.3	...	6	E	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.77	756.1	...	6	ENE	2	bc	5	29.83	757.6	...	6	E	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lainan,	12	29.74	755.5	86	6	N	4	bc	6	29.90	759.4	74	...	...	...	bc

May 5*d*. 10*h*. 53*m* — Pressure remains highest over the Pacific to the east of Japan, and has increased considerably over N. China.

A depression is situated in the Yellow Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.43 inches, against an average of 12.89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	S. or variable winds, light to moderate, freshening later from N.E.; fine at first, cloudy later, probably some rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	6th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Windivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.94	760.5	...	...	SE	2	...	5	29.55	750.6	...	...	ESE	2	..
Hokodate,	,,	29.86	758.5	...	...	SE	1	...	,,	29.35	745.5	...	...	Sk	2	...
Tokio,	,,	29.94	760.5	...	...	SSE	3	...	,,	29.59	751.5	...	...	S	2	...
Kochi,	,,	29.98	761.5	...	...	...	...	...	,,	29.73	755.0	...	...	...	...	...
Nagasaki,	,,	29.82	757.5	...	...	SW	6	...	,,	29.88	759.0	...	...	NW	1	...
Kagoshima,	,,	29.88	759.0	...	...	...	0	...	,,	29.86	758.5	...	...	WNW	1	...
Oshima,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.92	760.0	...	...	N	1	...
Naha,	,,	29.98	761.5	...	...	SSW	3	...	,,	29.94	760.5	...	...	SSW	3	...
Ishigakijima,	,,	29.96	761.0	...	...	WSW	1	...	,,	29.96	761.0	...	...	SSW	1	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	29.58	761.5	...	...	...	...	...
Chefoo,	15	29.96	761.0	50	8	NW	8	b	6	30.17	766.3	49	8	NW	2	b
Shanghai,	14	30.00	761.9	59	6	N	4	o	,,	30.16	766.0	54	4	NNE	2	o
Gutzlaff,	,,	30.02	762.5	58	4	N	4	d	,,	30.18	766.6	54	4	NNW	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.81	757.2	81	6	S	2	c	7	30.04	763.0	73	4	ENE	2	o
Amoy,	,,	29.88	758.9	85	6	SSE	4	b	6	29.93	760.2	76	6	ENE	4	c
Swatow,	,,	29.92	760.0	86	...	S	3	b	,,	29.93	760.2	77	...	E	2	bc
Tailoku,	11	29.91	759.6	88	...	WSW	2	b	5	29.96	761.0	76	...	...	0	c
Taichu,	,,	29.96	760.9	88	...	SSW	2	b	,,	29.96	760.9	74	..	...	0	c
Tainan,	,,	29.94	760.6	91	...	SW	2	b	,,	29.91	759.8	76	...	E	2	bc
Koshun,	,,	29.93	760.1	88	...	SW	2	bc	,,	29.92	760.0	79	...	...	0	o
Pescadores,	,,	29.94	760.6	83	...	SW	2	b	,,	29.93	760.2	76	...	...	0	b
Hong Kong,	14	29.89	759.1	88	8	WSW	2	bc	6	29.90	759.4	77	7	WNW	1	bc
Gap Rock,	,,	29.90	759.4	83	7	SSE	4	c	,,	29.91	759.7	80	8	S	4	b
Macao,	,,	29.90	759.5	91	6	S	2	bc	,,	29.88	758.8	77	4	NW	2	c
Hoihow,	,,	29.94	760.6	91	1	SSE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.89	759.3	94	8	NE	2	b	6	29.90	759.4	79	8	SE	2	b
Phulien,	15	29.82	757.4	84	8	S	4	c	7	29.88	758.9	77	8	SSE	3	c
Touraine,	,,	29.77	756.2	82	8	ESE	3	c	,,	29.86	758.4	75	7	...	0	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.83	757.6	88	8	SE	4	bc	6	29.90	759.4	81	8	SE	4	bc
Aparri,	,,	29.80	756.8	91	6	NE	4	b	,,	29.88	758.8	77	6	...	0	b
Tuguegarao,	,,	..	...	...	...	...	...	...	,,	29.86	758.5	77	4	...	0	bc
Vigan,	,,	29.80	756.8	91	8	W	4	bc	,,	29.84	757.9	83	8	ESE	2	b
Manila,	,,	29.78	756.5	98	8	ENE	4	b	,,	29.88	759.0	77	6	...	0	bc
Legaspi,	,,	29.80	757.0	91	8	NE	4	b	,,	29.85	758.2	81	6	NE	2	o
Calboyog,	,,	29.80	756.8	91	8	SW	4	bc	,,	29.86	758.4	76	8	...	0	bc
Tacloban,	,,	29.8	757.2	83	8	SSE	2	b	,,	29.87	758.6	81	8	E	2	bc
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.82	757.3	81	6	N	4	o
Cebu,	,,	29.78	756.3	91	8	SW	4	b	,,	29.84	757.8	81	8	SSE	2	bc
Surigao,	...	29.80	757.0	83	8	E	2	o	,,	29.84	758.0	77	4	...	0	d
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	6	...	0	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.3	...	6	ENE	4	r	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.86	758.5	86	6	N	4	b	6	29.90	759.4	76	1	S	...	o

May 6d. 10h. 55m.—The anticyclone over N. China has increased in intensity. The depression is situated in the Sea of Japan to the S.W. of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.43 inches, against an average of 13.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	N.E. winds, moderate to fresh; cloudy.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	E. winds, moderate; fine to cloudy.

G. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	6TH MAY, 1932.									7TH MAY, 1932.								
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)		HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	29.89	759.2	54	...	NW	1	0		6	29.97	761.2	46	...	E	1	h	
Nemuro,	11	29.25	743.0	...	...	SSW	3	...		5	29.63	752.5	...	...	NNW	4	...	
Hakodate,	,,	29.45	748.0	...	...	WNW	9	...		,,	29.92	760.0	...	...	NW	1	...	
Tokio,	,,	29.51	749.5	...	...	S	1	...		,,	29.96	761.0		...	NNW	3	...	
Kochi,	,,	29.72	755.0	...	...	W	1	...		,,	30.00	762.0	...	...	NNW	1	...	
Nagasaki,	,,	29.92	760.0	...	...	N	1	...		,,	30.02	762.5	...	..	NE	1	...	
Kagoshima,	,,	29.90	759.5	...	...	NNW	2	...		,,	29.96	761.0	...	...	NNW	1	...	
Oshima,	,,	29.98	761.5	...	...	N	1	...		,,	29.94	760.5	...	...	...	0	...	
Naha,	,,	30.00	762.0	...	...	NNW	2	...		,,	29.98	761.5	...	...	N	1	...	
Ishigakijima,	,,	30.00	762.0	...	...	S	1	...		,,	29.94	760.5	...	...	E	1	...	
Bonin Island,	,,	29.96	761.0	...	...	SSW	1	...		,,	29.86	758.5	...	...	WSW	1	...	
Chefoo,	15	30.17	766.4	56	8	NW	2	b		6	30.04	763.0	49	4	...	0	o	
Shanghai,	14	30.14	765.6	65	6	NNE	2	c		,,	30.04	763.0	56	4	E	2	d	
Gutzlaff,	,,	30.17	766.3	61	4	NNW	2	m		,,	30.11	764.8	54	6	...	0	o	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.09	764.3	72	6	ESE	2	o		7	30.04	763.0	69	6	...	0	o	
Amoy,	,,	30.02	762.5	76	4	ENE	2	o		6	29.98	761.5	70	6	E	2	o	
Swatow,	,,	30.03	762.7	77	...	ESE	3	o		,,	30.02	762.4	72	...	E	4	o	
Taihoku,	11	30.03	762.7	83	...	E	4	o		5	29.95	760.8	70	...	E	4	bo	
Taichu,	,,	30.00	762.0	88	...	...	0	b		,,	29.95	760.7	72	..	...	0	o	
Tainan,	,,	29.97	761.3	94	...	NNW	2	bo		,,	29.93	760.2	72	...	NE	2	bc	
Koshun,	,,	29.96	760.9	88	...	...	0	c		,,	29.91	759.7	76	...	...	0	c	
Pescadores,	,,	30.00	761.9	85	...	NNE	4	b		,,	29.93	760.2	74	...	NNE	4	bc	
Hong Kong,	14	29.90	759.4	87	7	W	3	bc		6	29.90	759.4	77	7	E	4	c	
Gap Rock,	,,	29.93	760.2	83	8	SW	3	b		,,	29.91	759.7	82	8	ESE	3	c	
Macao,	,,	29.89	759.3	91	6	SSE	2	bc		,,	29.87	758.6	79	4	SE	2	c	
Hoihow,	,,	29.77	756.1	91	1	SW	2	bc		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.92	760.0	91	8	NE	2	bc		6	29.90	759.4	81	8	ENE	4	bc	
Phulien,	15	29.86	758.4	84	8	S	4	c		7	29.82	757.3	77	6	SE	4	p	
Tourane,	,,	29.82	757.3	86	8	E	3	bc		,,	29.84	757.8	75	7	SSE	1	bc	
Cape St. James,	,,	...	...	...	...	...	...	...		,,	29.87	758.7	79	7	E	3	bo	
Basco,	14	29.89	759.1	86	8	SE	4	b		6	...	...	...	...	...	...	...	
Aparri,	,,	29.82	757.4	91	6	NE	4	b		,,	29.88	758.8	76	6	...	0	bo	
Tuguegarao,	,,	29.78	756.3	...	8	...	0	bo		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.80	757.0	91	8	WSW	4	b		,,	...	...	..	...	...	...	...	
Manila,	,,	29.80	757.0	94	8	SE	4	bo		,,	29.87	758.6	76	6	...	0	b	
Legaspi,	,,	29.80	757.0	91	8	ENE	4	bc		,,	29.84	757.9	81	6	...	0	b	
Calboyog,	,,	29.82	757.3	83	8	WNW	2	o		,,	...	...	..	...	...	...	...	
Tacloban,	,,	29.81	757.1	91	8	SE	4	bc		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.78	756.3	91	8	NE	4	o		,,	...	...	..	...	...	...	...	
Cebu,	,,	29.78	756.3	88	8	NE	4	o		,,	...	...	...	...	...	...	...	
Surigao,	...	29.79	756.7	85	8	...	0	o		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.83	757.7	...	6	...	0	o		4.22	...	...	...	...	...	...	...	
Yap,	11.00	...	...	...	...	...	...	...		5	29.82	757.4	...	6	ESE	2	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Lamian,	14	29.94	760.6	85	6	W	...	bc		6	29.90	759.4	76	...	S	...	c	

May 7*th*. 10*h*. 20*m*.—The depression has moved into the Pacific to the east of Hokkaido, and the anticyclone is now central in the Yellow Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.43 inches, against an average of 13.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout, ...	E. winds, moderate; cloudy, local rain.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S.E. winds, moderate; cloudy, occasional rain.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	8th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.92	759 9	55	...	WSW	4	b	6	29.56	750.8	41	...	SSE	2	r
Nemuro,	11	29.72	755.0	...	...	N	4	...	5	29.90	759.5	...	...	W	2	...
Hakodate,	,,	29.92	760.0	...	...	WNW	4	...	,,	29.50	759.5	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	N	1	...	,,	30.08	764.0	...	...	S	2	...
Kochi,	,,	30.00	762.0	...	...	SE	1	...	,,	29.92	760.0	...	...	S	1	...
Nagasaki,	,,	30.00	762.0	...	...	E	1	...	,,	29.80	757.0	...	..	S	1	...
Kagoshima,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.80	757.0	...	...	S	1	...
Oshima,	,,	29.98	761.5	...	...	NNE	1	...	,,	29.82	757.5	...	...	SSE	1	...
Naha,	,,	30.00	762.0	...	...	N	1	...	,,	29.88	759.0	...	...	SSE	1	...
Ishigakijima,	,,	29.98	761.5	...	...	SE	2	...	,,	29.86	758.5	...	...	SSW	2	...
Bonin Island,	,,	29.88	759.0	...	...	WNW	1	...	,,	29.94	760.5	...	...	...	0	...
Chefoo,	15	29.89	759.3	63	4	S	4	o	6	29.83	757.6	54	8	W	2	be
Shanghai,	14	29.86	758.5	67	6	SE	2	c	,,	29.93	760.2	54	6	NNW	2	o d
Gutzlaff,	,,	29.96	761.0	59	6	SE	4	o	,,	29.95	760.7	56	4	NNW	4	d
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.94	760.5	71	6	E	2	c	7	29.82	757.4	70	8	...	0	be
Amoy,	,,	29.99	761.7	76	6	SSE	2	h	6	29.89	759.2	74	6	SE	2	o
Swatow,	,,	29.98	761.6	77	...	E	3	h	,,	29.89	759.2	86	...	SE	1	o
Taihoku,	11	29.97	761.3	83	...	NE	4	be	5	29.84	758.0	72	...	...	0	c
Taichu,	,,	29.98	761.4	83	...	...	0	h	,,	29.87	758 6	76	..	...	0	be
Tainan,	,,	29.95	760.7	91	...	W	2	be	,,	29.86	758.3	74	...	...	0	h
Koshun,	,,	29.94	760.6	88	...	ESE	2	be	,,	29.84	758.0	77	...	...	0	c
Pescadores,	,,	29.97	761.2	83	...	NNE	4	be	,,	29.84	757.8	76	...	...	0	o
Hong Kong,	14	29.88	759.0	81	7	E	4	be	6	29.82	757.4	77	7	...	0	o
Gap Rock,	,,	29.90	759.5	82	7	ESE	4	c	,,	29.82	757.4	81	7	ESE	4	c
Macao,	,,	29.86	758.3	83	6	SE	2	c	,,	29.80	756.8	77	4	SE	2	c
Hoihow,	,,	...	..	...	...	..	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	759.0	91	8	ENE	2	h	6	29.83	757.6	79	8	ESE	2	b
Phulien,	15	29.78	756.4	81	7	S	5	c	7	29.76	755.9	75	6	SE	4	c
Tourane,	,,	29.79	756.7	86	8	E	3	be	,,	29.79	756.7	75	7	...	0	be
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.85	758.2	86	8	SE	4	be	6	29.82	757.4	79	8	SE	4	c
Aparri,	,,	29.80	757.0	91	6	NE	4	h	,,	29.80	757.0	76	6	SE	2	h
Tuguegarao,	,,	29.74	755.4	99	8	...	0	be	,,	29.81	757 1	76	4	...	0	be
Vigan,	,,	29.78	756.4	91	8	WSW	4	h	,,	29.79	756.7	81	8	...	0	be
Manila,	,,	29.78	756.5	98	8	SSE	4	be	,,	29.83	757.6	74	8	...	0	b
Legaspi,	,,	29 80	756.8	91	8	NE	4	h	,,	29.78	756.3	81	6	...	0	c
Calbyog,	,,	29.79	756.6	86	8	SW	4	be	,,	29.79	756 7	76	8	N	2	o
Tacloban,	,,	29.79	756.7	91	8	S	4	b	,,	29.79	756.6	79	8	NW	4	b
Iloilo,	,,	29.74	755.4	91	8	NE	4	o	,,	29.76	755.9	77	6	NNE	4	o
Cebu,	,,	29.76	756.0	88	8	NE	4	be	,,	29.78	756.5	79	6	...	0	o
Surigao,	...	29.78	756.3	86	8	...	0	o	,,	29.76	756.0	79	6	...	0	b
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	76	...	SE	5	b
Guam,	12.22	29.78	756.4	...	6	NE	2	p	4.22	29.80	757.0	...	6	SE	4	be
Yap,	11.00	29.79	756.6	...	6	...	0	be	5	29.79	756.7	...	6	ENE	2	be
Pelew,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	80	...	S	2	be
Labuan,	12	29.94	760.6	83	...	...	...	be	6	29.90	759.4	74	...	SE	...	r

May 8*d.* 10*h.* 58*m.*— The anticyclone has passed into the Pacific to the east of Tokio; another may be forming over N. China.

Depressions cover S. Manchuria and the Eastern Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.43 inches, against an average of 13.73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast
A.—Shanghai to Turnabout,	N. and N.E. winds, moderate; cloudy, rain.
B.—Turnabout to Hong Kong,	E. and S.E. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	S.E. winds, moderate; fair generally, local shower
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th May, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	9th May, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	22	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.86	758.5	...	...	W	2	...	5	29.57	751.0	..	...	SW	1	...
Hokodate,	,,	29.74	755.3	...	...	SE	1	...	,,	29.71	754.3	...	...	WSW	1	...
Tokio,	,,	29 92	760.0	...	...	S	3	...	,,	29.80	757.0		...	NNW	1	...
Kochi,	,,	29.84	758.0	...	...	...	...	...	,,	29.86	758.5	...	...	ESE	1	...
Nagasaki,	,,	29.78	756.5	...	...	NW	2	...	,,	29.94	760.5	...	..	...	...	...
Kagoshima,	,,	29.80	757.0	...	...	...	...	...	,,	29.90	759.5	...	...	...	0	...
Oshima,	,,	29.86	758.5	...	...	SSE	2	...	,,	29.88	759.0	...	...	...	0	...
Naha,	,,	29.90	759.5	...	...	S	3	...	,,	29.88	759.0	...	...	S	1	...
Ishigakijima,	,,	29.90	759.5	...	...	SSW	2	...	,,	29.86	758.5	...	...	SSW	1	...
Bonin Island,	,,	29.94	760.5	...	...	S	1	...	,,	29.98	761.5	...	...	...	0	...
Chefoo,	15	29.88	758.9	61	6	NW	4	0	6	29.84	757.9	58	8	SW	2	bc
Shanghai,	14	29.95	760.7	59	6	NNW	2	0	,,	29.98	761.4	56	4	E	2	0
Gutzlaff,	,,	30.00	762.0	58	6	N	4	0	,,	30.03	762.7	56	6	...	0	0
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.79	756.6	88	6	SSE	2	c	7	29.89	759.2	68	6	E	2	0
Amoy,	,,	29.86	758.4	81	6	SSE	4	b	6	29.83	757.7	76	6	S	4	0
Swatow,	,,	...	...	...	...	...	...	...	,,	29.87	758.5	77	...	WSW	1	b
Taihoku,	11	29.87	758.8	86	...	N	2	c	5	29.84	758.0	74	...	...	0	c
Taichu,	,,	29.89	759.1	88	...	SW	2	c	,,	29.86	758 5	77	..	...	0	bc
Tainan,	,,	29.87	758.8	91	...	SW	4	bc	,,	29.84	757.8	74	...	...	0	bc
Koshun,	,,	29 87	758.8	88	...	S	2	bc	,,	29.83	757.7	77	...	...	0	0
Pescadores,	,,	29.87	758.8	86	...	S	2	bc	,,	29.83	757.7	77	...		0	b
Hong Kong,	14	29.80	756.9	84	7	SSE	3	bc	6	29.80	756.9	79	7	SSE	1	c
Gap Rock,	,,	29.84	757.9	82	7	SE	4	b	,,	29.81	757.2	81	7	S	4	c
Macao,	,,	29.79	756.7	86	6	SSE	4	c	,,	29.77	756.1	77	4	SSW	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.7	94	8	...	0	b	6	29.83	757.7	77	8	S	2	b
Phulien,	15	29.73	755.2	84	7	S	4	c	7	29.76	755.8	76	6	NE	4	c
Tourane,	,,	29.74	755.3	86	7	E	4	bc	,,	29.76	755.8	77	7	S	4	bc
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.81	757 1	86	8	SE	4	bc	6	29.83	757.6	81	8	S	2	c
Aparri,	,,	29.78	756.3	91	6	NNE	4	b	,,	29.83	757.6	76	6	S	2	b
Tuguegrao,	,,	29.71	754.6	83	8	...	0	bc	,,	29.83	757.6	76	4	...	0	c
Vigan,	,,	29.76	756.0	91	8	WSW	4	b	,,	29.81	757.2	79	8	...	0	c
Manila,	,,	29.78	756 3	94	8	W	4	b	,,	29.84	757.8	79	6	...	0	bc
Legaspi,	,,	29.78	756 3	94	8	NE	4	b	,,	29.80	757.0	81	6	...	0	0
Calboyog,	,,	29.79	756.7	85	8	SE	4	c	,,	29.81	757.2	76	8	...	0	0
Tacloban,	,,	29.76	756.0	85	6	N	4	tl	,,	29.78	756.3	79	8	E	2	0
Iloilo,	,,	29.72	754.9	91	8	N	4	0	,,	29.78	756.3	76	6	NE	2	0
Cebu,	,,	29.72	755.0	91	8	NE	4	b	,,	29.78	756 4	81	8	NE	2	q
Surigao,	...	29.74	755.5	88	8	NW	2	b	,,	29.79	756.7	77	6	...	0	0
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.5	...	6	ENE	4	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.5	...	6	SE	2	c	5	29.80	757.0	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	86	6	NW	...	bc	6	29.89	759.3	76	...	S	...	c

May 9d. 11h. 15m.—Pressure is highest over the Pacific to the east of the Bonins in a feeble anticyclonic area extending westward to the Yangtze Valley.

Depressions are situated over Tongking and to the north of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.43 inches, against an average of 14.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light easterly or variable winds; fair.
B.—Turnabout to Hong Kong,	E. to S. winds, light to moderate; fair.
C.—Hong Kong to Gap Rock,	S. winds, moderate; fair to showery.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th MAY, 1932.								10th MAY, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.61	752.0	...	...	NE	2	...	5	29.94	760.5	...	...	S	1	..
Hokodate,	,,	29.78	756.5	...	...	WNW	4	...	,,	29.88	759.0	...	...	...	0	...
Tokio,	,,	29.88	759.0	...	...	SE	1	...	,,	29.92	760.0	..	...	...	..	...
Kochi,	,,	29.90	759 5	...	...	SE	1	...	,,	29.96	761.0	...	...	...	0	...
Nagasaki,	,,	29.94	760.5	...	...	W	1	...	,,	30.04	763.0	...	..	...	0	...
Kagoshima,	,,	29.94	760.5	...	...	...	0	...	,,	30.00	762.0	..	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	NE	1	...	,,	29.96	761.0	...	...	N	1	...
Naha,	,,	29.92	760.0	...	...	SSW	3	...	,,	29.98	761.5	...	...	S	1	...
Ishigakijima,	,,	29.90	759.5	...	...	SSW	1	...	,,	29.94	760.5	...	...	S	1	...
Bonin Island,	,,	30.00	762.0	...	...	WSW	2	...	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	29.83	757.6	67	8	NE	2	b	6	30.12	764.9	54	6	E	2	b
Shanghai,	14	30.00	762.0	68	6	SE	2	c	,,	30.11	764.8	59	6	...	0	c
Gutzlaff,	,,	30.05	763.2	61	6	...	0	c	,,	30.16	766.0	56	6	...	0	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.92	759.9	68	6	E	2	c	7	30.01	762.2	66	6	E	2	r
Amoy,	,,	29.86	758.4	81	6	SE	4	c	6	29.94	760.5	72	6	SSE	4	c
Swatow,	,,	29.85	758.2	84	...	S	3	bc	,,	29.95	760.6	75	...	NE	3	c
Taihoku,	11	29.87	758.8	86	...	NW	2	bc	5	29.93	760.3	74	...	E	4	c
Taichu,	,,	29.93	760.2	88	...	SSW	2	bc	,,	29.92	760.0	74	..	...	0	bc
Tainan,	,,	29.87	758.8	91	...	SW	4	bc	,,	29.90	759.4	76	...	NNE	2	c
Koshun,	,,	29.87	758.8	91	...	S	2	bc	,,	29.91	759.8	72	...	...	0	bc
Pescadores,	,,	29.87	758.8	86	...	WSW	2	bc	,,	29.91	759.7	76	...	NE	4	c
Hong Kong,	14	29.80	756.9	84	8	SSW	2	c	6	29.86	758.4	78	7	...	0	bc
Gap Rock,	,,	29.82	757.4	82	8	S	4	c	,,	29.85	758 2	82	8	SW	3	c
Macao,	,,	29.78	756.5	86	4	SSW	4	c	,,	29.83	757.6	79	4	SSE	4	c
Hoihow,	,,	29.82	757 2	86	1	S	2	r	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.6	88	8	SSW	2	b	6	29.93	760.2	79	8	ESE	2	b
Phulien,	15	29.73	755.1	84	7	SSE	3	c	7	29.80	756.9	77	7	SE	4	c
Tourane,	,,	29.73	755.1	86	8	E	3	bc	,,	29.81	757.2	77	7	...	0	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.82	757 3	91	8	SSE	4	b	6	29.89	759.3	81	8	SE	2	P
Aparri,	,,	29.78	756 4	91	6	NNE	4	b	,,	29.87	758.6	76	6	...	0	b
Tuguegrao,	,,	29.74	755.3	...	...	...	...	...	,,	29.85	758.2	77	4	...	0	bc
Vigan,	,,	29.78	756 3	91	6	W	4	b	,,	29.82	757.4	81	8	...	0	b
Manila,	,,	29.76	755.8	98	8	SSE	4	bc	,,	29.86	758 5	79	6		0	bc
Legaspi,	,,	29.78	756.3	85	6	...	0	c	,,	29.84	757.9	79	4	NE	2	c
Calboyog,	,,	29.78	756.5	85	8	NE	2	bc	,,	29.83	757.6	77	8	N	2	bc
Tacloban,	,,	29.77	756.1	86	8	...	0	c	,,	29.83	757.7	79	6	E	2	c
Iloilo,	,,	29.76	755.8	88	8	E	4	c	,,	29.83	757.6	79	6	NE	4	c
Cebu,	,,	29.69	754.0	86	8	ENE	4	c	,,	29.82	757.3	81	8	...	0	c
Surigao,	...	...	...	...	...	...	...	...	,,	29.81	757.1	77	4	SE	2	q
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	6	E	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29.88	758.9	...	6	ESE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	85	6	NW	...	c	6	29.90	759.4	76	1	S	...	c

May 10*d.* 10*h.* 40*m.*—The anticyclonic area has strengthened and is now central to the north of Shantung; a shallow depression remains over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.43 inches, against an average of 14.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light easterly or variable winds; cloudy.
B.—Turnabout to Hong Kong,	E. winds, moderate; cloudy, local rain.
C.—Hong Kong to Gap Rock,	S.E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	11th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.93	760.1	57	...	NW	1	c	6	30.09	764.2	50	...	ESE	1	b
Nemuro,	11	29.82	757.5	...	...	S	3	...	5	29.71	754.5	..	...	N	2	...
Hokodate,	,,	29.76	756.0	...	...	SW	5	...	,,	30.00	762.0	...	...	...	...	...
Tokio,	,,	29.88	759.0	...	...	...	0	...	,,	30.20	767.0	.	...	NNE	1	...
Kochi,	,,	29.98	761.5	...	...	NNW	1	...	,,	30.18	766.5	...	...	WSW	1	...
Nagasaki,	,,	30.08	764.0	...	...	N	1	...	,,	30.14	765.5	...	..	ESE	2	...
Kagoshima,	,,	30.02	762.5	...	...	SE	1	...	,,	30.14	765.5	..	...	...	0	...
Oshima,	,,	30.02	762.5	...	...	N	2	...	,,	30.04	763.0	...	...	S	1	...
Naha,	,,	29.98	761.5	...	...	SSW	2	...	,,	30.02	762.5	...	...	...	0	...
Ishigakijima,	,,	29.98	761.5	...	...	SSW	1	...	,,	29.96	761.0	...	...	S	1	...
Bonin Island,	,,	30.04	763.0	...	...	S	1	...	,,	30.10	764.5	...	...	...	0	...
Chefoo,	15	30.11	764.8	67	8	ESE	2	bc	6	30.02	762.6	61	6	SSE	2	c
Shanghai,	14	30.12	765.0	76	8	ESE	2	b	,,	29.99	761.6	52	4	ESE	2	p
Gutzlaff,	,,	30.17	766.3	63	6	...	0	b	,,	30.06	763.5	56	4	E	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.04	763.0	66	4	ENE	4	r	7	29.97	761.2	66	6	NE	2	bc
Amoy,	,,	30.02	762.5	74	6	ENE	2	o	6	...	...	..	...	...	...	...
Swatow,	,,	30.02	762.6	94	...	E	3	c	,,	...	...	...	...	...	...	...
Tailoku,	11	29.98	761.5	81	...	E	2	o	5	29.94	760.4	72	...	...	0	bc
Taichu,	,,	29.96	760.9	86	...	...	0	bc	,,	29.96	761.0	74	...	...	0	o
Tainan,	,,	29.93	760.2	91	...	WSW	2	b	,,	29.92	760.0	74	...	...	0	b
Koshun,	,,	29.93	760.2	79	...	E	2	bc	,,	29.92	760.0	77	...	E	2	b
Pescadores,	,,	29.97	761.2	81	...	NNE	2	o	,,	29.93	760.2	76	...	NNE	2	o
Hong Kong,	14	29.89	759.2	79	6	S	3	ctp	6	29.90	759.4	78	8	E	3	bc
Gap Rock,	,,	29.90	759.4	83	8	SE	4	cp	,,	29.90	759.4	81	8	SE	4	c
Macao,	,,	29.84	758.0	88	4	S	4	c	,,	29.83	759.6	79	4	SE	4	c
Hoihow,	,,	...	..	...	...	...	...	...	,,	..	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.7	94	8	E	2	b	6	29.89	759.3	81	8	E	4	bc
Phulien,	15	29.75	755.7	82	7	SSE	5	o	7	29.83	757.6	77	5	S	4	o
Tourane,	,,	29.78	756.4	86	8	E	3	bc	,,	29.86	758.3	73	7	SE	1	bc
Cape St. James,	,,	...	..	...	...	...	...	...	,,	..	...	...	...	...	...	...
Basco,	14	29.87	758.8	88	8	SE	4	bc	6	29.89	759.3	81	8	ESE	2	bc
Aparri,	,,	29.81	757.2	94	6	NE	4	b	,,	29.88	758.8	77	6	...	0	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.88	758.8	77	4	...	0	bc
Vigan,	,,	...	...	...	...	...	...	...	,,	29.82	757.3	81	8	ESE	4	bc
Manila,	,,	29.80	757.0	91	8	ESE	2	o	,,	29.86	758.4	77	4	...	0	bc
Legaspi,	,,	29.80	756.8	81	8	NNE	2	o	,,	29.83	757.6	81	6	NE	2	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	77	8	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	79	6	NW	4	bc
Iloilo,	,,	29.73	755.2	94	8	S	4	bc	,,	29.82	757.3	79	6	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	81	6	...	0	o
Surigao,	...	29.74	755.5	85	8	...	0	o	,,	29.79	756.7	77	4	...	0	r
Saipan,	11.00	...	...	...	..	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.82	757.3	...	6	E	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.9	...	6	E	2	bc	5	29.88	758.8	...	6	ENE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	12	29.94	760.6	83	8	NW	...	c	6	29.90	759.4	76	1	SE	...	o

May 11*d.* 10*h.* 2*cm* — The anticyclone is central near Tokio; a shallow depression remains over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.35 inch. Total since January 1st, 8.78 inches, against an average of 14.72 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
A.—Shanghai to Turnabout,	E. and S.E. winds; cloudy, local rain.
B.—Turnabout to Hong Kong,	E. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	S.E. winds, moderate; fair to showery.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	11TH MAY, 1932.									12TH MAY, 1932.								
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)		HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	30.01	762.2	46	...	SE	4	c		6	29.63	752.5	45	...	SE	3	c	
Nemuro,	12	29.86	758.5	...	...	N	3	...		5	30.16	766.0	..	...	ENE	1	...	
Hakodate,	,,	30.06	763.5	...	...	WNW	3	...		,,	30.12	765.0	...	...	...	...	...	
Tokio,	,,	30.22	767.5	...	...	SSE	1	...		,,	30.12	765.0		...	NNW	1	...	
Kochi,	,,	30.18	766.5	...	...	...	0	...		,,	30.00	762.0	...	...	...	...	...	
Nagasaki,	,,	30.12	765.0	...	...	...	0	...		,,	29.84	758.0	...	..	WSW	3	...	
Kagoshima,	,,	30.12	765.0	...	...	...	0	...		,,	29.88	759.0	...	...	...	0	...	
Oshima,	,,	30.04	763.0	...	...	SSW	1	...		,,	29.94	760.5	...	...	SSW	1	...	
Naha,	,,	30.02	762.5	...	...	SSE	2	...		,,	29.98	761.5	...	...	S	1	...	
Ishigakijima,	,,	30.00	762.0	...	...	S	3	...		,,	29.94	760.5	...	...	S	1	...	
Bonin Island,	,,	30.10	764.5	...	...	WNW	1	...		,,	29.67	753.5	...	...	...	...	...	
Chefoo,	15	29.99	761.8	65	6	SSE	2	o		6	30.01	762.3	50	6	WNW	2	b	
Shanghai,	14	29.88	758.9	68	4	SSE	2	o		,,	30.05	763.2	58	4	NW	2	c	
Gutzlaff,	,,	29.90	759.5	63	4	SE	4	m		,,	30.09	764.3	58	6	NNW	6	bc	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.86	758.4	71	8	S	2	b		7	29.97	761.2	70	6	...	0	c	
Amoy,	,,	29.89	759.2	68	6	SSE	4	b		6	29.93	760.2	76	6	SE	4	b	
Swatow,	,,	30.02	762.5	79	...	ESE	3	b		,,	29.93	760.2	75	...	WNW	1	b	
Taihoku,	11	29.98	761.6	81	...	NW	2	c		5	29.95	760.8	74	...	...	0	bc	
Taichu,	,,	29.99	761.8	86	...	WNW	2	bc		,,	29.97	761.2	74	..	...	0	c	
Tainan,	,,	29.95	760.8	94	...	WSW	2	bc		,,	29.93	760.1	74	...	NE	2	b	
Koshun,	,,	29.94	760.6	91	...	ENE	4	bc		,,	29.90	759.5	77	...	...	0	b	
Pescadores,	,,	29.97	761.3	83	...	NNE	4	c		,,	29.93	760.2	76	...	...	0	b	
Hong Kong,	14	29.91	759.7	82	7	E	4	bc		6	29.91	759.7	76	7	...	0	b	
Gap Rock,	,,	29.91	759.7	83	8	ESE	4	c		,,	29.92	759.9	82	8	ESE	3	b	
Macao,	,,	29.88	759.0	85	4	SE	4	c		,,	29.89	759.3	77	4	ESE	2	c	
Holbow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.91	759.7	88	8	NE	2	b		6	29.89	759.3	81	8	NNE	2	b	
Phulien,	15	29.81	757.2	82	7	S	4	c		7	29.88	758.8	77	7	SSE	4	b	
Tourane,	,,	29.80	757.0	86	8	ESE	3	bc		,,	29.88	758.8	73	8	...	0	b	
Cape St. James,	,,	...	...	...	...	...	...	...		,,	29.89	759.3	81	8	ESE	2	c	
Basco,	14	29.87	758.8	88	8	SE	4	c		6	29.88	758.8	81	8	SE	2	bc	
Aparri,	,,	29.81	757.2	94	6	NE	4	b		,,	29.89	759.1	79	6	S	2	bc	
Tuguegarao,	,,	...	..	...	...	...	...	...		,,	...	...	77	4	...	0	bc	
Vigan,	,,	29.79	756.6	91	8	W	4	b		,,	29.82	757.3	79	8	...	0	bc	
Manila,	,,	29.78	756.4	94	8	ESE	4	c		,,	29.83	757.6	79	6	...	0	o	
Legaspi,	,,	29.76	756.0	85	8	NE	4	o		,,	29.82	757.4	77	6	NE	2	o	
Calbayog,	,,	29.76	756.0	85	8	NE	4	o		,,	29.83	757.7	76	8	N	2	o	
Tacloban,	,,	29.78	756.5	79	4	SE	4	d		,,	29.83	757.6	77	8	NE	2	o	
Iloilo,	,,	29.75	755.6	91	8	NE	4	o		,,	29.79	757.6	77	4	...	0	o	
Cebu,	,,	29.74	755.4	88	8.	ENE	4	o		,,	29.80	756.8	79	8	...	0	d	
Surigao,	...	29.74	755.5	81	6	...	0	o		,,	29.78	756.5	76	6	...	0	e	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.83	757.8	...	6	E	6	bc		4.22	29.86	758.4	...	6	E	2	h	
Yap,	11.00	...	...	...	...	...	...	...		5	29.85	758.2	...	6	NE	2	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.94	760.6	86	...	N	...	c		6	29.90	759.4	76	1	SW	...	c	

May 12*d.* 10*h.* 51*m.*—The anticyclone has passed into the Pacific and another has developed to the north of the lower Yangtze Valley. A depression is situated over S. Manchuria.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.78 inches, against an average of 15.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout, ... B.—Turnabout to Hong Kong, ...	N. and N.E. winds, moderate; fair.
C.—Hong Kong to Gap Rock, ... D.—Hong Kong to Hainan Straits, ... E.—North China Sea, ...	S.E. winds, moderate; fine generally.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th May, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	13th May, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.86	758.4	46	...	SE	4	o	6	29.76	755.9	43	...	SE	1	o
Nemuro,	11	30.12	765.0	...	...	ESE	1	...	5	29.88	759.0	..	...	SE	3	...
Hokodate,	,,	30.00	762.0	...	...	SE	3	...	,,	29.55	750.5	...	...	ENE	1	...
Tokio,	,,	30.02	762.5	...	...	SSE	1	...	,,	29.71	754.5		...	...	0	...
Kochi,	,,	29.84	758.0	...	...	...	0	...	,,	29.92	760.0	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	WNW	3	...	,,	29.98	761.5	...	..	...	0	...
Kagoshima,	,,	29.90	759.5	...	...	W	1	...	,,	29.94	760.5	...	...	...	0	...
Oshima,	,,	29.96	761.0	...	...	NNE	1	...	,,	29.96	761.0	...	...	...	0	...
Naha,	,,	29.96	761.0	...	...	SSW	2	...	,,	29.94	760.5	...	...	N	2	...
Ishigakijima,	,,	29.94	760.5	...	...	S	1	...	,,	29.90	759.5	...	...	NE	1	...
Bonin Island,	,,	30.04	763.0	...	...	WNW	1	...	,,	29.98	761.5	...	...	...	0	...
Chefoo,	15	29.93	760.3	67	8	E	4	bc	6	29.88	758.8	65	6	SSW	4	c
Shanghai,	14	30.07	763.8	65	6	NNE	2	o	,,	30.01	762.3	56	4	ESE	2	c
Gutzlaff,	,,	30.13	765.3	63	8	NNW	2	c	,,	30.09	764.3	56	6	ESE	4	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.96	761.0	71	6	NNE	2	r	7	29.96	761.0	68	6	N	2	o
Amoy,	,,	29.88	759.0	83	6	SSE	2	b	6	29.92	760.0	72	6	E	4	o
Swatow,	,,	29.91	759.7	86	...	E	3	b	,,	29.93	760.2	74	...	NE	3	o
Taihoku,	11	29.96	760.9	81	...	NNW	2	o	5	29.89	759.3	70	...	ESE	4	r
Taichu,	,,	29.95	760.8	86	...	NW	2	bc	,,	29.89	759.3	61	..	...	0	o
Tainan,	,,	29.91	759.8	94	...	WSW	2	b	,,	29.85	758.2	76	...	NE	2	b
Koshun,	,,	29.90	759.5	83	...	...	0	bc	,,	29.84	757.8	76	...	...	0	b
Pescadores,	,,	29.93	760.2	85	...	NNW	2	b	,,	29.86	758.5	76	...	NNE	4	o
Hong Kong,	14	29.85	758.2	82	7	E	3	c	6	29.83	757.7	77	8	ESE	1	b
Gap Rock,	,,	29.88	758.9	83	8	SE	2	b	,,	29.85	758.2	82	8	SE	2	b
Macao,	,,	29.84	757.9	88	6	SE	2	b	,,	29.80	757.0	77	4	SSE	2	c
Hoihow,	,,	29.82	757.4	91	1	SE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.85	758.3	88	8	NNE	4	b	6	29.82	757.3	79	8	NNE	2	b
Phulien,	15	29.78	756.5	82	8	S	4	c	7	29.78	756.5	77	8	SSE	4	o
Tourane,	,,	29.78	756.3	88	8	E	3	bc	,,	29.79	756.6	75	8	S	1	bc
Cape St. James,	,,	29.83	757.7	86	8	E	4	t	,,	29.84	757.8	79	8	E	1	bc
Basco,	14	29.83	757.6	88	8	SE	4	bc	6	29.81	757.1	81	8	SE	2	o
Aparri,	,,	29.76	755.8	94	6	NE	4	b	,,	29.79	756.6	76	6	S	2	o
Tagnegarao,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	77	1	...	0	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	77	8	...	0	o
Manila,	,,	29.77	756.1	91	8	NE	4	o	,,	29.77	756.1	77	4	...	0	o
Legnepi,	,,	...	...	83	6	NE	4	o	,,	29.76	755.8	81	6	NE	4	1
Cailoyog,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	76	8	N	2	o
Tacloban,	,,		...	...	...	...	...	...	,,	29.78	756.3	77	8	NE	2	o
Iloilo,	,,	29.76	755.8	79	6	S	2	r	,,	29.75	755.5	76	4	...	0	o
Cebu,	,,	...	..	...	...	...	...	...	,,	29.76	755.8	79	8	...	0	o
Surigao,	...	29.73	755.2	83	8	SE	4	o	,,	29.76	755.8	76	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	6	ESE	4	bc	4.22	29.84	757.8	...	6	...	0	b
Yap,	11.00	29.80	757.0	...	6	E	2	o	5	29.82	757.3	...	6	ENE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	11	29.94	760.6	83	...	N	...	c	6	29.89	759.3	76	1	SE	...	c

May 13*d.* 10*h.* 35*m.*—The anticyclone has moved into the Eastern Sea; the depression is crossing Japan to the south of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.78 inches, against an average of 15.45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. or variable winds, moderate; cloudy, local rain.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	S.E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	14th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.71	754.7	54	...	...	0	o	6	29.92	759.9	45	...	SE	3	c
Nemuro,	11	29.76	756.0	...	...	SE	2	...	5	29.94	760.5	..	...	E	1	...
Hokodate,	,,	29.61	752.0	...	...	W	5	...	,,	29.92	760.0	...	...	...	0	...
Tokio,	,,	29.76	756.0	...	...	WNW	3	...	,,	29.94	760.5		...	...	0	...
Kochi,	,,	29.92	760.0	...	...	SE	1	...	,,	29.96	761.0	...	...	...	0	...
Nagasaki,	,,	29.94	760.5	...	...	SSW	1	...	,,	29.92	760.0	...	..	ESE	1	...
Kagoshima,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.94	760.5	..	...	...	0	...
Oshima,	,,	29.94	760.5	...	...	NNE	1	...	,,	29.82	757.5	...	...	...	0	...
Naha,	,,	29.92	760.0	...	...	N	3	...	,,	29.84	758.0	...	...	S	2	...
Ishigakijima,	,,	...	...	...	...	ESE	2	...	,,	29.82	757.5	...	...	SSW	2	...
Bonin Island,	,,	29 96	761.0	...	...	SW	1	...	,,	30.00	762.0	...	...	...	...	...
Chefoo,	15	29.77	756.1	85	8	SW	2	c	6	29.84	758.0	59	6	SSW	2	b
Shanghai,	14	29.90	759.5	65	6	SE	2	o	,,	29.83	757.7	58	4	ESE	4	m
Gutzlaff,	,,	29.95	760.7	59	6	SE	4	be	,,	29.87	758.7	59	1	SE	2	f
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.89	759.2	69	8	SE	2	o	7	29.81	757.2	68	6	S	2	o
Amoy,	,,	29.88	758.9	77	8	SE	4	b	6	29.83	757.7	74	6	E	4	o
Swatow,	,,	29.89	759.1	79	...	E	3	b	,,	29.86	758 5	73	...	NNE	1	o
Taihoku,	11	29.88	758.9	81	...	ENE	6	b	5	29.80	757.0	72	...	...	0	bc
Taichu,	,,	29.86	758.4	88	...	WNW	2	b	,,	29.84	758.0	74	..	...	0	c
Tainan,	,,	29.83	757.7	94	...	WNW	2	bc	,,	29.80	757.0	76	...	NNE	2	o
Koshun,	,,	29.85	758.2	86	...	E	4	r	,,	29.78	756.5	79	...	...	0	bc
Pescadores,	,,	29.86	758.5	83	...	N	6	b	,,	29.80	756.8	77	...	NE	2	bc
Hong Kong,	14	29.78	756.4	81	8	E	4	bc	6	29.78	756.4	77	8	...	0	b
Gap Rock,	,,	29.80	756.9	83	8	ESE	3	c	,,	29.79	756.6	82	8	ESE	2	b
Macao,	,,	29.78	756.3	88	6	SE	2	c	,,	29.74	755.3	79	4	SE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Pratas Island,	,,	29.78	756.4	88	8	NE	4	bc	6	29.77	756.1	79	8	N	2	b
Phulien,	15	29.70	754.4	86	8	S	4	bc	7	29.71	754.6	79	6	ESE	5	c
Tourane,	,,	29.69	754.2	81	8	SE	2	b	,,	29.74	755.3	77	8	...	0	bc
Cape St. James,	,,	29.78	756.3	86	8	E	2	lt	,,	29.82	757.4	79	7	NW	2	c
Basco,	14	29.76	755.8	88	8	SE	4	o	6	...	..	...	...	...	...	...
Aparri,	,,	29.71	754.7	91	6	ESE	4	c	,,	29.76	755.9	79	6	S	2	bc
Tuguegarao,	,,	29.69	754.2	...	6	...	0	c	,,	...	...	...	...	...	...	...
Vigan,	,,	29.69	754.2	86	8	WSW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.70	754.3	86	6	NE	2	o	,,	29.76	755.8	76	6	...	0	o
Legaspi,	,,	29.70	754.3	88	8	NE	2	o	,,	29.76	755.8	77	6	...	0	o
Calboyog,	,,	29.72	755.0	83	8	...	0	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.2	83	8	SE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.1	91	8	W	4	o	,,	..	...	...	...	...	...	...
Cebu,	,,	29.69	754.2	91	8	ENE	2	c	,,	...	...	...	...	...	...	...
Surigao,	....	29.70	754.4	88	8	E	2	c	,,	29.75	755.5	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	78	...	ESE	2	c
Guam,	12.22	29.78	756.3	...	6	E	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	755.9	...	6	E	4	c	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	80	...	ESE	2	bc
Labuan,	14	29.94	760.4	85	6	S	...	bc	6	29.78	756.3	76	...	S	...	c

May 14*d.* 10*h.* 35*m.*—Pressure is highest in the Pacific to the east of the Bonins.

Depressions are situated over S. Manchuria and Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.78 inches, against an average of 15.83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
A.—Shanghai to Turnabout, ... B.—Turnabout to Hong Kong, ...	E. or variable winds, light to moderate; fair.
C.—Hong Kong to Gap Rock, ... D.—Hong Kong to Hainan Straits, ... E.—North China Sea, ...	S.E. winds, moderate; fair generally, some showers.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th MAY, 1932.									15th MAY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Nemuro,	11	30.06	763.5	...	...	ESE	1	...		5	30.16	766.0	...	...	SSW	1	...	
Hokodate,	,,	30.00	762.0	...	...	ESE	3	...		,,	30.06	763.5	...	...	ENE	1	...	
Tokio,	,,	29.92	760.0	...	...	S	2	...		,,	30.02	762.5		...	N	1	...	
Kochi,	,,	29.96	761.0	...	...	...	0	...		,,	29.98	761.5	...	...	...	0	...	
Nagasaki,	,,	29.92	760.0	...	...	NW	1	...		,,	29.96	761.0	...	..	...	0	...	
Kagoshima,	,,	29.90	759.5	...	...	...	0	...		,,	29.94	760.5	...	...	NW	1	...	
Oshima,	,,	29.84	758.0	...	...	NNE	1	...		,,	29.84	758.0	...	...	...	0	...	
Naha,	,,	29.84	758.0	...	...	SSW	4	...		,,	29.86	758.5	...	...	SSE	1	...	
Ishigakijima,	,,	29.84	758.0	...	...	SSW	2	...		,,	29.84	758.0	...	...	SSW	1	...	
Bonin Island,	,,	29.94	760.5	...	...	S	1	...		,,	29.96	761.0	...	...	SW	1	...	
Chefoo,	15	29.81	757.8	79	8	ESE	2	b		6	29.93	760.6	58	6	SSW	2	bc	
Shanghai,	14	29.88	758.9	68	6	ESE	2	o		,,	29.97	761.3	61	6	E	2	o	
Gutzlaff,	,,	29.92	760.0	61	6	E	2	o		,,	30.02	762.5	59	1	E	2	f	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.79	756.6	73	8	SE	2	bc		7	29.89	759.2	71	6	E	2	o	
Amoy,	,,	29.78	756.4	81	6	SE	4	b		6	29.83	757.7	77	6	SE	4	,,	
Swatow,	,,	29.83	757.8	81	...	E	1	b		,,	29.85	758.2	75	...	S	1	bc	
Taiboku,	11	29.82	757.4	85	...	NW	2	bc		5	29.83	757.7	74	...	...	0	h	
Taichu,	,,	29.81	757.8	91	...	W	2	bc		,,	29.85	758.2	76	..	...	0	e	
Tainan,	,,	29.81	757.1	...	...	SW	2	b		,,	29.78	756.3	76	...	NNE	2	b	
Koshun,	,,	29.82	757.4	91	...	S	2	bc		,,	29.78	756.5	79	...	...	0	c	
Pescadores,	,,	29.83	757.6	86	...	NNW	2	o		,,	29.79	756.7	79	...	NE	2	o	
Hong Kong,	14	29.75	755.6	84	8	E	3	bc		6	29.77	756.1	78	8	...	0	b	
Gap Rock,	,,	29.78	756.4	84	8	ESE	2	b		,,	29.79	756.6	82	8	SE	2	b	
Macao,	,,	29.74	755.3	91	6	SE	2	bc		,,	29.75	755.5	79	6	...	0	bc	
Hoihow,	,,	29.88	758.9	91	1	SE	2	bc		...	...	...	...	...	...	...	...	
Pratas Island,	,,	29.76	755.8	91	8	NE	2	b		6	29.76	756.0	81	8	NE	2	bc	
Phulien,	15	29.68	753.9	81	7	SSE	5	o		7	29.72	754.8	79	8	ESE	4	c	
Tourane,	,,	29.61	752.2	86	8	ESE	3	t		,,	29.73	755.0	73	8	SSE	1	bc	
Cape St. James,	,,	29.75	755.7	91	8	SSW	1	bc		...	...	...	...	...	...	...	...	
Basco,	14	29.75	755.6	74	8	SE	4	bc		6	29.76	755.9	81	6	SE	2	bc	
Aparri,	,,	29.73	755.2	86	6	SE	4	o		,,	29.76	755.8	77	6	S	2	bc	
Tuguegarao,	,,	29.71	754.6	86	6	...	0	o		,,	29.76	755.8	77	1	...	0	o	
Vigan,	,,	29.71	754.6	86	6	NE	4	o		,,	29.73	755.0	77	8	...	0	o	
Manila,	,,	29.72	754.9	91	8	NE	4	o		,,	29.75	755.6	79	8	ESE	2	b	
Legaspi,	,,	29.72	754.9	91	8	NE	2	bc		,,	29.76	755.9	81	6	NE	2	bc	
Calboyog,	,,	29.74	755.5	86	8	...	0	o		,,	29.78	756.5	77	4	N	4	bc	
Tacloban,	,,	29.73	755.2	85	8	E	2	o		,,	29.80	756.8	79	8	NW	2	bc	
Iloilo,	,,	29.71	754.7	91	8	SSW	4	bc		,,	29.78	756.3	77	6	...	0	bc	
Cebu,	,,	29.71	754.7	88	8	NNE	4	o		,,	29.76	755.8	81	4	SE	4	bc	
Surigao,	...	29.70	754.4	86	8	NW	2	bc		,,	29.76	755.8	79	6	...	0	bc	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.80	757.0	...	6	SE	4	d		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.77	756.1	...	6	ENE	4	bc		5	29.84	757.8	...	6	NE	2	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.74	755.5	86	6	E	...	c		6	29.78	756.3	74	...	...	...	e	

May 15*d*. 10*h*. 35*m*.— A feeble anticyclone is central to the N.E. of Japan.

The depression over Tongking has deepened slightly.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.78 inches, against an average of 16.22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
A.—Shanghai to Turnabout,	E. winds, moderate; cloudy.
B.—Turnabout to Hong Kong,	S.E. winds, moderate to light; fine generally.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	S.E. winds, moderate; cloudy.
E.—North China Sea,	E. winds, moderate; fine.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	16th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather.
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.14	765.5	...	...	SSW	1	...	5	30.26	768.5	...	...	E	1	..
Hokodate,	,,	30.10	764.5	...	...	...	0	...	,,	30.24	768.0	...	...	...	...	...
Tokio,	,,	29.96	761.0	...	...	E	1	...	,,	30.16	766.0	.	...	E	1	...
Kochi,	,,	29.98	761.5	...	...	SE	1	...	,,	30.14	765.5	...	...	...	0	...
Nagasaki,	,,	30.02	762.3	...	...	WSW	1	...	,,	30.14	765.5	...	...	...	...	...
Kagoshima,	,,	29.98	761.5	...	...	E	1	...	,,	30.12	765.0	...	...	NW	1	...
Oshima,	,,	29.92	760.0	...	...	...	0	...	,,	30.02	762.5	...	...	...	0	...
Naha,	,,	29.90	759.5	...	...	SSW	2	...	,,	29.92	760.0	...	...	SE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	...	0	...
Bonin Island,	,,	29.90	759.5	...	...	SSW	1	...	,,	29.98	761.5	...	...	SE	1	...
Clifelon,	15	29.97	761.2	72	8	E	2	b	6	30.09	764.2	58	6	SE	2	c
Shanghai,	14	30.00	762.0	68	6	*E*	2	*o*	,,	29.98	761.4	63	4	ESE	4	*o*
Gutzlaff,	,,	30.04	763.0	63	4	E	2	m	,,	30.04	763.0	61	4	E	4	d
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.90	759.4	72	6	E	2	o	7	29.95	760.7	70	6	SE	2	o
Amoy,	,,	29.84	757.9	81	8	SE	2	b	6	29.88	758.8	77	6	ENE	2	o
Swatow,	,,	29.87	758.6	83	...	E	3	b	,,	29.87	758.7	75	...	NE	1	b
Tsiloku,	11	29.87	758.7	88	...	*ENE*	2	c	5	29.85	758.2	77	...	...	0	*o*
Taichu,	,,	29.85	758.3	91	...	NW	2	b	,,	29.88	758.8	77	...	...	0	bc
Tainan,	,,	29.82	757.4	94	...	N	2	bo	,,	29.83	757.7	76	...	NE	2	c
Koshun,	,,	29.83	757.8	86	...	E	2	c	,,	29.82	757.4	77	...	...	0	o
Pescadores,	,,	29.85	758.2	85	...	NE	4	bc	,,	29.84	758.0	77	...	NNE	4	o
Hong Kong,	14	29.77	756.1	84	8	*E*	4	*b*	6	29.79	756.6	80	7	*E*	3	*bc*
Gap Rock,	,,	29.80	756.9	84	8	SE	2	b	,,	29.80	756.9	82	8	E	3	b
Macao,	,,	29.76	755.9	91	8	SE	2	b	,,	29.78	756.3	79	6	E-SE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.78	756.3	91	8	NE	2	b	6	29.77	756.1	81	8	NE	2	b
Phulien,	15	29.72	754.8	81	7	SSE	5	r	7	29.76	753.8	79	7	ESE	4	o
Tourane,	,,	29.67	753.6	86	8	ESE	3	bc	,,	29.75	755.5	77	7	..	0	o
Cape St. James,	,,	29.77	756.2	90	8	SSW	1	bc	,,	29.80	756.8	81	7	S	2	c
Basco,	14	29.80	756.8	83	6	SE	4	o	6	29.80	756.8	79	6	SE	2	*l*
Aparri,	,,	29.73	755.2	91	6	NE	4	o	,,	29.78	756.4	77	6	S	2	bc
Tuguegarao,	,,	29.69	754.0	91	6	...	0	o	,,	29.78	756.4	76	1	...	0	o
Vigan,	,,	29.71	754.6	88	8	NW	4	o	,,	29.72	754.8	76	8	...	0	lc
Manila,	,,	29.76	755.8	81	8	SW	8	r	,,	29.76	755.8	77	6	...	0	bc
Legaspi,	,,	29.74	755.4	91	8	ENE	4	o	,,	29.75	755.5	81	6	NE	2	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	83	6	E	2	d	,,	29.78	756.3	77	8	..	0	b
Iloilo,	,,	29.71	754.6	94	8	SW	4	c	,,	29.74	755.4	76	6	NNE	2	o
Cebu,	,,	29.70	754.3	91	8	NNE	4	c	,,	29.74	755.3	79	8	WNW	2	o
Narigua,	...	29.71	754.7	88	8	ENE	4	c	,,	29.75	755.5	79	6	ESE	2	*o*
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.7	...	8	E	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29.78	756 3	...	6	ENE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.90	759.4	74	...	W	...	bo	6	...	...	...	...	...	...	...

May 16*d*. 10*h*. 58*m*.—An anticyclone of moderate intensity is central over the Sea of Japan. Pressure is relatively low over the China Sea, and the depression remains over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.78 inches, against an average of 16.62 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
A.—Shanghai to Turnabout,	E. winds, moderate; cloudy, rain.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; cloudy.
C.—Hong Kong to Gap Rock,	E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits,	S.E. winds, moderate; cloudy.
E.—North China Sea,	E. winds, moderate; fine.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	16TH MAY, 1932.									17TH MAY, 1932.								
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Illustrations.)		HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	30.26	768.5	45	...	SE	3	b		6	30.11	764.8	43	...	SW	1	0	
Nemuro,	11	30.28	769.0	...	...	NNE	1	...		5	30.22	767.5	...	...	WSW	1	...	
Hokodate,	,,	30.30	769.5	...	...	S	1	...		,,	30.28	769.0	...	...	...	...	...	
Tokio,	,,	30.20	767.0	...	...	E	1	...		,,	30.34	770.5	..	...	...	0	...	
Kochi,	,,	30.12	765.0	...	...	...	0	...		,,	30.28	769.0	...	...	WSW	1	...	
Nagasaki,	,,	30.14	765.5	...	...	WNW	1	...		,,	30.20	767.0	...	..	ESE	1	...	
Kagoshima,	,,	30.12	765.0	...	...	SE	1	...		,,	30.20	767.0	...	...	...	0	...	
Oshima,	,,	30.06	763.5	...	...	SSE	1	...		,,	30.08	764.0	...	...	SSE	1	...	
Naha,	,,	29.96	761.0	...	...	E	3	...		,,	29.98	761.5	...	...	E	2	...	
Ishigakijima,	,,	29.90	759.5	...	...	SSE	2	...		,,	29.92	760.0	...	...	SE	1	...	
Bonin Island,	,,	29.96	761.0	...	...	NNE	2	...		,,	30.10	764.5	...	...	NE	1	...	
Chefoo,	15	30.06	763.6	72	8	ESE	4	c		6	30.04	763.1	61	8	SE	2	bc	
Shanghai,	14	29.98	761.5	70	6	FSE	4	o		,,	29.96	761.0	67	1	ESE	2	f	
Gutzlaff,	,,	30.01	762.3	63	1	SE	6	r		,,	30.01	762.3	63	1	SE	6	f	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.92	759 9	74	8	E	2	b		7	29.94	760.5	73	8	...	0	b	
Amoy,	,,	29.90	759.5	81	6	SSE	4	c		6	20.93	760.2	61	6	E	2	c	
Swatow,	,,	29.90	759 5	79	...	E	3	c		,,	29.90	759.5	79	...	E	3	c	
Taihoku,	11	29.87	758.8	88	...	...	0	o		5	29.90	759.4	74	...	...	0	o	
Taichu,	,,	29.88	758.9	86	...	NNW	4	b		,,	29.90	759.5	76	..	...	0	o	
Tainan,	,,	...	...	...	...	...	...	...		,,	29.86	758.4	74	...	ENE	2	b	
Koshun,	,,	29.87	758.8	86	...	ENE	2	o		,,	29.87	758.6	76	...	ENE	2	c	
Pescadores,	,,	29.88	759.0	83	...	NNE	4	o		,,	29.87	758.6	76	...	NNE	2	b	
Hong Kong,	14	29.82	757.4	84	8	E	4	bc		6	29.81	757.2	79	7	E	4	c	
Gap Rock,	,,	29.83	757.7	83	8	ENE	4	c		,,	29.82	757 4	82	8	ENE	4	c	
Macao,	,,	29.80	757.0	86	6	SE	2	b		,,	29.79	756.7	81	4	ESE	4	c	
Hoihow,	,,	29.84	758.0	88	1	E	2	b		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.79	756.7	94	8	ENE	4	bc		6	29.80	757.0	76	6	ESE	2	d	
Phulien,	15	29.75	755.6	84	8	SSE	5	c		7	29.81	757.2	79	5	SSE	1	f	
Tourane,	,,	29.70	754.3	86	8	SSE	3	bc		,,	29.77	756.1	75	8	...	0	c	
Cape St. James,	,,	29.78	756.4	92	8	SSW	2	bc		,,	29.81	757.1	79	8	NNW	1	bc	
Basco,	14	29.80	757.0	86	8	SE	4	c		6	...	...	...	...	...	...	...	
Aparri,	,,	29.76	756.0	91	6	ESE	4	o		,,	29.83	757.7	77	6	S	2	o	
Tuguegarao,	,,	29.74	755.4	83	6	...	0	lt		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.72	754.9	86	8	W	4	o		,,	...	...	...	...	...	...	...	
Manila,	,,	29.74	755.3	94	8	E	2	o		,,	29.80	756.8	77	6	...	0	bc	
Legaspi,	,,	29.73	755.2	88	8	NE	4	c		,,	29.78	756.5	81	6	NE	2	b	
Calboyog,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.74	755.4	86	8	S	4	c		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.71	754.6	88	8	SSW	4	o		,,	...	...	...	...	...	...	...	
Cebu,	,,	29.72	755.0	86	8	NE	4	o		,,	...	...	...	...	...	...	...	
Surigao,	...	29.71	754.7	86	8	ESE	2	o		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.73	755.2	...	6	ESE	4	c		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.71	754.6	...	6	ENE	4	c		5	29.78	756.4	...	6	ENE	4	c	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.83	757.6	81	6	NW	...	c		6	29.90	759.4	72	...	W	...	r	

May 17*d.* 10*h.* 45*m.*—Pressure is highest in the Pacific to the east of Tokio, and relatively low over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inch. Total since January 1st, 8.88 inches, against an average of 17.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	S.E. winds, moderate; cloudy.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	E. winds, fresh; cloudy, showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	18th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.18	766.5	...	...	W	1	...	5	30.16	766.0	..	...	...	0	..
Hokodate,	,,	30.20	767.0	...	...	W	1	...	,,	30.16	766.0	...	...	...	...	...
Tokio,	,,	30.30	769.5	...	...	S	1	...	,,	30.26	768.5	..	...	...	0	...
Kochi,	,,	30.24	768.0	...	...	SW	1	...	,,	30.24	768.0	...	...	...	0	...
Nagasaki,	,,	30.18	766.5	...	...	SE	2	...	,,	30.12	765.0	...	..	...	0	...
Kagoshima,	,,	30.18	766.5	...	...	SSE	1	...	,,	30.12	765.0	...	...	ESE	1	...
Oshima,	,,	30.10	764.5	...	...	SSE	1	...	,,	30.04	763.0	...	...	SSE	1	...
Naha,	,,	29.98	761.5	...	...	E	6	...	,,	29.96	761.0	...	...	ESE	2	...
Ishigakijima,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.88	759.0	...	...	SE	2	...
Penin Island,	,,	30.10	764.5	...	...	NE	1	...	,,	30.12	765.0	...	...	ENE	1	...
Chefoo,	15	29.91	759.7	72	6	S	6	c	6	29.69	754.1	63	6	S	4	c
Shanghai,	14	29.89	759.1	74	6	SE	4	o	,,	29.78	756.3	70	4	S	4	c
Gutzlaff,	,,	29.95	760.7	65	6	SE	6	o	,,	29.85	758.2	68	6	ESE	4	o
Wenchow,	,,	..	...	...	...	...	...	...	6	...	..	...	...	...	...	...
Foochow,	,,	29.89	759 2	78	8	E	2	b	7	29.87	758.7	75	6	...	0	o
Amoy,	,,	29.91	759 7	81	6	S	4	h	6	29.87	758.7	79	6	SE	2	bc
Swatow,	..	29.94	760.4	83	...	E	2	bc	,,	29.86	758.5	79	...	ESE	3	c
Taihoku,	11	29.88	759.0	91	...	NW	2	b	5	29.85	758.2	76	...	...	0	o
Taichu,	,,	29.90	759.5	91	...	WSW	2	bc	,,	29.86	758.4	74	..	...	0	bc
Tainan,	,,	29.89	759.3	91	...	WSW	2	bc	,,	29.83	757 6	74	...	ENE	2	b
Koshun,	,,	29.90	759.4	81	...	ENE	2	o	,,	29 83	757.6	77	...	...	0	b
Pescadores,	,,	29.90	759.5	85	...	NNW	2	bc	,,	29.83	757.6	76	...	...	0	b
Hong Kong,	14	29.82	757.4	79	6	E	4	cp	6	29.77	756.1	80	7	E	4	bc
Gap Rock,	,,	29 82	757.4	82	7	ENE	4	cp	,,	29.77	756.1	82	7	E	4	c
Macao,	,,	29.78	756.5	83	4	ESE	2	c	,,	29.74	755.4	79	4	ESE	4	c
Hoihow,	..	29.80	756.8	86	1	ENE	4	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.80	757.0	88	8	E	4	o	6	29.76	755.9	81	8	ESE	4	bc
Phulien,	15	29.75	755.6	90	8	S	3	bc	7	29.76	755.8	77	6	ENE	1	f
Tourane,	,,	29.70	754.3	88	8	NNE	4	bc	,,	29.72	754.8	72	8	...	0	bc
Cape St. James,	..	29.78	756.3	90	8	S	1	bc	,,	29.77	756.2	79	8	N	1	bc
Basco,	14	29.81	757.1	83	8	SE	2	bc	6	29.79	756.7	81	8	SE	2	b
Aparri,	,,	29.76	756.0	91	6	NNE	4	b	,,	29.79	756.7	76	6	S	2	b
Tuguegarao,	,,	29.72	754.8	94	8	...	0	bc	,,	29.80	757.0	74	4	...	0	bc
Vigan,	,,	29.73	755.2	88	8	NW	4	b	,,	29.73	755.2	81	8	SE	2	b
Manila,	,,	29.73	755.2	94	8	SE	4	bc	,,	29.79	756.6	74	4	...	0	b
Legaspi,	..	29.72	754.9	91	8	NE	4	b	,,	29.78	756.3	83	6	NE	4	bc
Calbayog,	,,	29.72	754.9	86	6	ENE	2	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	755.8	85	6	SE	2	o	,,	29.79	756.7	79	8	N	2	o
Iloilo,	,,	29.71	754.7	91	8	NE	4	o	,,	29.76	756.0	79	6	NE	2	o
Ceba,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	81	8	...	0	bc
Surigao,	...	29.72	754.8	86	8	...	c	bc	,,	29.76	756.9	76	4	...	c	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	..	...	...
Guam,	12.22	29.72	755.0	...	6	E	4	bc	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.7	755.2	...	6	ENE	4	bc	5	29.77	756.1	...	6	NNE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Labuan,	14	29.92	760.4	85	6	W	...	c	6	29.90	759.4	67	...	W	...	c

May 17*d.* 13*h.* 36*m.*—Warning to Hong Kong Coast Ports, &c.:—Typhoon within 120 miles of Lat. 17° N. Long. 115° E., direction unknown.

May 17*d.* 17*h.* 40*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon within 60 miles of Lat. 18° N. Long. 115° E., moving N.W.

May 17*d.* 21*h.* 07*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon within 30 miles of Lat. 19° N. Long. 113° E., moving N.W.

May 18*d.* 9*h.* 46*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon within 60 miles of Lat. 19° N. Long. 111° E. moving W.N.W.

May 17*d.* 23*h.* 15*m.*—Local signal No. 1 hoisted.

May 18*d.* 9*h.* 46*m.*— ,, ,, 1 lowered.

May 18d. 10h. 25m.— Pressure remains highest in the Pacific to the east of Tokio, and a depression is approaching Shantung from the westward. A typhoon of limited area developed to the north-east of the Macclesfield Bank yesterday morning; it is now situated near the east coast of Hainan, moving W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inch. Total since January 1st, 8.97 inches, against an average of 17.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
A.—Shanghai to Turnabout, ... B.—Turnabout to Hong Kong, ...	S. and S.E. winds, moderate; cloudy, local rain.
C.—Hong Kong to Gap Rock, ...	S.E. winds, moderate; fair to showery.
D.—Hong Kong to Hainan Straits, ...	N.E. to S.E. winds, fresh; cloudy, rain.
E.—South China Sea, ...	S. and S.E. winds, moderate to fresh; cloudy. Cyclonic gales and rain near Hainan.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	19th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.94	760.6	54	...	SE	1	o	6	29.76	755.9	46	...	SE	5	r
Nemuro,	11	30.04	763.0	...	...	S	2	...	5	30.10	764.5	...	...	...	c	...
Hakodate,	,,	30.10	764.5	...	...	S	1	...	,,	30.06	763.5	...	...	NNW	1	...
Tokio,	,,	30.20	767.0	...	...	S	3	...	,,	30.12	765.0	..	...	SW	1	...
Kochi,	,,	30.22	767.5	...	...	S	1	...	,,	30.12	765.0	...	...	...	...	...
Nagasaki,	,,	30.10	764.5	...	...	WSW	2	...	,,	29.96	761.0	...	..	E	1	...
Kagoshima,	,,	30.12	765.0	...	...	SSE	2	...	,,	30.00	762.0	...	...	SE	1	...
Oshima,	,,	30.06	763.5	...	...	SSE	2	...	,,	29.96	761.0	...	...	SSE	1	...
Naha,	,,	29.98	761.5	...	...	SE	5	...	,,	29.96	761.0	...	...	SE	1	...
Ishigakijima,	,,	29.82	757.5	...	...	S	1	...	,,	29.84	758.0	...	...	...	o	...
Bonin Island,	,,	30.14	765.5	...	...	E	1	...	,,	30.16	766.0	...	...	ESE	1	...
Chefoo,	15	29.73	755.2	61	8	NW	4	bc	6	29.66	753.3	65	6	SSW	2	c
Shanghai,	14	29.83	757.7	83	6	WSW	2	c	,,	29.85	758.2	70	4	SE	2	f
Gutzlaff,	,,	29.87	758.7	70	6	S	2	c	,,	29.90	759.5	68	1	N	2	f
Wenchow,	,,	...	...	...	...	...	...	...	6	...	..	...	...	...	...	...
Foochow,	,,	29.84	757.9	78	8	S	2	b	7	29.88	758.9	76	8	...	o	b
Amoy,	,,	29.87	758.7	85	6	SSE	4	bc	6	29.87	758.7	81	6	S	2	b
Swatow,	,,	29.94	760.4	81	...	E	1	o	,,	29.88	758.9	79	...	E	1	b
Taihoku,	13	29.87	758.8	91	...	...	o	bc	5	29.88	758.8	74	...	...	o	bc
Taichu,	,,	29.84	758.0	91	...	NW	2	bc	,,	29.89	759.1	74	..	...	o	bc
Tainan,	,,	29.86	758.5	91	...	N	2	bc	,,	29.85	758.2	76	...	...	o	b
Koshun,	,,	29.87	758.8	88	...	ENE	2	b	,,	29 85	758.2	77	...	...	o	bc
Pescadores,	,,	29.87	758.8	86	...	NNW	2	b	,,	29.84	757.9	76	...	...	o	b
Hong Kong,	14	29.80	756.9	83	7	E	4	c	6	29.81	757.1	80	7	E	2	c
Gap Rock,	,,	29.81	757.2	83	8	ENE	4	c	,,	29.81	757.1	82	8	ESE	4	c
Macao,	,,	29.78	756.5	85	6	SE	4	c	,,	29.78	756.5	79	4	SE	2	c
Hoihow,	,,	29.75	755.6	81	4	NE	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.3	94	8	ESE	2	b	6	29.82	757.4	81	8	E	2	b
Phulien,	15	29.73	755.2	88	8	SSE	4	b	7	29.77	756.1	77	8	NNW	4	bc
Tourane,	,,	29.69	754.2	83	8	NW	4	bc	,,	29.76	755.8	73	7	SW	1	bc
Cape St. James,	,,	29.73	755.2	91	8	S	2	t	,,	29.80	756.8	72	7	NE	1	bc
Basco,	14	29.81	757.1	86	8	SE	2	c	6	..	...	...	..	...	...	...
Aparri,	,,	29.76	755.8	91	6	N	4	b	,,	29.80	757.0	76	6	...	o	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	91	8	W	2	bc	,,	29.81	757.1	77	6	...	o	bc
Legaspi,	,,	29.73	755.2	91	8	NE	4	b	,,	29.80	757.0	81	6	...	o	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.70	754.3	91	8	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Surigao,	...	29.71	754.7	86	8	E	2	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	..	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.77	756.1	...	6	E	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	755.8	...	6	SE	2	b	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	12	29.95	760.7	76	6	W	...	r	6	29.89	759.3	74	...	S	...	o

May 19*d*. 11*h*. 02*m*.—Pressure is highest over the Pacific to the south-east of Japan; the depression is moving eastwards across south Manchuria.

The typhoon still exists as a depression in the Gulf of Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.97 inches, against an average of 17.86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light southerly or variable winds; fine generally.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	S.E. winds, moderate; fine generally.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. and S.E. winds, moderate; fair generally, except over the Gulf of Tongking where cyclonic gales are probable.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	20th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.69	754.1	48	...	SE	5	o	6	29.59	751.6	46	...	...	o	o
Kamuro,	11	30.20	767.0	...	...	ESE	2	...	5	29.76	756.0	..	...	ENE	1	...
Hokodate,	,,	30.00	762.0	...	...	ESE	2	...	,,	29.78	756.5	...	...	SE	1	...
Tokio,	,,	30.06	763.5	...	...	S	3	...	,,	30.00	762.0		...	S	3	...
Kochi,	,,	30.10	764.5	...	...	S	1	...	,,	30.02	762.5	...	...	...	...	...
Nagasaki,	,,	29.90	759.5	...	...	SSE	5	...	,,	29.94	760.5	...	..	EE	1	...
Kagoshima,	,,	29.98	761.5	...	...	SSW	1	...	,,	29.96	761.0	...	...	...	o	...
Oshima,	,,	29.96	761.0	...	...	S	4	...	,,	29.90	759.5	...	...	S	2	...
Naha,	,,	29.96	761.0	...	...	SE	2	...	,,	29.92	760.0	...	...	SSE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	SSW	1	...	,,	29.88	759 0	...	...	...	...	...
Bonin Island,	,,	30.14	765.5	...	...	ESE	1	...	,,	30.10	764.5	...	...	SE	1	...
Chefoo,	15	29.74	755.3	83	6	W	6	o	6	29.66	753.4	70	4	S	2	2
Shanghai,	14	29.83	757.7	86	6	...	o	e	,,	29.88	758.8	68	4	SE	2	be
Gutzlaff,	,,	29.89	759.2	72	1	...	o	f	..	29.93	760.2	63	1	SE	2	f
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.84	757.9	80	6	E	2	be	7	29.89	759.2	77	6	...	o	c
Amoy,	,,	29.86	758.4	86	6	S	4	b	6	29.89	759.2	81	6	S	2	be
Swatow,	..	29.89	759.3	85	...	E	1	b	..	29.89	759.2	79	...	ESE	1	be
Taihoku,	11	29.89	759.1	91	...	...	o	be	5	29.86	758.4	76	...	...	o	c
Taichu,	,,	29.91	759.7	91	...	...	o	be	,,	29 89	759.1	74	..	...	o	be
Tainan,	,,	29.88	759.0	91	...	W	2	b	,,	29.87	758.6	77	...	...	o	be
Koshun,	,,	29.89	759.3	88	...	E	4	be	,,	29.88	758.8	76	...	...	o	be
Pescadores,	,,	29.91	759 6	88	...	W	2	b	,,	29.86	758.3	79	...	...	o	be
Hong Kong,	14	29.83	757.7	84	8	E	4	c	6	29.82	757.4	79	8	...	o	b
Gap Rock,	,,	29.83	757.7	83	8	ESE	4	c	,,	29.83	757.7	82	8	E	3	b
Macao,	,,	29.81	757.4	88	6	SE	2	c	,,	29.80	756.8	79	6	SE	2	c
Hoihow,	,,	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.80	757.0	94	8	E	2	b	6	29.84	757 9	81	8	ESE	2	b
Phulien,	15	29.72	754.9	82	7	...	c	t	7	29.75	755.6	79	7	SSW	4	o
Tourane,	,,	29.75	755.6	86	8	N	3	be	,,	29.77	756.1	75	6	SE	1	be
Cape St. James,	,,	29.77	756.2	86	8	SSE	1	c	,,	29.82	757.3	79	8	ENE	1	be
Basco,	14	29.82	757.4	86	8	SE	4	c	6	29.84	757.9	81	8	SE	2	be
Aparri,	,,	29.77	756.1	91	6	NE	4	b	,,	29.83	757.6	77	6	S	2	b
Toguegnrao,	,,	...	...	...	...	...	...	...	,,	29.81	757.6	77	4	...	o	be
Vigan,	,,	29.76	755.8	91	8	WSW	2	c	,,	29.78	756.4	79	8	ESE	2	b
Manila,	,,	29.78	756.3	86	8	W	2	c	,,	29.82	757 3	74	4	...	o	b
Legaspi,	,,	29.76	755.9	91	8	NE	4	b	,,	29.80	756.8	81	6	...	o	b
Calboyog,	,,	29.76	756.0	88	8	SW	4	c	,,	29.80	757.0	76	8	NNE	2	be
Tacloban,	,,	29.76	756.0	88	8	SE	4	b	,,	29.80	757.0	79	8	NW	2	be
Iloilo,	,,	29.74	755.5	88	8	E	4	o	,,	29.78	756.4	77	6	N	4	be
Cebu,	,,	29.74	755.4	88	8	ENE	4	o	,,	29.78	756.3	81	8	NE	2	be
Surigno,	...	29.76	755.8	86	8	ENE	2	o	,,	29.78	756.3	77	6	...	o	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.8	...	6	E	6	o	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.77	756.1	...	6	NW	4	c	5	29.82	757.3	...	6	...	o	be
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.86	758.5	86	...	N	...	c	6	29.90	759.4	74	1	...	...	be

May 20d. 10h. 50m.—Pressure is highest over the Pacific to the east of the Bonins. Depressions are situated over S. Manchuria and to the north of Haiphong.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.97 inches, against an average of 18.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
A.—Shanghai to Turnabout, ...	S. and S.E. winds, light to moderate; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S.E. winds, moderate; fair generally.
D.—Hong Kong to Hainan Straits, ...	S. and S.E. winds, moderate; fair.
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th May, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st May, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.78	756.5	...	...	WSW	3	...	5	29.71	754.5	...	...	W	4	..
Hokodate,	,,	29.69	754.0	...	...	SW	5	...	,,	29.78	756.5	...	...	...	0	...
Tokio,	,,	29.54	760.5	...	...	SSW	4	...	,,	29.96	761.0	..	...	S	1	...
Kochi,	,,	30.00	762.0	...	...	...	0	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	ESE	2	...	,,	29.80	757.0	...	..	ESE	2	...
Kagoshima,	,,	29.94	760.5	...	...	E	1	...	,,	29.80	757.0	...	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	S	1	...	,,	29.82	757.5	...	...	S	1	...
Naha,	,,	29.90	759.5	...	...	SSW	3	...	,,	29.82	757.5	...	...	S	2	...
Ishigakijima,	,,	29.90	759.5	...	...	S	1	...	,,	29.80	757.0	...	...	...	1	...
Bonin Island,	,,	30.10	764.5	...	...	ESE	1	...	,,	30.06	763.5	...	...	SE	1	...
Chefoo,	15	29.76	756.0	91	6	SSW	4	bc	6	29.56	750.7	68	4	WNW	4	z
Shanghai,	14	29.83	758.6	81	6	SSE	2	c	,,	29.70	754.3	68	4	NNW	2	p
Gutzlaff,	,,	29.88	758.9	65	1	SSE	4	f	,,	29.73	755.2	67	1	SW	2	f
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.85	758.2	80	6	E	2	bc	7	29.80	756.9	78	8	S	2	b
Amoy,	,,	29.84	757.9	86	8	SSE	4	b	6	29.83	757.7	81	6	S	2	b
Swatow,	,,	29.80	756.2	88	...	SSE	3	b	,,	29.88	758.8	79	...	S	1	b
Taihoku,	11	29.88	758.9	88	...	WNW	2	bc	5	29.79	756.6	74	...	...	0	b
Taichu,	,,	29.89	759.3	91	...	...	0	f	,,	29.85	758.2	77	..	...	0	b
Tainan,	,,	29.87	758.8	91	...	SW	4	b	,,	29.83	757.7	77	...	SE	2	b
Koshun,	,,	29.88	758.9	91	...	ESE	2	b	,,	29.82	757.4	76	...	...	0	bc
Pescadores,	,,	29.88	759.0	91	...	SSW	2	b	,,	29.81	757.2	79	...	SSW	2	bc
Hong Kong,	14	29.82	757.4	86	8	E	3	bc	6	29.80	756.9	79	8	...	0	c
Gap Rock,	,,	29.85	758.2	84	8	ESE	3	c	,,	29.82	757.4	82	8	S	3	c
Macao,	,,	29.81	757.2	91	6	SSE	2	c	,,	29.78	756.6	79	4	SSW	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.8	88	8	SSW	2	b	6	29.83	757.6	79	8	...	0	bc
Phulien,	15	29.74	755.4	86	8	S	4	c	7	29.78	756.5	79	7	S	4	c
Tourane,	,,	29.78	756.5	85	8	SE	4	b	,,	29.79	756.6	77	7	SSE	1	bc
Cape St. James,	,,	29.80	756.8	85	8	SE	2	b	,,	29.85	758.2	77	7	ENE	2	r
Basco,	14	29.81	757.1	88	8	SE	4	b	6	29.79	756.7	83	8	SE	4	bc
Aparri,	,,	29.76	755.8	91	6	NNE	4	b	,,	29.80	756.8	79	6	WSW	2	b
Tuguegarao,	,,	29.72	755.0	98	8	...	0	bc	,,	29.81	757.2	81	2	...	0	b
Vigan,	,,	29.76	755.8	91	8	SW	4	b	,,	29.79	756.7	81	8	SE	2	b
Manila,	,,	29.77	756.1	91	8	W	2	bc	,,	29.82	757.3	76	6	...	0	b
Legaspi,	,,	29.76	755.9	88	6	NE	2	c	,,	29.78	756.4	81	6	...	0	c
Calboyog,	,,	29.78	756.3	85	8	...	0	b	,,	29.80	757.0	77	8	NNE	2	b
Tacloban,	,,	29.78	756.3	83	6	NW	2	c	,,	29.80	757.0	79	8	...	0	b
Iloilo,	,,	29.74	755.4	91	8	NE	4	c	,,	29.80	756.8	79	6	NE	2	c
Cebu,	,,	29.76	755.8	91	8	ENE	4	c	,,	29.79	756.7	81	8	...	0	bc
Surigao,	...	29.76	755.9	81	6	...	0	c	,,	29.79	756.7	76	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	6	SSE	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.7	...	6	WbW	2	bc	5	29.84	757.9	...	6	NE	2	d
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	86	6	NE	6	bc	6	29.90	759.4	76	...	..	...	bc

May 21st. 10h. 45m.—Pressure continues highest over the Pacific to the east of the Bonins. A shallow depression covers Tongking, and the depression over South Manchuria has become considerably deeper.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 8.98 inches, against an average of 18.71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	S. winds, moderate; cloudy, rain.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st MAY, 1932.									22nd MAY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.			
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.38	746.3	52	...	SE	4	f		6	29.25	742.8	46	...	...	0	0	
Nemuro,	11	29.70	754.5	...	...	WSW	4	...		5	29.69	754.0	...	...	SSW	2	...	
Hokodate,	,,	29.74	755.5	...	...	SW	4	...		,,	29.47	748.5	...	...	...	0	...	
Tokio,	,,	29.88	759.0	...	...	SSW	3	...		,,	29.47	748.5	...	...	WNW	1	...	
Kochi,	,,	29.84	758.0	...	...	...	...	...		,,	29.53	750.0	...	...	...	0	...	
Nagasaki,	,,	29.70	754.5	...	...	...	...	...		,,	29.65	753.0	...	...	...	0	...	
Kagoshima,	,,	29.72	755.0	...	...	...	0	...		,,	29.63	753.0	...	...	...	0	...	
Oshima,	,,	29.76	756.0	...	...	S	2	...		,,	29.67	753.5	...	...	...	...	...	
Naha,	,,	29.80	757.0	...	...	SSW	4	...		,,	29.73	755.0	...	...	SSW	1	...	
Ishigakijima,	,,	29.82	757.5	...	...	SSW	1	...		,,	29.73	755.0	...	...	SSW	1	...	
Bonin Island,	,,	30.02	762.5	...	...	SSE	2	...		,,	29.92	760.0	...	...	SSW	2	...	
Chefoo,	15	29.62	752.3	63	6	NW	6	o		6	29.58	751.2	61	6	W	4	z	
Shanghai,	14	29.69	754.0	83	6	SE	4	o		,,	29.76	755.8	67	6	NNE	2	bc	
Gutzlaff,	,,	29.73	755.1	74	6	...	o	c		,,	29.75	755.6	67	6	...	o	o	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.70	754.4	82	4	S	2	c		7	29.72	754.9	78	8	...	2	df	
Amoy,	,,	29.76	756.0	86	6	SSE	4	bc		6	29.71	754.6	81	6	WSW	2	c	
Swatow,	,,	29.80	757.0	90	...	NW	1	o		,,	29.74	755.3	81	...	SW	3	o	
Taihoku,	11	29.78	756.4	91	...	SW	2	o		5	29.73	755.2	77	...	...	o	o	
Taichu,	,,	29.84	758.0	91	...	SSW	2	o		,,	29.73	755.2	77	...	SSE	2	o	
Tainan,	,,	29.83	757.7	91	...	WSW	4	bc		,,	29.76	755.8	76	...	SE	2	bc	
Koshun,	,,	29.82	757.4	88	...	SW	2	bc		,,	29.75	755.5	81	...	WNW	2	bc	
Pescadores,	,,	29.83	757.6	77	...	WSW	4	bc		,,	29.74	755.3	79	...	SSW	4	o	
Hong Kong,	14	29.78	756.4	83	6	SW	3	od		6	29.75	755.6	81	6	SW	3	o	
Gap Rock,	,,	29.80	756.9	82	8	SW	3	o		,,	29.77	756.1	82	8	SW	4	o	
Macao,	,,	29.75	755.6	83	4	WNW	2	o		,,	29.73	755.0	79	4	WSW	2	c	
Heihow,	,,	29.84	757.9	88	1	SSE	2	bc		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.80	757.0	88	8	SSW	2	b		6	29.78	756.4	81	8	SW	2	bc	
Phulien,	15	29.74	755.5	84	7	S	4	c		7	29.78	756.5	77	6	WNW	2	o	
Tourane,	,,	29.73	755.2	88	8	E	2	bc		,,	29.77	756.1	77	6	SE	1	f	
Cape St. James,	,,	29.81	757.2	84	8	E	3	bc		,,	29.84	758.0	79	7	ESE	1	c	
Basco,	14	29.76	755.8	91	8	SSE	4	b		6	...	...	...	...	...	...	...	
Aparri,	,,	29.75	755.6	94	6	N	2	b		,,	29.81	757.1	77	6	...	o	b	
Tuguegarao,	,,	29.73	755.2	99	8	...	o	bc		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.76	755.9	91	8	WSW	2	b		,,	...	...	...	...	...	...	...	
Manila,	,,	29.75	755.6	94	8	W	2	b		,,	29.80	756.8	79	6	...	o	b	
Legaspi,	,,	29.74	755.4	91	8	NE	2	b		,,	29.78	756.3	77	6	...	o	b	
Calboyog,	,,	29.78	756.4	83	8	SSE	2	o		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.78	756.4	83	8	SE	4	o		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.74	755.3	85	8	S	2	o		,,	...	...	...	...	...	...	...	
Cebu,	,,	29.74	755.5	88	8	...	c	o		,,	...	...	...	...	...	...	...	
Surigao,	...	29.74	755.5	86	8	...	o	o		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.80	757.0	...	6	E	4	o		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.78	756.3	...	6	WNW	2	bc		5	...	...	...	...	...	...	...	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	11	29.86	758.5	86	6	W	...	bc		6	29.90	759.4	74	1	SE	...	o	

May 22*d.* 10*h.* 40*m.*— Pressure continues highest over the Pacific to the east of the Bonins; the depression remains to the north of Wladivostock.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.98 inches, against an average of 19.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	Light variable winds; cloudy, local rain.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S.W. winds, moderate; cloudy, occasional rain

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	22ND MAY, 1932.									23RD MAY, 1932.								
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)		HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.25	742.9	50	...	SE	3	c		6	29.47	748.4	46	...	NW	3	c	
Nemuro,	11	29.61	752.0	...	...	S	3	...		5	29.47	748.5	...	...	SSW	1	...	
Hakodaté,	,,	29.41	747.0	...	...	SSW	1	...		,,	29.51	749.5	...	...	NNE	1	...	
Tokio,	,,	29.47	748.5	...	...	S	1	...		,,	29.51	749.5	..	...	SSW	2	...	
Kochi,	,,	29.57	751.0	...	...	ESE	1	...		,,	29.63	752.5	...	...	...	0	...	
Nagasaki,	,,	29.69	754.0	...	...	W	1	...		,,	29.75	755.5	...	..	...	0	...	
Kagoshima,	,,	29.65	753.0	...	...	WNW	1	...		,,	29.73	755.0	...	...	...	0	...	
Oshima,	,,	29.72	755.0	...	...	...	0	...		,,	29.73	755.0	...	...	N	2	...	
Naha,	,,	29.72	755.0	...	...	SSW	4	...		,,	...	...	...	...	SSW	1	...	
Ishigakijima,	,,	29.70	754.5	...	...	SSW	4	...		,,	29.71	754.5	...	...	...	0	...	
Bonin Island,	,,	29.92	760.0	...	...	SSW	2	...		,,	29.88	759.0	...	...	S	2	...	
Chefoo,	15	29.65	753.0	65	8	NW	4	b		6	29.62	752.2	67	8	SSW	2	bc	
Shanghai,	14	29.74	755.3	77	6	NNE	2	bc		,,	29.80	757.0	58	6	S	2	b	
Gutzlaff,	,,	29.80	756.9	65	1	NE	4	f		,,	29.86	758.4	61	4	SSW	2	m	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.70	754.4	82	6	S	2	bc		7	29.82	757.4	75	6	ENE	2	c	
Amoy,	,,	29.67	753.6	88	8	SSE	4	b		6	29.63	752.6	81	6	E	2	bc	
Swatow,	,,	29.77	756.2	72	...	W	1	r		,,	29.66	753.4	85	...	ESE	3	b	
Taihoku,	13	29.70	754.3	83	...	W	2	o		5	29.76	755.9	76	...	...	0	c	
Taichu,	,,	29.78	756.3	81	...	WSW	2	r		,,	29.78	756.3	74	..	...	0	c	
Tainan,	,,	29.78	756.4	79	...	ESE	2	t		,,	29.73	755.0	76	...	...	0	c	
Koshun,	,,	29.76	755.8	88	...	W	2	bc		,,	29.74	755.3	77	...	...	0	c	
Pescadores,	,,	29.74	755.4	81	...	SW	2	c		,,	29.73	755.2	77	...	SW	2	c	
Hong Kong,	14	29.73	755.1	79	4	WNW	3	p.H		6	29.74	755.4	79	4	...	0	cm	
Gap Rock,	,,	29.75	755.6	83	8	WSW	5	c		,,	29.75	755.6	82	8	SW	4	c	
Macao,	,,	29.72	755.0	81	4	WSW	4	c		,,	...	...	81	4	...	0	c	
Hoihow,	,,	29.90	759.4	86	...	NNE	2	bc		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.77	756.1	91	8	SW	2	b		6	29.76	755.9	81	8	SW	4	c	
Phulien,	15	29.74	755.3	90	8	SE	3	bc		7	29.76	755.8	77	8	SSW	4	c	
Tourane,	,,	29.71	754.7	90	8	NE	1	t		,,	29.78	756.3	79	8	W	2	bc	
Cape St. James,	,,	29.82	757.5	82	8	E	1	...		,,	29.84	758.0	77	8	SW	2	c	
Basco,	14	...	...	...	...	...	...	...		6	29.72	754.9	81	6	WSW	2	c	
Aparri,	,,	29.73	755.2	91	6	N	4	b		,,	29.76	756.0	77	6	...	0	bc	
Tuguegarao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Vigan,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	..	...	
Manila,	,,	29.73	755.2	91	8	W	2	bc		,,	29.80	757.0	77	4	...	0	c	
Legaspi,	,,	29.76	755 9	91	8	NE	2	c		,,	29.78	756.4	79	6	...	0	b	
Calboyog,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.80	757.0	85	8	S	4	c		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.78	756 5	88	8	SW	4	c		,,	29.80	757.0	79	6	NNW	2	c	
Cebu,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Surigao,	...	29.78	756.3	91	8	ENE	2	bc		,,	29.82	757 3	77	6	...	0	c	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.81	757.2	...	6	E	4	bc		4.22	29.84	757.8	...	6	E	2	b	
Yap,	11.00	29.83	757.6	...	6	ESE	4	bc		5	...	...	...	...	...	...	...	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.94	760.4	86	...	W	...	bc		6	29.89	759.3	76	...	S	...	c	

May 23*d*. 10*h*. 53*m*.—The depression has moved into the Sea of Japan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1.20 inch. Total since January 1st, 10.18 inches, against an average of 19.58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	S. and S.W. winds, moderate; fair to showery.
B.—Turnabout to Hong Kong,	S.W. winds, moderate; cloudy generally, occasional rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	24th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.49	749.0	...	...	SW	2	...	5	29.65	753.0	...	...	WNW	1	...
Hokodate,	,,	29.55	750.5	...	...	W	2	...	,,	29.80	757.0	...	...	NNW	1	...
Tokio,	,,	29.53	750.0	...	...	N	2	...	,,	29.92	760.0	...	...	...	0	...
Kochi,	,,	29.65	753.0	...	...	SE	1	...	,,	29.90	759.5	...	...	WSW	1	...
Nagasaki,	,,	29.78	756.5	...	...	WNW	2	...	,,	29.88	759.0	...	...	...	...	...
Kagoshima,	,,	29.76	756.0	...	...	NW	2	...	,,	29.88	759.0	...	...	NW	1	...
Oshima,	,,	29.80	757 0	...	...	NNE	2	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.78	756.5	...	...	NNE	3	...	,,	29.84	758.0	...	...	ESE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	NE	1	...	,,	29.80	757.0	...	...	SE	2	...
Bonin Island,	,,	29.88	759.0	...	...	SSW	2	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.51	749.6	85	8	S	4	b	6	29.25	742.8	72	8	S	8	c
Shanghai,	14	29.76	755.9	79	8	S	2	b	,,	29.66	753.4	68	4	SSE	4	o
Gutzlaff,	,,	29.82	757.4	70	6	SSE	4	z	,,	29.69	754.1	67	4	S	6	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.84	757.9	76	6	E	2	c	7	29.73	755.1	74	6	...	0	c
Amoy,	,,	29.79	756.6	88	6	SSE	4	b	6	29.65	753.1	79	6	SSE	2	c
Swatow,	,,	29.78	756.3	83	...	E	3	c	,,	29.64	752.8	77	...	S	3	r
Taiboku,	11	29.79	756.6	86	...	E	4	bc	5	29.73	755.2	76	...	...	0	c
Taichu,	,,	29.78	756.4	91	...	...	0	b	,,	29.71	754.6	74	..	...	0	n
Tainan,	,,	29.77	756.1	88	...	SSW	2	o	,,	29.73	755.2	76	...	SSW	4	lt
Koshun,	,,	29.80	757.0	77	...	...	0	o	,,	29.76	756.0	76	...	...	c	o
Pescadores,	,,	29.76	755.8	86	...	SSE	2	bc	,,	29.69	754.2	77	...	S	2	bc
Hong Kong,	14	29.70	754.4	86	7	SSW	2	c	6	29.66	753.3	82	6	S	2	cq
Gap Rock,	,,	29.73	755.1	82	8	SW	4	c	,,	29.67	753.6	82	8	SW	4	o
Macao,	,,	29.69	754.0	86	4	SE	2	c	,,	29.63	752 4	81	4	SSW	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	756.0	86	8	WSW	2	c	6	29.73	755.0	81	8	SSW	4	b
Phulien,	15	29.64	752.9	88	8	S	4	b	7	29.59	751.5	81	7	SSW	4	c
Tourane,	,,	29.67	753.5	86	8	SE	2	bc	,,	29.69	754.2	77	8	...	0	c
Cape St. James,	,,	29.80	757.0	88	8	E	2	bc	,,	29.83	757.6	81	7	SW	2	o
Basco,	14	29.80	756 8	77	6	N	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.76	755 8	91	6	N	4	bc	,,	29.76	755.9	77	6	S	2	bc
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.3	91	8	WSW	4	bc	,,	29.81	757.2	77	6	...	0	o
Legaspi,	,,	29.76	755.8	88	6	S	2	o	,,	29.78	756.5	77	6	...	0	bc
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.79	756.7	85	8	SSW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.76	755.8	88	8	...	0	b	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	6	E	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29.86	758.5	...	6	ENE	2	r
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	11	29.93	760.7	76	...	NW	...	c	6	29.90	759.4	74	1	S	6	bc

May 24*d.* 10*h.* 15*m.*— Pressure is highest over the Pacific to the south-east of Japan.

A deep depression has formed over N.E. China, it is now central to the N.W. of Chefoo and will probably move eastward.

Pressure is low over China generally.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inch. Total since January 1st, 10.24 inches, against an average of 20.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast
A.—Shanghai to Turnabout,	S. winds, moderate to fresh; cloudy, showers.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	S.W. winds, moderate to fresh, squally; cloudy; occasional rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	S.W. winds, moderate; fair.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	25th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.62	752.4	46	...	SE	4	o	6	29.54	750.3	50	...	SE	4	o
Nemuro,	11	29.63	752.5	...	...	SSW	2	...	5	29.90	759.5	...	...	SSW	1	...
Hakodate,	,,	29.80	757.0	...	...	SW	4	...	,,	29.80	757.0	...	...	...	0	...
Tokio,	,,	29.96	761.0	...	...	S	1	...	,,	29.94	760.5	..	...	S	1	...
Kochi,	,,	29.92	760.0	...	...	SE	1	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	ESE	2	...	,,	29.51	749.5	...	..	SE	7	...
Kagoshima,	,,	29.90	759.5	...	...	SE	1	...	,,	29.63	752.5	...	...	SSE	2	...
Oshima,	,,	29.88	759.0	...	...	S	1	...	,,	29.67	753.5	...	...	S	2	...
Naha,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.73	755.0	...	...	S	4	...
Ishigakijima,	,,	29.74	755.5	...	...	SSW	2	...	,,	29.69	754.0	...	...	SSW	3	...
Bonin Island,	,,	29.92	760.0	...	...	...	0	...	,,	30.00	762.0	...	...	SSE	1	...
Chefoo,	15	29.22	742.1	86	4	S	2	o	6	29.28	743.6	58	8	NW	6	d
Shanghai,	14	29.50	749.2	74	6	SSE	4	d	,,	29.46	748.1	70	6	WSW	2	bc
Gutzlaff,	,,	29.56	750.8	68	4	SSE	8	m	,,	29.55	750.6	68	6	WSW	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.63	752.6	75	4	...	0	r	7	29.64	752.8	78	6	SW	2	bc
Amoy,	,,	29.64	752.8	83	6	S	2	o	6	29.64	752.8	81	6	SSW	4	c
Swatow,	,,	29.70	754.3	85	...	SW	3	c	,,	...	...	...	...	...	...	...
Tailoko,	11	29.71	754.6	83	...		0	r	5	29.62	752.2	74	...	...	0	c
Taichu,	,,	29.78	756.4	74	...	S	2	r	,,	29.77	756.1	77	..	...	0	o
Tainan,	,,	29.76	755.9	76	...	SE	4	o	,,	29.75	755.6	77	...	SE	2	o
Koshun,	,,	29.76	755.9	86	...	...	0	o	,,	29.75	755.6	81	...	SW	2	o
Pescadores,	,,	29.76	755.8	77	...	S	4	r	,,	29.71	754.6	79	...	S	4	o
Hong Kong,	14	29.61	752.1	86	8	SW	5	eq	6	29.65	753.1	82	6	SW	4	oqd
Gap Rock,	,,	29.63	752.6	84	8	SW	0	c	,,	29.66	753.3	83	8	SW	4	c
Macao,	,,	29.59	751.6	86	4	SW	4	c	,,	29.62	752.3	81	4	SSW	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.69	754.2	88	8	SSW	4	bc	6	29.71	754.7	81	8	SSW	4	bc
Phuflen,	15	29.50	749.3	98	8	SSW	6	bc	7	29.57	751.1	81	7	SSW	7	bc
Tourane,	,,	29.61	752.0	91	8	SE	2	bc	,,	29.70	754.3	79	8	SW	1	c
Cape St. James,	,,	29.78	756.4	88	8	SW	2	bc	,,	29.87	758.7	79	7	SW	3	c
Basco,	14	29.71	754.6	88	8	S	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.71	754.7	91	6	N	4	o	,,	29.78	756.4	77	6	S	4	o
Tuguegarao,	,,	29.66	753.3	85	8	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.9	86	8	SW	4	bc	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.5	88	8	WSW	4	o	,,	29.83	757.6	79	6	...	0	c
Legaspi,	,,	29.71	754.6	91	8	SSW	2	b	,,	29.80	757.0	77	6	...	0	b
Calbayog,	,,	29.74	755.5	91	8	SW	2	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	755.9	...	8	SE	2	bc	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.9	91	8	SW	4	bc	,,	...	...	...	...	...	...	...
Cebu,	,,	29.73	755.2	91	8	NNE	4	bc	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.4	91	8	ENE	4	b	,,	..	..	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	..	...	...	...	...	...
Guam,	12.22	29.82	757.3	...	6	E	4	bc	4.22	...	..	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	6	ENE	4	bc	5	29.85	757.6	...	6	ENE	4	c
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	11	29.94	760.4	85	6	W	...	bc	6	29.90	759.4	68	...	SW	...	r

May 25*d.* 10*h.* 40*m.*—Pressure is highest over the Pacific to the east of the Bonins and low over China generally.

The depression is moving eastward towards Korea.

Moderate to fresh S.W. winds will prevail along the China coast and over the north part of China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.24 inches, against an average of 20.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S.W. winds, fresh, squally; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	26th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.78	756.4	34	...	SE	7	r	6	28.91	734.3	45	...	ESE	1	o
Nemuro,	11	29.80	757.0	...	...	SW	2	...	5	29.59	751.5	...	...	S	2	...
Hokodate,	,,	29.70	754.5	...	...	W	1	...	,,	29.47	748.5	...	...	...	0	...
Tokio,	,,	29.84	758.0	...	...	S	3	...	,,	29.53	750.0	..	...	S	3	...
Kochi,	,,	29.59	751.5	...	...	SSW	1	...	,,	29.75	755 5	...	...	...	0	...
Nagasaki,	,,	29.53	750.0	...	...	WSW	4	...	,,	29.80	757.0	...	..	WSW	1	...
Kagoshima,	,,	29.88	759.0	...	...	SW	2	...	,,	29.84	758.0	...	...	NW	1	...
Oshima,	,,	29.70	754.5	...	...	SSW	2	...	,,	29.82	757.5	...	...	...	0	...
Naha,	,,	29.76	756.0	...	...	SSW	4	...	,,	29.78	756.5	...	...	E	1	...
Ishigakijima,	,,	29.76	756.0	...	...	SW	1	...	,,	29.73	755.0	...	...	SSW	2	...
Bonin Island,	,,	30.00	762.0	...	...	S	2	...	,,	30.02	762.5	...	...	S	2	...
Chefoo,	15	29.43	747.4	56	6	WNW	8	o	6	29.75	755.0	56	6	...	0	m
Shanghai,	14	29.69	754.0	83	8	WNW	4	c	,,	29.78	756.3	67	6	SSE	2	o
Gutzlaff,	,,	29.71	754.7	76	6	NNW	4	bc	,,	29.84	757.9	65	6	SSE	4	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.65	753.1	81	6	S	2	bc	7	29.71	754.6	77	4	...	0	df
Amoy,	,,	29.64	752.8	81	6	NW	4	r	6	29.63	752.6	77	6	W	4	r
Swatow,	,,	29.70	754.3	85	...	SW	3	r	,,	29.69	754.0	81	...	SW	3	r
Tailoku,	11	29.73	755.2	79	...	...	0	r	5	29.73	755.0	72	...	...	0	r
Taichu,	,,	29.78	756.3	83	...	S	2	r	,,	29.73	755.2	73	..	...	0	q
Tainan,	,,	29.76	755.9	88	...	SSW	2	o	,,	29.73	755.0	77	...	SE	2	o
Koshun,	,,	...	...	86	...	WNW	6	o	,,	29.74	755.3	81	...	SSW	2	o
Pescadores,	,,	29.72	755.0	85	...	S	4	o	,,	29.69	754 2	79	...	SSW	4	o
Hong Kong,	14	29.63	752.6	87	7	SW	4	eq	6	29.63	752.6	84	7	SSW	3	o
Gap Rock,	,,	29.64	752.9	84	7	SW	4	c	,,	29.62	752.3	83	7	SSW	4	o
Macao,	,,	29.60	751.9	91	4	SW	4	c	,,	29.60	751.7	81	4	SW	4	o
Hoihow,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	88	8	SSW	4	bc	6	29.72	754.9	83	6	SSW	4	c
Phulien,	15	29.52	749.8	98	8	SSW	6	bc	7	29.54	750.3	81	7	SW	4	c
Tourane,	,,	29.61	752.2	91	8	E	2	c	,,	29.70	754.3	81	8	WSW	1	c
Cape St. James,	,,	29.83	757.7	88	8	SW	2	bc	,,	29.86	758.4	79	7	SW	2	c
Basco,	14	29.74	755.3	86	6	WSW	4	o	6	29.75	755.5	83	6	SSE	4	c
Aparri,	,,	29.72	755.0	91	6	N	2	o	,,	29.76	755.9	77	6	S	4	bc
Tuguegarao,	,,	29.69	754.2	94	6	NW	2	o	,,	29.78	756.4	77	1	...	0	c
Vigan,	,,	29.75	755.6	88	8	SW	2	o	,,	29.76	755.8	81	8	...	0	bc
Manila,	,,	29.78	756.4	91	8	SW	4	o	,,	29.83	757 6	81	8	...	0	o
Legaspi,	,,	29.75	755.6	91	8	SSE	2	b	,,	29.82	757 3	79	6		0	o
Calboyog,	,,	29.78	756.3	85	8	NNE	2	bc	,,	29.83	757 6	76	8	N	2	b
Tacloban,	,,	29.80	756.8	88	8	S	2	bc	,,	29.84	757-8	79	8	...	0	b
Iloilo,	,,	29.76	755.8	79	8	SW	4	bc	,,	29.80	757-0	77	6	NE	2	o
Cebu,	,,	29.76	755.8	91	8	NNE	4	b	,,	29.81	757.1	83	8	...	0	b
Surigao,	...	29.77	756.2	83	8	...	0	c	,,	29.81	757.1	77	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	E	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	6	ENE	4	bc	5	29.83	757.6	...	6	ENE	2	d
Pelew,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.8	76	6	S	...	c	6	29.90	759.4	72	...	NE	...	o

May 26*d*. 11*h*. com.—A depression covers S. China; the northern depression, now of considerable intensity, is central near Wladivostock, moving eastward.

Moderate to fresh S.W. winds will prevail along the China coast, and over the north part of China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.24 inches, against an average of 20.96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27th.

District.	Forecast.
A.—Shanghai to Turnabout, ... B.—Turnabout to Hong Kong, ...	S. winds, moderate; cloudy, rain.
C.—Hong Kong to Gap Rock, ... D.—Hong Kong to Hainan Straits, ... E.—North China Sea, ...	S.W. winds, fresh, squally; cloudy, rain later.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	27th MAY, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.35	745.4	55	...	NW	3	o	6	29.57	751.1	50	...	NW	3	o
Nemuro,	13	29.49	749.0	...	...	S	2	...	5	29.43	747.5	...	...	WSW	3	...
Hokodate,	,,	29.47	748.5	...	...	SW	4	...	,,	29.47	748.5	...	...	WSW	3	...
Tokio,	,,	29.45	748.0	...	...	S	6	...	,,	29.75	755.5	..	...	...	0	...
Kochi,	,,	29.76	756.0	...	...	W	1	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	NW	2	...	,,	29.88	759.0	...	..	...	0	...
Kagoshima,	,,	29.88	759.0	...	...	S	1	...	,,	29.86	758.5	..	...	NNW	1	...
Oshima,	,,	29.86	758.5	...	...	...	0	...	,,	29.69	754.0	...	...	S	1	...
Naha,	,,	29.84	758.0	...	...	ENE	2	...	,,	29.73	755.0	...	...	S	4	...
Ishigakijima,	,,	29.78	756.3	...	...	SSW	2	...	,,	29.71	754.5	...	...	SSW	3	...
Bonin Island,	,,	30.00	762.0	...	...	SW	1	...	,,	30.00	762.0	...	...	SW	1	...
Chefoo,	15	29.78	756.3	68	8	NE	4	be	6	29.81	757.2	58	6	...	0	be
Shanghai,	14	29.80	756.8	81	6	SE	2	o	,,	29.70	754.4	65	4	ENE	2	d
Gutzlaff,	,,	29.84	757.9	68	6	S	4	o	,,	29.74	755.4	65	4	ENE	4	f
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.74	755.4	78	6	...	0	d	7	29.67	753.6	78	6	SSW	2	o
Amoy,	,,	29.68	753.9	81	6	S	2	o	6	29.66	753.3	81	6	SSW	4	o
Swatow,	,,	29.74	755.3	84	...	SW	3	r	,,	29.72	754.8	83	...	SW	3	be
Taihoku,	11	29.73	755.2	81	...	...	0	o	5	29.68	753.8	76	...	...	0	o
Taichu,	,,	29.81	757.1	76	...	...	0	r	,,	29.75	755.6	76	..	...	0	o
Tainan,	,,	29.77	756.1	79	...	SE	2	r	,,	29.73	755.2	79	...	E-E	2	o
Koshun,	,,	29.79	756.6	85	...	SSW	2	o	,,	29.74	755.3	81	...	SSW	2	o
Pescadores,	,,	29.74	755.5	79	...	S	4	r	,,	29.70	754.4	79	...	S	4	o
Hong Kong,	14	29.64	752.8	87	8	SW	4	oq	6	29.67	753.6	83	7	SSW	4	eq
Gap Rock,	,,	29.64	752.8	84	7	SW	4	o	,,	29.65	753.1	83	7	SSW	4	e
Macao,	,,	29.61	752.0	88	4	SW	4	e	,,	29.62	752.3	81	4	SSW	4	o
Hoihow,	,,	29.61	752.0	94	8	W	2	be	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	91	8	SSW	4	e	6	29.72	754.8	83	8	SSW	4	b
Phulien,	15	29.50	749.3	97	8	SW	4	be	7	29.57	751.0	81	8	SSW	7	e
Tourane,	,,	29.58	751.4	97	8	SSE	2	be	,,	29.67	753.6	79	8	...	0	e
Cape St. James,	,,	29.82	757.5	88	8	SW	2	be	,,	29.83	757.7	79	7	FSE	2	be
Basco,	14	29.76	755.8	91	6	WSW	4	o	6	29.74	755.3	81	8	SE	4	b
Aparri,	,,	29.74	755.4	91	6	N	4	o	,,	29.77	756.1	77	6	S	4	b
Tuguegarao,	,,	29.69	754.2	91	8	...	0	be	,,	29.77	756.1	77	2	...	0	be
Vigan,	,,	29.76	755.8	91	8	SW	4	o	,,	29.76	755.8	79	8	...	0	o
Manila,	,,	29.76	756.0	86	8	SSW	4	be	,,	29.78	756.5	79	6	...	0	be
Legaspi,	,,	29.76	755.8	91	8	E	2	be	,,	29.78	756.4	83	6	NE	2	b
Calbayog,	,,	29.81	757.2	79	8	NE	2	be	,,	29.80	757.0	76	8	...	0	o
Tacloban,	,,	29.78	756.5	86	6	S	4	be	,,	29.81	757.1	79	8	N	2	o
Iloilo,	,,	29.76	755.8	88	8	ESE	4	o	,,	29.78	756.4	77	6	NE	2	o
Cebu,	,,	29.76	755.9	91	8	ENE	4	be	,,	29.78	756.4	81	8	N	2	be
Surigao,	...	29.76	755.8	88	8	E	4	be	,,	29.78	756.5	77	6	...	0	o
Saipan,	11.00	...	...	...	..	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.8	...	6	E	2	b	4.22	29.83	757.7	...	6	E	4	be
Yap,	11.00	29.79	756.7	...	6	ENE	4	be	5	29.82	757.3	...	6	ENE	4	be
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	11	29.94	760.4	85	..	...	...	e	6	29.90	759.4	74	1	SW	...	e

May 27d. 10h. 57m.—The depression remains over S. China; the northern depression is passing to the north of Hokkaido.

Fresh S.W. winds will prevail along the China coast, and over the north part of the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.24 inches, against an average of 21.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
A.—Shanghai to Tamsui,	N.E. or variable winds, moderate to fresh; cloudy, rain.
B.—Tamsui to Hong Kong,	S.W. winds, moderate, freshening considerably; cloudy, rain.
C.—Hong Kong to Gap Rock,	S.W. winds, moderate, squally; cloudy generally.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millibs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort Scale.)	Weather. (Beaufort Scale.)	28th MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millibs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort Scale.)	Weather. (Beaufort Scale.)
Wladivostock,	12	29.54	750.2	57	...	NW	4	0	6	29.65	753.1	52	...	...	0	1
Nemuro,	11	29.37	746.0	...	...	WSW	4	...	5	29.49	749.0	...	...	SE	1	...
Hakodate,	,,	29.51	749.5	...	...	WSW	4	...	,,	29.61	752.0	...	...	W	1	...
Tokio,	,,	29.65	752.0	...	...	S?	1	...	,,	29.67	753.5	...	...	N	1	...
Kochi,	,,	29.80f	757.0	...	...	...	0	...	,,	29.67	753.5	...	...	...	0	...
Nagasaki,	,,	29.78	756.5	...	...	NE	1	...	,,	29.71	754.5	...	...	...	0	...
Kagoshima,	,,	29.76	756.0	...	...	NE	2	...	,,	29.65	753.0	...	...	N	1	...
Oshima,	,,	29.69	754.0	...	...	NE	1	...	,,	29.61	752.0	...	...	SSW	1	...
Naha,	,,	29.74	755.5	...	...	SSW	4	...	,,	29.71	754.5	...	...	SSW	3	...
Ishigakijima,	,,	29.74	755.5	...	...	SW	2	...	,,	29.73	755.0	...	...	SW	3	...
Bonin Island,	,,	29.94	760.5	...	...	SW	2	...	,,	29.92	760.0	...	...	SSW	1	...
Chefoo,	15	29.82	757.3	68	6	NNE	2	0	6	29.84	757.6	61	8	SW	2	...
Shanghai,	14	29.72	754.8	63	4	ENE	2	r	,,	29.88	758.8	59	4	NE	4	5
Gutzlaff,	,,	29.73	755.1	65	6	ENE	6	0	,,	29.89	759.2	58	4	NE	6	5
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.62	752.3	83	6	SSW	2	c	7	29.67	753.6	80	6	SW	2	3
Amoy,	,,	29.67	753.6	86	6	SSW	4	c	6	29.62	752.3	81	6	S	4	4
Swatow,	,,	29.73	755.1	90	...	SW	3	c	,,	29.75	755.7	81	...	SW	3	1
Taihoku,	13	29.70	754.3	88	...	...	0	c	5	29.69	754.0	74	...	...	0	...
Taichu,	,,	29.80	756.8	85	...	S	2	0	,,	29.78	756.4	76	...	...	0	1c
Tainan,	,,	29.79	756.6	91	...	SW	4	1c	,,	29.77	756.1	77	...	ESE	2	1c
Koshun,	,,	29.77	756.1	88	...	SW	2	c	,,	29.76	755.9	79	...	NNW	2	1c
Pescadores,	,,	29.76	756.0	88	...	S	4	0	,,	29.75	755.6	81	...	SSW	4	c
Hong Kong,	14	29.66	753.3	86	7	SW	3	cq	6	29.73	755.1	82	7	SW	2	c
Gap Rock,	,,	29.67	753.6	83	7	SSW	5	c	,,	29.74	755.4	82	7	SSW	4	c
Macao,	,,	29.62	752.3	91	6	SW	4	c	,,	29.69	754.0	79	4	SW	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.72	754.8	91	8	SSW	2	1c	6	29.76	756.0	85	8	SW	2	1c
Phulien,	15	29.51	749.5	98	8	SSW	6	b	7	29.62	752.4	81	7	ESE	4	c
Tourane,	,,	29.61	752.2	94	8	...	0	b	,,	29.71	754.5	81	8	...	0	c
Cape St. James,	,,	29.76	756.6	88	8	SSW	2	c	,,	29.86	758.3	77	7	SSE	2	c
Basco,	14	29.75	755.6	88	8	WSW	4	c	6	29.77	756.1	81	8	...	0	c
Aparri,	,,	29.72	755.0	91	6	N	4	1c	,,	29.78	756.4	79	6	S	2	c
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	79	1	...	0	c
Vigan,	,,	29.74	755.4	91	8	SW	2	1c	,,	29.78	756.5	79	8	SE	2	1c
Manila,	,,	29.74	755.5	94	6	SSW	2	c	,,	29.82	757.4	79	6	...	0	c
Legaspi,	,,	29.71	754.6	91	8	ENE	4	c	,,	29.78	756.4	83	6	...	0	c
Calbayog,	,,	29.75	755.6	91	8	SW	4	c	,,	29.83	757.6	76	8	NE	2	c
Tacloban,	,,	29.76	755.8	81	6	S	2	d	,,	29.84	757.8	77	8	NW	2	c
Iloilo,	,,	29.73	755.2	94	8	ENE	2	c	,,	29.82	757.4	77	6	...	0	c
Cebu,	,,	29.73	755.2	91	8	NE	4	c	,,	29.81	757.2	83	8	...	0	c
Surigao,	...	29.74	755.4	83	6	...	0	0	,,	29.80	757.0	76	4	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	E	2	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	6	ENE	4	1c	5	29.84	757.8	...	6	ENE	4	c
Peiew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	...	W	...	3c	6	29.90	759.4	74	...	SW	...	c

May 28*d*. 1c*h*. 43*m*.—A weak anticyclone has developed over N. China; depressions are situated over Tongking and the Eastern Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1932 inches, against an average of 21.52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate to fresh; cloudy, local rain.
B.—Turnabout to Hong Kong,	*Light S.W. winds, freshening later from N.E.; cloudy.*
C.—Hong Kong to Gap Rock,	S.W. winds, moderate to light, probably freshening later from E.; cloudy generally, some rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	28TH MAY, 1932.								29TH MAY, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	Force. (Beaufort.)	WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	Force. (Beaufort.)	WEATHER. (Beaufort.)
Vladivostock,	12	29.63	752.5	57	...	N	3	o	6	29.78	756.5	50	...	...	o	b
Kemuro,	11	29.47	748.5	...	...	SSW	2	...	5	29.67	753.5	..	...	ENE	1	...
Hokodate,	,,	29.59	751.5	...	...	W	1	...	,,	29.63	752.5	...	...	W	1	...
Tokio,	,,	29.63	752.5	...	...	ENE	1	...	,,	29.75	755 5		...	...	...	...
Kochi,	,,	29.65	753.0	...	...	N	1	...	,,	29.80	757.0	...	...	SW	1	...
Nagasaki,	,,	29.70	754-5	...	...	ENE	1	...	,,	29.86	758.5	...	..	...	o	...
Kagoshima,	,,	29.67	753-5	...	...	NNE	1	...	,,	29.86	758.5	...	...	NW	1	...
Oshima,	,,	29 63	752.5	...	...	SW	1	...	,,	29.84	758.0	...	...	N	2	...
Naha,	,,	29.72	755.0	...	...	SSW	5	...	,,	29.84	758 o	...	...	ESE	2	...
Ishigakijima,	,,	29.72	755.0	...	...	SW	3	...	,,	29.84	758.0	...	...	NNE	1	...
Bonin Island,	,,	29.90	759-5	...	...	SW	1	...	,,	29.92	760.0	...	...	SW	1	...
Chefoo,	15	29.80	757.0	72	8	NW	4	b	6	29.58	758.9	59	6	...	o	b
Shanghai,	14	29.94	760.6	67	6	NNE	2	o	,,	30.02	762.6	58	6	W	2	b
Gutzlaff,	,,	29.96	761.0	65	6	NNE	2	o	,,	30.08	764.0	63	6	NW	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.79	756.6	70	6	ENE	4	o	7	29.98	761.5	73	6	ENE	2	r
Amoy,	,,	29.71	754.6	88	6	S	4	c	6	29.87	758.7	74	6	ENE	4	o
Swatow,	,,	29.73	755-1	86	...	SW	3	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.70	754-3	91	...	W	4	o	5	29.91	759.6	70	...	ESE	2	o
Taichu,	,,	29.81	757.1	88	...	S	2	o	,,	29.86	758.5	74	..	...	o	o
Tainan,	,,	29.81	757.1	91	...	SSW	2	c	,,	29.82	757-4	79	...	...	o	o
Koshun,	,,	29.78	756.5	86	...	SW	4	c	,,	29.83	757-7	77	...	ENE	2	bc
Pescadores,	,,	29.78	756.4	86	...	SSW	4	o	,,	29.82	757.4	77	...	NNE	4	o
Hong Kong,	14	29.73	755-1	89	8	SW	3	c	6	29.81	757.2	80	6	W	1	o
Gap Rock,	,,	29.74	755.4	83	7	SSW	4	c	,,	29.81	757 2	84	7	SSW	2	c
Macao,	,,	29.71	754.6	98	4	SW	4	c	,,	29.78	756.5	76	4	NNW	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.78	756.3	91	8	SSW	2	b	6	29.82	757.4	81	8	SSW	2	bc
Phulien,	15	29.61	752.2	94	8	SE	2	bc	7	29.82	757 3	73	5	NNW	3	r
Tourane,	,,	29.66	753.3	88	8	NE	2	bc	,,	29.75	755.7	79	8	WNW	1	o
Cape St. James,	,,	29.80	757.0	88	8	S	2	bc	,,	29 88	758.8	79	8	SW	3	bc
Baseo,	14	29.76	755.9	91	8	SW	4	bc	6	29.81	757.2	81	6	NW	4	o
Aparri,	,,	29.76	755.8	91	6	N	4	b	,,	29.83	757-7	79	6	...	o	b
Tuguegarao,	,,	29.69	754.2	98	8	...	o	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.79	756.7	91	8	WSW	4	bc	,,	29.81	757.2	77	8	...	o	b
Manila,	,,	29.78	756.3	94	8	WSW	4	bc	,,	29.85	758 2	77	6	...	o	b
Legaspi,	,,	29.77	756.1	94	8	NE	2	b	,,	29.81	757.2	79	6	...	o	b
Calboyog,	,,	29.78	756.3	74	8	SE	4	bc	,,	29.84	757.8	76	8	...	o	bc
Tacloban,	,,	29.78	756.3	88	8	S	4	bc	,,	29.84	757.8	74	8	NW	2	b
Iloilo,	,,	29.76	755.8	91	8	S	2	o	,,	29.84	757.8	77	6	...	o	b
Cebu,	,,	29.76	755.8	91	8	NNE	4	bc	,,	29.83	757.6	79	8	N	2	bc
Surigao,	...	29.76	755.8	88	8	E	2	bc	,,	29.83	757.6	76	4	...	o	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	E	2	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29.96	759.4	...	6	NNE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Labuan,	11	29.94	760.4	85	6	NE	...	o	6	29 90	759.4	76	1	...	o	c

May 29*d*. 10*h*. 40*m*.—The anticyclone is now central over the lower Yangtze Valley, and a shallow depression lies over the Gulf of Tongking. The Loochoos depression has filled up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 10.26 inches, against an average of 22.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	Light westerly or variable winds; fair.
B.—Turnabout to Hong Kong,	N.E. or variable winds, light to moderate; fair to showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th MAY, 1932.								30th MAY, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.80	756.9	64	...	N	6	b	6	29.93	760.1	54	...	SE	4	b
Kemuro,	11	29.67	753.5	...	...	SE	1	...	5	29.90	759.5	...	...	WNW	1	..
Hokodate,	,,	29.67	753.5	...	...	W	1	...	,,	29.98	761.5	...	...	NW	1	...
Tokio,	,,	29.74	755.5	...	...	SSE	1	...	,,	30.04	763.0	..	...	NNW	1	...
Kochi,	,,	29.82	757.5	...	...	NW	1	...	,,	30.08	764.0	...	...	SW	1	...
Nagasaki,	,,	29.90	759.5	...	...	SW	2	...	,,	30.06	763.5	...	...	...	0	...
Kagoshima,	,,	29.88	759.0	...	...	WNW	1	...	,,	30.04	763.0	...	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	N	1	...	,,	29.98	761.5	...	...	S	1	...
Naha,	,,	29.90	759.5	...	...	NNE	3	...	,,	29.94	760.5	...	...	NE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	NE	3	...	,,	29.90	759.5	...	...	ENE	1	...
Bonin Island,	,,	29.86	758.5	...	...	WSW	2	...	,,	29.94	760.5	...	...	...	0	...
Chefoo,	15	29.87	758.8	81	8	E	4	b	6	29.88	759.0	70	4	SW	4	bc
Shanghai,	14	30.02	762.4	79	8	ESE	2	bc	,,	30.03	762.8	63	4	SE	2	o
Gutzlaff,	,,	30.10	764.5	72	6	...	0	bc	,,	30.09	764.3	65	6	SSE	2	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.98	761.5	70	6	NNE	2	r	7	29.96	761.0	68	6	N	2	o
Amoy,	,,	29.91	759.7	76	6	ENE	4	o	6	29.94	760.5	70	6	NE	2	o
Swatow,	,,	29.93	760.2	77	...	NE	3	o	,,	29.95	760.6	72	...	NE	3	o
Taihoku,	11	29.93	760.2	74	...	E	4	o	5	29.89	759 3	70	...	E	2	o
Taichu,	,,	29.88	759.0	86	...	...	0	o	,,	29.91	759.6	74	..	...	0	o
Tainan,	,,	29.85	758 2	88	...	NW	2	bc	,,	29.88	758.8	74	...	NNE	2	bc
Koshun,	,,	29.85	758.3	85	...	E	2	bc	,,	29.86	758.5	77	...	...	0	o
Pescadores,	,,	29.89	759.1	81	...	NNE	4	o	,,	29 88	758.9	76	...	NNE	4	o
Hong Kong,	14	29.81	757.2	80	6	E	4	od	6	29.84	757.9	75	6	E	4	c
Gap Rock,	,,	29.81	757.2	84	8	NNW	2	b	,,	29.84	757.9	82	7	ENE	4	o
Macao,	,,	29.79	756.6	88	6	ESE	2	bc	,,	29.81	757 2	72	4	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.6	91	8	...	0	c	6	29.83	757.7	83	8	F	2	c
Phulien,	15	29.83	757.8	83	8	WNW	4	c	7	29.89	759.2	73	7	ENE	1	d
Tourane,	,,	29 65	753.0	88	8	NNW	2	bc	,,	29.80	756.9	75	8	...	0	c
Cape St. James,	,,	29.82	757.4	79	8	S	8	o	,,	29.88	758.8	77	7	WSW	1	bc
Basco,	14	29.80	757.0	81	6	NNE	4	o	6	29.84	757.8	77	8	..	0	bc
Aparri,	,,	29.78	756.5	91	6	N	4	c	,,	29.84	757.9	77	6	S	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	76	1	...	0	bc
Vigan,	,,	29.78	756.5	91	8	WSW	4	c	,,	29.82	757.3	79	8	...	0	b
Manila,	,,	29.78	756.3	94	8	W	2	c	,,	29 86	758.4	77	6	...	0	b
Legaspi,	,,	29.79	756.6	94	8	NE	2	c	,,	29.80	757.0	77	6	...	0	b
Calboyog,	,,	29.80	757.0	85	8	SW	2	o	,,	29.81	757.2	76	8	...	0	b
Tacloban,	,,	29.83	757.8	79	8	E	4	o	,,	29.81	757.2	76	6	NW	2	b
Hoilo,	,,	29.78	756.4	88	8	NNE	6	o	,,	29.83	757.6	77	6	...	0	o
Cebu,	,,	29.78	756.4	85	8	SSW	2	o	,,	29.81	757.2	79	8	...	0	c
Surigao,	...	29.80	757.0	77	4	...	0	r	,,	29.79	756.7	76	4	...	0	r
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	6	E	4	b	4.22	29.84	758 0	...	6	...	0	b
Yap,	11.00	29.85	758 2	...	6	ENE	4	b	5	29.88	758.9	...	6	...	0	b
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Labuan,	14	29.94	760.4	86	6	NE	4	bc	6	29.90	759.4	76	1	SE	4	bc

May 30*d.* 10*h.* 54*m.*—The anticyclone has moved eastward and now covers Japan. An area of relatively low pressure extends from Indo-China across the Philippines to the Pacific.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.68 inch. Total since January 1st, 20.94 inches, against an average of 22.89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. winds, moderate; cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; cloudy.
C.—Hong Kong to Gap Rock,	E. winds, moderate; cloudy, occasional rain, probably improving.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th May, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	31st May, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millibs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Whalivostock,	12	...	...	...	...	...	...	...	6	...	...	...	..	..	...	...
Nemuro,	11	29.98	761.5	...	...	NNW	1	...	5	30.16	766.0	..	...	SSW	1	...
Hokodate,	..	30.04	763.0	...	...	SW	2	...	..	30.22	767.5	...	..	...	0	...
Tokio,	..	30.10	764.5	...	...	N	2	...	..	30.34	770.5	..	...	S	1	...
Kochi,	..	30.10	764.5	...	...	SW	1	...	..	30.18	766.5	...	...	WSW	1	...
Nagasaki,	..	30.08	764.0	...	...	ESE	2	...	..	30.04	763.0	...	..	...	0	...
Kagoshima,	..	30.06	763.5	...	...	NE	1	...	..	30.02	762.5	...	...	ESE	1	...
Oshima,	..	30.02	762.5	...	...	S	1	...	..	29.88	759.0	...	...	SSE	1	...
Naha,	..	29.96	761.0	...	...	ENE	3	...	..	29.86	758.5	...	...	SE	2	...
Ishigakijima,	..	29.92	760.0	...	...	ESE	2	...	..	29.82	757.5	...	...	WNW	1	...
Ponin Island,	..	30.00	762.0	...	...	N	1	...	..	30.06	763.5	...	...	NE	1	...
Chefoo,	15	29.91	759.8	81	8	S	6	bc	6	29.93	760.1	61	8	...	0	b
Shanghai,	14	30.01	762.3	67	6	SE	2	c	..	29.95	760.6	61	4	ESE	2	c
Gutzlaff,	..	29.95	760.7	65	6	...	0	c	..	29.98	761.5	58	6	...	0	c
Wenchow,	..	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	..	29.92	759.9	68	6	N	2	r	7	29.89	759.2	68	6	...	0	c
Amoy,	..	29.93	760.2	76	6	ENE	2	c	6	29.88	758.9	72	6	NE	2	c
Swatow,	..	29.90	759.5	79	...	ESE	3	c	..	29.90	759.5	75	...	ENE	1	c
Taihoku,	11	29.91	759.8	79	...	E	4	c	5	29.84	758.0	74	...	...	0	c
Taichu,	..	29.91	759.7	86	...	...	0	bc	..	29.91	759.6	76	..	...	0	c
Tainan,	..	29.87	758.8	88	...	NW	2	c	..	29.85	758.2	77	...	...	0	r
Koshun,	..	29.88	758.9	85	...	ENE	4	bc	..	29.83	757.7	76	...	...	0	c
Pescadores,	..	29.88	759.0	85	...	NNE	4	bc	..	29.85	758.2	77	...	NE	2	r
Hong Kong,	14	29.82	757.4	81	7	E	2	c	6	29.82	757.5	77	6	...	0	c
Gap Rock,	..	29.83	757.7	83	8	NE	2	c	..	29.83	757.7	81	8	NNW	3	c
Macao,	..	29.81	757.2	83	4	ENE	2	c	..	29.81	757.2	74	4	N	2	c
Hoihow,	..	29.87	758.7	86	...	N	2	bc	..	...	...	...	...	...	...	...
Pratas Island,	..	29.82	757.4	88	8	S	2	c	6	29.83	757.6	76	8	...	0	b
Phulien,	15	29.80	757.0	81	8	..	0	c	7	29.86	758.4	76	8	NNW	2	c
Tourane,	..	29.76	755.8	85	8	NW	4	bc	..	29.80	757.0	77	8	NW	2	c
Cape St. James,	..	29.82	757.2	86	8	SW	2	c	..	29.86	758.3	79	8	SE	2	c
Basco,	14	29.80	757.0	85	8	...	0	bc	6	29.83	757.6	81	8	SE	2	b
Aparri,	..	29.76	755.9	91	6	NE	4	c	..	29.80	757.0	77	6	S	2	c
Tuguegarao,	..	29.71	754.7	94	8	...	0	bc	..	29.79	756.7	77	1	...	0	bc
Vigan,	..	29.76	755.8	88	8	WNW	2	bc	..	...	...	...	...	..	...	..
Manila,	..	29.78	756.3	91	8	WSW	2	c	..	29.79	756.6	77	6	...	0	c
Legaspi,	..	29.74	755.5	83	6	...	0	c	..	29.69	754.0	76	4	NW	4	r
Calboyog,	..	29.77	756.1	77	8	...	0	r	..	29.69	754.2	77	8	WNW	4	b
Tacloban,	..	29.76	755.9	77	4	NW	4	r	..	29.75	755.6	77	6	W	2	c
Iloilo,	..	...	...	76	8	ENE	2	c	..	29.77	756.1	76	6	...	0	c
Cebu,	..	29.76	756.0	79	6	SSW	4	d	..	...	...	..	..	...	...	...
Surigao,	...	29.74	755.5	83	8	W	2	c	..	29.76	755.8	76	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.8	...	6	N	2	h	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.83	757.6	...	6	...	0	c	5	29.87	758.6	...	6	NE	4	bc
Pelew,	..	...	...	...	...	...	...	...	..	...	...	..	...	...	...	...
Labuan,	14	29.94	760.4	85	6	E	4	bc	6	29.90	759.4	76	...	SE	...	d

May 31*d.* 10*h.* 30*m.*—Warning to Hong Kong, Coast Ports, &c. :—Typhoon within 60 miles of Lat. 13° N. Long. 126° E. moving N.W.

May 31*d.* 10*h.* 40*m.* The anticyclone remains central near Tokio, and has increased considerably in intensity. A typhoon has developed about 300 miles, E.S.E. of Manila, and is moving N.W.

Manila warning. 31*d.* 7*h.* 55*m.*:—Typhoon in Lat. 13° N. Long. 125° E. moving N.W. Recd 31*d.* 8*h.* 15*m.*

Shanghai warning. 31*d.* 10*h.* 21*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 13° N. Long. 126° E., moving N.W. Recd. 31*d.* 10*h.* 36*m.*

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.94 inches, against an average of 23.38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
A.—Shanghai to Turnabout,	S. and S.E. winds, light to moderate; cloudy.
B.—Turnabout to Hong Kong,	N. winds, moderate; fair generally.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Haiphong Straits,	
E.—North China Sea,	

C. W. JEFFRIES. *Director.*

ROYAL OBSERVATORY, HONG KONG

MONTHLY METEOROLOGICAL BULLETIN.

JUNE,

1932.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST

PREPARED UNDER THE DIRECTION OF
C. W. JEFFRIES, F.R.A.S.,

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1932.

[Price ...]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JUNE,

1932.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, at 109 feet above MEAN SEA LEVEL, in the MONTH of JUNE, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·769	29·761	29·757	29·767	29·761	29·781	29·787	29·802	29·804	29·803	29·799	29·790	1
2	29·745	29·731	29·737	29·733	29·731	29·729	29·737	29·746	29·752	29·768	29·763	29·781	2
3	29·712	29·704	29·695	29·689	29·697	29·708	29·722	29·743	29·745	29·759	29·761	29·759	3
4	29·748	29·734	29·714	29·713	29·709	29·711	29·719	29·727	29·737	29·732	29·738	29·742	4
5	29·702	29·684	29·660	29·642	29·648	29·652	29·658	29·655	29·665	29·679	29·674	29·652	5
6	29·642	29·623	29·617	29·609	29·613	29·624	29·640	29·653	29·662	29·669	29·663	29·649	6
7	29·627	29·625	29·616	29·616	29·616	29·622	29·635	29·633	29·645	29·645	29·636	29·627	7
8	29·601	29·593	29·581	29·582	29·580	29·587	29·600	29·610	29·620	29·620	29·618	29·610	8
9	29·568	29·560	29·550	29·548	29·538	29·544	29·556	29·561	29·574	29·580	29·574	29·564	9
10	29·542	29·524	29·506	29·506	29·501	29·505	29·517	29·533	29·543	29·548	29·549	29·515	10
11	29·518	29·510	29·501	29·496	29·494	29·504	29·512	29·506	29·514	29·514	29·512	29·512	11
12	29·444	29·430	29·420	29·410	29·413	29·427	29·430	29·428	29·443	29·431	29·423	29·419	12
13	29·367	29·359	29·349	29·364	29·370	29·381	29·398	29·410	29·421	29·425	29·422	29·412	13
14	29·428	29·422	29·414	29·410	29·422	29·421	29·443	29·464	29·479	29·493	29·485	29·480	14
15	29·515	29·511	29·513	29·518	29·520	29·534	29·549	29·562	29·578	29·593	29·594	29·612	15
16	29·630	29·623	29·612	29·608	29·612	29·630	29·646	29·657	29·675	29·677	29·675	29·668	16
17	29·683	29·661	29·661	29·663	29·655	29·649	29·657	29·659	29·665	29·663	29·661	29·678	17
18	29·665	29·651	29·643	29·639	29·643	29·661	29·679	29·691	29·697	29·695	29·691	29·685	18
19	29·668	29·651	29·648	29·640	29·631	29·640	29·650	29·673	29·702	29·721	29·708	29·688	19
20	29·646	29·641	29·637	29·637	29·639	29·651	29·657	29·665	29·680	29·685	29·687	29·679	20
21	29·686	29·672	29·672	29·674	29·674	29·678	29·693	29·700	29·701	29·699	29·713	29·710	21
22	29·740	29·731	29·727	29·729	29·733	29·745	29·739	29·746	29·757	29·761	29·762	29·751	22
23	29·710	29·709	29·713	29·713	29·709	29·717	29·728	29·736	29·740	29·750	29·738	29·732	23
24	29·652	29·648	29·636	29·630	29·641	29·642	29·665	29·684	29·687	29·693	29·685	29·671	24
25	29·631	29·623	29·619	29·617	29·631	29·631	29·643	29·643	29·656	29·647	29·643	29·637	25
26	29·616	29·600	29·595	29·595	29·601	29·647	29·630	29·628	29·640	29·641	29·640	29·637	26
27	29·622	29·612	29·604	29·604	29·608	29·622	29·636	29·642	29·642	29·641	29·633	29·619	27
28	29·619	29·599	29·589	29·587	29·591	29·607	29·627	29·646	29·655	29·661	29·649	29·642	28
29	29·624	29·612	29·600	29·610	29·622	29·635	29·641	29·648	29·663	29·671	29·666	29·662	29
30	29·662	29·646	29·640	29·622	29·632	29·632	29·644	29·648	29·660	29·663	29·670	29·651	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·768	29·751	29·733	29·721	29·714	29·732	29·742	29·746	29·776	29·780	29·785	29·765	1
2	29·742	29·723	29·703	29·686	29·688	29·674	29·695	29·706	29·714	29·740	29·742	29·730	2
3	29·739	29·729	29·707	29·695	29·691	29·699	29·713	29·723	29·745	29·758	29·770	29·762	3
4	29·718	29·708	29·683	29·668	29·662	29·662	29·678	29·691	29·702	29·728	29·732	29·719	4
5	29·637	29·621	29·616	29·604	29·594	29·609	29·625	29·635	29·649	29·654	29·663	29·664	5
6	29·628	29·610	29·601	29·589	29·584	29·593	29·605	29·617	29·633	29·651	29·655	29·643	6
7	29·615	29·585	29·573	29·569	29·567	29·572	29·581	29·607	29·613	29·637	29·637	29·629	7
8	29·597	29·580	29·576	29·549	29·543	29·549	29·557	29·572	29·586	29·602	29·610	29·587	8
9	29·546	29·527	29·519	29·507	29·496	29·493	29·509	29·535	29·553	29·567	29·557	29·578	9
10	29·522	29·511	29·493	29·477	29·478	29·489	29·507	29·527	29·541	29·545	29·550	29·536	10
11	29·460	29·469	29·451	29·436	29·421	29·431	29·453	29·459	29·467	29·473	29·496	29·470	11
12	29·387	29·380	29·378	29·360	29·338	29·345	29·359	29·377	29·393	29·397	29·375	29·377	12
13	29·397	29·379	29·367	29·353	29·335	29·356	29·379	29·401	29·416	29·441	29·461	29·435	13
14	29·471	29·465	29·458	29·444	29·438	29·448	29·485	29·487	29·495	29·531	29·535	29·537	14
15	29·586	29·564	29·562	29·578	29·557	29·578	29·595	29·611	29·624	29·647	29·658	29·642	15
16	29·654	29·627	29·621	29·605	29·598	29·610	29·625	29·651	29·675	29·699	29·712	29·695	16
17	29·664	29·652	29·641	29·625	29·613	29·615	29·628	29·650	29·678	29·693	29·699	29·681	17
18	29·686	29·665	29·641	29·621	29·611	29·621	29·633	29·652	29·676	29·688	29·696	29·684	18
19	29·667	29·651	29·627	29·608	29·600	29·600	29·616	29·626	29·634	29·640	29·640	29·644	19
20	29·671	29·643	29·639	29·643	29·621	29·625	29·631	29·638	29·668	29·678	29·684	29·688	20
21	29·710	29·702	29·689	29·681	29·683	29·683	29·705	29·713	29·728	29·740	29·746	29·744	21
22	29·741	29·717	29·707	29·694	29·688	29·696	29·705	29·714	29·728	29·732	29·734	29·716	22
23	29·718	29·705	29·694	29·673	29·667	29·661	29·657	29·660	29·688	29·690	29·690	29·674	23
24	29·637	29·629	29·609	29·593	29·579	29·585	29·590	29·610	29·622	29·638	29·644	29·646	24
25	29·633	29·615	29·585	29·571	29·569	29·575	29·589	29·602	29·612	29·622	29·628	29·624	25
26	29·623	29·617	29·599	29·583	29·583	29·585	29·577	29·596	29·620	29·634	29·643	29·628	26
27	29·601	29·592	29·582	29·570	29·572	29·592	29·605	29·620	29·623	29·637	29·644	29·629	27
28	29·630	29·612	29·595	29·573	29·575	29·591	29·601	29·625	29·637	29·655	29·655	29·646	28
29	29·651	29·644	29·628	29·628	29·617	29·619	29·637	29·661	29·684	29·698	29·688	29·688	29
30	29·635	29·617	29·613	29·593	29·577	29·559	29·563	29·573	29·598	29·616	29·625	29·612	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of JUNE, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	78·8	78·8	78·9	79·6	78·5	78·9	78·9	80·6	82·8	83·2	82·1	83·7	1
2	79·8	79·6	78·9	78·7	78·9	78·4	80·6	82·2	83·3	83·6	81·7	77·9	2
3	79·6	80·0	79·3	79·4	79·3	78·8	78·9	79·9	80·2	80·6	79·2	77·4	3
4	79·5	80·1	80·0	77·9	78·0	78·9	80·0	79·0	80·1	81·2	79·3	81·0	4
5	79·9	79·8	79·8	79·8	79·6	79·6	81·0	83·3	83·4	84·0	86·4	86·4	5
6	80·2	80·2	80·3	80·0	79·8	78·6	78·8	80·7	81·4	79·4	82·5	84·4	6
7	80·8	80·6	80·6	80·0	79·9	79·0	80·0	80·8	82·9	85·2	85·9	87·3	7
8	80·5	80·5	79·9	78·3	78·0	77·3	78·6	78·3	79·2	80·3	80·9	79·5	8
9	78·8	78·8	78·8	79·2	78·6	78·4	79·1	80·8	78·8	81·0	79·7	78·8	9
10	77·8	78·4	81·5	82·0	81·9	82·8	83·2	83·3	83·4	80·6	80·5	80·5	10
11	79·9	79·8	79·1	78·2	78·0	78·0	78·0	79·2	80·3	79·2	79·3	79·1	11
12	79·7	79·9	79·9	80·0	80·3	80·6	80·8	82·1	84·0	85·0	81·9	80·0	12
13	79·5	79·6	79·2	77·6	77·9	78·0	79·0	79·9	82·0	84·7	85·0	85·6	13
14	79·1	79·1	79·2	79·4	79·4	79·5	79·5	79·8	81·8	82·7	81·0	79·0	14
15	80·4	80·6	80·7	80·5	80·3	80·0	79·1	79·5	80·1	78·8	80·8	77·8	15
16	78·1	78·3	78·7	79·2	79·0	80·8	80·9	82·0	81·8	84·0	84·2	86·0	16
17	82·0	81·8	81·9	82·0	81·7	81·2	83·9	85·8	84·0	86·0	87·1	88·2	17
18	82·5	82·5	82·2	82·1	82·0	82·1	82·2	84·5	85·6	85·4	85·3	88·8	18
19	82·8	82·9	82·9	83·0	82·8	83·6	82·8	79·6	78·3	78·3	78·0	80·0	19
20	82·3	82·3	82·6	82·6	82·6	82·7	82·7	83·0	84·2	87·2	88·0	87·6	20
21	83·5	82·6	82·6	83·0	82·6	83·0	83·3	84·0	84·2	84·8	85·0	86·1	21
22	83·0	83·2	82·9	82·7	83·0	83·1	84·2	84·6	85·0	85·4	86·2	87·4	22
23	82·7	82·7	82·7	82·8	82·7	82·7	83·6	84·6	85·6	84·9	86·2	87·3	23
24	83·0	83·0	82·8	82·7	82·7	82·6	82·7	84·8	85·9	85·0	85·0	87·0	24
25	82·5	82·3	82·3	82·4	82·2	82·3	82·0	82·9	85·8	85·4	85·5	85·6	25
26	82·9	82·9	82·9	82·8	82·7	82·8	83·6	84·8	84·9	86·6	87·6	86·5	26
27	83·3	83·2	83·0	83·0	83·0	83·0	83·3	84·0	84·7	84·9	85·3	86·2	27
28	79·7	79·0	79·0	79·1	79·1	79·3	80·3	79·5	80·1	81·0	80·0	79·0	28
29	79·6	79·6	79·0	79·0	79·2	79·7	80·7	81·0	83·0	85·7	86·9	87·6	29
30	78·2	77·5	77·1	77·1	77·0	77·5	78·0	78·2	80·1	81·7	82·7	83·2	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	83·5	83·6	82·4	82·0	81·9	81·7	80·7	80·4	80·0	79·5	79·0	79·1	1
2	77·7	80·4	80·9	81·6	82·0	81·5	81·1	81·1	81·0	80·9	80·9	80·0	2
3	78·5	79·1	79·1	79·0	77·3	77·7	78·2	78·4	79·0	80·4	80·4	78·5	3
4	81·3	81·7	80·2	80·2	78·7	78·0	78·6	79·3	79·8	80·0	79·8	80·0	4
5	86·5	85·7	84·6	83·6	83·0	82·5	81·8	81·2	80·8	80·4	80·2	80·1	5
6	86·0	85·9	85·8	85·8	84·6	83·1	82·8	81·8	81·8	81·7	81·0	81·0	6
7	87·0	87·0	87·6	86·9	85·8	83·8	83·0	79·5	81·0	81·1	81·1	80·8	7
8	81·3	81·3	80·5	81·8	82·3	82·0	81·0	79·9	79·9	78·8	78·9	78·7	8
9	79·2	81·3	80·9	81·1	81·3	81·0	80·8	80·4	80·3	80·1	80·1	78·0	9
10	82·0	82·1	82·2	83·5	80·5	80·4	80·0	80·4	80·3	80·0	80·0	79·8	10
11	80·5	81·0	81·3	82·0	81·2	81·0	80·6	80·7	80·9	81·2	79·5	79·5	11
12	80·8	79·0	79·0	79·0	79·4	79·0	79·0	79·0	79·3	79·4	79·2	79·6	12
13	87·7	87·9	86·9	84·9	85·0	84·7	83·1	82·6	82·7	80·8	79·0	79·0	13
14	78·6	78·2	78·9	79·6	80·0	79·8	80·7	80·4	80·6	81·0	80·2	80·3	14
15	77·5	77·8	77·9	78·1	78·9	79·2	79·2	79·6	80·1	79·2	79·4	78·8	15
16	86·2	86·1	86·4	86·6	84·7	83·3	82·8	82·3	82·0	82·4	82·0	82·0	16
17	89·0	88·9	87·0	86·2	85·5	84·2	83·4	83·0	82·9	82·9	82·5	82·4	17
18	88·0	88·8	88·1	84·9	84·3	83·3	82·0	81·8	81·8	81·8	82·7	82·7	18
19	81·9	82·9	84·2	64·8	85·5	84·7	84·0	83·8	83·9	84·0	83·8	83·3	19
20	87·8	88·0	86·0	85·9	85·8	85·1	84·0	83·7	83·7	82·8	83·8	83·5	20
21	88·6	86·6	86·8	85·7	85·0	84·9	83·0	82·3	82·5	82·4	82·6	83·2	21
22	88·0	87·0	87·0	85·8	85·3	85·0	84·4	84·2	83·6	83·4	83·4	82·8	22
23	87·7	89·8	89·3	85·1	86·9	84·6	83·3	82·9	82·7	82·4	82·1	83·2	23
24	87·3	85·4	87·3	86·0	85·5	84·4	83·0	82·5	82·4	82·3	82·3	82·4	24
25	85·0	84·8	85·8	85·6	85·0	84·0	83·2	82·9	83·0	83·0	84·0	82·9	25
26	86·4	86·2	87·8	86·8	85·8	85·5	84·1	84·0	83·8	83·6	83·5	83·3	26
27	84·9	83·9	82·9	82·0	82·6	82·8	77·3	78·2	78·9	79·5	79·7	79·5	27
28	78·1	80·3	82·1	83·5	84·0	82·1	82·0	81·9	81·6	81·3	81·4	80·4	28
29	85·4	83·8	83·0	82·3	82·1	82·0	80·5	79·5	79·2	79·0	78·8	78·6	29
30	83·0	82·7	81·9	82·2	84·1	80·9	80·6	80·0	79·6	79·4	79·2	78·7	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of JUNE, 1932.

Days of the Month.	Hours, Hong Kong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	76·8	76·8	76·9	77·0	76·9	76·9	75·9	77·8	78·6	78·7	77·9	79·0	1
2	76·9	76·9	76·9	76·7	76·2	76·2	77·6	77·9	78·3	77·6	77·5	76·9	2
3	77·2	77·3	77·5	77·4	77·2	77·0	77·1	77·3	77·4	77·5	77·0	76·6	3
4	77·7	76·6	77·4	75·6	75·5	75·9	77·8	77·3	78·0	78·1	77·5	77·7	4
5	77·1	76·8	76·8	76·7	76·6	76·5	76·8	77·2	77·9	78·0	78·1	77·9	5
6	77·3	77·4	77·3	77·5	77·4	76·7	77·4	78·4	78·4	76·9	78·0	78·6	6
7	78·2	77·9	77·5	78·0	78·2	77·6	78·0	78·6	78·4	79·9	79·2	81·0	7
8	78·5	78·5	77·9	77·5	77·0	76·9	77·7	77·7	77·1	77·7	77·9	77·7	8
9	76·7	76·9	77·1	77·6	77·0	76·4	77·1	77·6	76·4	77·6	77·9	77·0	9
10	76·5	77·0	79·0	78·9	78·6	79·0	79·2	79·3	79·6	77·9	77·8	78·0	10
11	78·2	78·0	77·1	76·0	76·0	76·1	76·1	77·2	76·9	77·0	77·0	77·4	11
12	76·4	76·6	76·9	77·1	77·3	77·5	77·7	78·2	79·6	80·5	78·4	78·0	12
13	78·0	78·0	77·7	76·6	76·7	76·6	77·5	77·8	79·2	80·2	81·0	81·0	13
14	77·9	77·9	77·8	78·1	78·1	78·1	78·2	78·3	79·0	79·8	78·1	77·9	14
15	78·0	78·0	78·1	78·0	77·9	77·6	76·9	77·1	77·9	77·5	78·9	77·2	15
16	77·1	77·6	77·9	78·6	78·3	78·8	78·5	79·0	79·2	79·8	80·2	81·8	16
17	78·7	78·4	78·0	78·0	78·0	78·1	79·9	80·8	79·0	80·0	80·0	80·2	17
18	78·8	78·6	78·3	78·2	78·2	78·1	78·2	79·4	79·2	79·2	79·9	80·8	18
19	79·7	79·7	79·8	79·7	79·6	79·8	78·8	78·5	76·8	76·3	76·0	78·0	19
20	79·8	79·8	79·7	79·6	79·6	79·5	79·5	79·0	79·9	81·7	81·5	81·1	20
21	79·5	79·2	79·2	79·5	79·2	79·0	78·8	79·4	79·7	79·7	79·7	80·7	21
22	78·9	79·0	79·2	79·3	79·0	79·1	79·5	79·8	79·9	80·7	80·5	81·3	22
23	78·9	78·7	78·9	78·9	78·7	78·7	78·7	79·2	79·8	79·2	79·8	79·6	23
24	78·7	78·7	78·6	78·7	78·5	78·2	78·0	78·9	79·8	79·0	79·0	80·0	24
25	78·0	77·8	77·8	77·9	77·9	77·9	78·0	78·2	79·9	79·5	79·2	79·0	25
26	79·0	78·9	78·8	78·7	78·6	78·7	79·2	79·8	80·0	81·6	81·6	81·0	26
27	78·9	78·8	78·7	78·9	78·9	78·8	79·3	79·0	79·2	79·4	79·2	79·9	27
28	76·8	75·9	75·9	76·2	76·2	76·5	77·6	77·6	78·0	78·9	76·8	77·1	28
29	77·6	77·4	77·0	77·0	77·6	77·7	78·5	78·7	78·9	79·5	80·3	80·8	29
30	76·8	76·1	75·9	75·9	76·0	76·0	76·0	76·2	77·2	77·8	78·7	78·8	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·0	78·7	77·9	78·2	77·9	77·9	77·8	77·6	77·6	77·1	77·0	76·7	1
2	77·0	77·6	77·8	77·9	78·0	77·9	77·9	78·0	77·9	77·8	77·8	77·2	2
3	77·6	77·8	77·6	77·3	76·2	76·7	76·8	76·7	78·0	78·4	78·4	76·6	3
4	78·3	78·1	78·2	78·1	77·2	76·4	76·7	76·4	76·9	77·2	76·9	77·0	4
5	78·0	77·4	77·4	77·3	76·5	76·8	76·8	77·2	77·4	77·5	77·1	77·2	5
6	79·2	77·5	77·3	77·2	76·9	77·5	77·9	78·0	77·9	77·9	78·1	78·0	6
7	81·1	79·9	80·4	79·9	79·2	79·3	78·9	76·0	77·9	78·3	78·4	78·8	7
8	79·2	78·6	78·0	79·0	79·3	79·0	78·9	77·0	76·9	76·9	76·9	76·4	8
9	77·7	78·1	78·2	78·0	78·1	78·0	78·0	77·6	77·6	77·8	77·8	76·6	9
10	78·6	78·9	78·9	78·6	78·4	78·4	78·0	78·4	78·6	78·1	78·1	78·0	10
11	77·7	77·8	77·8	78·0	77·8	77·9	77·4	77·2	77·6	77·8	76·0	76·2	11
12	78·6	76·9	77·5	77·6	78·0	77·8	77·8	77·7	78·0	78·1	77·9	78·0	12
13	81·1	81·3	80·0	78·9	80·0	79·7	78·9	79·3	79·9	78·5	78·0	78·0	13
14	77·9	77·7	77·9	78·1	78·7	78·6	78·9	78·5	78·7	78·9	78·0	77·8	14
15	77·0	77·4	77·4	77·1	77·6	77·7	77·5	77·5	77·7	77·2	77·4	77·1	15
16	81·8	81·7	81·8	81·0	79·9	79·5	79·4	79·3	79·2	79·3	78·8	78·8	16
17	80·6	81·1	80·9	80·6	80·4	79·2	79·0	79·0	79·2	79·2	79·0	79·1	17
18	80·0	81·0	80·2	79·0	78·5	78·7	78·0	78·9	79·1	79·3	79·7	79·6	18
19	79·5	79·9	80·8	80·1	80·0	79·8	79·9	79·9	80·2	80·0	79·9	80·0	19
20	81·1	81·3	80·4	79·9	79·3	79·1	79·5	80·2	80·1	79·6	79·3	79·3	20
21	81·7	80·7	80·8	79·9	79·7	79·8	79·0	78·9	78·8	78·6	78·7	79·1	21
22	81·0	81·0	81·5	80·3	80·3	80·1	79·9	80·0	79·7	79·1	79·1	78·9	22
23	79·4	80·6	80·8	80·7	80·0	79·0	78·5	78·6	78·6	78·8	78·6	78·8	23
24	80·1	79·1	79·9	79·1	79·1	78·4	77·4	78·0	77·9	77·9	77·9	78·0	24
25	80·0	78·2	79·1	79·2	79·1	79·0	78·7	78·6	79·0	79·3	79·3	79·2	25
26	80·8	80·6	80·7	80·2	80·2	80·3	79·6	79·2	78·9	78·9	78·9	78·6	26
27	78·9	79·5	79·4	79·8	79·6	79·8	75·3	73·4	75·7	76·0	75·7	76·3	27
28	76·1	77·7	78·3	78·9	79·1	78·0	78·4	78·3	78·0	77·6	77·7	77·3	28
29	79·4	78·8	79·0	79·3	79·3	79·1	78·8	77·9	77·7	77·6	77·4	77·2	29
30	78·8	78·1	77·4	77·6	77·3	77·3	77·1	77·0	77·0	76·9	76·9	76·9	30

TABLE IV.—AMOUNT of CLOUD, (0–10), at every HOUR of the DAY, in the MONTH of JUNE, 1932.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mids.	
1	2	1	1	10	9	8	7	9	5	7	8	8	8	7	8	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	9	6	5	9	10	10	10	10	10	10	9	8	9	10	10	9	9	8	2
3	5	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	3
4	9	9	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	4
5	10	10	8	7	5	9	8	8	9	8	8	7	7	8	8	8	9	9	10	10	10	10	8	8	5
6	9	8	9	8	10	9	9	9	9	10	10	9	9	9	9	8	8	7	9	8	8	10	10	9	6
7	9	9	9	9	10	9	9	10	9	9	9	9	8	7	8	8	8	8	7	10	9	8	9	9	7
8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	9	9	7	8	8	10	8	8
9	7	8	8	10	10	10	9	10	10	10	10	10	10	10	10	9	9	10	10	10	10	9	9	10	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	10	9	10	10	10	10	10	10	10
11	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	11
12	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	12
13	10	10	10	10	10	10	10	10	9	9	9	9	6	8	7	10	7	7	6	8	9	10	10	10	13
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	9	7	9	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	9	9	9	8	7	9	6	7	4	9	3	6	16
17	10	10	10	9	10	9	8	8	8	8	7	6	6	6	5	3	2	7	7	6	8	8	9	9	17
18	9	8	7	7	9	7	8	9	6	8	8	7	7	7	7	8	6	7	6	9	9	8	9	10	18
19	9	9	10	9	9	9	8	10	10	10	10	10	10	10	10	10	9	9	10	10	10	10	10	9	19
20	9	9	10	10	10	10	9	9	9	9	8	9	8	8	7	8	9	8	9	9	9	9	10	9	20
21	9	9	9	9	9	9	9	10	9	8	9	7	8	9	9	9	9	8	8	9	9	9	9	9	21
22	9	9	10	10	10	10	7	9	9	9	8	9	9	8	8	10	10	9	8	9	7	8	7	8	22
23	8	9	10	8	8	7	7	7	6	7	5	6	7	5	6	7	6	8	7	9	8	5	6	10	23
24	9	8	10	10	10	8	8	9	9	8	8	7	6	7	6	7	8	8	8	9	9	9	9	8	24
25	9	9	9	9	8	7	8	8	8	7	7	9	7	7	6	8	8	8	9	8	9	9	9	9	25
26	9	9	9	10	8	6	8	9	9	9	9	8	8	8	8	8	9	7	7	9	8	7	8	8	26
27	9	10	10	10	10	9	10	9	9	9	9	9	10	10	10	10	10	10	10	10	10	10	10	9	27
28	10	10	9	10	9	10	10	10	10	10	10	10	10	10	10	10	10	9	9	10	10	10	10	10	28
29	9	2	2	4	8	9	9	9	10	9	8	9	9	10	10	10	10	9	6	3	5	9	9	10	29
30	10	10	10	10	10	10	10	10	9	8	9	5	7	8	6	8	8	9	9	5	1	...	...	...	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JUNE, 1932.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	0·6	0·7	0·9	0·7	1·0	0·6	1·0	0·8	0·2	...	...	...	1
2	0·2	0·3	0·9	0·8	0·2	...	...	...	...	0·1	...	0·4	0·5	2
3	...	0·1	0·1	...	0·1	...	...	...	...	...	...	...	...	3
4	...	...	...	0·1	...	...	...	...	...	...	...	...	...	4
5	0·2	0·9	0·6	...	0·6	1·0	1·0	0·9	0·3	0·9	0·7	...	...	5
6	...	0·2	0·3	...	0·4	0·1	0·8	0·6	0·9	1·0	1·0	0·1	0·4	6
7	...	...	0·3	0·1	0·6	0·5	0·1	0·7	0·7	0·7	0·6	...	...	7
8	...	...	...	...	...	...	...	...	...	...	0·5	0·1	...	8
9	...	0·5	...	...	...	...	...	...	...	...	0·1	0·1	...	9
10	...	...	...	...	...	...	...	...	...	0·3	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	0·6	0·7	0·6	0·9	1·0	1·0	0·9	0·8	1·0	0·3	13
14	...	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	0·1	0·2	...	0·1	0·6	0·3	0·1	...	16
17	0·5	1·0	0·8	0·7	0·9	1·0	1·0	0·8	0·8	0·8	1·0	0·8	0·3	17
18	...	0·2	0·9	0·7	0·8	1·0	0·9	1·0	1·0	0·6	...	0·7	0·1	18
19	...	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	0·2	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	20
21	...	0·1	0·1	0·9	0·7	0·6	1·0	0·2	...	0·4	...	0·3	0·1	21
22	0·5	0·7	0·9	0·5	0·4	0·9	0·9	0·7	0·5	...	...	...	0·1	22
23	0·1	0·5	0·7	0·9	1·0	1·0	0·7	1·0	1·0	1·0	0·9	1·0	...	23
24	...	0·7	0·8	0·8	0·6	1·0	0·9	1·0	1·0	1·0	1·0	0·9	0·2	24
25	0·1	0·5	1·0	1·0	0·8	1·0	0·4	0·7	1·0	1·0	1·0	0·8	0·1	25
26	0·1	0·4	0·4	0·7	1·0	0·6	0·7	0·2	1·0	0·9	0·5	1·0	...	26
27	...	...	0·1	0·5	0·3	0·4	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	0·1	...	...	28
29	...	...	...	0·1	0·3	0·2	0·1	...	...	...	0·3	0·4	...	29
30	...	...	0·3	0·8	0·3	0·7	1·0	1·0	1·0	0·9	0·1	...	...	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JUNE, 1931.

(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	0·010	0·025	d	...	...	d	...	...	d	0·970	2
3	...	...	0·065	d	0·010	0·045	d	...	d	d	0·040	0·415	3
4	...	...	0·010	...	...	...	0·005	0·015	0·005	0·005	0·310	0·030	4
5	...	...	...	...	...	...	...	0·100	...	...	...	...	5
6	...	...	...	...	0·080	0·010	...	...	...	0·040	...	d	6
7	...	...	0·005	...	0·030	...	0·010	...	...	...	d	0·035	7
8	...	...	...	0·100	0·420	1·100	0·025	0·035	0·005	0·030	0·020	0·150	8
9	d	...	d	0·015	0·025	0·005	...	...	0·190	0·070	0·120	0·040	9
10	0·010	0·005	0·015	...	d	...	0·010	0·020	0·065	0·240	0·035	0·015	10
11	0·130	0·105	0·110	0·180	0·150	0·060	d	d	d	0·010	0·010	0·065	11
12	...	...	...	d	d	d	d	...	...	...	0·050	0·055	12
13	0·005	0·025	0·245	0·905	0·020	d	...	...	...	...	d	...	13
14	...	...	...	0·020	d	...	...	...	...	d	1·340	2·480	14
15	0·030	0·015	0·085	0·090	0·060	d	0·060	0·070	0·065	0·215	0·010	0·880	15
16	0·020	0·005	...	...	...	...	d	0·015	0·005	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	d	...	18
19	...	...	d	d	...	...	0·030	0·150	0·575	0·235	0·085	0·040	19
20	0·010	...	...	...	...	d	0·005	...	...	...	...	...	20
21	...	0·050	d	...	...	...	0·005	...	...	...	...	...	21
22	...	...	...	...	...	...	...	d	...	...	...	...	22
23	...	...	d	...	...	...	...	...	...	...	...	...	23
24	...	d	...	d	...	d	d	...	...	...	...	...	24
25	...	...	...	...	...	d	0·015	...	...	...	...	0·010	25
26	...	...	...	d	...	...	...	...	0·050	d	...	...	26
27	...	...	...	d	...	...	...	...	...	...	...	...	27
28	...	...	...	...	0·040	d	0·080	0·205	0·040	0·020	0·430	0·120	28
29	...	...	...	...	...	...	d	0·005	...	...	...	...	29
30	d	...	...	...	d	0·005	...	...	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	d	d	...	d	0·005	0·015	0·005	0·010	d	...	1
2	0·115	d	...	...	...	...	...	...	...	...	...	...	2
3	0·345	0·410	0·085	0·150	0·150	0·035	...	...	0·035	...	0·140	d	3
4	0·010	d	0·070	0·880	0·310	0·020	0·215	...	...	d	0·010	d	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	0·005	...	...	6
7	...	...	...	...	...	...	...	0·385	0·005	...	...	...	7
8	d	...	0·045	...	...	...	...	...	...	...	d	...	8
9	0·035	...	...	...	...	...	...	...	...	...	0·050	1·520	9
10	d	d	d	...	0·045	...	...	d	d	0·035	0·035	0·110	10
11	0·005	...	...	...	...	...	...	...	...	d	...	...	11
12	0·265	0·165	0·115	0·015	0·045	0·025	0·010	0·210	0·645	0·015	0·005	d	12
13	...	...	...	d	...	...	...	...	...	0·055	0·430	0·085	13
14	1·200	0·290	0·100	0·050	0·015	0·005	0·020	0·055	0·110	0·050	d	0·015	14
15	0·075	0·545	0·030	0·110	0·015	d	...	d	d	...	...	...	15
16	...	...	...	...	...	...	...	...	...	d	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	d	...	18
19	d	0·065	d	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	0·005	...	...	20
21	...	d	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	d	...	...	24
25	0·070	...	...	...	...	...	...	...	...	...	...	...	25
26	d	...	...	...	...	...	...	...	d	...	...	...	26
27	...	0·115	0·015	d	...	...	...	...	...	...	...	...	27
28	0·005	...	...	...	...	0·105	0·010	...	...	d	...	0·010	28
29	...	d	d	...	...	...	...	...	...	...	...	d	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, at 148 *feet above* MEAN SEA LEVEL, *in the* MONTH *of* JUNE, 1932.

(The Direction is given in points and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	...	...	...	...	...	1	...	...	...	...	7	8	9	10	9	10	7	15	8	18	8	18	7	19	1
2	7	16	6	15	4	8	5	9	5	10	6	7	6	13	6	11	7	13	9	15	9	18	11	14	2
3	7	14	7	18	7	14	6	13	7	15	7	18	7	18	8	24	7	22	6	28	7	23	7	20	3
4	12	8	12	7	11	10	8	9	9	13	9	12	10	13	10	19	10	20	9	22	10	20	10	18	4
5	10	5	...	...	...	...	...	1	...	1	...	1	13	2	13	9	16	7	16	7	15	6	15	7	5
6	17	2	...	...	...	...	...	...	...	1	17	2	...	...	...	1	...	...	32	3	30	4	27	5	6
7	...	1	...	...	15	4	...	...	...	...	...	14	2	...	1	12	3	16	3	20	4	22	4	7	
8	7	2	8	7	8	9	7	14	7	14	7	10	8	10	7	5	8	4	11	8	18	2	23	5	8
9	...	1	7	4	7	3	10	3	11	3	10	3	6	5	6	10	11	4	9	2	7	3	5	2	9
10	8	4	11	3	15	7	17	8	17	7	18	10	19	9	19	8	22	12	21	7	21	2	23	2	10
11	9	5	...	1	...	...	18	3	...	1	16	2	12	5	10	3	10	3	11	4	12	4	14	3	11
12	20	9	23	7	26	6	26	4	20	4	19	4	...	1	20	2	21	4	20	11	20	19	20	16	12
13	20	6	21	7	23	7	26	8	27	2	27	4	26	5	26	5	26	6	24	8	23	8	21	7	13
14	26	5	...	...	...	...	...	...	25	2	...	1	24	4	26	7	21	5	13	6	16	8	24	11	14
15	20	4	18	6	16	4	15	2	12	4	15	10	17	3	...	1	31	3	29	3	26	4	22	9	15
16	...	..	...	...	...	1	...	...	...	...	...	1	9	4	17	6	16	4	16	4	16	7	16	6	16
17	14	7	14	4	17	5	19	5	...	1	20	2	19	2	20	2	22	6	23	5	26	5	22	7	17
18	18	4	18	3	19	6	19	5	18	4	19	4	19	3	18	5	18	4	16	6	16	4	18	8	18
19	16	9	16	8	17	5	18	12	18	12	17	13	16	11	21	12	23	8	19	9	16	4	17	4	19
20	19	10	19	13	19	11	18	12	18	13	18	13	18	14	18	14	17	17	18	19	17	18	18	18	20
21	18	14	18	12	19	14	18	16	18	15	19	13	19	15	19	21	18	17	19	14	19	22	20	21	21
22	17	5	17	5	17	6	17	7	17	12	18	13	17	11	17	17	19	14	19	14	19	12	20	12	22
23	19	6	19	6	19	8	18	10	18	10	18	9	19	8	20	9	20	10	20	14	20	12	20	14	23
24	19	11	19	10	20	9	18	7	18	10	18	10	18	11	18	12	19	9	20	14	20	15	20	15	24
25	17	7	17	7	17	6	18	6	19	10	19	8	18	10	19	14	18	10	20	7	20	10	19	8	25
26	17	9	18	9	17	7	17	8	18	10	18	10	18	7	16	10	17	11	18	13	19	9	18	10	26
27	19	7	18	9	18	10	19	9	19	10	18	8	18	11	18	13	18	8	19	12	19	15	17	13	27
28	...	...	...	1	...	...	...	...	3	2	...	1	...	1	3	2	3	2	5	2	6	4	6	3	28
29	10	9	10	9	10	11	10	7	10	3	...	1	...	1	12	2	16	5	15	7	15	8	15	8	29
30	7	11	7	13	7	13	7	13	7	11	6	12	6	10	7	8	9	10	10	14	9	15	9	13	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	20	7	19	8	18	8	19	8	19	7	16	8	16	7	14	7	14	7	14	7	17	7	18	1
2	10	10	9	12	7	10	6	11	6	14	9	17	7	20	9	9	7	14	6	15	8	16	8	15	2
3	10	14	11	15	10	14	9	16	9	13	8	12	8	13	5	13	10	9	10	10	11	10	11	10	3
4	10	19	10	19	11	14	12	11	14	10	15	5	14	9	13	10	11	10	11	12	11	12	10	4	4
5	16	7	17	6	16	10	16	8	17	5	17	4	17	6	...	1	...	1	...	1	17	3	...	1	5
6	27	2	15	6	17	9	17	9	17	9	17	6	16	5	16	2	16	3	...	1	...	...	...	1	6
7	17	7	15	7	16	8	17	9	17	7	16	5	15	5	11	9	...	1	...	1	...	1	...	1	7
8	26	6	...	...	...	1	7	7	9	14	9	12	8	10	9	9	9	8	8	13	7	10	7	5	8
9	4	3	9	6	8	12	8	13	8	8	8	5	8	2	8	6	8	5	8	6	8	7	8	9	9
10	25	3	4	7	9	9	14	9	15	9	14	5	13	7	12	2	10	7	9	7	9	9	9	7	10
11	16	4	16	9	16	4	16	5	16	5	16	5	17	4	16	2	13	7	16	8	20	10	20	6	11
12	21	16	21	19	22	10	23	7	26	5	...	1	...	...	27	3	25	4	...	...	...	1	21	8	12
13	22	6	23	8	20	11	19	12	21	11	22	9	21	8	21	9	21	8	26	10	27	7	27	8	13
14	28	10	28	5	...	1	...	1	24	5	21	6	...	1	22	3	21	7	21	3	19	4	19	6	14
15	19	3	17	3	20	4	23	10	24	6	24	3	22	3	19	3	18	3	24	3	...	...	...	...	15
16	17	7	17	5	17	6	16	8	16	9	16	9	16	8	16	6	16	4	16	7	16	8	15	7	16
17	16	10	16	9	16	8	16	12	16	8	16	8	17	6	17	7	17	6	17	8	17	7	16	6	17
18	18	10	18	10	16	7	16	8	17	7	17	4	15	4	15	2	...	1	15	2	16	7	15	8	18
19	19	3	20	8	19	5	19	11	19	15	18	15	18	15	19	16	19	16	19	11	19	14	18	15	19
20	18	21	18	22	18	15	17	14	17	14	18	13	18	9	18	12	19	10	18	8	18	11	18	13	20
21	20	19	20	15	19	13	19	15	19	13	19	11	19	10	18	9	18	4	...	1	18	3	17	9	21
22	19	14	18	15	19	13	20	16	20	14	20	12	20	6	21	8	21	9	19	9	19	10	19	7	22
23	20	16	19	17	19	15	20	11	19	13	19	10	19	10	19	8	19	12	18	9	18	9	18	11	23
24	20	14	20	11	20	16	20	14	18	12	18	12	18	13	18	8	20	6	19	8	18	9	18	10	24
25	19	13	19	10	19	10	19	12	18	11	18	9	17	10	17	10	17	8	17	11	16	14	17	11	25
26	19	13	20	15	19	14	18	13	17	15	18	12	19	8	18	12	18	15	19	14	19	9	19	6	26
27	17	14	19	10	20	12	19	17	21	11	25	15	24	10	22	9	23	6	...	1	...	...	...	1	27
28	6	6	7	4	8	4	14	2	16	2	14	4	...	1	11	4	12	3	16	2	16	4	13	8	28
29	16	9	16	5	10	9	8	13	8	14	7	11	7	10	8	12	9	12	8	12	6	11	6	14	29
30	9	15	9	19	9	18	9	16	8	14	9	12	9	10	9	9	9	10	9	10	9	7	9	7	30

TABLE VIII.—CHARACTER AND DIRECTION OF MOTION OF THE CLOUDS AT THREE-HOURLY INTERVALS, in the MONTH of JUNE, 1922.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	W	cu	W	ci-st / cu	W / ENE	cu	E	cu	E	nb	E	nb	E	cu-nb	ESE
2	cu-nb	ESE	nb	ESE	a-cu / cu	WSW / E	cu	E	nb	E	cu-nb	E	cu-nb	E	cu-nb	E
3	cu	E	nb	E	nb	E	nb	E	nb	E	nb	ESE	nb	E	nb	E
4	cu-nb	E	nb	E	nb	ESE	nb	ESE	nb	SSE	nb	SSE	nb	SSE	cu-nb	SSE
5	nb	SSE	cu	S	cu	SSE	cu	SSE	ci-st / cu	E / SSW	ci-st / cu	NNW / SSW	ci-st / cu	NNW / SSW	cu	SSE
6	cu	S	cu	S	nb	S	nb	S	ci-st / cu	WSW / S	ci-st / cu	W / S	ci-st / cu	WSW / S	cu	S
7	cu	S	nb	S	nb	SSW	a-cu / cu	NNE / SSW	ci-st / cu	NE / S	cu	SSW	ci-st / cu	NNE / SSW	nb	SSW
8	cu	SSW	nb	SSW	nb	E	nb	E	nb	SW	a-cu / cu	WSW / SSW	a-cu / cu	WSW / ESE	cu-nb	ESE
9	cu	SSW	nb	SSW	a-cu / cu	ESE / SSW	nb	SW	nb	SW	cu-nb	WSW	cu-nb	SW	cu	SW
10	nb	SW	nb	SW	nb	SW	nb	SW	nb	SW	cu-nb	SW	nb	SW	nb	SW
11	nb	SW	nb	SW	nb	SSW	nb	SW	nb	WSW	cu-nb	SW	cu	SW	nb	SW
12	cu-nb	SW	nb	SW	nb	WSW	nb	SW	nb	WSW	nb	WSW	nb	WSW	nb	WSW
13	nb	WSW	nb	WSW	nb	W	cu	W	cu	WSW	nb	SW	ci-st / cu	NNE / SW	nb	SW
14	nb	SW	nb	SW	st-cu	SW	nb	WSW	nb	WSW	nb	WSW	nb	WSW	nb	SW
15	nb	SW	nb	SW	nb	SW	nb	SSW	nb	SSW	nb	SSW	cu	WSW	cu	WSW
16	nb	WSW	nb	WSW	nb	SSW	nb	SSW	cu	SSW	a-cu / cu	E / SW	ci-st / cu	ENE / SSW	cu	SSW
17	cu	SSW	cu	SSW	ci-st / cu	E / SSW	a-cu / cu	ENE / SSW	ci-st / cu	ENE / SSW	cu	SW	ci-st / cu	ENE / SSW	ci-st / cu	ENE / SSW
18	cu	SSW	cu	SSW	ci-st / cu	ENE / SSW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	cu	SW
19	cu	SSW	nb	SSW	cu	SSW	nb	SSW	nb	SSW	nb	SSW	nb	SSW	cu-nb	SSW
20	cu	SW	cu	SW	nb	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW
21	nb	SW	nb	SW	nb	SW	cu	SW	cu	SW	cu	SW	ci-st / cu	E / SW	cu	SW
22	cu	SW	cu	SW	cu	S	a-cu / cu	WNW / SSW	cu	SSW	cu	SSW	cu	SW	cu	SW
23	cu	SSW	cu	SSW	cu	SSW	cu	SSW	cu	SSW	ci-st / cu	NE / SSW	ci-st / cu	NE / SW	cu	SW
24	cu	SW	nb	SW	ci-st / cu	ENE / SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW
25	cu	SW	cu	SW	cu-nb	SW	cu	SW	cu	SSW	cu	SW	cu	SW	cu	SSW
26	cu	SSW	cu-nb	SSW	cu	SW	nb	SW	nb	SW	cu	SW	cu	SW	cu-nb	SW
27	cu	SW	nb	SSW	nb	SSW	cu	SW	cu-nb	SW	nb	SW	nb	WSW	nb	WSW
28	nb	WSW	nb	WSW	nb	SW	nb	SW	nb	SW	cu-nb	SW	cu-nb	SSW	cu-nb	SW
29	cu-nb	SE	cu	SSW	nb	SSE	a-cu / cu	WNW / SSW	a-cu / cu	WNW / SSW	cu	S	ci-st / cu	NE / S	cu	SSW
30	nb	E	nb	E	cu-nb	E	cu	ESE	cu	S	ci-st / cu	WNW / SSW	a-cu / cu	WNW / S	...	...

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1932.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·766	85·0	78·5	6·5	80·8	77·6	0·908	86	78	6·5	49	0·035	3	+ 1·2	+ 12·6	85	12·6	12·6
2	·729	84·7	76·3	8·4	80·5	77·4	·903	87	92	3·4	25	1·120	3	+ 2·0	+ 12·2	81	12·4	13·0
3	·726	80·8	76·4	4·4	79·1	77·3	·915	92	96	0·3	2	1·940	11	...	+ 15·1	90	15·1	15·7
4	·711	81·7	77·8	3·9	79·7	77·2	·904	89	98	0·1	1	1·980	7	— 6·0	+ 10·8	119	12·4	12·7
5	·648	87·2	79·4	7·8	82·2	77·2	·876	80	84	7·4	53	....	....	— 3·6	+ 0·3	175	3·6	4·1
6	·628	87·0	78·5	8·5	82·0	77·7	·899	83	89	5·8	43	0·135	2	— 1·8	— 0·6	198	1·9	5·0
7	·614	88·1	78·9	9·2	82·8	78·8	·938	84	87	4·3	32	0·470	2	— 2·9	...	180	2·9	3·5
8	·588	82·5	77·3	5·2	79·9	77·6	·927	91	95	0·6	4	1·930	8	...	+ 6·6	90	6·6	7·7
9	·546	82·0	78·0	4·0	79·8	77·4	·911	89	95	0·7	5	2·070	7	+ 0·2	+ 5·0	88	5·0	5·2
10	·519	84·9	77·6	7·3	81·2	78·4	·939	89	99	0·5	2	0·640	10	— 3·7	+ 0·9	166	3·8	6·7
11	·482	82·5	77·9	4·6	79·9	77·2	·902	88	99	...	...	0·825	9	— 3·4	+ 0·5	172	3·4	4·3
12	·399	85·9	78·9	7·0	80·2	77·8	·924	89	100	...	...	1·620	12	— 2·8	— 5·3	242	6·0	6·7
13	·392	89·0	77·3	11·7	82·2	78·9	·948	87	89	7·8	58	1·770	8	— 1·5	— 6·5	257	6·7	7·5
14	·465	83·0	78·1	4·9	79·9	78·3	·948	93	100	...	...	5·750	14	— 0·8	— 2·7	254	2·8	4·2
15	·575	81·9	77·4	4·5	79·3	77·6	·925	93	97	...	...	2·355	16	— 1·8	— 2·1	229	2·8	3·9
16	·645	87·1	78·1	9·0	82·5	79·5	·971	88	86	1·4	10	0·045	2	— 4·7	...	180	4·7	4·9
17	·658	89·7	81·0	8·7	84·3	79·4	·947	80	75	10·4	77	....	....	— 5·1	— 1·3	194	5·3	6·1
18	·663	89·2	81·7	7·5	84·0	79·1	·937	80	77	7·9	59	....	....	— 4·9	— 1·2	194	5·0	5·2
19	·649	85·6	78·0	7·6	82·6	79·3	·961	87	96	...	...	1·180	6	— 8·9	— 4·7	208	10·1	10·5
20	·656	89·0	82·2	6·8	84·5	80·0	·971	82	89	9·2	68	0·020	1	— 12·8	— 5·2	202	13·8	13·9
21	·700	89·4	82·3	7·1	84·1	79·6	·958	82	88	4·6	34	0·055	1	— 11·0	— 6·8	212	12·9	13·2
22	·729	88·2	82·6	5·6	84·6	79·9	·966	81	87	6·2	46	....	....	— 9·2	— 5·5	211	10·7	11·0
23	·702	89·9	82·1	7·8	84·6	79·2	·935	79	72	9·8	73	....	....	— 8·6	— 6·0	215	10·5	10·7
24	·638	88·0	82·1	5·9	84·1	78·7	·919	78	82	9·7	72	....	....	— 9·0	— 6·1	214	10·9	11·1
25	·618	87·1	82·0	5·1	83·7	78·7	·923	80	81	9·4	70	0·095	1	— 8·7	— 3·8	204	9·5	9·7
26	·614	88·4	82·6	5·8	84·7	79·7	·955	80	82	7·5	56	0·050	1	— 9·6	— 4·3	204	10·5	10·7
27	·615	86·6	77·2	9·4	82·5	78·4	·924	84	97	1·3	10	0·245	1	— 6·7	— 5·4	219	8·6	9·6
28	·619	84·0	78·0	6·0	80·6	77·5	·906	87	98	0·1	1	0·950	7	— 0·5	+ 1·6	107	1·7	2·6
29	·646	88·2	78·6	9·6	81·5	78·4	·935	87	78	1·4	10	0·005	1	— 2·0	+ 6·5	107	6·8	8·5
30	·623	83·9	76·9	7·0	79·9	77·1	·897	88	72	6·1	45	0·005	1	— 0·6	+ 12·0	93	12·0	12·1
Means.	29·619	86·0	79·1	6·9	81·9	78·4	0·929	85	89	Sum. 121·9	30	Sum. 25·290	Sum. 134	— 4·2	+ 0·6	172	4·3	8·4
Normals	29·647	85·3	77·7	7·6	81·0	76·9	0·880	83	78	164·0	41	15·506	88	— 4·6	+ 3·0	147	5·5	11·6
Absolute Max.	29·809	89·9	...	11·7	...	83·0	1·093	...	...	10·4	77	5·750	16	...	...	...	...	28·0†
Day.	1	23	...	13	...	7, 20	7	...	...	17	17	14	15	...	...	...	...	3d 10h
Absolute Min.	29·335	...	76·3	3·9	...	75·0	0·815	64	...	...	...	...	...	...	...	...	...	...
Day.	13	...	2	4	...	27	5	23	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

												Sum.	Sum.					
Means.	1004·9	303·0	299·2	3·8	300·7	298·3	3·14	...	...	...	...	642·4	134	— 1·4	+ 0·2	172	1·4	2·7
Normals	1005·9	302·6	298·4	4·2	300·2	297·9	2·98	...	...	...	...	393·8	88	— 1·5	+ 1·0	147	1·8	3·8
Absolute Max.	1011·3	305·2	...	6·5	...	301·3	3·70	...	...	...	...	146·0	16	...	...	...	...	9·2
Absolute Min.	995·2	...	297·6	2·2	...	296·9	2·76	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 22 days. The mean hourly intensity was 0·189*ins.*, and the maximum fall in one hour was 2·480*ins.* at 12*h* on the 14th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 45 miles per hour from S.W. by W. at 13*h* 25*m* on the 12th.

Clouds with base less than 2,000 feet high were observed on 18 days.

Clouds with base less than 1,000 feet high were observed on 4 days.

*0° = N., 90° = E., &c.

† Maximum velocity for one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1932.

(*British Units.*)

Hours. Hong Kong standard Time.	Barometric Pressure	Temperature. Of the Air.	Temperature. Of Evaporation	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0–10)	Percentage of Possible Sunshine	Rainfall. Amount.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.			ins.	%		%	ins.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·626	80·7	78·0	0·927	88	9·0		0·205	— 3·3	+ 0·9	165	3·4	6·4
2	·615	80·1	77·8	·918	87	8·8		0·205	— 2·8	+ 0·9	162	2·9	6·1
3	·608	80·6	77·9	·923	88	8·9		0·545	— 2·9	+ 0·5	170	2·9	6·2
4	·606	80·5	77·8	·920	88	9·3		1·335	— 2·8	+ 0·4	172	2·8	6·4
5	·607	80·4	77·7	·917	88	9·4		0·835	— 3·3	+ 0·6	170	3·3	6·7
6	·616	80·4	77·7	·917	88	9·2	6	1·225	— 3·4	+ 0·7	168	3·5	7·0
7	·628	81·0	78·0	·923	87	9·0	22	0·245	— 3·4	+ 1·1	162	3·6	7·3
8	·637	81·8	78·4	·931	87	9·2	31	0·615	— 4·2	+ 0·7	171	4·3	8·5
9	·646	82·6	78·6	·931	84	8·9	37	1·000	— 3·9	— 0·4	174	3·9	8·5
10	·651	83·2	78·9	·937	83	9·0	39	0·865	— 4·7	+ 0·6	173	4·7	10·2
11	·648	83·3	78·8	·932	82	9·0	41	2·450	— 5·1	+ 0·1	179	5·1	10·1
Noon.	·641	83·5	79·1	·942	82	8·8	41	5·305	— 5·2	— 0·1	182	5·3	10·1
13	·624	83·8	79·2	·944	82	8·6	39	2·125	— 5·8	— 1·0	190	5·9	10·5
14	·610	83·9	79·1	·938	81	8·7	40	1·590	— 6·0	— 0·3	183	6·0	10·5
15	·596	83·8	79·1	·939	81	8·6	41	0·460	— 6·0	+ 0·5	175	6·0	10·1
16	·583	83·5	78·9	·934	82	8·8	33	1·205	— 6·4	+ 0·4	176	6·4	11·0
17	·575	83·0	78·7	·931	82	8·7	29	0·580	— 5·8	+ 0·5	175	5·8	10·4
18	·582	82·4	77·6	·933	85	8·7	7	0·190	— 4·7	— 0·4	175	4·7	8·9
19	·595	81·6	78·2	·925	86	8·6	1	0·260	— 4·1	+ 1·0	166	4·2	8·0
20	·609	81·3	78·1	·924	87	8·8	0	0·665	— 3·8	+ 0·9	167	3·9	7·6
21	·626	81·3	78·3	·933	87	8·6		0·800	— 4·7	+ 0·8	168	4·8	7·4
22	·640	81·2	78·2	·929	87	8·5		0·175	— 3·9	+ 1·7	156	4·4	7·1
23	·645	81·0	78·0	·925	87	8·7		0·670	— 3·7	+ 1·6	157	4·0	7·1
Midn.	·636	80·7	77·9	·922	88	8·8		1·740	— 3·8	+ 1·4	160	4·1	7·7

Phenomena :—

Lunar halo :—on the 15th and 17th.
Lunar corona :—on the 16th, 18th, 19th, 20th, 22nd and 26th.
Unusual visibility :—on the 5th.
Dew :—on the 1st.
Rainbow :—on the 13th.
Lightning :—on the 1st, 3rd, 4th, 5th, 6th, 7th, 8th, 9th, 10th, 12th, 19th, 20th, 26th, 28th and 29th.
Thunder :—on the 1st, 2nd, 3rd, 8th, 9th, 10th, 12th, 14th, 19th and 28th.

Thunderstorms :—

9*d*. 23*h*. 20*m*. to 24*h*. 00*m*. S.E. to N.W.; nearest at 23*h*. 41*m*. (5*s*).
10*d*. 0*h*. 06*m*. to 0*h*. 45*m*. in S.S.E.; distant.
10*d*. 19*h*. 47*m*. to 23*h*. 10*m*. in N.N.W.; distant.
11*d*. 0*h*. 07*m*. to 3*h*. 36*m*. in S.S.E.; distant.
11*d*. 11*h*. 02*m*. to 5*h*. 47*m*. in N.W.; distant.
12*d*. 20*h*. 21*m*. to 21*h*. 49*m*. in N.N.W.; distant.
13*d*. 3*h*. 16*m*. to 4*h*. 40*m*. in N.W.; distant.
18*d*. 19*h*. 27*m*. to 23*h*. 35*m*. in N.W.; distant.
15*d*. 12*h*. 13*m*. to 12*h*. 48*m*. in N.W.; distant.
28*d*. 21*h*. 42*m*. to 23*h*. 35*m*. in S.S.W.; distant.

ADOPTED ERRORS OF TIMEBALL, JUNE, 1932.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	0·0	11	+ 0·1	21	0·0
2	0·0	12	0·0	22	0·0
3	0·0	13	0·0	23	0·0
4	— 0·1	14	0·0	24	0·0
5	— 0·1	15	+ 0·1	25	0·0
6	— 0·1	16	0·0	26	0·0
7	— 0·1	17	0·0	27	0·0
8	0·0	18	0·0	28	0·1
9	0·0	19	0·0	29	0·2
10	+ 0·1	20	0·0	30	0·1

+ = Late ; — = Early.

The above may also be regarded as the errors of the time signals by radio telegraphy and by signal lights.

The probable error for the month was ± 0·10

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

JUNE,

1932.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	31st MAY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	1st JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.28	769.0	55	...	SE	5	o	6	29.97	761.1	50	...	SE	4	o
Nemuro,	11	30.16	766.0	...	...	SW	2	...	5	30.28	769.0	...	...	SW	3	...
Hokodate,	,,	30.24	768.0	...	...	SW	1	...	,,	30.16	766.0	...	...	...	0	...
Tokio,	,,	30 33	770.5	...	...	SE	1	...	,,	30.12	765.0	..	...	E	1	...
Kochi,	,,	30.16	766.0	...	...	...	0	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	NE	2	...	,,	29.86	758.5	...	..	NNE	1	...
Kagoshima,	,,	29.94	760.5	...	...	ESE	2	...	,,	29.82	757.5	...	...	...	0	...
Oshima,	,,	29.86	758.5	...	...	S	6	...	,,	29.94	760.5	...	...	...	0	...
Naha,	,,	29.86	758.5	...	...	S	4	...	,,	29.94	760.5	...	...	NNW	1	...
Ishigakijima,	,,	29 88	759.0	...	...	SW	1	...	,,	29.90	759.5	...	...	ENE	1	...
Bonin Island,	,,	30.06	761.5	...	...	ENE	1	...	,,	30.10	764.5	...	...	SSE	1	...
Chefoo,	15	29.86	758.4	81	8	S	2	lc	6	29.88	758.8	65	6	SSW	6	bc
Shanghai,	14	29.95	760.7	70	6	N	2	c	,,	30.02	762.5	59	8	ESE	2	bo
Gutzlaff,	,,	29.94	760.5	61	6	NNW	2	o	,,	30.08	764.0	61	6	...	o	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.92	759.9	70	4	E	2	df	7	29.98	761.5	69	8	NE	2	bo
Amoy,	,,	29.85	758.2	79	6	NE	4	o	6	29.90	759.4	74	6	ENE	2	c
Swatow,	,,	29.90	759.5	81	...	E	3	c	,,	29.92	760.0	75	...	NE	2	o
Tailoku,	11	29.90	759.4	79	...	WNW	2	o	5	29.92	760.0	72	...	E	4	o
Taichu,	,,	29.89	759.1	86	...	...	o	bc	,,	29.89	759.3	74	..	...	o	o
Tainan,	,,	29.85	758.2	91	...	SW	2	bo	,,	29 85	758 2	76	...	...	o	lc
Koxinga,	,,	29.84	758.0	91	...	S	2	bc	,,	29.86	758 5	77	...	...	o	bc
Pescadores,	,,	29.86	758.4	81	...	N	2	o	,,	29.86	758.5	76	...	NNE	4	b
Hong Kong,	14	29.81	757.2	85	7	W	1	c	6	29 84	757.9	79	8	E	2	ct
Gap Rock,	,,	29.83	757.7	82	8	NNW	3	o	,,	29.83	757.6	82	8	NE	2	c
Macao,	,,	29.80	756.8	85	6	NE	2	o	,,	29.80	757.0	79	4	ESE	2	c
Hoihow,	,,	29.82	757.4	88	1	E	2	bo	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.2	94	8	...	o	b	6	29.82	757.3	83	8	ENE	2	b
Phulien,	15	29.81	757.2	77	8	S	4	r	7	29.83	757.6	75	7	WSW	2	c
Tourane,	,,	29.76	755.9	83	8	N	2	bc	,,	29.80	756.8	77	8	...	o	lc
Cape St. James,	,,	29.82	757.4	86	8	SSW	2	bo	,,	29.85	758.2	79	7	WSW	1	tl
Basco,	14	29.81	757.1	88	8	SE	4	b	6	29.83	757.6	81	8	SE	2	b
Aparri,	,,	29.78	756.5	88	6	NE	4	o	,,	29.76	756.0	79	6	...	o	l
Tuguegarao,	,,	..	...	...	...	...	...	...	,,	29.79	756.7	77	1	...	o	bo
Vigan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Manila,	,,	29.76	756.0	82	4	NNE	4	r	,,	29.72	754.9	77	4	SW	4	r
Legaspi,	,,	29.64	752.8	86	6	WNW	4	bc	,,	29.76	755.9	79	6	...	o	bc
Gaiboyog,	,,	...	...	..	...	...	...	...	,,	29.69	754.2	77	8	WNW	4	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	77	6	W	2	c
Iloilo,	,,	29.75	755.6	88	8	SW	4	o	,,	29.77	756.1	76	6	...	o	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.76	755.8	79	8	WSW	2	o
Surigno,	...	29.74	755.4	88	8	...	o	l	,,	29.80	757.0	77	6	...	o	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	E	4	o	4-22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29.87	758.6	...	6	NE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	86	6	S	6	bc	6	29.90	759.4	76	1	SE	6	bc

May 31*d.* 16*h.* 15*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon within 60 miles of Lat. 14° N. Long. 125° E. moving N.W.

June 1*d.* 10*h.* 58*m.*—Warning to Hong Kong, Coast Ports, &c.:—Typhoon within 120 miles of Lat. 16° N. Long. 121° E., moving W.N.W.

June 1*d.* 11*h.* 03*m.*—The anticyclone has moved to the east of Hokkaido, and a feeble anticyclonic area has developed over the lower Yangtze Valley. The typhoon is crossing Luzon about 100 miles north of Manila on a W.N.W. track.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.93 inches, against an average of 23.88 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
A.—Shanghai to Turnabout,	Light variable winds; fair.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; fair to showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	2nd JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	..	6	...	...	...	...	...	...	...
Nemuro,	11	30.28	769.0	...	...	SSW	5	...	5	30.06	763.5	..	...	SSW	4	..
Hokodate,	,,	30.20	767.0	...	...	...	0	...	,,	30.00	762.0	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	N	3	...	,,	30.04	763.0	..	...	...	...	...
Kochi,	,,	29.86	758.5	...	...	SE	1	...	,,	30.02	762.5	...	...	...	0	...
Nagasaki,	,,	29.96	761.0	...	...	NNW	1	...	,,	30.00	762.0	...	..	...	0	...
Kagoshima,	,,	29.90	759.5	...	...	WNW	1	...	,,	30.00	762.0	...	...	...	0	...
Oshima,	,,	29.98	761.5	...	...	N	1	...	,,	29.96	761.0	...	...	...	0	...
Naha,	,,	29.98	761.5	...	...	NNE	1	...	,,	29.94	760.5	...	...	SE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	NE	1	...	,,	29.90	759.3	...	...	SSE	1	...
Ponin Island,	,,	30.08	764.0	...	...	SSE	1	...	,,	30.10	764.5	...	...	ESE	1	...
Chefoo,	15	29.90	759.5	85	8	SE	2	bc	6	30.00	762.0	65	8	S	2	c
Shanghai,	14	29.97	761.3	72	6	ESE	2	c	,,	29.94	760.4	63	4	SE	2	d
Gutzlaff,	,,	30.03	762.7	67	6	SE	4	c	6	29.99	761.7	61	4	ESE	2	d
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.95	760.7	74	6	E	2	c	7	29.91	759.7	71	6	...	c	c
Amoy,	,,	29.90	759.4	77	1	S	4	bc	6	29.89	759.2	76	6	NE	2	c
Swatow,	,,	29.94	760.5	79	...	E	3	bc	,,	29.90	759.4	75	...	NE	1	c
Tailoku,	11	29.92	760.0	81	...	E	6	c	5	...	...	...	...	...	...	...
Taichu,	,,	29.91	759.7	91	...	...	0	c	,,	...	...	...	..	...	...	...
Tainan,	,,	29.87	758.8	91	...	W	2	bc	,,	...	...	...	...	...	...	...
Koshun,	,,	29.87	758.8	86	...	NE	4	b	,,	...		...	...	...	...	...
Pescadores,	,,	29.9	759.6	83	...	NNE	8	c	,,	..	...	...	...	...	...	...
Hong Kong,	14	29.81	757.2	84	8	E	4	bc	6	29.79	756.6	78	7	E	2	c
Gap Rock,	,,	29.81	757.2	82	8	ENE	3	b	,,	29.78	756.4	82	7	NE	4	c
Macao,	,,	29.78	756.3	86	6	SE	4	c	,,	29.76	756.0	79	4	NE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.80	757.0	88	8	NE	4	c	6	29.74	755.3	82	8	E	3	bc
Phulien,	15	29.74	755.3	90	8	S	3	bc	7	29.77	756.1	79	6	E	2	c
Tourane,	,,	29.71	754.6	91	8	ENE	3	bc	,,	29.72	754.9	73	8	...	0	c
Cape St. James,	,,	29.78	756.4	88	8	SSW	1	bc	,,	29.81	757.1	79	7	WSW	2	c
Basco,	14	29.78	756.5	88	8	SE	4	bc	6	...	...	...	...	...	...	...
Aparri,	,,	29.71	754.7	91	6	SE	4	c	,,	29.79	756.6	79	6	S	4	b
Tuguegarao,	,,	29.70	754.4	85	4	...	0	c	,,	29.78	756.4	79	1	...	0	r
Vigan,	,,	29.66	753.3	91	8	SSW	4	bc	,,	29.73	755.2	81	8	...	0	t
Manila,	,,	29.73	755.2	86	8	...	0	c	,,	29.80	757.0	77	8	ESE	2	t
Legaspi,	,,	29.73	755.2	91	6	WNW	2	bc	,,	29.79	756.7	79	6	...	0	h
Calbayog,	,,	29.76	756.0	88	8	SW	2	bc	,,	29.79	756.7	76	8	NNE	2	h
Tacloban,	,,	29.76	755.8	88	8	SE	2	b	,,	29.83	757.8	77	6	...	0	h
Iloilo,	,,	29.76	756.0	88	8	S	4	bc	,,	29.80	757.0	83	6	SE	4	c
Cebu,	,,	29.74	755.3	86	8	SSW	4	b	,,	29.79	756.7	79	6	ENE	4	c
Surigao,	...	29.74	755.5	88	8	WSW	2	b	,,	29.82	757.4	77	6	...	0	c
Saipan,	11.00	..	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	ESE	6	bc	4.22	...	..	...	..	...	...	...
Yap,	11.00	29.83	757.6	...	6	NE	4	bc	5	29.84	757.8	...	8	NE	2	c
Pelew,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	86	6	SW	4	bc	6	29.89	759.3	76	1	S	...	c

June 1*d*. 15*h*. 00*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon within 60 miles of Lat. 18° N. Long. 119° E. moving N.W.

June 1*d*. 22*h*. 35*m*.—Local signal No 1 hoisted.

June 2*d*. 8*h*. 25*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon within 60 miles of Lat. 19° N. Long. 116° E., moving W.N.W.

June 2*d*. 10*h*. 42*m* Pressure is highest over the Pacific to the north-east of the Bonin Islands. At 6 a.m. the typhoon was situated about 200 miles S.S.E. of Hong Kong, moving W.N.W.; it does not appear to be of large area.

Shanghai warning. 1*d*. 21*h*. 30*m*.:—Typhoon of unknown intensity within 60 miles of Lat. 18° N. Long. 120° E., moving N.W. Recd. 1*d*. 21*h*. 45*m*.

Manila warning. 2*d*. 8*h*. 00*m*.:—Typhoon in Lat. 20° N. Long. 115° E. moving N.W. Recd 2*d*. 8*h*. 29*m*.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inch. Total since January 1st, 11.01 inches, against an average of 24.39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. winds, light to moderate; cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; cloudy.
C.—Hong Kong to Gap Rock,	E. winds, fresh; cloudy, rain.
D.—Hong Kong to Hainan Straits,	N.E. winds, moderate; probably freshening considerably; cloudy, rain.
E.—North China Sea,	None.

C. W. JEFFRIES, Director.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd June, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force, (Beaufort.)	Weather. (Beaufort.)	3rd June, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force, (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.94	760.4	59	...	W	1	b	6	29.93	760.3	59	...	SE	1	b
Nemuro,	11	29.92	760.0	...	...	SW	2	...	5	29.88	759.0	..	...	...	0	..
Hokodate,	,,	29.98	761.5	...	...	...	0	...	,,	29.98	761.5	...	...	W	1	...
Tokio,	,,	30.02	762.5	...	...	S	1	...	,,	29.98	761.5	..	...	...	0	...
Kochi,	,,	30.00	762.0	...	...	SE	1	...	,,	29.94	760.5	...	...	...	0	...
Nagasaki,	,,	30.06	763.5	...	...	SW	1	...	,,	29.84	758.0	...	..	N	1	...
Kagoshima,	,,	30.06	763.5	...	...	...	0	...	,,	29.88	759.0	...	...	S	1	...
Oshima,	,,	29.96	761.0	...	...	S	1	...	,,	29.88	759.0	...	...	SSW	1	...
Naha,	,,	29.94	760.5	...	...	SSE	2	...	,,	29.90	759.5	...	...	S	1	...
Ishigakijima,	,,	29.92	760.0	...	...	S	2	...	,,	29.88	759.0	...	...	NW	1	...
Fouin Island,	,,	30.08	764.0	...	...	SE	1	...	,,	30.04	763.0	...	...	...	0	...
Chefoo,	15	29.90	759.5	76	8	E	2	b	6	29.89	759.3	65	4	...	0	b
Shanghai,	14	29.96	761.0	68	6	E	2	o	,,	30.00	761.9	58	4	WNW	2	c
Gutzlaff,	,,	29.98	761.5	63	4	E	2	m	,,	30.02	762.5	61	6	NNW	2	bc
Wenchow,	,,	..	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.89	759.2	74	6	E	2	o	7	29.95	760.7	72	6	SSE	2	c
Amoy,	,,	29.88	758.9	79	6	S	2	o	6	29.88	759.0	76	6	ENE	2	r
Swatow,	..	29.92	760.0	81	...	E	3	o	,,	...	...	...	...	...	...	...
Tailoku,	11	29.89	759.1	85	...	...	c	o	5	29.91	759.6	74	...	E	2	r
Taichu,	,,	29.88	758.9	88	...	NNW	2	bc	,,	29.89	759.1	76	..	...	c	1
Tainan,	,,	29.85	758.2	91	...	WNW	2	bc	,,	29.83	757.6	77	...	NNE	2	b
Koshun,	,,	29.86	758.5	86	...	E	2	bc	,,	29.83	757.6	79	...	E	2	a
Pescadores,	,,	29.87	758.6	85	...	NE	4	o	,,	29.84	758.0	77	...	NE	4	lt
Hong Kong,	14	29.78	756.3	80	6	E	3	od	6	29.77	756.1	79	6	E	4	or
Gap Rock,	,,	29.78	756.3	82	8	ENE	4	o	,,	29.76	755.9	82	8	ENE	4	o
Macao,	,,	29.77	756.1	79	4	ENE	2	d	,,	29.73	755.2	79	4	NE	2	o
Hoihow,	,,	29.84	757.9	91	...	NW	2	b	,,	..	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.9	83	9	SSE	3	o	6	29.78	756.4	79	6	ESE	2	o
Phulien,	15	29.74	755.4	81	7	SE	2	o	7	29.75	755.7	77	5	NNW	1	f
Tourane,	,,	29.70	754.5	91	8	N	3	c	,,	29.74	755.4	77	3	...	0	r
Cape St. James,	,,	29.80	757.0	81	5	WSW	5	q	,,	29.82	757.4	75	6	SW	9	rf
Basco,	14	29.76	755.8	88	8	SE	4	bc	6	...	...	...	...	...	...	...
Aparri,	,,	29.76	755.8	86	6	S	2	o	,,	29.82	757.4	77	6	...	0	o
Tuguegarao,	,,	29.72	755.0	88	1	...	0	b	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.4	88	8	SSW	4	t	,,	...	...	...	...	...	...	...
Manila,	,,	29.77	756.1	86	8	...	0	bc	,,	29.82	757.3	76	6	...	0	b
Legaspi,	,,	29.75	755.6	91	8	NE	2	bc	,,	29.80	756.8	77	6	..	0	b
Calboyog,	,,	29.78	756.5	79	8	NE	2	o	,,	...	...	..	...	...	...	...
Tacloban,	,,	29.78	756.3	88	8	SE	2	b	,,	...	...	..	...	...	...	...
Iloilo,	,,	29.78	756.4	91	8	SW	4	bc	,,	29.83	757.6	77	6	...	0	bc
Cebu,	,,	29.78	756.5	86	8	SSE	2	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.76	756.0	86	8	...	0	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	8	E	4	bc	4.22	...	..	...	...	...	...	...
Yap,	11.00	29.8-	757.0	...	6	ESE	4	bc	5	...	...	...	...	...	...	...
Pelew,	,,	...	..	...	...	...	...	...	,,	...	...	..	...	...	...	...
Labuan,	14	29.94	760.4	85	6	S	...	r	6	29.90	759.4	68	1	SW	...	d

June 2*d*. 11*h*. 25*m*.—Local signal No. 3 hoisted.
June 2*d*. 15*h*. 58*m*.— ,, ,, 3 lowered.

June 2*d*. 15*h*. 40*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon within 60 miles of Lat. 19° N. Long. 113° E. moving W.

June 3*d*. 10*h*. 35*m*.—Warning to Hong Kong, Coast Ports, &c.:—Typhoon within 60 miles of Lat. 19° N. Long. 111° E., moving W.N.W.

June 3*d*. 10*h*. 40*m*.—Pressure is highest over the Pacific to the north-east of the Bonins; a weak anticyclonic area is also indicated over the mouth of the Yangtze.

The typhoon is near the west coast of Hainan, moving W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1.22 inch. Total since January 1st, 12.23 inches, against an average of 24.50 inches.

Shanghai warning, 2*d*. 21*h*. 07*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 112° E., moving W. Reed. 2*d*. 21*h*. 30*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light variable winds; fair.
B.—Turnabout to Hong Kong,	E. winds, fresh; cloudy, showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	Moderate to fresh E. and S.E. winds generally; cyclonic gales near Hainan.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Daniell.)	4th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Daniell.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.92	760.0	...	...	NNE	1	...	5	29.96	761.0	...	...	SE	1	..
Hokodate,	,,	29.96	761.0	...	...	...	0	...	,,	29.86	758.5	...	...	SSW	1	...
Tokio,	,,	29.96	761.0	...	...	S	2	...	,,	29.80	757.0	..	...	SW	1	...
Kochi,	,,	29.92	760.0	...	...	...	0	...	,,	29.73	755.0	...	...	...	0	...
Nagasaki,	,,	29.78	756.5	...	...	W	1	...	,,	29.88	759.0	...	...	...	0	...
Kagoshima,	,,	29.82	757.5	...	...	SSE	2	...	,,	29.84	758.0	...	...	...	0	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.86	758.5	...	...	N	1	...
Naha,	,,	29.90	759.5	...	...	N	2	...	,,	29.86	758.5	...	...	NE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	SSW	1	...	,,	29.86	758.5	...	...	E	1	...
Bonin Island,	,,	30.02	762.5	...	...	...	0	...	,,	29.94	760.5	...	...	SSE	1	...
Chefoo,	15	29.89	759.3	77	8	E	2	b	6	29.78	756.5	79	8	S	4	b
Shanghai,	14	29.98	761.6	81	6	SSE	2	b	,,	29.93	760.3	61	6	SSE	2	b
Gutzlaff,	,,	30.05	763.2	70	6	...	0	b	,,	29.98	761.5	65	6	S	4	b
Wenchow,	,,	..	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.98	761.5	72	6	NE	2	o	7	29.94	760.5	70	6	NNE	2	be
Amoy,	,,	29.91	759.7	76	4	E	4	o	6	29.92	759.9	72	6	ENE	2	o
Swatow,	,,	29.94	760.5	79	...	E	4	o	,,	29.91	759.8	74	...	NE	3	o
Taihoku,	11	29.94	760.4	81	...	E	4	be	5	29.88	759.0	72	...	E	2	o
Taichu,	,,	29.91	759.7	83	...	...	0	o	,,	29.89	759.1	76	..	...	0	o
Tainan,	,,	29.88	758.9	79	...	...	c	r	,,	29.86	758.4	76	...	...	0	o
Koshun,	,,	29.88	759.0	79	...	ENE	2	lt	,,	29.84	757.9	77	...	NNE	2	o
Pescadores,	,,	29.90	759.4	81	...	NE	4	r	,,	29.86	758.5	77	...	NE	4	o
Hong Kong,	14	29.79	756.6	79	5	SE	4	or	6	29.77	756.1	79	7	E	2	o
Gap Rock,	,,	29.78	756.4	83	8	E	4	c	,,	29.76	755.9	82	8	SE	4	c
Macao,	,,	29.76	755.8	81	4	ESE	4	o	,,	29.73	755.2	79	4	SE	2	o
Hoihow,	,,	29.70	754.4	85	1	NE	4	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.6	88	6	SE	2	o	6	29.81	757.1	81	6	SE	4	o
Phulien,	15	29.69	754.0	90	8	SSE	5	c	7	29.70	754.4	77	5	ENE	2	c
Tourane,	,,	29.70	754.4	82	8	NW	1	d	,,	29.70	754.3	77	7	SSE	1	f
Cape St. James,	,,	29.78	756.3	82	7	W	5	o	6	29.83	757.6	77	7	WNW	5	c
Basco,	14	29.83	757.7	86	6	SE	4	o	6	29.81	757.1	81	8	SE	2	c
Aparri,	,,	29.80	756.8	91	...	NE	...	be	,,	29.80	757.0	77	6	S	2	b
Tuguegarao,	,,	29.77	756.1	86	4	...	0	o	,,	29.80	757.0	76	4	...	0	c
Vigan,	,,	29.78	756.4	86	8	WNW	4	be	,,	29.78	756.3	79	8	ESE	2	c
Manila,	,,	29.78	756.3	91	8	WSW	2	bc	,,	29.80	757.0	77	6	...	0	o
Legaspi,	,,	29.82	757.3	86	6	NNE	2	o	,,	29.80	756.8	79	6	...	0	o
Calboyog,	,,	29.78	756.3	86	8	SW	4	be	,,	29.85	758.2	76	8	...	0	o
Tacloban,	,,	29.79	756.7	83	8	S	2	o	,,	29.84	757.9	79	8	N	2	o
Iloilo,	,,	29.78	756.5	88	8	SW	4	o	,,	29.83	757.6	77	6	...	0	o
Cebu,	,,	29.78	756.4	86	8	SSE	2	bc	,,	29.84	757.8	76	8	NNW	2	c
Surigao,	...	29.78	756.3	86	8	...	0	o	,,	...	...	...	...	...	...	...
Saipan,	13.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	6	E	4	be	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	757.0	...	6	...	0	r	5	29.84	757.9	...	8	...	0	c
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	6	...	0	c	6	29.89	759.3	76	1	S	4	b

Warning.

June 3*d*. 17*h*. 25*m*.—Typhoon within 60 miles of Lat. 20° N. Long. 109° E. moving W.

June 4*d*. 10*h*. 30*m*.— A week anticyclonic area covers the lower Yangtze Valley and extends north eastward to Korea. The typhoon has probably entered the coast near Haiphong.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1.93 inch. Total since January 1st, 14.16 inches, against an average of 25.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light southerly or variable winds; fair.
B.—Turnabout to Hong Kong,	Light northerly winds; fair.
C.—Hong Kong to Gap Rock,	S.E. winds, moderate; cloudy, showery, probably improving.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th June, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Manifest.)	5th June, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Retrofit.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29 92	760.0	...	...	SSE	1	...	5	29.90	759.5	...	...	NE	2	...
Hokodate,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.86	758.5	...	...	SE	1	...
Tokio,	,,	29.82	757.5	...	...	S	1	...	,,	29.84	758.0	..	...	NW	1	...
Kochi,	,,	29.80	757.0	...	...	...	0	...	,,	29.80	757.0	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	SW	1	...	,,	29.80	757.0	...	..	W	1	...
Kagoshima,	,,	29.82	757.5	...	...	NNW	1	...	,,	29.82	757.5	...	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	NNE	2	...	,,	29.82	757.5	...	...	S	1	...
Naha,	,,	29.92	760.0	...	...	NNW	1	...	,,	29.82	757.5	...	...	E	1	...
Ishigakijima,	,,	29.90	759.5	...	...	S	1	...	,,	29.78	756.5	...	...	S	1	...
Bonin Island,	,,	29.92	760.0	...	...	SSE	2	...	,,	29.86	758.5	...	...	SSW	1	...
Chefoo,	15	29.73	755.2	91	8	SW	4	o	6	29.60	751.8	77	6	SSW	6	o
Shanghai,	14	29.86	758.4	85	8	ESE	2	bc	,,	29.70	754.4	67	6	ESE	2	r
Gutzlaff,	,,	29.93	760.2	70	6	SE	2	bc	,,	29.72	754.9	65	4	SSE	4	d
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.90	759 4	74	8	E	2	b	7	29.77	756.1	72	8	...	0	o
Amoy,	,,	...	...	79	6	NE	2	o	6	29.81	757.2	77	6	SE	2	o
Swatow,	,,	29.90	759.5	79	...	E	3	c	,,	29.81	757.1	77	...	E	1	r
Taihoku,	11	29.89	759.3	81	...	*ENE*	4	c	5	29.76	756.0	74	...	...	0	*bc*
Taichu,	,,	29.87	758.8	88	...	...	0	bc	,,	29.80	756.8	76	..	...	0	o
Tainan,	,,	29.86	758.5	91	...	WSW	2	bc	,,	29.78	756.3	77	...	...	0	bc
Koshun,	,,	29.85	758.3	88	...	ENE	2	bc	,,	29.78	756.4	77	...	...	0	b
Pescadores,	,,	29.87	758.8	83	...	ENE	4	b	,,	29.76	756.0	77	...	...	0	bc
Hong Kong,	14	29.76	755.9	82	6	E	4	o	6	29.71	754.6	80	6	...	0	o
Gap Rock,	,,	29.77	756.2	82	6	SE	4	omr	,,	29.72	754.9	82	8	S	4	o
Macao,	,,	29.74	755.5	77	4	SE	2	d	,,	29.67	753.6	79	4	SW	2	e
Hoihow,	,,	29.69	754.1	85	1	W	2	r	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.80	757.0	91	8	ESE	2	bc	6	29.74	755.4	81	8	SE	2	b
Phulien,	15	29.63	752.5	88	8	SSW	2	bc	7	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.0	86	8	ESE	2	bc	,,	...	...	...	...	...	...	..
Cape St. James,	,,	29.80	757.0	83	8	WSW	6	bc	,,	...	...	...	...	...	...	...
Basco,	14	29.78	756.3	88	8	ESE	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.6	91	6	NNE	4	o	,,	29.76	756.0	79	6	S	2	b
Tuguegarao,	,,	29.69	754.2	98	8	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.73	755.2	91	8	NW	4	bc	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	88	8	W	2	o	,,	29.78	756.3	79	8	...	0	o
Legaspi,	,,	29.76	756.0	91	8	ENE	2	b	,,	29.76	756.0	79	6	...	0	b
Calboyog,	,,	29.76	756.0	86	8	SW	2	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.77	756.1	86	8	S	2	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	755.8	91	8	SW	4	bc	,,	29.79	756.6	79	6	...	0	o
Cebu,	,,	29.75	755.6	86	8	SSE	2	b	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.5	86	8	...	0	bc	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.7	...	6	E	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.3	...	6	E	2	b	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	6	W	...	c	6	29.90	759.4	74	...	SE	...	c

June 5*d*. 10*h*. 34*m*.—Pressure is highest to the east of Hokkaido, and low over China generally.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1.86 inch. Total since January 1st, 16.02 inches, against an average of 25.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. to S.W. winds, moderate; cloudy, rain.
B.—Turnabout to Hong Kong,	S. winds, moderate; fair generally.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	6th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.83	757.8	52	...	SE	5	o	6	29.91	759.6	48	...	...	o	o
Nemuro,	11	29.98	761.5	...	...	...	o	...	5	30.18	766.5	...	...	N	1	...
Hokodate,	,,	29.90	759.5	...	...	SE	1	...	,,	30.04	763.0	...	...	E	1	...
Tokio,	,,	29.86	758.5	...	...	...	o	...	,,	29.92	760.0	..	...	NNE	1	...
Kochi,	,,	29.76	756.0	...	...	SE	1	...	,,	29.80	757.0	...	...	...	o	...
Nagasaki,	,,	29.78	756.5	...	...	...	o	...	,,	29.67	753.5	...	...	ESE	6	...
Kagoshima,	,,	29.76	756.0	...	...	ESE	1	...	,,	29.69	754.0	...	...	E	1	...
Oshima,	,,	29.80	757.0	...	...	S	1	...	,,	29.69	754.0	...	...	SSW	1	...
Naha,	,,	29.80	757.0	...	...	SSE	2	...	,,	29.73	755.0	...	...	S	1	...
Ishigakijima,	,,	29.78	756.5	...	...	SW	2	...	,,	29.71	754.5	...	...	SW	2	...
Bonin Island,	,,	29.82	757.5	...	...	S	3	...	,,	29.80	757.0	...	...	...	o	...
Chefoo,	15	29.62	752.4	67	4	ESE	2	o	6	29.65	753.0	65	8	SSW	2	b
Shanghai,	14	29.60	754.0	74	6	NNW	4	bc	,,	29.75	755.5	63	4	NE	2	b
Gutzlaff,	,,	29.70	754.4	68	6	WNW	4	o	,,	29.80	756.9	63	6	NE	4	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.71	754.6	75	6	NE	2	o	7	29.75	755.6	76	4	...	o	f
Amoy,	,,	29.76	755.9	81	6	S	4	o	6	29.71	754.6	79	6	S	2	e
Swatow,	,,	29.77	756.1	79	...	E	1	r	,,	29.76	756.0	79	...	S	1	o
Taihoku,	11	29.76	755.8	88	...	N	2	o	5	29.71	754.6	76	...	...	o	o
Taichu,	,,	29.78	756.3	91	...	SW	2	o	,,	29.75	755.6	76	...	...	o	o
Tainan,	,,	29.76	755.8	91	...	S	2	bc	,,	29.73	755.2	77	...	SW	2	bc
Koshun,	,,	29.76	755.9	91	...	S	2	bc	,,	29.73	755.2	79	...	...	o	bc
Pescadores,	,,	29.76	755.9	86	...	S	2	o	,,	29.71	754.7	70	...	SW	2	o
Hong Kong,	14	29.68	753.9	86	7	SSW	3	c	6	29.68	753.9	79	6	NE	2	o
Gap Rock,	,,	29.69	754.1	83	8	S	3	c	,,	29.67	753.6	83	8	S	3	o
Macao,	,,	29.66	753.3	88	6	SSW	4	c	,,	29.65	753.1	79	6	...	o	c
Hoihow,	,,	29.66	753.3	88	1	S	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	91	8	SSE	2	b	6	29.70	754.4	83	8	S	2	bc
Phulien,	15	29.61	752.2	85	8	ESE	4	t	7	29.67	753.6	75	7	ENE	2	o
Tourane,	,,	29.59	751.6	85	8	N	2	b	,,	29.63	752.5	81	8	NNE	3	o
Cape St. James,	,,	29.72	754.8	83	6	SW	8	q	,,	29.75	755.7	79	7	SW	5	o
Basco,	14	...	...	91	8	SE	4	bc	6	29.73	755.2	81	8	S	2	bc
Aparri,	,,	29.68	753.8	94	6	NE	4	b	,,	29.75	755.5	79	6	SW	2	bc
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.76	755.8	79	1	...	o	o
Vigan,	,,	29.70	754.4	88	8	WSW	2	bc	,,	29.73	755.2	79	8	ESE	2	bc
Manila,	,,	29.73	755.2	88	8	SE	2	c	,,	29.78	756.5	79	8	...	o	c
Legaspi,	,,	29.72	754.8	94	8	ENE	2	b	,,	29.76	756.0	79	6	...	o	b
Calboyog,	,,	29.74	755.4	86	8	...	o	bc	,,	29.80	757.0	76	8	NNE	2	b
Tacloban,	,,	29.74	755.5	88	8	SE	2	bc	,,	29.80	757.0	79	8	...	o	b
Iloilo,	,,	29.74	755.3	91	8	SW	4	o	,,	29.80	756.8	77	6	...	o	o
Cebu,	,,	29.72	754.9	91	8	SE	2	bc	,,	29.79	756.6	79	8	...	o	bc
Surigao,	...	29.72	754.9	88	8	SE	2	bc	,,	29.78	756.5	77	6	NW	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	SW	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.87	758.8	...	6	...	o	bc	5	29.85	758.2	...	6	NW	4	r
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	88	6	NW	4	b	6	29.89	759.3	77	...	S	...	o

June 6*d*. 10*h*. 24*m*.—Pressure has increased considerably to the east of Hokkaido; it remains low over China generally, and a depression covers the Eastern Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inch. Total since January 1st, 16.15 inches, against an average of 26.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7th.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	S. winds, moderate; fair to showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.20	767.0	...	...	SE	2	...	5	29.80	757.0	...	...	ESE	1	...
Hokodate,	,,	30.06	763.5	...	...	ESE	3	...	,,	30.04	763.0	...	...	ESE	4	...
Tokio,	,,	29.90	759.5	...	...	NE	2	...	,,	29.82	757.5	..	...	NNW	3	...
Kochi,	,,	29.78	756.5	...	...	...	...	...	,,	29.71	754.5	...	...	...	0	...
Nagasuki,	,,	29.65	753.0	...	...	ESE	3	...	,,	29.75	755.5	...	...	NNE	1	...
Kagoshima,	,,	29.67	753.5	...	...	NE	1	...	,,	29.71	754.5	...	...	...	0	...
Oshima,	,,	29.69	754.0	...	...	...	...	...	,,	29.73	755.0	...	...	N	1	...
Naha,	,,	29.72	755.0	...	...	SSW	2	...	,,	29.76	756.0	...	...	NW	1	...
Ishigakijima,	,,	29.72	755.0	...	...	SW	1	...	,,	29.76	756.0	...	...	...	0	...
Bonin Island,	,,	29.78	756.5	...	...	SW	1	...	,,	29.78	756.5	...	...	WNW	1	...
Chefoo,	15	29.61	752.0	83	8	SW	6	bc	6	29.57	751.0	72	8	WSW	4	bc
Shanghai,	14	29.76	755.8	79	6	SSE	2	o	,,	29.79	756.6	65	6	SE	2	bc
Gutzlaff,	,,	29.82	757.4	68	6	...	0	o	,,	29.85	758.2	65	6	SE	4	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.76	755.9	76	4	E	2	r	7	29.81	757.2	72	6	...	0	r
Amoy,	,,	29.73	755.1	81	4	N	2	r	6	29.77	756.1	72	4	E	2	r
Swatow,	,,	29.73	755.1	86	...	SW	1	o	,,	29.75	755.5	79	...	SW	1	r
Tailoku,	11	29.72	755.0	86	...	W	2	o	5	29.78	756.3	70	...	E	2	r
Taichu,	,,	29.78	756.3	91	...	SSW	2	o	,,	29.75	755.6	76	..	...	0	r
Tainan,	,,	29.76	755.8	91	...	WNW	2	c	,,	29.74	755.4	77	...	SE	2	o
Koshun,	,,	29.75	755.6	88	...	SW	2	c	,,	29.72	754.9	76	...	...	0	d
Pescadores,	,,	29.76	755.8	86	...	S	4	o	,,	29.73	755.2	76	...	NE	4	r
Hong Kong,	14	29.67	753.7	86	8	S	1	c	6	29.68	753.9	79	6	...	0	c
Gap Rock,	,,	29.68	753.9	83	8	SE	2	c	,,	29.68	753.9	83	8	S	3	cp
Macao,	,,	29.67	753.7	88	4	SSE	2	c	,,	29.65	753.0	79	4	S	2	c
Hoilow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	88	8	SSW	2	bc	6	29.71	754.6	81	8	S	2	c
Phulien,	15	29.63	752.6	79	8	SE	2	c	7	29.66	753.4	77	8	S	2	c
Tourane,	,,	29.61	752.2	85	8	NE	2	bc	,,	29.65	753.0	79	8	NW	2	bc
Cape St. James,	,,	29.74	755.3	79	6	SW	8	o	,,	29.78	756.5	77	6	SW	6	c
Basco,	14	29.70	754.4	91	6	SW	4	bc	6	29.74	755.4	79	6	...	0	c
Aparri,	,,	29.69	754.0	94	6	WNW	4	o	,,	29.75	755.6	77	6	S	2	o
Tuguegarao,	,,	29.66	753.3	98	6	S	2	bc	,,	29.74	755.4	77	1	...	0	c
Vigan,	,,	29.72	754.8	88	8	NW	2	bc	,,	29.73	755.0	79	8	ESE	2	c
Manila,	,,	29.72	754.9	91	8	WSW	4	bc	,,	29.78	756.4	79	6	...	0	h
Legaspi,	,,	29.70	754.4	94	8	ENE	2	b	,,	29.78	756.4	79	6	...	0	n
Calboyog,	,,	29.73	755.2	86	8	SSW	2	bc	,,	29.81	757.2	76	8	...	...	bc
Tacloban,	,,	29.73	755.2	88	8	SE	4	o	,,	29.78	756.3	79	6	...	...	o
Iloilo,	,,	29.74	755.5	91	8	SW	4	o	,,	29.80	757.0	79	6	...	0	o
Cebu,	,,	29.75	755.6	85	8	SSE	2	o	,,	29.80	757.0	81	8	...	0	b
Surigao,	...	29.76	755.8	85	6	...	0	o	,,	29.80	757.0	79	6	W	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	6	SW	2	bc	4.22	29.84	757.8	...	6	...	0	b
Yap,	11.00	29.83	757.6	...	8	NW	4	bc	5	29.87	758.6	...	6	...	0	c
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.86	758.5	85	6	SE	4	bc	6	29.90	759.4	76	1	S	6	bc

June 7*d*. 10*h*. 45*m*.—The anticyclone to the N.E. of Japan has weakened.

The depression is moving eastward, it is now central between S.W. Japan and the Bonin Islands.

A depression appears to be forming over S.W. Manchuria.

An area of relatively low pressure covers S.W. China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inch. Total since January 1st, 16.10 inches, against an average of 26.94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	S.E. or variable winds, light to moderate; cloudy, showery.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S. winds, moderate; cloudy, showery.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th June, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	8th June, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.14	765.5	...	...	ESE	1	...	5	30.18	766.5	...	...	E	1	...
Hokodate,	,,	30.00	762.0	...	...	E	3	...	,,	29.98	761.5	...	...	ESE	3	...
Tokio,	,,	29.82	757.5	...	...	NNW	2	...	,,	29.84	758 0	..	...	NNW	1	...
Kochi,	,,	29.72	755.0	...	...	W	1	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	N	1	...	,,	29.82	757.5	...	...	...	0	...
Kagoshima,	,,	29.72	755.0	...	...	SSE	1	...	,,	29.80	757.0	...	...	...	0	...
Oshima,	,,	29.78	756.5	...	...	N	1	...	,,	29.78	756.5	...	...	...	0	...
Naha,	,,	29.80	757.0	...	...	NNW	2	...	,,	29.78	756.5	...	...	...	0	...
Ishigakijima,	,,	29.76	756.0	...	...	NE	2	...	,,	29.73	755.0	...	...	E	2	...
Bonin Island,	,,	...	...	...	...	SSW	1	...	,,	29.69	754.0	...	...	SW	3	...
Chefoo,	15	29.56	750.8	79	8	ENE	4	b	6	29.62	752.3	68	6	NNE	2	bc
Shanghai,	14	29.76	755.8	85	6	SSE	2	bc	,,	29.73	755.2	65	8	SE	2	b
Gutzlaff,	,,	29.82	757.4	72	6	S	4	c	,,	29.79	756.6	68	6	S	4	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.80	756.9	72	4	...	0	df	7	29.77	756.1	71	4	N	2	df
Amoy,	,,	29.80	756.9	74	6	E	2	r	6	29.77	756.1	72	4	NE	2	r
Swatow,	,,	29.79	756.6	75	...	NNE	2	r	,,	29.75	755.7	74	...	NE	1	o
Taihoku,	11	29.79	756.6	74	...	E	2	r	5	29.74	755.4	70	...	E	2	r
Taichu,	,,	29.78	756.3	85	...	SW	2	o	,,	29.75	755.5	74	...	...	0	o
Tainan,	,,	29.76	755.8	88	...	S	2	o	,,	29.71	754.7	77	...	ESE	2	o
Koshun,	,,	29.76	755.8	91	...	SSE	2	c	,,	29.73	755.2	77	...	...	0	lt
Pescadores,	,,	29.75	755.6	83	...	SE	2	o	,,	29.69	754.5	77	...	E	2	o
Hong Kong,	14	29.64	752.8	87	8	SSW	2	bc	6	29.64	752.8	77	5	ENE	3	or
Gap Rock,	,,	29.65	753.1	84	8	SSW	3	c	,,	29.63	752.6	83	8	S	3	c
Macao,	,,	29.62	752.4	91	4	S	4	c	,,	29.66	753.4	79	4	W	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	83	8	S	2	o	6	29.69	754.0	81	8	...	0	c
Phulien,	15	29.60	751.8	81	7	SSE	4	c	7	...	...	...	...	...	...	...
Tourane,	,,	29.64	752.8	81	2	WSW	3	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	82	7	SW	3	c	,,	...	...	...	...	...	...	...
Basco,	14	29.72	754.8	86	8	SE	4	bc	6	...	...	...	...	...	...	...
Aparri,	,,	29.69	754.0	94	6	NNE	4	bc	,,	29.75	755.6	79	6	...	0	c
Tuguegarao,	,,	29.64	752.8	98	8	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.9	91	8	SW	4	bc	,,	...	...	...	...	...	...	..
Manila,	,,	29.75	755.6	88	8	SW	4	bc	,,	29.78	756.3	79	4	...	0	c
Legaspi,	,,	29.70	754.4	91	6	ENE	2	o	,,	29.79	756.6	79	6	...	0	o
Calboyog,	,,	29.73	755.6	85	8	...	0	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755 4	83	8	...	0	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	85	8	SSW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.76	755.8	83	8	SSW	4	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.5	83	8	WSW	2	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.5	...	6	...	0	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	757.0	...	6	...	0	bc	5	29.83	757.7	...	6	N	4	c
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	86	6	S	...	c	6	29.90	759.4	72	...	...	...	c

June 8*d.* 10*h.* 48*m.*—Pressure remains highest to the north-east of Hokkaido, and low over China generally. The depression appears to be stationary between Tokio and the Bonins.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 2.14 inch. Total since January 1st, 18.34 inches, against an average of 27.45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	None.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S. winds, moderate; cloudy, rain.
D.—Hong Kong to Hainan Straits, ...	None.
E.—North China Sea, ...	S. & S.E. winds, light to moderate; cloudy, local rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th June, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	9th June, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.18	766.5	...	...	ESE	1	...	5	30.18	766.5	...	...	ESE	2	...
Hokodate,	,,	30.00	762.0	...	...	SE	2	...	,,	30.06	763.5	...	...	E	1	...
Tokio,	,,	29.82	757.5	...	...	N	2	...	,,	29.92	760.0	..	...	N	1	...
Kochi,	,,	29.80	757.0	...	...	NNW	1	...	,,	29.88	759.0	...	...	NW	1	...
Nagasaki,	,,	29.84	758.0	...	...	WSW	1	...	,,	29.92	760.0	...	...	...	0	...
Kagoshima,	,,	29.82	757.5	...	...	SSE	1	...	,,	29.88	759.0	...	...	NNW	1	...
Oshima,	,,	29.80	757.0	...	...	NNE	1	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.80	757.0	...	...	ENE	1	...	,,	29.78	756.5	...	...	NE	2	...
Ishigakijima,	,,	29.78	756.5	...	...	E	1	...	,,	29.75	755.5	...	...	...	...	...
Bonin Island,	,,	29.69	754.0	...	...	WSW	1	...	,,	29.73	755.0	...	...	SW	1	...
Chefoo,	15	29.61	752.2	79	8	SE	2	b	6	29.65	753.0	70	8	S	4	b
Shanghai,	14	29.75	755.6	88	8	SSE	2	b	,,	29.77	756.1	68	6	SSE	4	c
Gutzlaff,	,,	29.82	757.4	72	6	SSE	4	b	,,	29.83	757.7	68	6	SSE	4	l
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.77	756.1	75	8	E	2	c	7	29.77	756.1	73	4	N	2	d
Amoy,	,,	29.75	755.7	79	4	WNW	2	r	6	29.73	755.1	74	4	NE	2	r
Swatow,	,,	29.77	756.2	75	...	NE	3	r	,,	29.71	754.7	77	...	E	1	o
Taiboku,	11	29.78	756.4	76	...	E	2	r	5	29.71	754.7	72	...	...	0	o
Taichu,	,,	29.74	755.3	81	...	...	0	r	,,	29.72	754.8	76	...	SE	2	r
Tainan,	,,	29.72	755.0	86	...	SSE	4	c	,,	29.69	754.2	76	...	SE	2	o
Koshun,	,,	29.73	755.2	88	...	SW	2	c	,,	29.70	754.3	77	...	...	0	o
Pescadores,	,,	29.71	754.6	85	...	SSW	4	c	,,	29.67	753.5	79	...	SSW	4	r
Hong Kong,	14	29.64	752.8	81	5	...	0	c	6	29.60	751.7	78	6	E	1	o
Gap Rock,	,,	29.64	752.8	84	7	SW	4	c	,,	29.61	752.0	83	8	S	4	cp
Macao,	,,	29.60	751.9	85	4	WSW	2	c	,,	29.57	751.0	79	4	S	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.69	754.0	91	8	S	2	bc	6	29.65	753.0	79	6	SSW	2	r
Phulien,	15	29.57	750.9	83	8	ESE	2	c	7	29.55	750.6	81	6	SSE	3	lt
Tourane,	,,	29.60	751.9	86	8	N	2	bc	,,	29.62	752.2	79	8	SSW	2	c
Cape St. James,	,,	29.79	756.7	76	4	SW	2	lt	,,	29.80	757.0	77	6	SW	4	c
Basco,	14	29.70	754.3	88	8	SW	4	bc	6	29.70	754.3	79	6	...	0	o
Aparri,	,,	29.69	754.0	94	6	NE	4	bc	,,	29.72	754.9	76	6	S	2	bc
Tuguegarao,	,,	29.65	753.1	94	8	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.71	754.7	91	8	SW	4	bc	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.4	86	8	SW	4	c	,,	29.76	755.8	77	6	...	0	bc
Legaspi,	,,	29.76	755.8	79	6	...	0	c	,,	29.74	755.4	77	6	...	0	b
Calbayog,	,,	29.78	756.5	83	8	SW	2	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.80	756.8	79	8	N	2	c	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.77	756.1	86	8	SSW	2	c	,,	29.79	756.6	79	6	S	2	c
Cebu,	,,	29.77	756.1	83	8	NNE	4	c	,,	...	...	...	...	...	...	...
Surigao,	...	29.76	755.8	88	8	WSW	2	bc	,,	29.79	756.6	79	6	...	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	76	...	...	0	c
Guam,	12.22	29.73	755.2	...	6	SSW	2	bc	4.22	29.79	756.6	...	6	...	0	c
Yap,	11.00	29.80	757.0	...	6	W	2	bc	5	29.83	757.6	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.83	757.6	78	...	SW	1	b
Labuan,	14	29.94	760.4	85	6	S	4	b	6	29.89	759.3	76	1	NE	...	c

June 9*d*. 10*h*. 27*m*.—Pressure is highest to the north-east of Hokkaido, and low over China generally, particularly in the south-west.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.52 inch. Total since January 1st, 18.86 inches, against an average of 27.96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	S. and S.E. winds, moderate; cloudy, local rain.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S. winds, moderate; cloudy, rain.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th JUNE, 1932.								10th JUNE, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.22	767.5	...	...	SE	2	...	5	30.26	768.5	...	...	SE	1	...
Hakodate,	,,	30.06	763.5	...	...	ESE	3	...	,,	30.10	764.5	...	...	E	1	...
Tokio,	,,	29.82	757.5	...	...	NE	1	...	,,	29.98	761.5	...	...	N	1	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.96	761.0	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	SW	1	...	,,	29.94	760.5	...	...	...	c	...
Kagoshima,	,,	29.88	759.0	...	...	SE	1	...	,,	29.94	760.5	...	...	...	c	...
Oshima,	,,	29.86	758.5	...	...	E	1	...	,,	29.88	759.0	...	...	...	0	...
Naha,	,,	29.80	757.0	...	...	E	3	...	,,	29.78	756.5	...	...	E	3	...
Ishigakijima,	,,	29.74	755.5	...	...	ESE	2	...	,,	29.67	753.5	...	...	ESE	1	...
Bonin Island,	,,	29.70	754.5	...	...	WNW	1	...	,,	29.76	756.0	...	...	NNW	1	...
Chefoo,	15	29.65	753.1	77	8	ESE	2	b	6	29.69	754.2	74	8	ENE	4	b
Shanghai,	14	29.78	756.3	85	6	SE	2	c	,,	29.80	757.0	68	6	ESE	2	b
Gutzlaff,	,,	29.84	758.0	72	6	SSE	4	o	,,	29.86	758.4	68	6	SSE	4	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.77	756.1	73	4	N	2	rf	7	29.73	755.1	73	6	NNW	2	d
Amoy,	,,	29.68	753.9	77	6	SW	2	o	6	29.75	755.7	74	4	NE	2	r
Swatow,	,,	29.68	753.8	81	...	E	3	o	,,	29.69	754.2	75	...	E	2	r
Taihoku,	11	29.73	755.2	81	...	NE	2	d	5	29.65	753.1	74	...	...	0	r
Taichu,	,,	29.73	755.2	77	...	...	0	r	,,	29.67	753.7	74	...	...	0	r
Tainan,	,,	29.72	754.8	79	...	S	2	r	,,	29.64	752.9	76	...	SE	4	r
Koshun,	,,	29.72	754.9	81	...	...	0	o	,,	29.65	753.1	76	...	...	0	o
Pescadores,	,,	29.68	753.8	85	...	S	2	d	,,	29.62	752.2	77	...	WNW	2	r
Hong Kong,	14	29.58	751.3	81	5	E	2	om	6	29.56	750.8	83	6	S	3	o
Gap Rock,	,,	29.59	751.5	83	8	W	4	o	,,	29.56	750.8	84	8	SW	3	o
Macao,	,,	29.56	750.7	86	4	SW	2	c	,,	29.54	750.3	81	4	SW	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.64	752.9	85	6	WNW	2	r	6	29.62	752.3	81	6	...	0	r
Phulien,	15	29.49	749.1	91	8	WSW	2	c	7	29.50	749.2	81	6	S	2	r
Tourane,	,,	29.56	750.8	91	8	NNW	4	c	,,	29.60	751.7	81	8	...	0	c
Cape St. James,	,,	29.78	756.3	84	6	SW	6	t	,,	29.81	757.1	77	7	SW	4	bc
Basco,	14	29.67	753.5	86	6	...	0	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.64	752.8	94	6	SSE	2	o	,,	29.67	753.7	77	6	S	2	o
Tuguegarao,	,,	29.61	752.0	94	8	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.69	754.0	91	8	SSW	4	bc	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.7	88	8	WSW	4	o	,,	29.76	755.8	79	4	...	0	r
Legaspi,	,,	29.69	754.0	91	8	SW	4	bc	,,	29.73	755.2	77	6	...	0	bc
Calboyog,	,,	29.73	755.2	88	8	SW	2	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.2	91	8	SE	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	91	8	W	4	bc	,,	...	...	...	...	...	...	...
Cebu,	,,	29.73	755.2	85	8	SSW	6	b	,,	...	...	...	...	...	...	...
Surigao,	...	29.72	754.8	91	8	WSW	2	b	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.77	756.1	...	6	...	0	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	6	N	2	bc	5	29.83	757.6	...	6	...	0	b
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	6	SSE	6	bc	6	29.91	759.6	72	1	SW	...	r

June 10*d.* 10*h.* 37*m.*— Pressure is highest to the north-east of Hokkaido, and a depression covers south-west China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 2.13 inch. Total since January 1st, 20.99 inches, against an average of 28.47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
A.—Shanghai to Turnabout,	S. and S.E. winds, moderate; fair.
B.—Turnabout to Hong Kong,	S. winds, moderate; cloudy, rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	11th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.12	765.0	...	...	ENE	3	...	5	30.18	766.5	..	...	SE	2	..
Hokodate,	,,	30.10	764.5	...	...	ESE	3	...	,,	30.08	764.0	...	...	ESE	1	...
Tokio,	,,	29.98	761.5	...	...	NE	1	...	,,	30.02	762.5	..	...	NNW	1	...
Kochi,	,,	29.94	760.5	...	...	SSW	1	...	,,	29.96	761.0	...	...	...	...	...
Nagasaki,	,,	29.90	759.5	...	...	ESE	1	...	,,	29.92	760.0	...	...	E	1	...
Kagoshima,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.90	759.5	...	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	SE	2	...	,,	29.80	757.0	...	...	SE	1	...
Naha,	,,	29.82	757.5	...	...	ENE	3	...	,,	29.69	754.0	...	...	E	4	...
Ishigakijima,	,,	29.67	753.5	...	...	SW	2	...	,,	29.57	751 0	...	...	N	1	...
Bonin Island,	,,	29.80	757.0	...	...	N	1	...	,,	29.86	758.5	...	...	N	1	...
Chefoo,	15	29.69	754.0	94	6	SSW	4	bo	6	29.66	753.3	72	6	SSW	8	o
Shanghai,	14	29.79	756.6	85	6	SE	4	o	,,	29.75	755.6	68	6	ESE	4	o
Gutzlaff,	,,	29.86	758.4	72	6	S2	6	bo	,,	29.80	756.9	68	4	SE	6	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.70	754.4	74	6	N	2	o	7	29.64	752.8	73	8	N	2	bo
Amoy,	,,	29.68	753.8	77	6	NE	2	o	6	29.64	752.9	76	4	ENE	2	o
Swatow,	,,	29.81	757.2	79	...	E	3	c	,,	29.69	754.1	75	...	E	1	z
Taihoku,	11	29.67	753.6	79	...	...	0	r	5	29.60	751.7	74	...	...	0	o
Taichu,	,,	29.71	754.8	77	...	...	0	r	,,	29.63	752.6	74	...	SE	2	o
Tainan,	,,	29.68	753.8	77	...	ESE	2	o	,,	29.62	752.2	76	...	SE	2	o
Koshun,	,,	29.68	753.8	81	...	SW	2	o	,,	29.61	752.0	77	...	...	0	o
Pescadores,	,,	29.65	753.1	83	...	SW	2	o	,,	29.62	752.2	77	...	NNW	2	o
Hong Kong,	14	29.57	751.1	82	6	E	2	od	6	29.56	750.8	78	5	NNE	2	or
Gap Rock,	,,	29.58	751.6	83	7	S	3	o	,,	29.56	750.8	82	8	SE	3	op
Macao,	,,	29.54	750.3	86	4	WSW	2	c	,,	29.54	750.3	77	4	SE	2	d
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.62	752.3	86	8	SW	2	o	6	29.60	751.8	79	6	SSW	2	r
Phulien,	15	29.49	749.0	84	7	...	0	c	7	29.50	749.2	83	8	SW	4	c
Tourane,	,,	29.56	750.8	95	8	SSW	3	c	,,	29.58	751.3	85	8	SE	2	bo
Cape St. James,	,,	29.76	756.0	86	8	SW	4	c	,,	29.80	757.0	79	8	SW	6	bc
Basco,	14	29.64	752.8	85	6	WSW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.62	752.4	94	6	...	0	o	,,	29.66	753.3	77	6	...	0	o
Tuguegarao,	,,	*29.64*	*752.9*	*94*	*6*	...	0	*o*	,,	...	...	...	...	...	...	...
Vigan,	,,	29.66	753.4	86	8	SW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.2	83	6	SW	2	o	,,	29.72	754.9	79	6	...	0	o
Legaspi,	,,	29.69	754.0	91	8	SW	4	h	,,	29.72	754.8	79	6	...	0	h
Calbayog,	,,	29.74	755.4	88	4	SW	6	bo	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.3	91	8	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.73	755.2	86	8	SSW	6	bo	,,	..	...	...	...	...	...	...
Surigao,	...	29.72	754.8	91	6	...	0	b	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	..	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	756.0	...	6	ESE	2	bo	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.8	...	6	...	0	bc	5	29.82	757.4	...	6	...	0	bo
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	6	S	...	c	6	29.90	759.4	74	...	...	...	c

Warning.

June 11*d.* 10*h.* 14*m.*—Typhoon forming within 120 miles of Lat. 23° N. Long. 125° E.

June 11*d.* 10*h.* 27*m.*—Pressure is highest to the east of Hokkaido; the depression remains over S.W. China, and a typhoon appears to be developing to the east of Formosa.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1.02 inch. Total since January 1st, 22.01 inches, against an average of 28.98 inches.

Manila warning. 11*d.* 9*h.* 20*m.*:—Typhoon in Lat. 22° N, Long. 124° E. direction unknown. Recd 11*d.* 9*h.* 53*m.*

Shanghai warning. 11*d.* 9*h.* 25*m.*:—Typhoon forming within 120 miles of Lat. 23° N. Long. 125° E. Recd. 11*d.* 9*h.* 58*m.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
A.—Shanghai to Turnabout,	E. and S.E. winds, moderate; cloudy.
B.—Turnabout to Hong Kong,	None.
C.—Hong Kong to Gap Rock,	S. or variable winds, moderate; cloudy, rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	12th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.87	755.6	52	...	SE	5	f	6	29.92	759.4	52	...	SE	3	f
Nemuro,	11	30.14	765.5	...	...	SSE	2	...	5	30.10	764.5	...	...	S	1	...
Hokodate,	,,	30.06	763.5	...	...	ESE	3	...	,,	30.04	763.0	...	...	E	1	...
Tokio,	,,	30.00	762.0	...	...	S	1	...	,,	30.06	763.5	,,	...	...	0	...
Kochi,	,,	29.96	761.0	...	...	SE	1	...	,,	29.96	761.0	...	...	...	...	...
Nagasaki,	,,	29.88	759.0	...	...	WSW	1	...	,,	29.86	758.5	...	...	...	0	...
Kagoshima,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.82	757.5	...	...	E	1	...
Oshima,	,,	29.78	756.5	...	...	SSE	2	...	,,	29.71	754.5	...	...	SSE	3	...
Naha,	,,	29.69	754.0	...	...	E	5	...	,,	29.59	751.5	...	...	E	3	...
Ishigakijima,	,,	29.55	750.5	...	...	W	1	...	,,	29.53	750.0	...	...	NE	1	...
Bonin Island,	,,	29.84	758.0	...	...	...	0	...	,,	29.86	758.5	...	...	ENE	1	...
Chefoo,	15	29.68	754.8	76	8	S	1	0	6	29.64	752.8	63	4	NNE	2	7
Shanghai,	14	29.66	753.4	77	6	SE	1	0	,,	29.61	752.0	72	4	SE	4	c
Gutzlaff,	,,	29.73	755.1	72	4	ESE	6	m	,,	29.63	752.6	68	1	SE	6	f
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.58	751.3	77	6	E	2	bc	,,	29.56	750.8	76	1	...	0	f
Amoy,	,,	29.59	751.6	79	6	SSE	2	m	6	29.54	750.3	77	6	SE	2	0
Swatow,	,,	29.61	752.0	81	...	ESE	3	c	,,	...	...	...	...	...	...	...
Taiwan,	11	29.60	751.5	85	...	NW	1	0	5	29.54	750.3	76	...	...	0	0
Taichu,	,,	29.63	752.5	86	...	SW	2	c	,,	29.57	751.0	74	...	...	0	0
Tainan,	,,	29.62	752.4	85	...	SSE	2	0	,,	29.54	750.3	77	...	E	2	0
Koshun,	,,	29.63	752.5	81	...	NW	2	r	,,	29.55	750.5	77	...	...	0	0
Pescadores,	,,	29.61	752.1	85	...	...	0	0	,,	29.51	749.6	79	...	SSW	2	0
Hong Kong,	14	29.52	749.8	81	6	S	2	0	6	29.48	748.8	81	6	SW	1	...
Gap Rock,	,,	29.53	750.0	81	7	SW	3	od	,,	29.50	749.1	81	7	S	3	...
Macao,	,,	29.49	749.0	85	4	SSW	2	c	,,	29.46	748.2	79	4	WSW	2	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.57	751.0	85	8	SW	1	0	6	29.55	750.6	79	6	WNW	4	...
Phulien,	15	29.45	748.0	91	8	WSW	1	c	7	29.46	748.3	82	7	WSW	2	0
Tourane,	,,	29.53	750.0	88	8	NNE	2	bc	,,	29.57	751.0	82	8	SSW	1	0
Cape St. James,	,,	29.74	755.3	88	8	SW	6	bc	,,	29.78	756.3	79	7	SW	6	c
Basco,	14	29.57	751.0	85	6	WSW	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.61	752.0	85	6	SSW	4	0	,,	29.59	751.6	79	6	S	2	0
Tuguegarao,	,,	29.57	751.1	86	4	...	0	0	,,	...	...	...	...	...	...	...
Vigan,	,,	29.66	753.4	77	4	SSW	4	r	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	79	6	...	0	d	,,	29.71	754.6	77	6	...	0	0
Legaspi,	,,	29.66	753.2	91	8	SSW	4	c	,,	29.70	754.3	81	6	SW	2	bc
Calboyog,	,,	29.70	754.3	86	8	WSW	4	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.70	754.4	91	8	SE	4	h	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.6	88	8	S	6	c	,,	...	...	...	...	...	...	...
Cebu,	,,	29.69	754.1	86	8	SSW	4	h	,,	...	...	...	...	...	...	...
Surigao,	...	29.69	754.2	88	8	WSW	4	h	,,	...	...	...	...	...	...	...
Saipan,	13.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.9	...	6	E	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	5	...	0	lc	5	29.79	756.7	...	6	...	0	lc
Peiew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.1	88	6	W	6	bc	6	...	...	...	...	...	...	...

Warnings.

June 11*d*. 16*h*. 40*m*.—Typhoon within 120 miles of Lat. 25° N. Long. 125° E., moving N.

June 12*d*. 10*h*. 02*m*.—Typhoon within 120 miles of Lat. 25° N. Long. 126° E., stationary or very slow.

June 12*d*. 10*h*. 20*m*.—A moderate anticyclone is central to the north-east of Tokio.

A depression covers S. China.

The typhoon appears to be nearly stationary about 250 miles to the east of N. Formosa.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inch. Total since January 1st, 22.69 inches, against an average of 29.49 inches.

Manila warning. 12*d*. 9*h*. 10*m*.:—Typhoon in Lat. 24° N. Long. 127° E. recurving north-eastward. Recd 12*d*. 9*h*. 35*m*.

Shanghai warning. 12*d*. 9*h*. 09*m*.:— Typhoon forming within 60 miles of Lat. 26° N. Long. 125° E. stationary or very slow. Recd. 12*d*. 9*h*. 33*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. or variable winds, moderate; cloudy, coastal fog.
B.—Turnabout to Hong Kong,	S.W. or variable winds, moderate; overcast, rain.
C.—Hong Kong to Gap Rock,	S.W. winds, moderate; generally overcast, occasional rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

E. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th JUNE, 1932.								13th JUNE, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.08	764.0	...	...	SSW	3	...	5	30.10	764.5	...	...	SW	2	...
Hokodate,	,,	30.02	762.5	...	...	SE	2	...	,,	30.04	763.0	...	...	...	0	...
Tokio,	,,	30.06	763.5	...	...	S	1	...	,,	30.08	764.0	,,	...	NW	1	...
Kochi,	,,	29.94	760.5	...	...	SE	1	...	,,	29.92	760.0	...	...	...	...	...
Nagasaki,	,,	29.80	757.0	...	...	ESE	2	...	,,	29.78	756.5	...	...	ESE	1	...
Kagoshima,	,,	29.82	757.5	...	...	SE	2	...	,,	29.78	756.5	...	...	E	1	...
Oshima,	,,	30.10	764.5	...	...	SSE	1	...	,,	29.67	753.5	...	...	SE	1	...
Naha,	,,	29.61	752.0	...	...	E	3	...	,,	29.61	752.0	...	...	E	2	...
Ishigakijima,	,,	29.57	751.0	...	...	ESE	1	...	,,	29.51	749.5	...	...	S	1	...
Bonin Island,	,,	29.88	759.0	...	...	ESE	1	...	,,	29.80	757.0	...	...	SW	1	...
Chefoo,	15	29.55	750.5	67	6	NE	4	o	6	29.72	754.8	61	1	ESE	2	f
Shanghai,	14	29.56	750.8	77	8	SSE	2	o	,,	29.62	752.4	72	4	E	2	d
Gutzlaff,	,,	29.61	752.1	70	1	SSE	4	f	,,	29.68	753.9	70	1	SSE	4	f
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.51	749.5	78	6	E	2	o	7	29.54	750.3	76	4	E	2	rf
Amoy,	,,	29.50	749.3	81	6	SSE	4	o	6	...	...	77	6	S	2	o
Swatow,	,,	29.49	749.0	83	...	SW	1	o	,,	29.43	747.6	77	...	WSW	3	r
Taihoku,	11	29.54	750.4	91	...	...	0	bc	5	29.51	749.6	76	...	...	0	o
Taichu,	,,	29.60	751.8	79	...	S	2	r	,,	29.52	749.9	76	...	...	0	o
Tainan,	,,	29.59	751.6	76	...	E	2	r	,,	29.50	749.4	76	...	SE	2	o
Koshun,	,,	29.59	751.6	77	...	...	0	r	,,	29.52	749.8	79	...	SW	2	r
Pescadores,	,,	29.54	750.3	86	...	S	2	r	,,	29.48	748.7	77	...	S	4	o
Hong Kong,	14	29.44	747.8	78	5	SW	5	ort	6	29.44	747.8	78	4	NW	1	om
Gap Rock,	,,	29.45	748.0	83	7	SW	4	op	,,	29.46	748.3	82	7	SW	4	o
Macao,	,,	29.42	747.3	81	4	W	2	o	,,	29.41	747.0	79	4	NE	2	c
Hoihow,	,,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.50	749.4	83	8	SSW	4	o	6	29.48	748.7	83	6	SW	6	o
Phulien,	15	29.44	747.8	88	8	NW	2	o	7	29.46	748.3	82	7	ESE	3	o
Tourane,	,,	29.51	749.6	91	8	WSW	2	c	,,	29.54	750.3	82	8	...	0	c
Cape St. James,	,,	29.72	754.9	77	6	SW	2	q	,,	29.74	755.4	79	7	SW	5	bc
Basco,	14	29.56	750.7	79	6	WSW	4	d	6	29.56	750.7	79	6	WSW	6	d
Aparri,	,,	29.55	750.6	91	6	S	4	z	,,	29.57	751.0	79	6	S	4	o
Tuguegarao,	,,	29.54	750.3	91	4	...	0	o	,,	29.58	751.2	77	1	...	0	o
Vigan,	,,	29.64	752.8	77	6	SW	2	d	,,	29.58	751.4	83	1	SSW	4	o
Manila,	,,	29.67	753.7	85	8	WSW	6	r	,,	29.68	753.8	79	6	...	0	o
Legaspi,	,,	29.64	752.8	91	8	WSW	4	o	,,	29.68	753.8	81	6	WSW	2	o
Calboyog,	,,	29.69	754.2	88	8	SW	4	o	,,	29.73	755.0	81	8	...	0	o
Tacloban,	,,	29.69	754.2	91	8	...	0	bc	,,	29.73	755.0	79	8	NW	2	b
Iloilo,	,,	29.71	754.7	88	8	SSW	6	o	,,	29.72	754.8	85	6	SSW	2	o
Cebu,	,,	29.69	754.0	86	8	SSW	6	bc	,,	29.73	755.0	81	6	SW	4	bc
Surigao,	...	29.67	753.7	91	8	NW	2	z	,,	29.71	754.7	76	6	...	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.5	...	6	ENE	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.5	...	6	NE	2	c	5	29.76	755.9	...	6	E	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.74	755.5	88	6	W	4	bc	6	29.78	756.3	77	...	SSE	...	bc

June 13d. 10h. 20m.—Pressure is highest in the Pacific to the east of Hokkaido, and low over S. China; the typhoon has apparently filled up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 2.82 inch. Total since January 1st, 24.91 inches, against an average of 30.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
A.—Shanghai to Turnabout, ... B.—Turnabout to Hong Kong, ...	S. and S.E. winds, moderate; cloudy, rain.
C.—Hong Kong to Gap Rock, ... D.—Hong Kong to Hainan Straits, ... E.—North China Sea, ...	S.W. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th JUNE, 1932.									14th JUNE, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.78	756.5	52	...	SE	7	o		6	29.88	758.9	52	...	SE	1	f	
Nemuro,	11	30.14	765.5	...	...	SW	2	...		5	30.10	764.5	...	...	S	2	...	
Hokodate,	,,	30.04	763.0	...	...	W	1	...		,,	30.00	762.0	...	...	...	0	...	
Tokio,	,,	30.06	763.5	...	...	SSE	1	...		,,	29.98	761.5	...	...	NNE	1	...	
Kochi,	,,	29.92	760.0	...	...	ESE	1	...		,,	29.84	758 0	...	...	...	0	...	
Nagasaki,	,,	29.80	757.0	...	...	ENE	1	...		,,	29.82	757.5	...	...	E	1	...	
Kagoshima,	,,	29.80	757.0	...	...	ESE	1	...		,,	29.80	757.0	...	...	NE	2	...	
Oshima,	,,	29.69	754.0	...	...	SE	2	...		,,	29.75	755.5	...	...	...	0	...	
Naha,	,,	29.61	752.0	...	...	E	2	...		,,	29.69	754.0	...	...	S	1	...	
Ishigakijima,	,,	29.57	751.0	...	...	WSW	3	...		,,	29.59	751.5	...	...	WSW	2	...	
Bonin Island,	,,	29.82	757.5	...	...	SW	2	...		,,	29.90	759.3	...	...	S	2	...	
Chefoo,	15	29.75	755.6	67	6	E	4	c		6	29.76	755.9	63	1	SSW	2	f	
Shanghai,	14	29.66	753.3	77	6	ESE	2	o		,,	29.69	754.2	74	4	E	2	f	
Gutzlaff,	,,	29.69	754.1	72	6	ESE	4	o		,,	29.75	755.6	70	1	ESE	4	f	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.56	750.8	78	6	ESE	2	r		7	29.61	752.1	77	6	E	2	c	
Amoy,	,,	29.39	746.5	79	6	SSE	4	c		6	29.53	750.0	79	6	SE	2	o	
Swatow,	,,	29.50	749.4	83	...	S	3	c		,,	29.48	748.8	79	...	ESE	1	o	
Taihoku,	11	29.54	750.3	88	...	E	2	o		5	29.60	751.8	76	...	...	0	o	
Taichu,	,,	29.55	750.6	86	...	...	0	o		,,	29.62	752.2	77	...	...	0	r	
Tainan,	,,	29.55	750.6	79	...	SSW	2	r		,,	29.58	751.4	77	...	SE	2	o	
Koshun,	,,	29.56	750.8	79	...	WSW	2	r		,,	29.61	752.0	77	...	...	0	r	
Pescadores,	,,	29.52	749.8	85	...	S	2	r		,,	29.54	750.4	79	...	SSE	2	om	
Hong Kong,	14	29.43	747.5	88	8	WSW	2	c		6	29.48	748.8	80	5	...	0	u	
Gap Rock,	,,	29.45	748.0	83	8	WSW	4	c		,,	29.50	749.3	82	8	WSW	4	c	
Macao,	,,	29.42	747.3	91	4	WSW	2	c		,,	29.45	748.0	77	6	...	0	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.50	749.4	85	8	SW	4	o		6	29.53	750.1	81	8	SSW	4	o	
Phulien,	15	29.43	747.6	88	7	WSW	1	c		7	29.50	749.2	81	7	E	3	c	
Tourane,	,,	29.50	749.4	97	8	SW	1	c		,,	29.61	752.1	82	8	WNW	1	c	
Cape St. James,	,,	29.69	754.1	86	7	WSW	6	bc		,,	29.75	755.6	79	7	SW	4	bc	
Basco,	14	29.57	751.1	79	6	WSW	4	o		6	29.65	753.1	81	6	SSE	2	o	
Aparri,	,,	29.58	751.3	94	6	SW	4	o		,,	29.63	752.5	81	6	S	2	o	
Tuguegarao,	,,	29.56	750.7	94	8	...	0	o		,,	29.74	755.4	79	1	...	0	bc	
Vigan,	,,	29.62	752.4	85	8	SSW	4	o		,,	29.63	752.6	81	6	SW	2	o	
Manila,	,,	29.67	753.6	86	6	SW	4	o		,,	29.70	754.3	79	4	...	0	c	
Legaspi,	,,	29.65	753.0	94	6	SW	4	o		,,	29.72	754.8	79	6	WSW	2	b	
Calboyog,	,,	29.74	755.3	85	8	SW	4	bc		,,	29.74	755.3	86	8	NNE	2	bc	
Tacloban,	,,	29.70	754.3	91	8	S	4	bc		,,	29.75	755.6	79	8	S	2	b	
Iloilo,	,,	29.70	754.3	91	8	SW	4	bc		,,	29.75	755.6	81	6	...	0	b	
Cebu,	,,	29.69	754.0	88	8	SSW	4	bc		,,	29.74	755.5	79	8	...	0	b	
Surigao,	...	29.68	753 8	91	8	...	0	b		,,	29.75	755.5	76	6	...	0	b	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.78	756.3	...	6	E	4	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.76	756.0	...	6	ESE	4	bc		5	29.78	756.5	...	6	SW	2	r	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.86	758.5	88	6	SW	6	bc		6	29.89	759.3	77	1	S	4	bc	

June 14d. 10h. 30m.—Pressure remains highest to the east of Hokkaido; a depression covers South China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.59 inch. Total since January 1st, 25.50 inches, against an average of 30.51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S.E. winds, moderate; cloudy, local rain.
	S.W. winds, moderate; cloudy, rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	14TH JUNE, 1932.									15TH JUNE, 1932.								
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)		HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Nemuro,	11	30.04	763.0	...	...	SW	3	...		5	29.92	760.0	..	...	SW	2	...	
Hokodate,	,,	29.96	761.0	...	...	SSW	1	...		,,	29.90	759.5	...	...	W	1	...	
Tokio,	,,	29.94	760.5	...	...	N	1	...		,,	29.88	759.0	..	...	N	1	...	
Kochi,	,,	29.82	757.5	...	...	...	0	...		,,	29.82	757.5	...	...	...	0	...	
Nagasaki,	,,	29.80	757.8	...	...	SE	1	...		,,	29.78	756.5	...	...	ESE	1	...	
Kagoshima,	,,	29.80	757.0	...	...	NE	1	...		,,	29.80	757.0	...	...	...	0	...	
Oshima,	,,	29.76	756.0	...	...	SE	1	...		,,	29.76	756.0	...	...	S	1	...	
Naha,	,,	29.72	755.0	...	...	S	3	...		,,	29.76	756.0	...	...	S	4	...	
Ishigakijima,	,,	29.70	754.5	...	...	SW	1	...		,,	29.73	755.0	...	...	...	...	...	
Bonin Island,	,,	29.90	759.5	...	...	SW	1	...		,,	29.90	759.5	...	...	SW	2	...	
Chefoo,	15	29.78	756.5	72	4	E	4	f		6	29.73	755.2	65	1	ESE	4	f	
Shanghai,	14	29.69	754.1	77	4	ESE	2	r		,,	29.63	752.7	72	1	ESE	2	f	
Gutzlaff,	,,	29.73	755.2	77	1	ESE	2	f		,,	29.68	753.9	70	1	S	2	f	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.63	752.6	77	1	N	2	f		7	29.68	753 9	78	6	SSW	2	o	
Amoy,	,,	...	...	81	6	SSE	2	o		6	29.75	755.6	79	6	SE	2	r	
Swatow,	,,	29.56	750.9	83	...	SSE	3	o		,,	29.65	753.0	81	...	SSW	3	c	
Taihoku,	11	29.63	752.6	86	...	ENE	2	o		5	29.67	753.6	76	...	...	o	o	
Taichu,	,,	29.63	752.5	91	...	SSW	2	o		,,	29.71	754.6	77	...	...	o	c	
Tainan,	,,	29.64	752.8	81	...	SSE	4	o		,,	29.69	754.1	77	...	SE	2	o	
Koshun,	,,	29.67	753.5	83	...	SSW	2	o		,,	29.71	754.7	79	...	...	o	o	
Pescadores,	,,	29.59	751.6	79	...	S	4	r		,,	29.66	753.3	79	...	SSE	4	bc	
Hong Kong,	14	29.52	749.8	78	5	NW	1	or		6	29.59	751.6	80	6	S	3	od	
Gap Rock,	,,	29.54	750.3	82	7	WSW	4	op		,,	29.59	751.6	83	7	SW	4	or	
Macao,	,,	29.50	749.4	83	6	...	0	d		,,	29.55	750.5	77	1	SSW	2	d	
Hoihow,	,,	29.57	751.1	88	1	N	2	e		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.57	751.1	81	6	SW	4	d		6	29.65	753.0	81	6	SSE	2	c	
Phulien,	15	29.48	748.8	85	8	ESE	4	t		7	29.53	750 0	82	7	ESE	5	o	
Tourane,	,,	29.53	750.1	91	8	SE	2	bc		,,	29.59	751.6	82	8	...	o	o	
Cape St. James,	,,	29.69	754.0	86	6	WSW	4	bc		,,	29.77	756.2	...	6	SW	5	o	
Basco,	14	29.65	753.0	86	6	WSW	...	o		6	...	...	...	...	...	...	...	
Aparri,	,,	29.62	752.4	94	6	NE	4	o		,,	29.73	755.0	77	6	S	2	o	
Tuguegarao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Vigan,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Manila,	,,	29.69	754.1	88	8	WSW	4	bc		,,	29.76	755.8	77	6	...	o	o	
Legnapi,	,,	29.69	754.0	94	6	SSW	4	b		,,	29.75	755.6	79	6	...	o	o	
Calboyog,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	..	...	...	...	...	
Iloilo,	,,	29.71	754.6	91	8	SW	4	o		,,	29.78	756.3	79	...	S	2	o	
Cebu,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Surigao,	...	29.69	754 1	86	8	W	2	o		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.77	756.1	...	6	ESE	6	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.79	756.7	...	6	E	2	r		5	...	...	...	...	...	...	...	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.94	760.4	86	6	S	4	bc		6	29.78	756.3	76	1	S	4	b	

June 15*d*. 10*h*. 20*m*.—Pressure remains highest to the east of Hokkaido, but has decreased considerably.

The depression over S. China contiues to decrease in intensity.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 6.42 inch. Total since January 1st, 31.92 inches, against an average of 31.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S. and S.E. winds, moderate to light; cloudy. S.W. winds, moderate; cloudy, rainy, probably improving.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th JUNE, 1932.								16th JUNE, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.88	759.0	...	...	WSW	2	...	5	29.82	757.5	...	...	SSW	1	...
Hokodate,	,,	29.84	758.0	...	...	SSE	1	...	,,	29.75	755.5	...	...	E	1	...
Tokio,	,,	29.84	758.0	...	...	NE	1	...	,,	29.71	754.5	...	...	SSE	1	...
Kochi,	,,	29.86	758.5	...	...	SE	1	...	,,	29.59	751.5	...	...	...	0	...
Nagasaki,	,,	29.72	755.0	...	...	ESE	3	...	,,	29.61	752.0	...	...	W	2	...
Kagoshima,	,,	29.76	756.0	...	...	...	0	...	,,	29.61	752.0	...	...	WSW	1	...
Oshima,	,,	29.78	756.5	...	...	S	1	...	,,	29.75	755.5	...	...	SSW	1	...
Naha,	,,	29.82	757.5	...	...	S	4	...	,,	29.80	757.0	...	...	SSW	2	...
Ishigakijima,	,,	29.78	756.5	...	...	SSW	2	...	,,	29.76	756.0	...	...	SSW	1	...
Bonin Island,	,,	29.90	759.5	...	...	WSW	2	...	,,	29.82	757.5	...	...	W	2	...
Chefoo,	15	29.71	754.7	70	6	E	4	o	6	29.68	753.8	63	1	ESE	2	f
Shanghai,	14	29.64	752.8	83	6	NNW	2	o	,,	29.71	754.7	70	4	NNE	2	e
Gutzlaff,	,,	29.69	754.1	79	4	...	0	m	,,	29.64	752.8	68	4	NNE	4	d
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.70	754.4	78	6	S	2	r	7	29.72	754.9	78	6	S	2	o
Amoy,	,,	29.69	754.1	61	6	SW	2	o	6	29.70	754.4	79	6	SE	2	o
Swatow,	,,	29.74	755.5	79	...	SSW	3	r	,,	29.72	754.8	77	...	SW	3	h
Taihoku,	11	29.72	754.8	91	...	E	2	bc	5	29.72	754.8	77	...	...	0	bc
Taichu,	,,	29.74	755.4	91	...	S	2	c	,,	29.77	756.1	76	...	...	0	o
Tainan,	,,	29.76	755.8	88	...	NE	4	bc	,,	29.76	755.8	77	...	...	0	bc
Koshun,	,,	29.78	756.3	88	...	S	2	o	,,	29.76	755.9	79	...	...	0	c
Pescadores,	,,	29.73	755.2	86	...	S	4	bc	,,	29.73	755.0	81	...	NNE	4	o
Hong Kong,	14	29.62	752.3	78	4	SE	1	or	6	29.69	754.1	81	6	...	0	o
Gap Rock,	,,	29.64	752.9	81	7	WSW	4	or	,,	29.70	754.4	82	7	S	3	o
Macao,	,,	29.62	752.3	77	4	W	2	d	,,	29.66	753.3	79	6	...	0	o
Hoihow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Pratas Island,	,,	29.69	754.2	86	8	S	2	c	6	29.73	755.1	81	8	SSE	2	c
Phulien,	15	29.52	749.8	88	8	...	0	t	7	29.60	751.7	81	6	ESE	2	o
Tourane,	,,	29.57	751.1	94	8	SE	2	h	,,	29.62	752.2	85	8	SSE	2	l
Cape St. James,	,,	29.71	754.6	86	6	SW	6	bc	,,	29.76	756.0	79	6	W	6	o
Basco,	14	29.73	755.2	91	8	SSE	4	bc	6	...	...	...	...	...	...	...
Aparri,	,,	29.69	754.1	94	6	SSE	4	b	,,	29.76	756.0	81	6	...	0	b
Tuguegarao,	,,	29.66	753.3	94	8	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.70	754.4	91	8	SSW	4	bc	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.6	91	8	WNW	4	bc	,,	29.76	756.0	77	6	...	0	o
Legaspi,	,,	29.69	754.2	77	8	SW	2	b	,,	29.74	755.3	77	6	...	0	o
Calbeyog,	,,	29.69	754.2	85	8	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.71	754.6	86	6	NW	2	o	,,	...	...	..	...	...	...	...
Iloilo,	,,	29.71	754.7	88	8	...	0	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.72	754.8	76	8	SSW	2	r	,,	...	...	...	...	...	...	...
Surigao,	...	29.70	754.4	85	8	W	4	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	ESE	4	h	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	757.0	...	6	...	0	bc	5	29.86	758.4	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.86	758.5	86	...	S	...	c	6	29.89	759.3	79	1	SSE	...	c

June 16*d.* 10*h.* 37*m.*— Pressure is generally low over China; depressions are situated over Tongking and S. Japan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1.71 inch. Total since January 1st, 33.63 inches, against an average of 31.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	17th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.80	757.0	...	...	SSW	2	...	5	29.80	757.0	...	...	SSW	1	...
Hokodate,	,,	29.72	755 0	...	...	ESE	1	...	,,	29.75	755.5	...	...	E	1	...
Tokio,	,,	29.67	753.5	...	...	SE	1	...	,,	29.63	752.5	..	...	NE	1	...
Kochi,	,,	29.57	751.0	...	...	...	...	...	,,	29.63	752.5	...	...	...	0	...
Nagasaki,	,,	29.65	753.0	...	...	SW	1	...	,,	29.71	754.5	...	...	NNE	1	...
Kagoshima,	,,	29.63	752.5	...	...	...	0	...	,,	29.69	754.0	...	...	...	0	...
Oshima,	,,	29.74	755.5	...	...	SSW	1	...	,,	29.69	754.0	...	...	SSW	1	...
Naha,	,,	29.80	757.0	...	...	SSW	4	...	,,	29.75	755.5	...	...	SSW	3	...
Ishigakijima,	,,	29.78	756.5	...	...	SSW	2	...	,,	29.75	755.5	...	...	SSW	1	...
Bonin Island,	,,	29.82	757.5	...	...	WSW	1	...	,,	29.84	758.0	...	...	WSW	2	...
Chefoo,	15	29.70	754.4	76	8	ENE	4	bc	6	29.70	754.4	70	6	SE	2	b
Shanghai,	14	29.74	755.5	76	6	...	0	0	,,	29.78	756.4	70	4	...	0	d
Gutzlaff,	,,	29.79	756.6	72	6	...	0	0	,,	29.84	757.9	70	4	...	0	d
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.68	753.9	81	8	S	2	bc	7	29.74	755.4	80	6	...	0	c
Amoy,	,,	29.69	754.1	86	6	S	4	bc	6	29.73	755.1	81	6	SSW	2	bc
Swatow,	,,	29.76	755.8	84	...	SW	1	c	,,	29.71	754.5	81	...	SW	3	c
Taihoku,	11	29.73	755.2	88	...	...	0	c	5	29.62	752.2	77	...	...	0	c
Taichu,	,,	29.79	756.6	94	...	S	2	o	,,	29.79	756.6	79	...	...	0	o
Tainan,	,,	29.78	756.5	88	...	S	2	o	,,	29.76	755.8	79	...	...	0	bc
Koshun,	,,	29.78	756.5	86	...	SW	2	c	,,	29.72	754.9	81	...	NW	2	o
Pescadores,	,,	29.76	755.9	85	...	S	4	o	,,	29.73	755.2	79	...	SSW	2	o
Hong Kong,	14	29.68	753.9	86	7	S	2	c	6	29.71	754.6	81	6	...	0	c
Gap Rock,	,,	29.69	754.1	83	7	S	3	c	,,	29.71	754.6	83	7	S	3	c
Macao,	,,	29.66	753.3	88	4	S	2	c	,,	29.69	754.0	79	4	S	4	c
Hoihow,	,,	29.67	753.6	94	...	...	0	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.73	755.2	88	8	S	2	bc	6	29.71	754 7	81	8	S	2	b
Phulien,	15	29.61	752.2	81	8	ESE	2	t	7	29.64	752.9	81	5	S	3	c
Tourane,	,,	29.61	752.2	88	8	N	2	b	,,	29.67	753.5	77	8	...	0	bc
Cape St. James,	,,	29.70	754.4	88	8	S	4	bc	,,	29.78	756.4	79	6	SW	5	f
Basco,	14	29.72	755.0	91	8	SSE	2	bc	6	29.73	755.2	79	8	...	0	o
Aparri,	,,	29.71	754.6	91	6	NE	4	o	,,	29.74	755.4	77	6	...	0	bc
Tuguegarao,	,,	29.67	753.7	94	8	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.71	754.6	88	8	WSW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	81	6	...	0	d	,,	29.78	756.5	79	6	WSW	4	c
Legaspi,	,,	29.71	754.6	81	6	SSW	2	o	,,	29.77	756.1	77	6	...	0	o
Calbayog,	,,	29.74	755.4	81	8	W	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.5	86	8	NW	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	755.8	83	8	SW	4	o	,,	29.80	756.8	76	6	...	0	o
Cebu,	,,	29.74	755 5	85	8	SW	4	r	,,	...	...	...	...	...	...	...
Surigao,	...	29.73	755.2	86	8	WSW	4	o	,,	29.80	756.8	77	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	ESE	4	b	4.22	29.84	757.9	...	6	...	0	b
Yap,	11.00	29.81	757.1	...	6	E	2	c	5	29.88	758.9	...	6	N	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.86	758.5	88	4	SW	4	b	6	...	...	77	1	SE	6	bc

June 17*d*. 10*h*. 35*m*.—Shallow depressions are situated over Japan and Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 33.63 inches, against an average of 32.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	S. winds, moderate; fair to showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th JUNE, 1932.									18th JUNE, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.79	756.6	55	...	SE	5	o		6	29.86	758.5	50	...	SSE	2	f	
Nemuro,	11	29.84	758.0	...	...	SSE	2	...		5	29.92	760.0	...	...	ESE	1	...	
Hokodate,	,,	29.78	756.5	...	...	ESE	3	...		,,	29.88	759.0	...	...	...	0	...	
Tokio,	,,	29.67	753.5	...	...	ENE	1	...		,,	29.84	758 0	..	...	NNE	1	...	
Kochi,	,,	29.67	753.5	...	...	...	0	...		,,	29.76	756.0	...	...	W SW	1	...	
Nagasaki,	,,	29.74	755.5	...	...	...	0	...		,,	29.80	757.0	...	...	NNE	1	...	
Kagoshima,	,,	29.74	755.5	...	...	...	0	...		,,	29.76	756.0	...	...	...	0	...	
Oshima,	,,	29.74	755.5	...	...	N	2	...		,,	29.76	756.0	...	...	N	1	...	
Naha,	,,	29.78	756.5	...	...	SSW	3	...		,,	29.75	755.5	...	...	SSW	1	...	
Ishigakijima,	,,	29.76	756.0	...	...	SSW	1	...		,,	29.75	755.5	...	...	SW	1	...	
Bonin Island,	,,	29.84	758.0	...	...	SSW	2	...		,,	29.88	759.0	...	...	SW	1	...	
Chefoo,	15	29.73	755.2	79	8	E	2	b		6	29.78	756.5	68	1	S	4	be	
Shanghai,	14	29.80	757.0	72	6	S	2	r		,,	29.81	757.2	70	6	SE	2	c	
Gutzlaff,	,,	29.86	758.4	68	6	S	2	o		,,	29.87	758 7	68	4	...	0	d	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.77	756.1	77	6	E	4	o		7	29.89	759.2	76	8	...	0	o	
Amoy,	,,	29.73	755.1	86	6	SE	2	be		6	29.64	752.9	81	6	SSE	2	c	
Swatow,	,,	29.73	755.1	88	...	S	3	be		,,	29.75	755.5	81	...	SSW	1	c	
Tailoku,	11	29.74	755.3	91	...	...	0	o		5	29.75	755.5	77	...	...	0	o	
Taichu,	,,	29.76	755.9	91	...	S	2	c		,,	29.78	756.4	77	...	...	0	o	
Tainan,	,,	29.74	755.5	91	...	WSW	2	be		,,	29.76	755.8	77	...	...	0	be	
Kosbun,	,,	29.73	755.2	88	...	WNW	2	c		,,	29.76	755.8	81	...	...	0	be	
Pescadores,	,,	29.74	755 5	86	...	S	2	b		,,	29.74	755.3	79	...	SSW	2	o	
Hong Kong,	14	29.71	754.6	89	7	S	3	be		6	29 72	754.9	82	7	SW	2	be	
Gap Rock,	,,	29.72	754 9	84	7	SSW	3	c		,,	29.72	754.9	84	7	SSW	3	c	
Macao,	,,	29.69	754.2	91	4	S	2	c		,,	29.69	754.1	81	4	SW	4	c	
Hoihow,	,,	29.72	754.9	94	...	SW	2	be		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.74	755.5	91	8	S	2	be		6	29.75	755.6	81	8	SSW	2	be	
Phulien,	15	29.63	752.6	86	8	S	4	be		7	29.64	752.8	82	7	SSE	4	o	
Tourane,	,,	29.65	753.0	88	8	S2	2	b		,,	29.70	754.3	77	8	S	1	be	
Cape St. James,	,,	29.77	756.1	91	8	SSW	2	b		,,	29.84	758.0	79	6	SW	5	f	
Basco,	14	29.71	754.7	85	6	...	0	r		6	...	...	...	...	...	...	...	
Aparri,	,,	29.70	754.4	91	6	N	2	o		,,	29.78	756.4	77	6	S	2	b	
Tuguegarao,	,,	29.67	753.7	88	6	...	0	o		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.74	755.5	83	6	SSW	2	o		,,	...	...	...	...	...	...	...	
Manila,	,,	29.77	756.1	88	8	SW	2	be		,,	29.84	757.8	76	6	...	0	b	
Legaspi,	,,	29.74	755.3	91	8	SW	4	o		,,	29.82	757.4	77	6	...	0	b	
Calboyog,	,,	29.78	756.3	88	8	SW	2	b		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.78	756.4	88	8	SE	4	be		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.78	756.4	91	8	SW	4	be		,,	...	...	...	...	...	...	...	
Cebu,	,,	29.77	756.1	86	8	SSW	4	be		,,	...	...	...	...	...	...	...	
Surigao,	...	29.77	756.1	91	8	...	0	be		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.82	757.3	...	6	ESE	4	be		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.84	757.9	...	6	N	4	be		5	29.88	759.0	...	6	E	4	be	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.89	759.3	88	4	NE	4	b		6	29.91	759.7	72	...	S	...	o	

June 18*d*. 10*h*. 15*m*.— Pressure is highest over the Pacific to the east of Japan ; a shallow depression remains over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 33.63 inches, against an average of 32.57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	S. winds, moderate ; fair generally, local showers.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	19th JUNE, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.90	759.5	...	...	SSE	1	...	5	29.96	761.0	...	...	S	1	...
Hokodate,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.94	760.5	...	...	NW	1	...
Tokio,	,,	29.86	758.5	...	...	N	1	...	,,	29.96	761.0	...	...	NNE	1	...
Kochi,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.90	759.5	...	...	...	...	...
Nagasaki,	,,	29.80	757.0	...	...	WSW	1	...	,,	29.86	758.5	...	...	...	...	...
Kagoshima,	,,	29.80	757.0	...	...	SSW	1	...	,,	29.86	758.5	...	...	...	0	...
Oshima,	,,	29.80	757.0	...	...	...	...	...	,,	29.82	757.5	...	...	...	0	...
Naha,	,,	29.76	756.0	...	...	SW	2	...	,,	29.73	755.0	...	...	WSW	1	...
Ishigakijima,	,,	29.76	756.0	...	...	SW	1	...	,,	29.78	756.5	...	...	SW	1	...
Bonin Island,	,,	29.86	758.5	...	...	SW	1	...	,,	29.88	759.0	...	...	SW	2	...
Chefoo,	15	29.78	756.3	88	8	SSE	4	b	6	29.78	756.4	68	8	SSE	4	o
Shanghai,	14	29.83	757.9	79	6	ESE	2	o	,,	29.76	756.0	67	4	E	2	r
Gutzlaff,	,,	29.89	759.2	74	6	...	0	*bo*	,,	29.83	757.7	67	4	*ESE*	4	*d*
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.78	756.4	76	6	ESE	2	o	7	29.76	755.9	75	6	NE	2	o
Amoy,	,,	29.76	755.9	86	6	SSE	2	c	6	29.73	755.1	83	6	S	2	bc
Swatow,	,,	29.79	756.6	88	...	SSW	3	bc	,,	29.72	754.9	81	...	ESE	1	b
Taihoku,	11	29.78	756.3	85	...	WSW	2	o	5	29.76	755.8	77	...	...	0	c
Taichu,	,,	29.81	757.2	88	...	*S*	2	o	,,	29.80	757.0	76	..	...	0	o
Tainan,	,,	29.79	756.7	88	...	WSW	2	bo	,,	29.77	756.1	77	...	E	2	o
Koshun,	,,	29.78	756.4	83	...	WNW	2	o	,,	29.78	756.3	81	...	SW	2	c
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	79	...	S	2	o
Hong Kong,	14	29.72	754.9	89	7	SSW	3	bc	6	29.70	754.4	84	6	S	4	c
Gap Rock,	,,	29.75	755.6	85	7	SSW	3	c	,,	29.70	754.4	85	7	SSW	3	c
Macao,	,,	29.71	754.6	91	4	SSE	4	c	,,	29.67	753.5	83	4	SW	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.8	88	8	SSW	2	bc	6	29.77	756.1	81	8	S	4	bc
Phulien,	15	29.61	752.0	94	8	SSW	4	bc	7	29.62	752.2	81	6	S	6	bc
Tourane,	,,	29.68	753.8	88	8	ESE	2	b	,,	29.65	753.0	85	8	SSW	2	b
Cape St. James,	,,	29.83	757.6	77	6	SW	6	r	,,	29.86	758.5	79	8	WSW	2	c
Basco,	14	29.76	755.8	86	8	WSW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.74	755.4	94	6	SE	2	b	,,	29.84	757.8	79	6	W	2	o
Tuguegarao,	,,	29.72	754.9	94	8	...	0	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.8	88	8	SW	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.4	91	8	W	4	b	,,	29.88	758.8	77	6	NE	2	b
Legaspi,	,,	29.78	756.4	94	8	WSW	2	b	,,	29.86	758.3	77	6	...	0	b
Calboyog,	,,	29.81	757.2	91	8	SSW	2	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.81	757.2	86	8	S	4	b	,,	...	...	..	...	...	...	...
Iloilo,	,,	29.81	757.2	91	8	SW	4	b	,,	...	...	...	...	...	...	...
Cebu,	,,	29.79	756.7	88	8	S	2	b	,,	...	...	...	...	...	...	...
Surigao,	...	29.80	756.8	91	8	...	0	b	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.97	761.2	79	...	S	2	*b*
Guam,	12.22	29.86	758.4	...	6	SE	2	p	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.86	758.5	...	6	E	4	c	5	29.91	759.7	...	6	E	4	bo
Pelew,	,,	...	...	...	...	...	...	...	,,	29.89	759.1	78	...	NE	1	c
Labuan,	14	29.90	759.5	85	1	S	4	bo	6	...	...	...	1	...	...	...

June 19*d.* 10*h.* 47*m.*— Pressure remains highest over the Pacific to the east of Japan; the depression over Tongking has deepened.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.99 inch. Total since January 1st, 34.62 inches, against an average of 33.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	E. and S.E. winds, moderate; cloudy, local rain.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S. winds, moderate; cloudy, rain.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th JUNE, 1932.									20th JUNE, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	...	...	59	...	SE	3	o		6	29.91	759.6	57	...	SE	1	f	
Nemuro,	11	29.94	760.5	...	...	SW	2	...		5	29.50	759.3	...	...	WSW	2	...	
Hokodate,	,,	29.92	760.0	...	...	SE	1	...		,,	29.94	760.5	...	...	...	0	...	
Tokio,	,,	29.96	761.0	...	...	ENE	1	...		,,	30.00	762.0	...	...	...	0	...	
Kochi,	,,	29.92	760.0	...	...	NE	1	...		,,	29.92	760.0	...	...	...	...	...	
Nagasaki,	,,	29.86	758.5	...	...	W	1	...		,,	29.76	756.0	...	...	NE	1	...	
Kagoshima,	,,	29.86	758.5	...	...	SSE	1	...		,,	29.78	756.5	...	...	ENE	1	...	
Oshima,	,,	29.80	757.0	...	...	SSE	1	...		,,	29.71	754 5	...	...	...	0	...	
Naha,	,,	29.78	756.5	...	...	SW	2	...		,,	29.75	755.5	...	...	SSW	3	...	
Ishigakijima,	,,	29.76	756.0	...	...	SW	3	...		,,	29.73	755.0	...	...	SSW	3	...	
Bonin Island,	,,	29.82	757.5	...	...	SW	3	...		,,	29.82	757.5	...	...	...	0	...	
Chefoo,	15	29.76	755.8	79	6	SSE	4	o		6	29.73	755.2	65	8	SE	2	d	
Shanghai,	14	29.66	753.4	70	4	E	2	r		,,	29.51	749.6	72	4	WSW	4	o	
Gutzlaff,	,,	29.73	755.1	68	4	SE	6	r		,,	29.59	751.6	72	4	SSW	4	d	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.69	754.1	78	6	NE	2	c		7	29.67	753.6	78	6	S	2	c	
Amoy,	,,	29.74	755.4	83	6	S	4	r		6	29.69	754.1	81	6	S	2	b	
Swatow,	,,	29.76	755.9	86	...	SSW	3	b		,,	...	...	...	...	...	...	...	
Tailoku,	11	29.74	755.4	91	...	W	2	c		5	29.68	754.8	77	...	S	2	c	
Taichu,	,,	29.80	757.0	88	...	SSW	2	bc		,,	29.78	756.4	76	...	...	0	o	
Tainan,	,,	29.80	757.0	79	...	ESE	2	r		,,	29.78	756.4	76	...	SE	2	r	
Koshun,	,,	29.80	757.0	88	...	SW	4	bc		,,	29.76	756.0	81	...	SW	2	bc	
Pescadores,	,,	29.78	756.3	83	...	SW	4	c		,,	29.74	755.3	79	...	SSW	4	bc	
Hong Kong,	14	29.71	754.6	83	5	W	3	or		6	29.71	754.6	83	6	S	4	cq	
Gap Rock,	,,	29.73	755.1	85	7	SSW	4	c		,,	29.71	754.6	84	7	SSW	4	c	
Macao,	,,	29.67	753.7	85	4	SSW	2	c		,,	29.67	753.7	81	4	S	4	c	
Hoihow,	,,	29.71	754.6	91	1	S	2	bc		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.76	755.9	85	8	SW	4	c		6	29.76	756.0	81	8	SSW	2	bc	
Phulien,	15	29.58	751.3	94	8	WSW	2	c		7	29.62	752.3	81	7	SSW	4	o	
Tourane,	,,	29.69	754.0	91	8	SE	2	b		,,	29.71	754.5	77	8	...	0	o	
Cape St. James,	,,	29.83	757.8	81	6	SW	6	r		,,	29.85	758.2	79	7	SW	3	bc	
Basco,	14	29.76	755.9	86	8	WSW	4	bc		6	...	...	...	...	...	...	...	
Aparri,	,,	29.75	755.6	94	6	N	4	o		,,	29.81	757.1	77	6	W	2	bc	
Tuguegarao,	,,	29.69	754.2	96	8	...	0	bc		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.78	756.4	88	8	SW	4	b		,,	...	...	...	...	...	...	...	
Manila,	,,	29.80	756.8	91	8	WSW	2	b		,,	29.84	757.9	76	6	...	0	b	
Legaspi,	,,	29.78	756.4	94	8	SSW	2	b		,,	29.80	757.0	79	6	...	0	b	
Calboyog,	,,	29.79	756.6	91	8	WSW	4	b		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.83	757.6	83	8	...	0	b		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.78	756.5	94	8	SW	4	bc		,,	...	...	...	...	...	...	...	
Cebu,	,,	29.66	753.4	86	8	SSE	2	bc		,,	...	...	...	...	...	...	...	
Surigao,	...	29.79	756.6	88	8	N	2	b		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.87	758.8	...	6	SE	2	b		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.82	757.3	...	6	E	4	bc		5	29.89	759.1	...	6	E	2	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.90	759.4	86	1	N	4	b		6	29.91	759.6	70	...	E	...	c	

June 20*d.* 10*h.* 20*m.*— Pressure is highest in the Pacific to the east of Japan; depressions are situated over Tongking, and to the north of Shanghai.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inch. Total since January 1st, 34.82 inches, against an average of 33.63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	S.W. *winds, fresh; squally, rain.*
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S. winds, moderate, squally; fair to showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th JUNE, 1932.								21st JUNE, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.90	759.4	63	...	WSW	3	o	6	29.85	758.1	57	...	SW	1	o
Nemuro,	11	29.88	759.0	...	...	SSW	2	...	5	29.90	759.5	...	...	...	...	...
Hakodate,	,,	29.90	759.5	...	...	WNW	1	...	,,	29.88	759.0	...	...	...	o	...
Tokio,	,,	29.96	761.0	...	...	S	1	...	,,	29.92	760.0	..	...	ESE	1	...
Kochi,	,,	29 92	760.0	...	...	SE	1	...	,,	29.73	755.0	...	...	...	o	...
Nagasaki,	,,	29.70	754.5	...	...	E	6	...	,,	29.61	752.0	...	...	SSW	1	...
Kagoshima,	,,	29.74	755.5	...	...	SW	1	...	,,	29.61	752.0	...	...	NE	1	...
Oshima,	,,	29.72	755.0	...	...	WNW	1	...	,,	29.71	754 5	...	...	SW	1	...
Naha,	,,	29.74	755.5	...	...	SSW	3	...	,,	29.76	756.0	...	...	SSW	4	...
Ishigakijima,	,,	29.74	755.5	...	...	SW	3	...	,,	29.75	753.5	...	...	SW	2	...
Bonin Island,	,,	29.86	758.5	...	...	NE	1	...	,,	29.84	758.0	...	...	NE	1	...
Chefoo,	15	29.71	754.6	72	8	NE	2	bo	6	29.67	753.3	67	8	W	2	b
Shanghai,	14	29.61	752.0	74	6	WNW	4	o	,,	29.71	754.6	68	6	WNW	4	c
Gutzlaff,	,,	29.64	752.8	74	6	WNW	4	c	,,	29.76	753.9	68	6	NW	4	c
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.63	752 6	83	6	S	2	f	7	29.77	756.1	81	6	S	2	b
Amoy,	,,	29.68	753.9	88	6	SW	2	bc	6	29.76	755.9	81	6	S	2	b
Swatow,	,,	29.79	756.6	88	...	SSW	3	c	,,	29.81	757.2	81	...	SW	3	c
Taihoku,	11	29.70	754.3	91	...	WSW	4	o	5	29.75	755.6	76	...	...	o	bc
Taichu,	,,	29.80	756.8	88	...	SSW	4	o	,,	29.82	757.4	77	...	SSE	2	bc
Tainan,	,,	29.80	757.0	86	...	SSE	2	bc	,,	29.81	757.2	76	...	SE	2	c
Koshun,	,,	29.81	757.1	86	...	WSW	2	c	,,	29.80	757.0	79	...	NNW	2	c
Pescadores,	,,	29.77	756.1	86	...	SSW	6	bc	,,	29.78	756.5	79	...	S	4	bc
Hong Kong,	14	29.70	754.4	88	8	SSW	4	eq	6	29.73	755.1	84	7	SSW	4	eq
Gap Rock,	,,	29.72	754.9	85	7	SSW	4	c	,,	29.73	755.1	84	7	SW	4	c
Macao,	,,	29.69	754.0	86	4	SSW	4	c	,,	29.70	754.4	81	4	SSW	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.77	756.1	88	8	SSW	2	b	6	29.80	756.8	83	8	SSW	2	b
Phulien,	15	29.59	751.7	90	9	S	4	o	7	29.66	753.3	81	7	SSW	3	o
Tourane,	,,	29.65	753.1	88	8	SE	2	c	,,	29.75	755.6	82	8	...	o	bc
Cape St. James,	,,	29.81	757.1	86	8	S	1	bc	,,	29.86	758 5	79	7	SW	3	bo
Baseo,	14	29.78	756.4	86	8	E	4	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.77	756.1	91	6	N	4	bo	,,	29.83	757.6	77	6	S	2	b
Tuguegarao,	,,	29.71	754.7	98	8	...	o	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.79	756.7	88	8	WSW	2	bc	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.7	91	8	W	2	bo	,,	29.85	758.2	79	6	...	o	bo
Legaspi,	,,	29.79	756.6	94	8	SW	2	bo	,,	29.82	757.4	77	6	...	o	o
Calboyog,	,,	29.83	757.8	77	8	NNE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.82	757.4	86	8	S	2	o	,,	...	...	..	...	...	...	...
Iloilo,	,,	29.78	756.4	91	8	ENE	4	o	,,	...	...	...	..	...	...	...
Cebu,	,,	29.81	757.1	83	8	...	o	o	,,	...	...	...	...	...	...	...
Surigno,	...	29.78	756.5	86	8	E	2	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.84	757.9	...	6	E	4	bo	4.22	....	...	...	...	...	...	...
Yap,	11.00	29.86	758.4	...	6	ENE	2	b	5	29.88	758.9	...	6	...	o	bo
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	83	4	SW	4	b	6	29.92	760.0	63	...	W	...	o

June 21*d.* 10*h.* 19*m.*— The depression is situated in the Korea Strait, moving eastward; a shallow depression remains over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inch. Total since January 1st, 34.88 inches, against an average of 34.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	S.W. winds, moderate, squally; fair to showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st JUNE, 1932.									22nd JUNE, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.80	757.0	63	...	SSE	1	o		6	29.75	755.7	55	...	S	1	o	
Nemuro,	11	29.90	759.5	...	...	SE	1	...		5	29.92	760.0	..	...	WSW	2	...	
Hokodate,	,,	29.84	758.0	...	...	S	1	...		,,	29.82	757.5	...	...	...	0	...	
Tokio,	,,	29.88	759.0	...	...	SE	1	...		,,	29.84	758.0	..	...	N	1	...	
Kochi,	,,	29.69	754.0	...	...	S	1	...		,,	29.75	755.5	...	...	...	0	...	
Nagasaki,	,,	29.65	753.0	...	...	SW	3	...		,,	29.67	753.5	...	...	SSW	1	...	
Kagoshima,	,,	29.67	753.5	...	...	ESE	1	...		,,	29.69	754.0	...	...	...	0	...	
Oshima,	,,	29.72	755.0	...	...	WNW	1	...		,,	29.71	754.5	...	...	...	0	...	
Naha,	,,	29.78	756.5	...	...	SW	4	...		,,	29.75	755.5	...	...	SSW	3	...	
Ishigakijima,	,,	29.76	756.0	...	...	SW	1	...		,,	...	...	...	...	...	...	...	
Bonin Island,	,,	29.82	757.5	...	...	SE	1	...		,,	29.78	756.5	...	...	WNW	1	...	
Chefoo,	15	29.67	753.7	74	8	NW	4	c		6	29.66	753.3	67	4	...	0	z	
Shanghai,	14	29.74	755.3	77	6	WNW	2	o		,,	29.79	756.7	68	6	S	2	b	
Gutzlaff,	,,	29.78	756.4	76	6	NW	4	o		,,	29.82	757.4	70	6	...	0	b	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.71	754.6	84	6	SSE	4	bc		7	29.83	757.7	78	6	W	2	o	
Amoy,	,,	29.76	756.0	86	6	E	4	bc		6	29.80	756.9	81	6	SW	2	b	
Swatow,	,,	29.79	756.6	88	...	SW	3	c		,,	29.86	758.4	81	...	SW	1	c	
Taihoku,	11	29.76	756.0	91	...	W	4	bc		5	29.78	756.3	76	...	...	0	c	
Taichu,	,,	29.85	758.2	88	...	S	2	o		,,	29.84	758.0	77	...	S	2	bc	
Tainan,	,,	29.84	757.9	88	...	SSW	2	bc		,,	29.83	757.6	76	...	SE	2	bc	
Koshun,	,,	29.82	757.4	88	...	WNW	4	bc		,,	29.82	757.3	81	...	NW	2	b	
Pescadores,	,,	...	...	...	...	...	...	...		,,	29.81	757.1	79	...	SSW	4	bc	
Hong Kong,	14	29.76	756.0	87	7	SW	4	epq		6	29.80	756.9	83	6	S	3	o	
Gap Rock,	,,	29.77	756.1	85	7	SW	5	c		,,	29.79	756.7	84	7	SSW	4	c	
Macao,	,,	29.73	755.2	86	6	SW	4	bc		,,	29.76	755.9	83	4	SW	4	o	
Hollow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.82	757.3	91	8	SSW	2	b		6	29.84	758.0	83	8	SW	2	b	
Phulien,	15	29.67	753.6	90	8	SSW	2	o		7	29.72	754.9	83	8	SSW	4	c	
Tourane,	,,	29.71	754.6	93	8	E	3	bc		,,	29.78	756.3	83	8	ESE	2	b	
Cape St. James,	,,	29.83	757.6	86	8	SW	2	b		,,	29.90	759.4	79	6	SW	4	c	
Basco,	14	29.82	757.3	88	8	WSW	4	b		6	...	...	...	...	...	...	...	
Aparri,	,,	29.80	757.0	94	6	N	4	b		,,	29.88	758.8	77	6	S	2	b	
Tuguegarao,	,,	29.76	756.0	98	8	...	0	bc		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.82	757.3	88	8	WNW	2	b		,,	...	...	...	...	...	...	...	
Manila,	,,	29.81	757.1	94	8	WNW	2	bc		,,	29.89	759.3	79	4	...	0	bc	
Legaspi,	,,	29.82	757.3	88	6	...	0	o		,,	29.83	757.7	77	6	...	0	b	
Calboyog,	,,	29.83	757.6	88	8	SW	2	bc		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.83	757.0	85	8	S	2	o		,,	...	...	..	...	...	...	...	
Iloilo,	,,	29.80	757.0	94	8	NE	2	r		,,	...	...	...	...	...	...	...	
Cebu,	,,	29.80	757.0	79	8	ENE	2	bc		,,	...	...	...	...	...	...	...	
Surigao,	...	29.80	756.8	91	8	ENE	4	o		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...		...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.80	757.0	...	6	ESE	2	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.83	757.8	...	6	NE	4	bc		5	29.91	759.6	...	8	ENE	6	r	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.90	759.4	85	1	SW	6	bc		6	29.91	759.8	...	...	...	...	bc	

June 22d. 11h. 05m.— The depression appears to be stationary to the north of the Korea Strait.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 34.88 inches, against an average of 34.70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

Districts.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	S.W. winds, moderate; cloudy, occasional rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd JUNE, 1932.								23rd JUNE, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.86	758.5	...	...	WSW	3	...	5	29.82	757.5	...	...	SW	1	...
Hakodate,	,,	29.80	757.0	...	...	SW	1	...	,,	29.73	755.0	...	...	...	0	...
Tokio,	,,	29.80	757.0	...	...	ENE	1	...	,,	29.71	754.5	...	...	NNW	1	...
Kochi,	,,	29.72	755.0	...	...	SE	1	...	,,	29.63	752.5	...	...	...	0	...
Nagasaki,	,,	29.69	754.0	...	...	SW	2	...	,,	29.69	754.0	...	...	WNW	1	...
Kagoshima,	,,	29.69	754.0	...	...	WNW	1	...	,,	29.69	754.0	...	...	NW	1	...
Oshima,	,,	29.76	756.0	...	...	NNE	1	...	,,	...	...	...	...	S	1	...
Naha,	,,	29.76	756.0	...	...	W	1	...	,,	29.76	756.0	...	...	SSE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	...	0	...	,,	29.75	755.5	...	...	SSW	2	...
Bonin Island,	,,	29.78	756.5	...	...	SW	1	...	,,	29.78	756.5	...	...	...	0	...
Chefoo,	15	29.63	752.6	79	8	E	2	b	6	29.64	752.8	63	6	...	c	c
Shanghai,	14	29.74	755.3	91	8	SW	2	b	,,	29.69	754.0	76	6	S	2	c
Gutzlaff,	,,	29.80	756.9	77	6	...	c	b	,,	29.74	755.4	74	6	SSW	2	bc
Wenchow,	,,	...	...	...	...	...	....	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.80	756.9	81	6	...	c	c	7	29.77	756.1	78	8	SW	2	b
Amoy,	,,	29.76	755.9	86	6	S	4	bc	6	29.77	756.2	81	6	ENE	2	c
Swatow,	,,	29.84	758.0	88	...	SSW	3	c	,,	29.82	757.5	81	...	SW	3	b
Turnabout,	11	29.79	756.6	91	...	W	4	r	5	29.76	755.8	79	...	...	0	bc
Taichu,	,,	29.86	758.4	91	...	SSW	2	bc	,,	29.82	757.4	79	..	...	0	c
Tainan,	,,	29.85	758.3	91	...	WSW	4	bc	,,	29.80	757.0	77	...	SE	2	b
Koshun,	,,	29.83	757.6	88	...	WNW	4	bc	,,	29.78	756.5	79	...	NW	2	bc
Pescadores,	,,	29.84	757.9	88	...	SW	4	b	,,	29.78	756.5	79	...	SSW	4	c
Hong Kong,	14	29.77	756.1	87	7	SSW	3	c	6	29.77	756.2	83	7	S	2	bc
Gap Rock,	,,	29.81	757.2	85	7	SSW	4	c	,,	29.78	756.4	84	7	SW	4	c
Macao,	,,	29.75	755.6	91	4	SW	4	c	,,	29.75	755.6	81	4	SW	4	c
Hoihow,	,,	29.79	756.6	94	1	S	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.6	88	8	SSW	2	b	6	29.80	757.0	81	8	SSW	4	b
Phulien,	15	29.68	753.8	93	9	SSW	4	c	7	29.70	754.4	82	7	NW	6	bc
Tourane,	,,	29.75	755.7	91	8	E	3	bc	,,	29.79	756.6	75	...	...	...	b
Cape St. James,	,,	29.85	758.3	86	7	S	1	c	,,	29.88	759.0	79	7	S	1	...
Basco,	14	29.79	756.7	88	8	WSW	2	b	6	29.79	756.6	81	8	WSW	2	c
Aparri,	,,	29.78	756.5	91	8	NNE	4	b	,,	29.82	757.4	79	6	SW	2	b
Tuguegarao,	,,	29.74	755.4	94	8	...	0	bc	,,	29.84	758.0	79	1	...	0	b
Vigan,	,,	29.79	756.6	91	8	NW	4	b	,,	29.81	757.2	79	6	...	0	b
Manila,	,,	29.78	756.5	91	8	WSW	4	b	,,	29.85	758.2	77	6	...	0	bc
Legaspi,	,,	29.83	757.6	86	8	SW	2	b	,,	29.82	757.4	79	6	...	c	bc
Calbayog,	,,	29.85	758.2	79	8	NE	2	b	,,	29.84	757.9	74	1	...	0	b
Tacloban,	,,	29.85	758.2	79	6	NE	2	b	,,	29.84	757.8	77	8	NW	2	b
Iloilo,	,,	29.79	756.6	88	8	SW	2	b	,,	29.83	757.6	79	6	...	0	b
Cebu,	,,	29.78	756.5	91	8	ENE	4	bc	,,	...	...	...	...	...	...	...
Surigao,	...	29.82	757.3	88	8	ENE	2	bc	,,	29.81	757.1	76	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.7	...	6	S	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	758.0	...	6	SE	2	bc	5	29.84	757.9	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Latuan,	14	29.90	759.4	85	...	...	...	c	6	29.91	759.6	74	1	NW	...	bc

June 23*d.* 10*h.* 50*m.*—The depression is situated in the Sea of Japan about 300 miles to the south of Wladivostock, and is moving slowly eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 34.83 inches, against an average of 35.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	*S.W. winds, moderate; fair generally with local showers.*

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	24th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Windivostock,	12	29.63	752.7	64	...	SE	1	c	6	29.69	754.1	54	...	WSW	1	m
Nemuro,	11	29.78	756.5	...	...	SSE	3	...	5	29.78	756.5	...	...	SSW	1	...
Hokodate,	,,	29.69	754.0	...	...	S	1	...	,,	29.73	755.0	...	...	...	0	...
Tokio,	,,	29.69	754.0	...	...	...	0	...	,,	29.69	754 0	..	...	...	0	...
Kochi,	,,	29.59	751.5	...	...	...	0	...	,,	29.65	753.0	...	...	...	...	...
Nagasaki,	,,	29.69	754.0	...	...	WNW	1	...	,,	29.59	751.5	...	...	SW	3	...
Kagoshima,	,,	29.69	754.0	...	...	WNW	1	...	,,	29.63	752.5	...	...	...	...	...
Oshima,	,,	29.74	755.5	...	...	NNE	1	...	,,	29.67	753.5	...	...	...	...	...
Naha,	,,	29.76	756.0	...	...	NW	1	...	,,	29.69	754.0	...	...	SSW	2	...
Ishigakijima,	,,	29.72	755.0	...	...	WSW	1	...	,,	29.69	754.0	...	...	S	2	...
Bonin Island,	,,	29.74	755.5	...	...	WSW	1	...	,,	29.75	755.5	...	...	...	0	...
Chefoo,	15	29.67	753.6	70	8	NW	4	b	6	29.69	754.0	61	4	...	0	z
Shanghai,	14	29.68	753.8	86	6	NW	2	o	,,	29.71	754.7	72	6	...	0	o
Gutzlaff,	,,	29.73	755.1	79	4	NNW	2	m	,,	29.76	755.9	68	6	NNE	4	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.73	755.1	83	4	SE	2	o	7	29.69	754.0	78	4	SW	2	cf
Amoy,	,,	29.73	755.1	77	6	S	2	bc	6	29.71	754 6	65	6	S	4	bc
Swatow,	,,	29.80	757.0	88	...	SW	2	b	,,	29.76	756.0	81	...	SW	3	c
Taihoku,	11	29.76	755.9	88	...	W	4	c	5	29.68	753.8	77	...	S	2	b
Taichu,	,,	29.83	757.6	91	...	S	2	o	,,	29.78	756.3	77	..	S	2	b
Tainan,	,,	29.82	757.4	91	...	WSW	2	bc	,,	29.75	755.5	77	...	SE	2	b
Koshun,	,,	29.80	756.8	88	...	NW	4	c	,,	29.73	755.2	79	...	NW	2	bc
Pescadores,	,,	29.81	757.2	88	...	SW	4	c	,,	29.72	754.9	79	...	SSW	4	bc
Hong Kong,	14	29.76	755.9	90	8	SW	4	bc	6	29.70	754.4	83	7	S	2	c
Gap Rock,	,,	29.77	756.1	85	8	SW	5	b	,,	29.71	754.6	84	8	SW	4	c
Macao,	,,	29.73	755.2	91	4	SSW	4	c	,,	29.67	753.6	81	4	SSW	4	c
Hoihow,	,,	29.78	756.5	94	...	S	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.1	88	8	SW	2	b	6	29.75	755.5	81	8	SW	2	b
Phulien,	15	29.65	753.1	91	9	SSW	5	o	7	29 62	752.2	81	6	S	2	b
Tourane,	,,	29.72	755.0	91	8	E	3	bc	,,	29.70	754.4	85	8	SSW	2	b
Cape St. James,	,,	29.85	758.2	82	8	S	1	o	,,	29.83	757.7	79	8	SSW	2	c
Basco,	14	29.78	756.3	88	8	WSW	4	bc	6	29.73	755.0	83	8	WSW	2	o
Aparri,	,,	29.76	756.0	91	6	N	4	b	,,	29.76	756.0	79	6	SW	2	b
Tuguegarao,	,,	29.71	754.6	94	8	...	0	b	,,	29.77	756.1	79	1	...	0	bc
Vigan,	,,	29.76	756.0	91	8	NW	2	b	,,	29.75	755.5	79	8	E	2	b
Manila,	,,	29.76	756.0	91	8	WNW	4	bc	,,	29.80	756 8	76	6	...	0	b
Legaspi,	,,	29.73	755.2	94	8	SW	2	b	,,	29.77	756.1	77	6	...	0	o
Caiboyog,	,,	29.80	757.0	77	8	NW	2	o	,,	29.80	756.8	76	8	NNE	2	o
Tacloban,	,,	29.78	756.5	85	8	NW	4	bc	,,	29.80	757.0	77	6	S	2	d
Iloilo,	,,	29.76	756.0	88	8	SW	2	o	,,	29.76	756.0	76	4	NE	2	o
Cebu,	,,	29.76	756.0	86	8	SE	4	bc	,,	29.78	756.3	77	8	..	0	bc
Surigao,	...	29.76	756.0	86	8	...	0	o	,,	29.78	756.4	76	6	...	0	b
Saipan,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	76	...	...	0	c
Guam,	12.22	29.77	756.1	...	6	S	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.4	...	6	SW	2	bc	5	29.83	757.6	...	6	SW	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	79	...	SSW	1	c
Labuan,	14	29.94	760.6	85	4	S	4	bc	6	29 91	759.7	74	1	S	6	bc

June 24*d.* 10*h.* 35*m.*—The depression appears to be stationary over the southern part of the Sea of Japan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 54.88 inches, against an average of 35.79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	S.W. winds, moderate; fair to showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	24TH JUNE, 1932.								25TH JUNE, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)
Vladivostock,	12	29.67	753.6	57	...	...	0	f	6	29.72	754.8	61	...	NW	1	b
Nemuro,	11	29.76	756.0	...	...	SSW	2	...	5	29.80	757.0	...	...	ESE	1	...
Hakodate,	,,	29.69	754.0	...	...	ESE	4	...	,,	29.69	754.0	...	...	E	2	...
Tokio,	,,	29.67	753.5	...	...	S	1	...	,,	29.51	749.5	..	...	S	1	...
Kochi,	,,	29.61	752.0	...	...	...	0	...	,,	29.63	752.5	...	...	...	0	...
Nagasaki,	,,	29.57	751.0	...	...	N	1	...	,,	29.75	755.5	...	...	...	0	...
Kagoshima,	,,	29.57	751.0	...	...	WNW	1	...	,,	29.71	754.5	...	...	NNW	1	...
Oshima,	,,	29.63	752.5	...	...	NE	1	...	,,	29.69	754.0	...	...	N	1	...
Naha,	,,	29.70	754.5	...	...	SW	2	...	,,	29.71	754.5	...	...	WSW	6	...
Ishigakijima,	,,	29.69	754.0	...	...	WSW	2	...	,,	29.67	753.5	...	...	S	2	...
Ronin Island,	,,	29.74	755.5	...	...	S	1	...	,,	29.76	756.0	...	...	S	1	...
Chefoo,	15	29.67	753.7	79	8	NW	4	c	6	29.74	755.3	68	4	...	0	f
Shanghai,	14	29.72	754.9	79	6	E	2	o	,,	29.75	755.6	70	6	E	2	o
Gutzlaff,	,,	29.78	756.4	72	6	ENE	2	bc	,,	29.81	757.2	68	6	E	2	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.66	753.3	83	4	SE	2	o	7	29.69	754.1	78	6	ESE	2	o
Amoy,	,,	29.66	753.3	88	6	SSW	4	c	6	29.68	753.9	83	6	S	4	b
Swatow,	,,	29.74	755.5	88	...	SW	3	bc	,,	29.74	755.4	81	...	SW	3	b
Taihoku,	11	29.69	754.0	91	...	W	4	bc	5	29.69	754.0	77	...	...	0	bc
Taichu,	,,	29.78	756.4	91	...	SSW	2	o	,,	29.74	755.4	77	..	S	2	bc
Tainan,	,,	29.65	753.1	86	...	NW	2	bc	,,	29.73	755.0	77	...	...	0	bc
Koshun,	,,	29.74	755.4	88	...	WNW	2	bc	,,	29.72	754.8	79	...	...	0	c
Pescadores,	,,	29.74	755.4	86	...	SW	2	bc	,,	29.71	754.6	79	...	SSW	4	bc
Hong Kong,	14	29.68	753.9	85	7	SSW	4	bc	6	29.69	754.1	82	7	SW	3	bc
Gap Rock,	,,	29.70	754.4	85	8	SW	4	b	,,	29.69	754.1	84	8	SW	4	c
Macao,	,,	29.66	753.3	88	4	SSW	4	bc	,,	29.66	753.3	81	4	SSW	4	c
Hoihow,	,,	29.73	755.1	94	...	S	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.74	755.4	88	8	SW	2	b	6	29.73	755.0	83	8	SW	2	b
Phulien,	15	29.53	750.1	93	8	S	5	bc	7	29.55	750.5	82	8	SSW	6	bc
Tourane,	,,	29.64	752.9	95	8	N	3	bc	,,	29.66	753.4	79	8	...	0	bc
Cape St. James,	,,	29.82	757.5	86	7	S	1	bc	,,	...	...	77	7	NNE	1	c
Basco,	14	29.71	754.7	86	8	WSW	4	bc	6	...	...	..	...	...	...	...
Ajurri,	,,	29.70	754.4	91	6	NNW	4	bc	,,	29.74	755.4	79	6	SW	2	o
Tuguegarao,	,,	29.67	753.6	98	8	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.8	94	8	WNW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.70	754.4	91	8	WSW	2	b	,,	29.78	756.4	76	4	...	0	b
Legaspi,	,,	29.68	753.8	94	8	SSW	4	b	,,	29.74	755.3	77	6	...	0	b
Calboyog,	,,	29.72	755.0	83	8	SE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.72	755.0	86	8	S	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	755.0	83	...	...	...	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.70	754.4	86	8	SSW	2	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.69	754.2	88	8	E	2	bc	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	..	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.6	...	6	ESE	2	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.8	...	8	W	2	bc	5	29.81	757.2	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.90	759.4	85	1	NW	8	bc	6	29.95	760.7	76	1	S	6	bc

June 25*d*. 10*h*. 00*m*.—Depressions are situated over Tongking, and in the Sea of Japan to the north-west of Tokio.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 34.90 inches, against an average of 36.34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

DISTRICT.	*FORECAST.*
A.—Shanghai to Turnabout,	None.
B.—Turnabout to Hong Kong,	S.W. winds, moderate; fair to showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Bainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	26th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.80	757.0	...	...	ESE	2	...	5	29.75	755.5	...	...	ENE	2	...
Hokodate,	,,	29.67	753.5	...	...	ESE	3	...	,,	29.69	754.0	...	...	ESE	3	...
Tokio,	,,	29.47	748.5	...	...	S	2	...	,,	29.71	754.5	..	...	NNW	1	...
Kochi,	,,	29.67	753.5	...	...	...	0	...	,,	29.76	756.0	...	...	...	0	...
Nagasaki,	,,	29.74	755.5	...	...	E	1	...	,,	29.75	755.5	...	...	...	...	...
Kagoshima,	,,	29.70	754.5	...	...	...	0	...	,,	29.75	755.5	...	...	...	0	...
Oshima,	,,	29.70	754.5	...	...	NNE	1	...	,,	29.69	754.0	...	...	N	1	...
Naha,	,,	29.72	755 0	...	...	NW	1	...	,,	29.71	754.5	...	...	SW	2	...
Ishigakijima,	,,	29.67	753.5	...	...	W	2	...	,,	29.69	754.0	...	...	S	3	...
Bonin Island,	,,	29.74	755.5	...	...	SW	1	...	,,	29.80	757.0	...	...	SW	1	...
Chefoo,	15	29.74	755.4	76	8	NE	4	c	6	29.71	754.6	67	6	...	0	bc
Shanghai,	14	29.72	755.0	79	6	E	2	o	,,	29.69	754.2	67	4	E	4	r
Gutzlaff,	,,	29.77	756.1	72	6	SE	2	o	,,	29.72	754.9	67	1	ENE	4	r
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.69	754.1	80	8	E	2	b	7	29.64	752.8	78	6	S	2	c
Amoy,	,,	29.67	753.6	91	8	SSE	4	bc	6	29.68	753.9	83	6	S	4	b
Swatow,	,,	29.69	754.0	90	...	SW	3	b	,,	29.71	754.7	81	...	SW	3	c
Taihoku,	11	29.69	754.1	91	...	W	4	o	5	29.68	753.8	76	...	...	0	fc
Taichu,	,,	29.78	756.4	88	...	SW	2	c	,,	29.74	755.4	76	..	...	0	bc
Tainan,	,,	29.76	755.8	94	...	SSE	2	bc	,,	29.72	754.9	76	...	SE	2	bc
Koshun,	,,	29.73	755.2	86	...	WNW	4	o	,,	29.71	754.7	81	...	...	0	fc
Pescadores,	,,	29.74	755.3	86	...	SSW	4	bc	,,	29.69	754 2	81	...	SSW	4	o
Hong Kong,	14	29.67	753.6	85	7	WSW	3	bc	6	29.67	753.6	83	7	SSW	3	bc
Gap Rock,	,,	29.69	754.1	85	8	SW	4	c	,,	29.68	753.9	84	8	S	4	r
Macao,	,,	29.66	753.3	94	4	SSW	4	c	,,	29.63	752.5	83	4	SSW	4	fc
Hoihow,	,,	29.62	752.3	94	1	S	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	88	8	SSW	4	b	6	29.71	754.6	83	8	SW	4	bc
Phulien,	15	29.49	749.0	94	8	S	6	bc	7	29 56	750.9	79	7	S	1	c
Tourane,	,,	29.60	751.9	91	8	SE	2	b	,,	29.63	752.5	79	8	SSE	1	fc
Cape St. James,	,,	29.76	756.0	88	8	SSW	2	b	,,	29.80	756.9	79	7	WSW	4	bc
Basco,	14	29.71	754 6	91	8	WNW	4	bc	6	29.71	754.6	79	6	...	0	o
Aparri,	,,	29.69	754.1	91	6	NNW	4	b	,,	29.73	755.0	77	6	S	2	bc
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.73	755.0	77	1	...	0	fc
Vigan,	,,	...	...	...	...	...	...	...	,,	29.72	754.9	79	6	...	0	bc
Manila,	,,	29.70	754.3	91	8	WSW	2	bc	,,	29.78	756.5	77	6	...	0	o
Legaspi,	,,	29.69	754.2	91	8	SSW	2	o	,,	29.76	755.8	77	6	SW	2	bc
Calboyog,	,,	...	...	...	..	...	...	...	,,	29.78	756.4	76	8	NNE	2	bc
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	79	8	...	0	b
Iloilo,	,,	29.71	754.6	91	8	SW	4	bc	,,	29.78	756.5	76	6	...	0	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.78	756.5	79	8	WSW	2	bc
Surigao,	...	29.69	754.2	88	8	NW	2	bc	,,	29.77	756.1	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	6	E	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.4	...	6	NE	2	bc	5	29.84	758.0	...	6	NW	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.90	759.4	85	1	NW	6	bc	6	29.91	759.7	68	1	SW	6	fc

June 26*d.* 10*h.* 45*m.*—A depression has formed about 150 miles to the S.S.E. of Hankow it will probably move eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inch. Total since January 1st, 35.03 inches, against an average of 36.89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
A.—Shanghai to Turnabout,	E. to S.E. winds, moderate to fresh; overcast, rain.
B.—Turnabout to Hong Kong,	S. to S.W. winds, moderate; cloudy, showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	27th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.70	754.5	...	...	ENE	3	...	5	29.75	755.5	...	...	NNE	1	...
Hokodate,	,,	29.69	754.0	...	...	ESE	1	...	,,	29.76	756.0	...	...	...	0	...
Tokio,	,,	29.72	755.0	...	...	ESE	1	...	,,	29.69	754.0	..	...	...	0	...
Kochi,	,,	29.74	755.5	...	...	SE	1	...	,,	29.75	755.5	...	...	...	0	...
Nagasaki,	,,	29.70	754.5	...	...	...	0	...	,,	29.69	754.0	...	...	NE	1	...
Kagoshima,	,,	29.72	755.0	...	...	...	0	...	,,	29.65	753.0	...	...	NE	2	...
Oshima,	,,	29.72	755.0	...	...	...	0	...	,,	29.61	752.0	...	...	SSW	2	...
Naha,	,,	29.70	754.4	...	...	SSW	...	...	,,	29.67	753.5	...	...	SSW	4	...
Ishigakijima,	,,	29.70	754.5	...	...	WSW	2	...	,,	29.67	753.5	...	...	SW	4	...
Bonin Island,	,,	29.78	756.5	...	...	SW	1	...	,,	29.86	758.5	...	...	SW	1	...
Chefoo,	15	29.69	754.0	81	8	E	2	bc	6	29.69	754.0	72	6	SW	2	bc
Shanghai,	14	29.67	753.6	70	4	E	4	r	,,	29.76	755.9	67	1	NNE	2	r
Gutzlaff,	,,	29.70	754.4	65	1	ENE	8	r	,,	29.82	757.4	65	1	ENE	4	r
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.61	752.1	81	6	S	2	c	7	29.66	753.3	80	6	...	0	o
Amoy,	,,	29.66	753.3	88	8	S	2	b	6	29.65	753.1	83	6	SSE	2	c
Swatow,	,,	29.70	754.3	90	...	SW	3	b	,,	29.73	755.2	83	...	WSW	3	c
Tailoku,	11	29.67	753.7	91	...	SW	2	c	5	29.65	753.0	76	...	...	0	o
Taichu,	,,	29.76	755.8	91	...	S	4	bc	,,	29.74	755.3	77	...	S	2	bc
Tainan,	,,	29.76	755.8	91	...	SW	2	bc	,,	29.73	755.2	77	...	SE	2	bc
Koshun,	,,	29.73	755.2	88	...	NW	2	c	,,	29.72	754.8	79	...	NW	2	c
Pescadores,	,,	29.74	755.3	88	...	SSW	4	o	,,	29.70	754.4	81	...	S	4	bc
Hong Kong,	14	29.67	753.6	86	7	SW	4	c	6	29.68	753.9	83	7	SSW	4	c
Gap Rock,	,,	29.69	754.1	85	8	SSW	4	c	,,	29.69	754.1	84	8	SW	4	o
Macao,	,,	29.64	752.9	91	4	SSW	4	c	,,	29.64	752.9	81	4	SSW	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.7	91	8	SSW	4	bc	6	29.73	755.0	83	8	SSW	2	o
Phulien,	15	29.52	749.8	98	8	WSW	2	c	7	29.62	752.4	79	8	NE	4	r
Tourane,	,,	29.61	752.2	91	8	SE	2	b	,,	29.65	753.0	86	8	SW	2	b
Cape St. James,	,,	29.76	755.9	86	8	SSW	2	bc	,,	29.80	757.0	79	6	SW	4	c
Basco,	14	29.71	754.7	88	8	WSW	4	bc	6	29.72	754.9	79	8	...	0	c
Aparri,	,,	29.71	754.6	91	6	NW	4	c	,,	29.74	755.3	79	8	S	2	c
Tuguegarao,	,,	...	..	...	...	...	...	...	,,	29.73	755.2	79	1	...	0	c
Vigan,	,,	29.71	754.6	91	8	WSW	2	bc	,,	29.74	755.3	79	6	...	0	o
Manila,	,,	29.72	754.8	91	8	W	2	bc	,,	29.78	756.3	77	6	...	0	bc
Legaspi,	,,	29.70	754.3	91	8	SW	2	bc	,,	29.76	756.0	79	6	...	0	b
Calboyog,	,,	29.72	755.0	88	8	SW	4	bc	,,	29.79	756.7	76	8	...	0	b
Tacloban,	,,	29.72	755.0	88	8	S	2	b	,,	29.80	757.0	79	8	NW	2	c
Iloilo,	,,	29.72	754.9	91	8	SW	4	bc	,,	29.80	756.8	79	6	S	2	c
Cebu,	,,	29.71	754.7	86	8	SSW	4	bc	,,	29.78	756.5	79	8	WSW	2	c
Surigao,	...	29.71	754.7	88	8	...	0	bc	,,	29.77	756.1	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	SE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	757.0	...	6	SSW	4	bc	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	4	SW	4	b	6	29.91	759.7	70	1	SW	...	bc

June 27*d*. 10*h*. 40*m*.—The depression has moved into the Eastern Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 35.03 inches, against an average of 37.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S.W. winds, moderate; cloudy, showery.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	28th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.86	758.4	59	...	SE	1	c	6	29.99	761.8	54	...	SW	1	o
Nemuro,	11	29.74	755.5	...	...	NNE	1	...	5	29.82	757.5	...	...	ENE	1	...
Hokodate,	,,	29.70	754.5	...	...	SSE	1	...	,,	29.82	757.5	...	...	...	0	...
Tokio,	,,	29.63	752.5	...	...	S	1	...	,,	29.76	756.0	..	...	ENE	1	...
Kochi,	,,	29.72	755.0	...	...	...	..	...	,,	29.76	756.0	...	...	...	0	...
Nagasaki,	,,	29.69	754.0	...	...	NNW	1	...	,,	29.80	757.0	...	...	...	0	...
Kagoshima,	,,	29.67	753.5	...	...	NE	2	...	,,	29.76	756.0	...	...	NNW	1	...
Oshima,	,,	29.63	752.5	...	...	SSW	1	...	,,	29.69	754.0	...	...	N	1	...
Naha,	,,	29.67	753.5	...	...	SSW	4	...	,,	29.69	754.0	...	...	SW	2	...
Ishigakijima,	,,	29.67	753.5	...	...	SW	3	...	,,	29.65	753.0	...	...	NNE	1	...
Bonin Island,	,,	29.84	758 0	...	...	SSW	1	...	,,	29.88	759.0	...	...	SW	1	...
Chefoo,	15	29.67	753.5	85	8	ENE	2	be	6	29.73	755.0	72	6	...	0	z
Shanghai,	14	29.78	756.3	83	6	NW	2	c	,,	29.80	757.0	67	6	...	0	l.
Gutzlaff,	,,	29.82	757.4	74	6	...	0	o	,,	29.85	758.2	68	6	...	0	be
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.68	753.9	72	4	NE	2	r	7	29.77	756.1	75	4	N	2	rf
Amoy,	,,	29.61	752.1	88	6	S	4	o	6	29.70	754 4	77	4	ENE	2	o
Swatow,	,,	29.70	754.5	88	...	SW	3	c	,,	29.73	755.1	78	...	NE	2	c
Taihoku,	11	29.65	753.0	88	...	W	2	c	5	29.69	754.2	77	...	...	0	r
Taichu,	,,	29.74	755.4	91	...	S	2	o	,,	29.74	755.3	79	..	...	0	o
Tainan,	,,	29.73	755.2	91	...	WSW	2	o	,,	29.69	754.2	77	...	SE	2	o
Koshun,	,,	...	...	...	...	...	...	...	,,	29.69	754.1	77	...	...	0	le
Pescadores,	,,	29.74	755.3	86	...	SSW	4	c	,,	29.70	754.4	76	...	WNW	2	lt
Hong Kong,	14	29.65	753.1	84	6	SW	3	op	6	29.66	753.3	79	6	...	0	o
Gap Rock,	,,	29.66	753.3	85	8	SW	4	c	,,	29.66	753.3	84	7	SSW	4	c
Macao,	,,	29.63	752.5	91	4	SSW	4	c	,,	29.65	753.0	77	6	...	0	d
Hoihow,	,,	29.66	753.3	94	1	N	2	be	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.69	754.2	91	8	SW	2	be	6	29.70	754.3	81	8	SSW	2	c
Phulien,	15	29.64	752.8	88	8	WNW	4	c	7	29.66	753.4	79	6	...	0	o
Tourane,	,,	29.60	751.9	94	8	SE	2	h	,,	29.67	753.5	77	7	...	0	be
Cape St. James,	,,	29.76	755.8	86	8	SW	4	b	6	29.78	756.4	79	8	SW	4	be
Basco,	14	29.67	753.6	91	6	W	4	o	6	29.69	754.0	83	8	W	2	be
Aparri,	,,	29.67	753.6	91	6	N	4	b	,,	29.72	754.8	77	8	...	0	c
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.69	754.2	91	8	WSW	2	be	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.6	91	8	WSW	4	be	,,	29.71	754.7	77	4	...	0	o
Legaspi,	,,	29.67	753.7	83	8	SW	2	o	,,	29.73	755.2	77	6	...	0	o
Calbeyog,	,,	29.71	754.7	88	8	SW	4	be	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.2	83	8	E	4	o	,,	...	...	...	...	...	...	...
Boilo,	,,	29.72	754.8	86	8	SSW	4	o	,,	29.76	755.8	79	6	SW	4	o
Ceba,	,,	29.72	754.8	86	8	SSW	4	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.72	754.9	86	8	...	0	o	,,	29.76	755.8	77	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	78	...	E	1	be
Guam,	12.22	29.76	755.8	...	6	E	2	b	4.22	29.75	755.6	...	6	...	0	b
Yap,	11.00	29.80	756.8	...	6	ESE	2	be	5	29.83	757.7	...	8	...	0	be
Pelew,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	77	...	...	0	le
Labuan,	14	29.91	759.6	77	4	W	6	o	6	29.91	759.7	72	4	S	...	le

June 28d. 10h. 32m.—Pressure is highest over South Manchuria, and relatively low over China generally. The depression appears to have filled up, but an irregular area of low pressure covers the Loochoo Islands.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.63 inch. Total since January 1st, 35.66 inches, against an average of 37.99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	None.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S.W. winds, moderate; cloudy, rain; probably improving.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th JUNE, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	29th JUNE, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.03	762.8	59	...	SW	1	c	6	30.08	764.0	55	...	SE	1	o
Nemuro,	11	29.88	759.0	...	...	SW	2	...	5	30.10	764.3	...	...	...	0	...
Hokodate,	,,	29.88	759.0	...	...	SSE	1	...	,,	30.06	763.5	...	...	...	0	...
Tokio,	,,	29.82	757.5	...	...	E	1	...	,,	30.02	762.5	..	...	N	1	...
Kochi,	,,	29.78	756.5	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Nagasaki,	,,	29.82	757.5	...	...	NE	1	...	,,	29.92	760.0	...	...	..	0	...
Kagoshima,	,,	29.78	756.5	...	...	SSW	1	...	,,	29.88	759.0	...	...	ENE	1	...
Oshima,	,,	29.74	755.5	...	...	ENE	1	...	,,	29.78	756.5	...	...	SSE	1	...
Naha,	,,	29.72	755.0	...	...	...	0	...	,,	29.76	756.0	...	...	SE	1	...
Ishigakijima,	,,	29.70	754.5	...	...	NE	2	...	,,	29.75	755.5	...	...	...	...	...
Bonin Island,	,,	29.90	759.5	...	...	SSW	1	...	,,	29.92	760.0	...	...	S	1	...
Chefoo,	15	29.78	756.3	85	8	ENE	2	bc	6	29.83	757.6	72	6	S	4	bc
Shanghai,	14	29.84	757.9	85	8	ESE	2	bc	,,	29.89	759.1	67	6	ESE	2	c
Gutzlaff,	,,	29.89	759.3	76	6	...	0	bc	,,	29.94	760.5	68	6	ESE	4	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.78	756.4	74	6	NE	2	d	7	29.83	757.7	73	4	N	2	d
Amoy,	,,	29.87	758.7	83	8	SE	2	bc	6	29.75	755.7	76	6	ENE	2	c
Swatow,	,,	29.73	755.2	81	...	E	3	c	,,	29.78	756.5	78	...	E	3	c
Taihoku,	11	29.73	755.2	85	...	...	0	c	5	29.76	755.8	77	...	...	0	c
Tsiclin,	,,	29.76	755.8	85	...	...	0	c	,,	29.76	755.8	76	..	SE	2	c
Tainan,	,,	29.72	755.0	88	...	...	0	bc	,,	29.73	755.0	77	...	...	0	b
Koshun,	,,	29.71	754.7	88	...	NW	2	c	,,	29.72	754.9	76	...	...	0	b
Pescadores,	,,	29.73	755.2	79	...	SW	2	c	,,	29.73	755.0	79	...	N	2	bc
Hong Kong,	14	29.67	753.6	80	4	E	1	cm	6	29.79	754.1	80	6	...	0	c
Gap Rock,	,,	29.67	753.6	84	7	SW	4	c	,,	29.69	754.1	84	8	S	3	c
Macao,	,,	29.64	752.9	81	4	ESE	2	d	,,	29.66	753.3	77	1	NNE	2	c
Hoilow,	,,	29.68	753.9	...	1	NW	2	q	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.69	754.1	91	8	...	0	bc	6	29.71	754.6	81	8	SE	2	h
Phulien,	15	29.61	752.1	84	8	S	4	c	7	29.64	752.9	73	6	WNW	3	lt
Tourane,	,,	29.61	752.1	93	8	NNW	4	c	,,	29.64	752.9	77	7	S	1	c
Cape St. James,	,,	29.74	755.3	86	8	S	3	c	,,	29.74	755.3	79	7	SW	2	bc
Basco,	14	29.68	753.8	91	8	WSW	2	bc	6	29.70	754.4	79	6	...	0	o
Aparri,	,,	29.67	753.5	91	6	NNE	4	h	,,	29.71	754.6	79	8	...	0	c
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.69	754.2	77	1	...	0	c
Vigan,	,,	...	...	...	...	...	..	...	,,	29.70	754.3	77	8	...	0	o
Manila,	,,	29.69	754.1	86	8	SW	4	o	,,	29.73	755.0	77	6	...	0	o
Legaspi,	,,	29.69	754.1	83	6	...	0	o	,,	...	...	...	..	...	...	...
Calbuyog,	,,	...	...	...	...	...	...	...	,,	29.73	755.2	76	8	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.72	754.9	77	8	...	0	o
Iloilo,	,,	29.71	754.7	88	8	SW	4	o	,,	29.73	755.2	77	6	...	0	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.74	755.3	77	8	...	0	o
Surigao,	...	29.71	754.6	83	8	SE	2	o	,,	29.75	755.5	76	6	...	2	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.80	757.0	80	...	ESE	3	c
Guam,	12.22	29.75	755.6	...	6	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.5	...	6	E	4	bc	5	29.79	756.7	...	6	NE	2	o
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.91	759.6	85	4	SE	6	bc	6	29.91	759.6	76	4	SE	4	bc

June 29*d*. 10*h*. 35*m*.— Pressure is highest to the north of Japan, and relatively low over Indo-China and the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.57 inch. Total since January 1st, 56.23 inches, against an average of 38.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
A.—Shanghai to Turnabout,	E. and N.E. winds, moderate.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	S. winds, moderate; fair to showery.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th JUNE, 1932.								30th JUNE, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Barometer. at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.16	766.0	...	...	S	1	...	5	30.18	766.5	...	...	WSW	1	...
Hokodate,	,,	30.08	764.0	...	...	SE	3	...	,,	30.12	765.0	...	...	ENE	1	...
Tokio,	,,	30.06	763.5	...	...	N	1	...	,,	30.12	765.0	...	...	...	0	...
Kochi,	,,	30.00	762.0	...	...	...	0	...	,,	30.06	763.5	...	...	...	...	...
Nagasaki,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.90	759.5	...	...	NE	1	...
Kagoshima,	,,	29.90	759.5	...	...	ENE	2	...	,,	29.90	759.5	...	...	NE	1	...
Oshima,	,,	29.78	756.5	...	...	SSE	1	...	,,	29.78	756.5	...	...	...	0	...
Naha,	,,	29.76	756.0	...	...	SW	1	...	,,	29.76	756.0	...	...	S	1	...
Ishigakijima,	,,	29.74	755.5	...	...	ENE	1	...	,,	29.67	753.5	...	...	ESE	1	...
Fouin Island,	,,	29.96	761.0	...	...	S	1	...	,,	29.98	761.5	...	...	SSE	1	...
Chefoo,	15	29.85	758.3	85	8	S	4	o	6	29.92	760.0	70	6	S	2	c
Shanghai,	14	29.87	758.6	79	6	ESE	2	o	,,	29.82	757.3	72	4	ESE	2	c
Gutzlaff,	,,	29.93	760.2	72	6	ESE	2	o	,,	29.87	758.7	70	4	ESE	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.83	757.7	75	6	NNE	2	o	7	29.78	756.4	74	4	N	2	c
Amoy,	,,	29.79	756.6	81	6	ENE	2	o	6	29.78	756.4	77	6	ENE	2	c
Swatow,	,,	29.80	757.0	81	...	E	3	o	,,	29.79	756.6	77	...	E	3	c
Taihoku,	11	29.77	756.1	91	...	E	2	bc	5	29.73	755.0	76	...	...	0	c
Taichu,	,,	29.78	756.3	91	...	...	0	bc	,,	29.75	755.5	76	..	...	0	c
Tainan,	,,	29.74	755.4	91	...	NNW	4	h	,,	29.72	754.8	77	...	...	0	b
Koshun,	,,	29.74	755.3	94	...	...	0	c	,,	29.71	754.6	77	...	...	0	c
Pescadores,	,,	29.76	755.9	85	...	N	4	bc	,,	29.71	754.6	77	...	N	2	c
Hong Kong,	14	29.70	754.4	84	6	SSE	2	op	6	29.69	754.1	78	6	ENE	3	od
Gap Rock,	,,	29.70	754.4	84	8	S	3	c	,,	29.69	754.1	84	8	ESE	2	c
Macao,	,,	29.68	753.8	88	4	SSE	2	c	,,	29.67	753 5	79	4	SE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.72	754.8	91	8	...	0	b	6	29.69	754.0	83	8	ESE	2	bc
Phulien,	15	29.62	752.3	84	7	S	2	c	7	29.63	752.5	79	7	S	3	c
Tourane,	,,	29.61	752.2	91	8	ENE	3	c	,,	29.64	752.8	77	7	SSW	1	c
Cape St. James,	,,	29.72	755.0	79	6	WSW	4	lt	,,	29.75	755.5	79	7	SW	4	bc
Basco,	14	29.69	754.0	86	8	NNE	2	bc	6	29.65	753.1	81	6	...	0	c
Aparri,	,,	29.66	753.3	91	6	NE	2	o	,,	29.65	753.1	77	6	SW	4	d
Tuguegarao,	,,	29.60	751.9	94	4	...	0	o	,,	29.64	752.9	76	4	...	0	c
Vigan,	,,	29.64	752.8	88	8	W	2	t	,,	29.66	753.4	79	8	S	2	c
Manila,	,,	29.67	753.5	85	6	SSW	2	r	,,	29.70	754 3	77	6	SW	4	d
Legaspi,	,,	29.67	753.6	83	6	SSW	2	r	,,	29.69	754.1	76	6	...	0	c
Calboyog,	,,	29.70	754.3	83	8	WSW	4	o	,,	29.67	753.5	76	4	...	0	c
Tacloban,	,,	29.69	754.2	86	8	SE	4	bc	,,	29.74	755.4	77	8	...	0	c
Iloilo,	,,	29.69	754.0	88	8	SSW	4	o	,,	29.72	754.8	79	6	S	2	c
Cebu,	,,	29.68	755.8	88	8	SSW	4	bc	,,	...	...	...	..	...	...	...
Surigao,	...	29.69	754.1	86	6	NW	4	o	,,	29.73	755.2	77	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.76	755.8	79	...	S	3	c
Guam,	12.22	29.74	755.5	...	6	SE	4	bc	4.22	29.74	755.3	...	6	...	0	c
Yap,	11.00	...	...	...	...	...	...	...	5	29.77	756.1	...	6	SE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	78	...	S	1	c
Labuan,	14	29.89	759.1	85	...	SE	...	bc	6	29.91	759.6	76	4	S	4	bc

Warning.

June 30*d.* 10*h.* 53*m.*—Typhoon within 120 miles of Lat. 19° N. Long. 127° E., moving W.N.W.

June 30*d.* 10*h.* 59*m.*—A moderate anticyclone is situated over the Pacific to the north-east of Japan, and a trough of low pressure extends from Tongking across Luzon to the Pacific. A depression is situated in the western extremity, and a typhoon has formed about 500 miles E.N.E. of N. Luzon; it will probably move W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 36.23 inches, against an average of 39.06 inches.

Manila warning. 30*d.* 10*h.* 15*m.*:—Typhoon in Lat. 18° N. Long. 127° E. moving W.N.W. Recd 30*d.* 10*h.* 37*m.*

Shanghai warning. 30*d.* 10*h.* 21*m.*:—Typhoon within 60 miles of Lat. 19° N. Long. 127° E. moving W.N.W. Recd. 30*d.* 10*h.* 37*m.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
A.—Shanghai to Turnabout,	E. and S.E. winds, moderate.
B.—Turnabout to Hong Kong,	E. and N.E. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	E. and N.E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits,	E. to S. winds, moderate; fair.
E.—North China Sea,	E. to S. winds, moderate; fair.

C. W. JEFFRIES, Director.

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

JULY,

1932.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF
C. W. JEFFRIES, F.R.A.S.,
DIRECTOR.

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1932.

[*Price $1.*]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JULY,

1932.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, at 109 feet above MEAN SEA LEVEL, in the MONTH of JULY, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·586	29·572	29·552	29·549	29·551	29·562	29·566	29·581	29·591	29·591	29·596	29·581	1
2	29·581	29·573	29·564	29·567	29·567	29·576	29·587	29·599	29·609	29·610	29·622	29·610	2
3	29·654	29·636	29·625	29·619	29·623	29·639	29·657	29·663	29·675	29·689	29·686	29·680	3
4	29·633	29·619	29·607	29·598	29·604	29·610	29·618	29·629	29·638	29·631	29·623	29·616	4
5	29·575	29·549	29·541	29·523	29·526	29·546	29·560	29·574	29·604	29·624	29·624	29·625	5
6	29·674	29·658	29·650	29·642	29·654	29·660	29·671	29·685	29·701	29·700	29·708	29·700	6
7	29·720	29·717	29·707	29·702	29·701	29·705	29·722	29·727	29·730	29·729	29·730	29·722	7
8	29·687	29·681	29·677	29·693	29·693	29·704	29·709	29·717	29·715	29·710	29·708	29·696	8
9	29·683	29·685	29·679	29·675	29·665	29·663	29·669	29·667	29·674	29·670	29·667	29·657	9
10	29·681	29·681	29·669	29·673	29·675	29·687	29·697	29·701	29·717	29·722	29·725	29·720	10
11	29·747	29·719	29·722	29·718	29·730	29·740	29·751	29·752	29·775	29·764	29·777	29·767	11
12	29·756	29·727	29·720	29·726	29·730	29·747	29·756	29·773	29·780	29·783	29·783	29·768	12
13	29·725	29·705	29·699	29·695	29·694	29·699	29·705	29·702	29·708	29·712	29·712	29·706	13
14	29·651	29·631	29·617	29·609	29·609	29·615	29·627	29·635	29·647	29·646	29·651	29·647	14
15	29·643	29·631	29·623	29·627	29·619	29·623	29·633	29·644	29·665	29·675	29·683	29·678	15
16	29·681	29·671	29·655	29·645	29·643	29·645	29·653	29·671	29·692	29·696	29·701	29·697	16
17	29·695	29·687	29·678	29·668	29·668	29·676	29·695	29·704	29·711	29·718	29·712	29·708	17
18	29·679	29·657	29·653	29·654	29·641	29·643	29·645	29·653	29·671	29·668	29·672	29·666	18
19	29·643	29·621	29·631	29·613	29·605	29·603	29·615	29·631	29·647	29·656	29·667	29·671	19
20	29·643	29·623	29·603	29·599	29·591	29·611	29·611	29·611	29·631	29·616	29·613	29·613	20
21	29·560	29·545	29·534	29·517	29·519	29·539	29·525	29·505	29·508	29·499	29·543	29·531	21
22	29·494	29·490	29·496	29·492	29·502	29·502	29·538	29·552	29·554	29·564	29·589	29·584	22
23	29·640	29·610	29·608	29·622	29·652	29·630	29·658	29·673	29·713	29·710	29·732	29·730	23
24	29·778	29·761	29·749	29·740	29·748	29·760	29·764	29·776	29·795	29·801	29·815	29·817	24
25	29·737	29·714	29·703	29·699	29·699	29·717	29·726	29·724	29·729	29·734	29·734	29·723	25
26	29·660	29·634	29·612	29·605	29·611	29·625	29·640	29·642	29·654	29·647	29·646	29·633	26
27	29·574	29·550	29·530	29·522	29·530	29·533	29·548	29·549	29·545	29·555	29·539	29·514	27
28	29·473	29·457	29·451	29·443	29·437	29·439	29·446	29·455	29·461	29·474	29·467	29·451	28
29	29·401	29·385	29·383	29·381	29·369	29·371	29·393	29·401	29·408	29·412	29·402	29·399	29
30	29·375	29·367	29·355	29·355	29·356	29·359	29·382	29·402	29·410	29·420	29·413	29·416	30
31	29·416	29·406	29·382	29·372	29·364	29·368	29·378	29·399	29·407	29·410	29·404	29·406	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·565	29·545	29·523	29·509	29·511	29·516	29·554	29·557	29·587	29·603	29·603	29·591	1
2	29·600	29·596	29·592	29·578	29·583	29·591	29·599	29·611	29·631	29·649	29·661	29·656	2
3	29·676	29·650	29·624	29·611	29·608	29·605	29·617	29·625	29·635	29·648	29·653	29·649	3
4	29·600	29·575	29·553	29·544	29·536	29·533	29·547	29·556	29·558	29·586	29·591	29·582	4
5	29·626	29·608	29·592	29·593	29·589	29·590	29·607	29·634	29·654	29·674	29·684	29·674	5
6	29·689	29·687	29·674	29·648	29·654	29·668	29·689	29·707	29·731	29·747	29·748	29·737	6
7	29·711	29·698	29·685	29·683	29·678	29·685	29·693	29·693	29·702	29·710	29·712	29·702	7
8	29·689	29·667	29·659	29·647	29·635	29·635	29·634	29·661	29·679	29·691	29·699	29·691	8
9	29·651	29·651	29·637	29·619	29·617	29·619	29·628	29·635	29·649	29·679	29·687	29·685	9
10	29·705	29·702	29·685	29·671	29·673	29·677	29·691	29·700	29·718	29·739	29·749	29·759	10
11	29·755	29·738	29·726	29·722	29·721	29·737	29·737	29·749	29·775	29·788	29·787	29·776	11
12	29·757	29·731	29·725	29·706	29·707	29·708	29·726	29·744	29·753	29·763	29·764	29·746	12
13	29·703	29·681	29·670	29·656	29·642	29·665	29·661	29·661	29·677	29·693	29·697	29·679	13
14	29·631	29·627	29·617	29·605	29·599	29·602	29·612	29·626	29·642	29·669	29·679	29·661	14
15	29·678	29·653	29·637	29·637	29·630	29·632	29·654	29·675	29·699	29·707	29·711	29·705	15
16	29·687	29·676	29·681	29·669	29·655	29·645	29·651	29·675	29·689	29·703	29·717	29·708	16
17	29·689	29·682	29·665	29·641	29·635	29·627	29·644	29·657	29·671	29·693	29·699	29·692	17
18	29·647	29·637	29·612	29·586	29·580	29·586	29·591	29·613	29·623	29·651	29·673	29·668	18
19	29·653	29·647	29·625	29·618	29·606	29·595	29·603	29·627	29·651	29·671	29·675	29·659	19
20	29·607	29·594	29·583	29·564	29·552	29·559	29·563	29·571	29·574	29·560	29·568	29·532	20
21	29·507	29·485	29·485	29·477	29·468	29·471	29·487	29·489	29·499	29·521	29·521	29·510	21
22	29·573	29·560	29·562	29·538	29·558	29·570	29·592	29·606	29·612	29·642	29·648	29·644	22
23	29·730	29·729	29·732	29·726	29·708	29·721	29·744	29·754	29·767	29·779	29·789	29·789	23
24	29·809	29·776	29·751	29·750	29·730	29·746	29·746	29·753	29·762	29·766	29·764	29·748	24
25	29·706	29·681	29·664	29·651	29·643	29·630	29·622	29·628	29·633	29·650	29·662	29·666	25
26	29·615	29·596	29·590	29·547	29·540	29·541	29·551	29·564	29·579	29·591	29·591	29·589	26
27	29·497	29·479	29·461	29·439	29·445	29·448	29·461	29·483	29·489	29·503	29·499	29·479	27
28	29·433	29·406	29·392	29·383	29·379	29·373	29·386	29·422	29·434	29·444	29·429	29·399	28
29	29·386	29·384	29·365	29·358	29·352	29·355	29·360	29·363	29·363	29·381	29·393	29·383	29
30	29·400	29·400	29·380	29·366	29·360	29·363	29·382	29·398	29·422	29·430	29·431	29·432	30
31	29·392	29·380	29·366	29·360	29·358	29·370	29·376	29·408	29·415	29·428	29·436	29·431	31

TABLE II.—TEMPERATURES of the AIR at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of JULY, 1932.

Hours, Hong Kong Standard Time.

Days of the Month	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
1	78·2	78·0	78·0	77·8	77·1	77·3	79·5	81·7	83·4	84·6	86·1	86·0	1
2	79·9	80·0	79·8	79·8	79·6	79·2	79·4	83·5	85·5	86·6	83·6	83·5	2
3	80·6	80·5	80·4	80·3	80·2	80·0	81·0	81·0	81·8	83·3	84·1	83·9	3
4	80·0	80·1	79·9	78·8	78·3	77·8	78·4	79·2	79·4	82·4	83·0	83·9	4
5	80·0	79·6	79·2	79·6	79·6	79·1	80·0	80·0	80·1	79·1	80·8	82·6	5
6	79·0	78·9	78·2	78·8	80·8	81·7	82·5	84·0	85·2	86·9	85·6	85·9	6
7	82·0	81·9	82·3	81·9	82·0	82·1	82·2	83·7	85·8	86·3	84·5	84·7	7
8	81·9	82·0	82·0	82·1	82·1	82·0	82·2	82·4	84·0	85·0	84·9	87·0	8
9	82·2	82·0	82·0	81·8	81·7	82·0	82·8	84·3	84·0	84·8	87·0	86·2	9
10	81·8	81·8	81·6	81·4	81·6	80·2	81·6	85·2	83·7	85·3	88·0	89·0	10
11	80·4	80·7	80·1	80·0	80·4	80·6	82·0	82·0	78·9	80·3	83·6	81·9	11
12	81·0	81·1	80·0	80·0	79·0	79·7	81·0	80·8	82·6	83·9	85·7	87·0	12
13	82·7	82·6	82·2	82·0	82·0	81·1	79·7	83·3	84·0	84·4	85·9	84·0	13
14	81·3	81·3	81·5	81·7	81·4	81·6	81·8	83·9	82·9	85·4	85·2	86·5	14
15	83·1	83·0	82·9	82·7	82·5	82·1	81·6	83·1	84·9	85·5	84·4	84·0	15
16	81·2	79·0	79·7	80·6	81·6	81·3	82·0	83·2	85·2	84·9	83·8	84·0	16
17	81·1	81·3	79·3	80·4	80·4	80·0	80·0	81·4	82·8	85·3	86·9	86·6	17
18	80·7	80·9	80·0	78·0	80·0	81·0	82·0	82·3	83·8	85·0	83·4	83·7	18
19	79·0	80·6	81·2	81·4	81·0	81·5	82·3	83·8	84·4	81·6	83·7	84·1	19
20	81·9	82·0	82·0	81·8	82·0	81·9	82·7	83·9	82·0	85·7	86·3	86·3	20
21	83·7	84·2	82·1	83·3	83·1	78·1	79·2	82·2	84·0	84·9	78·0	82·0	21
22	81·2	79·4	79·0	79·9	78·8	77·5	78·3	76·0	77·3	76·8	75·6	77·0	22
23	79·2	79·2	79·8	79·7	79·6	78·8	79·5	80·3	78·8	79·9	79·0	78·2	23
24	77·5	77·6	77·8	78·0	77·8	76·3	79·0	77·4	76·0	75·7	76·0	75·3	24
25	75·9	75·9	75·2	76·0	76·2	76·4	77·3	78·5	80·9	82·1	83·0	84·5	25
26	79·6	79·4	79·2	79·0	78·7	78·0	78·2	79·2	81·1	83·5	82·7	82·6	26
27	79·0	78·8	78·5	78·0	78·0	78·1	78·9	80·1	81·0	84·0	85·5	85·5	27
28	81·2	81·3	81·4	81·3	81·1	81·0	81·0	81·5	83·0	84·3	85·7	85·8	28
29	82·9	82·7	82·5	82·4	82·2	81·8	81·8	82·6	83·6	84·0	82·9	82·5	29
30	80·1	80·0	80·0	80·0	80·1	79·8	79·8	79·0	79·6	80·2	80·4	77·4	30
31	77·0	77·0	77·2	77·2	77·4	77·6	78·1	77·0	77·0	77·0	77·4	77·6	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	86·6	85·0	86·2	86·6	84·9	84·0	85·2	81·4	81·0	80·5	79·9	79·8	1
2	83·8	83·4	82·4	82·7	81·9	81·6	81·0	80·7	81·2	81·4	81·0	80·8	2
3	84·6	84·1	84·5	83·2	83·2	82·0	81·0	80·4	80·2	80·2	80·0	80·0	3
4	83·5	84·0	83·9	83·2	82·3	81·8	80·7	79·8	80·0	79·7	79·0	78·8	4
5	79·0	80·0	80·8	80·9	82·1	81·7	80·5	80·5	80·1	80·1	80·0	79·0	5
6	88·6	86·0	84·9	84·0	83·6	83·5	83·3	83·0	83·0	82·8	82·5	82·8	6
7	86·3	84·0	86·0	84·4	84·1	81·2	82·0	81·2	81·4	81·2	81·0	81·6	7
8	88·7	87·7	88·3	87·1	85·5	84·0	82·1	82·9	82·9	82·4	82·3	82·3	8
9	88·4	83·6	86·5	87·0	85·7	85·0	83·8	83·2	83·0	82·6	82·2	82·1	9
10	88·0	89·0	87·0	85·6	84·9	84·7	83·7	82·0	81·7	81·3	81·0	80·7	10
11	84·0	85·3	84·1	83·8	83·6	82·7	82·1	82·0	81·9	79·4	78·5	81·3	11
12	87·5	87·4	86·4	85·5	82·0	82·9	83·0	82·5	82·4	82·3	82·6	82·9	12
13	80·5	82·3	84·8	85·2	83·5	80·2	79·6	79·6	80·5	80·8	81·2	81·7	13
14	84·9	85·3	84·9	83·6	84·0	83·7	85·3	83·2	82·9	82·2	82·9	83·2	14
15	84·3	85·1	85·0	84·2	83·9	83·0	83·0	79·9	81·9	82·0	82·0	80·2	15
16	84·1	83·1	82·7	82·8	81·7	82·0	81·8	81·6	81·8	81·2	81·0	81·1	16
17	88·4	87·0	84·1	85·2	85·0	84·6	83·0	82·2	80·1	79·4	79·2	79·4	17
18	85·0	84·8	83·5	83·7	83·7	83·3	82·9	82·8	82·5	82·5	82·3	82·0	18
19	85·8	85·0	86·0	84·1	84·6	82·5	82·6	82·6	82·7	82·4	82·4	81·9	19
20	87·0	87·0	87·7	87·2	87·0	85·6	84·0	83·0	82·2	82·3	82·6	82·8	20
21	82·5	81·8	81·0	82·0	81·3	81·6	80·6	79·2	80·4	81·2	81·2	80·8	21
22	77·0	77·4	75·5	77·0	77·4	77·0	78·0	78·6	78·8	79·2	79·0	79·1	22
23	77·7	77·8	76·9	78·3	79·0	77·8	78·8	79·0	79·1	80·0	79·8	77·4	23
24	75·6	75·7	76·1	76·6	77·0	77·1	77·2	77·0	77·0	76·9	77·1	76·8	24
25	84·5	85·6	86·0	85·6	84·0	81·0	80·7	80·5	80·3	80·0	79·8	79·6	25
26	85·0	84·5	84·8	84·0	83·2	82·7	81·6	81·3	81·0	80·6	80·6	80·0	26
27	86·2	86·2	87·0	86·7	86·2	85·7	84·0	82·6	82·2	81·3	81·0	81·1	27
28	87·1	87·6	87·3	86·5	84·6	84·3	83·8	83·3	83·3	83·2	83·0	83·0	28
29	84·1	82·8	81·8	79·0	79·1	78·8	78·0	79·0	79·6	80·4	80·0	80·0	29
30	77·1	78·0	77·9	78·5	78·7	78·3	77·6	77·9	77·3	78·0	77·2	77·0	30
31	77·6	77·8	78·0	78·2	78·4	78·5	78·6	78·5	78·6	78·7	78·7	79·4	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of JULY, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	76·6	76·6	76·2	76·1	75·6	75·6	76·7	76·5	77·0	78·2	79·1	79·0	1
2	76·7	76·9	77·0	77·0	76·8	76·7	76·9	79·0	80·0	80·6	79·3	79·0	2
3	77·8	77·7	77·6	77·3	77·1	76·9	77·8	77·8	77·4	78·1	78·1	77·8	3
4	77·2	77·1	78·2	77·9	77·1	76·1	76·4	76·6	77·1	77·7	78·0	78·8	4
5	78·2	78·0	77·8	77·9	77·9	77·2	77·0	77·1	77·2	76·9	77·5	77·9	5
6	76·9	76·9	76·9	77·0	78·1	78·7	78·7	80·0	80·0	80·1	80·0	79·8	6
7	78·5	78·0	78·1	78·0	78·1	78·0	78·1	79·0	78·8	79·0	77·2	77·9	7
8	77·7	77·6	77·5	77·6	77·6	77·5	77·7	77·8	79·0	79·0	78·8	79·9	8
9	77·7	77·6	77·3	77·1	77·3	76·6	77·2	77·9	78·0	78·7	79·0	78·4	9
10	77·6	77·6	77·5	77·6	77·5	76·9	78·1	78·6	78·1	77·3	78·5	78·9	10
11	77·9	77·9	77·9	77·4	77·9	78·2	78·5	78·2	75·2	78·0	78·8	77·9	11
12	78·0	78·3	77·9	77·9	77·0	78·1	77·9	78·2	78·6	78·8	79·4	79·8	12
13	78·1	78·6	78·2	77·0	78·5	77·6	75·7	77·5	78·0	78·2	79·3	80·3	13
14	78·2	78·2	78·6	78·7	78·4	78·3	78·3	79·8	78·5	78·9	79·0	79·0	14
15	78·5	78·3	78·3	78·1	78·1	77·5	77·5	77·4	79·0	79·0	79·0	79·5	15
16	78·0	77·7	78·1	78·6	77·8	77·9	79·0	79·4	80·3	79·8	79·3	79·1	16
17	79·1	78·9	77·1	78·8	78·8	78·0	78·0	78·4	79·1	79·8	80·1	79·0	17
18	77·9	77·9	77·9	75·9	77·7	77·8	77·9	78·7	78·9	79·2	78·7	79·2	18
19	77·5	77·9	77·5	77·3	77·0	77·0	77·7	79·1	78·4	78·3	79·3	78·4	19
20	78·9	78·5	78·0	77·9	78·2	78·1	78·2	78·6	78·4	79·8	79·9	79·3	20
21	76·1	77·0	76·2	76·0	76·3	76·0	76·1	76·5	78·5	78·5	77·0	77·5	21
22	76·9	76·9	76·0	76·1	76·9	76·6	76·8	74·1	75·0	74·3	74·0	75·9	22
23	76·6	76·7	78·0	77·0	76·8	77·6	78·0	78·3	77·6	76·8	76·0	76·7	23
24	74·9	75·9	75·9	76·0	75·9	76·3	77·0	76·0	74·2	74·1	74·7	74·6	24
25	74·7	74·7	74·0	74·4	74·9	74·9	75·9	77·0	77·9	77·2	77·2	78·0	25
26	74·8	74·8	74·9	74·9	74·9	75·0	75·4	76·5	76·8	77·0	77·1	77·2	26
27	75·5	75·9	76·1	76·0	76·0	76·1	77·2	78·3	78·4	80·0	80·0	79·8	27
28	76·5	76·4	76·6	76·7	76·9	77·1	77·0	77·2	78·1	79·7	79·9	79·6	28
29	79·0	78·9	79·1	79·1	79·0	78·8	78·8	78·6	79·3	79·8	78·0	78·0	29
30	77·9	78·0	77·9	77·8	78·0	77·2	77·2	77·0	77·6	77·0	77·9	76·9	30
31	76·5	76·4	76·6	76·6	76·3	76·5	76·6	76·2	75·9	76·1	76·4	76·6	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	78·5	77·8	78·0	78·4	77·3	77·0	75·9	76·9	76·7	77·0	76·7	76·6	1
2	79·7	79·4	79·2	78·1	78·7	78·6	78·0	78·0	78·0	78·2	78·0	77·9	2
3	78·0	78·0	78·2	77·7	77·9	78·2	77·8	77·8	77·8	77·6	77·4	77·2	3
4	78·0	78·0	78·7	78·0	77·5	78·2	77·2	77·1	77·1	77·5	78·0	77·6	4
5	76·5	77·3	77·0	77·0	77·1	75·9	75·8	76·3	76·5	76·5	76·6	76·9	5
6	80·2	79·9	79·4	78·8	78·3	78·1	77·9	77·8	77·8	78·0	77·9	78·0	6
7	78·4	77·2	77·9	77·6	77·2	77·2	77·0	75·9	76·9	77·3	78·0	77·9	7
8	79·3	78·3	78·8	78·2	77·0	77·0	77·3	77·1	77·6	77·6	77·9	77·5	8
9	80·2	78·1	79·0	78·1	77·7	77·7	77·7	77·6	77·9	77·8	77·9	77·9	9
10	77·0	77·9	76·9	76·9	76·6	77·7	78·6	78·8	77·9	77·9	77·9	77·9	10
11	79·0	79·3	78·6	78·4	78·0	77·7	77·8	78·0	78·2	76·4	75·8	78·7	11
12	80·3	80·7	79·7	79·0	78·3	78·7	78·8	78·9	79·0	79·0	79·1	78·6	12
13	78·0	79·6	79·9	77·9	78·2	76·9	76·6	76·6	77·0	77·4	78·4	78·3	13
14	78·9	78·4	78·5	78·4	78·6	78·7	78·3	78·3	78·8	78·8	78·4	78·6	14
15	79·7	79·9	79·8	78·6	78·4	77·9	78·4	77·1	78·9	77·9	78·9	77·0	15
16	77·8	77·8	77·1	77·3	77·4	77·1	77·8	78·2	78·4	78·9	79·0	79·1	16
17	79·6	79·0	78·1	79·6	79·2	78·8	79·1	79·2	79·2	78·7	78·5	77·9	17
18	78·0	78·5	78·8	79·0	78·5	78·2	78·1	78·0	78·0	78·0	77·7	78·4	18
19	79·3	78·7	79·9	79·0	78·7	79·0	79·1	79·1	79·1	78·9	78·9	78·9	19
20	80·3	79·8	79·8	79·6	79·4	78·6	78·0	78·0	78·1	76·9	76·1	76·0	20
21	78·2	77·0	76·9	77·1	77·3	77·0	76·6	77·2	76·8	76·9	76·6	76·1	21
22	75·0	75·3	73·5	74·8	75·3	74·9	76·0	75·5	75·7	75·7	75·7	76·6	22
23	75·9	75·9	76·1	76·8	76·6	75·8	76·5	76·8	77·1	77·8	77·3	73·9	23
24	74·6	74·7	75·0	75·0	75·6	75·4	75·2	75·1	74·8	74·7	74·9	74·8	24
25	78·0	77·6	78·1	77·6	77·8	75·7	75·3	75·0	75·0	74·9	74·7	74·5	25
26	78·2	78·0	76·8	74·2	76·9	76·0	76·0	75·8	75·8	75·6	75·6	75·9	26
27	80·1	79·9	79·7	77·9	76·6	76·2	76·0	76·0	76·3	76·3	76·4	76·4	27
28	79·1	80·2	79·5	79·0	78·8	79·1	78·0	79·0	79·3	78·9	79·0	79·1	28
29	79·5	79·1	78·6	76·9	77·1	76·9	76·7	77·7	77·9	78·9	78·0	78·0	29
30	76·8	76·4	76·3	76·0	76·9	76·7	76·9	76·4	76·8	76·7	76·8	76·5	30
31	76·6	76·8	77·0	77·4	77·5	77·9	77·7	77·6	77·7	77·7	77·7	78·0	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JULY, 1932.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	...	5	7	4	6	6	5	5	4	5	5	5	6	6	5	8	9	8	8	9	6	8	7	8	1
2	8	9	7	9	7	7	5	6	9	8	8	8	8	9	8	8	8	8	4	9	9	9	9	8	2
3	7	9	8	9	10	10	8	8	8	9	7	6	9	9	4	8	7	7	8	4	4	8	5	8	3
4	8	10	10	10	10	10	10	10	10	9	8	8	8	8	7	7	8	8	9	10	9	10	10	10	4
5	9	9	9	8	10	10	10	10	10	10	9	10	10	10	10	10	9	9	10	10	10	8	9	9	5
6	8	6	10	8	10	10	8	7	8	9	9	8	9	8	9	9	8	9	9	9	9	9	8	9	6
7	10	9	10	9	10	8	7	8	7	8	6	8	6	8	8	8	9	9	9	9	8	8	9	8	7
8	9	9	8	10	9	9	9	7	9	8	9	8	5	6	3	3	2	4	5	4	7	6	6	8	8
9	8	8	7	9	9	8	8	8	7	7	7	6	5	8	5	6	5	6	6	3	3	8	5	5	9
10	4	6	6	8	9	9	5	7	6	7	7	6	5	6	6	6	6	2	2	1	...	...	9	9	10
11	8	1	1	4	8	7	5	8	8	6	9	6	6	5	6	5	7	7	7	9	9	10	8	5	11
12	7	8	8	10	10	10	10	10	10	8	8	7	7	6	8	8	9	9	8	9	9	9	10	9	12
13	9	10	9	7	10	8	7	7	8	7	8	9	9	9	7	8	8	9	9	9	9	9	9	9	13
14	8	8	9	10	10	9	9	7	8	8	7	8	9	8	9	7	8	8	8	7	9	8	7	9	14
15	9	8	8	8	8	6	6	4	7	8	10	9	8	8	8	9	9	9	9	10	10	10	10	9	15
16	9	10	10	10	10	10	9	9	9	8	9	9	9	9	10	10	9	9	8	10	10	10	10	10	16
17	10	9	10	10	10	9	9	10	9	9	8	8	7	9	8	7	5	4	8	7	9	9	10	10	17
18	9	9	9	9	9	6	6	8	6	6	8	8	9	9	10	10	7	9	9	9	9	9	8	10	18
19	10	8	8	9	7	8	7	8	7	9	7	8	9	9	8	8	6	7	7	8	8	6	6	6	19
20	7	6	5	5	8	6	7	8	9	7	7	7	7	4	4	3	2	3	6	1	2	3	2	7	20
21	10	9	6	8	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	9	21
22	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	9	9	9	2	3	4	3	24
25	3	2	2	...	1	8	7	7	8	9	6	7	6	7	7	8	10	10	9	10	9	...	...	2	25
26	3	2	4	3	5	7	7	4	4	4	5	5	8	7	7	7	7	3	2	1	1	1	2	3	26
27	...	...	1	1	1	6	4	5	4	7	6	7	4	6	6	6	8	7	6	1	1	...	...	4	27
28	4	6	3	2	2	5	8	6	7	8	9	9	9	9	8	9	9	8	8	7	8	9	10	9	28
29	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30
31	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	5	7	8	8	9	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JULY, 1932.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	0·1	0·3	1
2	...	0·6	1·0	0·9	0·8	0·9	1·0	1·0	0·6	1·0	0·3	...	...	2
3	0·5	0·4	0·4	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	3
4	...	0·1	0·5	0·8	0·7	0·6	0·8	1·0	1·0	1·0	0·9	0·1	0·1	4
5	...	...	...	...	...	0·6	...	...	...	...	...	...	...	5
6	0·1	0·7	0·8	1·0	0·1	...	0·6	0·7	0·1	...	0·1	0·3	...	6
7	...	0·7	1·0	1·0	0·9	0·9	1·0	0·6	1·0	0·5	0·2	...	0·1	7
8	...	...	...	0·3	0·3	0·8	1·0	1·0	1·0	1·0	1·0	1·0	0·5	8
9	0·3	1·0	0·9	1·0	1·0	1·0	0·9	0·7	0·8	1·0	1·0	1·0	0·1	9
10	0·6	0·9	0·9	1·0	1·0	1·0	1·0	1·0	0·9	1·0	0·7	0·6	0·7	10
11	0·6	0·2	...	0·2	0·8	0·1	0·8	1·0	0·7	0·9	1·0	1·0	0·4	11
12	...	...	...	...	0·9	1·0	1·0	0·9	1·0	1·0	0·6	0·1	...	12
13	...	0·9	1·0	0·9	0·9	0·3	0·1	0·3	0·2	1·0	0·5	...	...	13
14	...	0·8	0·6	0·6	1·0	1·0	1·0	1·0	1·0	0·4	1·0	...	0·3	14
15	0·1	1·0	0·9	0·9	0·7	0·4	0·6	0·9	1·0	0·6	...	0·3	...	15
16	...	0·8	0·8	1·0	1·0	1·0	1·0	...	...	...	...	...	...	16
17	...	0·1	...	0·6	1·0	0·7	1·0	0·9	0·8	0·9	0·8	0·9	0·3	17
18	0·7	0·5	0·8	1·0	0·6	0·7	0·6		...	...	0·3	0·8	...	18
19	0·2	0·9	0·5	0·7	1·0	0·7	0·8	0·8	0·7	0·6	0·6	0·8	0·5	19
20	0·2	1·0	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	20
21	...	...	0·3	0·3	0·3	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	0·1	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	0·1	0·3	...	...	24
25	0·2	1·0	0·9	1·0	1·0	1·0	1·0	0·8	1·0	0·8	...	...	...	25
26	...	0·1	1·0	1·0	0·8	0·7	1·0	1·0	0·9	0·9	0·7	1·0	0·2	26
27	0·5	1·0	0·8	0·9	1·0	0·7	0·9	0·7	1·0	1·0	1·0	1·0	0·4	27
28	...	0·3	0·9	0·2	0·5	0·7	0·8	1·0	0·4	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JULY, 1932.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	d	0·020	0.100	0·030	0·050	d	d	d	0·005	0·005	...	4
5	...	...	...	0·030	0·130	0·035	0·005	0·100	0·125	0·010	...	0·015	5
6	...	...	0·035	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	d	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	0·045	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	0·040	d	0·015	0·010	...	11
12	...	...	...	0·185	0·045	...	0·010	0·030	0·005	...	...	...	12
13	...	...	...	...	...	0·020	...	...	d	d	d	0·070	13
14	...	d	0·030	0·030	...	...	...	...	0·035	0·010	...	...	14
15	d	...	...	...	d	...	...	d	...	...	0·195	d	15
16	0·085	0·465	0·130	0·055	d	0·045	...	d	0·005	...	...	...	16
17	d	...	0·030	0·010	0·110	d	...	0·220	...	...	...	...	17
18	0·035	0·335	0·160	d	...	...	...	0·010	0·010	0.020	0·005	...	18
19	0·060	...	...	...	...	d	...	d	...	0·040	...	...	19
20	...	...	...	...	0·005	...	...	0·040	0·050	...	...	...	20
21	...	...	d	...	d	0·600	0·070	0·130	d	0·020	0·680	0·030	21
22	0·040	0·165	0·055	d	0·285	0·395	0·030	0·590	0·065	0·400	0·630	0·120	22
23	0·060	0·110	d	...	d	0·175	0·285	0·320	0·740	0·575	0·015	0·060	23
24	0·030	d	...	...	0·005	0·135	0·080	0·470	0·215	0·035	0·080	0·215	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	d	0·005	0·010	0·005	d	d	...	...	d	d	0·020	29
30	0·115	0·250	0·030	0·010	0·030	0·010	0·125	0·120	0·095	0·230	0·355	0·880	30
31	0·225	0·080	0·010	0·005	d	d	0·180	1·490	0·310	0·110	0·510	0·140	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	d	...	d	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	d	...	0·005	0·085	d	4
5	0·245	0·005	d	d	...	...	d	d	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	d	d	...	...	0·020	d	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	0·010	...	...	...	...	...	...	...	...	...	...	9
10	...	...	0·005	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	d	0·010	0·440	0·125	...	11
12	d	d	d	...	0·010	0·005	...	d	0·010	...	d	...	12
13	0·190	0·025	d	...	0·350	0·040	d	...	0·005	...	...	...	13
14	...	...	...	...	...	...	d	...	0·055	...	...	...	14
15	...	...	...	...	...	...	0·005	0·320	0·010	...	0·020	0·005	15
16	...	d	d	0·015	d	...	...	...	d	0·005	d	...	16
17	...	d	0·015	...	...	...	...	0·005	0·060	0·020	0·125	0·025	17
18	...	...	0·025	...	...	...	d	0·010	d	...	...	d	18
19	...	0·025	...	d	0·055	0·005	...	...	...	...	...	...	19
20	...	..	...	...	...	...	...	...	...	...	...	...	20
21	0·005	0·010	d	0·065	0·045	d	0·010	0·110	0·080	d	0·250	d	21
22	0·130	0·010	0·175	0·015	0·295	0·060	0·010	0·005	0·200	...	d	d	22
23	0·070	0·035	0·250	0·020	0·080	0·025	d	...	...	0·005	0·010	0·310	23
24	0·095	0·040	0·005	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	d	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	d	...	28
29	d	0·020	0·115	0·715	0·220	0·225	6·395	0·075	0·040	0·035	0·185	0·155	29
30	0·075	0·290	0·120	0·010	d	0·115	0·235	0·065	0·325	0·130	0·095	0·510	30
31	0·080	0·015	d	...	...	...	...	d	...	...	...	d	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, at 148 feet above MEAN SEA LEVEL, in the MONTH of JULY, 1932.

(The Direction is given in points and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	9	8	9	4	10	6	10	3	...	...	...	1	10	2	10	7	11	4	12	6	11	5	10	4	1
2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	13	5	11	9	9	18	9	19	2
3	8	15	7	14	7	14	6	14	6	16	6	16	7	16	7	19	7	15	8	17	7	18	8	16	3
4	7	14	7	16	7	16	8	17	7	10	6	11	5	13	5	10	7	14	6	8	6	14	6	16	4
5	7	8	8	5	9	8	11	7	15	10	16	13	15	14	15	19	19	18	20	21	20	15	20	14	5
6	9	3	9	5	12	7	11	5	15	10	16	13	16	13	16	9	16	12	17	10	18	12	18	10	6
7	17	5	17	5	18	9	18	9	18	10	18	9	18	6	18	4	19	9	20	7	20	8	19	9	7
8	19	5	19	5	19	7	18	5	18	8	19	9	19	11	20	12	19	11	20	11	20	12	20	13	8
9	17	6	18	5	20	8	22	5	19	5	19	8	20	9	21	10	20	13	20	11	20	12	20	13	9
10	16	6	17	5	15	5	15	5	16	3	20	3	1	3	9	2	18	4	17	10	16	6	16	7	10
11	9	5	9	9	10	9	10	6	...	1	7	3	8	6	8	9	11	10	9	11	9	16	9	8	11
12	11	5	11	4	10	4	7	8	...	1	6	9	6	13	6	11	6	10	8	17	7	19	7	22	12
13	11	18	11	17	11	19	10	17	10	15	11	13	9	16	9	12	10	15	10	16	7	16	6	13	13
14	7	13	8	13	10	15	11	10	12	9	11	11	11	11	10	13	9	8	8	16	9	19	9	18	14
15	9	23	11	19	10	21	9	19	10	20	10	17	10	16	10	21	9	21	9	23	11	20	11	21	15
16	11	18	11	17	11	18	10	20	9	26	8	23	9	24	9	21	9	20	9	22	9	26	9	24	16
17	10	15	10	15	10	11	10	11	11	10	11	9	8	11	8	7	10	2	12	11	14	11	15	12	17
18	13	11	13	8	12	9	6	6	6	7	12	9	12	9	11	10	11	14	10	18	10	11	11	15	18
19	9	18	10	14	11	12	11	13	10	13	11	13	10	11	10	11	11	14	10	16	9	16	10	16	19
20	9	12	8	14	9	17	8	16	8	15	8	21	9	21	8	18	10	20	9	18	8	16	7	15	20
21	6	12	5	18	6	19	5	19	5	19	8	16	5	23	6	33	6	35	6	37	7	40	7	35	21
22	8	41	9	38	9	37	8	39	10	42	11	35	9	29	10	34	10	32	11	24	11	28	9	28	22
23	9	34	9	41	10	37	10	30	10	27	10	33	10	32	11	30	11	26	12	24	12	26	11	22	23
24	8	14	8	12	7	13	7	14	7	11	8	9	14	6	24	6	6	8	7	9	7	4	4	3	24
25	...	...	...	1	9	4	10	6	10	8	10	5	11	4	8	5	8	6	8	9	8	11	8	12	25
26	11	2	...	...	...	...	...	...	...	1	...	...	...	1	...	1	9	6	8	6	8	11	8	12	26
27	13	2	...	...	...	...	...	1	...	...	...	...	...	...	13	3	28	3	27	2	25	4	23	7	27
28	19	3	21	5	21	10	21	11	22	6	24	7	25	5	26	4	26	8	26	7	25	7	24	6	28
29	21	9	22	9	24	8	26	3	27	8	26	8	25	7	24	6	24	11	25	12	24	13	24	10	29
30	20	20	21	18	21	14	19	16	21	13	24	9	23	8	24	6	19	8	17	11	17	12	24	13	30
31	9	11	9	7	7	6	6	4	6	3	8	13	10	12	11	11	8	8	8	13	7	13	6	7	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	4	6	7	30	4	26	5	22	5	20	2	18	4	17	4	17	3	...	...	...	...	...	...	1
2	9	17	9	19	9	16	9	16	9	14	9	12	7	12	8	12	8	10	7	14	7	16	7	15	2
3	8	16	9	18	8	14	9	15	9	16	10	17	9	13	7	15	7	16	7	14	7	16	7	17	3
4	7	18	7	20	7	19	7	22	7	18	7	18	6	18	6	16	7	16	7	13	7	9	7	13	4
5	19	16	20	16	20	14	20	10	21	7	19	7	18	8	17	4	14	4	10	2	...	1	10	3	5
6	19	14	18	18	18	11	16	8	16	7	17	6	18	11	19	7	18	5	15	5	15	2	16	4	6
7	20	12	23	7	21	11	21	8	23	13	26	3	23	3	18	4	...	1	26	2	...	1	21	4	7
8	21	14	21	13	20	11	19	13	19	11	18	8	18	3	18	4	18	6	18	6	18	6	18	6	8
9	20	16	20	13	19	14	19	14	18	12	17	6	17	9	17	5	17	8	17	5	17	5	17	7	9
10	16	7	16	8	16	8	16	9	17	8	16	6	16	2	14	2	8	7	9	8	9	7	9	7	10
11	9	13	9	14	9	13	9	13	10	15	9	14	9	13	8	14	8	15	14	12	14	4	11	10	11
12	8	19	8	17	8	20	9	21	8	20	10	22	10	24	9	20	10	20	11	19	10	19	10	21	12
13	8	17	9	16	9	21	8	19	9	15	8	15	7	14	8	10	8	10	8	12	7	15	7	17	13
14	9	18	9	18	9	16	9	17	10	17	10	16	9	19	9	22	9	20	9	25	9	23	9	22	14
15	9	18	9	21	9	24	9	24	9	22	9	22	8	20	8	19	11	16	9	21	10	20	11	21	15
16	9	23	9	22	9	23	9	18	8	14	8	16	8	21	9	17	10	19	10	18	10	17	9	15	16
17	14	11	12	10	10	10	10	15	10	10	10	10	10	11	11	10	10	11	11	11	12	9	11	10	17
18	13	12	13	13	13	8	10	11	9	13	9	13	9	12	8	15	9	17	11	18	10	18	10	15	18
19	11	15	13	16	10	17	9	18	10	16	9	18	10	16	11	11	10	14	10	13	10	12	10	10	19
20	8	17	7	18	8	16	7	15	8	14	8	13	8	12	8	9	8	9	7	9	6	7	7	8	20
21	8	39	7	32	6	32	7	34	7	32	7	38	8	39	7	35	8	43	9	41	8	42	8	43	21
22	9	30	9	26	9	32	8	25	9	30	9	24	9	30	8	35	8	35	9	40	10	35	10	30	22
23	11	23	10	23	11	19	10	14	10	15	10	14	9	11	9	12	10	13	10	16	10	16	9	18	23
24	3	2	6	6	7	8	8	9	9	10	9	11	9	5	9	4	...	1	...	...	...	...	9	3	24
25	9	13	11	8	13	7	15	8	18	8	21	4	23	2	24	2	...	...	15	3	9	4	8	5	25
26	11	8	20	7	20	5	13	2	11	10	12	6	15	6	14	4	...	1	...	1	...	...	...	...	26
27	23	9	22	7	21	8	19	9	17	5	17	9	18	3	18	3	15	2	14	2	15	2	...	...	27
28	23	6	22	9	21	7	20	10	19	11	19	8	19	7	19	7	19	10	20	9	20	10	21	12	28
29	25	9	25	6	25	7	24	7	24	2	24	6	21	5	19	8	19	17	20	21	20	21	20	21	29
30	29	4	6	6	7	4	6	3	7	8	9	15	8	16	9	14	9	15	9	12	9	18	9	15	30
31	6	10	7	11	7	9	7	8	7	13	8	13	8	13	8	11	9	10	8	9	8	6	7	7	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of JULY, 1932.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	...	...	ci-st	WNW	ci-st	NW	a-cu / cu	NW / SSW	ci-st / cu	NW / SSW	ci-st / cu	NNW / SSW	ci-st / cu	NNW / SSW	ci-st / cu	NNW / SSW
2	ci-st / cu	NW / SSW	cu	SSW	ci-st / cu	NNW / SSW	ci-st / cu	NNW / SSW	ci-st / cu	NNE / SW	ci-st / cu	NE / SW	cu	ESE	nb	ESE
3	cu	ESE	cu-nb	SE	cu	E	cu	E	cu	E	cu	E	ci-st / cu	W / E	cu	E
4	cu	E	nb	E	cu-nb	ENE	cu	E	cu	E	a-cu / cu	WNW / E	cu	E	nb	E
5	cu	ENE	cu	ENE	nb	S	nb	SSW	nb	SSW	nb	SW	cu-nb	SSW	cu	SSW
6	cu	S	cu	S	cu	S	ci-st / cu	NE / SSW	ci-st / cu	NE / SSW	cu	SSW	ci-st / cu	NE / SSW	cu-nb	SW
7	cu	SSW	cu	SSW	a-cu / cu	ENE / SW	cu	SW	cu	SW	cu	SW	cu-nb	S	cu-nb	S
8	cu	SSW	cu	SSW	cu	SW	a-cu / cu	NE / SW	ci-cu / cu	NE / SW	a-cu / cu	NE / SW	ci-st / cu	NE / SW	cu	SW
9	cu	SSW	cu	SSW	cu	SW	cu	SW	ci-st / cu	NNE / SW	cu	SW	ci-st / cu	NE / SW	a-cu / cu	NE / SW
10	cu	SW	cu	SW	a-cu / cu	NE / SSW	cu	SW	cu	SW	cu	SW	ci-st / cu	ENE / SW	...	...
11	cu	SW	cu	SE	cu	SSE	cu	SSE	cu	SSE	ci-st / cu	ESE / SSE	a-cu / cu	E / SE	nb	ESE
12	cu	ESE	nb	ESE	nb	ESE	ci-st / cu	NW / E	cu	E	cu	E	cu	ESE	cu-nb	ESE
13	cu	ESE	cu	ESE	ci-st / cu	NW / ESE	cu	ESE	nb	ESE	cu	ESE	nb	ESE	nb	E
14	cu	E	nb	E	cu	ESE	cu	ESE	ci-st / cu	WNW / SSE	ci-st / cu	WNW / ESE	ci-st / cu	WSW / E	cu	E
15	cu-nb	E	cu	ESE	cu	ESE	cu	E	cu	ESE	cu	E	cu-nb	E	nb	E
16	cu	ESE	nb	ESE	cu-nb	ESE	cu	ESE	ci-st / cu	WSW / ESE	nb	ESE	ci-st / cu	WSW / ESE	nb	ESE
17	nb	ESE	nb	ESE	cu	ESE	ci-st / cu	NNW / SE	ci-st / cu	NNE / SE	ci-st / cu	NNE / SE	cu	SE	cu-nb	SE
18	cu	SE	cu	SE	a-cu / cu	NNE / SE	cu	SE	cu-nb	ESE	ci-st / cu	NE / SE	ci-st / cu	NE / ESE	cu-nb	ESE
19	nb	ESE	cu	ESE	ci-st / cu	NE / ESE	cu / nb	SE / SE	cu	ESE	cu	ESE	cu	ESE	cu	ESE
20	cu	ESE	cu	ESE	cu	E	cu	E	cu	E	cu	E	ci-st / cu	SE / E	ci-st	SE
21	st-cu	ESE	cu	ESE	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
22	cu-nb	E	nb	E	nb	ESE	nb	ESE	nb	E	nb	E	nb	E	nb	E
23	nb	E	nb	ESE	nb	E	nb	ESE	nb	ESE	nb	E	nb	ESE	nb	ESE
24	nb	E	nb	E	nb	ESE	nb	ESE	nb	ESE	ci-st / cu	WSW / ESE	st	ESE	ci-st	SW
25	cu	ESE	...	...	ci-st / cu	NW / ESE	ci-st / cu	WNW / SSE	ci-st / cu	WNW / SSE	ci-st / cu	WNW / SSW	st	S	...	...
26	ci-st	WNW	a-cu	NW	a-cu	WNW	a-cu / cu	WNW / SSW	cu	SSE	ci-st / cu	WNW / S	ci-st / cu	W / SSE	cu	SSE
27	...	...	ci-st	W	ci-st / cu	WNW / S	cu	SSW	ci-st / cu	SE / WSW	ci-st / cu	SSE / SSW	ci-st / cu	SSE / SSW	...	...
28	cu	SSW	cu	SSW	cu	SW	cu	SSW	ci-st / cu	SSE / SW	ci-st / cu	SSE / SW	a-cu / cu	SSE / SW	cu	SW
29	cu	SW	nb	SW	nb	NW	nb	W	nb	W	nb	W	nb	WSW	nb	WSW
30	nb	SW	nb	SW	nb	WSW	nb	SW	nb	SW	nb	SW	nb	S	nb	S
31	nb	S	nb	S	nb	E	nb	E	nb	SSW	nb	SSW	cu-nb	SSW	cu	SSW

TABLE IX.—*DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1932.*
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultants. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·564	87·0	77·0	10·0	81·9	77·1	0·875	81	60	10·6	79	...	...	— 1·1	+ 1·5	126	1·9	3·7
2	·600	87·1	79·1	8·0	81·8	78·2	·922	86	78	8·1	60	...	...	— 1·0	+ 9·2	96	9·3	9·4
3	·644	85·1	79·9	5·2	81·7	77·7	·903	84	75	9·9	74	...	...	+ 1·4	+ 15·5	85	15·6	15·7
4	·591	84·4	77·6	6·8	80·7	77·5	·905	86	90	7·6	57	0·300	6	+ 3·9	+ 14·5	75	15·0	15·0
5	·600	83·0	78·5	4·5	80·3	77·1	·893	86	95	0·6	4	0·700	8	— 7·5	— 2·3	197	7·8	10·2
6	·687	89·7	78·0	11·7	83·1	78·5	·921	82	86	4·5	34	0·035	...	— 7·9	— 0·9	186	8·0	8·6
7	·707	87·7	80·8	6·9	83·1	77·8	·891	79	83	7·9	59	0·020	1	— 4·4	— 4·1	223	6·0	6·6
8	·682	88·7	81·6	7·1	83·9	78·0	·890	76	68	7·9	59	...	...	— 7·0	— 5·2	217	8·7	8·7
9	·659	89·1	81·7	7·4	83·9	77·9	·886	76	65	10·7	80	0·010	...	— 7·4	— 5·0	214	8·9	9·1
10	·701	89·5	80·0	9·5	83·8	77·8	·883	76	55	11·3	84	0·050	...	— 4·3	+ 1·1	166	4·4	5·7
11	·749	85·9	77·0	8·9	81·6	77·9	·912	85	63	7·7	57	0·640	3	— 2·7	+ 9·5	106	9·9	10·1
12	·745	87·7	78·6	9·1	82·9	78·7	·932	83	86	6·5	49	0·300	4	— 1·7	+ 14·4	97	14·5	15·2
13	·689	86·0	78·8	7·2	82·1	78·0	·911	84	85	6·1	46	0·700	3	— 2·5	+ 14·7	100	14·9	15·3
14	·631	87·1	79·2	7·9	83·3	78·6	·923	81	82	8·7	65	0·160	1	— 3·9	+ 15·7	104	16·2	16·2
15	·657	86·8	77·2	9·6	82·1	78·4	·917	81	83	7·4	56	0·555	3	— 6·0	+ 19·2	107	20·1	20·4
16	·675	86·0	77·0	9·0	82·1	78·4	·928	85	94	5·6	42	0·805	4	— 4·6	+ 19·5	103	20·1	20·1
17	·680	89·0	79·0	10·0	82·6	78·8	·940	85	85	8·0	60	0·620	4	— 5·4	+ 8·3	123	9·9	10·5
18	·640	86·9	77·7	9·2	82·4	78·2	·916	83	84	6·0	45	0·610	3	— 5·3	+ 10·2	117	11·5	12·2
19	·636	86·9	78·6	8·3	82·8	78·5	·924	83	77	8·8	66	0·185	1	— 5·8	+ 12·9	114	14·1	14·3
20	·592	87·8	81·6	6·2	84·0	78·5	·911	78	52	10·9	82	0·095	1	— 0·2	+ 14·5	91	14·5	14·6
21	·510	85·0	75·4	9·6	81·6	76·9	·870	81	96	0·9	7	2·105	8	+ 6·2	+ 30·0	78	30·6	31·4
22	·562	81·2	75·3	5·9	77·9	75·6	·858	90	100	...	...	3·675	17	— 7·5	+ 30·9	104	31·8	32·5
23	·705	80·8	76·8	4·0	78·9	76·8	·896	91	100	0·1	1	3·145	12	— 9·5	+ 20·8	115	22·9	23·2
24	·767	79·1	75·5	3·6	77·0	75·2	·852	92	86	0·4	3	1·405	10	+ 0·4	+ 6·2	86	6·2	7·0
25	·686	87·0	75·1	11·9	80·4	76·0	·846	81	57	8·7	66	...	...	— 1·8	+ 3·9	115	4·3	5·6
26	·604	86·0	78·0	8·0	81·3	76·0	·836	78	42	9·3	70	...	...	— 1·5	+ 2·2	124	2·7	3·7
27	·507	87·0	77·9	9·1	82·3	77·4	·883	80	38	10·9	83	...	...	— 1·8	— 1·8	225	2·5	3·4
28	·431	87·9	81·0	6·9	83·5	78·4	·913	80	72	4·8	36	...	...	— 3·4	— 6·1	241	7·0	7·8
29	·381	84·2	78·0	6·2	81·4	78·4	·936	87	100	...	...	2·220	13	— 2·6	— 8·2	252	8·6	9·7
30	·390	80·5	76·9	3·6	78·7	77·1	·911	93	100	...	...	4·220	21	— 3·8	+ 0·9	167	3·9	11·7
31	·393	79·4	76·8	2·6	77·9	76·9	·912	96	94	...	...	3·455	12	+ 0·3	+ 9·3	88	9·3	9·5
Means.	29·615	85·8	78·2	7·6	81·7	77·6	0·900	84	79	Sums. 189·9	46	Sums. 25·710	Sums. 135	— 3·2	+ 8·1	111	8·7	12·5
Normals.	29·612	86·7	78·4	8·3	82·0	77·8	0·903	83	68	213·2	51	15·020	74	— 3·8	+ 3·3	139	5·0	10·9
Absolute Max.	29·827	89·7	...	11·9	...	83·0	1·039	...	...	11·3	84	4·220	21	...	...	...	...	43·0†
Day.	24	6	...	25	...	6	27	...	...	10	10	30	30	...	...	...	...	Bid 24h
Absolute Min.	29·349	...	75·1	2·6	...	73·1	0·783	61	...	...	...	...	...	...	...	...	...	...
Day.	29	...	25	31	...	22	26	10	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

												Sums.	Sums.					
Means.	1004·7	302·9	298·7	4·2	300·6	298·3	30·5	...	...	...	...	653·0	135	— 1·0	+ 2·7	111	2·9	4·1
Normals.	1004·6	303·4	298·8	4·6	300·8	298·4	30·6	...	...	...	...	381·5	74	— 1·2	+ 1·1	139	1·6	3·6
Absolute Max.	1012·0	305·1	...	6·6	...	301·3	35·2	...	...	...	...	107·2	21	...	...	...	...	14·1
Absolute Min.	995·8	...	296·9	1·4	...	295·8	26·5	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 23 days. The mean hourly intensity was 0·190*ins*, and the maximum fall in one hour was 1·490*ins* at 8*h* on the 31st.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 67 miles per hour from East at 21*h* 19*m* on the 21st.

Clouds with base less than 2,000 feet high were observed on 6 days.

No clouds with base less than 1,000 feet high were observed in July.

*0° = N., 90° = E., &c.

† Maximum velocity for one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1932.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10)	Percentage of Possible Sunshine.	Rainfall. Amount.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed. Velocity.
	ins.	°	°	ins.	%	%	%	ins.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·627	80·5	77·3	0·900	87	76		0·650	— 3·0	+ 8·3	110	8·8	11·5
2	·612	80·4	77·3	·901	88	76		1·405	— 2·8	+ 7·6	110	8·1	11·1
3	·602	80·2	77·3	·903	88	76		0·505	— 3·6	+ 7·7	115	8·5	11·7
4	·598	80·2	77·2	·899	88	77		0·435	— 2·3	+ 7·7	107	8·0	10·9
5	·599	80·2	77·2	·899	88	84		0·645	— 2·9	+ 6·5	114	7·1	10·5
6	·607	79·9	77·1	·898	89	85	15	1·510	— 3·4	+ 6·6	117	7·4	11·2
7	·618	80·5	77·4	·904	88	79	45	0·785	— 2·7	+ 7·2	110	7·7	11·4
8	·626	81·5	77·8	·910	86	80	49	3·560	— 2·8	+ 7·3	111	7·8	11·8
9	·638	82·2	77·9	·906	84	81	57	1·655	— 3·6	+ 6·9	118	7·8	12·6
10	·640	83·2	78·3	·913	81	82	62	1·470	— 3·9	+ 7·8	117	8·7	13·9
11	·643	83·3	78·3	·912	81	81	57	2·485	— 3·7	+ 8·5	113	9·3	14·8
Noon.	·636	83·5	78·4	·914	81	81	64	1·550	— 3·0	+ 7·6	111	8·2	14·2
13	·625	84·0	78·3	·903	78	80	59	0·890	— 3·9	+ 7·9	116	8·8	14·5
14	·610	83·7	78·2	·902	79	82	55	0·485	— 3·7	+ 8·1	114	8·9	14·4
15	·597	83·6	78·1	·899	79	78	54	0·710	— 3·2	+ 8·1	111	8·7	13·8
16	·585	83·2	77·7	·887	79	80	44	0·840	— 3·2	+ 8·5	111	9·1	13·6
17	·579	82·8	77·6	·887	80	79	35	1·075	— 3·5	+ 8·5	112	9·2	13·3
18	·583	82·0	77·4	·887	83	78	15	0·475	— 3·1	+ 9·3	108	9·8	12·5
19	·594	81·5	77·3	·889	84	78		0·655	— 2·6	+ 9·3	106	9·7	12·3
20	·608	81·0	77·3	·894	85	74		0·590	— 2·0	+ 8·9	103	9·1	11·5
21	·622	81·0	77·5	·902	86	73		0·795	— 3·0	+ 9·3	108	9·8	12·1
22	·637	80·9	77·4	·899	86	74		0·640	— 3·7	+ 9·2	112	9·9	12·3
23	·643	80·7	77·4	·902	87	75		0·895	— 3·1	+ 8·8	109	9·3	11·6
Midn.	·634	80·6	77·3	·899	87	79		1·005	— 3·1	+ 9·0	109	9·5	12·2

Phenomena :—

Solar halo :—on the 2nd, 6th, 14th, 25th and 28th.
Lunar halo :—on the 18th.
Lunar corona :—on the 8th, 9th, 12th, 15th, 18th and 22nd.
Rainbow :—on the 7th, 12th, 15th and 16th.
Unusual visibility :—on the 2nd, 8th, 14th and 19th.
Dew :—on the 1st, 26th and 27th.
Lightning:—on the 1st, 4th, 5th, 13th, 20th, 21st, 23rd and 29th.
Thunder :—on the 11th, 13th, 21st, 29th and 31st.

Thunderstorms :—

11*d*. 8*h*. 52*m*. to 9*h*. 16*m*. N.W. to S.E.; nearest at 8*h*. 57*m*. (5*s*).
13*d*. 13*h*. 35*m*. to 13*h*. 50*m*. in N.E.; distant.
13*d*. 17*h*. 10*m*. to 18*h*. 39*m*. S.S.E. to N.N.W.; nearest at 17*h*. 12*m*. (4*s*
21*d*. 4*h*. 15*m*. to 6*h*. 19*m*. in E.S.E.; distant.
23*d*. 22*h*. 34*m*. to 23*h*. 15*m*. in S.S.W.; distant.
24*d*. 8*h*. 30*m*. to 10*h*. 49*m*. N.N.E. to S.S.W.; nearest at 8*h*. 54*m*. (5*s*).

ADOPTED ERRORS OF TIMEBALL, JULY, 1932.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	— 0·1	11	0·0	21	+ 0·1
2	— 0·1	12	0·0	22	0·0
3	— 0·1	13	0·0	23	0·0
4	0·0	14	0·0	24	0·0
5	0·0	15	0·0	25	0·0
6	0·0	16	0·0	26	0·0
7	— 0·1	17	0·0	27	0·0
8	— 0·1	18	0·0	28	0·0
9	0·0	19	0·0	29	0·0
10	0·0	20	+ 0·1	30	0·0
				31	+ 0·1

+ = Late ; — = Early.
The above may also be regarded as the errors of the time signals by radio telegraphy and by signal lights.
The probable error for the month was ± 0ˢ·10

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

JULY.

1932.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th JUNE, 1932.								1st JULY, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)
		Inches.	Millrs.			Direction.	Force. (Beaufort.)			Inches.	Millrs.			Direction.	Force. (Beaufort.)	
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.10	764.5	...	...	WSW	2	...	5	30.10	764.5	...	...	SSW	1	...
Hokodate,	,,	30.10	764.5	...	...	SE	1	...	,,	30.08	764.0	...	...	...	0	...
Tokio,	,,	30.08	764.0	...	...	NE	1	...	,,	30.06	763.5	,,	...	N	1	...
Kochi,	,,	30.02	762.5	...	...	...	0	...	,,	29.80	757.0	...	...	E	3	...
Nagasaki,	,,	29.94	760.5	...	...	ENE	1	...	,,	29.76	756.0	...	...	...	0	...
Kagoshima,	,,	29.90	759.5	...	...	NE	1	...	,,	29.75	755.5	...	...	S	1	...
Oshima,	,,	29.82	757.5	...	...	WSW	1	...	,,	29.73	755.0	...	...	S	1	...
Naha,	,,	29.78	756.5	...	...	S	3	...	,,	29.69	754.0	...	...	SSE	2	...
Ishigakijima,	,,	29.72	755.0	...	...	SE	1	...	,,	29.61	752.0	...	...	S	3	...
Ponin Island,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.56	761.0	...	...	ESE	1	...
Chefoo,	15	29.82	757.4	81	8	S	2	c	6	29.82	757.3	67	6	S	2	bc
Shanghai,	14	29.78	756.5	81	6	ESE	2	o	,,	29.72	754.9	70	4	SSE	2	bc
Gutzlaff,	,,	29.84	757.9	74	4	SE	2	m	,,	29.77	756.1	70	6	...	0	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.72	754.9	76	6	N	2	o	7	29.68	753.9	75	6	...	0	c
Amoy,	,,	29.70	754.4	85	6	SSE	4	b	6	29.66	753.3	79	6	SE	2	bc
Swatow,	,,	29.72	755.0	84	...	E	3	c	,,	29.68	753.9	77	...	E	2	b
Taihoku,	11	29.69	754.2	91	...	E	2	bc	5	29.64	752.8	76	...	...	0	o
Taichu,	,,	29.71	754.7	91	...	...	0	bc	,,	29.64	752.9	74	...	...	0	bc
Tainan,	,,	29.69	754.0	94	...	WNW	2	bc	,,	29.60	765.9	77	...	ENE	2	o
Koshun,	,,	29.68	753.8	91	...	E	2	b	,,	29.60	751.7	81	...	...	0	bc
Pescadores,	,,	29.71	754.6	85	...	NNW	2	bc	,,	29.62	752.4	79	...	N	2	bc
Hong Kong,	14	29.67	753.6	83	7	E	4	c	6	29.62	752.3	77	7	E	1	bc
Gap Rock,	,,	29.69	754.1	84	8	E	4	cp	,,	29.63	752.6	84	8	NE	2	b
Macao,	,,	29.65	753.1	88	4	SE	2	c	,,	29.60	751.9	79	4	S	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.66	753.3	91	8	...	0	c	6	29.61	752.0	83	8	...	0	c
Phulien,	15	29.59	751.6	85	8	S	4	c	7	29.58	751.2	79	7	E	3	o
Tourane,	,,	29.59	751.7	91	8	SE	2	bc	,,	29.59	751.6	75	8	...	0	c
Cape St. James,	,,	29.71	754.6	81	8	S	2	bc	,,	29.70	754.3	77	6	SW	4	o
Basco,	14	29.70	754.3	88	6	NE	2	c	6	29.55	750.5	79	8	...	0	bc
Aparri,	,,	29.58	751.3	86	6	NW	4	o	,,	29.56	750.7	77	8	S	4	d
Tuguegarao,	,,	29.55	750.6	88	6	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.61	752.2	86	8	SSW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.66	753.3	83	8	SW	4	o	,,	29.69	754.1	76	4	...	0	r
Legaspi,	,,	29.66	753.3	81	8	...	0	o	,,	29.67	753.6	77	6	SW	2	bc
Calboyog,	,,	29.69	754.0	86	8	S	2	c	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.67	753.7	91	8	SE	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.0	88	8	SW	4	c	,,	29.71	754.6	79	6	SE	2	o
Cebu,	,,	29.67	753.7	86	8	SSW	4	c	,,	...	...	...	...	...	...	...
Surigao,	...	29.66	753.4	86	8	...	0	o	,,	29.72	754.8	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.74	755.4	80	...	ESE	2	c
Guam,	12.22	29.69	754.2	...	6	SE	4	c	4.22	29.74	755.5	...	6	...	0	bc
Yap,	11.00	29.72	755.0	...	6	SSE	2	bc	5	29.76	755.8	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	78	...	...	0	c
Labuan,	14	29.89	759.1	74	4	NE	2	bc	6	29.91	759.6	72	4	SW	...	c

Warnings.

June 30*d.* 16*h.* 15*m.*—Typhoon within 60 miles of Lat. 19° N. Long. 125° E., moving W.N.W.

July 1*d.* 9*h.* 04*m.*—Typhoon within 60 miles of Lat. 20° N. Long. 120° E., moving W.N.W.

July 30*d.* 10*h.* 33*m.*—The anticyclone to the north-east of Japan has weakened; a depression remains over Tongking. The typhoon is situated about 120 miles north-west of Aparri moving W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 36.23 inches, against an average of 39.57 inches.

Manila warning. 1*d.* 8*h.* 25*m.*:—Typhoon W. of Balintang Channel moving W. or W.N.W. Recd. 1*d.* 8*h.* 46*m.*

Shanghai warning. 1*d.* 9*h.* 43*m.*:—Typhoon within 60 miles of Lat. 19° N. Long. 121° E. moving W.N.W. Recd. 1*d.* 9*h.* 56*m.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
A.—Shanghai to Turnabout,	Light Southerly or variable winds.
B.—Turnabout to Hong Kong,	E. to N. winds, moderate to fresh.
C.—Hong Kong to Gap Rock,	N.E. winds, moderate to fresh; fine at first, cloudy with rain later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	Cyclonic gales near the Balintang Channel.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st JULY, 1932.								2nd JULY, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.96	761.0	63	...	SSE	5	c	6	29.94	760.5	57	...	S	3	c
Nemuro,	11	30.06	763.5	...	...	W	3	...	5	30.06	763.5	...	...	...	0	...
Hokodate,	,,	30.04	763.0	...	...	SW	1	...	,,	29.86	758.5	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	W	1	...	,,	29.80	757.0	..	...	S	3	...
Kochi,	,,	29.76	756.0	...	...	SSW	1	...	,,	29.67	753.5	...	...	SSW	1	...
Nagasaki,	,,	29.76	756.0	...	...	NE	1	...	,,	29.71	754.5	...	...	NNE	1	...
Kagoshima,	,,	29.72	755.0	...	...	SSW	1	...	,,	29.67	753.5	...	...	...	0	...
Oshima,	,,	29.72	755.0	...	...	S	2	...	,,	29.67	753.5	...	...	SSW	1	...
Naha,	,,	29.70	754.5	...	...	SSE	4	...	,,	29.69	754.0	...	...	S	4	...
Ishigakijima,	,,	29.65	753.0	...	...	S	2	...	,,	29.63	752.5	...	...	S	1	...
Bonin Island,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.94	760.5	...	...	ESE	1	...
Chefoo,	15	29.76	755.9	76	8	E	2	h	6	29.76	755.8	72	6	S	2	be
Shanghai,	14	29.72	755.0	79	6	ENE	2	o	,,	29.81	757.1	72	4	ENE	2	o
Gutzlaff,	,,	29.78	756.4	77	6	...	0	o	,,	29.84	757.9	70	6	NE	4	o
Wenchow,	,,	...	...	...	...	..	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.69	754.1	76	8	E	2	o	7	29.74	755.4	74	8	NE	2	be
Amoy,	,,	29.64	752.8	83	6	SSE	4	bo	6	29.69	754.1	77	6	N	2	o
Swatow,	,,	29.67	753.7	85	...	ESE	3	h	,,	...	...	...	...	...	...	...
Tailokin,	11	29.66	753.3	88	...	NW	2	be	5	29.66	753.4	76	...	E	2	be
Taichu,	,,	29.66	753.3	91	...	NW	2	b	,,	29.64	752.8	77	...	...	0	c
Tainan,	,,	29.62	752.4	91	...	N	4	be	,,	29.62	752.2	77	...	N	2	be
Koshun,	,,	29.61	752.2	88	...	...	0	be	,,	29.60	751 8	79	...	...	0	be
Pescadores,	,,	29.64	752.9	85	...	NNW	4	be	,,	29.63	752.5	79	...	NNE	4	o
Hong Kong,	14	29.60	751.8	85	7	E	2	be	6	29.63	752.6	79	5	...	0	bem
Gap Rock,	,,	29.63	752.6	86	8	E	2	b	,,	29.64	752.8	85	8	N	2	c
Macao,	,,	29.59	751.6	91	4	SE	2	c	,,	29.61	752.0	81	6	...	0	o
Hoihow,	,,	29.64	752.8	91	...	E	2	be	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.60	751.8	91	...	NNW	1	bo	6	29.63	752.6	81	...	...	0	o
Phulien,	15	29.53	750.1	84	7	ESE	5	t	7	29.62	752.4	77	5	ENE	4	r
Tourane,	,,	29.54	750.4	90	8	E	3	c	,,	29.60	751.6	79	8	...	0	c
Cape St. James,	,,	29.68	753.8	77	5	...	...	o	,,	29.70	754.4	77	6	W	1	z
Basco,	14	29.50	749.2	86	6	N	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.56	750.7	85	8	S	4	o	,,	29.65	751.0	77	8	S	2	c
Tuguegarao,	,,	29.56	750.7	83	4	...	0	o	,,	...	...	-	...	...	...	...
Vigan,	,,	29.62	752.4	81	6	SW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.8	83	8	SW	4	o	,,	29.70	754.4	77	6	...	0	c
Legaspi,	,,	29.69	754.2	79	6	SW	2	o	,,	29.70	754.4	79	6	...	0	c
Calbayog,	,,	29.69	754.1	88	8	S	4	be	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.69	754.2	88	8	SE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.8	91	8	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.68	753.8	85	8	SSW	2	o	,,	.	.	...	...	...	...	...
Surigao,	...	29.68	753.8	88	8	...	0	be	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.72	754.8	...	6	E	2	be	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.6	...	6	...	0	c	5	29.73	755.2	...	6	...	0	r
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.89	759.3	83	4	SW	6	be	6	29.91	759.6	76	4	SW	6	be

Warning.

July 2*d*. 9*h*. 48*m*.—Typhoon within 60 miles of Lat. 21° N. Long. 122° E., stationary or very slow.

July 2*d*. 9*h*. 58*m*.—Pressure is highest over the Pacific to the north-east of Japan, and a shallow depression covers Tongking. The typhoon has recurved to the north-east and appears to be stationary about 60 miles south-east of South Cape, Formosa.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 36.23 inches, against an average of 40.04 inches.

Manila warning. 1*d*. 20*h*. 45*m*.:—Typhoon near or over Bashi Channel moving W.N.W. or N.W. Recd. 1*d*. 21*h*. 40*m*.

Shanghai warning. 1*d*. 21*h*. 42*m*.:—Typhoon within 60 miles of Lat. 20° N. Long. 120° E. stationary or very slow. Recd. 1*d*. 21*h*. 55*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate; fair.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	Light northerly or variable winds; fair to showery.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, Director.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd JULY, 1932.									3rd JULY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millrs.			Direction.	Force. (Beaufort.)				Inches.	Millrs.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Nemuro,	11	30.00	762.0	...	...	S	1	...		5	29.67	753.5	...	...	ENE	3	...	
Hokodate,	,,	29.78	756.5	...	...	E	1	...		,,	29.71	754.5	...	...	W	1	...	
Tokio,	,,	29.72	755.0	...	...	S	3	...		,,	29.80	757.0	...	...	WNW	1	...	
Kochi,	,,	29.69	754.0	...	...	ESE	1	...		,,	29.82	757.5	...	...	...	...	...	
Nagasaki,	,,	29.74	755.5	...	...	N	1	...		,,	29.80	757.0	...	...	NE	1	...	
Kagoshima,	,,	29.72	755.0	...	...	...	0	...		,,	29.78	756.5	...	...	...	0	...	
Oshima,	,,	29.74	755.5	...	...	...	0	...		,,	29.73	755.0	...	...	N	1	...	
Naha,	,,	29.70	754.5	...	...	SSW	3	...		,,	29.73	755.0	...	...	S	2	...	
Ishigakijima,	,,	29.67	753.5	...	...	SW	1	...		,,	29.67	753.5	...	...	SSW	2	...	
Bonin Island,	,,	29.94	760.5	...	...	SE	1	...		,,	29.94	760.5	...	...	...	0	...	
Chefoo,	15	29.77	756.1	85	8	NNE	2	be		6	29.80	756.8	76	6	SW	2	b	
Shanghai,	14	29.85	758.2	76	6	E	2	o		,,	29.85	758.2	68	6	E	2	be	
Gutzlaff,	,,	29.89	759.2	74	6	E	2	o		,,	29.90	759.4	70	6	ENE	4	be	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.75	755.6	77	6	ENE	4	c		7	29.79	756.6	75	6	...	0	b	
Amoy,	,,	29.70	754.4	86	8	E	4	b		6	29.75	755.6	79	6	NNE	2	c	
Swatow,	,,	29.76	755.9	83	...	E	3	b		,,	29.78	756.5	79	...	NNE	3	c	
Taihoku,	13	29.69	754.0	86	...	E	4	be		5	29.72	754.9	76	...	...	0	p	
Taichu,	,,	29.64	752.9	91	...	N	2	be		,,	29.71	754.7	77	...	...	0	r	
Tainan,	,,	29.63	752.6	91	...	WNW	2	c		,,	29.69	754.0	76	...	SE	2	o	
Koshun,	,,	29.66	753.3	83	...	...	0	o		,,	29.69	754.0	76	...	...	0	o	
Pescadores,	,,	29.66	753.3	91	...	NNE	4	o		,,	29.69	754.0	79	...	NNE	4	o	
Hong Kong,	14	29.65	753.1	83	8	E	4	c		6	29.70	754.4	80	6	ENE	4	o	
Gap Rock,	,,	29.68	753.9	86	8	E	3	c		,,	29.68	753.9	84	8	E	3	c	
Macao,	,,	29.63	752.5	91	4	SE	2	c		,,	29.66	753.3	77	4	E	2	c	
Hoihow,	,,	29.66	753.3	94	1	E	2	be		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.66	753.4	91	8	...	0	c		6	29.69	754.0	81	8	E	2	o	
Phulien,	15	29.60	751.8	86	7	ENE	2	c		7	29.68	753.9	79	7	ENE	2	o	
Tourane,	,,	29.57	751.1	91	8	NNE	5	c		,,	29.67	753.5	77	7	...	0	o	
Cape St. James,	,,	29.72	754.9	75	3	SW	4	lt		,,	...	...	...	...	...	...	...	
Basco,	14	29.64	752.8	83	6	SW	4	o		6	...	...	...	...	...	...	...	
Aparri,	,,	29.64	752.8	94	8	SSE	2	o		,,	29.72	754.9	77	8	S	2	o	
Tuguegarao,	,,	29.61	752.2	94	6	...	0	o		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.67	753.6	86	8	SSW	4	o		,,	...	...	...	...	...	...	...	
Manila,	,,	29.72	754.0	86	8	WSW	4	o		,,	29.75	755.6	77	6	...	0	o	
Legnepi,	,,	29.68	753.8	91	6	SW	4	o		,,	29.74	755.4	77	6	...	0	b	
Calboyog,	,,	29.71	754.7	86	8	WSW	2	be		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.71	754.7	85	8	S	4	be		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.71	754.7	91	8	SW	4	be		,,	29.76	755.8	76	6	...	0	o	
Cebu,	,,	29.70	754.3	86	8	SSW	4	be		,,	...	...	...	...	...	...	...	
Surigao,	...	29.70	754.3	91	8	ESE	2	o		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.76	755.9	...	6	...	0	t		4.22	...	...	...	...	...	...	...	
Yap,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Laisuan,	14	29.89	759.3	85	4	SE	4	be		6	29.90	759.4	76	4	SE	6	be	

Warning.

July 2*d*. 17*h*. 30*m*.— Typhoon filling up in Lat. 22° N. Long. 123° E., position of centre uncertain.

July 3*d*. 10*h*. 10*m*.— Pressure is highest over the Pacific to the east of the Bonins and relatively low over the north part of the China Sea. The typhoon appears to have filled up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 36.23 inches, against an average of 40.48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	E. and N.E. winds, moderate; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	E. winds, moderate; cloudy, some rain later.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	4th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.63	752.5	...	...	ENE	5	...	5	29.82	757.5	...	...	NNW	2	...
Hokodate,	,,	29.72	755.0	...	...	...	0	...	,,	29.88	759.0	...	...	NNW	1	...
Tokio,	,,	29.78	756.5	...	...	NE	1	...	,,	29.92	760.0	...	...	...	0	...
Kochi,	,,	29.84	758.0	...	...	...	...	...	,,	29.88	759.0	...	...	...	...	...
Nagasaki,	,,	29.84	758.0	...	...	NE	1	...	,,	29.86	758.5	...	...	E	1	...
Kagoshima,	,,	29.84	758.0	...	...	...	0	...	,,	29.84	758.0	...	...	...	0	...
Oshima,	,,	29.80	757.0	...	...	S	1	...	,,	29.78	756.5	...	...	...	0	...
Naha,	,,	29.78	756.5	...	...	S	2	...	,,	29.76	756.0	...	...	S	1	...
Ishigakijima,	,,	29.69	754.0	...	...	SSW	3	...	,,	29.75	755.5	...	...	SW	2	...
Bonin Island,	,,	29.90	759.5	...	...	ESE	2	...	,,	29.90	759.5	...	...	SSW	1	...
Chefoo,	15	29.77	756.1	85	8	ESE	4	be	6	29.74	755.4	72	6	S	2	c
Shanghai,	14	29.85	758.2	83	6	E	4	be	..	29.80	757.0	70	4	ESE	2	c
Gutzlaff,	,,	29.90	759.4	74	6	ESE	4	be	..	29.81	757.2	72	4	E	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.80	756.9	81	8	E	2	h	7	29.78	756.4	76	8	N	2	c
Amoy,	,,	29.75	755.6	85	6	E	4	o	6	29.77	756.1	79	6	E	2	bc
Swatow,	..	29.78	756.4	83	...	E	3	c	..	29.87	758 7	78	...	NE	2	b
Taihoku,	11	29.74	755.5	83	...	...	0	r	5	29.73	755.0	77	...	...	0	o
Taichu,	,,	29.75	755.6	88	...	...	0	o	,,	29.75	755.6	76	..	...	0	o
Tainan,	,,	29.72	755.0	86	...	SE	2	o	,,	29.73	755.0	77	...	S	2	r
Koshun,	,,	29.74	755.4	79	...	...	0	r	,,	29.74	755.3	74	...	WSW	2	r
Pescadores,	,,	29.74	755.5	83	...	NNE	4	o	,,	29.71	754.6	79	...	...	0	r
Hong Kong,	14	29.71	754.6	84	8	E	4	c	6	29.67	753.5	78	4	ENE	3	cr
Gap Rock,	,,	29.71	754.6	83	8	ENE	3	c	,,	29.65	753.0	83	7	ESE	3	cp
Macao,	,,	29.69	754.2	88	4	SE	2	c	,,	29.64	752.9	79	1	ESE	2	d
Hoihow,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.70	754.4	88	8	SSW	4	c	6	29.67	753.6	81	8	SE	4	o
Phulien,	15	29.64	752.8	88	8	ESE	4	c	7	29.66	753.4	79	7	SSE	2	c
Tourane,	,,	29.63	752.5	88	8	N	2	h	,,	29.65	753.1	75	8	...	0	c
Cape St. James,	,,	29.77	756.1	83	8	SW	2	t	,,	29.78	756.5	75	1	W	1	c
Basco,	14	29.71	754.7	85	6	WSW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.70	754.3	88	8	NE	4	o	,,	29.73	755.2	77	8	...	0	c
Tuguegarao,	,,	29.67	753.6	91	8	...	0	bc	,,	...	...	..	...	...	...	...
Vigan,	,,	29.70	754.3	86	8	SW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.3	88	8	SW	2	o	,,	29.76	755.8	77	6	...	0	bc
Legaspi,	,,	29.74	755.3	91	8	SW	2	b	,,	29.74	755.3	79	6	...	0	c
Calboyog,	,,	29.72	754.9	88	8	SSW	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.3	91	8	SE	2	b	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.72	755 0	91	8	E	4	bc	,,	...	...	...	...	...	...	...
Cebu,	,,	29.71	754.6	94	8	ENE	2	b	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.3	88	8	...	0	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	79	...	ESE	3	c
Guam,	12.22	29.80	756.8	...	6	E	2	p	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.77	756.1	...	6	E	4	bc	5	29.78	756.3	...	6	ENE	2	c
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.89	759.3	76	4	N	2	bc	6	29.90	759.4	74	...	SW	...	c

July 4*d.* 10*h.* 33*m.*—Pressure is highest over the Pacific to the south-east of Japan; it is relatively low over the northern China Sea and to the north-west of Shantung.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.21 inch. Total since January 1st, 56.44 inches, against an average of 40.88 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	None. S.E. winds, moderate; cloudy, showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	5th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.78	756.5	57	...	SSE	3	r	6	29.74	755.3	59	...	ESE	1	f
Nemuro,	11	29.82	757.5	...	...	NE	1	...	5	29.94	760.5	...	...	SE	1	...
Hakodate,	,,	29.88	759.0	...	...	W	2	...	,,	29.90	759.5	...	...	...	0	...
Tokio,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.92	760.0	,,	...	...	...	...
Kochi,	,,	29.86	758.5	...	...	SE	1	...	,,	29.90	759.5	...	...	WSW	1	...
Nagasaki,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.78	756.5	...	...	ESE	2	...
Kagoshima,	,,	29.82	757.5	...	...	S	1	...	,,	29.80	757.0	...	...	...	...	...
Oshima,	,,	29.80	757.0	...	...	S	1	...	,,	29.78	756.5	...	...	S	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	...	...	SSW	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	...	...	S	2	...
Bonin Island,	,,	29.90	759.5	...	...	SSE	2	...	,,	29.90	759.5	...	...	S	1	...
Chefoo,	15	29.70	754.4	79	6	SE	4	c	6	29.60	751.9	72	4	SSE	2	r
Shanghai,	14	29.72	754.8	83	6	SE	2	c	,,	29.66	753.3	72	6	SE	2	c
Gutzlaff,	,,	29.77	756.1	77	4	...	0	m	,,	29.70	754.4	74	6	S	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.79	756.6	77	8	NE	2	bc	7	29.74	755.4	80	8	SW	2	b
Amoy,	,,	29.79	756.6	85	8	SSE	4	b	6	29.73	755.1	81	4	S	2	c
Swatow,	,,	29.78	756.4	82	...	E	3	b	,,	29.78	756.4	82	...	E	3	b
Taiboku,	11	29.75	755.6	86	...	NW	2	c	5	29.74	755.3	76	...	...	0	bc
Taichu,	,,	29.80	757.0	79	...	S	2	r	,,	29.76	755.8	74	,,	...	0	b
Tainan,	,,	29.78	756.4	77	...	ESE	2	r	,,	29.73	755.2	76	...	E	2	bc
Koshun,	,,	29.77	756.1	83	...	NNW	2	c	,,	29.73	755.2	76	...	...	0	bc
Pescadores,	,,	29.75	755.6	85	...	S	2	c	,,	29.71	754.6	81	...	SSE	4	bc
Hong Kong,	14	29.63	752.6	84	8	NNE	4	c	6	29.60	751.8	80	6	S	3	cr
Gap Rock,	,,	29.63	752.6	83	8	NNE	4	c	,,	29.60	751.8	81	7	S	3	cp
Macao,	,,	29.64	752.8	88	6	NE	2	bc	,,	29.57	751.1	77	4	WNW	2	d
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.69	754.2	79	6	SSE	4	p	6	29.69	754.2	81	6	S	4	r
Phulien,	15	29.59	751.6	90	9	SSE	3	c	7	29.60	751.7	81	8	S	4	c
Tourane,	,,	29.61	752.1	93	7	SE	3	c	,,	29.63	752.5	77	7	...	0	c
Cape St. James,	,,	29.78	756.4	84	8	SW	2	c	,,	29.76	755.9	77	7	SW	1	c
Basco,	14	29.71	754.7	91	8	WSW	2	bc	6	...	...	...	...	...	...	...
Aparri,	,,	29.69	754.2	91	6	NE	4	c	,,	29.76	755.8	74	8	...	c	bc
Tuguegarao,	,,	29.66	753.3	88	4	...	0	c	,,	...	...	,,	...	...	...	...
Vigan,	,,	29.70	754.4	88	8	WSW	2	c	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.9	91	8	W	2	c	,,	29.76	755.9	76	6	...	0	bc
Legaspi,	,,	29.71	754.6	88	8	SW	2	bc	,,	29.76	755.9	76	6	...	0	b
Calbayog,	,,	29.76	755.8	79	8	SE	2	c	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.75	755.6	85	8	SE	2	c	,,	29.78	756.4	79	8	NW	2	b
Iloilo,	,,	29.71	754.6	91	8	N	4	c	,,	...	...	...	...	...	...	...
Cebu,	,,	29.74	755.3	85	8	...	0	c	,,	...	...	,,	,,	...	...	...
Surigao,	...	29.70	754.3	91	8	ENE	2	bc	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	6	E	2	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	755.9	...	6	E	4	bc	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	,,	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	78	4	SW	4	bc	6	...	...	...	...	...	...	...

Warning.

July 4*d*. 15*h*. 29*m*.—Typhoon forming in Lat. 20° N. Long. 114° E., position of centre uncertain.

July 5*d*. 10*h*. 22*m*.— Pressure is highest over the Pacific to the east of Japan, and low over China generally. A typhoon of limited area and intensity formed about 120 miles south of Hong Kong yesterday afternoon, and appears to have entered the coast near Macao this morning.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.53 inch. Total since January 1st, 36.97 inches, against an average of 41.26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	S. winds, moderate.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S.W. winds, moderate; cloudy with occasional rain, probably improving.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th JULY, 1932.								6th JULY, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.80	756.9	61	...	S	1	f	6	29.76	755.9	59	...	SSE	3	f
Nemuro,	11	29.94	760.5	...	...	SE	1	...	5	29.96	761.0	...	...	S	1	...
Hokodate,	,,	29.88	759.0	...	...	S	1	...	,,	29.84	758.0	...	...	W	1	...
Tokio,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.82	757.5	..	...	SSE	1	...
Kochi,	,,	29.88	759.0	...	...	S?	1	...	,,	29.76	756.0	...	...	...	0	...
Nagasaki,	,,	29.76	756.0	...	...	SSE	2	...	,,	29.73	755.0	...	...	WSW	4	...
Kagoshima,	,,	29.78	756.5	...	...	...	0	...	,,	29.76	756.0	...	...	WSW	1	...
Oshima,	,,	29.82	757.5	...	...	...	...	...	,,	29.80	757.0	...	...	...	...	...
Naha,	,,	29.82	757.5	...	...	SE	3	...	,,	29.82	757.5	...	...	S	1	...
Ishigakijima,	,,	29.78	756.5	...	...	SSW	2	...	,,	29.78	756.5	...	...	SSW	1	...
Bonin Island,	,,	29.94	760.5	...	...	SW	1	...	,,	29.92	760.0	...	...	...	0	...
Chefoo,	15	29.54	750.3	72	6	E	4	c	6	29.50	749.2	72	6	S	2	c
Shanghai,	14	29.61	752.2	91	6	SW	2	z	,,	29.62	752.4	77	4	S	2	c
Gutziaff,	,,	29.68	753.9	81	6	S	2	bc	,,	29.69	754.1	76	6	S	2	c
Wenchow,	,,	...	...	...	...	...	...	...	6	29.73	755.0	77	...	SSW	4	c
Foochow,	,,	29.74	755.4	80	8	SW	2	c	7	29.77	756.1	78	8	S	2	c
Amoy,	,,	29.76	755.9	85	6	SE	4	c	6	29.78	756.4	79	4	SSW	2	c
Swatow,	,,	29.82	757.4	81	...	SSW	3	r	,,	29.81	757.0	...	...	SW	1	r
Taihoku,	11	29.76	755.9	91	...	W	2	c	5	29.76	756.0	74	...	...	0	c
Taichu,	,,	29.79	756.7	91	...	SSW	2	c	,,	29.81	757.1	76	..	...	0	bc
Tainan,	,,	29.78	756.3	91	...	SSE	4	b	,,	29.78	756.5	77	...	SE	2	bc
Koshun,	,,	29.78	756.5	88	...	S	4	bc	,,	29.78	756.5	77	...	...	0	bc
Pescadores,	,,	29.74	755.5	88	...	S	4	bc	,,	29.78	756.3	81	...	SSW	2	bc
Hong Kong,	14	29.66	753.3	80	6	SW	3	op	6	29.72	754.8	82	7	S	3	o
Gap Rock,	,,	29.66	753.3	82	8	WSW	5	o	,,	29.72	754.8	82	8	S	4	c
Macao,	,,	29.66	753.3	79	4	W	4	d	,,	29.67	753.6	77	4	S	2	c
Hoihow,	,,	29.70	754.4	83	1	E	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.73	755.2	81	6	SSW	4	r	6	29.76	756.0	83	8	S	4	c
Phulien,	15	29.56	750.7	86	8	SSE	4	c	7	29.63	752.5	79	6	S	5	r
Tourane,	,,	29.59	751.7	93	8	E	2	c	,,	29.67	753.5	77	8	S	1	bc
Cape St. James,	,,	29.72	755.0	86	8	SW	1	c	,,	29.77	756.2	79	7	SW	2	bc
Basco,	14	29.74	755.3	91	8	SSE	2	bc	6	29.76	755.9	79	8	...	0	bc
Aparri,	,,	29.70	754.4	94	8	SSE	4	b	,,	29.79	756.7	74	8	S	2	b
Tuguegarao,	,,	29.67	753.6	94	8	...	0	bc	,,	29.79	756.7	74	1	...	0	c
Vigan,	,,	29.70	754.3	91	8	WSW	2	b	,,	29.76	755.8	76	8	E	2	b
Manila,	,,	29.71	754.7	91	8	ESE	4	b	,,	29.79	756.7	77	8	ENE	2	b
Legaspi,	,,	29.72	755.0	94	8	S	4	b	,,	29.78	756.3	79	6	...	0	b
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	78	8	N	2	bc
Tacloban,	,,	...	...	77	6	N	2	r	,,	29.80	756.8	77	8	NW	2	bc
Iloilo,	,,	29.71	754.6	91	8	N	4	o	,,	29.77	756.1	79	6	NE	4	c
Cebu,	,,	29.73	755.2	86	8	NE	4	o	,,	29.77	756.1	79	8	NE	2	bc
Surigao,	...	29.72	754.8	85	8	E	4	o	,,	29.76	756.0	76	6	....	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.73	755.3	...	6	E	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.4	...	8	E	2	bc	5	29.76	755.9	...	8	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.89	759.3	86	4	SW	4	bc	6	29.91	759.6	74	...	...	...	c

July 6*d*. 10*h*. 35*m*.— Pressure remains highest over the Pacific to the east of Japan, and low over China generally. The depression is moving eastward across the Gulf of Pechili.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.30 inch. Total since January 1st, 37.27 inches, against an average of 41.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S. winds, moderate; fair to showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th JULY, 1932.									7th JULY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	29.69	754.0	59	...	SSE	3	f		6	29.67	753.5	61	...	NNW	3	o	
Nemuro,	11	30.00	762.0	...	...	S	1	...		5	30.04	763.0	...	...	ESE	2	...	
Hokodate,	,,	29.80	757.0	...	...	NNW	1	...		,,	29.80	757.0	...	...	ESE	3	...	
Tokio,	,,	29.78	756.5	...	...	SSE	2	...		,,	29.73	755.0	..	...	...	0	...	
Kochi,	,,	29.76	756.0	...	...	...	0	...		,,	29.75	755.5	...	...	...	0	...	
Nagasaki,	,,	29.74	755.5	...	...	WSW	4	...		,,	29.69	754.0	...	...	SW	6	...	
Kagoshima,	,,	29.76	756.0	...	...	W	1	...		,,	29.76	756.0	...	...	...	...	...	
Oshima,	,,	29.82	757.5	...	...	SW	1	...		,,	29.80	757.0	...	...	...	...	...	
Naha,	,,	29.84	758.0	...	...	SSW	3	...		,,	29.84	758.0	...	...	S	1	...	
Ishigakijima,	,,	29.82	757.5	...	...	SSW	1	...		,,	29.80	757.0	...	...	SSW	1	...	
Bonin Island,	,,	29.94	760.5	...	...	S	1	...		,,	30.18	766.5	...	...	SSE	1	...	
Chefoo,	15	29.50	749.4	74	8	ENE	2	bc		6	29.56	750.7	68	1	...	0	f	
Shanghai,	14	29.60	751 9	91	6	SW	2	c		,,	29.65	753.1	79	6	SSW	2	o	
Gutzlaff,	,,	29.67	753.6	83	6	SW	2	bc		,,	29.72	754.9	76	6	WSW	2	o	
Wenchow,	,,	...	...	...	...	...	...	...		6	29.74	755.3	77	...	...	0	o	
Foochow,	,,	29.73	755.1	86	8	S	2	b		7	29.78	756.4	86	6	...	0	o	
Amoy,	,,	29.81	757.2	85	6	SSE	4	c		6	29.79	756.6	81	6	SW	2	bc	
Swatow,	,,	29.79	756.7	84	...	WSW	1	c		,,	29.84	757.9	80	...	SW	1	b	
Taihoku,	11	29.80	756.8	91	...	...	0	bc		5	29.78	756.3	76	...	...	0	o	
Taichu,	,,	29.83	757.7	91	...	SW	2	b		,,	29.83	757.6	76	..	...	0	bc	
Tainan,	,,	29.80	757.0	91	...	SW	2	bc		,,	29.81	757.1	77	...	...	0	bc	
Koshun,	,,	29.80	756.8	88	...	W	2	c		,,	29.78	756.5	79	...	...	0	o	
Pescadores,	,,	29.80	756.8	91	...	SSW	4	c		,,	29.79	756.6	81	...	SSW	2	o	
Hong Kong,	14	29.74	755.4	86	7	S	4	eq		6	29.76	755.9	82	7	SSW	3	c	
Gap Rock,	,,	29.75	755.6	83	8	S	4	c		,,	29.77	756.1	83	8	S	3	c	
Macao,	,,	29.71	754.6	86	4	SSW	4	o		,,	29.73	755.0	77	4	SW	4	c	
Hoihow,	,,	29.73	755.2	85	1	SW	2	bc		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.78	756.3	94	8	SSW	2	bc		6	29.80	756.8	81	8	S	2	bc	
Phulien,	15	29.63	752.7	81	8	ESE	2	c		7	29.68	753.8	81	6	S	5	r	
Tourane,	,,	29.63	752.7	90	8	ESE	4	c		,,	29.71	754.6	75	7	SSW	1	c	
Cape St. James,	,,	...	...	...	...	...	...	...		,,	29.80	756 8	75	7	NW	2	r	
Basco,	14	29.76	756.0	91	8	SSE	4	bc		6	29.79	756.6	77	8	...	0	bc	
Aparri,	,,	29.74	755-3	91	8	S	4	b		,,	29.83	757.6	79	8	...	0	b	
Tugnegarao,	,,	...	...	...	...	...	...	...		,,	...	...	79	1	...	0	bc	
Vigan,	,,	...	...	...	...	...	...	...		,,	29.78	756.3	77	8	...	0	b	
Manila,	,,	29.74	755.5	91	8	SE	4	c		,,	29.81	757.1	76	8	...	0	b	
Legaspi,	,,	29.73	755.2	91	8	SSE	2	b		,,	29.76	755.8	79	6	...	0	c	
Calboyog,	,,	...	...	...	...	...	...	...		,,	29.78	756.4	76	8	...	0	bc	
Tacloban,	,,	...	...	...	...	...	...	...		,,	29.78	756.4	79	6	NW	2	b	
Iloilo,	,,	29.72	754.9	91	8	N	4	o		,,	29.76	755.9	79	6	WSW	2	o	
Cebu,	,,	...	...	...	...	...	...	...		,,	29.76	755.9	79	8	WSW	2	b	
Surigno,	...	29.72	754.8	86	8	...	0	o		,,	29.75	755.5	76	6	...	0	b	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.76	755.9	77	...	SE	2	e	
Guam,	12.22	29.72	754.9	...	6	SE	2	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.75	755.6	...	6	E	4	bc		5	29.76	755.9	...	6	E	2	bc	
Pelew,	,,	...	...	...	...	...	...	...		..	29.76	755 9	79	...	...	0	bc	
Labuan,	14	29.89	759.3	83	...	SW	...	c		6	29.91	759.7	67	4	S	...	c	

July 7d. 10h. 31m.—Pressure is highest in the Pacific to the east of Japan; a depression is situated to the north of the Yellow Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 37.27 inches, against an average of 41.93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8th.

District.	Forecast.
A.—Shanghai to Turnabout, ...	E. winds, moderate.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S. winds, moderate; fair generally, local showers.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th JULY, 1932.									8th JULY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	0	
Komuro,	11	30.06	763.5	...	...	ESE	2	...		5	29.92	760.0	...	...	ESE	3	...	
Hokodate,	,,	29.80	757.0	...	...	E	2	...		,,	29.71	754.5	...	...	ESE	2	...	
Tokio,	,,	29.69	754.0	...	...	...	0	...		,,	29.69	754.0	...	...	SSW	2	...	
Kochi,	,,	29.72	755.0	...	...	S	1	...		,,	29.71	754.5	...	...	...	...	...	
Nagasaki,	,,	29.67	753.5	...	...	SSW	5	...		,,	29.71	754.5	...	...	SE	2	...	
Kagoshima,	,,	29.74	755.5	...	...	SW	1	...		,,	29.73	755.0	...	...	...	0	...	
Oshima,	,,	29.78	756.5	...	...	SSW	1	...		,,	29.78	756.5	...	...	...	0	...	
Naha,	,,	29.82	757.5	...	...	SSW	3	...		,,	29.80	757.0	...	...	S	5	...	
Ishigakijima,	,,	29.78	756.5	...	...	SSW	2	...		,,	29.76	756.0	...	...	SSW	1	...	
Bonin Island,	,,	29.94	760.5	...	...	SE	1	...		,,	29.92	760.0	...	...	SE	1	...	
Chefoo,	15	29.52	749.9	81	8	ESE	4	b		6	29.55	750 5	74	6	...	0	b	
Shanghai,	14	29.66	753.4	81	6	WSW	2	r		,,	29.67	753.5	77	6	SW	2	b	
Gutzlaff,	,,	29.71	754 6	77	4	WSW	2	d		,,	29.72	754.9	74	6	S	2	o	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.73	755.1	84	8	S	4	bc		7	29.76	755.9	81	6	NW	2	o	
Amoy,	,,	29.75	755.6	88	8	S	4	b		6	29.69	754.1	83	6	SW	2	bc	
Swatow,	,,	29.79	756.6	90	...	SW	3	b		,,	29.81	757.1	77	...	WSW	1	b	
Taihoku,	11	29.78	756.3	91	...	W	2	bc		5	29.76	755.8	77	...	...	0	c	
Taichu,	,,	29.82	757.3	91	...	S	2	o		,,	29.80	756.8	77	..	...	0	o	
Tainan,	,,	29.80	757.0	91	...	W	2	bc		,,	29.78	756.3	77	...	...	0	bc	
Koshun,	,,	29.79	756.7	88	...	NW	2	bc		,,	29.76	755.8	79	...	...	0	b	
Pescadores,	,,	29.80	757.0	88	...	SW	2	o		,,	29.75	755.6	81	...	S	2	bc	
Hong Kong,	14	29.75	755.6	84	7	WSW	3	c		6	29.76	755.9	82	7	SW	2	c	
Gap Rock,	,,	29 77	756.1	84	8	SSW	4	b		,,	29.76	755.9	84	8	SW	4	c	
Macao,	,,	29.72	755.0	94	4	SSW	4	c		,,	29.73	755.0	81	4	WSW	2	c	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.79	756.7	94	8	SW	2	b		6	29.76	756.0	81	8	SSW	2	b	
Phulien,	15	29.68	753.9	86	8	S	4	o		7	29.70	754.3	81	7	S	4	bc	
Tourane,	,,	29.69	754.2	90	8	SE	3	c		,,	29.73	755.2	75	7	S	1	bc	
Cape St. James,	,,	29.78	756.5	79	8	SW	1	c		,,	29.83	757.7	73	6	NW	2	f	
Basco,	14	29.73	755.2	91	8	SE	2	bc		6	...	...	...	...	...	...	...	
Aparri,	,,	29.72	754.8	94	8	NNE	4	b		,,	29.75	755.6	77	8	SW	2	c	
Tuguegarao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Vigan,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Manila,	,,	29.72	755.0	91	8	SE	2	bc		,,	29.76	755 9	76	6	...	0	b	
Legaspi,	,,	29.71	754.7	91	8	NE	2	bc		,,	29.72	754.9	77	6	...	0	b	
Calboyog,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.69	754.0	91	8	N	4	c		,,	...	...	...	...	...	...	...	
Cebu,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Surigao,	...	29.68	753.8	86	8	N	2	b		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.70	754.3	...	6	ESE	4	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.72	755.0	...	6	ENE	4	b		5	29.78	756.5	...	6	E	2	c	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.91	759.6	70	...	SW	...	bc		6	29.91	759.7	...	...	SE	...	c	

July 8*d.* 10*h.* 20*m.*— Pressure is highest over the Pacific to the east of Japan and low over China generally.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 37.29 inches, against an average of 42.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
A.—Shanghai to Turnabout, ... B.—Turnabout to Hong Kong, ...	S. winds, moderate.
C.—Hong Kong to Gap Rock, ... D.—Hong Kong to Hainan Straits, ... E.—North China Sea, ...	S.W. winds, moderate; fair generally with local showers.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	9th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	0
Nemuro,	11	29.84	758 0	...	...	ESE	4	...	5	29.82	757.5	...	...	E	1	...
Hakodate,	,,	29.72	755.0	...	...	ESE	1	...	,,	29.75	755.5	...	...	E	1	...
Tokio,	,,	29.74	755.5	...	...	NW	1	...	,,	29.78	756.5	..	...	...	0	...
Kochi,	,,	29.74	755.5	...	...	...	...	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.72	755.0	...	...	SE	1	...	,,	29.78	756.5	...	...	...	0	...
Kagoshima,	,,	29.74	755.5	...	...	..	0	...	,,	29.78	756.5	...	...	...	...	...
Oshima,	,,	29.78	756.5	...	...	SSE	1	...	,,	29.80	757.0	...	...	...	0	...
Naha,	,,	29.80	757.0	...	...	S	1	...	,,	29.80	757.0	...	...	...	0	...
Ishigakijima,	,,	29.78	756.5	...	...	S	2	...	,,	29.76	756.0	...	...	SSW	1	...
Bonin Island,	,,	29.94	760.5	...	...	SSE	2	...	,,	29.96	761.0	...	...	SSE	1	...
Chefoo,	15	29.59	751.6	83	8	E	2	b	6	29.58	751.4	81	6	S	2	c
Shanghai,	14	29.66	753.3	85	6	SSW	2	o	,,	29.64	752.8	77	6	SSE	2	c
Gutzlaff,	,,	29.71	754.6	81	6	...	o	bc	,,	29.70	754.4	76	6	SSE	2	o
Wenchow,	,,	...	...	...	...	...	...	...	6	29.71	754.6	77	...	SSW	3	b
Foochow,	,,	29.71	754.6	86	8	S	2	b	7	29.73	755.1	82	6	SW	2	o
Amoy,	,,	29.69	754.1	91	8	SSE	4	bc	6	29.69	754.1	85	8	S	2	b
Swatow,	,,	29.76	756.0	94	...	WSW	1	b	,,	29.78	756.5	81	...	WNW	1	b
Taihoku.	11	29.75	755.6	91	...	...	o	bc	5	29.73	755.2	79	...	...	o	o
Taichu,	,,	29.80	756.8	91	...	SW	2	bc	,,	29.76	756.0	77	..	...	o	o
Tainan,	,,	29.78	756.4	91	...	WNW	4	bc	,,	29.74	755.4	79	...	...	o	bc
Koshun,	,,	29.76	755.8	88	...	NW	4	c	,,	29.74	755.3	76	...	...	o	b
Pescadores,	,,	29.77	756.1	88	...	SW	4	b	,,	29.74	755.3	81	...	SSW	2	o
Hong Kong,	14	29.72	754.9	88	8	SW	4	bc	6	29.72	754.9	82	7	SSW	3	c
Gap Rock,	,,	29.74	755.4	85	8	SW	4	b	,,	29.72	754.9	84	8	SW	4	b
Macao,	,,	29.70	754.4	88	6	SW	2	c	,,	29.69	754.2	79	6	SSW	4	bc
Hoilow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.8	91	8	WSW	2	b	6	29.74	755.4	81	8	SSW	2	bc
Phulien,	15	29.64	752.9	86	8	SSE	6	bc	7	29.67	753.5	81	8	S	4	c
Tourane,	,,	29.67	753.5	88	8	SE	2	b	,,	29.72	754.8	75	7	SE	1	bc
Cape St. James,	,,	29.78	756.4	83	8	WSW	2	bc	,,	29.82	757.4	77	8	SW	4	bc
Basco,	14	29.72	754.9	88	8	WNW	2	bc	6	...	...	...	...	...	...	...
Aparri,	,,	29.70	754.4	88	8	NNE	4	bc	,,	29.73	755.2	77	8	S	2	d
Tugnegarao,	,,	29.63	752.5	94	8	...	o	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.68	753 8	88	8	NNW	4	bc	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.7	83	8	NE	2	o	,,	29.74	753 4	77	6	...	o	o
Legaspi,	,,	29.69	754.0	88	6	..	o	bc	,,	29.71	754.7	76	6	...	o	o
Calboyog,	,,	29.66	753.3	86	8	SSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.69	754.0	91	8	E	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.67	753.7	88	8	ENE	2	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.66	753.3	86	8	NE	2	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.67	753.5	86	8	N	2	bc	,,	...	...	..	...	...	...	...
Saipan,	11.00	...	..	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.71	754.6	...	6	FSE	4	o	4.22	...	...	...	...	...	...	...
Yap.	11.00	29.72	755.0	...	6	ESE	2	bc	5	29.78	756.5	...	6	N	2	bc
Pelew,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	79	6	S	6	bc	6	29.91	759.7	74	...	S	...	o

July 9*d*. 10*h*. 20*m*.— Pressure is highest over the Pacific to the east of the Bonins, and low over China generally.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 37.29 inches, against an average of 42.57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH

District.	Forecast.
A.—Shanghai to Turnabout, ...	S. winds, moderate.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S.W. winds, moderate; fair generally with local showers.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th July, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	10th July, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.85	758.2	57	...	SSE	4	f	6	29.91	759.7	55	...	SSE	5	.o
Nemuro,	11	29.84	758.0	...	...	E	1	...	5	29.58	761.5	...	...	E	1	...
Hokodate,	,,	29.78	756.5	...	...	SE	1	...	,,	29.90	759.5	...	...	ESE	1	...
Tokio,	,,	29.80	757.0	...	...	NNW	2	...	,,	29.86	758.5	...	...	...	0	...
Kochi,	,,	29.82	757.5	...	...	...	0	...	,,	29.92	760.0	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	SSW	4	...	,,	29.88	759.0	...	...	SSE	2	...
Kagoshima,	,,	29.84	758 0	...	...	NNW	1	...	,,	29.90	759.5	...	...	...	...	...
Oshima,	,,	29.82	757.5	...	...	SSW	1	...	,,	29.88	759.0	...	...	...	0	...
Nahn,	,,	29.80	757.0	...	...	S	3	...	,,	29.86	758.5	...	...	SSE	1	...
Ishigakijima,	,,	29.78	756.5	...	...	S	1	...	,,	29.82	757.5	...	...	S	2	...
Bonin Island,	,,	29.96	761.0	...	...	SSE	1	...	,,	30.00	762.0	...	...	...	...	...
Chefoo,	15	29.59	751.6	86	8	S	2	c	6	29.41	747.0	68	1	FSE	8	r
Shanghai,	14	29.61	752.0	94	6	SSE	2	c	,,	29.60	751.8	77	6	SSE	2	bc
Gutzlaff,	,,	29.68	753.9	79	6	...	0	bc	,,	29.72	754.9	76	6	S	6	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.70	754.4	86	8	S	2	b	7	29.80	756.9	82	8	SW	2	b
Amoy,	,,	29.68	753 9	88	8	SE	4	b	6	29.76	755.9	83	8	S	2	b
Swatow,	,,	29.74	755.5	92	...	SW	3	b	,,	29.82	757.3	82	...	WSW	1	b
Taihoku,	11	29.73	755.2	94	...	...	0	bc	5	29.79	756.6	76	...	...	0	b
Taichu,	,,	29.76	755.9	91	...	S	2	b	,,	29.83	757.6	76	..	...	0	b
Tainan,	,,	29.74	755.5	94	...	W	2	bc	,,	29.79	756.7	76	...	ESE	2	b
Koshun,	,,	29.74	755.5	91	...	NNW	2	bc	,,	29.79	756.7	77	...	...	0	bc
Pescadores,	,,	29.74	755.3	88	...	SSW	4	bc	,,	29.78	756.3	81	...	S	4	bc
Hong Kong,	14	29.71	754.6	84	6	SW	4	cp	6	29.74	755.4	80	8	...	0	cp
Gap Rock,	,,	29.72	754.9	84	8	SW	4	b	,,	29.74	755.4	84	8	SSW	4	b
Macao,	,,	29.67	753.7	91	6	SSW	4	bc	,,	29.71	754.6	79	4	SSW	4	bc
Hoihow,	,,	29.73	755.1	91	1	NW	2	bc	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.74	755.4	91	8	SSW	2	b	6	29.77	756.1	81	8	...	0	b
Phulien,	15	29.60	751.9	86	8	S	4	c	7	29.67	753.6	81	7	WNW	6	c
Tourane,	,,	29.61	752.2	91	8	NE	1	bc	,,	29.68	753.8	75	8	...	0	c
Cape St. James,	,,	29.77	756.2	82	8	SE	4	bc	,,	29.79	756.7	75	7	NW	4	c
Basco,	14	29.70	754.3	91	8	SE	2	b	6	29.77	756.1	83	8	SE	4	c
Aparri,	,,	29.69	754.0	86	6	NNE	4	o	,,	29.79	756 6	79	8	SE	2	c
Tuguegarao,	,,	29.76	756.0	91	8	...	0	o	,,	29.78	756.4	77	1	...	0	c
Vigan,	,,	29.66	753.4	91	8	WSW	2	b	,,	29.73	755.2	79	8	ESE	2	c
Manila,	,,	29.71	754.6	79	8	...	0	o	,,	29.78	756.3	77	6	...	0	c
Legaspi,	,,	29.69	754.0	91	8	ENE	2	bc	,,	29.71	754.7	79	6	...	0	c
Calbayog,	,,	29.71	754.6	86	8	NW	2	o	,,	29.75	755.6	77	8	N	2	bc
Tacloban,	,,	29.71	754.6	81	8	N	4	o	,,	29.76	755.8	79	8	NW	2	c
Iloilo,	,,	29.68	753 7	88	8	SW	2	o	,,	29.74	755 4	77	6	...	0	c
Cebu,	,,	29.68	753.8	86	8	...	0	o	,,	29.73	755.0	79	8	...	0	c
Surigao,	...	29.69	754.0	86	8	...	0	o	,,	29.72	754.9	76	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	78	...	E	4	bc
Guam,	12.22	29.74	755.5	...	6	ESE	6	p	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.71	754.7	...	8	ENE	4	bc	5	29.76	755.8	...	6	E	2	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.73	755 0	78	...	...	0	c
Laiuan,	14	29.90	759.5	81	4	SW	6	bc	6	29.91	759.7	...	...	SW	...	c

July 10*d.* 1*ch.* 40*m.*— Pressure is highest over the Pacific to the east of the Bonins, and low over China generally. A depression is central to the S.W. of Chefoo.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inch. Total since January 1st, 37.34 inches, against an average of 42.88 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH

District.	Forecast.
A.—Shanghai to Turnabout, ...	S. to S.W. winds, moderate; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S.W. winds, moderate; fine to cloudy some local showers.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	Light to moderate southerly winds, fine to cloudy.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	11th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.02	762.5	...	...	ESE	1	...	5	30.06	763.5	...	...	SE	3	...
Hokodate,	,,	29.92	760.0	...	...	ESE	2	...	,,	29.94	760.5	...	...	E	2	...
Tokio,	,,	29.86	758.5	...	...	SE	1	...	,,	29.92	760.0	...	...	ENE	1	...
Kochi,	,,	29.94	760.5	...	...	...	0	...	,,	29.92	760.0	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	SW	4	...	,,	29.94	760.5	...	...	SW	...	...
Kagoshima,	,,	29.90	759.5	...	...	SE	1	...	,,	29.96	761.0	...	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	NE	1	...	,,	29.96	761.0	...	...	...	...	...
Naha,	,,	29.88	759.0	...	...	S	2	...	,,	29.94	760.5	...	...	EE	1	...
Ishigakijima,	,,	29.86	758.5	...	...	SSW	1	...	,,	29.90	759.5	...	...	S	1	...
Bonin Island,	,,	30.00	762.0	...	...	S	2	...	,,	29.96	761.0	...	...	...	0	...
Chefoo,	15	29.37	745.9	79	6	SW	6	c	6	29.67	753.5	72	6	FSW	4	b
Shanghai,	14	29.67	753.6	94	8	SW	4	c	,,	29.79	756.6	79	6	NW	2	bc
Gutzlaff,	,,	29.75	755.6	81	6	SSE	6	bc	,,	29.89	759.2	77	6	SSE	2	c
Wenchow,	,,	...	...	...	...	...	...	...	6	29.88	759.0	79	...	SW	2	c
Foochow,	,,	29.77	756.1	84	4	SSE	2	b	7	29.88	758.9	83	8	SW	2	b
Amoy,	,,	29.78	756.4	79	6	SE	4	b	6	29.89	759.2	83	6	S	2	b
Swatow,	,,	29.79	756.7	88	...	SSE	3	b	,,	29.88	758.8	81	...	NE	1	c
Taihoku,	11	29.81	757.1	94	...	...	0	b	5	29.88	758.9	76	...	...	0	b
Taichu,	,,	29.83	757.7	91	...	SSW	2	b	,,	29.89	759.3	76	...	...	0	bc
Tainan,	,,	29.80	757.0	91	...	SSW	2	bc	,,	29.83	757.7	76	...	...	0	bc
Koshun,	,,	29.80	756.8	91	...	ENE	2	c	,,	29.84	758.0	79	...	...	0	b
Pescadores,	,,	29.80	757.0	88	...	WSW	2	bc	,,	29.84	757.8	81	...	...	0	bc
Hong Kong,	14	29.76	755.9	89	8	S	3	bc	6	29.80	756.9	81	8	...	0	bc
Gap Rock,	,,	29.78	756.4	85	8	S	3	b	,,	29.79	756.6	85	8	F	3	c
Macao,	,,	29.71	754.7	91	6	S	4	c	,,	29.76	756.0	81	6	ESE	2	bc
Hoihow,	,,	29.79	759.6	94	1	E	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.8	94	8	...	0	bc	6	29.78	756.5	83	8	SE	4	c
Phulien,	15	29.66	753.3	82	8	SE	5	c	7	29.74	755.1	75	7	SE	3	d
Tourane,	,,	29.65	753.0	88	8	E	4	bc	,,	29.72	754.9	77	8	...	0	c
Cape St.James,	,,	29.74	755.5	81	7	W	4	c	,,	29.78	756.3	75	7	WSW	5	c
Basco,	14	29.76	755.9	85	8	SE	2	c	6	29.81	757.1	83	8	ESE	2	bc
Aparri,	,,	29.72	755.0	91	8	NNE	4	c	,,	29.81	757.1	79	8	...	0	c
Tuguegarao,	,,	29.70	754.3	91	6	...	0	bc	,,	29.80	756.8	77	1	...	0	c
Vigan,	,,	29.71	754.6	88	8	WSW	4	bc	,,	29.78	756.3	77	8	...	0	c
Manila,	,,	29.70	754.4	91	8	SE	4	bc	,,	29.78	756.3	77	6	...	0	c
Legaspi,	,,	29.71	754.6	91	8	ENE	4	bc	,,	29.73	755.2	79	6	...	0	c
Calbayog,	,,	29.74	755.4	79	8	N	2	c	,,	29.75	755.6	76	8	N	2	c
Tacloban,	,,	29.71	754.7	81	6	E	4	d	,,	29.76	755.9	79	8	N	2	c
Iloilo,	,,	29.69	754.1	91	8	SW	4	c	,,	29.76	755.8	77	6	SW	2	c
Cebu,	,,	29.74	755.3	88	8	SSE	2	bc	,,	29.75	755.5	79	8	...	0	c
Surigao,	...	29.69	754.1	88	8	...	0	bc	,,	29.75	755.5	77	4	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	6	ESE	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755.5	...	6	E	4	bc	5	29.83	757.6	...	6	ESE	4	d
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.91	759.7	...	...	...	...	r	6	29.91	759.7	74	...	...	...	c

July 11*d.* 10*h.* 15*m.*—Pressure is highest over the Pacific to the east of Japan, and relatively low over China and the China Sea. The position of the depression is uncertain.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inch. Total since January 1st, 37.40 inches, against an average of 43.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH

District.	Forecast.
A.—Shanghai to Turnabout, ...	None.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S.E. winds, moderate; fair to showery.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	12th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.72	754.8	61	...	...	0	0	6	29.74	755.4	64	...	WSW	1	c
Nemuro,	11	30.06	763.5	...	...	SE	1	...	5	29.98	761.5	...	...	SE	2	...
Hokodate,	,,	29.88	759.0	...	...	E	2	...	,,	29.75	755.5	...	...	E	2	...
Tokio,	,,	29.88	759.0	...	...	...	0	...	,,	29.76	756.0	...	...	...	0	...
Kochi,	,,	29.90	759.5	...	...	SW	1	...	,,	29.84	758.0	...	...	...	0	...
Nagasaki,	,,	29.96	761.0	...	...	WSW	2	...	,,	29.92	760.0	...	...	WSW	2	...
Kagoshima,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	0	...
Oshima,	,,	29.96	761.0	...	...	NE	1	...	,,	29.94	760.5	...	...	...	0	...
Naha,	,,	29.94	760.5	...	...	SSW	2	...	,,	...	...	...	...	S	1	...
Ishigakijima,	,,	29.90	759.5	...	...	S	1	...	,,	29.90	759.5	...	...	S	1	...
Bonin Island,	,,	29.94	760.5	...	...	S	1	...	,,	29.88	759.0	...	...	NW	1	...
Chefoo,	15	29.73	755.2	85	8	NE	2	bc	6	29.72	754.8	76	6	...	0	b
Shanghai,	14	29.80	757.0	94	8	SSW	2	bc	,,	29.80	757.0	79	6	S	2	bc
Gutzlaff,	,,	29.88	759.0	83	6	SE	2	b	,,	29.89	759.2	77	6	S	2	c
Wenchow,	,,	,,	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.86	758.4	84	1	SE	4	b	7	29.91	759.7	83	1	...	0	bc
Amoy,	,,	29.85	758.2	91	8	SSE	4	bc	6	29.89	759.2	81	6	SW	4	b
Swatow,	,,	29.91	759.7	83	...	ENE	1	c	,,	29.92	759.9	77	...	N	1	c
Taihoku,	11	29.85	758.3	94	...	NE	2	b	5	29.88	758.9	77	...	...	0	bc
Taichu,	,,	29.87	758.8	91	...	NW	2	c	,,	...	...	77	..	...	0	c
Tainan,	,,	29.85	758.2	91	...	NNE	2	c	,,	29.84	758.0	77	...	...	0	bc
Koshun,	,,	29.86	758.4	86	...	ENE	4	bc	,,	29.84	757.8	...	...	...	0	c
Pescadores,	,,	29.85	758.2	91	...	WNW	2	bc	,,	29.84	758.0	...	...	...	0	c
Hong Kong,	14	29.79	756.6	85	7	ESE	3	bc	6	29.80	757.0	80	6	E	2	c
Gap Rock,	,,	29.80	756.9	84	8	ESE	3	cp	,,	29.80	757.0	85	8	ENE	3	c
Macao,	,,	29.78	756.5	88	6	SE	2	bc	,,	29.78	756.4	81	4	ENE	2	c
Hoihow,	,,	29.79	756.6	77	1	E	4	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.79	756.6	94	8	ESE	4	bc	6	29.78	756.3	83	8	E	4	c
Phulien,	15	29.74	755.4	81	8	ESE	4	c	7	29.78	756.5	75	8	ENE	3	c
Tourane,	,,	29.69	754.0	88	8	SE	2	bc	,,	29.72	754.9	75	5	...	0	r
Cape St. James,	,,	29.73	755.2	79	8	SW	4	c	,,	29.78	756.4	75	5	WSW	5	c
Basco,	14	29.83	757.6	85	6	SE	2	c	6	29.83	757.6	83	8	SE	2	c
Aparri,	,,	29.80	757.0	81	6	NE	2	d	,,	29.80	757.0	76	8	SE	2	c
Tuguegurao,	,,	29.78	756.4	85	4	...	0	c	,,	29.80	757.0	76	1	...	0	c
Vigan,	,,	29.74	755.4	86	8	W	2	c	,,	29.75	755.6	79	8	SSE	2	c
Manila,	,,	29.79	756.6	81	8	E	2	c	,,	29.78	756.3	77	4	...	0	c
Legaspi,	,,	29.72	754.8	88	6	...	0	c	,,	29.76	756.0	77	6	...	0	c
Calboyog,	,,	29.72	755.0	83	8	N	2	c	,,	29.77	756.1	76	8	...	0	c
Tacloban,	,,	29.74	755.4	81	8	NE	2	c	,,	29.79	756.6	77	4	W	2	r
Iloilo,	,,	29.74	755.5	79	6	S	4	r	,,	29.78	756.4	77	6	...	0	c
Cebu,	,,	29.71	754.6	83	8	SSW	4	c	,,	29.77	756.1	77	8	WSW	2	c
Surigao,	...	29.72	754.8	83	6	...	0	c	,,	29.78	756.5	74	4	SW	2	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.3	80	...	...	0	b
Guam,	12.22	29.78	756.3	...	6	ESE	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.7	...	6	SE	2	bc	5	29.83	757.6	...	8	...	0	b
Pelew,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	77	...	...	0	c
Labuan,	14	29.91	759.7	79	4	SE	6	bc	6	29.91	759.7	74	4	S	4	bc

July 12*d.* 10*h.* 35*m* — Pressure is highest over the Pacific to the east of Japan, and is relatively low over the China Sea and to the west of Shantung.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.86 inch. Total since January 1st, 38.26 inches, against an average of 43.48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	Light southerly or variable winds; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	E. winds, moderate; fair to showery.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	12TH JULY, 1932.								13TH JULY, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER. AT SEA LEVEL. Inches.	BAROMETER. AT SEA LEVEL. Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.96	761.0	...	...	SE	2	...	5	29.90	759.5	...	...	ESE	2	...
Hokodate,	,,	29.72	755.0	...	...	E	3	...	,,	29.69	754.0	...	...	E	2	...
Tokio,	,,	29.69	754.0	...	...	S	1	...	,,	29.65	753.0	..	...	...	0	...
Kochi,	,,	29.80	757.0	...	...	WSW	1	...	,,	29.73	755.0	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	W	2	...	,,	29.80	757.0	...	...	WSW	1	...
Kagoshima,	,,	29.88	759.0	...	...	NW	1	...	,,	29.80	757.0	...	...	...	0	...
Oshima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.84	758.0	...	...	SSW	1	...
Naha,	,,	29.92	760.0	...	...	SSW	1	...	,,	29.86	758.5	...	...	...	0	...
Ishigakijima,	,,	29.92	760.0	...	...	S	1	...	,,	29.82	757.5	...	...	SW	1	...
Bonin Island,	,,	29.84	758 0	...	...	NNW	1	...	,,	29.78	756.5	...	...	...	...	...
Chefoo,	15	29.69	754.2	91	8	S	2	bc	6	29.65	753 1	76	8	E	2	b
Shanghai,	14	29.82	757.3	94	6	SW	2	c	,,	29.76	756.0	81	6	S	2	c
Gutzlaff,	,,	29.88	758.9	81	6	SW	2	bc	,,	29.78	756.4	79	6	S	2	c
Wenchow,	,,	..	...	...	...	...	...	...	6	29.83	757 6	79	...	SSW	1	b
Foochow,	,,	29.89	759.2	88	8	E	2	b	7	29.86	758.4	86	8	S	2	b
Amoy,	,,	29.87	758.7	94	8	SE	2	b	6	29.87	758.7	83	6	WSW	2	b
Swatow,	..	29.93	760.1	86	...	ESE	3	c	,,	29.88	758.8	79	...	NNE	1	c
Taihoku,	11	29.89	759.3	91	...	NW	2	c	5	29.83	757.6	79	...	...	0	c
Taichu,	,,	29.89	759.3	91	...	N	2	bc	,,	29.85	758.2	81	..	...	0	c
Tainan,	,,	29.87	758.8	91	...	NNE	2	c	,,	29.81	757.1	79	...	...	0	bc
Koshun,	,,	29.88	758.9	91	...	E	2	bc	,,	29.80	757.0	76	...	...	0	b
Pescadores,	,,	29.87	758.8	94	...	NNW	2	bc	,,	29.81	757.1	81	...	...	0	b
Hong Kong,	14	29.79	756.6	87	8	E	4	bc	6	29.76	755.9	81	7	SSE	3	cp
Gap Rock,	,,	29.79	756.6	85	7	ENE	4	c	,,	29.75	755.6	85	8	E-E	4	c
Macao,	,,	29.78	756.5	85	4	ESE	2	c	,,	29.72	754.9	81	4	SE	4	c
Hollow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.79	756.6	91	8	E	4	c	6	29.75	755.5	83	8	ESE	4	bc
Phulien,	15	29.72	755.0	88	8	SSE	2	c	7	29.74	755.4	77	5	SSE	3	r
Tourane,	,,	29.69	754.0	81	8	NNE	3	r	,,	29.67	753.5	77	3	NW	1	r
Cape St. James,	,,	29.76	755.8	75	4	ENE	6	r	,,	29.77	756.1	75	6	SW	6	c
Basco,	14	29.81	757.1	91	8	SE	4	bc	6	29.78	756.3	79	8	...	0	b
Aparri,	,,	29.77	756.1	91	6	NNE	2	c	,,	29.76	756.0	76	8	S	2	b
Tuguegarao,	,,	29.76	755.8	91	6	...	0	bc	,,	29.78	756.3	76	1	...	0	c
Vigan,	,,	29.72	754.9	88	8	WNW	4	bc	,,	29.75	755 5	77	6	...	0	c
Manila,	,,	29.76	755.8	88	8	...	0	0	,,	29.78	756.4	76	6	...	0	bc
Legaspi,	,,	29.78	756.3	77	6	...	0	0	,,	29.73	755.2	74	6	...	0	bc
Calbayog,	,,	29.79	756.6	77	8	...	0	0	,,	29.76	756.0	79	8	W	4	0
Tacloban,	,,	29.78	756.3	79	8	N	2	0	,,	29.76	756.0	77	8	NW	2	0
Iloilo,	,,	29.74	755.3	79	6	SW	4	r	,,	29.79	756.6	76	6	S	2	0
Cebu,	,,	29.78	756.3	81	8	SW	4	0	,,	29.78	756.3	79	8	WSW	4	0
Surigao,	...	29.74	755.5	79	6	SW	4	0	,,	29.76	756.0	79	6	WSW	2	0
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	...	0	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.1	...	6	W	2	bc	5	29.83	757.6	...	8	N	2	0
Pelew,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	..	...
Labuan,	14	29.90	759.4	85	...	SW	...	bc	6	29.91	759.7	72	4	...	...	bc

July 13*th*. 10*h*. 31*m*.—Pressure is highest to the north-east of Japan, and relatively low over N. China and the Sea of Japan. A shallow depression is situated between the Paracels and the coast of Indo-China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inch. Total since January 1st, 38.31 inches, against an average of 43.81 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	S. winds, moderate; fair.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	S.E. winds, moderate; cloudy, showery.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	14th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.74	755.3	59	...	SE	4	f	6	29.79	756.7	57	...	SSE	4	f
Nemuro,	11	...	...	...	...	ESE	2	...	5	29.86	758.5	...	...	E	2	...
Hokodate,	,,	29.72	755.0	...	...	ENE	3	...	,,	29.80	757.0	...	...	ENE	1	...
Tokio,	,,	29.61	752.0	...	...	S	1	...	,,	29.71	754.5	...	...	NNW	1	...
Kochi,	,,	29.70	754.5	...	...	SW	1	...	,,	29.73	755.0	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	WSW	1	...	,,	29.76	756.0	...	...	...	0	...
Kagoshima,	,,	29.78	756.5	...	...	WNW	1	...	,,	29.74	755.0	...	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	W	1	...	,,	29.78	756.5	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	...	...	...	0	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	...	...	...	0	...
Bonin Island,	,,	29.76	756.0	...	...	...	0	...	,,	29.76	756.0	...	...	...	...	...
Chefoo,	15	29.60	751.9	86	8	ESE	2	c	6	29.52	749.9	76	4	SSE	6	r
Shanghai,	14	29.72	755.0	98	8	WSW	2	b	,,	29.76	755.9	81	6	SSE	2	b
Gutzlaff,	,,	29.79	756.6	85	6	...	0	bc	,,	29.75	755.6	79	6	...	0	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.80	756.9	88	8	S	2	b	7	29.80	756.9	84	8	...	0	b
Amoy,	,,	...	...	88	6	SSE	4	b	6	29.79	756.6	81	6	SW	2	b
Swatow,	,,	29.85	758.1	86	...	ESE	3	b	,,	29.85	758.1	83	...	ESE	3	b
Taihoku,	11	29.83	757.6	94	...	...	0	b	5	29.76	756.0	77	...	...	0	be
Taichu,	,,	29.84	757.9	96	...	NNW	2	b	,,	29.79	756.7	77	...	...	0	b
Tainan,	,,	29.81	757.2	94	...	N	2	be	,,	29.75	755.6	77	...	...	0	b
Koshun,	,,	29.81	757.1	88	...	E	2	b	,,	29.75	755.5	77	...	...	0	b
Pescadores,	,,	29.82	757.4	88	...	NNW	2	b	,,	29.74	755.3	83	...	SSW	4	c
Hong Kong,	14	29.74	755.4	82	6	E	4	cp	6	29.67	753.6	82	7	E	3	c
Gap Rock,	,,	29.74	755.4	85	8	E	4	c	,,	29.67	753.6	84	8	ESE	3	c
Macao,	,,	29.73	755.2	88	6	SE	2	c	,,	29.65	753.0	81	6	...	0	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.8	91	8	S	2	c	6	29.70	754.3	83	8	FSE	2	bc
Phulien,	15	29.69	754.1	79	9	SSE	2	bc	7	29.65	753.1	77	7	ENE	3	c
Tourane,	,,	29.63	752.5	77	8	NNW	4	c	,,	29.58	751.4	75	9	...	0	c
Cape St. James,	,,	29.76	755.8	79	6	WSW	6	c	,,	29.73	755.2	73	7	SW	6	c
Basco,	14	29.75	755.6	91	8	S	4	bc	6	29.72	754.8	79	8	...	0	c
Aparri,	,,	29.72	754.9	88	8	NNE	4	b	,,	29.71	754.6	76	8	S	2	c
Tuguegarao,	,,	29.69	754.0	91	6	...	0	bc	,,	29.74	755.4	76	6	...	0	bc
Vigan,	,,	29.70	754.4	88	8	W	2	t	,,	29.70	754.4	76	8	ESE	2	b
Manila,	,,	29.74	755.3	86	8	WSW	2	c	,,	29.74	755.3	77	6	...	0	c
Legaspi,	,,	29.71	754.7	83	6	...	0	c	,,	29.71	754.6	76	6	...	0	c
Calboyog,	,,	29.73	755.2	86	8	WSW	4	c	,,	29.72	754.9	76	8	...	0	c
Tacloban,	,,	29.73	755.2	85	8	NW	4	c	,,	29.75	755.5	77	6	W	4	c
Iloilo,	,,	29.74	755.5	83	8	SW	4	c	,,	29.74	755.3	79	6	SW	4	c
Cebu,	,,	29.73	755.2	91	8	SW	4	c	,,	29.73	755.2	81	8	WSW	4	c
Surigao,	...	29.72	755.0	77	4	W	4	r	,,	29.72	754.9	81	6	W	4	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.3	...	6	S	2	p	4.22	29.75	755.6	...	6	...	0	bc
Yap,	11.00	29.78	756.3	...	8	...	0	b	5	29.81	757.1	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.89	759.3	88	4	SS	6	bc	6	29.91	759.7	74	4	S	4	bc

July 14*d.* 10*h.* 40*m.*—Depressions are situated to the north-west of Shantung and to the west of the Paracels.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.78 inch. Total since January 1st, 39.09 inches, against an average of 44.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S. winds, moderate; fair. S.E. winds, moderate; cloudy, showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th JULY, 1932.									15th JULY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	29.83	757.7	57	...	SSE	4	f		6	29.88	759.0	55	...	SE	3	f	
Nemuro,	11	29.86	758.5	...	...	E	1	...		5	29.00	759.5	...	...	ENE	1	...	
Hokodate,	,,	29.78	756.5	...	...	SE	1	...		,,	29.84	758.0	...	...	...	0	...	
Tokio,	,,	29.74	755.5	...	...	SE	2	...		,,	29.82	757.5	..	...	N	1	...	
Kochi,	,,	29.72	755.0	...	...	ESE	1	...		,,	29.80	757.0	...	...	...	...	...	
Nagasaki,	,,	29.78	756 5	...	...	WSW	2	...		,,	29.84	758.0	...	...	...	0	...	
Kagoshima,	,,	29.78	756.5	...	...	E	1	...		,,	29.84	758.0	...	...	...	0	...	
Oshima,	,,	29.80	757.0	...	...	N	6	...		,,	29.84	758.0	...	...	...	0	...	
Naha,	,,	29.82	757.5	...	...	WSW	1	...		,,	29.84	758.0	...	...	...	0	...	
Ishigakijima,	,,	29.80	757.0	...	...	SSE	1	...		,,	29.80	757.0	...	...	SE	1	...	
Bonin Island,	,,	29.78	756.5	...	...	SW	1	...		,,	29.84	758.0	...	...	...	0	...	
Chefoo,	15	29.53	750.0	88	8	S	4	bc		6	29.50	749.3	81	4	S	2	bc	
Shanghai,	14	29.69	754.0	...	8	SSW	2	bc		,,	29.73	755.2	77	6	SSE	2	b	
Gutzlaff,	,,	29.77	756.2	85	6	...	0	b		,,	29.82	757 5	77	6	S	2	b	
Wenchow,	,,	...	...	...	...	...	...	...		6	29.82	757.4	79	...	SSW	2	c	
Foochow,	,,	29.75	755.6	88	8	E	2	bc		7	29.83	757.7	88	6	NNE	2	bc	
Amoy,	,,	29.75	755.6	88	8	SE	4	b		6	29.81	757.2	81	6	S	2	b	
Swatow,	,,	29.79	756.6	86	...	ESE	3	c		,,	29.82	757.5	77	...	NE	1	c	
Taihoku,	13	29.77	756.1	91	...	...	0	c		5	29.78	756.3	77	...	...	0	c	
Taichu,	,,	29.77	756.1	91	...	N	2	bc		,,	29.80	756.8	77	..	...	0	c	
Tainan,	,,	29.75	755.6	91	...	N	2	b		,,	29.76	755.8	76	...	...	0	c	
Koshun,	,,	29.76	755.8	91	...	E	2	b		,,	29.73	755.2	81	...	NE	4	bc	
Pescadores,	,,	29.75	755.6	94	...	SSW	2	b		,,	29.76	755.8	81	...	...	0	b	
Hong Kong,	14	29.68	753.9	85	7	E	4	c		6	29.68	753.9	82	7	E	4	bc	
Gap Rock,	,,	29.68	753 9	86	8	ESE	3	c		,,	29.66	753.3	85	8	ESE	4	b	
Macao,	,,	29.67	753.5	88	4	SE	2	c		,,	29.67	753.5	77	6	ESE	4	c	
Hoihow,	..	29.64	752.8	85	..	E	2	r		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.69	754.0	91	6	ESE	4	r		6	29.70	754.3	83	8	E	4	bc	
Phulien,	15	29.60	751.8	88	8	E	3	o		7	29.62	752.2	79	7	NE	4	c	
Tourane,	,,	29.53	750.0	84	8	NW	3	r		,,	29.54	750.2	75	3	S	1	r	
Cape St. James,	,,	29.64	752.9	75	4	SW	8	lf		,,	29.72	754.9	75	6	WSW	4	o	
Basco,	14	29.71	754.7	86	6	SE	4	c		6	29.70	754.3	81	6	E	2	b	
Aparri,	,,	29.68	753.8	85	6	...	0	o		,,	29.69	754.2	76	6	W	2	p	
Tuguegarao,	,,	29.65	753 0	86	6	NE	2	o		,,	29.67	753.7	76	1	...	0	o	
Vigan,	,,	29.71	754.6	86	8	WSW	4	bc		,,	29.70	754.3	77	8	SSE	2	d	
Manila,	,,	29.70	754.3	88	8	...	0	bc		,,	29.75	755.6	77	6	...	0	o	
Legaspi,	,,	29.66	753.3	85	6	SW	4	bc		,,	29.71	754 6	77	6	W	2	bc	
Calboyog,	,,	29.71	754.7	79	8	WNW	2	o		,,	29.76	756.0	77	8		0	o	
Tacloban,	,,	29.70	754.4	86	8	S	2	o		,,	29.78	756.3	77	6	W	2	bc	
Iloilo,	,,	29.71	754.7	88	8	SW	4	o		,,	29.76	755.8	79	6	S	2	o	
Cebu,	,,	29.71	754.6	86	8	SW	4	o		,,	29.76	756.0	81	8	WSW	4	bc	
Surigao,	...	29.70	754.4	86	8	SW	4	o		,,	29.75	755.6	81	6	SW	4	bc	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.76	755.8	...	6	ESE	2	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	...	...	...	...	...	...	...		5	29.84	758.0	...	6	...	0	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.89	759.3	86	4	S	4	bc		6	29.91	759.6	74	4	S	4	bc	

July 15*d.* 10*h.* 29*m* – Pressure is highest to the north-east of Japan. Depressions are situated to the north-west of Shantung and to the south of Hainan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inch. Total since January 1st, 39.15 inches, against an average of 44.54 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	S. winds, moderate; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S.E. winds, moderate; fair to showery.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th JULY, 1932.									16th JULY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Nemuro,	11	29.94	760.5	...	...	ENE	2	...		5	29.06	761.0	...	...	ENE	1	...	
Hokodate,	,,	29.84	758.0	...	...	SSE	1	...		,,	29.88	759.0	...	...	ENE	1	...	
Tokio,	,,	29.78	756.5	...	...	SSE	1	...		,,	29.80	757.0	..	...	ENE	1	...	
Kochi,	,,	29.82	757.5	...	...	...	0	...		,,	29.82	757.5	...	...	...	0	...	
Nagasaki,	,,	29.88	759.0	...	...	WNW	1	...		,,	29.90	759 5	...	...	W	1	...	
Kagoshima,	,,	29.86	758.5	...	...	NW	1	...		,,	29.90	759.5	...	...	N	1	...	
Oshima,	,,	29.88	759.0	...	...	NNE	1	...		,,	29.88	759.0	...	...	...	0	...	
Naha,	,,	29.86	758.5	...	...	WSW	1	...		,,	29.86	758.5	...	...	SE	1	...	
Ishigakijima,	,,	29.82	757.5	...	...	SSE	1	...		,,	29.82	757.5	...	...	SE	1	...	
Bonin Island,	,,	29.86	758.5	...	...	W	1	...		,,	29.84	758.0	...	...	...	0	...	
Chefoo,	15	29.57	751.2	77	6	...	0	r		6	29.63	752.6	77	6	...	0	r	
Shanghai,	14	29.76	755.9	98	8	SW	2	bc		,,	29.78	756.3	81	6	SSE	2	b	
Gutzlaff,	,,	29.84	757.9	83	6	S	4	bc		,,	29.82	757.4	79	6	S	4	b	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.83	757.7	84	1	E	6	bc		7	29.83	757.7	83	6	NNE	4	c	
Amoy,	,,	29.79	756.6	91	6	S	4	b		6	29.80	756.9	85	8	ENE	2	c	
Swatow,	,,	29.79	756.7	81	...	ESE	3	c		,,	29.80	756.9	79	...	NNE	1	c	
Taiboku,	11	29.81	757.2	91	...	...	0	c		5	29.78	756.4	76	...	...	0	bc	
Taichu,	,,	29.80	757.0	88	...	NNW	2	c		,,	29.80	757.0	76	..	...	0	bc	
Tainan,	,,	29.78	756.5	86	...	...	c	c		,,	29.76	755.9	77	...	...	0	...	
Koshun,	,,	...	...	...	...	...	...	...		,,	29.78	756.3	77	...	ENE	2	lt	
Pescadores,	,,	29.78	756 5	88	...	NNW	4	c		,,	29.77	756 1	81	...	...	c	c	
Hong Kong,	14	29.71	754.6	85	7	E	4	c		6	29.70	754.4	81	7	E	5	c	
Gap Rock,	,,	29.71	754.6	85	8	ENE	4	c		,,	29.69	754.1	84	8	E	4	c	
Macao,	,,	29.69	754.1	85	6	ESE	4	c		,,	29.68	753.8	79	4	ESE	4	c	
Hoihow,	,,	...	...	...	..	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.71	754.7	91	8	ESE	4	bc		6	29.72	754.8	88	8	SE	2	c	
Phulien,	15	29.60	751.8	88	8	ENE	4	bc		7	29.63	752.7	75	6	NE	3	r	
Tourane,	,,	29.52	749.9	76	4	NE	2	r		,,	29.56	750.8	75	9	...	0	c	
Cape St. James,	,,	29.72	754.8	77	6	SW	6	r		,,	29.75	755.7	75	5	SW	5	f	
Bargo,	14	29.70	754.3	81	6	SE	4	c		6	...	...	...	...	...	...	...	
Aparri,	,,	29.71	754.6	86	6	N	2	c		,,	29.77	756.1	77	8	S	2	h	
Tagnegarao,	,,	29.69	754.0	91	6	...	0	bc		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.71	754.7	86	8	SW	2	c		,,	...	...	...	...	...	...	...	
Manila,	,,	29.74	755.3	88	6	SW	4	bc		,,	29.80	757.0	77	6	...	0	hc	
Legaspi,	,,	29.74	755.5	83	6	...	0	c		,,	29.78	756.3	77	6	WSW	2	h	
Calboyog,	,,	29.78	756.3	86	8	WSW	4	c		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.78	756.3	83	6	S	4	c		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.76	755.9	86	8	SW	4	d		,,	29.82	757.3	76	6	SSW	4	c	
Cebu,	,,	29.76	755.8	86	8	SSW	6	c		,,	...	...	...	...	...	...	...	
Surigao,	...	29.76	756.0	88	8	WSW	2	c		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.79	756.7	...	6	ESE	2	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.83	757.6	...	8	ENE	4	bc		5	...	...	...	...	...	...	...	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.89	759.3	88	4	SW	6	bc		6	29.91	759.7	76	4	NE	6	bc	

July 16*d.* 10*h.* 16*m.*— Pressure is highest over the Pacific to the north-east of Japan. The southern depression is situated in the southern part of the Gulf of Tongking; the position of the northern depression is uncertain.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1.34 inch. Total since January 1st, 40.49 inches, against an average of 44.95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S. winds, moderate; fair.
B.—Turnabout to Hong Kong,	E. winds, moderate; fair to showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	17th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.89	759.1	57	...	SW	3	f	6	29.88	758.9	55	...	S	8	...
Nemuro,	11	29.88	759.0	...	...	E	1	...	5	29.82	757.5	...	...	NE	1	...
Hokedate,	,,	29.88	759.0	...	...	ESE	2	...	,,	29.82	757.5	...	...	...	...	...
Tokio,	,,	29.80	757.0	...	...	ENE	1	...	,,	29.82	757.5	...	...	N	1	...
Kochi,	,,	29.76	756.0	...	...	SE	1	...	,,	29.80	757.0	...	...	WSW	1	...
Nagasaki,	,,	29.88	759.0	...	...	SW	1	...	,,	29.88	759.0	...	...	W	1	...
Kagoshima,	,,	29.86	758.5	...	...	NNW	1	...	,,	29.88	759.0	...	...	NNW	1	...
Oshima,	,,	29.90	759.5	...	...	NE	1	...	,,	29.88	759.0	...	...	S	1	...
Naha,	,,	29.88	759.0	...	...	SSW	2	...	,,	29.86	758.5	...	...	SE	1	...
Ishigakijima,	,,	29.86	758.5	...	...	SSE	2	...	,,	29.84	758.0	...	...	SSE	1	...
Bonin Island,	,,	29.86	758.5	...	...	S	1	...	,,	29.84	758.0	...	...	...	0	...
Chefoo,	15	29.55	750.6	83	6	ESE	4	t	6	29.56	750.8	76	4	SSW	4	r
Shanghai,	14	29.77	756.1	98	8	SW	2	h	,,	29.74	755.3	81	8	S	2	b
Gutzlaff,	,,	29.84	757.9	85	6	SSW	2	bc	,,	29.82	757.4	79	6	SSE	4	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.82	757.5	86	8	E	2	bc	7	29.86	758.4	83	8	E	2	bc
Amoy,	,,	29.81	757.2	86	6	SSE	2	b	6	29.79	756.6	85	6	SE	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	29.83	757.6	81	...	E	1	o
Taihoku,	11	29.79	756.7	94	...	WNW	2	bc	5	29.82	757.3	79	...	...	0	bc
Taichu,	,,	29.83	757.6	88	...	S	2	bc	,,	29.84	757.8	77	...	...	0	bc
Tainan,	,,	29.81	757.1	91	...	...	0	c	,,	29.80	756.8	79	...	ESE	2	b
Kosham,	,,	29.83	757.6	86	...	ENE	2	c	,,	29.78	756.5	77	...	...	0	b
Pescadores,	,,	29.80	757.0	88	...	WNW	2	bc	,,	29.79	756.7	83	...	SE	2	c
Hong Kong,	14	29.73	755.1	83	7	E	5	cp	6	29.73	755.1	80	6	E	3	c
Gap Rock,	,,	29.73	755.1	84	8	E	4	o	,,	29.73	755.1	83	8	SE	4	c
Macao,	,,	29.71	754.6	81	4	SE	4	o	,,	29.71	754.6	79	4	SE	4	c
Hoihow,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.8	88	8	S	2	c	6	29.76	755.9	83	8	SSE	2	bc
Phulien,	15	29.60	751.9	82	7	ENE	7	r	7	29.66	753.4	77	6	NE	3	o
Tourane,	,,	29.58	751.3	90	8	N	2	c	,,	29.65	753.0	75	S	WNW	1	o
Cape St. James,	,,	29.77	756.2	75	4	SW	6	f	,,	29.81	757.1	75	7	SW	5	z
Basco,	14	29.76	756.0	88	8	...	0	bc	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.6	91	8	NE	4	o	,,	29.78	756.5	77	6	S	2	r
Tuguegarao,	,,	29.73	755.2	83	4	...	0	d	,,	...	...	...	...	...	...	...
Vigan,	,,	29.73	755.2	88	8	SW	4	h	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.4	91	8	WSW	2	bc	,,	29.83	757.7	77	6	...	0	o
Legaspi,	,,	29.78	756.4	83	6	SW	2	o	,,	29.79	756.7	76	6	...	0	o
Calboyog,	,,	29.80	757.0	83	8	S	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.83	757.6	76	4	N	2	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	755.9	88	8	S	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.79	756.6	81	8	NNW	4	d	,,	...	...	...	..	...	...	...
Surigao,	...	29.78	756.3	86	6	WSW	2	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.7	...	6	SE	2	bc	4.22	...	...	...	..	...	...	...
Yap,	11.00	29.82	757.3	...	8	...	0	bc	5	29.91	759.7	...	6	SW	2	o
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Labuan,	14	29.90	759.4	88	6	SW	...	bc	6	29.91	759.7	72	...	...	...	be

July 17*d.* 10*h.* 16*m.*—Depressions are situated in the Gulf of Tongking and to the north-west of Shantung.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.39 inch. Total since January 1st, 40.88 inches, against an average of 45.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. winds, moderate; fair.
B.—Turnabout to Hong Kong,	E. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	S.E. winds, moderate; fair to showery.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	18th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.84	757.9	57	...	SE	3	o	6	29.74	755.3	59	...	SE	3	f
Nemuro,	11	29.76	756.0	...	...	NE	2	...	5	29.69	754.0	...	...	N	1	...
Hokodate,	,,	29.78	756.5	...	...	SSE	1	...	,,	29.73	755.0	...	...	...	0	...
Tokio,	,,	29.80	757.0	...	...	NE	1	...	,,	29.76	756.0	..	...	...	...	...
Kochi,	,,	29.78	756.5	...	...	SE	1	...	,,	29.78	756.5	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	WNW	1	...	,,	29.80	757.0	...	...	S	1	...
Kagoshima,	,,	29.86	758.5	...	...	WNW	1	...	,,	29.82	757.5	...	...	..	0	...
Oshima,	,,	29.86	758.5	...	...	N	1	...	,,	29.84	758.0	...	...	S	1	...
Naha,	,,	29.86	758.5	...	...	SSW	1	...	,,	29.84	758.0	...	...	SSW	1	...
Ishigakijima,	,,	29.84	758.0	...	...	S	2	...	,,	29.80	757.0	...	...	SW	1	...
Bonin Island,	,,	29.82	757.5	...	...	SW	1	...	,,	29.82	757.5	...	...	...	0	...
Chefoo,	15	29.54	750 3	94	6	SSE	4	be	6	29.43	747.6	74	4	...	0	r
Shanghai,	14	29.69	754.0	98	8	SW	4	be	,,	29.66	753.4	83	6	SSE	2	c
Gutzlaff,	,,	29.78	756.4	83	6	S	2	be	,,	29.74	755.4	79	6	S	4	c
Wenchow,	,,	...	...	...	...	...	...	...	6	29.76	756.0	...	...	S	6	c
Foochow,	,,	29.80	756.9	88	8	S	2	b	7	29.80	756.9	83	8	SW	2	bc
Amoy,	,,	29.82	757.3	88	8	SE	2	b	6	29.75	755.6	83	6	S	4	bc
Swatow,	,,	29.82	757.4	85	...	E	3	b	,,	29.78	756.4	81	...	SE	2	r
Taihoku,	11	29.81	757.2	91	...	W	2	c	5	29.78	756.3	77	...	...	0	b
Taichu,	,,	29.84	757.9	91	...	...	0	c	,,	29.80	756 8	77	..	...	0	b
Tainan,	,,	29.81	757.2	94	...	SW	4	be	,,	29.76	756.0	77	...	...	0	b
Koshun,	,,	29.81	757.1	91	...	ENE	4	be	,,	29.78	756.5	77	...	...	0	b
Pescadores,	,,	29.81	757.2	91	...	SSW	2	b	,,	29.76	756.0	81	...	SE	2	c
Hong Kong,	14	29.74	755.4	87	8	SSE	3	cp	6	29.70	754.4	81	8	SE	2	bc
Gap Rock,	,,	29.74	755.4	84	8	S	3	c	,,	29.70	754.4	84	8	ESE	4	c
Macao,	,,	29.71	754.6	91	4	SSE	4	c	,,	29.67	753.7	83	4	SE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.9	88	8	SSW	4	c	6	29.74	755.3	81	6	SE	2	c
Phulien,	15	29.64	752.8	85	8	S	4	o	7	29.63	752.7	79	6	SE	2	r
Tourane,	,,	29.62	752.3	85	8	NE	2	be	,,	29.63	753.6	77	8	NW	1	c
Cape St. James,	,,	29.78	756.3	79	8	SW	6	c	,,	29.80	756.8	75	6	W	6	z
Basco,	14	29.77	756.1	86	8	SE	2	be	6	29.77	756.1	83	8	SE	4	b
Aparri,	,,	29.76	755.9	83	6	ENE	2	p	,,	29.77	756.1	77	8	...	0	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.76	755.8	77	1	...	0	be
Vigan,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	77	8	...	0	b
Manila,	,,	29.78	756.3	86	8	WSW	4	be	,,	29.78	756 4	76	6	...	0	o
Legaspi,	,,	29.77	756.1	85	6	SW	2	o	,,	29.74	755.4	76	6	...	0	bc
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	76	8	...	0	d
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	77	6	NW	2	o
Iloilo,	,,	29.79	756.6	85	8	SW	4	o	,,	29.78	756.5	79	6	WSW	2	o
Cebu,	,,	...	...	...	...	...	...	....	,,	29.78	756.4	79	8	SW	4	o
Surigao,	...	29.78	756.3	81	6	...	o	o	,,	29.76	756.0	76	4	WSW	2	r
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.83	757.8	...	6	...	o	be	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.85	758.3	...	8	...	o	be	5	29.85	758.2	...	6	...	o	o
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Labuan,	14	29.90	759.4	85	4	SE	6	be	6	29.91	759.7	74	...	...	...	r

July 18*d*. 10*h*. 25*m*.—Pressure appears to be highest in the vicinity of the Caroline Islands; a depression is situated over the Gulf of Pecheli.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.82 inch. Total since January 1st, 41.70 inches, against an average of 45.79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S. winds, moderate; fair.
B.—Turnabout to Hong Kong,	S.E. winds, moderate; fair to showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	19th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.69	754.2	59	...	SSE	4	o	6	29.55	750.5	64	...	ESE	3	o
Nemuro,	11	29.69	754.0	...	...	NE	1	...	5	29.76	756.0	...	...	NNW	1	...
Hakodate,	,,	29.72	755.0	...	...	WSW	1	...	,,	29.76	756.0	...	...	...	0	...
Tokio,	,,	29.72	755.0	...	...	...	0	...	,,	29.76	756.0	,,	...	...	...	...
Kochi,	,,	29.76	756.0	...	...	SW	1	...	,,	29.78	756.5	...	...	WSW	1	...
Nagasaki,	,,	29.82	757.5	...	...	SW	2	...	,,	29.78	756.5	...	...	SW	2	...
Kagoshima,	,,	29.82	757.5	...	...	WNW	1	...	,,	29.80	757.0	...	...	...	0	...
Oshima,	,,	29.82	757.5	...	...	NE	1	...	,,	29.84	758.0	...	...	...	...	...
Naha,	,,	29.84	758.0	...	...	SSW	2	...	,,	29.82	757.5	...	...	SE	1	...
Ishigakijima,	,,	29.82	757.5	...	...	SSW	1	...	,,	29.80	757.0	...	...	S	1	...
Bonin Island,	,,	29.82	757.5	...	...	...	0	...	,,	29.84	758.0	...	...	...	...	...
Chefoo,	15	29.44	747.8	88	8	SW	2	b	6	29.48	748.7	79	6	SW	2	c
Shanghai,	14	29.62	752.3	98	8	SSW	2	bc	,,	29.65	753.1	83	6	SSE	2	b
Gutzlaff,	,,	29.69	754.1	83	6	S	4	bc	,,	29.73	755.2	79	6	SSE	4	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.75	755.6	88	8	S	2	bc	7	29.79	756.6	83	8	S	2	b
Amoy,	,,	29.76	755.9	88	8	SE	4	b	6	...	...	83	1	SSW	6	b
Swatow,	,,	29.79	756.6	86	...	S	3	b	,,	29.77	756.1	81	...	SE	1	c
Taihoku,	11	29.78	756.4	91	...	SW	2	bc	5	29.78	756.3	77	...	...	0	c
Taichu,	,,	29.81	757.1	91	...	...	0	b	,,	29.80	756.8	76	...	...	0	c
Tainan,	,,	29.78	756.4	91	...	S	4	b	,,	29.75	755.5	77	...	ESE	2	b
Koshun,	,,	29.79	756.6	88	...	E	2	bc	,,	29.76	755.9	79	...	...	0	bc
Pescadores,	,,	29.79	756.6	91	...	SSW	4	b	,,	29.74	755.4	83	...	SSW	2	bc
Hong Kong,	14	29.69	754.1	85	6	SE	3	c	6	29.67	753.6	82	7	SE	2	c
Gap Rock,	,,	29.69	754.1	85	8	SE	4	c	,,	29.67	753.6	84	8	ESE	4	c
Macao,	,,	29.67	753.5	86	4	SE	2	c	,,	29.64	752.8	81	4	SE	4	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	91	8	SSE	2	b	6	29.70	754.3	83	8	SE	2	b
Phulien,	15	29.56	750.9	88	8	ESE	4	c	7	29.60	751.9	79	7	ENE	3	c
Tourane,	,,	29.61	752.0	88	8	NW	1	c	,,	29.62	752.2	75	8	W	1	c
Cape St. James,	,,	29.78	756.5	75	6	E	7	f	,,	29.80	756.9	77	7	WSW	4	c
Basco,	14	29.72	755.0	91	8	SE	4	b	6	29.73	755.0	81	8	ESE	2	bc
Aparri,	,,	29.70	754.3	91	8	NNE	4	bc	,,	29.70	754.3	77	8	...	0	d
Tuguegarao,	,,	29.67	753.6	94	6	...	0	bc	,,	29.69	754.0	77	1	...	0	o
Vigan,	,,	29.69	754.2	86	8	WSW	2	bc	,,	29.68	753.8	79	8	...	0	o
Manila,	,,	29.72	755.0	86	8	WSW	4	o	,,	29.70	754.4	76	4	...	0	r
Legaspi,	,,	29.71	754.6	79	6	SW	4	o	,,	29.67	753.6	77	6	SW	4	o
Calbayog,	,,	29.73	755.2	76	8	WSW	4	r	,,	29.72	754.8	77	8	WSW	2	o
Tacloban,	,,	29.71	754.7	85	8	NW	2	o	,,	29.74	755.3	76	4	W	2	d
Iloilo,	,,	29.73	755.2	86	8	SW	4	o	,,	29.69	754.0	79	6	SW	4	o
Cebu,	,,	29.72	754.8	86	8	SW	6	o	,,	29.73	755.0	79	8	WSW	4	o
Surigao,	...	29.71	754.6	81	6	WSW	4	o	,,	29.76	756.0	76	4	W	4	d
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	E	2	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	757.0	...	6	...	0	bc	5	29.85	758.2	...	6	...	0	d
Peiew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.90	759.4	85	4	SE	6	bc	6	29.91	759.7	76	...	...	...	c

Warning.

July 19*d*. 10*h*. 15*m*.—Typhoon within 120 miles of Lat. 17° N. Long. 126° E., moving W.N.W.

July 19*d*. 10*h*. 22*m*.—Depressions are situated over Tongking and to the north of Korea. A typhoon is indicated about 250 miles east of N. Luzon, moving W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inch. Total since January 1st, 41.84 inches, against an average of 46.22 inches.

Manila warning. 19*d*. 8*h*. 10*m*.:—Typhoon in Lat. 17° N. Long. 127° E. moving W.N.W. Recd 19*d*. 8*h*. 43*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	S. winds, moderate; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	E. or variable winds, moderate; fair generally with local showers.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	20th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.52	749.7	63	...	SE	5	f	6	29.54	750.3	59	...	SW	6	f
Nemuro,	11	29.80	757.0	...	...	SSE	1	...	5	29.82	757.5	..	...	S	1	...
Hokodate,	,,	29.74	755.5	...	...	SE	1	...	,,	29.57	751.0	...	...	WSW	1	...
Tokio,	,,	29.76	756.0	...	...	S	1	...	,,	29.71	754.5	..	...	...	0	...
Kochi,	,,	29.78	756.5	...	...	SE	1	...	,,	29.76	756.0	...	...	...	...	...
Nagasaki,	,,	29.80	757.0	...	...	WSW	3	...	,,	29.82	757.5	...	...	SW	1	...
Kagoshima,	,,	29.82	757.5	...	...	WNW	1	...	,,	29.82	757.5	...	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	NNE	1	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.84	758.0	...	...	W	1	...	,,	29.82	757.5	...	...	...	0	...
Ishigakijima,	,,	29.80	757.0	...	...	S	1	...	,,	29.78	756.5	...	...	SSE	1	...
Bonin Island,	,,	29.84	758.0	...	...	WSW	1	...	,,	29.84	758.0	...	...	...	...	...
Chefoo,	15	29.51	749.5	94	8	SSW	4	be	6	29.53	750.1	76	6	NE	2	c
Shanghai,	14	29.63	752.6	98	8	SSW	2	be	,,	29.69	754.0	83	6	SSE	2	b
Gutzlaff,	,,	29.71	754.6	85	6	S	2	b	,,	29.76	755.9	77	6	S	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.76	755.9	84	1	SSE	4	be	7	29.78	756.4	77	6	E	2	c
Amoy,	,,	29.76	755.9	91	6	SSE	4	be	6	29.78	756.4	83	6	W	4	b
Swatow,	,,	29.79	756.6	86	...	E	3	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.78	756.4	91	...	NW	2	be	5	29.76	755.8	77	...	...	0	b
Taichu,	,,	29.79	756.6	91	...	...	0	be	,,	29.76	755.9	76	...	...	0	b
Tainan,	,,	29.76	755.8	91	...	NNE	2	be	,,	29.71	754.6	77	...	NNE	2	bc
Koshun,	,,	29.77	756.1	88	...	ENE	4	be	,,	29.70	754.4	83	...	NE	2	b
Pescadores,	,,	29.76	756.0	91	...	SW	2	be	,,	29.72	754.8	81	...	NE	2	be
Hong Kong,	14	29.70	754.4	85	6	E	4	cp	6	29.67	753.6	82	7	E	4	bc
Gap Rock,	,,	29.70	754.4	84	8	SSE	4	cp	,,	29.67	753.6	84	8	E	4	c
Macao,	,,	29.67	753.7	91	4	SE	2	c	,,	29.55	750.6	81	6	ESE	2	c
Hoihow,	,,	29.66	753.3	88	1	E	2	be	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	91	8	ESE	2	be	6	29.67	753.5	81	8	ENE	4	c
Phulien,	15	29.58	751.3	86	8	SE	3	o	7	29.59	751.6	75	7	NNE	3	o
Tourane,	,,	29.61	752.0	79	5	...	0	lt	,,	29.61	752.0	75	8	...	0	bc
Cape St. James,	,,	29.71	755.2	79	6	SW	6	o	,,	29.77	756.2	75	6	WSW	4	z
Basco,	14	29.70	754.4	86	8	SE	4	be	6	29.63	752.5	83	6	ENE	4	o
Aparri,	,,	29.67	753.5	81	6	...	0	d	,,	29.53	750.1	81	6	ENE	4	p
Tuguegarao,	,,	29.64	752.8	79	4	...	0	d	,,	..	...	...	...	...	...	...
Vigan,	,,	29.64	752.8	83	6	W	2	d	,,	29.54	750.4	77	8	...	0	o
Manila,	,,	29.66	753.3	85	8	W	2	o	,,	29.61	752.0	76	6	...	0	o
Legaspi,	,,	29.63	752.6	77	6	SW	4	o	,,	29.65	753.1	77	6	...	0	o
Calbayog,	,,	29.69	754.0	81	8	WSW	4	o	,,	29.70	754.4	77	8	SSW	2	o
Tacloban,	,,	29.70	754.3	85	8	E	2	o	,,	29.72	754.8	77	6	S	2	o
Iloilo,	,,	29.71	754.6	79	6	SW	4	o	,,	29.69	754.0	83	4	S	4	o
Cebu,	,,	29.69	754.1	85	8	SSW	6	o	,,	29.70	754.4	81	8	N	4	o
Surigao,	...	29.71	754.7	83	6	SSW	2	o	,,	29.72	754.8	76	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	6	ESE	2	be	4.22	29.74	755.3	...	6	...	0	b
Yap,	11.00	29.78	756.3	...	6	W	2	be	5	29.81	757.1	...	6	...	0	be
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.89	759.3	86	4	SE	...	be	6	29.91	759.7	76	4	SE	...	be

Warnings.

July 19*d*. 17*h*. 04*m*.—Typhoon within 120 miles of Lat. 17° N. Long. 125° E., moving W.N.W.

July 20*d*. 9*h*. 50*m*.—Typhoon within 60 miles of Lat. 17° N. Long. 122° E., moving W.N.W.

July 20*d*. 10*h*. 15*m*. Pressure is highest in the vicinity of the Bonins; depressions are situated over Hokkaido and the Gulf of Tongking.

The typhoon is crossing N. Luzon on a W.N.W. track, and will probably enter the China Sea this morning.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.18 inch. Total since January 1st, 42.02 inches, against an average of 46.66 inches.

Shanghai warning. 19*d*. 21*h*. 12*m*.:—Typhoon within 120 miles of Lat. 17° N. Long. 126° E. moving W.N.W. Recd. 19*d*. 21*h*. 33*m*.

Manila warning. 20*d*. 8*h*. 45*m*.:—Typhoon crossing northern Luzon moving W. or W.N.W. Recd. 20*d*. 9*h*. 07*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
A.—Shanghai to Turnabout,	S. winds, moderate; fine.
B.—Turnabout to Hong Kong,	N.E. winds, moderate to fresh; fair.
C.—Hong Kong to Gap Rock,	N.E. winds, fresh to strong; fair at first, cloudy with rain later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	Cyclonic gales near Luzon.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	20TH JULY, 1932. HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	Force. (Beaufort Scale.)	WEATHER. (See Code.)	21ST JULY, 1932. HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	Force. (Beaufort Scale.)	WEATHER. (See Code.)
Swatow,	12	29.67	753.5	61	...	SSE	3	c	6	29.82	757.4	59	...	SSW	3	c
Namoa,	11	29.76	756.0	...	...	SSE	1	...	5	29.69	754.0	...	...	SE	3	...
Bokaibing,	...	29.57	751.0	...	...	ESE	1	...	...	29.67	753.5	...	...	...	C	...
Telok,	...	29.65	753.0	...	...	S	1	...	...	29.73	755.0	...	...	N	1	...
Kuchinotsu,	...	29.74	755.5	...	...	...	0	...	...	29.80	757.0	...	...	...	0	...
Nagasaki,	...	29.84	758.0	...	...	WNW	1	...	...	29.88	759.0	...	...	WNW	1	...
Pagoda Anchorage,	...	29.82	757.5	...	...	NW	1	...	...	29.86	758.5	...	...	...	C	...
Sasebo,	...	29.84	758.0	...	...	ENE	1	...	...	29.86	758.5	...	...	...	C	...
Nagasaki,	...	29.84	758.0	...	...	SW	1	...	...	29.80	758.0	...	...	...	C	...
Shanghai,	...	29.80	757.0	...	...	SSE	1	...	...	29.78	756.5	...	...	S	2	...
Sarah Island,	...	29.82	758.0	...	...	WNW	1	...	...	29.86	758.5	...	...	...	...	...
Amoy,	15	29.55	750.6	86	4	W	4	r	6	29.67	753.0	77	8	S	6	c
Swatow,	14	29.68	753.8	94	8	SSW	2	bc	...	29.72	754.8	81	6	SSE	2	b
Namoa,	...	29.77	756.1	83	6	S	4	b	...	29.82	757.4	77	6	SSE	6	b
Wenchow,	...	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	...	29.77	756.1	88	8	E	2	b	...	29.74	755.4	84	8	NNE	2	b
Amoy,	...	29.69	754.1	94	8	WNW	4	c	6	29.70	754.1	83	6	SSW	2	c
Swatow,	...	29.71	754.6	86	...	ESE	1	b	...	29.75	755.5	81	...	NE	1	c
Namoa,	11	29.72	754.4	91	...	SE	4	b	5	29.69	754.0	79	...	...	C	bc
Bias Bay,	...	29.71	754.7	94	...	N	2	b	...	29.72	754.8	77	...	...	C	c
Lamma,	...	29.68	753.8	94	...	N	1	b	...	29.67	753.6	81	...	NNE	2	c
Kowloon,	...	29.69	754.0	88	...	NE	6	bc	...	29.70	754.4	79	...	ENE	4	r
Victoria,	...	29.71	754.6	91	...	NE	4	b	...	29.69	754.0	81	...	NW	2	c
Hong Kong,	14	29.65	753.1	87	7	E	4	bc	6	29.60	751.8	78	4	E	4	rqf
Cape Rock,	...	29.66	753.3	85	8	E	4	c	...	29.56	750.8	85	7	ENE	5	c
Waglan,	...	29.64	752.8	86	6	SE	2	c	...	29.56	750.7	81	4	NNE	4	c
Hollow,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ninepin Island,	...	29.60	751.8	91	8	ENE	6	c	6	29.53	750.0	79	...	E	6	cd
Cape,	15	29.59	751.7	88	8	SSE	2	c	...	29.60	751.8	77	8	ENE	4	r
Tamar,	...	29.57	751.2	86	8	NNE	2	r	...	29.55	750.6	79	8	W	2	bc
Cape St. James,	...	29.77	754.4	83	6	SW	4	bc	...	29.71	754.2	77	4	WSW	6	c
Saddle,	14	29.62	752.9	85	6	ESE	4	c	6	29.67	753.6	...	4	SE	4	c
Aberdeen,	...	29.54	750.4	85	6	SSE	4	d	...	29.61	752.8	76	6	SSE	2	d
Lyemun,	...	29.52	746.8	91	6	S	2	c	...	...	...	76	4	...	C	c
Victoria,	...	29.59	749.3	83	8	SW	2	c	...	29.55	750.5	76	8	...	C	c
Victoria,	...	29.59	751.6	85	6	SSW	4	c	...	29.64	752.8	79	8	S	4	c
Kellett,	...	29.64	752.8	88	8	SSW	4	c	...	29.70	754.2	77	8	SW	2	c
Kellett,	...	29.69	754.1	85	8	SSW	4	c	...	29.74	755.3	76	8	NNE	2	c
Causeway,	...	29.70	754.3	85	8	ESE	2	c	...	29.74	755.4	79	6	...	C	c
Cape,	...	29.69	754.2	77	6	W	4	c	...	29.73	755.6	77	6	S	2	c
Cape,	...	29.69	754.0	86	4	SW	6	bc	...	29.73	755.2	79	8	SW	2	c
Stanley,	...	29.69	754.0	91	8	E	2	c	...	29.73	755.2	77	4	...	C	c
Kowloon,	11.00	...	...	...	...	...	...	...	5	29.70	755.0	79	...	E	2	bc
Aberdeen,	12.22	29.71	755.2	...	6	NNE	2	bc	4.22	...	...	...	...	...	...	...
Victoria,	11.00	29.76	755.8	...	6	...	C	bc	5	29.79	756.6	...	6	...	C	bc
Kowloon,	"	...	...	...	...	...	...	...	...	29.78	756.3	75	...	NE	2	bc
Hong Kong,	12	29.90	759.4	85	...	...	...	bc	6	29.91	759.7	76	...	S	...	bc

Warnings.

July 20*th*. 15*h*. 35*m*.—Typhoon within 60 miles of Lat. 19° N. Long. 119° E., moving W.N.W.
July 21*st*. 8*h*. 20*m*.—Typhoon within 60 miles of Lat. 20° N. Long. 115° E., moving W.N.W.
July 20*th*. 15*h*. 35*m*.—Local signal No. 1 hoisted.
July 21*st*. 7*h*. 45*m*.— " " 7 "
July 21*st*. 10*h* 40*m*.—Pressure is highest between the Loochoos and the Bonins; depressions are situated over Hokkaido and to the north of Shantung.

At 6 a.m. the typhoon was situated more than 150 miles S.S.E. of Hong Kong moving W.N.W., and threatening to pass near Hoihow.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.82 inch. Total since January 1st, 42.84 inches, against an average of 47.11 inches.

Shanghai warning. 21*st*. 9*h*. 55*m*.:—Typhoon within 60 miles of Lat. 19° N. Long. 116° E. moving W.N.W. Recd. 21*st*. 10*h*. 03*m*.

Manila warning. 21*st*. 10*h*. 00*m*.:—Typhoon in Lat. 20° N. Long. 115° E. moving W.N.W. Recd 21*st*. 10*h*. 35*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	S. winds, moderate; fine.
B.—Turnabout to Hong Kong,	N.E. winds, fresh to strong.
C.—Hong Kong to Gap Rock,	Easterly gale, moderating; overcast, squally, rain; improving later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	Cyclonic gales to the south of Hong Kong.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st JULY, 1932.									22nd JULY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.			
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.78	756.4	57	...	SSE	6	f		6	29.83	757.6	59	...	...	0		f
Nemuro,	11	29.72	755.0	...	...	ENE	2	...		5	29.84	758.0	...	...	ENE	1		...
Hokodate,	,,	29.69	754.0	...	...	WNW	1	...		,,	29.84	758.0	...	...	WSW	1		...
Tokio,	,,	29.74	755.5	...	...	N	1	...		,,	29.84	758.0	..	...	...	0		...
Kochi,	,,	29.80	757.0	...	...	...	0	...		,,	29.86	758.5	...	...	WSW	1		...
Nagasaki,	,,	29.88	759.0	...	...	W	1	...		,,	29.92	760.0	...	..	...	0		...
Kagoshima,	,,	29.86	758.5	...	...	WNW	1	...		,,	29.90	759.5	...	...	N	1		...
Oshima,	,,	29.88	759.0	...	...	NNE	1	...		,,	29.90	759.5	...	...	SE	1		...
Naha,	,,	29.86	758.5	...	...	SSW	2	...		,,	29.88	759.0	...	...	..	0		...
Ishigakijima,	,,	29.82	757.5	...	...	SSE	2	...		,,	29.84	758.0	...	...	SSW	1		...
Bonin Island,	,,	29.86	758.5	...	...	...	0	...		,,	29.90	759.5	...	...	...	...		...
Chefoo,	15	29.59	751 6	91	8	S	2	bc		6	29.72	754.9	74	6	NW	4		o
Shanghai,	14	29.74	755.4	94	8	SSE	4	bc		,,	...	...	...	...	...	...		...
Gutzlaff,	,,	29.82	757.4	85	6	SSE	4	b		,,	...	...	...	...	...	...		...
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...		...
Foochow,	,,	29.72	754.9	84	8	E	4	b		7	29.82	757.4	83	6	...	0		c
Amoy,	,,	29.65	753.1	91	6	SE	4	b		6	29.80	756.9	83	6	SSE	4		bc
Swatow,	,,	29.75	755.6	86	...	E	3	b		,,	29.76	755.9	77	...	ESE	3		cr
Tailoku,	11	29.70	754-3	91	...	SE	2	o		5	29.79	756.6	79	...	...	0		bc
Taichu,	,,	29.71	754-7	91	...	W	2	c		,,	29 80	757.0	79	..	...	0		bc
Tainan,	,,	29.68	753.8	91	...	W	2	c		,,	29.76	755.8	79	...	ENE	2		c
Koshun,	,,	29.71	754.6	85	...	ENE	4	p		,,	29.78	756.4	79	...	ESE	2		bc
Pescadores,	,,	29.69	754.0	91	...	NE	2	bc		,,	29.75	755.6	81	...	SSW	2		bc
Hong Kong,	14	29.54	750.3	82	6	ENE	6	oq		6	29.56	750.8	78	5	E	6		o:q
Gap Rock,	,,	29.53	750.0	85	7	ENE	6	o		,,	29.53	750.0	83	7	ESE	7		o
Macao,	,,	29.53	750.0	83	4	ESE	4	c		,,	29.53	750.0	76	1	SE	6		b
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...
Pratas Island,	,,	29.55	750.6	82	...	ESE	7	od		6	29.62	752.4	79	4	SE	6		o
Phulien,	15	29.54	750.3	90	9	SE	2	t		7	29.46	748.3	79	8	N	4		c
Tourane,	,,	29.50	749.2	88	8	NNW	4	o		,,	29.43	747.6	77	4	NNE	2		o
Cape St. James,	,,	29.70	754-5	75	4	SW	4	rf		,,	29.69	754-1	77	6	SW	4		o
Basco,	14	29.67	753.6	86	6	SE	4	o		6	...	...	...	...	...	...		...
Aparri,	,,	29.64	752.8	88	8	SE	4	o		,,	29.74	755.3	77	8	S	4		o
Tuguegarao,	,,	29.72	754.8	88	8	SE	2	o		,,	...	...	...	...	...	...		...
Vigan,	,,	29.59	751.6	86	8	...	0	bc		,,	...	...	...	...	...	...		...
Manila,	,,	29.69	754.0	85	8	SSW	4	o		,,	29.76	755.8	77	6	...	0		o
Legaspi,	,,	29.69	754.2	88	8	SSW	4	o		,,	29.75	755.6	76	6	...	0		o
Calboyog,	,,	29.72	754.8	86	8	SW	2	o		,,	...	...	..	...	...	...		...
Tacloban,	,,	29.61	752.2	91	6	S	2	bc		,,	...	...	...	...	...	...		...
Hoilo,	,,	29 71	754-7	91	8	SW	4	o		,,	...	...	...	...	...	...		...
Cebu,	,,	29.71	754.6	86	8	SSW	4	o		,,	...	...	...	...	...	...		...
Surigao,	...	29.71	754.6	...	8	W	2	o		,,	...	...	...	...	...	...		...
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...		...
Guam,	12.22	29.72	754.9	...	6	E	4	bc		4.22	...	...	...	...	...	...		...
Yap,	11.00	29.76	755.8	...	8	...	0	bc		5	29.78	756.3	...	6	NNE	2		bc
Pelew,	,,	...	...	..	...	...	...	...		,,	...	...	...	...	...	...		...
Labuan,	14	29.89	759.3	86	4	S	...	bc		6	29.91	759.6	74	4	SE	...		c

Warnings.

July 21*d*. 14*h*. 50*m*.—Typhoon within 60 miles of Lat. 19° N. Long. 114° E., moving W.N.W.
July 21*d*. 17*h*. 40*m*.—Typhoon within 60 miles of Lat. 20° N. Long. 113° E., moving W.N.W.
July 22*d*. 9*h*. 53*m*.—A severe typhoon within 60 miles of Lat. 20° N. Long. 110° E., moving W.

July 21*d*. 21*h*. 35*m*.—Local signal No. 8 hoisted.
July 22*d*. 10*h*. 00*m*.— ,, ,, 8 lowered.

July 22*d*. 10*h*. 00*m*.—Pressure is highest between the Loochoos and the Bonins. The typhoon is situated in the vicinity of Hoihow, moving westwards.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 3.31 inch. Total since January 1st, 46.15 inches, against an average of 47.56 inches.

Manila warning. 21*d*. 15*h*. 00*m*.—Typhoon in Lat. 21° N. Long. 114° E. moving W.N.W. Recd 21*d*. 15*h*. 29*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
A.—Shanghai to Turnabout, ...	None.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S.E. winds, strong, moderating; cloudy, squally, rain.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	Cyclonic gales over Hainan, and the Gulf of Tongking.

C. W. JEFFERIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	22ND JULY, 1932.								23RD JULY, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)
Vladivostock,	12	29.82	757.5	61	...	SSE	3	o	6	29.85	758.1	61	...	SE	1	o
Nemuro,	11	29.84	758.0	...	...	NNE	1	...	5	29.92	760.0	...	...	SSE	1	...
Hokodate,	,,	29.82	757.5	...	...	S	1	...	,,	29.86	758.5	...	...	...	0	...
Tokio,	,,	29.84	758.0	...	...	NNE	1	...	,,	29.92	760.0	..	...	...	0	...
Kochi,	,,	29.86	759.0	...	...	SE	1	...	,,	29.94	760.5	...	...	...	0	...
Nagasaki,	,,	...	...	...	...	WSW	1	...	,,	29.98	761.5	...	...	...	...	...
Kagoshima,	,,	29.88	759.0	...	...	SE	1	...	,,	29.96	761.0	...	...	NNW	1	...
Oshima,	,,	29.90	759.5	...	...	NNE	1	...	,,	29.94	760.5	...	...	...	0	...
Naha,	,,	29.88	759.0	...	...	N	1	...	,,	29.90	759.5	...	...	NE	1	...
Ishigakijima,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.90	759.5	...	...	...	0	...
Bonin Island,	,,	29.90	759.5	...	...	S	1	...	,,	29.96	761.0	...	...	...	...	...
Chefoo,	15	29.70	754.4	81	8	ESE	2	bc	6	29.72	754.8	76	8	N	2	c
Shanghai,	14	29.78	756.4	94	8	S	2	h	,,	29.85	758.2	81	6	SSE	2	b
Gutzlaff,	,,	29.86	758.4	83	6	SSE	6	b	,,	29.94	760.5	77	6	S	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.84	757.9	88	8	E	2	b	7	30.02	762.5	83	8	W	2	b
Amoy,	,,	29.78	756.4	86	6	S	4	b	6	29.90	759.4	83	6	W	2	bc
Swatow,	,,	29.79	756.7	82	...	E	4	c	,,	29.86	758.3	79	...	NE	1	o
Taihoku,	11	29.80	757.0	91	...	NW	2	bc	5	29.88	758.8	81	...	SE	2	c
Taichu,	,,	29.80	757.0	91	...	N	2	o	,,	29.88	758.8	79	..	...	0	c
Tainan,	,,	29.77	756.1	91	...	NNE	4	o	,,	29.84	758.0	77	...	..	0	bc
Koshun,	,,	29.79	756.7	88	...	ENE	4	o	,,	29.85	758.2	77	...	E	2	o
Pescadores,	,,	29.78	756.3	91	...	NE	4	bc	,,	29.84	757.8	81	...	..	0	o
Hong Kong,	14	29.62	752.3	77	6	E	5	orq	6	29.69	754.1	79	6	E	5	rpq
Gap Rock,	,,	29.56	750.8	83	7	E	7	or	,,	29.67	753.6	82	7	ESE	7	od
Macao,	,,	29.57	751.0	79	4	ESE	4	o	,,	29.66	753.3	76	1	SSE	6	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.67	753.5	83	...	SE	6	o	6	29.76	755.9	81	6	SE	4	o
Phulien,	15	29.37	746.0	91	6	N	8	bc	7	29.36	745.6	75	3	NE	8	q
Tourane,	,,	29.37	745.9	79	1	SSW	2	o	,,	29.45	748.0	77	6	E	2	r
Cape St. James,	,,	29.71	754.6	74	8	SW	6	o	,,	29.74	755.3	77	5	SW	6	f
Basco,	14	29.73	755.2	86	6	SE	4	o	6	29.82	757.3	81	8	SE	2	bc
Aparri,	,,	29.71	754.7	88	8	NE	2	o	,,	29.81	757.1	77	8	...	0	o
Tuguegarao,	,,	29.70	754.3	79	4	...	0	o	,,	29.79	756.7	77	1	...	0	o
Vigan,	,,	29.70	754.4	86	8	WSW	2	o	,,	29.78	756.4	77	6	...	0	bc
Manila,	,,	29.75	755.6	86	6	SW	2	o	,,	29.81	757.1	76	6	...	0	o
Legaspi,	,,	29.71	754.6	94	8	SW	2	bc	,,	29.78	756.3	76	6	...	0	o
Calboyog,	,,	29.72	754.9	88	8	WSW	4	bc	,,	29.80	757.0	76	8	N	4	bc
Tacloban,	,,	29.71	754.6	83	6	SW	4	d	,,	29.81	757.2	77	6	NW	2	o
Iloilo,	,,	29.73	755.2	86	8	SW	2	o	,,	29.80	757.0	76	6	...	0	o
Cebu,	,,	29.70	754.4	85	8	W	4	o	,,	29.79	756.6	77	8	...	0	o
Surigao,	...	29.70	754.3	88	8	N	2	b	,,	29.77	756.1	77	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.72	754.8	...	8	ESE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.71	754.6	...	8	ESE	4	bc	5	29.76	755.8	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	15	29.89	759.3	86	4	SE	6	bc	6	29.91	759.6	72	...	SW	...	c

Warnings.

July 22*d*. 17*h*. 15*m*.—A severe typhoon within 60 miles of Lat. 20° N. Long. 108° E., moving W.
July 23*d*. 10*h*. 06*m*.—A severe typhoon within 60 miles of Lat. 20° N. Long. 106° E., moving W.

July 23*d*. 10*h*. 25*m*.—Pressure is highest to the east of the Bonins. The typhoon entered the coast of Indo-China at about 8 a.m. this morning on a westerly track.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 3.91 inch. Total since January 1st, 50.06 inches, against an average of 48.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	S. winds, moderate; fine.
B.—Turnabout to Hong Kong,	S.E. winds, strong, moderating; cloudy, squally, rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	S.E. winds, moderate to strong; cloudy, squally, rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd JULY, 1932.									24th JULY, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	29.79	756.6	66	...	SE	2	o		6	29.67	753.7	63	...	...	0	o	
Nemoro,	11	29.92	760.0	...	...	SSW	2	...		5	29.80	757.0	...	...	SSW	1	...	
Hokodate,	,,	29.86	758.5	...	...	...	0	...		,,	29.78	756.5	...	...	...	0	...	
Tokio,	,,	29.88	759.0	...	...	SSE	1	...		,,	29.86	758.3	..	...	...	0	...	
Kochi,	,,	29.94	760.5	...	...	SE	1	...		,,	29.92	760.0	...	...	...	0	...	
Nagasaki,	,,	29.98	761.0	...	...	WSW	1	...		,,	29.96	761.0	...	...	...	...	...	
Kagoshima,	,,	29.94	760.5	...	...	SSE	1	...		,,	29.94	760.5	...	...	S	1	...	
Oshima,	,,	29.94	760.5	...	...	NNE	1	...		,,	29.94	760.5	...	...	...	0	...	
Naha,	,,	29.94	760.5	...	...	E	1	...		,,	29.90	759.5	...	...	NE	1	...	
Ishigakijima,	,,	29.90	759.5	...	...	ESE	1	...		,,	29.86	758.5	...	...	...	0	...	
Bonin Island,	,,	29.96	761.0	...	...	S	1	...		,,	29.94	760.5	...	...	...	...	...	
Chefoo,	15	29.73	755.2	86	6	SW	2	c		6	29.74	755.3	76	4	SSW	6	r	
Shanghai,	14	29.86	758.5	98	8	SSW	2	b		,,	29.86	758.4	79	8	SSE	2	b	
Gutzlaff,	,,	29.93	760.2	83	6	SSE	4	b		,,	29.92	759.9	77	6	SSE	4	b	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.91	759.7	86	1	E	2	b		7	29.91	759.7	81	6	SE	2	bc	
Amoy,	,,	29.85	758.2	91	6	SE	4	bc		6	...	...	...	...	...	...	...	
Swatow,	,,	29.91	759.7	85	...	E	3	c		,,	...	...	...	...	...	...	...	
Tailoku,	11	29.87	758.8	94	...	..	0	bc		5	29.86	758.5	77	...	...	0	bc	
Taichu,	,,	29.88	758.8	91	...	NNW	2	bc		,,	29.90	759.5	77	...	...	0	d	
Tainan,	,,	29.86	758.4	91	...	NNE	2	c		,,	29.88	758.8	76	...	NNE	2	bc	
Koshun,	,,	29.87	758.8	81	...	E	4	bc		,,	29.84	757.8	77	...	...	0	b	
Pescadores,	,,	29.86	758.5	91	...	NE	4	o		,,	29.88	758.8	81	...	..	0	o	
Hong Kong,	14	29.79	756.6	78	4	E	5	orq		6	29.82	757.4	78	4	E	2	or	
Gap Rock,	,,	29.76	755.9	82	7	ESE	7	or		,,	29.81	757.2	81	7	ESE	5	o	
Macao,	,,	29.70	754.3	79	1	SE	4	d		,,	29.78	756.4	76	4	SE	4	o	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.81	757.1	83	8	SE	4	r		6	29.83	757.7	79	8	...	0	o	
Phulien,	15	29.46	748.3	81	5	...	...	r		7	29.67	753 5	79	5	SSE	3	o	
Tourane,	,,	29.50	749.3	84	8	S	2	d		,,	...	...	...	...	...	...	...	
Cape St. James,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Basco,	14	29.81	757.1	91	8	SSE	4	b		6	29.81	757.1	77	6	....	0	o	
Aparri,	,,	29.78	756.5	91	8	NE	4	b		,,	29.82	757.4	77	6	...	0	o	
Tuguegarao,	,,	29.73	755.2	85	4	...	0	o		,,	29.81	757.1	76	1	...	0	o	
Vigan,	,,	29.78	756.3	86	8	WNW	2	t		,,	29.80	757.0	76	8	...	0	o	
Manila,	,,	29.77	756.1	86	6	WSW	2	o		,,	29.81	757.2	76	8	...	0	o	
Legaspi,	,,	29.74	755.3	94	8	SW	2	bc		,,	29.75	755.6	76	6	SW	2	b	
Calboyog,	,,	...	...	86	8	SW	4	bc		,,	29.77	756.1	76	8	NNE	2	bc	
Tacloban,	,,	29.74	755.5	88	8	N	2	o		,,	29.77	756.1	77	4	WNW	2	o	
Iloilo,	,,	29.74	755.3	91	8	SW	4	bc		,,	29.78	756.3	76	6	NW	2	o	
Cebu,	,,	29.74	755.5	85	8	...	0	o		,,	29.75	755.6	77	8	...	0	bc	
Surigao,	...	29.74	755.3	83	6	...	0	o		,,	29.75	755.6	76	4	...	0	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.76	755.8	...	6	E	2	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.78	756.3	...	6	E	2	bc		5	29.78	756.4	...	6	S	2	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.90	759.5	81	...	SE	...	d		6	...	...	...	...	...	...	...	

July 24*d.* 10*h.* 35*m.*—A feeble anticyclone extends from Formosa into the Pacific to the east of the Bonins.

A depression is moving eastward across S. Manchuria.

The depression over Tongking is filling up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1.85 inch. Total since January 1st, 51.91 inches, against an average of 48.46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. winds, moderate; fine.
B.—Turnabout to Hong Kong,	S.E. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	S.E. winds, moderate; overcast, rain, probably improving later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	S.E. or variable winds, light to moderate; generally cloudy, rain eastern part.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th JULY, 1932. Hong Kong Standard Time.	Barometer, at Sea Level. Inches.	Barometer, at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force, (Beaufort.)	Weather. (Beaufort.)	25th JULY, 1932. Hong Kong Standard Time.	Barometer, at Sea Level. Inches.	Barometer, at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force, (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.70	754.5	...	...	SSW	1	...	5	29.65	753.0	...	...	...	0	...
Hokodate,	,,	29.72	755.0	...	...	SSW	3	...	,,	29.69	754.0	...	...	...	...	...
Tokio,	,,	29.82	757.5	...	...	S	1	...	,,	29.80	757.0	..	...	...	...	...
Kochi,	,,	29.88	759.0	...	...	ESE	1	...	,,	29.88	759.0	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	SW	1	...	,,	29.86	758.5	...	...	...	0	...
Kagoshima,	,,	29.90	759.5	...	...	S	1	...	,,	29.86	758.5	...	...	...	0	...
Oshima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.86	758.5	...	...	...	0	...
Naha,	,,	29.90	759.5	...	...	N	1	...	,,	29.82	757.5	...	...	ESE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.80	757.0	...	...	...	0	...
Bonin Island,	,,	29.94	760.5	...	...	...	0	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.64	752.9	83	6	E	2	c	6	29.56	750.8	85	6	S	4	o
Shanghai,	14	29.80	757.0	98	8	SE	2	h	,,	29.76	755.8	81	6	SSE	2	h
Gutzlaff,	,,	29.88	758.9	83	6	SSE	4	b	,,	29.82	757.4	77	6	SSE	4	h
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.88	758.9	86	1	E	4	h	7	29.83	757.7	82	6	NE	2	bc
Amoy,	,,	29.88	759.0	77	6	SW	4	b	6	29.82	757.4	81	6	SSE	4	o
Swatow,	,,	29.90	759.4	85	...	ESE	3	b	,,	29.83	757.6	79	...	WSW	2	b
Taihoku,	11	29.86	758.4	94	...	NNE	2	o	5	29.80	756.8	76	...	...	o	bc
Taichu,	,,	29.90	759.4	86	...	..	o	o	,,	29.83	757.7	76	..	...	o	o
Tainan,	,,	29.87	758.6	91	...	N	2	c	,,	29.78	756.4	76	...	...	o	b
Koshun,	,,	29.86	758.4	88	...	E	2	bc	,,	29.77	756.1	76	...	...	o	b
Pescadores,	,,	29.88	759.0	83	...	...	o	o	,,	29.79	756.6	77	...	N	2	o
Hong Kong,	14	29.83	757.7	76	5	...	o	or	6	29.78	756.4	76	8	...	o	c
Gap Rock,	,,	29.84	757.9	81	7	SE	4	od	,,	29.77	756.1	81	7	SE	4	c
Macao,	,,	29.82	757.3	77	4	S?	2	d	,,	...	...	...	...	...	...	...
Hoihow,	,,	29.79	756.6	83	1	E	4	bc	,,	..	...	...	...	...	...	...
Pratas Island,	,,	29.84	757.9	91	8	...	o	b	6	29.77	756 1	81	8	...	o	b
Phulien,	15	29.69	754.1	82	8	SSE	5	o	7	29.69	754 2	79	8	SSE	4	c
Tourane,	,,	29.70	754.4	90	8	ENE	3	o	,,	29.72	754.8	79	8	...	o	c
Cape St. James,	,,	29.82	757.3	77	6	...	o	z	,,	29.84	757 9	77	6	W	1	z
Basco,	14	29.78	756.5	86	6	NNW	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.77	756.1	88	8	NE	4	o	,,	29.72	754.9	76	6	...	o	o
Tuguegarao,	,,	29.71	754.7	91	4	...	o	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.75	755.6	85	6	W	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	8	SW	2	bc	,,	29.69	754.1	77	6	...	o	o
Legaspi,	,,	29.71	754.6	91	8	E	4	bc	,,	29.64	752.8	77	6	...	o	o
Calbayog,	,,	29.72	754.9	83	8	...	o	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.71	754.6	79	8	NE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.9	88	8	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.71	754.6	81	8	...	o	bc	,,	...	...	...	...	...	...	...
Surigao,	...	29.70	754.3	88	8	W	2	bc	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	6	ENE	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	6	NNE	4	bc	5	29.78	756.4	...	6	...	o	o
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.90	759.4	85	...	...	...	bc	6	29.91	759.7	76	4	E	4	bc

July 25*d.* 10*h.* 00*m.*— Pressure is highest in the vicinity of the Bonin Islands ; a depression is situated to the north of Shantung.

A typhoon has developed more than 300 miles east of Luzon ; it will probably move W. or W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.44 inch. Total since January 1st, 52.35 inches, against an average of 48.91 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S. winds, moderate ; fine.
B.—Turnabout to Hong Kong,	Light variable winds, fair.
C.—Hong Kong to Gap Rock,	S.E. winds, moderate ; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

R. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	26th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.67	753.6	66	...	SSE	1	c	6	29.70	754.4	63	...	...	0	c
Nemuro,	11	29.67	753.5	...	...	ENE	1	...	5	29.80	757.0	...	...	...	0	...
Hokodate,	,,	29.69	754.0	...	...	WNW	1	...	,,	29.71	754.5	...	...	...	0	...
Tokio,	,,	29.76	756.0	...	...	SSE	2	...	,,	29.80	757.0	...	...	...	0	...
Kochi,	,,	29.84	758.0	...	...	SE	1	...	,,	29.88	759.0	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	WSW	1	...	,,	29.88	759.0	...	...	...	0	...
Kagoshima,	,,	29.84	758.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	NNW	1	...
Oshima,	,,	29.86	758.5	...	...	NNE	1	...	,,	29.84	758.0	...	...	...	...	...
Naha,	,,	29.86	758.5	...	...	E	1	...	,,	29.80	757.0	...	...	...	...	...
Ishigakijima,	,,	29.80	757.0	...	...	S	1	...	,,	29.75	755.5	...	...	...	...	...
Bonin Island,	,,	29.90	759.5	...	...	...	0	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.51	749.5	94	8	S	4	b	6	29.53	750.1	81	6	SSW	4	bc
Shanghai,	14	29.71	754.6	98	8	SSE	2	b	,,	29.69	754.2	81	8	SSE	2	c
Gutzlaff,	,,	29.79	756.6	85	6	SSE	4	b	,,	29.77	756.2	77	6	SSE	6	q
Wenchow,	,,	...	...	...	...	...	...	...	6	29.74	755.0	81	...	SW	1	c
Foochow,	,,	29.80	756.9	84	8	E	2	bc	7	29.77	756.1	82	8	...	0	bc
Amoy,	,,	29.78	756.5	86	6	SSE	4	b	6	29.73	755.1	81	6	SSE	2	b
Swatow,	,,	29.78	756.5	88	...	ESE	3	b	,,	29.71	754.7	79	...	SSE	1	c
Tailoku,	11	29.82	757.3	88	...	WNW	2	bc	5	29.74	755.4	76	...	...	0	c
Taichu,	,,	29.83	757.6	86	...	...	0	c	,,	29.74	755.4	76	...	...	0	c
Tainan,	,,	29.79	756.6	91	...	N	2	c	,,	29.72	754.8	77	...	E	2	c
Koshun,	,,	29.78	756.3	86	...	...	0	c	,,	29.69	754.1	79	...	ENE	2	r
Pescadores,	,,	29.80	757.0	86	...	NNW	2	c	,,	29.71	754.7	77	...	...	0	r
Hong Kong,	14	29.74	755.4	86	7	S	2	bc	6	29.68	753.9	78	6	...	0	bc
Gap Rock,	,,	29.75	755.6	83	7	ESE	4	c	,,	29.69	754.1	81	8	SE	3	c
Macao,	,,	29.73	755.2	81	4	S	2	c	,,	29.65	753.0	76	...	...	0	bc
Hoihow,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.74	755.4	91	8	...	0	b	6	29.67	753.7	81	8	ENE	2	c
Phulien,	15	29.63	752.6	84	8	S	4	t	7	29.58	751.3	81	7	SSE	4	c
Tourane,	,,	29.68	753.9	88	8	N	1	t	,,	29.63	753.2	77	8	...	0	c
Cape St. James,	,,	29.76	755.8	84	7	SSW	1	m	,,	29.82	757.5	77	6	WSW	5	z
Baseo,	14	29.69	754.0	88	8	NE	4	bc	6	29.60	751.9	81	6	NE	4	c
Aparri,	,,	29.67	753.6	88	8	N	4	c	,,	29.53	750.1	81	6	N	4	d
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.49	749.0	76	4	NW	2	d
Vigan,	,,	...	...	...	...	...	...	...	,,	29.57	751.0	77	8	...	0	c
Manila,	,,	29.63	752.6	88	8	WSW	4	bc	,,	29.60	751.9	76	6	...	0	c
Legaspi,	,,	29.57	751.0	83	6	NNW	2	c	,,	29.57	751.1	77	6	W	2	c
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.64	752.9	83	8	SW	6	c
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	76	8	SW	4	bc
Iloilo,	,,	29.66	753.3	85	8	SW	4	c	,,	29.66	753.3	81	6	SW	4	c
Cebu,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	79	8	WSW	4	c
Surigao,	...	29.64	752.9	86	6	WSW	4	c	,,	29.68	753.8	81	6	SW	2	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	E	4	c	4.22	29.76	755.8	...	8	...	0	c
Yap,	11.00	29.78	756.4	...	6	...	0	r	5	29.83	757.6	...	8	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.90	759.4	86	6	N	6	bc	6	29.90	759.4	76	...	S	...	c

Warnings.

July 25*d*. 17*h*. 00*m*.—Typhoon within 120 miles of Lat. 16° N. Long. 125° E., moving W.N.W.
July 26*d*. 9*h*. 26*m*.—Typhoon within 60 miles of Lat. 17° N. Long. 123° E., moving N.W.

July 26*d*. 10*h*. 48*m*.—Pressure is highest in the vicinity of the Bonins; depressions are situated over S. Manchuria and Tongking.

The typhoon is situated about 200 miles north-east of Manila, moving north-west.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 52.35 inches, against an average of 49.56 inches.

Shanghai warning. 25*d*. 16*h*. 17*m*.:—Typhoon within 120 miles of Lat. 15° N. Long. 127° E. moving W. Recd. 25*d*. 16*h*. 41*m*.

Manila warning. 26*d*. 8*h*. 50*m*.:—Typhoon in Lat. 17° N. Long. 123° E. moving N.W. Recd 26*d*. 9*h*. 18*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	S. winds, moderate; fair.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Haiphong Straits, E.—North China Sea,	S.E. or variable winds, moderate; fair generally with local showers.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	27th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Kemuro,	11	29.70	754.5	...	...	ESE	1	...	5	29.78	756.5	...	...	...	0	...
Hokodate,	,,	29.72	755.0	...	...	W	1	...	,,	29.78	756.5	...	...	...	0	...
Tokio,	,,	29.78	756.5	...	...	SSE	2	...	,,	29.86	758.5	..	...	...	0	...
Kochi,	,,	29.86	758.5	...	...	SE	1	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	WSW	2	...	,,	29.90	759.5	...	...	...	...	...
Kagoshima,	,,	29.88	759.0	...	...	SW	1	...	,,	29.88	759.0	...	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	NNE	1	...	,,	29.82	757.5	...	...	...	...	...
Naha,	,,	29.80	757.0	...	...	SE	1	...	,,	29.76	756.0	...	...	ESE	1	...
Ishigakijima,	,,	29.74	755.5	...	...	SE	1	...	,,	29.67	753.5	...	...	ESE	4	...
Bonin Island,	,,	29.90	759.5	...	...	E	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.55	750.6	94	8	S	2	b	6	29.58	751.2	83	6	S	2	c
Shanghai,	14	29.70	754.3	94	8	S	2	bc	,,	29.72	754.8	83	6	SSE	2	bc
Gutzlaff,	,,	29.77	756.1	85	6	SSE	4	c	,,	29.81	757.2	77	6	SSE	4	c
Wenchow,	,,	...	...	...	...	...	...	...	6	29.75	755.7	77	...	SSE	1	c
Foochow,	,,	29.74	755.4	86	8	E	2	bc	7	29.69	754.1	82	6	NE	4	c
Amoy,	,,	29.73	755.1	91	6	SW	2	bc	6	29.59	751.6	81	6	W	4	bc
Swatow,	,,	29.73	755.2	88	...	W	1	b	,,	29.62	752.2	79	...	WNW	2	b
Taihoku,	11	29.72	755.0	88	...	...	0	c	5	29.60	751.9	77	...	E	4	r
Taichu,	,,	29.72	754.8	85	...	SW	2	c	,,	29.58	751.4	76	..	...	0	c
Tainan,	,,	29.69	754.2	88	...	N	4	c	,,	29.54	750.3	77	...	...	0	c
Koshun,	,,	29.69	754.0	85	...	NE	4	c	,,	29.51	749.5	77	...	NE	4	r
Pescadores,	,,	29.70	754.3	85	...	N	4	c	,,	29.55	750.5	81	...	NW	4	c
Hong Kong,	14	29.65	753.1	84	8	SSW	2	bc	6	29.59	751.6	78	7	...	0	bc
Gap Rock,	,,	29.66	753.3	83	8	WSW	3	c	,,	29.60	751.8	82	8	SSE	3	b
Macao,	,,	29.64	752.9	83	4	SE	2	c	,,	29.57	751.1	77	6	SE	2	c
Hoihow,	,,	29.70	754.4	86	...	E	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.66	753.3	88	8	...	0	c	6	29.59	751.6	81	8	...	0	c
Phulien,	15	29.55	750.5	91	8	SSW	2	c	7	29.49	748.9	81	7	S	1	c
Tourane,	,,	29.61	752.0	86	8	NE	2	b	,,	29.57	751.0	75	8	..	0	c
Cape St. James,	,,	29.79	756.7	81	6	SW	4	bc	,,	29.79	756.7	75	3	W	2	f
Basco,	14	29.51	749.5	83	6	NE	4	c	6	...	...	...	...	...	...	...
Aparri,	,,	29.36	745.7	77	4	NNW	6	q	,,	29.37	745.9	76	6	S	4	d
Tuguegarao,	,,	29.33	745.1	74	4	WNW	4	r	,,	...	...	...	...	...	...	...
Vigan,	,,	29.50	749.2	77	4	...	0	r	,,	...	...	...	...	...	...	...
Manila,	,,	29.59	751.6	81	6	WSW	4	d	,,	29.64	752.8	77	4	W	2	r
Legaspi,	,,	29.67	753.5	72	1	SW	4	c	,,	29.65	753.1	81	6	WSW	4	c
Calbayog,	,,	29.66	753.3	86	8	SW	6	c	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.65	753.0	91	8	SW	2	bc	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.68	753.8	83	8	SW	4	c	,,	...	...	...	...	...	...	...
Cebu,	,,	29.67	753.5	79	8	SSW	4	p	,,	...	...	...	...	...	...	...
Surigao,	...	29.67	753.5	86	8	SSW	2	c	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	...	0	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	6	WSW	4	bc	5	29.84	757.8	...	8	...	0	bc
Pelew,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.90	759.4	86	4	S	4	bc	6	29.91	759.7	72	...	SW	...	bc

Warnings.

July 26*d*. 15*h*. 58*m*.—Typhoon within 60 miles of Lat. 18° N. Long. 123° E., moving N.N.W.
July 27*d*. 9*h*. 52*m*.—Typhoon within 60 miles of Lat. 19° N. Long. 121° E., moving N.W.

July 27*d*. 10*h*. 21*m*.—Pressure remains highest in the vicinity of the Bonins.

The typhoon is situated about 80 miles north of Aparri, moving N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 52.35 inches, against an average of 49.81 inches.

Manila warning, 27*d*. 8*h*. 30*m*.:—Typhoon in Lat. 20° N. Long. 121° E. moving W.N.W. Recd 27*d*. 9*h*. 12*m*.

Shanghai warning 27*d*. 10*h*. 02*m*.:—Typhoon within 60 miles of Lat. 20° N. Long. 123° E. moving N.W. Recd. 27*d*. 10*h*. 13*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
A.—Shanghai to Tuesabout,	S. winds, moderate; fine.
B.—Tuesabout to Hong Kong,	N. winds, moderate, freshening considerably.
C.—Hong Kong to Gap Rock,	Light variable winds, freshening from N. and N.W.; fair at first, cloudy,
D.—Hong Kong to Hainan Straits,	S.E. winds, moderate; fair. [with rain later.
E.—North China Sea,	Cyclonic gales to the south of the Formosa Channel.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	28th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.65	753.2	81	...	ESE	2	b	6	29.71	754.5	70	...	...	0	f
Nemuro,	11	29.78	756.5	...	...	SSE	1	...	5	29.76	756.0	...	...	...	...	...
Hokodate,	,,	29.76	756.0	...	...	SW	4	...	,,	29.82	757.5	...	...	...	0	...
Tokio,	,,	29.82	757.5	...	...	SSE	1	...	,,	29.88	759.0	...	...	WNW	1	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.92	760.0	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	WNW	1	...	,,	29.88	759.0	...	...	...	0	...
Kagoshima,	,,	29.86	758.5	...	...	SE	1	...	,,	29.88	759.0	...	...	...	0	...
Oshima,	,,	29.82	757.3	...	...	SE	1	...	,,	29.78	756.3	...	...	SE	1	...
Naha,	,,	29.76	756.0	...	...	SE	2	...	,,	29.75	755.5	...	...	SE	1	...
Ishigakijima,	,,	29.65	753.0	...	...	SE	4	...	,,	29.65	753.0	...	...	SSE	3	...
Bonin Island,	,,	29.92	760.0	...	...	SE	1	...	,,	29.90	759.5	...	...	...	0	...
Chefoo,	15	29.57	751.1	94	4	S	2	be	6	29.60	751.9	83	6	SSW	6	c
Shanghai,	14	29.72	754.8	94	6	SSE	4	c	,,	29.70	754.3	83	6	SE	4	c
Gutzlaff,	,,	29.80	756.9	81	6	SSE	4	o	,,	29.76	755.9	77	4	SE	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	29.65	753.0	81	...	SW	4	c
Foochow,	,,	29.62	752.3	86	4	N	4	o	7	29.54	750.3	82	6	NNE	6	o
Amoy,	,,	29.53	750.0	94	6	NE	2	be	6	29.50	749.3	85	6	NW	2	o
Swatow,	,,	29.39	746.5	92	...	ESE	3	b	,,	29.50	749.3	83	...	NW	3	b
Taihoku,	11	29.57	751.2	83	...	E	4	o	5	29.47	748.4	81	...	ESE	4	o
Taichu,	,,	29.41	746.9	86	...	NW	2	c	,,	29.40	746.8	79	...	...	0	o
Tainan,	,,	29.41	746.9	83	...	...	0	r	,,	29.40	746.8	76	...	...	0	r
Koshun,	,,	29.40	746.8	77	...	NE	4	r	,,	29.43	747.6	76	...	SSE	4	r
Pescadores,	,,	29.40	746.8	88	...	N	4	o	,,	29.40	746.8	81	...	...	0	o
Hong Kong,	14	29.53	750.0	86	7	W	3	be	6	29.50	749.3	81	6	W	2	be
Gap Rock,	,,	29.56	750.8	83	8	SSW	3	c	,,	29.50	749.3	83	8	SW	4	c
Macao,	,,	29.53	750.0	88	6	SSW	2	c	,,	29.48	748.7	79	6	NW	2	be
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.55	750.5	82	...	W	3	o	6	29.50	749.3	82	...	WSW	4	o
Phulien,	15	29.43	747.7	90	8	WSW	2	c	7	29.41	747.0	81	8	SSW	4	c
Tourane,	,,	29.52	749.9	95	8	NNW	2	be	,,	29.51	749.9	83	8	...	0	be
Cape St. James,	,,	29.77	756.1	82	6	SW	4	o	,,	29.80	756.8	77	6	SW	4	c
Basco,	14	29.42	747.3	84	6	S	6	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.47	748.6	85	6	S	2	o	,,	29.59	751.6	76	6	...	0	o
Tuguegarao,	,,	29.48	748.7	88	6	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.55	750.5	83	6	SW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.8	74	4	W	4	r	,,	29.68	753.8	79	6	SW	2	o
Legaspi,	,,	29.66	753.3	83	6	WSW	4	o	,,	29.69	754.1	79	6	SW	4	o
Calbayog,	,,	29.71	754.6	88	8	SW	4	be	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.71	754.6	91	8	SW	4	be	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.6	85	8	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.70	754.4	86	8	SSW	8	q	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	754.6	91	8	W	2	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.79	756.7	79	...	SW	3	c
Guam,	12.22	29.72	754.8	...	6	ESE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.81	757.2	...	6	E	2	be	5	29.83	757.6	...	6	N	2	be
Pelew,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	79	...	...	...	c
Labuan,	14	29.90	759.4	86	...	...	...	be	6	29.91	759.7	76	...	SE	...	be

Warnings.

July 27d. 15h. 57m.—Typhoon within 60 miles of Lat. 21° N. Long. 120° E., moving N.W.
July 27d. 18h. 00m.—Local signal No. 1 hoisted.
July 27d. 19h. 36m.—Typhoon within 60 miles of Lat. 22° N. Long. 119° E., moving N.W.
July 28d. 9h. 25m.—Typhoon within 60 miles of Lat. 23° N. Long. 118° E., moving N.W.

July 28d. 10h. 25m.—Pressure is highest between Japan and the Bonins, and is relatively low over China generally. The typhoon is situated about 100 miles east of Swatow moving north-west; it threatens the coast between Swatow and Amoy.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 52.35 inches, against an average of 50.26 inches.

Manila warning. *28d. 8h. 30m.*—Typhoon in Lat. 18° N. Long. 123° E. moving N.W. Recd. *28d. 8h. 49m.*

Shanghai warning. *28d. 9h. 26m.*—Typhoon within 60 miles of Lat. 23° N. Long. 119° E. moving N.N.W. Recd. *28d. 9h. 36m.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. winds, moderate; fair.
B.—Turnabout to Hong Kong,	Cyclonic gales.
C.—Hong Kong to Gap Rock,	S.W. winds, moderate, freshening; cloudy, rain later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, Director.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	29th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.68	753.8	72	...	...	...	f	6	30.05	763.2	64	...	...	0	f
Nemuro,	11	29.72	755.0	...	...	SSE	1	...	5	29.75	755.5	...	...	...	0	...
Hakodate,	...	29.76	756.0	...	...	SW	4	...	,,	29.76	756.0	...	...	...	0	...
Tokio,	,,	29.84	758.0	...	...	S	1	...	,,	29.88	759.0	,,	...	...	0	...
Kochi,	,,	29.92	760.0	...	...	SE	1	...	,,	29.92	760.0	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	ESE	1	...	,,	29.90	759.5	...	...	ESE	1	...
Kagoshima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	ENE	1	...
Oshima,	,,	29.80	757.0	...	...	SE	1	...	,,	29.78	756.5	...	...	...	0	...
Naha,	,,	29.72	755.0	...	...	ESE	2	...	,,	29.71	754.5	...	...	E	1	...
Ishigakijima,	,,	29.63	753.0	...	...	SSE	2	...	,,	29.63	752.5	...	...	S	1	...
Bonin Island,	,,	29.92	760.0	...	...	ESE	1	...	,,	29.90	759.5	...	...	...	0	...
Chefoo,	15	29.66	753.4	91	8	SSE	4	bc	6	29.71	754.7	81	6	S	2	c
Shanghai,	14	29.69	754.0	94	6	SE	4	c	,,	29.71	754.6	81	6	ESE	4	c
Gutzlaff,	,,	29.76	755.8	83	6	SE	6	b	,,	29.78	756.4	79	6	SE	6	c
Wenchow,	,,	...	...	...	...	...	...	...	6	29.69	754.0	81	...	ESE	2	b
Foochow,	,,	29.49	749.0	83	6	NNE	6	o	7	29.62	752.3	81	6	S	2	o
Amoy,	,,	29.48	748.8	91	6	E	2	bc	6	29.45	748.0	79	4	E	6	r
Swatow,	,,	29.47	748.5	90	...	WSW	1	o	,,	29.34	745.2	77	...	WSW	8	r
Taihoku,	11	29.47	748.6	79	...	S	4	bc	5	29.56	750.8	81	...	E	2	o
Taichu,	,,	29.48	748.7	86	...	SSW	2	o	,,	29.56	750.9	77	...	...	0	o
Tainan,	,,	29.44	747.7	77	...	SE	6	r	,,	29.54	750.3	76	...	S	4	r
Koshun,	,,	29.54	750.4	79	...	S	2	r	,,	29.57	751.0	77	...	...	0	bc
Pescadores,	,,	29.43	747.6	83	...	ESE	4	r	,,	20.50	749.2	77	...	SSE	6	r
Hong Kong,	14	29.46	748.3	88	7	SW	2	c	6	29.43	747.5	82	6	W	1	od
Gap Rock,	,,	29.48	748.8	84	8	SW	4	o	,,	29.44	747.8	84	8	WSW	4	o
Macao,	,,	29.45	748.0	91	4	SW	2	c	,,	29.42	747.5	82	4	WSW	2	o
Hoihow,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.51	749.5	82	...	WSW	4	or	6	29.47	748.4	83	6	SW	6	o
Phulien,	15	29.39	746.6	86	8	WSW	2	lt	7	29.41	746.9	79	7	SW	1	r
Tourane,	,,	29.48	748.9	85	8	SW	2	c	,,	29.53	750.0	81	9	WSW	1	r
Cape St. James,	,,	29.76	756.0	79	6	SW	6	c	,,	29.72	756.1	77	7	SW	6	c
Banco,	14	29.57	751.2	79	6	SSW	4	o	6	29.58	751.3	79	6	SSW	2	o
Aparri,	,,	29.60	751.8	81	6	...	c	r	,,	29.60	751.9	76	6	S	2	o
Tuguegarao,	,,	29.58	751.3	86	4	...	o	o	,,	29.62	752.3	76	1	...	0	c
Vigan,	,,	29.62	750.4	76	4	S	4	r	,,	29.60	751.9	76	4	SSE	2	r
Manila,	,,	29.70	754.4	81	6	WSW	4	o	,,	29.70	754.3	76	6	...	0	o
Legaspi,	,,	29.65	753.0	88	6	WSW	4	o	,,	29.72	754.9	79	6	WSW	2	o
Calbayog,	,,	29.71	754.7	86	8	SW	6	bc	,,	29.73	755.2	81	8	SW	4	o
Tacloban,	,,	29.69	754.2	91	8	NW	2	bc	,,	29.73	755.2	79	6	...	0	o
Iloilo,	,,	29.74	755.4	79	6	SW	2	o	,,	29.73	755.2	81	6	SW	4	o
Cebu,	,,	29.70	754.3	86	8	SSW	6	o	,,	29.74	755.3	81	8	W	4	o
Surigao,	...	29.69	754.2	91	8	WSW	4	bc	,,	29.74	755.3	81	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.6	...	6	...	0	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.8	...	6	NNE	4	bc	5	29.81	757.1	...	8	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.90	759.4	86	4	W	6	bc	6	29.91	759.7	76	...	...	...	r

Warnings.

July 28*d*. 15*h*. 35*m*.—Local signal No. 1 lowered.

July 28*d*. 17*h*. 50*m*.—Typhoon within 60 miles of Lat. 23° N. Long. 119° E., moving North.

July 29*d*. 9*h*. 07*m*.—Typhoon within 60 miles of Lat. 28° N. Long. 119° E., moving N.W.

July 29*d*. 10*h*. 15*m*.—Pressure is highest between Japan and the Bonins. The typhoon moved very slowly yesterday, mainly on a north-westerly track, and has now entered the coast to the south of Amoy. It will probably merge with a depression over Tongking, forming an extensive depression over S. China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 52.37 inches, against an average of 50.71 inches.

Manila warning. 28*d*. 15*h*. 45*m*.:—Typhoon in Lat. 24° N. Long. 117° E. moving N.N.W. Recd 28*d*. 16*h*. 18*m*.

Shanghai warning. 28*d*. 23*h*. 10*m*.:—Typhoon within 60 miles of Lat. 23° N. Long. 119° E. stationary or very slow. Recd. 28*d*. 21*h*. 32*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	S.E. winds, moderate to fresh; cloudy.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North Chien Sea,	S.W. winds, fresh; cloudy, squally, rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	30th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.74	755.3	75	...	SSE	2	o	6	29.82	757.5	63	...	SSE	5	o
Nemuro,	11	29.70	754.5	...	...	...	o	...	5	29.84	758.0	...	...	E	1	...
Hakodate,	,,	29.74	755.5	...	...	SSW	3	...	,,	29.78	756.5	...	...	...	o	...
Tokio,	,,	29.82	757.5	...	...	S	2	...	,,	29.84	758.0	...	...	...	...	...
Kochi,	,,	29.90	759.5	...	...	ENE	1	...	,,	29.92	760.0	...	...	...	o	...
Nagasaki,	,,	29.88	759.0	...	...	SE	1	...	,,	29.90	759.5	...	...	...	o	...
Kagoshima,	,,	29.88	759 0	...	...	SSE	1	...	,,	29.88	759.0	...	...	NE	1	...
Oshima,	,,	29.80	757.0	...	...	SE	2	...	,,	29.75	755.5	...	...	SE	1	...
Naha,	,,	29.70	754.5	...	...	ENE	3	...	,,	29.63	752.5	...	...	E	4	...
Ishigakijima,	,,	29.65	753.0	...	...	SSE	1	...	,,	29.53	750.0	...	...	NE	1	...
Bonin Island,	,,	29.90	759.5	...	...	E	1	...	,,	29.92	760.0	...	...	...	o	...
Chefoo,	15	29.72	755.0	91	6	S	2	bc	6	29.76	756.0	79	8	...	o	c
Shanghai,	14	29.72	754.9	91	6	SE	4	c	,,	29.75	755.5	81	6	E-E	4	bc
Gutzlaff,	,,	29.78	756.3	83	6	SE	4	bc	,,	29.82	757.4	79	6	SSE	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.65	753.1	82	8	ESE	2	o	7	29.67	753.6	82	6	WNW	2	c
Amoy,	,,	29.51	749.5	83	4	SE	2	o	6	29.57	751.1	79	6	NE	4	o
Swatow,	,,	29.39	746.5	77	...	S	6	or	,,	29.59	751.5	77	...	SSE	3	r
Taihoku,	11	29.58	751.3	88	...	WSW	2	c	5	29.60	751.7	77	...	E	2	o
Taichu,	,,	29.60	751.8	88	...	NW	2	o	,,	29.63	752.6	76	..	...	o	o
Tainan,	,,	29.59	751.6	81	...	SSE	4	r	,,	29.61	752.0	76	...	E	2	o
Koshun,	,,	...	...	...	...	...	...	...	,,	29.60	751.8	76	...	...	o	o
Pescadores,	,,	29.56	750.8	85	...	SSW	4	o	,,	29.58	751.4	79	...	...	o	bc
Hong Kong,	14	29.44	747.8	83	6	W	1	or	6	29.42	747.2	80	6	W	3	or
Gap Rock,	,,	29.47	748.5	84	8	WSW	4	o	,,	29.43	747.5	83	7	SW	5	op
Macao,	,,	29.42	747.3	88	4	WSW	2	o	,,	29.52	749.8	77	11	W	4	d
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.50	740.2	83	6	SW	6	o	6	29.53	750.1	83	6	SSW	4	o
Phulien,	15	29.39	746.4	77	6	WSW	4	r	7	29.45	747.9	75	8	WNW	3	r
Tourane,	,,	29.50	749.3	91	8	WSW	2	bc	,,	29.54	750.4	82	8	SSW	1	c
Cape St. James,	,,	29.73	755.2	85	8	SW	8	bc	,,	29.78	756.5	77	7	SW	5	o
Basco,	14	29.60	751.9	77	1	WSW	4	r	6	...	...	...	...	...	...	...
Aparri,	,,	29.60	751.8	85	6	S	2	d	,,	29.57	751.0	77	6	SE	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Vigan,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.69	754.1	85	6	SW	4	o	,,	29.69	754.0	81	6	SW	2	o
Legnepi,	,,	29.67	753.5	91	6	WSW	4	o	,,	29.68	753.8	81	8	SW	2	bc
Calboyog,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Iloilo,	,,	29.73	755.2	88	8	SSW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.73	755.2	91	8	W	4	c	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.3	...	6	ESE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.7	...	8	...	o	c	5	29.83	757.7	...	6	NNW	2	o
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.90	759.4	86	4	S	...	bc	6	29 91	759.7	76	...	S	...	bc

July 30*d.* 10*h.* 10*m.*—Pressure is highest over the Pacific to the south-east of Japan, and low over S.W. China.

A typhoon is situated about 250 miles east of South Formosa; its direction of motion is at present unknown.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 3.21 inch. Total since January 1st, 55.58 inches, against an average of 51.16 inches.

Shanghai warning, 30*d.* 8*h.* 22*m.*:—Typhoon within 120 miles of Lat. 18° N. Long. 132° E. moving N.W. Recd. 30*d.* 8*h.* 45*m.*

Manila warning, 30*d.* 9*h.* 30*m.*:—Typhoon in Lat. 23° N. Long. 124° E. direction unknown. Recd. 30*d.* 9*h.* 45*m.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. winds, moderate; fair.
B.—Turnabout to Hong Kong,	N. and N.E. winds, moderate to fresh.
C.—Hong Kong to Gap Rock,	S.W. winds, moderate; cloudy, with rain, probably improving.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	31st JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.74	755.3	68	...	SSE	3	o	6	29.85	758.5	66	...	...	o	o
Kemuro,	11	29.82	757.5	...	...	ENE	1	...	5	29.69	754.0	...	...	...	o	...
Hokodate,	..	29.74	755.5	...	...	S	1	...	,,	29.69	754.0	...	...	NW	4	...
Tokio,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.76	756.0	..	...	...	o	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.86	758.5	...	...	WSW	1	...
Nagasaki,	,,	29.86	758.5	...	...	ESE	1	...	,,	29.84	758.0	...	...	...	o	...
Kagoshima,	,,	29.84	758 o	...	...	SE	1	...	,,	29.80	757.0	...	...	ENE	1	...
Oshima,	,,	29.72	755.0	...	...	SE	1	...	,,	29.63	752.5	...	...	SE	2	...
Naha,	,,	29.59	751.5	...	...	E	6	...	,,	29.51	749.5	...	...	E	2	...
Ishigakijima,	,,	29.51	749.5	...	...	ENE	3	...	,,	29.33	745.0	...	...	ENE	3	...
Bonin Island,	,,	29.88	759.0	...	...	E	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.73	755.6	94	8	S	2	bc	6	29.76	756.0	79	6	S	2	b
Shanghai,	14	29.75	755.6	94	8	ESE	2	bc	,,	29.72	754.9	81	6	E	2	c
Gutzlaff,	,,	29.81	757.2	85	6	E	4	bc	,,	29.78	756.4	79	4	NE	4	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.64	752.8	83	6	NE	2	o	7	29.59	751.6	83	4	NNE	2	of
Amoy,	,,	29.52	749.8	81	+	SW	2	r	6	29.53	750.0	79	6	NNE	2	c
Swatow,	..	29.52	749 7	79	...	ESE	2	r	,,	29.58	751.2	75	...	NE	3	c
Tailoku,	11	29.61	752.2	86	...	...	o	p	5	29.50	749.4	76	...	...	o	r
Taichu,	,,	29.63	752.6	86	...	W	2	c	,,	29.52	749 9	76	...	...	o	o
Tainan,	,,	29.61	752.2	91	...	SW	2	c	,,	29.50	749.3	76	...	...	o	c
Koshun,	,,	29.60	751.8	86	...	WNW	2	c	,,	29.45	748.1	77	...	NNW	4	o
Peseadores,	,,	29.60	751.9	91	...	SW	2	c	,,	29.50	749.2	79	...	...	o	o
Hong Kong,	14	29.46	748.2	78	4	NE	1	orm	6	29.43	747.5	78	7	E	3	o
Gap Rock,	,,	29.44	747.8	84	7	SW	5	od	,,	29.41	747.0	83	7	SSW	4	o
Macao,	,,	29.42	747.3	79	4	SW	2	d	,,	29.38	746.2	76	1	S	4	d
Hoihow,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.65	753.0	86	8	SSW	4	c	6	29.49	749.0	81	6	SSW	4	r
Phulien,	15	29.43	747.4	86	8	WSW	4	c	7	29.38	746.3	81	6	W	3	c
Touraine,	,,	29.50	749.4	88	8	ENE	2	c	,,	29.50	749.3	81	8	WSW	1	c
Cape St. James,	,,	29.78	756.5	86	8	SW	6	c	,,	29.78	756.5	77	6	SW	5	s
Basco,	14	29.53	750.0	81	6	WNW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.57	751.1	83	6	NW	2	d	,,	29.49	749.0	77	6	S	2	o
Tuguegarao,	,,	29.54	750.3	88	4	...	o	o	,,	..	...	...	..	...	...	...
Vigan,	,,	29.60	751.9	79	6	SSW	4	r	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.8	83	6	SW	4	d	,,	29.69	754.1	77	4	SW	2	r
Legaspi,	,,	29.65	753.1	88	8	SW	4	o	,,	29.67	755.6	81	6	SW	4	o
Calbayog,	,,	29.71	754.6	86	8	SW	4	bc	,,	...	...	..	...	...	...	...
Tacloban,	,,	29.69	754.1	94	8	E	2	bc	,,	...	...	...	...	...	...	..
Iloilo,	,,	29.73	755.2	85	8	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.70	754.3	88	8	SSW	6	o	,,	...	..	...	...	...	...	...
Surigao,	...	29.71	754.6	91	8	WSW	4	bc	,,	...	...	...	..	...	...	...
Saipan,	11.00	..	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	6	S	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29.81	757.1	...	6	E	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.90	759.4	85	...	SW	...	bc	6	...	...	...	...	...	...	...

Warnings.

July 30*d.* 18*h.* 06*m.*— Typhoon within 60 miles of Lat. 23° N. Long. 124° E., stationary or very slow.
July 31*d.* 10*h.* 26*m.*—Typhoon within 60 miles of Lat. 23° N. Long. 124° E., moving North.

July 31*d.* 10*h.* 30*m.*– Pressure is highest over the Pacific to the east of Bonins; depressions cover S.W. China and Hokkaido.

The typhoon is situated about 200 miles east of central Formosa, moving northward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 5.62 inch. Total since January 1st. 61.20 inches, against an average of 51.62 inches.

Shanghai warning 30*d.* 21*h.* 27*m.* :—A severe typhoon within 60 miles of Lat. 23° N. Long. 125° E., moving N.W. Recd. 30*d.* 21*h.* 57*m.*

Manila warning. 31*d.* 9*h.* 15*m.*:—Typhoon in Lat. 25° N. Long. 124° E. moving North. Recd 31*d.* 9*h.* 58*m.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate; fair.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	S. winds, moderate; cloudy, rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

AUGUST,

1932.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1932.

[Price $2.]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

AUGUST,

1932.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, at 109 feet above MEAN SEA LEVEL, in the MONTH of AUGUST, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·408	29·400	29·390	29·392	29·392	29·388	29·390	29·404	29·422	29·427	29·429	29·415	1
2	29·423	29·405	29·395	29·395	29·397	29·395	29·423	29·444	29·459	29·467	29·463	29·460	2
3	29·481	29·475	29·473	29·471	29·473	29·487	29·501	29·517	29·538	29·545	29·551	29·551	3
4	29·589	29·595	29·581	29·577	29·575	29·583	29·594	29·600	29·616	29·620	29·638	29·620	4
5	29·672	29·660	29·638	29·634	29·642	29·656	29·656	29·665	29·664	29·676	29·687	29·671	5
6	29·678	29·665	29·639	29·628	29·625	29·633	29·645	29·650	29·652	29·649	29·649	29·643	6
7	29·629	29·616	29·609	29·607	29·606	29·604	29·618	29·628	29·646	29·647	29·619	29·620	7
8	29·613	29·604	29·591	29·588	29·581	29·587	29·599	29·615	29·622	29·621	29·611	29·613	8
9	29·587	29·577	29·571	29·561	29·565	29·565	29·587	29·611	29·620	29·624	29·627	29·613	9
10	29·588	29·581	29·565	29·569	29·565	29·573	29·586	29·614	29·626	29·637	29·636	29·635	10
11	29·667	29·657	29·649	29·649	29·647	29·653	29·667	29·680	29·693	29·694	29·697	29·691	11
12	29·691	29·673	29·665	29·655	29·655	29·663	29·681	29·691	29·692	29·697	29·695	29·692	12
13	29·621	29·605	29·591	29·589	29·587	29·589	29·597	29·615	29·618	29·621	29·619	29·609	13
14	29·596	29·590	29·577	29·581	29·593	29·601	29·613	29·622	29·627	29·629	29·623	29·609	14
15	29·632	29·624	29·617	29·605	29·609	29·623	29·639	29·644	29·657	29·665	29·663	29·658	15
16	29·638	29·623	29·617	29·627	29·633	29·637	29·659	29·671	29·674	29·679	29·679	29·659	16
17	29·646	29·641	29·639	29·641	29·639	29·645	29·659	29·677	29·687	29·690	29·690	29·685	17
18	29·689	29·673	29·667	29·671	29·661	29·661	29·677	29·691	29·704	29·710	29·708	29·697	18
19	29·692	29·694	29·678	29·675	29·683	29·687	29·702	29·716	29·728	29·741	29·742	29·731	19
20	29·744	29·737	29·737	29·745	29·749	29·750	29·757	29·761	29·774	29·783	29·781	29·774	20
21	29·733	29·723	29·721	29·713	29·716	29·722	29·733	29·751	29·756	29·747	29·744	29·731	21
22	29·706	29·702	29·687	29·687	29·691	29·693	29·704	29·705	29·711	29·711	29·697	29·677	22
23	29·693	29·669	29·659	29·650	29·668	29·672	29·679	29·691	29·702	29·702	29·695	29·685	23
24	29·643	29·635	29·623	29·609	29·620	29·619	29·621	29·631	29·635	29·642	29·633	29·621	24
25	29·570	29·563	29·553	29·551	29·559	29·557	29·561	29·562	29·570	29·577	29·571	29·569	25
26	29·597	29·587	29·582	29·569	29·577	29·599	29·620	29·648	29·645	29·671	29·662	29·668	26
27	29·711	29·701	29·693	29·689	29·677	29·682	29·694	29·709	29·712	29·713	29·712	29·722	27
28	29·718	29·705	29·693	29·673	29·673	29·677	29·715	29·729	29·735	29·741	29·744	29·732	28
29	29·719	29·704	29·687	29·685	29·679	29·691	29·713	29·740	29·754	29·760	29·767	29·757	29
30	29·806	29·790	29·768	29·761	29·765	29·783	29·781	29·799	29·812	29·820	29·833	29·825	30
31	29·837	29·837	29·832	29·824	29·820	29·824	29·838	29·850	29·852	29·858	29·857	29·840	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·410	29·392	29·390	29·377	29·364	29·372	29·377	29·403	29·417	29·435	29·441	29·433	1
2	29·447	29·431	29·417	29·417	29·415	29·419	29·434	29·463	29·480	29·491	29·495	29·485	2
3	29·537	29·523	29·515	29·506	29·500	29·504	29·523	29·551	29·567	29·581	29·585	29·593	3
4	29·612	29·587	29·597	29·593	29·587	29·603	29·615	29·662	29·669	29·675	29·677	29·673	4
5	29·651	29·643	29·638	29·630	29·615	29·625	29·626	29·627	29·647	29·659	29·667	29·678	5
6	29·628	29·613	29·603	29·585	29·570	29·578	29·596	29·609	29·617	29·633	29·649	29·647	6
7	29·607	29·583	29·567	29·559	29·553	29·553	29·566	29·586	29·600	29·607	29·621	29·622	7
8	29·600	29·575	29·557	29·568	29·575	29·561	29·563	29·565	29·589	29·615	29·623	29·599	8
9	29·598	29·579	29·571	29·567	29·573	29·570	29·567	29·569	29·581	29·593	29·597	29·600	9
10	29·625	29·617	29·596	29·575	29·577	29·581	29·593	29·628	29·646	29·665	29·667	29·667	10
11	29·675	29·657	29·649	29·647	29·637	29·639	29·652	29·680	29·691	29·699	29·693	29·695	11
12	29·678	29·651	29·631	29·617	29·601	29·607	29·617	29·634	29·648	29·654	29·656	29·634	12
13	29·588	29·573	29·569	29·555	29·551	29·555	29·553	29·577	29·598	29·612	29·610	29·604	13
14	29·589	29·588	29·579	29·564	29·554	29·573	29·589	29·601	29·616	29·628	29·636	29·634	14
15	29·622	29·611	29·593	29·582	29·582	29·589	29·603	29·611	29·632	29·660	29·666	29·665	15
16	29·649	29·638	29·635	29·611	29·601	29·607	29·619	29·635	29·652	29·664	29·668	29·668	16
17	29·669	29·663	29·657	29·635	29·637	29·641	29·649	29·662	29·682	29·700	29·698	29·688	17
18	29·682	29·673	29·655	29·645	29·641	29·637	29·635	29·660	29·682	29·696	29·692	29·691	18
19	29·725	29·706	29·690	29·674	29·675	29·683	29·683	29·694	29·708	29·730	29·740	29·743	19
20	29·754	29·734	29·720	29·702	29·695	29·709	29·711	29·724	29·736	29·746	29·754	29·746	20
21	29·707	29·676	29·671	29·656	29·655	29·665	29·675	29·679	29·688	29·701	29·714	29·716	21
22	29·677	29·647	29·632	29·630	29·631	29·637	29·651	29·671	29·689	29·701	29·710	29·707	22
23	29·659	29·645	29·637	29·612	29·612	29·619	29·637	29·652	29·672	29·681	29·683	29·689	23
24	29·591	29·559	29·545	29·533	29·533	29·537	29·560	29·575	29·585	29·597	29·593	29·587	24
25	29·567	29·551	29·541	29·529	29·541	29·553	29·558	29·571	29·581	29·591	29·603	29·603	25
26	29·654	29·639	29·635	29·627	29·634	29·646	29·652	29·674	29·700	29·708	29·711	29·709	26
27	29·726	29·709	29·695	29·686	29·683	29·681	29·686	29·705	29·718	29·740	29·738	29·724	27
28	29·716	29·720	29·699	29·677	29·669	29·679	29·690	29·697	29·715	29·727	29·735	29·729	28
29	29·736	29·716	29·713	29·712	29·711	29·711	29·735	29·757	29·781	29·807	29·813	29·815	29
30	29·811	29·797	29·788	29·779	29·780	29·780	29·794	29·800	29·835	29·857	29·857	29·852	30
31	29·819	29·794	29·772	29·762	29·758	29·756	29·775	29·798	29·810	29·814	29·818	29·820	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of AUGUST, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·0	80·4	80·9	81·0	80·7	80·3	80·6	80·6	80·3	80·6	81·4	82·5	1
2	83·0	82·7	82·7	82·7	82·7	82·6	82·4	81·8	82·2	83·3	83·6	84·5	2
3	82·6	82·1	81·6	81·6	81·6	82·0	82·7	83·8	84·1	84·2	83·0	83·0	3
4	82·5	82·4	82·2	82·1	82·2	82·2	82·2	81·8	79·1	81·3	78·8	79·0	4
5	77·4	77·4	77·5	77·6	77·8	77·9	78·3	79·0	79·6	79·7	80·9	82·0	5
6	77·0	76·8	77·1	76·7	77·0	76·7	77·0	78·3	79·9	82·6	83·0	83·3	6
7	80·6	80·6	80·5	80·5	79·2	79·1	79·9	79·8	78·6	79·6	83·9	86·0	7
8	81·4	80·6	81·4	82·1	81·9	81·8	82·0	82·7	84·0	85·6	85·6	83·3	8
9	81·5	81·5	81·5	81·5	81·2	81·0	81·9	82·5	84·3	84·4	84·9	82·2	9
10	81·7	81·9	82·0	81·0	81·3	81·5	81·8	83·9	83·0	83·0	84·2	84·4	10
11	82·6	82·4	82·5	82·4	82·3	82·1	83·0	84·7	84·7	85·2	82·9	85·0	11
12	82·8	82·5	82·4	82·4	82·4	82·1	82·0	82·6	83·2	85·0	84·9	87·1	12
13	81·9	81·9	81·6	81·6	81·6	81·4	82·0	83·0	84·4	86·2	85·9	86·8	13
14	82·7	82·7	82·7	82·6	82·0	81·9	82·3	83·5	85·0	86·0	87·0	88·0	14
15	83·0	82·6	82·7	81·5	81·3	81·3	81·4	81·6	85·4	86·5	87·3	89·3	15
16	80·5	80·3	80·0	80·0	79·8	79·6	80·0	32·1	84·0	86·0	87·1	88·2	16
17	81·4	81·4	81·0	81·0	81·0	81·2	81·7	82·1	81·9	83·2	86·0	87·2	17
18	82·3	82·4	82·3	82·3	82·4	82·3	82·3	79·0	78·5	82·2	83·5	87·3	18
19	82·4	82·5	82·6	82·6	82·0	82·0	81·2	81·0	81·3	81·0	85·1	87·0	19
20	82·6	82·3	82·3	81·3	80·9	81·0	81·6	82·2	83·6	85·8	86·5	87·2	20
21	81·6	81·8	81·8	81·0	81·0	81·7	81·6	82·6	83·8	84·8	86·8	88·0	21
22	81·0	81·4	81·0	81·4	81·0	80·2	79·0	81·3	82·0	81·8	82·7	82·0	22
23	79·6	79·3	78·7	78·4	78·4	78·5	79·0	81·4	83·0	84·0	86·5	86·5	23
24	80·0	80·1	80·0	80·0	80·1	80·2	80·2	80·6	83·9	84·1	85·4	87·6	24
25	82·0	81·9	81·9	82·0	82·0	82·1	82·6	83·1	83·1	84·4	86·3	84·7	25
26	81·8	81·7	81·2	80·5	80·3	79·4	79·0	78·8	81·0	81·9	85·3	79·8	26
27	77·4	77·4	76·6	78·7	79·2	80·0	81·0	82·3	82·5	81·4	80·0	76·9	27
28	77·3	77·0	77·7	78·0	77·6	78·0	75·0	75·2	74·9	76·1	76·4	76·5	28
29	77·2	77·2	76·8	76·6	76·8	75·7	75·4	75·5	75·3	75·2	76·1	76·3	29
30	74·5	74·2	74·7	74·9	74·8	74·6	75·6	77·3	79·2	80·0	79·8	79·6	30
31	74·6	75·2	75·2	75·6	76·0	76·1	76·3	77·6	78·2	79·6	79·9	82·0	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	85·4	86·6	85·6	85·8	84·6	84·2	83·7	83·5	83·4	83·3	83·2	83·2	1
2	87·0	87·2	86·8	86·9	86·8	85·0	83·8	82·5	82·8	82·7	82·7	82·3	2
3	83·0	82·7	82·5	82·6	82·8	82·9	82·9	82·8	82·9	82·9	82·5	82·6	3
4	82·0	82·2	82·6	82·8	81·3	80·7	79·7	75·8	76·6	77·0	77·2	77·2	4
5	83·3	82·4	84·0	83·2	81·8	81·0	80·2	79·8	79·8	79·1	79·1	77·8	5
6	84·4	85·6	85·6	83·6	84·3	83·2	82·7	82·2	82·0	80·7	81·0	81·3	6
7	87·6	88·9	89·3	88·2	87·2	84·9	83·8	83·2	82·8	82·6	82·5	82·1	7
8	82·9	82·0	81·5	82·0	82·6	82·6	82·3	82·1	82·1	82·0	82·0	81·7	8
9	83·3	85·7	86·4	84·1	82·5	82·6	81·8	81·6	81·6	81·6	81·3	81·6	9
10	85·3	86·3	87·2	86·4	85·4	85·6	84·1	83·0	82·6	82·4	82·4	82·5	10
11	84·7	87·8	85·0	85·1	85·5	84·7	83·6	82·9	82·7	83·7	82·8	82·8	11
12	87·7	87·8	88·0	87·1	85·5	85·0	84·1	84·0	83·7	83·2	83·0	82·4	12
13	87·8	90·0	89·0	87·6	86·2	85·5	84·0	83·9	83·4	83·0	83·0	82·7	13
14	89·3	89·6	88·9	87·8	86·9	86·0	84·3	84·1	84·0	83·8	83·8	83·9	14
15	90·0	90·8	90·0	89·0	86·5	85·7	84·5	84·0	83·8	83·8	83·8	80·8	15
16	89·2	89·4	87·6	88·0	86·8	84·7	83·8	83·7	83·3	83·0	82·2	82·1	16
17	87·9	88·0	87·3	86·2	86·0	84·6	83·0	82·5	82·1	82·5	82·3	82·2	17
18	87·6	86·0	84·9	85·4	86·1	84·9	83·5	83·0	82·1	83·0	82·5	82·3	18
19	87·7	87·1	86·3	85·6	84·8	84·0	83·2	83·0	82·9	82·9	83·0	82·8	19
20	88·2	90·0	89·6	88·8	86·5	85·0	83·8	83·3	83·0	82·8	82·5	81·6	20
21	89·3	89·5	88·3	86·6	85·4	85·0	83·9	83·0	83·1	82·4	82·5	82·0	21
22	79·8	81·6	82·0	81·1	81·2	81·0	80·7	80·0	79·8	79·6	79·5	79·2	22
23	88·0	85·5	85·6	86·6	86·7	84·2	83·3	82·9	82·7	80·6	80·1	80·2	23
24	88·0	87·6	88·6	88·1	87·3	85·0	84·0	83·2	83·0	82·2	82·0	82·0	24
25	86·5	86·0	86·0	88·6	86·4	84·7	83·7	83·0	82·9	82·0	82·0	81·8	25
26	80·8	80·0	78·9	79·0	79·3	78·0	79·5	79·7	76·8	78·0	78·2	77·4	26
27	76·1	78·1	79·6	79·0	79·3	79·0	79·0	76·5	77·0	76·1	76·2	76·7	27
28	76·4	74·0	75·0	73·5	76·0	76·0	76·0	76·2	76·0	76·2	76·2	76·5	28
29	78·8	79·1	78·5	76·3	75·1	75·0	75·0	75·0	75·0	75·0	74·9	74·3	29
30	80·4	80·3	80·2	80·0	79·0	78·6	75·8	75·2	25·0	75·2	75·2	75·1	30
31	83·4	81·4	81·4	80·1	79·0	78·7	78·5	78·0	78·5	78·7	78·5	78·5	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of AUGUST, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·9	78·1	77·8	77·8	77·5	77·5	78·2	78·2	77·9	77·8	78·8	79·0	1
2	78·6	78·2	78·2	78·5	78·3	78·3	78·4	77·0	79·0	79·5	78·8	79·8	2
3	79·0	79·0	78·9	78·3	78·2	78·1	78·0	79·8	79·1	79·0	77·6	77·8	3
4	78·0	78·1	78·0	77·9	78·0	77·9	77·6	77·0	77·1	78·6	76·5	77·1	4
5	75·5	75·7	75·8	76·0	76·2	76·4	77·0	77·3	77·6	77·7	77·8	79·0	5
6	76·0	75·2	75·7	75·1	75·0	75·2	75·5	76·7	76·8	78·2	79·0	78·6	6
7	78·1	78·1	77·4	78·0	75·1	76·4	76·0	76·8	76·6	77·2	78·9	78·9	7
8	78·6	78·1	78·3	78·6	78·2	78·3	78·7	78·9	79·1	80·2	80·2	79·1	8
9	78·7	78·7	78·9	78·9	78·8	78·5	79·5	78·8	79·5	79·3	79·9	77·0	9
10	77·7	77·9	77·0	77·8	77·6	77·5	77·6	79·5	78·2	78·2	79·0	78·9	10
11	76·5	76·4	76·6	76·8	76·9	76·6	77·0	79·2	78·0	78·9	77·4	78·9	11
12	78·2	78·2	78·2	78·2	78·3	77·8	77·8	78·4	79·0	79·0	79·1	80·6	12
13	78·3	78·6	78·7	78·5	78·4	78·5	78·9	80·0	78·9	80·0	79·9	79·8	13
14	78·1	77·8	77·8	78·9	78·9	79·1	79·2	79·1	79·0	80·7	81·0	80·9	14
15	78·9	79·1	78·9	79·0	78·9	78·8	78·9	79·0	80·2	80·6	80 8	80·0	15
16	78·2	78·0	77·8	77·8	75·9	75·4	76·0	77·8	79·2	80·0	80·9	81·2	16
17	78·2	78·2	77·6	77·6	77·2	77·4	78·0	78·0	78·2	80·2	80·1	81·8	17
18	78·5	78·3	78·0	78·0	78·2	78·4	78·7	77·0	76·4	79·7	80·8	81·3	18
19	77·9	78·0	77·9	77·7	77·9	77·4	77·0	76·7	78·0	77·7	80·0	80·0	19
20	78·0	78·1	78·1	77·6	77·4	77·1	77·6	78·1	78·9	79·8	79·0	79·5	20
21	77·6	77·9	77·9	77·9	77·9	78·0	78·6	79·0	79·8	79·8	81·0	81·2	21
22	78·0	78·5	78·2	78·9	78·9	78·2	77·7	78·8	78·5	77·8	78·8	77·6	22
23	77·6	77·5	77·3	77·2	77·1	77·0	77·3	78·8	79·0	80·2	79·0	78·9	23
24	76·1	75·2	76·0	76·0	76·4	76·6	76·1	76·5	79·4	79·0	79·7	80·0	24
25	78·4	78·6	78·5	78·5	78·5	77·8	77·1	76·8	77·0	77·9	77·3	78·1	25
26	77·8	77·7	77·6	77·4	76·9	77·5	76·5	75·7	78·0	78·4	79·9	77·6	26
27	75·2	75·2	74·6	75·8	75·4	76·0	76·9	77·4	77·7	78·4	78·2	75·4	27
28	74·0	74·5	75·1	75·1	75·7	76·0	72·6	72·9	73·7	73·9	74·4	74·8	28
29	74·5	74·7	74·5	73·6	74·0	73·5	73·1	73·2	73·0	73·0	73·9	74·0	29
30	73·6	73·2	73·5	73·6	73·5	73·4	73·6	73·5	74·0	74·2	75·0	75·2	30
31	73·2	73·3	73·3	73·4	73·6	73·7	73·9	74·1	75·8	76·9	76·9	77·5	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·9	80·3	79·6	79·5	80·0	78·9	78·5	78·6	78·5	78·7	78·8	78·7	1
2	80·7	80·9	80·0	79·8	79·4	78·5	77·1	77·9	77·7	77·9	77·7	77·5	2
3	78·6	78·7	78·3	78·4	78·0	77·6	77·6	77·3	77·6	77·6	78·0	77·9	3
4	79·0	78·9	79·6	79·4	79·0	78·9	78·7	75·1	74·9	75·0	75·2	75·3	4
5	79·8	79·1	79·8	79·3	78·1	77·9	77·7	77·9	77·6	77·7	77·9	75·9	5
6	77·6	78·2	78·6	78·0	77·6	77·9	77·5	77·2	77·5	77·7	77·8	77·4	6
7	79·6	79·9	80·2	79·0	79·9	79·0	78·5	77·9	77·9	77·7	78·0	78·2	7
8	78·8	77·5	78·0	78·5	79·6	78·9	79·0	78·8	78·6	78·7	78·4	78·7	8
9	78·6	79·8	80·1	78·4	76·6	77·8	76·6	76·6	76·6	76·4	76·1	76·6	9
10	78·8	78·7	79·7	78·2	77·9	78·6	76·8	76·6	76·5	76·4	76·4	76·4	10
11	79·7	80·2	78·0	77·9	77·5	77·6	78·2	77·9	78·2	78·6	78·8	78·4	11
12	80·3	79·9	79·5	79·2	79·0	78·7	78·8	78·9	79·1	78·5	78·9	78·6	12
13	80·3	80·3	80·2	80·3	78·9	79·5	78·5	77·7	78·4	78·6	78·0	78·1	13
14	81·1	81·3	80·6	79·7	79·3	79·0	78·6	78·5	78·5	78·4	78·4	78·7	14
15	81·0	80·9	80·9	81·5	81·0	80·7	80·2	79·9	79·7	79·9	80·2	78·4	15
16	82·0	81·5	80·2	79·0	78·7	79·0	78·8	79·0	79·3	79·0	79·3	79·0	16
17	82·4	81·4	79·9	79·8	78·5	78·7	78·5	79·0	78·9	78·5	78·3	78·4	17
18	80·3	79·9	80·0	80·4	80·1	78·4	78·0	78·9	79·2	78·5	77·5	77·8	18
19	79·9	79·6	79·2	78·7	78·6	78·2	77·9	78·5	78·7	78·7	78·5	78·0	19
20	80·3	80·3	80·4	79·3	78·4	78·8	78·8	78·7	78·9	78·6	78·5	77·6	20
21	81·3	81·0	80·8	80·6	79·9	79·6	78·9	78·6	78·2	77·9	78·0	77·5	21
22	75·9	77·0	78·0	77·1	77·2	77·2	77·2	77·1	77·2	77·2	77·2	77·4	22
23	79·2	78·0	78·2	78·5	78·8	78·0	77·8	77·6	77·6	75·9	74·8	76·2	23
24	80·8	80·4	81·0	80·5	80·5	79·0	79·4	79·2	79·3	78·9	78·5	78·2	24
25	79·0	78·4	78·4	79·3	78·6	77·9	77·9	78·2	77·9	77·9	78·2	78·0	25
26	77·7	76·6	76·0	75·7	75·8	76·0	76·9	77·0	74·8	75·9	75·9	75·2	26
27	75·0	76·5	77·0	76·6	76·3	76·1	75·0	72·9	73·1	72·9	73·0	75·6	27
28	74·4	74·1	72·9	73·1	73·5	73·6	73·6	73·8	73·1	73·4	73·6	74·0	28
29	74·7	75·0	75·0	74·3	73·8	73·6	73·6	73·7	73·8	74·0	73·9	73·5	29
30	75·7	75·5	75·5	75·6	75·6	75·7	75·7	75·4	75·0	75·4	75·4	75·5	30
31	78·4	76·5	76·5	76·1	76·0	75·7	76·1	76·0	76·4	76·3	76·4	76·0	31

TABLE IV.—AMOUNT of CLOUDS, (0–10), at every HOUR of the DAY, in the MONTH of AUGUST, 1932.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	9	10	10	10	8	10	10	10	9	9	9	9	9	8	8	6	9	9	9	10	5	8	3	7	1
2	7	8	7	8	9	10	10	10	10	10	10	9	9	8	8	4	3	4	5	7	5	6	...	4	2
3	9	8	7	10	10	9	9	9	10	10	10	9	10	10	9	9	9	7	7	8	9	8	8	8	3
4	7	9	10	8	7	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	4
5	10	10	10	10	10	10	9	10	10	10	10	9	9	9	9	9	9	9	7	7	8	8	9	10	5
6	10	10	10	10	10	10	9	8	8	4	7	6	3	2	3	4	6	8	4	2	1	2	8	5	6
7	5	6	7	9	10	9	9	10	10	9	6	3	6	6	4	8	8	5	5	7	1	1	4	9	7
8	6	6	9	9	9	6	6	7	8	8	9	9	10	10	9	10	10	9	10	10	10	10	10	9	8
9	10	10	10	10	9	8	7	6	4	7	8	9	9	8	6	9	9	9	9	10	10	9	7	7	9
10	7	8	8	6	4	10	9	7	8	9	8	9	8	9	7	7	4	6	8	2	2	5	7	8	10
11	9	7	9	8	6	4	6	5	7	7	8	5	6	6	6	7	3	3	7	6	3	8	9	9	11
12	8	9	9	8	8	6	8	8	6	6	8	7	6	6	4	4	5	4	5	8	8	4	8	6	12
13	9	8	3	2	2	4	5	3	3	4	7	8	3	4	6	6	5	3	4	3	4	4	2	7	13
14	9	9	8	8	9	8	8	7	8	3	4	3	2	2	2	2	1	3	4	1	1	1	2	4	14
15	8	9	9	9	8	6	3	9	4	3	7	3	3	2	7	8	9	9	7	7	6	8	10	8	15
16	7	2	1	...	3	2	5	6	2	3	3	1	4	5	7	6	7	7	6	7	3	1	3	9	16
17	2	9	8	7	8	8	9	9	9	7	7	7	6	8	7	5	2	2	2	3	5	5	4	5	17
18	7	9	9	9	8	8	9	10	9	9	9	7	9	10	10	7	8	7	5	8	9	9	7	9	18
19	9	9	8	7	10	8	4	2	9	8	6	6	4	6	5	4	7	7	7	7	6	8	7	8	19
20	7	4	8	6	8	8	8	4	6	6	5	8	6	7	6	7	6	6	7	6	3	7	5	8	20
21	8	8	9	8	9	9	9	8	6	7	8	6	3	4	3	8	8	8	5	4	3	2	2	2	21
22	6	7	8	9	9	7	10	6	4	4	4	3	7	5	5	8	7	10	10	10	9	7	7	7	22
23	9	10	10	8	8	4	6	9	7	7	3	6	8	9	8	7	8	9	9	2	9	10	10	7	23
24	9	9	8	3	8	9	6	2	5	3	2	2	2	2	4	5	4	7	6	3	2	...	...	5	24
25	9	10	10	9	9	9	8	4	4	8	9	8	8	9	9	8	9	8	9	6	5	2	6	6	25
26	9	10	10	10	10	10	10	9	9	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27
28	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	9	8	8	9	9	8	9	7	9	7	9	10	4	2	10	10	2	30
31	2	6	4	9	9	4	8	9	9	7	9	7	4	8	7	6	5	7	6	2	2	2	4	8	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of AUGUST, 1932.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.														Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18		
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.		
1	...	...	...	...	...	0·4	0·7	0·7	0·6	1·0	0·4	0·2	...		1
2	...	...	...	...	...	0·3	0·9	0·7	1·0	1·0	1·0	1·0	0·4		2
3	...	0·7	0·2	0·1	...	...	...	...	...	...	...	0·3	0·1		3
4	...	...	...	...	...	...	...	...	...	...	...	...	...		4
5	...	...	...	...	...	...	0·6	0·1	0·1	...	...	0·1	...		5
6	...	0·3	0·9	1·0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	0·8	0·1		6
7	0·2	0·3	...	0·1	0·8	1·0	1·0	1·0	1·0	0·7	0·6	0·9	0·5		7
8	0·1	0·2	0·9	0·8	0·9	0·2	...	...	...	...	...	...	...		8
9	0·3	0·9	1·0	0·9	0·7	0·6	...	0·9	1·0	0·2	0·1	...	...		9
10	...	0·6	0·5	...	0·1	0·4	0·3	0·2	1·0	1·0	0·9	1·0	0·6		10
11	0·6	1·0	0·8	0·9	0·6	0·9	0·7	0·8	0·7	0·4	0·7	1·0	0·4		11
12	0·1	0·7	1·0	1·0	0·8	0·9	1·0	1·0	1·0	1·0	1·0	0·9	0·5		12
13	0·2	0·5	1·0	1·0	1·0	0·8	1·0	1·0	0·8	1·0	1·0	0·9	0·1		13
14	0·2	0·8	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3		14
15	...	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	...	...		15
16	0·1	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·9	0·4	0·1		16
17	0·2	0·1	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5		17
18	0·1	...	...	...	0·2	1·0	0·9	...	...	1·0	1·0	1·0	0·3		18
19	0·1	0·2	0·8	0·2	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3		19
20	0·1	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...		20
21	...	0·4	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·1	...	...	...		21
22	...	0·8	0·9	1·0	1·0	1·0	0·7	0·7	1·0	0·8	0·7	0·2	...		22
23	0·1	1·0	0·7	1·0	1·0	1·0	1·0	0·4	...	0·8	1·0	0·4	...		23
24	0·3	0·5	1·0	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	0·3		24
25	0·1	0·9	0·7	0·2	0·6	...	...	0·2	...	1·0	0·6	...	...		25
26	...	...	...	...	0·3	...	...	...	...	...	...	...	...		26
27	...	...	...	...	...	...	...	...	...	...	...	...	...		27
28	...	...	...	...	...	...	...	...	...	...	...	...	...		28
29	...	...	...	...	...	...	...	...	...	...	...	...	...		29
30	...	...	...	0·6	0·9	0·2	0·7	0·2	0·7	0·5	0·5	0·2	...		30
31	0·1	0·8	0·6	0·4	0·7	0·8	1·0	1·0	0·9	1·0	0·9	1·0	0·3		31

TABLE VI.—AMOUNTS of RAINFALL, registered in each HOUR of the DAY, in the MONTH of AUGUST, 1932.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	d	d	...	...	0·005	...	...	...	...	...	...	1
2	...	...	...	...	...	d	0·010	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	d	d	...	3
4	...	...	...	...	...	...	0·555	0·350	0·030	0·040	1·865	0·030	4
5	0·010	0·010	d	d	d	0·140	0·010	d	d	...	...	...	5
6	0·015	0·120	0·020	0·005	0·020	0·015	d	...	...	...	...	...	6
7	...	...	...	d	d	0·005	...	d	0·005	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	d	0·015	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	d	...	d	0·005	...	...	10
11	...	...	d	...	...	...	...	...	...	...	0·040	...	11
12	...	0·100	d	...	...	...	...	...	...	...	d	...	12
13	...	d	...	...	...	...	0·015	d	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	0·075	0·065	...	...	...	17
18	...	...	...	d	...	0·035	0·045	0·370	...	...	...	...	18
19	...	...	...	d	0·060	d	...	...	0·010	...	...	...	19
20	...	...	d	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	d	...	...	...	...	...	...	24
25	...	...	...	...	d	...	...	...	...	...	...	...	25
26	...	d	0·005	d	0·045	0·305	0·003	...	...	...	...	0·160	26
27	0·360	0·140	0·165	0·010	0·035	0·050	0·010	d	0·005	0·160	0·030	1·200	27
28	d	0·005	0·020	d	d	0·040	0·535	0·285	0·505	0·220	0·320	0·705	28
29	0·030	0·090	0·230	0·005	0·005	0·035	0·050	0·085	0.100	0·160	0·100	0·015	29
30	0·150	0·010	d	d	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	0·020	0·085	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	d	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	d	...	...	...	...	2
3	d	0·040	d	...	...	0·005	...	...	...	...	...	...	3
4	d	0·025	d	0·005	0·060	0·070	0·630	2·030	0·355	0·050	0·010	0·005	4
5	...	...	...	...	...	...	...	...	d	...	0·010	0·050	5
6	...	...	...	...	...	d	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	d	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	0·010	0·005	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	d	...	d	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	0·030	0·020	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	d	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	d	0·010	d	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	d	0·005	0·110	0·010	0·070	1·185	0·130	0·190	0·905	0·280	0·215	0·210	26
27	0·680	0·150	0·070	0.060	0·175	0·025	0·015	0·005	0·040	0·010	0·010	d	27
28	0·565	0·510	0·200	0·095	0·030	0·100	0·075	0·105	0·005	0·035	0·070	0·040	28
29	d	...	d	0·020	0·015	0·010	0·025	0·065	0·035	0·025	0·040	0·070	29
30	...	...	...	...	...	0·160	0·035	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION AND VELOCITY of the WIND at every HOUR of the DAY, at 148 feet above MEAN SEA LEVEL, in the MONTH of AUGUST, 1932.

(The Direction is given in points and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time.																								Days of the Month.
	1		2		3		4		5		6		7		8		9		10		11		Noon.		
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	10	5	14	5	16	4	...	1	...	1	9	2	4	2	31	3	26	2	23	2	...	1	25	8	1
2	22	3	21	6	21	5	22	5	...	1	21	4	20	10	21	7	25	5	25	6	23	8	22	9	2
3	20	10	22	7	24	7	22	9	20	9	20	6	21	6	21	3	18	4	17	9	19	12	21	9	3
4	...	1	...	...	...	...	...	...	...	1	...	...	17	6	24	4	8	2	...	1	6	7	4	3	4
5	...	1	...	1	11	3	10	10	9	10	8	8	7	8	7	7	9	11	8	9	9	12	9	12	5
6	32	2	...	...	...	...	3	4	7	6	9	8	10	9	10	7	9	5	7	2	5	3	2	3	6
7	26	4	...	1	24	2	23	3	22	11	17	4	...	...	16	5	23	8	26	5	27	5	24	6	7
8	22	5	20	2	21	6	20	9	20	13	21	10	22	8	22	11	24	9	22	13	21	12	21	11	8
9	23	4	...	...	...	1	23	4	23	6	23	6	23	4	23	8	21	10	21	8	25	12	28	8	9
10	23	4	22	4	18	4	17	3	17	5	17	4	17	5	18	11	21	8	21	7	20	8	20	10	10
11	17	6	18	7	18	4	...	1	...	1	15	2	16	2	18	4	18	7	20	5	21	6	21	7	11
12	20	9	20	8	20	10	21	10	22	6	23	6	24	5	25	5	23	6	22	7	22	9	21	10	12
13	21	5	22	9	23	7	22	8	22	8	23	4	22	8	22	7	24	7	23	7	22	9	22	10	13
14	19	5	19	7	21	9	22	6	23	5	23	5	24	5	25	6	25	8	26	5	26	7	25	7	14
15	20	7	21	7	21	8	23	6	25	5	26	4	26	6	26	5	24	7	23	8	22	8	23	7	15
16	25	3	25	2	...	...	25	6	26	5	26	5	24	5	23	5	25	6	26	8	26	9	25	8	16
17	22	3	22	6	21	5	21	3	23	4	24	6	25	6	25	6	24	4	24	7	23	8	22	10	17
18	22	3	21	3	20	3	20	4	18	5	20	3	23	4	27	12	31	2	29	2	25	6	21	9	18
19	21	6	20	9	20	11	20	15	20	15	19	14	21	8	24	9	23	12	21	9	19	15	19	17	19
20	19	10	19	10	21	11	23	7	24	6	22	8	22	7	23	8	22	8	23	10	23	10	21	14	20
21	16	2	20	10	22	8	23	7	22	15	22	9	23	8	23	5	24	5	24	7	24	9	23	7	21
22	21	4	.	...	...	...	...	...	...	...	14	6	8	15	8	11	9	11	9	16	9	14	9	16	22
23	9	7	10	7	10	7	10	10	9	6	9	5	9	5	9	4	24	7	24	8	25	9	25	9	23
24	24	4	24	6	23	6	23	8	23	5	24	7	23	5	23	10	24	10	24	10	24	14	22	11	24
25	24	10	25	11	24	14	24	11	25	9	27	9	27	10	27	10	24	8	23	10	24	12	33	12	25
26	20	6	20	12	20	14	20	13	20	18	24	11	19	21	19	19	20	4	21	5	21	15	19	19	26
27	20	15	21	10	16	3	17	9	17	14	18	18	18	15	20	20	25	17	26	10	18	9	18	18	27
28	16	7	14	5	13	4	13	8	11	11	12	12	17	17	16	4	11	4	10	9	11	7	13	10	28
29	16	11	15	12	16	10	19	7	22	2	22	9	19	3	...	1	15	6	13	4	12	4	12	5	29
30	10	5	11	5	...	1	10	9	9	12	8	13	7	12	6	9	10	9	8	21	7	21	6	19	30
31	9	6	9	14	7	13	7	10	7	10	8	7	8	5	8	5	7	8	8	8	9	12	10	12	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	26	6	21	9	19	8	20	12	21	10	20	10	20	8	20	8	20	10	21	10	21	8	23	4	1
2	20	9	18	10	18	12	21	7	22	7	22	6	20	4	17	5	17	6	19	6	19	9	19	8	2
3	25	6	28	5	28	3	20	2	16	5	16	4	16	7	16	5	16	6	15	5	15	4	15	4	3
4	8	2	16	3	19	3	21	5	24	2	27	3	29	9	11	6	10	3	...	1	10	2	10	2	4
5	9	10	10	9	12	7	14	6	13	8	10	12	9	9	8	10	8	9	8	10	12	7	24	4	5
6	27	4	25	4	23	4	20	7	17	7	18	8	18	7	17	5	...	1	12	3	...	...	21	5	6
7	24	7	25	9	24	10	21	9	20	7	20	10	21	8	22	6	20	2	...	1	20	8	22	9	7
8	22	13	25	9	25	8	24	7	22	7	21	9	22	6	22	5	20	3	14	2	...	1	21	5	8
9	27	6	23	9	21	9	20	11	20	11	21	8	21	5	20	3	18	5	18	4	19	6	21	7	9
10	20	8	20	10	19	7	18	8	17	9	17	6	18	7	18	4	18	3	18	5	18	5	17	5	10
11	19	7	19	7	19	6	18	9	18	9	19	6	18	5	18	5	18	8	19	4	18	4	18	6	11
12	20	10	19	11	19	12	18	12	17	8	17	7	19	6	21	5	20	5	20	4	21	4	21	3	12
13	21	11	20	14	19	12	19	11	19	12	19	10	18	5	18	5	19	6	19	7	19	7	19	3	13
14	24	7	21	10	20	11	19	13	19	11	19	11	19	11	20	9	21	5	...	1	21	4	20	6	14
15	23	8	23	9	21	9	18	10	19	11	19	10	19	8	20	10	20	13	19	8	20	5	24	8	15
16	23	8	20	11	18	10	18	9	19	10	19	10	20	11	21	10	21	9	21	9	22	4	22	6	16
17	20	14	19	13	18	12	19	11	21	10	23	7	22	7	21	6	20	3	19	3	18	2	...	1	17
18	20	8	20	12	20	9	20	9	20	11	19	8	19	3	24	4	26	3	23	5	...	1	23	2	18
19	19	18	19	18	19	19	19	17	19	14	20	14	20	13	20	12	20	10	18	6	20	7	19	9	19
20	20	12	20	11	19	15	19	16	19	16	19	14	20	12	20	9	21	10	21	9	20	8	15	2	20
21	23	8	22	7	21	6	20	6	19	3	...	1	18	3	19	4	20	3	20	2	...	1	...	...	21
22	9	21	8	17	8	16	7	14	8	10	8	10	8	9	8	12	8	12	8	11	9	10	9	9	22
23	24	8	22	7	22	6	23	6	24	8	21	13	20	10	22	8	28	7	26	7	24	5	24	6	23
24	22	14	23	12	22	13	22	12	23	10	23	9	21	11	21	14	25	10	25	11	26	9	26	12	24
25	23	10	22	12	22	9	22	11	21	11	19	9	20	13	20	17	20	10	22	8	21	9	21	5	25
26	18	21	18	25	17	25	18	22	18	19	18	16	18	15	17	15	18	24	16	16	19	20	19	13	26
27	18	15	17	16	16	10	16	11	12	7	16	8	16	14	16	9	17	7	18	7	18	5	18	9	27
28	15	13	17	3	17	6	16	11	17	10	17	15	16	15	17	14	17	7	17	12	17	4	17	10	28
29	12	9	11	11	9	11	8	12	9	18	9	19	7	17	6	13	6	3	6	5	7	8	8	8	29
30	7	16	8	18	9	17	8	14	8	12	11	12	13	2	12	8	11	10	9	11	8	10	8	12	30
31	10	13	9	15	9	16	9	13	9	15	10	12	10	14	10	10	9	12	8	13	8	13	7	7	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of AUGUST, 1882.

(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	SSW	cu	SSW	nb	SSW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW
2	cu	SW	cu	SW	nb	SW	cu	SW	cu	WSW	ci-st / cu	NE / WSW	sci-st / cu	ENE / SW	cu	SW
3	cu	SW	cu-nb	SW	a-cu / cu	E / WSW	nb	SW	nb	SW	cu	WSW	ci-st / cu	ENE / SW	cu	SW
4	cu	SW	cu	SW	nb	SW	nb	SSW	cu-nb	SW	nb	SW	nb	SW	nb	SW
5	nb	SW	nb	SW	nb	SSE	nb	W	a-cu / cu	NNE / SSW	cu	SW	a-cu / cu	NE / SSW	cu	ESE
6	nb	ESE	nb	ESE	nb	WSW	cu	WSW	cu	WSW	ci-st / cu	ENE / W	ci-st / cu	ENE / W	cu	W
7	cu	WSW	nb	WSW	cu	WSW	cu	WSW	sci-st / cu	ENE / W	cu	W	cu	W	cu	SW
8	cu	SW	cu	SW	cu	SSW	cu	WSW	nb	WSW	cu-nb	WSW	st-cu	WSW	st-cu	WSW
9	cu	WSW	cu	WSW	a-cu / cu	WNW / SW	ci-st / cu	NW / WSW	cu	SW	cu	SW	ci-st / cu	WNW / SW	cu	SW
10	cu	SW	cu	SW	cu	SW	nb	SW	cu	SW	cu	SW	cu	SW	cu	SW
11	cu	SW	cu	SW	cu	SW	cu	SSW	nb	SSW	cu	SSW	cu	SW	cu	SW
12	cu	SW	cu-nb	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SSW	cu	SSW
13	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	ci-st / cu	NW / SW	cu	SW
14	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	ci-st / cu	WNW / SW	cu	WSW
15	cu	WSW	cu	WSW	cu	WSW	di-st / cu	NNE / W	cu	W	ci-st / cu	ENE / W	a-cu / cu	NE / WSW	a-cu / cu	NE / SW
16	a-cu / cu	NE / WSW	...	...	ci-st / cu	NE / W	cu	WSW	cu	WSW	ci-st / cu	ENE / SW	cu	WSW	cu	WSW
17	cu	W	cu	SW	cu	SW	cu	WSW	a-cu / cu	ENE / WSW	cu	WSW	ci-st	ENE	cu	SW
18	cu	SW	cu-nb	SW	cu-nb	SW	cu	SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	cu	SSW
19	cu-nb	SSW	cu	SSW	cu	SW	nb	SW	cu	SW	cu	SW	cu	WSW	cu	SW
20	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	ci-st / cu	E / WSW	ci-st / cu	ENE / SW	ci-st	ENE
21	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	cu	WSW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st	E
22	cu	WSW	cu	WSW	cu	SW	a-cu / cu	E / SW	cu	SW	cu	SW	st-cu	SW	cu	SW
23	ci-st	E	ci-st	E	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st / cu	ESE / WSW	ci-st / cu	E / SW	ci-st / cu	ENE / SW	nb	SW
24	a-cu / cu	E / SW	cu	SW	cu	WSW	a-cu / cu	WNW / W	cu	W	ci-st / cu	ENE / W	cu	SW	...	...
25	cu	WSW	cu	SW	a-cu / cu	NE / WSW	cu	WSW	a-cu / cu	ENE / SW	a-cu / cu	ENE / SW	a-cu / cu	NE / WSW	cu	WSW
26	cu	SW	nb	SW	nb	W	cu	W	nb	WSW	nb	WSW	nb	SW	nb	SW
27	nb	SW	nb	SW	nb	SW	nb	SW	nb	WSW	nb	WSW	nb	SW	nb	SW
28	nb	SSW	nb	SSW	nb	SSW	nb	SSW	nb	SSW	nb	SSW	nb	SSW	nb	S
29	nb	S	nb	S	nb	SSW	nb	SSW	cu-nb	S	nb	S-E	nb	SE	nb	SE
30	nb	SE	nb	SE	nb	ESE	cu	ESE	a-cu / cu	SSE / E	cu	ESE	nb	E	cu	E
31	cu	ESE	cu	ESE	cu	ESE	cu	ESE	ci-st / cu	NW / ESE	ci-st / cu	NW / ESE	ci-st / cu	NW / E	cu	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1932.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·403	86·7	79·0	7·7	82·5	78·6	0·932	84	86	4·0	31	0·005	1	— 2·8	— 3·4	230	4·4	5·8
2	·438	87·3	81·8	5·5	83·8	78·7	·922	80	71	6·1	47	0·010	...	— 3·9	— 4·6	230	6·0	6·6
3	·523	84·3	81·5	2·7	82·7	78·3	·917	82	88	1·4	11	0·045	1	— 3·8	— 3·0	218	4·8	6·1
4	·614	82·9	75·1	7·8	80·5	77·5	·907	87	96	...	...	6·110	13	— 0·3	+ 0·2	146	0·4	2·7
5	·651	84·0	77·2	6·8	79·9	77·5	·914	89	92	0·9	7	0·230	6	— 1·9	+ 7·0	105	7·3	8·0
6	·628	85·7	76·7	9·0	80·9	77·1	·886	84	62	10·0	77	0·195	6	— 1·3	+ 0·6	155	1·4	4·3
7	·603	89·7	78·6	11·1	83·0	78·1	·905	80	65	8·1	62	0·010	1	— 1·7	— 4·8	251	5·1	5·8
8	·593	86·0	80·6	5·4	82·4	78·7	·937	85	87	3·1	24	0·015	1	— 3·0	— 6·5	245	7·2	7·7
9	·586	86·4	81·0	5·4	82·6	78·2	·914	82	83	6·6	51	0·015	...	— 2·3	— 5·3	247	5·8	6·4
10	·609	87·4	81·0	6·4	83·5	77·8	·886	77	69	6·6	51	0·005	1	— 5·2	— 3·3	212	6·2	6·2
11	·669	87·9	82·1	5·8	83·8	77·9	·887	76	64	9·5	73	0·040	1	— 4·5	— 2·4	208	5·1	5·3
12	·657	88·1	82·0	6·1	84·2	78·8	·922	78	66	10·9	84	0·100	1	— 4·6	— 5·1	228	6·9	7·4
13	·592	90·1	81·4	8·7	84·3	79·1	·934	80	45	10·3	80	0·015	...	— 4·6	— 6·0	233	7·6	8·0
14	·600	89·8	81·9	7·9	84·9	79·3	·936	79	45	11·6	90	...	...	— 3·2	— 5·5	240	6·4	7·2
15	·627	90·9	80·8	10·1	84·8	79·9	·964	80	67	8·4	65	0·030	...	— 3·4	— 6·2	241	7·1	7·8
16	·643	89·6	79·6	10·0	83·8	78·9	·931	80	41	10·3	80	...	...	— 2·4	— 5·6	247	6·1	7·0
17	·663	88·0	81·0	7·0	83·5	78·9	·934	82	60	9·3	73	0·140	1	— 3·0	— 5·1	240	5·9	6·4
18	·674	88·2	77·8	10·4	83·3	78·8	·932	82	84	4·6	36	0·450	1	— 2·2	— 4·0	241	4·6	5·5
19	·705	87·9	80·8	7·1	83·5	78·4	·913	80	67	9·3	73	0·070	1	— 8·9	— 8·2	223	12·1	12·4
20	·743	90·1	80·9	9·2	84·3	78·7	·916	78	63	10·5	82	...	...	— 6·1	— 7·5	231	9·7	10·1
21	·708	89·5	81·0	8·5	84·1	79·1	·936	80	61	7·4	58	...	...	— 2·1	— 4·8	246	5·2	5·7
22	·681	82·8	78·9	3·9	80·8	77·7	·912	87	70	8·8	69	...	...	— 1·0	+ 9·6	96	9·7	10·1
23	·664	88·4	78·2	10·2	82·5	77·7	·894	81	76	8·4	66	0·010	1	— 1·1	— 2·8	249	3·0	7·3
24	·597	88·6	79·8	8·8	83·5	78·4	·913	80	44	10·8	85	...	...	— 1·4	— 9·2	261	9·3	9·6
25	·565	88·9	81·8	7·1	83·7	78·1	·897	78	76	4·3	34	...	...	— 2·1	— 9·2	257	9·4	10·5
26	·642	86·1	76·5	9·6	79·8	76·9	·890	87	98	0·3	2	3·830	11	— 13·5	— 7·9	210	15·6	16·2
27	·704	82·7	76·0	6·7	78·6	75·6	·850	87	100	...	...	3·405	17	— 9·1	— 4·2	205	10·0	11·5
28	·708	78·1	74·0	4·1	76·2	73·9	·809	90	100	...	...	4·465	21	— 8·1	+ 1·4	170	8·2	9·1
29	·736	79·5	74·3	5·1	76·1	73·9	·810	90	100	...	...	1·210	19	— 2·9	+ 5·1	120	5·9	8·7
30	·803	81·7	74·2	7·5	77·0	74·2	·812	88	83	4·7	37	0·355	3	— 0·8	+ 11·0	94	11·0	11·6
31	·815	83·4	74·6	8·8	78·4	75·5	·849	87	59	9·3	74	0·105	...	— 1·4	+ 10·7	97	10·8	11·0
Means.	29·640	86·5	79·0	7·5	82·0	77·7	0·902	83	73	Sums. 195·5	49	Sums. 20·385	Sums. 107	— 3·6	— 2·5	215	4·4	8·0
Normals	29·614	86·6	77·9	8·7	81·7	77·6	0·899	84	67	201·9	51	14·471	70	— 2·2	+ 2·1	137	3·1	9·4
Absolute Max.	29·860	90·9	...	11·1	...	83·5	1·077	...	...	11·6	90	6·110	21	...	...	...	...	25·0†
Day.	31	15	...	7	...	16	16	...	...	14	14	4	28	...	...	...	...	Mid 14h 18h
Absolute Min.	29·364	...	74·0	2·7	...	72·1	75·2	64	...	...	...	...	...	...	...	...	...	...
Day.	1	...	28	3	...	28	27	15	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

												Sums.	Sums.					
Means.	1005·6	303·3	299·1	4·2	300·8	298·4	30·5	...	...	...	...	530·5	107	— 1·2	— 0·8	215	1·4	2·6
Normals	1004·7	303·3	298·5	4·8	300·6	298·3	30·4	...	...	...	...	367·6	70	— 0·7	+ 0·7	137	1·0	3·1
Absolute Max.	1013·1	305·7	...	6·2	...	301·6	36·5	...	...	...	...	155·2	21	...	...	...	...	8·2
Absolute Min.	996·2	...	296·3	1·5	...	295·3	25·5	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 22 days. The mean hourly intensity was 0·195*ins*, and the maximum fall in one hour was 2·030*ins* at 20*h* on the 4th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 51 miles per hour from South at 6*h* 40*m* on the 28th.

Clouds with base less than 2,000 feet high were observed on 10 days.

Clouds with base less than 1,000 feet high were observed on 4 days.

*0° = N., 90° = E., &c.

† Maximum velocity for one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1932.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10)	Percentage of Possible Sunshine.	Rainfall Amount.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. *Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	ins.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·646	80·5	77·3	0·900	86	80		0·565	— 2·8	— 2·4	221	3·9	5·6
2	·636	80·3	77·2	·896	86	84		0·475	— 3·3	— 2·5	217	4·1	6·0
3	·625	80·4	77·2	·897	86	84		0·440	— 2·8	— 2·8	225	4·0	5·8
4	·622	80·4	77·2	·897	86	81		0·020	— 2·7	— 2·6	224	3·7	6·6
5	·623	80·3	77·1	·894	86	83		0·165	— 2·8	— 2·5	222	3·7	7·3
6	·629	80·2	77·0	·891	86	79	12	0·630	— 2·4	— 2·1	221	3·2	6·9
7	·642	80·4	77·1	·892	86	81	39	1·235	— 2·6	— 2·2	220	3·4	7·4
8	·656	81·0	77·4	·898	85	76	51	1·185	— 1·7	— 3·4	243	3·8	7·5
9	·665	81·7	77·9	·912	85	75	50	0·805	— 1·1	— 3·3	252	3·5	7·1
10	·670	82·7	78·4	·922	83	73	59	0·585	— 1·2	— 2·7	246	3·0	7·7
11	·668	83·6	78·7	·925	80	75	59	2·353	— 1·9	— 3·4	241	3·9	9·5
Noon.	·660	84·0	78·7	·921	79	70	63	2·125	— 3·3	— 3·9	230	5·1	10·2
13	·645	84·9	79·1	·928	78	68	58	1·245	— 4·5	— 3·5	218	5·7	10·2
14	·629	85·1	78·8	·913	76	72	61	0·730	— 5·5	— 3·6	213	6·6	10·8
15	·618	84·9	78·8	·915	77	70	60	0·380	— 6·0	— 2·7	204	6·6	10·4
16	·607	84·4	78·4	·903	76	73	57	0·200	— 6·5	— 3·0	205	7·2	10·4
17	·604	83·7	78·1	·898	78	70	49	0·355	— 6·3	— 2·4	201	6·7	9·9
18	·609	82·8	77·9	·900	80	73	17	1·555	— 6·1	— 2·3	201	6·5	9·6
19	·619	82·0	77·6	·896	83	72		0·910	— 5·5	— 2·4	204	6·0	9·0
20	·636	81·4	77·4	·894	83	65		2·395	— 4·9	— 2·0	202	5·3	8·3
21	·653	81·2	77·3	·892	84	58		1·340	— 3·9	— 1·6	202	4·2	7·2
22	·667	81·0	77·2	·890	84	63		0·410	— 3·2	— 0·9	196	3·3	6·6
23	·671	80·9	76·9	·879	83	64		0·385	— 3·1	— 1·3	203	3·4	6·1
Midn.	·668	80·6	77·0	·886	85	73		0·395	— 2·7	— 2·0	217	3·4	6·2

Phenomena :—

Solar halo :—on the 5th, 7th and 10th.
Lunar halo :—on the 16th and 21st.
Lunar corona :—on the 12th, 14th, 16th, 17th, 19th 20 and 23rd.
Rainbow :—on the 5th, 13th, 24th and 29th.
Unusual visibility :—on the 30th and 21st.
Dew :—on the 31st.
Lightning:—on the 1st, 4th, 15th, 22nd, 23rd, 24th and 26th.
Thunder :—on the 3rd 4th, 8th and 13th.

Thunderstorms :—

4*d*. 7*h*. 40*m*. to 8*h*. 10*m*. in N.N.W.; distant.
4*d*. 10*h*. 50*m*. to 11*h*. 45*m*. N.W. to S.E.; nearest at 11*h*. 13*m*. (7*s*).
4*d*. 19*h*. 31*m*. to 20*h*. 25*m*. S.S.E. to N.N.W.; nearest at 19*h*. 58*m*. (4*s*).
9*d*. 11*h*. 12*m*. to 11*h*. 50*m*. in N.N.W.; distant.
23*d*. 21*h*. 16*m*. to 21*h*. 49*m*. in N.N.W.; distant.

ADOPTED ERRORS OF TIMEBALL, AUGUST, 1932.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	+ 0·1	11	0·0	21	0·0
2	0·0	12	0·0	22	0·0
3	0·0	13	0·0	23	0·0
4	0·0	14	+ 0·1	24	+ 0·1
5	0·0	15	+ 0·1	25	+ 0·2
6	0·0	16	+ 0·1	26	+ 0·1
7	0·0	17	— 0·1	27	+ 0·1
8	0·0	18	0·0	28	+ 0·1
9	0·0	19	0·0	29	+ 0·1
10	0·0	20	0·0	30	+ 0·1
				31	+ 0·1

+ = Late ; — = Early.
The above may also be regarded as the errors of the time signals by radio telegraphy and by signal lights.
The probable error for the month was ± 0·10

* 0° = N. 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

AUGUST,

1932.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	31st JULY, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	1st AUGUST, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.74	755.5	...	...	NE	3	...	5	29.86	758.5	...	...	N	1	...
Hokodate,	,,	29.70	754.5	...	...	NNW	4	...	,,	29.86	758.5	...	...	...	0	...
Tokio,	,,	29.72	755.0	...	...	S	1	...	,,	29.76	756.0	,,	...	NE	1	...
Kochi,	,,	29.84	758.0	...	...	NE	1	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.78	756.5	...	...	ESE	1	...	,,	29.75	755.5	...	...	E	1	...
Kagoshima,	,,	29.78	756.5	...	...	E-E	1	...	,,	29.73	755.0	...	...	E	1	...
Oshima,	,,	29.61	752.0	...	...	SE	1	...	,,	29.55	750.5	...	...	SE	1	...
Naha,	,,	29.51	749.5	...	...	E	3	...	,,	29.39	746.5	...	...	ESE	3	...
Ishigakijima,	,,	29.27	743.5	...	...	ENE	5	...	,,	29.08	738.5	...	...	NW	4	...
Bonin Island,	,,	29.88	759.0	...	...	NNE	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.70	754.4	94	8	SW	2	b	6	29.71	754.6	77	6	S	2	b
Shanghai,	14	29.67	753.7	91	6	E	4	c	,,	29.60	751.8	83	6	ENE	4	o
Gutzlaff,	,,	29.72	754.9	81	4	ENE	4	m	,,	29.62	752.3	79	4	NE	6	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.54	750.3	84	6	NE	4	bc	7	29.48	748.8	82	8	NW	2	b
Amoy,	,,	29.52	749.8	83	6	N	4	o	6	29.40	746.7	81	6	WSW	4	o
Swatow,	,,	29.54	750.2	79	...	SE	3	r	,,	29.49	748.9	79	...	W	1	c
Taihoku,	11	29.49	749.0	83	...	WSW	2	r	5	29.38	746.3	77	...	SSE	2	r
Tuichu,	,,	29.52	749.9	85	...	...	0	o	,,	29.44	747.8	77	...	...	0	r
Tainan,	,,	29.50	749.4	86	...	...	0	o	,,	29.43	747.5	79	...	WSW	2	r
Koshun,	,,	29.48	748.9	85	...	NW	2	o	,,	29.42	747.3	81	...	W	4	o
Pescadores,	,,	29.51	749.5	86	...	W	2	o	,,	29.41	747.0	79	...	NNE	2	r
Hong Kong,	14	29.44	747.8	78	5	E	2	od	6	29.44	747.8	80	6	...	0	od
Gap Rock,	,,	29.44	747.8	83	7	SSW	5	o	,,	29.46	748.2	82	7	S	4	op
Macao,	,,	29.41	747.1	79	1	W	4	d	,,	29.43	747.4	76	6	...	0	o
Hoihow,	,,	29.41	747.1	88	...	WSW	2	bo	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.48	748.9	85	8	SW	4	o	6	29.52	749.9	83	8	SW	6	o
Phulien,	15	29.37	746.0	86	7	W	3	c	7	29.39	746.6	79	8	W	2	c
Tourane,	,,	29.49	749.0	88	8	WSW	1	c	,,	29.50	749.4	82	8	WSW	2	d
Cape St. James,	,,	29.75	755.7	84	6	SW	4	z	,,	29.80	756.9	77	7	SW	5	z
Basco,	14	29.46	748.4	81	4	WSW	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.55	750.6	79	6	...	0	d	,,	29.54	750.3	77	6	...	0	d
Tuguegarao,	,,	29.56	750.7	79	4	...	0	d	,,	...	...	...	...	...	...	...
Vigan,	,,	29.57	751.1	83	6	SW	4	r	,,	...	...	...	...	...	...	...
Manila,	,,	29.65	753.0	85	6	SW	4	bo	,,	29.67	753.7	79	6	SW	4	o
Legaspi,	,,	29.64	752.8	88	8	WSW	4	o	,,	29.68	753.8	81	6	WSW	2	c
Calboyog,	,,	29.69	754.1	86	8	SW	6	c	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.69	754.1	91	8	SW	4	c	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.70	754.4	86	8	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.70	754.4	86	8	SSW	4	c	,,	...	...	...	...	...	...	...
Surigao,	...	29.70	754.3	91	8	WSW	2	c	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	6	...	0	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.5	...	8	S	2	c	5	29.81	757.1	...	1	...	0	bo
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.89	759.4	88	4	E	6	b	6	...	...	...	...	...	...	...

Warnings.

July 31d. 17h. 25m.—Typhoon within 30 miles of Lat. 24° N. Long. 124° E., moving North.
August 1d. 9h. 55m.—Typhoon within 30 miles of Lat. 24° N. Long. 124° E., moving North.

August 1d. 10h. 10m.—Pressure is highest over the Pacific to the east of Japan. A depression covers S.W. China. The typhoon is situated to the immediate east of Ishigakijima moving slowly northward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.75 mm. Total since January 1st, 61.95 inches, against an average of 52.10 inches.

Manila warning. 31d. 15h. 30m.:—Typhoon in Lat. 23° N. Long. 124° E. moving North. Recd 31d. 15h. 55m.

Shanghai warning 1d. 9h. 10m.:—A severe typhoon within 60 miles of Lat. 26° N. Long. 124° E., moving N.N.W. Recd. 1d. 9h. 21m.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate to fresh; cloudy.
B.—Turnabout to Hong Kong,	Variable winds, light to moderate; cloudy, showery.
C.—Hong Kong to Gap Rock,	S.W. winds, moderate; cloudy, occasional rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	S.W. winds, moderate to fresh; cloudy, local showers.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st AUGUST, 1932.								2nd AUGUST, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.74	755.5	66	...	W	6	f	6	29.81	757.1	63	...	SSE	3	f
Nemuro,	11	29.84	758.0	...	...	NNW	2	...	5	29.84	758.0	..	...	WNW	1	...
Hokodate,	,,	29.86	758 5	...	...	SSW	1	...	,,	29.84	758.0	...	...	NNE	1	...
Tokio,	,,	29.74	755.5	...	...	E	1	...	,,	29.84	758.0	..	...	WNW	1	...
Kochi,	,,	29.82	757.5	...	...	SE	1	...	,,	29.82	757.5	...	...	...	...	...
Nagasaki,	,,	29.70	754.5	...	...	ESE	1	...	,,	29.67	753.5	...	...	SE	1	...
Kagoshima,	,,	29.72	755.0	...	...	SSE	1	...	,,	29.65	753.0	...	...	SE	1	...
Oshima,	,,	29.57	751.0	...	...	SSE	3	...	,,	29.37	746.0	...	...	NW	5	...
Naha,	,,	29.33	745.0	...	...	S6	6	...	,,	29.21	742.0	...	...	SSW	9	...
Ishigakijima,	,,	29.19	741.5	...	...	WNW	6	...	,,	29.39	746.5	...	...	WSW	3	...
Bonin Island,	,,	29.02	760.0	...	...	WSW	1	...	,,	29.92	760.0	...	...	...	0	...
Chefoo,	15	29.64	752.8	94	8	NE	2	bc	6	29.65	753.0	76	8	...	0	b
Shanghai,	14	29.56	750.7	91	6	ENE	4	c	,,	29.49	749.0	83	6	NNE	4	c
Gutzlaff,	,,	29.60	751.8	83	4	NE	4	m	,,	29.49	749.0	79	4	NNE	4	p
Wenchow,	,,	...	...	...	...	...	...	...	6	29.65	753.0	75	...	ENE	...	c
Foochow,	,,	29.46	748.2	82	6	NNE	2	o	7	29.46	748.3	77	6	W	2	bc
Amoy,	,,	29.43	747.5	86	6	SE	4	o	6	29.41	747.0	81	6	ENE	4	o
Swatow,	,,	29.53	750.0	84	...	SSW	3	o	,,	29.48	748.8	79	...	NNW	1	c
Taihoku,	11	29.41	747.0	85	...	WSW	4	o	5	29.42	747.3	77	...	NW	2	o
Taichu,	,,	29.48	748.7	79	...	...	o	o	,,	29.49	749.0	76	...	...	o	r
Tainan,	,,	20.48	748.9	85	...	WSW	2	r	,,	29.46	748.3	79	...	SW	4	o
Koshun,	,,	29.50	749.3	77	...	WSW	4	r	,,	29.49	748.9	81	...	SW	4	o
Pescadores,	,,	29.46	748.4	85	...	NW	4	o	,,	...	...	..	...	...	...	...
Hong Kong,	14	29.45	748.0	87	6	SW	2	o	6	29.45	748.0	83	6	SW	2	o
Gap Rock,	,,	29.45	748.0	84	7	SW	4	o	,,	29.46	748.2	83	7	SW	4	o
Macao,	,,	29.43	747.4	88	4	SW	2	bc	,,	29.44	747.7	77	4	W	2	o
Hoihow,	,,	29.43	747.5	91	1	SW	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.52	749 8	85	8	SSW	6	o	6	29.51	749.6	83	8	SW	6	o
Phulien,	15	29.35	745.6	90	8	W	2	o	7	29.43	747.4	81	8	SE	2	c
Tourane,	,,	29.48	748 8	93	8	W	3	c	,,	29.53	750.0	83	8	SE	2	bc
Cape St. James,	,,	29.76	755.8	86	7	WSW	4	bc	,,	29.80	757.0	77	8	SW	4	b
Basco,	14	29.50	749.2	83	6	WSW	6	o	6	29.62	752.2	83	6	WSW	6	o
Aparri,	,,	29.55	750.5	91	6	SW	2	o	,,	29.58	751.3	79	6	S	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.58	751.4	76	1	...	o	bc
Vigan,	,,	29.61	752.2	85	6	WSW	4	o	,,	29.64	752.8	77	6	SSW	4	o
Manila,	,,	29.68	753.8	83	6	SW	6	o	,,	29.70	754.3	79	6	SSW	2	o
Legaspi,	,,	29.66	753.3	86	8	WSW	4	bc	,,	29.70	754.4	77	6	WSW	2	o
Calboyog,	,,	29.71	754.7	86	8	SW	6	bc	,,	29.75	755.6	76	8	SW	4	bc
Tacloban,	,,	29.71	754.7	91	8	E	2	bc	,,	29.77	756.1	79	6	...	o	bc
Iloilo,	,,	29.73	755.2	91	8	SW	4	bc	,,	29.77	756.1	77	6	SSW	2	o
Ceba,	,,	29.71	754.6	88	8	SW	4	bc	,,	29.76	755.9	81	8	SW	2	b
Surigao,	...	29.70	754.4	91	8	WSW	4	b	,,	29.77	756.1	76	4	...	o	o
Saipan,	11.00	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	E	2	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	..	...	...	...	...	...	...	5	29.80	757.0	...	6	E	2	bc
Pelew,	,,	...	...	...	...	...	....	...	,,	...	...	...	...	...	...	...
Lahanan,	14	29.90	759.4	86	4	SW	6	bc	6	29.91	759.7	74	4	E	...	bc

Warnings.

August 1*d*. 18*h*. 15*m*.—Typhoon within 30 miles of Lat. 25° N. Long. 125° E., moving N.N.E.
August 2*d*. 9*h*. 50*m*.—A severe typhoon within 60 miles of Lat. 27° N. Long. 128° E., moving N.E.

August 2*d*. 10*h*. 25*m*.—Pressure is highest over the Pacific to the east of the Bonins, and relatively low over S. China.

The typhoon is situated to the immediate north of Naha, moving north-east.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 61.96 *inches, against an average of 52.59 inches.*

Manila warning. 1*d*. 9*h*. 45*m*.:—Typhoon over or near Misacosima moving N.N.E. or N.E. Recd. 2*d*. 10*h*. 29*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, fresh; cloudy.
B.—Turnabout to Hong Kong,	S.W. winds, moderate; cloudy, occasional rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.84	758.0	...	...	W	3	...	5	29.92	760.0	...	...	SSW	1	...
Hokodate,	,,	29.84	758.0	...	...	S	1	...	,,	29.88	759.0	...	...	...	...	...
Tokio,	,,	29.82	757.5	...	...	...	0	...	,,	29.92	760.0	..	...	...	0	...
Kochi,	,,	29.82	757.5	...	...	SE	1	...	,,	29.82	757.5	...	...	SE	2	...
Nagasaki,	,,	20.63	752.5	...	...	E	3	...	,,	29.55	750.5	...	...	SE	2	...
Kagoshima,	,,	29.61	752.0	...	...	SE	3	...	,,	29.63	752.5	...	...	S	3	...
Oshima,	,,	29.39	746.5	...	...	S	4	...	,,	29.61	752.0	...	...	S	1	...
Naha,	,,	29.39	746.5	...	...	SSW	6	...	,,	29.63	752.5	...	...	SSW	6	...
Ishigakijima,	,,	29.47	748.5	...	...	W	4	...	,,	29.57	751.0	...	...	SW	4	...
Bonin Island,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.96	761.0	...	...	...	0	...
Chefoo,	15	29.59	751.7	86	8	E	4	b	6	29.52	749.9	77	6	...	0	b
Shanghai,	14	29.45	748.0	88	6	NE	4	o	,,	29.43	747.5	79	6	W	6	o
Gutzlaff,	,,	29.45	748.0	81	4	N	4	m	,,	29.57	751.1	79	4	WNW	6	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.44	747.8	86	8	S	2	b	7	29.56	750.8	82	8	W	2	b
Amoy,	,,	29.46	748.2	86	6	...	0	b	6	29.52	749.8	81	6	SW	4	bc
Swatow,	,,	20.49	749.0	85	...	SSW	3	c	,,	29.58	751.4	81	...	SW	3	b
Taihoku,	11	29.46	748.3	86	...	WSW	4	o	5	29.54	750.3	77	...	...	0	bc
Taichu,	,,	29.54	750.4	79	...	S	2	o	,,	29.61	752.0	74	..	...	0	It
Tainan,	,,	29.54	750.3	79	...	WSW	4	r	,,	29.56	750.8	81	...	S	4	c
Kosbun,	,,	29.57	751.0	83	...	SW	4	o	,,	29.60	751.9	81	...	SW	4	r
Pescadores,	,,	...	...	...	...	...	..	...	,,	29.53	750.1	81	...	SW	4	o
Hong Kong,	14	20.49	749 0	87	7	SSW	2	c	6	29.54	750.3	82	7	SW	1	c
Gap Rock,	,,	29.49	749.0	83	7	SW	4	o	,,	29.54	750.3	84	7	SW	4	o
Macao,	,,	29.47	748.6	88	4	SW	2	c	,,	29.52	749.8	81	6	...	0	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.54	750.4	85	8	SSW	6	c	6	29.58	751.3	81	6	SW	6	d
Phulien,	15	29.41	747.0	91	8	SW	2	bc	7	29.48	748.7	79	8	W	2	o
Tourane,	,,	29.54	750.3	91	8	SE	2	bc	,,	29.59	751.6	84	8	...	0	c
Cape St. James,	,,	29.78	756.4	86	8	SW	4	b	,,	29.84	757.9	77	7	SW	3	bc
Basco,	14	29.57	751.1	85	6	SW	6	o	6	...	...	..	..	...	...	...
Aparri,	,,	29.59	751.6	91	6	SW	4	o	,,	29.65	753.0	77	6	S	2	o
Tuguegarao,	,,	29.57	751.0	94	6	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.66	753.4	79	6	SSW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.9	86	6	WSW	4	o	,,	29.73	755.0	81	6	WSW	4	bc
Legaspi,	,,	29.69	754.1	91	8	SW	4	bc	,,	29.71	754.6	79	6	SW	2	c
Calboyog,	,,	29.75	755.6	86	8	SW	4	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.75	755.6	86	6	SE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	91	8	SW	4	bc	,,	...	...	...	...	...	...	...
Cebu,	,,	29.73	755.2	86	8	SW	6	d	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.4	91	8	WSW	4	b	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.72	755.0	...	6	ESE	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.77	756.1	...	4	...	0	o	5	29.81	757.1	...	6	...	0	o
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.90	759.4	83	...	S	...	bc	6	29.91	759.7	74	4	SE	...	o

Warning.

August 2*d*. 15*h*. 40*m*.—Typhoon within 60 miles of Lat. 28° N. Long. 128° E., moving N.N.E.

August 3*d*. 10*h*. 00*m*.— Pressure is highest over the Pacific to the east of the Bonins, and low over South China. The typhoon is situated about 250 miles east of Shanghai, moving N.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 61.96 inches, against an average of 53.08 inches.

Shanghai warning 3*d*. 8*h*. 30*m*.:—A severe typhoon within 60 miles of Lat. 32° N. Long. 125° E., moving N.N.W. Recd. 3*d*. 8*h*. 54*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
A.—Shanghai to Turnabout,	W. and N.W. winds, fresh to strong; cloudy, rain.
B.—Turnabout to Hong Kong,	S.W. winds, moderate; cloudy, showery.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	4th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.86	758.5	...	...	SSW	3	...	5	29.76	756.0	...	...	WSW	1	...
Hokodate,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.73	755.0	...	...	N	1	...
Tokio,	,,	29.00	759.5	...	...	S	3	...	,,	29.90	759.5	..	...	SSW	1	...
Kochi,	,,	29.84	758.0	...	...	SE	3	...	,,	29.90	759.5	...	...	S	1	...
Nagasaki,	,,	29.61	752.0	...	...	SSE	6	...	,,	29.75	755.5	...	...	SSE	6	...
Kagoshima,	,,	29.69	754.0	...	...	S	2	...	,,	29.84	758.0	...	...	SSE	1	...
Oshima,	,,	29.69	754.0	...	...	S	2	...	,,	29.80	757.0	...	...	SSE	1	...
Naha,	,,	29.72	755.0	...	...	S	4	...	,,	29.82	757.5	...	...	SSE	1	...
Ishigakijima,	,,	29.65	753.0	...	...	SW	4	...	,,	29.75	755.5	...	...	SSW	2	...
Bonin Island,	,,	29.98	761.5	...	...	E-SE	1	...	,,	29.98	761.5	...	...	...	...	...
Chefoo,	15	29.47	748.6	85	8	N	4	b	6	29.55	750.6	77	6	NNW	4	be
Shanghai,	14	29.49	749.0	85	6	WSW	2	o	,,	29.67	753.5	77	6	SSW	2	e
Gutzlaff,	,,	29.56	750.8	81	4	W	6	m	,,	29.73	755.2	79	6	SSW	2	be
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.59	751.6	86	6	S	2	be	7	29.72	754.9	81	6	SSW	2	o
Amoy,	,,	29.73	755.1	88	...	SSW	...	c	6	29.62	752.4	83	6	S	4	o
Swatow,	,,	29.58	751.4	90	...	SW	3	c	,,	29.69	754.2	77	...	SE	1	r
Taihoku,	11	29.59	751.6	91	...	...	0	o	5	29.71	754.6	77	...	...	0	c
Taichu,	,,	29.69	754.1	74	...	N	2	r	,,	29.75	755.5	76	..	...	0	o
Tainan,	,,	29.66	753.4	79	...	SW	4	o	,,	29.73	755.2	76	...	SE	2	o
Koshun,	,,	29.67	753.7	83	...	SW	2	o	,,	29.71	755.2	76	...	...	0	r
Pescadores,	,,	29.61	752.2	83	...	SSW	6	o	,,	29.69	754.2	79	...	SSE	4	o
Hong Kong,	14	29.58	751.3	83	6	WNW	1	od	6	29.64	752.8	82	6	...	0	c
Gap Rock,	,,	29.58	751.3	84	7	SW	5	c	,,	29.63	752.6	84	7	SSW	4	c
Macao,	,,	29.56	750.8	83	6	...	0	o	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	..	..	...	...	...	...	...
Pratas Island,	,,	29.64	752 9	85	8	SW	4	o	6	29.69	754.0	83	8	SSW	4	o
Phulien,	15	29.46	748.2	90	9	S	1	c	7	29.52	749.8	81	8	SSW	5	u
Tourane,	,,	29.57	751.1	97	8	NW	1	be	,,	29.64	752.9	79	8	...	0	e
Cape St. James,	,,	29.82	757.4	88	7	SW	2	be	,,	29.84	757.9	77	7	WSW	5	be
Basco,	14	29.68	753.4	86	6	WSW	4	be	6	...	...	...	...	...	...	...
Aparri,	,,	29.69	754.0	91	6	N	2	o	,,	29.73	755.2	77	6	S	2	l
Tuguegarao,	,,	29.65	753.0	91	8	...	0	be	,,	...	...	...	...	...	...	...
Vigan,	,,	29.71	754.6	86	6	SSW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.5	88	8	WSW	4	be	,,	29.77	756.1	77	6	...	0	o
Legaspi,	,,	29.72	754.8	91	8	SW	4	o	,,	29.75	755.5	79	6	WSW	2	o
Calboyog,	,,	29.74	755.4	88	8	SW	4	be	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.2	91	8	NW	2	be	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.5	88	8	SW	4	be	,,	...	...	...	...	...	...	...
Cebu,	,,	29.73	755.2	86	8	SSW	4	be	,,	...	...	...	...	...	...	...
Surigao,	...	29.73	755.2	86	6	W	2	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	6	...	0	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	757.0	...	4	...	0	be	5	29.82	757.3	...	6	W	2	be
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.90	759.4	83	...	SE	...	be	6	29.91	759.7	76	...	S	...	o

August 4*d.* 10*h.* 00*m.*—Pressure is highest near the Bonins, and a shallow depression covers S.W. China. The typhoon is situated about 150 miles E.S.E. of Chefoo, moving N.N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1.03 inch. Total since January 1st, 62.98 inches, against an average of 53.57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S.W. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	4TH AUGUST, 1932.									5TH AUGUST, 1932.								
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Hourly.)		HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Hourly.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.67	753.6	72	...	SE	3	f		6	29.64	752.8	...	...	NW	1	f	
Nemuro,	11	29.67	753.5	...	...	WSW	2	...		5	29.76	756.0	...	...	ENE	1	...	
Hokodate,	,,	29.69	754.0	...	...	SSW	1	...		,,	29.67	753.5	...	...	...	...	...	
Tokio,	,,	29.84	758.0	...	...	SSW	3	...		,,	29.73	755.0	..	...	S	2	...	
Kochi,	,,	29.04	760.5	...	...	S	1	...		,,	29.82	757.5	...	...	...	0	...	
Nagasaki,	,,	29.80	757.0	...	...	WSW	4	...		,,	29.82	757.5	...	...	W	3	...	
Kagoshima,	,,	29.84	758.0	...	...	S	2	...		,,	29.84	758.0	...	...	...	...	...	
Oshima,	,,	...	...	...	...	SSE	1	...		,,	29.84	758.0	...	...	...	0	...	
Naha,	,,	29.82	757.5	...	...	S	3	...		,,	29.82	757.5	...	...	ESE	1	...	
Ishigakijima,	,,	29.78	756.5	...	...	SSW	2	...		,,	29.78	756.5	...	...	ESE	1	...	
Bonin Island,	,,	29.94	760.5	...	...	ENE	1	...		,,	29.84	758.0	...	...	...	0	...	
Chefoo,	15	29.59	751.6	86	8	NW	4	b		6	29.67	753.6	83	6	W	2	bo	
Shanghai,	14	29.68	753.8	98	6	SSW	2	o		,,	29.73	755.0	77	6	SE	2	bo	
Gutzlaff,	,,	29.77	756.1	86	6	SSE	2	bc		,,	29.79	756.6	79	6	SSE	2	bc	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.74	755.4	86	8	S	2	b		7	29.79	756.6	82	8	S	2	bc	
Amoy,	,,	29.73	755.1	86	6	SE	2	bo		6	29.75	755.6	83	6	S	2	o	
Swatow,	,,	29.74	755.3	85	...	SW	3	o		,,	29.74	755.3	85	...	SW	3	o	
Taihoku,	11	29.73	755.2	88	...	WNW	2	o		5	29.78	756.3	77	...	...	0	o	
Taichu,	,,	29.77	756.1	86	...	SSW	2	o		,,	29.72	754.9	74	..	...	0	b	
Tainan,	,,	29.76	755.9	81	...	ESE	2	o		,,	29.76	755.8	...	...	E	2	o	
Koshun,	,,	...	...	...	...	...	...	...		,,	29.76	755.9	74	...	...	0	bo	
Pescadores,	,,	29.74	755.3	83	...	SSE	4	o		,,	29.75	755.6	79	...	SE	2	o	
Hong Kong,	14	29.64	752.8	82	6	...	0	od		6	29.71	754.7	78	4	ESE	2	or	
Gap Rock,	,,	29.66	753.3	84	7	SW	4	o		,,	29.70	754.4	84	7	S	4	op	
Macao,	,,	29.64	752.8	86	4	SW	2	o		,,	29.67	753.7	79	4	SSE	2	d	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.71	754.7	85	8	S	4	o		6	29.73	755.2	79	6	...	0	r	
Phulien,	15	29.55	750.6	91	8	S4W	4	bc		7	29.62	752.3	81	8	S	3	o	
Tourane,	,,	29.64	752.8	88	8	NE	2	b		,,	29.69	754.2	77	6	SSE	1	f	
Cape St. James,	,,	29.82	757.3	85	8	SW	4	bc		6	...	...	...	...	...	...	...	
Basco,	14	29.70	754.4	81	6	...	0	o		,,	...	...	...	...	...	...	...	
Aparri,	,,	29.73	755.2	86	6	N	4	o		,,	29.73	755.2	77	6	...	0	o	
Tuguegarao,	,,	29.68	753.8	91	4	...	0	o		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.72	754.9	85	6	SW	2	o		,,	...	...	...	...	...	...	...	
Manila,	,,	29.75	755.6	86	8	WSW	4	c		,,	29.77	756.1	76	6	...	0	bo	
Legaspi,	,,	29.71	754.7	79	6	SW	4	c		,,	29.74	755.3	76	6	SW	2	o	
Calbayog,	,,	29.75	755.6	81	8	SW	4	o		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.73	755.2	77	1	WNW	2	t		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.74	755.3	91	8	SW	2	o		,,	...	...	...	...	...	...	...	
Cebu,	,,	29.72	754.9	85	8	SSW	4	o		,,	...	...	...	...	...	...	...	
Surigao,	...	29.72	754.9	86	8	WSW	4	b		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.74	755.5	...	6	NW	2	o		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.82	757.3	...	6	S	2	bc		5	29.81	757.2	...	6	...	0	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.90	759.4	86	...	...	...	bc		6	29.91	759.7	76	4	SE	...	bc	

August 5d. 10h. 04m.—Pressure is highest near the Bonins, and the shallow depression remains over China. The typhoon exists as a depression to the south-east of Wladivostock.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 5.30 inch. Total since January 1st, 68.28 inches, against an average of 54.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	6th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.65	753.0	68	...	SE	6	f	6	29.77	756.1	63	...	N	1	m
Nemuro,	11	29.74	755.5	...	...	ENE	1	...	5	29.61	752.0	..	...	E	4	...
Hokodate,	..	29.59	751.5	...	...	ESE	1	...	..	29.53	750.0	...	...	...	0	...
Tokio,	,,	29.63	752.5	...	...	S	3	...	,,	29.57	751.0	.	...	S	1	...
Kochi,	,,	29.76	756.0	...	...	...	0	...	,,	29.69	754.0	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	W	2	...	,,	29.71	754.5	...	..	NW	2	...
Kagoshima,	,,	29.82	757.5	...	...	WNW	1	...	,,	29.73	755.0	...	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	NE	1	...	,,	29.78	756.5	...	...	...	0	...
Naha,	,,	29.82	757.5	...	...	E	1	...	,,	29.76	756.0	...	...	...	0	...
Ishigakijima,	,,	29.82	757.5	...	...	E	1	...	,,	29.71	754.5	...	...	ENE	1	...
Bonin Island,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.80	757.0	...	...	SW	1	...
Chefoo,	15	29.67	753.5	91	8	NW	4	b	6	29.66	753.4	79	8	NW	2	bc
Shanghai,	14	29.70	754.3	98	6	SE	2	c	,,	29.67	753.7	79	4	SE	2	m
Gutzlaff,	,,	29.77	756.1	86	6	SSE	2	bc	,,	29.73	755.1	77	6	SSE	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.76	755.9	84	8	SSE	4	bc	7	29.75	755.6	82	8	...	0	bc
Amoy,	,,	29.75	755.6	86	8	SE	4	b	6	29.75	755.6	81	6	S	2	c
Swatow,	..	29.79	756.7	79	...	SW	3	c	..	29.73	755.0	79	...	W	1	b
Taihoku,	11	29.79	756.7	91	...	...	0	bc	5	29.75	755.5	77	...	...	0	c
Taichu,	,,	29.81	757.2	88	...	...	0	b	,,	29.76	755.9	77	...	...	0	c
Tainan,	,,	29.78	756.4	88	...	SW	2	b	,,	29.73	755.0	76	...	...	0	b
Koshun,	,,	29.80	757.0	83	...	...	0	r	,,	29.70	754.4	76	...	...	0	bc
Pescadores,	,,	29.78	756.4	85	...	SW	2	b	,,	29.72	754.9	77	...	...	0	c
Hong Kong,	14	29.70	754.4	82	7	ESE	3	c	6	29.69	754.1	77	6	E	3	or
Gap Rock,	,,	29.71	754.6	84	8	SSE	4	c	,,	29.69	754.1	83	8	WNW	1	c
Macao,	,,	29.67	753.5	85	4	S	4	c	,,	29.65	753.1	76	6	...	0	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.74	755.5	81	6	...	0	b	6	29.70	754.3	77	8	...	0	bc
Phulien,	15	29.62	752.3	86	8	ESE	2	c	7	29.66	753.4	73	9	NE	3	c
Tourane,	,,	29.65	751.1	88	8	ENE	2	bc	,,	29.65	753.1	75	7	...	0	b
Cape St. James,	,,	29.78	756.4	79	8	WNW	6	t	,,	29.76	756.0	75	7	WSW	2	bc
Basco,	14	29.70	754.4	86	8	N	4	bc	6	29.65	753.1	79	8	N	...	b
Aparri,	,,	29.71	754.6	85	6	N	2	c	,,	29.66	753.3	77	6	WNW	2	c
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.66	753.3	76	1	...	0	c
Vigan,	,,	...	...	...	...	...	...	...	,,	29.69	754.2	76	6	...	0	c
Manila,	,,	29.72	755.0	85	8	SW	4	bc	,,	29.72	754.8	77	6	SW	4	r
Legnapi,	,,	29.70	754.4	86	8	SW	4	bc	,,	29.69	754.0	77	6	WSW	2	c
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.71	754.6	81	8	SW	6	c
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	79	8	...	0	c
Iloilo,	,,	29.75	755.6	85	8	SW	4	c	,,	29.73	755.2	81	6	SW	4	c
Cebu,	,,	...	...	...	...	...	...	...	,,	29.73	755.0	79	8	WSW	4	bc
Surigao,	...	29.74	755.3	86	8	WSW	4	c	,,	29.72	755.0	81	6	...	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.9	...	6	NNW	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.83	757.6	...	6	...	0	bc	5	29.84	757.8	...	6	W	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.90	759.4	86	4	SE	...	bc	6	29.91	759.7	76	4	SW	6	bc

Warning.

August 6*d*. 9*h*. 25*m*.—Typhoon within 120 miles of Lat. 18° N. Long. 126° E., moving W.N.W.

August 6*d*. 10*h*. 30*m*.—Pressure is low over China generally, and a depression covers central Japan.

A typhoon has formed about 250 miles east of north Luzon, and will probably move W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. today, 0.26 inch. Total since January 1st, 68.54 inches, against an average of 54.56 inches.

Manila warning. 6*d*. 8*h*. 00*m*.:—Typhoon in Lat. 18° N. Long. 127° E. moving W.N.W. Recd 6*d*. 8*h*. 38*m*.

Shanghai warning. 6*d*. 9*h*. 46*m*.:—Typhoon within 120 miles of Lat. 17° N. Long. 131° E. moving W.N.W. Recd. 6*d*. 10*h*. 07*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	S. winds, moderate ; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	E. or variable winds, moderate ; fair.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th AUGUST, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th AUGUST, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.80	757.0	68	...	SSE	2	f	6	29.90	759.4	66	...	E	1	b
Nemuro,	11	29.55	750.5	...	...	ENE	3	...	5	29.82	757.5	...	...	NNE	1	...
Hokodate,	,,	29.59	751.5	...	...	ESE	1	...	,,	29.80	757.0	...	...	...	0	...
Tokio,	,,	29.59	751.5	...	...	S	1	...	,,	29.76	756.0	...	...	...	0	...
Kochi,	,,	29.63	752.5	...	...	E	1	...	,,	29.75	755.5	...	...	W	1	...
Nagasaki,	,,	29.74	755.5	...	...	...	0	...	,,	29.76	756.0	...	...	ESE	3	...
Kagoshima,	,,	29.76	756.0	...	...	WNW	1	...	,,	29.76	756.0	...	...	...	0	...
Oshima,	,,	29.74	755.5	...	...	NNE	1	...	,,	29.75	755.5	...	...	...	0	...
Naha,	,,	29.72	755.0	...	...	ESE	1	...	,,	29.69	754.0	...	...	...	0	...
Ishigakijima,	,,	29.70	754.5	...	...	E	2	...	,,	29.65	753.0	...	...	NNE	1	...
Bonin Island,	,,	29.82	757.5	...	...	...	0	...	,,	29.86	758.5	...	...	SSE	1	...
Chefoo,	15	29.68	753.8	86	8	N	4	bc	6	29.68	753.8	77	6	...	0	c
Shanghai,	14	29.65	753.0	98	6	NNW	2	bo	,,	29.65	753.0	79	6	E	2	c
Gutzlaff,	,,	29.76	753.9	86	6	...	0	bc	,,	29.70	754.4	77	6	...	0	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.72	754.8	86	8	S	2	b	7	29.69	754.1	82	8	S	2	b
Amoy,	,,	...	...	86	6	S	4	b	6	29.65	753.1	83	6	SSE	2	b
Swatow,	,,	29.73	755.1	84	...	NE	3	c	,,	29.68	753.8	79	...	WNW	3	bc
Taihoku,	11	29.72	754.8	88	...	...	0	bc	5	29.67	753.7	76	...	...	0	bc
Tuchu,	,,	29.74	755.4	88	...	NNW	2	o	,,	29.71	754.6	77	...	...	0	o
Tainan,	,,	29.72	755.0	88	...	NW	2	b	,,	29.69	754.0	76	...	ENE	2	bc
Koshun,	,,	29.71	754.6	88	...	NNW	2	bc	,,	29.67	753.5	76	...	...	0	b
Pescadores,	,,	29.72	754.9	86	...	WSW	2	b	,,	29.67	753.7	79	...	SSE	2	bc
Hong Kong,	14	29.67	753.6	86	8	...	0	b	6	29.66	753.3	79	6	...	0	cp
Gap Rock,	,,	29.70	754.3	84	8	SE	1	b	,,	29.67	753.6	83	8	SW	3	c
Macao,	,,	29.66	753.3	88	4	S	2	o	,,	29.64	752.9	79	6	...	0	bc
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.70	754.3	88	8	...	0	bc	6	29.69	754.0	81	8	...	0	c
Phulien,	15	29.66	753.3	83	8	ESE	2	c	7	29.67	753.7	75	6	ENE	2	c
Tourane,	,,	29.64	752.9	91	8	ESE	2	b	,,	29.67	753.6	75	8	...	0	c
Cape St. James,	,,	29.76	756.0	86	8	SW	2	t	,,	29.81	757.2	73	7	W	3	c
Basco,	14	29.61	752.2	85	6	N	4	bc	6	29.63	752.5	79	6	NW	4	c
Aparri,	,,	29.63	752.5	81	6	NW	4	d	,,	29.66	753.3	76	6	S	2	d
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.67	753.5	76	1	...	0	c
Vigan,	,,	...	...	...	...	...	...	...	,,	29.70	754.3	76	6	SW	2	o
Manila,	,,	29.72	754.8	83	8	WSW	4	o	,,	29.72	754.9	79	6	SW	4	o
Legaspi,	,,	29.67	753.7	86	6	SW	4	o	,,	29.69	754.2	77	6	SW	4	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.73	755.2	83	8	SW	6	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	77	6	WNW	2	o
Iloilo,	,,	29.72	754.8	88	8	SW	4	o	,,	29.76	755.8	83	6	SW	4	c
Cebu,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	83	8	WSW	4	c
Surigao,	...	29.71	754.7	91	8	W	4	bc	,,	29.76	756.0	79	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	SW	2	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.9	...	6	SW	2	bc	5	29.86	758.3	...	8	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lahuan,	14	29.90	759.4	86	...	SE	...	bc	6	29.91	759.7	76	...	SE	...	bc

Warning.

August 6*d*. 17*h*. 05*m*.—Typhoon within 120 miles of Lat. 18° N. Long. 126° E., stationary or very slow.
August 7*d*. 10*h*. 35*m*.—Typhoon within 120 miles of Lat. 20° N. Long. 127° E., moving N.N.E.

August 7*d*. 10*h*. 45*m*.—Pressure is highest over S.E. Manchuria and to the east of the Bonins, it is relatively low over China.

The typhoon is about 300 miles to the east of the Balintang Channel, moving N.N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 68.55 inches, against an average of 55.07 inches.

Shanghai warning, 6*d*. 15*h*. 41*m*.:—Typhoon within 120 miles of Lat. 18° N. Long. 128° E. moving W.N.W. Recd. 6*d*. 15*h*. 58*m*.

Manila warning, 7*d*. 8*h*. 30*m*.:—Typhoon in Lat. 21° N. Long. 126° E. recurving north-eastward. Recd 7*d*. 9*h*. 15*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. or variable winds, moderate to light; fair.
B.—Turnabout to Hong Kong,	S. or variable winds, light to moderate; fair.
C.—Hong Kong to Gap Rock,	S.W. or variable winds, light to moderate; cloudy, showery.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

B. D. EVANS, *Chief Assistant.*

54657

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th AUGUST, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	8th AUGUST, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.90	759.5	...	...	ENE	2	...	5	29.67	753.5	...	...	...	0	..
Hokodate,	,,	29.84	758.0	...	...	SE	1	...	,,	29.54	760.5	...	...	ESE	2	...
Tokio,	,,	29.78	756.5	...	...	SE	1	...	,,	29.94	760.5	..	...	N	1	...
Kochi,	,,	29.80	757.0	...	...	SE	1	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	SE	3	...	,,	29.84	758.0	...	...	ENE	1	...
Kagoshima,	,,	29.80	757.0	...	...	...	0	...	,,	29.80	757.0	...	...	E	1	...
Oshima,	,,	29.74	755.5	...	...	E	1	...	,,	29.65	753.0	...	...	SE	1	...
Naha,	,,	29.67	753.5	...	...	ENE	3	...	,,	29.57	751.0	...	...	NNE	1	...
Ishigakijima,	,,	29.69	754.0	...	...	NE	2	...	,,	29.63	752.5	...	...	NW	1	...
Bonin Island,	,,	29.88	759.0	...	...	S	1	...	,,	29.90	759.5	...	...	...	0	...
Chefoo,	15	29.65	753.1	85	8	NE	4	be	6	29.62	752.3	79	4	SSE	2	be
Shanghai,	14	29.62	752 4	94	6	E	2	c	,,	29.66	753.3	79	6	SE	2	be
Gutzlaff,	,,	29.70	754.4	88	6	...	0	be	,,	29.73	755.1	77	6	SE	4	be
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.66	753.3	86	8	S	2	b	7	29.69	754.1	80	8	...	0	be
Amoy,	,,	29.69	754.1	86	6	SSE	4	b	6	29.65	753.1	83	6	ESE	2	b
Swatow,	,,	29.68	753.8	79	...	WNW	3	be	,,	29.68	753.9	83	...	SW	2	b
Taihoku,	11	29.70	754.3	91	...	WNW	2	be	5	29.66	753.3	77	...	...	0	b
Taichu,	,,	29.72	754 9	88	...	...	0	...	,,	29.69	754.0	77	...	...	0	b
Tainan,	,,	29.70	754.3	88	...	W	2	b	,,	20.67	753.5	77	...	SE	2	be
Koshun,	,,	29.69	754.0	86	...	NW	2	be	,,	29.66	753.3	76	...	...	0	b
Pescadores,	,,	29.70	754.4	88	...	S	2	b	,,	29.65	753.1	79	...	SSW	2	c
Hong Kong,	14	29.64	752.8	89	8	W	2	be	6	29.64	752.8	82	7	WSW	3	lic
Gap Rock,	,,	29.66	753.3	84	8	WNW	4	cp	,,	29.65	753.1	83	8	SW	4	c
Macao,	,,	29.63	752.6	91	4	SW	2	c	,,	29.62	752.3	79	4	WSW	2	c
Holhow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.68	753.8	88	8	SW	2	be	6	20.66	752.4	83	8	SW	4	c
Phulien,	15	29.65	753.0	85	8	...	0	c	7	29.66	753.3	79	6	SSW	1	f
Tourane,	,,	29.64	752.8	88	8	ENE	2	b	,,	29.72	754.8	75	9	...	0	tl
Cape St. James,	,,	29.80	756.8	86	8	SW	2	b	,,	29 86	758.3	77	6	WSW	3	z
Basco,	14	20.56	750.8	86	6	NW	4	c	6	...	...	...	...	...	...	...
Aparri,	,,	29.64	752.9	86	6	N	2	o	,,	29.66	753.3	76	8	...	0	b
Tuguegarao,	,,	29.61	752.2	91	8	..	0	c	,,	...	...	...	...	...	...	...
Vigan,	,,	29.71	754.4	86	8	SW	2	o	,,	...	..	...	...	...	...	...
Manila,	,,	29.72	754.9	83	8	W	4	o	,,	29.77	756.1	76	6	...	0	c
Legaspi,	,,	29.70	754.3	85	6	WSW	4	o	,,	29.78	756.3	77	6	...	0	o
Calboyog,	,,	29.73	755.2	88	8	SW	4	c	,,	...	..	...	...	...	...	..
Tacloban,	,,	29.71	754.6	91	8	S	2	be	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	8	SW	4	o	,,	...	..	...	...	...	...	...
Cebu,	,,	29.72	754.8	86	8	SW	6	c	,,	...	..	...	...	...	...	...
Surigao,	...	29.72	754.9	91	8	W	4	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.3	...	6	NE	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.9	...	8	E	2	b	5	29.88	759.0	...	6	...	0	be
Pelew,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.97	761.2	88	6	SW	6	be	6	29.91	759.7	74	...	...	...	lc

Warnings.

August 7*d*. 18*h*. 03*m*.—Typhoon within 120 miles of Lat. 21° N. Long. 127° E., moving N.

August 8*d*. 10*h*. 10*m*.—Typhoon within 120 miles of Lat. 24° N. Long. 128° E., moving N.N.E.

August 8*d*. 10*h*. 10*m*.—Pressure is highest to the south-east of Japan, and relatively low over China.

The typhoon is situated to the south of Naha moving N.NE.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 68.55 inches, against an average of 55.59 inches.

Shanghai warning. 8*d*. 9*h*. 15*m*.:—Typhoon within 120 miles of Lat. 22° N. Long. 127° E. moving N.N.E. Recd. 8*d*. 9*h*. 51*m*.

Manila warning. 8*d*. 9*h*. 20*m*.:—Typhoon S.E. of Naha moving N.N.E. or N.E. Recd. 8*d*. 9*h*. 52*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9th.

District.	Forecast.
A.—Shanghai to Turnabout, ... B.—Turnabout to Hong Kong, ...	S. winds, moderate; fair.
C.—Hong Kong to Gap Rock, ... D.—Hong Kong to Hainan Straits, ... E.—North China Sea, ...	S.W. winds, moderate; fair generally, local rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Hazeltine.)	9th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.61	752.0	61	...	SSE	7	f	6	29.59	751.5	63	...	SE	3	f
Nemuro,	13	30.04	763.0	...	...	S	2	...	5	30.02	762.5	...	...	S	1	...
Hokodate,	,,	29.94	760.5	...	...	ESE	2	...	,,	29.90	759.5	...	...	...	0	...
Tokio,	,,	29.92	760.0	...	...	...	0	...	,,	29.94	760.5	..	...	SSW	1	...
Kochi,	,,	29.90	759.5	...	...	...	0	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.78	756.5	...	...	NE	1	...	,,	29.71	754.5	...	...	NE	1	...
Kagoshima,	,,	29.76	756.0	...	...	E	2	...	,,	29.67	753.5	...	...	ENE	1	...
Oshima,	,,	29.69	754.0	...	...	SE	1	...	,,	29.45	748.0	...	...	NNE	2	...
Naha,	,,	29.57	751.0	...	...	NE	2	...	,,	29.47	748.5	...	...	NNW	4	...
Ishigakijima,	,,	29.63	752.5	...	...	NW	2	...	,,	29.63	752.0	...	...	NW	2	...
Bonin Island,	,,	29.78	756.5	...	...	SE	1	...	,,	29.92	760.0	...	...	N	1	...
Chefoo,	15	29.64	752.8	85	8	E	4	o	6	29.67	753.5	74	4	...	0	r
Shanghai,	14	29.65	753.1	91	6	SE	2	c	,,	29.65	753.0	79	6	ESE	2	h
Gutzlaff,	,,	29.73	755.1	83	6	SE	4	bc	,,	29.71	754.6	77	4	...	0	m
Wenchow,	,,	...	...	...	...	...	...	...	6	29.67	753.5	81	...	...	0	b
Foochow,	,,	29.65	753.1	86	8	S	2	b	7	29.68	753.9	82	6	W	2	b
Amoy,	,,	29.61	752.0	86	6	SSE	4	t	6	29.63	752.6	83	6	SE	2	c
Swatow,	,,	29.70	754.5	90	...	S	3	b	,,	29.64	752.9	81	...	NW	3	b
Taihoku,	11	29.67	753.7	91	...	W	4	b	5	29.64	752.9	77	...	...	0	b
Taichu,	,,	29.71	754.6	91	...	SSW	2	b	,,	29.68	753.8	77	..	...	0	b
Tainan,	,,	29.70	754.4	88	...	WSW	2	bc	,,	29.66	753.4	77	...	...	0	c
Koshun,	,,	29.69	754.0	86	...	NW	2	c	,,	29.65	753.1	79	...	W	2	o
Pescadores,	,,	29.68	753.8	88	...	S	4	b	,,	29.64	752.9	79	...	S	4	bc
Hong Kong,	14	29.63	752.6	82	6	W	2	c	6	29.62	752.3	81	7	W	1	o
Gap Rock,	,,	29.65	753.1	84	8	WSW	3	c	,,	29.63	752.6	84	8	SW	4	c
Macao,	,,	29.61	752.2	83	4	W	2	o	,,	29.60	751.9	79	4	WSW	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.67	753.5	88	8	WSW	4	bc	6	29.67	753.5	83	8	SSW	4	bc
Phulien,	15	29.62	752.2	91	8	S	4	bc	7	29.60	751.7	81	7	ESE	3	c
Tourane,	,,	29.62	752.4	91	8	ESE	2	b	,,	29.66	753.4	77	8	...	0	c
Cape St. James,	,,	29.79	756.7	86	8	SW	2	b	,,	29.86	758.4	77	8	SW	3	bc
Basco,	14	29.64	752.8	85	8	W	4	bc	6	...	...	...	...	...	...	...
Aparri,	,,	29.69	754.0	79	6	WNW	2	t	,,	29.70	754.4	76	6	S	2	c
Tuguegarao,	,,	29.64	752.9	91	4	W	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.8	79	8	SSW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	755.9	83	6	WSW	4	o	,,	29.81	757.1	76	6	...	0	o
Legaspi,	,,	29.71	754.6	88	6	SW	2	o	,,	29.78	756.3	77	6	WSW	2	b
Calboyog,	,,	29.78	756.3	88	8	SW	4	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.2	91	8	SE	2	o	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.78	756.5	86	8	SW	4	o	,,	...	..	...	...	...	...	...
Cebu,	,,	29.76	755.9	86	8	SSW	4	bc	,,	...	..	...	...	...	...	...
Surigao,	...	29.76	755.8	91	8	WSW	4	b	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.79	756.6	78	...	...	0	o
Guam,	12.22	29.78	756.4	...	6	E	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.9	...	8	NE	4	bc	5	29.81	757.1	...	6	ENE	4	c
Pelew,	n	...	...	...	...	...	...	...	,,	29.85	758.1	78	...	ENE	1	r
Labuan,	13	29.90	759.4	86	...	E	...	...	6	29.91	759.7	76	4	SE	...	bc

Warnings.

August 8*d*. 16*h*. 51*m*.—Typhoon within 120 miles of Lat. 24° N. Long. 128° E., stationary or very slow.
August 9*d*. 9*h*. 36*m*.—Typhoon within 60 miles of Lat. 27° N. Long. 130° E., moving N.N.E.

August 9*d*. 10*h*. 19*m*.—Pressure is now highest to the east of Hokkaido and relatively low over China generally. The typhoon is situated about 150 miles east of Naha, moving N.N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 68.56 inches, against an average of 56.12 inches.

Shanghai warning, 9*d*. 9*h*. 08*m*.:—Typhoon within 120 miles of Lat. 26° N. Long. 130° E. moving N.N.E. Recd. 9*d*. 9*h*. 23*m*.

Manila warning, 9*d*. 9*h*. 00*m*.:—Typhoon in Lat. 27° N. Long. 130° E. inclining northward. Recd 9*d*. 9*h*. 39*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock,	S.E. or variable winds; moderate; fair.
D.—Hong Kong to Hainan Straits, E.—North China Sea,	S.W. winds, moderate; fair generally.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	10th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.73	755.2	66	...	SE	3	o	6	29.76	756.0	66	...	ESE	1	f
Nemuro,	11	29.92	760.0	...	...	SSW	1	...	5	29.90	759.5	...	...	...	0	...
Hakodate,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	...	...	...
Tokio,	,,	29.90	759.5	...	...	S	1	...	,,	29.94	760.5	...	...	...	...	...
Kochi,	,,	29.78	756.5	...	...	...	0	...	,,	29.71	754.5	...	...	ESE	1	...
Nagasaki,	,,	29.67	753.5	...	...	ENE	2	...	,,	29.53	750.0	...	...	NE	2	...
Kagoshima,	,,	29.78	756.5	...	...	ENE	2	...	,,	29.45	748.0	...	...	NE	5	...
Oshima,	,,	29.37	746.0	...	...	NNE	4	...	,,	29.31	744.5	...	...	N	5	...
Naha,	,,	29.49	749.0	...	...	NW	2	...	,,	29.53	750.0	...	...	W	...	...
Ishigakijima,	,,	29.67	753.5	...	...	WNW	1	...	,,	29.67	753.5	...	...	...	0	...
Bonin Island,	,,	29.88	759.0	...	...	SE	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	29.63	752.6	81	8	NNW	2	lc	6	29.55	750.5	77	4	SSW	2	c
Shanghai,	14	29.62	752.4	94	6	ESE	2	c	,,	29.62	752.3	79	6	ESE	2	bc
Gutzlaff,	,,	29.70	754.4	88	6	ESE	2	b	,,	29.69	754.1	79	6	ESE	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.64	752.8	86	6	S	4	b	7	29.64	752.8	83	6	S	2	b
Amoy,	,,	29.61	752.0	88	6	SSE	2	c	6	29.63	752.6	83	6	SE	2	bc
Swatow,	,,	29.68	753.8	84	...	SW	1	b	,,	29.63	752.6	81	...	SW	3	bc
Tailoku,	11	29.66	753.3	91	...	W	2	bc	5	29.64	752.9	77	...	...	0	b
Taichu,	,,	29.70	754.4	91	...	SSW	2	bc	,,	29.69	754.1	76	...	...	0	b
Tainan,	,,	29.69	754.2	85	...	W	2	c	,,	29.72	754.9	77	...	ESE	2	c
Koshun,	,,	29.70	754.4	77	...	W	2	o	,,	29.67	753.7	77	...	NW	2	r
Pescadores,	,,	29.69	754.0	88	...	SSW	4	bc	,,	29.65	753.1	81	...	SSW	4	b
Hong Kong,	14	29.63	752.6	86	7	SW	3	o	6	29.63	752.6	82	7	S	1	o
Gap Rock,	,,	29.64	752.8	85	8	SW	3	c	,,	29.63	752.6	84	8	SSW	4	c
Macao,	,,	29.61	752.2	86	4	SW	2	c	,,	29.60	751.9	79	4	SSW	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.69	754.0	86	8	SW	4	c	6	29.67	753.6	83	8	SSW	4	bc
Phulien,	15	29.55	750.6	91	8	SSE	3	c	7	29.54	750.3	82	8	S	4	c
Tourane,	,,	29.63	752.6	90	8	S	2	t	,,	29.63	752.5	75	8	...	0	lc
Cape St. James,	,,	29.81	757.2	88	8	SW	1	bc	,,	29.80	757.0	77	7	SSW	3	bc
Basco,	14	...	...	...	...	...	...	...	6	29.69	754.0	81	6	WSW	4	c
Aparri,	,,	29.68	753.8	91	6	N	4	o	,,	29.72	754.8	76	8	...	0	b
Tuguegarao,	,,	29.65	753.0	94	8	...	0	bc	,,	29.73	755.2	76	1	...	0	c
Vigan,	,,	29.69	754.1	83	8	SSW	4	lc	,,	29.74	755.3	77	8	...	0	a
Manila,	,,	29.78	756.4	85	8	SW	4	o	,,	29.79	756.6	77	6	...	0	bc
Legaspi,	,,	29.75	755.6	91	8	SW	4	b	,,	29.78	756.3	77	6	...	0	o
Calboyog,	,,	29.79	756.6	91	8	SW	4	bc	,,	29.84	758.0	76	8	...	0	bc
Tacloban,	,,	29.78	756.4	88	8	W	2	o	,,	29.80	757.0	79	6	NW	2	bc
Iloilo,	,,	29.80	756.8	86	8	S	4	o	,,	29.80	757.0	76	6	...	0	o
Cebu,	,,	29.76	756.0	88	8	NE	4	o	,,	29.80	757.0	91	8	...	0	o
Surigao,	...	29.76	756.0	91	8	W	2	o	,,	29.80	757.0	74	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.77	756.1	...	6	ENE	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.7	...	8	E	4	bc	5	29.83	757.6	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lahnan,	12	29.90	759.4	88	...	NW	...	bc	6	29.91	759.7	74	...	...	...	lc

Warnings.

August 9*d*. 15*h*. 55*m*.—Typhoon within 60 miles of Lat. 28° N. Long. 130° E., moving N.N.E.
August 10*d*. 10*h*. 15*m*.—Typhoon within 60 miles of Lat. 29° N. Long. 130° E., moving N.

August 10*d*. 10*h*. 15*m*.— Pressure is highest over the Pacific to the east of Japan and relatively low over China.

The typhoon is less than 100 miles to the east of Oshima, moving northward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 68.58 inches, against an average of 56.65 inches.

Shanghai warning 10*d*. 9*h*. 09*m*.:—A severe typhoon within 60 miles of Lat. 28° N. Long. 131° E., moving N. Recd. 10*d*. 9*h*. 22*m*.

Manila warning. 10*d*. 10*h*. 00*m*.:—Typhoon in Lat. 28° N. Long. 130° E. almost stationary. Recd 10*d*. 10*h*. 38*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. or variable winds, moderate; fair.
B.—Turnabout to Hong Kong,	S.W. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	S.W. winds, moderate; fair to showery.
D.—Hong Kong to Hainan Straits,	S.W. winds, moderate; fair to showery.
E.—North China Sea,	S.W. winds, moderate; fair.

B. D. EVANS,— *Assistant Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th AUGUST, 1932.								11th AUGUST, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.88	759.0	...	...	SW	1	...	5	29.96	761.0	...	...	WSW	2	..
Hokodate,	,,	29.86	758.5	...	...	SE	1	...	,,	29.82	757.5	...	...	...	0	...
Tokio,	,,	29.92	760.0	...	...	S	2	...	,,	29.90	759.5	..	...	SE	1	...
Kochi,	,,	29.69	754.0	...	...	S	1	...	,,	29.57	751.0	...	...	ESE	2	...
Nagasaki,	,,	29.49	749 0	...	...	ENE	3	...	,,	29.37	746.0	...	...	NE	4	...
Kagoshima,	,,	29.39	746.5	...	...	ENE	2	...	,,	29.25	743.0	...	...	NNW	1	...
Oshima,	,,	29.37	746.0	...	...	N	3	...	,,	29.45	748.0	...	...	W	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.61	752.0	...	...	SW	5	...
Isbigakijima,	,,	...	...	...	...	...	...	...	,,	29.67	753.5	...	...	WSW	1	...
Bonin Island,	,,	29.90	759.5	...	...	S	1	...	,,	29.94	760.5	...	...	...	0	...
Chefoo,	15	29.57	751.0	79	6	E	2	o	6	29.59	751.6	76	6	SW	2	b
Shanghai,	14	29.59	751.6	94	6	SE	2	c	,,	29.62	752.2	77	6	...	0	bc
Gutzlaff,	,,	29.67	753.6	88	6	ESE	2	o	,,	29.67	753.6	79	6	...	0	b
Wenchow,	,,	...	...	...	...	...	...	...	6	29.63	752.7	82	...	WSW	2	c
Foochow,	,,	29.60	751 8	90	8	S	2	b	7	29.70	754.4	84	6	S	2	bc
Amoy,	,,	29.64	752.8	94	8	SE	2	b	6	29.68	753.9	83	6	SW	4	b
Swatow,	..	29.72	755.0	85	...	S	3	c	,,	...	...	...	...	...	...	...
Tailoku,	11	29.67	753.5	94	...	W	2	bc	5	29.66	753.4	76	...	...	0	b
Taichu,	,,	29 75	755.6	85	...	SW	4	r	,,	29.76	755.8	74	..	...	0	b
Tainan,	,,	29.74	755.3	85	...	SE	2	o	,,	29.73	755.0	76	...	SE	2	b
Koshun,	,,	29.73	755.2	79	...	NNW	2	r	,,	29.73	755.0	81	...	W	2	c
Pescadores,	,,	29.72	754.8	88	...	SW	4	bc	,,	29.72	754.8	81	...	SW	4	b
Hong Kong,	14	29.67	753.6	86	6	SW	3	c	6	29.71	754.6	82	7	...	0	bc
Gap Rock,	,,	29.69	754.1	85	8	SW	4	c	,,	29.71	754.6	84	8	SSW	4	c
Macao,	,,	29.64	752.8	91	4	SW	4	c	,,	29.68	753.8	79	4	SSW	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	91	8	SW	2	b	6	29.76	755 8	79	6	SW	2	o
Phulien,	15	29.56	750.8	88	8	SW	2	c	7	29.65	753.0	77	8	NE	4	c
Tourane,	,,	29.58	751 4	94	8	SE	2	b	,,	29.66	753.3	83	8	SW	2	b
Cape St. James,	,,	29.78	756.3	88	8	SW	4	bc	,,	29.84	757.9	77	8	SW	2	bc
Baseo,	14	29.70	754.3	86	6	ESE	4	o	6	29.75	755.6	83	6	WSW	4	bc
Aparri,	,,	29.69	754.1	94	6	SE	2	bc	,,	29.78	756.5	76	8	SW	2	b
Tuguegarao,	,,	29.66	753.4	94	8	...	0	bc	,,	29.78	756.5	76	1	...	0	bc
Vigan,	,,	29.73	753.2	86	8	SW	4	bc	,,	29.80	756.8	77	6	...	0	b
Manila,	,,	29.78	756.3	88	8	WSW	4	c	,,	29.83	757.6	77	6	...	0	bc
Legaspi,	,,	29.72	755.0	91	8	SSW	2	bc	,,	29.81	757.1	76	8	...	0	bc
Calbayog,	,,	29.76	755.9	86	8	SW	2	bc	,,	29.83	757.7	74	8	NE	2	c
Tacloban,	,,	29.76	756.0	85	6	E	4	o	,,	29.84	758.0	77	6	...	0	o
Iloilo,	,,	29.74	755.4	88	8	SSW	4	bc	,,	29.84	758.0	76	6	...	0	o
Cebu,	,,	29.76	755.8	83	8	SW	2	o	,,	29.84	757.8	77	8	...	0	o
Surigao,	...	29.76	755.8	86	6	N	2	o	,,	29.82	757.3	76	4	...	0	b
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	6	...	0	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.3	...	6	...	0	bc	5	29.86	758.5	...	6	NNW	2	o
Pelew,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.96	760.8	88	...	...	...	bc	6	29.91	759.7	74	...	SW	...	o

August 11*d.* 10*h.* 25*m.*— Pressure is highest to the east of Hokkaido and relatively low over China. The typhoon is crossing Kinsiu on a northerly track.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 68.58 inches, against an average of 57.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	S. and S.W. winds, moderate; fair.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S. winds, moderate; fair to showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	12th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.63	752.7	68	...	SE	3	o	6	29.59	751 6	66	...	SE	1	o
Nemuro,	11	29.94	760.5	...	...	SSW	2	...	5	29.88	759.0	...	...	SSW	2	...
Hakodate,	,,	29.80	757 0	...	...	SSW	1	...	,,	29.73	755.0	...	...	NNW	1	...
Tokio,	,,	29.90	759.5	...	...	SSW	3	...	,,	29.82	757.5	..	...	S	1	...
Kochi,	,,	29.57	751.0	...	...	S?	2	...	,,	29.41	747.0	...	...	ESE	4	...
Nagasaki,	,,	29.17	746.0	...	...	NE	3	...	,,	29.39	746.5	....	...	NNE	2	...
Kagoshima,	,,	29.21	743.0	...	...	N	2	...	,,	29.25	743.0	...	...	NNW	2	...
Oshima,	,,	29.47	748.5	...	...	W	2	...	,,	29.49	749 0	...	...	N	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.63	752.5	...	...	WSW	3	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.67	753.5	...	...	...	...	...
Bonin Island,	,,	29.90	759.5	...	...	ESE	1	...	,,	29.84	758.0	...	...	...	0	...
Chefoo,	15	29.56	750.8	83	8	NW	4	b	6	29.56	750.8	68	6	WNW	2	bc
Shanghai,	14	29.59	751.6	98	6	WSW	2	c	,,	29.62	752.4	76	6	W	2	c
Gutzlaff,	,,	29.63	753.1	88	6	...	c	bc	,,	29.68	753.9	81	6	WNW	4	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.67	753.6	90	4	S	2	b	7	29.72	754.9	84	6	S	2	b
Amoy,	,,	29.70	754-4	91	6	W	4	b	6	29.71	754.6	83	8	W	4	b
Swatow,	,,	29.78	756.4	81	....	SW	3	bc	,,	...	...	...	...	...	....	...
Tailoku,	11	29.72	754.8	94	...	W	4	bc	5	29.69	754.0	77	...	...	0	b
Taichu,	,,	29.79	756.6	88	...	S	2	o	,,	29.78	756.3	79	..	...	0	o
Tainan,	,,	29.80	757.0	79	...	E	2	d	,,	29.76	755.9	77	...	SE	2	o
Koshun,	,,	29.78	756.3	86	...	W	4	c	,,	29.72	754.9	79	...	NW	2	bc
Pescadores,	,,	29.77	756.1	88	...	SSW	4	c	,,	29.73	755.0	81	...	S	2	c
Hong Kong,	14	29.71	754.7	88	8	SW	2	bc	6	29.72	754.9	82	6	SW	1	bc
Gap Rock,	,,	29.73	755.1	85	8	SW	4	b	,,	29.72	754.9	85	8	SW	4	c
Macao,	,,	29.70	754-3	86	4	SW	2	o	,,	29.69	754.2	79	4	WSW	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.8	91	8	SSW	4	b	6	29.75	755.5	83	8	SSW	4	b
Phulien,	15	29.64	752.9	88	8	...	c	o	7	29.64	752.9	73	4	NE	4	lt
Tourane,	,,	29.62	752.3	94	8	NE	2	b	,,	29.73	755.1	75	8	...	0	bc
Cape St. James,	,,	29.82	757.3	88	8	S	2	b	,,	29.87	758.6	77	7	SW	1	c
Basco,	14	29.75	755.6	86	6	WSW	4	bc	6	29.73	755.2	83	8	SW	4	bc
Aparri,	,,	29.74	755.5	91	8	N	4	bc	,,	29.77	756.1	76	8	S	2	bc
Tuguegarao,	,,	...	..	...	...	...	...	...	,,	29.76	755.8	76	1	...	0	bc
Vigan,	,,	...	...	...	...	...	...	...	,,	29.77	756.1	77	8	ESE	2	b
Manila,	,,	29.79	756.7	86	8	SW	4	bc	,,	29.80	756.8	76	4	...	0	b
Legaspi,	,,	29.74	755.4	94	8	...	c	bc	,,	29.78	756.5	77	6	...	0	o
Calboyog,	,,	...	...	...	...	...	...	...	,,	29.81	757.1	83	8	NNE	2	bc
Tacloban,	,,	...	...	..	..	...	..	...	,,	29.81	757.2	77	8	...	0	bc
Iloilo,	,,	29.79	756.6	88	8	SSW	4	bc	,,	29.79	756.7	76	6	N	2	o
Cebu,	,,	...	..	...	...	...	...	...	,,	29.78	756.3	77	8	ENE	4	o
Surigao,	...	29.76	756.0	85	8	WSW	4	o	,,	29.80	757.0	76	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.5	...	6	ESE	4	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	757.0	...	6	SSW	2	bc	5	29.80	757.0	...	6	E	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	12	29.95	760.8	83	4	N	6	bc	6	29.91	759.7	85	4	E	...	c

August 12*d.* 1*ch.* 49*m.*— Pressure is highest over the Pacific to the east of Japan. The typhoon is situated about 100 miles south-east of Nagasaki, moving slowly north-eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inch. Total since January 1st, 68.72 inches, against an average of 57.72 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH

District.	Forecast.
A.—Shanghai to Turnabout,	Moderate westerly winds, fair.
B.—Turnabout to Hong Kong,	S. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	S.W. winds, moderate; fair to showery.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force, (Beaufort.)	Weather. (Beaufort.)	13th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force, (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	..	...	...	...	...
Nemuro,	11	29.88	759.0	...	...	SW	4	...	5	29.90	759.5	...	...	SSW	3	...
Hokodate,	,,	29.69	754.0	...	...	SSE	1	...	,,	29.78	756.5	...	...	NNW	1	...
Tokio,	,,	29.78	756.5	...	...	SSE	3	...	,,	29.78	756.5	..	...	SE	1	...
Kochi,	,,	29.45	748.0	...	...	ESE	1	...	,,	29.51	749.5	...	...	...	0	...
Nagasaki,	,,	29.41	747.0	...	...	N	2	...	,,	29.45	748.0	...	...	N	1	...
Kagoshima,	,,	29.33	745.0	...	...	NNW	2	...	,,	29.35	745.5	...	...	NNW	2	...
Oshima,	,,	29.55	750.5	...	...	NNW	1	...	,,	29.47	748.5	...	...	N	2	...
Naha,	,,	29.65	753.0	...	...	SW	5	...	,,	29.57	751.0	...	...	W	2	...
Ishigakijima,	,,	29.69	754.0	...	...	SSW	1	...	,,	29.61	752.0	...	...	...	...	...
Bonin Island,	,,	29.80	757.0	...	...	E	1	...	,,	29.73	755.0	...	...	...	0	...
Chefoo,	15	29.61	752.2	86	8	WNW	2	be	6	29.62	752.2	72	4	NW	2	z
Shanghai,	14	29.59	751.6	94	6	WNW	2	c	,,	29.60	751.9	81	4	W	2	c
Gutzlaff,	,,	29.64	752.9	91	6	...	0	be	,,	29.66	753.3	79	6	...	0	be
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.67	753.6	88	6	S	2	b	7	29.64	752.8	84	6	W	2	be
Amoy,	,,	29.68	753.9	91	6	SSE	2	b	6	29.63	752.6	85	6	SSE	4	b
Swatow,	,,	29.78	756.4	81	...	NW	3	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.72	754.8	94	...	W	4	b	5	29.63	752.5	77	...	...	0	o
Taichu,	,,	29.78	756.5	91	...	S	2	b	,,	29.69	754.2	79	..	...	0	b
Tainan,	,,	29.78	756.5	86	...	ESE	2	c	,,	29.67	753.6	79	...	ENE	2	o
Koshun,	,,	29.76	755.9	85	...	NNW	4	r	,,	29.64	752.8	77	...	NNW	2	o
Pescadores,	,,	29.76	756.0	91	...	SSW	2	b	,,	29.64	752.9	81	...	SSW	2	o
Hong Kong,	14	29.71	754.6	88	7	SSW	3	bo	6	29.65	753.1	81	7	...	0	be
Gap Rock,	,,	29.73	755.1	85	8	SW	4	b	,,	29.67	753.6	84	8	SW	4	b
Macao,	,,	29.69	754.0	91	6	SSW	2	b	,,	29.62	752.4	79	4	WSW	2	c
Hoihow,	,,	29.69	754.1	91	...	SW	2	b	,,	..	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.8	91	8	SW	4	b	6	29.67	753.5	83	8	SW	4	bo
Phulien,	15	29.65	753.1	88	8	E	3	c	7	29.60	751.7	82	5	S	4	c
Tourane,	,,	29.65	753.1	93	8	ENE	2	be	,,	29.67	753.6	75	8	...	0	b
Cape St. James,	,,	29.82	757.5	88	8	S	1	bo	,,	29.81	757.2	77	7	SW	2	bo
Basco,	14	29.71	754.7	88	8	SW	4	o	6	29.64	752.8	81	8	W	4	bo
Aparri,	,,	29.74	755.3	91	6	N	4	b	,,	29.69	754.0	76	6	S	2	b
Tuguegarao,	,,	29.68	753.8	94	8	...	0	be	,,	29.71	754.6	76	1	...	0	be
Vigan,	,,	29.75	755.6	86	8	W	2	bo	,,	29.69	754.0	77	6	E	2	b
Manila,	,,	29.74	755.3	88	8	W	2	bc	,,	29.68	753.8	77	6	...	0	bo
Legaspi,	,,	29.72	754.8	86	8	WSW	2	bo	,,	29.70	754.3	77	6	..	0	bo
Calbayog,	,,	29.72	754.8	88	8	SW	4	be	,,	29.72	754.9	72	8	N	2	bo
Tacloban,	,,	29.71	754.6	91	8	SE	2	o	,,	29.72	754.9	77	8	NW	2	o
Iloilo,	,,	29.72	755.0	86	8	SW	4	o	,,	29.72	754.8	77	6	...	0	o
Cebu,	,,	29.72	754.8	86	8	SSW	4	...	,,	29.71	754.7	77	8	...	0	o
Surigao,	...	29.70	754.3	85	8	...	0	o	,,	29.73	755.0	76	1	SW	2	r
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.71	754.7	...	6	...	0	be	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	755.9	...	6	S	4	b	5	29.76	755.9	...	6	...	0	be
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	12	29.95	760.8	76	4	SW	...	bo	6	29.91	759.7	74	...	S	...	be

August 13*d.* 10*h.* 15*m* – Pressure is highest over the Pacific to the east of Japan, and a shallow depression covers S.W. China.

The typhoon appears to be stationary about 100 miles south-east of Nagasaki.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 68.74 inches, against an average of 58.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	Westerly or variable winds, light to moderate; fair.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S.W. winds, moderate; fair to showery.

D. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	14th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	..	...	...	..	...
Nemuro,	11	29.84	758 0	...	...	SSW	4	...	5	29.86	758.5	...	...	SSW	2	..
Hokodate,	,,	29.78	756.5	...	...	S	1	...	,,	29.76	756.0	...	...	...	0	...
Tokio,	,,	29.80	757.0	...	...	S	1	...	,,	29.84	758.0	..	...	...	0	...
Kochi,	,,	29.55	750.5	...	...	E	1	...	,,	29.63	752.5	...	...	...	0	...
Nagasaki,	,,	29.43	747.5	...	...	ENE	3	...	,,	29.51	749.5	...	...	NE	3	...
Kagoshima,	,,	29.37	746.0	...	...	ENE	1	...	,,	29.41	747.0	...	...	NE	1	...
Oshima,	,,	29.47	748.5	...	...	W	1	...	,,	29.43	747.5	...	...	NNW	1	...
Naha,	,,	29.57	751.0	...	...	W	2	...	,,	29.59	751.5	...	...	WSW	3	...
Ishigakijima,	,,	29.65	753.0	...	...	SSW	1	...	,,	29.59	751.5	...	...	...	0	...
Bonin Island,	,,	29.72	755.0	...	...	S	1	...	,,	29.76	756.0	...	...	...	0	...
Chefoo,	15	29.60	751.8	81	8	N	4	0	6	29.59	751.6	74	4	NNE	2	2
Shanghai,	14	29.59	751.6	88	6	ESE	2	c	,,	29.63	752.5	77	6	E	2	b
Gutzlaff,	,,	29.65	753.1	86	6	ESE	2	bc	,,	29.67	753 6	79	6	...	0	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.62	752.3	90	8	S	2	b	7	29.64	752.8	86	6	...	0	bc
Amoy,	,,	29.60	751.8	94	6	W	4	b	6	29.66	753.3	85	6	S	2	c
Swatow,	,,	...	...	...	...	...	...	...	,,	29.65	753.0	92	...	SSE	3	b
Taihoku,	11	29.64	752.9	94	...	W	2	bc	5	29.63	752.5	81	...	...	0	bc
Taichu,	,,	29.71	754.6	94	...	S	2	c	,,	29.67	753.7	77	..	...	0	bc
Tainan,	,,	29.69	754.2	88	...	WSW	2	bc	,,	29.53	750.1	79	...	ESE	2	0
Koshun,	,,	29.69	754.0	86	...	NW	4	c	,,	29.62	752.4	81	...	WNW	2	c
Pescadores,	,,	29.67	753.7	88	...	SSW	4	0	,,	29.64	752.9	81	...	SSW	4	b
Hong Kong,	14	29.63	752.6	90	7	SW	3	bc	6	29.66	753.3	82	6	W	1	c
Gap Rock,	,,	29.65	753.1	85	8	SW	4	b	,,	29.66	753.3	84	8	SW	5	b
Macao,	,,	29.61	752.0	94	6	SW	2	b	,,	29.63	752.6	81	6	W	2	bc
Heilow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.67	753.6	91	8	SW	2	b	6	29.66	753.4	83	8	WSW	4	bc
Phulien,	15	29.53	750.1	94	8	SSW	4	bc	7	29.63	752.6	77	7	ESE	2	f
Tourane,	,,	29.61	752.2	94	8	ESE	2	b	,,	29.64	752.9	75	8	...	0	b
Cape St. James,	,,	29.76	755.9	88	8	S	2	bc	,,	29.78	756.3	77	7	SW	2	bc
Basco,	14	29.65	753.0	91	6	N	4	bc	6	...	...	...	...	...	...	...
Aparri,	,,	29.64	752.9	88	6	WSW	4	bc	,,	29.67	753.6	76	8	S	4	b
Tuguegarao,	,,	29.61	752.0	91	8	...	C	bc	,,	...	...	...	...	...	..	...
Vigan,	,,	29.66	753.4	86	6	WSW	4	bc	,,	...	...	...	...	...	...	...
Manila,	,,	29.69	754.2	88	8	WSW	4	bc	,,	29.72	754.8	77	6	...	0	0
Legaspi,	,,	29.63	753.0	91	6	WSW	2	0	,,	29.69	754.0	77	6	WSW	2	0
Caiboyog,	,,	29.67	753.6	86	8	WSW	4	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.67	753.6	85	8	ESE	2	0	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.69	754.2	85	8	S	4	0	,,	...	...	...	..	...	...	...
Cebu,	,,	29.66	753.4	79	8	SW	4	0	,,	..	...	...	...	...	...	...
Surigao,	...	29.66	753.4	83	6	WSW	2	0	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	6	...	0	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.74	755 5	...	6	...	0	bc	5	29.79	756.6	...	6	SW	2	bc
Pelew,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.8	85	...	...	...	bc	6	...	...	...	...	...	...	...

August 14*d*. 10*h*. 05*m*.– Pressure is highest over the Pacific to the east of Japan, and relatively low over China.

The typhoon is now situated about 200 miles S.S.E. of Nagasaki; its direction of motion is uncertain.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 68.74 inches, against an average of 58.75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light variable winds, fair.
B.—Turnabout to Hong Kong,	S.W. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OESERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th AUGUST, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Chamberlain.)	15th AUGUST, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.70	754.3	72	...	...	0	0	6	29.71	754.7	66	...	...	0	0
Nemuro,	11	29.80	757.0	...	...	SW	3	...	5	29.69	754.0	...	...	SSW	3	...
Hokodate,	,,	29.70	754.5	...	...	S	1	...	,,	29.61	752.0	...	...	NW	1	...
Tokio,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.75	755.5	...	...	...	0	...
Kochi,	,,	29.65	753.0	...	...	ESE	2	...	,,	29.61	752.0	...	...	SW	1	...
Nagasaki,	,,	29.49	740.0	...	...	NE	2	...	,,	29.53	750.0	...	...	ENE	1	...
Kagoshima,	,,	29.43	747.5	...	...	NE	2	...	,,	29.47	748.5	...	...	NE	2	...
Oshima,	,,	29.45	748.0	...	...	NNW	1	...	,,	29.51	749.5	...	...	NNW	3	...
Naha,	,,	29.59	751.5	...	...	W	3	...	,,	29.61	752.0	...	...	SW	5	...
Ishigakijima,	,,	29.63	752.5	...	...	SSW	1	...	,,	29.61	752.0	...	...	SW	1	...
Ponin Island,	,,	29.76	756.0	...	...	WNW	1	...	,,	29.80	757.0	...	...	S	2	...
Chefoo,	15	29.65	753.0	81	6	NNW	2	c	6	29.69	754.0	76	6	WNW	4	o
Shanghai,	14	29.59	751.7	98	6	NE	2	b	,,	29.67	753.6	77	...	...	...	c
Gutzlaff,	,,	29.67	753.6	91	6	...	c	b	,,	29.72	754.9	79	6	...	c	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.60	751.8	88	6	S	2	b	7	29.69	754.1	83	8	S	2	b
Amoy,	,,	29.59	751.6	91	8	E	2	b	6	29.66	753.3	85	6	NE	2	b
Swatow,	,,	29.67	753.5	93	...	SW	2	b	,,	29.68	753.8	82	...	W	2	b
Taihoku,	11	29.65	753.1	94	...	SW	2	c	5	29.64	752.9	81	...	...	0	o
Taichu,	,,	29.71	754.6	91	...	S	2	bc	,,	29.69	754.0	79	...	...	0	c
Tainan,	,,	29.70	754.3	88	...	...	0	bc	,,	29.66	753.3	79	...	ENE	2	c
Koshun,	,,	29.67	753.7	88	...	NNW	4	b	,,	29.66	753.3	79	...	WNW	2	c
Pescadores,	,,	29.67	753.7	91	...	SSW	4	bc	,,	29.65	753.0	81	...	SW	2	bc
Hong Kong,	14	29.64	752.8	90	8	SW	2	b	6	29.68	753.9	81	6	...	0	bc
Gap Rock,	,,	29.67	753.6	85	8	SW	3	c	,,	29.69	754.1	84	8	SW	4	c
Macao,	,,	29.63	752.6	94	6	SW	2	b	,,	29.66	753.5	81	6	W	2	c
Hoihow,	,,	29.69	754.1	91	1	SSW	2	b	,,	...	...	...	...	...	...	...
Fratas Island,	,,	29.69	754.2	91	8	WSW	2	b	6	29.69	754.0	83	8	WSW	4	bc
Phulien,	15	29.58	751.3	91	9	ESE	3	c	7	29.67	753.7	83	8	SSE	2	c
Tourane,	,,	29.61	752.1	97	8	E	2	bc	,,	29.67	753.6	81	8	SW	2	b
Cape St. James,	,,	29.74	755.5	88	8	SW	1	bc	,,	29.82	757.3	77	7	SW	2	bc
Basco,	14	29.65	753.0	88	6	SW	4	bc	6	29.66	753.4	81	6	WSW	4	bc
Aparri,	,,	29.66	753.3	94	8	N	4	b	,,	29.70	754.3	76	8	S	2	b
Tuguegarao,	,,	29.62	752.3	94	8	...	c	bc	,,	29.71	754.7	76	1	...	0	o
Vigan,	,,	29.68	753.8	88	8	SW	2	b	,,	29.69	754.2	77	8	ESE	2	bc
Manila,	,,	29.69	754.0	86	8	WNW	2	o	,,	29.76	755.8	76	4	...	0	bc
Legaspi,	,,	29.65	753.0	79	6	WSW	4	o	,,	29.73	755.2	76	6	WSW	2	o
Calbovog,	,,	29.71	754.6	83	8	W	2	o	,,	29.76	756.0	76	8	...	0	bc
Tacloban,	,,	29.71	754.6	86	8	WNW	2	o	,,	29.77	756.1	77	6	WNW	2	bc
Iloilo,	,,	29.72	754.8	86	8	...	0	o	,,	29.76	756.0	81	6	SSW	4	o
Cebu,	,,	29.69	754.1	86	8	SSW	4	o	,,	29.76	756.0	77	8	W	4	bc
Surigao,	...	29.70	754.4	86	8	SW	2	o	,,	29.76	756.0	77	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.5	...	6	...	0	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.4	...	6	NW	2	r	5	29.84	757.9	...	6	SE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Labuan,	12	29.94	760.6	83	6	NW	6	bc	6	25.91	759.7	...	...	SW	...	o

August 15*d.* 10*h.* 4o*m.*– Pressure is highest over the Pacific to the east of the Bonins, and a large area of relatively low pressure extends from Tongking north-eastward to Hokkaido.

The typhoon is situated about 150 miles E.N.E. of Oshima, and continues to fill up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 68.74 inches, against an average of 59.26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light variable winds, fair.
B.—Turnabout to Hong Kong,	S.W. winds, moderate; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th August, 1932.									16th August, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Nemuro,	11	29.63	753.0	...	...	SSE	2	...		5	29.57	751.0	...	...	NE	1	..	
Hakodate,	,,	29.61	752.0	...	...	S	1	...		,,	29.57	751.0	...	...	...	0	...	
Tokio,	,,	29.67	753.5	...	...	SE	3	...		,,	29.53	750.0	...	...	SSW	2	...	
Kochi,	,,	29.63	752.5	...	...	ESE	1	...		,,	29.51	749.5	...	...	SW	1	...	
Nagasaki,	,,	29.53	750.0	...	...	NE	2	...		,,	29.61	752.0	...	...	N	1	...	
Kagoshima,	,,	29.47	748.5	...	...	E	1	...		,,	29.61	752.0	...	...	NNW	1	...	
Oshima,	,,	29.57	751.0	...	...	W	1	...		,,	29.67	753.5	...	...	...	0	...	
Naha,	,,	...	...	...	...	...	...	...		,,	29.70	754.5	...	...	...	0	...	
Ishigakijima,	,,	...	...	...	...	...	...	...		,,	29.73	755.0	...	...	...	...	...	
Bonin Island,	,,	29.84	758.0	...	...	S	1	...		,,	29.86	758.5	...	...	SSW	1	...	
Chefoo,	15	29.69	754.2	83	8	NNW	4	bc		6	29.70	754.4	74	8	W	4	c	
Shanghai,	14	29.66	753.3	94	6	E	2	z		,,	29.71	754.6	77	4	ENE	2	o	
Gutzlaff,	,,	29.72	754.9	88	6	...	0	b		,,	29.79	756.6	79	6	...	0	o	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.61	752.1	86	8	S	2	b		7	29.73	755.1	84	8	E	2	o	
Amoy,	,,	29.64	752.9	88	6	SSE	4	b		6	29.67	753.6	83	6	W	2	h	
Swatow,	,,	...	...	...	...	...	...	...		,,	29.69	754.0	84	...	W	1	o	
Tailoku,	11	29.70	754.3	91	...	...	0	o		5	29.69	754.2	79	...	...	0	b	
Taichu,	,,	29.73	755.2	91	...	S	2	o		,,	29.71	754.7	76	..	...	0	bc	
Tainan,	,,	29.71	754.6	81	...	NW	2	H		,,	29.71	754.6	77	...	SE	2	b	
Koshun,	,,	29.72	754.8	88	...	NNW	2	c		,,	29.70	754.3	77	...	...	0	bc	
Pescadores,	,,	29.71	754.6	85	...	SW	2	r		,,	29.68	753.8	79	...	SSW	2	b	
Hong Kong,	14	29.67	753.6	91	8	W	2	b		6	29.69	754.1	80	7	...	0	b	
Gap Rock,	,,	29.69	754.1	85	8	WSW	4	b		,,	29.69	754.1	84	8	W	4	c	
Macao,	,,	29.65	753.3	88	4	SSW	2	c		,,	29.67	753.7	79	6	W	2	c	
Hoihow,	,,	...	...	...	...	...	...	..		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.72	754.8	91	8	SW	2	b		6	29.71	754.6	83	8	SW	2	bc	
Phulien,	15	29.65	753.1	91	8	S	2	bc		7	29.69	754.0	88	8	S	2	c	
Tourane,	,,	29.65	753.2	95	8	ENE	2	c		,,	29.73	755.0	75	8	...	0	h	
Cape St. James,	,,	29.81	757.2	88	8	SW	1	bc		,,	29.85	758.2	77	7	WSW	1	bc	
Basco,	14	29.67	753.6	88	6	WSW	4	bc		6	29.71	754.6	81	8	W	2	c	
Aparri,	,,	29.69	754.1	91	6	N	4	b		,,	29.74	755.4	77	6	S	2	o	
Tuguegarao,	,,	...	...	...	...	...	...	...		,,	29.76	755.8	76	1	...	0	o	
Vigan,	,,	...	...	...	...	...	...	...		,,	29.76	755.8	76	6	S	2	o	
Manila,	,,	29.72	755.0	88	8	WSW	4	bc		,,	29.80	756.8	79	6	SW	2	o	
Legaspi,	,,	29.71	754.6	81	6	SW	2	c		,,	29.77	756.1	77	6	WSW	2	h	
Calbayog,	,,	...	...	...	...	...	...	...		,,	29.80	757.0	76	8	NNE	2	h	
Tacloban,	,,	29.74	755.4	85	6	ESE	2	r		,,	29.80	757.0	79	8	WSW	2	b	
Iloilo,	,,	29.74	755.3	86	8	SW	4	bc		,,	29.81	757.1	77	6	SW	2	o	
Cebu,	,,	...	...	...	..	...	...	...		,,	29.80	757.0	79	8	...	0	o	
Surigao,	...	29.71	754.7	88	8	WSW	2	b		,,	29.80	757.0	76	6	...	0	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.78	756.3	...	6	SE	2	o		4.22	...	...	...	...	...	...	...	
Yap,	11.00	...	...	...	...	...	...	...		5	29.86	758.3	...	8	...	0	c	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	12	29.95	760.8	85	4	W	...	c		6	29.91	759.7	68	...	W	...	c	

August 16*d*. 1*c*h. 30*m*.— Pressure is highest over the Pacific to the south-east of the Bonins. The typhoon now exists as a depression over central Japan, moving north-eastwards.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inch. Total since January 1st, 68.79 inches, against an average of 59.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
A.—Shanghai to Turnabout,	Light variable winds, fair.
B.—Turnabout to Hong Kong,	S.W. winds, moderate; fair generally, with local showers.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	16TH AUGUST, 1932.								17TH AUGUST, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)			Inches.	Millimetres.			Direction.	Force. (Beaufort.)	
Vladivostock,	12	29.78	756.3	68	...	NNW	3	0	6	29.79	756.7	66	...	N	1	0
Nemuro,	11	29.57	751.0	...	...	NE	1	...	5	29.69	754.0	...	...	NNE	2	...
Hokodate,	,,	29.51	749.5	...	...	S	1	...	,,	29.61	752.0	...	...	NNW	2	...
Tokio,	,,	29.49	749.0	...	...	...	...	...	,,	29.63	752.5	...	...	...	...	...
Kochi,	,,	29.61	752.0	...	...	...	0	...	,,	29.71	754.5	...	...	...	...	...
Nagasaki,	,,	29.67	753.5	...	...	WSW	1	...	,,	29.71	754.5	...	...	ESE	1	...
Kagoshima,	,,	29.65	753.0	...	...	WNW	1	...	,,	29.71	754.5	...	...	...	...	...
Oshima,	,,	29.72	755.0	...	...	W	1	...	,,	29.73	755.0	...	...	...	0	...
Naha,	,,	29.74	755.5	...	...	SW	2	...	,,	29.75	755.5	...	...	SSW	1	...
Ishigakijima,	,,	29.74	755.5	...	...	SSE	1	...	,,	29.73	755.0	...	...	S	1	...
Bonin Island,	,,	29.88	759.0	...	...	SW	1	...	,,	29.84	758.0	...	...	S	1	...
Chefoo,	15	29.69	754.1	81	6	N	4	be	6	29.71	754.6	74	6	WNW	4	r
Shanghai,	14	29.72	754.9	85	6	ESE	2	0	,,	29.71	754.6	79	6	...	0	0
Gutzlaff,	,,	29.74	755.4	85	6	...	0	0	,,	29.77	756.1	79	6	...	0	0
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.72	754.9	88	6	S	2	b	7	29.76	755.9	84	6	S	2	be
Amoy,	,,	29.70	754.4	91	8	SE	4	b	6	29.69	754.1	83	6	SSE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	29.74	755.3	83	...	SW	1	be
Taihoku,	11	29.73	755.2	91	...	NW	2	be	5	29.69	754.0	79	...	...	0	c
Taichu,	,,	29.76	755.9	77	...	SSW	2	be	,,	29.73	755.2	77	...	...	0	be
Tainan,	,,	29.75	755.6	91	...	SSW	2	b	,,	29.71	755.4	76	...	S2	2	b
Koshun,	,,	29.75	755.6	91	...	WSW	2	be	,,	29.73	755.2	81	...	...	0	be
Pescadores,	,,	29.73	755.2	88	...	SSW	2	be	,,	29.73	755.2	81	...	SW	2	be
Hong Kong,	14	29.69	754.1	89	7	SW	3	be	6	29.70	754.4	81	6	W	1	c
Gap Rock,	,,	29.71	754.6	85	8	WSW	4	0	,,	29.71	754.6	84	8	SW	4	c
Macao,	,,	29.67	753.6	94	6	SW	2	0	,,	29.69	754.0	81	4	W	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.74	755.5	91	8	SW	4	b	6	29.73	755.2	83	8	SW	2	be
Phulien,	15	29.68	753.8	91	8	S	2	c	7	29.68	753.8	82	8	SE	4	c
Tourane,	,,	29.69	754.0	93	8	ESE	1	be	,,	29.72	754.9	73	8	...	0	b
Cape St. James,	,,	29.83	757.8	88	7	SW	1	be	,,	29.85	758.2	79	7	SW	2	be
Basco,	14	29.67	753.5	72	6	W	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.72	754.9	91	6	N	2	0	,,	29.78	756.3	74	8	S	4	b
Tuguegarao,	,,	29.75	755.6	91	8	...	0	0	,,	29.78	756.4	76	1	...	0	0
Vigan,	,,	29.76	755.8	86	8	SW	4	be	,,	29.79	756.7	76	8	...	0	0
Manila,	,,	29.79	756.6	86	8	WSW	4	0	,,	29.83	757.7	76	4	...	0	c
Legaspi,	,,	29.76	756.0	88	6	SW	4	0	,,	29.81	757.1	77	8	...	0	b
Calboyog,	,,	29.79	756.6	85	8	WNW	2	be	,,	29.84	757.9	76	8	NNE	2	b
Tacloban,	,,	29.80	756.8	77	8	NW	4	0	,,	29.84	757.9	79	6	W	2	0
Iloilo,	,,	29.78	756.3	88	8	SW	4	be	,,	29.83	757.6	77	6	NE	2	0
Cebu,	,,	29.76	756.0	86	8	SSE	2	be	,,	29.83	757.6	77	8	WNW	2	b
Surigao,	...	29.79	756.6	83	8	...	0	0	,,	29.82	757.3	76	4	...	0	be
Saipan,	11.00	..	...	...	..	...	...	...	5	29.82	757.3	78	...	...	0	c
Guam,	12.22	29.80	757.0	...	6	...	0	be	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.9	...	6	...	0	be	5	29.88	758.8	...	8	...	0	b
Pelew,	,,	...	...	...	...	...	...	...	..	29.85	758.2	78	...	...	0	b
Labuan,	14	29.95	760.8	85	...	...	...	be	6	29.91	759.7	...	...	W	...	c

August 17*d*. 10*h*. 28*m*.—Pressure is highest over the Pacific to the south-east of the Bonins, and relatively low over S. China and S. Manchuria.

The depression has passed into the Pacific to the south-east of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inch. Total since January 1st, 68.93 inches, against an average of 60.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	Light variable winds, fair.
B.—Turnabout to Hong Kong,	S.W. winds, moderate; fair generally with local showers.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	18th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.76	756.0	68	...	SSE	4	0	6	29.64	752.9	64	...	SSE	1	0
Nemuro,	11	29.69	754.0	...	...	ENE	2	...	5	29.86	758.5	...	...	...	0	...
Hokodate,	,,	29.65	753.0	...	...	NNW	1	...	,,	29.78	756.5	...	...	...	0	...
Tokio,	,,	29.67	753.5	...	...	S	1	...	,,	29.73	755 0	..	...	N	2	...
Kochi,	,,	29.72	755.0	...	...	SE	1	...	,,	29.69	754.0	...	...	...	0	...
Nagasaki,	,,	29.70	754.5	...	...	NW	1	...	,,	29.71	754.5	...	...	S	1	...
Kagoshima,	,,	29.70	754.5	...	...	S	1	...	,,	29.69	754 0	...	...	NNW	1	...
Oshima,	,,	29.74	755.5	...	...	S	1	...	,,	29.73	755.0	...	...	...	0	...
Naha,	,,	29.76	756.0	...	...	SSW	2	...	,,	29.75	755.5	...	...	SSW	1	...
Ishigakijima,	,,	29.78	756.5	...	...	SSW	1	...	,,	29.76	756.0	...	...	SW	2	...
Bonin Island,	,,	29.82	757.5	...	...	W	1	...	,,	29.78	756.5	...	...	SSE	1	...
Chefoo,	15	29.70	754.3	79	8	NW	2	c	6	29.66	753.4	76	6	SSW	2	c
Shanghai,	14	29.71	754.6	91	6	ESE	2	c	,,	29.70	754.3	79	6	FSE	2	bc
Gutzlaff,	,,	29.77	756.2	86	6	...	0	bc	,,	29.75	755.6	81	6	SE	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.73	755.1	85	6	SSE	4	bc	7	29.74	755.4	84	6	S	2	c
Amoy,	,,	29.64	752.8	88	6	SSE	4	b	6	29.73	755.1	83	8	S	4	b
Swatow,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Taihoku,	11	29.75	755.6	94	...	...	0	bc	5	29.73	755.0	77	...	...	0	b
Taichu,	,,	29.79	756.7	91	...	S	2	bc	,,	29.80	757.0	77	..	...	0	b
Tainan,	,,	29.78	756.5	88	...	SSW	2	bc	,,	29.77	756.1	77	...	...	0	b
Koshun,	,,	29.78	756.4	86	...	SW	2	c	,,	29.76	756.0	81	...	WNW	2	bc
Pescadores,	,,	29.76	755.9	91	...	SSW	4	bc	,,	29.74	755.4	81	...	SSW	2	b
Hong Kong,	14	29.72	754.9	88	7	SSW	3	c	6	29.72	754.9	82	6	WSW	1	cp
Gap Rock,	,,	29.73	755.1	83	8	SW	5	c	,,	29.72	754.9	84	8	SW	4	c
Macao,	,,	29.58	751.3	88	4	SW	2	c	...	...	...	...	...	...	...	...
Hoihow,	,,	29.75	755.6	91	1	NW	2	b	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	756.0	86	8	SSW	2	bc	6	29.76	755.9	81	8	SW	2	bc
Phulien,	15	29.64	752.9	90	9	SSE	3	c	7	29.67	753.5	75	5	NE	3	r
Tourane,	,,	29.68	753.9	95	8	N	2	bc	,,	29.72	754.8	75	8	...	0	bc
Cape St. James,	,,	29.83	757.6	88	8	SSW	2	bc	,,	29.86	758.3	79	7	WSW	2	c
Basco,	14	29.77	756.1	86	8	SW	4	bc	6	29.81	757.1	79	6	WSW	2	c
Aparri,	,,	29.76	756.0	88	6	N	4	b	,,	29.80	757.0	76	8	S	2	b
Tuguegarao,	,,	29.73	755.2	91	6	...	0	bc	,,	29.78	756.4	77	1	...	0	bc
Vigan,	,,	29.79	756.6	86	8	WSW	2	b	,,	29.80	757.0	76	8	...	0	b
Manila,	,,	29.81	757.1	86	8	SW	4	bc	,,	29.83	757.7	76	6	...	0	c
Legaspi,	,,	29.75	755.6	91	8	SW	2	b	,,	29.79	756.7	76	8	...	0	b
Calbuyog,	,,	29.78	756.3	88	8	WSW	4	bc	,,	29.83	757.6	74	8	N	2	b
Tacloban,	,,	29.78	756.3	88	8	ESE	2	bc	,,	29.83	757.6	77	6	...	0	b
Iloilo,	,,	29.78	756.4	86	8	SSW	4	bc	,,	29.83	757.6	77	6	...	0	b
Cebu.	,,	29.76	756.0	91	8	E	2	bc	,,	29.81	757.2	79	8	...	0	b
Surigao,	...	29.76	756.0	88	8	...	0	b	,,	29.81	757.2	76	6	...	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.4	...	6	...	0	0	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.85	758 2	...	6	E	4	bc	5	29.85	758.2	...	8	...	0	h
Palew,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.8	86	...	W	...	bc	6	29.91	759.7	...	...	...	...	c

August 18*d*. 10*h*. 06*m*.— Pressure is highest over the Pacific to the east of Hokkaido, and to the south of the Bonins; it is relatively low over China generally.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.45 inch. Total since January 1st, 69.38 inches, against an average of 60.71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	S. and S.E. winds, moderate; fair.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S.W. winds, moderate; fair to showery.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	18TH AUGUST, 1932.								19TH AUGUST, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)			Inches.	Millimetres.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.88	759.0	...	...	S	1	...	5	29.90	759.5	..	...	SSE	3	...
Hokodate,	,,	29.78	756.5	...	...	S	1	...	,,	29.73	755 0	...	...	E	1	...
Tokio,	,,	29.72	755.0	...	...	E	1	...	,,	29.76	756.0	..	...	NE	1	...
Kochi,	,,	29.69	754.0	...	...	NNE	1	...	,,	29.71	754.5	...	...	...	...	...
Nagasaki,	,,	29.67	753.5	...	...	WSW	1	...	,,	29.73	755.0	...	...	...	...	...
Kagoshima,	,,	29.67	753.5	...	...	SW	1	...	,,	29.71	754 5	...	...	NNW	1	...
Oshima,	,,	29.70	754.5	...	...	NNW	1	...	,,	29.71	754.5	...	...	SSE	1	...
Naha,	,,	29.76	756.0	...	...	SW	2	...	,,	29.75	755.5	...	...	SW	2	...
Ishigakijima,	,,	29.76	756.0	...	...	SW	2	...	,,	29.73	755.0	...	...	S	1	...
Bonin Island,	,,	29.74	755.5	...	...	WSW	1	...	,,	29.73	755.0	...	...	NNE	1	...
Chefoo,	15	29.60	751.8	85	8	ENE	4	bc	6	29.61	752.0	79	8	SW	2	c
Shanghai,	14	29.65	753.1	85	6	ESE	2	c	,,	29.65	753.0	77	6	SE	2	c
Gutzlaff,	,,	29.72	754.9	86	6	SE	2	bc	,,	29.71	754.6	79	6	...	0	c
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.71	754.6	90	8	S	2	b	7	29.74	755.4	84	8	S	2	b
Amoy,	,,	29.71	754.6	91	8	SE	4	b	6	29.73	755.1	83	8	SW	4	b
Swatow,	,,	29.78	756.5	86	...	...	0	c	,,	29.77	756.1	81	...	W	1	b
Tailokat,	11	29.76	755.9	91	...	WNW	2	o	5	29.73	755.2	79	...	...	0	bc
Taichu,	,,	29.81	757.2	88	...	WSW	2	o	,,	29.79	756.7	76	..	..	0	b
Tainan,	,,	29.81	757.1	86	...	NE	2	r	,,	29.78	756.3	77	...	SE	2	bc
Koshun,	,,	29.79	756.6	88	...	WSW	2	bc	,,	29.76	756.0	81	...	WNW	2	bc
Pescadores,	,,	29.78	756.3	88	...	SW	4	bc	,,	29.76	755.9	81	...	E	4	bc
Hong Kong,	14	29.73	755.1	86	6	SW	3	c	6	29.74	755.4	82	6	SW	3	c
Gap Rock,	,,	29.74	755.4	85	8	SW	4	c	,,	29.75	755.6	84	8	SW	4	c
Macao,	,,	29.71	754.6	91	4	SSW	4	o	,,	29.71	754.7	79	4	WSW	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.78	756.3	86	8	W	2	o	6	29.78	756.3	83	8	SSW	4	b
Phulien,	15	29.65	753.1	88	8	ENE	2	t	7	29.66	753.4	82	6	S	5	lt
Tourane,	,,	29.67	753.7	94	8	SE	2	b	,,	29.72	754.9	75	8	...	0	bc
Cape St. James,	,,	29.82	757.3	88	8	S	2	b	,,	29.84	758.0	79	7	SW	1	c
Basco,	14	29.76	755.8	86	8	WSW	4	b	6	29.78	756.3	81	8	WSW	2	bc
Aparri,	,,	29.76	755.8	77	6	N	2	b	,,	29.81	757.1	77	6	...	0	c
Tuguegarao,	,,	29.72	754.8	94	8	...	0	bc	,,	29.79	756.6	77	1	...	0	bc
Vigan,	,,	29.76	756.0	88	8	W	2	b	,,	29.80	756.8	77	8	...	0	b
Manila,	,,	29.78	756.3	91	8	W	2	b	,,	29.82	757.3	77	6	...	0	b
Legaspi,	,,	29.75	755.6	94	8	SW	2	b	,,	29.79	756.7	77	8	...	0	b
Calbayog,	,,	29.76	755.9	88	8	SW	4	b	,,	29.82	757.4	76	8	NNE	2	bc
Tacloban,	,,	29.76	755.9	94	8	SE	2	b	,,	29.82	757.4	79	8	NW	2	bc
Iloilo,	,,	29.76	755.8	94	8	NE	2	o	,,	29.82	757.4	79	6	...	0	o
Cebu,	,,	29.74	755.4	94	8	SW	2	b	,,	29.81	757.1	79	8	N	2	bc
Surigao,	...	29.75	755.6	94	8	ENE	4	bc	,,	29.81	757.2	76	6	...	0	bc
Saipan,	11.00	..	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	6	SW	2	o	4.22	..	...	...	...	...	...	...
Yap,	11.00	29 82	757.3	...	6	SE	2	bc	5	29.83	757.7	...	6	...	0	r
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.8	85	6	S	6	bc	6	29.91	759.7	74	4	SE	6	bc

August 19*d*. 10*h*. 21*m*.—Pressure is highest over the Pacific to the east of Japan and relatively low over China generally; a depression is indicated to the north of Shantung.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inch. Total since January 1st, 69.45 inches, against an average of 61.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	S. and S.E. winds, moderate; fair.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	S.W. winds, moderate; fair to showery.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th AUGUST, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	20th AUGUST, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.65	753.0	66	...	SSE	3	o	6	29.59	751.5	64	...	SSE	1	o
Nemuro,	11	29.92	760.0	...	...	SSE	2	...	5	29.88	759.0	...	...	SE	1	...
Hokodate,	,,	29.72	755.0	...	...	SSW	1	...	,,	29.75	755.5	...	...	...	...	...
Tokio,	,,	29.74	755.5	...	...	S	1	...	,,	29.76	756.0	...	...	...	...	...
Kochi,	,,	29.72	755.0	...	...	...	0	...	,,	29.73	755.0	...	...	...	0	...
Nagasaki,	,,	29.69	754.0	...	...	SE	2	...	,,	29.61	752.0	...	...	SSE	4	...
Kagoshima,	,,	29.69	754.0	...	...	SSE	1	...	,,	29.69	754.0	...	...	...	...	...
Oshima,	,,	29.70	754.5	...	...	WSW	1	...	,,	29.73	755.0	...	...	SSE	1	...
Naha,	,,	29.76	756.0	...	...	SW	2	...	,,	29.73	755.0	...	...	SSW	1	...
Ishigakijima,	,,	29.74	755.5	...	...	SW	2	...	,,	29.73	755.0	...	...	...	0	...
Bonin Island,	,,	29.76	756.0	...	...	SW	1	...	,,	29.82	757.5	...	...	SE	3	...
Chefoo,	15	29.61	752.2	77	8	SW	2	c	6	29.64	752.8	76	8	W	2	b
Shanghai,	14	29.57	751.0	94	6	SSW	2	c	,,	29.76	755 6	74	6	NNW	2	c
Gutzlaff,	,,	29.64	752.8	88	6	S	4	o	,,	29.77	756.1	76	6	NNE	6	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.71	754.4	88	6	S	2	b	7	29.77	756.1	84	8	SSW	2	bc
Amoy,	,,	29.75	755.6	94	6	SE	4	b	6	29.73	755.1	83	6	WSW	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.74	755.4	94	...	W	2	bc	5	29.74	755.4	79	...	SW	2	bc
Taichu,	,,	29 82	757.3	88	...	SSW	2	bc	,,	29.83	757.6	77	...	...	0	bc
Tainan,	,,	29.82	757.3	81	...	ESE	2	r	,,	29.80	757.0	77	...	ENE	2	b
Koshun,	,,	29.79	756.6	86	...	NW	2	c	,,	29.77	756.1	81	...	NNW	2	bc
Pescadores,	,,	29.80	757.0	91	...	SSW	4	c	,,	20.78	756.6	81	...	SSW	4	c
Hong Kong,	14	29.76	755.9	87	7	SW	4	bc	6	29.81	757.2	83	6	SW	3	c
Gap Rock,	,,	29.78	756.3	85	8	SW	5	c	,,	29.81	757.2	84	8	SW	4	c
Macao,	,,	29.74	755.3	91	6	SW	4	bc	,,	29.78	756.5	81	4	WSW	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.1	91	8	SW	4	b	6	29.83	757.7	83	8	WSW	4	b
Phuilen,	15	29.67	753.5	91	8	S	6	b	7	29.76	756.0	82	8	S	5	c
Tourane,	,,	29.70	754.4	91	8	SE	2	b	,,	29.80	756.8	77	8	...	0	b
Cape St. James,	,,	29.81	757.1	91	8	SW	2	bc	,,	29.88	759.0	79	7	W	2	r
Basco,	14	29.76	755.9	88	8	WSW	4	bc	6	....	....	...	...	...	...	...
Aparri,	,,	29.78	756.3	91	6	NNW	4	b	,,	29.80	757.0	77	8	...	0	b
Tuguegarao,	,,	29.73	755.2	94	8	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.79	756.7	86	8	W	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.4	91	8	WNW	2	b	,,	29.84	757.8	77	6	...	0	b
Legaspi,	,,	29.76	755.9	91	8	SW	2	b	,,	29.82	757.3	76	8	...	0	b
Calbayog,	,,	29.76	755.9	91	8	SW	4	bc	,,	....	....	...	...	...	...	...
Tacloban,	,,	29.78	756.3	91	8	SSE	2	bc	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	755.8	91	8	E	2	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.76	755.8	91	8	NE	2	b	,,	...	...	...	...	...	...	...
Surigao,	...	29.76	755 8	88	8	...	0	b	,,	29.80	757.0	76	6	...	0	bc
Saipan,	11.00	..	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.9	...	6	S	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.4	...	6	SW	2	bc	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.8	86	6	E	4	bc	6	29.91	759.7	...	...	E	...	bc

August 20*d*. 1*h*. 30*m*.— Pressure is highest over the Pacific to the north-east of Hokkaido; a depression covers south Manchuria.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 69.45 inches, against an average of 61.58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate to fresh; fair.
B.—Turnabout to Hong Kong,	S.W. or variable winds, moderate; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.50	749.2	70	...	SSE	3	c	6	29.63	752.5	64	...	...	0	b
Nemuro,	11	29.90	759.5	...	...	S	2	...	5	29.61	752.0	...	...	SSE	4	...
Hokodate,	,,	29.70	754.5	...	...	SE	1	...	,,	29.57	751.0	...	...	NW	2	...
Tokio,	,,	29.70	754.5	...	...	S	1	...	,,	29.67	753.5	..	...	S	1	...
Kochi,	,,	29.69	754.0	...	...	...	0	...	,,	29.71	754.5	...	...	...	0	...
Nagasaki,	,,	29.61	752.0	...	...	SW	4	...	,,	29.76	756.0	...	...	...	0	...
Kagoshima,	,,	29.61	752.0	...	...	SE	1	...	,,	29.71	754.5	...	...	N	1	...
Oshima,	,,	29.70	754.5	...	...	WSW	1	...	,,	29.69	754.0	...	...	NNW	1	...
Naha,	,,	29.74	755.5	...	...	SW	2	...	,,	29.69	754.0	...	...	NNE	2	...
Ishigakijima,	,,	29.72	755.0	...	...	S	1	...	,,	29.73	755.0	...	...	N	1	...
Bonin Island,	,,	29.80	757.0	...	...	SE	1	...	,,	29.84	758.0	...	...	SSE	4	...
Chefoo,	15	29.69	754.0	81	8	NW	6	le	6	29.78	756.5	74	8	SW	2	b
Shanghai,	14	29.81	757.1	88	6	NNW	2	c	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.86	758.4	83	6	N	4	be	,,	...	...	...	...	...	...	...
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.72	754.9	88	6	S	2	b	7	29.86	758.4	81	8	N	2	c
Amoy,	,,	29.73	755.1	94	6	SSE	2	be	6	29.79	756.6	83	8	ENE	4	b
Swatow,	,,	29.83	757.7	83	...	SW	1	b	,,	29.76	756.0	77	...	WSW	3	b
Taihoku,	11	29.76	756.0	91	...	WNW	2	o	5	29.79	756.6	81	...	...	0	o
Taichu,	,,	29.83	757.6	91	...	S	2	o	,,	29.83	757.6	79	..	...	0	h
Tainan,	,,	29.83	757.8	91	...	W	4	be	,,	29.78	756.5	79	...	E	2	r
Koshun,	,,	29.79	756.6	88	...	NNW	4	be	,,	29.77	756.1	76	...	...	0	be
Pescadores,	,,	29.81	757.2	88	...	SW	4	o	,,	29.78	756.4	81	...	SE	2	e
Hong Kong,	14	29.79	756.6	90	7	SW	3	be	6	29.78	756.4	82	7	SW	3	e
Gap Rock,	,,	29.81	757.2	85	8	SW	4	e	,,	29.78	756.4	84	8	WSW	4	e
Macao,	,,	29.77	756.1	94	6	SW	2	b	,,	29.75	755.6	81	4	W	2	e
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.3	88	8	W	4	b	6	29.80	756.8	81	8	WSW	4	b
Phulien,	15	29.75	755.6	91	8	S	4	be	7	29.80	757.0	82	8	S	2	c
Tourane,	,,	29.77	756.1	91	8	ESE	2	b	,,	29.80	757.0	73	8	S	1	b
Cape St. James,	,,	29.86	758.4	88	8	S	2	b	,,	29.89	759.2	79	7	SE	1	be
Baseo,	14	29.74	755.5	88	8	WSW	4	be	6	...	...	...	...	...	...	...
Aparri,	,,	29.78	756.3	91	8	NNW	4	b	,,	29.78	756.4	76	8	SW	2	b
Tuguegarao,	,,	29.72	754.8	94	8	...	0	be	,,	...	...	...	...	...	...	...
Vigan,	,,	29.79	756.6	88	8	WNW	4	b	,,	..	...	...	...	...	...	...
Manila,	,,	29.78	756.3	91	8	W	4	b	,,	29.80	757.0	85	6	...	0	o
Legaspi,	,,	29.73	755.2	94	8	E	2	b	,,	29.78	756.4	77	8	...	0	b
Calboyog,	,,	29.78	756.3	91	8	SW	4	be	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	91	8	SE	4	be	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	755.8	91	8	SW	2	be	,,	...	...	...	...	...	...	...
Cebu,	,,	29.76	755.9	88	8	SSE	2	be	,,	...	...	...	...	...	...	...
Surigao,	...	29.76	755.9	88	8	...	0	b	,,	...	...	...	...	...	...	...
Saipan,	11.00	..	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	S	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.84	757.9	...	8	SW	2	be	5	29.86	758.3	...	6	...	0	e
Pelew,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	85	...	...	...	be	6	.	...	...	...	...	...	...

August 21*d*. 10*h*. com.—A weak anticyclonic area lies over the Yangtze Valley, and depressions are situated between the Loochoos and the Bonins, and to the north of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 69.45 inches, against an average of 62.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22nd.

District.	Forecast.
A.—Shanghai to Turnabout, ... B.—Turnabout to Hong Kong, ...	N.E. winds, moderate; fair.
C.—Hong Kong to Gap Rock, ... D.—Hong Kong to Hainan Straits, ... E.—North China Sea, ...	S.W. or variable winds, moderate; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st August, 1932.								22nd August, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Hourly.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Hourly.)
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)			Inches.	Millimetres.			Direction.	Force. (Beaufort.)	
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.57	751.0	...	...	W	2	...	5	29.92	760.0	..	...	...	0	..
Hokodate,	,,	29.69	754.0	...	...	WNW	1	...	,,	29.94	760.5	...	...	...	..	...
Tokio,	,,	29.72	755.0	...	...	SSE	2	...	,,	29.94	760.5	.	...	S	1	...
Kochi,	,,	29.74	755.5	...	...	...	0	...	,,	29.88	759.0	...	...	...	0	...
Nagasaki,	,,	29.76	756.0	...	...	NW	1	...	,,	29.80	757.0	...	...	...	0	...
Kagoshima,	,,	29.72	755.0	...	...	ENE	1	...	,,	29.76	756.0	...	...	ENE	2	...
Oshima,	,,	29.70	754.5	...	...	N	3	...	,,	29.61	752.0	...	...	NNE	1	...
Naha,	,,	29.70	754.5	...	...	N	3	...	,,	29.59	751.5	...	...	N	4	...
Ishigakijima,	,,	29.76	756.0	...	...	NNE	2	...	,,	29.71	754.5	...	...	N	1	...
Bonin Island,	,,	29.84	758 0	...	...	SSE	3	...	,,	29.02	760.0	...	...	ESE	1	...
Chefoo,	15	29.83	757.6	85	8	NNW	4	b	6	29.86	758.5	68	4	...	0	z
Shanghai,	14	29.85	758.2	91	6	NW	2	c	,,	29.88	758.8	76	4	ENE	2	c
Gutzlaff,	,,	29.92	760.0	91	6	...	0	bc	,,	29.88	758.9	77	6	NE	1	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.84	757.9	82	6	NE	2	o	7	29.83	757.7	80	8	N	2	o
Amoy,	,,	29.79	756.6	91	4	ENE	4	o	6	29.80	756.9	83	6	NNE	4	bc
Swatow,	,,	...	...	..	...	...	...	...	,,	29.81	757.1	79	...	NNE	3	c
Taihoku,	11	29.82	757.3	85	...	ESE	2	o	5	29.80	757.0	76	...	...	0	bc
Taichu,	,,	29.81	757.2	91	...	...	0	bc	,,	29.74	755.4	79	..	...	0	bc
Tainan,	,,	29.80	756.8	91	...	SW	2	c	,,	29.71	754 6	77	...	...	0	bc
Koshun,	,,	29.78	756.5	88	...	NNW	2	bc	,,	29.71	754.6	79	...	...	0	o
Pescadores,	,,	29.79	756.7	80	...	NW	2	c	,,	29.72	754.9	81	...	NNE	2	o
Hong Kong,	14	29.73	755.1	89	7	W	2	bc	6	29.75	755.6	80	6	SSE	1	bc
Gap Rock,	,,	29.76	755.9	84	8	WSW	4	c	,,	29.75	755.6	84	7	SW	3	cp
Macao,	,,	29.72	754.9	94	6	SW	2	b	,,	29.73	755.0	79	4	WSW	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.78	756.3	88	8	WSW	4	bc	6	29.75	755 6	81	8	WSW	4	c
Phulien,	15	29.75	755.6	84	8	S	5	c	7	29.72	754.8	82	8	S	3	c
Tourane,	,,	29.74	755.5	91	8	E	3	bc	,,	29.74	755.4	77	8	...	0	bc
Cape St. James,	,,	29.83	757.8	88	8	S	1	t	,,	29.82	757.4	79	8	E	1	bc
Basco,	14	29.73	755.2	88	8	NW	4	bc	6	29.70	754.3	81	6	...	0	o
Aparri,	,,	29.74	755.5	91	8	NW	4	bc	,,	29.73	755.2	77	8	SW	2	b
Tuguegarao,	,,	...	...	94	8	...	0	bc	,,	29.72	754.9	77	1	...	0	o
Vigan,	,,	29.76	755.8	86	8	NW	4	b	,,	29.74	755.4	76	8	...	0	b
Manila,	,,	29.76	755.8	91	8	WSW	2	b	,,	29.78	756.3	77	6	...	0	bc
Legaspi,	,,	29.72	755.0	91	8	...	0	bc	,,	29.74	755.4	79	6	...	0	b
Calboyog,	,,	29.74	755.3	...	8	SW	4	bc	,,	29.76	756.0	77	8	...	0	o
Tacloban,	,,	29.73	755.2	94	8	SE	2	bc	,,	29.78	756.3	79	6	...	0	bc
Iloilo,	,,	29.78	756.3	86	8	SW	4	o	,,	29.76	755.9	79	6	S	2	c
Cebu,	,,	29.75	755 6	88	8	SSE	4	bc	,,	29.78	756.3	81	8	...	0	bc
Surigao,	...	29.74	755.4	83	8	W	2	bc	,,	29.76	755.9	76	4	...	0	o
Saipan,	11.00	..	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.4	...	6	N	4	b	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.83	757.8	...	6	...	0	bc	5	29.84	757.9	...	8	NW	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lamian,	14	29.93	760.8	86	6	SW	6	bc	6	29.91	759.7	74	4	SE	6	bc

August 22*d*. 1*ch*. 19*m*.— The anticyclone over N. China has increased slightly in intensity. A typhoon is situated about 100 miles east of Naha, probably moving northward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 69.45 inches, against an average of 62.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	N.E. winds, moderate; fair.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	E. winds, moderate; cloudy, probably some rain.

J. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	22ND AUGUST, 1932.									23RD AUGUST, 1932.								
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)		HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Nemuro,	11	29.94	760.5	...	...	WSW	2	...		5	30.16	766.0	..	...	ENE	1	..	
Hokodate,	..	30.00	762.0	...	...	WNW	1	...		..	30.18	766.5	...	...	...	...	...	
Tokio,	..	30.00	762.0	...	...	NNE	1	...		..	30.14	765.5	..	...	...	0	...	
Kochi,	..	29.90	759.5	...	...	ESE	1	...		..	...	...	...	...	...	0	...	
Nagasaki,	..	29.80	757.0	...	...	ENE	1	...		..	29.86	758.5	...	..	NE	1	...	
Kagoshima,	..	29.76	756.0	...	...	ENE	2	...		..	29.82	757.5	...	...	SE	1	...	
Oshima,	..	29.57	751.0	...	...	NNE	1	...		..	29.61	752.0	...	...	SE	3	...	
Naha,	..	29.51	749.5	...	...	N	5	...		..	28.86	733.0	...	...	SSE	9	...	
Ishigakijima,	..	29.67	753.5	...	...	N	3	...		..	29.53	750.0	...	...	NW	3	...	
Ronin Island,	..	29.94	760.5	...	...	SE	1	...		..	29.94	760.5	...	...	ENE	1	...	
Chefoo,	15	29.86	758.4	86	8	E	2	b		6	29.93	760.1	70	4	S	4	z	
Shanghai,	14	29.85	758 3	86	6	NE	2	c		..	29.83	757.7	76	4	NNE	4	c	
Gutzlaff,	..	29.89	759.2	83	6	ENE	4	bc		..	29.83	757.7	77	4	NNE	4	d	
Wenchow,	..	...	...	...	...	...	...	...		6	29.75	755.5	77	...	NNW	3	c	
Foochow,	..	29 80	756.9	86	8	NNE	2	bc		7	29.74	755.4	80	8	NW	2	L	
Amoy,	..	29.75	755.6	91	6	NE	4	bc		6	29.81	757.2	83	6	E	2	bc	
Swatow,	..	...	...	...	...	...	...	...		..	29.74	755.4	79	...	NE	1	c	
Tailoku,	11	29.77	756.1	88	...	E	2	c		5	29.70	754 4	74	...	WSW	2	bc	
Taichu,	..	29.74	755.4	91	...	NW	2	bc		..	29.67	753.6	77	..	NW	2	L	
Tainan,	..	29.73	755.2	88	...	NNW	2	b		..	29.66	753.4	77	...	N	2	bc	
Koshun,	..	29.72	754-9	89	...	NNE	2	c		..	29.63	752.6	79	...	...	0	bc	
Pescadores,	..	29.74	755.5	86	...	NNE	4	c		..	29.69	754.0	81	...	NNE	4	bc	
Hong Kong,	14	29.70	754-4	82	7	E	4	bc		6	29.73	755.1	79	7	E	1	bc	
Gap Rock,	..	29.72	754.9	85	8	WSW	3	c		..	29.72	754.9	83	8	W	3	c	
Macko,	..	29.67	753.7	91	4	S	2	c		..	29.71	754.6	81	4	WNW	2	c	
Hoihow,	..	...	..	..	...	...	...	...		..	...	...	...	...	...	...	...	
Pratas Island,	..	29.73	755.2	88	8	W	4	b		6	29.72	754.9	79	8	...	0	b	
Phulien,	15	29.65	753.1	91	8	S	4	c		7	29.71	754.5	81	6	S	1	c	
Tourane,	..	29.65	753.2	91	8	E	3	bc		..	29.71	754-5	75	8	SE	1	bc	
Cape St. James,	..	29.77	756.2	88	7	SE	1	l		..	29.81	757.2	79	8	SE	1	bc	
Basco,	14	29.64	752.9	83	6	NNW	2	c		6	29.64	752.8	79	6	...	0	c	
Aparri,	..	29.66	753.4	91	8	N	4	b		..	29.69	754.2	77	8	...	0	b	
Tuguegarao,	..	29.61	752.2	94	8	...	0	bc		..	29.68	753.8	77	1	...	0	bc	
Vigan,	..	29.69	754.1	88	8	W	2	b		..	29.72	754.8	77	8	...	0	bc	
Manila,	..	29.71	754.6	91	8	...	0	bc		..	29.75	755 6	77	6	...	0	bc	
Legaspi,	..	29.66	753.3	91	6	WSW	2	bc		..	29.73	755.0	77	6	...	0	b	
Calboyog,	..	29.70	754.3	88	8	SW	4	bc		..	29.76	756.0	76	8	N	2	c	
Tacloban,	..	29.70	754-4	86	8	S	4	bc		..	29.77	756.1	79	6	...	0	bc	
Iloilo,	..	29.71	754.6	88	8	SW	2	c		..	29.76	755.8	79	6	...	0	c	
Cebu,	..	29.69	754.2	88	...	...	...	bc		..	29.76	755.8	79	8	...	0	c	
Surigao,	...	29.70	754-4	88	8	WSW	2	bc		..	29.76	755.9	77	4	...	0	c	
Saipan,	11.00	..	...	...	..	...	...	...		5	29.77	756.1	78	...	SE	4	c	
Guam,	12.22	29.76	755.9	...	6	NE	4	c		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.79	756.7	...	4	E	4	bc		5	29.82	757.3	78	6	NNE	2	c	
Pelew,	..	...	...	..	...	...	...	...		..	29.79	756.6	78	...	NE	1	c	
Lamma,	14	29.95	760.8	86	6	SW	4	bc		6	29.91	759.7	74	...	SW	...	bc	

Warning.

August 23*d*. 10*h*. 06*m*.— A severe typhoon within 30 miles of Lat. 26° N. Long. 127° E., moving N.W.

August 23*d*. 10*h*. 37*m*. Pressure has increased considerably over Japan and South Manchuria, an anticyclone of moderate intensity being central over the Pacific to the east of Japan. The typhoon is situated to the immediate west of Naha, moving N.W. or W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 69.45 inches, against an average of 62.85 inches.

Manila warning. 23*d*. 9*h*. 10*m*.:—Typhoon over or near Naha moving W. or W.N.W. Recd. 23*d*. 9*h*. 35*m*.

Shanghai warning 23*d*. 9*h*. 49*m*.:—A severe typhoon within 60 miles of Lat. 26° N. Long. 127° E., moving N.W. Recd. 23*d*. 9*h*. 55*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	N.E. winds, moderate; freshening considerably, cloudy, rain.
B.—Turnabout to Hong Kong,	N. to W. winds, moderate freshening considerably; cloudy.
C.—Hong Kong to Gap Rock;	Westerly or variable winds, moderate; cloudy, rain later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	24th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.20	767.0	...	...	SE	2	...	5	30.26	768.5	...	...	SE	1	..
Hokodate,	..	30.18	766.5	...	...	ENE	1	...	..	30.20	767.0	...	...	E	1	...
Tokio,	..	30.12	765.0	...	...	...	0	...	..	30.12	765.0	..	...	NW	1	...
Kochi,	..	30.00	762.0	...	...	SE	1	...	..	30.02	762.5	...	...	...	0	...
Nagasaki,	..	29.86	758.5	...	...	ENE	2	...	..	29.90	759.5	...	...	...	0	...
Kagoshima,	..	29.86	758.5	...	...	SE	2	...	..	29.88	759.0	...	...	...	0	...
Oshima,	..	29.69	754.0	...	...	SE	2	...	..	29.76	756.0	...	...	SE	1	...
Naha,	..	29.37	746.0	...	...	SSE	7	...	..	29.61	752.0	...	...	SE	2	...
Ishigakijima,	..	29.49	749.0	...	...	WNW	5	...	..	29.37	746.0	...	...	SSW	5	...
Bonin Island,	..	29.92	760.0	...	...	ESE	1	...	..	29.96	761.0	...	...	SSE	1	...
Chefoo,	15	30.00	762.0	81	8	E	4	be	6	29.97	761.2	74	6	E	2	b
Shanghai,	14	29.83	757.6	76	4	NE	4	r	..	29.83	757.6	79	4	NE	4	c
Gutzlaff,	..	29.80	756.9	76	4	NE	6	m	..	29.81	757.1	77	6	NE	4	bc
Wenchow,	..	...	...	...	...	...	...	...	6	...	...	...	...	...	..	...
Foochow,	..	29.69	754.1	86	8	SE	2	b	7	29.62	752.3	83	6	NW	2	o
Amoy,	..	29.69	754.1	86	6	SSE	4	c	6	...	...	...	...	...	...	...
Swatow,	..	29.74	755.4	79	...	NE	1	o	..	29.66	753.3	83	...	NW	1	b
Tailoku,	11	29.67	753.5	88	...	W	4	bc	5	29.45	748.1	76	...	WSW	6	r
Taichu,	..	29.69	754.0	91	...	N	4	h	..	29.63	752.5	76	..	...	0	r
Tainan,	..	29.65	753.0	88	...	NNW	4	bc	..	29.60	751.7	76	...	NE	2	r
Koshun,	..	29.61	752.2	86	...	NW	2	c	..	29.53	750.7	81	...	NW	4	o
Pescadores,	..	29.67	753.5	88	...	N	4	b	..	29.57	751.0	81	...	N	2	o
Hong Kong,	14	29.70	754.4	85	8	SW	3	c	6	29.68	753.9	80	6	W	3	c
Gap Rock,	..	29.72	754.8	84	8	WSW	3	c	..	29.68	753.9	84	8	WNW	4	c
Macao,	..	29.69	754.1	91	4	SW	2	c	..	29.66	753 3	77	4	NNW	2	o
Hoihow,	..	29.76	755.9	91	..	NW	2	b	..	..	...	...	...	...	...	...
Pratas Island,	..	29.71	754.7	91	8	W	4	p	6	20.66	753.4	83	8	WSW	4	b
Phulien,	15	29.70	754.4	79	8	...	0	c	7	29.74	755.4	75	5	NE	2	r
Tourane,	..	29.68	753.8	88	8	SE	2	b	..	29.73	755.1	75	8	...	0	bc
Cape St. James,	..	29.77	756.1	91	8	S	2	b	..	29.82	757.3	79	8	NW	1	o
Basco,	14	29.59	751.6	86	6	SW	6	o	6	..	...	...	...	...	...	...
Aparri,	..	29.64	752.8	91	8	N	4	o	..	29.66	753.3	81	6	S	2	o
Tuguegarao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Vigan,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Manila,	..	29.72	754.8	91	8	WSW	4	bc	..	29.76	755.8	76	6	...	0	b
Legaspi,	..	29.69	754.0	94	8	SW	4	b	..	29.73	755.2	79	8	...	0	bc
Calboyog,	..	...	...	...	...	...	...	...	..	..	...	...	...	...	...	...
Tacloban,	..	..	...	...	...	...	...	...	..	..	..	...	...	...	...	...
Iloilo,	..	29.71	754.6	91	8	SSW	4	bc	..	..	...	...	...	...	...	...
Cebu,	..	...	..	...	...	...	...	...	..	..	...	...	...	...	...	...
Surigao,	...	29.71	754.6	91	8	...	0	bc	..	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	..	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.73	755.2	...	8	SE	2	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.77	756.1	...	8	NE	4	bc	5	29.83	757.7	...	6	SE	2	bc
Pelew,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Labuan,	11	29.95	760.8	86	6	SW	6	bc	6	29.91	759.7	72	4	W	6	bc

Warnings.

August 23*d*. 17*h*. 50*m*.—A severe typhoon within 60 miles of Lat. 27° N. Long. 126° E., moving W.N.W.
August 24*d*. 9*h*. 45*m*.—A severe typhoon within 60 miles of Lat. 27° N. Long. 124° E., moving W.

August 24*d*. 9*h*. 57*m*.—Pressure is highest to the north-east of Hokkaido. The typhoon is situated about 250 miles E.N.E. of Foochow, moving W. or W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 69.46 inches, against an average of 63.26 inches.

Manila warning. 23*d*. 15*h*. 00*m*.:—Typhoon in Lat. 26° N. Long. 126° E. moving W. Recd 23*d*. 15*h*. 36*m*.

Shanghai warning 24*d*. 9*h*. 19*m*.:—A severe typhoon within 60 miles of Lat. 27° N. Long. 124° E., moving W.N.W. Recd. 24*d*. 9*h*. 26*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Cyclonic gales may be expected between Foochow and Wenchow.
B.—Turnabout to Hong Kong,	N. to W. winds, fresh to strong; cloudy, squally rain.
C.—Hong Kong to Gap Rock,	Westerly winds, moderate to fresh; fair generally with local rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th AUGUST, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	25th AUGUST, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.19	766.8	68	...	SSE	1	o	6	30.13	765.3	68	...	SSW	1	o
Nemuro,	11	30.26	768.5	...	...	SE	1	...	5	29.90	759.5	..	...	SE	3	..
Hokodate,	,,	30.16	766.0	...	...	ESE	2	...	,,	29.90	759.5	...	...	NNW	3	...
Tokio,	,,	30.08	764.0	...	...	E	1	...	,,	30.04	763.0	..	...	NNW	...	...
Kochi,	,,	30.04	763.0	...	...	SW	1	...	,,	30.02	762.5	...	...	...	o	...
Nagasaki,	,,	29.94	760.5	...	...	ESE	2	...	,,	30.04	763.0	...	..	...	...	...
Kagoshima,	,,	29.94	760.5	...	...	SSE	1	...	,,	30.00	762.0	...	...	...	o	...
Oshima,	,,	29.82	757.5	...	...	SE	1	...	,,	29.88	759.0	...	...	...	o	...
Naha,	,,	29.69	754.0	...	...	SSE	3	...	,,	29.86	758.5	...	...	SE	1	...
Ishigakijima,	,,	29.39	746.5	...	...	SSW	6	...	,,	29.67	753.5	...	...	S	6	...
Bonin Island,	,,	29.98	761.5	...	...	SE	2	...	,,	30.04	763.0	...	...	E	1	...
Chefoo,	15	30.01	762.3	81	8	ENE	4	b	6	30.00	762.0	77	8	E	4	c
Shanghai,	14	29.78	756.3	86	4	ENE	4	o	,,	29.79	756.6	81	4	E	4	bc
Gutzlaff,	,,	29.81	757.2	81	6	NE	4	bc	,,	29.84	757.9	79	4	SE	6	m
Wenchow,	,,	...	...	...	...	...	...	...	6	..	..	...	...	...	...	...
Foochow,	,,	29.53	750.0	84	6	N	4	o	7	29.32	744.7	81	6	NNW	4	r
Amoy,	,,	29.54	750.3	94	8	WSW	4	bc	6	29.49	749.0	83	6	WNW	8	r
Swatow,	...	...	...	...	...	...	...	...	..	29.59	751.6	85	...	WNW	3	o
Tailoku,	11	29.38	746.3	77	...	W	6	r	5	29.37	746.0	76	...	E	2	r
Taichu,	,,	29.58	751.4	91	...	..	o	r	..	...	...	...	..	...	...	...
Tainan,	,,	29.57	751.1	86	...	NNW	2	o	..	...	...	...	...	...	...	...
Koshun,	,,	29.52	749.9	85	...	WNW	4	o	..	...	...	...	...	...	...	...
Pescadores,	,,	29.57	751.0	91	...	NNW	2	o	,,	..	...	...	...	...	...	...
Hong Kong,	14	29.61	752.0	88	7	W	3	b	6	29.61	752.1	82	6	W	2	c
Gap Rock,	,,	29.64	752.8	85	8	NW	3	b	,,	29.62	752.3	84	8	WNW	4	c
Macao,	,,	29.63	752.5	91	4	E-E	2	c	,,	29.61	752.0	79	4	NNW	4	o
Hoihow,	,,	29.71	754.6	91	...	NW	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.65	752.6	85	8	WSW	4	o	6	29.60	751.8	81	8	WSW	4	r
Phulien,	15	29.67	753.7	94	8	SSE	1	o	7	29.70	754.4	79	4	NW	2	f
Tourane,	,,	29.64	752.9	84	8	E	3	bc	,,	29.71	754.6	73	8	S	1	r
Cape St. James,	,,	29.76	756.0	90	8	S	1	bc	,,	29.82	757.4	79	7	...	o	bc
Baseo,	14	29.58	751.4	83	6	SW	4	o	6	29.67	753.7	81	6	SW	4	o
Aparri,	,,	29.62	752.4	94	6	WSW	4	o	,,	29.71	754.6	77	8	S	2	o
Tuguegarao,	,,	...	...	..	...	...	...	...	,,	29.70	754.4	76	1	...	o	bc
Vigan,	,,	...	...	...	...	...	...	...	,,	29.72	754.9	79	8	S	2	o
Manila,	,,	29.72	754.9	88	8	WSW	2	bc	,,	29.78	756.4	77	6	SE	2	b
Legaspi,	,,	29.73	755.2	97	8	SW	2	bc	,,	29.78	756.4	79	6	...	o	b
Calbayog,	,,	...	...	...	...	...	..	...	,,	29.80	757.0	76	8	SW	2	bc
Tacloban,	,,	29.74	755.3	94	8	SE	4	bc	,,	29.80	756.8	81	8	ESE	2	bc
Iloilo,	,,	29.71	754.6	94	8	SW	4	bc	,,	29.76	756.0	79	6	...	o	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	81	8	...	o	o
Surigao,	...	29.68	753.8	94	8	NE	4	b	,,	29.78	756.3	76	4	...	o	o
Saipan,	11.00	...	..	...	...	..	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.76	756.0	...	6	NE	4	o	4.22	...	..	...	...	...	...	...
Yap,	11.00	29.78	756.4	...	8	E	2	b	5	...	...	...	...	...	...	...
Perew,	,,	...	...	..	...	...	...	...	..	...	...	...	...	...	...	...
Latuan,	14	29.95	760.8	86	6	W	6	bc	6	29.91	759.6	74	4	S	...	bc

Warnings.

August 24*d*. 15*h*. 44*m*.—A severe typhoon within 60 miles of Lat. 27° N. Long. 123° E., moving W.
August 25*d*. 9*h*. 01*m*.—A severe typhoon within 60 miles of Lat. 27° N. Long. 121° E., moving W.

August 25*d*. 10*h*. 15*m*. Pressure has given way to the north-east of Hokkaido, and is now highest over S. Manchuria.

The typhoon is approaching the coast in the vicinity of Foochow.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 69.46 inches, against an average of 63.67 inches.

Manila warning. 24*d*. 15*h*. 10*m*.:—Typhoon in Lat. 36° N. Long. 123° E. moving W. Recd 24*d*. 15*h*. 40*m*.

Shanghai warning 24*d*. 21*h*. 42*m*.:—A severe typhoon within 60 miles of Lat. 27° N. Long. 122° E., moving W. Recd. 24*d*. 21*h*. 58*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26th.

District.	Forecast.
A.—Shanghai to Turnabout,	Cyclonic gales.
B.—Turnabout to Hong Kong,	W. winds, fresh to a gale: cloudy, squally, rain.
C.—Hong Kong to Gap Rock,	W. winds, fresh; cloudy, rain later.
D.—Hong Kong to Hainan Straits,	N.W. to S.W. winds, moderate to fresh; cloudy, local rain.
E.—North China Sea,	

C. W. JEFFRIES, Director.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th AUGUST, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	26th AUGUST, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.09	764.3	77	...	SSE	3	b	6	29.92	759.9	66	...	...	0	0
Nemuro,	11	29.76	756.0	...	...	NE	1	...	5	29.69	754.0	...	...	NNW	2	...
Hokodate,	,,	29.96	761.0	...	...	NNW	3	...	,,	30.14	765.5	...	...	NNW	1	...
Tokio,	,,	30.00	762.0	...	...	S	1	...	,,	30.02	762.5	..	...	ENE	1	...
Kochi,	,,	30.02	762.5	...	...	WSW	1	...	,,	30.02	762.5	...	...	...	0	...
Nagasaki,	,,	30.04	763.0	...	...	...	0	...	,,	30.04	763.0	...	...	...	0	...
Kagoshima,	,,	30.02	762.5	...	...	S	1	...	,,	30.02	762.0	...	...	NNW	1	...
Oshima,	,,	29.98	761.5	...	...	SE	1	...	,,	29.98	761.5	...	...	SE	1	...
Naha,	,,	29.88	759.0	...	...	SE	2	...	,,	29.94	760.5	...	...	SE	1	...
Ishigakijima,	,,	29.76	756.0	...	...	S	4	...	,,	29.88	759.0	...	...	S	3	...
Bonin Island,	,,	30.00	762.0	...	...	E	2	...	,,	30.00	762.0	...	...	E	1	...
Chefoo,	15	29.98	761.4	74	4	E	4	r	6	29.93	760.3	74	4	E	4	r
Shanghai,	14	29.81	757.2	86	4	ESE	6	p	,,	29.82	757.4	81	4	E-E	4	c
Gutzlaff,	,,	29.87	758.7	83	4	SE	6	m	,,	29.90	759.4	81	4	SE	6	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.34	745.2	78	1	S	6	r	7	29.74	755.4	78	4	SSE	4	r
Amoy,	,,	29.54	750.3	81	6	S	4	r	6	29.63	752.6	83	6	S	6	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.50	740.3	83	...	...	0	p	5	29.78	756.4	76	...	...	0	0
Taichu,	,,	29.59	751.6	79	...	S	2	r	,,	29.79	756.7	74	..	...	0	0
Tainan,	,,	29.60	751.9	79	...	S	4	r	,,	29 80	756.8	76	...	SE	0	0
Koshun,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	77	...	...	2	0
Pescadores,	,,	29.54	750.3	81	...	SSW	6	o	,,	29.74	755.3	76	...	SW	6	r
Hong Kong,	14	29.61	752.1	86	6	SW	3	c	6	29.66	753.3	79	5	W	3	op
Gap Rock,	,,	29.63	752.6	85	8	W	3	o	,,	29.66	753.3	83	8	WSW	6	o
Macao,	,,	29.60	751.9	91	4	NNW	2	c	,,	29.64	752.8	81	4	WSW	4	o
Hoihow,	,,	29.74	755.4	86	...	NW	6	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.66	753.3	77	6	SW	6	r	6	29.73	755.2	81	8	SW	2	o
Phulien,	15	29.66	753.4	86	8	SSW	2	t	7	29.71	754.5	77	7	NNW	2	o
Tourane,	,,	29.66	753.3	91	8	FSE	2	b	,,	29.73	755 0	73	8	...	0	bc
Cape St. James,	,,	29.76	755.9	91	8	S	2	b	,,	29.83	757.6	81	7	S	1	c
Basco,	14	29.72	754.9	85	6	SW	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.71	754.7	91	6	S	2	o	,,	29.83	757.6	77	8	S	2	c
Tuguegarao,	,,	29.68	753.8	98	8	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.4	88	8	WSW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.3	94	8	SW	2	bc	,,	29 83	757.6	76	6	...	0	c
Legaspi,	,,	29.72	754.9	94	8	NE	4	bc	,,	29.80	757.0	83	6	...	0	o
Calbayog,	,,	29.75	755.7	98	8	NNW	2	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	94	6	SE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.70	754.3	91	6	NE	2	bc	,,	...	...	...	...	...	...	...
Cebu,	,,	29.71	754.7	91	8	NE	4	bc	,,	..	...	...	...	...	...	...
Surigao,	...	29.73	755.2	86	6	SE	4	o	,,	..	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	756.0	...	6	ESE	2	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.5	...	8	E	4	bc	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	11	29.95	760.8	86	6	W	4	bc	6	29.91	759.7	76	4	SW	6	bc

Warning.

August 25*d*. 15*h*. 40*m*.— Typhoon within 60 miles of Lat. 27° N. Long. 118° E., filling up.

August 26*d*. 10*h*. 00*m*.— Pressure is highest over the Pacific to the south-east of Japan. The typhoon now exists as a shallow depression covering South China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.36 inch. Total since January 1st, 69.82 inches, against an average of 64.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	S. and S.E. winds, fresh to moderate; cloudy, occasional rain.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S.W. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th AUGUST, 1932.								27th AUGUST, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.10	764.5	73	...	...	0	c	6	30.04	762.9	61	...	NNE	2	o
Nemuro,	11	30.06	763.5	...	...	NNE	1	...	5	30.00	762.0	..	...	SW	1	...
Hokodate,	,,	30.08	764.0	...	...	SE	1	...	,,	30.06	763.5	...	...	...	...	...
Tokio,	,,	30.04	763.0	...	...	NE	3	...	,,	30.06	763.5	.	...	N	1	...
Kochi,	,,	30.00	762.0	...	...	SE	1	...	,,	30.00	762.0	...	...	WSW	1	...
Nagasaki,	,,	30.02	762.5	...	...	WNW	1	...	,,	30.02	762.5	...	...	...	0	...
Kagoshima,	,,	30.00	762.0	...	...	SS	1	...	,,	29.98	761.5	...	...	NNW	1	...
Oshima,	,,	30.00	762.0	...	...	ESE	1	...	,,	29.96	761.0	...	...	...	0	...
Naha,	,,	29.98	761.5	...	...	E	1	...	,,	29.96	761.0	...	...	...	0	...
Ishigakijima,	,,	29.92	760.0	...	...	S	1	...	,,	29.90	759.5	...	...	ENE	1	...
Bonin Island,	,,	29.98	761.5	...	...	E	1	...	,,	29.96	761.0	...	...	...	0	...
Chefoo,	15	29.96	760.9	76	6	E	2	r	6	29.92	760.0	76	4	...	0	o
Shanghai,	14	29.82	757.3	85	6	SE	6	q	,,	29.86	758.4	81	4	SSE	6	q
Gutzlaff,	,,	29.90	759.4	83	6	SSE	6	bc	,,	29.95	760.7	79	6	SSE	6	c
Wenchow,	,,	...	...	...	...	...	...	...	6	..	..	...	...	...	...	...
Foochow,	,,	29.78	756.4	77	8	S	2	r	7	29.83	757.9	75	4	SW	2	r
Amoy,	,,	29.77	756.1	77	6	SW	8	r	6	29.85	758.2	74	6	ENE	4	r
Swatow,	,,	...	...	...	...	...	...	...	,,	29.84	758.0	75	...	SSW	3	o
Taihoku,	11	29.84	758 0	79	...	ESE	2	r	5	29.91	759.6	72	...	...	0	r
Taichu,	,,	29.82	757.3	77	...	...	0	o	,,	29.91	759.8	72	..	...	0	r
Tainan,	,,	29.83	757.7	83	...	SSE	4	b	,,	29.89	759.3	76	...	...	0	o
Koshun,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	77	...	WSW	2	o
Pescadores,	,,	29.82	757.3	81	...	SSW	4	r	,,	29.90	759.5	76	...	NW	2	r
Hong Kong,	14	29.70	754.4	80	4	SSW	5	or	6	29.74	755.4	80	6	SSW	4	or q
Gap Rock,	,,	29.71	754.6	81	7	SW	6	or	,,	29.73	755.1	82	7	SSW	5	o
Macao,	,,	29.59	751.6	85	4	SW	4	o	,,	29.70	754.4	77	4	WSW	4	o
Hoihow,	,,	29.74	755.4	88	1	NW	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.80	757.0	85	6	SW	2	q	6	29.80	756.8	83	6	SW	2	o
Phulien,	15	29.73	755.1	77	6	NE	4	r	7	29.73	755.2	77	6	WNW	3	o
Tourane,	,,	29.69	754.1	90	8	N	5	bc	,,	29.75	755.7	75	7	S	1	c
Cape St. James,	,,	29.81	757.2	90	8	S	2	c	,,	29.85	758.2	77	7	NE	2	bc
Basco,	14	29.81	757.2	86	6	SE	4	o	6	29.83	757.7	81	6	...	0	o
Aparri,	,,	29.80	757.0	91	8	ENE	4	o	,,	29.83	757.7	77	8	S	2	o
Tuguegarao,	,,	29.80	757.0	81	4	...	0	o	,,	29.84	757.8	74	1	...	0	bc
Vigan,	,,	29.76	755.9	91	8	WNW	2	o	,,	29.81	757.2	77	8	...	0	o
Manila,	,,	29.78	756.5	88	8	...	0	o	,,	29.84	757.9	74	8	...	0	o
Legaspi,	,,	29.80	756.8	79	6	NE	2	o	,,	29.80	756.8	81	6	...	0	o
Calboyog,	,,	29.79	756.6	86	8	ENE	4	o	,,	29.82	757.3	76	8	N	2	bc
Tacloban,	,,	29.78	756.5	86	8	NE	2	o	,,	29.82	757.4	79	8	NW	2	bc
Iloilo,	,,	29.76	755.8	91	8	NE	4	o	,,	29.80	756.8	79	6	NE	4	o
Cebu,	,,	29.74	755.4	88	8	ENE	4	c	,,	29.79	756.6	81	8	N	2	bc
Surigao,	...	29.76	755.9	83	8	N	4	o	,,	29.80	756.8	76	4	...	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	E	2	d	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	6	ESE	2	bc	5	29.84	758.0	...	6	ESE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.8	86	6	SW	4	bc	6	29.91	759.7	70	...	SW	...	bc

August 27*d*. 10*h*. 19*m*.— Pressure is highest over Japan ; the depression remains over South China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 4.40 inch. Total since January 1st, 74.22 inches, against an average of 64.48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	S. and S.W. winds, fresh to moderate; cloudy, occasional rain.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	S.W. winds, moderate; cloudy, rain, probably improving.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	28th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.01	762.3	73	...	SE	1	o	6	29.93	760.2	68	...	...	o	o
Nemuro,	11	29.98	761.5	...	...	NNE	1	...	5	30.06	763.5	...	...	...	o	...
Hokodate,	,,	30.02	762.5	...	...	SSW	1	...	,,	30.04	763.0	...	...	...	o	...
Tokio,	,,	30.04	763.0	...	...	E	1	...	,,	30.02	762.5	..	...	...	o	...
Kochi,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.98	761.5	...	...	...	o	...
Nagasaki,	,,	30.00	762.0	...	...	SW	1	...	,,	29.96	761.0	...	...	...	o	...
Kagoshima,	,,	29.96	761.0	...	...	SE	1	...	,,	29.94	760.5	...	...	...	o	...
Oshima,	,,	29.96	761.0	...	...	N	1	...	,,	29.88	759.0	...	...	...	o	...
Naha,	,,	29.94	760.5	...	...	NNE	2	...	,,	29.88	759.0	...	...	NE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	ESE	2	...	,,	29.86	758.5	...	...	NE	1	...
Bonin Island,	,,	29.94	760.5	...	...	...	o	...	,,	29.96	761.0	...	...	...	o	...
Chefoo,	15	29.84	758 0	85	6	S S	2	o	6	29.74	755.4	76	6	S	4	e
Shanghai,	14	29.84	757 9	88	6	S	4	o	,,	29.91	759.7	79	6	SSE	4	e
Gutzlaff,	,,	29.93	760.2	81	6	SSE	6	e	,,	29.96	761.0	79	6	SSE	4	be
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.91	759.7	78	6	SSE	2	o	7	29.90	759.4	76	6	...	o	be
Amoy,	,,	29.86	758.4	77	6	SSE	2	o	6	29.86	758.4	76	6	ENE	2	r
Swatow,	,,	29.85	758.1	75	...	SSE	3	o	,,	29.85	758.1	75	...	SSE	3	c
Taihoku,	11	29.91	759.8	81	...	...	o	1	5	29.84	758.0	74	...	...	o	d
Taichu,	,,	29.92	760.0	81	...	...	o	o	,,	29.87	758.6	74	..	...	o	b
Tainan,	,,	29.88	758.9	81	...	NNE	2	o	,,	29.83	757.6	76	...	...	o	o
Koshun,	,,	29.89	759.1	83	...	ENE	4	o	,,	29.82	757.4	77	...	..	o	o
Pescadores,	,,	29.89	759 3	79	...	N	4	o	,,	29.83	757.6	79	...	NE	2	o
Hong Kong,	14	29.77	756.1	78	6	SSW	4	crq	6	29.73	755.1	78	4	SE	3	cr
Gap Rock,	,,	29.76	755.9	81	7	S	4	o	,,	29.74	755.4	80	6	SSW	4	cr
Macao,	,,	29.72	755.0	79	4	SSW	4	d	,,	29.71	754.7	74	1	WSW	4	d
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.6	86	6	S	2	o	6	29.78	756.4	79	6	SE	2	e
Phulien,	15	29.70	754.4	84	8	S	3	e	7	29.68	753.8	79	6	E	2	t
Tourane,	,,	29.72	755.0	97	8	NE	2	e	,,	29.73	755 0	73	8	...	o	be
Cape St. James,	,,	29.81	757.1	88	8	S	2	be	6	29.85	758.1	79	7	SW	4	e
Basco,	14	29.82	757.4	85	6	SE	4	o	6	29.80	757.0	79	6	...	o	o
Aparri,	,,	29.79	756.7	91	8	NE	4	o	,,	29.80	757.0	76	8	SW	2	o
Tuguegarao,	,,	29.76	755.8	91	6	...	o	be	,,	29.80	757.0	74	1	...	o	be
Vigan,	,,	29.76	755.8	86	8	NW	2	o	,,	29.77	756.1	76	8	ESE	2	e
Manila,	,,	29.78	756.5	88	8	WSW	2	be	,,	29.80	757.0	76	6	...	o	b
Legaspi,	,,	29.76	755.8	88	8	ENE	4	o	,,	29.76	755.9	77	6	...	o	o
Calbayog,	,,	29.74	755.4	83	8	...	o	o	,,	29.88	756.5	76	8	NE	2	e
Tacloban,	,,	29.74	755 4	91	8	SSE	4	o	,,	29.79	756.8	79	8	NW	2	o
Iloilo,	,,	29.72	755.0	91	8	NE	4	o	,,	29.77	756.1	79	6	NE	2	o
Cebu,	,,	29.71	754.7	91	8	N	4	be	,,	29.76	756.0	81	8	...	o	o
Surigao,	...	29.72	755.0	88	8	...	o	b	,,	29.76	756.0	77	4	...	o	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.80	757.0	78	...	...	o	b
Guam,	12.22	29.76	755.8	...	6	N	4	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.76	756.0	...	6	ESE	2	be	5	29.83	757.6	78	6	...	o	e
Pelew,	,,	...	...	...	...	...	...	...	,,	29.81	757.1	...	...	...	o	e
Labuan,	14	29.95	760.8	86	6	W	4	be	6	29.92	760.0	...	...	...	...	r

August 28*d*. 10*h*. 50*m*.— Pressure is highest over the Pacific to the east of Japan ; the depression is situated over S.W. China.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 4.08 inch. Total since January 1st, 78.30 inches, against an average of 64.87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	S. and S.E. winds, moderate ; cloudy.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	S. winds, moderate; cloudy, rain.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	29th August, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.90	759.5	72	...	SSE	2	o	6	29.71	754.7	66	...	...	0	r
Nemuro,	11	30.08	764.0	...	...	SW	3	...	5	29.71	754.5	...	...	S	2	...
Hokodate,	,,	30.00	762.0	...	...	S	1	...	,,	29.98	761.5	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	NE	1	...	,,	30.04	763.0	..	...	...	...	...
Kochi,	,,	29.98	761.5	...	...	SE	1	...	,,	30.02	762.5	...	...	...	...	...
Nagasaki,	,,	29.94	760.5	...	...	ESE	1	...	,,	30.02	762.5	...	...	...	0	...
Kagoshima,	,,	29.94	760.5	...	...	S	1	...	,,	29.94	760.5	...	...	SSE	1	...
Oshima,	,,	29.88	759.0	...	...	...	0	...	,,	29.92	760.0	...	...	...	0	...
Naha,	,,	29.90	759.5	...	...	N	1	...	,,	29.90	759.5	...	...	ESE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	FSE	1	...	,,	29.86	758.5	...	...	NE	1	...
Ponin Island,	,,	29.96	761.0	...	...	ENE	1	...	,,	29.98	761.5	...	...	ENE	1	...
Chefoo,	15	29.67	753.7	79	6	SSW	2	bc	6	29.76	755.8	72	4	NW	4	r
Shanghai,	14	29.82	757.3	91	8	S	4	bc	,,	29.84	758.0	76	6	SSE	2	bc
Gutzlaff,	,,	29.89	759.2	83	6	SSE	6	bc	,,	29.92	759.9	79	6	SSE	4	bc
Wenchow,	,,	..	...	...	...	...	...	...	6	...	..	...	...	...	...	...
Foochow,	,,	29.87	758.7	82	8	E	2	bc	7	29.88	758.9	78	6	...	0	bc
Amoy,	,,	29.87	758.7	77	4	WSW	2	r	6	29.85	758.2	75	6	WNW	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	73	...	NE	1	o
Tailoku,	11	29.86	758.4	88	...	ESE	2	o	5	29.88	758.8	74	...	...	0	o
Taichu,	,,	29.86	758.5	85	...	...	0	o	,,	29.80	757.0	76	..	..	0	o
Tainan,	,,	29.84	758.0	88	...	NE	2	o	,,	29.83	757.6	76	...	ENE	2	o
Koshun,	,,	29.85	758.2	85	...	ENE	4	o	,,	29.83	757.7	74	...	...	0	r
Pescadores,	,,	29.85	758.2	85	...	NE	4	o	,,	29.83	757.6	76	...	...	0	o
Hong Kong,	14	29.78	756.4	74	5	SW	2	or	6	29.75	755.6	76	5	SW	2	od
Gap Rock,	,,	29.78	756.4	79	6	SW	4	orm	,,	29.74	755.4	79	7	SW	4	or
Macao,	,,	29.72	755.0	76	4	SSW	4	d	,,	29.71	754.5	72	1	S	4	d
Hoilow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.80	757.0	83	6	...	0	r	6	29.79	756.7	81	8	ESE	2	o
Phulien,	15	29.67	753.6	84	8	SSE	3	o	7	29.67	753.5	81	6	S	2	o
Tourane,	,,	29.69	754.2	95	8	NNE	1	o	,,	29.69	754.2	77	8	SW	1	bc
Cape St. James,	,,	29.80	757.0	88	7	W	4	c	,,	29.82	757.4	77	8	SW	1	bc
Basco,	14	29.77	756.1	88	8	SE	4	bc	6	29.80	757.0	76	6	SE	2	d
Aparri,	,,	29.73	755.2	91	8	N	4	o	,,	29.78	756.5	76	8	S	2	o
Tuguegarao,	,,	29.71	754.6	94	8	...	0	bc	,,	29.80	757.0	76	1	...	0	o
Vigan,	,,	29.72	754.9	91	8	WSW	2	bc	,,	29.76	756.0	76	8	E	2	o
Manila,	,,	29.74	755.4	91	8	WSW	2	bc	,,	29.80	757.0	76	6	...	0	o
Legaspi,	,,	29.72	754.9	91	8	ENE	2	o	,,	29.77	756.1	79	6	...	0	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	76	8	N	2	o
Tacloban,	,,	29.73	755.2	79	6	...	0	d	,,	29.79	756.6	79	8	NNE	4	o
Iloilo,	,,	29.74	755.3	91	8	N	4	o	,,	29.81	757.2	85	4	NE	2	o
Cebu,	,,	29.72	754.8	86	8	...	0	o	,,	29.79	756.6	77	8	...	0	d
Surigao,	...	29.71	754.6	86	8	N	2	o	,,	29.78	756.3	76	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.6	...	6	NE	2	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.5	...	8	...	0	bo	5	29.83	757.6	...	6	ENE	2	r
Pelew,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	79	6	...	0	bc	6	29.91	759.7	68	...	...	...	r

August 29*d*. 10*h*. 54*m*.—A weak anticyclonic area is situated over central Japan, and a depression over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 3.65 inch. Total since January 1st, 81.95 inches, against an average of 65.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S. winds, moderate; fair.
B.—Turnabout to Hong Kong,	Light variable winds, fair.
C.—Hong Kong to Gap Rock,	S.W. winds, moderate; cloudy with rain, probably improving.
D.—Hong Kong to Bainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th AUGUST, 1932.									30th AUGUST, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	...	...	68	...	...	0	0		6	29.90	759.4	64	...	N	3	0	
Nemuro,	11	30.06	763.5	...	...	S	2	...		5	29.92	760.0	...	...	SW	2	...	
Hokodate,	,,	29.94	760.5	...	...	...	0	...		,,	29.88	759.0	...	...	SW	1	...	
Tokio,	,,	30.02	762.5	...	...	SSE	1	...		,,	30.06	763.5	..	...	...	...	...	
Kochi,	,,	30.02	762.5	...	...	SE	1	...		,,	30.08	764.0	...	...	...	0	...	
Nagasaki,	,,	29.96	761.0	...	...	SE	4	...		,,	30.02	762.5	...	...	SE	1	...	
Kagoshima,	,,	29.98	761.5	...	...	SSW	1	...		,,	30.04	763.0	...	...	...	0	...	
Oshima,	,,	29.96	761.0	...	...	SSE	1	...		,,	30.00	762.0	...	...	...	0	...	
Naha,	,,	29.94	760.5	...	...	S	1	...		,,	29.96	761.0	...	...	SE	1	...	
Ishigakijima,	,,	29.92	760.0	...	...	SSE	1	...		,,	29.92	760.0	...	...	SSE	1	...	
Bonin Island,	,,	30.00	762.0	...	...	E	1	...		,,	30.08	764.0	...	...	ESE	1	...	
Chefoo,	15	29.79	756.6	74	8	N	4	0		6	29.87	758.6	74	4	N	2	0	
Shanghai,	14	29.84	758.0	94	8	SSE	2	lc		,,	29.88	758.8	77	6	SSE	2	b	
Gutzlaff,	,,	29.91	759.7	83	6	SSE	4	b		,,	29.94	760.5	79	6	S	6	bc	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.90	759.4	86	8	E	2	b		7	29.93	760.2	80	8	W	2	h	
Amoy,	,,	29.90	759.4	79	6	W	4	bc		6	29.93	760.2	76	6	W	4	o	
Swatow,	,,	...	...	...	...	...	...	...		,,	29.94	760.5	75	...	E	1	o	
Taihoku,	11	29.87	758.8	88	...	E	2	bc		5	29.91	759.6	74	...	...	0	b	
Taichu,	,,	29.89	759.3	85	...	NW	2	o		,,	29.93	760.1	74	...	...	0	b	
Tainan,	,,	29.86	758.5	88	...	N	2	o		,,	29.88	758.8	74	...	...	0	o	
Koshun,	,,	29.86	758.4	83	...	ENE	4	o		,,	29.87	758.6	77	...	...	0	o	
Pescadores,	,,	29.86	758.5	83	...	NE	2	o		,,	29.88	759.0	77	...	...	0	c	
Hong Kong,	14	29.77	756.1	79	6	E	3	o		6	29.84	757.9	75	6	ENE	3	o	
Gap Rock,	,,	29.76	755.9	79	7	S	3	o		,,	29.83	757.7	78	8	E	3	o	
Macao,	,,	29.72	754.9	76	4	SSE	4	d		,,	29.80	756.8	76	4	SE	2	o	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.80	757.0	85	8	SE	2	z		6	29.83	757.7	79	8	NE	2	o	
Phulien,	15	29.67	753.6	86	8	ESE	3	c		7	29.73	755.1	73	3	SE	3	r	
Tourane,	,,	29.69	754.2	91	8	E	2	t		,,	29.76	755.8	79	8	...	0	c	
Cape St. James,	,,	29.82	757.3	86	8	SSW	1	c		,,	29.86	758.4	79	7	W	2	bc	
Basco,	14	29.80	757.0	85	6	ESE	4	o		6	...	...	...	..	...	...	...	
Aparri,	,,	29.76	755.8	88	8	NNE	4	o		,,	29.84	757.8	77	8	S	2	c	
Tuguegarao,	,,	29.72	754.8	94	6	...	0	bc		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.73	755.2	86	8	WNW	2	o		,,	...	...	...	...	...	...	...	
Manila,	,,	29.83	757.6	85	8	NE	4	bc		,,	29.83	757.6	76	6	...	0	c	
Legaspi,	,,	29.73	755.2	91	8	SE	2	bc		,,	29.80	758.4	76	8	...	0	b	
Calbayog,	,,	29.74	755.4	86	8	SW	4	bc		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.74	755.4	91	8	SE	4	o		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.74	755.4	88	8	NE	2	bc		,,	...	...	...	...	...	...	...	
Cebu,	,,	29.73	755.2	86	8	SSE	2	o		,,	...	..	...	...	...	...	...	
Surigao,	...	29.76	755.8	86	6	E	2	o		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.76	756.0	...	6	E	2	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.79	756.6	...	8	ENE	4	bc		5	29.83	757.6	...	6	NNE	2	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.96	760.9	83	6	W	...	bc		6	29.91	759.7	72	...	S	...	c	

August 30*d*. 9*h*. 55*m*.—An anticyclone of moderate intensity is central over the Pacific to the east of the Bonins; pressure is relatively low over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.58 inch. Total since January 1st, 82.53 inches, against an average of 63.62 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	S. and S.E. winds, moderate to fresh; fair.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	E. winds, moderate; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th August, 1932.									31st August, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.			
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	29.88	758.9	70	...	N	3	o		6	29.92	760.0	64	...	N	2	c	
Nemuro,	11	29.86	758.5	...	...	WSW	3	...		5	29.82	757.5	..	...	W	1	...	
Hokodate,	,,	29.88	759.0	...	...	SW	2	...		,,	29.86	758.5	...	...	SSW	3	...	
Tokio,	,,	30.02	762.5	...	...	SW	2	...		,,	30.04	763.0	..	...	S	1	...	
Kochi,	,,	30.06	763.5	...	...	...	0	...		,,	29.98	761.5	...	...	SW	1	...	
Nagasaki,	,,	30.02	762.5	...	...	S	2	...		,,	29.96	761.0	...	...	SE	1	...	
Kagoshima,	,,	30.02	762.5	...	...	SSE	1	...		,,	29.98	761.5	..	...	...	0	...	
Oshima,	,,	30.00	762.0	...	...	S	1	...		,,	29.98	761.5	...	...	...	0	...	
Naha,	,,	29.98	761.5	...	...	E	1	...		,,	29.98	761.5	...	...	SE	1	...	
Ishigakijima,	,,	29.94	760.5	...	...	S	1	...		,,	29.94	760.5	...	...	SSE	1	...	
Bonin Island,	,,	30.06	763.5	...	...	ESE	1	...		,,	30.10	764.5	...	...	...	0	...	
Chefoo,	15	29.90	759.5	74	8	...	0	c		6	29.88	759.0	72	4	SW	2	bc	
Shanghai,	14	29.83	757.7	91	6	SSW	2	c		,,	29.90	759.5	76	4	NNW	2	r	
Gutzlaff,	,,	29.95	760.7	85	6	S	4	b		,,	29.95	760.7	77	4	NNW	2	c	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.92	759.9	84	8	S	2	b		7	29.97	761.2	80	8	...	0	b	
Amoy,	,,	29.94	760.5	83	6	SE	4	bc		6	29.93	760.3	77	6	S	4	b	
Swatow,	,,	...	...	...	...	...	...	...		,,	29.97	761.3	75	...	E	1	b	
Tailokun,	11	29.93	760.2	88	...	...	0	b		5	29.93	760.3	76	...	...	0	bc	
Taichu,	,,	29.95	760.8	86	...	...	0	bc		,,	29.95	760.8	74	..	...	0	c	
Tainan,	,,	29.94	760.4	88	...	NW	2	bc		,,	29.93	760.2	76	...	...	0	b	
Koshun,	,,	29.92	760.0	88	...	E	2	bc		,,	29.93	760.1	77	...	...	0	bc	
Pescadores,	,,	29.94	760.5	85	...	WNW	4	bc		,,	29.93	760.2	77	...	...	0	bc	
Hong Kong,	14	29.85	758.2	80	7	E	4	c		6	29.88	758.9	76	6	E	2	bc	
Gap Rock,	,,	29.87	758.7	77	7	WSW	3	c		,,	29.89	759.2	78	7	ENE	4	c	
Macao,	,,	29.84	758.0	77	4	WSW	2	d		,,	29.82	757.4	76	4	ESE	2	c	
Hoihow,	,,	29.80	757.0	88	...	S	2	bc		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.85	758.2	88	8	NE	4	bc		6	29.88	758.8	81	8	ESE	4	bc	
Phulien,	15	29.72	754.8	79	8	SE	4	c		7	29.81	757.3	75	4	SSW	3	r	
Tourane,	,,	29.72	754.8	86	8	NE	2	c		,,	29.80	757.0	77	8	SSW	1	c	
Cape St. James,	,,	29.82	757.4	91	8	SSW	2	b		,,	29.88	758.8	79	7	WSW	3	c	
Basco,	14	29.85	758.2	86	6	SE	4	c		6	29.88	758.9	77	8	...	0	c	
Aparri,	,,	29.81	757.2	91	6	NNE	4	bc		,,	29.88	759.0	76	8	...	0	c	
Tuguegarao,	,,	29.76	756.0	83	4	...	0	r		,,	29.88	758.9	76	1	...	0	c	
Vigan,	,,	29.78	756.4	86	8	NW	2	bc		,,	29.85	758.2	76	8	FSE	2	c	
Manila,	,,	29.79	756.7	85	8	NE	2	c		,,	29.88	758.8	76	6	NE	2	c	
Legaspi,	,,	29.76	755.9	77	8	ENE	2	bc		,,	29.84	757.8	79	6	...	0	c	
Calboyog,	,,	29.80	757.0	81	6	N	2	c		,,	29.85	758.2	76	8	N	2	c	
Tacloban,	,,	29.78	756.3	91	6	E	4	t		,,	29.85	758.2	79	6	WNW	2	c	
Iloilo,	,,	29.76	755.9	88	6	S	2	bc		,,	29.86	758.3	76	6	...	0	c	
Cebu,	,,	29.76	755.8	91	8	...	0	bc		,,	29.83	757.7	79	8	NNW	2	c	
Surigao,	...	29.75	755.6	88	6	ESE	2	c		,,	29.84	757.8	76	4	...	0	c	
Saipan,	11.00	...	...	...	..	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.78	756.4	...	6	ESE	2	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.83	757.6	...	6	...	0	bc		5	29.86	758.5	...	6	NNE	2	bc	
Pelew,	,,	...	...	..	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.93	760.8	86	6	W	...	bc		6	29.91	759.7	76	...	S	...	c	

August 31*d*. 10*h*. 12*m*.— The anticyclone to the east of the Bonins has increased in intensity. Pressure remains relatively low over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.30 inch. Total since January 1st, 82.83 inches, against an average of 65.98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	S. and S.E. winds, moderate; fair to showery.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	E. winds, moderate; fair to showery.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

SEPTEMBER,

1932.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.



HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1932.

[*Price $1.*]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

SEPTEMBER,

1932.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, at 109 feet above MEAN SEA LEVEL, in the MONTH of SEPTEMBER, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·810	29·797	29·783	29·761	29·761	29·774	29·781	29·798	29·801	29·801	29·793	29·778	1
2	29·754	29·741	29·731	29·725	29·729	29·731	29·740	29·745	29·765	29·778	29·784	29·778	2
3	29·806	29·789	29·782	29·786	29·788	29·800	29·817	29·830	29·840	29·847	29·844	29·843	3
4	29·862	29·849	29·843	29·838	29·845	29·854	29·870	29·882	29·896	29·886	29·876	29·862	4
5	29·826	29·809	29·790	29·782	29·776	29·786	29·788	29·800	29·799	29·810	29·808	29·799	5
6	29·769	29·758	29·742	29·736	29·729	29·720	29·726	29·744	29·742	29·752	29·750	29·734	6
7	29·711	29·682	29·675	29·667	29·676	29·676	29·688	29·697	29·708	29·708	29·705	29·686	7
8	29·699	29·687	29·675	29·669	29·668	29·675	29·699	29·711	29·724	29·735	29·729	29·712	8
9	29·712	29·689	29·673	29·685	29·689	29·699	29·715	29·731	29·728	29·723	29·728	29·729	9
10	29·707	29·694	29·672	29·666	29·654	29·662	29·672	29·688	29·708	29·712	29·710	29·690	10
11	29·660	29·644	29·636	29·634	29·634	29·630	29·636	29·662	29·668	29·677	29·675	29·668	11
12	29·685	29·673	29·661	29·649	29·664	29·668	29·696	29·708	29·731	29·749	29·761	29·757	12
13	29·764	29·751	29·738	29·734	29·734	29·738	29·752	29·776	29·782	29·788	29·794	29·789	13
14	29·776	29·770	29·757	29·757	29·749	29·752	29·752	29·766	29·770	29·781	29·777	29·756	14
15	29·730	29·722	29·716	29·710	29·704	29·710	29·715	29·724	29·728	29·724	29·713	29·703	15
16	29·623	29·603	29·577	29·564	29·558	29·570	29·594	29·598	29·603	29·589	29·569	29·544	16
17	29·424	29·404	29·377	29·369	29·358	29·360	29·376	29·391	29·405	29·415	29·424	29·434	17
18	29·537	29·537	29·551	29·547	29·559	29·573	29·592	29·619	29·637	29·647	29·667	29·661	18
19	29·739	29·729	29·707	29·705	29·716	29·728	29·758	29·772	29·782	29·793	29·789	29·773	19
20	29·760	29·752	29·738	29·729	29·731	29·741	29·756	29·769	29·784	29·782	29·775	29·759	20
21	29·716	29·706	29·686	29·674	29·668	29·672	29·672	29·692	29·695	29·680	29·664	29·635	21
22	29·623	29·622	29·611	29·594	29·592	29·596	29·602	29·620	29·627	29·633	29·635	29·621	22
23	29·655	29·635	29·619	29·630	29·632	29·634	29·648	29·670	29·678	29·692	29·695	29·685	23
24	29·729	29·731	29·723	29·719	29·728	29·748	29·757	29·778	29·802	29·813	29·802	29·794	24
25	29·812	29·806	29·794	29·789	29·793	29·807	29·817	29·832	29·854	29·869	29·860	29·840	25
26	29·793	29·773	29·757	29·748	29·746	29·752	29·764	29·780	29·795	29·803	29·788	29·770	26
27	29·728	29·706	29·699	29·701	29·705	29·710	29·719	29·746	29·754	29·754	29·750	29·734	27
28	29·739	29·738	29·732	29·733	29·737	29·760	29·784	29·795	29·818	29·836	29·834	29·814	28
29	29·825	29·812	29·809	29·806	29·812	29·829	29·845	29·861	29·861	29·863	29·860	29·844	29
30	29·840	29·830	29·822	29·812	29·810	29·812	29·826	29·840	29·849	29·856	29·851	29·823	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·761	29·729	29·711	29·695	29·696	29·703	29·726	29·753	29·760	29·765	29·765	29·761	1
2	29·772	29·749	29·743	29·732	29·741	29·746	29·769	29·789	29·807	29·818	29·818	29·810	2
3	29·839	29·822	29·802	29·794	29·798	29·805	29·819	29·826	29·854	29·866	29·870	29·864	3
4	29·845	29·823	29·808	29·797	29·800	29·804	29·808	29·828	29·838	29·842	29·844	29·834	4
5	29·785	29·760	29·740	29·748	29·743	29·748	29·760	29·782	29·798	29·796	29·790	29·780	5
6	29·714	29·695	29·680	29·679	29·693	29·693	29·696	29·704	29·732	29·736	29·716	29·720	6
7	29·673	29·647	29·635	29·638	29·642	29·642	29·676	29·685	29·701	29·712	29·706	29·702	7
8	29·703	29·687	29·681	29·678	29·684	29·700	29·715	29·730	29·748	29·738	29·730	29·719	8
9	29·714	29·699	29·692	29·685	29·661	29·671	29·676	29·698	29·710	29·720	29·711	29·712	9
10	29·676	29·656	29·624	29·620	29·621	29·619	29·647	29·653	29·680	29·685	29·677	29·668	10
11	29·654	29·626	29·616	29·606	29·620	29·620	29·630	29·656	29·680	29·694	29·690	29·689	11
12	29·745	29·727	29·708	29·708	29·706	29·708	29·724	29·750	29·768	29·784	29·790	29·782	12
13	29·776	29·752	29·730	29·717	29·717	29·722	29·731	29·754	29·774	29·782	29·790	29·784	13
14	29·734	29·718	29·706	29·708	29·714	29·714	29·717	29·741	29·757	29·753	29·754	29·744	14
15	29·679	29·647	29·611	29·595	29·597	29·612	29·621	29·630	29·636	29·636	29·638	29·634	15
16	29·528	29·517	29·477	29·467	29·474	29·463	29·463	29·465	29·470	29·471	29·467	29·460	16
17	29·427	29·403	29·400	29·405	29·435	29·450	29·467	29·491	29·510	29·534	29·532	29·549	17
18	29·649	29·637	29·623	29·631	29·659	29·664	29·685	29·707	29·731	29·752	29·745	29·740	18
19	29·762	29·756	29·753	29·749	29·752	29·754	29·760	29·769	29·785	29·797	29·791	29·768	19
20	29·746	29·723	29·704	29·693	29·681	29·682	29·688	29·696	29·708	29·726	29·727	29·732	20
21	29·612	29·583	29·585	29·573	29·563	29·561	29·578	29·622	29·631	29·647	29·624	29·623	21
22	29·601	29·583	29·565	29·571	29·585	29·600	29·614	29·631	29·639	29·645	29·649	29·657	22
23	29·676	29·652	29·648	29·657	29·651	29·699	29·689	29·704	29·727	29·736	29·737	29·735	23
24	29·770	29·750	29·745	29·741	29·745	29·752	29·776	29·804	29·830	29·836	29·832	29·814	24
25	29·811	29·785	29·762	29·752	29·766	29·765	29·769	29·792	29·806	29·808	29·808	29·812	25
26	29·756	29·724	29·698	29·695	29·695	29·699	29·708	29·713	29·721	29·741	29·737	29·736	26
27	29·708	29·669	29·662	29·663	29·671	29·679	29·694	29·708	29·736	29·751	29·753	29·752	27
28	29·794	29·774	29·756	29·753	29·754	29·764	29·776	29·805	29·819	29·831	29·833	29·834	28
29	29·830	29·818	29·799	29·789	29·789	29·795	29·808	29·832	29·850	29·860	29·856	29·847	29
30	29·799	29·785	29·774	29·777	29·781	29·785	29·793	29·810	29·822	29·828	29·824	29·812	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of SEPTEMBER, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	78·3	78·0	77·9	77·8	77·7	77·6	78·0	80·4	81·5	84·1	84·4	85·9	1
2	77·0	77·4	77·5	77·1	77·1	76·7	77·0	78·8	81·4	83·0	81·6	80·7	2
3	77·9	77·0	77·0	77·5	77·2	77·3	74·8	76·8	78·6	79·5	80·0	81·3	3
4	78·0	77·5	77·4	77·3	77·2	77·2	77·1	77·9	77·6	78·0	78·3	79·3	4
5	78·6	78·4	78·4	78·0	77·9	78·8	78·6	79·0	78·1	78·3	78·6	79·6	5
6	78·1	78·0	78·0	77·6	77·3	76·6	76·0	77·0	79·9	80·9	79·9	81·1	6
7	77·3	77·1	77·0	76·6	76·6	76·6	77·2	78·0	79·2	80·1	82·0	82·9	7
8	77·0	76·9	76·9	76·8	76·8	76·9	77·3	78·3	81·5	81·6	83·9	83·1	8
9	77·9	77·6	77·7	77·8	77·3	77·0	78·0	78·6	80·9	82·8	82·3	81·4	9
10	78·3	78·0	77·9	77·8	78·0	78·1	78·0	78·3	78·2	78·7	79·9	80·3	10
11	78·1	77·2	77·3	77·0	77·2	77·2	77·3	77·4	77·9	79·6	80·1	79·1	11
12	79·0	79·0	78·9	78·7	78·8	78·6	79·1	79·9	79·9	79·6	79·4	79·6	12
13	78·0	77·9	77·4	77·3	77·3	77·7	77·8	80·0	81·0	81·0	81·0	81·2	13
14	78·0	77·8	77·6	77·3	77·0	76·9	77·9	79·2	80·0	80·8	80·9	81·7	14
15	78·0	77·8	78·1	77·7	77·7	77·1	77·9	79·8	79·2	81·8	81·9	82·7	15
16	78·0	77·9	77·5	76·9	76·8	77·8	78·3	80·0	82·0	84·6	85·3	85·9	16
17	81·6	81·5	81·3	81·4	81·5	81·1	81·2	79·8	80·2	80·4	76·4	81·0	17
18	81·0	80·0	81·0	81·0	80·8	81·0	81·1	81·2	81·1	81·9	82·2	82·3	18
19	78·2	78·0	78·3	78·6	77·7	78·0	78·0	78·4	78·8	79·3	79·0	80·2	19
20	79·0	78·8	78·6	78·4	78·2	78·2	78·5	80·1	79·0	79·3	79·3	80·1	20
21	78·5	78·3	78·1	78·2	78·1	78·3	78·2	78·6	79·2	81·0	82·2	83·5	21
22	79·4	79·2	79·2	79·3	79·7	79·3	79·3	82·4	83·0	83·0	83·3	82·1	22
23	80·6	79·0	80·0	78·6	78·9	78·9	79·0	79·3	81·0	82·0	82·1	83·9	23
24	78·3	78·2	78·1	78·0	77·9	77·9	78·9	81·8	81·0	83·9	84·9	84·1	24
25	79·6	79·0	78·8	78·8	78·3	78·6	79·6	81·3	82·5	84·5	85·0	85·9	25
26	80·3	80·1	80·1	80·0	80·0	80·5	81·3	81·6	82·6	84·1	85·7	85·6	26
27	81·2	80·9	80·9	80·5	80·9	81·0	81·9	83·6	82·7	85·0	86·9	85·9	27
28	76·6	75·5	75·3	75·6	75·5	79·0	75·7	76·3	78·0	78·3	79·4	80·0	28
29	76·5	76·2	75·6	75·5	75·0	74·9	74·9	75·3	79·2	81·6	81·9	84·2	29
30	76·3	76·2	76·1	76·1	76·1	76·1	76·4	78·0	80·3	82·6	84·0	84·1	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	86·1	82·3	82·0	82·9	80·9	80·4	79·0	78·1	76·0	77·0	77·1	77·4	1
2	81·9	82·5	83·1	82·8	81·8	81·0	80·0	79·5	79·2	78·1	78·0	77·1	2
3	80·0	82·4	81·6	80·9	80·0	79·1	79·0	78·7	78·5	78·5	78·3	78·1	3
4	80·0	81·6	81·2	80·5	79·4	78·9	79·0	79·0	78·9	79·0	77·2	78·4	4
5	80·3	80·6	81·3	80·2	79·3	78·5	78·0	78·5	78·4	78·2	78·2	78·0	5
6	81·7	81·6	80·0	79·7	79·5	78·8	78·2	78·2	78·3	78·9	79·0	78·0	6
7	82·3	80·0	81·3	80·1	79·9	78·7	78·4	78·3	78·3	78·5	78·1	77·4	7
8	83·1	82·7	82·2	81·6	79·8	79·7	78·0	78·0	78·1	77·7	77·9	78·7	8
9	80·4	81·4	80·5	80·5	80·7	79·5	79·3	79·0	79·0	79·1	79·4	78·6	9
10	80·5	79·3	79·9	79·8	79·7	78·7	78·6	78·6	78·3	78·8	78·6	77·3	10
11	79·0	80·6	80·5	79·3	79·3	79·0	79·0	79·0	78·9	79·0	78·9	78·9	11
12	79·1	80·0	80·0	79·7	79·5	78·8	78·6	78·3	78·7	78·7	78·8	78·6	12
13	81·3	82·0	81·9	81·0	79·3	78·2	77·9	78·0	78·1	78·3	78·2	78·3	13
14	82·0	82·1	82·6	81·0	80·1	79·6	79·0	79·0	78·8	78·8	78·8	78·3	14
15	83·6	83·8	83·8	83·2	82·5	81·0	80·6	80·3	80·1	79·9	79·8	79·0	15
16	86·0	81·5	81·7	81·6	77·5	81·0	80·1	80·1	80·0	80·9	80·9	81·8	16
17	81·2	81·8	82·0	77·4	79·9	79·6	81·5	81·5	81·4	81·4	81·4	81·0	17
18	83·0	83·0	82·6	82·1	81·4	80·8	80·3	80·3	79·0	78·8	78·8	78·7	18
19	80·7	81·0	81·2	80·1	80·5	80·4	79·5	79·3	79·3	79·4	79·3	79·2	19
20	80·3	81·9	81·7	80·5	80·6	79·4	79·0	79·0	79·0	79·1	78·9	78·8	20
21	83·5	83·3	82·8	80·5	80·6	80·3	80·0	79·8	79·6	79·3	79·0	79·2	21
22	82·1	83·7	82·5	82·3	81·9	81·1	81·1	81·0	80·8	80·6	80·6	80·8	22
23	84·5	85·2	84·5	82·8	82·1	81·0	79·2	78·8	78·8	78·8	78·8	78·6	23
24	85·1	83·7	83·0	84·7	82·0	81·8	81·1	80·8	80·4	79·9	80·3	79·9	24
25	85·6	85·7	85·9	85·0	84·7	82·9	81·3	80·7	80·5	80·6	80·5	80·5	25
26	86·7	85·6	84·8	84·8	83·4	83·0	82·3	82·0	82·0	81·8	81·9	82·0	26
27	87·3	88·0	87·7	87·3	84·5	83·0	82·8	82·0	79·5	79·5	79·0	78·5	27
28	80·1	80·2	80·2	80·3	79·6	79·2	79·0	78·8	78·8	78·8	78·0	77·2	28
29	81·2	79·2	78·7	78·8	78·6	78·5	78·2	78·0	78·0	78·0	77·5	77·9	29
30	82·0	80·3	80·3	79·2	79·3	79·1	78·8	78·7	78·9	78·9	78·8	78·7	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of SEPTEMBER, 1932.

Days of the Month.	Hours. Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	75·9	75·7	75·6	75·5	75·4	75·3	75·3	76·6	77·0	77·9	77·7	79·3	1
2	75·0	75·4	75·2	74·9	74·9	73·9	73·4	74·1	75·7	77·0	76·3	76·0	2
3	71·3	71·7	71·4	71·0	71·0	71·6	71·9	72·5	74·1	74·0	74·7	75·4	3
4	75·0	74·9	74·2	74·0	73·9	73·6	74·0	74·2	74·9	75·0	75·1	75·2	4
5	73·2	73·3	73·4	73·2	72·9	73·1	73·0	73·0	73·8	73·8	73·9	74·2	5
6	71·5	71·5	71·3	70·9	71·0	71·5	72·0	72·2	74·0	73·2	72·9	72·5	6
7	73·2	73·0	72·5	72·1	71·9	72·1	72·1	71·8	71·7	72·9	74·0	74·7	7
8	73·0	72·8	72·8	72·1	72·1	72·2	71·3	71·1	73·0	73·3	73·7	74·1	8
9	73·6	73·3	72·9	73·3	73·5	72·8	72·8	73·2	74·0	73·9	74·0	73·4	9
10	73·8	73·8	73·8	73·8	73·7	73·6	73·7	73·9	74·6	74·7	75·0	75·1	10
11	76·3	76·0	76·1	76·0	76·0	76·1	76·2	76·3	76·6	76·8	77·2	77·0	11
12	77·5	77·5	77·6	77·5	77·6	77·4	77·6	77·9	77·8	77·6	76·6	76·6	12
13	74·9	74·8	74·1	74·5	74·5	73·9	74·8	75·0	74·9	75·0	75·2	75·3	13
14	74·5	74·4	74·1	73·7	74·0	73·5	73·3	73·3	73·0	71·8	72·4	72·6	14
15	74·6	74·6	73·9	73·8	73·0	73·1	74·0	74·8	74·0	76·0	76·2	75·3	15
16	75·0	75·1	74·4	74·1	74·2	75·0	75·4	76·7	76·5	78·0	77·1	76·9	16
17	75·2	75·5	75·5	75·7	75·7	75·8	75·9	75·9	76·1	76·1	76·1	76·9	17
18	78·2	78·0	77·3	77·5	77·7	77·5	77·5	78·1	78·8	79·0	79·0	79·2	18
19	76·1	75·9	76·1	75·9	75·9	75·7	75·7	75·9	75·7	75·9	76·0	76·1	19
20	74·9	74·9	74·8	74·6	74·5	74·3	74·0	74·8	74·3	74·5	75·0	75·0	20
21	74·3	74·1	74·4	74·0	73·9	74·1	74·0	74·0	74·9	75·1	75·4	76·5	21
22	75·3	75·1	75·1	75·2	74·7	74·5	74·6	76·4	75·5	75·5	76·3	76·1	22
23	77·6	78·0	78·1	77·6	77·9	77·5	77·6	77·7	78·6	79·0	79·1	79·6	23
24	77·3	77·2	77·1	77·0	76·9	77·0	77·3	78·0	77·9	79·0	79·4	79·9	24
25	77·7	77·6	77·4	76·9	76·9	76·9	77·6	78·2	79·0	79·6	79·5	79·7	25
26	77·3	76·9	76·9	76·4	76·4	75·9	76·6	77·7	78·0	78·8	79·7	79·6	26
27	78·0	78·4	78·0	78·0	77·6	77·7	78·0	79·2	78·9	80·0	80·7	79·8	27
28	72·4	72·3	72·2	72·2	72·0	71·7	71·0	71·5	72·0	72·0	73·0	73·1	28
29	69·0	68·5	68·5	68·7	68·9	68·8	68·7	69·2	71·9	73·2	72·2	73·9	29
30	71·9	72·2	72·3	72·3	72·2	72·0	72·3	73·0	72·9	73·9	74·7	74·9	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·3	77·4	77·7	77·9	77·0	76·6	76·9	76·1	74·5	74·1	75·1	75·4	1
2	76·6	76·8	76·7	76·3	74·8	74·9	73·0	71·9	72·1	71·3	71·2	71·2	2
3	75·0	75·9	75·6	75·4	75·0	75·0	75·0	75·0	75·1	75·1	75·0	75·1	3
4	74·8	75·0	74·9	75·2	75·1	75·2	75·3	75·4	75·3	75·3	74·2	73·1	4
5	74·6	74·4	73·8	73·3	73·0	72·5	73·0	73·0	72·9	72·8	72·8	72·7	5
6	71·3	72·4	72·9	73·1	73·0	72·9	72·8	73·1	72·5	72·0	72·3	73·8	6
7	74·7	73·6	74·4	74·4	73·9	73·2	72·9	73·1	73·3	73·0	73·6	72·9	7
8	73·9	74·2	74·5	74·5	74·4	73·7	73·0	74·7	72·0	71·9	71·7	73·0	8
9	73·4	74·4	74·0	74·0	74·1	74·2	74·3	74·4	74·5	74·4	74·2	74·8	9
10	75·4	75·6	75·9	75·8	75·7	75·9	75·9	75·9	75·9	76·0	76·1	76·0	10
11	77·0	77·6	77·9	78·0	78·0	78·0	77·9	77·9	77·7	77·9	77·7	77·6	11
12	76·7	77·1	77·1	77·0	77·0	77·0	76·6	76·3	76·0	75·2	75·0	74·9	12
13	75·0	75·5	75·0	75·0	75·2	75·1	74·9	75·2	75·0	75·1	75·0	75·1	13
14	72·5	73·0	73·9	73·6	73·7	74·9	74·8	74·8	75·2	75·0	74·8	74·5	14
15	75·6	75·7	76·0	75·8	76·0	75·0	75·1	75·0	74·9	74·9	74·9	75·1	15
16	76·9	76·3	76·9	76·2	75·0	75·1	75·2	75·2	75·4	75·6	75·6	75·1	16
17	76·9	76·7	76·7	76·9	77·0	76·9	78·0	78·0	78·4	78·4	78·4	78·3	17
18	80·0	79·9	79·6	79·3	78·5	78·4	77·9	77·9	77·0	76·1	76·1	76·0	18
19	75·8	75·9	75·6	76·0	76·0	75·1	75·3	75·4	75·6	75·5	75·2	75·0	19
20	75·1	75·8	75·7	75·0	75·0	74·8	74·9	75·0	74·6	74·8	75·1	74·8	20
21	76·6	76·7	76·9	75·6	75·9	75·8	75·6	75·3	75·1	74·9	75·0	75·2	21
22	76·1	76·2	76·3	76·4	76·7	77·1	77·1	77·2	77·6	77·6	77·6	77·9	22
23	79·9	80·2	79·9	78·8	78·8	78·0	76·9	77·3	77·6	77·6	77·6	77·5	23
24	80·1	78·8	79·3	78·6	78·0	78·3	77·9	77·8	78·0	77·9	77·6	77·6	24
25	79·6	79·2	79·0	78·7	79·0	77·9	77·5	77·4	77·5	77·6	77·5	77·7	25
26	79·8	78·9	78·1	78·5	77·3	78·0	78·3	78·5	78·3	78·4	78·3	78·0	26
27	81·3	81·4	80·7	80·6	79·7	79·5	79·0	78·8	76·9	75·2	74·2	74·0	27
28	73·3	73·6	73·6	73·6	73·3	73·0	73·0	72·8	74·1	71·3	70·8	70·0	28
29	72·5	72·1	72·1	72·4	72·5	72·9	73·1	73·2	73·2	73·2	73·0	73·0	29
30	74·5	74·1	74·1	73·0	73·3	72·6	72·3	72·0	72·6	72·6	72·3	73·1	30

TABLE IV.—AMOUNT of CLOUD, (0–10), at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1932.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	9	8	9	7	9	9	9	5	6	5	7	6	6	7	8	9	8	9	10	10	10	10	6	10	1
2	10	10	10	10	9	9	8	3	4	6	9	10	10	7	9	9	10	9	9	9	8	9	9	8	2
3	9	8	9	10	9	10	10	10	7	8	7	8	9	8	7	8	8	9	9	9	10	9	9	7	3
4	10	10	10	10	10	10	9	10	10	10	10	10	10	9	9	7	9	9	9	10	7	9	10	10	4
5	10	9	8	9	8	10	9	9	9	10	10	9	10	9	7	7	6	7	8	10	10	9	10	10	5
6	10	10	9	7	9	7	8	8	9	8	6	9	8	9	9	9	9	9	8	8	8	9	10	9	6
7	10	8	10	9	8	9	8	9	9	9	8	9	9	9	9	9	8	10	10	10	10	10	10	10	7
8	10	10	10	10	10	9	8	8	8	7	8	8	10	10	10	10	10	10	10	10	10	10	10	10	8
9	10	9	9	9	9	8	9	9	6	6	7	9	9	7	9	10	7	9	9	9	9	8	10	10	9
10	10	8	4	9	8	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	9	10	10	10	10	10	10	11
12	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	9	9	10	9	9	10	9	10	12
13	10	10	10	10	8	7	6	7	7	4	6	9	9	8	5	5	5	7	8	9	9	6	8	9	13
14	8	9	9	8	8	6	2	1	1	2	2	1	1	1	2	1	1	1	2	2	2	2	3	5	14
15	7	7	9	7	2	2	3	7	8	9	9	9	6	4	3	3	3	4	3	2	1	1	1	1	15
16	2	1	2	2	3	3	8	8	9	9	10	9	10	10	10	10	10	10	10	10	10	10	10	10	16
17	9	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	9	9	9	10	10	10	10	10	10	9	9	9	8	8	9	9	9	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	9	10	10	9	9	9	9	7	3	6	10	9	8	9	19
20	9	9	10	9	8	9	9	9	9	9	10	10	10	9	5	5	7	10	10	10	10	10	10	10	20
21	10	10	10	10	10	9	9	10	10	6	6	3	8	8	2	2	1	6	...	...	...	...	...	7	21
22	9	9	10	10	10	10	9	7	9	9	10	10	10	9	9	9	9	9	9	10	10	10	10	10	22
23	10	10	10	10	10	10	7	9	10	10	10	10	10	9	9	9	9	10	10	10	9	9	9	6	23
24	8	8	9	8	6	7	7	6	8	7	7	7	6	8	7	6	6	7	4	6	6	8	3	6	24
25	6	7	4	6	3	7	2	8	8	8	6	7	6	6	6	5	7	6	7	3	4	6	7	9	25
26	7	5	8	7	8	9	9	9	8	7	9	8	9	9	9	7	7	8	8	8	5	8	9	9	26
27	10	9	8	8	9	8	8	9	8	8	8	9	9	7	7	7	7	8	10	10	10	9	9	8	27
28	4	7	10	9	8	10	10	7	8	9	10	9	10	10	10	9	10	10	10	10	10	10	10	5	28
29	...	...	4	7	10	10	10	10	7	1	2	7	8	9	9	9	9	9	10	10	10	8	8	1	29
30	7	7	10	9	7	3	4	4	4	4	5	7	9	9	7	9	9	9	10	10	10	10	9	10	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of SEPTEMBER, 1932.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	0·7	0·1	...	1
2	0·1	0·7	1·0	1·0	...	...	...	...	0·3	...	...	...	0·2	2
3	...	...	0·1	0·4	0·4	1·0	0·6	0·2	1·0	0·9	...	...	...	3
4	...	0·1	...	...	...	...	...	0·1	0·8	0·4	0·6	0·1	...	4
5	...	...	...	...	...	...	...	...	0·9	0·9	0·7	0·7	0·1	5
6	...	...	0·8	1·0	0·9	0·8	0·9	0·9	0·1	...	...	...	...	6
7	0·1	0·3	...	0·1	0·7	0·7	0·2	...	0·6	0·1	0·1	...	...	7
8	...	0·3	0·4	0·6	0·9	0·5	0·2	...	...	0·1	...	...	...	8
9	...	...	0·4	1·0	0·8	0·6	0·1	0·1	0·1	...	0·1	0·1	...	9
10	...	...	...	...	...	...	...	0·1	...	...	...	...	...	10
11	...	...	...	0·2	0·2	0·3	0·2	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	0·1	...	0·2	...	12
13	...	0·9	1·0	1·0	1·0	1·0	0·9	0·8	1·0	1·0	1·0	0·7	0·1	13
14	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	14
15	0·1	0·6	0·3	0·6	0·4	0·4	0·5	1·0	1·0	1·0	1·0	0·7	...	15
16	...	0·1	0·1	...	0·2	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	..	...	17
18	...	...	...	...	0·1	0·1	0·8	0·6	1·0	1·0	1·0	...	...	18
19	...	...	...	...	...	0·2	...	0·5	1·0	1·0	0·7	0·6	...	19
20	...	0·6	0·4	...	...	...	...	0·3	1·0	1·0	0·5	0·3	...	20
21	...	...	...	0·4	0·9	0·8	1·0	0·6	0·9	1·0	1·0	0·9	...	21
22	...	0·4	0·7	0·2	0·3	...	...	0·1	0·6	0·9	...	...	...	22
23	...	0·5	0·1	...	0·3	0·9	0·8	0·6	0·9	0·6	...	...	...	23
24	...	0·6	0·8	0·6	0·9	0·7	0·4	0·4	0·3	0·9	0·6	0·2	...	24
25	0·1	1·0	0·9	0·7	0·9	0·9	0·9	0·8	1·0	0·9	0·8	0·9	...	25
26	...	0·1	0·3	0·2	0·9	0·6	0·6	0·4	0·1	0·6	0·8	...	...	26
27	...	0·1	0·1	0·7	1·0	0·8	0·5	1·0	1·0	1·0	1·0	0·1	...	27
28	...	...	0·3	0·2	...	...	0·2	...	...	...	...	...	...	28
29	...	...	...	0·8	1·0	1·0	0·7	0·3	...	...	...	...	...	29
30	...	0·3	0·7	1·0	1·0	0·9	0·8	...	...	...	...	...	...	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of SEPTEMBER, 1932.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	0·045	...	...	...	...	...	3
4	0·045	0·005	...	...	...	d	...	...	d	d	...	...	4
5	...	...	...	...	...	d	...	...	...	d	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	d	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	d	d	...	...	...	...	...	d	d	d	d	d	10
11	d	0·010	d	0·005	d	0·015	d	d	0·010	d	d	0·005	11
12	...	...	...	...	...	...	...	...	...	d	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	d	...	...	0·005	0·040	0·015	0·030	0·430	0·005	17
18	0·015	0·135	0·005	...	...	...	...	...	...	...	...	...	18
19	0·060	0·140	0·020	d	0·015	d	...	d	d	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	d	d	22
23	...	0·085	0·105	0·100	0·015	0·015	...	...	d	0·035	0·005	d	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	d	...	...	...	d	26
27	0·245	0·010	d	...	d	...	d	0·045	d	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	0·035	0·315	0·065	0·005	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	d	...	0·010	d	3
4	...	...	...	...	...	...	d	d	...	d	0·495	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	d	...	...	d	d	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	d	d	...	...	...	...	d	...	...	0·010	0·030	10
11	d	...	d	0·025	0·005	0·005	...	...	...	...	d	d	11
12	d	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	d	0·015	0·005	0·070	0·420	d	0·015	0·005	0·015	...	...	...	16
17	...	...	0·365	0·410	...		0·005	...	...	...	...	...	17
18	...	...	...	...	...	d	d	d	0·010	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	0·005	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	d	...	...	...	...	...	d	...	...	...	...	22
23	...	...	...	d	...	0·120	0·025	0·005	...	...	...	...	23
24	...	0·095	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	d	25
26	...	...	...	...	...	...	...	...	...	...	...	d	26
27	...	...	...	...	...	...	...	0·025	0·015	d	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	d	...	d	d	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, at 148 feet above MEAN SEA LEVEL, in the MONTH of SEPTEMBER, 1932.

(The Direction is given in points and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time.																								Days of the Month.
	1		2		3		4		5		6		7		8		9		10		11		Noon.		
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	8	8	9	8	9	8	9	8	9	9	6	9	5	9	4	9	7	10	6	11	8	10	6	1
2	...	1	...	...	...	1	5	2	5	2	4	2	3	4	3	5	3	5	27	2	28	2	30	5	2
3	2	6	2	3	3	5	2	2	2	3	3	2	6	6	9	4	5	12	5	17	5	22	6	21	3
4	6	14	6	15	5	16	4	13	6	18	6	20	6	18	7	19	7	21	7	23	6	22	6	24	4
5	6	19	6	20	6	21	5	21	7	25	7	21	7	20	6	21	6	23	5	19	5	17	7	18	5
6	7	24	7	23	7	16	6	14	5	9	5	8	5	8	5	12	6	14	8	19	8	21	7	21	6
7	7	21	6	21	7	18	8	22	8	20	7	20	6	20	6	17	5	14	5	11	5	12	6	12	7
8	7	18	7	18	7	17	6	19	6	19	5	14	6	15	6	18	6	15	5	12	5	15	6	15	8
9	7	21	6	22	5	18	8	18	7	17	7	17	6	19	6	17	6	17	6	22	7	27	7	26	9
10	6	23	6	27	7	23	7	23	7	25	7	21	7	24	6	22	7	17	7	17	8	21	8	26	10
11	7	29	6	30	6	31	6	27	7	24	7	24	7	25	7	24	6	22	6	24	7	21	7	22	11
12	8	9	8	4	8	5	9	7	9	6	9	7	9	10	8	12	7	15	7	13	7	17	8	18	12
13	8	16	7	15	7	15	7	19	7	19	7	20	7	17	7	19	8	22	7	25	8	21	8	20	13
14	7	18	7	18	7	19	7	18	7	19	7	21	7	24	8	28	7	32	7	31	7	31	7	28	14
15	6	12	6	14	6	15	6	17	7	21	8	14	8	12	9	10	8	12	10	11	9	12	8	14	15
16	10	3	...	...	10	2	10	3	...	1	...	...	...	1	9	2	1	10	1	9	1	16	2	17	16
17	5	42	5	41	5	45	5	51	5	50	5	47	5	53	5	55	7	50	6	52	7	50	9	50	17
18	10	35	11	38	12	34	11	30	11	23	12	26	12	23	11	27	10	28	11	23	10	26	9	26	18
19	7	24	6	29	6	34	6	32	7	31	7	31	7	29	6	30	6	29	6	29	6	29	6	26	19
20	6	18	7	20	7	19	7	22	6	23	7	18	7	15	8	18	7	19	7	19	8	18	8	18	20
21	9	14	8	11	7	9	6	7	7	10	7	10	7	14	8	15	9	16	6	14	9	11	10	14	21
22	6	13	6	15	7	18	6	21	5	16	4	9	5	6	5	11	5	19	5	24	5	25	5	24	22
23	7	19	9	21	8	22	9	20	9	16	10	17	10	19	10	17	10	20	10	19	12	17	11	17	23
24	9	4	...	...	...	1	...	...	...	1	...	...	...	...	9	3	11	5	12	4	12	6	10	5	24
25	...	1	...	1	13	2	...	1	13	2	...	..	13	3	13	3	11	4	16	4	21	4	24	6	25
26	16	4	16	4	17	5	18	6	19	6	19	4	19	5	19	2	19	5	20	8	21	8	21	7	26
27	16	5	...	...	16	3	20	5	20	4	19	6	20	8	21	7	23	8	24	7	23	10	22	7	27
28	2	5	1	7	1	5	2	3	1	5	32	5	31	4	31	4	1	10	2	7	2	6	7	3	28
29	2	10	1	10	1	4	1	2	1	8	2	9	2	7	2	2	1	3	7	4	9	6	9	5	29
30	...	1	12	2	...	...	...	...	...	...	...	...	...	1	3	5	7	4	10	7	10	8	10	10	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	6	8	12	9	10	9	6	9	6	8	6	7	6	6	10	7	6	...	...	7	2	...	...	1
2	3	5	7	3	7	3	4	9	2	9	2	9	2	14	2	9	2	8	2	11	2	11	2	8	2
3	6	20	6	19	7	19	7	17	8	15	8	15	7	13	7	17	7	15	7	17	7	20	6	18	3
4	7	26	8	22	8	21	10	18	10	17	9	13	7	14	7	14	7	16	6	18	5	18	5	16	4
5	7	24	7	25	8	26	9	22	9	24	9	20	9	22	8	21	9	22	8	21	8	20	7	20	5
6	7	19	9	17	10	18	10	15	8	15	8	16	7	17	7	16	7	17	8	17	8	21	7	19	6
7	7	11	7	13	8	12	10	14	10	11	9	13	8	10	8	11	7	9	7	12	7	13	7	20	7
8	8	11	10	14	10	15	10	16	8	14	7	19	6	16	7	16	7	17	7	21	7	20	7	20	8
9	7	24	7	24	7	24	7	23	-	24	6	19	7	15	8	19	8	17	7	20	7	21	7	20	9
10	8	24	8	25	8	24	8	28	8	28	7	32	6	31	6	27	6	30	6	31	6	29	6	31	10
11	7	17	7	18	8	16	8	14	8	10	7	11	7	10	7	9	8	9	8	12	8	10	9	9	11
12	8	22	7	20	8	16	7	17	7	17	7	15	7	15	7	16	7	15	-	16	7	16	7	17	12
13	8	18	7	21	8	18	9	15	9	19	8	16	7	17	8	15	8	18	7	18	7	18	7	17	13
14	8	26	8	20	9	15	9	19	9	19	9	20	8	18	7	18	7	17	6	16	6	19	7	16	14
15	10	19	10	13	10	15	10	13	10	18	9	14	8	13	7	9	6	9	8	7	9	9	9	8	15
16	3	15	3	12	3	5	5	10	4	15	3	21	4	28	4	27	4	30	5	32	5	36	5	38	16
17	9	47	9	46	8	48	10	45	10	39	10	35	10	44	10	42	9	42	10	38	10	39	10	38	17
18	9	25	9	25	10	24	10	24	9	21	9	19	10	19	8	23	7	28	6	30	6	30	7	31	18
19	7	25	7	28	8	22	9	28	9	26	8	25	8	22	8	19	7	17	7	20	7	17	7	20	19
20	7	15	8	13	10	14	10	13	9	13	9	13	9	11	9	10	9	10	9	9	9	11	9	13	20
21	9	12	9	13	9	15	9	20	8	16	8	12	9	13	8	16	7	11	8	13	6	17	6	19	21
22	6	28	6	31	7	31	7	31	7	27	7	20	7	21	7	11	7	26	7	23	7	22	8	22	22
23	12	18	11	17	11	13	9	16	10	14	12	14	10	11	9	8	9	9	9	8	9	7	9	5	23
24	18	4	18	5	18	7	17	8	18	8	17	7	17	6	17	2	...	...	12	3	11	4	13	2	24
25	18	5	16	8	16	8	16	9	17	5	18	5	17	5	16	6	15	3	15	2	15	4	15	4	25
26	22	7	20	8	17	9	17	9	18	9	18	7	18	6	18	3	17	5	16	6	17	3	17	3	26
27	23	7	24	7	23	8	21	12	22	9	25	5	25	4	28	4	7	2	2	7	2	5	2	3	27
28	21	6	24	4	26	5	28	3	30	2	32	3	2	3	3	4	4	5	3	6	3	6	2	8	28
29	9	10	9	12	9	11	9	10	9	8	9	8	10	6	9	6	9	7	9	5	9	2	...	...	29
30	10	10	9	13	9	15	9	12	10	12	9	8	8	5	8	10	9	12	8	14	8	12	8	11	30

TABLE VIII.—CHARACTER AND DIRECTION OF MOTION OF THE CLOUDS AT THREE-HOURLY INTERVALS, IN THE MONTH OF SEPTEMBER, 1932.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	E	cu	E	cu	E	ci-st / cu	NNW / NE	ci-st / cu	N / ESE	cu	ESE	cu	SSE	nb	S
2	nb	S	nb	S	cu	SE	cu	SE	cu	N	cu	NNW	cu	NW	cu	NW
3	cu	NW	cu	NW	nb	ENE	cu	E	cu	E	cu	E	cu	E	cu-nb	E
4	nb	E	nb	E	cu-nb	E	nb	E	cu-nb	E	cu	E	cu	E	cu	E
5	nb	E	cu	E	cu-nb	E	nb	E	cu	E	a-cu / cu	WSW / E	cu	E	cu	E
6	cu-nb	E	cu	E	ci-st / cu	WNW / E	a-cu / cu	WNW / E	a-cu / cu	WNW / E	a-cu / cu	WNW / E	cu	E	cu	E
7	cu	E	cu	E	cu	E	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE
8	cu	ENE	cu	ENE	a-cu / cu	SW / ENE	cu	ENE	st-cu	ENE	st-cu	ENE	nb	ENE	nb	ENE
9	cu-nb	ENE	cu	ENE	cu	ENE	a-cu / cu	SE / E	a-cu / cu	SE / E	st-cu	E	a-cu / cu	SSE / E	cu	E
10	nb	E	cu	E	st-cu	E	nb	E	cu	E	cu	E	nb	E	nb	E
11	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
12	nb	E	cu	E	cu	E	nb	E	nb	E	nb	E	cu-nb	E	cu-nb	E
13	cu	E	cu	E	cu	E	cu	E	cu	E	ci-st / cu	WNW / E	cu	E	cu	E
14	cu	E	cu	E	cu	E	ci-st	N	ci-st	NNE	ci-st	NNE	cu	E	cu	E
15	cu	E	cu	E	ci-st / cu	NE / E	a-cu / cu	ENE / E	cu	E	ci-st / cu	NNE / NE	ci-st	NE	ci-st	NE
16	ci-st	ENE	ci-st	ENE	cu	ENE	cu	NE	nb	ENE	nb	NNE	nb	NNE	nb	NNE
17	cu	E	cu	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
18	nb	ESE	nb	SE	cu-nb	SE	cu	ESE	cu	ESE	ci-st / cu	WNW / ESE	nb	ESE	nb	E
19	nb	E	nb	E	nb	E	nb	E	nb	E	cu	E	cu	E	cu	E
20	cu-nb	E	cu	E	cu	ESE	cu	E	cu	E	cu	E	cu	E	cu	E
21	cu-nb	E	cu-nb	E	st-cu	ENE	cu	ENE	cu	ENE	cu	NE	...	...	...	...
22	cu	E	cu-nb	ENE	cu	E	st-cu	ENE	cu-nb	ENE	a-cu / cu	SSE / E	cu	E	cu	E
23	cu	E	nb	E	cu	E	cu-nb	ESE	cu-nb	ESE	cu	SSE	nb	ESE	nb	ESE
24	cu	ESE	cu	ESE	ci-st / cu	NE / SSW	cu	SSW	cu	SSW	cu	SSW	ci-st / cu	ENE / S	cu	S
25	cu	SSW	cu	SSW	cu	SSW	cu	SW	cu	SW	cu	SW	ci-st / cu	E / WSW	cu	SW
26	cu	SW	cu	SW	cu	SW	ci-st / cu	ENE / SW	cu	SW	ci-st / cu	ENE / SW	cu	SW	cu	SW
27	nb	SW	cu	SW	cu	SW	cu	SW	ci-st / cu	NE / SW	ci-st / cu	NNE / SW	cu-nb	SW	cu-nb	SW
28	cu	SW	cu	SW	cu	SW	st-cu	SSE	st-cu	S	st-cu	...	cu-nb	WNW	cu-nb	WNW
29	...	...	cu	ESE	st-cu	ESE	a-cu	N	cu	S	a-cu / cu	NNE / WSW	cu	WSW	cu	WSW
30	cu	WSW	cu	WSW	a-cu / cu	W / E	a-cu / cu	WSW / ENE	cu	NE	st-cu	NNE	cu-nb	NNE	cu	NNE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1932.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h	m.p.h.
1	29·761	86·9	75·6	11·3	80·0	76·5	0·871	85	80	8·9	71	0·420	3	— 0·4	+ 6·4	93	6·4	6·5
2	·762	85·0	76·7	8·3	79·6	74·5	·795	79	85	3·3	26	...	...	+ 4·3	+ 2·1	26	4·8	5·4
3	·822	82·8	74·8	8·0	78·7	73·9	·781	80	86	4·6	37	0·055	1	+ 4·2	+ 11·7	70	12·5	12·8
4	·843	82·1	76·8	5·3	78·6	74·7	·814	83	95	2·1	17	0·545	3	+ 4·3	+ 17·1	76	17·6	18·2
5	·783	81·5	77·9	3·6	78·8	73·3	·756	77	89	3·3	26	...	...	+ 3·4	+ 20·5	81	20·8	21·3
6	·723	81·8	76·0	5·8	78·8	72·4	·723	73	85	5·2	44	...	...	+ 2·0	+ 16·1	83	16·3	16·5
7	·681	82·9	76·5	6·4	78·8	73·1	·749	76	92	2·9	23	...	...	+ 2·7	+ 14·3	79	14·6	14·9
8	·704	84·2	76·8	7·4	79·4	72·9	·734	73	94	3·0	24	...	...	+ 3·5	+ 15·7	78	16·1	16·4
9	·702	84·5	77·0	7·5	79·5	73·8	·768	76	86	3·3	27	...	...	+ 4·6	+ 20·0	77	20·5	20·5
10	·669	81·7	77·2	4·5	78·7	75·0	·825	84	95	0·1	1	0·040	3	+ 5·4	+ 24·6	78	25·2	25·4
11	·650	80·9	76·9	4·0	78·6	77·1	·912	93	99	0·9	7	0·080	6	+ 4·0	+ 18·2	78	18·7	18·7
12	·721	80·9	78·3	2·6	79·1	76·9	·898	90	97	0·3	2	...	...	+ 1·5	+ 13·5	84	13·6	13·5
13	·757	82·7	77·3	5·4	79·2	74·9	·815	82	76	10·4	85	...	...	+ 1·7	+ 18·2	85	18·3	18·2
14	·747	82·9	76·9	6·0	79·4	73·8	·769	77	33	11·5	93	...	...	+ 2·5	+ 21·0	83	21·2	21·2
15	·672	84·1	77·1	7·0	80·3	74·9	·802	77	46	7·6	62	...	...	— 0·6	+ 12·5	93	12·5	13·0
16	·530	86·9	76·4	10·5	80·6	75·7	·831	79	77	0·4	3	0·545	5	+ 9·5	+ 9·2	44	13·2	13·9
17	·431	82·9	76·4	6·5	80·7	76·7	·872	83	99	...	...	1·305	6	+ 4·0	+ 41·5	85	41·8	45·4
18	·640	83·9	78·7	5·2	81·0	78·1	·927	87	95	4·6	38	0·170	2	— 7·7	+ 23·8	108	25·0	26·6
19	·758	81·8	77·4	4·4	79·3	75·8	·850	85	90	4·0	33	0·235	5	+ 5·3	+ 25·0	78	25·6	25·9
20	·733	82·5	78·2	4·3	79·4	74·8	·809	81	90	4·1	34	...	...	+ 0·7	+ 15·3	87	15·4	15·5
21	·640	83·9	78·1	5·8	80·0	75·1	·814	79	57	7·5	62	...	...	+ 0·2	+ 13·2	89	13·2	13·4
22	·613	84·0	79·1	4·9	81·1	76·2	·846	80	94	3·2	26	...	1	+ 6·8	+ 19·5	71	20·7	21·0
23	·673	86·2	78·2	8·0	80·3	78·3	·944	91	94	4·7	39	0·510	6	— 5·0	+ 13·9	110	14·8	15·2
24	·772	86·2	77·4	8·8	81·0	78·1	·927	87	67	6·4	53	0·095	...	— 2·8	+ 0·6	168	2·9	3·6
25	·805	87·4	78·3	9·1	81·9	78·1	·917	85	60	9·8	82	...	...	— 3·3	— 0·1	182	3·3	4·0
26	·745	87·1	79·9	7·2	82·6	77·9	·901	81	79	4·6	38	...	1	— 4·9	— 2·6	208	5·5	5·8
27	·715	88·0	78·5	9·5	82·9	78·5	·923	82	85	7·3	61	0·340	3	— 1·3	— 4·0	252	4·2	6·0
28	·784	80·9	75·2	5·7	78·0	72·3	·727	76	90	0·7	6	...	...	+ 3·9	+ 0·5	7	3·9	5·0
29	·829	84·4	74·9	9·5	78·1	71·5	·697	73	70	3·8	32	...	...	+ 1·4	+ 4·9	74	5·1	6·5
30	·815	84·9	73·7	9·2	79·0	73·0	·743	75	77	4·7	39	...	1	— 1·1	+ 6·7	99	6·8	7·2
Means.	29·716	83·9	77·1	6·8	79·8	75·3	0·825	81	82	Sum. 133·4	36	Sum. 4·340	Sum. 46	+ 1·6	+ 13·3	83	13·4	15·2
Normals	29·721	85·3	76·8	8·5	80·5	75·3	0·817	78	60	198·9	54	10·059	55	+ 1·1	+ 7·0	81	7·1	11·4
Absolute Max.	29·898	88·0	...	11·3	...	81·8	1·028	...	...	11·5	93	1·305	6	...	...	...	...	55·0†
Day.	4	27	...	1	...	27	24	...	...	14	14	17	17	...	...	...	...	17d.8h.
Absolute Min.	29·354	...	74·8	2·6	...	68·1	59·6	60	...	...	...	...	...	...	...	...	...	...
Day.	17	...	3	12	...	29	29	6	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

												Sum.	Sum.					
Means.	1008·2	301·8	298·1	3·7	299·6	297·1	27·9	...	...	...	...	110·2	46	+ 0·5	+ 4·4	83	4·4	5·0
Normals	1008·4	302·6	297·9	4·7	299·9	297·1	27·7	...	...	...	...	255·5	55	+ 0·4	+ 2·3	81	2·3	3·7
Absolute Max.	1014·4	304·1	...	6·3	...	300·7	34·8	...	...	...	...	33·1	6	...	...	...	...	18·0
Absolute Min.	995·9	...	296·8	1·5	...	293·1	20·2	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 12 days. The mean hourly intensity was 0·094*ins*, and the maximum fall in one hour was 0·495*ins* at 23*h* on the 4th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 79 miles per hour from N.E. by E. at 8*h* 00*m* on the 17th.

Clouds with base less than 2,000 feet high were observed on 6 days.

Clouds with base less than 1,000 feet high were observed on 1 day.

*0°=N., 90°=E., &c.

† Maximum velocity for one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1932.
(*British Choice.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10)	Percentage of Possible Sunshine.	Rainfall. Amount.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	ins.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·727	78·5	74·8	0·821	84	81		0·365	+ 3·0	+ 13·1	77	13·5	14·6
2	·715	78·1	74·7	·822	85	83		0·385	+ 3·3	+ 12·9	75	13·4	14·6
3	·703	78·1	74·6	·818	85	86		0·130	+ 3·1	+ 12·6	76	13·0	14·4
4	·697	78·0	74·4	·811	85	86		0·105	+ 3·1	+ 12·7	76	13·1	14·5
5	·698	77·9	74·4	·812	85	83		0·030	+ 3·1	+ 12·6	76	13·0	14·4
6	·706	77·9	74·3	·808	85	83	4	0·030	+ 2·5	+ 11·5	78	11·8	13·3
7	·719	78·1	74·4	·810	84	80	27	0·050	+ 2·5	+ 11·8	78	12·1	13·8
8	·734	79·2	74·9	·817	82	81	35	0·085	+ 2·8	+ 12·6	77	12·9	14·4
9	·744	80·2	75·3	·822	79	81	42	0·025	+ 3·2	+ 13·7	77	14·1	15·9
10	·750	81·4	75·7	·825	77	77	49	0·065	+ 3·3	+ 13·4	76	13·8	16·1
11	·747	81·7	75·9	·829	77	80	47	0·435	+ 2·5	+ 13·8	80	14·1	17·0
Noon.	·734	82·3	76·1	·831	75	84	41	0·010	+ 1·7	+ 14·6	84	14·7	17·0
13	·718	82·4	76·1	·830	75	87	36	...	+ 0·3	+ 14·5	88	14·5	16·9
14	·697	82·2	76·1	·832	76	83	52	0·110	— 0·1	+ 14·8	91	14·8	16·9
15	·681	82·0	76·2	·838	77	79	50	0·370	— 1·9	+ 14·0	97	14·1	16·2
16	·677	81·3	76·0	·838	78	77	39	0·505	— 3·0	+ 14·0	102	14·3	16·5
17	·681	80·6	75·7	·833	79	77	22	0·425	— 2·0	+ 13·4	98	13·6	15·7
18	·686	79·7	75·6	·840	83	83	3	0·125	— 0·5	+ 12·6	92	12·6	14·7
19	·699	79·6	75·4	·833	82	82		0·080	+ 0·8	+ 12·6	87	12·7	14·5
20	·718	79·4	75·4	·835	83	83		0·350	+ 1·4	+ 12·9	84	13·0	14·3
21	·734	79·1	75·2	·830	83	82		0·105	+ 1·8	+ 13·4	82	13·5	14·4
22	·743	79·1	75·0	·822	83	83		0·005	+ 2·5	+ 13·9	80	14·1	15·1
23	·740	79·0	74·9	·819	83	82		0·515	+ 2·9	+ 14·1	79	14·4	15·4
Midn.	·736	78·8	74·9	·821	83	83		0·035	+ 2·7	+ 14·0	79	14·2	15·2

Phenomena :—

Solar halo :—on the 27th.

Lunar halo :—on the 16th.

Lunar corona :—on the 9th, 18th and 20th.

Unusual visibility :—on the 18th and 25th.

Dew :—on the 16th.

Lightning :—on the 1st, 12th, 21st, 22nd, 23rd, 24th and 27th.

Thunderstorms :—

1*d.* 20*h.* 12*m.* to 20*h.* 42*m.* N.W. to S.E.; nearest at 20*h.* 34*m.* (6*s*).

ADOPTED ERRORS OF TIMEBALL, SEPTEMBER, 1932.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	+ 0·3	11	+ 0·1	21	0·0
2	+ 0·1	12	+ 0·1	22	+ 0·1
3	+ 0·2	13	0·0	23	+ 0·3
4	+ 0·2	14	0·0	24	0·0
5	+ 0·1	15	0·0	25	0·1
6	— 0·1	16	0·0	26	0·0
7	0·0	17	0·0	27	0·0
8	0·0	18	— 0·1	28	0·0
9	0·0	19	0·0	29	0·0
10	0·0	20	0·0	30	— 0·1

+ = Late ; — = Early.

The above may also be regarded as the errors of the time signals by radio telegraphy and by signal lights.

The probable error for the month was ± 0·10

September 17*d* Time-ball not raised at 10*h* and 16*h* (gale).

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

SEPTEMBER,

1932.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	31ST AUGUST, 1932.									1ST SEPTEMBER, 1932.								
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)		HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	VISIBILITY.	WIND.		WEATHER. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	...	...	75	...	...	0	0		6	29.87	758.6	63	...	N	3	b	
Nemuro,	11	...	...	...	...	...	...	...		5	29.88	759.0	...	...	ESE	1	...	
Hokodate,	,,	29.86	758.5	...	...	WSW	1	...		,,	29.76	756.0	...	...	...	...	...	
Tokio,	,,	30.02	762.5	...	...	S	3	...		,,	29.80	757.0	...	...	SSW	3	...	
Kochi,	,,	29.92	760.0	...	...	W	1	...		,,	29.94	760.5	...	...	...	0	...	
Nagasaki,	,,	29.94	760.5	...	...	WSW	3	...		,,	29.90	759.5	...	...	WSW	1	...	
Kagoshima,	,,	29.98	761.5	...	...	SSE	1	...		,,	29.94	760.5	...	...	...	...	...	
Oshima,	,,	30.00	762.0	...	...	N	1	...		,,	29.94	760.5	...	...	...	0	...	
Naha,	,,	30.00	762.0	...	...	SSW	2	...		,,	29.92	760.0	...	...	SE	1	...	
Ishigakijima,	,,	29.98	761.5	...	...	S	1	...		,,	29.90	759.5	...	...	S	1	...	
Bonin Island,	,,	30.10	764.5	...	...	E	1	...		,,	30.04	763.0	...	...	...	0	...	
Chefoo,	15	...	...	77	8	NW	4	be		6	29.89	759.1	67	6	SW	2	b	
Shanghai,	14	29.86	758 5	77	4	...	0	c		,,	29.93	760.1	68	4	NNW	2	r	
Gutzlaff,	,,	29.91	759.7	85	4	N	2	c		,,	29.96	761.0	70	4	NNE	4	r	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.90	759.4	84	6	S	2	bc		7	29.88	758.9	81	6	W	2	bc	
Amoy,	,,	29.90	759.4	86	6	W	2	b		6	29.88	758.9	79	6	S	4	b	
Swatow,	,,	...	...	...	...	...	...	...		,,	29.90	759.4	77	...	N	1	r	
Taihoku,	11	29.93	760.2	88	...	...	0	bc		5	29.87	758.6	76	...	...	0	c	
Taichu,	,,	29.93	760.3	88	...	NW	2	bc		,,	29.93	760.3	74	...	...	0	bc	
Tainan,	,,	29.91	759.6	91	...	NNE	2	b		,,	29.86	758.4	74	...	S	2	b	
Koshun,	,,	29.93	760.1	88	...	ENE	2	c		,,	29.91	759.7	76	...	...	0	bc	
Pescadores,	,,	29.91	759.8	88	...	NNE	2	bc		,,	29.85	758.2	76	...	...	0	c	
Hong Kong,	14	29.85	758.2	81	8	E	3	c		6	29.83	757.7	78	6	E	1	c	
Gap Rock,	,,	29.88	758.9	78	8	NE	4	c		,,	29.85	758.2	78	8	ENE	4	c	
Macao,	,,	29.84	757.9	86	6	...	0	bc		,,	29.78	756.3	77	6	...	0	c	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.84	758.0	88	8	ESE	2	c		6	29.83	757.6	79	6	...	0	bc	
Phulien,	15	29.80	756.8	77	8	ENE	2	c		7	29.84	757.8	75	0	NE	4	r	
Tourane,	,,	29.76	755.8	88	8	SE	2	bc		,,	29.81	757.1	75	8	...	0	bc	
Cape St. James,	,,	29.85	758.2	81	6	NW	2	t		,,	29.86	758.4	77	8	NW	2	bc	
Basco,	14	29.85	758.3	86	8	SS	4	bc		6	29.85	758.2	81	6	SE	4	c	
Aparri,	,,	29.81	757.1	86	6	ENE	4	c		,,	29.83	757.6	77	8	...	0	c	
Tuguegarao,	,,	29.78	756.3	91	6	...	0	bc		,,	29.82	757.3	77	1	...	0	bc	
Vigan,	,,	29.77	756.1	86	8	NNW	4	c		,,	29.81	757.1	77	8	...	0	c	
Manila,	,,	29.78	756.4	86	8	W	2	c		,,	29.82	757.4	77	6	...	0	c	
Legaspi,	,,	29.79	756.7	91	8	ENE	2	bc		,,	29.77	756.1	79	6	...	0	c	
Calboyog,	,,	29.81	757.2	81	8	N	2	c		,,	29.80	757.0	76	1	N	6	c	
Tacloban,	,,	29.82	757.3	85	8	...	0	c		,,	29.80	757.0	79	8	NW	2	c	
Iloilo,	,,	29.78	756.4	86	8	NE	4	c		,,	29.79	756.7	77	6	N	2	c	
Cebu,	,,	29.78	756.5	88	8	ENE	4	c		,,	29.79	756.7	81	8	...	0	c	
Surigao,	...	29.80	757.0	79	1	...	0	f		,,	29.78	756.5	76	4	...	0	c	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.86	756.8	...	6	...	0	c		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.82	757.4	...	8	E	2	bc		5	29.81	757.1	...	8	...	0	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.95	760.8	88	6	W	6	bc		6	29.91	759.7	70	...	S	...	c	

September 1d. 10h. 50m.— A weak anticyclone has developed to the north of the Yangtze Valley; a depression is situated over N. Japan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 82.83 inches, against an average of 66.33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	N.E. winds, moderate to fresh; cloudy, rain.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

Station.	1st SEPTEMBER, 1932.									2nd SEPTEMBER, 1932.									
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Wladivostock,	12	29.87	758.8	75	...	N	1	o		6	29.99	761.8	63	...	...	0	o	
Nemuro,	11	29.80	757.0	...	...	...	0	...		5	29.98	761.5	..	...	NNE	3	...	
Hakodate,	,,	29.72	755.0	...	...	SW	5	...		,,	29.90	759.5	...	...	...	0	...	
Tokio,	,,	29.86	758.5	...	...	S	2	...		,,	29.94	760.5	..	...	...	...	...	
Kochi,	,,	29.94	760.5	...	...	SE	1	...		,,	29.96	761.0	...	...	...	0	...	
Nagasaki,	,,	29.90	759.5	...	...	S	1	...		,,	29.90	759.5	...	...	S	2	...	
Kagoshima,	,,	29.92	760.0	...	...	S	1	...		,,	29.94	760.5	...	...	...	0	...	
Oshima,	,,	29.94	760.5	...	...	SSE	2	...		,,	29.92	760.0	...	...	...	0	...	
Naha,	,,	...	...	...	...	...	...	...		,,	29.90	759.5	...	...	SE	1	...	
Ishigakijima,	,,	29.90	759.3	...	...	S	1	...		,,	29.86	758.5	...	...	S	1	...	
Bonin Island,	,,	30.00	762.0	...	...	NE	1	...		,,	29.98	761.5	...	...	ENE	1	...	
Chefoo,	15	29 89	759.3	77	8	N	2	be		6	30.04	763.1	68	8	NNE	6	b	
Shanghai,	14	29.95	760.8	70	4	NNW	2	r		,,	30.01	762.1	68	4	NNW	2	m	
Gutzlaff,	,,	29.98	761.5	70	4	N	6	r		,,	30.03	762.7	70	4	NNE	4	r	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.83	757.7	86	6	S	2	be		7	29 90	759.4	81	4	ESE	2	r	
Amoy,	,,	29.86	758 4	83	6	WSW	4	c		6	29.83	757.7	77	6	NE	2	c	
Swatow,	,,	29.90	759.4	77	...	N	1	or		,,	29.86	758.3	77	...	NNE	1	c	
Taihoku,	11	29.89	759.1	86	...	...	0	be		5	29.88	758.8	76	...	...	0	c	
Taichu,	,,	29.91	759.6	88	...	...	0	b		,,	29.87	758.6	76	..	...	0	c	
Tainan,	,,	29.88	759.0	91	...	NNW	2	be		,,	29.82	757.4	76	...	E	2	c	
Koshun,	,,	29.88	758.9	86	...	ENE	4	c		,,	29.82	757.4	79	...	...	0	c	
Pescadores,	,,	29.88	758.9	85	...	...	0	be		,,	29.82	757.3	77	...	...	0	cl	
Hong Kong,	14	29.79	756.6	82	7	E	3	be		6	29.79	756.6	77	7	...	0	c	
Gap Rock,	,,	29.80	756.9	81	8	NE	3	b		,,	29.79	756.6	80	8	NE	2	c	
Macao,	,,	29.78	756.4	85	6	SE	2	c		,,	29.78	756.5	76	4	NNE	2	c	
Hoihow,	,,	29.84	757.9	86	1	E	2	r		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.81	757.1	88	8	...	0	c		6	29.78	756.5	77	8	..	0	c	
Phulien,	15	29.80	757.0	81	7	ENE	3	r		7	29.85	758.2	73	8	N	2	c	
Tourane,	,,	29.73	755.2	90	8	E	3	be		,,	29.78	756.3	77	8	W	1	c	
Cape St. James,	,,	29.80	756.8	88	7	SSE	1	be		,,	29.82	757.3	77	7	NW	1	be	
Basco,	14	29.81	757.2	86	8	SE	4	be		6	29.79	756.7	81	6	SE	2	o	
Aparri,	,,	29.83	757.6	79	6	...	c	d		,,	29.80	757.0	76	8	...	0	o	
Tuguegarao,	,,	29.78	756.5	86	6	S	2	be		,,	29.79	756.7	76	1	...	0	o	
Vigan,	,,	29.75	755.6	86	8	WNW	4	t		,,	29.76	756.0	76	8	...	0	o	
Manila,	,,	29.78	756.3	86	8	...	0	o		,,	29.78	756.3	76	6	...	0	o	
Legaspi,	,,	29.77	756.1	88	6	NE	2	o		,,	29.73	755.6	79	6	...	0	o	
Calboyog,	,,	29.76	755.8	81	8	NE	2	d		,,	29.76	755.8	76	8	NNE	2	o	
Tacloban,	,,	29.78	756.3	83	6	SE	4	o		,,	29.76	755.8	77	6	...	0	o	
Iloilo,	,,	29.73	755 2	86	8	SSW	2	o		,,	29.76	755 9	76	6	...	0	o	
Cebu,	,,	29.73	755.2	88	8	...	0	c		,,	29.76	755.8	79	8	...	...	o	
Surigao,	...	29.72	754.8	88	8	...	0	h		,,	29.76	755.8	76	6	...	0	o	
Saipan,	11.00	...	...	...	..	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.73	755.2	...	6	...	0	o		4.22	29.76	755.9	...	6	...	0	o	
Yap,	11.00	29.80	756.8	...	8	E	2	r		5	29.81	757.1	...	8	SW	2	r	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Lainan,	14	29.97	761.3	83	6	SW	6	be		6	29.78	756.4	74	...	SW	...	c	

September 2*d*. 10*h*. 45*m*.—The anticyclone over N. China has increased in intensity; pressure is low over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.42 inch. Total since January 1st, 83.25 inches, against an average of 66.67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, fresh; cloudy, local rain.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, moderate; fair, gen rally.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millimetres.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	3rd September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Millimetres.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	10	30.02	762.5	70	...	NW	1	b	6	30.21	767.3	59	...	NE	1	c
Nemuro,	11	30.02	762.5	...	...	ENE	1	...	5	30.18	766.5	...	...	ESE	1	...
Hakodate,	,,	29.92	760.0	...	...	ENE	1	...	,,	30.10	764.5	...	...	ENE	2	...
Tokio,	,,	29.92	760.0	...	...	S	2	...	,,	30.04	763.0	...	...	...	0	...
Kochi,	,,	29.96	761.0	...	...	W	1	...	,,	30.04	763.0	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	SW	1	...	,,	29.96	761.0	...	...	SE	2	...
Kagoshima,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.96	761.0	...	...	...	0	...
Oshima,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.94	760.5	...	...	...	0	...
Naha,	,,	29.92	760.0	...	...	ESE	1	...	,,	29.92	760.0	...	...	SE	1	...
Ishigakijima,	,,	29.90	759.5	...	...	S	1	...	,,	29.90	759.5	...	...	S	1	...
Ponin Island,	,,	29.96	761.0	...	...	ENE	1	...	,,	30.00	762.0	...	...	E	1	...
Chefoo,	15	30.05	763.2	72	8	NNW	8	b	6	30.10	764.6	63	4	...	0	bc
Shanghai,	14	30.00	762.1	77	6	N	2	o	,,	30.04	763.0	68	6	E	2	b
Gutzlaff,	,,	30.04	763.0	74	6	NNE	2	r	,,	30.07	763.8	72	6	NNW	2	o
Wenchow,	,,	...	...	...	...	...	...	...	6	30.00	762.0	70	...	NNW	1	o
Foochow,	,,	29.97	761.2	80	1	NE	4	rf	7	30.01	762.2	75	8	N	2	r
Amoy,	,,	29.84	757.9	83	6	SSE	4	r	6	29.93	760.2	76	6	ENE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	29.95	760.6	74	...	NE	1	c
Taihoku,	11	29.88	759.0	88	...	E	2	o	5	29.92	760.0	76	...	...	0	o
Taichu,	,,	29.89	759.1	88	...	ENE	2	o	,,	29.92	760.0	74	...	...	0	o
Tainan,	,,	29.87	758.6	88	...	ENE	2	o	,,	29.88	758.9	76	...	N	2	r
Koshun,	,,	29.86	758.5	85	...	ENE	2	o	,,	29.87	758.6	77	...	...	0	o
Pescadores,	,,	29.87	758.6	88	...	ENE	2	o	,,	29.89	759.3	77	...	NNE	6	o
Hong Kong,	14	29.81	757.2	82	6	...	0	bo	6	29.86	758.4	77	7	...	0	o
Gap Rock,	,,	29.83	757.7	80	8	N	3	c	,,	29.86	758.4	80	8	NE	3	o
Macao,	,,	29.80	757.0	83	4	NNE	4	c	,,	29.84	757.8	76	4	NNE	2	c
Haihow,	,,	29.84	757.9	83	...	E	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.80	757.0	88	8	SE	2	c	6	29.83	757.6	81	8	NE	2	o
Phulien,	15	29.83	757.8	85	8	NE	2	c	7	29.88	758.8	75	8	NE	2	c
Tourane,	,,	29.76	755.8	86	8	NE	2	bc	,,	29.76	755.9	77	9	N	1	rl
Cape St. James,	,,	29.75	755.6	86	8	SW	2	b	6	29.78	756.4	75	7	WSW	1	o
Baseo,	14	29.81	757.1	86	6	S	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.78	756.4	70	8	NE	4	o	,,	29.80	757.0	76	8	...	0	b
Tuguegarao,	,,	29.75	755.6	81	4	...	c	d	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.5	86	8	NW	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.6	86	8	W	2	o	,,	29.81	757.1	77	6	...	0	c
Legaspi,	,,	29.72	755.0	86	6	...	0	o	,,	29.78	756.3	76	6	...	0	b
Calbayog,	,,	29.78	756.3	79	8	N	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	755.8	81	8	NNW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.2	88	8	SW	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.72	754.8	86	8	...	0	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.71	754.6	86	8	WNW	2	bo	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	6	E	4	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.83	757.7	...	6	SW	2	m	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	11	29.86	758.5	81	6	SW	...	bo	6	29.88	759.0	74	4	SE	6	bc

September 3d. 10h. 19m.— An irregular anticyclone extends from N. China to Hokkaido, pressure being highest over S. Manchuria.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inch. Total since January 1st, 83.29 inches, against an average of 67.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, moderate; fair generally with local rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	4th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.19	766.9	70	...	N	3	c	6	30.28	769.1	57	...	NNW	3	c
Nemuro,	11	30.16	766.0	...	...	E	1	...	5	30.16	766.0	...	...	...	0	...
Hokodate,	,,	30.10	764.5	...	...	E	1	...	,,	30.08	764.0	...	...	NE	1	...
Tokio,	,,	30.00	762.0	...	...	SSE	1	...	,,	30.20	767.0	...	...	WNW	1	...
Kochi,	,,	30.04	763.0	...	...	...	0	...	,,	30.20	767.0	...	...	...	0	...
Nagasaki,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.94	760.5	...	...	NNE	1	...
Kagoshima,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.94	760.5	...	...	...	0	...
Oshima,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	...	...
Naha,	,,	29.96	761.0	...	...	SSW	1	...	,,	29.92	760.0	...	...	...	0	...
Ishigakijima,	,,	29.94	760.5	...	...	SE	1	...	,,	29.92	760.0	...	...	...	0	...
Bonin Island,	,,	30.00	762.0	...	...	E	1	...	,,	29.98	761.5	...	...	...	0	...
Chefoo,	15	30.07	763.8	74	8	NNW	8	bc	6	30.10	764.5	63	1	NE	2	z
Shanghai,	14	30.06	763.4	79	6	NE	2	c	,,	30.01	762.2	65	6	NNW	2	b
Gutzlaff,	,,	30.08	764.0	79	6	N	4	bc	,,	30.13	765.3	70	6	N	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.98	761.5	75	8	E	2	c	7	30.03	762.7	75	8	N	2	c
Amoy,	,,	29.94	760.5	81	6	NE	4	c	6	29.99	761.7	77	6	NE	2	c
Swatow,	,,	29.94	760.6	74	...	NE	1	c	,,	29.98	761.4	75	...	NE	1	c
Taihoku,	11	29.97	761.3	83	...	NW	2	c	5	29.95	760.8	79	...	E	2	bc
Taichu,	,,	29.96	760.9	85	...	...	0	c	,,	29.95	760.6	76	..	....	0	c
Tainan,	,,	29.92	760.0	85	...	NNE	4	c	,,	29.91	759.7	76	...	...	0	c
Koshun,	,,	29.90	759.4	86	...	...	0	c	,,	29.89	759.3	77	...	...	0	c
Pescadores,	,,	29.93	760.1	83	...	NE	4	c	,,	29.92	760.0	79	...	NNE	4	c
Hong Kong,	14	29.88	758.9	82	7	E	4	c	6	29.91	759.7	77	6	ENE	5	c
Gap Rock,	,,	29.88	758.9	80	8	NE	5	c	,,	29.89	759.2	80	7	ENE	5	c
Macao,	,,	29.86	758.5	83	4	E	2	c	,,	29.89	759.3	77	4	NE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	758.0	88	8	NE	4	c	6	29.88	758.8	81	6	E	4	p
Phulien,	15	29.85	758.2	84	8	E	2	c	7	29.88	758.9	75	8	NNE	3	c
Tourane,	,,	29.76	755.9	82	8	N	4	c	,,	29.71	754.7	75	4	NW	1	r
Cape St. James,	,,	29.74	755.4	84	7	S	1	c	,,	29.81	757.1	73	5	S	2	r
Basco,	14	29.83	757.6	88	8	SE	4	c	6	29.85	758.2	79	8	...	0	bc
Aparri,	,,	29.80	757.0	91	6	NE	4	c	,,	29.83	757.7	76	8	...	0	c
Tuguegarao,	,,	29.76	755.8	94	6	NW	2	t	,,	...	...	...	...	...	...	...
Vigan,	,,	29.77	756.1	88	8	W	2	c	,,	29.80	757.0	79	8	...	0	c
Manila,	,,	29.78	756.3	83	8	SE	2	c	,,	29.83	757.6	76	6	...	0	c
Legaspi,	,,	29.74	755.3	91	6	NE	6	c	,,	29.78	756.3	76	6	...	0	b
Calbayog,	,,	29.76	755.9	86	8	SW	4	c	,,	29.80	756.8	76	8	...	0	bc
Tacloban,	,,	29.75	755.6	86	8	WNW	2	c	,,	29.82	757.3	79	8	N	2	c
Iloilo,	,,	29.76	755.8	91	8	SW	4	bc	,,	29.81	757.2	79	6	...	0	c
Cebu,	,,	29.75	755.6	83	8	WNW	2	c	,,	29.81	757.2	79	8	NNW	2	bc
Surigao,	...	29.74	755.3	86	8	W	2	c	,,	29.81	757.2	77	4	...	0	c
Saipan,	11.00	...	...	...	..	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	S	2	c	4.22	29.79	756.6	...	6	...	0	c
Yap,	11.00	29.83	757.8	...	8	SSE	2	c	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.86	758.5	86	6	W	6	bc	6	29.90	759.4	...	...	W	...	bc

September 4*d.* 10*h.* 51*m.*— The anticyclone now covers the whole of China and Japan, pressure remaining highest over S. Manchuria and relatively low over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inch. Total since January 1st, 83.35 inches, against an average of 67.31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	5th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.19	766.7	72	...	NNW	3	b	6	30.17	766.3	55	...	N	3	o
Nemuro,	11	30.16	766.0	...	...	...	0	...	5	30.14	765.5	...	...	E	1	...
Hokodate,	,,	30.08	764.0	...	...	E	1	...	,,	29.98	761.5	...	...	ENE	1	...
Tokio,	,,	29.94	760.5	...	...	...	0	...	,,	29.94	760.5	...	...	...	0	...
Kochi,	,,	29.98	761.5	...	...	SE	1	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.94	760.5	...	...	E	1	...	,,	29.88	759.0	...	...	NNE	1	...
Kagoshima,	,,	29.94	760.5	...	...	...	0	...	,,	29.80	757.0	...	...	...	0	...
Oshima,	,,	29.94	760.5	...	...	S	1	...	,,	29.84	758.0	...	...	...	...	...
Naha,	,,	29.94	760.5	...	...	NW	1	...	,,	29.84	758.0	...	...	NE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	NE	1	...	,,	29.84	758.0	...	...	...	0	...
Bonin Island,	,,	29.96	761.0	...	...	E	1	...	,,	29.90	759.5	...	...	...	...	...
Chefoo,	15	30.11	764.8	77	8	NE	2	be	6	30.07	763.7	68	6	NNE	2	b
Shanghai,	14	30.06	763.6	79	8	NW	2	c	,,	30.02	762.4	67	4	NW	2	b
Gutzlaff,	,,	30.10	764.5	79	6	NNW	2	b	,,	30.05	763.2	72	6	NNW	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.00	762.0	77	8	ENE	2	o	7	29.97	761.2	75	8	NNE	2	c
Amoy,	,,	29.99	761.7	79	6	ENE	4	c	6	29.98	761.5	77	6	NE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.89	759.1	81	...	ENE	2	o	5	29.91	759.7	74	...	...	0	r
Taichu,	,,	29.94	760.6	86	...	NW	2	o	,,	29.88	758.9	76	...	...	0	r
Tainan,	,,	29.92	760.0	91	...	NW	2	bc	,,	29.84	757.8	76	...	SE	2	c
Koshun,	,,	29.91	759.8	86	...	NNE	2	bc	,,	29.84	757.8	76	...	...	0	bc
Pescadores,	,,	29.93	760.3	86	...	NNE	6	o	,,	29.83	757.6	79	...	NNE	4	c
Hong Kong,	14	29.88	758.9	82	6	E	5	c	6	29.84	757.9	79	5	E	5	cd
Gap Rock,	,,	29.88	758.9	79	8	ENE	5	cp	,,	29.82	757.4	79	7	E	5	cr
Macao,	,,	29.87	758.6	83	6	ESE	2	c	,,	29.83	757.6	77	4	ENE	2	c
Hoihow,	,,	29.93	760.3	85	1	E	4	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.85	758.3	85	8	NE	4	o	6	29.84	758.0	76	6	...	0	c
Phulien,	15	29.85	758.2	86	8	SSE	2	bc	7	29.81	757.2	75	7	ENE	3	c
Tourane,	,,	29.72	754.9	76	4	E	2	r	,,	29.72	754.8	75	6	...	0	r
Cape St. James,	,,	29.79	756.7	85	8	SSW	2	c	,,	29.82	757.3	77	6	SW	4	c
Basco,	14	29.83	757.6	91	8	NE	4	bc	6	29.78	756.4	76	8	...	0	c
Aparri,	,,	29.80	757.0	91	8	NNE	4	b	,,	29.78	756.4	76	8	S	2	b
Tuguegarao,	,,	29.76	755.8	91	8	...	0	c	,,	29.78	756.3	76	1	...	0	c
Vigan,	,,	29.76	756.0	91	8	WNW	2	c	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	86	8	SW	2	c	,,	29.79	756.7	76	6	...	0	c
Legaspi,	,,	29.74	755.3	94	8	ENE	2	b	,,	29.76	755.8	76	8	...	0	b
Calbogog,	,,	29.76	755.8	86	8	WSW	4	c	,,	29.78	756.3	77	8	...	0	c
Tacloban,	,,	29.78	756.3	81	8	...	0	o	,,	29.78	756.3	79	4	NNW	2	c
Iloilo,	,,	29.78	756.4	88	8	SW	2	o	,,	29.78	756.3	76	6	...	0	c
Cebu,	,,	29.78	756.3	79	8	...	0	o	,,	29.78	756.3	79	8	...	0	c
Surigao,	...	29.75	755.6	86	8	W	4	o	,,	29.78	756.3	77	6	...	0	r
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	...	0	bc	4.22	...	...	...	...	...	...	...
Yap,	11.00	...	...	...	...	...	...	...	5	29.83	757.6	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	83	6	SW	4	b	6	29.88	759.0	76	4	E	6	bc

September 5d, 10h. 10m.– The anticyclone has weakened, but pressure remains highest over S. Manchuria; it is relatively low in a trough extending from Indo-China, across the Philippines to the Pacific.

Hong Kong rainfall for the 24 hours ending at 16 h.m. to-day, 0.49 inch. Total since January 1st, 83.85 inches, against an average of 67.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; cloudy, occasional rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	6th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.11	764.7	68	...	N	3	o	6	30.07	763.8	63	...	NE	3	r
Kamaro,	11	30.06	763.5	...	...	E	1	...	5	30.00	762.0	...	...	ESE	2	...
Hokodate,	,,	29.94	760.5	...	...	NE	1	...	,,	29.76	756.0	...	...	ENE	1	...
Tokio,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.86	758.5	...	...	...	0	...
Kochi,	,,	29.84	758.0	...	...	...	0	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	N	6	...	,,	29.86	758.5	...	...	NE	2	...
Kagoshima,	,,	29.82	757 5	...	...	...	0	...	,,	29.80	757.0	...	...	...	0	...
Oshima,	,,	29.86	758.5	...	...	NNW	1	...	,,	29.80	757.0	...	...	SW	1	...
Naha,	,,	29.86	758.5	...	...	ESE	1	...	,,	29.78	756.5	...	...	NE	1	...
Ishigakijima,	,,	29.90	759.5	...	...	E	1	...	,,	29.78	756.5	...	...	NNE	1	...
Bonin Island,	,,	29.88	759.0	...	...	...	0	...	,,	29.88	759.0	...	...	...	...	...
Chefoo,	15	30.02	762.4	77	8	NW	4	b	6	29.98	761.4	65	6	...	0	b
Shanghai,	14	29.99	761.8	81	6	NNE	2	be	..	29.93	760.8	67	6	NE	2	be
Gutzlaff,	,,	30.03	762.8	79	6	NNE	2	b	..	29.99	761.8	70	6	NNE	2	be
Wenchow,	..	...	...	...	...	...	...	...	6	29.94	760.4	70	...	NNW	2	b
Foochow,	,,	29.97	761.2	76	6	E	2	c	7	29.92	759.9	72	6	NNE	2	r
Amoy,	,,	29.94	760.5	79	6	NE	2	o	6	29.89	759.2	76	6	NE	4	c
Swatow,	,,	29.89	759.1	85	...	NE	2	be	..	...	...	...	...	...	...	...
Taihoku,	11	29.94	760.6	77	...	...	0	p	5	29.83	757.7	74	...	E	2	o
Taichu,	,,	29.89	759.3	81	...	NNW	2	o	,,	29.81	757.2	74	..	...	0	o
Tainan,	,,	29 85	758.3	88	...	W	2	c	,,	29.78	756.3	74	...	...	0	be
Koshun,	,,	29.84	758.0	88	...	ENE	2	c	,,	29.78	756.3	76	...	...	0	be
Pescadores,	,,	29.86	758.5	83	...	NE	4	o	,,	29.80	756.8	77	...	NNE	4	c
Hong Kong,	14	29.82	757-4	81	7	ENE	5	c	6	29.78	756.4	77	7	N	2	be
Gap Rock,	,,	29.82	757.4	79	7	E	5	nd	,,	29.77	756.1	79	7	ENE	5	c
Macao,	,,	29.81	757.1	79	4	E	2	d	,,	29.76	755.8	76	4	NE	2	c
Hoihow,	..	29.90	759.4	79	1	ESE	2	r	..	...	...	...	...	...	...	...
Pratas Island,	,,	29.79	756.7	81	6	NE	4	o	6	29.76	755.8	77	8	ENE	4	o
Phulien,	15	29.74	755 5	85	8	ENE	6	c	7	29.73	755.0	75	6	NE	3	r
Tourane,	,,	29.67	753.5	83	8	ENE	2	be	,,	29.66	753.3	75	7	WSW	1	o
Cape St. James,	,,	29.78	756.5	83	6	WSW	4	bo	,,	29.82	757.3	77	6	SW	5	o
Basco,	14	29.76	755.9	83	8	E	2	be	6	29.72	754.9	76	8	...	0	be
Aparri,	,,	29.74	755.4	88	8	N	4	o	,,	29.73	755.2	77	8	S	2	o
Tuguegarao,	,,	29.70	754.3	96	6	...	0	be	,,	29.73	755 2	76	1	...	0	o
Vigan,	,,	29.72	754.9	88	8	SW	2	o	,,	29.73	755 0	79	8	S	2	o
Manila,	,,	29.75	755.6	85	8	E	2	be	,,	29.76	755.8	76	6	...	0	b
Legaspi,	,,	29.70	754.4	94	8	E	2	be	,,	29.74	755.4	76	8	...	0	be
Calbayog,	,,	29.74	755.4	85	8	SW	2	be	,,	29.76	756.0	74	8	N	2	be
Tacloban,	,,	29.76	755.9	86	8	WNW	2	o	,,	29.77	756.1	79	8	N	2	o
Iloilo,	,,	29.76	755.8	83	8	S	2	o	,,	29.76	755.9	77	6	...	0	o
Cebu,	,,	29.74	755.5	79	8	NNW	2	d	,,	29.76	755.9	79	8	...	0	o
Surigao,	...	29.75	755.6	83	6	WSW	2	o	,,	29.76	756.0	72	6	...	0	b
Saipan,	11.00	...	...	...	...	...	...	...	5	29.78	756.4	74	...	SSE	4	c
Guam,	12.22	29.72	754.8	...	6	S	2	be	4.22	...	...	...	...	...	...	...
Yap,	12.00	29.78	756.3	...	6	...	0	bo	5	29.82	757.4	...	6	...	0	be
Pelew,	,,	..	...	..	...	...	...	..	..	29.84	758.0	80	...	SW	2	r
Lahnan,	14	29.96	761.0	86	6	N	...	bo	6	29.91	759.7	67	...	W	...	r

September 6*d*. 10*h*. 40*m*.—The anticyclone over N. China and Manchuria has weakened. A depression is central to the north of Tokio. Pressure is relatively low over the eastern portion of the China Sea, there are indications of a depression forming to the east of N. Luzon.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 83 85 inches, against an average of 67.91 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, moderate; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, moderate to fresh; fair.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

B. D. EVANS,—*Assistant Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.02	762.4	73	...	N	3	c	6	29.99	761.7	61	...	N	2	b
Nemuro,	11	29.92	760.0	...	...	ESE	3	...	5	29.84	758.0	...	...	S	1	...
Hakodate,	,,	29.76	756.0	...	...	ESE	1	...	,,	29.88	759.0	...	...	SSW	1	...
Tokio,	,,	29.84	758.0	...	...	S	1	...	,,	29.90	759.5	...	...	...	0	...
Kochi,	,,	29.82	757.5	...	...	...	0	...	,,	29.88	759.0	...	...	WSW	1	...
Nagasaki,	,,	29.84	758.0	...	...	NNE	1	...	,,	29.88	759.0	...	...	...	0	...
Kagoshima,	,,	29.82	757.5	...	...	SE	1	...	,,	29.84	758.0	...	...	NE	1	...
Oshima,	,,	29.80	757.0	...	...	NNE	1	...	,,	29.78	756.5	...	...	S	1	...
Naha,	,,	29.78	756.5	...	...	NNE	2	...	,,	29.75	755.5	...	...	NE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	E	2	...	,,	29.75	755.5	...	...	E	1	...
Bonin Island,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.88	759.0	...	...	ESE	1	...
Chefoo,	15	29.98	761.5	79	8	ENE	4	b	6	30.00	761.9	63	4	S	2	2
Shanghai,	14	29.94	760.6	72	4	NNE	2	o	,,	29.91	759.7	70	4	ENE	2	o
Gutzlaff,	,,	29.98	761.5	81	6	NE	2	b	,,	29.96	761.0	72	6	ESE	4	o
Wenchow,	,,	...	...	...	...	...	...	...	16	29.88	758.8	72	...	NNW	1	o
Foochow,	,,	29.86	758.4	75	6	N	2	d	17	29.84	757.9	73	8	N	2	o
Amoy,	,,	29.86	758.4	83	6	NE	4	o	6	29.86	758.4	76	6	NE	4	o
Swatow,	,,	29.82	757.4	74	...	NE	3	o	,,	...	...	...	...	...	...	...
Taihoku,	11	29.83	757.8	79	...	E	4	r	5	29.79	756.6	74	...	SE	2	r
Taichu,	,,	29.81	757.2	85	...	N	2	o	,,	29.77	756.4	74	...	...	0	o
Tainan,	,,	29.78	756.5	88	...	SW	2	o	,,	29.73	755.2	74	...	NNE	2	o
Koshun,	,,	29.79	756.6	86	...	NE	2	o	,,	29.72	754.9	77	...	...	0	o
Pescadores,	,,	29.81	757.1	83	...	NNE	6	o	,,	29.74	755.4	77	...	NNE	4	o
Hong Kong,	14	29.75	755.7	82	7	E	4	o	6	29.73	755.1	77	7	E	5	o
Gap Rock,	,,	29.76	756.0	79	7	ENE	5	o	,,	29.72	754.9	79	7	ENE	5	o
Macao,	,,	29.74	755.4	83	4	ESE	2	o	,,	29.71	754.7	76	4	ENE	2	o
Hoihow,	,,	29.78	756.3	81	1	E	2	r	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.72	754.8	83	6	SE	2	r	6	29.69	754.0	77	6	...	0	o
Phulien,	15	29.70	754.3	79	7	NE	4	d	7	29.73	755.2	72	8	NNW	2	o
Tourane,	,,	29.64	752.8	81	8	N	2	c	,,	29.65	753.0	77	8	NW	2	c
Cape St. James,	,,	29.77	756.2	83	6	SW	6	q	,,	29.81	757.1	75	6	SW	6	o
Basco,	14	29.69	754.0	85	6	...	0	o	6	29.69	754.1	77	6	...	0	o
Aparri,	,,	29.69	754.0	91	6	N	2	o	,,	29.71	754.6	87	8	S	2	c
Tuguegurao,	,,	29.64	752.8	94	6	...	0	hc	,,	29.71	754.6	77	1	...	0	hc
Vigan,	,,	29.69	754.0	86	8	WSW	2	o	,,	29.69	754.0	77	8	E	2	hc
Manila,	,,	29.69	754.2	91	8	WSW	4	h	,,	29.74	755.3	77	6	...	0	hc
Legaspi,	,,	29.66	753.4	91	8	WSW	2	ho	,,	29.73	755.0	77	8	...	0	hc
Calboyog,	,,	29.72	754.6	80	8	SW	4	hc	,,	29.76	755.8	76	8	...	0	c
Tacloban,	,,	29.72	754.8	81	6	...	0	o	,,	29.78	756.3	77	8	...	0	b
Iloilo,	,,	29.71	754.6	85	8	SW	4	o	,,	29.75	755.5	79	6	...	0	o
Cebu,	,,	29.70	754.4	65	8	NNE	2	o	,,	29.76	755.8	79	8	S	2	c
Surigao,	...	29.70	754.4	85	6	...	0	o	,,	29.75	755.6	76	4	...	0	hc
Saipan,	11.00	...	...	...	...	...	...	...	5	29.77	756.1	80	...	SE	4	o
Guam,	12.22	29.71	754.7	...	6	SE	4	hc	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.4	...	6	N	2	ho	5	29.81	757.2	...	8	...	0	b
Pelew,	,,	...	...	...	...	...	...	...	,,	29.78	756.5	79	...	W	1	c
Lamian,	14	29.94	760.4	81	...	W	...	o	6	29.91	759.7	...	...	...	...	...

September 7th, 10h. 25m.—A weak anticyclone is central to the north of Shantung and a shallow depression covers the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 83.85 inches, against an average of 68.22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits,	N.E. winds, fresh; fair.
E.—North China Sea,	Light easterly or variable winds, freshening; cloudy generally, some rain.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th SEPTEMBER, 1932.									8th SEPTEMBER, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	29.98	761.4	75	...	NE	3	b		6	30.10	764.4	63	...	...	0	o	
Nemuro,	11	29.90	759.5	...	...	NNW	1	...		5	29.98	761.5	...	...	WSW	1	...	
Hokodate,	,,	29.88	759.0	...	...	SSW	3	...		,,	30.02	762.5	...	...	SW	3	...	
Tokio,	,,	29.94	760.5	...	...	...	0	...		,,	30.04	763.0	...	...	...	...	...	
Kochi,	,,	29.86	758.5	...	...	SE	1	...		,,	29.92	760.0	...	...	SE	1	...	
Nagasaki,	,,	29.86	758.5	...	...	W	1	...		,,	29.80	757.0	...	...	...	0	...	
Kagoshima,	,,	29.84	758.0	...	...	NE	1	...		,,	29.78	756.5	...	...	NE	2	...	
Oshima,	,,	29.78	756.5	...	...	NE	1	...		,,	29.75	755.5	...	...	...	0	...	
Naha,	,,	29.76	756.0	...	...	ENE	1	...		,,	29.76	756.0	...	...	ESE	1	...	
Ishigakijima,	,,	29.76	756.0	...	...	SSE	1	...		,,	29.76	756.0	...	...	ESE	1	...	
Bonin Island,	,,	29.88	759.0	...	...	ESE	2	...		,,	29.92	760.0	...	...	ESE	2	...	
Chefoo,	15	29.94	760.6	76	8	E	4	b		6	29.95	760.6	67	4	SE	2	z	
Shanghai,	14	29.91	759.7	76	4	ENE	2	o		,,	29.90	759.4	67	4	N	2	m	
Gutzlaff,	,,	29.94	760.5	77	6	NNE	2	o		,,	29.94	760.5	70	6	N	2	bc	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.82	757.4	76	6	E	2	o		7	29.86	758.4	74	8	NE	2	o	
Amoy,	,,	29.77	756.1	81	6	ENE	4	bc		6	29.86	758.4	77	6	NE	2	o	
Swatow,	,,	29.78	756.3	81	...	ESE	1	c		,,	...	...	...	...	...	...	...	
Taihoku,	11	29.80	757.0	79	...	E	2	o		5	29.80	757.0	74	...	...	0	r	
Taichu,	,,	29.76	756.0	83	...	N	2	o		,,	29.79	756.7	76	...	...	0	r	
Tainan,	,,	29.74	755.3	86	...	NNW	2	o		,,	29.75	755.5	76	...	...	0	o	
Koshun,	,,	29.74	755.3	83	...	NNE	2	o		,,	29.74	755.4	74	...	...	0	o	
Pescadores,	,,	29.76	755.9	81	...	NNE	6	o		,,	29.75	755.5	77	...	NNE	4	o	
Hong Kong,	14	29.70	754.4	80	7	E	4	c		6	29.73	755.1	77	8	ENE	4	c	
Gap Rock,	,,	29.71	754.6	80	7	ENE	5	o		,,	29.71	754.6	80	7	ENE	5	o	
Macao,	,,	29.69	754.2	83	4	ENE	4	o		,,	29.72	754.8	76	4	NE	2	o	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.67	753.7	86	8	SSW	2	o		6	29.71	754.6	67	6	ENE	2	r	
Phulien,	15	29.69	754.2	79	8	NNE	4	c		7	29.77	756.2	72	8	NE	1	r	
Tourane,	,,	29.64	752.9	77	6	NNW	4	p		,,	29.63	752.7	75	7	WSW	1	o	
Cape St. James,	,,	29.78	756.4	79	6	SW	4	o		,,	29.81	757.5	79	6	ESE	3	c	
Basco,	14	29.66	753.3	81	6	...	0	o		6	29.73	755.0	76	6	...	0	o	
Aparri,	,,	29.64	752.8	91	8	NNE	4	o		,,	29.73	755.0	77	8	...	0	o	
Tuguegarao,	,,	29.61	752.2	94	8	...	0	o		,,	29.73	755.2	76	1	...	0	o	
Vigan,	,,	29.65	753.1	91	8	SW	2	bc		,,	29.71	754.6	76	8	...	0	c	
Manila,	,,	29.67	752.7	88	8	WSW	4	be		,,	29.75	755.5	77	6	...	0	c	
Legaspi,	,,	29.67	753.6	91	8	SW	2	be		,,	29.74	755.4	77	6	...	0	h	
Calboyog,	,,	29.72	754.9	94	8	...	0	o		,,	29.78	756.4	79	8	...	0	c	
Tacloban,	,,	29.72	754.8	85	8	WNW	2	o		,,	29.80	757.0	79	8	...	0	c	
Iloilo,	,,	29.70	754.4	88	8	SW	4	o		,,	29.78	756.5	79	6	S	2	o	
Cebu,	,,	29.69	754.1	86	8	SSW	6	bc		,,	29.80	756.8	79	8	WSW	2	b	
Surigao,	...	29.70	754.3	91	8	W	4	bc		,,	29.80	757.0	79	4	...	0	d	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.77	756.1	...	6	SW	4	bc		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.78	756.3	...	6	N	2	bc		5	29.83	757.7	...	8	N	2	h	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.95	760.8	77	...	SE	...	bc		6	29.89	759.3	72	...	...	...	bc	

September 8*d*. 10*h*. 06*m*. – Pressure is highest over South Manchuria, and relatively low in a trough extending from Indo-China across the Philippines to the Pacific; a shallow depression is indicated to the south of Hainan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 83.85 inches, against an average of 68.54 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	8TH SEPTEMBER, 1932.									9TH SEPTEMBER, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	30.04	762.9	72	...	SE	3	b		6	29.97	761.1	66	...	SE	2	o	
Nemuro,	11	30.02	762.5	...	...	ENE	1	...		5	30.16	766.0	...	...	SE	1	...	
Hokodate,	,,	30.06	763.5	...	...	WNW	1	...		,,	30.02	762.5	...	...	ENE	1	...	
Tokio,	,,	30.06	763.5	...	...	ENE	1	...		,,	29.98	761.5	..	...	...	...	...	
Kochi,	,,	29.94	760.5	...	...	...	0	...		,,	29.76	756.0	...	...	...	...	...	
Nagasaki,	,,	29.80	757.0	...	...	...	0	...		,,	29.76	756.0	...	...	...	0	...	
Kagoshima,	,,	29.80	757.0	...	...	...	0	...		,,	29.76	756.0	...	...	...	0	...	
Oshima,	,,	29.78	756.5	...	...	NNE	1	...		,,	29.78	756.5	...	...	S	1	...	
Naha,	,,	...	...	...	...	...	...	...		,,	29.80	757.0	...	...	...	0	...	
Ishigakijima,	,,	...	...	...	...	...	...	...		,,	29.75	755.5	...	...	...	0	...	
Bonin Island,	,,	29.92	760.0	...	...	ESE	2	...		,,	29.92	760.0	...	...	...	0	...	
Chefoo,	15	29.92	760.0	75	8	E	2	c		6	29.89	759.3	65	4	..	0	x	
Shanghai,	14	29.89	759.3	85	6	NNW	2	c		,,	29.91	759.6	67	4	SE	2	b	
Gutzlaff,	,,	29.94	760.5	83	6	NNE	2	b		,,	29.96	761.0	72	6	NNE	2	b	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.86	758.4	75	8	NNE	2	o		7	29.89	759.2	74	6	N	2	bo	
Amoy,	,,	29.82	757.4	83	6	NE	4	o		6	29.86	758.4	77	6	NE	2	be	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Taihoku,	11	29.83	757.7	85	...	E	2	o		5	29.82	757.3	74	...	...	0	c	
Taichu,	,,	29.80	757.0	86	...	N	2	o		,,	29.80	757.0	76	..	...	0	be	
Tainan,	,,	29.79	756.6	85	...		0	c		,,	29.76	755.8	76	...	NE	2	be	
Koshun,	,,	29.78	756.3	88	...	ENE	2	c		,,	29.75	755.5	77	...	...	0	c	
Pescadores,	,,	29.79	756.6	83	...	NE	4	o		,,	29.76	756.0	79	...	NE	4	o	
Hong Kong,	14	29.74	755.4	83	7	E	3	o		6	29.76	755.9	77	7	ENE	4	c	
Gap Rock,	,,	29.75	755.7	80	7	ENE	5	o		,,	29.74	755.4	80	7	ENE	5	o	
Macao,	,,	29.72	755.0	83	4	NE	2	c		,,	29.73	755.2	77	4	ENE	2	o	
Hoihow,	,,	29.81	757.2	81	1	E	4	be		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.72	755.0	82	6	NE	4	o		6	29.75	755 6	79	6	NE	4	o	
Phulien,	15	29.72	754.9	86	9	NW	2	o		7	29.75	755.7	73	8	N	1	be	
Tourane,	,,	29 66	753.4	82	7	SW	2	o		,,	29.71	754.6	75	7	...	0	d	
Cape St. James,	,,	29.80	756.9	75	6	WSW	6	o		,,	29.84	757.9	77	5	SW	5	c	
Basco,	14	29.71	754.6	80	8	SE	2	bo		6	29.71	754.7	83	6	SSE	2	c	
Aparri,	,,	29.69	754.0	91	8	NNE	4	be		,,	29.73	755.2	76	8	S	2	bo	
Tuguegarao,	,,	29.64	752.8	98	8	...	0	be		,,	29.72	754.8	77	1	..	0	o	
Vigan,	,,	29.69	754.0	86	8	W	2	bo		,,	29.71	754.6	76	8	E	2	o	
Manila,	,,	29.72	754.8	86	8	WSW	4	o		,,	29.75	755.6	77	8	...	0	o	
Legaspi,	,,	29.69	754.2	91	8	SW	4	b		,,	29.76	755.8	77	8	WSW	2	o	
Calboyog,	,,	29.74	755 3	88	8	SW	4	be		,,	29.79	756.7	77	8	WNW	2	bq	
Tacloban,	,,	29.74	755.5	86	8	SSE	2	o		,,	29.80	756.8	79	6	SW	2	o	
Iloilo,	,,	29.74	755.5	88	8	SW	4	b		,,	29.80	756.8	79	4	S	4	o	
Cebu,	,,	29.72	754 9	88	8	SSW	6	o		,,	29.78	756.4	76	8	WSW	4	o	
Surigao,	...	29.74	755.3	88	8	W	2	o		,,	29.79	756.7	81	4	S	2	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.82	757.4	77	...	SSW	1	c	
Guam,	12.22	29.73	755.2	...	6	S	2	bo		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.80	756.8	...	8	...	0	bo		5	29.83	757.6	...	4	N	2	bo	
Pelew,	,,	...	...	...	...	...	...	...		,,	29.78	756.5	78	...	NNE	1	c	
Labuan,	12	29.95	760.8	88	6	SE	4	bo		6	29.90	759.4	76	...	...	...	be	

September 9th, 10h. 30m.—Pressure is highest over the Pacific to the north-east of Hokkaido. The depression is still indicated to the south of Hainan, in the trough extending from Indo-China to the Pacific.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 83.85 inches, against an average of 68.88 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	Light to moderate northerly winds; fair.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits,	N.E. winds, fresh; cloudy, probably some rain.
E.—North China Sea,	E. and S.E. winds, moderate; squally and rainy near Hainan.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Number.)	10th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Number.)
Vladivostock,	12	29.91	759.7	79	...	SE	3	c	6	29.91	759.6	61	...	N	1	b
Nemuro,	11	30.10	764.5	...	...	SE	2	...	5	29.80	757.0	...	...	SSW	3	...
Hakodate,	,,	29.92	760.0	...	...	NE	3	...	,,	29.71	754.5	...	...	NE	1	...
Tokio,	,,	29.92	760.0	...	...	S	1	...	,,	29.84	758.0	...	...	...	...	...
Kochi,	,,	29.76	756.0	...	...	SE	1	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.81	757.2	...	...	N	1	...	,,	29.88	759.0	...	...	...	0	...
Kagoshima,	,,	29.78	756.5	...	...	SE	1	...	,,	29.82	757.5	...	...	NNW	1	...
Oshima,	,,	29.82	757.5	...	...	NNW	1	...	,,	29.82	757.5	...	...	S	1	...
Naha,	,,	29.86	758.5	...	...	S	1	...	,,	29.82	757.5	...	...	...	0	...
Ishigakijima,	,,	29.80	757.0	...	...	NE	1	...	,,	29.78	756.5	...	...	NE	1	...
Bonin Island,	,,	29.92	760.0	...	...	SE	1	...	,,	29.88	759.0	...	...	...	0	...
Chefoo,	15	29.86	758.5	76	8	NE	4	b	6	29.91	759.7	70	4	SSE	2	g
Shanghai,	14	29.80	759.3	83	6	NNE	2	c	,,	29.92	760.0	70	4	SE	2	c
Gutzlaff,	,,	29.96	761.0	79	6	NE	2	b	,,	29.99	761.7	74	6	ESE	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.87	758.7	82	8	E	2	b	7	29.89	759.2	75	8	N	2	o
Amoy,	,,	29.84	757.9	88	6	E	4	b	6	29.87	758.7	77	6	NE	2	c
Swatow,	,,	29.83	757.8	81	...	E	3	b	,,	...	...	...	...	...	...	...
Taiwan,	11	29.85	758.3	86	...	E	4	bc	5	29.80	757.0	77	...	ESE	4	bc
Taichu,	,,	29.83	757.6	86	...	...	0	o	,,	29.81	757.1	76	..	...	0	o
Tainan,	,,	29.82	757.3	91	...	NNW	2	o	,,	29.76	756.0	77	...	E	2	c
Koshun,	,,	...	...	...	...	...	...	...	,,	29.77	756.1	79	...	ENE	2	o
Pescadores,	,,	29.82	757.4	85	...	NE	4	o	,,	29.78	756.4	79	...	NNE	4	b
Hong Kong,	14	29.75	755.6	82	7	E	4	bc	6	29.72	754.9	78	7	E	6	c
Gap Rock,	,,	29.76	755.9	80	8	ENE	5	o	,,	29.70	754.4	80	8	ENE	5	o
Macao,	,,	29.73	755.2	85	6	S	2	o	,,	29.70	754.4	77	4	E	2	c
Hoihow,	,,	29.76	756.0	79	4	E	4	o	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.72	754.8	81	6	E	4	o	6	29.70	754.3	81	8	E	2	c
Phulien,	15	29.72	754.8	86	9	E	1	o	7	29.71	754.6	77	8	NNE	2	bc
Tourane,	,,	29.61	752.0	82	8	NNW	4	c	,,	29.62	752.4	77	8	NW	1	c
Cape St. James,	,,	29.79	756.6	79	6	WSW	5	c	,,	29.79	756.7	75	6	WSW	4	c
Hasco,	14	29.71	754.7	83	6	SE	4	o	6	29.73	755.2	81	6	ESE	2	o
Aparri,	,,	29.69	754.1	91	8	N	4	b	,,	29.72	754.8	77	8	S	2	o
Tagtagarao,	,,	29.63	752.6	94	8	...	0	bc	,,	29.73	755.0	76	1	...	0	o
Vigan,	,,	29.68	753.8	88	8	WSW	4	bc	,,	29.69	754.2	77	8	..	0	o
Manila,	,,	29.72	754.9	79	4	NW	2	r	,,	29.72	754.9	77	6	...	0	o
Legaspi,	,,	29.68	753.8	91	8	WSW	4	bc	,,	29.74	755.3	77	8	...	0	bc
Calbayog,	,,	29.71	754.6	77	8	SW	4	bc	,,	29.76	756.0	77	8	NNE	2	bc
Tacloban,	,,	29.72	754.9	83	6	N	2	o	,,	29.78	756.4	...	8	WNW	2	bc
Iloilo,	,,	29.72	754.8	88	8	S	4	o	,,	29.76	755.9	77	6	N	2	o
Cebu,	,,	29.71	754.6	86	8	SSW	4	o	,,	29.78	756.3	77	8	...	0	o
Surigao,	...	29.72	754.8	86	8	W	4	bc	,,	29.76	756.0	76	6	W	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.6	...	6	...	0	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.75	755.6	...	8	E	4	bc	5	29.77	756.1	...	6	SE	2	r
Pelew,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Labuan,	11	29.95	760.5	86	6	S	6	bc	6	29.81	757.1	76	4	S	4	bc

September 10*d.* 10*h.* 20*m.* Pressure is now highest over the lower Yangtze Valley; depressions are situated over N. Japan and to the south of Hainan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 83.85 inches, against an average of 69.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
A.—Shanghai to Turnabout,	E. winds, moderate; fair.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy, occasional rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. and S.E. winds, moderate to fresh; local rain.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	11th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.97	761.2	64	...	NE	4	c	6	30.12	764.9	63	...	NNE	3	o
Nemuro,	11	29.72	755.0	...	...	SW	5	...	5	30.00	762.0	...	...	ENE	1	...
Hokodate,	,,	29.70	754.5	...	...	S	1	...	,,	29.92	760.0	...	...	NW	2	...
Tokio,	,,	29.84	758.0	...	...	S	1	...	,,	29.90	759.5	...	...	NE	1	...
Kochi,	,,	29.82	757.5	...	...	E	1	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	NNE	1	...	,,	29.88	759.0	...	...	NNE	1	...
Kagoshima,	,,	29.84	758.0	...	...	...	0	...	,,	29.84	758.0	...	...	...	0	...
Oshima,	,,	29.88	759.0	...	...	N	1	...	,,	29.82	757.5	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	...	...	E	1	...
Ishigakijima,	,,	29.82	757.5	...	...	E	1	...	,,	29.76	756.0	...	...	...	0	...
Ponin Island,	,,	29.90	759.5	...	...	ESE	1	...	,,	29.88	759.0	...	...	...	0	...
Chefoo,	15	29.91	759.7	77	8	NE	4	bc	6	29.95	760.6	67	4	ENE	2	2
Shanghai,	14	29.90	759.4	88	6	ESE	2	bo	,,	29.93	760.2	70	4	S	2	r
Gutzlaff,	,,	29.96	761.0	81	8	E	2	b	...	29.97	761.2	72	4	ESE	2	r
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.87	758.7	82	8	ENE	2	bc	7	29.84	757.9	76	4	N	2	rf
Amoy,	,,	29.81	757.2	91	6	ENE	4	bo	6	29.86	758.5	77	6	NW	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.83	757.6	86	...	ENE	4	o	5	29.77	756.1	77	...	ESE	2	o
Taichu,	,,	29.80	757.0	91	...	...	0	c	,,	29.80	756.8	76	...	...	0	o
Tainan,	,,	29.78	756.4	91	...	W	2	b	,,	29.78	756.3	76	...	...	0	bc
Koshun,	,,	29.79	756.6	88	...	ENE	2	bc	,,	29.76	755.9	76	...	...	0	bc
Pescadores,	,,	29.79	756.7	85	...	NNE	4	o	,,	29.76	755.9	79	...	NNE	2	c
Hong Kong,	14	29.71	754.6	79	6	E	5	op	6	29.69	754.1	77	6	ENE	5	or
Gap Rock,	,,	29.70	754.4	81	7	ENE	5	or	,,	29.67	753.6	80	7	ENE	5	o
Macao,	,,	29.69	754.1	79	4	E	2	d	,,	29.67	753.5	77	4	ESE	4	o
Hoihow,	,,	29.69	754.1	81	1	E	4	r	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.70	754.4	85	8	E	4	c	6	29.69	754.1	81	8	E-E	4	c
Phulien,	15	29.67	753.7	85	8	NE	2	c	7	29.65	753.0	77	6	NE	2	c
Tourane,	,,	29.57	751.2	77	6	NNW	4	r	,,	29.58	751.4	77	8	...	0	c
Cape St. James,	,,	29.74	755.4	81	4	WSW	4	r	,,	29.67	753.6	75	7	WNW	5	c
Basco,	14	29.71	754.6	88	8	SE	2	bc	6	29.72	754.8	79	8	...	0	bc
Aparri,	,,	29.67	753.6	91	8	NNE	4	o	,,	29.72	754.8	77	8	...	0	o
Tagnegarao,	,,	29.76	755.8	91	8	...	0	bo	,,	...	...	...	...	...	...	...
Vigan,	,,	29.67	753.6	88	6	WSW	6	o	,,	29.69	754.2	77	8	...	0	bc
Manila,	,,	29.69	754.0	88	8	SW	4	bc	,,	29.73	755.1	77	8	...	0	bc
Legaspi,	,,	29.65	753.1	...	6	SSW	4	o	,,	29.70	754.3	76	8	...	0	o
Calboyog,	,,	29.69	754.1	88	8	SW	4	l	,,	29.75	755.5	76	8	...	0	o
Tacloban,	,,	29.70	754.4	86	8	N	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.0	88	8	SW	4	o	,,	29.73	755.0	79	6	...	0	o
Cebu,	,,	29.69	754.1	86	8	SSW	4	o	,,	29.74	755.4	76	6	WSW	2	o
Surigao,	...	29.69	754.1	86	8	W	4	o	,,	29.73	755.2	76	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.81	757.1	76	...	...	0	o
Guam,	12.22	29.69	754.2	...	8	E	4	o	4.22	29.76	755.9	...	6	...	0	o
Yap,	11.00	29.75	755.6	...	6	SE	2	bo	5	29.76	755.8	...	6	E	4	r
Pelew,	,,	...	...	...	...	...	...	...	,,	29.73	755.0	79	...	SSW	2	c
Labuan,	14	29.86	758.5	88	6	W	4	bc	6	29.80	756.8	76	4	S	...	bo

September 11*d*, 10*h*, 20*m*.—A weak anticyclone covers South Manchuria; the depression appears to be situated close to southern Hainan, moving W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inch. Total since January 1st, 83.93 inches, against an average of 69.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Moderate northerly winds, cloudy, occasional rain.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy, occasional rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. and S.E. winds, moderate to fresh; cloudy generally, rainy and squally near Hainan.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	12th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.05	763.4	66	...	W	1	o	6	30.09	764.3	59	...	NNE	6	r
Nemuro,	11	30.06	763.5	...	...	E	2	...	5	30.20	767.0	...	...	E	2	...
Hokodate,	,,	29.98	761.5	...	...	SSE	1	...	,,	30.49	774.5	...	...	E	2	...
Tokio,	,,	29.92	760.0	...	...	ENE	1	...	,,	29.94	760.5	...	...	NNW	1	...
Kochi,	,,	29.82	757.5	...	...	SE	1	...	,,	29.80	757.0	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	N	1	...	,,	29.82	757.5	...	...	N	1	...
Kagoshima,	,,	29.84	758.0	...	...	SSE	1	...	,,	29.82	757.5	...	...	S	1	...
Oshima,	,,	29.82	757.5	...	...	NNE	1	...	,,	29.73	755.0	...	...	...	...	...
Naha,	,,	29.80	757.0	...	...	ESE	1	...	,,	29.75	755.5	...	...	S	1	...
Ishigakijima,	,,	29.78	756.5	...	...	SSW	1	...	,,	29.76	756.0	...	...	...	0	...
Bonin Island,	,,	29.88	759.0	...	...	SE	1	...	,,	29.88	759.0	...	...	...	...	...
Chefoo,	15	29.91	759.7	79	8	ENE	2	be	6	29.93	760.1	65	4	SSW	2	z
Shanghai,	14	29.92	760.0	72	4	S	2	r	,,	29.92	760.0	67	4	S	2	c
Gutzlaff,	,,	29.98	761.5	70	6	NE	2	o	,,	29.96	761.0	72	8	N	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.83	757.7	76	6	N	2	o	7	29.89	759.2	74	6	N	2	d
Amoy,	,,	29.78	756.4	85	6	E	2	o	6	29.79	756.6	77	6	ENE	2	o
Swatow,	,,	29.78	756.4	81	...	ESE	3	o	,,	29.82	757.5	75	...	ENE	1	r
Taihoku,	11	29.78	756.3	91	...	E	2	b	5	29.79	756.7	77	...	...	0	o
Taichu,	,,	29.81	757.1	88	...	S	2	b	,,	29.79	756.7	76	...	...	0	o
Tainan,	,,	29.79	756.6	91	...	WNW	2	be	,,	29.76	755.8	79	...	NE	2	o
Koshun,	,,	29.78	756.3	88	...	E	2	be	,,	29.76	755.8	76	...	...	0	o
Pescadores,	,,	29.78	756.4	86	...	NNW	2	b	,,	29.76	755.9	79	...	NNE	2	b
Hong Kong,	14	29.68	753.9	81	6	ENE	3	o	6	29.73	755.1	79	6	...	0	o
Gap Rock,	,,	29.68	753.9	81	7	ENE	4	o	,,	29.73	755.1	81	7	ENE	4	o
Macao,	,,	29.67	753.5	83	4	ESE	2	c	,,	29.69	754.2	77	4	E	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.71	754.6	88	8	ESE	2	be	6	29.73	755.2	83	8	ESE	2	be
Phulien,	15	29.60	751.9	77	7	NNE	3	lt	7	29.66	753.4	75	3	E	5	rf
Tourane,	,,	29.54	750.2	86	8	ENE	3	c	,,	29.62	752.2	75	8	S	1	c
Cape St. James,	,,	29.67	753.5	81	7	W	5	o	6	29.69	754.1	75	6	WSW	4	d
Basco,	14	29.69	754.2	88	8	SE	4	o	6	29.72	754.8	76	8	...	0	o
Aparri,	,,	29.66	753.4	91	8	NNE	4	b	,,	29.73	755.0	77	8	...	0	b
Tuguegarao,	,,	29.62	752.3	94	8	...	0	c	,,	...	...	...	...	...	...	...
Vigan,	,,	29.67	753.6	86	8	WSW	2	o	,,	29.69	754.1	77	8	...	0	b
Manila,	,,	29.67	753.7	86	6	WSW	2	o	,,	29.73	755.0	76	6	...	0	bc
Legaspi,	,,	29.65	753.1	86	8	W	2	o	,,	29.69	754.2	76	8	...	0	bc
Calboyog,	,,	29.69	754.1	81	8	...	0	r	,,	29.72	754.8	76	8	N	2	o
Tacloban,	,,	29.69	754.1	79	8	...	0	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.8	86	8	SW	4	o	,,	29.72	754.8	76	6	...	0	o
Ceba,	,,	29.68	753.8	79	8	WNW	4	o	,,	29.73	755.2	77	6	...	0	o
Surigao,	...	29.66	753.4	83	8	W	4	o	,,	29.73	755.0	76	4	S	2	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.79	756.6	78	...	ESE	2	bc
Guam,	12.22	29.74	755.4	...	6	SE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.67	753.7	...	6	SW	4	r	5	29.79	756.7	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.76	755.9	77	...	...	0	r
Labuan,	14	29.84	758.0	83	...	W	...	be	6	29.90	759.4	85	...	...	...	b

September 12*d.* 10*h.* 15*m.*— Pressure is highest to the north-east of Hokkaido, and relatively low over the northern China Sea. The depression appears to have filled up.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inch. Total since January 1st, 83.97 inches, against an average of 69.98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light northerly or variable winds; cloudy, local rain.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, moderate; cloudy, occasional rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. and S.E. winds, moderate to light; cloudy, local rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY. HONG KONG.

DAILY WEATHER REPORT.

Station.	12th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	13th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.20	767.0	...	...	E	2	...	5	30.04	763.0	...	...	E	2	...
Hokodate,	,,	30.10	764.5	...	...	ESE	3	...	,,	29.92	760.0	...	...	NE	1	...
Tokio,	,,	29.92	760.0	...	...	NNW	1	...	,,	29.82	757.5	...	...	...	...	...
Kochi,	,,	29.80	757.0	...	...	NW	1	...	,,	29.78	756.5	...	...	...	0	...
Nagasaki,	,,	29.82	757.5	...	...	...	0	...	,,	29.86	758.5	...	..	N	2	...
Kagoshima,	,,	29.80	757.0	...	...	...	0	...	,,	29.78	756.5	...	..	NNW	1	...
Oshima,	,,	29.76	756.0	...	...	ENE	1	...	,,	29.78	756.5	...	...	N	1	...
Naha,	,,	29.78	756.5	...	...	WSW	2	...	,,	29.80	757.0	...	...	N	2	...
Ishigakijima,	,,	29.82	757.5	...	...	NW	2	...	,,	29.80	757.0	...	...	NE	1	...
Bonin Island,	,,	29.90	759.5	...	...	ESE	2	...	,,	29.92	760.0	...	...	...	0	...
Chefoo,	15	29.93	760.3	79	8	E	2	b	6	29.97	761.2	67	1	E	2	z
Shanghai,	14	29.94	760.6	83	6	N	2	c	,,	30.01	762.1	68	4	NE	2	bc
Gutzlaff,	,,	29.99	761.8	79	6	NNW	2	c	,,	30.04	763.0	72	6	NE	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.90	759.4	75	6	ENE	2	c	7	29.93	760.2	74	6	NNE	2	c
Amoy,	,,	29.86	758.4	79	6	NE	2	r	6	29.99	761.7	77	4	NE	2	c
Swatow,	,,	29.86	758.4	77	...	NNE	1	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.85	758.3	85	...	ENE	4	bc	5	29.85	758.2	76	...	ESE	2	c
Taichu,	,,	29.83	757.8	91	...	SW	2	b	,,	29.82	757.4	76	...	...	0	c
Tainan,	,,	29.82	757.4	91	...	NNW	2	bc	,,	29.78	756.4	77	...	...	0	bc
Koshun,	,,	29.80	757.0	91	...	ENE	2	bc	,,	29.78	756.4	79	...	NNE	2	bc
Pescadores,	,,	29.83	757.8	86	...	NE	4	c	,,	29.80	757.0	79	...	NNE	4	c
Hong Kong,	14	29.78	756.4	80	7	F	4	c	6	29.80	756.9	78	7	E	4	bc
Gap Rock,	,,	29.78	756.4	81	7	ENE	4	c	,,	29.80	756.9	81	8	ENE	4	c
Macao,	,,	29.74	755.5	83	4	ESE	2	c	,,	29.78	756.3	77	4	ESE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.78	756.4	88	8	ENE	2	c	6	29.77	756.1	81	8	NE	4	bc
Phulien,	13	29.70	754.5	81	8	ENE	4	c	7	29.75	755.5	77	5	ENE	4	r
Tourane,	,,	29.63	752.5	88	8	ENE	2	c	,,	29.72	754.8	79	8	...	0	r
Cape St. James,	,,	29.69	754.2	79	7	WSW	6	c	,,	29.76	755.9	77	5	SW	5	c
Basco,	14	29.72	755.0	86	8	NNE	6	b	6	29.71	754.7	81	6	NE	4	bc
Aparri,	,,	29.72	754.9	91	8	NE	4	c	,,	29.71	754.6	77	8	...	0	b
Tuguegarao,	,,	29.66	753.3	91	6	...	0	c	,,	29.70	754.3	76	1	...	0	bc
Vigan,	,,	29.69	754.0	88	8	W	2	c	,,	29.67	753.7	77	8	ESE	2	h
Manila,	,,	29.69	754.2	85	6	...	0	c	,,	29.71	754.6	77	6	...	0	bc
Legaspi,	,,	29.66	753.3	86	6	SW	2	c	,,	29.67	753.7	77	6	...	0	c
Calboyog,	,,	29.70	754.4	81	8	SW	4	c	,,	29.70	754.4	77	8	W	2	r
Tacloban,	,,	29.69	754.0	85	8	WNW	2	c	,,	29.70	754.4	79	8	W	2	c
Iloilo,	,,	29.71	754.6	81	8	NE	2	c	,,	29.71	754.6	79	6	SW	4	c
Cebu,	,,	29.68	753.8	81	8	SW	4	c	,,	29.70	754.4	79	8	SW	4	c
Surigao,	...	29.69	754.1	83	6	SW	4	c	,,	29.69	754.2	77	4	W	4	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.72	755.0	...	6	N	2	c	4.22	29.71	754.7	...	6	...	0	c
Yap,	11.00	29.78	756.3	...	8	NW	2	c	5	29.80	756.8	...	8	...	0	b
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.84	758.0	81	6	SE	6	bc	6	29.90	759.4	68	...	S	...	b

September 13*d*. 10*h*. 45*m*.—A weak anticyclonic area covers North China and South Manchuria; a shallow depression is indicated over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 83.97 inches, against an average of 70.35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	N.E. winds, moderate; cloudy.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th SEPTEMBER, 1932.									14th SEPTEMBER, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	30.01	762.1	72	...	NNE	1	0		6	30.12	764.9	63	...	...	0	0	
Nemuro,	11	29.61	752.0	...	...	ENE	2	...		5	29.88	750.0	...	...	SSW	3	...	
Hokodate,	,,	29.86	758.5	...	...	ENE	3	...		,,	29.82	757.5	...	...	S	2	...	
Tokio,	,,	29.86	758.5	...	...	S	3	...		,,	29.98	761.5	...	...	...	0	...	
Kochi,	,,	29.74	755.5	...	...	...	0	...		,,	29.92	760.0	...	...	...	0	...	
Nagasaki,	,,	29.88	759.0	...	...	NNE	1	...		,,	29.96	761.0	...	...	...	0	...	
Kagoshima,	,,	29.82	757.5	...	...	N	1	...		,,	29.94	760.5	...	...	...	0	...	
Oshima,	,,	29.84	758.0	...	...	N	2	...		,,	29.86	758.5	...	...	S	1	...	
Naha,	,,	29.84	758.0	...	...	N	2	...		,,	29.84	758.0	...	...	NE	2	...	
Ishigakijima,	,,	29.82	757.5	...	...	NE	3	...		,,	29.82	757.5	...	...	NNE	1	...	
Bonin Island,	,,	29.94	760.5	...	...	ESE	2	...		,,	29.94	760.5	...	...	...	0	...	
Chefoo,	15	30.03	762.7	76	8	N	4	bo		6	30.06	763.4	72	7	NE	6	be	
Shanghai,	14	29.98	761.6	79	6	NE	2	o		,,	30.01	762.3	72	4	ENE	2	o	
Gutzlaff,	,,	30.02	762.5	83	6	ENE	2	be		,,	30.06	763.5	74	6	ESE	2	o	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.92	759.9	78	8	ENE	2	b		7	29.92	759.9	76	8	NNE	2	b	
Amoy,	,,	29.86	758.4	86	8	NE	4	be		6	29.86	758.4	77	6	NE	2	bo	
Swatow,	,,	29.86	758.5	82	...	NE	4	b		,,	...	...	...	...	...	...	...	
Taihoku,	11	29.88	758.9	83	...	E	4	d		5	29.84	758.0	77	...	E	4	o	
Taichu,	,,	29.83	757.6	80	...	...	0	b		,,	29.80	757.0	76	...	...	0	b	
Tainan,	,,	29.80	757.0	91	...	WNW	2	b		,,	29.76	755.9	77	...	...	0	b	
Koshun,	,,	29.80	757.0	86	...	NE	4	be		,,	29.77	756.1	79	...	NE	4	be	
Pescadores,	,,	29.82	757.4	85	...	NNE	4	o		,,	29.78	756.3	79	...	NNE	4	bo	
Hong Kong,	14	29.81	757.2	83	8	ENE	4	c		6	29.81	757.2	77	7	E	4	be	
Gap Rock,	,,	29.80	756.9	81	8	ENE	4	b		,,	29.80	756.9	81	7	ENE	4	o	
Macao,	,,	29.78	756.3	83	6	SE	2	c		,,	29.78	756.4	77	6	ESE	4	be	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.76	756.0	85	8	NE	6	o		6	29.77	756.1	79	6	NE	4	o	
Phulien,	15	29.78	756 3	76	4	NNW	4	r		7	29.80	756.8	75	6	...	0	r	
Tourane,	,,	29.67	753.6	85	8	ENE	2	bo		,,	29.74	753.4	75	1	WNW	1	lr	
Cape St. James,	,,	29.76	755.8	81	7	SW	6	c		,,	29.80	756.9	73	6	WSW	6	o	
Basco,	14	29.70	754.3	85	6	NE	2	o		6	29.70	754.4	83	6	ENE	4	be	
Aparri,	,,	29.66	753.3	91	8	N	2	o		,,	29.66	753.3	81	6	NE	4	p	
Tuguegarao,	,,	29.63	752.3	91	6	...	0	be		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.64	752.8	91	8	WSW	4	o		,,	29.64	752.8	77	8	...	c	o	
Manila,	,,	29.66	753.3	86	8	WSW	4	o		,,	29.66	753.3	77	6	...	o	o	
Legaspi,	,,	29.60	751.8	83	6	SW	4	o		,,	29.54	750.3	77	6	WSW	4	o	
Calbayog,	,,	29.65	753.1	81	8	WSW	6	o		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.65	753.1	83	8	W	2	o		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.69	754.2	77	6	...	0	o		,,	29.69	754.1	77	6	SW	6	o	
Cebu,	,,	29.66	752.4	83	8	WSW	4	o		,,	...	...	...	...	...	...	...	
Surigao,	...	29.67	753.5	83	8	SW	4	o		,,	29.66	753.3	79	4	WSW	4	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.74	755.5	...	6	S S	2	o		4.22	29.75	755.5	...	6	...	o	o	
Yap,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.86	758.5	81	6	SW	6	be		6	29.80	757.0	74	1	S	6	lc	

Warning.

September 14*d.* 9*h.* 18*m.*—Typhoon within 120 miles of Lat. 16° N. Long. 126° E., moving W.N.W.

September 14*d.* 9*h.* 58*m.*— An anticyclone is central over S. Manchuria ; a typhoon is situated about 300 miles east of Manila, moving W. or W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 83.97 inches, against an average of 70.72 inches.

Shanghai warning. 13*d.* 21*h.* 18*m.*:—Typhoon within 120 miles of Lat. 16° N. Long. 128° E. moving W.N.W. Recd. 13*d.* 21*h.* 31*m.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh ; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th SEPTEMBER, 1932.								15th SEPTEMBER, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.01	762.3	72	...	NNE	1	b	6	30.19	766.8	71	...	NNW	2	b
Nemuro,	11	29.86	758.5	...	...	WSW	2	...	5	30.16	766.0	...	...	ENE	2	..
Hokodate,	,,	29.90	759.5	...	...	W	2	...	,,	30.14	765.5	...	...	...	...	...
Tokio,	,,	30.00	762.0	...	...	...	..	...	,,	30.02	762.5	..	...	...	...	...
Kochi,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.94	760.5	...	...	WSW	1	...
Nagasaki,	,,	29.98	761.5	...	...	NE	1	...	,,	29.94	760.5	...	...	NE	1	...
Kagoshima,	,,	29.94	760.5	...	...	NE	1	...	,,	29.90	759.5	...	...	NNW	1	...
Oshima,	,,	29.88	759.0	...	...	E	1	...	,,	29.86	758.5	...	...	...	0	...
Naha,	,,	29.88	759.0	...	...	ENE	1	...	,,	29.84	758.0	...	...	ENE	1	...
Ishigakijima,	,,	29.84	758.0	...	...	E	2	...	,,	29.80	757.0	...	...	NE	1	...
Bonin Island,	,,	29.92	760.0	...	...	...	0	...	,,	29.94	760.5	...	...	ESE	1	...
Chefoo,	15	30.07	763.9	74	8	NNW	4	c	6	30.05	763.2	63	1	NNW	2	o
Shanghai,	14	29.99	761.8	77	6	E	2	o	,,	29.99	761.8	72	4	ENE	2	o
Gutzlaff,	,,	30.04	763.0	76	6	ESE	4	o	,,	30.03	762.7	74	6	ENE	4	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.91	759.7	80	8	NE	2	b	7	29.89	759.2	76	6	NNE	2	c
Amoy,	,,	29.82	757.4	88	6	ENE	4	b	6	29.85	758.2	77	6	NE	2	bc
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tailoku,	11	29.86	758.5	86	...	E	4	c	5	29.76	756.0	79	...	ENE	4	bc
Taichu,	,,	29.81	757.1	91	...	WSW	2	b	,,	29.76	755 9	77	...	...	0	o
Tainan,	,,	29.79	756.7	91	...	W	2	bc	,,	29.72	754.8	77	...	...	0	b
Koshun,	,,	29.79	756.6	88	...	ENE	4	bc	,,	29.71	754 6	79	...	NE	4	o
Pescadores,	,,	29.81	757.1	86	...	NE	6	bc	,,	29.73	755.2	81	...	NNE	4	o
Hong Kong,	14	29.77	756.1	82	8	E	4	b	6	29.77	756.1	77	8	E	3	b
Gap Rock,	,,	29.78	756.4	81	7	ENE	5	c	,,	29.77	756.1	81	7	ENE	4	b
Macao,	,,	29.77	756.1	85	6	ESE	2	b	,,	29.75	755.5	77	6	ESE	2	c
Hoihow,	,,	29.86	758.4	86	1	E	2	bc	,,	...	...	...	...	...	....	...
Pratas Island,	,,	29.74	755.4	85	8	NE	6	bc	6	29.71	754.6	81	8	NNE	6	bc
Phulien,	15	29.75	755.6	86	8	...	0	c	7	29.76	755 8	77	8	NE	3	c
Tourane,	,,	29.69	754 1	82	8	NNW	4	c	,,	29.68	753.8	75	4	NNW	1	r
Cape St. James,	,,	29.76	756 0	81	7	SW	5	c	,,	29.80	756.8	75	6	WSW	3	d
Basco,	14	29.67	753.6	85	6	NE	4	bc	6	...	..	...	...	...	...	...
Aparri,	,,	29.62	752.3	83	6	NE	4	p	,,	29.43	747.5	79	6	ENE	4	p
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.58	751.4	86	8	WNW	2	o	,,	29.43	747.5	79	8	...	0	o
Manila,	,,	29.60	751.8	81	6	WSW	4	r	,,	29.57	751.0	81	6	SW	4	r
Legaspi,	,,	29.54	750.3	77	4	SW	6	o	,,	29.67	753.5	77	6	SW	2	o
Calbayog,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	..	..	...	...	...	...	...
Iloilo,	,,	29.69	754.1	83	8	SW	4	o	,,	29.69	754 2	81	4	SW	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	..	..	...	...	...	...	...
Surigao,	...	29.66	753.3	85	6	WSW	4	o	,,	29.76	755.8	77	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.82	757.4	...	6	E	4	o	4.22	29.78	756.5	...	6	...	0	o
Yap,	11.00	29.79	756.6	...	6	W	2	r	5	29.78	756.5	...	4	WNW	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	..	..	...	...	...	...	...
Labuan,	14	...	...	...	...	...	...	...	6	29.88	759.0	76	...	SE	...	bc

Warnings.

September 14*d*. 16*h*. 15*m*.—Typhoon within 60 miles of Lat. 16° N. Long. 124° E., moving W.
September 15*d*. 9*h*. 40*m*.—Typhoon within 60 miles of Lat. 18° N. Long. 122° E., moving N.N.W.

September 15*d*. 10*h*. 08*m*.—A moderate anticyclone is central over S. Manchuria; the typhoon is crossing north Luzon to the immediate south of Apparri, on a N.N.W track.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 83.97 inches, against an average of 71.09 inches.

Shanghai warning. 14*d*. 21*h*. 00*m*.:—Typhoon within 60 miles of Lat. 15° N. Long. 123° E. moving W. Recd. 14*d*. 22*h*. 21*m*.

Manila warning. 15*d*. 8*h*. 55*m*.:—Typhoon in Lat. 18° N. Long. 122° E. moving N.N.W. Recd 15*d*. 9*h*. 24*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16th.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th September, 1932.									16th September, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	
Wladivostock,	12	30.15	765.9	72	...	NNW	1	b		6	30.15	765.8	57	...	NE	1	b	
Nemuro,	11	30.18	766.5	...	...	W	1	...		5	30.12	765.0	...	...	...	0	...	
Hokodate,	..	30.10	764.5	...	...	WNW	1	...		..	30.02	762.5	...	...	...	0	...	
Tokio,	..	30.00	762.0	...	...	E	1	...		..	29.82	757.5	...	...	N	1	...	
Kochi,	..	29.94	760.5	...	...	...	0	...		..	29.80	757.0	...	...	...	0	...	
Nagasaki,	..	29.94	760.5	...	...	NE	1	...		..	29.90	759.5	...	...	NE	1	...	
Kagoshima,	..	29.90	759.5	...	...	ENE	1	...		..	29.84	758.0	...	...	...	0	...	
Oshima,	..	29.86	758.5	...	...	NNE	1	...		..	29.82	757.5	...	...	...	0	...	
Naha,	..	29.86	758.5	...	...	ENE	1	...		..	29.80	757.0	...	...	...	0	...	
Ishigakijima,	..	...	...	...	...	...	..	...		..	29.75	755.5	...	...	ESE	2	...	
Panin Island,	..	29.90	759.5	...	...	ESE	1	...		..	29.84	758.0	...	...	...	0	...	
Chefoo,	15	30.04	763.1	77	8	NE	4	c		6	30.01	762.1	67	4	E	2	o	
Shanghai,	14	29.97	761.2	83	6	ENE	2	o		..	29.93	760.3	72	4	E	2	o	
Gutzlaff,	..	30.01	762.2	79	6	NE	2	o		..	29.99	761.7	74	6	ENE	4	bc	
Wenchow,	..	...	...	...	...	...	...	...		6	29.88	759.0	75	...	NNE	3	b	
Foochow,	..	29.86	758.4	78	6	N	4	o		7	29.81	757.2	76	6	N	2	o	
Amoy,	..	29.80	756.9	88	8	ENE	4	bc		6	29.75	755.7	81	6	NE	2	o	
Swatow,	..	29.75	755.7	87	...	NE	3	b		..	...	...	...	...	...	...	...	
Tailoku,	11	29.78	756.5	86	...	E	6	bc		5	29.66	753.4	79	...	E	4	c	
Taichu,	..	29.75	755.6	88	...	...	o	c		..	29.64	752.8	79	...	...	o	o	
Tainan,	..	29.72	755.0	94	...	W	2	bc		..	29.62	752.4	79	...	...	o	o	
Koshun,	..	29.72	754.8	81	...	NE	6	r		..	29.62	752.3	79	...	ENE	4	o	
Pescadores,	..	29.74	755.4	85	...	NNE	6	o		..	29.64	752.9	81	...	NNE	4	o	
Hong Kong,	14	29.70	754.4	84	8	E	3	bc		6	29.63	752.6	78	6	...	o	bc	
Gap Rock,	..	29.71	754.7	81	7	E	5	b		..	29.63	752.6	81	7	ENE	4	c	
Macao,	..	29.69	754.2	85	6	ESE	2	bc		..	29.61	752.0	77	6	...	o	o	
Hoihow,	..	...	...	...	...	...	...	...		..	...	...	...	...	...	...	...	
Pratas Island,	..	29.61	752.2	83	..	NNE	7	c		6	29.48	748.8	81	8	NE	8	o	
Phulien,	15	29.69	754.2	91	8	S	2	bc		7	29.67	753.7	77	6	NNE	2	bc	
Tourane,	..	29.67	753.5	76	1	NNW	4	r		..	29.66	753.4	77	8	W	1	o	
Cape St. James,	..	29.73	755.2	81	8	S ?	6	bc		..	29.78	756.3	77	7	SW	4	bc	
Basco,	14	29.58	751.3	83	4	SE	4	o		6	29.60	751.9	83	6	SE	4	o	
Aparri,	..	29.46	748.4	83	6	...	o	o		..	29.58	751.3	77	8	S	2	o	
Tuguegarao,	..	29.45	748.1	85	4	...	o	o		..	...	...	...	...	...	...	...	
Vigan,	..	29.41	747.0	77	6	S	6	q		..	29.52	749.8	81	6	SSW	6	q	
Manila,	..	29.60	751.8	77	6	S	4	o		..	29.65	753.0	77	1	SSE	2	o	
Legaspi,	..	29.64	752.9	86	8	SSW	4	o		..	29.70	754.3	79	6	WSW	2	o	
Calbovog,	..	29.70	754.3	86	8	SSE	4	bc		..	29.73	755.2	83	8	SW	6	bc	
Tacloban,	..	...	...	...	...	...	...	...		..	...	...	...	...	...	...	...	
Iloilo,	..	29.71	754.6	83	8	SSW	4	o		..	29.73	755.2	79	6	SW	4	o	
Cebu,	..	29.73	755.2	83	8	SW	4	o		..	...	...	...	...	...	...	...	
Surigao,	...	29.74	755.3	91	8	W	2	bc		..	29.75	755.5	79	6	...	o	bc	
Saipan,	11.00	...	...	...	...	...	...	...		5	..	...	...	...	...	...	...	
Guam,	12.22	29.80	756.8	...	6	SSW	4	o		4.22	29.77	756.1	....	6	...	o	o	
Yap,	11.00	29.78	756.3	...	6	E	4	bc		5	29.78	756.3	....	6	SW	2	bc	
Pelew,	,,	...	...	...	...	...	...	...		..	...	...	...	...	...	...	...	
Labuan,	14	29.86	758.5	86	6	SW	6	bc		6	29.89	759.2	77	1	SW	...	bc	

Warnings.

September 15*d*. 12*h*. 20*m*.—Local signal No 1 hoisted.

September 15*d*. 16*h*. 20*m*.—Typhoon within 60 miles of Lat. 19° N. Long. 119° E., moving N.W.

September 16*d*. 6*h*. 40*m*.—Typhoon within 60 miles of Lat. 20° N. Long. 117° E., moving N.W.

September 16*d*. 6*h*. 40*m*.—Local signal No. 7 hoisted.

September 16*d*. 10*h*. 43*m*.—Pressure is highest over S. Manchuria. The typhoon is situated about 200 miles to the south-east of Hong Kong, moving N.W or W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 83.97 inches, against an average of 71.45 inches.

Manila warning. 15*d*. 15*h*. 30*m*.:—Typhoon W. of Balintang Channel moving N.W. Recd. 15*d*. 16*h*. 03*m*.

Shanghai warning 16*d*. 9*h*. 54*m*.:—A severe typhoon within 60 miles of Lat. 19° N. Long. 118° E., moving N.W. Recd. 16*d*. 10*h*. 03*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate to fresh; cloudy, local rain.
B.—Turnabout to Hong Kong,	N.E. winds, fresh to strong; cloudy, rain later.
C.—Hong Kong to Gap Rock,	N.E. winds, fresh to a gale; cloudy, rain.
D.—Hong Kong to Hainan Straits,	N.E. winds, fresh to a gale; cloudy, rain.
E.—North China Sea,	Cyclonic gales to the south of Hong Kong.

C. W. JEFFRIES, Director

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	17th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.11	764.8	72	...	E	4	b	6	30.42	772.6	57	...	NW	1	f
Nemuro,	11	30.06	763.5	...	...	ENE	2	...	5	30.06	763.5	...	...	ENE	2	..
Hokodate,	,,	29.98	761.5	...	...	E	1	...	,,	30.00	762.0	...	...	...	0	...
Tokio,	,,	29.78	756.5	...	...	ENE	1	...	,,	29.76	756.0	...	...	N	2	...
Kochi,	,,	29.78	756.5	...	...	N	1	...	,,	29.76	756.0	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	NNE	2	...	,,	29.84	758.0	...	...	NNE	1	...
Kagoshima,	,,	29.82	757.5	...	...	E	1	...	,,	29.80	757.0	...	...	NW	1	...
Oshima,	,,	29.88	759.0	...	...	NNE	1	...	,,	29.78	756.5	...	...	...	0	...
Naha,	,,	29.82	757.5	...	...	SSW	1	...	,,	29.76	756.0	...	...	NE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	...	...	SE	1	...
Bonin Island,	,,	29.80	757.0	...	...	NE	1	...	,,	29.25	755.5	...	...	WSW	2	...
Chefoo,	15	29.97	761.2	77	6	NE	2	o	6	29.89	759.3	67	6	SSW	2	be
Shanghai,	14	29.91	759.7	77	6	E	2	o	,,	29.90	759.4	68	4	NE	2	r
Gutzlaff,	,,	29.95	760.7	76	4	E	4	o	,,	29.94	760.5	72	4	E	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	29.71	754.7	75	...	NE	2	r
Foochow,	,,	29.77	756.1	76	4	NNE	2	d	7	29.73	755.1	76	4	NNE	2	r
Amoy,	,,	29.66	753.3	85	6	NE	4	b	6	29.73	755.1	81	6	ENE	2	o
Swatow,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Taihoku,	11	29.71	754.6	88	...	E	4	o	5	29.67	753.6	76	...	...	o	b
Taichu,	,,	29.69	754.0	86	...	...	o	o	,,	29.71	754.0	79	...	...	o	o
Tainan,	,,	29.65	753.0	88	...	...	o	o	,,	29.66	753.3	79	...	NE	2	r
Koshun,	,,	29.66	753.4	81	...	NE	4	r	,,	29.69	754.0	74	...	E	2	r
Pescadores,	,,	29.65	753.1	85	...	NNW	4	r	,,	29.66	753.4	79	...	NNE	4	r
Hong Kong,	14	29.57	751.1	81	6	ENE	3	or	6	29.42	747.2	81	6	ENE	7	sq
Gap Rock,	,,	29.57	751.1	81	7	NNE	4	o	,,	29.34	745.2	81	7	ENE	10	sq
Macao,	,,	29.57	751.0	81	4	NE	4	d	,,	29.40	746.8	79	4	NE	6	o
Hoihow,	,,	29.64	752.8	88	1	E	2	bo	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.46	748.2	83	6	E	8	d	6	29.50	749.3	81	8	SE	6	o
Phulien,	15	29.59	751.5	88	8	WSW	2	o	7	29.59	751.6	75	8	NNW	4	c
Tourane,	,,	29.59	751.4	88	8	N	2	o	,,	29.52	749.7	77	8	WNW	1	o
Cape St. James,	,,	29.71	754.7	82	6	SW	6	be	,,	29.72	754.8	77	6	W	6	f
Basco,	14	29.59	751.6	86	6	SE	4	o	6	29.65	753.1	81	6	SSE	2	o
Aparri,	,,	29.53	750.1	91	8	NE	2	bo	,,	29.64	752.8	77	8	...	o	b
Tuguegarao,	,,	29.59	751.7	91	6	...	o	be	,,	...	...	...	...	...	...	...
Vigan,	,,	29.53	750.0	91	8	SSW	4	be	,,	29.62	752.2	79	6	SSW	2	be
Manila,	,,	29.66	753.4	83	6	SSW	4	o	,,	29.69	754.1	77	6	...	o	o
Legaspi,	,,	29.66	753.3	91	8	SSW	4	be	,,	29.69	754.0	79	6	WSW	2	bo
Calboyog,	,,	29.71	754.6	88	8	SW	4	be	,,	29.73	755.2	83	8	SW	4	be
Tacloban,	,,	29.69	754.2	91	8	E	2	be	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.7	88	8	SW	4	o	,,	29.73	755.2	81	6	SSW	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.71	754.7	85	6	...	o	o	,,	29.73	755.2	79	6	...	o	b
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.6	...	6	...	o	o	4.22	29.70	754.4	...	6	...	o	o
Yap,	11.00	29.73	755.2	...	6	SW	4	be	5	29.78	756.4	...	6	SW	2	c
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.85	758.3	88	4	WSW	4	be	6	29.80	757.0	77	4	SSW	4	b

Warnings.

September 16*d*. 14*h*. 45*m*.—Typhoon within 60 miles of Lat. 20° N. Long. 116° E., moving W.N.W.

September 17*d*. 8*h*. 15*m*.—A severe typhoon within 30 miles of Lat. 20° N. Long. 114° E., moving W.N.W.

September 17*d*. 10*h*. 33*m*.—Pressure is highest over S. Manchuria, and a shallow depression lies between S. Japan and the Bonins.

The typhoon probably passed on a W.N.W. track within 70 miles south of Gap Rock between 6*h*. and 7*h*. this morning, and threatens the coast between Hong Kong and Hainan.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.63 inch. Total since January 1st, 84.60 inches, *against an average of 71.80 inches.*

Manila warning. 17*d*. 7*h*. 45*m*.—Typhoon in Lat. 21° N. Long. 114° E. moving W.N.W. Recd 17*d*. 8*h*. 10*m*.

Shanghai warning 17*d*. 9*h*. 42*m*.:—A severe typhoon within 60 miles of Lat. 21° N. Long. 114° E., moving W.N.W. Recd. 17*d*. 9*h*. 50*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18th.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	N.E. winds, moderate to fresh; cloudy, rain.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Strait,	Easterly gale, moderating; cloudy, squally, rain.
E.—North China Sea,	Cyclonic gales between Hong Kong and Hainan.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	18th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.10	764.5	70	...	...	...	dh	6	30.32	770.1	57	...	...	0	b
Nemuro,	11	30.08	764.0	...	...	ENE	2	...	5	30.08	764.0	...	...	E	2	...
Hokodate,	,,	30.00	762.0	...	...	ESE	1	...	,,	30.04	763.0	...	...	NNW	1	...
Tokio,	,,	29.82	757.5	...	...	NNW	2	...	,,	29.82	757.5	...	...	N	1	...
Kochi,	,,	29.78	756.5	...	...	...	0	...	,,	29.82	757.5	....	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	NE	2	...	,,	29.88	759.0	...	...	NE	1	...
Kagoshima,	,,	29.80	757.0	...	...	SE	1	...	,,	29.82	757.5	...	...	...	0	...
Oshima,	,,	29.80	757.0	...	...	NNE	1	...	,,	29.80	757.0	...	...	...	0	...
Naha,	,,	29.78	756.5	...	...	E	1	...	,,	29.78	756.5	...	...	NE	1	...
Ishigakijima,	,,	29.74	755.5	...	...	SSE	1	...	,,	29.76	756.0	...	...	...	0	...
Bonin Island,	,,	29.70	754.5	...	...	SW	1	...	,,	29.71	754.5	...	...	E	1	...
Chefoo,	15	29.93	760.2	79	8	E	4	bc	6	30.02	762.5	67	6	SSW	2	bc
Shanghai,	14	29.93	760.2	70	6	E	2	r	,,	29.97	761.2	67	6	ENE	2	b
Gutzlaff,	,,	29.96	761.0	67	4	NE	4	r	,,	30.03	762.8	72	6	ENE	4	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.72	754.9	84	8	NNE	2	o	7	29.87	758.7	76	6	NE	2	o
Amoy,	,,	29.73	755.1	86	6	SSE	4	o	6	29.76	755.9	77	6	NE	4	o
Swatow,	,,	29.69	754.0	83	...	ENE	3	o	,,	...	...	...	...	...	...	...
Tailoku,	11	29.70	754.3	91	...	NW	2	bc	5	29.77	756.1	79	...	...	0	o
Taichu,	,,	29.72	755.0	88	...	...	0	o	,,	29.78	756.3	77	...	...	0	bc
Tainan,	,,	29.72	755.0	81	...	SE	2	r	,,	29.73	755.0	76	...	...	0	b
Koshun,	,,	29.73	755.2	81	...	...	0	o	,,	29.73	755.2	77	...		0	bc
Pescadores,	,,	...	...	86	...	NE	2	o	,,	29.74	755.4	79	...	NNE	4	b
Hong Kong,	14	29.46	748.2	82	6	E	8	cq	6	29.63	752.6	81	6	SE	4	o
Gap Rock,	,,	29.40	746.7	82	7	E	8	oq	,,	29.61	752.0	82	7	ESE	5	o
Macao,	,,	29.39	746.4	77	4	ESE	4	d	,,	29.57	751.1	77	1	SE	4	u
Hoihow,	,,	...	...	...	...	...	...	..	,,	...	..	...	...	...	...	...
Pratas Island,	,,	29.58	751.4	88	8	SE	4	o	6	29.67	753.6	81	8	...	0	o
Phulien,	13	29.50	749.4	90	9	NW	5	o	7	29.47	748.4	73	5	WNW	7	r
Tourane,	,,	29.50	749.2	84	7	N	1	o	,,	29.56	750.7	77	7	...	0	o
Cape St. James,	,,	29.69	754.2	84	6	SW	5	f	,,	29.75	755.6	77	6	SW	6	z
Basco,	14	29.66	753.4	85	6	...	0	o	6	29.70	754.4	79	6	...	0	bc
Aparri,	,,	29.63	752.5	88	8	SE	4	o	,,	29.71	754.6	74	8	S	2	b
Tuguegarao,	,,	29.59	751.6	67	6	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.62	752.3	91	8	SW	4	bc	,,	29.67	753.7	77	8	...	0	c
Manila,	,,	29.69	754.0	88	6	W	2	bc	,,	...	...	..	...	...	...	...
Legaspi,	,,	29.67	753.6	85	4	WSW	4	o	,,	29.70	754.3	77	6	SW	2	o
Calboyog,	,,	29.71	754.7	77	8	...	0	o	,,	29.75	755.5	76	8	WSW	2	o
Tacloban,	,,	29.71	754.6	81	6	...	0	d	,,	..		...	...	...	...	...
Iloilo,	,,	29.72	754.9	86	8	SW	4	o	,,	29.75	755.6	79	6	SW	4	o
Cebu,	,,	29.71	754.6	86	8	SSW	6	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.70	754.4	86	6	SW	4	o	,,	29.73	755.2	83	4	W	2	o
Saipan,	11.00	...	...	...	...	...	...	....	5	...	...	...	...	...	...	...
Guam,	12.22	29.70	754.4	...	6	...	0	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.72	755.0	...	8	SW	4	bc	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.80	756.8	86	4	SW	4	bc	6	...	...	...	...	...	...	...

Warnings.

September 17*d*. 16*h*. 55*m*.—Local signal No. 7 lowered.

September 17*d*. 17*h*. 13*m*.—A severe typhoon within 30 miles of Lat. 21° N. Long. 112° E., moving N.W.

September 18*d*. 10*h*. 00*m*.—Typhoon within 60 miles of Lat. 22° N. Long. 108° E., filling up.

September 18d. 10*h*. 03*m*.—An anticyclone is central over S. Manchuria; the typhoon is filling up to the N.E. of Haiphong.

Hong Kong rainfall for the 24 hours ending at 10 a.m. today, 1.37 inch. Total since January 1st, 85.97 inches, against an average of 72.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, fresh; cloudy.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	E. winds, fresh; cloudy, occasional rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. and S.E. winds, moderate; cloudy, local rain.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th SEPTEMBER, 1932.									19th SEPTEMBER, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	29.82	757.3	55	...	...	...	c		6	30.12	765.1	32	...	...	...	b	
Nemuro,	11	30.08	764.0	...	...	E	2	...		5	30.00	762.0	...	...	ENE	2	...	
Hokodate,	,,	29.98	761.5	...	...	...	...	...		,,	29.94	760.5	...	...	...	0	...	
Tokio,	,,	29.80	757.0	...	...	NNW	2	...		,,	29.90	759.5	..	...	...	0	...	
Kochi,	,,	29.78	756.5	...	...	N	1	...		,,	29.92	760.0	...	...	...	0	...	
Nagasaki,	,,	29.90	759.5	...	...	N	2	...		,,	29.96	761.0	...	...	ENE	2	...	
Kagoshima,	,,	29.82	757.5	...	...	E	1	...		,,	29.90	759.5	..	...	NNW	1	...	
Oshima,	,,	29.80	757.0	...	...	N	2	...		,,	29.90	759.5	...	...	SE	1	...	
Naha,	,,	29.82	757.5	...	...	E	1	...		,,	29.84	758.0	...	...	NE	1	...	
Ishigakijima,	,,	29.80	757.0	...	...	SSW	1	...		,,	29.80	757.0	...	...	NE	1	...	
Bonin Island,	,,	29.70	754.5	...	...	WNW	1	...		,,	29.73	755.0	...	...	...	0	...	
Chefoo,	15	30.00	762.0	79	8	ENE	2	bc		6	30.04	763.0	68	4	...	0	m	
Shanghai,	14	29.99	761.8	81	8	ENE	2	bc		,,	30.01	762.3	65	6	E	2	o	
Gutzlaff,	,,	30.04	763.0	77	6	NE	2	b		,,	30.10	764.5	70	6	ESE	2	bc	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.87	758.7	77	6	ENE	4	o		7	29.98	761.5	75	6	N	2	o	
Amoy,	,,	29.84	757.9	81	6	ENE	4	c		6	29.90	759.4	77	6	SSW	4	bc	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Tailoku,	11	29.79	756.7	91	...	E	2	bc		5	29.88	759.0	76	...	E	4	o	
Taichu,	,,	29.80	757.0	86	...	N	2	bc		,,	29.84	758.0	79	...	...	0	o	
Tainan,	,,	29.79	756.6	88	...	N	2	bc		,,	29.82	757.4	79	...	...	0	bc	
Koshun,	,,	29.78	756.5	88	...	ENE	2	bc		,,	29.80	757.0	79	...	...	0	r	
Pescadores,	,,	29.80	757.0	85	...	NNE	4	o		,,	29.82	757.3	79	...	NNE	4	o	
Hong Kong,	14	29.69	754.1	83	7	E	5	c		6	29.79	756.6	78	6	E	5	cd	
Gap Rock,	,,	29.69	754.1	83	7	ESE	5	c		,,	29.78	756.4	81	7	E	4	c	
Macao,	,,	29.67	753.6	83	4	SE	4	c		,,	29.76	755.8	79	4	SE	4	c	
Hoihow,	,,	29.72	754.8	81	1	S	2	r		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.70	754.4	83	8	ESE	2	o		6	29.78	756.3	81	8	ENE	4	o	
Phulien,	15	29.46	748.4	73	6	W	8	r		7	29.67	753.5	73	6	ENE	3	r	
Tourane,	,,	29.55	750.5	90	8	ESE	1	c		,,	29.68	753.9	77	8	...	0	c	
Cape St. James,	,,	29.75	755.6	84	7	SW	4	o		,,	29.84	757.9	77	6	SW	4	z	
Basco,	14	29.71	754.6	86	8	SE	2	o		6	29.75	755.6	81	8	NE	2	bc	
Aparri,	,,	29.69	754.0	88	8	N	2	c		,,	29.73	755.2	77	8	...	0	o	
Tuguegarao,	,,	29.64	752.9	94	8	...	0	c		,,	29.72	754.8	76	8	...	0	bc	
Vigan,	,,	29.65	753.0	86	8	W	4	c		,,	29.71	754.7	76	8	NNE	2	bc	
Manila,	,,	29.71	754.6	81	6	SW	4	o		,,	29.74	755.4	76	6	...	0	o	
Legaspi,	,,	29.69	754.0	81	6	WSW	4	o		,,	29.70	754.3	76	6	WSW	2	o	
Calboyog,	,,	29.74	755.4	76	8	W	4	o		,,	29.70	754.3	79	8	WSW	2	p	
Tacloban,	,,	29.73	755.2	77	4	NW	2	d		,,	29.74	755.3	76	8	SSW	2	o	
Iloilo,	,,	29.72	754.8	83	8	SSW	4	o		,,	29.79	756.6	76	4	SW	4	o	
Cebu,	,,	29.71	754.6	83	8	SW	4	o		,,	29.76	755 8	79	8	WSW	2	o	
Surigao,	...	29.72	754.8	79	1	W	2	r		,,	29.74	755.3	79	4	WSW	4	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.70	754.1	...	6	SW	2	o		4.22	29.83	757.6	...	6	...	0	o	
Yap,	11.00	29.82	757.3	...	6	SW	4	z		5	29.84	757.9	...	6	...	0	b	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...		...	...	
Labuan,	14	29.86	758.5	85	4	SE	6	bc		6	29.79	756.7	76	...	SE	...	o	

September 19*d*. 10*h*. 40*m*.—A moderate anticyclone covers Manchuria. The depression over Tongking is filling up.

There are indications of a typhoon forming about 400 miles to the east of Luzon.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.25 inch. Total since January 1st, 86.22 inches, against an average of 72.47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
A.—Shanghai to Turnabout,	E. or variable winds, moderate; cloudy.
B.—Turnabout to Hong Kong,	N.E. winds, moderate to fresh; cloudy.
C.—Hong Kong to Gap Rock,	E. winds, fresh, moderating; cloudy, occasional rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, moderate; cloudy, local rain.

B. D. EVANS,—*Assistant Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	20th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	30.07	763.7	64	...	...	0	b
Nemuro,	11	29.92	760.0	...	...	ENE	2	...	5	29.76	756.0	...	...	NNE	6	...
Hokodate,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.88	759.0	...	...	...	0	...
Tokio,	,,	29.86	758.5	...	...	S	1	...	,,	29.92	760.0	..	...	...	0	...
Kochi,	,,	29.94	760.5	...	...	ENE	2	...	,,	29.98	761.5	...	...	SW	1	...
Nagasaki,	,,	29.98	761.5	...	....	NE	2	...	,,	29.98	761.5	...	...	...	0	...
Kagoshima,	,,	29.92	760.0	...	...	SE	1	...	,,	29.96	761.0	...	...	...	0	...
Oshima,	,,	29.88	759.0	...	...	NNE	1	...	,,	29.88	759.0	...	...	...	0	...
Naha,	,,	29.86	758.5	...	...	NNE	3	...	,,	29.86	758.5	...	...	NE	1	...
Ishigakijima,	,,	29.86	758.5	...	...	ENE	2	...	,,	29.80	757.0	...	...	NE	1	...
Bonin Island,	,,	29.76	756.0	...	...	WSW	1	...	,,	29.82	757.5	...	...	...	0	...
Chefoo,	15	30.01	762.3	79	6	E	4	c	6	29.99	761.6	70	6		0	0
Shanghai,	14	29.99	761.8	83	8	ESE	2	bc	,,	29.95	760.8	70	6	SE	2	0
Gutzlaff,	,,	30.06	763.5	77	6	ESE	2	bc	,,	30.02	762.5	72	6	ESE	4	0
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.95	760.8	77	6	E	2	o	7	29.93	760.2	75	6	N	2	b
Amoy,	,,	29.87	758.7	91	6	ENE	2	bc	6	29.89	759.2	77	6	NE	2	b
Swatow,	,,	29.87	758.8	81	...	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.93	760.3	83	...	ENE	4	o	5	29.85	758.2	74	...	ENE	4	b
Taichu,	,,	29.85	758.2	86	...	NNW	2	bc	,,	29.81	757.1	74	...	...	0	b
Tainan,	,,	29.83	757.6	88	...	N	2	o	,,	29.76	756.0	74	...	...	0	b
Koshun,	,,	29.83	757.6	85	...	NE	2	o	,,	29.78	756.4	77	...	NE	4	o
Pescadores,	,,	29.84	757.9	81	...	NE	6	o	,,	29.78	756.4	77	...	NNE	4	f
Hong Kong,	14	29.81	757.2	81	8	E	5	c	6	29.80	756.9	78	6	ENE	4	c
Gap Rock,	,,	29.81	757.2	81	7	ENE	5	c	,,	29.79	756.6	80	7	ENE	4	c
Macao,	,,	29.79	756.7	83	4	ESE	4	bc	,,	29.78	756.4	77	4	ESE	2	c
Hollow,	,,	29.77	756.1	83	...	SE	2	r	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.78	756.4	86	8	ENE	6	bc	6	29.78	756.4	81	8	NE	6	o
Phulien,	15	29.69	754.0	77	1	E	4	r	7	29.76	755.9	77	6	E	5	o
Tourane,	,,	29.69	754.0	83	8	N	2	bc	,,	29.73	755.1	77	7	ENE	1	o
Cape St. James,	,,	29.81	757.2	79	6	WSW	6	o	,,	29.83	757.7	75	7	WNW	3	c
Basco,	14	29.72	754.8	86	8	NE	2	be	6	29.72	754.8	81	6	NE	2	c
Aparri,	,,	29.75	755.6	91	8	N	2	bc	,,	29.69	754.0	77	6	...	0	p
Tuguegarao,	,,	29.66	753.4	85	4	...	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.69	754.0	83	8	WNW	2	o	,,	29.67	753.6	76	8	...	0	o
Manila,	,,	29.71	754.6	77	6	NW	4	r	,,	29.69	754.0	76	4		0	o
Legaspi,	,,	29.64	752.9	81	6	SW	4	o	,,	29.66	753.3	77	8	WSW	2	o
Calbayog,	,,	29.69	754.2	81	8	WSW	6	o	,,	29.70	754.4	81	8	SW	6	o
Taloban,	,,	29.69	754.2	81	8	WNW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.2	83	6	SW	4	d	,,	29.74	755.3	76	4	SW	4	o
Cebu,	,,	29.70	754.1	85	8	SSW	6	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.70	754.3	85	8	W	4	o	,,	29.74	755.4	79	6	S	2	o
Saipan,	11.00	...	...	...	....	...	...	...	5	..	..	...	...	...	...	...
Guam,	12.22	29.75	755.6	...	6	...	0	o	4.22	29.76	755.9	...	6	...	0	o
Yap,	11.00	29.81	757.2	...	6	NW	2	bc	5	30.84	757.8	...	6	...	0	b
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.93	760.7	88	6	W	4	bc	6	29.89	759.1	76	4	SE	6	bc

September 20*d*. 10*h*. 1cm.—The anticyclone over South Manchuria has weakened. A trough of relatively low pressure extends from Indo-China, across the China Sea and the Philippines to the Pacific; a typhoon centre is not yet indicated.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 86.22 inches, against an average of 72.80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
A.—Shanghai to Turnabout, ...	E. and N.E. winds, moderate; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	E. winds, moderate; cloudy, probably some rain.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	29.69	754.0	...	...	N	5	...
Hokodate,	"	29.84	758.0	...	...	NW	2	...	"	29.90	759.5	...	...	NW	3	...
Tokio,	"	29.88	759.0	...	...	S	1	...	"	29.92	760.0	..	...	NNW	1	...
Kochi,	"	29.94	760.5	...	...	SSE	1	...	"	29.92	760.0	...	...	...	...	...
Nagasaki,	"	29.96	761.0	...	...	ESE	1	...	"	29.90	759.5	...	...	NE	1	...
Kagoshima,	"	29.94	760.5	...	...	E	1	...	"	29.88	759.0	...	...	...	0	...
Oshima,	"	29.88	759.0	...	...	E	1	...	"	29.84	758.0	...	...	SSE	1	...
Naha,	"	29.84	758.0	...	...	NNE	1	...	"	29.80	757.0	...	...	...	0	...
Ishigakijima,	"	29.84	758.0	...	...	ENE	2	...	"	29.76	756.0	...	...	E	1	...
Bonin Island,	"	29.82	757.5	...	...	NE	1	...	"	29.84	758.0	...	...	ENE	1	...
Chefoo,	15	29.93	760.3	77	6	ENE	4	o	6	29.85	758.2	70	6	SE	2	o
Shanghai,	14	29.91	759.6	83	8	SE	2	be	"	29.83	757.7	72	6	ESE	2	o
Gutzlaff,	"	29.98	761.5	79	6	SE	4	be	"	29.87	758.7	72	6	SE	4	o
Wenchow,	"	...	...	...	...	...	...	...	6	30.84	758.0	72	...	N	1	b
Foochow,	"	29.89	759.2	78	8	ENE	4	be	7	29.80	756.9	76	6	NE	2	be
Amoy,	"	29.87	758.7	91	6	ESE	2	b	6	29.77	756.1	77	6	S	4	be
Swatow,	"	29.82	757.3	81	...	ESE	3	b	"	...	...	...	...	...	...	...
Taihoku,	11	29.85	758.2	85	...	ENE	4	be	5	29.72	754.9	77	...	E	4	o
Taichu,	"	29.81	757.2	85	...	...	0	b	"	29.71	754.7	74	...	...	0	b
Tainan,	"	29.79	756.7	88	...	S	2	be	"	29.66	753.4	74	...	...	0	b
Koshun,	"	29.78	756.3	83	...	NE	4	b	"	29.74	755.7	79	...	NNE	2	be
Pescadores,	"	29.81	757.1	85	...	NE	6	b	"	29.70	754.3	77	...	NNE	4	o
Hong Kong,	14	29.78	756.4	82	7	E	3	c	6	29.73	755.1	78	7	E	3	c
Gap Rock,	"	29.79	756.6	81	7	ENE	4	c	"	29.72	754.9	81	7	ENE	3	c
Macao,	"	29.77	756.1	85	4	ESE	2	c	"	29.71	754.6	77	4	SE	2	c
Hoihow,	"	29.87	758.6	83	...	E	2	b	"	...	...	...	...	...	...	...
Pratas Island,	"	29.73	755.2	85	8	NE	4	be	6	29.69	754.2	79	8	NE	4	be
Phulien,	15	29.73	755.1	82	8	E	5	c	7	29.74	755.4	77	6	NE	3	be
Tourane,	"	29.67	753.7	88	8	N	2	c	"	29.67	753.7	75	3	...	0	if
Cape St. James,	"	29.80	756.9	75	2	NNW	6	lt	"	29.75	755.5	75	0	W	3	f
Basco,	14	...	...	...	...	...	...	...	6	29.62	752.3	81	6	SE	2	o
Aparri,	"	29.61	752.2	85	6	NNE	4	o	"	29.59	751.6	77	6	S	2	p
Tuguegarao,	"	29.59	751.6	83	4	NNW	2	o	"	29.58	751.3	77	1	...	0	p
Vigan,	"	29.59	751.7	85	6	NW	2	o	"	29.57	751.1	77	6	SSE	2	d
Manila,	"	29.64	752.8	81	6	...	0	o	"	29.64	752.9	76	6	...	0	o
Legaspi,	"	29.61	752.2	85	6	SW	4	o	"	29.66	753.3	77	6	...	0	o
Calboyog,	"	29.67	753.5	85	8	SW	6	o	"	29.71	754.6	81	8	SW	6	o
Tacloban,	"	29.66	753.3	86	8	SSW	4	o	"	29.71	754.7	85	...	SSW	...	d
Iloilo,	"	29.67	753.5	79	6	SW	2	o	"	29.70	754.3	81	6	SW	4	o
Cebu,	"	29.67	753.6	83	8	SSW	6	o	"	29.72	754.8	81	8	SW	4	o
Surigao,	...	29.67	753.5	72	8	SW	4	be	"	29.72	754.8	77	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.5	79	...	SE	2	c
Guam,	12.22	29.75	755.7	...	6	SSW	2	o	4.22	29.78	756.3	...	6	ESE	2	d
Yap,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	...	6	N	2	c
Palew,	"	...	...	...	...	...	...	...	"	29.81	757.1	87	...	WSW	1	be
Labuan,	14	29.86	758.5	86	8	SW	...	be	6	29.79	756.6	77	4	S	...	be

September 21*d.* 19*h.* 40*m.*—The anticyclone has weakened and moved eastward, it now covers S.E. Manchuria and the Sea of Japan.

A trough of relatively low pressure extends from Indo-China, across the China Sea, to the Pacific to the east of Luzon; a definite centre is not yet indicated.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 86.22 inches, against an average of 73.12 inches.

Shanghai warning. 21*d.* 9*h.* 58*m.*:—Typhoon within 60 miles of Lat. 17° N. Long. 119° E. moving N.W. Recd. 21*d.* 10*h.* 10*m.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. or variable winds, moderate to fresh; fair at first, some rain later.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; cloudy.
C.—Hong Kong to Gap Rock,	N.E. winds, moderate; cloudy.
D.—Hong Kong to Hainan Straits,	N.E. winds, moderate; cloudy.
E.—North China Sea,	N.E. winds, moderate; cloudy, local rain.

B. D. EVANS,—*Assistant Director.*

ROYAL OBSERVATORY, HONG KONG

DAILY WEATHER REPORT.

Station.	21st SEPTEMBER, 1932.									22nd SEPTEMBER, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	29.92	759.9	68	...	SE	3	o		6	29.91	759.7	64	...	...	0	o	
Nemuro,	11	29.76	756.0	...	...	N	3	...		5	30.00	762.0	...	...	WNW	1	...	
Hokodate,	,,	29.90	759.5	...	...	NW	4	...		,,	29.98	761.5	...	...	...	0	...	
Tokio,	,,	29.92	760.0	...	...	ESE	1	...		,,	29.96	761.0	...	...	NNW	1	...	
Kochi,	,,	29.88	759.0	...	...	...	0	...		,,	29.86	758.5	...	...	...	0	...	
Nagasaki,	,,	29.90	759.5	...	...	ESE	2	...		,,	29.78	756.5	...	...	E	2	...	
Kagoshima,	,,	29.86	758.5	...	...	...	0	...		,,	29.80	757.0	...	...	ENE	1	...	
Oshima,	,,	29.82	757.5	...	...	SSE	1	...		,,	29.78	756.5	...	...	...	...	...	
Naha,	,,	29.80	757.0	...	...	SE	1	...		,,	29.75	755.5	...	...	SE	1	...	
Ishigakijima,	,,	29.74	755.5	...	...	E	2	...		,,	29.71	754.5	...	...	S	1	...	
Bonin Island,	,,	29.84	758.0	...	...	E	1	...		,,	29.84	758.0	...	...	...	0	...	
Chefoo,	15	29.83	757.6	67	4	ESE	2	r		6	29.78	756.3	67	4	...	0	r	
Shanghai,	14	29.75	755.6	77	4	SE	2	o		,,	29.76	755.8	70	4	WNW	2	o	
Gutzlaff,	,,	29.80	756.9	76	6	SE	4	o		,,	29.82	757.4	72	4	WNW	4	o	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	29.76	755.9	78	6	E	2	bc		7	29.75	755.6	77	6	NW	2	bc	
Amoy,	,,	29.69	754.1	94	8	ENE	4	b		6	29.71	754.6	79	6	NE	4	b	
Swatow,	,,	29.72	754.8	85	...	SE	1	b		,,	...	...	...	...	...	...	...	
Taihoku,	11	29.72	755.0	86	...	E	4	c		5	29.69	754.1	76	...	...	0	bc	
Taichu,	,,	29.71	754.7	88	...		0	b		,,	29.72	754.9	77	...	...	0	b	
Tainan,	,,	29.69	754.2	86	...	WNW	2	bc		,,	29.69	754.1	77	...	...	0	bc	
Koshun,	,,	29.69	754.2	86	...	NE	4	b		,,	29.69	754.1	77	...	...	0	c	
Pescadores,	,,	29.69	754.2	85	...	NNW	6	bc		,,	29.69	754.1	79	...	NNE	2	o	
Hong Kong,	14	29.64	752.9	83	6	ESE	2	c		6	29.65	753.2	79	7	E	2	o	
Gap Rock,	,,	29.65	753.1	81	7	ENE	4	c		,,	29.64	752.9	82	7	ENE	5	o	
Macao,	,,	29.63	752.6	85	6	ESE	2	b		,,	29.63	752.6	79	4	ENE	2	o	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.62	752.3	82	8	NE	5	c		6	29.64	753.0	77	...	SE	2	r	
Phulien,	15	29.65	753.1	88	8	SSW	2	b		7	29.68	753.8	79	8	NNW	4	c	
Tourane,	,,	29.63	752.6	79	8	NNW	2	c		,,	29.64	752.9	81	6	...	0	c	
Cape St. James,	,,	29.67	753.6	81	6	W	2	o		,,	29.67	753.7	75	0	NW	5	f	
Basco,	14	29.57	751.2	86	6	SE	4	c		6	...	...	...	...	...	...	...	
Aparri,	,,	29.56	750.8	88	6	S	4	o		,,	29.70	754.3	77	8	...	0	bc	
Tuguegarao,	,,	29.55	750.6	91	8	...	0	bc		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.57	751.1	85	8	SSW	4	o		,,	...	...	...	...	...	...	...	
Manila,	,,	29.64	752.8	88	8	SW	4	bc		,,	29.73	755.2	77	6	...	0	bc	
Legaspi,	,,	29.66	753.4	86	8	SW	4	o		,,	29.76	755.8	77	6	...	0	b	
Calboyog,	,,	29.70	754.3	88	8	WSW	4	bc		,,	...	...	...	...	...	...	...	
Tacloban,	,,	29.69	754.1	88	8	ESE	2	bc		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.69	754.2	88	8	SW	4	o		,,	...	...	...	...	...	...	...	
Cebu,	,,	29.69	754.1	86	8	SSW	4	bc		,,	..	...	..	...	...	...	...	
Surigao,	...	29.70	754.3	91	8	SW	2	b		,,	..	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.82	757.4	80	...	SE	3	bc	
Guam,	12.22	29.74	755.4	...	6	...	0	o		4.22	..	...	...	...	...	...	...	
Yap,	11.00	29.80	757.0	...	8	W	2	bc		5	29.82	757.3	...	6	...	0	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	29.81	757.1	79	...	...	0	c	
Labuan,	14	29.84	757.9	67	6	W	6	o		6	29.79	756.6	74	...	SW	...	bc	

Warnings.

September 21*d*. 15*h*. 05*m*.—Typhoon within 60 miles of Lat. 18° N. Long. 118° E., direction unknown.
September 22*d*. 9*h*. 15*m*.—Typhoon within 60 miles of Lat. 19° N. Long. 114° E., moving W.N.W.

September 22*d*. 9*h*. 15*m*.—Local signal No. 1 hoisted.

September 22*d*. 10*h*. 25*m*.—Pressure is highest over the Pacific to the north-east of Hokkaido; the typhoon is situated about 150 miles south of Hong Kong moving W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 86.22 inches, against an average of 73.43 inches.

Shanghai warning. 22*d*. 10*h*. 07*m*.:—Typhoon within 60 miles of Lat. 20° N. Long. 115° E. moving W.N.W. Recd. 22*d*. 10*h*. 24*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate to fresh; cloudy.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	E. winds, fresh; cloudy, rain later.
D.—Hong Kong to Hainan Straits,	E. winds, moderate freshening considerably; cloudy, squalls and rain later.
E.—North China Sea,	Fresh to strong cyclonic winds to north-east of Hainan.

C. W. JEFFRIES, Director.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd September, 1932.									23rd September, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Nemuro,	11	30.00	762.0	...	...	SE	1	...		5	30.02	762.5	...	...	E	1	...	
Hokodate,	"	29.94	760.5	...	...	S	1	...		"	29.92	760.0	...	...	NE	1	...	
Tokio,	"	29.92	760.0	...	...	NNW	1	...		"	29.76	756.0	...	...	NNW	2	...	
Kochi,	"	29.84	758.0	...	...	...	...	...		"	29.69	754.0	...	...	...	0	...	
Nagasaki,	"	29.72	755.0	...	...	SE	2	...		"	29.76	756.0	...	...	...	0	...	
Kagoshima,	"	29.76	756.0	...	...	E	1	...		"	29.71	754.5	...	...		0	...	
Oshima,	"	29.76	756.0	...	...	SSE	1	...		"	29.71	754.5	...	...	NNE	1	...	
Naha,	"	29.76	756.0	...	...	S	1	...		"	29.73	755.0	...	...	SW	1	...	
Ishigakijima,	"	29.74	755.5	...	...	SSW	1	...		"	29.76	756.0	...	...	...	0	...	
Bonin Island,	"	29.82	757.3	...	...	S	2	...		"	29.80	757.0	...	...	SSW	1	...	
Chefoo,	15	29.73	755.2	70	4	WNW	4	bc		6	29.78	756.3	67	6	WSW	2	bc	
Shanghai,	14	29.83	757.6	76	6	WNW	2	o		"	29.88	758.8	68	6	WNW	2	o	
Gutzlaff,	"	29.86	758.4	74	6	NW	4	o		"	29.91	759.7	70	4	NW	4	m	
Wenchow,	"	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	"	29.76	755.9	87	8	S	2	bc		7	29.89	759.2	78	6	E	2	r	
Amoy,	"	29.74	755.4	86	8	SSE	2	o		6	29.82	757.4	81	4	NNE	4	c	
Swatow,	"	29.71	754.7	79	...	ENE	3	c		"	...	...	...	...	...	...	...	
Taihoku,	11	29.74	755.4	91	...	W	4	bc		5	29.82	757.3	76	...	...	0	lt	
Taichu,	"	29.80	756.8	86	...	...	0	o		"	29.82	757.4	77	...	...	0	o	
Tainan,	"	29.77	756.1	91	...	SSE	2	o		"	29.79	756.7	77	...	ESE	2	lt	
Koshun,	"	29.76	755.8	88	...	...	0	bc		"	29.79	756.7	77	...	...	0	o	
Pescadores,	"	29.76	755.9	88	...	...	0	o		"	29.78	756.3	79	...	SE	2	r	
Hong Kong,	14	29.64	752.8	82	6	E	6	c		6	29.69	754.1	79	6	E	4	od	
Gap Rock,	"	29.59	751.6	81	6	NE	7	cq		"	29.66	753.3	81	7	E	4	c	
Macao,	"	29.61	752.2	77	4	ENE	2	d		"	29.64	752.8	79	4	ESE	4	o	
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Pratas Island,	"	29.68	753.8	86	...	SE	3	od		6	29.74	755.3	81	8	SSE	2	o	
Phulien,	15	29.64	752.8	94	8	N	2	t		7	29.67	753.5	77	8	NNW	4	c	
Tourane,	"	29.61	752.0	83	8	NNW	2	c		"	29.67	753.5	75	7	...	0	c	
Cape St. James,	"	29.71	754.6	79	6	SW	4	o		"	29.73	755.2	75	6	SW	1	o	
Basco,	14	29.70	754.3	91	8	WSW	2	bc		6	29.77	756.1	83	6	WNW	4	o	
Aparri,	"	29.68	753.8	94	8	S	2	b		"	29.78	756.3	81	8	...	0	o	
Tuguegarao,	"	29.66	753.3	94	8	S	2	bc		"	...	...	...	...	...	...	...	
Vigan,	"	29.70	754.3	88	8	SSW	4	o		"	29.78	756.3	79	8	...	0	b	
Manila,	"	29.76	755.8	91	8	W	2	bc		"	29.80	757.0	79	6	...	0	b	
Legaspi,	"	29.73	755.2	91	8	SSW	2	bc		"	29.79	756.6	79	8	...	0	bo	
Calboyog,	"	29.76	756.0	91	8	SW	2	...		"	29.82	757.3	76	8	N	2	bc	
Tacloban,	"	29.74	755.5	91	8	WNW	2	bc		"	...	...	...	...	...	...	...	
Iloilo,	"	29.73	755.2	91	8	SW	4	b		"	29.82	757.3	79	6	...	0	o	
Cebu,	"	29.72	754.8	91	8	SSW	4	bc		"	...	...	...	...	...	...	...	
Surigao,	...	29.72	755.0	91	8	NW	2	bc		"	29.81	757.1	76	4	...	0	bc	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.78	756.5	...	6	...	0	o		4.22	29.81	757.1	...	6	...	0	o	
Yap,	11.00	29.81	757.1	...	8	NE	4	r		5	29.83	757.6	...	4	...	0	bo	
Pelew,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Lehman,	14	29.83	757.6	88	6	W	6	lt		6	29.89	759.1	74	4	SE	...	bo	

Warnings.

September 22*d*. 13*h*. 05*m*.—Local signal No. 3 hoisted.

September 22*d*. 13*h*. 05*m*.—Typhoon within 60 miles of Lat. 20° N. Long. 114° E., moving W.N.W.

September 22*d*. 17*h*. 15*m*.—Typhoon within 60 miles of Lat. 20° N. Long. 113° E., moving W.N.W.

September 22*d*. 19*h*. 1*cm*.—Local signal No. 3 lowered.

September 23*d*. 10*h*. 46*m*.—A weak anticyclone is situated to the north of the Yangtze; the typhoon exists as a depression to the north of Hoihow.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.36 inch. Total since January 1st, 86.48 inches, against an average of 73.73 inches.

Shanghai warning. 22*d*. 21*h*. 03*m*.:—Typhoon within 60 miles of Lat. 20° N. Long. 113° E. moving W.N.W. Recd. 22*d*. 21*h*. 08*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate; cloudy, local rain.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	E. winds, moderate; cloudy, occasional rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	E. and S.E. winds, moderate to fresh.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	24th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.02	762.4	70	...	...	0	b	6	30.04	763.1	59	...	...	0	b
Nemuro,	11	30.02	762.5	...	...	E	2	...	5	30.14	765.5	...	...	...	...	...
Hokodate,	,,	29.96	761.0	...	...	NNE	1	...	,,	30.06	763.5	...	...	NE	1	...
Tokio,	,,	29.75	756.0	...	...	N	1	...	,,	29.96	761.0	...	...	NW	1	...
Kochi,	,,	29.72	755.0	...	...	NE	1	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	N	1	...	,,	29.88	759.0	...	...	NNE	1	...
Kagoshima,	,,	29.76	756.0	...	...	NNW	1	...	,,	29.84	758.0	...	...	NW	1	...
Oshima,	,,	29.76	756.0	...	...	NNE	1	...	,,	29.82	757.5	...	...	NNW	1	...
Naha,	,,	29.76	756.0	...	...	NNE	1	...	,,	29.81	757.5	...	...	NE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.84	758.0	...	...	NNE	1	...
Bonin Island,	,,	29.78	756.5	...	...	SSW	1	...	,,	29.84	758.0	...	...	S	1	...
Chefoo,	15	29.82	757.4	67	6	SW	2	1	6	29.88	758.9	61	6	...	0	bc
Shanghai,	14	29.91	759.7	85	8	NNW	2	bc	,,	29.96	761.0	65	4	NNE	2	b
Gutzlaff,	,,	29.96	761.0	79	6	N	2	bc	,,	30.01	762.2	70	8	...	0	b
Wenchow,	,,	...	...	...	...	...	...	...	6	29.96	761.0	73	...	...	...	...
Foochow,	,,	29.89	759.2	77	8	NE	2	0	,,	30.00	762.0	75	6	NNW	2	r
Amoy,	,,	29.74	755.4	83	6	E	4	0	6	29.92	760.0	77	4	ENE	4	c
Swatow,	,,	29.70	756.6	81	...	E	3	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.88	759.0	75	...	...	0	r	5	29.88	759.0	72	...	...	0	c
Taichu,	,,	29.86	758.5	83	...	...	0	c	,,	29.91	759.6	74	...	NNW	2	c
Tainan,	,,	29.84	758.0	85	...	SSW	2	c	,,	29.84	758.0	76	...	SE	2	c
Koshun,	,,	29.84	758.0	81	...	...	0	lr	,,	29.87	758.6	77	...	...	0	l
Pescadores,	,,	29.83	757.6	86	...	S	2	c	,,	29.86	758.3	77	...	SSE	2	c
Hong Kong,	14	29.71	754.6	85	8	SE	4	c	6	29.81	757.2	78	6	...	0	lc
Gap Rock,	,,	29.72	754.9	82	7	E	4	c	,,	29.81	757.2	81	8	SSE	4	b
Macao,	,,	29.68	753.8	85	4	SE	4	c	,,	29.78	756.3	77	4	SSE	2	c
Hoihow,	,,	29.66	753.3	86	...	ESE	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.9	91	8	SSE	2	bc	6	29.83	757.6	81	8	SSW	2	c
Phulien,	15	29.66	753.3	77	6	N	2	r	7	29.74	755.3	75	4	W	4	rf
Tourane,	,,	29.62	753.0	85	8	NE	2	lc	,,	29.76	755.7	75	8	...	c	lc
Cape St. James,	,,	29.76	755.8	83	8	S	2	bc	,,	29.84	757.8	77	7	S	1	bc
Baco,	14	29.76	756.0	86	6	WSW	2	c	6	29.86	758.3	79	6	...	0	c
Aparri,	,,	29.76	755.8	91	8	N	2	c	,,	29.89	759.1	76	6	...	0	c
Tuguegarao,	,,	29.72	754.8	94	8	...	0	c	,,	..	...	...	...	...	...	...
Vigan,	,,	29.76	755.9	86	8	SW	4	b	,,	29.83	757.7	79	8	...	0	c
Manila,	,,	29.79	756.6	91	8	W	2	b	,,	29.86	758.3	77	6	...	c	c
Legaspi,	,,	29.76	755.8	88	6	WSW	2	c	,,	29.81	757.2	76	8	...	0	bc
Calbayog,	,,	29.78	756.3	86	8	NW	2	c	,,	29.84	758.0	74	8	N	2	bc
Tacloban,	,,	29.79	756.6	85	8	NW	2	c	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	755.9	91	8	SSW	2	c	,,	29.84	757.8	76	6	...	0	c
Cebu,	,,	29.76	755.8	91	8	NNE	2	c	,,	...	...	...	...	...	...	...
Surigao,	...	29.76	755.9	85	6	...	0	c	,,	29.83	757.6	76	4	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.77	756.1	...	6	...	0	c	4.22	29.84	757.8	...	6	...	0	c
Yap,	11.00	29.80	757.0	...	6	S	2	b	5	29.83	757.6	...	6	...	0	bc
Pelew,	,,	..	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Labuan,	12	29.86	758.5	86	6	SW	4	bc	6	29.91	759.8	70	...	...	...	bc

September 24*d.* 10*h.* 18*m.*—Pressure is highest to the north of Hokkaido; a weak anticyclone remains to the north of the Yangtze and a depression is situated over Tongking.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.15 inch. Total since January 1st, 86.73 inches, against an average of 74.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
A.—Shanghai to Turnabout, ... B.—Turnabout to Hong Kong, ...	N.E. winds, moderate.
C.—Hong Kong to Gap Rock, ... D.—Hong Kong to Hainan Straits, ...	S.E. or variable winds, moderate; fair to showery.
E.—North China Sea, ...	S. and S.E. winds, moderate.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	25th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.16	766.0	...	...	SSE	1	...	5	30.14	765.5	...	...	...	0	...
Hokodate,	,,	30.06	763.5	...	...	E	3	...	,,	29.98	761.5	...	...	E	2	...
Tokio,	,,	29.96	761.0	...	...	N	1	...	,,	29.94	760.5	..	...	NW	1	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.88	759.0	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	WSW	1	...	,,	29.92	760.0	...	...	...	0	...
Kagoshima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.90	759.5	...	...	NNW	1	...
Oshima,	,,	29.88	759.0	...	...	NNE	1	...	,,	29.90	759.5	...	...	NNW	1	...
Naha,	,,	29.86	758.5	...	...	NNE	2	...	,,	29.86	758.5	...	...	ENE	1	...
Ishigakijima,	,,	29.90	759.5	...	...	E	1	...	,,	29.88	759.0	...	...	NNE	1	...
Bonin Island,	,,	29.82	757.5	...	...	S	2	...	,,	29.82	757.5	...	...	SW	1	...
Chefoo,	15	29.87	758.6	72	8	NW	6	bc	6	29.93	760.2	68	8	NNW	4	bc
Shanghai,	14	29.94	760.4	83	4	ENE	2	bc	,,	29.99	761.8	67	4	NE	2	c
Gutzlaff,	,,	30.01	762.2	81	6	...	0	b	,,	30.05	763.2	70	6	NE	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	29.99	761.7	72	...	NNE	2	c
Foochow,	,,	29.94	760.5	76	4	N	2	rf	7	29.95	760.7	75	6	N	2	c
Amoy,	,,	29.89	759.2	83	8	SE	2	bc	6	29.93	760.2	77	6	NE	4	c
Swatow,	,,	29.87	758.8	79	...	E	1	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.92	760.0	85	...	E	4	c	5	29.91	759.7	76	...	...	0	c
Taichu,	,,	29.94	760.4	83	...	...	0	c	,,	29.91	759.7	76	...	...	0	c
Tainan,	,,	29.91	759.7	85	...	ESE	2	c	,,	29.88	758.8	77	...	SE	2	bc
Koshun,	,,	29.91	759.7	85	...	ENE	2	c	,,	29.87	758.6	76	...	...	0	c
Pescadores,	,,	29.90	759.5	83	...	ENE	4	c	,,	29.88	758.8	79	...	...	0	c
Hong Kong,	14	29.81	757.2	84	5	SSE	3	cp	6	29.87	758.7	79	5	...	0	bcm
Gap Rock,	,,	29.84	757.9	82	8	SE	3	c	,,	29.88	758.9	82	8	SSE	3	c
Macao,	,,	29.79	756.6	86	6	SSE	2	c	,,	29.84	757.9	77	4	SW	2	a
Hoihow,	,,	29.88	758.9	88	1	S	2	bc	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.8	86	8	S	2	c	6	29.88	758.9	77	8	N	2	b
Phulien,	15	29.76	755.9	77	7	W	3	r	7	29.86	758.4	75	7	NE	1	f
Tourane,	,,	29.72	755.0	90	8	E	2	bc	,,	...	...	...	..	...	...	...
Cape St. James,	,,	29.81	757.2	86	7	S	1	bc	,,	29.89	759.2	77	7	SW	2	bc
Basco,	14	29.81	757.1	79	6	N	2	c	6	29.86	758.3	77	6	...	0	c
Aparri,	,,	29.83	757.6	86	6	SW	2	c	,,	29.86	758.4	77	8	...	0	bc
Tuguegarao,	,,	29.84	757.9	83	4	...	0	c	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	756.8	88	8	NW	4	c	,,	29.84	757.9	76	8	...	0	c
Manila,	,,	29.81	757.2	86	8	...	0	c	,,	29.88	758.8	77	6	...	0	bc
Legaspi,	,,	29.76	755.8	94	8	WSW	2	b	,,	29.83	757.6	76	6	...	0	c
Calbayog,	,,	29.81	757.2	77	4	NNE	6	c	,,	29.84	757.9	76	8	N	2	c
Tacloban,	,,	29.78	756.5	86	8	NE	2	c	,,	29.84	757.9	76	8	WNW	2	c
Iloilo,	,,	29.78	756.4	83	8	NE	2	c	,,	29.84	758.0	76	6	...	0	c
Cebu,	,,	29.79	756.6	79	8	SSW	2	c	,,	29.84	757.9	77	8	N	2	c
Surigao,	...	29.78	756.3	85	6	...	0	c	,,	29.83	757.7	76	4	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	757.0	...	6	...	0	c	4.22	29.81	757.1	...	6	E	2	c
Yap,	11.00	29.83	757.7	...	8	SE	2	bc	5	29.88	758.9	...	8	...	0	b
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	86	6	S	4	bc	6	29.91	759.7	70	1	NW	6	bc

September 25d. 10h. 35m.—Pressure is highest to the N.E. of Hokkaido. A weak anticyclone covers central China.

Pressure is relatively low over the Pacific to the S.W. of the Bonin Islands.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inch. Total since January 1st, 86.83 inches, against an average of 74.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, light to moderate.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rouk, ...	S.E. or variable winds, light to moderate; fair generally, some local showers.
D.—Hong Kong to Bainan Straits, ...	
E.—North China Sea, ...	Variable winds, light to moderate.

B. D. EVANS,—*Assistant Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	26th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.93	760.2	68	...	SW	1	b	6	29.95	760.8	57	...	N	1	b
Nemuro,	11	30.04	763.0	...	...	SSE	2	...	5	29.84	758.0	...	...	E	1	...
Hokodate,	,,	29.90	759.5	...	...	E	1	...	,,	29.78	756.5	...	...	SSW	1	...
Tokio,	,,	29.90	759.5	...	...	NW	1	...	,,	29.88	759.0	...	...	NW	1	...
Kochi,	,,	29.90	759.5	...	...	...	0	...	,,	29.88	759.0	...	...	WSW	1	...
Nagasaki,	,,	29.92	760.0	...	...	W	1	...	,,	29.92	760.0	...	...	...	0	...
Kagoshima,	,,	29.88	759.0	...	...	WNW	1	...	,,	29.88	759.0	...	...	NNW	1	...
Oshima,	,,	29.88	759.0	...	...	NNE	1	...	,,	29.86	758.5	...	...	SSE	1	...
Naha,	,,	29.90	759.5	...	...	N	2	...	,,	29.84	758.0	...	...	ENE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	NE	1	...	,,	29.84	758.0	...	...	NE	1	...
Bonin Island,	,,	29.82	757.5	...	...	SW	2	...	,,	29.84	758.0	...	...	SW	1	...
Chefoo,	15	29.93	760.2	72	6	N	4	o	6	29.95	760.7	74	6	SW	2	c
Shanghai,	14	29.99	761.8	77	6	N	2	o	,,	29.95	760.6	68	1	E	2	f
Gutzlaff,	,,	30.02	762.5	79	8	...	0	bc	,,	30.00	762.0	70	6	SE	2	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.92	759.9	76	8	N	2	o	7	29.88	758.9	75	4	NE	2	rf
Amoy,	,,	29.93	760.2	83	6	SSE	2	bc	6	29.87	758.7	79	6	NE	2	o
Swatow,	,,	29.93	760.3	77	...	NE	3	o	,,	29.91	759.8	81	...	E	2	o
Tailoku,	11	29.93	760.3	85	...	ESE	2	o	5	29.83	757.7	76	...	E	2	o
Taichu,	,,	29.94	760.6	85	...	...	0	o	,,	29.86	758.4	76	...	...	0	bc
Tainan,	,,	29.93	760.1	83	...	SW	2	r	,,	29.83	757.6	76	...	E	2	b
Koshun,	,,	29.91	759.7	83	...	...	0	o	,,	29.82	757.4	77	...	...	0	o
Pescadores,	,,	29.93	760.1	85	...	NE	4	o	,,	29.82	757.4	77	...	...	0	b
Hong Kong,	14	29.84	757.9	86	8	S	2	bc	6	29.81	757.2	81	6	SSW	1	c
Gap Rock,	,,	29.86	758.4	83	8	SSE	3	c	,,	29.83	757.7	82	8	SW	3	c
Macao,	,,	29.83	757.6	86	4	S	4	c	,,	29.78	756.4	79	4	SSE	4	c
Hoihow,	,,	29.87	758.8	86	...	NW	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.87	758.6	88	8	WSW	2	c	6	29.83	757.6	79	8	...	0	b
Phulien,	15	29.80	757.0	88	8	S	2	bc	7	29.81	757.2	79	5	S	2	c
Tourane,	,,	29.78	756.5	85	8	SE	2	bc	,,	29.80	757.0	75	8	S	1	bc
Cape St. James,	,,	29.80	756.8	86	8	SW	2	b	6	29.86	758.5	77	7	W	2	o
Basco,	14	29.80	757.0	88	4	NW	4	bc	6	29.79	756.6	77	6	...	0	o
Aparri,	,,	29.80	757.0	88	8	N	2	bc	,,	29.80	756.8	77	6	...	0	d
Tuguegarao,	,,	29.78	756.3	91	4	...	0	t	,,	29.80	756.8	76	2	...	0	c
Vigan,	,,	29.78	756.3	86	8	NW	4	b	,,	29.78	756.3	77	8	...	0	c
Manila,	,,	29.81	757.2	86	8	...	0	o	,,	29.81	757.1	76	6	...	0	bc
Legaspi,	,,	29.77	756.1	88	8	...	0	o	,,	29.78	756.5	76	6	...	0	b
Calboyog,	,,	29.79	756.7	85	8	...	c	o	,,	29.81	757.1	74	8	N	2	b
Tacloban,	,,	29.78	756.4	85	8	NE	2	bc	,,	29.81	757.1	77	4	...	0	z
Iloilo,	,,	29.76	755.8	91	8	...	0	o	,,	29.80	757.0	77	6	...	0	o
Cebu,	,,	29.76	755.9	88	8	S	2	bc	,,	29.80	756.9	79	8	...	0	c
Surigao,	...	29.76	755.8	86	8	N	2	b	,,	29.79	756.6	76	4	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	78	...	E	2	c
Guam,	12.22	29.76	756.0	...	6	E	4	o	4.22	29.78	756.3	...	6	...	0	z
Yap,	11.00	29.83	757.7	...	6	...	0	r	5	29.83	757.7	...	8	...	0	r
Pelew,	,,	...	...	...	...	...	...	...	,,	29.83	757.6	78	...	...	0	r
Labuan,	14	29.94	760.4	85	6	NE	6	bc	6	29.90	759.4	77	...	E	...	c

September 26*d*, 10*h*. 25*m*.—Pressure is highest over N. China and Manchuria, and relatively low over the Pacific to the east of the Philippines.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 86.83 inches, against an average of 74.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock,	Light northerly winds.
D.—Hong Kong to Hainan Straits, E.—North China Sea,	Moderate southerly or variable winds; fair to showery.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	27th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.93	760.1	68	...	NE	3	b	6	29.97	761.3	54	...	N	3	c
Nemuro,	11	29.70	754.5	...	...	E	2	...	5	29.73	755.0	...	...	NW	1	...
Hokodate,	,,	29.76	756.0	...	...	WNW	1	...	,,	29.88	759.0	...	...	...	0	...
Tokio,	,,	29.84	758.0	...	...	SSE	1	...	,,	29.88	759.0	..	...	...	0	...
Kochi,	,,	29.90	759.5	...	...	...	..	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	...	0	...	,,	29.88	759.0	...	...	...	0	...
Kagoshima,	,,	29.88	759.0	...	...	E	1	...	,,	29.86	758.5	...	...	NNW	1	...
Oshima,	,,	29.88	759.0	...	...	NNE	1	...	,,	29.82	757.5	...	...	SSE	1	...
Naha,	,,	29.86	758.5	...	...	N	1	...	,,	29.82	757.5	...	...	NE	1	...
Ishigakijima,	,,	29.86	758.5	...	...	E	2	...	,,	29.78	756.5	...	...	NE	1	...
Bonin Island,	,,	29.86	758.5	...	...	SW	1	...	,,	29.86	758.5	...	...	S	2	...
Chefoo,	15	29.75	755.6	68	4	NE	2	c	6	29.75	755.6	61	6	W	2	c
Shanghai,	14	29.91	759.8	72	4	SSW	2	c	,,	29.92	760.0	67	4	WNW	2	c
Gutzlaff,	,,	29.96	761.0	77	6	NW	2	c	,,	29.96	761.0	70	6	NW	2	c
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.84	757.9	78	8	E	2	c	7	29.84	757.9	76	6	...	0	c
Amoy,	,,	29.84	757.9	81	6	SSE	4	bc	6	29.80	756.9	79	6	SE	2	c
Swatow,	,,	29.83	757.7	81	...	E	3	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.85	758.2	88	...	...	0	c	5	29.80	756.8	74	...	...	0	c
Taichu,	,,	29.86	758.4	86	...	SW	2	bc	,,	29.82	757.4	76	...	...	0	bc
Tainan,	,,	29.85	758.2	91	...	WSW	2	bc	,,	29.79	756.7	77	...	...	0	c
Koshun,	,,	29.84	758.0	86	...	ENE	2	bc	,,	29.78	756.4	76	...	...	0	bc
Pescadores,	,,	29.86	758.4	85	...	NNW	2	bc	,,	29.78	756.3	77	...	...	0	b
Hong Kong,	14	29.78	756.4	86	7	S	2	c	6	29.77	756.1	81	6	SW	2	c
Gap Rock,	,,	29.80	756.9	83	8	SW	3	c	,,	29.78	756.4	82	8	SW	3	c
Macao,	,,	29.76	755.8	91	4	SSW	2	c	,,	29.74	755.4	79	4	WSW	2	c
Hoihow,	,,	29.87	758.8	88	8	NW	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.2	91	8	...	0	bc	6	29.78	756.3	76	8	...	0	bc
Phulien,	15	29.74	755.4	68	8	S	4	t	7	29.75	755.7	79	7	S	3	t
Tourane,	,,	29.77	756.1	88	8	ENE	2	bc	,,	29.75	755.6	75	8	...	0	bc
Cape St. James,	,,	29.80	756.9	75	7	W	7	r	,,	29.82	757.4	73	7	NNE	1	bc
Basco,	14	29.76	755.8	86	8	SE	2	bc	6	29.76	755.8	76	8	...	0	bc
Aparri,	,,	29.74	755.5	86	6	NE	4	c	,,	29.75	755.6	77	6	S	2	c
Tuguegarao,	,,	29.73	755.2	85	8	...	0	bc	,,	29.76	756.0	77	1	...	0	bc
Vigan,	,,	29.72	755.0	86	8	NW	4	lr	,,	29.73	755.0	76	8	SE	2	b
Manila,	,,	29.74	755.3	91	8	W	2	bc	,,	29.77	756.1	76	6	...	0	b
Legaspi,	,,	29.70	754.4	94	8	ENE	2	lc	,,	29.75	755.6	76	8	...	0	bc
Calboyog,	,,	29.76	755.9	91	8	SW	4	bc	,,	29.78	756.3	76	8	N	2	bc
Tacloban,	,,	29.74	755.3	86	8	E	4	c	,,	29.78	756.3	79	8	...	0	bc
Iloilo,	,,	29.71	754.6	91	8	NE	2	c	,,	29.78	756.3	79	6	N	2	c
Cebu,	,,	29.71	754.6	91	8	ENE	2	bc	,,	29.76	756.0	79	8	...	0	c
Surigao,	...	29.72	754.9	86	8	...	0	c	,,	29.76	756.0	77	4	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.78	756.3	77	...	ESE	2	c
Guam,	12.22	29.73	755.2	...	6	E	2	c	4.22	29.74	755.3	...	6	...	0	c
Yap,	11.00	29.77	756.1	...	4	NE	2	bc	5	29.79	756.7	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	77	...	...	0	c
Labuan,	14	29.97	761.3	86	6	...	...	bc	6	29.90	759.5	74	...	W	...	c

September 27*th*. 10*h*. 30*m*.—Pressure is highest over N. China where a moderate anticyclone has formed; it is relatively low in a trough extending from Indo-China across the Philippines to the Pacific. Depressions are indicated to the north of Shantung and the north-east of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.30 inch. Total since January 1st, 87.15 inches, against an average of 74.83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28th.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	Light northerly winds, freshening later. Moderate southerly or variable winds, freshening from N.E.; fair at first, rain later.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	28th SEPTEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.80	757.0	...	...	NNW	1	...	5	30.08	764.0	...	...	...	0	...
Hakodate,	,,	29.90	759.5	...	...	...	0	...	,,	30.02	762.5	...	...	...	0	...
Tokio,	,,	29.90	759.5	...	...	ENE	1	...	,,	29.96	761.0	...	...	...	0	...
Kochi,	,,	29.86	758.5	...	...	...	...	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	ESE	1	...	,,	29.88	759.0	...	...	...	...	...
Kagoshima,	,,	29.88	759.0	...	...	...	0	...	,,	29.90	759.5	...	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	NNE	1	...	,,	29.82	757.5	...	...	S	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	...	...	...	0	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.78	756.5	...	...	...	0	...
Bonin Island,	,,	29.90	759.5	...	...	SSW	1	...	,,	29.90	759.5	...	...	S	1	...
Chefoo,	15	29.78	756.4	72	8	NW	4	bc	6	29.84	757.9	67	6	NW	4	bc
Shanghai,	14	29.94	760.6	74	6	NW	2	c	,,	29.97	761.2	63	4	NW	2	c
Gutzlaff,	,,	29.98	761.5	70	4	NW	2	c	,,	30.01	763.0	68	4	NNE	4	c
Wenchow,	,,	...	...	...	...	...	...	...	6	29.99	761.6	68	...	NNW	4	c
Foochow,	,,	29.81	757.2	76	6	E	4	c	7	29.92	759.9	72	8	NNE	2	c
Amoy,	,,	29.98	761.5	83	6	SSE	2	c	6	29.86	758.4	74	6	ENE	4	c
Swatow,	,,	29.77	756.1	85	...	W	1	c	,,	29.80	756.8	79	...	NW	1	b
Taihoku,	11	29.82	757.4	85	...	W	2	c	5	29.85	758.2	74	...	...	0	c
Taichu,	,,	29.84	758.0	88	...	ENE	2	bc	,,	29.83	757.6	76	...	...	0	c
Tainan,	,,	29.83	757.7	86	...	ENE	2	c	,,	29.79	756.7	77	...	...	0	bc
Koshun,	,,	29.82	757.3	85	...	ENE	2	c	,,	29.78	756.3	76	...	...	0	c
Pescadores,	,,	29.82	757.4	88	...	W	2	b	,,	29.79	756.7	79	...	NE	4	r
Hong Kong,	14	29.72	755.0	88	7	W	2	bc	6	29.82	757.4	76	7	N	1	c
Gap Rock,	,,	29.74	755.6	84	8	WSW	3	c	,,	29.82	757.3	81	8	NNW	4	c
Macao,	,,	29.71	754.5	91	4	S	2	c	,,	29.80	757.0	72	4	N	4	c
Hoihow,	,,	30.01	764.8	88	...	E	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.76	755.9	88	8	...	0	b	6	29.80	757.0	79	8	...	0	bc
Phulien,	15	29.76	756.0	72	3	NE	5	lr	7	29.91	759.7	70	8	N	2	c
Tourane,	,,	29.70	754.5	88	8	E	2	bc	,,	29.80	757.0	77	8	WNW	2	b
Cape St. James,	,,	29.78	756.4	82	7	SE	3	bc	,,	29.86	758.3	77	8	WNW	2	c
Basco,	14	29.72	754.9	88	8	SE	2	b	6	29.76	755.8	77	8	...	0	c
Aparri,	,,	29.71	754.6	91	8	NE	4	bc	,,	29.75	755.5	77	8	S	2	b
Tuguegarao,	,,	29.66	753.4	91	8	...	0	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.69	754.0	86	8	W	2	bc	,,	29.73	755.2	77	8	SE	2	c
Manila,	,,	29.70	754.3	91	8	WSW	4	c	,,	29.76	755.9	77	6	...	0	c
Legaspi,	,,	29.67	753.6	83	6	W	2	c	,,	29.74	755.3	77	6	...	0	c
Calboyog,	,,	29.71	754.7	88	8	SW	2	c	,,	29.79	756.6	79	8	SW	4	d
Tacloban,	,,	29.71	754.7	83	8	NE	2	r	,,	...	...	...	...	...	...	...
Roxas,	,,	29.71	754.6	85	8	SW	4	c	,,	29.78	756.3	77	6	...	0	c
Cebu,	,,	29.71	754.6	86	8	SSE	2	bc	,,	...	...	...	...	...	...	...
Surigao,	...	29.70	754.4	88	8	W	4	b	,,	29.76	755.8	79	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.78	756.5	71	...	S	4	r
Guam,	12.22	29.69	754.2	...	6	SE	4	c	4.22	29.77	756.1	...	6	NNE	4	d
Yap,	11.00	29.73	755.2	...	8	...	0	bc	5	29.78	756.3	...	6	NW	2	d
Peiew,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	73	...	N	3	r
Labuan,	14	29.95	760.8	83	6	SW	6	bc	6	29.92	760.0	76	4	SE	...	bc

September 28d. 10h. 45m.—Weak anticyclones are situated over N. China and to the east of Hokkaido; pressure is relatively low over the Pacific to the east of the Philippines.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inch. Total since January 1st, 87.17 inches, against an average of 75.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29th.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds; fresh.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	N.E. winds, light to moderate.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	29th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.91	759.8	64	...	NNW	1	c	6	29.87	758.6	57	...	N	3	c
Nemuro,	11	30.10	764.5	...	...	S	1	...	5	30.16	766.0	...	...	...	0	...
Hokodate,	,,	30.00	762.0	...	...	ESE	3	...	,,	29.98	761.5	...	...	ENE	4	...
Tokio,	,,	29.96	761.0	...	...	N	1	...	,,	29.94	760.5	..	...	NNW	1	...
Kochi,	,,	29.90	759 5	...	...	...	0	...	,,	29.94	760.5	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	SE	1	...	,,	29 94	760.5	...	...	SE	1	...
Kagoshima,	,,	29.92	760.0	...	...	...	0	...	,,	29.92	760.0	...	...	...	0	...
Oshima,	,,	29.82	757.5	...	...	NNE	1	...	,,	29.82	757.5	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	...	...	NNE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	...	...	...	0	...
Bonin Island,	,,	29.90	759.5	...	...	S	1	...	,,	29.96	761.0	...	...	S	1	...
Chefoo,	15	29.86	758.5	74	6	NW	4	b	6	29.86	758.3	61	6	SW	2	g
Shanghai,	14	29.95	760.8	83	8	NW	2	bc	,,	30.05	763.2	65	4	N	2	c
Gutzlaff,	,,	30.08	764.0	77	4	NW	2	r	,,	30.05	763.2	68	6	NNW	2	c
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.92	759.9	74	8	E	2	g	7	29.97	761.2	72	6	NNE	2	g
Amoy,	,,	29.86	758.4	77	6	ENE	2	g	6	29.96	761.0	72	6	ENE	2	bc
Swatow,	,,	29.87	758.6	75	...	NNE	1	g	,,	...	...	...	...	...	...	...
Taihoku,	11	29.90	759.5	79	...	E	4	g	5	29.89	759.3	74	...	E	2	g
Taichu,	,,	29.86	758.5	81	...	N	2	g	,,	29.86	758.5	72	...	...	0	g
Tainan,	,,	29.83	757.7	88	...	WSW	2	bc	,,	29.82	757.4	74	...	N	2	g
Koshun,	,,	29.83	757.6	85	...	...	0	c	,,	29.80	757.0	79	...	NNE	2	g
Pescadores,	,,	29.84	758.0	79	...	NE	6	g	,,	29.83	757.7	77	...	NNE	4	g
Hong Kong,	14	29.83	757.7	80	6	W	2	g	6	29.89	759.2	75	6	N	2	g
Gap Rock,	,,	29.84	757.9	82	8	NNE	4	c	,,	29.88	758.9	81	8	NNE	3	g
Macao,	,,	29.83	757.6	83	4	NNE	2	c	,,	29.87	758.6	74	4	N	2	g
Hoihow,	,,	29.93	760.2	83	1	NE	4	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.79	756.6	88	8	N	4	b	6	29.83	757.7	81	8	NE	6	bc
Phulien,	15	29.87	758.7	85	8	NW	3	c	7	29.95	760.8	70	7	NNE	3	bc
Tourane,	,,	29.77	756.2	88	8	N	3	bc	,,	29.85	758.5	75	8	WNW	1	r
Cape St. James,	,,	29.82	757.3	84	7	SSE	2	bc	,,	29.87	758.7	79	7	ESE	1	bc
Basco,	14	29.74	755.3	86	8	NE	2	bc	6	29.78	756.3	77	4	...	0	bc
Aparri,	,,	29.72	754.9	91	8	N	4	b	,,	29.76	756.0	77	8	...	0	b
Tuguegarao,	,,	29.73	755.2	94	6	...	0	c	,,	...	...	...	...	...	...	...
Vigan,	,,	29.70	754.4	86	8	NW	2	bc	,,	29.73	755.2	79	8	...	0	b
Manila,	,,	29.73	755.2	88	8	WSW	2	bc	,,	29.76	756.0	77	6	...	0	c
Legaspi,	,,	29.69	754.1	79	6	...	0	g	,,	29.75	755.5	77	6	...	0	c
Calboyog,	,,	29.72	754.9	83	8	SW	4	bc	,,	29.79	756.6	79	8	SSW	4	g
Tacloban,	,,	29.72	755.0	83	8	SW	2	bc	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.72	754 8	88	8	SSW	4	g	,,	29.78	756.4	79	6	SW	4	g
Cebu,	,,	29.71	754.7	85	8	SSE	2	r	,,	...	...	...	...	...	...	...
Surigao,	....	29.71	754 6	88	8	WSW	2	b	,,	29.78	756.3	76	1	...	c	r
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.6	...	6	S	4	bc	4.22	29.80	756.8	...	6	SE	2	g
Yap,	11.00	29.74	755.4	...	6	SW	4	r	5	29.81	757.1	...	8	SW	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	84	...	...	..	bc	6	29.90	759.5	76	4	...	0	bc

September 29th, 9h. 54m.—The anticyclones over N. China and to the east of Hokkaido have increased in intensity; pressure remains relatively low to the east of the Philippines.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.17 inches, against an average of 75.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	N. and N.E. winds, moderate to fresh.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, moderate; fine generally.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	30th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.87	758.7	59	...	...	0	b	6	...	...	64	...	NNW	5	b
Nemuro,	11	30.14	765.5	...	...	SSE	2	...	5	30.14	765.5	...	...	ESE	2	...
Hokodate,	,,	29.96	761.0	...	...	ESE	4	...	,,	29.96	761.0	...	...	ESE	2	...
Tokio,	,,	29.92	760.0	...	...	NW	1	...	,,	29.94	760.5	...	...	ENE	1	...
Kochi,	,,	29.94	760.5	...	...	...	...	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	29.94	760.5	...	...	W	1	...	,,	29.94	760.5	...	...		0	...
Kagoshima,	,,	29.92	760.0	...	...	...	0	...	,,	29.00	759.5	...	...	NNW	1	...
Oshima,	,,	29.86	758.5	...	...	N	2	...	,,	29.86	758.5	...	...	...	0	...
Naha,	,,	29.84	758.0	...	...	N	1	...	,,	29.82	757.5	...	...	NE	1	...
Ishigakijima,	,,	29.84	758.0	...	...	SSE	1	...	,,	29.80	757.0	...	...	NE	1	...
Bonin Island,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	...	...
Chefoo,	15	29.83	757.7	77	8	NW	2	b	6	29.88	758.8	61	4	...	0	z
Shanghai,	14	29.98	761.6	83	6	NW	2	bc	,,	30.04	763.0	65	6	SE	2	b
Gutzlaff,	,,	30.03	762.7	81	6	N	2	b	,,	30.07	763.8	68	6	NNE	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.93	760.2	74	6	NE	2	c	7	29.98	761.5	73	6	NE	2	c
Amoy,	,,	29.94	760.5	79	6	E	2	o	6	29.95	760.7	76	6	ENE	2	bc
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.93	760.2	83	...	E	4	c	5	29.90	759.5	74	...	...	0	o
Taichu,	,,	29.89	759.1	83	...	NNW	4	b	,,	29.88	758.8	72	...	...	0	bc
Tainan,	,,	29.86	758.5	83	...	N	2	o	,,	29.83	757.7	74	...	...	0	o
Koshun,	,,	29.85	758.2	85	...	NNE	4	c	,,	29.81	757.2	79	...	NE	2	bc
Pescadores,	,,	29.89	759.3	83	...	NNE	6	o	,,	29.85	758.2	77	...	NNE	4	o
Hong Kong,	14	29.87	758.7	79	5	E	2	c	6	29.87	758.7	76	5	...	0	bcm
Gap Rock,	,,	29.89	758.2	81	8	NE	3	c	,,	29.87	758.7	80	8	ENE	4	c
Macao,	,,	29.86	758.5	81	6	ENE	2	b	,,	29.85	758.2	74	6	N	2	bc
Hollow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.83	757.7	85	8	NE	8	c	6	29.84	757.8	79	8	NNE	6	c
Philieu,	15	29.89	759.3	82	8	WSW	2	o	7	29.91	759.7	73	5	WSW	1	f
Tourane,	,,	29.81	757.2	86	8	NNW	5	c	,,	29.86	758.4	77	8	WNW	1	o
Cape St. James,	,,	29.86	758.4	86	7	SSE	1	h	,,	29.87	758.7	77	8	NE	1	c
Basco,	14	29.73	755.2	85	8	...	0	bc	6	29.76	756.0	79	8	...	0	bc
Aparri,	,,	29.73	755.2	77	8	NNE	4	bc	,,	29.76	755.8	77	8	SW	2	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.71	754.6	91	8	W	2	bc	,,	29.74	755.4	79	8	...	0	b
Manila,	,,	29.74	755.5	81	4	N	4	r	,,	29.76	756.0	76	6	...	0	bc
Legaspi,	,,	29.71	754.7	81	6	WSW	2	o	,,	29.74	755.3	81	8	...	0	bc
Calbayog,	,,	29.73	755.2	86	8	WSW	4	o	,,	29.78	756.4	77	8	N	2	d
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.6	85	8	SW	4	o	,,	29.76	755.8	79	6	...	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.73	755.2	86	6	WSW	2	o	,,	29.78	756.3	77	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.9	...	6	SSE	2	d	4.22	29.79	756.6	...	6	...	0	o
Yap,	11.00	29.80	757.0	...	6	SW	2	r	5	29.83	757.6	...	6	SSW	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.8	83	6	W	4	bc	6	29.90	759.5	74	4	SE	6	bc

September 30th, 10h. 15m.—The anticyclone is moving eastward and is probably central over the lower Yangtze Valley. Pressure remains relatively low over the Pacific to the east of the Philippines.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.17 inches, against an average of 75.65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock,	E. and N.E. winds, moderate.
D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, moderate; fair.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

OCTOBER,

1932.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR.

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1932.

[Price $2.]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

OCTOBER,

1932.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, at 109 feet above MEAN SEA LEVEL, in the MONTH of OCTOBER, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·806	29·794	29·785	29·783	29·784	29·784	29·804	29·828	29·841	29·848	29·840	29·817	1
2	29·798	29·786	29·772	29·760	29·764	29·774	29·782	29·794	29·813	29·810	29·801	29·776	2
3	29·772	29·768	29·760	29·752	29·752	29·759	29·775	29·792	29·813	29·825	29·836	29·822	3
4	29·834	29·820	29·816	29·812	29·810	29·824	29·836	29·862	29·876	29·887	29·886	29·874	4
5	29·893	29·892	29·885	29·881	29·883	29·908	29·924	29·944	29·960	29·968	29·964	29·953	5
6	29·928	29·919	29·910	29·914	29·920	29·932	29·942	29·956	29·957	29·957	29·944	29·930	6
7	29·918	29·910	29·888	29·892	29·896	29·908	29·919	29·942	29·961	29·965	29·945	29·918	7
8	29·905	29·895	29·897	29·890	29·902	29·919	29·922	29·947	29·954	29·956	29·937	29·927	8
9	29·940	29·932	29·922	29·912	29·920	29·932	29·954	29·977	29·988	29·988	29·971	29·957	9
10	30·006	29·992	29·988	29·978	29·984	30·000	30·014	30·032	30·046	30·047	30·040	30·022	10
11	30·039	30·017	30·011	30·007	30·011	30·015	30·040	30·056	30·063	30·068	30·060	30·040	11
12	30·032	30·014	30·008	29·999	30·005	30·020	30·030	30·058	30·076	30·078	30·056	30·032	12
13	29·999	29·988	29·982	29·963	29·956	29·963	29·973	29·990	29·993	29·991	29·978	29·952	13
14	29·899	29·881	29·875	29·857	29·864	29·868	29·880	29·891	29·905	29·914	29·892	29·882	14
15	29·855	29·841	29·829	29·831	29·835	29·847	29·873	29·887	29·892	29·977	29·902	29·890	15
16	29·869	29·866	29·864	29·858	29·869	29·880	29·890	29·901	29·909	29·920	29·908	29·892	16
17	29·898	29·886	29·870	29·858	29·859	29·867	29·882	29·898	29·907	29·908	29·908	29·887	17
18	29·888	29·866	29·860	29·840	29·850	29·864	29·888	29·896	29·909	29·913	29·908	29·893	18
19	29·867	29·853	29·845	29·843	29·843	29·861	29·888	29·903	29·914	29·925	29·911	29·892	19
20	29·871	29·871	29·871	29·875	29·887	29·915	29·926	29·942	29·948	29·949	29·936	29·918	20
21	29·970	29·965	29·952	29·957	29·952	29·969	29·980	30·006	30·011	30·028	30·020	30·000	21
22	29·970	29·962	29·960	29·964	29·972	29·980	29·991	29·996	30·010	30·010	29·996	29·972	22
23	29·938	29·928	29·928	29·914	29·912	29·921	29·930	29·944	29·944	29·942	29·930	29·908	23
24	29·898	29·892	29·876	29·869	29·861	29·862	29·879	29·883	29·895	29·894	29·877	29·844	24
25	29·831	29·820	29·802	29·808	29·814	29·818	29·842	29·852	29·864	29·864	29·852	29·931	25
26	29·848	29·839	29·837	29·836	29·840	29·862	29·879	29·888	29·897	29·905	29·898	29·873	26
27	29·896	29·880	29·873	29·864	29·862	29·872	29·884	29·904	29·916	29·917	29·894	29·861	27
28	29·818	29·804	29·802	29·799	29·805	29·827	29·833	29·845	29·856	29·857	29·844	29·826	28
29	29·790	29·784	29·783	29·775	29·767	29·785	29·818	29·823	29·836	29·848	29·842	29·830	29
30	29·817	29·803	29·793	29·786	29·792	29·808	29·840	29·857	29·873	29·882	29·873	29·855	30
31	29·880	29·874	29·863	29·852	29·868	29·889	29·914	29·936	29·950	29·968	29·952	29·936	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·782	29·758	29·749	29·736	29·745	29·745	29·757	29·774	29·782	29·804	29·804	29·808	1
2	29·753	29·731	29·718	29·722	29·724	29·729	29·745	29·757	29·777	29·777	29·785	29·787	2
3	29·795	29·778	29·760	29·760	29·766	29·774	29·789	29·815	29·831	29·843	29·843	29·848	3
4	29·852	29·839	29·826	29·829	29·829	29·837	29·852	29·876	29·894	29·906	29·904	29·904	4
5	29·922	29·902	29·890	29·888	29·891	29·903	29·919	29·937	29·949	29·951	29·941	29·933	5
6	29·916	29·894	29·893	29·883	29·897	29·905	29·918	29·934	29·944	29·950	29·942	29·932	6
7	29·899	29·878	29·867	29·862	29·864	29·883	29·893	29·901	29·909	29·911	29·911	29·914	7
8	29·904	29·892	29·890	29·884	29·888	29·901	29·921	29·935	29·949	29·960	29·961	29·955	8
9	29·944	29·926	29·924	29·920	29·937	29·951	29·969	29·894	30·004	30·012	30·016	30·002	9
10	30·002	29·986	29·980	29·970	29·980	29·990	30·007	30·030	30·044	30·047	30·048	30·039	10
11	30·015	30·004	29·988	29·985	29·987	29·999	30·016	30·036	30·051	30·047	30·049	30·045	11
12	30·011	29·987	29·971	29·972	29·970	29·969	29·985	30·009	30·017	30·026	30·026	30·016	12
13	29·911	29·885	29·874	29·862	29·865	29·872	29·882	29·901	29·912	29·918	29·918	29·907	13
14	29·858	29·829	29·809	29·804	29·814	29·823	29·836	29·858	29·872	29·885	29·879	29·867	14
15	29·865	29·850	29·836	29·826	29·832	29·846	29·864	29·883	29·891	29·899	29·901	29·881	15
16	29·863	29·847	29·837	29·826	29·833	29·846	29·869	29·891	29·907	29·913	29·910	29·902	16
17	29·861	29·852	29·848	29·838	29·844	29·854	29·861	29·883	29·901	29·909	29·915	29·899	17
18	29·879	29·858	29·842	29·838	29·844	29·854	29·868	29·880	29·891	29·895	29·897	29·883	18
19	29·872	29·847	29·827	29·820	29·820	29·822	29·836	29·862	29·872	29·876	29·882	29·878	19
20	29·908	29·882	29·880	29·888	29·895	29·913	29·920	29·949	29·965	29·973	29·979	29·980	20
21	29·981	29·970	29·968	29·974	29·976	29·974	29·976	29·990	30·004	30·000	29·991	29·973	21
22	29·941	29·912	29·891	29·893	29·899	29·911	29·920	29·936	29·940	29·940	29·942	29·940	22
23	29·875	29·847	29·828	29·828	29·848	29·865	29·879	29·899	29·921	29·923	29·915	29·910	23
24	29·814	29·794	29·786	29·780	29·792	29·814	29·833	29·857	29·865	29·865	29·859	29·849	24
25	29·807	29·776	29·772	29·766	29·798	29·809	29·833	29·860	29·870	29·870	29·868	29·859	25
26	29·852	29·830	29·824	29·824	29·836	29·843	29·862	29·884	29·905	29·915	29·916	29·910	26
27	29·830	29·805	29·787	29·776	29·778	29·793	29·808	29·832	29·845	29·838	29·838	29·834	27
28	29·786	29·754	29·739	29·733	29·725	29·736	29·746	29·766	29·795	29·797	29·798	29·790	28
29	29·815	29·785	29·768	29·774	29·779	29·781	29·786	29·812	29·825	29·836	29·819	29·815	29
30	29·829	29·809	29·798	29·805	29·815	29·830	29·836	29·860	29·876	29·880	29·886	29·880	30
31	29·926	29·909	29·904	29·914	29·920	29·914	29·946	29·966	29·974	29·989	29·984	29·982	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of OCTOBER, 1932.

Days of the Month.	Hours, Hong Kong Standard Time: 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	78·0	79·0	79·2	78·8	78·7	78·6	77·1	77·0	78·0	79·0	79·8	79·7	1
2	78·2	78·0	78·0	78·0	77·9	78·0	78·1	78·8	79·8	81·6	81·1	80·9	2
3	76·9	76·7	76·3	76·2	76·3	76·7	77·1	79·6	79·8	79·0	77·3	78·9	3
4	78·8	78·5	78·4	78·3	78·3	78·2	78·7	79·0	79·3	81·2	82·0	81·0	4
5	75·5	75·0	74·5	74·4	74·0	73·9	73·8	73·8	74·7	74·6	76·5	77·6	5
6	74·9	74·3	74·1	72·8	72·6	72·1	73·9	75·6	77·0	77·6	77·6	77·0	6
7	75·1	75·1	75·1	75·5	75·5	75·0	75·4	76·0	76·9	76·8	79·3	79·0	7
8	76·0	75·3	74·7	74·4	74·2	72·9	73·2	74·5	76·0	76·9	78·0	77·8	8
9	72·0	72·6	72·9	73·1	73·2	73·3	73·5	73·9	74·1	73·8	78·1	78·1	9
10	73·6	74·1	73·0	73·0	73·6	72·9	72·9	73·0	74·0	75·3	75·6	76·8	10
11	71·9	71·6	71·6	71·2	71·0	71·1	71·1	71·3	74·7	77·0	77·2	78·5	11
12	74·6	74·7	74·8	74·6	74·4	74·2	74·3	74·6	77·8	77·6	78·6	79·3	12
13	73·7	73·0	72·0	71·8	70·9	70·9	72·7	74·4	76·3	78·0	79·9	82·0	13
14	75·5	75·8	75·0	75·0	73·8	73·5	73·6	77·0	77·2	80·0	80·5	80·6	14
15	75·6	75·5	75·4	75·6	75·5	75·6	75·5	75·5	79·9	80·3	79·5	81·0	15
16	75·9	75·8	75·7	75·5	75·4	74·9	75·5	76·9	78·7	79·8	80·0	80·8	16
17	74·7	74·5	74·4	74·5	74·5	74·2	74·6	76·2	77·3	78·3	78·4	79·4	17
18	75·4	75·4	75·5	75·6	75·4	74·9	75·6	76·6	77·0	79·6	78·6	79·4	18
19	75·8	75·3	75·0	74·4	74·0	73·7	74·5	75·9	78·4	76·9	79·5	81·1	19
20	75·7	75·0	74·4	74·5	74·6	74·3	72·0	72·2	75·7	77·0	79·9	80·1	20
21	68·1	67·0	66·2	66·2	66·5	67·0	67·1	69·6	71·1	72·0	74·5	73·5	21
22	72·2	72·0	72·4	73·1	73·1	72·7	71·9	73·9	75·6	73·6	74·2	75·2	22
23	74·2	74·2	74·0	73·9	73·6	73·5	73·4	74·3	76·6	79·5	79·6	79·0	23
24	74·6	74·4	74·2	74·0	73·8	73·2	72·3	75·0	79·0	82·0	83·3	83·6	24
25	74·3	74·4	74·0	73·5	72·5	72·7	72·4	74·8	78·0	79·5	81·4	81·1	25
26	72·7	72·6	71·6	71·4	71·7	71·0	70·4	73·0	75·3	78·2	80·0	80·6	26
27	72·9	72·0	72·2	72·5	72·4	73·0	73·2	74·9	77·2	79·0	81·0	81·3	27
28	78·0	77·0	77·0	76·7	76·4	75·8	74·8	77·0	77·0	78·1	80·5	82·0	28
29	75·1	74·9	74·9	74·4	74·4	74·5	73·4	73·0	74·1	73·9	74·0	72·8	29
30	74·1	73·9	73·7	73·4	73·2	72·9	72·5	72·9	74·0	75·0	75·9	77·6	30
31	73·0	72·6	73·3	72·8	73·2	72·8	73·0	74·4	74·0	75·0	76·3	76·7	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·3	80·4	80·9	80·7	79·4	79·0	78·6	78·2	78·1	78·0	78·4	78·5	1
2	81·8	80·5	79·6	81·0	79·4	78·9	79·0	78·9	78·8	78·7	77·8	77·2	2
3	81·9	82·9	81·9	81·2	80·0	79·4	79·0	79·0	79·1	79·1	79·0	78·9	3
4	81·1	80·6	80·0	79·1	79·0	78·1	78·0	78·0	78·0	78·0	77·0	76·0	4
5	78·6	78·6	78·0	76·8	76·6	76·0	75·4	75·1	74·9	75·5	75·1	75·2	5
6	76·9	76·6	76·0	75·9	75·8	75·5	75·0	75·1	74·7	73·8	74·4	74·9	6
7	79·4	79·0	77·6	76·9	76·9	76·5	76·3	76·3	76·3	76·2	76·2	76·5	7
8	78·5	77·7	77·5	77·4	77·4	72·8	71·6	71·7	71·8	72·0	72·0	71·1	8
9	77·9	78·0	78·0	77·9	77·7	77·2	76·8	75·0	73·5	73·3	73·7	73·2	9
10	76·5	75·6	74·9	74·6	74·0	73·0	71·8	71·0	72·1	72·7	72·1	72·7	10
11	78·7	78·2	78·5	77·2	76·3	76·2	76·3	75·8	75·1	74·2	74·3	74·3	11
12	79·9	79·0	78·7	77·1	77·3	76·5	75·9	75·7	75·9	75·0	74·5	74·1	12
13	84·9	83·5	81·9	80·6	79·4	78·2	77·5	77·2	77·0	76·7	76·5	75·0	13
14	79·5	79·7	77·7	76·9	76·6	76·0	75·5	75·3	75·1	75·1	75·3	75·5	14
15	81·0	79·1	79·1	78·7	77·8	77·0	76·3	76·3	76·3	76·0	76·0	76·0	15
16	81·3	79·4	79·5	78·7	77·7	76·3	75·6	75·3	75·0	74·9	74·9	74·9	16
17	79·0	78·2	77·9	78·0	77·2	76·0	75·8	75·5	75·6	75·4	75·6	75·4	17
18	78·0	78·7	78·8	77·3	77·2	77·0	77·0	76·8	76·7	76·7	76·6	76·1	18
19	79·4	80·2	79·3	78·1	78·2	77·4	76·4	75·5	75·5	75·6	75·6	75·6	19
20	80·4	79·0	79·0	78·9	76·9	73·9	70·9	70·3	70·0	69·3	69·2	68·3	20
21	76·4	77·2	77·0	75·8	75·0	73·6	73·0	73·2	73·1	73·0	72·1	72·5	21
22	78·0	77·0	77·0	76·4	76·1	75·4	75·0	74·9	74·9	74·9	74·2	74·2	22
23	80·0	79·6	78·3	77·3	76·8	75·6	75·0	75·0	74·9	74·7	74·7	74·7	23
24	83·7	82·0	79·7	77·3	77·0	76·1	75·8	75·6	75·3	75·1	75·0	74·8	24
25	80·2	79·8	78·1	76·9	76·1	74·3	74·0	74·0	73·6	73·2	73·2	72·1	25
26	80·—	80·7	78·7	77·2	76·0	74·8	74·2	73·9	73·4	73·4	73·0	73·2	26
27	82·5	83·0	82·6	81·6	81·2	79·2	77·5	77·4	77·5	77·4	77·9	78·1	27
28	83·7	85·0	84·9	84·2	84·0	82·7	81·7	80·7	79·7	78·5	77·7	76·5	28
29	72·0	72·2	74·0	74·2	74·2	73·8	74·4	74·5	74·6	74·6	74·3	74·2	29
30	78·2	78·2	78·9	77·7	75·5	74·0	74·1	74·2	74·1	74·2	73·9	73·5	30
31	76·2	75·9	75·4	74·8	75·9	75·2	75·4	75·6	75·6	75·6	75·6	75·2	31

TABLE III.—TEMPERATURE OF EVAPORATION at every Hour of the Day; at 108 feet above Mean Sea Level, in the Month of OCTOBER, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	74·1	73·6	74·1	73·8	73·6	73·9	73·8	73·0	76·9	71·2	71·8	71·1	1
2	73·3	73·7	73·7	73·7	73·9	73·7	73·9	74·7	74·9	76·0	73·1	74·9	2
3	73·3	73·8	73·8	73·8	73·6	73·4	73·7	74·8	74·9	74·8	74·5	73·8	3
4	72·8	72·4	72·4	71·2	71·2	69·7	68·2	69·0	69·0	70·8	72·7	76·0	4
5	68·8	69·9	65·8	65·0	64·5	64·2	64·1	64·2	65·9	65·8	66·0	66·0	5
6	68·1	68·0	67·7	67·9	68·2	68·2	68·0	68·9	66·9	67·0	67·0	67·0	6
7	67·7	68·0	68·2	68·9	68·9	69·0	69·2	69·0	69·7	69·6	71·3	71·0	7
8	69·9	69·7	69·2	69·4	70·0	69·7	70·4	70·0	69·2	69·8	70·0	70·3	8
9	67·4	67·6	67·5	67·4	67·6	68·3	68·2	68·7	68·7	69·0	68·3	68·7	9
10	67·0	67·6	66·3	66·3	66·6	66·9	66·9	67·0	67·9	68·8	68·6	68·9	10
11	67·6	67·1	67·1	67·0	67·0	67·0	67·0	67·1	68·6	68·9	69·0	69·0	11
12	69·1	68·0	67·0	67·2	66·6	67·0	67·0	66·4	67·8	67·3	68·4	68·8	12
13	68·5	68·1	67·3	67·5	66·9	67·0	67·8	69·1	68·2	68·5	69·2	70·0	13
14	70·9	72·0	70·9	71·0	69·8	68·0	68·1	69·5	69·6	70·0	70·1	70·9	14
15	71·7	71·0	71·0	71·1	71·2	71·2	71·2	71·2	73·8	74·0	73·6	73·8	15
16	69·6	69·4	68·6	68·4	68·6	68·4	68·4	68·5	70·2	69·0	67·0	68·2	16
17	69·4	68·5	67·6	67·0	65·9	66·0	66·1	66·3	67·0	68·0	67·0	67·9	17
18	69·9	69·6	68·2	68·1	67·9	67·7	68·5	69·7	68·9	69·0	69·1	70·7	18
19	71·9	71·7	70·9	71·5	71·5	71·0	71·5	72·2	73·6	71·7	73·0	73·9	19
20	72·4	71·5	71·4	69·8	69·6	69·4	69·3	68·7	68·8	70·0	71·5	71·7	20
21	61·7	60·2	60·0	60·0	60·9	60·9	61·6	62·5	63·9	64·2	66·0	64·2	21
22	63·9	64·4	64·9	65·9	66·5	66·0	65·9	66·7	68·2	67·2	67·7	68·1	22
23	70·2	70·2	70·0	69·9	69·6	69·5	69·4	69·8	70·6	70·0	69·9	70·9	23
24	70·6	70·4	70·2	70·0	69·3	69·1	69·4	70·1	68·9	70·0	70·9	70·8	24
25	70·2	69·9	69·7	69·9	68·9	64·3	64·5	66·7	68·5	69·0	68·4	69·0	25
26	67·9	67·9	67·3	67·0	65·0	64·6	64·0	65·5	65·1	67·0	67·1	65·6	26
27	67·1	66·0	66·6	67·0	66·7	65·0	64·7	65·2	65·9	67·0	67·9	68·3	27
28	67·0	66·8	66·8	66·3	66·1	66·1	66·4	67·6	67·9	68·6	70·0	69·4	28
29	67·2	67·7	67·7	66·9	66·9	67·0	67·1	67·0	67·8	68·2	68·1	68·2	29
30	67·2	67·0	66·8	66·6	66·4	66·5	66·7	66·7	67·0	68·0	68·8	69·6	30
31	70·5	70·2	69·8	69·8	70·0	69·0	69·0	69·3	69·2	69·0	69·5	70·0	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	71·9	73·0	72·7	73·5	72·4	72·5	72·7	73·0	72·9	73·0	73·0	72·9	1
2	75·7	74·9	74·9	75·7	75·0	74·3	74·0	74·0	73·9	74·0	73·8	73·9	2
3	74·5	74·0	73·0	73·0	73·0	72·9	73·3	73·3	73·5	73·5	73·3	73·0	3
4	70·2	69·9	68·9	69·0	69·5	70·5	70·9	70·9	71·7	70·2	68·5	68·9	4
5	67·1	66·5	66·9	67·0	67·0	67·0	67·7	67·9	68·6	68·3	67·9	68·0	5
6	66·9	67·0	66·9	66·9	66·9	66·3	66·8	67·1	67·3	66·9	66·8	67·3	6
7	70·8	70·3	69·3	68·8	67·8	68·0	67·9	67·9	68·3	68·9	68·9	69·3	7
8	70·0	69·3	69·4	68·3	68·3	68·3	67·1	67·2	67·4	67·6	67·7	67·6	8
9	68·7	69·0	69·2	69·3	69·1	69·3	69·5	69·5	68·7	68·5	68·3	67·7	9
10	68·4	68·9	68·4	68·6	68·0	67·9	67·5	67·8	68·1	68·2	68·2	67·5	10
11	69·4	69·4	69·5	69·5	68·9	69·2	69·2	69·5	69·6	69·4	69·4	69·0	11
12	69·0	69·9	70·2	69·0	69·3	69·4	68·5	68·6	68·9	69·0	68·6	68·8	12
13	70·3	71·1	71·3	70·2	70·0	69·9	70·0	69·9	69·8	69·8	70·0	69·5	13
14	71·0	71·1	71·1	71·0	71·0	70·7	71·0	70·8	71·3	71·3	71·6	71·5	14
15	72·0	70·6	70·6	70·9	70·3	70·4	70·0	70·0	70·0	70·2	70·2	69·9	15
16	68·0	67·2	68·0	68·6	68·7	68·7	69·8	69·9	69·9	69·9	69·9	69·7	16
17	67·9	67·6	67·6	67·3	68·6	69·7	70·3	70·7	71·1	71·0	71·3	70·9	17
18	70·0	70·7	70·8	71·4	71·4	71·0	71·8	71·9	72·0	71·8	71·9	71·1	18
19	72·8	73·2	73·0	72·9	72·8	72·7	72·4	72·0	72·0	72·2	72·2	72·2	19
20	70·9	70·9	70·0	69·9	68·4	66·2	64·6	64·0	64·0	62·6	62·7	64·5	20
21	66·4	67·0	67·3	67·0	66·6	66·5	66·1	66·8	66·5	66·3	64·8	64·0	21
22	69·0	69·1	69·2	68·8	68·9	68·9	69·1	69·4	69·6	70·5	70·9	70·3	22
23	70·7	71·0	70·5	70·2	70·8	70·2	70·4	71·0	70·9	70·7	70·7	70·2	23
24	70·9	71·0	70·9	70·3	70·6	71·8	71·9	71·8	71·0	70·9	70·9	70·7	24
25	69·7	70·0	69·1	67·8	67·5	68·0	68·0	69·0	68·6	68·0	68·0	67·7	25
26	65·7	66·4	65·7	66·0	66·0	65·3	65·9	65·4	65·8	66·3	66·0	66·9	26
27	69·0	69·9	70·3	68·9	68·1	69·8	69·6	69·4	68·0	67·8	67·3	67·1	27
28	70·6	72·9	72·4	72·6	72·0	72·6	71·2	71·8	70·9	70·6	69·9	68·9	28
29	68·2	69·0	69·8	69·3	69·3	68·9	66·6	68·0	68·2	67·6	67·4	67·3	29
30	70·0	70·0	70·5	70·2	70·6	70·6	70·3	70·7	70·8	70·9	70·7	70·5	30
31	70·0	69·7	69·6	68·6	68·3	68·1	68·3	68·6	68·5	68·4	68·5	67·2	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of OCTOBER, 1932.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	10	10	10	10	10	10	10	9	9	10	9	9	9	8	4	7	7	9	9	8	6	7	9	10	1
2	10	10	10	10	10	10	9	9	9	9	8	6	6	9	9	9	9	10	10	10	10	10	3	3	2
3	...	2	7	6	2	2	5	2	7	9	10	9	7	6	2	2	5	6	8	7	9	9	9	9	3
4	10	10	10	9	10	10	9	9	4	4	5	5	8	9	6	9	9	10	10	10	10	10	10	10	4
5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	9	5	2	5	6	8	10	10	10	10	9	10	10	6	9	9	10	6
7	10	10	10	10	10	10	10	9	9	9	8	7	8	9	9	9	9	10	10	10	10	10	10	10	7
8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8
9	10	10	10	10	10	10	10	10	10	10	8	8	8	9	9	9	10	10	10	10	10	10	10	10	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	10	10	10	9	10	10	10	9	9	6	9	8	6	6	5	8	10	10	10	10	10	10	10	10	11
12	10	9	10	9	9	10	7	7	6	7	5	7	10	9	9	8	7	8	7	8	10	9	7	9	12
13	8	3	7	7	3	2	7	3	1	2	1	2	2	2	2	3	5	9	9	7	7	7	2	1	13
14	7	10	10	6	10	4	2	2	7	1	1	1	1	1	1	2	3	2	2	2	4	7	7	8	14
15	10	5	8	9	9	10	10	9	6	7	8	5	5	4	3	2	2	2	1	1	1	1	2	3	15
16	2	4	5	2	1	1	...	...	1	1	1	2	1	1	1	1	2	3	1	4	7	7	7	9	16
17	9	9	9	8	8	8	7	5	6	7	7	6	6	8	8	9	8	7	7	7	8	6	6	8	17
18	9	9	9	8	9	6	7	4	7	7	8	7	8	9	10	9	9	9	10	10	9	9	10	10	18
19	10	10	10	10	4	2	4	10	8	10	9	7	8	8	8	8	9	9	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	9	8	8	6	8	9	9	9	8	2	1	...	...	...	...	...	...	20
21	...	...	...	...	1	1	...	3	5	9	9	10	10	10	10	9	3	1	...	...	...	...	...	...	21
22	1	10	10	10	10	9	2	3	3	8	7	8	6	6	9	9	9	9	10	10	10	10	10	9	22
23	9	9	10	9	9	9	7	3	1	1	1	1	...	...	...	...	4	8	2	2	1	1	4	6	23
24	7	6	1	1	1	1	2	2	...	...	...	...	1	1	2	1	1	3	1	...	...	...	...	...	24
25	...	...	...	3	4	4	2	...	...	...	...	...	...	...	1	1	1	...	...	...	1	...	...	...	25
26	...	...	2	...	...	2	3	3	2	6	5	7	4	3	2	2	4	7	...	...	...	...	...	...	26
27	...	...	...	...	3	9	9	4	4	1	1	1	1	2	2	6	4	7	...	...	...	...	9	10	27
28	10	8	9	9	9	9	6	5	5	6	5	8	8	5	2	...	1	1	...	...	...	...	...	...	28
29	...	2	9	8	9	10	9	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	29
30	10	10	10	8	10	10	10	10	10	10	10	9	10	10	10	10	10	10	8	10	10	10	10	10	30
31	10	10	10	10	10	10	10	8	10	9	10	9	10	10	10	10	9	9	9	9	9	9	7	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of OCTOBER, 1932.
(... = No Sunshine recorded.)

Days of the Month.	*Hours, Hong Kong Apparent Time.*													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	...	...	0·1	0·6	1·0	0·6	...	...	...	1
2	...	...	0·3	0·2	0·9	0·2	0·9	0·8	...	0·6	0·1	...	...	2
3	...	0·1	0·9	0·7	0·2	...	0·6	0·5	1·0	1·0	0·6	...	...	3
4	...	...	...	0·2	1·0	0·9	1·0	0·6	0·8	0·4	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	1·0	1·0	1·0	0·4	0·3	...	0·1	...	...	...	...	6
7	...	...	0·1	0·1	0·6	0·9	0·7	0·4	0·1	...	...	...	...	7
8	...	...	...	...	...	0·1	...	...	...	...	...	...	...	8
9	...	...	...	...	0·3	0·9	0·8	0·3	0·1	0·1	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	0·5	0·6	1·0	0·2	0·8	1·0	0·9	0·9	0·6	...	...	11
12	...	0·4	0·2	1·0	0·4	0·9	0·4	...	...	...	...	0·3	...	12
13	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	...	13
14	...	0·7	0·8	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	14
15	...	...	0·2	1·0	0·9	0·6	1·0	0·9	0·8	1·0	1·0	0·9	...	15
16	...	0·9	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	16
17	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	0·1	0·2	0·1	...	...	17
18	...	...	0·3	0·6	1·0	0·1	0·4	0·3	0·1	0·1	...	...	...	18
19	...	...	0·3	0·4	0·1	...	0·6	0·2	0·6	0·2	0·7	0·1	...	19
20	...	...	...	...	0·3	0·3	0·1	...	...	...	...	0·8	...	20
21	...	1·0	1·0	0·3	...	...	...	...	...	...	0·2	0·6	...	21
22	...	...	0·5	0·7	0·6	0·5	0·6	0·9	...	...	...	...	...	22
23	...	0·6	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	...	23
24	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	24
25	...	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	25
26	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	...	26
27	...	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	1·0	0·8	...	27
28	...	0·1	0·9	0·3	0·7	0·3	0·4	0·8	0·9	1·0	1·0	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	0·2	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of OCTOBER, 1932.

(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	0·005	...	d	...	...	...	...	d	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	d	...	d	2
3	...	...	...	...	...	...	...	...	d	d	0·035	d	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	d	...	...	...	...	...	...	...	...	...	...	5
6	d	d	d	0·005	0·020	d	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	d	...	...	d	d	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	d	d	...	...	d	...	...	...	...	...	...	...	10
11	...	...	...	...	...	d	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	d	...	...	...	...	d	d	d	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	d	...	...	...	d	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	d	...	d	d	d	d	29
30	...	...	...	...	...	...	d	...	...	...	...	...	30
31	d	d	d	d	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	d	d	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	d	d	d	d	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	d	9
10	...	...	...	d	d	...	d	d	...	...	d	...	10
11	...	...	...	...	...	...	...	d	d	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	d	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	0·010	0·010	...	...	...	d	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	d	d	30
31	...	d	d	...	...	...	...	...	d	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, at 148 feet above MEAN SEA LEVEL, in the MONTH of OCTOBER, 1932.

(The Direction is given in points and the Velocity in miles per hour.)

(8 = East, 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	
1	9 10	10 13	10 13	9 12	8 10	7 13	5 13	4 14	5 11	8 18	6 14	8 15	1
2	8 10	8 8	8 8	8 8	8 7	7 6	7 6	7 9	8 11	9 11	10 13	11 13	2
3	... ...	... ...	... ...	... ...	9 3	10 2	9 3	8 5	6 8	7 12	8 9	8 14	3
4	7 20	7 19	7 22	7 17	6 17	6 17	7 20	7 19	8 16	8 16	9 15	10 15	4
5	3 8	3 9	2 11	2 10	2 8	1 14	2 8	2 8	32 10	1 11	2 7	5 9	5
6	6 15	5 9	4 7	4 3	... ...	5 6	7 14	7 21	7 24	8 21	9 19	9 14	6
7	7 9	7 5	7 11	8 12	7 12	7 11	7 17	7 14	7 15	6 12	8 13	10 13	7
8	7 8	7 13	7 4	6 4	4 5	4 4	... 1	5 8	4 9	5 10	6 14	7 14	8
9	2 9	4 10	5 11	4 9	4 6	4 9	4 10	4 11	4 14	5 20	6 28	6 25	9
10	5 18	4 13	3 7	3 9	4 10	4 5	4 6	3 7	4 7	6 8	7 9	7 11	10
11	2 6	3 7	3 6	3 6	3 6	2 12	1 10	1 10	1 7	4 17	6 18	7 16	11
12	5 15	6 26	7 24	7 25	7 25	6 24	6 20	6 20	7 21	7 16	7 14	6 13	12
13	2 6	2 6	2 6	3 3	2 7	4 6	4 4	4 2	7 3	7 3	7 3	6 4	13
14	7 8	6 8	7 9	6 7	3 7	2 9	4 6	8 3	5 5	9 8	10 10	10 12	14
15	7 7	7 12	8 12	7 14	8 14	8 12	6 8	5 10	4 11	9 13	9 18	9 18	15
16	7 20	7 19	7 20	7 24	7 17	6 16	6 17	7 21	7 16	7 21	8 21	9 23	16
17	7 21	7 26	7 28	6 26	5 17	6 14	7 18	8 23	8 22	8 26	8 24	8 21	17
18	7 20	7 20	7 18	7 20	7 16	7 18	7 18	7 17	7 18	9 20	9 18	8 19	18
19	7 19	6 18	7 19	7 9	7 6	9 2	... ...	8 2	8 5	9 8	11 8	11 14	19
20	7 18	4 8	4 4	... 1	4 2	5 6	9 7	3 4	5 5	12 4	12 6	13 6	20
21	2 3	1 7	1 12	1 5	... 1	31 3	... ...	31 2	32 2	31 4	3 4	2 7	21
22	4 3	... ...	5 2	5 11	5 7	4 7	4 5	5 8	8 13	10 20	9 19	8 16	22
23	8 15	7 15	7 18	7 20	7 19	7 13	7 15	6 9	6 4	6 9	9 13	10 14	23
24	8 17	7 10	7 8	6 6	4 8	... 1	2 6	1 6	2 11	1 9	7 6	7 10	24
25	8 13	8 14	7 8	6 5	6 4	3 7	2 6	2 6	5 3	7 10	8 10	10 10	25
26	8 5	8 3	... 1	6 2	3 5	2 2	2 3	2 5	1 9	4 5	8 4	11 11	26
27	... ...	... ...	... ...	... ...	... 1	3 6	1 4	2 8	1 13	1 15	1 13	7 12	27
28	32 18	32 15	1 9	1 4	3 3	2 3	1 5	2 4	29 4	... 1	28 4	31 12	28
29	5 5	26 3	28 4	31 7	32 10	32 13	31 12	32 17	1 14	32 7	32 13	32 15	29
30	1 21	32 24	32 23	32 22	32 19	1 16	32 15	32 18	1 17	1 14	2 12	2 11	30
31	7 21	7 24	7 26	6 22	7 21	7 19	6 19	7 17	5 16	5 14	6 16	9 15	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	Dir. Vel.	
1	10 17	11 13	11 13	11 12	10 11	9 10	8 9	8 7	8 8	7 7	7 11	8 10	1
2	10 13	9 14	9 10	9 9	9 10	9 7	9 8	9 7	9 5	9 3	9 3	9 4	2
3	8 16	9 17	10 13	10 11	11 12	11 10	8 10	9 12	9 16	8 16	8 17	8 16	3
4	10 12	10 11	10 16	10 12	10 10	9 9	9 9	8 7	7 5	5 7	2 7	3 8	4
5	6 11	7 13	8 10	8 10	7 8	6 8	5 2	... 1	5 3	5 6	4 4	4 4	5
6	10 15	10 15	9 14	9 11	8 10	8 9	7 8	7 9	6 5	6 3	6 2	8 7	6
7	10 12	10 12	9 13	9 10	10 9	9 8	9 8	9 7	8 9	8 7	8 8	8 9	7
8	8 14	9 12	8 10	8 11	6 11	2 10	1 13	1 7	2 8	2 7	2 6	4 9	8
9	7 24	7 25	7 22	7 26	7 23	7 21	6 20	1 13	2 8	2 9	3 11	4 16	9
10	6 11	3 9	2 10	2 10	2 8	2 8	2 16	2 9	2 7	2 9	2 12	3 11	10
11	8 20	8 18	8 15	7 20	7 18	7 14	7 16	3 11	4 8	4 10	4 15	4 16	11
12	7 12	9 13	10 10	9 12	9 11	9 9	8 8	8 9	5 10	4 6	3 7	2 3	12
13	4 7	28 7	22 7	17 3	20 5	24 7	25 5	25 4	... ...	6 8	8 5	7 5	13
14	10 14	10 10	9 15	9 11	9 10	10 10	9 9	9 7	9 7	9 9	8 10	7 10	14
15	10 20	10 20	9 20	7 19	7 21	7 19	7 18	7 17	7 18	7 15	6 15	8 22	15
16	10 19	10 21	10 19	9 20	8 21	7 22	7 18	7 19	7 19	7 20	7 20	7 24	16
17	7 21	7 21	8 20	7 24	7 20	8 16	8 15	8 12	8 10	7 16	6 17	7 20	17
18	7 20	9 17	8 20	8 19	8 20	7 18	7 18	7 22	7 21	7 23	7 21	7 20	18
19	10 14	10 10	9 12	9 9	10 8	10 8	9 13	9 11	8 12	8 16	7 15	7 15	19
20	22 11	24 9	32 10	32 14	32 13	32 9	32 11	32 8	1 8	2 8	3 2	2 7	20
21	3 3	1 8	2 8	7 8	6 5	29 4	31 2	... ...	31 2	... 1	4 3	4 2	21
22	9 13	9 16	9 13	9 16	8 13	8 12	8 11	8 9	8 9	8 9	7 13	8 13	22
23	10 13	9 11	9 17	9 18	9 20	8 18	8 19	7 19	7 16	7 21	7 21	8 19	23
24	8 12	9 15	10 21	9 22	8 24	7 19	7 11	8 16	8 15	8 13	9 13	8 14	24
25	9 12	9 13	9 12	9 12	9 11	10 13	8 10	8 12	7 11	7 10	7 3	... ...	25
26	11 11	10 10	9 12	9 10	13 7	14 5	... ...	15 3	... 1	... ...	... ...	... ...	26
27	2 7	2 6	1 4	32 5	1 6	28 5	27 5	27 3	30 4	32 5	32 18	32 17	27
28	31 13	28 5	28 5	31 8	30 11	30 7	31 9	2 5	3 5	32 4	1 5	2 9	28
29	32 16	32 17	32 18	32 16	31 14	31 15	32 12	1 19	1 21	1 22	1 24	1 22	29
30	2 9	3 10	5 11	4 7	8 16	8 14	6 11	7 12	8 13	7 11	7 17	7 22	30
31	10 16	9 13	9 16	8 18	7 18	7 15	9 13	8 16	8 20	8 22	8 24	7 26	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of OCTOBER, 1932.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	nb	NE	nb	NE	nb	ENE	st-cu	ENE	cu	NE	a-cu / cu	SSW / NE	st	ENE	cu	ENE
2	cu	ENE	cu	ENE	cu	E	a-cu / cu	W / ENE	cu	ENE	cu	ENE	cu	ENE	st-cu	ENE
3	...	...	cu	E	a-cu / cu	ENE / NE	cu	E	cu	ENE	a-cu	NNE	cu	E	cu	E
4	cu-nb	E	cu	E	cu	ENE	a-cu	NNE	cu	NE	st-cu	N	st-cu	N	st-cu	N
5	st-cu	NE	st-cu	NE	st-cu	NNE	st-cu	NNE	st-cu	NNE	st-cu	N	st-cu	NNE	st-cu	NNE
6	nb	NNE	nb	NNE	nb	ENE	a-cu	NNW	a-cu / cu	NW / ENE	st-cu	ENE	st-cu	ENE	cu	ENE
7	cu	ENE	cu	ENE	a-cu / cu	NNW / ENE	a-cu / cu	NW / ENE	a-cu / cu	NW / ENE	cu	ENE	cu	ENE	cu	ENE
8	cu	ENE	cu	ENE	nb	NE	st-cu	ENE	st-cu	ENE	st-cu	ENE	nb	ENE	st-cu	ENE
9	st-cu	ENE	st-cu	ENE	cu	E	cu	ENE	cu	E	cu	ENE	cu	E	cu	E
10	cu-nb	E	cu-nb	E	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	nb	E	nb	E
11	nb	E	nb	E	nb	ENE	a-cu / cu	SSW / ENE	a-cu / cu	SSW / ENE	cu	ENE	st-cu	E	st-cu	E
12	nb	E	nb	E	a-cu / cu	W / ESE	a-cu	SW	st-cu	SSW	a-cu	WNW	a-cu / cu	SW / NNE	cu	ENE
13	cu	E	a-cu	SW	a-cu	WSW	ci-st	WNW	ci-cu	WSW	ci-st	WSW	a-cu / cu	W / ESE	a-cu	W
14	cu	E	cu	E	a-cu / cu	WSW / ENE	a-cu	WSW	ci-st	WSW	ci-cu / cu	WSW / ENE	ci-st	WSW	a-cu	WSW
15	nb	E	cu	E	nb	E	cu	E	cu	E	cu	E	cu	E	cu	E
16	cu	E	cu	E	...	...	a-cu	WSW	cu	E	cu	E	a-cu	WSW	ci-st	WSW
17	ci-st	WSW	ci-st	WSW	ci-cu	W	ci-st	W	ci-st / cu	W / E	ci-st / cu	W / ESE	ci-st / cu	W / E	a-cu	WNW
18	ci-st	W	ci-st	W	ci-st / cu	W / ESE	ci-st / cu	W / ESE	a-cu / cu	WSW / ESE	a-cu / cu	WSW / E	st-cu	E	st-cu	E
19	cu	E	cu	E	ci-st / cu	WNW / E	st-cu	E	cu	ENE	st-cu	E	st-cu	E	nb	E
20	nb	E	st-cu	E	st-cu	E	st-cu	ESE	nb	ENE	cu	ENE	...	...	...	...
21	...	...	...	...	...	...	st-cu	E	st-cu	NE	st-cu	ENE	...	...	...	...
22	a-cu	SE	cu	E	cu	ENE	cu	E	a-cu	ENE	st-cu	E	st-cu	E	st-cu	E
23	cu	ENE	cu	ENE	cu	E	cu	E	...	...	...	...	cu	E	cu	E
24	cu	E	cu	E	ci-st	NW	...	...	cu	ENE	cu	NE	ci-st	NNW	...	...
25	...	...	cu	NE	cu	NE	...	...	...	...	cu	NNW	...	...	...	...
26	...	...	...	...	ci-st	WNW	ci-st	SSE	ci-st	...	ci-st	...	...	...	...	...
27	...	...	...	...	a-cu / cu	WSW / N	a-cu	WSW	ci-st	WSW	ci-st	SSW	...	...	...	...
28	cu	N	cu	NNW	cu	NE	cu	ENE	cu	ENE	...	...	...	...	...	...
29	...	...	cu	E	nb	E	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE
30	nb	ENE	cu	ENE	nb	ENE	nb	ENE	nb	ENE	st-cu	ENE	cu	ENE	st-cu	ENE
31	nb	ENE	nb	ENE	cu	ENE	cu	ENE	st-cu	ENE	nb	ENE	cu	ENE	cu	ENE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1932.
(British Units.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-10).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·790	81·9	76·9	5·0	78·9	72·8	0·737	75	87	2·3	19	0·005	1	− 0·5	+ 11·0	93	11·0	11·8
2	·768	82·8	77·2	5·6	79·2	74·4	·796	80	87	4·0	34	...	...	− 1·3	+ 8·3	99	8·4	8·5
3	·793	83·0	76·2	6·8	78·9	73·7	·771	78	58	5·6	47	0·035	1	− 1·2	+ 9·0	98	9·1	9·2
4	·854	82·4	76·0	6·4	78·9	70·4	·647	65	87	4·9	42	...	...	+ 0·7	+ 12·9	87	12·9	13·6
5	·920	78·8	73·7	5·1	75·6	66·6	·551	63	100		...	...	...	+ 5·2	+ 4·7	42	7·0	8·0
6	·926	78·3	72·0	6·3	75·2	67·3	·579	66	87	3·8	32	0·025	3	+ 0·7	+ 10·5	86	10·5	10·9
7	·906	80·2	74·5	5·7	76·6	69·0	·623	68	94	2·9	25	...	...	− 0·2	+ 10·5	91	10·5	10·7
8	·920	79·0	71·1	7·9	74·8	69·0	·642	75	100	0·1	1	...	1	+ 3·9	+ 6·7	60	7·8	8·8
9	·958	79·0	71·5	7·5	75·1	68·5	·622	72	96	2·5	21	...	...	+ 7·3	+ 13·1	61	15·0	15·8
10	30·011	77·0	71·0	6·0	73·7	67·8	·613	74	100	...	...	...	2	+ 6·8	+ 5·7	40	8·9	9·6
11	·027	79·5	71·0	8·5	74·7	68·5	·626	73	90	6·5	56	...	...	+ 6·0	+ 9·7	58	11·4	12·6
12	·015	80·3	71·0	9·3	76·2	68·3	·602	66	82	3·6	31	...	...	+ 3·4	+ 13·9	76	14·3	14·8
13	29·935	83·6	70·8	12·8	76·7	69·2	·629	68	42	10·2	88	...	...	+ 1·9	+ 1·0	28	2·1	4·9
14	·864	81·0	73·1	7·9	76·5	70·6	·682	74	42	9·9	85	...	...	− 0·3	+ 8·1	92	8·1	9·0
15	·865	82·0	75·2	6·8	77·3	71·2	·694	75	51	8·3	72	...	1	+ 1·0	+ 15·1	86	15·1	15·5
16	·878	81·5	74·8	6·7	77·0	68·9	·615	67	27	10·8	93	...	...	+ 1·7	+ 19·6	85	19·7	19·9
17	·879	80·0	74·1	5·9	76·3	68·4	·605	66	74	7·2	62	...	...	+ 3·0	+ 19·6	81	19·8	19·9
18	·875	80·7	74·9	5·8	76·0	70·2	·662	72	84	3·1	27	...	...	+ 2·3	+ 19·2	83	19·4	19·2
19	·865	81·9	73·7	8·2	76·7	72·3	·742	81	85	3·2	28	...	...	− 0·6	+ 10·2	93	10·2	10·5
20	·918	81·1	68·3	12·8	74·7	68·3	·619	72	61	1·5	13	...	1	+ 3·9	+ 1·9	26	4·3	7·5
21	·983	77·3	66·2	11·1	71·7	64·2	·516	66	34	3·1	27	...	...	+ 3·2	+ 1·2	21	3·4	4·0
22	·952	79·5	71·7	7·8	74·5	67·9	·607	72	78	3·8	33	...	...	+ 0·2	+ 10·2	89	10·2	10·7
23	·903	80·5	73·2	7·3	75·9	70·3	·677	76	40	9·6	84	...	...	+ 0·7	+ 15·5	88	15·5	15·7
24	·852	84·3	72·3	12·0	76·9	70·5	·673	73	13	10·5	92	...	...	+ 1·4	+ 11·0	83	11·1	12·2
25	·829	81·9	72·1	9·8	75·6	68·3	·609	69	7	10·0	88	...	...	+ 0·5	+ 8·4	87	8·4	9·0
26	·867	81·6	70·3	11·3	74·9	66·1	·542	63	22	9·9	87	...	...	− 0·3	+ 3·4	95	3·4	4·7
27	·849	83·1	72·0	11·1	77·4	67·6	·565	60	30	9·7	85	...	...	+ 6·2	+ 0·6	6	6·2	6·5
28	·795	85·9	74·8	11·1	79·6	69·4	·603	60	44	6·5	58	...	...	+ 6·5	− 0·4	356	6·5	7·0
29	·803	76·5	71·7	4·8	74·0	68·0	·617	74	89	...	...	0·020	3	+ 13·8	+ 0·5	2	13·8	14·0
30	·837	79·0	72·2	6·8	74·8	68·9	·640	74	98	...	...	...	1	+ 10·5	+ 6·7	33	12·4	15·2
31	·926	77·0	72·5	4·5	74·0	69·1	·655	78	95	0·2	2	...	2	+ 2·6	+ 18·3	82	18·5	18·7
Means.	29·889	80·7	72·8	7·9	76·1	69·2	0·637	71	67	Sum. 153·7	43	Sum. 0·085	Sum 16	+ 2·9	+ 9·2	73	9·7	11·6
Normals	29·879	80·7	72·5	8·2	76·1	69·6	0·657	72	51	217·8	61	4·564	33	+ 3·0	+ 10·0	74	10·4	13·5
Absolute Max.	30·079	85·9	...	12·8	...	76·5	0·840	...	...	10·8	93	0·035	3	...	...	...	...	28·0†
Day.	12	28	...	13, 20	...	2	2	...	...	16	16	3	6, 28	...	...	...	...	8/ 11h 17d 8h
Absolute Min.	29·718	...	66·2	4·5	...	59·4	44·3	45	...	...	...	...	...	...	...	...	...	...
Day.	2	...	21	31	...	21	21	26	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1014·1	300·1	295·7	4·4	297·5	293·7	21·6	...	...	...	...	Sum. 2·2	Sum. 16	+ 1·0	+ 3·0	73	3·2	3·8
Normals	1013·8	300·1	295·5	4·6	297·5	293·9	22·3	...	...	...	...	115·9	33	+ 1·0	+ 3·3	74	3·4	4·4
Absolute Max.	1020·5	302·9	...	7·1	...	297·7	28·4	...	...	...	...	0·9	3	...	...	...	...	9·2
Absolute Min.	1008·3	...	292·0	2·5	...	288·2	15·0	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 3 days. The mean hourly intensity was 0·005*ins*, and the maximum fall in one hour was 0·035*ins* at 11*h* on the 3rd.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 38 miles per hour from E.N.E. at 3*h* 40*m* on the 17th.

No clouds with base less than 2,000 feet high were observed in October.

*0°=N., 90°=E., &c.

† Maximum velocity for one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1932.
(*British Units.*)

Hours. Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10).	Percentage of Possible Sunshine.	Rainfall. Amount.	Wind. Components. North	Wind. Components. East	Wind. Resultant. Direction	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	ins.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·893	74·7	69·3	0·655	76	72		0·005	+ 4·2	+ 9·8	67	10·7	11·9
2	·882	74·5	69·1	·650	76	73		...	+ 4·5	+ 9·2	64	10·3	11·7
3	·874	74·3	68·7	·639	76	79		...	+ 4·1	+ 9·0	66	9·9	11·3
4	·869	74·2	68·6	·636	76	75		0·005	+ 4·1	+ 8·4	64	9·4	10·4
5	·872	74·0	68·4	·632	76	75		0·020	+ 3·9	+ 7·4	62	8·4	9·5
6	·885	73·8	68·0	·620	75	74	...	...	+ 4·8	+ 6·9	55	8·4	9·5
7	·901	73·8	68·0	·620	75	70	24	...	+ 4·5	+ 7·1	58	8·4	9·5
8	·917	75·0	68·5	·624	72	63	48	...	+ 5·1	+ 7·7	57	9·2	10·6
9	·928	76·6	69·0	·624	68	63	50	...	+ 5·2	+ 8·1	57	9·6	11·1
10	·934	77·7	69·2	·618	65	64	57	...	+ 3·2	+10·0	72	10·5	12·4
11	·923	78·6	69·6	·622	64	63	51	0·035	+ 1·6	+11·1	82	11·2	12·8
Noon.	·904	79·1	69·7	·620	63	63	57	...	+ 0·7	+11·4	86	11·4	13·0
13	·880	79·5	69·9	·623	62	65	51	0·010	— 0·2	+11·2	91	11·2	13·8
14	·859	79·2	70·0	·630	63	66	46	0·010	— 0·4	+10·6	92	10·6	13·4
15	·848	78·7	69·9	·632	64	62	45	...	— 0·3	+11·1	92	11·1	13·4
16	·845	77·9	69·7	·633	66	65	40	...	+ 0·9	+11·4	85	11·4	13·3
17	·851	77·3	69·5	·633	68	65	27	...	+ 1·2	+10·7	84	10·8	13·0
18	·861	76·2	69·5	·646	71	71	...	..	+ 1·6	+ 8·8	80	9·0	11·6
19	·875	75·7	69·5	·651	73	63		...	+ 2·9	+ 8·2	70	8·7	10·8
20	·895	75·5	69·6	·657	74	63		...	+ 2·5	+ 8·1	73	8·5	10·2
21	·909	75·3	69·6	·659	75	64		...	+ 2·8	+ 8·0	71	8·5	9·7
22	·915	75·1	69·5	·658	76	65		...	+ 3·3	+ 8·6	69	9·2	10·4
23	·914	75·0	69·3	·652	75	65		...	+ 4·4	+ 8·9	64	9·9	11·3
Midn.	·907	74·7	69·1	·648	76	69		...	+ 4·2	+10·0	67	10·9	12·3

Phenomena :—

Solar halo :—on the 17th and 27th.

Solar corona :—on the 26th.

Lunar halo :—on the 16th, 17th and 18th.

Lunar corona :— on the 13th, 14th and 18th.

Haze :—on the 20th.

Unusual visibility :—on the 15th.

ADOPTED ERRORS OF TIMEBALL, OCTOBER, 1932.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	— 0·1	11	0·0	21	— 0·1
2	0·0	12	0·0	22	0·0
3	0·0	13	0·0	23	0·0
4	+ 0·1	14	— 0·1	24	0·0
5	0·0	15	— 0·1	25	0·0
6	0·0	16	— 0·1	26	— 0·1
7	0·0	17	0·0	27	— 0·1
8	+ 0·1	18	+ 0·1	28	0·0
9	0·0	19	0·0	29	— 0·1
10	0·0	20	0·0	30	— 0·1
				31	— 0·1

+ = Late ; — = Early.

The above may also be regarded as the errors of the time signals by radio telegraphy and by signal lights.

The probable error for the month was ± 0·10

October 3*d* 10*h* Wireless time-signals emitted 29*s* slow.

October 6*d* 21*h* Wireless time-signals emitted about 14*s* fast.

* 0° = N, 90° = E, &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

OCTOBER,

1932.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th September, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	1st October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.14	765.5	...	...	SE	3	...	5	29.78	756.5	...	...	ESE	3	...
Hokodate,	,,	29.94	760.5	...	...	ESE	3	...	,,	29.80	757.0	...	...	...	...	...
Tokio,	,,	29.92	760.0	...	...	N	1	...	,,	29.82	757.5	..	...	...	...	...
Kochi,	,,	29.86	758.5	...	...	...	0	...	,,	29.90	759.5	...	...	SW	1	...
Nagasaki,	,,	29.94	760.5	...	...	NNE	1	...	,,	29.96	761.0	...	...	...	...	...
Kagoshima,	,,	29.88	759.0	...	...	NNW	1	...	,,	29.90	759.5	...	...	NNW	1	...
Oshima,	,,	29.88	759.0	...	...	N	2	...	,,	29.84	758.0	...	...	NNE	1	...
Naha,	,,	29.84	758.0	...	...	NNE	3	...	,,	29.82	757.5	...	...	NNE	3	...
Ishigakijima,	,,	*29.86*	758.5	...	...	NNE	1	...	,,	29.80	757.0	...	...	NE	1	...
Bonin Island,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.78	756.5	...	...	ESE	1	...
Chefoo,	15	29.81	757.1	83	6	SSW	4	b	6	29.80	757.0	70	6	SW	2	o
Shanghai,	14	30.00	761.9	85	8	NW	2	b	,,	30.00	762.0	63	6	E	2	b
Gutzlaff,	,,	30.05	763.2	79	4	NW	2	z	,,	30.05	763.2	68	6	SE	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.92	759.9	75	8	E	4	b	7	29.97	761.2	73	8	N	2	b
Amoy,	,,	29.87	758.7	86	6	E	4	b	6	29.92	759.9	74	6	NNW	4	b
Swatow,	..	29.90	759.5	81	...	ESE	3	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.93	760.2	81	...	E	4	c	5	29.88	758.9	72	...	E	2	o
Taichu,	,,	29.85	758.2	85	...	N	2	b	,,	29.84	757.9	72	...	...	o	b
Tainan,	,,	29.83	757.7	86	...	N	2	bc	,,	29.80	757.0	74	...	...	o	bc
Koshun,	,,	29.80	757.0	85	...	NE	4	bc	,,	29.78	756.3	77	...	NE	4	bc
Pescadores,	,,	29.86	758.4	83	...	NNE	6	o	,,	29.81	757.2	77	...	NNE	4	b
Hong Kong,	14	29.84	757.9	80	7	E	3	c	6	29.84	757.9	79	7	ENE	3	o
Gap Rock,	,,	29.86	758.4	81	8	ENE	3	c	,,	29.85	758.2	81	8	E	4	o
Macao,	,,	29.83	757.7	85	6	ESE	2	bc	,,	...	...	77	4	SE	2	o
Hoihow,	,,	29.92	759.9	86	1	ENE	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.81	757.2	85	8	NE	4	bc	6	29.81	757.2	79	8	NE	4	o
Phulien,	15	29.84	758.0	85	8	S	2	o	7	29.86	758.3	75	8	...	o	o
Tourane,	,,	29.82	757.3	77	8	NW	2	o	,,	29.82	757.3	73	8	N	7	r
Cape St. James,	,,	29.83	757.7	86	8	S	2	bc	,,	29.86	758.3	73	7	N	1	o
Basco,	14	29.72	755.0	83	6	NE	4	o	6	29.73	755.0	79	6	NE	2	o
Aparri,	,,	29.72	754.9	91	8	N	4	b	,,	29.73	755.2	76	8	WSW	2	c
Tuguegarao,	,,	29.67	753.7	94	8	...	o	bc	,,	29.73	755.2	77	1	...	o	o
Vigan,	,,	29.70	754.4	86	8	WNW	4	bc	,,	29.73	755.2	79	8	...	o	o
Manila,	,,	29.71	754.6	86	8	WSW	2	o	,,	29.75	755.5	76	6	...	o	b
Legaspi,	,,	29.70	754.4	85	6	SW	4	o	,,	29.72	754.8	77	6	...	o	o
Calboyog,	,,	29.73	755.2	85	8	SW	4	o	,,	29.75	755.6	81	8	SSW	6	c
Tacloban,	,,	29.74	755.4	77	6	SW	2	d	,,	29.76	756.0	79	8	...	o	o
Iloilo,	,,	29.74	755.5	72	8	SW	4	o	,,	29.76	755.8	79	6	SSW	4	o
Cebu,	,,	29.74	755.3	85	8	SW	6	o	,,	29.76	755.8	79	8	WSW	4	o
Surigao,	...	29.72	754.9	85	6	...	o	o	,,	29.76	755.9	81	4	...	c	r
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.8	...	6	SW	2	o	4.22	29.81	757.1	...	6	...	o	o
Yap,	11.00	29.82	757.3	...	6	SW	4	bc	5	29.86	758.5	...	6	SSW	2	c
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	6	NE	4	bc	6	29.89	759.1	76	...	S	...	bc

October 1*d.* 10*h.* 40*m.* – A weak anticyclone is situated over East China.

Pressure is relatively low over the Pacific to the east of North Luzon.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.17 inches, against an average of 75.93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
A.—Shanghai to Turnabout,	N. or variable winds, light to moderate.
B.—Turnabout to Hong Kong,	N.E. winds, moderate.
C.—Hong Kong to Gap Rock,	E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits,	E. winds, moderate; fair.
E.—North China Sea,	N.E. winds, moderate.

B. D. EVANS,—*Assistant Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	2nd October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.83	757.7	66	...	SSE	2	c	6	29.77	756.2	61	....	....	0	0
Nemuro,	11	29.65	753.0	...	...	NNE	2	...	5	29.84	758.0	...	...	WNW	1	..
Hokodate,	,,	29.78	756.5	...	...	W	1	...	,,	29.94	760.5	...	...	...	...	...
Tokio,	,,	29.82	757.5	...	...	S	1	...	,,	29.98	761.5	..	...	NW	1	...
Kochi,	,,	29.90	759.5	...	...	...	0	...	,,	29.94	760.5	....	...	SW	1	...
Nagasaki,	,,	29.94	760.5	...	...	NE	1	...	,,	29.90	759.5	....	...	...	0	...
Kagoshima,	,,	29.90	759.5	...	...	ESE	1	...	,,	29.90	759.5	...	...	NW	1	...
Oshima,	,,	29.86	758.5	...	...	NE	1	...	,,	29.84	758.0	...	...	SSE	1	...
Naha,	,,	29.82	757.5	...	...	NNE	3	...	,,	29.84	758.0	...	...	NE	1	...
Ishigakijima,	,,	29.84	758.0	...	...	NE	3	...	,,	29.80	757.0	...	...	NNE	1	...
Bonin Island,	,,	29.76	756.0	...	...	SE	1	...	,,	29.73	755.0	...	...	ESE	1	...
Chefoo,	15	29.81	757.1	74	6	NW	6	be	6	29.78	756.4	59	6	...	0	b
Shanghai,	14	29.94	760.6	77	6	S	2	c	,,	29.98	761.4	63	4	SE	2	b
Gutzlaff,	,,	30.01	762.3	77	6	ESE	2	be	,,	29.98	761.5	70	6	SSE	2	be
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.89	759.2	76	8	E	2	b	7	29.90	759.4	71	8	NNW	2	b
Amoy,	,,	29.88	758.9	85	8	ENE	2	b	6	29.90	759.4	74	6	NE	2	b
Swatow,	,,	29.92	760.0	72	...	NNE	1	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.90	759.5	81	...	E	4	o	5	29.84	758.0	72	...	E	2	b
Taichu,	,,	29.85	758.2	88	...	...	0	bc	,,	29.83	757.6	74	...	...	0	bc
Tainan,	,,	29.83	757.6	88	...	WNW	2	bc	,,	29.79	756.6	76	...	...	0	b
Koshun,	,,	29.83	757.6	83	...	NNE	2	o	,,	29.78	756.4	76	...	N	2	b
Pescadores,	,,	29.84	758.0	83	...	NNE	4	b	,,	29.80	757.0	77	...	NNE	4	b
Hong Kong,	14	29.81	757.2	80	8	E	4	c	6	29.83	757.7	78	8	NE	1	c
Gap Rock,	,,	29.83	757.7	81	8	ENE	4	c	,,	29.83	757.7	80	8	ENE	3	o
Macao,	,,	29.81	757.1	81	4	SE	2	c	,,	29.81	757.2	76	4	ENE	2	c
Hoihow,	,,	29.77	756.1	86	...	ENE	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.80	757.0	85	8	NE	4	bc	6	29.81	757.1	79	8	NE	4	o
Phulien,	15	29.79	756.6	86	8	S	2	bc	7	29.82	757.4	76	8	ENE	4	t
Tourane,	,,	29.76	756.0	83	8	NE	3	bc	,,	29.80	757.0	77	8	SW	2	b
Cape St. James,	,,	29.80	757.0	85	8	S	2	c	,,	29.84	757.9	76	8	...	0	c
Basco,	14	29.70	754.4	81	6	NE	2	o	6	29.71	754.7	79	6	NE	2	o
Aparri,	,,	29.70	754.3	88	8	N	4	o	,,	29.71	754.7	77	6	W	2	p
Tuguegarao,	,,	29.65	753.1	94	8	...	0	bc	,,	...	...	....	...	...	...	...
Vigan,	,,	29.68	753.8	86	8	WNW	4	b	,,	29.71	754.6	77	8	...	0	bc
Manila,	,,	29.71	754.6	91	8	W	2	bc	,,	29.76	755.9	76	6	...	0	c
Legaspi,	,,	29.69	754.0	86	8	WSW	4	c	,,	29.73	755.0	77	6	WSW	2	b
Calboyog,	,,	29.72	754.9	86	8	WSW	4	bc	,,	29.77	756.1	79	8	WNW	2	bc
Tacloban,	,,	29.71	754.7	86	8	NE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.9	88	8	SW	4	bc	,,	29.78	756.3	79	6	SW	4	o
Cebu,	,,	29.71	754.5	83	8	WNW	4	a	,,	...	...	..	..	...	...	...
Surigao,	...	29.71	754.6	88	8	W	2	b	,,	29.78	756.3	76	4	...	c	d
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.77	756.1	...	6	...	0	o	4.22	29.80	757.0	..	6	...	0	o
Yap,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	...	6	SSW	2	b
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.4	85	6	SW	6	bc	6	...	...	...	...	...	...	...

October 2d. 10h. 26m.—A weak anticyclone extends from the mouth of the Yangtze to central Japan; pressure remains low over the Pacific to the east of the Philippines.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.17 inches, against an average of 76.22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. winds, moderate.
B.—Turnabout to Hong Kong,	N.E. winds, moderate; cloudy, probably some rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.81	757.1	63	...	SSE	1	o	6	29.80	756.8	57	...	SE	3	o
Nemuro,	11	29.92	760.0	...	...	NE	1	...	5	29.96	761.0	...	...	S	1	...
Hokodate,	,,	29.92	760.0	...	...	SSW	1	...	,,	29.86	758.5	...	...	...	...	...
Tokio,	,,	29.96	761.0	...	...	NE	1	...	,,	29.88	759.0	..	...	NNW	1	...
Kochi,	,,	29.88	759.0	...	...	...	0	...	,,	29.84	758.0	...	...	WSW	1	...
Nagasaki,	,,	29.88	759.0	...	...	W	1	...	,,	29.90	759.5	...	...	...	...	...
Kagoshima,	,,	29.86	758.5	...	...	...	0	...	,,	29.86	758.5	...	...	NNW	1	...
Oshima,	,,	29.82	757.5	...	...	N	2	...	,,	29.80	757.0	...	...	SE	1	...
Naha,	,,	29.80	757.0	...	...	NE	1	...	,,	29.78	756.5	...	...	NNE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	ENE	1	...	,,	29.78	756.5	...	...	NE	1	...
Bonin Island,	,,	29.65	753.0	...	...	ESE	1	...	,,	29.57	751.0	...	...	ESE	2	...
Chefoo,	15	29.78	756.5	70	8	NW	8	b	6	29.90	759.5	63	8	NW	8	be
Shanghai,	14	29.89	759.3	83	6	NW	2	be	,,	29.98	761.5	61	6	NNW	2	be
Gutzlaff,	,,	29.93	760.2	79	6	SSW	2	b	,,	30.03	762.7	70	4	NNW	4	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.84	757.9	75	8	E	2	b	7	29.93	760.2	73	8	N	2	b
Amoy,	,,	29.73	755.1	86	6	NE	2	b	6	29.86	758.4	76	6	E	2	b
Swatow,	,,	29.83	757.6	81	...	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.85	758.2	85	...	NE	4	be	5	29.86	758.5	68	...	...	o	be
Taichu,	,,	29.83	757.6	85	...	...	o	be	,,	29.80	757.0	70	...	...	o	b
Tainan,	,,	29.81	757.2	88	...	NW	2	be	,,	29.77	756.1	72	...	N	2	b
Koshun,	,,	29.80	756.8	85	...	NE	2	be	,,	29.76	755.9	77	...	NE	4	c
Pescadores,	,,	29.83	757.6	72	...	NE	4	b	,,	29.80	757.0	77	...	NNE	6	b
Hong Kong,	14	29.79	756.6	80	7	E	3	c	6	29.82	757.4	77	7	...	o	b
Gap Rock,	,,	29.81	757.2	81	8	ENE	3	c	,,	29.82	757.4	80	8	E	3	b
Macao,	,,	29.78	756.5	81	4	SE	2	o	,,	29.86	758.5	76	6	...	o	o
Hollow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.77	756.1	85	8	NE	4	b	6	29.79	756.7	79	8	NE	4	be
Phulien,	15	29.77	756.1	81	8	SSE	3	c	7	29.80	757.0	75	7	ENE	3	f
Tourane,	,,	29.73	755.2	86	8	N	1	be	,,	29.78	756.4	73	8	WNW	1	r
Cape St. James,	,,	29.78	756.5	84	7	SW	1	li	,,	29.83	757.6	77	6	NW	4	o
Basco,	14	29.68	753.8	85	6	NE	4	o	6	29.71	754.7	81	6	NNE	4	o
Aparri,	,,	29.68	753.8	86	6	N	2	o	,,	29.71	754.6	77	6	NW	2	p
Tuguegarao,	,,	29.65	753.1	88	6	...	o	be	,,	29.72	754.8	76	1	...	o	be
Vigan,	,,	29.68	753.8	88	8	WSW	2	o	,,	29.71	754.6	76	8	...	o	c
Manila,	,,	29.70	754.3	88	8	WSW	4	be	,,	29.74	755.4	77	6	...	o	o
Legaspi,	,,	29.68	753.8	88	8	WSW	4	b	,,	29.74	755.3	76	6	WSW	2	o
Calboyog,	,,	29.72	754.9	86	8	SW	6	be	,,	29.76	756.0	83	8	SW	4	o
Tacloban,	,,	29.69	754.2	91	8	SSW	4	o	,,	29.78	756.5	79	8	WNW	2	be
Iloilo,	,,	29.72	755.0	81	8	SSW	4	o	,,	29.78	756.3	76	6	SSW	4	o
Cebu,	,,	29.71	754.7	88	8	SW	4	be	,,	29.78	756.3	81	8	WSW	2	be
Surigao,	...	29.71	754.7	86	8	W	4	be	,,	29.78	756.3	77	4	...	o	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.79	756.6	78	...	SE	3	o
Guam,	12.22	29.76	755.9	...	6	NW	4	o	4.22	29.74	755.4	...	6	...	o	o
Yap,	11.00	29.81	757.1	...	6	...	o	be	5	29.84	757.8	...	8	...	o	be
Pelew,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	78	...	...	o	b
Lamian,	14	29.95	760.8	81	6	NW	...	o	6	29.89	759.2	74	...	W	...	be

October 3d. 10h. 35m.—The anticyclone has moved into the Pacific to the east of Japan, and another is developing over N. China. A depression is indicated to the south-west of the Bonins.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.17 inches, against an average of 76.52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. and N.E. winds, fresh.
B.—Turnabout to Hong Kong,	N.E. winds, moderate to fresh; cloudy, occasional rain.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd October, 1932.								4th October, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.80	756.8	39	...	NW	6	f	6	29.75	755.6	48	...	NW	8	o
Nemuro,	11	29.92	760.0	...	...	SSW	2	...	5	29.82	757.5	...	...	SE	1	..
Hokodate,	,,	29.84	758.0	...	...	NNW	1	...	,,	29.69	754.0	...	...	...	0	...
Tokio,	,,	29.86	758.5	...	...	ENE	1	...	,,	29.65	753.0		...	N	1	...
Kochi,	,,	29.82	757.5	...	...	...	0	...	,,	29.71	754.5	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	N	2	...	,,	29.86	758.5	...	..	N	1	...
Kagoshima,	,,	29.84	758.0	...	...	N	1	...	,,	29.80	757.0	...	...	...	0	...
Oshima,	,,	29.82	757.5	...	...	N	3	...	,,	29.78	756.5	...	...	N	3	...
Naha,	,,	29.80	757.0	...	...	NNE	3	...	,,	29.80	757.0	...	...	N	...	...
Ishigakijima,	,,	29.82	757.5	...	...	NE	2	...	,,	29.86	758.5	...	...	NNE	1	...
Bonin Island,	,,	29.53	750.0	...	...	SE	6	...	,,	29.41	747.0	...	...	S	6	...
Chefoo,	15	29.98	761.5	63	6	NNW	8	c	6	30.03	762.8	61	6	N	6	bc
Shanghai,	14	30.05	763.3	77	6	NW	4	c	,,	30.08	763.9	54	6	WNW	4	b
Gutzlaff,	,,	30.08	764.0	76	4	N	4	m	,,	30.10	764.5	63	6	NNW	4	c
Wenchow,	,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.93	760.2	76	6	E	4	b	7	30.02	762.5	72	6	N	2	b
Amoy,	,,	29.94	760.5	86	6	NE	2	b	6	29.97	761.2	77	6	NE	4	b
Swatow,	..	29.92	759.9	73	...	NE	1	b	,,	29.99	761.7	70	...	NNE	1	b
Taihoku,	11	29.93	760.1	83	...	E	4	m	5	29.95	760.7	70	...	E	2	o
Taichu,	,,	29.84	758.0	83	...	N	2	b	,,	29.86	758.5	72	...	N	2	bc
Tainan,	,,	29.82	757.4	85	...	N	2	c	,,	29.85	757.6	70	...	NNE	2	b
Koshun,	,,	29.80	756.8	72	...	NE	4	b	,,	29.81	757.1	77	...	NE	4	c
Pescadores,	,,	29.85	758.2	86	...	NE	6	b	,,	29.84	757.9	76	...	NE	6	b
Hong Kong,	14	29.83	757.8	83	7	E	3	bc	6	29.88	758.9	78	7	ENE	3	o
Gap Rock,	,,	29.85	758.2	81	8	ENE	4	o	,,	29.87	758.7	80	7	ENE	4	o
Macao,	,,	29.83	757.8	81	4	ESE	2	c	,,	29.85	758.2	77	4	ESE	2	o
Hoihow,	..	29.91	759.7	85	...	E	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.80	757.0	85	8	NE	6	b	6	29.85	758.2	79	8	NE	6	c
Phulien,	15	29.78	756.3	84	8	SE	4	t	7	29.89	759.1	75	8	NE	3	o
Tourane,	,,	29.74	755.4	86	8	NW	1	c	,,	29.82	757.5	75	7	WNW	1	t
Cape St. James,	,,	29.78	756.4	82	8	WSW	2	c	,,	29.83	757.7	75	3	W	1	o
Basco,	14	29.69	754.1	83	6	NNE	4	o	6	29.76	755.8	79	6	NE	4	c
Aparri,	,,	29.69	754.1	85	6	NNW	4	o	,,	29.75	755.6	81	8	N	4	p
Tuguegarao,	,,	29.67	753.6	85	6	...	0	o	,,	29.76	755.9	76	1	...	0	bc
Vigan,	,,	29.68	753.8	86	8	NW	4	o	,,	29.73	755.0	76	6	...	0	o
Manila,	,,	29.71	754.7	86	8	WSW	4	bc	,,	29.76	755.8	79	6	SSW	2	r
Legaspi,	,,	29.69	754.0	88	6	SW	4	o	,,	29.74	755.4	79	6	WSW	2	bc
Calbayog,	,,	29.72	754.8	88	8	SW	4	bc	,,	29.76	756.0	83	8	SW	4	bc
Tacloban,	,,	29.71	754.6	91	8	ESE	2	bc	,,	29.78	756.3	79	6	...	0	bc
Iloilo,	,,	29.72	755.0	86	6	SW	4	o	,,	29.78	756.5	79	6	S	2	o
Cebu,	,,	29.71	754.7	86	8	SSW	6	bc	,,	29.78	756.3	77	8	WSW	2	bc
Surigao,	...	29.72	754.9	91	6	W	2	bc	,,	29.78	756.3	76	4	...	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.6	...	6	NE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.3	...	8	W	2	bc	5	29.86	758.3	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	..	..	...	...	...	...	...	...
Labuan,	14	29.86	758.4	86	6	W	6	bc	6	29.89	759.2	76	...	...	...	d

October 4*d*. 10*h*. 10*m*. - The anticyclone over N. China continues to increase in intensity; the depression is situated about 100 miles west of the Bonins, moving north-eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inch. Total since January 1st, 87.21 inches, against an average of 76.83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, fresh; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	4TH OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	5TH OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.30	744.3	43	...	SE	7	c	6	29.14	740.1	48	...	SE	9	8
Nemuro,	11	29.76	756.0	...	...	E	2	...	5	29.25	743.0	...	...	NNE	5	...
Hokodate,	,,	29.65	753.0	...	...	SW	1	...	,,	29.45	748.0	...	...	...	0	...
Tokio,	,,	29.51	749.5	...	...	N	3	...	,,	29.67	753.5		...	NNW	1	...
Kochi,	,,	29.63	752.5	...	...	NW	1	...	,,	29.84	758.0	...	...	SW	1	...
Nagasaki,	,,	29.82	757.5	...	...	N	3	...	,,	29.90	759.5	...	..	...	...	...
Kagoshima,	,,	29.76	756.0	...	...	NW	2	...	,,	29.88	759.0	..	...	NW	1	...
Oshima,	,,	29.82	757.5	...	...	N	3	...	,,	29.90	759.5	...	...	N	2	...
Naha,	,,	29.86	758.5	...	...	NNE	4	...	,,	29.90	759.5	...	...	NNE	5	...
Ishigakijima,	,,	29.90	759.5	...	...	NNE	2	...	,,	29.92	760.0	...	...	NNE	1	...
Ponin Island,	,,	29.57	751.0	...	...	WSW	4	...	,,	29.78	756.5	...	...	...	0	...
Chefoo,	15	...	...	...	...	...	...	...	6	30.06	763.6	63	8	NW	6	b
Shanghai,	14	30.08	764.0	74	6	NW	4	c	,,	30.16	766.1	54	6	WNW	4	b
Gutzlaff,	,,	30.10	764.5	72	6	NNW	4	be	,,	30.18	766.6	63	6	NW	6	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.98	761.5	73	8	NE	4	b	7	30.12	765.0	69	8	NNE	2	b
Amoy,	,,	29.94	760.5	85	8	ENE	2	b	6	30.03	762.7	72	6	NE	4	b
Swatow,	,,	29.95	760.8	79	...	E	3	b	,,	30.00	761.9	70	...	NNE	1	b
Taihoku,	11	30.00	762.0	77	...	ENE	4	o	5	30.04	763.0	63	...	...	o	be
Taichu,	,,	29.89	759.3	79	...	N	4	c	,,	29.95	760.8	67	...	...	c	b
Tainan,	,,	29.86	758.5	85	...	N	2	be	,,	29.91	759.6	67	...	NE	2	b
Koshun,	,,	29.85	758.2	81	...	NE	4	b	,,	29.89	759.1	74	...	NE	4	be
Pescadores,	,,	29.90	759.5	79	...	NE	6	o	,,	29.93	760.1	74	...	NE	6	b
Hong Kong,	14	29.90	759.4	81	6	E	2	c	6	29.97	761.2	74	6	N	3	o
Gap Rock,	,,	29.90	759.4	81	8	ENE	5	b	,,	29.94	760.5	79	8	NE	4	o
Macao,	,,	29.89	759.1	83	4	NE	2	c	,,	29.95	760.7	74	4	NNE	2	o
Hoihow,	,,	30.01	762.3	88	...	ESE	4	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.4	83	8	NE	6	b	6	29.92	760.0	77	8	NE	6	be
Phulien,	15	29.90	759.4	77	8	NE	4	o	7	30.00	762.0	70	6	NE	2	o
Tourane,	,,	29.79	756.7	83	8	ENE	2	be	,,	29.86	758.3	81	6	NE	2	o
Cape St. James,	,,	29.77	756.1	85	6	WSW	2	be	,,	29.86	758.3	75	7	ENE	1	o
Basco,	14	29.75	755.6	83	6	NE	4	be	6	29.84	757.9	79	6	NE	4	o
Aparri,	,,	29.73	755.2	83	6	NNE	4	o	,,	29.84	758.0	76	6	NNE	2	o
Tuguegarao,	,,	29.71	754.6	83	6	...	o	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.73	755.2	88	8	NNW	4	be	,,	29.78	756.3	74	8	NNE	2	be
Manila,	,,	29.76	756.0	83	8	SW	4	o	,,	29.80	757.0	76	6	E	2	be
Legaspi,	,,	29.74	755.3	79	6	...	o	o	,,	29.78	756.5	76	6	...	o	o
Calboyog,	,,	29.73	755.2	88	8	SW	4	be	,,	29.81	757.1	77	8	...	o	o
Taclobun,	,,	29.72	755.0	83	6	SSE	4	s	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.5	91	8	SW	4	o	,,	29.80	757.0	79	6	S	2	o
Cebu,	,,	29.72	755.0	86	8	SSW	4	be	,,	...	...	...	...	...	...	...
Surigao,	...	29.72	754.9	88	8	W	2	be	,,	29.84	757.9	81	4	W	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	75	...	...	o	c
Guam,	12.22	29.73	755.2	...	6	...	o	o	4.22	29.80	756.8	...	6	...	o	o
Yap,	11.00	29.82	757.3	...	6	...	o	be	5	29.88	758.8	...	6	...	o	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	80	...	...	o	be
Labuan,	14	29.94	760.6	81	..	W	...	be	6	29.90	759.4	76	4	SE	6	be

October 5*d.* 10*h.* 35*m.* – The anticyclone over N. China has increased slightly in intensity; the depression is situated immediately to the east of Hokkaido.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.21 inches, against an average of 77.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. and N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, moderate; cloudy.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	6th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather.
Vladivostock,	12	29.73	755.1	39	...	...	0	b	6	29.91	759.6	46	...	...	...	b
Nemuro,	11	29.37	746.0	...	...	NNE	1	...	5	29.67	753.5	...	...	NNE	1	...
Hokodate,	,,	29.47	748.5	...	...	WSW	3	...	,,	29.73	755.0	...	...	NW	1	...
Tokio,	,,	29.70	754.5	...	...	N	1	...	,,	29.88	759.0	...	...	NW	1	...
Kochi,	,,	29.84	758.0	...	...	...	0	...	,,	30.00	762.0	...	...	WSW	1	...
Nagasaki,	,,	29.94	760.5	...	...	WNW	3	...	,,	30.04	763.0	...	...	...	0	...
Kagoshima,	,,	29.92	760.0	...	...	NW	2	...	,,	30.02	762.5	...	...	NW	2	...
Oshima,	,,	29.94	760.5	...	...	N	2	...	,,	29.94	760.5	...	...	N	1	...
Naha,	,,	29.96	761.0	...	...	N	4	...	,,	29.94	760.5	...	...	NNE	3	...
Ishigakijima,	,,	...	...	...	...	NNE	3	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.80	757.0	...	...	...	0	...	,,	29.80	757.0	...	...	...	0	...
Chefoo,	15	30.02	762.4	70	8	NW	4	b	6	30.02	762.6	59	6	SW	2	b
Shanghai,	14	30.13	765.4	77	6	N	4	b	,,	30.19	766.7	54	6	NW	2	b
Gutzlaff,	,,	30.17	766.3	70	4	N	4	z	,,	30.20	767.1	67	6	NNW	4	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.07	763.0	71	8	E	4	b	,,	30.10	764.5	68	6	N	2	b
Amoy,	,,	30.02	762.5	77	6	E	2	b	6	30.06	763.5	68	6	N	4	b
Swatow,	,,	30.02	762.6	77	...	E	3	b	,,	30.07	763.8	64	...	N	1	b
Tailoku,	11	30.06	763.6	79	...	E	4	bc	5	30.04	763.0	61	...	...	0	b
Taichin,	,,	29.97	761.3	81	...	N	2	b	,,	29.97	761.3	65	...	...	0	b
Tainan,	,,	29.96	760.9	79	...	NNE	4	b	,,	29.93	760.2	65	...	SE	2	b
Koshun,	,,	29.93	760.3	77	...	NE	6	c	,,	29.91	759.8	74	...	NE	4	b
Pescadores,	,,	29.98	761.6	79	...	NE	6	bc	,,	29.95	760.6	74	...	NE	4	b
Hong Kong,	14	29.96	761.0	79	7	E	3	c	6	29.99	761.7	72	6	NE	1	cd
Gap Rock,	,,	29.95	760.7	79	8	ENE	4	c	,,	29.98	761.5	79	8	NE	4	c
Macau,	,,	29.95	760.7	77	4	NNE	2	c	,,	29.95	760.7	74	4	NE	2	c
Hoihow,	,,	29.99	761.7	83	...	NE	2	b	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.2	81	6	NE	4	b	6	29.95	760.8	77	8	NE	6	bc
Phulien,	15	29.98	761.6	68	8	NNE	4	c	7	30.00	761.9	70	7	ENE	2	c
Tourane,	,,	29.83	757.6	77	6	ENE	4	c	,,	29.87	758.7	79	4	ENE	2	c
Cape St. James,	,,	29.82	757.4	79	8	E	2	bc	,,	29.87	758.6	75	7	N	1	c
Basco,	14	29.83	757.7	...	6	NE	4	c	6	29.87	758.8	77	6	NE	4	bc
Aparri,	,,	29.80	757.0	85	6	NNE	4	c	,,	29.87	758.6	74	6	...	0	p
Tuguegarao,	,,	29.79	756.7	81	6	...	0	c	,,	29.85	758.2	72	1	...	0	c
Vigan,	,,	29.74	755.1	91	8	NW	2	b	,,	29.81	757.2	76	8	...	0	c
Manila,	,,	29.76	755.9	86	6	SW	4	c	,,	29.84	757.8	76	6	...	0	c
Legaspi,	,,	29.77	756.1	79	6	ENE	2	c	,,	29.81	757.2	74	6	...	0	bc
Calbayog,	,,	29.78	756.3	85	8	WNW	2	c	,,	29.83	757.6	76	8	...	0	bc
Tacloban,	,,	29.76	755.9	88	...	NW	4	c	,,	29.84	758.0	78	8	...	0	bc
Iloilo,	,,	29.76	755.8	88	8	SW	4	c	,,	29.83	757.7	76	6	NE	2	c
Cebu,	,,	29.74	755.3	86	...	SSW	4	c	,,	29.83	757.7	79	8	...	0	c
Surigao,	...	29.76	755.8	88	8	W	4	bc	,,	29.82	757.4	76	4	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	15	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	6	...	0	c	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.83	757.7	...	8	E	2	bc	5	29.89	759.3	...	1	E	2	b
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.97	761.3	86	6	NW	...	bc	6	29.89	759.3	76	4	NE	4	bc

October 6d. 9h. 52m. —The anticyclone remains stationary over N. China; the depression is situated to the east of Hokkaido.

Moderate to fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 87.23 inches, against an average of 77.40 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th OCTOBER, 1932.									7th OCTOBER, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	30.20	767.0	50	...	...	...	...		6	30.02	762.6	39	...	...	0	c	
Nemuro,	11	29.76	756.0	...	...	SE	1	...		5	30.02	762.5	...	...	SSW	1	..	
Hakodate,	,,	29.78	756.5	...	...	NNW	1	...		,,	29.98	761.5	...	...	...	0	...	
Tokio,	,,	29.90	759.5	...	...	WNW	2	...		,,	30.06	763.5	..	...	NNW	1	...	
Kochi,	,,	29.96	761.0	...	...	...	0	...		,,	30.00	762.0	...	...	WSW	1	...	
Nagasaki,	,,	30.02	762.5	...	...	N	2	...		,,	30.04	763.0	...	..	NE	1	...	
Kagoshima,	,,	30.00	762.0	...	...	NNW	1	...		,,	30.02	762.5	...	...	NW	1	...	
Oshima,	,,	29.96	761.0	...	...	NNE	4	...		,,	29.92	760.0	...	...	NNE	3	...	
Naha,	,,	29.92	760.0	...	...	NNE	3	...		,,	29.92	760.0	...	...	NNE	4	...	
Ishigakijima,	,,	29.98	761.5	...	...	NNE	2	...		,,	29.92	760.0	...	...	NNE	2	...	
Bonin Island,	,,	29.78	756.5	...	...	NE	1	...		,,	29.78	756.5	...	...	...	0	...	
Chefoo,	15	29.99	761.8	74	8	NNW	4	b		6	29.97	761.2	63	8	SW	2	b	
Shanghai,	14	30.09	764.5	77	8	NNW	2	bc		,,	30.12	765.0	58	4	ESE	2	bc	
Gutzlaff,	,,	30.15	765.8	76	6	NNW	2	b		,,	30.16	766.1	65	6	NNW	2	b	
Wenchow,	,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.04	763.0	71	8	E	2	b		7	30.04	763.0	69	6	...	0	c	
Amoy,	,,	30.02	762.5	81	6	NNE	4	b		6	30.02	762.5	70	6	N	4	b	
Swatow,	,,	30.07	763.8	64	...	N	1	b		,,	...	...	...	...	...	...	...	
Taihoku,	11	30.03	762.7	79	...	E	4	bc		5	30.01	762.3	61	...	...	0	bc	
Taichu,	,,	29.97	761.3	81	...	N	2	b		,,	29.98	761.4	63	...	...	0	b	
Tainan,	,,	29.95	760.7	83	...	W	2	b		,,	29.93	760.3	65	...	...	0	b	
Koshun,	,,	29.94	760.4	79	...	NE	4	b		,,	29.93	760 1	74	...	NE	4	b	
Pescadores,	,,	29.97	761.2	79	...	NE	6	b		,,	29.95	760.6	74	...	NNE	4	b	
Hong Kong,	14	29.95	760.7	77	7	ESE	3	o		6	29.97	761.2	75	7	E	2	o	
Gap Rock,	,,	29.95	760.7	79	8	ENE	4	o		,,	29.96	760.9	79	8	ENE	4	o	
Macao,	,,	29.94	760.6	76	6	...	o	o		,,	29.94	760.4	74	4	E	2	o	
Bolhow,	..	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.92	760.0	81	8	NE	6	c		6	29.93	760 2	76	8	ENE	6	b	
Phulien,	15	29.95	760.6	77	7	N	2	c		7	29.96	761.0	70	7	ENE	4	bc	
Tourane,	,,	29.87	758.7	75	4	...	o	o		,,	29.90	759.5	73	7	...	0	d	
Cape St. James,	,,	29.82	757.4	86	7	SSW	1	o		,,	29.89	759.1	77	7	E	1	c	
Basco,	14	29.85	758.2	83	8	NE	4	bc		6	29.89	759.1	77	8	NE	4	b	
Aparri,	,,	29.82	757.3	81	6	NNE	4	o		,,	29.88	758.9	79	6	NNE	2	bc	
Tuguegarao,	,,	29.78	756.5	83	4	...	o	o		,,	29.86	758.5	74	1	...	0	c	
Vigan,	,,	29.76	756.0	86	8	WNW	2	b		,,	29.83	757.6	76	8	...	0	c	
Manila,	,,	29.78	756.3	91	8	W	2	bc		,,	29.85	758.2	76	6	...	0	bc	
Legaspi,	,,	29.74	755.4	91	6	NE	2	o		,,	29.83	757.6	76	8	...	0	c	
Calboyog,	,,	29.77	756.1	86	6	W	2	o		,,	29.86	758.3	76	8	...	0	c	
Tacloban,	,,	29.76	756.0	83	6	S	2	o		,,	29.85	758.2	79	8	...	0	c	
Iloilo,	,,	29.78	756.3	86	8	NW	2	o		,,	29.84	758.0	76	6	...	0	c	
Cebu,	,,	29.76	756.0	83	8	...	o	o		,,	29.83	757.6	77	8	NNW	2	c	
Surigao,	...	29.75	755.8	88	6	...	o	o		,,	29.82	757.3	76	4	...	0	c	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.76	755.8	...	6	NE	4	o		4.22	29.80	756.8	...	8	...	0	b	
Yap,	11.00	...	...	...	...	...	...	...		5	29.89	759.3	...	8	...	0	c	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.86	758.4	86	6	SW	6	bc		6	29.91	759.7	72	4	SW	...	b	

October 7*d.* 10*h.* 01*m.* – The anticyclone has extended eastwards to Japan. Moderate monsoon will prevail over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 77.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	Light variable winds.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	8th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.06	763.5	...	...	...	0	...	5	30.20	767.0	...	...	...	0	...
Hokodate,	,,	29.98	761.5	...	...	...	0	...	,,	30.08	764.0	...	...	...	0	...
Tokio,	,,	30.06	763.5	...	...	N	1	...	,,	30.12	765.0	...	...	NNW	1	...
Kochi,	,,	30.02	762.5	...	...	NNE	1	...	,,	29.96	761.0	...	...	WSW	1	...
Nagasaki,	,,	30.04	763.0	...	...	ENE	1	...	,,	29.98	761.5	...	...	...	0	...
Kagoshima,	,,	29.92	760.0	...	...	ENE	1	...	,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	29.92	760.0	...	...	NE	2	...	,,	29.88	759.0	...	...	SSE	1	...
Naha,	,,	29.90	759.5	...	...	NNE	5	...	,,	29.90	759.5	...	...	N	2	...
Ishigakijima,	,,	29.98	761.5	...	...	NNE	2	...	,,	29.94	760.5	...	...	NNE	1	...
Bonin Island,	,,	29.78	756.5	...	...	NW	1	...	,,	29.78	756.5	...	...	SE	4	...
Chefoo,	15	29.97	761.2	67	6	NW	6	r	6	30.09	764.2	54	6	WNW	2	c
Shanghai,	14	30.07	763.7	75	6	NE	2	bc	,,	30.12	765.0	56	6	NNW	2	b
Gutzlaff,	,,	30.11	764.8	76	6	NNW	2	b	,,	30.15	765.8	65	6	NW	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.00	762.0	73	6	SE	2	b	7	30.10	764.5	70	6	NNW	2	b
Amoy,	,,	30.01	762.3	83	6	E	4	bc	6	30.03	762.7	74	6	NE	2	b
Swatow,	,,	30.02	762.6	77	...	ESE	3	b	,,	30.05	763.2	70	...	N	1	o
Taihoku,	11	30.01	762.3	79	...	E	4	bc	5	30.01	762.8	63	...	...	0	o
Taichu,	,,	29.97	761.2	81	...	N	2	b	,,	29.98	761.4	67	...	...	0	c
Tainan,	,,	29.95	760.7	83	...	NW	2	bc	,,	29.93	760.3	67	...	SE	2	c
Koshun,	,,	29.94	760.4	81	...	NE	4	b	,,	29.93	760.3	74	...	NNE	2	o
Pescadores,	,,	29.97	761.3	81	...	NE	6	bc	,,	29.95	760.7	74	...	NE	4	b
Hong Kong,	14	29.93	760.2	79	8	ESE	3	c	6	29.98	761.5	73	6	NE	1	cd
Gap Rock,	,,	29.95	760.8	80	8	ENE	4	b	,,	29.96	761.0	78	8	ENE	3	o
Macao,	,,	29.92	760.0	79	4	NE	2	o	,,	29.93	760.3	79	4	N	2	d
Hoihow,	,,	29.98	761.5	85	...	E	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.92	760.0	83	8	NE	4	b	6	29.95	760.6	76	8	NE	4	b
Phulien,	15	29.93	760.3	75	8	ENE	4	o	7	29.97	761.2	70	7	NE	3	o
Tourane,	,,	29.87	758.8	74	2	SE	2	r	,,	29.90	759.5	73	4	NW	1	rf
Cape St. James,	,,	29.83	757.7	83	8	S	2	bc	6	29.85	758.1	77	7	ENE	2	bc
Basco,	14	29.85	758.2	85	8	NE	4	bc	,,	29.89	759.1	76	6	...	0	o
Aparri,	,,	29.85	758.2	85	6	NNE	4	bc	,,	29.89	759.1	72	6	...	0	c
Tuguegarao,	,,	29.79	756.6	86	8	WNW	2	b	,,	29.87	758.6	68	1	...	0	bc
Vigan,	,,	...	...	...	...	...	...	...	,,	29.83	757.6	77	8	...	0	bc
Manila,	,,	29.80	756.8	86	8	E	4	bc	,,	29.86	758.3	76	6	...	0	o
Legaspi,	,,	29.78	756.3	88	8	ENE	2	o	,,	29.84	757.8	81	8	N	2	o
Calboyog,	,,	29.78	756.4	86	8	SSW	4	bc	,,	29.86	758.4	76	8	N	2	c
Tacloban,	,,	29.81	757.2	79	6	SSW	4	o	,,	29.86	758.5	79	8	...	0	o
Iloilo,	,,	29.78	756.3	91	8	ESE	2	o	,,	29.84	757.9	76	6	NE	2	o
Cebu,	,,	29.78	756.3	81	8	N	2	o	,,	29.84	758.0	79	8	NNE	2	o
Surigao,	...	29.78	756.5	83	8	...	0	o	,,	29.83	757.7	76	4	...	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	29.85	758.4	80	...	ESE	2	b
Guam,	12.22	29.76	755.9	...	8	SE	4	bc	4.22	29.83	757.6	...	8	...	0	b
Yap,	11.00	29.82	757.4	...	8	NE	2	bc	5	29.88	758.8	...	6	...	0	bc
Peiew,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	79	...	...	0	c
Labuan,	14	29.94	760.4	86	6	SW	4	bc	6	29.89	759.3	76	4	E	4	b

October 8*d.* 10*h.* 18*m.* – Anticyclones are situated over N. China and over the Pacific to the east of Hokkaido. A depression is indicated between the Loochoos and the Bonins.

Moderate to fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.43 inches, against an average of 77.91 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, moderate; cloudy, probably some light rain.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	9th OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.77	756.1	54	...	SE	8	o	6	29.78	756.4	45	...	N	4	o
Nemuro,	11	30.18	766.5	...	...	SSW	1	...	5	30.10	764.5	...	...	SSE	2	...
Hakodate,	,,	30.08	764.0	...	...	SSW	1	...	,,	29.86	758.5	...	...	SE	3	...
Tokio,	,,	30.06	763.5	...	...	ENE	1	...	,,	29.78	756.5	..	...	N	2	...
Kochi,	,,	29.92	760.0	...	...	...	...	...	,,	29.90	759.5	...	...	WSW	1	...
Nagasaki,	,,	29.98	761.5	...	...	N	1	...	,,	30.02	762.5	...	...	N	1	...
Kagoshima,	,,	29.92	760.0	...	...	N	1	...	,,	29.98	761.5	...	...	NW	1	...
Oshima,	,,	29.92	760.0	...	...	N	3	...	,,	29.58	761.5	...	...	NNW	1	...
Naha,	,,	29.94	760.5	...	...	N	3	...	,,	30.00	762.0	...	...	S	3	...
Ishigakijima,	,,	29.98	761.5	...	...	NNE	2	...	,,	30.02	762.5	...	...	NNE	1	...
Bonin Island,	,,	29.70	754.5	...	...	S	5	...	,,	29.86	758.5	...	...	S	2	...
Chefoo,	15	30.09	764.3	59	8	NW	6	b	6	30.09	764.2	56	8	SW	4	bc
Shanghai,	24	30.11	764.8	77	8	NW	2	bc	,,	30.21	767.3	50	6	NW	2	b
Gutzlaff,	,,	30.15	765.8	76	4	N	4	z	,,	30.23	767.8	63	6	NNW	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.03	762.7	73	8	ESE	2	bc	7	30.12	765.0	71	8	N	2	o
Amoy,	,,	30.06	763.5	58	6	ENE	2	m	6	..	...	...	...	...	...	...
Swatow,	..	30.02	762.6	82	...	NE	3	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.03	762.7	81	...	E	4	bc	5	30.05	763.3	63	...	...	o	b
Taichu,	,,	29.98	761.6	83	...	NW	2	b	,,	30.01	762.1	65	...	...	o	b
Tainan,	,,	29.97	761.2	83	...	NNW	2	bc	,,	29.97	761.3	67	...	...	o	b
Koshun,	,,	29.95	760.8	81	...	NE	4	b	,,	29.97	761.2	74	...	NE	4	bc
Pescadores,	,,	29.98	761.5	81	...	NE	6	b	,,	29.98	761.4	74	...	NE	4	c
Hong Kong,	14	29.95	760.7	78	7	E	3	o	6	29.99	761.7	73	6	NE	2	o
Gap Rock,	,,	29.95	760.7	78	7	ENE	3	o	,,	29.98	761.5	77	8	ENE	4	o
Macao,	,,	29.93	760.1	74	4	NNW	2	o	,,	29.98	761.4	68	4	NNE	2	o
Hoihow,	,,	29.88	759.0	85	...	E	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.92	760.0	85	8	NE	4	b	6	29.95	760.8	77	8	ENE	6	o
Phulien,	15	29.92	760.0	77	8	E	4	o	7	30.01	762.3	64	8	NNW	3	o
Tourane,	,,	29.85	758.2	79	8	E	4	c	,,	29.89	759.2	75	7	...	o	d
Cape St. James,	,,	29.81	757.1	83	8	E	6	bc	,,	29.86	758.4	75	8	NE	3	bc
Basco,	14	29.87	758.8	83	8	NE	2	b	6	29.93	760.1	76	8	...	o	b
Aparri,	,,	29.85	758.2	86	6	NE	2	b	,,	29.91	759.7	74	6	...	o	p
Tuguegarao,	,,	29.80	757.0	88	8	...	o	bc	,,	29.88	759.0	70	1	...	o	bc
Vigan,	,,	29.79	756.6	88	8	WNW	2	b	,,	29.85	758.2	74	8	...	o	b
Manila,	,,	29.82	757.4	83	6	NNE	2	o	,,	29.87	758.6	76	8	...	o	o
Legaspi,	,,	29.79	756.7	91	6	NE	2	bc	,,	29.86	758.3	79	8	...	o	b
Calboyog,	,,	29.79	756.7	88	8	N	4	c	,,	29.88	758.8	74	8	N	2	b
Tacloban,	,,	29.81	757.2	86	8	E	2	o	,,	29.88	758.8	77	8	WNW	2	bc
Iloilo,	,,	29.78	756.3	91	8	NE	4	bc	,,	29.84	757.8	77	6	N	4	o
Cebu,	,,	29.78	756.3	88	8	NNE	4	bc	,,	29.83	757.7	79	8	NNW	2	o
Surigao,	...	29.78	756.5	85	6	ENE	4	bc	,,	29.84	757.8	76	4	...	o	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.81	757.2	...	8	SSE	2	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.83	757.6	...	8	NE	4	bc	5	29.89	759.3	...	6	NE	2	b
Pelew,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Labuan,	14	29.85	758.2	88	4	NW	4	b	6	...	...	...	...	...	...	...

October 9*d.* 10*h.* 16*m.* – The anticyclone over N. China has increased in intensity, a depression is situated in the Sea of Japan.

Fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 78.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; cloudy generally, probably some rain.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	10th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.72	754.8	46	...	NNW	7	f	6	29.86	758.4	46	...	NNW	4	f
Nemuro,	11	29.98	761.5	...	...	SE	3	...	5	29.78	756.5	...	...	SSE	4	..
Hakodate,	,,	29.80	757.0	...	...	S	1	...	,,	29.73	755.0	...	...	SW	1	...
Tokio,	,,	29.80	757.0	...	...	N	2	...	,,	29.88	759.0	...	...	...	0	...
Kochi,	,,	29.92	760.0	...	...	...	0	...	,,	30.04	763.0	...	...	WSW	1	...
Nagasaki,	,,	30.04	763.0	...	...	NW	3	...	,,	30.12	765.0	...	...	...	0	...
Kagoshima,	,,	30.00	762.0	...	...	NNW	2	...	,,	30.10	764.5	...	...	NW	1	...
Oshima,	,,	30.02	762.5	...	...	NNE	2	...	,,	30.08	764.0	...	...	N	1	...
Naha,	,,	30.02	762.5	...	...	NNE	4	...	,,	30.10	764.5	...	...	ENE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	ENE	2	...	,,	30.08	764.0	...	...	NNE	1	...
Bonin Island,	,,	29.86	758.5	...	...	WNW	3	...	,,	29.98	761.5	...	...	SSE	1	...
Chefoo,	15	30.02	762.5	59	8	WNW	6	be	6	30.19	766.7	59	6	N	6	be
Shanghai,	14	30.19	766.8	74	8	NW	4	b	,,	30.25	768.3	50	6	NE	2	be
Gutzlaff,	,,	30.22	767.6	72	6	NNW	4	b	,,	30.28	769.1	61	6	NNW	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.11	764.8	73	6	ENE	4	o	7	30.17	766.3	70	6	N	2	o
Amoy,	,,	30.06	763.5	81	6	NE	2	be	6	30.11	764.8	72	6	NE	4	o
Swatow,	,,	30.04	763.0	80	...	NE	1	o	,,	...	...	...	...	...	...	...
Taiwan,	11	30.09	764.2	81	...	E	4	b	5	30.12	764.9	70	...	ESE	2	o
Taichu,	,,	30.04	763.1	83	...	...	0	b	,,	30.06	763.6	70	...	...	0	o
Tainan,	,,	30.01	762.3	86	...	SW	2	b	,,	30.03	762.8	68	...	E	2	b
Koshun,	,,	30.00	762.0	81	...	NE	4	b	,,	30.03	762.8	76	...	NE	4	o
Pescadores,	,,	30.02	762.5	81	...	NE	6	b	,,	30.04	763.0	76	...	NNE	4	o
Hong Kong,	14	29.98	761.5	78	6	E	4	c	6	30.06	763.5	73	6	N	1	o
Gap Rock,	,,	29.98	761.5	78	7	ENE	5	o	,,	30.04	763.0	77	7	ENE	5	o
Macao,	,,	29.98	761.4	74	4	NNE	2	o	,,	30.03	762.7	68	4	N	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.95	760.8	85	8	ENE	4	be	6	30.01	762.3	76	8	ENE	6	o
Phulien,	15	30.01	762.2	68	6	NNW	5	o	7	30.08	763.9	64	7	N	3	o
Tourane,	,,	29.87	758.7	79	6	SSE	1	r	,,	29.93	760.2	75	6	W	1	r
Cape St. James,	,,	29.83	757.7	81	7	ENE	3	o	,,	29.90	759.4	75	8	ENE	3	lc
Banco,	14	29.92	760.0	83	8	ENE	4	bo	6	29.97	761.3	76	8	...	0	be
Aparri,	,,	29.89	759.1	86	6	NE	4	bo	,,	29.95	760.6	74	6	...	0	c
Tuguegarao,	,,	29.85	758.2	85	4	...	0	e	,,	...	...	...	...	...	...	...
Vigan,	,,	29.81	757.2	88	8	NW	2	b	,,	29.88	758.8	77	8	...	0	b
Manila,	,,	29.81	757.1	81	8	SE	2	o	,,	29.89	759.3	74	6	...	0	bc
Legaspi,	,,	29.82	757.3	91	8	ENE	2	be	,,	29.86	758.5	81	8	...	0	b
Calboyog,	,,	29.81	757.2	86	8	NE	2	be	,,	29.88	759.0	74	8	...	0	b
Tacloban,	,,	29.81	757.1	88	8	E	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.7	91	8	NE	4	be	,,	...	...	...	...	...	...	...
Cebu,	,,	29.78	756.4	88	8	NE	4	be	,,	...	...	...	...	...	...	...
Surigao,	...	29.80	756.8	85	6	E	2	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.4	...	8	E	4	be	4.22	29.82	757.4	...	6	...	0	o
Yap,	11.00	29.84	758.0	...	6	E	4	be	5	29.85	758.2	...	8	...	0	be
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.85	758.2	88	4	...	0	be	6	29.89	759.3	76	...	...	...	be

October 10*d*. 10*h*. 12*m*.—The anticyclone over N. China has increased in intensity; the depression is crossing Hokkaido.

Fresh monsoon will continue along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours *ending at 10 a.m. to-day*, 0.00 inch. Total *since January 1st*, 87.23 inches, against an average of 78.35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, fresh; cloudy.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	
D.—*Hong Kong to Hainan Straits*, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	11th OCTOBER, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Barometer. at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.88	759.0	...	...	SSW	4	...	5	29.69	754.0	...	...	WNW	2	..
Hakodate,	,,	29.67	753.5	...	...	W	4	...	,,	29.84	758 0	...	...	W	4	...
Tokio,	,,	29.88	759.0	...	...	W	1	...	,,	30.04	763.0	..	...	...	0	...
Kochi,	,,	30.02	762.5	...	...	...	0	...	,,	30.14	765.5	...	...	WSW	1	...
Nagasaki,	,,	30.12	765.0	...	...	NW	3	...	,,	30.18	766.5	...	..	...	0	...
Kagoshima,	,,	30.10	764.5	...	...	NW	2	...	,,	30.18	766.5	...	...	...	0	...
Oshima,	,,	30.12	765.0	...	...	NNE	1	...	,,	30.14	765.5	...	...	S	1	...
Naha,	,,	30.10	764.5	...	...	N	1	...	,,	30.14	765.5	...	...	NE	1	...
Ishigakijima,	,,	30.12	765.0	...	...	NE	2	...	,,	30.12	765.0	...	...	NNE	1	...
Bonin Island,	,,	20.98	761.5	...	..	W	1	...	,,	30.10	764.5	...	...	...	0	...
Chefoo,	15	30.20	767.2	59	8	NW	4	bc	6	30.24	768.1	56	6	W	2	c
Shanghai,	14	30.24	768.0	77	8	N	2	b	,,	30.30	769.6	50	6	NNW	2	b
Gutzlaff,	,,	30.26	768.6	72	4	NNW	2	c	,,	30.36	771.1	63	6	N	4	bc
Wenchow,	,,	...	...	...	..	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30 16	766.0	72	6	NE	2	o	7	30.19	766.8	76	6	NE	2	o
Amoy,	,,	....	...	..	..	...	...	...	6	30.22	767.6	72	6	NNE	4	c
Swatow,	,,	30.07	763.8	78	...	NNE	1	o	,,	...	...	...	...	...	...	...
Taihoku,	11	30.14	765.6	79	...	E	4	o	5	30.16	766.0	70	...	WSW	2	c
Taichu,	,,	30.08	764.0	83	...	NW	2	c	,,	30.09	764.2	68	...	...	0	le
Tainan,	,,	30.05	763.3	86	...	W	2	bc	,,	30.05	763.2	68	...	N	2	b
Koshun,	,,	30.05	763.2	83	...	NE	4	bc	,,	30.05	763 2	76	...	NE	6	bc
Pescadores,	,,	30.06	763.6	81	...	NE	6	bc	,,	30.06	763.6	74	...	NE	6	bc
Hong Kong,	14	30.04	763.0	76	7	NE	3	o	6	30.08	764.0	71	6	N	2	o
Gap Rock,	,,	30.03	762.7	79	7	ENE	4	o	,,	30.06	763.5	78	7	ENE	4	o
Macao,	,,	30.04	763.0	72	4	NNE	2	o	,,	30.06	763.6	68	4	NNE	4	o
Hoihow,	,,	30.07	763.8	79	...	NE	2	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	761 9	81	8	ENE	6	o	6	30.01	762.5	77	8	NE	6	o
Phulien,	15	30.03	762.7	72	8	NNW	4	o	7	30.10	764.6	64	4	N	2	d
Tourane,	,,	29.89	759.2	81	9	NE	2	o	,,	29.93	760 1	73	6	NW	1	r
Cape St. James,	,,	29.85	758.3	82	8	ENE	3	bc	,,	29.88	758.8	75	7	F	3	fc
Banco,	14	29.93	760.3	86	8	ESE	4	bo	6	29.97	761.3	79	6	ENE	4	o
Aparri,	,,	29.91	759.7	83	6	NE	4	o	,,	29.93	760.1	74	6	...	0	o
Tuguegarao,	,,	29.87	758.8	85	6	NNE	2	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.83	757.7	88	8	WNW	2	b	,,	29.86	758.3	76	8	...	0	b
Manila,	,,	29.84	757.8	88	8	NE	4	bc	,,	29.87	758.6	76	6	...	0	bc
Legaspi,	,,	29.83	757.6	91	8	NE	2	b	,,	29.83	757.7	81	8	NE	2	bc
Calbayog,	,,	29.82	757.4	88	8	SE	4	bc	,,	29.84	757.9	74	8	N	2	bc
Tacloban,	,,	29.81	757.2	85	8	SE	2	o	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.78	756.5	88	8	NE	4	bc	,,	29.80	757.0	77	6	NNE	4	o
Cebu,	,,	29.78	756.5	91	8	ENE	4	b	,,	..	...	...	...	...	..	...
Surigao,	...	29.80	756.8	83	6	E	2	o	,,	29.81	757.1	76	4	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.82	757.3	...	8	E	4	b	4.22	29.83	757.6	...	6	...	0	bc
Yap,	11.00	29.78	756.3	...	8	SW	4	bc	5	29.86	758.3	....	6	E	4	be
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Labuan,	14	29.86	758.4	88	...	...	...	bc	6	29.81	757.1	77	4	SE	4	bc

October 11*d.* 10*h.* 22*m.* – The antievclone over N. China has again increased in intensity; the depression has moved into the Pacific to the east of Hokkaido.

Fresh monsoon will continue along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 78.54 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, fresh; fair.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	12th October, 1932. Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Barometer. at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.74	755.5	...	...	NW	3	...	5	30.12	765.0	...	...	WNW	2	...
Hokodate,	,,	29.94	760.5	...	...	W	4	...	,,	30.20	767.0	...	...	NNW	1	...
Tokio,	,,	30.06	763.5	...	...	...	0	...	,,	30 26	768.5	...	...	NNW	1	...
Kochi,	,,	30.14	765.5	...	...	...	0	...	,,	30.28	769.0	...	...	WSW	1	...
Nagasaki,	,,	30.22	767.5	...	...	NNE	1	...	,,	30.30	769.5	...	...	...	0	...
Kagoshima,	,,	30.18	766.5	...	...	N	1	...	,,	30.28	769.0	...	...	NW	1	...
Oshima,	,,	30 16	766.0	...	...	NNE	2	...	,,	30.20	767.0	...	...	SSE	1	...
Naha,	,,	30.16	766.0	...	...	N	3	...	,,	30.18	766.5	...	...	NE	1	...
Ishigakijima,	,,	30.14	765.5	...	...	NE	2	...	,,	30.12	765.0	...	...	ENE	1	...
Bonin Island,	,,	30.10	764.5	...	...	E	1	...	,,	30.16	766.0	...	...	...	0	...
Chefoo,	15	30.25	768.4	67	8	NW	2	c	6	30.26	768.6	52	6	SW	2	...
Shanghai,	14	30.31	769.9	72	8	NNW	2	bc	,,	30.33	770.3	50	6	NE	2	b
Gutzlaff,	,,	30.35	770.9	72	6	NNW	4	b	,,	30.37	771.4	63	6	NNE	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.21	767.3	72	6	NE	2	o	7	30.24	768.1	68	6	NE	2	o
Amoy,	,,	30.14	765.6	77	6	NE	4	b	6	30.10	764.5	70	6	NNE	4	bc
Swatow,	,,	30.12	765.0	80	...	NE	3	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.20	767.0	74	...	E	8	o	5	30.16	766.0	68	...	E	4	r
Taichu,	,,	30.09	764.2	81	...	N	2	o	,,	30.09	764.2	67	...	...	0	b
Tainan,	,,	30.07	763.9	83	...	NW	2	c	,,	30.05	763 2	68	...	N	2	c
Koshun,	,,	30 06	763.6	79	...	NNE	6	c	,,	30.02	762.6	76	...	...	...	...
Pescadores,	,,	30.09	764.4	81	...	NE	6	b	,,	30.06	763.6	74	...	...	...	...
Hong Kong,	14	30.06	763.6	78	8	E	4	bc	6	30.08	764.0	74	6	E	4	c
Gap Rock,	,,	30.06	763.6	77	7	ENE	5	c	,,	30.07	763.8	77	7	ENE	5	c
Macao,	,,	30.04	763.1	77	4	N	2	c	,,	30.04	763.0	72	4	NE	2	c
Hoihow,	,,	30.07	763.7	79	...	NE	4	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.0	79	6	NE	6	o	6	30.02	762.5	77	6	NE	6	c
Phulien,	15	30.05	763.3	72	8	NW	3	o	7	30.09	764.2	66	8	N	3	o
Tourane,	,,	29.91	759.8	75	2	NNE	2	rf	,,	29.90	759.5	77	5	ENE	3	r
Cape St. James,	,,	29.82	757.3	82	7	E	5	o	,,	29.86	758.4	77	7	NE	3	c
Basco,	14	29.96	760.9	81	8	ENE	2	bc	6	29.96	760.9	81	6	ENE	4	bc
Aparri,	,,	29.90	759.4	79	6	ENE	4	p	,,	29.92	760 0	76	6	...	0	r
Tuguegarao,	,,	29.84	758.0	88	6	...	0	bc	,,	29.90	759.4	76	1	...	0	o
Vigan,	,,	29.78	756.5	94	8	WNW	2	b	,,	29.84	758 0	76	8	...	0	bc
Manila,	,,	29.83	757.6	81	8	...	0	bc	,,	29.85	758.2	76	6	...	0	bc
Legnepi,	,,	29.79	756.7	85	6	NE	2	o	,,	29.81	757.2	81	8	ENE	2	b
Calboyog,	,,	29.79	756.6	85	8	N	2	o	,,	29.80	756.8	76	8	...	0	o
Tacloban,	,,	29.76	756.0	88	8	NE	2	bc	,,	29.80	756.8	77	6	N	2	d
Iloilo,	,,	29.75	755.6	91	6	NE	4	bc	,,	29.79	756.6	77	6	NE	4	o
Cebu,	,,	29.75	755.6	91	8	ENE	4	bc	,,	29.78	756.3	79	8	...	0	o
Surigao,	...	29.76	755.9	83	6	E	4	o	,,	29.75	755.6	76	4	...	0	r
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.80	756.8	...	8	ESE	4	o	4.22	29.84	757 9	...	8	NE	2	bc
Yap,	11.00	29.81	757.2	...	8	ENE	2	bc	5	29.84	758.0	...	6	ENE	2	b
Pelew,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Labuan,	14	29.84	758.0	88	...	WNW	...	bc	6	29.80	756.8	77	1	SE	...	bc

October 12*d.* 10*h.* 16*m.* – The anticyclone appears to be moving eastwards towards S. Japan.

Fresh monsoon will continue along the China coast to the south of Foochow, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 78.71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES. *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	13th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.16	766.0	...	...	...	0	...	5	30.14	765.5	...	...	SW	1	...
Hokodate,	,,	30.22	767.5	...	...	SW	1	...	,,	30.24	768.0	...	...	...	0	...
Tokio,	,,	30.28	769.0	...	...	ENE	1	...	,,	30.34	770.5		...	NW	1	...
Kochi,	,,	30.28	769.0	...	...	...	0	...	,,	30.26	768.5	...	...	...	0	...
Nagasaki,	,,	30.30	769.5	...	...	WSW	1	...	,,	30.28	769.0	...	...	...	0	...
Kagoshima,	,,	30.28	769.0	...	...	N	1	...	,,	30.26	768.5	...	...	NNW	1	...
Oshima,	,,	30.24	768.0	...	...	N	1	...	,,	30.16	766.0	...	...	...	0	...
Naha,	,,	30.20	767.0	...	...	NE	3	...	,,	30.10	764.5	...	...	NE	3	...
Ishigakijima,	,,	30.14	765.5	...	...	E	4	...	,,	30.04	763.0	...	...	ENE	1	...
Bonin Island,	,,	30.14	765.5	...	..	ENE	1	...	,,	30.14	765.5	...	...	...	0	...
Chefoo,	15	30.19	766.8	68	8	SW	2	be	6	30.14	765.5	58	6	SSW	2	be
Shanghai,	14	30.24	768.0	77	8	SE	2	be	,,	30.20	767.0	61	6	SE	2	be
Gutzlaff,	,,	30.38	771.6	72	6	*E*	2	b	,,	30.24	768.1	67	4	*SE*	4	r
Wenchow,	,,	...	...	...	..	..	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.17	766.3	69	6	N	2	r	,,	30.08	764.0	67	8	NNW	2	c
Amoy,	,,	30.15	765.8	77	6	NE	4	c	6	30.12	765.0	68	6	W	4	c
Swatow,	,,	30.11	764.7	80	...	NNE	1	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.15	765.7	77	...	E	6	be	5	29.99	761.8	74	...	E	4	be
Taichu,	,,	30.07	763.8	85	...	...	0	b	,,	30.03	762.8	70	..	...	0	c
Tainan,	,,	30.07	763.9	84	...	...	0	c	,,	29.99	761.8	70	...	N	2	b
Koshun,	,,	30.07	763.9	81	...	NE	4	c	,,	29.96	760.9	72	...	NE	4	c
Pescadores,	,,	30.08	764.0	81	...	NNE	6	b	,,	30.01	762.1	76	...	N	4	b
Hong Kong,	14	30.04	763.0	79	6	E	3	c	6	30.02	762.6	71	7	NE	1	b
Gap Rock,	,,	30.06	763.5	77	7	ENE	5	o	,,	30.01	762.3	77	7	NNE	4	o
Mamo,	,,	30.03	762.8	79	4	NNE	2	c	,,	30.01	762.3	67	4	N	2	c
Hoilow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.98	761.4	79	8	NE	6	o	6	29.95	760.6	77	6	NNE	6	o
Phulien,	15	30.06	763.6	70	8	NNW	4	o	7	30.06	763.6	66	8	NNW	4	o
Tourane,	,,	29.89	759.3	75	6	NE	2	r	,,	29.90	759.4	73	6	ENE	1	r
Cape St. James,	,,	29.83	757.6	83	8	ENE	4	be	,,	29.86	758.5	75	7	NW	2	be
Basco,	14	29.92	760.0	85	6	ESE	4	o	6	29.90	759.4	79	6	ESE	4	o
Aparri,	,,	29.88	758.9	79	6	...	0	o	,,	29.88	758.8	74	6	...	0	b
Tuguegarao,	,,	29.85	758.2	85	6	...	0	o	,,	..	...	...	...	...	...	...
Vigan,	,,	29.76	755.8	91	8	WNW	2	b	,,	29.79	756.7	79	8	...	0	c
Manila,	,,	29.82	757.3	79	8	...	0	d	,,	29.82	757.3	76	4	..	0	r
Legaspi,	,,	29.76	755.8	81	6	NNE	4	o	,,	29.79	756.6	77	6	NE	4	o
Calbayog,	,,	29.74	755.3	77	8	NNE	2	o	,,	29.83	757.6	77	8	NE	4	o
Tacloban,	,,	29.61	752.2	81	8	N	4	p	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.6	88	8	NE	4	o	,,	29.74	755.3	77	4	S	4	o
Cebu,	,,	29.68	753.8	83	8	WSW	4	d	,,	..	...	...	...	...	...	...
Surigao,	...	29.65	753.0	79	4	SE	2	o	,,	29.78	756.5	76	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	76	...	E	4	c
Guam,	12.22	29.78	756.3	...	8	E	4	b	4.22	29.76	755.9	...	8	NE	2	b
Yap,	11.00	29.81	757.2	...	6	E	2	be	5	29.83	757.7	...	6	NE	2	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.89	759.2	78	...	...	0	c
Labuan,	14	29.84	757.9	86	6	W	...	be	6	29.80	756.8	74	4	W	...	be

Warning.

September 13*d*. 10*h*. 35*m*.—Typhoon within 60 miles of Lat. 11° N. Long. 120° E., moving W.N.W.

October 13*d*. 10*h*. 45*m*. The anticyclone is now central over Japan. A typhoon is situated about 200 miles S.S.W. of Manila, moving W. or W.N.W.

Fresh monsoon will continue over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 78.86 inches.

Manila warning. 13*d*. 9*h*. 00*m*.:—Cyclone or typhoon S. of Mindoro moving W.N.W. Recd. 13*d*. 10*h*. 03*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. or variable winds, moderate.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	N.E. winds, fresh; fair.
E.—North China Sea.	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Present.)	14th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Present.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.06	763.5	...	...	SW	2	...	5	30.14	765.5	...	...	W	1	..
Hakodate,	,,	30.22	767.5	...	...	W	4	...	,,	30.24	768.0	...	...	...	0	...
Tokio,	,,	30.28	769.0	...	...	E	1	...	,,	30.26	768.5	.	...	NNW	1	...
Kochi,	,,	30.22	767.5	...	...	ESE	1	...	,,	30.18	766.5	...	...	SW	1	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	30.16	766.0	...	..	NE	1	...
Kagoshima,	,,	30.24	768 0	...	...	ESE	1	...	,,	30.12	765.0	...	...	...	0	...
Oshima,	,,	30.14	765.5	...	...	...	0	...	,,	30.00	762.0	...	...	...	0	...
Naha,	,,	30.06	763.5	...	...	E	2	...	,,	29.96	761.0	...	...	NNE	1	...
Ishigakijima,	,,	30.00	762.0	...	...	ESE	3	...	,,	29.92	760.0	...	...	E	1	...
Pouin Island,	,,	30.08	764.0	...	..	E	1	...	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	30.12	765.0	67	8	N	2	c	6	30.13	765.3	59	4	SSE	2	r
Shanghai,	14	30.12	765.0	77	6	W	2	be	,,	30.13	765.3	59	4	ESE	2	f
Gutzlaff,	,,	30.18	766.6	72	6	ESE	2	c	,,	30.16	766.0	67	6	ENE	2	be
Wenchow,	,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.03	762.7	71	6	NE	2	c	7	30.01	762.2	70	6	N	2	o
Amoy,	,,	30.03	762.7	79	6	ENE	2	be	6	30.02	762.5	72	6	NE	2	o
Swatow,	,,	30.05	763.3	80	...	E-E	1	b	,,	30.05	763.3	80	...	ESE	1	b
Taihoku,	11	30.00	761.9	85	...	NW	2	be	5	29.95	760.8	74	...	...	0	r
Taichu,	,,	30 00	762.0	85	...	...	0	be	,,	29.93	760.2	72	..	...	0	o
Tainan,	,,	29.95	760 8	86	...	N	4	b	,,	29.89	759.3	72	...	NNW	2	c
Koshun,	,,	29.97	761.2	81	...	ENE	2	c	,,	29.88	758.8	74	...	...	0	c
Pescadores,	,,	29.99	761 8	79	...	N	4	c	,,	29.91	759.8	76	...	NNE	4	o
Hong Kong,	14	29.94	760.5	83	8	W	2	b	6	29.93	760.2	74	7	NNE	2	be
Gap Rock,	,,	29.97	761.2	78	7	NE	4	c	,,	29.94	760.5	78	7	ENE	4	b
Macao,	,,	29.94	760.4	81	6	NNE	4	be	,,	29.90	759.4	68	4	NNW	2	c
Hoihow,	,,	30.07	763.9	79	...	NE	4	c	...	...	...	...	...	...	...	...
Pratas Island,	,,	29 90	759.4	81	8	NNE	6	o	6	29.88	758.8	77	8	NE	6	o
Phulien,	15	29.99	761.7	77	9	NW	3	c	7	29.98	761.5	68	8	NNW	1	f
Tourane,	,,	29.86	758.5	77	3	ENE	4	r	,,	29.86	758.5	79	4	NNE	3	r
Cape St. James,	,,	29.78	756.5	82	7	E	3	c	,,	29.82	757.3	77	6	E	2	o
Basco,	14	29.84	758.0	81	6	ENE	2	o	6	29.83	757.6	81	6	SE	4	o
Aparri,	,,	29.74	755.5	88	8	SE	2	o	,,	29.81	757.2	75	6	...	0	o
Tuguegarao,	,,	29 81	757.1	83	6	...	0	o	...	...	...	...	...	...	...	...
Vigan,	,,	29.82	757.4	83	6	SW	2	o	,,	29.74	755.4	79	8	...	0	o
Manila,	,,	29.74	755.4	85	6	E	4	o	,,	29.78	756.5	74	4	...	0	be
Legaspi,	,,	29.76	755.8	85	8	ENE	2	o	,,	29.78	756.4	79	8	...	0	be
Calbayog,	,,	29.76	755.8	86	8	SSE	2	be	,,	29.80	757.0	74	8	...	0	be
Tacloban,	,,	29.76	755.8	86	8	SE	4	be	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755 2	86	8	SW	4	c	,,	29.78	756.5	76	6	NE	2	o
Cebu,	,,	29.73	755.2	86	8	SSE	2	be	,,	...	...	..	...	...	...	...
Surigao,	...	29.72	755.0	88	8	E	4	be	,,	29.78	756.3	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.79	756.6	78	...	ESE	4	c
Guam,	12.22	29.72	754.9	...	8	ESE	2	be	4.22	29.76	756.0	...	8	E	4	o
Yap,	11.00	29.81	757.1	...	6	E	4	be	5	29.79	756.7	...	6	NE	2	be
Pelew,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	78	...	NNE	1	c
Labuan,	14	29.85	758.3	85	6	W	...	c	5	29.80	756.8	74	...	...	...	be

Warnings.

September 13*d*. 17*h*. 09*m*.—Typhoon within 60 miles of Lat. 12° N. Long. 119° E., moving W.N.W.
September 14*d*. 10*h*. 23*m*.—Typhoon within 120 miles of Lat. 12° N. Long. 117° E., moving W.

October 14*d*. 10*h*. 27*m*. The anticyclone is moving into the Pacific to the east of Japan. The typhoon is situated about 250 miles south-east of the Macclesfield Bank moving eastwards.

Moderate monsoon will prevail over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 78.99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, moderate; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	14TH OCTOBER, 1932.								15TH OCTOBER, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Abbrev.)	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Abbrev.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.22	767.5	...	...	N	1	...	5	30.22	767.5	...	...	NW	1	..
Hokodate,	,,	30.22	767.5	...	...	NNW	1	...	,,	30.26	768.5	...	...	...	0	...
Tokio,	,,	30.22	767.4	...	...	N	1	...	,,	30.18	766.5	...	...	N	1	...
Kochi,	,,	30.20	767.0	...	...	SW	1	...	,,	30.00	762.0	...	...	...	0	...
Nagasaki,	,,	30.16	766.0	...	...	ESE	1	...	,,	29.96	761.0	...	...	...	0	...
Kagoshima,	,,	30.12	765.0	...	...	ESE	1	...	,,	29.92	760.0	...	...	ENE	1	...
Oshima,	,,	29.96	761.0	...	...	S	1	...	,,	29.86	758.5	...	...	...	0	...
Naha,	,,	29.94	760.5	...	...	E	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.92	760.0	...	...	...	0	...	,,	...	...	...	...	...	..	...
Ponin Island,	,,	30.04	763.0	...	...	E	1	...	,,	30.00	762.0	...	...	ESE	1	...
Chefoo,	15	30.07	763.8	58	6	N	4	r	6	30.06	763.6	56	8	SW	2	b
Shanghai,	14	30.09	764.2	79	6	NE	2	bc	,,	30.15	765.7	58	6	NNW	2	b
Gutzlaff,	,,	30.13	765.3	74	6	NE	2	b	,,	30.15	765.7	65	6	NNE	2	bq
Wenchow,	,,	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Foochow,	,,	29.98	761.5	75	6	E	2	q	7	30.03	762.7	71	6	NE	2	q
Amoy,	,,	29.96	761.0	85	5	ENE	4	b	6	29.96	761.0	76	1	ESE	8	q
Swatow,	,,	29.99	761.7	76	...	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.93	760.8	81	...	E	2	q	5	29.94	760.4	72	...	E	2	q
Taichu,	,,	29.92	760.0	83	...	NNW	4	b	,,	29.90	759.5	72	..	...	0	b
Tainan,	,,	29.90	759.4	86	...	NNW	2	b	,,	29.88	758.8	74	...	...	c	q
Koshun,	,,	29.89	759.3	85	...	ENE	2	bc	,,	29.83	757.6	77	...	ENE	4	bc
Pescadores,	,,	29.93	760.2	81	...	NNE	6	q	,,	29.89	759.3	76	...	NNE	6	q
Hong Kong,	14	29.89	759.2	80	7	E	2	b	6	29.91	759.7	76	6	E	3	od
Gap Rock,	,,	29.90	759.4	78	7	ENE	4	b	,,	29.90	759.4	78	7	ENE	4	b
Macao,	,,	29.88	759.0	83	6	ENE	2	bc	,,	29.88	759.0	74	4	NNE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.84	758.0	81	8	NE	6	q	6	29.84	758.0	79	8	NE	6	q
Phulien,	15	29.90	759.1	82	8	SW	2	bc	7	29.93	760.3	72	7	NNE	2	r
Tourane,	,,	29.83	757.6	83	8	N	3	c	,,	29.85	758.2	73	7	NW	1	r
Cape St. James,	,,	29.78	756.4	81	7	E	3	bc	,,	29.82	757.3	77	6	WNW	2	q
Basco,	14	29.78	756.3	86	8	SE	4	c	6	29.80	757.0	79	6	SE	2	q
Aparri,	,,	29.76	755.8	88	6	NE	4	q	,,	29.77	756.1	79	6	S	2	bq
Tuguegurao,	,,	29.71	754.7	94	8	...	0	q	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	755.0	86	8	WNW	2	q	,,	29.76	755.8	77	8	SE	2	bc
Manila,	,,	29.73	755.2	86	8	NW	2	c	,,	29.79	756.6	77	6	...	0	c
Legaspi,	,,	29.70	754.3	91	8	ENE	4	b	,,	29.77	756.1	79	8	...	0	b
Calbogog,	,,	29.71	754.6	86	8	SW	4	q	,,	29.79	756.7	76	8	N	2	bq
Tacloban,	,,	29.71	754.7	85	6	SE	2	q	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.70	754.4	91	8	NE	2	q	,,	29.78	756.3	76	6	NE	2	q
Cebu,	,,	29.71	754.6	86	8	...	0	q	,,	...	...	...	...	...	...	...
Surigao,	...	29.71	754.6	86	6	...	0	c	,,	29.76	756.0	76	6	...	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.72	755.0	...	8	...	0	q	4.22	29.76	755.8	...	8	NE	4	bc
Yap,	11.00	29.76	755.9	...	8	ENE	4	b	5	..	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.85	758.2	86	6	W	6	bc	6	29.81	757.1	72	...	W	...	c

Warnings.

September 14d. 17h. 35m.—*Typhoon within 60 miles of Lat. 13° N. Long. 116° E., moving W.N.W.*

September 15d. 10h. 10m.—Typhoon within 120 miles of Lat. 15° N. Long. 114° E., moving W.N.W.

October 15d. 10h. 15m.—The anticyclone has moved into the Pacific to the east of Japan; another appears to be developing over N. China.

The typhoon is situated about 200 miles south of the Macclesfield Bank, moving W.N.W.

Moderate to fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 79.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	N. winds, *moderate to fresh.*
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	16th OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.18	766.5	...	...	SSW	1	...	5	30.16	766.0	...	...	...	0	..
Hakodate,	,,	30.22	767.5	...	...	S	1	...	,,	29.98	761.5	...	...	ENE	1	...
Tokio,	,,	30.12	765.0	...	...	NNW	1	...	,,	29.86	758.5		...	N	1	...
Kochi,	,,	29.96	761.0	...	...	SW	1	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.96	761.0	...	...	W	1	...	,,	29.98	761.5	...	...	N	1	...
Kagoshima,	,,	29.94	760.5	...	...	NE	1	...	,,	29.94	760.5	...	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	NNE	1	...	,,	29.94	760.5	...	...	N	2	...
Naha,	,,	29.90	759.5	...	...	NNW	1	...	,,	29.92	760.0	...	...	NNE	3	...
Ishigakijima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.92	760.0	...	...	NE	2	...
Bonin Island,	,,	29.98	761.5	..	..	...	0	...	,,	29.90	759.5	...	...	S	1	...
Chefoo,	15	29.99	761.8	61	8	NW	2	be	6	30.04	763.0	54	6	WSW	2	b
Shanghai,	14	30.09	764.2	76	6	NE	2	c	,,	30.12	765.1	54	4	WNW	2	b
Gutzlaff,	,,	30.14	765.5	77	6	NNE	2	b	,,	30.15	765.8	65	6	NW	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Foochow,	,,	30.00	762.0	72	8	ENE	4	b	7	30.10	764.5	70	8	N	2	b
Amoy,	,,	29.96	761.0	85	6	ENE	4	b	6	...	...	...	...	...	...	...
Swatow,	,,	29.96	761.0	70	...	NE	1	b	,,	...	...	...	...	...	...	...
Taihoku,	11	29.99	761.8	77	...	WSW	4	c	5	29.99	761.6	72	...	E	4	c
Taichu,	,,	29.93	760.2	83	...	N	4	be	,,	29.93	760.2	67	..	...	c	be
Tainan,	,,	29.91	759.6	83	...	N	2	c	,,	29.90	759.5	70	...	N	2	c
Koshun,	,,	29.90	759.5	81	...	NE	2	c	,	29.88	758.8	77	...	NE	4	c
Pescadores,	,,	29.93	760.3	81	...	NNE	6	c	,	29.90	760.0	76	...	NE	6	c
Hong Kong,	14	29.91	759.7	79	7	E	4	be	6	29.94	760.5	75	7	ENE	3	b
Gap Rock,	,,	29.92	759.9	78	7	ENE	4	b	,,	29.93	760.2	78	7	ENE	4	c
Macao,	,,	29.89	759.3	81	6	ESE	2	be	,,	29.91	759.6	74	6	ESE	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.5	81	8	NE	6	c	6	29.88	758.9	79	6	NE	6	c
Phulien,	15	29.87	758.8	83	8	...	0	be	7	29.94	760 5	72	7	NE	2	c
Tourane,	,,	29.82	757.4	79	8	NE	2	c	,,	29.81	757.2	77	6	NW	4	c
Cape St. James,	,,	29.77	756.1	86	8	SSW	2	be	,,	29.82	757.4	77	7	WNW	2	c
Basco,	14	29.80	757.0	81	6	NNE	2	d	6	...	...	...	...	...	..	...
Aparri,	,,	29.76	756.0	85	6	NE	4	c	,,	29.80	757.0	77	6	...	c	c
Tuguegarao,	,,	29.72	754.8	94	6	N	2	be	,,	...	....	...	...	...	...	...
Vigan,	,,	29.72	755.0	86	8	W	2	be	,,	..	...	..	...	...	...	...
Manila,	,,	29.74	755.5	88	8	NW	2	be	,,	29.80	757.0	76	6	...	c	b
Legaspi,	,,	29.72	754.9	91	8	ENE	2	b	,,	29.78	756.4	81	8	...	c	b
Calbayog,	,,	29.74	755.3	91	8	NE	2	be	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755 2	88	8	SSE	2	be	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	91	8	NW	4	a	,,	...	...	...	...	...	...	...
Cebu,	,,	29.71	754.6	88	8	NE	4	b	,,	...	...	...	...	...	...	...
Surigao,	...	29.71	754.6	86	8	...	0	b	,,	..	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	4	E	4	be	4 22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	6	NE	2	be	5	29.83	757.6	...	6	N	2	be
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.84	758 0	85	6	W	6	be	6	...	...	...	...	...	...	...

Warnings.

September 15*d*. 18*h*. 39*m*.—Typhoon within 60 miles of Lat. 14° N. Long. 113° E., stationary or very slow.
September 16*d*. 10*h*. 15*m*.—Typhoon within 60 miles of Lat. 13° N. Long. 111° E., moving W.

October 16*d*. 10*h*. 30*m*.- A moderate anticyclone is central over the Yangtze Valley.

A depression is passing to the south of Tokio moving eastward.

The typhoon is about 200 miles to the S.S.W. of the Paracels, moving westward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 79.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Northerly winds, moderate.
B.—Turnabout to Hong Kong,	N.E. winds, moderate to fresh; fine to cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

B. D. EVANS,—*Assistant Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	17th OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.08	764.0	...	...	SE	2	...	5	29.98	761.5	...	...	ESE	2	...
Hokodate,	"	29.86	758.5	...	...	E	4	...	"	29.76	756.0	...	...	ESE	5	...
Tokio,	"	29.76	756.0	...	...	NNW	1	...	"	29.82	757.5	...	...	NW	1	...
Kochi,	"	29.84	758.0	...	...	NNW	1	...	"	30.00	762.0	...	...	SW	1	...
Nagasaki,	"	29.98	761.5	...	...	WNW	3	...	"	30.02	762.5	...	...	...	...	...
Kagoshima,	"	29.96	761.0	...	...	NNW	1	...	"	30.04	763.0	...	...	NW	1	...
Oshima,	"	29.98	761.5	...	...	N	3	...	"	30.02	762.5	...	...	SSE	1	...
Naha,	"	29.98	761.5	...	...	NNE	3	...	"	30.02	762.5	...	...	NE	1	...
Ishigakijima,	"	29.98	761.5	...	...	NE	3	...	"	29.98	761.5	...	...	NE	1	...
Ponin Island,	"	29.84	758.0	...	...	SSW	1	...	"	29.94	760.5	...	...	...	0	...
Chefoo,	15	29.93	760.1	68	8	NE	2	b	6	30.02	762.4	52	4	NNW	8	c
Shanghai,	14	30.06	763.6	77	8	N	2	b	"	30.03	762.8	59	6	SE	2	b
Gutzlaff,	"	30.11	764.7	75	6	N	2	b	"	30.12	765.0	67	6	SE	2	b
Wenchow,	"	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	"	30.03	762.7	72	6	NE	2	b	7	30.04	763.0	70	6	NNW	2	b
Amoy,	"	29.99	761.7	83	6	NE	4	b	6	30.03	762.7	70	6	NNE	2	b
Swatow,	"	30.00	762.0	68	...	NE	1	b	"	...	...	...	...	...	...	...
Taihoku,	11	30.01	762.3	79	...	ENE	6	be	5	29.98	761.5	70	...	E	4	b
Taichu,	"	29.93	760.3	85	...	...	0	b	"	29.95	760.6	70	...	...	0	be
Tainan,	"	29.91	759.6	85	...	NNE	2	be	"	29.96	760.9	72	...	...	0	b
Koshun,	"	29.90	759.5	81	...	NE	4	o	"	29.91	759.6	76	...	NE	4	o
Pescadores,	"	29.93	760.2	81	...	NNE	6	o	"	29.92	760.0	74	...	NNE	4	b
Hong Kong,	14	29.90	759.4	79	8	E	4	b	6	29.93	760.2	74	7	ENE	3	e
Gap Rock,	"	29.90	759.4	79	7	ENE	3	b	"	29.91	759.7	78	7	ENE	4	b
Macao,	"	29.89	759.3	83	6	SE	2	be	"	29.90	759.5	74	4	ENE	2	e
Hoihow,	"	29.89	759.2	85	...	E	2	be	"	...	...	...	...	...	...	...
Pratas Island,	"	29.87	758.6	81	...	NE	6	e	6	29.89	759.1	79	8	NE	6	o
Thulien,	15	29.88	759.0	84	7	SSE	2	a	7	29.90	759.5	72	5	NE	4	a
Tourane,	"	29.76	755.8	75	6	NNE	4	o	"	29.78	756.3	79	5	E	4	d
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Basco,	14	29.81	757.2	77	4	...	c	d	6	...	...	...	...	...	...	...
Aparri,	"	29.78	756.3	85	6	ENE	4	be	"	29.84	758.0	76	6	SE	2	a
Tuguegarao,	"	29.74	755.5	86	6	N	2	o	"	...	...	...	...	...	...	...
Vigan,	"	29.73	755.2	88	8	W	2	b	"	...	...	...	...	...	...	...
Manila,	"	29.76	755.9	83	8	NE	2	c	"	29.82	757.3	77	6	...	0	a
Legaspi,	"	29.72	755.0	91	8	NE	2	b	"	29.80	756.8	79	6	...	0	a
Calbayog,	"	29.72	755.0	88	6	SSW	2	be	"	...	...	...	...	...	...	...
Tacloban,	"	29.73	755.2	88	8	SSE	4	be	"	...	...	...	...	...	...	...
Iloilo,	"	29.70	754.4	91	8	NE	4	o	"	29.80	756.8	79	6	NE	4	a
Cebu,	"	29.70	754.4	88	8	ENE	4	b	"	...	...	...	...	...	...	...
Surigao,	...	29.71	754.6	88	8	a	4	b	"	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.90	759.4	80	...	E	4	be
Guam,	12.22	29.74	755.3	...	8	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.3	...	6	SE	2	be	5	29.86	758.3	79	...	...	0	be
Pelew,	"	...	...	...	...	...	...	...	"	29.82	757.3	79	...	...	0	be
Latingan,	11	29.85	758.3	85	6	SW	6	e	5	29.89	759.1	72	...	S	...	be

Warning.

September 16*d*. 18*h*. 15*m*.—Typhoon within 60 miles of Lat. 14° N. Long. 110° E., moving W.N.W.

October 17*d*. 10*h*. 18*m*.—The autieyclone remains over N. China, and a depression is crossing central Japan. The typhoon has probably entered the coast of Indo-China in about Latitude 14° N.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 79.34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, moderate.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, fresh; fine.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	17TH OCTOBER, 1932.								18TH OCTOBER, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Symbol.)	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Symbol.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.00	762.0	...	...	ESE	2	...	5	30.04	763.0	...	...	ESE	2	..
Hakodate,	,,	29.82	757.5	...	...	ESE	5	...	,,	29.88	759.0	...	...	ESE	3	...
Tokio,	,,	29.88	759.0	...	...	NNW	1	...	,,	29.56	761.0	...	...	NW	1	...
Kochi,	,,	29.98	761.5	...	...	WSW	1	...	,,	30.04	763.0	...	...	...	0	...
Nagasaki,	,,	30.02	762.5	...	...	NW	1	...	,,	30.12	765.0	...	..	N	2	...
Kagoshima,	,,	30.04	763.0	...	...	SSE	1	...	,,	30.08	764.0	...	...	NNW	1	...
Oshima,	,,	30.02	762.5	...	...	NNE	1	...	,,	30.06	763.5	...	...	S	1	...
Naha,	,,	30.04	763.0	...	...	N	2	...	,,	30.04	763.0	...	...	NE	1	...
Ishigakijima,	,,	30.00	762.0	...	...	E	1	...	,,	29.98	761.5	...	...	ENE	1	...
Bonin Island,	,,	29.94	760.5	...	...	N	1	...	,,	30.04	763.0	...	...	...	0	...
Chefoo,	15	30.09	764.4	52	8	NW	6	c	6	30.13	765.3	50	8	NW	6	b
Shanghai,	14	30.08	764.0	72	6	NNW	2	o	,,	30.26	768.5	52	6	WNW	2	o
Gutzlaff,	,,	30.10	764.5	74	6	W	2	o	,,	30.28	769.1	56	4	NNW	6	r
Wenchow,	,,	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Foochow,	,,	29.98	761.5	73	8	E	2	b	7	30.05	763.2	72	6	NNE	4	of
Amoy,	,,	29.98	761.5	86	8	E	4	b	6	30.01	762.2	70	6	ENE	2	b
Swatow,	,,	30.01	762.3	66	...	NE	3	b	,,	...	...	...	...	...	...	...
Taiwan,	13	29.97	761.3	85	...	ENE	6	bc	5	29.97	761.2	72	...	E	4	b
Taichu,	,,	29.94	760.6	86	...	...	0	b	,,	29.95	760.8	70	..	...	0	b
Tainan,	,,	29.93	760.2	88	...	WSW	2	bc	,,	29.95	760.6	72	...	...	0	bc
Koshun,	,,	29.91	759.7	85	...	ENE	4	bc	,,	29.91	759.7	77	...	ENE	4	b
Pescadores,	,,	29.94	760.6	83	...	NNE	4	b	,,	29.93	760.3	76	...	NNE	4	b
Hong Kong,	14	29.91	759.7	78	8	E	4	c	6	29.92	759.9	75	8	ENE	3	bc
Gap Rock,	,,	29.92	759.9	78	7	ENE	4	c	,,	29.92	759.9	78	7	ENE	4	c
Macao,	,,	29.89	759.3	81	4	SE	2	c	,,	29.90	759.5	76	4	E	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	758.9	86	8	NE	6	b	6	29.92	760.0	79	8	NE	6	o
Phulien,	15	29.86	758.5	82	8	ESE	2	c	7	29.89	759.2	73	4	ENE	4	r
Tourane,	,,	29.77	756.1	79	6	SSE	1	o	,,	29.84	757.8	73	7	...	0	c
Cape St. James,	,,	29.76	756.0	86	7	SSW	2	o	,,	...	...	...	...	...	...	...
Basco,	14	29.83	757.7	81	6	SE	4	bc	6	29.86	758.5	79	6	SE	2	c
Aparri,	,,	29.81	757.1	88	6	NE	4	bc	,,	29.85	758.2	76	8	...	0	b
Tuguegarao,	,,	29.78	756.3	91	8	...	0	bc	,,	29.85	758.2	76	1	...	0	b
Vigan,	,,	29.76	755.8	86	8	WNW	2	o	,,	29.78	756.4	76	8	...	0	b
Manila,	,,	29.76	756.0	86	6	NNW	2	o	,,	29.84	757.8	76	6	...	0	o
Legnapi,	,,	29.76	755.8	91	8	ENE	2	b	,,	29.81	757.1	81	6	...	0	o
Calboyog,	,,	29.78	756.3	81	8	...	0	o	,,	29.85	757.6	76	8	N	2	c
Tacloban,	,,	29.76	756.0	81	8	NNE	2	o	,,	29.83	757.6	79	8	NNE	2	c
Iloilo,	,,	29.72	754.9	91	8	NE	2	o	,,	29.80	756.8	79	6	...	0	d
Cebu,	,,	29.74	755.5	88	8	NNE	4	bc	,,	29.81	757.2	79	8	...	0	d
Surigao,	...	29.74	755.4	88	8	N	2	bc	,,	29.82	757.3	77	4	...	0	d
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	8	E	4	b	4.22	29.82	757.4	...	8	NE	2	b
Yap,	11.00	29.79	756.6	...	1	NE	4	bc	5	29.84	757.8	...	6	NE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.8	81	...	...	...	c	0	29.91	759.5	70	4	S	4	bc

October 18*d.* 10*h.* 25*m.*— The anticyclone over N. China has increased considerably in intensity. Fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 79.45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	19th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.96	761.0	...	...	SE	5	...	5	29.80	757.0	...	...	W	1	..
Hokodate,	,,	29.80	757.0	...	...	SE	1	...	,,	29.84	758.0	...	...	W	3	...
Tokio,	,,	29.92	760.0	...	...	...	0	...	,,	29.52	760.0	..	...	NNW	1	...
Kochi,	,,	30.04	763.0	...	...	...	0	...	,,	30.06	763.5	...	...	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	NNE	1	...	,,	30.10	764.5	...	..	F	1	...
Kagoshima,	,,	30.10	764.5	...	...	N	1	...	,,	30.08	764.0	...	...	NW	1	...
Oshima,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.02	762.5	...	...	...	0	...
Naha,	,,	30 06	763.5	...	...	ENE	2	...	,,	29.98	761.5	...	...	...	0	...
Ishigakijima,	,,	30.00	762.0	...	...	E	3	...	,,	29.92	760 0	...	...	SSE	2	...
Bonin Island,	,,	30.02	762.5	...	...	...	0	...	,,	30.06	763.5	...	...	ENE	1	...
Chefoo,	15	...	...	61	6	NW	6	bo	6	30.04	763.0	50	4	SW	2	bc
Shanghai,	14	30.19	766.7	59	4	N	2	o	,,	30.18	766.6	54	4	N	2	r
Gutzlaff,	,,	30.20	767.1	63	6	NNE	2	o	,,	30.18	766.6	58	4	NE	4	r
Wenchow,	,,	...	...	...	...	...	...	...	6	30.10	764.6	59	...	NW	4	r
Foochow,	,,	30.03	762.7	69	4	NNE	2	o	7	30.02	762.5	69	4	...	0	r
Amoy,	,,	30 02	762.5	83	8	NE	2	b	6	30.03	762.8	72	6	ENE	4	b
Swatow,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.02	762.5	79	...	E	4	o	5	29.97	761.2	72	...	...	0	o
Taichu,	,,	29.97	761.2	86	...	NNW	2	c	,,	29.96	761.0	72	...	...	0	b
Tainan,	,,	29.95	760 8	88	...	W	2	b	,,	29.91	759.6	74	...	NNE	4	o
Koshun,	,,	29.93	760.3	86	...	ENE	4	b	,,	29.90	759.4	74	...	...	0	b
Pescadores,	,,	29.97	761.2	83	...	NNE	6	bc	,,	29.93	760.2	74	...	NNE	4	c
Hong Kong,	14	29.91	759.8	79	7	E	4	c	6	29.92	760.0	74	7	F	1	b
Gap Rock,	,,	29.92	759.9	78	7	ENE	4	o	,,	29.91	759.7	78	7	ENE	4	o
Macao,	,,	29.89	759.1	83	6	SE	2	c	,,	29.90	759.4	74	4	NE	2	c
Hoihow,	,,	29.85	758.2	83	...	E	2	r	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	758.9	81	8	ENE	6	o	6	29.88	758.9	79	6	NE	6	o
Phulien,	15	29.83	757.8	79	7	E	3	o	7	29.89	759.2	73	7	ENE	5	o
Tourane,	,,	29.78	756.5	84	8	NW	1	c	,,	29.83	757.7	77	8	WSW	1	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.86	758.3	75	8	NE	1	bc
Basco,	14	29.83	757.6	85	8	SE	4	c	6	29.86	758.5	81	6	SE	2	o
Aparri,	,,	29.80	756.8	88	8	NNE	4	c	,,	29.84	758.0	76	8	SW	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	76	1	...	0	o
Vigan,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	76	8	SSE	2	c
Manila,	,,	29.80	757 0	79	6	...	0	d	,,	29.82	757.4	77	6	...	0	bc
Legaspi,	,,	29.74	755.3	86	6	...	0	o	,,	29.78	756.3	79	6	NE	2	o
Calboyog,	,,	29.74	755.4	85	8	NNW	2	o	,,	29.81	757.1	76	8	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.1	79	8	NNW	2	b
Iloilo,	,,	29.71	754.7	91	8	SE	4	o	,,	29.78	756.3	79	6	NE	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.78	756.5	81	8	NE	2	c
Surigao,	...	29.73	755 2	86	8	NE	2	o	,,	29.78	756.5	77	4	...	0	b
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	..	...	...	...
Guam,	12.22	29.75	755.6	...	8	N	4	b	4.22	29.78	756.4	...	8	...	0	b
Yap,	11.00	29.70	755.8	...	8	NE	4	r	5	29.81	757.2	...	6	NE	2	b
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	12	29 95	760.7	83	6	SW	...	bo	6	29.90	759.4	74	...	...	...	bc

October 19*d.* 10*h.* 45*m.* – The anticyclone remains stationary over N. China. Fresh monsoon will continue along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 79.55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, fresh; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	20th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.72	755.0	...	...	WSW	3	...	5	29.75	755.5	...	...	NW	1	..
Hokodate,	,,	29.82	757.3	...	...	W	4	...	,,	29.80	758.5	...	...	...	0	...
Tokio,	,,	29.92	760.0	...	...	...	0	...	,,	29.98	761.3	..	...	...	0	...
Kochi,	,,	30.04	763.0	...	...	WSW	1	...	,,	30.06	763.5	...	...	WSW	1	...
Nagasaki,	,,	30.10	764.5	...	...	...	0	...	,,	30.06	763.5	...	..	ESE	1	...
Kagoshima,	,,	30.10	764.5	...	...	...	...	...	,,	30.06	763.5	...	...	...	0	...
Oshima,	,,	30.00	762.0	...	...	...	...	...	,,	29.98	761.5	...	...	...	0	...
Naha,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.94	760.5	...	...	NE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	SSW	1	...	,,	29.94	760.5	...	...	NNE	1	...
Bonin Island,	,,	30.02	762.5	...	..	E	1	...	,,	29.98	761.5	...	...	S	1	...
Chefoo,	15	30.00	762.0	65	8	SW	2	b	6	29.95	760.6	54	4	SSW	2	c
Shanghai,	14	30.16	766.0	61	6	NW	2	o	,,	30.15	765.8	54	6	NW	2	o
Gutzieff,	,,	30.18	766.6	59	6	NNW	4	o	,,	30.21	767.3	59	6	NNW	4	r
Wenchow,	,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.98	761.5	70	5	E	4	o	7	30.02	762.5	69	8	N	2	g
Amoy,	,,	29.99	761.7	81	6	ENE	4	o	6	30.02	762.5	72	6	ENE	2	c
Swatow,	,,	29.97	761.2	76	...	E	3	c	,,	...	...	...	...	...	...	...
Taihoku,	11	29.98	761.6	79	...	E	2	o	5	29.97	761.2	70	...	E	2	c
Taichu,	,,	29.94	760 4	86	...	NNW	2	b	,,	29.96	760.9	70	...	...	0	bc
Tainan,	,,	29.94	760.4	86	...	NNW	2	b	,,	29.92	760.0	70	...	N	2	o
Koshun,	,,	29.91	759.8	86	...	E	2	c	,	29.89	759.3	77	...	NE	4	l
Pescadores,	,,	29.95	760.8	81	...	NNE	4	o	,	29.94	760.4	76	...	NNE	4	o
Hong Kong,	14	29.90	759.4	80	8	E	2	c	6	29.97	761.2	75	6	NE	2	bd
Gap Rock,	,,	29.92	759.9	78	7	ENE	4	o	,,	29.96	761.0	78	7	ENE	4	o
Macao,	,,	29.89	759.3	76	4	NE	2	o	,,	29.93	760.1	70	4	NNW	2	o
Hollow,	,,	29.95	760.8	83	...	E	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.86	758.5	81	8	ENE	6	o	6	29.90	759.4	79	6	NE	6	o
Phulien,	15	29.86	758.5	75	8	NE	3	o	7	29.97	761.2	66	7	NNE	3	o
Tourane,	,,	29.78	756.4	86	8	ESE	2	c	,,	29.87	758.6	73	8	N	1	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Baseo,	14	29.82	757.3	85	8	N	4	bc	6	29.88	758.9	77	6	E	2	d
Aparri,	,,	29.78	756.5	91	8	S	4	bo	,,	29.86	758.5	76	8	...	0	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.86	758.3	76	1	...	0	bc
Vigan,	,,	29.75	755.6	88	8	WSW	2	bo	,,	29.80	757.0	76	8	NE	2	bc
Manila,	,,	29.76	756.0	86	8	NW	2	o	,,	29.83	757.6	77	6	N	2	o
Legaspi,	,,	29.74	755.4	86	8	NE	4	b	,,	29.80	756.8	79	8	...	0	b
Calboyog,	,,	29.73	755.2	88	8	N	2	bc	,,	29.80	757.0	76	8	N	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.1	79	8	WSW	2	bc
Iloilo,	,,	29.71	754.6	91	8	NE	4	bc	,,	29.78	756.3	77	6	NE	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	81	8	NNW	2	bc
Surigao,	...	29.72	754.9	85	6	E	2	bc	,,	29.79	756.7	76	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.73	755.2	...	8	ENE	6	o	4.22	29.78	756.4	...	8	NE	2	b
Yap,	11.00	29.76	755.9	...	6	E	4	bc	5	29.80	757.0	...	8	E	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.86	758.5	83	6	S	...	c	6	29.90	759.4	72	4	SW	...	c

October 20*d.* 10*h.* 13*m.*—The anticyclone remains over the lower Yangtze Valley.

Moderate monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 79.65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.74	755.5	...	...	W	3	...	5	30.06	763.5	...	...	WSW	1	..
Hokodate,	..	29.90	759.5	...	...	WNW	3	...	..	30.06	763.5	...	...	NNW	1	...
Tokio,	..	29.98	761.5	...	...	NW	1	...	..	29.98	761.5	...	...	NNW	1	...
Kochi,	..	...	...	...	...	...	...	...	..	30.00	762.0	...	...	...	0	...
Nagasaki,	..	30.06	763.5	...	...	SE	1	...	..	30.04	763.0	...	...	...	0	...
Kagoshima,	..	30.06	763.5	...	...	...	0	...	..	30.04	763.0	...	...	...	0	...
Oshima,	..	29.98	761.5	...	...	...	0	...	..	30.00	762.0	...	...	N	1	...
Naha,	..	29.94	760.5	...	...	ESE	1	...	..	29.98	761.5	...	...	NNE	2	...
Ishigaki-jima,	..	29.96	761.0	...	...	SSW	1	...	..	30.02	762.5	...	...	NNE	1	...
Ponte Island,	..	30.02	762.5	...	..	W	1	...	..	30.08	764.0	...	...	S	1	...
Chefoo,	15	29.77	756.1	68	6	SSW	4	b	6	29.73	755.2	52	4	W	6	e
Shanghai,	14	30.13	765.3	56	4	SW	2	o	..	30.12	765.0	52	6	SW	2	b
Gutzlaff,	..	30.17	766.3	56	4	NW	4	r	..	30.16	766.1	61	6	W	4	o
Wenchow,	..	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	..	30.00	762.0	71	8	ENE	2	o	7	30.14	765.5	68	8	N	2	o
Amoy,	..	29.99	761.7	77	6	WSW	2	b	6	30.07	763.8	70	6	ENE	2	o
Swatow,	..	30.00	761.9	81	...	NNE	1	e	..	...	...	...	...	...	...	...
Tuiloshi,	13	29.96	761.0	85	...	E	2	o	5	30.09	764.3	68	...	SE:	2	r
Taichu,	..	29.98	761.4	85	...	NW	2	o	..	30.03	762.8	70	..	N	2	o
Taihoku,	..	29.97	761.2	88	...	NW	2	b	..	29.99	761.6	70	...	N	4	bc
Koshun,	..	29.94	760.6	85	...	NE	4	bc	..	29.95	760.8	77	...	NE	2	c
Pescadores,	..	29.98	761.5	77	...	N	4	o	..	30.02	762.4	74	...	NNE	6	o
Hong Kong,	14	29.94	760.5	79	7	W	3	c	6	30.03	762.7	67	8	NW	2	b
Gap Rock,	..	29.97	761.2	78	7	NNW	4	c	..	30.02	762.5	75	8	N	5	b
Macao,	..	29.96	761.0	74	4	N	2	o	..	30.02	762.6	63	6	NNE	4	bc
Hoilow,	..	29.99	761.7	76	...	NE	4	d	..	...	...	...	...	...	...	...
Pratas Island,	..	29.89	759.3	79	5	NE	6	o	6	29.97	761.2	77	6	NE	6	r
Phulien,	15	30.02	762.5	68	6	NNE	2	o	7	30.14	765.5	61	6	NNW	3	d
Tourane,	..	29.82	757.5	84	8	NNW	2	e	..	29.92	759.9	77	3	NNE	3	rf
Cape St. James,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Basco,	14	29.83	757.8	86	8	SE	4	bc	6	29.92	760.0	74	6	...	0	bc
Aparri,	..	29.83	757.6	83	6	SW	4	p	..	29.90	759.4	76	8	...	0	b
Tuguegarao,	..	29.80	757.0	91	8	...	0	bc	..	29.87	758.6	74	1	...	0	o
Vigan,	..	29.76	756.0	91	8	WNW	2	b	..	29.83	757.6	77	8	N	2	bc
Manila,	..	29.78	756.5	86	8	WNW	2	r	..	29.87	758.6	76	6	...	0	r
Legaspi,	..	29.76	755.9	86	8	ENE	2	bc	..	29.83	757.6	79	8	...	0	o
Calbayog,	..	29.74	755.5	79	8	NE	2	o	..	29.83	757.6	76	8	...	0	o
Tacloban,	..	29.75	755.6	81	6	E	4	d	..	29.83	757.7	77	8	WNW	2	o
Iloilo,	..	29.72	754.9	91	8	E	4	o	..	29.83	757.6	77	4	NE	2	o
Cebu,	..	29.72	754.8	88	8	NNE	2	b	..	..	..	..	...	...	...	...
Surigao,	...	29.71	754.7	88	8	...	0	b	..	29.81	757.2	77	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	78	..	E	4	o
Guam,	12.22	29.74	755.3	...	8	NE	4	bc	4.22	29.81	757.1	...	8	NE	4	b
Yap,	11.00	29.78	756.5	...	6	ESE	4	bc	5	29.84	757.9	...	6	...	0	bc
Pelew,	..	...	...	...	...	...	...	...	..	29.80	756.9	77	...	ENE	1	r
Labuan,	14	29.86	758.5	85	...	SW	...	c	6	29.89	759.2	76	...	SW	...	bc

October 21d. 10h. 32m.—The anticyclone now lies over S. China to the south of the Yangtze Valley; a depression is situated to the north of Shantung.

Fresh monsoon will prevail over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 79.75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
A.—Shanghai to Turnabout,	S.W. or variable winds, moderate.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Bainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	22nd OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.74	755.5	55	...	SE	7	o	6	29.82	757.5	45	...	W	3	h
Nemuro,	11	30.04	763.0	...	...	SSE	1	...	5	30.04	763.0	...	...	SSE	1	...
Hokodate,	,,	30.00	762.0	...	...	E	1	...	,,	29.86	758.5	...	...	S	2	...
Tokio,	,,	29.98	761.5	...	...	NNW	1	...	,,	30.06	763.5	.	...	NW	1	...
Kochi,	,,	30.06	763.5	...	...	...	...	...	,,	30.16	766.0	...	...	WSW	1	...
Nagasaki,	,,	30.06	763.5	...	...	S	1	...	,,	30.20	767.0	...	..	N	1	...
Kagoshima,	,,	30.08	764.0	...	...	...	0	...	,,	30.18	766.5	...	...	...	0	...
Oshima,	,,	30.08	764 0	...	...	NNE	1	...	,,	30.20	767.0	...	...	SSE	1	...
Naha,	,,	30.06	763.5	...	...	NNE	2	...	,,	30.14	765.5	...	...	NNE	2	...
Ishigakijima,	,,	30.08	764.0	...	...	NNE	2	...	,,	30.04	763.0	...	...	ENE	3	...
Bonin Island,	,,	30.06	763.5	...	...	SSW	1	...	,,	30.16	766.0	...	...	...	0	...
Chefoo,	15	29.88	758.9	59	8	WNW	8	be	6	29.96	761.0	54	4	S	4	c
Shanghai,	14	30.11	764.8	74	6	W	2	b	,,	30.19	765.8	54	6	SSW	2	b
Gutzlaff,	,,	30.15	765.8	67	6	WSW	4	be	,,	30.24	768.1	63	6	SSW	2	b
Wenchow,	,	...	...	...	...	...	...	...	6	30.23	767.7	57	...	NNW	1	b
Foochow,	,,	30.11	764.7	70	8	E	2	be	7	30.12	765.0	67	8	N	2	be
Amoy,	,,	30.06	763.5	79	8	NE	2	b	6	...	...	...	...	...	...	...
Swatow,	,,	30.08	764.0	74	...	...	0	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.11	764.8	72	...	E	4	o	5	30.09	764.2	68	...	E	4	d
Taichu,	,,	30.02	762.4	81	...	NNW	2	be	,,	30.01	762.3	68	..	....	0	o
Tainan,	,,	30.00	762.0	85	...	NE	4	b	,,	29.99	761.6	68	...	...	0	b
Koshun,	,,	29.98	761.5	79	...	E	5	c	,	29.97	761.3	77	...	NNE	4	c
Pescadores,	,,	30.02	762 6	79	...	NE	6	b	,,	29.99	761.8	76	...	NNE	6	c
Hong Kong,	14	30.03	762.7	77	8	N	1	o	6	30.04	763.0	73	8	..	0	c
Gap Rock,	,,	30 04	763.0	77	8	N	4	o	,,	30.03	762.7	76	8	NE	4	c
Macao,	,,	30.02	762.5	74	4	NNE	2	o	,,	30.01	762.1	68	4	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Praias Island,	,,	29.97	761.3	79	8	NE	6	o	6	29.97	761.2	77	1	NE	2	o
Phûlien,	15	30.09	764.3	72	9	NNW	3	o	7	30.08	764.0	64	7	NNE	2	c
Tourane,	,,	29.95	760.7	77	3	N	6	r	,,	30.00	762.0	72	4	...	0	f
Cape St. James,	,,	29.85	758 3	75	6	NE	1	o	,,	..	...	...	...	..	...	...
Basco,	14	29.89	759.1	85	8	NNE	4	be	6	29.89	759.3	81	6	NE	4	o
Aparri,	,,	29.85	758.3	88	6	NE	4	o	,,	29.85	758.2	79	6	...	c	o
Tuguegirao,	,,	29.81	757.1	91	8	...	0	be	,,	...	.	...	...	...	...	...
Vigan,	,,	29.79	756.5	91	8	NW	4	be	,,	29.75	755.6	79	8	WSW	2	o
Manila,	,,	29.81	757.1	85	8	...	0	o	,,	29.78	756.4	76	6	N	2	r
Legaspi,	,,	29.76	755.9	81	8	...	0	o	,,	29.78	756.3	76	8	..	0	b
Calbeyog,	,,	29.76	755.8	79	8	...	0	o	,,	29.80	757.0	74	8	N	2	c
Tacloban,	,,	29.76	756.0	79	6	WNW	2	r	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.76	755.8	91	8	NE	4	o	,,	29.78	756.4	79	6	NE	2	o
Cebu,	,,	29.73	755.2	88	8	EN	4	be	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755 3	86	8	...	0	o	,,	29.78	756.4	77	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	..	...	...	...
Guam,	12.22	29.70	756.6	...	8	E	6	be	4.22	29.83	757.7	...	8	NE	2	c
Yap,	11.00	29.76	755.8	...	6	NNE	2	be	5	29.84	758.0	...	6	E	4	be
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	11	29 94	760.6	85	...	...	...	be	6	29.90	759.4	76	4	S	...	be

October 22*d.* 10*h* 21*m.*– The antieyclone has moved into the Eastern Sea; another may be developing over N. China. The depression is situated in the northern part of the Sea of Japan, moving eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 79.84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
A.—Shanghai to Turnabout,	Light southerly or variable winds.
B.—Turnabout to Hong Kong,	N.E. winds, moderate to fresh.
C.—Hong Kong to Gap Rock,	N.E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. [illegible]ES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	23rd October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.02	762.5	...	...	SSE	3	...	5	30.16	766.0	...	...	NW	2	...
Hokodate,	,,	29.96	761.0	...	...	WSW	4	...	,,	30.14	765.5	...	...	NW	1	...
Tokio,	,,	30.10	764.5	...	...	...	0	...	,,	30.24	768.0		...	...	0	...
Kochi,	,,	30.18	766.5	...	...	...	...	...	,,	30.22	767.5	...	...	WSW	1	...
Nagasaki,	,,	30.24	768.0	...	...	...	0	...	,,	30.22	767.5	...	...	...	0	...
Kagoshima,	,,	30.24	768 0	...	...	...	0	...	,,	30.22	767.5	...	...	...	0	...
Oshima,	,,	30.18	766.5	...	...	...	0	...	,,	30.12	765.0	...	...	S	1	...
Naha,	,,	30.12	765.0	...	...	ENE	4	...	,,	30.06	763.5	...	...	E	2	...
Ishigakijima,	,,	30.08	764.0	...	...	ENE	4	...	,,	30.04	763.0	...	...	E	3	...
Bonin Island,	,,	30.12	765.0	...	...	E	1	...	,,	30.12	765.0	...	...	E	1	...
Chefoo,	15	30.00	762.0	63	1	NW	2	b	6	30.16	766.1	50	4	WSW	2	be
Shanghai,	14	30.13	765.3	77	8	S	2	b	,,	30.17	766.2	58	6	S	2	b
Gutzlaff,	,,	30.19	766.8	72	6	SSE	2	b	,,	30.24	768.1	67	6	S	2	be
Wenchow,	,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.11	764.8	69	6	E	2	be	7	30.10	764.5	68	6	N	2	o
Amoy,	,,	30.10	764.5	77	6	ENE	4	b	6	30.08	764.0	68	6	ENE	2	o
Swatow,	,,	30 05	763.2	76	...	NE	1	c	,,	...	...	...	...	...	...	...
Taihoku,	13	30.12	764.9	70	...	E	4	r	5	30.01	762.3	70	...	E	4	b
Taichu,	,,	30.04	763.0	79	...	N	2	be	,,	29.99	761.8	67	...	...	0	b
Tainan,	,,	29.99	761.8	85	...	N	4	be	,,	29.95	760.7	68	...	...	0	be
Koshun,	,,	29.98	761.4	81	...	NE	4	r	,	29.92	760 0	77	...	NE	4	o
Pescadores,	,,	30 04	763.0	77	...	NNE	6	o	,,	29.96	760.9	74	...	NNE	8	o
Hong Kong,	14	29.97	761.2	77	7	E	3	be	6	29.98	761.5	74	7	E	5	c
Gap Rock,	,,	29.97	761.2	77	8	ENE	4	b	,,	29.97	761.2	76	8	ENE	4	b
Macao,	,,	29.95	760.8	81	4	ESE	2	c	,,	29.96	760.9	72	...	...	0	g
Hoihow,	,,	...	...	79	...	NE	2	*be*	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.1	81	8	NE	8	be	6	29.91	759.6	77	8	NE	6	c
Phulien,	15	29.98	761.4	79	8	NW	2	b	7	29.94	760.5	68	7	NNW	3	z
Tourane,	,,	29.89	759.3	74	8	NW	4	o	,,	29.91	759.7	75	7	NNW	3	c
Cape St. James,	,,	29.82	757.3	84	7	S	1	c	,,	...	...	...	...	...	...	...
Banco,	14	29.84	758.0	79	4	NNE	2	r	6	29.85	758.2	77	4	NE	2	d
Aparri,	,,	29.81	757.2	77	6	...	0	d	,,	29.82	757.3	72	6	...	0	r
Tuguegurao,	,,	29.76	755.8	76	1	...	0	d	,,	...	...	...	...	...	...	...
Vigan,	,,	29.71	754.7	85	8	NE	2	o	,,	29.72	754.8	77	8	SSE	2	be
Manila,	,,	29.74	755.5	81	6	W	4	o	,,	29.75	755.5	74	4	...	0	o
Legaspi,	,,	29.72	754.8	91	8	NE	2	b	,,	29.70	754.4	77	6	W	2	o
Calboyog,	,,	29.72	754.8	88	8	SSW	2	be	,,	29.73	755.2	76	8	NNE	2	o
Tacloban,	,,	29.71	754.6	86	8	NNE	2	o	,,	29.74	755 4	77	8	SW	2	o
Hoilo,	,,	29.72	754.8	88	6	SW	2	o	,,	29.74	755.4	79	6	...	0	o
Cebu,	,,	29.71	754.6	88	8	SSW	4	o	,,	29.73	755.2	81	8	SW	2	o
Surigao,	...	29.70	754.4	83	8	...	0	o	,,	29.74	755.3	79	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	79	...	E	4	bo
Guam,	12.22	29.78	756.5	...	8	E	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.82	757.4	...	6	S	2	be	5	29.83	757.7	78	...	NNE	2	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	78	...	...	0	c
Labuan,	14	29.86	758.4	85	...	SW	...	e	6	...	...	...	...	...	...	...

October 23*d*. 10*h*. 28*m*.—The anticyclone is central over South Japan. A typhoon is indicated to the east of S. Luzon.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 79.93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light southerly or variable winds.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	24th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.10	764.5	...	...	W	2	...	5	29.88	759.0	..	...	WSW	2	...
Hokodate,	..	30.04	763.0	...	...	S	2	...	..	30.02	762.5	...	...	W	1	..
Tokio,	..	30.20	767.0	...	...	...	0	...	..	30.08	764.0		...	...	0	...
Kochi,	..	30.18	766.5	...	...	...	0	...	..	30.12	765.0	...	...	...	0	...
Nagasaki,	..	30.20	767.0	...	...	SE	2	...	..	30.16	766.0	...	...	...	0	...
Kagoshima,	..	30.16	766.0	...	...	ENE	1	...	..	30.14	765.5	...	...	NW	1	...
Oshima,	..	30.12	765.0	...	...	NNE	1	...	..	30.06	763.5	...	...	..	0	...
Naha,	..	30.06	763.5	...	...	NNE	1	...	..	30.00	762.0	...	...	NNE	1	...
Ishigakijima,	..	30.04	763.0	...	...	E	2	...	..	29.96	761.0	...	...	ENE	2	...
Bonin Island,	..	30.08	764.0	...	...	ESE	1	...	..	30.02	762.5	...	...	E-E	1	...
Chefoo,	15	30.22	767.5	58	8	NNE	4	bc	6	30.32	770.0	47	4	NW	2	b
Shanghai,	14	30.16	766.0	72	6	WNW	2	c	..	30.28	769.0	63	6	N	4	c
Gutzlaff,	..	30.20	767.0	72	6	NW	2	c	..	30.28	769.1	65	6	NNE	4	c
Wenchow,	,	..	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	..	30.06	763.5	71	6	E	2	c	7	30.07	763.8	69	6	NNE	2	c
Amoy,	..	30.02	762.5	83	6	ENE	4	bc	6	29.98	761.5	74	4	NNE	4	bc
Swatow,	..	30.04	763.1	68	...	NNE	1	c	..	...	...	...	...	...	...	...
Tsiloko,	13	30.01	762.3	81	..	E	4	bc	5	29.96	760.9	74	...	ENE	2	r
Taichu,	..	29.94	760.4	85	...	...	0	b	..	29.89	759.1	74	..	...	0	c
Taimu,	..	29.92	760.0	83	..		0	bc	..	29.85	758.2	72	...	...	0	c
Koshun,	..	29.91	760.4	81	...	NE	4	c	,	29.83	757.7	79	...	NE	4	c
Pescadores,	..	29.91	760.4	79	...	NNE	6	c	..	29.88	758.8	76	...	NNE	6	c
Hong Kong,	14	29.90	759.4	80	8	E	3	b	6	29.92	759.9	73	7	N	1	b
Gap Rock,	..	29.93	760.2	77	8	ENE	4	b	..	29.93	760.2	77	7	NE	4	c
Macao,	..	29.97	761.2	83	1	NE	2	bc	..	29.89	759.3	70	6	NNE	2	bc
Hoilow,	..	30.02	762.5	81	...	NE	2	bc	..	..	..	...	...	...	...	...
Craigs Island,	..	29.87	758.8	81	6	NE	4	c	6	29.83	757.7	77	8	NE	6	c
Phulien,	15	30.06	763.5	81	8	WNW	2	c	7	29.95	760.6	72	8	N	3	c
Tourane,	..	29.84	758.0	81	8	NNW	2	c	..	29.87	758.6	77	7	NNW	3	c
Cape St. James,	..	29.76	755.8	82	7	ENE	2	c	..	..	..	..	...	...	...	...
Basco,	14	29.78	756.5	81	6	NE	4	c	6	29.75	755.3	79	4	NE	4	c
Aparri,	..	29.74	755.3	83	6	ENE	4	c	..	29.47	748.6	79	4	NNE	8	d
Tuguegarao,	..	29.69	754.0	81	4	...	0	c	..	...	...	...	...	...	...	...
Vigan,	..	29.64	752.9	91	8	N	4	c	..	29.59	751.6	76	8	...	0	g
Manila,	..	29.67	753.7	85	6	...	0	c	..	29.69	754.0	77	6	SSW	2	c
Iagnospi,	..	29.65	753.0	81	6	W	4	c	..	29.73	755.0	77	6	...	0	c
Calbayog,	..	29.69	754.0	83	8	WSW	6	c	..	29.76	756.0	77	8	...	0	c
Tacloban,	..	29.69	754.0	86	8	SSE	2	c	..	29.79	756.6	77	8	...	0	c
Iloilo,	..	29.70	754.4	79	6	SW	4	c	..	29.76	755.8	77	4	SW	4	c
Cebu,	..	29.70	754.3	81	8	WSW	4	c	..	29.76	756.0	77	8	...	0	c
Surigao,	...	29.68	753.8	88	8	W	2	c	..	29.78	756.3	76	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	80	...	E	3	bc
Guam,	12.22	29.76	755.8	...	8	NE	6	bc	4.22	29.76	755.9	..	8	NE	2	b
Yap,	11.00	29.76	756.0	...	6	NE	4	bc	5	29.81	757.2	80	...	ENE	1	c
Pelew,	,,	..	...	...	...	...	...	...	,,	...	...	..	....	...	...	...
Labuan,	14	29.85	758.3	79	...	...	...	c	6	29.78	756.5	72	...	...	...	bc

Warnings.

October 23*d*. 17*h*. 48*m*.—Typhoon within 120 miles of Lat. 15° N. Long. 125° E., moving W.N.W.
October 24*d*. 10*h*. 03*m*.—Typhoon within 60 miles of Lat. 18° N. Long. 122° E., moving N.W.

October 24*d*. 10*h*. 33*m*.—An anticyclone of considerable intensity has developed to the north of the Yangtze Valley. The typhoon is situated in the vicinity of Aparri (N. Luzon) moving N.W. or N.N.W.

Fresh to strong monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 80.02 inches.

Manila warning. 24*d*. 8*h*. 30*m*.:—Typhoon in Lat. 18° N. Long. 122° E. moving N.N.W. Recd 24*d*. 9*h*. 01*m*.

Shanghai warning 24*d*. 9*h*. 50*m*.:—A severe typhoon within 60 miles of Lat. 18° N. Long. 123° E., moving N.W. Recd. 24*d*. 10*h*. 13*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, fresh to strong.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine to cloudy.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; cyclonic gales near N. Luzon.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	25th OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.84	758.0	...	...	WSW	3	...	5	29.80	757.0	...	...	W	1	...
Hokodate,	..	29.96	761.0	...	...	W	4	...	..	29.92	760.0	...	...	WNW	1	...
Tokio,	..	30.02	762.5	...	...	N	1	...	..	29.96	761.0	..	...	NNW	1	...
Kochi,	..	30.08	764.0	...	...	...	0	...	..	30.10	764.5	...	...	WSW	1	...
Nagasaki,	..	30.16	766.0	...	...	NNW	1	...	..	30.20	767.0	...	..	NNE	1	...
Kagoshima,	..	30.12	765.0	...	...	N	1	...	..	30.14	765.5	...	...	NNW	1	...
Oshima,	..	30.06	763.5	...	...	NE	1	...	..	30.04	763.0	...	...	NNE	3	...
Naha,	..	30.02	762.5	...	...	NNE	2	...	..	29.98	761.5	...	...	NE	2	...
Ishigakijima,	..	29.96	761.0	...	...	E	3	...	..	29.92	760.0	...	...	ENE	3	...
Bonin Island,	..	29.98	761.5	...	...	SE	1	...	..	29.96	761.0	...	...	...	...	...
Chefoo,	15	30.28	769.1	58	8	NW	4	b	6	30.27	768.8	54	8	S	2	f
Shanghai,	14	30.28	769.0	67	6	NNE	4	c	..	30.28	769.1	59	4	NNE	2	c
Gutzlaff,	..	30.29	769.3	65	6	N	4	c	..	30.31	769.9	61	6	NE	4	c
Wenchow,	..	..	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	..	30.04	763.0	73	6	NNE	4	c	7	30.09	764.3	68	8	NNE	4	c
Amoy,	..	29.93	760.2	85	6	ENE	4	b	6	30.01	762.3	72	6	NNE	4	c
Swatow,	..	29.94	760.6	81	...	NE	3	b	..	...	...	...	...	...	...	...
Tailoku,	11	30.02	762.5	76	...	E	4	r	5	30.02	762.6	67	...	E	2	r
Taichu,	..	29.85	758.2	86	...	N	2	b	..	29.82	757.4	68	..	N	2	c
Tainan,	..	29.85	758.2	86	...	NNW	2	c	..	29.78	756.5	70	...	N	4	c
Koshun,	..	29.85	758.2	79	...	NE	6	r	..	29.75	755.6	74	...	NE	6	r
Pescadores,	..	29.89	759.1	79	...	NE	8	c	..	29.83	757.7	72	...	NE	8	c
Hong Kong,	14	29.85	758.2	82	8	E	3	b	6	29.88	758.9	73	7	N	2	bc
Gap Rock,	..	29.88	759.0	78	8	ENE	4	b	..	29.87	758.6	77	8	ENE	4	c
Macao,	..	29.85	758.2	81	6	NE	4	b	..	29.87	758.6	70	6	NNE	2	bc
Hoihow,	..	29.97	761.2	83	...	NE	2	bc	..	..	...	...	...	...	...	...
Pratas Island,	..	29.76	756.0	81	8	NE	8	c	6	29.77	756.2	77	...	NNE	8	c
Phulien,	15	29.87	758.8	82	8	...	0	bc	7	29.91	759.6	72	8	NE	2	f
Tourane,	..	29.80	756.9	81	8	NNE	3	c	..	29.80	756.9	79	6	NE	4	r
Cape St. James,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Aparri,	..	29.43	747.6	76	4	ESE	6	r	..	29.54	750.4	74	6	S	2	d
Tuguegarao,	..	...	...	...	..	...	...	...	..	...	...	...	...	...	...	...
Vigan,	..	29.50	749.4	79	4	...	0	d	..	29.62	752.4	79	6	SW	4	r
Manila,	..	29.67	753.5	83	6	SW	4	c	..	29.76	756.0	77	6	...	0	c
Legaspi,	..	29.69	754.1	91	8	SW	2	bc	..	29.75	755.6	76	8	..	0	b
Calbayog,	..	29.72	754.8	91	8	S	2	b	..	29.76	755.8	76	8	N	2	bc
Pacolman,	..	29.72	754.8	91	8	SSE	2	bc	..	..	...	...	...	...	...	...
Iloilo,	..	29.70	754.3	88	8	SW	4	bc	..	29.78	756.4	77	6	...	0	c
Cebu,	..	29.70	754.3	88	8	S	4	b	..	..	..	...	...	...	...	...
Surigao,	...	29.72	755.0	77	6	S	2	d	..	29.78	756.4	76	6	...	0	c
Saipan,	11.00	...	...	...	..	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.70	754.3	...	8	NE	4	b	4.22	29.75	755.6	...	8	E	2	bc
Yap,	11.00	29.72	754.8	...	8	NE	4	b	5	29.79	756.6	...	8	NE	4	b
Pelew,	"	...	...	...	...	...	...	...	..	..	...	...	...	...	...	...
Labuan,	14	29.83	757.7	86	6	SW	4	bc	6	29.80	756.8	77	4	S	4	bc

Warnings.

October 24*d*. 17*h*. 00*m*.—Typhoon within 60 miles of Lat. 18° N. Long. 121° E., moving W.N.W.

October 25*d*. 2*h*. 34*m*.—A severe typhoon within 60 miles of Lat. 19° N. Long. 119° E., moving W.N.W.

October 25*d*. 3*h*. 07*m*.—Local signal No 1 hoisted.

October 25*d*. 10*h*. 05*m*.—Typhoon within 60 miles of Lat. 19° N. Long. 119° E., stationary or very slow.

October 25*d*. 10*h*. 15*m*.—The nuriycyclone remains over N. China. The typhoon appears to be stationary to the west of the Balintang Channel.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 80.10 inches.

Shanghai warning 24*d*. 16*h*. 56*m*.:—A severe typhoon within 60 miles of Lat. 18° N. Long. 121° E., moving N.W. Recd. 24*d*. 17*h*. 15*m*.

Manila warning: 25*d*. 9*h*. 00*m*.:—Typhoon in Lat. 19° N. Long. 120° E. almost stationary. Recd 25*d*. 9*h*. 55*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, fresh to strong.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine generally.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh to strong; cyclonic gales between Luzon and Formosa.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	26th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.15	765.7	50	...	WSW	1	b	6	30.15	765.7	43	...	...	0	b
Nemuro,	11	29.78	756.5	...	...	NNE	1	...	5	30.02	762.5	...	...	WNW	1	...
Hokodate,	..	29.94	760.5	...	...	WNW	3	...	,,	30.14	765.3	...	...	WSW	2	...
Tokio,	..	30.00	762.0	...	...	NNE	1	...	,,	30.24	768.0	...	...	NNE	1	...
Kochi,	,,	30.14	765.5	...	...	...	...	...	,,	30.22	767.5	...	...	SW	1	...
Nagasaki,	,,	30.20	767.0	...	...	NE	1	...	,,	30.22	767.5	...	..	...	0	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	30.18	766.5	...	...	...	0	...
Oshima,	,,	30.08	764.0	...	...	NNE	2	...	,,	30.08	764.0	...	...	...	0	...
Naha,	,,	30.00	762.0	...	...	NNE	3	...	,,	29.96	761.0	...	...	NE	3	...
Ishigakijima,	,,	29.92	760.0	...	...	ENE	3	...	,,	29.88	759.0	...	...	ENE	5	...
Bonin Island,	,,	29.94	760.5	...	...	SSW	1	...	,,	30.00	762.0	...	...	...	0	...
Chefoo,	15	30.20	767.2	59	8	NNW	4	b	6	30.25	768.3	50	6	...	0	b
Shanghai,	14	30.24	768.1	67	6	E	2	o	,,	30.27	768.8	58	6	NE	2	o
Gutzieff,	,,	30.26	768.6	63	6	NE	4	o	,,	30.31	769.9	61	6	NE	4	o
Wenchow,	,,	...	...	...	...	...	...	...	6	30.19	766.8	63	...	NNE	5	o
Foochow,	,,	30.03	762.7	70	6	NE	4	o	7	30.06	763.5	68	6	NE	2	p
Amoy,	,,	29.92	760.0	83	8	NE	4	b	6	29.98	761.5	70	6	N	4	o
Swatow,	..	29.89	759.3	78	...	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.05	763.3	70	..	E	4	r	5	29.96	760.9	68	...	E	4	r
Taichu,	,,	29.80	757.0	79	...	N	4	bc	,,	29.79	756.6	68	...	NNE	2	bc
Tainan,	,,	29.98	761.5	81	..	N	4	b	,,	29.76	755.8	68	...	N	4	o
Koshun,	,,	29.79	756.6	77	...	NE	8	o	,,	29.69	754.0	74	...	NE	6	o
Pescadores,	,,	29.83	757.7	76	..	NNE	8	o	,,	29.80	757.0	74	...	NNE	8	o
Hong Kong,	14	29.83	757.7	80	8	E	3	b	6	29.92	759.9	71	8	N	1	b
Gap Rock,	,,	29.87	758.7	78	7	ENE	4	b	,,	29.91	759.7	77	7	ENE	4	c
Macau,	,,	29.83	757.8	83	6	NE	2	b	,,	29.88	759.0	68	4	N	2	bc
Hoihow,	..	29.96	760.9	83	...	NE	4	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.78	756.4	79	8	NNE	8	o	6	29.84	757.9	76	6	NNE	8	o
Phulien,	15	29.85	758.3	81	7	ESE	1	bc	7	29.92	760.1	70	6	ENE	5	b
Tourane,	,,	29.74	755.5	79	3	N	6	df	,,	29.80	756.9	75	2	ENE	4	r
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.50	749.2	77	4	ESE	6	r	6	29.31	744.4	79	1	WSW	10	r
Aparri,	,,	29.52	749.8	79	6	S	4	d	,,	29.64	752.8	76	6	..	0	p
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Vigan,	,,	29.63	752.6	76	4	WSW	4	r	,,	29.73	755.0	77	4	WNW	2	d
Manila,	,,	29.72	754.9	86	8	WSW	4	o	,,	29.78	756.3	79	6	...	0	o
Legaspi,	,,	29.72	754.8	91	8	...	0	bc	,,	29.76	755.8	76	8	...	0	b
Calboyog,	,,	29.73	755.2	91	8	SSW	2	bc	,,	29.80	756.8	76	8	N	2	bc
Tacloban,	,,	29.74	755.4	83	8	ENE	4	o	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	91	8	SW	2	o	,,	29.79	756.7	77	6	...	0	o
Cebu,	,,	29.72	754.9	83	8	NNW	4	p	,,	..	..	..	...	...	...	...
Surigao,	...	29.72	754.9	88	8	...	0	b	,,	29.79	756.6	76	6	...	0	bc
Saipan,	11.00	..	...	...	...	...	...	...	5	29.82	757.4	76	...	ESE	3	o
Guam,	12.22	29.75	755.6	...	8	ESE	4	bc	4.22	29.76	756.0	...	8	E	4	b
Yap,	11.00	29.74	755.3	...	6	NE	4	bc	5	29.80	757.0	...	8	NE	2	b
Pelew,	,,	...	...	...	..	...	...	...	,,	29.78	756.3	80	...	ESE	2	o
Labuan	14	29.78	756.4	86	6	S	...	bc	6	29.89	759.1	74	4	NE	4	bc

Warnings.

October 25*d*. 13*h*. 45*m*.—Local signal No. 1 lowered.

October 25*d*. 17*h*. 35*m*.—Typhoon within 60 miles of Lat. 20° N. Long. 120° E., stationary or very slow.
October 26*d*. 8*h*. 50*m*.—A severe typhoon within 60 miles of Lat. 21° N. Long. 122° E., moving N.E.

October 26*d*. 10*h*. 34*m*.—The anticyclone has moved eastward, and extends from N. China to S. Japan. The typhoon has recurved; it is situated about 100 miles south-east of South Cape (Formosa) moving north-eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 80.18 inches.

Manila warning. 26*d*. 8*h*. 15*m*.:—Typhoon in Lat. 20° N. Long. 122° E. recurving north-eastward. Recd. 26*d*. 8*h*. 41*m*.

Shanghai warning 26*d*. 9*h*. 54*m*.:—A severe typhoon within 60 miles of Lat. 21° N. Long. 122° E., moving N.E. Recd. 26*d*. 10*h*. 02*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock,	N.E. winds, fresh to strong.
D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; fine.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	27th OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.07	763.8	57	...	WSW	3	b	6	30.19	766.7	43	...	...	0	b
Nemuro,	11	30.02	762.5	...	...	W	2	...	5	30.00	762.0	...	...	W	2	...
Hokodate,	,,	30.12	765.0	...	...	W	3	...	,,	30.12	765.0	...	...	WSW	3	...
Tokio,	,,	30.22	767.5	...	...	E	1	...	,,	30.24	768.0	...	...	...	0	...
Kochi,	,,	30.22	767.0	...	...	...	0	...	,,	30.26	768.5	...	...	WSW	1	...
Nagasaki,	,,	30.22	767.5	...	...	NE	1	...	,,	30.20	767.0	...	...	NE	1	...
Kagoshima,	,,	30.20	767.0	...	...	ENE	1	...	,,	30.20	767.0	...	...	NNW	1	...
Oshima,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.08	764.0	...	...	...	0	...
Naha,	,,	29.98	761.5	...	...	NE	4	...	,,	29.98	761.5	...	...	NE	4	...
Ishigakijima,	,,	29.92	760.0	...	...	ENE	4	...	,,	29.88	759.0	...	...	ENE	5	...
Bonin Island,	,,	29.98	761.5	...	...	NE	1	...	,,	30.00	762.0	...	...	...	0	...
Chefoo,	15	30.19	766.8	63	8	NNW	4	b	6	30.28	769.0	47	6	..	0	b
Shanghai,	14	30.25	768.3	68	6	ENE	2	bc	,,	30.25	768.3	61	4	NE	2	o
Gutzlaff,	,,	30.35	770.9	67	6	NE	4	o	,,	30.27	768.8	63	6	NE	4	o
Wenchow,	,	...	...	...	...	...	...	...	6	30.16	766.0	64	...	NNE	4	o
Foochow,	,,	30.00	762.0	72	6	NE	2	o	7	30.05	763.2	67	6	NNE	2	e
Amoy,	,,	29.94	760.5	83	6	NE	4	b	6	29.94	760.5	74	6	NE	4	e
Swatow,	,,	29.96	761.0	77	...	ESE	1	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.00	761.9	72	...	E	4	d	5	29.91	759.6	72	...	ENE	4	r
Taichu,	,,	29.82	757.3	79	...	NW	2	o	,,	29.80	757.0	72		SW	2	r
Tainan,	,,	29.79	756.7	81	...	N	4	o	,,	29.78	756.5	70	...	NNE	2	r
Koshun,	,,	29.78	756.3	76	...	NE	4	r	,,	29.73	755.2	76	...	NE	2	p
Pescadores,	,,	29.83	757.7	76	...	NNE	8	d	,,	29.81	757.1	74	...	NNE	8	o
Hong Kong,	14	29.89	759.2	81	8	ESE	2	bc	6	29.93	760.2	73	8	N	2	e
Gap Rock,	,,	29.91	759.7	79	7	NE	3	b	,,	29.93	760.2	77	7	NE	3	e
Macao,	,,	29.88	759.0	84	6	NE	2	bc	,,	29.92	760.0	70	4	N	2	e
Hoihow,	,,	...	...	...	...	...	...	...	,,	..	..	...	...	...	...	...
Pratas Island,	,,	29.84	757.9	77	6	NNE	6	o	6	29.88	758.8	74	6	NNE	6	o
Phulien,	15	29.87	758.6	85	6	E	2	z	7	29.98	761.5	70	6	ENE	4	te
Tourane,	,,	29.77	756.2	82	6	E	3	r	,,	29.88	758.8	77	2	ENE	4	r
Cape St. James,	,,	...	...	...	...	...	...	...	,,	..	..	...	...	...	...	...
Basco,	14	29.18	741.1	79	...	...	...	q	6	29.28	743.8	77	1	ENE	10	r
Aparri,	,,	29.66	753.3	76	6	W	4	p	,,	29.67	753.6	74	6	...	0	r
Tuguegarao,	,,	...	...	...	...	...	...	..	,,	29.67	753.5	76	1	...	0	o
Vigan,	,,	29.73	755.2	83	6	WNW	4	o	,,	29.76	755.8	76	6	SW	2	o
Manila,	,,	29.76	755.9	85	8	SW	4	o	,,	29.78	756.4	76	6	...	0	bc
Legaspi,	,,	29.71	754.7	77	8	WSW	2	bc	,,	29.75	755.5	77	8	...	0	bc
Calbuyog,	,,	29.76	755.8	91	8	SW	4	bc	,,	29.79	756.6	76	8	N	2	bc
Tacloban,	,,	29.78	756.3	85	6	ESE	4	o	,,	29.80	757.0	79	8	...	0	b
Iloilo,	,,	29.74	755.3	91	8	S	4	bc	,,	..	..	...	..	...	...	...
Cebu,	,,	29.74	755.3	91	8	W	2	bc	,,	29.78	756.5	78	8	...	0	bc
Surigao,	...	29.74	755.3	88	8	N	2	bc	,,	29.79	756.6	77	6		0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	78	...	ESE	6	bc
Guam,	12.22	29.73	755.2	...	8	SSE	4	bc	4.22	29.78	756.3	...	8	...	0	b
Yap,	11.00	29.78	756.3	...	8	SE	2	bc	5	29.84	758.0	...	6	...	0	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	78	...	...	0	b
Labuan,	14	29.85	758.3	88	6	NW	4	bc	6	29.91	759.7	72	..	W	...	e

Warning.

October 27*d*. 9*h*. 34*m*.—Typhoon within 60 miles of Lat. 21° N. Long. 122° E., stationary or very slow.

October 27*d*. 10*h*. 47*m*.—The anticyclone is central over the Yellow Sea, and extends from N. China to the Pacific to the east of Japan.

The typhoon appears to be stationary in the vicinity of Batan Island (about 100 miles south-east of South Cape, Formosa).

Moderate monsoon will prevail along the China coast and over the northern China Seas.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 80.26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28th.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, fresh; fine.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFREES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	28th OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.02	762.5	...	...	NNW	2	...	5	30.18	766.5	..	...	SW	1	...
Hokodate,	,,	30.14	765.5	...	...	W	2	...	,,	30.24	768.0	...	...	...	0	...
Tokio,	,,	30.26	768.5	...	...	E	1	...	,,	30.12	770.0		...	N	1	...
Kochi,	,,	30.22	767.5	...	...	...	0	...	,,	30.24	768.0	...	...	...	0	...
Nagasaki,	,,	30.22	767.5	...	...	E	1	...	,,	30.22	767.5	...	..	...	...	...
Kagoshima,	,,	30.20	767.0	...	...	NE	1	...	,,	30.18	766.5	...	...	...	0	...
Oshima,	,,	30.10	764.5	...	...	...	0	...	,,	30.06	763.5	...	...	...	0	...
Naha,	,,	30.00	762.0	...	...	ENE	4	...	,,	29.98	761.5	...	...	E	2	...
Ishigakijima,	,,	29.92	760.0	...	...	E	3	...	,,	29.88	759.0	...	...	ESE	2	...
Bonin Island,	,,	29.98	761.5	...	...	...	0	...	,,	30.04	763.0	...	...	ENE	1	...
Chefoo,	15	30.19	766.9	67	8	S	2	b	6	30.15	765.8	56	6	SW	2	b
Shanghai,	14	30.21	767.4	65	6	ENE	2	0	,,	30.19	766.8	63	4	NE	2	0
Gutzlaff,	,,	30.25	768.3	67	6	NE	2	0	,,	30.21	767.5	65	6	NNE	4	0
Wenchow,	,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.95	760.7	69	6	N	2	0	7	29.98	761.5	70	6	N	2	0
Amoy,	,,	29.91	759.7	81	6	NE	4	0	6	29.86	758.4	77	6	NE	2	0
Swatow,	,,	29.88	759.0	83	...	N	1	c	,,	...	...	...	...	...	...	...
Tailoku,	11	29.91	759.8	77	...	E	4	0	5	29.81	757.2	77	...	E	4	r
Taichu,	,,	29.81	757.2	81	...	N	2	0	,,	29.79	756.7	74	...	...	0	bc
Tainan,	,,	29.80	757.0	79	...	NNE	2	0	,,	29.77	756.1	74	...	ESE	4	r
Koshun,	,,	29.74	755.4	79	...	NE	6	r	,,	29.76	756.0	76	...	ENE	4	r
Pescadores,	,,	29.81	757.2	77	...	NNE	6	0	,,	29.78	756.3	76	...	N	4	0
Hong Kong,	14	29.86	758.4	83	8	ESE	2	b	6	29.89	759.2	76	8	...	0	c
Gap Rock,	,,	29.90	759.4	78	7	NNW	4	b	,,	29.88	758.9	78	7	NNW	4	c
Macao,	...	29.87	758.6	81	6	NE	2	bc	,,	29.87	758.6	70	4	N	4	c
Hoihow,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.82	757.4	76	6	NNE	6	0	6	29.78	756.3	76	6	NNE	8	c
Phulien,	15	29.91	759.7	82	6	S	3	z	7	29.98	761.5	72	6	NW	3	c
Tourane,	,,	29.86	758.4	77	5	...	0	f	,,	29.92	759.9	73	7	WNW	1	c
Cape St. James,	,,	29.83	757.6	81	7	ESE	3	c	,,	29.86	758.5	75	7	NE	2	c
Basco,	14	29.43	747.7	77	4	SE	6	0	6	29.73	755.2	79	6	SE	4	0
Aparri,	,,	29.64	752.8	79	6	...	0	d	,,	29.73	755.0	77	6	SW	2	0
Tuguegarao,	,,	29.62	752.4	86	6	...	0	0	,,	29.73	755.2	76	1	...	0	0
Vigan,	,,	29.72	754.8	79	6	WNW	2	0	,,	29.74	755.4	77	6	S	3	0
Manila,	,,	29.72	754.9	86	8	W	2	bc	,,	29.78	756.3	76	6	...	0	b
Legaspi,	,,	29.69	754.0	94	8	SW	2	bc	,,	29.78	756.3	77	8	...	0	b
Calbowog,	,,	29.74	755.3	91	8	WSW	4	bc	,,	29.80	756.8	70	8	N	3	b
Tacloban,	,,	29.73	755.2	91	8	SE	4	bc	,,	29.81	757.2	79	8	...	0	b
Iloilo,	,,	29.74	755.3	86	8	SW	2	0	,,	29.78	756.5	76	6	...	0	0
Cebu,	...	29.71	754.7	88	8	...	0	bc	,,	29.70	756.6	79	8	NNE	2	0
Surigao,	...	29.72	755.0	91	8	...	0	b	,,	29.78	756.3	70	6	...	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	8	...	0	b	4.22	29.76	755.8	...	8	...	0	bc
Yap,	11.00	29.81	757.1	...	6	...	0	bc	5	29.88	758.8	...	1	N	2	bc
Pelew,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Labuan,	11	29.86	758.4	86	6	SW	6	bc	6	29.91	759.6	74	..	...	...	c

Warning.

October 28*d*. 9*h*. 31*m*.—Typhoon within 60 miles of Lat. 20° N. Long. 120° E., moving W.

October 28*d*. 10*h*. 12*m*. The anticyclone is moving eastward and is now centred over Japan. The typhoon has again recurved and is situated in the western part of the Balintang Channel, moving westward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 80.34 inches.

Manila warning, 28*d*. 8*h*. 40*m*.:—Typhoon in Lat. 20° N. Long. 120° E. moving W. Recd. 28*d*. 9*h*. 09*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	N.E. winds, fresh to a gale.
C.—Hong Kong to Gap Rock,	N.E. winds, fresh to strong; fair at first, cloudy with rain later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N. winds, fresh; cyclonic gales to the south of the Formosa Channel.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	28th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.10	764.5	...	...	SSE	1	...	5	29.88	759.0	...	...	SW	3	...
Hokodate,	"	30.14	765.5	...	...	SW	1	...	"	29.88	759.0	...	...	WSW	1	...
Tokio,	"	30.24	768.0	...	...	...	0	...	"	30.04	763.0	...	...	...	0	...
Kochi,	"	30.18	766.5	...	...	...	0	...	"	30.04	763.0	...	...	WSW	1	...
Nagasaki,	"	30.18	766.5	...	...	WNW	1	...	"	30.02	762.5	...	...	NE	1	...
Kagoshima,	"	30.16	766.0	...	...	...	0	...	"	30.06	763.5	...	...	...	0	...
Oshima,	"	30.02	762.5	...	...	...	0	...	"	29.96	761.0	...	...	...	0	...
Naha,	"	29.98	761.5	...	...	E	3	...	"	30.00	762.0	...	...	ENE	3	...
Ishigakijima,	"	29.94	760.5	...	...	SE	2	...	"	29.86	758.5	...	...	...	0	...
Bonin Island,	"	30.02	762.5	...	...	ENE	1	...	"	29.98	761.5	...	...	...	0	...
Chefoo,	15	30.06	763.6	68	8	NW	4	b	6	30.13	765.3	54	6	SW	2	b
Shanghai,	14	30.16	766.1	72	6	NE	2	o	"	30.17	766.3	61	4	NNE	2	o
Gutzlaff,	"	30.18	766.6	67	6	NE	2	o	"	30.19	766.8	63	6	NNE	4	o
Wenchow,	"	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	"	29.96	761.0	70	6	NNE	2	r	7	29.96	761.0	69	6	NNE	2	o
Amoy,	"	29.91	759.7	77	6	NNE	2	o	6	29.92	759.9	76	6	NE	2	bo
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tailoking,	11	29.88	758.8	83	...	ESE	4	o	5	29.84	758.0	76	...	E	4	be
Taichu,	"	29.80	759.3	77	...	...	0	o	"	29.84	757.9	74	...	...	0	o
Tainan,	"	29.88	758.8	77	...	...	0	r	"	29.83	757.6	74	...	...	0	o
Koshun,	"	29.84	757.9	77	...	E	4	o	"	29.82	757.4	77	...	ENE	4	be
Pescadores,	"	29.88	758.8	76	...	N	4	r	"	29.84	757.8	74	...	N	4	r
Hong Kong,	14	29.81	757.2	85	7	W	1	be	6	29.84	757.9	75	7	N	1	o
Gap Rock,	"	29.83	757.7	79	8	NNW	5	o	"	29.82	757.4	79	8	N	5	o
Macao,	"	29.82	757.3	83	6	NNE	4	b	"	29.90	759.4	68	4	NNW	4	o
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	29.66	753.3	77	6	NNW	8	r	6	...	...	...	...	...	...	...
Phuyen,	15	29.90	759.5	86	8	...	2	z	7	29.97	761.3	70	7	NNE	2	bo
Tourane,	"	29.86	758.5	74	6	NNW	2	o	"	29.91	759.6	73	7	W	1	be
Cape St. James,	"	29.82	757.4	81	8	ENE	4	o	"	29.87	758.6	75	1	N	2	f
Basco,	14	29.74	755.1	83	6	SE	4	be	6	29.78	756.5	79	6	...	0	be
Aparri,	"	29.71	754.6	86	8	N	4	b	"	29.76	755.9	76	6	...	0	o
Tuguegarao,	"	29.68	753.8	94	8	...	0	...	"	...	...	...	...	...	...	...
Vigan,	"	29.72	755.0	...	8	SW	4	be	"	29.74	755.4	77	8	S	2	be
Manila,	"	29.71	754.7	88	8	WNW	2	be	"	29.78	756.3	76	6	...	0	b
Legaspi,	"	29.72	754.8	91	8	ENE	2	b	"	29.72	754.9	77	8	...	0	b
Calbayog,	"	29.73	755.2	91	8	SW	2	be	"	29.80	756.8	76	8	N	2	b
Tacloban,	"	29.73	755.2	91	8	SSE	2	b	"	...	...	...	...	...	...	...
Iloilo,	"	29.72	754.8	91	8	SSW	2	be	"	29.79	756.6	77	6	...	0	o
Cebu,	"	29.74	755.4	91	8	ENE	2	be	"	...	...	...	...	...	...	...
Surigao,	...	29.72	754.9	94	8	ENE	4	b	"	29.78	756.5	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	8	NNE	4	b	4.22	29.76	756.0	...	8	...	0	d
Yap,	11.00	29.80	756.8	...	8	W	2	be	5	29.83	757.6	...	8	N	2	b
Pelew,	"	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Labuan,	11	29.86	758.4	85	...	SW	...	be	6	29.90	759.3	72	...	...	...	o

Warnings.

October 28*d*. 15*h*. 50*m*.—Typhoon within 60 miles of Lat. 21° N. Long. 119° E., moving W.N.W.

October 28*d*. 15*h*. 55*m*.—Local signal No. 1 hoisted.

October 28*d*. 23*h*. 30*m*.—A severe typhoon within 30 miles of Lat. 21° N. Long. 117° E., moving W.N.W.

October 28*d*. 23*h*. 30*m*.—Local signal No. 7 hoisted.

October 29*d*. 9*h*. 55*m*.—Typhoon within 60 miles of Lat. 20° N. Long. 116° E., stationary or very slow.

October 29*d*. 10*h*. 09*m*. A moderate anticyclone has developed over N. China. The typhoon passed to the south of Pratas Islands near midnight, and now appears to be stationary about 150 miles south-east of Hong Kong.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.23 inches, against an average of 80.42 inches.

Manila warning, 28*d*. 15*h*. 15*m*.:—Typhoon in Lat. 21° N. Long. 119° E. moving W.N.W. Recd 28*d*. 15*h*. 43*m*.

Shanghai warning, 28*d*. 16*h*. 47*m*.:—Typhoon within 60 miles of Lat. 20° N. Long. 119° E. moving W. Recd. 28*d*. 17*h*. 06*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, fresh.
B.—Turnabout to Hong Kong,	N.E. winds, fresh to strong.
C.—Hong Kong to Gap Rock,	N. winds, fresh to a gale; cloudy, rain.
D.—Hong Kong to Bashee Straits,	
E.—North China Sea,	Cyclonic gales to the south of Pratas Island.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

Station.	29th OCTOBER, 1932. Hong Kong Standard Time	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	30th OCTOBER, 1932. Hong Kong Standard Time	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.93	760.2	59	...	NW	1	o	6	29.97	761.2	45	...	...	o	b
Nemuro,	11	29.78	756.5	...	...	WSW	3	...	5	29.84	758.0	...	...	WNW	3	...
Hokodate,	,,	29.82	757.5	...	...	SW	3	...	,,	29.96	761.0	...	...	NNW	1	...
Tokio,	,,	29.94	760.5	...	...	N	1	...	,,	29.98	761.5	-	...	NNE	1	...
Kochi,	,,	30.00	762.0	...	...	N	1	...	,,	29.98	761.5	...	...	SW	1	...
Nagasaki,	,,	30.06	763.5	...	...	NE	1	...	,,	30.00	762.0	...	...	...	o	...
Kagoshima,	,,	30.04	763.0	...	...	...	o	...	,,	29.96	761.0	...	...	NNW	1	...
Oshima,	,,	29.96	761.0	...	...	SE	1	...	,,	29.86	758.5	...	...	...	...	...
Naha,	,,	29.90	759.5	...	...	ENE	3	...	,,	29.82	757.5	...	...	NNE	4	...
Ishigakijima,	,,	29.86	758.5	...	...	NE	1	...	,,	29.82	757.5	...	...	NE	2	...
Bonin Island,	,,	29.92	760.0	...	...	...	o	...	,,	29.90	759.5	...	...	SSE	1	...
Chefoo,	15	30.09	764.4	65	8	NW	4	b	6	30.01	762.1	49	6	SW	2	b
Shanghai,	14	30.16	766.1	65	6	N	2	r	,,	30.18	766.6	52	6	...	o	b
Gutzlaff,	,,	30.17	766.3	67	6	NNE	2	o	,,	30.16	766.0	61	6	N	4	c
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.96	761.0	59	6	N	2	o	7	30.04	763.0	67	8	N	2	o
Amoy,	,,	29.87	758.7	79	6	NE	4	bc	6	...	...	...	...	...	...	...
Swatow,	,,	29.90	759.5	77	...	ESE	1	o	,,	...	...	...	...	...	...	...
Tailoku,	11	29.87	758.8	86	...	ENE	4	bc	5	29.97	761.2	68	...	...	o	o
Taichu,	,,	29.88	758.9	85	...	NW	2	c	,,	29.89	759.1	68	..	N	2	bc
Tainan,	,,	29.87	758.8	81	...	WNW	2	o	,,	29.86	758.3	70	...	N	2	c
Koshun,	,,	29.85	758.2	83	...	ENE	4	c	,,	29.83	757.7	76	...	...	o	bc
Pescadores,	,,	29.88	758.9	76	...	N	6	o	,,	29.89	759.1	72	...	NNE	6	o
Hong Kong,	14	29.84	757.9	72	6	N	3	ocl	6	29.87	758.7	73	7	N	3	o
Gap Rock,	,,	29.83	757.6	76	7	N	5	or	,,	29.85	758.2	75	8	NNE	6	o
Macao,	,,	29.85	758.2	76	4	NE	4	c	,,	29.84	757.9	72	4	NNE	4	c
Hoihow,	,,	29.96	760.9	81	...	NE	2	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	...	...	...	...	...	...	...	6	29.80	756.8	77	...	ENE	6	r
Phulien,	15	29.90	759.5	85	8	NW	2	b	7	29.98	761.5	70	7	NNE	5	c
Tourane,	,,	29.84	757.9	77	8	WNW	4	b	,,	29.89	759.3	77	6	NW	3	c
Cape St. James,	,,	29.84	758.0	83	6	SE	2	bc	,,	29.86	758.5	75	6	W	1	c
Baseo,	14	29.76	755.9	85	8	SE	2	bc	6	29.80	757.0	79	6	...	o	o
Aparri,	,,	29.73	755.2	86	6	NE	4	b	,,	29.79	756.7	76	8	...	o	o
Tagnegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.72	754.9	86	8	ENE	2	bc	,,	29.76	756.0	76	8	...	o	bc
Manila,	,,	29.76	755.8	81	8	S	2	bc	,,	29.80	757.0	76	6	...	o	c
Legaspi,	,,	29.73	755.2	91	8	ENE	2	b	,,	29.80	756.8	76	8	...	o	bc
Calboyog,	,,	29.74	755.4	91	8	WSW	2	bc	,,	29.81	757.2	74	8	N	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.2	85	8	SW	4	o	,,	29.80	757.0	77	6	...	o	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.3	88	8	W	2	bc	,,	29.80	756.8	76	6	...	o	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.9	...	8	ENE	4	b	4.22	29.80	756.8	...	8	...	o	o
Yap,	11.00	29.75	755.6	...	8	NE	2	bc	5	29.83	757.6	...	6	NNW	2	bc
Peiow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lamian,	14	29.95	760.7	79	...	...	...	c	6	29.90	759.4	72	4	SE	4	c

Warnings.

October 30*d*. 8*h*. 10*m*.—Local signal No. 7 lowered.

October 30*d*. 8*h*. 10*m*.—Typhoon within 60 miles of Lat. 19° N. Long. 115° E., moving W.S.W.

October 30d. 10*h*. 47*m*.—The anticyclone over N. China has increased in intensity; an area of low pressure is indicated to the south-east of the Loochoos.

The typhoon has moved on a W.S.W. track since 9 p.m., and is now situated about 200 miles S.S.E. of Hong Kong.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 87.25 inches, against an average of 80.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy, some rain
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	Cyclonic gales.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	31st October, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.92	760.0	...	...	...	0	...	5	30.08	764.0	...	...	S	2	..
Hokodate,	,,	29.96	761.0	...	...	WNW	1	...	,,	29.96	761.0	...	...	NNW	1	...
Tokio,	,,	30.00	762.0	...	...	NE	1	...	,,	29.98	761.5		...	NE	1	...
Kochi,	,,	29.94	760.5	...	...	...	0	...	,,	29.98	761.5	...	...	WSW	1	...
Nagasaki,	,,	29.98	761.5	...	...	N	1	...	,,	30.04	763.0	...	...	...	...	...
Kagoshima,	,,	29.96	761.0	...	...	ENE	1	...	,,	30.02	762.5	...	...	...	0	...
Oshima,	,,	29.88	759.0	...	...	...	...	...	,,	29.98	761.5	...	...	NNW	2	...
Naha,	,,	29.84	758.0	...	...	NNE	2	...	,,	29.96	761.0	...	...	NNE	4	...
Ishigakijima,	,,	29.90	759.5	...	...	NNE	2	...	,,	29.98	761.5	...	...	NNE	1	...
Ponin Island,	,,	29.88	759.0	...	...	S	1	...	,,	29.94	760.5	...	...	...	...	...
Chefoo,	15	29.90	759.5	70	8	W	4	h	6	30.11	764.8	56	6	N	2	b
Shanghai,	14	30.07	763.6	76	8	N	2	b	,,	30.14	765.5	54	6	SSW	2	b
Gutzlaff,	,,	30.13	765.0	70	6	NW	2	b	,,	30.20	767.1	61	6	WSW	2	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	30.19	766.7	59	...	NNW	2	bc
Foochow,	,,	30.00	762.0	72	1	NE	6	b	7	30.14	765.5	66	6	W	2	b
Amoy,	,,	29.97	761.2	76	6	ENE	4	bc	6	30.06	763.5	68	6	ENE	4	b
Swatow,	..	30.02	762.5	72	...	NE	4	c	,,	...	..	...	...	...	...	...
Taiwan,	11	30.00	762.1	72	...	..	0	d	5	30.05	763.2	68	...	E	2	c
Taichu,	,,	29.92	760.0	79	...	N	4	c	,,	29.98	761.4	67	..	...	0	b
Tainan,	,,	29.91	759.6	81	...	N	2	c	,,	29.94	760.4	68	...	N	2	b
Koshun,	,,	29.87	758.8	83	...	NNE	4	bc	,,	29.97	761.2	76	...	NNE	4	bc
Pescadores,	,,	29.94	760.6	77	...	NNE	6	c	,,	29.95	760.8	72	...	NNE	6	b
Hong Kong,	14	29.87	758.7	78	7	N	3	c	6	29.95	760.7	73	6	E	4	c
Gap Rock,	,,	29.86	758.4	76	8	NE	5	c	,,	29.94	760.4	75	7	ENE	5	c
Macao,	,,	29.86	758.4	76	4	NNE	4	c	,,	29.92	760.0	72	4	NE	4	c
Hoihow,	..	29.94	760.5	81	...	NE	2	bc	,,	...	..	...	...	...	...	...
Pratas Island,	,,	...	..	...	...	...	...	...	6	29.90	759.5	75	...	ENE	6	c
Phulien,	15	29.90	759.5	82	6	N	2	b	7	29.97	761.3	68	7	NNW	4	c
Tourane,	,,	29.84	757.8	79	6	NNW	5	c	,,	29.88	759.0	66	6	WNW	1	bc
Cape St. James,	,,	29.82	757.4	84	8	S	2	bc	,,	29.86	758.3	73	7	ENE	3	bc
Basco,	14	29.80	757.0	83	8	NNE	2	bc	6	29.89	759.1	77	6	ENE	2	c
Aparri,	,,	29.77	756.1	85	8	NW	2	c	,,	29.88	758.8	74	8	...	0	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.5	86	8	W	2	b	,,	29.80	757.0	77	8	...	0	b
Manila,	,,	29.74	755.4	88	8	W	4	bc	,,	29.84	757.8	77	6	...	0	c
Legaspi,	,,	29.72	755.0	91	8	NE	2	b	,,	29.81	757.2	81	8	...	0	b
Calbayog,	,,	29.72	755.0	91	8	SW	4	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.9	88	8	SW	4	c	,,	29.83	757.6	77	6	NE	2	c
Cebu,	,,	...	..	...	...	...	...	...	,,	..	...	...	...	...	...	...
Surigao,	...	29.72	754.9	86	8	...	0	bc	,,	29.82	757.3	76	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	..	...	...	...	...	...
Guam,	12.22	29.76	755.9	...	8	SSE	2	bc	4.22	29.82	757.4	...	8	...	0	b
Yap,	11.00	29.76	755.9	...	8	...	0	bc	5	29.83	757.7	...	6	...	0	bc
Pelew,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.86	758.4	85	...	...	...	c	6	29.89	759.3	76	4	NE	4	bc

Warnings.

October 30*d.* 14*h.* 35*m.*—A severe typhoon within 30 miles of Lat. 19° N. Long. 114° E., moving W.
October 31*d.* 10*h.* 20*m.*—Typhoon within 60 miles of Lat. 18° N. Long. 112° E., moving W.

October 31*d.* 10*h.* 33*m.*—An anticyclone remains over N. China; the typhoon is situated about 100 miles east of South Hainan, moving westwards.

Moderate to fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.25 inches, against an average of 80.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	Cyclonic gales between Hainan and the Paracels.

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

NOVEMBER,

1932.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST

PREPARED UNDER THE DIRECTION OF
C. W. JEFFRIES, F.R.A.S.,
DIRECTOR.

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1932.

[Price $2.]

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

NOVEMBER,

1932.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, at 109 feet above MEAN SEA LEVEL, in the MONTH of NOVEMBER, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·970	29·968	29·962	29·966	29·970	29·990	30·019	30·023	30·048	30·052	30·044	30·025	1
2	30·004	29·994	29·980	29·976	29·980	30·007	30·029	30·046	30·058	30·057	30·040	30·016	2
3	29·969	29·965	29·957	29·955	29·957	29·971	29·987	30·012	30·015	30·017	30·002	29·969	3
4	29·962	29·953	29·939	29·933	29·935	29·945	29·969	29·989	29·997	30·000	29·990	29·964	4
5	29·935	29·929	29·913	29·905	29·902	29·911	29·927	29·939	29·956	29·964	29·957	29·933	5
6	29·890	29·882	29·874	29·876	29·882	29·896	29·908	29·926	29·938	29·944	29·927	29·905	6
7	29·919	29·925	29·939	29·945	29·965	29·984	30·020	30·045	30·058	30·076	30·078	30·059	7
8	30·055	30·047	30·035	30·029	30·037	30·056	30·075	30·080	30·082	30·095	30·076	30·050	8
9	29·976	29·966	29·954	29·954	29·952	29·962	29·970	29·980	29·992	29·998	29·980	29·954	9
10	29·870	29·854	29·842	29·836	29·826	29·854	29·877	29·894	29·903	29·903	29·878	29·849	10
11	29·829	29·817	29·815	29·823	29·823	29·846	29·868	29·886	29·900	29·891	29·862	29·832	11
12	29·829	29·824	29·814	29·816	29·822	29·832	29·842	29·855	29·857	29·866	29·848	29·825	12
13	29·815	29·822	29·813	29·821	29·830	29·842	29·856	29·874	29·881	29·890	29·879	29·853	13
14	29·864	29·851	29·848	29·853	29·857	29·876	29·909	29·920	29·949	29·952	29·938	29·937	14
15	29·971	29·953	29·949	29·951	29·957	29·965	29·981	30·000	30·017	30·024	30·020	30·003	15
16	30·053	30·048	30·051	30·046	30·065	30·089	30·104	30·129	30·155	30·175	30·156	30·124	16
17	30·124	30·120	30·105	30·099	30·098	30·105	30·126	30·140	30·161	30·172	30·151	30·128	17
18	30·135	30·123	30·115	30·115	30·123	30·134	30·150	30·156	30·172	30·176	30·165	30·144	18
19	30·126	30·121	30·112	30·105	30·108	30·112	30·120	30·130	30·145	30·153	30·126	30·101	19
20	30·081	30·073	30·065	30·060	30·062	30·076	30·098	30·113	30·136	30·129	30·120	30·087	20
21	30·065	30·047	30·039	30·029	30·030	30·051	30·069	30·084	30·114	30·127	30·112	30·085	21
22	30·051	30·031	30·023	30·025	30·032	30·047	30·060	30·074	30·095	30·095	30·072	30·054	22
23	29·989	29·967	29·953	29·941	29·941	29·952	29·973	29·997	30·007	30·013	29·999	29·973	23
24	29·906	29·890	29·876	29·872	29·876	29·888	29·913	29·926	29·940	29·946	29·931	29·912	24
25	29·879	29·877	29·875	29·875	29·875	29·884	29·902	29·918	29·934	29·941	29·923	29·902	25
26	29·888	29·880	29·870	29·868	29·873	29·895	29·921	29·935	29·955	29·961	29·966	29·941	26
27	29·918	29·910	29·904	29·898	29·902	29·908	29·917	29·935	29·939	29·942	29·932	29·918	27
28	29·985	29·965	29·945	29·931	29·923	29·936	29·960	29·984	29·998	30·012	30·000	29·964	28
29	30·023	30·013	30·002	29·990	29·993	30·005	30·020	30·041	30·057	30·058	30·051	30·022	29
30	30·029	30·027	30·021	30·021	30·021	30·028	30·050	30·060	30·075	30·088	30·079	30·056	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·004	29·996	29·981	29·973	29·976	29·986	29·990	30·014	30·028	30·039	30·031	30·018	1
2	29·977	29·948	29·931	29·925	29·934	29·943	29·965	29·977	29·993	29·987	29·987	29·979	2
3	29·939	29·918	29·918	29·910	29·919	29·931	29·935	29·954	29·975	29·975	29·970	29·960	3
4	29·939	29·921	29·907	29·902	29·904	29·914	29·921	29·940	29·952	29·960	29·957	29·947	4
5	29·898	29·872	29·864	29·864	29·866	29·872	29·882	29·895	29·905	29·913	29·911	29·898	5
6	29·874	29·852	29·843	29·844	29·849	29·862	29·885	29·909	29·921	29·928	29·930	29·922	6
7	30·032	30·017	30·003	29·995	30·010	30·031	30·038	30·053	30·065	30·065	30·067	30·067	7
8	30·022	29·980	29·968	29·950	29·954	29·959	29·971	29·988	30·004	30·000	29·998	29·984	8
9	29·918	29·883	29·870	29·863	29·868	29·866	29·870	29·879	29·889	29·899	29·903	29·890	9
10	29·817	29·791	29·773	29·765	29·778	29·779	29·794	29·814	29·828	29·837	29·829	29·833	10
11	29·794	29·767	29·752	29·752	29·764	29·790	29·813	29·825	29·825	29·829	29·823	29·818	11
12	29·787	29·762	29·738	29·742	29·754	29·772	29·787	29·804	29·820	29·824	29·818	29·813	12
13	29·827	29·810	29·801	29·797	29·803	29·820	29·832	29·850	29·862	29·872	29·874	29·870	13
14	29·905	29·885	29·873	29·873	29·881	29·893	29·912	29·934	29·949	29·965	29·961	29·964	14
15	29·973	29·951	29·947	29·951	29·962	29·978	29·992	30·012	30·032	30·034	30·036	30·048	15
16	30·100	30·082	30·075	30·069	30·070	30·082	30·091	30·119	30·137	30·142	30·152	30·140	16
17	30·096	30·078	30·064	30·072	30·082	30·092	30·108	30·131	30·144	30·147	30·153	30·143	17
18	30·102	30·082	30·082	30·091	30·095	30·106	30·112	30·132	30·145	30·146	30·146	30·126	18
19	30·068	30·048	30·040	30·042	30·053	30·062	30·066	30·075	30·085	30·096	30·094	30·086	19
20	30·044	30·017	29·997	30·003	30·020	30·032	30·050	30·076	30·084	30·089	30·087	30·079	20
21	30·049	30·017	29·992	29·995	30·009	30·022	30·031	30·053	30·065	30·065	30·065	30·049	21
22	30·021	29·996	29·990	29·972	29·982	29·984	30·001	30·007	30·013	30·017	30·021	30·011	22
23	29·941	29·919	29·904	29·907	29·914	29·927	29·942	29·956	29·960	29·948	29·944	29·921	23
24	29·876	29·864	29·850	29·842	29·850	29·868	29·876	29·888	29·900	29·900	29·900	29·884	24
25	29·864	29·845	29·826	29·820	29·827	29·836	29·848	29·860	29·866	29·872	29·882	29·892	25
26	29·907	29·876	29·852	29·854	29·864	29·872	29·880	29·899	29·910	29·916	29·917	29·908	26
27	29·886	29·861	29·845	29·845	29·861	29·891	29·911	29·942	29·957	29·971	29·981	29·989	27
28	29·920	29·886	29·879	29·889	29·920	29·946	29·958	29·978	30·008	30·020	30·020	30·020	28
29	29·976	29·942	29·942	29·968	29·992	30·008	30·028	30·043	30·049	30·047	30·044	30·030	29
30	30·024	29·995	29·972	29·972	29·978	30·002	30·022	30·035	30·042	30·033	30·030	30·030	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of NOVEMBER, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	73·1	72·7	72·7	72·6	72·5	70·2	68·8	67·9	69·9	72·3	72·2	73·3	1
2	70·6	70·9	70·9	70·8	71·1	70·5	69·7	72·0	72·6	74·3	76·8	76·3	2
3	71·6	71·4	71·0	71·2	71·4	70·7	70·5	71·7	74·2	75·5	76·0	76·1	3
4	71·0	70·9	70·8	70·8	70·4	70·5	70·6	72·9	74·8	77·2	78·9	78·3	4
5	71·9	71·9	71·9	71·7	71·8	71·5	71·7	73·1	74·1	74·8	75·8	76·7	5
6	72·0	71·8	71·8	71·8	71·6	71·0	72·0	74·7	78·0	80·0	79·8	80·9	6
7	73·3	73·2	74·2	74·3	73·3	73·1	73·0	73·0	73·7	72·6	71·0	70·7	7
8	69·5	69·1	68·0	67·8	67·5	67·1	66·5	68·0	69·2	71·8	70·0	70·6	8
9	70·4	70·6	70·6	70·0	70·2	70·0	69·9	69·5	70·8	72·1	77·0	77·4	9
10	70·0	70·0	69·5	69·5	69·6	69·6	69·6	73·0	74·7	76·4	78·5	79·7	10
11	72·4	72·3	72·2	72·2	72·0	71·0	71·0	72·1	73·2	76·0	79·0	79·6	11
12	69·9	69·3	68·7	68·4	68·1	67·7	67·6	69·7	71·6	72·3	75·0	76·7	12
13	66·2	65·3	64·7	64·2	63·7	63·5	62·7	65·8	69·0	70·0	72·7	74·6	13
14	64·7	64·6	64·7	64·0	64·1	63·9	64·9	68·1	69·6	71·4	72·2	72·3	14
15	66·7	66·3	66·8	67·0	67·6	66·8	67·9	68·4	69·7	70·6	72·5	72·8	15
16	67·1	66·1	65·0	64·1	63·1	62·9	62·7	62·7	64·1	65·3	66·6	67·1	16
17	65·8	65·7	65·6	65·5	65·4	64·3	64·6	63·6	62·9	63·8	65·3	66·7	17
18	65·7	65·7	64·5	63·7	63·2	62·7	63·0	64·7	64·7	66·9	69·0	69·6	18
19	68·8	68·6	68·4	67·4	66·7	65·5	65·8	67·2	70·5	72·7	74·8	76·9	19
20	68·6	67·7	67·0	66·1	65·8	65·2	65·7	68·5	69·9	71·9	73·5	74·9	20
21	67·7	66·7	66·3	65·7	65·4	65·2	65·3	66·1	70·0	72·5	75·6	75·2	21
22	69·7	69·5	68·8	68·2	68·2	68·0	67·9	68·3	68·7	70·9	70·7	71·6	22
23	69·0	69·0	69·0	69·1	69·2	69·3	69·7	70·0	72·3	73·8	72·7	73·9	23
24	73·2	72·9	72·4	71·7	71·2	70·6	70·4	70·7	70·7	70·8	73·8	71·0	24
25	71·9	71·7	71·5	71·2	71·0	71·2	71·5	72·3	73·0	74·9	78·7	78·0	25
26	72·7	72·2	73·5	72·2	71·5	71·5	71·8	71·2	71·8	72·1	71·7	72·8	26
27	66·8	65·7	66·2	66·5	66·7	66·9	66·9	67·0	67·5	69·3	70·5	70·0	27
28	68·9	68·4	68·3	67·9	66·9	66·0	65·7	66·7	67·7	68·8	69·3	71·6	28
29	55·6	55·4	55·3	55·0	54·9	54·7	54·4	57·2	61·7	64·3	65·7	67·7	29
30	62·1	62·7	61·9	62·6	63·5	63·6	64·2	65·4	66·3	67·0	68·5	70·3	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	72·0	69·5	67·7	67·1	67·3	67·6	68·0	69·0	69·2	70·0	70·0	70·1	1
2	76·3	76·4	75·4	74·0	73·7	73·1	72·8	72·6	72·4	72·2	72·0	71·7	2
3	76·0	75·9	75·0	74·1	74·0	73·3	72·8	72·4	72·3	72·1	72·1	71·6	3
4	77·8	77·1	76·0	74·1	73·7	73·0	72·7	72·5	72·3	72·2	72·1	72·0	4
5	75·6	75·7	75·4	74·9	74·4	73·5	73·0	73·0	72·5	72·6	73·0	72·2	5
6	81·1	80·2	78·3	79·5	77·2	76·1	75·3	75·0	74·7	74·5	74·0	73·9	6
7	70·4	70·0	71·0	70·2	70·4	70·1	69·5	70·1	69·7	70·1	69·9	69·8	7
8	71·1	72·2	71·5	71·3	70·4	70·0	69·8	69·6	69·7	70·1	70·3	70·6	8
9	77·8	77·0	74·9	73·3	73·2	72·9	72·6	72·2	71·8	71·5	71·0	70·4	9
10	78·4	78·0	77·6	76·3	75·2	74·0	73·3	73·1	72·6	72·8	72·4	72·4	10
11	80·7	80·8	79·9	79·0	77·4	73·8	71·9	71·4	71·5	70·9	70·8	70·2	11
12	78·0	79·0	78·7	77·7	76·5	73·1	71·5	69·7	69·7	68·8	68·0	66·7	12
13	75·3	75·1	73·3	73·5	72·7	70·5	68·8	68·4	67·4	66·4	65·8	65·0	13
14	72·3	72·6	71·3	70·4	69·5	67·7	67·5	67·3	67·2	67·2	67·3	67·4	14
15	73·0	74·2	74·4	73·3	71·3	70·0	69·7	69·5	69·5	69·5	69·5	69·4	15
16	70·0	69·7	68·9	68·4	67·7	67·1	66·8	66·3	65·7	65·7	65·7	65·8	16
17	66·6	67·5	66·8	66·7	66·5	66·3	66·2	66·4	66·3	66·5	66·2	65·9	17
18	71·4	72·1	70·6	70·3	70·0	69·5	68·9	68·8	68·9	68·8	68·8	68·6	18
19	77·7	76·7	74·8	73·8	72·7	72·2	72·0	71·7	71·3	70·8	69·9	69·5	19
20	77·3	77·2	77·0	76·3	75·3	74·5	70·6	70·3	70·3	70·2	70·0	69·6	20
21	75·0	74·7	73·2	71·7	71·7	70·7	70·0	69·7	69·5	69·4	69·8	69·7	21
22	72·0	71·0	70·2	69·3	69·0	68·9	69·2	69·4	69·4	69·7	69·1	69·0	22
23	74·7	75·7	75·1	73·3	72·3	71·9	72·4	72·3	73·0	73·0	73·8	74·0	23
24	71·1	72·2	72·3	72·9	72·7	72·9	71·6	72·7	72·1	72·1	71·7	71·8	24
25	78·9	78·2	77·4	76·1	75·2	73·8	73·0	73·0	73·1	72·0	72·0	71·6	25
26	72·0	72·1	70·0	69·6	69·2	69·0	68·8	68·9	68·7	68·3	68·1	67·9	26
27	69·3	69·0	69·0	69·1	68·7	68·0	68·0	68·8	69·0	69·0	69·0	68·9	27
28	72·0	73·2	72·2	69·9	68·6	65·2	62·7	61·3	58·7	56·7	56·0	55·9	28
29	68·7	68·7	67·7	66·9	65·3	63·0	62·2	61·3	60·6	59·7	62·0	61·7	29
30	70·7	71·5	70·1	70·1	69·7	68·7	68·5	67·4	67·0	66·7	66·7	65·7	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of NOVEMBER, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	67·1	66·4	65·1	64·5	64·5	64·7	63·5	63·8	65·0	64·6	65·3	65·1	1
2	64·7	64·9	65·0	65·0	64·7	64·3	64·7	66·0	65·6	66·2	67·6	66·9	2
3	67·0	67·1	67·2	67·4	67·1	66·7	66·5	66·9	67·3	67·0	68·0	67·7	3
4	68·0	67·9	67·4	67·4	66·9	67·0	67·0	68·0	68·8	69·6	69·7	68·9	4
5	69·3	69·1	69·1	68·8	68·6	68·5	68·8	69·6	68·9	68·8	69·6	70·7	5
6	69·4	69·7	69·7	69·7	69·7	69·0	69·4	70·9	71·6	72·0	71·9	72·2	6
7	70·9	71·6	72·0	71·7	70·7	69·6	69·0	68·9	69·7	68·9	68·0	67·3	7
8	64·0	64·0	63·1	63·0	63·0	63·0	63·5	64·6	65·2	66·0	65·0	65·1	8
9	65·9	65·6	65·1	65·3	65·5	65·1	65·3	66·0	66·1	66·4	68·5	68·6	9
10	67·3	67·3	66·9	66·9	67·1	67·0	67·0	69·0	69·8	70·0	70·8	72·1	10
11	70·3	70·2	70·1	69·0	69·0	65·9	65·9	64·9	65·9	67·0	68·2	68·0	11
12	60·9	59·6	59·0	59·0	59·0	58·9	59·0	59·8	60·7	60·9	62·3	65·0	12
13	55·0	54·8	56·0	54·8	54·0	54·4	52·3	54·0	55·9	56·5	57·7	59·1	13
14	57·9	57·9	58·0	56·7	55·0	54·5	55·2	57·7	59·5	60·8	62·7	62·8	14
15	61·6	61·0	61·8	61·6	61·8	61·7	62·5	62·8	64·2	63·4	64·0	64·0	15
16	58·2	57·4	57·0	56·0	55·1	54·8	54·6	54·4	54·2	54·4	55·5	56·0	16
17	54·8	55·4	55·5	55·6	55·7	54·7	56·0	55·7	56·5	56·8	57·1	58·4	17
18	59·2	59·2	59·7	59·4	59·3	59·0	58·3	59·0	59·0	60·0	61·0	61·2	18
19	64·5	64·0	63·9	63·3	63·0	62·0	62·1	62·6	63·0	64·0	65·7	66·2	19
20	61·5	60·6	60·5	60·6	59·9	59·3	58·6	59·8	60·0	61·5	62·0	62·2	20
21	62·0	59·7	58·6	56·7	56·0	55·6	55·5	56·1	58·0	59·5	61·6	61·2	21
22	63·8	64·0	63·9	63·4	63·4	63·1	63·0	63·1	61·8	62·4	62·5	62·9	22
23	64·9	65·0	65·1	64·9	65·0	64·9	65·3	65·3	66·5	67·2	67·0	67·8	23
24	67·8	67·6	67·9	67·9	67·9	67·8	68·1	68·3	68·8	68·8	70·3	69·0	24
25	69·1	69·1	69·5	69·8	69·5	70·0	70·1	70·5	70·9	71·9	72·7	72·3	25
26	67·7	68·0	67·8	68·0	68·2	67·0	68·1	68·2	67·4	67·6	67·7	67·8	26
27	64·0	63·6	63·7	63·5	63·0	63·3	63·3	63·1	63·1	63·6	64·0	63·8	27
28	64·1	63·9	63·8	63·5	63·2	61·7	60·7	60·9	59·8	59·8	58·8	60·1	28
29	50·2	50·0	49·8	49·2	49·3	49·7	49·3	51·0	54·7	55·8	56·4	57·6	29
30	54·8	55·2	55·6	55·4	55·4	55·8	56·1	56·7	57·3	57·6	58·4	59·7	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	64·0	63·0	62·7	62·8	63·0	63·3	63·5	64·7	64·6	64·8	64·3	64·6	1
2	66·9	65·9	65·4	65·6	65·7	65·3	65·4	65·3	65·7	66·2	66·4	66·8	2
3	67·4	67·3	67·2	66·8	66·9	67·0	67·0	67·4	68·3	68·4	68·4	68·3	3
4	68·9	69·0	69·0	69·2	69·2	68·9	68·9	69·0	69·4	69·5	69·5	69·4	4
5	69·8	70·0	70·5	69·9	68·8	68·9	69·0	68·8	69·0	68·8	68·7	69·4	5
6	72·3	72·4	71·6	72·7	71·6	71·1	71·1	70·9	71·0	71·0	70·9	71·1	6
7	66·9	66·3	66·8	64·2	64·6	64·6	64·0	64·6	64·1	64·6	64·4	64·3	7
8	65·3	65·3	65·0	65·2	64·9	65·0	64·8	64·8	65·0	65·2	65·4	66·5	8
9	69·2	69·0	68·7	68·0	68·2	68·2	67·9	68·4	68·4	68·4	68·4	67·9	9
10	71·7	71·3	71·3	71·1	70·9	71·0	70·7	70·6	70·6	70·5	70·4	70·3	10
11	68·5	67·8	67·6	66·5	65·4	63·6	61·9	61·0	60·9	60·6	60·4	60·7	11
12	64·7	64·7	64·6	63·5	62·7	61·6	60·6	57·8	57·4	56·6	56·2	55·5	12
13	59·7	60·6	59·7	60·0	61·7	59·0	59·1	59·8	59·5	58·4	58·3	58·0	13
14	62·8	63·1	63·2	61·8	61·0	61·6	61·5	61·4	61·4	61·6	61·6	62·6	14
15	64·3	64·0	62·9	62·6	64·1	63·6	64·3	64·8	64·8	64·3	64·0	64·2	15
16	57·9	58·1	57·4	57·8	56·8	56·5	56·2	55·0	54·4	54·8	54·8	55·0	16
17	58·7	59·1	58·5	58·7	58·2	58·3	58·4	59·0	58·3	59·2	59·0	58·9	17
18	62·5	63·0	62·1	62·2	62·0	62·0	62·8	63·3	63·5	63·8	64·2	63·8	18
19	67·0	66·6	66·2	66·0	66·0	65·9	65·0	64·7	63·8	63·7	62·5	62·7	19
20	63·3	63·8	63·0	61·6	61·8	61·0	63·3	63·1	63·2	63·4	63·6	64·4	20
21	61·0	60·9	61·0	61·2	61·3	61·3	61·3	62·4	63·0	63·3	63·7	63·8	21
22	63·3	63·3	63·3	63·0	63·4	64·0	64·5	64·8	65·0	65·1	64·9	64·8	22
23	68·1	67·9	68·0	68·0	67·3	67·4	67·5	67·4	67·8	67·6	67·7	67·7	23
24	68·9	69·0	69·5	69·2	69·5	69·5	70·1	69·8	69·9	69·5	69·3	69·4	24
25	72·6	72·0	71·0	70·0	69·2	68·8	68·7	68·7	68·3	68·0	68·0	67·7	25
26	68·0	67·9	66·8	66·2	65·9	65·8	65·8	65·8	65·7	65·5	65·3	65·0	26
27	63·6	63·4	63·5	63·6	63·3	63·0	63·0	63·8	64·1	64·2	64·2	64·1	27
28	60·6	61·6	60·4	58·6	57·5	55·5	53·8	53·1	51·8	50·8	50·5	50·4	28
29	58·3	57·8	57·8	57·0	56·5	55·0	55·1	53·8	54·1	53·4	50·4	54·2	29
30	59·7	60·5	59·9	60·3	59·8	58·6	58·0	57·2	57·0	56·6	57·0	56·9	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of NOVEMBER, 1932.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	1
2	9	9	10	9	10	10	5	6	6	8	7	5	8	8	8	3	2	1	...	...	...	...	1	8	2
3	9	8	7	7	10	8	3	4	1	1	1	2	2	1	...	...	...	...	...	...	...	1	1	1	3
4	2	5	2	4	3	9	8	1	1	...	1	...	1	2	4	5	4	7	1	1	1	1	1	3	4
5	2	7	6	4	8	8	8	7	4	3	2	1	1	1	...	...	...	...	...	...	...	...	...	...	5
6	...	4	3	3	...	...	...	...	...	...	...	1	1	2	3	2	1	1	...	...	...	...	...	...	6
7	...	...	6	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7
8	10	10	9	10	10	10	10	10	10	10	10	10	10	9	6	5	2	...	...	...	9	10	10	10	8
9	10	10	10	10	10	10	10	10	10	10	6	6	3	3	2	2	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	1	1	5	4	6	2	8	8	6	4	4	6	2	6	10
11	7	8	7	9	7	5	4	8	4	3	4	4	2	2	4	4	7	5	1	...	1	...	...	...	11
12	...	6	...	4	7	3	3	7	5	8	8	4	1	...	...	...	2	1	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	3	2	2	...	...	...	...	...	...	...	...	1	2	14
15	1	1	7	9	10	10	9	9	9	9	5	9	9	9	9	9	9	9	9	10	10	10	10	10	15
16	9	9	9	9	9	5	9	9	9	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	9	8	10	10	10	10	10	10	10	10	10	10	18
19	10	10	9	8	9	9	7	1	1	...	1	1	2	2	2	2	2	8	4	8	6	...	1	1	19
20	2	1	1	...	...	1	1	1	2	...	1	2	2	2	2	3	4	6	...	1	...	5	8	10	20
21	10	9	6	7	9	5	7	7	8	6	6	3	2	2	2	1	1	4	...	...	6	3	6	9	21
22	10	9	9	10	9	9	9	8	8	4	4	4	8	8	9	9	10	10	10	10	10	10	10	6	22
23	9	9	10	10	9	10	10	10	9	9	10	10	9	10	10	9	8	8	10	10	10	7	9	9	23
24	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	10	9	9	9	10	10	24
25	10	10	10	10	10	10	10	10	10	9	5	1	1	1	1	...	...	.	..	...	...	...	...	2	25
26	4	9	8	6	2	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	9	8	10	10	9	9	9	5	3	10	10	10	10	10	27
28	10	10	10	8	6	7	4	1	1	...	1	...	1	1	1	1	3	3	...	...	...	...	..	2	28
29	...	1	6	5	7	4	4	5	3	4	5	3	4	5	7	9	9	8	9	9	8	6	9	10	29
30	10	10	10	10	10	9	8	4	3	8	1	1	...	...	4	8	7	8	9	10	9	9	9	8	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of NOVEMBER, 1932.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	0·1	0·5	0·1	0·8	0·8	0·8	0·4	0·1	0·9	0·9	0·8	...	2
3	...	0·6	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	3
4	...	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	4
5	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	5
6	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	6
7	...	...	...	0·2	0·2	...	0·1	...	...	...	...	...	...	7
8	...	...	...	...	0·1	...	...	...	0·3	0·1	0·2	0·3	...	8
9	...	...	...	...	0·4	0·9	1·0	1·0	1·0	1·0	1·0	0·8	...	9
10	...	0·3	1·0	1·0	1·0	1·0	1·0	0·8	0·8	0·6	0·4	...	...	10
11	...	0·3	0·1	0·9	1·0	1·0	1·0	1·0	1·0	0·7	1·0	0·6	...	11
12	...	0·5	1·0	0·8	0·7	1·0	0·5	0·7	1·0	1·0	1·0	0·6	...	12
13	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	13
14		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		14
15		...	...	...	0·4	1·0	0·3	0·1	0·3	0·2	0·2	...		15
16		...	0·1	...	...	...	0·4	0·2	0·1	...	...	...		16
17		...	...	...	...	...	...	...	...	...	...	..		17
18		...	...	...	...	...	...	0·2	0·1	...	...	...		18
19		0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4		19
20		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		20
21		0·1	0·8	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		21
22		0·1	0·7	0·3	1·0	1·0	1·0	0·7	0·7	...	...	...		22
23		...	0·1	1·0	0·6	...	...	...	...	...	0·1	...		23
24		...	...	...	0·3	0·3	...	...	...	...	...	...		24
25		...	...	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	0·7		25
26		...	...	...	...	...	...	...	...	...	...	...		26
27		...	...	...	0·6	0·3	0·1	...	...	0·1	0·1	...		27
28		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		28
29		0·6	1·0	1·0	1·0	1·0	1·0	0·9	0·6	0·1	...	...		29
30		0·4	1·0	0·4	0·6	1·0	1·0	1·0	1·0	0·9	0·5	0·4		30

Table VI.—Amount of Rainfall registered in each Hour of the Day, in the Month of November, 1930.

(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	d	d	0·030	0·025	0·005	d	...	d	d	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	d	...	...	d	d	...	d	d	d	7
8	...	...	...	d	d	d	d	d	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	d	16
17	...	...	...	...	...	...	...	d	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	d	...	...	...	...	...	...	...	...	...	...	...	21
22	d	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	d	...	...	d	d	d	0·010	d	...	0·010	24
25	...	d	d	d	d	0·005	0·005	0·005	d	...	...	...	25
26	...	...	...	...	...	...	d	d	d	d	...	...	26
27	...	...	...	d	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	d	d	d	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	d	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	d	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	d	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	d	...	d	...	...	...	23
24	d	d	0·005	...	...	...	d	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	d	d	d	d	d	d	d	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, at 148 feet above MEAN SEA LEVEL, in the MONTH of NOVEMBER, 1932.

(The Direction is given in points and the Velocity in miles per hour.)

(8 = East. 18 = South, &c. ... = Calm.)

Hours, Hong Kong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	28	7	25	7	22	7	20	7	17	7	14	6	12	5	5	3	4	2	10	2	8	5	9	1
2	4	15	5	12	5	12	5	12	4	12	2	9	4	7	5	11	5	11	6	12	6	14	8	12	2
3	7	21	7	22	7	20	7	22	6	22	6	15	4	13	7	14	8	15	8	16	9	21	9	17	3
4	8	13	6	14	7	11	7	10	7	11	6	13	6	10	8	8	9	6	10	11	10	15	10	19	4
5	6	16	7	16	8	16	7	19	7	17	7	20	6	16	7	21	7	21	7	22	7	23	6	22	5
6	10	11	9	11	8	8	8	7	...	1	...	1	..	...	...	1	12	3	11	5	10	9	9	12	6
7	8	5	8	8	7	15	6	17	7	28	7	29	7	31	7	31	7	31	7	31	7	27	6	26	7
8	5	11	4	11	3	8	3	7	5	11	6	12	6	12	7	13	6	13	5	12	6	13	8	14	8
9	7	15	6	12	6	13	7	6	5	7	3	5	5	6	6	8	5	8	4	9	11	5	12	3	9
10	12	4	...	1	...	1	11	5	9	5	8	2	32	2	...	1	12	2	21	3	22	4	2	7	10
11	10	6	10	7	10	7	9	5	8	2	3	6	2	10	1	15	32	10	1	8	1	9	1	11	11
12	32	6	30	10	1	7	1	6	1	9	32	9	32	8	32	10	1	14	32	14	31	14	31	8	12
13	1	20	1	18	1	4	1	10	1	11	3	7	1	9	2	11	1	11	1	8	25	6	23	8	13
14	...	1	14	3	...	...	...	1	14	2	14	2	...	1	12	5	7	11	7	13	8	15	11	13	14
15	5	6	5	4	7	6	5	6	6	6	6	2	7	9	7	13	7	11	8	15	8	14	10	13	15
16	32	13	1	14	1	16	32	18	32	16	32	18	32	14	32	15	1	11	32	13	1	9	2	7	16
17	4	15	4	7	4	10	6	12	3	8	2	8	3	7	2	8	2	7	2	7	3	6	2	4	17
18	6	16	3	12	3	10	32	6	1	8	2	5	1	8	1	3	1	6	6	8	7	11	6	11	18
19	5	9	3	7	5	7	7	3	7	3	4	2	...	1	3	6	2	8	32	4	22	8	21	6	19
20	32	7	1	11	32	5	31	5	1	11	1	10	1	6	1	9	32	13	32	14	1	13	1	14	20
21	2	10	32	7	1	10	1	12	1	12	32	14	32	16	1	11	1	11	1	6	7	11	8	9	21
22	7	17	7	24	7	22	7	20	7	22	7	23	7	28	7	23	7	21	8	19	9	21	9	21	22
23	6	17	7	19	7	15	7	16	7	15	7	13	7	13	8	16	8	18	8	19	8	16	8	14	23
24	7	21	7	19	8	20	8	19	8	18	9	17	10	11	9	11	9	13	9	13	9	15	9	13	24
25	8	15	8	14	9	11	9	9	10	6	11	3	...	1	11	5	9	2	10	10	10	10	11	12	25
26	...	...	...	..	11	4	10	9	10	5	10	12	8	11	7	17	7	21	7	20	6	16	6	22	26
27	7	15	6	15	6	20	6	22	7	22	7	21	7	24	6	22	7	19	7	16	9	16	8	18	27
28	4	8	5	3	2	5	1	6	1	4	2	6	1	10	1	7	31	10	32	9	32	15	32	14	28
29	1	6	1	5	32	4	1	4	1	4	1	2	32	3	2	5	1	6	31	8	32	12	1	8	29
30	2	3	2	6	2	4	3	5	8	11	7	12	4	8	3	11	4	16	4	19	7	15	8	8	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	17	7	17	6	15	7	11	5	8	1	3	1	5	32	2	1	4	6	13	4	6	4	7	1
2	10	15	10	15	10	17	9	15	9	15	9	15	8	12	7	14	6	14	8	17	7	17	7	24	2
3	10	20	9	21	10	21	10	21	10	14	9	15	9	12	9	14	8	13	8	15	8	15	8	13	3
4	10	20	10	19	9	20	9	19	9	17	8	14	8	15	8	13	7	15	7	12	6	14	6	16	4
5	6	23	7	22	8	20	8	18	7	16	9	14	10	11	11	10	11	11	11	12	11	12	11	11	5
6	9	12	8	8	7	9	32	4	1	3	30	5	29	4	...	...	...	...	29	2	...	1	7	3	6
7	4	16	3	9	3	7	3	9	2	7	3	5	2	6	3	5	3	7	4	9	5	12	5	11	7
8	9	13	10	11	12	6	10	10	10	10	10	13	10	9	8	8	7	6	7	8	8	12	6	14	8
9	16	4	23	6	9	5	8	9	9	7	9	6	9	6	7	4	7	5	...	1	...	...	12	2	9
10	8	9	9	8	9	9	8	6	8	4	8	4	8	6	8	7	9	11	9	11	9	8	10	8	10
11	32	9	1	10	32	9	1	12	1	14	1	17	1	18	1	17	1	12	32	11	1	21	32	13	11
12	30	13	30	13	31	14	31	14	31	10	32	8	1	7	2	7	1	11	32	17	32	21	32	20	12
13	25	7	23	9	23	10	22	7	21	6	25	6	14	3	..	1	14	3	14	2	...	1	...	...	13
14	10	14	11	11	11	14	10	12	10	13	10	10	9	10	8	9	8	9	7	8	7	11	7	7	14
15	10	11	6	8	4	10	3	10	9	15	8	13	8	14	7	14	7	14	6	14	6	13	5	12	15
16	5	7	1	10	1	9	1	9	2	9	1	8	2	8	1	14	1	9	5	5	2	5	4	6	16
17	1	4	3	5	1	7	4	4	5	8	6	9	5	9	5	7	4	11	4	11	3	14	4	14	17
18	7	13	7	10	2	6	4	7	6	6	7	6	7	8	4	6	5	7	5	9	5	9	6	10	18
19	22	7	24	8	25	10	25	8	22	10	22	7	25	8	28	5	32	3	3	5	32	7	31	6	19
20	1	7	32	7	1	13	2	12	2	10	2	11	8	14	7	11	7	16	7	19	7	17	6	17	20
21	9	10	10	9	9	11	10	10	11	6	10	12	9	13	8	12	6	11	7	12	8	14	7	13	21
22	9	20	9	22	9	20	8	20	7	22	8	21	7	18	8	15	7	14	6	15	6	15	7	12	22
23	9	14	9	14	9	16	10	14	9	14	9	13	8	10	8	9	7	11	6	14	7	16	7	20	23
24	8	12	8	12	8	11	9	13	8	10	9	8	8	14	7	12	8	16	8	14	9	10	9	12	24
25	10	14	9	14	9	16	9	15	10	13	10	10	10	8	11	6	11	6	11	2	...	...	...	...	25
26	8	14	7	16	6	18	7	19	7	21	7	23	6	26	7	24	6	22	6	20	8	22	6	22	26
27	9	20	8	17	8	12	7	8	3	6	5	6	7	9	7	9	7	13	7	13	6	13	4	9	27
28	31	13	31	15	32	13	1	11	32	13	1	15	32	12	1	6	1	9	32	9	32	12	32	7	28
29	4	7	5	3	7	2	33	5	9	9	6	9	4	4	3	6	2	5	2	4	2	4	2	6	29
30	1	5	30	4	11	6	1	8	2	6	6	9	4	9	2	10	2	8	1	11	2	8	2	7	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of NOVEMBER, 1932.

(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	ENE	nb	ENE	nb	E	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	E
2	st-cu	E	cu	E	a-cu / cu	WNW / E	a-cu / cu	WSW / ENE	a-cu / cu	WSW / E	a-cu / st-cu	W / N	...	...	...	...
3	cu	ENE	cu	ENE	cu	ENE	ci-st	SW	ci-st	SW	...	...	...	...	cu	ENE
4	cu	E	cu	E	cu	E	...	...	cu	E	ci-st / cu	W / E	cu	E	cu	E
5	cu	E	cu	E	cu	E	ci-st / cu	WNW / E	cu	E	...	...	...	...	...	...
6	...	...	cu	E	...	...	...	...	cu	E	cu	ENE	...	...	...	...
7	...	...	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
8	st-cu	E	nb	E	nb	E	nb	E	st-cu	E	st-cu	N	...	...	st-cu	E
9	cu	E	cu	E	st-cu	NE	st-cu	NE	cu	ENE	cu	N	...	...	...	...
10	...	...	...	...	...	...	...	...	cu	E	cu	ENE	ci-st	W	ci-st	W
11	a-cu / cu	W / E	cu	E	cu	NNW	ci-st	WSW	cu	NNW	cu	NNW	cu	NNW	...	...
12	...	...	cu	NNE	cu	NNE	a-cu / cu	WNW / NNW	cu	NNW	...	...	...	...	...	...
13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14	...	...	...	...	...	...	...	...	cu	E	...	...	...	...	...	...
15	cu	E	cu	ESE	st-cu	E	cu	ENE	a-cu / cu	WSW / E	a-cu / cu	WSW / E	a-cu / cu	WSW / E	cu	E
16	cu	ENE	a-cu / cu	W / ENE	a-cu / cu	W / ESE	st-cu	WSW	st-cu	WSW	st-cu	WSW	st-cu	WSW	st-cu	WSW
17	st-cu	WSW	st-cu	WSW	st-cu	WSW	st-cu	WSW	st-cu	WSW	st-cu	...	st-cu	SW	st-cu	SW
18	st-cu	SW	st-cu	SW	st-cu	E	st	E	st-cu	ESE	st-cu	E	cu	E	st-cu	E
19	st-cu	E	cu	ENE	a-cu	NW	...	...	cu	SSE	cu	NNE	cu	NNE	...	...
20	cu	NE	...	...	cu	NE	...	...	ci-st	WNW	ci-st	WNW	...	...	cu	ENE
21	nb	ENE	a-cu / cu	W / ENE	cu	ENE	ci-st / cu	WSW / ENE	ci-st	WSW	ci-st	WSW	...	...	cu	E
22	nb	E	nb	E	cu	ENE	ci-st / cu	WSW / SE	a-cu / cu	WSW / SE	a-cu / cu	W / ESE	st-cu	E	st-cu	E
23	cu	E	st-cu	E	cu	E	a-cu / cu	WSW / E	cu	E	st	ESE	st	E	cu	E
24	cu-nb	E	nb	E	nb	ESE	nb	ESE	nb	E	nb	E	nb	E	cu-nb	E
25	cu-nb	E	nb	E	nb	E	cu	ESE	cu	E	...	...	...	...	...	...
26	cu	E	cu	E	cu-nb	ENE	st-cu	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE
27	cu-nb	ENE	nb	ENE	nb	E	cu	E	cu-nb	E	cu	E	cu	E	cu-nb	E
28	cu-nb	E	cu	E	cu	ENE	...	...	a-cu	W	ci-st	W	...	...	...	...
29	...	...	cu	E	ci-st / cu	WNW / E	ci-st / cu	WSW / E	a-cu / cu	NNE / E	cu	E	cu	E	cu	E
30	cu	E	cu	E	cu	E	a-cu / cu	SSW / E	...	...	a-cu	SW	cu	ENE	cu	ENE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1932.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-10).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·003	73·6	67·0	6·6	70·2	64·4	0·539	73	100	...	...	0·060	4	+ 3·9	+ 10·3	69	11·0	11·7
2	29·989	77·6	69·6	8·0	72·9	65·7	·551	68	55	6·2	55	...	...	+ 2·7	+ 12·4	78	12·7	13·7
3	·962	76·6	70·4	6·2	73·0	67·3	·604	74	28	10·2	91	...	...	− 0·3	+ 16·6	91	16·6	17·2
4	·947	79·1	70·4	8·7	73·4	68·6	·644	79	28	10·0	89	...	...	− 0·3	+ 13·5	91	13·5	14·0
5	·909	77·0	71·5	5·5	73·4	69·2	·665	81	26	10·2	91	...	...	+ 1·1	+ 16·3	86	16·3	17·0
6	·894	81·1	70·9	10·2	75·6	71·0	·706	80	9	10·4	93	...	...	+ 0·1	+ 3·7	89	3·7	5·0
7	30·019	74·4	69·5	4·9	71·5	67·4	·624	81	90	0·5	4	...	2	+ 5·6	+ 13·9	68	15·0	15·9
8	·021	73·1	66·4	6·7	69·7	64·7	·555	77	79	1·0	9	...	2	+ 1·9	+ 9·6	79	9·8	10·7
9	29·926	78·1	69·4	8·7	72·4	67·3	·611	77	51	7·1	64	...	...	+ 1·0	+ 5·0	79	5·1	6·3
10	·834	79·8	69·4	10·4	73·6	69·6	·677	82	26	7·9	71	...	...	− 0·8	+ 4·2	101	4·3	5·2
11	·823	81·1	69·8	11·3	74·2	65·8	·541	64	40	8·6	77	...	...	+ 9·2	+ 2·8	17	9·6	10·8
12	·810	79·5	66·7	12·8	71·8	60·4	·398	52	25	8·8	79	...	...	+ 11·1	− 0·6	357	11·1	11·2
13	·841	76·0	62·5	13·5	68·5	57·4	·349	50	...	10·4	94	...	...	+ 3·4	− 0·8	347	3·5	7·4
14	·906	73·1	63·7	9·4	68·0	60·1	·431	63	4	10·2	93	...	...	− 1·8	+ 7·3	104	7·5	8·1
15	·988	75·5	66·3	9·2	69·9	63·3	·507	70	84	2·5	23	...	...	+ 2·0	+ 9·8	78	10·0	10·5
16	30·102	70·7	62·5	8·2	66·0	55·9	·335	52	94	0·8	7	...	...	+ 10·5	+ 2·0	11	10·7	11·0
17	·118	67·6	62·9	4·7	65·7	57·4	·379	60	100	...	...	...	...	+ 6·2	+ 5·3	41	8·1	8·4
18	·128	72·9	62·7	10·2	67·5	61·2	·469	70	99	0·3	3	...	...	+ 4·7	+ 6·1	52	7·7	8·4
19	·095	77·7	65·5	12·2	71·1	64·3	·526	69	43	9·6	87	...	...	+ 2·0	− 1·6	321	2·6	6·2
20	·070	78·1	65·2	12·9	71·0	61·7	·446	59	23	10·3	94	...	...	+ 8·0	+ 5·2	33	9·5	11·3
21	·053	76·6	65·0	11·6	69·9	60·2	·413	56	50	9·2	84	...	1	+ 4·0	+ 7·0	60	8·1	11·1
22	·028	72·4	67·9	4·5	69·4	63·6	·522	73	85	5·5	50	...	...	+ 1·7	+ 19·7	85	19·8	19·8
23	29·954	76·0	69·0	7·0	72·0	66·7	·595	76	93	1·8	17	...	...	+ 0·8	+ 14·7	87	14·7	14·8
24	·891	74·0	70·2	3·8	71·8	68·9	·672	86	97	0·6	6	0·025	3	− 0·8	+ 13·9	93	13·9	13·9
25	·876	79·4	71·0	8·4	73·8	69·9	·686	82	46	7·1	65	0·015	3	− 2·5	+ 7·9	108	8·3	8·4
26	·900	73·6	67·9	5·7	70·7	67·0	·619	82	90	...	...	...	4	+ 3·1	+ 15·4	79	15·7	16·0
27	·915	71·3	65·6	5·7	68·2	63·6	·536	78	92	1·2	11	...	...	+ 3·2	+ 14·6	78	15·0	15·2
28	·960	73·5	55·9	17·6	66·2	58·5	·405	63	29	10·3	94	...	...	+ 9·5	+ 0·7	4	9·5	9·7
29	30·014	69·6	54·4	15·2	61·2	53·7	·329	61	58	7·2	67	...	...	+ 4·1	+ 2·1	27	4·6	5·5
30	·029	73·1	61·9	11·2	66·7	57·5	·371	57	69	8·2	76	...	...	+ 5·1	+ 5·3	46	7·4	8·7
Means.	29·967	75·4	66·4	9·0	70·3	63·7	0·523	70	57	Sum. 176·1	53	Sum. 0·100	Sum 19	+ 3·3	+ 8·1	68	8·7	11·1
Normals	29·989	74·3	65·3	9·0	69·4	62·6	0·500	68	53	187·8	527	1·650	29	+ 4·2	+ 8·6	64	9·5	12·4
Absolute Max.	30·177	81·1	...	17·6	...	73·1	0·761	...	...	10·4	94	0·060	4	...	...	...	...	31·0†
Day.	18	6, 11	...	28	...	25	25	...	...	6, 13	15, 20, 28.	1	1, 28	...	...	...	...	7 to 8h 10 to 10h
Absolute Min.	29·735	...	54·4	3·8	...	48·9	0·277	38	...	...	...	...	...	...	...	...	...	...
Day.	12	...	29	24	...	29	13	13	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

Means.	1016·8	297·1	292·1	5·0	294·3	290·6	17·7	...	...	...	...	Sum. 2·5	Sum. 19	+ 1·1	+ 2·7	68	2·9	3·6
Normals	1017·5	296·5	291·5	5·0	293·8	290·0	16·9	...	...	...	...	41·9	29	+ 1·4	+ 2·8	64	3·1	4·1
Absolute Max.	1023·9	300·3	...	9·8	...	295·8	25·8	...	...	...	...	1·5	4	...	...	...	...	10·2
Absolute Min.	1008·8	...	285·4	2·1	...	282·4	9·4	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 3 days. The mean hourly intensity was 0·005*ins*, and the maximum fall in one hour was 0·030*ins* at 6*h* on the 1st.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 41 miles per hour from East at 8*h* 50*m* on the 7th.

Clouds with base less than 2,000 feet high were observed on 4 days.

No clouds with base less than 1,000 feet high were observed in November.

*0° = N., 90° = E., &c.

† Maximum velocity for one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1932.
(*British Units.*)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10)	Percentage of Possible Sunshine.	Rainfall. Amount.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	ins.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·970	68·9	63·5	0·531	74	61		...	+ 4·4	+ 9·1	64	10·1	11·7
2	·961	68·6	63·3	·528	75	68		...	+ 4·8	+ 8·3	60	9·6	11·2
3	·953	68·4	63·3	·530	76	68		...	+ 3·8	+ 8·3	65	9·1	10·4
4	·950	68·1	62·9	·521	75	71		...	+ 4·0	+ 8·0	63	9·0	10·6
5	·954	67·9	62·7	·517	75	72		..	+ 4·3	+ 8·3	63	9·4	10·9
6	·968	67·5	62·3	·509	75	70		0·035	+ 4·2	+ 7·5	61	8·6	10·4
7	·987	67·5	62·3	·509	75	66	25	0·030	+ 4·9	+ 7·0	55	8·5	10·2
8	30·003	68·7	62·9	·514	73	63	50	0·010	+ 4·8	+ 8·0	59	9·3	11·2
9	·018	70·2	63·5	·516	69	58	51	0·010	+ 5·2	+ 8·3	58	9·8	11·8
10	·024	71·7	64·0	·516	66	57	64	...	+ 4·6	+ 8·7	62	9·8	12·5
11	·010	73·1	64·7	·523	63	53	68	...	+ 2·8	+ 9·0	73	9·4	13·0
Noon.	29·986	73·8	65·0	·524	62	50	64	...	+ 2·0	+ 9·1	78	9·3	12·5
13	·953	74·1	65·2	·527	62	51	60	0·010	+ 0·7	+ 8·8	85	8·8	12·3
14	·929	74·1	65·2	·527	62	51	60	...	+ 1·1	+ 7·6	82	7·7	11·8
15	·916	73·1	64·8	·525	63	53	55	...	+ 1·7	+ 7·8	78	8·0	11·9
16	·915	72·5	64·4	·519	65	51	55	0·005	+ 1·8	+ 7·7	77	7·9	11·3
17	·925	71·7	64·2	·522	66	52	36	...	+ 1·7	+ 7·5	77	7·7	10·7
18	·938	70·7	63·8	·521	68	54		..	+ 1·5	+ 7·7	79	7·8	10·5
19	·950	70·0	63·8	·528	71	44		...	+ 2·4	+ 7·6	72	8·0	10·3
20	·968	69·8	63·7	·527	72	47		...	+ 2·7	+ 7·2	70	7·7	9·2
21	·980	69·5	63·7	·530	73	51		...	+ 3·3	+ 7·8	67	8·5	9·9
22	·985	69·3	63·6	·530	73	49		...	+ 3·7	+ 8·2	66	9·0	10·5
23	·984	69·2	63·5	·528	73	52		...	+ 4·2	+ 8·1	63	9·1	11·0
Midn.	·977	69·0	63·6	·534	74	59		...	+ 4·3	+ 8·2	62	9·3	10·9

Phenomena :—

Lunar halo :—on the 21st.

Lunar corona :—on the 11th and 23rd.

Slight Fog :—on the 10th.

Dew :—on the 6th and 10th.

Lightning :—on the 22nd.

ADOPTED ERRORS OF TIMEBALL, NOVEMBER, 1932.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	0·0	11	— 0·1	21	0·0
2	+ 0·1	12	— 0·1	22	0·0
3	— 0·2	13	— 0·2	23	0·0
4	+ 0·2	14	— 0·1	24	+ 0·1
5	+ 0·1	15	0·0	25	+ 0·1
6	— 0·1	16	— 0·1	26	0·0
7	— 0·2	17	— 0·1	27	0·0
8	— 0·2	18	0·0	28	+ 0·1
9	— 0·2	19	0·0	29	+ 0·1
10	— 0·1	20	0·0	30	0·0

+ = Late ; — = Early.

The above may also be regarded as the errors of the time signals by radio telegraphy and by signal lights.

The probable error for the month was ± 0s·10

* 0° = N. 90° = E., &c.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

NOVEMBER,

1932.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	31st OCTOBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	1st NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	22	29.85	758.2	48	...	WNW	4	o	6	...	...	...	...	...	...	...
Nemuro,	11	30.00	762.0	...	...	WSW	3	...	5	29.71	754.5	...	...	SW	3	..
Hokodate,	,,	29.88	759.0	...	...	SSW	1	...	,,	29.73	755.0	...	...	N	3	...
Tokio,	,,	29.96	761.0	...	...	NNW	1	...	,,	29.94	760.5	...	...	...	0	...
Kochi,	,,	29.96	761.0	...	...	...	0	...	,,	30.08	764.0	...	...	...	0	...
Nagasaki,	,,	30.06	763.5	...	...	WNW	2	...	,,	30.16	766.0	...	...	...	0	...
Kagoshima,	,,	30.04	763.0	...	...	NNW	1	...	,,	30.14	765.5	...	...	...	0	...
Oshima,	,,	30.02	762.5	...	...	N	3	...	,,	30.12	765.0	...	...	N	2	...
Naha,	,,	30.02	762.5	...	...	NNE	4	...	,,	30.10	764.5	...	...	NE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	NNE	2	...	,,	30.08	764.0	...	...	NNE	1	...
Bonin Island,	,,	29.92	760.0	...	...	SW	1	...	,,	29.98	761.5	...	...	...	0	...
Chefoo,	15	30.17	766.3	56	8	NNW	4	b	6	30.25	768.3	47	6	WSW	2	b
Shanghai,	14	30.16	766.0	76	6	NW	2	e	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	30.19	766.8	70	6	W	4	be	,,	...	...	...	...	...	...	...
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.08	764.0	69	8	ENE	2	b	7	30.18	766.6	66	8	N	2	o
Amoy,	,,	30.06	763.5	79	6	NE	4	b	6	30.11	764.8	70	6	NE	4	e
Swatow,	,,	30.03	762.7	76	...	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.10	764.5	77	...	ENE	4	b	5	30.11	764.8	67	...	E	4	b
Taichu,	,,	30.01	762.3	79	...	N	4	b	,,	30.05	763.2	67	...	...	0	o
Tainan,	,,	29.99	761.8	81	...	N	4	o	,,	30.01	762.3	67	...	...	0	e
Koshun,	,,	29.98	761.4	77	...	NE	4	e	,,	30.01	762.1	74	...	NE	6	b
Pescadores,	,,	30.01	762.3	77	...	NNE	6	b	,,	30.03	762.8	72	...	NNE	6	be
Hong Kong,	14	29.97	761.2	75	7	E	3	o	6	30.05	763.2	70	6	E	4	or
Gap Rock,	,,	29.97	761.2	76	8	ENE	5	o	,,	30.02	762.5	75	7	ENE	5	o
Macao,	,,	29.95	760.7	76	4	NE	4	d	,,	30.01	762.3	70	4	NE	2	e
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.8	77	...	ENE	7	o	6	...	...	...	...	...	...	...
Phulien,	15	29.95	760.8	77	8	ENE	4	o	7	30.07	763.8	64	1	N	3	df
Tourane,	,,	29.82	757.3	74	8	NNW	4	be	,,	29.88	758.8	75	7	WNW	3	o
Cape St. James,	,,	29.84	758.0	81	8	E	2	be	,,	...	...	...	...	...	...	...
Basco,	14	29.89	759.1	81	8	ENE	4	e	6	29.96	761.0	77	6	NE	4	o
Aparri,	,,	29.84	758.0	86	8	N	4	b	,,	29.92	760.0	79	6	NE	4	o
Tuguegarao,	,,	29.80	757.0	91	8	...	0	e	,,	...	...	...	...	...	...	...
Vigan,	,,	29.79	756.7	86	8	WNW	2	e	,,	29.86	758.4	76	8	...	0	e
Manila,	,,	29.82	757.3	79	8	NE	2	o	,,	29.86	758.5	74	6	...	0	o
Legaspi,	,,	29.79	756.6	85	8	NE	2	b	,,	29.83	757.6	81	8	NE	2	o
Calbayog,	,,	29.70	756.6	81	8	...	0	o	,,	29.84	758.0	76	8	...	0	bo
Tacloban,	,,	29.78	756.4	83	8	NE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	91	8	NE	4	b	,,	29.82	757.3	76	6	NE	0	o
Cebu,	,,	29.73	755.2	91	8	ENE	2	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.5	85	6	N	4	o	,,	29.80	757.0	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.84	757.9	77	...	...	...	b
Guam,	12.22	29.78	756.4	...	8	E	4	b	4.22	29.80	757.0	...	8	...	0	b
Yap,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	81	...	...	1	o
Pelew,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	80	...	N	0	b
Lamma,	14	29.86	758.4	85	8	N	4	be	6	29.91	759.6	68	4	...	0	bo

Warnings.

October 31*d*. 16*h*. 05*m*.—Typhoon within 60 miles of Lat. 18° N. Long. 130° E., moving W.
November 1*d*. 10*h*. 29*m*.—Typhoon filling up in Lat. 18° N. Long. 108° E.

November 1*d*. 10*h*. 33*m*.—The anticyclone over N. China has increased in intensity; the typhoon appears to be filling up to the south-west of Hainau.

Fresh monsoon will prevail along the coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inch. Total since January 1st, 87.31 inches, against an average of 80.62 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, fresh; fair.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st November, 1932.									2nd November, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	30.05	763.2	46	...	WSW	1	b		6	29.95	760.8	34	...	WSW	1	b	
Nemuro,	11	29.63	752.5	...	...	W	2	...		5	30.04	763.0	...	...	WNW	1	...	
Hokodate,	,,	29.88	759.0	...	...	WNW	4	...		,,	30.12	765.0	...	...	NW	1	...	
Tokio,	,,	29.94	760.5	...	...	...	0	...		,,	30.18	766.5	...	...	NNW	1	...	
Kochi,	,,	30.08	764.0	...	...	N	1	...		,,	30.10	764.5	...	...	...	0	...	
Nagasaki,	,,	30.12	765.0	...	...	N	1	...		,,	30.12	765.0	...	...	...	...	...	
Kagoshima,	,,	30.10	764.5	...	...	N	1	...		,,	30.10	764.5	...	...	NW	1	...	
Oshima,	,,	30.10	764.5	...	...	N	2	...		,,	30.08	764.0	...	...	NNW	1	...	
Naha,	,,	30.08	764.0	...	...	NNE	3	...		,,	30.06	763.5	...	...	NE	1	...	
Ishigakijima,	,,	30.10	764.5	...	...	ENE	2	...		,,	30.06	763.5	...	...	NNE	1	...	
Bonin Island,	,,	29.96	761.0	...	...	SW	1	...		,,	30.00	762.0	...	...	...	0	...	
Chefoo,	15	30.11	764.8	61	8	SW	2	bc		6	30.08	764.0	56	6	SW	2	b	
Shanghai,	14	30.24	768.1	70	8	E	2	b		,,	30.24	768.1	54	6	ESE	2	be	
Gutzlaff,	,,	29.29	769.3	68	6	N	2	be		,,	30.24	768.1	61	6	ESE	2	c	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.13	765.3	69	6	NE	2	bc		7	30.16	766.0	67	6	NNE	2	u	
Amoy,	,,	30.11	764.8	81	6	ENE	4	bc		6	30.13	765.3	70	6	NE	4	c	
Swatow,	,,	30.08	764.0	76	...	NE	3	c		,,	...	...	...	...	...	...	...	
Taihoku,	11	30.14	765.5	79	...	E	4	c		5	30.08	764.0	68	...	E	2	o	
Taichu,	,,	30.06	763.4	85	...	...	0	bc		,,	30.05	763.3	67	...	...	0	o	
Tainan,	,,	30.05	763.2	81	...	...	0	o		,,	30.01	762.3	67	...	...	0	bc	
Kowhun,	,,	30.03	762.7	79	...	NE	5	b		,,	29.99	761.8	74	...	ENE	4	b	
Pescadores,	,,	30.02	762.4	77	...	NNE	6	o		,,	30.02	762.5	72	...	NNE	4	o	
Hong Kong,	14	30.06	763.5	69	7	E	3	o		6	30.07	763.8	71	7	NNE	2	o	
Gap Rock,	,,	30.04	763.0	74	8	NE	5	o		,,	30.06	763.5	74	8	ENE	5	o	
Macao,	,,	30.03	762.8	68	4	NNE	2	o		,,	30.03	762.8	67	4	NNE	2	o	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.97	761.2	79	8	ENE	6	c		6	...	...	...	...	...	...	...	
Phulien,	15	30.04	762.9	70	8	NNE	3	o		7	30.10	764.4	66	2	NE	3	d	
Tourane,	,,	29.84	757.9	76	8	NNW	2	bc		,,	...	...	...	...	...	...	...	
Cape St. James,	,,	29.86	758.5	81	6	E	4	z		,,	29.90	759.4	75	6	NW	1	c	
Basco,	14	29.94	760.4	81	8	NNE	4	bc		6	29.97	761.2	76	6	ENE	2	c	
Aparri,	,,	29.88	759.0	81	6	NE	4	o		,,	29.91	759.8	79	6	NE	4	bc	
Tuguegarao,	,,	29.84	757.9	81	4	N	2	o		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.78	756.3	91	8	NW	4	b		,,	29.83	757.6	77	6	...	0	b	
Manila,	,,	29.81	757.2	88	8	W	2	bc		,,	29.84	757.8	77	6	...	0	c	
Legaspi,	,,	29.78	756.3	85	6	ENE	2	bc		,,	29.80	756.8	79	8	...	0	b	
Calbayog,	,,	29.78	756.3	86	8	NNE	4	o		,,	29.83	757.6	76	8	...	0	b	
Tacloban,	,,	29.78	756.4	83	8	NW	2	o		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.75	755.6	85	8	N	4	o		,,	29.79	756.6	77	6	NE	2	o	
Cebu,	,,	29.74	755.4	91	8	ENE	4	bc		,,	...	...	...	...	...	...	...	
Surigao,	...	29.74	755.3	88	8	N	4	bc		,,	29.84	757.9	76	6	...	0	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.76	755.8	...	8	...	0	b		4.22	29.78	756.4	...	8	...	0	b	
Yap,	11.00	29.78	756.4	...	8	E	2	bc		5	29.81	757.2	...	6	...	0	bc	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Labuan,	14	29.94	760.4	85	...	...	...	c		6	29.91	759.6	67	...	S	...	r	

November 2d. 10h. 44m.—The anticyclone has spread eastward, and now covers N. China and the greater part of Japan.

Fresh monsoon will prevail along the coast to the south of Foochow, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 80.67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd.

District.	Forecast.
A.—Shanghai to Turnabout,	Light northerly or variable winds.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd NOVEMBER, 1932.									3rd NOVEMBER, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Nemuro,	11	30.08	764.0	...	...	W	2	...		5	30.18	766.5	...	...	W	1	...	
Hokodate,	,,	30.18	766.5	...	...	WSW	1	...		,,	30.22	767.5	...	...	...	0	...	
Tokio,	,,	30.14	765.5	...	...	N	2	...		,,	30.22	767.5	...	...	N	1	...	
Kochi,	,,	30.08	764.0	...	...	SE	1	...		,,	30.10	764.5	...	...	...	0	...	
Nagasaki,	,,	30.14	765.5	...	...	N	1	...		,,	30.14	765.5	...	...	...	...	...	
Kagoshima,	,,	30.10	764.5	...	...	NNW	1	...		,,	30.12	765.0	...	...	NW	1	...	
Oshima,	,,	30.10	764.5	...	...	N	2	...		,,	30.08	764.0	...	...	S	1	...	
Naha,	,,	30.08	764.0	...	...	NNE	4	...		,,	30.06	763.5	...	...	NE	2	...	
Ishigakijima,	,,	30.06	763.5	...	...	NE	...	...		,,	30.02	762.5	...	...	E	1	...	
Ponin Island,	,,	30.00	762.0	...	...	...	0	...		,,	30.04	763.0	...	...	...	...	...	
Chefoo,	15	29.98	761.6	72	8	SSW	2	b		6	29.96	761.0	59	6	SSW	2	b	
Shanghai,	14	30.19	766.7	68	6	SSE	2	c		,,	30.16	766.0	52	4	SE	2	b	
Gutzlaff,	,,	30.32	770.1	65	8	S	2	c		,,	30.22	767.6	61	6	SSE	2	c	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.10	764.5	70	8	NE	2	o		7	30.06	763.5	66	8	NNW	2	b	
Amoy,	,,	29.82	757.4	79	8	E	4	b		6	30.11	764.8	68	6	NNE	2	c	
Swatow,	,,	30.06	763.6	76	...	NE	3	b		,,	...	...	...	...	...	...	...	
Taiwan,	13	30.12	765.1	74	...	E	4	o		5	30.04	763.0	68	...	E	4	c	
Taichu,	,,	30.07	763.7	83	...	...	0	o		,,	30.03	762.7	67	...	...	0	c	
Tainan,	,,	30.03	762.8	81	...	...	0	b		,,	30.01	762.1	68	...	N	2	b	
Koshun,	,,	30.00	762.1	81	...	NE	4	bc		,,	29.98	761.4	72	...	NNE	2	b	
Pescadores,	,,	30.06	763.4	83	...	NNE	6	bc		,,	30.01	762.3	72	...	N	4	b	
Hong Kong,	14	30.01	762.2	76	7	E	3	c		6	30.03	762.7	71	8	ENE	3	c	
Gap Rock,	,,	30.02	762.5	74	8	ENE	5	c		,,	30.02	762.5	75	8	ENE	4	b	
Mirs Bay,	,,	30.00	762.0	77	4	NE	2	c		,,	29.99	761.8	70	4	ESE	2	c	
Hoihow,	,,	...	...	...	...	...	...	...		...	...	...	...	...	...	...	...	
Pratas Island,	,,	29.97	761.2	77	8	ENE	6	o		6	29.97	761.2	73	...	NE	6	o	
Phulien,	15	30.01	762.3	77	8	ENE	3	c		7	30.02	762.6	70	7	NNE	2	o	
Tourane,	,,	...	...	...	...	...	...	...		,,	29.90	759.5	77	4	ENE	2	r	
Cape St. James,	,,	...	...	...	...	...	...	...		...	...	...	...	...	...	...	...	
Baseo,	14	29.93	760.3	79	8	SSW	2	bc		6	29.93	760.2	76	8	...	0	c	
Aparri,	,,	29.87	758.8	81	6	NE	4	o		,,	29.89	759.3	79	6	NE	4	c	
Tuguegarao,	,,	29.84	757.9	81	4	N	2	o		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.78	756.3	88	8	NW	4	b		,,	29.81	757.1	77	8	...	0	b	
Manila,	,,	29.79	756.7	85	8	ENE	2	o		,,	29.83	757.6	74	6	...	0	c	
Legaspi,	,,	29.74	755.5	94	8	NE	2	b		,,	29.79	756.7	79	8	...	0	o	
Calbayog,	,,	29.76	755.8	85	8	N	4	o		,,	29.79	756.7	76	8	...	0	c	
Tacloban,	,,	29.76	755.8	83	6	...	0	o		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.72	754.9	91	8	NE	4	o		,,	29.78	756.5	77	6	NE	4	o	
Cebu,	,,	29.72	754.9	91	8	ENE	4	bc		,,	...	...	...	...	...	...	...	
Surigao,	...	29.73	755.2	86	8	N	2	b		,,	29.78	756.3	77	4	...	0	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.80	757.0	78	...	E	2	b	
Guam,	12.22	29.74	755.5	...	8	NNE	4	b		4.22	29.78	756.5	...	8	NNE	2	b	
Yap,	11.00	29.74	755.5	...	6	NE	4	bc		5	29.79	756.7	...	6	NE	2	o	
Pelew,	,,	...	...	...	...	...	...	...		,,	29.76	755.9	78	...	ESE	1	bo	
Labuan,	14	29.85	758.3	79	8	W	2	c		6	29.89	759.1	74	4	S	2	c	

November 3d. 10*h*. 29*m*.—The anticyclone continues over N. China and Japan. Moderate to fresh monsoon will prevail along the south coast of China, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 80.72 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light variable winds.
B.—Turnabout to Hong Kong,	N. winds, light to moderate.
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd November, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Duration.)	4th November, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Rainfall.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.24	768.0	...	...	...	0	...	5	...	...	...	...	...	...	...
Hakodate,	,,	30.22	767.5	...	...	SSW	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.10	764.5	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.12	765.0	...	...	W	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.12	765.0	...	...	NNW	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.10	764.5	...	...	NNE	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.08	764.0	...	...	NNE	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.06	763.5	...	...	E	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.02	762.5	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.86	758.4	76	6	SSW	6	b	6	29.78	756.4	61	4	WSW	4	z
Shanghai,	14	30.09	764.4	76	8	SE	2	b	,,	30.10	764.4	59	...	S	1	o
Gutzlaff,	,,	30.16	766.0	70	6	SE	4	b	,,	30.11	764.7	63	...	S	1	o
Wenchow,	,	...	...	...	...	...	...	...	6	30.14	765.6	59	...	...	0	o
Foochow,	,,	30.07	763.8	70	8	E	2	be	7	30.10	764.5	65	8	NW	2	c
Amoy,	,,	30.09	764.3	81	6	ESE	2	be	6	30.07	763.8	68	6	ENE	2	b
Swatow,	,,	30.04	762.9	74	...	E	3	b	,,	...	...	...	...	...	...	...
Tailoku,	11	30.06	763.6	77	...	ENE	6	b	5	30.02	762.5	68	...	E	4	b
Taichu,	,,	30.03	762.7	83	...	...	0	b	,,	30.02	762.6	68	...	...	0	o
Tainan,	,,	30.02	762.5	85	...	NW	2	b	,,	29.99	761.8	70	...	ENE	2	b
Koshun,	,,	30.01	762.3	81	...	NNE	2	bc	,	29.97	761.2	74	...	...	0	r
Pescadores,	,,	30.04	763.1	79	...	NNE	6	c	,,	30.00	761.9	72	...	NNE	4	b
Hong Kong,	14	29.98	761.5	76	7	E	4	b	6	30.01	762.2	71	7	E	3	c
Gap Rock,	,,	29.99	761.7	75	8	ENE	4	b	,,	30.00	762.0	74	8	ENE	4	c
Macao,	,,	29.96	761.0	79	6	SE	2	b	,,	29.98	761.4	68	...	...	0	bc
Hoihow,	,,	29.97	761.1	81	...	NE	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.95	760.7	81	8	ENE	6	b	6	...	...	...	...	...	...	...
Phulien,	15	29.97	761.3	79	8	E	1	c	7	30.02	762.5	70	6	NE	2	c
Tourane,	,,	...	...	...	...	...	...	...	,,	29.91	759.8	75	4	ENE	1	r
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.89	759.3	83	8	NE	2	b	6	29.95	760.6	79	6	NE	4	bc
Aparri,	,,	29.86	758.5	86	6	NE	4	o	,,	29.86	758.4	77	6	NE	4	p
Tuguegarao,	,,	29.84	757.9	79	6	...	c	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.76	755.8	91	8	NNW	2	b	,,	29.80	757.0	76	8	...	0	b
Manila,	,,	29.78	756.3	86	8	SSW	2	o	,,	29.84	757.8	77	6	...	0	o
Legaspi,	,,	29.74	755.3	91	8	ENE	2	bc	,,	29.80	756.8	81	8	...	0	bc
Calboyog,	,,	29.76	755.8	86	8	...	0	d	,,	29.81	757.2	76	8	...	0	d
Tacloban,	,,	29.76	755.9	86	8	SE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	8	NE	4	o	,,	29.79	756.6	79	6	N	2	o
Cebu,	,,	29.74	755.4	86	8	E	4	o	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.5	79	6	SE	2	bc	,,	29.78	756.3	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	78	...	ESE	3	b
Guam,	12.22	29.72	754.8	...	8	ESE	4	b	4.22	29.79	756.6	...	8	...	0	b
Yap,	11.00	29.76	755.8	...	6	NE	4	bc	5	29.82	757.3	...	6	E	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	79	...	...	0	c
Labuan,	14	29.85	758.3	86	6	W	6	bc	6	29.90	759.5	72	...	...	...	r

November 4d. 10h. 38m.— A weak anticyclone covers N. China; the depression has moved eastward to the north of Korea.

Moderate monsoon will prevail over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 80.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light southerly or variable winds.
B.—Turnabout to Hong Kong,	N.E. winds, moderate.
C.—Hong Kong to Gap Rock,	N.E. winds, moderate; fine.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	5th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.22	767.5	...	...	SSW	2	...	5	30.08	764.0	...	...	ESE	3	...
Hokodate,	,,	30.04	763.0	...	...	ESE	2	...	,,	30.04	763.0	...	...	...	0	...
Tokio,	,,	30.06	763.5	...	...	N	2	...	,,	30.14	765.5	...	...	N	1	...
Kochi,	,,	30.04	763.0	...	...	...	0	...	,,	30.14	765.5	...	...	WSW	1	...
Nagasaki,	,,	30.14	765.5	...	...	NW	1	...	,,	30.16	766.0	...	...	...	0	...
Kagoshima,	,,	30.08	764.0	...	...	ENE	1	...	,,	30.14	765.5	...	...	...	0	...
Oshima,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.10	764.5	...	...	SSE	1	...
Naha,	,,	30.06	763.5	...	...	NE	2	...	,,	30.04	763.0	...	...	NE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	E	2	...	,,	30.00	762.0	...	...	E	1	...
Bonin Island,	,,	30.04	763.0	...	...	SW	1	...	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	29.94	760.5	61	6	NW	4	bc	6	29.95	760.7	54	6	FSE	2	b
Shanghai,	14	30.07	763.9	74	6	SW	2	c	,,	30.06	763.4	58	4	SSE	2	bc
Gutziaff,	,,	30.13	765.3	65	6	SSW	2	o	,,	30.12	765.0	63	6	S	2	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.99	761.7	70	6	E	2	o	7	30.04	763.0	68	6	NNW	2	o
Amoy,	,,	30.04	763.0	79	6	ENE	2	b	6	30.06	763.5	68	6	NE	2	b
Swatow,	,,	30.04	763.1	76	...	E	3	b	,,	...	...	...	...	...	...	...
Tailoku,	11	30.03	762.7	81	...	ESE	4	b	5	29.97	761.3	70	...	E	4	b
Taichu,	,,	30.02	762.5	83	...	...	0	h	,,	29.99	761.6	67	...	...	0	bc
Tainan,	,,	30.01	762.3	85	...	NNW	2	bc	,,	29.99	761.8	68	...	...	0	b
Koshun,	,,	29.99	761.8	81	...	NNE	2	bc	,,	29.93	760.2	76	...	NE	2	b
Pescadores,	,,	30.02	762.5	79	...	NNE	4	o	,,	29.97	761.2	72	...	NNE	4	b
Hong Kong,	14	29.98	761.5	77	8	E	4	b	6	29.97	761.2	72	7	E	4	c
Gap Rock,	,,	30.01	762.2	75	8	ENE	4	c	,,	29.98	761.5	75	8	ENE	4	c
Macao,	,,	29.97	761.2	81	6	SE	2	bc	,,	29.93	760.2	72	6	SE	2	bc
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.95	760.7	81	8	NE	6	bc	6	29.94	760.4	77	8	ENE	4	c
Phulien,	15	29.94	760.6	84	7	NNE	3	bc	7	29.97	761.1	70	6	ENE	3	g
Tourane,	,,	29.88	759.0	81	6	NE	1	o	,,	29.88	759.0	75	3	NW	1	c
Cape St. James,	,,	29.83	757.7	79	7	E	5	o	,,	29.85	758.1	75	8	N	2	bc
Basco,	14	29.88	759.0	83	8	ENE	2	bc	6	29.89	759.1	77	6	ESE	2	c
Aparri,	,,	29.85	758.2	85	6	NE	4	b	,,	29.86	758.5	76	6	...	0	p
Tuguegarao,	,,	29.82	757.4	86	8	..	0	o	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	86	8	W	2	b	,,	29.81	757.1	77	8	...	0	b
Manila,	,,	29.81	757.2	79	8	.	0	bc	,,	29.84	758.0	74	6	...	0	o
Legaspi,	,,	29.76	755.8	91	8	NE	4	b	,,	29.80	757.0	81	6	...	0	b
Calbayog,	,,	29.76	755.9	85	8	NE	2	o	,,	29.83	757.6	76	8	NNE	2	bc
Tacloban,	,,	29.76	756.0	79	8	W	2	o	,,	...	...	...	...	..	...	...
Iloilo,	,,	29.74	755.4	86	8	NE	4	o	,,	29.78	756.3	76	4	N	4	f
Cuyo,	,,	29.72	755.0	88	8	ENE	4	bc	,,	...	...	...	...	...	...	...
Surigao,	...	29.73	755.2	86	8	N	2	bc	,,	29.80	756.8	76	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	8	ESE	4	b	4.22	29.78	756.5	...	8	...	0	b
Yap,	11.00	29.78	756.4	...	6	NE	4	bc	5	29.81	757.2	...	6	NNE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.7	81	...	...	...	c	6	29.90	759.5	74	...	...	...	o

November 5d. 10h. 15m.— The anticyclone has moved eastward, it is now central to the S.W. of Tokio.

Moderate monsoon will continue over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 80.82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light southerly or variable winds.
B.—Turnabout to Hong Kong,	Light to moderate N.E. winds, cloudy.
C.—Hong Kong to Gap Rock,	*N.E. winds, moderate, cloudy.*
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

B. D. EVANS,—*Assistant Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	6th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	..
Nemuro,	11	30.06	763.5	...	...	SE	2	...	5	30.28	769.0	...	...	...	0	...
Hokodate,	,,	30.08	764.0	...	...	SW	1	...	,,	30.16	766.0	...	...	...	0	...
Tokio,	,,	30.14	765.5	...	...	ESE	1	...	,,	30.18	766.5	..	...	E	1	...
Kochi,	,,	30.14	765.5	...	...	...	0	...	,,	30.04	763.0	...	...	WSW	1	...
Nagasaki,	,,	30.14	765.5	...	...	ESE	2	...	,,	29.96	761.0	...	...	ESE	3	...
Kagoshima,	,,	30.14	765.5	...	...	...	0	...	,,	30.00	762.0	...	...	...	0	...
Oshima,	,,	30.12	765.0	...	...	...	0	...	,,	29.90	759.5	...	...	S	2	...
Naha,	,,	30.04	763.0	...	...	ENE	2	...	,,	29.92	760.0	...	...	S	1	...
Ishigakijima,	,,	30.02	762.5	...	...	E	1	...	,,	29.92	760.0	...	...	SSW	1	...
Bonin Island,	,,	30.02	762.5	...	...	ESE	3	...	,,	30.04	763.0	...	...	...	0	...
Chefoo,	15	29.75	755.6	61	6	ESE	4	b	6	30.10	764.6	41	6	NW	10	r
Shanghai,	14	30.01	762.3	68	6	SSE	4	o	,,	29.91	759.6	59	6	W	4	o
Gutzlaff,	,,	30.08	764.0	65	6	SSE	4	o	,,	30.01	762.2	61	6	NW	4	o
Wenchow,	,,	....	...	...	...	...	...	...	6	30.01	762.2	66	...	..	0	o
Foochow,	,,	29.99	761.7	71	6	ENE	2	o	7	29.95	760.7	68	6	E	2	of
Amoy,	,,	....	....	79	8	SE	4	b	6	29.99	761.7	68	6	SSE	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	29.97	761.2	86	...	E	4	b	5	29.95	760.6	70	...	...	0	r
Taichu,	,,	29.97	761.2	85	...	SW	2	b	,,	29.97	761.3	67	...	...	0	b
Tainan,	,,	29.97	761.2	85	...	WNW	2	b	,,	29.93	760.1	68	...	...	0	b
Koshun,	,,	29.98	761.4	85	...	NE	4	bc	,,	29.93	760.1	74	...	...	0	bc
Pescadores,	,,	29.97	761.2	79	...	NNE	4	o	,,	29.94	760.4	72	...	N	2	b
Hong Kong,	14	29.93	760.2	76	8	E	4	b	6	29.96	760.9	71	8	...	0	b
Gap Rock,	,,	29.95	760.7	75	8	ENE	4	b	,,	29.96	760.9	75	8	NNE	4	b
Macao,	,,	29.91	759.8	81	6	SE	2	b	,,	29.94	760.4	72	6	...	0	d
Hoihow,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.7	81	8	NE	4	o	6	29.93	760.1	76	8	NE	4	c
Phulien,	15	29.89	759.3	82	8	SSE	1	o	7	29.95	760.6	72	7	E	3	f
Tourane,	,,	29.86	758.4	81	5	NE	1	r	,,	29.89	759.3	75	5	...	0	c
Cape St. James,	,,	29.80	757.0	81	8	ENE	3	c	,,	29.87	758.6	75	7	ENE	2	c
Basco,	14	29.87	758.6	85	6	ESE	2	o	6	29.89	759.1	79	6	SE	2	bc
Aparri,	,,	29.82	757.4	83	6	...	0	o	,,	29.88	758.8	76	6	...	0	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	29.88	758.8	76	1	...	0	bc
Vigan,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	76	8	SW	2	b
Manila,	,,	29.77	756.1	86	8	SW	2	bc	,,	29.85	758.2	76	6	...	0	c
Legaspi,	,,	29.75	755.6	85	6	NE	2	o	,,	29.82	757.4	79	8	...	0	bc
Calboyog,	,,	...	...	...	..	...	...	...	,,	29.84	757.8	76	8	NNE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	79	8	W	2	b
Iloilo,	,,	29.72	755.0	86	8	NE	4	o	,,	29.80	756.8	77	6	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.81	757.1	79	8	N	2	bc
Surigao,	...	29.73	755.2	79	4	...	0	r	,,	29.80	757.0	74	4	...	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	78	...	E	3	c
Guam,	12.22	29.74	755.4	...	6	NE	4	bc	4.22	29.79	756.7	...	8	NE	2	bc
Yap,	11.00	29.74	755.5	...	6	NNE	4	bc	5	29.80	757.0	...	6	NE	4	r
Pelew,	,,	...	...	..	...	...	...	...	..	29.77	756.2	78	...	...	0	c
Caiman,	14	29.94	760.6	83	6	W	8	bc	6	29.91	759.6	74	4	SW	4	bc

November 6d. 10h. 35m.—An anticyclone is forming over N. China.

A depression is situated to the N.E. of Shanghai moving eastward.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 80.87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
A.—Shanghai to Turnabout,	W. winds, moderate, freshening from N. later.
B.—Turnabout to Hong Kong,	Light variable winds, freshening from N. later.
C.—Hong Kong to Gap Rock,	Light to moderate N.E. winds, freshening later; fine to cloudy.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

B. D. EVANS,—*Assistant Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th November, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th November, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	..
Nemuro,	11	30.10	769.5	...	...	SSE	2	...	5	29.78	756.5	...	...	SE	5	...
Hokodate,	,,	30.02	762.5	...	...	ESE	5	...	,,	29.47	748.5	...	...	SE	6	...
Tokio,	,,	30.08	764.0	...	...	NNW	1	...	,,	29.65	753.0	..	...	S	1	...
Kochi,	,,	29.94	760.5	...	...	...	0	...	,,	29.92	760 0	...	...	W	1	...
Nagasaki,	,,	29.86	758.5	...	...	SE	2	...	,,	30.12	765.0	...	...	NNW	3	...
Kagoshima,	,,	29.88	759.0	...	...	N	1	...	,,	30.08	764.0	...	...	N	1	...
Oshima,	,,	29.86	758.5	...	...	S	1	...	,,	30.10	764.5	...	...	NNE	3	...
Naha,	,,	29.92	760.0	...	...	SW	5	...	,,	30.10	764.5	...	...	NNE	6	...
Ishigakijima,	,,	29.96	761.0	...	...	WSW	1	...	,,	30.08	764.0	...	...	NE	4	...
Bonin Island,	,,	30.00	762.0	...	...	SE	1	...	,,	29.98	761.5	...	...	...	0	...
Chefoo,	15	30.16	766.0	38	8	NW	10	c	6	30.19	766.9	35	6	SW	4	c
Shanghai,	14	30.25	768.4	56	6	NNW	6	o	,,	30.39	772.0	43	6	NW	2	bc
Gutzlaff,	,,	30.22	767.6	58	4	NNW	6	m	,,	30.42	772.6	49	6	NNW	6	o
Wenchow,	,,	...	...	...	...	...	...	...	6	30.36	771.2	50	...	NNE	6	o
Foochow,	,,	30.00	762.0	71	8	NE	2	o	7	30.24	768.1	66	6	NE	2	o
Amoy,	,,	29.95	761.6	77	6	SSE	4	b	6	30.13	765.3	68	6	ENE	4	o
Swatow,	,,	29.94	760.6	81	...	S	1	b	,,	...	...	...	...	...	...	...
Tailoku,	11	29.98	761.5	85	...	NW	2	b	5	30.22	767.5	63	...	E	4	o
Taichu,	,,	30.01	762.3	86	...	...	0	b	,,	30.06	763.4	67	...	N	2	b
Tainan,	,,	29.98	761.5	86	...	N	2	b	,,	30.01	762.3	76	...	N	4	d
Koshun,	,,	29.95	760.7	83	...	NNW	2	c	,,	29.98	761.4	76	...	NE	6	b
Pescadores,	,,	29.98	761.6	79	...	..	0	o	,,	30.05	763.2	68	...	NNE	6	bc
Hong Kong,	14	29.91	759.7	80	8	E	2	b	6	30.04	763.0	73	6	E	6	o
Gap Rock,	,,	29.95	760.7	75	8	ENE	3	b	,,	30.03	762.7	76	8	ENE	4	o
Macao,	,,	29.90	759.5	83	6	SE	2	b	,,	30.00	762.0	74	4	ENE	2	o
Hoihow,	,,	29.98	761.5	85	...	ENE	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.90	759.4	85	8	NE	4	b	6	30.01	762.3	77	8	NE	6	o
Phulien,	15	29.91	759.6	83	8	S	2	bc	7	30.04	763.0	72	7	NE	3	f
Tourane,	,,	29.86	758.4	79	8	ENE	2	c	,,	29.96	761.0	73	6	NW	1	r
Cape St. James,	,,	29.83	757.7	81	8	ENE	4	bc	,,	29.89	759.3	73	7	E	3	bc
Basco,	14	29.85	758.2	85	8	SE	2	b	6	29.97	761.2	77	6	FSE	2	o
Aparri,	,,	29.81	757.2	88	8	NE	4	b	,,	29.93	760.1	79	6	ENE	4	b
Tuguegarao,	,,	29.78	756.4	91	8	...	c	bc	,,	...	...	...	...	...	...	...
Vigan,	,,	29.79	756.6	88	8	WNW	4	b	,,	29.86	758.5	76	8	S	2	b
Manila,	,,	29.79	756.6	86	8	WNW	2	o	,,	29.86	758.5	76	6	...	0	bc
Legaspi,	,,	29.77	756.1	91	8	ENE	2	b	,,	29.84	757.8	77	8	...	0	k
Calboyog,	,,	29.77	756.1	83	8	N	4	bc	,,	29.86	758.3	76	8	...	0	b
Tacloban,	,,	29.77	756.1	91	8	SSE	4	bc	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.2	91	8	NE	4	bc	,,	29.83	757.7	77	6	NE	4	o
Cebu,	,,	29.74	755.4	91	8	NNE	4	b	,,	...	...	..	...	...	...	...
Surigao,	...	29.74	755.4	86	8	N	2	bc	,,	29.83	757.6	76	6	..	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	76	...	SE	4	c
Guam,	12.22	29.76	755.8	...	8	ENE	4	bc	4.22	29.82	757.3	...	8	...	0	bc
Yap,	11.00	29.74	755.5	...	6	NE	4	r	5	29.76	755.8	...	6	ENE	4	r
Pelew,	,,	...	...	...	...	..	...	...	,,	29.75	755.7	77	...	...	...	r
Lamian,	14	29.94	760.6	85	6	W	6	bc	6	29.92	760.0	72	4	...	0	o

November 7d. 10h. 33m.—The anticyclone over N. China continues to increase in intensity; the depression is situated in the Sea of Japan to the south-east of Hokkaido.

Fresh to strong monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rain-fall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 80.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, strong.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, fresh to strong; cloudy, drizzle or mist.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	8th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Kemmoro,	11	29.59	751.5	...	...	SSE	2	...	5	29.45	748.0	...	...	S	2	...
Hokodate,	,,	29.63	752.5	...	...	WSW	3	...	,,	29.61	752.0	...	...	WNW	5	...
Tokio,	,,	29.65	753.0	...	...	...	0	...	,,	29.82	757.5	...	...	SW	2	...
Kochi,	,,	29.94	760.5	...	...	WNW	1	...	,,	30.16	766.0	...	...	...	0	...
Nagasaki,	,,	30.16	766.0	...	...	NW	2	...	,,	30.24	768.0	...	...	N	1	...
Kagoshima,	,,	30.10	764.5	...	...	NNW	1	...	,,	30.20	767.0	...	...	...	0	...
Oshima,	,,	30.12	765.0	...	...	N	2	...	,,	30.20	767.0	...	...	NNW	1	...
Naha,	,,	30.14	765.5	...	...	N	4	...	,,	30.18	766.5	...	...	NNE	2	...
Ishigakijima,	,,	30.18	766.5	...	...	NNE	3	...	,,	30.14	765.5	...	...	ENE	2	...
Bonin Island,	,,	29.94	760.5	...	...	SSW	1	...	,,	30.04	763.0	...	...	NNE	1	...
Chefoo,	15	30.19	766.9	41	8	NW	3	c	6	30.06	763.6	40	6	SW	2	b
Shanghai,	14	30.34	770.6	54	8	WNW	2	o	,,	30.31	769.8	41	6	SSW	2	c
Gutzlaff,	,,	30.39	770.9	54	6	NW	4	o	,,	30.35	770 9	49	6	NNW	2	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.19	766.8	65	6	NE	2	o	7	30.23	767.8	62	6	N	4	o
Amoy,	,,	30.19	766.8	52	6	NE	4	o	6	30.22	767.5	63	6	NE	2	b
Swatow,	,,	30.16	766.0	72	...	NE	3	o	,,	...	...	...	...	...	...	...
Tailoku,	11	30.26	768.7	67	...	ENE	4	o	5	30.16	766.0	65	...	E	4	c
Taichu,	,,	30.10	764.6	76	...	N	2	b	,,	30.11	764.8	63	,,	...	0	o
Tainan,	,,	30.05	763.3	77	...	N	4	bc	,,	30.08	763.9	63	...	N	2	b
Koshun,	,,	30.04	763.1	77	...	NE	6	b	,,	30.04	763.0	72	...	NE	6	b
Pescadores,	,,	30.13	765.4	72	...	NNE	8	c	,,	30.09	764.2	68	...	NNE	6	bc
Hong Kong,	14	30.08	764.0	70	6	NE	2	o	6	30.12	765.0	67	6	E	3	ed
Gap Rock,	,,	30.07	763.8	75	7	ENE	5	o	,,	30.11	764.7	73	7	ENE	4	o
Macao,	,,	30.06	763.6	68	4	NNE	2	o	,,	30.09	764.3	65	4	NNE	2	o
Hoihow,	,,	30.08	764.0	81	...	ENE	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.01	762.3	76	6	NE	8	o	6	30.06	763.4	76	6	ENE	6	o
Phulien,	15	29.98	761.5	83	8	SE	4	bc	7	30.06	763.5	68	7	ENE	4	c
Tourane,	,,	29.92	760.0	79	8	ENE	2	bc	,,	29.95	760.7	77	3	ENE	3	c
Cape St. James,	,,	29.83	757.7	81	8	E	6	bc	,,	29.88	759.0	77	6	ENE	5	c
Basco,	14	29.94	760.6	81	6	NE	4	o	6	30.00	761.9	77	6	NE	4	o
Aparri,	,,	29.90	759.4	85	6	NE	4	o	,,	29.95	760.6	76	6	NE	4	o
Tuguegarao,	,,	29 83	757.8	83	4	N	2	o	,,	29.93	760.3	74	1	...	0	o
Vigan,	,,	29.94	760.6	91	8	NW	2	b	,,	29.86	758.5	76	8	...	0	b
Manila,	,,	29.83	757.6	83	8	...	0	o	,,	29.87	758.6	76	6	...	0	b
Legaspi,	,,	29.78	756.3	88	8	NE	2	b	,,	29.81	757.2	81	8	NE	2	o
Calbayog,	,,	29.77	756.1	88	8	NE	4	d	,,	29.82	757.4	76	8	...	0	o
Tacloban,	,,	29.77	756.1	91	8	ENE	2	c	,,	29.83	757.6	79	8	WNW	2	o
Iloilo,	,,	29.76	755.8	88	8	NE	4	bc	,,	29.80	757.0	77	6	NE	4	o
Cebu,	,,	29.74	755.3	91	8	ENE	4	bc	,,	29.80	757.0	79	8	NNW	2	o
Surigao,	...	29.76	755.8	85	8	...	c	o	,,	29.78	756.3	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.77	756.1	...	8	SSE	4	bc	4.22	29.81	757.2	...	8	...	0	bc
Yap,	11.00	29.69	754.0	...	6	E	4	d	5	29.75	755.5	...	6	SSE	8	r
Palaw,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.96	761.0	83	6	W	4	bc	6	29.91	759.7	72	4	SW	6	o

November 8*d*. 10*h*. 00*m*.—The anticyclone is moving eastward, and appears to be centred in the Eastern Sea; the depression is situated to the north of Hokkaido. A typhoon is indicated about 150 miles north-west of Yap; its direction of motion is unknown.

Fresh monsoon will prevail along the coast to the south of Foochow and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 80.98 inches.

Shanghai warning. 8*d*. 9*h*. 28*m*.:—Typhoon within 120 miles of Lat. 9° N. Long. 135° E. moving W.N.W. Recd. 8*d*. 9*h*. 45*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	9th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.47	748.5	...	...	WNW	4	...	5	29.59	751.5		...	WNW	2	...
Hokodate,	"	29.72	755.0	...	...	W	4	...	"	29.67	753.5	...	...	WNW	5	...
Tokio,	"	29.88	759.0	...	...	...	0	...	"	29.98	761.5		...	NW	1	...
Kochi,	"	30.14	765.5	...	...	WSW	1	...	"	30.16	766.0	...	...	...	0	...
Nagasaki,	"	30.24	768.0	...	...	NNW	2	...	"	30.12	765.0	...	..	SE	1	...
Kagoshima,	"	30.22	767.5	...	...	NNW	2	...	"	30.14	765.5	...	...	NW	1	...
Oshima,	"	30.20	767.0	...	...	N	2	...	"	30.12	765.0	...	...	SSE	1	...
Naha,	"	30.18	766.5	...	...	NE	3	...	"	30.06	763.5	...	...	ENE	2	...
Ishigakijima,	"	30.14	765.5	...	...	E	3	...	"	29.98	761.5	...	...	SE	1	...
Bonin Island,	"	30.04	763.0	...	...	N	1	...	"	30.04	763.0	...	...	NNE	1	...
Chefoo,	15	29.99	761.8	61	8	WSW	4	h	6	29.99	761.8	47	4	...	0	g
Shanghai,	14	30.19	766.8	65	6	S	2	bc	"	30.07	763.7	52	4	SSE	2	e
Gutzlaff,	"	30.26	768 6	59	6	S	2	bc	"	30.11	764.8	59	6	S	4	h
Wenchow,	"	...	...	...	...	...	...	...	6	30.08	764.0	61	...	NNW	1	a
Foochow,	"	30.13	765.3	63	8	N	2	a	7	30.02	762.5	63	8	NW	2	e
Amoy,	"	30.11	764.8	76	8	NE	2	b	6	30.10	764.5	65	6	WNW	2	b
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	11	30.14	765.6	72	...	ENE	4	a	5	30.00	761.9	61	...	...	0	b
Taichu,	"	30.11	764.9	81	...	...	0	b	"	30.02	762.5	65	...	...	0	b
Tainan,	"	30.09	764.4	81	...	NNE	2	b	"	29.99	761.8	65	...	...	0	b
Koshun,	"	30.07	763.8	79	...	NE	4	b	"	29.96	761.0	70	...	NNE	2	b
Pescadores,	"	30.12	765.0	76	...	NNE	4	a	"	30.00	762.0	70	...	N	4	b
Hong Kong,	14	30 04	763.0	72	8	E	3	c	6	30.02	762.5	70	7	NNE	2	a
Gap Rock,	"	30.04	763.0	72	7	ENE	5	a	"	30.00	762.0	73	8	NE	4	a
Macao,	"	30.03	762.8	68	4	NNE	2	a	"	29.99	761.6	68	4	NE	2	a
Hoihow,	"	...	...	...	...	...	...	...	"	..	..	...	...	...	...	...
Pratas Island,	"	29.99	761.8	77	8	ENE	8	a	6	29.95	760.6	76	6	ENE	6	a
Phulien,	15	29.99	761 7	79	8	E	3	c	7	29.97	761.1	72	6	ENE	2	a
Tourane,	"	29.89	759.1	82	5	ENE	3	a	"	29.91	759.6	75	4	E	1	a
Cape St. James,	"	...	...	...	...	...	...	...	"	29.89	759.1	73	7	NE	2	be
Basco,	14	29.93	760.2	79	6	NE	4	a	6	29.91	759.6	76	6	...	0	be
Aparri,	"	29.88	758.9	81	6	NE	4	a	"	29.88	758.8	79	6	ENE	4	b
Tuguegarao,	"	29.82	757.3	86	4	...	0	a	"	..	...	...	..	...	...	...
Vigan,	"	29.76	756.0	91	8	NW	4	b	"	29.78	756.3	76	8	...	0	b
Manila,	"	29.80	756.8	86	8	NNE	2	c	"	29.79	756.7	76	6	...	0	a
Legaspi,	"	29.73	755.2	91	8	NE	2	a	"	29.67	753.6	81	6	NNE	2	a
Calbayog,	"	29.71	754.6	88	8	N	4	a	"	29.68	753.8	76	8	...	a	a
Tacloban,	"	29.71	754.6	86	8	NW	2	a	"	...	...	..	...	...	...	...
Iloilo,	"	29.74	755.3	86	8	N	4	a	"	29.71	754.6	77	4	NE	2	a
Cebu,	"	29.71	754.6	91	8	ENE	4	a	"	..	...	...	...	...	...	...
Surigao,	...	29.70	754.3	85	6	N	2	a	"	29.66	753.3	76	4	SW	2	r
Saipan,	11.00	...	...	...	...	...	...	...	5	..	..	...	...	...	...	...
Guam,	12.22	29.78	756.4	...	8	..	0	c	4.22	29.76	755.8	...	4	...	0	a
Yap,	11.00	29.71	754.6	...	6	S	4	bc	5	29.83	757.6	...	8	SW	4	r
Pelew,	"	...	...	..	...	...	...	...	"	..	...	...	...	...	...	...
Catanduanes,	14	29.95	760.8	86	6	W	6	bc	6	29.89	759.3	74	4	SE	4	a

Warning.

November 9*d.* 9*h.* 18*m.*—Typhoon within 120 miles of Lat. 12° N. Long. 129° E., moving N.W.

November 9*d.* 10*h.* 25*m.* The anticyclone is centred over S. Japan, and has weakened. The typhoon is situated about 500 miles E.S.E. of Manila, moving N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 81.03 inches.

Manila warning. 9*d.* 8*h.* 35*m.*:—Typhoon in Lat. 12° N. Long. 129° E. moving N.W. Recd 9*d.* 9*h.* 06*m.*

Shanghai warning. 9*d.* 9*h.* 24*m.*:—Typhoon within 120 miles of Lat. 12° N. Long. 129° E. moving N.W. Recd. 9*d.* 9*h.* 51*m.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light southerly or variable winds.
B.—Turnabout to Hong Kong,	N.E. winds, light to moderate.
C.—Hong Kong to Gap Rock,	N.E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES. *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	9th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	10th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.59	751.5	...	...	W	4	...	5	29.78	756.5	..	...	WNW	1	..
Hokodate,	.	29.69	754.0	...	...	W	5	...	..	29.88	759.0	...	...	WSW	3	...
Tokio,	..	29.90	759.5	...	...	S	1	...	..	30.00	762.0	..	...	...	...	...
Kochi,	..	30.06	763.5	...	...	...	0	...	..	30.08	764.0	...	...	SW	1	...
Nagasaki,	..	30.10	764.5	...	...	W	1	...	..	30.10	764.5	...	...	...	...	...
Kagoshima,	..	30.12	765.0	...	...	NW	1	...	..	30.08	764.0	...	...	...	0	...
Oshima,	..	30.08	764.0	...	...	N	1	...	..	30.02	762.5	...	...	SSE	1	...
Naha,	..	30.02	762.5	...	...	E	2	...	..	29.96	761.0	...	...	ENE	1	...
Ishigakijima,	..	30.02	762.5	...	...	ESE	1	...	..	29.92	760.0	...	...	NE	1	...
Bonin Island,	..	30.04	763.0	...	...	E	1	...	..	30.00	762.0	...	...	NE	1	...
Chefoo,	15	30.03	762.8	58	8	NE	2	b	6	30.07	763.8	43	4	NE	2	bc
Shanghai,	14	30.04	763.0	65	6	...	0	o	..	30.10	764.6	56	4	N	2	o
Gutzlaff,	..	30.08	764.0	61	4	NW	2	m	..	30.15	765.8	58	1	NNW	4	f
Wenchow,	..	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	..	29.95	760.7	69	8	SSE	2	bc	7	29.99	761.7	67	8	NNE	2	bc
Amoy,	..	...	...	...	...	...	...	...	6	29.98	761.5	68	6	SW	2	bc
Swatow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Taihoku,	11	30.00	762.0	77	...	WNW	2	bc	5	29.93	760.2	67	...	...	0	o
Taichu,	..	30.00	762.0	81	...	...	0	bc	..	29.93	760.3	63	...	...	0	b
Tainan,	..	29.99	761.8	81	...	NNW	2	bc	..	29.90	759.4	68	...	N	2	o
Koshun,	..	29.97	761.3	83	...	NNE	2	bc	.	29.86	758.5	72	...	...	0	o
Pescadores,	..	30.00	762.0	76	...	NNW	2	o	.	29.91	759.8	72	...	NNE	2	o
Hong Kong,	14	29.94	760.5	77	6	W	1	bc	6	29.91	759.7	70	5	...	0	bm
Gap Rock,	..	29.97	761.2	75	8	NE	4	b	..	29.92	759.9	75	7	NNE	3	c
Macao,	..	29.93	760.1	77	6	ESE	2	b	..	29.89	759.1	68	...	...	0	c
Hoihow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	..	29.91	759.7	81	8	ENE	4	b	6	29.88	759.0	76	8	ENE	4	b
Phulien,	15	29.88	759.0	83	8	SSE	4	bc	7	29.93	760.1	73	6	E	3	d
Tourane,	..	29.85	758.2	76	1	ENE	2	d	..	29.89	759.2	75	4	NW	1	rf
Cape St. James,	..	29.83	757.7	83	8	E	2	b	..	29.86	758.5	75	7	...	0	bc
Basco,	14	29.84	757.9	83	8	NE	2	bc	6	29.79	756.6	77	6	NE	4	o
Aparri,	..	29.82	757.3	79	6	NE	4	o	..	29.76	755.8	79	6	NNE	4	bc
Tuguegarao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Vigan,	..	29.70	754.4	88	8	NNW	4	o	..	29.69	754.2	74	8	N	4	bc
Manila,	..	29.70	754.3	88	8	N	4	o	..	29.69	754.0	74	6	N	2	o
Legaspi,	..	29.58	751.4	81	6	...	0	o	..	29.52	749.8	79	4	W	4	o
Calbayog,	..	29.68	753.8	79	8	NW	2	o	..	...	...	...	...	...	...	...
Tacloban,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Iloilo,	..	29.64	752.8	85	6	...	0	o	..	...	...	...	...	...	...	...
Cebu,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Surigao,	...	29.61	752.2	77	4	W	4	r	..	29.55	750.6	81	4	W	6	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	79	...	ESE	4	bc
Guam,	12.22	29.73	755.2	...	8	ENE	2	bc	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.70	756.0	...	8	S	2	bc	5	29.79	756.7	...	6	NE	4	bc
Pelew,	..	...	...	...	...	..	...	...	..	29.78	756.3	82	...	SE	1	c
Labuan,	14	29.94	760.4	74	...	W	...	r	6	29.89	759.3	74	4	SE	6	bc

Warnings.

November 9*d*. 16*h*. 45*m*.—Typhoon within 120 miles of Lat. 13° N. Long. 127° E., moving W.N.W.
November 10*d*. 9*h*. 40*m*.—Typhoon within 60 miles of Lat. 14° N. Long. 125° E. moving W.N.W.

November 10*d*. 10*h*. 35*m*.—The anticyclone over S. Japan has dispersed, and another appears to be developing over N. China. The typhoon is situated about 200 miles E.S.E. of Manila, moving W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 81.09 inches.

Manila warning. 10*d*. 8*h*. 45*m*.:—Typhoon in Lat. 13° N. Long. 125° E. moving W.N.W. Recd 10*d*. 9*h*. 17*m*.
Shanghai warning. 10*d*. 9*h*. 17*m*.:—Typhoon within 60 miles of Lat. 14° N. Long. 126° E. moving W.N.W. Recd. 10*d*. 9*h*. 30*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate, freshening.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, moderate; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, Director.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th November, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	11th November, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	..
Nemuro,	11	29.80	757.0	...	...	NW	1	...	5	30.12	765.0	..	...	WNW	1	...
Hokodate,	..	29.98	761.5	...	...	W	2	...	..	30.14	765.5	...	...	NNW	1	...
Tokio,	..	30.00	762.0	...	...	N	1	...	..	30.14	765.5	.	...	NW	1	...
Kochi,	..	30.08	764.0	...	...	...	0	...	..	30.08	764.0	...	...	WSW	1	...
Nagasaki,	..	30.10	764.5	...	...	N	1	...	..	30.08	764.0	...	...	...	0	...
Kagoshima,	..	30.08	764.0	...	...	E	1	...	..	30.06	763.5	...	...	NW	1	...
Oshima,	..	30.02	762.5	...	...	SE	1	...	..	29.94	760.5	...	...	...	0	...
Naha,	..	29.94	760.5	...	...	ENE	3	...	..	29.86	758.5	...	...	ENE	3	...
Ishigakijima,	..	29.92	760.0	...	...	E	2	...	..	29.82	757.5	...	...	ENE	2	...
Bonin Island,	..	29.96	761.0	...	...	NE	1	...	..	29.98	761.5	...	...	NE	1	...
Chefoo,	15	30.12	765.0	59	8	NE	2	b	6	30.01	762.3	56	8	W	4	c
Shanghai,	14	30.04	763.1	63	4	NE	2	r	..	30.06	763.6	61	4	N	2	o
Gutzlaff,	..	30.07	763.8	61	1	NE	4	r	..	30.05	763.2	61	1	NE	4	d
Wenchow,	..	...	...	...	...	...	...	...	6	...	...	...	...	..	...	...
Foochow,	..	29.92	759.9	70	6	SE	2	o	7	29.97	761.2	68	6	N	2	o
Amoy,	..	29.91	759.6	76	6	SSE	4	b	6	...	...	...	...	...	...	...
Swatow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Tailoku,	11	29.92	760.0	81	...	ENE	4	bc	5	29.88	758.9	70	...	E	2	b
Taichu,	..	29.92	760.0	79	...	N	2	bc	..	29.83	757.6	70	...	...	0	o
Tainan,	..	29.91	759.7	79	...	NNE	2	bc	..	29.79	756.7	68	...	N	2	bc
Koshun,	..	...	...	..	...	...	...	...	.	29.76	756.0	72	...	...	0	o
Peseadores,	..	29.93	760.1	77	...	NNE	4	o	..	29.83	757.7	72	...	NNE	6	r
Hong Kong,	14	29.85	758.2	78	7	E	3	bc	6	29.91	759.7	71	7	N	2	bc
Gap Rock,	..	29.87	758.7	77	7	N	2	b	..	29.89	759.2	75	7	NNE	3	b
Macao,	..	29.85	758.2	81	6	ESE	2	bc	..	...	...	...	...	...	...	...
Hoihow,	..	29.91	759.6	85	...	E	2	b	..	..	...	...	...	..	...	...
Pratas Island,	..	29.83	757.6	81	8	NNE	4	bc	6	29.84	757.9	76	8	NE	6	o
Phulien,	15	29.85	758.2	79	8	S	4	bc	7	29.94	760.4	73	6	ESE	2	u
Tourane,	..	29.83	757.6	81	8	NE	2	b	..	29.89	759.3	73	8	WNW	1	c
Cape St. James,	..	29.83	757.6	83	8	WSW	2	bc	..	...	...	...	...	...	...	...
Basco,	14	29.71	754.6	81	8	NE	4	bc	6	29.63	752.5	77	4	NE	4	d
Aparri,	..	29.64	752.8	79	6	N	6	p	..	29.52	749.8	79	6	N	6	p
Tuguegarao,	..	29.59	751.6	77	1	N	2	d	..	...	...	...	...	...	...	...
Vigan,	..	29.58	751.4	85	6	NNW	6	q	..	...	...	...	...	...	...	...
Manila,	..	29.56	750.8	83	6	W	2	c	..	29.52	749.9	76	4	...	c	d
Legaspi,	..	29.28	743.6	76	4	W	4	o	..	29.44	747.9	76	4	SW	4	o
Calbayog,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Tacloban,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Iloilo,	..	29.58	751.3	85	6	SW	4	o	..	29.62	752.4	83	4	SW	6	o
Cebu,	..	29.59	751.6	83	8	SW	6	9	..	...	...	..	...	...	...	...
Surigao,	...	29.55	750.5	83	6	SSW	4	o	..	29.66	753.4	83	6	SW	2	9
Saipan,	11.00	...	...	...	...	...	...	...	5	..	.	...	...	...	...	...
Guam,	12.22	29.72	755.0	...	8	E	4	bc	4.22	29.78	756.4	...	6	NE	4	b
Yap,	11.00	29.76	755.9	...	6	NE	4	bc	5	...	...	...	...	...	...	...
Pelew,	"	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Laiman,	14	29.85	758.3	85	6	W	6	bc	6	29.89	759.3	74	4	SW	...	c

Warnings.

November 10*d.* 15*h.* 47*m.*—Typhoon within 60 miles of Lat. 14° N. Long. 124° E., moving W.N.W.
November 11*d.* 9*h.* 48*m.*—Typhoon within 60 miles of Lat. 16° N. Long. 123° E. moving N.W.

November 11*d.* 10*h.* 25*m.*—Pressure is highest over Japan, and a weak anticyclonic area is indicated over N. China. The typhoon is situated about 100 miles north-east of Manila, moving north-west.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 81.15 inches.

Manila warning. 11*d.* 8*h.* 50*m.*:—Typhoon in Lat. 16° N. Long. 122° E. moving N.W. Recd 11*d.* 9*h.* 40*m.*

Shanghai warning 11*d.* 9*h.* 22*m.*:—A severe typhoon within 60 miles of Lat. 16° N. Long. 123° E., moving N.W. Recd. 11*d.* 9*h.* 37*m.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, light to moderate.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, moderate to fresh; fair.
D.—Hong Kong to Banka Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	11th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	12th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	..
Nemuro,	11	30.14	765.5	...	...	S	1	...	5	30.12	765.0	...	...	SSE	1	..
Hokodate,	..	30.14	765.5	...	...	W	1	...	..	..	...	...	...	...	...	...
Tokio,	..	30.12	765.0	...	...	N	2	...	..	29.86	758.5	...	...	...	0	...
Kochi,	..	30.06	763.5	...	...	...	0	...	..	29.90	759.5	...	...	...	0	...
Nagasaki,	..	30.02	762.5	...	...	ESE	2	...	..	30.02	762.5	...	..	..	0	...
Kagoshima,	..	30.02	762.5	...	...	NE	1	...	..	29.92	760.0	...	...	NNW	1	...
Oshima,	..	29.92	760.0	...	...	E	1	...	..	29.86	758.5	...	...	NNW	3	...
Naha,	..	29.86	758.5	...	...	ENE	2	...	..	29.82	757.5	...	...	NNE	5	...
Ishigakijima,	..	29.82	757.5	...	...	ENE	3	...	..	29.75	755.5	...	...	NE	3	...
Bonin Island,	..	29.94	760.5	...	...	NE	1	...	..	29.86	758.5	...	...	SSE	3	...
Chefoo,	15	30.10	764.5	54	8	NW	8	b	6	30.25	768.3	45	6	NNE	2	b
Shanghai,	14	30.09	764.3	63	6	N	4	o	..	30.19	766.9	50	6	N	2	bc
Gutzlaff,	..	30.09	764.3	59	1	NNW	6	o	..	30.21	767.3	58	6	NNE	6	bc
Wenchow,	..	...	...	...	...	...	...	...	6	30.13	765.3	57	...	NNW	5	b
Foochow,	..	29.93	760.2	70	8	SE	2	b	7	29.99	761.7	66	6	NE	2	b
Amoy,	..	...	...	...	...	...	...	...	6	29.89	759.2	68	6	ENE	4	b
Swatow,	..	29.84	758.0	83	...	NW	3	b	..	...	...	...	...	...	...	...
Taiboku,	11	29.88	759.0	76	...	ENE	4	p	5	29.93	760.3	67	...	NNE	4	r
Taichu,	..	29.82	757.3	77	...	N	2	o	..	29.70	754.3	67	...	N	2	bc
Tainan,	..	29.80	756.8	81	...	N	4	c	..	29.67	753.5	67	...	N	4	o
Koshun,	..	29.76	755.8	79	...	NW	2	o	..	29.63	752.6	76	...	NNE	4	o
Pescadores,	..	29.83	757.8	74	...	N	6	d	..	29.66	753.3	72	...	NNE	8	o
Hong Kong,	14	29.82	757.3	81	8	N	3	b	6	29.89	759.2	68	8	N	2	bc
Gap Rock,	..	29.83	757.6	76	8	NNW	5	b	..	29.89	759.2	74	8	N	5	c
Macao,	..	29.83	757.7	76	4	N	4	c	..	29.89	759.3	65	6	N	2	bc
Hoihow,	..	...	...	...	...	...	...	...	..	..	...	...	...	..	...	...
Pratas Island,	..	29.77	756.1	79	8	NNE	6	o	6	29.81	757.1	74	6	NE	8	o
Phulien,	15	29.89	759.3	79	8	ENE	2	c	7	30.00	762.0	70	7	NE	4	o
Tourane,	..	29.83	757.7	84	8	ENE	1	c	..	29.89	759.1	73	6	WNW	1	o
Cape St. James,	..	29.82	759.4	82	7	SW	1	c	..	29.86	758.5	77	6	E	2	z
Bureo,	14	29.51	749.6	77	4	N	4	d	6	29.43	747.5	76	1	NNE	6	o
Aparri,	..	29.36	745.8	77	4	NNW	8	q	..	29.41	747.0	77	6	WNW	8	q
Tuguegarao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Vigan,	..	...	...	..	..	...	...	...	..	...	...	...	...	...	...	...
Manila,	..	29.49	749.0	83	6	NW	4	o	..	29.58	751.4	81	8	W	4	o
Legaspi,	..	29.47	748.6	83	6	SW	4	o	..	29.59	751.6	81	6	SW	4	o
Calbayog,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Tacloban,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Iloilo,	..	29.61	752.2	86	8	SW	4	o	..	29.68	753.8	81	4	SW	4	o
Cebu,	..	...	...	...	...	...	...	...	..	..	..	..	...	...	...	...
Surigao,	...	29.63	752.6	91	8	SSW	4	o	..	29.71	754.6	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	77	...	ENE	3	c
Guam,	12.22	29.73	755.2	...	8	ENE	4	b	4.22	29.77	756.1	...	6	...	0	b
Yap,	11.00	29.74	755.3	...	8	NE	4	bc	5	29.78	756.4	...	6	ENE	4	bc
Pelew,	..	...	...	...	...	...	...	...	..	29.77	759.2	80	...	NNE	1	bc
Labuan,	14	29.86	758.5	83	6	SW	4	bc	6	29.88	759.0	74	4	SW	...	c

Warnings.

November 11*d*. 16*h*. 10*m*.—Typhoon within 60 miles of Lat. 18° N. Long. 122° E., moving N.N.W.
November 12*d*. 8*h*. 55*m*. - Typhoon within 60 miles of Lat. 19° N. Long. 122° E. moving N.

November 12*d*. 10*h*. 40*m*.—The anticyclone over N. China continues to increase in intensity. The typhoon is situated in the eastern part of the Balintang Channel, moving northward.

Fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 81.21 inches.

Manila warning 12*d*. 7*h*. 45*m*.:—Typhoon in Lat. 19° N. Long. 122° E. moving N. Recd 12*d*. 8*h*. 18*m*.

Shanghai warning 12*d*. 9*h*. 44*m*.:—A severe typhoon within 60 miles of Lat. 19° N. Long. 122° E. moving N. Recd. 12*d*. 10*h*. 22*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13th.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, fresh.
B.—Turnabout to Hong Kong,	N. winds, fresh to a gale.
C.—Hong Kong to Gap Rock,	N. winds, fresh; fair.
D.—Hong Kong to Bainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	12th NOVEMBER, 1932								13th NOVEMBER, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Barometer. at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.10	764.3	34	...	NE	3	b	6	30.25	768.2	27	...	N	1	b
Nemuro,	11	29.88	759.0	...	...	E	1	...	5	29.65	753.0	..	..	N	6	..
Hokodate,	"	29.63	752.5	...	...	NW	1	...	"	29.98	761.5	...	...	WNW	3	...
Tokio,	"	29.70	754.5	...	...	...	0	...	"	30.02	762.5	...	...	N	2	...
Kochi,	"	29.88	759.0	...	...	NNW	1	...	"	30.04	763.0	...	...	SW	1	...
Nagasaki,	"	30.02	762.5	...	...	N	2	...	"	30.00	762.0	...	..	E	1	...
Kagoshima,	"	29.92	760.0	...	...	N	1	...	"	29.98	761 5	..	...	N	1	...
Oshima,	"	29.90	759.5	...	...	N	2	...	"	29.84	758.0	...	...	NE	1	...
Naha,	"	29.84	758.0	...	...	NE	3	...	"	29.61	752.0	...	...	NE	6	...
Ishigakijima,	"	29.72	755.0	...	...	NE	5	...	"	29.57	751.0	...	...	NNE	5	...
Bonin Island,	"	29.80	757 0	...	...	E	1	...	"	29.84	758.0	..	...	...	0	...
Chefoo,	15	30.23	767.8	50	8	WNW	2	f	6	..	..	38	4	...	0	2
Shanghai,	14	30.21	767.4	59	6	NNE	4	o	"	30.13	765.3	52	6	NNW	2	o
Gutzlaff,	"	30.21	767 4	59	6	N	4	c	"	30.16	766.0	58	6	NNE	4	bc
Wenchow,	"	...	...	...	...	...	...	...	6	...	...	...	...	...	..	..
Foochow,	"	29.93	760.2	67	6	NE	4	bc	7	30.04	763.0	62	6	N	4	b
Amoy,	"	29.85	758.2	77	6	NNW	4	b	6	29.92	759.9	63	6	N	4	b
Swatow,	"	29.85	758.3	72	...	ESE	1	b	..	...	...	...	...	...	...	...
Taihoku	11	29.94	760.6	67	...	E	4	r	5	29.87	758.6	61	...	SW	2	r
Taichu,	"	29.69	754.2	74	...	N	4	o	"	29.76	755.9	65	...	N	2	o
Tainan,	"	29.66	753.4	77	...	N	4	o	"	29.71	754.6	65	...	N	4	o
Koshun,	"	29.65	753.0	79	...	NNE	4	o	"	29.69	754.1	68	...	...	0	r
Pescadores,	"	29.74	755.3	72	...	NNE	8	o	"	29.76	755.8	68	...	NNE	8	o
Hong Kong,	14	29.82	757.3	79	8	NW	3	b	6	29.90	759.4	64	8	N	2	b
Gap Rock,	"	29.84	757.9	75	8	N	5	b	"	29.89	759.2	73	8	NNE	4	b
Macao,	"	29.83	757.6	76	4	N	...	c	"	29.88	759.0	61	6	NNE	2	b
Heihow,	"	29.98	761.6	77	...	NE	2	bc	"	..	..	...	...	...	...	...
Pratas Island,	"	29.78	756.4	74	8	NNE	6	c	6	29.84	758.0	70	6	NNE	6	c
Phulien,	15	29.00	759.5	81	7	SSW	3	bc	7	29.97	761.2	64	7	NNE	3	bc
Toiraine,	"	29.83	757.7	77	6	NNW	6	o	"	29.89	759.3	64	6	W	1	f
Cape St. James,	"	29.81	757.2	81	8	E	2	c	"	29.84	757.9	77	6	ENE	2	rf
Basco,	14	29.35	745.6	72	4	NNE	6	q	6	29.66	753.3	74	4	N	4	q
Aparri,	"	29.51	749.5	77	4	NW	6	o	"	29.71	754.7	72	6	NNW	2	f
Tuguegrano,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	..	...
Vigan,	"	...	...	...	...	...	...	...	"	29.70	754.3	72	6	...	0	o
Manila,	"	29.60	751.9	81	8	N	2	o	"	29.70	754.3	74	6	NE	2	o
Legnepi,	"	29.59	751.6	86	6	SW	4	o	"	29.69	754.0	77	6	SW	2	bc
Calboyog,	"	..	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.66	753.4	86	8	SW	4	o	"	29.71	754.6	79	6	SW	2	o
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	...	29 67	753.7	88	8	SW	4	o	"	29.72	755.0	77	6	...	0	9
Saipan,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	77	...	E	1	h
Guam,	12.22	29.73	755.2	...	8	E	4	o	4.22	29.77	756.1	...	8	...	0	h
Yap,	11.00	29.74	755.3	...	8	E	4	o	5	29.81	757.1	...	8	SE	2	bc
Pelew,	"	...	...	...	...	...	...	...	"	29.77	756.2	78	...	...	0	h
Labuan,	12	29.85	758.3	86	...	...	...	bc	6	29.81	757.1	74	1	S	6	bc

Warnings.

November 12*d*. 16*h*. 30*m*.—Typhoon within 60 miles of Lat. 20° N. Long. 122° E., moving N.
November 13*d*. 10*h*. 15*m*.—Typhoon within 60 miles of Lat. 23° N. Long. 125° E. moving N.E.

November 13*d*. 10*h*. 30*m*.— A moderate anticyclone covers N. China and S.W. Manchuria.

The typhoon is about 250 miles to the east of S. Formosa, moving N.E.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 81.21 inches.

Manila warning. 12*d*. 14*h*. 55*m*.:—Typhoon in Lat. 20° N. Long. 122° E. moving N. Recd 12*d*. 15*h*. 45*m*.

Shanghai warning 12*d*. 16*h*. 41*m*.:—A severe typhoon within 60 miles of Lat. 20° N. Long. 122° E., moving N. Recd. 12*d*. 16*h*. 55*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, fresh.
B.—Turnabout to Hong Kong,	N. winds, fresh to strong.
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
D.—Hong Kong to Hainan Straits,	N.E. winds, fresh; fine.
E.—North China Sea,	N.E. winds, fresh; cloudy.

B. D. EVANS,—*Assistant Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th November, 1932.								14th November, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	..	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.90	759.5	...	...	N	3	...	5	30.26	768.5	..	...	NNW	1	..
Hokodate,	..	30.10	764.5	...	...	W	3	...	..	30.18	766.5	...	...	NNW	1	...
Tokio,	..	30.10	764.5	...	...	NE	1	...	..	30.12	765.0		...	NW	2	...
Kochi,	..	30.04	763.0	...	...	...	0	...	..	29.78	756.5	...	...	...	0	...
Nagasaki,	..	30.04	763.0	...	...	E	1	...	..	29.80	757.0	...	..	NE	2	...
Kagoshima,	..	30.00	762.0	...	...	NE	1	...	..	29.65	753.0	...	...	N	1	...
Oshima,	..	29.76	756.0	...	...	NNE	2	...	..	29.59	751.5	...	...	N	11	...
Naha,	..	29.51	749.5	...	...	NNE	7	...	..	29.73	755.0	...	...	N	6	...
Ishigakijima,	..	29.65	753.0	...	...	N	4	...	..	29.86	758.5	...	...	N	1	...
Bonin Island,	..	29.82	757.5	...	...	...	0	...	..	29.75	755.5	...	...	SSE	2	...
Chefoo,	15	29.85	758.3	58	8	SSW	4	h	6	30.10	764.4	40	4	...	0	z
Shanghai,	14	30.07	763.8	63	8	N	4	bc	..	30.11	764.8	47	4	NW	2	h
Gutzlaff,	..	30.10	764.5	63	6	N	4	bc	..	30.13	765.3	56	6	N	4	bc
Wenchow,	..	...	...	...	...	...	...	...	6	...	...	...	...	...	..	..
Foochow,	..	29.92	759.9	65	8	NE	2	bc	7	30.04	763.0	62	6	NW	2	h
Amoy,	..	29.89	759.2	76	6	NE	4	h	6	30.00	762.0	63	6	NNE	4	h
Swatow,	..	...	...	...	...	...	..	...	..	...	...	...	...	...	...	...
Taihoku,	11	29.91	759.8	67	...	NW	2	o	5	29.98	761.4	59	...	...	0	h
Taichu,	..	29.81	757.6	70	...	N	4	o	..	29.88	759.0	59	...	...	0	o
Tainan,	..	29.79	756.7	76	...	N	4	bc	..	29.88	758.8	59	...	NNE	2	o
Koshun,	..	29.77	756.7	77	...	...	0	o	..	29.85	758.2	72	...	NE	4	o
Pescadores,	..	29.84	758.0	56	...	NNE	6	o	..	29.89	759.3	67	...	NNE	6	h
Hong Kong,	14	29.87	758.7	75	8	W	2	h	6	29.94	760.5	64	8	...	0	h
Gap Rock,	..	29.90	759.4	74	8	NNW	4	h	..	29.92	759.9	72	8	ENE	3	h
Macao,	..	29.87	758.8	72	8	NE	2	h	..	29.95	760.8	61	6	N	2	bc
Hoihow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	..	29.84	757.9	74	8	NNE	6	c	6	29.90	759.5	72	8	NE	6	bc
Phulien,	15	29.87	758.8	81	8	SSW	2	h	7	29.92	760.0	66	7	E	4	c
Tourane,	..	29.86	758.5	72	8	NW	2	o	..	29.91	759.8	64	8	...	0	bc
Cape St. James,	..	29.82	757.3	79	8	E	4	bc	..	29.86	758.4	73	7	E	2	c
Basco,	14	29.69	751.1	77	8	NNE	4	bc	6	29.84	757.9	74	6	NE	2	o
Aparri,	..	29.72	754.8	77	6	...	0	o	..	29.82	757.4	72	6	...	0	d
Tuguegarao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Vigan,	..	...	...	...	...	...	...	...	..	29.78	756.4	72	8	E	2	bc
Manila,	..	29.72	754.8	85	8	NW	2	o	..	29.80	756.8	72	6	...	0	bc
Legaspi,	..	29.69	754.1	88	8	SW	4	bc	..	29.78	756.3	74	8	...	0	bc
Calbayog,	..	...	...	...	...	...	...	...	..	29.79	756.7	74	8	NE	2	o
Tacloban,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Iloilo,	..	29.72	754.8	88	8	SW	4	o	..	29.78	756.4	76	6	N	2	o
Cebu,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Surigao,	...	29.71	754.6	86	8	WSW	2	o	..	29.78	756.4	76	6	...	0	bc
Saipan,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	...	...	SSW	2	c
Guam,	12.22	29.74	755.3	...	6	...	0	bc	4.22	29.83	757.7	...	6	...	0	d
Yap,	11.00	29.76	755.8	...	8	SSE	2	bc	5	29.86	758.3	...	8	S	2	h
Pelew,	..	...	...	...	...	...	...	...	..	29.84	757.8	...	...	...	0	o
Labuan,	14	29.86	758.4	85	6	NW	6	bc	6	29.55	760.7	67	...	SW	...	r

Warnings.

November 13*d*. 17*h*. 53*m*.—Typhoon within 60 miles of Lat. 26° N. Long. 128° E., moving N.E.
November 14*d*. 8*h*. 55*m*.—Typhoon within 120 miles of Lat. 28° N. Long. 131° E. moving N.E.

November 14*d*. 10*h*. 34*m*.—An anticyclone covers N. China and S. Manchuria. The typhoon is situated about 100 miles south-east of Oshima.

Moderate to fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 81.33 inches.

Manila warning. 13*d*. 15*h*. 15*m*.:—Typhoon in Lat. 25° N. Long. 129° E. recurving north-eastward. Recd 13*d*. 16*h*. 08*m*.

Shanghai warning 13*d*. 16*h*. 51*m*.:—A severe typhoon within 60 miles of Lat. 25° N. Long. 130° E., moving N.E. Recd. 13*d*. 16*h*. 57*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, moderate to fresh; fine.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force (Beaufort).	Weather. (Beaufort.)	15th NOVEMBER, 1932. Hong Kong Standard Time	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force (Beaufort).	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.24	768.0	...	...	SW	2	...	5	29.88	759.0	...	...	SE	2	...
Hokodate,	...	30.06	763.5	...	...	ESE	2	...	,,	29.71	754.5	...	...	ENE	1	...
Tokio,	,,	29.84	758.0	...	...	N	2	...	,,	29.84	758.0	...	...	NW	6	...
Kochi,	,,	29.53	750.0	...	...	NW	1	...	,,	29.78	756.5	...	...	WNW	1	...
Nagasaki,	,,	29.74	755.5	...	...	N	2	...	,,	29.96	761.0	...	...	NNE	1	...
Kagoshima,	,,	29.63	753.0	...	...	NNW	2	...	,,	29.94	760.5	...	...	...	0	...
Oshima,	,,	29.74	755.5	...	...	N	5	...	,,	29.94	760.5	...	...	NNW	1	...
Naha,	,,	29.86	758.5	...	...	NNW	6	...	,,	30.00	762.0	...	...	NNW	2	...
Ishigakijima,	,,	29.96	761.0	...	...	N	2	...	,,	30.04	763.0	...	...	N	1	...
Ponin Island,	,,	29.65	753.0	...	...	S	3	...	,,	29.73	755.0	...	...	ESE	1	...
Chefoo,	15	30.19	766.8	47	6	NNW	6	o	6	30.30	769.6	38	8	N	8	bo
Shanghai,	14	30.11	764.8	65	8	NNW	2	bc	,,	30.24	768.0	52	6	NW	2	bc
Gutzlaff,	,,	30.16	766.0	63	6	NNW	4	bc	,,	30.23	767.8	54	6	NW	4	bo
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.00	762.0	66	8	E	2	b	7	30.13	765.3	62	8	N	2	b
Amoy,	,,	30.01	762.2	74	6	ENE	4	b	6	30.09	764.3	65	6	NNE	4	b
Swatow,	...	30.00	762.1	68	...	E	3	b	...	30.08	764.1	61	...	NE	3	e
Taihoku,	11	30.05	763.2	70	...	...	0	bc	5	30.09	764.2	61	...	E	2	e
Taishu,	,,	29.98	761.6	76	...	N	4	bc	,,	30.04	763.1	59	...	...	0	e
Tainan,	,,	29.96	760.9	77	...	N	2	b	,,	30.01	762.1	61	...	...	0	e
Koshun,	,,	29.94	760.4	77	...	NE	4	b	,,	30.01	762.3	70	...	NE	2	b
Pescadores,	,,	29.98	761.5	74	...	N	2	b	,,	30.02	762.4	67	...	NNE	4	e
Hong Kong,	14	29.94	760.3	73	7	ESE	3	b	6	30.03	762.7	67	6	...	0	e
Gap Rock,	,,	29.94	760.5	73	8	E	4	b	,,	30.01	762.2	72	8	ENE	4	e
Macao,	,,	29.93	760.3	77	6	SE	2	b	,,	29.99	761.6	65	4	NNE	2	e
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.90	759.5	76	8	ENE	6	o	6	29.96	761.0	74	8	NE	6	o
Phulien,	15	29.91	759.6	73	7	ESE	6	e	7	30.02	762.5	68	7	NE	5	e
Tourane,	,,	29.87	758.6	81	8	E	2	bc	,,	29.97	761.1	66	7	WSW	1	e
Cape St. James,	,,	29.86	758.5	79	7	ENE	2	z	,,	29.89	759.1	73	7	ENE	2	z
Banco,	14	29.85	758.2	79	8	NE	4	bo	6	29.95	760.6	74	6	...	0	e
Aparri,	,,	29.83	757.8	79	6	NE	4	o	,,	29.91	759.8	74	6	...	0	e
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	83	8	W	2	b	,,	29.85	758.2	76	8	...	0	o
Manila,	,,	29.78	756.3	85	6	W	2	bc	,,	29.86	758.3	72	6	...	0	b
Legaspi,	,,	29.76	755.8	86	8	...	0	bc	,,	29.83	757.7	77	8	...	0	b
Calloyog,	,,	29.78	756.4	85	8	NNE	2	bc	,,	29.84	757.9	74	8	NNE	2	bc
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	755.8	86	8	SSW	2	o	,,	29.81	757.2	76	6	NE	2	e
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.78	756.3	85	6	...	0	o	,,	29.83	757.6	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.79	756.6	...	8	...	0	bc	4.22	29.81	757.1	...	8	...	0	b
Yap,	11.00	29.83	757.7	...	6	S	2	bc	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.8	81	6	E	6	bc	6	29.91	759.6	74	...	S	...	e

November 15*d.* 10*h.* 18*m.*— An anticyclone now covers N. China. The position of the typhoon is uncertain; it has probably moved into the Pacific to the east of S. Japan.

Fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.32 inches, against an average of 81.39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature. After.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	16th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature. After.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.12	765.1	27	...	NE	5	b	6	30.22	767.6	21	...	N	3	b
Nemuro,	11	29.67	753.5	...	...	ESE	3	...	5	29.47	748.5	..	...	NNW	2	...
Hokodate,	..	29.57	751.0	...	...	NNW	3	...	..	29.67	753.5	...	...	NNW	4	...
Tokio,	..	29.41	747.0	...	..	NW	3	...	..	29.73	755.0	..	...	NNW	1	...
Kochi,	..	29.82	757.5	...	...	NW	1	...	..	29.84	758.0	...	...	WNW	1	...
Nagasaki,	..	29.94	760.5	...	...	...	0	...	..	30.06	763.5	...	...	NNW	2	...
Kagoshima,	..	29.92	760.0	...	...	W	1	...	..	30.02	762.5	...	...	NNW	1	...
Oshima,	..	29.96	761.0	...	...	N	1	...	..	30.04	763.0	...	...	N	4	...
Naha,	..	30.02	762.5	...	...	NNW	3	...	..	30.08	764.0	...	...	NNW	6	...
Ishigakijima,	..	30.08	764.0	...	...	N	1	...	..	30.16	766.0	...	...	NNE	2	...
Bonin Island,	..	29.78	756.5	...	...	NW	4	...	..	29.92	760.0	...	...	...	0	...
Chefoo,	15	30.28	769.1	40	8	NNW	10	c	6	30.30	769.6	40	6	SW	2	b
Shanghai,	14	30.30	769.7	49	6	NW	4	o	..	30.43	772.9	40	6	NW	2	b
Gutzlaff,	..	29.29	769.3	52	4	NW	6	o	..	30.43	772.9	43	4	NNW	6	bc
Wenchow,	..	...	...	...	..	...	...	...	6	30.43	773.0	43	...	NNE	4	b
Foochow,	..	30.11	764.8	64	8	E	2	bc	7	30.24	768.1	60	8	E	4	o
Amoy,	..	30.11	764.8	76	6	E	4	b	6	30.20	767.1	63	6	NE	4	b
Swatow,	..	30.10	764.5	71	...	NW	3	b	..	30.21	767.4	59	...	NE	3	b
Taiwan,	11	30.13	765.3	72	...	ENE	4	b	5	30.23	767.9	61	...	ENE	2	o
Taichu,	..	30.05	763.3	76	...	N	2	bc	..	30.14	765.5	59	..	N	2	bc
Tainan,	..	30.04	763.0	74	...	N	2	o	..	30.10	764.6	58	...	N	4	b
Koshun,	..	30.02	762.6	76	...	NE	4	o	..	30.06	763.6	68	...	NE	6	bc
Pescadores,	..	30.07	763.7	72	...	NNE	6	o	..	30.11	764.8	65	...	NNE	6	b
Hong Kong,	14	30.01	762.2	74	7	NE	2	c	6	30.15	765.8	63	7	N	3	bc
Gap Rock,	..	30.01	762.2	73	8	ENE	4	o	..	30.12	765.0	72	8	NE	4	d
Macao,	..	30.00	762.1	74	4	NE	4	c	..	30.12	764.9	65	4	NNE	4	o
Hoihow,	..	...	...	...	..	...	...	...	..	...	...	...	...	...	...	...
Praya Island,	..	29.97	761.2	74	6	ENE	6	o	6	30.06	763.6	72	6	ENE	8	o
Phulien,	15	30.03	762.7	72	6	NNE	4	o	7	30.13	765.4	66	6	NE	3	o
Tourane,	..	29.93	760.2	76	8	NE	2	bc	..	30.01	762.2	68	4	W	1	d
Cape St. James,	..	29.86	758.5	83	8	E	2	b	..	29.95	760.6	73	7	NE	3	bc
Basco,	14	29.93	760.1	77	8	E	2	o	6	30.09	764.2	74	4	NE	4	o
Aparri,	..	29.89	759.3	81	6	NE	4	o	..	30.00	762.0	70	6	ENE	2	d
Tuguegarao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Vigan,	..	29.84	758.0	83	8	...	0	o	..	29.88	758.9	72	8	...	0	b
Manila,	..	29.84	757.8	83	8	NNE	2	o	..	29.89	759.3	74	6	...	0	o
Legaspi,	..	29.79	756.6	91	8	NE	2	bc	..	29.84	758.0	77	6	E	2	o
Calbayog,	..	29.80	757.0	83	8	SE	2	o	..	29.85	758.2	76	8	NE	2	o
Tacloban,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Iloilo,	..	29.78	756.3	91	8	ENE	4	o	..	29.83	757.7	76	6	NE	2	o
Cebu,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Surigao,	...	29.78	756.3	86	8	N	2	bc	..	29.83	757.6	77	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	78	...	ESE	2	f
Guam,	12.22	29.78	756.3	...	8	SE	4	f	4.22	29.81	757.1	...	8	...	0	b
Yap,	11.00	29.85	757.7	...	6	...	0	bc	5	29.85	757.7	...	6	NNW	2	c
Pelew,	..	...	...	...	...	...	...	...	...	29.82	757.4	79	..	NE	1	c
Labuan,	14	29.94	760.6	86	..	N	...	bc	6	29.92	760.0	72	...	SW	...	c

November 16*d*. 10*h*. 36*m*.— The anticyclone over China continues to increase in intensity, pressure being highest to the north of the upper Yangtze Valley. The typhoon is situated in the Pacific to the east of Hokkaido.

Fresh to strong monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 81.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	N. winds, fresh to strong.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	N.E. winds, fresh; fair.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	17th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	6 a.m.	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.53	750.0	...	...	NNW	4	...	5	29.78	756.5	...	...	NW	2	...
Hokodate,	"	29.76	756.0	...	...	NNW	5	...	"	29.92	760.0	...	...	WNW	3	...
Tokio,	"	29.72	755.0	...	...	E	1	...	"	30.04	763.0	...	...	NNW	1	...
Kochi,	"	29.92	760.0	...	...	NW	2	...	"	30.24	768.0	...	...	...	0	...
Nagasaki,	"	30.16	766.0	...	...	N	1	...	"	30.30	769.5	...	...	...	...	...
Kagoshima,	"	30.08	764.0	...	...	N	3	...	"	30.26	768.5	...	...	NW	1	...
Oshima,	"	30.10	764.5	...	...	N	2	...	"	30.20	767.0	...	...	NE	1	...
Naha,	"	30.14	765.5	...	...	NNW	5	...	"	30.20	767.0	...	...	NE	2	...
Ishigakijima,	"	30.20	767.0	...	...	N	2	...	"	30.20	767.0	...	...	NNE	1	...
Bonin Island,	"	29.88	759.0	...	...	NNW	1	...	"	29.98	761.5	...	...	ESE	1	...
Chefoo,	15	30.30	769.6	49	8	NW	4	hc	6	30.25	768.3	38	8	SSW	2	b
Shanghai,	14	30.42	772.6	52	8	NW	2	b	"	30.40	772.1	31	6	W	2	b
Gutzlaff,	"	30.42	772.6	50	4	NW	4	b	"	30.45	773.4	45	4	NW	2	b
Wenchow,	1	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	"	29.24	768.1	60	6	ENE	4	c	7	30.29	769.3	58	6	SE	4	hc
Amoy,	"	30.35	770.9	70	6	ENE	4	b	6	30.27	768.8	63	6	NE	4	bc
Swatow,	"	...	...	...	...	...	...	...	"	30.25	768.2	59	...	NE	3	c
Taihoku,	11	30.32	770.2	59	...	ENE	2	c	5	30.23	767.8	54	...	SE	2	b
Taichu,	"	30.19	766.7	68	...	N	4	bc	"	30.19	766.7	50	..	...	0	bc
Tainan,	"	30.16	766.0	76	...	N	4	bc	"	30.15	765.8	54	...	...	0	c
Koshun,	"	30.09	764.4	74	...	NE	2	b	"	30.13	765.3	67	...	NE	6	b
Pescadores,	"	30.19	766.8	68	...	NNE	6	c	"	30.15	765.8	65	...	NNE	6	c
Hong Kong,	14	30.14	765.5	70	7	N	3	c	6	30.17	766.3	64	7	N	2	c
Gap Rock,	"	30.15	765.8	71	8	NE	5	c	"	30.15	765.8	70	7	ENE	4	c
Macao,	"	30.12	765.1	67	4	NNE	4	c	"	30.14	765.6	61	4	NNE	2	c
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	30.06	763.6	72	6	ENE	8	c	6	30.06	763.6	70	6	ENE	8	c
Phulien,	15	30.11	764.7	73	7	NNE	1	c	7	30.18	766.5	63	7	ENE	4	c
Tourane,	"	29.98	761.6	72	2	NNW	4	rf	"	30.01	762.1	73	2	E	4	rf
Cape St. James,	...	...	...	...	...	...	...	...	"	29.91	759.7	73	6	NE	3	c
Banco,	14	30.02	762.5	74	8	NE	4	bc	6	30.09	764.2	72	6	NE	2	c
Ajuarri,	"	29.89	759.1	77	6	N	4	c	"	30.03	762.8	74	6	ENE	4	c
Tuguegarao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Vigan,	"	29.81	757.6	88	8	N	2	b	"	29.92	760.0	76	8	ENE	4	bc
Manila,	"	29.87	758.8	85	8	...	0	c	"	29.93	760.2	72	6	...	0	fc
Legaspi,	"	29.83	757.8	81	8	NE	2	c	"	29.88	758.8	79	8	NNE	4	bc
Calbayog,	"	29.83	757.7	77	8	NNE	2	c	"	29.89	759.2	74	8	...	0	c
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.80	757.0	83	8	N	4	c	"	29.86	758.3	76	4	NE	4	c
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	...	29.78	756.5	85	6	N	2	c	"	29.86	758.4	77	1	E	2	fc
Saipan,	11.00	...	...	...	...	...	...	...	5	29.84	757.9	77	...	E	4	c
Guam,	12.22	29.76	755.8	...	8	...	0	fc	4.22	29.80	757.0	...	8	NNE	2	bc
Yap,	11.00	29.80	757.0	...	8	NE	2	bc	5	29.86	758.3	...	6	...	0	fc
Pelew,	"	...	...	...	...	...	...	...	"	29.85	758.2	77	...	...	0	c
Labuan,	14	29.95	760.8	81	6	NE	4	bc	6	29.90	759.5	70	...	...	...	bc

November 17*d.* 10*h.* 44*m.*—The anticyclone over N. China has weakened slightly and commenced to move eastward.

Fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 81.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18th.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	17th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	18th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	..	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.84	758.0	...	...	NNW	4	...	5	30.10	764.5	...	...	WNW	1	...
Hokodate,	,,	30.00	762.0	...	...	NW	3	...	,,	30.18	766.5	...	...	WSW	2	...
Tokio,	,,	30.08	764.0	...	...	N	2	...	,,	30.20	769.5	...	...	NW	1	...
Kochi,	,,	29.24	768.0	...	...	N	1	...	,,	30.36	771.0	...	...	WSW	1	...
Nagasaki,	,,	30.30	759.5	...	...	NNE	1	...	,,	30.38	771.5	...	...	...	...	...
Kagoshima,	,,	30.28	769.0	...	...	NNW	1	...	,,	30.36	771.0	...	...	NW	1	...
Oshima,	,,	30.22	767.5	...	...	NNE	1	...	,,	30.32	770.0	...	...	S	1	...
Naha,	,,	30.22	767.5	...	...	NNE	3	...	,,	30.30	769.5	...	...	NE	1	...
Ishigakijima,	,,	30.22	767.5	...	...	NNE	2	...	,,	30.26	768.5	...	...	NE	1	...
Bonin Island,	,,	30.04	763.0	...	...	N	4	...	,,	30.22	767.5	...	...	NNE	1	...
Chefoo,	15	30.17	766.2	50	8	NNW	2	b	6	30.30	769.6	41	+	SW	2	2
Shanghai,	14	30.33	770.5	61	8	...	c	b	,,	30.42	772.6	41	4	S	2	b
Gutzlaff,	,,	30.40	772.1	56	4	...	0	b	,,	29.47	773.9	50	4	SW	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.22	767.6	65	8	NE	2	bc	7	30.29	769.3	60	6	NW	4	0
Amoy,	,,	...	...	68	6	ENE	2	0	6	30.25	768.3	65	6	NW	4	0
Swatow,	,,	30.20	767.3	67	...	NNE	3	0	,,	30.26	768.6	61	...	NNE	1	0
Tsuhoku,	11	30.22	767.6	74	...	ESE	4	bc	5	30.22	767.6	65	...	E	4	0
Taichu,	,,	30.18	766.6	74	...	...	0	b	,,	30.21	767.2	65	..	...	0	0
Tainan,	,,	30.17	766.2	76	...	...	0	b	,,	30.17	766.3	67	...	...	0	0
Koshun,	,,	30.14	765.5	74	...	NE	4	d	,,	30.15	765.8	72	...	NNE	4	0
Pescadores,	,,	30.17	766.4	70	...	N	6	c	,,	30.16	766.0	68	...	NNE	4	0
Hong Kong,	14	30.14	765.5	67	6	NNE	1	0	6	30.20	767.0	63	7	NE	2	0
Gap Rock,	,,	30.13	765.3	70	7	NNE	4	0	,,	30.18	766.6	70	7	ENE	4	0
Mamo,	,,	30.12	765.1	63	4	NNE	2	0	,,	30.16	766.0	58	4	NNE	2	0
Hoihow,	,,	30.17	766.3	68	...	ENE	2	0	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.8	74	8	ENE	6	c	6	30.12	764.9	74	8	E	6	c
Phulien,	15	30.10	764.6	70	8	ESE	2	c	7	30.19	766.7	63	7	NE	2	0
Tourane,	,,	30.01	762.3	74	6	ENE	4	0	,,	30.00	762.0	77	6	NE	1	0
Cape St. James,	,,	29.89	759.1	79	8	ENE	4	bc	,,	...	...	...	...	...	...	...
Basco,	14	30.06	763.4	61	8	ENE	4	bc	6	30.13	765.3	74	6	E	2	bc
Aparri,	,,	30.01	762.3	77	6	NE	4	0	,,	30.07	763.8	74	6	NE	4	0
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.86	758.5	86	8	NW	4	b	,,	29.95	760.6	72	8	...	0	b
Manila,	,,	29.87	758.8	86	8	W	2	bo	,,	29.96	761.0	74	6	...	0	bo
Legaspi,	,,	29.86	758.4	79	6	NE	4	0	,,	29.90	759.5	79	6	NE	4	0
Calbayog,	,,	29.87	758.8	76	8	...	0	b	,,	29.91	759.6	74	8	...	0	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.83	757.7	83	8	NE	4	0	,,	29.87	758.6	76	6	NE	4	0
Cebu,	,,	..	...	..	...	...	...	...	,,	..	...	...	...	...	...	...
Surigao,	...	29.83	757.6	77	6	N	2	d	,,	29.88	758.8	76	4	...	0	T
Saipan,	11.00	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	8	NNE	2	0	4.22	29.84	757.8	...	8	...	0	b
Yap,	11.00	29.83	757.8	...	8	ENE	2	b	5	29.89	759.1	...	6	NE	2	be
Pelew,	,,	...	...	..	...	...	...	...	,,	...	...	...	..	...	...	...
Labuan,	11	29.94	760.6	85	6	W	...	be	6	29.91	759.7	74	...	...	...	c

November 18*d.* 10*h.* 08*m.*—The anticyclone remains centred near the mouth of the Yangtze, and has regained intensity.

Fresh monsoon will continue along the China coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 81.54 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy.
D.—Hong Kong to Bashee Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th November, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	19th November, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.18	766.6	32	...	NNW	3	b	6	30.32	770.2	19	...	N	3	c
Nemuro,	11	30.08	764.0	...	...	WSW	1	...	5	30.04	763.0	...	...	W	1	...
Hokodate,	,,	30.16	766.0	...	...	W	4	...	,,	30.04	763.0	...	...	...	0	...
Tokio,	,,	30.26	768.5	...	...	NE	1	...	,,	30.18	766.5	.	...	...	0	...
Kochi,	,,	30.30	769.5	...	...	WSW	1	...	,,	30.36	771.0	...	...	WSW	1	...
Nagasaki,	,,	30.37	771.5	...	...	NNE	1	...	,,	30.38	771.5	...	...	...	0	...
Kagoshima,	,,	30.35	771.0	...	...	...	0	...	,,	30.38	771.5	...	...	NW	1	...
Oshima,	,,	30.33	770.5	...	...	NNE	1	...	,,	30.32	770.0	...	...	SSE	1	...
Naha,	,,	30.31	770 0	...	...	NE	2	...	,,	30.28	769.0	...	...	...	0	...
Ishigakijima,	,,	29.28	769.0	...	...	E	2	...	,,	30.20	767.0	...	...	ESE	3	...
Bonin Island,	,,	30.22	767.5	...	...	N	1	...	,,	30.26	768.5	...	...	N	1	...
Chefoo,	15	30.34	770.6	50	8	NW	2	b	6	30.26	768.6	47	6	SSW	4	o
Shanghai,	14	30.39	772.0	67	6	E	2	b	,,	30.32	770.2	50	4	E	2	o
Gutzlaff,	,,	30.45	773.4	61	4	NNE	2	b	,,	29.42	772.6	56	1	E	2	o
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.24	768.1	62	6	N	2	o	7	30.20	767.1	62	6	N	2	df
Amoy,	,,	30.23	767.9	70	6	NE	4	o	6	30.25	768.3	67	6	ENE	4	o
Swatow,	,,	30.21	767.4	68	...	ESE	3	bc	,,	30.23	767.9	59	...	NNE	1	o
Taihoku,	11	30.24	768.1	77	...	ESE	4	bc	5	30.16	766.1	68	...	E	4	o
Taichu,	,,	30.23	767.8	76	...	...	0	o	,,	30.18	766.6	65	..	ENE	2	o
Tainan,	,,	30.20	767.2	81	...	WNW	2	bc	,,	30.16	766.1	65	...	NE	2	b
Koshun,	,,	30.19	766.8	77	...	NE	6	bc	,	30.13	765.3	70	...	NNE	2	b
Pescadores,	,,	30.21	767.4	72	...	NNW	4	o	6	30.16	766.0	68	...	NNE	4	o
Hong Kong,	14	30.14	765.5	72	7	E	3	c	,,	30.17	766.3	66	7	N	1	c
Gap Rock,	,,	30 14	765.5	70	8	ENE	5	o	,,	30.16	766.0	71	8	ENE	4	o
Macao,	,,	30.14	765.5	68	4	NNE	2	o	,,	30.15	765.7	63	4	N	2	o
Hoilow,	,,	...	...	...	...	...	...	...	,,	30.23	767.9	72	...	NNE	4	o
Pratas Island,	,,	30.09	764.4	79	8	ENE	6	b	6	30.11	764.8	76	8	ENE	6	c
Phulien,	15	30.16	766.0	67	8	NNE	2	o	7	30.23	767.9	61	7	NNW	3	d
Tourane,	,,	29.98	761.6	77	8	E	2	c	,,	30.06	763.5	73	3	NE	2	o
Cape St. James,	,,	29.87	758.8	79	8	ENE	6	bc	,,	20.91	759.6	73	6	ENE	3	z
Basco,	14	30.02	762.5	79	6	NE	4	o	6	30.08	763.9	74	4	ESE	2	o
Aparri,	,,	30.06	763.6	79	8	ENE	4	bc	,,	30.02	762.5	74	6	ENE	2	p
Tuguegurao,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Vigan,	,,	29.87	758.6	91	8	NE	4	b	,,	29.88	758.9	79	8	N	2	b
Manila,	,,	29.89	759.1	86	8	E	2	bc	,,	29.90	759.5	74	1	NE	2	b
Legaspi,	,,	29.85	758.3	83	6	NE	2	o	,,	29.86	758.4	77	6	SE	2	o
Calboyog,	,,	29.83	757.7	79	8	NE	2	o	,,	29.87	758.6	76	8	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Iloilo,	,,	29.79	756.7	83	8	NE	4	o	,,	29.82	757.3	76	4	NNE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.78	756.4	81	6	E	2	o	,,	29.80	757.0	76	4	...	o	o
Saipan,	11.00	...	...	...	...	...	...	...	5	..	..	...	...	...	...	...
Guam,	12.22	29.79	756.7	...	8	E	6	b	4.22	29.84	757.8	...	8	..	o	b
Yap,	11.00	29.83	757.7	...	6	NE	6	b	5	29.80	756.8	...	6	N	2	le
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.94	760.6	85	6	W	6	bc	6	29.90	759.5	74	4	...	...	bc

November 19*d*. 10*h*. 18*m*.—The anticyclone appears to be centred over S. Japan and Korea. Fresh monsoon will prevail along the coast to the south of Foochow, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 81.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light variable winds.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fine.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	20th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.22	767.5	32	...	SW	1	o	6	30.08	764.1	45	...	N	2	e
Nemuro,	11	30.06	763.5	...	...	...	0	...	5	30.18	766.5	...	...	...	0	..
Hakodate,	,,	30.10	764.5	...	...	WNW	4	...	,,	30.18	766.5	...	...	N	1	...
Tokio,	,,	30.18	766.5	...	...	NNW	1	...	,,	30.32	770.0	.	...	N	1	...
Kochi,	,,	30.31	770 0	...	...	...	0	...	,,	30.32	770.0	...	...	WSW	1	...
Nagasaki,	,,	30.37	771 5	...	...	...	0	...	,,	30.28	769.0	...	...	SE	1	...
Kagoshima,	,,	30.33	770.5	...	...	N	1	...	,,	30.28	769.0	...	...	...	0	...
Oshima,	,,	30.31	770.0	...	...	N	1	...	,,	30.22	767.5	...	...	SE	1	...
Naha,	,,	29.28	769.0	...	...	E	2	...	,,	30.16	766.0	...	...	E	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.10	764.5	...	...	ESE	1	...
Bonin Island,	,,	30.24	768.0	...	...	NNE	1	...	,,	30.26	768.5	...	...	NE	1	...
Chefoo,	15	30.09	764.2	59	8	SW	4	b	6	30.29	769.3	45	4	WSW	2	g
Shanghai,	14	30.30	769.6	59	6	SSW	2	o	,,	30.34	770.6	50	6	WNW	2	he
Gutzlaff,	,,	30.41	772.4	58	4	SW	2	d	,,	...	...	54	4	NW	4	c
Wenchow,	,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.12	765.0	62	6	WNW	2	o	7	30.24	768.1	62	8	...	0	c
Amoy,	,,	30.16	766.0	74	6	SE	2	b	6	30.19	766.8	67	6	ENE	2	be
Swatow,	,,	30.15	765.8	74	...	E	3	b	,,	...	...	...	...	...	...	...
Tailoko,	11	30.16	766.1	81	...	SSE	2	b	5	30.14	765.5	65	...	...	0	c
Taichu,	,,	30.19	766.7	79	...	SSW	2	b	,,	30.12	765.0	61	..	...	0	h
Tainan,	,,	30.17	766.3	83	...	NW	2	b	,,	30.12	765.0	63	...	NNE	4	b
Koshun,	,,	30.15	765.8	79	...	NE	4	b	,	30.07	763.7	67	...	...	0	h
Pescadores,	,,	30.19	766.8	74	...	N	4	c	,,	30.12	765.0	68	...	NNE	4	hc
Hong Kong,	14	30.11	764.7	77	8	WSW	2	b	6	30.14	765.5	65	8	N	4	b
Gap Rock,	,,	30.12	765.0	73	8	NE	4	b	,,	30.13	765.3	72	8	N	4	b
Macao,	,,	30.09	764.3	74	6	NE	2	b	,,	30.12	765.1	63	6	N	4	be
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Pratas Island,	,,	30.06	763.6	77	8	ENE	6	be	6	30.08	763.9	74	8	NE	6	be
Phulien,	15	30.16	766.0	74	8	N	2	o	7	30.23	767.9	64	8	NE	4	c
Tourane,	,,	30.01	762.3	74	8	ENE	4	c	,,	30.06	763.6	75	5	..	...	d
Cape St. James,	,,	29.88	759.0	79	6	E	6	o	,,	29.89	759.3	73	7	N	3	c
Basco,	14	30.00	761.9	77	8	ENE	4	be	6	29.99	761.8	72	6	...	0	c
Aparri,	,,	29.94	760.6	81	6	ENE	4	o	,,	29.95	760.8	76	6	NE	4	l
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	..	...	..	...	...	...	...
Vigan,	,,	29.83	757.6	86	8	WNW	4	b	,,	29.86	758.5	72	8	NNW	2	o
Manila,	,,	29.84	757.9	85	8	NNE	4	o	,,	29.88	758.9	72	6	...	0	c
Legaspi,	,,	29.80	756.8	81	6	...	0	o	,,	29.85	758.2	77	8	NNE	2	o
Calbayog,	,,	29.80	757.0	77	8	NNE	2	o	,,	29.85	758.2	76	8	N	2	o
Tacloban,	,,	29.80	756.8	77	6	NE	2	p	,,	...	...	..	...	...	...	...
Iloilo,	,,	29.76	756.0	85	8	E	4	o	,,	29.83	757.6	77	6	NE	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	..	...	..	...	...	...	...
Suriga,	...	29.74	755.5	86	8	ENE	2	be	,,	29.82	757.4	76	6	...	0	o
Saipan,	11.00	..	...	...	...	...	...	...	5	29.87	758.8	77	...	ENE	2	r
Guam,	12.22	29.78	756.5	...	8	ENE	6	b	4.22	29.81	757.2	...	8	NNE	2	o
Yap,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	...	6	ENE	4	r
Pelew,	,,	...	...	...	...	...	...	...	,,	29.79	756.7	79	...	...	0	c
Laisan,	14	29.94	760.6	83	6	SW	6	o	6	...	...	...	...	...	...	...

November 20d. 10h. 30m.— An anticyclone is situated in the Pacific to the south-east of Japan, and another has developed over N. China.

Fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 81.63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, fresh.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, fresh; fine.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES, *Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.11	764.8	37	...	N	5	h	6	30.32	770.0	23	...	E	1	c
Nemuro,	11	30.08	764.0	...	...	W	2	...	5	29.94	760.5	...	...	N	2	...
Hakodate,	,,	30.08	764.0	...	...	...	0	...	,,	30.10	764.5	...	...	NNW	3	...
Tokio,	,,	30.24	768.0	...	...	...	0	...	,,	30.10	764.5		...	N	1	...
Kochi,	,,	30.26	768.5	...	...	SW	1	...	,,	30.24	768.0	...	...	...	0	...
Nagasaki,	,,	30.24	768.0	...	...	ESE	1	...	,,	30.28	769.0	...	...	...	...	...
Kagoshima,	,,	29.28	769.0	...	...	...	0	...	,,	30.26	768.5	...	...	NW	1	...
Oshima,	,,	30.16	766.0	...	...	SE	1	...	,,	30.18	766.5	...	...	...	0	...
Naha,	,,	30.14	765.5	...	...	ESE	2	...	,,	30.16	766.0	...	...	NE	2	...
Ishigakijima,	,,	30.10	764.5	...	...	ESE	1	...	,,	30.10	764.5	...	...	NE	3	...
Bonin Island,	,,	30.20	767.0	...	...	E	1	...	,,	30.10	764.5	...	...	...	0	...
Chefoo,	15	30.35	770.9	50	8	N	4	b	6	30.34	770.6	41	6	S	2	b
Shanghai,	14	30.38	771.6	63	8	N	2	b	,,	30.41	772.4	43	4	N	2	b
Gutzlaff,	,,	30.38	771.6	61	4	NNW	4	be	,,	29.46	773.7	53	4	NE	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.18	766.6	64	8	E	2	o	7	30.24	768.1	60	8	NE	2	b
Amoy,	,,	30.26	768.6	77	6	ENE	2	be	6	30.23	767.8	61	6	NE	4	bo
Swatow,	,,	30.15	765.7	72	...	SE	3	be	,,	30.17	766.5	58	...	NE	3	o
Taihoku,	11	30.28	769.2	67	...	...	0	r	5	30.20	767.0	63	...	ESE	4	o
Taichu,	,,	30.15	765.7	74	...	N	2	be	,,	30.05	763.3	63	...	...	0	o
Tainan,	,,	30.11	764.9	76	...	N	4	b	,,	30.09	764.2	61	...	NNE	2	b
Koshun,	,,	30.09	764.2	79	...	NNE	2	b	,,	29.96	760.9	74	...	NE	6	bo
Pescadores,	,,	30.15	765.7	74	...	NNE	4	be	,,	30.06	763.6	68	...	NNE	6	o
Hong Kong,	14	30.07	763.8	77	8	N	2	b	6	30.11	764.8	65	7	NNE	3	be
Gap Rock,	,,	30.09	764.3	74	8	NW	4	b	,,	30.09	764.3	73	8	NE	4	o
Macao,	,,	30.07	763.7	74	6	NE	4	b	,,	30.10	764.5	63	4	NNE	4	o
Hollow,	,,	30.21	767.4	61	...	NE	2	be	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.04	763.1	76	8	NE	6	be	6	30.01	762.3	72	6	NE	8	o
Phulien,	15	30.12	765.1	75	9	N	3	b	7	30.17	766.4	59	8	NNW	5	b
Tourane,	,,	30.00	762.0	73	6	NNW	5	o	,,	30.03	762.8	73	6	NNE	4	o
Cape St. James,	,,	29.83	757.8	81	7	S	2	c	,,	29.84	757.9	73	7	N	3	c
Isaco,	14	29.94	760.6	74	6	NE	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.89	759.1	76	6	NE	4	d	,,	29.92	760.0	76	6	NE	4	r
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.85	757.7	81	8	NNW	2	o	,,	29.80	757.0	72	8	...	0	bo
Manila,	,,	29.82	757.3	83	8	WNW	2	o	,,	29.81	757.2	74	6	...	0	o
Legaspi,	,,	29.82	757.3	83	8	WNW	2	o	,,	29.78	756.4	81	8	NE	2	be
Calbayog,	,,	29.80	756.8	79	8	NNE	4	c	,,	29.80	756.8	74	8	...	0	be
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.6	86	8	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.77	756.1	81	6	...	0	o	,,	29.76	756.0	77	6	...	0	be
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.75	755.6	...	8	ENE	4	bo	4.22	29.78	756.3	...	8	ENE	2	b
Yap,	11.00	29.79	756.6	...	6	ENE	4	o	5	29.78	756.3	...	4	NE	4	be
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lamma,	12	29.85	758.3	79	...	S	...	be	6	29.88	759.0	76	...	S	...	be

November 21d. 10h. 05m.— The anticyclone remains stationary over North China; fresh monsoon will continue along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 81.67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N.E. winds, fresh; fine.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st November, 1932.									22nd November, 1932.									
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Hazlitt.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.			Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force (Beaufort.)				Inches.	Millimetres.			Direction.	Force (Beaufort.)			
Vladivostock,	12	30.26	768.6	39	...	S	2	c		6	30.15	765.7	36	...	...	0		c	
Nemuro,	11	30.00	762.0	...	...	N	3	...		5	29.90	759.3	...	...	W	1		...	
Hokodate,	,,	30.16	766.0	...	...	W	4	...		,,	30.10	764.5	...	...	WSW	4		...	
Tokio,	,,	30.18	766.5	...	...	NNW	3	...		,,	30.30	769.5	.	...	NW	1		...	
Kochi,	,,	30.26	768.5	...	...	N	1	...		,,	30.32	770.0	...	...	WSW	1		...	
Nagasaki,	,,	30.30	769.5	...	...	ENE	1	...		,,	30.36	771.0	...	...	E	1		...	
Kagoshima,	,,	29.28	769.0	...	...	NE	1	...		,,	30.32	770.0	...	...	NW	1		...	
Oshima,	,,	30.22	767.5	...	...	NNE	2	...		,,	30.24	768.0	...	...	S	1		...	
Naha,	,,	30.16	766.0	...	...	NE	3	...		,,	30.20	767.0	...	...	NE	2		...	
Ishigakijima,	,,	30.14	765.5	...	...	ESE	3	...		,,	30.12	765.0	...	...	E	2		...	
Bonin Island,	,,	30.02	762.5	...	...	SSE	2	...		,,	30.10	764.5	...	...	N	1		...	
Chefoo,	15	30.25	768.4	61	8	SW	2	b		6	30.29	769.4	50	6	SSW	4		b	
Shanghai,	14	30.37	771.5	65	6	E	2	be		,,	30.35	770.9	45	4	ESE	2		e	
Gutzlaff,	,,	30.41	772.4	61	6	NE	2	be		,,	30.40	772.2	54	6	SE	2		e	
Wenchow,	,,	...	...	...	...	...	...	...		6	...	...	...	...	...	...		...	
Foochow,	,,	30.21	767.3	64	8	NE	2	be		7	30.24	768.1	62	6	N	2		c	
Amoy,	,,	30.18	766.6	74	6	SE	4	ba		6	30.18	766.6	63	6	ENE	4		be	
Swatow,	,,	30.14	765.5	72	...	ESE	3	b		...	...	...	...	...	...	...		...	
Taihoku,	11	30.15	765.8	68	...	E	4	l		5	30.12	765.1	68	...	ENE	4		o	
Taichu,	,,	30.07	763.8	77	...	...	0	c		,,	30.09	764.2	61	..	..	0		0	
Tainan,	,,	30.06	763.6	76	...	N	2	c		,,	30.06	763.6	65	...	NNE	2		b	
Koshun,	,,	30.02	762.6	77	...	NE	6	c		,	30.01	762.3	76	...	NE	6		o	
Pescadores,	,,	30.10	764.4	70	...	NNE	6	o		,,	30.08	764.0	68	...	NNE	6		o	
Hong Kong,	14	30.08	764.0	75	7	E	2	b		6	30.11	764.8	68	7	E	4		c	
Gap Rock,	,,	30.09	764.3	74	8	NE	4	b		,,	30.09	764.3	73	8	ENE	4		e	
Macao,	,,	30.05	765.7	70	6	NE	4	be		,,	30.09	764.2	67	4	NE	2		c	
Hoihow,	,,	30.12	765.1	74	....	NE	4	b		,,	...	...	...	...	...	...		...	
Pratas Island,	,,	30.00	762.1	74	6	ENE	8	o		6	30.03	762.7	74	6	ENE	8		o	
Phulien,	15	30.09	764.2	77	8	SE	2	be		7	30.12	765.0	63	6	NE	2		d	
Tourane,	,,	29.97	761.3	75	7	NNW	2	c		,,	29.97	761.2	68	3	WNW	2		rf	
Cape St. James,	,,	29.78	756.5	81	7	SW	1	c		,,	29.82	757.5	73	7	NW	2		lc	
Banca,	14	29.94	760.4	76	4	NE	4	d		6	29.98	761.5	76	6	ESE	2		c	
Aparri,	,,	29.86	758.5	77	6	NE	4	p		,,	29.94	760.4	76	6	E	2		p	
Tuguegarao,	,,	...	...	...	...	...	...	...		,,	29.90	759.4	74	1	...	0		d	
Vigan,	,,	29.76	753.8	86	8	NW	2	be		,,	29.83	757.6	76	8	...	0		c	
Manila,	,,	29.80	756.8	83	8	S	2	be		,,	29.84	758.0	76	6	...	0		c	
Legaspi,	,,	29.76	755.8	88	4	ENE	2	o		,,	29.80	756.8	81	6	NNE	2		o	
Calbayog,	,,	29.74	755.4	85	8	NNE	2	be		,,	29.81	757.1	76	8	NE	2		o	
Tacloban,	,,	...	...	...	...	...	...	...		,,	29.82	757.3	77	8	NW	4		o	
Iloilo,	,,	29.71	754.7	86	8	NE	4	o		,,	29.76	756.0	77	6	N	4		o	
Cebu,	,,	29.72	754.9	88	8	ENE	4	be		,,	29.78	756.4	79	8	...	0		o	
Surigao,	...	29.71	754.7	81	6	...	0	o		,,	29.78	756.3	76	4	...	0		r	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...		...	
Guam,	12.22	29.73	755.2	...	8	NE	4	b		4.22	...	...	...	...	...	...		...	
Yap,	11.00	...	...	...	...	...	...	...		5	29.79	756.7	...	6	NE	4		r	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		...	
Labuan,	14	29.85	758.3	85	6	SW	4	be		6	29.89	759.1	74	4	SE	6		be	

November 22*d.* 10*h.* 11*m.*—The anticyclone has moved eastward, and is now centred over Korea and South Japan.

Fresh monsoon will prevail along the China coast to the south of Foochow and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.31 inches, against an average of 81.71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. or variable winds, moderate.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fair.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	23rd NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.13	765.4	50	...	...	0	b	6	30.15	765.8	36	...	...	0	b
Nemuro,	11	29.78	756.5	...	...	WNW	3	...	5	30.10	764.5	...	...	W	1	...
Hakodate,	,,	30.04	763.0	...	...	W	5	...	,,	30.18	766.5	...	...	WNW	1	...
Tokio,	,,	30.28	769.0	...	...	N	1	...	,,	30.34	770.5		...	NW	1	...
Kochi,	,,	30.30	769.5	...	...	SW	1	...	,,	30.34	770.5	...	...	WSW	1	...
Nagasaki,	,,	30.35	771.0	...	...	N	1	...	,,	30.34	770.5	...	...	...	0	...
Kagoshima,	,,	30.31	770.0	...	...	ENE	1	...	,,	30.30	769.5	...	...	...	0	...
Oshima,	,,	30.26	768.5	...	...	NNE	1	...	,,	30.22	767.5	...	...	...	0	...
Naha,	,,	30.20	767.0	...	...	ENE	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.16	766.0	...	...	E	3	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.18	766.5	...	...	NE	1	...
Chefoo,	15	30.20	767.0	65	8	SSW	4	b	6	30.16	766.0	50	6	...	0	bc
Shanghai,	14	30.28	769.2	68	8	SE	2	b	,,	30.16	766.1	58	4	SE	2	o
Gutzlaff,	,,	30.35	770.9	61	6	ENE	2	bc	,,	30.24	768.1	59	6	SSE	4	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	30.20	767.0	61	...	NNW	2	o
Foochow,	,,	30.16	766.0	63	6	N	2	o	7	30.10	764.5	63	6	N	2	bc
Amoy,	,,	30.16	766.0	77	6	E	2	b	6	30.14	765.5	68	6	N	2	bc
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.11	764.9	68	...	E	4	b	5	30.01	762.3	72	...	ENE	2	b
Taichu,	,,	30.10	764.6	77	...	NNW	2	b	,,	30.03	762.7	67	,,	...	0	f
Tainan,	,,	30.09	764.2	81	...	NNW	2	bc	,,	30.00	762.0	68	...	...	0	bc
Koshun,	,,	30.07	763.9	79	...	NE	4	bc	,,	30.01	762.1	74	...	NE	4	r
Pescadores,	,,	30.11	764.8	70	...	NNE	4	r	,,	30.01	762.3	70	...	NNE	4	o
Hong Kong,	14	30.06	763.5	71	8	E	4	c	6	30.01	762.2	69	8	E	2	o
Gap Rock,	,,	30.03	763.2	73	8	ENE	5	o	,,	29.99	761.7	73	8	ENE	4	o
Macao,	,,	30.04	763.0	74	4	ESE	2	o	,,	29.99	761.6	68	4	NE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	762.1	76	8	ENE	6	o	6	29.95	760.7	74	6	ENE	6	r
Phulien,	15	30.07	763.8	63	5	NW	5	r	7	30.05	763.3	61	6	NW	4	d
Tourane,	,,	29.89	759.2	72	3	NW	1	r	,,	29.91	759.8	73	8	WNW	4	c
Cape St. James,	,,	29.80	756.8	81	7	E	6	bc	,,	29.83	757.7	73	5	NE	2	rf
Baker,	14	29.94	760.6	77	6	NE	4	o	6	29.95	760.7	76	6	ESE	4	o
Aparri,	,,	29.89	759.3	81	6	ENE	4	o	,,	29.89	759.3	76	6	E	4	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.77	756.1	94	8	SSW	2	bc	,,	29.76	756.0	81	8	...	0	h
Manila,	,,	29.81	757.1	85	8	...	0	o	,,	29.82	757.4	76	8	...	0	o
Legaspi,	,,	29.74	755.5	85	8	NNE	4	o	,,	29.82	757.3	77	6	NE	2	o
Calbayog,	,,	29.78	756.5	85	8	SW	2	o	,,	29.82	757.4	76	8	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.7	83	8	NE	4	o	,,	29.76	756.0	77	6	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.71	754.7	83	6	N	4	o	,,	29.77	756.1	76	4	...	0	r
Sitkan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	8	NNE	4	b	4.22	29.76	756.0	...	8	...	0	b
Yap,	11.00	29.74	755.5	...	6	ENE	4	r	5	29.79	756.7	...	8	ENE	4	h
Palew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.85	758.2	83	...	...	...	bc	6	29.89	759.1	67	...	...	...	o

November 23*d*. 10*h*. 22*m*.—The anticyclone has moved eastward to the south of Japan. Moderate to fresh monsoon will prevail along the coast to the south of Foochow and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.39 inches, against an average of 81.75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
A.—Shanghai to Turnabout,	Light variable winds.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; fair.
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
D.—Hong Kong to Hainan Straits,	N.E. winds, fresh; fair.
E.—North China Sea,	N.E. winds, fresh; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Stations.	23rd NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	24th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.04	763.0	...	...	WSW	1	...	5	30.20	767.0	...	...	...	...	...
Hakodate,	,,	30.14	765.5	...	...	WSW	2	...	,,	30.14	765.5	...	...	NNW	3	...
Tokio,	,,	30.30	769.5	...	...	...	0	...	,,	30.24	768.0	...	...	NNW	3	...
Kochi,	,,	30.31	770.0	...	...	...	0	...	,,	30.24	768.0	...	...	...	0	...
Nagasaki,	,,	30.30	769.5	...	...	ESE	1	...	,,	30.22	767.5	...	...	ESE	2	...
Kagoshima,	,,	30.28	769.0	...	...	NE	1	...	,,	30.18	766.5	...	...	...	0	...
Oshima,	,,	30.20	767.0	...	...	SE	1	...	,,	30.12	765.0	...	...	SE	1	...
Naha,	,,	30.16	766.0	...	...	E	2	...	,,	30.06	763.5	...	...	NNE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	ESE	3	...	,,	30.02	762.5	...	...	ENE	1	...
Pemin Island,	,,	30.16	766.0	...	...	ENE	1	...	,,	30.14	765.5	...	...	ENE	1	...
Chefoo,	15	30.05	763.2	59	6	S	2	c	6	29.90	759.5	52	4	S	2	f
Shanghai,	14	30.06	763.6	68	6	SE	4	o	,,	30.05	763.2	61	4	SSW	2	c
Gutzlaff,	,,	30.14	765.5	63	4	SSE	4	o	,,	30.11	764.8	63	...	...	...	c
Wenchow,	,,	...	...	...	...	...	...	...	6	30.09	764.3	64	...	...	0	r
Foochow,	,,	30.03	762.7	66	6	N	2	o	7	30.01	762.2	67	6	W	2	d
Amoy,	,,	30.04	763.0	79	6	SSE	2	bc	6	30.00	762.0	66	...	SSE	2	c
Swatow,	,,	30.06	763.4	72	...	ESE	3	c	,,	...	...	...	...	...	...	...
Taihoku,	13	30.04	763.0	85	...	SE	2	bc	5	29.98	761.4	68	...	...	0	h
Taichu,	,,	30.05	763.2	76	...	...	0	o	,,	30.01	762.3	68	...	...	0	h
Tainan,	,,	30.02	762.4	81	...	N	2	b	,,	29.98	761.4	68	...	...	0	bc
Kosban,	,,	30.03	762.7	81	...	NE	4	b	,,	29.96	761.0	74	...	...	0	h
Pescadores,	,,	30.06	763.6	74	...	NNE	4	r	,,	29.98	761.4	68	...	NNE	2	h
Hong Kong,	14	29.98	761.4	76	6	E	3	o	6	29.95	760.7	71	6	E	3	cd
Cap Rock,	,,	29.99	761.7	73	8	ENE	4	o	,,	29.95	760.7	73	8	ENE	4	o
Macao,	,,	29.97	761.2	76	4	ESE	2	o	,,	29.93	760.1	70	4	ENE	2	o
Hoihow,	,,	29.96	761.0	76	...	ENE	4	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.3	79	8	ENE	4	o	6	29.92	760.0	76	6	E	2	o
Phulien,	15	29.97	761.2	68	8	NNW	4	o	7	29.96	760.9	66	7	NW	4	d
Tourane,	,,	29.86	758.5	74	8	NW	2	bc	,,	29.89	759.2	73	8	WSW	1	c
Cape St. James,	,,	29.78	756.5	77	6	ENE	4	c	,,	29.84	758.0	75	5	N	2	f
Bonee,	14	29.97	759.8	74	6	ENE	4	o	6	29.93	760.1	77	6	ESE	2	bc
Aparri,	,,	29.83	757.8	83	6	ENE	4	o	,,	29.89	759.3	74	6	E	2	bc
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	88	8	WSW	2	bc	,,	...	...	...	...	...	...	...
Manila,	,,	29.80	757.0	85	8	ESE	2	o	,,	29.85	758.2	74	6	...	0	o
Legaspi,	,,	29.74	755.4	91	8	NE	4	bc	,,	29.80	756.8	81	6	...	0	o
Calbayog,	,,	29.75	755.6	83	8	SW	4	o	,,	29.80	757.0	74	8	...	0	bc
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.2	83	8	NE	4	o	,,	29.77	756.1	77	6	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.3	79	6	E	2	o	,,	29.78	756.3	76	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	27	...	E	3	bc
Guam,	12.22	29.73	755.2	...	8	ESE	4	b	4.22	29.76	755.9	...	8	...	0	c
Yap,	11.00	29.74	755.5	...	6	ENE	4	r	5	29.76	756.0	...	6	NE	4	c
Palaw,	,,	...	...	...	...	...	...	...	,,	29.84	758.0	81	...	W	2	r
Labuan,	14	29.85	758.3	83	6	W	...	bc	6	29.89	759.1	70	...	...	...	c

November 24th, 10h. 33m.—The anticyclone has moved into the Pacific to the south-east of Japan, and the monsoon will be temporarily interrupted.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 87.32 inches, against an average of 81.79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
A.—Shanghai to Tamahoro, B.—Tamahoro to Hong Kong, C.—Hong Kong to Cap Rock,	Light southerly or variable winds.
D.—Hong Kong to Hainan Straits, E.—North China Sea,	E. winds, moderate; cloudy with mist or light rain, probably improving.

C. W. JEFFERIES,—Director.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	25th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.96	761.1	43	...	S	3	f	6	30.11	764.8	39	...	N	3	o
Nemuro,	11	30.18	766.5	...	...	SSE	2	...	5	30.10	764.5	..	...	SSW	1	...
Hokodate,	,,	30.12	765.0	...	...	SSE	1	...	,,	30.00	762.0	...	...	SSW	2	...
Tokio,	,,	30.22	767.5	...	...	N	1	...	,,	30.16	766.0	..	...	NNW	1	...
Kochi,	,,	30.20	767.0	...	...	...	0	...	,,	30.12	765.0	...	...	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	ESE	1	...	,,	30.04	763.0	...	...	SE	1	...
Kagoshima,	,,	30.16	766.0	...	...	...	0	...	,,	30.04	763.0	...	...	...	0	...
Oshima,	,,	30.10	764.5	...	...	...	0	...	,,	30.02	762.5	...	...	...	0	...
Naha,	,,	30.04	763.0	...	...	E	1	...	,,	29.98	761.5	...	...	...	0	...
Ishigakijima,	,,	30.02	762.5	...	...	ESE	1	...	,,	29.96	761.0	...	...	...	0	...
Bonin Island,	,,	30.10	764.5	...	...	E	1	...	,,	30.04	763.0	...	...	...	0	...
Chefoo,	15	29.97	761.3	54	6	NW	4	o	6	30.28	769.0	43	6	N	8	c
Shanghai,	14	29.99	761.8	70	6	SW	2	o	,,	30.04	763.1	61	4	N	2	r
Gutzlaff,	,,	30.06	763.5	63	1	S	2	f	,,	30.07	763.8	59	1	N	4	f
Wenchow,	,,	...	...	...	...	...	...	...	6	30.07	763.7	64	...	...	0	r
Foochow,	,,	29.98	761.5	69	8	...	0	bc	7	30.00	762.0	68	6	N	2	c
Amoy,	,,	30.04	763.0	76	6	SSE	2	b	6	30.02	762.5	68	4	E	4	o
Swatow,	...	29.98	761.6	75	...	ESE	3	o	,,	...	...	...	...	...	...	...
Taiboku,	11	29.98	761.6	81	...	...	0	c	5	29.95	760.6	68	...	...	0	e
Taichu,	,,	30.02	762.5	79	...	...	0	b	,,	29.97	761.2	68	..	...	0	c
Tainan,	,,	30.00	762.1	81	...	...	0	b	,,	29.94	760.4	67	...	N	2	bc
Koshun,	,,	29.97	761.3	83	...	E	2	bc	,,	29.93	760.1	72	...	N	2	b
Pescadores,	,,	30.01	762.3	76	...	...	0	o	,,	29.95	760.6	72	...	NE	2	bc
Hong Kong,	14	29.92	759.9	72	6	E	3	od	6	29.94	760.5	71	6	E	1	od
Gap Rock,	,,	29.91	759.7	73	8	ENE	4	o	,,	29.94	760.5	73	7	ENE	4	od
Macao,	,,	29.90	759.5	76	4	NE	2	o	,,	29.92	760.0	70	1	NE	2	d
Hoihow,	,,	29.97	761.3	76	...	ENE	4	c	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.88	758.9	79	6	E	4	d	6	29.90	759.5	76	6	NE	2	o
Phulien,	15	29.87	758.8	79	8	S	2	bc	7	29.92	760.0	70	2	NNE	2	f
Tourane,	,,	29.83	757.7	74	8	NNW	2	bc	,,	29.90	759.4	73	8	NW	1	c
Cape St. James,	,,	29.79	756.7	83	8	E	4	b	,,	29.84	758.0	73	7	E	2	bc
Basco,	14	29.85	758.2	85	8	ESE	2	bc	6	29.89	759.3	76	6	NE	2	bc
Aparri,	,,	29.83	757.7	83	6	NE	2	bc	,,	29.87	758.6	74	6	...	0	c
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.78	756.5	76	8	...	0	bc
Manila,	,,	29.79	756.6	81	6	...	0	o	,,	29.83	757.6	74	6	...	0	o
Legaspi,	,,	29.74	755.4	83	6	NNE	4	o	,,	29.80	756.8	79	6	SE	2	o
Calbeyog,	,,	29.72	754.9	74	8	...	0	o	,,	29.80	756.8	76	8	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	..	..	...	...	...
Iloilo,	,,	29.71	754.6	86	8	NE	4	o	,,	29.76	756.0	76	6	NE	4	o
Ceba,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.71	754.6	83	8	...	0	o	,,	29.76	755.8	76	4	...	0	d
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.5	77	...	ESE	3	b
Guam,	12.22	29.76	755.8	...	8	SE	4	o	4.22	29.76	756.0	...	8	...	0	b
Yap,	11.00	29.74	755.4	...	6	SSE	4	bc	5	29.79	756.7	...	6	S	2	r
Pelew,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	77	...	WSW	2	r
Labuan,	12	29.84	757.9	85	6	...	...	bc	6	29.81	757.1	70	4	SE	4	bc

November 25*d.* 11*h.* 00*m.*—An anticyclone of considerable intensity has developed over Mongolia, and the monsoon may be expected to be re-established along the coast and over the northern China Sea during the next twenty four hours.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inch. Total since January 1st, 87.35 inches, against an average of 81.83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong, C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits, E.—North China Sea,	Moderate N.E. winds, freshening considerably; fine at first, cloudy with mist or light rain later; colder.

C. W. JEFFRIES, *—Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	25th November, 1932.								26th November, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.13	765.3	30	...	N	7	f	6	30.27	768.8	18	...	N	8	b
Nemuro,	11	30.00	762.0	...	...	SW	2	...	5	29.78	756.5	...	...	SW	3	...
Hokodate,	,,	29.98	761.5	...	...	SW	2	...	,,	29.78	756.5	...	...	NNW	6	...
Tokio,	,,	30.08	764.0	...	...	N	1	...	,,	29.88	759.0	.	...	...	0	...
Kochi,	,,	30.06	763.5	...	...	...	0	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	30.02	762.5	...	...	ESE	2	...	,,	29.98	761.5	...	...	...	0	...
Kagoshima,	,,	30.00	762.0	...	...	...	0	...	,,	29.94	760.5	...	...	...	0	...
Oshima,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.94	760.5	...	...	...	0	...
Naha,	,,	29.98	761.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.00	762.0	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.00	762.0	...	...	E	1	...	,,	29.93	761.5	...	...	ESE	1	...
Chefoo,	15	30.37	771.3	41	6	N	6	o	6	30.31	769.8	38	8	N	4	b
Shanghai,	14	30.12	765.1	61	6	N	4	o	,,	30.32	770.0	47	6	N	4	o
Gutzlaff,	,,	30.14	765.5	59	4	N	4	o	,,	30.28	769.1	50	4	N	6	o
Wenchow,	,,	...	...	...	...	...	...	...	6	30.26	768.5	54	...	NNE	6	o
Foochow,	,,	29.94	760.5	69	8	NW	2	d	7	30.12	765.3	64	4	NE	4	r
Amoy,	,,	29.98	761.5	76	6	SE	4	c	6	30.06	763.5	65	4	ENE	4	r
Swatow,	,,	29.96	761.1	75	...	E	1	c	,,	...	...	...	...	...	...	...
Taihoku,	11	30.01	762.3	76	...	...	0	o	5	30.04	763.1	67	...	ESE	2	r
Taichu,	,,	30.04	763.0	79	...	...	0	c	,,	29.97	761.3	70	..	...	0	r
Tainan,	,,	...	...	...	...	...	...	...	,,	29.93	760.1	68	...	...	0	h
Koshun,	,,	...	...	...	...	...	...	...	,,	29.92	760.0	74	...	NNE	2	r
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.95	760.6	72	...	NNE	6	r
Hong Kong,	14	29.90	759.4	78	8	E	3	b	6	29.95	760.8	72	8	E	2	c
Gap Rock,	,,	29.92	759.9	74	8	ENE	4	b	,,	29.94	760.5	74	8	ENE	4	c
Macao,	,,	29.89	759.1	81	6	SE	2	bc	,,	29.89	759.3	68	4	NNE	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.87	758.7	79	8	ENE	4	o	6	29.91	759.7	76	8	ENE	4	b
Phulien,	15	29.88	759.0	82	8	SSW	1	c	7	29.95	760.8	72	6	NE	2	o
Tourane,	,,	29.85	758.1	81	8	NNW	2	bo	,,	29.91	759.8	73	8	WNW	1	c
Cape St. James,	,,	29.83	757.6	81	7	E	4	r	,,	29.86	758.4	73	7	NE	2	bc
Basco,	14	29.83	757.8	83	8	...	0	bo	6	29.88	758.8	76	6	NE	4	bo
Aparri,	,,	29.78	756.5	83	6	E	2	o	,,	29.84	758.0	74	6	...	0	bc
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.3	85	8	WSW	2	bo	,,	29.78	756.4	76	...	...	0	bo
Manila,	,,	29.73	755.2	86	8	...	0	o	,,	29.78	756.4	72	6	...	0	..
Legaspi,	,,	29.71	754.7	77	8	NE	2	o	,,	29.73	755.2	79	6	...	0	o
Calboyog,	,,	29.69	754.2	86	8	NNE	4	o	,,	29.73	755.0	76	8	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	..	...	..	..	...	...	...
Iloilo,	,,	29.76	755.9	86	8	NE	4	o	,,	29.72	754.9	76	4	...	0	o
Cebu,	,,	..	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.67	753.5	85	8	N	4	o	,,	29.66	753.3	76	6	WSW	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	76	...	ENE	2	b
Guam,	12.22	29.74	755.3	...	8	ENE	2	bc	4.22	29.77	756.1	...	8	...	0	b
Yap,	13.00	29.76	755.8	...	6	E	4	bc	5	29.79	756.7	...	8	NE	2	b
Pelew,	,,	...	...	..	...	...	...	...	,,	29.77	756.2	78	...	SSW	1	bc
Laiuan,	14	29.86	758.4	76	...	NW	...	o	6	29.92	760.0	74	...	SW	...	bc

November 26*d.* 10*h.* 30*m.*—The anticyclone has extended eastward and covers N. China and South Manchuria. A depression is crossing Hokkaido and a depression or typhoon is moving to the north of Mindanao on a W.N.W. track.

Fresh monsoon will prevail along the coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.35 inches, against an average of 81.86 inches.

Manila warning. 26*d.* 8*h.* 15*m.*:—Typhoon in Lat. 10° N. Long. 127° E. moving W.N.W. Recd 26*d.* 9*h.* 00*m.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, fresh to strong.
B.—Turnabout to Hong Kong,	N.E. winds, fresh; cloudy, some drizzle.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	26TH NOVEMBER, 1932.								27TH NOVEMBER, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer. at Sea Level. Inches.	Barometer. at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.30	759.7	23	...	NE	7	b	6	30.37	771.3	10	...	N	5	b
Nemuro,	11	29.57	751.0	...	...	NE	4	...	5	30.12	765.0	..	...	NE	2	...
Hokodate,	,,	29.88	759.0	...	...	NW	3	...	,,	30.12	765.0	...	...	NNW	3	...
Tokio,	,,	29.78	756.5	...	...	...	0	...	,,	30.02	762.5	...	...	N	1	...
Kochi,	,,	29.86	758.5	...	...	NW	1	...	,,	29.94	760.5	...	...	SW	1	...
Nagasaki,	,,	29.98	761.5	...	...	N	1	...	,,	30.02	762.5	...	...	N	1	...
Kagoshima,	,,	29.92	760.0	...	...	NW	1	...	,,	30.00	762.0	...	...	...	0	...
Oshima,	,,	29.96	761.0	...	...	NNW	2	...	,,	29.98	761.5	...	...	NNW	1	...
Naha,	,,	29.98	761.5	...	...	N	5	...	,,	30.00	762.0	...	...	NE	2	...
Ishigakijima,	,,	29.98	761.5	...	...	ENE	2	...	,,	29.98	761.5	...	...	NE	1	...
Bonin Island,	,,	29.90	759.5	...	...	ESE	1	...	,,	29.86	758.5	...	...	...	...	...
Chefoo,	15	30.26	768.6	43	8	NNW	4	bc	6	30.19	766.7	36	6	SSW	2	b
Shanghai,	14	30.30	769.6	50	6	N	4	c	,,	30.24	768.0	41	6	NNW	2	c
Gutzlaff,	,,	30.29	769.3	52	4	N	6	c	,,	30.29	769.3	49	6	N	4	bc
Wenchow,	,,	...	...	...	..	..	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.06	763.2	63	6	ENE	4	c	7	30.11	764.8	60	6	NE	2	c
Amoy,	,,	30.08	764.0	67	6	ENE	4	c	6	30.06	763.5	59	4	ENE	4	c
Swatow,	,,	30.03	762.7	68	...	NE	3	c	,,	...	...	...	...	...	...	...
Tiloku,	11	30.10	764.6	67	...	ESE	4	c	5	30.05	763.2	63	...	E	4	c
Taichu,	,,	29.98	761.4	74	...	N	4	c	,,	29.93	760.2	65	...	...	0	c
Tainan,	,,	29.9	760.8	79	...	N	2	b	,,	29.93	760.3	63	...	N	2	c
Koshun,	,,	29.92	760.0	79	...	NE	4	bc	,,	29.90	759.4	72	...	NE	6	b
Pescadores,	,,	30.00	761.9	70	...	NE	6	c	,,	29.98	761.4	67	...	NNE	6	c
Hong Kong,	14	29.93	760.2	72	6	E	3	c	6	29.97	761.2	67	6	E	4	c
Gap Rock,	,,	29.93	760.2	74	8	ENE	4	c	,,	29.96	761.0	73	7	ENE	5	c
Macao,	,,	29.91	759.8	67	4	NNE	2	c	,,	29.95	760.6	61	1	N	2	c
Bonhow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cratus Island,	,,	29.89	759.3	77	8	NE	6	c	6	29.91	759.8	72	6	NE	8	d
Phulien,	15	29.88	759.0	74	8	ENE	6	c	7	29.87	758.6	66	6	ENE	4	d
Tourane,	,,	29.84	757.9	77	8	NW	2	b	,,	29.86	758.3	...	7	WSW	2	c
Cape St. James,	,,	29.82	757.3	83	8	SSW	2	bc	,,	29.81	757.2	75	7	W	1	c
Iloilo,	14	29.82	757.4	81	8	NE	4	bc	6	29.82	757.4	76	6	NE	2	bc
Aparri,	,,	29.78	756.3	83	6	NE	4	c	,,	29.78	756.4	76	6	NE	2	c
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	753.8	86	8	WNW	4	bc	,,	29.69	754.0	76	8	...	0	b
Manila,	,,	29.71	754.6	86	8	NE	2	c	,,	29.69	754.1	76	6	...	0	c
Legaspi,	,,	29.66	753.4	81	6	N	4	c	,,	29.50	749.4	77	4	E	4	c
Calbayog,	,,	29.64	752.8	77	8	...	0	c	,,	29.64	752.8	79	8	SE	10	p
Tacloban,	,,	..	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Iloilo,	,,	29.66	753.4	83	8	E	2	c	,,	29.65	753.1	77	4	S	4	c
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.61	752.2	76	1	W	4	r	,,	29.69	754.2	76	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.72	754.9	...	8	N	4	b	4.22	29.77	756.1	....	8	SE	4	bc
Yap,	11.00	29.76	755.9	...	8	E	4	b	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.84	757.9	85	...	...	...	bc	6	...	...	...	...	...	...	...

November 27*d*. 10*h*. 09*m*.—The anticyclone has moved north-eastwards, pressure now being highest over South Manchuria.

The depression or typhoon is situated about 150 miles south-east of Manila, moving N.W. or W.N.W.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.35 inches, against an average of 84.89 inches.

Manila warning, 27*d*. 9*h*. 00*m*.:- Typhoon S.E. of Manila over or near southern Luzon moving W.N.W. or N.W. Recd. 27*d*. 9*h*. 45*m*.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. and N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy.
D.—Hong Kong to Bunsa Straits,	
E.—North China Sea,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	28th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.28	769.0	18	...	N	5	b	6	30.01	762.1	16	...	N	5	s
Nemuro,	11	30.16	766.0	...	...	ENE	2	...	5	30.12	765.0	...	...	ESE	1	..
Hokodate,	,,	30.10	764.5	...	...	NNW	1	...	,,	29.88	759.0	...	...	S	4	...
Tokio,	,,	30.00	762.0	...	...	NNW	1	...	,,	29.94	760.5	...	...	NW	5	...
Kochi,	,,	29.92	760.0	...	...	...	...	...	,,	29.98	761.5	...	...	NW	...	...
Nagasaki,	,,	30.02	762.5	...	...	N	2	...	,,	30.10	764.5	...	..	N	1	...
Kagoshima,	,,	29.96	761.0	...	...	NW	1	...	,,	30.06	763.5	...	...	...	0	...
Oshima,	,,	30.02	762.5	...	...	NNE	1	...	,,	30.04	763.0	...	...	NNW	1	...
Naha,	,,	30.02	762.5	...	...	NNE	4	...	,,	30.02	762.5	...	...	NE	2	...
Ishigakijima,	,,	30.02	762.5	...	...	NNE	2	...	,,	29.98	761.5	...	...	ENE	1	...
Ponin Island,	,,	29.86	758.5	...	...	W	1	...	,,	29.92	760.0	...	...	...	0	...
Chefoo,	15	30.11	764.8	49	6	WSW	4	b	6	30.22	767.6	29	4	WNW	5	c
Shanghai,	14	30.21	767.4	52	6	NW	2	c	,,	30.36	771.0	41	6	NW	2	c
Gutzlaff,	,,	30.25	768.3	50	6	N	2	c	,,	30.32	770.0	45	6	NNW	6	c
Wenchow,	,,	...	...	...	...	...	...	...	6	30.30	769.7	46	...	NE	6	c
Foochow,	,,	30.02	762.5	62	6	N	2	c	7	30.15	765.8	60	6	E	2	c
Amoy,	,,	30.02	762.5	68	6	ENE	4	c	6	30.08	764.0	65	6	ENE	4	c
Swatow,	,,	29.97	761.2	70	...	E	3	b	,,	...	...	...	...	...	...	...
Tailoken,	11	30.02	762.5	70	...	E	4	b	5	30.05	763.2	65	...	E	2	r
Taichu,	,,	29.96	761.0	76	...	N	2	bc	,,	29.99	761.8	67	..	N	2	c
Tainan,	,,	29.96	761.0	81	...	N	2	b	,,	29.94	760.4	65	...	N	2	b
Kodjun,	,,	29.91	759.6	77	...	NE	6	b	,,	29.91	759.8	70	...	...	0	c
Pescadores,	,,	30.02	762.4	72	...	NNE	6	c	,,	29.98	761.5	68	...	ESE	6	r
Hong Kong,	14	29.92	759.9	69	7	E	4	c	6	30.00	762.0	66	7	ENE	1	bc
Gap Rock,	,,	29.92	759.9	74	7	ENE	5	c	,,	29.99	761.7	72	7	NNW	5	c
Macao,	,,	29.91	759.8	65	4	NNW	2	c	,,	29.99	761.8	61	4	N	4	c
Hoihow,	,,	29.99	761.7	72	...	E	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.87	758.6	74	6	NE	6	c	6	29.92	760.0	72	6	NNE	6	c
Thuifen,	15	29.87	758.8	72	6	E	2	c	7	30.01	762.2	64	7	NE	6	c
Tourane,	,,	29.82	757.4	77	8	...	c	c	,,	29.90	759.5	73	7	NW	1	r
Cape St. James,	,,	29.80	757.0	85	8	S	2	b	,,	29.86	758.5	77	7	SW	1	c
Bingo,	14	29.80	757.0	77	8	NNE	4	bc	6	...	...	...	...	...	...	...
Aparri,	,,	29.76	755.8	76	6	ENE	4	p	,,	...	...	...	...	...	...	...
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.64	752.8	77	8	NNW	2	o
Manila,	,,	29.64	752.4	83	8	NNE	4	o	,,	29.67	753.5	76	6	SW	4	r
Legaspi,	,,	29.61	752.2	77	6	S	4	o	,,	29.76	755.8	76	6	...	0	o
Calbayog,	,,	...	...	...	..	...	...	...	,,	29.79	756.7	74	8	...	0	c
Tacloban,	,,	29.67	753.7	83	8	SE	2	o	,,	...	...	...	..	...	...	...
Iloilo,	,,	29.66	753.3	81	6	S	4	bc	,,	29.78	756.4	76	4	S	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.67	753.5	88	8	E	2	b	,,	29.78	756.4	77	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.72	754.9	...	8	ENE	4	b	4.22	29.76	756.0	...	8	...	0	b
Yap,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.85	758.3	65	...	SW	...	r	6	29.88	759.0	72	...	S	...	o

November 28*d.* 10*h.* 48*m.*—The anticyclone over N. China has increased in intensity; a depression is situated in the northern part of the Sea of Japan.

The typhoon is probably situated about 200 miles north-east of Manila, moving northward.

Fresh monsoon will prevail along the coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 57.35 inches, against an average of 81.92 inches.

Manila warning, 28*d.* 8*h.* 30*m.*:- Typhoon N.E. of Manila inclining northward. Recd. 28*d.* 9*h.* 40*m.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N. and N.E. winds, fresh.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, fresh; fine.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station	28th NOVEMBER, 1932. Hong Kong Standard Time	Barometer at Sea Level: Inches.	Barometer at Sea Level: Millimetres.	Temperature	Visibility	Wind: Direction.	Wind: Force. (Beaufort.)	Weather. (Beaufort.)	29th NOVEMBER, 1932. Hong Kong Standard Time	Barometer at Sea Level: Inches.	Barometer at Sea Level: Millimetres.	Temperature	Visibility	Wind: Direction.	Wind: Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.96	761.0	...	...	E	1	...	5	29.69	754.0	...	...	ESE	3	..
Hokodate,	,,	29.80	757.0	...	...	...	0	...	,,	29.57	751.0	...	...	NW	2	...
Tokio,	,,	29.84	758.0	...	...	N	1	...	,,	29.86	758.5	...	...	N	1	...
Kochi,	,,	29.94	760.5	...	...	W	1	...	,,	30.14	765.5	...	...	...	0	...
Nagasaki,	,,	30.12	765.0	...	...	N	1	...	,,	30.22	767.5	...	..	NNW	1	...
Kagoshima,	,,	30.08	764.0	...	...	NNW	2	...	,,	30.16	766.0	...	...	...	0	...
Oshima,	,,	30.06	763.5	...	...	N	4	...	,,	30.10	764.5	...	...	...	0	...
Naha,	,,	30.06	763.5	...	...	NNE	3	...	,,	30.02	762.5	...	...	NNE	2	...
Ishigakijima,	,,	29.96	761.0	...	...	E	3	...	,,	29.96	761.0	...	...	NE	2	...
Ponin Island,	,,	29.90	759.5	...	...	...	0	...	,,	30.00	762.0	...	...	NNW	1	...
Chefoo,	15	30.28	769.2	40	8	NW	6	bc	6	30.21	767.3	35	6	SW	2	b
Shanghai,	14	30.33	770.5	54	8	NNW	2	10	,,	30.15	770.8	38	6	N	2	b
Gutzlaff,	,,	30.37	771.4	52	4	NNW	6	bc	,,	30.37	771.4	45	4	NNW	4	bc
Wenchow,	,,	...	...	...	..	...	...	...	6	..	...	...	...	...	...	...
Foochow,	,,	30.09	764.3	60	6	ENE	4	o	7	30.13	765.3	56	6	N	2	c
Amoy,	,,	30.09	764.3	67	6	ENE	4	o	6	30.10	764.5	59	6	NNE	4	o
Swatow,	,,	30.04	763.1	64	...	N	3	o	,,	...	...	...	...	...	...	...
Tai-pokun,	11	30.13	765.3	67	...	E	4	o	5	30.06	763.6	59	...	E	4	r
Taichu,	,,	29.98	761.6	72	...	N	4	b	,,	29.95	760.6	61	..	...	0	d
Tainan,	,,	29.93	760.2	76	...	N	4	b	,,	29.91	759.8	61	...	N	4	o
Koshun,	,,	29.92	760.0	77	...	NE	4	o	,,	29.86	758.3	70	...	NE	6	o
Pescadores,	,,	30.00	762.1	68	...	NNE	6	o	,,	29.95	760.8	70	...	NNE	6	o
Hong Kong,	14	29.94	760.5	73	8	N	3	b	6	30.07	763.8	55	7	N	1	bc
Gap Rock,	,,	29.97	761.0	72	8	NW	5	b	,,	30.05	763.2	70	8	NNW	4	b
Macao,	,,	29.96	760.8	65	6	NNE	4	b	,,	30.05	763.2	50	6	N	4	bc
Hoihow,	,,	30.06	763.6	65	...	NE	4	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.89	759.1	72	6	NE	8	o	6	29.97	761.2	68	6	NE	8	r
Phulien,	15	30.03	762.8	67	8	SSW	2	c	7	30.13	765.3	55	8	NE	3	c
Touraine,	,,	29.87	758.8	77	8	ENE	2	o	,,	29.99	761.6	72	2	NE	2	df
Cape St. James,	,,	29.84	758.0	85	8	SW	2	bc	,,	29.88	758.9	77	7	SW	1	c
Basco,	14	29.77	756.1	72	6	NNE	2	o	6	29.78	756.5	72	4	NE	4	o
Aparri,	,,	29.67	754.0	77	6	NE	4	d	,,	29.76	756.0	74	4	N	4	d
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.59	751.6	83	8	WSW	2	o	,,	29.73	755.2	74	4	E	2	r
Manila,	,,	29.70	754.4	77	6	SW	2	r	,,	29.76	755.9	74	6	...	0	o
Legaspi,	,,	29.71	754.6	83	6	SSW	4	o	,,	29.79	756.6	76	8	...	0	b
Calboyog,	,,	29.73	755.2	86	8	SW	4	bc	,,	29.81	757.2	76	8	...	0	bc
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	..	..	...	...	...
Iloilo,	,,	29.72	754.9	86	8	SW	4	o	,,	29.80	757.0	77	6	SW	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.72	754.8	86	8	...	0	bc	,,	29.80	757.0	76	4	...	0	d
Saipan,	11.00	...	...	...	...	...	...	...	5	29.89	759.2	78	....	E	2	bc
Guam,	12.22	29.66	753.3	...	8	ESE	4	b	4.22	29.82	757.3	...	8	NNE	2	b
Yap,	11.00	29.75	755.6	...	8	NE	4	bc	5	29.86	758.4	...	4	N	2	bc
Palau,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	11	29.94	760.4	83	...	...	...	bc	6	29.90	759.5	74	4	S	2	b

November 29*d*. 10*h*, 38*m* – The anticyclone remains stationary over N. China and a depression is passing into the Pacific to the south of Hokkaido. The position of the typhoon is uncertain; it is probably situated to the east of N. Luzon, moving northward

Fresh to strong monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.35 inches, against an average of 81.95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. and N.E. winds, fresh to strong.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	30th NOVEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.65	753.0	...	...	E	1	...	5	29.76	756.0	...	...	WNW	4	...
Hakodate,	,,	29.74	755.5	...	...	WNW	3	...	,,	29.96	761.0	...	...	WNW	2	...
Tokio,	,,	29.94	760.5	...	...	WNW	1	...	,,	30.10	764.5	...	...	NW	1	...
Kochi,	,,	30.20	767.0	...	...	...	0	...	,,	30.28	769.0	...	...	WSW	1	...
Nagasaki,	,,	30.26	768.5	...	...	NNE	1	...	,,	30.32	770.0	...	...	...	0	...
Kagoshima,	,,	30.20	767.0	...	...	NNW	1	...	,,	30.28	769.0	...	...	NNW	1	...
Oshima,	,,	30.14	765.5	...	...	NE	1	...	,,	30.16	766.0	...	...	NNW	1	...
Naha,	,,	30.04	763.0	...	...	NE	3	...	,,	30.12	765.0	...	...	NNE	3	...
Ishigakijima,	,,	29.98	761.5	...	...	NE	2	...	,,	30.08	764.0	...	...	ENE	2	...
Bonin Island,	,,	30.02	762.5	...	...	NNE	1	...	,,	30.06	763.5	...	...	ENE	1	...
Chefoo,	15	30.20	767.2	50	6	WNW	4	b	6	30.26	768.5	33	4	WNW	2	be
Shanghai,	14	30.31	769.8	56	8	...	0	b	,,	30.36	771.1	31	4	NE	2	b
Gutzlaff,	,,	30.37	771.4	54	6	NNW	2	b	,,	30.39	771.9	47	6	NE	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.09	764.3	58	6	ENE	4	o	7	30.17	766.3	56	8	W	2	b
Amoy,	,,	30.10	764.5	68	6	NNE	4	be	6	30.14	765.5	59	6	NNE	4	be
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	13	30.11	764.9	65	...	E	4	o	5	...	...	...	...	...	...	...
Taichu,	,,	29.98	761.6	70	...	N	4	be	,,	...	...	...	...	...	...	...
Tainan,	,,	29.98	761.4	76	...	N	4	b	,,	...	...	...	...	...	...	...
Koshun,	,,	29.93	760.3	76	...	NNE	4	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.00	762.1	67	...	NNE	6	o	,,	...	...	...	...	...	...	...
Hong Kong,	14	30.00	762.0	69	7	NE	2	be	6	30.09	764.3	64	7	E	3	o
Gap Rock,	,,	30.04	763.0	71	8	NNE	4	o	,,	30.09	764.3	70	8	ENE	4	o
Macao,	,,	30.00	762.0	61	6	NE	4	be	,,	30.08	764.0	56	4	NNE	2	be
Hoihow,	,,	30.13	765.3	67	...	NE	4	o	,,	...	...	...	...	...	...	...
Lamma Island,	,,	29.98	761.4	68	6	NE	6	o	6	30.00	762.0	70	6	NE	6	o
Haitien,	15	30.04	763.0	70	8	SW	2	b	7	30.12	764.9	57	7	ENE	4	be
Tourane,	,,	29.96	761.0	68	6	N	4	o	,,	30.01	762.3	70	7	...	0	o
Cape St. James,	,,	29.86	758.4	81	8	E	2	b	,,	29.88	759.0	73	7	NE	3	be
Banca,	14	29.85	758.2	74	6	NNE	4	d	6	29.93	760.3	72	6	ENE	4	o
Aparri,	,,	29.82	757.4	74	4	NNE	4	d	,,	29.89	759.3	74	6	NE	4	d
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.76	756.0	77	8	N	4	o	,,	29.80	756.8	72	8	...	0	o
Manila,	,,	29.74	755.4	88	8	SE	4	b	,,	29.84	757.9	76	6	...	0	o
Legaspi,	,,	29.74	755.4	91	8	SW	4	b	,,	29.83	757.6	79	8	...	0	b
Cailoyog,	,,	29.70	755.8	88	8	SSW	2	be	,,	29.85	758.2	76	8	N	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	755.8	88	8	SW	4	be	,,	29.83	757.6	74	6	...	0	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	...	...	...	...	...	...	...	,,	29.83	757.6	76	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.5	...	8	NNE	4	be	4.22	29.84	757.8	...	8	NNE	4	r
Yap,	11.00	29.82	757.3	...	8	ENE	4	be	5	29.86	758.4	...	6	...	0	r
Pelew,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Labuan,	14	29.95	760.7	65	6	SW	6	be	6	29.90	759.5	72	4	S	4	b

November 30*d*. 10*h*. 14*m*. The anticyclone has extended eastwards, and now covers N. China and South Japan. Fresh to strong monsoon will continue along the China coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.35 inches, against an average of 81.98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
A.—Shanghai to Turnabout,	N. and N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES, *Director*.

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

DECEMBER,

1932.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONG KONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST, TOGETHER WITH MEAN MONTHLY AND ANNUAL VALUES OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT HONG KONG, AND TYPHOON TRACKS, IN THE YEAR 1932.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES, F.R.A.S.,

DIRECTOR

HONG KONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1933.

[*Price $1.*]

ROYAL OBSERVATORY, HONG KONG.

MONTHLY METEOROLOGICAL BULLETIN.

DECEMBER, 1932.

Introduction.

In this Bulletin an annual summary of the Hong Kong Observations for the year 1932 is given in Tables XI to XVIII, following the usual monthly Tables. They contain mean and extreme values of the principal Meteorological Elements, in British and C.G.S. Units, and of the prevalence of different phenomena for each month, and for the year, together with the normal values. Also five-day means of the principal meteorological elements for the year 1932 and the period 1884-1928.

The readings of the barometer in British Units are *not* reduced to sea-level, or to the gravity at latitude 45°.

In the column headed "Days of rain" only those days have been counted on which the fall amounted to or exceeded 0·01 inch.

The tracks of 21 typhoons which occurred in the Far East during the year 1932 are shown on charts following the five-day means.

C. W. JEFFRIES.

ROYAL OBSERVATORY, HONG KONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

DECEMBER,

1932.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, at 109 feet above MEAN SEA LEVEL, in the MONTH of DECEMBER, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·027	30·017	30·009	30·005	29·999	30·003	30·023	30·045	30·045	30·050	30·037	30·017	1
2	30·032	30·020	30·007	29·999	30·002	30·008	30·003	30·015	30·029	30·032	30·023	30·001	2
3	29·986	29·976	29·974	29·976	29·970	29·980	29·994	30·007	30·016	30·026	29·998	29·982	3
4	29·950	29·940	29·950	29·931	29·926	29·945	29·960	29·983	29·998	30·009	29·990	29·962	4
5	29·947	29·929	29·923	29·927	29·929	29·941	29·959	29·986	29·996	30·012	29·996	29·970	5
6	30·050	30·041	30·029	30·031	30·029	30·037	30·057	30·060	30·072	30·044	30·036	30·046	6
7	30·070	30·061	30·066	30·059	30·060	30·063	30·085	30·117	30·134	30·154	30·143	30·109	7
8	30·168	30·162	30·154	30·152	30·156	30·174	30·195	30·207	30·236	30·257	30·250	30·224	8
9	30·179	30·174	30·174	30·177	30·163	30·193	30·213	30·229	30·239	30·242	30·243	30·220	9
10	30·203	30·183	30·171	30·167	30·171	30·179	30·186	30·193	30·211	30·218	30·216	30·198	10
11	30·158	30·155	30·156	30·153	30·155	30·156	30·158	30·177	30·185	30·184	30·171	30·148	11
12	30·196	30·196	30·198	30·195	30·197	30·211	30·243	30·262	30·275	30·271	30·270	30·250	12
13	30·292	30·287	30·273	30·263	30·262	30·272	30·288	30·316	30·341	30·350	30·331	30·295	13
14	30·271	30·261	30·245	30·239	30·237	30·245	30·251	30·262	30·272	30·285	30·267	30·242	14
15	30·232	30·216	30·194	30·197	30·198	30·208	30·227	30·246	30·255	30·254	30·240	30·220	15
16	30·184	30·180	30·167	30·157	30·157	30·163	30·178	30·191	30·203	30·206	30·194	30·170	16
17	30·114	30·104	30·095	30·086	30·084	30·086	30·091	30·105	30·113	30·120	30·105	30·079	17
18	30·059	30·045	30·032	30·022	30·013	30·013	30·035	30·049	30·063	30·062	30·056	30·037	18
19	29·996	29·984	29·968	29·960	29·946	29·973	29·983	29·994	30·030	30·032	30·034	30·022	19
20	30·046	30·045	30·044	30·047	30·039	30·047	30·078	30·106	30·114	30·130	30·124	30·082	20
21	30·085	30·075	30·064	30·067	30·076	30·095	30·111	30·142	30·167	30·175	30·165	30·135	21
22	30·097	30·100	30·102	30·088	30·088	30·100	30·121	30·138	30·149	30·167	30·164	30·132	22
23	30·075	30·063	30·043	30·035	30·032	30·036	30·043	30·064	30·085	30·095	30·079	30·052	23
24	30·027	30·004	29·996	29·994	29·989	29·972	30·000	30·019	30·032	30·041	30·012	29·982	24
25	29·946	29·942	29·922	29·906	29·904	29·904	29·930	29·936	29·955	29·953	29·944	29·921	25
26	29·914	29·904	29·902	29·898	29·894	29·892	29·920	29·938	29·964	29·958	29·948	29·936	26
27	29·920	29·922	29·906	29·897	29·898	29·890	29·901	29·917	29·936	29·938	29·932	29·904	27
28	29·896	29·898	29·896	29·885	29·881	29·892	29·908	29·926	29·955	29·968	29·954	29·927	28
29	29·981	29·994	29·996	29·998	30·001	30·004	30·012	30·038	30·051	30·059	30·050	30·025	29
30	30·030	30·030	30·026	30·023	30·029	30·037	30·055	30·073	30·086	30·091	30·092	30·067	30
31	30·078	30·071	30·066	30·058	30·058	30·067	30·075	30·091	30·113	30·118	30·117	30·101	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·994	29·974	29·955	29·952	29·967	29·976	29·992	30·000	30·012	30·036	30·034	30·032	1
2	29·970	29·944	29·929	29·925	29·928	29·935	29·948	29·964	29·974	29·990	29·996	29·996	2
3	29·954	29·931	29·921	29·906	29·906	29·901	29·921	29·937	29·949	29·947	29·947	29·955	3
4	29·926	29·908	29·882	29·888	29·899	29·911	29·919	29·945	29·949	29·953	29·951	29·951	4
5	29·941	29·914	29·916	29·926	29·936	29·957	29·985	30·010	30·041	30·048	30·056	30·050	5
6	30·004	29·981	29·971	29·963	29·971	29·996	30·016	30·032	30·062	30·073	30·081	30·075	6
7	30·072	30·051	30·050	30·041	30·068	30·094	30·116	30·138	30·150	30·164	30·168	30·167	7
8	30·196	30·173	30·160	30·161	30·165	30·164	30·174	30·194	30·200	30·205	30·205	30·190	8
9	30·186	30·160	30·148	30·152	30·158	30·166	30·168	30·190	30·201	30·202	30·202	30·208	9
10	30·163	30·141	30·114	30·111	30·109	30·121	30·129	30·135	30·148	30·152	30·157	30·160	10
11	30·110	30·074	30·059	30·057	30·068	30·085	30·108	30·132	30·148	30·166	30·181	30·186	11
12	30·223	30·199	30·192	30·188	30·198	30·215	30·238	30·259	30·267	30·275	30·287	30·290	12
13	30·263	30·232	30·204	30·204	30·212	30·225	30·247	30·265	30·273	30·283	30·284	30·282	13
14	30·205	30·183	30·158	30·159	30·165	30·180	30·203	30·229	30·247	30·258	30·258	30·246	14
15	30·180	30·144	30·132	30·130	30·131	30·146	30·173	30·188	30·199	30·208	30·204	30·191	15
16	30·133	30·106	30·092	30·083	30·090	30·100	30·107	30·127	30·135	30·139	30·138	30·130	16
17	30·052	30·026	30·022	30·036	30·043	30·056	30·070	30·086	30·088	30·090	30·078	30·065	17
18	30·010	29·982	29·976	29·984	30·008	30·027	30·013	30·024	30·032	30·022	30·026	30·026	18
19	30·007	29·997	29·970	29·965	29·974	29·987	30·021	30·049	30·036	30·042	30·045	30·028	19
20	30·042	30·006	29·991	29·999	30·009	30·028	30·041	30·068	30·085	30·091	30·091	30·086	20
21	30·090	30·060	30·046	30·046	30·052	30·049	30·061	30·071	30·085	30·103	30·097	30·098	21
22	30·092	30·060	30·036	30·036	30·036	30·040	30·046	30·049	30·065	30·081	30·081	30·081	22
23	30·025	29·990	29·970	29·972	29·972	29·972	29·975	29·997	30·020	30·036	30·043	30·031	23
24	29·960	29·935	29·926	29·916	29·921	29·929	29·936	29·952	29·958	29·970	29·970	29·958	24
25	29·894	29·870	29·850	29·851	29·860	29·874	29·890	29·898	29·914	29·919	29·925	29·915	25
26	29·898	29·881	29·861	29·858	29·886	29·874	29·881	29·893	29·905	29·916	29·922	29·922	26
27	29·874	29·856	29·840	29·834	29·838	29·843	29·860	29·865	29·875	29·882	29·892	29·892	27
28	29·897	29·876	29·874	29·875	29·886	29·891	29·899	29·911	29·934	29·948	29·953	29·967	28
29	29·992	29·966	29·956	29·954	29·962	29·986	29·998	30·010	30·026	30·033	30·048	30·041	29
30	30·037	30·009	29·999	29·997	30·013	30·019	30·037	30·051	30·059	30·070	30·077	30·079	30
31	30·077	30·055	30·027	30·040	30·043	30·051	30·060	30·078	30·098	30·100	30·106	30·115	31

TABLE II.—Temperature of the Air at every Hour of the Day, at 108 feet above Mean Sea Level, in the Month of December, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	65·5	65·2	65·3	64·8	65·2	64·4	64·0	63·6	65·5	67·0	67·1	66·6	1
2	64·2	63·7	63·9	64·2	64·9	65·3	65·6	66·3	67·1	68·7	69·7	71·2	2
3	68·3	68·6	68·6	68·5	68·1	67·9	67·8	67·9	69·2	70·6	72·5	72·6	3
4	68·8	68·8	69·1	68·7	68·6	68·7	67·7	67·9	69·7	69·8	72·0	73·7	4
5	68·5	68·4	68·4	68·2	68·1	67·8	65·9	66·3	66·7	67·8	69·1	67·9	5
6	58·4	56·9	56·3	55·9	55·7	55·0	55·3	57·0	59·6	60·2	61·2	62·5	6
7	50·7	49·7	49·7	49·0	47·3	47·7	47·5	49·0	51·5	54·1	56·6	57·7	7
8	50·2	49·6	49·3	49·0	49·2	48·9	47·9	50·3	53·0	55·8	57·2	59·0	8
9	55·4	54·8	54·0	54·3	55·3	54·6	54·0	56·9	57·8	58·9	59·0	58·7	9
10	59·5	59·1	58·2	57·9	58·0	58·1	58·0	60·9	62·7	63·3	63·9	65·3	10
11	61·4	61·4	61·1	61·0	60·9	60·6	60·7	62·0	65·4	67·6	69·0	71·5	11
12	63·8	63·0	62·2	60·9	59·5	57·0	56·5	57·0	58·7	62·0	64·1	64·9	12
13	54·6	55·0	55·0	53·7	53·3	52·4	50·2	52·5	55·8	56·0	59·9	60·2	13
14	53·5	53·7	53·1	52·2	51·8	51·9	51·2	54·0	55·3	58·0	60·8	62·7	14
15	55·9	55·9	55·6	55·0	54·0	53·7	53·1	54·0	58·0	62·1	63·2	64·7	15
16	56·6	55·4	54·4	53·7	53·0	52·8	52·6	53·5	57·1	60·7	62·1	63·6	16
17	60·1	59·7	59·4	59·2	59·0	58·8	58·8	59·2	61·0	61·8	63·3	65·5	17
18	63·0	62·9	62·9	63·7	63·9	63·8	63·5	64·0	65·0	65·2	66·6	66·8	18
19	62·7	63·0	64·0	63·7	63·4	63·1	62·7	61·5	60·1	59·0	59·1	59·6	19
20	62·9	63·3	63·4	63·3	63·9	62·9	63·2	63·7	64·0	66·4	66·6	67·3	20
21	62·1	61·9	61·6	61·8	61·0	61·3	61·3	61·1	61·3	61·6	62·0	63·0	21
22	62·4	62·3	62·0	61·6	61·6	61·6	61·5	61·7	62·8	64·2	64·9	64·9	22
23	62·7	62·6	62·8	63·0	62·9	63·8	63·5	62·9	62·9	62·6	62·8	63·7	23
24	62·8	62·6	62·3	62·0	62·0	62·7	61·5	63·0	67·7	67·6	99·4	70·8	24
25	65·2	65·7	66·3	66·0	66·4	67·8	68·0	68·4	71·0	71·6	75·7	76·1	25
26	66·0	66·1	66·2	67·0	67·1	67·1	67·2	66·8	65·9	67·6	68·4	68·5	26
27	65·0	64·0	63·5	63·8	63·8	64·0	63·7	63·7	64·0	65·3	66·0	67·0	27
28	64·4	65·0	65·1	65·0	65·2	65·3	65·3	65·8	67·8	68·9	69·2	70·0	28
29	61·0	60·7	60·8	60·7	59·4	59·4	59·2	58·4	60·0	62·0	65·8	67·2	29
30	55·2	55·0	56·0	55·8	55·8	55·6	56·0	56·8	59·0	60·1	61·3	61·9	30
31	60·6	60·2	60·2	60·1	59·3	59·0	59·2	59·5	63·3	63·0	63·8	64·0	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	68·5	67·5	66·4	66·0	64·8	64·5	64·5	64·0	63·7	63·9	63·9	63·8	1
2	73·0	72·8	73·0	72·3	70·7	69·3	69·0	68·7	68·8	68·8	68·8	68·1	2
3	73·2	73·3	71·6	70·6	70·2	69·6	69·1	68·7	68·7	68·6	68·8	68·7	3
4	72·7	71·7	72·0	70·7	70·5	70·3	70·0	69·9	69·7	69·2	69·1	68·7	4
5	66·9	69·5	69·4	67·1	66·6	65·4	65·1	64·2	62·3	62·2	61·0	59·7	5
6	62·6	62·9	62·8	61·8	60·2	59·1	58·4	57·0	55·3	53·8	52·3	50·7	6
7	59·1	59·9	59·7	59·3	58·2	57·0	56·1	55·0	55·1	53·8	52·6	52·6	7
8	60·4	60·7	59·5	58·4	58·0	56·8	56·5	56·3	54·3	54·1	54·3	56·0	8
9	59·2	59·1	59·0	59·1	59·2	59·4	59·8	60·1	60·3	60·7	60·7	60·3	9
10	65·7	65·2	64·2	63·8	63·6	62·4	61·7	61·0	61·5	61·6	61·6	61·6	10
11	72·2	73·0	72·3	71·3	69·8	67·3	66·9	68·0	68·2	67·5	66·2	65·0	11
12	65·8	66·5	66·1	65·2	64·3	62·1	60·9	59·9	58·2	56·9	56·4	55·0	12
13	60·9	61·3	61·8	61·2	59·7	58·3	57·5	57·1	56·6	56·1	55·0	53·4	13
14	64·9	65·3	64·3	63·8	62·5	60·9	59·3	58·6	59·1	59·0	57·9	56·7	14
15	65·0	65·2	65·1	64·6	64·2	62·5	61·2	60·8	58·9	57·9	56·8	55·3	15
16	64·4	63·4	62·6	61·3	60·0	58·6	58·4	58·6	59·2	59·7	60·6	60·3	16
17	66·0	66·7	66·7	65·0	64·3	63·4	62·5	62·7	62·9	63·2	63·4	63·2	17
18	67·0	68·3	68·2	65·0	64·8	64·9	62·8	62·0	62·2	62·9	62·7	63·3	18
19	59·7	59·0	60·1	59·9	61·1	61·6	61·9	62·1	61·9	61·9	62·1	62·4	19
20	68·5	70·2	69·4	68·9	67·4	66·9	66·7	64·3	64·2	64·1	63·9	62·7	20
21	65·0	64·7	64·5	63·8	63·6	62·9	62·6	62·6	62·6	62·6	62·6	62·6	21
22	66·4	65·8	65·0	64·0	63·6	62·7	62·3	62·3	62·3	62·6	62·7	62·7	22
23	64·0	64·3	64·1	63·9	63·3	62·5	62·3	62·4	62·6	62·5	62·6	62·6	23
24	70·0	69·9	69·8	68·7	67·6	65·2	66·1	65·9	64·8	64·9	65·2	65·6	24
25	76·2	72·3	76·2	74·7	73·1	71·2	68·5	67·8	67·0	66·7	66·7	66·8	25
26	69·1	68·3	69·1	66·8	66·6	66·4	66·2	66·1	65·9	65·8	65·6	65·4	26
27	68·7	66·7	66·6	66·7	66·8	65·0	64·8	64·8	64·6	64·3	64·1	64·2	27
28	69·4	68·7	68·0	67·0	66·0	65·8	65·1	65·7	65·0	63·7	62·8	61·7	28
29	67·5	66·8	65·8	64·8	63·6	61·2	59·8	58·3	57·0	57·1	55·7	55·9	29
30	64·0	63·0	62·1	61·9	60·8	60·1	60·7	60·9	60·8	61·0	61·4	61·0	30
31	63·6	62·8	62·6	62·0	62·4	61·5	60·6	59·7	59·4	59·7	58·5	58·6	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, at 108 feet above MEAN SEA LEVEL, in the MONTH of DECEMBER, 1932.

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	57·1	56·8	56·7	56·8	56·4	56·6	56·8	57·9	59·0	60·0	59·9	59·8	1
2	62·0	61·8	62·1	61·7	61·8	61·8	61·7	62·8	63·1	63·7	64·9	65·2	2
3	64·8	64·6	64·8	65·0	64·7	64·4	64·1	64·4	64·7	65·0	66·0	66·1	3
4	66·3	66·3	66·5	66·0	65·7	65·7	65·5	65·6	65·8	65·8	66·0	66·6	4
5	65·3	65·2	65·1	64·9	64·8	65·3	64·0	63·5	62·8	62·8	63·8	61·8	5
6	50·6	49·2	48·7	48·5	48·3	47·0	47·3	47·8	48·9	49·0	49·5	48·6	6
7	40·0	38·7	38·0	37·5	37·6	36·7	36·8	37·1	38·7	40·0	40·9	42·2	7
8	39·7	39·4	38·9	38·8	38·9	39·2	39·5	41·6	43·8	44·6	45·4	46·4	8
9	46·9	46·1	45·5	45·6	46·6	46·6	46·4	48·3	48·8	50·2	51·0	51·2	9
10	55·0	55·2	54·3	52·9	51·5	52·1	52·0	53·9	56·6	56·6	57·2	58·0	10
11	59·5	59·5	59·3	59·2	59·1	59·1	59·3	60·0	62·2	62·0	61·6	61·4	11
12	55·4	54·2	52·4	51·4	50·2	49·1	47·8	47·6	49·5	50·6	51·9	52·0	12
13	44·6	44·5	44·6	43·6	43·0	41·8	40·9	42·0	44·7	44·6	47·3	47·7	13
14	44·4	45·3	43·5	43·4	43·7	43·3	43·5	44·3	45·5	45·6	48·6	49·8	14
15	44·3	44·3	43·6	43·0	42·6	42·8	42·5	43·5	46·0	49·0	48·6	49·1	15
16	45·1	43·9	43·3	42·6	42·0	41·9	42·4	42·6	45·7	46·7	47·6	48·3	16
17	53·9	53·6	53·4	53·2	53·0	52·7	52·5	52·7	50·8	51·0	53·6	55·5	17
18	57·6	57·3	56·9	57·3	57·6	57·0	57·0	57·2	57·6	57·6	58·5	58·7	18
19	61·4	61·5	60·6	61·0	61·6	61·5	61·6	60·3	59·5	57·9	58·4	59·1	19
20	61·8	61·9	61·7	61·9	61·8	60·6	60·4	60·6	61·3	62·6	62·0	62·2	20
21	59·8	60·1	60·1	60·3	60·2	60·3	60·3	59·6	60·3	59·6	60·0	60·3	21
22	61·1	60·6	60·5	60·2	60·2	60·1	60·1	60·2	60·1	61·2	61·4	61·1	22
23	60·2	60·0	59·9	59·8	59·7	60·0	60·2	59·5	59·5	59·1	59·6	60·0	23
24	60·6	60·6	60·5	60·6	60·4	60·6	61·0	61·2	63·4	63·3	64·4	63·9	24
25	61·8	62·4	62·8	62·8	62·8	63·8	63·9	64·0	65·7	65·9	67·7	68·0	25
26	62·1	62·2	61·8	62·0	62·0	62·4	62·2	63·2	63·2	64·5	64·7	64·0	26
27	63·0	62·6	62·4	62·6	62·6	62·7	62·6	62·6	63·0	63·9	64·2	64·7	27
28	63·3	63·7	63·6	63·7	63·8	63·8	63·8	64·0	65·8	66·3	66·2	66·4	28
29	58·0	56·6	56·5	56·4	54·3	54·4	54·1	53·0	57·0	57·4	59·6	59·7	29
30	51·9	51·6	52·3	52·0	52·0	51·9	52·3	52·9	55·0	55·6	56·1	56·7	30
31	56·6	56·9	56·9	56·6	56·2	56·0	56·0	55·9	58·1	57·6	57·8	58·2	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·0	62·1	61·2	61·1	61·7	61·7	61·7	62·0	61·8	62·4	62·4	62·3	1
2	66·0	65·6	65·2	64·6	63·8	63·8	64·0	64·2	64·4	64·5	64·7	64·6	2
3	65·6	65·7	65·2	65·1	65·0	65·6	65·6	65·6	65·6	65·4	65·7	66·0	3
4	66·6	66·0	66·3	65·8	65·6	65·5	65·4	65·9	65·8	65·6	65·4	65·4	4
5	60·4	62·0	61·9	59·6	59·6	58·0	56·8	56·2	55·3	53·8	53·0	51·8	5
6	48·5	49·0	48·9	48·8	48·0	47·4	46·8	45·5	44·1	42·4	41·0	40·5	6
7	43·8	44·5	43·8	42·6	44·2	42·4	42·8	42·2	42·1	41·5	41·0	40·1	7
8	47·2	47·3	47·0	46·5	46·5	46·0	46·2	46·1	43·6	43·6	44·5	47·6	8
9	52·3	52·4	52·7	52·8	53·0	53·3	53·7	54·4	54·9	54·9	55·3	55·3	9
10	58·0	58·4	58·0	58·0	58·4	58·2	58·3	58·5	58·9	59·0	59·5	59·6	10
11	59·2	62·0	61·2	60·5	60·0	59·8	59·6	59·2	58·5	57·4	57·2	56·6	11
12	52·5	52·7	51·0	50·8	50·1	49·6	48·7	48·0	46·6	45·8	45·8	45·4	12
13	47·7	48·3	49·3	50·4	47·7	47·3	47·0	45·7	45·6	45·0	45·4	44·2	13
14	51·4	51·3	49·4	51·5	49·0	49·1	48·1	47·6	47·6	46·3	45·9	45·1	14
15	49·2	49·4	48·6	48·6	48·7	47·2	47·6	46·8	45·8	46·3	44·7	44·0	15
16	48·9	49·7	50·5	51·0	50·8	50·3	50·2	50·9	52·6	53·7	54·1	54·0	16
17	56·6	57·0	56·9	56·5	55·6	56·3	56·6	57·5	57·9	58·0	57·8	58·4	17
18	58·7	59·4	60·0	58·8	59·0	59·4	60·3	60·6	60·6	60·6	60·9	61·5	18
19	58·9	58·6	59·6	59·7	60·6	61·1	61·3	61·6	61·3	61·3	61·6	61·9	19
20	63·0	62·8	62·4	62·2	61·4	61·3	61·1	61·0	60·9	60·8	60·7	59·8	20
21	60·8	60·8	60·7	60·6	60·4	60·4	60·6	60·8	60·9	60·9	61·2	61·2	21
22	62·3	61·9	61·6	60·8	60·6	60·4	60·1	60·2	60·2	60·3	60·3	60·2	22
23	60·5	60·6	60·6	60·6	60·6	61·0	60·5	60·5	60·4	60·3	60·4	60·2	23
24	63·4	63·2	63·3	62·1	61·7	62·0	62·1	62·6	62·0	61·6	61·6	61·7	24
25	68·0	69·3	68·6	67·7	66·8	65·0	64·0	63·8	63·6	63·3	62·8	63·0	25
26	64·1	63·9	64·1	63·7	63·6	63·5	63·4	63·3	63·2	63·1	63·0	62·8	26
27	65·0	64·7	64·8	64·9	65·0	63·6	63·7	63·7	63·6	63·3	63·1	63·2	27
28	65·8	65·3	65·1	63·7	63·7	61·9	61·2	61·8	61·2	60·8	58·8	58·5	28
29	60·0	58·9	58·8	58·2	56·6	55·8	54·5	54·0	52·9	53·0	52·8	52·2	29
30	57·8	57·0	57·1	57·5	57·0	56·7	57·2	56·9	56·8	56·6	56·8	56·7	30
31	58·4	58·2	57·6	57·4	57·6	57·0	56·8	56·5	56·9	57·1	55·1	55·1	31

TABLE IV — AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of DECEMBER, 1932.
(... = Clear Sky.)

Days of the Month.	Hours, Hong Kong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	9	10	10	10	10	8	7	5	5	7	6	8	6	4	9	10	10	10	2
3	10	10	10	10	10	10	10	9	9	7	6	9	8	9	9	9	9	9	7	7	8	10	10	10	3
4	10	9	10	10	10	10	9	10	9	9	8	7	9	9	9	9	8	10	8	10	10	9	9	9	4
5	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	9	8	6	5
6	2	8	8	6	4	...	...	...	...	...	...	..	...	1	1	1	1	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	1	...	1	1	1	2	3	2	2	1	1	2	4	7	5	7	9
10	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	3	10
11	1	1	4	5	2	2	2	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	2	1	...	1	2	2	2	1	1	1	1	1	1	1	1	...	...	...	12
13	8	10	9	5	6	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	1	1	1	1	2	1	...	...	...	1	...	...	1	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	1	2	2	2	1	1	2	2	2	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	1	...	...	...	4	6	8	9	16
17	8	9	9	9	9	9	8	8	9	10	10	8	6	2	8	10	8	8	8	9	9	9	10	10	17
18	8	8	9	10	10	10	10	10	10	9	10	9	9	9	9	9	10	10	10	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	9	10	10	9	10	8	8	8	7	8	4	8	10	10	10	10	10	9	20
21	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	9	10	10	10	10	21
22	10	10	10	10	10	9	10	10	9	9	10	10	9	5	1	1	1	1	...	...	2	10	10	10	22
23	10	10	10	9	10	10	10	10	10	10	10	10	10	10	9	9	8	7	4	5	4	3	4	9	23
24	10	10	10	10	10	10	10	9	3	9	9	8	8	9	9	8	8	9	9	9	3	10	10	10	24
25	10	10	10	10	10	10	10	9	9	8	6	5	7	5	3	4	1	..	...	...	...	...	...	...	25
26	...	..	...	10	10	10	10	9	9	9	7	7	9	10	9	10	10	10	10	10	10	10	10	8	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	8	8	4	7	10	27
28	10	10	10	10	10	10	10	9	9	8	3	8	8	8	10	8	8	10	10	10	10	6	5	6	28
29	9	10	10	10	10	10	10	8	5	4	1	...	...	...	...	...	...	...	...	...	...	...	.	...	29
30	2	8	10	10	10	10	10	10	10	6	6	9	8	5	5	3	8	10	10	10	10	10	10	10	30
31	10	10	10	10	10	10	10	5	6	8	9	9	9	6	4	4	5	5	2	...	8	9	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of DECEMBER, 1932.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hong Kong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1		...	...	...	0·2	...	0·1	...	0·1	...	...	...		1
2		...	...	...	...	0·1	0·3	1·0	0·6	0·6	0·6	...		2
3		...	0·1	0·2	0·7	0·7	0·5	0·5	0·2	0·2	...	...		3
4		...	0·1	0·2	0·4	0·9	0·3	...	0·2	...	...	...		4
5		...	...	...	...	0·1	...	...	...	...	...	...		5
6		0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		6
7		0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		7
8		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7		8
9		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5		9
10		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		10
11		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		11
12		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5		12
13		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2		13
14		0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4		14
15		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		15
16		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		16
17		...	...	...	...	...	0·7	1·0	1·0	0·2	...	...		17
18		...	...	...	...	...	...	...	0·1	...	...	..		18
19		...	...	...	...	...	...	...	...	...	...	...		19
20		...	...	...	0·5	0·2	0·7	1·0	0·5	0·1	0·4	0·1		20
21		...	...	...	...	...	0·5	...	...	...	...	...		21
22		0·1	...	0·1	...	...	...	0·8	1·0	1·0	1·0	0·5		22
23		...	...	...	...	...	...	...	...	0·6	0·3	0·1		23
24		...	0·9	0·4	0·4	0·2	0·3	...	...	...	0·3	...		24
25		...	...	0·1	0·7	0·8	1·0	1·0	1·0	1·0	1·0	0·3		25
26		...	...	0·1	0·8	0·6	0·4	...	0·3	...	...	...		26
27		...	...	...	...	...	...	...	...	...	0·2	...		27
28		...	...	0·5	0·3	0·9	0·2	...	...	0·2	0·5	...		28
29		...	0·7	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7		29
30		...	...	...	0·1	...	0·2	1·0	0·9	1·0	0·3	...		30
31		0·1	1·0	0·6	0·1	0·2	0·1	0·9	1·0	1·0	0·6	0·1		31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of DECEMBER, 1932.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hong Kong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	..	...	...	...	d	0·005	d	...	...	d	...	1
2	0·010	0·010	0·005	d	d	d	...	...	...	...	...	...	2
3	...	...	...	...	d	d	d	...	...	...	...	...	3
4	...	...	d	d	...	...	...	...	...	d	...	...	4
5	...	...	...	...	...	d	0·010	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	0·035	0·010	d	0·020	0·045	0·115	0·095	0·020	0·250	0·550	0·305	0·300	19
20	d	d	0·005	0·010	0·015	d	...	...	...	...	...	...	20
21	...	...	...	...	...	d	d	...	...	...	...	...	21
22	...	...	0·005	d	...	d	d	d	...	...	...	d	22
23	...	...	...	...	...	...	...	...	...	d	d	...	23
24	...	d	...	d	d	...	d	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	d	d	d	...	...	d	d	d	d	d	...	d	27
28	...	...	...	...	...	...	d	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	d	d	d	d	0·020	0·100	0·030	0·040	0·005	d	1
2	...	...	...	...	...	...	...	...	...	...	...	d	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	d	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	d	0·020	0·065	d	0·035	0·040	0·050	0·095	18
19	0·285	0·680	0·350	0·175	0·055	0·040	0·015	0·055	0·065	0·040	0·025	0·010	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	d	...	...	d	d	d	d	26
27	...	d	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, at 148 feet above MEAN SEA LEVEL, in the MONTH of DECEMBER, 1932.
(*The Direction is given in points and the Velocity in miles per hour.*)
(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hong Kong Standard Time.																								Days of the Month.
	1		2		3		4		5		6		7		8		9		10		11		Noon.		
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	3	6	2	9	1	8	2	6	1	7	32	5	8	4	1	5	1	3	2	3	10	11	9	11	1
2	3	2	1	4	5	4	7	4	7	9	6	11	6	15	7	11	7	11	8	13	9	12	10	9	2
3	7	25	7	26	7	26	7	21	7	26	6	23	6	28	6	30	7	25	7	20	8	19	9	17	3
4	6	15	6	14	6	15	7	20	7	17	7	21	6	23	7	21	8	21	8	19	7	20	8	14	4
5	7	25	7	19	7	21	7	23	6	17	4	10	1	16	3	12	2	11	1	15	1	10	1	17	5
6	32	9	32	23	32	17	32	9	32	11	32	10	29	6	32	9	1	14	1	15	31	13	31	21	6
7	26	7	2	7	32	8	3	9	32	9	1	16	32	17	32	19	32	24	1	20	32	24	1	18	7
8	1	18	32	21	1	26	32	27	1	24	1	21	1	18	1	12	32	13	32	12	32	14	1	6	8
9	5	19	5	11	5	17	4	20	4	25	4	15	4	14	6	26	7	31	7	27	7	26	7	27	9
10	6	27	6	27	6	27	7	23	6	14	7	12	6	13	7	18	7	21	8	23	9	21	8	17	10
11	6	11	7	14	3	10	4	12	5	11	5	9	6	10	4	3	8	4	10	10	12	6	1	7	11
12	10	4	8	5	16	5	3	7	2	10	1	22	1	12	32	18	1	16	32	14	32	15	1	18	12
13	32	7	31	6	1	4	3	10	2	15	2	18	2	13	1	10	1	11	1	12	6	10	7	13	13
14	...	1	6	3	1	9	2	7	1	4	2	9	2	4	2	4	1	10	32	11	32	6	1	4	14
15	32	16	32	19	32	20	32	22	32	21	1	15	32	16	32	4	1	4	2	6	32	14	1	13	15
16	3	7	...	1	3	4	3	6	2	6	3	6	3	2	3	4	3	2	5	11	5	11	6	14	16
17	6	15	5	12	6	10	5	10	5	8	5	10	6	6	4	8	6	8	7	18	8	14	10	13	17
18	9	9	9	10	9	9	8	10	7	11	8	16	7	14	7	11	8	15	8	19	9	17	9	20	18
19	6	11	6	2	6	7	9	3	10	3	15	4	...	1	28	6	31	8	32	6	1	7	1	5	19
20	7	23	6	21	7	20	6	13	4	10	32	15	32	14	1	10	2	12	1	12	1	17	1	14	20
21	6	18	6	16	5	11	5	10	6	8	6	10	1	5	4	11	7	11	7	13	7	12	8	13	21
22	7	16	7	18	7	18	7	19	8	19	8	16	8	11	8	9	8	10	10	10	9	11	10	15	22
23	7	15	7	19	7	16	7	19	8	18	8	19	8	24	8	23	7	22	7	26	7	32	8	29	23
24	7	25	7	24	8	22	8	18	9	17	9	15	8	16	9	8	10	4	10	8	10	7	11	9	24
25	10	13	10	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	10	4	10	9	10	14	25
26	9	3	...	1	9	2	...	1	...	1	...	1	9	9	9	9	10	13	10	11	9	20	9	17	26
27	8	15	9	13	9	12	10	9	10	7	10	9	9	8	10	8	11	6	10	9	10	8	10	6	27
28	9	5	...	1	...	...	9	2	...	1	...	...	12	2	18	2	...	1	19	5	23	6	23	6	28
29	31	4	31	7	32	3	30	3	31	6	1	4	1	8	32	7	1	3	32	7	21	6	31	8	29
30	1	3	1	3	...	1	1	6	1	6	1	4	1	3	...	1	9	11	7	16	7	15	8	18	30
31	6	13	6	12	6	14	6	13	2	8	2	6	4	11	5	14	5	14	6	10	7	14	9	13	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	11	12	10	11	10	12	11	10	8	13	9	12	7	12	5	2	...	1	...	...	5	2	...	1	1
2	10	11	10	11	10	12	10	13	10	12	9	14	8	15	6	14	7	15	6	19	7	18	7	19	2
3	7	18	8	18	8	18	8	16	8	17	9	16	8	15	7	12	7	8	6	12	7	13	6	11	3
4	10	16	9	18	9	15	8	18	7	21	6	19	7	25	7	26	7	27	7	25	7	23	7	26	4
5	32	14	32	11	32	11	1	10	32	8	1	9	1	13	1	12	5	3	1	5	9	6	3	6	5
6	31	18	32	13	32	13	32	12	32	12	1	10	1	14	1	13	1	13	1	19	31	17	31	17	6
7	1	20	1	16	1	16	32	18	32	10	32	13	32	10	32	8	1	16	1	12	1	10	1	19	7
8	5	7	9	13	5	10	1	8	1	7	3	5	3	5	3	4	2	5	2	5	3	4	4	11	8
9	7	28	6	31	6	31	6	25	6	26	6	26	7	24	7	25	6	23	6	32	6	25	9		9
10	9	19	9	19	10	16	10	19	10	15	8	11	7	12	6	8	7	12	7	11	6	9	7	14	10
11	32	12	32	5	22	4	25	4	28	4	29	3	...	...	2	5	2	8	6	4	6	6	6	4	11
12	32	15	32	17	32	17	32	15	32	13	1	7	1	18	1	23	1	22	1	20	1	14	32	10	12
13	10	10	11	8	11	4	16	2	17	4	16	6	3	8	2	7	2	9	2	8	2	7	1	7	13
14	5	5	2	8	32	10	28	5	31	7	1	7	2	5	1	4	2	8	1	12	1	13	32	14	14
15	1	15	32	13	1	14	2	13	1	11	1	10	1	11	1	11	1	7	1	8	1	12	1	14	15
16	9	12	10	15	10	10	10	13	10	14	9	12	7	7	6	5	6	9	6	11	7	17	6	18	16
17	10	17	10	19	10	17	10	14	8	11	10	13	9	12	9	8	9	10	8	8	10	10	8	8	17
18	9	17	9	14	9	12	9	15	9	8	8	4	9	8	11	10	10	12	8	4	10	8	...	...	18
19	31	6	2	5	8	12	8	22	7	24	6	20	7	15	7	17	8	30	7	27	7	28	7	27	19
20	32	14	1	12	2	10	5	4	6	2	7	3	7	11	8	18	7	18	6	20	6	21	6	17	20
21	9	10	9	14	10	15	10	12	9	14	9	13	9	12	9	11	8	12	7	13	7	13	7	14	21
22	9	15	9	18	9	21	10	23	8	20	8	22	7	21	7	25	7	23	7	21	7	17	7	16	22
23	7	21	8	19	8	24	9	24	8	24	8	24	7	26	7	27	8	24	8	25	8	27	7	28	23
24	10	12	9	13	9	11	9	12	10	13	9	14	10	13	10	10	10	11	10	12	10	10	11	14	24
25	10	11	11	2	...	1	4	2	30	3	6	5	9	9	9	5	...	1	...	...	9	5	9	3	25
26	8	18	9	15	9	16	8	21	7	18	7	16	8	16	7	19	7	20	7	21	7	17	8	17	26
27	10	3	10	5	10	5	10	6	9	7	8	11	9	11	9	9	7	10	7	11	8	11	9	10	27
28	23	8	23	7	25	8	26	11	23	12	22	12	25	9	28	4	31	3	31	3	28	5	...	1	28
29	31	8	32	6	24	11	29	6	32	12	33	9	32	4	32	4	1	8	1	3	1	3	1	3	29
30	8	17	9	18	8	18	9	17	8	17	6	16	7	15	7	12	6	9	6	13	6	12	6	12	30
31	9	17	9	17	10	15	10	14	10	13	9	9	10	6	11	7	10	8	7	8	1	7	1	4	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of DECEMBER, 1932.
(... = no clouds.)

Days of the Month.	Hours, Hong Kong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	ENE	st-cu	E	nb	E	st	SSW	st-cu	ENE	st	S	nb	E	nb	E
2	nb	E	nb	E	cu	ENE	st / cu	E / ENE	cu	E	a-cu / cu	SSW / E	cu	E	st-cu	E
3	cu-nb	E	st-cu	E	nb	E	a-cu / cu	WSW / E	a-cu	WSW	a-cu	WSW	cu	E	cu	E
4	cu	E	nb	E	cu	E	cu	E	a-cu / cu	W / E	st-cu	E	cu	ESE	cu	ESE
5	cu	ESE	st-cu	ESE	nb	NE	cu	NE	st-cu	NNE	st-cu	NNE	st-cu	NE	cu	NE
6	cu	NE	cu	NE	...	...	...	...	...	...	ci-st	WSW	...	...	...	...
7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9	...	...	...	...	...	...	...	...	a-cu	E	cu	ENE	cu	ENE	a-cu / cu	W / ENE
10	cu	E	...	...	...	...	...	...	...	...	...	...	...	...	cu	E
11	cu	E	cu	E	a-cu	NW	...	...	...	...	...	...	...	...	...	...
12	...	...	...	...	ci-st	W	ci-st	W	ci-st	W	ci-st	W	ci-st	W	...	...
13	a-cu	E	cu	E	...	...	...	...	...	...	...	...	...	...	...	...
14	...	...	...	...	ci-st	WSW	ci-st	W	...	...	...	...	...	...	...	...
15	...	...	...	...	...	...	ci-st	SW	ci-st	SW	ci-st	WSW	...	...	...	...
16	...	...	...	...	...	...	ci-st	WSW	ci-st	WSW	...	...	...	...	a-cu	ESE
17	a-cu	SE	a-cu	SE	a-cu / cu	WSW / ENE	st-cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	E
18	a-cu / cu	W / E	cu	E	cu	ESE	a-cu	ESE	a-cu / cu	W / ESE	st	E	nb	E	nb	E
19	nb	E	nb	E	nb	E	nb	E	nb	NNE	nb	NNE	nb	E	nb	E
20	nb	E	nb	E	cu	NE	st-cu / cu	NE / E	a-cu / cu	SW / NNE	a-cu	WSW	cu	E	cu-nb	E
21	cu	ENE	cu-nb	E	nb	E	nb	E	st-cu	E	st-cu	ESE	st-cu	E	st-cu	E
22	nb	E	nb	E	nb	E	cu	ESE	cu	ESE	a-cu	WSW	...	...	cu	ESE
23	st-cu	ESE	cu	ESE	cu	ESE	nb	E	cu	E	st-cu	S	cu	E	cu	E
24	cu	E	nb	E	nb	SE	cu	SE	a-cu / cu	W / SE	a-cu / cu	W / ESE	cu	ESE	cu	ESE
25	cu	ESE	st-cu	ESE	st-cu	ESE	st-cu	SSE	cu	SE	cu	ESE	...	...	...	...
26	...	...	cu	E	cu	SE	st-cu	S	st-cu	SSE	st-cu	SSE	st-cu	SSE	nb	SE
27	cu-nb	ESE	cu-nb	ESE	nb	E	nb	ESE	nb	ESE	nb	ESE	nb	ESE	cu	ESE
28	nb	E	nb	E	nb	ESE	cu	NW	cu	NW	cu	N	cu	N	cu	NNE
29	cu	NNE	st-cu	NNE	st-cu	NNE	st-cu	WNW	...	...	...	...	...	...	...	...
30	cu	NE	cu	NE	st-cu	ENE	st-cu	SE	cu	SE	cu	S	cu-nb	E	cu	E
31	cu	E	cu	E	st-cu	ENE	a-cu / cu	WNW / NNE	a-cu / cu	NNW / ESE	a-cu / cu	N / ESE	cu	ESE	cu	ESE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1932.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·008	68·5	62·6	5·9	65·2	59·8	0·454	73	100	0·4	4	0·200	6	+ 1·0	+ 5·0	79	5·1	6·9
2	29·986	73·4	63·7	9·7	68·3	63·7	·538	78	85	3·2	30	0·025	3	+ 0·7	+ 11·0	86	11·0	11·6
3	·961	74·4	67·8	6·6	69·7	65·2	·570	79	90	3·1	29	...	...	+ 3·3	+ 18·8	80	19·1	19·2
4	·943	75·0	67·7	7·3	69·9	65·9	·591	81	92	2·1	19	...	...	+ 3·0	+ 19·6	81	19·9	20·0
5	·971	70·2	59·7	10·5	66·4	60·7	·467	72	96	0·1	1	0·010	1	+ 8·6	+ 6·4	37	10·7	12·7
6	30·032	63·6	50·7	12·9	58·0	47·3	·208	43	13	10·4	96	...	...	+ 13·6		360	13·6	13·7
7	·100	60·2	47·0	13·2	53·7	40·6	·109	26	...	10·4	96	...	...	+ 14·1	+ 1·4	6	14·2	14·4
8	·188	62·0	47·9	14·1	54·4	43·7	·167	40	...	10·4	96	...	...	+ 11·1	+ 3·2	16	11·5	12·3
9	·191	60·8	53·7	7·1	57·9	50·8	·292	61	17	10·1	94	...	...	+ 9·2	+ 21·9	67	23·8	24·1
10	·164	66·6	57·5	9·1	61·6	56·6	·403	74	4	10·3	96	...	...	+ 1·6	+ 16·5	84	16·6	17·0
11	·139	73·3	60·6	12·7	66·3	59·7	·438	68	8	10·3	96	...	...	+ 2·9	+ 3·6	51	4·6	6·9
12	·233	66·9	55·0	11·9	61·1	50·0	·238	45	7	10·2	95	...	...	+ 13·1	+ 2·1	9	13·3	14·0
13	·273	62·6	50·2	12·4	56·6	45·5	·182	40	17	9·8	92	...	...	+ 5·3	+ 3·6	34	6·4	8·7
14	·232	66·5	50·7	15·8	57·9	46·8	·198	41	4	9·9	93	...	...	+ 6·6	+ 1·4	12	6·7	7·1
15	·196	65·6	53·1	12·5	59·3	46·1	·167	33	6	10·2	95	...	...	+ 12·8	+ 1·5	7	12·9	12·9
16	·147	65·0	52·1	12·9	58·4	47·9	·218	45	13	10·2	95	...	...	+ 1·9	+ 7·7	76	7·9	9·0
17	·079	67·1	58·7	8·4	62·3	55·0	·351	63	85	2·9	27	...	...	+ 0·2	+ 20·8	89	20·8	11·6
18	·024	68·7	62·3	6·4	64·4	58·8	·453	72	95	0·1	1	0·305	6	− 1·5	+ 11·2	98	11·3	11·4
19	·002	64·2	58·9	5·3	61·5	60·5	·515	94	100	...	...	3·540	23	+ 3·2	+ 10·0	72	10·5	12·3
20	·060	70·3	62·4	7·9	65·3	61·5	·503	81	90	3·5	33	0·030	3	+ 7·8	+ 8·7	48	11·7	13·8
21	·092	65·0	61·0	4·0	62·5	60·4	·501	89	98	0·5	5	...	...	+ 1·5	+ 11·4	82	11·5	12·1
22	·090	67·1	61·5	5·6	63·1	60·7	·503	87	70	4·5	42	0·005	1	+ 0·2	+ 17·1	89	17·1	17·2
23	·029	64·5	62·2	2·3	63·1	60·2	·489	85	84	1·0	9	...	...	+ 1·8	+ 22·9	85	23·0	23·0
24	29·975	71·1	61·1	10·0	65·8	62·0	·512	81	87	2·5	23	...	2	− 2·5	+ 12·7	101	13·0	13·2
25	·909	78·5	65·2	13·3	70·0	64·9	·558	76	53	6·9	64	...	...	− 0·9	+ 3·3	105	3·4	3·8
26	·906	69·5	65·4	4·1	66·9	63·2	·538	82	82	2·2	21	...	1	− 0·2	+ 12·3	91	12·4	12·6
27	·888	69·1	63·5	5·6	65·0	63·6	·571	93	94	0·2	2	...	3	− 1·7	+ 8·4	101	8·6	8·7
28	·912	70·9	61·7	9·2	66·1	63·4	·553	86	86	2·6	24	...	...	...	− 3·4	270	3·4	4·7
29	30·008	68·1	55·7	12·4	61·2	56·0	·391	72	36	9·1	85	...	...	+ 5·1	− 0·8	351	5·2	6·0
30	·045	64·5	55·0	9·5	59·4	55·2	·389	77	83	3·5	33	...	...	+ 2·1	+ 9·9	78	10·1	11·0
31	·078	65·1	58·5	6·6	61·0	56·9	·417	78	75	5·7	53	...	...	+ 1·7	+ 9·6	80	9·8	11·1
Means.	30·060	67·7	58·5	9·2	62·7	56·5	0·402	68	57	Sums. 166·3	50	Sums. 4·335	Sums. 49	+ 4·1	+ 8·6	65	9·5	12·4
Normals	30·049	67·7	58·8	8·9	62·9	57·0	0·409	69	55	172·6	52	1·146	37	+ 3·5	+ 8·3	67	9·0	11·8
Absolute Max.	30·350	78·5	...	15·8	...	69·8	0·627	...	...	10·4	96	3·540	23	...	...	...	...	32·0†
Day.	13	25	...	14	...	25	25	...	...	6,7,8	6,7,8,	19	19	...	...	...	...	8/9h. 32nd M.A.
Absolute Min.	29·832	...	47·0	2·3	...	36·1	0·080	18	...	...	...	...	...	...	...	...	...	...
Day.	27	...	7	23	...	7	7	7	...	...	...	...	...	...	...	...	...	...

C. G. S. Units.

												Sums.	Sums.					
Means.	1020·0	292·8	287·7	5·1	290·1	286·6	13·6	...	...	...	...	124·5	49	+ 1·3	+ 2·8	65	3·1	4·1
Normals	1019·7	292·3	287·9	4·9	290·2	286·9	13·9	...	...	...	...	29·1	37	+ 1·1	+ 2·7	67	3·0	3·9
Absolute Max.	1029·9	298·8	...	8·8	...	294·0	21·2	...	...	...	...	89·9	23	...	...	...	...	10·5
Absolute Min.	1012·2	...	281·3	1·3	...	275·3	2·7	...	...	...	...	...	...	...	...	...	...	...

Rain fell on 6 days. The mean hourly intensity was 0·084*ins*, and the maximum fall in one hour was 0·680*ins* at 14*h* on the 19th.

The maximum gust velocity of the wind, as recorded by the Dines-Baxendell anemograph, was at the rate of 48 miles per hour from North at 2*h* 50*m* on the 6th.*

Clouds with base less than 2,000 feet high were observed on 2 days.

Clouds with base less than 1,000 feet high were observed on 1 day.

*0° = N., 90° = E., &c.

† Maximum velocity for one hour.

TABLE X.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1932.
(British Units.)

Hours, Hong Kong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-10).	Percentage of Possible Sunshine.	Rainfall. Amount.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	ins.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·071	61·0	55·9	0·402	72	61		0·045	+ 4·5	+ 9·7	65	10·7	12·5
2	·064	60·8	55·7	·399	72	66		0·020	+ 5·3	+ 8·5	58	10·0	12·0
3	·056	60·7	55·4	·392	71	68		0·015	+ 5·2	+ 8·4	58	9·9	11·8
4	·051	60·4	55·2	·390	71	69		0·030	+ 5·5	+ 8·3	56	10·0	11·7
5	·050	60·2	55·0	·387	71	68		0·060	+ 5·7	+ 7·3	52	9·3	11·3
6	·058	60·1	54·9	·385	71	65		0·115	+ 6·1	+ 6·8	48	9·1	11·4
7	·074	59·8	54·8	·386	72	65	28	0·110	+ 6·0	+ 6·8	49	9·1	11·1
8	·091	60·5	55·2	·389	71	62	45	0·020	+ 5·3	+ 6·7	52	8·5	10·7
9	·107	62·2	56·3	·400	68	58	45	0·250	+ 4·9	+ 7·8	58	9·2	11·6
10	·113	63·5	56·8	·400	65	58	52	0·550	+ 4·6	+ 8·8	62	9·9	13·1
11	·103	64·9	57·6	·406	63	55	54	0·305	+ 3·8	+ 8·9	67	9·7	13·8
Noon.	·079	65·8	57·8	·402	61	55	56	0·300	+ 3·3	+ 9·4	71	10·0	13·7
13	·047	66·4	58·1	·403	60	54	62	0·285	+ 2·8	+ 8·9	73	9·3	13·7
14	·022	66·4	58·3	·409	61	50	61	0·680	+ 1·5	+ 9·3	81	9·4	13·3
15	·007	66·1	58·1	·407	61	50	58	0·350	+ 1·7	+ 8·7	79	8·9	13·2
16	·006	65·1	57·8	·409	64	50	55	0·175	+ 1·2	+ 8·9	82	9·0	13·0
17	·014	64·4	57·5	·408	65	49	29	0·055	+ 2·3	+ 8·6	75	8·9	12·6
18	·025	63·4	57·1	·409	67	52		0·060	+ 2·4	+ 8·7	75	9·0	11·9
19	·040	62·8	57·0	·412	69	46		0·100	+ 3·5	+ 9·5	70	10·1	12·4
20	·056	62·4	56·9	·414	70	46		0·155	+ 3·6	+ 9·0	68	9·7	11·7
21	·069	62·0	56·6	·410	71	51		0·130	+ 3·9	+ 9·7	68	10·5	12·5
22	·078	61·8	56·4	·407	71	56		0·120	+ 5·0	+ 9·6	62	10·8	12·4
23	·081	61·5	56·2	·405	71	57		0·080	+ 4·3	+ 9·9	67	10·8	12·8
Midn.	·078	61·1	56·1	·407	72	60		0·105	+ 4·9	+ 9·4	62	10·6	12·6

Phenomena :—

Lunar corona :—on the 2nd, 3rd, 5th, 9th, 17th and 23rd.

Fog :—on the 26th and 28th.

Slight Fog :—on the 25th.

Haze:—on the 16th and 25th.

Unusual visibility :—on the 20th.

ADOPTED ERRORS OF TIMEBALL, DECEMBER, 1932.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	0·0	11	+ 0·1	21	0·0
2	0·0	12	+ 0·1	22	0·0
3	+ 0·1	13	— 0·2	23	0·0
4	+ 0·1	14	0·0	24	0·0
5	0·0	15	+ 0·1	25	0·0
6	0·0	16	+ 0·1	26	0·0
7	0·0	17	+ 0·1	27	— 0·1
8	+ 0·1	18	+ 0·1	28	0·0
9	+ 0·1	19	0·0	29	0·0
10	0·0	20	0·0	30	0·0
				31	0·0

+ = Late ; — = Early.

The above may also be regarded as the errors of the time signals by radio telegraphy and by signal lights.

The probable error for the month was ± 0"·10

* 0° = N. 90° = E., &c.

TABLE XI.—MONTHLY VALUES of the METEOROLOGICAL ELEMENTS in the YEAR 1932.
(*British Units*).

Month, 1932	Barometric Pressure. Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Air Temperature. Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	Temperature of Evaporation.	Vapour Tension. Highest.	Lowest.	Mean.
	ins.	ins.	ins.	ins.	°	°	°	°	°	°	°	°	ins.	ins.	ins.
January	30·342	29·861	30·143	0·109	73·9	43·3	30·6	65·7	56·0	9·7	60·4	53·7	0·515	0·101	0·344
February	·293	·801	·050	·103	74·9	43·7	31·2	60·9	53·6	7·3	57·1	52·7	·631	·152	·357
March	·218	·621	29·979	·108	81·5	46·8	34·7	67·9	58·8	9·1	62·6	57·9	·756	·213	·435
April	·060	·694	·843	·094	85·7	62·2	23·5	75·2	67·6	7·6	71·1	67·8	·883	·347	·650
May	29·910	·520	·739	·086	89·3	75·1	14·2	85·8	78·0	7·8	81·1	77·1	1·070	·716	·884
June	·809	·335	·619	·076	89·9	76·3	13·6	86·0	79·1	6·9	81·9	78·4	·093	·815	·929
July	·827	·349	·615	·064	89·7	75·1	14·6	85·8	78·2	7·6	81·7	77·6	·039	·783	·900
August	·860	·364	·640	·067	90·9	74·0	16·9	86·5	79·0	7·5	82·0	77·7	·077	·752	·902
September	·898	·354	·716	·073	88·0	74·8	13·2	83·9	77·1	6·8	79·8	75·3	·028	·596	·825
October	30·079	·718	·889	·089	85·9	66·2	19·7	80·7	72·8	7·9	76·1	69·2	0·840	·443	·637
November	·177	·735	·967	·109	81·1	54·4	26·7	75·4	66·4	9·0	70·3	63·7	·761	·277	·523
December	·350	·832	30·060	·107	78·5	47·0	31·5	67·7	58·5	9·2	62·7	56·5	·627	·080	·402
Year	30·350	29·335	29·855	0·090	90·9	43·3	47·6	76·8	68·8	8·0	72·2	67·3	1·093	0·080	0·649
Date	Dec. 13*d.*	June 13*d.*	...	...	Aug. 15*d.*	Jan. 8*d.*	...	...	...	...	...	...	June 7*d.*	Dec. 7*d.*	...

Month, 1932	Degree of Humidity. Mean.	Lowest.	Clouds. Mean amount (0-10)	Direction of motion.* of Upper.	of Lower.	Bright Sunshine. Daily Duration.	Percentage of Possible Sunshine.	Rainfall. Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Wind. Resultant.† Direction.	Velocity.	Observed Velocity. Mean.†	Maximum, Hourly†	Maximum Gust‡
	%	%		°	°	hrs	%	ins.	hrs.		ins.	ins.	ins.	°	m.p.h.	m.p.h.	m.p.h.	m.p.h.
Jan.	64	19	39	254	99	219·9	65	...	3	..	...	...	...	81	10·0	11·7	34	43
Feb.	74	38	87	266	78	79·7	24	2·535	77	10	0·033	0·940	0·380	72	11·4	13·8	39	50
Mar.	75	39	69	259	98	131·7	35	2·200	48	12	·046	1·290	0·895	84	10·1	12·6	40	30
April	86	56	85	250	136	93·6	25	3·700	99	11	·037	2·085	0·620	90	9·9	12·1	36	50
May	84	59	68	270	181	225·5	55	2·510	28	9	·090	1·200	0·995	136	6·0	10·7	27	51
June	85	64	89	27	205	121·9	30	25·290	134	22	·189	5·750	2·480	172	4·3	8·3	28	45
July	84	61	79	347	147	189·9	46	25·710	135	23	·191	4·220	1·490	111	8·7	12·5	43	67
Aug.	83	64	73	57	225	195·5	49	20·885	107	22	·195	6·110	2·030	215	4·4	8·0	25	51
Sept.	81	60	82	22	98	133·4	36	4·340	46	12	·094	1·305	0·495	83	13·4	15·2	55	79
Oct.	71	45	67	264	72	153·7	43	0·085	16	3	·005	0·035	0·035	73	9·7	11·6	28	38
Nov.	70	38	57	264	83	176·1	53	0·100	19	3	.005	0·060	0·030	68	8·7	11·1	31	41
Dec.	68	18	57	254	92	166·3	50	4·115	49	6	·084	3·540	0·680	65	9·5	12·4	32	43
Year	77	18	71	283	126	1887·2	43	91·470	761	133	0·120	6·110	2·480	88	7·5	11·7	55	79
Date	...	Dec. 7*d.*	...	...	...	...	...	...	...	...	...	Aug. 4*d.*	June 14*d.*	...	...	...	Sept. 17*d.*	Sept. 17*d.*

* 0°—North, 90°—East &c. † Beckley Anemograph. ‡ Dines-Baxendell Anemograph

TABLE XII.—MONTHLY NORMALS of the METEOROLOGICAL ELEMENTS and EXTREME VALUES for the PERIOD 1884-1932. (*British Units*).

Month.	Barometric Pressure.				Air Temperature.							Temperature of Evaporation.	Vapour Tension.		
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.		Highest.	Lowest.	Mean.
	ins.	ins.	ins.	ins.	°	°	°	°	°	°	°	°	ins.	ins.	ins.
January	30·509	29·605	30·051	0·108	79·3	32·0	47·3	64·5	56·2	8·3	59·9	55·3	0·774	0·053	0·395
February	30·400	29·421	30·015	0·105	79·4	38·4	41·0	63·0	55·4	7·6	58·9	55·0	0·820	0·058	0·400
March	30·355	29·527	29·944	0·104	83·1	45·4	37·7	67·4	59·8	7·6	63·1	59·9	0·884	0·120	0·489
April	30·273	29·488	29·843	0·094	88·6	51·8	36·8	74·7	67·0	7·7	70·3	67·2	0·972	0·208	0·638
May	30·045	29·330	29·742	0·084	91·5	59·7	31·8	81·6	73·8	7·8	77·1	73·4	1·120	0·257	0·785
June	29·898	29·137	29·647	0·070	93·6	66·6	27·0	85·3	77·7	7·6	81·0	76·9	1·106	0·360	0·879
July	29·894	28·762	29·612	0·068	94·0	72·1	21·9	86·7	78·4	8·3	82·0	77·8	1·134	0·568	0·903
August	29·883	28·590	29·614	0·073	97·0	71·6	25·4	86·6	77·9	8·7	81·7	77·6	1·168	0·573	0·899
September	30·009	28·876	29·721	0·079	94·0	65·5	28·5	85·3	76·8	8·5	80·5	75·3	1·083	0·222	0·817
October	30·192	29·089	29·879	0·092	93·8	57·4	36·4	80·7	72·5	8·2	76·1	69·6	0·979	0·208	0·657
November	30·445	28·735	29·989	0·101	86·1	43·7	42·4	74·3	65·3	9·0	69·4	62·6	0·893	0·078	0·500
December	30·454	29·710	30·049	0·106	81·9	40·7	41·2	67·7	58·8	8·9	62·9	57·0	0·786	0·071	0·409
Year.	30·509	28·590	29·842	0·090	97·0	32·0	65·0	76·5	68·3	8·2	71·9	67·3	1·168	0·053	0·648
Date.	1903, Jan. 6	1923, Aug. 18	...	...	1900, Aug. 19	1893, Jan. 18	...	...	...	...	...	...	1927, Aug. 6	1888, Jan. 3	...

Month.	Degree of Humidity.		Clouds.			Bright Sunshine.		Rainfall.					Wind. †			
				Direction of Motion. *									Resultant.		Observed Velocity	
	Mean.	Lowest.	Mean Amount (0-10).	of Upper.	of Lower.	Daily Duration.	Percentage of Possible Sunshine.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Direct. * kn.	Velocity.	Mean.	Absolute Maximum.
	%	%		°	°	hrs.	%	ins.	hrs.		ins.	ins.	ins.	°	m.p.h.	m.p.h.	m.p.h.
Jan.	75	12	64	252	95	146·9	44	1·287	49	6·3	0·026	3·920	0·725	76	10·0	12·7	53
Feb.	79	15	76	261	98	95·4	30	1·785	67	8·1	0·027	2·185	0·970	79	11·3	13·9	53
Mar.	83	22	82	259	113	94·5	25	2·973	79	10·9	0·038	3·785	1·570	84	12·9	15·0	49
April	85	22	80	259	130	114·9	30	5·516	80	11·8	0·069	6·225	2·550	90	11·2	14·0	47
May	84	32	76	268	158	156·4	38	11·645	89	15·8	0·131	20·495	3·400	100	7·7	12·4	52
June	83	29	78	340	188	164·0	41	15·506	88	20·3	0·176	12·630	3·160	147	5·5	11·6	48
July	83	52	68	51	176	212·2	51	15·020	74	19·0	0·206	21·025	3·965	139	5·0	10·9	108
Aug.	83	41	67	47	183	201·9	51	14·471	70	17·1	0·207	11·135	2·730	137	3·4	9·4	106
Sept.	78	28	60	34	93	198·9	54	10·059	55	14·3	0·183	7·965	3·125	81	7·7	11·4	89
Oct.	72	27	51	269	82	217·8	61	4·564	33	7·7	0·130	11·505	2·820	74	10·4	13·5	85
Nov.	68	17	53	250	84	187·8	57	1·650	29	5·2	0·057	5·875	1·740	64	9·5	12·4	90
Dec.	69	14	55	248	89	172·6	52	1·146	37	5·0	0·031	3·580	2·035	67	9·0	11·8	63
Year.	79	12	67	272	122	1963·7	44	85·621	750	141·5	0·114	21·025	3·965	82	7·9	12·4	108
Date.	...	1888, Jan. 2	...	...	...	...	...	...	...	...	...	1926, July 19d.	1926, July 19d 4h	...	...	...	1898, July 19d 22h

* 0° = North, 90° = East &c.

† Beckley Anemograph.

Table XIII.—Monthly Values of the Meteorological Elements in the Year 1932. (*C.G.S. Units*).

Month. 1932.	Barometric Pressure. Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Air Temperature. Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	Temperature of Evaporation.
	m.b.	m.b.	m.b.	m.b.	°	°	°	°	°	°	°	°
January	1029·6	1013·3	1022·8	3·7	296·3	279·3	17·0	291·7	286·3	5·4	288·8	285·1
February	1028·0	1011·2	1019·7	3·5	296·8	279·5	17·3	289·1	285·0	4·1	286·9	284·5
March	1025·5	1005·0	1017·3	3·7	300·5	281·2	19·3	292·9	287·9	5·0	290·0	287·4
April	1020·0	1007·5	1012·6	3·2	302·8	289·8	13·0	297·0	292·8	4·2	294·7	292·9
May	1014·8	1001·5	1009·0	2·9	304·8	296·9	7·9	302·9	298·6	4·3	300·3	298·1
June	1011·3	995·2	1004·9	2·6	305·2	297·6	7·6	303·0	299·2	3·8	300·7	298·8
July	1012·0	995·8	1004·7	2·2	305·1	296·9	8·2	302·9	298·7	4·2	300·6	298·3
August	1013·1	996·2	1005·6	2·3	305·7	296·3	9·4	303·3	299·1	4·2	300·8	298·4
September	1014·4	995·9	1008·2	2·5	304·1	296·8	7·3	301·8	298·1	3·7	299·6	297·1
October	1020·5	1008·3	1014·1	3·0	302·9	292·0	10·9	300·1	295·7	4·4	297·5	293·7
November	1023·9	1008·8	1016·8	3·7	300·3	285·4	14·9	297·1	292·1	5·0	294·3	290·6
December	1029·9	1012·2	1020·0	3·6	298·8	281·3	17·5	292·8	287·7	5·1	290·1	286·6
Year.	102·99	995·2	1013·0	3·1	305·7	279·3	26·4	297·9	293·4	4·5	295·3	292·6
Date.	Dec. 13	June 13	...	...	Aug. 15	Jan. 8	...	...	...	...	...	...

Month. 1932.	Vapour Tension. Highest.	Lowest.	Mean.	Rainfall. Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Wind. Resultant. * Direction.	Velocity.	Observed Velocity. Mean †	Maximum, Hourly, †	Maximum, Squall. ‡
	m.b.	m.b.	m.b.	m.m.	hrs.		m.m.	m.m.	m.m.	°	m.p.s.	m.p.s.	m.p.s.	m.p.s.
January	17·4	3·4	11·6	...	3	...	...	...	...	81	3·3	3·8	11·1	19
February	21·4	5·1	12·1	64·4	77	10	0·8	23·9	9·7	72	3·7	4·5	12·8	22
March	25·6	7·2	14·7	55·9	48	12	1·2	32·8	22·7	84	3·3	4·1	13·1	22
April	29·9	11·7	22·0	94·0	99	11	0·9	53·0	15·7	90	3·2	4·0	11·8	22
May	36·2	24·2	29·9	63·7	28	9	2·3	30·5	25·3	136	2·0	3·5	8·9	23
June	37·0	27·6	31·4	642·4	134	22	4·8	146·0	63·0	172	1·4	2·7	9·2	20
July	35·2	26·5	30·5	653·0	135	23	4·8	107·2	37·9	111	2·9	4·1	14·1	30
August	36·5	25·5	30·5	530·5	107	22	5·0	155·2	51·6	215	1·4	2·6	8·2	23
September	34·8	20·2	27·9	110·2	46	12	2·4	33·1	12·6	83	4·4	5·0	14·8	35
October	28·4	15·0	21·6	2·2	16	3	0·1	0·9	0·9	73	3·2	3·8	9·2	17
November	25·8	9·4	17·7	2·5	19	3	0·1	1·5	0·8	68	2·9	3·6	10·2	18
December	21·2	2·7	13·6	104·5	49	6	2·1	89·9	17·3	65	3·1	4·1	10·5	19
Year.	37·0	2·7	22·0	2325·3	761	133	3·1	155·2	63·0	88	2·5	3·8	14·8	35
Date.	June 7	Dec. 7	...	...	...	...	...	Aug. 4	June 14	...	...	...	Sept. 17	Sept. 17

* 0°=North, 90°=East &c. † Beckley Anemograph. ‡ Dines-Baxendell Anemograph.

TABLE XIV.—MONTHLY NORMALS of the METEOROLOGICAL ELEMENTS and EXTREME VALUES for the PERIOD 1884-1932. (*C.G.S. Units*).

Month.	Barometric Pressure.				Air Temperature.							Temperature of Evaporation.
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	
	m.b.	m.b.	m.b.	m.b.	°	°	°	°	°	°	°	°
January	1035·4	1004·6	1019·7	3·7	299·3	273·0	26·3	291·1	286·4	4·6	288·5	285·9
February	1031·7	998·3	1018·5	3·6	299·3	276·6	22·7	290·2	286·0	4·2	287·9	285·8
March	1030·2	1001·9	1016·1	3·5	301·4	280·4	21·0	292·7	288·4	4·2	290·3	288·5
April	1027·3	1000·5	1012·6	3·2	304·4	284·0	20·4	296·7	292·4	4·3	294·3	292·6
May	1019·5	995·1	1009·1	2·8	306·1	288·4	17·7	300·6	296·2	4·3	298·1	296·0
June	1014·4	988·5	1005·9	2·4	307·2	292·2	15·0	302·6	298·4	4·2	300·2	297·9
July	1014·3	975·8	1004·6	2·3	307·4	295·3	12·1	303·4	298·8	4·6	300·8	298·4
August	1013·9	970·0	1004·7	2·5	309·1	295·0	14·1	303·3	298·5	4·8	300·6	298·3
September	1018·2	979·7	1008·4	2·7	307·4	291·6	15·8	302·6	297·9	4·7	299·9	297·1
October	1024·5	986·9	1013·8	3·1	307·3	287·1	20·2	300·1	295·5	4·6	297·5	293·9
November	1033·2	974·9	1017·5	3·4	303·1	279·5	23·6	296·5	291·5	5·0	293·8	290·0
December	1033·5	1008·1	1019·6	3·6	300·7	277·8	22·9	292·8	287·9	4·9	290·2	286·9
Year.	1035·4	970·0	1012·5	3·0	309·1	273·0	...	297·7	293·2	4·5	295·2	292·6
Date.	1903, Jun. 6	1923, Aug. 18	...	...	1900, Aug. 10	1893, Jan. 18	...	...	...	...	...	...

Month.	Vapour Tension.			Rainfall.						Wind. †			
										Resultant.		Observed Velocity.	
	Highest.	Lowest.	Mean.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Direction.*	Velocity.	Mean.	Absolute Maximum
	m.b.	m.b.	m.b.	m.m.	hrs.		m.m.	m.m.	m.m.	°	m.p.s.	m.p.s.	m.p.s.
January	26·2	1·8	13·4	32·7	49	6·3	0·7	99·6	18·4	76	3·3	4·2	17
February	27·8	2·0	13·6	45·3	67	8·1	0·7	55·5	24·6	79	3·7	4·6	17
March	29·9	4·1	16·6	75·5	79	10·9	1·0	96·1	39·9	84	4·2	4·9	16
April	32·9	7·0	21·6	140·1	80	11·8	1·8	158·1	64·8	90	3·7	4·6	15
May	37·9	8·7	26·6	295·8	89	15·8	3·3	520·6	86·4	100	2·5	4·1	17
June	37·4	12·2	29·8	393·9	88	20·3	4·5	320·8	80·3	147	1·8	3·8	16
July	38·4	19·2	30·6	381·3	74	19·0	5·2	534·0	100·7	139	1·6	3·6	35
August	39·5	19·4	30·4	367·6	70	17·1	5·3	282·8	69·3	137	1·0	3·3	35
September	36·7	7·5	27·7	255·5	55	14·3	4·6	202·3	79·4	81	2·3	3·7	29
October	33·1	7·0	22·2	115·9	33	7·7	3·5	262·2	54·1	74	3·4	4·4	28
November	30·2	2·6	16·9	41·9	29	5·2	1·4	149·2	44·2	64	3·1	4·1	30
December	26·6	2·4	13·8	29·2	37	5·0	0·8	90·9	51·7	67	3·0	3·9	21
Year.	39·5	1·8	21·9	2174·8	750	141·5	2·9	534·0	100·7	87	2·6	4·1	35
Date.	1927, Aug. 6	1888, Jan. 3	...	...	...	...	...	1926, July 19d.	1926, July 19h 4m	...	...	...	1896, July 29d 22h

* 0° = North, 90° = East &c. † Beckley Anemograph.

Table XV.—Monthly Prevalence of Meteorological Phenomena in the Year 1932.

Month, 1932.	Percentage of Wind from the Eight Principal Points of the Compass.									Number of Days on which different Phenomena were observed.						
	N	NE	E	SE	S	SW	W	NW	Calm.	Fog.	Electric Phenomena	Lightning.	Thunder.	Rainbow.	Unusual Visibility	Dew.
January....	13	10	57	9	1	1	1	1	7	2	...	...	...	...	...	5
February...	21	16	51	3	1	...	3	3	2	4	...	...	...	...	...	1
March.....	10	9	58	6	1	3	4	3	6	9	4	3	4	...	...	3
April.....	2	5	60	5	4	5	5	4	10	17	3	...	3	...	1	3
May.....	...	...	36	16	18	17	5	3	5	...	50	10	3	1	3	5
June.....	...	3	20	7	25	27	5	2	11	...	20	15	10	1	1	1
July	...	3	45	17	10	13	5	1	6	...	11	8	5	4	4	3
August.....	1	1	13	5	12	37	23	3	5	...	10	8	5	4	2	1
September.	4	16	58	7	5	3	2	1	4	...	7	7	1	...	2	1
October	15	20	53	5	...	...	1	2	4	...	...	...	...	...	1	...
November.	22	19	43	8	1	1	2	1	3	1	1	1	...	...	...	2
December..	27	15	44	6	1	1	1	1	4	3	...	...	...	...	1	...
Year.....	10	10	45	8	6	9	5	2	5	36	66	52	31	10	15	25

Month, 1932.	Number of Days on which different Phenomena were observed.					Number of Times different Forms of Cloud were observed, (8 observations a day.)									
	Halo.		Corona.		No. of Thunder-Storms.	Cirrus.	Cirro-Stratus.	Cirro-Cumulus.	Alto-Stratus.	Alto-Cumulus.	Cumulus.	Strato-Cumulus.	Cumulo-Nimbus.	Nimbus.	Stratus.
	Solar.	Lunar.	Solar.	Lunar.											
January....	...	...	...	6	...	...	2	...	...	24	91	27	2	6	...
February...	...	...	...	2	...	...	2	1	...	14	81	65	5	63	1
March	...	...	...	5	3	...	3	1	...	19	89	33	6	58	5
April.....	...	...	...	1	...	...	7	...	...	19	100	10	8	106	4
May.....	1	2	1	3	3	...	32	2	2	17	188	...	8	36	...
June.....	...	2	...	6	10	...	26	...	...	11	118	1	23	97	...
July	5	1	...	6	6	...	51	1	...	13	148	1	15	69	2
August.....	3	2	...	7	5	...	39	...	...	16	175	5	8	35	...
September.	1	1	...	3	1	...	21	...	...	14	147	11	21	50	...
October....	2	3	1	3	...	...	24	3	...	32	100	45	3	33	1
November.	...	1	...	2	...	...	16	...	...	20	94	33	8	34	3
December..	...	...	...	6	...	...	13	...	...	24	81	30	6	36	4
Year.....	12	12	2	51	28	...	236	8	2	223	1412	259	113	643	20

TABLE XVI.—NORMAL PREVALENCE of METEOROLOGICAL PHENOMENA for the PERIOD 1884-1932.

Month,	Percentage of Wind from the Eight Principal Points of the Compass.									Number of Days on which different Phenomena were observed.					
	N	NE	E	SE	S	SW	W	NW	Calm.	Fog.	Electric Phenomena.	Lightning.	Thunder.	Rainbow.	Dew.
January ...	18	12	51	5	1	1	4	3	5	4·2	0·3	0·3	0·2	0·2	2·3
February...	15	11	55	5	2	1	4	3	4	4·9	0·7	0·6	0·5	0·1	1·2
March.....	8	9	64	5	3	1	3	3	4	8·7	2·9	2·5	2·5	0·1	1·7
April.....	4	6	64	5	7	3	3	3	5	7·6	6·8	6·1	4·8	0·1	3·6
May.....	3	5	50	6	12	10	5	3	6	2·5	12·3	11·7	6·4	1·1	4·4
June.....	1	4	29	9	24	20	5	3	5	0·9	14·9	13·8	8·2	3·2	3·3
July	1	4	27	12	19	16	9	4	8	1·1	15·6	14·5	7·9	4·2	6·9
August.....	2	4	26	9	12	15	14	6	12	2·6	18·2	17·1	9·6	3·2	9·6
September.	8	10	38	10	5	4	9	5	11	2·1	12·9	12·2	5·3	2·2	7·6
October	15	16	49	8	2	1	2	2	5	0·6	2·7	2·7	0·9	0·7	3·6
November.	24	19	42	5	1	1	2	1	5	0·9	0·3	0·3	0·2	0·4	3·4
December..	24	14	44	5	1	1	3	2	6	2·3	0·3	0·3	0·1	0·3	3·1
Year.....	10	10	45	7	8	6	5	3	6	38·4	87·9	82·0	46·6	15·5	50·6

Month,	Number of Days on which different Phenomena were observed.					Number of Times different Forms of Cloud were observed. (8 observations a day).								
	Halo.		Corona.		No. of Thunder Storms.	Cirrus.	Cirro-Stratus.	Cirro-Cumulus.	Alto-Stratus. *	Alto-Cumulus.	Cumulus.	Strato-Cumulus.	Cumulo-Nimbus.	Nimbus.	Stratus.
	Solar.	Lunar.	Solar.	Lunar.											
January....	0·2	0·2	...	1·4	0·1	0·2	6·0	4·5	0·5	39·1	93·1	14·0	16·6	27·3	12·7
February...	0·1	0·1	0·1	1·0	0·3	0·2	4·0	2·3	1·3	27·9	80·0	16·4	20·2	41·0	19·2
March.....	0·5	0·4	0·2	0·9	2·0	...	4·8	2·5	1·1	26·3	102·0	15·6	24·4	49·8	20·8
April.....	1·1	0·3	0·2	1·5	4·2	0·2	9·7	5·7	0·6	28·2	115·6	8·1	23·4	50·2	22·2
May.....	2·1	1·7	0·3	2·3	5·8	0·7	22·8	12·7	1·0	31·9	141·5	5·3	21·1	48·7	5·5
June.....	3·5	3·0	0·3	3·2	5·7	0·9	39·1	18·6	0·5	20·6	156·0	3·5	18·5	46·9	4·3
July.....	4·8	4·0	0·3	3·8	6·0	1·2	58·1	23·7	0·6	15·9	163·9	2·4	15·0	39·7	3·5
August.....	4·8	4·2	0·8	3·7	6·5	1·5	55·4	23·7	0·7	22·5	154·6	1·3	14·9	38·8	4·6
September.	2·7	2·8	0·3	3·6	3·5	0·4	36·6	19·9	0·3	29·1	142·8	3·0	14·7	27·4	3·9
October....	1·0	1·2	0·3	2·4	0·7	0·3	15·5	11·3	0·3	32·5	135·8	5·1	9·2	18·7	4·7
November.	1·0	1·0	0·1	2·5	0·1	0·1	19·2	9·2	1·3	39·4	103·6	7·0	8·1	17·6	7·2
December..	0·1	0·4	0·1	2·2	0·1	0·3	11·9	5·5	1·7	40·4	88·5	10·9	9·2	13·4	8·5
Year	21·8	19·3	3·2	28·4	34·9	6·0	283·1	139·6	9·9	353·8	1477·4	92·6	192·8	429·5	107·1

* For the Period 1913-1932.

TABLE XVII.—FIVE-DAY MEANS OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT THE ROYAL OBSERVATORY, HONG KONG, IN THE YEAR 1932, AND NORMALS FOR THE PERIOD 1884–1928. (*British Units*).

Five-day periods beginning.	Barometric Pressure.		Temperature of the Air.		Relative Humidity.		Vapour Tension.		Wind * Direction.		Wind Velocity.		Amount of Cloud. (0-100).		Bright Sunshine.		Rainfall.	
	1932.	Normals.	1932.	Normals.	1932.	Normals.	1932.	Normals.	1932.	Normals.	1932.	Normals.	1932.	Normals.	1932.	Normals.	1932.	Normals.
	ins.	ins.	°	°			ins.	ins.	°	°	m.p.h.	m.p.h.			hrs.	hrs.	ins.	ins.
Jan. 1	30·106	30·090	58·8	60·1	46	67	0·228	0·364	62	70	7·2	11·5	1	56	10·2	5·4	...	0·031
6	·195	·074	55·8	60·3	60	70	·279	·378	58	74	9·2	12·6	44	54	5·0	5·6	...	0·028
11	·216	·028	60·6	60·8	63	73	·336	·404	81	77	9·9	11·5	34	66	7·8	4·6	...	0·026
16	·176	·046	61·6	59·1	72	74	·391	·384	83	76	18·4	12·6	55	68	6·4	4·1	...	0·031
21	·136	·041	63·5	60·1	74	75	·434	·403	95	78	10·5	14·0	45	66	6·9	4·6	...	0·034
26	·072	·024	62·0	59·1	67	77	·372	·396	86	77	14·2	13·5	53	71	5·8	3·8	...	0·107
31	29·917	·036	63·6	57·4	81	74	·475	·361	89	70	16·9	13·7	81	71	3·6	3·9	0·188	0·068
Feb. 5	·986	·031	55·4	58·0	81	73	·362	·372	61	76	15·7	13·7	99	75	0·8	3·4	0·162	0·051
10	30·079	·046	57·3	58·2	73	75	·356	·373	84	78	13·8	14·2	81	70	3·8	4·0	0·004	0·050
15	·140	·000	57·6	59·4	72	79	·344	·411	71	81	12·5	13·1	92	77	2·5	3·3	0·002	0·085
20	29·975	29·997	60·1	59·4	78	78	·410	·404	85	81	15·0	13·9	90	78	3·1	3·0	0·031	0·074
25	30·176	·973	50·6	60·6	62	81	·226	·443	31	80	9·5	14·2	68	80	4·1	2·9	0·100	0·058
Mar. 2	·005	·967	62·9	61·4	70	81	·406	·452	102	82	8·2	15·5	34	80	7·6	3·2	...	0·047
7	29·895	·932	65·8	62·8	79	82	·507	·485	94	84	13·7	16·1	64	85	4·8	2·8	0·012	0·058
12	·979	·945	57·1	62·2	82	83	·411	·477	57	81	12·3	14·8	100	83	0·5	2·6	0·390	0·098
17	30·042	·943	61·4	62·8	74	81	·400	·475	81	83	16·6	14·6	94	81	1·1	3·1	0·002	0·107
22	·004	·926	64·5	64·5	69	82	·417	·514	85	84	13·4	14·5	37	85	8·8	2·7	0·028	0·142
27	29·915	·911	65·5	65·2	80	83	·505	·529	86	85	11·9	15·7	86	83	2·5	3·2	0·008	0·122
Apr. 1	·859	·880	69·3	67·0	79	82	·568	·556	96	88	8·1	14·5	58	82	6·2	3·3	0·003	0·138
6	·797	·873	69·1	67·9	93	83	·662	·579	95	89	16·2	14·1	99	84	1·2	2·9	0·024	0·180
11	·812	·842	69·0	69·9	86	85	·613	·634	85	87	11·3	13·7	100	81	0·4	3·8	0·207	0·198
16	·896	·828	68·1	70·5	88	86	·605	·649	81	88	16·7	13·9	97	79	0·5	3·6	0·479	0·218
21	·855	·819	74·0	72·6	85	85	·716	·683	99	91	12·2	13·3	80	76	6·1	4·7	0·005	0·151
26	·858	·815	74·9	73·1	85	86	·733	·693	90	90	8·0	14·5	76	78	4·2	4·4	0·022	0·244
May 1	·755	·811	80·4	73·9	82	83	·846	·706	151	88	7·7	13·6	70	75	9·5	4·8	...	0·224
6	·805	·765	80·2	75·6	82	84	·850	·744	130	96	8·6	12·4	58	72	7·7	5·2	0·069	0·299
11	·770	·755	80·2	76·6	84	83	·856	·763	108	96	9·7	12·7	34	75	10·0	5·3	...	0·358
16	·762	·730	81·4	77·7	85	84	·909	·803	95	110	15·5	11·9	70	77	7·7	5·1	0·038	0·430
21	·651	·712	82·0	78·2	84	84	·915	·815	221	108	11·3	12·0	89	80	3·5	4·4	0·255	0·499
26	·683	·696	82·3	78·9	84	82	·920	·816	168	107	12·4	12·0	91	75	5·3	5·2	0·140	0·480
31	·739	·692	80·2	79·3	88	83	·904	·830	93	122	11·9	11·8	86	75	3·6	5·2	1·015	0·540
June 5	·605	·669	81·3	79·6	85	84	·910	·848	125	116	4·7	12·1	90	80	3·7	4·5	0·921	0·508
10	·451	·645	80·7	80·5	89	84	·932	·869	227	139	5·9	11·2	97	79	1·6	5·2	2·121	0·567
15	·638	·632	82·5	81·5	86	82	·948	·882	200	169	6·1	11·9	86	79	3·9	5·2	0·716	0·522
20	·685	·635	84·4	81·8	80	83	·950	·900	210	161	12·0	11·8	84	79	7·9	5·4	0·015	0·557
25	·622	·629	82·6	82·1	84	81	·929	·894	191	158	8·2	11·4	87	72	3·9	6·9	0·269	0·429
30	·604	·629	81·2	81·7	85	83	·900	·893	87	154	11·2	11·8	75	76	8·5	5·6	0·961	0·576
July 5	·667	·651	82·9	82·1	80	82	·896	·899	207	161	8·6	10·7	79	71	6·3	6·9	0·153	0·350
10	·703	·640	82·7	82·6	82	80	·912	·898	105	137	12·5	10·7	75	63	8·1	8·1	0·370	0·239
15	·658	·596	82·6	82·1	83	81	·925	·895	111	149	15·5	10·5	85	64	7·2	7·7	0·555	0·741
20	·627	·586	79·9	81·9	86	82	·877	·896	96	110	21·7	11·2	87	67	2·5	6·6	2·085	0·439
25	·522	·585	81·8	81·8	81	83	·883	·896	222	118	6·0	11·2	62	66	6·7	6·7	0·444	0·517
30	·429	·586	81·1	82·0	87	82	·919	·895	184	153	7·9	11·1	88	68	2·3	6·5	1·487	0·525
Aug. 4	·618	·595	81·3	82·0	85	83	·910	·902	204	172	5·7	10·3	80	68	4·4	6·7	1·312	0·441
9	·623	·595	83·7	81·5	79	84	·909	·902	226	149	6·7	8·9	65	72	8·8	5·8	0·035	0·516
14	·641	·610	84·1	81·5	81	83	·939	·897	242	137	6·8	9·6	59	69	8·8	6·3	0·128	0·462
19	·700	·639	83·0	81·4	81	83	·914	·887	215	100	9·1	8·8	67	60	8·9	7·1	0·016	0·348
24	·643	·640	80·4	81·5	84	82	·872	·883	220	121	11·4	8·1	84	62	3·1	6·7	2·340	0·480
29	·775	·655	78·2	81·6	86	81	·827	·879	92	97	8·6	9·2	81	64	5·2	6·7	0·418	0·376
Sept. 3	·770	·653	78·7	81·9	78	78	·765	·852	78	100	16·7	8·8	89	56	3·7	7·4	0·120	0·295
8	·689	·671	79·1	80·8	83	77	·827	·815	78	78	18·9	10·6	94	61	1·5	6·6	0·024	0·351
13	·627	·726	80·0	80·5	80	77	·818	·806	81	80	22·3	10·4	66	59	6·0	6·7	0·370	0·326
18	·677	·754	80·2	80·1	82	77	·849	·801	87	80	10·5	13·2	85	59	4·7	6·3	0·081	0·487
23	·742	·784	81·7	79·7	85	75	·922	·769	155	79	6·9	13·0	77	58	6·6	6·8	0·189	0·202
28	·797	·778	78·6	79·0	76	73	·740	·733	85	71	7·8	13·7	82	61	3·1	6·1	0·001	0·305
Oct. 3	·880	·814	77·0	78·2	68	71	·634	·695	84	76	10·5	14·5	85	55	3·4	6·7	0·012	0·276
8	·986	·855	74·9	77·1	72	71	·621	·672	61	71	12·3	13·6	94	52	2·5	6·8	...	0·176
13	·884	·882	76·8	76·2	70	71	·645	·651	83	74	13·8	12·4	47	49	9·3	7·2	...	0·070
18	·919	·908	74·9	75·5	73	70	·629	·628	78	71	10·4	13·2	68	50	2·9	7·1	...	0·133
23	·860	·923	76·1	74·8	68	70	·613	·610	78	77	9·6	13·5	22	43	9·9	7·6	...	0·053
28	·873	·927	74·5	73·5	72	70	·611	·590	43	66	13·3	12·3	85	50	1·3	6·7	0·016	0·165
Nov. 2	·940	·954	73·7	72·6	76	71	·634	·573	87	71	13·4	13·2	29	53	9·4	6·7	...	0·042
7	·925	·959	72·3	71·4	76	67	·602	·526	64	66	9·8	13·4	57	55	5·0	6·2	...	0·058
12	·929	·987	68·8	69·5	57	65	·404	·475	35	60	9·6	12·5	41	56	6·5	6·0	...	0·084
17	30·093	·989	69·0	68·7	63	66	·447	·470	41	61	9·1	11·6	63	56	5·9	6·0	...	0·074
22	29·930	30·019	71·5	67·0	80	63	·619	·437	88	60	14·6	12·4	82	48	3·0	6·5	0·008	0·050
27	·985	·035	65·5	65·6	66	65	·419	·422	50	63	9·2	12·0	70	54	5·5	5·9	0·040	0·037
Dec. 2	·979	·041	66·5	64·6	71	65	·475	·413	63	60	15·4	11·8	75	54	3·8	5·8	0·007	0·047
7	30·156	·028	58·8	63·5	54	65	·282	·398	50	64	14·9	11·0	6	53	10·3	5·8	...	0·036
12	·216	·047	58·7	63·1	41	65	·201	·394	23	65	10·3	11·6	9	55	10·1	5·4	...	0·015
17	·051	·054	63·2	62·4	80	68	·461	·398	80	69	12·2	12·1	94	56	1·4	5·5	0·775	0·044
22	29·982	·070	65·8	61·3	82	68	·520	·380	91	67	14·0	11·8	75	54	3·4	5·6	0·001	0·030
27	·986	·063	62·5	61·1	81	68	·464	·375	73	74	8·3	12·0	75	54	4·2	5·7	...	0·034

*0°=N, 90°E, etc.

TABLE XVIII.—FIVE-DAY MEANS OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT THE ROYAL OBSERVATORY HONG KONG, IN THE YEAR 1932, AND NORMALS FOR THE PERIOD 1884-1928. (*C.G.S. Units.*)

Five-day periods beginning	Barometric Pressure.		Temperature of the Air.		Vapour Tension.		Wind.								Rainfall.	
							N. Component.		E. Component.		Direction.		Velocity.			
	1932.	Normal.	1932.	Normal.	1932.	Normal.	1932.	Normal.	1932.	Normal.	1932.	Normal.	1932.	Normal.	1932.	Normal.
	m.b	m.b.	°	°	m.b.	m.b.	m.p.s.	m.p.s.	m.p.s.	m.p.s.	°	°	m.p.s.	m.p.s.	m.m.	m.m.
Jan. 1	1021·6	1021·0	287·9	288·6	7·7	12·3	+0·7	+1·0	+1·3	+2·6	62	70	2·4	3·8	....	0·8
6	1024·7	1020·5	286·2	288·7	9·4	12·7	+1·2	+0·9	+2·0	+3·2	58	74	3·0	4·1	....	0·7
11	1025·3	1018·9	288·9	289·0	11·4	13·6	+0·4	+0·8	+2·4	+3·2	81	77	3·2	3·8	....	0·7
16	1023·9	1019·6	289·4	288·1	13·2	12·9	+0·7	+0·8	+5·8	+3·1	83	76	6·0	4·1	....	0·8
21	1022·6	1019·4	290·5	288·6	14·7	13·6	−0·3	+0·7	+3·2	+3·4	95	78	3·4	4·6	....	0·9
26	1020·4	1018·8	289·7	288·1	12·6	13·4	+0·3	+0·8	+4·2	+3·4	86	77	4·7	4·4	....	2·7
31	1015·1	1019·2	290·6	287·1	16·1	12·2	+0·1	+1·1	+5·3	+3·0	89	79	5·5	4·3	4·8	1·7
Feb. 5	1017·5	1019·1	286·0	287·4	12·3	12·5	+1·9	+0·8	+3·5	+3·3	61	76	5·1	4·5	4·1	1·3
10	1020·7	1019·6	287·1	287·6	12·0	12·6	+0·4	+0·8	+4·1	+3·7	84	78	4·5	4·7	0·1	1·3
15	1022·8	1018·0	287·2	288·2	11·6	13·9	+1·1	+0·6	+3·3	+3·7	71	81	4·1	4·3	0·1	2·2
20	1017·1	1017·9	288·6	288·2	13·9	13·6	+0·4	+0·6	+4·5	+3·4	85	81	4·9	4·6	0·8	1·9
25	1024·0	1017·1	283·3	288·9	7·6	14·9	+2·1	+0·7	+1·3	+3·8	31	80	3·1	4·7	2·5	1·5
Mar. 2	1018·2	1016·9	290·2	289·3	13·7	15·2	−0·4	+0·6	+2·0	+4·1	102	82	2·7	5·1	....	1·2
7	1014·4	1016·3	291·8	290·1	17·2	16·3	−0·2	+0·5	+3·3	+4·6	94	84	4·5	5·3	0·3	1·5
12	1017·3	1016·1	286·9	289·8	13·9	16·1	+1·3	+0·7	+2·1	+4·0	57	81	4·0	4·9	9·9	2·5
17	1019·4	1016·0	289·3	290·1	13·5	16·0	+0·8	+0·5	+4·9	+4·0	81	83	5·4	4·8	0·1	2·7
22	1018·1	1015·5	291·1	291·1	14·1	17·3	+0·3	+0·4	+3·9	+4·1	85	84	4·4	4·8	0·7	3·6
27	1015·1	1014·9	291·6	291·4	17·1	17·9	+0·2	+0·4	+3·7	+4·5	86	85	3·9	5·1	0·2	3·1
Apr. 1	1013·1	1013·9	295·7	292·4	19·2	18·8	−0·2	+0·2	+2·2	+3·9	96	88	2·7	4·8	0·1	3·5
6	1011·1	1013·6	293·6	292·9	22·4	19·5	−0·5	+0·1	+5·1	+3·7	95	89	5·3	4·6	0·6	4·6
11	1011·6	1012·6	293·6	294·1	20·7	21·4	+0·3	+0·2	+3·1	+3·5	85	87	3·7	4·5	5·3	5·0
16	1014·4	1012·1	293·1	294·4	20·5	21·9	+0·8	+0·1	+5·2	+3·7	81	88	5·5	4·6	12·2	5·5
21	1013·0	1011·8	296·3	295·6	24·2	23·0	−0·4	...	+2·4	+3·3	99	91	4·0	4·4	0·1	3·8
26	1012·4	1011·6	296·8	295·8	24·8	23·4	0·0	...	+1·5	+3·8	90	90	2·6	4·8	0·6	6·2
May 1	1009·5	1011·5	299·9	296·3	28·6	23·8	−1·6	+0·1	+0·9	+3·6	151	88	2·5	4·5	....	5·7
6	1011·2	1009·9	299·8	297·2	28·9	25·1	−1·3	−0·3	+1·5	+2·7	130	96	2·8	4·1	1·7	7·6
11	1010·0	1009·6	299·8	297·8	29·3	25·7	−1·0	−0·3	+3·0	+2·8	108	96	3·2	4·2	....	9·1
16	1009·8	1008·7	300·4	298·4	30·8	27·1	−0·4	−0·7	+4·9	+2·0	95	110	5·1	3·9	1·0	10·9
21	1006·0	1008·1	300·8	298·7	31·0	27·5	−2·6	−0·7	−2·3	+2·1	221	108	3·7	3·9	6·5	12·7
26	1007·0	1007·5	300·9	299·1	31·1	27·5	−1·9	−0·6	+0·4	+2·0	168	107	4·1	3·9	3·6	12·2
31	1009·0	1007·4	299·8	299·3	30·6	28·0	−0·2	−0·9	+3·4	+1·4	93	122	3·9	3·9	25·8	13·7
June 5	1004·4	1006·6	300·4	299·4	30·8	28·6	−0·5	−0·9	+0·8	+1·8	125	116	1·5	4·0	2·4	12·9
10	999·2	1005·8	300·1	299·9	31·6	29·3	−0·8	−1·3	−0·9	+1·1	227	139	1·9	3·7	53·9	14·4
15	1003·5	1005·4	301·1	300·5	32·1	29·8	−1·7	−1·9	−0·6	+0·4	200	169	2·0	3·9	18·2	13·3
20	1007·1	1005·3	302·1	300·7	32·2	30·4	−3·3	−2·1	−1·9	+0·7	210	161	3·9	3·9	0·4	14·1
25	1005·0	1005·2	301·1	300·8	31·4	30·2	−1·8	−1·8	−0·4	+0·7	191	158	2·7	3·7	6·8	10·9
30	1004·4	1005·2	300·3	300·6	30·5	30·1	+0·2	−1·8	+3·4	+0·9	87	154	3·7	3·9	1·5	14·6
July 5	1006·5	1006·0	301·3	300·8	30·3	30·3	−2·2	−1·6	−1·1	+0·6	207	161	2·8	3·5	3·9	8·9
10	1007·7	1005·6	301·2	301·1	30·9	30·3	−1·0	−1·2	+3·6	+1·2	105	137	4·1	3·5	9·4	6·1
15	1006·2	1004·1	301·1	300·8	31·3	30·2	−1·8	−1·0	+4·6	+0·6	111	149	5·1	3·4	14·1	18·8
20	1005·2	1003·8	299·6	300·7	29·7	30·2	−0·7	−0·6	+6·7	+1·5	96	110	7·1	3·7	53·0	11·1
25	1001·6	1003·7	300·7	300·7	29·9	30·2	−0·7	−0·8	−0·7	+1·5	222	118	2·0	3·7	11·3	13·1
30	998·5	1003·8	300·3	300·8	31·1	30·2	−0·9	−1·2	−0·1	+0·6	184	153	2·6	3·6	37·8	13·3
Aug. 4	1004·9	1004·1	300·4	300·8	30·8	30·4	−0·5	−1·4	−0·2	+0·2	204	172	1·9	3·4	33·3	11·2
9	1005·0	1004·1	301·7	300·5	30·8	30·4	−1·4	−0·9	−1·4	+0·6	226	149	2·2	2·9	0·9	13·1
14	1005·6	1004·6	301·9	300·5	31·8	30·3	−0·9	−0·8	−1·7	+0·8	242	137	2·2	3·1	3·3	11·7
19	1007·6	1005·6	301·3	300·4	30·9	29·9	−1·2	−0·4	−0·9	+1·4	215	106	3·0	2·9	0·4	8·8
24	1005·7	1005·6	299·9	300·5	29·5	29·8	−2·2	−0·4	−1·9	+0·7	220	121	3·7	2·7	59·4	12·2
29	1010·2	1006·1	298·7	300·6	28·0	29·7	−0·1	−0·1	+2·3	+1·0	92	97	2·8	3·0	10·6	9·6
Sept. 3	1010·0	1006·1	298·9	300·7	25·9	28·7	+1·1	−0·2	+5·2	+0·9	78	100	5·5	2·9	3·0	7·5
8	1007·3	1006·7	299·2	300·1	28·0	27·5	+1·2	+0·4	+6·0	+1·8	78	78	6·2	3·5	0·6	9·9
13	1005·2	1008·5	299·7	299·9	27·7	27·2	+1·1	+0·4	+6·7	+2·1	81	80	7·3	3·4	9·4	8·3
18	1006·9	1009·5	299·8	299·7	28·7	27·0	+0·4	+0·5	+6·4	+2·9	87	80	6·7	4·3	2·1	12·4
23	1009·1	1010·5	300·6	299·5	31·2	25·9	−1·1	+0·6	+0·5	+3·1	155	79	2·3	4·3	4·8	5·1
28	1011·0	1010·3	298·9	299·1	25·1	24·7	+0·2	+1·0	+2·1	+3·1	85	71	2·6	4·5	....	7·7
Oct. 3	1013·8	1011·6	298·0	298·7	21·5	23·4	+0·3	+0·9	+3·1	+3·5	84	76	3·4	4·8	0·3	7·0
8	1017·4	1012·9	296·8	298·1	21·0	22·7	+1·8	+1·1	+3·2	+3·1	60	71	4·0	4·5	....	4·5
13	1013·9	1013·9	297·9	297·6	21·8	21·9	+0·5	+1·0	+4·2	+3·5	83	74	4·5	4·1	....	1·8
18	1015·1	1014·7	296·8	297·2	21·3	21·2	+0·6	+1·0	+2·8	+3·1	78	71	3·4	4·3	....	3·4
23	1013·1	1015·3	297·5	296·8	20·7	20·6	+0·6	+0·8	+2·6	+3·5	78	77	3·1	4·4	....	1·3
28	1013·6	1015·4	296·6	296·1	20·7	19·9	+2·5	+1·2	+2·3	+2·8	43	66	4·4	4·0	0·4	4·2
Nov. 2	1015·9	1016·3	296·2	295·6	21·5	19·3	+0·2	+1·2	+4·1	+3·3	87	71	4·4	4·3	....	1·1
7	1015·4	1016·5	295·4	294·9	20·4	17·8	+1·1	+1·4	+2·3	+3·2	64	66	3·2	4·4	....	1·5
12	1015·5	1017·5	293·4	293·8	13·7	16·0	+1·6	+1·6	+1·1	+2·7	35	60	3·1	4·1	....	2·1
17	1021·1	1017·5	293·6	293·4	15·1	15·9	+1·0	+1·4	+1·4	+2·5	41	61	3·0	3·8	....	1·9
22	1015·5	1018·6	294·9	292·4	20·9	14·7	+0·2	+1·5	+4·7	+2·7	88	60	4·8	4·1	0·2	1·3
27	1017·4	1019·1	291·6	291·7	14·2	14·2	+1·5	+1·4	+1·8	+2·8	50	63	3·0	3·9	1·0	10·9
Dec. 2	1017·2	1019·3	292·2	291·1	16·1	13·9	+1·9	+1·4	+3·7	+2·5	63	60	5·0	3·9	0·2	1·2
7	1023·3	1018·9	287·9	290·5	9·5	13·4	+2·9	+1·2	+3·0	+2·4	70	64	4·9	3·6	....	0·9
12	1025·3	1019·6	287·8	290·3	6·8	13·3	+2·6	+1·2	+1·1	+2·6	23	65	3·4	3·8	....	0·4
17	1019·7	1019·8	290·3	289·9	15·6	13·4	+0·7	+1·1	+4·1	+3·0	80	69	4·0	4·0	19·7	1·1
22	1017·3	1020·4	281·8	289·3	17·6	12·8	−0·1	+1·1	+4·5	+2·7	91	67	4·6	3·9	....	0·8
27	1017·5	1020·1	289·9	289·2	15·7	12·6	+0·5	+0·9	+1·5	+3·0	73	74	2·7	3·9	....	0·9

TYPHOON TRACKS 1932.



Typhoon.

Typhoon developing, filling up, or of uncertain track.

TYPHOON TRACKS 1932.

PLATE II.



ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

DECEMBER,

1932.

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	30TH NOVEMBER, 1932.									1ST DECEMBER, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	
Wladiwostock,	12	30.27	768.8	27	...	...	0	b		6	30.10	764.6	27	...	...	0	b	
Nemuro,	11	29.80	757.0	...	...	WNW	2	...		5	30.20	767.0	...	...	W	1	...	
Hokodate,	"	30.06	763.5	...	...	WNW	5	...		"	30.24	768.0	...	...	WSW	1	...	
Tokio,	"	30.14	765.5	...	...	N	1	...		"	30.34	770.5	...	...	NW	1	...	
Kochi,	"	30.26	768.5	...	...	...	0	...		"	30.32	770.0	...	...	WSW	1	...	
Nagasaki,	"	30.33	770.5	...	...	ENE	1	...		"	30.36	771.0	...	...	...	...	...	
Kagoshima,	"	...	...	...	...	...	...	...		"	30.30	769.5	...	...	NW	1	...	
Oshima,	"	30.20	767.0	...	...	N	2	...		"	30.20	767.0	...	...	SSE	1	...	
Naha,	"	30.16	766.0	...	...	NE	3	...		"	30.16	766.0	...	...	...	0	...	
Ishigakijima,	"	30.12	765.0	...	...	ENE	2	...		"	30.08	764.0	...	...	ENE	1	...	
Bonin Island,	"	30.06	763.5	...	...	ENE	1	...		"	30.12	765.0	...	...	NE	1	...	
Chefoo,	15	30.22	767.5	52	8	S	4	be		6	30.16	766.1	43	6	SSW	2	b	
Shanghai,	14	30.30	769.6	63	8	SE	2	be		"	30.25	768.3	43	1	NE	2	f	
Gutzlaff,	"	30.35	770.9	58	6	ENE	2	be		"	30.31	769.9	54	6	NW	2	b	
Wenchow,	"	...	...	...	...	...	...	...		6	30.25	768.2	57	...	NNE	3	o	
Foochow,	"	30.13	765.3	58	6	N	2	o		7	30.12	765.0	58	6	N	2	o	
Amoy,	"	30.14	765.5	68	8	NE	4	b		6	30.14	765.5	65	6	NE	2	o	
Swatow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Tailoku,	11	30.14	765.5	68	...	ENE	4	d		5	30.07	763.8	67	...	E	4	b	
Taichu,	"	30.07	763.8	76	...	...	0	b		"	30.07	763.8	59	...	...	0	be	
Tainan,	"	30.05	763.3	76	...	N	2	bo		"	30.03	762.7	67	...	N	2	o	
Koshun,	"	30.01	762.3	76	...	NE	6	b		"	30.00	761.9	70	...	NE	4	o	
Pescadores,	"	30.08	764.0	72	...	NNE	6	o		"	30.05	763.2	67	...	N	4	o	
Hong Kong,	14	30.05	763.2	71	8	WSW	1	b		6	30.06	763.5	64	6	N	1	o	
Cap Rock,	"	30.06	763.5	71	8	ENE	4	b		"	30.06	763.5	70	8	ENE	4	o	
Macao,	"	30.04	763.1	68	6	NE	2	b		"	30.06	763.4	61	4	N	2	o	
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Praias Island,	"	29.99	761.8	72	6	NE	6	o		6	30.00	762.0	68	6	NE	6	r	
Phulien,	15	30.07	763.7	68	8	...	0	o		7	30.10	764.6	63	6	NNE	2	o	
Tourane,	"	29.99	761.8	68	8	NW	2	o		"	30.01	762.2	66	7	W	1	be	
Cape St. James,	"	29.89	759.2	85	8	N	2	b		"	...	...	...	...	...	...	...	
Basco,	14	29.92	760.0	76	6	ENE	2	o		6	29.96	760.9	74	6	NE.	2	o	
Aparri,	"	29.88	758.9	76	6	NE	4	d		"	29.89	759.3	76	6	ENE	4	d	
Tuguegarao,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Vigan,	"	...	...	...	...	...	...	...		"	29.83	757.7	74	8	...	c	c	
Manila,	"	29.80	757.0	91	8	ESE	4	bo		"	29.87	758.6	72	6	...	0	b	
Legaspi,	"	29.81	757.1	91	8	NE	2	be		"	29.86	758.5	79	6	NE	2	o	
Calbayog,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Tacloban,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Iloilo,	"	29.79	756.6	91	8	NE	4	b		"	29.83	757.6	77	6	N	4	o	
Cebu,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Surigao,	...	29.80	757.0	86	8	N	2	b		"	29.86	758.3	74	4	S	2	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.89	759.2	77	...	ENE	3	be	
Guam,	12.22	29.81	757.2	...	8	NE	4	b		4.22	29.83	757.6	...	8	NE	4	b	
Yap,	11.00	29.83	757.8	...	8	E	4	be		5	29.86	758.5	...	8	NE	2	be	
Palau,	"	...	...	...	...	...	...	...		"	29.60	751.8	78	...	...	0	be	
Laiyuan,	14	29.94	760.6	85	6	SW	...	be		6	29.90	759.4	74	4	S	4	b	

December 1d. 10h. 55m.—The anticyclone continues to move eastward, and is now central over South Japan.

Fresh monsoon will prevail along the south coast of China, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 87.36 inches, against an average of 82.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
A.—Shanghai to Turnabout,	Northerly or variable winds, light to moderate.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Cap Rock,	N.E. winds, fresh; cloudy, some drizzle.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	1st DECEMBER, 1932.								2nd DECEMBER, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.02	762.4	37	...	SSW	2	f	6	30.44	773.1	28	...	NNW	6	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.80	757.0	...	...	W	2	..
Hokodate,	,,	30.16	766.0	...	...	W	1	...	,,	29.96	761.0	...	...	W	2	...
Tokio,	,,	30.26	768.5	...	...	NNE	1	...	,,	30 14	765.5	.	...	...	...	...
Kochi,	,,	30.30	769.5	...	...	...	...	...	,,	30.28	769.0	...	...	WSW	1	...
Nagasaki,	,,	30.31	770 0	...	...	SE	2	...	,,	30.30	769.5	...	..	...	0	...
Kagoshima,	,,	30.30	769.5	...	...	E	1	...	,,	30.28	769.0	...	...	...	0	...
Oshima,	,,	30.20	767.0	...	...	SE	1	...	,,	30.16	766.0	...	...	...	0	...
Naha,	,,	30.16	766.0	...	...	ENE	3	...	,,	30.12	765.0	...	...	NE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	E	2	...	,,	30.04	763 0	...	...	E	2	...
Ponin Island,	,,	30.10	764.5	...	...	ENE	1	...	,,	30.02	762.5	...	...	..	0	...
Chefoo,	15	30.19	766.8	52	8	NW	4	b	6	30.41	772.4	41	6	NNW	4	b
Shanghai,	14	30.23	767.8	67	8	WNW	2	b	,,	30.29	769.3	52	4	NNE	2	o
Gutzlaff,	,,	30.28	769.1	59	6	SE	2	o	,,	30.33	770.4	56	4	N	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.04	763.0	63	6	N	2	o	7	30.13	765.3	62	4	NE	2	rf
Amoy,	,,	30.09	764.3	70	6	SSE	4	o	6	30.10	764.5	67	6	ENE	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.09	764.2	79	...	ESE	4	bc	5	30.08	763.9	67	...	E	2	r
Taichu,	,,	30.06	763.6	74	...	...	0	o	,,	30.05	763.3	65	..	...	0	r
Tainan,	,,	30.08	764.0	70	...	...	0	o	,,	30.02	762.6	65	...	NNE	6	r
Koshun,	,,	30 03	762.8	72	...	NE	4	o	,,	30.02	762.4	70	...	...	0	o
Pescadores,	,,	30.08	764.0	70	...	N	4	r	,,	30.04	763.1	68	...	NNE	6	r
Hong Kong,	14	30.03	762.7	67	6	N	3	o	6	30.07	763.8	65	6	NE	1	o
Gap Rock,	,,	30.04	763.0	70	7	ENE	4	od	,,	30.07	763.8	70	7	ENE	4	o
Macao,	,,	30.01	762.3	68	4	NE	2	o	,,	30.04	763.0	63	4	E	2	d
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.97	761.2	72	6	ENE	6	r	6	30.00	761.9	70	6	NE	6	o
Hinfien,	15	30.07	763.7	73	8	...	0	bc	7	30.07	763.8	61	7	NNE	2	f
Tourane,	,,	29.97	761.2	75	7	NNW	4	o	,,	29.98	761.4	70	8	WNW	1	o
Cape St. James,	,,	29.90	759.4	82	7	S	2	z	,,	...	...	...	...	...	...	...
Basco,	14	29.91	759.8	77	6	NE	2	o	6	29.92	760 0	76	6	...	0	d
Aparri,	,,	29.86	758.5	83	6	ENE	4	o	,,	29.91	759.6	74	6	S	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	..	.	...	...	...	...	...	,,	29.86	758.5	76	8	...	0	bc
Manila,	,,	29.83	757.6	86	8	...	0	bc	,,	29.89	759.1	72	6	...	0	h
Legaspi,	,,	29.82	757.3	86	8	NE	2	bc	,,	29.84	758.0	81	8	NE	2	e
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	76	8	...	0	bc
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Iloilo,	,,	29.78	756.5	88	8	NE	4	b	,,	29.83	757.7	77	6	NNE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.80	756.8	83	8	...	0	bc	5	29.83	757.6	76	4	...	0	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.81	757.1	78	...	E	4	o
Guam,	12.22	29.76	755.9	...	8	NNE	6	q	4.22	29.72	754.8	...	8	NE	4	be
Yap,	11.00	29.77	756.1	...	8	ENE	4	bc	5	29.78	756.3	...	6	NNE	4	r
Penew,	,,	...	...	...	...	...	...	...	,,	29.76	755.9	77	...	NNE	2	o
Labuan,	14	29.95	760.7	86	6	W	4	b	6	29.91	759.6	72	...	SW	...	o

December 2d. 10h. 53m.—An anticyclone of considerable intensity is centred over South Manchuria, and a depression is situated to the north-east of Hokkaido

Moderate to fresh monsoon will prevail along the China coast and over the N. China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.22 inch. Total since January 1st, 87.85 inches, against an average of 82.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N. and N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, fresh; cloudy, some rain.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	N. and N.E. winds, fresh.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	2nd December, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	3rd December, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.46	773.8	14	...	N	5	b	6	30.45	773.5	...	...	SE	1	o
Nemuro,	11	29.78	756.5	...	...	N	2	...	5	30.16	766.0	...	...	NNW	5	..
Hokodate,	,,	29.96	761.0	...	...	WNW	4	...	,,	30.34	770.5	...	...	NW	1	...
Tokio,	,,	30.06	763.5	...	...	...	0	...	,,	30.56	771.0	..	...	NNW	1	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.32	770 0	...	...	...	0	...
Nagasaki,	,,	30.30	769.5	...	...	ENE	1	...	,,	30.28	769.0	...	..	E	1	...
Kagoshima,	,,	30.26	768.5	...	...	NE	1	...	,,	30.28	769.0	...	...	N	1	...
Oshima,	,,	30.18	766.5	...	...	SE	1	...	,,	30.16	766.0	...	...	...	0	...
Naha,	,,	30.12	765.0	...	...	E	1	...	,,	30.10	764.5	...	...	ENE	2	...
Ishigakijima,	,,	30.08	764.0	...	...	E	3	...	,,	30.04	763.0	...	...	NE	1	...
Bonin Island,	,,	29 98	761.5	...	...	...	...	...	,,	30.08	764.0	...	...	NE	1	...
Chefoo,	15	30.43	773 0	43	8	ENE	2	be	6	30.36	771.7	36	6	SSW	2	b
Shanghai,	14	30.25	768.3	65	6	E	2	o	,,	30.23	767.8	54	4	E	2	bc
Gutzlaff,	,,	30.29	769.3	61	6	ENE	2	c	,,	30.29	769.3	58	4	ENE	4	bc
Wenchow,	,	...	...	...	..	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.05	763.2	63	6	N	2	o	7	30.13	765.3	62	6	N	2	o
Amoy,	,,	30.07	763.8	70	4	ENE	2	r	6	30.09	764.3	65	6	SSW	4	o
Swatow,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.06	763.4	67	...	E	4	r	5	30.02	762.6	67	...	ESE	4	b
Taichu,	,,	30.06	763.6	67	...	...	0	r	,,	30.05	763.3	63	..	...	0	bc
Tainan,	,,	30.05	763.3	77	...	ENE	4	r	,,	30.03	762.7	67	...	N	2	o
Koshun,	,,	30.00	762.0	74	...	NNE	4	r	,,	29.99	761.8	70	...	NNE	2	b
Pescadores,	,,	30.05	763.3	72	...	NNE	4	o	,,	30.04	763.0	67	...	NNE	4	r
Hong Kong,	14	30.00	762.0	73	7	E	3	bc	6	30.04	763.0	68	6	E	5	od
Cap Rock,	,,	30.02	762.5	71	8	ENE	4	o	,,	30.03	762.7	71	8	ENE	4	o
Macao,	,,	30.00	761 9	72	4	NE	2	c	,,	30.00	762.0	68	4	ESE	2	o
Bolhow,	..	30.10	764.6	72	...	E	4	o	...	...	...	...	...	...	...	...
Pratas Island,	,,	29.97	761.3	76	8	ENE	4	o	6	29.99	761.8	74	6	NE	6	o
Phulien,	15	30.01	762.3	76	8	WNW	2	b	7	30.04	763.1	61	5	NNE	2	f
Tourane,	,,	29.94	760.6	70	8	NNW	4	o	,,	29.95	760.7	70	4	NW	1	d
Cape St. James,	,,	29.86	758.4	85	8	SW	2	bc	,,	29.88	758.9	75	7	NE	2	c
Basco,	14	29.87	758.8	79	6	NE	2	bc	6	29.92	760 0	74	6	N	2	o
Aparri,	,,	29.85	758.3	85	6	ENE	4	b	,,	29.89	759.3	74	6	...	o	bc
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.83	757.6	85	8	WNW	4	bc	,,	29.85	758.2	74	8	WNW	2	b
Manila,	,,	29.83	757.6	86	8	WSW	2	bc	,,	29.85	758.2	74	6	...	o	bc
Legaspi,	,,	29.79	756.7	88	8	ENE	4	b	,,	29.81	757.2	79	8	...	o	bc
Calbayog,	,,	29.78	756.3	91	8	N	4	bc	,,	29.82	757.3	76	8	...	o	bc
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	..	..	...	...	...
Iloilo,	,,	29.76	756.0	88	8	NE	4	bc	,,	29.80	756.8	76	6	N	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.76	755.8	83	6	...	o	o	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	8	ENE	6	bc	4.22	29.73	755.2	...	8	NE	4	bc
Yap,	11.00	29.73	755.2	...	6	NE	4	r	5	29.62	752.3	...	6	NE	4	r
Palau,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.95	760.7	81	6	SE	6	bc	6	29.91	759.6	79	...	...	...	bc

December 3*d*. 10*h*. 34*m*.—The anticyclone is centred over the Sea of Japan. Moderate to fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.85 inches, against an average of 82.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Cap Rock,	N.E. winds, fresh; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	3rd December, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	4th December, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.21	769.8	28	...	SE	1	s	6	30.21	767.3	21	...	N	3	b
Nemuro,	11	30.26	768.5	...	...	NNW	3	...	5	30.20	767.0	...	...	WSW	1	..
Hokodate,	,,	30.35	771.0	...	...	WNW	4	...	,,	30.24	768.0	...	...	N	1	...
Tokio,	,,	30.37	771.5	...	...	E	1	...	,,	30.22	767.5	...	...	...	...	...
Kochi,	,,	30.31	770.0	...	...	...	0	...	,,	30.10	764.5	...	...	WSW	1	...
Nagasaki,	,,	30.26	768.5	...	...	ENE	1	...	,,	30.16	766.0	...	...	...	...	...
Kagoshima,	,,	30.26	768.5	...	...	NE	1	...	,,	30.14	765.5	...	...	...	0	...
Oshima,	,,	30.16	766.0	...	...	SE	1	...	,,	30.10	764.5	...	...	...	...	...
Naha,	,,	30.10	764.5	...	...	E	3	...	,,	30.04	763.0	...	...	E	1	...
Ishigakijima,	,,	30.08	764.0	...	...	E	1	...	,,	30.04	763.0	...	...	E	1	...
Ponin Island,	,,	30.12	765.0	...	...	E	1	...	,,	30.14	765.5	...	...	ENE	1	...
Chefoo,	15	30.30	769.6	45	4	SSW	2	o	6	30.37	771.3	41	6	NE	4	b
Shanghai,	14	30.16	766.1	63	4	E	2	d	,,	30.28	769.0	54	6	NNE	2	o
Gutzlaff,	,,	30.22	767.6	59	4	NE	2	d	,,	30.28	769.0	56	1	NE	4	f
Wenchow,	,,	...	...	...	..	...	...	...	6	30.21	767.4	59	...	NE	2	o
Foochow,	,,	30.05	763.0	65	6	N	2	o	7	30.10	764.5	64	6	E	2	o
Amoy,	,,	29.99	761.7	74	6	SSW	2	b	6	30.08	764.0	67	6	ENE	4	b
Swatow,	,,	30.04	763.1	72	...	ESE	3	b	,,	...	...	...	...	...	...	...
Tailoku,	11	30.04	763.0	71	...	SW	4	be	5	30.04	763.0	59	...	...	0	b
Taichu,	,,	30.07	763.9	74	...	...	0	c	,,	30.03	762.8	61	..	...	0	b
Tainan,	,,	30.06	763.6	74	...	N	2	c	,,	30.00	761.9	68	...	N	2	o
Koshun,	,,	30.01	762.3	79	...	NE	2	b	,,	29.97	761.2	70	...	NE	2	b
Pescadores,	,,	30.08	764.0	68	...	N	4	d	,,	30.01	762.3	70	...	NNE	4	o
Hong Kong,	14	29.99	761.7	73	7	E	4	c	6	30.01	762.2	69	7	ENE	4	o
Gap Rock,	,,	30.00	762.0	71	8	ENE	4	c	,,	29.99	761.7	71	8	ENE	4	c
Macao,	,,	29.98	761.5	74	4	ESE	2	o	,,	29.99	761.8	68	4	NE	2	c
Hoihow,	,,	30.00	762.0	72	...	NE	4	d	,,	...	...	...	...	...	...	...
Praias Island,	,,	29.94	760.6	74	4	ENE	6	d	6	29.95	760.8	74	6	ENE	4	o
Phulien,	15	29.96	761.0	70	7	S	1	o	7	29.99	761.8	68	3	N	2	f
Tourane,	,,	29.87	758.8	79	8	NNW	3	c	,,	29.93	760.2	70	8	...	0	bc
Cape St. James,	,,	29.82	757.5	81	7	NE	3	be	,,	29.86	758.5	73	7	ENE	2	be
Basco,	14	29.89	759.3	81	8	NE	2	be	6	29.89	759.3	59	6	W	2	r
Aparri,	,,	29.85	758.2	85	6	NE	4	b	,,	29.88	758.8	74	6	...	0	bc
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.3	85	8	WNW	4	b	,,	29.80	757.0	74	8	...	0	b
Manila,	,,	29.78	756.5	85	8	...	0	o	,,	29.81	757.1	74	6	...	0	b
Legaspi,	,,	29.74	755.4	91	8	NE	2	bo	,,	29.76	755.8	81	6	NNE	2	o
Calboyog,	,,	29.78	756.3	76	8	N	4	o	,,	29.76	755.8	72	8	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.72	754.9	86	8	NE	4	o	,,	29.75	755.6	76	6	N	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.71	754.7	85	6	...	0	o	,,	29.71	754.7	74	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.78	756.4	78	...	E	5	be
Guam,	12.22	29.71	754.6	...	6	ENE	6	q	4.22	29.74	755.4	...	6	E	6	c
Yap,	11.00	29.56	750.7	...	6	E	6	r	5	29.66	753.4	...	6	SE	4	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.58	751.2	77	..	WSW	2	o
Labuan,	14	29.85	758.3	86	6	NE	2	b	6	29.80	757.0	72	...	NW	...	bo

December 4*d.* 10*h.* 30*m.*—The anticyclone has passed into the Pacific and another anticyclone has formed over N. China.

The typhoon or depression is now situated about 200 miles to the West of Yap, moving W.N.W.

Fresh monsoon may be expected along the coast of China and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.85 inches, against an average of 82.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	N.E. winds, moderate to fresh; fair.
C.—Hong Kong to Gap Rock,	N.E. winds, moderate to fresh; fair.
D.—Hong Kong to Hainan Straits,	N.E. winds, moderate to fresh; fair.
E.—North China Sea,	N.E. winds, fresh; cloudy, local rain.

B. D. EVANS,—*Assistant Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	4th December, 1932. Hong Kong Standard Time	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	5th December, 1932. Hong Kong Standard Time	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.25	768.4	28	...	N	2	b	6	30.35	770.8	18	...	N	1	b
Nemuro,	11	30.12	765.0	...	...	NNW	1	...	5	30.14	765.5	..	...	NNW	1	..
Hokodate,	..	30.10	764.5	...	...	NNW	1	...	..	30.20	767.0	...	...	NNW	1	...
Tokio,	..	30.10	764.5	...	...	N	1	...	..	30.14	765.5		...	N	1	...
Kochi,	..	30.18	766.5	...	...	...	0	...	..	30.08	764.0	...	...	...	0	...
Nagasaki,	..	30.16	766.0	...	...	...	0	...	..	30.08	764.0	...	..	NE	1	...
Kagoshima,	..	30.12	765.0	...	...	E	1	...	..	30.04	763.0	...	...	...	0	...
Oshima,	..	30.10	764.5	...	...	SSE	1	...	..	30.02	762.5	...	...	S	1	...
Naha,	..	30.06	763.5	...	...	E	1	...	..	30.00	762.0	...	...	ENE	1	...
Ishigakijima,	..	30.04	763.0	...	...	ESE	2	...	..	29.94	760.5	...	...	NNE	1	...
Bonin Island,	..	30.12	765.0	...	...	ESE	1	...	..	30.04	763.0	...	...	SE	1	...
Chefoo,	15	30.37	771.5	54	6	NE	2	o	6	30.28	769.0	41	6	NW	4	bc
Shanghai,	14	30.28	769.0	56	6	NE	4	o	..	30.29	769.4	49	4	NNW	2	r
Gutzlaff,	..	30.27	768.8	58	4	NNE	6	o	..	30.28	769.1	50	4	NNW	6	d
Wenchow,	,	...	...	...	..	...	...	...	6	30.22	767.6	55	...	NE	4	e
Foochow,	..	30.07	763.8	63	6	E	2	o	7	30.07	763.8	63	6	N	2	o
Amoy,	..	30.17	766.3	74	6	ESE	2	bc	6	30.06	763.5	86	6	NE	4	o
Swatow,	..	30.04	762.9	68	...	E	3	b	..	...	...	...	...	...	...	...
Taihoku,	11	30.06	763.6	76	...	ENE	4	o	5	29.99	761.6	67	...	E	4	b
Toichu,	..	30.03	762.7	76	...	NNW	2	b	..	29.99	761.6	67	..	...	0	o
Tainan,	..	30.03	762.7	76	...	NNE	4	bc	..	29.95	760.6	67	...	...	0	o
Koshun,	..	30.00	762.0	81	...	ENE	2	bc	,	29.92	760.0	72	...	NNE	4	b
Pescadores,	..	30.04	763.0	70	...	NNE	4	r	..	29.96	761.0	68	...	NNE	4	r
Hong Kong,	14	29.97	761.2	72	7	E	4	c	6	30.00	762.0	68	6	NE	2	e
Gap Rock,	..	29.94	760.5	72	8	ENE	4	o	..	29.98	761.5	71	8	ENE	5	or
Macao,	..	29.94	760.6	72	4	NE	2	c	..	29.98	761.4	63	4	NNE	2	d
Hoihow,	..	29.99	761.8	74	8	ENE	4	r	..	29.98	761.5	79	6	ENE	6	l
Praya Island,	..	29.9	760.1	74	6	ENE	4	d	6	29.92	760.0	72	6	NE	6	b
Phulien,	15	29.93	760.2	75	7	...	0	c	7	30.03	762.7	64	8	NE	6	c
Touraine,	..	29.85	758.2	79	8	N	3	c	..	29.91	759.6	68	6	...	0	f
Cape St. James,	..	29.82	757.4	81	7	E	2	bc	..	29.85	758.1	73	6	ENE	2	f
Bassa,	14	29.86	758.4	81	8	NNE	2	bc	6	29.84	757.9	76	4	NE	2	o
Aparri,	..	29.83	757.6	83	8	NE	4	b	..	29.73	755.0	76	6	NE	4	r
Tuguegarao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Vigan,	..	29.74	755.5	86	8	WNW	2	bc	..	29.71	754.7	76	8	NNW	4	bc
Manila,	..	29.75	755.6	86	8	NE	4	c	..	29.71	754.7	74	6	...	0	p
Legaspi,	..	29.69	754.0	86	8	NE	2	o	..	29.60	751.9	79	6	NNE	2	o
Calboyog,	..	29.68	753.8	83	8	NNE	4	o	..	29.58	751.2	77	8	NNW	2	o
Tacloban,	..	...	...	...	...	...	...	...	..	...	...	...	..	...	...	...
Iloilo,	..	29.66	753.4	86	6	NE	4	o	..	29.63	752.7	77	4	NE	2	o
Cebu,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Surigao,	...	29.64	752.8	83	6	...	c	o	..	29.55	750.6	79	4	W	4	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.77	756.1	79	...	E	4	c
Guam,	12.22	29.69	754.0	...	8	NE	6	bc	4.22	29.72	754.9	...	8	ENE	4	bc
Yap,	11.00	29.66	753.3	...	6	SE	4	bc	5	29.74	755.4	...	6	E	4	bc
Pelew,	..	...	...	...	...	...	...	...	..	29.69	754.1	78	...	SSW	2	r
Labuan,	14	29.84	757.9	83	6	NW	4	bc	6	29.78	756.5	85	...	...	...	c

December 5d. 10h. 37m.—The anticyclone over N. China has increased in intensity. The typhoon is situated about 350 miles south-east of Manila, moving W.N.W.

Fresh monsoon will prevail along the China coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total *since January 1st, 87.86 inches, against an average of 82.18 inches.*

Manila warning: 5d. 8h. 45m.—Typhoon in Lat. 11° N. Long. 126° E. moving W.N.W. Recd 5d. 9h. 14m.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy, probably some rain.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	5th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	6th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.27	768.8	30	...	...	0	b	6	30.10	764.6	27	...	...	0	c
Kenmun,	11	30.20	767.0	...	...	NNW	4	...	5	30.22	767.5	...	...	S	3	...
Hakodate,	,,	30.20	767.0	...	...	NNW	1	...	,,	30.04	763.0	...	...	NW	1	...
Tokio,	,,	30.16	766.0	...	...	N	1	...	,,	29.98	761.5	...	...	NW	1	...
Kochi,	,,	30.06	763.5	...	...	SW	1	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	30.06	763.5	...	...	...	0	...	,,	30.04	763.0	...	...	NNE	1	...
Kagoshima,	,,	30.04	763.0	...	...	...	0	...	,,	29.98	761.5	...	...	NNW	1	...
Oshima,	,,	30.02	762.5	...	...	...	...	...	,,	29.92	760.0	...	...	S	1	...
Naha,	,,	29.98	761.5	...	...	ENE	2	...	,,	29.88	759.0	...	...	NNE	6	...
Ishigakijima,	,,	29.98	761.5	...	...	E	2	...	,,	29.92	760.0	...	...	NE	4	...
Basin Island,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.96	761.0	...	...	...	...	...
Chefoo,	15	30.26	768.5	45	8	NW	4	bc	6	30.31	769.8	36	6	NNE	6	c
Shanghai,	14	30.32	770.2	45	4	NW	4	r	,,	30.34	770.5	36	6	W	2	b
Gutzlaff,	,,	30.30	769.6	49	1	NNW	6	d	,,	30.42	772.6	43	6	NNW	6	bc
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.03	762.7	63	6	NE	2	r	7	30.19	766.8	56	6	NNE	4	d
Amoy,	,,	30.06	763.5	72	6	NE	2	o	6	30.12	765.0	59	6	NE	4	o
Swatow,	,,	30.03	762.8	66	...	NNW	3	o	,,	...	...	...	...	...	...	...
Pakhoi,	11	30.03	762.8	72	...	...	0	o	5	30.17	766.2	59	...	NNW	2	r
Taichu,	,,	30.02	762.6	74	...	NNW	2	o	,,	29.99	761.8	58	..	N	4	c
Tainan,	,,	29.96	761.0	77	...	N	2	b	,,	29.95	760.6	61	...	N	6	c
Koshun,	,,	29.94	760.6	77	...	NNE	4	bc	,,	29.88	758.9	70	...	N	2	bc
Pescadores,	,,	30.00	762.1	68	...	NNE	4	r	,,	30.02	762.4	61	...	NNE	8	c
Hong Kong,	14	29.97	761.3	69	7	N	3	o	6	30.10	764.6	55	8	N	3	b
Gap Rock,	,,	29.99	761.7	70	8	N	4	o	,,	30.07	763.8	68	8	N	6	b
Mamo,	,,	29.98	761.5	61	4	NNW	4	o	,,	30.10	764.5	52	4	N	4	bc
Hoihow,	,,	30.02	762.5	65	...	NNE	6	r	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.6	74	8	NE	6	o	6	29.98	761.5	65	6	NNE	8	o
Phulien,	15	30.02	762.6	72	8	...	0	c	7	30.23	767.8	57	8	NNE	5	c
Tourane,	,,	29.85	758.3	74	8	NNW	4	o	,,	30.02	762.5	68	2	N	6	r
Cape St. James,	,,	29.81	757.1	85	8	SSW	2	b	,,	29.86	758.5	75	6	N	2	f
Basco,	14	29.76	756.0	77	6	NNE	2	o	6	29.73	755.2	74	4	NE	4	o
Aparri,	,,	29.72	754.8	79	6	NE	4	p	,,	29.66	753.3	77	4	NW	6	d
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.64	752.9	77	6	N	6	o
Manila,	,,	29.63	752.5	88	8	W	2	bc	,,	29.60	751.9	76	6	NE	2	o
Legaspi,	,,	29.46	748.3	79	6	NNW	2	o	,,	29.52	749.8	77	6	WSW	4	o
Calbayog,	,,	29.45	748.1	76	6	NW	2	q	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.57	751.0	85	6	...	0	z	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.48	784.9	81	6	WSW	6	q	,,	29.60	751.8	81	4	WSW	4	b
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.70	754.4	...	8	SE	2	o	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.68	753.8	...	8	E	4	bc	5	...	...	...	...	...	...	...
Peiew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.84	757.9	70	...	...	...	r	6	29.91	759.8	74	...	S	...	bc

December 6d. 10h. 21m.—The anticyclone has extended southward, and continues to increase in intensity; the typhoon is situated less than 200 miles east of Manila, moving N.W. or N.N.W.

Fresh to strong monsoon will prevail along the coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.86 inches, against an average of 82.22 inches.

Manila warning, 6d. 8h. 35m.—Typhoon in Lat. 15° N. Long. 124° E. moving N.W. Recd 6d. 9h. 11m.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. and N.E. winds, fresh to strong.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N. winds, fresh; fine.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES.—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	6th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	7th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.03	762.8	30	...	NNW	1	c	6	30.32	770.1	18	...	NNE	3	b
Nemuro,	11	30.00	762.0	...	...	SSE	5	...	5	29.59	751.5	...	...	NNW	2	..
Hokodate,	..	29.88	759.0	...	...	...	0	...	..	29.76	756.0	...	...	NNW	2	...
Tokio,	..	29.86	758.5	...	...	NNW	1	...	..	29.76	756.0	..	...	N	2	...
Kochi,	..	29.88	759.0	...	...	...	0	...	..	29.75	755.5	...	...	N	1	...
Nagasaki,	..	30.04	763.0	...	...	N	2	...	..	29.92	760.0	...	..	N	2	...
Kagoshima,	..	29.94	760.5	...	...	NNW	1	...	..	29.82	757.5	...	...	N	1	...
Oshima,	..	29.92	760.0	...	...	N	4	...	..	29.73	755.0	...	...	N	5	...
Naha,	..	29.86	758.5	...	...	NNE	7	...	..	29.73	755.0	...	...	N	7	...
Ishigakijima,	..	29.06	761.0	...	...	NNE	4	...	..	29.86	758.5	...	...	NNE	4	...
Bonin Island,	..	29.88	759.0	...	...	SE	2	...	..	29.67	753.5	...	...	SSE	4	...
Chefoo,	15	30.29	769.4	40	6	WNW	4	c	6	30.13	765.4	33	8	SW	2	h
Shanghai,	14	30.37	771.3	45	8	NW	4	h	..	30.29	769.4	29	6	WNW	2	h
Gutzlaff,	..	30.35	770.9	45	4	NNW	8	b	..	30.29	769.4	40	4	NW	8	h
Wenchow,	,	...	...	...	...	...	...	...	6	30.24	768.0	48	...	NW	5	h
Foochow,	..	30.08	764.0	60	8	NE	2	h	7	30.14	765.5	52	6	N	2	hc
Amoy,	..	30.10	764.5	65	6	NE	4	h	6	30.14	765.5	50	8	NE	2	h
Swatow,	..	30.08	764.0	63	...	NW	3	h	..	...	...	...	...	..	...	...
Taihoku,	11	30.18	766.6	56	...	NW	2	r	5	30.11	764.8	50	...	NNW	2	c
Taichu,	..	30.00	762.1	58	...	N	4	o	..	30.02	762.5	49	...	N	4	c
Tainan,	..	29.97	761.2	65	...	N	6	b	..	29.97	761.3	49	...	N	4	b
Koshun,	..	29.90	759.5	72	...	NNE	4	o	,	29.91	759.6	61	...	...	0	b
Pescadores,	..	30.03	762.7	61	...	NNE	8	u	,	...	...	...	...	...	..	...
Hong Kong,	14	30.04	763.0	63	8	N	3	h	6	30.13	765.3	48	8	N	3	h
Gap Rock,	..	30.04	763.0	68	8	NW	7	h	..	30.11	764.8	64	8	N	6	h
Macao,	..	30.05	763.2	59	6	N	4	h	..	30.10	764.6	45	6	N	4	h
Holhow,	..	30.21	767.4	61	...	ENE	4	o	..	...	...	...	...	...	...	...
Pratas Island,	..	29.92	760.0	62	6	NE	6	o	6	30.03	762.8	61	6	NE	6	e
Phulien,	15	30.12	765.0	68	8	NNW	3	h	7	30.21	767.4	55	6	NE	4	hc
Tuirane,	..	30.01	762.2	70	5	NNW	7	c	..	30.08	764.0	64	5	WNW	3	c
Cape St. James,	..	29.83	757.7	79	7	E	3	c	..	29.89	759.3	72	7	E	2	c
Basco,	14	29.69	754.1	70	6	NE	6	o	6	29.86	758.5	67	6	NNE	4	c
Aparri,	..	29.65	753.1	76	4	N	6	o	..	29.84	757.8	72	6	WNW	4	cc
Tuguegarao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Vigan,	..	29.63	752.6	77	6	N	6	o	..	29.80	756.8	67	6	NNW	2	o
Manila,	..	29.56	750.7	88	8	NW	4	o	..	29.76	755.9	74	6	N	2	o
Legaspi,	..	29.55	750.5	86	8	SW	6	o	..	29.73	755.0	79	8	NE	2	o
Calbayog,	..	29.58	751.3	86	8	SW	4	bc	..	29.73	755.2	76	8	NNE	4	c
Tacloban,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Iloilo,	..	29.59	751.6	91	4	W	10	o	..	29.70	754.3	77	6	NE	2	o
Cebu,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Surigao,	...	29.58	751.4	86	8	SW	6	o	..	29.70	754.3	79	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.78	756.3	75	...	SE	5	c
Guam,	12.22	29.70	754.4	...	8	SSE	6	bc	4.22	29.75	755.6	...	8	...	0	c
Yap,	11.00	29.69	754.2	...	8	...	0	bc	5	29.77	756.1	...	4	SSE	2	c
Pelew,	..	...	...	...	...	...	...	...	..	29.74	755.3	80	...	SSW	2	c
Labuan,	14	29.94	760.4	68	...	...	...	o	6	29.89	759.1	68	...	...	...	r

December 7d. 10h. 40m.—A strong anticyclone covers China, pressure being highest over the upper Yangtze Valley. The typhoon has merged into an extensive area of low pressure situated between the Visayas and Tokio.

Strong monsoon will prevail along the coast, and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.86 inches, against an average of 82.26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8th.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N. winds, strong.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N. winds, strong ; fine.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	7th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	8th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.11	764.8	21	...	N	4	b	6	30.06	763.5	32	...	NNE	3	c
Nemuro,	11	29.61	752.0	...	...	NNW	3	...	5	29.69	754.0	...	...	NNE	3	..
Hokodate,	,,	29.78	756.2	...	...	NW	2	...	,,	29.73	755.0	...	...		0	...
Tokio,	,,	29.74	755.5	...	...	NE	1	...	,,	29.71	754.5		...	NW	1	...
Kochi,	,,	29.72	755.0	...	...	..	0	...	,,	29.84	758.0	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	NNE	2	...	,,	29.98	761.5	...	..	N	1	...
Kagoshima,	,,	29.76	756.0	...	...	N	1	...	,,	29.96	761.0	...	...	..	0	...
Oshima,	,,	29.74	755.5	...	...	N	5	...	,,	30.00	762.0	...	...	NNW	2	...
Naha,	,,	29.78	756.5	...	...	N	7	...	,,	30.10	764.5	...	...	NNW	6	...
Ishigakijima,	,,	29.94	760.5	...	...	NNE	3	...	,,	30.20	767.0	...	...	N	2	...
Bonin Island,	,,	29.57	751.0	...	...	S	3	...	,,	29.71	754.5	...	...	SW	1	...
Chefoo,	15	30.13	765.4	35	8	NNW	4	c	6	30.26	768.5	33	6	WSW	4	c
Shanghai,	14	30.23	767.8	47	8	NW	4	b	,,	30.41	772.3	29	6	WNW	2	b
Gutzlaff,	,,	30.25	768.3	43	1	NW	6	b	,,	30.43	772.8	35	1	NNW	8	r
Wenchow,	,	...	...	...	..	...	...	...	6	...	...	..	...	...	...	...
Foochow,	,,	30.10	764.5	56	8	F	2	b	7	30.30	769.6	54	8	NW	2	b
Amoy,	,,	30.16	766.0	61	6	ENE	2	b	6	30.23	767.8	50	6	NE	4	b
Swatow,	,,	30.15	765.8	61	...	N	1	b	,,	...	...	...	...	...	...	...
Tailoku,	11	30.16	766.0	54	...	NW	2	o	5	30.29	769.4	43	...	...	0	c
Taichu,	,,	...	...	56	...	N	4	bc	,,	30.21	767.2	40	..	...	0	b
Tainan,	,,	30.05	763.3	59	...	N	4	b	,,	30.18	766.6	45	...	N	2	b
Kosium,	,,	30.00	762.0	67	...	ENE	2	o	,,	30.12	764.9	56	...	NE	6	b
Pescadores,	,,	30.09	764.3	59	...	NNE	6	bc	,,	30.19	766.7	59	...	NNE	4	b
Hong Kong,	14	30.11	764.7	60	8	NNE	4	b	6	30.24	768.1	49	8	NNE	4	b
Gap Rock,	,,	30.12	765.0	65	8	N	5	b	,,	30.20	767.1	73	8	NE	5	b
Macao,	,,	30.10	764.6	56	6	NNE	4	b	,,	30.21	767.4	49	6	NE	4	b
Hoihow,	..	30.26	768.6	63	...	ENE	4	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.06	763.6	61	8	NE	8	o	6	30.15	765.7	63	8	NE	6	o
Phulien,	15	30.16	766.1	65	8	...	0	c	7	30.29	769.3	54	6	ENE	4	c
Tourane,	,,	30.04	763.1	66	6	NW	4	d	,,	30.15	765.8	61	3	W	1	d
Cape St. James,	,,	29.87	758.8	81	7	ESE	1	c	,,	29.95	760.7	68	7	NE	3	bc
Basco,	14	29.91	759.6	70	6	NNE	2	o	6	30.06	761.5	67	4	NE	4	o
Aparri,	,,	29.88	759.0	76	6	NNE	4	b	,,	30.00	762.0	65	6	SW	2	d
Tuguegrao,	,,	...	...	...	...	...	...	...	,,	30.01	762.1	54	1	..	0	o
Vigan,	,,	29.80	756.8	77	8	NNW	4	b	,,	29.93	760.1	72	8	ENE	2	o
Manila,	,,	29.78	756.3	81	8	W	4	o	,,	29.90	759.5	68	6	...	0	bc
Legaspi,	,,	29.74	755.5	81	8	NE	4	bc	,,	29.88	758.8	76	8	NE	4	bc
Calboyog,	,,	29.73	755.2	81	8	N	4	bc	,,	29.88	758.8	76	8	NNE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.88	758.8	76	6	NNW	2	o
Iloilo,	,,	29.70	754.4	83	8	NNE	4	o	,,	29.83	757.6	74	6	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	77	8	N	4	o
Surigao,	...	29.71	754.6	79	6	...	0	o	,,	29.83	757.7	77	4	N	4	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.83	757.7	77	...	S	2	c
Guam,	12.22	29.73	754.6	...	8	SE	2	bc	4.22	29.78	756.5	...	6	...	0	b
Yap,	11.00	29.74	755.5	...	8	S	2	bc	5	29.82	757.3	...	8	...	0	b
Pelew,	,,	...	...	..	...	...	...	...	,,	29.79	756.6	80	....	NW	2	o
Lamian,	14	29.94	760.4	74	...	NE	...	bc	6	29.90	759.4	68	...	NE	...	r

December 8d, 10h. 4cm.—The anticyclone remains stationary and considerable increases of pressure have occurred over S. China and Tongking.

Fresh to strong monsoon will continue along the coast, and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.86 inches, against an average of 82.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, fresh to strong.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N. winds, fresh; fine.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES.—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	8th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	9th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.07	763.9	19	...	NNE	3	b	6	30.30	769.5	19	...	NNE	1	b
Nemuro,	11	29.69	754.0	...	...	N	2	...	5	29.80	757.0	...	...	...	0	...
Hokodate,	,,	29.69	754.0	...	...	SSW	1	...	,,	29.94	760.5	...	...	NW	1	...
Tokio,	,,	29.74	755.5	...	...	...	0	...	,,	30.10	764.5	...	...	WNW	1	...
Kochi,	,,	29.88	759.0	...	...	W	1	...	,,	30.32	770.0	...	...	WSW	1	...
Nagasaki,	,,	30.10	764.5	...	...	NNW	3	...	,,	30.38	771.5	...	...	NNE	1	...
Kagoshima,	,,	30.06	763.5	...	...	NNW	3	...	,,	30.36	771.0	...	...	...	0	...
Oshima,	,,	30.08	764.0	...	...	N	2	...	,,	30.30	769.5	...	...	N	2	...
Naha,	,,	30.14	765.5	...	...	NNW	5	...	,,	30.30	769.5	...	...	NNE	3	...
Ishigakijima,	,,	30.24	768.0	...	...	N	2	...	,,	30.30	769.5	...	...	NE	1	...
Bonin Island,	,,	29.80	757.0	...	...	WNW	1	...	,,	30.06	763.5	...	...	NW	1	...
Chefoo,	15	30.26	768.7	40	8	W	4	bc	6	30.39	771.8	35	8	SW	2	b
Shanghai,	14	30.43	773.0	45	8	NW	4	b	,,	30.53	775.4	25	6	WNW	2	b
Gutzlaff,	,,	30.40	772.7	43	6	NW	4	b	,,	30.58	776.7	38	6	NW	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.28	769.1	54	8	F	2	bc	,,	30.41	772.4	52	6	NW	2	b
Amoy,	,,	30.29	769.3	61	6	ENE	4	b	6	...	...	...	...	...	...	...
Swatow,	,,	30.29	769.4	61	...	E	3	b	,,	...	...	...	...	...	...	...
Taiboku,	11	30.35	771.0	58	...	E	4	bc	5	30.37	771.3	52	...	E	2	c
Taichu,	,,	30.26	768.6	61	...	NW	2	b	,,	30.31	769.8	43	...	...	0	b
Tainan,	,,	30.23	767.9	63	...	N	4	b	,,	30.25	768.4	41	...	NNE	2	b
Koshun,	,,	30.13	765.8	67	...	NE	6	b	,,	30.20	767.2	61	...	NE	6	b
Pescadores,	,,	30.26	768.7	61	...	NE	6	b	,,	...	...	...	...	...	...	...
Hong Kong,	14	30.23	767.8	61	8	E	3	b	6	30.26	768.6	55	7	NE	3	b
Gap Rock,	,,	30.25	768.3	64	8	NE	4	b	,,	30.22	767.6	63	8	ENE	4	c
Macao,	,,	30.22	767.5	58	6	NE	4	b	,,	30.22	767.6	49	6	N	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Praias Island,	,,	30.11	764.8	76	6	NE	8	o	6	30.17	766.4	67	6	NE	8	o
Phulien,	15	30.21	767.4	65	8	ESE	2	b	,,	30.25	768.3	52	8	ENE	5	bc
Tourane,	,,	30.08	764.0	67	8	ENE	4	c	,,	30.13	765.2	63	6	WSW	1	c
Cape St. James,	,,	29.93	760.1	77	6	SE	2	z	,,	29.97	761.3	70	7	NE	2	c
Basco,	14	30.06	763.6	68	6	NE	4	bc	6	30.17	766.3	67	4	NE	4	bc
Aparri,	,,	30.01	762.3	72	6	NE	4	o	,,	30.09	764.2	70	6	E	4	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.96	761.0	74	8	NE	4	b
Manila,	,,	29.85	758.2	81	8	W	2	c	,,	29.97	761.3	72	6	...	0	o
Legaspi,	,,	29.88	758.9	83	8	NE	4	o	,,	29.93	760.3	77	8	NE	4	b
Calbayog,	,,	...	...	...	...	...	...	...	,,	29.93	760.3	74	8	NNE	2	bc
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	79	8	NE	4	o	,,	29.88	758.9	74	6	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.83	757.6	79	6	NNE	4	o	,,	29.88	758.9	77	4	NNE	2	o
Saigon,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.8	...	8	NNE	4	bc	4.22	29.83	757.6	...	8	...	0	b
Yap,	11.00	29.77	756.1	...	8	ENE	2	bc	5	29.86	758.5	...	6	E	4	bc
Pelew,	,,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Labuan,	14	29.96	760.9	74	...	N	...	c	6	29.90	759.5	70	...	NE	4	bc

December 9d. 10h. 05m.—The anticyclone has extended eastward to S. Japan. Fresh to strong monsoon will continue along the coast, and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. today, 0.00 inch. Total since January 1st, 87.86 inches, against an average of 82.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
D.—Hong Kong to Bainan Straits,	
E.—North China Sea,	N. and N.E. winds, fresh to stro

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG

DAILY WEATHER REPORT.

Station.	9th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	10th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.26	768.7	27	...	...	0	b	6	30.39	772.0	23	...	...	0	b
Nemuro,	11	29.88	759.0	...	...	NNW	2	...	5	30.10	764.5	...	...	WNW	2	..
Hokodate,	..	30.02	762.5	...	...	WNW	4	...	..	30.22	767.3	...	...	WNW	3	...
Tokio,	..	30.14	765.5	...	...	NW	2	...	..	30.38	771.5	.	...	...	0	...
Kochi,	..	30.31	770.0	...	...	...	0	...	..	30.47	774.0	....	..	WSW	1	...
Nagasaki,	..	30.39	772.0	...	...	NNE	1	...	..	30.49	774.5	...	..	ENE	1	...
Kagoshima,	..	30.35	771.0	...	...	N	1	...	..	30.47	774.0	..	...	...	0	...
Oshima,	..	30.33	770.5	...	...	NNE	3	...	..	30.38	771.5	...	...	SE	1	...
Naha,	..	30.11	770.0	...	...	NNE	4	...	..	30.36	771.0	...	...	ENE	2	...
Ishigakijima,	..	30.33	770.5	...	...	E	3	...	..	30.30	769.5	...	...	ENE	1	...
Pouin Island,	..	30.10	764.5	...	...	NNW	1	...	..	30.26	768.5	...	...	N	1	...
Clarfoo,	15	30.39	772.0	43	8	SW	2	b	6	30.45	773.3	35	4	SW	2	c
Shanghai,	14	30.30	774.7	52	8	S	2	b	..	30.49	774.3	40	6	E	2	c
Gutzlaff,	..	30.57	776.5	45	6	WNW	2	b	..	30.53	775.4	49	6	ESE	2	b
Wenchow,	..	...	...	...	...	...	...	...	6	30.51	775.0	48	...	NNE	3	b
Foochow,	..	30.33	770.4	58	8	NNE	2	bc	..	30.33	770.4	54	8	N	2	bc
Amoy,	..	30.29	769.3	63	6	NE	4	b	6	30.33	770.4	56	6	W	2	bc
Swatow,	..	30.29	769.4	65	...	ENE	3	b	..	...	...	...	...	...	...	...
Tailoku,	11	30.37	771.3	65	...	ESE	4	c	5	30.30	769.6	59	...	E	4	bc
Taichu,	..	30.30	769.7	67	...	...	0	b	..	30.28	769.0	45	...	...	0	b
Tainan,	..	30.28	769.2	67	...	NW	2	b	..	30.23	767.8	54	...	E	2	bc
Koshun,	..	...	...	...	...	...	...	...	..	30.19	766.8	65	...	NE	4	b
Pescadores,	..	...	...	...	...	...	...	...	..	30.23	767.8	59	...	NNE	2	b
Hong Kong,	14	30.22	767.6	59	7	ENE	5	b	6	30.24	768.1	58	8	ENE	3	b
Gap Rock,	..	30.21	767.3	64	7	ENE	5	c	..	30.21	767.3	64	7	ENE	4	c
Macao,	..	30.21	767.4	63	6	NE	2	b	..	30.19	766.8	54	6	NE	2	bc
Hollow,	..	30.20	767.1	67	...	ENE	4	c	..	...	...	...	...	...	...	...
Pratas Island,	..	30.14	765.5	70	6	E	8	c	6	30.16	766.0	...	...	NE	6	c
Phulien,	15	30.16	766.1	70	8	S	2	b	7	30.19	766.7	59	6	NE	3	c
Tourane,	..	30.07	763.7	67	8	NNW	4	c	..	30.04	762.9	64	4	W	1	c
Cape St. James,	..	29.95	760.8	77	8	NW	2	b	..	29.94	760.5	68	7	N	1	bc
Basco,	14	...	...	...	...	...	...	...	6	30.12	764.9	70	6	NE	2	c
Aparri,	..	30.08	764.0	74	6	E	4	c	..	30.08	763.9	65	6	S	2	p
Tuguegarao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Vigan,	..	...	...	...	...	...	...	...	..	29.95	760.6	74	8	N	4	b
Manila,	..	29.93	760.2	81	8	...	0	c	..	29.97	761.2	68	6	...	0	c
Legaspi,	...	29.91	759.8	81	8	NE	4	c	..	29.90	759.4	77	6	NNE	4	c
Calbayog,	..	...	...	...	...	...	...	...	..	29.79	756.7	76	8	N	4	d
Tacloban,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Roilo,	..	29.83	757.8	83	8	NE	6	c	..	29.84	758.0	76	6	NE	4	c
Cebu,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Surigao,	...	29.83	757.7	79	6	NE	2	c	..	29.80	757.0	77	4	N	4	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	76	...	E	3	c
Guam,	12.22	29.80	757.0	...	8	E	4	c	4.22	29.83	757.6	...	8	E	2	b
Yap,	11.00	29.79	756.6	...	8	NE	4	c	5	29.83	757.6	...	8	NE	4	bc
Palau,	..	...	...	...	...	...	...	...	..	29.81	757.2	76	..	NE	2	c
Labuan,	14	29.93	760.2	77	4	N	6	bc	6	29.89	759.3	74	4	NE	4	bc

December 10*d.* 10*h.* 39*m.*—The anticyclone continues to move eastward and is now centred over Korea.

Fresh monsoon will prevail along the China coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.86 inches, against an average of 82.38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

Instruct.	Forecast.
A.—Shanghai to Turnabout,	N. and N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
D.—Hong Kong to Hainan Straits,	N. and N.E. winds, fresh to strong.
E.—North China Sea,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	10th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	11th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	..	...
Nemuro,	11	30.14	765.5	...	...	N	2	...	5	30.26	768.5	...	...	WNW	1	..
Hokodate,	..	30.26	768.5	...	...	W	2	...	..	30.32	770.0	...	...	WSW	2	...
Tokio,	..	30.39	772.0	...	...	NW	1	...	..	30.47	774.0	..	...	...	...	...
Kochi,	..	30.47	774.0	...	...	SE	1	...	..	30.45	773.5	...	...	WSW	1	...
Nagasaki,	..	30.51	775.0	...	...	E	1	...	..	30.43	773.0	...	..	...	0	...
Kagoshima,	..	30.47	774.0	...	...	...	0	...	..	30.41	772.5	...	...	...	0	...
Oshima,	..	30.37	771.5	...	...	NE	1	...	..	30.32	770.0	...	...	S	1	...
Naha,	..	30.35	771.0	...	...	NE	3	...	..	30.24	768.0	...	...	NE	1	...
Ishigakijima,	..	30.30	769.5	...	...	E	2	...	..	30.16	766.0	...	...	E	2	...
Ponin Island,	..	30.24	768.0	...	...	N	1	...	..	30.24	768.0	...	...	NNE	1	...
Chefoo,	15	30.32	770.2	43	6	S	2	c	6	30.25	768.3	41	6	S	2	o
Shanghai,	14	30.41	772.4	59	8	ESE	2	c	..	30.37	771.4	47	4	NW	2	o
Gutzlaff,	..	30.48	774.2	54	6	ESE	2	o	..	30.40	772.1	52	6	WNW	2	o
Wenchow,	..	...	...	...	..	...	...	...	6	...	...	...	...	...	...	...
Foochow,	..	30.26	768.6	54	6	N	2	o	..	30.22	767.6	56	6	N	2	o
Amoy,	..	..	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Swarow,	..	30.26	768.5	65	...	ESE	3	b	..	...	...	...	...	...	...	...
Tailoku,	11	30.30	769.6	72	...	SE	4	b	5	30.19	766.8	59	...	E	4	b
Taichu,	..	30.28	769.0	70	...	...	0	b	..	30.22	767.5	49	..	...	0	b
Tainan,	..	30.25	768.3	72	...	..	0	b	..	30.20	767.0	56	...	...	0	c
Koshun,	..	30.19	766.9	72	...	NE	6	b	..	30.14	765.6	68	...	...	0	b
Pescadores,	..	-	...	...	...	...	...	...	..	30.18	766.6	63	...	N	4	b
Hong Kong,	14	30.20	767.1	65	8	F	4	b	6	30.22	767.6	61	8	ENE	2	b
Gap Rock,	..	30.19	766.8	66	8	ENE	5	b	..	30.20	767.1	66	8	ENE	4	c
Macao,	..	30.18	766.6	70	6	ESE	2	b	..	30.19	766.7	58	4	NNE	2	e
Hoilow,	..	30.14	765.5	70	...	ENE	4	be	..	...	...	...	...	...	...	...
Pratas Island,	..	30.15	765.8	72	8	ENE	6	c	6	30.14	765.5	68	6	NE	6	o
Phulien,	15	30.16	766.0	64	7	N	1	o	7	30.22	767.5	61	6	N	1	z
Tourane,	..	29.94	760.4	72	4	...	0	c	..	30.06	763.4	68	4	NE	2	f
Cape St. James,	..	...	...	...	...	...	...	...	..	29.93	760.2	72	7	ENE	3	e
Basco,	14	30.08	764.0	72	6	NE	4	p	6	...	...	...	...	...	...	...
Aparri,	..	30.03	762.7	77	6	E	4	o	..	30.01	762.1	68	6	S	2	be
Tuguegrao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Vigan,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Manila,	..	29.90	759.5	85	8	NE	4	be	..	29.90	759.4	72	6	...	0	o
Legaspi,	..	29.84	757.8	81	6	N	4	o	..	29.85	758.2	77	6	NNE	2	o
Calbayog,	..	29.81	757.1	81	8	N	4	be	..	...	...	...	...	...	...	...
Tacloban,	..	...	...	...	..	...	...	...	..	...	...	...	...	...	...	...
Iloilo,	..	29.80	756.8	79	8	N	4	o	..	29.80	757.0	76	4	NE	4	o
Cebu,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Surigao,	...	29.76	755.8	79	6	ENE	4	o	..	29.79	756.6	74	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.3	...	8	ENE	4	be	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.79	756.6	...	6	NE	6	be	5	29.80	757.0	...	6	NE	2	be
Pelew,	..	...	...	...	...	...	...	...	..	29.77	756.1	77	...	NE	1	be
Labuan,	14	29.95	760.8	77	6	NW	4	be	6	...	...	...	...	...	...	...

December 11th, 10h. 35m.—The anticyclone is now centred over South Japan. Fresh monsoon will prevail along the China coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.86 inches, against an average of 82.42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. and N.E. winds, fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N. and N.E. winds, fresh.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	11TH DECEMBER, 1932.								12TH DECEMBER, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)	HONG KONG STANDARD TIME	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)
Vladivostock,	12	30.04	763.0	34	...	SE	2	o	6	29.86	758.5	27	...	WNW	3	o
Nemuro,	11	30.20	767.0	...	...	SSW	1	...	5	29.98	761.5	...	...	...	o	...
Hokodate,	,,	30.22	767.5	...	...	W	1	...	,,	29.88	759.0	...	...	SSW	3	...
Tokio,	,,	30.37	771.5	...	...	...	o	...	,,	30.10	764.5	..	...	...	o	...
Kochi,	,,	30.39	772.0	...	...	...	o	...	,,	30.10	764.5	...	...	...	o	...
Nagasaki,	,,	30.35	771.0	...	...	SE	3	...	,,	30.12	765.0	...	..	NW	4	...
Kagoshima,	,,	30.39	772.0	...	...	...	o	...	,,	30.14	765.5	...	...	...	o	...
Oshima,	,,	30.28	769.0	...	...	ENE	1	...	,,	30.18	766.5	...	...	....	o	...
Naha,	,,	30.24	768.0	...	...	ENE	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.22	767.5	...	...	E-E	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.22	767.5	...	...	E	1	...	,,	30.28	769.0	...	...	ESE	1	...
Chefoo,	15	30.23	767.8	45	8	NW	4	b	6	30.35	770.8	29	8	NW	10	g
Shanghai,	14	30.37	771.3	50	6	W	2	o	,,	30.53	775.4	36	6	WNW	4	b
Gutzlaff,	,,	30.41	772.4	47	4	NW	4	d	,,	30.53	775.4	41	4	NW	6	b
Wenchow,	,,	...	...	...	...	...	...	...	6	30.50	774.7	48	...	NNE	3	b
Foochow,	,,	30.19	766.8	60	8	NE	2	o	,,	30.19	766.8	58	4	NNE	4	o
Amoy,	,,	30.22	767.6	68	6	NNE	2	b	6	30.28	769.1	59	6	ENE	2	b
Swatow,	,,	30.19	766.7	67	...	E3E	1	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.20	767.0	74	...	ESE	4	b	5	30.35	770.8	59	...	E	2	d
Taichu,	,,	30.19	766.7	74	...	...	o	b	,,	30.21	767.3	58	..	N	2	b
Tainan,	,,	30.18	766.6	74	...	N	4	b	,,	30.18	766.6	59	...	N	4	o
Koshun,	,,	30.15	765.8	76	...	NNE	4	b	,,	30.14	765.6	65	...	...	o	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.22	767.6	65	...	NNE	6	o
Hong Kong,	14	30.13	765.3	73	8	W	1	b	6	30.27	768.9	57	7	N	4	b
Gap Rock,	,,	30.16	766.1	66	8	N	3	b	,,	30.26	768.6	65	8	N	5	b
Macao,	,,	30.14	765.5	68	6	NE	4	b	,,	30.26	768.5	56	6	NNE	4	b
Hoilow,	,,	30.19	766.8	68	...	ENE	4	b	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.09	764.2	74	6	N	4	bc	6	30.17	766.2	68	6	NE	8	o
Phulien,	15	30.19	766.9	72	8	NW	3	c	7	30.36	771.1	59	6	NNE	5	o
Tourane,	,,	30.05	763.2	77	6	NE	2	d	,,	30.17	766.4	70	6	NE	2	o
Cape St. James,	,,	29.91	759.7	77	7	ENE	3	z	,,	29.92	760.0	73	7	W	2	o
Basco,	14	30.01	762.3	76	6	NE	2	bc	6	30.04	763.0	74	4	NE	2	o
Aparri,	,,	29.96	761.0	76	6	NE	4	d	,,	30.01	762.1	76	6	ENE	4	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.83	757.6	85	8	NW	4	bc	,,	29.88	758.8	76	8	NNW	4	b
Manila,	,,	29.87	758.8	77	6	NE	2	o	,,	29.88	759.0	72	6	...	o	c
Legaspi,	,,	29.81	757.1	77	6	NNE	2	o	,,	29.84	757.8	77	8	WSW	2	o
Calbayog,	,,	29.78	756.3	86	8	N	4	o	,,	29.83	757.6	77	8	NNE	2	o
Tacloban,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.2	83	8	NE	4	o	,,	29.79	756.7	77	6	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.3	79	6	...	o	r	,,	29.78	756.3	74	8	E	4	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.83	757.5	77	...	E	4	bc
Guam,	12.22	29.74	755.5	...	8	ENE	4	q	4.22	29.80	757.0	...	8	E	2	b
Yap,	11.00	29.74	755.5	...	8	NE	2	bc	5	29.84	757.8	...	8	NE	2	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	78	...	NE	1	o
Labuan,	13	29.98	761.4	77	6	N	...	bc	6	29.93	760.1	70	1	S	...	bc

December 12*d.* 10*h.* 48*m.*— The anticyclone has passed into the Pacific to the south-east of Japan; another of abnormal intensity has developed to the north of the Yangtze. A depression is situated in the north part of the Sea of Japan.

Fresh to strong monsoon will prevail along the China coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.86 inches, against an average of 82.46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout,	N. and N.E. winds, fresh to strong.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh to strong; fine.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

STATION.	12TH DECEMBER, 1932.								13TH DECEMBER, 1932.							
	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)	HONG KONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millimetres.	TEMPERATURE.	VISIBILITY.	WIND. Direction.	WIND. Force. (Beaufort.)	WEATHER. (Beaufort.)
Vladivostock,	12	29.80	757.0	23	...	NE	5	c	6	30.04	762.9	10	...	NW	5	c
Nemuro,	11	29.78	756.5	...	...	S	3	...	5	29.10	739.0	...	...	W	2	...
Hokodate,	,,	29.59	751.5	...	...	S	4	...	,,	29.39	746.5	...	...	W	4	...
Tokio,	,,	29.82	757.5	...	...	S	3	...	,,	29.63	753.0		...	W	3	...
Kochi,	,,	29.92	760.0	...	...	WSW	1	...	,,	30.16	766.0	...	...	NW	1	...
Nagasaki,	,,	30.14	765.5	...	...	NW	6	...	,,	30.38	771.5	...	...	N	3	...
Kagoshima,	,,	30.14	765.5	...	...	NNW	2	...	,,	30.30	769.5	...	...	N	1	...
Oshima,	,,	30.18	766.5	...	...	NNW	1	...	,,	30.30	769.5	...	...	N	3	...
Naha,	,,	30.20	767.0	...	...	N	5	...	,,	30.30	769.5	...	...	N	6	...
Ishigakijima,	,,	30.26	768.5	...	...	NNE	4	...	,,	30.34	770.5	...	...	NNE	2	...
Bonin Island,	,,	30.02	762.5	...	...	SSE	3	...	,,	30.00	762.0	...	...	NNW	4	...
Chefoo,	15	30.38	771.7	29	8	NW	10	c	6	30.29	774.3	29	8	SW	4	b
Shanghai,	14	30.60	777.3	40	8	NW	6	b	,,	30.64	778.2	21	6	W	2	b
Gutzlaff,	,,	30.60	777.2	40	4	NNW	8	b	,,	30.69	779.5	35	4	NNW	6	b
Wenchow,	,,	...	...	...	...	...	...	...	6	30.63	778.0	36	...	NNE	5	b
Foochow,	,,	30.27	768.5	60	8	E	2	b	,,	30.47	773.9	52	6	NE	2	b
Amoy,	,,	30.30	769.6	67	6	ENE	2	b	6	30.43	772.9	52	6	ENE	4	b
Swatow,	,,	30.21	767.4	70	...	NNE	3	b	,,	...	...	...	...	...	...	...
Tailokau,	11	30.41	772.3	61	...	ENE	2	bc	5	30.45	773.5	52	...	ENE	4	c
Taichu,	,,	30.23	767.9	67	...	NNE	2	b	,,	30.28	769.2	52	...	N	2	bc
Tsiuna,	,,	...	...	...	...	...	...	...	,,	30.25	768.3	49	...	N	2	b
Koshun,	,,	...	...	...	...	...	...	...	,,	30.21	767.2	61	...	NE	6	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.28	769.0	56	...	NNE	6	b
Hong Kong,	14	30.26	768.6	66	8	N	4	b	6	30.34	770.6	52	8	NNE	4	b
Gap Rock,	,,	30.25	768.3	67	8	N	6	b	,,	30.31	769.9	65	8	NE	5	b
Macao,	,,	30.27	768.8	59	6	NNE	4	b	,,	30.32	770.0	50	4	NNE	4	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.16	766.0	70	8	NE	8	c	6	30.23	767.9	67	6	NE	8	c
Phuket,	15	30.31	770.0	66	6	NNE	2	z	7	30.37	771.4	54	6	NE	3	bc
Tourane,	,,	30.17	766.3	72	6	NNE	4	z	,,	30.21	767.2	68	6	NNE	3	z
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.93	760.3	68	6	NNW	4	z
Basco,	14	30.04	763.0	74	6	NE	4	c	6	30.14	765.6	65	4	NE	4	d
Aparri,	,,	30.02	762.4	77	6	NE	4	c	,,	30.06	763.6	72	6	NE	4	d
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.86	758.5	86	8	NNE	4	bc	,,	29.92	760.0	76	8	NNW	2	b
Manila,	,,	29.88	758.9	85	6	NE	2	bc	,,	29.93	760.1	74	8	...	0	c
Legaspi,	,,	29.83	757.7	81	6	NNE	4	c	,,	29.88	758.8	77	8	NE	4	c
Calbayog,	,,	29.80	757.0	86	8	N	4	bc	,,	29.88	758.8	76	8	N	2	c
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.77	756.1	88	8	NE	4	c	,,	29.85	758.2	76	4	NE	4	c
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.76	756.0	83	6	ENE	4	r	,,	29.86	758.4	76	4	N	2	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	77	...	ESE	4	bc
Guam,	12.22	29.78	756.4	...	6	NNE	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.80	756.8	...	6	NE	4	bc	5	29.85	758.2	...	8	NE	2	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	78	...	ENE	1	c
Labuan,	12	29.85	758.2	86	...	...	...	bc	6	29.81	757.1	70	...	...	...	bc

December 13th, 10h. 52m.—The anticyclone is stationary to the north of the Yangtze Valley. The depression, which is of great intensity, is situated to the north-east of Hokkaido.

Fresh to strong monsoon will prevail along the coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.86 inches, against an average of 82.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

DISTRICT.	FORECAST.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	N. and N.E. winds, fresh to strong.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Hainan Straits,	N.E. winds, fresh; fine.
E.—North China Sea,	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	13th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	14th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	29.98	761.5	18	...	NW	6	b	6	30.06	763.4	16	...	NW	5	b
Nemuro,	11	29.11	739.5	...	...	WNW	4	...	5	29.43	747.5	...	...	WNW	4	..
Hakodate,	,,	29.43	747.5	...	...	NW	2	...	,,	29.75	755.5	...	...	W	2	...
Tokio,	,,	29.88	759.0	...	...	NNW	4	...	,,	29.98	761.5		...	...	0	...
Kochi,	,,	30.22	767.5	...	...	SW	1	...	,,	30.26	768.5	...	...	...	0	...
Nagasaki,	,,	30.39	772.0	...	...	N	2	...	,,	30.32	770.0	...	..	...	0	...
Kagoshima,	,,	30.35	771.0	...	...	NNW	2	...	,,	30.32	770.0	...	...	...	c	...
Oshima,	,,	30.31	770.0	...	...	N	3	...	,,	30.30	769.5	...	...	N	2	...
Naha,	,,	30.33	770.5	...	...	NNE	5	...	,,	30.28	769.0	...	...	E	1	...
Ishigakijima,	,,	30.37	771.5	...	...	NE	2	...	,,	30.28	769.0	...	...	NNE	1	...
Ponin Island,	,,	30.04	763.0	...	...	WNW	2	...	,,	30.16	766.0	...	...	...	0	...
Chefoo,	15	30.28	769.0	41	6	WSW	4	b	6	30.38	771.5	41	6	ESE	6	b
Shanghai,	14	30.52	775.3	45	8	W	2	b	..	30.47	773.8	29	6	SW	2	b
Gutzlaff,	,,	30.57	776.5	45	4	NNW	4	b	..	30.52	775.2	38	4	NW	4	b
Wenchow,	,	...	...	...	...	...	...	...	6	30.49	774.5	37	...	NNW	2	b
Foochow,	,,	30.39	771.9	54	8	E	2	be	7	30.34	770.6	50	6	WNW	2	b
Amoy,	,,	30.35	770.9	59	4	ENE	4	b	6	30.36	771.1	50	6	ENE	4	b
Swatow,	,,	30.35	771.1	59	...	E	3	b	..	30.37	771.4	45	...	NE	2	b
Tailoku,	11	30.45	773.5	56	...	SE	4	o	5	30.32	770.0	50	...	ESE	2	be
Taichu,	,,	30.30	769.7	65	...	N	2	b	..	30.28	769.0	50	..	...	0	b
Tainan,	,,	30.29	769.4	67	...	N	2	b	..	30.23	767.9	52	...	NNE	2	be
Koshun,	,,	30.25	768.4	65	...	NE	8	o	..	30.21	767.2	63	...	NNE	4	o
Pescadores,	,,	30.33	770.4	61	..	NNE	6	o	..	30.24	768.0	59	...	NNE	6	be
Hong Kong,	14	30.29	769.3	61	8	ESE	2	b	6	30.31	769.9	52	8	NNE	1	b
Gap Rock,	,,	30.20	767.3	65	8	NE	6	b	,,	30.30	769.6	64	8	NE	4	b
Macao,	,,	30.29	769.3	59	6	NE	2	b	,,	30.29	769.3	49	6	N	2	b
Bailbow,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.19	766.9	76	6	NE	6	o	6	30.19	766.8	65	6	NE	6	o
Phulien,	15	30.20	769.3	66	7	WSW	2	b	7	30.37	771.3	52	6	N	4	be
Tourane,	,,	30.18	766.6	66	6	WSW	1	o	,,	30.19	766.9	63	3	NW	1	d
Cape St. James,	,,	29.93	760.2	75	5	NNE	3	z	,,	29.93	760.2	68	6	NNW	4	d
Basco,	14	30.13	765.3	67	6	NE	4	o	6	30.10	764.5	68	4	NE	2	d
Aparri,	,,	30.07	763.7	74	6	NE	6	p	,,	30.04	763.1	70	8	ENE	4	d
Tuguegrao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	74	8	N	2	be
Manila,	,,	29.89	759.1	83	8	ENE	2	o	,,	29.92	760.0	74	6	..	0	o
Legaspi,	,,	29.89	759.3	77	6	NE	4	o	,,	29.87	758.6	77	6	NE	2	o
Calbayog,	,,	29.87	758.8	74	8	N	2	o	,,	29.86	758.5	79	6	...	0	be
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	757.0	81	8	NE	4	o	,,	29.84	758.0	76	6	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.80	757.0	79	6	SE	2	o	,,	29.83	757.6	77	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.87	758.7	76	...	E	4	e
Guam,	12.22	29.76	756.0	...	8	ENE	4	b	4.22	29.85	758.2	...	8	...	0	be
Yap,	11.00	29.85	757.6	...	6	NE	2	be	5	29.89	759.3	...	6	NNE	2	be
Pelew,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	78	..	ENE	1	o
Labuan,	14	29.85	758.2	85	4	N	6	be	6	29.89	759.1	74	...	S	...	be

December 14*d*. 10*h*. 54*m*.—The anticyclone remains centred to the north of the Yangtze Valley and the depression to the north-east of Hokkaido.

Fresh monsoon will prevail along the coast and fresh to strong monsoon over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.86 inches, against an average of 82.52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. and N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	14th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	15th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.04	762.9	21	...	NW	4	b	6	30.10	764.5	18	...	NW	1	b
Nemuro,	11	29.47	748.5	...	...	W NW	2	...	5	29.57	751.0	...	...	NW	4	...
Hokodate,	,,	29.69	754.0	...	...	WSW	3	...	,,	29.80	757.0	...	...	W	6	...
Tokio,	,,	29.58	759.0	...	...	S	1	...	,,	30.00	762.0	...	...	...	...	...
Kochi,	,,	30.18	766.5	...	...	...	0	...	,,	30.18	766.5	...	...	SW	1	...
Nagasaki,	,,	30.26	768.5	...	...	...	0	...	,,	30.30	769.5	...	...	N	1	...
Kagoshima,	,,	30.28	769.0	...	...	...	0	...	,,	30.26	768.5	...	...	...	0	...
Oshima,	,,	30.30	769.5	...	...	N	1	...	,,	30.24	768.0	...	...	N	1	...
Naha,	,,	30.30	769.5	...	...	NNE	3	...	,,	30.24	768.0	...	...	N	3	...
Ishigakijima,	,,	30.28	769.0	...	...	NE	2	...	,,	30.24	768.0	...	...	NNE	1	...
Ponin Island,	,,	30.14	765.5	...	...	N	1	...	,,	30.10	764.5	...	...	NE	1	...
Chefoo,	15	30.45	773.5	38	8	NNW	4	b	6	30.59	777.0	33	8	SW	4	b
Shanghai,	14	30.46	773.6	52	8	NW	2	b	,,	30.50	774.8	29	6	NW	2	b
Gutzlaff,	,,	30.49	774.4	49	1	NNW	4	z	,,	30.55	775.9	29	4	NNW	4	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.29	769.3	52	6	ENE	2	b	,,	30.34	770.6	50	6	NNE	2	b
Amoy,	,,	30.31	769.9	65	8	NE	4	b	6	30.35	770.9	52	6	NNE	2	b
Swatow,	,,	30.30	769.7	63	...	E	3	b	,,	...	...	...	...	...	...	...
Taiwan,	11	30.33	770.5	65	...	E	4	c	5	30.32	770.2	56	...	ENE	4	c
Taichu,	,,	30.25	768.4	67	...	N	2	b	,,	30.26	768.5	49	...	...	0	b
Tainan,	,,	30.25	768.3	65	...	N	2	c	,,	30.22	767.6	52	...	N	2	bc
Koshun,	,,	30.21	767.4	70	...	NE	4	c	,,	30.15	765.8	67	...	NE	4	c
Pescadores,	,,	30.26	768.5	65	...	NNE	6	bc	,,	...	...	...	...	...	...	...
Hong Kong,	14	30.24	768.1	65	8	N	2	b	6	30.27	768.8	54	7	NNE	4	b
Gap Rock,	,,	30.24	768.1	65	8	N	4	b	,,	30.26	768.6	64	8	NNE	4	b
Macao,	,,	29.24	768.0	59	6	NE	2	b	,,	30.25	768.4	52	6	NNE	2	b
Hoihow,	,,	30.35	771.0	65	...	ENE	4	bc	,,	...	...	...	...	...	...	...
Praias Island,	,,	30.16	766.0	70	8	NE	6	c	6	30.18	766.6	67	6	NE	8	c
Phulien,	15	30.26	768.5	70	7	NW	3	b	7	30.33	770.4	54	6	N	4	b
Touraine,	,,	30.17	766.4	64	5	NW	3	c	,,	30.20	767.0	61	5	WSW	1	c
Cape St. James,	,,	29.91	759.8	74	7	NW	3	c	,,	29.91	759.6	68	7	NNW	3	c
Bassas,	14	30.07	763.9	70	6	NE	4	d	6	30.07	763.7	68	4	NE	4	d
Aparri,	,,	30.02	762.6	72	6	NE	4	d	,,	30.01	762.3	72	4	ENE	2	d
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.86	758.5	83	8	NNW	4	bc	,,	29.90	759.4	72	8	NNW	4	c
Manila,	,,	29.89	759.3	85	8	NE	2	c	,,	29.90	759.4	72	6	...	0	c
Legaspi,	,,	29.84	758.0	77	6	...	0	c	,,	29.88	758.9	76	8	...	0	c
Calbayog,	,,	29.83	757.8	81	8	NNE	4	c	,,	29.85	758.1	74	8	N	2	bc
Tagbilaran,	,,	29.88	758.9	75	8	WNW	2	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	86	8	NE	4	c	,,	29.83	757.7	76	6	N	4	c
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.80	757.0	81	6	E	2	c	,,	29.82	757.3	76	4	...	0	r
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.83	757.6	...	8	ESE	4	b	4.22	29.82	757.3	...	8	...	0	b
Yap,	11.00	...	...	...	..	...	...	...	5	...	...	...	...	...	...	...
Palaos,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.85	758.2	85	...	...	...	bc	6	29.88	759.0	72	...	...	...	b

December 15*d.* 10*h.* 17*m.*— The anticyclone remains stationary over China and the depression is still indicated to the north-east of Hokkaido.

Fresh to strong monsoon will prevail along the coast and over the China Seas.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.86 inches, against an average of 82.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. and N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
D.—Hong Kong to Haiman Straits,	
E.—North China Sea,	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	15th DECEMBER, 1932.								16th DECEMBER, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.04	763.0	27	...	NW	2	b	6	30.25	768.3	19	...	...	0	b
Nemuro,	11	29.57	751.0	...	...	WNW	2	...	5	29.71	754.5	..	...	NNW	3	..
Hokodate,	,,	29.74	755.5	...	...	WSW	3	...	,,	29.90	759.5	...	...	NW	1	...
Tokio,	,,	29.94	760.5	...	...	...	0	...	,,	30.08	764.0	...	...	N	1	...
Kochi,	,,	30.14	765.5	...	...	WSW	1	...	,,	30.38	769.0	...	...	SW	1	...
Nagasaki,	,,	30.30	769.5	...	...	N	1	...	,,	30.34	770.5	...	..	NE	1	...
Kagoshima,	,,	30.24	768.0	...	...	NNW	2	...	,,	30.32	770.0	...	...	..	0	...
Oshima,	,,	29.24	768.0	...	...	N	2	...	,,	30.24	768.0	...	...	NNW	1	...
Naha,	,,	30.26	768.5	...	...	N	3	...	,,	30.26	768.5	...	...	N	4	...
Ishigakijima,	,,	30.28	769.0	...	...	NNE	2	...	,,	30.26	768.5	...	...	NE	1	...
Pomin Island,	,,	30.08	764.0	...	...	...	0	...	,,	30 08	764.0	...	...	NNW	1	...
Clarfon,	15	30.30	769.7	41	8	W	4	b	6	30 30	769.6	35	6	SW	2	b
Shanghai,	14	30.46	773.6	50	8	NW	2	b	,,	30.47	773.8	29	6	SSW	2	b
Gutzlaff,	,,	30.50	774.7	49	6	NNW	2	b	,,	30.52	775.2	40	6	NW	2	b
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.30	769.6	54	6	F	2	be	,,	30.36	771.1	52	6	N	2	c
Amoy,	,,	30.29	769.3	63	6	ENE	4	b	6	30.34	770.6	50	6	ENE	4	b
Swatow,	,,	30.28	769.0	61	...	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	11	30.37	771.5	61	...	ENE	4	bc	5	30.29	769.4	52	...	E	4	be
Taichu,	,,	30.26	768.6	65	...	N	2	b	,,	30.23	767.8	45	..	...	0	b
Tainan,	,,	...	...	...	...	...	...	...	,,	30.17	766.3	50	...	N	4	c
Koshun,	,,	...	...	..	...	...	...	...	,,	30.13	765.4	59	...	NE	6	c
Pescadores,	,,	...	...	...	...	...	..	...	,,	30.19	766.9	59	...	NNE	6	bc
Hong Kong,	14	30 20	767.1	65	8	N	2	b	6	30.23	767.8	53	8	NNE	2	b
Gap Rock,	,,	30.22	767.6	64	8	NNE	5	b	,,	30.22	767.6	64	8	NE	4	b
Macao,	,,	30.19	766.9	61	6	NNE	4	b	,,	30.21	767.4	50	6	NNE	4	b
Hollow,	..	30.23	767.8	65	...	ENE	4	be	,,	...	...	...	...	...	...	...
Pratas Island,	..	30 13	765.3	68	8	ENE	8	c	6	30.13	765.3	65	6	ENE	8	c
Phatlien,	15	30.24	768.0	68	8	...	0	b	7	30.25	768.3	56	6	NE	4	b
Tourane,	,,	30.13	765.3	67	8	NNW	4	c	,,	30.10	764.5	63	8	NW	2	c
Cape St. James,	..	29 87	758.8	72	6	NNW	4	c	,,	29.88	758.8	68	8	NNW	6	c
Basco,	14	30.04	763 0	68	6	NE	4	c	6	30 06	763.6	68	4	ENE	4	c
Aparri,	,,	29.98	761.6	72	4	NE	4	d	,,	30.00	762.0	70	4	NE	4	r
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.84	758.0	79	8	N	4	c	,,	29.86	758.5	81	6	NE	4	c
Manila,	,,	29.85	758.3	83	8	W	2	c	,,	29.88	758.9	72	6	...	0	c
Legaspi,	,,	29.81	757.2	77	6	NE	4	c	,,	29.84	758.0	76	6	...	0	c
Calbayog,	,,	29.81	757.1	77	8	NNE	2	c	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	755.8	86	8	ENE	4	c	,,	29.82	757.4	76	6	NE	4	c
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.4	83	6	...	c	c	,,	29.83	757.6	76	4	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	76	...	ESE	3	bc
Guam,	12.22	29.78	756.4	...	6	NNE	4	b	4.22	29.82	757.3	...	8	ESE	2	b
Yap,	11.00	29.78	756.5	...	6	NE	4	bc	5	29.85	758.2	...	6	NE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.89	759.1	77	...	...	0	c
Labuan,	14	29.94	760.4	85	4	SE	6	bc	6	29.81	757.1	70	...	N	...	be

December 16*d.* 10*h.* 33*m.*— The anticyclone remains over China and has decreased slightly in intensity. Fresh to strong monsoon will continue along the coast, and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.86 inches, against an average of 82.60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. and N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fine.
D.—Hong Kong to Haimun Straits,	
E.—North China Sea,	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	16th DECEMBER, 1932. Hong Kong Standard Time	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	17th DECEMBER, 1932. Hong Kong Standard Time	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.17	766.2	28	...	ESE	2	c	6	30.26	768.6	27	...	NW	1	c
Nemuro,	11	29.74	755.5	...	...	NNW	5	...	5	29.84	758.0	...	...	WNW	1	...
Hakodate,	,,	29.98	761.5	...	...	W	5	...	,,	30.10	764.5	...	...	WSW	3	...
Tokio,	,,	30.10	764.5	...	...	WNW	2	...	,,	30.32	770.0	...	...	NW	1	...
Kochi,	,,	30.28	769.0	...	...	SW	1	...	,,	30.38	771.5	...	...	WSW	1	...
Nagasaki,	,,	30.37	771.5	...	...	N	1	...	,,	30.41	772.5	...	...	...	0	...
Kagoshima,	,,	30.31	770.0	...	...	N	1	...	,,	30.39	772.0	...	...	...	0	...
Oshima,	,,	30.28	769.0	...	...	NNE	2	...	,,	30.30	769.5	...	...	SSE	1	...
Naha,	,,	30.30	769.5	...	...	NNE	3	...	,,	30.24	768.0	...	...	NNE	2	...
Ishigakijima,	,,	30.28	769.0	...	...	NE	2	...	,,	30.20	767.0	...	...	NNE	1	...
Ponin Island,	,,	30.08	764.0	...	...	NW	1	...	,,	30.22	767.5	...	...	N	1	...
Chefoo,	15	30.28	769.0	49	8	SW	2	b	6	30.29	769.4	35	6	SW	2	b
Shanghai,	14	30.41	772.3	54	8	SSE	2	b	,,	30.39	771.8	36	6	SE	2	b
Gutzlaff,	,,	30.47	773.9	49	6	E	2	b	,,	30.44	773.2	45	6	ESE	2	b
Wenchow,	,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.24	768.1	60	8	N	2	b	,,	30.21	767.3	52	8	N	2	bc
Amoy,	,,	30.28	769.1	61	8	NE	2	b	6	30.27	768.8	52	6	ENE	4	b
Swatow,	,,	30.24	768.2	61	...	NE	3	b	,,	...	...	...	...	...	...	...
Tailoku,	11	30.31	770.0	65	...	ENE	6	bc	5	30.19	766.7	59	...	E	4	c
Taichu,	,,	30.22	767.6	67	...	...	0	b	,,	30.17	766.2	49	...	...	0	b
Tainan,	,,	30.19	766.8	67	...	N	2	bc	,,	30.12	765.1	52	...	...	0	b
Koshun,	,,	30.15	765.8	67	...	NE	6	c	,,	30.11	764.8	65	...	NE	6	b
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.13	765.4	47	...	NNE	...	c
Hong Kong,	14	30.17	766.3	63	8	E	3	b	6	30.15	765.8	59	7	NE	2	c
Gap Rock,	,,	30.17	766.3	65	8	ENE	4	b	,,	30.13	765.3	65	8	ENE	4	c
Macao,	,,	30.16	766.0	59	6	NE	4	b	,,	30.12	764.9	54	4	N	2	c
Hoilow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.09	764.2	68	6	NE	8	c	6	30.06	763.6	68	6	ENE	6	c
Phulien,	15	30.16	766.0	70	6	SSW	2	z	7	30.15	765.7	55	5	NE	2	z
Tourane,	,,	30.06	763.6	63	6	NNW	2	c	,,	30.02	762.6	64	6	WSW	1	c
Cape St. James,	,,	29.84	758.0	72	8	N	6	c	,,	29.83	757.7	70	7	NNW	4	c
Basco,	14	30.03	762.8	70	6	NE	4	c	6	30.06	763.4	70	4	NE	4	c
Aparri,	,,	29.98	761.5	72	4	NE	4	d	,,	29.98	761.5	79	6	ENE	4	p
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	757.0	88	8	NNE	4	bc	,,	29.83	757.6	79	6	N	2	bc
Manila,	,,	29.83	757.8	79	6	...	0	p	,,	29.86	758.4	74	6	...	0	c
Legaspi,	,,	29.79	756.7	79	6	NE	4	c	,,	29.84	757.8	77	6	NNE	2	c
Calbayog,	,,	29.77	756.1	83	8	N	4	bc	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.6	85	8	ENE	4	c	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.5	83	8	...	c	bc	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.76	755.9	...	8	ESE	4	b	4.22	29.80	756.8	...	8	NNE	2	b
Yap,	11.00	29.78	756.4	...	8	NE	4	bc	5	29.83	757.6	...	8	NNE	2	b
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	4	N	2	bc	6	29.80	756.8	76	1	NW	6	b

December 17d. 10h. 20m.— The anticyclone has moved eastward, and is centred to the south of Korea.

Fresh monsoon will prevail along the China coast to the south of Foochow, and over the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.86 inches, against an average of 82.64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18th.

District.	Forecast.
A.—Shanghai to Turnabout,	E. to S. or variable winds, moderate.
B.—Turnabout to Hong Kong,	N. and N.E. winds, moderate.
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
D.—Hong Kong to Haiphong Straits,	
E.—North China Sea,	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT

Station.	17th December, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	18th December, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.26	768.6	39	...	SE	1	b	6	30.22	767.6	23	...	...	0	b
Nemuro,	11	29.76	756.0	...	...	WNW	2	...	5	30.18	766.5	...	...	NNW	1	..
Hokodate,	,,	30.12	765.0	...	...	W	5	...	,,	30.24	768.0	...	...	NNW	1	...
Tokio,	,,	30.33	770.5	...	...	N	1	...	,,	30.36	771.0	..	...	...	...	...
Kochi,	,,	30.37	771.5	...	...	..	0	...	,,	30.38	771.5	...	...	WSW	1	...
Nagasaki,	,,	30.41	772.5	...	...	ESE	1	...	,,	30.38	771.5	...	..	FSE	1	...
Kagoshima,	,,	30.39	772.0	...	...	...	0	...	,,	30.36	771.0	...	...	NNW	1	...
Oshima,	,,	30.34	770.5	...	...	NE	1	...	,,	30.28	769.0	...	...	...	0	...
Naha,	,,	30.24	768.0	...	...	ENE	4	...	,,	30.22	767.5	...	...	E	1	...
Ishigakijima,	,,	30 22	767.5	...	...	ESE	2	...	,,	30.14	765.3	...	...	ESE	2	...
Bonin Island,	,,	30 22	767.5	...	...	NE	1	...	,,	30.22	767.5	...	...	NNE	1	...
Chefoo,	13	30.22	767.5	54	6	SSW	2	b	6	30.19	766.9	47	8	...	0	b
Shanghai,	14	30.29	769 3	59	8	SS E	4	b	..	30.24	768.0	45	6	SE	2	b
Gutzlaff,	,,	30.37	771.4	54	8	SSE	2	b	..	30.32	770.2	52	6	SE	4	be
Wenchow,	,	...	...	...	..	...	...	...	6	30.25	768.4	54	...	NNW	1	b
Foochow,	,,	30.15	765 8	54	8	NE	2	o	7	30.14	765.5	56	6	NNW	2	be
Amoy,	,,	...	...	65	6	SSW	2	b	6	30.23	767.8	74	6	WSW	2	be
Swatow,	..	30.19	766.7	61	...	ENE	3	b	..	...	...	...	...	...	...	...
Taihoku,	11	30.18	766.6	71	...	ESE	4	b	5	30.14	765.5	50	...	...	0	b
Taichu,	,,	30.17	766.3	72	...	...	0	b	,,	30.12	765.0	52	..	...	0	be
Tainan,	,,	30.16	766.0	74	...	...	0	b	,,	30.12	765.1	61	...	N	2	o
Kosium,	,,	30.11	764 9	72	...	NE	4	b	,	30.06	763.6	70	...	NNE	4	e
Pescadores,	,,	...	...	...	...	..	...	...	,,	30.10	764.6	61	...	NNE	4	e
Hong Kong,	14	30.09	764.2	67	7	E	3	be	6	30.07	763.8	64	7	E	3	o
Gap Rock,	,,	30 11	764.8	66	7	ENE	5	o	,,	30.08	764.1	66	7	ENE	4	o
Macao,	,,	30.07	763 8	65	4	NE	2	e	,,	30.07	763.8	61	4	NE	2	o
Hoihow,	,,	30.11	764.7	67	...	F	4	o	,,	...	...	...	...	...	...	...
Praias Island,	..	30.03	762.8	72	6	ENE	6	o	6	30.02	762.6	70	6	ENE	6	o
Phulien,	15	30.09	764.2	65	6	WSW	2	o	7	30.08	763.9	57	2	NNW	5	d
Tourane,	,,	29.96	760.9	65	8	NNW	4	e	,,	29.95	760.7	68	6	WNW	1	d
Cape St. James,	,,	29.84	758 0	74	6	NW	4	e	,,	29.82	757.4	70	6	NNE	3	o
Basco,	14	30.01	762.3	74	6	NE	2	be	6	...	...	...	...	...	...	...
Aparri,	,,	29.96	761.0	75	6	ENE	4	o	,,	29.97	761.2	72	6	...	4	be
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.5	91	8	ENE	4	b	,,	...	...	...	...	...	...	...
Manila,	,,	29.83	757.8	83	8	E	2	o	,,	29.88	758.8	74	6	...	0	d
Legaspi,	,,	29.81	757.1	83	8	..	0	o	,,	29.79	756.6	77	6	...	0	o
Calbayog,	,,	29.80	757.0	79	8	...	0	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	755.9	85	8	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.77	756.1	83	6	ESE	4	o	,,	29.81	757.2	76	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.78	756.4	...	6	NNE	6	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.78	756.5	...	6	NE	6	be	5	29.77	756.1	...	...	NE	1	e
Peiew,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	78	..	NE	2	e
Labuan,	14	29.94	760.3	86	4	N	6	be	6	...	...	...	...	...	...	...

December 18*d*. 10*h*. 30*m*.— A moderate anticyclone is centred over S. Japan.

Moderate to fresh monsoon may be expected along the S. coast of China and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.86 inches, against an average of 82.68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
A.—Shanghai to Turnabout,	S.E. or variable winds, moderate.
B.—Turnabout to Hong Kong,	N.E. or variable winds, moderate.
C.—Hong Kong to Gap Rock,	N.E. winds, moderate to fresh ; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh.

B. D. EVANS,—*Assistant Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	18th DECEMBER, 1932.									19th DECEMBER, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	30.20	767.1	32	...	SE	1	o		6	30.31	769.9	28	...	NW	7	o	
Nemuro,	11	30.14	765.5	...	...	SW	1	...		5	30.16	766.0	...	...	N	2	..	
Hokodate,	,,	30.16	766.0	...	...	...	...	...		,,	30.22	767.5	...	...	...	0	...	
Tokio,	,,	30.30	769.5	...	...	...	0	...		,,	30.28	769.0	..	...	...	0	...	
Kochi,	,,	30.33	770.5	...	...	...	0	...		,,	30.30	769.5	...	...	WSW	1	...	
Nagasaki,	,,	30.33	770.0	...	...	ESE	2	...		,,	30.28	769.0	...	..	SE	3	...	
Kagoshima,	,,	30.33	770.5	...	...	...	0	...		,,	30.30	769.5	...	...	...	0	...	
Oshima,	,,	30.28	769.0	...	...	SSE	1	...		,,	30.16	766.0	...	...	S	1	...	
Naha,	,,	30.22	767.5	...	...	E	2	...		,,	30.16	766.0	...	...	FSE	1	...	
Ishigakijima,	,,	30.18	766.5	...	...	ESE	3	...		,,	30.10	764.5	...	...	E	1	...	
Ponin Island,	,,	30.18	766.5	...	...	E	1	...		,,	30.10	764.5	...	...	...	0	...	
Chefoo,	15	30.14	765.5	58	8	SSW	4	be		6	30.06	763.6	41	8	WNW	2	bo	
Shanghai,	14	30.19	766.7	68	6	SE	2	o		..	30.17	766.3	47	4	NW	2	f	
Gutzlaff,	,,	30.27	768.8	59	6	SE	4	c		..	30.21	767.3	56	1	WNW	2	f	
Wenchow,	..	...	...	...	...	...	...	...		6	30.18	766.6	57	...	N	2	o	
Foochow,	,,	30.10	764.5	60	8	E	2	b		..	30.12	765.0	60	4	NW	2	rf	
Amoy,	,,	30.17	766.3	65	6	W	2	b		6	30.13	765.3	61	6	WNW	2	c	
Swatow,	..	30.13	765.3	66	...	E	1	b		..	...	...	...	...	...	...	...	
Tailoku,	11	30.16	766.0	70	...	...	0	b		5	30.06	763.6	61	...	WSW	2	o	
Taichu,	,,	30.17	766.2	72	...	...	0	o		,,	30.09	764.2	61	...	...	0	o	
Tainan,	,,	30.11	765.3	74	...	N	4	c		,,	30.06	763.6	61	...	...	0	o	
Koshun,	,,	30.08	764.0	79	...	NNE	6	b		,,	30.03	762.8	70	...	NE	4	be	
Pescadores,	,,	30.16	766.1	68	...	NNE	4	o		,,	30.07	763.8	65	...	NNE	4	o	
Hong Kong,	14	30.04	763.0	68	8	E	3	c		6	30.03	762.7	63	4	SW	1	or	
Gap Rock,	,,	30.05	763.2	67	7	ENE	5	o		,,	30.03	762.7	68	7	NE	4	od	
Macao,	,,	30.03	762.8	68	4	ENE	2	o		,,	30.00	761.9	59	1	NNW	4	d	
Hoihow,	,,	30.15	765.8	68	...	E	4	o		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	30.02	762.5	70	8	NE	6	o		6	29.95	760.8	72	6	E	4	o	
Phuben,	15	30.05	763.2	66	6	E	1	o		7	30.07	763.7	61	1	NW	3	df	
Tourane,	,,	29.93	760.1	68	4	WNW	2	d		,,	29.94	760.5	68	3	...	0	f	
Cape St. James,	,,	29.84	758.0	73	6	ENE	3	rf		,,	29.84	757.8	75	6	NE	5	z	
Basco,	14	29.98	761.6	79	8	ESE	4	bc		6	29.99	761.8	76	4	E	4	o	
Aparri,	,,	29.92	760.0	79	6	NE	4	o		,,	29.97	761.2	72	6	...	0	d	
Tuguegurao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Vigan,	,,	29.84	758.0	86	8	W	2	bc		,,	29.84	758.0	77	6	...	0	bc	
Manila,	,,	29.85	758.1	81	8	W	2	o		,,	29.88	759.0	72	6	...	0	b	
Legaspi,	,,	29.82	757.3	86	8	NE	4	b		,,	29.85	758.2	77	8	...	0	o	
Calbayog,	,,	29.81	757.3	85	8	ENE	2	o		,,	29.87	758.6	74	8	...	0	bo	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.78	756.3	85	8	NE	4	o		,,	29.83	757.7	77	6	NNE	4	o	
Cebu,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Surigao,	...	29.78	756.4	85	6	E	2	be		,,	29.83	757.6	74	4	...	0	o	
Saipan,	11.00	...	...	...	...	...	...	...		5	29.84	757.8	...	...	E	2	be	
Guam,	12.22	29.76	755.9	...	6	NE	6	q		4.22	29.80	756.8	...	6	NE	2	r	
Yap,	11.00	29.77	756.1	...	6	NE	6	bc		5	29.81	757.2	...	6	NE	4	bc	
Peiew,	,,	...	...	...	...	...	...	...		,,	29.78	756.5	78	...	ENE	2	c	
Labuan,	12	29.86	758.4	81	4	NE	6	bo		6	29.89	759.3	72	..	...	...	d	

December 19*d*. 10*h*. 42*m*.— The anticyclone has moved into the Sea of Japan and another is probably developing over N. China. A depression is situated in the Yellow Sea.

Fresh monsoon will prevail along the China coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 1.44 inch. Total since January 1st, 89.03 inches, against an average of 82.72 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
A.—Shanghai to Turnabout, B.—Turnabout to Hong Kong,	Light variable winds, freshening considerably from N. and N.E.
C.—Hong Kong to Gap Rock, D.—Hong Kong to Banka Straits,	N.E. winds, fresh; cloudy with rain, probably improving.
E.—North China Sea,	N. and N.E. winds, moderate to fresh.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	19th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	20th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.17	766.2	19	...	N	8	o	6	29.87	758.6	34	...	N	8	o
Nemuro,	11	30.18	766.5	...	...	N	1	...	5	30.00	762.0	...	...	SE	2	..
Hakodate,	,,	30.18	766.5	...	...	...	0	...	,,	29.82	757.5	...	...	...	c	...
Tokio,	,,	30.22	767.5	...	...	NNE	1	...	,,	29.96	761.0	..	...	...	c	...
Kochi,	,,	30.22	767.5	...	...	...	0	...	,,	30.02	762.5	...	...	WSW	1	...
Nagasaki,	,,	30.18	766.5	...	...	ESE	4	...	,,	30.08	764.0	...	..	NW	2	...
Kagoshima,	,,	30.22	767.5	...	...	S	1	...	,,	30.06	763.5	...	...	...	...	...
Oshima,	,,	30.18	766.5	...	...	SSE	1	...	,,	30.10	764.5	...	...	...	c	...
Naha,	,,	30.16	766.0	...	...	E	3	...	,,	30.12	765.0	...	...	...	o	...
Ishigakijima,	,,	30.12	765.0	...	...	ESE	3	...	,,	30.10	764.5	...	...	NNE	1	...
Bonin Island,	,,	30.04	763.0	...	...	F	1	...	,,	30.00	762.0	...	...	SE	3	...
Chefoo,	15	30.17	766.3	40	8	NNW	8	c	6	30.38	771.5	35	8	NW	4	c
Shanghai,	14	30.19	766.7	50	6	WNW	2	o	,,	30.42	772.7	38	4	NW	4	b
Gutzlaff,	,,	30.23	767.8	49	4	NW	2	m	,,	30.45	773.4	43	4	NNW	6	m
Wenchow,	,,	...	...	...	..	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.06	763.2	62	6	NW	2	r	7	30.22	767.6	60	6	NE	2	r
Amoy,	,,	30.13	765.3	61	6	WSW	2	r	6	30.13	765.3	61	4	NNE	2	m
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.09	764.2	68	...	...	0	o	5	30.17	766.3	61	...	ESE	2	d
Taichu,	,,	30.09	764.3	70	...	NNW	2	o	,,	30.09	764.2	65	...	...	0	o
Tainan,	,,	30.06	763.6	68	...	NNE	4	o	,,	30.05	763.2	63	...	NE	2	o
Koshun,	,,	...	...	...	...	...	...	...	,,	30.04	763.0	70	...	NE	4	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.07	763.8	67	...	NNE	4	o
Hong Kong,	14	30.06	763.5	59	3	NNE	1	o rn	6	30.11	764.7	63	6	N	3	o
Gap Rock,	,,	30.04	763.0	67	6	N	5	o ur	,,	30.10	764.5	67	7	NE	4	o
Macao,	,,	30.03	762.8	59	1	NE	4	d	,,	30.04	763.1	61	4	NE	2	o
Hoilow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.93	760.3	74	6	ENE	4	o	6	30.05	763.3	58	6	ENE	6	o
Phulien,	15	29.98	761.4	72	8	NNE	2	b	7	30.11	764.8	61	0	N	2	f
Tourane,	,,	29.88	758.9	68	8	NNW	4	c	,,	30.02	762.5	68	3	NW	1	r
Cape St. James,	,,	29.82	757.3	77	8	E	6	o	,,	29.84	758.0	73	7	NE	3	o
Basco,	14	29.91	759.8	79	8	SE	4	o	6	29.93	760.2	74	4	...	0	o
Aparri,	,,	29.87	758.6	77	6	...	0	p	,,	29.93	760.1	74	6	NE	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	757.0	85	8	WNW	4	c	,,	29.87	758.6	74	6	...	0	h
Manila,	,,	29.80	756.8	86	8	W	2	o	,,	29.89	759.1	74	6	...	0	l o
Legaspi,	,,	29.79	756.7	85	8	NE	2	b	,,	29.84	757.9	77	8	...	0	b
Calbayog,	,,	29.78	756.3	85	8	E	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.3	86	8	NE	4	o	,,	29.82	757.4	76	6	NE	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.73	755.2	85	8	ENE	4	o	,,	29.80	757.0	76	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.72	755.0	...	8	NE	4	o	4.22	29.75	755.5	...	8	NNE	2	b
Yap,	11.00	29.74	755.5	...	8	NE	6	c	5	29.78	756.5	...	6	NE	4	bc
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	14	29.85	758.3	85	4	SW	6	bo	6	29.89	759.3	76	...	S	...	bo

December 20*d*. 10*h*. 25*m*.—The anticyclone of considerable intensity is centred to the north of the Yangtze Valley: the depression is situated in the northern part of the Sea of Japan.

Fresh to strong monsoon will prevail along the China coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. 10-day, 2.43 inch. Total since January 1st, 91.46 inches, against an average of 82.76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21ST.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N. and N.E. winds, fresh to strong.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, fresh; fair.
D.—Hong Kong to Bainan Straits, ...	
E.—North China Sea, ...	*N. and N.E. winds, fresh to strong.*

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	20th December, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	21st December, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	29.90	759.4	18	...	NE	5	o	6	30.15	765.9	12	...	NNE	3	b
Nemuro,	11	29.76	756.0	...	...	SE	2	...	5	29.27	743.5	...	...	NW	2	..
Hakodate,	,,	29.51	749.5	...	...	ESE	1	...	,,	29.31	744.5	...	...	N	1	...
Tokio,	,,	29.76	756.0	...	...	SSW	1	...	,,	29.82	757.5	.	...	N	2	...
Kochi,	,,	29.96	761.0	...	...	...	0	...	,,	30.18	766.5	...	...	...	0	...
Nagasaki,	,,	30.18	766.5	...	...	NNW	3	...	,,	30.30	769.5	...	..	NE	1	...
Kagoshima,	,,	30.10	764.5	...	...	NNW	2	...	,,	30.26	768.5	...	...	...	...	...
Oshima,	,,	30.12	765.0	...	...	N	2	...	,,	30.22	767.5	...	...	N	4	...
Naha,	,,	30.14	765.5	...	...	N	5	...	,,	30.22	767.5	...	...	NE	2	...
Ishigakijima,	,,	30.16	766.0	...	...	NNE	3	...	,,	30.16	766.0	...	...	ENE	3	...
Ponin Island,	,,	29.94	760.5	...	...	SE	4	...	,,	29.94	760.5	...	...	NNE	1	...
Chefoo,	15	30.34	770.6	38	8	NNW	6	b	6	30.39	772.0	31	8	WSW	2	be
Shanghai,	14	30.42	772.6	47	6	NNW	4	b	..	30.47	773.8	35	4	NNE	2	b
Gutzlaff,	,,	30.41	773.2	47	4	NNW	4	be	..	30.49	774.4	43	6	N	4	be
Wenchow,	,	...	...	...	...	...	...	...	6	30.44	773.2	43	...	NW	2	c
Foochow,	,,	30.19	766.8	60	6	NE	2	o	7	30.32	770.1	58	4	NNE	2	o
Amoy,	,,	30.18	766.6	61	6	E	4	f	6	30.22	767.6	58	6	ENE	2	o
Swatow,	..	30.14	765.5	67	...	ENE	3	c	..	...	...	...	...	...	...	...
Tailoking,	11	30.25	768.4	59	...	E	4	r	5	30.28	769.0	59	...	ESE	2	d
Taichu,	,,	30.12	765.1	63	...	N	2	o	,,	30.16	766.0	58	..	...	0	o
Tainan,	,,	30.09	764.4	70	...	N	2	o	,,	30.11	764.8	58	...	N	2	o
Koshun,	,,	30.08	764.0	72	...	NE	6	o	,	30.04	763.1	70	...	NE	6	o
Pescadores,	,	30.14	765.6	63	...	NNE	6	r	,	30.15	765.7	63	...	NNE	6	o
Hong Kong,	14	30.07	763.8	70	8	N	3	c	6	30.16	766.0	61	6	E	2	o
Gap Rock,	,,	30.08	764.0	67	8	N	4	c	,,	30.14	765.3	67	7	ENE	5	o
Macao,	,,	30.02	762.6	67	4	NE	4	c	,,	30.11	764.8	61	4	NE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.01	762.7	70	8	NE	6	c	6	30.07	763.7	70	6	NE	6	o
Phulien,	15	30.08	764.0	77	8	S	2	be	7	30.13	765.2	63	6	E	3	o
Tourane,	,,	29.97	761.3	70	1	SE	2	r	,,	30.01	762.3	70	3	...	0	f
Cape St. James,	,,	29.84	757.9	79	8	ENE	4	b	,,	29.88	759.0	73	7	NE	3	bo
Basco,	14	29.95	760.8	74	6	NE	4	o	6	30.02	762.6	72	4	ENE	2	o
Aparri,	,,	29.91	759.7	76	6	NE	4	d	,,	29.96	761.0	74	6	E	2	p
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.80	757.0	83	8	NNW	4	be	,,	29.86	758.4	74	6	...	0	b
Manila,	,,	29.81	757.3	86	8	WSW	2	be	,,	29.89	759.3	76	4	NE	2	r
Legaspi,	,,	29.80	757.0	85	8	NNE	2	be	,,	29.84	758.2	77	8	NE	4	c
Calbayog,	,,	29.80	757.0	79	8	...	0	be	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.6	88	8	NE	4	o	,,	29.78	756.4	77	4	N	4	o
Cuyo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.76	755.9	79	6	...	0	o	,,	29.80	756.8	77	4	E	2	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	76	...	ESE	4	o
Guam,	12.22	29.71	754.6	...	8	NE	4	be	4.22	29.75	755.6	...	8	E	2	b
Yap,	11.00	29.73	755.2	...	6	NE	4	be	5	29.79	756.7	...	6	N	2	be
Pelew,	,,	...	...	...	...	...	...	...	,,	30.11	764.8	77	...	NNE	1	o
Labuan,	14	29.86	758.4	83	...	NW	...	be	6	29.81	757.1	74	...	NE	...	be

December 21st, 10h. pom.—The anticyclone is centred to the north of the lower Yangtze Valley, and the depression is situated to the north-east of Hokkaido; both are moving north-eastward.

Fresh monsoon will prevail along the coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 91.46 inches, against an average of 82.80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
A.—Shanghai to Turnabout,	Northerly or variable winds, moderate.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy.
D.—Hong Kong to Hainan hyraite,	
E.—North China Sea,	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	21st DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	22nd DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.29	769.3	16	...	NE	3	b	6	30.31	769.9	14	...	WNW	5	b
Nemuro,	11	29.49	749.0	...	...	N	6	...	5	29.88	759.0	...	...	NW	2	..
Hokodate,	..	29.78	756.5	...	...	NNW	6	...	..	29.96	761.0	...	...	W	3	...
Tokio,	..	30.00	762.0	...	...	NNW	4	...	..	30.14	765.5		...	...	c	...
Kochi,	..	30.22	767.5	...	...	N	1	...	..	30.26	768.5	...	...	WSW	1	...
Nagasaki,	..	30.33	770.5	...	...	NNE	1	...	..	30.36	771.0	...	..	...	c	...
Kagoshima,	..	30.30	769.5	...	...	N	1	...	..	30.32	770.0	...	...	N	1	...
Oshima,	..	30.26	768.5	...	...	N	2	...	..	30.24	768.0	...	...	...	o	...
Naha,	..	30.24	768.0	...	...	NE	1	...	..	30.22	767.5	...	...	NE	1	...
Ishigakijima,	..	30.22	767.5	...	...	ENE	2	...	..	30.20	767.0	...	...	ENE	1	...
Ponin Island,	..	29.96	761.0	...	...	NNW	2	...	..	30.12	765.0	...	...	...	o	...
Chefoo,	15	30.30	772.0	41	8	W	4	bc	6	30.56	776.2	33	8	NE	2	b
Shanghai,	14	30 37	771.5	56	8	SE	2	b	..	30.42	772.6	41	4	ENE	2	c
Gutzlaff,	..	30.44	773.2	50	6	NE	2	bc	..	30.45	773.4	47	6	NE	2	bc
Wenchow,	..	...	...	...	..	...	...	...	6	...	...	..	...	...	...	...
Foochow,	..	30.30	769.5	58	6	E	2	of	..	30.28	769.1	56	8	NE	2	o
Amoy,	..	30.23	767.8	67	6	NE	4	bc	6	30.24	768.1	59	6	NNE	2	bc
Swatow,	..	30.19	766.9	63	...	NE	3	c	..	...	...	...	...	...	...	...
Taihoku,	11	30 29	769.3	63	...	E	4	o	5	30.23	767.8	61	...	E	4	o
Taichu,	..	30.21	767.4	67	...	N	2	c	..	30.16	766.1	58	...	...	o	m
Tainan,	..	30.13	765.3	70	...	N	4	c	..	30.13	765.3	59	...	N	2	o
Koshun,	..	30.11	764 9	72	...	NE	6	o	..	30.10	764.5	68	...	NNE	4	d
Pescadores,	..	30.21	767.4	65	...	NNE	6	o	..	30.15	765.8	65	...	NNE	6	o
Hong Kong,	14	30.12	765.0	65	7	E	3	o	6	30.16	766.0	62	7	E	4	c
Gap Rock,	..	30.12	765.0	68	7	ENE	5	o	..	30.16	766.0	67	7	ENE	5	o
Macao,	..	30.11	764.8	68	4	ESE	2	c	..	30.13	765.3	61	4	E	2	o
Hoihow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	..	30.05	763.2	70	6	NE	6	o	6	30.08	763.9	70	6	NE	6	o
Ebuiien,	15	30.07	763.9	70	8	ESE	2	c	7	30.12	765.1	64	6	ENE	4	z
Tourane,	..	29.97	761.3	70	6	ENE	4	o	..	30.02	762.5	72	3	NE	2	d
Cape St. James,	..	29.83	757.6	77	6	ENE	6	b	..	29.90	759.5	73	8	ENE	2	bc
Basco,	14	29.99	761.8	77	6	NE	2	o	6	..	...	...	...	...	...	...
Aparri,	..	29.94	760.4	79	6	NE	4	o	..	30.00	762 0	72	6	...	o	c
Tuguegarao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Vigan,	..	29.82	757.3	86	8	WNW	2	b	..	...	...	...	...	...	...	...
Manila,	..	29.84	758.0	83	8		o	o	..	29.90	759.5	70	6	...	o	b
Legaspi,	..	29.83	757.6	83	8	ENE	4	bc	..	29.85	758.2	77	8	...	o	c
Calbayog,	..	29.80	757 0	85	8	NE	4	d	..	...	...	...	...	...	...	...
Tacloban,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Iloilo,	..	29.78	756.5	85	8	NE	6	o	..	...	...	...	...	...	...	...
Cebu,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Surigao,	...	29.76	755.8	83	6	NE	4	o	..	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.72	754.9	...	8	ENE	4	b	4.22	...	...	...	...	...	...	...
Yap,	11.00	29.71	754.6	...	8	NE	4	bc	5	29.80	757.0	...	6	NE	4	r
Pelew,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Lamian,	14	29.85	758.3	85	...	N	...	bc	6	29.80	756.8	76	...	NE	...	bc

December 22*d.* 10*h.* 20*m.*— The anticyclone is now centred to the north of Shantung; the depression has passed into the Pacific to the east of Hokkaido.

Fresh monsoon will prevail along the coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 91.47 inches, against an average of 82.84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
A.—Shanghai to Turnabout.	N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong.	
C.—*Hong Kong to Gap Rock.*	N.E. winds, fresh; cloudy.
D.—Hong Kong to Hainan Straits.	
E.—North China Sea.	N. and N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	22nd DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	23rd DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.33	770.3	16	...	...	...	b	6	30.50	774.6	7	...	NE	1	b
Nemuro,	11	29.76	756.0	...	...	SW	1	...	5	29.84	758.0	..	...	NW	3	...
Hokodate,	,,	29.94	760.5	...	...	W	3	...	,,	30.08	764.0	...	...	NW	3	...
Tokio,	,,	30.04	763.0	...	...	NW	1	...	,,	30.18	766.5	..	...	NNW	2	...
Kochi,	,,	30.24	768.0	...	...	W	1	...	,,	30.30	769.5	...	...	WSW	1	...
Nagasaki,	,,	30.33	770.5	...	...	N	1	...	,,	30.36	771.0	...	..	...	0	...
Kagoshima,	,,	30.30	769.5	...	...	NW	1	...	,,	30.30	769.5	...	...	...	0	...
Oshima,	,,	30.28	769.0	...	...	N	1	...	,,	30.22	767.5	...	...	NNW	1	...
Naha,	,,	30.24	768.0	...	...	NNE	1	...	,,	30.18	766.5	...	...	ENE	1	...
Ishigakijima,	,,	30.22	767.5	...	...	S	2	...	,,	30.16	766.0	...	...	NNE	1	...
Ponin Island,	,,	30.12	765.0	...	...	N	1	...	,,	30.14	765.5	...	...	...	0	...
Chefoo,	15	30.48	774.3	35	8	E	2	c	6	30.42	772.6	29	8	SSW	2	bc
Shanghai,	14	30.38	771.7	54	6	E	2	o	,,	30.34	770.6	47	6	E	2	o
Gutzlaff,	,,	30.43	772.9	56	6	...	0	b	,,	30.42	772.6	49	6	E	4	bc
Wenchow,	,,	...	...	...	..	...	...	...	6	30.33	770.4	50	...	NNW	1	b
Foochow,	,,	30.19	766.8	60	8	NE	2	bc	7	30.22	767.6	56	6	N	2	o
Amoy,	,,	30.23	767.8	68	6	...	0	bc	6	30.22	767.6	59	6	NNE	2	b
Swatow,	,,	30.20	767.1	65	...	ESE	3	c	,,	...	...	...	...	...	...	...
Taiwan,	11	30.25	768.4	67	...	ENE	4	bc	5	30.17	766.2	61	...	E	4	b
Taichu,	,,	30.19	766.7	74	...	...	0	b	,,	30.09	764.2	61	..	...	0	bo
Tainan,	,,	30.16	766.0	72	...	NNE	2	c	,,	30.11	764.8	59	...	...	0	b
Koshun,	,,	30.13	765.4	74	...	NE	6	b	,,	30.10	764.6	67	...	NE	2	b
Pescadores,	,,	30.18	766.6	68	...	NNE	6	c	,,	30.11	764.8	65	...	NE	6	c
Hong Kong,	14	30.12	765.0	66	8	E	3	bc	6	30.10	764.5	64	7	E	3	o
Gap Rock,	,,	30.13	765.3	68	8	ENE	4	c	,,	30.08	764.0	68	8	ENE	5	o
Macao,	,,	30.10	764.5	72	6	ESE	2	bc	,,	30.06	763.6	63	4	ESE	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.8	70	6	NE	6	o	6	30.04	763.0	70	6	ENE	6	o
Phulien,	15	30.08	764.0	70	7	E	1	c	7	30.04	763.0	64	6	E	4	c
Tourane,	,,	30.01	762.2	75	6	NE	2	c	,,	30.00	761.9	72	4	...	0	f
Cape St. James,	,,	29.88	758.9	70	7	E	3	bc	,,	29.88	758.9	72	7	NE	2	bc
Basco,	14	30.05	763.2	74	6	...	0	c	6	30.03	762.7	72	4	ENE	2	o
Aparri,	,,	30.00	761.9	77	6	E	4	o	,,	30.01	762.3	72	6	...	0	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.88	758.8	77	6	NE	2	b
Manila,	,,	29.89	759.3	85	8	ENE	4	o	,,	29.89	759.1	72	6	NNE	2	o
Legaspi,	,,	29.84	757.9	85	6	NNE	4	c	,,	29.82	757.3	79	6	NNE	4	o
Cailoyog,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	77	8	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	85	8	NE	4	o	,,	29.79	756.6	76	4	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Surigao,	...	29.78	756.4	79	6	ENE	4	o	,,	29.78	756.4	77	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	75	...	ESE	3	b
Guam,	12.22	29.76	755.9	...	8	NNE	4	b	4.22	29.80	757.0	...	8	...	0	b
Yap,	11.00	29.76	755.8	...	8	NE	4	bc	5	29.76	756.0	...	6	NE	4	bc
Peiew,	,,	...	...	...	...	...	...	...	,,	29.73	755.2	77	...	...	0	r
Labuan,	14	29.86	758.4	85	4	N	6	b	6	29.88	759.0	74	..	NE	...	bc

December 23*d*. 10*h*. 35*m*.—The anticyclone is now centred over South Manchuria.

Fresh monsoon will prevail along the coast, and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 91.47 inches, against an average of 82.88 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
A.—Shanghai to Turnabout,	E. winds, moderate.
B.—Turnabout to Hong Kong,	N.E. winds, fresh.
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy, some drizzle or mist.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh to strong.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	23rd DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	24th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.43	772.8	16	...	NE	1	b	6	30.50	774.7	10	...	NE	3	b
Nemuro,	11	29.84	758.0	...	...	NNW	3	...	5	29.94	760.5	..	...	NW	3	..
Hokodate,	,,	30.12	765.0	...	...	W	4	...	,,	30.20	767.0	...	...	N	1	...
Tokio,	,,	30.20	767.0	...	...	N	3	...	,,	30.32	770.0	..	...	NW	1	...
Kochi,	,,	30.30	769.5	...	...	NNE	1	...	,,	30.32	770.0	...	...	WbW	1	...
Nagasaki,	,,	30.33	770.5	...	...	E	1	...	,,	30.32	770.0	...	..	...	...	...
Kagoshima,	,,	30.28	769.0	...	...	ENE	1	...	,,	30.28	769.0	...	...	...	0	...
Oshima,	,,	30.24	768.0	...	...	NNE	2	...	,,	30.24	768.0	...	...	SSE	1	...
Naha,	,,	30.22	767.5	...	...	NE	2	...	,,	30.18	766.5	...	...	NE	2	...
Ishigakijima,	,,	30.18	766.5	...	...	E	2	...	,,	30.12	765.0	...	...	ENE	1	...
Pomn Island,	,,	30.12	765.0	...	...	NNE	1	...	,,	30.18	766.5	...	...	NNE	1	...
Chefoo,	15	30.38	771.6	36	8	S	4	o	6	30.44	773.2	35	6	SW	2	o
Shanghai,	14	30.27	768.8	56	6	E	4	o	,,	30.15	765.7	52	4	E	2	r
Gutzlaff,	,,	30.33	770.4	54	6	ESE	4	bc	,,	30.21	767.3	52	4	ESE	4	o
Wenchow,	,	...	...	...	..	...	...	...	6	...	...	...	...	...	...	..
Foochow,	,,	30.14	765.5	60	8	NE	2	bc	7	30.08	764.0	58	8	NNW	2	o
Amoy,	,,	30.12	765.0	72	6	NE	2	b	6	30.14	765.5	61	6	WNW	4	b
Swatow,	..	30.13	765.4	70	...	...	..	b	..	...	...	...	...	...	...	...
Tailoku,	11	30.16	766.1	70	...	E	6	b	5	30.07	763.8	61	...	E	2	b
Taichu,	,,	30.12	765.0	76	...	...	0	b	,,	30.09	764.2	59	...	...	0	b
Taiwan,	,,	30.11	764.8	76	...	...	0	b	,,	30.05	763.2	61	...	NNE	2	bc
Koshun,	,,	30.09	764.3	76	...	NE	4	r	,	30.04	763.1	68	...	NNE	4	b
Pescadores,	,,	30.11	764.8	70	...	NE	6	bc	,,	30.06	763.6	65	...	N	4	bc
Hong Kong,	14	30.05	763.2	64	6	E	4	o	6	30.03	762.8	63	6	E	3	o
Gap Rock,	,,	30.05	763.2	68	7	ENE	5	o	,,	30.03	762.8	68	7	ENE	5	o
Macao,	,,	30.03	762.7	70	4	SE	2	c	,,	30.03	762.8	61	4	NE	2	o
Bellow,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.00	761.1	72	6	NE	6	r	6	29.98	761.5	72	8	F	4	bc
Phillips,	15	29.98	761.5	70	8	NE	6	c	7	30.00	762.0	66	4	ESE	3	d
Tourane,	,,	29.93	760.1	72	8	NE	2	c	,,	29.97	761.1	70	4	WNW	1	...
Cape St. James,	,,	29.84	758.0	74	8	ENE	4	b	,,	29.88	759.0	73	7	ENE	2	c
Basco,	14	30.00	762.0	77	8	NE	4	bc	6	29.99	761.8	74	4	ENE	4	c
Aparri,	,,	29.95	760.7	76	6	ENE	4	o	,,	29.97	761.2	74	6	E	2	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	74	6	ENE	2	b
Manila,	,,	29.83	757.6	83	8	NNE	4	bc	,,	29.87	758.6	74	6	...	0	o
Legaspi,	,,	29.79	756.6	79	6	NE	2	o	,,	29.81	757.1	77	6	NE	2	o
Calbayog,	,,	29.77	756.1	81	8	NNE	4	o	,,	29.81	757.1	74	8	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.5	81	8	NNE	4	o	,,	29.78	756.3	76	6	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.5	81	8	NNE	4	o	,,	29.78	756.5	74	4	...	0	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.88	759.0	74	...	SE	2	bc
Guam,	12.22	29.76	755.9	...	8	E	4	b	4.22	29.84	757.8	...	8	NE	2	b
Yap,	11.00	29.76	755.9	...	6	ENE	2	r	5	29.82	757.3	...	6	NE	4	b
Peiew,	,,	...	...	...	...	...	...	...	,,	29.76	755.9	80	...	E	2	bc
Lamotan,	14	29.84	758.0	85	4	N	6	bc	6	29.81	757.1	74	...	SE	...	bc

December 24*d.* 10*h.* 42*m.*—The anticyclone remains centred over South Manchuria, but pressure has decreased considerably over North China. The monsoon will be temporarily interrupted along the China coast, but will blow moderately over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 91.47 inches, against an average of 82.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N. to E. winds, moderate.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	E. winds, moderate; gloomy generally.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	N.E. winds, moderate.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	24th December, 1932.									25th December, 1932.								
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)		Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)				Inches.	Millimetres.			Direction.	Force. (Beaufort.)		
Vladivostock,	12	30.50	774.7	14	...	NE	3	b		6	30.72	780.2	9	...	N	2	b	
Nemuro,	11	29.98	761.5	...	...	N	3	...		5	30.06	763.5	...	...	NW	2	...	
Hakodate,	,,	30.20	767.0	...	...	WNW	4	...		,,	30.20	767.0	...	...	N	1	...	
Tokio,	,,	30.28	769.0	...	...	N	1	...		,,	30.24	768.0	..	...	N	1	...	
Kochi,	,,	30.30	769.5	...	...	...	0	...		,,	30.20	767.0	...	...	...	0	...	
Nagasaki,	,,	30.31	770.0	...	...	N	1	...		,,	30.14	765.5	...	..	E	1	...	
Kagoshima,	,,	30.26	768.5	...	...	ENE	1	...		,,	30.10	764.5	...	...	ENE	1	...	
Oshima,	,,	30.18	766.5	...	...	NE	1	...		,,	30.08	764.0	...	...	...	0	...	
Naha,	,,	30.16	766.0	...	...	E	2	...		,,	30.04	763.0	...	...	ESE	1	...	
Ishigakijima,	,,	30.10	764.5	...	...	ESE	3	...		,,	30.00	762.0	...	...	...	...	...	
Bonin Island,	,,	30.16	766 0	...	...	NNE	1	...		,,	30.12	765.0	...	...	...	0	...	
Chefoo,	15	30.33	770.5	36	4	NE	6	c		6	30.35	770.8	36	8	NE	4	c	
Shanghai,	14	30.00	762.1	61	4	SSE	2	o		,,	30.15	765.7	49	4	NNW	2	r	
Gutzlaff,	,,	30.06	763.5	58	4	SSE	4	o		,,	30.15	765.8	49	1	NW	4	f	
Wenchow,	,,	...	...	...	..	...	...	...		6	...	...	...	...	...	...	...	
Foochow,	,,	30.00	762.0	60	6	...	0	c		7	30.00	762.0	60	8	W	2	hc	
Amoy,	,,	30.06	763.5	68	6	SSE	4	b		6	30.02	762.5	63	4	SSE	2	m	
Swatow,	..	30.07	763.7	70	...	W	1	hc		,,	...	...	...	...	...	...	...	
Tailoku,	11	30.06	763.6	77	...	...	0	b		5	30.02	762.5	65	...	...	0	o	
Taichu,	,,	30.09	764.2	68	...	...	0	o		,,	30.04	763.1	63	...	...	0	o	
Tainan,	,,	30 08	764.0	70	...	N	2	o		,,	29.97	761.2	61	...	NNE	2	o	
Koshun,	,,	30.06	763.4	77	...	NE	2	b		,,	29.95	760.6	68	...	...	0	o	
Pescadores,	,,	...	...	...	...	...	...	...		,,	29.99	761.6	65	...	NE	4	o	
Hong Kong,	14	29.99	761.7	70	7	F	3	c		6	29.96	761.0	68	4	...	0	om	
Gap Rock,	,,	29.99	761.7	69	8	ENE	4	c		,,	29.97	761.2	70	8	ENE	4	o	
Macao,	,,	29.97	761.2	72	6	...	0	o		,,	29.95	760.6	67	4	NNE	2	o	
Hollow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island,	,,	29.95	760.8	77	8	NE	4	hc		6	29.93	760.3	72	6	NE	6	d	
Bhulien,	15	29.94	760.6	72	6	S	4	d		7	29.96	760.9	66	4	E	3	c	
Tourane,	,,	29.91	759.6	74	8	NE	2	c		,,	29.93	760.3	68	8	...	0	c	
Cape St. James,	..	29.87	758.6	85	8	E	2	b		,,	29.88	758.8	73	7	E	3	hc	
Basco,	14	29.93	760.1	79	6	E	2	o		6	...	..	...	..	...	...	...	
Aparri,	,,	29.90	759.5	77	6	...	0	o		,,	29.87	758.6	72	6	...	0	o	
Tuguegarao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Vigan,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Manila,	,,	29.81	757.2	83	8	...	0	o		,,	29.80	757 0	74	6	...	0	o	
Legaspi,	,,	29.78	756.4	85	8	NE	4	c		,,	29.76	756.0	79	6	NNE	2	o	
Calbayog,	,,	...	...	...	...	...	..	...		,,	...	...	...	...	...	...	...	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo,	,,	29.74	755.5	85	8	NE	4	o		,,	29.74	755.4	76	6	NE	4	o	
Cebu,	,,	...	...	...	...	...	...	...		,,	...	..	...	...	...	...	...	
Surigao,	...	29.73	755.2	83	8	...	0	o		,,	...	...	...	...	...	...	...	
Saipan,	11.00	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...	
Guam,	12.22	29.80	757.0	...	8	NE	4	b		4.22	...	...	...	...	...	...	...	
Yap,	11.00	29.78	756.3	...	8	NE	4	b		5	29.80	757.0	...	6	NE	4	r	
Pelew,	,,	...	...	...	...	...	...	...		,,	...	..	...	...	...	...	...	
Lamma,	14	29.94	760.4	76	...	...	...	o		6	29.78	756.5	70	...	...	...	r	

December 25*d.* 10*h.* 40*m.*—The anticyclone remains centred over South Manchuria, and has attained abnormal intensity. A shallow depression is situated to the south of Korea.

Pressure is again increasing over China, and the monsoon may be expected to freshen in the next 24 hours.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 91.47 inches, against an average of 82.96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, moderate to fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; cloudy generally, probably some rain later.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N. and N.E. winds; moderate, freshening.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	Hong Kong Standard Time.	25th DECEMBER, 1932. Barometer at Sea Level. Inches.	Millimetres.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)	Hong Kong Standard Time.	26th DECEMBER, 1932. Barometer at Sea Level. Inches.	Millimetres.	Temperature.	Visibility.	Wind. Direction.	Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.14	765.5	18	...	NE	1	b	6	30.47	773.8	10	...	NE	5	b
Nemuro,	11	30.06	763.5	...	...	N	4	...	5	30.22	767.5	...	...	NW	2	..
Hakodate,	,,	30.28	769.0	...	...	NNW	4	...	,,	30.38	771.5	...	...	...	0	...
Tokio,	,,	30.24	768.0	...	...	N	4	...	,,	30.43	771.0	...	...	N	1	...
Kochi,	,,	30.22	767.5	...	...	NE	1	...	,,	30.22	767.5	...	...	WSW	1	...
Nagasaki,	,,	30.10	764.5	...	...	ENE	1	...	,,	30.10	764.5	...	...	...	0	...
Kagoshima,	,,	30.10	764.5	...	...	ENE	1	...	,,	30.08	764.0	...	...	NNE	1	...
Oshima,	,,	30.06	763.5	...	...	SSE	1	...	,,	30.02	762.5	...	...	...	0	...
Naha,	,,	30.06	763.5	...	...	ESE	1	...	,,	30.02	762.5	...	...	ESE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	ESE	1	...	,,	30.00	762.0	...	...	...	0	...
Pomin Island,	,,	30.10	764.5	...	...	NNE	1	...	,,	30.12	765.0	...	...	ENE	1	...
Chefoo,	15	30.33	770.4	41	6	ENE	5	e	6	30.29	769.4	40	6	E	2	e
Shanghai,	14	30.19	766.7	47	4	NW	4	r	,,	30.22	767.6	43	4	WNW	2	o
Gutzlaff,	,,	30.20	767.1	47	4	NNW	6	f	,,	30.24	767.8	43	1	NNW	6	f
Wenchow,	,,	...	...	...	..	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.99	761.7	63	6	E	2	be	7	30.10	764.5	60	8	E	2	o
Amoy,	,,	30.00	762.0	68	8	ENE	4	b	6	30.05	763.2	63	6	ENE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.04	763.0	74	...	...	0	o	5	30.02	762.5	67	...	E	4	o
Taichu,	,,	30.07	763.9	81	...	...	0	c	,,	29.98	761.4	63	..	...	c	b
Tainan,	,,	30.00	762.0	77	...	N	2	o	,,	29.95	760.7	65	...	NNE	2	o
Koshun,	,,	29.99	761.8	77	...	N	4	o	,,	29.96	760.9	72	...	NE	4	b
Pescadores,	,,	30.02	762.4	76	...	N	2	o	,,	29.97	761.2	67	...	NNE	0	o
Hong Kong,	14	29.93	760.2	77	8	NE	1	be	6	29.95	760.8	67	4	...	0	ol
Gap Rock,	,,	29.95	760.7	70	8	NNE	3	c	,,	29.95	760.6	71	8	ENE	4	o
Macao,	,,	29.91	759.8	77	6	ESE	2	be	,,	29.95	760.6	63	4	...	0	o
Hoihow,	,,	30.02	762.5	72	...	E	2	o	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.91	759.7	76	8	ENE	4	o	6	29.91	759.8	72	6	NE	4	o
Phulien,	15	29.91	759.8	75	8	S	2	c	7	29.94	760.4	66	4	ESE	4	o
Tourane,	,,	29.89	759.2	77	8	N	2	c	,,	29.92	759.9	64	6	...	c	1
Cape St. James,	,,	29.85	758.3	82	7	SE	1	be	,,	29.88	758.9	72	6	NE	2	1
Binoco,	14	29.80	757.5	81	6	ESE	2	o	6	29.89	759.3	76	4	E	2	o
Aparri,	,,	29.86	758.5	83	6	SSE	2	o	,,	29.85	758.2	74	6	...	o	o
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	76	6	...	o	o
Manila,	,,	29.78	756.3	83	8	W	2	c	,,	29.80	757.0	74	6	...	o	o
Legaspi,	,,	29.72	754.9	81	6	NNE	2	o	,,	29.79	756.7	77	8	...	o	o
Calbayog,	,,	29.74	755.5	79	8	SSE	4	d	,,	29.79	756.7	76	8	N	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.6	85	8	NE	4	o	,,	29.76	755.8	76	6	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.71	754.6	83	8	NE	2	o	,,	29.74	755.3	77	4	...	o	r
Saipan,	11.00	...	...	...	...	...	...	...	5	29.84	757.8	74	...	ESE	3	be
Guam,	12.22	29.76	755.9	...	8	ENE	4	b	4.22	29.78	756.5	...	8	E	2	b
Yap,	11.00	29.76	755.8	...	6	NE	4	c	5	...	...	...	...	...	...	...
Peiew,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	78	...	SE	1	c
Latuma,	14	29.94	760.4	76	...	S	...	o	6	...	...	...	...	...	...	...

December 26*d.* 10*h.* 40*m.*—A strong anticyclone extends from N.E. China to S.E. Manchuria.

Moderate to fresh monsoon will prevail along the coast of China and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 91.47 inches, against an average of 83.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. winds, fresh.
B.—Turnabout to Hong Kong,	N.E. winds, moderate to fresh; fine to cloudy.
C.—Hong Kong to Gap Rock,	
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, moderate to fresh.

E. D. EVANS,—*Assistant Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	26th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	27th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.39	772.0	...	...	N	4	b	6	30.25	768.4	12	...	N	3	c
Nemuro,	11	30.26	768.5	...	...	NNW	1	...	5	30.34	770.5	...	...	NW	1	...
Hokodate,	,,	30.35	771.0	...	...	...	0	...	,,	30.26	768.5	...	...	...	0	...
Tokio,	,,	30.37	771.5	...	...	N	2	...	,,	30.24	768.0	..	...	N	1	...
Kochi,	,,	30.18	766.5	...	...	WSW	1	...	,,	30.10	764.5	...	...	WSW	1	...
Nagasaki,	,,	30.14	765.5	...	...	N	1	...	,,	30.10	764.5	...	..	...	0	...
Kagoshima,	,,	30.08	764.0	...	...	NE	1	...	,,	30.06	763.5	...	...	...	...	...
Oshima,	,,	30.04	763.0	...	...	NE	1	...	,,	30.02	762.5	...	...	SSE	1	...
Naha,	,,	30.04	763.0	...	...	NNE	1	...	,,	30.00	762.0	...	...	NNE	1	...
Ishigakijima,	,,	30.02	762.5	...	...	E	1	...	,,	29.98	761.5	...	...	ENE	1	...
Bonin Island,	,,	30.06	763.5	...	...	E	1	...	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	30.25	768.4	43	6	ESE	2	o	6	30.23	767.8	40	6	...	0	o
Shanghai,	14	30.16	766.1	49	6	WNW	2	o	,,	30.10	764.6	45	4	WSW	2	f
Gutzlaff,	,,	30.19	766.8	47	1	NW	4	m	,,	30.16	766.0	47	1	W	2	m
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.04	763.0	65	6	E	2	o	7	30.03	762.7	60	6	N	2	o
Amoy,	,,	30.02	762.5	70	6	E	2	o	6	30.03	762.7	63	4	WNW	4	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tailoku,	11	30.06	763.5	68	...	E	4	be	5	29.99	761.8	67	...	E	2	o
Taichu,	,,	30.00	762.0	76	...	...	0	be	,,	29.99	761.8	65	...	...	0	o
Taipan,	,,	29.98	761.6	74	...	N	2	be	,,	29.95	760.6	65	...	NNE	2	o
Koshun,	,,	29.94	760.6	77	...	NE	4	c	,,	29.91	759.7	74	...	N	2	o
Pescadores,	,,	30.01	762.3	68	...	NNE	6	o	,,	29.96	761.0	74	...	NNE	6	o
Hong Kong,	14	29.94	760.5	68	7	E	4	o	6	29.96	761.0	64	6	E	2	od
Gap Rock,	,,	29.94	760.5	69	8	ENE	5	o	,,	29.96	761.0	71	8	ENE	4	o
Macao,	,,	29.93	760.2	72	4	ESE	2	o	,,	29.93	760.3	65	1	NE	8	o
Hollow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.89	759.3	74	8	ENE	4	o	6	29.90	759.4	72	6	NE	4	o
Phulien,	15	29.87	758.8	75	8	S	3	bo	7	29.89	759.3	66	6	E	2	o
Tourane,	,,	29.87	758.8	79	8	E	1	be	,,	29.89	759.2	64	4	...	0	o
Cape St. James,	,,	29.85	758.1	82	7	SW	2	c	,,	29.87	758.7	73	7	W	1	lo
Baseo,	14	29.85	758.3	79	6	NE	4	o	6	29.85	758.2	76	4	ESE	4	d
Aparri,	,,	29.81	757.1	83	6	NE	4	b	,,	29.84	758.0	72	8	...	0	b
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.74	755.5	85	8	WNW	2	b	,,	29.79	756.7	74	6	...	0	b
Manila,	,,	29.78	756.3	86	8	ESE	4	o	,,	29.82	757.4	72	4	...	0	b
Legaspi,	,,	29.76	756.0	88	8	NNE	4	be	,,	29.80	757.0	77	6	...	0	b
Calbayog,	,,	29.78	756.3	81	8	NE	2	o	,,	29.83	757.7	76	8	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Roilo,	,,	29.74	755.4	77	4	ENE	4	r	,,	29.76	755.8	77	6	NE	4	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.74	755.4	77	4	ENE	4	r	,,	29.78	756.4	77	4	SE	2	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.85	758.2	77	...	ESE	4	o
Guam,	12.22	29.76	755.8	...	6	ENE	2	o	4.22	29.83	757.6	...	8	...	0	be
Yap,	11.00	29.75	755.6	...	8	NE	4	o	5	29.83	757.7	80	...	NE	2	c
Pelew,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	78	...	...	0	r
Latuna,	14	29.84	758.0	85	...	...	...	bo	6	29.81	757.1	72	...	...	...	be

December 27*d.* 10*h.* 37*m.*—An anticyclone over N. China, S. Manchuria and N. Japan. Moderate to fresh monsoon will prevail over the China coast and the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 91.47 inches, against an average of 83.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N. and N.E. winds, moderate to fresh.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, fresh; cloudy, occasional rain.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	N.E. winds, moderate to fresh.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	27th DECEMBER, 1932.								28th DECEMBER, 1932.							
	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)	Hong Kong Standard Time.	Barometer at Sea Level.		Temperature.	Visibility.	Wind.		Weather. (Beaufort.)
		Inches.	Millimetres.			Direction.	Force. (Beaufort.)			Inches.	Millimetres.			Direction.	Force. (Beaufort.)	
Wladivostock,	12	...	...	...	...	...	...	...	6	30.43	773.0	30	...	N	3	b
Nemuro,	11	30.26	768.5	...	...	SSE	1	...	5	30.08	764.0	...	...	E	1	...
Hakodate,	,,	30.10	764.5	...	...	ESE	1	...	,,	30.04	763.0	...	...	NW	1	...
Tokio,	,,	30.13	765.5	...	...	NW	1	...	,,	30.00	762.0	..	...	NNE	1	...
Kochi,	,,	30.06	763.5	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Nagasaki,	,,	30.06	763.5	...	...	NNE	1	...	,,	29.94	760.5	...	...	...	0	...
Kagoshima,	,,	30.04	763.0	...	...	...	0	...	,,	29.94	760.5	...	...	...	0	...
Oshima,	,,	30.00	762.0	...	...	NNE	1	...	,,	29.96	761.0	...	...	...	0	...
Naha,	,,	30.00	762.0	...	...	E	1	...	,,	29.94	760.5	...	...	E	1	...
Ishigakijima,	,,	30.00	762.0	...	...	E	2	...	,,	29.92	760.0	...	...	...	...	...
Bonin Island,	,,	30.02	762.5	...	...	S	1	...	,,	29.92	760.0	...	...	...	0	...
Chefoo,	15	30.21	767.3	41	8	NE	4	o	6	30.22	767.5	36	8	NW	6	o
Shanghai,	14	30.07	763.9	49	4	W	2	o	,,	30.19	766.8	43	4	WNW	2	r
Gutzlaff,	,,	30.11	764.8	49	4	WNW	4	m	,,	30.19	766.8	43	1	NW	6	f
Wenchow,	,,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	29.96	761.0	62	6	...	0	o	7	30.04	763.0	60	4	E	2	df
Amoy,	,,	29.97	761.2	67	6	S	2	c	6	30.01	762.2	65	6	ENE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiwan,	11	29.98	761.4	77	...	E	4	c	5	29.97	761.2	67	...	...	0	d
Tainan,	,,	29.93	760.1	79	...	...	0	h	,,	29.96	760.9	65	...	...	c	f
Tainan,	,,	...	...	...	...	...	...	...	,,	29.91	759.8	65	...	N	2	f
Koshun,	,,	...	...	...	...	...	...	...	,,	29.89	759.1	70	...	...	0	h
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.93	760.3	67	...	NNE	4	d
Hong Kong,	14	29.92	760.0	67	5	E	2	ond	6	29.95	760.7	65	5	...	0	om
Gap Rock,	,,	29.94	760.5	70	7	ENE	4	o	,,	29.95	760.7	70	7	NE	3	o
Macao,	,,	29.90	759.5	72	4	ESE	2	o	,,	29.92	760.0	65	...	...	...	...
Hoilow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.87	758.6	74	4	NE	4	d	6	29.91	759.7	72	6	NE	4	o
Phulien,	15	29.85	758.2	77	8	SE	4	hc	7	29.95	760.7	66	7	E	4	c
Tourane,	,,	29.85	758.2	74	8	NW	2	h	,,	29.92	759.9	68	6	WNW	1	c
Cape St. James,	,,	29.82	757.6	82	8	NW	2	z	,,	29.84	757.8	75	6	N	1	c
Basco,	14	29.80	757.0	79	8	SE	4	bc	6	...	..	....	...	...	...	...
Aparri,	,,	29.77	756.1	86	8	SE	4	h	,,	29.82	757.4	72	8	...	0	b
Tuguegrao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.76	755.8	85	8	NW	4	hc	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	88	8	ESE	4	hc	,,	29.83	757.6	72	8	...	0	c
Legaspi,	,,	29.75	755.6	85	6	NE	4	hc	,,	29.80	757.0	74	8	...	0	h
Calbayog,	,,	29.73	755.2	81	8	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	88	8	NE	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.71	754.6	83	6	E	4	d	,,	...	...	...	...	...	...	...
Saipan,	11.00	...	...	...	...	...	...	...	5	29.84	757.9	75	...	ESE	3	bc
Guam,	12.22	29.78	756.3	...	8	ENE	4	hc	4.22	..	...	...	...	...	...	...
Yap,	11.00	29.80	757.0	...	6	SE	2	bc	5	29.80	757.0	...	6	NE	4	hc
Pelew,	,,	...	...	...	...	...	...	...	,,	29.78	756.5	79	...	ENE	2	c
Labuan,	14	29.86	758.5	70	4	SW	6	bc	6	29.80	756.8	76	...	S	...	bc

December 28*d*. 10*h*. 34*m*.—The anticyclone remains over N. China and S. Manchuria.

Moderate to fresh monsoon will prevail along the China coast and over the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 91.47 inches, against an average of 83.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N. and N.E. winds, fresh.
B.—Turnabout to Hong Kong, ...	
C.—*Hong Kong to Gap Rock*, ...	N.E. winds, fresh ; cloudy, some drizzle or mist.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	N.E. winds, moderate to fresh.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	28th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	29th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Wladivostock,	12	30.40	772.1	10	...	N	9	dm	6	30.16	766.1	9	...	N	6	f
Nemuro,	11	30.12	765.0	...	...	ENE	2	...	5	30.34	770.5	...	...	NE	2	..
Hokodate,	..	30.10	764.5	...	...	...	0	...	..	30.32	770.0	...	...	...	0	...
Tokio,	..	30.04	763.0	...	...	ENE	1	...	..	30.16	766.0	..	...	N	2	...
Kochi,	..	29.96	761.0	...	...	...	0	...	..	29.90	759.5	...	...	...	0	...
Nagasaki,	..	29.92	760.0	...	...	WNW	1	...	..	29.92	760.0	...	..	NE	1	...
Kagoshima,	..	29.92	760.0	...	...	NW	1	...	..	29.86	758.5	...	...	...	0	...
Oshima,	..	29.96	761.0	...	...	N	1	...	..	29.90	759.5	...	...	W	1	...
Naha,	..	29.94	760.5	...	...	NNE	1	...	..	29.94	760.5	...	...	N	5	...
Ishigakijima,	..	29.92	760.0	...	...	E	1	...	..	29.96	761.0	...	...	NNE	2	...
Bonin Island,	..	29.92	760.0	...	...	NNE	1	...	..	29.92	760.0	...	...	...	0	...
Chefoo,	15	30.20	767.2	33	6	NW	6	o	6	30.28	769.2	31	6	NW	4	hc
Shanghai,	14	30.20	767.2	49	6	NNW	4	c	..	30.30	769.6	36	6	NW	2	o
Gutzlaff,	..	30.22	767.6	47	6	NNW	6	o	..	30.31	769.9	40	6	NNW	6	o
Wenchow,	,	...	...	...	..	...	...	...	6	...	...	...	...	...	...	...
Foochow,	..	30.01	762.2	60	6	E	4	o	7	30.12	765.0	56	8	NE	2	o
Amoy,	..	29.99	761.8	68	8	E	4	o	6	30.09	764.3	58	6	ENE	4	o
Swatow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Tailoku,	11	30.01	762.3	70	...	E	4	d	5	30.07	763.7	61	...	...	0	r
Taichu,	..	29.99	761.8	72	...	...	0	b	..	30.01	762.3	61	...	NE	2	hc
Tainan,	..	29.97	761.2	70	...	NNE	4	o	..	29.97	761.2	61	...	N	4	hc
Koshun,	..	29.92	760.0	81	...	...	0	o	..	29.93	760.2	70	...	NE	2	b
Pescadores,	..	30.00	761.9	68	...	NNE	4	o	..	30.01	762.3	63	...	NNE	6	o
Hong Kong,	14	29.94	760.5	69	6	W	3	c	6	30.07	763.8	59	7	ENE	2	o
Cap Rock,	..	29.95	760.7	69	6	N	2	cm	..	30.05	763.2	68	8	NNW	5	o
Macao,	..	29.92	760.0	70	4	NE	2	o	..	30.06	763.4	52	4	N	4	o
Hoilow,	..	30.10	764.6	70	...	E	2	c	..	...	...	...	...	...	...	...
Pratas Island,	..	29.91	759.7	76	8	NE	4	c	6	29.97	761.3	70	6	NNE	6	o
Phulien,	15	29.92	760.0	76	8	ESE	4	hc	7	30.05	763.3	59	6	ENE	3	z
Tourane,	..	29.87	758.8	74	8	NW	2	c	..	29.96	761.0	68	7	WNW	1	c
Cape St. James,	..	29.82	757.3	85	8	SSE	2	hc	..	29.85	758.1	75	6	NE	2	c
Basco,	14	29.82	757.3	79	6	N	2	hc	6	29.86	758.3	74	4	ESE	4	d
Aparri,	..	29.79	756.7	83	8	NE	4	b	..	29.84	757.9	72	8	...	0	hc
Tuguegarao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Vigan,	..	29.78	756.3	85	8	W	4	b	..	29.80	756.8	76	6	WSW	2	b
Manila,	..	29.79	756.6	85	8	SW	2	hc	..	29.81	757.2	72	6	...	0	b
Legaspi,	..	29.76	756.0	88	8	NE	2	b	..	29.76	756.0	79	6	...	0	o
Calbayog,	..	29.75	755.6	88	8	N	4	hc	..	29.78	756.3	76	8	N	4	o
Tacloban,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Dollo,	..	29.85	758.2	88	8	NE	4	o	..	29.74	755.3	77	4	NE	4	o
Cebu,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Surigao,	...	29.74	755.5	77	6	...	0	d	..	29.75	755.6	74	6	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	75	...	ESE	2	hc
Guam,	12.22	29.74	755.3	...	8	N	2	hc	4.22	29.77	756.1	...	8	...	0	b
Yap,	11.00	29.76	756.0	...	8	NE	4	hc	5	29.82	757.4	...	6	NE	4	hc
Pelew,	..	...	...	...	...	...	...	...	..	29.80	757.0	76	...	...	0	hc
Labuan,	14	29.84	757.9	85	4	SE	6	b	6	29.89	759.1	68	...	...	...	r

December 29d. 10h. 45m.— Moderate anticyclones are central to the N. of Hokkaido and over N. China.

A depression is passing to the South of Tokio, moving eastward.

Fresh monsoon will continue along the coast of China and over the northern part of the China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 91.47 inches, against an average of 83.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
A.—Shanghai to Turnabout,	N. and N.E. winds, fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Cap Rock,	N. to N.E. winds, moderate to fresh; fine to cloudy.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N.E. winds, fresh; cloudy.

B. D. EVANS,—*Assistant Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	29th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	30th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.35	771.0	...	...	NNE	3	...	5	30.45	773.5	...	...	ENE	1	..
Hokodate,	,,	30.31	770.0	...	...	ENE	2	...	,,	30.32	770.0	...	...	E	2	...
Tokio,	,,	30.16	766.0	...	...	N	2	...	,,	30.00	762.0	..	...	N	4	...
Kochi,	,,	29.90	759.5	...	...	WSW	1	...	,,	29.94	760.5	...	...		0	...
Nagasaki,	,,	29.92	760.0	...	...	...	0	...	,,	30.04	763.0	...	..	NE	1	...
Kagoshima,	,,	29.86	758.5	...	...	NE	1	...	,,	29.96	761.0	...	...	...	0	...
Oshima,	,,	29.92	760.0	...	...	NNW	2	...	,,	30.00	762.0	...	...	NNW	2	...
Naha,	,,	29.98	761.5	...	...	NNW	3	...	,,	30.06	763.5	...	...	N	5	...
Ishigakijima,	,,	30.04	763.0	...	...	NE	3	...	,,	30.10	764.5	...	...	NNE	1	...
Ponin Island,	,,	29.86	758.5	...	...	S	1	...	,,	29.73	755.0	...	...	S	2	...
Chefoo,	15	30.28	769.1	36	8	NW	2	b	6	30.35	770.8	35	8	NNE	4	b
Shanghai,	14	30.29	769.3	41	6	NW	2	o	,,	30.36	771.0	36	4	WNW	2	o
Gutzlaff,	,,	30.28	769.2	41	4	NW	6	o	,,	30.37	771.4	36	6	NW	6	o
Wenchow,	,,	...	...	...	..	.	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.09	764.3	56	8	ENE	4	o	7	30.19	766.8	56	6	NNE	4	o
Amoy,	,,	30.12	765.0	61	6	NE	2	o	6	30.15	765.8	56	6	ENE	4	o
Swatow,	..	...	...	...	...	...	...	..	..	...	...	...	...	...	...	...
Tailoku,	11	30.12	765.1	63	...	ENE	2	o	5	30.17	766.2	54	...	E	4	o
Taichu,	,,	30.05	763.3	68	...	N	2	c	,,	30.08	763.9	56	...	N	2	o
Tainan,	,,	30.04	763.0	68	...	NNE	4	c	,,	30.04	763.0	58	...	N	2	o
Koshun,	,,	29.99	761.8	74	...	NNE	2	o	,	30.00	761.9	67	...	NNE	6	b
Pescadores,	,,	30.07	763.8	63	...	NNE	6	o	,,	30.08	764.0	59	...	NNE	6	o
Hong Kong,	14	30.03	762.7	67	8	N	3	b	6	30.10	764.6	56	6	N	1	o
Gap Rock,	,,	30.03	762.7	68	8	NW	5	b	,,	30.09	764.3	68	8	NNE	4	o
Macau,	,,	30.03	762.7	59	6	NE	4	o	,,	30.09	764.2	50	4	N	4	bc
Hoihow,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.99	761.8	70	6	NNE	6	o	6	30.03	762.8	68	6	NE	6	o
Phulien,	15	30.00	763.6	59	6	NE	2	o	7	30.06	763.5	57	1	b	1	df
Tourane,	,,	29.95	760.8	75	6	NNW	1	d	,,	30.01	762.1	72	5	NE	1	o
Cape St. James,	,,	29.85	758.3	77	7	ENE	2	bc	,,	29.88	759.0	73	7	N	2	c
Basco,	14	29.86	758.5	74	4	NE	4	d	6	29.95	760.8	72	4	FSE	2	o
Aparri,	,,	29.83	757.6	83	8	NNE	4	b	,,	29.89	759.1	74	6	ENE	6	d
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.5	85	8	NW	4	bc	,,	29.83	757.6	74	6	...	0	b
Manila,	,,	29.79	756.7	86	8	W	4	b	,,	29.84	758.0	72	6	...	0	bc
Legaspi,	,,	29.76	755.8	91	8	ENE	4	b	,,	...	...	...	...	...	...	...
Calbayog,	,,	29.75	755.6	85	8	SW	2	bc	,,	29.84	757.9	74	8	N	2	bc
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Boilo,	,,	29.73	755.1	88	8	N	4	o	,,	29.81	757.2	76	4	NE	2	o
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.73	755.2	86	8	E	2	b	,,	29.80	757.0	76	4	...	0	o
Saipan,	11.00	...	...	...	...	...	...	...	5	29.80	757.0	75	...	E	3	bc
Guam,	12.22	29.74	755.3	...	8	NNE	4	bc	4.22	29.78	756.5	...	8	NE	2	b
Yap,	11.00	29.79	756.6	...	8	NE	4	bc	5	29.81	757.2	...	6	N	2	bc
Petew,	,,	...	...	...	...	...	...	...	,,	29.79	756.7	78	...	...	0	c
Labuan,	14	29.94	760.4	79	4	SW	...	bc	6	29.90	759.4	74	..	S	...	bc

December 30*d.* 10*h.* 51*m.*—Anticyclones remain over N. China and to the north of Hokkaido; the depression between S. Japan and the Bonins has become deeper.

Fresh monsoon will prevail over the China coast, and the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 91.47 inches, against an average of 83.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
A.—Shanghai to Turnabout, ...	N. and N.E. winds, fresh.
B.—Turnabout to Hong Kong, ...	
C.—Hong Kong to Gap Rock, ...	N.E. winds, fresh; fair.
D.—Hong Kong to Hainan Straits, ...	
E.—North China Sea, ...	N. and N.E. winds, fresh.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONG KONG.

DAILY WEATHER REPORT.

Station.	30th DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)	31st DECEMBER, 1932. Hong Kong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millimetres.	Temperature.	Visibility.	Wind. Direction.	Wind. Force. (Beaufort.)	Weather. (Beaufort.)
Vladivostock,	12	30.25	768.4	23	...	N	5	c	6	30.06	763.5	12	...	N	5	s
Nemuro,	11	30.41	772.5	...	...	ENE	2	...	5	30.26	768.5	...	...	E	1	..
Hokodate,	,,	30.28	769.0	...	...	E	3	...	,,	30.12	765.0	...	...	ENE	2	...
Tokio,	,,	30.00	762.0	...	...	N	3	...	,,	30.04	763.0	..	...	N	1	...
Kochi,	,,	30.00	762.0	...	...	N	1	...	,,	30.08	764.0	...	...	WSW	1	...
Nagasaki,	,,	30.10	764.5	...	...	ENE	2	...	,,	30.14	765.5	...	...	ENE	1	...
Kagoshima,	,,	30.02	762.5	...	...	ENE	1	...	,,	30.12	765.0	...	...	...	0	...
Oshima,	,,	30.04	763.0	...	...	NW	1	...	,,	30.08	764.0	...	...	SSE	1	...
Naha,	,,	30.10	764.5	...	...	NNW	3	...	,,	30.08	764.0	...	...	NW	1	...
Ishigakijima,	,,	30.14	765.5	...	...	NNE	2	...	,,	30.12	765.0	...	...	NE	1	...
Bonin Island,	,,	29.69	754.0	...	...	N	1	...	,,	29.90	759.5	...	...	NNE	2	...
Chefoo,	15	30.41	772.3	36	8	NNW	4	bc	6	30.52	775.2	25	6	NNW	6	bc
Shanghai,	14	30.33	770.3	47	6	N	2	bc	,,	30 39	772.0	40	6	NNW	2	c
Gutzlaff,	,,	30.36	771.1	45	4	NNW	4	bc	,,	30.41	772 4	41	6	NNW	4	c
Wenchow,	,	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Foochow,	,,	30.16	766.0	54	8	NE	2	c	,,	30.17	766 3	52	6	...	0	h
Amoy,	,,	30.17	766.3	01	8	NE	4	b	6	30.20	767.8	58	6	ENE	4	c
Swatow,	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
Tailoku,	11	30 19	766.9	61	...	E	4	c	5	30.17	766.3	58	...	ESE	2	c
Taichu,	,,	30.14	765.5	65	...	N	2	c	,,	30.14	765.5	58	...		0	c
Tainan,	,,	30.12	765.0	67	...	N	4	c	,,	30.10	764.4	59	...	N	2	c
Koshun,	,,	30 06	763.4	72	...	NE	6	bc	,,	30.06	763.6	65	...	...	c	c
Pescadores,	,,	30.15	765.7	63	...	NNE	6	c	,,	30.12	765.1	59	...	NNE	6	bc
Hong Kong,	14	30 07	763.8	63	8	E	4	bc	6	30.13	765.3	59	7	N	1	c
Gap Rock,	,,	30.07	763.8	68	8	ENE	4	c	,,	30.11	764.8	67	8	NE	4	h
Macao,	,,	30.09	763.4	61	4	NE	2	c	,,	30.09	764.2	59	4	NE	2	c
Hoilow,	,,	30.11	764.9	70	...	E	2	bc	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.02	762.6	70	8	NE	6	c	6	30.05	763.2	68	6	NE	6	c
Phulien,	15	29.99	761.8	63	6	SE	4	c	7	30.04	762.9	63	5	ENE	4	c
Tourane,	,,	29.96	761.0	72	8	E	2	c	,,	30.00	762.0	68	5	...	0	c
Cape St. James,	,,	29.85	758.2	77	8	ENE	4	bc	,,	29.89	759.3	72	7	E	2	c
Basco,	14	29.94	760.6	74	8	NE	4	c	6	..	..	...	..	...	...	...
Aparri,	,,	29.89	759.3	77	6	NE	4	c	,,	29.96	761.0	74	6	ENE	4	c
Tuguegarao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Vigan,	,,	29.78	756.5	85	8	WNW	4	bc	,,	29.85	758.2	77	6	...	0	c
Manila,	,,	29.81	757.1	86	8	WSW	4	bc	,,	29.88	758.8	74	8	...	0	c
Legaspi,	,,	29.79	756.7	86	8	NE	2	b	,,	29.85	758.2	77	6	...	0	c
Calbayog,	,,	29.82	757.4	79	8	SE	4	c	,,	29.87	758.6	72	8	N	2	c
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	755.8	91	8	NE	4	b	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	...	29.80	757.0	79	6	...	0	r	,,	29.83	757.6	72	6	...	0	c
Saipan,	11.00	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Guam,	12.22	29.74	755.4	...	8	NE	2	b	4.22	29.74	755.4	...	8	ENE	2	b
Yap,	11.00	29.82	757.3	...	8	NE	4	bc	5	29.83	757.7	...	6	N	2	c
Pelew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Lamuan,	14	29.96	760.9	79	4	NE	6	bc	6	29.90	759.5	68	..	...	...	bc

December 31*d.* 10*h.* 45*m.*—A strong anticyclone is now centred to the north-west of Shantung; the depression has moved into the Pacific to the east of the Bonins.

Fresh monsoon will prevail over the China coast, and the northern China Sea.

Hong Kong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 91.47 *inches, against an average of 83.20 inches.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	*Forecast.*
A.—Shanghai to Turnabout,	N. and N.E. winds, fresh.
B.—Turnabout to Hong Kong,	
C.—Hong Kong to Gap Rock,	N.E. winds, fresh; fair.
D.—Hong Kong to Hainan Straits,	
E.—North China Sea,	N. and N.E. winds, fresh.

C. W. JEFFRIES,—*Director.*