QC
991
.S6
R6
1945

UNIE VAN SUID-AFRIKA

Departement van Vervoer

WEERBURO

VERSLAG
vir die Jaar 1945

UITGEGEE OP GESAG

UNION OF SOUTH AFRICA

Department of Transport

WEATHER BUREAU

REPORT
for the Year 1945

PUBLISHED BY AUTHORITY

M06.1/68
S726r
1945

LIBRARY
18 1950
WEATHER BUREAU

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

South Africa. Weather Bureau
Report for the year 1945.

QC
991
.S6
R6
1945

INHOUD.

	BLADSY.
INLEIDING	iii
REENVALKAART	iv
BLADWYSER VAN 1e, 2e EN 3e ORDE KLIMATOLOGIESE STASIES	v - vii
KLIMATOLOGIESE TABELLE VIR 1e EN 2e ORDE STASIES	2 - 36
KLIMATOLOGIESE TABELLE VIR 3e ORDE STASIES	37 - 70
GRASMINIMUM TEMPERATURE	71
GRONDTEMPERATURE	72 - 73
SONSKYNURE	74
GEMIDDELDE UURLIKSE WAARDES VAN LUGTEMPERATUUR	75 - 80
GEMIDDELDE UURLIKSE WAARDES VAN RELATIEWE VOGTIGHEID	81 - 86
REENVAL (MAANDELIKS EN JAARLIKS)	87 - 189
SLEUTELKAART VAN DIE HOOFSEKSIES	190
BLADWYSER VAN REENVALSTASIES	191 - 211

LIBRARY
1950
WEATHER BUREAU

LIBRARY
N.O.A.A.
U.S. Dept. of Commerce

CONTENTS.

	PAGE.
INTRODUCTION	iii
RAINFALL MAP	iv
INDEX TO 1st, 2nd AND 3rd ORDER CLIMATOLOGICAL STATIONS	v - vii
CLIMATOLOGICAL TABLES - 1st AND 2nd ORDER STATIONS	2 - 36
CLIMATOLOGICAL TABLES - 3rd ORDER STATIONS	37 - 70
GRASS-MINIMUM TEMPERATURES	71
EARTH TEMPERATURES	72 - 73
SUNSHINE HOURS	74
MEAN HOURLY VALUES OF TEMPERATURE	75 - 80
MEAN HOURLY VALUES OF RELATIVE HUMIDITY	81 - 86
RAINFALL (MONTHLY AND ANNUAL AMOUNTS)	87 - 189
KEY MAP TO THE MAIN SECTIONS	190
INDEX TO RAINFALL STATIONS	191 - 211

075701

I N L E I D I N G.

Hierdie boekdeel is die twintigste van 'n reeks Jaarverslae en bevat opsommings van waarnemings wat by al die meteorologiese stasies in die Unie van Suid-Afrika, Basoetoland, Swaziland en Betsjoenaland gedurende die jaar 1945 gedoen is. *Die opsommings is beperk tot maandelikse en jaarlikse waardes van die verskillende weerselements.*

Vir hierdie verslag word die meteorologiese stasies in drie hoofindelings gerangskik, naamlik:-

(1) Eerste en tweede orde stasies, waar tenminste tweekeer per dag, d.w.s. om 8.30 vm. (0830) en om 3 nm. (1500) S.A. Standaard Tyd, waarnemings gedoen word.

(2) Derde orde stasies, waar waarnemings net eenkeer per dag, om 8.30 vm., uitgevoer word.

(3) Reenvalstasies, waar die meting van die reenval eenkeer per dag (8.30 vm.) onderneem word.

Die tabelle is gerangskik net soos in die 1944 verslag en verskyn in die volgende orde:-

(i) Klimatologiese opsommings van 87 eerste en tweede orde stasies.

(ii) Klimatologiese opsommings van 133 derde orde stasies.

(iii) Maandelikse gemiddeldes en uiterste waardes van 'grasminimum' temperature by 17 stasies.

(iv) Maandelikse gemiddeldes van grondtemperature by verskillende dieptes by 17 stasies.

(v) Maandelikse gemiddeldes en persentasies van daeliks sonskynduur by 13 stasies.

(vi) Uurlikse gemiddeldes van lugtemperatuur vir elke maand by 18 stasies.

(vii) Uurlikse gemiddeldes van relatiewe vogtigheid vir elke maand by 18 stasies.

(viii) Maandelikse en jaarlikse hoeveelheid neerslag en aantal reendae by 3539 stasies.

Soos in die 1944 verslag word die gekorrigeerde lugdruk in hierdie verslag herlei tot die naaste 100 geodinamiese meter-vlak of tot die gemiddelde seespiesel (0 gdm.) indien die stasie laer as 500 gdm. gelee is. Die bepaalde niveau (vlak) vir elke stasie word bo-aan die betrokke tabel vermeld, soos volg:- Pm by _____ gdm.

By al die klimatologiese stasies word die temperatuur in 'n Stevenson skerm gemeet. Die skerm huisves 'n maksimum- en minimum- termometer en 'n droog en natbol psychrometer. Die droebol-termometer is so aangebring dat sy bol 4 vt. bo die grondvlak is. Gemiddelde lesings van die natbol-termometer word slegs vir eerste en tweede orde stasies gepubliseer.

'Grasminimum' temperature word verkry deur 'n gewone minimum-termometer wat binne 'n glasbuis gemonteer en horisontaal opgestel is sodat sy bol nie meer as een duim bokant kortgeknipte gras le nie.

Grond-termometers is die gewone Symons tipe en word in staal buise by verskillende dieptes blootgestel.

Uurlikse waardes van temperatuur en relatiewe vogtigheid, wat op bladsye 75 tot 86 verskyn, is verkry uit die kurwes van Friez termohigrograwe wat in Stevenson skerms by 'n hoogte van omtrent 4 vt. blootgestel is.

Die sonskynduur is deur middel van Campbell Stokes sonskynmeters verkry. Die sonskynkaarte is volgens die voorskrifte in die Waarnemershandboek (M.O.London) bepaal.

Die standaard-reenmeter wat in die Unie in gebruik is, het 'n deursnee van 5 duim en is op 'n voetstuk gemonteer sodat die rant daarvan 4 voet bo die grond is. Verdamping van reenwater vanuit die meter word beperk deur die nou opening van die opvangemmertjie en deur die feit dat laasgenoemde heeltemal binne die voetstuk van die meter ingesluit is.

Die windfrekwensies wat in die klimatologiese tabelle vir eerste en tweede orde stasies voorkom, verteenwoordig die totale frekwensie van windrigtings wat om 8.30 vm. en 3 nm. waargeneem is. Vir eerste orde stasies, wat met 'n Dines Druktuisanemometer voorsien is, word die frekwensies egter uurliks vanaf die anemogramme afgelees.

Die volgende is 'n lys van simbole waarvan die betekenis nie alreeds in die hoofde van die tabelle verduidelik is nie:-

ϕ = Breedtegraad.
λ = Lengtegraad.
H = Hoogte van stasie bo seespiesel.
h_t = Hoogte van droebol-termometer bo die grondvlak.
h_r = Hoogte van reenmeterrand bo die grondvlak.
h_a = Hoogte van windmeterkop bo die grondvlak.
Σ = Som (totale hoeveelheid neerslag).
– = Geen waarnemings, of geen betroubare waarnemings.
( ) = Syfers in hakies is berekend uit 'n ontoereikende aantal daaglikse waarnemings.

INTRODUCTION.

The present volume is the twentieth of a series of Annual Reports and contains summaries of observations made at all meteorological stations in the Union of South Africa, Basutoland, Swaziland and Bechuanaland during the year 1945. *The summaries are confined only to monthly and annual values of the different meteorological elements.*

For the purpose of this report the meteorological stations are classified in three main groups, namely:-

(1) First and second order stations where observations are made at least twice daily, i.e. at the main observation hours 8.30 a.m. (0830) and at 3 p.m. (1500) S.A. Standard Time.

(2) Third order stations where observations are carried out at 8.30 a.m. only.

(3) Rainfall stations where rainfall measurements are undertaken once daily (8.30 a.m.).

The tabular matter is arranged, as in the report for the year 1944, in the following order:-

(i) Climatological summaries for 87 first and second order stations.

(ii) Climatological summaries for 133 third order stations.

(iii) Monthly means and extremes of "grass-minimum" temperatures at 17 stations.

(iv) Monthly means of earth temperatures at various depths at 17 stations.

(v) Monthly means and percentages of daily sunshine duration for 13 stations.

(vi) Hourly means of air temperature for each month at 18 stations.

(vii) Hourly means of relative humidity for each month at 18 stations.

(viii) Monthly and annual amounts of precipitation and number of rainfall-days at 3539 stations.

As in the report for 1944, the corrected pressure values are reduced to the nearest 100 geodynamic metre level or to mean sea level (0 gdm.) if the station lies below 500 gdm. The appropriate level for each station is given in the heading of the respective table, thus:- Pm at _____ gdm.

At all climatological stations, temperatures are measured in a Stevenson screen housing a maximum and minumum thermometer and a dry and wet bulb psychrometer. The height of the bulb of the dry-bulb thermometer is 4 ft. above the ground level. Means of wet-bulb thermometer readings are only published for 1st and 2nd order stations.

'Grass-minimum' temperatures are obtained by an ordinary sheathed minimum thermometer exposed horizontally so that its bulb is not more than one inch above the surface of short cut grass.

Earth thermometers are of the usual Symons pattern, exposed in steel tubes at various depths.

Hourly values of temperature and relative humidity, given on pages 75 to 86, are obtained from the traces of Friez thermohygrographs which are exposed in Stevenson screens at a height of about 4 ft. above the ground.

The duration of bright sunshine is measured by means of Campbell-Stokes sunshine recorders. The traces are evaluated according to the instructions appearing in the Observers' Handbook (M.O.London).

The standard raingauge used in the Union is 5 inches in diameter and is mounted on a stand so that its rim is 4 ft. above the ground. Evaporation of rainwater from the gauge is reduced by having a small orifice to the collecting bucket and by enclosing it completely inside the outer stand of the gauge.

The wind frequencies given in the climatological tables for 1st and 2nd order stations represent the total frequency of wind directions observed at 8.30 a.m. and 3 p.m. For first order stations equipped with a Dines Pressure Tube Anemometer, however, the frequencies are derived from the anemograms read off hourly.

The following is a list of symbols used, whose meanings are not already indicated in the headings to the tables:-

ϕ = Latitude.
λ = Longitude.
H = Height of station above M.S.L.
h_t = Height of dry-bulb thermometer above ground.
h_r = Height of raingauge above ground.
h_a = Height of anemometer head above ground.
Σ = Sum (total amount of precipitation).
– = No observations, or no reliable observations available.
( ) = Figures in brackets are computed from an insufficient number of daily readings.


NEERSLAG ··· RAINFALL
1945.
PERSENTASIE VAN DIE NORMAAL
PERCENTAGE OF THE NORMAL
VERWYSING
REFERENCE
ONDER NORMAAL
BELOW NORMAL
BO NORMAAL
ABOVE NORMAL
26 - 50%
51 - 75%
76 - 100%
101 - 125%
126 - 150%
151 - 175%
PETERSBURG
PRETORIA
KOMATIPOORT
MAFEKING
VRYBURG
PIET RETIEF
KROONSTAD
UPINGTON
KIMBERLEY
LADYSMITH
BLOEMFN.
PORT NOLLOTH
MASERU
P.M.BURG
DURBAN
DE AAR
CALVINIA
VICTORIA W.
GRAAFF REINET
QUEENSTOWN
PORT ST. JOHNS
BEAUFORT W.
EAST LONDON
CAPE TOWN
PORT ELIZABETH
MOSSEL BAAI
15°
20°
25°
30°
35°
WEERBURO / WEATHER BUREAU PRETORIA 11·10·49

A1

KLIMATOLOGIESE STASIES. — CLIMATOLOGICAL STATIONS.

ALLE PROVINSIES. — ALL PROVINCES.

NAAM VAN STASIE NAME OF STATION	WAARNEMER OBSERVER	BLADSY PAGE
Accornhoek	The Rev. R.E. Jones	51
Aird Government Farm	The Manager	52
Alaska	I.G. Rudd	37
Alexander Bay (State Alluvial Diggings).	The General Manager	9
Aliwal Noord	Lt. Col. I.J. v.d. Merwe	60
Amanzi Estate	The Manager	69
Andriesfontein	H. van der Merwe	60
Armoedsvlakte (Veterinary Research Laboratory)	The Officer in Charge	3
Athole (Weiding Neerwing Stasie)	Die Verantwoordelike Beampte	49
Badplaats	Die Badopsigter	49
Balfour (Wilsonia)	E.W. Hulse	61
Barberton (Cotton Experimental Station)	The Officer in Charge	50
Barberton (Tronk)	Die Superintendent	8
Barkly East	The Rev. Father P. Baur	26
Bashee	The Lightkeeper	63
Beaufort West (Airport)	The Meteorological Officer.	21
Belfast	The Government Forester	48
Bellville (Airport)	The Meteorological Observer	30
Belvedere	E. Reimske	39
Bethal	H.F.M. Joubert	7
Bethulie	The Rev.Father C.Holzenkamp	25
Bird Island	The Lightkeeper	35
Bloemfontein (Lughawe)	Die Weerkundige Beampte	12
Boulders	Mrs. N.A. Cordes	51
Brandvlei (S.A. Polisie)	Die Stasie Bevelvoerder	59
Brits (Hartebeespoort Landbou Proefstasie)	Die Verantwoordelike Beampte	43
Buchuberg Dam	The Superintendent	52
Buffelspoort (Experimental Station).	The Officer in Charge	43
Bulshoek	The Administration Engineer	59
Cala	D.A. Grundlingh	27
Cape Columbine	The Lightkeeper	19
Cape L'Agulhas	The Lightkeeper	31
Cape Point	The Lightkeeper	65
Cape St. Blaize	The Lightkeeper	32
Cape St. Francis	The Lightkeeper	33
Cape St. Lucia	The Lightkeeper	59
Cape Town (City Hospital)	The Medical Officer of Health.	64
Cape Town (Royal Observatory)	H.M. Astronomer	65
Cape Town (Wingfield Airport)	The Meteorological Officer.	30
Carolina	Die Tronkbewaarder	48
Cathcart	The Town Clerk	61
Cedara (School of Agriculture).	The Principal	56
Ceres	Die Sipier	31
Clanwilliam	Die Magistraat	20
Cradock	The Gaoler	24
Danger Point	The Lightkeeper	67
Dassen Island	The Lightkeeper	29
De Aar (Met. Office)	The Officer in Charge	22
Deepwalls (Research Station)	The Officer in Charge	68
Dikgatlong	Adrien Jouane	37
Dohne (Landbouneerwingstasie).	Die Verantwoordelike Beampte	26
Dundee	C.R. Gualpa	16
Durban (Airport)	The Meteorological Officer.	18
Durban (Shongweni Waterworks)	The City Water Engineer	57
East London (Airport)	The Meteorological Officer.	35
East London (Signal Stn.)	The Senior Signalman	70
East London (Filter Beds)	The City Engineer	69
Emerald Dale	Max Anderson	56
Emjanyana (Leper Institution)	The Superintendent	62
Ermelo (Nooitgedacht)	The Officer in Charge	48
Eshowe	Die Distriksbosbeampte	59
Estcourt (Landbouneerwingstasie)	Die Verantwoordelike Beampte	15
Evelyn Valley	Die Regeringsbosbouer	61
Fauresmith (Veld Reserwe)	Die Verantwoordelike Beampte	11
Fort Beaufort	J.W. Geyer	61
Frasinitsicht	J.D. Kirchner	55
Francistown	The District Commissioner	37
Fraserburg	Die Sipier	21
Gaberones	The Magistrate	41
Garies	J.H. van der Merwe	19
Gemsbokfontein	Die Regeringsbosbouer	48
George (Airport)	The Meteorological Officer.	33
Germiston (Lughawe/Airport)	Die Weerkundige Beampte	5
Ghanzi	The Magistrate	35
Gooldville (Donald Fraser Hospital)	The Medical Superintendent.	39
Graaff-Reinet (Convent)	The Mother Superior	23
Graskop	The District Forest Officer	50
Grassridge (Dam)	The Resident Engineer	60
Great Fish Point	The Lightkeeper	69
Groot Drakenstein (Rhodes Fruit Farms)	The Manager	67
Grootfontein (School of Agriculture)	The Principal	23
Grootspruit	H.R. King	54
Havelock Mine	The Chief Surveyor	51
Heidelberg	A.W.E. Schultz	46
Hermitage (Research Station).	The Officer in Charge	34
Hillcrest	Mrs. V.S. Parker	57
Holfontein	Die Regeringsbosbouer	54
Hoopstad	A.C. Hanekom	12
Idutywa	The Electrical Engineer	27
Jansenville (Power Station)	L.M. McLaughlin	23
Jessievale	The Government Forester	49
Johannesburg (City Deep).	The Manager, City Deep Mine Office	44
Johannesburg (Joubert Park)	The Superintendent	44
Jonkershoek (Forest Research Station)	The Officer in Charge	67
Kalkfontein	E. von Muller	46
Kalkfontein Dam	The Resident Engineer	53
Kanye	The Magistrate	41
Kimberley (De Beers)	H.G. Harris	53
Kimberley (Airport)	The Meteorological Officer in Charge	11
Kingwilliamstown	W.A. Kindness	62

NAAM VAN STASIE NAME OF STATION	WAARNEMER OBSERVER	BLADSY PAGE
Kirstenbosch (National Botanical Gardens)	The Secretary	64
Klaver	Die Weerkundige Beampte	19
Klerksdorp	Die Trouikbewaarder	42
Kokstad (Convent)	The Mother Superior	28
Komatipoort	P.J. van der Westhuizen	8
Kopje Alleen	J. Lyall Scutter F.R.Met.Soc. and A.C. Jenkinson	47
Koppiesdam	S. Daniels	54
Kroonstad (Airport)	The Meteorological Officer.	13
Kroonstad (Cereal Experimental Station)	The Superintendent	55
Kroonstad (Parks)	The Superintendent	13
Krugersdorp (Coronation Park)	W.W. Webster	43
Ladysmith (Natal)	The Mother Superior, The Convent	15
Lake Mentz (Dam)	The Engineer	68
Langgewens (Experimental Station)	The Manager	65
Lemana	W.D. Malan	39
Letaba Rest Camp	Ranger G. Crous	40
Lichtenburg	Die Trouikbewaarder	41
Lindley	Die Trouikbewaarder	14
Little Quendon	J.A. Byng	42
Long Elmsel	The Medical Officer in Charge	55
Loskop Canals	The Resident Engineer	47
Loskop Dam	The Resident Engineer	47
Louis Trichardt	T.E. Theron	38
Louisvale	Brian T. Mennell	52
Lovedale	P. Gilloway	25
Macuville (Landbouneuvorsingstasie).	Die Bestuurder	38
Mafeking (Klooster/Convent).	The Officer in Charge	3
Mahalapye	Miss. M. Giles	36
Marico Bosveld Irrigation Scheme (Rhenosterfontein).	The Superintendent	42
Marnitz	Mev. W. Ras	37
Masaru	The Agricultural Officer	14
Matatiele	Mrs. G. Burckard	62
Matroosberg	Die Weerkundige Beampte	31
Maun	The Assistand District Commissioner	36
Mbabane	The Agricultural Officer	51
Melmoth	Mrs. A.M. Petrie	18
Messina	The Mine Secretary	38
Mfongosi	W.E. Jones	57
Middelburg (Tvl.)	V.P. Rose	7
Mid-Illovo	Lt. Col. J.W.V. Montgomery.	57
Mistley	A.L. Gale	17
Mochudi	The Assistant Commissioner.	41
Modderfontein (Dynamite Factory)	The Manager	45
Modderpoort	The Rev. A. Martin	55
Mohaleshoek	The Postmaster	62
Molhotlong	The Assistant District Commissioner.	15
Molepolole	The Magistrate	40
Montagu	T.D. McSweeney	68
Mt. Edgecombe (Sugar Experimental Station)	The Director	58
Mushroom	The Supervisor, Hlambanyati Estate	50
Nelspoort	The Medical Superintendent	60
Newcastle (Convent)	The Mother Superior	16
Northdene	The Meteorological Observer	58
Nylstroom	G. Bakker	6
Onderstepoort (Vet. Research Laboratory)	The Director	45
Orangedale Estate	W.L. Henderson	42
Oudtshoorn	The Mother Superior	33
Paarl (Viticultural Station).	The Officer in Charge	66
Paulpietersburg	Dr. N. Lipscomb	58
Pennington	Mrs. M.E. Foster	63
Pietermaritsburg (Mental Hospital)	W. Lindeque	17
Pietermaritsburg (Allerton Vet. Research Inst.)	The Officer in Charge	56
Pietersburg (Lughawe)	Die Weerkundige Beampte	2
Piet Retief	Mev. S.P. Hildebrand	17
Pilgrims Rest	A.C. Taylor	7
Pofadder	M.N. Steenkamp	9
Port Elizabeth (Airport)	The Meteorological Officer.	34
Port Elizabeth (Lighthouse)	The Lightkeeper	69
Portland (Whites Cement Co.)	The Manager	54
Port Nolloth	The Lightkeeper	9
Port St. Johns (Cape Hermes).	The Lightkeeper	28
Port Shepstone	The lightkeeper	29
Postmasburg (Mancorp Mine).	S.R. Brownrigg	11
Potchefstroom (Landbou-Kollege).	Die Prinsipaal	4
"Pretoria" Farm (Ofcolaco)	R. Bendall	49
Pretoria (Middle Crescent)	H. Burroughs	45
Pretoria (Parktown)	J.R. Leisk	45
Pretoria (Sewage)	The Chemist Sewage Disposal Works	44
Pretoria (Universiteitsproefplaas).	Die Bestuurder	46
Pretoria (Weerkundige Kantoor)	Die Staf	5
Prieska	J.J. Steyn	10
Pseuda Maria	Ranger W. Lamont	40
Pugella (Tsaneen)	The Medical Officer	39
Qachasnek	The Assistant Commissioner.	27
Queenstown (Air School).	The Meteorological Officer.	25
Riversdale	The Rev. Martin Johnson	32
Sandflats	H.B. Corderoy	63
Seven Rivers	H.G. Lemon	66
Simonstown (Klaver Camp)	The Naval Officer in Charge	29
Sipofaneni	Mrs. van Vuuren	52
Somerset East (Convent).	The Mother Superior	24
Somerset West (Cape Explosives)	The Works Manager	66
Spes Bona	J. Neilson	67
Standerton (Air School).	The Meteorological Officer.	6
Stanger	C.C. Foss	65
Steenbras Dam	The Meteorological Observer	65
Stellenbosch (Univ. Proefplaas.)	Die Plaas Bestuurder	66

NAAM VAN STASIE NAME OF STATION	WAARNEMER OBSERVER	BLADSY PAGE
Table Mountain (House)	The City Water Engineer ..	64
Thabazimbi (Mine)	The Superintendent	4
Taungs (Irrigation Works) ...	The Superintendent	53
Towoomba (Weiding Navorsing Stasie).	Die Verantwoordelike Beampte ...	46
Tsabong	The District Commissioner.	2
Turfpan	A.R. Carbis	47
Tweefontein	The Government Forester ..	50
Tokai	The District Forest Officer	64
Uitenhage	W. Freddy	68
Umbogintwini (Kynoch Factory)	The Manager	58
Upington (Met. Office)	The Officer in Charge	10
Vaalhartz (Experimental Station)..	The Officer in Charge	53
Van Wykvlei	Mrs. E.S.L. Dawson	21
Vereeniging (Vliegskool/ Air School)	The Meteorological Officer	5
Victoria West	Die Tronkbewaarder	22
Weenen	Die Stadsklerk	56
Wepener	W.T.E. Kemm, F.R.Met.Soc.	13
Weza (Plantation)	The Government Forester .	63
Williston	J.H. Smart	20
Witdraai (Polisie) ...	Die Stasiebevelhebber ..	40
Woodbush	The Government Forester .	38
Zeerust	Die Tronkbewaarder	3
Zuurbekom (Pumping Stn.)	The Engineer	43
Zwartkopjes (Pumping Station).	The Engineer	44

1st and 2nd ORDER STATIONS – STASIES VAN DIE 1e en 2e ORDE.

	P_n Mean Pressure at Gem. Ingdruk by Gdm. 0830	1500	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	1500	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat	Min.	Dat	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat	Min.	Dat	Wet-bulb Temperature. Natbol Temperatuur. °F. Means Gem. 0830	1500	Rel. Hum. Rel. Vochtigheid. U % 0830	1500	Mean Cloud Amt. Gem. Wolkenvlhd. N 0-10 0830	1500	Precipitation in inches Neerslag in duime. R Σ	Max. in 24h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ .01	≥ .04	≥ .40	Thunder Donder	Hail-Hael	Snow Sneeuw	Fog-Mewel	Ice Ijsvorm	Max. ≥ 86°F	Max ≤ 32°F	Min ≤ 32°F	Min ≤ 68°F	Wind Frequency. Windfrekwensie. nD. N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 2/1050a PIETERSBURG (Laghaven/Airport). ϕ = 23 56'S; λ = 29 29'E; Pn at/by 1,300 gdm. H = 4,244 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft; h_a = 50 vt/ft.																																																
I	871.2	868.9	66.9	77.5	79.5	58.8	69.1	88.5	21	49.7	15	64.6	9	66.1	19	60.6	63.4	72	49	6	6	0.99	0.37	20	6	6	0	7	0	0	1	0	5	0	0	0	67	129	314	63	34	12	10	30	85
II	870.2	867.8	68.2	79.3	81.0	60.2	70.6	87.2	17	51.8	26	70.6	2	65.8	18	61.8	63.9	71	46	6	6	1.29	0.95	2	4	3	1	1	0	0	0	0	2	0	0	0	46	144	321	59	10	5	6	6	75
III	872.7	870.2	66.1	76.7	79.0	57.0	68.0	90.7	2	48.1	21	70.4	20	66.8	2	59.9	61.5	72	43	4	6	0.39	0.22	16	6	2	0	1	0	0	0	0	1	0	0	0	67	172	197	35	29	16	26	11	191
IV	873.5	871.1	62.6	72.9	75.9	52.4	64.1	83.1	1	46.6	4	65.7	13	58.4	2	57.2	59.5	74	47	3	6	1.92	1.01	21	8	6	1	11	1	0	0	0	0	0	0	0	56	93	119	31	41	16	32	57	275
V	873.9	871.8	55.8	67.9	69.1	42.4	55.7	76.5	2	36.7	24	59.2	23	53.5	22	49.0	51.9	63	35	2	3	0.01	0.01	22	1	0	0	0	0	0	1	0	0	0	0	0	41	71	111	94	133	68	34	23	169
VI	875.9	873.9	49.9	64.4	65.1	34.2	49.7	71.8	23	27.0	14	50.2	25	45.1	22	42.2	47.5	54	28	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	12	0	13	24	60	100	181	89	38	30	185
VII	876.2	873.9	51.5	66.2	67.3	37.3	52.3	75.0	31	31.8	15	54.6	12	49.3	18	44.6	49.5	60	31	1	2	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	2	0	55	130	75	99	108	51	33	24	169
VIII	877.2	874.8	54.8	69.8	71.1	40.3	55.7	82.5	26	33.9	23	62.0	20	48.4	28	46.7	51.2	57	27	1	1	0.00	0.00	-	0	0	0	0	0	0	2	0	0	0	0	0	55	168	117	84	109	10	20	34	147
IX	876.5	873.6	62.9	76.3	77.9	48.8	63.3	87.3	22	39.2	12	63.2	11	58.6	23	53.6	55.7	56	28	1	2	0.05	0.04	9	2	1	0	0	0	0	0	0	3	0	0	0	74	274	112	52	30	3	9	23	143
X	872.1	869.1	65.7	76.6	78.6	56.1	67.4	89.5	2	50.0	2	59.6	14	62.1	18	57.4	59.6	62	43	5	5	2.44	1.70	14	9	6	1	10	0	0	1	1	7	0	0	0	128	249	98	18	27	11	20	72	121
XI	872.4	869.6	66.6	75.7	79.0	57.2	68.1	90.6	7	49.0	3	66.3	22	62.9	29	58.9	61.3	64	46	6	6	2.46	0.57	28	8	7	4	8	0	0	0	0	4	0	0	0	127	230	110	17	38	15	20	45	118
XII	870.4	867.7	69.8	79.6	82.3	60.5	71.4	92.8	17	54.1	23	66.2	28	65.5	14	62.0	63.6	66	43	5	6	2.36	1.36	27	10	9	1	9	0	0	0	0	11	0	0	0	113	231	125	19	43	35	33	41	104
Jaar Year	873.5	871.0	61.7	73.6	75.5	50.4	62.9	92.8	-	27.0	-	50.2	-	66.8	-	54.5	57.4	64	39	3	4	11.91	1.70	-	54	40	8	47	1	0	5	1	33	0	14	0	842	1915	1759	671	783	331	281	396	1782
No. 5/1179a TSABONG. ϕ = 26 03'S; λ = 22 27'E; Pn at/by 900 gdm. H = 3,155 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																																																
I	911.5	909.3	77.8	93.4	96.4	65.0	80.7	102.0	3	54.0	2	90.0	7	74.0	4	63.3	66.5	46	24	2	5	2.14	1.29	6	2	2	2	-	-	-	-	-	31	0	0	7	9	19	9	5	4	2	4	4	6
II	911.1	908.8	75.9	92.4	95.4	64.4	79.9	101.0	9	57.0	3	74.0	1	74.0	23	64.8	69.3	56	30	2	5	0.35	0.22	1	4	3	0	-	-	-	-	-	26	0	0	4	2	15	15	7	3	3	4	2	5
III	913.7	911.4	68.5	83.7	86.5	59.5	73.0	98.0	1	47.0	19	70.0	18	67.0	2	62.4	66.7	72	42	3	5	1.79	0.52	6	8	6	2	-	-	-	-	-	18	0	0	0	6	16	13	5	4	2	8	0	8
IV	914.6	912.4	62.2	83.4	86.0	51.7	68.9	95.0	1	30.0	29	62.0	28	62.0	20	55.3	62.9	66	32	2	4	0.23	0.15	3	3	2	0	-	-	-	-	-	17	0	2	0	7	13	8	1	2	6	3	4	16
V	917.3	914.9	43.8	71.8	74.0	34.1	54.1	84.0	6	20.0	30	53.0	22	47.0	11	39.3	54.6	69	34	1	2	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	11	0	2	20	3	2	3	2	10	1	16
VI	920.4	917.7	35.2	67.0	68.4	27.3	47.9	76.0	1	16.0	26	50.0	24	36.0	24	32.3	51.8	74	36	1	1	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	23	0	6	10	2	1	1	4	8	5	23
VII	918.6	915.8	38.6	70.4	71.7	30.6	51.1	80.0	26	19.0	10	59.0	9	49.0	12	35.2	53.6	72	34	1	1	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	16	0	11	16	5	2	2	1	5	5	15
VIII	919.5	916.3	44.7	75.1	76.9	34.1	55.5	86.0	31	18.0	6	58.0	5	50.0	29	38.4	55.0	57	27	0	0	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	9	0	2	27	4	2	6	3	4	3	11
IX	917.4	914.5	62.3	86.5	88.7	47.1	67.9	98.0	25	33.0	10	73.0	2	63.0	25	51.2	64.7	48	31	1	1	0.00	0.00	-	0	0	0	-	-	-	-	-	21	0	0	0	7	21	12	1	3	4	4	3	4
X	912.6	910.1	66.9	85.2	88.0	50.0	69.0	99.0	28	35.0	20	68.0	19	64.0	29	56.1	64.5	44	34	2	2	0.00	0.00	-	0	0	0	-	-	-	-	-	20	0	0	0	2	14	3	3	7	11	6	11	5
XI	912.8	910.0	75.1	90.4	92.9	59.8	76.3	103.0	25	44.0	18	82.0	11	76.0	27	60.9	65.1	46	26	3	5	0.25	0.10	9	3	3	0	-	-	-	-	-	26	0	0	3	8	21	8	4	5	4	5	5	0
XII	911.1	908.7	76.6	90.9	94.0	61.6	77.8	101.0	20	48.0	24	77.0	4	75.0	19	62.4	65.5	47	26	3	4	0.46	0.29	3	2	2	0	-	-	-	-	-	30	0	0	7	5	13	3	5	9	8	13	4	3
Jaar Year	915.1	912.5	60.6	82.5	84.9	48.8	66.9	103.0	-	16.0	-	50.0	-	76.0	-	51.6	61.7	58	31	2	3	5.22	1.29	-	22	18	4	-	-	-	-	-	189	0	61	21	67	205	85	38	49	50	74	47	112

No. 6/1200 ARMOEDSVLAKTE. ϕ = 26 56'S; λ = 24 39'E; Pm at/by 1,200 gdm. H = 4,080 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	879.4	-	75.1	87.7	91.3	61.5	76.4	98.0	3	47.0	2	82.0	7	70.0	17	63.1	64.9	54	30	3	5	3.62	1.75	6	10	10	3	2	0	0	0	0	26	0	0	2	14	3	2	5	4	3	6	18	6
II	879.1	-	74.1	87.3	90.3	60.4	75.3	99.0	9	46.0	12	68.0	1	69.0	22	64.0	66.1	60	33	2	5	1.87	0.71	20	7	6	1	4	0	0	0	0	24	0	0	1	14	6	10	6	7	0	0	5	8
III	881.6	-	64.1	74.4	78.9	56.7	67.7	93.0	1	47.0	19	65.0	14	62.0	6	60.1	63.4	81	(56)	5	(6)	8.19	2.09	3	13	11	8	0	0	0	0	0	2	0	0	0	(13)	4	7	5	7	1	1	4	12)
IV	882.5	-	59.1	77.7	78.9	48.0	63.5	88.0	3	30.0	30	60.0	28	58.0	27	54.7	60.5	78	38	2	5	1.09	0.58	2	3	3	2	3	0	0	0	0	1	0	2	0	13	1	6	4	4	0	0	11	17
V	884.0	-	48.3	68.6	70.0	33.2	51.6	79.0	6	21.0	22	52.0	21	51.0	21	42.1	51.7	62	33	1	2	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	11	0	13	3	5	0	11	1	8	5	12
VI	886.8	-	40.2	64.8	66.1	26.9	46.5	73.0	1	21.0	26	47.0	25	34.0	3	34.8	47.7	59	27	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	2	27	0	7	0	0	0	18	0	6	14	15
VII	886.8	-	41.4	67.2	68.4	28.9	48.7	75.0	26	20.0	31	55.0	9	44.0	13	36.8	49.5	67	29	1	1	0.18	0.18	12	1	1	0	0	0	0	0	0	0	0	22	0	17	2	0	6	7	0	1	11	14
VIII	886.7	-	49.4	72.8	73.5	33.0	53.3	82.6	26	21.8	6	56.0	5	48.2	29	41.4	51.8	52	(23)	1	0	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	12	0	(21	2	1	2	7	1	1	6	14)
IX	885.1	-	64.9	84.0	84.9	46.8	65.9	92.6	23	32.6	4	77.0	2	63.0	25	50.8	58.5	38	20	1	3	0.00	0.00	-	0	0	0	0	0	0	0	0	14	0	0	0	24	3	2	3	5	0	0	19	3
X	879.9	-	66.9	83.9	86.0	49.2	67.6	95.8	18	33.4	20	73.2	4	64.6	29	52.9	60.2	40	26	3	4	1.92	1.83	24	3	2	1	2	0	0	0	0	19	0	0	0	11	3	4	3	9	0	14	10	7
XI	880.7	-	71.5	84.5	87.3	57.5	72.4	97.4	25	46.4	18	78.4	10	65.8	30	59.2	62.2	50	29	3	6	1.71	0.58	26	6	5	2	1	0	0	0	0	18	0	0	0	23	3	3	2	8	1	3	7	7
XII	878.4	-	75.1	88.7	91.2	59.6	75.4	98.0	19	42.6	8	81.0	4	72.0	13	61.0	64.1	47	(26)	3	(4)	1.91	0.85	16	6	4	2	3	1	0	0	0	28	0	0	4	(7	4	0	3	8	4	10	11	8)
Year Year	882.6	-	60.8	78.5	80.6	46.8	63.7	99.0	-	20.0	-	47.0	-	72.0	-	51.7	58.4	57	(31)	2	(3)	20.49	2.09	-	49	42	19	15	1	0	0	0	132	2	74	7	177	34	40	39	95	11	50	121	123)

No. 7/1230 MAFEKING (Klooster/Convent). ϕ = 25 52'S; λ = 25 39'E; Pm at/by 1,200 gdm. H = 4,204 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	880.6	877.3	73.1	85.9	89.0	62.4	75.7	97.5	16	54.3	13	78.3	9	68.2	4	63.6	66.9	61	39	4	6	0.59	0.47	30	3	3	1	15	0	0	0	0	23	0	0	1	9	36	2	3	0	0	0	3	9
II	879.9	876.9	72.3	84.9	87.6	62.2	74.9	93.9	10	53.3	3	72.1	1	66.3	13	63.8	66.4	65	39	3	7	1.83	0.70	1	5	5	2	16	0	0	0	0	20	0	0	0	3	29	6	2	3	0	0	1	12
III	882.4	879.7	65.7	76.0	77.8	58.0	67.9	92.2	2	48.6	19	67.3	5	63.7	1	60.8	63.7	77	53	5	6	6.42	1.50	4	12	11	6	8	0	0	0	0	2	0	0	0	12	19	6	6	1	2	0	4	12
IV	883.0	880.7	63.3	76.0	77.5	50.9	64.2	84.2	1	38.3	29	64.8	28	56.3	3	57.3	60.9	71	43	1	5	1.82	1.20	2	4	3	2	9	0	0	0	0	0	0	0	0	9	19	7	0	5	1	0	6	13
V	884.6	881.9	51.6	68.4	69.6	37.6	53.6	78.2	6	22.5	23	53.3	22	47.9	21	45.2	51.9	63	33	2	2	0.03	0.03	11	1	0	0	1	0	0	0	0	0	0	4	0	12	16	6	2	8	3	1	3	11
VI	887.1	884.6	45.2	64.7	65.3	30.6	47.9	71.0	30	18.3	25	47.6	25	37.6	1	39.1	48.5	60	33	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	1	19	0	5	10	9	2	12	6	1	6	9
VII	886.4	883.6	48.2	67.1	68.0	36.1	52.1	75.6	30	26.1	8	57.3	13	43.8	13	41.3	49.9	58	44	1	1	0.11	0.06	13	2	2	0	0	0	0	0	0	0	0	4	0	8	19	10	3	3	0	4	6	9
VIII	887.2	884.2	55.2	71.8	72.7	40.1	56.4	83.2	26	26.4	6	59.2	5	51.5	28	45.0	51.6	47	36	1	0	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	4	0	13	23	3	5	5	1	2	2	8
IX	885.9	882.4	67.3	82.0	83.0	50.8	66.9	90.2	23	42.9	10	74.7	10	64.6	24	52.9	57.2	39	20	1	3	0.00	0.00	-	0	0	0	0	0	0	0	0	8	0	0	0	11	36	2	1	1	1	1	1	6
X	880.8	877.3	70.0	84.0	85.3	54.2	69.7	93.8	29	41.8	20	69.4	14	65.8	19	56.2	60.1	44	25	3	5	0.39	0.39	24	1	1	0	2	0	0	0	1	15	0	0	0	10	24	1	4	5	6	2	5	5
XI	881.5	878.3	72.1	83.9	86.2	59.6	72.9	95.0	25	51.7	12	70.8	21	66.2	7	59.1	62.8	48	32	5	7	1.02	0.42	21	4	3	1	9	1	0	0	0	16	0	0	0	21	13	5	3	2	4	3	3	6
XII	879.6	876.2	75.7	87.6	89.9	61.5	75.7	96.4	19	52.3	31	82.4	29	67.7	16	63.4	66.4	53	34	4	6	0.56	0.35	16	3	3	0	8	0	0	0	0	26	0	0	0	13	22	0	4	7	1	0	5	10
Year Year	883.3	880.3	63.3	77.7	79.3	50.3	64.8	97.5	-	18.3	-	47.6	-	68.2	-	54.0	58.9	57	36	3	4	12.77	1.50	-	35	31	12	68	1	0	0	1	110	1	35	1	126	266	57	35	52	25	14	45	110

No. 7/1266A ZEERUST. ϕ = 25 31'S; λ = 26 05'E; Pm at/by 1,200 gdm. H = 3,944 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	881.1	878.2	73.9	86.4	89.5	64.2	76.9	97.0	16	54.0	13	82.0	9	70.0	4	63.0	64.7	57	33	4	7	1.68	0.36	28	9	9	0	-	-	-	-	-	22	0	0	1	8	36	2	0	1	4	4	4	3
II	880.6	877.6	73.5	86.5	89.0	63.4	76.2	98.0	9	56.0	27	75.0	2	70.0	22	64.2	66.0	63	36	4	6	3.05	0.87	1	8	8	4	-	-	-	-	-	23	0	0	1	13	24	6	3	0	1	2	2	5
III	882.7	880.8	67.3	76.6	79.6	58.6	69.1	92.0	2	49.0	19	65.0	5	67.0	1	61.7	65.4	74	58	5	7	11.37	4.08	4	10	9	6	-	-	-	-	-	2	0	0	0	13	18	5	5	3	2	6	1	9
IV	883.5	881.4	62.4	77.3	79.5	49.3	64.4	87.0	12	38.0	29	70.0	30	58.0	3	56.2	65.7	70	56	2	5	0.51	0.33	20	4	4	0	-	-	-	-	-	1	0	0	0	12	9	3	1	0	2	9	9	35
V	885.2	882.6	50.4	69.5	71.5	36.2	53.9	80.0	2	27.0	31	54.0	22	47.0	7	44.1	54.3	63	39	1	1	0.12	0.08	22	2	2	0	-	-	-	-	-	0	0	6	0	3	6	4	11	2	5	12	3	16
VI	887.5	885.0	41.5	66.6	67.5	27.7	47.6	74.0	30	24.0	25	52.0	25	35.0	24	35.9	50.2	60	33	0	1	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	26	0	2	0	4	6	2	8	5	5	28
VII	887.1	884.4	42.6	68.6	69.6	30.9	50.3	77.0	30	24.0	8	52.0	13	45.0	13	37.1	53.3	62	37	1	1	0.04	0.04	13	1	1	0	-	-	-	-	-	0	0	19	0	4	7	6	3	0	0	7	5	30
VIII	887.7	885.0	50.8	73.1	74.4	35.1	54.7	84.0	27	25.0	6	67.0	5	47.0	20	43.6	57.3	58	40	1	0	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	7	0	7	9	8	5	2	2	0	6	23
IX	886.4	882.9	56.6	82.5	83.5	48.4	65.9	92.0	23	38.0	10	76.0	9	64.0	25	54.5	61.1	47	30	1	3	0.00	0.00	-	0	0	0	-	-	-	-	-	8	0	0	0	7	15	9	9	0	1	6	3	10
X	881.6	878.4	70.5	85.5	86.9	54.5	70.7	95.0	30	45.0	2	71.0	14	65.0	10	60.3	66.6	58	39	4	5	0.66	0.46	25	4	2	1	-	-	-	-	-	20	0	0	0	9	14	2	5	1	4	17	5	5
XI	882.2	878.6	72.8	86.1	87.6	60.3	73.9	95.0	4	53.0	12	72.0	21	68.0	5	60.8	64.7	52	33	6	6	1.23	0.62	20	5	5	1	-	-	-	-	-	15	0	0	0	19	9	2	6	0	1	13	6	4
XII	879.7	877.3	77.5	89.3	92.5	63.2	77.9	97.0	19	53.0	23	82.0	29	70.0	18	64.0	66.7	50	33	4	7	0.85	0.78	6	3	2	1	-	-	-	-	-	29	0	0	3	11	3	14	0	0	1	18	8	7
Year Year	883.8	881.0	62.5	79.0	80.9	49.3	65.1	98.0	-	24.0	-	52.0	-	70.0	-	53.8	61.3	59	39	3	4	19.51	4.08	-	46	42	13	-	-	-	-	-	120	0	58	5	108	150	65	54	11	31	99	57	155

1st and 2nd ORDER STATIONS – STASIES VAN DIE 1e en 2e ORDE.

	P_m Mean Pressure at Gem. Lugdruk by Gdm.		Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m					Extremes Uiterstes				Lowest Max. Laagste Maks. Highest Min. Hoogste Min.				Wet-bulb Temperature. Natbol Temperatuur. °F. Means Gem.		Rel. Hum. Rel. Vochtigheid. U %		Mean Cloud Amt. Gem. Wolkenhvlhd. N 0-10		Precipitation in inches Neerslag in duime. R			Number of Days with Aantal Dae met												Wind Frequency. Windfrekwensie. nD.								
	0830	1500	0830	1500	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Max.	Dat	Min.	Dat	Max.	Dat	Min.	Dat	0830	1500	0830	1500	0830	1500	M	Max. in 24h.	Dat.	Precipn. Neerslag ≥ .01	≥ .04	≥ .40	Thunder Donder	Hail-Hagel	Snow Sneeuw	Fog-Nevel	Dust Storm Stofstorm	Max. ≥ 86°F	Max ≥ 50°F	Min ≥ 32°F	Min ≤ 68°F	N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 8/1366 POTCHEFSTROOM (Landbou Kollege/Agric. College) ϕ = 26 44'S; λ = 27 05'E; H = 4,437 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																																															
I	-	-	72.3	-	87.4	58.5	72.9	94.5	3	52.0	13	76.0	7	67.0	4	62.6	-	60	-	3	-	2.34	0.87	19	6	6	3	-	-	-	-	-	21	0	0	0	-	-	-	-	-	-	-	-	-
II	-	-	72.4	-	86.6	59.7	73.7	95.0	10	52.0	10	65.0	2	68.0	11	64.0	-	66	-	3	-	1.86	0.42	2	7	7	1	-	-	-	-	-	18	0	0	0	-	-	-	-	-	-	-	-	-
III	-	-	65.4	-	79.0	55.3	67.1	91.0	4	42.0	19	65.0	15	63.0	27	60.8	-	78	-	4	-	6.60	1.16	3	12	12	7	-	-	-	-	-	4	0	0	0	-	-	-	-	-	-	-	-	-
IV	-	-	60.5	-	76.2	47.8	62.0	83.0	18	27.0	29	60.5	28	60.0	9	55.6	-	76	-	1	-	0.12	0.12	1	1	1	0	-	-	-	-	-	0	0	2	0	-	-	-	-	-	-	-	-	-
V	-	-	50.5	-	68.5	34.5	51.5	77.0	6	22.0	31	50.0	22	48.0	12	44.6	-	81	-	1	-	0.76	0.70	21	2	2	1	-	-	-	-	-	0	0	9	0	-	-	-	-	-	-	-	-	-
VI	-	-	42.6	-	63.4	27.0	45.2	70.0	30	20.0	26	42.0	25	38.0	24	37.1	-	62	-	1	-	0.00	0.00	-	0	0	0	-	-	-	-	-	0	1	27	0	-	-	-	-	-	-	-	-	-
VII	-	-	44.6	-	66.9	29.9	48.4	74.5	30	22.0	10	54.0	13	43.0	18	38.2	-	57	-	1	-	0.08	0.08	12	1	1	0	-	-	-	-	-	0	0	21	0	-	-	-	-	-	-	-	-	-
VIII	-	-	52.0	-	73.0	34.2	53.6	83.0	26	19.0	6	61.0	12	46.0	12	43.9	-	54	-	0	-	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	7	0	-	-	-	-	-	-	-	-	-
IX	-	-	67.9	-	82.2	50.6	66.4	91.0	24	32.0	3	73.0	10	61.9	9	54.1	-	42	-	0	-	0.00	0.00	-	0	0	0	-	-	-	-	-	7	0	0	0	-	-	-	-	-	-	-	-	-
X	-	-	69.1	-	86.2	48.8	67.5	93.6	29	40.0	6	74.0	14	61.0	25	56.2	-	46	-	2	-	0.12	0.12	8	1	1	0	-	-	-	-	-	17	0	0	0	-	-	-	-	-	-	-	-	-
XI	-	-	72.2	-	86.9	55.4	71.1	96.0	4	50.0	11	70.0	10	62.0	28	60.5	-	53	-	1	-	1.72	1.72	8	1	1	1	-	-	-	-	-	15	0	0	0	-	-	-	-	-	-	-	-	-
XII	-	-	73.6	-	88.0	58.3	73.1	94.0	11	43.0	9	78.0	28	65.0	2	61.8	-	53	-	3	-	1.97	1.38	29	3	3	2	-	-	-	-	-	18	0	0	0	-	-	-	-	-	-	-	-	-
Jaar Year	-	-	61.9	-	78.7	46.7	62.7	96.0	-	19.0	-	42.0	-	68.0	-	53.3	-	61	-	2	-	15.57	1.72	-	34	34	15	-	-	-	-	-	100	1	66	0	-	-	-	-	-	-	-	-	-
No. 8/1418a THABAZIMBI. ϕ = 24 37'S; λ = 27 23'E; Pm at/by 1,000 gdm. H = 3,219 vg/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																																															
I	897.4	894.9	74.8	87.9	91.1	66.4	78.7	98.0	17	57.0	14	79.0	9	74.0	3	67.7	73.4	70	52	5	5	2.94	0.78	5	9	8	3	9	0	0	0	0	24	0	0	10	-	-	-	-	-	-	-	-	-
II	896.4	894.4	75.0	86.8	89.9	67.4	78.7	96.0	17	61.0	3	83.0	23	71.0	22	68.3	73.2	72	54	3	5	3.09	1.97	1	8	7	1	2	0	0	0	0	22	0	0	10	-	-	-	-	-	-	-	-	-
III	899.4	897.3	70.6	79.7	82.4	63.0	72.7	95.0	2	54.0	22	91.0	5	70.0	1	65.7	69.5	78	61	5	6	4.60	1.23	4	12	12	3	0	0	0	0	0	5	0	0	4	-	-	-	-	-	-	-	-	-
IV	900.2	898.1	68.4	80.2	83.4	56.3	69.9	90.0	1	49.0	30	76.0	30	64.0	2	62.5	66.9	73	52	2	5	1.37	0.54	2	10	6	1	2	0	0	0	0	7	0	0	0	-	-	-	-	-	-	-	-	-
V	901.3	899.0	54.1	73.7	75.3	46.0	60.7	82.0	3	31.0	31	58.0	22	57.0	21	49.5	59.0	73	43	2	2	0.13	0.11	21	2	1	0	1	0	0	0	0	0	0	1	0	-	-	-	-	-	-	-	-	-
VI	904.0	902.1	45.2	69.1	70.3	36.3	53.3	75.0	23	30.0	27	54.0	25	49.0	24	39.9	54.6	64	40	0	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	3	0	-	-	-	-	-	-	-	-	-
VII	903.5	901.3	48.4	72.2	73.1	40.5	56.8	(80.0	31)	34.0	1	(55.0	13)	53.0	18	43.1	56.6	66	39	1	2	0.13	0.07	13	2	2	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-
VIII	904.4	901.8	56.9	75.9	-	47.9	-	-	-	36.0	6	-	-	55.0	12	46.5	56.2	46	29	0	1	0.00	0.00	-	0	0	0	0	0	0	0	0	-	-	0	0	-	-	-	-	-	-	-	-	-
IX	903.3	899.9	71.1	85.1	86.6	60.5	73.5	95.0	22	50.0	12	77.0	8	70.0	24	55.9	59.2	40	20	1	3	0.00	0.00	-	0	0	0	0	0	0	0	0	16	0	0	2	-	-	-	-	-	-	-	-	-
X	897.8	895.1	74.3	86.4	88.7	64.9	76.8	97.0	30	57.0	15	75.0	15	73.0	31	59.7	63.1	43	28	3	3	2.18	1.46	14	5	3	2	3	1	0	0	0	21	0	0	8	-	-	-	-	-	-	-	-	-
XI	898.7	896.4	74.4	84.0	87.5	66.0	76.7	98.0	4	59.0	13	69.0	21	74.0	5	61.8	64.1	50	35	5	5	2.49	1.22	10	10	7	2	8	0	0	0	0	17	0	0	9	-	-	-	-	-	-	-	-	-
XII	896.6	893.8	78.3	91.2	93.4	69.2	81.3	100.0	20	62.0	29	82.0	6	77.0	18	64.9	66.3	51	27	4	4	1.37	0.52	28	8	7	1	7	0	0	0	0	27	0	0	16	-	-	-	-	-	-	-	-	-
Jaar Year	900.3	897.8	66.0	81.0	-	57.0	-	-	-	30.0	-	-	-	77.0	-	57.1	63.5	61	40	3	3	18.30	1.97	-	66	53	13	32	1	0	0	0	-	-	4	99	-	-	-	-	-	-	-	-	-

No. 8/1517M VEREENIGING (Vliegskool/Air School). ϕ = 26 40'S; λ = 27 56'E; Pm st/by 1,400 gdm. H = 4,760 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	861.0	858.0	68.8	80.3	84.4	58.8	71.6	92.0	3	49.6	12	76.8	9	67.9	30	59.7	62.1	61	38	4	6	3.17	0.83	16	10	10	3	10	1	0	0	0	13	0	0	0	12	12	7	6	4	5	5	9	2
II	860.1	857.5	68.7	81.6	84.1	58.0	71.1	91.6	8	50.0	11	62.3	2	64.2	22	60.2	62.1	63	35	3	5	1.95	0.76	1	5	5	2	5	0	0	0	0	11	0	0	0	6	19	14	11	1	1	0	3	1
III	862.3	860.0	62.7	73.2	75.8	53.9	64.9	87.3	2	42.1	19	59.8	4	64.0	3	56.9	59.7	72	47	5	7	5.94	2.43	3	9	9	3	4	0	0	1	0	1	0	0	0	9	14	7	6	6	4	4	8	4
IV	863.0	860.4	58.1	73.1	75.2	45.1	60.1	80.2	9	26.0	29	61.3	28	53.7	27	52.0	55.6	68	34	2	5	0.75	0.55	27	5	3	1	7	0	0	0	0	0	0	1	0	3	11	6	4	5	9	5	4	13
V	863.7	861.2	44.7	66.3	67.8	32.4	50.1	77.7	3	22.3	31	46.6	22	42.9	12	40.2	48.4	70	27	2	2	0.99	0.56	21	2	1	1	0	0	1	3	0	0	1	14	0	8	3	3	1	7	12	4	4	20
VI	865.9	863.4	36.9	61.3	62.3	25.4	43.9	68.7	23	18.0	26	46.2	25	33.4	23	32.9	45.7	69	29	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	2	27	0	1	3	2	2	10	15	6	3	18
VII	865.7	863.3	38.8	64.4	65.8	27.6	46.7	72.4	30	17.2	21	53.0	13	37.2	7	34.5	47.1	67	27	2	1	0.00	0.00	-	0	0	0	0	0	0	2	0	0	0	22	0	5	5	1	2	3	6	9	8	23
VIII	866.8	863.8	47.4	69.7	71.4	33.5	52.5	80.0	26	19.4	1	56.7	5	47.3	28	40.9	49.9	61	25	1	0	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	10	0	2	10	2	2	6	6	4	10	20
IX	865.7	862.4	63.6	78.9	80.9	46.7	63.8	88.3	23	31.0	3	69.6	10	60.0	24	50.9	54.0	44	19	1	3	0.00	0.00	-	0	0	0	0	0	0	0	0	6	0	1	0	10	8	5	2	6	6	6	11	5
X	860.4	857.1	66.0	79.7	82.1	50.0	66.1	90.1	30	35.2	20	62.4	14	63.0	19	54.1	56.9	49	25	4	5	1.13	0.88	9	3	2	1	1	1	0	0	0	6	0	0	0	9	3	2	2	5	11	11	18	1
XI	861.2	858.0	70.3	80.6	84.8	55.6	70.2	92.8	25	45.0	12	77.3	12	62.5	6	58.8	59.3	53	29	3	5	1.64	1.04	8	3	3	1	5	1	0	0	0	11	0	0	0	9	7	1	3	1	7	5	21	2
XII	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Jaar Year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

No. 8/1600A GERMISTON (Lughawe/Airport). ϕ = 26 14'S; λ = 28 08'E; Pm st/by 1,600 gdm. H = 5,499 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft; h_a = 50 vt/ft.

I	840.4	837.9	65.2	77.2	80.7	57.1	68.9	85.8	15	48.0	12	72.3	9	62.5	22	58.3	61.8	68	43	4	6	2.71	1.02	31	14	11	2	14	0	0	0	0	0	0	0	0	159	190	121	39	32	32	19	110	27
II	839.8	837.5	65.3	77.8	79.8	58.0	68.9	86.8	9	53.6	3	60.4	2	62.6	16	58.9	62.5	71	45	3	4	5.70	2.72	2	6	5	4	5	1	0	0	0	3	0	0	0	86	194	187	54	12	18	10	45	64
III	842.1	839.9	60.6	70.9	73.6	54.0	63.8	83.3	2	43.0	19	59.6	4	60.2	7	56.2	59.7	78	54	5	5	7.51	3.00	3	13	9	4	5	0	0	2	0	0	0	0	0	118	140	116	39	35	51	20	98	120
IV	842.3	840.3	59.0	70.5	72.7	49.1	60.9	78.9	18	31.2	29	64.9	28	55.7	2	52.7	55.9	68	43	2	4	0.31	0.18	21	7	2	0	8	1	0	0	0	0	0	1	0	115	87	51	44	39	81	72	139	84
V	842.5	840.5	50.2	64.0	65.5	39.1	52.3	72.6	3	29.3	24	43.5	22	49.6	4	43.6	48.2	61	33	1	1	0.34	0.32	21	2	1	0	0	0	2	0	0	0	2	5	0	149	75	49	13	56	159	100	105	38
VI	844.3	842.4	44.8	60.1	61.2	33.7	47.5	67.0	30	19.4	26	45.4	25	42.0	23	38.6	44.5	60	28	1	0	0.00	0.00	-	0	0	0	0	0	0	0	0	0	2	8	0	75	32	25	20	55	190	128	133	62
VII	844.4	842.3	47.0	62.9	63.8	37.1	50.5	71.5	30	30.5	8	53.2	12	43.3	7	40.3	46.7	59	30	1	1	0.11	0.11	13	1	1	0	0	0	0	0	1	0	0	4	0	137	84	19	13	29	82	100	166	114
VIII	845.6	843.4	51.8	67.8	69.3	41.0	55.1	79.0	26	29.9	13	58.0	5	51.0	12	43.0	49.1	51	26	1	0	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	2	0	188	64	41	12	51	91	57	177	63
IX	845.1	842.5	61.8	76.6	78.3	51.3	64.8	85.9	23	43.0	11	68.4	10	58.5	26	50.5	53.8	48	22	1	2	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	0	0	283	59	33	16	32	54	42	141	46
X	840.3	837.5	63.3	77.6	79.6	53.0	66.3	88.1	30	41.8	20	58.7	14	62.1	2	53.1	56.5	54	28	4	4	0.72	0.41	14	5	4	1	7	0	0	2	0	2	0	0	0	218	78	28	11	24	98	66	174	47
XI	841.1	838.5	65.6	77.1	79.8	55.3	67.5	90.3	4	46.3	12	67.9	10	60.6	25	56.3	59.1	58	36	4	6	1.95	0.53	8	11	8	2	11	0	0	0	0	3	0	0	0	236	131	47	31	13	49	38	151	24
XII	839.2	836.9	68.2	79.1	82.1	57.8	69.9	88.5	27	45.3	23	70.2	6	66.2	20	58.9	60.7	60	37	4	6	2.46	0.55	12	10	9	2	11	1	0	0	0	5	0	0	0	229	84	32	16	29	83	55	143	64
Jaar Year	842.3	840.0	58.6	71.8	73.9	48.9	61.4	90.3	-	39.4	-	43.5	-	66.2	-	50.9	54.9	61	35	3	3	21.81	3.00	-	69	50	15	61	3	2	4	1	13	4	20	0	1993	1218	749	308	407	988	707	1582	753

No. 8/1654B PRETORIA (Met. Kantoor/Office). ϕ = 25 45'S; λ = 28 14'E; Pm st/by 1,300 gdm. H = 4,491 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft; h_a = 75 vt/ft.

I	870.9	867.8	67.6	81.4	83.4	58.3	70.9	88.9	15	48.6	12	70.8	8	64.7	22	61.2	65.5	71	44	4	5	4.01	1.14	31	11	10	4	11	3	0	0	0	9	0	0	0	68	111	121	140	36	28	14	52	174
II	870.1	867.2	68.8	80.9	83.0	59.5	71.3	90.5	10	54.1	26	65.5	2	63.7	17	61.9	65.2	69	45	4	4	4.63	2.80	2	7	3	3	8	0	0	0	0	5	0	0	0	34	56	96	189	30	10	10	24	223
III	872.5	869.9	64.2	73.9	76.3	55.6	65.9	86.7	2	46.7	25	64.2	4	65.8	3	58.8	62.2	74	54	5	6	8.32	2.28	3	11	10	6	5	0	0	0	0	1	0	0	0	45	71	80	113	25	29	11	41	329
IV	873.1	870.4	62.3	73.9	75.4	49.5	62.5	81.8	9	34.7	29	66.0	13	55.5	13	55.5	58.6	67	41	2	5	1.40	0.46	21	8	6	1	6	1	0	0	0	0	0	0	0	44	27	35	68	35	38	30	66	377
V	873.8	871.3	51.2	67.4	68.4	38.1	53.3	76.0	2	28.6	24	49.8	22	47.7	7	45.4	52.1	66	37	1	2	0.39	0.39	21	1	1	0	0	0	0	0	0	0	1	3	0	51	34	37	61	17	71	80	54	339
VI	876.1	873.6	43.5	63.4	64.1	31.6	47.9	71.4	30	23.8	25	48.8	25	39.5	24	37.6	47.0	62	29	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	1	18	0	37	16	29	34	21	85	77	81	340
VII	876.1	873.3	45.8	65.4	66.4	34.1	50.3	74.2	31	27.5	9	51.1	13	41.0	17	40.2	48.8	64	30	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	11	0	44	50	39	26	21	31	42	101	390
VIII	877.2	874.0	53.0	70.8	71.7	39.7	55.7	80.2	27	29.8	6	64.2	5	49.4	28	44.8	52.3	54	28	1	0	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	1	0	63	91	38	71	44	34	23	82	298
IX	876.1	872.5	63.5	79.2	80.4	49.7	65.5	88.2	23	42.8	1	71.1	10	57.2	24	53.5	56.7	54	25	1	2	0.00	0.00	-	0	0	0	0	0	0	0	0	5	0	0	0	89	142	73	53	12	18	22	68	243
X	870.9	867.3	66.7	79.5	81.5	54.8	68.1	89.6	30	48.8	13	63.2	14	62.3	19	55.9	59.1	53	31	4	4	1.77	1.32	14	6	5	1	5	0	0	0	0	7	0	0	0	69	167	60	53	19	52	43	98	183
XI	872.0	868.4	67.7	79.0	81.2	56.3	68.7	90.0	4	48.9	14	69.4	10	63.2	4	58.8	62.1	62	41	5	5	3.47	1.09	8	12	11	3	11	1	0	0	0	7	0	0	0	73	129	77	65	25	23	28	83	217
XII	869.8	866.3	71.5	83.3	85.3	60.3	72.8	91.3	26	51.2	23	74.2	6	66.7	17	61.9	63.6	60	35	5	6	2.29	0.78	17	8	6	2	15	0	0	0	0	17	0	0	0	86	135	76	60	41	63	50	68	165
Jaar Year	873.2	870.2	60.5	74.8	76.4	49.0	62.7	91.3	-	23.8	-	48.8	-	66.7	-	53.0	57.8	63	37	3	3	26.28	2.80	-	64	52	20	61	5	0	0	0	51	2	33	0	703	1029	761	933	326	482	430	818	3278

1st and 2nd ORDER STATIONS – STASIES VAN DIE 1e en 2e ORDE.

	P_s Mean Pressure at Gem. Lugdruk by Gdm. 0830	1500	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_s 0930	1500	x Max.	n Min.	x+n/2 Mean Gem.	Extremes Uiterstes Max.	Dat	Min.	Dat	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat	Min.	Dat	Wet-bulb Temperature, Natbol Temperatuur. °F. Means Gem. 0830	1500	Rel. Hum. Rel. Vogtigheid U % 0830	1500	Mean Cloud Amt. Gem. Wolkehvlhd. N 0-10 0830	1500	Precipitation in inches Reerslag in duime. R Σ	Max. in 24h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥.01	≥.04	≥.40	Thunder Donder	Hail-Hagel	Snow Sneeuw	Fog-Mewel	Duststorm Stofstorm	Max. ≥ 86°F	Max ≤ 32°F	Min ≤ 32°F	Min ≤ 68°F	Wind Frequency. Windfrekwensie. nD. N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 8/1705	WILSTROOM.											ϕ = 24 42'S;				λ = 28 25'E;						Pm at/by 1,100 gdm.			H = 3,750 vt/ft;												h_t = 4 vt/ft;								h_r = 4 vt/ft.	
I	891.6	888.9	72.5	84.8	86.1	59.4	72.7	94.0	18	47.0	13	69.0	8	65.0	1	-	-	-	-	5	5	3.55	1.00	19	11	11	3	-	-	-	-	-	16	0	0	0	1	7	20	5	1	2	9	2	13
II	890.6	887.9	74.6	84.7	86.8	58.7	72.7	91.0	21	51.0	11	78.0	3	65.0	16	-	-	-	-	4	5	2.42	1.18	3	5	5	2	-	-	-	-	-	19	0	0	0	1	7	38	2	1	0	1	3	3
III	893.2	890.5	70.6	78.9	82.1	56.4	69.3	92.0	2	46.0	21	71.0	5	64.0	7	-	-	-	-	4	7	2.58	1.31	9	9	8	1	-	-	-	-	-	4	0	0	0	3	8	21	3	2	2	2	4	17
IV	893.9	891.1	68.8	79.3	81.9	50.1	66.0	89.0	1	41.0	29	74.0	30	56.0	28	-	-	-	-	2	5	1.35	0.62	21	8	6	1	-	-	-	-	-	4	0	0	0	5	3	9	1	4	5	5	5	21
V	894.9	892.3	68.6	72.5	73.6	38.3	56.0	82.0	6	32.0	23	57.0	22	46.0	1	-	-	-	-	1	3	0.29	0.20	22	2	2	0	-	-	-	-	-	0	0	0	0	8	2	9	0	2	4	6	1	28
VI	897.6	895.3	54.6	68.7	69.4	31.0	50.2	75.0	23	23.0	26	52.0	25	40.0	22	-	-	-	-	0	1	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	18	0	0	0	6	0	8	6	3	0	36
VII	898.3	894.2	54.1	71.2	72.7	33.7	53.2	78.0	31	28.0	2	64.0	12	49.0	18	-	-	-	-	1	2	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	13	0	1	1	7	0	2	3	9	2	35
VIII	899.0	896.5	59.7	75.9	77.2	36.4	56.8	86.0	26	30.0	2	71.0	8	47.0	28	-	-	-	-	0	1	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	3	0	0	0	19	0	4	3	5	1	27
IX	897.1	894.1	69.7	83.4	85.2	46.3	65.7	94.0	23	40.0	11	75.0	11	53.0	7	-	-	-	-	0	3	0.00	0.00	-	0	0	0	-	-	-	-	-	13	0	0	0	1	0	25	0	4	2	0	0	27
X	891.5	888.4	72.9	85.0	87.0	54.5	70.7	94.0	30	45.0	28	72.0	23	66.0	19	-	-	-	-	4	4	2.17	1.26	15	4	4	1	-	-	-	-	-	19	0	0	0	3	9	17	0	3	4	3	1	21
XI	892.5	889.8	74.3	82.4	85.5	57.9	71.7	94.0	25	46.0	14	74.0	22	68.0	25	-	-	-	-	4	6	1.59	0.80	1	6	6	1	-	-	-	-	-	14	0	0	0	2	0	25	0	1	1	4	0	27
XII	889.8	887.1	78.4	86.2	90.2	61.9	76.1	97.0	16	52.0	8	78.0	6	71.0	26	-	-	-	-	-	-	0.93	0.46	3	4	4	1	-	-	-	-	-	22	0	0	2	3	4	13	2	5	0	3	2	29
Jaar Year	894.2	891.3	67.4	79.4	81.5	48.7	65.1	97.0	-	23.0	-	52.0	-	71.0	-	-	-	-	-	-	-	14.88	1.31	-	49	46	10	-	-	-	-	-	111	0	34	2	28	41	209	13	37	32	50	21	284
No. 9/1857	STANDERTON (Vliegskool/Air School).											ϕ = 26 58'S;				λ = 29 15'E;						Pm at/by 1,500 gdm.			H = 5,025 vt/ft;												h_t = 4 vt/ft;								h_r = 4 vt/ft.	
I	850.7	847.8	65.3	77.8	82.0	54.1	68.1	90.1	18	42.2	12	68.3	8	59.4	3	58.8	60.8	70	39	5	6	1.80	0.40	22	15	11	1	13	2	0	3	0	6	0	0	0	1	5	23	9	4	4	5	6	5
II	850.0	847.4	64.2	78.3	80.5	55.4	67.9	89.0	8	48.5	26	58.3	2	60.0	23	59.1	61.2	76	39	5	4	5.28	3.66	2	4	4	2	5	0	0	5	0	3	0	0	0	2	2	29	13	2	4	2	0	2
III	852.2	849.7	59.2	70.6	73.0	51.8	62.4	86.8	2	42.8	19	57.2	4	60.4	7	55.9	59.4	83	54	6	6	6.13	2.07	3	9	8	4	6	0	0	0	0	1	0	0	0	2	6	20	10	5	8	3	2	6
IV	852.7	849.9	54.6	70.7	72.7	45.2	58.9	78.1	17	29.0	29	59.9	28	53.0	2	51.5	54.9	80	36	4	4	1.87	0.94	26	6	6	2	6	0	0	13	0	0	0	1	0	2	1	20	13	1	4	8	1	10
V	852.9	850.2	43.0	64.3	65.5	33.7	49.6	75.1	3	22.9	31	38.0	22	41.8	7	39.2	47.6	74	29	2	2	0.87	0.56	21	3	2	1	0	0	2	5	0	0	3	11	0	1	3	12	8	2	10	7	4	15
VI	854.6	852.1	36.0	59.3	60.2	25.6	42.9	67.0	23	13.5	26	42.8	25	35.0	2	32.7	43.8	73	28	1	1	0.00	0.00	-	0	0	0	0	0	1	2	0	0	1	28	0	0	0	6	5	6	17	10	4	12
VII	855.0	852.2	37.8	62.1	63.0	27.3	45.1	69.2	30	17.2	21	51.0	13	39.7	11	33.9	45.7	69	28	3	1	0.00	0.00	-	0	0	0	0	0	0	6	0	0	0	25	0	1	2	13	2	3	11	8	5	17
VIII	856.2	853.1	44.9	67.8	69.2	33.1	51.1	77.6	26	20.2	6	57.7	7	45.3	28	39.9	49.5	68	27	2	1	0.00	0.00	-	0	0	0	0	0	0	3	0	0	0	20	0	2	4	11	4	6	7	6	6	17
IX	855.5	851.9	58.2	76.9	78.8	44.8	61.8	86.0	30	37.0	11	65.3	10	55.1	25	50.5	54.5	61	22	1	3	0.06	0.04	9	2	1	0	1	0	0	3	0	0	0	0	0	4	2	17	4	5	4	5	5	14
X	850.2	846.9	63.0	77.3	79.5	50.1	64.8	87.9	29	39.2	20	63.5	14	56.6	25	54.8	56.9	62	30	5	4	0.54	0.22	14	6	4	0	8	0	0	0	0	5	0	0	0	7	4	12	0	2	5	9	18	5
XI	850.9	847.6	66.0	78.9	82.0	52.3	67.1	91.9	25	45.4	14	69.2	8	56.6	23	57.0	59.1	60	31	5	7	0.87	0.28	27	9	5	0	11	0	0	0	0	7	0	0	0	4	7	11	4	1	3	12	12	6
XII	849.8	846.0	67.9	80.4	83.9	55.4	69.7	90.0	16	46.9	23	71.6	6	62.5	21	59.6	60.3	63	30	4	3	1.85	0.74	17	9	5	2	13	1	0	0	2	15	0	0	0	7	4	11	2	0	15	11	10	2
Jaar Year	852.5	849.6	55.0	72.0	74.2	44.1	59.1	91.9	-	13.5	-	38.0	-	62.5	-	49.4	54.5	70	33	4	3	19.27	3.66	-	63	46	12	63	3	3	40	2	37	4	75	0	32	40	185	74	37	92	86	73	111

No. 9/1885 MIDDELBURG. ϕ = 25 46'S; λ = 29 28'E; H = 4,746 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	-	-	68.2	79.7	81.5	55.3	68.4	89.0	15	46.0	14	73.0	11	62.0	1	61.3	65.4	69	49	5	5	3.66	1.16	7	10	10	4	21	0	0	0	0	2	0	0	0	22	0	9	20	0	5	0	6	0
II	-	-	68.2	81.6	82.8	54.8	68.8	89.0	18	47.0	11	63.0	2	61.0	23	61.8	64.9	72	42	4	5	3.64	2.72	1	4	4	2	5	0	0	2	0	6	0	0	0	12	1	1	35	0	4	0	3	0
III	-	-	64.3	75.2	76.9	52.6	64.7	89.0	2	41.0	25	64.0	4	63.0	7	59.3	62.5	77	52	5	6	2.59	0.54	3	12	10	1	6	0	0	0	0	1	0	0	0	22	5	6	20	1	1	0	7	0
IV	-	-	60.5	72.9	75.1	45.5	60.3	82.0	14	30.5	29	69.0	30	54.0	19	55.3	58.8	(74)	(46)	(2)	(6)	0.62	0.33	21	4	4	0	9	0	0	0	0	0	0	1	0	(17	3	2	17	1	3	0	3	0)
V	-	-	47.9	(66.3)	68.0	32.0	50.0	78.0	2	25.0	31	43.0	22	46.0	7	43.2	51.2	71	(37)	1	(2)	0.65	0.33	21	2	2	0	0	0	0	0	0	0	1	14	0	(11	0	4	24	3	5	1	1	0)
VI	-	-	38.7	63.4	63.7	23.7	43.7	71.5	30	18.0	27	48.0	25	38.0	24	34.5	46.7	70	29	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	1	27	0	7	0	0	35	3	5	0	4	0
VII	-	-	40.4	65.8	66.3	26.3	46.3	72.0	30	21.0	12	57.0	12	41.0	11	35.9	48.3	67	28	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	28	0	9	2	2	30	1	4	2	12	0
VIII	-	-	49.7	71.3	71.8	31.3	51.5	80.0	26	24.0	7	64.0	9	47.0	28	42.8	52.8	59	30	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	18	0	19	3	1	26	3	1	1	2	0
II	-	-	62.0	79.0	79.9	41.7	60.8	89.0	30	34.0	12	69.0	10	51.0	23	53.0	57.9	58	29	1	3	0.04	0.04	9	1	1	0	1	0	0	0	0	2	0	0	0	27	2	0	17	1	3	0	10	0
I	-	-	68.1	79.7	81.2	51.4	66.3	89.0	30	41.0	6	64.0	15	60.0	12	57.7	60.9	56	36	4	5	0.83	0.60	15	6	3	1	5	2	0	0	0	7	0	0	0	32	0	0	7	0	2	1	20	0
XI	-	-	68.9	79.9	81.6	53.6	67.6	90.0	4	42.0	14	68.0	27	61.0	29	59.5	62.9	60	41	5	6	3.22	0.63	30	12	9	4	11	0	0	0	0	5	0	0	0	35	1	1	10	0	1	0	11	0
XII	-	-	71.0	82.5	84.1	57.5	70.8	91.5	17	47.0	8	69.0	6	64.0	27	62.8	66.2	66	44	5	6	3.23	0.63	20	13	11	2	11	1	0	0	0	12	0	0	0	35	0	0	7	0	3	0	17	0
Jaar Year	-	-	59.0	74.8	76.1	43.8	59.9	91.5	-	18.0	-	43.0	-	64.0	-	52.3	58.2	(67)	(38)	(3)	(4)	18.48	2.72	-	64	54	14	69	3	0	2	0	35	2	88	0	(248	17	26	248	13	37	5	96	0)

No. 9/1886 BETHAL. ϕ = 26 27'S; λ = 29 28'E; H = 5,380 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	-	-	66.2	75.8	80.0	52.2	66.1	88.0	30	42.0	15	69.0	8	57.0	31	-	-	-	-	4	5	3.01	0.83	31	11	10	4	-	-	-	-	-	2	0	0	0	-	-	-	-	-	-	-	-
II	-	-	66.8	78.4	80.5	52.1	66.3	88.0	8	45.0	27	62.0	2	57.0	23	-	-	-	-	4	4	4.01	2.05	2	4	4	3	-	-	-	-	-	2	0	0	0	-	-	-	-	-	-	-	-
III	-	-	61.3	69.9	73.0	50.1	61.5	86.0	2	40.0	25	58.0	4	58.0	7	-	-	-	-	5	5	6.46	3.33	3	8	8	5	-	-	-	-	-	0	0	0	0	-	-	-	-	-	-	-	-
IV	-	-	59.4	71.3	72.9	44.9	58.4	78.0	11	30.0	29	62.0	30	53.0	2	-	-	-	-	2	4	0.44	0.26	21	4	3	0	-	-	-	-	-	0	0	1	0	-	-	-	-	-	-	-	-
V	-	-	50.1	63.7	65.8	34.9	50.3	75.0	2	23.0	10	48.0	22	45.0	12	-	-	-	-	2	2	1.04	0.62	21	3	3	1	-	-	-	-	-	0	3	8	0	-	-	-	-	-	-	-	-
VI	-	-	44.3	59.8	60.7	31.4	46.1	65.2	30	22.0	26	45.0	25	40.0	7	-	-	-	-	1	0	0.00	0.00	-	0	0	0	-	-	-	-	-	0	1	14	0	-	-	-	-	-	-	-	-
VII	-	-	48.6	63.0	64.3	34.0	49.1	69.0	26	28.0	3	52.0	12	40.0	29	-	-	-	-	(0	0)	0.00	0.00	-	0	0	0	-	-	-	-	-	(0	0	4	0)	-	-	-	-	-	-	-	-
VIII	-	-	51.9	67.8	69.0	39.5	54.3	78.0	26	30.0	13	60.0	5	49.0	12	-	-	-	-	2	0	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	2	0	-	-	-	-	-	-	-	-
IX	-	-	61.4	75.8	77.2	47.5	62.3	87.0	30	38.0	11	62.0	10	57.0	25	-	-	-	-	1	2	0.06	0.06	9	1	1	0	-	-	-	-	-	1	0	0	0	-	-	-	-	-	-	-	-
X	-	-	62.7	75.3	77.2	51.6	64.4	87.0	28	42.0	6	64.0	15	58.0	17	-	-	-	-	4	5	3.44	1.34	14	9	6	4	-	-	-	-	-	1	0	0	0	-	-	-	-	-	-	-	-
XI	-	-	66.6	75.5	78.2	53.6	65.9	84.0	30	46.0	14	65.0	22	58.0	27	-	-	-	-	5	6	3.60	1.53	22	9	9	4	-	-	-	-	-	0	0	0	0	-	-	-	-	-	-	-	-
XII	-	-	68.3	79.9	81.5	55.2	68.3	88.0	20	48.0	24	69.0	2	60.0	16	-	-	-	-	5	5	1.89	0.98	18	5	5	2	-	-	-	-	-	3	0	0	0	-	-	-	-	-	-	-	-
Jaar Year	-	-	59.0	71.3	73.4	45.6	59.4	88.0	-	22.0	-	45.0	-	60.0	-	-	-	-	-	(3	3)	23.95	3.33	-	54	49	23	-	-	-	-	-	(9	4	29	0)	-	-	-	-	-	-	-	-

No. 9/2039 PILGRIMS REST. ϕ = 24 54'S; λ = 30 44'E; Pm at/by 1,200 gdm. H = 4,213 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	882.7	880.6	65.3	72.1	77.0	57.3	67.1	87.0	19	49.0	15	62.0	9	62.0	19	60.4	63.4	77	64	7	6	6.40	2.23	1	14	13	6	4	0	0	0	0	2	0	0	0	5	8	1	8	5	2	4	3	21
II	881.6	879.2	66.0	75.5	77.9	57.9	67.9	86.0	1	52.0	21	67.8	2	63.0	5	61.4	65.3	78	60	6	6	5.07	1.54	2	12	10	4	1	0	0	1	0	0	0	0	0	7	8	6	8	3	10	1	5	5
III	883.9	881.7	64.1	72.7	75.7	55.0	65.3	91.0	2	44.2	22	61.0	20	64.5	8	59.4	62.9	78	59	6	6	5.09	1.80	8	16	11	3	3	0	0	3	0	1	0	0	0	5	6	8	14	5	10	0	2	12
IV	884.2	882.1	60.3	71.2	75.2	49.4	62.3	82.8	17	42.5	5	66.2	22	54.8	3	56.0	60.4	78	55	4	6	4.37	1.20	12	12	10	4	6	1	0	0	0	0	0	0	0	8	3	7	5	3	5	2	4	18
V	884.6	882.3	51.9	68.0	71.1	38.8	54.9	77.8	28	33.6	10	61.8	23	48.2	8	46.7	54.3	70	42	2	2	0.22	0.14	6	3	2	0	0	0	0	0	0	0	0	0	0	7	8	5	4	1	5	9	3	12
VI	886.8	(885.7)	46.0	(66.4)	67.9	31.6	49.7	75.5	22	24.0	14	55.8	25	46.2	1	38.6	49.3	53	(30)	1	(1)	0.01	0.01	1	1	0	0	0	0	0	1	0	0	0	17	0	5	4	1	0	3	4	10	9	16
VII	887.5	884.3	48.1	67.2	69.4	36.5	52.9	78.0	1	27.8	24	50.0	11	54.5	27	41.9	50.3	62	31	2	3	0.07	0.03	10	3	0	0	0	0	0	0	0	0	0	8	0	6	9	5	2	1	3	5	6	19
VIII	888.6	886.0	50.5	68.9	72.5	37.3	54.9	85.0	26	29.0	23	54.8	8	48.0	28	45.0	53.5	67	37	1	2	0.12	0.06	28	3	2	0	0	0	0	0	0	0	0	2	0	1	6	9	4	1	3	11	2	14
IX	887.8	885.4	60.5	75.0	78.5	45.7	62.1	88.4	26	35.0	12	61.0	10	56.0	28	54.1	58.6	68	39	3	3	0.49	0.40	9	3	2	1	0	0	0	0	0	6	0	0	0	11	12	4	9	2	1	1	2	12
X	883.8	880.4	64.5	74.0	78.2	52.8	65.5	92.0	26	44.0	1	60.0	23	61.0	18	57.0	60.2	65	47	5	5	3.84	1.77	14	11	9	3	4	1	0	0	0	5	0	0	0	9	5	8	5	1	4	8	4	10
XI	883.4	(881.3)	66.0	(75.3)	80.0	54.2	67.1	91.0	7	46.0	14	62.0	8	62.0	29	58.4	62.2	66	(50)	6	(6)	2.81	1.52	21	9	6	2	6	1	0	0	0	4	0	0	0	5	1	6	11	8	4	5	4	7
XII	(881.1	878.4)	68.4	75.9	81.2	56.2	68.7	91.2	27	49.0	23	61.0	28	62.0	15	61.0	64.8	(67	56)	(5	7)	2.43	1.62	21	10	6	2	2	1	0	0	0	12	0	0	0	(5	8	2	5	4	4	6	5	2)
Jaar Year	(884.7	882.3)	59.3	71.9	75.4	47.4	61.4	92.0	-	24.0	-	50.0	-	64.5	-	53.3	58.7	(69	47)	(4	4)	30.92	2.23	-	97	71	25	26	4	0	5	0	30	0	27	0	(74	78	62	75	37	55	62	49	148)

1st and 2nd ORDER STATIONS – STASIES VAN DIE 1e en 2e ORDE.

	P_m Mean Pressure at Gem. Lugdruk by Gdm.		Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m					Extremes Uiterstes				Lowest Max. Laagste Maks. Highest Min. Hoogste Min.				Wet-bulb Temperature. Natbol Temperatuur. °F. Means Gem.		Rel. Hum. Rel. Vochtigheid. U %		Mean Cloud Amt. Gem. Wolkebwlhd. N 0-10		Precipitation in inches Neerslag in duime. R			Number of Days with Aantal Dae met												Wind Frequency. Windfrekwensie. nD.								
	0830	1500	0830	1500	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Max.	Dat	Min.	Dat	Max.	Dat	Min.	Dat	0830	1500	0830	1500	0830	1500	M	Max. in 24h.	Dat.	Precipn. Neerslag ≥ .01	≥ .04	≥ .40	Thunder Donner	Hail-Hael	Snow Sneeuw	Fog-Nevel	Dust Storm Stofstorm	Max. ≥ 86°F	Max ≤ 50°F	Min ≤ 32°F	Min ≥ 68°F	N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 10/2107	BARBERTON.															ϕ = 25 47'S;		λ = 31 03'E;				Pm at/by 800 gdm.			H = 2,796 vt/ft;												ht = 4 vt/ft;								hr = 4 vt/ft.							
I	925.5	922.8	68.7	77.8	81.1	62.8	71.9	90.0	7	54.0	13	67.0	9	70.0	21	63.9	67.2	78	59	7	6	3.65	1.28	19	13	10	3	8	0	0	0	0	6	0	0	1	0	16	0	8	0	19	1	3	15
II	924.6	921.4	70.4	82.7	84.3	64.3	74.3	90.0	9	60.0	3	66.0	2	71.0	13	66.1	69.6	80	52	6	4	2.73	1.36	2	6	5	2	1	0	0	2	0	8	0	0	1	5	14	11	3	3	2	2	6	10
III	926.8	923.7	67.9	78.7	80.7	61.5	71.1	97.0	2	54.0	21	68.0	20	69.0	3	63.8	66.5	81	54	5	6	4.79	1.21	7	13	11	5	2	0	0	2	0	4	0	0	1	2	16	5	7	2	5	1	8	16
IV	927.3	924.5	65.2	78.6	80.9	59.0	69.9	88.0	17	52.0	29	73.0	29	64.0	1	60.8	64.4	79	48	3	3	1.60	1.14	27	4	4	1	2	1	0	0	0	2	0	0	0	13	3	4	5	2	3	4	4	20
V	926.1	924.3	59.4	74.5	75.7	52.3	64.0	84.0	28	42.0	10	65.0	23	60.0	22	53.0	58.2	67	39	2	1	0.12	0.08	23	2	2	0	0	0	0	0	0	0	0	0	0	8	1	4	1	3	1	8	2	34
VI	930.2	927.3	53.8	71.5	72.3	46.8	59.5	82.0	30	40.0	26	64.0	25	60.0	22	46.2	53.0	57	28	1	1	0.00	0.00	-	0	0	0	0	0	0	1	0	0	0	0	0	6	4	0	0	4	4	8	6	28
VII	931.1	927.5	55.9	72.4	73.5	49.5	61.5	83.0	7	43.0	13	59.0	12	59.0	31	48.2	54.7	58	32	2	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	0	0	6	3	1	3	0	6	10	4	29
VIII	932.6	929.2	57.5	75.2	76.2	51.4	63.8	90.0	26	45.0	17	62.0	7	59.0	5	51.2	58.0	67	36	2	1	0.00	0.00	-	0	0	0	0	0	0	0	0	1	0	0	0	5	10	5	3	0	4	2	2	31
IX	931.6	927.7	64.8	80.8	81.8	57.5	69.7	95.0	30	49.0	12	68.0	10	67.0	30	58.2	62.5	69	37	3	2	0.37	0.32	9	2	2	0	2	0	0	0	0	6	0	0	0	8	7	10	0	0	1	8	3	23
X	927.1	923.1	65.7	76.0	77.6	58.7	68.2	96.0	26	52.0	14	62.0	14	72.0	26	60.1	65.1	74	57	6	5	1.88	0.88	14	10	8	1	4	0	0	0	0	7	0	0	1	6	6	4	1	1	2	2	1	39
XI	926.7	923.2	69.0	80.6	83.5	60.6	72.1	95.0	17	53.0	13	69.0	8	69.0	17	61.9	65.9	68	47	5	5	1.40	0.75	22	6	6	1	2	0	0	0	0	11	0	0	1	7	12	4	0	4	1	0	2	30
XII	923.7	920.1	71.6	83.1	85.5	63.8	74.7	99.0	26	55.0	23	66.0	28	70.0	27	65.5	71.1	73	57	4	5	2.98	0.81	18	10	9	4	0	0	0	0	0	15	0	0	5	7	10	0	0	0	3	4	0	38
Jaar Year	927.8	924.6	64.2	77.7	79.4	57.3	68.3	99.0	-	40.0	-	69.0	-	72.0	-	58.2	63.0	71	45	4	3	19.52	1.36	-	66	57	17	21	1	0	5	0	60	0	0	10	73	102	48	31	19	51	50	41	313
No. 10/2158	KOMATIPOORT.															ϕ = 25 26'S;		λ = 31 56'E;				Pm at/by 0 gdm.			H = 483 vt/ft;												ht = 4 vt/ft;								hr = 4 vt/ft.							
I	-	-	75.5	85.7	88.9	68.6	78.7	102.7	4	60.8	12	71.0	9	77.6	4	72.1	78.0	85	71	6	5	6.53	3.15	19	7	7	5	-	-	-	-	-	20	0	0	14	7	2	3	9	23	2	0	5	3
II	-	-	78.0	89.2	90.8	69.7	80.3	97.0	1	63.2	16	76.2	3	74.7	5	73.9	80.3	83	68	6	4	3.57	1.84	2	3	3	2	-	-	-	-	-	22	0	0	16	1	1	5	37	19	0	2	2	1
III	-	-	74.9	86.0	88.6	66.9	77.7	106.0	2	54.9	22	72.7	5	75.6	3	70.9	75.5	82	62	5	5	2.93	2.03	4	6	6	1	-	-	-	-	-	19	0	0	14	2	1	2	10	33	1	0	3	6
IV	-	-	71.6	(87.5)	89.0	62.7	75.9	100.0	17	54.0	4	81.8	30	69.3	1	67.9	72.9	83	(50)	4	(2)	0.00	0.00	-	0	0	0	-	-	-	-	-	23	0	0	3	4	4	7	8	19	0	0	1	3
V	-	-	62.2	81.4	83.7	50.2	66.9	92.1	13	34.1	23	74.4	7	61.0	3	57.6	66.8	76	46	2	2	0.44	0.44	7	1	1	1	-	-	-	-	-	8	0	0	0	8	2	0	10	13	6	0	11	5
VI	-	-	53.8	(76.9)	79.6	41.0	60.3	88.3	30	28.8	27	71.3	26	52.0	3	48.5	61.2	68	(52)	1	(1)	0.06	0.06	24	1	1	0	-	-	-	-	-	3	0	0	1	13	1	0	3	18	0	0	12	5
VII	-	-	57.2	78.9	80.5	45.8	63.1	92.7	31	35.4	7	67.4	11	59.5	10	51.6	63.5	68	42	3	2	0.00	0.00	-	0	0	0	-	-	-	-	-	8	0	0	0	24	0	0	3	23	0	0	4	3
VIII	-	-	61.4	79.2	81.5	46.4	63.9	92.7	12	40.4	6	69.3	28	60.2	16	55.9	63.1	71	41	2	1	0.21	0.21	28	1	1	0	-	-	-	-	-	7	0	0	0	21	5	0	0	14	8	1	0	3
IX	-	-	72.2	86.3	88.2	59.1	73.7	99.2	25	49.0	10	76.6	10	69.1	23	63.8	68.4	64	40	4	2	0.07	0.07	9	1	1	0	-	-	-	-	-	20	0	0	3	14	0	3	7	14	1	0	5	0
X	-	-	72.8	(83.2)	85.4	64.4	74.9	102.5	1	57.3	1	66.9	12	73.0	26	65.3	69.3	67	(50)	6	(5)	1.83	0.92	14	8	6	1	-	-	-	-	-	15	0	0	4	20	2	15	4	9	0	0	1	0
XI	-	-	76.4	86.3	88.9	66.1	77.5	102.5	11	57.3	16	75.5	26	77.0	23	67.5	70.8	63	(47)	5	(5)	4.19	2.12	20	3	3	2	-	-	-	-	-	19	0	0	12	19	0	22	0	3	0	0	0	7
XII	-	-	77.7	91.2	93.5	68.6	81.1	108.2	27	61.7	13	75.3	28	75.0	27	69.6	74.9	(66	47)	(6	7)	0.46	0.37	30	3	3	0	-	-	-	-	-	16	0	0	11	11	0	17	1	10	0	0	1	0
Jaar Year	-	-	69.5	84.3	86.5	59.1	72.8	108.2	-	28.8	-	67.4	-	77.6	-	63.7	70.4	(73	51)	(4	3)	20.29	3.15	-	34	32	12	-	-	-	-	-	180	0	0	78	144	18	74	72	198	18	3	45	36

No. 11/2165 ALEXANDER BAY. ϕ = 28 35'S; λ = 16 30'E; Pm at/by 0 gdm. H = 40 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	1014.6	1012.6	59.5	65.6	69.6	54.1	61.9	84.3	5	39.5	3	63.4	18	60.5	7	57.5	60.4	89	74	6	3	0.03	0.03	17	1	0	0	-	-	-	-	-	0	0	0	0	2	1	0	15	36	4	2	2	0
II	1012.9	1011.6	60.7	66.7	69.7	56.6	63.1	75.4	25	44.5	8	65.8	3	62.5	16	59.6	63.0	93	81	9	6	0.02	0.01	14	2	0	0	-	-	-	-	-	0	0	0	0	0	0	0	13	29	6	2	6	0
III	1015.4	1014.0	65.0	71.6	76.6	56.5	66.5	106.8	23	39.5	21	66.0	3	76.5	25	61.0	64.1	80	67	5	3	0.00	0.00	-	0	0	0	-	-	-	-	-	5	0	0	1	1	4	3	11	24	5	7	7	0
IV	1017.7	1015.9	58.5	64.8	68.0	54.4	61.2	76.0	13	43.5	12	60.7	26	65.0	1	57.0	60.7	91	80	6	5	0.07	0.07	27	1	1	0	-	-	-	-	-	0	0	0	0	4	4	0	12	28	7	1	4	0
V	1018.6	1016.8	55.2	65.7	70.4	49.7	60.1	95.8	9	42.3	31	58.1	20	61.4	15	52.6	58.5	85	65	4	2	0.18	0.07	28	3	3	0	-	-	-	-	-	4	0	0	0	3	9	3	9	24	6	4	3	1
VI	1022.9	1021.2	52.7	64.7	68.4	46.5	57.5	89.8	17	40.3	5	55.5	29	56.6	14	48.9	55.9	76	58	3	2	0.11	0.10	23	2	1	0	-	-	-	-	-	3	0	0	0	4	13	13	7	13	5	4	1	0
VII	1021.2	1020.9	50.6	59.8	64.1	45.9	55.0	83.0	28	35.0	4	56.4	14	54.8	26	47.7	54.2	83	70	4	3	0.17	0.10	8	2	2	0	-	-	-	-	-	0	0	0	0	6	12	5	8	16	3	6	6	0
VIII	1022.7	1020.8	52.9	62.5	65.8	44.2	55.0	93.5	16	34.2	18	53.0	23	53.1	29	48.9	55.0	76	62	5	3	0.05	0.05	4	1	1	0	-	-	-	-	-	3	0	0	0	5	5	6	9	19	6	6	6	0
IX	1020.5	1018.8	53.9	60.1	63.1	49.3	56.2	77.3	28	41.8	8	53.0	8	55.8	25	52.3	56.0	89	78	5	4	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	0	0	5	3	3	13	26	2	2	5	1
X	1019.8	1017.9	57.6	62.9	65.3	50.4	57.9	72.5	2	43.0	23	61.5	23	56.8	25	54.3	57.6	82	72	5	3	0.26	0.21	2	3	2	0	-	-	-	-	-	0	0	0	0	2	1	1	11	28	7	3	7	2
XI	1016.5	1013.7	59.6	65.3	67.2	52.6	59.9	72.3	13	46.0	12	64.3	25	61.2	2	56.3	59.1	82	70	5	3	0.09	0.09	30	1	1	0	-	-	-	-	-	0	0	0	0	0	1	2	9	32	6	5	5	0
XII	1016.7	1015.4	60.8	66.6	68.4	52.6	60.5	74.6	17	36.0	12	63.8	22	60.2	4	57.3	60.7	81	72	4	2	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	0	0	0	1	0	14	43	3	1	0	0
Year Year	1018.3	1016.6	57.3	64.7	68.1	51.1	59.6	106.8	-	34.2	-	53.0	-	76.5	-	54.5	58.8	84	71	5	3	0.98	0.21	-	16	11	0	-	-	-	-	-	15	0	0	1	32	54	36	131	318	60	43	52	4

No. 11/2166 PORT NOLLOTH. ϕ = 29 14'S; λ = 16 51'E; Pm at/by 0 gdm. H = 24 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	1014.5	1012.7	57.1	62.9	65.6	52.4	59.0	85.0	19	47.0	2	60.0	18	59.0	30	55.5	59.3	91	81	6	3	0.00	0.00	-	0	0	0	0	0	0	20	0	0	0	(0	0	0	0	1	1	35	7	5	10	3
II	1012.3	1010.7	57.9	63.5	65.5	-	-	73.0	25	-	-	60.0	8	-	-	57.0	60.4	95	84	8	6	0.00	0.00	-	0	0	0	0	0	0	25	0	0	0	-	-	1	0	1	3	20	8	8	3	12
III	1014.8	1013.3	62.7	66.2	72.8	55.8	64.3	103.0	23	45.0	30	62.0	1	63.0	25	58.0	60.8	76	74	5	4	0.01	0.01	5	1	0	0	0	0	0	13	0	5	0	(0	0	2	1	4	3	21	0	1	12	18
IV	1016.1	1014.2	55.5	61.9	64.1	49.2	56.7	77.0	30	44.0	24	60.0	28	58.0	9	54.1	59.2	91	86	6	5	0.16	0.15	27	2	1	0	0	0	0	20	0	0	0	(0	0	1	1	8	2	18	4	7	5	14
V	1018.9	1017.1	53.6	61.7	65.6	48.1	56.9	90.0	9	42.0	31	55.0	3	58.0	15	50.8	56.9	83	75	3	3	0.26	0.12	20	5	3	0	0	0	0	10	0	2	0	0	0	1	3	14	1	12	5	7	8	11
VI	1022.7	1021.0	51.6	60.8	61.8	46.0	53.9	87.0	16	37.0	28	53.0	29	55.0	23	47.7	55.1	76	70	4	3	0.08	0.04	21	3	1	0	0	0	0	5	0	1	0	0	0	5	3	16	1	12	3	2	9	9
VII	1020.9	1019.5	49.2	57.5	60.9	44.1	52.5	81.0	24	37.0	3	54.0	25	55.0	6	47.3	54.2	87	81	4	3	0.30	0.15	7	4	3	0	0	0	0	5	0	0	0	0	0	4	4	11	4	14	1	1	12	11
VIII	1021.5	1020.0	50.6	59.1	60.9	45.5	53.2	86.0	8	37.0	21	53.0	9	53.0	29	48.7	55.7	88	82	6	3	0.14	0.12	5	2	1	0	0	0	0	11	0	0	0	0	0	5	3	10	4	10	3	4	11	12
IX	1019.9	1017.6	52.3	58.6	61.8	46.3	54.1	84.0	2	37.0	8	54.0	29	54.0	28	50.9	55.7	91	84	5	3	0.00	0.00	-	0	0	0	0	0	0	14	0	0	0	(0	0	1	1	4	3	28	5	1	4	13
X	1018.9	1017.2	55.7	60.2	61.4	49.7	55.5	65.0	30	43.0	20	57.0	3	56.0	31	54.0	57.5	90	85	5	3	0.76	0.65	3	4	3	1	0	0	0	6	0	0	0	0	0	2	0	1	3	29	7	7	9	4
XI	1015.8	1013.6	56.5	62.1	63.4	-	-	74.0	13	-	-	59.0	19	-	-	54.6	57.9	89	78	5	3	0.00	0.00	-	0	0	0	0	0	0	11	0	0	0	-	-	1	0	0	1	31	10	2	10	5
XII	1016.1	1014.8	57.4	63.2	64.8	-	-	68.0	17	-	-	62.0	12	-	-	55.8	59.6	(91 | 83)	4	2	0.00	0.00	-	0	0	0	0	0	0	12	0	0	0	-	-	0	0	0	0	37	9	1	0	14
Year Year	1017.7	1016.0	55.0	61.5	64.1	-	-	103.0	-	-	-	53.0	-	-	-	52.9	57.7	(87 | 80)	5	3	1.71	0.65	-	21	12	1	0	0	0	152	0	8	0	-	-	23	16	70	26	267	62	46	93	126

No. 12/2174A POFADDER. ϕ = 29 08'S; λ = 19 23'E; Pm at/by 1,000 gdm. H = 3,227 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	900.0	898.3	76.2	92.3	94.9	66.2	80.5	103.0	25	49.7	1	84.7	7	78.0	14	64.6	71.7	55	38	2	3	0.16	0.13	6	2	1	0	0	0	0	0	1	30	0	0	13	10	5	6	10	10	9	3	5	2
II	898.7	898.2	80.5	94.3	96.0	70.1	83.2	105.0	9	55.0	1	86.0	1	76.0	8	66.3	72.4	49	35	3	3	0.01	0.01	15	1	0	0	0	0	0	0	0	27	0	0	19	8	9	6	5	10	2	2	9	5
III	901.2	899.8	69.8	80.4	86.2	62.1	74.1	95.0	11	50.0	19	70.0	13	72.0	11	61.8	66.0	65	48	3	3	0.59	0.55	8	2	2	1	0	0	0	0	0	16	0	0	5	8	12	12	6	5	3	5	7	3
IV	902.0	900.7	66.5	80.4	83.3	56.6	69.9	92.0	6	38.0	28	62.0	29	69.0	8	57.6	61.2	63	35	3	2	0.01	0.01	28	1	0	0	1	0	0	0	0	8	0	0	1	14	6	4	5	3	3	6	6	8
V	903.5	903.1	53.3	63.2	72.5	45.1	58.8	82.0	7	32.0	30	51.0	28	62.0	5	46.9	51.4	63	46	2	2	0.00	0.00	-	0	0	0	0	0	0	2	0	0	0	0	0	9	3	9	5	6	1	13	9	3
VI	905.3	904.4	46.2	58.9	62.1	39.0	50.5	73.0	3	28.0	25	49.0	25	48.0	5	40.8	49.1	64	51	2	1	0.03	0.03	23	1	0	0	0	0	0	4	0	0	1	1	0	9	7	4	3	6	3	9	3	13
VII	905.4	904.4	44.1	59.9	64.1	39.0	51.5	75.0	22	30.0	30	52.0	18	55.0	23	40.3	51.8	73	59	1	2	0.35	0.20	7	3	2	0	0	0	0	0	0	0	0	3	0	6	10	4	8	4	0	8	10	11
VIII	906.0	905.4	49.2	63.9	66.2	42.0	54.1	83.0	29	29.0	6	46.0	6	58.0	10	42.1	51.1	56	41	1	1	0.01	0.01	5	1	0	0	0	0	0	0	0	0	2	2	0	11	6	7	3	9	0	5	10	8
IX	905.6	904.4	62.0	73.4	80.8	51.9	66.3	93.0	30	39.0	2	65.0	2	64.0	19	51.5	60.8	50	49	1	2	0.00	0.00	-	0	0	0	0	0	0	0	0	10	0	0	0	0	2	2	10	5	1	12	12	13
X	903.9	903.3	60.7	73.0	80.9	48.2	64.5	92.0	2	41.5	4	65.0	5	62.0	3	49.9	58.2	48	42	3	2	0.40	0.23	4	2	2	0	0	0	0	0	0	4	0	0	0	4	1	5	8	4	5	5	16	11
XI	903.0	901.7	74.4	85.9	92.3	57.5	74.9	104.0	29	45.0	11	84.0	17	69.0	30	58.5	65.6	40	35	2	2	0.00	0.00	-	0	0	0	0	0	0	0	0	25	0	0	1	9	4	4	6	12	3	4	9	8
XII	901.8	900.0	74.3	87.2	90.7	60.6	75.7	98.0	15	51.0	27	76.0	27	74.0	15	58.0	63.0	50	26	2	2	0.06	0.06	4	1	1	0	0	0	0	0	0	23	0	0	3	4	3	4	5	14	7	8	4	11
Year Year	903.0	902.6	63.0	76.1	80.8	53.2	67.0	105.0	-	28.0	-	46.0	-	78.0	-	53.2	60.2	56	42	2	2	1.62	0.55	-	14	8	1	1	0	0	6	1	143	3	6	42	92	68	67	74	88	37	80	100	96

1st and 2nd ORDER STATIONS - STASIES VAN DIE 1e en 2e ORDE.

No. 13/2183 UPINGTON. ϕ = 28 27'S; λ = 21 15'E; Pm at/by 800 gdm. H = 2,640 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

	P_m Mean Pressure at Gdm. Lugdruk by Gdm. 0830	1500	Air Temperature - Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	1500	x Max.	n Min.	(x+n)/2 Mean Gem.	Extremes Uiterstes Max.	Dat	Min.	Dat	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat	Min.	Dat	Wet-bulb Temperature, Natbol Temperatuur, °F. Means Gem. 0830	1500	Rel. Hum. Rel. Vogtigheid U % 0830	1500	Mean Cloud Amt. Gem. Wolkshvlhd. N 0-10 0830	1500	Precipitation in inches Neerslag in duime. R Σ	Max. in 24h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥.01	≥.04	≥.40	Thunder Donderweer	Hail-Hael	Snow Sneeu	Fog-Newel	Dust storm Stofstorm	Max. ≥86°F	Max ≤50°F	Min ≤32°F	Min ≥68°F	Wind Frequency. Windfrekwensie. nD. N	NE	E	SE	S	SW	W	NW	Calm Kalm
I	921.0	918.2	78.3	94.3	96.6	69.4	83.0	102.6	25	55.8	1	85.8	7	81.3	15	61.2	64.2	37	20	2	4	1.32	0.81	6	3	3	1	3	0	0	0	0	30	0	0	18	5	8	5	4	6	15	5	9	5
II	919.7	917.1	81.2	97.2	99.1	73.3	86.2	106.6	9	63.7	1	85.4	1	81.7	10	64.4	67.3	41	30	2	3	0.15	0.15	19	1	1	0	4	0	0	0	0	27	0	0	24	7	5	8	8	5	10	1	7	5
III	923.2	920.6	70.2	84.8	87.2	64.7	75.9	99.8	10	52.2	18	72.2	18	76.2	11	60.8	64.1	60	32	3	4	1.31	0.77	11	7	5	1	13	0	0	1	1	21	0	0	8	9	8	11	7	3	9	4	8	3
IV	925.0	922.2	65.6	85.0	86.2	59.2	72.7	95.8	2	37.9	30	59.4	28	70.0	9	54.9	61.1	53	26	2	2	0.24	0.24	3	1	1	0	2	0	0	0	0	22	0	0	1	10	10	7	3	4	6	5	9	6
V	927.7	925.3	50.7	72.0	73.2	44.3	58.7	86.9	6	29.7	30	52.1	21	61.2	11	43.5	53.1	58	28	2	2	0.00	0.00	-	0	0	0	0	0	0	0	0	1	0	2	0	17	6	9	4	2	5	8	4	7
VI	931.3	928.6	41.9	66.3	67.2	37.1	52.1	77.4	3	25.7	26	49.0	24	48.0	19	36.2	49.1	59	27	2	2	0.00	0.00	-	0	0	0	0	0	0	0	0	0	1	4	0	13	6	8	3	1	7	4	9	9
VII	928.8	926.5	44.7	67.8	68.9	40.1	54.5	78.7	25	26.5	10	53.7	8	56.8	25	38.2	50.0	56	27	2	1	0.09	0.09	11	1	1	0	0	0	0	0	0	0	0	7	0	18	9	8	2	4	3	4	9	5
VIII	929.7	927.0	50.4	73.6	74.8	43.6	59.2	85.3	25	28.8	6	54.0	5	59.9	29	42.1	53.0	51	24	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	3	0	18	4	6	6	5	7	4	7	5
IX	927.7	924.6	62.2	85.7	86.9	52.2	69.5	99.2	24	35.8	8	64.4	1	68.6	30	48.9	58.6	38	18	1	3	0.00	0.00	-	0	0	0	0	0	0	1	1	20	0	0	2	12	9	6	1	5	10	3	8	6
X	924.2	920.8	62.0	81.0	82.4	51.9	67.1	100.2	24	41.7	20	66.2	19	62.6	25	50.5	56.2	45	20	2	3	0.01	0.01	4	1	0	0	0	0	0	2	1	10	0	0	0	5	1	3	3	8	23	12	6	1
XI	923.3	919.5	74.7	90.9	92.6	62.7	77.7	105.3	26	46.2	17	73.8	17	76.1	27	58.5	63.9	39	21	2	4	0.01	0.01	27	1	0	0	1	0	0	0	4	24	0	0	8	11	4	5	4	9	12	5	6	4
XII	922.1	919.4	73.7	89.8	92.1	63.8	77.9	104.7	12	54.6	27	79.1	27	75.1	1	58.2	63.9	40	23	2	3	0.47	0.47	3	1	1	1	5	0	0	0	0	24	0	0	8	2	3	6	5	8	16	12	8	2
Jaar Year	925.3	922.5	63.0	82.4	83.9	55.2	69.5	106.6	-	25.7	-	49.0	-	81.7	-	51.5	58.7	48	25	2	3	3.60	0.81	-	16	12	3	28	0	0	4	7	179	1	16	69	127	73	82	50	60	123	67	90	58

No. 13/2210 PRIESKA. ϕ = 29 39'S; λ = 22 45'E; Pm at/by 900 gdm. H = 3,080 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

	P 0830	P 1500	Means 0830	Means 1500	x Max.	n Min.	(x+n)/2 Mean	Extremes Max.	Dat	Min.	Dat	Lowest Max.	Dat	Highest Min.	Dat	Wet-bulb 0830	1500	Rel. Hum. 0830	1500	Cloud 0830	1500	Σ	Max. in 24h.	Dat.	≥.01	≥.04	≥.40	Thunder	Hail	Snow	Fog	Dust storm	Max. ≥86°F	Max ≤50°F	Min ≤32°F	Min ≥68°F	N	NE	E	SE	S	SW	W	NW	Calm
I	911.6	-	77.3	93.7	95.0	68.4	81.7	102.0	14	60.0	1	75.6	31	79.6	18	63.9	68.5	49	27	2	4	2.06	1.14	6	4	4	2	-	-	-	-	-	27	0	0	17	0	2	11	2	9	4	12	1	21
II	910.6	-	79.6	96.0	97.7	71.0	84.3	106.1	8	58.6	3	78.0	2	84.0	10	67.3	71.5	54	30	3	5	0.90	0.68	1	3	2	1	-	-	-	-	-	25	0	0	20	1	1	19	1	0	2	14	3	15
III	913.7	-	67.1	84.0	87.6	61.6	74.6	105.2	11	48.0	19	73.0	18	71.2	2	60.6	65.3	68	38	4	5	1.85	0.70	7	8	7	1	-	-	-	-	-	19	0	0	3	6	3	21	2	0	5	6	5	14
IV	914.5	-	60.4	82.5	83.7	54.0	68.9	91.5	2	34.0	29	57.0	28	67.0	4	53.9	62.4	67	49	3	3	0.22	0.13	4	6	2	0	-	-	-	-	-	16	0	0	0	1	4	11	1	1	3	16	1	22
V	916.7	-	45.5	71.1	72.6	41.2	56.9	85.0	6	30.0	31	54.0	23	57.0	20	40.8	54.6	68	35	3	2	0.10	0.10	21	1	1	0	-	-	-	-	-	0	0	1	0	1	1	7	0	1	2	18	1	31
VI	920.2	-	37.0	64.5	65.3	33.9	49.6	74.0	4	24.0	26	50.0	25	46.0	9	34.3	50.3	77	35	2	2	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	9	0	1	0	3	0	0	4	20	0	32
VII	918.7	-	39.1	63.0	65.9	34.9	50.4	76.0	25	23.0	2	52.0	8	47.0	26	35.6	49.4	73	38	3	2	0.88	0.82	13	2	2	1	-	-	-	-	-	0	0	13	0	3	4	7	0	0	3	9	4	31
VIII	919.2	-	46.7	72.4	72.8	40.0	56.4	84.0	30	26.0	6	51.0	6	58.0	29	40.5	55.8	60	35	0	0	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	3	0	4	1	4	4	0	0	6	21	22
IX	917.0	-	62.0	85.2	86.5	50.9	68.7	97.0	24	39.0	1	70.0	1	71.0	29	51.6	63.4	51	30	1	2	0.00	0.00	-	0	0	0	-	-	-	-	-	18	0	0	1	5	0	7	1	0	1	9	13	24
X	914.0	-	65.4	82.4	83.8	52.7	68.3	96.0	29	41.0	20	67.0	19	67.0	25	55.9	64.9	56	41	1	2	0.00	0.00	-	0	0	0	-	-	-	-	-	14	0	0	0	1	1	5	11	0	0	8	15	21
XI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII	912.3	-	75.8	90.4	93.7	62.7	78.2	104.0	20	53.0	22	83.0	27	77.0	16	63.0	71.7	50	42	2	2	0.00	0.00	-	0	0	0	-	-	-	-	-	23	0	0	6	0	5	5	9	0	5	8	20	10
Jaar Year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

No. 14/2225B POSTMASBURG (Manoorp Mine). ϕ = 28 18'S; λ = 23 00'E; Pm at/by 1,300 gdm. H = 4,345 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	869.6	867.8	75.2	87.3	89.8	66.0	77.9	98.0	3	56.9	1	68.0	6	75.0	18	60.8	63.9	46	28	2	5	3.06	1.91	6	7	5	2	6	0	0	0	0	26	0	0	11	11	6	6	7	2	7	9	14	0
II	869.0	867.3	77.0	89.9	92.1	68.1	80.1	99.9	9	55.4	3	77.0	2	74.8	11	62.0	65.4	44	28	2	5	0.48	0.28	20	3	2	0	10	0	0	0	0	23	0	0	19	17	9	9	2	3	7	3	6	0
III	871.3	869.8	66.7	71.9	79.8	59.7	69.7	92.0	1	46.2	19	66.7	18	69.6	2	58.7	62.6	64	44	4	6	2.80	0.94	5	9	8	3	5	0	0	0	0	2	0	0	1	16	14	9	1	2	4	6	9	1
IV	872.1	870.3	65.0	78.1	79.8	56.3	68.1	86.9	1	38.1	28	55.1	28	63.5	19	53.8	58.6	50	31	2	4	0.10	0.05	23	3	2	0	0	0	0	0	0	2	0	0	0	15	13	5	2	2	4	8	10	0
V	873.4	871.6	53.5	66.7	68.0	45.8	56.9	80.0	6	32.6	22	44.8	22	59.0	6	44.5	50.7	51	33	3	3	0.40	0.34	20	2	2	0	0	0	0	0	0	0	2	0	0	17	9	3	3	1	9	10	9	1
VI	876.1	874.4	46.6	62.0	63.0	39.1	51.1	69.7	4	24.8	25	44.7	24	47.8	5	39.2	46.6	53	31	2	2	0.00	0.00	-	0	0	0	0	0	0	0	0	0	2	3	0	12	10	6	2	1	10	10	8	0
VII	874.5	872.7	47.9	64.1	64.8	41.0	52.9	72.3	26	28.1	19	51.8	8	49.2	26	40.1	47.8	52	29	2	1	0.06	0.06	12	1	1	0	1	0	0	1	0	0	0	1	0	24	9	6	0	4	3	9	6	1
VIII	875.7	873.7	53.5	69.2	70.8	45.3	58.1	79.8	26	28.9	6	52.3	5	54.6	24	42.8	50.3	42	26	0	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	1	0	25	8	2	1	5	5	3	8	1
IX	874.8	(872.8)	66.8	81.1	82.9	55.7	69.3	91.8	23	42.7	2	71.2	2	65.5	20	49.7	55.8	30	(20)	1	(3)	0.00	0.00	-	0	0	0	0	0	0	0	0	9	0	0	0	19	5	7	2	1	6	9	5	0
X	869.2	866.7	65.2	80.5	81.8	52.8	67.3	92.3	18	40.0	20	60.8	19	61.3	8	52.2	58.0	43	25	2	3	0.00	0.00	-	0	0	0	1	0	0	0	1	8	0	0	0	8	3	7	3	2	12	14	12	0
XI	869.8	866.8	72.8	86.9	87.5	62.4	75.5	97.0	26	45.3	17	74.4	11	76.2	4	57.6	62.9	41	26	3	4	0.34	0.18	9	3	2	0	6	0	0	0	0	19	0	0	5	15	7	2	1	1	6	16	8	1
XII	868.3	866.3	74.7	86.6	88.6	63.7	76.1	98.7	19	53.8	27	78.4	22	73.3	20	57.9	61.6	37	24	2	4	0.32	0.32	1	1	1	0	5	0	0	0	0	20	0	0	8	2	7	4	3	3	11	17	8	2
Year Year	872.0	(870.0)	63.7	77.5	79.1	54.7	66.9	99.9	-	24.8	-	44.7	-	76.3	-	51.6	57.0	46	(29)	2	(3)	7.56	1.91	-	29	23	5	34	0	0	1	1	109	4	5	44	181	100	66	27	27	84	114	103	7

No. 14/2299A KIMBERLEY (Lughawe/Airport). ϕ = 28 48'S; λ = 24 46'E; Pm at/by 1,200 gdm. H = 3,935 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft; h_a = 50 vt/ft.

I	879.7	877.1	74.0	87.4	91.0	64.0	77.5	100.0	3	55.0	20	71.8	6	74.9	15	60.4	62.7	47	26	3	5	2.03	0.66	31	8	7	2	7	0	0	0	0	25	0	0	4	96	112	45	71	55	63	82	87	133
II	879.1	876.5	74.9	88.6	91.2	66.3	78.8	99.8	9	57.1	3	69.3	2	72.6	9	62.4	64.3	52	26	3	6	0.79	0.38	2	6	5	0	5	0	0	0	0	22	0	0	9	144	171	56	50	39	21	29	51	111
III	881.8	879.6	65.8	77.6	80.5	58.5	69.5	92.1	1	42.4	19	66.7	5	68.4	2	59.3	61.5	70	41	4	6	4.02	1.59	15	12	10	3	8	0	0	0	0	6	0	0	1	154	116	78	43	39	46	54	87	127
IV	882.4	880.0	62.7	78.0	79.8	52.5	66.2	86.9	2	33.5	30	56.1	28	60.3	10	54.0	57.6	59	30	2	4	0.60	0.35	15	6	2	0	7	0	0	2	0	2	0	0	0	149	64	21	22	28	65	51	104	216
V	883.6	881.5	51.0	68.3	69.4	41.5	55.5	80.5	6	28.3	31	48.8	22	51.6	5	42.7	50.0	52	27	3	3	0.20	0.14	22	3	2	0	1	0	0	1	0	0	1	4	0	156	36	14	9	37	100	80	120	192
VI	886.4	884.4	42.4	62.9	64.1	34.7	49.4	71.7	1	21.8	26	46.4	24	43.2	5	36.0	46.3	55	27	2	2	0.01	0.01	24	1	0	0	0	0	0	1	0	0	2	7	0	118	23	7	13	56	89	76	98	240
VII	885.4	883.0	44.0	65.2	66.1	36.3	51.2	73.7	29	24.6	10	54.1	12	45.2	26	37.2	47.8	55	27	1	1	0.29	0.29	12	1	1	0	1	0	0	0	0	0	0	9	0	195	34	10	4	17	49	46	125	264
VIII	886.5	883.9	51.1	71.2	72.3	41.7	57.0	83.5	26	26.4	6	53.5	5	53.9	31	41.6	50.1	46	21	1	0	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	3	0	182	38	5	18	21	66	49	125	240
IX	885.0	882.0	64.6	82.9	84.1	52.3	68.2	92.7	24	38.0	8	72.5	2	64.6	30	49.1	56.0	33	17	1	3	0.00	0.00	-	0	0	0	0	0	0	0	0	12	0	0	0	48	27	7	15	34	83	65	120	321
X	880.3	877.1	65.0	80.9	82.4	52.3	67.3	95.7	18	35.1	20	62.2	19	63.1	25	50.6	54.9	37	18	4	4	0.13	0.06	4	3	2	0	4	0	0	0	1	12	0	0	0	37	25	26	51	89	168	80	78	190
XI	880.4	877.2	72.8	86.4	88.2	60.6	74.4	97.9	26	48.6	11	73.7	11	70.3	6	57.7	60.9	41	23	3	4	0.73	0.33	9	3	3	0	2	2	0	0	1	20	0	0	4	70	42	35	35	79	110	76	103	135
XII	878.7	876.0	74.7	87.4	90.3	62.6	76.5	101.8	19	48.1	23	75.7	22	76.5	13	59.5	61.1	42	20	2	4	0.45	0.41	30	2	2	1	4	1	0	0	2	23	0	0	8	85	38	23	49	38	135	156	82	138
Year Year	882.4	879.9	61.9	78.1	79.9	51.9	65.9	101.8	-	21.8	-	46.4	-	76.5	-	50.9	56.1	49	25	2	3	9.25	1.59	-	45	34	6	39	3	0	4	4	122	3	23	26	1434	726	327	380	532	995	884	1180	2307

No. 15/2382 FAURESMITH (Veld-Reserve/Reserve). ϕ = 29 46'S; λ = 25 19'E; Pm at/by 1,300 gdm. H = 4,535 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	871.3	868.5	70.1	84.2	87.6	57.9	72.7	96.7	3	43.2	8	72.0	6	71.1	15	59.3	60.7	54	27	3	6	2.32	1.09	28	8	8	2	-	0	0	0	0	21	0	0	1	10	6	8	14	4	2	5	12	1
II	870.7	868.5	72.0	84.5	88.5	61.1	74.8	96.2	9	55.9	17	64.1	2	71.2	9	60.8	62.2	54	29	3	6	1.39	0.82	2	4	2	2	-	0	0	0	0	22	0	0	2	16	5	7	9	2	1	4	12	0
III	873.3	871.0	63.5	75.1	78.2	54.3	66.3	89.9	1	39.0	19	66.8	19	65.0	2	57.4	59.3	71	42	4	7	1.87	0.38	16	12	12	0	-	0	0	0	0	2	0	0	0	18	5	6	9	4	2	6	11	1
IV	873.9	871.7	58.8	74.4	76.7	46.7	61.7	84.0	2	27.0	29	52.5	28	60.1	20	52.3	56.7	67	35	2	5	0.73	0.42	10	5	4	1	-	0	0	0	0	0	0	2	0	12	3	3	12	1	2	6	9	12
V	874.7	873.2	47.2	64.5	66.2	32.9	49.5	78.1	3	20.5	27	42.0	23	46.1	6	39.9	48.3	56	32	3	3	0.36	0.15	22	4	4	0	-	0	0	0	0	0	3	12	0	5	1	1	4	7	0	11	17	16
VI	877.7	875.6	39.2	58.6	59.4	27.5	43.5	66.9	2	20.1	15	43.5	24	38.4	9	34.4	45.3	61	35	2	3	0.00	0.00	-	0	0	0	-	0	0	0	0	0	2	18	0	7	0	5	7	6	4	8	15	8
VII	876.6	874.2	39.1	60.4	61.3	26.6	43.9	69.3	29	15.0	20	46.9	8	41.3	12	34.7	44.7	66	29	2	2	0.20	0.20	13	1	1	0	-	0	0	1	0	0	2	25	0	16	1	1	10	4	2	4	16	8
VIII	877.9	875.0	47.2	67.1	67.1	32.3	49.7	79.0	31	16.4	6	51.0	5	47.9	29	39.3	48.6	51	24	1	1	0.00	0.00	-	0	0	0	-	0	0	0	0	0	0	16	0	33	2	3	3	4	0	6	5	6
IX	875.9	873.2	62.2	79.3	80.7	44.7	62.7	89.1	24	29.1	5	71.0	10	61.9	25	53.4	63.2	58	43	2	3	0.00	0.00	-	0	0	0	-	0	0	0	0	6	0	1	0	17	0	1	5	6	1	11	12	7
X	871.3	868.3	61.9	75.5	77.7	45.9	61.8	89.1	18	28.5	20	54.1	4	60.0	25	52.0	58.4	53	37	5	5	0.37	0.32	4	2	2	0	-	0	0	0	0	4	0	1	0	13	1	9	7	0	6	12	12	2
XI	871.6	868.5	70.2	83.6	85.6	56.2	70.9	93.8	26	44.5	18	70.2	11	69.1	30	59.2	64.2	54	36	3	5	0.82	0.31	9	5	5	0	-	0	0	0	0	16	0	0	2	23	0	3	4	0	7	10	12	1
XII	869.6	867.2	71.5	83.3	87.0	56.5	71.7	98.5	19	42.9	22	78.2	31	74.5	16	58.2	61.8	47	32	3	4	0.36	0.28	30	2	2	0	-	0	0	0	0	19	0	0	1	13	0	6	2	6	3	17	14	1
Year Year	873.7	871.2	58.6	74.2	76.3	45.2	60.7	98.5	-	15.0	-	42.0	-	74.5	-	50.1	56.1	58	33	3	4	8.42	1.09	-	43	40	5	-	0	0	1	0	90	7	79	6	183	24	53	86	44	30	100	147	63

1st and 2nd ORDER STATIONS – STASIES VAN DIE 1e en 2e ORDE.

	P_n Mean Pressure at Sea. Lugdruk by 0dm.		Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_n					Extremes Uiterstes				Lowest Max. Laagste Maks. Highest Min. Hoogste Min.				Wet-bulb Temperature. Natbol Temperatuur. °F. Means Gem.		Rel. Hum. Rel. Vogtigheid. U %		Mean Cloud Amt. Gem. Wolkehvlhd. N 0-10		Precipitation in inches Neerslag in duime. R			Number of Days with Aantal Dae met												Wind Frequency. Windfrekwensie. nD.								
	0830	1500	0830	1500	x Max.	n Min.	x+n 2 Mean Gem.	Max.	Dat	Min.	Dat	Max.	Dat	Min.	Dat	0830	1500	0830	1500	0830	1500	M	Max. in 24h.	Dat.	Precipn. Neerslag ≥ .01	≥ .04	≥ .40	Thunder Donder	Hail-Hagel	Snow Sneeuw	Fog-Mist	Frost Vorsting	Max. ≥ 86°F	Max. ≤ 50°F	Min. ≤ 32°F	Min. ≤ 68°F	N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 15/2469 HOOPSTAD. ϕ = 27 51'S; λ = 25 53'E; Pm at/by 1,200 gdm. H = 4,065 vt/ft; ht = 4 vt/ft; hr = 4 vt/ft.																																															
I	879.9	877.4	71.0	86.5	89.3	59.7	74.5	98.4	3	52.7	2	78.7	7	65.1	4	62.8	66.4	65	36	3	5	4.88	2.71	6	7	5	4	-	-	-	-	-	26	0	0	0	15	1	20	1	6	2	4	13	0
II	879.3	876.8	70.2	86.2	88.8	59.9	74.3	95.9	9	53.7	10	65.4	1	64.7	16	63.3	66.8	70	38	3	5	2.98	1.01	1	7	5	3	-	-	-	-	-	22	0	0	0	11	9	23	6	1	3	0	3	0
III	881.8	879.9	62.5	75.7	77.8	56.0	66.9	92.8	2	43.8	19	61.6	4	62.8	3	59.3	63.8	84	55	4	7	6.06	3.03	3	13	12	5	-	-	-	-	-	3	0	0	0	11	3	21	3	5	4	9	4	0
IV	882.6	880.3	55.0	76.9	78.6	44.7	61.7	85.1	18	26.0	29	57.2	28	54.3	21	52.2	60.6	83	40	2	5	0.47	0.28	20	5	3	0	-	-	-	-	-	0	0	2	0	7	2	21	9	5	6	5	5	0
V	884.0	882.0	41.3	68.5	69.7	30.6	50.1	79.1	6	20.1	31	50.0	22	45.0	21	38.1	52.2	77	33	2	2	0.20	0.20	21	1	1	0	-	-	-	-	-	0	0	19	0	8	0	6	13	15	6	7	4	0
VI	886.4	884.0	30.2	64.2	64.4	23.5	43.9	72.4	30	18.3	16	45.7	24	29.9	12	28.6	49.3	85	35	1	1	0.00	0.00	-	0	0	0	-	-	-	-	-	0	2	30	0	1	1	3	18	14	4	13	6	0
VII	885.7	883.5	31.2	66.3	67.2	23.6	45.4	74.1	26	15.9	21	54.9	9	35.4	13	29.3	49.2	81	29	1	1	0.15	0.15	12	1	1	0	-	-	-	-	-	0	0	29	0	5	0	10	22	6	1	14	3	0
VIII	886.7	884.3	39.7	72.4	73.1	29.1	51.1	83.0	26	16.0	6	54.9	5	39.8	28	35.3	51.3	66	23	1	0	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	21	0	7	1	9	18	5	6	5	11	0
IX	884.8	882.2	59.8	83.4	84.9	43.6	64.3	95.0	24	28.0	3	74.0	2	59.9	25	48.5	57.0	46	18	1	2	0.00	0.00	-	0	0	0	-	-	-	-	-	14	0	1	0	9	0	14	4	4	3	16	10	0
X	880.0	877.0	63.6	83.0	85.1	46.3	65.7	96.2	18	32.0	21	69.1	19	60.8	3	52.9	59.6	51	26	3	4	0.02	0.02	18	1	0	0	-	-	-	-	-	16	0	0	0	7	0	11	4	3	13	13	11	0
XI	880.6	877.6	71.7	87.6	89.8	56.2	73.0	97.8	26	43.2	18	76.1	11	66.0	4	59.7	62.8	51	26	3	5	0.32	0.23	9	2	2	0	-	-	-	-	-	22	0	0	0	14	0	8	1	5	5	11	13	0
XII	878.9	876.0	73.7	89.7	91.9	59.2	75.5	99.5	19	46.0	23	79.0	22	74.0	16	62.3	66.1	54	29	2	3	1.00	0.72	16	4	4	1	-	-	-	-	-	24	0	0	3	17	1	8	1	5	7	11	4	0
Jaar Year	882.6	880.1	55.8	78.4	80.1	44.4	62.2	99.5	-	15.9	-	45.7	-	74.0	-	49.4	58.8	68	32	2	3	16.08	3.03	-	41	33	13	-	-	-	-	-	227	2	102	3	112	18	154	100	74	60	108	87	0
No. 15/2516A BLOEMFONTEIN (Lughawe/Airport). ϕ = 29 08'S; λ = 26 11'E; Pm at/by 1,400 gdm. H = 4,664 vt/ft; ht = 4 vt/ft; hr = 4 vt/ft; ha = 60 vt/ft.																																															
I	860.2	857.4	70.2	83.5	86.2	59.5	72.9	95.7	3	54.5	1	71.3	7	65.6	29	59.1	60.8	54	29	3	5	3.22	0.98	7	11	7	4	9	0	0	0	0	17	0	0	0	103	120	31	40	23	67	67	122	171
II	859.5	857.3	70.4	82.9	85.3	61.0	73.1	94.4	9	55.3	2	62.2	2	69.7	9	62.0	63.4	60	36	3	4	3.30	1.46	2	10	7	3	10	0	0	0	0	16	0	0	1	121	139	39	28	12	25	11	61	258
III	861.7	859.7	62.6	73.7	75.9	54.7	65.3	88.0	1	40.1	19	63.2	4	63.4	2	57.3	59.7	74	47	4	6	3.19	1.75	6	9	7	3	7	0	0	2	0	1	0	0	0	114	138	38	26	26	35	41	71	255
IV	862.4	860.0	59.1	73.0	75.5	47.5	61.5	82.0	9	28.4	29	53.7	28	55.5	21	52.2	55.6	66	35	2	4	0.45	0.21	23	5	4	0	3	0	0	2	0	0	0	1	0	69	44	16	13	9	51	53	61	404
V	862.8	860.9	47.7	64.0	65.5	35.9	50.7	77.7	3	23.9	30	40.8	22	45.7	6	40.7	47.8	58	32	2	3	0.33	0.22	21	2	2	0	0	0	1	0	0	0	3	8	0	66	23	2	3	20	66	79	93	392
VI	865.3	863.2	39.6	59.2	60.1	29.3	44.7	66.6	30	22.2	25	43.8	24	36.5	23	34.0	44.0	61	31	1	2	0.00	0.00	-	0	0	0	0	0	0	0	0	0	2	23	0	39	10	3	9	38	89	72	88	372
VII	864.7	862.7	40.6	61.2	62.0	31.3	46.7	69.5	22	23.1	20	48.7	9	41.2	13	34.7	45.2	58	28	1	1	0.34	0.34	12	1	1	0	0	0	0	0	0	0	1	14	0	104	78	13	6	13	36	45	117	332
VIII	865.8	863.4	48.9	67.5	68.4	36.6	52.5	78.6	31	22.8	6	51.7	5	46.8	31	40.3	47.9	49	23	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	7	0	160	92	25	23	28	56	69	153	138
IX	864.7	862.0	62.9	79.4	80.6	47.7	64.1	90.0	24	36.0	8	70.3	2	62.0	25	48.3	53.3	36	18	1	3	0.00	0.00	-	0	0	0	0	0	0	0	0	5	0	0	0	110	50	32	32	25	85	93	141	152
X	859.6	856.6	63.6	77.4	79.0	48.9	63.9	92.7	18	32.3	20	63.0	19	59.5	25	50.1	52.7	41	18	4	4	0.18	0.16	8	3	1	0	2	0	0	0	0	5	0	0	0	73	78	25	50	59	159	122	104	74
XI	860.7	857.3	69.9	83.9	84.3	56.7	70.5	92.9	4	46.6	12	68.7	11	64.6	29	55.6	57.9	36	20	3	4	2.63	1.18	10	5	4	2	3	0	0	0	0	16	0	0	0	113	92	39	49	39	123	89	105	71
XII	858.6	855.7	71.0	83.8	86.8	57.8	72.3	96.9	19	44.1	23	71.8	22	73.2	16	58.4	60.2	49	26	2	4	1.26	0.68	30	7	4	2	7	0	0	0	2	18	0	0	1	109	53	23	49	52	129	120	126	83
Jaar Year	862.2	859.7	58.9	74.1	75.8	47.2	61.5	96.9	-	22.2	-	40.8	-	73.2	-	49.3	54.0	53	29	2	3	14.90	1.75	-	53	37	14	41	0	1	4	2	78	6	53	2	1181	897	286	328	344	921	861	1242	2700

No. 16/2666 KEPENER. ϕ = 29 44'S; λ = 27 02'E; Pm at/by 1,400 gdm. H = 4,724 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	860.1	857.1	69.9	83.4	86.8	58.6	72.7	95.8	3	50.8	9	69.2	7	67.0	16	59.1	60.8	55	29	3	6	3.37	2.10	6	9	6	2	10	1	0	0	0	21	0	0	0	11	12	0	6	2	14	7	8	1
II	859.8	857.1	70.1	83.9	86.7	60.4	73.5	95.2	9	55.2	4	60.0	2	66.0	9	61.0	63.7	61	35	3	6	4.69	1.93	1	12	8	4	9	0	0	0	0	22	0	0	0	7	10	1	12	0	10	2	10	4
III	862.2	859.7	61.2	73.6	76.3	53.8	65.1	85.0	1	39.0	19	66.2	4	62.5	2	56.4	60.2	76	48	5	7	5.69	2.23	6	15	8	3	9	0	0	1	0	0	0	0	0	14	13	2	8	4	5	7	4	4
IV	862.7	860.1	54.8	72.7	75.2	43.4	59.3	81.2	8	25.0	30	53.2	28	53.2	21	49.3	55.5	70	35	2	5	0.64	0.54	23	3	2	1	4	0	0	1	0	0	0	2	0	3	4	0	8	7	16	10	1	11
V	863.2	860.7	42.1	63.5	65.3	32.5	48.9	78.2	6	20.0	21	44.0	22	52.9	21	37.2	47.7	65	33	4	4	0.63	0.23	21	6	5	0	1	1	0	5	0	0	3	15	0	7	3	1	8	4	14	4	12	9
VI	865.7	863.1	32.9	58.3	59.4	24.8	42.1	65.2	30	17.2	16	41.8	25	41.8	23	29.6	44.3	69	34	2	3	0.10	0.07	23	2	1	0	0	0	0	8	0	0	2	27	0	3	3	0	4	11	10	10	7	12
VII	865.4	862.7	35.5	61.3	62.3	27.1	44.7	69.2	22	15.0	20	50.0	9	46.0	18	31.2	45.4	65	29	2	2	0.17	0.17	12	1	1	0	0	0	0	0	0	0	0	23	0	5	7	0	5	3	4	12	14	12
VIII	866.4	863.3	43.8	67.3	68.4	32.3	50.3	77.0	26	18.0	6	51.8	5	50.8	29	37.0	47.6	56	23	1	1	0.00	0.00	-	0	0	0	0	0	0	0	1	0	0	18	0	5	6	0	3	3	14	7	15	9
IX	864.9	861.8	58.6	78.2	80.1	42.1	61.1	87.9	24	25.8	8	70.0	7	64.8	25	45.9	52.9	39	18	2	4	0.03	0.03	9	1	0	0	1	0	0	0	0	3	0	3	0	7	8	1	1	0	13	15	6	9
X	859.7	856.6	60.9	76.3	78.1	45.3	61.7	89.4	18	28.8	20	62.8	5	66.8	1	48.6	52.7	43	19	4	6	0.26	0.15	3	4	2	0	4	2	0	0	0	3	0	2	0	11	3	0	4	7	15	10	7	5
XI	860.2	857.1	70.0	83.3	85.2	54.7	69.9	92.0	30	44.0	18	68.0	11	67.1	4	56.1	58.0	44	21	3	5	1.98	0.87	9	7	5	2	5	0	0	0	0	14	0	0	0	8	8	0	1	3	16	8	16	0
XII	858.6	855.6	70.3	83.0	86.0	55.2	70.6	96.2	29	43.0	23	69.0	30	72.0	20	56.4	58.0	44	21	3	5	2.29	0.93	30	5	5	2	8	0	0	0	3	17	0	0	3	9	3	0	3	1	18	15	10	2
Year Year	862.4	859.6	55.8	73.7	75.8	44.2	60.0	96.2	-	15.0	-	41.8	-	72.0	-	47.3	53.9	57	29	3	5	19.85	2.23	-	65	43	14	51	4	0	15	4	80	5	90	3	90	80	5	63	45	149	107	110	78

No. 16/2713M KROONSTAD (Lughawe/Airport). ϕ = 27 39'S; λ = 27 14'E; Pm at/by 1,400 gdm. H = 4,696 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	860.0	857.0	69.2	82.6	85.4	58.1	71.7	92.8	3	52.1	14	68.0	7	63.0	4	60.7	62.8	63	35	3	5	2.90	1.05	7	9	7	2	7	0	0	0	0	14	0	0	0	14	15	6	1	2	4	5	12	3
II	859.4	856.8	69.1	82.4	85.4	59.3	72.3	94.8	9	52.0	3	66.0	2	64.8	21	60.9	62.9	64	35	3	5	1.44	0.96	1	5	4	1	10	0	0	0	0	16	0	0	0	14	23	5	2	1	1	4	3	3
III	862.0	859.5	61.4	72.1	74.3	53.8	64.1	89.5	2	42.2	19	60.0	4	62.2	7	57.3	60.2	79	52	5	7	7.05	2.56	7	16	14	6	9	0	0	3	0	2	0	0	0	10	15	12	3	3	6	4	5	4
IV	862.0	859.9	56.9	72.8	74.0	44.7	59.3	80.0	18	28.6	29	55.4	28	53.0	21	52.1	55.9	75	36	2	4	1.41	1.16	23	5	3	1	4	0	0	2	0	0	0	2	0	4	14	6	1	3	9	7	3	13
V	863.1	860.7	44.3	65.6	67.3	33.5	50.4	75.7	6	24.0	31	46.0	22	46.7	21	39.2	48.1	66	27	2	3	0.49	0.49	21	1	1	1	1	0	0	0	0	0	2	11	0	8	5	4	0	7	10	6	4	18
VI	865.0	863.0	35.3	60.1	61.3	25.6	43.5	66.9	1	19.6	26	45.6	24	32.9	24	31.9	44.1	73	28	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	2	29	0	2	2	4	1	6	12	8	3	22
VII	865.0	862.5	36.5	62.7	63.4	27.8	45.6	69.3	30	18.3	21	51.9	9	41.6	18	32.9	46.2	71	30	1	2	0.17	0.15	12	2	1	0	0	0	0	0	0	0	0	24	0	4	5	3	1	1	10	8	5	25
VIII	866.1	863.2	45.6	68.6	69.6	32.6	51.1	78.8	26	19.6	6	57.4	6	43.0	31	39.2	49.2	58	25	1	0	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	12	0	4	8	8	0	4	5	9	8	16
IX	864.7	861.6	61.8	79.6	80.8	46.5	63.7	88.9	24	31.4	3	70.2	10	62.4	25	51.7	57.8	53	28	1	3	0.00	0.00	-	0	0	0	0	0	0	0	0	4	0	1	0	11	10	3	2	3	4	7	10	10
X	859.7	856.4	64.5	80.1	81.2	49.6	65.4	91.4	18	32.6	20	70.8	14	63.2	19	54.2	57.5	54	26	4	4	0.22	0.19	8	2	1	0	1	0	0	0	0	6	0	0	0	7	10	8	2	3	10	12	8	2
XI	860.4	857.1	69.8	82.9	85.7	56.4	71.1	94.2	4	46.7	12	69.8	10	63.2	6	57.5	60.0	49	27	3	6	0.58	0.26	8	4	3	0	4	0	0	0	3	13	0	0	0	15	6	5	1	2	8	10	9	4
XII	858.3	855.2	71.9	84.6	87.7	58.4	73.1	94.0	15	42.5	8	79.0	22	65.8	16	59.3	60.9	50	27	4	5	1.57	0.55	16	11	8	2	9	0	0	0	0	17	0	0	0	9	7	3	0	1	9	12	12	1
Year Year	862.1	859.4	57.2	74.5	76.3	45.5	60.9	94.8	-	18.3	-	45.6	-	65.8	-	49.7	55.5	63	31	3	4	15.83	2.56	-	55	42	13	45	0	0	5	3	72	4	79	0	102	120	67	14	36	88	92	82	121

No. 16/2714 KROONSTAD (Parks/Parks). ϕ = 27 39'S; λ = 27 15'E; Pm at/by 1,300 gdm. H = 4,423 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	871.1	868.0	72.2	85.4	87.9	58.3	73.1	95.0	3	52.0	14	71.0	7	65.0	16	64.8	68.2	69	43	3	5	2.80	1.12	7	8	8	2	3	0	0	0	0	23	0	0	0	-	-	-	-	-	-	-	-	-
II	870.3	867.5	70.8	84.5	88.1	58.6	73.3	98.0	9	52.0	3	64.0	2	65.0	22	63.7	66.6	69	40	3	5	2.58	0.85	1	8	6	4	9	0	0	0	0	21	0	0	0	-	-	-	-	-	-	-	-	-
III	872.9	870.5	62.5	74.5	76.8	54.3	65.5	91.0	2	42.0	19	61.0	4	62.0	3	59.7	64.1	86	58	5	6	6.44	1.91	3	16	12	4	4	0	0	0	0	2	0	0	0	-	-	-	-	-	-	-	-	-
IV	873.7	870.8	55.9	76.0	77.1	44.9	61.0	83.0	18	25.0	29	58.0	28	52.0	2	-	-	-	-	2	4	0.59	0.26	23	4	4	0	2	0	0	0	0	0	0	2	0	-	-	-	-	-	-	-	-	-
V	874.2	871.9	41.4	68.5	69.3	31.1	50.2	80.0	6	22.0	31	47.0	22	41.0	7	-	-	-	-	1	2	0.50	0.50	21	1	1	1	1	0	0	0	0	0	1	14	0	-	-	-	-	-	-	-	-	-
VI	876.8	874.2	29.9	62.4	62.9	23.7	43.3	69.0	30	18.0	26	46.0	24	29.0	2	-	-	-	-	0	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	2	30	0	-	-	-	-	-	-	-	-	-
VII	876.4	873.7	35.6	64.9	65.6	25.5	45.5	71.0	26	16.0	21	53.0	13	42.0	18	32.2	48.3	69	29	1	1	0.19	0.18	12	2	1	0	0	0	0	0	0	0	0	28	0	-	-	-	-	-	-	-	-	-
VIII	877.5	874.1	44.6	71.6	72.2	30.6	51.4	81.0	25	18.0	7	57.0	5	43.0	28	39.1	51.4	63	24	0	0	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	18	0	-	-	-	-	-	-	-	-	-
IX	876.0	872.6	61.9	82.0	82.8	44.7	63.8	90.0	24	31.0	3	74.0	9	57.0	24	51.4	56.8	51	20	1	2	0.00	0.00	-	0	0	0	0	0	0	0	0	8	0	1	0	-	-	-	-	-	-	-	-	-
X	870.5	867.2	66.3	81.5	82.5	48.6	65.5	92.0	18	32.0	20	72.0	14	64.0	19	55.8	57.9	54	24	4	4	0.20	0.11	8	4	2	0	2	0	0	0	1	8	0	0	0	-	-	-	-	-	-	-	-	-
XI	871.3	868.0	71.6	84.9	86.7	55.2	70.9	94.0	4	44.0	18	76.0	11	65.0	6	59.4	61.9	51	28	2	5	0.97	0.38	10	4	4	0	5	0	0	0	2	16	0	0	0	-	-	-	-	-	-	-	-	-
XII	869.5	866.1	73.0	85.8	87.7	57.7	72.7	96.0	16	41.0	23	78.0	22	70.0	20	61.4	62.7	53	29	3	5	1.74	0.53	16	12	8	1	12	0	0	0	0	18	0	0	1	-	-	-	-	-	-	-	-	-
Year Year	873.3	870.4	57.1	76.8	78.3	44.4	61.3	98.0	-	16.0	-	46.0	-	70.0	-	-	-	-	-	2	3	16.01	1.91	-	59	46	12	38	0	0	0	3	96	3	93	1	-	-	-	-	-	-	-	-	-

1st and 2nd ORDER STATIONS - STASIES VAN DIE 1e en 2e ORDE.

	P_n Mean Pressure at Gem. Lugdruk by Gdm. 0830	1500	Air Temperature - Lugtemperatuur in °F. Means Gemiddeldes T_n 0830	1500	x Max.	n Min.	x+n/2 Mean Gem.	Extremes Uiterstes Max.	Dat	Min.	Dat	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat	Min.	Dat	Wet-bulb Temperature. Natbol Temperatuur. °F. Means Gem. 0830	1500	Rel. Hum. Rel. Vogtigheid. U % 0830	1500	Mean Cloud Amt. Gem. Wolkehwlhd. N 0-10 0830	1500	Precipitation in inches Neerslag in duims. R M	Max. in 24h.	Int.	Number of Days with. Aantal Dae met: Precipn. Neerslag ≥ .01	≥ .04	≥ .40	Thunder Donder	Hail-Hael	Snow Sneeu	Fog-Mist	Duststorm Stofstorm	Max. ≥ 86°F	Max ≤ 50°F	Min ≤ 32°F	Min ≤ 68°F	Wind Frequency. Windfrekwensie. nD. N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 16/2762 MASERU.																																															
I	851.0	-	69.3	-	84.6	58.2	71.4	94.0	3	52.0	9	70.0	5	65.0	16	59.1	-	57	-	2	-	3.04	1.60	7	7	7	3	-	0	0	0	0	12	0	0	-	-	-	-	-	-	-	-	-	-	-
II	850.8	-	69.2	-	84.6	59.9	72.3	96.0	9	55.0	2	62.0	2	64.0	9	61.0	-	64	-	3	-	3.73	1.10	21	9	9	3	-	1	0	0	0	11	0	0	-	-	-	-	-	-	-	-	-	-	-
III	852.7	-	60.7	-	74.3	53.3	63.8	86.0	29	40.0	19	63.0	3	60.0	7	56.7	-	80	-	3	-	4.50	1.19	13	11	11	5	-	1	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-
IV	(852.9)	-	56.5	-	73.8	46.5	60.1	81.0	9	28.0	30	58.0	28	53.0	21	50.8	-	(70)	-	(2)	-	0.20	0.15	23	2	2	0	-	0	0	0	0	(0	0	1	0	-	-	-	-	-	-	-	-	-	-
V	853.1	-	43.4	-	64.2	35.0	49.6	76.0	3	25.0	31	44.0	22	42.0	4	38.5	-	66	-	2	-	0.88	0.50	21	3	3	1	-	0	1	0	0	0	1	3	0	-	-	-	-	-	-	-	-	-	-
VI	856.3	-	35.0	-	58.4	28.8	43.6	65.0	13	22.0	26	41.0	25	34.0	23	31.5	-	71	-	1	-	0.00	0.00	-	0	0	0	-	0	0	0	0	0	1	20	0	-	-	-	-	-	-	-	-	-	-
VII	855.0	-	37.0	-	60.8	28.6	44.7	67.0	31	20.0	10	47.0	9	39.0	18	31.7	-	58	-	1	-	0.09	0.09	12	1	1	0	-	0	0	0	0	0	2	21	0	-	-	-	-	-	-	-	-	-	-
VIII	856.5	-	44.3	-	67.7	33.7	50.7	77.0	31	22.0	7	55.0	6	44.0	31	37.2	-	54	-	1	-	0.00	0.00	-	0	0	0	-	0	0	0	0	0	0	10	0	-	-	-	-	-	-	-	-	-	-
IX	855.2	-	59.9	-	79.4	46.2	62.8	88.0	24	33.0	8	71.0	8	62.0	25	47.1	-	(40)	-	(1)	-	0.00	0.00	-	0	0	0	-	0	0	0	0	(2	0	0	0	-	-	-	-	-	-	-	-	-	-
X	849.5	-	62.4	-	78.1	49.6	63.9	89.0	18	35.0	20	63.0	5	59.0	25	51.0	-	(48)	-	(4)	-	0.66	0.50	4	3	3	1	-	0	0	0	0	(2	0	0	0	-	-	-	-	-	-	-	-	-	-
XI	850.9	-	68.4	-	83.6	55.4	69.5	91.0	27	45.0	12	66.0	10	62.0	27	57.1	-	53	-	3	-	1.70	0.85	10	4	4	2	-	0	0	0	0	8	0	0	0	-	-	-	-	-	-	-	-	-	-
XII	(849.0)	-	68.9	-	85.2	55.6	70.4	95.0	20	45.0	23	69.0	22	68.0	20	55.6	-	(45)	-	(2)	-	2.07	1.20	30	6	6	2	-	0	0	0	0	(6	0	0	0	-	-	-	-	-	-	-	-	-	-
Jaar Year	852.7	-	56.3	-	74.6	45.9	60.3	96.0	-	20.0	-	41.0	-	68.0	-	48.1	-	(59)	-	(2)	-	16.87	1.60	-	46	46	17	-	2	1	0	0	41	4	55	0	-	-	-	-	-	-	-	-	-	-
No. 16/2837 LINDLEY.																																															
I	-	-	67.3	82.4	84.0	57.4	70.7	92.0	3	48.0	12	68.0	7	63.0	3	60.0	63.4	68	53	5	8	5.85	2.61	16	9	9	5	-	1	0	0	0	9	0	0	0	6	11	13	5	2	8	6	11	0
II	-	-	67.1	80.7	82.9	58.4	70.7	93.0	9	53.0	11	61.0	2	63.0	8	61.0	63.8	73	41	4	7	4.42	2.16	1	8	7	5	-	0	0	0	0	10	0	0	0	5	17	20	5	3	0	3	3	0
III	-	-	59.2	71.7	73.7	52.9	63.3	89.0	2	42.0	19	59.0	4	61.0	7	55.8	60.6	83	55	6	7	6.81	2.75	3	13	13	6	-	0	0	0	0	1	0	0	0	2	4	36	5	0	5	7	3	0
IV	-	-	53.5	71.6	74.7	44.3	59.5	81.0	1	22.0	29	56.0	28	53.0	13	50.4	57.5	83	44	2	1	0.05	0.03	24	3	0	0	-	0	0	0	0	0	0	2	0	1	8	15	1	0	15	19	1	0
V	-	-	40.2	65.9	68.1	30.9	49.5	79.0	3	21.0	31	48.0	22	44.0	7	36.4	50.1	72	34	1	1	1.03	1.03	21	1	1	1	-	0	1	0	0	0	1	17	0	6	11	7	1	8	14	8	7	0
VI	-	-	29.5	68.4	61.2	22.5	41.9	66.0	19	13.0	26	45.0	24	30.0	2	27.5	46.3	81	35	1	1	0.00	0.00	-	0	0	0	-	0	0	1	0	0	2	30	0	7	9	2	0	3	14	18	7	0
VII	-	-	32.0	62.6	63.3	24.1	43.7	69.0	30	17.0	9	49.0	13	37.0	18	29.8	47.4	79	33	2	1	0.27	0.19	12	2	2	0	-	0	0	1	0	0	1	27	0	3	14	10	2	3	5	23	2	0
VIII	-	-	40.5	68.8	69.5	30.3	49.9	79.0	25	16.0	6	55.0	5	43.0	31	36.8	51.2	73	30	1	1	0.00	0.00	-	0	0	0	-	0	0	0	0	0	0	19	0	4	14	10	3	3	6	13	9	0
IX	-	-	58.0	78.9	81.5	44.9	63.2	88.0	24	30.0	12	69.0	10	60.0	25	50.0	56.8	60	26	2	4	0.00	0.00	-	0	0	0	-	0	0	3	0	2	0	1	0	5	7	12	3	3	6	12	12	0
X	-	-	61.2	77.4	80.7	49.8	65.3	89.0	18	35.0	21	69.0	14	62.0	19	53.5	57.1	62	30	5	5	1.27	0.94	9	3	3	1	-	0	0	0	0	5	0	0	0	7	4	13	3	1	9	13	12	0
XI	-	-	67.1	81.4	84.2	54.4	69.3	92.0	25	44.0	18	67.0	10	61.0	4	57.3	60.6	57	31	4	6	1.42	0.52	28	6	5	2	-	0	0	0	0	10	0	0	0	5	10	10	0	0	6	12	17	0
XII	-	-	68.3	82.7	85.4	56.8	71.1	92.0	16	47.0	23	73.0	6	68.0	20	59.4	61.5	62	32	5	6	2.30	0.65	2	11	11	2	-	2	0	0	2	14	0	0	0	9	4	5	2	5	14	11	12	0
Jaar Year	-	-	53.7	73.7	75.8	43.9	59.9	93.0	-	13.0	-	45.0	-	68.0	-	48.2	56.4	71	37	3	4	23.42	2.75	-	56	51	22	-	3	1	5	2	51	4	96	0	60	113	153	30	31	102	145	96	0

ϕ = 29 19'S; λ = 27 29'E; Pn at/by 1,500 gdm. H = 5,168 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

ϕ = 27 53'S; λ = 27 55'E; H = 4,945 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

* Waarnemings om 8 v.n./ Observations at 8 a.m.

No. 17/2982A MOKHOTLONG. ϕ = 29 20'S; λ = 29 07'E; H = 7,800 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	-	-	63.2	70.8	76.5	49.4	62.9	82.0	15	42.0	12	66.0	8	61.0	7	-	-	-	-	5	9	2.49	0.67	18	9	9	2	-	-	-	-	0	0	0	0	-	-	-	-	-	-	-	-	-
II	-	-	61.0	72.6	75.3	49.7	62.5	89.0	8	45.0	18	57.0	2	55.0	17	-	-	-	-	5	8	2.77	0.78	1	11	9	2	-	-	-	-	1	0	0	0	-	-	-	-	-	-	-	-	-
III	-	-	54.2	64.9	67.3	45.4	56.3	74.0	1	36.0	19	55.0	3	55.0	1	-	-	-	-	7	9	4.65	1.29	3	14	12	3	-	-	-	-	0	0	0	0	-	-	-	-	-	-	-	-	-
IV	-	-	49.9	65.1	66.7	38.1	52.4	72.0	14	35.0	25	48.0	28	45.0	6	-	-	-	-	3	7	0.68	0.37	21	4	3	0	-	-	-	-	0	1	2	0	-	-	-	-	-	-	-	-	-
V	-	-	40.9	56.9	59.4	28.6	44.0	70.0	3	19.0	31	36.0	22	36.0	12	-	-	-	-	3	5	1.30	1.30	21	1	1	1	-	-	-	-	0	4	24	0	-	-	-	-	-	-	-	-	-
VI	-	-	33.9	54.7	55.6	22.1	38.9	63.0	17	11.0	26	36.0	25	33.0	9	-	-	-	-	2	2	0.00	0.00	-	0	0	0	-	-	-	-	0	3	28	0	-	-	-	-	-	-	-	-	-
VII	-	-	35.4	57.9	59.0	22.9	40.9	68.0	26	16.0	10	52.0	10	37.0	27	-	-	-	-	2	2	0.00	0.00	-	0	0	0	-	-	-	-	0	0	29	0	-	-	-	-	-	-	-	-	-
VIII	-	-	39.8	63.6	64.1	26.9	45.5	72.0	25	16.0	7	46.0	7	34.0	23	-	-	-	-	2	1	0.00	0.00	-	0	0	0	-	-	-	-	0	1	26	0	-	-	-	-	-	-	-	-	-
IX	-	-	53.6	70.1	71.6	38.6	55.1	79.0	29	30.0	11	51.0	9	56.0	25	-	-	-	-	3	6	0.16	0.08	9	3	2	0	-	-	-	-	0	0	5	0	-	-	-	-	-	-	-	-	-
X	-	-	57.6	66.4	70.2	41.8	56.0	79.0	1	28.0	20	61.0	5	57.0	1	-	-	-	-	7	5	0.91	0.44	3	6	6	1	-	-	-	-	0	0	1	0	-	-	-	-	-	-	-	-	-
XI	-	-	63.0	71.9	75.6	45.8	60.7	82.0	25	38.0	1	65.0	11	54.0	28	-	-	-	-	7	9	1.26	0.46	10	8	7	1	-	-	-	-	0	0	0	0	-	-	-	-	-	-	-	-	-
XII	-	-	64.9	74.0	77.3	48.9	63.1	88.0	20	38.0	31	67.0	30	59.0	21	-	-	-	-	4	8	1.79	0.76	30	10	7	1	-	-	-	-	1	0	0	0	-	-	-	-	-	-	-	-	-
Jaar Year	-	-	51.5	65.7	68.2	38.2	53.2	89.0	-	11.0	-	36.0	-	61.0	-	-	-	-	-	4	6	16.01	1.30	-	66	56	11	-	-	-	-	2	9	115	0	-	-	-	-	-	-	-	-	-

No. 17/3062 LAIN'SMITH (NATAL). ϕ = 28 33'S; λ = 29 47'E; H = 3,279 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	-	-	69.4	83.2	87.3	61.3	74.3	99.5	3	54.0	14	71.0	5	69.0	21	62.9	66.3	70	42	6	5	3.34	1.23	24	12	10	2	10	1	0	0	0	19	0	0	1	-	-	-	-	-	-	-	-	-
II	-	-	70.4	84.5	87.1	62.4	74.7	98.0	9	56.2	3	61.8	2	67.0	17	65.1	68.1	76	44	5	3	3.45	1.52	1	7	6	3	5	0	0	0	0	16	0	0	0	-	-	-	-	-	-	-	-	-
III	-	-	64.9	76.2	79.0	57.8	68.4	95.9	2	48.8	21	61.0	3	64.1	10	61.2	64.6	81	55	4	6	6.58	2.15	3	13	11	3	10	0	0	0	0	5	0	0	0	-	-	-	-	-	-	-	-	-
IV	-	-	61.4	77.8	79.8	52.5	66.1	88.0	9	34.2	29	68.5	28	60.5	12	57.0	61.7	72	41	3	2	0.35	0.19	23	4	3	0	3	0	0	0	0	5	0	0	0	-	-	-	-	-	-	-	-	-
V	-	-	50.6	72.1	74.3	40.3	57.3	82.0	5	32.0	31	54.9	22	51.1	18	45.3	55.1	68	34	1	1	0.33	0.21	21	3	3	0	1	1	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-
VI	-	-	42.8	66.1	67.8	34.8	51.3	75.9	6	23.9	26	41.9	25	51.4	22	38.1	50.9	70	35	1	0	0.00	0.00	-	0	0	0	0	0	0	2	0	0	1	12	0	-	-	-	-	-	-	-	-	-
VII	-	-	46.1	68.3	69.6	37.5	53.5	82.0	26	26.9	5	50.9	10	53.0	7	40.4	52.4	64	36	2	1	0.01	0.01	11	1	0	0	0	0	0	3	0	0	0	8	0	-	-	-	-	-	-	-	-	-
VIII	-	-	53.2	73.7	75.6	43.2	59.4	88.5	26	32.8	1	57.0	7	56.5	18	45.6	55.2	57	30	3	1	0.00	0.00	-	0	0	0	0	0	0	0	0	1	0	0	0	-	-	-	-	-	-	-	-	-
IX	-	-	63.5	82.5	84.6	53.0	68.9	97.0	30	43.0	11	65.2	9	69.5	25	56.3	62.9	65	34	2	1	0.14	0.07	8	2	2	0	3	0	0	0	0	15	0	0	1	-	-	-	-	-	-	-	-	-
X	-	-	65.3	79.6	82.1	55.8	68.9	97.5	18	47.8	6	63.9	13	69.2	1	58.6	64.2	69	44	6	5	0.74	0.41	25	8	6	1	3	0	0	0	0	11	0	0	1	-	-	-	-	-	-	-	-	-
XI	-	-	71.8	86.1	90.1	60.7	75.4	98.2	30	54.2	14	72.6	8	71.6	28	61.9	66.8	58	38	5	4	0.68	0.31	21	5	3	0	7	0	0	0	0	21	0	0	2	-	-	-	-	-	-	-	-	-
XII	-	-	72.3	87.3	91.3	62.0	76.7	103.8	16	51.5	23	66.0	2	71.0	26	64.0	70.3	65	44	5	4	1.13	0.37	16	10	7	0	12	0	0	0	0	24	0	0	7	-	-	-	-	-	-	-	-	-
Jaar Year	-	-	61.0	78.1	80.7	51.8	66.3	103.8	-	23.9	-	41.9	-	71.6	-	54.7	61.5	68	40	4	3	16.75	2.35	-	65	51	9	54	2	0	5	0	117	1	20	12	-	-	-	-	-	-	-	-	-

No. 17/3071P ESTCOURT (Weiding Kaversing Stasie/Pasture Res. Stn.) ϕ = 29 01'S; λ = 29 52'E; Pm at/by 1,200 gdm. H = 3,876 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	882.1	879.1	67.7	78.5	82.4	56.8	69.6	98.5	3	49.5	14	66.5	23	64.0	7	61.6	64.8	72	50	7	6	2.06	0.51	22	10	9	1	15	1	0	0	0	9	0	0	0	27	2	15	1	8	0	9	0	0
II	881.7	879.4	70.3	81.4	83.3	59.4	71.3	96.5	9	53.0	3	60.0	2	63.5	9	63.9	66.3	72	46	5	5	3.05	1.00	2	8	8	3	6	0	0	2	0	11	0	0	0	24	2	17	0	4	1	8	0	0
III	883.1	881.3	64.3	73.0	75.7	55.4	65.5	92.0	2	46.0	21	59.0	3	63.0	7	60.1	63.0	80	59	6	7	7.06	1.35	3	14	12	7	15	0	0	0	0	2	0	0	0	28	1	14	2	2	0	14	1	0
IV	883.7	881.1	61.1	73.6	75.8	49.7	62.7	83.5	10	37.0	30	64.0	29	57.5	1	56.0	60.1	75	48	4	4	0.79	0.35	10	5	5	0	12	0	0	0	0	0	0	0	0	16	3	14	4	6	0	13	4	0
V	883.0	881.2	52.4	69.5	70.7	39.1	54.9	78.0	2	29.0	24	50.5	22	50.0	6	45.1	52.5	58	33	2	3	0.72	0.52	21	3	3	1	1	0	0	0	0	0	0	2	0	25	1	11	2	11	0	8	4	0
VI	885.2	883.2	44.9	63.8	64.6	33.2	48.9	73.0	30	25.0	26	43.0	25	39.5	12	38.9	48.1	60	29	2	1	0.12	0.10	24	2	1	0	0	0	2	1	0	0	1	7	0	22	0	7	0	24	0	7	0	0
VII	885.8	883.5	44.7	65.4	66.1	34.9	50.5	75.5	26	29.0	8	49.0	11	44.5	19	38.9	48.7	61	29	3	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	1	6	0	39	2	7	2	9	0	3	0	0
VIII	887.4	884.3	52.2	70.2	71.4	40.0	55.7	83.0	26	32.0	14	49.0	7	49.5	27	44.6	52.1	57	26	3	2	0.00	0.00	-	0	0	0	0	0	0	0	0	0	1	0	0	32	0	6	1	11	0	9	3	0
IX	886.5	883.0	62.8	79.6	80.6	49.4	65.0	93.8	30	38.5	11	65.0	9	58.0	30	54.4	58.3	60	28	4	3	0.00	0.00	-	0	0	0	2	0	0	0	0	10	0	0	0	35	1	6	1	4	0	9	4	0
X	882.0	878.2	62.8	75.3	77.2	51.6	64.4	93.5	18	43.5	21	56.0	13	59.5	31	55.4	58.4	65	38	6	6	0.56	0.15	3	7	6	0	3	0	0	0	0	8	0	0	0	28	1	12	2	1	0	17	1	0
XI	881.6	878.4	69.1	80.0	84.6	55.6	70.1	95.0	6	48.5	15	72.5	8	64.0	28	59.5	62.3	59	38	5	5	2.23	1.46	28	5	3	2	8	0	0	0	0	14	0	0	0	23	4	13	1	2	0	17	0	0
XII	879.4	876.2	68.2	79.3	84.1	57.1	70.6	98.0	16	48.0	23	65.5	2	67.0	1	61.0	64.0	68	45	6	5	2.55	0.70	30	12	11	2	11	0	0	0	0	16	0	0	0	11	3	29	1	6	0	11	1	0
Jaar Year	883.5	880.7	60.0	74.1	76.4	48.5	62.5	98.5	-	25.0	-	43.0	-	67.0	-	53.3	58.2	66	39	4	4	19.14	1.46	-	66	58	16	73	1	2	3	0	70	3	15	0	310	20	151	17	88	1	125	18	0

1st and 2nd ORDER STATIONS – STASIES VAN DIE 1e en 2e ORDE.

	P_n Mean Pressure at Gem. Lugdruk by Gdm.		Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m					Extremes Uiterstes				Lowest Max. Laagste Maks. Highest Min. Hoogste Min.				Wet-bulb Temperature. Natbol Temperatuur. °F. Means Gem.		Rel. Hum. Rel. Vochtigheid. %		Mean Cloud Amt. Gem. Wolkenhvlhd. N 0-10		Precipitation in inches Neerslag in duime. R			Number of Days with Aantal Dae met																			Wind Frequency. Windfrekwensie. nD.								
	0830	1500	0830	1500	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Max.	Dat	Min.	Dat	Max.	Dat	Min.	Dat	0830	1500	0830	1500	0830	1500	M	Max. in 24h.	Dat.	≥.01	≥.04	≥.40	Thunder Onweer	Hail-Hagel	Snow Sneeuw	Fog-Nevel	Dust Storm Stofstorm	Max. ≥ 90°F	Max ≥ 50°F	Min ≤ 32°F	Min ≤ 68°F	N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 17/3083	NEWCASTLE (Klooster/Convent).																																																						
I	882.0	878.6	68.0	81.8	84.7	57.7	71.2	97.6	3	46.6	15	67.8	8	67.2	3	62.1	65.2	73	42	6	5	2.20	0.98	25	11	8	1	12	0	0	0	0	14	0	0	0	-	-	-	-	-	-	-	-	-
II	881.3	878.7	67.2	81.8	83.4	58.6	71.0	94.0	20	50.6	9	59.0	2	64.0	25	62.7	66.0	79	45	6	4	5.36	2.04	2	6	5	3	5	0	0	0	0	12	0	0	0	-	-	-	-	-	-	-	-	-
III	883.4	881.1	62.2	73.4	75.9	55.4	65.7	93.5	2	44.7	25	58.8	4	64.3	7	58.8	62.8	82	57	5	6	6.64	2.19	3	12	11	3	6	0	0	0	0	2	0	0	0	-	-	-	-	-	-	-	-	-
IV	883.7	880.7	58.2	74.9	76.2	49.5	62.9	83.8	10	32.0	29	65.4	30	58.3	28	54.6	59.8	80	43	4	3	0.56	0.28	17	5	4	0	6	0	0	2	0	0	0	0	0	-	-	-	-	-	-	-	-	-
V	883.5	880.8	47.5	70.1	71.0	37.4	54.2	78.7	2	26.3	10	48.2	22	50.4	12	43.0	53.3	71	33	1	2	0.31	0.26	21	2	2	0	0	0	0	2	0	0	1	6	0	-	-	-	-	-	-	-	-	-
VI	885.3	882.6	42.3	65.5	66.5	32.1	49.3	75.4	30	18.7	26	42.0	25	46.4	30	37.3	50.7	65	36	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	1	17	0	-	-	-	-	-	-	-	-	-
VII	885.7	882.9	45.6	68.4	70.1	36.4	53.3	80.8	31	24.2	2	51.7	11	48.0	7	39.3	50.8	56	30	2	1	0.07	0.06	10	2	1	0	0	0	0	0	0	0	0	11	0	-	-	-	-	-	-	-	-	-
VIII	887.1	883.9	52.3	73.4	74.4	39.8	57.1	86.2	25	26.8	13	53.7	7	51.3	18	44.7	53.8	57	27	2	1	0.05	0.05	27	1	1	0	0	0	0	0	0	1	0	6	0	-	-	-	-	-	-	-	-	-
IX	886.4	882.5	63.8	81.7	83.3	50.7	67.0	94.0	30	38.3	11	62.8	10	67.2	25	54.4	60.0	57	29	2	3	0.20	0.17	8	2	1	0	3	0	0	1	0	13	0	0	0	-	-	-	-	-	-	-	-	-
I	881.7	877.6	66.0	79.2	81.4	54.6	68.0	96.6	29	45.0	6	66.7	3	66.8	25	57.2	60.9	61	36	5	5	0.64	0.42	8	6	4	1	6	0	0	0	0	14	0	0	0	-	-	-	-	-	-	-	-	-
II	881.1	877.8	72.5	85.2	88.5	57.1	72.8	97.0	24	45.3	14	71.0	8	64.2	21	60.5	63.4	52	33	5	5	0.51	0.19	28	5	3	0	9	0	0	0	0	23	0	0	0	-	-	-	-	-	-	-	-	-
III	879.7	875.5	71.8	86.9	89.5	60.0	74.7	100.8	16	48.2	23	67.0	2	73.2	16	62.1	65.3	59	33	5	5	2.95	1.07	18	9	8	3	12	0	0	0	0	21	0	0	3	-	-	-	-	-	-	-	-	-
Year Year	883.4	880.2	59.8	76.9	78.7	49.1	63.9	100.8	-	18.7	-	42.0	-	73.2	-	53.1	59.3	66	37	4	3	19.49	2.19	-	61	48	11	59	0	0	5	0	100	2	40	3	-	-	-	-	-	-	-	-	-
No. 17/3109	DUNDEE.																																																						
I	-	-	69.0	78.1	82.6	57.4	70.0	95.0	3	50.0	13	65.0	5	64.0	16	61.0	63.8	65	48	6	7	3.36	1.52	21	11	8	2	-	0	0	0	0	9	0	0	0	1	15	9	10	1	4	0	5	8
II	-	-	68.4	80.6	81.7	59.7	70.7	93.0	9	53.0	27	59.0	2	64.0	7	63.2	64.1	76	42	7	5	4.26	1.71	2	7	3	3	-	0	0	0	0	5	0	0	0	2	13	3	8	1	9	0	6	7
III	-	-	63.6	72.4	74.6	55.4	65.0	91.0	2	48.0	21	59.0	4	63.0	8	59.0	61.6	78	55	7	7	6.41	2.00	3	15	12	5	-	0	0	0	0	1	0	0	0	3	12	11	11	0	4	0	8	4
IV	-	-	61.1	74.7	75.7	50.9	63.3	83.0	17	32.0	29	66.0	29	60.0	12	56.7	58.8	78	41	4	4	0.88	0.56	23	4	3	1	-	1	0	3	0	0	0	0	0	4	11	3	3	0	4	8	5	16
V	-	-	53.5	69.3	71.4	40.4	55.9	78.5	2	32.0	10	48.0	22	52.0	12	47.2	54.1	65	(38)	2	(2)	0.33	0.17	22	2	2	0	-	0	0	2	0	0	1	0	0	3	4	3	5	0	4	6	13	16
VI	-	-	46.3	64.6	64.7	33.7	49.2	72.0	23	23.5	26	40.0	25	44.0	7	41.0	48.4	66	(31)	2	(1)	0.01	0.01	25	1	0	0	-	0	0	3	0	0	1	9	0	3	6	2	2	0	2	6	14	18
VII	-	-	50.2	65.3	67.7	35.7	51.7	77.0	31	30.0	24	48.0	11	47.0	27	42.3	49.0	54	(31)	2	(2)	0.01	0.01	9	1	0	0	-	0	0	0	0	0	2	8	0	6	6	3	0	0	1	13	4	17
VIII	-	-	53.7	70.2	73.4	39.2	56.3	84.5	26	32.0	6	51.0	7	52.0	27	46.1	51.4	58	(27)	2	(2)	0.00	0.00	-	0	0	0	-	0	0	0	0	0	0	0	0	0	10	8	4	0	0	1	12	13
IX	-	-	63.2	80.2	81.1	50.1	65.6	92.0	25	38.0	8	61.0	10	64.0	25	54.3	56.6	58	(22)	3	(3)	0.57	0.52	9	2	2	1	-	0	0	1	0	9	0	0	0	0	10	4	8	2	2	7	11	4
I	-	-	63.9	76.6	78.1	53.6	65.9	93.0	1	45.0	22	60.0	12	68.0	19	56.0	59.0	63	(36)	7	(5)	0.48	0.26	8	6	4	0	-	0	0	0	0	8	0	0	0	4	14	7	10	0	1	9	7	0
II	-	-	69.1	77.7	84.8	56.1	70.5	94.0	6	47.0	14	68.0	8	65.0	17	58.5	58.9	55	34	8	5	1.65	0.78	19	5	4	2	-	1	0	0	0	11	0	0	0	2	7	15	11	0	1	1	11	4
III	-	-	69.5	83.5	88.0	57.2	72.6	99.5	16	49.5	23	66.0	2	67.0	19	59.3	63.1	57	(34)	5	(6)	1.11	0.42	30	10	7	1	-	0	0	0	0	17	0	0	0	2	9	6	4	0	2	10	5	6
Year Year	-	-	61.0	74.4	77.0	49.1	63.1	99.5	-	23.5	-	40.0	-	68.0	-	53.7	57.4	64	(37)	5	(4)	19.07	2.00	-	64	45	15	-	2	0	9	0	60	4	17	0	30	117	74	76	4	34	61	101	113

No. 17/3083 NEWCASTLE (Klooster/Convent). ϕ = 27 45'S; λ = 29 56'E; Pn at/by 1,200 gdm. H = 3,935 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

No. 17/3109 DUNDEE. ϕ = 28 11'S; λ = 30 15'E; H = 4,090 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

No. 17/3158 MISTLEY. ϕ = 29 15'S; λ = 30 39'E; H = 3,200 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	-	-	65.1	71.1	76.1	53.7	64.9	96.0	3	45.0	13	61.0	8	60.0	26	63.3	68.6	-	-	5	6	3.71	0.55	31	16	16	3	-	-	-	-	-	4	0	0	0	14	6	10	8	6	1	0	2	12
II	-	-	68.0	77.9	79.7	58.1	68.9	94.0	11	50.0	3	65.0	3	63.0	9	65.6	74.6	-	-	5	5	2.76	1.13	2	10	8	2	-	-	-	-	-	7	0	0	0	1	1	5	15	15	3	2	1	9
III	-	-	63.8	69.4	74.2	52.9	63.5	90.0	1	44.0	20	62.0	18	62.0	2	61.1	67.0	-	-	5	6	8.55	2.78	7	13	11	4	-	-	-	-	-	2	0	0	0	1	0	12	10	17	0	6	2	8
IV	-	-	59.8	70.1	73.3	44.0	58.7	81.0	4	32.0	26	64.0	29	55.0	8	57.4	63.2	-	-	3	3	0.81	0.50	24	5	3	1	-	-	-	-	-	0	0	0	0	7	0	14	5	7	2	1	2	15
V	-	-	52.8	65.1	68.9	43.2	56.1	78.0	7	33.0	23	47.0	22	52.0	21	47.9	53.7	71	48	2	3	0.73	0.33	12	4	4	0	-	-	-	-	-	0	1	0	0	5	3	5	14	3	4	2	6	15
VI	-	-	47.6	60.4	63.4	37.6	50.5	71.0	6	29.0	26	47.0	25	44.0	30	42.7	47.8	68	40	2	2	0.04	0.04	24	1	1	0	-	-	-	-	-	0	1	3	0	8	7	7	6	4	1	7	18	0
VII	-	-	50.2	62.9	65.9	40.3	53.1	79.0	26	33.0	21	47.0	10	45.0	26	44.1	49.5	63	39	2	2	0.03	0.02	8	2	0	0	-	-	-	-	-	0	1	0	0	19	5	6	7	7	1	0	13	1
VIII	-	-	53.8	66.6	69.4	42.9	56.1	80.0	26	35.0	8	48.0	7	53.0	18	47.8	52.7	66	40	3	3	0.25	0.12	26	3	2	0	-	-	-	-	-	0	2	0	0	3	8	11	7	4	2	5	18	0
IX	-	-	62.2	71.9	77.2	50.0	63.6	95.0	30	41.0	8	59.0	9	65.0	30	55.4	58.8	66	47	4	3	0.33	0.24	9	3	2	0	-	-	-	-	-	7	0	0	0	14	7	8	19	4	1	0	4	0
X	-	-	60.4	66.9	71.8	52.0	61.9	95.0	1	40.0	20	53.0	13	67.0	19	55.3	58.2	74	61	7	5	1.86	0.49	12	17	11	1	-	-	-	-	-	3	0	0	0	7	4	11	18	6	0	5	6	0
XI	-	-	57.2	73.1	78.3	55.5	66.9	95.0	16	48.0	8	57.0	17	66.0	28	58.8	61.3	62	52	5	6	1.59	0.76	30	11	8	1	-	-	-	-	-	8	0	0	0	9	3	13	19	7	0	2	5	0
XII	-	-	66.7	73.4	77.7	56.1	66.9	101.0	16	43.0	23	57.0	2	66.0	16	60.4	63.8	71	58	6	5	3.22	0.72	1	16	14	2	-	-	-	-	-	8	0	0	0	13	5	12	17	6	0	2	3	0
Year Year	-	-	59.8	69.1	73.0	48.9	60.9	101.0	-	29.0	-	47.0	-	66.0	-	55.0	59.9	-	-	4	4	23.88	2.78	-	101	80	14	-	-	-	-	-	39	5	3	0	101	49	114	145	86	15	32	80	60

No. 17/3120 PIETERMARITZBURG (Sielstake Inrigting/Mental Hospital). ϕ = 29 35'S; λ = 30 22'E; H = 2,243 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	-	-	67.2	75.4	79.8	60.6	70.2	95.0	30	53.0	13	68.0	5	68.0	21	64.0	68.3	85	70	7	7	5.94	1.20	22	20	17	4	5	1	0	0	0	6	0	0	0	2	8	14	27	4	4	0	3	0
II	-	-	71.9	81.3	84.2	64.0	74.1	101.0	11	56.0	3	63.0	2	69.0	10	68.3	71.4	84	62	6	5	5.46	1.74	2	14	10	4	2	0	0	2	0	11	0	0	1	5	3	11	25	5	4	0	3	0
III	-	-	65.5	74.8	78.1	59.1	68.6	94.0	1	49.0	20	61.0	4	67.0	2	62.8	66.9	87	67	7	8	10.45	2.20	17	18	14	8	8	0	0	5	0	3	0	0	0	9	6	14	19	3	2	1	8	0
IV	-	-	63.4	75.9	78.1	56.6	67.3	88.0	27	44.0	30	69.0	11	62.0	9	60.3	65.4	84	58	5	4	0.60	0.40	23	4	3	1	2	0	0	4	0	1	0	0	0	2	8	11	26	2	4	0	7	0
V	-	-	56.2	72.6	75.4	46.1	60.7	84.0	11	37.0	24	53.0	22	61.0	21	50.5	57.1	68	38	2	4	0.94	0.45	21	4	4	1	0	0	0	1	0	0	0	0	0	4	11	10	9	3	4	4	17	0
VI	-	-	47.7	68.1	70.3	39.2	54.7	81.0	23	33.0	14	56.0	25	45.0	25	42.9	52.3	68	33	2	2	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	0	0	4	9	14	13	4	3	1	12	0
VII	-	-	50.0	70.6	72.7	41.1	56.9	84.0	26	36.0	20	56.0	10	50.0	27	44.9	53.7	69	33	2	3	0.04	0.03	9	2	0	0	0	0	0	1	0	0	0	0	0	3	17	10	12	2	2	2	14	0
VIII	-	-	56.2	72.5	75.7	45.6	60.7	89.0	4	37.0	8	55.0	7	56.0	18	49.2	56.1	62	34	3	3	0.32	0.21	26	3	3	0	0	0	0	2	0	1	0	0	0	3	10	11	17	5	1	1	14	0
IX	-	-	64.4	77.6	81.3	55.3	68.3	101.0	30	46.0	11	65.0	9	67.0	25	57.4	61.6	66	40	6	5	0.37	0.10	9	7	4	0	1	0	0	2	1	10	0	0	0	6	6	13	24	5	1	0	5	0
X	-	-	65.1	69.9	76.9	56.1	66.5	101.0	1	43.0	20	62.0	13	76.0	1	58.2	60.7	68	60	7	8	2.28	1.03	3	18	9	2	2	0	0	0	0	6	0	0	1	0	8	9	34	5	2	1	3	0
XI	-	-	70.2	77.0	82.3	58.0	70.1	102.0	16	51.0	14	60.0	18	65.0	29	61.3	64.3	61	51	6	7	1.66	0.34	17	14	13	0	1	0	0	0	0	10	0	0	0	2	1	15	30	4	0	2	6	0
XII	-	-	69.4	76.5	82.5	59.4	70.9	104.0	16	50.0	23	64.0	2	69.0	1	62.5	66.0	69	59	7	6	3.31	0.52	30	19	17	1	8	0	0	0	0	11	0	0	2	4	9	10	26	4	3	0	6	0
Year Year	-	-	62.3	74.3	78.1	53.4	65.7	104.0	-	33.0	-	53.0	-	76.0	-	56.9	62.0	73	50	5	5	31.37	2.20	-	123	94	21	29	1	0	17	1	59	0	0	4	44	96	142	262	46	30	12	98	0

No. 17/3174 FIRT RETIEF. ϕ = 27 00'S; λ = 30 48'E; Pm at/ty 1,200 gds. H = 4,134 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	882.4	879.7	65.6	73.7	77.6	57.2	67.4	89.0	4	50.0	13	63.0	9	64.0	21	60.6	65.0	77	65	7	6	5.64	1.88	8	7	7	5	-	-	-	-	-	4	0	0	0	4	13	8	25	3	2	2	4	0
II	881.4	878.7	66.7	78.8	80.4	57.1	68.7	90.0	20	48.5	27	61.0	2	62.0	1	62.5	64.9	80	48	6	6	2.56	1.24	2	4	4	2	-	-	-	-	-	4	0	0	0	3	10	13	25	2	0	1	0	0
III	883.6	881.0	63.5	73.4	76.0	55.0	65.5	94.0	2	45.5	26	59.0	4	62.0	18	59.8	63.1	82	83	6	7	7.38	3.00	3	9	9	5	-	-	-	-	-	2	0	0	0	3	9	5	26	3	0	7	6	0
IV	883.7	880.8	61.2	74.0	76.8	50.3	63.5	84.0	10	33.0	29	68.0	24	60.0	28	57.0	60.3	79	47	4	4	1.31	0.84	23	3	3	1	-	-	-	-	-	0	0	0	0	8	4	7	26	5	0	2	6	1
V	883.7	881.0	53.4	69.2	70.8	39.6	55.2	78.0	2	25.0	23	49.0	22	52.0	5	47.1	54.2	62	39	2	2	0.23	0.23	22	1	1	0	-	-	-	-	-	0	1	1	0	5	9	8	12	4	0	9	13	1
VI	885.7	883.7	48.4	65.6	67.2	32.6	49.9	73.0	23	21.0	26	57.0	26	48.0	24	42.0	51.1	61	38	1	1	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	17	0	6	4	12	17	4	0	6	8	0
VII	886.4	883.7	49.9	66.8	68.6	35.9	52.3	77.0	26	24.0	23	53.0	11	49.0	27	42.1	49.7	54	30	2	2	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	6	0	8	12	6	12	2	2	11	8	0
VIII	887.1	884.2	53.0	71.2	72.7	38.4	55.5	85.0	26	27.5	13	54.0	7	50.5	27	43.4	57.3	58	44	2	1	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	5	0	7	9	6	15	0	0	4	9	0
IX	886.5	883.0	63.1	77.3	78.7	50.1	64.4	92.0	26	44.0	12	59.5	10	57.0	30	54.9	60.3	62	39	3	3	0.46	0.46	9	1	1	1	-	-	-	-	-	5	0	0	0	8	10	13	9	3	2	3	8	0
X	882.1	878.7	61.7	68.8	74.4	51.8	63.1	92.0	1	42.0	6	56.0	11	61.0	19	56.3	59.0	73	58	7	6	1.46	0.47	14	10	10	1	-	-	-	-	-	4	0	0	0	4	13	9	18	0	1	3	6	0
XI	882.0	879.9	67.4	75.8	80.1	55.0	67.5	95.5	6	45.0	14	60.0	8	65.0	17	59.6	62.4	66	49	3	7	1.83	1.35	21	6	5	1	-	-	-	-	-	9	0	0	0	1	11	16	12	2	1	4	11	1
XII	880.3	877.4	67.9	77.8	81.2	57.1	69.1	96.0	26	47.0	23	62.0	28	65.0	1	61.6	65.0	72	52	7	6	4.59	1.15	2	10	10	4	-	-	-	-	-	12	0	0	0	4	20	8	12	1	0	2	10	0
Year Year	883.7	881.0	60.1	72.7	75.4	48.3	61.8	96.0	-	21.0	-	49.0	-	65.0	-	54.1	59.4	69	49	4	4	25.46	3.00	-	51	50	20	-	-	-	-	-	40	1	29	0	61	124	111	209	29	8	54	89	3

1st and 2nd ORDER STATIONS - STASIES VAN DIE 1e en 2e ORDE.

	P_m Mean Pressure at Gem. Lugdruk by Gdm. 0830	1500	Air Temperature - Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	1500	x Max.	n Min.	Avg. 2 Mean Gem.	Extremes Uiterstes Max.	Dat	Min.	Dat	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat	Min.	Dat	Wet-bulb Temperature. Natbol Temperatuur. °F. Means Gem. 0830	1500	Rel. Hum. Rel. Vochtigheid. U % 0830	1500	Mean Cloud Amt. Gem. Wolkehvlhd. N 0-10 0830	1500	Precipitation in inches Neerslag in duime. R M	Max. in 24h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ ·01	·04	·40	Thunder Donnerweer	Hail-Hagel	Snow Sneeuw	Fog-Mist	Dust storm Stofstorm	Max. ≥ 86°F	Max ≤ 32°F	Min ≤ 32°F	Min ≤ 68°F	Wind Frequency. Windfrekwensie. nD. N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 18/3217B DURBAN (Lughaven/Airport). ϕ = 29 51'S; λ = 31 03'E; Pm at/by 0 gdm. H = 45 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft; h_s = 70 vt/ft.																																																
I	1016.7	1014.5	75.2	77.8	80.4	67.3	73.9	89.2	22	59.7	13	73.5	5	74.1	31	68.5	70.6	71	70	6	6	2.60	0.90	23	15	10	1	1	0	0	0	0	3	0	0	14	49	155	42	57	114	163	20	10	134
II	1014.3	1012.5	76.1	80.2	81.9	69.9	75.9	88.3	9	62.6	3	70.0	2	75.4	7	72.3	74.3	83	75	5	4	5.81	2.22	1	12	9	3	1	0	0	0	0	1	0	0	22	76	188	55	35	60	110	10	6	132
III	1017.8	1015.8	73.4	77.3	79.5	66.0	72.8	85.2	2	60.6	19	68.1	3	71.9	2	68.7	70.9	80	74	4	5	9.86	2.80	31	15	12	6	4	0	0	1	0	0	0	0	9	81	153	41	23	87	143	20	45	151
IV	1018.2	1016.1	71.7	77.0	78.7	63.4	71.1	88.1	27	51.5	29	74.5	24	69.3	6	66.3	69.6	76	69	3	3	0.52	0.25	12	4	3	0	3	0	0	0	0	1	0	0	1	90	121	42	37	68	105	22	32	203
V	1018.3	1015.9	65.1	73.6	75.9	54.3	65.1	80.3	1	44.2	23	57.0	22	64.0	18	57.7	64.7	64	62	1	3	2.03	0.69	22	5	5	2	1	0	0	0	0	0	0	0	0	91	103	14	18	52	109	40	103	214
VI	1022.1	1019.8	59.4	70.0	71.8	49.9	60.9	75.8	21	41.0	20	65.8	25	57.4	7	51.8	59.7	60	50	2	2	0.03	0.03	4	1	0	0	0	0	0	0	0	0	0	0	0	50	60	16	18	60	110	41	79	286
VII	1021.9	1019.8	60.5	70.3	72.7	49.6	61.2	84.7	7	41.2	22	65.5	10	60.1	9	52.9	61.3	60	60	2	2	0.04	0.03	8	2	0	0	0	0	0	0	0	0	0	0	0	105	100	19	24	60	108	39	88	201
VIII	1023.6	1021.3	62.7	70.1	72.5	51.7	62.1	80.1	23	43.5	4	60.9	7	59.8	19	57.2	62.7	71	66	4	3	0.32	0.14	7	5	2	0	0	0	0	0	0	0	0	0	0	121	161	22	19	79	133	16	44	153
IX	1021.8	1019.2	68.9	72.4	74.8	60.9	67.9	83.0	30	51.9	11	69.8	9	68.8	30	63.7	66.3	76	73	5	4	0.78	0.35	27	8	6	0	2	0	0	0	0	0	0	0	1	84	175	43	49	83	105	11	20	150
X	1017.8	1015.2	69.2	71.3	74.4	62.0	68.2	82.3	5	53.5	21	66.7	7	69.0	18	63.0	64.3	69	68	6	6	1.55	0.30	13	15	12	0	3	0	0	0	0	0	0	0	3	64	100	70	62	141	173	18	10	106
XI	1016.9	1013.9	71.7	73.8	77.6	64.2	70.9	83.2	30	55.9	14	66.8	18	72.0	28	66.0	67.9	75	74	6	6	1.07	0.19	23	11	9	0	1	0	0	0	0	0	0	0	5	84	209	40	21	136	127	5	9	89
XII	1013.8	1011.7	74.0	75.6	78.9	66.1	72.5	88.9	16	60.2	28	73.0	23	75.2	20	66.8	68.5	69	70	6	6	3.03	1.04	30	15	10	3	9	0	0	0	0	1	0	0	9	66	148	39	36	143	182	13	12	105
Year Year	1018.6	1016.3	69.0	74.1	76.6	60.4	68.5	89.2	-	41.0	-	57.0	-	75.4	-	62.9	66.7	71	68	4	4	27.64	2.80	-	108	78	15	25	0	0	1	0	6	0	0	64	961	1673	443	395	1083	1568	255	458	1924
No. 18/3242 MELMOTH. ϕ = 28 35'S; λ = 31 23'E; Pm at/by 800 gdm. H = 2,527 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																																																
I	925.0	922.9	67.2	76.9	79.7	60.3	70.0	103.1	3	51.8	6	65.1	9	66.6	21	63.4	67.3	82	62	7	6	3.48	0.73	7	17	15	2	8	0	0	13	0	6	0	0	0	4	3	7	5	13	13	3	9	5
II	923.3	921.8	71.2	81.5	85.0	62.3	73.7	96.5	11	56.1	16	62.1	2	66.0	12	66.7	70.0	80	59	4	3	2.84	1.30	2	7	7	2	3	0	0	9	0	16	0	0	0	4	8	13	5	9	6	6	3	1
III	925.8	924.6	66.5	74.5	77.6	59.3	68.5	98.5	1	51.8	19	63.1	3	68.0	2	63.2	66.7	85	68	5	5	7.56	1.41	7	17	17	5	4	0	0	11	0	2	0	0	0	4	7	5	13	10	12	6	4	0
IV	926.0	924.6	64.2	75.1	78.2	57.8	68.0	91.5	27	51.3	29	66.9	24	67.2	6	60.9	65.6	84	64	3	4	0.35	0.30	23	4	1	0	4	0	0	4	0	2	0	0	0	3	4	6	11	5	15	9	5	0
V	925.7	924.4	59.2	71.2	74.9	51.7	63.3	85.9	29	42.4	23	64.9	22	57.0	26	53.0	58.1	68	47	2	3	2.02	1.07	12	3	3	2	1	1	0	0	0	0	0	0	0	2	2	6	2	6	11	16	10	7
VI	927.9	926.6	54.1	66.6	69.8	46.7	58.3	80.6	21	40.0	14	62.2	25	51.3	21	47.9	53.2	65	41	2	2	0.13	0.13	1	1	1	0	0	0	0	2	0	0	0	0	0	5	5	6	7	11	6	11	8	1
VII	(928.3	927.4	57.0	69.0	72.8	48.7	60.7	(83.5	30	42.0	13	59.1	18	57.3	29	48.5	55.0	(55	41	(3	2	0.11	0.08	9	2	1	0	0	0	0	0	0	(0	0	0	0	(3	6	2	6	1	7	7	4	4)
VIII	930.1	928.3	58.8	70.6	75.6	49.6	62.6	88.2	4	43.8	17	62.0	7	58.0	26	52.2	57.9	66	48	3	3	0.49	0.19	15	6	3	0	0	0	0	0	0	3	0	0	0	1	5	8	5	8	6	17	9	3
IX	928.7	926.9	66.2	76.7	82.1	56.0	69.1	101.0	30	49.0	11	63.3	10	65.0	20	58.4	62.9	64	48	4	4	0.46	0.16	9	7	5	0	3	0	0	0	0	11	0	0	0	4	2	8	5	7	5	9	8	7
X	925.3	922.7	63.9	69.6	75.5	55.5	65.5	101.3	1	47.6	19	62.9	13	70.0	1	58.8	61.6	75	64	5	5	2.18	0.94	3	16	12	1	7	0	0	4	0	4	0	0	1	2	3	4	17	11	4	8	4	1
XI	924.4	922.4	69.2	77.8	83.6	58.0	70.8	107.0	6	49.4	14	64.4	18	65.7	4	61.6	65.1	67	52	4	4	0.79	0.32	18	8	8	0	4	0	0	5	0	14	0	0	0	3	7	8	15	10	3	8	5	0
XII	922.9	920.3	68.9	77.4	84.9	58.7	71.8	105.1	16	49.8	23	64.0	2	68.5	1	62.6	67.4	72	61	4	5	4.89	2.39	30	16	14	4	5	0	0	5	0	14	0	0	1	1	3	7	7	9	4	7	6	6
Year Year	(926.1	924.4	63.9	73.9	78.3	55.4	66.9	107.0	-	40.0	-	59.1	-	70.0	-	58.1	62.6	(72	55	(4	4	25.30	2.39	-	104	87	16	39	1	0	53	0	(72	0	0	2	(36	55	80	98	100	92	107	75	35)

No. 19/3308 CAPE COLUMBINE. ϕ = 32 50'S; λ = 17 50'E; Pa at/by 0 gdm. H = 223 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	1014.8	1013.8	62.3	65.9	70.8	55.6	63.2	90.0	12	51.0	20	64.3	8	61.0	30	58.4	60.5	87	74	3	2	0.00	0.00	-	0	0	0	0	0	0	5	0	3	0	0	0	0	2	1	9	45	3	1	1	0
II	1012.0	1011.3	60.3	66.0	69.3	55.8	62.5	84.0	25	53.0	2	65.0	21	64.0	25	58.8	62.0	91	80	3	2	0.03	0.03	10	1	0	0	0	0	0	16	0	0	0	0	0	4	1	0	3	44	1	0	1	2
III	1015.3	1014.6	62.8	67.2	71.9	56.7	64.3	93.0	24	52.5	19	63.0	18	77.0	24	59.0	62.1	81	76	5	3	0.02	0.02	17	1	0	0	0	0	0	11	0	3	0	0	2	7	4	4	8	32	1	2	3	1
IV	1016.2	1014.9	59.1	64.1	68.0	56.4	62.2	86.8	3	50.5	30	59.8	27	65.5	3	57.6	60.9	91	84	5	3	1.35	0.60	9	4	3	2	0	0	0	11	0	1	0	0	0	6	5	1	7	28	4	3	3	3
V	1017.9	1017.3	56.1	62.0	63.6	53.5	58.5	78.0	14	45.5	29	54.0	21	62.0	9	54.1	58.1	88	79	5	5	0.65	0.33	28	11	4	0	0	0	0	12	0	0	0	0	0	7	8	4	6	15	6	6	10	0
VI	1022.1	1021.2	54.1	60.1	61.9	51.7	56.8	73.0	16	45.0	25	56.0	25	57.0	13	52.1	56.4	88	81	5	5	2.11	0.67	19	10	9	2	0	0	0	11	0	0	0	0	0	11	11	1	6	10	4	3	12	2
VII	1020.6	1019.5	51.2	56.6	58.5	48.9	53.7	66.5	11	43.0	9	55.0	9	55.5	6	49.3	53.6	88	82	5	5	1.63	0.45	31	10	9	1	0	0	0	6	0	0	0	0	0	7	1	7	10	15	3	5	8	5
VIII	1021.5	1020.3	52.4	58.4	59.7	49.6	54.7	71.0	28	42.0	7	52.0	6	57.0	9	49.4	53.9	82	75	5	5	1.20	0.31	3	7	7	0	0	0	0	9	0	0	0	0	0	7	5	1	7	14	6	3	14	5
IX	1020.9	1019.5	56.1	61.4	63.6	51.7	57.7	88.0	28	48.0	20	59.0	23	55.0	28	54.5	57.2	91	78	6	3	0.15	0.14	24	2	1	0	0	0	0	9	0	1	0	0	0	6	3	1	7	30	4	0	3	6
X	1018.8	1017.7	56.5	61.8	63.4	51.9	57.7	76.6	7	46.2	23	56.0	18	57.0	9	54.8	57.4	90	77	6	5	0.54	0.25	3	6	4	0	0	0	0	9	0	0	0	0	0	8	3	2	7	30	3	2	5	2
XI	1016.0	1015.0	61.2	65.2	67.2	54.6	60.9	79.0	2	49.2	18	61.0	22	62.0	2	58.1	61.2	84	80	4	2	0.30	0.19	10	5	2	0	0	0	0	7	0	0	0	0	0	5	0	0	5	39	5	2	3	1
XII	1016.1	1015.3	60.7	65.6	67.6	55.2	61.4	72.0	2	51.0	28	60.0	31	60.0	19	58.2	61.3	87	78	3	2	0.18	0.18	31	1	1	0	0	0	0	6	0	0	0	0	0	3	1	0	5	41	5	1	6	0
Year	1017.7	1016.7	57.7	62.9	65.5	53.5	59.5	93.0	-	42.0	-	52.0	-	77.0	-	55.4	58.7	87	79	5	3	8.16	0.67	-	58	40	5	0	0	0	112	0	8	0	0	2	71	44	22	80	343	45	28	69	27

No. 19/3311a GIRIES. ϕ = 30 33'S; λ = 17 59'E; Pa at/by 200 gdm. H = 830 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	990.1	987.6	70.8	91.5	94.5	58.7	76.6	109.9	25	49.0	2	74.5	18	68.9	29	62.4	68.8	64	32	2	1	0.00	0.00	-	0	0	0	0	0	0	0	0	22	0	0	1	7	2	0	1	46	0	2	3	1
II	987.8	985.8	70.2	92.0	94.7	61.5	78.1	110.7	25	52.6	12	82.6	11	72.0	25	65.2	76.5	77	49	4	2	0.00	0.00	-	0	0	0	0	0	0	0	0	25	0	0	2	5	0	0	0	42	1	0	5	2
III	990.9	989.3	69.6	88.0	90.6	61.3	75.9	103.1	25	47.0	19	70.0	18	84.0	25	62.8	72.2	69	47	4	3	0.49	0.29	4	2	2	0	0	0	0	0	0	18	0	0	3	13	2	0	1	34	0	0	8	5
IV	992.1	989.7	59.9	83.6	85.7	52.7	69.2	104.7	13	42.0	29	64.0	28	67.2	3	55.5	67.9	76	54	3	4	0.49	0.47	27	2	1	1	0	0	0	2	0	13	0	0	0	17	0	0	0	26	1	3	5	8
V	994.8	992.6	55.9	75.4	77.7	50.6	64.1	96.7	8	39.9	31	56.1	21	67.0	10	51.8	61.3	76	45	3	4	1.66	0.65	28	6	5	2	0	0	0	1	0	11	0	0	0	13	0	0	0	20	2	4	18	5
VI	998.8	997.0	51.4	70.5	71.7	44.6	58.1	85.2	17	34.8	25	55.0	24	61.0	17	47.9	58.0	79	46	4	4	0.67	0.32	22	4	4	0	0	0	0	1	0	0	0	0	0	25	2	0	0	19	0	4	9	1
VII	996.6	994.8	49.7	65.3	66.9	43.6	55.3	86.0	23	33.2	19	56.0	8	57.5	6	46.6	55.8	80	55	3	4	1.57	0.44	7	5	5	1	0	0	0	0	0	0	0	0	0	16	1	0	2	22	1	1	17	1
VIII	996.7	995.2	51.2	70.0	72.1	43.6	57.9	94.8	28	37.2	21	54.7	6	58.8	28	47.9	57.9	80	48	3	2	1.22	0.79	4	4	2	1	0	0	0	1	0	2	0	0	0	17	1	0	2	24	1	6	10	1
IX	994.1	992.0	56.2	82.3	85.2	47.7	66.5	106.0	28	35.4	8	68.0	6	61.0	19	51.6	63.5	75	34	4	2	0.00	0.00	-	0	0	0	0	0	0	1	0	13	0	0	0	15	1	1	0	31	1	5	4	1
X	994.4	992.1	58.0	73.7	75.4	49.3	62.3	95.0	7	41.0	20	62.0	3	57.0	25	54.4	62.1	81	52	5	4	2.55	2.27	3	3	3	1	0	0	0	0	0	4	0	0	0	10	0	0	1	37	1	3	8	2
XI	991.5	989.4	68.5	86.1	89.8	54.8	72.3	105.6	1	47.0	25	69.0	16	69.7	2	59.7	66.9	60	33	3	1	0.00	0.00	-	0	0	0	0	0	0	0	0	20	0	0	1	0	0	0	1	42	3	3	10	1
XII	991.8	989.7	65.9	84.0	86.6	54.1	70.3	99.8	2	43.8	28	73.4	21	64.0	3	60.2	65.5	73	37	3	1	0.05	0.05	26	1	1	0	0	0	0	0	0	13	0	0	0	2	0	0	0	49	1	2	3	5
Year	993.3	991.3	60.6	80.2	82.6	51.9	67.3	110.7	-	33.2	-	54.7	-	84.0	-	55.5	64.6	74	44	3	3	8.70	2.27	-	27	23	6	0	0	0	6	0	141	0	0	7	138	9	1	8	392	12	33	100	33

No. 19/3318 ELAVEN. ϕ = 31 47'S; λ = 18 37'E; Pa at/by 0 gdm. H = 138 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	1014.3	1010.7	69.3	91.0	92.6	61.0	76.8	108.8	28	52.9	1	77.6	3	84.4	28	62.5	72.0	69	40	3	1	0.01	0.01	29	1	0	0	0	0	0	0	0	18	0	0	4	7	0	3	6	6	22	2	6	10
II	1011.9	1008.4	68.0	92.4	94.4	62.1	73.3	110.7	25	53.5	6	85.7	16	85.0	25	62.8	71.6	76	37	4	2	0.03	0.03	20	1	0	0	1	0	0	2	0	27	0	0	2	8	1	0	2	5	19	2	2	2
III	1015.2	1012.4	69.2	88.5	90.2	64.3	77.3	104.2	23	52.2	31	72.2	17	83.3	24	62.0	69.3	67	38	3	2	0.16	0.12	6	2	2	0	1	0	0	1	0	18	0	0	7	5	1	4	9	3	18	2	6	14
IV	1016.6	1013.1	59.9	83.9	85.4	55.6	70.5	103.0	13	43.5	29	60.4	27	78.9	3	56.4	65.5	81	37	4	3	0.55	0.55	27	1	1	0	0	0	0	2	0	14	0	0	1	6	1	2	3	2	14	1	3	28
V	1019.0	1016.8	55.7	73.5	75.0	52.0	63.5	97.8	8	43.1	31	56.8	20	58.8	17	52.6	59.9	82	46	5	5	1.32	0.45	28	10	8	1	0	0	0	0	0	8	0	0	0	8	3	0	2	5	10	4	3	27
VI	1023.3	1021.3	50.4	67.7	68.9	48.5	58.7	86.0	17	39.0	25	56.8	24	58.2	17	48.3	56.8	86	52	5	5	1.39	0.53	22	10	7	1	0	0	0	5	0	0	0	0	0	7	6	0	1	3	5	4	8	26
VII	1021.5	1019.3	49.2	64.6	66.3	47.2	56.7	79.2	23	36.4	19	57.8	9	57.4	6	47.2	56.7	86	62	5	4	1.29	0.51	7	6	5	1	0	0	0	6	0	0	0	0	0	9	4	4	3	6	13	3	12	8
VIII	1022.5	1019.7	51.0	68.1	70.3	48.1	59.2	94.0	28	40.4	21	57.0	6	62.4	28	49.8	61.6	93	69	5	3	1.10	0.47	4	8	8	1	0	0	0	5	0	2	0	0	0	6	5	3	5	5	18	6	13	1
IX	1020.8	1017.4	57.1	79.4	81.0	50.5	65.7	104.5	28	40.6	8	65.4	6	77.8	28	53.0	62.0	76	37	6	3	0.04	0.04	24	1	1	0	0	0	0	6	0	9	0	0	1	6	1	1	4	7	21	8	11	1
X	1019.0	1015.5	59.1	72.8	75.2	51.7	63.5	94.2	24	45.6	2	63.8	19	59.2	24	54.5	59.5	(75	45	(6	5	0.50	0.36	3	2	2	0	1	0	0	0	0	(3	0	0	0	(3	1	0	2	2	19	9	8	0)
XI	1015.8	1011.8	68.2	85.3	88.2	57.2	72.7	103.4	1	51.5	17	70.0	16	69.0	2	61.0	67.5	67	(39	4	(2	0.07	0.07	10	1	1	0	0	0	0	0	0	16	0	0	1	(3	1	3	3	1	21	6	9	0)
XII	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1st and 2nd ORDER STATIONS - STASIES VAN DIE 1e en 2e ORDE.

	P_m Mean Pressure at Gem. Lugdruk by Gdm. 0830	1500	Air Temperature - Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	1500	x Max.	n Min.	x/n/2 Mean Gem.	Extremes Uiterstes Max.	Dat	Min.	Dat	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat	Min.	Dat	Wet-bulb Temperature. Natbol Temperatuur. °F. Means Gem. 0830	1500	Rel. Hum. Rel. Vogtigheid. U % 0830	1500	Mean Cloud Amt. Gem. Wolkehvlhd. N 0-10 0830	1500	Precipitation in inches Neerslag in duime. R M	Max. in 24h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥.01	≥.04	≥.40	Thunder Donder	Hail-Hagel	Snow Sneeuw	Fog-Mist	Dust storm Stofstorm	Max. ≥ 86°F	Max ≤ 32°F	Min ≤ 32°F	Min ≤ 68°F	Wind Frequency. Windfrekwensie. nD. N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 19/3323 CLANWILLIAM.																																																
I	-	-	79.1	100.1	102.0	64.0	83.0	114.0	25	56.0	20	87.0	3	79.0	12	-	-	-	-	1	0	0.00	0.00	-	0	0	0	-	-	-	-	-	31	0	0	6	0	0	1	0	0	0	3	0	58
II	-	-	76.1	100.3	103.4	64.0	83.7	115.0	24	58.0	12	95.0	16	75.0	25	-	-	-	-	1	2	0.05	0.05	22	1	1	0	-	-	-	-	-	28	0	0	6	2	0	1	0	2	0	4	0	47
III	-	-	72.7	93.4	95.3	63.3	79.3	106.0	26	51.0	31	76.0	18	79.0	12	-	-	-	-	3	3	0.22	0.19	10	2	1	0	-	-	-	-	-	22	0	0	7	5	0	4	0	15	0	15	0	23
IV	-	-	60.3	86.3	89.8	52.8	71.3	106.0	14	42.0	24	64.0	27	62.0	8	-	-	-	-	3	2	0.38	0.38	27	1	1	0	-	-	-	-	-	17	0	0	0	4	0	1	0	3	0	13	0	39
V	-	-	55.0	74.3	75.5	-	-	98.0	8	-	-	57.0	21	-	-	-	-	-	-	4	3	1.30	0.48	28	7	6	1	-	-	-	-	-	7	0	-	-	2	0	0	0	0	0	6	0	52
VI	-	-	48.9	67.0	69.2	44.4	56.8	83.0	17	35.0	25	54.0	6	56.0	13	-	-	-	-	4	4	2.30	0.56	21	5	5	4	-	-	-	-	-	0	0	0	0	0	0	1	0	4	0	8	0	44
VII	-	-	46.5	63.0	65.2	41.6	53.4	77.0	24	33.0	19	55.0	8	54.0	26	-	-	-	-	3	3	2.58	0.80	7	7	7	2	-	-	-	-	-	0	0	0	0	6	0	5	0	1	0	8	0	42
VIII	-	-	47.6	70.4	72.0	41.7	56.9	93.0	28	33.0	7	59.0	10	59.0	28	-	-	-	-	4	1	1.17	0.32	4	6	6	0	-	-	-	-	-	1	0	0	0	2	0	3	0	5	0	6	0	46
IX	-	-	55.2	82.1	85.3	46.4	65.9	106.0	28	38.0	8	68.0	6	56.0	29	-	-	-	-	2	1	0.08	0.08	24	1	1	0	-	-	-	-	-	13	0	0	0	5	0	3	0	4	0	8	0	40
X	-	-	61.5	79.0	81.9	49.5	65.7	101.0	24	39.0	20	71.0	25	58.0	5	-	-	-	-	3	2	0.44	0.37	3	3	2	0	-	-	-	-	-	7	0	0	0	3	0	5	0	2	0	21	0	31
XI	-	-	67.8	90.6	95.3	54.4	74.9	110.0	14	43.0	2	77.0	7	62.0	23	-	-	-	-	3	1	0.07	0.07	10	1	1	0	-	-	-	-	-	18	0	0	0	2	0	4	0	3	0	12	0	39
XII	-	-	70.2	88.8	91.2	57.5	74.3	105.0	2	49.0	17	77.0	26	64.0	4	-	-	-	-	2	1	0.10	0.06	12	2	2	0	-	-	-	-	-	23	0	0	0	5	0	3	0	0	0	17	0	37
Jaar Year	-	-	61.7	82.9	85.5	-	-	115.0	-	-	-	54.0	-	-	-	-	-	-	-	3	2	8.69	0.80	-	36	33	7	-	-	-	-	-	167	0	-	-	36	0	31	0	39	0	121	0	498

No. 19/3323 CLANWILLIAM. ϕ = 32 10'S; λ = 18 53'E; H = 245 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

No. 20/3354A WILLISTON.																																																
I	-	-	77.2	92.4	95.3	62.8	79.1	103.0	25	55.0	2	87.0	8	73.0	6	-	-	-	-	2	3	0.18	0.18	29	1	1	0	-	0	0	0	0	31	0	0	3	2	1	14	12	0	1	13	19	0
II	-	-	75.2	95.5	95.6	65.4	80.5	105.0	10	57.0	2	83.0	2	73.0	20	-	-	-	-	3	4	0.02	0.02	24	1	0	0	-	0	0	0	1	26	0	0	10	6	0	13	1	1	2	30	2	1
III	-	-	65.3	84.1	85.1	57.0	71.1	91.0	1	43.0	19	69.0	18	65.0	6	-	-	-	-	2	4	0.80	0.41	12	2	2	1	-	0	0	0	0	15	0	0	0	8	1	24	1	2	4	20	0	2
IV	-	-	59.6	80.7	80.9	50.4	65.7	90.0	14	30.0	29	53.0	28	62.0	3	-	-	-	-	2	3	0.12	0.12	27	1	1	0	-	0	0	0	0	10	0	1	0	7	4	14	1	3	3	18	7	3
V	-	-	46.3	68.4	68.5	38.3	53.4	86.0	8	26.0	31	48.0	21	50.0	7	-	-	-	-	3	5	0.10	0.06	29	3	1	0	-	0	0	3	0	0	2	1	0	7	0	3	2	0	6	26	8	10
VI	-	-	41.0	61.3	62.0	34.5	48.3	71.0	5	26.0	26	44.0	24	42.0	5	-	-	-	-	4	5	0.18	0.13	21	2	2	0	-	0	0	4	0	0	2	7	0	11	0	7	0	0	3	23	9	7
VII	-	-	39.8	61.3	61.5	34.7	48.1	73.0	22	22.0	19	47.0	8	58.0	26	-	-	-	-	4	3	0.45	0.27	8	4	3	0	-	0	0	1	0	0	1	12	0	14	1	6	0	0	1	22	6	12
VIII	-	-	44.2	68.4	68.4	36.6	52.5	81.0	29	24.0	7	47.0	5	53.0	10	-	-	-	-	2	3	0.06	0.06	4	1	2	0	-	0	0	1	0	0	1	6	0	22	2	7	1	2	0	16	2	11
IX	-	-	56.7	81.6	81.6	46.7	64.1	95.0	28	33.0	7	65.0	6	62.0	20	-	-	-	-	3	3	0.00	0.00	-	0	0	0	-	0	0	0	0	11	0	0	0	6	1	23	3	0	1	10	9	7
X	-	-	55.0	74.9	74.9	46.1	60.5	92.0	24	36.0	20	55.0	4	59.0	1	-	-	-	-	3	4	0.50	0.38	4	2	2	0	-	0	0	0	0	1	0	0	0	4	0	25	4	0	2	20	4	3
XI	-	-	70.4	87.5	87.5	54.7	71.1	98.0	2	45.0	11	69.0	10	63.0	15	-	-	-	-	2	3	0.00	0.00	-	0	0	0	-	0	0	0	1	19	0	0	0	2	0	14	6	6	5	22	3	2
XII	-	-	67.5	86.7	88.6	55.8	72.2	100.0	20	46.0	22	75.0	21	68.0	3	-	-	-	-	1	3	0.30	0.30	3	1	1	0	-	0	0	0	0	19	0	0	0	0	0	13	8	3	11	21	3	3
Jaar Year	-	-	58.2	78.6	79.2	48.6	63.9	105.0	-	22.0	-	44.0	-	73.0	-	-	-	-	-	3	4	2.71	0.41	-	18	14	1	-	0	0	9	2	132	6	27	13	89	10	163	39	16	39	241	72	61

No. 20/3354A WILLISTON. ϕ = 31 21'S; λ = 20 55'E; H = 3,540 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

No. 21/3365 FRASERBURG. ϕ = 31 55'S; λ = 21 31'E; Pm at/by 1,200 gdm. H = 4,200 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	881.0	878.1	70.6	87.8	89.9	57.2	73.5	99.0	6	49.0	1	76.0	4	66.0	29	57.9	62.3	48	23	1	3	0.00	0.00	-	0	0	0	0	0	0	0	20	0	0	0	3	1	9	6	16	6	10	1	5
II	879.1	876.7	72.8	90.0	92.1	61.2	76.7	101.0	10	50.0	14	75.0	1	73.0	20	61.6	64.1	55	24	2	4	0.42	0.20	26	3	3	0	4	0	0	0	0	22	0	0	3	7	1	5	2	7	1	15	6	11
III	881.3	879.8	62.6	77.7	81.0	54.1	67.5	88.0	9	41.0	19	63.0	19	61.0	14	55.2	59.9	65	36	3	5	0.56	0.50	13	2	2	1	8	0	0	0	0	3	0	0	0	9	0	11	0	17	1	8	5	9
IV	881.6	879.8	67.6	77.3	77.7	49.1	63.4	88.4	13	23.0	29	52.0	28	61.0	9	49.8	57.3	59	30	2	3	0.05	0.05	28	1	1	0	1	0	0	0	0	3	.0	2	0	8	1	2	4	8	0	6	13	14
V	882.0	879.9	44.7	66.0	66.0	38.6	52.3	80.0	7	26.0	31	46.0	29	52.0	20	39.7	49.8	66	36	3	3	0.14	0.10	22	3	1	0	0	0	0	0	0	0	2	3	0	7	0	0	0	11	1	17	10	14
VI	884.7	882.9	36.7	58.7	58.9	33.2	46.1	72.0	8	22.0	1	43.0	23	41.0	5	34.4	46.1	81	39	3	3	0.25	0.20	22	2	2	0	0	0	0	0	0	0	6	13	0	3	0	1	0	13	0	4	23	13
VII	883.1	881.2	37.4	57.1	58.9	33.8	46.3	78.0	25	23.0	19	43.0	9	50.0	26	35.5	46.6	85	47	3	2	0.55	0.25	9	7	4	0	2	0	0	5	0	0	3	12	0	5	0	1	0	13	0	4	25	12
VIII	884.0	882.0	41.4	64.6	65.9	35.0	50.5	78.1	25	26.0	8	45.0	5	44.0	29	37.9	51.3	74	41	2	1	0.08	0.08	5	1	1	0	0	0	0	2	1	0	3	10	0	9	0	2	0	10	0	12	12	12
IX	883.9	881.3	55.5	77.8	79.5	44.4	61.9	95.0	23	33.0	7	65.0	1	57.0	30	48.2	57.7	61	31	1	2	0.00	0.00	-	0	0	0	0	0	0	0	0	7	0	0	0	1	0	2	1	12	0	5	20	15
X	*879.5	878.0	55.4	71.3	73.0	44.1	58.5	89.0	24	35.0	19	56.0	4	57.0	1	48.4	54.0	*62	34	*3	3	0.00	0.00	-	0	0	0	0	0	0	0	1	1	0	0	0	4	0	4	0	21	2	5	13	13
XI	*879.4	877.1	67.5	83.6	85.5	52.1	68.8	96.0	30	36.0	17	64.0	17	69.0	30	52.5	57.6	*37	20	*1	3	0.00	0.00	-	0	0	0	0	0	0	0	0	15	0	0	1	5	0	4	0	10	2	12	15	8
XII	878.6	876.3	64.8	81.6	84.7	51.9	68.3	97.0	12	39.0	22	72.0	21	68.0	13	52.1	58.7	44	25	2	2	0.18	0.18	4	1	1	0	0	0	0	0	0	10	0	0	0	5	1	0	1	15	0	26	3	7
Year Year	881.5	879.4	55.6	74.4	76.1	46.2	61.1	101.0	-	22.0	-	43.0	-	73.0	-	47.8	55.5	61	32	2	3	2.23	0.50	-	20	15	1	15	0	0	7	2	81	14	40	4	66	4	41	14	153	13	124	146	133

* Measurements on / Observations at 0900 S.A.S.T.

No. 21/3389 VAN RYKSVLEI. ϕ = 30 21'S; λ = 21 49'E; Pm at/by 900 gdm. H = 3,150 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	910.0	907.0	79.1	94.3	96.8	66.3	81.5	102.8	28	56.8	1	86.4	31	76.7	18	63.3	66.9	43	24	2	4	0.75	0.70	6	2	2	1	5	0	0	0	0	31	0	0	13	2	18	13	7	0	9	2	6	0
II	909.0	906.4	81.3	97.2	99.0	69.4	84.2	107.4	9	58.6	1	84.0	1	80.6	20	65.1	67.4	42	22	3	4	0.20	0.18	28	2	1	0	4	0	0	0	1	27	0	0	16	2	12	13	5	1	2	4	11	2
III	912.0	909.7	68.0	85.0	87.3	60.8	74.1	96.0	11	47.0	19	72.4	19	73.5	12	59.8	64.2	63	32	2	4	2.11	1.30	6	5	5	2	7	0	0	0	0	22	0	0	5	5	7	19	1	0	9	4	9	3
IV	912.8	910.5	63.7	83.4	84.5	54.0	69.3	92.4	12	32.8	29	56.5	28	63.8	4	54.9	61.5	59	29	2	3	0.03	0.03	28	1	0	0	4	0	0	0	1	19	0	0	0	3	6	23	0	0	7	3	4	2
V	914.5	912.6	51.0	70.9	72.3	41.8	57.1	86.0	7	30.0	31	50.7	21	55.6	20	44.0	52.3	62	27	3	2	0.08	0.07	20	2	1	0	0	0	0	0	1	0	0	1	0	4	2	8	2	0	8	10	13	11
VI	917.8	915.4	42.7	64.2	65.3	34.5	49.9	75.2	2	24.4	26	49.4	24	46.4	9	38.2	49.6	68	35	3	3	0.09	0.09	23	1	1	0	0	0	0	0	0	0	1	10	0	2	3	8	0	1	5	12	12	13
VII	917.4	915.8	42.9	63.1	64.6	36.2	50.4	75.6	23	27.2	10	50.6	9	53.3	26	38.7	49.1	70	37	2	2	1.94	1.72	11	4	3	1	0	0	0	0	2	0	0	9	0	5	6	9	0	0	3	3	12	18
VIII	918.4	915.4	48.5	72.3	72.2	38.8	55.5	84.3	28	26.6	6	50.4	5	53.5	29	41.5	52.1	56	24	1	1	0.04	0.04	4	1	1	0	0	0	0	0	0	0	0	4	0	4	5	8	0	0	7	8	15	11
IX	916.7	914.0	63.9	84.5	85.6	47.9	66.7	96.6	29	33.4	2	69.4	1	63.6	20	50.7	58.5	40	19	2	4	0.00	0.00	-	0	0	0	0	0	0	0	0	16	0	0	0	2	4	9	0	0	8	5	8	18
X	912.8	909.7	64.5	79.4	81.4	47.9	64.7	96.8	24	37.2	20	61.6	4	55.8	1	51.5	56.7	41	23	3	3	0.00	0.00	-	0	0	0	0	0	0	0	1	10	0	0	0	3	4	14	2	1	11	7	8	8
XI	912.2	908.7	76.1	91.4	92.6	58.4	75.5	105.0	26	41.3	17	75.5	17	71.6	28	58.0	62.3	34	19	2	3	0.00	0.00	-	0	0	0	0	0	0	0	0	23	0	0	4	4	9	9	4	0	11	7	10	2
XII	910.9	908.2	74.6	90.6	92.6	59.3	75.9	104.8	12	48.6	22	80.5	4	76.0	1	58.3	64.1	39	23	2	2	0.39	0.32	4	3	2	0	0	0	0	0	0	23	0	0	2	3	5	5	3	3	16	7	4	10
Year Year	913.7	911.1	63.0	81.4	82.9	51.3	67.1	107.4	-	24.4	-	49.4	-	80.6	-	52.0	58.7	51	26	2	3	5.63	1.72	-	21	16	4	20	0	0	0	6	171	1	24	40	39	81	138	24	6	96	72	112	98

No. 21/3443a BEAUFORT WES/WEST (Lughaven/Airport). ϕ = 32 19'S; λ = 22 38'E; Pm at/by 900 gdm. H = 2,783 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft; h_s = 50 vt/ft.

I	912.9	909.7	69.1	88.3	90.9	60.4	75.7	102.7	25	53.2	5	75.4	7	71.5	30	59.0	64.1	57	26	4	4	0.70	0.68	31	2	1	1	1	0	0	0	0	23	0	0	4	69	200	166	114	61	31	15	6	82
II	910.7	907.4	72.8	92.0	95.1	65.4	80.3	107.4	10	56.6	1	75.7	1	80.4	23	63.2	66.5	60	26	5	5	0.47	0.32	25	2	2	0	4	1	0	1	0	22	0	0	7	30	119	85	129	83	50	28	17	131
III	914.2	911.3	64.4	80.9	83.4	58.7	71.1	94.4	1	44.0	19	66.1	18	70.0	27	58.2	63.7	70	39	4	5	1.18	0.49	10	3	3	2	3	0	0	0	0	12	0	0	3	38	48	124	126	18	78	78	22	214
IV	914.0	911.8	61.3	78.8	80.9	55.4	68.1	94.0	8	36.7	30	58.6	28	77.9	9	54.3	60.1	65	35	4	4	0.72	0.28	20	4	4	0	2	0	0	4	0	9	0	0	2	67	33	92	88	22	41	77	51	249
V	914.1	912.3	54.5	69.5	71.4	46.8	60.1	86.5	7	32.7	31	52.0	22	67.8	9	46.0	52.4	54	30	4	4	0.48	0.22	22	4	3	0	0	0	0	0	1	2	0	0	0	147	33	31	14	9	56	159	109	186
VI	917.2	915.4	46.1	61.8	63.9	41.2	52.5	73.9	19	29.0	2	46.7	24	60.4	18	40.5	49.3	63	41	4	5	0.69	0.57	21	2	2	1	1	1	0	0	0	0	2	4	0	71	24	16	22	35	62	125	146	171
VII	915.9	914.0	44.6	62.0	63.4	41.4	52.4	78.5	25	25.5	19	52.5	18	68.5	23	40.1	49.2	69	40	4	2	0.59	0.19	11	4	3	0	1	0	0	2	0	0	0	7	1	120	29	42	19	19	92	83	128	212
VIII	916.9	914.2	52.1	69.3	70.8	44.4	57.6	85.1	25	24.0	8	51.9	7	67.6	29	43.4	51.4	50	30	3	2	0.03	0.03	4	1	0	0	0	0	0	2	0	0	0	4	0	158	43	64	28	19	74	71	153	134
IX	917.3	913.9	58.5	77.4	79.6	48.0	63.8	98.5	29	34.1	8	66.7	7	64.2	30	49.4	56.1	54	25	5	3	0.00	0.00	-	0	0	0	0	0	0	1	0	8	0	0	0	21	44	149	94	36	108	54	47	167
X	913.5	910.3	57.2	73.8	75.8	49.4	62.6	94.4	24	38.0	20	63.4	19	67.0	1	49.1	53.6	57	25	4	7	0.15	0.13	3	2	1	0	0	0	0	0	0	2	0	0	0	20	125	124	37	70	131	51	10	80
XI	912.4	908.9	68.5	87.0	89.6	56.8	73.2	102.2	2	45.6	17	68.2	17	73.0	16	55.2	59.5	44	19	2	4	0.05	0.05	9	1	1	0	0	0	0	0	1	19	0	0	3	6	72	147	81	36	196	69	17	96
XII	911.4	907.9	66.1	85.7	88.0	56.7	72.3	103.8	15	45.3	22	68.8	22	66.2	1	54.2	59.0	47	19	2	2	0.16	0.16	4	1	1	0	0	0	0	0	0	19	0	0	0	1	52	119	69	53	296	62	2	90
Year Year	914.2	911.4	59.6	77.2	79.4	52.2	65.8	107.4	-	24.0	-	46.7	-	80.4	-	51.1	57.1	57	30	4	4	5.22	0.68	-	26	21	4	12	2	0	10	2	116	2	15	20	748	822	1159	819	461	1215	872	708	1812

1st and 2nd ORDER STATIONS - STASIES VAN DIE 1e en 2e ORDE.

Month	P_m Mean Pressure at Gem. Lugdruk by Gdm. 0830	1500	Air Temperature - Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	1500	x Max.	n Min.	(x+n)/2 Mean Gem.	Extremes Uiterstes Max.	Dat	Min.	Dat	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat	Min.	Dat	Wet-bulb Temperature. Natbol Temperatuur. °F. Means Gem. 0830	1500	Rel. Hum. Rel. Vogtigheid. U % 0830	1500	Mean Cloud Amt. Gem. Wolkshvlhd. N 0-10 0830	1500	Precipitation in inches Neerslag in duime. R Σ	Max. in 24h.	Dat.	Number of Days with Aantal Dae met: Precipn. Neerslag ≥.01	≥.04	≥.40	Thunder Donder	Hail-Hael	Snow Sneeu	Fog-Newel	Dust storm Stofstorm	Max. ≥86°F	Max. ≤50°F	Min. ≤32°F	Min. ≥68°F	Wind Frequency. Windfrekwensie. nD. N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 22/3461 VICTORIA WES/WEST.	ϕ = 31 24'S;		λ = 23 07'E;																							H = 4,164 vt/ft;											h_t = 4 vt/ft;					h_r = 4 vt/ft.			
I	-	-	69.6	86.3	88.6	58.5	73.5	96.0	14	48.0	5	75.0	31	70.0	29	60.9	69.9	62	45	2	3	1.07	0.76	8	5	5	1	-	-	-	-	-	23	0	0	2	6	3	11	6	13	4	12	3	4
II	-	-	72.1	88.5	91.0	62.7	76.9	100.0	9	53.0	2	75.0	2	75.0	20	61.4	67.5	56	35	3	4	0.95	0.37	26	6	6	0	-	-	-	-	-	23	0	0	4	5	4	15	6	6	1	14	5	0
III	-	-	61.4	77.6	79.0	54.6	66.8	89.0	1	40.0	19	59.0	11	65.0	15	55.8	62.8	72	45	3	4	3.16	1.29	6	7	7	2	-	-	-	-	-	2	0	0	0	3	6	13	3	11	2	19	5	0
IV	-	-	57.7	76.6	77.5	49.3	63.4	85.0	8	32.0	30	54.0	28	58.0	4	51.2	58.7	66	36	2	3	0.18	0.10	23	3	2	0	-	-	-	-	-	0	0	0	0	4	7	7	2	3	2	34	1	0
V	-	-	45.2	65.7	66.5	39.3	52.9	78.0	19	31.0	26	47.0	23	51.0	6	39.8	48.5	64	30	3	3	0.19	0.10	23	2	2	0	-	-	-	-	-	0	4	1	0	4	2	8	2	0	3	39	4	0
VI	-	-	36.7	58.2	58.5	33.1	45.8	68.0	4	24.0	26	42.0	24	43.0	9	33.1	43.9	71	31	3	2	0.15	0.15	21	1	1	0	-	-	-	-	-	0	3	16	0	8	3	6	1	2	1	35	4	0
VII	-	-	38.7	58.4	59.3	34.0	46.7	69.0	22	24.0	11	46.0	8	49.0	26	34.8	46.4	69	41	2	2	1.48	1.32	12	4	3	1	-	-	-	-	-	0	3	10	0	10	2	7	3	4	2	28	6	0
VIII	-	-	43.2	65.6	66.1	36.8	51.5	76.0	29	25.0	8	46.0	6	53.0	11	37.6	48.6	63	29	1	1	0.00	0.00	-	0	0	0	-	-	-	-	-	0	2	6	0	6	2	10	2	1	4	31	6	0
IX	-	-	55.8	77.9	78.7	46.0	62.3	88.0	29	34.0	7	66.0	7	70.0	29	47.0	59.2	54	35	3	3	0.00	0.00	-	0	0	0	-	-	-	-	-	4	0	0	1	4	0	9	2	7	2	34	2	0
X	-	-	56.7	73.7	74.6	45.8	60.2	88.0	24	34.0	20	59.0	19	58.0	1	47.2	52.7	51	23	2	3	0.15	0.10	4	2	2	0	-	-	-	-	-	2	0	0	0	1	3	14	2	10	4	21	7	0
XI	-	-	67.9	84.2	85.8	54.2	70.0	96.0	27	40.0	17	66.0	11	75.0	27	54.8	60.0	45	25	1	3	0.31	0.19	29	2	2	0	-	-	-	-	-	16	0	0	2	6	5	10	4	9	4	18	4	0
XII	-	-	67.1	83.2	85.2	55.3	70.3	95.0	11	41.0	22	67.0	22	70.0	4	55.1	62.4	49	32	2	2	1.01	0.91	5	2	2	1	-	-	-	-	-	14	0	0	1	3	6	9	2	16	4	18	4	0
Jaar Year	-	-	56.0	74.7	75.9	47.5	61.7	100.0	-	24.0	-	42.0	-	75.0	-	48.2	56.7	60	34	2	3	8.65	1.32	-	34	32	5	-	-	-	-	-	84	12	33	10	60	43	119	35	82	33	303	51	4
No. 22/3510M DE AAR.	ϕ = 30 39'S;		λ = 24 01'E;																			Pm at/by 1,200 gdm.											H = 4,079 vt/ft;				h_t = 4 vt/ft;					h_r = 4 vt/ft.			
I	880.0	877.3	71.4	85.9	88.8	60.0	74.4	96.9	14	52.0	5	66.7	31	70.0	18	60.2	63.7	54	32	3	5	1.10	0.39	6	8	8	0	5	0	0	0	0	24	0	0	1	6	4	7	17	2	2	10	9	5
II	879.1	876.6	74.6	88.7	91.3	63.8	77.5	101.1	10	53.0	3	70.0	2	73.2	9	62.4	65.1	53	29	2	5	0.48	0.19	21	6	4	0	4	0	0	0	0	23	0	0	6	13	2	4	8	3	5	6	9	6
III	881.9	879.7	63.4	77.3	79.9	55.4	67.7	89.8	1	41.0	19	65.4	19	63.1	15	56.1	59.7	65	37	3	5	1.63	0.44	10	10	6	2	10	0	0	0	0	3	0	0	0	10	4	4	14	2	1	8	11	8
IV	882.4	880.0	58.3	76.0	77.3	49.1	63.2	85.9	8	28.0	29	52.4	28	60.4	4	51.3	56.3	65	30	2	3	0.26	0.26	9	1	1	0	5	0	0	0	1	0	0	2	0	4	3	1	11	6	1	6	16	12
V	883.2	880.9	46.0	65.1	66.3	37.8	52.1	78.9	6	27.8	31	45.2	23	55.0	20	39.6	48.0	58	27	3	3	0.54	0.35	21	3	3	0	0	0	0	2	0	0	4	6	0	9	1	1	4	8	1	12	17	9
VI	886.1	883.8	37.0	58.0	59.0	30.6	44.8	67.8	5	21.2	26	42.0	25	40.0	9	32.6	44.8	66	36	3	3	0.16	0.13	21	2	1	0	0	0	0	2	1	0	2	21	0	5	0	1	1	11	3	5	21	13
VII	884.7	882.6	39.1	59.2	60.3	32.6	46.5	70.1	25	23.1	20	46.1	12	46.3	6	35.1	45.6	70	35	3	2	0.72	0.71	12	2	1	1	0	0	0	0	0	0	3	16	0	5	2	3	1	8	3	8	22	10
VIII	885.9	883.2	45.4	67.1	68.1	34.8	51.5	79.7	29	21.5	6	48.2	5	51.0	11	37.5	48.3	49	24	1	1	0.02	0.02	4	1	0	0	0	0	0	0	0	0	1	11	0	9	1	2	5	2	2	7	23	10
IX	884.6	881.8	58.5	78.9	80.3	44.9	62.6	91.4	30	30.4	2	68.4	2	62.8	29	46.4	54.2	41	18	2	3	0.00	0.00	-	0	0	0	0	0	0	0	0	7	0	1	0	3	2	1	6	11	3	8	15	11
X	880.2	877.4	58.8	74.6	76.5	46.1	61.3	89.3	28	32.6	20	59.6	19	59.2	25	48.0	52.2	46	19	4	5	0.17	0.16	3	2	1	0	3	0	0	0	0	3	0	0	0	3	0	3	14	5	5	11	12	9
XI	880.2	877.1	70.4	84.5	87.0	55.5	71.3	96.0	30	43.0	17	70.8	11	69.8	16	56.2	60.2	43	25	2	4	0.55	0.20	28	3	3	0	5	0	0	0	0	21	0	0	2	9	1	7	6	4	6	12	9	6
XII	878.6	876.2	70.1	83.0	85.9	56.5	71.2	96.3	15	43.8	22	69.5	22	72.2	4	54.4	57.0	37	19	3	4	0.36	0.33	4	3	1	0	0	0	0	0	0	17	0	0	3	5	2	2	5	9	6	16	11	6
Jaar Year	882.2	879.7	57.5	74.9	76.7	47.3	62.0	101.1	-	21.2	-	42.0	-	73.2	-	48.3	54.6	54	28	3	4	5.99	0.71	-	41	29	3	32	0	0	4	2	98	10	57	12	81	22	36	92	71	38	109	175	105

No. 22/3565 GRAAFF-REINET. ϕ = 32 16'S; λ = 24 32'E; Pm at/by 700 gdm. H = 2,442 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	935.0	931.9	71.4	87.4	91.6	59.1	75.3	106.0	14	52.0	9	73.8	31	75.0	30	62.5	68.4	61	38	5	4	1.54	0.90	31	5	4	2	0	0	0	2	0	21	0	0	2	0	12	0	44	0	3	0	2	0
II	932.8	929.4	74.8	90.9	94.0	65.7	79.9	110.0	8	57.9	1	74.0	2	78.0	23	65.8	71.1	63	38	6	6	1.06	0.50	2	4	4	2	2	0	0	2	1	22	0	0	10	0	15	0	32	0	6	0	1	1
III	935.7	933.4	68.1	83.3	86.0	58.8	72.4	98.0	25	44.9	20	69.9	18	71.9	28	60.6	66.6	65	43	4	5	1.79	0.96	6	5	4	2	3	0	0	1	0	16	0	0	1	0	7	0	40	0	5	0	2	2
IV	936.3	933.7	65.3	79.8	80.8	56.6	68.7	94.0	4	40.5	29	60.5	28	66.8	4	57.4	63.3	63	41	4	5	0.81	0.74	22	3	2	1	0	0	0	1	0	7	0	0	0	0	17	2	22	0	5	1	6	5
V	936.9	934.2	58.7	69.9	72.3	50.1	61.2	87.0	8	40.5	22	51.3	22	65.0	20	48.8	54.8	49	37	5	5	0.93	0.41	22	5	3	1	0	0	0	0	0	1	0	0	0	0	20	1	11	1	8	1	16	2
VI	940.5	938.4	50.8	63.3	64.1	44.2	54.1	74.0	5	36.8	26	47.5	25	54.0	19	43.5	50.5	57	41	5	5	1.00	0.86	21	2	2	1	0	0	0	1	2	0	2	0	0	0	19	0	10	0	9	0	19	2
VII	939.3	936.5	52.7	63.8	66.4	44.0	55.2	78.5	23	29.5	11	52.5	9	61.0	26	44.6	50.7	53	40	4	4	1.30	0.66	11	4	4	2	0	0	0	0	0	0	0	2	0	0	12	0	4	0	11	0	20	2
VIII	939.9	936.7	57.7	70.9	73.0	46.4	59.7	86.3	25	31.8	8	54.0	7	64.4	12	47.2	53.9	49	32	2	2	0.05	0.05	4	1	1	0	0	0	0	0	2	1	0	1	0	2	19	0	8	1	8	0	18	3
IX	939.7	936.2	62.8	78.6	81.7	51.9	66.8	98.0	29	40.5	8	71.0	7	66.7	20	53.1	59.7	54	32	5	5	0.00	0.00	-	0	0	0	0	0	0	0	2	9	0	0	0	2	13	5	12	2	8	3	10	1
X	935.7	931.8	62.4	76.8	78.2	49.4	63.8	95.0	23	41.0	11	65.5	19	62.0	1	54.1	59.2	59	35	6	6	0.30	0.20	3	4	3	0	0	0	0	0	1	5	0	0	0	0	12	2	19	4	13	2	8	0
XI	933.8	929.9	73.8	88.8	90.3	56.7	73.5	105.0	3	46.5	19	69.0	11	76.9	16	62.0	67.2	52	34	3	5	0.01	0.01	11	1	0	0	1	0	0	0	5	21	0	0	3	0	10	6	14	4	19	6	0	0
XII	933.0	929.1	71.7	87.0	88.7	56.7	72.7	105.5	15	45.2	22	72.0	22	72.6	13	64.6	73.9	70	55	4	4	0.12	0.12	4	1	1	0	0	0	0	0	3	15	0	0	1	1	13	2	19	4	16	0	1	2
Jaar Year	936.5	933.4	64.2	78.4	80.6	53.3	66.9	110.0	-	29.5	-	47.5	-	78.0	-	55.3	61.6	58	39	4	5	8.91	0.96	-	35	28	11	6	0	0	7	16	138	2	3	17	5	169	18	235	16	111	13	103	20

No. 22/3588 JANSENVILLE. ϕ = 32 56'S; λ = 24 40'E; Pm at/by 400 gdm. H = 1,470 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	970.7	967.7	71.7	87.9	91.4	59.8	75.6	109.5	29	53.0	2	76.0	31	82.0	15	62.1	65.9	59	30	5	4	0.89	0.60	31	5	3	1	3	0	0	0	1	18	0	0	3	0	0	0	54	0	5	1	1	0
II	968.0	964.6	73.1	91.4	93.5	65.9	79.7	111.0	7	58.0	1	74.0	12	77.0	20	66.4	70.9	71	37	5	5	1.18	0.79	21	6	5	1	5	0	0	0	0	21	0	0	7	0	1	0	43	4	6	1	1	0
III	971.6	969.2	67.2	84.0	85.4	60.0	72.7	99.0	13	48.0	20	68.5	19	68.0	1	61.6	65.5	73	37	5	5	1.61	0.84	6	3	3	2	3	0	0	1	0	15	0	0	0	1	5	0	33	4	11	2	5	0
IV	971.4	969.3	64.3	82.8	83.6	56.6	70.1	99.0	9	40.0	30	65.0	28	65.0	22	59.1	64.8	74	38	5	4	0.65	0.41	22	4	2	1	4	0	0	0	0	11	0	0	0	2	3	0	32	0	7	2	14	0
V	971.7	969.7	56.9	74.5	75.6	47.5	61.5	92.0	8	39.0	31	51.0	22	58.0	20	50.2	58.2	63	37	4	4	0.72	0.35	20	5	5	0	0	0	0	1	0	6	0	0	0	6	5	0	4	1	9	8	29	0
VI	975.5	973.4	50.7	66.2	69.2	41.8	55.5	87.0	6	32.0	17	52.0	25	50.0	21	45.0	54.0	65	45	4	5	0.33	0.32	21	2	1	0	0	0	0	0	0	1	0	0	0	0	1	0	5	1	5	3	45	0
VII	974.8	972.1	50.0	67.3	67.9	40.6	54.3	86.0	23	30.0	11	56.0	10	55.0	26	45.1	53.5	69	40	3	3	0.69	0.61	11	3	2	1	0	0	0	0	2	0	0	1	0	4	5	0	10	0	8	5	30	0
VIII	975.3	972.3	54.8	73.4	74.6	43.9	59.3	92.0	29	30.0	7	56.0	7	58.0	18	48.5	57.5	64	37	3	3	0.00	0.00	-	0	0	0	0	0	0	0	0	4	0	2	0	3	3	1	15	4	6	3	27	0
IX	975.2	971.8	61.8	79.9	82.3	52.5	67.4	104.0	29	39.0	7	68.0	13	65.0	20	54.4	61.4	62	34	6	4	0.00	0.00	-	0	0	0	0	0	0	0	0	11	0	0	0	4	3	2	27	8	3	3	10	0
X	971.4	968.7	61.6	76.4	78.3	50.8	64.5	94.0	24	38.0	22	61.0	3	60.0	25	55.1	60.3	67	39	5	5	0.37	0.13	2	6	3	0	3	0	0	0	0	5	0	0	0	0	3	3	32	4	13	2	5	0
XI	969.7	965.6	71.0	89.4	91.8	56.9	74.3	109.0	27	46.0	12	67.0	11	72.0	30	60.3	65.5	54	27	2	3	0.00	0.00	-	0	0	0	2	0	0	0	0	22	0	0	1	0	4	2	30	6	4	7	6	0
XII	968.3	964.8	70.6	87.7	89.9	57.7	73.8	108.2	15	45.0	23	71.0	22	68.0	13	60.7	65.4	57	29	3	3	0.33	0.33	4	1	1	0	2	0	0	0	0	20	0	0	0	0	1	2	27	4	15	4	9	0
Jaar Year	972.0	969.1	62.8	80.1	82.0	52.8	67.4	111.0	-	30.0	-	51.0	-	62.0	-	55.7	61.9	65	36	4	4	6.77	0.84	-	35	25	6	22	0	0	2	3	134	0	3	11	20	34	10	312	36	92	41	182	0

No. 22/3624 GROOTPONTEIN. ϕ = 31 27'S; λ = 24 58'E; Pm at/by 1,200 gdm. H = 4,144 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	881.8	(878.6)	67.7	82.6	85.5	53.1	69.3	95.2	3	44.1	9	68.4	7	67.6	30	58.3	62.0	59	(31)	3	(5)	3.33	1.50	26	6	5	3	-	1	0	0	0	18	0	0	0	(0	0	2	10	5	0	4	5	27)
II	880.8	(877.6)	70.8	86.2	89.0	57.6	73.3	100.9	8	49.0	25	62.6	2	72.6	11	62.1	64.8	63	(32)	4	(5)	1.01	0.38	28	9	7	0	-	1	0	0	0	21	0	0	2	(1	0	2	2	7	0	2	12	22)
III	883.4	(880.8)	61.0	76.7	78.2	50.4	64.3	88.0	13	36.4	20	59.0	19	60.1	29	56.7	61.4	78	(43)	3	(5)	3.75	0.99	7	8	8	4	-	0	0	0	0	3	0	0	0	(0	0	0	2	4	1	7	12	26)
IV	883.6	(880.6)	57.4	75.1	76.5	43.0	59.7	86.0	20	26.0	30	54.6	28	57.0	4	52.3	57.9	73	(37)	3	(3)	0.91	0.50	9	6	6	1	-	0	0	1	0	0	0	4	0	(0	0	0	1	0	1	9	10	29)
V	883.7	(881.0)	48.5	64.7	66.7	35.5	51.1	78.1	9	24.1	28	43.6	22	53.0	20	42.4	49.7	63	(35)	4	(3)	0.45	0.26	20	4	3	0	-	0	0	0	0	0	2	9	0	(0	0	0	0	0	2	11	16	21)
VI	886.3	(884.2)	39.3	58.5	59.4	29.0	44.2	67.6	5	17.4	13	41.1	24	43.2	21	35.6	46.4	73	(41)	3	(5)	0.39	0.34	21	2	2	0	-	0	1	0	0	0	3	19	0	(0	0	0	0	1	4	3	19	24)
VII	885.4	(883.7)	40.6	59.8	60.9	30.4	45.7	70.4	22	14.0	19	46.9	8	45.9	26	36.5	46.7	70	(38)	2	(2)	0.37	0.23	12	3	2	0	-	0	0	0	0	0	3	15	0	(0	0	0	0	0	3	2	24	24)
VIII	886.3	(884.2)	47.8	68.8	68.7	35.0	51.9	79.0	25	12.9	8	47.9	7	50.9	18	41.5	53.0	61	(36)	2	(1)	0.00	0.00	-	0	0	0	-	0	0	0	0	0	1	13	0	(1	0	0	3	1	2	4	20	20)
IX	885.6	(882.9)	58.5	78.8	79.8	38.6	59.2	98.9	30	23.0	8	65.4	9	58.2	29	50.6	60.0	60	(35)	3	(4)	0.00	0.00	-	0	0	0	-	0	0	0	0	6	0	5	0	(0	0	0	2	0	3	3	9	33)
X	880.8	(877.6)	57.0	72.6	74.4	42.3	58.3	89.1	28	24.0	20	57.5	19	59.3	25	50.5	55.1	65	(34)	4	(4)	0.62	0.33	4	4	4	0	-	0	0	0	0	4	0	3	0	(5	0	0	6	6	4	6	5	21)
XI	880.6	(877.3)	69.0	85.8	86.7	48.5	67.6	95.1	3	36.6	18	71.9	17	71.3	16	56.8	62.6	49	(28)	2	(4)	0.37	0.34	11	2	1	0	-	0	0	0	0	20	0	0	1	(8	0	0	5	1	3	4	9	19)
XII	879.4	(877.1)	68.0	83.2	85.3	49.6	67.5	96.6	19	36.1	6	65.0	22	63.4	13	56.3	59.4	50	(25)	3	(4)	0.43	0.25	1	3	3	0	-	0	0	0	0	15	0	0	0	(1	0	1	0	2	7	9	6	21)
Jaar Year	883.1	(880.5)	57.1	74.4	75.9	42.7	59.3	100.9	-	12.9	-	41.1	-	72.6	-	50.0	56.6	64	(35)	3	(4)	11.63	1.50	-	47	41	8	-	2	1	1	0	87	9	68	3	(16	0	5	31	27	30	64	147	287)

1st and 2nd ORDER STATIONS – STASIES VAN DIE 1e en 2e ORDE.

	P_m Mean Pressure at Gen. Lugdruk by Gdm. 0830	1500	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	1500	x Max.	n Min.	Mn. 2 Mean Gen.	Extremes Uiterstes Max.	Dat	Min.	Dat	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat	Min.	Dat	Wet-bulb Temperature. Natbol Temperatuur. °F. Means Gem. 0830	1500	Rel. Hum. Rel. Vochtigheid. U % 0830	1500	Mean Cloud Amt. Gem. Wolkehvlhd. N 0-10 0830	1500	Precipitation in inches Neerslag in duims. R M	Max. in 24h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ .01	≥ .04	≥ .40	Thunder Donder	Hail-Hagel	Snow Sneeuw	Fog-Mist	Frost Vorsting	Max. ≥ 86°F	Max ≤ 32°F	Min ≤ 32°F	Min ≤ 68°F	Wind Frequency. Windfrekwensie. nD. N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 23/3722 SOMERSET OOS/EAST.																																																
I	935.4	-	68.9	82.5	86.2	55.4	70.8	104.5	29	44.4	12	67.8	27	71.2	15	60.9	65.5	64	41	5	6	3.22	1.74	31	9	8	1	3	0	0	1	1	17	0	0	2	0	0	0	38	0	6	2	11	5
II	933.3	-	71.2	84.9	88.1	62.9	75.5	108.6	10	55.5	1	64.8	12	73.8	23	64.7	68.8	72	46	6	6	1.46	0.56	21	8	8	1	5	0	0	2	0	16	0	0	3	0	0	0	35	0	3	0	9	9
III	936.7	-	66.1	79.7	82.2	57.5	69.9	95.6	25	44.8	20	63.6	19	71.6	28	60.1	64.4	72	45	5	6	1.03	0.33	11	9	8	0	5	0	0	2	0	14	0	0	1	0	0	2	27	1	17	5	7	3
IV	936.0	-	63.7	79.4	81.3	56.9	69.1	99.8	9	42.2	30	58.3	28	78.4	9	57.2	62.8	69	41	4	3	1.08	0.50	22	5	5	1	3	0	0	1	0	10	0	0	2	0	0	0	20	0	16	0	14	10
V	936.0	-	58.5	70.9	73.9	49.2	61.5	90.4	8	38.0	31	56.4	24	66.5	20	49.6	55.8	55	40	5	5	1.94	0.81	23	6	6	2	2	1	0	1	1	5	0	0	0	0	0	0	3	0	10	6	39	4
VI	939.3	-	51.4	63.4	65.3	44.1	54.7	75.4	5	35.5	3	46.6	24	59.8	18	44.1	51.4	57	45	5	6	0.38	0.27	22	3	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	4	4	45	7
VII	938.1	-	51.7	65.7	67.5	43.5	55.5	79.8	23	30.2	19	52.2	10	62.2	26	44.4	51.6	58	38	4	4	0.53	0.48	26	2	2	1	0	0	0	0	0	0	0	2	0	0	0	0	1	0	7	1	41	12
VIII	939.1	-	56.1	71.6	72.2	45.0	58.6	88.4	29	30.2	8	51.2	7	67.8	11	47.2	54.5	53	33	3	3	0.26	0.26	5	1	1	0	1	1	1	1	0	2	0	2	0	0	1	0	8	0	7	0	36	5
IX	939.4	-	61.0	77.1	78.9	50.4	64.7	99.8	29	38.2	8	62.2	13	64.2	29	53.3	59.7	61	37	5	5	0.19	0.06	23	4	4	0	0	0	0	2	0	9	0	0	0	0	0	0	21	0	4	0	19	16
X	935.3	-	59.9	71.3	74.3	49.7	62.0	91.8	18	37.8	20	56.4	2	59.8	28	53.2	60.2	66	54	7	6	1.18	0.35	2	10	7	0	4	0	0	2	0	4	0	0	0	1	0	1	22	0	1	5	19	9
XI	933.7	-	71.8	83.9	88.0	56.8	72.4	103.2	27	44.6	18	71.6	17	69.2	16	58.7	61.6	47	29	3	4	0.73	0.65	11	3	3	1	3	0	0	1	0	18	0	0	3	0	0	0	29	0	1	2	21	3
XII	933.1	-	68.6	81.5	85.0	56.9	70.9	104.4	15	43.4	23	63.8	21	68.4	13	57.4	60.3	52	29	5	4	1.27	0.42	26	7	5	1	3	0	0	0	2	16	0	0	1	0	0	0	27	0	14	5	7	8
Jaar Year	936.3	-	62.4	76.0	78.6	52.4	65.5	108.6	-	30.2	-	46.6	-	78.4	-	54.2	59.7	61	40	5	5	13.27	1.74	-	67	59	8	29	2	1	13	4	111	1	4	11	1	1	3	231	1	90	30	268	91

ϕ = 32 44'S; λ = 25 35'E; Pm at/by 700 gdm. H = 2,514 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

No. 23/3731 GRADOCK.																																																
I	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.49	0.63	30	5	5	2	2	0	0	0	0	-	-	-	-	4	0	20	14	18	0	3	2	0
II	912.2	909.0	72.1	87.5	89.9	61.4	75.7	105.2	10	54.0	3	66.2	2	70.0	9	64.3	69.0	67	41	4	6	1.76	0.81	28	5	5	1	8	0	0	0	0	22	0	0	2	8	0	4	15	11	4	10	4	0
III	915.2	912.4	63.6	78.7	80.5	54.5	67.5	92.2	1	41.0	20	62.0	19	65.2	7	59.0	63.4	77	44	4	5	2.06	0.44	11	8	8	2	4	1	0	0	0	7	0	0	0	16	0	3	15	4	3	11	10	0
IV	915.7	912.2	58.7	78.6	81.5	49.4	65.5	98.0	15	37.2	30	58.2	28	61.0	9	54.2	60.4	76	37	4	4	0.63	0.31	22	6	4	0	5	0	0	0	0	11	0	0	0	32	0	1	2	8	2	8	7	0
V	916.1	912.7	48.4	69.4	70.7	39.7	55.2	83.0	8	32.2	31	50.0	22	52.4	20	43.1	54.2	66	37	5	5	0.83	0.46	20	6	5	1	0	0	0	1	0	0	0	0	0	24	0	0	0	5	0	14	18	0
VI	920.3	918.2	41.6	63.1	63.7	33.5	48.6	73.0	5	26.2	3	46.0	25	49.2	21	37.3	49.8	68	40	5	5	0.12	0.10	21	2	1	0	0	0	0	0	0	0	2	11	0	16	0	0	2	2	0	13	27	0
VII	918.2	915.1	42.5	64.0	65.4	33.7	49.5	76.6	23	24.8	11	52.0	10	46.6	27	37.8	50.5	66	40	3	3	0.20	0.16	26	3	1	0	0	0	0	0	0	0	0	13	0	7	0	0	4	1	0	7	43	0
VIII	920.3	915.5	49.4	71.4	71.5	37.7	54.6	84.4	25	26.0	8	52.0	7	52.0	18	42.7	54.2	58	33	2	2	0.01	0.01	4	1	0	0	0	0	0	0	0	0	0	6	0	19	0	0	6	1	1	9	26	0
IX	918.7	914.2	57.6	78.7	81.4	45.1	63.3	97.0	30	33.6	9	70.6	16	58.0	25	50.2	59.0	61	31	5	5	0.00	0.00	-	0	0	0	0	0	0	3	0	9	0	0	0	19	0	0	14	5	2	6	13	0
X	913.8	910.9	59.4	73.2	75.2	47.6	61.4	91.2	24	31.4	21	61.0	19	56.0	1	52.0	56.0	62	34	7	5	1.02	0.48	4	3	3	1	1	0	0	0	0	3	0	1	0	1	0	0	20	14	3	13	11	0
XI	913.1	908.9	69.0	85.2	87.1	53.3	70.2	102.2	27	41.4	21	70.2	11	67.0	10	58.2	62.0	54	27	3	5	0.13	0.09	3	3	2	0	1	0	0	0	0	19	0	0	0	1	0	0	9	13	3	11	23	0
XII	911.5	907.9	68.6	83.6	87.4	52.5	69.9	102.0	15	42.0	22	69.0	5	68.0	13	57.9	62.2	54	32	4	4	0.31	0.31	4	1	1	0	1	0	0	0	0	18	0	0	0	5	0	0	26	12	1	12	6	0
Jaar Year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.56	0.81	-	43	35	7	22	1	0	4	0	-	-	-	-	152	0	28	127	94	19	117	190	0

ϕ = 32 10'S; λ = 25 38'E; Pm at/by 900 gdm. H = 2,860 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

No. 23/3801 BETHULIE. ϕ = 30 30'S; λ = 25 58'E; Pm at/by 1,200 gdm. H = 4,218 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	880.2	877.1	72.1	85.7	88.4	57.5	72.9	96.0	15	47.0	9	74.0	7	68.0	18	61.3	63.8	56	31	3	5	2.07	1.15	28	9	5	1	9	1	0	0	0	22	0	0	0	14	3	6	5	9	4	13	7	1
II	879.7	876.7	74.0	86.5	89.7	61.4	75.5	99.0	9	56.0	3	63.0	2	71.0	11	63.2	66.1	57	36	3	6	1.03	0.32	12	9	7	0	7	0	0	0	0	22	0	0	1	12	6	5	6	2	5	5	11	4
III	882.0	879.5	64.3	77.9	80.4	54.2	69.3	93.0	10	40.0	19	68.0	19	62.0	6	58.2	61.9	71	42	4	6	1.76	0.47	10	10	8	2	13	0	0	0	0	3	0	0	0	9	15	6	3	6	2	4	10	7
IV	882.5	880.0	58.2	75.1	77.4	47.8	62.6	86.0	8	31.0	30	53.0	28	55.0	10	52.7	59.1	74	40	2	4	2.09	0.72	24	7	5	3	6	0	0	1	0	0	0	2	0	5	8	4	1	5	7	2	13	14
V	883.1	881.7	46.0	65.1	66.7	36.2	51.5	79.0	3	27.0	31	43.0	22	46.0	20	40.7	51.5	65	40	3	4	0.65	0.23	23	6	5	0	1	0	0	0	0	0	3	3	0	9	2	1	1	3	6	11	15	13
VI	886.1	884.3	38.1	59.9	60.9	29.7	45.8	68.0	4	23.0	1	44.0	24	39.0	23	34.0	47.3	69	40	2	4	0.16	0.09	21	3	2	0	0	0	0	0	0	0	2	21	0	9	1	2	1	5	5	16	16	5
VII	885.6	882.1	40.8	61.9	63.4	30.6	47.0	72.0	22	18.0	10	49.0	8	43.0	7	36.2	48.4	67	56	2	2	0.30	0.27	12	3	1	0	0	0	0	0	0	0	1	16	0	19	5	1	0	3	3	3	24	4
VIII	886.1	883.8	48.1	69.0	70.2	36.1	53.1	81.0	23	22.0	8	51.0	5	54.0	29	40.2	51.6	52	31	1	1	0.06	0.06	4	1	1	0	0	0	0	0	0	0	0	11	0	9	2	2	4	1	5	11	20	8
IX	884.8	882.0	62.9	81.1	82.5	45.1	63.8	91.0	29	31.0	8	71.0	2	65.0	25	50.4	57.8	43	24	2	4	0.00	0.00	-	0	0	0	0	0	0	0	0	7	0	1	0	9	1	3	1	3	5	26	11	1
X	880.2	877.8	63.2	76.3	78.1	46.2	62.1	90.0	27	33.0	20	61.0	5	62.0	25	52.3	56.2	50	29	5	5	0.89	0.46	4	4	3	1	0	0	0	0	0	4	0	0	0	2	2	8	5	10	8	16	7	4
XI	880.3	877.1	71.3	84.8	87.0	54.5	70.7	95.0	3	43.0	18	72.0	11	67.0	16	57.7	61.0	46	26	3	5	1.39	0.82	11	5	5	1	4	0	0	0	0	20	0	0	0	8	3	5	1	7	9	7	17	1
XII	878.4	875.9	71.7	83.1	86.9	55.7	71.3	98.0	19	42.0	22	71.0	22	73.0	16	59.0	60.7	49	29	2	4	0.73	0.36	1	4	3	0	4	0	0	0	0	17	0	0	2	3	2	6	3	8	10	19	11	0
Jaar Year	882.4	879.8	59.2	75.5	77.6	46.3	61.9	99.0	-	18.0	-	43.0	-	73.0	-	50.5	57.1	58	35	3	4	11.15	1.15	-	61	45	8	44	1	0	1	0	95	6	54	3	108	50	49	31	62	69	133	162	62

No. 23/3968 LOVEDALE. ϕ = 32 46'S; λ = 26 51'E; Pm at/by 500 gdm. H = 1,760 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	959.2	956.9	69.1	82.8	88.8	57.7	73.3	110.0	29	49.0	12	67.0	7	71.0	30	61.9	66.9	68	44	5	5	2.30	1.22	31	8	8	1	1	0	0	0	0	18	0	0	2	1	3	6	35	9	3	1	1	3
II	957.0	953.4	70.3	87.4	91.7	63.4	77.5	114.5	10	57.0	1	65.0	12	70.0	19	66.1	72.6	81	50	5	5	1.04	0.36	28	10	4	0	5	0	0	2	0	21	0	0	2	0	0	2	33	2	0	6	2	11
III	959.9	958.2	63.8	80.7	84.6	57.1	70.9	100.0	28	43.0	20	66.0	3	68.0	7	60.5	68.0	84	52	4	5	1.05	0.32	11	10	6	0	7	0	0	2	0	16	0	0	0	0	0	3	17	3	3	11	6	19
IV	959.9	957.5	60.4	82.3	84.8	54.2	69.5	103.0	9	44.0	26	63.0	23	65.0	10	56.0	65.1	78	40	4	3	0.44	0.28	22	6	3	0	3	0	0	2	0	13	0	0	0	4	2	3	15	4	0	12	5	15
V	959.6	957.8	53.2	74.4	76.7	47.6	62.1	93.0	9	38.0	22	55.0	21	61.0	20	47.4	57.0	66	34	3	4	0.66	0.35	23	6	6	0	0	0	0	0	0	8	0	0	0	1	0	0	8	1	1	13	20	18
VI	963.2	961.2	47.6	66.3	68.7	42.6	55.7	80.0	5	31.0	2	47.0	25	57.0	20	42.0	52.7	63	39	4	4	0.54	0.15	21	7	5	0	0	0	0	0	0	0	1	1	0	3	1	0	7	1	6	23	7	12
VII	962.9	959.4	48.5	68.9	71.4	43.3	57.3	87.0	23	30.0	4	54.0	9	61.0	26	42.4	53.6	61	36	2	2	0.47	0.45	26	2	1	0	0	0	0	0	0	1	0	4	0	3	1	1	6	1	7	17	14	12
VIII	963.6	961.3	51.9	74.1	76.4	46.2	61.3	93.0	29	29.0	8	58.0	7	69.0	11	45.6	57.6	62	36	2	2	0.15	0.15	4	1	1	0	0	0	0	2	0	8	0	1	1	1	0	0	11	3	3	13	14	17
IX	963.4	960.6	58.1	79.0	82.0	49.8	65.9	106.0	29	38.0	7	70.0	9	62.0	29	53.2	62.9	74	41	4	4	0.06	0.04	4	3	1	0	0	0	0	0	0	9	0	0	0	1	0	0	21	6	3	9	9	11
X	960.0	957.8	59.6	72.4	76.6	51.3	63.9	91.0	25	37.0	20	60.0	2	61.0	30	54.8	60.4	75	50	6	8	1.64	0.49	4	12	10	2	3	0	0	0	0	5	0	0	0	0	0	3	30	2	7	13	2	5
XI	957.9	955.5	70.5	84.8	90.8	56.6	73.7	108.0	27	47.0	12	73.0	11	76.0	10	60.8	67.5	58	41	3	3	0.24	0.19	10	5	1	0	6	0	0	0	1	19	0	0	3	1	0	2	28	6	8	10	3	1
XII	956.5	954.5	68.9	83.5	87.3	56.8	72.1	108.0	15	45.0	28	62.0	21	68.0	13	59.5	63.8	59	34	4	4	1.25	0.55	4	8	6	1	2	0	0	0	0	21	0	0	0	0	0	3	33	4	18	1	1	2
Jaar Year	960.3	957.8	60.2	78.1	81.7	52.2	66.9	114.5	-	29.0	-	47.0	-	76.0	-	54.2	62.3	69	41	4	4	9.84	1.22	-	78	52	4	27	0	0	8	1	139	1	6	8	15	7	23	244	42	59	129	84	126

No. 23/3970 QUEENSTOWN (Vliegskool/Air School). ϕ = 31 54'S; λ = 26 52'E; Pm at/by 1,100 gdm. H = 3,533 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	891.7	888.9	65.1	80.4	83.5	56.7	70.1	96.4	3	48.5	6	63.4	27	69.9	15	58.6	62.7	70	39	5	5	2.30	0.99	6	7	7	2	5	0	0	0	0	16	0	0	1	0	1	12	14	9	6	5	3	12
II	890.5	887.8	68.9	83.2	86.4	61.6	74.0	102.1	10	53.4	3	59.3	2	80.4	11	62.3	66.2	70	43	5	5	2.64	0.98	27	8	7	2	7	0	0	2	0	17	0	0	2	0	0	17	9	0	3	5	3	19
III	893.1	890.7	61.5	74.8	76.5	55.0	65.7	87.0	1	42.4	19	56.8	3	64.9	7	57.7	61.1	81	48	5	4	3.05	1.12	2	10	7	3	6	0	0	4	0	1	0	0	0	0	0	12	4	5	3	8	8	22
IV	893.2	890.6	57.8	74.4	75.8	51.1	63.5	86.6	9	35.2	30	57.8	28	58.4	2	53.8	59.7	79	44	5	4	1.29	0.53	10	3	3	2	4	0	0	5	0	2	0	0	0	1	3	7	1	3	3	5	11	26
V	894.7	892.0	50.8	67.5	68.8	42.6	55.7	82.3	5	32.1	31	49.4	21	54.3	20	44.3	51.7	62	35	4	4	0.15	0.10	11	2	2	0	0	0	0	1	0	0	1	0	0	2	0	3	0	2	2	13	25	15
VI	895.5	893.2	45.3	60.5	61.6	38.3	49.9	68.5	17	26.3	2	42.2	25	54.4	20	38.9	47.3	57	38	4	5	0.31	0.08	22	5	4	0	0	1	2	0	0	0	2	7	0	0	2	1	1	3	3	16	20	14
VII	895.0	892.7	47.3	63.2	64.4	39.7	52.1	73.2	25	23.9	21	49.5	10	57.9	6	39.7	48.0	54	34	3	2	0.24	0.24	26	1	1	0	0	0	0	0	0	0	1	5	0	2	0	5	1	2	4	13	23	12
VIII	896.2	893.4	51.8	68.7	70.0	44.4	57.2	82.1	25	27.3	8	48.6	7	62.9	4	43.8	51.0	54	30	3	2	0.04	0.02	4	2	0	0	0	0	0	4	0	0	1	2	0	1	0	5	4	1	3	8	24	16
IX	895.7	892.5	58.4	76.9	78.5	47.1	62.8	93.5	29	34.1	7	64.2	9	55.9	21	50.7	56.9	61	30	4	4	0.00	0.00	-	0	0	0	0	0	0	2	0	8	0	0	0	0	0	11	8	4	10	5	8	14
X	891.5	888.9	57.1	69.3	71.7	48.9	60.3	90.1	25	34.6	22	56.2	3	74.5	1	51.0	55.2	68	42	7	6	1.76	0.91	5	4	2	2	2	0	0	0	0	5	0	0	1	0	3	14	11	3	9	9	4	12
XI	891.0	887.4	47.3	62.7	65.9	53.7	69.8	98.4	3	44.2	13	70.0	11	66.8	28	57.4	61.5	57	31	3	5	0.13	0.10	11	2	1	0	5	0	0	0	0	16	0	0	0	0	1	7	8	3	6	13	10	12
XII	889.0	886.4	65.8	79.7	83.4	54.1	68.7	99.9	19	40.2	23	62.4	5	71.3	17	55.9	58.8	56	29	4	4	2.40	1.37	4	3	3	3	4	0	0	0	0	13	0	0	1	0	1	12	5	4	7	13	6	14
Jaar Year	893.1	890.4	58.1	73.4	75.5	49.4	62.5	102.1	-	23.9	-	42.2	-	80.4	-	51.2	56.7	64	37	4	4	14.31	1.37	-	47	37	14	33	1	2	18	0	78	5	14	5	6	11	106	66	39	59	113	145	188

1st and 2nd ORDER STATIONS – STASIES VAN DIE 1e en 2e ORDE.

	P_n Mean Pressure at Gem. Lugdruk by Gdm.		Air Temperature – lugtemperatuur in °F. Means Gemiddeldes T_m					Extremes Uiterstes				Lowest Max. Laagste Maks. Highest Min. Hoogste Min.				Wet-bulb Temperature. Natbol Temperatuur. °F. Means Gem.		Rel. Hum. Rel. Vogtigheid. U %		Mean Cloud Amt. Gem. Wolkehvlhd. N 0-10		Precipitation in inches Neerslag in duime. R			Number of Days with Aantal Dae met												Wind Frequency. Windfrekwensie. nD.								
																									Precipn. Neerslag ≥ .01	≥ .04	≥ 4.0	Thunder Donder	Hail-Hagel	Snow Sneeuw	Fog-Nevel	Thunderstorm Donderstorm	Max. ≥ 86°F	Max ≤ 32°F	Min ≤ 32°F	Min ≤ 68°F											
	0830	1500	0830	1500	x Max.	n Min.	Xtn 2 Mean Gem.	Max.	Dat	Min.	Dat	Max.	Dat	Min.	Dat	0830	1500	0830	1500	0830	1500	M	Max. in 24h.	Dat.													N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 24/40638			DOHNE.													ϕ = 32 32'S;				λ = 27 28'E;												H = 3,040 vt/ft;							h_t = 4 vt/ft;						h_r = 4 vt/ft.		
I	-	-	67.1	71.8	79.3	53.3	66.3	98.0	29	40.0	27	65.0	7	62.0	26	59.6	62.1	66	59	5	5	4.06	1.28	31	10	8	3	-	-	-	-	-	6	0	0	0	0	0	6	1	24	1	6	0	24
II	-	-	71.0	76.1	82.9	60.1	71.5	104.0	10	44.0	18	60.0	12	70.0	23	62.5	65.3	64	58	4	5	2.87	1.04	26	9	9	2	-	-	-	-	-	11	0	0	3	1	0	4	1	18	1	11	1	19
III	-	-	65.9	69.5	77.2	54.1	65.7	90.0	20	44.0	19	60.0	3	61.0	7	61.1	63.2	77	72	3	5	2.53	0.57	11	10	8	2	-	-	-	-	-	1	0	0	0	0	1	4	0	15	2	13	4	23
IV	-	-	65.9	72.6	79.1	53.7	66.4	95.0	7	42.0	30	61.0	23	64.0	4	57.0	60.2	60	49	3	3	0.75	0.21	22	6	6	0	-	-	-	-	-	7	0	0	0	5	1	6	0	2	2	20	4	17
V	-	-	60.6	67.3	72.9	49.0	60.9	86.0	5	39.0	22	54.0	21	63.0	8	51.3	54.1	54	44	3	3	0.61	0.25	11	4	4	0	-	-	-	-	-	0	0	0	0	1	0	0	0	1	4	29	8	17
VI	-	-	54.3	61.7	65.7	44.2	54.9	75.0	16	28.0	25	47.0	25	53.0	23	45.8	48.9	52	39	3	3	0.28	0.18	11	3	3	0	-	-	-	-	-	0	1	1	0	1	1	0	0	1	0	40	1	14
VII	-	-	54.4	64.0	66.7	42.7	54.7	77.0	26	32.0	11	45.0	10	59.0	26	44.8	48.4	48	32	1	2	0.34	0.34	26	1	1	0	-	-	-	-	-	0	1	0	0	0	1	0	0	0	0	48	0	13
VIII	-	-	58.7	66.4	71.1	44.0	57.5	85.0	25	32.0	5	50.0	7	62.0	11	47.8	50.0	46	31	1	1	0.26	0.20	4	2	2	0	-	-	-	-	-	0	0	0	0	0	0	0	0	2	2	46	1	7
IX	-	-	62.8	72.6	76.3	49.0	62.7	95.0	20	39.0	7	66.0	7	68.0	20	53.4	56.5	55	(37)	4	(4)	0.93	0.35	23	7	6	0	-	-	-	-	-	4	0	0	0	0	1	4	0	10	2	13	3	14
X	-	-	58.8	61.3	69.9	47.8	58.9	96.0	1	39.0	22	55.0	3	54.0	18	52.8	54.4	68	66	5	6	3.90	1.57	3	10	7	3	-	-	-	-	-	1	0	0	0	1	0	16	0	9	3	19	1	3
XI	-	-	68.9	76.9	82.6	52.9	67.7	99.0	27	42.0	13	69.5	18	69.0	10	57.3	62.9	51	47	3	4	0.36	0.16	5	3	3	0	-	-	-	-	-	9	0	0	1	9	3	5	2	13	7	13	2	0
XII	-	-	65.8	72.8	78.9	52.7	65.8	94.0	16	43.0	28	57.8	27	60.0	13	59.1	63.4	69	60	3	4	2.58	1.06	4	6	6	3	-	-	-	-	-	4	0	0	0	5	1	6	4	4	12	17	3	0
Jaar Year	-	-	62.9	69.4	75.2	50.3	62.7	104.0	-	28.0	-	45.0	-	70.0	-	54.4	57.5	59	(49)	3	(4)	19.47	1.57	-	71	63	13	-	-	-	-	-	43	2	1	4	23	9	51	8	99	36	275	28	151
No. 24/40838			BARKLY OOS/EAST.													ϕ = 30 58'S;				λ = 27 36'E;					Pa at/by 1,700 gdm.								H = 5,830 vt/ft;							h_t = 4 vt/ft;						h_r = 4 vt/ft.		
I	829.4	827.4	64.4	77.1	81.2	48.0	64.6	90.4	15	39.7	10	64.5	7	56.9	30	55.4	58.9	58	35	3	5	2.38	0.97	26	7	7	3	8	1	0	0	0	7	0	0	0	0	0	0	23	1	1	2	26	7
II	829.6	827.5	65.9	79.1	81.5	52.3	66.9	92.2	9	43.1	18	55.0	2	58.8	28	58.3	62.0	66	41	3	5	4.33	1.10	21	13	11	4	9	0	0	0	0	9	0	0	0	3	0	0	14	0	1	0	27	10
III	831.0	829.0	66.7	68.6	71.7	46.3	59.0	77.2	1	32.3	19	56.3	19	57.5	7	52.6	57.4	79	53	5	6	5.49	1.44	6	16	13	4	11	1	0	0	0	0	0	0	0	2	1	0	21	0	0	0	29	8
IV	831.3	829.3	50.4	66.6	68.9	38.1	53.5	77.3	9	22.3	30	45.2	28	46.1	18	46.5	52.7	77	61	2	4	0.95	0.61	10	4	4	1	5	0	0	3	0	0	1	2	0	0	1	1	19	0	0	0	27	12
V	831.0	829.3	41.8	57.5	60.1	30.6	45.3	72.3	3	19.0	31	37.6	22	47.0	21	36.9	44.9	66	39	3	3	1.75	0.72	21	6	5	2	0	0	3	0	0	0	4	22	0	1	0	0	15	0	0	0	40	6
VI	832.4	830.6	34.5	52.4	54.1	25.6	39.9	64.8	16	15.8	13	35.2	24	38.0	23	31.2	42.2	73	46	3	5	0.45	0.26	23	4	2	0	0	0	3	0	0	0	5	21	0	0	2	0	7	1	3	0	36	8
VII	832.4	830.4	36.6	55.5	57.0	26.6	41.8	63.9	25	12.7	19	43.0	8	44.8	7	32.5	43.0	68	38	3	2	0.14	0.06	26	3	2	0	0	0	0	0	0	0	3	25	0	1	0	0	14	0	0	0	40	5
VIII	834.0	831.4	44.8	61.2	62.7	30.7	46.7	72.5	25	18.6	16	44.0	7	47.9	18	38.1	46.8	57	36	2	1	0.05	0.05	4	1	1	0	0	0	0	0	0	0	1	17	0	3	0	0	15	0	0	0	36	6
IX	833.0	831.0	57.0	72.3	74.6	36.7	55.7	83.2	30	23.1	8	64.0	9	64.0	25	47.6	54.5	53	34	1	3	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	7	0	2	0	1	9	0	2	1	38	7
X	828.2	824.7	56.4	66.1	70.3	40.3	55.3	82.2	28	19.8	20	54.7	5	56.8	1	48.0	51.0	57	38	5	5	1.17	0.68	3	5	5	1	5	0	0	0	0	0	0	5	0	0	0	0	17	1	0	1	38	2
XI	829.7	826.9	65.7	74.9	78.8	45.3	62.1	87.8	3	37.1	18	63.3	11	51.4	4	54.2	57.2	50	36	2	5	1.94	0.64	10	6	6	2	9	1	0	0	1	1	0	0	0	1	0	0	12	0	0	0	40	4
XII	827.3	825.8	64.9	74.8	78.3	45.6	61.9	89.0	19	29.5	23	62.3	22	59.8	26	53.7	55.5	51	30	2	3	4.30	1.52	4	8	8	4	9	0	0	0	0	5	0	2	0	3	0	0	4	0	2	1	48	3
Jaar Year	830.8	828.4	53.3	67.2	69.9	38.8	54.3	92.2	-	12.7	-	35.2	-	64.0	-	46.3	52.2	63	41	3	4	22.95	1.52	-	73	64	21	56	3	6	3	1	22	14	101	0	16	4	2	170	3	9	5	425	78

No. 24/4091 CALA. ϕ = 31 31'S; λ = 27 41'E; H = 3,930 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	-	-	66.5	75.7	80.2	55.7	67.9	95.0	3	48.0	9	60.0	7	69.0	15	-	-	-	-	5	6	3.05	1.31	18	6	5	3	-	-	-	-	-	8	0	0	1	0	0	8	32	2	0	3	3	14
II	-	-	69.6	79.9	84.1	60.5	72.3	100.0	8	52.5	3	58.5	1	74.0	11	-	-	-	-	5	7	2.46	0.55	21	9	8	2	-	-	-	-	-	12	0	0	2	3	0	7	20	4	0	2	0	20
III	-	-	63.7	71.8	76.3	54.9	65.6	86.0	1	40.0	19	58.5	3	63.5	7	-	-	-	-	4	7	2.76	1.33	16	6	5	3	-	-	-	-	-	0	0	0	0	11	0	4	13	5	4	6	0	19
IV	-	-	59.6	73.7	75.7	50.8	63.3	88.0	9	35.0	30	55.5	28	58.0	4	-	-	-	-	4	4	0.55	0.26	10	3	3	0	-	-	-	-	-	1	0	0	0	12	0	7	10	3	1	8	1	18
V	-	-	52.1	66.5	68.8	42.5	55.7	79.5	8	31.0	31	50.0	22	54.0	21	-	-	-	-	3	4	0.13	0.09	11	2	2	0	-	-	-	-	-	0	0	1	0	19	0	2	3	2	6	3	15	12
VI	-	-	46.8	61.1	62.6	39.0	50.8	70.0	17	26.0	2	43.0	25	51.5	23	-	-	-	-	2	4	0.05	0.05	11	1	1	0	-	-	-	-	-	0	2	6	0	9	0	2	2	1	6	12	15	13
VII	-	-	48.5	63.4	65.1	39.8	52.5	75.0	26	23.5	21	48.0	10	56.5	6	-	-	-	-	2	2	0.18	0.18	26	1	1	0	-	-	-	-	-	0	1	5	0	9	1	0	6	1	8	15	13	9
VIII	-	-	53.7	69.7	70.9	44.2	57.5	80.0	25	26.5	8	48.5	7	61.5	4	-	-	-	-	1	2	0.03	0.03	26	1	0	0	-	-	-	-	-	0	1	1	0	17	0	1	7	2	3	14	11	6
IX	-	-	60.0	73.9	77.4	48.8	63.1	90.0	29	36.0	8	57.0	9	66.0	29	-	-	-	-	3	4	0.10	0.10	9	1	1	0	-	-	-	-	-	6	0	0	0	6	0	2	18	4	2	9	7	9
X	-	-	59.1	67.9	71.0	47.9	59.5	89.0	18	35.0	20	60.0	13	58.5	26	-	-	-	-	5	6	1.70	0.52	4	3	3	2	-	-	-	-	-	2	0	0	0	4	0	2	13	17	2	6	2	9
XI	-	-	69.4	79.2	83.8	54.2	69.0	97.0	27	45.0	13	66.0	4	68.0	29	-	-	-	-	3	5	0.23	0.18	10	3	2	0	-	-	-	-	-	12	0	0	0	3	0	5	14	8	4	7	8	11
XII	-	-	67.7	75.7	81.9	54.3	68.1	97.0	25	40.5	23	63.0	2	69.0	17	-	-	-	-	4	7	2.60	1.51	1	5	5	2	-	-	-	-	-	12	0	0	1	2	0	1	16	5	5	11	3	19
Year Year	-	-	59.7	71.5	74.8	49.4	62.1	100.0	-	23.5	-	43.0	-	74.0	-	-	-	-	-	3	5	13.84	1.51	-	41	36	12	-	-	-	-	-	53	4	13	4	95	1	41	154	54	41	96	78	159

No. 24/4145 IDUTHWA. ϕ = 32 06'S; λ = 28 18'E; H = 2,740 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	-	-	66.4	71.3	78.5	55.6	67.1	99.0	30	48.0	5	61.0	1	70.0	30	-	-	-	-	5	7	2.08	0.86	6	9	7	1	2	0	0	0	0	5	0	0	1	8	5	11	11	9	12	4	2	0
II	-	-	70.4	78.2	81.2	61.3	71.2	106.0	10	53.0	3	58.0	1	70.0	8	-	-	-	-	5	6	3.94	1.70	21	9	7	4	2	0	0	2	0	10	0	0	2	4	7	5	13	8	12	5	2	0
III	-	-	65.6	70.6	74.6	56.3	65.5	86.0	1	45.0	20	58.0	3	66.0	7	-	-	-	-	5	6	3.66	1.03	29	12	9	3	5	0	0	3	0	0	0	0	0	2	10	9	8	6	20	1	6	0
IV	-	-	64.1	73.9	75.7	54.8	65.3	88.0	9	41.0	30	61.0	28	62.0	4	-	-	-	-	4	3	0.37	0.12	17	6	4	0	2	0	0	0	0	4	0	0	0	1	6	9	10	6	17	8	2	0
V	-	-	60.9	70.5	72.4	49.9	61.1	85.0	8	40.0	23	52.0	21	62.0	8	-	-	-	-	3	3	0.42	0.24	21	4	3	0	0	0	0	0	0	0	0	0	0	3	4	1	2	4	19	14	15	0
VI	-	-	54.4	64.0	65.1	43.5	54.3	74.0	5	36.0	13	50.0	25	50.0	19	-	-	-	-	2	3	0.06	0.06	11	1	1	0	0	0	0	0	0	0	0	0	0	2	0	1	2	7	20	21	7	0
VII	-	-	55.0	66.2	67.3	44.9	56.1	80.0	24	32.0	11	49.0	10	55.0	31	-	-	-	-	2	2	0.20	0.20	26	1	1	0	0	0	0	0	0	0	1	0	0	4	3	1	2	7	13	18	14	0
VIII	-	-	58.3	69.4	71.8	46.3	59.1	86.0	25	32.0	8	51.0	7	59.0	18	-	-	-	-	3	2	0.06	0.06	30	1	1	0	0	0	0	0	0	0	0	0	0	6	7	5	4	4	4	11	11	14
IX	-	-	63.6	71.1	76.7	52.2	64.5	98.0	30	41.0	8	59.0	26	66.0	20	-	-	-	-	4	5	0.58	0.15	23	8	6	0	0	0	0	4	0	7	0	0	0	2	8	9	4	10	10	8	8	0
X	-	-	58.0	64.7	68.1	49.7	58.9	83.0	18	38.0	20	56.0	2	56.0	1	-	-	-	-	6	7	3.07	1.57	3	10	8	2	0	0	0	0	0	0	0	0	0	5	7	21	7	8	6	5	3	0
XI	-	-	68.3	72.5	80.8	53.9	67.3	98.0	15	45.0	12	67.0	12	67.0	16	-	-	-	-	4	4	0.57	0.44	10	4	2	1	2	0	0	1	0	6	0	0	0	6	8	16	2	16	1	3	7	0
XII	-	-	66.2	71.5	77.8	55.0	66.4	95.0	1	43.0	22	60.0	5	66.0	13	-	-	-	-	5	5	1.87	0.83	1	10	7	2	7	0	0	0	0	6	0	0	0	6	7	8	3	13	11	5	8	1
Year Year	-	-	62.6	70.3	74.2	51.9	63.1	106.0	-	32.0	-	49.0	-	70.0	-	-	-	-	-	4	4	16.88	1.70	-	75	56	13	20	0	0	10	0	38	1	0	3	49	72	96	68	98	145	103	85	15

No. 24/4167 QACHASNEK. ϕ = 30 07'S; λ = 28 42'E; Pm at/hy 1,900 gdm. H = 6,469 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	-	-	62.0	69.5	74.0	51.5	62.7	85.0	2	45.0	11	57.0	7	58.0	15	-	-	-	-	4	5	9.41	1.30	19	16	12	9	-	-	-	-	-	0	0	0	0	0	0	0	21	7	1	30	0	3
II	-	-	62.5	69.7	74.4	53.0	63.7	87.0	10	41.0	3	52.0	2	62.0	11	-	-	-	-	3	5	7.04	1.46	27	11	8	6	-	-	-	-	-	1	0	0	0	0	0	0	21	3	2	26	0	3
III	-	-	56.1	64.1	66.2	48.3	57.3	74.0	1	37.0	19	51.0	3	56.0	1	-	-	-	-	4	6	6.18	1.50	2	13	13	4	-	-	-	-	-	0	0	0	0	5	0	0	13	7	3	20	1	13
IV	-	-	54.4	64.4	67.2	44.4	55.8	79.0	22	31.0	29	47.0	28	50.0	27	-	-	-	-	1	4	1.08	0.70	23	5	4	1	-	-	-	-	-	0	1	1	0	6	0	0	0	8	4	20	3	14
V	-	-	46.8	57.8	59.6	37.6	48.6	72.0	4	27.0	30	40.0	22	50.0	5	-	-	-	-	2	2	0.37	0.37	21	1	1	0	-	-	-	-	-	0	3	4	0	3	0	0	0	3	4	33	7	10
VI	-	-	40.6	51.4	54.0	31.9	42.9	61.0	29	19.0	26	36.0	25	43.0	21	-	-	-	-	2	1	0.00	0.00	-	0	0	0	-	-	-	-	-	0	2	10	0	5	0	0	0	3	0	36	0	13
VII	-	-	43.2	56.3	57.8	35.0	46.4	66.0	26	19.0	9	39.0	10	47.0	7	-	-	-	-	2	1	0.01	0.01	12	1	0	0	-	-	-	-	-	0	2	6	0	1	0	1	0	6	2	40	5	2
VIII	-	-	49.3	61.9	62.1	39.1	50.6	72.0	26	27.0	7	52.0	8	49.0	12	-	-	-	-	2	2	0.02	0.02	26	1	0	0	-	-	-	-	-	0	0	2	0	5	0	0	2	9	0	29	5	9
IX	-	-	58.5	68.6	71.9	46.2	59.1	83.0	30	32.0	8	59.0	10	63.0	25	-	-	-	-	2	5	0.54	0.54	9	1	1	1	-	-	-	-	-	0	0	0	0	7	1	2	0	8	0	23	1	11
X	-	-	56.2	65.1	68.3	45.0	56.7	81.0	18	33.0	20	46.0	13	59.0	25	-	-	-	-	4	4	1.80	0.54	4	7	6	3	-	-	-	-	-	0	1	0	0	10	3	3	0	3	0	26	2	13
XI	-	-	65.4	73.2	77.2	49.8	63.5	84.0	6	40.0	12	63.0	12	59.0	3	-	-	-	-	2	5	2.59	1.06	28	5	5	2	-	-	-	-	-	0	0	0	0	11	2	1	0	3	3	29	1	6
XII	-	-	64.3	73.0	77.0	50.6	63.8	87.0	15	36.0	27	61.0	5	63.0	13	-	-	-	-	3	(6)	2.70	1.17	30	5	5	2	-	-	-	-	-	1	0	0	0	(6	0	1	0	4	1	30	0	9)
Year Year	-	-	54.9	(64.6)	67.5	44.4	55.9	87.0	-	19.0	-	36.0	-	63.0	-	-	-	-	-	3	(4)	31.74	1.50	-	66	55	28	-	-	-	-	-	2	9	23	0	(59	6	8	57	64	20	342	25	106)

1st and 2nd ORDER STATIONS - STASIES VAN DIE 1e en 2e ORDE

	P_m Mean Pressure at Gem. Lugdruk by Gdm. 0830	1500	Air Temperature - Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	1500	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat	Min.	Dat	Lowest Max. Laagste Maks. Max.	Dat	Highest Min. Hoogste Min. Min.	Dat	Wet-bulb Temperature, Natbol Temperatuur, °F. Means Gem. 0830	1500	Rel. Hum. Rel. Vogtigheid U % 0830	1500	Mean Cloud Amt. Gem. Wolkshvlhd. N 0-10 0830	1500	Precipitation in inches Neerslag in duime. R Σ	Max. in 24h.	Dat.	Number of Days with Aantal Dae met: Precipn. Neerslag ≥.01	≥.04	≥.40	Thunder Onweer	Hail-Hael	Snow Sneeu	Fog-Newel	Dust storms Stofstorms	Max ≥ 86°F	Max ≤ 50°F	Min ≤ 32°F	Min ≥ 68°F	Wind Frequency. Windfrekwensie. nD. N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 25/4211A KOKSTAD (Klooster/Convent). φ = 30 33'S; λ = 29 26'E; Pm at/by 1,300 gdm. H = 4,280 vt/ft; ht = 4 vt/ft; hr = 4 vt/ft.																																													
I	870.2	868.2	62.5	73.9	76.7	53.9	65.3	91.2	15	47.8	5	62.0	27	61.0	30	57.1	61.8	74	52	5	6	4.09	2.04	7	13	10	3	7	1	0	0	0	5	0	0	0	3	37	0	9	2	8	3	0	0
II	870.5	868.2	65.8	79.3	81.0	56.9	68.9	96.5	10	50.5	3	57.8	2	63.0	10	60.6	64.0	76	45	4	5	3.07	0.75	1	8	8	4	6	0	0	0	0	9	0	0	0	0	39	0	10	1	4	1	1	0
III	871.9	869.8	58.8	70.8	73.0	52.5	62.7	85.8	1	42.0	19	59.5	3	63.1	7	55.6	60.7	84	57	5	6	5.68	1.50	3	13	11	7	8	1	0	2	0	0	0	0	0	2	36	0	6	1	11	5	1	0
IV	872.0	870.1	54.2	70.4	73.0	46.2	59.6	80.5	9	31.2	29	58.9	28	55.0	6	51.2	56.2	83	43	3	3	0.42	0.18	24	3	3	0	1	0	0	9	0	0	0	1	0	4	29	0	9	1	13	1	1	2
V	871.5	869.6	46.8	66.1	68.3	38.2	53.3	77.4	5	28.0	31	48.8	22	47.8	21	40.9	49.5	63	32	2	2	0.62	0.62	22	1	1	1	0	0	0	0	0	0	1	2	0	1	36	0	3	3	12	3	2	0
VI	873.3	869.1	40.8	57.1	61.9	33.5	47.7	70.0	29	24.0	13	45.8	25	44.1	9	35.0	43.0	58	30	2	2	0.05	0.05	12	1	1	0	0	0	0	0	0	0	1	14	0	2	25	0	7	4	14	6	1	0
VII	873.1	871.4	40.2	62.6	65.5	33.0	49.3	74.5	26	23.8	21	46.2	10	42.5	31	34.9	46.6	61	29	2	2	0.02	0.02	27	1	1	0	0	0	0	0	0	0	1	16	0	1	32	0	4	6	13	4	2	0
VIII	874.5	872.0	47.2	67.5	70.2	37.8	54.0	80.0	25	28.2	6	42.2	7	48.2	12	41.1	50.1	62	30	2	3	0.05	0.03	28	2	0	0	0	0	0	0	0	0	2	6	0	1	36	0	8	4	6	2	5	0
IX	874.1	871.8	56.6	72.6	76.8	45.7	61.3	92.5	30	36.8	10	64.2	7	59.8	25	50.1	55.2	68	34	3	3	0.02	0.01	10	2	0	0	0	0	0	2	0	6	0	0	0	2	37	0	4	4	6	6	1	0
X	870.0	867.9	56.9	67.9	71.6	47.6	59.6	90.5	1	32.0	20	55.0	13	59.8	1	50.8	55.3	68	46	6	6	1.82	0.85	4	8	6	2	3	0	0	1	0	2	0	1	0	2	27	0	2	4	8	10	8	2
XI	870.1	867.8	63.7	73.0	78.8	51.5	65.1	93.5	27	41.0	13	59.0	4	67.0	28	55.4	59.1	60	46	4	6	1.99	0.57	29	12	11	1	6	0	0	0	0	9	0	0	0	1	36	0	3	2	13	0	1	3
XII	868.2	866.5	64.7	74.0	79.7	52.6	66.1	97.0	25	42.0	23	61.5	2	64.0	17	57.3	60.1	65	46	4	6	2.60	1.03	4	13	8	2	10	0	0	0	0	9	0	0	0	2	32	0	7	1	15	2	1	2
Jaar Year	871.6	869.4	54.9	69.6	73.0	45.8	59.4	97.0	-	23.8	-	42.2	-	67.0	-	49.2	55.1	69	41	3	4	20.03	2.04	-	77	60	20	41	2	0	14	0	40	5	40	0	21	402	0	72	33	123	43	24	9
No. 25/4221 PORT ST. JOHNS (Cape Hermes). φ = 31 38'S; λ = 29 35'E; Pm at/by 0 gdm. H = 153 vt/ft; ht = 4 vt/ft; hr = 4 vt/ft.																																													
I	1016.3	1014.4	71.8	73.0	76.1	65.1	70.6	80.0	3	54.0	6	71.2	7	70.8	21	67.0	67.9	78	77	6	6	4.39	1.40	31	12	11	5	0	0	0	0	0	0	0	0	2	7	19	7	4	5	18	2	0	0
II	1013.9	1012.1	74.6	75.4	78.6	69.2	73.9	86.5	10	61.0	3	69.5	1	75.8	9	71.8	72.8	80	88	6	5	6.66	2.52	21	7	5	5	1	0	0	1	0	1	0	0	17	5	21	6	0	1	17	2	4	0
III	1017.3	1015.4	72.1	74.0	77.1	65.9	71.5	86.0	29	58.5	19	66.0	3	71.5	2	67.8	70.0	80	87	6	6	4.11	1.61	2	7	7	3	3	0	0	0	0	0	0	0	8	7	18	6	2	3	18	2	6	0
IV	1017.5	1015.2	70.4	71.9	74.6	63.9	69.3	85.2	27	56.4	29	69.0	30	67.8	18	65.9	67.2	80	79	4	4	1.73	1.35	12	5	4	1	1	0	0	1	0	0	0	0	0	9	19	3	0	4	15	5	5	0
V	1017.3	1015.0	67.8	70.3	75.1	60.7	67.9	88.5	8	50.8	23	62.5	22	67.0	17	59.1	64.0	60	70	4	4	1.31	0.83	21	3	3	1	1	0	0	0	0	3	0	0	0	18	12	4	0	5	12	3	8	0
VI	1021.4	1019.1	61.5	67.0	70.7	55.3	63.0	82.0	23	50.5	13	61.2	25	60.5	28	53.6	60.5	60	69	4	4	0.05	0.03	9	2	0	0	0	0	0	0	0	0	0	0	0	16	13	2	0	4	13	3	8	0
VII	1021.4	1018.8	62.7	67.1	71.5	56.0	63.7	89.0	6	48.2	11	61.0	10	68.5	6	53.6	60.1	55	67	3	2	0.95	0.78	15	3	2	1	0	0	0	0	0	2	0	0	1	16	15	6	1	4	9	3	9	0
VIII	1022.6	1019.8	64.7	66.3	71.9	57.3	64.6	92.0	4	50.0	8	58.0	7	63.2	18	57.3	61.8	64	78	4	3	0.20	0.20	26	1	1	0	0	0	0	0	0	2	0	0	0	12	19	4	0	3	19	2	3	0
IX	1021.4	1018.9	68.3	68.0	73.7	61.5	67.6	112.5	29	57.0	8	64.0	26	68.2	30	63.4	65.5	77	89	6	5	2.06	0.61	9	8	7	3	0	0	0	0	0	2	0	0	1	6	16	6	2	3	19	4	4	0
X	1018.0	1015.2	66.2	66.9	69.6	60.6	65.1	75.0	25	55.0	20	65.0	3	65.0	1	62.3	63.6	81	84	7	7	5.83	1.88	2	14	14	3	3	0	0	0	0	0	0	0	0	2	14	11	0	4	26	5	0	0
XI	1015.7	1013.3	69.6	70.4	74.3	64.0	69.1	86.0	3	58.0	12	69.0	17	70.0	30	64.8	66.3	77	81	6	6	0.78	0.30	11	5	3	0	2	0	0	0	0	0	0	0	2	2	24	3	3	4	24	0	0	0
XII	1013.8	1011.8	70.8	70.8	74.0	64.0	69.0	79.4	30	55.0	22	67.0	27	71.0	1	65.8	66.9	77	81	6	6	4.62	0.95	21	10	10	5	6	0	0	0	0	0	0	0	6	0	21	4	2	2	27	4	2	0
Jaar Year	1018.1	1015.7	68.4	70.1	73.9	62.0	67.9	112.5	-	48.2	-	58.0	-	75.8	-	62.7	65.6	72	79	5	5	32.69	2.52	-	77	67	27	17	0	0	2	0	10	0	0	37	100	211	62	14	42	217	35	49	0

No. 25/4253 PORT SHEPSTONE. ϕ = 30 45'S; λ = 30 27'E; Pa at/hy 0 gdm. H = 50 vt/ft. h_t = 4 vt/ft; h_r = 4 vt/ft.

I	1016.5	1014.7	73.9	76.0	78.7	67.1	72.9	85.0	22	62.0	12	72.0	7	73.0	21	-	-	-	-	7	7	4.00	0.90	7	13	9	5	-	0	0	0	0	0	0	0	13	0	13	11	4	11	17	5	0	1
II	1014.3	1012.6	75.8	77.8	80.0	70.9	75.5	85.0	21	63.0	3	69.0	2	75.0	9	-	-	-	-	6	5	5.33	1.10	2	12	10	7	-	0	0	0	0	0	0	0	23	0	12	16	2	0	16	3	4	3
III	1018.1	1016.3	72.5	75.4	77.5	65.7	71.6	82.0	29	57.0	19	66.0	3	73.0	2	-	-	-	-	6	6	6.11	2.19	10	13	11	5	-	0	0	0	0	0	0	0	7	2	18	12	0	5	9	10	3	3
IV	1017.8	1016.6	70.4	75.3	77.0	63.8	70.4	82.0	27	56.0	30	71.0	30	69.0	16	-	-	-	-	4	4	2.23	0.98	12	8	6	3	-	0	0	0	0	0	0	0	3	5	11	13	4	5	10	7	3	2
V	1018.1	1016.2	65.8	71.9	74.5	55.7	65.1	82.0	11	47.0	23	60.0	22	62.0	14	-	-	-	-	3	4	1.83	1.50	21	5	4	1	-	0	0	0	0	0	0	0	0	11	8	9	1	3	11	10	9	0
VI	1021.9	1019.9	59.3	69.0	70.2	52.2	61.2	77.7	22	44.0	16	64.0	25	59.0	24	-	-	-	-	2	3	0.36	0.23	11	4	3	0	-	0	0	0	0	0	1	0	12	4	10	3	1	11	11	8	0
VII	1022.1	1020.4	59.7	67.9	70.4	51.4	60.9	80.0	6	39.0	3	65.0	16	59.0	7	-	-	-	-	2	2	2.82	2.74	15	2	2	1	-	0	0	0	0	0	0	0	16	8	10	0	4	11	5	7	1
VIII	1023.2	1021.2	61.3	67.5	69.7	53.5	61.6	89.0	18	44.0	20	60.0	7	60.3	31	-	-	-	-	3	3	0.29	0.21	7	4	1	0	-	0	0	0	0	1	0	0	0	14	15	7	1	2	13	4	5	1
IX	1021.6	1019.3	67.8	69.9	72.4	61.7	67.1	79.2	30	54.0	4	66.3	26	66.0	29	-	-	-	-	5	5	0.99	0.38	26	7	5	0	-	0	0	0	0	0	0	0	0	1	22	9	1	4	14	4	1	3
X	1017.9	1016.1	67.4	69.0	72.4	61.5	66.9	82.0	27	52.8	20	66.1	7	67.0	26	-	-	-	-	7	7	7.43	2.00	3	16	15	6	-	0	0	0	0	0	0	0	1	11	6	3	4	30	4	0	3
XI	1016.2	1014.8	70.7	72.3	75.7	64.5	70.1	84.6	30	57.0	13	69.0	17	71.0	28	-	-	-	-	5	6	0.40	0.19	26	5	3	0	-	0	0	0	0	0	0	0	5	0	24	7	1	4	24	0	0	0
XII	1013.8	1012.9	72.4	73.6	76.9	65.6	71.3	83.6	19	58.0	23	71.0	23	73.1	1	-	-	-	-	6	6	1.51	0.31	22	12	10	0	-	1	0	1	0	0	0	0	8	0	12	8	5	4	26	3	2	2
Jaar Year	1018.5	1016.7	68.1	72.1	74.6	61.1	67.9	89.0	-	23.0	-	60.0	-	75.0	-	-	-	-	-	5	5	33.30	2.19	-	101	79	28	-	1	0	1	0	1	0	1	59	62	158	118	25	47	192	66	42	19

No. 26/4264 DASSEN EILAND/ISLAND. ϕ = 33 24'S; λ = 18 06'E; Pa at/hy 0 gdm. H = 91 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	1015.0	1014.3	61.5	64.3	66.8	56.8	61.8	78.0	13	51.0	12	61.0	8	61.0	22	58.5	60.7	84	81	2	2	0.00	0.00	-	0	0	0	0	0	0	4	0	0	0	0	0	1	3	1	1	5	44	2	5	0
II	1012.1	1011.4	61.2	65.3	67.0	56.9	61.9	72.0	25	53.0	8	63.0	1	60.0	25	59.2	62.2	89	84	3	3	0.01	0.01	25	1	0	0	0	0	0	12	0	0	0	0	0	2	3	1	0	9	34	6	1	0
III	1015.7	1014.6	59.2	65.0	66.8	55.6	61.2	87.0	24	52.0	20	62.0	18	59.0	25	57.7	61.6	91	82	4	2	0.07	0.07	17	1	1	0	0	0	0	8	0	1	0	0	0	6	5	0	2	12	28	4	4	0
IV	1016.1	1014.8	59.2	65.1	66.7	56.4	61.5	73.0	13	49.0	28	60.0	27	61.0	17	58.0	61.6	93	82	5	3	1.47	0.98	27	6	3	1	0	0	0	9	0	0	0	0	0	10	8	1	1	8	21	8	3	0
V	1017.5	1016.9	57.4	62.7	64.0	54.5	59.3	76.0	10	48.0	21	57.0	21	60.0	10	56.1	59.8	93	85	5	5	4.67	1.16	21	13	11	4	1	0	0	9	0	0	0	0	0	12	16	1	2	4	11	5	11	0
VI	1021.7	1020.8	55.1	60.5	61.5	52.8	57.1	73.0	16	48.0	26	56.0	24	55.0	12	53.7	57.1	91	82	6	5	4.01	1.71	20	11	11	3	0	0	0	3	0	0	0	0	0	12	13	4	2	9	6	5	9	0
VII	1020.3	1019.2	53.8	57.7	58.5	51.3	54.9	69.0	4	45.0	9	55.0	13	56.0	31	52.3	55.0	90	85	5	4	3.17	0.71	6	10	8	4	0	0	0	1	0	0	0	0	0	11	8	3	3	12	16	6	3	0
VIII	1021.1	1019.9	54.4	59.2	60.2	51.4	55.8	76.0	28	46.0	5	54.0	6	56.0	29	52.7	55.9	90	82	5	4	2.53	0.85	11	11	8	1	1	0	0	4	0	0	0	0	0	16	10	1	6	7	16	3	3	0
IX	1020.5	1019.4	57.4	61.4	63.0	54.5	58.7	67.0	28	49.0	20	59.0	19	57.0	30	56.3	58.9	93	87	5	3	0.08	0.07	24	2	1	0	0	0	0	4	0	0	0	0	0	8	4	1	4	12	23	4	4	0
X	1019.0	1017.5	57.5	62.2	63.2	54.0	58.6	69.0	24	50.0	15	57.0	4	60.0	30	55.9	58.5	91	81	5	4	0.32	0.12	4	6	3	0	0	0	0	0	0	0	0	0	0	8	7	0	0	11	25	6	5	0
XI	1015.8	1015.3	61.9	65.5	67.0	57.6	62.3	75.0	29	53.0	17	63.0	17	62.0	2	59.4	61.9	87	82	4	2	0.12	0.07	10	3	1	0	0	0	0	8	0	0	0	0	0	4	2	0	1	7	31	8	6	0
XII	1016.2	1015.4	62.4	66.2	67.4	57.7	62.5	72.0	19	52.0	12	64.0	23	66.0	20	58.9	61.2	82	76	4	3	0.23	0.11	31	4	3	0	0	0	0	2	0	0	0	0	0	9	4	0	0	9	30	4	6	0
Jaar Year	1017.6	1016.6	58.4	62.9	64.3	55.0	59.7	87.0	-	45.0	-	54.0	-	66.0	-	56.6	59.5	89	82	4	3	16.68	1.71	-	68	50	13	2	0	0	64	0	1	0	0	0	99	83	13	22	105	285	61	60	0

No. 26/4288M SIMONSTOWN (Klaver Camp). ϕ = 34 12'S; λ = 18 26'E; Pa at/hy 0 gdm. H = 961 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	1015.8	1015.3	64.6	70.6	73.8	59.2	66.5	96.5	12	52.2	1	65.4	8	74.2	13	58.9	61.6	88	60	2	2	0.60	0.30	3	2	2	0	-	-	-	-	-	4	0	0	2	2	4	3	24	16	6	4	0	2
II	1012.8	1012.1	67.3	73.1	76.9	61.5	69.2	94.3	25	54.1	3	65.6	11	67.0	15	62.1	64.5	75	63	2	2	0.10	0.10	10	1	1	0	-	-	-	-	-	1	0	0	0	3	3	4	17	11	7	3	0	8
III	1016.3	1015.4	66.6	71.7	75.5	61.0	68.3	97.0	24	51.2	18	63.4	16	73.3	25	59.3	61.6	66	57	3	2	0.58	0.24	17	5	4	0	-	-	-	-	-	5	0	0	5	6	3	4	8	20	5	6	1	9
IV	1016.8	1015.4	63.3	68.5	72.1	58.5	65.3	91.7	14	46.5	28	58.3	27	70.9	14	57.7	60.1	71	61	5	4	2.06	0.88	27	9	8	2	-	-	-	-	-	2	0	0	2	7	3	4	6	11	11	8	2	8
V	1017.7	1016.9	57.5	62.2	64.5	53.3	58.9	83.0	8	43.4	22	51.8	21	69.0	10	53.6	56.8	77	72	6	6	8.49	2.45	21	15	14	7	-	-	-	-	-	0	0	0	1	8	2	1	1	8	11	10	13	8
VI	1021.8	1020.8	54.7	58.1	60.6	50.9	55.7	74.0	17	40.2	24	50.8	24	65.0	17	50.7	53.3	76	74	6	6	5.12	0.95	22	17	17	3	-	-	-	-	-	0	0	0	0	8	6	1	3	8	9	11	10	4
VII	1019.9	1019.4	50.6	54.8	57.3	47.0	52.1	74.8	4	40.9	9	49.2	8	52.4	5	47.8	50.4	82	75	4	6	4.29	1.13	30	18	13	3	-	-	-	-	-	0	2	0	0	7	7	5	5	8	12	6	7	5
VIII	1021.5	1020.2	51.9	55.8	58.9	47.1	53.0	81.5	28	42.1	8	49.0	4	52.3	17	48.2	50.9	77	72	5	5	3.64	0.63	3	12	10	4	-	-	-	-	-	0	2	0	0	17	3	4	6	9	6	4	9	4
IX	1021.0	1020.2	56.2	61.8	64.4	51.5	57.9	85.9	28	45.8	26	55.4	6	56.4	19	52.6	55.5	79	67	6	6	0.35	0.22	24	5	2	0	-	-	-	-	-	0	0	0	0	3	3	1	17	10	10	5	5	6
X	1019.4	1018.6	55.7	60.0	62.8	51.1	56.9	78.8	24	46.0	20	55.0	3	59.0	24	52.7	54.3	82	70	7	5	2.09	1.42	4	9	6	1	-	-	-	-	-	0	0	0	0	5	3	2	16	13	8	5	9	1
XI	1016.7	1015.6	63.4	67.1	71.0	54.2	62.6	86.3	1	40.4	19	59.3	17	70.8	2	57.4	59.6	70	64	4	4	0.55	0.19	10	5	5	0	-	-	-	-	-	1	0	0	1	5	5	2	11	13	11	6	4	3
XII	1016.1	-	62.3	-	67.9	55.0	61.5	78.5	2	48.2	29	60.1	21	64.1	2	57.6	-	75	-	5	-	1.00	0.27	26	10	7	0	-	-	-	-	-	0	0	0	0	-	-	-	-	-	-	-	-	-
Jaar Year	1018.0	-	59.5	-	67.1	54.2	60.7	97.0	-	40.2	-	49.0	-	74.2	-	54.9	-	77	-	5	-	28.87	2.45	-	108	89	20	-	-	-	-	-	13	4	0	11	-	-	-	-	-	-	-	-	-

1st and 2nd ORDER STATIONS – STASIES VAN DIE 1e en 2e ORDE.

	P_m Mean Pressure at Gem. Lugdruk by Gdm.		Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m					Extremes Uiterstes				Lowest Max. Laagste Maks. Highest Min. Hoogste Min.				Wet-bulb Temperature. Natbol Temperatuur. °F. Means Gem.		Rel. Hum. Rel. Vogtigheid. U %		Mean Cloud Amt. Gem. Wolkenhvlhd. N 0-10		Precipitation in inches Neerslag in duime. R			Number of Days with Aantal Dae met												Wind Frequency. Windfrekwensie. nD.								
	0830	1500	0830	1500	x Max.	n Min.	Xtn + n / 2 Mean Gem.	Max.	Dat	Min.	Dat	Max.	Dat	Min.	Dat	0830	1500	0830	1500	0830	1500	M	Max. in 24h.	Dat.	Precipn. Neerslag ≥ .01	≥ .04	≥ .40	Thunder Onweer	Hail-Hael	Snow Sneeuw	Fog-Mewel	Dust storm Stofstorm	Max. ≥ 86°F	Max ≤ 50°F	Min ≤ 32°F	Min ≤ 68°F	N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 26/4302A	WINGFIELD (Luchhaven/Airport).															ϕ = 33 55'S;				λ = 18 32'E;					Pm at/by 0 gdm.											H = 55 vt/ft;								ht = 4 vt/ft;								hr = 4 vt/ft.
I	1015.5	1014.3	68.3	73.4	76.5	60.6	68.5	88.5	28	53.5	20	69.6	20	66.8	28	61.4	64.1	68	60	3	3	0.00	0.00	-	0	0	0	0	0	0	2	0	4	0	0	0	1	0	0	0	43	3	3	10	2
II	1012.5	1011.5	67.5	78.3	81.2	61.2	71.2	99.8	25	52.5	20	73.3	28	65.3	4	62.9	67.1	78	56	3	3	0.04	0.04	10	1	1	0	0	0	0	3	0	6	0	0	0	0	0	0	10	20	11	4	7	4
III	1016.0	1014.8	65.4	76.2	79.2	59.4	69.3	102.8	24	53.5	17	66.6	18	66.7	11	60.9	64.6	78	54	4	3	0.24	0.14	28	3	3	0	0	0	0	2	0	6	0	0	0	4	0	0	12	22	11	2	9	2
IV	1016.5	1015.3	61.3	71.8	74.2	55.3	64.7	95.5	3	41.7	30	62.7	29	63.0	12	58.6	62.8	85	60	5	4	1.38	0.75	28	5	5	1	2	1	0	4	0	3	0	0	0	6	0	0	7	12	7	4	14	10
V	1017.6	1016.8	56.3	65.2	67.2	51.5	59.3	87.3	8	43.5	28	55.2	21	60.5	6	54.4	58.7	89	69	6	6	5.55	1.82	22	15	12	4	1	0	0	9	0	1	0	0	0	6	3	0	7	7	6	4	22	7
VI	1021.9	1020.8	52.3	62.2	63.6	49.5	56.5	77.5	16	39.0	26	56.2	23	55.7	3	50.4	55.9	88	70	6	6	5.49	1.49	19	17	15	3	0	0	0	3	0	0	0	0	0	5	6	0	6	7	5	3	22	6
VII	1020.7	1019.4	48.0	58.8	59.9	45.0	52.5	76.7	4	36.2	3	54.4	7	54.9	6	46.8	52.9	91	68	5	5	3.90	1.04	5	16	12	3	0	0	0	4	0	0	0	0	0	8	2	2	11	8	4	7	13	7
VIII	1021.6	1019.9	50.5	60.4	62.5	45.5	54.0	85.3	28	35.4	7	53.7	6	53.8	31	48.3	53.4	86	63	5	6	3.71	1.02	3	14	11	3	0	0	0	7	0	0	0	0	0	6	2	2	9	9	4	4	20	6
IX	1021.2	1019.7	58.7	66.3	67.8	53.0	60.4	87.1	18	41.8	26	61.2	5	57.9	17	54.9	58.4	79	63	5	4	0.12	0.10	24	2	1	0	0	0	0	3	0	1	0	0	0	3	1	1	12	11	13	4	10	2
X	1018.7	1018.1	60.1	65.5	67.6	53.2	60.4	80.0	24	44.1	23	61.0	4	58.5	4	55.6	57.9	76	63	6	6	1.06	0.40	4	6	6	1	0	0	0	1	0	0	0	0	0	4	1	1	19	12	5	3	12	5
XI	1016.2	1014.9	65.9	72.9	75.4	55.9	65.7	91.7	29	48.9	18	63.7	17	61.2	4	59.3	61.4	68	51	4	5	0.14	0.07	10	5	1	0	0	0	0	3	0	4	0	0	0	0	0	0	10	24	4	8	7	2
XII	-	-	-	-	73.8	56.0	64.9	84.7	2	49.0	24	67.0	21	63.5	1	-	-	-	-	-	-	0.20	0.08	31	5	1	0	-	-	-	-	-	0	0	0	0	(1	0	2	2	16	3	6	15	5)
Jaar Year	-	-	-	-	70.7	53.8	62.2	102.8	-	35.4	-	53.7	-	66.8	-	-	-	-	-	-	-	21.83	1.82	-	89	68	15	-	-	-	-	-	25	0	0	0	(44	15	8	105	191	76	52	161	58)
No. 26/4306M	BELLVILLE.															ϕ = 33 59'S;				λ = 18 36'E;					Pm at/by 0 gdm.											H = 150 vt/ft;								ht = 4 vt/ft;								hr = 4 vt/ft.
I	-	-	68.9	75.7	79.5	58.3	68.9	95.2	12	47.4	20	69.4	1	66.0	27	61.4	64.4	60	54	2	2	0.00	0.00	-	0	0	0	0	0	0	2	0	7	0	0	0	3	0	0	9	30	11	1	6	2
II	1012.5	1011.6	68.4	77.6	81.9	57.3	69.6	100.0	25	43.8	12	70.8	11	63.9	4	63.4	66.5	76	56	3	2	0.08	0.07	10	2	1	0	0	0	0	7	0	7	0	0	0	2	0	0	7	24	11	0	1	11
III	1016.0	1015.0	65.0	76.6	80.1	54.6	67.3	103.1	24	44.5	21	65.2	18	64.4	22	60.6	64.3	78	52	3	2	0.27	0.12	17	3	3	0	0	0	0	8	0	6	0	0	0	2	1	0	9	23	8	2	8	9
IV	1016.6	1015.2	60.0	72.5	77.0	51.6	64.3	96.0	3	38.5	30	62.5	27	61.2	9	57.9	62.1	88	56	6	4	1.29	0.74	27	5	4	1	1	0	0	7	0	4	0	0	0	11	3	0	3	13	12	2	7	9
V	1017.9	1016.8	55.1	66.0	68.4	49.3	58.9	89.8	8	39.5	28	54.7	20	58.6	16	53.3	58.7	89	65	7	6	7.05	1.71	21	15	14	7	1	0	0	11	0	1	0	0	0	14	11	0	0	10	4	1	12	10
VI	1022.1	1020.8	50.0	62.5	64.5	46.6	55.5	78.8	17	35.6	16	56.3	24	55.6	5	48.4	55.7	89	66	6	6	6.78	1.94	19	18	14	4	2	1	0	4	0	0	0	0	0	13	9	1	1	7	3	3	12	11
VII	1020.7	1019.4	44.5	58.6	60.1	41.1	50.6	77.3	4	27.0	11	53.5	7	54.5	5	43.9	52.5	95	67	5	5	4.72	1.13	30	16	14	5	0	0	0	4	0	0	0	3	0	11	8	1	1	14	3	0	9	15
VIII	1021.6	1019.9	48.5	60.7	63.1	42.4	52.7	85.9	28	27.2	8	53.1	6	55.4	29	47.1	53.4	91	62	5	5	4.11	0.92	3	13	9	5	0	0	0	4	0	0	0	3	0	12	4	1	2	10	4	0	12	17
IX	1021.1	1019.8	57.3	66.6	69.3	48.7	59.0	89.7	18	35.7	26	62.0	7	55.7	13	54.3	58.6	82	62	5	4	0.24	0.07	1	6	3	0	0	0	0	8	0	1	0	0	0	8	2	0	5	27	5	0	5	8
X	1018.9	1017.9	60.0	66.0	68.7	50.1	59.4	81.4	24	38.4	7	61.2	4	59.0	4	55.5	58.0	76	61	6	5	0.98	0.40	5	8	6	1	0	0	0	1	0	0	0	0	0	7	4	0	9	24	5	1	9	3
XI	1016.2	1015.1	65.9	72.1	75.3	51.2	63.3	89.4	29	41.3	22	62.3	17	61.9	14	59.5	62.3	69	58	5	4	0.33	0.15	10	4	3	0	0	0	0	2	0	3	0	0	0	1	0	0	3	28	15	5	6	2
XII	1015.9	1015.2	66.1	71.2	74.3	52.9	63.6	87.0	2	40.8	28	66.0	21	62.4	1	59.3	61.9	68	59	4	3	0.37	0.15	16	8	5	0	0	0	0	0	0	1	0	0	0	5	0	0	4	23	10	6	14	8
Jaar Year	-	-	59.1	68.8	71.9	50.3	61.1	103.1	-	27.0	-	53.1	-	66.0	-	55.4	59.9	80	60	5	4	26.22	1.94	-	98	76	23	4	1	0	58	0	30	0	6	0	89	42	3	53	233	91	21	101	97

No. 27/4371 CERES. ϕ = 33 22'S; λ = 19 19'E; H = 1,497 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	-	-	74.6	89.2	90.3	57.1	73.7	103.0	12	45.0	1	78.0	3	63.0	13	-	-	-	-	0	0	0.00	0.00	-	0	0	0	-	-	-	-	-	21	0	0	0	0	0	12	0	0	1	38	0	11
II	-	-	76.5	89.7	93.0	58.7	75.9	102.0	25	55.0	23	86.0	27	65.0	25	-	-	-	-	0	1	0.00	0.00	-	0	0	0	-	-	-	-	-	27	0	0	0	3	0	9	0	1	0	32	0	11
III	-	-	70.3	85.5	87.8	53.8	70.8	97.0	24	44.0	30	76.0	29	63.0	7	-	-	-	-	1	1	0.13	0.07	18	3	1	0	-	-	-	-	-	19	0	0	0	0	0	11	0	4	3	25	0	19
IV	-	-	60.7	79.8	82.5	46.9	64.7	99.0	14	36.0	26	55.0	28	59.0	9	-	-	-	-	2	2	2.34	2.18	28	2	2	1	-	-	-	-	-	14	0	0	0	3	0	9	0	1	0	29	1	17
V	-	-	51.1	66.5	68.8	43.4	56.1	87.0	9	37.0	19	50.0	21	54.0	13	-	-	-	-	3	2	9.41	2.61	28	14	14	6	-	-	-	-	-	2	0	0	0	7	0	4	0	0	1	18	10	22
VI	-	-	46.3	59.7	61.5	40.2	50.9	73.0	16	33.0	25	49.0	23	50.0	9	-	-	-	-	3	2	15.14	3.30	22	10	10	10	-	-	-	-	-	0	1	0	0	17	0	2	0	0	0	20	2	19
VII	-	-	47.3	56.9	57.7	38.0	47.9	68.0	4	30.0	19	45.0	8	52.0	6	-	-	-	-	2	1	10.15	3.45	8	11	10	7	-	-	-	-	-	0	2	3	0	10	0	1	0	1	1	15	10	24
VIII	-	-	47.3	60.4	62.6	39.3	50.9	80.0	28	30.0	8	47.0	6	50.0	29	-	-	-	-	2	1	7.54	2.44	11	11	9	7	-	-	-	-	-	0	1	1	0	7	0	4	1	3	0	28	5	14
IX	-	-	57.2	74.3	77.2	43.0	60.1	93.0	18	37.0	10	60.0	6	51.0	5	-	-	-	-	1	1	0.18	0.14	30	2	2	0	-	-	-	-	-	6	0	0	0	4	0	7	4	1	2	22	2	18
X	-	-	60.0	68.9	71.6	44.9	58.3	91.0	24	38.0	22	60.0	1	55.0	3	-	-	-	-	2	2	1.23	0.60	18	5	4	1	-	-	-	-	-	1	0	0	0	1	0	9	0	0	0	38	0	14
XI	-	-	68.6	81.5	84.6	50.3	67.5	100.0	2	42.0	18	65.0	17	58.0	10	-	-	-	-	1	1	1.10	0.57	16	4	4	1	-	-	-	-	-	15	0	0	0	0	0	3	0	0	0	50	0	7
XII	-	-	68.5	78.9	81.0	52.1	66.5	92.0	11	42.0	22	64.0	27	62.0	4	-	-	-	-	2	2	1.26	0.90	31	3	3	1	-	-	-	-	-	8	0	0	0	0	0	0	0	0	0	55	0	7
Year Year	-	-	60.7	74.3	76.6	47.3	61.9	103.0	-	30.0	-	45.0	-	65.0	-	-	-	-	-	2	1	48.48	3.45	-	65	59	34	-	-	-	-	-	113	4	4	0	52	0	72	5	11	8	370	30	183

No. 27/4391 MATROOSBERG. ϕ = 33 26'S; λ = 19 49'E; Pm at/by 900 gdm. H = 3,161 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft; h_a = 50 vt/ft.

I	912.9	910.8	65.8	82.9	84.6	53.7	69.1	99.1	29	42.7	1	67.7	7	65.0	13	56.0	61.5	56	29	3	2	0.00	0.00	-	0	0	0	3	0	0	0	0	11	0	0	0	14	31	129	151	106	86	77	16	134
II	910.4	908.4	67.8	86.0	87.9	56.8	72.3	98.0	25	49.4	13	75.7	1	65.0	26	59.9	64.0	64	31	3	3	0.03	0.02	23	2	0	0	2	0	0	1	0	17	0	0	0	16	23	101	70	54	74	94	22	218
III	913.5	911.7	62.9	78.3	79.5	53.1	66.3	90.1	13	40.0	19	58.3	18	64.4	6	55.8	60.5	65	37	4	3	0.32	0.24	6	3	2	0	2	0	0	3	0	11	0	0	0	36	36	110	72	66	79	70	25	250
IV	913.5	911.7	59.5	74.8	76.5	47.3	61.9	89.8	14	34.6	29	50.5	27	59.9	8	53.1	58.1	67	37	3	4	0.34	0.33	27	2	1	0	0	0	0	0	0	6	0	0	0	56	38	50	22	28	45	71	45	365
V	913.4	911.9	50.4	62.7	64.1	43.2	53.7	81.6	8	32.6	31	46.2	21	54.9	16	45.8	51.0	71	45	5	5	2.67	0.91	21	9	8	1	2	0	0	0	0	4	0	0	0	97	37	22	4	2	47	158	99	278
VI	916.3	915.1	43.7	55.1	56.9	38.7	47.8	67.6	15	32.2	26	42.7	24	46.7	5	40.8	46.9	79	55	6	5	2.66	1.01	22	9	7	2	0	0	0	1	0	0	6	0	0	95	38	36	3	2	52	86	102	306
VII	914.9	913.1	40.8	53.7	55.1	36.2	45.7	67.0	25	25.1	19	42.9	8	47.0	6	38.4	45.9	82	57	3	4	2.59	0.94	7	8	6	3	0	0	0	0	0	0	6	10	0	87	62	69	12	6	29	65	104	310
VIII	915.4	913.8	45.0	58.1	59.7	38.3	49.0	74.0	28	25.9	7	44.8	6	54.9	29	40.2	47.0	68	44	4	3	1.41	0.60	11	8	4	1	0	0	0	1	0	0	5	4	0	103	60	79	26	14	31	90	115	226
IX	916.5	914.6	53.9	69.5	70.7	44.1	57.4	86.7	19	31.2	7	56.8	6	55.0	29	48.1	54.0	67	36	5	2	0.13	0.09	1	2	2	0	0	0	0	0	0	1	0	1	0	33	42	94	36	21	63	83	47	301
X	913.6	911.8	52.2	64.1	66.0	43.2	54.6	85.9	24	35.1	22	54.8	3	52.4	1	47.2	51.8	70	44	6	6	1.10	0.40	4	6	5	1	1	0	0	0	0	0	0	0	0	27	24	99	94	66	93	104	33	204
XI	912.4	910.4	63.1	77.8	79.7	47.5	63.6	95.6	2	38.0	18	57.0	17	59.0	30	53.4	57.4	54	30	2	2	0.05	0.05	10	1	1	0	0	0	0	0	0	10	0	0	0	10	32	59	45	45	122	120	39	248
XII	911.4	909.8	61.8	75.0	77.3	48.5	62.9	90.8	3	39.1	28	62.1	26	61.2	4	53.8	58.0	61	36	2	2	0.00	0.00	-	0	0	0	0	0	0	0	0	4	0	0	0	8	24	35	63	84	144	148	31	207
Year Year	913.7	911.9	55.6	69.8	71.5	45.9	58.7	99.1	-	25.1	-	42.7	-	65.0	-	49.4	54.7	67	40	4	3	11.30	1.01	-	50	36	8	10	0	0	6	0	60	21	15	0	582	447	883	598	494	865	1166	678	3047

No. 27/4406 CAPE L'AGULHAS. ϕ = 34 50'S; λ = 20 01'E; Pm at/by 0 gdm. H = 62 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	1017.6	1017.1	67.6	71.9	73.4	62.5	67.9	79.0	29	54.0	1	70.0	4	67.0	27	-	-	-	-	6	4	0.22	0.10	3	4	3	0	2	0	0	3	0	0	0	0	0	0	1	21	13	11	4	10	1	1
II	1014.3	1013.7	69.5	74.6	76.4	64.9	70.7	81.0	8	58.0	25	73.0	12	70.0	8	-	-	-	-	7	5	0.29	0.12	10	7	4	0	0	0	0	1	0	0	0	0	3	0	2	28	6	6	4	9	0	1
III	1017.5	1017.3	66.1	70.9	72.7	61.8	67.3	85.0	25	55.0	28	69.0	19	66.0	15	-	-	-	-	6	4	0.38	0.14	17	6	3	0	0	0	0	3	0	0	0	0	0	0	3	28	5	6	7	10	1	2
IV	1016.6	1016.1	63.6	69.8	70.9	60.3	65.6	82.0	14	50.0	28	60.0	27	66.0	3	-	-	-	-	6	6	1.46	0.80	27	8	4	1	0	0	0	8	0	0	0	0	0	1	3	21	3	3	7	16	3	3
V	1016.8	1016.1	58.8	64.6	66.6	54.2	60.4	82.0	10	46.0	29	55.0	20	60.0	6	-	-	-	-	6	6	4.13	1.32	20	15	13	4	1	0	0	3	0	0	0	0	0	7	6	6	0	3	8	23	8	1
VI	1020.7	1019.9	55.8	60.9	62.6	52.3	57.5	81.0	17	47.0	24	55.0	24	58.0	5	-	-	-	-	6	6	5.71	2.40	20	14	12	5	0	0	0	1	0	0	0	0	0	1	7	8	1	0	6	30	6	1
VII	1019.7	1018.8	52.7	58.8	60.7	49.0	54.9	70.0	5	43.0	22	55.0	9	57.0	28	-	-	-	-	6	5	3.78	1.72	8	13	11	2	1	3	0	2	0	0	0	0	0	2	4	5	2	1	6	27	11	4
VIII	1021.7	1019.4	53.3	60.3	62.1	49.2	55.7	79.0	28	42.0	7	53.0	6	57.0	29	-	-	-	-	5	4	3.18	0.90	11	12	10	3	0	0	0	1	0	0	0	0	0	2	5	13	2	0	13	16	7	4
IX	1021.9	1020.9	58.5	62.5	64.5	54.3	59.4	69.0	10	48.0	8	60.0	22	58.0	28	-	-	-	-	7	5	0.40	0.14	21	5	3	0	0	0	0	5	0	0	0	0	0	1	1	22	4	3	7	15	2	4
X	1019.4	1018.8	60.2	63.7	65.2	54.4	59.8	69.0	31	50.0	15	59.0	14	58.0	30	-	-	-	-	6	6	7.28	4.85	4	13	10	3	2	0	0	0	0	0	0	0	0	2	3	21	3	5	13	13	2	0
XI	1016.9	1016.1	64.5	67.9	70.1	57.9	64.0	75.0	30	46.0	17	65.0	18	64.0	30	-	-	-	-	6	4	0.64	0.29	16	5	4	0	1	0	0	1	0	0	0	0	0	0	1	20	7	6	5	16	4	1
XII	1015.6	1014.9	68.4	70.6	75.3	61.4	68.3	82.0	16	53.0	6	66.0	21	65.0	15	-	-	-	-	4	4	0.73	0.32	16	9	5	0	0	0	0	0	0	0	0	0	0	0	0	1	13	8	12	25	3	0
Year Year	1018.2	1017.4	61.6	66.4	68.4	56.9	62.7	85.0	-	42.0	-	53.0	-	70.0	-	-	-	-	-	6	5	28.20	4.85	-	111	82	18	7	3	0	28	0	0	0	0	3	16	36	194	59	52	92	210	48	22

1st and 2nd ORDER STATIONS - STASIES VAN DIE 1e en 2e ORDE.

Column key: P_n Mean Pressure at / Gem. Lugdruk by gdm. (0830, 1500); Air Temperature - Lugtemperatuur in °F.: Means / Gemiddeldes T_n (0830, 1500, x Max., n Min., $\frac{x+n}{2}$ Mean/Gem.); Extremes / Uiterstes (Max., Dat, Min., Dat); Lowest Max. / Laagste Maks., Highest Min. / Hoogste Min. (Max., Dat, Min., Dat); Wet-bulb Temperature / Natbol Temperatuur °F. Means / Gem. (0830, 1500); Rel. Hum. / Rel. Vogtigheid U % (0830, 1500); Mean Cloud Amt. / Gem. Wolkbedekking N 0-10 (0830, 1500); Precipitation in inches / Neerslag in duime R (Σ, Max. in 24h., Dat.); Number of Days with / Aantal Dae met: Precipn. / Neerslag ≥.01, ≥.04, ≥.40, Thunder / Onweer, Hail / Hael, Snow / Sneeu, Fog / Newel, Duststorms / Stofstorms, Max. ≥ 86°F., Max ≤ 50°F., Min ≤ 32°F., Min ≥ 68°F.; Wind Frequency / Windfrekwensie. nD. (N, NE, E, SE, S, SW, W, NW, Calm / Kalm).

No. 28/4446 RIVERSDALE. ϕ = 34 06'S; λ = 21 16'E; Pn at/by 0 gdm. H = 345 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

	P 0830	P 1500	T 0830	T 1500	x Max.	n Min.	Mean	Ext. Max.	Dat	Ext. Min.	Dat	Lowest Max.	Dat	Highest Min.	Dat	Wet-bulb 0830	Wet-bulb 1500	U 0830	U 1500	N 0830	N 1500	Σ	Max. in 24h.	Dat.	≥.01	≥.04	≥.40	Thunder	Hail	Snow	Fog	Dust	Max ≥86°F	Max ≤50°F	Min ≤32°F	Min ≥68°F	N	NE	E	SE	S	SW	W	NW	Calm
I	1017.6	1015.2	68.5	82.0	85.7	59.4	72.5	107.3	14	50.0	2	75.2	31	68.9	13	64.0	72.9	78	65	4	3	0.11	0.06	14	2	2	0	1	0	0	0	0	10	0	0	1	0	3	9	28	9	7	1	3	2
II	1013.8	1011.9	70.1	84.5	88.2	63.4	75.8	102.3	25	55.0	1	71.0	24	68.9	22	65.8	70.7	80	51	7	4	0.34	0.10	23	5	3	0	1	0	0	0	0	18	0	0	1	1	1	12	26	3	10	0	1	2
III	1017.6	1015.1	62.4	82.2	85.0	56.8	70.9	102.6	27	47.0	19	66.2	2	61.5	27	59.8	66.6	87	44	6	3	0.32	0.17	9	6	3	0	1	0	0	2	0	13	0	0	0	2	6	9	15	8	6	0	7	9
IV	1017.5	1014.5	60.4	79.8	82.7	53.9	68.3	103.8	8	40.0	30	62.0	28	62.4	21	57.9	65.7	86	47	5	4	0.94	0.41	27	5	4	1	0	0	0	3	0	9	0	0	0	5	4	6	5	6	11	0	8	15
V	1017.7	1015.8	52.4	71.1	73.4	47.6	60.5	94.5	9	37.0	31	53.4	20	56.4	2	50.4	59.2	88	49	7	5	3.10	0.61	20	11	11	4	0	0	0	5	0	4	0	0	0	1	0	3	3	3	18	0	20	14
VI	1021.8	1019.9	48.2	65.2	67.9	44.1	56.0	80.6	17	35.9	2	53.2	24	51.5	8	45.9	55.5	84	54	6	5	2.20	0.52	24	11	8	2	0	0	0	5	0	0	0	0	0	0	0	1	3	2	14	0	24	16
VII	1021.0	1018.8	44.7	62.4	64.4	41.3	52.9	75.0	4	31.4	16	55.2	9	53.8	7	43.1	54.0	87	58	4	4	0.80	0.19	19	8	5	0	0	0	0	3	0	0	0	2	0	0	0	3	5	0	21	0	16	17
VIII	1021.9	1018.7	47.2	66.8	68.9	40.7	54.8	86.3	28	30.5	7	52.3	6	50.9	31	44.8	55.2	83	47	4	4	2.04	0.74	31	8	7	1	0	0	0	1	0	1	0	2	0	0	0	3	6	2	14	0	19	18
IX	1022.1	1019.5	56.0	70.2	72.6	48.3	60.5	92.6	28	40.0	23	63.4	6	55.0	13	54.0	60.5	88	57	7	5	2.10	1.62	1	5	4	1	0	0	0	3	0	2	0	0	0	0	4	2	18	0	16	0	6	14
X	1019.8	1018.0	58.8	67.7	71.0	50.3	60.7	82.6	24	41.2	23	61.0	3	57.9	1	55.1	59.0	79	60	7	7	2.64	0.63	4	9	8	4	1	0	0	0	0	0	0	0	0	0	0	11	30	6	16	0	7	2
XI	1017.2	1015.1	65.6	77.5	81.4	56.1	68.7	97.4	9	45.0	8	68.0	17	63.6	3	60.2	65.1	74	51	5	4	1.10	1.07	10	2	1	1	1	0	0	2	0	9	0	0	0	0	2	14	13	8	12	0	8	3
XII	1015.8	1014.0	67.5	79.2	82.8	55.6	69.2	100.6	12	42.0	28	68.0	21	63.8	1	59.8	64.0	64	43	4	4	0.33	0.13	26	3	3	0	0	0	0	0	0	8	0	0	0	1	3	5	13	10	18	0	10	2
Jaar Year	1018.7	1016.4	58.5	74.1	77.0	51.5	64.3	107.3	-	30.5	-	52.3	-	68.9	-	55.1	62.4	81	52	5	4	16.02	1.62	-	75	59	14	5	0	0	24	0	74	0	4	2	10	23	78	165	57	163	1	129	114

No. 28/4465 CAPE ST. BLAIZE. ϕ = 34 11'S; λ = 22 09'E; Pn at/by 0 gdm. H = 196 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

	P 0830	P 1500	T 0830	T 1500	x Max.	n Min.	Mean	Ext. Max.	Dat	Ext. Min.	Dat	Lowest Max.	Dat	Highest Min.	Dat	Wet-bulb 0830	Wet-bulb 1500	U 0830	U 1500	N 0830	N 1500	Σ	Max. in 24h.	Dat.	≥.01	≥.04	≥.40	Thunder	Hail	Snow	Fog	Dust	Max ≥86°F	Max ≤50°F	Min ≤32°F	Min ≥68°F	N	NE	E	SE	S	SW	W	NW	Calm
I	1017.5	1016.2	70.4	74.0	76.5	64.7	70.6	83.0	14	59.0	1	70.0	5	68.0	14	63.6	65.4	70	63	5	4	0.10	0.05	30	4	1	0	0	0	0	1	0	0	0	0	0	2	3	6	15	13	19	2	2	0
II	1014.1	1012.9	70.7	74.3	77.3	66.9	72.1	89.0	25	61.0	12	70.0	24	70.1	22	66.3	67.7	80	71	8	6	0.43	0.14	23	7	4	0	0	0	0	4	0	1	0	0	9	2	4	7	16	7	15	2	1	2
III	1017.5	1016.4	66.0	71.3	73.7	62.4	68.1	80.0	9	55.0	18	67.0	18	66.0	8	62.2	64.9	81	71	7	4	0.42	0.15	10	6	6	0	1	0	0	10	0	0	0	0	0	2	6	6	11	10	17	3	5	2
IV	1017.0	1015.8	65.9	71.1	74.9	61.7	68.3	87.0	8	50.0	28	65.0	28	67.0	15	60.9	64.3	75	70	6	4	0.47	0.16	27	8	4	0	1	0	0	7	0	1	0	0	0	4	2	1	6	6	16	4	17	4
V	1017.3	1015.7	61.6	67.1	70.3	57.0	63.7	94.0	9	48.0	21	57.0	22	65.0	10	55.1	59.1	66	63	6	6	3.06	1.00	22	9	8	3	0	0	0	2	0	1	0	0	0	2	1	3	2	1	22	8	19	4
VI	1021.1	1019.8	57.1	63.7	66.9	53.0	59.9	82.0	17	42.0	25	55.0	24	62.0	18	51.7	57.2	69	68	6	5	2.49	1.50	23	13	7	1	0	0	0	2	0	0	0	0	0	3	3	0	0	2	21	9	21	1
VII	1020.6	1019.1	54.4	62.2	65.0	50.6	57.8	75.0	6	46.0	10	58.0	10	57.0	6	49.8	55.0	73	64	4	4	0.41	0.13	27	7	3	0	0	0	0	3	0	0	0	0	0	5	1	2	2	0	21	8	23	0
VIII	1021.1	1018.9	55.3	62.8	66.7	51.3	59.0	83.0	17	43.0	7	56.0	6	56.0	10	50.1	55.1	70	62	5	4	0.70	0.27	31	5	3	0	0	0	0	2	0	0	0	0	0	6	1	4	4	4	14	8	20	1
IX	1021.7	1020.1	60.2	64.3	67.8	56.0	61.9	78.0	28	50.0	7	62.0	23	60.0	29	56.3	58.8	79	73	6	6	0.67	0.24	24	8	5	0	0	0	0	3	0	0	0	0	0	3	1	8	10	4	20	2	10	2
X	1019.1	1017.8	60.9	64.9	66.8	55.9	61.3	72.0	27	51.0	22	60.0	14	60.0	27	56.4	58.5	76	69	7	6	1.20	0.36	14	10	8	0	2	0	0	1	0	0	0	0	0	1	1	6	9	6	25	5	7	2
XI	1016.8	1015.0	65.6	68.8	72.2	59.5	65.9	78.0	28	52.0	17	67.0	17	66.0	28	60.6	62.5	75	70	5	4	0.41	0.35	10	4	1	0	1	0	0	10	0	0	0	0	0	0	2	6	10	10	28	1	2	1
XII	1015.3	1013.9	67.8	71.5	74.7	60.8	67.8	80.0	31	50.0	22	67.0	21	67.0	30	61.5	63.8	70	66	5	5	0.58	0.25	20	6	5	0	0	0	0	2	0	0	0	0	0	6	1	2	10	10	23	6	3	1
Jaar Year	1016.3	1016.8	63.0	68.0	71.1	58.3	64.7	94.0	-	42.0	-	55.0	-	70.1	-	57.9	61.0	74	67	6	5	10.94	1.50	-	87	55	4	5	0	0	47	0	3	0	0	9	36	26	51	95	73	241	58	130	20

No. 28/4470 OUDTSHOORN (Convent). ϕ = 33 35'S; λ = 22 13'E; H = 1,096 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	-	-	71.8	88.6	90.2	59.9	75.1	110.9	29	49.0	2	75.1	31	72.5	30	-	-	-	-	3	3	0.15	0.12	30	2	1	0	0	0	0	0	1	21	0	0	1	0	0	7	12	15	4	2	1	20
II	-	-	74.4	92.8	95.0	63.3	79.1	107.6	10	53.6	13	81.1	28	73.0	26	-	-	-	-	3	4	0.19	0.15	28	3	1	0	1	0	0	0	1	22	0	0	4	1	2	12	11	2	0	3	2	23
III	-	-	67.6	86.7	87.2	58.3	72.7	100.9	27	44.0	20	67.1	18	70.9	28	-	-	-	-	4	4	0.38	0.20	6	3	3	0	0	0	0	0	0	11	0	0	2	4	2	5	8	2	0	1	6	33
IV	-	-	62.1	82.7	85.1	53.6	69.3	101.1	8	40.9	30	61.9	28	71.0	9	-	-	-	-	3	4	0.23	0.18	23	3	1	0	2	0	0	0	1	16	0	0	1	3	0	8	8	6	0	1	1	29
V	-	-	51.5	70.5	72.9	46.5	59.7	90.5	8	37.1	31	51.3	22	60.1	11	-	-	-	-	5	6	2.84	1.03	23	9	7	2	0	0	0	0	0	4	0	0	0	3	0	1	12	5	3	0	1	35
VI	-	-	44.1	63.3	64.7	41.0	52.9	78.5	18	32.9	16	49.2	24	52.6	21	-	-	-	-	6	5	1.42	0.54	22	7	6	1	1	1	0	4	0	0	1	0	0	1	0	0	0	4	4	2	6	42
VII	-	-	42.5	63.0	64.4	39.3	51.9	79.5	23	31.1	4	54.2	9	51.0	24	-	-	-	-	4	3	0.55	0.11	27	9	7	0	1	0	0	5	0	0	0	3	0	3	3	0	0	1	6	7	7	35
VIII	-	-	48.2	68.2	70.2	40.5	55.3	85.9	29	29.2	8	53.9	6	51.2	29	-	-	-	-	3	3	0.94	0.79	4	3	3	1	0	0	0	1	0	0	0	2	0	5	0	0	1	1	6	4	7	36
IX	-	-	58.1	76.8	78.3	48.4	63.3	96.8	29	37.9	8	64.8	6	57.0	13	-	-	-	-	5	3	0.09	0.09	25	1	1	0	0	0	0	0	0	6	0	0	0	2	2	4	0	4	8	3	1	33
X	-	-	59.9	72.2	74.1	49.5	61.8	93.6	24	40.5	20	61.9	3	59.7	1	-	-	-	-	6	6	1.52	0.41	5	9	8	2	1	0	0	0	0	1	0	0	0	1	4	1	2	6	17	6	0	22
XI	-	-	70.0	84.5	87.4	54.2	70.8	102.1	29	45.8	12	68.5	11	61.8	10	-	-	-	-	3	2	0.00	0.00	-	0	0	0	1	0	0	0	1	17	0	0	0	1	4	2	0	10	20	4	2	15
XII	-	-	68.7	83.2	84.9	53.5	69.2	99.9	3	43.6	28	69.7	22	62.8	1	-	-	-	-	(3	3)	0.19	0.13	4	3	2	0	0	0	0	0	0	(11	0	0	0	(0	0	4	1	6	16	6	2	8)
Year Year	-	-	59.9	77.7	79.5	50.7	65.1	110.9	-	29.2	-	49.2	-	73.0	-	-	-	-	-	(4	4)	8.50	1.03	-	52	40	6	7	1	0	10	4	109	1	5	8	(24	17	44	55	62	84	39	36	33)

No. 28/4480 GEORGE (Vliegskool/Air School). ϕ = 33 58'S; λ = 22 27'E; Pm at/by 0 gdm. H = 725 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	1017.3	1015.8	67.7	73.5	77.1	57.9	67.5	105.0	14	49.7	2	67.0	31	65.7	14	61.1	63.5	69	57	5	5	1.44	0.33	26	11	10	0	1	0	0	2	0	3	0	0	0	1	0	3	13	10	5	6	3	16
II	1014.0	1012.6	68.9	73.8	77.8	63.3	70.5	91.0	25	53.5	13	65.9	27	71.2	26	64.8	66.9	81	70	7	6	1.37	0.58	23	8	5	1	0	0	0	4	0	3	0	0	1	1	0	5	18	7	7	2	4	12
III	1017.4	1016.1	65.7	72.9	76.6	57.1	66.9	92.0	27	46.8	20	62.0	18	65.8	7	60.7	63.1	76	57	5	5	1.27	0.29	15	11	9	0	0	0	0	4	0	5	0	0	0	2	0	6	20	3	8	3	4	16
IV	1017.2	1015.3	64.1	72.8	77.4	56.2	66.8	101.6	8	47.0	30	63.9	28	70.6	4	58.9	62.0	74	54	4	4	1.45	0.53	28	9	5	2	2	0	0	6	0	6	0	0	1	1	0	0	13	6	4	6	7	23
V	1017.1	1015.7	60.4	67.1	72.4	52.1	62.3	91.2	9	42.9	21	54.1	22	68.0	10	53.3	57.2	62	55	6	7	5.00	2.00	21	12	9	2	1	0	0	2	0	5	0	0	0	6	0	3	2	3	5	14	13	16
VI	1021.4	1019.8	54.3	62.7	66.3	48.7	57.5	79.1	14	41.3	16	49.9	24	67.5	18	48.5	54.0	67	57	6	6	2.86	1.00	23	10	8	2	0	0	0	0	0	0	1	0	0	6	0	0	2	1	5	8	11	27
VII	1020.8	1018.9	51.2	60.0	64.3	45.9	55.1	82.9	23	38.0	11	53.8	9	56.7	7	46.8	52.7	73	62	4	4	1.80	0.55	7	7	7	2	3	0	0	3	0	0	0	0	0	2	0	1	2	2	1	12	11	31
VIII	1021.7	1019.3	54.2	62.8	66.9	45.8	56.3	86.0	17	36.0	8	54.0	7	55.7	10	48.3	53.4	66	54	5	5	3.17	2.35	31	6	6	1	0	0	0	0	0	0	0	0	0	5	0	1	7	1	3	8	9	28
IX	1022.0	1020.7	58.9	63.4	68.5	50.7	59.6	85.5	28	43.4	27	58.6	5	58.9	29	55.6	58.0	82	73	7	7	1.14	0.31	4	7	6	0	0	0	0	0	0	0	0	0	0	0	0	4	7	3	3	4	1	38
X	1019.4	1018.0	58.5	61.9	65.5	50.5	58.0	76.3	8	42.5	23	57.6	15	58.7	25	54.7	56.6	79	73	7	8	5.84	1.50	2	15	13	5	1	0	0	2	0	0	0	0	0	0	0	5	13	3	8	9	4	20
XI	1016.4	1015.2	64.1	68.6	72.9	53.3	63.1	83.9	9	46.7	9	64.8	11	60.5	28	58.7	60.8	73	64	6	5	0.56	0.53	10	2	1	1	0	0	0	0	0	0	0	0	0	0	0	1	12	6	12	9	3	17
XII	1015.6	1014.6	65.8	70.8	74.4	54.6	64.5	89.4	12	46.0	28	63.3	27	62.5	16	58.6	61.3	66	60	5	5	1.03	0.40	20	9	7	1	0	0	0	0	0	2	0	0	0	1	0	1	9	6	11	10	3	21
Year Year	1018.4	1016.8	61.1	67.5	71.7	53.0	62.3	105.0	-	36.0	-	49.9	-	71.2	-	55.8	59.1	72	61	6	6	26.93	2.35	-	107	86	17	8	0	0	23	0	24	1	0	2	25	0	30	123	51	72	91	73	265

No. 29/4594 CAPE ST. FRANCIS. ϕ = 34 12'S; λ = 24 50'E; Pm at/by 0 gdm. H = 25 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	1017.1	1015.6	68.0	71.2	73.6	61.8	67.7	95.0	29	54.0	8	68.0	31	67.0	28	65.6	67.8	89	84	5	4	0.82	0.26	31	6	4	0	-	0	0	0	0	1	0	0	0	0	9	16	4	7	7	18	0	1
II	1015.0	1012.3	68.5	71.8	73.7	64.1	68.9	79.0	9	60.0	28	69.0	12	69.0	10	67.4	69.8	94	90	7	6	0.79	0.29	23	6	6	0	-	0	0	8	0	0	0	0	1	1	1	24	3	1	7	15	1	3
III	1017.1	1016.0	64.1	67.6	70.0	59.8	64.9	79.0	28	52.0	20	64.0	18	64.0	13	63.0	65.8	94	92	5	5	1.00	0.75	17	3	3	1	-	0	0	4	0	0	0	0	0	4	4	18	2	1	10	20	0	3
IV	1016.5	1015.1	64.8	68.1	70.8	59.4	65.1	100.0	4	51.0	27	65.0	29	65.0	3	63.8	67.1	95	95	4	6	0.20	0.12	23	3	3	0	-	0	0	1	0	1	0	0	0	1	2	14	0	1	5	33	1	3
V	1015.2	1014.1	62.3	66.5	70.2	54.8	62.5	95.0	10	34.0	24	61.0	21	63.0	10	59.3	63.4	84	85	5	5	4.72	1.65	23	7	7	3	-	0	0	1	0	3	0	0	0	2	1	8	1	0	0	38	8	4
VI	1021.2	1018.4	58.1	63.2	66.2	49.6	57.9	83.0	18	38.0	24	59.0	24	59.0	18	56.2	60.0	88	84	5	5	4.22	0.86	24	13	13	4	-	0	0	0	0	0	0	0	0	5	1	4	0	1	7	30	8	4
VII	1019.7	1018.2	56.0	62.1	64.1	49.9	57.0	81.0	23	42.0	9	56.0	9	58.0	26	53.5	58.7	85	82	5	4	1.29	0.68	9	5	4	1	-	0	0	0	0	0	0	0	0	3	3	5	0	0	5	32	5	9
VIII	1020.9	1019.0	57.6	63.2	66.4	50.1	58.3	84.0	9	42.0	7	57.0	6	58.0	10	55.5	59.9	88	82	5	4	2.04	0.66	6	7	6	2	-	0	0	0	0	0	0	0	0	1	9	9	1	0	7	28	6	1
IX	1021.4	1019.6	60.5	63.6	66.9	55.0	60.9	85.0	29	48.0	10	61.0	23	61.0	29	58.8	61.9	91	91	4	5	1.13	0.80	15	7	5	1	-	0	0	1	0	0	0	0	0	2	3	18	0	2	6	25	1	3
X	1018.3	1016.9	60.0	61.9	64.1	54.8	59.5	69.0	15	49.0	23	61.0	19	60.0	25	58.1	60.0	90	90	6	5	7.45	3.30	15	13	12	5	-	0	0	0	0	0	0	0	0	0	1	19	2	1	1	36	0	2
XI	1015.9	1013.9	64.6	66.8	68.4	56.1	62.3	75.0	28	38.0	18	64.0	17	65.0	28	62.2	63.7	88	84	4	4	0.32	0.27	16	3	2	0	-	0	0	4	0	0	0	0	0	1	2	14	2	1	6	29	0	5
XII	1014.3	1012.9	67.2	70.4	71.8	59.6	65.7	78.0	18	48.0	27	65.0	22	68.0	30	64.5	66.8	87	83	5	3	1.08	0.77	21	4	3	1	-	0	0	0	1	0	0	0	0	0	1	13	0	5	6	33	0	4
Year Year	1017.7	1016.0	62.6	66.4	68.9	56.3	62.6	100.0	-	34.0	-	56.0	-	69.0	-	60.7	63.7	89	87	5	5	25.06	3.30	-	77	68	18	-	0	0	19	1	5	0	0	1	20	37	162	15	20	67	337	30	42

1st and 2nd ORDER STATIONS – STASIES VAN DIE 1e en 2e ORDE.

	P_m Mean Pressure at Gem. Lugdruk by Gdm. 0830	1500	Air Temperature – Lugtemperatuur in °F. Means Geniddeldes T_m 0830	1500	Max.	Min.	$\frac{Max+Min}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat	Min.	Dat	Lowest Laagste Highest Hoogste Max.	Dat	Min.	Dat	Wet-bulb Temperature, Natbol Temperatuur. °F. Means Gem. 0830	1500	Rel. Hum. Rel. Vogtigheid. U % 0830	1500	Mean Cloud Amt. Gem. Wolkehvlhd. N 0-10 0830	1500	Precipitation in inches Neerslag in duims. R M	Max. in 24h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥.01	≥.04	≥.40	Thunder Donder	Hail-Hael	Snow Sneeu	Fog-Nevel	Frost-Vorsts	Max. ≥ 86°F	Max ≤ 50°F	Min ≤ 32°F	Min ≤ 68°F	Wind Frequency. Windfrekwensie. nD. N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 30/5639A PORT ELIZABETH (Luchave/Airport). ϕ = 33 59'S; λ = 25 37'E; Pm at/by 0 gdm. H = 190 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft; h_a = 50 vt/ft.																																																
I	1017.3	1015.8	69.2	73.2	76.3	59.9	68.1	94.0	29	50.5	17	69.0	31	70.6	30	62.9	64.9	70	64	6	3	0.57	0.25	26	5	3	0	0	0	0	1	0	1	0	0	1	14	18	115	146	59	127	171	34	36
II	1014.2	1012.5	70.3	75.8	79.1	65.4	72.3	94.5	26	58.2	28	70.0	12	70.1	19	67.3	69.2	86	71	7	4	1.65	0.39	20	8	7	0	5	1	0	5	0	1	0	0	7	7	14	114	169	38	67	157	12	94
III	1017.4	1016.2	65.9	72.3	75.7	58.6	67.1	92.5	28	45.3	20	65.7	18	66.7	7	62.8	65.0	84	68	5	4	0.91	0.46	6	4	4	1	1	0	0	6	0	2	0	0	0	16	32	100	127	21	72	219	51	106
IV	1017.1	1015.4	64.9	71.1	75.2	56.1	65.7	101.0	4	44.3	28	64.6	28	63.5	17	60.8	64.1	80	68	4	3	0.03	0.03	22	1	0	0	0	0	0	5	0	2	0	0	0	27	26	97	82	19	66	205	78	120
V	1016.3	1014.7	60.3	70.5	74.0	50.7	62.3	93.7	9	35.5	22	56.9	23	61.9	2	54.6	60.1	70	55	5	5	5.97	2.00	24	9	9	4	0	0	0	1	0	6	0	0	0	117	34	27	28	13	21	236	152	116
VI	1021.0	1019.0	54.4	64.1	67.2	47.4	57.3	82.6	18	38.2	13	53.2	24	56.7	4	50.7	56.0	79	60	6	5	5.69	2.32	24	11	7	5	2	1	0	1	0	0	0	0	0	51	30	19	1	10	163	234	136	76
VII	1020.6	1018.5	51.9	63.3	65.3	44.2	54.7	78.8	5	34.8	2	54.0	9	56.4	26	49.3	55.4	83	63	3	4	1.16	0.55	9	7	5	1	1	0	0	1	0	0	0	0	0	52	35	17	5	12	211	192	127	93
VIII	1021.7	1019.4	55.1	64.2	67.2	45.7	56.5	82.6	10	32.5	6	57.0	7	56.5	30	51.9	56.3	80	64	3	3	2.30	0.92	6	7	5	2	0	0	0	2	0	0	0	0	0	78	59	52	20	24	214	123	115	59
IX	1021.8	1019.7	61.0	66.2	69.5	51.9	60.7	92.0	19	44.5	10	61.0	13	58.6	12	57.8	60.1	82	70	4	5	2.07	0.83	22	9	7	2	0	0	0	3	0	2	0	0	0	30	52	138	30	42	245	93	41	49
X	1018.7	1017.3	61.3	64.1	66.8	53.0	59.9	73.1	24	41.2	23	60.2	14	57.6	31	57.1	58.7	78	73	6	6	1.86	0.68	14	10	8	2	4	0	0	2	0	0	0	0	0	5	71	163	28	38	267	137	7	28
XI	1016.1	1014.1	66.7	69.2	72.8	56.3	64.5	86.8	15	44.8	13	66.8	17	63.9	28	60.7	62.0	71	67	5	3	0.04	0.03	27	2	0	0	1	0	0	1	0	1	0	0	0	10	74	147	33	47	258	100	8	43
XII	1014.5	1012.8	67.5	71.3	73.7	57.9	65.8	79.4	12	45.8	6	64.7	22	67.2	30	61.6	62.8	72	63	5	3	1.78	0.71	21	9	8	1	0	0	0	0	0	0	0	0	0	9	40	105	40	78	305	126	11	30
Jaar Year	1018.1	1016.3	62.4	68.8	71.9	53.9	62.9	101.0	-	32.5	-	53.2	-	70.6	-	58.1	61.2	78	65	5	4	24.03	2.32	-	82	63	18	14	2	0	28	0	15	0	0	8	416	485	1094	709	401	2016	1993	772	850
No. 30/5641A HERMITAGE. ϕ = 33 31'S; λ = 25 40'E; H = 400 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																																																
I	-	-	71.2	82.6	85.4	58.2	71.8	112.3	29	49.4	6	76.0	7	73.4	30	63.6	67.3	66	44	5	4	0.82	0.65	31	5	3	1	2	0	0	0	0	12	0	0	2	1	1	3	32	10	5	3	3	4
II	-	-	73.1	84.3	87.9	65.3	76.6	110.5	10	53.6	28	70.9	27	73.7	8	68.5	71.5	79	54	7	5	0.99	0.37	21	8	7	0	4	0	0	0	0	17	0	0	7	1	0	0	26	7	5	3	1	13
III	-	-	66.6	81.4	84.2	57.1	70.7	99.9	28	42.5	20	70.4	18	68.3	7	62.4	66.4	80	45	5	5	0.30	0.19	6	4	3	0	1	0	0	0	0	13	0	0	1	2	1	0	18	4	7	7	10	11
IV	-	-	62.9	81.7	84.1	54.4	69.3	104.0	8	41.0	30	67.0	28	64.7	10	58.9	66.5	80	45	4	3	0.61	0.26	22	3	3	0	0	0	0	3	0	10	0	0	0	1	0	0	23	2	5	7	7	13
V	-	-	54.7	75.3	77.9	45.9	61.9	93.8	19	37.5	22	57.0	23	61.0	6	51.1	60.3	79	41	4	4	1.64	0.65	23	6	6	1	0	0	0	0	0	9	0	0	0	1	3	0	11	0	10	5	26	6
VI	-	-	50.0	68.5	70.2	43.3	56.7	83.8	19	33.6	16	52.5	24	54.0	21	47.0	55.8	80	44	5	5	2.22	1.67	24	8	7	1	0	0	0	0	0	0	0	0	0	2	2	2	4	1	9	14	19	6
VII	-	-	47.1	68.0	69.8	41.4	55.6	83.4	5	29.0	11	56.8	9	54.2	8	44.5	56.4	81	48	4	3	0.50	0.23	11	4	2	0	0	0	0	1	0	0	0	1	0	3	3	1	6	3	11	11	15	9
VIII	-	-	52.3	71.3	75.5	42.1	58.8	92.0	29	29.0	8	60.0	7	54.4	31	48.3	57.5	75	43	3	4	0.20	0.16	31	3	1	0	0	0	0	1	0	6	0	2	0	0	5	0	17	0	4	8	17	7
IX	-	-	60.6	74.9	78.4	50.4	64.4	103.5	29	36.8	7	63.3	13	58.0	21	56.1	62.0	76	48	5	5	0.04	0.04	16	1	1	0	0	0	0	1	0	7	0	0	0	0	0	3	26	9	9	3	7	4
X	-	-	62.5	72.5	75.3	50.7	63.0	90.6	5	37.0	22	64.0	15	58.8	25	56.9	60.6	71	50	7	5	0.75	0.27	14	7	6	0	2	0	0	0	0	2	0	0	0	2	2	9	19	5	5	8	5	5
XI	-	-	69.6	79.2	84.5	53.4	68.9	105.0	15	42.8	23	73.7	11	66.2	10	60.8	64.6	60	45	4	4	0.41	0.23	11	2	2	0	0	0	0	0	0	12	0	0	0	0	2	6	31	4	2	5	1	8
XII	-	-	70.2	80.4	83.9	56.0	69.9	103.0	15	46.0	6	67.8	22	67.8	30	61.5	65.7	60	45	5	3	0.17	0.08	4	3	3	0	0	0	0	0	0	10	0	0	0	0	0	0	34	6	5	3	3	9
Jaar Year	-	-	61.7	76.7	79.8	51.5	65.7	112.3	-	29.0	-	52.5	-	73.7	-	56.6	62.9	74	46	5	4	8.65	1.67	-	54	44	3	9	0	0	6	0	98	0	3	10	13	19	24	246	51	77	77	114	95

No. 30/5656 BIRD ISLAND. ϕ = 33 51'S; λ = 26 17'E; Pm at/by 0 gdm. H = 35 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	1016.5	1015.2	68.9	73.3	76.4	64.5	70.9	83.0	26	60.0	29	71.0	30	70.0	26	64.8	67.2	81	72	7	5	0.66	0.32	23	4	4	0	-	0	0	0	0	0	0	1	0	0	17	8	2	9	21	4	1
II	1013.5	1012.1	68.1	72.8	76.8	63.5	70.1	98.0	4	59.0	12	71.0	15	68.0	10	65.6	67.9	89	78	7	5	1.02	0.30	21	9	6	0	-	0	0	7	0	2	0	0	0	2	0	27	6	1	3	9	5	3
III	1017.8	1015.5	65.1	69.3	72.6	61.6	67.1	88.0	21	55.0	19	67.0	19	65.0	10	62.7	65.2	88	81	5	5	0.47	0.14	11	8	5	0	-	0	0	2	0	1	0	0	0	2	0	19	7	1	4	17	7	5
IV	1016.3	1014.7	64.8	69.0	73.7	61.4	67.5	90.0	4	54.0	28	68.0	23	66.0	3	62.5	65.3	88	83	5	3	0.25	0.17	9	5	1	0	-	0	0	4	0	1	0	0	0	1	1	16	4	3	6	17	9	3
V	1015.3	1014.1	63.2	67.2	72.4	59.7	66.1	82.0	10	52.0	23	62.0	21	63.0	20	60.1	63.8	84	84	5	5	2.44	0.85	23	5	5	3	-	0	0	1	0	0	0	0	0	7	2	6	2	2	4	23	14	2
VI	1019.6	1018.2	60.3	64.4	68.9	56.6	62.7	78.0	5	47.0	24	59.0	25	62.0	21	56.7	60.3	81	77	6	5	3.71	2.25	24	9	8	2	-	0	0	0	0	0	0	0	0	6	3	7	1	0	1	18	24	0
VII	1019.5	1018.0	59.6	64.1	66.8	56.3	61.5	74.0	5	49.0	10	57.0	9	61.0	7	56.0	59.4	81	76	4	3	1.10	0.72	9	4	4	1	-	0	0	0	0	0	0	0	0	8	2	6	0	0	6	21	17	2
VIII	1020.8	1019.0	60.2	64.2	68.6	55.3	61.9	82.0	10	47.0	7	58.0	7	61.0	11	56.8	60.3	82	81	5	4	4.46	3.58	31	4	4	2	-	0	0	0	0	0	0	0	0	2	5	12	2	1	5	20	12	3
IX	1020.9	1019.1	62.4	66.0	69.9	58.9	64.4	81.0	29	56.0	1	66.0	13	62.0	12	59.6	61.9	85	80	6	5	0.54	0.23	4	6	3	0	-	0	0	1	0	0	0	0	0	1	3	13	8	1	6	13	12	3
X	1018.0	1016.4	61.5	64.1	70.0	57.4	63.7	78.0	15	54.0	12	65.0	6	61.0	26	59.0	61.3	87	85	7	6	1.73	0.53	4	11	7	1	-	0	0	0	0	0	0	0	0	2	1	16	5	1	7	23	6	1
XI	1015.5	1012.2	66.1	69.2	73.2	61.5	67.3	78.0	30	57.0	17	70.0	11	67.0	30	63.2	65.0	86	80	4	4	0.00	0.00	-	0	0	0	-	0	0	2	0	0	0	0	0	0	1	19	3	2	9	20	6	0
XII	1013.9	1012.3	67.7	71.2	74.5	63.7	69.1	80.0	18	55.0	23	70.0	23	67.0	31	63.3	67.1	89	81	6	4	1.93	1.56	21	3	3	1	-	0	0	0	0	0	0	0	0	1	1	14	2	3	10	27	5	0
Year	1017.3	1015.6	64.0	67.9	72.0	60.0	66.0	98.0	-	47.0	-	57.0	-	70.0	-	61.0	63.7	85	80	6	5	18.31	3.58	-	68	50	10	-	0	0	17	0	4	0	0	1	31	19	172	48	17	70	229	121	23

No. 31/5686M OOS LONDON/EAST LONDON (Lughaven/Airport). ϕ = 33 02'S; λ = 27 53'E; Pm at/by 0 gdm. H = 411 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	1017.3	1015.9	71.2	73.1	75.8	62.3	69.1	88.2	30	57.0	24	68.3	1	68.4	30	64.7	66.3	70	70	6	5	2.31	1.12	31	12	9	1	1	0	0	0	0	1	0	0	1	31	140	90	65	66	105	72	25	150
II	1014.5	1012.7	73.6	77.1	79.7	66.4	73.1	99.3	26	62.0	1	69.4	1	72.4	9	69.0	71.1	80	75	6	5	1.64	0.53	2	8	7	2	4	0	0	3	0	2	0	0	7	33	189	115	29	31	128	46	4	97
III	1017.7	1016.3	69.8	73.6	76.5	62.6	69.5	90.0	21	54.7	20	68.1	19	69.5	7	64.6	66.5	76	70	5	4	1.78	0.56	2	13	10	1	5	0	0	1	0	1	0	0	2	34	184	101	20	41	135	90	27	112
IV	1017.6	1015.4	69.0	73.9	77.2	60.4	68.8	94.3	4	52.1	28	65.8	23	65.4	10	62.0	65.0	68	63	3	3	0.69	0.26	23	6	4	0	1	0	0	0	0	2	0	0	0	72	195	81	26	14	108	131	51	42
V	1017.0	1015.2	64.4	72.2	74.9	56.6	65.7	91.6	19	47.1	31	58.0	21	66.3	11	55.0	60.6	54	52	4	4	0.67	0.27	23	6	5	0	0	0	0	1	0	3	0	0	0	99	79	33	24	26	96	206	156	25
VI	1021.2	1018.9	58.0	67.1	69.6	50.9	60.7	84.7	5	42.0	13	55.6	25	58.3	11	50.2	55.9	58	49	4	5	0.76	0.40	11	6	3	1	0	0	0	0	0	0	0	0	0	84	48	23	13	15	72	265	159	41
VII	1021.3	1018.8	58.3	67.3	70.5	50.5	60.5	90.7	23	41.7	21	57.6	10	61.1	26	49.5	55.4	56	45	2	2	0.39	0.39	26	1	1	0	0	0	0	0	0	2	0	0	0	110	84	29	25	23	63	165	193	52
VIII	1022.0	1019.7	61.9	68.8	73.7	52.0	62.9	96.3	29	42.8	6	56.4	7	59.5	23	52.8	57.8	54	51	3	3	0.58	0.47	31	3	2	1	0	0	0	0	0	5	0	0	0	128	131	53	18	21	111	156	88	38
IX	1021.8	1019.7	63.5	67.4	72.3	57.1	64.7	106.4	29	51.7	3	60.9	13	63.3	21	58.7	61.5	75	73	5	6	2.03	0.75	12	10	8	2	0	0	0	0	0	2	0	0	0	40	116	98	49	41	127	150	49	50
X	1018.8	1016.9	63.5	64.8	68.1	57.0	62.5	74.9	18	50.5	20	60.1	15	64.9	25	57.8	60.1	71	77	6	6	7.46	1.67	14	13	9	6	4	0	0	0	0	0	0	0	0	14	102	139	51	34	157	179	39	29
XI	1016.0	1014.1	69.3	70.1	74.5	59.9	67.2	88.3	15	52.8	17	69.3	16	67.8	28	62.0	64.4	67	73	5	4	0.75	0.20	4	7	6	0	3	0	0	2	0	1	0	0	0	28	156	105	20	46	169	124	32	40
XII	1014.3	1013.0	71.1	71.4	75.7	60.6	68.1	82.6	18	52.0	28	66.6	27	68.2	1	62.7	64.6	63	70	5	6	0.64	0.22	4	6	5	0	2	0	0	0	0	0	0	0	1	14	111	99	33	61	200	119	26	81
Year	1018.3	1016.4	66.1	70.6	74.0	58.0	66.0	106.4	-	41.7	-	55.6	-	72.6	-	59.1	62.4	66	64	5	4	19.70	1.67	-	91	69	14	20	0	0	7	0	19	0	0	11	687	1535	966	373	419	1471	1703	849	757

No. 32/1 GHANZI. ϕ = 21 30'S; λ = 21 45'E; Pm at/by 1,100 gdm. H = 3,710 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	888.3	886.0	76.2	90.6	93.5	64.7	79.1	101.0	19	55.0	12	86.0	11	72.0	18	-	-	-	-	4	6	0.46	0.25	6	3	3	0	-	-	-	-	-	29	0	0	4	5	23	12	8	2	3	2	4	3
II	887.1	884.7	75.0	91.0	92.8	63.6	78.2	99.0	12	59.0	4	81.0	1	69.0	15	-	-	-	-	3	4	1.00	0.56	1	3	3	1	-	-	-	-	-	27	0	0	1	5	16	11	13	8	1	0	1	1
III	889.3	887.3	68.1	82.5	84.8	61.2	73.0	97.0	9	50.0	19	73.0	14	70.0	1	-	-	-	-	6	7	1.77	0.60	13	7	6	3	-	-	-	-	-	12	0	0	1	5	18	14	9	2	7	2	4	1
IV	891.4	889.7	67.8	84.2	85.4	54.9	70.2	91.0	1	49.0	29	67.0	29	63.0	26	-	-	-	-	3	5	0.03	0.03	30	1	0	0	-	-	-	-	-	20	0	0	0	5	31	5	11	1	0	0	5	2
V	894.2	891.8	59.6	75.2	76.5	41.7	59.1	82.0	4	27.0	23	61.0	22	57.0	11	-	-	-	-	1	2	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	1	0	4	16	9	11	8	2	2	2	8
VI	897.0	895.4	53.7	70.9	71.5	33.0	52.3	77.0	1	22.0	27	57.0	26	40.0	1	-	-	-	-	1	1	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	11	0	4	16	11	13	3	2	1	1	9
VII	895.7	893.6	54.0	75.0	75.0	38.1	56.5	81.0	29	30.0	2	70.0	3	45.0	21	-	-	-	-	1	0	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	3	0	5	13	21	4	6	1	1	2	9
VIII	896.3	893.8	55.2	77.4	78.3	42.1	60.2	86.0	27	31.0	7	65.0	5	50.0	12	-	-	-	-	0	0	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	1	0	4	17	18	13	3	0	2	0	0
IX	894.9	892.0	65.2	87.2	88.7	51.3	70.0	95.0	25	43.0	13	84.0	12	63.0	24	-	-	-	-	0	0	0.00	0.00	-	0	0	0	-	-	-	-	-	24	0	0	0	1	13	15	6	2	1	1	0	0
X	889.4	886.5	72.7	91.4	93.2	60.3	76.7	99.0	30	45.0	5	83.0	14	70.0	19	-	-	-	-	3	2	0.50	0.30	25	2	2	0	-	-	-	-	-	25	0	0	1	7	11	13	10	5	7	5	3	1
XI	-	-	74.5	87.8	92.2	61.8	77.0	99.0	25	50.0	30	79.0	10	71.0	7	-	-	-	-	6	6	1.35	0.49	27	8	4	1	-	-	-	-	-	18	0	0	3	15	9	6	7	0	1	2	8	6
XII	888.4	884.8	75.2	88.4	91.8	64.5	78.1	99.0	19	54.0	1	78.0	5	76.0	20	-	-	-	-	6	7	2.74	0.67	17	9	8	3	-	-	-	-	-	26	0	0	5	11	1	4	6	12	5	0	5	18
Year	-	-	66.4	83.5	85.3	53.1	69.2	101.0	-	22.0	-	57.0	-	76.0	-	-	-	-	-	3	3	7.85	0.67	-	33	26	8	-	-	-	-	-	181	0	16	15	71	184	139	111	52	30	18	35	58

1st and 2nd ORDER STATIONS – STASIES VAN DIE 1e en 2e ORDE.

	P_m Mean Pressure at Gem. Lugdruk by Gdm. 0830	1500	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	1500	x Max.	n Min.	Xth 2 Mean Gem.	Extremes Uiterstes Max.	Dat	Min.	Dat	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat	Min.	Dat	Wet-bulb Temperature. Natbol Temperatuur. °F. Means Gem. 0830	1500	Rel. Hum. Rel. Vogtigheid. U % 0830	1500	Mean Cloud Amt. Gem. Wolkeinvlhd. N 0-10 0830	1500	Precipitation in inches Neerslag in duime. R M	Max. in 24h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ .01	≥ .04	≥ .10	Thunder Donner	Hail-Hagel	Snow Sneeuw	Fog-Mewel	Dust Storm Stofstorm	Max. ≥ 86°F	Max ≥ 32°F	Min ≤ 32°F	Min ≤ 68°F	Wind Frequency. Windfrekwensie. nD. N	NE	E	SE	S	SW	W	NW	Calm Kalm
No. 32/3 MADIN.																																																
ϕ = 20 00'S; λ = 23 26'E; Pm at/by 900 gdm. H = 3,090 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																																																
I	910.8	907.2	75.5	88.3	91.3	67.0	79.1	100.7	19	57.4	14	79.6	11	71.4	22	66.1	69.6	62	48	6	7	0.70	0.31	28	7	4	0	11	0	0	0	0	27	0	0	16	3	8	31	9	3	0	1	1	6
II	909.2	905.5	75.7	89.2	92.0	67.0	79.5	97.8	13	61.8	3	83.9	1	72.0	13	67.6	70.7	67	41	4	6	1.69	0.64	14	9	8	2	7	0	0	0	0	26	0	0	9	2	6	20	9	5	2	2	1	9
III	912.6	909.6	69.6	81.5	84.8	62.8	73.8	90.6	31	53.5	12	67.0	14	70.8	2	64.4	68.2	77	52	6	7	6.36	1.85	14	13	9	6	10	0	0	2	0	13	0	0	5	6	5	18	8	2	2	3	2	16
IV	914.0	911.0	68.0	85.6	87.2	56.0	71.6	90.0	18	51.5	13	82.2	30	61.5	1	58.3	63.9	58	31	2	4	0.04	0.04	30	1	1	0	2	0	0	0	0	21	0	0	0	2	5	31	2	5	1	0	0	14
V	915.8	912.9	56.2	77.7	79.4	45.8	62.6	85.8	2	28.9	24	68.5	22	57.8	12	48.6	57.8	59	29	1	2	0.08	0.08	9	1	1	0	1	0	0	0	0	0	0	1	0	1	2	20	13	11	1	0	0	14
VI	919.1	916.3	47.4	72.9	74.3	36.5	55.4	80.0	23	23.8	27	59.6	26	49.2	1	40.4	52.6	56	24	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	4	0	0	1	18	17	6	0	0	0	18
VII	917.6	914.5	51.8	77.5	79.3	41.9	60.6	85.0	31	33.5	6	69.5	14	52.0	11	43.7	55.7	53	24	0	0	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	0	0	2	3	30	8	3	0	0	1	15
VIII	917.9	914.4	58.7	79.9	81.7	49.0	65.3	88.0	27	38.6	5	77.7	9	59.7	28	48.1	57.2	47	25	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	3	0	0	0	0	4	34	16	4	0	0	0	4
IX	915.8	911.7	69.8	88.6	90.1	57.1	73.6	96.6	23	46.0	2	82.5	13	63.0	28	54.1	60.5	39	20	1	1	0.00	0.00	-	0	0	0	0	0	0	0	0	25	0	0	0	0	1	44	9	3	0	1	0	2
X	911.0	907.2	77.6	95.8	97.4	65.4	81.4	103.6	19	49.5	1	85.2	14	72.6	14	61.3	66.8	42	22	3	4	0.59	0.54	8	4	1	1	7	0	0	0	0	30	0	0	7	7	6	12	4	9	3	5	3	13
XI	912.0	908.3	75.6	86.7	90.3	66.0	78.1	101.5	7	61.3	14	76.5	20	72.7	8	64.9	67.6	58	39	5	7	1.88	0.64	26	15	7	2	14	0	0	0	1	22	0	0	9	6	6	22	6	4	1	1	2	12
XII	910.1	907.0	76.3	88.2	91.6	67.2	79.4	101.0	20	61.3	23	76.8	28	70.7	21	67.6	69.8	65	41	5	7	3.20	0.76	5	11	9	4	14	0	0	0	0	25	0	0	11	8	4	10	2	5	1	2	5	25
Jaar Year	913.8	910.5	66.9	84.3	86.6	56.8	71.7	103.6	-	23.8	-	59.6	-	72.7	-	57.1	63.4	57	33	3	4	14.54	1.85	-	61	40	15	66	0	0	2	1	192	0	5	57	37	51	290	103	60	11	15	15	148
No. 32/9 MAHALAPYE B.P.																																																
ϕ = 23 04'S; λ = 26 48'E; Pm at/by 1,000 gdm. H = 3,296 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																																																
I	902.0	-	74.1	-	91.0	64.5	77.7	101.0	19	56.0	13	77.0	9	74.0	1	66.9	-	69	-	6	-	1.73	0.60	20	6	6	2	-	-	-	-	-	23	0	0	5	-	-	-	-	-	-	-	-	-
II	900.0	-	74.2	-	90.2	65.3	77.8	96.0	17	61.0	2	76.0	2	71.0	17	66.4	-	68	-	5	-	1.59	0.85	1	3	3	2	-	-	-	-	-	25	0	0	4	-	-	-	-	-	-	-	-	-
III	903.5	-	69.3	-	81.8	60.1	70.9	94.0	2	51.0	22	69.0	5	69.0	2	63.8	-	75	-	3	-	5.36	2.30	3	10	9	5	-	-	-	-	-	7	0	0	1	-	-	-	-	-	-	-	-	-
IV	906.3	-	68.5	-	83.1	53.5	68.3	91.0	1	47.0	29	67.0	4	60.0	2	62.8	-	74	-	2	-	0.77	0.55	22	3	2	1	-	-	-	-	-	8	0	0	0	-	-	-	-	-	-	-	-	-
V	906.0	-	58.9	-	76.1	40.9	58.5	83.0	29	39.0	29	62.0	21	53.0	7	52.1	-	65	-	2	-	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	0	0	-	-	-	-	-	-	-	-	-
VI	908.7	-	51.4	-	71.2	31.8	51.5	79.0	23	24.0	27	57.0	25	39.0	1	43.8	-	56	-	1	-	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	15	0	-	-	-	-	-	-	-	-	-
VII	908.1	-	53.6	-	73.7	35.0	54.3	83.0	31	28.0	2	59.0	11	45.0	12	47.0	-	62	-	2	-	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	8	0	-	-	-	-	-	-	-	-	-
VIII	909.0	-	58.1	-	77.0	39.3	58.2	86.0	27	33.0	6	68.0	8	53.0	28	49.5	-	56	-	1	-	0.00	0.00	-	0	0	0	-	-	-	-	-	0	0	0	0	-	-	-	-	-	-	-	-	-
IX	907.5	-	70.1	-	85.5	49.7	67.6	95.0	22	41.0	2	75.0	11	65.0	24	59.4	-	55	-	1	-	0.00	0.00	-	0	0	0	-	-	-	-	-	14	0	0	0	-	-	-	-	-	-	-	-	-
X	902.4	-	73.5	-	90.8	60.4	75.6	100.0	19	50.0	1	72.0	15	69.0	19	64.6	-	63	-	5	-	0.57	0.35	14	3	2	0	-	-	-	-	-	22	0	0	1	-	-	-	-	-	-	-	-	-
XI	902.8	-	74.5	-	87.4	63.9	75.7	98.0	6	52.0	14	71.0	19	74.0	7	64.2	-	58	-	6	-	2.96	1.86	10	7	5	3	-	-	-	-	-	19	0	0	6	-	-	-	-	-	-	-	-	-
XII	900.8	-	77.0	-	92.1	65.5	78.8	100.0	17	61.0	24	77.0	6	70.0	22	66.2	-	58	-	5	-	2.01	1.02	14	8	5	2	-	-	-	-	-	25	0	0	6	-	-	-	-	-	-	-	-	-
Jaar Year	904.8	-	66.9	-	83.3	52.5	67.9	101.0	-	24.0	-	57.0	-	74.0	-	58.9	-	63	-	3	-	14.99	2.30	-	40	32	15	-	-	-	-	-	143	0	23	23	-	-	-	-	-	-	-	-	-

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtgehl. U 0830	Mean Cloud Amt. Gem. Wolkevrhl. N 0-10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met: Precipn. Neerslag ≥ -01	≥ -04	≥ -40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. < 50°F.	Min. < 32°F.	Min. ≥ 68°F.
No. 1/1001A DIKGATLOND. ϕ = 23 27'S; λ = 27 15'E; H = 3,000 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	77.0	92.0	64.6	78.3	102.0	19	54.0	14	75.0	9	75.0	1	64	5	2.21	0.90	8	8	7	2	–	–	–	–	25	0	0	5
II	77.8	92.4	64.6	78.5	97.0	17	58.0	9	76.0	2	73.0	17	65	5	1.22	0.45	1	5	5	2	–	–	–	–	27	0	0	2
III	72.0	87.0	61.4	74.2	98.0	2	50.0	22	76.0	5	74.0	3	77	6	1.79	1.10	3	8	6	1	–	–	–	–	17	0	0	2
IV	69.5	87.6	54.5	71.1	94.0	1	48.0	29	80.0	30	62.0	3	70	2	1.38	0.50	20	10	6	1	–	–	–	–	18	0	0	0
V	58.1	79.0	38.2	58.6	86.0	2	25.0	23	66.0	22	51.0	1	63	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	6	0
VI	49.7	74.5	29.0	51.7	84.0	23	20.0	27	60.0	25	48.0	8	56	0	0.00	0.00	–	0	0	0	–	–	–	–	0	0	23	0
VII	51.9	77.0	32.5	54.7	86.0	31	21.0	1	65.0	11	52.0	11	60	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	19	0
VIII	58.0	80.5	37.1	58.8	90.0	26	30.0	18	73.0	20	53.0	28	58	1	0.00	0.00	–	0	0	0	–	–	–	–	3	0	4	0
IX	70.3	88.6	48.5	68.5	99.0	22	38.0	2	78.0	8	66.0	24	59	1	0.07	0.07	10	1	1	0	–	–	–	–	20	0	0	0
X	74.4	91.6	60.7	76.1	103.0	30	46.0	1	70.0	15	71.0	19	–	4	0.96	0.75	14	3	2	1	–	–	–	–	24	0	0	3
XI	76.8	91.1	64.1	77.6	104.0	7	54.0	14	78.0	19	74.0	29	–	5	1.81	0.78	10	4	3	2	–	–	–	–	20	0	0	5
XII	79.9	95.4	67.3	81.3	105.0	17	60.0	23	76.0	6	77.0	18	–	4	1.49	0.84	9	7	4	2	–	–	–	–	28	0	0	12
Year Year	67.9	86.4	51.9	69.1	105.0	–	20.0	–	60.0	–	77.0	–	–	3	10.93	1.10	–	46	34	11	–	–	–	–	182	0	52	29
No. 1/1004A FRANCISTOWN. ϕ = 21 08'S; λ = 27 35'E; H = 3,294 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	73.4	85.1	64.8	74.9	99.0	19	55.0	15	64.0	10	77.0	1	68	5	2.16	0.89	9	7	6	2	–	–	–	–	15	0	0	9
II	72.5	85.4	64.2	74.8	92.0	11	58.0	27	78.0	15	69.0	1	76	5	3.13	1.30	1	5	5	3	–	–	–	–	13	0	0	2
III	68.7	81.3	61.5	71.4	95.0	1	53.0	22	68.0	20	67.0	3	78	4	5.68	1.90	15	11	10	5	–	–	–	–	7	0	0	0
IV	69.4	84.3	54.9	69.6	90.0	17	48.0	6	71.0	30	64.0	17	70	2	0.27	0.19	26	2	2	0	–	–	–	–	12	0	0	0
V	58.5	76.8	46.1	61.5	84.0	2	33.0	23	66.0	10	60.0	11	67	2	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VI	52.4	72.7	35.5	54.1	80.0	9	24.0	26	60.0	26	43.0	1	54	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	6	0
VII	53.8	75.2	40.9	58.1	84.0	8	31.0	1	59.0	11	53.0	13	60	2	0.00	0.00	–	0	0	0	–	–	–	–	0	0	1	0
VIII	56.5	76.7	43.5	60.1	85.0	26	35.0	19	63.0	8	54.0	28	58	2	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
IX	68.4	84.8	52.2	68.5	94.0	22	42.0	2	74.0	11	62.0	23	56	1	0.00	0.00	–	0	0	0	–	–	–	–	12	0	0	0
X	75.3	92.5	62.5	77.5	102.0	19	52.0	1	67.0	14	69.0	18	53	3	1.10	0.65	21	3	3	1	–	–	–	–	27	0	0	1
XI	73.6	87.6	63.9	75.7	100.0	8	52.0	14	76.0	14	71.0	5	59	4	2.61	1.83	23	5	5	1	–	–	–	–	17	0	0	4
XII	77.7	92.2	66.9	79.5	103.0	21	61.0	29	74.0	29	73.0	22	59	4	1.59	0.42	27	7	6	2	–	–	–	–	23	0	0	12
Year Year	66.7	82.9	54.7	68.8	103.0	–	24.0	–	59.0	–	77.0	–	63	3	16.54	1.90	–	40	37	14	–	–	–	–	126	0	7	28
No. 3/1011M MARNITZ. ϕ = 23 10'S; λ = 28 13'E; H = 3,100 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	74.5	88.6	65.3	76.9	99.9	19	56.3	15	75.1	10	74.2	27	61	6	0.15	0.15	20	1	1	0	3	0	0	0	20	0	0	6
II	74.1	87.3	65.5	76.4	93.8	1	60.0	25	74.5	2	66.9	18	66	5	3.57	2.70	12	3	3	2	2	0	0	0	20	0	0	5
III	71.0	83.9	62.4	73.1	94.4	2	52.9	22	72.9	15	69.9	8	71	4	0.51	0.40	16	3	3	1	0	0	0	0	10	0	0	4
IV	69.3	83.0	57.2	70.1	88.8	12	52.3	5	73.0	30	61.9	1	64	3	0.06	0.03	21	2	0	0	6	0	0	0	8	0	0	0
V	60.6	74.7	45.8	60.3	82.5	2	28.9	24	63.0	22	60.0	2	57	2	0.00	0.00	–	0	0	0	0	0	0	0	0	0	1	0
VI	53.5	69.8	35.2	52.5	79.1	23	25.1	26	57.9	25	46.5	2	57	0	0.00	0.00	–	0	0	0	0	0	0	0	0	0	9	0
VII	56.0	72.9	40.8	56.9	80.8	31	32.9	8	63.7	11	52.4	18	55	1	0.00	0.00	–	0	0	0	0	0	0	1	0	0	0	0
VIII	61.0	76.3	44.9	60.6	87.3	25	32.8	1	67.8	9	59.4	29	57	1	0.00	0.00	–	0	0	0	0	0	0	1	1	0	0	0
IX	69.6	83.9	55.0	69.5	94.3	22	47.0	15	71.3	14	66.5	23	49	1	0.00	0.00	–	0	0	0	0	0	0	0	13	0	0	0
X	71.9	86.1	62.7	74.4	97.1	19	55.6	9	64.5	14	71.4	18	57	4	1.83	1.08	14	3	3	2	6	1	0	0	20	0	0	4
XI	73.1	85.9	63.6	74.7	99.2	7	54.2	14	72.5	19	72.3	29	57	6	1.29	0.62	21	4	4	1	7	0	0	0	15	0	0	4
XII	76.7	90.6	66.6	78.6	100.7	17	60.5	29	69.1	6	75.6	18	56	5	0.60	0.27	21	5	5	0	8	0	0	0	20	0	0	8
Year Year	67.6	81.9	55.4	68.7	100.7	–	25.1	–	57.9	–	75.6	–	59	3	8.01	2.70	–	21	19	6	32	1	0	2	127	0	10	31
No. 2/1081 ALASKA. ϕ = 22 59'S; λ = 29 50'E; H = 4,400 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	64.3	75.6	58.1	66.9	89.0	4	49.0	10	57.0	10	68.0	21	93	8	3.09	0.67	21	11	11	4	2	0	0	9	2	0	0	0
II	64.7	76.9	60.1	68.5	87.0	2	55.0	28	69.0	5	67.0	12	92	7	3.68	1.22	2	12	11	3	0	0	0	4	1	0	0	0
III	64.4	74.6	57.9	66.3	87.0	2	49.0	22	63.0	20	68.0	8	82	6	3.69	1.10	15	13	12	3	2	0	0	2	1	0	0	0
IV	63.1	74.8	53.9	64.4	82.0	17	48.0	5	65.0	13	58.0	1	79	4	2.08	0.75	21	10	8	2	2	0	0	2	0	0	0	0
V	(58.2	69.0	46.7	57.9	77.0	3	40.0	24	62.0	24	57.0	22	(67)	(3)	1.45	1.35	8	2	1	1	0	0	0	0	(0	0	0	0
VI	54.0	65.2	40.1	52.7	73.0	1	32.0	26	55.0	26	51.0	24	61	1	0.00	0.00	–	0	0	0	0	0	0	1	0	0	0	0
VII	55.3	66.1	42.8	54.5	77.0	9	38.0	26	48.0	11	50.0	18	64	3	0.25	0.15	11	4	3	0	0	0	0	4	0	1	0	0
VIII	55.4	69.1	44.2	56.7	82.0	26	37.0	18	55.0	19	49.0	25	63	2	0.22	0.07	29	4	4	0	0	0	0	5	0	0	0	0
IX	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0.00	0.00	–	0	0	0	–	–	–	–	–	–	–	–
X	64.6	78.3	54.5	66.4	90.0	2	51.0	15	57.0	14	66.0	27	68	5	2.08	1.00	22	5	4	2	4	0	0	7	6	0	0	0
XI	64.5	76.9	55.8	66.4	94.0	7	48.0	13	60.0	18	64.0	7	71	7	3.53	1.28	21	7	6	3	6	0	0	5	4	0	0	0
XII	67.6	81.1	58.7	69.9	93.0	27	51.0	23	62.0	23	65.0	19	74	5	1.93	0.60	5	6	5	3	3	0	0	8	9	0	0	0
Year Year	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22.00	1.35	–	74	65	21	–	–	–	–	–	–	–	–

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes Tm				Extremes Uiterstes				Lowest Max. Laagste Maks. Highest Min. Hoogste Min.				Mean Rel. Hum. Gem. Rel. Vogtigheid.	Mean Cloud Amt. Gem. Wolkebedk.	Precipitation in inches. Neerslag in duims. R.			Number of Days with Aantal Dae met										
	0830	x Max.	n Min.	(x+n)/2 Mean Gem.	Max.	Dat.	Min.	Dat.	Max.	Dat.	Min.	Dat.	U % 0830	N 0–10 0830	M	Max. in 24 h.	Dat.	Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donner	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. < 50°F.	Min. < 32°F.	Min. ≥ 68°F.
No. 2/1094 MACUVILLE. ϕ = 22 16'S; λ = 29 54'E; H = 2,000 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																											
I	*76.8	91.1	–	–	103.0	4	–	–	73.0	10	–	–	*73	*6	1.18	0.55	4	5	5	2	–	–	–	–	21	0	–	–
II	76.8	91.0	–	–	101.0	1	–	–	83.0	5	–	–	77	6	3.28	1.90	2	7	7	3	–	–	–	–	26	0	–	–
III	73.3	86.8	–	–	100.0	2	–	–	73.0	20	–	–	82	6	5.77	4.12	16	5	4	3	–	–	–	–	16	0	–	–
IV	70.6	85.7	–	–	94.0	17	–	–	75.0	30	–	–	77	3	1.45	0.83	21	3	2	2	–	–	–	–	14	0	–	–
V	62.6	81.0	–	–	88.0	2	–	–	74.0	23	–	–	75	3	0.11	0.08	10	2	1	0	–	–	–	–	2	0	–	–
VI	55.1	77.1	–	–	84.0	9	–	–	70.0	13	–	–	68	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	–	–
VII	55.8	79.3	–	–	87.0	31	–	–	67.0	13	–	–	76	3	0.00	0.00	–	0	0	0	–	–	–	–	2	0	–	–
VIII	60.8	80.6	–	–	88.0	26	–	–	73.0	8	–	–	70	2	0.00	0.00	–	0	0	0	–	–	–	–	4	0	–	–
IX	70.2	87.7	–	–	97.0	30	–	–	78.0	11	–	–	70	2	0.00	0.00	–	0	0	0	–	–	–	–	18	0	–	–
X	73.2	89.5	64.4	76.9	103.5	26	50.0	1	69.0	15	73.0	18	75	5	0.71	0.41	22	5	2	1	–	–	–	–	23	0	0	7
XI	74.0	89.4	64.8	77.1	105.0	7	54.0	3	72.0	19	72.0	30	79	6	1.50	0.54	11	5	5	1	–	–	–	–	18	0	0	10
XII	77.9	94.1	67.1	80.6	106.0	27	59.0	25	74.0	6	75.0	11	83	5	1.90	0.75	5	5	5	2	–	–	–	–	25	0	0	11
Jaar Year	68.9	86.1	–	–	106.0	–	–	–	67.0	–	–	–	75	4	15.90	4.12	–	37	31	14	–	–	–	–	169	0	–	–
No. 2/1096 LOUIS TRICHARDT. ϕ = 23 03'S; λ = 29 54'E; H = 3,145 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																											
I	67.5	79.9	62.0	70.9	94.0	4	53.0	10	64.0	10	70.0	21	86	9	2.11	0.70	8	12	10	2	3	0	0	–	9	0	0	1
II	67.9	81.1	63.1	72.1	93.0	1	58.0	28	70.0	3	68.0	2	88	8	2.12	0.73	2	7	7	2	0	0	0	–	2	0	0	0
III	66.1	78.4	60.5	69.5	96.0	2	51.0	22	66.0	20	68.0	3	86	8	2.63	0.55	15	14	14	2	2	0	0	–	5	0	0	0
IV	64.1	78.3	56.6	67.5	90.0	17	51.0	5	65.0	13	61.0	28	80	6	2.02	1.06	21	5	5	2	4	0	0	–	2	0	0	0
V	57.2	73.4	48.2	60.8	85.0	2	41.0	29	64.0	8	57.0	22	72	4	0.48	0.40	7	2	2	1	0	0	0	–	0	0	0	0
VI	51.6	69.8	39.4	54.6	79.0	23	30.0	26	59.0	26	52.0	2	59	2	0.00	0.00	–	0	0	0	0	0	0	–	0	0	2	0
VII	53.8	70.5	44.0	57.3	81.0	9	37.0	3	56.0	13	52.0	10	71	4	0.47	0.21	12	4	4	0	0	0	0	–	0	0	0	0
VIII	54.5	72.2	44.8	58.5	85.0	26	40.0	3	57.0	8	53.0	6	72	4	0.31	0.19	29	3	3	0	0	0	0	–	0	0	0	0
IX	62.3	79.9	53.4	66.7	95.0	21	45.0	12	60.0	8	62.0	25	74	5	0.00	0.00	–	0	0	0	0	0	0	–	6	0	0	0
X	64.9	79.1	58.3	68.7	96.0	19	51.0	16	56.0	14	66.0	18	78	7	2.40	0.97	22	7	5	3	4	0	0	–	10	0	0	0
XI	66.2	78.9	58.6	68.7	95.0	7	51.0	3	61.0	18	69.0	7	80	8	3.57	1.86	21	9	8	2	5	0	0	–	5	0	0	1
XII	70.0	83.4	61.6	72.5	99.0	27	54.0	23	62.0	28	71.0	27	78	7	2.57	0.84	5	13	11	3	4	0	0	–	14	0	0	1
Jaar Year	62.2	77.1	54.2	65.7	99.0	–	30.0	–	56.0	–	71.0	–	77	6	18.68	1.86	–	76	69	17	22	0	0	–	53	0	2	3
No. 2/1108 WOODBUSH. ϕ = 23 51'S; λ = 29 59'E; H = 5,014 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																											
I	59.9	68.7	54.5	61.6	83.6	1	47.8	12	57.4	5	60.2	4	90	8	8.29	1.67	9	28	15	7	5	0	0	8	0	0	0	0
II	60.7	68.6	56.8	62.7	75.3	1	53.7	26	60.9	2	60.0	12	93	8	14.80	5.70	12	14	12	7	1	0	0	11	0	0	0	0
III	61.8	67.1	54.6	60.9	79.5	2	47.0	20	55.8	19	60.1	3	90	7	12.00	2.58	5	17	15	8	1	0	0	9	0	0	0	0
IV	58.4	66.9	52.0	59.5	75.0	17	48.8	5	58.9	22	56.9	18	85	6	3.29	0.86	24	13	10	4	5	0	0	5	0	0	0	0
V	52.9	61.9	46.3	54.1	70.1	29	36.9	23	53.0	23	53.4	2	74	4	0.05	0.05	8	1	1	0	0	0	0	3	0	0	0	0
VI	50.2	59.0	41.5	50.3	65.2	23	29.0	26	50.6	26	50.1	22	57	1	0.00	0.00	–	0	0	0	0	0	0	0	0	0	1	0
VII	51.9	61.5	44.1	52.8	69.5	9	37.0	25	45.4	11	55.0	31	62	3	0.45	0.21	15	6	3	0	0	0	0	5	0	2	0	0
VIII	52.2	62.4	44.5	53.5	76.0	26	38.2	14	47.8	8	54.1	5	69	3	0.60	0.25	8	6	4	0	0	0	0	7	0	1	0	0
IX	58.1	68.4	49.4	58.9	79.2	30	41.2	12	50.0	10	57.2	30	74	4	0.45	0.16	9	8	3	0	0	0	0	9	0	0	0	0
X	59.4	71.4	52.1	61.8	84.5	2	46.0	16	50.5	14	61.5	2	79	4	6.00	2.32	14	17	15	4	7	0	0	16	0	0	0	0
XI	58.6	69.8	52.2	61.0	84.3	7	44.5	13	54.0	8	59.0	17	88	7	3.65	1.68	21	17	13	1	4	0	0	11	0	0	0	0
XII	62.5	72.4	55.2	63.8	84.3	26	45.8	23	55.4	28	65.0	5	85	7	9.39	2.65	27	16	13	8	3	0	0	13	0	0	0	0
Jaar Year	57.2	66.5	50.3	58.4	84.5	–	29.0	–	45.4	–	65.0	–	79	5	58.97	5.70	–	133	104	39	26	0	0	97	0	3	1	0
No. 2/1116 MESSINA. ϕ = 22 20'S; λ = 30 03'E; H = 1,800 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																											
I	75.5	86.2	69.7	77.9	102.0	4	62.0	10	67.2	10	79.0	1	64	8	2.03	0.80	10	7	7	2	–	–	–	–	13	0	0	19
II	76.3	86.9	70.4	78.7	98.2	1	66.9	3	78.5	3	79.1	2	70	7	2.61	0.85	2	9	7	3	–	–	–	–	14	0	0	25
III	73.4	83.7	67.2	70.5	97.8	2	59.5	22	71.6	20	73.0	8	73	7	6.55	2.25	15	12	6	4	–	–	–	–	8	0	0	16
IV	72.1	83.7	63.0	73.3	92.9	29	59.0	5	76.0	22	68.0	2	67	4	0.44	0.35	21	5	3	0	–	–	–	–	7	0	0	0
V	64.4	78.1	54.9	66.5	86.9	2	42.8	24	62.5	6	66.0	5	63	4	0.16	0.15	8	2	1	0	–	–	–	–	1	0	0	0
VI	56.8	75.4	46.4	60.9	83.8	9	36.8	27	65.4	26	54.7	2	54	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VII	58.7	76.3	49.8	63.1	87.1	31	40.0	1	65.1	13	57.2	11	61	3	0.00	0.00	–	0	0	0	–	–	–	–	2	0	0	0
VIII	63.5	78.3	53.6	65.9	88.8	5	45.9	5	67.5	9	60.5	28	56	2	0.00	0.00	–	0	0	0	–	–	–	–	3	0	0	0
IX	71.5	84.9	61.5	73.2	94.9	30	54.2	12	71.3	8	67.2	27	55	3	0.00	0.00	–	0	0	0	–	–	–	–	13	0	0	0
X	73.9	86.7	65.7	76.2	104.5	26	59.3	9	66.9	23	71.3	30	59	5	1.10	0.61	22	5	4	1	–	–	–	–	15	0	0	9
XI	75.0	87.3	67.2	77.3	102.9	7	60.9	3	69.1	19	75.9	7	59	6	1.79	0.58	7	6	6	2	–	–	–	–	16	0	0	13
XII	79.1	–	69.9	–	–	–	63.7	25	–	–	77.9	18	79	5	1.56	0.54	5	5	4	2	–	–	–	–	–	–	0	20
Jaar Year	70.0	–	61.6	–	–	–	36.8	–	–	–	79.1	–	63	5	16.24	2.25	–	51	38	14	–	–	–	–	–	–	0	102

* Waarnemings om/Observations at 0800.

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiteretes Maxi.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtigh. 0830	Mean Cloud Amt. Gem. Wolkehvhd. N 0-10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Snow Sneeu	Fog Mist	≥ 86°F. Max.	< 50°F. Max.	< 32°F. Min.	≥ 68°F. Min.
No. 2/1119 LEMANA. ϕ = 23 12'S; λ = 30 03'E; H = 3,000 vt/ft; ht = 4 vt/ft; hr = 4 vt/ft.																												
I	66.5	76.9	61.4	69.1	91.0	4	54.0	10	63.0	9	69.0	20	83	8	3.13	1.22	23	9	7	2	2	0	0	–	3	0	0	1
II	67.1	75.9	63.2	69.5	85.0	1	59.0	21	68.0	3	66.0	1	90	8	2.46	0.48	3	12	10	2	0	0	0	–	0	0	0	0
III	65.3	75.1	60.6	67.9	90.0	2	53.0	22	64.0	20	67.0	3	87	6	3.12	0.91	15	12	11	3	0	0	0	–	2	0	0	0
IV	63.9	73.9	57.8	65.9	82.0	27	51.0	11	64.0	13	62.0	17	82	6	1.23	0.50	2	7	5	1	3	0	0	–	0	0	0	0
V	59.5	70.4	51.0	60.7	79.0	2	40.0	24	62.0	10	57.0	12	69	4	0.30	0.20	8	2	2	0	0	0	0	–	0	0	0	0
VI	54.1	68.0	44.7	56.3	76.0	9	32.0	26	57.0	26	52.0	22	59	2	0.00	0.00	–	0	0	0	0	0	0	–	0	0	0	0
VII	55.3	68.6	48.8	58.7	82.0	31	43.0	26	55.0	12	56.0	31	69	3	0.33	0.18	17	2	2	0	0	0	0	–	0	0	0	0
VIII	56.3	69.5	49.4	59.5	82.0	26	44.0	19	58.0	8	57.0	5	69	4	0.53	0.22	8	5	4	0	0	0	0	–	0	0	0	0
IX	62.1	76.7	55.5	66.1	91.0	30	50.0	9	64.0	10	62.0	25	71	5	0.14	0.05	17	6	1	0	0	0	0	–	3	0	0	0
X	64.4	77.2	57.6	67.4	93.0	2	50.0	21	54.0	14	68.0	27	74	7	2.91	0.74	22	12	11	3	7	0	0	–	7	0	0	0
XI	66.1	78.0	59.1	68.6	95.0	7	52.0	14	60.0	18	68.0	7	78	7	3.12	2.25	21	14	9	1	4	0	0	–	4	0	0	0
XII	68.8	80.0	61.6	70.8	97.0	27	53.0	23	60.0	28	71.0	27	77	6	4.07	1.57	5	14	12	3	3	0	0	–	10	0	0	1
Jaar Year	62.5	74.2	55.9	65.1	97.0	–	32.0	–	54.0	–	71.0	–	76	5	21.34	2.25	–	95	74	15	19	0	0	–	29	0	0	2
No. 2/1120B BELVEDERE. ϕ = 23 45'S; λ = 30 04'E; H = 3,000 vt/ft; ht = 4 vt/ft; hr = 4 vt/ft.																												
I	68.1	78.5	60.8	69.7	90.5	1	53.2	13	65.2	9	64.7	20	81	7	10.66	3.64	24	10	9	6	–	–	–	–	3	0	0	0
II	69.0	79.8	62.3	71.1	85.0	17	51.5	28	67.9	3	67.0	5	86	8	6.87	2.42	13	12	11	4	–	–	–	–	0	0	0	0
III	68.0	78.1	60.2	69.1	90.8	18	50.2	22	66.5	19	66.4	18	83	7	5.26	1.85	9	12	12	4	–	–	–	–	4	0	0	0
IV	66.1	76.9	54.1	65.5	85.5	17	44.8	21	68.6	22	62.3	19	84	5	1.47	0.46	14	8	5	2	–	–	–	–	0	0	0	0
V	59.8	72.7	45.8	59.3	81.0	2	34.5	23	65.8	10	52.9	8	–	3	0.02	0.02	9	1	0	0	–	–	–	–	0	0	0	0
VI	53.8	69.6	40.9	55.3	79.4	30	32.0	26	59.0	26	49.9	2	–	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VII	54.5	70.2	44.2	57.2	81.5	27	39.5	25	57.2	11	53.1	31	–	2	0.17	0.10	12	2	2	0	–	–	–	–	0	0	0	0
VIII	57.9	72.9	45.8	59.3	86.0	26	41.1	18	60.0	8	51.1	20	–	3	0.35	0.22	29	3	2	0	–	–	–	–	0	0	0	0
IX	63.5	79.3	51.7	65.5	89.3	30	43.0	13	65.1	11	62.2	9	–	4	0.05	0.05	28	1	1	0	–	–	–	–	5	0	0	0
X	65.8	77.6	55.4	66.5	96.0	2	44.4	14	57.1	14	62.5	26	73	6	4.00	1.67	15	10	10	3	–	–	–	–	9	0	0	0
XI	67.9	80.2	58.0	69.1	96.0	7	48.1	3	63.0	18	65.0	29	76	7	2.77	1.33	22	8	7	2	–	–	–	–	8	0	0	0
XII	69.4	83.6	60.8	72.2	96.2	27	54.5	23	64.4	11	65.7	15	80	7	6.39	2.46	28	11	11	5	–	–	–	–	15	0	0	0
Jaar Year	63.7	76.6	53.3	64.9	96.2	–	32.0	–	57.1	–	67.0	–	–	5	38.01	3.64	–	78	70	26	–	–	–	–	44	0	0	0
No. 2/1136 PUGELLA. ϕ = 23 50'S; λ = 30 09'E; H = 2,456 vt/ft; ht = 4 vt/ft; hr = 4 vt/ft.																												
I	70.7	81.3	62.3	71.8	93.0	3	54.0	16	66.9	9	67.0	4	80	7	8.74	1.55	10	10	10	6	–	–	–	–	7	0	0	0
II	72.6	83.3	64.1	73.7	88.0	17	56.5	4	72.0	3	69.0	6	81	7	7.14	1.98	3	10	10	4	–	–	–	–	5	0	0	4
III	70.3	81.9	60.9	71.4	94.5	2	49.5	22	69.9	5	69.9	3	82	6	3.00	0.83	4	11	11	2	–	–	–	–	6	0	0	1
IV	66.2	81.1	55.0	68.1	93.0	18	48.0	5	65.5	21	65.0	3	82	6	1.46	0.49	22	8	6	1	–	–	–	–	3	0	0	0
V	60.0	76.8	43.2	60.0	84.0	2	32.0	23	70.5	23	54.5	1	76	4	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VI	52.2	74.5	34.5	54.5	82.9	23	26.9	27	64.1	26	48.5	1	70	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	9	0
VII	54.6	74.3	38.7	56.5	86.8	27	30.0	1	61.2	12	52.5	11	73	3	0.66	0.44	18	2	2	1	–	–	–	–	1	0	2	0
VIII	59.0	77.3	41.8	59.5	89.0	27	33.8	1	64.3	8	54.8	29	70	3	0.25	0.17	29	2	2	0	–	–	–	–	2	0	0	0
IX	67.0	82.7	48.4	65.5	92.6	21	40.2	4	66.5	10	61.5	18	67	4	0.05	0.05	11	1	1	0	–	–	–	–	10	0	0	0
X	68.1	82.0	56.1	69.1	99.9	26	42.2	1	59.0	14	64.5	4	87	6	3.49	1.75	15	13	8	1	–	–	–	–	11	0	0	0
XI	69.4	83.4	59.2	71.3	102.0	7	46.5	3	67.0	18	67.0	29	76	8	3.10	0.93	22	11	7	4	–	–	–	–	12	0	0	0
XII	71.4	85.9	60.9	73.4	99.5	27	54.5	26	65.0	28	68.2	18	84	6	4.32	1.25	28	13	9	4	–	–	–	–	18	0	0	1
Jaar Year	65.1	80.4	52.1	66.3	102.0	–	26.9	–	59.0	–	69.9	–	77	5	32.21	1.98	–	81	66	23	–	–	–	–	75	0	11	6
No. 2/1165A GOOLDVILLE. ϕ = 22 53'S; λ = 30 29'E; H = 2,500 vt/ft; ht = 4 vt/ft; hr = 4 vt/ft.																												
I	71.0	81.9	64.9	73.4	99.0	4	54.8	10	66.7	10	74.5	4	79	9	8.02	2.52	9	11	10	4	–	–	–	–	10	0	0	7
II	70.8	81.5	66.0	73.7	91.0	1	62.0	3	69.5	3	69.0	2	86	8	6.57	2.03	4	12	9	6	–	–	–	–	3	0	0	2
III	70.3	79.2	63.4	71.5	94.5	2	56.0	20	67.2	20	72.0	18	83	7	12.36	7.10	8	12	8	5	–	–	–	–	4	0	0	5
IV	67.6	78.1	62.1	70.1	87.2	17	58.4	22	67.8	30	69.0	28	81	6	1.65	0.67	2	9	8	1	–	–	–	–	2	0	0	1
V	64.1	73.7	56.9	65.3	81.3	2	48.2	23	65.2	8	62.6	2	69	4	0.85	0.45	7	4	2	1	–	–	–	–	0	0	0	0
VI	61.5	70.4	52.3	61.3	78.7	9	43.0	26	61.2	26	60.0	24	59	2	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VII	61.2	71.6	54.4	63.0	84.0	31	48.0	29	59.2	13	65.8	8	74	4	0.03	0.02	12	2	0	0	–	–	–	–	0	0	0	0
VIII	60.9	73.8	53.7	63.7	85.5	26	46.3	11	59.0	8	61.0	5	–	4	0.31	0.13	19	5	3	0	–	–	–	–	0	0	0	0
IX	66.7	81.4	59.2	70.3	93.0	30	51.3	9	64.0	8	71.0	30	(70)	5	0.19	0.15	7	3	1	0	–	–	–	–	6	0	0	1
X	68.7	80.9	61.0	70.9	98.2	19	54.0	15	59.0	14	71.8	1	80	7	2.26	0.70	22	13	11	1	–	–	–	–	12	0	0	4
XI	70.7	82.5	62.0	72.3	99.0	7	54.7	14	62.0	18	69.8	7	73	7	3.14	1.17	21	11	9	3	–	–	–	–	11	0	0	3
XII	72.5	–	65.2	–	–	–	55.4	23	–	–	76.2	27	76	7	2.32	2.25	5	16	11	5	–	–	–	–	–	–	0	9
Jaar Year	67.2	–	60.1	–	–	–	43.0	–	–	–	76.2	–	–	6	43.70	7.10	–	98	72	26	–	–	–	–	–	–	0	32

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	(x+n)/2 Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtigh. 0830	Mean Cloud Amt. Gem. Wolkebedk. 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag -01	-04	-40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥86°F.	Max. ≤50°F.	Min. ≤32°F.	Min. ≤68°F.
No. 3/1174 FUNDA MARIA. ϕ = 22 41'S; λ = 31 01'E; H = 1,515 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	72.3	88.6	66.7	77.7	106.0	1	60.0	10	69.0	9	75.0	20	–	7	5.53	2.13	10	7	7	4	–	–	–	–	16	0	0	10
II	73.6	86.7	67.7	77.2	94.0	1	63.0	3	79.0	4	72.0	19	–	7	2.62	1.24	3	11	8	1	–	–	–	–	15	0	0	9
III	70.7	83.9	65.1	74.5	98.0	2	58.0	19	72.0	19	73.0	3	–	6	4.63	1.30	16	13	13	3	–	–	–	–	10	0	0	3
IV	68.2	84.7	62.0	73.4	92.0	28	56.0	5	77.0	12	68.0	2	–	6	1.51	0.55	22	7	4	2	–	–	–	–	10	0	0	0
V	65.5	79.9	55.7	67.8	89.0	2	46.0	24	73.0	10	62.0	1	–	4	0.70	0.49	9	4	3	1	–	–	–	–	2	0	0	0
VI	(61.3	78.2	50.0	64.1)	89.0	28	42.0	27	68.0	26	57.0	1)	–	(4)	0.00	0.00	–	0	0	0	–	–	–	–	(1	0	0	0)
VII	62.4	77.6	52.5	65.1	89.0	7	43.0	27	67.0	12	58.0	1	–	4	0.04	0.03	17	2	0	0	–	–	–	–	2	0	0	0
VIII	63.4	79.1	52.8	65.9	89.0	5	43.0	19	61.0	18	58.0	11	–	4	0.05	0.03	9	2	0	0	–	–	–	–	5	0	0	0
IX	68.6	85.9	59.3	72.6	95.0	22	51.0	1	79.0	11	64.0	22	–	4	0.00	0.00	–	0	0	0	–	–	–	–	10	0	0	0
X	70.7	86.2	62.6	74.4	105.0	2	58.0	14	64.0	14	68.0	25	–	5	0.82	0.50	23	7	3	1	–	–	–	–	15	0	0	0
XI	71.5	86.2	62.4	74.3	103.0	16	52.0	20	72.0	28	68.0	16	–	5	3.13	1.58	18	7	5	3	–	–	–	–	12	0	0	0
XII	74.5	91.0	66.1	78.5	107.0	26	59.0	24	68.0	27	80.0	21	–	5	3.61	1.80	4	9	9	2	–	–	–	–	22	0	0	10
Jaar Year	(68.6	84.0	60.2	72.1)	107.0	–	42.0	–	61.0	–	80.0	–	–	(5)	22.64	2.13	–	69	52	17	–	–	–	–	120	0	0	32)
No. 3/1176 LETABA RUSKAMP/REST CAMP. ϕ = 23 51'S; λ = 31 34'E; H = 704 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	76.2	89.4	68.4	78.9	102.1	4	59.1	7	72.1	8	76.7	22	75	6	2.78	1.56	7	7	6	2	6	–	–	–	17	0	0	15
II	77.4	89.9	69.9	79.9	99.5	1	63.4	26	75.7	3	75.7	12	76	5	1.90	0.70	2	10	9	1	8	–	–	–	21	0	0	19
III	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1.08	0.41	8	8	5	1	4	–	–	–	–	–	–	–
IV	(72.2	87.7	62.2	74.9)	98.3	17	52.5	16	79.5	22	68.0	12)	(77)	(3)	0.68	0.30	21	4	3	0	2	–	–	–	(11	0	0	0)
V	(63.2	83.2	49.1	66.1)	91.9	2	36.4	24	76.2	7	62.5	8)	(75)	(2)	0.22	0.10	8	3	3	0	0	–	–	–	(5	0	0	0)
VI	55.0	79.2	38.5	58.9	88.6	9	28.0	27	70.1	26	54.3	25	69	1	0.00	0.00	–	0	0	0	0	–	–	–	5	0	4	0
VII	(57.4	82.8	40.6	61.7)	92.9	31	35.5	9	75.0	23	51.8	10)	(67)	(1)	0.01	0.01	13	1	0	0	0	–	–	–	(6	0	0	0)
VIII	61.8	81.9	46.4	64.1	92.8	5	38.4	4	68.8	19	59.4	28	70	2	0.08	0.08	19	1	1	0	0	–	–	–	5	0	0	0
IX	(70.9	89.7	56.0	72.9)	100.2	30	47.4	16	81.5	13	66.8	28)	(71)	(4)	0.06	0.04	8	2	1	0	0	–	–	–	(13	0	0	0)
X	73.3	87.7	63.5	75.6	107.3	27	52.5	1	69.9	20	70.0	18	66	6	0.98	0.45	10	6	5	1	6	–	–	–	16	0	0	3
XI	(76.1	91.1	66.0	78.5)	105.8	17	56.3	13	75.5	8	72.8	4)	(66)	(5)	0.93	0.40	7	6	4	1	5	–	–	–	(18	0	0	10)
XII	79.1	94.8	70.0	82.4	111.3	27	62.9	6	74.0	28	76.4	18	65	5	0.79	0.44	5	4	3	1	4	–	–	–	24	0	0	18
Jaar Year	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9.51	1.56	–	52	40	7	35	–	–	–	–	–	–	–
No. 4/1177C WITHRAAI. ϕ = 26 57'S; λ = 20 42'E; H = 2,800 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	(80.7	97.6	66.6	82.1)	104.5	18	51.0	3	87.0	6	79.0	18	(45)	3	0.29	0.17	5	3	3	0	3	0	0	0	30	0	0	11
II	79.9	98.5	68.0	83.3	104.5	9	53.0	2	84.5	1	78.0	13	53	3	0.41	0.22	21	4	3	0	9	0	0	0	25	0	0	16
III	(71.0	88.1	61.4	74.7)	100.5	1	48.0	31	71.5	18	71.0	2)	(64)	(4)	3.06	1.37	12	5	5	2	4	0	0	0	(16	0	0	2)
IV	(64.8	88.1	53.9	71.0	94.5	2	31.0	30	69.0	29	64.0	20	(60)	3	0.06	0.04	3	2	1	0	4	0	0	0	(19	0	1	0
V	46.0	75.0	36.4	55.7	88.5	27	21.5	30	54.0	22	53.5	20	64	2	0.00	0.00	–	0	0	0	0	0	0	0	1	0	9	0
VI	(36.0	70.1	27.0	48.5	77.0	3	16.5	26	57.5	26	37.0	20	67	1	0.00	0.00	–	0	0	0	0	0	0	0	0	0	22	0
VII	(40.8	72.0	28.8	50.4	80.0	29	20.5	10	55.0	9	44.5	26	–	1	0.02	0.02	11	1	0	0	0	0	0	0	0	0	18	0
VIII	(47.9	77.7	34.0	55.9)	86.0	28	19.5	6	56.5	5	58.0	29)	–	0	0.00	0.00	–	0	0	0	0	0	0	0	(0	0	10	0)
IX	63.2	88.3	45.2	66.7	99.0	24	30.0	8	73.5	2	64.5	29	57	1	0.00	0.00	–	0	0	0	0	0	0	0	20	0	4	0
X	66.0	85.8	48.8	67.3	100.0	24	38.0	20	66.0	19	61.0	9	53	2	0.00	0.00	–	0	0	0	0	0	0	0	17	0	0	0
XI	(76.3	95.0	60.9	77.9)	103.5	26	47.5	12	84.0	27	75.5	27	(55)	2	0.07	0.07	10	1	1	0	3	0	0	0	(24	0	0	7
XII	75.7	95.2	60.9	78.1	104.2	12	48.0	8	86.0	5	79.0	19)	(58)	(3)	0.47	0.18	2	3	4	0	2	0	0	0	19	0	0	4)
Jaar Year	(62.4	85.9	49.3	67.6)	104.5	–	16.5	–	54.0	–	79.0	–)	–	(2)	4.38	1.37	–	21	17	2	25	0	0	0	(71	0	64	40)
No. 7/1218 MOLEPOLOLE. ϕ = 24 26'S; λ = 25 32'E; H = 3,450 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	75.5	91.9	64.7	78.3	98.0	16	56.0	13	83.0	6	71.0	20	59	–	0.63	0.40	2	3	3	1	–	–	–	–	28	0	0	3
II	74.5	89.9	64.0	76.9	95.0	17	59.0	2	75.0	1	70.0	17	63	–	2.35	1.12	17	3	3	2	–	–	–	–	25	0	0	1
III	68.4	80.1	59.6	69.9	92.0	2	51.0	19	71.0	20	65.0	8	76	–	9.11	2.10	5	10	10	6	–	–	–	–	2	0	0	0
IV	66.9	80.8	53.5	67.1	88.0	1	40.0	29	66.0	30	61.0	2	61	–	0.81	0.60	25	3	3	1	–	–	–	–	2	0	0	0
V	57.0	72.3	44.7	57.0	79.0	3	32.0	31	55.0	22	51.0	7	–	–	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VI	51.0	68.2	34.4	51.3	76.0	30	26.0	27	51.0	25	41.0	10	–	–	0.00	0.00	–	0	0	0	–	–	–	–	0	0	9	0
VII	52.9	71.0	37.0	54.0	78.0	30	29.0	2	59.0	11	49.0	11	–	–	0.00	0.00	–	0	0	0	–	–	–	–	0	0	1	0
VIII	58.3	75.0	41.5	58.3	85.0	27	33.0	6	65.0	5	53.0	28	–	–	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
IX	69.5	85.8	51.8	68.8	94.0	23	42.0	12	78.0	11	62.0	24	44	–	0.00	0.00	–	0	0	0	–	–	–	–	11	0	0	0
X	72.3	89.7	59.0	74.3	98.0	30	50.0	11	70.0	14	68.0	28	43	–	0.45	0.32	14	4	4	0	–	–	–	–	23	0	0	0
XI	74.9	88.1	62.9	75.5	96.0	6	54.0	15	70.0	10	76.0	6	58	–	1.44	0.44	25	5	5	2	–	–	–	–	21	0	0	2
XII	79.1	93.2	66.0	79.6	99.0	19	58.0	23	85.0	6	74.0	18	49	–	0.66	0.39	6	2	2	0	–	–	–	–	29	0	0	10
Jaar Year	66.7	82.2	53.0	67.6	99.0	–	26.0	–	51.0	–	76.0	–	–	–	15.45	2.18	–	30	30	12	–	–	–	–	141	0	10	16

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	$\frac{x}{\text{Max.}}$	$\frac{n}{\text{Min.}}$	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtigh. U % 0830	Mean Cloud Amt. Gem. Wolkewild. N 0–10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met: Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. < 50°F.	Min. < 32°F.	Min. ≤ 68°F.
No. 7/1223 KANYE.															φ = 24 59'S; λ = 25 20'E; H = 4,500 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.															
I	71.1	89.4	63.9	76.7	96.0	16	56.0	14	83.0	10	69.0	16	65	3	0.46	0.34	28	3	3	0	-	-	-	-	25	0	0	2
II	71.9	86.8	61.1	73.9	92.0	22	51.0	17	75.0	1	73.0	10	66	2	2.26	1.56	1	5	5	1	-	-	-	-	17	0	0	3
III	-	79.6	58.0	68.8	90.0	2	50.0	20	69.0	6	63.0	26	-	5	15.04	7.69	4	8	8	5	-	-	-	-	2	0	0	0
IV	-	80.2	55.9	68.1	96.0	26	42.0	29	65.0	29	64.0	9	-	1	0.00	0.00	-	0	0	0	-	-	-	-	1	0	0	0
V	52.7	73.3	39.6	56.5	78.0	5	30.0	24	67.0	15	49.0	19	67	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	3	0
VI	49.9	67.5	35.8	51.7	72.0	1	24.0	25	48.0	25	46.0	6	58	-	0.00	0.00	-	0	0	0	-	-	-	-	0	1	3	0
VII	52.6	67.3	40.5	53.9	75.0	8	31.0	1	64.0	14	45.0	8	60	-	0.08	0.08	13	1	1	0	-	-	-	-	0	0	1	0
VIII	60.1	73.1	44.9	59.0	81.0	27	32.0	8	64.0	8	61.0	14	59	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	0	0
IX	67.6	82.5	54.6	68.5	90.0	25	43.0	13	76.0	11	62.0	26	53	0	0.00	0.00	-	0	0	0	-	-	-	-	4	0	0	0
X	70.5	87.5	57.5	72.5	93.0	31	44.0	25	73.0	14	69.0	23	50	4	0.21	0.12	15	2	2	0	-	-	-	-	20	0	0	1
XI	69.8	86.4	60.1	73.3	96.0	30	50.0	11	67.0	21	66.0	5	66	4	1.43	0.50	21	5	5	1	-	-	-	-	15	0	0	0
XII	74.5	92.3	62.8	77.5	95.0	28	54.0	31	86.0	3	67.0	21	59	2	0.63	0.39	29	3	3	0	-	-	-	-	29	0	0	0
Jaar Year	-	80.5	52.9	66.7	96.0	-	24.0	-	48.0	-	73.0	-	-	-	20.11	7.69	-	27	27	7	-	-	-	-	113	1	7	6
No. 7/1252 GABERONES.															φ = 24 40'S; λ = 25 55'E; H = 3,304 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.															
I	76.8	94.4	63.2	78.8	102.0	21	53.0	13	86.0	8	72.0	19	57	5	1.05	0.72	9	5	4	1	-	-	-	-	30	0	0	4
II	76.5	92.2	62.6	77.4	97.0	14	55.0	27	77.0	1	69.0	15	62	4	1.24	0.76	1	5	4	1	-	-	-	-	25	0	0	2
III	69.7	83.5	59.6	71.5	98.0	3	53.0	25	68.0	5	67.0	7	71	5	12.25	6.69	4	10	9	5	-	-	-	-	12	0	0	0
IV	65.3	83.2	52.1	67.7	90.0	1	38.0	29	74.0	28	61.0	2	70	2	0.45	0.17	27	4	3	0	-	-	-	-	6	0	0	0
V	54.1	75.3	37.6	56.5	82.0	6	28.0	23	58.0	22	47.0	7	66	1	0.04	0.04	21	1	1	0	-	-	-	-	0	0	5	0
VI	46.5	70.5	29.0	49.7	78.0	30	23.0	27	55.0	25	39.0	11	55	0	0.00	0.00	-	0	0	0	-	-	-	-	0	0	22	0
VII	49.3	73.5	30.5	52.0	82.0	31	25.0	9	65.0	13	38.0	21	51	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	19	0
VIII	56.5	77.5	36.1	56.8	87.0	27	30.0	23	70.0	4	51.0	28	54	1	0.00	0.00	-	0	0	0	-	-	-	-	2	0	4	0
IX	69.4	87.9	47.0	67.5	97.0	23	38.0	1	79.0	10	60.0	24	49	0	0.00	0.00	-	0	0	0	-	-	-	-	21	0	0	0
X	72.7	91.1	54.9	73.0	101.0	30	45.0	2	73.0	15	65.0	29	54	5	0.82	0.39	14	5	4	0	-	-	-	-	26	0	0	0
XI	75.4	90.0	58.5	74.3	100.0	5	50.0	21	74.0	10	66.0	28	54	5	2.08	1.20	20	4	4	2	-	-	-	-	24	0	0	0
XII	79.3	95.9	60.0	77.9	102.0	20	50.0	22	85.0	29	68.0	28	49	5	1.00	0.65	28	5	3	1	-	-	-	-	30	0	0	0
Jaar Year	66.0	84.6	49.3	66.9	102.0	-	23.0	-	55.0	-	72.0	-	58	3	18.93	6.69	-	39	32	10	-	-	-	-	176	0	50	6
No. 7/1272 MOCHUDI.															φ = 24 25'S; λ = 26 10'E; H = 3,105 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.															
I	75.8	92.3	65.6	78.9	101.0	21	57.0	13	81.0	8	73.0	1	70	3	0.96	0.50	31	8	6	1	-	-	-	-	28	0	0	6
II	76.4	91.5	66.3	78.9	97.0	20	61.0	27	78.0	2	72.0	20	68	3	1.35	1.28	1	3	2	1	-	-	-	-	23	0	0	9
III	69.4	82.2	61.6	71.9	99.0	3	54.0	21	73.0	5	69.0	9	83	5	8.21	3.42	5	9	9	5	-	-	-	-	6	0	0	1
IV	66.0	82.9	54.0	68.5	88.0	14	43.0	30	74.0	30	62.0	22	75	1	0.67	0.30	27	3	3	0	-	-	-	-	5	0	0	0
V	53.0	73.0	39.8	56.4	80.0	3	30.0	23	58.0	22	53.0	12	61	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	2	0
VI	46.7	71.1	32.0	51.5	74.0	1	27.0	27	64.0	26	39.0	13	63	0	0.00	0.00	-	0	0	0	-	-	-	-	0	0	13	0
VII	48.5	71.7	35.1	53.4	80.0	31	28.0	5	63.0	14	46.0	13	56	0	0.00	0.00	-	0	0	0	-	-	-	-	0	0	7	0
VIII	55.8	77.2	39.1	58.1	86.0	28	30.0	6	69.0	20	52.0	28	50	0	0.00	0.00	-	0	0	0	-	-	-	-	0	0	3	0
IX	67.9	86.6	50.7	68.7	95.0	23	41.0	4	80.0	11	64.0	25	45	0	0.00	0.00	-	0	0	0	-	-	-	-	16	0	0	0
X	71.5	90.2	59.6	74.9	100.0	30	52.0	1	70.0	15	67.0	10	43	2	0.84	0.47	15	4	3	1	-	-	-	-	24	0	0	0
XI	74.3	88.4	63.3	75.9	99.0	4	56.0	4	71.0	21	70.0	25	49	3	2.34	1.35	21	4	4	2	-	-	-	-	20	0	0	4
XII	79.5	94.5	67.6	81.1	100.0	16	61.0	9	82.0	6	76.0	14	47	2	1.42	1.02	28	4	4	1	-	-	-	-	26	0	0	12
Jaar Year	65.4	83.5	52.9	68.2	101.0	-	27.0	-	58.0	-	76.0	-	59	2	15.79	3.42	-	35	31	11	-	-	-	-	148	0	25	32
No. 7/1275 LICHTENBURG.															φ = 26 10'S; λ = 26 10'E; H = 4,845 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.															
I	69.7	84.1	58.2	71.1	92.0	16	51.0	13	76.0	9	63.0	17	-	3	3.24	0.83	30	9	9	4	-	-	-	-	9	0	0	0
II	69.9	83.0	58.0	70.5	90.0	9	50.0	3	70.0	1	63.0	13	-	3	2.43	0.75	13	6	6	3	-	-	-	-	5	0	0	0
III	63.5	74.6	53.9	64.3	86.0	2	44.0	19	64.0	4	61.0	7	-	4	7.88	3.83	4	12	11	3	-	-	-	-	0	0	0	0
IV	60.9	75.1	47.2	61.1	82.0	18	32.0	29	62.0	28	57.0	10	-	2	0.59	0.20	22	5	5	0	-	-	-	-	0	0	0	0
V	50.0	67.3	34.1	50.7	75.0	2	23.0	23	49.0	22	46.0	21	-	1	0.24	0.21	21	2	1	0	-	-	-	-	0	1	12	0
VI	45.1	63.3	30.6	46.9	69.0	1	20.0	20	46.0	25	44.0	30	-	0	0.00	0.00	-	0	0	0	-	-	-	-	0	2	20	0
VII	46.2	66.8	-	-	78.0	6	-	-	56.0	9	-	-	-	1	0.25	0.25	13	1	1	0	-	-	-	-	0	0	-	-
VIII	52.5	70.5	38.2	54.3	81.0	26	25.0	6	62.0	12	49.0	30	-	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	5	0
IX	64.0	80.8	48.9	64.9	95.0	29	36.0	8	72.0	7	61.0	24	-	1	0.00	0.00	-	0	0	0	-	-	-	-	3	0	0	0
X	66.1	81.6	50.4	66.0	89.0	30	38.0	20	71.0	14	63.0	19	-	3	0.50	0.34	25	2	2	0	-	-	-	-	6	0	0	0
XI	69.1	82.7	55.9	69.3	94.0	4	43.0	12	68.0	10	63.0	25	-	3	1.57	0.63	26	4	4	2	-	-	-	-	9	0	0	0
XII	72.0	85.8	57.6	71.7	92.0	19	47.0	23	80.0	22	67.0	20	-	3	1.97	0.84	17	5	5	2	-	-	-	-	14	0	0	0
Jaar Year	60.7	76.3	-	-	95.0	-	-	-	46.0	-	-	-	-	2	18.67	3.83	-	46	44	14	-	-	-	-	46	3	-	-

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m: 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes: Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min.: Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtigh. U % 0830	Mean Cloud Amt. Gem. Wolkehvld. N 0–10 0830	Precipitation in Inches. Neerslag in duime. R.: M	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met: Precipn. Neerslag -01	-04	-40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. ≥ 50°F.	Min. ≤ 32°F.	Min. ≤ 68°F.
No. 7/1305 MARICO BOSVELD B (Rhenosterfontein) ϕ = 25 30'S; λ = 26 22'E; H = 4100 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	73.2	90.9	62.9	76.9	97.0	27	53.0	13	82.5	8	68.5	1	60	4	2.49	1.38	22	11	10	1	-	-	-	-	28	0	0	1
II	74.2	89.2	63.0	76.1	95.0	8	52.0	11	76.5	1	70.0	16	82	4	1.74	0.70	16	8	4	2	-	-	-	-	23	0	0	4
III	67.2	80.3	59.9	70.1	93.5	2	52.0	19	65.5	5	67.5	3	76	6	7.70	3.35	4	8	7	6	-	-	-	-	3	0	0	0
IV	62.3	80.8	52.2	66.5	87.5	1	42.5	30	72.0	30	60.5	3	75	2	0.60	0.20	2	10	5	0	-	-	-	-	3	0	0	0
V	50.9	73.0	39.4	56.2	80.0	6	27.0	23	55.5	22	46.5	12	67	1	0.02	0.02	21	1	0	0	-	-	-	-	0	0	2	0
VI	44.6	68.7	33.2	50.9	74.5	30	27.0	26	53.0	25	42.0	11	61	0	0.00	0.00	-	0	0	0	-	-	-	-	0	0	12	0
VII	46.4	70.4	35.4	52.9	78.5	31	28.5	9	59.5	13	41.5	19	63	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	5	0
VIII	52.5	75.1	39.6	57.3	84.5	27	31.0	6	66.5	5	51.5	28	57	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	1	0
IX	66.4	84.7	48.7	66.7	93.5	22	39.5	1	77.0	10	58.5	24	58	1	0.00	0.00	-	0	0	0	-	-	-	-	11	0	0	0
X	70.0	88.6	57.5	73.1	97.5	20	50.5	3	74.0	15	65.5	4	58	5	0.58	0.33	14	3	3	0	-	-	-	-	24	0	0	0
XI	72.4	87.6	60.6	74.1	97.0	4	51.5	14	67.5	10	68.5	25	61	5	1.51	0.59	20	6	5	1	-	-	-	-	19	0	0	1
XII	76.5	92.7	64.6	78.7	98.5	20	57.5	23	83.0	29	74.5	14	53	4	0.66	0.29	17	7	4	0	-	-	-	-	29	0	0	7
Jaar Year	63.1	81.8	51.4	66.6	98.5	-	27.0	-	53.0	-	74.5	-	64	3	15.30	3.35	-	54	38	10	-	-	-	-	140	0	20	13
No. 7/1317 KLERKSDORP. ϕ = 26 52'S; λ = 26 40'E; H = 4,298 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	70.9	86.9	60.2	73.5	92.8	3	54.8	13	80.4	30	67.0	7	-	2	3.81	0.89	30	10	9	4	-	-	-	-	19	0	0	0
II	70.6	85.9	59.9	72.9	92.3	9	52.0	11	68.1	2	65.0	21	-	2	3.59	1.29	1	6	6	3	-	-	-	-	19	0	0	0
III	64.3	76.9	55.8	66.3	88.0	2	45.1	19	62.0	4	62.5	7	-	5	5.84	1.65	4	13	13	4	-	-	-	-	2	0	0	0
IV	60.3	77.1	48.2	62.7	82.5	1	34.7	30	64.4	29	54.8	27	-	2	0.53	0.22	24	6	4	0	-	-	-	-	0	0	0	0
V	47.7	69.2	34.7	51.9	78.1	6	23.0	31	49.5	22	44.4	5	-	2	0.34	0.27	21	2	2	0	-	-	-	-	0	1	8	0
VI	38.4	64.2	25.6	44.9	71.2	30	20.8	25	46.8	25	31.6	6	-	0	0.00	0.00	-	0	0	0	-	-	-	-	0	1	29	0
VII	41.4	67.2	29.5	48.3	74.0	30	19.4	10	54.8	9	39.7	27	-	1	0.21	0.21	12	1	1	0	-	-	-	-	0	0	24	0
VIII	48.9	72.1	34.1	53.1	82.0	25	20.2	7	56.0	5	47.8	29	-	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	10	0
IX	63.7	82.5	47.1	64.8	89.5	23	30.8	3	74.0	10	62.5	24	-	1	0.00	0.00	-	0	0	0	-	-	-	-	7	0	1	0
X	67.4	83.7	50.3	67.0	91.8	30	32.3	20	73.9	14	64.9	19	-	2	0.27	0.19	8	3	2	0	-	-	-	-	9	0	0	0
XI	71.2	85.8	57.7	71.7	95.0	25	45.2	12	76.1	10	63.5	21	-	2	1.63	0.75	8	7	6	1	-	-	-	-	15	0	0	0
XII	74.3	88.7	60.1	74.4	95.0	20	44.1	24	82.5	5	71.2	20	-	2	3.22	1.03	17	8	8	3	-	-	-	-	21	0	0	1
Jaar Year	59.9	78.3	46.9	62.6	95.0	-	19.4	-	46.8	-	71.2	-	-	2	19.44	1.65	-	56	51	15	-	-	-	-	92	2	72	1
No. 7/1338M ORANGEDALE ESTATE. ϕ = 25 46'S; λ = 26 51'E; H = 4,500 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	69.9	85.7	57.7	71.7	91.0	4	52.0	12	79.0	10	61.0	4	71	3	1.57	0.42	20	10	10	1	0	0	0	0	12	0	0	0
II	70.3	84.8	59.3	72.1	90.0	10	52.0	19	70.0	3	63.0	21	73	5	2.35	0.80	18	8	8	2	3	0	0	0	11	0	0	0
III	65.4	77.3	55.4	66.3	88.0	3	47.0	19	65.0	5	62.0	3	74	6	7.45	2.90	5	16	13	6	1	0	0	0	1	0	0	0
IV	64.0	77.8	50.1	63.9	84.0	19	36.0	29	71.0	29	55.0	1	(64)	3	0.99	0.36	20	8	4	0	4	0	0	0	0	0	0	0
V	55.2	70.3	40.4	55.3	77.0	3	26.0	24	54.0	23	47.0	4	63	2	0.17	0.17	22	1	1	0	1	0	0	0	0	0	2	0
VI	50.3	66.6	35.3	50.9	73.0	1	23.0	26	50.0	26	49.0	30	50	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	3	0
VII	52.6	69.5	37.9	53.7	76.0	1	31.0	8	60.0	12	42.0	20	54	2	0.01	0.01	14	1	0	0	0	0	0	0	0	0	1	0
VIII	57.4	73.3	42.0	57.7	82.0	27	33.0	7	65.0	9	52.0	10	52	1	0.00	0.00	-	0	0	0	0	0	0	0	0	0	0	0
IX	66.8	81.9	51.0	66.5	91.0	23	42.0	12	74.0	9	61.0	24	51	1	0.05	0.05	10	1	1	0	0	0	0	1	3	0	0	0
X	68.1	84.4	54.2	69.3	96.0	31	44.0	20	83.0	15	59.4	30	47	4	0.59	0.44	15	4	2	1	1	0	0	0	13	0	0	0
XI	69.6	84.3	56.2	70.3	96.0	5	49.4	2	68.0	11	63.0	25	57	4	2.35	0.80	11	7	6	2	5	0	0	0	11	0	0	0
XII	73.4	88.4	59.7	74.1	96.0	28	50.0	23	79.0	30	68.0	20	56	4	2.49	1.87	29	7	6	1	2	0	0	0	20	0	0	0
Jaar Year	63.6	78.7	49.9	64.3	96.0	-	23.0	-	50.0	-	68.0	-	(59)	3	18.02	2.90	-	63	51	13	17	0	0	1	71	0	6	0
No. 8/1398a LITTLE QUENDON. ϕ = 25 42'S; λ = 27 15'E; H = 4,000 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	72.7	88.8	59.7	74.3	95.5	3	52.0	14	77.0	8	64.0	27	75	3	0.94	0.29	8	11	7	0	-	-	-	-	21	0	0	0
II	73.2	87.3	61.8	74.5	93.5	17	58.0	11	69.0	2	65.0	5	74	3	2.47	1.30	4	8	7	2	-	-	-	-	18	0	0	0
III	67.2	79.9	58.4	69.1	92.0	2	51.0	21	64.0	5	69.0	3	78	5	10.15	3.74	5	12	12	6	-	-	-	-	2	0	0	1
IV	64.3	79.7	51.1	65.4	87.0	18	35.0	29	69.0	29	59.0	3	69	2	0.86	0.27	20	5	5	0	-	-	-	-	2	0	0	0
V	55.7	73.1	41.3	57.2	81.0	2	31.0	24	59.0	22	50.0	12	63	1	0.25	0.25	22	1	1	0	-	-	-	-	0	0	1	0
VI	50.9	68.7	34.4	51.5	76.0	30	25.0	27	57.0	25	42.0	11	54	0	0.00	0.00	-	0	0	0	-	-	-	-	0	0	8	0
VII	51.3	70.7	36.8	53.7	83.0	31	29.0	10	64.0	13	45.0	11	60	1	0.03	0.03	14	1	0	0	-	-	-	-	0	0	1	0
VIII	57.0	75.7	40.1	57.9	85.0	26	33.0	7	67.0	8	51.0	28	56	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	0	0
IX	67.6	84.9	50.2	67.5	94.0	21	41.0	9	72.0	8	59.0	24	51	1	0.00	0.00	-	0	0	0	-	-	-	-	12	0	0	0
X	70.4	88.0	56.3	72.1	97.5	26	46.0	20	87.5	14	62.0	19	52	4	0.39	0.26	5	3	2	0	-	-	-	-	23	0	0	0
XI	71.1	87.1	57.6	72.3	100.0	4	50.0	8	87.5	10	63.0	25	66	4	2.10	0.94	26	3	3	2	-	-	-	-	18	0	0	0
XII	74.9	91.8	62.0	76.9	100.0	27	51.0	23	76.0	6	69.0	18	58	4	1.72	0.85	28	8	7	2	-	-	-	-	27	0	0	2
Jaar Year	64.7	81.3	50.8	66.1	100.0	-	25.0	-	54.0	-	69.0	-	63	2	18.91	3.74	-	52	44	12	-	-	-	-	123	0	10	3

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtigh. U % 0830	Mean Cloud Amt. Gem. Wolkamrhd. N 0-10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Snow Sneeu	Fog Nevel	Max. > 86°F.	Max. < 50°F.	Min. < 32°F.	Min. > 68°F.
No. 8/1431 BUFFELSPOORT (Nav. St./Exp. Stn.) ϕ = 25 46'S; λ = 27 29'E; H = 4,250 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	71.9	87.3	61.2	74.3	94.5	3	51.7	12	73.7	8	67.0	22	65	3	1.77	0.55	31	10	9	1	15	0	0	0	18	0	0	0
II	71.9	86.0	62.6	74.3	92.0	10	57.3	10	69.5	2	66.9	5	67	3	2.98	1.53	17	6	5	2	5	0	0	0	16	0	0	0
III	67.2	78.9	59.3	69.1	91.4	2	51.6	21	64.2	5	68.6	3	73	5	9.95	3.62	4	13	12	7	11	0	0	0	2	0	0	1
IV	65.2	79.4	52.6	66.0	85.7	18	37.7	29	69.4	29	61.0	3	64	2	1.02	0.59	19	4	2	1	7	0	0	0	0	0	0	0
V	56.8	71.0	42.3	56.7	79.0	6	33.6	24	50.4	23	55.5	18	57	1	0.34	0.34	21	1	1	0	1	0	0	0	0	0	0	0
VI	50.3	67.0	35.5	51.3	76.3	30	27.8	27	50.0	25	42.0	11	58	0	0.00	0.00	–	0	0	0	0	0	0	0	0	0	1	0
VII	50.9	69.3	37.8	53.5	78.2	31	33.2	9	53.0	13	46.8	11	62	2	0.05	0.05	13	1	1	0	0	0	0	0	0	0	0	0
VIII	57.6	74.9	42.6	58.7	85.0	26	31.5	6	65.4	5	53.4	28	51	1	0.00	0.00	–	0	0	0	0	0	0	0	0	0	1	0
IX	68.0	84.4	52.4	68.4	92.8	23	43.6	12	73.9	10	61.7	24	46	1	0.00	0.00	–	0	0	0	0	0	0	0	11	0	0	0
X	69.5	86.2	56.5	71.3	95.5	30	46.2	13	67.0	14	64.6	19	53	4	1.32	0.57	14	4	3	1	3	1	0	0	16	0	0	0
XI	71.1	87.0	58.7	72.9	96.6	4	53.2	16	66.8	10	63.9	26	57	4	1.65	0.47	8	10	9	1	11	0	0	0	15	0	0	0
XII	74.3	90.8	64.7	77.7	98.1	10	58.2	24	78.9	6	67.4	10	59	4	1.40	0.66	28	6	4	2	7	0	0	0	27	0	0	4
Jaar Year	64.6	80.2	52.2	66.2	98.1	–	27.8	–	50.0	–	68.6	–	59	3	20.48	3.62	–	55	46	15	60	1	0	0	105	0	2	5
No. 8/1469 BRITS (Hartebeespoort Proefst./Exp. Stn.) ϕ = 25 34'S; λ = 27 45'E; H = 3,800 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	73.3	87.3	61.0	74.1	93.8	3	50.5	14	73.0	8	66.0	1	62	3	3.55	1.05	31	11	10	4	–	–	–	–	18	0	0	0
II	73.4	87.6	61.4	74.5	92.6	21	53.0	11	72.5	2	67.5	16	65	3	3.23	1.42	2	5	4	3	–	–	–	–	21	0	0	0
III	67.4	80.5	58.3	69.4	92.0	2	51.0	25	66.0	5	68.0	3	74	5	7.30	1.97	14	9	9	5	–	–	–	–	2	0	0	0
IV	63.5	79.9	50.8	65.3	85.5	1	42.0	29	70.0	29	59.0	2	–	1	1.05	0.49	27	6	5	1	–	–	–	–	0	0	0	0
V	51.0	72.7	38.0	55.3	80.5	6	28.0	23	55.0	22	45.5	7	–	1	0.45	0.45	21	1	1	1	–	–	–	–	0	0	5	0
VI	41.6	68.1	28.3	48.2	74.0	30	21.5	27	52.0	25	36.0	2	61	0	0.00	0.00	–	0	0	0	–	–	–	–	0	0	24	0
VII	44.1	70.1	31.5	50.8	78.5	31	23.5	8	54.9	13	41.5	11	60	1	0.08	0.08	13	1	1	0	–	–	–	–	0	0	19	0
VIII	52.7	76.1	37.0	56.5	85.0	27	25.0	1	68.0	5	51.0	28	51	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	6	0
IX	67.1	85.7	48.6	67.1	92.5	23	38.5	1	77.2	11	59.0	23	45	0	0.00	0.00	–	0	0	0	–	–	–	–	14	0	0	0
X	71.3	87.5	55.8	71.7	96.5	31	48.0	13	70.0	14	64.0	19	49	3	0.96	0.88	14	2	2	1	–	–	–	–	19	0	0	0
XI	72.4	86.7	58.1	72.4	96.5	4	51.0	1	70.5	10	64.7	27	54	3	2.56	1.16	8	6	6	1	–	–	–	–	16	0	0	0
XII	76.8	91.1	62.5	76.8	99.5	13	55.0	23	80.0	6	69.0	18	52	6	1.40	0.55	19	6	5	3	–	–	–	–	29	0	0	2
Jaar Year	62.9	81.1	49.3	65.2	99.5	–	21.5	–	52.0	–	69.0	–	–	2	20.58	1.97	–	47	43	19	–	–	–	–	119	0	54	2
No. 8/1476 KRUGERSDORP (Coronation Park). ϕ = 26 06'S; λ = 27 46'E; H = 5,574 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	66.5	81.5	56.7	69.1	89.0	3	47.0	12	72.0	8	68.0	31	70	4	4.90	1.69	31	15	11	5	8	0	0	0	2	0	0	0
II	66.4	80.1	57.3	68.7	87.0	10	50.0	11	65.0	2	61.0	16	74	3	2.76	0.99	22	6	5	3	5	0	0	0	1	0	0	0
III	61.1	72.0	53.2	62.6	84.0	2	42.0	19	59.0	5	60.0	3	80	6	9.01	4.78	4	11	11	4	2	0	0	0	0	0	0	0
IV	59.1	71.7	47.7	59.7	79.0	18	32.0	29	63.0	30	55.0	2	75	3	2.19	0.50	24	9	8	2	9	3	0	0	0	0	0	0
V	48.3	63.8	36.4	50.1	71.0	3	28.0	23	44.0	22	44.0	4	71	1	0.80	0.79	21	2	1	1	0	0	1	0	0	2	3	0
VI	41.9	59.6	31.3	45.5	66.0	30	20.0	26	43.0	25	39.0	12	71	1	0.00	0.00	–	0	0	0	0	0	0	0	0	2	16	0
VII	44.3	62.0	33.2	47.6	70.0	31	29.0	8	44.0	13	40.0	11	72	2	0.08	0.08	13	1	1	0	0	0	0	0	0	1	10	0
VIII	52.1	68.2	37.4	52.8	79.0	26	28.0	13	58.0	5	45.0	28	58	1	0.00	0.00	–	0	0	0	0	0	0	0	0	0	2	0
IX	62.9	78.8	47.9	63.3	86.0	22	41.0	12	69.0	10	56.0	23	53	1	0.00	0.00	–	0	0	0	0	0	0	0	0	0	0	0
X	64.7	79.8	51.2	65.5	88.0	29	40.0	20	58.0	14	58.0	19	56	5	1.20	0.71	14	8	6	1	4	0	0	1	3	0	0	0
XI	66.1	80.7	53.1	66.9	90.0	25	48.0	12	72.0	13	59.0	23	63	5	3.07	1.27	26	10	7	2	8	0	0	0	4	0	0	0
XII	67.8	82.4	56.2	69.3	89.0	20	44.0	8	70.0	29	63.0	20	68	5	3.33	1.05	6	12	10	3	10	1	0	1	4	0	0	0
Jaar Year	58.4	73.4	46.8	60.1	90.0	–	20.0	–	43.0	–	68.0	–	68	3	27.34	4.78	–	74	60	21	46	4	1	2	14	5	31	0
No. 8/1484 ZUURBEKOM. ϕ = 26 18'S; λ = 27 47'E; H = 5,176 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	68.2	81.2	56.0	68.6	87.0	3	46.0	14	71.0	8	62.0	3	84	2	4.71	1.43	31	15	10	4	–	–	–	–	1	0	0	0
II	67.3	80.9	55.1	68.0	88.0	8	43.0	11	62.0	2	62.0	16	73	4	3.30	1.22	22	7	5	3	–	–	–	–	3	0	0	0
III	62.0	74.2	52.2	63.2	84.0	2	42.0	19	60.0	4	61.0	7	79	4	6.84	3.54	4	10	9	3	–	–	–	–	0	0	0	0
IV	58.3	73.3	43.2	58.3	80.0	18	23.0	29	63.0	28	54.0	2	75	2	0.18	0.06	27	4	2	0	–	–	–	–	0	0	2	0
V	48.2	65.2	31.5	48.3	77.0	5	19.0	31	45.0	27	50.0	18	68	2	0.83	0.70	22	3	2	1	–	–	–	–	0	2	14	0
VI	40.3	62.3	22.4	42.3	69.0	21	15.0	26	44.0	26	35.0	24	68	1	0.00	0.00	–	0	0	0	–	–	–	–	0	2	27	0
VII	42.0	65.0	24.1	44.5	72.0	2	16.0	8	47.0	14	37.0	12	60	1	0.00	0.00	–	0	0	0	–	–	–	–	0	1	25	0
VIII	50.1	70.1	30.0	50.1	79.0	27	16.0	1	63.0	10	53.0	30	66	0	0.00	0.00	–	0	0	0	–	–	–	–	0	0	19	0
IX	63.4	78.1	43.9	61.0	86.0	24	29.0	3	68.0	12	56.0	25	51	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	1	0
X	65.5	79.4	48.8	64.1	89.0	31	32.0	12	61.0	15	60.0	19	56	4	0.83	0.38	26	5	5	0	–	–	–	–	1	0	0	0
XI	68.6	80.1	52.9	66.5	89.0	5	41.0	13	73.0	14	60.0	23	58	3	2.95	0.93	24	8	7	3	–	–	–	–	2	0	0	0
XII	69.8	81.7	55.5	68.6	87.0	28	42.0	23	71.0	7	63.0	21	61	4	3.86	1.05	4	13	12	4	–	–	–	–	1	0	0	0
Jaar Year	58.6	74.3	43.0	58.7	89.0	–	15.0	–	44.0	–	63.0	–	67	2	23.50	3.54	–	65	52	18	–	–	–	–	8	5	88	0

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	(x+n)/2 Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtgehl. U % 0830	Mean Cloud Amt. Gem. Wolkehvlhd. N 0-10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ .01	≥ .04	≥ .40	Thunder Donder	Hail Hagel	Fog Mist Dampkring	Frost Vorsting	Max. ≥ 86°F.	Max. ≤ 50°F.	Min. ≤ 32°F.	Min. ≤ 68°F.
No. 8/1560 JOHANNESBURG (Joubert Park) ϕ = 26 11'S; λ = 28 03'E; H = 5,750 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	64.9	80.4	56.8	68.6	86.0	16	50.0	13	70.0	8	61.4	22	69	4	5.45	1.72	31	18	12	5	10	0	0	0	0	0	0	0
II	65.4	79.9	57.9	68.9	88.2	10	53.0	3	57.0	2	62.0	16	70	3	5.15	3.10	2	7	6	3	5	0	0	0	3	0	0	0
III	60.2	73.0	53.7	63.3	84.0	2	48.0	24	59.5	5	63.0	2	78	5	9.84	3.78	4	14	11	6	4	1	0	0	0	0	0	0
IV	58.9	71.9	50.4	61.1	78.5	1	36.6	29	63.0	28	56.6	11	67	2	1.36	0.78	19	7	5	2	6	2	0	0	0	0	0	0
V	50.0	64.1	41.6	52.9	71.0	3	30.2	23	44.0	22	51.0	6	69	1	1.02	1.01	21	2	1	1	0	1	1	1	0	2	3	0
VI	44.7	59.7	36.7	48.2	64.0	29	22.2	26	42.0	25	43.2	21	57	1	0.00	0.00	–	0	0	0	0	0	0	0	0	2	5	0
VII	46.9	62.3	39.7	51.0	69.6	1	34.0	10	44.5	13	48.0	7	58	2	0.08	0.08	13	1	1	0	0	0	0	0	0	1	0	0
VIII	51.9	67.7	43.8	55.7	78.0	25	34.0	7	57.0	5	53.6	26	52	1	0.00	0.00	–	0	0	0	0	0	0	0	0	0	0	0
IX	60.4	77.6	52.5	65.1	84.6	31	43.0	11	69.0	10	61.0	31	54	1	0.00	0.00	–	0	0	0	0	0	0	0	0	0	0	0
X	62.5	78.0	53.6	65.8	87.0	29	43.0	20	56.0	14	62.0	2	57	4	1.25	0.63	14	8	7	1	7	0	0	1	2	0	0	0
XI	64.8	79.0	54.8	66.9	87.2	5	46.0	12	64.6	10	62.0	4	62	4	4.61	1.78	28	11	8	4	11	1	0	0	3	0	0	0
XII	68.0	81.9	58.1	70.0	87.0	20	45.0	23	70.5	6	65.0	20	62	4	2.29	0.46	28	16	11	1	6	0	0	0	3	0	0	0
Jaar Year	58.2	73.0	50.0	61.5	88.2	–	22.2	–	42.0	–	65.0	–	63	3	31.05	3.78	–	84	62	24	49	5	1	2	8	5	8	0
No. 8/1563 JOHANNESBURG (City Deep) ϕ = 26 14'S; λ = 28 04'E; H = 5,600 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	65.7	81.9	56.2	69.1	87.4	18	45.8	12	72.0	8	62.1	3	69	–	4.02	1.57	31	15	12	2	–	–	–	–	5	0	0	0
II	66.1	80.1	57.2	68.7	86.6	10	53.0	26	58.1	2	62.3	16	72	–	5.22	3.12	2	5	3	3	–	–	–	–	1	0	0	0
III	61.2	73.7	53.4	63.5	83.7	2	45.8	19	64.8	5	59.9	3	76	–	8.12	–	–	12	–	–	–	–	–	–	0	0	0	0
IV	58.6	72.7	50.7	61.7	78.0	17	34.0	29	63.5	7	55.0	2	72	–	1.40	0.31	6	8	6	0	–	–	–	–	0	0	0	0
V	48.9	65.6	39.4	52.5	73.7	3	30.0	23	45.5	22	52.0	18	71	–	0.80	0.80	21	1	1	1	–	–	–	–	0	1	1	0
VI	42.7	61.1	34.6	47.9	66.5	29	21.5	26	43.2	25	41.8	23	66	–	0.00	0.00	–	0	0	0	–	–	–	–	0	2	5	0
VII	44.4	64.1	36.3	50.2	71.3	1	29.5	10	45.2	13	46.0	7	63	–	0.08	0.08	13	1	1	0	–	–	–	–	0	1	3	0
VIII	50.3	69.3	40.1	54.7	78.5	26	30.0	7	61.1	8	47.4	22	57	–	0.00	0.00	–	0	0	0	–	–	–	–	0	0	2	0
IX	61.3	78.1	50.5	64.3	86.7	22	40.0	2	67.6	10	60.0	26	52	–	0.00	0.00	–	0	0	0	–	–	–	–	1	0	0	0
X	63.7	79.8	52.3	66.1	87.8	29	45.4	27	66.4	15	59.6	2	54	–	0.94	0.52	14	5	4	1	–	–	–	–	3	0	0	0
XI	65.1	79.5	54.1	66.8	88.6	25	44.8	12	71.8	13	62.0	27	62	–	2.54	0.92	23	9	8	2	–	–	–	–	2	0	0	0
XII	68.4	82.7	56.5	69.6	88.9	10	45.0	23	70.1	6	61.2	21	62	–	2.04	0.47	2	12	9	1	–	–	–	–	5	0	0	0
Jaar Year	58.0	74.1	48.4	61.3	88.9	–	21.5	–	43.2	–	62.3	–	65	–	25.16	–	–	68	–	–	–	–	–	–	17	4	11	0
No. 8/1567 ZWARTKOPJES. ϕ = 26 21'S; λ = 28 03'E; H = 4,966 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	66.6	82.7	56.6	69.7	88.1	15	45.1	14	74.3	9	64.3	3	–	2	2.58	0.67	31	11	9	2	–	–	–	–	6	0	0	0
II	64.5	81.9	56.4	69.1	89.5	8	44.3	11	61.9	2	65.5	8	–	2	4.90	2.86	2	4	4	3	–	–	–	–	4	0	0	0
III	59.9	74.7	53.0	63.9	84.5	2	41.9	21	60.4	4	60.3	7	–	4	6.67	2.94	4	12	12	2	–	–	–	–	0	0	0	0
IV	52.8	74.1	44.3	59.2	79.9	11	26.0	29	64.0	28	53.0	28	–	1	0.45	0.30	6	4	3	0	–	–	–	–	0	0	2	0
V	41.7	67.0	32.2	49.6	83.1	2	21.4	10	46.6	22	40.3	7	–	1	0.99	0.83	21	3	2	1	–	–	–	–	0	1	15	0
VI	34.0	62.5	25.7	44.1	68.8	2	16.0	26	46.0	25	36.0	24	–	0	0.00	0.00	–	0	0	0	–	–	–	–	0	2	29	0
VII	36.8	65.3	26.5	45.9	72.8	30	19.0	10	49.0	13	34.5	12	–	2	0.14	0.14	13	1	1	0	–	–	–	–	0	1	28	0
VIII	43.0	70.2	32.7	51.5	80.0	26	19.0	7	57.4	5	47.0	28	–	0	0.00	0.00	–	0	0	0	–	–	–	–	0	0	15	0
IX	60.4	76.8	46.7	61.7	86.7	30	32.3	3	69.3	10	59.5	25	–	1	0.00	0.00	–	0	0	0	–	–	–	–	3	0	0	0
X	63.6	80.6	49.4	65.5	89.7	29	34.3	20	62.4	14	59.1	25	–	3	0.58	0.16	9	5	4	0	–	–	–	–	4	0	0	0
XI	66.9	81.4	54.2	67.8	89.9	3	42.2	12	68.0	10	63.0	25	–	2	2.03	0.57	8	9	7	2	–	–	–	–	5	0	0	0
XII	68.9	83.3	58.1	70.7	89.7	10	42.0	23	73.3	6	65.0	16	–	–	3.42	0.70	2	12	11	3	–	–	–	–	7	0	0	0
Jaar Year	54.9	75.0	44.7	59.9	89.9	–	16.0	–	46.0	–	65.5	–	–	–	21.76	2.94	–	61	53	13	–	–	–	–	29	4	89	0
No. 8/1589 PRETORIA (Rioolwerks/Sewage). ϕ = 25 44'S; λ = 28 11'E; H = 4,200 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	68.5	84.8	59.5	72.1	92.0	18	51.0	12	70.5	8	65.0	22	71	4	4.61	1.36	26	11	10	3	–	1	0	0	14	0	0	0
II	69.5	84.6	59.8	72.2	91.9	20	52.6	9	66.2	2	65.2	15	74	3	4.50	2.12	2	7	6	4	–	0	0	0	13	0	0	0
III	64.5	78.0	56.1	67.1	88.6	2	46.7	25	65.2	4	64.8	3	80	5	6.86	2.25	3	11	10	4	–	0	0	0	1	0	0	0
IV	60.3	77.2	48.9	63.1	84.5	1	37.0	29	67.6	30	56.0	2	78	2	1.33	0.55	20	7	6	1	–	0	0	0	0	0	0	0
V	48.1	69.8	36.6	53.2	78.2	6	27.7	31	51.2	22	48.2	7	79	1	0.39	0.39	21	1	1	0	–	0	0	0	0	0	6	0
VI	38.1	65.9	28.9	47.4	72.8	30	25.2	27	52.8	25	42.9	12	82	1	0.00	0.00	–	0	0	0	–	0	0	0	0	0	27	0
VII	39.4	67.7	31.1	49.4	76.9	31	25.3	5	51.8	13	39.3	12	82	1	0.00	0.00	–	0	0	0	–	0	0	1	0	0	17	0
VIII	48.1	73.9	37.0	55.5	82.6	27	28.1	6	65.9	8	51.8	28	74	1	0.00	0.00	–	0	0	0	–	0	0	0	0	0	5	0
IX	63.8	82.7	48.0	65.3	90.0	22	39.0	1	72.7	10	59.3	24	55	1	0.00	0.00	–	0	0	0	–	0	0	0	6	0	0	0
X	67.1	83.4	54.6	69.0	92.6	30	45.3	2	64.6	14	64.2	19	55	3	1.64	1.34	14	5	5	1	–	0	0	0	12	0	0	0
XI	68.5	82.9	56.9	69.9	93.2	4	50.0	14	69.0	10	63.0	4	61	4	3.10	1.26	8	9	8	2	–	1	0	0	11	0	0	0
XII	72.0	87.7	61.1	74.4	94.5	27	53.7	23	74.7	6	67.0	27	60	4	2.01	0.46	17	9	7	3	–	0	0	0	22	0	0	0
Jaar Year	59.0	78.2	48.2	63.2	94.5	–	25.2	–	51.2	–	67.0	–	71	3	24.44	2.25	–	60	53	18	–	2	0	1	79	0	55	0

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtighd. U % 0830	Mean Cloud Amt. Gem. Wolkegrbd. N 0-10 0830	Precipitation in inches. Neerslag in duime. M	R. Max. in 24 h.	Dat.	Number of Days with Aantal Dae met: Precipn. Neerslag ≥ -01	≥ -04	≥ -40	Thunder Donder	Hail Hagel	Snow Sneeu	Fog Mist	Max. ≥ 86°F.	Max. ≤ 50°F.	Min. ≤ 32°F.	Min. ≤ 68°F.
No. 8/1591M PRETORIA (Middle Crescent). ϕ = 25 45'S; λ = 28 07'E; H = 4,437 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	*62.7	84.6	59.1	71.9	90.9	3	51.2	12	70.1	8	65.5	1	*83	*5	4.76	1.15	7	11	8	5	11	1	0	0	14	0	0	0
II	62.6	85.2	59.6	72.4	92.0	10	52.8	11	66.5	1	65.4	16	84	4	3.98	2.32	2	7	5	3	2	0	0	0	14	0	0	0
III	57.8	77.6	54.8	66.2	88.9	2	42.8	25	64.4	4	62.6	8	90	5	7.39	2.59	3	12	10	5	1	0	0	0	1	0	0	0
IV	50.2	73.7	46.9	60.3	83.2	18	37.8	29	68.2	29	55.3	2	87	3	1.69	0.87	19	6	5	1	5	1	0	0	0	0	0	0
V	41.1	68.9	37.6	53.3	77.0	6	29.9	31	50.1	22	48.3	7	83	1	0.38	0.37	21	2	1	0	0	0	0	0	0	0	3	0
VI	34.8	64.7	31.5	48.1	71.0	30	25.6	26	49.6	25	39.0	12	77	1	0.00	0.00	–	0	0	0	0	0	0	0	0	1	14	0
VII	37.2	66.8	34.4	50.6	74.2	31	31.0	5	50.2	13	39.4	30	75	2	0.07	0.07	13	1	1	0	0	0	0	0	0	0	2	0
VIII	43.3	72.3	39.2	55.7	81.4	27	27.6	6	64.4	8	51.0	28	69	1	0.00	0.00	–	0	0	0	0	0	0	0	0	0	2	0
IX	56.8	81.2	50.7	65.9	88.7	22	43.8	1	71.6	10	59.6	24	64	1	0.00	0.00	–	0	0	0	0	0	0	0	4	0	0	0
X	62.5	82.8	55.3	69.1	91.0	30	48.0	13	63.9	14	61.9	19	68	5	1.52	1.27	14	5	4	1	0	0	0	0	10	0	0	0
XI	65.3	82.5	57.4	69.9	91.3	4	51.2	2	69.0	10	64.0	4	68	6	2.89	1.41	8	8	7	2	9	1	0	0	7	0	0	0
XII	69.0	87.1	61.2	74.1	93.0	27	51.2	23	76.6	6	67.3	14	66	5	2.50	1.14	17	10	6	3	12	0	0	0	20	0	0	0
Jaar Year	–	77.3	49.0	63.1	93.0	–	25.6	–	49.6	–	67.3	–	–	–	25.18	2.59	–	62	47	20	40	3	0	0	70	1	21	0
* (06.30 S.A.S.T. Jan.–Jul.; (07.00 S.A.S.T. Aug.–Des.																												
No. 8/1606 MODDERFONTEIN (Dynamite Factory). ϕ = 26 06'S; λ = 28 09'E; H = 5,425 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	64.5	80.7	59.5	70.1	86.0	16	51.0	12	71.0	9	64.0	3	76	3	6.04	1.75	31	10	10	5	–	0	0	0	0	0	0	0
II	64.7	80.3	60.9	70.6	90.0	10	55.0	3	61.0	2	63.0	8	78	3	5.14	1.85	2	6	6	4	–	0	0	0	3	0	0	0
III	60.5	73.9	57.2	65.5	85.0	2	50.0	19	63.0	4	63.0	2	85	5	8.60	3.20	3	11	11	3	–	0	0	0	0	0	0	0
IV	58.1	72.5	54.4	63.5	82.0	1	40.0	29	64.0	29	60.0	11	75	2	1.00	0.32	21	6	5	0	–	0	0	0	0	0	0	0
V	49.4	64.7	45.5	55.1	72.0	3	36.0	24	48.0	22	53.0	5	68	1	0.69	0.67	21	2	1	1	–	0	1	0	0	1	0	0
VI	45.4	60.9	40.2	50.5	68.0	30	26.0	26	44.0	25	48.0	4	64	0	0.00	0.00	–	0	0	0	–	0	0	0	0	1	3	0
VII	48.3	64.0	44.7	54.3	72.0	31	38.0	28	48.0	13	50.0	7	64	1	0.12	0.12	13	1	1	0	–	0	0	0	0	1	0	0
VIII	52.1	69.4	47.1	58.3	79.0	26	36.0	13	60.0	8	57.0	26	69	1	0.00	0.00	–	0	0	0	–	0	0	0	0	0	0	0
IX	60.6	78.2	56.2	67.2	86.0	22	47.0	11	68.0	9	66.0	23	61	1	0.00	0.00	–	0	0	0	–	0	0	0	0	0	0	0
X	63.5	78.8	57.4	68.1	86.0	29	49.0	20	60.0	14	62.0	29	62	4	1.96	0.82	14	7	5	2	–	1	0	0	0	0	0	0
XI	64.9	79.6	59.3	69.5	88.0	4	51.0	12	66.0	10	66.0	4	73	4	3.05	0.80	26	10	10	3	–	0	0	0	1	0	0	0
XII	67.8	83.3	62.4	72.9	89.0	10	51.0	23	71.0	6	68.0	20	78	4	2.11	0.50	20	9	8	1	–	0	0	0	7	0	0	0
Jaar Year	58.3	73.9	53.7	63.8	90.0	–	26.0	–	44.0	–	68.0	–	71	2	28.71	3.20	–	62	57	19	–	1	1	0	11	3	3	0
No. 8/1616 ONDERSTEPOORT. ϕ = 25 39'S; λ = 28 11'E; H = 4,000 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	70.3	85.8	58.8	72.3	92.8	18	49.8	13	71.2	8	64.9	22	66	4	5.45	1.55	27	10	9	5	–	–	–	–	16	0	0	0
II	71.3	85.2	58.9	72.1	90.4	9	50.0	11	68.5	2	65.8	17	68	3	4.82	2.00	3	6	5	3	–	–	–	–	13	0	0	0
III	66.3	79.3	55.8	67.5	89.6	2	45.4	25	66.0	4	65.1	7	76	5	6.06	1.74	5	11	11	4	–	–	–	–	3	0	0	0
IV	64.1	78.3	48.3	63.3	84.0	1	38.0	29	69.4	30	57.0	2	68	2	1.19	0.48	20	8	6	1	–	–	–	–	0	0	0	0
V	53.3	70.6	35.2	52.9	78.7	2	27.5	31	53.4	22	43.8	12	64	1	0.28	0.27	21	2	1	0	–	–	–	–	0	0	6	0
VI	45.0	66.7	26.9	46.8	72.5	30	21.9	18	52.9	25	38.0	12	56	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	27	0
VII	47.7	68.6	29.7	49.1	76.6	31	23.6	3	54.1	13	40.8	11	59	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	24	0
VIII	54.4	74.3	35.7	55.0	83.1	26	28.0	3	66.3	8	52.0	28	54	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	9	0
IX	66.0	83.3	45.6	64.5	91.0	22	37.4	1	73.0	10	61.1	24	52	1	0.03	0.03	9	1	0	0	–	–	–	–	7	0	0	0
X	68.6	84.4	53.7	69.1	93.5	30	43.4	2	66.4	14	64.0	19	55	4	2.17	1.18	14	7	6	2	–	–	–	–	14	0	0	0
XI	69.8	84.0	55.4	69.7	96.7	4	47.1	2	70.5	10	62.4	29	62	5	3.15	0.82	8	8	8	3	–	–	–	–	14	0	0	0
XII	74.1	88.7	60.2	74.5	94.4	20	50.6	23	76.4	6	69.4	21	61	4	1.91	0.46	30	9	6	3	–	–	–	–	23	0	0	1
Jaar Year	62.6	79.1	47.0	63.1	96.7	–	21.9	–	52.9	–	69.4	–	62	3	25.06	2.00	–	62	52	21	–	–	–	–	90	0	66	1
No. 8/1616A PRETORIA (Parktown). ϕ = 25 42'S; λ = 28 11'E; H = 4,020 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	70.9	85.7	58.0	71.9	92.0	18	45.0	12	73.0	8	65.0	1	69	4	4.66	0.97	31	10	10	5	17	0	0	0	15	0	0	0
II	72.0	85.9	58.7	72.3	92.0	23	49.0	11	67.8	2	66.0	6	67	3	4.04	2.08	2	6	4	3	10	0	0	0	16	0	0	0
III	66.3	79.5	55.2	67.3	90.0	2	45.0	19	66.0	4	68.0	17	74	5	7.24	2.12	3	11	11	5	8	0	0	0	2	0	0	0
IV	62.7	79.5	47.0	63.3	86.0	1	34.0	29	69.0	30	55.0	21	73	2	0.78	0.21	20	7	7	0	10	0	0	0	0	0	0	0
V	48.6	71.6	33.9	52.7	80.0	2	24.0	31	52.0	22	43.0	7	75	1	0.32	0.30	21	2	1	0	0	0	0	0	0	0	11	0
VI	38.6	66.9	25.4	46.1	73.8	30	21.0	27	47.0	26	36.0	12	68	0	0.00	0.00	–	0	0	0	0	0	0	0	0	2	28	0
VII	42.2	69.5	27.9	48.7	77.0	31	21.0	5	53.0	13	40.0	11	80	1	0.00	0.00	–	0	0	0	0	0	0	0	0	0	26	0
VIII	51.6	74.6	34.4	54.5	83.6	26	25.0	6	66.0	9	50.0	28	66	1	0.00	0.00	–	0	0	0	0	0	0	0	0	0	10	0
IX	63.8	83.3	46.0	64.7	90.8	22	36.0	1	73.0	10	58.0	27	58	1	0.00	0.00	–	0	0	0	0	0	0	0	6	0	0	0
X	67.6	84.3	52.1	68.2	92.0	30	42.0	16	65.0	14	64.0	19	62	4	1.60	1.26	14	7	5	1	7	0	0	0	13	0	0	0
XI	70.0	83.7	54.8	69.3	93.8	4	47.0	13	73.0	10	62.0	25	65	4	3.49	1.15	8	8	7	4	13	1	0	0	11	0	0	0
XII	74.3	88.5	58.6	73.5	94.0	20	46.0	8	80.4	29	64.0	17	62	5	1.79	0.44	17	7	7	2	13	0	0	0	24	0	0	0
Jaar Year	60.7	79.4	46.0	62.7	94.0	–	21.0	–	47.0	–	68.0	–	68	3	23.92	2.12	–	58	52	20	78	1	0	0	87	2	75	0

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	$\bar{x}$ Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtigh. 0830	Mean Cloud Amt. Gem. Wolkehtbd. 0-10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. > 86°F.	Max. ≤ 50°F.	Min. ≤ 32°F.	Min. > 68°F.
No. 8/1660 KALKFONTEIN. ϕ = 25 07'S; λ = 28 16'E; H = 3,600 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	72.5	87.8	60.1	73.9	95.0	4	50.2	14	70.0	8	67.0	19	66	4	2.95	0.85	9	9	9	3	-	-	-	-	20	0	0	0
II	72.4	87.8	60.6	74.2	93.6	21	54.3	11	79.4	2	66.3	18	70	3	4.15	2.71	2	6	6	3	-	-	-	-	21	0	0	0
III	68.8	82.3	57.8	70.1	95.8	2	49.2	21	70.5	5	66.4	3	71	5	3.74	0.97	13	10	10	4	-	-	-	-	5	0	0	0
IV	64.7	82.5	50.5	66.5	89.0	1	36.5	29	73.6	30	58.2	2	68	2	0.56	0.18	24	5	5	0	-	-	-	-	7	0	0	0
V	52.8	74.1	37.9	56.0	87.6	6	25.9	31	54.8	22	46.6	4	65	1	0.23	0.17	21	2	2	0	-	-	-	-	1	0	2	0
VI	(44.8	70.2	28.3	49.3)	74.6	27	20.2	28	66.0	13	32.4	7	(55)	(0)	0.00	0.00	-	0	0	0	-	-	-	-	(0	0	22	0)
VII	44.6	71.6	31.9	51.7	78.5	31	26.8	10	62.3	13	43.5	17	63	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	18	0
VIII	54.5	76.7	37.4	57.1	86.2	27	28.6	1	70.2	8	47.0	28	51	0	0.00	0.00	-	0	0	0	-	-	-	-	1	0	4	0
IX	(68.0	85.6	49.3	67.5	93.8	22	39.0	12	74.2	11	60.1	23	(46)	0	0.00	0.00	-	0	0	0	-	-	-	-	15	0	0	0
X	70.9	88.6	56.7	72.7	98.2	30	46.2	6	71.9	14	64.3	5	59	3	2.54	1.59	14	5	4	2	-	-	-	-	24	0	0	0
XI	72.8	88.0	58.2	73.1	97.6	4	50.4	13	76.3	22	64.3	29	57	4	2.33	1.00	22	9	7	2	-	-	-	-	19	0	0	0
XII	76.7	92.9	62.0	77.5	99.0	17	48.8	23	79.8	6	69.0	1	56	4	1.60	0.75	28	7	6	1	-	-	-	-	27	0	0	3
Jaar Year	(63.6	82.3	49.2	65.7)	99.0	-	20.2	-	54.8	-	69.0	-	(61)	(2)	18.10	2.71	-	53	49	15	-	-	-	-	140	0	46	3)
No. 8/1661 PRETORIA (Univ. Proefplaas/Exp. Farm) ϕ = 25 45'S; λ = 28 15'E; H = 4,500 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft																												
I	67.4	83.0	58.0	70.5	91.0	18	49.0	12	69.3	8	63.3	19	70	4	3.62	1.02	31	7	7	4	-	-	-	-	8	0	0	0
II	68.6	82.4	59.9	71.1	89.3	11	52.7	12	65.0	2	63.5	18	70	2	3.63	2.03	2	4	4	3	-	-	-	-	2	0	0	0
III	63.8	76.3	55.4	65.9	86.5	2	47.7	25	64.0	4	63.3	7	77	4	7.62	2.20	4	11	9	6	-	-	-	-	1	0	0	0
IV	61.9	76.7	50.6	63.7	82.3	11	40.3	29	66.0	13	55.6	13	68	2	1.53	0.57	20	7	6	1	-	-	-	-	0	0	0	0
V	52.1	69.0	39.4	54.2	76.0	2	29.0	23	50.1	22	48.8	4	67	1	0.36	0.36	21	1	1	0	-	-	-	-	0	0	3	0
VI	44.3	64.9	31.0	47.9	72.3	30	22.5	14	49.1	25	38.5	5	60	0	0.00	0.00	-	0	0	0	-	-	-	-	0	1	17	0
VII	47.5	67.5	34.8	51.1	75.5	31	28.5	9	51.1	13	41.9	17	61	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	6	0
VIII	53.4	72.0	40.2	56.1	82.2	26	29.9	6	61.4	25	48.8	28	52	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	1	0
IX	64.3	81.7	50.3	66.0	90.1	22	42.8	12	72.1	10	57.0	23	50	1	0.00	0.00	-	0	0	0	-	-	-	-	5	0	0	0
X	66.9	83.9	54.5	69.2	91.3	30	44.9	22	63.0	14	61.5	19	52	4	1.59	1.30	14	6	4	1	-	-	-	-	15	0	0	0
XI	67.4	82.7	56.0	69.3	92.2	4	49.1	14	69.6	10	62.5	18	62	4	3.44	0.86	8	11	11	2	-	-	-	-	9	0	0	0
XII	71.5	86.4	59.6	73.0	93.4	26	49.9	23	75.1	26	66.0	21	66	4	2.05	0.73	17	7	6	2	-	-	-	-	17	0	0	0
Jaar Year	60.8	77.2	49.1	63.1	93.4	-	22.5	-	49.1	-	66.0	-	63	2	23.84	2.20	-	54	48	19	-	-	-	-	57	1	27	0
No. 8/1682A TOWOOMBA. ϕ = 24 54'S; λ = 28 21'E; H = 3,850 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	72.1	86.8	61.0	73.9	95.2	18	55.0	11	75.8	9	66.5	19	67	4	4.00	1.52	22	7	4	3	-	-	-	-	18	0	0	0
II	(72.2	84.9	61.3	73.1)	90.5	22	56.5	26	74.0	11	65.0	21	(77)	(3)	3.60	2.60	2	5	5	2	-	-	-	-	(11	0	0	0)
III	70.6	82.4	56.9	69.7	95.0	2	42.5	15	68.5	4	67.5	9	67	4	1.94	1.33	3	9	4	1	-	-	-	-	3	0	0	0
IV	68.3	81.0	52.8	66.9	87.5	1	37.5	29	73.5	13	59.0	2	67	1	0.54	0.29	20	3	3	0	-	-	-	-	2	0	0	0
V	58.2	72.6	41.0	56.8	85.0	6	32.0	9	55.0	22	46.0	2	56	1	0.25	0.22	21	2	1	0	-	-	-	-	0	0	0	0
VI	51.3	68.2	32.1	50.1	74.0	23	21.6	26	52.5	25	44.0	24	50	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	15	0
VII	54.0	70.8	35.5	53.1	77.8	31	28.0	14	62.0	13	47.0	17	48	1	0.00	0.00	-	0	0	0	-	-	-	-	0	0	7	0
VIII	59.3	76.7	38.5	57.6	86.0	28	30.5	13	69.5	9	46.0	28	49	0	0.00	0.00	-	0	0	0	-	-	-	-	0	0	2	0
IX	71.1	85.0	50.7	67.9	93.0	22	41.0	1	73.5	11	60.0	22	43	0	0.00	0.00	-	0	0	0	-	-	-	-	12	0	0	0
X	73.5	87.6	56.7	72.1	96.5	30	45.5	16	73.0	14	66.5	19	49	3	2.01	1.46	14	7	4	1	-	-	-	-	21	0	0	0
XI	74.1	86.8	60.2	73.5	95.0	4	51.6	2	71.5	22	69.5	9	53	5	1.26	0.46	23	5	4	1	-	-	-	-	17	0	0	1
XII	76.8	90.9	62.4	76.7	98.0	17	50.0	23	82.0	6	71.0	27	65	3	2.76	1.20	18	6	5	3	-	-	-	-	27	0	0	2
Jaar Year	(66.8	81.1	50.8	65.9)	98.0	-	21.6	-	52.5	-	71.0	-	(58)	(2)	16.36	2.60	-	44	30	11	-	-	-	-	111	0	24	3)
No. 8/1692A HEIDELBERG. ϕ = 26 30'S; λ = 28 22'E; H = 5,055 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	66.4	85.5	56.0	70.8	92.3	15	45.1	14	73.4	9	62.3	3	67	5	4.67	1.40	20	12	10	4	15	2	0	0	16	0	0	0
II	66.1	83.6	56.1	69.9	91.2	9	47.8	11	69.8	2	61.0	22	69	4	3.55	2.39	2	4	4	2	7	0	0	0	12	0	0	0
III	59.6	76.0	52.1	64.1	89.8	2	41.2	19	68.8	4	62.0	3	79	5	5.32	1.89	3	14	12	4	8	0	0	0	1	0	0	0
IV	53.2	76.0	44.1	60.1	81.8	17	28.1	29	65.7	28	52.3	2	78	3	0.71	0.23	26	6	5	0	10	1	0	0	0	0	1	0
V	(41.7	70.9	33.1	52.0)	(77.7	3	25.3	10	63.3	12	41.4	7	(75)	(2)	(1.05	1.01	22	(3	1	1	0	1	1	0	0	0	9	0)
VI	30.1	63.1	24.6	43.9	68.6	30	15.2	26	46.5	25	31.9	24	75	1	0.00	0.00	-	0	0	0	0	0	0	0	0	2	27	0
VII	33.1	65.9	27.1	46.5	72.8	30	18.3	4	48.6	13	46.0	18	70	2	0.20	0.20	13	1	1	0	0	0	0	0	0	1	26	0
VIII	40.9	71.9	33.2	52.5	81.3	26	20.4	6	59.9	5	46.5	28	67	2	0.00	0.00	-	0	0	0	0	0	0	0	0	0	12	0
IX	57.0	81.6	45.6	63.6	89.6	23	33.3	3	70.1	10	56.6	24	56	1	0.01	0.01	8	1	0	0	0	0	0	0	5	0	0	0
X	62.8	82.5	51.1	66.8	92.4	30	36.9	20	62.2	14	61.0	19	57	5	1.14	0.46	9	5	5	1	3	1	0	0	10	0	0	0
XI	66.4	83.9	53.6	68.8	95.4	25	43.5	12	69.7	10	59.9	6	59	4	2.52	1.24	8	13	9	2	12	0	0	0	10	0	0	0
XII	68.6	85.8	56.6	71.2	92.5	10	43.1	8	70.8	6	64.8	16	61	4	3.15	1.08	20	12	10	2	14	0	0	0	17	0	0	0
Jaar Year	(53.8	77.2	44.4	60.8)	95.4	-	15.2	-	46.5	-	64.8	-	(68)	(3)	(22.32	2.39	-	(71	57	16	69	5	1	0	71	3	75	0)

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	(x+n)/2 Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtgehl. U % 0830	Mean Cloud Amt. Gem. Wolkevrhd. N 0–10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. < 50°F.	Min. < 32°F.	Min. ≥ 68°F.
No. 8/1757 KOPJE ALLEEN. ϕ = 24 51'S; λ = 28 41'E; H = 3,488 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	72.0	86.9	59.5	73.2	95.2	18	50.0	13	69.8	8	64.5	31	70	6	2.51	0.53	22	13	8	4	–	–	–	–	17	0	0	0
II	73.8	88.5	60.6	74.5	92.2	17	54.2	26	74.0	2	66.2	3	65	5	1.68	1.02	2	9	6	1	–	–	–	–	23	0	0	0
III	69.6	82.9	58.3	70.6	94.0	2	48.5	21	72.0	5	67.0	3	70	5	1.62	0.37	7	12	8	0	–	–	–	–	6	0	0	0
IV	67.2	83.0	51.8	67.4	89.8	1	45.0	29	70.0	13	57.2	2	61	3	0.47	0.17	13	5	4	0	–	–	–	–	9	0	0	0
V	57.6	73.9	40.6	57.3	81.2	6	30.0	23	54.0	22	50.2	12	58	2	0.21	0.11	21	2	2	0	–	–	–	–	0	0	4	0
VI	50.1	69.0	32.7	50.9	76.0	23	26.0	26	54.2	25	40.2	10	51	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	14	0
VII	52.5	71.7	35.7	53.7	78.5	30	29.5	2	63.0	12	48.0	18	57	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	7	0
VIII	58.1	76.8	39.8	58.3	86.0	26	32.2	6	69.2	8	49.2	28	53	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
IX	69.0	85.2	50.5	67.9	94.0	22	41.6	12	73.5	11	62.6	23	51	2	0.00	0.00	–	0	0	0	–	–	–	–	13	0	0	0
X	71.5	88.5	57.2	72.9	97.0	30	49.0	1	74.5	23	64.5	5	52	5	2.16	1.55	14	6	6	1	–	–	–	–	23	0	0	0
XI	73.5	86.6	60.1	73.3	95.2	4	52.0	2	72.5	22	66.5	29	57	6	2.17	0.67	25	10	8	3	–	–	–	–	17	0	0	0
XII	75.6	89.8	62.9	76.4	99.2	17	55.5	8	79.0	6	77.0	27	57	5	2.18	0.61	4	9	6	3	–	–	–	–	24	0	0	2
Jaar Year	65.9	81.9	50.8	66.4	99.2	–	24.0	–	54.0	–	77.0	–	59	3	13.00	1.55	–	66	48	12	–	–	–	–	132	0	25	2
No. 8/1790A TURFPAN. ϕ = 24 41'S; λ = 28 51'E; H = 3,350 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	71.2	86.5	59.5	73.0	95.2	18	47.0	13	69.0	8	65.0	8	68	4	2.00	0.89	20	7	6	2	–	–	–	–	19	0	0	0
II	72.6	88.2	59.2	73.7	92.6	16	51.0	26	70.0	2	66.4	18	66	3	1.53	0.99	2	7	5	1	–	–	–	–	24	0	0	0
III	69.3	83.9	57.5	70.7	96.2	2	46.2	21	71.6	4	65.0	3	70	4	2.21	1.37	3	9	5	1	–	–	–	–	7	0	0	0
IV	65.3	82.7	50.7	66.7	89.6	10	41.6	29	70.6	13	58.6	13	68	2	1.32	0.32	24	5	5	0	–	–	–	–	7	0	0	0
V	55.0	74.1	38.7	56.4	82.0	6	29.2	23	56.0	22	45.6	7	62	1	0.37	0.13	22	2	2	0	–	–	–	–	0	0	1	0
VI	46.7	69.2	30.3	49.7	77.6	23	21.6	26	55.0	25	43.0	24	46	0	0.00	0.00	–	0	0	0	–	–	–	–	0	0	18	0
VII	49.9	72.5	33.9	53.2	80.0	31	28.0	25	63.6	13	51.0	18	51	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	8	0
VIII	56.5	77.0	36.8	56.9	87.0	26	31.2	23	69.6	8	48.4	28	49	0	0.00	0.00	–	0	0	0	–	–	–	–	2	0	1	0
IX	68.5	85.9	47.4	66.7	94.6	22	38.2	12	73.6	11	61.2	23	46	0	0.03	0.03	9	1	0	0	–	–	–	–	19	0	0	0
X	70.5	88.6	55.4	72.0	97.4	19	51.2	27	69.0	23	64.0	3	62	4	2.55	1.22	14	6	5	2	–	–	–	–	22	0	0	0
XI	72.0	86.7	58.3	72.5	97.0	7	47.4	14	73.0	22	67.2	29	57	4	2.44	0.64	12	7	7	4	–	–	–	–	16	0	0	0
XII	73.9	88.9	61.6	75.3	98.2	17	56.0	24	76.6	6	70.0	27	61	4	4.16	1.15	9	9	8	4	–	–	–	–	23	0	0	3
Jaar Year	64.3	82.0	49.1	65.5	98.2	–	21.6	–	55.0	–	70.0	–	59	2	16.41	1.37	–	53	43	14	–	–	–	–	139	0	28	3
No. 9/1866A LOSKOP CANALS. ϕ = 25 09'S; λ = 29 20'E; H = 3,150 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	72.9	87.2	62.4	74.8	95.0	18	52.9	14	74.3	8	68.6	19	–	5	3.78	1.74	23	10	10	3	–	–	–	–	18	0	0	1
II	74.1	89.0	63.4	76.2	94.0	10	57.0	11	73.0	2	69.8	18	–	4	1.86	0.61	1	5	5	2	–	–	–	–	24	0	0	1
III	71.5	85.7	61.7	73.7	96.4	2	52.4	21	75.0	4	68.0	3	–	4	1.28	0.44	8	9	5	2	–	–	–	–	13	0	0	0
IV	67.9	84.0	55.9	69.9	93.6	4	49.2	29	73.5	22	61.2	18	–	2	1.46	0.60	21	7	6	2	–	–	–	–	10	0	0	0
V	55.5	75.4	43.2	59.3	83.2	6	32.8	23	62.9	23	49.0	8	–	1	0.30	0.30	22	1	1	0	–	–	–	–	0	0	0	0
VI	48.1	71.0	35.7	53.3	77.9	30	21.6	24	58.5	25	43.5	8	–	0	0.00	0.00	–	0	0	0	–	–	–	–	0	0	3	0
VII	50.7	73.1	39.7	56.4	81.6	31	34.5	9	63.5	12	45.8	13	–	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VIII	56.7	78.2	44.2	61.2	87.0	26	40.6	2	70.4	9	49.5	28	–	0	0.00	0.00	–	0	0	0	–	–	–	–	1	0	0	0
IX	68.0	85.4	54.8	70.1	93.6	22	46.5	11	73.5	11	65.5	23	–	1	0.40	0.25	9	2	2	0	–	–	–	–	15	0	0	0
X	71.0	86.9	61.1	74.0	96.6	19	52.9	3	71.9	15	67.0	5	–	4	2.71	1.68	31	4	4	2	–	–	–	–	19	0	0	0
XI	73.1	86.5	62.0	74.3	95.0	7	53.5	15	77.1	1	69.6	18	–	4	2.29	0.87	25	9	8	2	–	–	–	–	15	0	0	2
XII	75.0	89.2	65.4	77.3	97.2	26	60.4	29	75.5	6	77.4	27	–	4	3.03	1.14	14	8	8	2	–	–	–	–	22	0	0	8
Jaar Year	65.4	82.6	54.1	68.3	97.2	–	21.6	–	58.5	–	77.4	–	–	3	17.21	1.74	–	55	49	15	–	–	–	–	137	0	3	12
No. 9/1868A LOSKOP DAM. ϕ = 25 25'S; λ = 29 22'E; H = 3,310 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	72.1	89.2	64.0	76.6	97.9	18	55.4	13	72.2	8	69.6	18	66	3	4.62	1.32	8	8	8	5	–	–	–	–	23	0	0	5
II	72.3	91.1	64.4	77.7	97.9	14	59.9	11	71.6	2	70.6	18	68	3	2.90	1.45	1	6	6	3	–	–	–	–	25	0	0	1
III	69.4	86.8	62.6	74.7	98.6	1	52.6	21	74.0	15	70.6	3	68	3	1.03	0.30	27	7	7	0	–	–	–	–	18	0	0	2
IV	65.2	85.2	58.1	71.7	91.2	9	49.0	29	70.6	13	62.9	1	66	1	0.59	0.19	13	4	4	0	–	–	–	–	13	0	0	0
V	54.5	77.4	46.0	61.7	85.9	2	38.4	23	65.3	24	51.0	3	63	1	0.47	0.37	22	2	2	0	–	–	–	–	0	0	0	0
VI	47.6	72.3	41.6	56.9	79.8	30	33.9	26	59.9	25	48.0	5	54	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VII	49.3	74.3	44.3	59.3	83.1	31	40.9	15	64.5	12	48.3	31	56	2	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VIII	54.8	79.3	48.0	63.7	87.2	26	44.2	4	71.8	9	53.2	31	53	1	0.00	0.00	–	0	0	0	–	–	–	–	3	0	0	0
IX	66.8	87.1	57.0	72.1	96.0	21	48.9	12	75.0	11	67.9	23	51	2	0.14	0.14	9	1	1	0	–	–	–	–	18	0	0	0
X	71.0	88.4	62.4	75.4	97.9	30	59.5	21	73.0	15	67.0	19	53	3	1.14	0.72	14	6	5	1	–	–	–	–	23	0	0	0
XI	73.4	88.4	63.3	75.9	97.0	7	54.0	13	79.5	22	70.4	17	54	4	2.10	0.74	8	8	8	2	–	–	–	–	21	0	0	5
XII	75.4	91.5	66.1	78.8	98.4	17	61.0	29	77.1	6	72.9	27	60	5	2.67	0.75	2	7	6	3	–	–	–	–	25	0	0	9
Jaar Year	64.3	84.3	56.5	70.4	98.6	–	33.9	–	59.9	–	72.9	–	59	2	15.66	1.45	–	49	47	14	–	–	–	–	169	0	0	22

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m				Extremes Uiterstes				Lowest Max. Laagste Maks. Highest Min. Hoogste Min.				Mean Rel. Hum. Gem. Rel. Vochtghd.	Mean Cloud Amt. Gem. Wolkebedk.	Precipitation in Inches. Neerslag in duims. R.			Number of Days with Aantal Dae met											
	0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Max.	Dat.	Min.	Dat.	Max.	Dat.	Min.	Dat.	U % 0830	N 0–10 0830	M	Max. in 24 h.	Dat.	Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donnerwetter	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 66°F.	Max. < 50°F.	Min. < 32°F.	Min. ≥ 68°F.
No. 9/1913 GEMSBOKFONTEIN.															ϕ = 25 44'S; λ = 29 41'E; H = 5,450 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.															
I	65.0	78.1	52.0	65.1	84.0	21	40.0	15	67.0	8	60.0	22	75	4	4.40	1.48	7	11	10	4	–	–	–	–	0	0	0	0
II	64.7	79.9	50.9	65.4	87.0	9	42.0	27	62.0	2	57.0	18	77	4	4.13	1.90	22	5	4	3	–	–	–	–	1	0	0	0
III	61.6	73.6	49.7	61.7	86.0	2	36.0	21	62.0	4	61.0	3	78	3	4.28	1.62	3	10	10	3	–	–	–	–	0	0	0	0
IV	59.8	72.8	43.2	58.0	78.0	11	29.0	29	66.0	22	51.0	13	74	1	1.19	0.46	21	6	5	1	–	–	–	–	0	0	2	0
V	49.5	65.3	30.8	48.1	76.0	2	22.0	10	40.0	22	44.0	7	73	1	0.71	0.56	22	2	2	1	–	–	–	–	0	1	17	0
VI	42.0	61.1	22.6	41.9	68.0	30	11.0	26	45.0	25	36.0	24	68	0	0.00	0.00	–	0	0	0	–	–	–	–	0	1	27	0
VII	46.3	63.7	26.0	44.9	71.0	31	19.0	35	50.0	13	40.0	18	71	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	26	0
VIII	52.1	69.6	30.4	50.0	78.0	26	20.0	7	61.0	9	46.0	28	67	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	17	0
IX	63.1	77.4	41.1	59.3	86.0	30	31.0	12	65.0	10	54.0	23	68	1	0.18	0.18	9	1	1	0	–	–	–	–	0	0	1	0
X	65.9	78.5	49.5	64.0	87.0	30	39.0	6	63.0	14	59.0	19	63	3	0.96	0.65	31	2	2	1	–	–	–	–	1	0	0	0
XI	65.9	78.8	50.3	64.5	85.0	17	36.0	13	69.0	22	58.0	29	69	4	3.14	0.75	25	9	9	5	–	–	–	–	0	0	0	0
XII	68.5	80.8	53.9	67.3	87.0	20	42.0	30	70.0	6	60.0	18	69	4	2.15	0.90	11	6	6	2	–	–	–	–	4	0	0	0
Jaar Year	58.7	73.3	41.7	57.5	87.0	–	11.0	–	45.0	–	61.0	–	71	2	21.08	1.90	–	52	49	20	–	–	–	–	6	2	90	0
No. 9/1947N ERMELO (Nooitgedacht).															ϕ = 26 31'S; λ = 29 58'E; H = 5,570 vt/ft; ht = 4 vt/ft; h_r = 4 vt/ft.															
I	63.8	76.4	52.0	64.2	84.6	15	38.2	15	65.0	5	58.0	1	–	4	2.83	0.49	31	8	8	5	–	0	0	0	0	0	0	0
II	63.9	77.9	52.5	65.2	86.0	9	45.0	27	69.5	2	57.3	18	–	3	1.33	0.90	1	2	2	2	–	0	0	0	0	0	0	0
III	60.9	71.5	50.6	61.1	88.0	2	40.9	19	56.0	4	59.9	7	–	4	3.74	2.60	7	6	6	1	–	0	0	0	1	0	0	0
IV	56.5	71.8	45.5	58.7	79.0	1	36.9	4	60.0	29	51.9	20	–	3	1.27	0.36	18	5	5	0	–	0	0	0	0	0	0	0
V	48.2	64.7	32.3	48.5	75.5	2	21.5	13	43.3	22	44.5	7	–	1	0.60	0.40	22	2	2	1	–	0	1	0	0	3	14	0
VI	41.1	60.2	26.4	43.3	65.0	24	17.0	13	44.5	25	38.2	2	–	0	0.00	0.00	–	0	0	0	–	0	0	2	0	1	26	0
VII	43.4	63.1	29.0	46.1	69.7	31	18.0	21	55.0	13	38.1	7	–	1	0.00	0.00	–	0	0	0	–	0	0	0	0	0	21	0
VIII	49.3	68.6	34.1	51.3	77.5	25	22.5	13	53.3	7	45.6	27	–	1	0.00	0.00	–	0	0	0	–	0	0	0	0	0	10	0
IX	61.0	77.6	44.1	60.9	86.5	22	35.4	11	65.9	10	54.0	25	–	1	0.00	0.00	–	0	0	0	–	0	0	0	1	0	0	0
X	62.0	76.3	49.1	62.7	88.4	27	36.1	6	57.9	14	56.8	18	–	4	2.48	0.98	14	6	6	3	–	0	0	0	3	0	0	0
XI	65.7	78.3	50.6	64.5	85.9	4	37.0	14	69.5	13	57.6	27	–	3	3.80	2.00	22	5	5	3	–	0	0	0	1	0	0	0
XII	67.3	81.9	53.6	67.7	93.3	18	42.0	23	69.0	28	64.1	15	–	3	0.39	0.13	30	4	4	0	–	0	0	0	6	0	0	0
Jaar Year	56.9	72.4	43.3	57.9	93.3	–	17.0	–	43.3	–	64.1	–	–	2	16.44	2.60	–	38	38	15	–	0	1	2	12	4	71	0
No. 9/1955 BELFAST.															ϕ = 25 41'S; λ = 30 02'E; H = 6,135 vt/ft; ht = 4 vt/ft; h_r = 4 vt/ft.															
I	60.3	71.2	50.0	60.6	79.0	21	35.0	15	60.0	5	57.0	31	82	5	5.71	1.80	26	10	10	5	13	0	0	0	0	0	0	0
II	61.5	72.4	50.6	61.5	80.0	16	40.0	27	59.0	2	56.0	5	72	5	4.84	1.56	1	5	5	4	5	0	0	2	0	0	0	0
III	58.4	67.9	47.6	57.7	80.0	2	36.0	22	56.0	4	57.0	8	82	5	3.59	1.20	27	11	11	2	4	0	0	0	0	0	0	0
IV	56.1	68.7	39.9	54.3	80.0	9	24.0	30	60.0	22	49.0	6	80	1	1.01	0.71	22	4	3	1	5	0	0	2	0	0	3	0
V	47.8	62.6	29.3	45.9	69.0	3	23.0	23	48.0	23	43.0	7	71	1	0.37	0.37	22	1	1	0	0	0	0	2	0	1	24	0
VI	40.4	58.1	23.6	40.9	68.0	30	15.0	26	43.5	25	35.0	22	74	1	0.00	0.00	–	0	0	0	0	0	0	1	0	1	17	0
VII	44.1	61.1	26.7	43.9	69.0	4	15.0	24	46.0	11	34.0	18	68	1	0.00	0.00	–	0	0	0	0	0	0	2	0	1	28	0
VIII	50.3	65.9	28.8	47.3	75.0	26	21.0	13	54.0	8	40.0	28	58	1	0.00	0.00	–	0	0	0	0	0	0	4	0	0	23	0
IX	58.9	72.3	38.7	55.0	79.0	22	30.0	14	58.0	10	51.0	23	63	1	0.09	0.09	10	1	1	0	1	0	0	0	0	0	1	0
X	60.0	73.6	46.9	60.3	83.0	30	36.0	2	62.0	7	55.0	18	68	4	1.23	0.38	13	8	7	0	1	1	0	5	0	0	0	0
XI	61.3	73.7	47.2	60.5	81.3	13	32.5	14	62.0	8	55.0	27	63	5	3.15	1.11	21	9	7	3	0	0	0	1	0	0	0	0
XII	63.4	75.3	51.5	63.4	83.5	17	45.0	1	61.0	28	58.0	18	73	5	4.21	1.60	3	11	9	3	0	0	0	3	0	0	0	0
Jaar Year	55.2	68.6	40.1	54.3	83.5	–	15.0	–	43.5	–	58.0	–	71	3	24.20	1.80	–	60	54	18	29	1	0	22	0	3	96	0
No. 9/1966 CAROLINA.															ϕ = 26 04'S; λ = 30 07'E; H = 5,543 vt/ft; ht = 4 vt/ft; h_r = 4 vt/ft.															
I	61.8	76.6	53.0	64.8	84.0	4	43.0	12	63.0	8	59.0	31	79	5	4.18	1.05	26	12	11	4	–	–	–	–	0	0	0	0
II	62.2	78.6	53.4	66.0	85.0	10	45.0	27	59.0	2	57.0	18	81	5	2.38	1.47	1	4	3	2	–	–	–	–	0	0	0	0
III	59.7	72.3	51.0	61.7	87.0	2	44.0	24	58.0	4	59.0	3	81	5	4.61	2.95	7	9	9	3	–	–	–	–	1	0	0	0
IV	56.5	72.2	46.2	59.2	79.0	10	31.0	29	61.0	30	52.0	2	83	2	0.78	0.31	18	8	6	0	–	–	–	–	0	0	1	0
V	46.9	64.8	36.6	50.7	73.0	3	28.0	23	40.0	22	45.0	7	74	1	0.41	0.36	22	2	2	0	–	–	–	–	0	2	3	0
VI	38.8	60.1	30.8	45.5	67.0	30	21.0	26	45.0	25	39.0	2	71	1	0.00	0.00	–	0	0	0	–	–	–	–	0	1	18	0
VII	42.6	62.8	34.0	48.4	70.0	31	27.0	24	46.0	11	40.0	27	68	1	0.00	0.00	–	0	0	0	–	–	–	–	0	1	5	0
VIII	48.0	67.8	36.7	52.3	77.0	26	27.0	13	57.0	7	43.0	27	64	2	0.00	0.00	–	0	0	0	–	–	–	–	0	0	2	0
IX	58.1	76.3	45.2	60.7	86.0	30	37.0	12	61.0	10	52.0	23	61	1	0.18	0.18	9	1	1	0	–	–	–	–	0	0	0	0
X	61.1	74.9	49.4	62.1	85.0	2	43.0	8	56.0	14	57.0	18	63	5	2.74	1.06	12	8	6	3	–	–	–	–	0	0	0	0
XI	62.9	76.1	51.2	63.7	84.0	30	41.0	2	62.0	8	57.0	29	69	5	2.55	1.25	21	8	7	4	–	–	–	–	0	0	0	0
XII	65.9	79.4	54.5	66.9	86.0	20	46.0	23	63.0	2	60.0	16	68	5	1.12	0.88	18	4	4	1	–	–	–	–	0	0	0	0
Jaar Year	55.4	71.8	45.2	58.5	87.0	–	21.0	–	40.0	–	60.0	–	72	3	18.95	2.95	–	56	49	17	–	–	–	–	1	4	29	0

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m				Extremes Uiterstes				Lowest Max. Laagste Maks. Highest Min. Hoogste Min.				Mean Rel. Hum. Gem. Rel. Vochtigh.	Mean Cloud Amt. Gem. Wolkehtbd.	Precipitation in Inches. Neerslag in duime.			Number of Days with Aantal Dae met										
	0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Max.	Dat.	Min.	Dat.	Max.	Dat.	Min.	Dat.	D % 0830	N 0–10 0830	M	Max. in 24 h.	Dat.	Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donner	Hail Hael	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. < 50°F.	Min. < 32°F.	Min. ≥ 68°F.
No. 9/1996A "PRETORIA" FARM (Ofcolaco). ϕ = 24 05'S; λ = 30 22'E; H = 2,250 vt/ft; ht = 4 vt/ft; h_r = 4 vt/ft.																											
I	72.0	83.3	66.2	74.7	94.5	4	60.0	12	68.0	9	70.0	4	76	8	3.96	0.91	8	12	9	5	3	0	0	0	9	0	0	8
II	74.0	86.6	68.3	77.5	93.0	21	62.0	4	74.0	3	71.0	22	75	6	5.16	2.98	3	6	6	4	1	0	0	0	19	0	0	16
III	72.5	85.3	65.7	75.5	100.0	2	59.0	21	72.0	5	73.0	3	74	6	1.06	0.31	7	8	6	0	1	0	0	0	11	0	0	6
IV	70.3	84.5	62.1	73.3	92.5	17	58.0	5	73.0	22	67.0	19	73	5	0.45	0.21	24	5	3	0	7	0	0	0	12	0	0	0
V	65.8	78.3	55.7	67.0	87.0	6	50.0	14	66.5	23	66.0	2	64	2	0.00	0.00	–	0	0	0	0	0	0	0	2	0	0	0
VI	61.1	73.8	49.7	61.7	84.0	23	42.0	14	62.0	25	58.0	24	50	1	0.00	0.00	–	0	0	0	0	0	0	0	0	0	0	0
VII	62.1	76.3	52.7	64.5	85.0	7	47.0	29	66.0	12	62.0	7	57	2	0.00	0.00	–	0	0	0	0	0	0	0	0	0	0	0
VIII	63.8	78.0	53.6	65.8	91.0	26	49.0	30	66.0	8	62.0	5	58	3	0.01	0.01	28	1	0	0	0	0	0	0	2	0	0	0
IX	68.5	83.1	59.8	71.5	96.0	30	53.0	12	68.5	10	66.0	30	64	4	0.09	0.08	9	2	1	0	0	0	0	0	10	0	0	0
X	69.1	82.5	62.1	72.3	99.0	26	55.0	8	61.5	14	73.0	26	69	7	2.82	1.50	14	12	9	1	7	0	0	0	12	0	0	2
XI	71.9	86.2	64.3	75.3	101.0	7	59.0	3	69.0	18	69.0	17	70	7	1.17	0.93	21	3	3	1	6	0	0	0	12	0	0	3
XII	75.2	89.6	67.0	78.3	103.5	27	60.0	6	68.5	28	77.0	21	66	7	1.60	0.88	27	8	5	2	2	0	0	0	19	0	0	10
Jaar Year	68.9	82.3	60.6	71.5	103.5	–	42.0	–	62.0	–	77.0	–	66	5	16.32	2.98	–	57	42	13	27	0	0	0	108	0	0	45
No. 9/2012A ATHOLE. ϕ = 26 34'S; λ = 30 30'E; H = 5,000 vt/ft; ht = 4 vt/ft; h_r = 4 vt/ft.																											
I	61.8	73.6	52.7	63.1	83.7	18	45.8	12	57.8	8	58.7	30	82	6	6.71	1.93	1	15	14	5	–	0	0	5	0	0	0	0
II	63.4	76.4	54.1	65.3	83.2	9	49.8	20	60.1	3	57.5	18	80	6	1.70	1.50	2	3	3	1	–	0	0	4	0	0	0	0
III	60.9	70.9	51.4	61.1	87.0	2	41.7	21	56.0	4	62.7	18	82	6	5.17	1.60	13	9	8	4	3	0	0	10	1	0	0	0
IV	58.5	71.9	47.5	59.7	77.3	10	29.0	30	64.5	20	54.0	12	86	4	0.22	0.18	12	2	2	0	7	0	0	13	0	0	1	0
V	52.5	65.7	39.4	52.5	72.7	29	31.8	23	42.5	22	49.8	21	66	2	0.38	0.33	22	2	2	0	1	0	0	4	0	1	1	0
VI	47.5	61.6	33.8	47.7	68.0	30	19.3	26	45.8	25	49.0	8	64	0	0.00	0.00	–	0	0	0	0	0	0	1	0	1	11	0
VII	48.7	63.6	35.0	49.3	71.0	31	27.3	24	52.0	12	44.7	27	72	2	0.01	0.01	11	1	0	0	0	0	0	1	0	0	7	0
VIII	52.4	69.0	38.4	53.7	79.7	26	30.2	14	50.3	7	45.6	26	62	2	0.02	0.02	27	1	0	0	0	0	0	7	0	0	2	0
IX	62.2	76.2	47.1	61.7	86.0	25	38.2	11	56.8	10	59.5	20	62	3	0.42	0.42	9	1	1	1	0	0	0	6	0	0	0	0
X	60.1	73.3	48.9	61.1	87.0	19	42.0	20	54.3	14	58.0	18	75	6	2.86	1.31	12	10	6	3	8	2	0	13	2	0	0	0
XI	65.6	76.7	50.3	63.5	85.7	16	42.3	15	61.5	18	57.3	29	66	5	2.37	1.04	21	9	3	3	4	0	0	14	0	0	0	0
XII	66.3	79.6	53.6	66.6	88.4	26	44.5	23	56.2	28	60.5	27	72	5	0.96	0.26	13	8	7	0	8	1	0	12	4	0	0	0
Jaar Year	58.3	71.5	46.0	58.7	88.4	–	19.3	–	42.5	–	60.5	–	72	4	20.82	1.93	–	57	46	17	–	3	0	90	7	2	22	0
No. 9/2017 JESSIEVALE. ϕ = 26 15'S; λ = 30 32'E; H = 5,685 vt/ft; ht = 4 vt/ft; h_r = 4 vt/ft.																											
I	62.7	73.4	52.4	62.9	82.8	18	42.8	15	58.0	5	59.0	30	73	5	5.71	2.56	26	10	10	3	–	0	0	0	0	0	0	0
II	65.0	75.9	52.6	64.3	84.5	9	42.2	27	57.8	2	58.0	18	74	5	2.71	1.32	1	3	3	2	–	0	0	0	0	0	0	0
III	61.1	70.6	50.5	60.5	84.3	2	41.6	19	58.0	4	59.3	8	79	4	4.22	1.65	13	10	10	3	–	0	0	0	0	0	0	0
IV	57.2	69.4	46.0	57.7	77.5	10	30.0	29	59.5	12	53.5	12	79	2	1.90	1.60	21	5	3	1	–	0	0	3	0	0	1	0
V	52.7	64.3	37.3	50.8	71.3	2	25.5	10	43.0	22	46.0	7	67	1	0.00	0.00	–	0	0	0	–	0	0	0	0	1	6	0
VI	47.5	59.5	32.9	46.2	65.0	15	22.0	26	44.5	25	41.6	30	58	0	0.00	0.00	–	0	0	0	–	0	0	0	0	1	12	0
VII	50.0	61.7	33.9	47.8	71.0	31	24.3	23	42.5	11	43.0	7	59	2	0.00	0.00	–	0	0	0	–	0	0	0	0	2	9	0
VIII	52.7	66.4	37.7	52.1	77.9	26	26.8	7	51.3	28	48.0	26	59	2	0.00	0.00	–	0	0	0	–	0	0	0	0	0	2	0
IX	62.2	74.4	46.5	60.5	84.3	30	39.3	3	56.0	10	53.3	30	57	2	0.18	0.18	9	1	1	0	–	0	0	0	0	0	0	0
X	60.6	70.4	49.5	59.9	85.1	1	43.5	28	53.3	14	62.1	18	74	5	3.04	0.80	12	7	7	5	–	1	0	0	0	0	0	0
XI	64.8	76.0	50.5	63.3	85.5	25	38.0	14	58.5	8	57.0	21	66	5	2.96	1.05	22	7	7	2	–	0	0	0	0	0	0	0
XII	66.0	77.0	53.7	65.3	86.7	26	44.9	23	57.8	2	60.2	21	69	5	2.05	1.02	17	6	6	1	–	0	0	2	1	0	0	0
Jaar Year	58.5	69.9	45.3	57.6	86.7	–	22.0	–	42.5	–	62.1	–	68	3	22.77	2.56	–	49	47	17	–	1	0	5	1	4	30	0
No. 9/2017M BADPLAATS. ϕ = 25 57'S; λ = 30 33'E; H = 3,500 vt/ft; ht = 4 vt/ft; h_r = 4 vt/ft.																											
I	69.1	79.0	59.1	69.1	88.0	25	50.0	13	64.0	9	65.0	30	71	5	7.08	1.63	3	11	10	5	–	–	–	–	5	0	0	0
II	70.8	81.2	59.1	70.1	88.0	20	50.0	11	65.0	2	66.0	5	72	6	4.21	2.56	1	4	4	3	–	–	–	–	1	0	0	0
III	67.6	77.8	56.4	67.1	93.0	2	47.0	21	65.0	5	65.0	8	75	5	3.57	1.61	8	10	10	2	–	–	–	–	2	0	0	0
IV	67.6	78.9	53.1	66.0	86.0	17	40.0	29	71.0	29	59.0	28	68	2	2.18	1.30	20	6	3	2	–	–	–	–	0	0	0	0
V	60.4	72.6	42.7	57.7	81.0	29	34.0	10	59.0	22	51.0	7	65	1	0.03	0.03	6	1	0	0	–	–	–	–	0	0	0	0
VI	55.5	69.4	37.6	53.5	80.0	30	28.0	25	55.0	25	51.0	22	49	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	3	0
VII	56.6	70.3	38.4	54.3	80.0	31	31.0	4	53.0	11	52.0	27	54	2	0.00	0.00	–	0	0	0	–	–	–	–	0	0	1	0
VIII	58.9	74.6	41.8	58.2	89.0	26	34.0	7	60.0	7	52.0	28	65	2	0.00	0.00	–	0	0	0	–	–	–	–	1	0	0	0
IX	66.6	81.4	50.3	65.9	93.0	25	43.0	12	63.0	10	59.0	23	69	3	0.42	0.42	2	1	1	1	–	–	–	–	9	0	0	0
X	64.7	79.1	55.0	67.1	95.0	19	49.0	28	61.0	22	65.0	18	69	6	2.48	0.68	12	6	6	2	–	–	–	–	9	0	0	0
XI	68.6	82.7	56.3	69.5	94.0	25	45.0	14	64.0	18	68.0	29	67	4	2.42	1.05	21	10	5	2	–	–	–	–	11	0	0	0
XII	70.8	84.5	59.3	71.9	96.0	26	51.0	23	69.0	11	67.0	5	73	5	1.87	0.57	13	9	8	2	–	–	–	–	15	0	0	0
Jaar Year	64.8	77.6	50.8	64.2	96.0	–	28.0	–	53.0	–	68.0	–	66	3	24.26	2.56	–	58	47	19	–	–	–	–	53	0	4	0

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtigheid. 0830	Mean Cloud Amt. Gem. Wolkebedk. 0830	Precipitation in inches. Neerslag in duime. R.	Max. in 24 h.	Dat.	Precipn. Neerslag -01	-04	-40	Thunder Donder	Hail Hagel	Max. 86°F.	Max. 50°F.	Min. 32°F.	Min. 68°F.
No. 9/2052 THERPONTEIN. ϕ = 25 02'S; λ = 30 48'E; H = 3,780 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																										
I	66.0	75.0	57.3	66.1	84.0	26	50.0	13	62.0	5	62.0	20	81	–	6.42	1.31	8	17	16	5	–	–	–	–	0	0	0	0
II	68.5	78.0	58.3	68.1	83.0	20	52.0	21	65.0	2	64.0	14	77	–	4.23	1.58	2	12	9	2	–	–	–	–	0	0	0	0
III	65.5	75.3	55.1	65.2	89.0	2	44.0	22	62.0	19	63.0	8	81	–	5.81	1.55	4	14	13	5	–	–	–	–	1	0	0	0
IV	63.7	74.7	50.5	62.6	83.0	18	45.0	4	65.0	24	57.0	21	83	–	2.30	0.75	21	5	5	3	–	–	–	–	0	0	0	0
V	58.7	72.6	41.0	56.8	81.0	29	34.0	23	65.0	8	49.0	25	68	–	0.13	0.13	6	1	1	0	–	–	–	–	0	0	0	0
VI	53.2	69.4	35.0	52.2	78.0	22	27.0	27	62.0	13	47.0	1	61	–	0.00	0.00	–	0	0	0	–	–	–	–	0	0	5	0
VII	53.8	72.2	37.8	55.0	81.0	31	33.0	23	51.0	11	47.0	31	67	–	0.04	0.02	9	2	0	0	–	–	–	–	0	0	0	0
VIII	58.1	73.9	40.5	57.2	84.0	26	35.0	20	60.0	28	50.0	28	68	–	0.18	0.13	22	2	2	0	–	–	–	–	0	0	0	0
IX	63.4	75.8	49.4	62.6	89.0	30	42.0	1	61.0	10	56.0	5	70	–	0.77	0.60	9	4	4	1	–	–	–	–	3	0	0	0
X	63.1	74.4	53.2	63.8	92.0	19	46.0	16	56.0	14	62.0	26	75	–	4.46	1.45	14	16	14	3	–	–	–	–	5	0	0	0
XI	66.1	77.0	55.6	66.3	90.0	17	46.0	2	60.0	18	62.0	7	78	–	2.92	1.12	21	7	7	2	–	–	–	–	2	0	0	0
XII	67.6	78.3	58.0	68.1	92.0	27	51.0	25	61.0	28	68.0	27	83	–	4.97	2.10	5	12	11	5	–	–	–	–	7	0	0	0
Jaar Year	62.3	74.7	49.3	62.0	92.0	–	27.0	–	51.0	–	68.0	–	74	–	32.23	2.10	–	92	82	26	–	–	–	–	18	0	5	0
No. 9/2063 GRASKOP. ϕ = 24 56'S; λ = 30 50'E; H = 4,850 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																										
I	61.4	69.9	52.7	61.3	82.2	3	46.0	16	57.8	9	58.5	20	87	6	18.88	5.80	24	18	17	12	–	–	–	–	0	0	0	0
II	62.8	71.7	53.5	62.6	76.0	9	50.5	21	60.3	2	57.9	14	88	5	10.93	3.37	11	14	12	7	–	–	–	–	0	0	0	0
III	61.8	69.1	53.1	61.1	81.8	18	43.3	22	56.8	20	59.1	8	84	5	11.44	3.85	13	16	14	6	–	–	–	–	0	0	0	0
IV	62.5	68.9	48.6	58.7	78.2	17	41.9	4	60.2	24	53.6	17	70	4	2.61	1.35	3	6	5	2	–	–	–	–	0	0	0	0
V	56.1	66.5	40.0	53.3	74.5	29	33.7	10	59.3	23	45.8	8	68	1	0.18	0.14	7	3	1	0	–	–	–	–	0	0	0	0
VI	51.7	64.0	35.1	49.5	73.0	22	24.5	26	54.3	26	48.4	22	54	1	0.11	0.11	1	1	1	0	–	–	–	–	0	0	11	0
VII	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII	55.1	66.1	–	–	77.8	26	–	–	53.5	28	–	–	62	2	0.63	0.30	28	5	5	0	–	–	–	–	0	0	–	–
IX	58.1	70.0	44.7	57.3	84.8	21	35.5	12	55.0	10	50.6	28	75	3	1.84	1.06	9	5	5	2	–	–	–	–	0	0	0	0
X	59.2	68.7	48.7	58.7	86.0	26	41.7	14	52.8	14	59.3	26	79	6	6.40	1.66	13	16	15	5	–	–	–	–	0	0	0	0
XI	61.5	71.6	51.9	61.7	84.3	18	41.5	2	55.0	12	60.0	17	79	5	5.08	2.25	21	10	8	5	–	–	–	–	0	0	0	0
XII	64.2	74.5	54.7	64.6	87.5	27	45.0	24	56.7	28	62.5	5	82	5	6.12	1.98	5	12	12	5	–	–	–	–	1	0	0	0
Jaar Year	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
No. 10/2108 BARBERTON (Katoen Nav./Cotton Expt.) ϕ = 25 47'S; λ = 31 01'E; H = 2,500 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																										
I	71.4	83.8	63.6	73.7	93.1	4	53.3	13	70.0	9	67.7	3	73	–	2.72	0.55	19	13	11	4	–	–	–	–	14	0	0	0
II	73.4	86.5	65.2	75.9	92.8	9	59.0	26	69.0	2	70.4	11	76	–	2.59	1.32	2	5	4	2	–	–	–	–	19	0	0	4
III	70.0	83.0	61.4	72.2	101.0	2	52.0	22	69.2	20	70.0	3	79	–	4.50	0.98	29	13	11	4	–	–	–	–	8	0	0	1
IV	67.4	82.9	57.9	70.4	92.0	17	48.2	29	75.0	29	67.5	1	77	–	1.02	0.44	12	3	4	1	–	–	–	–	6	0	0	0
V	61.2	78.1	47.7	62.9	85.2	2	41.0	10	67.0	23	58.8	7	61	–	0.10	0.10	2	1	1	0	–	–	–	–	0	0	0	0
VI	54.9	74.4	40.6	57.5	82.7	30	33.5	14	62.1	25	51.2	22	52	–	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VII	56.5	75.8	42.8	59.3	87.2	31	37.8	24	60.1	11	55.7	8	56	–	0.00	0.00	–	0	0	0	–	–	–	–	1	0	0	0
VIII	59.0	78.5	46.3	62.4	92.2	26	41.0	14	65.0	8	56.0	6	62	–	0.02	0.02	28	1	0	0	–	–	–	–	3	0	0	0
IX	67.4	84.0	55.1	69.5	97.8	30	45.0	12	66.5	10	64.2	24	66	–	0.41	0.38	9	2	1	0	–	–	–	–	12	0	0	0
X	67.8	79.7	59.1	69.4	97.1	19	52.0	16	63.5	14	67.6	18	68	–	1.92	0.83	14	11	8	1	–	–	–	–	9	0	0	0
XI	71.1	85.2	61.4	73.3	96.9	7	51.9	13	70.8	18	67.6	28	67	–	1.31	0.69	21	8	5	1	–	–	–	–	13	0	0	0
XII	74.0	88.1	64.1	76.1	100.7	26	57.0	7	68.0	28	70.4	21	67	–	3.05	1.40	17	9	8	1	–	–	–	–	20	0	0	3
Jaar Year	66.2	81.7	55.4	68.5	101.0	–	33.5	–	60.1	–	70.4	–	67	–	17.64	1.40	–	68	53	14	–	–	–	–	105	0	0	8
No. 10/2109 MUSHROOM. ϕ = 26 27'S; λ = 31 03'E; H = 3,950 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																										
I	62.6	74.7	57.1	65.9	84.0	20	51.0	12	60.0	9	65.0	21	90	–	4.44	0.94	7	12	10	5	–	–	–	–	0	0	0	0
II	65.2	77.2	58.2	67.7	83.0	9	52.0	27	66.0	2	63.0	14	92	–	5.84	3.00	1	8	7	3	–	–	–	–	0	0	0	0
III	62.2	73.4	55.5	64.5	92.0	2	49.0	21	59.0	19	63.0	8	86	–	6.79	1.60	4	15	13	7	–	–	–	–	1	0	0	0
IV	61.1	74.6	51.5	63.1	84.0	17	40.0	29	65.0	30	59.0	21	81	–	0.29	0.17	13	3	2	0	–	–	–	–	0	0	0	0
V	55.4	68.5	44.6	56.5	80.0	28	38.0	10	60.0	23	53.0	12	64	–	0.01	0.01	6	1	0	0	–	–	–	–	0	0	0	0
VI	49.6	69.1	39.6	54.3	83.0	8	30.0	14	60.0	26	50.0	30	57	–	0.00	0.00	–	0	0	0	–	–	–	–	0	0	2	0
VII	51.0	69.2	42.3	55.7	80.0	6	34.0	12	50.0	12	52.0	7	60	–	0.02	0.01	9	2	0	0	–	–	–	–	0	0	0	0
VIII	54.8	71.8	43.7	57.7	87.0	26	33.0	7	53.0	7	58.0	26	62	–	0.17	0.08	27	4	3	0	–	–	–	–	1	0	0	0
IX	61.7	78.8	52.3	65.5	92.0	29	43.0	17	58.0	10	63.0	30	67	–	0.41	0.40	9	2	1	1	–	–	–	–	5	0	0	0
X	60.0	72.8	53.2	63.0	92.0	1	47.0	20	53.0	22	62.0	26	78	–	3.08	0.64	12	18	17	3	–	–	–	–	3	0	0	0
XI	63.0	78.0	54.7	66.3	91.0	6	42.0	14	58.0	18	65.0	7	78	–	1.14	0.45	21	9	7	1	–	–	–	–	3	0	0	0
XII	65.4	80.0	57.6	68.8	94.0	26	47.0	23	60.0	28	68.0	26	77	–	3.65	1.33	13	14	13	2	–	–	–	–	12	0	0	0
Jaar Year	59.3	74.0	50.9	62.4	94.0	–	30.0	–	50.0	–	68.0	–	74	–	25.84	3.00	–	88	73	22	–	–	–	–	25	0	2	0

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtgh. 0830	Mean Cloud Amt. Gem. Wolkehvlht. 0830	Precipitation in inches. Neerslag in duime. R.			Number of Days with Aantal Dae met: Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Mist Mist	Fog Dampkring	Hail Hagel	Max. ≥ 86°F.	Max. ≤ 50°F.	Min. ≤ 32°F.	Min. ≥ 68°F.
No. 10/2112M ACORNHOEK.																												
I	70.8	83.3	63.7	73.5	97.0	5	51.0	12	68.0	9	73.0	4	77	8	3.84	0.88	8	11	9	4	–	–	–	–	12	0	0	1
II	72.3	84.2	65.8	75.0	93.0	1	62.0	3	68.0	2	70.0	12	77	6	2.37	1.35	2	9	7	2	–	–	–	–	9	0	0	2
III	71.2	83.4	63.7	73.5	100.0	3	53.0	25	71.0	19	70.0	18	75	7	7.75	3.78	30	9	9	4	–	–	–	–	6	0	0	1
IV	68.4	82.2	60.8	71.5	92.0	17	56.0	4	72.0	21	65.0	1	76	5	0.29	0.16	20	2	2	0	–	–	–	–	7	0	0	0
V	66.1	77.7	55.5	66.6	85.0	29	49.0	23	70.0	9	60.0	11	55	3	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VI	(61.4	75.5	51.5	63.5)	84.0	30	42.0	9	68.0	3	62.0	24	(50)	(1)	0.02	0.02	2	1	0	0	–	–	–	–	(0	0	0	0)
VII	61.3	75.0	52.6	63.8	89.0	31	46.0	1	57.0	12	63.0	31	57	3	0.00	0.00	–	0	0	0	–	–	–	–	1	0	0	0
VIII	61.3	77.6	52.5	65.1	91.0	26	47.0	21	61.0	19	63.0	5	63	3	0.00	0.00	–	0	0	0	–	–	–	–	3	0	0	0
IX	63.5	79.6	56.9	68.3	97.0	30	47.0	13	57.0	13	67.0	30	65	3	0.00	0.00	–	0	0	0	–	–	–	–	6	0	0	0
X	68.0	82.0	60.1	71.1	100.0	26	55.0	14	62.0	14	72.0	26	63	7	3.01	1.59	15	8	8	3	–	–	–	–	8	0	0	1
XI	71.8	84.0	62.8	73.4	98.0	17	54.0	13	70.0	1	72.0	7	67	7	2.18	1.05	20	5	5	2	–	–	–	–	12	0	0	3
XII	(72.8	89.4	64.2	76.8)	104.0	27	57.0	4	67.0	28	74.0	20	(67)	(6)	1.66	1.27	3	8	5	1	–	–	–	–	(15	0	0	4)
Jaar Year	(67.4	81.2	59.2	70.2)	104.0	–	42.0	–	57.0	–	74.0	–	(66)	(5)	21.12	3.78	–	51	45	16	–	–	–	–	(79	0	0	12)
No. 10/2122A HAVELOCK MINE.																												
I	–	75.1	54.1	64.1	–	–	–	–	–	–	–	–	–	–	13.05	2.07	2	17	14	11	–	–	–	–	–	–	–	–
II	–	77.3	59.0	68.1	–	–	–	–	–	–	–	–	–	–	7.92	3.95	2	9	7	3	–	–	–	–	–	–	–	–
III	–	73.0	57.6	65.3	–	–	–	–	–	–	–	–	–	–	9.49	2.31	5	14	11	6	–	–	–	–	–	–	–	–
IV	–	74.7	54.7	64.7	–	–	–	–	–	–	–	–	–	–	0.80	0.48	13	9	3	1	–	–	–	–	–	–	–	–
V	–	70.2	48.1	59.1	–	–	–	–	–	–	–	–	–	–	0.37	0.33	23	4	1	0	–	–	–	–	–	–	–	–
VI	–	66.4	41.8	54.1)	–	–	–	–	–	–	–	–	–	–	0.00	0.00	–	0	0	0	–	–	–	–	–	–	–	–
VII	–	67.7	43.4	55.5	–	–	–	–	–	–	–	–	–	–	0.24	0.19	11	4	1	0	–	–	–	–	–	–	–	–
VIII	–	70.7	45.4	58.1	–	–	–	–	–	–	–	–	–	–	0.32	0.14	28	4	4	0	–	–	–	–	–	–	–	–
IX	–	75.7	53.1	64.4	–	–	–	–	–	–	–	–	–	–	0.84	0.71	10	4	3	1	–	–	–	–	–	–	–	–
X	–	73.4	54.6	64.0	–	–	–	–	–	–	–	–	–	–	8.37	1.61	15	17	15	8	–	–	–	–	–	–	–	–
XI	–	76.2	55.0	65.6	–	–	–	–	–	–	–	–	–	–	6.14	1.87	22	14	12	5	–	–	–	–	–	–	–	–
XII	–	79.2	56.8	68.0)	–	–	–	–	–	–	–	–	–	–	5.90	1.17	18	15	12	6	–	–	–	–	–	–	–	–
Jaar Year	–	73.3	52.0	62.7)	–	–	–	–	–	–	–	–	–	–	53.44	3.95	–	111	83	41	–	–	–	–	–	–	–	–
No. 10/2123 MBABANE.																												
I	–	74.9	58.1	66.5	85.0	3	53.0	12	58.0	9	67.0	21	–	–	8.75	1.37	27	18	14	9	–	–	–	–	0	0	0	0
II	–	78.0	58.9	68.5	87.0	6	50.0	27	61.0	2	64.0	22	–	–	8.37	4.64	1	10	9	3	–	–	–	–	1	0	0	0
III	–	73.1	56.8	64.9	91.0	2	49.0	25	58.0	19	64.0	8	–	–	9.58	2.00	3	19	17	7	–	–	–	–	1	0	0	0
IV	–	74.4	52.9	63.7	84.0	17	38.0	29	64.0	30	63.0	17	–	–	0.57	0.41	12	6	3	1	–	–	–	–	0	0	0	0
V	–	71.0	45.4	58.2	80.0	1	33.0	10	61.0	23	57.0	12	–	–	0.17	0.10	22	3	2	0	–	–	–	–	0	0	0	0
VI	–	67.7	39.7	53.7	85.0	1	29.0	14	57.0	25	54.0	22	–	–	0.00	0.00	–	0	0	0	–	–	–	–	0	0	2	0
VII	–	68.8	41.6	55.2	80.0	31	30.0	1	51.0	12	56.0	7	–	–	0.19	0.14	10	2	2	0	–	–	–	–	0	0	2	0
VIII	–	70.6	43.7	57.1	87.0	26	33.0	7	50.0	7	58.0	26	–	–	0.21	0.11	27	3	3	0	–	–	–	–	1	0	0	0
IX	–	77.0	52.2	64.6	99.0	29	44.0	9	58.0	10	65.0	30	–	–	0.94	0.81	9	5	2	1	–	–	–	–	4	0	0	0
X	–	72.2	54.1	63.1	91.0	1	48.0	20	55.0	7	67.0	26	–	–	4.33	1.07	12	19	17	5	–	–	–	–	3	0	0	0
XI	–	76.5	55.9	66.2	87.0	11	46.0	14	59.0	18	70.0	21	–	–	3.03	0.83	21	14	9	3	–	–	–	–	1	0	0	1
XII	–	78.3	57.2	67.7	92.0	26	48.0	23	59.0	28	68.0	27	–	–	4.82	1.03	9	14	13	4	–	–	–	–	8	0	0	0
Jaar Year	–	73.5	51.4	62.5	99.0	–	29.0	–	50.0	–	70.0	–	–	–	40.96	4.64	–	113	91	33	–	–	–	–	19	0	4	1
No. 10/2130a BOULDERS.																												
I	74.7	85.4	66.3	75.9	96.0	4	59.0	7	74.0	8	73.0	20	71	6	1.97	0.46	7	10	9	2	–	–	–	–	15	0	0	12
II	76.1	88.5	67.2	77.9	94.0	17	61.0	16	78.0	2	71.0	18	74	5	4.37	1.36	12	6	4	4	–	–	–	–	20	0	0	11
III	73.8	86.4	64.3	75.3	102.0	2	54.0	21	75.0	5	74.0	2	76	5	6.11	2.65	16	9	7	3	–	–	–	–	14	0	0	2
IV	70.8	85.5	60.2	72.9	97.0	17	53.0	30	72.0	30	70.0	24	73	4	3.76	3.44	12	3	3	1	–	–	–	–	13	0	0	1
V	62.7	80.8	49.2	65.0	89.0	18	42.0	28	71.0	7	64.0	6	69	2	0.33	0.18	22	3	3	0	–	–	–	–	7	0	0	0
VI	55.7	78.1	39.6	58.9	87.0	30	34.0	26	73.0	9	49.0	1	64	1	0.00	0.00	–	0	0	0	–	–	–	–	1	0	0	0
VII	58.6	78.4	44.5	61.5	92.0	31	39.0	24	61.0	13	59.0	18	60	1	0.00	0.00	–	0	0	0	–	–	–	–	4	0	0	0
VIII	62.7	80.4	48.3	64.3	95.0	26	41.0	22	64.0	8	58.0	5	63	2	0.00	0.00	–	0	0	0	–	–	–	–	5	0	0	0
IX	69.5	86.4	56.8	71.6	101.0	30	49.0	8	72.0	10	67.0	26	68	3	0.33	0.33	9	1	1	0	–	–	–	–	15	0	0	0
X	69.4	82.0	61.4	71.7	101.0	26	54.0	15	68.0	20	69.0	17	72	7	2.65	1.26	14	10	9	2	–	–	–	–	12	0	0	1
XI	73.3	88.2	63.6	75.9	99.0	21	53.0	2	73.0	18	69.0	28	68	5	1.24	0.69	21	7	5	1	–	–	–	–	18	0	0	1
XII	76.9	93.1	67.0	80.1	105.0	26	60.0	24	74.0	28	76.0	13	62	5	0.50	0.14	2	8	5	0	–	–	–	–	20	0	0	13
Jaar Year	68.7	84.4	57.4	70.9	105.0	–	34.0	–	61.0	–	76.0	–	68	4	21.26	3.44	–	57	46	13	–	–	–	–	144	0	0	41

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m				Extremes Uiterstes				Lowest Max. Laagste Maks. Highest Min. Hoogste Min.				Mean Rel. Hum. Gem. Rel. Vogtigh.	Mean Cloud Amt. Gem. Wolkehvlh.	Precipitation in inches. Neerslag in duime. R.			Number of Days with Aantal Dae met											
	0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Max.	Dat.	Min.	Dat.	Max.	Dat.	Min.	Dat.	U % 0830	N 0–10 0830	M	Max. in 24 h.	Dat.	Precipn. Neerslag ·01	·04	·40	Thunder Donder	Hail Hagel	Fog Mist	Snow Sneeuw	Frost Vorsl.	Max. ≥ 86°F.	Max. < 50°F.	Min. < 32°F.	Min. ≥ 68°F.
No. 10/2134M "AIRD" FARM.																												
									φ = 26 32'S; λ = 31 22'E;						H = 1,500 vt/ft;			ht = 4 vt/ft;							hr = 4 vt/ft.			
I	68.1	80.3	62.5	71.4	90.0	19	57.0	11	65.0	9	68.0	19	–	–	5.21	1.72	26	12	12	4	–	–	–	–	7	0	0	0
II	70.3	83.5	64.3	73.9	88.0	20	60.0	26	69.0	2	69.0	19	–	–	3.90	1.40	2	7	7	3	–	–	–	–	5	0	0	3
III	66.6	79.4	62.6	70.9	93.0	2	56.0	22	65.0	4	69.0	8	–	–	5.66	1.50	4	11	11	7	–	–	–	–	4	0	0	1
IV	64.6	80.7	60.5	70.6	91.0	27	47.0	29	71.0	30	68.0	8	–	–	0.26	0.21	23	3	1	0	–	–	–	–	4	0	0	0
V	59.5	77.0	52.5	64.7	87.0	1	47.0	24	70.0	23	59.0	22	–	–	0.11	0.11	22	1	1	0	–	–	–	–	1	0	0	0
VI	56.2	72.9	47.4	60.1	84.0	23	41.0	27	64.0	26	55.0	22	–	–	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VII	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII	64.4	78.2	52.2	65.2	91.0	26	46.0	17	59.0	7	60.5	26	–	–	0.00	0.00	–	0	0	0	–	–	–	–	2	0	0	0
IX	66.4	80.7	58.2	69.5	96.0	29	47.0	12	72.0	8	68.0	30	–	–	0.30	0.30	10	1	1	0	–	–	–	–	3	0	0	0
X	67.0	79.2	60.1	69.7	98.0	9	54.0	8	59.0	11	68.0	19	–	–	2.42	0.78	12	14	10	2	–	–	–	–	6	0	0	0
XI	71.0	83.9	61.3	72.6	94.0	11	56.0	4	67.0	18	72.0	11	–	–	2.56	1.89	21	7	5	2	–	–	–	–	11	0	0	3
XII	73.2	87.1	63.7	75.4	100.0	26	56.0	23	70.0	28	75.0	27	–	–	1.54	0.69	17	9	8	1	–	–	–	–	18	0	0	5
Jaar Year	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
No. 10/2154A SIPOFANENI.																												
									φ = 26 43'S; λ = 31 41'E;						H = 850 vt/ft;			ht = 4 vt/ft;							hr = 4 vt/ft.			
I	78.2	93.2	68.3	80.7	102.0	19	62.0	7	78.0	28	76.0	20	–	–	4.92	1.25	7	10	10	4	–	–	–	–	23	0	0	13
II	79.2	94.2	69.8	82.0	99.0	11	63.0	15	74.0	1	75.0	22	–	–	3.04	1.10	2	5	5	3	–	–	–	–	25	0	0	15
III	74.7	87.3	63.5	75.4	102.0	1	51.0	19	70.0	3	69.0	1	–	–	4.24	2.00	29	8	8	2	–	–	–	–	18	0	0	2
IV	73.5	88.5	61.1	74.8	95.0	27	52.0	30	78.0	24	68.0	27	–	–	0.91	0.45	22	5	4	1	–	–	–	–	19	0	0	0
V	65.2	83.7	49.9	66.8	95.0	5	40.0	26	70.0	24	66.0	5	–	–	0.45	0.37	21	2	2	0	–	–	–	–	8	0	0	0
VI	57.6	76.9	42.2	59.5	89.0	23	31.0	26	67.0	25	50.0	22	–	–	0.04	0.04	1	1	1	0	–	–	–	–	2	0	1	0
VII	58.8	83.4	41.5	62.5	92.0	30	38.0	10	75.0	9	48.0	12	–	–	0.00	0.00	–	0	0	0	–	–	–	–	5	0	0	0
VIII	63.1	81.2	49.3	65.3	97.0	27	44.0	8	72.0	29	62.0	28	–	–	0.00	0.00	–	0	0	0	–	–	–	–	6	0	0	0
IX	72.2	87.3	60.7	74.0	102.0	30	54.0	1	77.0	8	69.0	27	–	–	0.35	0.35	10	1	1	0	–	–	–	–	17	0	0	1
X	70.5	87.7	62.6	75.1	106.0	1	58.0	13	65.0	12	71.0	19	–	–	2.22	1.01	14	10	7	2	–	–	–	–	16	0	0	2
XI	76.2	90.9	66.2	78.5	102.0	12	60.0	3	78.0	27	75.0	11	–	–	0.58	0.30	22	5	4	0	–	–	–	–	19	0	0	7
XII	76.5	94.3	67.6	80.9	108.0	24	60.0	28	70.0	3	73.0	21	–	–	2.30	1.05	15	4	4	2	–	–	–	–	27	0	0	14
Jaar Year	70.5	87.4	58.6	73.0	108.0	–	31.0	–	65.0	–	76.0	–	–	–	19.05	2.00	–	51	46	14	–	–	–	–	188	0	1	54
No. 13/2184 LOUISVALE.																												
									φ = 28 34'S; λ = 21 12'E;						H = 2,563 vt/ft;			ht = 4 vt/ft;							hr = 4 vt/ft.			
I	78.6	98.4	65.8	82.1	105.0	24	50.2	1	88.0	7	76.0	26	–	3	1.61	1.15	6	5	3	1	6	0	0	0	31	0	0	10
II	81.4	101.1	68.9	85.0	108.0	9	59.0	3	89.0	1	77.2	15	–	3	0.10	0.04	20	4	1	0	4	0	0	0	28	0	0	15
III	72.0	89.7	62.5	76.1	102.8	10	50.0	30	74.8	18	72.8	11	–	4	1.25	0.43	3	9	7	1	6	0	0	0	25	0	0	3
IV	66.5	88.6	55.8	72.2	97.5	2	35.0	30	63.3	28	66.8	3	–	2	0.51	0.46	3	2	2	1	4	1	0	0	21	0	0	0
V	50.5	75.9	40.3	58.1	90.2	6	27.5	31	54.6	21	53.0	20	–	3	0.00	0.00	–	0	0	0	0	0	0	0	6	0	4	0
VI	41.7	70.6	34.0	52.3	79.2	3	25.2	26	51.8	24	44.0	5	–	2	0.00	0.00	–	0	0	0	0	0	0	0	0	0	10	0
VII	46.3	71.3	33.1	52.2	81.0	22	19.5	19	57.0	8	55.0	25	–	1	0.16	0.12	8	2	2	0	0	0	0	0	0	0	10	0
VIII	51.4	77.2	39.4	58.3	88.0	25	24.5	6	57.5	5	56.0	11	–	1	0.00	0.00	–	0	0	0	0	0	0	0	2	0	7	0
IX	62.4	88.8	47.6	68.2	98.4	24	32.1	8	67.0	1	63.8	20	–	1	0.00	0.00	–	0	0	0	0	0	0	0	22	0	0	0
X	63.4	84.3	47.5	65.9	96.0	31	37.4	20	69.2	19	58.0	31	–	2	0.05	0.03	4	2	0	0	0	0	0	0	13	0	0	0
XI	75.4	94.3	58.1	76.2	104.3	26	45.0	17	76.0	17	72.0	27	–	2	0.08	0.08	10	1	1	0	0	0	0	0	27	0	0	4
XII	74.9	93.9	59.5	76.7	105.0	12	50.0	22	77.2	5	75.2	3	–	2	0.40	0.35	3	3	2	0	1	0	0	0	28	0	0	5
Jaar Year	63.7	86.2	51.0	68.6	108.0	–	19.5	–	51.8	–	77.2	–	–	2	4.16	1.15	–	28	18	3	21	1	0	0	203	0	31	37
No. 13/2193A BUCHUBERG (DAM).																												
									φ = 29 03'S; λ = 22 12'E;						H = 2,923 vt/ft;			ht = 4 vt/ft;							hr = 4 vt/ft.			
I	79.4	95.2	70.6	82.9	101.9	14	59.2	1	78.6	6	80.0	18	45	2	0.99	0.46	5	5	4	1	–	–	–	–	28	0	0	20
II	80.9	97.5	73.2	85.3	104.4	9	62.6	3	81.0	2	83.1	10	48	2	0.73	0.37	27	4	4	0	–	–	–	–	25	0	0	23
III	70.6	86.1	64.7	75.4	97.2	10	51.2	18	73.8	18	74.8	10	59	2	1.29	0.44	11	6	6	1	–	–	–	–	16	0	0	7
IV	65.1	84.4	58.7	71.5	92.6	2	38.5	29	52.9	28	66.5	4	52	2	0.26	0.13	19	3	3	0	–	–	–	–	18	0	0	0
V	52.5	71.6	46.2	58.9	85.3	6	34.2	31	62.9	21	56.9	6	61	2	0.08	0.08	20	1	1	0	–	–	–	–	0	0	0	0
VI	44.0	65.9	39.1	52.5	73.4	3	30.0	27	49.0	24	45.2	23	63	1	0.00	0.00	–	0	0	0	–	–	–	–	0	1	1	0
VII	46.6	67.2	41.2	54.2	76.2	25	31.4	20	54.0	9	55.0	26	57	2	0.51	0.38	12	2	2	0	–	–	–	–	0	0	1	0
VIII	52.1	73.5	45.2	59.3	83.3	30	31.8	6	53.8	5	58.4	11	50	0	0.00	0.00	–	0	0	0	–	–	–	–	0	0	1	0
IX	65.0	86.3	54.6	70.5	96.0	24	38.2	2	70.0	1	68.5	29	38	1	0.00	0.00	–	0	0	0	–	–	–	–	18	0	0	2
X	64.9	83.2	54.1	68.7	95.2	24	41.0	20	66.0	19	66.9	25	41	1	0.00	0.00	–	0	0	0	–	–	–	–	13	0	0	0
XI	75.8	91.7	64.4	78.1	103.2	26	46.0	17	75.8	17	76.6	27	39	1	0.32	0.32	9	1	1	0	–	–	–	–	25	0	0	11
XII	75.9	92.2	65.7	78.9	103.2	12	54.6	27	79.8	22	77.2	16	41	1	0.12	0.05	3	3	2	0	–	–	–	–	25	0	0	10
Jaar Year	64.4	82.9	56.5	69.7	104.4	–	30.0	–	49.0	–	83.1	–	49	1	4.30	0.46	–	25	23	2	–	–	–	–	168	1	3	73

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Luftemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtighd. U 0830	Mean Cloud Amt. Gem. Wolkehvlkt. N 0–10 0830	Precipitation in Inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Dew Dauwe	Fog Mist	Max. > 86°F.	Max. < 50°F.	Min. < 32°F.	Min. > 68°F.
No. 14/2288B VAALHARTZ (Proefplaas/Exp.Sta.) ϕ = 27 55'S; λ = 24 40'E; H = 3,800 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	74.4	90.2	59.3	74.7	98.5	2	48.0	3	75.0	31	67.5	16	46	4	3.97	1.18	19	7	6	4	–	–	–	–	21	0	0	0
II	76.4	91.8	61.4	76.6	98.5	9	50.0	7	67.0	1	69.0	13	47	2	0.60	0.40	22	3	3	1	–	–	–	–	20	0	0	1
III	66.0	80.1	56.3	68.2	94.0	1	42.0	19	69.0	4	62.0	2	62	5	3.57	1.40	6	9	9	2	–	–	–	–	3	0	0	0
IV	(61.3	82.3	46.7	64.5)	88.0	18	27.0	30	72.0	30	60.0	3	(54)	(2)	0.60	0.30	24	3	3	0	–	–	–	–	(2	0	1	0)
V	(49.5	71.0	31.3	51.1)	81.0	6	23.0	22	50.0	21	41.0	7	(46)	(3)	0.00	0.00	–	0	0	0	–	–	–	–	(0	0	13	0)
VI	40.5	66.3	25.5	45.9	73.0	29	18.0	26	48.0	25	37.0	2	34	1	0.00	0.00	–	0	0	0	–	–	–	–	0	1	23	0
VII	41.6	69.0	26.7	47.9	79.0	1	17.8	31	54.0	9	40.0	13	38	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	19	0
VIII	(50.8	76.0	32.7	54.3)	85.0	26	17.2	7	59.0	7	46.0	29	(50)	(0)	0.00	0.00	–	0	0	0	–	–	–	–	(0	0	9	0)
IX	65.9	85.3	43.8	64.5	94.0	24	30.0	8	73.5	7	61.0	25	48	1	0.00	0.00	–	0	0	0	–	–	–	–	12	0	3	0
X	66.1	85.1	45.2	65.1	95.0	18	32.0	22	67.0	19	60.1	9	47	3	0.02	0.02	24	1	0	0	–	–	–	–	15	0	0	0
XI	73.5	89.5	56.7	73.1	98.0	26	40.0	19	79.0	12	67.0	27	48	3	0.70	0.50	10	2	2	1	–	–	–	–	20	0	0	0
XII	75.6	92.2	59.4	75.8	101.0	29	40.0	8	76.0	4	70.0	13	(44)	(3)	0.52	0.26	4	3	3	0	–	–	–	–	28	0	0	1
Jaar Year	61.8	81.6	45.4	63.5	101.0	–	17.2	–	48.0	–	(70.0)	–	(47)	(2)	9.98	1.40	–	28	26	8	–	–	–	–	111	1	68	2
No. 14/2299M TAUNGS. ϕ = 27 33'S; λ = 24 46'E; H = 3,600 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	75.9	93.7	63.7	78.7	99.0	2	52.6	1	84.7	7	75.0	16	–	3	3.24	1.31	7	6	5	3	–	–	–	–	29	0	0	4
II	77.8	94.0	65.2	79.6	101.0	9	57.4	3	78.0	2	74.5	8	–	1	1.12	0.60	14	4	3	1	–	–	–	–	25	0	0	7
III	67.0	82.0	58.1	70.1	94.4	2	46.0	19	69.5	14	63.5	2	–	1	5.94	1.52	15	11	9	6	–	–	–	–	8	0	0	0
IV	63.6	82.9	49.9	66.4	89.0	2	31.0	30	67.0	29	58.0	27	–	0	0.00	0.00	0	0	0	0	–	–	–	–	6	0	1	0
V	51.6	74.1	36.2	55.1	82.0	6	28.0	31	51.5	21	44.0	7	–	1	0.05	0.05	21	1	1	0	–	–	–	–	0	0	10	0
VI	42.6	68.7	29.9	49.3	76.0	2	24.0	26	50.0	25	40.0	2	–	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	21	0
VII	(45.3	72.3	31.7	52.0)	79.0	26	26.0	19	55.5	9	40.0	13	–	(1)	0.00	0.00	–	0	0	0	–	–	–	–	(0	0	14	0)
VIII	50.3	78.1	35.1	56.6	86.2	31	23.0	7	64.0	7	42.5	31	–	1	0.00	0.00	–	0	0	0	–	–	–	–	1	0	11	0
IX	67.0	87.9	48.6	68.3	96.5	24	33.2	8	76.0	7	62.5	25	–	1	0.00	0.00	–	0	0	0	–	–	–	–	16	0	0	0
X	67.9	88.3	49.9	69.1	97.5	18	37.0	20	71.5	19	61.0	25	–	2	0.08	0.08	24	1	1	0	–	–	–	–	19	0	0	0
XI	75.0	91.9	60.9	76.4	100.8	5	46.0	19	81.0	28	68.0	26	–	2	1.50	0.48	26	7	4	1	–	–	–	–	23	0	0	0
XII	77.1	94.8	62.5	78.7	102.5	19	50.0	8	85.0	23	74.0	13	–	2	0.44	0.20	29	3	3	0	–	–	–	–	24	0	0	6
Jaar Year	63.4	84.1	49.3	66.7	102.5	–	23.0	–	50.0	–	75.0	–	–	(1)	12.37	1.52	–	33	26	11	–	–	–	–	151	0	57	17
No. 14/2302 KIMBERLEY (De Beers). ϕ = 28 44'S; λ = 24 46'E; H = 3,996 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	74.1	90.9	64.1	77.5	99.8	3	56.7	20	72.3	6	73.8	15	48	3	1.34	0.53	31	10	8	1	5	0	0	0	26	0	0	2
II	73.9	91.0	65.8	78.4	99.0	9	57.8	3	71.1	2	71.6	9	57	3	0.86	0.31	1	6	4	0	0	0	0	0	23	0	0	7
III	64.7	81.1	58.9	70.0	94.5	1	45.9	19	67.0	5	68.9	2	73	4	1.67	0.85	17	10	7	1	7	0	0	0	8	0	0	1
IV	61.4	80.9	52.9	66.9	87.7	2	34.3	29	58.7	28	60.4	19	62	2	0.55	0.23	5	6	4	0	4	0	0	0	4	0	0	0
V	50.6	70.5	41.9	56.2	81.4	6	30.9	23	49.3	22	52.8	7	51	3	0.26	0.18	21	4	2	0	1	0	0	0	0	1	3	0
VI	43.1	64.9	35.9	50.4	71.9	5	28.6	26	48.4	24	41.5	5	56	2	0.01	0.01	23	1	0	0	0	0	0	0	0	2	2	0
VII	44.3	67.2	37.0	52.1	76.4	26	28.6	9	53.6	9	45.2	26	54	1	0.43	0.43	12	1	1	1	0	0	0	0	0	0	5	0
VIII	50.5	73.8	42.2	58.0	84.3	26	28.1	6	54.4	5	50.3	31	45	0	0.00	0.00	–	0	0	0	0	0	0	0	0	0	1	0
IX	63.5	85.4	52.6	69.0	94.8	24	42.8	2	73.7	2	63.3	25	33	1	0.00	0.00	–	0	0	0	0	0	0	0	15	0	0	0
X	66.0	83.5	53.3	68.4	96.2	18	40.1	20	63.1	4	62.0	9	37	4	0.14	0.09	24	3	2	0	3	0	0	0	15	0	0	0
XI	73.1	89.7	61.0	75.3	98.2	6	49.2	11	74.7	11	71.0	27	38	3	1.43	0.82	10	3	3	1	2	0	0	0	24	0	0	3
XII	74.9	91.0	62.6	76.8	101.7	19	51.5	23	78.6	22	74.8	13	39	3	0.36	0.26	30	4	2	0	4	1	0	0	24	0	0	5
Jaar Year	61.7	80.8	52.3	66.5	101.7	–	28.1	–	48.4	–	74.8	–	49	2	7.05	0.85	–	48	33	4	26	1	0	0	139	3	11	16
No. 15/2365A KALKFONTEIN DAM. ϕ = 29 30'S; λ = 25 12'E; H = 4,000 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	71.9	90.3	64.7	77.5	100.0	3	56.5	1	74.0	6	74.0	15	–	3	1.83	0.90	28	7	6	1	–	–	–	–	21	0	0	4
II	74.0	90.2	66.6	78.4	99.8	9	58.0	3	67.0	2	72.0	10	–	3	0.98	0.82	2	5	2	1	–	–	–	–	22	0	0	9
III	66.3	81.0	60.1	70.5	92.3	1	47.0	19	68.0	19	70.0	2	–	4	1.50	0.65	17	8	7	1	–	–	–	–	4	0	0	2
IV	61.2	79.2	53.5	66.3	85.8	1	32.0	29	64.5	28	59.8	19	–	2	0.29	0.20	4	3	2	0	–	–	–	–	0	0	0	0
V	48.8	69.0	40.8	54.9	79.5	16	30.0	22	45.0	22	52.0	7	–	3	0.17	0.15	21	2	1	0	–	–	–	–	0	2	2	0
VI	41.0	62.3	34.1	48.2	69.3	3	26.0	26	47.0	25	39.2	22	–	1	0.02	0.02	21	1	0	0	–	–	–	–	0	2	5	0
VII	41.5	64.3	35.2	49.7	72.5	26	25.5	20	51.8	9	44.0	26	–	2	0.22	0.22	12	1	1	0	–	–	–	–	0	0	11	0
VIII	48.0	71.3	39.9	55.6	82.5	31	25.0	6	53.0	7	50.8	31	–	1	0.02	0.02	4	1	0	0	–	–	–	–	0	0	2	0
IX	61.4	83.9	51.1	67.5	93.0	24	40.8	3	72.0	2	65.2	25	–	1	0.00	0.00	–	0	0	0	–	–	–	–	12	0	0	0
X	62.4	80.8	51.7	66.3	93.3	18	39.2	20	56.0	4	61.3	25	–	3	0.44	0.25	4	3	3	0	–	–	–	–	6	0	0	0
XI	72.0	89.1	61.1	75.1	97.5	26	50.0	17	72.5	12	71.7	30	–	2	0.51	0.21	9	4	3	0	–	–	–	–	24	0	0	3
XII	74.3	90.8	62.1	76.5	102.0	19	50.2	22	76.8	22	76.0	16	–	2	1.01	0.99	30	2	1	1	–	–	–	–	25	0	0	4
Jaar Year	60.2	79.3	51.7	65.5	102.0	–	25.0	–	45.0	–	76.0	–	–	2	6.99	0.99	–	37	26	4	–	–	–	–	114	4	20	22

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtgehl. U % 0830	Mean Cloud Amt. Gem. Wolkewhd. N 0-10 0830	Precipitation in inches. Neerslag in duims. R. M	Max. in 24 h.	Dat.	Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Fog Mist	Snow Sneeuw	Ice Ys	Max. ≥ 66°F.	Max. ≤ 50°F.	Min. ≤ 32°F.	Min. ≤ 68°F.
No. 15/2433 KOPPIESDAM. φ = 29 13'S; λ = 25 37'E; H = 4,460 vt/ft; ht = 4 vt/ft; hr = 4 vt/ft.																													
I	71.5	89.2	57.3	73.3	99.0	3	49.0	1	76.0	31	64.0	15	–	2	1.82	0.56	7	9	7	2	–	–	–	–	23	0	0	0
II	71.6	88.1	59.2	73.7	95.0	8	53.0	2	70.0	1	65.0	9	–	2	3.75	1.09	3	6	5	4	–	–	–	–	21	0	0	0
III	62.6	78.4	51.9	65.1	89.0	1	39.0	19	68.0	19	60.0	1	–	5	2.62	1.33	14	6	4	2	–	–	–	–	1	0	0	0
IV	58.3	77.4	46.1	61.7	85.0	1	29.0	29	55.0	28	53.0	14	–	–	0.15	0.10	21	2	2	0	–	–	–	–	0	0	1	0
V	51.3	68.4	34.5	51.5	79.0	6	22.0	30	43.0	22	47.0	6	–	2	0.32	0.20	23	4	2	0	–	–	–	–	0	4	11	0
VI	44.9	62.2	30.5	46.3	70.0	3	23.0	26	55.0	26	38.0	6	–	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	20	0
VII	44.6	63.3	31.2	47.3	71.0	26	23.0	9	51.0	9	39.0	13	–	1	0.76	0.76	13	1	1	1	–	–	–	–	0	0	15	0
VIII	48.9	68.9	35.1	52.0	80.0	31	20.0	5	53.0	4	44.0	31	–	0	0.00	0.00	–	0	0	0	–	–	–	–	0	0	7	0
IX	63.7	82.5	46.2	64.3	91.0	24	35.0	9	71.0	2	59.0	24	–	1	0.00	0.00	–	0	0	0	–	–	–	–	5	0	0	0
X	64.3	81.4	46.9	64.1	92.0	18	31.0	20	64.0	4	56.0	19	–	2	0.13	0.05	4	3	2	0	–	–	–	–	10	0	1	0
XI	69.8	88.6	54.0	71.3	97.0	25	45.0	11	73.0	10	63.0	26	–	2	0.69	0.38	10	3	3	0	–	–	–	–	21	0	0	0
XII	74.0	89.9	55.1	72.5	101.0	19	42.0	23	75.0	22	71.0	16	–	1	0.35	0.12	4	4	3	0	–	–	–	–	23	0	0	1
Jaar Year	60.5	78.2	45.7	61.9	101.0	–	20.0	–	43.0	–	71.0	–	–	–	10.59	1.33	–	38	29	9	–	–	–	–	204	4	55	1
No. 15/2609 GROOTSPRUIT. φ = 27 43'S; λ = 26 46'E; H = 4,320 vt/ft; ht = 4 vt/ft; hr = 4 vt/ft.																													
I	70.9	88.0	58.4	73.2	98.0	3	54.0	12	71.8	7	65.1	16	–	3	4.84	1.79	30	9	9	5	3	0	0	0	21	0	0	0
II	70.7	87.1	59.4	73.3	95.0	9	53.4	3	65.0	2	64.5	28	–	3	1.24	0.46	1	8	4	1	2	0	0	0	22	0	0	0
III	62.5	75.9	54.5	65.2	91.0	2	41.4	19	62.3	4	60.5	10	–	4	5.70	2.08	3	14	12	6	2	0	0	0	2	0	0	0
IV	58.6	76.7	46.1	61.4	83.1	18	27.5	29	58.0	28	54.9	3	–	2	0.56	0.21	10	5	4	0	3	1	0	0	0	0	2	0
V	46.8	68.9	33.0	50.9	78.5	7	24.2	31	48.5	22	49.5	21	–	2	0.51	0.46	21	2	2	1	1	0	0	0	0	1	13	0
VI	37.8	63.5	24.9	44.2	71.0	30	17.0	25	46.8	25	29.5	2	–	1	0.00	0.00	–	0	0	0	0	0	0	0	0	2	30	0
VII	40.6	66.6	28.6	47.6	75.0	27	19.0	10	55.0	8	39.0	18	–	2	0.24	0.24	12	1	1	0	0	0	0	0	0	0	21	0
VIII	48.2	72.1	33.0	52.5	82.0	26	20.9	7	55.0	5	41.5	31	–	1	0.00	0.00	–	0	0	0	0	0	0	0	0	0	10	0
IX	62.0	83.8	45.5	64.7	92.5	24	34.1	3	75.3	8	56.0	25	–	1	0.00	0.00	–	0	0	0	0	0	0	0	11	0	0	0
X	64.5	84.3	48.0	66.1	94.0	18	31.5	20	74.0	13	59.5	25	–	4	0.62	0.40	4	6	4	1	4	0	0	0	13	0	1	0
XI	70.4	88.5	55.5	72.0	96.5	4	46.0	18	74.8	10	64.0	27	–	3	0.63	0.37	10	4	2	0	3	2	0	0	23	0	0	0
XII	71.3	89.9	58.3	74.1	98.0	15	43.8	23	81.0	22	68.5	20	–	3	2.21	1.15	4	8	8	1	10	0	0	0	25	0	0	1
Jaar Year	58.7	78.8	45.4	62.1	98.0	–	17.0	–	46.8	–	68.5	–	–	2	16.55	2.08	–	57	46	15	28	3	0	0	117	3	77	1
No. 16/2669 PORTLAND. φ = 28 01'S; λ = 27 03'E; H = 4,600 vt/ft; ht = 4 vt/ft; hr = 4 vt/ft.																													
I	70.9	87.1	57.4	72.3	94.5	3	53.0	14	73.0	7	64.0	16	–	3	2.70	0.64	6	9	8	4	–	–	–	–	20	0	0	0
II	70.8	86.3	58.9	72.6	96.0	9	53.5	11	64.0	2	65.0	9	–	3	1.66	0.64	1	7	6	1	–	–	–	–	18	0	0	0
III	62.5	75.4	54.0	64.7	92.0	2	42.0	19	59.5	4	63.5	1	–	4	5.19	2.36	3	13	11	4	–	–	–	–	2	0	0	0
IV	59.7	76.9	45.1	61.0	81.5	18	24.0	29	62.0	29	55.0	21	–	2	0.36	0.34	23	2	1	0	–	–	–	–	0	0	2	0
V	48.8	68.1	33.3	50.7	79.0	3	22.0	31	47.0	22	43.0	8	–	2	0.54	0.54	21	1	1	1	–	–	–	–	0	1	9	0
VI	39.1	62.0	26.2	44.1	68.5	30	18.5	26	44.0	25	33.5	2	–	1	0.00	0.00	–	0	0	0	–	–	–	–	0	2	28	0
VII	41.8	64.8	28.9	46.9	70.0	27	17.0	10	52.5	9	42.0	18	–	1	0.12	0.12	12	1	1	0	–	–	–	–	0	0	22	0
VIII	49.5	70.9	32.9	51.9	81.0	25	18.0	7	54.0	5	43.5	31	–	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	8	0
IX	63.3	82.7	45.3	64.0	90.5	24	31.0	3	72.0	10	61.5	25	–	1	0.00	0.00	–	0	0	0	–	–	–	–	10	0	1	0
X	64.2	83.0	48.1	65.5	95.0	29	30.0	20	71.0	19	59.0	25	–	6	0.62	0.50	4	5	2	1	–	–	–	–	9	0	1	0
XI	71.4	88.2	53.0	70.6	94.0	4	45.0	10	74.5	11	62.5	6	–	2	1.07	0.66	10	3	3	1	–	–	–	–	22	0	0	0
XII	71.9	88.5	58.3	73.4	96.0	20	44.0	8	80.0	23	69.0	21	–	2	1.70	0.69	16	9	7	2	–	–	–	–	20	0	0	2
Jaar Year	59.5	77.8	45.1	61.5	96.0	–	17.0	–	44.0	–	69.0	–	–	2	13.96	2.36	–	50	40	14	–	–	–	–	101	3	71	2
No. 16/2675 HOLFONTEIN. φ = 27 52'S; λ = 27 04'E; H = 4,750 vt/ft; ht = 4 vt/ft; hr = 4 vt/ft.																													
I	(70.3)	86.5	56.6	71.6	93.0	3	52.0	12	–	–	63.0	16	(66)	–	2.10	1.05	7	8	7	2	–	–	–	–	(13)	0	0	0
II	(71.1)	86.2	58.0	72.1	96.0	9	53.0	3	62.0	2	66.0	8	(64)	–	1.32	0.49	1	7	4	2	–	–	–	–	(15)	0	0	0
III	63.3	76.0	51.6	63.8	91.0	2	41.0	19	65.0	15	62.0	1	80	–	6.52	2.22	3	13	10	7	–	–	–	–	2	0	0	0
IV	59.6	74.4	43.8	59.1	80.0	18	25.0	29	54.0	28	54.0	21	74	–	0.43	0.20	23	4	3	0	–	–	–	–	0	0	2	0
V	48.1	66.9	31.9	49.4	76.0	6	25.0	31	45.0	22	43.0	7	67	–	0.66	0.62	30	2	2	1	–	–	–	–	0	3	16	0
VI	(38.9)	61.2	25.4	43.3	66.0	30	21.0	26	46.0	25	33.0	7	(74)	–	0.00	0.00	–	0	0	0	–	–	–	–	0	2	24	0
VII	42.7	66.2	28.4	47.3	69.0	2	20.0	9	51.0	9	39.0	27	62	–	0.15	0.15	12	1	1	0	–	–	–	–	0	0	20	0
VIII	49.9	69.9	32.0	50.9	79.0	25	20.0	7	56.0	6	42.0	28	58	–	0.00	0.00	–	0	0	0	–	–	–	–	0	0	15	0
IX	(62.7)	81.2	41.9	61.5	89.0	24	32.0	3	72.0	10	–	–	(45)	–	0.00	0.00	–	0	0	0	–	–	–	–	(3)	0	0	0
X	64.5	81.3	46.2	63.7	91.0	17	28.0	20	71.0	13	–	–	55	–	0.43	0.30	4	4	3	0	–	–	–	–	4	0	1	0
XI	69.7	85.6	53.8	69.7	93.0	4	45.0	12	74.0	11	62.0	6	53	–	1.07	0.42	9	5	3	2	–	–	–	–	11	0	0	0
XII	71.2	87.1	57.0	72.1	94.0	19	40.0	23	78.0	22	69.0	20	63	–	1.47	0.44	2	8	8	1	–	–	–	–	25	0	0	1
Jaar Year	59.3	76.9	43.9	60.4	96.0	–	20.0	–	45.0	–	69.0	–	(63)	–	14.15	2.22	–	52	41	15	–	–	–	–	(63)	5	78	1

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_M				Extremes Uiterstes				Lowest Max. Laagste Maks. Highest Min. Hoogste Min.				Mean Rel. Hum. Gem. Rel. Vochtgehl.	Mean Cloud Amt. Gem. Wolkehvhd.	Precipitation in inches. Neerslag in duime.			Number of Days with Aantal Dae met											
																		Precipn. Neerslag											
	0830	x Max.	n Min.	x+n/2 Mean Gem.	Max.	Dat.	Min.	Dat.	Max.	Dat.	Min.	Dat.	U % 0830	N 0-10 0830	M	Max. in 24 h.	Dat.	-01	-04	-40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. < 50°F.	Min. < 32°F.	Min. ≥ 68°F.

No. 16/2713A KROONSTAD (Somergewas/Summer Cereal) ϕ = 27 36'S; λ = 27 15'E; H = 4,680 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	69.5	84.7	59.1	71.9	92.5	3	54.0	12	67.1	7	64.3	4	64	4	2.89	1.05	7	5	5	3	–	–	–	–	10	0	0	0
II	69.5	85.4	60.2	72.8	93.4	9	52.5	3	62.1	2	65.5	8	66	3	1.37	0.98	1	5	3	1	–	–	–	–	16	0	0	0
III	62.0	74.6	54.5	64.5	90.0	2	42.2	19	58.3	4	61.4	3	80	5	6.60	2.10	7	18	14	5	–	–	–	–	3	0	0	0
IV	58.6	73.6	47.4	60.5	81.1	18	29.3	30	52.3	29	54.0	27	72	2	0.42	0.16	23	5	3	0	–	–	–	–	0	0	2	0
V	48.0	66.3	36.1	51.2	76.5	6	25.0	31	43.7	22	48.8	5	65	1	0.50	0.50	21	1	1	1	–	–	–	–	0	3	9	0
VI	39.5	59.9	28.6	44.2	65.0	30	20.5	26	43.0	24	35.0	11	67	1	0.00	0.00	–	0	0	0	–	–	–	–	0	4	26	0
VII	41.9	62.0	29.8	45.9	68.3	22	18.3	10	50.0	13	40.4	18	64	2	0.16	0.14	12	2	1	0	–	–	–	–	0	3	22	0
VIII	49.6	69.0	35.5	52.3	78.0	25	19.8	6	54.6	5	45.0	31	61	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	8	0
IX	62.6	80.6	48.2	64.4	87.5	24	33.8	3	71.8	10	61.6	25	57	1	0.00	0.00	–	0	0	0	–	–	–	–	4	0	0	0
X	64.8	81.3	50.8	66.1	90.0	18	33.0	20	69.3	14	63.8	19	63	5	0.23	0.14	8	3	2	0	–	–	–	–	6	0	0	0
XI	69.9	85.2	56.7	70.9	93.4	4	46.0	12	66.9	10	65.0	8	58	3	0.60	0.27	8	3	3	0	–	–	–	–	13	0	0	0
XII	71.4	86.8	58.6	72.7	96.5	31	46.0	23	80.0	4	68.9	20	59	3	2.44	0.65	16	12	10	2	–	–	–	–	16	0	0	1
Jaar Year	58.9	75.8	47.1	61.5	96.5	–	18.3	–	43.0	–	68.9	–	65	3	15.21	2.10	–	54	42	12	–	–	–	–	68	10	67	1

No. 16/2757 MODDERFOORT (Schools). ϕ = 29 06'S; λ = 27 27'E; H = 5,283 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	–	82.0	55.7	68.9	90.5	3	50.0	12	68.0	7	61.5	16	–	3	3.00	1.51	19	7	5	3	3	0	0	0	4	0	0	0
II	–	81.8	56.6	69.2	91.0	9	52.0	5	62.0	2	61.0	28	–	3	4.91	1.98	16	15	10	3	3	0	0	0	5	0	0	0
III	–	72.2	50.8	61.5	82.0	1	41.2	19	62.5	5	60.0	7	–	5	5.69	1.44	13	23	10	5	3	1	0	1	0	0	0	0
IV	–	72.6	44.2	58.4	79.0	8	29.5	29	51.0	28	51.0	21	–	2	0.81	0.42	23	21	3	1	0	0	0	0	0	0	2	0
V	–	63.1	34.0	48.5	74.8	3	24.5	31	42.0	22	45.0	21	–	2	0.87	0.59	21	6	3	1	0	0	0	0	0	3	8	0
VI	–	57.5	28.1	42.8	63.5	30	22.0	16	40.0	25	36.5	9	–	1	0.05	0.05	23	1	1	0	0	0	0	0	0	2	26	0
VII	–	59.9	27.7	43.8	66.5	26	20.0	10	47.5	9	39.5	27	–	2	0.01	0.01	12	1	0	0	0	0	0	0	0	2	26	0
VIII	–	66.1	32.4	49.3	75.0	25	19.5	6	50.0	5	44.0	31	–	1	0.00	0.00	–	0	0	0	0	0	0	0	0	0	13	0
IX	–	77.4	45.1	61.3	84.0	30	34.0	10	68.0	9	61.8	25	–	2	0.00	0.00	–	0	0	0	0	0	0	0	0	0	0	0
X	–	76.0	47.3	61.7	86.0	18	33.2	20	62.0	5	59.0	19	–	4	0.94	0.66	4	8	5	1	3	0	0	0	0	0	0	0
XI	–	81.5	53.1	67.3	87.5	6	41.5	18	66.5	10	58.8	27	–	3	3.03	1.66	10	7	3	3	2	0	0	0	3	0	0	0
XII	–	83.8	54.1	68.9	92.5	20	41.5	24	74.5	30	65.2	20	–	3	2.45	1.26	30	6	6	2	4	1	0	0	7	0	0	0
Jaar Year	–	72.8	44.1	58.5	92.5	–	19.5	–	40.0	–	65.2	–	–	3	21.76	1.98	–	95	46	19	18	2	0	1	19	7	75	0

No. 16/2817M FRAAIUITZICHT. ϕ = 28 27'S; λ = 27 49'E; H = 5,400 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	67.8	86.5	57.4	71.9	96.0	3	51.0	12	68.0	6	64.0	3	65	2	2.15	0.36	5	10	10	0	–	–	–	–	17	0	0	0
II	67.6	87.0	59.0	73.0	95.0	9	50.0	1	62.0	2	68.0	9	64	1	2.09	1.02	1	7	7	1	–	–	–	–	22	0	0	0
III	59.7	73.8	52.6	63.2	86.0	1	43.0	19	65.0	15	60.0	7	77	4	4.24	1.10	3	10	9	4	–	–	–	–	0	0	0	0
IV	56.0	74.3	49.7	62.0	81.0	9	32.0	29	60.0	29	55.0	9	72	1	0.37	0.24	27	3	3	0	–	–	–	–	0	0	0	0
V	46.9	64.3	41.8	53.1	75.0	3	31.0	30	43.0	22	52.0	6	61	2	0.58	0.58	21	1	1	1	–	–	–	–	0	3	2	0
VI	41.2	59.3	35.2	47.3	65.0	12	25.0	25	43.0	25	43.0	4	54	0	0.00	0.00	–	0	0	0	–	–	–	–	0	2	4	0
VII	43.2	61.4	38.4	49.9	67.0	26	28.0	10	48.0	13	45.0	7	56	1	0.06	0.06	12	1	1	0	–	–	–	–	0	1	2	0
VIII	47.4	67.6	41.6	54.6	78.0	26	32.0	7	54.0	5	51.0	26	55	0	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
IX	59.9	80.1	50.4	65.3	87.0	30	41.0	11	70.0	10	60.0	30	50	0	0.00	0.00	–	0	0	0	–	–	–	–	1	0	0	0
X	60.7	80.4	50.9	65.7	92.0	18	39.0	20	68.0	14	60.0	25	58	4	0.95	0.47	4	4	4	1	–	–	–	–	6	0	0	0
XI	65.9	85.4	55.5	70.5	92.0	3	47.0	12	64.0	10	61.0	16	55	2	2.16	0.99	10	3	3	2	–	–	–	–	14	0	0	0
XII	67.7	87.2	56.5	71.9	98.0	19	46.0	25	76.0	24	67.0	16	57	3	0.91	0.50	2	5	4	1	–	–	–	–	18	0	0	0
Jaar Year	57.0	75.6	49.1	62.3	98.0	–	25.0	–	43.0	–	68.0	–	60	2	13.51	1.10	–	44	42	10	–	–	–	–	78	6	8	0

No. 17/3068M LONG ELMSEL. ϕ = 29 46'S; λ = 29 50'E; H = 5,000 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.

I	65.4	77.6	57.6	67.6	94.0	30	51.0	13	61.0	8	70.0	10	80	7	7.62	1.58	17	19	17	6	–	–	–	–	8	0	0	1
II	69.8	81.6	62.5	72.1	95.5	11	53.0	3	60.0	2	68.5	11	77	5	4.69	1.26	2	11	10	4	–	–	–	–	9	0	0	1
III	65.1	75.6	56.7	66.1	87.5	1	46.5	27	58.0	4	67.0	14	75	5	6.96	1.65	3	19	14	6	–	–	–	–	1	0	0	0
IV	61.3	74.3	51.7	63.0	89.0	8	37.0	29	64.0	11	59.5	9	78	4	1.24	0.52	23	6	4	2	–	–	–	–	1	0	0	0
V	54.9	71.9	42.3	57.1	79.5	5	33.0	23	51.0	22	50.0	21	56	2	0.49	0.48	21	2	1	1	–	–	–	–	0	0	0	0
VI	48.0	66.2	36.6	51.4	74.5	29	28.5	13	52.0	25	42.5	30	57	2	0.00	0.00	–	0	0	0	–	–	–	–	0	0	2	0
VII	48.1	69.0	37.8	53.4	82.0	26	30.0	21	48.5	10	48.5	27	61	2	0.00	0.00	–	0	0	0	–	–	–	–	0	1	2	0
VIII	54.4	73.5	42.5	58.0	85.0	4	32.5	8	48.0	7	52.0	30	53	3	0.28	0.14	26	3	3	0	–	–	–	–	0	1	0	0
IX	64.2	80.2	51.4	65.8	95.0	29	43.5	11	64.0	9	63.0	25	58	4	0.61	0.45	10	5	3	1	–	–	–	–	10	0	0	0
X	62.4	74.3	53.1	63.7	94.0	1	40.0	20	57.0	13	70.5	1	66	6	1.67	0.67	3	13	8	2	–	–	–	–	4	0	0	1
XI	70.0	82.7	55.8	69.3	94.5	3	48.5	8	60.0	17	69.0	28	57	5	3.09	1.52	28	12	8	2	–	–	–	–	14	0	0	1
XII	67.0	80.5	57.0	68.7	97.0	19	43.0	22	62.0	27	68.5	13	72	6	3.53	1.36	1	15	14	2	–	–	–	–	13	0	0	1
Jaar Year	60.9	75.6	50.4	63.0	97.0	–	28.5	–	48.0	–	70.5	–	66	4	30.18	1.58	–	105	82	26	–	–	–	–	60	2	4	5

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtigh. U % 0830	Mean Cloud Amt. Gem. Wolkehvld. N 0–10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Dust Stofstorm	Fog Mist	Max. ≥ 80°F.	Max. ≤ 50°F.	Min. ≤ 32°F.	Min. ≤ 68°F.
No. 17/3089 EMERALD DALE. ϕ = 29 58'S; λ = 29 58'E; H = 3,900 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	66.0	77.5	56.1	66.8	96.0	30	48.0	12	61.0	8	68.0	16	80	6	6.05	1.46	30	25	17	6	6	1	0	3	4	0	0	0
II	71.2	80.8	59.1	69.9	96.0	11	50.0	17	59.0	2	67.0	11	71	5	5.11	1.35	2	13	9	3	2	0	0	5	7	0	0	0
III	(66.3	74.6	53.2	63.9)	91.0	1	46.0	19	57.0	4	63.0	1	(69)	(3)	7.88	1.56	2	20	15	7	0	0	0	0	(1	0	0	0)
IV	65.5	74.0	50.5	62.3	84.0	4	36.0	30	63.0	11	58.0	6	68	3	1.25	0.45	17	8	4	1	5	0	0	12	0	0	0	0
V	60.2	72.4	41.5	56.9	82.0	1	32.0	23	50.0	22	50.0	25	51	1	0.99	0.73	21	9	3	1	2	0	0	1	0	0	0	0
VI	51.7	66.0	35.4	50.7	74.0	23	26.0	13	57.0	25	42.0	21	54	1	0.12	0.03	11	5	0	0	0	0	0	1	0	0	2	0
VII	53.8	67.9	37.2	52.5	80.0	26	29.0	21	50.0	10	44.0	27	49	1	0.09	0.04	26	4	1	0	0	0	0	1	0	0	3	0
VIII	(58.6	74.7	41.1	57.9)	86.0	25	31.0	14	49.0	7	51.0	18	(51)	(2)	0.31	0.12	26	7	4	0	0	0	0	0	(0	1	1	0)
IX	(65.4	81.3	49.1	65.2)	98.0	29	40.0	10	62.0	9	59.0	29	(54)	(4)	0.47	0.14	9	7	5	0	1	0	0	3	(8	0	0	0)
X	(64.2	74.8	50.9	62.9)	94.0	1	35.0	20	60.0	2	64.0	1	(62)	(5)	3.08	1.40	3	18	12	2	5	0	0	8	(3	0	0	0)
XI	68.3	81.1	53.1	67.1	98.0	30	47.0	12	64.0	4	65.0	16	59	5	1.26	0.31	3	17	10	0	6	0	0	9	11	0	0	0
XII	68.9	81.0	54.8	67.9	100.0	25	41.0	23	60.0	2	63.0	20	63	7	4.51	1.75	29	17	14	3	13	0	0	7	13	0	0	0
Year Jaar	(63.3	75.5	48.5	62.0)	100.0	–	26.0	–	49.0	–	68.0	–	(61)	(4)	31.12	1.75	–	150	94	23	40	1	0	50	(47	1	6	0)
No. 17/3100 WEENEN. ϕ = 28 51'S; λ = 30 05'E; H = 2,816 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	71.5	84.8	61.5	73.1	101.0	3	54.0	12	72.0	8	68.0	21	71	5	2.87	0.55	21	10	8	4	–	–	–	–	16	0	0	0
II	73.8	86.9	62.9	74.9	98.0	9	58.0	3	63.0	2	69.0	17	72	4	2.23	0.71	2	7	7	3	–	–	–	–	15	0	0	2
III	67.8	79.8	58.8	69.3	98.0	2	48.0	21	64.0	4	66.0	7	80	5	5.89	1.84	2	13	10	4	–	–	–	–	4	0	0	0
IV	65.0	79.7	53.1	66.4	87.0	8	38.0	29	70.0	29	62.0	12	77	3	0.28	0.22	23	3	2	0	–	–	–	–	2	0	0	0
V	54.2	74.1	38.7	56.4	82.0	2	32.0	28	55.0	22	47.0	4	69	1	0.49	0.36	21	2	2	0	–	–	–	–	0	0	0	0
VI	46.6	67.2	32.9	50.1	75.0	23	25.0	26	46.0	25	41.0	10	71	2	0.22	0.22	24	1	1	0	–	–	–	–	0	1	11	0
VII	47.7	69.5	34.4	51.9	80.0	30	27.0	3	54.0	11	50.0	19	67	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	9	0
VIII	55.6	75.3	40.8	58.1	87.0	26	31.0	1	56.0	7	56.0	27	63	1	0.00	0.00	–	0	0	0	–	–	–	–	1	0	1	0
IX	66.3	84.3	51.6	67.8	98.0	30	42.0	12	67.0	9	61.0	26	63	2	0.04	0.04	8	3	1	0	–	–	–	–	13	0	0	0
X	67.3	81.1	55.5	68.3	98.0	18	48.0	6	60.0	13	68.0	19	63	5	0.18	0.08	12	5	2	0	–	–	–	–	10	0	0	0
XI	73.6	88.5	59.7	74.1	99.0	16	52.0	13	74.0	8	69.0	28	56	4	3.14	2.52	28	6	4	1	–	–	–	–	17	0	0	1
XII	73.0	87.5	61.4	74.5	102.0	16	53.0	23	68.0	2	68.0	20	64	3	3.65	1.35	30	10	8	3	–	–	–	–	21	0	0	0
Year Jaar	63.5	79.9	50.9	65.4	102.0	–	25.0	–	46.0	–	69.0	–	68	3	18.99	1.84	–	58	45	15	–	–	–	–	99	1	21	3
No. 17/3110 CEDARA. ϕ = 29 33'S; λ = 30 16'E; H = 3,541 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	65.1	75.3	56.4	65.9	93.4	3	50.3	5	61.6	9	63.8	21	80	6	5.40	1.39	18	24	16	3	–	–	–	–	4	0	0	0
II	69.0	78.8	60.1	69.5	93.5	10	52.2	3	59.0	2	66.2	11	76	5	4.11	1.47	2	16	12	3	–	–	–	–	6	0	0	0
III	64.5	73.2	55.3	64.1	87.8	1	45.6	20	56.9	4	64.2	2	77	5	8.96	1.66	17	20	12	7	–	–	–	–	1	0	0	0
IV	62.9	72.5	52.1	62.3	82.3	27	39.0	29	64.8	29	56.0	19	74	3	0.93	0.44	23	9	6	1	–	–	–	–	0	0	0	0
V	54.9	70.0	43.3	56.7	78.3	10	33.5	23	47.5	22	54.5	21	59	2	0.78	0.57	21	8	3	1	–	–	–	–	0	1	0	0
VI	48.5	64.3	37.6	51.0	74.7	21	30.0	13	47.3	2	46.9	29	59	1	0.01	0.01	2	1	0	0	–	–	–	–	0	2	1	0
VII	50.1	66.6	39.1	52.9	80.0	26	31.8	12	49.0	10	46.5	27	58	2	0.00	0.00	–	0	0	0	–	–	–	–	0	1	2	0
VIII	56.8	71.4	43.4	57.4	83.8	4	34.2	14	57.4	5	52.3	12	52	2	0.22	0.07	27	4	3	0	–	–	–	–	0	0	0	0
IX	64.9	77.7	51.5	64.6	95.0	29	42.0	10	61.0	9	62.0	25	57	3	0.29	0.11	26	7	4	0	–	–	–	–	9	0	0	0
X	61.1	72.3	51.0	61.7	95.0	1	42.2	20	64.8	13	63.4	19	71	6	2.10	0.74	3	19	11	2	–	–	–	–	4	0	0	0
XI	68.0	79.4	54.0	66.7	95.3	16	48.4	13	55.0	17	64.3	28	60	5	0.98	0.24	11	14	7	0	–	–	–	–	9	0	0	0
XII	66.6	79.5	54.8	67.1	99.1	16	48.0	7	60.0	2	64.6	16	68	6	2.44	0.32	1	19	16	0	–	–	–	–	9	0	0	0
Year Jaar	61.0	73.4	49.9	61.7	99.1	–	30.0	–	47.3	–	66.2	–	66	4	26.22	1.66	–	141	90	17	–	–	–	–	42	4	3	0
No. 17/3123B ALLERTON. ϕ = 29 35'S; λ = 30 23'E; H = 2,100 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	67.3	79.8	59.9	69.9	95.0	3	50.0	13	67.0	9	69.5	16	83	–	6.65	1.27	18	20	19	4	–	–	–	–	7	0	0	1
II	72.1	83.8	62.6	73.2	99.0	11	56.0	3	63.0	2	67.5	22	79	–	5.75	1.70	2	23	11	4	–	–	–	–	10	0	0	0
III	65.6	79.4	57.9	68.7	93.0	1	48.5	21	61.0	4	66.5	7	84	–	9.69	2.10	17	19	15	7	–	–	–	–	4	0	0	0
IV	62.9	78.1	54.7	66.4	87.0	7	41.0	30	68.0	11	62.0	27	87	–	0.58	0.38	23	4	3	0	–	–	–	–	1	0	0	0
V	54.2	74.7	41.9	58.3	82.0	29	34.0	24	52.0	22	53.5	21	76	–	0.93	0.50	21	4	4	1	–	–	–	–	0	0	0	0
VI	45.2	69.9	35.8	52.9	79.0	23	29.5	15	55.0	25	42.0	1	78	–	0.00	0.00	–	0	0	0	–	–	–	–	0	0	2	0
VII	49.4	72.0	39.0	55.5	84.0	26	32.0	3	56.0	10	54.0	12	70	–	0.03	0.02	9	2	0	0	–	–	–	–	0	0	0	0
VIII	55.4	75.3	42.2	58.7	87.0	3	33.0	1	54.0	7	52.0	27	67	–	0.44	0.27	26	4	3	0	–	–	–	–	1	0	0	0
IX	64.3	81.2	52.4	66.8	100.5	29	41.5	8	55.0	9	64.0	21	68	–	0.40	0.15	26	7	5	0	–	–	–	–	10	0	0	0
X	64.0	76.0	54.4	65.2	100.5	1	42.0	21	61.0	13	63.0	1	71	–	2.77	0.95	3	20	17	2	–	–	–	–	7	0	0	0
XI	69.5	82.4	56.5	69.5	101.5	16	47.0	14	60.0	18	65.0	4	63	–	2.05	0.43	17	15	12	1	–	–	–	–	13	0	0	0
XII	69.2	82.3	58.7	70.5	103.0	16	47.0	23	63.0	2	69.0	20	73	–	4.62	0.50	27	19	17	6	–	–	–	–	11	0	0	1
Year Jaar	61.6	77.9	51.3	64.6	103.0	–	29.5	–	52.0	–	69.5	–	75	–	33.91	2.10	–	127	106	25	–	–	–	–	64	0	2	2

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtighd. U 0830	Mean Cloud Amt. Gem. Wolkehvhd. N 0-10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Precipn. Neerslag ≥ .01	≥ .05	≥ .10	Thunder Donder	Hail Hagel	Fog Mist	Snow Sneeuw	Dew Dauw	Frost Vorsel	Max. ≥ 86°F.	Max. ≤ 50°F.	Min. ≤ 32°F.	Min. ≥ 68°F.
No. 17/3144B MTD-ILLOVO.																														
I	–	76.0	59.9	67.9	89.0	29	55.0	5	64.0	27	68.0	12	–	6	4.42	1.72	31	15	15	2	3	0	0	2	2	0	0	0
II	–	80.5	64.1	72.3	99.0	11	55.0	3	62.0	2	72.0	11	–	5	6.77	1.70	2	10	9	6	0	0	0	7	6	0	0	4
III	–	75.1	60.6	67.9	86.0	1	51.0	19	60.0	3	68.0	2	–	5	9.15	2.20	3	16	13	6	5	1	0	2	0	0	0	0
IV	–	75.1	58.2	66.7	84.0	26	50.0	30	67.0	30	63.0	8	–	3	1.02	0.47	11	3	3	2	3	0	0	0	0	0	0	0
V	–	73.0	54.5	63.7	83.0	9	44.0	23	61.0	22	62.0	9	–	1	1.59	0.70	21	4	4	2	1	0	0	1	0	0	0	0
VI	–	67.4	49.3	58.3	77.0	20	44.0	13	57.0	25	57.0	21	–	1	0.05	0.03	10	2	0	0	0	0	0	0	0	0	0	0
VII	–	69.5	51.7	60.6	81.0	26	42.0	11	55.0	10	60.0	27	–	2	0.90	0.66	15	6	3	1	0	0	0	2	0	0	0	0
VIII	–	72.0	52.3	62.1	85.0	4	45.0	14	56.0	27	63.0	18	–	2	0.11	0.07	26	3	1	0	0	0	0	0	0	0	0	0
IX	–	75.9	56.5	66.2	101.0	29	50.0	11	60.0	13	70.0	20	–	5	0.80	0.34	9	11	5	0	1	0	0	3	7	0	0	2
X	–	69.6	55.1	62.3	90.0	1	46.0	20	56.0	7	76.0	1	–	7	3.26	1.34	3	16	12	2	2	0	0	3	1	0	0	1
XI	–	76.8	57.4	67.1	99.0	20	52.0	13	57.0	18	67.0	16	–	5	1.56	0.25	25	14	11	0	0	0	0	5	6	0	0	0
XII	–	77.6	57.9	67.7	103.0	25	48.0	23	63.0	2	71.0	1	–	6	3.60	0.64	30	16	14	3	5	1	0	4	6	0	0	1
Jaar Year	–	74.0	56.5	65.3	103.0	–	42.0	–	55.0	–	76.0	–	–	4	33.23	2.20	–	116	90	24	20	2	0	29	28	0	0	8
No. 17/3165A SHONGWENI.																														
I	71.2	84.3	63.4	73.9	96.0	30	55.0	13	72.0	5	69.0	19	74	6	1.87	0.40	31	16	12	1	6	0	0	0	13	0	0	3
II	73.4	87.9	66.6	77.3	100.0	10	60.0	3	70.0	2	73.0	10	83	5	3.59	1.68	2	10	9	2	3	0	0	0	17	0	0	10
III	68.1	83.2	62.8	73.0	99.0	1	55.0	21	68.0	4	69.0	2	84	5	7.71	2.15	3	15	13	5	7	0	0	0	8	0	0	2
IV	66.7	81.4	60.1	70.7	88.0	2	50.0	29	74.0	24	66.0	8	82	4	0.54	0.48	23	3	2	1	1	0	0	.0	1	0	0	0
V	61.0	77.7	51.4	64.5	84.0	9	44.0	23	62.0	22	60.0	19	62	1	1.20	0.52	22	5	4	2	2	0	0	0	0	0	0	0
VI	54.7	71.3	47.0	59.1	80.0	20	38.0	15	64.0	25	53.0	30	61	2	0.06	0.04	11	2	1	0	0	0	0	0	0	0	0	0
VII	58.0	73.4	49.1	61.3	82.0	6	41.0	12	62.0	11	57.0	16	54	2	0.18	0.12	8	2	2	0	0	0	0	0	0	0	0	0
VIII	58.6	76.7	51.0	63.9	88.0	4	44.0	9	62.0	7	57.0	5	67	3	0.06	0.06	27	1	1	0	0	0	0	0	1	0	0	0
IX	65.1	81.4	57.8	69.6	103.0	29	50.0	12	71.0	9	70.0	21	73	4	0.63	0.19	9	8	7	0	2	0	0	0	7	0	0	1
X	65.6	77.4	58.7	68.1	94.0	1	47.0	20	68.0	7	67.0	19	72	7	3.97	2.23	3	13	7	2	4	0	0	0	2	0	0	0
XI	68.5	83.5	60.7	72.1	98.0	20	53.0	13	68.0	18	68.0	4	70	5	0.89	0.16	5	12	9	0	2	0	0	0	10	0	0	0
XII	72.5	85.3	62.6	73.9	106.0	25	52.0	23	72.0	21	72.0	20	67	6	2.72	0.87	30	16	12	2	4	1	0	0	16	0	0	3
Jaar Year	65.3	80.3	57.6	68.9	106.0	–	38.0	–	62.0	–	73.0	–	71	4	23.42	2.21	–	103	79	15	31	1	0	0	75	0	0	19
No. 17/3170 HILL-CREST.																														
I	68.1	75.5	59.0	67.3	88.0	30	53.0	11	65.0	8	66.0	30	83	6	4.05	1.15	3	17	14	2	7	–	–	–	2	0	0	0
II	73.1	79.9	63.0	71.5	97.0	11	55.0	16	63.0	2	72.0	9	85	6	5.74	2.02	2	12	12	4	2	–	–	–	5	0	0	2
III	67.8	75.7	59.0	67.3	92.0	1	53.0	3	60.5	3	65.0	1	84	4	10.35	2.13	3	16	16	9	5	–	–	–	1	0	0	0
IV	64.8	74.1	56.6	65.3	80.4	25	43.5	29	67.2	29	63.0	8	84	3	0.79	0.62	23	6	4	1	2	–	–	–	0	0	0	0
V	61.1	72.8	49.0	60.9	86.0	8	40.0	23	55.0	22	60.0	21	63	1	1.39	0.59	22	4	4	2	1	–	–	–	0	0	0	0
VI	55.5	68.0	42.9	55.5	78.0	23	35.0	14	59.0	25	60.0	7	58	2	0.11	0.06	4	2	2	0	0	–	–	–	0	0	0	0
VII	59.2	70.6	45.1	57.9	82.0	26	38.0	11	54.0	10	54.0	27	47	2	0.11	0.04	8	3	2	0	0	–	–	–	0	0	0	0
VIII	59.8	72.7	48.1	60.4	89.0	4	41.0	13	56.0	27	58.0	23	61	3	0.29	0.13	27	5	4	0	0	–	–	–	1	0	0	0
IX	65.4	77.5	54.8	66.1	101.0	29	44.0	10	62.0	9	65.0	21	69	6	1.01	0.31	9	9	8	0	2	–	–	–	9	0	0	0
X	64.1	72.2	54.9	63.5	96.0	1	40.2	20	60.0	14	67.0	1	74	7	5.35	3.30	3	18	14	2	3	–	–	–	2	0	0	0
XI	67.7	77.0	56.9	66.9	95.0	20	47.0	13	58.0	18	64.0	28	74	6	1.84	0.26	18	16	11	0	3	–	–	–	6	0	0	0
XII	69.1	78.2	58.1	68.1	100.0	25	51.0	28	63.0	10	70.0	1	77	6	4.46	0.91	4	17	15	3	14	–	–	–	7	0	0	1
Jaar Year	64.6	74.5	53.9	64.2	101.0	–	35.0	–	54.0	–	72.0	–	72	4	35.49	3.30	–	125	106	23	39	–	–	–	33	0	0	3
No. 17/3175 MPONGOSI.																														
I	71.4	87.3	65.7	76.5	109.0	3	58.0	13	71.0	5	74.0	21	–	6	5.71	2.26	30	14	11	4	5	–	–	–	19	0	0	5
II	77.0	91.3	68.2	79.7	104.0	11	61.0	3	66.0	2	73.0	22	–	5	3.23	1.48	1	7	5	2	1	–	–	–	23	0	0	12
III	72.4	83.4	63.7	73.5	102.0	2	56.0	21	68.0	3	70.0	7	–	4	7.60	1.70	2	16	11	5	7	–	–	–	10	0	0	6
IV	70.7	82.4	60.7	71.5	91.0	27	51.0	29	74.0	24	67.0	28	–	2	0.85	0.62	23	3	2	1	1	–	–	–	6	0	0	0
V	62.0	75.0	49.7	62.3	84.0	29	41.0	28	59.0	22	65.0	12	–	2	1.32	0.53	6	4	4	2	1	–	–	–	0	0	0	0
VI	57.5	69.2	42.0	55.6	82.0	23	34.0	26	55.0	25	52.0	24	–	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VII	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IX	66.8	84.7	58.9	71.8	105.0	30	50.0	11	65.0	9	69.0	29	–	4	0.47	0.28	11	3	2	0	–	–	–	–	14	0	0	1
X	66.7	80.9	61.1	71.0	108.0	1	51.0	12	62.0	12	77.0	19	–	6	0.91	0.30	20	13	5	0	4	–	–	–	6	0	0	2
XI	67.5	86.1	61.9	74.0	108.0	6	51.0	15	70.0	18	70.0	29	–	5	0.13	0.05	29	8	1	0	8	–	–	–	12	0	0	1
XII	69.0	85.2	63.9	74.5	107.0	25	55.0	5	70.0	11	74.0	20	–	6	3.42	1.24	30	14	10	2	8	–	–	–	10	0	0	5
Jaar Year	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	(x+n)/2 Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtighd. 0830	Mean Cloud Amt. Gem. Wolkebrldt. 0–10 0830	Precipitation in inches. Neerslag in duime. R.	Max. in 24 h.	Dat.	Precipn. Neerslag ≥ .01	≥ .04	≥ .40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. ≤ 50°F.	Min. ≤ 32°F.	Min. ≤ 68°F.
No. 17/3178 PAULPIETERSBURG. ϕ = 27 27'S; λ = 30 50'E; H = 3,650 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	66.5	78.5	57.5	68.0	94.0	3	49.0	13	69.0	23	65.0	21	76	6	4.71	1.83	4	14	9	4	6	0	0	0	4	0	0	0
II	69.9	82.3	59.0	70.7	92.0	20	51.0	27	61.0	2	64.0	7	73	4	2.67	1.70	1	4	2	2	1	0	0	0	6	0	0	0
III	65.1	76.1	55.4	65.7	96.0	2	47.0	25	60.0	4	65.0	18	81	5	7.35	1.75	7	16	14	7	8	0	0	0	2	0	0	0
IV	62.2	76.4	51.3	63.9	84.0	17	36.0	29	66.0	29	60.0	12	81	3	1.88	1.05	23	5	3	2	4	1	0	0	0	0	0	0
V	55.8	72.0	41.8	56.9	79.0	28	35.0	10	52.0	22	52.0	12	64	2	0.36	0.24	22	3	2	0	0	0	0	0	0	0	0	0
VI	49.8	67.0	37.0	52.0	76.0	30	27.0	25	48.0	25	49.0	22	57	1	0.00	0.00	–	0	0	0	0	0	0	0	0	1	6	0
VII	51.5	69.6	37.8	53.7	79.0	6	32.0	1	53.0	11	45.0	19	55	2	0.01	0.01	11	1	0	0	0	0	0	0	0	0	0	0
VIII	56.2	73.3	43.0	58.1	88.0	26	35.0	14	55.0	7	54.0	27	59	2	0.01	0.01	7	1	0	0	0	0	0	0	1	0	0	0
IX	64.3	79.8	50.8	65.3	95.0	25	44.0	9	61.0	9	59.0	28	63	2	0.27	0.26	9	2	1	0	3	0	0	0	8	0	0	0
X	63.2	75.9	53.2	64.5	96.0	1	46.0	21	55.0	12	63.0	19	69	7	1.02	0.19	7	14	11	0	3	0	0	0	7	0	0	0
XI	67.2	82.0	55.3	68.7	98.0	6	45.0	14	59.0	18	66.0	21	69	6	1.53	1.01	21	12	8	1	0	0	0	0	12	0	0	0
XII	69.3	83.8	58.0	70.9	100.0	26	48.0	23	62.0	2	66.0	31	68	6	3.78	1.34	4	14	9	4	7	0	0	0	14	0	0	0
Jaar Year	61.7	76.4	50.0	63.2	100.0	–	27.0	–	48.0	–	66.0	–	68	4	23.59	1.83	–	86	59	20	32	1	0	0	54	1	6	0
No. 17/3189A NORTHDENE. ϕ = 29 52'S; λ = 30 53'E; H = 777 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	71.4	77.8	64.8	71.3	90.0	3	60.0	6	68.0	5	71.0	21	79	6	2.19	0.46	3	16	12	1	–	–	–	–	3	0	0	3
II	73.7	81.2	68.4	74.8	94.0	8	60.0	3	66.0	2	74.0	11	88	6	4.78	1.87	2	11	8	4	–	–	–	–	3	0	0	15
III	69.7	78.1	65.4	71.7	90.0	1	60.0	5	64.0	4	70.0	1	84	5	9.40	2.33	3	14	13	7	–	–	–	–	1	0	0	3
IV	67.7	76.4	63.3	69.9	81.0	8	54.0	30	72.0	30	68.0	9	83	2	0.28	0.23	23	3	2	0	–	–	–	–	0	0	0	0
V	61.2	74.9	56.2	65.5	84.0	11	46.0	23	54.0	22	62.0	18	70	2	1.61	0.83	22	5	5	1	–	–	–	–	0	0	0	0
VI	55.6	70.9	51.0	60.9	80.0	20	44.0	14	60.0	25	58.0	21	62	2	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VII	57.2	71.4	53.3	62.3	84.0	7	46.0	11	60.0	11	58.0	7	64	2	0.42	0.21	31	3	2	0	–	–	–	–	0	0	0	0
VIII	59.0	72.4	53.5	62.9	86.0	18	48.0	8	58.0	7	60.0	23	76	3	0.23	0.08	7	4	4	0	–	–	–	–	0	0	0	0
IX	65.8	77.1	59.7	68.4	98.0	29	54.0	1	68.0	27	66.0	21	80	5	0.68	0.28	23	8	5	0	–	–	–	–	5	0	0	0
X	66.3	74.0	60.2	67.1	96.0	1	50.0	20	66.0	14	70.0	1	77	6	5.11	3.88	3	15	10	1	–	–	–	–	1	0	0	1
XI	69.1	78.8	61.9	70.3	94.0	10	56.0	13	64.0	18	68.0	11	74	6	1.30	0.29	5	9	7	0	–	–	–	–	5	0	0	0
XII	71.7	78.2	63.9	71.2	96.0	25	54.0	23	68.0	10	74.0	20	72	4	3.04	0.78	30	16	12	2	–	–	–	–	3	0	0	4
Jaar Year	65.7	75.9	60.1	68.0	98.0	–	44.0	–	54.0	–	74.0	–	76	4	29.04	3.88	–	104	80	16	–	–	–	–	21	0	0	26
No. 17/3196A UMBOGINTWINI. ϕ = 29 58'S; λ = 30 56'E; H = 241 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	75.0	79.8	66.1	72.9	89.0	22	58.2	13	72.0	27	73.0	14	79	6	3.64	0.74	31	16	12	2	–	–	–	–	2	0	0	8
II	76.7	82.1	68.7	75.4	90.0	11	62.0	3	68.4	2	73.1	7	86	5	5.40	1.99	1	9	9	4	–	–	–	–	4	0	0	18
III	73.6	79.4	65.2	72.3	86.5	1	59.5	20	67.0	3	71.5	7	84	5	8.76	3.53	3	14	12	6	–	–	–	–	1	0	0	6
IV	72.9	78.8	62.1	70.5	83.5	27	53.0	29	73.0	30	68.5	6	79	3	0.70	0.36	21	6	4	0	–	–	–	–	0	0	0	1
V	67.0	75.8	55.4	65.6	85.0	9	46.0	23	58.9	22	65.1	26	65	2	2.03	0.77	22	5	4	2	–	–	–	–	0	0	0	0
VI	61.4	72.3	50.9	61.6	79.3	20	44.3	18	66.2	25	58.6	7	58	2	0.10	0.06	4	3	1	0	–	–	–	–	0	0	0	0
VII	62.2	73.8	51.7	62.7	88.2	8	43.0	26	63.0	16	58.0	19	58	2	2.92	2.15	15	2	2	2	–	–	–	–	1	0	0	0
VIII	64.5	72.4	54.2	63.3	83.1	18	47.6	9	60.2	7	59.9	29	71	3	0.65	0.36	7	8	4	0	–	–	–	–	0	0	0	0
IX	69.5	76.0	61.4	68.7	88.5	29	55.0	4	70.0	9	66.2	25	77	5	0.76	0.21	27	9	6	0	–	–	–	–	1	0	0	0
X	69.7	74.6	58.1	66.3	82.0	5	54.0	22	67.8	3	66.5	5	72	6	2.15	0.93	3	16	12	2	–	–	–	–	0	0	0	0
XI	72.7	78.5	63.8	71.1	91.0	10	56.0	14	68.5	18	73.0	2	72	6	1.56	0.33	25	10	10	0	–	–	–	–	2	0	0	5
XII	74.2	79.2	65.1	72.7	89.3	25	57.2	23	70.1	10	73.2	20	77	5	3.17	0.59	1	14	13	4	–	–	–	–	2	0	0	5
Jaar Year	69.9	76.9	60.2	68.5	91.0	–	43.0	–	58.9	–	73.2	–	73	4	31.84	3.53	–	112	89	22	–	–	–	–	13	0	0	43
No. 18/3222 MOUNT EDGECOMBE. ϕ = 29 40'S; λ = 31 02'E; H = 340 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	75.0	80.7	66.1	73.4	90.5	22	57.5	13	73.0	23	72.5	31	69	6	3.02	1.32	31	14	10	2	1	0	0	0	4	0	0	8
II	76.5	83.0	68.6	75.8	90.0	11	61.5	3	68.0	2	74.0	7	79	5	5.78	1.66	1	8	7	3	1	0	0	0	7	0	0	17
III	73.0	80.3	65.0	72.7	89.0	1	60.0	21	67.0	3	71.0	2	76	5	9.33	2.60	3	13	12	9	2	0	0	0	2	0	0	4
IV	70.6	79.0	62.3	70.7	92.5	27	52.5	29	73.0	29	69.0	6	80	3	1.69	1.15	12	4	3	1	1	0	0	0	1	0	0	1
V	64.2	76.4	55.0	65.7	85.0	9	45.5	23	57.0	22	64.5	21	66	2	1.94	0.65	22	5	4	3	1	0	0	0	0	0	0	0
VI	57.9	72.0	51.0	61.5	84.0	20	45.0	14	63.0	25	58.0	7	63	2	0.16	0.14	1	3	1	0	0	0	0	0	0	0	0	0
VII	59.3	73.7	51.7	62.7	90.0	7	47.0	29	63.0	10	59.0	9	58	2	0.01	0.01	8	1	0	0	0	0	0	0	1	0	0	0
VIII	63.2	73.4	52.9	63.1	87.0	18	46.0	17	59.0	7	59.0	19	66	3	0.17	0.09	26	4	2	0	0	0	0	0	1	0	0	0
IX	68.9	77.6	60.1	68.9	97.0	29	53.0	1	68.5	9	65.0	24	72	5	0.83	0.36	27	8	5	0	1	0	0	0	5	0	0	0
X	69.6	75.4	60.9	68.1	97.5	1	52.0	21	65.5	7	67.5	17	67	6	1.88	0.69	3	17	9	1	2	0	0	0	2	0	0	0
XI	72.7	79.8	63.0	71.4	92.0	10	54.5	14	67.5	18	69.0	29	66	6	0.86	0.13	18	12	10	0	1	0	0	0	5	0	0	2
XII	75.0	80.5	64.8	72.7	92.0	25	57.0	23	72.0	2	74.0	20	65	5	2.83	1.27	30	16	11	1	7	0	0	0	6	0	0	4
Jaar Year	68.8	77.7	60.1	68.9	97.5	–	45.0	–	57.0	–	74.0	–	69	4	28.50	2.60	–	105	74	20	17	0	0	0	34	0	0	36

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtigh. U % 0830	Mean Cloud Amt. Gem. Wolkeval. N 0–10 0830	Precipitation in inches. Neerslag in duime. R. Σ	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. < 50°F.	Min. < 32°F.	Min. ≥ 68°F.
No. 18/3246 ESHOWE. φ = 28 53'S; λ = 31 27'E; H = 1,740 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	68.3	79.5	61.6	70.5	100.0	3	54.0	2	67.0	5	68.0	3	84	5	4.98	0.94	30	13	13	4	–	–	–	–	5	0	0	0
II	71.8	82.8	65.2	74.0	95.0	11	58.5	3	64.0	2	70.0	10	87	4	7.46	2.81	3	7	7	4	–	–	–	–	8	0	0	3
III	68.8	78.2	63.8	70.0	95.0	1	55.0	19	64.0	4	67.0	2	84	4	12.81	4.10	5	10	10	6	–	–	–	–	1	0	0	0
IV	67.1	78.0	60.1	69.1)	91.0	27	52.0	30	71.0	23	65.0	18)	(87)	(3)	0.42	0.22	24	2	2	0	–	–	–	–	(1	0	0	0
V	63.0	75.6	53.1	64.3)	84.0	10	45.0	25	56.0	22	60.0	18)	(74)	(2)	2.01	1.31	7	3	3	2	–	–	–	–	(0	0	0	0
VI	57.2	70.6	47.4	59.0	82.0	21	42.0	14	62.0	26	54.0	30	68	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	0	0
VII	58.4	72.5	48.5	60.5	85.0	8	42.0	12	57.0	11	55.5	18	65	3	0.21	0.21	11	1	1	0	–	–	–	–	0	0	0	0
VIII	60.7	75.4	51.7	63.5)	85.0	23	44.0	8	55.0	7	58.0	25)	(72)	(2)	1.04	0.40	20	4	4	1	–	–	–	–	(0	0	0	0
IX	67.4	81.4	57.7	69.5)	102.0	29	48.0	4	65.0	10	65.0	25)	(73)	(3)	1.12	0.40	28	6	6	1	–	–	–	–	(8	0	0	0
X	65.4	75.3	58.0	66.7	96.0	25	52.0	20	61.0	12	67.0	19	81	6	6.25	2.71	4	13	13	5	–	–	–	–	2	0	0	0
XI	69.7	83.3	59.4	71.3	100.0	6	51.0	13	65.0	18	72.0	30	76	4	2.60	1.43	19	7	6	3	–	–	–	–	10	0	0	1
XII	68.9	82.9	60.8	71.9)	103.0	16	52.0	24	65.0	10	82.0	1)	(80)	(4)	6.15	1.68	31	10	10	5	–	–	–	–	(10	0	0	1
Jaar Year	65.6	78.0	57.1	67.5)	103.0	–	42.0	–	55.0)	–	(82.0)	–	(78)	(3)	45.05	4.10	–	76	75	31	–	–	–	–	(45	0	0	5
No. 18/3307 CAPE ST. LUCIA. φ = 28 31'S; λ = 32 24'E; H = 363 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	74.9	81.5	68.2	74.9	89.0	21	62.5	13	74.0	8	74.0	23	–	7	9.01	3.90	19	8	8	6	–	–	–	–	5	0	0	14
II	77.9	84.3	70.1	77.2	91.0	25	60.2	1	74.0	3	73.0	25	–	5	5.72	2.76	2	4	4	3	–	–	–	–	7	0	0	19
III	72.9	80.2	67.6	73.9	88.0	2	59.0	20	71.0	4	73.5	2	–	6	11.28	4.50	3	10	10	8	–	–	–	–	3	0	0	10
IV	70.6	80.6	65.6	73.1)	88.0	8	59.0	25	70.5	24	69.2	11)	–	(4)	3.51	0.96	12	5	5	4	–	–	–	–	(1	0	0	6
V	63.7	75.9	58.8	67.3	84.0	30	50.0	23	66.4	22	66.0	5	–	2	0.36	0.36	22	1	1	0	–	–	–	–	0	0	0	0
VI	58.9	72.8	54.1	63.5	80.0	25	48.5	14	64.0	12	58.0	7	–	2	0.64	0.45	4	2	2	1	–	–	–	–	0	0	0	0
VII	60.4	74.9	56.2	65.5	87.0	7	51.0	13	67.0	27	61.0	9	–	2	1.57	0.82	10	2	2	2	–	–	–	–	1	0	0	0
VIII	62.1	73.2	57.1	65.1	80.0	4	51.0	8	64.5	7	61.4	5	–	3	1.14	0.62	7	3	3	1	–	–	–	–	0	0	0	0
IX	68.7	77.5	62.5	70.0	84.3	29	57.0	10	70.0	7	67.4	30	–	4	0.47	0.17	9	4	4	0	–	–	–	–	0	0	0	0
X	68.3	74.9	62.5	68.7	84.2	1	56.4	14	66.0	11	69.0	1	–	6	3.78	1.15	3	11	11	3	–	–	–	–	0	0	0	2
XI	73.3	78.8	65.9	72.3	85.0	6	58.7	13	73.0	8	72.0	28	–	5	0.30	0.23	26	2	2	0	–	–	–	–	0	0	0	6
XII	73.9	81.7	66.1	73.9)	90.0	31	58.0	23	73.5	22	72.0	16)	–	(6)	3.52	2.00	31	8	8	1	–	–	–	–	(5	0	0	7
Jaar Year	68.8	78.0	62.9	70.5)	91.0	–	48.5	–	64.0	–	74.0	–	–	(4)	41.30	4.50	–	60	60	29	–	–	–	–	(22	0	0	64
No. 19/3320 BULSHOEK. φ = 31 59'S; λ = 18 45'E; H = 254 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	74.3	95.4	64.4	79.9	110.0	27	53.0	1	78.0	2	80.0	27	51	0	0.00	0.00	–	0	0	0	–	–	–	–	26	0	0	8
II	72.6	98.0	65.4	81.7	113.0	25	59.0	18	89.0	11	79.0	25	59	2	0.00	0.00	–	0	0	0	–	–	–	–	28	0	0	5
III	71.5	91.9	64.6	78.3	105.0	24	54.0	30	74.0	18	83.0	24	57	1	0.10	0.08	7	2	1	0	–	–	–	–	21	0	0	5
IV	62.1	87.0	55.8	71.4	103.0	14	46.0	29	60.0	27	67.0	3	71	3	0.72	0.72	28	1	1	1	–	–	–	–	16	0	0	0
V	56.3	74.6	51.2	62.9	92.0	10	41.0	31	55.0	21	59.0	17	76	4	1.49	0.40	29	12	11	1	–	–	–	–	6	0	0	0
VI	50.7	66.8	45.7	56.3	83.0	17	38.0	25	55.0	24	55.0	17	73	3	1.76	0.51	22	10	9	2	–	–	–	–	0	0	0	0
VII	48.2	64.2	43.3	53.7	76.0	4	36.0	29	54.0	10	55.0	26	77	4	1.92	0.71	7	10	8	2	–	–	–	–	0	0	0	0
VIII	51.1	71.3	45.3	58.3	92.0	28	38.0	7	59.0	6	54.0	1	71	4	1.36	0.35	4	7	7	0	–	–	–	–	3	0	0	0
IX	57.6	82.2	50.7	66.5	104.0	28	42.0	1	66.0	24	59.0	29	67	4	0.04	0.04	25	1	1	0	–	–	–	–	10	0	0	0
X	61.5	78.2	51.6	64.9	92.0	31	44.0	20	65.0	19	60.0	25	66	2	0.22	0.14	19	2	2	0	–	–	–	–	4	0	0	0
XI	68.7	89.9	58.9	74.4	106.0	29	52.0	17	70.0	17	67.0	26	59	2	0.15	0.09	11	2	2	0	–	–	–	–	19	0	0	0
XII	68.8	86.8	58.0	72.4	102.0	2	50.0	25	79.0	30	70.0	2	60	1	0.10	0.06	4	2	2	0	–	–	–	–	13	0	0	1
Jaar Year	61.9	82.2	54.6	68.4	113.0	–	36.0	–	54.0	–	83.0	–	66	3	7.86	0.72	–	48	44	6	–	–	–	–	146	0	0	19
No. 20/3348 BRANDVLEI. φ = 30 28'S; λ = 20 29'E; H = 3,000 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	76.9	96.0	62.6	79.3	105.0	28	48.0	27	90.0	4	73.0	15	39	1	0.14	0.07	6	2	2	0	–	–	–	–	30	0	0	9
II	77.4	98.0	65.1	81.5	108.0	10	57.0	2	70.0	1	75.0	9	47	2	0.09	0.09	22	1	1	0	–	–	–	–	27	0	0	4
III	67.1	86.5	59.2	72.9	99.0	1	45.5	20	74.0	29	69.0	10	62	2	1.32	0.45	12	5	5	2	–	–	–	–	16	0	0	1
IV	62.0	82.8	51.7	67.3	94.0	3	33.0	29	54.0	28	63.0	3	64	2	0.30	0.15	19	4	2	0	–	–	–	–	12	0	0	0
V	48.3	69.3	40.7	55.0	85.5	7	25.0	31	52.0	29	54.0	7	65	2	0.08	0.06	20	2	1	0	–	–	–	–	0	0	1	0
VI	40.1	64.6	33.6	49.1)	74.0	3	25.0	25	47.0	24	41.0	23)	(70)	(2)	0.13	0.07	23	3	2	0	–	–	–	–	(0	1	7	0
VII	40.5	63.2	34.1	48.7	76.0	23	23.0	20	85.0	10	45.0	26	78	2	0.38	0.13	9	4	3	0	–	–	–	–	0	3	10	0
VIII	46.0	71.7	36.3	54.0	86.0	25	27.0	6	49.0	6	50.0	10	66	2	0.15	0.15	4	1	1	0	–	–	–	–	0	2	5	0
IX	59.5	83.4	46.2	64.8	94.5	19	35.2	1	68.0	6	58.5	20	47	1	0.00	0.00	–	0	0	0	–	–	–	–	15	0	0	0
X	57.4	77.3	43.2	60.3)	92.0	26	31.0	20	57.0	4	55.0	1)	(49)	(2)	0.08	0.08	4	1	1	0	–	–	–	–	(3	0	1	0
XI	69.5	90.1	–	–	102.0	26	–	–	72.0	17	–	–	32	1	0.00	0.00	–	0	0	0	–	–	–	–	17	0	–	–
XII	68.8	89.7	53.4	71.6)	104.0	12	45.0	22	76.0	26	63.0	13)	(49)	(1)	0.28	0.28	4	1	1	0	–	–	–	–	(16	0	0	0
Jaar Year	59.5	81.1)	–	–	108.0	–	–	–	85.0	–	–	–	(56)	(2)	2.95	0.45	–	24	19	2	–	–	–	–	136	6	–	–

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtigheid. 0830	Mean Cloud Amt. Gem. Wolkebedk. 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. < 50°F.	Min. < 32°F.	Min. ≤ 68°F.
No. 22/3456 NELSPOORT. ϕ = 32 05'S; λ = 23 01'E; E = 3,319 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	66.7	89.6	56.6	73.1	102.0	25	49.0	4	73.5	7	70.5	29	64	3	2.88	1.88	31	5	4	2	–	–	–	–	18	0	0	1
II	69.2	93.3	61.4	77.3	106.0	8	55.5	1	73.0	1	71.0	19	70	4	0.56	0.38	28	6	4	0	–	–	–	–	22	0	0	4
III	59.6	80.9	54.2	67.5	92.5	1	40.5	19	63.5	18	62.0	14	82	4	3.31	1.13	6	8	7	4	–	–	–	–	7	0	0	0
IV	54.1	79.7	47.3	63.5	90.0	3	30.0	29	57.5	28	58.0	17	76	3	0.11	0.05	9	5	1	0	–	–	–	–	8	0	2	0
V	45.6	69.7	39.5	54.6	83.0	8	28.0	31	49.0	22	50.0	19	70	3	0.85	0.30	21	6	4	0	–	–	–	–	0	1	2	0
VI	40.9	60.3	35.4	47.9	72.0	5	25.0	25	45.0	24	45.0	20	73	4	0.62	0.60	21	2	1	1	–	–	–	–	0	3	7	0
VII	40.6	62.2	35.1	48.7	74.0	23	22.0	10	47.0	9	52.5	25	74	3	1.09	0.93	11	4	3	1	–	–	–	–	0	1	13	0
VIII	46.7	69.9	38.1	54.0	83.0	25	21.0	7	50.5	7	56.0	10	56	1	0.06	0.06	6	1	1	0	–	–	–	–	0	0	5	0
IX	54.6	79.5	44.9	62.2	95.5	29	29.0	6	65.0	9	60.5	19	62	4	0.00	0.00	–	0	0	0	–	–	–	–	7	0	2	0
X	54.6	77.3	44.0	60.7	95.0	27	31.5	19	62.0	19	54.0	28	68	3	0.11	0.10	3	2	1	0	–	–	–	–	3	0	1	0
XI	67.2	89.1	52.4	70.7	102.0	27	42.0	18	67.0	17	71.0	15	49	2	0.00	0.00	–	0	0	0	–	–	–	–	19	0	0	2
XII	66.7	88.2	53.0	70.6	102.5	12	43.0	22	73.0	4	82.0	15	51	3	0.70	0.70	4	1	1	1	–	–	–	–	21	0	0	2
Jaar Year	55.5	78.3	46.8	62.5	106.0	–	21.0	–	45.0	–	82.0	–	66	3	10.29	1.88	–	40	27	9	–	–	–	–	105	5	32	9
No. 22/3573 ANDRIESFONTEIN. ϕ = 30 57'S; λ = 24 35'E; H = 4,460 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	69.3	86.9	56.0	71.5	95.0	15	48.0	9	67.2	31	66.0	6	–	3	1.70	0.48	6	6	6	2	7	0	–	–	22	0	0	0
II	72.1	90.5	59.7	75.1	101.0	8	52.0	3	67.7	2	75.0	11	–	3	0.41	0.11	16	4	4	0	6	0	–	–	23	0	0	2
III	61.8	78.7	52.1	65.4	89.0	1	38.0	19	62.3	19	61.0	6	–	3	1.93	0.80	10	5	4	2	3	0	–	–	2	0	0	0
IV	57.6	76.0	45.2	60.6	84.0	9	24.9	30	52.3	28	56.0	20	–	2	0.82	0.71	9	3	3	1	4	0	–	–	0	0	2	0
V	45.0	65.2	33.6	49.4	76.9	4	24.0	31	42.5	23	47.1	20	–	4	0.42	0.26	20	4	3	0	1	0	–	–	0	4	13	0
VI	35.1	57.9	26.4	42.1	66.0	3	20.2	13	42.0	24	35.0	21	–	3	0.18	0.18	21	1	1	0	0	0	–	–	0	3	26	0
VII	37.7	59.5	28.7	44.1	69.0	22	17.8	2	46.0	8	43.8	26	–	3	0.65	0.65	12	1	1	1	0	0	–	–	0	4	18	0
VIII	44.5	67.1	31.6	49.3	77.0	29	18.8	8	48.0	7	46.0	11	–	1	0.00	0.00	–	0	0	0	0	0	–	–	0	3	15	0
IX	57.0	79.8	40.1	59.9	89.9	24	27.0	2	68.0	2	56.0	29	–	2	0.00	0.00	–	0	0	0	0	0	–	–	6	0	5	0
X	57.9	75.4	43.0	59.2	88.2	28	26.0	20	58.0	19	56.7	25	–	4	0.14	0.09	3	3	1	0	2	0	–	–	4	0	1	0
XI	69.1	86.2	50.1	68.1	95.9	3	39.9	17	70.0	11	64.0	30	–	2	0.30	0.19	9	3	3	0	2	0	–	–	16	0	0	0
XII	67.9	85.4	52.1	68.7	96.2	15	38.9	23	67.8	22	67.0	13	–	2	1.44	1.25	30	3	3	1	2	1	–	–	13	0	0	0
Jaar Year	56.3	75.7	43.2	59.5	101.0	–	17.8	–	42.0	–	75.0	–	–	3	7.99	1.25	–	33	29	7	27	1	–	–	86	14	80	2
No. 23/3702 GRASSRIDGE. ϕ = 31 46'S; λ = 25 28'E; H = 3,480 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	69.8	92.3	56.4	74.3	104.0	2	44.0	5	74.0	7	67.0	31	–	3	0.88	0.51	6	3	3	1	–	–	–	–	24	0	0	0
II	72.6	97.1	62.0	79.5	108.0	8	51.0	1	75.0	1	73.0	27	–	4	1.42	0.57	28	3	3	2	–	–	–	–	26	0	0	7
III	64.5	84.1	54.1	69.1	92.0	9	41.0	19	65.0	11	63.0	16	–	3	1.86	1.13	11	3	3	2	–	–	–	–	12	0	0	0
IV	59.6	81.6	49.5	65.5	93.0	8	36.0	29	67.0	22	64.0	4	–	3	0.94	0.46	9	3	3	1	–	–	–	–	10	0	0	0
V	49.1	70.4	39.7	55.1	85.0	8	31.0	31	51.0	23	47.0	20	–	2	0.28	0.21	21	3	2	0	–	–	–	–	0	0	1	0
VI	42.8	61.5	31.8	46.7	69.0	5	21.0	16	45.0	25	41.0	18	–	2	0.27	0.27	23	1	1	0	–	–	–	–	0	2	15	0
VII	43.6	65.2	33.5	49.3	75.0	22	21.0	11	52.0	10	49.0	26	–	1	0.23	0.12	26	2	2	0	–	–	–	–	0	0	14	0
VIII	50.7	71.7	40.2	55.9	83.0	25	23.0	8	53.0	7	56.0	23	–	1	0.00	0.00	–	0	0	0	–	–	–	–	0	0	4	0
IX	58.6	81.5	49.0	65.3	93.0	27	31.0	8	67.0	9	70.0	30	–	1	0.00	0.00	–	0	0	0	–	–	–	–	6	0	1	2
X	57.6	80.6	43.8	62.2	96.0	3	36.0	22	65.0	20	51.0	29	–	3	0.95	0.50	–	3	3	2	–	–	–	–	12	0	0	0
XI	69.8	89.9	55.0	72.5	101.0	27	42.0	19	74.0	11	77.0	16	–	4	0.60	0.30	26	3	3	0	–	–	–	–	19	0	0	1
XII	70.0	92.7	54.3	73.5	103.0	15	40.0	24	80.0	2	66.0	12	–	1	0.07	0.07	1	1	1	0	–	–	–	–	24	0	0	0
Jaar Year	59.1	80.7	47.4	64.1	108.0	–	21.0	–	45.0	–	77.0	–	–	2	7.50	1.13	–	25	24	8	–	–	–	–	133	2	35	10
No. 23/3933 ALIWAL NORTH. ϕ = 30 42'S; λ = 26 43'E; H = 4,367 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	69.6	87.9	58.2	73.1	96.7	3	51.8	10	70.8	7	72.5	15	56	–	1.18	0.39	6	5	5	0	–	–	–	–	22	0	0	1
II	71.4	89.1	51.7	75.4	97.4	9	54.8	3	72.2	1	74.0	11	59	–	1.68	0.73	2	10	7	1	–	–	–	–	21	0	0	2
III	57.8	79.9	53.9	66.9	88.0	2	42.0	19	66.5	20	62.0	2	83	–	1.53	0.50	28	11	7	2	–	–	–	–	2	0	0	0
IV	57.3	76.7	48.7	62.7	85.0	9	27.7	29	52.7	29	55.0	1	72	–	1.85	1.32	10	3	3	1	–	–	–	–	0	0	2	0
V	44.7	65.7	32.5	49.1	78.0	9	23.0	31	42.2	23	48.0	6	72	–	1.13	0.48	21	6	6	1	–	–	–	–	0	4	17	0
VI	36.7	59.9	26.2	43.1	66.5	18	20.5	17	43.2	26	37.0	23	73	–	0.24	0.13	21	3	2	0	–	–	–	–	0	2	28	0
VII	38.6	62.6	30.1	46.3	70.2	23	20.2	1	47.5	9	41.5	17	64	–	0.04	0.04	12	1	1	0	–	–	–	–	0	1	20	0
VIII	44.8	68.5	35.6	52.1	79.0	26	26.0	8	50.5	6	49.0	29	58	–	0.06	0.06	4	1	1	0	–	–	–	–	0	0	10	0
IX	58.5	80.0	43.5	61.7	88.5	30	34.0	8	70.0	3	54.0	29	52	–	0.00	0.00	–	0	0	0	–	–	–	–	3	0	0	0
X	61.0	76.9	47.3	62.1	88.5	30	31.0	20	60.0	6	63.0	25	53	–	0.64	0.46	4	3	2	1	–	–	–	–	6	0	1	0
XI	69.5	86.0	54.3	70.1	94.0	27	46.0	13	73.0	12	66.0	27	51	–	1.79	0.55	11	6	6	1	–	–	–	–	15	0	0	0
XII	68.3	87.0	54.4	70.7	99.2	20	43.0	23	65.0	23	67.0	16	52	–	2.21	1.24	31	5	5	2	–	–	–	–	16	0	0	0
Jaar Year	56.5	76.7	45.5	61.1	99.2	–	20.2	–	42.2	–	74.0	–	62	–	12.35	1.32	–	54	45	9	–	–	–	–	85	7	78	3

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m				Extremes Uiterstes				Lowest Max. Laagste Maks. Highest Min. Hoogste Min.				Mean Rel. Hum. Gem. Rel. Vogtigh.	Mean Cloud Amt. Gem. Wolkebylkt.	Precipitation in inches. Neerslag in duime. R.			Number of Days with Aantal Dae met Precipn. Neerslag			Thunder Donder	Hail Hagel	Fog Mist	Frost Vorsl.				
	0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Max.	Dat.	Min.	Dat.	Max.	Dat.	Min.	Dat.	U % 0830	N 0-10 0830	M	Max. in 24 h.	Dat.	≥ ·01	≥ ·04	≥ ·40					Max. ≥ 86°F.	Max. < 50°F.	Min. < 32°F.	Min. ≥ 68°F.
No. 23/3941A FORT BEAUFORT. ϕ = 32 46'S; λ = 26 40'E; H = 1,495 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	68.8	86.3	58.2	72.3	105.8	29	48.3	6	69.0	27	71.3	30	–	5	1.67	0.79	31	5	5	2	2	0	0	0	16	0	0	2
II	71.4	89.2	64.3	76.7	113.0	10	57.4	1	67.3	12	70.0	8	–	5	1.48	0.51	18	8	4	2	6	0	0	0	19	0	0	4
III	66.3	82.6	57.7	70.1	95.0	28	43.7	20	65.5	3	68.8	7	–	5	1.48	0.37	6	9	8	0	8	0	0	1	13	0	0	1
IV	63.9	82.4	55.3	68.9	99.5	9	40.5	30	64.0	28	71.3	9	–	5	0.43	0.24	22	4	4	0	4	0	0	1	10	0	0	1
V	57.7	76.7	48.0	62.3	90.8	8	39.0	31	56.7	21	67.5	20	–	3	0.53	0.22	23	7	3	0	0	0	0	0	9	0	0	0
VI	51.4	68.7	42.3	55.5	79.7	17	31.8	13	49.0	25	59.0	21	–	4	0.33	0.15	21	4	3	0	0	0	0	0	0	3	1	0
VII	53.6	71.4	43.1	57.3	84.5	23	30.7	4	56.7	10	65.0	26	–	2	0.28	0.26	26	2	1	0	0	0	0	0	0	0	4	0
VIII	56.6	75.6	45.0	60.3	91.0	25	29.2	8	56.4	7	70.2	11	–	3	0.00	0.00	–	0	0	0	0	0	0	0	7	0	1	1
IX	60.9	80.5	50.7	65.6	106.0	29	38.8	7	64.0	13	64.0	23	–	5	0.02	0.02	4	1	0	0	0	0	0	1	8	0	0	0
X	60.7	75.2	50.5	62.9	89.9	8	39.4	20	61.0	2	60.7	29	–	6	1.58	0.57	4	9	7	2	4	0	0	0	5	0	0	0
XI	69.8	88.1	57.0	72.5	105.3	15	49.4	17	73.0	11	71.3	16	–	3	0.16	0.13	11	2	1	0	4	0	0	0	17	0	0	3
XII	68.5	84.6	57.4	71.0	101.0	15	47.0	24	65.5	27	68.9	13	–	4	0.72	0.36	4	7	5	0	6	0	0	0	15	0	0	1
Year Year	62.5	80.1	52.5	66.3	113.0	–	29.2	–	49.0	–	71.3	–	–	4	8.68	0.79	–	58	41	6	34	0	0	3	119	1	6	13
No. 23/3944A BALFOUR. (WILSONIA) ϕ = 32 36'S; λ = 26 42'E; H = 2,300 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2.69	1.95	31	5	5	1	–	–	–	–	–	–	–	–
II	72.7	91.4	61.7	76.5	110.6	10	56.0	1	67.0	12	68.0	21	72	4	1.15	0.63	28	9	5	1	4	0	0	1	21	0	0	0
III	66.0	81.4	55.1	68.3	93.0	1	41.0	20	64.0	3	66.4	7	77	3	4.23	2.45	6	10	9	2	6	0	0	2	12	0	0	0
IV	61.5	83.0	49.5	66.3	97.0	9	33.6	30	62.0	23	61.0	10	78	4	0.86	0.24	22	8	6	0	2	0	0	2	11	0	0	0
V	53.0	75.9	40.3	58.1	91.0	8	30.8	31	54.0	21	51.6	30	71	3	0.74	0.23	23	6	5	0	0	0	0	0	6	0	1	0
VI	44.5	68.6	35.7	52.1	78.0	5	25.4	2	47.0	25	59.0	21	73	4	0.54	0.14	11	7	6	0	0	0	0	0	0	1	12	0
VII	49.5	71.3	37.1	54.2	83.0	23	22.0	19	56.0	10	53.0	6	62	2	0.41	0.38	26	2	1	0	0	0	0	0	0	0	10	0
VIII	56.7	75.4	41.7	58.5	89.0	29	26.4	16	56.0	7	65.0	18	62	3	0.20	0.20	4	1	1	0	0	0	0	0	2	0	4	0
IX	61.7	82.5	47.0	64.7	103.0	29	32.8	8	68.0	9	59.0	29	66	5	0.00	0.00	–	0	0	0	0	0	0	1	9	0	0	0
X	60.6	76.8	49.0	62.9	92.0	1	34.8	20	60.0	2	58.0	30	68	7	2.20	0.70	4	14	11	2	1	0	0	0	5	0	0	0
XI	73.6	92.3	53.2	72.7	107.0	27	44.0	12	72.0	4	64.0	28	(51)	(1)	0.63	0.30	30	6	5	0	2	0	0	0	18	0	0	0
XII	68.3	86.9	53.2	70.1	107.4	15	43.0	6	63.0	21	65.0	20	62	4	0.79	0.24	1	6	5	0	3	0	0	0	18	0	0	0
Year Year	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14.44	2.45	–	74	59	6	–	–	–	–	–	–	–	–
No. 24/4012 CATHCART. ϕ = 32 18'S; λ = 27 10'E; H = 3,800 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	66.3	80.4	54.0	67.2	97.0	29	44.0	9	62.0	27	71.0	14	65	3	2.44	0.80	6	7	6	3	–	0	0	0	8	0	0	1
II	68.5	83.2	59.3	71.3	100.5	8	52.0	2	56.0	2	70.0	11	70	3	2.50	0.60	28	12	10	2	–	0	0	1	14	0	0	1
III	60.9	74.9	52.8	63.9	85.0	1	41.0	19	55.0	3	63.0	7	81	3	2.65	0.59	6	13	9	3	–	0	0	4	0	0	0	0
IV	59.2	74.2	49.9	62.1	87.0	9	39.0	30	55.0	28	58.0	4	74	3	0.82	0.24	10	5	5	0	–	0	0	5	2	0	0	0
V	51.9	66.1	43.6	54.9	80.0	5	30.0	31	46.0	22	56.0	2	71	2	1.04	0.42	23	5	5	1	–	0	0	1	0	3	1	0
VI	48.3	60.0	40.6	50.3	66.0	17	31.0	2	45.0	25	53.0	18	54	2	0.27	0.14	21	3	3	0	–	0	1	0	0	1	1	0
VII	48.6	62.0	41.5	51.7	71.0	23	28.0	19	47.0	10	57.0	26	51	1	0.19	0.16	26	2	1	0	–	0	1	0	0	2	2	0
VIII	53.4	68.6	42.7	55.7	80.0	25	30.0	8	47.0	7	60.0	23	49	1	0.00	0.00	–	0	0	0	–	0	0	1	0	1	4	0
IX	57.8	74.8	45.9	60.3	92.0	29	30.0	13	60.0	9	56.0	29	63	3	0.27	0.09	22	5	3	0	–	0	0	2	4	0	1	0
X	56.2	67.9	46.6	57.3	85.0	25	37.0	22	52.0	3	61.0	1	75	5	3.98	1.61	3	9	7	3	–	1	0	0	0	0	0	0
XI	66.4	82.2	51.2	66.7	97.0	27	40.0	12	66.0	11	65.0	10	55	2	1.07	0.47	27	5	5	1	–	0	0	0	10	0	0	0
XII	65.4	81.1	52.1	66.6	98.0	15	39.0	6	56.0	22	69.0	17	56	3	1.06	0.48	4	6	5	1	–	0	0	0	12	0	0	1
Year Year	58.6	72.9	48.3	60.6	100.5	–	28.0	–	45.0	–	71.0	–	64	3	16.29	1.61	–	72	59	14	–	1	2	14	50	7	9	3
No. 24/4027 EVELYN VALLEY. ϕ = 32 44'S; λ = 27 15'E; H = 4,000 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	61.2	72.3	50.5	61.4	89.0	29	44.0	5	57.0	7	62.0	30	76	5	6.52	2.08	31	16	15	5	3	0	0	1	4	0	0	0
II	66.1	75.4	57.4	66.4	99.0	10	48.0	1	56.0	1	65.0	20	77	5	4.79	1.32	24	13	9	4	4	0	0	1	3	0	0	0
III	60.4	69.2	53.0	61.1	82.0	28	40.0	19	54.0	3	62.0	7	81	4	5.63	1.36	10	15	14	7	1	0	0	1	0	0	0	0
IV	59.3	69.3	51.9	60.6	85.0	9	39.0	28	51.0	29	65.0	9	74	4	1.77	0.73	23	9	5	1	1	0	0	0	0	0	0	0
V	53.9	63.7	46.9	55.3	78.0	5	33.0	22	46.0	21	58.0	20	63	3	1.50	0.40	24	10	8	1	0	0	0	0	0	1	0	0
VI	47.9	59.0	43.5	51.3	68.0	5	31.0	25	41.0	25	51.0	8	63	4	2.44	1.05	11	10	6	2	0	0	1	0	0	4	1	0
VII	48.9	60.2	42.4	51.3	72.0	23	34.0	10	43.0	10	57.0	26	67	2	1.08	0.90	26	4	3	1	0	0	0	0	0	3	0	0
VIII	51.3	64.6	43.4	54.0	79.0	29	32.0	7	42.0	7	61.0	11	76	–	0.44	0.34	4	3	2	0	0	0	1	0	0	2	0	0
IX	56.8	68.9	47.7	58.3	91.0	29	37.0	8	53.0	9	63.0	29	70	4	2.56	0.91	22	11	10	2	0	0	0	1	3	0	0	0
X	51.5	62.2	44.9	53.5	77.0	7	36.0	22	50.0	2	55.0	1	85	7	8.81	1.86	15	18	15	7	3	0	0	1	0	0	0	0
XI	61.0	74.7	51.1	62.9	90.0	27	41.0	12	60.0	11	65.0	22	(70)	4	1.97	0.65	4	10	8	1	5	0	0	0	3	0	0	0
XII	60.9	71.0	50.0	60.5	88.0	15	39.0	28	51.0	27	64.0	16	74	4	3.70	0.77	1	14	10	4	1	0	0	0	2	0	0	0
Year Year	56.6	67.5	48.6	58.1	99.0	–	31.0	–	41.0	–	65.0	–	(73)	–	41.21	1.86	–	133	105	35	18	0	2	5	15	10	1	0

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtgehl. U % 0830	Mean Cloud Amt. Gem. Wolkehvhd. N 0-10 0830	Precipitation in Inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Fog Mist	Snow Sneeuw	Max. ≥ 86°F.	Max. ≤ 50°F.	Min. ≤ 32°F.	Min. ≥ 68°F.
No. 24/4052 KINGWILLIAMSTOWN. ϕ = 32 52'S; λ = 27 23'E; H = 1,230 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	71.2	82.5	59.7	71.1	99.0	29	52.0	11	70.0	1	75.0	30	70	5	2.58	1.78	31	4	4	2	–	–	–	–	9	0	0	1
II	74.3	87.0	64.4	75.7	113.0	10	58.0	1	69.0	1	71.0	19	72	5	1.84	0.60	26	8	8	1	–	–	–	–	15	0	0	5
III	68.4	81.6	58.8	70.2	98.0	28	45.0	20	66.0	3	70.0	7	73	4	1.39	0.28	10	12	9	0	–	–	–	–	10	0	0	1
IV	66.7	82.9	56.5	69.7	101.0	4	48.0	26	64.0	23	65.0	10	70	4	0.26	0.15	22	3	3	0	–	–	–	–	11	0	0	0
V	58.2	77.5	48.9	63.2	93.0	5	40.0	31	55.0	21	57.0	20	67	3	0.48	0.20	23	6	4	0	–	–	–	–	8	0	0	0
VI	51.7	69.8	43.3	56.5	82.0	18	34.0	13	52.0	25	54.0	9	64	4	0.53	0.15	11	6	5	0	–	–	–	–	0	0	0	0
VII	52.1	72.1	42.0	57.1	89.0	23	33.0	4	58.0	10	56.0	8	56	2	0.31	0.31	27	1	1	0	–	–	–	–	2	0	0	0
VIII	56.6	76.5	45.3	60.9	95.0	29	31.0	6	58.0	7	57.0	11	54	3	0.02	0.02	4	1	0	0	–	–	–	–	9	0	1	0
IX	61.8	78.7	52.3	65.5	106.0	29	43.0	7	58.0	13	61.0	29	68	4	0.51	0.24	12	4	3	0	–	–	–	–	7	0	0	0
X	62.9	73.1	53.5	63.3	89.0	8	44.0	20	60.0	2	62.0	25	68	5	2.34	0.69	3	10	10	2	–	–	–	–	1	0	0	0
XI	70.9	84.3	58.0	71.1	103.0	15	51.0	12	75.0	18	70.0	10	59	4	0.28	0.28	10	1	1	0	–	–	–	–	11	0	0	3
XII	70.0	82.3	58.6	70.5	96.0	15	46.0	28	65.0	22	68.0	13	58	4	0.82	0.44	4	4	4	1	–	–	–	–	12	0	0	0
Jaar Year	63.7	79.0	53.4	66.2	113.0	–	31.0	–	52.0	–	75.0	–	65	4	11.36	1.78	–	60	52	6	–	–	–	–	95	0	1	10
No. 24/4065 MOHALESHOEK. ϕ = 30 09'S; λ = 27 29'E; H = 5,250 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	70.7	84.9	56.7	70.8	93.0	3	51.0	9	74.0	7	65.0	16	56	–	3.97	1.50	31	8	8	2	–	–	–	–	12	0	0	0
II	69.6	85.5	59.0	72.3	94.0	10	54.0	2	66.0	3	63.0	10	64	–	2.75	0.70	28	12	11	4	–	–	–	–	15	0	0	0
III	63.6	77.8	51.4	64.6	88.0	3	38.0	21	69.0	19	62.0	1	73	–	4.77	1.00	6	15	11	5	–	–	–	–	2	0	0	0
IV	58.9	72.3	46.1	59.2	82.0	1	32.0	28	49.0	28	52.0	18	65	–	0.17	0.06	22	5	3	0	–	–	–	–	0	3	0	0
V	48.2	60.5	36.1	48.3	78.0	8	28.0	27	46.0	24	46.0	8	63	–	2.10	1.08	21	6	5	2	–	–	–	–	0	4	6	0
VI	43.5	55.0	33.7	44.3	69.0	3	25.0	26	45.0	25	41.0	11	69	–	0.03	0.02	21	2	0	0	–	–	–	–	0	7	7	0
VII	47.8	62.3	33.1	47.7	70.0	13	25.0	22	49.0	23	47.0	7	63	–	0.06	0.06	13	1	1	0	–	–	–	–	0	1	11	0
VIII	54.0	69.8	36.0	52.9	77.0	31	25.0	9	58.0	15	46.0	18	–	–	0.00	0.00	–	0	0	0	–	–	–	–	0	0	8	0
IX	63.9	78.8	47.8	63.3	87.0	30	34.0	8	68.0	7	65.0	25	–	–	0.01	0.01	9	1	0	0	–	–	–	–	1	0	0	0
X	62.9	76.5	47.6	62.1	88.0	18	29.0	20	65.0	20	60.0	3	–	–	0.55	0.16	4	5	4	0	–	–	–	–	1	0	1	0
XI	69.4	83.0	54.8	68.9	90.0	27	45.0	18	68.0	11	67.0	27	–	–	1.77	0.41	9	8	7	2	–	–	–	–	9	0	0	0
XII	70.0	83.6	53.7	68.7	93.0	20	33.0	23	66.0	22	69.0	16	–	–	3.46	1.16	30	6	5	4	–	–	–	–	9	0	0	2
Jaar Year	60.2	74.2	46.3	60.3	94.0	–	25.0	–	45.0	–	69.0	–	–	–	19.64	1.50	–	69	55	19	–	–	–	–	49	15	33	2
No. 24/4133 EMYANYANA. ϕ = 31 51'S; λ = 28 06'E; H = 2,800 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	66.2	82.3	57.0	69.7	100.0	30	51.0	9	64.0	1	65.0	30	–	5	3.31	0.90	31	13	10	3	–	–	–	–	11	0	0	0
II	70.1	83.6	61.5	72.5	105.0	11	53.0	2	60.0	1	69.0	20	–	4	3.93	1.20	21	12	9	3	–	–	–	–	9	0	0	2
III	65.6	78.0	57.0	67.5	90.0	1	46.0	19	59.0	3	62.0	15	–	3	4.72	1.50	2	16	15	4	–	–	–	–	3	0	0	0
IV	63.0	78.3	54.7	66.5	91.0	9	46.0	30	63.0	28	61.0	4	–	2	0.55	0.32	17	4	4	0	–	–	–	–	5	0	0	0
V	59.2	74.6	49.5	62.1	88.0	8	43.0	4	54.0	21	58.0	8	–	1	0.33	0.25	21	2	2	0	–	–	–	–	1	0	0	0
VI	54.0	68.2	44.3	56.3	77.0	5	34.0	13	54.0	24	54.0	28	–	1	0.09	0.05	11	2	2	0	–	–	–	–	0	0	0	0
VII	54.3	71.6	43.4	57.5	82.0	26	32.0	2	52.0	10	60.0	6	–	1	0.25	0.17	26	2	2	0	–	–	–	–	0	0	0	0
VIII	59.7	77.6	46.3	61.9	90.0	30	32.0	8	54.0	7	63.0	11	–	1	0.03	0.03	30	1	0	0	–	–	–	–	4	0	0	0
IX	63.2	80.1	52.1	66.1	100.0	20	40.0	8	55.0	23	64.0	20	–	3	0.61	0.39	22	7	5	0	–	–	–	–	9	0	0	0
X	59.3	71.6	50.3	60.9	94.0	25	41.0	14	55.0	2	57.0	25	–	4	5.51	1.72	3	12	9	5	–	–	–	–	2	0	0	0
XI	68.4	85.6	55.1	70.3	104.0	27	47.0	17	71.0	12	69.0	16	–	2	0.79	0.27	30	9	6	0	–	–	–	–	11	0	0	1
XII	66.6	80.0	55.0	67.5	104.0	25	44.0	22	61.0	21	66.0	13	–	3	2.64	0.90	1	11	11	2	–	–	–	–	9	0	0	0
Jaar Year	62.5	77.6	52.2	64.9	105.0	–	32.0	–	52.0	–	69.0	–	–	3	22.76	1.72	–	91	75	17	–	–	–	–	64	0	0	3
No. 24/4174 MATATIELE. ϕ = 30 20'S; λ = 28 48'E; H = 4,800 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	–	78.4	55.4	66.9	91.0	3	50.0	7	59.0	7	60.0	29	–	3	4.19	1.16	7	10	7	5	–	–	–	–	5	0	0	0
II	–	80.2	59.0	69.6	92.0	10	49.0	2	56.0	2	63.0	8	–	3	6.97	3.23	22	9	9	6	–	–	–	–	8	0	0	2
III	–	72.7	53.2	62.9	81.0	9	41.0	18	56.0	3	61.0	1	–	4	8.01	2.48	1	16	15	7	–	–	–	–	0	0	0	0
IV	–	73.6	50.2	61.9	80.0	17	38.0	29	54.0	28	56.0	14	–	2	0.57	0.18	11	5	4	0	–	–	–	–	0	0	0	0
V	–	67.1	44.3	55.7	77.0	4	31.0	31	47.0	22	52.0	20	–	2	0.33	0.26	22	3	2	0	–	–	–	–	0	1	1	0
VI	–	61.7	40.7	51.2	71.0	17	26.0	25	42.0	25	48.0	29	–	2	0.00	0.00	–	0	0	0	–	–	–	–	0	2	2	0
VII	–	63.9	41.2	52.5	76.0	26	31.0	10	49.0	10	49.0	6	–	1	0.03	0.03	13	1	1	0	–	–	–	–	0	1	3	0
VIII	–	69.4	44.7	57.1	79.0	25	32.0	8	42.0	7	55.0	11	–	2	0.00	0.00	–	0	0	0	–	–	–	–	0	2	0	0
IX	–	78.0	51.3	64.7	90.0	30	42.0	7	53.0	9	65.0	30	–	3	0.92	0.83	10	2	2	1	–	–	–	–	2	0	0	0
X	–	73.1	47.4	60.3	86.0	1	41.0	12	52.0	13	54.0	4	–	3	1.41	0.52	4	7	5	1	–	–	–	–	0	0	(0	0)
XI	–	82.4	54.0	68.2	89.0	27	45.0	12	59.0	12	65.0	15	–	2	0.39	0.24	11	5	2	0	–	–	–	–	10	0	0	0
XII	–	80.8	54.9	67.9	93.0	19	43.0	22	56.0	2	65.0	25	–	3	2.38	0.74	1	10	8	3	–	–	–	–	4	0	0	0
Jaar Year	–	73.4	49.7	61.5	93.0	–	26.0	–	42.0	–	65.0	–	–	3	25.20	3.23	–	68	55	23	–	–	–	–	34	6	(6	2)

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x̄ Max.	n̄ Min.	(x̄+n̄)/2 Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtigh. U x̄ 0830	Mean Cloud Amt. Gem. Wolkehvlht. N 0–10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. < 50°F.	Min. < 32°F.	Min. ≤ 68°F.
No. 24/4181 BASHEE.																												
I	70.9	76.8	63.7	70.3	82.0	18	59.0	2	69.0	1	69.0	30	80	5	4.92	3.00	31	8	8	3	–	–	–	–	0	0	0	1
II	73.0	79.3	67.8	73.5	86.0	10	61.0	3	70.0	1	74.0	9	89	6	2.20	0.88	2	10	10	2	–	–	–	–	0	0	0	13
III	70.3	76.6	63.9	70.3	84.0	29	58.0	19	70.0	3	68.0	7	80	5	4.48	2.50	31	11	9	3	–	–	–	–	0	0	0	0
IV	68.1	75.4	62.0	68.7	92.0	27	53.0	29	70.0	20	66.0	7	83	3	0.42	0.22	11	3	3	0	–	–	–	–	1	0	0	0
V	65.2	75.2	58.5	66.9	93.0	16	50.0	23	65.0	21	67.0	11	58	3	1.17	0.76	21	6	3	1	–	–	–	–	2	0	0	0
VI	60.1	72.0	53.9	62.9	84.0	29	50.0	25	63.0	25	59.0	11	58	3	0.43	0.25	3	2	2	0	–	–	–	–	0	0	0	0
VII	60.2	74.2	53.8	64.0	90.0	6	41.0	19	61.0	10	63.0	7	58	1	0.12	0.07	15	2	2	0	–	–	–	–	3	0	0	0
VIII	61.9	72.2	55.0	63.6	93.0	20	48.0	16	65.0	7	61.0	23	71	3	0.26	0.15	30	2	2	0	–	–	–	–	1	0	0	0
IX	65.9	73.1	59.0	66.1	107.0	29	54.0	10	66.0	13	64.0	20	84	3	2.56	0.50	22	10	9	4	–	–	–	–	2	0	0	0
X	64.5	70.4	59.0	64.7	81.0	5	51.0	20	63.0	3	67.0	25	84	4	6.94	2.50	15	11	11	5	–	–	–	–	0	0	0	0
XI	69.9	75.5	62.2	68.9	85.0	15	57.0	19	71.0	26	68.0	10	78	4	0.52	0.18	20	5	4	0	–	–	–	–	0	0	0	0
XII	70.0	75.8	62.9	69.3	82.0	19	56.0	23	69.0	23	70.0	20	81	4	1.27	0.42	27	8	6	1	–	–	–	–	0	0	0	1
Jaar Year	66.7	74.7	60.1	67.4	107.0	–	41.0	–	61.0	–	74.0	–	75	4	25.29	3.00	–	78	69	19	–	–	–	–	9	0	0	15
No. 25/4200 SANDFLATS.																												
I	59.5	77.1	53.8	65.5	92.5	3	48.0	6	62.0	7	59.0	21	80	5	4.89	1.70	6	8	7	5	3	0	0	0	5	0	0	0
II	63.2	80.4	56.7	68.5	94.0	10	50.0	3	67.5	2	63.5	9	82	3	2.64	0.58	2	8	7	3	4	0	0	0	8	0	0	0
III	56.2	72.7	51.9	62.3	82.5	1	39.0	19	56.0	3	61.0	2	86	5	4.90	1.25	2	10	8	5	6	0	0	2	0	0	0	0
IV	53.6	73.3	46.8	60.1	82.5	9	31.0	29	56.5	28	52.5	17	74	3	0.70	0.33	23	3	3	0	0	0	0	6	0	0	1	0
V	48.1	68.3	40.4	54.3	77.5	4	29.0	31	49.0	22	51.5	21	54	2	0.60	0.55	21	2	2	1	0	0	0	0	0	1	1	0
VI	42.8	61.8	34.7	48.3	68.5	29	27.0	25	50.0	24	44.5	6	51	2	0.08	0.08	11	1	1	0	0	0	0	1	0	0	11	0
VII	45.9	64.5	36.8	50.7	76.0	26	26.0	21	45.0	10	47.5	6	46	1	0.00	0.00	–	0	0	0	0	0	0	0	0	1	5	0
VIII	48.7	69.3	39.9	54.6	79.5	26	29.0	8	40.0	7	53.0	12	50	2	0.00	0.00	–	0	0	0	0	0	0	0	2	0	2	3	0
IX	54.4	77.1	46.9	62.0	90.0	30	37.5	3	61.5	9	60.0	30	64	4	0.30	0.30	9	1	1	0	0	0	0	3	2	0	0	0
X	52.6	72.2	46.4	59.3	88.5	18	34.0	20	57.0	3	64.0	1	71	5	1.06	0.35	4	6	6	0	0	0	0	1	2	0	0	0
XI	58.4	80.7	52.2	66.5	92.5	27	41.5	12	67.5	12	62.0	28	70	3	3.10	1.64	30	7	6	2	9	0	0	0	10	0	0	0
XII	58.5	78.8	52.2	65.5	92.0	25	41.0	23	60.5	2	61.5	17	75	4	2.06	0.42	12	10	9	2	12	0	0	0	8	0	0	0
Jaar Year	53.5	73.0	46.6	59.8	94.0	–	26.0	–	40.0	–	64.0	–	67	3	20.33	1.70	–	56	50	18	34	0	0	15	35	4	21	0
No. 25/4231 WEZA (Plantasie/Plantation)																												
I	67.7	79.5	52.6	66.1	94.0	30	43.2	13	58.9	7	61.2	30	78	7	8.07	2.00	31	19	17	6	1	–	–	–	6	0	0	0
II	74.7	84.7	57.1	70.9	101.2	10	48.6	3	60.5	2	70.0	25	79	5	4.93	1.33	2	13	13	4	3	–	–	–	14	0	0	1
III	66.5	77.8	52.4	65.1	92.2	1	39.6	20	61.2	4	63.5	7	85	5	11.16	5.58	16	14	14	5	5	–	–	–	1	0	0	0
IV	63.9	77.2	47.9	62.5	87.9	4	30.3	30	68.0	11	57.0	8	81	2	0.65	0.30	1	6	3	0	1	–	–	–	1	0	1	0
V	57.7	75.4	40.9	58.1	85.0	9	31.6	28	56.0	22	57.0	9	83	2	1.71	1.60	21	2	2	1	0	–	–	–	0	0	1	0
VI	51.0	69.3	34.7	52.0	78.0	29	24.2	13	52.2	25	43.8	12	77	1	0.00	0.00	–	0	0	0	0	–	–	–	0	0	8	0
VII	53.4	71.4	34.8	53.1	83.0	31	25.8	8	50.8	11	47.0	6	70	1	0.05	0.05	10	1	1	0	0	–	–	–	0	0	10	0
VIII	60.1	77.7	39.8	58.7	89.0	4	30.0	14	49.3	7	49.0	21	61	3	0.24	0.16	28	2	2	0	0	–	–	–	5	1	3	0
IX	65.5	79.9	46.1	63.0	99.0	30	34.4	8	61.9	26	59.0	21	66	5	0.90	0.38	26	5	4	0	0	–	–	–	8	0	0	0
X	64.1	72.8	47.0	59.9	97.0	1	29.2	20	57.0	3	57.4	19	75	7	5.49	1.70	3	17	17	4	1	–	–	–	3	0	1	0
XI	71.6	83.4	49.8	66.6	95.3	16	41.0	7	57.9	18	63.0	28	63	5	2.30	0.43	4	16	15	1	6	–	–	–	12	0	0	0
XII	70.7	84.1	53.6	68.9	101.2	25	41.0	24	60.0	27	83.0	17	67	5	3.89	1.00	2	15	13	5	3	–	–	–	15	0	0	2
Jaar Year	63.9	77.8	46.4	62.1	101.2	–	24.2	–	49.3	–	83.0	–	74	4	39.39	5.58	–	110	101	26	20	–	–	–	65	1	24	3
No. 25/4258B PENNINGTON.																												
I	74.0	79.9	66.8	73.3	87.0	22	62.5	14	70.5	7	72.0	31	80	6	3.37	0.67	26	18	11	3	4	0	0	0	3	0	0	9
II	75.1	81.7	70.1	75.9	88.0	9	62.0	3	69.0	2	74.0	9	88	5	5.62	1.55	12	11	8	4	1	0	0	0	2	0	0	20
III	71.9	79.5	65.8	72.7	84.5	1	57.0	19	66.0	3	74.2	2	87	5	9.22	2.03	3	15	12	7	4	0	0	0	0	0	0	7
IV	70.6	78.7	64.3	71.5	83.0	17	57.0	30	73.0	29	69.5	8	83	3	0.40	0.19	23	7	3	0	2	0	0	0	0	0	0	2
V	63.7	75.1	55.9	65.5	80.0	9	46.0	23	57.2	22	63.5	26	81	2	2.02	0.83	21	3	3	3	0	0	0	0	0	0	0	0
VI	58.7	70.5	52.4	61.5	73.5	16	45.0	18	65.8	25	57.0	12	79	2	0.13	0.06	11	3	2	0	0	0	0	0	0	0	0	0
VII	58.0	69.9	52.3	61.1	78.0	7	46.0	5	59.8	9	57.0	1	78	2	2.17	1.62	15	4	4	1	0	0	0	0	0	0	0	0
VIII	61.7	71.2	54.5	62.9	76.5	18	48.0	13	62.0	7	60.0	24	81	3	0.12	0.05	7	4	2	0	0	0	0	0	0	0	0	0
IX	67.7	74.5	61.2	67.9	82.0	29	54.5	6	70.2	26	67.0	30	83	5	0.80	0.23	23	8	5	0	0	0	0	0	0	0	0	0
X	68.1	74.0	61.3	67.7	78.0	30	55.2	20	65.5	7	68.0	17	81	7	4.64	1.43	3	20	13	2	4	1	0	0	0	0	0	0
XI	71.5	77.4	63.7	70.5	83.0	10	59.0	19	69.0	17	71.5	28	79	5	1.15	0.30	25	12	7	0	3	0	0	0	0	0	0	2
XII	73.0	78.5	65.5	72.0	85.5	25	55.2	23	69.0	10	73.5	19	75	5	3.15	0.65	1	17	14	2	6	0	0	0	0	0	0	5
Jaar Year	67.8	75.9	61.1	68.5	88.0	–	45.0	–	57.2	–	74.2	–	81	4	32.79	2.03	–	122	84	22	24	1	0	0	5	0	0	45

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtgehl. U % 0830	Mean Cloud Amt. Gem. Wolkevrhl. N 0-10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Precipn. Neerslag -01	-04	-40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. >86°F.	Max. <50°F.	Min. <32°F.	Min. >68°F.
No. 26/4274 TAFELBERG/TABLE MOUNTAIN (Huis/House), ϕ = 33 59'S; λ = 18 24'E; H = 2,496 vt/ft; h_t = 4 vt/ft; h_r = 6 vt/ft.																												
I	61.0	69.1	54.4	61.7	88.0	12	48.0	1	53.0	7	76.0	14	74	5	0.05	0.05	3	1	1	0	0	0	0	10	3	0	0	3
II	65.8	74.7	57.0	65.9	88.5	25	50.0	1	58.0	11	71.0	26	69	4	0.15	0.15	10	1	1	0	0	0	0	6	1	0	0	1
III	64.0	71.5	56.0	63.7	91.5	24	38.0	10	53.0	18	74.5	24	66	4	0.84	0.25	18	5	5	0	0	0	0	7	2	0	0	5
IV	59.5	67.6	53.8	60.7	85.0	14	42.0	28	49.0	27	70.5	14	75	5	4.24	1.60	27	8	7	2	0	0	0	11	0	1	0	1
V	54.7	59.4	49.7	54.5	77.0	8	33.0	21	45.0	21	66.0	9	86	7	13.31	1.88	29	17	16	11	0	0	0	19	0	8	0	0
VI	50.0	54.1	45.9	50.0	67.0	16	37.0	21	43.0	24	60.0	17	80	6	12.82	1.92	22	18	18	9	0	0	0	17	0	8	0	0
VII	46.4	52.1	43.5	46.8	69.0	4	33.0	8	42.0	9	51.0	23	75	5	9.42	2.55	30	15	15	9	0	0	0	13	0	16	0	0
VIII	46.6	53.2	40.9	47.1	73.0	28	34.0	7	40.0	6	46.0	17	77	5	7.82	1.30	3	15	15	9	0	0	0	9	0	13	0	0
IX	53.8	61.4	47.1	54.3	83.0	28	41.5	6	50.0	6	64.0	20	67	5	0.57	0.18	1	5	5	0	0	0	0	10	0	0	0	0
X	50.7	56.8	45.7	51.3	79.0	24	39.0	19	49.0	20	57.0	24	80	2	4.26	2.45	4	10	10	2	0	0	0	14	0	3	0	0
XI	60.6	68.5	50.8	59.7	87.5	2	41.5	17	49.0	17	67.0	2	57	5	1.08	0.40	10	5	5	1	0	0	0	10	1	1	0	0
XII	57.0	63.3	50.2	56.7	78.0	12	44.0	22	53.0	21	61.0	3	77	5	2.52	0.68	31	8	8	3	0	0	0	10	0	0	0	0
Jaar Year	55.8	62.6	49.4	56.0	91.5	–	33.0	–	40.0	–	76.0	–	74	5	57.08	2.55	–	108	106	46	0	0	0	136	7	50	0	10
No. 26/4283 KAAPSTAD/CAPE TOWN (Hospitaal/City Hosp.), ϕ = 33 54'S; λ = 18 25'E; H = 54 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	66.8	81.2	60.9	77.7	99.2	12	55.2	20	70.4	31	68.8	27	68	2	0.06	0.04	21	2	1	0	0	0	0	3	6	0	0	1
II	64.6	83.6	60.0	71.8	99.8	25	56.2	26	74.0	11	65.8	1	81	2	0.05	0.05	10	1	1	0	0	0	0	5	6	0	0	0
III	63.9	81.0	59.1	70.1	102.0	24	54.4	1	68.0	17	68.0	25	75	3	0.23	0.18	1	3	1	0	0	0	0	0	8	0	0	0
IV	60.5	75.1	57.2	66.1	95.0	3	49.2	30	62.0	29	63.2	24	87	5	2.21	1.07	27	9	7	1	0	0	0	2	3	0	0	0
V	57.2	67.3	53.3	60.3	83.8	8	47.8	21	56.6	21	63.2	10	86	6	6.92	2.40	21	16	14	6	0	0	0	1	0	0	0	0
VI	54.3	65.0	51.3	58.1	77.2	16	45.0	26	57.0	23	54.4	18	86	6	5.85	1.53	19	17	15	3	0	0	0	0	0	0	0	0
VII	51.1	–	47.9	–	–	–	42.0	16	–	–	56.0	5	86	6	3.53	0.72	30	15	12	4	0	0	0	1	–	–	0	0
VIII	52.5	65.9	48.5	57.2	83.0	28	41.2	8	56.2	4	54.0	27	80	6	3.42	0.90	5	12	10	4	0	0	0	2	0	0	0	0
IX	58.6	70.3	53.2	61.7	91.0	28	49.0	26	61.0	24	59.4	13	78	5	0.13	0.05	23	4	1	0	0	0	0	1	2	0	0	0
X	59.5	69.4	54.9	62.1	83.4	24	50.0	23	61.4	20	60.0	12	78	6	1.37	0.76	4	8	7	1	0	0	0	0	0	0	0	0
XI	64.3	76.4	57.2	66.8	91.4	14	53.0	17	65.0	17	62.4	2	74	3	0.25	0.11	10	4	3	0	0	0	0	5	0	0	0	0
XII	63.7	76.3	57.8	67.1	89.0	2	54.0	28	67.0	16	65.4	1	74	4	0.27	0.06	25	7	4	0	0	0	0	1	1	0	0	0
Jaar Year	59.7	–	55.1	–	–	–	41.2	–	–	–	68.8	–	79	5	24.29	2.40	–	98	76	19	0	0	0	16	–	–	0	1
No. 26/4286 TOKAI. ϕ = 34 04'S; λ = 18 25'E; H = 206 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	69.5	81.5	57.7	69.6	96.0	29	50.0	2	72.0	8	64.0	27	68	–	0.03	0.02	3	2	0	0	–	–	–	–	7	0	0	0
II	69.9	84.3	58.3	71.3	101.0	25	52.0	1	72.0	11	64.0	17	69	–	0.10	0.10	16	1	1	0	–	–	–	–	9	0	0	0
III	67.0	80.9	57.1	69.0	99.0	25	51.0	20	69.0	19	67.0	25	73	–	0.35	0.14	17	4	4	0	–	–	–	–	7	0	0	0
IV	62.9	77.9	53.9	65.9	96.0	2	47.0	28	62.0	26	59.0	14	77	–	2.97	1.43	27	9	7	2	–	–	–	–	6	0	0	0
V	57.3	67.7	50.5	59.1	86.0	10	45.0	31	57.0	30	59.0	11	88	–	9.56	1.92	21	19	15	9	–	–	–	–	0	0	0	0
VI	53.4	63.3	47.8	56.5	75.0	14	42.0	26	55.0	23	54.0	19	88	–	7.50	1.65	22	18	14	6	–	–	–	–	0	0	0	0
VII	50.0	60.7	44.0	52.3	77.0	4	38.0	9	54.0	8	54.0	6	89	–	7.04	1.84	30	19	14	7	–	–	–	–	0	0	0	0
VIII	51.6	62.2	43.7	52.9	84.0	28	38.0	6	54.0	5	52.0	13	86	–	6.39	1.04	11	17	13	7	–	–	–	–	0	0	0	0
IX	58.7	68.7	49.8	59.3	87.0	18	42.0	4	60.0	1	55.0	12	88	–	0.74	0.45	5	6	4	1	–	–	–	–	1	0	0	0
X	60.7	68.7	50.1	59.4	80.0	23	42.0	19	60.0	4	57.0	4	82	–	1.99	0.84	4	13	7	2	–	–	–	–	0	0	0	0
XI	67.3	76.7	54.0	65.3	93.0	29	48.0	22	64.0	17	60.0	29	76	–	1.06	0.68	18	5	4	1	–	–	–	–	3	0	0	0
XII	67.3	75.5	53.9	64.7	84.0	12	49.0	27	67.0	21	62.0	1	76	–	0.84	0.34	16	10	6	0	–	–	–	–	0	0	0	0
Jaar Year	61.3	72.3	51.7	62.0	101.0	–	38.0	–	54.0	–	67.0	–	80	–	38.57	1.92	–	123	89	35	–	–	–	–	33	0	0	0
No. 26/4288 KIRSTENBOSCH. ϕ = 33 58'S; λ = 18 26'E; H = 293 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	68.0	76.1	59.6	67.9	94.6	29	51.9	3	66.0	31	67.0	28	78	–	0.02	0.02	3	1	0	0	–	–	–	–	5	0	0	0
II	69.7	79.5	60.8	70.1	99.8	25	56.1	26	70.6	27	65.9	25	80	–	0.05	0.05	10	1	1	0	–	–	–	–	5	0	0	0
III	68.7	77.7	59.7	68.7	98.4	25	52.7	17	64.0	18	68.3	25	74	–	0.48	0.23	28	4	4	0	–	–	–	–	7	0	0	1
IV	63.4	73.7	56.1	64.9	94.0	14	47.0	28	59.1	27	62.3	14	84	–	3.93	1.88	27	8	7	2	–	–	–	–	3	0	0	0
V	59.0	67.2	52.1	59.7	86.0	9	44.3	21	63.7	21	63.7	10	82	–	10.42	1.83	21	15	14	9	–	–	–	–	0	0	0	0
VI	54.3	62.6	49.8	56.2	76.3	17	41.7	26	54.8	23	56.1	19	90	–	11.43	2.27	22	18	16	6	–	–	–	–	0	0	0	0
VII	50.8	59.1	45.3	52.2	77.8	4	39.6	10	53.0	8	54.1	6	89	–	10.98	3.43	30	17	15	9	–	–	–	–	0	0	0	0
VIII	53.3	61.6	46.0	53.8	82.7	28	38.1	8	52.0	6	54.0	29	86	–	8.67	1.80	3	16	15	8	–	–	–	–	0	0	0	0
IX	59.0	67.6	51.5	59.5	88.2	18	44.3	26	58.6	6	55.6	23	82	–	0.30	0.11	24	6	3	0	–	–	–	–	1	0	0	0
X	59.9	65.6	51.9	58.7	76.6	24	46.1	23	57.6	4	58.2	1	80	–	2.05	0.87	4	14	8	2	–	–	–	–	0	0	0	0
XI	66.4	73.5	55.7	64.6	89.7	29	49.2	18	59.2	17	63.2	2	73	–	0.97	0.37	16	6	5	0	–	–	–	–	1	0	0	0
XII	66.0	72.5	56.2	64.3	82.8	12	49.9	28	64.5	21	62.5	1	78	–	1.99	0.73	31	7	7	2	–	–	–	–	0	0	0	0
Jaar Year	61.5	69.7	53.7	61.7	99.8	–	38.1	–	52.0	–	68.3	–	81	–	51.29	3.43	–	113	95	38	–	–	–	–	22	0	0	1

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtgeh. U % 0830	Mean Cloud Amt. Gem. Wolkehvbd. N 0-10 0830	Precipitation in inches. Neerslag in duime. R. Σ	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met: Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. < 32°F.	Min. < 32°F.	Min. ≥ 68°F.
No. 26/4298 KAAPSTAD/CAPE TOWN (Sterrewag/R. Observatory) ϕ = 33 56'S; λ = 18 29'E; H = 40 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	68.1	78.9	61.2	70.1	93.3	28	54.0	20	71.6	8	68.8	28	67	3	0.03	0.03	3	1	0	0	0	0	0	1	6	0	0	1
II	68.0	82.7	61.5	72.1	102.9	25	55.9	16	73.0	28	66.0	4	73	2	0.04	0.03	10	2	0	0	0	0	0	2	6	0	0	0
III	65.9	81.1	60.0	70.5	103.8	24	54.9	17	68.5	18	67.0	15	73	3	0.20	0.09	1	4	3	0	0	0	1	10	0	0	0	0
IV	61.3	76.6	57.0	66.8	99.0	3	43.4	30	62.8	27	63.4	12	84	5	1.71	0.86	27	9	6	2	0	0	0	2	4	0	0	0
V	57.2	68.3	52.4	60.3	89.0	8	45.1	28	64.8	21	59.2	10	87	7	7.00	1.88	21	17	14	7	0	0	0	5	1	0	0	0
VI	53.5	64.0	49.7	56.9	79.2	16	40.4	26	56.3	23	57.0	3	86	6	6.56	1.47	19	19	16	4	0	0	0	1	0	0	0	0
VII	49.8	60.7	45.8	53.3	73.8	4	38.9	3	54.6	14	54.6	6	88	6	3.75	0.91	30	18	13	2	0	0	0	8	0	0	0	0
VIII	51.9	63.0	47.3	55.1	80.4	28	38.8	8	55.1	6	54.9	29	85	5	3.42	0.76	5	15	12	4	0	0	0	3	0	0	0	0
IX	59.1	69.1	53.8	61.5	90.2	18	43.9	26	59.9	24	58.5	18	78	6	0.18	0.06	24	7	2	0	0	0	0	2	1	0	0	0
X	60.3	68.8	53.8	61.3	81.8	24	48.3	29	59.9	4	59.3	24	75	6	1.32	0.72	4	8	6	1	0	0	0	0	0	0	0	0
XI	66.8	77.2	58.0	67.6	95.4	29	51.2	18	65.3	16	65.1	2	64	4	0.18	0.11	11	4	2	0	0	0	0	1	4	0	0	0
XII	65.7	75.4	57.5	66.5	85.3	24	50.4	24	66.5	31	63.7	1	68	4	0.67	0.23	20	7	6	0	0	0	0	1	0	0	0	0
Jaar Year	60.6	72.1	54.8	63.5	103.8	–	38.8	–	54.6	–	68.8	–	77	5	25.06	1.88	–	111	80	20	0	0	0	27	32	0	0	1
No. 26/4300 KAAPPUNT/CAPE POINT. ϕ = 34 21'S; λ = 18 30'E; H = 248 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	63.3	67.2	60.6	63.9	84.0	29	59.0	1	63.0	1	64.0	26	83	4	0.03	0.03	20	1	0	0	0	0	0	4	0	0	0	0
II	63.8	68.0	61.3	64.7	80.0	25	58.0	26	64.0	11	64.0	10	92	4	0.00	0.00	–	0	0	0	0	0	0	5	0	0	0	0
III	62.7	68.6	58.9	63.7	92.0	24	56.0	19	60.0	18	63.0	25	87	5	0.29	0.11	18	4	4	0	0	0	0	12	2	0	0	0
IV	62.2	68.0	58.5	63.3	83.0	14	50.0	30	60.0	27	62.0	19	88	6	1.06	0.45	26	6	5	1	0	0	0	4	0	0	0	0
V	60.3	65.7	56.1	60.9	80.0	8	44.0	22	57.0	20	65.0	10	81	6	2.66	0.84	11	13	10	2	0	0	0	5	0	0	0	0
VI	57.1	61.9	54.1	58.0	75.0	14	46.0	20	54.0	24	58.0	14	85	7	2.87	0.78	20	13	10	3	0	0	0	2	0	0	0	0
VII	54.4	58.3	51.8	55.1	74.0	4	44.0	8	53.0	7	60.0	5	89	6	2.64	0.64	30	10	9	2	2	2	0	0	0	0	0	0
VIII	54.4	59.4	51.6	55.0	82.0	28	45.0	7	51.0	6	56.0	29	85	5	1.92	0.56	11	11	10	2	0	0	0	1	0	0	0	0
IX	57.1	61.2	54.9	58.1	79.0	18	50.0	20	57.0	5	58.0	19	91	7	0.23	0.23	24	1	1	0	0	0	0	4	0	0	0	0
X	57.5	61.5	54.8	58.1	67.0	8	52.0	19	57.0	14	59.0	30	88	7	0.23	0.07	1	9	2	0	0	0	0	2	0	0	0	0
XI	60.9	65.0	58.2	61.6	73.0	29	49.0	17	59.0	17	63.0	29	90	5	0.27	0.10	16	5	3	0	0	0	0	4	0	0	0	0
XII	62.2	65.9	59.3	62.6	74.0	19	51.0	25	61.0	27	62.0	19	82	5	0.26	0.23	16	2	1	0	0	0	0	2	0	0	0	0
Jaar Year	59.7	64.2	56.7	60.5	92.0	–	44.0	–	51.0	–	65.0	–	87	6	12.46	0.84	–	75	55	10	2	2	0	45	2	0	0	0
No. 26/4304 LANGEBERG. ϕ = 33 20'S; λ = 18 35'E; H = 300 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	73.0	92.1	62.1	77.1	107.0	28	54.0	1	80.0	3	75.0	28	55	1	0.00	0.00	–	0	0	0	0	0	0	0	21	0	0	4
II	72.6	93.1	63.8	78.5	106.5	25	56.0	1	80.0	11	73.5	25	66	2	0.00	0.00	–	0	0	0	0	0	0	1	25	0	0	3
III	70.7	88.2	62.8	75.5	104.0	24	50.0	19	69.0	18	75.0	25	59	3	0.03	0.03	28	1	0	0	0	0	0	0	19	0	0	6
IV	63.3	81.9	57.8	69.9	100.0	3	48.5	28	60.5	28	73.0	3	74	4	0.25	0.20	26	4	1	0	0	0	0	0	12	0	0	2
V	57.4	69.5	53.1	61.3	92.0	8	44.5	21	52.5	21	66.6	9	80	6	3.60	0.62	29	13	12	1	0	0	0	0	3	0	0	0
VI	52.7	63.4	49.8	56.6	77.0	17	39.5	25	55.0	24	57.5	13	86	6	4.11	1.15	19	12	10	3	0	0	0	4	0	0	0	0
VII	49.4	60.3	45.8	53.1	75.0	4	39.0	9	52.0	8	53.9	6	88	4	2.67	0.60	31	10	10	3	0	0	0	0	0	0	0	0
VIII	51.7	64.3	46.6	55.5	86.0	28	38.0	7	55.0	5	54.5	28	79	4	2.24	0.78	11	9	6	3	0	0	0	1	0	0	0	0
IX	58.5	75.1	51.9	63.5	96.0	28	45.5	7	60.0	24	61.0	19	76	4	0.19	0.14	24	3	2	0	0	0	0	0	3	0	0	0
X	60.8	74.2	51.7	62.9	87.0	24	45.0	19	64.0	19	57.5	27	71	8	0.27	0.11	18	5	3	0	0	0	0	0	2	0	0	0
XI	68.5	85.1	57.5	71.3	105.0	2	48.0	17	66.0	17	71.0	2	59	2	0.85	0.71	10	3	3	1	0	0	0	0	16	0	0	1
XII	68.3	82.0	58.1	70.1	98.5	2	50.0	22	71.0	21	69.9	3	63	3	0.29	0.29	31	1	1	0	0	0	0	0	8	0	0	1
Jaar Year	62.2	77.4	55.1	66.3	107.0	–	38.0	–	52.0	–	75.0	–	71	4	14.50	1.15	–	61	48	11	0	0	0	6	109	0	0	17
No. 26/4320 STEENBRAS DAM. ϕ = 34 11'S; λ = 18 50'E; H = 1,112 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	66.5	78.4	59.0	68.7	93.0	13	52.5	1	67.2	7	67.0	25	69	3	0.02	0.02	29	1	0	0	–	–	–	–	6	0	0	0
II	68.0	81.5	62.2	71.9	96.0	25	56.5	27	69.5	11	67.5	8	78	2	0.09	0.09	10	1	1	0	–	–	–	–	7	0	0	0
III	65.3	78.1	59.2	68.7	97.5	24	51.0	18	61.0	18	68.0	13	72	3	0.41	0.14	17	4	4	0	–	–	–	–	9	0	0	0
IV	61.3	73.7	56.0	64.9	91.5	14	42.5	30	56.2	28	63.0	14	79	4	3.99	2.90	27	6	6	3	–	–	–	–	4	0	0	0
V	56.3	63.5	51.1	57.3	83.0	8	41.5	21	50.5	20	63.5	10	76	7	10.85	2.95	21	16	15	8	–	–	–	–	0	0	0	0
VI	51.4	59.0	47.6	53.3	73.0	16	41.0	26	49.5	23	53.0	3	83	6	7.95	2.00	20	18	14	7	–	–	–	–	0	1	0	0
VII	47.0	55.9	43.6	49.7	73.0	4	37.0	2	45.5	8	50.5	26	88	6	7.26	1.75	30	16	12	7	–	–	–	–	0	3	0	0
VIII	48.2	57.9	43.9	50.9	79.5	28	35.0	8	47.0	5	51.0	29	86	6	5.17	1.06	4	14	12	5	–	–	–	–	0	2	0	0
IX	55.8	65.8	50.5	58.1	88.0	28	41.0	26	54.0	24	55.0	18	77	5	0.27	0.20	24	3	2	0	–	–	–	–	2	0	0	0
X	55.6	63.5	51.1	57.3	83.5	24	43.5	19	55.0	20	58.0	24	79	4	2.37	0.78	5	11	8	3	–	–	–	–	0	0	0	0
XI	63.1	73.7	55.1	64.4	93.0	2	46.5	17	56.0	17	63.5	29	68	5	0.90	0.28	10	5	4	0	–	–	–	–	5	0	0	0
XII	61.9	70.7	55.0	62.9	81.5	3	50.0	27	61.0	21	61.5	3	72	5	0.54	0.18	26	5	4	0	–	–	–	–	0	0	0	0
Jaar Year	58.4	68.5	52.9	60.7	97.5	–	35.0	–	45.5	–	68.0	–	77	5	39.82	2.95	–	100	82	33	–	–	–	–	33	6	0	0

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtigh. U % 0830	Mean Cloud Amt. Gem. Wolkehvhd. N 0–10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. 86°F. ∧	Max. 50°F. ∨	Min. 32°F. ∨	Min. 68°F. ∧
No. 26/4322 STELLENBOSCH (Univ. Plaas/Farm). ϕ = 33 56'S; λ = 18 51'E; H = 390 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	70.2	84.6	57.0	70.8	102.0	28	41.9	1	73.5	2	69.8	27	–	2	0.00	0.00	–	0	0	0	–	–	–	–	13	0	0	1
II	69.5	86.2	57.9	72.1	103.5	25	52.0	6	73.0	6	68.9	24	–	2	0.04	0.04	10	1	1	0	–	–	–	–	13	0	0	1
III	66.2	83.5	56.6	70.1	103.5	16	48.0	20	64.5	18	67.0	4	–	2	0.33	0.19	17	3	3	0	–	–	–	–	14	0	0	0
IV	59.5	76.1	51.8	63.9	97.8	14	42.8	30	59.5	28	59.3	9	–	4	2.06	1.41	27	6	4	1	–	–	–	–	3	0	0	0
V	56.0	67.6	49.8	58.7	84.5	10	43.9	3	53.0	20	61.9	10	–	6	8.17	1.45	29	15	15	7	–	–	–	–	0	0	0	0
VI	51.6	63.6	44.9	54.3	78.8	4	33.5	7	54.4	23	55.0	18	–	6	8.23	1.90	19	16	12	6	–	–	–	–	0	0	0	0
VII	46.6	59.9	43.0	51.5	79.2	4	35.0	22	51.3	7	52.4	31	–	5	8.20	1.90	6	17	15	6	–	–	–	–	0	0	0	0
VIII	49.4	63.1	44.0	53.5	84.8	28	33.5	8	52.2	6	53.7	29	–	5	5.49	1.88	11	14	10	4	–	–	–	–	0	0	0	0
IX	56.2	72.8	47.5	60.1	91.5	18	40.0	8	58.8	24	54.7	3	–	4	0.37	0.23	30	4	3	0	–	–	–	–	2	0	0	0
X	59.5	70.2	49.7	59.9	87.8	24	40.6	22	61.5	19	56.8	25	–	6	1.37	0.35	4	8	8	0	–	–	–	–	1	0	0	0
XI	66.4	76.7	52.7	64.7	90.5	1	43.8	20	64.3	16	61.0	30	–	4	0.63	0.30	16	3	3	0	–	–	–	–	3	0	0	0
XII	67.4	75.0	54.1	64.5	89.0	11	44.0	23	66.2	21	61.5	4	–	3	0.51	0.11	17	6	6	0	–	–	–	–	2	0	0	0
Year Jaar	59.9	73.3	50.7	62.0	103.5	–	33.5	–	51.3	–	69.8	–	–	4	35.40	1.90	–	93	80	24	–	–	–	–	50	0	0	2
No. 26/4326A SOMERSET WES/WEST (Din. Fab./Dyn. Fact.) ϕ = 34 06'S; λ = 18 51'E; H = 25 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	71.0	84.1	62.4	73.3	101.2	27	50.4	2	74.5	22	67.6	26	62	–	0.02	0.02	3	1	0	0	0	0	0	0	9	0	0	0
II	68.8	83.7	62.4	73.1	97.4	14	57.2	10	74.0	27	70.8	15	74	–	0.02	0.02	10	1	0	0	0	0	2	7	0	0	2
III	64.2	79.9	58.1	69.0	91.8	10	49.0	20	69.6	17	65.1	15	78	–	0.23	0.09	28	3	3	0	0	0	0	4	0	0	0
IV	59.4	76.2	53.7	64.9	92.5	2	45.0	30	61.5	27	60.4	24	84	–	2.35	1.51	27	4	4	2	0	0	0	0	3	0	0	0
V	55.8	68.7	50.5	59.6	85.8	7	44.8	28	55.0	21	59.5	11	85	–	6.73	1.80	19	12	12	6	1	0	0	0	0	0	0	0
VI	51.7	63.5	47.5	55.0	78.0	16	40.4	16	56.5	22	53.8	11	91	–	5.38	1.71	19	15	9	4	1	0	0	0	0	0	0	0
VII	47.3	60.7	43.1	51.9	75.6	4	34.8	16	52.5	7	54.5	6	95	–	5.89	1.29	30	15	12	7	0	1	0	0	0	0	0	0
VIII	50.0	64.1	44.5	54.3	85.0	28	35.0	8	54.0	6	52.6	2	88	–	3.54	1.36	4	8	8	3	1	1	0	0	0	0	0	0
IX	57.3	70.1	50.7	60.4	81.5	18	43.9	8	61.4	24	57.5	13	83	–	0.31	0.24	24	3	2	0	0	0	0	0	0	0	0	0
X	60.7	70.5	53.4	61.9	84.7	24	45.2	23	63.0	3	59.0	25	75	–	1.22	0.34	1	8	6	0	0	0	0	0	0	0	0	0
XI	66.8	77.7	55.7	66.7	90.5	14	48.5	22	67.2	16	64.3	30	70	–	0.46	0.20	16	6	2	0	0	0	0	0	2	0	0	0
XII	(67.1	77.1	56.8	66.9)	(92.3	11	46.7	28	68.8	21	65.3	1)	(67)	–	0.38	0.15	22	4	4	0	0	0	0	0	(2	0	0	0)
Year Year	(60.0	73.0	53.2	63.1)	(101.2	–	34.8	–	52.5	–	70.8	–	(79)	–	26.53	1.80	–	80	62	22	3	2	0	2	(27	0	0	2)
No. 26/4336 SEVEN RIVERS. ϕ = 33 55'S; λ = 18 56'E; H = 1,000 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	70.4	84.6	55.4	70.0	101.2	28	44.0	1	72.7	1	67.6	27	–	2	0.01	0.01	3	1	0	0	0	0	0	0	14	0	0	0
II	68.3	85.9	56.4	71.1	96.0	14	51.1	9	76.2	11	64.8	24	–	1	0.03	0.02	10	2	0	0	0	0	0	0	16	0	0	0
III	62.8	82.8	55.0	68.9	95.0	28	46.8	20	66.2	17	63.2	4	–	2	0.30	0.14	29	5	2	0	1	0	0	0	14	0	0	0
IV	54.9	79.0	48.8	63.9	96.3	14	40.0	30	55.1	27	60.0	9	–	4	2.87	1.82	27	6	6	2	1	0	0	0	6	0	0	0
V	51.7	67.2	46.8	57.0	87.8	8	38.9	31	50.0	21	53.9	11	–	7	10.94	2.39	29	17	14	9	1	0	0	1	2	0	0	0
VI	48.1	62.3	44.3	53.3	76.6	16	36.3	26	50.2	23	51.3	18	–	6	12.12	2.40	20	17	16	8	3	0	0	0	0	0	0	0
VII	44.4	59.3	40.0	49.7	75.1	4	30.1	16	48.0	8	50.9	6	–	5	11.32	1.89	30	19	14	9	1	0	0	0	0	2	2	0
VIII	46.6	62.6	40.9	51.7	81.2	28	31.1	8	49.8	5	48.9	26	–	6	6.57	1.71	11	15	13	5	0	0	0	0	0	1	1	0
IX	54.8	72.6	45.6	59.1	87.0	19	38.7	8	56.0	24	53.0	29	–	4	0.49	0.26	24	4	3	0	0	0	0	0	1	0	0	0
X	57.5	70.1	47.4	58.7	87.1	24	38.1	22	60.0	19	55.7	12	–	6	2.23	0.89	18	10	7	2	0	0	0	0	1	0	0	0
XI	65.8	78.2	50.3	64.3	94.3	2	41.7	8	56.9	17	58.0	30	–	3	1.96	0.77	10	6	5	3	0	0	0	0	6	0	0	0
XII	65.2	76.6	50.8	63.7	90.0	2	41.1	28	65.0	21	59.0	17	–	3	1.11	0.30	31	9	8	0	0	0	0	0	4	0	0	0
Year Year	57.5	73.4	48.5	60.9	101.2	–	30.1	–	48.0	–	67.6	–	–	4	49.95	2.40	–	111	88	38	7	0	0	1	64	3	3	0
No. 26/4336A FAARL. ϕ = 33 45'S; λ = 18 57'E; H = 544 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	74.4	88.4	62.3	75.3	103.5	28	49.0	2	76.5	1	71.0	28	60	1	0.00	0.00	–	0	0	0	–	–	–	–	15	0	0	3
II	74.4	92.2	62.2	77.2	106.8	25	55.5	27	83.5	27	71.0	14	68	1	0.00	0.00	–	0	0	0	–	–	–	–	20	0	0	1
III	70.9	88.3	59.5	73.9	101.5	25	52.0	28	69.5	18	69.0	22	66	2	0.19	0.15	29	2	2	0	–	–	–	–	17	0	0	1
IV	62.9	81.8	53.7	67.7	100.5	3	43.0	30	59.5	27	60.5	24	80	2	2.51	1.44	27	4	4	2	–	–	–	–	10	0	0	0
V	54.7	69.9	47.8	58.9	89.5	9	40.0	28	53.5	21	56.5	11	92	4	8.32	1.76	28	12	12	9	–	–	–	–	2	0	0	0
VI	50.9	64.2	46.3	55.3	78.0	17	38.0	26	55.5	24	52.5	29	95	6	10.17	2.48	22	13	12	7	–	–	–	–	0	0	0	0
VII	48.3	61.5	43.1	52.3	72.5	4	35.0	16	53.0	8	53.5	2	92	5	8.58	2.50	30	15	11	6	–	–	–	–	0	0	0	0
VIII	(50.6	65.8	44.3	55.1)	84.0	28	36.5	8	54.5	6	53.5	31)	(86)	(3)	5.38	1.35	11	8	7	5	–	–	–	–	(0	0	0	0)
IX	60.5	75.4	50.9	63.1	96.5	28	44.0	8	62.0	6	58.5	12	71	2	0.72	0.34	1	3	3	0	–	–	–	–	3	0	0	0
X	61.8	73.3	52.2	62.7	94.5	24	44.5	19	61.0	19	59.5	4	67	4	0.95	0.27	18	8	5	0	–	–	–	–	1	0	0	0
XI	70.4	85.7	55.8	70.7	102.0	2	46.5	17	65.5	16	66.5	14	61	3	1.21	0.40	16	5	4	1	–	–	–	–	14	0	0	0
XII	(69.8	82.0	55.1	68.5)	93.0	3	48.0	28	68.0	21	66.0	1)	(58)	(8)	1.53	0.52	26	5	5	2	–	–	–	–	(6	0	0	0)
Year Year	(62.5	77.4	52.8	65.1)	106.8	–	35.0	–	63.0	–	71.0	–	(75)	(3)	39.56	2.50	–	75	65	32	–	–	–	–	(88	0	0	5)

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtigh. U % 0830	Mean Cloud Amt. Gem. Wolkebedk. N 0–10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. ≤ 50°F.	Min. ≤ 32°F.	Min. ≥ 68°F.
No. 26/4338 JONKERSHOEK. ϕ = 33 58'S; λ = 18 57'E; H = 900 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	70.5	85.3	59.3	72.3	99.6	28	48.5	2	74.0	31	71.0	12	60	2	0.03	0.03	3	1	0	0	0	0	0	1	13	0	0	2
II	70.2	87.4	59.0	73.2	102.0	25	52.4	27	73.0	11	69.0	14	71	2	0.02	0.02	28	1	0	0	0	0	0	3	15	0	0	1
III	65.6	83.3	58.0	70.7	98.5	25	49.0	1	63.8	18	67.4	25	68	3	0.46	0.18	27	6	3	0	1	0	0	0	14	0	0	0
IV	58.3	79.5	52.5	66.0	97.6	3	44.0	30	58.5	25	65.2	3	78	4	3.44	2.25	27	6	6	2	2	1	0	5	10	0	0	0
V	54.8	68.1	49.0	58.5	89.8	8	41.5	22	51.8	20	60.4	10	79	6	12.71	3.28	29	17	14	12	0	0	0	3	2	0	0	0
VI	52.0	63.0	47.7	55.3	77.6	14	39.8	26	52.2	23	54.5	17	80	6	12.17	2.23	19	17	15	10	3	3	0	0	0	0	0	0
VII	47.0	59.7	43.0	51.3	78.2	4	34.4	16	48.6	8	51.5	6	89	5	10.09	1.77	30	18	14	9	2	0	0	0	0	2	0	0
VIII	48.8	62.7	43.7	53.2	84.5	28	34.6	19	50.4	6	49.5	29	81	6	7.09	1.48	11	16	13	6	2	0	0	2	0	0	0	0
IX	58.3	72.1	48.9	60.5	90.8	28	39.6	8	58.4	24	56.4	28	70	5	0.72	0.32	30	4	4	0	0	0	0	2	2	0	0	0
X	58.1	68.7	49.6	59.1	89.5	24	40.6	23	59.5	19	57.4	8	75	6	3.10	0.96	18	9	7	4	0	0	0	0	1	0	0	0
XI	65.8	78.6	52.9	65.7	96.8	2	42.5	24	61.4	16	67.4	2	64	4	2.33	1.11	10	7	5	3	1	0	0	3	6	0	0	0
XII	65.7	76.0	53.1	64.5	88.0	11	44.5	10	62.3	31	65.0	1	64	3	0.82	0.29	16	8	6	0	0	0	0	2	4	0	0	0
Jaar Year	59.6	73.7	51.4	62.5	102.0	–	34.4	–	48.6	–	71.0	–	73	4	52.98	3.28	–	110	87	46	10	4	0	21	67	2	0	3
No. 27/4345 GROOT DRAKENSTEIN. ϕ = 33 52'S; λ = 19 01'E; H = 480 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	73.0	86.6	61.4	74.0	101.5	13	50.5	3	76.5	3	70.0	28	55	1	0.00	0.00	–	0	0	0	–	–	–	–	13	0	0	2
II	74.8	90.0	61.8	75.9	105.5	25	55.5	27	74.5	11	70.0	15	60	1	0.01	0.01	11	1	0	0	–	–	–	–	20	0	0	2
III	70.5	86.2	59.2	72.7	102.5	24	48.5	1	66.5	18	69.0	22	59	1	0.20	0.20	29	1	1	0	–	–	–	–	16	0	0	1
IV	63.7	81.2	54.2	67.7	99.5	3	44.0	30	57.0	28	63.5	3	70	2	2.99	2.03	27	4	4	2	–	–	–	–	12	0	0	0
V	53.5	69.3	48.6	58.9	90.5	8	42.0	31	54.0	21	54.5	25	85	4	10.17	2.22	29	14	13	10	–	–	–	–	3	0	0	0
VI	50.5	64.2	46.9	55.5	78.5	16	39.5	15	54.5	24	53.0	3	86	5	12.32	2.47	20	15	13	11	–	–	–	–	0	0	0	0
VII	46.8	61.2	44.0	52.6	76.5	22	36.0	16	50.5	7	53.5	25	86	5	9.17	1.86	6	16	13	8	–	–	–	–	0	0	0	0
VIII	49.8	64.6	44.7	54.7	85.0	28	35.0	8	52.0	6	54.0	29	80	5	4.18	0.88	3	12	11	5	–	–	–	–	0	0	0	0
IX	59.5	74.4	49.9	62.1	96.5	28	41.5	26	58.5	24	59.0	18	71	2	0.37	0.25	24	3	3	0	–	–	–	–	3	0	0	0
X	60.3	71.9	51.2	61.5	94.0	24	44.5	20	63.0	4	61.0	24	68	4	1.07	0.34	20	7	7	0	–	–	–	–	1	0	0	0
XI	66.9	82.4	55.2	68.8	100.0	2	46.0	24	60.5	17	65.0	2	62	2	0.93	0.55	10	5	4	1	–	–	–	–	11	0	0	0
XII	66.0	80.3	55.5	67.9	94.0	3	47.0	8	70.0	21	66.0	1	64	2	1.10	0.30	31	7	7	0	–	–	–	–	6	0	0	0
Jaar Year	61.3	76.0	52.7	64.3	105.5	–	35.0	–	50.5	–	70.0	–	71	3	42.51	2.47	–	85	76	37	–	–	–	–	85	0	0	5
No. 27/4370 DANGER POINT. ϕ = 34 37'S; λ = 19 18'E; H = 91 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	65.0	70.4	59.0	64.7	77.0	13	55.0	9	67.0	9	63.0	5	82	4	0.12	0.07	3	2	2	0	0	0	0	1	0	0	0	0
II	64.5	69.9	59.4	64.7	74.0	10	57.0	27	66.0	28	62.0	11	90	5	0.00	0.00	–	0	0	0	0	0	0	4	0	0	0	0
III	62.7	69.5	57.3	63.4	85.0	25	48.0	16	63.0	19	63.0	15	86	4	0.41	0.16	21	3	3	0	0	0	0	6	0	0	0	0
IV	62.7	67.9	58.7	63.3	74.0	14	49.0	28	62.0	28	63.0	13	90	4	1.26	0.75	27	5	5	1	0	0	0	2	0	0	0	0
V	60.2	66.7	55.0	60.9	77.0	10	48.0	21	59.0	27	60.0	10	86	5	4.24	0.91	20	12	11	5	1	0	0	2	0	0	0	0
VI	57.1	62.7	52.6	57.7	75.0	17	45.0	24	56.0	30	58.0	18	80	6	3.56	1.30	20	10	10	3	0	0	0	0	0	0	0	0
VII	54.3	59.5	49.6	54.5	76.0	30	41.0	10	53.0	9	56.0	30	80	4	2.29	0.41	17	12	10	2	0	0	0	0	0	0	0	0
VIII	54.8	63.3	48.5	55.9	79.0	17	38.0	7	55.0	15	56.0	29	77	3	4.28	2.39	3	9	8	2	0	0	0	0	0	0	0	0
IX	58.1	62.9	53.6	58.3	71.0	18	46.0	27	59.0	5	58.0	12	88	6	0.66	0.45	1	6	3	1	0	0	0	3	0	0	0	0
X	59.4	63.7	54.1	58.9	67.0	30	47.0	22	58.0	14	59.0	30	87	6	3.48	1.95	4	11	10	2	0	0	0	0	0	0	0	0
XI	63.6	68.8	58.0	63.4	75.0	29	50.0	8	65.0	8	64.0	29	85	4	0.27	0.15	10	3	2	0	0	0	0	3	0	0	0	0
XII	64.7	69.7	59.1	64.4	73.0	18	51.0	23	65.0	21	64.0	31	87	4	0.63	0.34	26	6	4	0	0	0	0	0	0	0	0	0
Jaar Year	60.6	66.3	55.4	60.9	85.0	–	38.0	–	53.0	–	64.0	–	85	6	21.20	2.39	–	79	68	16	1	0	0	21	0	0	0	0
No. 27/4393 "SFES BOMA". ϕ = 33 05'S; λ = 19 50'E; H = 1,982 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	72.9	91.7	62.1	76.9	103.8	29	50.4	1	80.0	7	69.9	29	49	1	0.00	0.00	–	0	0	0	2	0	0	0	26	0	0	4
II	75.4	95.9	65.8	80.9	104.7	25	57.5	12	81.2	1	72.9	10	53	1	0.09	0.08	20	2	1	0	5	0	0	0	27	0	0	6
III	68.1	85.1	60.1	72.6	94.8	27	50.0	19	65.3	18	68.2	6	67	1	2.05	2.00	6	3	1	1	0	0	0	0	17	0	0	1
IV	62.0	82.4	54.5	68.5	97.0	16	38.8	29	54.2	27	62.2	8	75	2	0.17	0.16	27	2	1	0	4	0	0	0	13	0	0	0
V	50.8	68.6	45.6	57.1	86.8	8	35.0	31	52.4	21	59.5	4	83	4	1.15	0.50	2	7	7	1	0	0	0	4	1	0	0	0
VI	44.2	61.2	40.6	50.9	70.9	16	34.1	26	49.1	24	46.0	23	89	4	0.96	0.41	22	5	4	1	0	0	0	3	0	1	0	0
VII	42.9	59.0	38.3	48.7	71.1	25	29.2	19	47.9	8	48.0	25	89	3	1.02	0.59	7	8	6	1	0	0	0	1	0	3	1	0
VIII	46.1	65.6	39.5	52.5	79.0	28	30.0	7	49.0	6	48.0	1	81	3	0.46	0.15	4	4	4	0	1	0	0	1	0	1	1	0
IX	58.4	77.9	48.2	63.1	93.1	19	41.9	7	62.0	6	55.1	20	64	2	0.00	0.00	–	0	0	0	4	0	0	1	6	0	0	0
X	58.3	73.4	48.6	61.0	93.0	24	40.1	20	60.0	19	58.8	24	62	3	0.27	0.13	3	3	2	0	0	0	0	0	1	0	0	0
XI	69.1	86.4	56.5	71.5	100.8	2	46.1	18	63.0	17	65.8	29	46	1	0.10	0.10	10	1	0	0	0	0	0	0	17	0	0	0
XII	67.7	84.0	56.5	70.3	96.9	3	46.0	22	68.0	26	64.4	15	50	1	0.00	0.00	–	0	0	0	0	0	0	0	11	0	0	0
Jaar Year	59.7	77.6	51.4	64.5	104.7	–	29.2	–	47.9	–	72.9	–	67	2	6.27	2.00	–	35	26	4	16	0	0	10	129	5	2	11

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtigh. 0830	Mean Cloud Amt. Gem. Wolkehvrhd. 0830	Precipitation in Inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Donder	Hail Hagel	Fog Mist Nevel	Dew Dauwe	Snow Sneeuw	Dry Droë	Max. > 86°F.	Max. < 50°F.	Min. < 32°F.	Min. < 68°F.
No. 27/4411 MONTAGU. ϕ = 33 48'S; λ = 20 08'E; H = 730 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																														
I	69.1	90.1	60.5	75.3	110.0	29	50.0	1	74.0	7	69.5	30	–	4	0.22	0.18	14	2	2	0	2	0	0	0	20	0	0	1
II	71.8	92.4	63.9	78.1	108.0	25	59.0	1	76.0	11	69.5	20	–	4	0.03	0.03	28	1	0	0	0	0	0	0	19	0	0	2
III	67.0	87.8	58.4	73.1	102.0	24	48.0	21	67.0	18	68.5	7	–	4	0.25	0.12	17	3	3	0	1	0	0	0	19	0	0	1
IV	59.7	82.7	53.2	67.9	103.0	14	41.0	30	60.0	27	64.5	9	–	4	0.70	0.59	27	2	2	1	0	0	0	0	11	0	0	0
V	52.0	72.8	47.0	59.9	92.5	9	38.5	31	53.0	20	56.5	13	–	5	5.45	3.70	21	10	10	1	1	0	0	0	4	0	0	0
VI	47.0	65.6	42.5	54.1	78.0	17	36.0	16	49.0	24	51.5	21	–	6	2.78	0.67	23	10	10	3	0	0	0	1	0	1	0	0
VII	44.1	63.5	38.8	51.1	83.0	1	31.5	19	53.0	8	53.5	31	–	4	2.60	0.65	7	9	6	3	0	0	0	1	0	0	1	0
VIII	45.8	67.8	40.7	54.3	85.0	28	32.5	7	53.0	6	51.5	31	–	5	2.08	0.69	3	9	6	3	0	0	0	0	0	0	0	0
IX	56.2	75.0	48.7	61.9	94.0	28	38.0	8	61.0	5	56.5	13	–	6	0.08	0.08	1	1	1	0	0	0	0	0	5	0	0	0
X	58.9	71.7	51.5	61.6	86.0	26	40.5	20	58.0	4	60.0	1	–	6	2.88	2.11	4	7	6	1	0	0	0	0	0	0	0	0
XI	66.8	85.1	55.3	70.2	99.5	29	43.0	23	68.0	17	65.6	28	–	3	1.00	1.00	10	1	1	1	1	1	0	0	13	0	0	0
XII	66.9	85.4	56.5	70.9	98.5	12	46.0	28	67.0	27	66.5	17	–	4	0.21	0.16	31	2	2	0	0	0	0	0	14	0	0	0
Jaar Year	58.8	78.3	51.4	64.9	110.0	–	31.5	–	49.0	–	69.5	–	–	5	18.28	3.70	–	57	49	13	5	1	0	2	105	1	1	4
No. 29/4532 DIEP WALLE/DEEPWALLS. ϕ = 33 58'S; λ = 23 10'E; H = 1,704 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																														
I	65.3	73.5	56.7	65.1	99.3	14	48.7	1	63.6	1	79.0	14	75	4	2.52	0.38	15	11	10	0	0	0	0	2	5	0	0	1
II	66.5	77.0	60.7	68.9	98.3	25	53.9	12	62.6	1	66.9	4	86	6	2.36	0.55	23	11	9	3	0	0	0	7	4	0	0	0
III	64.6	74.4	57.1	65.7	94.0	27	46.1	19	53.2	18	67.4	28	74	5	1.85	0.44	18	9	8	2	0	0	0	2	3	0	0	0
IV	62.7	75.3	55.9	65.6	96.1	8	43.4	28	55.9	28	76.4	4	73	4	1.28	0.37	27	8	7	0	1	0	0	2	6	0	0	1
V	57.3	69.4	52.1	60.7	93.9	6	38.9	21	52.2	23	65.1	5	71	6	8.08	2.48	22	13	12	4	0	0	0	1	4	0	0	0
VI	52.5	61.7	47.9	54.8	74.3	16	37.8	24	45.4	24	59.6	18	67	6	6.55	1.69	24	13	11	5	0	0	0	2	0	1	0	0
VII	50.2	60.5	45.3	52.9	75.7	23	38.0	19	46.9	9	53.2	7	69	3	2.39	0.79	26	8	6	3	0	0	0	0	0	1	0	0
VIII	52.9	64.1	46.4	55.3	83.7	17	34.4	7	47.8	6	61.6	10	66	4	3.07	0.88	31	8	8	3	0	0	0	2	0	1	0	0
IX	57.8	67.1	50.5	58.8	88.7	20	43.0	7	53.6	25	61.9	20	73	7	2.38	0.58	22	14	8	1	0	0	0	5	2	0	0	0
X	55.3	63.3	48.7	56.0	76.9	24	42.6	19	53.6	19	55.5	25	83	7	4.79	1.73	5	16	14	2	0	0	0	0	0	0	0	0
XI	62.4	71.9	52.5	62.2	91.2	9	42.7	17	60.2	11	62.0	30	82	5	2.72	1.07	16	7	7	3	0	0	0	0	3	0	0	0
XII	61.9	71.5	53.4	62.5	88.4	12	44.1	22	55.0	21	59.5	30	87	5	6.16	1.50	20	12	11	4	0	0	0	0	3	0	0	0
Jaar Year	59.1	69.1	52.3	60.7	99.3	–	34.4	–	45.4	–	79.0	–	75	5	44.15	2.48	–	130	111	30	1	0	0	23	30	3	0	2
No. 30/5613 LAKE MENTZ. ϕ = 33 12'S; λ = 25 10'E; H = 994 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																														
I	72.9	91.0	61.4	76.2	110.0	14	54.0	1	78.0	6	75.0	14	64	3	0.99	0.46	31	4	4	1	5	0	0	0	19	0	0	4
II	78.6	94.4	68.6	81.5	109.0	7	62.0	27	81.0	27	77.0	19	79	4	0.85	0.61	21	4	3	1	3	0	0	0	23	0	0	12
III	70.9	86.3	60.5	73.4	99.0	6	48.0	19	75.0	3	69.0	6	79	4	2.18	1.25	6	4	4	2	5	0	0	0	14	0	0	1
IV	67.3	84.0	55.8	69.9	101.5	4	40.0	29	63.0	30	66.0	9	78	3	0.64	0.31	22	4	3	0	2	0	0	0	10	0	0	0
V	55.6	74.9	45.0	59.9	89.0	19	34.0	31	57.0	23	57.0	5	89	4	0.87	0.40	23	5	4	1	0	0	0	0	4	0	0	0
VI	50.7	–	–	–	–	–	–	–	–	–	–	–	–	4	0.23	0.09	24	3	3	0	0	0	0	0	–	–	–	–
VII	47.8	67.6	38.0	52.8	82.0	5	29.0	3	58.0	9	51.0	15	90	3	0.53	0.45	11	3	2	1	0	0	0	0	0	0	6	0
VIII	55.6	74.9	41.3	58.1	95.0	29	32.0	6	60.5	7	58.0	31	79	2	0.00	0.00	–	0	0	0	0	0	0	0	5	0	0	0
IX	63.4	83.5	52.4	67.9	107.0	29	37.0	6	70.5	23	62.0	19	64	2	0.00	0.00	–	0	0	0	0	0	0	0	8	0	0	0
X	63.8	79.8	52.5	66.1	97.0	24	39.0	21	66.0	3	60.0	25	70	3	0.24	0.07	4	4	4	0	0	0	0	0	5	0	0	0
XI	73.0	92.9	58.3	75.6	107.5	15	45.0	12	79.0	18	70.0	29	58	2	0.05	0.05	10	1	1	0	3	0	0	0	23	0	0	3
XII	72.7	90.2	59.8	75.0	112.0	15	46.0	22	73.0	22	74.0	12	64	4	0.24	0.20	4	2	2	0	0	0	0	0	19	0	0	2
Jaar Year	64.4	–	–	–	112.0	–	–	–	–	–	–	–	–	3	6.82	1.25	–	34	30	6	18	0	0	0	–	–	–	–
No. 30/5627 UITENHAGE. ϕ = 33 46'S; λ = 25 24'E; H = 358 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																														
I	71.0	84.2	58.7	71.5	99.9	29	50.9	6	72.1	31	68.9	31	–	3	0.32	0.11	8	4	4	0	–	–	–	–	8	0	0	1
II	71.3	85.5	65.1	75.3	102.0	10	59.8	17	69.1	15	74.2	21	–	(4)	2.88	0.85	1	11	9	3	–	–	–	–	(11	0	0	6
III	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1.08	0.63	7	4	4	1	–	–	–	–	–	–	–	–
IV	62.8	82.1	55.3	68.7	102.1	3	48.1	27	68.0	23	64.4	4	–	3	0.48	0.17	10	4	4	0	–	–	–	–	6	0	0	0
V	59.1	77.9	50.4	64.1	94.1	10	39.9	22	59.1	24	62.0	11	–	2	2.93	1.31	24	4	4	2	–	–	–	–	8	0	0	0
VI	52.8	71.1	46.2	58.7	81.4	15	37.1	13	51.8	25	56.0	3	–	3	3.75	2.46	25	5	4	3	–	–	–	–	0	0	0	0
VII	50.1	70.0	43.5	56.7	82.8	23	37.0	21	57.4	9	51.6	24	–	2	0.73	0.46	11	3	3	1	–	–	–	–	0	0	0	0
VIII	55.8	76.1	46.3	61.2	91.2	10	31.8	8	60.2	7	56.6	29	–	1	0.54	0.54	31	1	1	1	–	–	–	–	2	0	1	0
IX	59.2	74.8	51.1	62.9	102.0	19	45.2	28	58.2	13	59.4	21	–	2	2.21	0.65	1	9	6	3	–	–	–	–	4	0	0	0
X	61.8	73.4	50.5	61.9	91.9	8	40.2	20	61.0	3	63.1	25	–	5	2.16	0.75	16	8	7	2	–	–	–	–	1	0	0	0
XI	70.8	83.4	56.3	69.9	98.7	15	47.6	12	76.8	3	64.9	4	–	2	0.39	0.20	11	3	3	0	–	–	–	–	8	0	0	0
XII	70.9	81.4	56.9	69.1	90.6	15	47.0	27	71.4	21	68.8	13	–	2	0.61	0.38	24	4	4	0	–	–	–	–	9	0	0	1
Jaar Year	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18.08	2.46	–	60	53	16	–	–	–	–	–	–	–	–

3rd ORDER STATIONS – STASIES van die 3e ORDE

Month Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	(x+n)/2 Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vochtigh. U 0830	Mean Cloud Amt. Gem. Wolkenvrlhd. N 0-10 0830	Precipitation in inches. Neerslag in duime. R. M	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ -01	≥ -04	≥ -40	Thunder Donder	Hail Hagel	Snow Sneeuw	Fog Mist	Max. ≥ 86°F.	Max. < 50°F.	Min. < 32°F.	Min. ≥ 68°F.
No. 30/5632M AMANZI ESTATE. φ = 33 42'S; λ = 25 31'E; H = 500 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	70.8	84.2	55.5	69.9	108.0	29	43.0	6	72.0	31	74.0	30	65	-	0.97	0.56	31	4	3	1	-	-	-	-	7	0	0	1
II	72.6	86.4	62.7	74.5	107.5	10	52.0	28	71.0	12	70.0	8	77	-	1.39	0.32	21	11	11	0	-	-	-	-	14	0	0	1
III	67.2	82.7	55.9	69.3	99.5	21	42.0	20	67.0	18	68.0	7	78	-	0.84	0.50	5	5	4	1	-	-	-	-	11	0	0	0
IV	66.5	83.6	51.3	67.5	110.0	8	42.0	30	66.0	28	63.0	10	73	-	0.42	0.17	9	4	3	0	-	-	-	-	10	0	0	0
V	58.0	76.9	45.5	61.2	95.0	8	37.0	3	57.0	23	56.0	16	74	-	1.78	0.72	23	5	5	1	-	-	-	-	8	0	0	0
VI	52.7	69.7	43.5	56.6	84.0	19	31.0	13	51.0	24	63.0	10	65	-	3.60	2.40	24	7	6	3	-	-	-	-	0	0	1	0
VII	50.7	69.4	39.9	54.7	83.0	23	28.0	11	57.0	9	53.0	31	70	-	0.76	0.47	11	3	3	1	-	-	-	-	0	0	3	0
VIII	54.1	74.8	39.9	57.3	92.0	17	26.0	8	61.0	7	54.0	30	63	-	0.58	0.33	31	2	2	0	-	-	-	-	4	0	4	0
IX	59.4	76.4	48.6	62.5	103.0	20	38.0	28	61.0	13	57.0	18	74	-	1.04	0.65	22	4	3	1	-	-	-	-	7	0	0	0
X	61.6	73.5	49.0	61.3	91.0	8	36.0	22	62.0	3	57.0	25	72	-	1.82	0.68	2	8	7	2	-	-	-	-	1	0	0	0
XI	70.4	82.9	51.6	67.3	103.0	15	42.0	23	74.0	11	65.0	10	59	-	0.10	0.10	10	1	1	0	-	-	-	-	8	0	0	0
XII	70.2	82.5	52.9	67.7	93.0	15	44.0	29	70.0	21	65.0	13	58	-	0.86	0.52	22	4	3	1	-	-	-	-	6	0	0	0
Year Jaar	62.8	78.6	49.7	64.1	110.0	-	26.0	-	61.0	-	74.0	-	69	-	14.16	2.40	-	58	51	11	-	-	-	-	76	0	8	2
No. 30/5638 PORT ELIZABETH (Vuurtoring/Lighthouse). φ = 33 58'S; λ = 25 37'E; H = 176 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	70.6	75.2	63.5	69.3	91.0	29	58.0	6	72.0	23	70.0	30	75	5	1.29	0.65	31	8	6	1	0	0	0	0	1	0	0	1
II	71.1	77.6	66.3	71.9	92.0	26	60.0	28	70.0	24	71.0	8	87	6	1.46	0.37	21	10	8	0	5	0	0	1	1	0	0	9
III	67.3	74.2	61.8	68.0	91.0	21	53.0	19	65.0	18	67.0	7	86	5	0.80	0.49	6	4	4	1	1	0	0	4	2	0	0	0
IV	66.5	75.1	60.5	67.8	101.0	4	51.0	28	63.0	28	65.0	9	80	4	0.41	0.32	9	5	2	0	1	0	0	3	2	0	0	0
V	61.9	74.1	55.5	64.8	93.0	10	45.0	22	66.0	23	65.0	20	75	4	5.57	1.75	24	9	9	4	1	0	0	1	6	0	0	0
VI	56.6	67.9	51.6	59.7	83.0	18	44.0	25	62.0	25	57.0	9	82	5	5.15	2.17	24	13	8	4	2	2	0	1	0	0	0	0
VII	55.8	66.6	49.8	58.2	82.0	5	45.0	19	57.0	18	56.0	24	80	3	1.21	0.50	9	8	4	1	1	0	0	1	0	0	0	0
VIII	57.4	68.0	51.1	59.5	84.0	17	43.0	7	59.0	7	57.0	30	77	3	1.64	0.73	6	7	6	2	0	0	0	0	0	0	0	0
IX	62.0	69.6	55.5	62.5	93.0	19	51.0	7	61.0	13	61.0	21	80	4	1.41	0.64	22	7	5	2	0	0	0	5	1	0	0	0
X	62.2	67.1	55.9	61.5	73.0	31	51.0	23	61.0	15	60.0	29	80	5	1.39	0.38	14	10	8	0	1	1	0	0	0	0	0	0
XI	67.8	72.9	59.9	66.4	83.0	15	53.0	17	68.0	17	66.0	30	72	4	0.05	0.03	11	3	0	0	0	0	0	3	0	0	0	0
XII	68.7	73.6	61.5	67.5	80.0	16	53.0	22	63.0	22	67.0	30	73	4	2.19	0.99	21	9	7	2	0	0	0	0	0	0	0	0
Year Jaar	64.0	71.8	57.7	64.7	101.0	-	43.0	-	62.0	-	71.0	-	79	4	22.47	2.17	-	93	67	17	12	3	0	19	13	0	0	10
No. 30/5677 GREAT FISH POINT. φ = 33 31'S; λ = 27 06'E; H = 239 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	69.5	75.6	61.5	68.5	84.0	29	53.0	24	70.0	31	69.0	26	76	6	1.66	1.13	31	7	5	1	0	0	0	2	0	0	0	1
II	70.6	77.0	64.2	70.6	90.0	26	57.0	7	69.0	12	71.0	19	87	6	0.97	0.38	28	7	5	0	0	0	0	10	1	0	0	2
III	68.1	72.6	61.2	66.9	79.0	21	52.0	19	66.0	19	67.0	1	86	4	1.09	0.33	19	12	6	0	0	0	0	5	0	0	0	0
IV	65.9	72.4	59.2	65.8	94.0	4	49.0	28	65.0	23	65.0	3	77	4	0.88	0.58	9	6	4	1	2	0	0	4	1	0	0	0
V	63.0	74.3	55.5	64.9	95.0	19	47.0	22	59.0	21	66.0	11	63	4	0.91	0.56	24	6	4	1	0	0	0	1	5	0	0	0
VI	56.7	68.9	50.9	59.9	85.0	5	42.0	25	48.0	24	56.0	19	67	5	2.67	1.19	24	8	6	2	0	0	0	0	0	1	0	0
VII	56.4	67.9	50.0	58.9	87.0	5	44.0	10	57.0	10	58.0	24	65	3	0.41	0.19	4	4	4	0	0	0	0	2	1	0	0	0
VIII	59.9	71.2	51.9	61.5	92.5	29	42.0	7	58.0	7	61.0	11	61	4	1.40	1.09	31	6	3	1	0	0	0	1	4	0	0	0
IX	63.0	71.1	56.2	63.7	91.0	29	50.0	7	61.0	13	61.0	12	78	5	0.89	0.36	14	7	5	0	0	0	0	4	2	0	0	0
X	62.6	67.4	56.2	61.8	77.0	24	51.0	22	60.0	15	65.0	25	77	5	4.96	1.75	4	10	8	5	1	0	0	2	0	0	0	0
XI	67.4	73.5	58.8	66.1	90.0	5	50.0	17	67.0	17	66.0	29	72	5	0.18	0.10	10	2	2	0	4	0	0	2	2	0	0	0
XII	68.5	74.8	60.9	67.9	84.0	18	52.0	22	62.0	22	68.0	1	72	5	0.84	0.40	22	7	6	1	0	0	0	1	0	0	0	0
Year Jaar	64.3	72.2	57.2	64.7	95.0	-	42.0	-	48.0	-	71.0	-	73	5	16.86	1.75	-	82	58	12	7	0	0	34	16	1	0	3
No. 31/5685 OOS/EAST LONDON (Filter Beds). φ = 33 00'S; λ = 27 55'E; H = 328 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft.																												
I	70.5	75.7	62.6	69.1	87.3	30	57.0	11	69.2	1	68.3	30	70	5	1.55	0.97	31	9	7	1	-	-	-	-	1	0	0	1
II	72.8	79.2	66.1	72.7	92.8	26	58.3	3	70.0	1	71.0	10	80	5	2.05	0.58	2	9	9	2	-	-	-	-	2	0	0	8
III	69.5	76.2	62.8	69.5	90.6	21	54.6	19	68.5	19	68.6	6	77	4	1.61	0.62	2	12	9	1	-	-	-	-	1	0	0	1
IV	68.2	76.2	61.2	68.7	90.0	4	52.8	28	66.0	23	66.0	10	70	3	0.69	0.24	22	6	5	0	-	-	-	-	2	0	0	0
V	62.4	74.9	57.4	66.1	95.2	19	47.0	31	63.0	22	66.8	11	56	2	0.67	0.30	23	6	4	0	-	-	-	-	3	0	0	0
VI	57.1	70.3	51.4	60.9	85.0	5	45.0	26	56.2	25	58.0	5	55	3	0.56	0.27	11	5	3	0	-	-	-	-	0	0	0	0
VII	57.2	70.0	50.5	60.3	91.8	23	41.8	30	53.3	31	61.8	24	52	1	0.37	0.33	26	2	2	0	-	-	-	-	2	0	0	0
VIII	59.8	73.6	53.0	63.3	97.4	30	41.0	6	55.8	8	59.3	11	58	2	0.71	0.54	31	3	3	1	-	-	-	-	5	0	0	0
IX	63.3	71.1	57.3	64.2	104.9	29	49.0	7	60.8	13	65.0	21	74	4	1.77	0.54	12	11	9	1	-	-	-	-	1	0	0	0
X	63.1	66.5	56.9	61.7	74.7	18	51.0	22	59.4	14	65.0	25	73	5	6.77	1.69	14	11	11	6	-	-	-	-	0	0	0	0
XI	68.9	73.9	60.5	67.2	91.7	15	53.0	17	68.0	18	67.5	28	66	3	0.58	0.19	11	6	5	0	-	-	-	-	1	0	0	0
XII	70.7	73.1	61.0	67.1	79.0	3	51.0	22	65.2	22	68.5	1	60	4	0.51	0.17	4	7	6	0	-	-	-	-	0	0	0	1
Year Jaar	65.3	73.4	58.4	65.9	104.9	-	41.0	-	53.3	-	71.0	-	66	3	17.84	1.69	-	87	73	12	-	-	-	-	18	0	0	11

3rd ORDER STATIONS – STASIES van die 3e ORDE

No. 31/5687 OOS/EAST LONDON (Seinstasie/Signal Stn.) ϕ = 33 01'S; λ = 27 54'E; H = 147 vt/ft; h_t = 4 vt/ft; h_r = 4 vt/ft

Month / Maand	Air Temperature – Lugtemperatuur in °F. Means Gemiddeldes T_m 0830	x Max.	n Min.	$\frac{x+n}{2}$ Mean Gem.	Extremes Uiterstes Max.	Dat.	Min.	Dat.	Lowest Max. Laagste Maks. Highest Min. Hoogste Min. Max.	Dat.	Min.	Dat.	Mean Rel. Hum. Gem. Rel. Vogtighd. U ≯ 0830	Mean Cloud Amt. Gem. Wolkehvlhd. N 0–10 0830	Precipitation in inches. Neerslag in duime. R. Σ	Max. in 24 h.	Dat.	Number of Days with Aantal Dae met Precipn. Neerslag ≥ ·01	≥ ·04	≥ ·40	Thunder Gemaar ⊼	Hail Hael ▲	Snow Sneeu ✱	Fog Mist ≡	Max. >86°F.	Max. <50°F.	Min. <32°F.	Min. >68°F.
I	69.5	74.4	61.6	68.0	79.0	20	54.5	11	69.0	27	67.0	26	81	6	1.32	0.66	31	6	5	1	–	–	–	–	0	0	0	0
II	72.7	77.2	66.1	71.7	85.0	26	62.0	1	69.0	1	72.0	9	90	6	1.60	0.60	2	8	7	1	–	–	–	–	0	0	0	4
III	69.7	74.6	62.3	68.5	85.0	21	49.0	19	68.0	19	68.0	1	83	5	0.95	0.36	2	9	5	0	–	–	–	–	0	0	0	0
IV	67.7	73.2	59.7	66.5	89.0	27	54.0	31	66.0	23	64.0	3	74	4	1.16	0.55	2	6	5	1	–	–	–	–	2	0	0	0
V	63.4	73.6	55.3	64.5	94.0	19	48.0	22	62.0	21	61.5	11	63	4	0.63	0.31	23	4	4	0	–	–	–	–	4	0	0	0
VI	57.3	69.4	50.9	60.1	86.0	5	45.0	13	56.5	25	60.0	11	69	3	0.70	0.35	11	3	3	0	–	–	–	–	0	0	0	0
VII	57.4	69.2	50.5	59.9	92.0	23	40.5	11	58.5	10	68.0	17	73	2	0.55	0.30	26	2	2	0	–	–	–	–	2	0	0	0
VIII	61.9	72.1	51.8	61.9	96.0	17	39.0	6	57.0	7	59.0	12	76	3	0.39	0.25	31	3	2	0	–	–	–	–	4	0	0	0
IX	64.6	70.3	57.0	63.7	105.0	29	49.0	7	61.0	13	61.0	29	88	5	1.28	0.49	14	10	7	1	–	–	–	–	1	0	0	0
X	64.0	67.7	57.3	62.5	75.5	5	47.0	20	62.0	15	65.0	25	82	7	4.40	0.90	25	13	10	5	–	–	–	–	0	0	0	0
XI	68.9	72.8	60.2	66.5	83.0	15	57.5	17	68.0	11	66.0	30	69	5	0.57	0.25	11	5	5	0	–	–	–	–	0	0	0	0
XII	70.9	75.0	60.9	67.9	81.0	19	53.0	28	66.0	22	67.5	1	75	5	0.48	0.19	4	6	5	0	–	–	–	–	0	0	0	0
Jaar Year	65.7	72.5	57.8	65.1	105.0	–	39.0	–	56.5	–	72.0	–	77	5	14.03	0.90	–	75	60	9	–	–	–	–	13	0	0	4

NO.	STASIE STATION	S.Breedtegr. S.Latitude	O.Lengtegr. E.Longitude	Hoogte Height	Jan. Gem. Min. Mean Min.	Jan. Abs. Min.	Feb. Gem. Min. Mean Min.	Feb. Abs. Min.	Mrt.-Mar. Gem. Min. Mean Min.	Mrt.-Mar. Abs. Min.	April Gem. Min. Mean Min.	April Abs. Min.	Mei - May Gem. Min. Mean Min.	Mei - May Abs. Min.	Jun. Gem. Min. Mean Min.	Jun. Abs. Min.	Jul. Gem. Min. Mean Min.	Jul. Abs. Min.	Aug. Gem. Min. Mean Min.	Aug. Abs. Min.	Sept. Gem. Min. Mean Min.	Sept. Abs. Min.	Okt.- Oct. Gem. Min. Mean Min.	Okt.- Oct. Abs. Min.	Nov. Gem. Min. Mean Min.	Nov. Abs. Min.	Des.-Dec. Gem. Min. Mean Min.	Des.-Dec. Abs. Min.	Jaar - Year Gem. Min. Mean Min.	Jaar - Year Abs. Min.
	SEKSIE - SECTION 8.																													
1567	Zwartkopjes	26°21'	28°03'	4,966	53.7	42.0	53.1	43.0	50.7	40.0	41.7	23.0	30.0	18.0	22.8	12.0	23.8	15.0	30.4	17.0	43.4	30.0	46.8	32.0	51.2	40.0	55.0	38.0	41.9	12.0
1591	Pretoria (Middle Crescent)	25 45	28 15	4,500	60.3	50.2	59.1	52.4	54.9	45.8	49.0	36.1	37.8	29.8	32.0	23.6	33.8	30.0	35.7	27.3	48.4	42.1	54.1	46.1	55.5	48.6	60.7	51.3	48.4	23.6
1654 B	Pretoria (Met. Kantoor/Office)	25 45	28 14	4,491	53.5	41.0	54.7	45.7	52.8	41.6	44.2	29.7	31.7	21.2	22.8	13.5	26.3	18.2	31.0	20.6	41.5	33.1	47.7	38.2	51.0	40.8	54.7	44.4	42.7	13.5
1757	Kopje Allawn	24 51	28 41	3,488	56.6	44.2	55.2	47.8	54.2	42.0	45.7	32.0	32.3	23.5	24.8	16.2	32.2	22.0	30.8	23.5	42.3	33.2	52.9	40.0	55.9	42.2	58.3	46.0	45.1	16.2
	SEKSIE - SECTION 14.																													
2299 A	Kimberley (Lughawe/Airport)	28 48	24 46	3,935	54.8	33.2	59.3	51.6	53.4	39.2	45.6	25.0	33.3	17.0	25.5	12.0	27.2	14.5	34.2	19.0	43.1	26.8	43.6	26.2	53.6	40.5	54.8	41.0	44.0	12.0
2302	Kimberley (De Beers)	28 44	24 46	3,996	58.5	50.7	60.9	55.9	53.9	41.5	45.3	26.0	33.1	21.5	26.9	22.1	27.7	19.4	32.7	18.0	43.3	30.3	44.8	27.9	52.9	38.5	55.3	43.4	44.6	18.0
	SEKSIE - SECTION 15.																													
2516 A	Bloemfontein (Lughawe/Airport)	29 08	26 11	4,678	54.4	46.0	54.9	37.6	52.4	36.6	39.4	20.1	26.9	16.2	20.4	14.8	20.1	12.3	26.7	11.2	40.7	26.0	42.4	24.6	-	-	-	-	-	-
	SEKSIE - SECTION 16.																													
2666	Wepener	29 44	27 02	4,724	50.8	43.0	54.7	48.8	49.3	34.8	36.9	17.0	26.0	12.8	18.5	10.0	21.4	7.2	26.1	11.2	36.0	19.5	40.9	23.4	50.7	38.8	50.5	37.0	38.5	7.2
2713 A	Kroonstad (Research St.)	27 36	27 15	4,680	55.0	48.5	55.9	49.0	54.7	36.0	42.3	21.5	28.4	17.0	21.1	11.5	23.6	13.0	28.9	15.0	42.5	28.0	44.7	25.5	52.2	40.3	53.8	37.2	41.9	11.5
2757	Modderpoort	29 06	27 27	5,283	46.5	34.5	50.0	45.0	46.7	36.0	36.3	18.5	25.2	14.0	17.7	10.5	(15.2)	7.5	20.1	6.0	31.3	18.5	36.8	21.2	43.4	30.5	46.3	35.0	34.6	6.0
	SEKSIE - SECTION 17.																													
3071 P	Estcourt	29 01	29 52	3,876	53.8	43.0	55.1	49.0	52.7	41.5	44.8	29.5	32.1	23.0	23.8	16.0	26.7	19.0	32.9	22.5	41.7	31.0	48.0	37.0	52.3	44.0	54.4	44.5	43.2	16.0
3110	Cedara (Agric. College)	29 33	30 16	3,541	54.1	43.5	53.7	47.0	49.9	38.7	(44.5	38.7)	30.8	22.2	23.9	17.5	25.6	18.6	31.5	20.0	42.3	30.0	45.8	35.0	48.3	36.0	51.2	37.0	(41.8)	17.5
	SEKSIE - SECTION 18.																													
3222	Mount Edgecombe	29 40	31 04	340	58.0	49.0	59.5	53.0	57.3	52.0	56.3	47.5	-	-	(44.0	38.0)	46.1	39.0	47.8	41.0	56.5	47.5	58.0	48.0	59.6	48.5	61.7	(57.0)	-	-
	SEKSIE - SECTION 22.																													
3624	Grootfontein (Agric. College)	31 27	24 58	4,144	48.8	36.9	52.7	44.4	46.7	31.0	38.0	21.0	29.3	20.0	22.5	14.0	23.5	10.5	27.3	9.6	32.6	19.0	35.6	20.2	42.5	30.7	43.9	31.5	36.9	9.6
	SEKSIE - SECTION 25.																													
4200	Sandflats	30 24	29 11	4,700	50.1	42.0	52.9	48.0	48.7	37.0	40.3	23.0	29.6	19.0	22.7	13.0	23.0	12.0	26.9	15.0	42.3	30.0	42.0	22.5	46.2	34.0	48.5	36.0	39.4	12.0
4258 B	Pennington	30 23	30 42	50	64.6	58.2	68.2	60.5	62.8	50.5	59.8	47.2	49.6	40.5	45.8	38.5	45.9	38.5	48.9	40.5	57.3	49.0	58.6	50.0	61.3	55.0	63.2	50.5	57.2	38.5
	SEKSIE - SECTION 30.																													
5639 A	Port Elizabeth (Lughawe/Airport)	33 59	25 37	190	57.1	47.2	63.3	54.9	55.4	43.0	50.5	38.8	46.6	31.5	43.4	31.5	40.1	31.7	40.3	26.5	47.3	39.0	50.7	39.9	52.1	39.8	53.9	42.6	50.1	26.5

MEAN EARTH TEMPERATURES IN °F -1945- GEMIDDELDE TEMPERATURE VAN DIE GROND IN °F

No.	STATION STASIE	S.A.St. Time Tyd	Latitude Breedtegr. S.	Longitude Lengtegr. E.	Height Hoogte ft.-vt.	Depth Diepte	Jan.	Feb.	March Maart	April	May Mei	June Junie	July Julie	Aug.	Sept.	Oct. Okt.	Nov.	Dec. Des.	Year Jaar
	SEKSIE - SECTION 8.																		
1600 A	Germiston (Lughawe/Airport)	0830	26° 14'	28° 08'	5,483	1'	72.8	72.6	67.9	65.6	56.7	50.1	51.0	55.5	64.3	67.6	69.7	72.4	63.9
1757	Kopje Alleen	0830	24 51	28 41	3,488	1'	82.7	84.6	79.9	76.8	67.3	59.6	60.0	64.9	74.7	77.9	80.5	82.7	74.3
						2'	83.9	85.8	82.8	80.0	72.8	65.4	64.2	66.9	74.2	79.0	82.3	84.4	76.8
						4'	-	-	-	-	-	-	-	-	71.2	75.4	78.2	80.2	-
						6'	77.9	78.5	79.3	78.6	76.7	73.7	70.7	69.6	71.2	73.2	75.3	77.3	75.2
						8'	75.6	76.6	77.3	77.0	76.8	74.9	72.8	71.3	70.8	72.5	73.9	75.3	74.6
	SEKSIE - SECTION 9.																		
2093	Nelspruit	0830	25 28	30 59	2,198	1'	79.4	83.4	79.9	76.0	69.0	63.4	62.2	66.9	73.2	73.6	78.1	-	-
						2'	80.2	83.5	80.5	77.4	71.7	66.0	64.2	67.7	73.1	74.3	78.3	-	-
						4'	79.1	80.9	81.0	78.1	75.0	69.9	67.2	68.4	71.7	73.8	75.9	-	-
						6'	78.2	79.4	80.0	78.3	75.6	72.1	69.3	69.1	71.0	73.2	74.9	-	-
						10'	76.5	77.1	78.0	77.8	76.7	74.7	(72.3)	70.9	71.3	(72.5)	-	-	-
	SEKSIE - SECTION 10.																		
2108	Barberton (Katoen Proefsta./ Cotton Exp. Stn.)	0830	25 47	31 03	2,500	1'	84.6	85.6	79.8	77.3	70.0	63.3	63.3	67.8	75.5	76.0	80.1	82.9	75.5
						2'	86.6	86.6	82.7	80.3	74.2	67.8	66.3	69.6	75.9	77.7	81.4	84.5	77.8
2109	Mushroom (Hlambanyati)	0830	26 27	31 03	3,950	1' 6"	70.5	72.8	68.2	69.4	61.3	55.8	56.3	60.3	67.8	67.0	70.8	72.5	66.1
						2' 6"	72.0	74.5	70.8	71.0	65.3	60.9	59.9	62.8	68.8	69.1	73.3	73.8	68.5
2123	Mbabane	0830	26 19	31 09	3,816	1'	71.2	75.8	70.0	67.9	60.3	54.4	54.1	57.0	64.0	65.7	67.8	70.7	64.9
						2'	70.6	71.3	70.0	68.4	62.7	57.1	55.5	57.7	63.7	65.8	67.1	69.9	65.0
						4'	69.7	70.4	70.1	68.9	65.6	61.2	59.0	59.3	62.7	65.5	66.5	68.7	65.6
2134 B	"Aird" Gov. Farm	0830	26 32	31 22	1,500	1'	80.1	83.3	77.9	78.7	70.6	64.6	-	67.9	74.9	74.8	79.3	83.0	-
						2'	80.7	83.4	79.8	80.3	73.6	67.8	-	69.2	74.6	75.5	79.6	82.9	-
						4'	80.9	83.4	79.8	79.5	75.3	70.2	-	69.0	72.4	74.6	77.3	80.0	-
	SEKSIE - SECTION 13.																		
2183 N	Upington (Research St.)	0830	28 27	21 15	2,600	1'	86.3	87.2	78.2	73.9	60.8	(53.6)	53.4	57.6	66.4	71.4	80.7	(82.4)	(71.0)
						2'	85.6	87.0	80.9	76.9	66.5	(58.6)	56.3	58.7	65.9	71.8	78.9	(82.9)	(72.5)
						3'	81.8	83.7	81.1	78.3	71.7	(64.0)	60.3	60.7	64.7	70.0	75.0	(79.0)	(72.5)
						4'	78.5	80.4	79.8	77.9	74.1	(68.0)	64.2	63.0	64.7	68.6	72.1	(75.7)	(72.3)
	SEKSIE - SECTION 14.																		
2299 B	Taungs	0830	27 33	24 46	3,600	1'	82.6	83.6	75.1	72.1	62.3	54.8	53.8	57.8	68.6	74.3	79.7	83.7	70.7
						2'	82.2	83.1	77.3	74.3	65.4	58.4	56.4	59.5	68.1	74.0	79.0	83.3	71.7
						4'	79.3	80.8	77.3	74.8	69.2	63.1	60.0	60.5	65.5	71.2	75.7	78.6	71.3
						6'	76.9	78.3	77.3	75.1	71.6	66.1	63.0	59.1	64.7	69.5	73.6	76.3	71.0
						10'	74.8	76.8	75.7	74.3	72.3	68.4	64.5	63.1	64.4	67.9	71.4	74.1	70.6
	SEKSIE - SECTION 15.																		
2382	Paardeskraal (Veld Res.)	0830	29 46	25 19	4,535	1'	-	-	-	-	-	50.9	49.4	54.0	64.4	68.3	75.9	79.5	-
						2'	-	-	-	-	-	53.5	51.4	55.1	63.2	67.8	73.9	73.1	-
						4'	-	-	-	-	-	60.1	56.6	56.9	61.5	66.0	70.8	74.9	-
						6'	-	-	-	-	-	62.5	58.8	58.1	60.8	64.9	68.8	72.5	-
						10'	-	-	-	-	-	66.6	63.5	61.5	61.6	63.6	63.7	68.5	-

MEAN EARTH TEMPERATURES IN °F -1945- GEMIDDELDE TEMPERATURE VAN DIE GROND IN °F

No.	STATION STASIE	S.A.St. Time Tyd	Latitude Breedtegr. S.	Longitude Longtegr. E.	Height Hoogte ft.-vt.	Depth Diepte	Jan.	Feb.	March Maart	April	May Mei	June Junie	July Julie	Aug.	Sept.	Oct. Okt.	Nov.	Dec. Des.	Year Jaar
	SEKSIE - SECTION 16.																		
2666	Wepener	0830	29° 44'	27° 02'	4,724	1'	75.8	75.2	70.0	66.5	56.2	49.6	49.5	53.7	62.3	66.9	72.6	75.6	64.5
						2'	75.0	75.0	71.5	68.7	60.5	54.0	52.5	55.0	61.5	66.3	71.3	74.6	65.5
						4'	71.6	72.4	71.7	69.4	69.4	59.7	56.7	56.5	59.6	63.5	67.1	70.4	65.7
						6'	69.9	71.2	71.5	69.9	67.0	62.7	59.5	58.2	59.7	63.0	65.5	68.5	65.5
						10'	66.8	68.3	69.2	69.1	68.1	66.0	63.6	61.8	61.2	62.3	63.7	65.7	65.5
		1500				1'	75.3	74.7	69.4	66.1	56.1	49.6	49.7	54.0	62.6	67.2	72.8	75.4	64.4
						2'	74.9	75.0	71.4	68.6	60.5	54.0	52.5	55.0	61.6	66.2	71.2	74.4	65.4
						4'	71.6	72.4	71.7	69.4	64.9	59.6	56.7	56.5	59.7	63.6	67.2	70.4	65.3
						6'	69.9	71.2	71.5	69.8	67.0	62.7	59.5	58.2	59.8	62.7	65.5	68.5	65.5
						10'	66.8	68.3	69.2	69.1	68.1	66.0	63.6	61.8	61.2	62.3	63.8	65.7	65.5
2713 A	Ermonstad (Research St.)	0830	27 36	27 15	4,680	1'	77.0	78.3	69.5	65.2	54.5	47.3	47.0	52.9	64.2	69.0	75.1	76.2	64.7
						2'	77.8	78.7	72.3	68.3	58.6	49.9	49.5	55.0	64.2	69.5	75.0	76.9	66.3
						4'	74.0	75.0	73.2	69.4	63.9	57.4	54.2	55.5	61.3	66.3	68.1	71.0	65.8
						6'	72.0	73.3	70.9	70.5	67.0	61.8	58.3	57.8	60.7	64.9	68.4	71.4	66.4
						10'	68.1	69.4	70.6	70.2	69.1	66.9	64.3	62.5	62.3	63.9	65.6	65.7	66.5
	SEKSIE - SECTION 17.																		
3110	Cedara	0830	29 33	30 16	3,541	3'	69.0	70.6	70.6	69.3	64.9	59.6	57.2	57.5	60.8	63.6	65.8	68.1	64.7
	SEKSIE - SECTION 18.																		
3222	Mount Edgecombe	0830	29 40	31 04	340	1'	78.0	80.6	78.1	76.5	69.2	63.7	62.9	65.0	70.5	72.2	75.3	77.3	72.4
						2'	78.6	80.5	79.4	77.7	72.3	66.7	65.1	66.6	70.9	72.8	75.6	78.0	73.7
						4'	77.6	78.9	79.1	77.8	74.4	69.5	-	67.4	70.1	72.4	74.4	76.6	-
	SEKSIE - SECTION 26.																		
4283	Cape Town (City Hospital)	0830	33 54	18 25	52	2'	77.7	79.1	76.1	71.6	64.6	61.1	57.9	58.3	64.0	67.0	73.2	77.2	69.0
4317	Elsenburg (School of Agric.)	0830	33 51	18 50	594	3'	-	77.0	75.3	71.5	64.7	59.1	56.0	55.2	59.4	64.0	67.2	75.6	-
4336 A	Paarl (Viticult. Res. St.)	0830	33 45	18 57	544	1'	80.0	81.5	77.6	71.3	59.3	54.0	51.6	53.2	61.5	65.2	73.8	75.9	67.1
						2'	79.5	81.4	78.0	72.4	60.1	53.1	50.4	50.9	59.3	65.0	72.8	76.7	66.6
						4'	77.3	79.9	78.2	74.0	65.0	57.1	54.2	53.5	59.8	65.2	70.9	75.5	67.5
						6'	73.5	76.6	75.9	73.2	66.8	60.0	56.1	54.7	57.8	63.2	67.9	72.3	66.5
						10'	69.0	71.8	72.9	72.3	69.7	65.1	61.8	59.2	59.3	62.2	64.9	68.1	66.4

MEAN DAILY HOURS OF SUNSHINE FOR EACH MONTH AND PERCENTAGE OF POSSIBLE

1945

GEMIDDELDE DAAGLIKSE URE SONSKYN VIR ELKE MAAND EN PERSENTASIE VAN MOONTLIKE

NO.	STASIE STATION	Januarie January.		Februarie February.		Maart. March.		April.		Mei. May.		Junie June.		Julie July.		Augustus August		September		Oktober. October.		November		Desember December	
			%		%		%		%		%		%		%		%		%		%		%		%
2/1050 A	Pietersburg (Lughawe/Airport)	8.67	65	9.37	73	7.58	62	8.31	72	8.86	81	10.06	94	9.47	88	9.89	88	10.60	89	8.38	66	8.04	61	9.21	68
2/1094	Macuville (Navorsingstasie/Research Station) ...	6.91	52	8.20	64	6.82	56	9.55	82	8.94	81	9.82	91	8.36	77	9.73	86	10.10	85	7.74	61	7.96	61	8.43	63
8/1600 A	Germiston (Lughawe/Airport)	9.47	70	9.67	74	7.13	58	8.88	77	9.86	91	9.91	94	9.45	89	10.54	94	10.17	85	9.19	72	9.39	70	9.79	71
8/1654 B	Pretoria (Met. Kantoor/Office)	10.02	74	10.25	79	7.57	62	9.18	80	10.02	92	10.07	95	9.42	88	10.62	95	10.49	88	9.59	76	9.07	68	9.82	72
14/2299 A	Kimberley (Lughawe/Airport)	9.45	69	9.73	74	7.77	63	9.47	83	8.67	81	9.40	91	9.51	91	10.61	96	10.46	88	10.79	85	10.51	78	10.90	78
15/2516 B	Bloemfontein (Lughawe/Airport)	10.14	74	10.40	79	7.83	64	9.01	79	8.76	82	9.48	92	9.66	92	10.47	95	10.53	89	10.52	82	11.08	82	10.89	78
16/2713 A	Kroonstad (Navorsingstasie/Research Station) ...	10.08	74	9.99	76	6.85	56	9.58	84	9.51	88	9.88	95	9.48	90	10.56	95	10.43	88	9.81	77	9.99	74	10.04	73
18/3217 B	Durban (Lughawe/Airport)	6.85	50	7.77	59	6.33	52	8.52	75	8.58	81	7.71	75	8.16	78	7.84	71	6.81	57	5.93	46	6.89	51	6.71	48
21/3443 a	Beaufort Wes/West (Lughawe/Airport)	10.49	75	9.91	75	9.11	74	8.19	72	8.12	77	7.36	73	8.47	83	9.43	86	9.31	79	9.58	75	11.96	87	11.96	84
26/4306 M	Bellville	11.94	85	10.68	80	9.18	75	7.96	71	5.56	54	5.04	51	5.55	55	6.68	61	8.16	69	8.62	67	10.73	78	10.49	73
27/4391	Matroosberg	12.06	86	11.35	85	9.51	77	8.82	78	7.42	71	6.30	63	7.07	70	8.17	75	9.36	79	9.27	72	12.27	89	11.99	84
30/5639 A	Port Elizabeth (Lughawe/Airport)	9.59	68	7.97	60	7.80	63	8.76	78	7.69	74	6.00	61	7.64	69	8.57	79	8.01	68	7.37	57	9.92	72	10.44	73
	Windhoek	10.08	76	9.73	76	8.80	72	8.86	76	10.20	92	10.54	98	10.47	96	11.06	97	10.69	89	10.87	86	7.88	60	8.40	62

MEAN HOURLY VALUES OF TEMPERATURE (°F) — GEMIDDELDE UURLIKSE WAARDES VAN TEMPERATUUR (°F)

No. 2/1050 A — PIETERSBURG (Luchave/Airport). — ϕ = 23° 56'S; λ = 29° 29'E; h_t = 4 vt/ft; H = 4,244 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Mn.
January/Januarie	63.6	62.4	61.5	60.6	60.1	60.5	63.4	65.7	68.2	70.5	72.4	74.5	76.4	77.3	77.5	77.4	76.5	74.3	71.4	68.9	67.4	66.2	65.1	64.3	68.6
February/Februarie	64.5	64.0	63.0	62.3	61.5	61.0	64.0	67.0	69.7	71.7	73.7	75.5	77.5	78.5	79.3	79.1	78.3	76.0	72.5	70.3	68.7	67.6	66.5	65.3	69.9
March/Maart	61.7	61.0	60.1	59.6	59.0	58.4	60.3	64.6	67.6	70.4	72.6	74.6	75.5	75.9	76.7	76.2	74.8	72.5	69.5	67.5	66.0	64.8	63.7	62.7	67.3
April	57.8	56.7	56.0	54.9	54.7	54.4	55.9	61.0	64.3	67.1	69.6	72.0	73.5	73.2	72.9	73.0	71.2	68.0	65.3	63.5	62.5	61.0	59.8	58.5	63.6
May/Mei	47.9	46.9	46.4	45.9	45.6	45.5	46.9	53.1	58.2	61.0	63.3	65.3	66.6	67.5	67.9	67.5	65.4	59.8	56.7	54.1	52.6	51.1	50.2	48.9	55.6
June/Junie	41.5	40.2	39.8	39.2	38.6	38.2	38.3	45.3	52.9	56.5	59.1	61.0	62.4	63.8	64.4	63.8	61.4	54.2	50.2	47.9	46.3	44.8	42.9	42.4	49.8
July/Julie	44.2	43.2	42.4	42.1	41.4	41.1	40.8	47.0	54.8	59.0	61.5	63.4	65.0	66.0	66.2	66.0	63.7	58.1	53.8	51.7	49.8	48.4	46.4	44.9	52.5
August/Augustus	47.8	46.1	44.9	44.4	43.6	43.5	44.0	51.6	57.4	61.1	64.3	66.6	68.3	69.2	69.8	69.5	67.8	62.7	58.3	56.0	54.0	51.9	50.0	48.6	55.9
September	55.9	54.3	53.1	52.4	51.5	50.9	54.1	60.8	64.9	68.4	71.4	74.0	75.4	76.0	76.4	75.6	74.1	70.6	67.1	64.7	62.7	61.0	59.1	57.4	63.8
October/Oktober	60.6	60.0	59.4	58.4	57.7	57.8	60.7	63.9	67.2	69.3	71.8	74.0	75.4	76.1	76.6	76.2	74.6	71.7	68.4	66.2	64.6	63.5	62.6	61.5	66.6
November	61.3	60.4	59.6	59.2	58.5	59.3	62.4	65.3	67.7	70.1	72.5	74.3	75.9	76.6	75.7	75.3	74.3	72.1	69.3	67.2	65.9	64.6	63.4	62.8	67.2
December/Desember	64.6	63.7	62.9	62.1	61.9	63.2	66.4	68.5	71.0	73.8	76.1	77.8	79.1	79.9	79.6	78.2	77.6	76.2	73.4	71.2	69.1	67.3	66.2	65.3	70.6
Year/Jaar	55.9	54.9	54.1	53.4	52.8	52.8	54.8	59.5	63.7	66.6	69.0	71.1	72.6	73.3	73.6	73.1	71.6	68.0	64.7	62.4	60.8	59.3	58.0	56.9	62.6

No. 7/1230 — MAFEKING. — ϕ = 25° 52'S; λ = 25° 39'E; h_t = 4 vt/ft; H = 4,169 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Mn.
January/Januarie	67.4	66.1	65.8	64.5	63.8	63.4	67.5	71.4	74.4	77.5	80.7	82.6	84.3	84.9	85.9	85.8	84.5	83.2	79.9	75.9	73.3	71.1	69.8	68.4	74.7
February/Februarie	65.9	65.4	64.7	64.3	63.8	62.9	65.6	70.8	73.8	76.8	79.2	81.5	83.4	84.3	84.9	84.0	83.0	81.6	78.6	74.7	71.7	69.9	68.3	67.1	73.6
March/Maart	61.3	60.7	60.3	59.9	59.6	59.3	60.1	64.0	67.1	69.5	71.4	73.0	74.2	75.4	76.0	75.4	74.9	73.1	69.2	66.3	64.6	63.3	62.5	61.6	66.8
April	55.4	54.3	53.5	52.8	52.6	52.1	52.6	59.8	65.9	69.0	71.4	73.3	74.5	75.7	76.0	75.5	73.3	68.4	63.7	60.7	59.0	58.0	56.7	55.6	62.9
May/Mei	43.0	41.7	41.1	40.2	39.5	39.1	39.2	46.5	55.6	60.5	63.3	65.4	67.1	68.1	68.4	67.8	65.5	59.0	53.1	50.1	47.6	45.8	44.6	43.7	52.3
June/Junie	35.5	34.9	33.8	33.1	32.7	32.7	33.1	39.7	50.0	55.5	58.8	61.2	63.1	64.0	64.7	63.9	61.7	54.6	48.3	43.9	41.0	38.7	37.5	36.3	46.6
July/Julie	40.5	39.7	39.1	38.9	38.5	38.2	38.0	42.7	52.6	58.1	61.6	64.0	65.8	66.8	67.1	66.8	65.0	58.3	51.7	47.7	45.2	43.5	42.0	41.2	50.5
August/Augustus	44.7	43.8	43.4	43.1	42.5	41.8	42.1	49.9	58.7	62.9	66.0	68.0	69.4	70.8	71.8	71.6	70.4	64.9	58.0	53.5	50.7	48.9	47.7	46.2	55.5
September	55.9	55.0	53.6	53.6	53.0	52.5	55.5	64.5	69.3	73.1	76.5	78.7	80.7	81.2	81.9	81.5	80.7	76.6	69.9	65.3	62.6	60.4	58.0	56.9	66.5
October/Oktober	59.3	58.2	56.9	56.5	56.0	56.3	61.2	67.7	71.9	74.9	78.1	80.0	81.9	83.4	84.0	83.8	82.5	79.3	75.1	70.8	67.5	65.0	62.5	61.1	69.7
November	65.0	63.7	62.3	61.5	60.7	61.1	66.8	70.5	73.7	76.0	78.2	80.4	82.1	83.3	83.9	83.8	82.5	79.4	76.8	73.6	71.1	68.8	66.9	65.9	72.4
December/Desember	66.9	65.6	64.4	63.5	63.0	63.7	69.0	73.6	77.1	79.6	82.1	84.5	85.6	87.1	87.6	86.9	85.8	83.7	80.7	77.3	74.0	71.3	69.1	68.1	75.4
Year/Jaar	55.1	54.1	53.2	52.7	52.1	51.9	54.2	60.1	65.8	69.5	72.3	74.4	76.0	77.1	77.7	77.2	75.8	71.8	67.1	63.3	60.7	58.7	57.1	56.0	63.9

No. 8/1600 A — GERMISTON (Luchave/Airport). — ϕ = 26° 14'S; λ = 28° 08'E; h_t = 4 vt/ft; H = 5,462 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Mn.
January/Januarie	60.5	60.0	59.4	58.8	58.3	58.1	60.3	63.5	66.9	70.1	73.1	74.9	77.1	77.6	77.2	76.1	74.2	72.5	70.4	67.6	65.6	64.2	62.7	61.7	67.1
February/Februarie	62.7	62.0	60.9	60.1	59.3	58.7	60.1	63.7	67.2	70.3	73.1	74.9	76.4	77.3	77.8	77.8	77.2	75.5	72.3	69.4	67.7	66.2	65.1	63.7	68.3
March/Maart	57.5	56.9	56.3	55.7	55.4	55.0	56.0	59.5	62.4	65.1	67.2	68.9	69.9	70.6	70.9	70.2	68.6	66.3	63.7	62.1	60.8	59.9	58.9	58.1	62.3
April	53.6	53.0	52.1	51.6	51.1	50.6	51.5	56.8	61.1	64.8	67.1	69.1	70.0	70.3	70.5	68.8	66.8	63.1	60.5	58.5	56.8	55.4	54.3	53.6	59.6
May/Mei	44.6	43.4	42.9	42.4	41.8	41.0	41.2	47.3	52.2	56.3	59.3	61.5	62.9	63.8	64.0	62.9	59.8	54.8	52.0	50.2	48.7	47.6	46.5	45.7	51.4
June/Junie	38.8	38.3	38.1	37.3	37.0	36.1	35.5	40.5	47.5	51.3	54.3	56.8	58.5	59.7	60.1	58.6	54.6	48.9	46.2	44.5	43.5	42.2	40.6	39.9	46.2
July/Julie	42.5	41.7	41.0	40.2	39.5	39.5	39.2	42.9	49.7	54.2	57.2	59.5	61.1	62.2	62.7	61.6	58.3	52.8	50.1	48.2	46.8	45.3	44.1	43.0	49.3
August/Augustus	46.4	45.8	45.0	44.4	43.3	42.9	43.3	48.8	54.2	58.5	61.9	64.1	66.2	67.2	67.8	67.1	64.8	59.7	55.5	53.4	51.9	50.6	49.3	48.1	54.2
September	56.9	55.7	55.1	54.3	53.1	52.6	54.0	59.2	64.1	68.5	71.4	73.8	75.1	75.6	76.6	75.9	74.1	70.2	66.5	64.4	62.8	60.7	59.6	57.9	64.1
October/Oktober	57.8	56.3	55.8	55.1	54.8	54.6	57.4	61.5	65.5	69.2	72.5	74.7	76.3	77.1	77.6	76.4	74.9	71.1	67.3	63.7	61.6	61.2	59.8	58.6	65.0
November	59.6	58.8	58.1	57.4	56.6	57.5	60.1	63.7	67.5	70.5	72.9	74.6	76.2	76.4	77.1	76.4	74.8	72.5	68.6	66.0	64.5	63.2	62.0	60.9	66.5
December/Desember	61.7	61.0	60.4	59.7	59.2	59.9	63.3	66.6	69.6	72.6	75.0	77.0	78.3	78.9	79.1	78.7	77.4	75.7	71.3	68.5	66.7	64.8	63.9	62.7	68.8
Year/Jaar	53.5	52.7	52.1	51.4	50.8	50.5	51.8	56.2	60.7	64.3	67.1	69.1	70.7	71.4	71.8	70.9	68.8	65.3	62.0	59.7	58.1	56.8	55.6	54.5	60.2

MEAN HOURLY VALUES OF TEMPERATURE (°F) — GEMIDDELDE UURLIKSE WAARDES VAN TEMPERATUUR (°F)

No. 8/1654 B — PRETORIA (Met. Kantoor/Office). — ϕ = 25° 45'S; λ = 28° 14'E; ht = 4 vt/ft; H = 4,487 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No.
January/Januarie	62.9	62.0	61.0	60.1	59.4	59.6	63.8	66.5	69.5	72.6	75.1	77.0	79.2	80.3	81.4	80.2	79.1	76.1	73.0	69.9	68.1	66.5	65.2	64.0	69.7
February/Februarie	64.4	63.3	62.7	61.7	60.8	60.3	63.6	67.6	70.4	73.0	75.1	76.9	78.5	79.9	80.9	81.0	80.2	78.8	74.2	70.8	68.8	67.8	66.5	65.4	70.5
March/Maart	59.8	59.3	58.3	57.7	57.2	56.6	58.6	62.8	65.8	68.4	69.8	71.8	72.6	74.0	73.9	73.8	72.9	70.4	66.2	63.9	62.7	61.9	61.1	60.2	65.0
April	55.1	54.5	53.5	52.6	51.5	51.0	51.5	59.6	64.5	67.3	69.6	71.3	72.7	73.7	73.9	73.1	71.0	65.5	61.1	59.1	58.0	56.9	55.9	55.1	61.6
May/Mei	44.9	43.7	42.7	42.0	40.7	39.9	39.6	47.5	54.8	59.3	62.2	64.4	65.9	67.0	67.4	67.1	64.5	56.1	51.9	50.0	48.4	47.8	46.1	45.6	52.5
June/Junie	38.2	37.1	35.9	35.1	34.5	33.6	33.1	38.5	47.4	53.3	56.9	59.5	61.4	62.8	63.4	63.0	59.7	51.7	46.6	44.8	43.5	42.1	40.7	39.7	46.8
July/Julie	40.7	39.7	38.7	37.7	36.5	35.6	35.1	40.8	50.0	55.7	59.3	61.8	63.5	64.7	65.4	65.3	63.0	55.1	49.5	47.5	46.1	44.9	43.8	42.4	49.3
August/Augustus	46.2	45.0	44.0	43.0	42.2	41.6	41.2	49.5	56.0	60.3	63.5	66.3	68.5	70.0	70.8	70.6	69.2	63.1	56.5	53.4	51.3	50.2	48.8	47.4	54.9
September	56.9	55.4	53.8	52.7	51.9	50.5	55.1	62.6	66.2	69.5	72.6	75.3	77.3	78.6	79.2	79.0	77.9	73.9	67.5	64.8	62.6	61.7	60.5	58.9	65.2
October/Oktober	59.8	58.8	57.7	57.3	56.5	56.3	60.7	65.0	68.5	71.6	74.3	76.5	78.2	79.6	79.5	79.8	78.6	75.7	70.6	67.2	65.2	63.4	62.4	61.1	67.7
November	60.9	59.8	59.0	58.1	57.4	58.8	63.5	66.4	69.2	71.5	73.8	75.7	77.2	78.0	79.0	79.2	77.2	74.6	71.0	68.3	66.3	64.5	63.0	62.0	68.1
December/Desember	64.9	63.7	62.8	62.6	61.7	62.6	66.6	69.9	72.7	74.9	77.2	79.3	81.5	82.9	83.3	82.5	81.8	79.4	76.0	72.4	70.5	68.7	67.2	65.9	72.1
Year/Jaar	54.6	53.5	52.5	51.7	50.9	50.5	52.7	58.1	62.9	66.5	69.1	71.3	73.0	74.3	74.8	74.5	72.9	68.4	63.7	61.0	59.3	58.0	56.8	55.6	61.9

No. 9/1857 B — STANDERTON (Vliegskool/Air School). — ϕ = 26° 57'S; λ = 29° 15'E; ht = 4 vt/ft; H = 5,250 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No.
January/Januarie	58.2	57.5	56.8	56.2	55.7	56.2	59.2	63.1	67.4	71.2	74.6	76.6	77.8	78.4	77.8	76.5	75.0	73.3	68.8	65.5	63.6	61.7	60.2	59.2	66.3
February/Februarie	59.5	58.8	58.0	57.5	56.8	56.5	58.5	62.2	66.4	70.0	72.9	75.4	77.2	78.0	78.3	78.4	77.4	75.0	70.8	67.7	65.0	63.2	61.7	60.5	66.9
March/Maart	55.5	54.8	54.3	53.8	53.5	53.1	54.2	57.4	60.7	63.9	66.7	68.7	70.1	70.5	70.6	69.5	68.3	65.9	63.0	60.8	59.2	57.7	56.7	56.1	61.0
April	51.6	50.8	49.4	48.4	47.8	47.0	48.0	52.2	57.0	62.1	65.6	68.1	69.7	70.6	70.7	70.1	67.9	63.1	60.0	58.0	56.3	54.4	52.8	51.4	58.0
May/Mei	40.5	39.7	38.8	37.4	36.0	35.4	35.6	40.0	46.4	53.2	58.0	61.2	63.1	64.0	64.3	63.8	60.4	54.4	51.3	49.1	46.6	45.0	43.3	41.7	48.7
June/Junie	33.0	32.3	31.4	30.3	28.6	28.5	28.0	32.6	39.8	46.6	52.0	55.2	57.5	59.0	59.3	58.6	54.0	47.4	44.2	41.9	39.5	37.8	35.8	34.7	42.0
July/Julie	36.8	34.9	32.9	32.0	30.9	30.6	30.3	34.8	41.7	49.1	54.7	58.2	60.5	61.7	62.1	61.3	57.7	50.5	47.4	45.3	43.1	40.9	39.2	37.8	44.8
August/Augustus	41.5	40.5	39.3	38.1	36.6	36.1	35.9	41.3	49.1	55.4	60.6	63.7	66.0	67.3	67.8	67.3	65.0	57.9	54.0	51.8	49.1	46.8	44.6	43.2	50.8
September	52.5	51.5	50.0	48.8	47.6	46.3	48.2	54.8	61.8	67.6	71.7	74.5	75.8	76.7	76.9	76.6	75.2	70.0	65.9	62.9	60.0	58.1	55.9	54.9	61.8
October/Oktober	54.1	53.4	52.8	52.3	52.0	52.5	56.0	60.8	65.3	69.3	72.7	75.3	76.8	77.5	77.3	75.3	73.7	68.9	64.3	60.9	58.7	57.3	56.1	54.8	63.3
November	56.4	55.5	54.9	54.5	54.2	55.7	59.4	64.1	68.6	72.3	75.5	77.9	78.9	79.3	78.9	77.6	74.8	71.4	67.3	64.6	62.3	60.5	59.1	58.1	65.9
December/Desember	59.8	59.3	58.8	57.7	57.3	58.7	61.9	65.8	70.1	73.5	76.9	79.3	80.1	80.4	80.4	79.8	78.1	76.7	71.2	67.6	65.0	63.1	61.9	60.6	68.5
Year/Jaar	49.9	49.1	48.1	47.3	46.4	46.4	47.9	52.4	57.9	62.9	66.8	69.5	71.1	71.9	72.0	71.2	69.0	64.5	60.7	58.0	55.7	53.9	52.3	51.1	58.2

No. 13/2183 — UPINGTON. — ϕ = 28° 27'S; λ = 21° 15'E; ht = 4 vt/ft; H = 2,640 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No.
January/Januarie	76.5	75.6	73.9	72.6	71.5	70.8	73.1	76.6	80.7	84.4	87.8	90.2	92.0	93.6	94.3	94.7	94.1	92.7	90.3	87.7	85.2	82.9	80.3	78.3	83.3
February/Februarie	80.2	79.2	78.4	77.4	76.0	74.4	75.2	79.0	83.7	87.6	90.5	92.9	94.4	96.1	97.2	97.4	97.1	95.2	92.9	89.6	87.4	85.5	83.6	82.2	86.4
March/Maart	70.9	69.8	68.7	67.8	67.1	66.5	66.1	68.9	72.2	75.8	78.9	81.5	83.5	84.1	84.8	84.3	83.8	82.4	79.2	76.9	75.4	74.3	72.6	71.6	75.3
April	65.6	64.9	64.0	63.1	62.2	60.9	60.5	63.4	68.7	73.2	77.7	80.9	83.0	84.1	85.0	85.2	84.3	81.3	77.2	74.4	72.3	69.9	68.2	66.4	72.4
May/Mei	50.3	49.5	48.4	47.9	47.5	46.6	46.2	48.5	54.1	59.8	64.0	67.4	69.8	71.3	72.0	72.2	71.0	67.4	62.6	59.2	56.8	54.5	53.0	51.5	58.0
June/Junie	44.2	42.8	41.6	41.1	39.9	39.1	38.4	39.6	45.3	51.8	57.0	60.8	63.4	65.3	66.3	66.6	65.5	61.2	56.6	52.3	49.8	48.1	46.3	45.1	51.2
July/Julie	46.8	46.1	44.4	43.6	42.9	42.4	42.0	42.6	47.8	52.9	58.7	62.3	64.8	66.7	67.8	68.0	67.1	63.0	58.4	54.7	53.3	51.3	49.8	48.3	53.6
August/Augustus	52.5	50.7	49.6	48.1	47.0	46.1	45.5	47.5	53.7	59.5	64.7	68.5	70.9	72.9	73.6	74.0	73.4	70.5	65.2	61.6	59.1	57.2	55.4	53.9	59.2
September	61.3	59.8	58.1	56.4	55.1	54.1	54.1	58.8	65.9	72.2	77.7	81.3	83.7	84.8	85.7	85.8	85.3	83.0	77.9	73.5	70.1	67.1	64.6	63.3	70.0
October/Oktober	60.0	58.3	56.5	55.5	53.8	53.1	55.5	60.2	64.7	69.4	72.9	75.9	78.2	79.8	81.0	81.3	80.7	79.0	75.4	72.3	69.3	66.6	64.0	61.8	67.7
November	71.4	69.4	67.8	66.0	64.9	65.0	67.9	72.6	77.2	81.3	84.4	87.0	89.2	90.3	90.9	91.1	90.3	89.1	86.2	83.3	80.3	77.9	75.6	73.6	78.9
December/Desember	73.2	71.1	69.2	68.1	66.3	65.4	68.1	72.0	75.8	79.8	82.9	85.2	87.6	88.9	89.8	90.6	90.2	89.8	87.8	84.9	82.4	79.9	77.1	74.3	79.2
Year/Jaar	62.7	61.4	60.1	59.0	57.9	57.0	57.7	60.8	65.8	70.6	74.8	77.8	80.0	81.5	82.4	82.6	81.9	79.5	75.8	72.5	70.1	67.9	65.9	64.2	69.6

MEAN HOURLY VALUES OF TEMPERATURE (°F) — GEMIDDELDE UURLIKSE WAARDES VAN TEMPERATUUR (°F)

No. 14/2299A KIMBERLEY (Lughawe/Airport). ϕ = 28° 48'S; λ = 24° 46'E; h_t = 4 vt/ft; H = 3,926 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Ma.
January/Januarie	71.1	69.4	67.8	66.7	65.4	65.3	68.6	72.0	76.0	79.7	82.5	84.2	86.0	87.3	87.4	87.9	87.1	86.2	83.8	80.5	78.0	75.8	74.1	71.8	77.3
February/Februarie	72.0	71.2	69.7	68.9	67.8	67.2	68.6	72.9	76.6	80.0	83.4	85.7	87.0	88.5	88.6	88.7	87.8	86.0	83.4	80.0	77.5	75.8	74.5	73.1	78.1
March/Maart	63.1	62.2	61.4	60.3	60.2	59.6	60.2	63.9	67.7	71.3	73.9	76.0	77.4	77.4	77.6	77.2	75.7	73.2	70.5	68.6	67.3	65.9	64.8	63.5	68.3
April	59.0	57.7	56.8	55.8	54.5	53.9	54.0	59.8	65.2	69.1	72.5	74.6	76.4	77.2	78.0	77.2	75.7	71.8	67.7	65.3	63.5	62.0	60.8	59.4	65.3
May/Mei	48.9	47.3	46.0	44.9	44.1	43.5	43.4	47.6	53.9	58.6	61.8	64.4	66.4	67.6	68.3	68.0	66.1	61.0	57.2	55.0	53.4	52.1	50.3	49.7	55.0
June/Junie	42.4	40.9	40.0	39.2	38.2	37.2	36.6	38.8	45.8	51.3	55.7	58.7	60.8	62.2	62.9	62.8	60.7	54.5	51.1	49.0	47.2	45.8	44.7	43.6	48.8
July/Julie	43.8	42.9	41.5	40.9	40.3	39.2	38.2	40.5	47.6	52.9	56.9	60.0	62.9	64.5	65.2	65.2	63.6	58.0	53.4	50.8	48.9	47.1	46.2	44.7	50.6
August/Augustus	48.6	47.5	46.6	45.1	44.8	43.9	43.2	48.1	54.3	59.2	63.4	66.8	68.9	70.5	71.2	71.4	70.4	66.0	60.7	57.6	55.2	53.4	51.4	50.2	56.6
September	60.5	58.9	57.2	55.1	54.4	54.1	54.9	61.9	67.6	72.6	76.8	79.5	81.4	82.2	82.9	82.7	81.6	78.6	73.5	70.1	67.5	65.7	63.9	62.5	68.6
October/Oktober	58.7	57.0	56.0	54.8	53.7	53.1	57.7	63.0	67.0	70.8	73.8	76.3	78.6	80.0	80.9	81.1	80.1	78.1	73.6	70.2	67.5	64.6	62.6	60.8	67.5
November	67.5	66.0	64.6	63.1	61.9	62.6	67.0	70.8	74.8	78.4	81.3	83.5	85.4	86.4	86.4	85.9	85.5	83.7	80.5	77.2	74.6	72.5	70.6	69.0	75.0
December/Desember	69.1	67.6	66.3	64.9	63.6	64.3	68.8	72.9	76.4	79.5	81.7	84.0	85.8	87.1	87.3	87.9	87.5	86.0	83.2	79.7	76.7	74.6	72.6	70.9	76.6
Year/Jaar	58.7	57.4	56.2	55.0	54.1	53.7	55.1	59.3	64.4	68.6	72.0	74.5	76.4	77.6	78.1	78.0	76.8	73.6	69.9	67.0	64.8	62.9	61.4	59.9	65.6

No. 15/2516A BLOEMFONTEIN (Lughawe/Airport). ϕ = 29° 08'S; λ = 26° 11'E; h_t = 4 vt/ft; H = 4,664 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Ma.
January/Januarie	65.5	64.1	62.9	61.9	60.6	61.2	65.0	68.3	71.7	75.1	78.1	80.7	81.8	83.1	83.5	83.3	82.2	80.0	77.5	73.2	71.6	69.5	68.0	66.3	72.3
February/Februarie	67.0	65.7	64.8	63.9	63.1	62.0	64.3	68.7	72.2	75.4	78.2	80.0	81.3	82.6	82.9	83.1	82.4	80.8	76.9	73.8	71.4	70.3	68.8	68.0	72.8
March/Maart	58.8	58.1	57.5	57.0	56.3	55.9	56.8	61.0	64.2	66.9	69.3	70.9	72.6	73.4	73.7	72.9	71.6	68.8	65.1	63.1	62.1	61.2	60.0	59.2	64.0
April	53.9	52.9	51.8	51.0	50.0	49.3	49.3	56.1	61.5	65.6	68.9	71.3	72.6	73.3	73.0	72.2	70.7	65.3	61.6	59.7	58.4	57.1	55.8	54.7	60.7
May/Mei	43.4	42.2	41.2	40.4	39.3	38.5	38.2	44.5	51.0	55.5	58.4	61.0	62.6	63.5	64.0	63.4	61.4	54.7	50.6	49.6	48.4	47.3	46.1	44.6	50.4
June/Junie	36.8	36.1	35.4	34.0	32.3	32.0	31.8	35.0	43.9	49.1	52.6	55.3	57.3	58.6	59.2	58.7	55.0	47.2	44.6	42.2	41.4	40.8	39.4	38.1	44.0
July/Julie	39.6	38.6	37.9	36.7	35.1	34.1	32.9	36.9	44.5	50.0	54.0	57.2	59.3	60.5	61.2	60.6	57.7	50.5	47.4	45.3	43.4	43.4	42.6	41.5	46.3
August/Augustus	44.6	43.8	42.1	41.2	40.1	39.2	38.6	45.4	52.0	56.8	60.5	63.4	65.3	66.7	67.5	67.2	65.8	58.8	52.8	50.7	49.9	49.3	48.0	46.3	52.3
September	57.4	55.5	53.7	52.2	50.8	49.6	52.1	60.5	65.7	69.9	73.7	76.2	77.9	79.1	79.4	78.9	77.4	72.7	66.0	63.3	61.7	60.7	59.7	58.7	64.7
October/Oktober	55.2	53.7	53.2	52.1	51.6	51.1	56.7	61.3	65.4	68.9	71.5	74.2	75.6	76.7	77.4	77.2	75.6	72.8	66.9	63.5	61.5	60.4	58.0	56.7	64.1
November	63.2	61.8	60.8	59.2	58.1	59.0	63.5	67.6	71.9	75.4	78.3	80.7	82.5	83.6	83.9	83.5	81.9	79.4	75.2	72.2	68.7	66.7	65.4	64.4	72.1
December/Desember	63.6	62.4	61.4	60.2	58.9	60.8	64.4	69.1	72.9	76.3	79.1	81.3	82.3	83.5	83.8	83.1	81.9	80.9	77.6	72.9	70.3	68.3	66.6	65.0	71.9
Year/Jaar	54.1	52.9	51.9	50.8	49.7	49.4	51.1	56.2	61.4	65.4	68.5	71.0	72.6	73.7	74.1	73.7	72.0	67.7	63.5	60.7	59.1	57.9	56.5	55.3	61.2

No. 18/3217B DURBAN (Lughawe/Airport). ϕ = 29° 51'S; λ = 31° 03'E; h_t = 4 vt/ft; H = 42 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Ma.
January/Januarie	70.2	69.8	69.3	69.0	68.8	69.3	72.1	74.4	75.8	77.0	77.6	78.4	78.5	78.2	77.8	77.1	76.0	75.2	73.9	73.4	72.5	72.0	71.2	70.9	73.7
February/Februarie	72.9	72.4	72.0	71.5	71.3	71.2	73.0	75.2	77.1	78.2	79.1	79.7	80.2	80.0	80.2	79.4	78.4	77.1	76.0	75.5	75.2	74.6	73.9	73.6	75.7
March/Maart	69.7	69.3	68.7	68.2	67.7	67.2	69.3	72.5	74.8	76.4	77.0	77.6	77.9	77.9	77.3	76.6	75.7	74.4	73.6	72.6	71.6	70.8	70.2	69.7	72.8
April	67.7	66.8	66.1	65.6	65.1	65.1	66.1	69.9	73.6	75.4	76.4	76.9	77.3	77.3	77.0	76.1	74.7	73.1	72.1	71.3	70.6	69.9	68.8	68.0	71.3
May/Mei	59.9	59.4	58.6	58.5	58.1	57.7	58.4	62.7	68.1	72.1	73.8	74.3	74.6	74.2	73.6	72.3	69.8	66.6	64.6	64.3	63.3	61.9	61.2	60.5	65.4
June/Junie	54.8	54.8	54.2	53.7	53.3	52.9	53.0	56.9	62.5	67.3	69.4	70.2	70.5	70.3	70.0	68.8	65.6	62.3	60.7	59.6	58.6	58.2	56.8	56.0	60.9
July/Julie	55.0	54.6	53.8	53.4	52.9	52.7	53.0	57.1	63.4	68.0	70.2	70.5	70.9	70.6	70.3	69.0	66.7	63.8	61.7	60.2	58.7	57.6	56.5	55.3	61.1
August/Augustus	57.4	56.4	55.6	55.1	55.2	55.2	55.0	60.0	65.4	68.5	69.9	70.3	70.8	70.6	70.1	69.0	67.2	65.6	64.5	63.3	62.4	61.5	59.6	58.3	62.8
September	64.7	64.1	63.3	62.8	62.4	62.2	64.3	67.7	69.9	71.3	72.0	72.6	72.9	72.9	72.4	71.4	70.3	69.0	68.2	67.8	67.3	66.2	65.8	65.3	67.8
October/Oktober	65.1	64.7	64.4	64.2	63.8	63.8	66.3	68.2	69.7	70.8	71.4	71.6	72.0	72.0	71.2	70.0	69.3	68.5	68.2	67.7	66.8	66.2	66.0	65.5	67.8
November	67.4	67.0	66.5	66.1	65.7	66.9	69.3	71.1	72.5	73.6	74.4	74.8	75.4	74.7	73.8	73.6	72.3	71.7	71.0	70.3	69.8	69.2	68.7	68.3	70.6
December/Desember	69.0	68.5	68.3	67.8	67.8	69.1	71.4	73.3	74.5	75.7	76.1	76.5	76.6	76.0	75.5	74.6	73.6	72.4	71.4	70.8	70.3	69.9	69.5	69.3	72.0
Year/Jaar	64.5	64.0	63.4	63.0	62.7	62.8	64.3	67.4	70.6	72.9	73.9	74.5	74.8	74.6	74.1	73.2	71.6	70.0	68.8	68.1	67.3	66.5	65.7	65.1	68.5

MEAN HOURLY VALUES OF TEMPERATURE (°F.) — GEMIDDELDE UURLIKSE WAARDES VAN TEMPERATUUR (°F.)

No. 21/3443 a — BEAUFORT WEST/WEST (Lughawe/Airport). — ϕ = 32° 29'S; λ = 22° 38'E; h_t = 4 vt/ft; H = 2,850 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	66.5	64.8	63.6	62.3	61.6	61.3	64.4	67.9	70.9	74.5	78.5	81.5	84.3	87.2	88.3	88.3	88.5	86.8	84.4	80.4	76.6	72.9	70.6	68.3	74.8
February/Februarie	70.5	69.2	68.0	67.3	66.6	65.9	68.1	71.3	74.7	78.6	82.3	86.3	89.4	91.2	92.0	92.1	91.5	89.7	85.4	82.2	79.0	76.2	74.1	72.2	78.5
March/Maart	63.7	63.0	61.8	60.9	60.4	59.4	59.7	63.2	66.6	70.1	73.8	76.7	79.0	80.1	80.9	81.0	80.1	78.1	75.2	72.3	70.2	68.3	66.4	64.9	69.8
April	61.5	60.8	99.8	58.9	58.3	57.9	56.9	59.8	63.7	67.7	71.2	74.1	76.9	78.3	78.8	78.6	77.5	74.8	70.7	68.4	66.6	64.6	63.4	62.3	67.1
May/Mei	54.4	53.4	52.8	52.7	52.2	51.5	50.8	52.4	57.4	61.6	64.8	67.2	68.9	69.6	69.5	68.8	67.4	63.9	61.3	59.5	57.9	57.0	56.3	54.9	59.4
June/Junie	47.2	46.5	45.9	45.4	44.6	44.0	43.5	44.6	48.8	53.9	57.3	59.6	61.3	61.7	61.7	61.7	60.1	56.6	54.4	52.4	51.6	50.3	48.9	48.2	52.1
July/Julie	47.3	46.7	46.5	45.3	44.3	43.8	43.1	43.7	46.7	51.4	54.7	57.4	59.5	61.3	62.0	61.9	60.4	57.3	54.6	53.0	52.2	50.9	49.8	48.6	51.8
August/Augustus	52.8	51.8	51.0	49.5	48.5	48.3	47.2	49.4	55.1	59.2	61.9	64.4	66.6	68.3	69.3	69.3	68.4	65.4	62.1	59.7	58.3	56.7	55.1	53.4	58.0
September	55.5	54.6	53.7	53.4	52.5	51.3	51.9	55.8	61.0	64.7	68.6	71.9	74.7	76.5	77.4	78.1	77.2	75.1	70.8	67.4	64.4	61.9	59.6	57.8	64.0
October/Oktober	54.6	53.2	52.0	51.4	50.9	50.4	53.1	55.9	58.8	62.2	65.5	68.8	71.0	72.5	73.7	73.6	72.9	70.9	67.3	63.9	61.1	59.0	57.2	55.6	61.5
November	63.1	61.6	60.1	58.8	58.3	58.3	62.6	66.7	70.8	74.5	78.2	81.1	83.9	85.8	86.9	86.8	86.1	84.3	81.0	77.2	73.7	70.6	68.1	65.7	72.7
December/Desember	64.0	62.4	60.9	59.5	58.3	58.7	61.5	64.4	67.8	71.6	75.2	78.8	82.0	84.5	85.7	86.2	85.7	84.3	81.1	77.1	73.5	70.5	68.2	65.8	72.0
Year/Jaar	58.4	57.3	56.3	55.5	54.7	54.2	55.2	57.9	61.9	65.8	69.3	72.3	74.8	76.4	77.2	77.2	76.3	73.9	70.7	67.8	65.4	63.2	61.5	59.8	65.1

No. 22/3510 H — DE AAR. — ϕ = 30° 29'S; λ = 24° 01'E; h_t = 4 vt/ft; H = 4,072 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	67.4	65.5	64.3	62.8	61.3	60.9	64.3	69.1	73.7	76.8	79.9	82.0	83.5	85.0	85.8	86.2	85.3	84.5	82.4	79.5	75.9	72.9	70.9	69.2	74.5
February/Februarie	70.5	69.1	68.3	66.8	65.9	64.4	66.6	71.9	76.9	80.5	83.4	85.6	86.9	88.3	88.7	88.9	88.3	87.5	84.1	80.4	77.5	75.2	73.0	71.7	77.5
March/Maart	60.8	59.6	58.9	58.2	57.4	56.6	56.7	60.7	65.8	69.5	72.4	74.4	75.8	76.9	77.3	76.7	76.0	74.5	71.5	69.1	66.8	64.9	63.3	62.1	66.9
April	55.9	54.5	53.4	52.0	51.6	50.8	50.2	55.5	61.6	66.7	70.0	72.5	74.4	75.4	76.1	76.0	75.1	72.2	67.9	64.9	62.6	59.3	57.7	56.2	63.0
May/Mei	44.1	43.0	42.1	41.7	41.5	41.0	40.2	42.9	49.0	55.0	59.4	61.8	63.4	64.4	65.1	65.0	63.8	60.0	56.5	53.3	49.9	48.0	46.5	45.2	51.8
June/Junie	38.5	37.0	35.6	34.9	33.5	33.0	32.5	34.0	40.2	45.9	50.9	53.7	55.7	57.2	58.0	57.9	55.7	52.0	49.0	46.2	43.1	41.5	40.4	39.5	44.4
July/Julie	39.3	38.7	37.7	36.5	35.5	35.0	34.7	36.3	41.4	47.1	52.0	55.2	57.1	58.7	59.2	58.9	57.6	54.1	51.1	48.0	44.5	42.5	41.4	40.5	46.0
August/Augustus	44.1	43.0	41.0	40.0	38.5	37.6	36.7	40.9	49.6	55.6	60.0	62.9	64.9	66.4	67.1	66.9	65.7	62.4	59.0	56.0	52.7	49.3	47.6	46.0	52.2
September	52.3	51.2	50.2	48.7	48.5	47.2	48.1	54.6	62.5	68.5	73.0	75.8	77.6	78.4	78.9	78.6	77.9	75.5	71.7	68.7	63.9	61.7	58.7	56.1	63.7
October/Oktober	53.9	51.8	50.5	48.6	47.6	47.5	51.2	56.3	61.9	66.2	68.6	70.9	72.7	74.0	74.6	74.2	73.6	71.9	68.9	65.7	62.9	60.4	57.9	55.2	62.0
November	62.3	60.9	59.5	58.5	56.9	57.5	62.7	68.0	72.3	76.0	79.2	81.5	82.4	83.6	84.5	84.4	83.7	81.9	79.3	75.9	72.8	70.1	66.9	64.6	71.9
December/Desember	64.9	63.0	60.8	58.9	57.5	58.5	63.4	68.4	72.0	75.2	77.8	79.6	81.3	82.4	83.0	83.8	83.3	81.8	79.8	76.9	74.5	72.1	69.5	66.9	72.3
Year/Jaar	54.5	53.1	51.9	50.6	49.6	49.2	50.6	54.9	60.6	65.3	68.9	71.3	73.0	74.2	74.9	74.8	73.8	71.5	68.4	65.4	62.3	59.8	57.8	56.1	62.2

No. 23/3970 — QUEENSTOWN (Vliegskool/Air School). — ϕ = 31° 54'S; λ = 26° 52'E; h_t = 4 vt/ft; H = 3,615 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	60.6	59.5	58.7	58.1	57.6	58.1	60.7	63.4	67.1	71.1	74.4	77.1	79.0	80.5	80.4	79.3	76.8	74.0	69.7	66.7	64.7	63.4	62.2	61.2	67.7
February/Februarie	65.8	65.0	64.3	63.5	62.4	62.3	64.8	67.2	70.9	74.6	78.1	80.8	82.6	83.3	83.3	82.3	80.0	77.3	73.6	71.8	70.2	68.7	67.8	67.1	72.0
March/Maart	58.9	58.0	57.2	56.7	56.6	56.0	57.5	60.2	63.4	66.7	69.8	72.1	73.8	74.3	74.8	74.0	72.3	69.1	65.4	63.8	62.3	61.5	60.5	59.4	64.3
April	56.0	55.0	53.7	53.4	52.8	52.3	52.8	55.7	60.0	63.5	67.1	70.7	73.1	74.1	74.4	73.7	71.9	67.2	63.8	62.3	60.6	59.6	58.8	57.1	62.1
May/Mei	49.5	48.9	47.9	47.4	46.2	45.4	45.1	48.3	52.9	57.2	61.2	64.6	66.6	67.4	67.5	66.8	64.0	59.0	56.7	54.4	53.1	51.9	51.1	50.0	55.1
June/Junie	44.1	43.2	42.8	42.0	40.9	41.0	40.1	42.6	47.7	52.0	55.3	57.5	59.3	60.3	60.5	59.7	56.9	53.1	50.8	49.2	48.0	46.3	45.5	45.2	49.3
July/Julie	46.7	45.7	45.7	44.8	44.3	42.7	42.7	44.4	50.3	54.4	57.8	60.0	61.9	63.3	63.2	62.5	60.2	57.1	54.5	52.4	50.3	48.6	47.9	47.6	52.0
August/Augustus	51.1	50.3	50.3	48.8	48.0	47.0	46.7	49.4	53.7	57.7	61.6	64.6	67.0	68.3	68.7	68.2	66.6	62.9	59.8	57.7	56.2	55.4	54.2	52.4	56.9
September	53.5	52.8	51.5	50.7	50.2	50.1	52.2	56.0	60.9	65.6	69.5	72.7	75.2	76.5	76.9	75.5	73.2	68.5	64.7	62.9	60.2	58.2	56.8	55.6	62.1
October/Oktober	53.1	52.3	51.3	50.8	50.5	50.7	52.7	55.5	58.7	61.4	64.5	67.3	68.6	69.5	69.3	68.8	66.6	63.1	59.5	57.6	56.2	54.8	53.9	53.0	58.7
November	58.6	57.3	55.9	55.3	55.2	57.8	61.2	65.1	69.5	73.9	77.1	79.8	81.8	82.9	82.7	80.3	78.0	73.8	70.0	66.8	64.2	62.9	61.5	60.5	68.0
December/Desember	58.8	58.0	57.0	56.1	55.6	57.3	60.6	63.8	67.5	71.2	74.3	76.8	78.9	79.4	79.7	78.7	77.1	73.8	69.6	66.2	64.0	62.4	60.9	59.8	67.0
Year/Jaar	54.7	53.8	53.0	52.3	51.7	51.7	53.1	56.0	60.2	64.1	67.6	70.3	72.3	73.3	73.5	72.5	70.3	66.6	63.2	61.0	59.2	57.8	56.8	55.7	61.3

MEAN HOURLY VALUES OF TEMPERATURE (°F) — GEMIDDELDE UURLIKSE WAARDES VAN TEMPERATUUR (°F)

No. 26/4306 M BELLVILLE. ϕ = 33° 59'S; λ = 18° 36'E; h_t = 4 vt/ft; H = 150 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	62.8	62.1	61.4	60.9	60.6	60.6	63.6	67.2	70.9	73.7	76.1	76.9	76.9	76.4	75.7	74.5	72.8	70.8	68.3	65.6	64.5	64.1	63.6	63.4	68.1
February/Februarie	63.4	61.9	61.3	60.5	60.2	59.5	60.6	66.1	70.8	74.9	77.6	79.3	79.9	78.8	77.6	76.4	74.4	72.4	69.2	66.6	65.5	65.4	64.8	64.4	68.8
March/Maart	59.7	59.3	58.9	58.2	58.1	57.6	57.5	62.3	67.6	71.8	75.3	77.2	78.0	77.9	76.6	74.9	72.4	69.5	65.8	63.8	62.8	62.1	61.2	60.6	66.2
April	57.0	56.5	56.0	55.4	55.2	54.9	54.6	56.7	62.7	67.1	70.6	73.6	74.5	73.9	72.5	71.2	69.0	65.7	61.8	59.9	58.7	58.0	57.2	56.5	62.5
May/Mei	53.5	53.0	52.6	52.9	52.9	53.0	52.5	53.4	57.2	60.9	63.0	64.5	65.7	66.2	66.0	64.9	62.8	59.7	57.7	57.0	56.5	55.3	54.3	53.8	57.9
June/Junie	50.8	50.5	50.3	50.2	50.0	49.7	49.8	49.4	51.6	55.9	59.0	61.1	62.7	62.8	62.5	61.5	59.7	56.5	54.8	53.6	52.1	51.6	51.2	51.2	54.5
July/Julie	46.5	45.5	45.3	44.6	44.3	44.3	43.8	43.4	47.3	52.2	55.6	57.2	58.0	58.5	58.6	58.0	56.5	53.6	51.7	49.8	49.2	48.2	47.7	47.4	50.3
August/Augustus	47.5	46.7	46.5	46.1	46.4	45.8	45.3	46.1	51.4	55.6	58.3	60.3	61.1	61.0	60.7	59.9	58.5	55.8	53.2	51.7	50.5	49.9	49.3	48.3	52.3
September	53.1	52.7	52.1	51.6	52.0	51.8	51.9	55.4	59.2	62.2	64.0	66.2	67.3	67.4	66.6	65.0	63.1	60.4	57.3	56.4	55.7	55.0	54.3	53.8	58.1
October/Oktober	53.5	53.0	52.6	52.4	52.5	52.9	54.5	58.3	61.3	63.4	65.1	66.4	66.5	66.2	66.0	64.9	63.5	61.2	58.7	57.1	55.6	55.3	54.8	54.2	58.7
November	57.5	56.9	55.9	54.9	54.3	54.0	59.4	64.0	67.1	69.8	71.4	72.4	72.7	72.7	72.1	70.4	69.0	66.9	64.0	61.5	60.5	59.7	59.1	58.3	63.5
December/Desember	58.7	57.6	57.0	56.5	55.3	55.3	60.4	64.8	67.5	69.8	71.3	72.2	72.3	71.8	71.2	70.5	69.1	67.6	66.4	62.9	61.8	61.1	60.0	59.1	64.1
Year/Jaar	55.3	54.6	54.2	53.7	53.5	53.3	54.5	57.3	61.2	64.8	67.3	68.9	69.6	69.5	68.8	67.7	65.9	63.3	60.7	58.8	57.8	57.1	56.5	55.9	60.4

No. 27/4391 MATROOSBERG. ϕ = 33° 26'S; λ = 19° 49'E; h_t = 4 vt/ft; H = 3,162 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	59.0	58.0	57.3	56.1	55.9	54.9	59.7	64.0	67.7	71.3	75.0	78.1	80.3	82.1	82.9	83.0	81.5	79.0	75.1	70.2	66.8	64.6	62.3	60.7	68.6
February/Februarie	62.3	61.3	60.1	59.2	58.4	57.9	59.7	65.7	70.0	74.7	78.5	81.5	84.0	86.1	86.0	86.1	84.7	82.0	77.9	73.1	70.4	67.9	66.0	63.9	71.6
March/Maart	57.8	57.0	56.1	55.5	54.7	54.8	55.0	60.9	64.5	67.7	71.0	73.9	75.7	77.5	78.3	78.2	76.9	73.8	69.1	65.8	63.5	61.4	60.0	58.7	65.3
April	54.0	53.2	52.1	51.4	50.8	50.4	50.3	55.9	61.6	64.6	67.5	70.4	72.7	74.3	74.8	74.9	73.5	70.2	64.2	61.3	59.0	56.7	55.4	54.6	61.4
May/Mei	48.5	48.8	48.5	48.4	47.8	47.4	46.8	47.7	53.3	56.0	58.2	60.2	61.7	62.1	62.7	62.2	61.1	57.3	54.1	52.3	51.6	50.3	49.1	48.5	53.5
June/Junie	43.2	43.3	42.5	42.8	42.7	42.2	42.0	42.0	46.3	49.2	51.2	53.6	54.7	55.1	55.1	54.7	53.1	49.8	46.9	45.4	44.6	44.1	43.2	43.3	47.1
July/Julie	41.0	40.6	40.4	39.9	40.2	39.7	39.3	39.2	43.8	46.8	49.1	50.7	52.4	53.4	53.7	53.1	52.0	47.9	44.8	43.7	42.8	42.1	41.7	41.5	45.0
August/Augustus	43.9	42.8	42.8	42.3	41.5	41.0	40.3	43.1	47.5	50.2	52.3	54.8	56.5	57.7	58.1	58.0	56.8	53.7	49.4	47.6	46.3	45.5	44.7	44.4	48.4
September	49.1	49.1	48.3	47.7	47.9	47.3	46.9	52.2	55.9	59.6	62.3	65.1	67.2	68.9	69.8	69.5	68.2	64.6	58.3	55.5	53.3	51.8	51.4	50.1	56.7
October/Oktober	48.0	47.5	46.9	46.1	45.4	45.0	47.7	51.3	53.9	56.2	58.6	61.2	63.2	64.0	64.1	63.7	62.6	60.3	56.1	53.4	51.5	50.2	49.2	48.4	53.9
November	53.7	52.2	51.1	50.4	49.5	49.4	57.1	61.7	65.1	68.4	71.3	73.9	75.7	77.3	77.8	76.7	76.0	73.6	69.5	64.5	61.2	59.6	57.7	55.8	63.7
December/Desember	54.7	53.2	52.4	51.2	50.7	50.6	56.3	60.2	63.6	66.8	69.8	72.5	74.4	75.1	75.6	75.3	74.3	71.8	68.4	64.0	61.1	59.0	57.3	55.8	63.1
Year/Jaar	51.3	50.6	49.9	49.3	48.8	48.4	50.1	53.7	57.8	61.0	63.7	66.3	68.2	69.5	69.9	69.6	68.4	65.3	61.1	58.1	56.0	54.4	53.2	52.1	58.2

No. 28/4480 M GEORGE (Lughaven/Airport). ϕ = 33° 58'S; λ = 22° 27'E; h_t = 4 vt/ft; H = 831 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	62.0	61.2	60.2	59.8	59.8	59.5	62.7	66.5	69.4	71.6	73.4	74.0	74.0	73.7	73.5	72.9	71.0	69.4	67.5	65.8	65.0	63.6	63.2	62.6	66.8
February/Februarie	65.7	65.3	64.9	64.7	64.7	63.8	64.7	67.6	70.2	71.5	73.2	74.3	74.3	74.3	73.8	73.6	72.7	71.3	69.6	68.1	66.9	66.9	66.5	66.3	69.0
March/Maart	61.3	60.7	59.6	59.9	59.6	59.9	59.8	63.9	67.7	69.3	71.3	72.6	73.0	72.9	72.9	72.1	71.1	68.7	65.7	64.3	63.0	62.5	62.1	61.7	65.6
April	60.7	60.6	59.8	59.6	60.1	59.8	59.7	62.3	66.2	70.1	72.2	73.3	73.7	73.5	72.8	71.5	69.2	65.7	63.5	62.8	62.4	61.5	61.3	61.3	65.1
May/Mei	56.6	57.3	57.4	58.0	58.2	57.1	57.1	58.9	62.0	64.4	65.9	67.9	68.3	67.8	67.1	65.9	63.8	60.4	58.8	57.9	56.7	56.4	56.1	56.2	60.7
June/Junie	54.9	54.2	54.2	53.5	53.5	53.9	53.5	54.0	56.2	58.9	60.5	61.8	62.8	63.0	62.7	61.1	58.5	55.7	54.7	54.0	54.0	53.8	54.4	54.8	56.6
July/Julie	51.6	51.0	50.6	50.1	50.3	50.1	49.9	50.1	53.2	56.6	58.5	59.8	60.4	60.6	60.0	58.6	56.8	54.5	53.2	52.5	51.7	51.2	51.0	51.4	53.9
August/Augustus	51.8	51.5	50.9	51.1	50.9	50.4	51.2	52.3	56.1	59.0	61.0	62.4	62.7	63.0	62.8	61.1	59.9	55.9	53.7	52.6	51.6	52.0	51.7	51.5	55.3
September	53.9	53.7	54.7	54.7	54.6	54.9	54.9	57.3	60.5	62.7	63.8	64.5	64.9	64.4	63.4	62.3	60.7	58.6	57.5	56.3	55.5	55.1	54.6	54.1	58.2
October/Oktober	53.7	53.4	53.1	52.8	53.0	52.6	54.5	57.4	59.5	61.0	61.6	62.4	62.4	62.7	61.9	60.9	60.0	58.9	57.0	56.0	55.3	54.5	54.1	53.6	57.2
November	57.5	57.2	56.6	56.4	55.9	56.8	60.0	63.0	65.3	67.8	68.9	69.3	69.9	70.0	68.6	67.0	66.1	64.7	62.5	60.9	60.1	59.1	58.6	58.1	62.5
December/Desember	58.3	58.0	57.6	57.3	57.2	57.3	61.2	64.4	67.1	69.1	70.8	71.2	71.3	70.9	70.8	69.9	68.8	67.1	64.9	62.5	61.5	60.7	60.0	59.2	64.0
Year/Jaar	57.3	57.0	56.6	56.5	56.5	56.3	57.4	59.8	62.8	65.0	66.8	67.8	68.1	68.1	67.5	66.4	64.9	62.6	60.7	59.5	58.6	58.1	57.8	57.6	61.2

MEAN HOURLY VALUES OF TEMPERATUUR (°F.) — GEMIDDELDE UURLIKSE WAARDES VAN TEMPERATUUR (°F.)

No. 30/5639 A — PORT ELIZABETH (Luchhaven/Airport). ϕ = 33° 59'S; λ = 25° 37'E; h_t = 4 vt/ft; H = 190 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	64.8	64.5	63.8	62.8	61.9	61.8	66.2	68.5	69.9	71.4	73.0	73.2	73.5	73.5	73.2	72.0	71.1	70.1	69.1	67.7	67.2	66.8	66.2	65.4	68.2
February/Februarie	67.1	67.4	67.2	67.2	66.7	66.5	67.7	69.3	71.7	73.8	75.5	76.5	76.6	76.4	75.8	74.7	73.3	71.6	70.1	69.2	68.6	68.1	67.7	67.4	70.7
March/Maart	62.6	62.2	61.6	60.9	60.5	60.3	61.2	64.6	67.6	69.9	71.6	72.6	73.2	72.9	72.3	70.8	69.3	67.6	66.0	65.4	64.5	63.8	63.5	62.9	66.2
April	60.6	59.9	59.3	59.5	59.1	59.1	58.6	62.8	67.2	70.3	72.0	72.7	72.9	72.1	71.1	69.8	68.1	66.0	64.6	63.6	63.0	62.3	61.5	60.9	64.9
May/Mei	56.1	55.4	55.3	55.5	55.3	54.6	55.2	58.0	62.8	66.4	69.0	70.6	71.3	70.7	70.5	69.2	66.3	61.8	59.9	58.7	57.9	57.2	56.9	56.3	61.3
June/Junie	52.2	52.1	52.0	51.8	51.7	51.1	51.3	52.1	57.0	60.6	62.9	64.3	65.0	64.9	64.1	62.7	60.2	57.9	56.5	55.3	54.6	54.1	53.1	52.9	56.7
July/Julie	50.8	49.9	49.9	49.6	49.8	49.0	48.4	49.2	55.0	58.3	60.9	62.3	63.5	63.7	63.3	61.5	59.5	57.3	55.6	54.1	53.1	51.9	51.3	50.9	54.9
August/Augustus	50.8	50.4	50.4	50.4	50.2	49.9	49.5	53.1	57.1	60.2	63.0	63.7	64.2	64.4	64.2	63.0	61.2	58.0	55.5	54.6	53.5	53.8	52.9	51.8	56.1
September	56.6	56.1	55.5	55.5	55.6	54.7	55.5	59.7	62.4	64.5	65.9	66.6	67.3	66.9	66.2	65.1	63.7	61.4	60.1	59.3	58.6	58.0	57.4	57.3	60.4
October/Oktober	56.7	56.4	56.1	55.7	55.5	55.3	58.3	60.5	62.0	63.0	63.8	64.9	65.1	64.6	64.1	63.5	62.6	61.2	59.6	58.7	58.4	57.9	57.3	57.0	59.9
November	59.8	59.8	59.4	58.9	58.7	60.1	63.5	65.8	67.5	69.1	70.0	70.3	70.6	69.7	69.2	68.2	67.1	65.5	64.0	62.7	61.6	60.9	60.7	60.3	64.3
December/Desember	61.5	60.9	61.3	60.6	60.2	61.3	64.8	66.8	68.0	69.4	70.6	70.8	71.6	71.6	71.3	70.8	69.6	68.6	66.8	65.4	64.3	63.3	62.7	62.2	66.0
Year/Jaar	58.3	57.9	57.7	57.4	57.1	57.0	58.4	60.9	64.0	66.4	68.2	69.0	69.6	69.3	68.8	67.6	66.0	63.9	62.3	61.2	60.4	59.8	59.3	58.8	62.5

No. 31/5686 N — OOS LONDEN/EAST LONDON (Luchhaven/Airport). ϕ = 33° 01'S; λ = 27° 53'E; h_t = 4 vt/ft; H = 411 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	65.2	65.0	64.3	63.9	63.8	64.1	66.8	70.3	72.0	72.5	72.1	72.9	73.4	73.4	73.1	72.3	71.4	70.4	69.1	67.8	67.1	66.6	66.0	65.6	68.7
February/Februarie	69.0	68.5	68.0	67.9	67.9	68.0	69.5	72.3	75.0	76.1	76.7	77.6	77.5	77.1	77.1	76.5	75.2	73.9	72.0	71.4	70.8	70.4	70.1	69.7	72.4
March/Maart	65.6	65.1	64.6	64.2	63.9	63.7	64.7	68.1	71.5	73.4	74.1	73.8	73.5	73.8	73.6	73.0	71.6	69.8	68.5	67.7	67.3	67.1	66.5	66.0	68.8
April	63.9	63.5	63.0	62.8	62.6	62.3	63.0	67.0	70.6	73.0	74.0	74.7	75.2	74.4	73.9	73.0	70.8	68.0	66.6	65.9	65.4	65.0	64.9	64.2	67.8
May/Mei	61.6	61.4	61.1	60.7	60.4	59.9	59.8	62.1	66.5	70.0	72.3	72.9	73.4	73.2	72.2	70.0	67.1	64.2	62.9	62.5	61.8	61.2	61.0	61.2	65.0
June/Junie	55.4	55.2	55.2	54.9	54.6	54.9	54.4	56.2	60.1	63.7	66.5	67.8	68.0	67.8	67.1	66.1	62.4	59.7	58.2	57.7	57.0	56.2	55.9	56.0	59.6
July/Julie	56.6	56.0	55.4	55.0	54.7	54.0	54.8	56.0	60.9	64.6	66.9	68.2	68.4	67.7	67.3	66.0	63.1	60.3	58.6	58.1	57.8	57.4	57.0	56.9	60.1
August/Augustus	57.5	56.7	56.9	57.0	56.0	56.2	56.4	59.7	63.8	67.5	70.0	70.7	71.0	70.8	68.8	66.3	65.1	62.1	59.8	59.7	59.4	58.9	58.9	58.1	62.0
September	60.0	59.4	59.4	59.1	58.7	58.8	59.3	62.1	65.0	67.5	68.9	69.0	68.9	68.0	67.4	66.8	65.9	64.4	63.8	63.3	62.4	61.8	61.1	60.7	63.4
October/Oktober	59.3	59.0	58.7	58.4	58.4	58.5	60.3	62.6	64.6	65.2	65.5	65.6	65.8	65.0	64.8	64.3	63.4	62.6	61.5	60.9	60.5	60.2	59.9	59.5	61.9
November	62.4	61.9	61.7	61.7	61.5	62.3	65.3	68.1	70.1	70.8	71.4	71.1	70.8	70.8	70.1	69.2	68.3	67.1	66.1	65.3	64.5	64.1	64.0	63.2	66.3
December/Desember	63.4	63.1	62.6	62.1	61.9	63.7	67.4	70.3	71.7	72.8	72.6	72.4	72.5	71.7	71.4	71.0	69.8	68.9	67.4	66.4	65.8	65.2	64.8	64.1	67.6
Year/Jaar	61.7	61.2	60.9	60.6	60.4	60.5	61.8	64.6	67.7	69.8	70.9	71.4	71.5	71.1	70.6	69.5	67.8	66.0	64.5	63.9	63.3	62.8	62.5	62.1	65.3

No. NE/43 — WINDHOEK. ϕ = 22° 34'S; λ = 17° 06'E; h_t = 4 vt/ft; H = 5,666 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	71.6	70.2	69.3	68.2	67.3	66.9	67.8	71.4	75.3	78.2	80.6	82.4	84.1	84.7	85.2	85.4	84.6	83.3	80.9	78.5	76.5	74.9	73.4	72.3	76.4
February/Februarie	69.6	69.1	68.1	67.4	66.8	66.3	66.6	70.2	73.8	76.7	79.2	81.1	82.6	83.4	83.9	84.0	83.3	82.2	79.2	76.8	74.5	73.3	72.4	71.0	75.1
March/Maart	65.7	64.7	63.7	62.7	61.9	61.1	60.2	63.6	67.4	70.7	74.0	76.5	77.9	78.7	79.7	79.7	78.9	77.6	75.8	73.4	71.5	70.0	68.5	67.0	70.4
April	66.1	65.1	63.8	62.9	62.0	61.3	60.6	63.1	68.0	71.2	74.0	76.4	78.0	78.9	79.1	78.8	77.5	75.8	73.6	71.8	70.2	68.7	67.6	66.4	70.0
May/Mei	54.5	52.9	52.2	51.3	50.6	50.2	49.6	51.5	56.9	61.0	64.0	66.4	68.7	69.8	70.4	70.6	69.3	67.5	64.3	61.7	59.6	57.8	56.4	55.3	59.7
June/Junie	48.8	48.1	47.4	46.9	46.2	45.3	44.9	45.4	50.8	56.1	59.3	61.7	63.8	65.4	66.4	66.7	65.6	63.2	59.1	56.4	54.2	52.4	50.8	49.7	54.8
July/Julie	51.8	50.7	49.5	49.1	48.4	47.7	47.2	47.7	52.7	58.3	61.6	64.5	66.7	68.2	69.5	69.6	69.0	67.0	63.0	60.2	57.6	55.7	54.3	53.1	57.6
August/Augustus	56.2	55.0	54.0	53.3	52.3	51.4	50.7	52.4	58.2	62.6	65.8	68.2	70.4	72.1	72.8	73.3	72.8	70.8	67.3	64.4	61.7	59.7	58.6	57.4	61.7
September	64.9	63.8	62.6	61.6	60.6	60.0	59.3	63.1	68.3	72.2	74.9	76.9	78.4	79.4	80.4	80.5	79.8	78.4	75.7	73.1	70.6	69.2	67.7	66.3	70.3
October/Oktober	65.4	64.0	63.1	62.2	61.1	60.5	61.4	66.0	70.2	74.0	77.1	79.6	81.4	82.6	82.9	82.9	81.8	80.2	77.4	74.3	71.7	70.0	68.6	66.8	71.9
November	67.5	66.5	65.6	65.0	64.8	64.5	65.6	69.2	72.3	74.7	77.1	78.9	80.0	80.7	80.6	79.8	78.9	76.8	75.3	73.7	71.8	70.5	69.3	68.2	72.4
December/Desember	65.9	65.3	65.0	64.4	63.9	63.4	64.7	67.8	71.3	74.0	76.0	78.0	78.3	78.2	78.5	77.8	76.5	75.7	74.4	72.1	70.1	69.0	67.9	66.9	71.0
Year/Jaar	62.3	61.3	60.4	59.6	58.8	58.2	58.2	60.9	65.4	69.1	72.0	74.2	75.9	76.8	77.5	77.4	76.5	74.9	72.2	69.7	67.5	65.9	64.6	63.4	67.6

MEAN HOURLY VALUES OF RELATIVE HUMIDITY (%) — GEMIDDELDE UURLIKSE WAARDES VAN RELATIEWE VOGTIGHEID (%)

No. 2/1050 A PIETERSBURG (Laghawe/Airport). ϕ = 23° 56'S; λ = 29° 29'E; h_t = 4 vt/ft; H = 4,244 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No.
January/Januarie	81	84	88	89	90	87	80	74	68	62	58	54	52	49	49	49	50	54	62	68	71	75	77	80	69
February/Februarie	83	84	86	87	89	90	83	74	68	62	58	54	50	48	46	47	48	53	62	68	71	74	77	81	68
March/Maart	80	82	84	85	87	88	85	76	67	60	54	49	47	46	45	46	49	53	60	65	69	73	76	78	67
April	83	85	87	87	87	88	85	76	70	63	57	51	48	49	49	49	54	61	68	72	74	76	79	81	70
May/Mei	72	74	75	76	78	78	77	69	59	51	46	42	38	36	35	34	39	48	54	58	62	65	66	69	58
June/Junie	60	63	65	66	67	68	68	61	51	44	39	34	31	29	28	29	31	39	44	48	50	52	54	56	49
July/Julie	64	67	68	71	73	74	74	66	56	46	40	37	34	33	32	32	36	42	48	51	55	57	60	62	53
August/Augustus	63	66	69	70	71	72	71	63	53	46	39	34	31	30	28	29	32	40	46	50	53	56	59	62	51
September	64	67	71	73	75	76	72	63	54	46	38	34	31	30	29	30	32	37	42	47	50	53	56	59	51
October/Oktober	72	74	75	77	78	79	74	68	60	57	52	48	46	44	42	43	45	52	59	63	65	68	70	71	62
November	79	81	82	83	85	84	77	69	63	58	54	49	47	46	49	49	50	55	59	64	67	70	73	75	65
December/Desember	75	78	80	83	83	82	75	71	65	58	54	50	48	45	45	49	50	52	57	62	67	71	74	76	65
Year/Jaar	73	75	78	79	80	81	77	69	61	54	49	45	42	40	40	41	43	49	55	60	63	66	68	71	61

No. 7/1230 MAFEKING. ϕ = 25° 52'S; λ = 25° 39'E; h_t = 4 vt/ft; H = 4,169 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No.
January/Januarie	68	71	73	75	77	78	72	65	59	54	50	47	43	42	40	39	42	43	47	55	58	62	65	68	58
February/Februarie	79	79	79	80	81	84	79	68	62	57	52	48	44	43	41	43	44	45	49	56	64	69	72	74	62
March/Maart	88	89	89	89	89	89	88	81	74	69	65	62	59	57	55	57	58	62	73	80	84	86	87	88	76
April	84	86	87	88	87	89	88	76	66	58	54	50	48	46	44	44	48	60	70	76	79	80	83	84	70
May/Mei	76	78	79	80	82	83	83	71	57	49	44	39	36	35	34	34	37	46	56	61	66	70	72	74	60
June/Junie	69	70	72	73	75	76	77	68	53	45	40	37	34	32	31	32	35	44	50	55	60	64	66	67	55
July/Julie	63	64	66	67	68	69	70	65	53	45	39	35	33	31	31	31	34	41	46	51	54	57	60	61	51
August/Augustus	51	53	55	57	58	60	62	53	44	38	33	30	28	26	25	25	26	29	34	38	42	44	47	48	42
September	41	42	44	46	48	50	51	43	37	33	30	27	23	23	22	22	22	25	28	31	33	35	37	39	35
October/Oktober	50	52	53	55	56	57	55	46	42	38	33	31	29	27	26	27	27	30	32	35	38	42	44	47	41
November	58	62	65	67	69	68	60	52	48	46	44	40	38	36	34	34	35	37	39	42	47	51	54	56	49
December/Desember	63	67	70	72	73	71	64	56	51	46	43	39	37	36	35	36	37	39	41	46	49	54	58	59	52
Year/Jaar	66	68	69	71	72	73	71	62	54	48	44	40	38	36	35	35	37	42	47	52	56	59	62	64	54

No. 8/1600 A GERMISTON (Laghawe/Airport). ϕ = 26° 14'S; λ = 28° 08'E; h_t = 4 vt/ft; H = 5,462 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No.
January/Januarie	77	79	81	83	85	84	80	73	65	59	54	50	47	45	46	47	49	53	55	59	64	68	73	74	65
February/Februarie	75	78	81	83	85	87	84	76	68	62	56	53	49	47	46	45	44	46	51	56	60	63	66	70	64
March/Maart	84	84	88	89	90	90	89	82	75	68	64	61	60	57	57	57	58	64	70	73	76	77	80	81	74
April	75	76	79	80	82	83	83	74	64	57	52	48	45	43	43	45	48	55	58	62	66	69	71	73	64
May/Mei	66	70	72	74	75	76	77	69	59	49	43	39	37	35	34	34	38	44	48	51	54	58	60	62	55
June/Junie	60	62	65	67	69	72	73	69	55	48	41	37	33	31	30	32	36	40	44	47	50	52	55	57	51
July/Julie	58	61	64	66	67	69	70	67	54	47	41	37	34	32	32	33	35	39	42	45	48	51	53	56	50
August/Augustus	54	56	59	62	64	65	66	58	49	42	36	31	29	27	25	26	28	31	34	38	41	44	46	50	44
September	48	52	55	58	61	63	63	54	45	37	32	29	26	24	23	23	24	26	28	30	33	36	39	43	40
October/Oktober	57	61	63	65	67	67	65	59	51	46	40	36	33	32	30	31	32	33	37	43	48	48	51	54	48
November	67	69	73	74	76	76	71	65	57	51	47	45	42	41	39	39	40	43	49	55	58	59	62	63	57
December/Desember	68	70	72	75	79	78	71	64	59	53	47	43	41	40	39	39	41	42	48	53	57	61	63	64	57
Year/Jaar	66	68	71	73	75	75	74	67	58	52	46	42	40	38	37	38	39	43	47	51	54	58	60	62	56

MEAN HOURLY VALUES OF RELATIVE HUMIDITY (%) — GEMIDDELDE UURLIKSE WAARDES VAN RELATIEWE VOGTIGHEID (%)

No. 8/1654 B — PRETORIA (Met. Kantoor/Office). — ϕ = 25° 45'S; λ = 28° 14'E; h_t = 4 vt/ft; H = 4,487 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	80	82	85	87	89	88	79	74	68	61	57	53	50	48	46	48	49	53	60	66	70	73	74	77	67
February/Februarie	78	81	82	84	86	87	80	73	68	63	58	55	51	49	47	47	48	50	59	65	69	71	72	75	67
March/Maart	84	85	87	89	90	91	86	77	72	67	65	61	58	56	55	56	57	64	74	79	81	82	82	84	74
April	81	81	82	85	88	88	89	72	63	58	53	49	46	44	43	44	48	60	68	72	74	76	79	79	68
May/Mei	74	77	79	81	84	86	87	73	61	53	48	44	41	39	38	38	43	55	62	65	67	68	71	71	63
June/Junie	66	68	72	75	77	78	79	71	56	46	40	36	32	30	29	30	36	45	53	55	57	59	61	63	55
July/Julie	67	70	75	73	76	77	79	71	57	48	43	39	35	33	31	32	35	44	52	54	57	58	60	62	55
August/Augustus	61	64	67	69	71	72	74	62	52	46	41	37	34	31	30	30	31	39	46	51	54	55	58	60	51
September	57	60	64	65	70	73	67	56	49	43	38	33	29	27	26	26	27	32	39	43	45	47	49	52	47
October/Oktober	61	65	68	69	72	73	67	58	53	47	43	39	36	33	34	32	33	37	45	52	54	55	57	59	52
November	74	76	77	79	80	80	71	65	60	55	51	49	46	45	43	41	45	48	54	59	63	68	69	71	61
December/Desember	69	73	75	76	79	80	71	65	59	55	50	45	41	38	37	38	39	44	47	53	57	60	63	66	57
Year/Jaar	71	73	76	78	80	81	77	68	60	53	49	45	42	39	38	39	41	48	55	59	62	64	66	68	60

No. 9/1857 — STANDERTON (Vliegskool/Air School). — ϕ = 26° 57'S; λ = 29° 15'E; ht = 4 vt/ft; H = 5,250 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	88	89	91	92	93	91	85	76	65	56	49	45	41	41	42	44	48	49	59	68	73	77	83	86	68
February/Februarie	89	90	91	92	94	94	90	82	72	62	54	50	45	43	43	41	43	47	56	63	71	78	84	87	69
March/Maart	94	94	95	95	95	96	94	89	80	73	65	61	58	58	57	59	61	67	74	78	83	88	91	92	79
April	85	87	90	92	93	94	93	88	78	66	57	49	42	40	38	40	44	54	59	64	69	75	79	83	69
May/Mei	77	77	79	81	82	84	83	79	70	57	45	39	35	33	32	33	38	46	50	55	60	65	70	73	60
June/Junie	75	77	79	81	82	83	84	77	66	54	43	37	33	31	29	30	36	44	48	51	56	61	66	69	58
July/Julie	65	68	71	72	74	76	77	75	65	55	45	37	32	30	30	30	35	43	47	49	52	55	58	61	54
August/Augustus	68	70	71	73	75	76	78	73	59	49	40	36	31	29	28	28	31	38	42	46	52	57	61	65	53
September	72	74	78	80	82	84	80	70	55	43	35	29	27	25	25	25	26	33	41	49	55	59	64	67	53
October/Oktober	82	85	85	86	87	86	80	69	60	50	42	38	34	33	33	36	38	45	50	62	68	72	76	81	62
November	80	81	83	84	85	82	75	65	55	48	41	37	34	34	35	36	42	49	55	60	64	70	74	75	60
December/Desember	82	84	86	87	89	87	79	70	57	50	42	37	36	35	35	37	39	40	50	56	66	71	73	79	61
Year/Jaar	80	81	83	85	86	86	83	76	65	55	47	41	37	36	36	37	40	46	53	58	64	69	73	77	62

No. 13/2183 — UPINGTON. — ϕ = 28° 27'S; λ = 21° 15'E; ht = 4 vt/ft; H = 2,640 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	37	39	42	44	48	50	48	43	36	32	27	24	22	21	20	19	20	21	23	24	27	30	34	37	32
February/Februarie	42	43	44	46	48	51	52	47	40	35	32	29	26	24	22	21	21	24	26	29	32	34	37	38	35
March/Maart	59	61	64	66	66	68	68	63	55	50	44	39	35	34	35	35	36	39	43	48	52	54	56	59	51
April	52	52	55	55	56	60	61	56	47	41	35	31	28	27	26	25	26	30	36	39	41	43	46	50	42
May/Mei	56	59	60	60	63	63	64	60	55	47	42	38	34	31	30	29	31	35	40	45	46	49	51	54	48
June/Junie	54	56	58	60	62	63	65	63	56	47	41	37	34	30	28	28	29	35	40	44	46	47	49	51	47
July/Julie	54	54	56	57	59	60	61	60	55	47	40	36	34	31	29	28	29	34	39	43	46	49	50	52	46
August/Augustus	44	47	49	50	52	54	55	54	48	41	36	32	29	26	25	24	24	27	31	33	36	38	41	43	39
September	34	36	39	41	43	45	47	44	36	30	25	22	20	19	19	18	19	21	24	26	27	29	31	33	30
October/Oktober	40	42	47	51	52	55	54	51	42	35	30	26	23	21	20	19	19	22	25	27	30	33	36	39	35
November	38	41	43	45	48	49	48	42	37	32	29	26	25	23	23	23	23	25	26	28	31	32	34	36	34
December/Desember	38	41	43	43	46	49	48	43	39	34	31	29	26	25	25	24	24	25	26	27	29	31	34	36	34
Year/Jaar	46	48	50	51	54	56	56	52	45	39	34	31	28	26	25	24	25	28	32	34	37	39	42	44	39

MEAN HOURLY VALUES OF RELATIVE HUMIDITY (%) — GEMIDDELDE UURLIKSE WAARDES VAN RELATIEWE (%)

No. 14/2299 A KIMBERLEY (Luchhawe/Airport). ϕ = 28° 48'S; λ = 24° 46'E; h_t = 4 vt/ft; H = 3,926 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No.
January/Januarie	46	49	54	58	60	62	58	53	47	41	37	34	31	29	29	28	29	29	32	36	38	41	44	46	42
February/Februarie	57	58	61	63	65	65	65	57	51	45	39	35	33	30	30	29	30	34	36	41	46	49	52	55	47
March/Maart	74	76	78	80	81	83	83	75	66	58	52	48	45	44	44	45	47	52	58	62	64	66	68	71	63
April	60	61	65	67	70	71	74	64	55	48	41	36	33	31	30	30	31	38	44	47	50	52	54	58	50
May/Mei	52	54	56	58	61	62	63	59	51	45	41	36	33	31	30	29	32	38	43	45	46	48	49	50	46
June/Junie	52	54	57	58	59	62	62	61	52	45	40	35	31	29	28	28	30	37	41	42	45	48	49	50	46
July/Julie	51	53	55	56	58	59	61	60	51	45	39	35	32	30	28	28	30	36	41	44	47	48	49	50	45
August/Augustus	38	40	43	45	47	50	54	51	44	39	34	28	25	22	21	21	21	24	28	30	32	33	34	36	35
September	31	33	35	37	39	39	40	36	31	28	24	21	19	18	17	17	17	19	21	23	25	26	27	29	27
October/Oktober	32	34	38	41	43	46	45	41	36	31	28	25	21	19	19	17	17	18	19	21	23	25	26	29	29
November	41	43	46	49	54	56	50	46	41	35	31	28	25	25	24	25	24	25	28	31	34	37	38	41	37
December/Desember	42	45	50	52	55	55	50	46	41	35	33	29	25	23	23	23	23	24	26	27	30	32	36	38	36
Year/Jaar	48	50	53	55	58	59	59	54	47	41	37	33	29	28	27	27	28	31	35	37	40	42	44	46	42

No. 15/2516 A BLOEMFONTEIN (Luchhawe/Airport). ϕ = 29° 08'S; λ = 26° 11'E; h_t = 4 vt/ft; H = 4,664 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No.
January/Januarie	58	61	65	70	72	72	67	59	53	47	41	37	34	32	30	31	33	37	40	44	45	49	52	56	49
February/Februarie	66	68	70	72	73	76	74	66	58	53	47	45	42	40	38	38	38	41	47	53	57	60	63	64	56
March/Maart	81	83	85	87	88	89	86	77	71	65	60	57	53	50	48	50	52	58	66	70	72	72	75	76	70
April	70	72	76	77	80	83	83	71	60	53	47	41	38	36	36	37	40	48	54	58	61	64	66	67	59
May/Mei	62	65	67	69	71	73	76	68	55	49	44	40	37	34	34	35	38	45	51	53	55	57	58	60	54
June/Junie	64	66	68	69	72	73	75	71	54	47	41	37	34	32	31	32	36	42	48	53	55	56	59	61	53
July/Julie	53	55	56	57	64	66	69	64	53	47	41	37	35	32	30	30	33	38	43	46	50	48	49	51	48
August/Augustus	47	49	51	54	57	60	62	55	46	40	34	29	26	24	22	23	24	28	32	36	38	40	42	45	40
September	34	36	40	43	46	49	48	40	34	29	25	22	19	18	17	17	18	20	23	26	27	29	30	32	30
October/Oktober	39	42	45	48	52	56	53	47	39	34	29	26	23	20	19	18	19	21	22	24	27	31	34	37	34
November	41	45	48	51	53	54	50	45	40	35	31	27	24	23	22	21	22	24	26	30	34	36	37	39	36
December/Desember	48	50	53	59	65	65	59	53	46	39	34	31	31	28	28	27	28	28	30	33	36	38	42	44	41
Year/Jaar	55	58	60	63	66	68	67	60	51	45	39	36	33	31	30	30	32	36	40	44	46	48	51	53	48

No. 18/3217 B DURBAN (Luchhawe/Airport). ϕ = 29° 51'S; λ = 31° 03'E; h_t = 4 vt/ft; H = 42 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No.
January/Januarie	85	85	85	85	85	83	78	73	71	70	69	68	68	69	71	71	73	75	79	80	82	83	83	84	77
February/Februarie	90	91	92	92	92	92	91	86	82	80	80	79	77	76	77	78	80	84	86	87	87	88	89	90	85
March/Maart	88	88	88	89	89	90	88	81	76	74	74	72	72	72	73	76	77	81	83	85	87	87	87	87	82
April	86	87	89	90	90	89	88	81	72	69	68	69	69	70	70	71	74	79	80	82	83	83	84	85	79
May/Mei	82	80	79	78	76	77	76	69	60	54	54	55	57	60	63	68	74	80	83	83	81	82	82	83	72
June/Junie	76	75	75	73	71	72	69	64	53	46	47	49	51	53	55	59	65	70	73	74	75	72	74	75	65
July/Julie	81	80	80	79	77	76	74	68	56	50	50	53	56	59	61	65	71	74	77	79	81	81	81	81	70
August/Augustus	85	86	85	85	84	86	85	78	67	63	62	64	64	66	67	69	73	77	79	80	80	82	84	84	76
September	85	85	86	86	87	87	84	78	73	71	71	70	71	71	73	75	78	82	84	84	84	85	85	85	80
October/Oktober	84	84	84	84	85	84	80	74	70	69	69	69	68	68	69	73	75	78	78	80	81	83	82	84	77
November	85	86	85	85	86	83	79	75	74	73	71	71	70	72	75	74	77	78	80	82	82	83	84	84	79
December/Desember	81	82	81	81	80	78	72	70	69	68	68	69	68	70	71	72	75	78	81	83	82	83	82	81	76
Year/Jaar	84	84	84	84	83	81	80	75	68	66	65	66	66	67	69	71	74	78	80	82	82	82	83	84	77

MEAN HOURLY VALUES OF RELATIVE HUMIDITY (%) — GEMIDDELDE UURLIKSE WAARDES VAN RELATIEWE VOGTIGHEID (%)

No. 21/3443 a — BEAUFORT WEST (Lughawe/Airport). — ϕ = 32° 19'S; λ = 22° 38'E; h_t = 4 vt/ft; H = 2,850 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Mn.
January/Januarie	59	63	65	67	69	71	67	61	56	48	41	37	33	29	28	28	27	28	30	35	41	47	51	56	47
February/Februarie	65	68	70	72	73	75	70	65	58	51	44	38	34	31	29	29	28	31	38	43	49	54	58	62	51
March/Maart	69	71	74	76	77	78	79	74	67	61	53	48	44	43	42	42	42	45	49	54	58	61	64	66	60
April	63	65	68	69	71	72	74	72	65	58	51	45	40	37	36	37	38	40	47	51	53	55	58	61	55
May/Mei	57	58	59	60	60	61	62	61	54	48	43	39	36	35	35	36	38	43	47	50	52	53	54	55	50
June/Junie	63	64	65	66	67	68	69	68	65	57	51	48	46	46	45	46	48	51	54	58	59	61	63	63	58
July/Julie	68	68	68	70	72	73	75	74	72	64	56	52	48	45	43	43	46	50	55	58	60	61	63	65	60
August/Augustus	47	50	51	54	56	57	59	57	50	45	42	38	34	32	31	30	31	34	37	39	41	42	44	46	44
September	57	61	62	63	65	66	66	62	55	49	42	37	33	29	27	26	26	27	30	34	38	42	47	52	46
October/Oktober	58	62	65	67	69	71	68	62	55	48	40	35	32	29	27	26	27	28	33	38	42	48	52	56	47
November	51	55	58	60	61	60	57	50	42	36	29	26	22	21	20	19	19	20	22	25	30	36	42	46	38
December/Desember	46	50	55	57	60	59	56	52	45	38	33	28	24	22	21	20	19	20	22	26	30	35	39	43	37
Year/Jaar	59	61	63	65	67	68	67	63	57	50	44	39	35	33	32	32	32	35	39	43	46	50	53	56	50

No. 22/3510 M — DE AAR. — ϕ = 30° 39'S; λ = 24° 01'E; h_t = 4 vt/ft; H = 4,072 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Mn.
January/Januarie	54	57	59	62	65	66	63	58	52	47	42	39	37	34	32	31	32	32	34	36	40	43	47	50	46
February/Februarie	58	61	62	63	65	68	66	58	51	46	41	37	34	32	31	31	31	32	35	40	45	48	52	56	48
March/Maart	70	73	74	76	78	78	78	71	60	54	48	44	41	40	38	39	40	41	46	51	56	61	65	67	58
April	62	65	67	70	71	74	75	69	59	51	43	38	34	32	30	29	30	33	37	43	47	52	55	58	51
May/Mei	58	61	64	64	63	65	67	66	59	51	43	40	36	34	32	30	31	35	40	44	48	52	55	57	50
June/Junie	67	69	70	72	74	75	76	76	66	58	51	46	43	40	38	38	39	44	49	54	59	62	64	65	58
July/Julie	62	63	70	72	75	76	77	75	67	58	50	45	41	39	37	38	39	43	49	54	59	60	61	60	57
August/Augustus	49	52	54	55	57	58	60	57	47	40	35	31	28	27	25	25	26	29	32	35	39	41	43	45	41
September	40	43	46	48	50	52	53	46	37	31	26	22	20	19	19	19	19	21	23	25	29	32	34	37	33
October/Oktober	47	51	55	58	62	63	60	52	43	35	30	27	25	23	22	22	23	24	26	29	33	36	40	44	39
November	44	47	51	53	56	56	52	48	40	35	31	27	27	26	25	23	24	25	26	29	32	35	39	42	37
December/Desember	43	46	50	52	55	54	49	41	34	30	26	24	22	22	21	21	21	22	24	26	27	30	32	36	34
Year/Jaar	55	57	60	62	64	65	65	60	51	45	39	35	32	31	29	29	30	32	35	39	43	46	49	51	46

No. 23/3970 — QUEENSTOWN (Vliegskool/Air School). — ϕ = 31 54'S; λ = 26° 52'E; h_t = 4 vt/ft; H = 3,635 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Mn.
January/Januarie	83	85	87	86	86	86	81	74	66	59	51	46	42	41	42	45	50	55	64	72	76	77	80	82	67
February/Februarie	83	84	85	86	87	87	84	78	69	63	56	50	47	46	47	49	53	58	66	71	75	80	80	81	69
March/Maart	90	91	91	92	92	92	91	84	77	69	62	57	53	52	50	51	55	64	73	78	83	84	86	88	75
April	84	85	87	87	88	89	89	84	76	68	62	54	48	47	46	46	48	59	66	69	72	76	78	80	70
May/Mei	69	69	68	69	71	72	73	68	62	54	48	43	40	38	38	38	43	49	54	57	59	63	64	69	57
June/Junie	63	63	63	65	66	67	67	64	56	49	45	43	40	39	39	40	42	49	52	55	56	58	60	60	54
July/Julie	57	57	57	58	58	61	60	60	51	46	41	38	36	34	34	35	38	41	46	49	52	56	56	56	49
August/Augustus	59	60	59	61	61	64	64	62	55	47	41	37	33	31	30	30	32	36	41	47	51	53	56	58	49
September	77	78	79	79	80	79	76	69	60	50	44	38	34	32	32	33	37	46	54	59	65	70	72	74	59
October/Oktober	83	82	82	83	85	85	81	73	66	58	52	47	45	44	46	45	49	57	68	79	82	84	85	86	69
November	82	83	84	83	84	79	71	64	53	45	39	35	32	31	31	38	39	47	55	64	71	75	78	80	60
December/Desember	80	81	81	82	83	79	71	64	55	47	42	38	33	33	34	35	37	43	52	61	69	74	77	79	60
Year/Jaar	76	77	77	78	78	78	76	70	62	55	49	44	40	39	39	40	44	50	58	63	68	71	73	74	62

MEAN HOURLY VALUES OF RELATIVE HUMIDITY %

GEMIDDELDE UURLIKSE WAARDES VAN RELATIEWE VOGTIGHEID %

No. 26/4306 N BELLVILLE. ϕ = 33° 59'S; λ = 18° 36'E; h_t = 4 vt/ft; H = 150 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	80	81	82	83	84	82	78	70	62	56	52	52	52	54	56	58	62	65	70	77	79	80	80	80	70
February/Februarie	85	88	89	90	90	92	91	82	70	61	56	52	51	55	57	61	65	69	76	82	83	84	84	84	75
March/Maart	87	86	86	88	88	89	90	83	72	63	56	53	51	51	53	56	61	68	75	80	82	84	84	85	74
April	91	91	92	92	93	94	94	93	83	72	63	56	54	56	57	60	65	73	82	85	88	89	90	92	79
May/Mei	92	93	92	93	93	93	93	91	87	81	75	71	68	67	67	70	76	85	88	89	90	91	91	92	85
June/Junie	91	91	91	92	92	92	91	91	90	85	78	72	68	69	69	72	77	83	86	88	89	89	91	90	84
July/Julie	93	93	94	94	94	95	95	95	95	87	79	74	71	70	69	71	76	84	88	91	92	92	93	93	87
August/Augustus	92	92	91	91	91	92	92	91	87	77	70	66	65	65	65	67	70	78	85	88	90	90	91	91	82
September	89	90	92	91	91	91	91	88	79	72	69	64	61	62	64	67	72	80	87	89	89	89	90	90	81
October/Oktober	89	89	90	89	89	89	88	81	73	67	63	62	62	63	63	66	67	74	81	84	87	87	87	88	78
November	88	89	90	91	91	91	86	75	67	61	58	56	56	58	59	62	66	70	76	83	86	87	87	87	76
December/Desember	84	85	86	87	87	87	82	71	65	60	57	56	58	58	60	61	64	67	73	78	81	82	84	83	73
Year/Jaar	88	89	90	90	90	91	89	84	77	70	65	61	60	61	62	64	68	75	81	85	86	87	88	88	79

No. 27/4391 MATROOSBERG. ϕ = 33° 26'S; λ = 19° 49'E; h_t = 4 vt/ft; H = 3,162 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	70	72	73	74	75	76	70	62	54	47	41	36	33	32	31	32	35	39	45	52	58	60	64	67	54
February/Februarie	73	75	78	80	82	83	82	71	62	51	44	38	34	33	33	33	34	38	44	52	59	63	67	70	57
March/Maart	77	79	81	81	82	82	82	72	64	58	52	46	42	40	38	38	39	46	55	62	66	70	73	75	63
April	76	78	80	82	83	83	84	76	66	60	56	50	45	42	41	40	42	48	57	62	66	69	72	73	64
May/Mei	75	74	75	75	76	77	78	79	70	64	59	55	53	53	51	53	55	61	68	72	72	74	74	76	67
June/Junie	80	80	81	81	81	82	81	82	76	70	65	61	60	59	59	61	63	69	76	78	78	79	80	80	73
July/Julie	85	84	85	86	85	85	86	85	79	73	67	64	60	60	58	59	62	72	79	81	83	83	84	84	76
August/Augustus	76	79	78	79	80	80	81	76	67	63	57	53	49	48	48	46	49	55	65	68	71	72	75	75	66
September	79	79	80	81	80	81	81	75	66	58	54	48	43	41	38	39	41	47	60	65	69	73	76	77	64
October/Oktober	83	83	85	86	88	89	83	74	67	63	57	51	49	47	46	47	50	55	65	71	74	78	79	81	69
November	73	75	77	79	81	83	69	58	51	44	40	35	33	31	31	31	34	38	45	53	59	63	67	69	55
December/Desember	72	74	75	78	80	81	72	65	58	51	44	39	37	36	36	37	38	41	46	54	60	63	65	69	57
Year/Jaar	77	78	79	80	81	82	79	73	65	59	53	48	45	43	43	43	45	51	59	64	68	71	73	75	64

No. 28/4480 N GEORGE (Luchhaven/Airport). ϕ = 33° 58'S; λ = 22° 27'E; h_t = 4 vt/ft; H = 831 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Me.
January/Januarie	86	87	88	88	87	86	82	75	67	63	61	61	60	60	61	62	67	71	77	82	84	87	86	87	76
February/Februarie	89	89	89	90	90	90	90	84	78	77	74	72	71	71	71	71	74	77	82	86	89	89	89	89	82
March/Maart	85	85	87	85	87	85	86	80	73	69	66	64	63	63	61	62	64	72	80	83	85	84	84	84	77
April	82	81	82	82	81	82	81	79	71	61	58	56	56	56	58	63	68	77	83	83	82	82	82	80	74
May/Mei	76	74	71	70	69	73	72	70	66	63	60	54	56	56	59	63	69	76	78	78	80	79	78	77	69
June/Junie	67	69	69	71	71	69	69	69	67	65	64	61	59	57	60	64	73	80	79	77	75	74	73	69	69
July/Julie	74	76	76	78	77	77	77	76	72	66	63	60	61	62	64	69	74	79	81	81	81	81	80	77	73
August/Augustus	74	75	76	76	76	76	73	72	67	61	57	56	57	57	58	61	64	76	81	80	81	78	78	77	70
September	92	91	88	87	86	85	85	83	79	74	72	70	70	72	74	76	82	88	91	93	93	93	93	92	84
October/Oktober	90	90	90	89	87	89	87	82	77	74	73	72	73	73	73	74	76	80	87	89	91	92	92	91	83
November	86	85	85	85	87	85	82	75	71	66	65	64	64	64	65	69	70	74	80	82	83	84	84	86	77
December/Desember	84	83	83	83	82	83	78	69	63	60	59	59	59	61	60	61	62	66	72	77	80	81	81	84	72
Year/Jaar	82	82	82	82	82	82	80	76	71	67	64	62	62	63	64	66	70	76	81	83	84	84	83	83	75

MEAN HOURLY VALUES OF RELATIVE HUMIDITY (%) — GEMIDDELDE UURLIKSE WAARDES VAN RELATIEWE VOGTIGHEID (%)

No. 30/5639 A — PORT ELIZABETH (Luchhaven/Airport). ϕ = 33° 59'S; λ = 25° 37'E; h_t = 4 vt/ft; H = 190 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Ms.
January/Januarie	85	86	87	88	88	88	82	74	70	67	63	64	65	63	65	69	71	74	76	80	81	82	84	84	77
February/Februarie	92	92	93	92	93	93	93	89	82	76	71	70	70	70	72	76	80	83	86	89	91	90	91	92	84
March/Maart	91	92	93	93	93	90	93	89	80	76	69	67	66	67	69	72	77	82	86	88	89	90	89	90	83
April	90	91	91	90	90	89	91	84	75	69	65	63	65	66	69	73	78	84	87	89	90	89	89	90	82
May/Mei	84	85	84	85	84	84	82	77	70	64	61	59	57	58	59	62	69	78	80	81	83	83	82	84	75
June/Junie	84	83	83	83	81	83	82	81	75	67	63	61	60	62	63	67	74	77	80	82	82	84	85	85	76
July/Julie	86	87	86	86	85	86	87	87	79	72	66	62	60	61	63	68	73	78	81	84	86	88	88	87	79
August/Augustus	89	90	90	89	89	89	88	85	79	73	65	64	64	65	66	69	75	82	86	88	89	89	88	90	81
September	95	95	96	95	95	95	93	88	80	74	73	71	70	71	73	76	79	86	89	90	91	92	93	94	86
October/Oktober	89	90	90	90	90	90	85	80	77	75	73	70	69	72	73	76	78	83	86	87	88	88	89	90	82
November	87	87	88	89	87	86	80	73	69	66	66	64	64	65	67	70	73	78	82	85	87	87	87	87	78
December/Desember	86	86	87	88	89	87	81	75	71	67	64	64	62	62	63	64	68	71	76	80	82	83	83	84	76
Year/Jaar	88	89	89	89	89	88	86	82	76	71	67	65	64	65	67	70	75	80	83	85	87	87	87	88	80

No. 31/5686 M — OOS LONDEN/EAST LONDON (Luchhaven/Airport). ϕ = 33 01'S; λ = 27° 53'E; h_t = 4 vt/ft; H = 411 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Ms.
January/Januarie	85	86	86	88	87	86	81	73	71	70	72	70	70	70	70	72	74	76	79	83	84	84	84	85	79
February/Februarie	92	92	93	93	93	92	89	83	78	74	75	74	74	75	75	77	80	83	88	89	90	90	90	91	85
March/Maart	86	88	89	89	88	88	87	80	74	68	68	69	70	69	70	71	77	81	82	84	84	84	85	85	80
April	85	85	86	85	84	83	80	72	65	61	60	60	60	61	63	66	71	78	81	82	83	83	82	84	75
May/Mei	66	65	64	65	66	66	65	61	53	48	45	45	46	48	53	59	66	72	73	72	72	72	72	69	62
June/Junie	69	69	66	69	69	67	66	63	56	51	46	46	47	50	52	55	63	68	69	68	70	71	71	69	62
July/Julie	62	63	63	63	63	64	61	59	53	50	44	42	44	47	49	53	59	65	69	67	66	65	65	62	58
August/Augustus	67	68	66	64	67	67	66	60	53	48	44	46	47	49	54	60	65	71	74	70	70	70	68	68	62
September	84	84	84	84	84	83	83	78	73	69	67	67	67	71	73	75	77	80	80	80	81	81	83	83	78
October/Oktober	84	84	84	85	83	82	78	74	70	70	70	72	72	76	77	77	78	80	84	84	86	85	85	85	79
November	83	83	83	81	81	81	74	68	66	67	66	69	70	71	75	76	78	80	81	81	82	82	81	83	77
December/Desember	83	83	84	83	83	78	71	64	62	62	64	66	67	69	69	70	73	76	78	80	81	81	81	81	75
Year/Jaar	79	79	79	79	79	78	75	70	64	61	60	60	61	63	65	68	72	76	78	78	79	79	79	79	73

No. MO/43 — WINDHOEK. ϕ = 22° 34'S; λ = 17° 06'E; h_t = 4 vt/ft; H = 5,666 vt/ft.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Ms.
January/Januarie	41	42	43	45	47	46	47	45	39	34	31	29	27	26	25	25	26	28	30	33	36	39	41	42	36
February/Februarie	58	59	60	62	63	62	60	55	48	42	38	34	31	29	28	29	30	32	38	42	47	49	51	54	46
March/Maart	53	56	57	60	62	64	66	62	55	49	42	38	35	33	32	31	32	33	35	39	42	45	48	50	47
April	43	44	45	47	48	49	50	48	43	38	34	31	28	27	27	27	29	31	33	36	38	40	42	44	38
May/Mei	41	42	43	45	46	47	48	47	42	37	32	29	27	25	24	24	26	26	30	32	34	36	37	38	36
June/Junie	36	37	37	38	39	40	41	42	38	33	30	28	25	23	22	22	23	25	28	30	32	33	34	35	32
July/Julie	38	39	41	42	43	43	45	44	40	36	32	28	26	24	23	22	23	24	28	30	32	34	35	36	34
August/Augustus	32	33	34	35	35	37	38	38	34	31	28	26	24	22	21	21	21	23	25	26	28	29	30	31	29
September	29	29	30	31	31	32	33	31	27	24	21	20	19	19	18	18	18	19	20	22	24	25	27	28	25
October/Oktober	28	29	29	30	30	31	30	27	24	21	18	17	17	17	17	16	17	18	19	21	22	23	25	26	23
November	47	47	47	48	47	47	45	41	36	35	32	30	29	28	29	31	33	35	37	39	42	45	48	49	39
December/Desember	64	64	64	64	64	63	60	56	48	45	42	39	39	40	40	42	46	47	47	52	56	57	59	61	52
Year/Jaar	43	43	44	46	46	47	47	45	39	35	32	29	27	26	25	26	27	28	31	33	36	38	40	41	36

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1000	Wilton Valley	23°45'	27°03'	2950	5.27	6	0.87	3	2.84	6	1.48	4	0.00	0	0.00	0	0.00	0	0.00	0	0.09	1	1.04	2	0.81	4	0.25	3	12.65	29
1001	Kruispad	23 38	27 04	2800	3.53	5	1.17	1	2.52	4	1.22	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.04	2	0.89	3	0.00	0	10.37	19
1001 a	Palapye Road	22 33	27 08	3020	0.70	1	0.03	1	7.03	10	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.70	2	0.86	2	0.43	1	9.75	17
1001 A	Dikgatlang	23 27	27 12	3000	2.21	8	1.22	5	1.79	8	1.38	10	0.00	0	0.00	0	0.00	0	0.00	0	0.07	1	0.96	3	1.81	4	1.49	7	10.93	46
1002	Stockpoort	23 25	27 20	2750	1.25	4	0.47	2	2.07	6	0.47	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.19	3	1.94	4	0.69	7	8.08	28
1003	Zyverbult	23 45	27 22	3300	2.28	5	1.58	3	2.12	5	1.48	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.92	3	1.38	3	0.61	3	10.37	27
1004	De Dam	23 25	27 28	2750	0.53	2	0.00	0	1.95	4	1.34	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.88	2	2.16	5	1.03	4	7.89	20
1004 A	Francistown	21 13	27 30	3276	2.16	7	3.13	5	5.68	11	0.27	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.10	3	2.61	5	0.61	4	15.56	37
1004 b	Sterkfontein	23 57	27 37	-	3.06	8	1.61	3	1.55	3	1.20	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.95	2	0.00	0	0.65	2	9.07	22
1004 B	Fouriaskloof	23 48	27 40	-	2.35	1	0.10	1	2.35	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.78	2	0.15	1	0.00	0	5.73	8
1005 A	Oranjefontein	23 27	27 41	2590	4.77	3	0.92	2	1.65	4	1.79	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.88	3	1.11	4	0.73	2	11.85	22
1006 a	Rustenburg (Skool)	23 19	27 44	-	3.27	5	2.34	4	1.33	7	0.20	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.08	2	0.81	4	0.92	4	9.95	30
1006 A	Grootfontein	23 39	27 44	2900	2.81	3	2.51	3	1.25	3	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.24	3	0.05	1	2.54	5	10.55	19
1007 A	Rotterdam	23 36	23 59	3100	0.86	2	1.63	3	2.60	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.37	3	0.86	4	0.86	6	8.18	25
1010	Authoriteit	23 35	28 05	2950	1.60	5	0.86	4	2.10	4	1.15	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.18	3	0.59	6	2.63	7	10.11	33
1008 M	Klipbankfontein	23 06	27 59	-	0.00	0	2.60	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.00	2	1.15	1	0.65	1	6.40	(6)
1011	Villa Nora	23 32	28 07	2770	1.50	3	1.63	2	3.06	3	0.73	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.35	4	0.98	2	3.19	2	13.16	18
1011	Marnitz	23 10	28 14	-	0.15	1	3.57	3	0.51	3	0.06	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.83	3	1.29	4	0.60	5	8.01	21
1012	Essexvale	22 42	28 13	2500	1.82	3	6.69	2	1.08	2	1.55	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.32	3	0.56	1	0.08	1	13.10	14
1012 a	Strydpan	23 08	28 16	-	0.82	2	3.82	3	0.75	2	0.04	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.43	3	1.41	3	0.32	2	8.58	16
1012 B	Droëvlei	22 52	28 18	-	0.71	8	3.89	3	0.49	1	0.68	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.03	2	0.42	1	0.00	0	7.22	17
1012 D	Oatlands	22 56	28 18	-	1.88	7	6.50	3	0.66	2	0.40	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.01	2	1.31	5	0.23	3	11.99	24
1013	Marken	23 35	28 24	3300	1.10	5	1.73	5	2.60	3	2.12	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.62	3	0.74	2	0.00	0	9.91	21
1014	Koenap	23 41	28 26	3300	1.13	3	2.35	4	0.91	5	1.55	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.33	3	1.41	3	0.92	2	10.60	23
1015	Masstroom	22 46	28 28	2675	1.97	3	0.84	1	0.42	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.20	2	0.85	2	0.00	0	5.28	9
1012 A	Boekenhoutfontein	23 17	28 16	-	0.00	0	4.18	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.33	4	1.00	1	1.05	5	8.56	13
1017 A	Weltevredan	23 01	28 37	-	0.00	0	2.26	2	1.20	3	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.57	3	1.15	3	0.30	2	6.78	14
1017 M	Verdoornsdraai	23 58	28 38	-	2.73	4	1.20	2	2.04	2	0.95	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.60	1	2.10	3	1.35	3	11.97	16
1017 R	Sterkloop	23 10	28 40	-	0.50	3	2.20	3	2.20	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.05	3	3.43	2	1.01	2	11.39	16
1020 A	De Gracht	22 45	28 53	2512	0.00	0	5.00	4	1.20	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.10	2	0.35	1	0.25	1	7.90	(9)
1021	Swerverskraal	23 45	28 53	3472	2.94	6	3.38	4	0.57	3	1.20	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.54	4	2.48	4	0.86	2	13.97	27
1022	Stirum	23 49	28 54	3600	1.56	4	3.02	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.38	3	2.96	3	2.39	5	12.31	(17)
1023	Leipzig	23 08	28 56	4000	1.84	8	3.55	4	2.40	7	0.90	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.89	6	0.81	6	2.34	4	13.73	40

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1024 M	Alfred	22°56'	29°04'	-	0.68	2	1.78	1	0.56	2	1.48	3	0.00	0	0.00	0	0.10	1	0.00	0	0.00	0	1.24	2	0.58	1	1.72	2	8.14	14
1025	Alldays	22 40	29 06	2700	1.85	3	2.62	4	1.00	2	0.66	2	0.08	1	0.00	0	0.00	0	0.00	0	0.00	0	2.82	3	1.25	3	2.00	2	12.28	20
1026	Bochas I	23 17	29 06	3129	0.82	3	2.38	2	0.82	2	0.41	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.67	5	1.26	3	3.97	4	11.33	22
1027	Bochas II	23 17	29 06	3129	0.82	3	2.08	2	0.32	2	0.42	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.63	2	1.57	2	2.92	4	9.96	18
1030	Vulcanus	23 38	29 07	3828	0.89	2	3.50	1	0.17	2	0.58	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.34	5	0.90	3	1.96	4	10.34	19
1031	Bergsicht	23 50	29 08	4400	1.94	6	1.00	2	1.26	2	2.14	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.64	4	1.76	6	0.49	2	11.23	27
1031 A	Balerno	22 17	29 11	-	1.25	2	6.97	5	5.12	3	1.00	1	0.13	1	0.00	0	0.00	0	0.00	0	0.00	0	1.93	2	0.65	5	0.00	0	17.05	19
1032 M	Carlow	22 55	29 13	-	0.58	4	6.08	3	2.30	6	0.97	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.20	2	1.15	1	0.50	1	12.78	20
1033	Sandown	23 03	29 13	2900	1.50	3	3.64	3	0.90	5	0.71	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.46	2	1.24	4	1.24	3	10.69	23
1033 B	Leon	22 26	29 14	2020	1.36	1	7.30	5	2.31	3	0.75	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.84	2	0.65	3	0.39	1	13.60	13
1036	Jakhalsfontein	23 51	29 15	4400	7.06	7	3.04	4	2.23	3	4.41	9	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.18	6	2.64	5	1.71	2	24.27	36
1037	Sobo	23 28	29 16	3750	1.20	6	3.98	3	0.27	4	0.64	3	0.00	0	0.00	0	0.00	0	0.03	1	0.00	0	2.48	7	2.04	5	2.10	5	12.74	34
1039	Red Hill	23 12	29 18	3200	2.24	7	1.51	1	1.01	5	1.37	2	0.07	1	0.00	0	0.00	0	0.00	0	0.00	0	1.93	5	1.35	5	4.01	6	13.49	32
1040	Biesjespol	23 52	29 19	4300	3.54	7	1.75	5	0.76	4	1.93	8	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.28	6	2.11	6	1.33	6	13.70	42
1042	Rosemeath	23 55	29 27	4200	1.94	7	1.32	3	0.91	5	2.53	6	0.00	0	0.00	0	0.00	0	0.00	0	0.02	1	2.41	6	2.09	6	1.94	8	13.16	42
1042 M	Dalmair	22 32	29 24	-	1.26	4	1.48	3	3.82	6	1.30	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.91	3	1.72	4	1.65	6	12.14	28
1044	Kalkfontein	23 22	29 25	3250	0.95	5	1.96	3	1.52	4	0.59	5	0.00	0	0.00	0	0.01	1	0.04	1	0.00	0	1.74	6	1.76	6	2.46	7	11.03	38
1045	Palmietfontein	23 45	29 26	3900	3.16	7	2.01	2	0.00	0	0.96	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.37	2	1.37	3	2.19	1	12.06	16
1047	Thorneloe	23 38	29 28	3820	3.84	7	0.61	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.59	5	1.15	3	3.90	6	12.09	22
1048	Pietersburg Hospitaal	23 54	29 28	4155	3.08	7	1.25	4	0.59	3	1.06	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.26	6	1.58	7	2.64	6	12.46	38
1050 M	Goedgedacht	23 06	29 29	-	1.51	6	1.53	2	0.60	3	1.42	3	0.04	1	0.00	0	0.00	0	0.00	0	0.00	0	1.82	2	0.81	1	3.48	4	11.21	22
1050 a	Houtrivier	23 09	29 29	-	1.12	4	1.78	2	1.06	3	0.68	2	0.70	1	0.00	0	0.00	0	-	-	0.00	0	2.00	2	1.18	1	1.44	3	(9.96	18)
1050 A	Pietersburg (Airport)	23 56	29 29	4246	0.99	6	1.29	4	0.39	6	1.92	8	0.01	1	0.00	0	0.00	0	0.00	0	0.05	2	2.44	9	2.48	8	2.36	10	11.93	54
1051	Bandur	22 37	29 30	2200	0.56	2	1.28	2	2.08	3	1.20	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.10	3	1.18	1	3.35	3	10.75	17
1051 A	Venterstadorp	22 59	29 30	4500	3.13	7	3.02	6	2.58	6	1.00	2	0.35	1	0.00	0	0.00	0	0.02	1	0.00	0	1.57	3	2.13	7	7.22	7	21.02	40
1053	Bows	23 14	29 31	3100	1.44	7	1.73	2	0.44	2	0.55	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.67	2	1.06	4	2.43	4	9.32	23
1054	Broadlands	23 51	29 31	4200	3.71	7	1.45	3	0.62	3	1.16	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.24	5	2.64	8	4.56	5	16.38	36
1057 A	Waerkom	23 09	29 34	-	0.81	5	1.86	2	1.93	4	0.39	2	0.00	0	0.00	0	0.07	2	0.00	0	0.00	0	2.15	3	1.41	4	2.69	4	11.31	26
1057 M	Albert 113	22 54	29 34	-	2.18	4	1.59	3	2.23	4	3.48	4	0.05	1	0.00	0	0.00	0	0.00	0	0.00	0	1.18	3	1.98	4	3.45	4	16.14	27
1060	Leghraal	23 22	29 35	3200	1.21	4	1.67	5	1.00	4	1.85	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.36	3	1.31	3	2.66	4	12.06	24
1061	Kalkfontein	23 54	29 35	4012	3.52	4	1.30	3	0.66	2	1.31	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.15	3	0.47	2	3.87	3	13.28	20
1063	Bonaparte	23 43	29 38	3750	5.01	6	0.76	3	0.70	1	0.60	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.72	1	1.55	3	4.75	5	15.09	21
1063 B	Dongola	22 16	29 39	-	-	-	2.81	4	1.99	3	0.85	2	0.10	1	0.00	0	0.00	0	0.00	0	0.00	0	0.32	3	0.61	3	1.04	4	(7.72	20)
1066	Matiebuskraal II	23 56	29 40	4354	3.50	8	1.64	4	0.38	1	1.49	3	0.00	0	0.00	0	0.00	0	0.00	0	0.06	1	2.07	2	0.79	3	2.02	1	11.95	23
1067	Capesthorne	23 02	29 41	2800	1.12	2	0.62	4	1.68	8	3.06	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.19	4	4.24	3	2.65	4	15.56	31

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar Inches Duime	Year-Jaar Days-Dae
1071	Happy Rest	23°01'	29°44'	3000	1.94	8	0.87	3	1.85	8	2.91	7	0.00	0	0.00	0	0.00	0	0.18	3	0.00	0	1.88	6	3.34	6	2.42	6	15.39	47
1072	Bultfontein	23 19	29 44	3600	0.47	3	1.36	3	1.40	5	2.73	4	0.05	1	0.00	0	0.00	0	0.00	0	0.00	0	1.68	4	1.41	5	2.98	5	12.08	30
1077	Mashaba	23 11	29 47	3250	0.88	6	1.04	8	0.94	6	0.80	4	0.15	2	0.00	0	0.03	1	0.00	0	0.00	0	1.54	6	2.13	6	3.05	7	10.56	46
1077 M	Tweeputkoppies	23 14	29 47	-	0.95	4	0.62	4	1.08	2	0.71	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.11	5	2.39	5	2.69	5	9.55	26
1079	Rouwput	23 17	29 47	3600	1.03	5	1.20	3	0.71	4	1.76	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.62	5	1.93	5	2.94	6	11.19	31
1080	Randolferkop	23 19	29 48	3700	0.97	4	1.31	4	0.67	2	2.38	5	0.13	1	0.00	0	0.07	2	0.00	0	0.00	0	1.72	4	1.96	5	4.48	5	13.69	32
1081	Alaska	22 59	29 50	4400	3.09	11	3.68	12	3.69	13	2.08	10	(1.45	2)	0.00	0	0.00	0	0.22	4	0.00	0	2.08	5	3.53	7	1.93	6	(21.75	70)
1082	Versamelahoek	23 01	29 50	3250	2.74	9	2.07	8	3.55	11	1.82	4	0.00	0	0.00	0	0.39	3	0.35	3	0.00	0	2.26	6	3.39	7	2.41	8	18.98	59
1083	Zyvergat	23 25	29 50	3650	1.00	9	0.80	4	1.64	6	1.94	3	0.03	1	0.00	0	0.03	1	0.02	1	0.00	0	1.92	6	2.71	5	4.05	6	14.14	42
1084	Kleinbegin	23 39	29 50	3950	1.39	7	2.35	7	1.78	8	1.43	9	0.00	0	0.00	0	0.00	0	0.01	1	0.00	0	1.99	8	2.33	5	3.30	6	14.58	51
1086	Zwart Randjies	23 14	29 51	3400	1.72	8	1.48	8	0.97	4	2.37	4	0.36	1	0.00	0	0.00	0	0.04	1	0.00	0	1.57	5	2.19	4	3.43	5	14.13	40
1088	Bultfontein	23 24	29 52	3700	1.17	10	1.70	5	1.35	5	1.15	4	0.05	1	0.00	0	0.06	1	0.05	1	0.00	0	1.79	6	3.27	7	3.60	7	14.19	47
1091	Bekaf	22 47	29 53	2150	3.42	8	1.10	4	2.77	5	4.35	6	0.01	1	0.00	0	0.00	0	0.00	0	0.00	0	1.83	3	1.12	7	1.45	6	16.05	40
1093	Maapakuil	23 10	29 54	3100	0.82	10	1.28	10	1.20	9	1.48	6	0.00	0	0.00	0	0.06	1	0.09	2	0.00	0	1.67	6	4.03	6	3.29	7	13.92	57
1093 A	Vliegenpan	23 15	29 53	-	1.57	11	1.32	7	0.99	9	2.26	5	0.03	1	0.00	0	0.10	3	0.10	3	0.02	2	1.68	9	2.55	6	4.41	10	15.03	66
1094	Macuville	22 16	29 54	2000	1.18	5	3.28	7	5.77	5	1.45	3	0.11	2	-	-	0.00	0	0.00	0	0.00	0	0.71	5	1.50	5	1.90	5	(15.90	37)
1094 A	Masequa	22 52	29 54	2500	1.87	11	1.20	6	1.48	5	3.60	5	0.06	2	0.00	0	0.00	0	0.00	0	0.00	0	1.10	2	1.18	7	1.96	3	12.45	41
1095	Water Reserve	23 01	29 54	3400	3.49	10	3.48	8	3.82	15	1.99	5	0.87	1	0.00	0	0.58	3	0.41	4	0.02	1	2.61	7	4.20	12	2.63	10	24.10	76
1096	Louis Trichardt	23 03	29 54	3156	2.11	12	2.12	7	2.63	14	2.02	5	0.48	2	0.00	0	0.47	4	0.31	3	0.00	0	2.40	7	3.57	5	-	-	(16.11	59)
1097	Hasebult	23 29	29 54	3700	1.95	11	1.16	8	1.11	12	1.64	5	0.11	1	0.00	0	0.28	2	0.14	3	0.01	1	2.57	13	1.82	11	2.62	5	13.41	72
1097 M	Driefontein	23 32	29 54	-	2.53	7	2.23	5	1.97	8	0.84	3	0.00	0	0.00	0	0.30	1	0.30	2	0.00	0	2.29	8	1.81	7	3.55	7	15.82	48
1098	Wilgeboschfontein	23 36	29 54	4000	1.79	9	1.73	5	1.49	5	1.10	6	0.00	0	0.06	1	0.16	1	0.03	1	0.00	0	1.15	6	0.96	3	4.52	7	12.99	44
1098 M	Wilgeboafontein II	23 36	29 54	-	0.86	3	2.33	4	1.22	-	1.16	4	0.00	0	0.00	0	0.00	0	0.01	1	0.00	0	1.68	2	1.54	3	3.72	4	12.52	(21)
1099 A	Vygeboomspruit	23 07	29 56	2900	0.91	3	1.43	3	1.45	3	1.70	3	0.10	1	0.00	0	0.00	0	0.00	0	0.00	0	2.10	2	2.36	2	1.23	2	11.28	19
1100	Hasmertsburg	23 56	29 56	4600	2.32	6	9.99	9	14.81	10	3.01	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.91	9	1.44	5	2.84	6	38.32	50
1101	Longueval	23 04	29 57	2900	2.00	12	1.89	6	2.21	14	1.26	5	0.25	2	0.00	0	0.34	4	0.23	4	0.02	1	2.21	9	3.39	9	3.07	11	16.87	77
1103	Weltevreden	23 55	29 57	4900	7.21	13	8.34	10	8.02	7	1.80	6	0.08	1	0.00	0	0.00	0	0.00	0	0.00	0	4.80	12	2.23	10	6.23	10	38.71	69
1104	Phantom	22 45	29 58	2200	1.35	3	1.73	3	3.57	6	1.46	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.03	2	0.89	4	2.47	4	12.50	27
1105 M	Glenshiel (2583)	23 56	29 58	-	5.21	13	17.18	11	8.40	10	1.32	7	0.00	0	0.00	0	0.08	2	0.00	0	0.22	4	4.57	13	1.78	13	4.32	14	33.08	87
1106 A	Fleurfontein	22 59	29 59	4000	3.44	15	4.44	12	4.38	18	1.72	9	1.76	4	0.00	0	0.60	6	0.67	7	0.15	7	2.37	13	3.37	13	3.52	13	26.42	117
1107	Broederstroom	23 48	29 59	5100	7.29	12	15.62	14	9.40	12	2.44	9	0.00	0	0.00	0	0.96	1	0.30	2	0.27	2	5.38	10	3.91	9	10.26	12	55.83	83
1108	Woodbush I	23 50	30 00	5014	8.29	18	14.80	14	12.00	17	3.29	13	0.05	1	0.00	0	0.45	6	0.60	6	0.45	8	6.00	17	3.65	17	9.39	16	58.97	133
1109 A	Witrand	23 30	30 00	3550	5.91	6	1.69	5	3.44	6	0.80	2	0.00	0	0.00	0	0.50	1	0.00	0	0.00	0	2.26	4	1.90	3	3.72	6	20.22	33
1110	Ramtoelaakloof	23 43	30 00	3000	1.87	6	3.32	6	0.89	2	1.60	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.77	4	0.67	1	3.78	3	13.90	26
1111	Sterkwater	22 58	30 01	-	2.31	10	2.96	10	2.85	13	1.55	6	1.31	2	0.00	0	0.37	3	0.39	3	0.00	0	1.79	6	3.58	9	2.81	7	19.92	69

SECTION 2. RAINFALL -1945- REËNVAL SEKSIE 2.

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1111 A	Vreendeling	22°59'	30°01'	-	2.69	10	3.35	12	3.13	14	0.90	6	1.30	2	0.00	0	0.55	2	0.51	2	0.00	0	1.86	6	3.80	9	3.92	12	22.01	75
1112	De Hoek	23 49	30 01	4000	7.78	14	14.82	11	9.76	11	1.89	8	0.00	0	0.00	0	0.43	3	0.45	4	0.24	2	5.95	15	3.24	14	8.88	12	53.44	94
1112 A	Roodewal	23 02	30 02	-	2.20	10	2.70	10	1.99	10	1.35	5	1.16	2	0.00	0	0.40	2	0.47	3	0.00	0	1.78	4	3.32	7	2.63	7	18.00	60
1114	Doornboom	23 26	30 02	3500	19.93	13	7.23	10	10.47	11	1.79	6	0.16	2	0.00	0	0.57	1	1.54	3	0.07	1	10.77	11	5.81	7	11.89	9	70.23	74
1115	Altydmooi	23 36	30 02	2600	2.90	7	1.88	6	0.00	0	2.23	6	0.00	0	0.00	0	0.07	1	0.00	0	0.00	0	1.56	3	-	-	-	-	(8.64	23)
1116	Messina	22 20	30 03	1800	2.03	7	2.61	9	6.55	12	0.44	5	0.16	2	0.00	0	0.00	0	0.00	0	0.00	0	1.10	5	1.79	6	1.56	5	16.24	51
1118	Klim Hospitaal	23 10	30 03	2650	2.90	9	1.45	8	1.83	8	1.01	5	0.32	2	0.00	0	0.14	1	0.23	2	0.00	0	1.89	5	3.25	7	3.28	7	16.30	54
1119	Ismana	23 12	30 03	3000	3.13	9	2.46	12	3.12	12	1.23	7	0.30	2	0.00	0	0.33	2	0.53	5	0.14	6	2.91	12	1.02	14	4.07	14	19.24	95
1120	Setali	23 20	30 03	2900	4.13	13	2.40	10	2.44	13	0.90	6	0.15	3	0.00	0	0.23	2	0.19	4	0.01	1	2.30	12	2.50	11	2.68	13	17.93	88
1120 A	Kranspoort	22 43	30 05	2200	0.81	3	1.26	3	1.63	2	1.27	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.26	2	1.42	5	2.77	3	10.42	(21)
1120 b	Wittonvale	23 24	30 04	-	4.64	9	1.13	6	2.12	8	1.16	5	0.00	0	0.00	0	0.72	1	0.06	1	0.00	0	1.97	9	2.86	10	3.82	8	18.48	57
1120 B	Belvedere	23 45	30 05	-	10.66	10	6.87	12	5.26	12	1.47	8	0.02	1	0.00	0	0.17	2	0.35	3	0.05	1	4.00	10	2.77	8	6.39	11	38.01	78
1120 M	Vergelegen	23 46	30 05	-	8.07	11	8.13	7	4.71	11	1.30	5	0.00	0	0.00	0	0.26	2	0.00	0	0.05	1	3.33	11	2.41	7	6.16	10	34.42	65
1121	Vergelegen	23 51	30 05	3700	8.18	11	13.77	9	7.12	11	1.79	6	0.00	0	0.00	0	0.21	2	0.17	1	0.05	1	5.22	13	4.35	13	5.81	15	46.67	82
1122 A	Beja	23 06	30 05	2555	4.50	11	2.45	8	2.32	8	0.43	2	0.00	0	0.00	0	0.30	1	0.12	2	0.00	0	2.53	7	3.65	5	4.82	4	21.12	48
1124 A	Middelkop	23 49	30 05	4500	6.80	9	12.71	14	5.57	10	1.23	5	0.00	0	0.00	0	0.20	2	0.28	2	0.09	1	4.67	11	3.76	7	5.05	11	40.36	72
1125	Diggersrust	23 55	30 04	3000	7.96	10	11.33	8	7.19	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.74	4	2.80	3	0.75	2	33.77	34
1127	Westfalia	23 44	30 06	3100	8.35	10	5.15	7	3.80	9	2.40	6	0.00	0	0.00	0	0.40	3	0.12	1	0.00	0	4.65	11	2.55	6	6.08	9	33.50	62
1128	Zomerkomst	23 47	30 07	2600	8.62	12	8.82	11	5.89	13	1.27	5	0.00	0	0.00	0	0.38	2	0.16	1	0.00	0	3.81	10	2.72	7	4.51	10	36.18	71
1129	Pigeonhole	23 55	30 08	4150	7.89	19	14.85	14	10.04	15	0.87	12	0.00	0	0.03	1	0.36	3	0.00	0	0.05	1	4.94	15	2.27	12	6.03	33	47.33	105
1130	Goedehoop	23 05	30 08	2660	5.60	10	4.55	10	4.21	14	0.89	7	0.71	2	0.00	0	0.45	3	0.34	5	0.07	2	2.86	10	3.09	6	5.59	12	28.36	81
1131	Bontfontein	23 21	30 08	2500	3.83	7	0.96	6	1.16	8	3.08	6	0.00	0	0.00	0	0.15	1	0.05	1	0.00	0	1.56	5	1.31	5	2.20	5	14.30	44
1132	Merensky Skoolplaas	23 48	30 08	2476	9.75	14	8.65	7	2.79	12	1.06	7	0.00	0	0.00	0	0.18	1	0.11	2	0.00	0	3.47	9	2.34	7	3.66	7	32.01	66
1134	Gevonden	23 08	30 12	2700	6.67	8	3.79	10	3.99	11	2.42	6	0.00	0	0.00	0	0.38	1	0.18	1	0.00	0	3.17	8	4.08	4	5.05	8	29.73	57
1135	Mocihoek	23 37	30 09	2400	3.10	11	1.39	9	0.83	10	2.70	6	0.02	1	0.00	0	0.03	1	0.04	1	0.00	0	1.79	6	1.55	4	2.80	7	14.25	56
1136	Pusella	23 50	30 09	2456	8.74	10	7.14	10	3.00	11	1.46	8	0.00	0	0.00	0	0.66	2	0.25	2	0.05	1	3.49	13	3.10	11	4.32	13	23.21	81
1137	Tsaneen	23 50	30 09	2500	7.05	12	8.85	7	3.52	7	0.92	4	0.00	0	0.00	0	0.25	1	0.00	0	0.00	0	3.13	8	2.83	6	2.87	8	29.32	53
1137 A	New Agatha	23 56	30 09	3600	7.90	13	13.77	8	9.13	14	1.33	6	0.04	1	0.00	0	0.46	3	0.13	1	0.28	3	5.70	15	2.87	10	5.10	10	46.71	84
1137 B	Monavain	23 58	30 09	-	7.40	17	12.47	9	7.98	16	1.19	9	0.07	1	0.00	0	0.54	5	0.23	3	0.25	2	5.24	16	2.80	12	5.26	18	43.43	108
1138	Tinkadela	23 01	30 12	2920	9.02	11	6.12	11	5.84	13	2.04	6	0.92	1	0.00	0	0.34	3	0.78	4	0.13	1	2.77	5	4.41	6	9.47	8	41.84	69
1139	Duiwelskloof	23 40	30 10	2600	6.79	8	3.10	6	3.18	5	1.70	5	0.00	0	0.00	0	0.14	1	0.17	1	0.00	0	3.14	4	1.13	2	3.41	5	22.76	37
1140	Siloam	22 54	30 11	-	1.46	5	1.48	4	3.39	6	2.63	5	0.31	1	0.00	0	0.21	1	0.00	0	0.00	0	1.35	3	0.72	3	3.63	3	15.18	31
1141 G	Hogeveldt	22 28	30 12	-	2.39	6	1.44	5	4.96	8	1.56	4	0.36	2	0.00	0	0.00	0	0.00	0	0.00	0	1.42	3	2.29	6	3.51	4	17.93	38
1141 B	Nooitgedacht	23 04	30 12	2500	5.15	9	4.15	10	5.82	14	1.46	6	0.00	0	0.00	0	0.75	2	0.20	2	0.00	0	3.30	9	3.50	6	9.39	6	33.72	64
1142	Driefontein	23 08	30 12	2289	5.02	9	2.38	9	4.03	9	1.54	5	0.12	1	0.00	0	0.00	0	0.00	0	0.00	0	2.90	7	3.35	5	7.78	9	27.12	54

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1145	Broederstroomdrift	23°48'	30°13'	2200	8.10	8	8.65	5	3.68	6	0.76	2	0.00	0	0.00	0	0.50	2	0.00	0	0.00	0	1.50	6	3.50	4	3.87	8	30.56	41
1147	Isovim	23 58	30 13	2300	8.31	11	5.96	7	3.92	10	2.08	6	0.00	0	0.00	0	0.40	2	0.00	0	0.00	0	2.08	4	1.81	3	3.50	9	28.06	52
1148	Klein Australia	23 03	30 13	2304	8.91	12	7.07	14	7.19	16	2.02	6	0.64	2	0.00	0	0.44	8	0.46	5	0.20	2	3.48	12	4.09	13	12.42	14	46.92	104
1149	Triangle	23 41	30 14	2700	11.08	12	3.06	7	3.15	10	2.12	5	0.07	1	0.00	0	0.47	3	0.35	2	0.00	0	4.10	11	2.05	7	5.68	11	32.13	69
1150	Entabeni	23 00	30 16	4512	11.03	13	8.62	13	13.79	17	3.35	7	2.18	3	0.00	0	0.81	6	1.78	6	0.47	4	3.86	10	4.67	10	11.71	11	62.27	100
1150 M	Levubu	23 05	30 16	-	6.71	6	4.56	10	4.50	4	4.85	4	0.00	0	0.00	0	0.55	1	0.10	1	0.00	0	1.70	3	2.29	6	6.44	5	31.70	40
1151	Ravenshill	23 36	30 16	3000	8.73	8	3.18	6	2.91	8	2.82	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.64	8	2.71	3	4.75	5	27.74	42
1152	Valencia Estate	23 51	30 15	1900	8.73	9	5.23	8	1.97	9	2.00	6	0.00	0	0.00	0	0.29	1	0.00	0	0.00	0	3.04	9	1.79	5	3.83	7	26.88	54
1152 A	Matiwa	22 59	30 17	4300	11.51	13	10.81	14	18.23	15	3.56	8	1.57	3	0.00	0	0.69	6	2.03	6	0.62	4	4.79	11	5.95	12	14.63	12	74.39	104
1154	Letaba Estate	23 52	30 18	1824	9.08	11	4.41	4	1.84	7	1.48	7	0.00	0	0.00	0	0.22	2	0.02	1	0.00	0	2.84	8	1.91	5	4.94	6	26.74	51
1155	Tshakhuma	23 03	30 18	3800	7.79	11	5.31	11	7.70	15	3.45	6	0.28	2	0.00	0	0.56	5	0.24	4	0.02	1	3.92	13	2.67	10	10.06	13	42.00	91
1158	Laatsgevonden	23 04	30 20	2000	6.93	5	3.92	7	6.08	11	1.80	5	0.30	3	0.00	0	0.30	1	0.11	1	0.00	0	3.20	11	3.20	7	7.35	7	33.19	58
1159	Versamelingwater	23 07	30 20	2000	4.42	6	4.05	9	4.10	12	3.55	6	0.46	2	0.00	0	0.05	1	0.08	2	0.05	2	2.65	11	3.28	9	7.20	11	29.89	71
1159 A	Leeumfontein	23 52	30 26	1800	8.78	10	4.39	5	1.88	7	2.25	6	0.00	0	0.00	0	0.20	2	0.02	1	0.03	2	2.64	10	1.40	4	3.22	7	24.81	54
1160 M	Beuster	22 58	30 25	-	8.14	6	4.76	7	7.29	10	0.98	1	0.34	2	0.00	0	0.00	0	0.25	2	0.00	0	2.85	9	2.50	6	11.34	10	38.45	53
1162	Sibasa	22 57	30 28	2425	8.65	11	5.21	9	8.55	12	1.39	6	0.43	2	0.00	0	0.00	0	0.17	1	0.09	1	2.97	11	2.89	6	8.09	10	38.44	69
1163	Palmaryville	22 59	30 26	1870	4.58	5	2.64	5	5.42	9	0.52	-	0.00	0	0.00	0	0.25	1	0.10	1	0.00	0	2.70	6	2.40	4	9.02	6	27.63	(37)
1165 A	Goodville	22 53	30 29	-	8.02	11	6.57	12	12.36	12	1.65	9	0.85	4	0.00	0	0.03	2	0.31	5	0.19	3	2.26	14	3.14	11	8.32	16	43.70	99
1165 B	Belle Ombre	23 50	30 29	-	3.05	6	1.69	3	0.84	4	2.08	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.25	3	3.28	5	1.60	2	14.79	29
1167	Leydsdorp	23 59	30 32	2170	5.09	5	2.46	3	0.32	1	0.78	5	0.00	0	0.00	0	0.38	1	0.00	0	0.00	0	2.89	6	5.08	4	1.97	5	18.97	30
1167 A	Georgenholtz	22 48	30 36	2270	9.60	8	9.00	10	11.27	12	1.42	2	0.55	1	0.00	0	0.35	1	0.34	2	0.00	0	3.45	8	5.00	9	7.87	9	48.85	62
1168	La Cotte	23 43	30 35	1480	4.90	7	2.06	5	0.15	3	0.16	2	0.00	0	0.00	0	0.10	1	0.00	0	0.00	0	1.44	4	2.57	6	0.86	4	12.24	32
1169	Mon Desir	23 55	30 36	2000	4.80	7	2.45	5	0.35	3	2.33	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.05	6	3.43	5	1.62	4	18.03	33
1170	Black Hills	23 45	30 38	1700	3.98	10	1.38	6	0.42	3	4.46	5	0.00	0	0.00	0	0.82	1	0.00	0	0.00	0	1.95	6	4.03	5	0.56	1	17.60	37
1170 B	Chawner	23 00	30 43	1700	3.66	5	0.00	0	1.05	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.11	-	3.45	-	1.20	3	12.47	(11)
1171	Platveld	23 49	30 45	1600	3.73	7	1.32	5	0.38	6	4.13	4	0.00	0	0.00	0	0.11	2	0.00	0	0.00	0	2.07	8	2.08	9	1.74	6	15.56	47
1171 M	New Union Goldfields	23 01	30 44	-	4.23	11	2.51	7	3.87	8	1.31	5	0.16	1	0.00	0	0.00	0	0.00	0	0.00	0	1.98	9	2.48	9	3.15	4	19.69	54
1172 M	Mahale	23 41	30 58	-	4.17	6	1.66	7	0.40	2	3.15	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.03	4	1.23	5	0.20	1	11.84	30
1172 A	Brand	23 58	30 55	-	1.87	5	1.45	2	0.28	2	2.40	4	0.00	0	0.00	0	0.00	0	0.00	0	0.02	1	1.94	6	2.24	5	0.00	0	10.20	25
	SECTION 3.																													
1174	Pundu Maria	22 41	31 01	1515	5.53	7	1.62	11	4.63	13	1.51	7	0.70	4	0.00	0	0.04	2	0.05	2	0.00	0	0.82	7	3.13	7	3.61	9	21.64	69
1174 A	Bederoukwe	23 47	31 03	-	2.95	6	1.18	6	0.39	3	1.43	5	0.02	1	0.00	0	0.20	3	0.02	1	0.00	0	1.33	5	1.68	4	0.60	2	9.80	36
1174 A	Letaba Ranch	23 39	31 03	-	6.04	8	1.51	8	0.28	1	3.15	4	0.00	0	0.00	0	0.03	2	0.05	2	0.00	0	1.28	6	2.07	7	0.92	3	15.33	41
1175	Pafuri	22 27	31 19	1000	3.04	8	4.19	10	3.82	9	1.57	5	0.11	2	0.00	0	0.01	1	0.03	1	0.00	0	0.13	3	5.39	7	1.13	6	19.42	52

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1176	Letaba Rest Camp	23°51'	31°34'	704	2.78	7	1.90	10	1.08	8	(0.68)	4	(0.22)	3	0.00	0	0.01	1	0.08	1	0.06	2	0.98	6	0.93	6	0.79	4	(9.51)	52
	SECTION 4.																													
1177	Rietfontein	26 44	20 02	-	0.04	1	0.17	1	1.45	2	0.65	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.22	1	0.43	2	2.96	9
1177 a	Klein Mier	26 48	20 21	-	1.00	3	0.35	2	1.91	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.26	7
1177 n	Twee Riviere	26 26	20 37	-	1.23	4	0.47	2	1.57	3	0.35	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.78	2	4.40	12
1177 e	Witdraai	26 57	20 42	-	0.29	3	0.41	4	3.06	5	0.06	2	0.00	0	0.00	0	0.02	1	0.00	0	0.00	0	0.00	0	0.07	1	0.47	5	4.38	21
	SECTION 5.																													
1178	Van Zylsrust	26 53	22 03	3030	1.10	2	1.00	4	0.75	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.49	3	0.18	1	3.52	15
1179	Omrust	26 49	22 16	3250	1.23	1	1.01	2	0.63	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.03	2	0.00	0	3.90	9
1179 A	Tembong	26 03	22 27	3155	2.14	2	0.35	4	1.79	8	0.23	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.25	3	0.46	2	5.22	22
1180 A	Doornbraai	26 55	22 43	-	2.06	4	0.87	3	3.56	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.18	1	0.24	2	0.92	2	7.83	19
	SECTION 6.																													
1181	Longhurst	26 51	23 34	3602	2.42	3	0.80	3	3.97	9	0.28	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.88	1	0.89	4	0.82	3	10.06	25
1181 A	Masilibitsani	26 54	23 42	3734	4.60	9	1.54	6	3.84	10	0.61	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.65	1	1.35	4	1.19	2	13.78	35
1181 B	Hulp Alleen	25 59	23 43	-	1.52	4	1.33	3	4.19	8	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.06	1	6.15	3	0.15	1	13.40	20
1181 M	Euston	27 06	23 45	-	2.90	4	0.26	1	5.67	9	0.23	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.22	1	1.56	5	0.00	0	10.84	22
1182	Morokweng	26 07	23 47	3695	1.72	9	1.24	4	6.07	10	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.54	4	0.12	1	11.69	28
1182 a	Sebata	26 30	23 54	-	2.90	4	1.31	5	5.18	8	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.53	1	1.13	4	2.75	1	13.80	23
1182 A	Glen Red	26 58	23 55	4120	4.93	11	1.35	8	5.88	13	0.39	4	0.04	1	0.00	0	0.00	0	0.00	0	0.00	0	0.44	1	1.14	5	0.85	2	15.02	45
1182 b	Donegal	26 08	23 58	-	1.74	3	0.95	4	4.90	7	0.45	2	0.00	0	0.00	0	0.15	1	0.00	0	0.00	0	0.84	2	1.60	3	-	-	(10.63	22)
1183 T	Gemsbokvlei	26 02	24 04	-	0.80	4	2.23	6	4.62	9	0.26	2	0.00	0	0.00	0	0.10	1	0.00	0	0.00	0	0.26	1	1.98	4	0.25	1	10.50	28
1185	Fielden	26 30	24 07	4040	2.29	8	1.85	6	6.32	10	0.66	3	0.15	1	0.00	0	0.29	1	0.00	0	0.00	0	0.33	1	1.47	6	1.80	5	15.16	41
1185 A	Melrose	26 58	24 13	4380	3.30	7	0.85	3	6.52	12	1.00	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.34	1	4.37	3	0.60	3	16.98	34
1186	Palmyra	26 18	24 11	3900	1.63	7	1.33	4	6.33	12	0.29	2	0.17	1	0.00	0	0.14	1	0.00	0	0.00	0	0.69	1	2.52	4	1.09	2	14.19	34
1187	Mistake	26 45	24 16	4390	3.68	8	1.93	6	5.14	9	0.14	1	0.00	0	0.00	0	0.25	1	0.00	0	0.00	0	1.04	1	1.87	3	1.02	3	15.07	32
1187 A	Bosboek	25 43	24 17	3550	1.17	2	1.04	2	9.43	7	1.22	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.83	1	2.69	4	1.19	3	17.57	23
1188	Cumnor	26 21	24 15	3900	3.26	3	0.00	0	5.14	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.65	1	1.78	3	0.95	1	11.78	(15)
1189	Belmont	26 58	24 17	4300	3.06	7	1.57	5	6.05	13	0.74	6	0.00	0	0.00	0	0.05	1	0.00	0	0.00	0	0.29	1	3.14	6	0.81	4	15.71	43
1189 A	Kafferspan	26 52	24 19	-	2.65	5	0.93	3	4.46	12	0.31	3	0.00	0	0.00	0	0.23	1	0.00	0	0.00	0	0.60	1	2.47	4	0.93	4	12.58	33
1190	Fleesiesdam	26 38	24 19	4400	2.57	6	1.99	5	6.92	11	1.57	2	0.00	0	0.00	0	0.26	1	0.00	0	0.00	0	1.59	1	1.18	2	2.49	2	18.57	30
1191	Labera	25 50	24 20	3540	0.00	0	0.79	2	7.07	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.96	2	1.38	3	0.00	0	10.20	(14)

No.	STATION STASIE	Latitude Breedtegr. S.	Longitude Lengtegr. E.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1192 a	Roelofskamp	26°07'	24°23'	3746	3.73	4	1.44	2	6.42	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.61	2	2.23	4	1.25	1	15.68	18
1192 A	Lourensgeluk	26 40	24 28	4250	3.38	7	1.06	7	11.42	10	1.70	3	0.00	0	0.00	0	0.40	1	0.00	0	0.00	0	0.75	1	1.90	3	1.00	1	21.61	33
1193	Haarlem	26 20	24 17	3900	2.10	6	1.47	3	6.81	6	0.00	0	0.20	1	0.00	0	0.00	0	0.00	0	0.00	0	0.50	1	2.27	3	0.62	1	13.97	23
1194	Biesjesvlakte	26 56	24 30	4200	3.82	7	1.73	5	6.03	11	0.39	3	0.00	0	0.00	0	0.05	1	0.00	0	0.00	0	0.26	1	1.23	4	0.83	5	14.34	37
1194 A	Middelkop	26 45	24 28	4250	3.03	6	0.78	4	8.55	11	0.40	3	0.00	0	0.00	0	0.27	1	0.00	0	0.00	0	1.07	1	2.23	4	1.44	1	17.77	31
1195	Welgeleven	26 46	24 35	4090	3.28	4	0.18	1	8.80	11	0.92	2	0.00	0	0.00	0	0.35	1	0.00	0	0.00	0	1.45	1	2.23	3	1.56	2	18.77	25
1196	Vogelvlei	26 31	24 36	4350	2.61	5	1.65	5	8.11	11	0.80	3	0.00	0	0.00	0	0.29	1	0.00	0	0.00	0	0.74	1	2.15	4	1.11	3	17.46	33
1197	Turndale	26 39	24 46	4200	3.47	2	1.95	3	8.55	12	2.06	5	0.00	0	0.00	0	0.40	1	0.00	0	0.00	0	0.91	1	2.63	4	1.62	3	21.59	31
1199	Progress	26 46	24 37	4040	3.66	9	1.29	8	8.10	12	0.62	3	0.10	1	0.00	0	0.25	1	0.00	0	0.00	0	1.94	1	2.18	5	1.32	5	19.46	45
1199 B	Openside	26 39	24 41	-	3.43	8	1.98	5	6.75	12	0.97	3	0.00	0	0.00	0	0.35	1	0.00	0	0.00	0	1.21	1	2.63	5	1.29	2	18.61	37
1200	Armoedsvlakte	26 57	24 38	4051	3.62	10	1.87	7	8.19	13	1.09	3	0.00	0	0.00	0	0.18	1	0.00	0	0.00	0	1.92	3	1.71	6	1.91	6	20.49	49
1200 A	Retreat	27 01	24 40	4000	2.43	6	1.51	4	7.67	11	1.42	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.45	1	0.99	3	1.15	2	15.62	30
1201	Vryburgh	26 57	24 44	3900	4.12	8	1.72	5	8.06	12	2.47	4	0.03	1	0.00	0	0.26	1	0.00	0	0.00	0	1.61	2	1.38	5	1.10	3	20.75	41
1202	Logaging	25 56	24 43	4200	1.61	7	1.10	4	6.44	7	0.42	3	0.00	0	0.00	0	0.13	1	0.00	0	0.00	0	0.35	2	2.76	7	1.18	5	13.99	36
1203	Elsa	26 50	24 48	4050	2.85	2	2.15	4	7.56	11	1.06	2	0.00	0	0.00	0	0.21	1	0.00	0	0.00	0	1.51	2	2.95	5	1.17	3	19.46	30
1204	Mosita	26 09	24 46	3870	0.81	3	1.49	4	7.79	10	1.10	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.62	2	2.52	6	0.73	1	15.06	27
1205	Grootchwaing	26 33	24 52	4250	1.13	5	1.10	2	7.02	7	0.00	0	0.00	0	0.00	0	0.40	1	0.00	0	0.00	0	1.52	1	2.18	5	0.72	1	14.07	22
1206	Mayana Mabede	26 40	24 54	4200	2.67	7	1.83	3	7.12	13	0.82	6	0.20	1	0.00	0	0.31	1	0.00	0	0.00	0	1.58	1	2.62	6	1.44	4	18.59	42
1207	Selema	26 06	24 53	3900	1.49	6	1.03	3	6.06	9	0.43	3	0.00	0	0.00	0	0.06	1	0.00	0	0.00	0	0.82	2	3.11	7	0.67	3	13.67	34
1207 B	Swartleagte	26 15	24 57	4000	2.68	5	1.91	3	5.36	11	1.88	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.05	2	1.96	5	1.02	6	16.86	36
	SECTION 7.																													
1207 C	Skuinshoogte	26 43	25 03	-	3.42	8	2.65	5	5.00	9	0.63	4	-	-	-	-	0.00	0	0.00	0	0.00	0	1.84	1	2.73	3	0.90	1	(17.17	31)
1208	Rietpan	26 55	25 04	4150	2.71	3	1.80	2	7.97	5	0.40	1	0.00	0	0.00	0	0.30	1	0.00	0	0.00	0	1.23	2	2.94	4	1.56	2	18.91	20
1209	Vrede	26 58	25 10	4200	2.04	5	1.01	6	3.21	7	0.08	1	0.00	0	0.00	0	0.18	1	0.00	0	0.00	0	0.60	2	2.51	3	0.75	1	10.32	26
1210	Setlagodi	26 16	25 07	4000	2.31	5	1.13	4	6.06	11	1.90	3	0.02	1	0.00	0	0.07	1	0.00	0	0.00	0	1.41	2	2.71	8	1.16	2	16.77	37
1210 A	Maribogo	26 25	25 11	4300	0.99	2	1.43	4	5.16	-	1.13	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.08	1	2.12	3	0.00	0	10.91	(11)
1212	Bosrand	26 31	25 11	4480	1.93	4	2.31	3	6.14	6	1.80	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.15	2	-	-	0.38	1	(12.71	17)
1212 A	Kaalplaats	26 44	25 17	4450	2.35	3	1.31	2	7.06	10	2.07	5	0.33	2	0.00	0	0.37	1	0.00	0	0.00	0	2.79	2	2.90	5	0.94	1	20.12	31
1213	Neverset	26 06	25 18	4000	0.00	0	0.95	2	7.23	12	2.65	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.30	2	2.15	3	0.52	2	14.80	25
1214	Graspan	26 50	25 17	4400	2.50	3	1.35	2	4.35	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.27	2	2.27	3	1.32	2	15.06	18
1215	Geysdorp	26 32	25 18	4000	0.00	0	3.36	3	4.00	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.51	1	2.65	3	0.00	0	10.52	(10)
1216	Van Aardesdam	26 56	25 19	4480	3.73	5	0.94	1	8.19	13	0.12	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.19	1	3.25	5	1.58	1	18.00	27
1217	Kraaipan	26 18	25 19	4182	4.01	3	2.11	3	5.56	10	0.96	2	0.00	0	0.00	0	0.14	1	0.00	0	0.00	0	1.25	2	2.63	3	1.13	3	17.79	33
1217 A	Skopsie	25 56	25 24	4100	2.24	1	2.16	2	6.66	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.39	1	1.53	4	0.55	2	13.53	15
1218	Molepolole	24 26	25 32	3450	0.63	3	2.35	3	9.11	10	0.81	3	0.00	0	-	-	0.00	0	0.00	0	0.00	0	0.45	4	1.44	5	0.66	2	(15.45	30)

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1219	Poortjie	26°54'	25°27'	4390	2.31	4	1.56	1	8.18	11	0.36	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.73	2	3.96	5	2.45	3	18.65	27
1220	De La Reyville	26 41	25 27	4450	2.53	7	1.64	4	6.44	7	1.33	4	0.07	-	0.00	0	0.46	1	0.00	0	0.00	0	1.11	2	2.80	5	0.78	2	17.16	(32)
1220 A	Goodhope	25 28	25 28	4420	1.85	10	0.99	4	7.55	10	1.34	4	0.06	1	0.00	0	0.13	1	0.00	0	0.00	0	0.73	2	1.88	6	0.89	5	15.42	43
1221	Rietpan I	26 50	25 31	4400	2.27	5	1.41	5	8.22	14	1.21	7	0.21	2	0.00	0	0.35	1	0.00	0	0.00	0	0.71	2	2.43	5	1.18	4	17.99	45
1222	Rietpan II	26 48	25 29	4400	2.79	6	1.45	2	9.50	11	2.27	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.45	1	1.50	3	0.96	3	18.92	(30)
1222 A	Weltevrede	26 09	25 29	-	1.66	3	0.00	0	7.42	7	1.37	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.22	2	2.11	4	1.39	3	15.17	21
1223	Kanye	24 59	25 21	4500	0.46	3	2.26	5	15.04	8	0.00	0	0.00	0	-	-	0.08	1	-	-	0.00	0	0.21	2	1.43	5	0.63	3	(20.11	27)
1223 A	Ramathlabama	25 34	25 38	4180	3.18	6	2.12	4	6.34	12	1.28	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.71	1	1.70	5	1.31	5	17.24	38
1224 M	Leonard	26 45	25 34	-	1.90	6	1.59	6	6.97	11	1.47	5	0.19	2	0.00	0	0.20	1	0.00	0	0.00	0	0.77	2	1.95	6	0.80	3	15.84	40
1225 M	Moofontein	26 15	25 35	-	1.50	4	1.85	5	7.26	9	0.97	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.37	2	2.10	5	0.73	3	15.78	31
1226 M	Leeuwpan	26 31	25 36	-	2.69	5	1.27	3	5.72	5	2.00	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.95	2	1.45	4	1.07	3	16.14	27
1227	Holpan	26 43	25 39	4450	2.36	8	1.91	6	7.98	12	0.82	6	0.11	2	0.00	0	0.34	1	0.00	0	0.00	0	1.12	2	2.64	7	1.91	6	19.19	50
1229	Raffirskraal	25 25	25 39	-	0.80	2	2.22	7	6.77	6	1.77	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.85	2	1.04	6	1.13	4	14.58	30
1230	Mafeking	25 52	25 39	4204	0.59	3	1.83	5	6.42	12	1.82	4	0.03	1	0.00	0	0.11	2	0.00	0	0.00	0	0.39	1	2.02	4	0.56	3	12.77	35
1231	Mafeking	25 51	25 39	-	0.69	3	1.86	6	7.01	10	2.09	3	0.00	0	0.00	0	0.12	2	0.00	0	0.00	0	0.46	2	1.30	4	1.19	4	14.72	34
1232	Klipspruit	26 56	25 38	4600	1.87	3	2.16	3	8.12	16	1.15	4	0.11	1	0.00	0	0.00	0	0.00	0	0.00	0	0.46	1	2.98	5	3.12	3	19.97	36
1232 A	Ditshukudu	24 22	25 40	3340	0.00	0	1.30	2	14.10	7	0.04	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.63	3	1.82	3	0.10	2	17.99	18
1233	Lobatsi	25 13	25 40	3915	0.43	3	3.54	5	12.85	7	0.62	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.34	1	2.29	6	1.70	2	21.77	27
1234	Youngbury	26 19	25 39	4400	2.06	6	1.40	5	7.34	10	1.38	5	0.14	1	0.00	0	0.14	1	0.00	0	0.00	0	1.75	2	1.27	5	0.57	3	16.05	38
1236	Jagersfontein	25 38	25 43	4400	1.29	4	1.46	9	7.14	10	0.73	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.40	2	1.23	4	1.86	3	14.11	34
1237	Brakpan	26 59	25 42	4650	2.69	4	2.62	2	7.60	13	0.71	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.39	1	1.36	1	0.70	1	16.07	25
1238	De Wig	25 45	25 44	4400	1.70	3	2.00	3	9.17	11	0.50	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.23	1	1.04	4	0.78	2	15.42	28
1240	Mooitgedaght	26 43	25 44	4580	2.09	4	2.39	6	6.84	10	1.64	4	0.09	1	0.00	0	0.00	0	0.00	0	0.00	0	0.56	2	2.20	6	1.57	5	17.38	38
1240 A	Klipdrift	26 41	25 45	4480	1.28	3	1.61	4	6.50	10	0.84	3	0.00	0	0.00	0	0.37	1	0.00	0	0.00	0	0.93	2	3.05	5	1.45	5	16.03	33
1241 M	Gopane Stad	25 18	25 48	-	0.55	3	0.80	1	13.20	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.53	1	0.94	2	0.16	1	16.18	15
1243 A	Roosville	26 34	25 38	4480	1.50	3	1.71	4	5.45	6	1.00	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.61	2	1.50	6	0.64	3	12.41	21
1244	Twyfelshoek	25 40	25 49	-	1.56	3	0.51	2	9.03	12	0.00	0	0.07	1	0.00	0	0.00	0	0.00	0	0.00	0	0.36	1	1.49	6	0.55	1	13.57	26
1245	Slurry	25 50	25 50	4550	1.34	6	2.07	8	7.99	14	0.23	3	0.00	0	0.00	0	0.05	1	0.00	0	0.00	0	0.40	3	1.56	6	2.33	4	15.97	45
1246	Mimosa	26 18	25 50	4600	2.94	6	2.97	8	6.92	12	0.73	3	0.25	2	0.00	0	0.20	1	0.00	0	0.00	0	0.70	2	2.50	5	0.22	2	17.43	41
1247	Vogelstruiskuil	26 59	25 50	4700	3.13	4	2.10	4	6.04	9	0.28	2	0.00	0	0.00	0	0.29	2	0.00	0	0.00	0	0.96	2	1.98	3	1.21	5	15.99	31
1248	Linokana	25 27	25 51	4160	1.93	9	1.72	4	12.90	11	0.78	5	0.06	1	0.00	0	0.00	0	0.00	0	0.00	0	0.76	2	1.30	6	0.11	5	19.56	43
1249	Klippan	25 44	25 51	4600	1.75	2	0.43	1	7.74	8	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.36	1	1.27	4	0.29	1	11.84	17
1249 A	Kalkpan	25 03	25 53	-	1.08	4	1.31	4	10.71	9	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.03	1	1.98	3	0.64	1	14.77	22
1250	Moodshulp	26 40	25 49	4600	1.90	5	3.12	7	5.93	10	0.45	2	0.24	1	0.00	0	0.21	1	0.00	0	0.00	0	0.59	2	1.75	3	1.57	5	15.76	36
1251 A	Stinkhoutboom	25 33	25 54	4700	0.00	0	0.80	3	11.01	10	0.73	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.35	1	1.29	4	0.00	0	14.18	21

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1252	Gaberones	24°39'	25°54'	3304	1.05	5	1.24	5	12.25	10	0.45	4	0.04	1	0.00	0	0.00	0	0.00	0	0.00	0	0.82	5	2.08	4	1.00	5	18.93	39
1253	Doornfontein	25 38	25 55	4600	0.91	9	1.31	8	9.39	13	1.59	6	0.09	1	0.00	0	0.00	0	0.00	0	0.00	0	0.58	2	1.84	5	0.00	0	15.71	44
1254	Biesjesvlei	26 23	25 55	4600	1.61	5	3.85	8	7.70	10	0.00	0	0.00	0	0.00	0	0.22	1	0.00	0	0.00	0	1.32	2	1.32	2	1.53	7	17.55	35
1255	Klipriff	26 56	25 55	4823	3.30	7	2.57	11	7.20	16	0.85	7	0.24	2	0.00	0	0.23	1	0.00	0	0.00	0	0.41	3	3.25	4	3.44	10	21.49	61
1258	Ottoshoop	25 45	25 58	4700	1.52	3	2.00	2	6.92	6	0.16	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.45	1	1.23	3	0.12	1	12.40	17
1259	Welbedacht	25 29	25 59	4300	1.96	9	1.29	6	9.58	11	0.56	3	0.21	2	0.00	0	0.03	1	0.00	0	0.00	0	0.56	2	1.34	4	0.49	3	16.02	41
1263	Rietgat	25 23	26 01	3940	1.10	6	2.80	7	13.55	7	0.82	5	0.03	2	0.00	0	0.00	0	0.00	0	0.00	0	0.31	2	1.14	8	1.33	3	21.08	40
1262	Ottosdal	26 48	26 00	4889	3.82	5	2.51	4	7.79	11	0.94	2	0.00	0	0.00	0	0.22	1	0.00	0	0.00	0	0.37	2	1.68	5	2.38	7	19.71	37
1264 A	Uitschot	26 35	26 02	-	1.44	3	3.01	6	5.85	10	1.02	3	0.00	0	0.00	0	0.14	1	0.00	0	0.00	0	0.62	2	0.95	3	2.18	4	14.41	32
1266	Noupoort	25 50	26 03	4700	4.16	10	1.74	6	7.93	9	1.37	5	0.19	1	0.00	0	0.00	0	0.00	0	0.00	0	0.46	3	1.93	5	2.16	3	19.94	42
1266 A	Zeerust	25 31	26 05	3944	1.68	9	3.05	8	11.37	10	0.51	4	0.12	2	0.00	0	0.04	1	0.00	0	0.00	0	0.66	4	1.23	5	0.85	3	19.51	(46)
1267	Zeerust	25 32	26 05	3858	1.86	12	3.41	10	11.07	13	0.49	4	0.14	2	0.00	0	0.03	1	0.00	0	0.00	0	0.64	3	1.10	6	0.57	3	19.31	54
1268	Kruisrivier	25 36	26 05	3980	2.82	8	2.54	6	10.51	8	0.78	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.56	2	1.35	5	0.00	0	18.56	30
1268 A	Rietfontein	26 15	26 05	4700	1.70	7	1.68	4	7.46	11	2.42	7	0.17	2	0.35	1	0.00	0	0.00	0	0.00	0	1.21	2	2.43	4	0.81	5	18.03	43
1268 B	Holfontein	26 44	26 05	4878	3.25	6	1.39	4	5.43	7	0.40	2	0.10	1	0.00	0	0.14	1	0.00	0	0.00	0	0.26	1	0.65	3	2.14	3	13.76	28
1269	Rooirandjiesfontein	26 25	26 06	4800	3.02	8	1.47	3	7.30	12	1.81	5	0.24	2	0.00	0	0.14	1	0.00	0	0.00	0	0.88	2	1.90	4	0.85	3	17.61	40
1270	Nietverdient	25 04	26 08	3490	1.09	2	2.35	3	13.99	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	0.94	2	0.51	1	19.18	16
1271	Struan	25 24	26 09	4300	1.22	9	0.85	4	11.11	9	1.55	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.38	2	1.57	7	0.70	4	17.38	39
1272	Mochudi	24 26	26 09	3105	0.96	8	1.35	3	8.21	9	0.67	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.84	4	2.34	4	1.42	4	15.79	35
1274	Doornhoek	25 43	26 10	4700	1.61	3	2.26	4	9.24	7	1.96	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.50	2	1.46	4	0.57	1	17.16	26
1275	Lichtenburg	26 10	26 10	4845	3.24	9	2.43	6	7.88	12	0.59	5	0.24	2	0.00	0	0.25	1	0.00	0	0.00	0	0.50	2	1.57	4	1.97	5	18.67	46
1276	Lichtenburg	26 10	26 10	4845	3.56	7	1.92	3	8.47	9	1.10	5	0.25	1	0.00	0	0.30	1	0.00	0	0.00	0	0.54	2	1.76	4	1.21	5	19.11	37
1277	Clippesby	25 12	26 12	3300	1.16	2	2.22	5	13.12	6	0.83	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.34	2	2.04	4	0.05	1	19.76	22
1277 A	Bloemfontein	25 21	26 12	3800	0.73	3	1.08	3	12.16	7	0.75	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.44	2	1.08	2	0.64	1	16.88	19
1278	Kafferskraal	25 42	26 12	4490	1.91	3	2.15	4	9.99	8	1.64	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.35	1	1.19	4	0.95	2	18.18	26
1280	Klipfontein	26 59	26 12	4870	2.60	4	2.23	4	7.80	9	0.14	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.24	1	0.00	0	1.22	5	14.23	24
1281	Werk-met-Lust	26 41	26 13	5100	3.94	4	2.36	4	7.06	13	0.84	4	0.25	1	0.00	0	0.41	2	0.00	0	0.00	0	0.31	1	1.18	4	0.60	3	16.95	36
1282	Enselberg	25 23	26 14	3800	0.50	3	1.59	3	12.24	6	0.78	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.47	2	1.06	2	2.52	3	19.16	21
1283 M	Vaalkop	25 34	26 15	-	0.21	1	0.78	1	8.92	6	1.16	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.52	2	1.37	5	1.32	2	14.28	20
1284	Rietvlei	25 42	26 15	4800	1.28	5	0.68	4	6.21	9	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.29	1	0.77	3	2.36	3	11.74	26
1285 M	Zuni Zuni	24 15	26 17	-	0.00	0	0.85	2	8.19	5	0.85	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.25	3	1.15	1	12.29	(14)
1286	Olifantsvlei	25 17	26 17	3500	1.02	4	1.67	5	11.56	10	0.35	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.26	2	1.52	5	1.27	6	17.65	34
1287	Syferfontein	25 21	26 17	3568	1.52	8	1.65	3	11.42	9	1.23	5	0.09	1	0.00	0	0.00	0	0.00	0	0.00	0	0.39	2	1.25	5	4.21	3	21.76	36
1289	Vleisfontein	24 48	26 18	3640	0.76	3	2.24	6	10.15	9	0.71	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.45	2	0.65	1	1.30	3	16.26	28
1289 M	Vlaklaagte	26 08	26 18	-	2.41	12	1.02	3	7.72	11	2.05	6	0.39	2	0.00	0	0.26	1	0.00	0	0.00	0	0.39	2	1.13	3	1.24	5	16.61	45

No.	STATION STASIE	Latitude S. Breedtegr	Longitude E. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1290 M	Doornhoek	24°53'	26°20'	-	1.66	2	0.70	1	9.78	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	2.08	4	0.35	2	12.57	17
1293	Otterfontein	26 45	26 21	5000	3.71	7	1.46	3	6.45	11	1.01	3	0.32	2	0.00	0	0.20	1	0.00	0	0.00	0	0.35	2	1.00	4	1.22	2	15.72	35
1294	Kuilfontein	25 48	26 22	4900	0.00	0	2.21	3	9.30	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.62	4	0.51	1	13.64	(14)
1295	Leeuwfontein	26 20	26 22	4750	2.94	7	1.60	5	6.71	10	1.36	4	0.19	1	0.00	0	0.16	1	0.00	0	0.00	0	0.38	1	1.05	3	1.73	7	16.12	39
1295 M	Schuinsdrift	25 22	26 23	-	1.67	11	1.88	8	8.31	8	0.49	4	0.14	2	0.00	0	0.00	0	0.00	0	0.00	0	0.54	4	2.24	8	1.00	6	16.25	51
1296 M	Straatsdrift	25 18	26 24	-	1.86	8	0.91	4	8.63	7	0.45	3	0.15	2	0.00	0	0.00	0	0.00	0	0.00	0	0.60	3	1.58	7	1.61	6	15.52	40
1297	Schuinsdrift	25 22	26 24	3350	1.60	10	2.16	6	6.01	6	0.37	2	0.07	1	0.00	0	0.00	0	0.00	0	0.00	0	0.46	2	2.43	4	0.84	4	13.94	35
1298	Groot Marico	25 35	26 24	3650	1.84	7	1.98	4	6.60	8	0.72	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.47	2	1.41	5	0.32	3	13.34	34
1300	Central School Groot Marico	25 35	26 25	3650	1.65	7	2.33	4	6.47	8	1.06	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.42	2	1.61	7	0.29	4	13.83	35
1301	Welgevonden	26 11	26 25	4900	2.42	4	2.59	4	10.30	7	2.02	3	0.50	1	0.00	0	0.00	0	0.00	0	0.00	0	0.29	1	1.07	1	1.80	5	20.99	26
1303	Kaffirakraal	26 31	26 25	4800	3.80	5	3.06	2	9.15	11	-	-	0.00	0	0.00	0	0.00	0	0.00	0	0.22	1	0.22	1	1.85	4	0.00	0	(18.30	24)
1304	Hartebeestfontein	26 46	26 26	4348	4.76	9	2.28	5	6.96	9	0.80	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.44	2	2.47	6	1.89	4	19.60	38
1305	Rhenosterfontein	25 30	26 22	4100	2.49	11	1.74	8	7.70	8	0.60	10	0.02	1	0.00	0	0.00	0	0.00	0	0.00	0	0.58	3	1.51	6	0.66	7	15.30	54
1306	Rondawelskraal	25 40	26 27	3860	1.46	10	1.74	7	6.58	8	0.20	4	0.03	1	0.00	0	0.00	0	0.00	0	0.00	0	0.40	2	0.96	6	0.99	4	12.36	42
1307	Rietspruit	25 48	26 27	4600	2.63	7	2.47	4	9.72	9	1.32	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.27	2	0.72	3	0.00	0	17.13	29
1307 M	Kromspruit	25 07	26 29	-	0.54	2	1.20	3	8.74	7	0.91	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.57	1	2.18	4	0.00	0	14.77	19
1310	Marico Draai	24 31	26 32	-	1.57	4	2.42	4	6.07	10	1.83	4	0.05	1	0.00	0	0.00	0	0.00	0	0.00	0	1.27	2	1.99	4	2.25	4	17.45	33
1311	Du Toitspan	25 54	26 34	5090	0.75	3	2.02	6	9.45	9	1.57	5	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	0.27	1	1.71	3	0.00	0	16.07	28
1312	Rooipoort	26 23	26 34	4650	3.16	5	4.02	6	6.33	8	0.00	0	0.11	1	0.00	0	0.00	0	0.00	0	0.00	0	0.65	2	0.97	2	1.32	3	16.56	27
1313	Stellenbosch	24 47	26 35	3369	1.70	2	5.57	4	1.82	3	0.45	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.75	1	0.86	2	1.96	1	13.11	14
1314	Benroy	26 21	26 38	4840	3.57	9	4.07	6	6.45	10	1.08	1	0.00	0	0.00	0	0.10	1	0.00	0	0.00	0	0.58	2	1.89	3	1.43	5	19.17	37
1315 A	Doornfontein	26 38	26 40	4600	3.32	7	2.41	5	5.74	7	1.05	2	0.50	1	0.00	0	0.10	1	0.00	0	0.00	0	0.00	0	1.77	3	1.64	1	16.53	27
1316 M	Westernreefs	26 58	26 40	-	2.79	8	3.11	5	6.53	13	0.18	4	0.37	2	0.00	0	0.15	1	0.00	0	0.00	0	0.41	3	2.24	7	2.98	7	18.76	50
1317	Klerksdorp	26 52	26 40	4267	3.81	10	3.59	6	5.84	13	0.53	6	0.34	2	0.00	0	0.21	1	0.00	0	0.00	0	0.27	3	1.63	7	3.22	8	19.44	56
1317 A	Winkelhaak	25 37	26 41	-	1.84	4	1.49	5	5.47	7	0.43	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.53	3	4.12	5	0.00	0	13.88	(26)
1318	Zwartruggens	25 38	26 41	4300	1.69	7	1.83	3	5.49	11	1.18	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.53	4	1.67	7	0.58	5	12.97	40
1318 A	Zuurfontein	25 50	26 41	5200	2.12	7	1.98	6	6.68	11	1.76	9	0.17	1	0.00	0	0.00	0	0.00	0	0.00	0	0.59	3	0.72	4	0.65	3	14.67	44
1318 M	Brussels	24 40	26 42	-	0.49	4	0.66	2	5.46	6	1.04	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.85	1	1.60	2	1.02	1	11.12	19
1319	Klipkuil	25 02	26 42	3450	1.85	5	1.60	2	6.18	5	1.90	2	0.16	1	0.00	0	0.00	0	0.00	0	0.00	0	0.55	1	2.39	3	0.91	3	15.54	22
1320	Kwaggasnek	25 59	26 42	5250	1.18	4	2.01	4	6.63	9	2.44	3	0.45	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.01	3	0.90	3	14.62	27
1323	Ganskuil	24 50	26 44	3573	1.40	3	2.13	4	5.83	5	1.55	3	0.06	1	0.00	0	0.00	0	0.00	0	0.00	0	0.77	2	1.90	6	1.52	3	15.16	27
1324	Vlieger Farm	26 15	26 44	4900	4.86	11	1.37	4	7.27	10	2.08	4	0.34	1	0.00	0	0.00	0	0.00	0	0.00	0	0.50	2	2.41	3	1.29	4	20.12	39
1325	Klipplaatsdrift	26 25	26 44	4500	1.72	5	1.21	2	6.49	9	0.91	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.08	1	0.39	2	1.17	2	11.97	24
1327	Doornkop (896)	25 44	26 45	4560	1.53	8	1.32	6	4.96	10	0.88	3	0.10	1	0.00	0	0.00	0	0.00	0	0.00	0	0.49	3	1.74	6	0.73	5	11.75	42
1328	Doornpoort	25 50	26 45	4800	2.18	7	2.73	6	5.94	9	0.97	4	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	0.60	3	0.66	2	0.78	3	14.01	35

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1329	Request	26°45'	26°45'	4600	4.36	9	1.41	4	5.84	10	0.62	2	0.80	1	0.00	0	0.00	0	0.00	0	0.00	0	0.48	2	3.30	3	1.24	4	18.05	35
1331	Syferfontein	25 16	26 47	4450	1.76	6	1.00	3	7.04	-	0.23	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.03	2	1.60	3	0.90	4	13.56	(19)
1332	Vogelfontein	25 38	26 48	4450	1.75	9	1.00	3	4.13	7	0.95	3	0.04	1	0.00	0	0.00	0	0.00	0	0.00	0	0.27	2	1.46	5	0.16	2	9.76	32
1333	Roeipoort	26 36	26 49	4900	3.27	8	1.38	2	4.70	7	0.73	4	0.61	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.82	2	2.01	5	13.52	29
1334	Koskemoer	26 50	26 49	4377	1.72	6	2.03	4	3.86	8	1.00	2	0.00	0	0.00	0	0.16	1	0.00	0	0.00	0	0.10	1	0.23	2	0.85	5	9.95	29
1336	Engeland	24 35	26 50	3200	1.51	3	1.92	2	6.64	12	1.57	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.34	4	0.68	5	0.57	1	14.23	31
1337	Ventersdorp	26 19	26 50	4810	3.33	9	1.90	7	7.33	10	0.61	1	-	-	0.00	0	0.00	0	0.00	0	0.00	0	0.33	1	0.84	1	2.86	4	17.20	33
1338	Shenfield	26 55	26 50	4241	1.31	7	3.73	6	5.94	11	0.00	0	0.64	1	0.26	1	0.00	0	0.00	0	0.00	0	0.45	2	1.21	6	0.53	2	14.07	36
1338 N	Orangedale Estate	25 46	26 51	-	1.57	10	2.35	8	7.45	16	0.98	8	0.17	1	0.00	0	0.01	1	0.00	0	0.05	1	0.59	4	2.35	7	2.49	7	18.01	63
1339	Palmietfontein	26 21	26 51	4700	2.33	6	0.27	2	6.51	9	0.00	0	0.45	1	0.00	0	0.00	0	0.00	0	0.00	0	0.27	1	0.99	3	1.60	5	12.42	27
1340	Eleasar	26 41	26 51	4600	3.41	8	2.52	9	5.49	11	0.90	7	0.81	2	0.00	0	0.11	2	0.00	0	0.00	0	0.41	3	1.84	7	1.75	6	17.24	55
1342	Wendover	25 52	26 54	5200	2.64	11	0.69	6	7.84	11	1.35	6	0.19	1	0.00	0	0.00	0	0.00	0	0.00	0	0.71	4	1.55	6	1.56	6	16.53	51
1343	Kaallaagte	26 03	26 54	5200	3.46	7	1.80	6	6.24	9	1.58	3	0.35	1	0.00	0	0.00	0	0.00	0	0.00	0	0.71	2	1.04	4	2.59	4	17.77	36
1344	Roodekop	26 27	26 54	4900	3.36	6	1.30	4	5.04	8	1.50	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.46	3	1.88	7	14.54	30
1345	Waterford	26 58	26 54	4300	1.58	5	3.27	5	3.74	10	1.25	3	0.25	1	0.00	0	0.00	0	0.00	0	0.00	0	0.28	2	1.72	3	0.32	1	12.41	30
1346	Bushy Bend	26 53	26 55	4250	2.42	7	3.12	3	6.08	10	1.01	3	1.23	1	0.00	0	0.00	0	0.00	0	0.00	0	0.33	2	1.28	3	1.52	4	16.99	33
1347	Waterval (Selons)	25 31	26 56	3700	2.42	6	0.55	2	7.67	7	0.47	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.61	1	1.75	4	1.15	2	14.62	23
1347 A	Hietfontein	25 37	26 56	4000	1.39	6	1.92	5	12.00	6	1.45	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.35	1	1.82	4	0.76	1	19.69	24
1348	Koster	25 49	26 56	5200	1.77	8	1.50	7	8.44	13	1.00	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.53	2	1.59	5	1.35	5	16.18	45
1349	Cumberland	24 00	26 57	2800	2.27	4	2.76	2	7.91	7	0.44	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.28	2	1.38	6	1.59	4	17.63	27
1350	Two Rivers Estate	24 12	26 53	2800	4.47	3	2.53	3	3.12	3	0.92	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.30	2	2.23	5	1.05	1	16.62	(20)
1351	Mahobies Kraal	25 21	26 57	3850	2.34	8	1.26	5	7.37	12	0.68	2	0.29	1	0.00	0	0.00	0	0.00	0	0.00	0	0.76	3	1.52	7	1.21	5	15.43	43
1351 A	Uitenhage	24 38	26 58	3264	2.45	10	2.34	5	5.10	9	0.60	7	0.09	1	0.00	0	0.00	0	0.00	0	0.00	0	1.15	1	1.76	4	1.10	4	14.99	41
1353	Machavie	26 47	26 58	4440	2.57	8	1.06	6	5.77	12	0.90	5	0.93	1	0.00	0	0.17	1	0.00	0	0.00	0	0.11	1	2.54	4	1.87	6	15.92	44
	SECTION 8.																													
1355	Braspruit	26 44	27 00	4600	1.68	5	1.82	7	5.50	7	0.00	0	1.10	1	0.00	0	0.23	1	0.00	0	0.00	0	0.00	0	0.95	1	1.43	6	12.71	28
1355 D	Noyjons	26 49	27 00	-	2.12	9	1.32	8	5.09	12	1.72	6	0.78	2	0.00	0	0.25	1	0.00	0	0.00	0	0.09	1	1.57	2	1.80	5	15.54	46
1356	Buckingham	26 20	27 01	4870	2.71	11	1.33	5	6.09	10	0.63	3	0.57	1	0.00	0	0.00	0	0.00	0	0.00	0	0.35	2	1.36	5	2.58	4	15.62	41
1357 B	Parys	24 18	27 03	-	3.49	3	3.66	6	3.27	8	0.49	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.20	2	3.05	6	0.28	2	16.44	29
1358	Derby	25 54	27 03	4500	0.43	2	1.50	5	12.01	8	1.72	5	0.27	1	0.00	0	0.00	0	0.00	0	0.00	0	1.33	4	1.08	2	1.09	4	19.43	31
1359	Middelkop	24 50	27 04	3600	2.45	7	3.00	3	5.34	9	0.60	4	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	1.30	1	3.49	9	0.85	3	17.18	37
1361 N	Mooibank	26 45	27 04	4440	3.24	7	1.24	3	6.70	12	0.74	2	0.62	1	0.00	0	0.03	1	0.00	0	0.00	0	0.00	0	1.49	5	0.68	6	14.74	37
1362	Limerick	26 57	27 04	4400	3.62	11	2.38	7	5.44	13	0.93	7	1.11	2	0.00	0	0.00	0	0.00	0	0.00	0	0.23	3	1.61	5	2.60	7	17.92	55
1363	Pilansberg	25 14	27 05	4000	1.57	3	0.96	3	8.68	7	0.71	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.78	2	1.30	5	1.29	2	15.29	(25)

No.	STATION STASIE	Latitude S. Breedtegr	Longitude E. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1364	Potchefstroom Railway Station	26°43'	27°05'	4424	2.24	9	3.70	7	5.55	9	0.36	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	1.21	4	2.30	3	15.56	36
1366	Potchefstroom	26 44	27 05	4429	2.34	6	1.86	4	6.60	12	0.12	1	0.76	2	0.00	0	0.08	1	0.00	0	0.00	0	0.12	1	1.72	1	1.97	3	15.57	31
1366 M	Shamreena	26 17	27 06	-	3.64	17	1.49	6	7.98	11	0.19	3	0.44	1	0.00	0	0.00	0	0.00	0	0.00	0	0.46	3	1.79	7	2.53	8	18.52	56
1367	Potchefstroom (Reservoir)	26 41	27 06	4540	3.19	-	3.09	6	5.85	7	0.47	1	0.80	1	0.00	0	0.00	0	0.00	0	0.00	0	0.50	1	1.91	2	5.12	4	20.93	(22)
1368	Elandshoewel	26 42	27 06	4450	2.65	10	4.27	10	6.58	12	1.14	7	0.79	2	0.00	0	0.05	2	0.00	0	0.00	0	0.13	1	1.35	6	2.99	8	19.95	58
1370	Leinster	26 58	27 06	4400	3.19	5	1.54	3	7.09	9	1.25	3	1.20	1	0.00	0	0.00	0	0.00	0	0.00	0	0.12	1	1.93	2	0.81	1	17.13	25
1371	Dwarsfontein	26 00	27 04	5098	1.15	5	0.51	2	7.46	8	2.55	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.47	2	1.70	3	1.20	3	15.04	28
1372	Zamenkomst	26 18	27 07	4928	4.08	13	1.20	6	7.80	12	0.12	1	0.49	1	0.00	0	0.00	0	0.00	0	0.00	0	0.46	2	1.95	5	3.17	8	19.27	48
1374	Buffeldoorns	24 34	27 08	3100	4.73	6	1.79	2	6.28	5	1.06	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.50	1	4.39	5	0.00	0	19.75	21
1376	Boskop	26 33	27 08	4600	3.44	9	2.05	5	6.44	12	0.73	5	0.73	1	0.00	0	0.05	1	0.00	0	0.00	0	0.41	2	1.34	5	2.06	6	17.25	46
1378	Buffelshoek	25 45	27 09	4300	0.51	2	1.36	4	7.90	9	1.19	4	0.40	1	0.00	0	0.00	0	0.00	0	0.00	0	0.45	1	2.80	4	0.60	1	15.21	26
1380	Turffontein	26 25	27 09	4650	2.68	10	0.66	4	8.88	10	0.71	5	0.57	1	0.00	0	0.00	0	0.00	0	0.00	0	0.17	1	2.00	5	3.17	7	18.84	43
1382	Frederikstad	26 31	27 09	4708	3.60	10	0.84	4	5.36	11	0.29	2	0.65	1	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	1.41	4	3.37	7	15.72	40
1383	Rainhill	25 40	27 11	4500	2.05	8	1.94	6	11.24	11	0.88	3	0.45	1	0.00	0	0.00	0	0.00	0	0.00	0	0.79	3	2.00	5	1.75	4	21.10	41
1384	Middelfontein	25 51	27 10	4470	0.00	0	1.31	3	8.03	8	0.93	3	0.36	1	0.00	0	0.00	0	0.00	0	0.00	0	0.35	-	0.88	2	2.92	3	14.78	(20)
1386	Kierkskraal	26 14	27 10	4837	3.29	7	0.68	2	4.84	6	0.25	2	0.70	2	0.00	0	0.00	0	0.00	0	0.00	0	0.49	2	1.00	3	5.21	7	16.46	31
1388	Agen	24 24	27 12	3010	2.75	3	2.55	2	4.25	7	0.85	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.30	2	3.01	4	1.32	5	17.03	28
1388 A	Buitenlust	25 41	27 12	-	1.72	5	2.24	4	10.00	7	0.52	2	0.36	1	0.00	0	0.00	0	0.00	0	0.00	0	0.58	1	0.26	1	1.58	4	17.26	25
1389	Tierkloof	24 46	27 12	3600	2.11	4	2.56	3	5.85	8	0.41	3	0.18	1	0.00	0	0.00	0	0.00	0	0.00	0	1.51	2	3.00	6	0.74	2	16.36	29
1389 A	Grootkuil	24 56	27 12	-	4.07	6	3.69	3	4.61	7	0.40	3	0.20	1	0.00	0	0.00	0	0.00	0	0.00	0	1.18	1	2.89	4	1.80	2	18.84	27
1391	Tierfontein	26 52	27 13	4990	2.81	8	1.53	4	6.19	13	0.68	3	0.81	1	0.00	0	0.18	1	0.00	0	0.00	0	0.08	1	1.51	3	1.73	4	15.52	38
1394	Rustenburg	25 40	27 14	3675	1.32	12	1.84	7	10.04	13	0.97	6	0.24	1	0.00	0	0.02	1	0.00	0	0.04	1	1.03	4	2.18	8	1.61	5	19.29	58
1395	Baviaanskrans	25 44	27 14	4100	2.52	8	2.75	7	11.01	11	0.67	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.65	1	1.52	5	0.28	2	19.40	38
1396	Boons	25 57	27 14	5080	2.04	6	1.99	4	8.59	8	3.74	9	0.48	1	0.00	0	0.00	0	0.00	0	0.00	0	0.71	4	1.65	5	2.03	6	21.23	43
1397	Zandfontein	25 58	27 14	5080	1.83	8	1.34	4	9.69	10	3.33	9	0.43	1	0.00	0	0.00	0	0.00	0	0.00	0	0.56	2	1.35	4	2.31	7	20.84	45
1398	Jersey Farm	24 56	27 15	3250	3.57	5	2.22	2	4.32	7	0.25	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.19	2	2.11	6	-	-	(13.66	24)
1398 a	Little Quendon	25 42	27 15	-	0.94	11	2.47	8	10.15	12	0.86	5	0.25	1	0.00	0	0.03	1	0.00	0	0.39	3	0.39	3	2.10	3	4.02	9	21.60	56
1398 A	Olifantsnek Dam	25 47	27 15	3890	1.67	9	2.47	5	6.58	10	1.76	5	0.59	1	0.00	0	0.00	0	0.00	0	0.00	0	0.89	4	1.40	3	0.98	5	16.34	42
1399	Waterkloof	25 48	27 16	3900	1.85	6	1.35	6	9.50	12	0.93	7	0.35	1	0.00	0	0.05	1	0.00	0	0.00	0	0.89	2	2.70	6	1.13	6	18.75	47
1400	Swkrans	25 47	27 16	4000	2.12	10	2.78	7	9.92	12	1.91	7	0.52	1	0.00	0	0.01	1	0.00	0	0.00	0	1.27	4	1.72	6	1.09	7	21.34	55
1401	Olifantspoort	25 47	27 16	4000	1.98	12	2.17	7	8.41	10	1.57	7	0.48	1	0.00	0	0.02	1	0.00	0	0.00	0	0.76	3	1.92	5	1.73	7	19.84	53
1402	Mimosa Park	26 33	27 16	-	1.78	9	0.63	5	7.50	11	0.93	5	0.68	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.83	4	5.35	6	18.70	41
1402 H	Prerus	24 34	27 17	-	3.10	6	4.04	5	3.88	8	0.57	5	0.11	1	0.00	0	0.00	0	0.00	0	0.00	0	2.83	3	2.61	6	0.42	2	17.56	36
1403	Boschfontein	25 46	27 17	3900	2.06	10	2.85	7	9.73	12	2.32	7	0.50	1	0.00	0	0.00	0	0.00	0	0.00	0	1.23	4	2.02	6	1.27	6	22.00	53
1405	Drielaagte	25 04	27 18	3600	2.43	6	1.90	4	4.77	8	0.47	3	0.17	1	0.00	0	0.03	1	0.00	0	0.00	0	1.03	2	2.17	4	1.53	4	14.50	33

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1406	Welverdiendt	26°22'	27°18'	4850	3.23	8	2.04	5	6.17	10	0.22	3	0.75	1	0.00	0	0.00	0	0.00	0	0.00	0	0.65	2	2.15	5	3.32	7	18.53	41
1407	Hartebeestpoort	26 45	27 18	4650	1.53	3	0.65	1	6.11	7	0.48	2	0.78	1	0.00	0	0.00	0	0.00	0	0.00	0	0.12	1	1.83	3	3.06	3	14.65	21
1407 A	Groenvlei	24 16	27 19	3275	4.22	4	1.96	4	3.32	6	1.12	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.40	2	3.67	5	1.60	3	17.29	29
1408	Kroondal	25 43	27 19	3850	1.31	8	1.13	5	6.56	9	0.36	2	0.19	1	0.00	0	0.00	0	0.00	0	0.00	0	0.32	2	2.22	5	1.03	3	13.12	35
1409	St. Patrock	25 47	27 19	3700	2.48	9	1.56	6	8.87	11	3.48	6	0.76	1	0.00	0	0.00	0	0.00	0	0.00	0	1.17	4	2.14	5	1.63	6	22.09	48
1410	Cyferbult	26 00	27 19	5250	0.90	2	1.57	3	7.25	6	1.88	4	0.54	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.28	3	0.40	2	13.82	21
1411	Klipdrift Dam	26 35	27 19	4500	2.33	4	0.99	2	6.07	13	0.86	5	0.60	1	0.00	0	0.00	0	0.00	0	0.00	0	0.24	1	3.07	5	5.20	6	19.36	37
1415	Zandfontein	25 23	27 22	3400	2.76	8	2.26	5	6.27	10	1.37	6	0.18	1	0.00	0	-	-	-	-	-	-	0.75	4	3.70	8	3.35	10	(20.64	52)
1416	Klipfontein	25 42	27 22	3838	1.77	9	1.17	5	6.89	12	0.83	3	0.26	1	0.00	0	0.08	1	0.00	0	0.00	0	1.49	4	1.83	10	0.82	7	15.14	52
1418 a	Thabasimbi	24 37	27 23	-	2.94	9	3.09	8	4.60	12	1.37	10	0.13	2	0.00	0	0.13	2	0.00	0	0.00	0	2.18	5	2.49	10	1.37	8	18.30	67
1418 M	Blyvooruitzicht	26 23	27 23	-	2.24	12	1.25	5	5.49	11	0.77	6	0.47	1	0.00	0	0.00	0	0.00	0	0.00	0	0.47	3	1.94	4	3.71	7	16.34	49
1419	Nebani	24 39	27 24	2950	4.38	8	3.15	4	5.44	7	1.50	5	0.13	1	0.00	0	0.00	0	0.00	0	0.00	0	1.65	3	2.09	5	0.94	3	19.28	36
1420 A	Rietfontein	26 34	27 24	4760	3.74	4	0.61	3	7.17	10	0.00	0	0.00	0	0.10	1	0.00	0	0.00	0	0.00	0	0.25	1	1.40	3	2.62	4	15.89	(26)
1421	Kafferskraal	25 28	27 25	3280	1.06	8	1.55	4	7.08	9	0.73	5	0.11	1	0.00	0	0.09	1	0.00	0	0.00	0	1.04	5	1.74	5	2.03	6	15.43	44
1422 A	Vlakfontein	26 00	27 26	5250	2.25	3	1.62	3	9.72	11	2.16	3	0.80	1	0.00	0	0.00	0	0.00	0	0.00	0	0.69	2	1.29	2	1.90	2	20.43	27
1424	Wolfontein	26 09	27 27	4995	1.87	6	1.80	6	6.11	10	1.56	7	0.52	1	0.00	0	0.00	0	0.00	0	0.00	0	0.31	1	1.39	3	0.98	2	14.54	36
1425	Parys	26 54	27 27	4545	3.67	11	0.97	4	5.16	10	0.38	2	0.95	2	0.00	0	0.10	1	0.00	0	0.00	0	0.51	2	1.48	5	1.63	4	14.85	41
1426	Groenrivier	24 16	27 28	3200	2.96	4	2.54	5	3.61	6	0.77	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.50	2	2.41	3	0.56	2	14.35	26
1426 M	Bloupan	24 22	27 28	-	5.33	6	1.97	4	4.18	7	1.13	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.41	3	3.00	5	1.60	6	19.62	36
1428	Carmel Estate	25 59	27 28	5100	2.28	7	2.22	7	9.80	10	2.48	6	0.60	1	0.00	0	0.00	0	0.00	0	0.00	0	0.54	1	2.56	5	2.48	4	22.96	41
1428 A	Eskstaart	24 54	27 29	-	2.78	4	4.02	4	4.21	7	-	-	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.22	1	1.68	4	1.81	2	(13.91	18)
1429	Kafferskraal	25 44	27 29	3970	3.38	8	2.33	7	12.46	11	1.50	5	0.47	1	0.00	0	0.06	1	0.00	0	0.00	0	1.06	4	2.06	10	2.00	9	25.32	56
1430	Buffelspoort I	25 46	27 29	4250	1.80	6	2.46	3	12.58	11	1.15	6	0.37	1	0.00	0	0.03	1	0.00	0	0.00	0	1.40	4	1.00	3	1.45	3	22.24	(38)
1431	Buffelspoort II	25 46	27 29	4250	1.77	10	2.98	6	9.95	13	1.02	4	0.34	1	0.00	0	0.05	1	0.00	0	0.00	0	1.32	7	1.65	10	1.40	6	20.48	58
1432	Hopewall	24 12	27 30	3216	2.27	4	3.71	3	5.04	6	1.97	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.48	3	1.39	3	0.98	3	16.84	27
1432 A	Hoopdal	24 16	27 30	-	2.93	5	2.57	4	2.29	4	1.35	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.44	3	2.33	3	0.70	3	13.61	26
1432 M	Buffelsfontein	25 49	27 30	-	1.34	10	1.23	5	10.53	12	1.08	6	0.33	1	0.00	0	0.00	0	0.00	0	0.00	0	0.84	3	1.74	8	1.95	6	19.04	51
1434	Bank	26 19	27 31	4999	1.08	5	2.21	5	5.09	8	0.42	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.45	1	1.69	3	3.64	4	14.58	28
1435	Leeuwpoort	26 25	27 31	5080	2.25	10	3.45	5	10.34	9	0.92	4	0.50	1	0.00	0	0.00	0	0.00	0	0.00	0	0.51	2	1.47	4	2.10	8	21.54	43
1436	Fochville	26 29	27 31	4823	1.46	6	1.41	4	5.79	9	0.49	4	0.42	1	0.00	0	0.00	0	0.00	0	0.00	0	0.34	2	1.97	5	2.27	4	14.15	35
1438	Twee Rivieren	25 18	27 32	3300	2.50	5	2.50	3	6.68	8	0.36	4	-	-	-	-	0.00	0	0.00	0	0.00	0	1.31	5	1.35	4	3.32	3	(18.02	32)
1439	Wooldridge	26 48	27 32	4700	1.91	11	1.21	5	4.54	11	0.13	2	0.83	1	0.00	0	0.00	0	0.00	0	0.00	0	0.19	2	1.58	6	0.92	4	11.31	42
1440 M	Welverdiend	25 14	27 33	-	1.81	5	2.65	3	5.25	9	0.20	1	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	1.46	2	1.82	4	0.75	1	14.24	26
1441	Zeekoehoek	25 57	27 33	4400	1.18	3	1.42	2	9.62	9	0.71	4	0.76	1	0.00	0	0.20	1	0.00	0	0.00	0	0.70	3	2.06	4	1.65	2	18.30	29
1442	Vaalkop	25 11	27 34	3150	3.36	5	2.96	3	5.30	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.30	2	1.96	5	0.97	2	15.85	22

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1444	Nooitgedacht	25°52'	27°34'	4450	1.53	6	0.87	3	9.16	12	0.54	4	0.52	1	0.00	0	0.10	1	0.00	0	0.00	0	0.46	2	1.95	9	1.02	6	16.15	44
1445	Rooikoppies	25 25	27 35	3300	2.32	7	2.73	4	7.97	12	0.48	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.00	1	1.10	2	1.50	3	17.10	34
1446	Steenkoppies	26 01	27 35	4940	2.90	10	1.57	6	7.54	9	1.44	7	0.50	1	0.00	0	0.16	1	0.00	0	0.00	0	0.79	3	1.66	4	1.49	5	18.05	46
1446 A	Diamond V. Ranch	24 15	27 36	-	5.76	7	2.18	5	3.34	7	1.82	8	0.07	1	0.00	0	0.00	0	0.00	0	0.00	0	1.28	2	1.61	4	0.66	3	16.72	37
1447	Bethanie	25 35	27 36	3450	2.40	8	2.29	6	7.81	10	1.62	8	0.36	1	0.00	0	0.05	1	0.00	0	0.00	0	0.71	1	1.65	9	1.14	7	18.03	51
1449	Venterspost	26 18	27 36	5150	2.31	7	1.73	6	6.84	11	0.31	2	0.64	1	0.00	0	0.00	0	0.00	0	0.00	0	0.85	4	1.15	3	3.81	10	17.64	44
1449 A	Pella	26 53	27 36	5000	4.69	9	1.54	4	4.05	11	0.34	1	0.95	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.08	3	0.94	3	13.59	32
1449 B	Sterkfontein	24 50	27 37	5050	4.79	9	5.19	6	4.80	11	3.27	4	0.24	1	0.00	0	0.00	0	0.00	0	0.00	0	2.37	3	3.34	8	3.42	8	27.42	50
1450	Woodlands	26 46	27 37	4706	3.27	7	1.75	4	4.68	7	0.32	3	0.82	1	0.00	0	0.00	0	0.00	0	0.00	0	0.24	1	1.75	3	0.85	3	13.68	29
1451	Losperfontein	25 33	27 38	3600	3.36	9	4.09	5	5.86	8	0.78	5	0.37	1	0.00	0	0.00	0	0.00	0	0.00	0	1.80	3	0.33	1	0.85	4	17.44	36
1452	Lindequesdrift	26 44	27 35	4670	3.51	10	0.98	5	5.69	8	0.25	3	0.68	1	0.00	0	0.00	0	0.00	0	0.00	0	0.15	1	1.53	3	0.77	4	13.56	35
1453	Kameeldrift	25 24	27 39	3500	3.54	8	3.03	3	6.68	11	0.36	3	0.29	1	0.00	0	0.05	1	0.00	0	0.00	0	1.13	4	1.73	8	1.32	4	18.32	43
1454	Geluk	25 36	27 39	3700	2.95	11	2.89	6	6.98	10	2.24	7	0.38	1	0.00	0	0.04	1	0.00	0	0.00	0	0.83	2	2.55	8	1.78	6	20.64	52
1455	Tarlton	26 44	27 39	5150	3.31	9	2.21	5	7.07	8	1.35	4	0.65	1	0.00	0	0.07	1	0.00	0	0.00	0	0.75	3	2.90	7	1.27	5	19.58	43
1456	Karreepoort	25 40	27 40	3800	4.78	9	3.00	5	6.22	8	1.09	6	0.50	1	0.00	0	0.02	1	0.00	0	0.00	0	0.78	4	2.88	9	1.21	5	20.48	48
1456 B	Hartebeesfontein	24 29	27 41	-	7.19	10	2.51	4	3.92	7	1.26	5	0.20	1	0.00	0	0.00	0	0.00	0	0.00	0	2.49	4	1.16	3	1.53	2	20.26	36
1457	Klipkop	25 28	27 41	3400	4.12	9	2.65	5	6.79	11	2.23	5	0.33	2	0.00	0	0.09	1	0.00	0	0.00	0	1.06	2	2.15	5	0.82	4	20.24	44
1458	Mooifontein	24 05	27 42	3400	3.78	4	3.00	8	1.70	4	1.91	5	0.00	0	0.00	0	0.00	0	0.00	0	0.10	1	1.00	2	1.16	4	0.58	4	13.23	32
1459	Wolhuterskop	25 43	27 42	4250	1.86	7	1.98	3	6.24	9	1.18	5	0.20	1	0.00	0	0.00	0	0.00	0	0.00	0	0.68	2	3.69	7	1.92	4	17.75	38
1460	Randfontein	26 09	27 42	5525	4.57	12	3.33	6	6.15	8	0.61	4	0.62	1	0.00	0	0.37	1	0.00	0	0.00	0	0.87	3	3.58	6	2.10	8	22.20	(49)
1461	Randfontein Gold Mines	26 10	27 42	5784	3.97	14	3.24	8	7.24	11	1.20	7	0.76	2	0.00	0	0.09	1	0.00	0	0.00	0	1.03	5	3.31	9	2.16	10	23.00	67
1462	Barrage	26 44	27 42	4700	3.52	9	3.78	7	5.41	11	0.57	7	0.77	2	0.00	0	0.03	1	0.00	0	0.00	0	0.50	3	1.32	7	0.86	6	16.76	53
1463	Leeuwpoort	24 56	27 43	3700	3.62	12	3.65	5	4.12	9	0.88	4	0.26	2	0.00	0	0.00	0	0.00	0	0.00	0	4.12	5	3.11	6	2.95	4	22.51	47
1465	Roofberg	24 46	27 44	3700	3.20	12	2.92	5	3.06	8	1.60	7	0.24	1	0.00	0	0.00	0	0.00	0	0.00	0	1.93	5	1.54	4	1.72	7	16.21	49
1466	Wolwekraal	25 35	27 44	3640	4.48	12	3.50	5	6.74	9	0.89	5	0.45	1	0.00	0	0.00	0	0.00	0	0.00	0	0.93	2	3.09	7	1.07	6	21.15	47
1467	Uitvalgrond	25 40	27 44	3700	5.66	9	3.58	5	7.79	9	1.77	5	0.46	1	0.00	0	0.00	0	0.00	0	0.00	0	0.71	3	2.41	7	2.08	4	24.46	43
1467 B	Maryvale Farm	25 58	27 44	-	5.55	12	2.20	6	8.14	11	0.76	4	0.65	1	0.00	0	0.14	1	0.00	0	0.00	0	0.99	3	2.49	8	1.22	8	22.14	54
1468	Luipardsvlei	26 14	27 44	5300	4.96	9	2.89	5	7.71	11	0.55	2	0.90	2	0.00	0	0.00	0	0.00	0	0.00	0	0.63	3	1.74	6	3.00	9	22.38	47
1468 A	Groenvlei	26 53	27 44	4850	3.51	6	1.50	3	7.00	9	0.58	4	0.84	1	0.00	0	0.00	0	0.00	0	0.00	0	0.22	2	1.99	4	0.40	2	16.04	31
1469	Hartebeespoort	25 34	27 45	3800	3.55	11	3.23	5	7.30	9	1.05	6	0.45	1	0.00	0	0.08	1	0.00	0	0.00	0	0.96	2	2.56	6	1.39	6	20.57	47
1472	Brits	25 38	27 46	3600	5.95	13	3.61	5	6.44	8	1.21	5	0.50	1	0.00	0	0.02	1	0.00	0	0.00	0	1.08	4	2.56	7	1.55	5	22.92	49
1473	Kromdraai	26 00	27 46	4800	3.44	10	2.68	3	7.25	10	1.02	3	0.63	1	0.00	0	0.00	0	0.00	0	0.00	0	0.84	3	2.39	8	0.86	7	19.11	45
1476	Krugersdorp IV	26 06	27 46	5574	4.90	15	2.76	6	8.92	11	2.19	9	0.80	2	0.00	0	0.08	1	0.00	0	0.00	0	1.20	8	3.07	10	3.33	12	27.25	74
1479	Hermanusdoorns	24 09	27 47	3291	2.10	8	1.88	6	2.96	7	0.55	4	0.07	1	0.00	0	0.00	0	0.00	0	0.00	0	2.95	4	1.79	7	0.89	7	12.19	44
1480	Rashoop	25 31	27 47	3700	2.87	12	3.50	5	5.94	9	2.21	6	0.35	1	0.00	0	0.10	1	0.00	0	0.00	0	1.12	4	2.65	8	0.92	3	19.73	49

No.	STATION STASIE	Latitude S. Breedtegr.	Longitude E. Lengtegr.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1481	Scheerpoort	25°48'	27°47'	4000	2.90	4	2.60	2	7.65	7	2.45	2	0.40	1	0.00	0	0.00	0	0.00	0	0.00	0	0.60	1	3.02	5	1.70	2	20.32	(24)
1482	Hartebeesthoek	25 52	27 47	4500	2.04	7	2.39	3	4.90	8	0.40	1	0.40	1	0.00	0	0.00	0	0.00	0	0.00	0	0.81	2	2.74	7	2.03	5	15.71	34
1483	Luipaardsvlei (G.M. Co.)	26 07	27 47	5780	4.53	13	2.70	6	8.61	11	2.26	9	0.95	1	0.00	0	0.04	1	0.00	0	0.00	0	1.05	8	2.75	10	3.37	12	26.26	71
1484	Zwurbekom	26 18	27 47	5176	4.71	15	3.30	7	6.84	10	0.18	4	0.83	3	0.00	0	0.00	0	0.00	0	0.00	0	0.83	5	2.95	8	3.86	12	23.50	64
1485	Mamagalieskraal Settlement	25 33	27 48	3600	4.33	10	4.72	6	8.95	11	1.54	5	0.45	2	0.00	0	0.11	1	0.00	0	0.00	0	1.51	3	2.60	8	0.36	2	24.57	48
1486	Zandfontein	25 42	27 48	3700	4.40	9	3.82	4	7.61	10	1.77	6	0.55	1	0.00	0	0.00	0	0.00	0	0.00	0	0.91	3	3.01	8	1.84	8	23.91	49
1488	Elandshoek	24 24	27 49	4800	2.30	5	1.78	4	4.68	9	3.29	9	0.17	1	0.00	0	0.00	0	0.00	0	0.07	1	2.28	5	2.03	4	1.38	2	17.98	40
1489	Sterkfontein	24 27	27 49	5400	2.50	6	2.63	5	3.86	9	1.93	8	0.25	2	0.00	0	0.00	0	0.00	0	0.08	1	3.07	5	3.09	6	1.17	3	18.58	45
1490	Mamagalieskraal South	25 35	27 49	3800	3.55	10	3.71	4	7.41	10	3.10	4	0.45	2	0.00	0	0.11	1	0.00	0	0.00	0	1.07	4	3.83	8	0.62	4	23.85	47
1492 M	Van der Byl Park	26 40	27 49	-	3.17	14	2.06	-	4.95	12	0.44	-	0.60	1	0.00	0	0.00	0	0.00	0	0.00	0	0.55	3	2.11	4	1.12	4	15.00	(38)
1493	Pietershoogte	26 53	27 49	4900	4.63	8	3.22	3	5.43	8	0.00	0	0.84	1	0.00	0	0.00	0	0.00	0	0.00	0	-	-	0.63	4	3.59	7	(19.34	31)
1494	Kliprivier	24 33	27 50	4300	4.82	6	2.39	2	3.97	8	1.35	5	0.25	1	0.00	0	0.00	0	0.00	0	0.00	0	2.03	2	2.64	5	2.42	4	19.87	33
1495	De Kroon	25 39	27 50	3780	4.14	9	4.07	6	6.87	10	1.66	5	0.62	1	0.00	0	0.11	1	0.00	0	0.00	0	1.01	4	3.11	7	1.26	5	22.85	48
1497	Saltberry Plain	26 51	27 50	4809	3.14	9	3.07	4	4.35	8	0.31	2	0.69	1	0.00	0	0.00	0	0.00	0	0.00	0	0.21	2	1.52	6	3.15	7	16.44	39
1498	Hartebeestpoort Dam	25 43	27 51	3993	4.17	10	3.64	5	7.09	12	1.65	5	0.57	1	0.00	0	0.07	1	0.00	0	0.00	0	1.04	5	4.08	8	1.51	7	23.82	54
1499	Roodekrans	26 05	27 51	5000	4.03	14	4.01	8	9.66	13	1.77	8	0.96	2	0.00	0	0.14	1	0.00	0	0.00	0	1.40	7	2.83	7	2.81	9	27.61	69
1500	Durban Deep (G.M. Co.)	26 08	27 51	5500	3.53	12	4.07	6	8.38	12	0.59	4	0.36	2	0.00	0	0.09	1	0.00	0	0.00	0	0.81	3	3.30	8	2.33	9	23.46	57
1500 A	Leeukuil	26 42	27 51	-	2.96	11	1.92	3	4.74	8	0.60	3	0.76	1	0.00	0	0.00	0	0.00	0	0.00	0	1.24	2	0.90	3	1.64	3	14.76	34
1501	Brereton	26 56	27 51	4900	2.58	4	3.37	4	4.59	8	0.34	2	0.70	1	0.00	0	0.00	0	0.00	0	0.00	0	0.46	1	1.04	5	2.30	6	15.38	31
1503	Roodepoort	26 09	27 52	5715	3.60	13	3.71	5	9.00	10	0.42	3	0.94	3	0.00	0	0.11	1	0.00	0	0.00	0	1.06	4	3.19	10	2.10	10	24.13	59
1504	Hartebeestfontein	26 25	27 52	5200	1.29	5	3.50	6	6.16	6	0.00	0	0.70	1	0.00	0	0.00	0	0.00	0	0.00	0	0.47	2	1.64	4	-	-	(13.76	24)
1506	Doornkuil	26 28	27 53	5075	1.32	7	2.73	4	7.60	7	0.42	1	0.71	1	0.00	0	0.00	0	0.00	0	0.00	0	0.52	3	1.37	3	1.71	6	16.38	32
1507	Kleinlaauwkuil	26 43	27 53	4690	2.43	4	1.61	2	5.74	5	0.00	0	1.03	1	0.00	0	0.00	0	0.00	0	0.00	0	0.93	1	0.88	3	1.10	2	13.72	(18)
1507 M	Beltrim	26 53	27 53	-	3.02	7	3.34	5	4.88	13	0.37	3	0.78	2	0.00	0	0.01	1	0.00	0	0.00	0	0.34	3	0.74	5	2.82	9	16.30	48
1508	Rhenosterfontein	24 33	27 54	4104	4.33	9	1.45	4	3.37	10	1.02	2	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	2.37	5	2.27	5	1.49	4	16.60	40
1508 M	Kalkheuwel	24 51	27 54	-	3.31	8	3.76	5	6.27	5	2.27	4	0.60	1	0.00	0	0.00	0	0.00	0	0.00	0	0.70	1	4.06	4	1.33	3	22.40	31
1509 A	Vaalbank	26 50	27 54	-	1.56	6	2.72	5	4.54	10	0.55	1	0.80	1	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	1.39	4	1.90	3	13.86	31
1510	Rietfontein	26 56	27 54	4787	2.24	6	3.67	4	5.24	10	0.38	2	0.75	1	0.00	0	0.00	0	0.00	0	0.00	0	0.52	2	2.16	7	2.43	8	17.39	40
1512	Karreefontein	24 43	27 55	4000	4.67	7	2.55	6	3.08	6	1.40	5	0.22	1	0.00	0	0.00	0	0.00	0	0.25	1	2.86	4	2.57	6	2.53	5	20.13	41
1514	Rietvlei	24 29	27 56	4300	1.78	4	1.10	3	2.03	8	2.00	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.05	3	2.98	6	0.00	0	11.94	29
1515	Klipspruit	26 13	27 56	5450	2.55	11	2.60	4	7.80	13	0.15	2	1.02	3	0.00	0	0.12	1	0.00	0	0.00	0	1.28	6	1.50	3	2.64	1	19.66	54
1516	Vereeniging I	26 40	27 56	4650	4.29	12	1.95	5	6.75	10	0.33	5	0.89	3	0.00	0	0.00	0	0.00	0	0.00	0	1.58	5	2.16	7	5.44	11	23.39	58
1517	Vereeniging II	26 40	27 56	4650	3.45	10	1.87	5	6.97	10	0.25	4	0.75	3	0.00	0	0.00	0	0.00	0	0.00	0	1.16	3	1.82	5	5.56	7	21.83	(47)
1519	Clydesdale Colliery	26 53	27 56	4736	2.77	7	4.10	8	6.61	12	0.76	4	0.92	2	0.00	0	0.04	1	0.00	0	0.00	0	0.54	4	2.03	9	3.83	14	21.60	61
1520	Greylingspost (G.M. Co.)	25 38	27 57	4040	4.32	10	4.42	4	7.19	7	1.04	4	0.42	1	0.00	0	0.20	1	0.00	0	0.00	0	1.37	1	2.82	4	1.16	3	22.94	35

SECTION 8. RAINFALL -1945- REËNVAL SEKSIE 8.

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1521	Maraisburg (G.M. Co.)	26°10'	27°57'	5610	3.52	-	3.08	5	7.95	11	0.35	2	1.06	2	0.00	0	0.12	1	0.00	0	0.00	0	0.88	5	1.48	9	2.74	10	21.18	(45)
1522	Faroosfontein	26 27	27 57	5250	4.68	5	6.23	5	11.44	8	1.26	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.17	3	1.40	4	2.26	5	28.44	32
1523	Maceauvlei	26 41	27 57	4750	4.60	7	1.97	2	5.43	8	0.14	1	0.80	2	0.00	0	0.00	0	0.00	0	0.00	0	0.60	3	2.31	5	3.34	7	19.19	35
1524	Varkensfontein	26 30	27 58	5020	2.04	10	3.22	4	6.25	12	0.55	6	0.43	1	0.00	0	0.02	1	0.00	0	0.00	0	1.00	5	1.83	6	2.64	15	17.98	60
1527	Hennoperivier	25 50	27 59	4200	1.75	3	3.65	3	3.51	5	0.27	1	0.58	1	0.00	0	0.00	0	0.00	0	0.00	0	0.60	1	4.23	4	1.25	4	15.84	22
1528	Johannesburg (Antea)	26 07	27 59	-	4.71	13	4.20	5	10.07	12	0.71	4	0.83	1	0.00	0	0.12	1	0.00	0	0.00	0	0.98	6	2.15	10	1.97	11	25.73	63
1530	Paarlshoop	26 12	27 59	5600	4.66	13	4.26	5	8.10	12	0.81	7	0.49	3	0.00	0	0.14	1	0.00	0	0.00	0	1.17	6	2.06	10	2.00	10	23.69	67
1532	Johannesburg (Boosens)	26 13	28 00	5500	4.47	15	3.95	7	7.82	13	0.59	6	0.66	2	0.00	0	0.02	1	0.00	0	0.00	0	0.99	7	1.97	7	2.19	12	22.66	70
1533	Baragwanath	26 15	28 00	5700	2.92	14	3.29	5	6.89	12	0.33	4	0.25	2	0.00	0	0.15	1	0.00	0	0.00	0	(1.28	6)	1.97	9	2.33	11	(19.41	64)
1535	Johannesburg (Parktown N.)	26 09	28 01	5700	4.75	14	5.43	8	7.81	14	1.18	7	0.62	1	0.00	0	0.15	1	0.00	0	0.00	0	1.26	8	4.04	10	1.54	13	26.78	76
1537	Johannesburg (Dunkeld)	26 09	28 01	5700	5.50	15	5.91	7	8.57	13	0.61	8	0.50	1	0.00	0	0.20	1	0.00	0	0.00	0	1.27	8	3.94	10	1.70	13	28.20	76
1538	Johannesburg (Burgersdorp)	26 12	28 02	5640	4.11	8	2.60	4	3.50	9	1.31	5	0.72	1	0.00	0	0.11	1	0.00	0	0.00	0	1.04	4	2.29	8	2.42	8	18.10	48
1539	Johannesburg (Smit Street)	26 12	28 01	5700	5.10	12	5.13	5	7.58	-	1.31	5	0.34	1	0.00	0	0.00	0	0.00	0	0.00	0	1.16	7	3.19	9	3.38	10	27.19	(49)
1540	Johannesburg (Vrededorp)	26 12	28 01	5770	5.03	13	4.77	4	7.41	12	0.90	4	0.78	2	0.00	0	0.08	1	0.00	0	0.00	0	1.17	5	2.80	8	2.77	8	25.71	57
1541	Johannesburg (Turffontein)	26 14	28 01	5600	3.89	9	4.64	6	9.31	11	0.93	6	0.52	3	0.00	0	0.13	1	0.00	0	0.00	0	1.09	6	1.71	7	1.58	8	23.80	57
1543	Highbury	26 31	28 01	4800	1.91	9	3.15	4	5.49	10	0.39	4	0.78	1	0.00	0	0.00	0	0.00	0	0.00	0	1.33	4	1.87	7	4.34	12	19.26	51
1544	Nietbekhoek	24 03	28 02	4340	1.88	10	2.31	6	1.97	6	0.85	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.55	4	1.16	6	1.84	3	11.56	42
1548	Johannesburg (Zoo)	26 09	28 02	5300	4.51	15	4.82	6	7.52	12	1.09	7	0.63	1	0.00	0	0.08	1	0.00	0	0.00	0	1.37	6	3.57	9	1.25	7	24.84	64
1549	Johannesburg (Cemetery)	26 11	28 02	5730	5.02	14	4.93	5	9.86	10	1.45	5	0.84	2	0.00	0	0.03	1	0.00	0	0.00	0	1.17	7	3.87	9	2.68	9	29.85	62
1550	Johannesburg (Springfield)	26 14	28 02	5700	4.13	15	4.88	7	8.03	13	1.99	7	0.87	3	0.00	0	0.12	1	0.00	0	0.00	0	1.02	5	2.35	10	1.77	11	25.16	72
1554	Alma	24 30	28 03	3999	2.76	7	1.20	1	2.33	15	1.60	5	0.00	0	0.00	0	0.00	0	0.00	0	0.06	1	1.56	1	1.44	3	2.15	2	13.10	25
1556	Johannesburg (King Edward VII School	26 08	28 03	5800	4.32	16	3.83	6	8.22	12	0.50	7	0.69	2	0.00	0	0.12	1	0.00	0	0.00	0	1.14	7	5.07	8	1.06	11	24.95	70
1558	Johannesburg (Cydna)	26 09	28 03	5400	4.24	15	5.27	6	8.37	14	0.70	7	0.63	2	0.00	0	0.20	1	0.00	0	0.00	0	1.20	6	3.88	11	1.57	10	26.06	72
1559	Johannesburg (Berea)	26 11	28 03	5770	5.15	14	5.46	6	8.52	12	0.81	4	0.63	2	0.00	0	0.07	1	0.00	0	0.00	0	0.53	6	5.93	8	1.47	10	28.57	63
1560	Johannesburg (Joubert Park)	26 11	28 03	5750	5.45	18	5.15	7	9.84	14	1.36	7	1.02	3	0.00	0	0.08	1	0.00	0	0.00	0	1.25	8	4.61	8	2.29	16	31.05	82
1563	Johannesburg (City Deep)	26 14	28 04	5600	4.02	15	5.22	5	8.12	11	1.40	8	0.80	1	0.00	0	0.08	1	0.00	0	0.00	0	0.94	5	2.54	9	2.04	12	25.16	67
1564	Johannesburg (S.A. Breweries)	26 12	28 03	5700	5.04	16	4.93	5	(7.01	8)	1.13	4	0.72	2	0.00	0	0.01	1	0.00	0	0.00	0	1.03	6	2.92	8	2.26	9	(25.05	59)
1564 A	Ophirton Depot	26 13	28 01	-	3.80	11	4.49	5	9.33	13	1.06	5	0.80	3	0.00	0	0.07	1	0.00	0	0.00	0	0.78	4	1.41	9	1.84	9	23.58	60
1567	Swartkoppies	26 21	28 03	4966	2.58	11	4.90	4	6.67	12	0.45	4	0.99	3	0.00	0	0.14	1	0.00	0	0.00	0	0.58	5	2.03	9	3.42	12	21.76	61
1568	Sandrivier	24 18	28 04	3850	1.34	11	2.04	9	2.67	7	1.35	6	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	2.16	5	1.80	7	1.31	4	12.82	50
1568 M	Boschpoort	24 50	28 05	-	2.87	10	2.28	5	3.41	8	2.27	7	0.18	1	0.00	0	0.00	0	0.00	0	0.00	0	4.17	6	1.84	5	2.13	5	19.15	47
1570	Hiepen	26 06	28 04	5050	4.89	13	5.10	7	8.33	12	0.90	6	0.58	1	0.00	0	0.13	1	0.00	0	0.00	0	0.90	4	2.61	10	1.80	8	25.24	62
1571	Johannesburg (Norwood)	26 09	28 04	5600	4.30	13	4.40	6	9.35	12	0.52	7	0.74	1	0.00	0	0.21	1	0.00	0	0.00	0	1.31	6	4.27	10	1.34	9	26.44	65
1572	Johannesburg (Union Observatory)	26 11	28 04	5925	3.81	16	4.93	8	8.44	13	0.46	7	0.75	2	0.00	0	0.11	1	0.00	0	0.00	0	1.19	8	5.14	10	1.34	10	26.17	75
1574	Hartebeesthoek	25 39	28 05	4250	4.85	11	4.50	6	8.91	10	2.07	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.63	4	2.77	6	1.22	3	25.95	47

No.	STATION STASIE	Latitude S. Breedtegr.	Longitude E. Lengtegr.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1575	Waverley Nursery	26°07'	28°05'	5400	3.88	11	4.74	6	8.83	11	0.43	6	0.74	1	0.00	0	0.18	1	0.00	0	0.00	0	1.24	7	3.77	9	1.61	9	25.42	61
1576	Johannesburg (Bruma)	26 10	28 05	5300	4.35	12	4.45	6	8.18	13	0.36	4	0.70	1	0.00	0	0.16	1	0.00	0	0.00	0	1.00	6	3.63	9	1.20	7	24.03	59
1579	Willow Grange	26 29	28 05	4900	1.89	7	2.91	3	4.51	6	0.48	1	0.98	1	0.00	0	0.00	0	0.00	0	0.00	0	0.92	2	1.47	3	2.31	6	15.47	29
1580	Serdekraal	24 00	28 05	4240	1.13	6	1.06	4	2.65	7	0.85	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.16	6	0.85	5	1.26	6	8.96	40
1582	Zoutpan	25 24	28 06	3700	3.38	11	4.68	5	5.70	10	0.68	6	0.25	1	0.00	0	0.00	0	0.00	0	0.00	0	1.36	3	2.38	9	1.43	7	19.86	52
1583	Johannesburg (Golf Club)	26 09	28 06	5300	3.83	11	4.39	7	8.25	11	0.85	6	0.72	2	0.00	0	0.02	1	0.00	0	0.00	0	1.22	6	3.55	9	1.84	9	24.57	62
1585	Hayfields	26 19	28 06	5050	2.77	16	5.27	7	5.97	10	0.53	3	0.92	2	0.00	0	0.18	1	0.00	0	0.02	1	1.25	6	1.59	7	3.54	8	22.04	61
1585 B	Frankenwald	26 04	28 06	4950	3.69	11	5.38	6	7.62	12	0.96	6	0.60	1	0.00	0	0.10	1	0.00	0	0.00	0	0.78	4	3.34	9	1.24	8	23.71	58
1588	Pretoria (Leper Institution)	25 44	28 07	4600	5.48	12	4.98	5	9.14	9	0.97	5	0.50	1	0.00	0	0.13	1	0.00	0	0.00	0	1.51	2	2.42	4	1.40	5	26.53	44
1589	Pretoria (Sewage Works)	25 44	28 11	4600	4.61	11	4.50	7	6.86	11	1.33	7	0.39	1	0.00	0	0.00	0	0.00	0	0.00	0	1.64	5	3.10	9	2.01	9	24.44	60
1590	Pretoria (New Cemetery)	25 44	28 07	4400	3.55	13	3.93	7	5.43	11	1.43	6	0.39	2	0.00	0	0.04	1	0.00	0	0.00	0	1.45	5	2.31	7	2.35	7	20.88	59
1591 M	Pretoria (Middle Crescent)	25 45	28 07	4437	4.76	11	3.98	7	7.39	12	1.69	6	0.38	2	0.00	0	0.07	1	0.00	0	0.00	0	1.52	5	2.89	8	2.50	10	25.18	62
1593	Rosherville	26 13	28 07	5560	4.24	13	4.62	7	7.16	12	0.77	7	0.80	2	0.00	0	0.01	1	0.00	0	0.00	0	0.96	6	2.58	8	1.80	10	22.94	66
1593 A	Dorset	24 04	28 08	4810	2.13	6	2.41	5	4.42	6	1.07	4	0.05	1	0.00	0	0.00	0	0.00	0	0.00	0	3.00	6	1.21	5	2.05	4	16.34	37
1594	Bushy Park	25 27	28 08	3850	3.76	7	2.82	3	5.32	10	1.05	6	0.29	1	0.00	0	0.00	0	0.00	0	0.00	0	1.32	3	2.27	6	2.39	5	19.22	41
1595	Haakdoornboom	25 38	28 08	4050	3.66	9	3.63	3	6.19	9	1.05	4	0.20	1	0.00	0	0.00	0	0.00	0	0.00	0	1.52	4	2.29	9	1.95	6	20.49	45
1596	Roberts Heights	25 47	28 08	4930	3.65	13	4.18	7	8.69	12	3.16	7	0.57	2	0.00	0	0.07	1	0.00	0	0.05	1	1.78	6	1.62	6	1.26	7	25.03	62
1597	Zwartkop	25 50	28 08	4700	2.43	7	3.69	4	6.83	7	1.82	3	0.60	1	0.00	0	0.00	0	0.00	0	0.00	0	1.20	1	3.55	3	4.76	5	24.88	(31)
1599	Springkell	26 07	28 08	5500	5.28	12	4.84	7	7.59	12	0.90	5	0.66	1	0.00	0	0.05	1	0.00	0	0.00	0	1.10	4	3.47	9	1.53	6	25.42	57
1600	Simmer & Jack (G.M. Co.)	26 12	28 08	5590	4.30	13	4.61	6	7.23	9	0.60	4	0.89	1	0.00	0	0.18	1	0.00	0	0.00	0	0.94	6	2.01	10	1.92	9	22.68	59
1600 A	Germiston Airport	26 14	28 08	5462	2.71	14	5.70	6	7.51	13	0.31	7	0.34	2	0.00	0	0.11	1	0.00	0	0.00	0	0.72	5	1.95	11	2.46	10	21.81	69
1601	Pretoria (Skinner's Court)	25 44	28 09	4400	3.89	11	4.30	5	6.39	10	1.50	5	0.43	1	0.00	0	0.00	0	0.00	0	0.00	0	1.45	3	3.63	9	3.04	8	24.63	52
1602	Pretoria (West End Plantation)	25 44	28 09	4396	4.47	7	4.20	6	7.72	10	1.62	6	0.53	1	0.00	0	0.07	1	0.00	0	0.00	0	1.61	3	2.91	6	2.85	6	25.98	46
1603	Pretoria (West End Timber Investigation Station)	25 45	28 10	4400	5.29	13	4.76	7	6.54	10	1.70	6	0.41	1	0.00	0	0.00	0	0.00	0	0.00	0	1.47	4	3.62	8	2.85	7	26.64	56
1604	Pretoria (Power Station)	25 45	28 09	4500	4.06	13	4.79	6	9.08	10	1.38	5	0.45	2	0.00	0	0.03	1	0.00	0	0.00	0	1.42	3	3.48	6	2.37	7	27.06	53
1605	Zwartkop	25 49	28 09	4400	3.01	7	4.12	4	8.06	10	0.00	0	0.90	1	0.00	0	0.00	0	0.00	0	0.00	0	1.10	1	3.95	6	1.47	5	22.61	34
1606	Modderfontein	26 06	28 09	5425	6.04	10	5.14	6	8.60	11	1.00	6	0.69	2	0.00	0	0.12	1	0.00	0	0.00	0	1.95	7	3.08	11	2.11	9	28.73	63
1607	Natalspruit	26 18	28 09	5050	4.69	14	4.47	7	7.05	12	1.13	6	0.68	1	0.00	0	0.11	1	0.00	0	0.00	0	0.80	4	2.48	8	1.69	10	23.10	63
1610	Germiston	26 13	28 10	5450	4.45	10	5.81	6	9.01	9	0.45	4	0.65	1	0.00	0	0.14	1	0.00	0	0.00	0	0.93	3	2.35	8	2.97	9	26.76	51
1611	Simmer Pan	26 14	28 10	5540	3.24	14	4.83	6	7.52	13	0.48	5	0.87	3	0.00	0	0.13	1	0.00	0	0.00	0	0.65	8	2.33	11	2.77	13	22.82	74
1614	Bersgevonden	24 58	28 11	3600	5.50	10	2.89	8	3.19	12	1.40	5	0.22	1	0.00	0	0.00	0	0.00	0	0.00	0	1.82	5	3.28	6	2.12	9	20.42	56
1616	Onderstepoort	25 39	28 11	4000	5.45	10	4.82	6	6.06	11	1.19	8	0.28	2	0.00	0	0.00	0	0.00	0	0.00	0	2.27	7	3.15	8	1.91	9	25.03	61
1617	Mayville	25 43	28 11	4150	3.46	10	3.61	3	7.51	8	0.73	6	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	1.54	4	3.26	8	2.03	8	22.44	48
1616 A	Parktown	25 42	28 11	4020	4.66	10	4.04	6	7.24	11	0.78	7	0.32	2	0.00	0	0.00	0	0.00	0	0.00	0	1.60	7	3.49	8	1.79	7	23.92	58

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1618	Prinshof	25° 47'	28° 11'	4680	4.99	10	4.39	6	7.52	7	1.38	6	0.40	1	0.00	0	0.00	0	0.00	0	0.04	1	1.52	4	3.68	11	1.66	8	25.58	54
1619 M	Pretoria (National Zoo Gardens)	25 44	28 11	4270	3.22	7	4.70	6	6.00	9	1.27	5	-	-	0.00	0	-	-	0.00	0	0.01	1	1.48	4	3.26	11	-	-	(19.94	43)
1621	Ristfontein 9	26 09	28 11	5400	4.56	14	4.44	6	6.74	13	0.34	5	0.85	3	0.00	0	0.17	1	0.00	0	0.00	0	0.96	5	2.18	9	3.91	10	24.15	61
1623	Rose Deep (G.M. Co.)	26 12	28 11	5550	4.28	12	4.60	5	6.93	11	0.28	4	0.50	2	0.00	0	0.18	1	0.00	0	0.00	0	0.82	4	1.81	7	1.93	10	21.33	56
1624	Roodekop	26 17	28 11	5020	2.08	11	4.40	4	5.79	7	0.58	2	0.92	1	0.00	0	0.00	0	0.00	0	0.00	0	0.85	5	1.97	5	2.71	9	19.30	44
1626	Gemsbokpoort	24 42	28 12	5000	3.45	7	3.11	4	3.69	10	5.68	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.99	4	1.12	5	0.50	4	20.54	39
1627	Tregenna	25 21	28 12	3570	3.72	9	4.68	5	3.73	11	1.31	4	0.32	2	0.00	0	0.00	0	0.00	0	0.00	0	1.52	5	2.27	7	1.64	7	19.19	50
1628	Bon Accord Dam	25 37	28 12	3950	-	-	3.80	4	5.76	11	0.81	5	0.27	2	0.00	0	0.00	0	0.00	0	0.03	1	1.94	4	1.94	7	2.01	7	(16.56	41)
1629	Pretoria (Union Buildings Nursery)	25 44	28 12	4600	4.13	12	4.79	7	8.18	10	1.58	7	0.36	1	0.00	0	0.05	1	0.00	0	0.02	1	1.60	5	3.93	12	2.07	8	26.71	64
1632	Pretoria (Burghers Park)	25 45	28 12	4350	4.56	12	4.53	6	7.24	9	1.36	6	0.39	1	0.00	0	0.05	1	0.00	0	0.00	0	1.55	4	3.52	10	1.53	8	24.73	57
1633	Pretoria (Fountains)	25 47	28 12	4500	4.50	11	4.59	8	8.01	9	1.27	5	0.46	1	0.00	0	0.00	0	0.00	0	0.04	1	1.60	6	4.81	8	2.59	7	27.87	56
1634	Oranjeville	26 58	28 12	4900	0.35	2	6.70	6	7.56	10	0.25	1	0.50	1	0.00	0	0.00	0	0.00	0	0.00	0	0.07	1	1.05	4	1.65	5	18.13	30
1635	Gemsbokfontein	24 20	28 13	4400	2.59	7	4.97	6	1.93	8	1.79	8	0.10	2	0.00	0	0.00	0	0.00	0	0.00	0	3.74	5	1.66	8	1.59	5	18.37	49
1635 M	Middelfontein	24 36	28 13	4300	3.56	10	4.17	6	5.29	13	1.55	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.04	3	1.15	2	0.38	1	19.14	42
1636	Pretoria (Arcadia)	25 44	28 13	4387	4.11	9	4.35	5	7.71	7	1.26	5	0.34	1	0.00	0	0.00	0	0.00	0	0.00	0	1.57	5	3.08	8	1.55	6	23.97	46
1637	Pretoria (Muckleneuk)	25 45	28 13	4450	4.57	13	4.39	7	8.25	10	1.14	7	0.46	2	0.00	0	0.03	1	0.00	0	0.00	0	1.73	5	3.74	13	1.79	8	26.10	66
1640	Irene	25 52	28 13	4750	4.01	15	4.58	5	7.63	11	1.46	8	0.65	2	0.00	0	0.00	0	0.00	0	0.00	0	1.15	1	2.77	10	2.12	9	24.37	61
1642	Doornkloof	25 53	28 13	4700	4.08	15	5.14	4	8.62	9	1.62	3	0.77	1	0.00	0	0.03	1	0.00	0	0.00	0	1.46	2	3.50	8	1.53	5	26.75	48
1642 A	Rondebult	26 18	28 13	5100	3.81	16	4.09	4	5.98	12	0.18	3	0.91	2	0.00	0	0.12	1	0.00	0	0.02	1	1.33	6	2.67	11	3.10	11	22.21	67
1643	Schilfontein	26 36	28 13	5400	2.36	8	3.27	2	6.90	8	0.66	4	1.15	1	0.00	0	0.00	0	0.00	0	0.00	0	1.05	4	1.58	5	1.00	4	17.97	36
1644	Hartebeestfontein	25 39	28 14	4080	4.62	9	3.73	3	7.37	8	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.62	6	2.50	8	1.83	5	21.67	39
1645	Ristondale	25 44	28 14	4500	3.49	8	3.91	3	7.51	7	1.22	5	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	1.55	3	3.75	9	3.05	7	24.78	43
1646	Pretoria (Bryntirion)	25 45	28 14	4430	3.96	12	4.50	8	7.78	12	1.85	8	0.37	2	0.00	0	0.00	0	0.00	0	0.00	0	1.69	6	3.62	13	2.71	9	26.48	70
1647	Olifantsfontein	25 58	28 14	5000	3.06	5	3.18	1	7.97	6	0.27	1	0.63	1	0.00	0	0.00	0	0.00	0	0.00	0	1.06	2	2.42	7	1.47	3	20.06	26
1648	Kempton Park	26 07	28 14	5460	2.35	7	5.07	5	7.26	5	1.17	3	0.78	1	0.00	0	0.00	0	0.00	0	0.00	0	0.95	2	2.69	8	1.15	5	21.42	36
1649	East Rand Mines	26 13	28 14	5350	3.76	10	5.02	5	7.28	11	0.46	4	0.87	2	0.00	0	0.15	1	0.00	0	0.00	0	1.02	8	2.75	10	5.44	10	26.75	61
1649 A	Flat Roppies	26 39	28 14	4800	3.03	9	5.18	3	3.87	6	0.48	2	0.85	1	0.00	0	0.00	0	0.00	0	0.00	0	0.29	2	2.66	5	1.63	3	17.99	31
1650	Moodskulp	24 56	28 15	3650	2.93	6	1.47	2	3.16	6	0.71	3	0.21	1	0.00	0	0.00	0	0.00	0	0.00	0	1.76	2	2.13	5	2.12	6	14.49	31
1653	Koedoespoort	25 43	28 15	4200	3.32	9	3.13	6	5.46	11	1.16	7	0.24	1	0.00	0	0.00	0	0.00	0	0.00	0	1.35	6	3.72	11	1.74	8	20.12	59
1654 B	Pretoria (Met.Office, Brooklyn)	25 46	28 14	4487	4.01	11	4.63	7	8.32	11	1.40	8	0.39	1	0.00	0	0.00	0	0.00	0	0.00	0	1.77	6	3.47	12	2.29	8	26.28	64
1655	Pretoria (Brooklyn)	25 46	28 15	4500	3.76	7	4.28	3	8.55	9	1.11	3	0.93	2	0.00	0	0.00	0	0.00	0	0.00	0	1.74	4	3.69	11	1.37	5	25.43	44
1656	Pretoria (Country Club)	25 47	28 15	4650	5.47	9	5.06	3	9.73	10	1.51	7	0.45	1	0.00	0	0.00	0	0.00	0	0.03	1	1.74	5	3.63	11	1.69	8	29.31	55
1659	Boksburg	26 13	28 15	5350	3.77	9	4.45	5	7.46	10	0.00	0	0.55	1	0.00	0	0.14	1	0.00	0	0.00	0	0.74	4	2.30	8	4.72	11	24.13	49
1657 A	Krokodilrivier	24 09	28 16	4400	1.91	4	3.66	2	1.32	3	0.46	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.66	5	1.36	3	1.26	3	11.63	(22)

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1658 A	Buffelspoort	24°46'	28°16'	4500	3.74	3	2.10	1	5.70	6	3.09	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.49	3	2.42	4	1.19	3	19.73	(24)
1659	Welgegund	25 04	28 16	3570	2.51	8	4.82	6	2.67	10	0.63	5	0.21	1	0.00	0	0.00	0	0.00	0	0.00	0	2.36	4	2.31	7	2.29	6	17.80	47
1660	Kalkfontein	25 07	28 16	3600	2.95	9	4.15	6	3.74	10	0.56	5	0.23	2	0.00	0	0.00	0	0.00	0	0.00	0	2.54	4	2.33	9	1.60	7	18.10	52
1661	Pretoria (University Farm)	25 45	28 15	4500	3.62	7	3.63	4	7.62	11	1.53	7	0.36	1	0.00	0	0.00	0	0.00	0	0.00	0	1.59	6	3.44	11	2.05	7	23.84	54
1662	Twenty-Four-Rivers	24 15	28 17	4400	1.90	7	3.62	5	1.43	8	0.78	4	0.15	1	0.00	0	0.00	0	0.00	0	0.01	1	1.74	4	1.76	8	0.71	5	12.10	43
1663	Warmbaths Hotel	24 53	28 17	3660	-	-	2.81	7	2.67	8	0.82	5	0.28	1	0.00	0	0.00	0	0.00	0	0.00	0	2.08	6	1.73	7	2.55	5	(12.94	39)
1665	Pienaarsrivier	25 12	28 17	3460	1.67	6	3.62	5	3.27	11	0.34	2	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	1.83	2	1.59	4	1.07	2	13.54	33
1666	Hammanskraal	25 24	28 17	3750	2.93	5	3.93	3	3.27	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.18	1	3.30	9	0.81	3	15.42	27
1664	Warmbaths (Baths)	24 53	28 17	3660	3.94	8	2.61	7	2.64	6	0.73	5	0.27	2	0.00	0	0.00	0	0.00	0	0.00	0	1.75	4	2.00	6	2.90	6	16.84	44
1667	Lynnwood	25 46	28 17	4500	4.63	9	3.66	5	7.34	10	1.67	7	0.39	2	0.00	0	0.00	0	0.00	0	0.09	1	1.87	2	3.85	13	1.81	8	25.31	57
1668	Witkleifontein	26 48	28 17	5200	1.10	4	3.79	4	4.67	5	1.03	1	0.95	1	0.00	0	0.00	0	0.00	0	0.00	0	0.35	1	1.11	1	0.40	3	13.40	(20)
1669	Doornfontein	24 33	28 18	4630	4.27	6	5.00	6	2.84	6	3.02	5	0.26	1	0.00	0	0.00	0	0.00	0	0.00	0	2.01	3	1.07	3	1.39	3	19.86	33
1670	Bothasvlei	25 02	28 18	3530	2.52	9	4.21	7	3.52	11	0.46	4	0.21	2	0.00	0	0.00	0	0.00	0	0.00	0	2.43	6	2.57	8	2.43	6	18.35	53
1671	Blaauwboschkuil	25 05	28 18	3640	2.74	9	4.36	5	2.97	8	0.76	3	0.21	1	0.00	0	0.00	0	0.00	0	0.00	0	2.25	4	2.64	6	2.32	5	18.25	41
1675	Klipdrift	25 19	28 18	3600	2.88	7	4.32	4	2.88	6	0.55	2	0.35	2	0.00	0	0.00	0	0.00	0	0.00	0	1.29	3	2.36	9	1.17	3	15.80	36
1676	Silverton	25 43	28 19	4260	3.66	10	3.58	6	6.92	11	1.35	8	0.34	1	0.00	0	0.00	0	0.00	0	0.00	0	1.73	5	3.89	12	2.25	11	23.72	64
1679	Benoni I	26 11	28 19	5420	3.39	10	5.12	5	7.23	12	0.08	3	0.86	2	0.00	0	0.20	1	0.00	0	0.00	0	0.89	7	3.17	11	3.10	11	24.04	62
1680	Kalkheuwel	25 11	28 20	3500	2.91	10	3.28	4	4.98	10	0.84	3	0.23	1	0.00	0	0.00	0	0.00	0	0.00	0	1.99	3	2.31	9	1.72	5	18.26	45
1681	Groenkow Estate	25 27	28 20	3900	4.10	8	3.62	4	3.52	9	0.61	6	0.28	2	0.00	0	0.00	0	0.00	0	0.00	0	1.65	4	3.08	10	1.70	7	18.56	50
1682 A	Towoomba	24 54	28 21	-	4.00	7	3.60	5	1.64	9	0.54	3	0.25	2	0.00	0	0.00	0	0.00	0	0.00	0	2.01	7	1.26	5	2.76	6	16.06	44
1683	Roodekuil	24 56	28 21	3650	2.98	9	3.75	5	2.16	8	0.45	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.94	4	3.32	3	1.75	5	16.35	38
1684	Eerste Fabrieke	25 43	28 21	4280	5.02	10	3.91	6	4.53	9	1.36	5	0.26	1	0.00	0	0.00	0	0.00	0	0.03	1	1.18	2	2.39	10	3.60	8	22.28	52
1685	Willows	25 45	28 21	4340	4.23	11	1.32	2	5.68	11	0.24	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.44	2	2.48	7	2.04	7	17.43	42
1686	Grootfontein	25 54	28 21	4900	2.70	9	3.53	3	6.41	8	1.00	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.38	2	3.08	10	1.59	7	19.69	45
1688	Brakpan II	26 13	28 21	5360	3.29	11	4.96	4	6.70	12	0.36	4	0.78	2	0.00	0	0.23	1	0.00	0	0.00	0	1.28	5	3.29	12	1.60	10	22.49	61
1689	Beerlaagte	26 48	28 21	5300	1.07	3	3.94	3	5.79	7	0.45	1	1.08	1	0.00	0	0.00	0	0.00	0	0.00	0	0.43	2	2.48	4	1.53	2	16.77	23
1690	New Modderfontein	26 10	28 22	5290	3.15	13	4.99	6	7.40	12	0.36	7	0.93	3	0.00	0	0.22	1	0.00	0	0.00	0	1.27	7	2.93	12	2.18	10	23.43	71
1691	Heidelberg I	26 30	28 22	5055	4.85	13	3.66	5	5.69	13	0.97	6	1.02	1	0.00	0	0.20	1	0.00	0	0.01	1	1.11	5	2.65	12	3.22	12	23.38	69
1692 A	Heidelberg	26 30	28 22	5054	4.67	12	3.55	4	5.32	14	0.71	6	1.05	3	0.00	0	0.20	1	0.00	0	0.01	1	1.14	5	2.52	13	3.15	12	22.32	71
1694	Elandspoort	24 39	28 23	4100	2.65	11	2.57	6	1.52	8	1.51	6	0.30	2	0.00	0	0.00	0	0.00	0	0.00	0	2.26	5	1.37	9	0.24	1	12.42	48
1696	Zwartkoppies	25 47	28 23	4450	1.95	5	3.90	3	3.39	9	0.90	2	0.50	2	0.00	0	0.00	0	0.00	0	0.00	0	1.05	2	1.70	7	2.25	6	15.64	36
1697	Government G.M. Areas	26 11	28 23	5400	3.09	9	4.45	3	6.07	14	0.68	6	0.93	3	0.00	0	0.13	1	0.00	0	0.06	2	1.26	3	2.43	10	1.68	10	20.78	61
1698	Nigel House	26 25	28 28	5160	3.39	7	4.30	4	4.72	11	0.82	5	0.83	2	0.00	0	0.23	1	0.00	0	0.00	0	1.07	4	2.95	10	2.99	9	21.30	53
1699	Sub Nigel	26 21	28 26	5270	3.80	9	4.64	4	4.12	6	0.65	3	0.85	1	0.00	0	0.16	1	0.00	0	0.00	0	1.26	4	2.82	11	2.99	8	21.29	47
1700	Buffelshoek	24 00	28 24	3900	0.75	4	2.27	6	1.70	5	1.01	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.75	5	4.43	5	2.42	5	14.33	34

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1703	Tafelkop	24°06'	28°25'	4500	3.32	6	2.44	6	1.56	6	0.74	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.31	7	1.63	4	4.01	5	16.01	38
1705	Rylstroom	24 42	28 25	3795	3.55	11	2.42	5	2.58	9	1.35	8	0.29	2	0.00	0	0.00	0	0.00	0	0.00	0	2.17	4	1.59	6	0.93	4	14.88	49
1707	Tygerpoort	25 53	28 25	4900	3.98	3	2.93	4	3.83	7	0.85	2	0.46	1	0.00	0	0.00	0	0.00	0	0.00	0	1.25	1	4.32	6	1.64	4	19.26	28
1708	Blaauwgomfontein	25 58	28 25	5300	4.16	8	4.72	3	4.88	3	1.24	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.34	1	2.59	6	1.62	6	20.55	30
1709	Leeuwkuil	25 00	28 26	3530	2.73	10	3.53	6	3.41	9	0.71	7	0.25	2	0.00	0	0.00	0	0.00	0	0.00	0	2.08	4	1.36	7	2.42	7	16.49	52
1710	Geduld	26 13	28 26	5400	3.13	12	5.05	4	5.13	13	0.42	5	0.90	2	0.00	0	0.00	0	0.00	0	0.00	0	1.32	7	1.93	14	2.68	10	20.56	67
1711	Springs I	26 15	28 26	5340	3.34	13	5.27	3	5.54	12	0.66	5	0.90	3	0.00	0	0.06	1	0.00	0	0.00	0	1.23	5	2.09	12	3.54	10	22.63	64
1712	Springs II	26 15	28 26	5340	2.76	10	5.26	4	5.45	11	0.59	6	0.93	3	0.00	0	0.00	0	0.00	0	0.00	0	1.13	4	1.99	11	3.57	10	21.68	59
1714	Rietfontein	26 17	28 26	5300	4.24	13	5.23	3	4.85	9	0.20	3	0.00	0	0.00	0	0.01	1	0.00	0	0.00	0	1.38	3	1.89	10	3.85	9	21.65	51
1715	Vlakfontein	26 44	28 26	5240	1.56	7	3.63	4	4.49	12	1.01	5	1.33	1	0.00	0	0.00	0	0.00	0	0.00	0	0.54	4	1.56	8	2.62	7	16.74	48
1715 N	Nooitgedacht	24 18	28 27	-	3.81	6	3.08	6	3.34	7	2.29	8	0.08	1	0.00	0	0.00	0	0.00	0	0.11	1	3.48	5	3.48	7	1.19	3	20.86	44
1716	Palmietgat	25 05	28 27	3500	3.09	7	3.44	5	3.27	13	0.94	7	0.20	1	0.00	0	0.00	0	0.00	0	0.00	0	2.43	4	2.90	7	1.00	5	17.27	49
1717	Welgedacht	25 28	28 27	3940	2.80	5	3.40	3	4.35	7	0.87	5	0.32	1	0.00	0	0.00	0	0.00	0	0.00	0	1.50	2	2.35	7	3.29	2	18.88	32
1718	Donkerhoek	25 47	28 27	4570	4.23	5	2.82	5	2.54	7	0.87	2	0.35	1	0.00	0	0.00	0	0.00	0	0.00	0	1.20	1	1.99	8	3.64	6	17.64	35
1718 N	Geduld (Enstra)	26 12	28 27	-	3.18	13	4.72	3	4.86	12	0.62	4	0.86	3	0.00	0	0.00	0	0.00	0	0.00	0	1.13	3	1.68	8	3.05	-	20.10	(46)
1720	Folkstone	24 55	28 28	3600	2.14	6	2.02	6	1.94	9	1.35	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.00	5	3.03	6	2.47	5	14.95	40
1721	Ludlow	24 57	28 28	3600	2.42	7	2.23	5	2.02	10	0.66	6	0.33	1	0.00	0	0.00	0	0.00	0	0.00	0	1.60	3	3.02	8	2.76	10	15.04	50
1724	Groenfontein	24 37	28 29	4200	2.06	6	3.86	5	2.38	12	0.87	4	0.21	2	0.00	0	0.00	0	0.00	0	0.01	1	2.11	5	3.43	9	2.03	8	16.96	52
1725	Mallow	24 56	28 29	3650	2.11	5	2.34	6	2.22	9	1.00	6	0.21	1	0.00	0	0.00	0	0.00	0	0.00	0	1.91	6	2.94	7	3.40	10	16.13	50
1726	Onbekend	25 57	28 29	5300	4.03	8	6.80	5	6.35	8	0.10	1	0.80	2	0.00	0	0.00	0	0.00	0	0.00	0	1.47	2	5.85	8	1.88	6	27.28	40
1727	Leeuwdoorns	24 51	28 30	3700	3.26	6	1.55	5	1.95	15	1.25	8	0.24	2	0.00	0	0.00	0	0.00	0	0.00	0	2.24	6	2.16	8	2.35	9	15.00	59
1728	Dendaloo	24 57	28 30	3500	2.94	6	2.66	5	2.20	8	0.74	4	0.25	1	0.00	0	0.00	0	0.00	0	0.00	0	1.84	3	2.20	7	1.83	5	14.66	39
1729	Premier Mine	25 40	28 30	4850	5.09	9	3.13	4	3.18	9	2.40	5	0.56	2	0.00	0	0.00	0	0.00	0	0.00	0	1.62	4	2.88	11	4.09	8	22.95	52
1729 A	Tweedracht	25 52	28 30	4700	2.41	3	3.99	5	3.57	5	2.96	6	0.48	1	0.00	0	0.00	0	0.00	0	0.00	0	1.30	1	2.27	8	1.83	6	18.81	35
1731	Illawarra	24 58	28 31	3450	2.93	5	2.04	6	2.38	11	1.00	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.63	3	2.55	5	1.74	6	14.27	41
1731 A	Rust-der-Winter	25 14	28 31	3500	3.73	6	2.23	3	3.24	7	0.67	2	0.29	1	0.00	0	0.00	0	0.00	0	0.00	0	1.54	1	1.76	4	1.61	6	15.07	30
1732	Grootvlei	26 48	28 31	5050	1.34	6	2.67	3	2.40	4	0.45	2	1.12	1	0.00	0	0.00	0	0.00	0	0.00	0	0.45	3	2.85	4	0.75	3	12.03	26
1733	Goedhope	24 54	28 32	3550	3.22	8	1.25	3	0.99	5	0.52	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.06	6	3.11	6	1.48	8	12.63	38
1734	Knapbrooke	24 56	28 32	3450	2.33	6	2.00	4	0.97	3	0.60	4	0.19	2	0.00	0	0.00	0	0.00	0	0.00	0	1.82	5	2.79	6	2.87	6	13.57	36
1735	Settlery	24 58	28 32	3440	2.72	8	2.49	5	2.66	10	0.78	5	0.25	2	0.00	0	0.00	0	0.00	0	0.00	0	1.75	2	2.54	7	1.33	5	14.52	44
1736	Buffelsdrift	25 13	28 32	3400	4.94	5	2.63	3	3.03	7	0.62	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.44	1	1.52	4	1.55	4	15.73	27
1737	Rietvlei	26 05	28 32	5200	2.83	5	4.70	3	3.14	6	0.68	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.50	4	2.87	7	0.63	2	16.35	29
1737 A	Fortuna Dairy	26 36	28 32	-	1.63	7	4.17	3	5.66	10	0.76	4	0.95	1	0.00	0	0.10	1	0.00	0	0.00	0	0.47	2	2.42	10	1.93	8	18.09	46
1738	De Wagensdrift	25 31	28 33	4010	4.78	11	3.67	3	3.82	7	0.57	3	0.34	-	0.00	0	0.00	0	0.00	0	0.07	1	1.82	3	1.58	6	2.06	4	18.71	38
1740	Rietfontein 72	26 36	28 33	5100	2.16	10	4.46	4	6.68	12	0.91	5	0.70	2	0.00	0	0.10	1	0.00	0	0.00	0	0.50	4	2.99	11	3.26	10	21.76	59

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1742	Varkensknil II	24°46'	28°34	3800	3.81	11	2.04	7	2.32	11	0.56	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.68	6	2.35	8	0.84	2	14.60	48
1743	Kooitgedacht	24 33	28 35	4300	5.09	9	2.27	5	2.51	4	0.45	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.75	4	2.90	8	1.31	6	17.28	38
1746	Balfour	26 39	28 36	5270	1.06	7	5.38	5	5.23	11	0.66	6	0.85	2	0.00	0	0.13	1	0.00	0	0.00	0	0.65	3	0.80	8	2.49	8	17.25	51
1748	Nun Nun	24 42	28 37	3800	3.64	8	2.72	6	1.65	13	0.34	4	0.16	1	0.00	0	0.00	0	0.00	0	0.00	0	2.80	6	2.14	8	0.50	3	13.95	49
1749	Winburg	24 52	28 37	3600	3.56	9	2.52	4	1.89	7	0.41	4	0.21	2	0.00	0	0.00	0	0.00	0	0.00	0	1.75	6	2.34	7	2.22	5	14.90	44
1750	Droogefontein	26 11	28 37	5220	3.83	8	4.15	3	3.43	7	0.60	4	0.75	1	0.00	0	0.00	0	0.00	0	0.00	0	1.35	2	2.80	8	3.70	9	20.61	42
1751	Strydpan	26 13	28 37	5250	3.75	12	4.89	4	5.95	6	0.00	0	0.75	1	0.00	0	0.00	0	0.00	0	0.00	0	1.23	3	2.51	5	3.22	6	22.30	37
1752	Deelkraal	24 41	28 39	3700	3.57	8	2.55	7	1.72	11	0.35	1	0.18	1	0.00	0	0.00	0	0.00	0	0.00	0	2.70	6	1.83	9	0.74	5	13.63	48
1754	Rietbult	26 36	28 39	5200	2.14	13	6.74	6	6.87	14	0.46	6	0.97	1	0.02	1	0.14	1	0.00	0	0.00	0	0.75	5	2.20	10	3.41	10	23.70	67
1755	Rooikop	25 11	28 40	3250	3.30	7	3.42	3	3.63	9	0.47	3	0.27	1	0.00	0	0.00	0	0.00	0	0.00	0	1.58	2	1.51	3	2.84	5	17.02	33
1756	Deercroft	24 51	28 41	3550	2.05	7	1.97	4	2.47	11	0.61	3	0.26	2	0.00	0	0.00	0	0.00	0	0.00	0	2.62	6	3.04	8	2.39	6	15.41	47
1757	Kopje Alleen	24 51	28 41	3488	2.51	13	1.68	9	1.62	13	0.47	5	0.21	2	0.00	0	0.00	0	0.00	0	0.00	0	2.16	6	2.17	10	2.18	9	13.00	67
1758	Kukeldoorn	25 24	28 41	4030	2.69	4	2.56	2	2.11	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.76	3	3.00	8	3.64	7	15.76	31
1759	Wesikraal	25 59	28 41	4780	3.79	5	5.32	4	1.94	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.26	3	2.81	6	1.84	3	16.96	27
1760	Delmas	26 09	28 41	5126	3.93	11	4.10	3	4.01	11	0.25	3	0.78	2	0.00	0	0.00	0	0.00	0	0.07	1	1.61	4	3.42	9	2.17	9	20.33	53
1762	Nylsvley	24 39	28 42	3600	3.14	9	2.66	5	2.51	10	0.44	5	0.21	1	0.00	0	0.00	0	0.00	0	0.00	0	2.55	6	1.84	8	1.32	7	14.67	51
1763	Blindefontein	24 43	28 42	3600	2.63	8	2.19	3	0.95	2	0.50	4	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	2.65	6	1.40	5	0.75	2	11.22	(31)
1763 A	Meisiesvlei	24 54	28 42	-	1.86	6	1.91	3	2.60	11	0.68	3	0.25	1	0.00	0	0.00	0	0.00	0	0.00	0	3.41	6	3.76	8	2.06	5	16.53	43
1763 B	Ebenhaeser	26 10	28 42	-	3.75	6	3.95	2	2.90	4	0.00	0	0.60	1	0.00	0	0.00	0	0.00	0	0.00	0	1.65	3	3.00	7	1.00	4	16.85	27
1764	Welgevonden	26 16	28 42	5200	3.25	7	4.78	4	4.28	8	0.00	0	0.81	2	0.00	0	0.00	0	0.00	0	0.00	0	1.26	2	2.74	8	2.06	4	18.18	35
1765	Zaaiplaats	24 03	28 43	3500	2.40	6	2.87	8	1.37	6	1.64	8	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.23	6	1.66	7	1.29	5	13.46	46
1766	Naboomspruit	24 31	28 43	3650	1.77	5	2.21	6	4.37	10	1.17	5	0.14	2	0.00	0	0.00	0	0.00	0	0.00	0	2.46	4	1.60	8	2.79	7	16.51	47
1767	Vogelfontein	24 38	28 43	3600	3.07	9	1.83	5	2.82	8	0.54	5	0.21	2	0.00	0	0.00	0	0.00	0	0.00	0	3.32	4	2.59	8	(0.73	3	(15.17	44)
1768	Beestepoort	24 42	28 43	3600	3.32	8	2.72	7	1.54	12	0.33	1	0.17	1	0.00	0	0.00	0	0.00	0	0.02	1	2.85	6	1.71	9	0.78	5	13.44	50
1768 N	Alloa Farm	26 18	28 43	-	3.84	9	4.32	4	3.73	9	0.95	2	0.77	3	0.00	0	0.00	0	0.00	0	0.00	0	1.18	3	3.34	9	2.90	5	21.03	44
1769 N	Diepsloot	24 53	28 44	-	2.54	5	1.96	4	2.98	12	1.53	4	0.25	2	0.00	0	0.00	0	0.00	0	0.00	0	2.56	5	2.26	5	3.56	5	17.64	42
1769 T	Leeuwfontein	25 40	28 44	-	5.20	10	4.30	7	3.42	7	0.94	5	0.45	2	0.00	0	0.00	0	0.00	0	0.00	0	1.34	3	2.22	9	4.61	9	22.48	52
1770	Bronkhorstspruit	25 48	28 44	4600	6.74	9	3.50	5	3.34	8	1.33	4	0.46	1	0.00	0	0.00	0	0.00	0	0.00	0	1.24	1	3.81	8	2.75	7	23.17	43
1772	Greylingstad	26 44	28 44	5210	1.64	5	6.73	5	7.71	9	0.88	3	1.04	1	0.00	0	0.00	0	0.00	0	0.00	0	0.95	3	1.21	6	1.55	5	21.71	37
1775	Grootvlei	24 30	28 45	3600	1.92	8	1.46	4	3.68	8	0.19	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.93	4	1.59	7	2.06	4	13.83	36
1776	Jaarsveld	25 31	28 45	4600	1.72	5	2.94	3	2.99	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.32	2	1.40	4	1.99	3	13.36	22
1778	Wittebank	26 58	28 45	5000	1.65	8	5.88	6	4.84	8	1.00	3	1.10	1	0.05	1	0.00	0	0.00	0	0.21	2	0.65	4	0.74	5	0.52	3	16.64	41
1779	Rietfontein	24 23	28 46	3650	1.65	7	1.49	5	2.31	7	0.92	4	0.10	1	0.00	0	0.00	0	0.00	0	0.00	0	2.44	4	2.67	6	1.68	3	13.26	37
1780	Tobiaszynloop	24 27	28 46	3540	1.50	3	1.90	5	2.45	6	0.50	2	0.10	1	0.00	0	0.00	0	0.00	0	0.00	0	1.65	2	2.46	8	1.30	3	11.86	30
1781	Rysonder	24 51	28 46	3400	0.52	3	1.90	5	0.89	7	0.60	3	0.32	2	0.00	0	0.00	0	0.00	0	0.00	0	1.14	4	2.92	6	4.02	8	12.31	38

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1782	Groenfontein	24°02'	28°47	3430	2.74	7	1.63	7	0.97	10	1.47	10	0.04	1	0.00	0	0.00	0	0.00	0	0.00	0	2.63	8	2.05	9	1.49	7	13.02	59
1783	Doorndraai	24 17	28 47	4000	3.03	6	1.76	4	0.93	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.05	4	0.71	3	1.85	6	10.33	29
1784	Mosdene	24 35	28 47	3600	2.47	8	1.99	6	1.18	6	0.99	5	0.12	1	0.00	0	0.00	0	0.00	0	0.00	0	3.04	5	2.86	7	4.54	7	17.29	45
1785 A	Moabevelden	26 09	28 47	5200	3.34	12	3.97	3	2.72	9	0.49	7	0.58	2	0.00	0	0.00	0	0.00	0	0.00	0	1.50	2	2.81	9	5.30	9	20.71	53
1786	Devon	26 21	28 47	5478	2.45	8	4.37	5	3.64	4	0.10	1	0.09	1	0.00	0	0.00	0	0.00	0	0.00	0	0.32	1	2.61	7	4.62	5	18.20	32
1787	Vastrap	24 12	28 48	3720	2.59	8	3.17	7	1.11	6	1.03	6	0.12	1	0.00	0	0.00	0	0.00	0	0.22	1	2.22	6	1.09	7	2.53	6	14.08	48
1790 a	Gleneesh	25 27	28 49	-	4.47	8	2.36	4	4.28	10	0.44	2	0.30	2	0.00	0	0.00	0	0.00	0	0.12	1	2.63	4	2.70	5	2.17	5	19.47	41
1790 A	Turfpan	24 41	28 51	3350	2.00	7	1.53	7	2.21	9	1.32	5	0.17	2	0.00	0	0.00	0	0.00	0	0.03	1	2.55	6	2.44	7	4.16	9	16.41	53
1790 B	Tweefontein	25 22	28 50	-	4.30	6	2.28	4	3.25	7	0.35	3	0.37	1	0.00	0	0.00	0	0.00	0	0.00	0	1.86	4	2.02	6	3.75	8	18.18	39
1792	Wilgerivier	25 49	28 51	4530	4.54	9	3.50	4	2.49	10	2.59	4	0.52	2	0.00	0	0.00	0	0.00	0	0.00	0	1.25	3	2.41	10	2.93	7	20.23	49
1793	Vlakplaats	26 29	28 51	5400	2.90	7	4.20	-	5.39	8	0.00	0	0.84	1	0.00	0	0.00	0	0.00	0	0.00	0	1.57	4	2.04	7	4.32	9	21.26	(36)
1795	Oakdale	26 51	28 52	5150	1.26	6	4.86	6	7.08	8	0.63	3	0.80	1	0.00	0	0.00	0	0.00	0	0.00	0	0.76	4	1.14	7	1.60	5	18.13	40
1795 A	Blinkwater	24 07	28 53	3490	2.61	6	1.53	4	0.16	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.51	4	3.11	3	2.95	6	12.87	(24)
1795 B	Raskop	26 37	28 53	-	1.78	9	6.01	4	4.98	7	0.42	2	0.96	1	0.02	1	0.00	0	0.00	0	0.00	0	0.86	4	1.90	8	3.15	9	20.08	45
1797 A	Boschplaats	24 52	28 55	3400	3.41	7	1.27	3	0.69	2	0.81	3	0.20	1	0.00	0	0.00	0	0.00	0	0.00	0	3.43	5	2.51	4	3.61	6	15.93	31
1798	Rondeboschje	24 20	28 56	3600	2.34	8	0.71	2	0.75	4	0.77	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.62	3	3.22	9	3.11	6	12.52	36
1799	Strehla	26 12	28 56	5200	1.90	4	4.93	3	1.22	6	0.00	0	0.54	1	0.00	0	0.00	0	0.00	0	0.00	0	1.62	3	2.61	10	4.95	12	17.77	39
1800	Leslie	26 22	28 56	5500	4.06	12	5.55	6	4.92	8	0.40	3	0.55	1	0.00	0	0.00	0	0.00	0	0.00	0	1.74	4	2.67	10	3.18	7	23.07	51
1801	Val	26 48	28 56	5198	1.59	8	5.76	5	6.11	6	0.00	0	1.06	2	0.00	0	0.00	0	0.00	0	0.00	0	0.67	4	2.22	7	1.46	7	18.87	39
1801 A	Kwaggafontein	25 18	28 57	4500	3.75	4	0.93	2	3.89	8	0.00	0	0.42	1	0.00	0	0.00	0	0.00	0	0.00	0	2.29	3	2.84	7	4.06	7	18.18	32
1802	Moordrift	24 16	28 57	3670	4.09	9	2.45	5	0.79	4	0.72	5	0.00	0	0.00	0	0.00	0	0.00	0	0.13	1	3.31	5	4.00	9	3.91	5	19.40	43
1803 a	Vlaklaagte	24 33	28 58	-	2.31	5	0.53	2	0.75	3	1.47	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.94	2	1.12	2	2.54	5	10.66	25
1803 A	Leemkop	25 26	28 58	4260	3.82	7	1.63	3	3.38	7	0.17	1	0.50	1	0.00	0	0.00	0	0.00	0	0.00	0	1.97	3	2.51	7	3.24	6	17.22	35
1805	Garth	26 53	28 58	5200	1.62	4	4.46	3	9.06	4	0.05	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.74	5	1.07	7	2.02	7	19.02	31
1808	Zandhakken	26 45	28 59	5130	1.65	12	4.44	5	6.11	7	0.22	2	0.95	1	0.00	0	0.00	0	0.00	0	0.08	1	1.68	6	1.72	8	2.14	8	18.99	50
1809	Klipfontein	26 51	28 59	5100	0.77	8	3.86	4	6.28	9	0.00	0	0.89	2	0.00	0	0.00	0	0.00	0	0.00	0	0.10	2	0.87	5	1.63	5	14.40	35
	SECTION 9.																													
1810	Kearon	24 58	29 00	3200	2.13	4	1.12	3	1.73	8	0.54	5	0.26	1	0.00	0	0.00	0	0.00	0	0.21	2	1.76	4	2.51	9	2.75	7	13.01	43
1813	Potgietersrust	24 11	29 01	3700	3.19	7	2.04	3	1.44	3	0.97	4	0.00	0	0.00	0	0.00	0	0.00	0	0.03	1	4.04	7	2.00	6	3.25	12	16.96	43
1814	Mooigelegen	24 30	29 01	3400	2.22	8	2.10	5	1.92	8	1.36	5	0.10	2	0.00	0	0.00	0	0.00	0	0.00	0	2.31	4	1.76	6	2.45	7	14.22	45
1815	Cologne	26 08	29 01	5200	5.37	11	4.65	4	3.20	5	0.33	1	0.58	1	0.00	0	0.00	0	0.00	0	0.27	2	2.60	3	4.13	10	2.47	6	23.60	43
1817	Allendale	26 53	29 01	5050	1.96	9	5.82	6	6.33	10	0.78	4	0.88	2	0.00	0	0.00	0	0.00	0	0.13	2	0.56	5	1.02	7	3.04	6	20.52	51
1819	Witpoort	24 20	29 02	4000	2.76	9	2.12	6	1.52	8	1.47	6	0.10	1	0.00	0	0.00	0	0.00	0	0.00	0	4.00	6	2.41	6	2.40	7	16.78	49

No.	STATION STASIE	Latitude Breedtegr S. S.	Longitude Lengtegr E. O.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1820	Zandfontein	26°30'	29°02'	5250	2.79	8	3.97	4	5.55	4	0.00	0	0.70	1	0.00	0	0.00	0	0.00	0	0.00	0	2.30	5	3.30	9	4.33	4	22.94	35
1821	Kalkfontein	24 24	29 03	3390	1.82	6	1.64	2	0.72	2	0.68	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.34	4	2.20	4	3.84	6	13.24	(26)
1822	Bombardie	26 10	29 03	5300	5.08	13	4.56	4	4.18	12	0.48	4	0.63	1	0.00	0	0.00	0	0.00	0	0.06	1	3.42	5	2.69	9	1.74	7	22.84	56
1823	Rietkuil	26 55	29 04	5100	2.64	8	3.95	4	6.07	9	0.63	5	0.91	2	0.00	0	0.00	0	0.00	0	0.00	0	0.77	5	0.64	4	1.58	5	17.19	42
1824	Witkyk	24 08	29 05	5200	2.72	7	3.91	5	0.30	1	0.73	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.99	4	2.65	7	1.43	4	14.73	30
1825	Plankrek	24 11	29 05	4000	1.90	5	2.37	4	1.42	4	1.13	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.44	4	2.26	8	1.21	6	13.73	35
1826	Doornfontein	24 20	29 05	4000	3.28	8	2.06	5	1.22	6	0.64	4	0.00	0	0.00	0	0.00	0	0.00	0	0.12	1	3.79	5	1.92	7	4.78	7	17.81	43
1827	Ogies Colliery	26 02	29 05	5200	5.28	12	4.63	4	2.65	8	0.56	3	0.66	1	0.00	0	0.00	0	0.00	0	0.13	1	3.47	6	3.46	9	3.24	6	24.08	50
1827 A	Kinross	26 25	29 05	5440	2.47	7	3.35	4	4.60	8	0.24	1	0.65	2	0.00	0	0.00	0	0.00	0	0.00	0	3.97	6	3.89	6	1.43	4	20.60	38
1828	Bysonderheid	24 36	29 06	3180	2.46	4	1.46	3	1.35	2	1.12	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.94	5	1.02	3	5.68	5	15.03	27
1829	Clewer Township	25 55	29 06	5020	4.28	8	3.40	4	2.02	6	1.58	3	0.67	2	0.00	0	0.00	0	0.00	0	0.10	1	2.44	4	3.04	7	4.11	8	21.64	43
1830 A	Verdun	25 26	29 07	4750	4.42	9	2.45	4	3.19	6	0.16	1	0.56	1	0.00	0	0.00	0	0.00	0	0.00	0	1.70	5	1.39	6	2.48	7	16.35	39
1831	Waterval	25 35	29 07	3929	4.92	10	1.77	4	3.39	12	0.21	3	0.50	3	0.00	0	0.00	0	0.00	0	0.00	0	1.00	3	2.33	8	4.44	7	18.56	50
1832	Rietvlei	26 36	29 07	5400	0.45	1	3.30	1	8.85	5	0.00	0	0.75	1	0.00	0	0.00	0	0.00	0	0.00	0	1.75	3	0.00	0	0.00	0	15.10	(11)
1833	Boesmansgruit	26 45	29 07	5200	2.57	10	4.19	3	5.42	8	0.13	1	0.81	1	0.00	0	0.00	0	0.00	0	0.00	0	1.69	6	1.67	7	3.26	9	19.74	43
1835	Schoongezicht	25 53	29 08	5000	2.50	2	0.50	1	3.01	3	1.11	2	0.50	1	0.00	0	0.00	0	0.00	0	0.00	0	2.62	2	3.22	7	1.79	3	15.25	21
1836	Waterpan	26 00	29 08	5250	3.44	4	4.63	3	1.88	4	1.01	3	0.70	1	0.00	0	0.00	0	0.00	0	0.12	1	2.97	5	2.52	5	3.07	5	20.34	31
1838	Clydesdale Colliery	25 56	29 09	5200	5.18	11	3.56	3	2.01	8	1.22	3	0.75	2	0.00	0	0.00	0	0.00	0	0.14	1	3.11	4	3.36	9	2.34	9	22.67	50
1840	Kafferskraalkopjes	26 54	29 10	5160	1.43	6	4.76	4	5.34	11	0.53	4	0.96	2	0.00	0	0.00	0	0.00	0	0.07	2	0.61	5	0.31	3	2.21	6	16.22	43
1840 A	Klaver Valley	24 46	29 10	-	1.80	5	1.30	3	1.55	3	1.88	4	0.10	1	0.00	0	0.00	0	0.00	0	0.00	0	2.22	5	1.73	3	2.33	4	12.91	28
1841	Riverside	25 49	29 10	5000	2.72	9	3.41	4	1.95	11	0.58	3	0.50	1	0.00	0	0.00	0	0.00	0	0.00	0	2.72	6	2.84	9	2.89	7	17.61	50
1842	Frisgewaagd	26 12	29 10	5100	4.69	11	4.79	5	4.00	10	0.83	3	0.65	2	0.00	0	0.00	0	0.00	0	0.05	1	1.95	3	3.43	9	2.18	7	22.57	51
1843	Langaloot	26 23	29 10	5100	5.25	9	4.09	3	3.33	6	0.00	0	0.80	2	0.00	0	0.00	0	0.00	0	0.00	0	4.78	6	4.42	8	1.00	4	23.67	38
1844	Driefontein	26 29	29 10	5331	3.39	10	3.86	5	5.01	10	0.36	5	0.78	2	0.00	0	0.00	0	0.00	0	0.08	2	2.80	8	3.36	11	2.26	8	21.90	61
1845	Irenedale	26 45	29 10	5100	2.13	6	3.40	2	4.42	4	0.22	2	0.75	2	0.00	0	0.00	0	0.00	0	0.00	0	1.12	2	0.87	2	0.98	3	13.89	23
1846	Sparkshurst	26 51	29 10	5200	3.34	9	5.64	6	7.99	8	0.30	2	0.98	2	0.00	0	0.00	0	0.00	0	0.00	0	0.94	6	1.25	7	2.43	8	22.87	48
1846 M	Philadelphia	25 16	29 11	-	3.04	8	1.08	3	2.48	8	1.78	3	0.47	1	0.00	0	0.00	0	0.00	0	0.07	2	2.11	4	1.43	6	(1.30)	-	(13.76	35)
1846 A	Grootvlei	24 12	29 12	-	3.73	8	4.16	3	1.18	3	1.03	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.51	5	2.06	6	4.48	7	20.15	35
1849	Witbank II	25 53	29 12	5160	5.32	10	4.17	3	2.23	9	1.16	3	0.56	2	0.00	0	0.00	0	0.00	0	0.06	1	1.40	4	3.51	8	3.44	8	21.85	48
1850	Witbank Power Station	25 55	29 12	5200	4.50	10	3.75	5	1.84	11	1.54	4	0.49	2	0.00	0	0.00	0	0.00	0	0.00	0	1.53	5	3.28	10	3.20	10	20.13	57
1852	Tweedraai	26 26	29 12	5150	1.51	7	6.05	5	3.51	7	0.00	0	0.80	1	0.00	0	0.00	0	0.00	0	0.00	0	2.09	5	3.72	5	0.82	3	18.50	33
1853	Uitzicht	24 27	29 14	3100	2.20	7	1.71	5	1.38	4	0.74	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.22	5	2.77	9	3.02	9	14.04	45
1854	Onverwacht	26 17	29 14	5100	4.26	14	5.46	4	4.31	7	1.58	3	0.74	2	0.00	0	0.00	0	0.00	0	0.00	0	2.70	5	2.49	7	1.35	4	22.89	46
1855 A	Geluk	25 44	29 15	4800	6.01	11	2.45	2	2.28	6	0.20	2	0.58	1	0.00	0	0.00	0	0.00	0	0.05	1	1.34	4	4.29	9	2.27	7	19.47	43
1857	Standerton	26 57	29 15	5207	1.80	15	5.28	4	6.13	9	1.87	6	0.87	3	0.00	0	0.00	0	0.00	0	0.06	2	0.54	6	0.87	9	1.85	9	19.27	63

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1858	Frischgewaagd	26°28'	29°16'	5300	3.46	9	3.78	4	5.39	8	0.72	2	0.90	2	0.00	0	0.00	0	0.00	0	0.01	1	2.88	9	2.89	7	1.62	6	21.65	48
1859	New Denmark	26 42	29 16	5235	3.97	4	3.63	3	9.26	8	0.36	1	0.29	1	0.00	0	0.00	0	0.00	0	0.00	0	1.59	5	2.32	4	1.53	5	22.95	31
1860	Excelsior	24 05	29 17	5100	3.87	5	2.47	3	0.14	1	1.15	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.52	3	2.85	6	1.35	7	14.27	31
1860 B	Volop	24 26	29 18	-	0.83	4	2.36	5	0.17	4	1.31	5	0.00	0	0.00	0	0.00	0	0.00	0	0.10	1	3.31	7	2.31	4	3.26	5	13.65	35
1860 M	Marble Hall	24 58	29 18	-	2.92	8	2.07	5	1.98	4	0.55	4	0.07	1	0.00	0	0.00	0	0.00	0	0.07	1	2.94	4	2.10	7	2.45	7	15.15	41
1862	Van Dyksdrift	26 06	29 18	4990	5.29	7	4.12	3	3.40	5	0.64	1	0.68	1	0.00	0	0.00	0	0.00	0	0.00	0	1.80	3	2.20	6	1.65	5	19.78	31
1863	Tikwoh	26 27	29 19	5300	3.66	11	2.92	4	6.38	8	0.23	1	0.88	2	0.00	0	0.00	0	0.00	0	0.06	2	3.03	7	2.78	8	1.56	5	21.50	48
1864	Good Hope	24 09	29 20	4000	1.88	4	4.02	5	0.53	2	1.88	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.88	3	0.85	3	1.04	4	12.08	(24)
1866 A	Loskop Canals	25 09	29 20	3150	3.78	10	1.86	5	1.28	9	1.46	7	0.30	1	-	-	0.00	0	0.00	0	0.40	2	2.71	4	2.29	9	3.03	8	(17.11	55)
1868	De Wagendrift	25 23	29 22	3100	3.68	8	1.30	4	1.42	8	0.44	2	0.74	1	0.00	0	0.00	0	0.00	0	0.16	2	0.92	3	0.84	3	2.69	2	12.19	33
1868 A	Loskopdam	25 25	29 22	3310	4.62	8	2.90	6	1.03	7	0.59	4	0.47	2	0.00	0	0.00	0	0.00	0	0.14	1	0.14	6	2.10	8	2.67	7	15.66	49
1870	Biekerksvlei	26 50	29 22	5100	4.06	8	3.90	4	4.89	10	0.56	2	0.80	1	0.00	0	0.00	0	0.00	0	0.00	0	0.68	4	3.82	7	1.32	6	20.03	42
1870 M	Groblersdal	25 09	29 23	-	4.32	8	2.48	5	1.23	4	0.88	6	0.24	1	0.00	0	0.00	0	0.00	0	0.69	2	1.03	4	2.87	8	3.48	8	17.22	46
1872	Wildebeestfontein	24 04	29 24	4537	3.13	7	3.69	5	0.91	2	0.54	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.87	4	1.74	6	1.28	5	13.16	31
1873	Kameelkop	25 05	29 24	3100	4.82	8	1.68	6	1.48	5	0.51	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.67	6	2.25	7	3.74	7	16.15	43
1874	Sterkfontein	26 33	29 24	5440	1.72	5	3.63	2	6.85	8	0.00	0	0.84	2	0.00	0	0.00	0	0.00	0	0.00	0	1.57	2	1.25	3	0.64	2	16.50	24
1875	Bothsabelo	25 42	29 25	4620	5.46	12	4.37	3	2.22	8	0.70	4	0.63	2	0.00	0	0.00	0	0.00	0	0.02	1	1.04	4	4.61	12	2.92	10	21.97	56
1877	Berrings	26 57	29 25	5100	1.75	4	4.72	4	4.30	7	0.42	2	0.67	1	0.00	0	0.00	0	0.00	0	0.00	0	0.69	3	1.82	5	0.78	2	15.15	28
1883	Welverdiend	25 07	29 27	3130	3.67	7	2.32	5	2.08	6	1.21	5	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	0.96	2	1.60	3	1.00	2	13.24	31
1885	Middelburg	25 46	29 28	4747	3.66	10	3.64	4	2.59	12	0.62	4	0.65	2	0.00	0	0.00	0	0.00	0	0.04	1	0.83	6	3.22	12	3.23	13	18.48	64
1886	Bethal	26 27	29 28	5380	3.01	11	4.01	4	6.46	8	0.44	4	1.04	3	0.00	0	0.00	0	0.00	0	0.06	1	2.44	9	3.60	9	1.89	5	22.95	54
1888	Middelkraal	26 12	29 29	5350	3.60	8	3.95	3	4.99	7	2.36	3	0.65	2	0.00	0	0.00	0	0.00	0	0.00	0	1.96	6	2.31	9	2.58	5	22.40	43
1889	Vlaklaagte	26 23	29 29	5400	3.22	6	3.67	2	7.33	10	1.20	2	0.78	1	0.00	0	0.00	0	0.00	0	0.00	0	2.89	6	2.09	7	2.48	10	23.66	44
1890	Chuniespoort	24 13	29 30	3800	2.25	10	4.04	5	1.18	4	1.66	6	0.00	0	0.00	0	0.00	0	0.00	0	0.08	1	2.70	7	2.45	6	1.87	6	16.23	45
1892	Weltevreden (School)	25 11	29 32	3570	7.00	10	1.83	5	2.06	8	1.16	7	0.23	1	0.00	0	0.00	0	0.00	0	0.80	2	1.78	4	2.59	9	4.15	8	21.60	54
1893	Oranjia	26 02	29 32	5400	3.51	9	3.47	3	3.27	9	2.27	4	0.65	2	0.00	0	0.00	0	0.00	0	0.00	0	1.39	4	2.80	7	3.16	5	20.52	43
1894	Hendrikspan	26 39	29 32	5400	4.44	11	2.80	3	4.01	7	0.17	2	0.84	2	0.00	0	0.00	0	0.00	0	0.02	1	1.57	5	3.79	12	1.64	6	19.28	49
1894 M	Witbank	26 46	29 32	-	3.96	8	2.55	3	3.22	5	0.51	2	0.62	1	0.00	0	0.00	0	0.00	0	0.00	0	0.65	2	2.24	6	2.05	7	15.80	34
1895	Blauwbank	25 16	29 34	4400	5.46	10	3.16	5	2.94	8	1.14	4	0.23	1	0.00	0	0.00	0	0.00	0	0.50	1	1.65	4	2.01	8	2.39	9	19.48	50
1896	Vancouver	25 37	29 34	5110	3.11	6	2.46	2	3.60	7	1.36	3	0.63	1	0.00	0	0.00	0	0.00	0	0.00	0	0.54	1	4.04	6	2.82	7	18.56	33
1897	Weltevreden	26 13	29 34	5300	3.61	13	4.92	3	6.60	11	1.46	7	0.63	2	0.00	0	0.00	0	0.00	0	0.19	2	2.00	6	1.59	9	2.12	8	23.12	61
1898	Nikenboom	25 54	29 35	5330	2.89	10	3.30	3	3.94	14	0.17	1	0.53	2	0.00	0	0.00	0	0.00	0	0.00	0	1.35	3	0.92	3	2.72	3	15.82	39
1899	Bankpan	26 17	29 35	5325	4.31	9	3.32	3	6.50	9	2.41	4	0.66	3	0.00	0	0.00	0	0.00	0	0.11	1	2.01	6	1.99	7	2.08	6	23.39	48
1901	Bekkerarust	26 33	29 36	5400	1.54	8	3.34	3	3.41	7	1.46	3	0.80	1	0.00	0	0.00	0	0.00	0	0.05	1	2.82	7	2.18	4	2.68	8	18.28	42
1902	Weltevreden	26 57	29 36	5200	(4.39)			-	4.29	6	1.33	3	0.71	1	0.00	0	0.00	0	0.00	0	0.00	0	0.85	2	1.78	5	0.27	2	13.82	(19)

No.	STATION STASIE	S. Latitude Breedtegr.	E. Longitude O. Lengtegr.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1903	Vlaklaagte	26°15'	29°37'	5300	4.18	10	3.26	3	4.39	8	2.54	3	0.70	1	0.00	0	0.00	0	0.00	0	0.03	1	2.05	4	2.89	8	1.46	4	21.50	42
1904	Dipey Hill	26 23	29 37	5400	4.02	11	3.57	3	5.37	9	1.70	4	0.49	2	0.00	0	0.00	0	0.00	0	0.03	1	2.58	8	4.35	12	1.86	8	23.97	58
1906	Morgenson	26 44	29 38	5370	3.17	7	2.47	3	4.16	10	1.25	4	0.76	2	0.00	0	0.00	0	0.00	0	0.00	0	1.28	4	3.97	1	3.01	8	20.07	47
1907	Brakfontein	26 29	29 38	5567	3.35	10	4.36	3	4.66	8	1.58	4	0.68	2	0.00	0	0.00	0	0.00	0	0.00	0	2.71	5	3.15	6	1.70	5	22.19	43
1908	Zwartfontein	25 45	29 40	5400	4.69	10	2.97	6	1.43	8	1.49	5	0.73	1	0.00	0	0.00	0	0.00	0	0.16	1	1.30	4	2.20	5	2.08	7	17.05	47
1910	Hanelfontein	26 28	29 40	5570	3.61	13	4.01	4	4.38	10	1.76	6	0.66	3	0.00	0	0.00	0	0.00	0	0.06	2	3.06	6	3.64	9	1.70	8	22.88	61
1911	Brakfontein	26 31	29 40	5567	2.19	5	2.19	5	4.32	7	0.00	0	0.56	1	0.00	0	0.00	0	0.00	0	0.00	0	2.08	5	3.14	6	1.10	6	15.58	35
1912	Waterval	25 21	29 41	4500	6.04	5	2.95	5	2.03	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.18	1	0.56	1	2.48	9	3.65	9	17.89	33
1913	Gemsbokfontein	25 44	29 41	5450	4.40	11	4.13	5	4.29	10	1.19	6	0.71	2	-	-	0.00	0	0.00	0	0.18	1	0.90	2	3.14	9	2.15	6	(21.08	52)
1915	Reston	25 54	29 43	5330	3.44	10	1.61	4	2.90	10	0.77	5	0.60	1	0.00	0	0.00	0	0.00	0	0.29	2	1.85	4	2.52	7	3.04	8	17.02	51
1916	Uitzicht	26 25	29 43	5450	2.58	10	6.55	4	4.67	10	-	-	1.29	2	0.53	1	0.00	0	0.00	0	0.00	0	2.90	3	3.03	7	1.58	8	(23.13	45)
1917	Nelspan	26 29	29 43	5460	3.01	5	4.43	4	4.15	6	2.11	4	0.70	2	0.00	0	0.00	0	0.00	0	0.00	0	2.12	6	2.88	6	3.06	5	22.46	38
1918	Tevredan	26 20	29 44	5500	5.72	10	3.10	3	3.59	10	2.36	3	0.00	0	0.00	0	0.00	0	0.00	0	0.07	2	2.59	6	2.45	8	1.65	6	21.53	48
1919 A	Lobithal	24 43	29 45	-	3.34	6	1.80	4	1.22	5	0.82	6	0.03	1	0.00	0	0.00	0	0.00	0	0.23	1	2.55	6	3.64	5	2.62	5	16.25	39
1920	Nebo	24 52	29 45	4000	3.60	9	3.74	5	2.72	3	2.84	4	0.00	0	0.00	0	0.00	0	0.00	0	0.72	1	2.69	6	3.00	11	6.49	6	24.00	45
1922	Vlakfontein	26 48	29 42	5400	3.19	6	3.55	3	5.13	6	1.00	2	0.80	1	0.00	0	0.00	0	0.00	0	0.00	0	0.83	3	3.81	9	1.32	4	19.63	34
1924	Schoonoord	26 00	29 46	5450	6.12	11	2.48	3	3.74	9	0.86	4	0.60	1	0.00	0	0.00	0	0.00	0	0.11	1	1.53	6	3.98	8	1.59	6	21.01	49
1925	Uitzicht	26 38	29 47	5460	5.06	9	1.36	3	2.50	10	1.76	4	0.59	1	0.00	0	0.00	0	0.00	0	0.00	0	1.44	5	1.00	5	1.53	5	15.24	42
1927	Morgenson	24 50	29 49	4800	3.93	8	2.20	3	1.60	6	3.93	10	0.08	1	0.00	0	0.00	0	0.00	0	0.45	1	2.80	6	3.17	10	4.03	6	22.19	51
1928	Roodepoort	25 44	29 49	5700	2.75	8	4.12	4	2.86	11	0.86	2	0.62	1	0.00	0	0.00	0	0.00	0	0.20	2	2.16	5	2.61	6	4.46	6	20.64	45
1929	Karina	26 06	29 49	5350	3.93	8	2.32	3	3.01	9	1.20	4	0.57	1	0.00	0	0.00	0	0.00	0	0.00	0	2.15	6	3.86	9	3.10	6	20.14	46
1930	Tweefontein	26 49	29 49	5100	3.72	8	2.03	2	4.27	5	1.05	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.75	2	2.04	4	2.73	5	16.59	29
1932	De Lagersdrift	25 18	29 50	4850	3.11	11	2.34	4	1.37	7	1.66	5	0.18	1	0.00	0	0.00	0	0.00	0	0.23	1	1.22	7	2.37	8	3.20	10	16.68	54
1933	Blinkwater	25 25	29 50	5090	5.46	9	4.24	5	2.20	1	1.33	4	0.26	1	0.00	0	0.00	0	0.00	0	0.30	1	1.38	3	1.99	8	5.01	10	22.17	42
1934	Grootlaagte	25 50	29 50	5600	5.19	10	2.91	5	2.08	8	0.79	7	0.00	0	0.00	0	0.00	0	0.00	0	0.27	2	1.29	6	2.45	6	2.78	8	17.76	52
1936	Jane Furse Memorial Hospital	24 45	29 52	4640	3.03	7	0.57	4	1.65	5	1.16	8	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	2.62	4	2.99	6	1.80	6	14.22	41
1937	Hartebeestfontein	26 23	29 52	5988	5.99	10	1.95	2	4.08	8	2.05	4	0.61	1	0.00	0	0.00	0	0.00	0	0.02	1	2.76	7	2.78	5	2.81	5	25.05	43
1938	Wonderfontein	25 48	29 53	5900	3.18	7	2.58	3	3.02	8	1.19	2	0.00	0	0.00	0	0.00	0	0.00	0	0.14	1	1.36	5	2.71	6	1.43	3	15.61	35
1938 A	Mooifontein	26 53	29 54	5450	2.80	6	4.10	3	3.72	5	1.27	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.15	1	2.65	2	1.23	1	17.82	(20)
1938 B	Grootfontein	24 13	29 56	-	2.91	6	1.25	3	0.20	1	0.82	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.87	5	1.02	4	1.07	4	10.14	(26)
1939	Roossenekal	25 12	29 56	4750	4.86	7	3.30	4	1.23	2	0.71	4	0.25	1	0.00	0	0.00	0	0.00	0	0.35	1	2.34	5	2.03	4	2.00	7	17.07	35
1940	Tonteldoos	25 17	29 56	5500	4.89	13	3.13	6	5.43	8	1.42	10	0.38	1	0.00	0	0.00	0	0.00	0	0.17	1	2.04	8	3.36	10	5.21	9	25.83	66
1942	Goede Hoop	26 44	29 56	5200	3.78	10	3.52	4	4.08	9	0.66	5	0.56	1	0.03	1	0.00	0	0.00	0	0.00	0	3.67	7	3.08	10	3.41	11	22.79	58
1943	Rolfontein	26 59	29 56	5350	3.71	9	1.96	2	6.21	8	0.39	2	0.61	1	0.00	0	0.00	0	0.00	0	0.08	1	1.92	7	5.02	8	1.76	7	21.66	45
1944	Kwaggaskop	25 34	29 57	5500	3.78	9	1.62	3	1.49	5	0.32	2	0.00	0	0.00	0	0.00	0	0.00	0	0.15	2	1.40	5	0.52	6	1.21	6	10.49	38

SECTION 9. RAINFALL -1945- REËNVAL SEKSIE 9.

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1945	Winchester	25°48'	29°57'	5800	2.20	2	2.25	2	3.77	5	0.00	0	0.58	1	0.00	0	0.00	0	0.00	0	0.00	0	1.21	3	2.22	4	1.99	2	14.22	19
1946	Leeuwbank	25 48	29 57	5900	3.55	9	2.65	2	3.13	10	0.81	3	0.50	1	0.00	0	0.00	0	0.00	0	0.15	2	1.49	5	2.58	6	2.38	4	17.24	42
1947 M	Hoeitgedacht (Labaratorium)	26 31	29 58	5570	2.83	8	1.33	2	3.74	6	1.27	5	0.60	2	-	-	0.00	0	0.00	0	0.00	0	2.48	6	3.80	5	0.39	4	(16.44	38)
1949	Paschaskraal	24 22	29 59	2900	3.99	7	0.91	4	0.58	2	0.85	5	0.00	0	0.00	0	0.00	0	0.00	0	0.17	1	2.46	5	1.25	6	2.19	6	12.40	36
1951	Ermelo	26 31	29 59	5770	3.63	10	2.17	2	1.36	4	1.71	6	0.63	2	-	-	-	-	-	-	0.02	1	4.30	8	4.14	22	0.76	7	(18.72	62)
1952	Blydvooruitzicht	25 49	30 00	5800	7.07	9	3.29	3	4.05	6	0.97	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.87	4	2.87	4	1.28	2	20.40	32
1954	Sekukuniland	24 45	30 01	4150	3.82	8	2.90	4	1.90	3	0.91	6	0.12	1	0.00	0	0.00	0	0.00	0	0.00	0	2.20	5	1.39	7	1.70	7	14.94	41
1955	Belfast	25 41	30 02	6135	5.71	10	4.84	5	3.59	11	1.01	4	0.37	1	0.00	0	0.00	0	0.00	0	0.09	1	1.23	8	3.15	9	4.21	11	24.20	60
1956	Verkeerdepan	26 09	30 02	5500	3.49	8	1.94	3	4.23	9	1.73	4	0.50	1	0.00	0	0.00	0	0.00	0	0.06	1	2.69	6	3.21	7	1.36	4	19.21	43
1960	Forest Hill	24 28	30 05	2800	1.87	3	0.95	2	0.55	2	1.32	7	0.00	0	0.00	0	0.00	0	0.00	0	0.19	1	2.74	5	2.29	5	2.41	3	12.32	28
1962	Maandagshoek	24 35	30 06	3200	7.15	9	0.94	2	1.47	5	2.49	6	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	3.10	4	2.32	5	2.09	6	19.96	38
1963	Kennedysvale	25 50	30 06	2680	5.19	4	1.87	3	2.50	2	1.13	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.86	3	3.09	5	0.56	3	17.20	22
1964	Dullstroom	25 25	30 06	6675	5.58	17	4.54	7	3.67	10	2.04	8	0.26	1	0.00	0	0.00	0	0.00	0	0.26	1	2.58	5	2.94	5	4.23	6	26.10	60
1965	Carolina I	26 04	30 07	5543	4.24	7	2.68	4	5.06	5	0.65	3	1.15	1	0.00	0	0.00	0	0.00	0	0.15	1	4.17	7	3.76	6	1.06	2	22.92	(36)
1966	Carolina II	26 04	30 07	5577	4.18	12	2.38	4	4.61	9	0.78	8	0.41	2	0.00	0	0.00	0	0.00	0	0.18	1	2.74	8	2.55	8	1.12	4	18.95	56
1967	Goedverwachting	26 14	30 07	5600	3.15	4	1.57	1	2.22	2	1.35	2	0.56	1	0.00	0	0.00	0	0.00	0	0.00	0	2.21	3	2.16	3	1.30	2	14.52	18
1968	Welgelegen	26 22	30 07	5420	4.48	13	1.76	3	2.68	10	0.84	5	0.52	2	0.00	0	0.00	0	0.00	0	0.00	0	2.12	7	1.99	9	1.45	8	15.84	57
1969	De Emigratie	26 46	30 07	5500	6.71	10	1.85	3	3.36	7	0.00	0	0.54	1	0.00	0	0.00	0	0.00	0	0.00	0	1.94	7	3.00	9	1.76	9	19.16	46
1970	Brakspruit	25 57	30 09	5300	4.23	9	3.08	3	4.85	5	1.17	4	0.00	0	0.00	0	0.00	0	0.00	0	0.13	1	0.57	2	3.25	5	1.10	3	18.38	32
1972	Downs, The	24 09	30 11	4200	5.66	18	4.35	12	5.24	11	1.07	4	0.00	0	0.00	0	0.30	1	0.25	3	0.17	1	3.81	14	1.48	9	3.69	10	26.02	83
1971	Heights, The	24 07	30 10	4300	6.96	16	11.15	8	8.05	9	2.24	5	0.00	0	0.00	0	0.81	3	0.15	2	0.25	4	4.65	14	2.01	6	3.85	9	40.12	76
1973	Kranspan	26 27	30 11	5500	5.16	12	3.22	6	2.20	2	0.50	2	0.78	1	0.00	0	0.00	0	0.00	0	0.00	0	3.20	7	2.52	4	1.00	2	18.58	36
1974	Derde Gelid	24 36	30 10	3137	3.69	6	1.69	2	0.59	2	1.74	4	0.00	0	0.00	0	0.00	0	0.00	0	0.24	1	2.73	4	1.42	3	1.23	4	13.33	26
1975	Maartenshoop	25 00	30 13	4500	4.01	7	1.51	2	2.67	5	2.31	6	0.12	1	0.00	0	0.00	0	0.00	0	0.18	1	2.81	8	2.45	8	2.51	4	18.57	42
1977	Machadodorp	25 40	30 14	5110	2.55	14	4.86	6	3.95	12	3.10	8	0.13	1	0.00	0	0.00	0	0.00	0	0.07	1	1.90	9	3.33	10	1.96	10	21.85	71
1981	Beestgeskraal	25 06	30 16	5500	2.95	8	1.72	2	6.33	6	2.16	5	0.00	0	0.00	0	0.00	0	0.00	0	0.25	1	3.06	6	2.27	5	1.90	5	20.64	38
1982	Wemmershoek	25 15	30 16	5350	3.71	13	3.25	4	3.74	10	2.17	6	0.00	0	0.00	0	0.00	0	0.00	0	0.18	1	2.48	8	1.94	6	2.09	5	19.56	53
1982 M	Bloemfontein	25 49	30 17	-	5.02	12	3.88	4	4.81	11	1.37	5	0.14	1	0.00	0	0.00	0	0.00	0	0.09	1	0.89	5	3.87	8	2.44	6	22.51	53
1983	Blaauwkop	26 31	30 17	5500	4.31	12	2.03	4	5.79	8	0.33	4	0.50	2	0.00	0	0.00	0	0.00	0	0.01	1	3.94	7	3.50	8	0.67	5	21.08	51
1984	Sebela	24 08	30 17	4000	6.78	15	9.94	7	2.48	7	0.84	4	0.00	0	0.00	0	0.00	0	0.17	1	0.18	2	3.44	9	2.67	7	2.68	5	29.18	57
1986	Fairview	26 10	30 17	5800	4.12	10	1.46	4	2.77	7	1.50	8	0.22	1	0.13	1	0.00	0	0.00	0	0.14	1	2.43	6	1.62	4	1.26	7	15.65	49
1988	Rietvlei	26 44	30 17	5450	3.62	15	2.21	4	6.94	10	0.15	2	0.39	2	0.00	0	0.05	1	0.00	0	0.05	1	2.96	14	3.29	9	1.88	15	21.54	73
1988 A	Rustenburg	25 21	30 18	-	3.72	10	3.58	4	3.43	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.75	4	2.67	4	3.38	4	19.53	29
1989	Goedshoop	25 25	30 18	4250	3.17	7	2.33	2	3.10	3	1.19	4	0.00	0	0.00	0	0.00	0	0.00	0	0.16	2	1.30	4	2.45	5	0.22	1	13.92	28
1991	Waterval Boven	25 39	30 19	4693	3.70	9	2.92	4	2.75	8	3.76	5	0.14	1	-	-	0.00	0	-	-	0.10	1	1.63	9	3.12	8	0.75	11	(18.87	56)

No.	STATION STASIE	S. Latitude Breedtegr S.	E. Longitude Longtegr E.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
1992	De Grootboom	24°46'	30°20'	2900	3.73	6	3.28	4	1.49	3	2.58	4	0.00	0	0.00	0	0.00	0	0.00	0	0.23	1	2.13	5	1.23	3	1.56	2	16.23	28
1994	Bellevue	26 15	30 20	5600	1.43	1	3.22	3	2.88	7	1.16	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.50	5	0.96	2	0.00	0	12.15	21
1994 M	Paris No. 180	24 09	30 21	-	7.09	14	6.42	8	3.26	8	1.22	4	0.03	1	0.00	0	0.02	1	0.02	1	0.15	1	3.25	13	2.01	7	3.06	8	26.53	66
1995	Zwagershoek	24 14	30 21	5000	3.64	12	2.63	4	5.64	9	1.79	4	0.00	0	0.00	0	0.00	0	0.00	0	0.17	1	2.72	7	3.33	8	2.66	6	22.58	51
1996 A	Pretoria Farm	24 05	30 22	-	3.96	12	5.16	6	1.06	8	0.45	5	-	-	0.00	0	0.00	0	0.01	1	0.09	2	2.82	12	1.17	3	1.60	8	(16.32	57)
2003	Buffelspruit	26 02	30 23	4500	3.99	8	4.62	4	5.10	9	1.40	4	0.19	1	0.00	0	0.00	0	0.00	0	0.71	1	4.07	8	2.90	10	0.97	7	23.95	52
2004	Sandcliff	26 28	30 23	5300	3.41	8	2.22	2	4.32	8	0.22	2	0.49	2	0.00	0	0.00	0	0.02	1	0.03	1	2.07	7	1.46	4	0.65	6	14.89	41
2005	Bonn	24 00	30 24	1900	6.75	9	3.88	6	0.20	1	0.24	3	0.00	0	0.00	0	0.00	0	0.00	0	0.05	1	2.91	9	1.64	3	1.20	4	16.87	36
2005 M	Pretoria	24 32	30 24	-	3.72	5	1.80	2	0.50	2	0.46	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.87	4	1.52	5	1.06	5	11.93	27
2006	Driehoek	26 53	30 24	4600	4.60	9	2.46	2	5.20	9	0.03	1	0.37	1	0.00	0	0.00	0	0.00	0	0.26	1	1.44	6	1.63	7	1.61	12	17.60	48
2007	Leydenburg	25 03	30 26	4300	3.14	9	2.04	5	2.83	7	1.51	6	0.20	2	0.00	0	0.00	0	0.00	0	0.16	1	3.21	10	2.62	9	1.39	8	17.10	57
2008	Waltevreden	25 41	30 26	6000	8.71	16	3.40	6	4.04	12	2.05	9	0.20	2	0.00	0	0.00	0	0.02	2	0.29	3	2.23	10	3.74	9	1.30	8	25.98	77
2008 a	Warburton	26 15	30 26	-	4.60	11	3.24	6	4.14	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	2.12	9	1.71	5	1.51	5	17.52	43
2008 A	Klipfontein	24 58	30 27	-	1.77	5	1.90	4	4.68	4	1.50	8	0.00	0	0.00	0	0.00	0	0.00	0	0.25	1	3.33	7	1.68	7	1.59	5	16.70	41
2009	Lydenburg	25 06	30 27	4540	5.53	11	2.26	3	3.76	5	1.76	6	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	3.12	9	2.65	8	1.18	3	20.46	46
2010	Brereton Park	26 57	30 28	4760	2.32	3	3.05	2	10.35	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.20	2	2.30	4	0.00	0	19.22	18
2011	Quenton	26 19	30 28	5400	4.27	15	2.74	8	3.82	11	0.44	6	0.27	3	0.00	0	0.01	1	0.00	0	0.07	1	2.59	15	2.75	13	1.49	13	18.45	86
2012	Elandshoek	25 37	30 29	3500	6.91	12	3.93	3	3.92	10	1.99	4	0.09	1	0.00	0	0.00	0	0.00	0	0.00	0	1.64	6	3.32	4	1.19	4	22.99	44
2012 A	Athole	26 34	30 30	-	6.71	15	1.70	3	5.17	9	0.22	2	0.38	2	0.00	0	0.01	1	0.02	1	0.72	1	2.86	10	2.37	5	0.96	8	21.12	57
2014	Airlie	25 37	30 31	3609	8.58	13	3.09	3	4.65	9	2.18	5	0.00	0	0.00	0	0.00	0	0.00	0	0.19	1	1.58	6	2.81	4	1.01	5	24.09	46
2015	Driepan	26 50	30 31	4675	5.15	11	2.83	4	6.10	12	1.39	4	0.46	2	0.00	0	0.00	0	0.02	1	0.43	1	2.06	11	1.27	4	2.04	8	21.75	58
2017	Jessievale	26 15	30 32	5685	5.71	10	2.71	3	4.22	10	1.90	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.04	7	2.96	7	2.05	6	22.59	48
2017 M	Badplaats	25 57	30 33	-	7.08	11	4.21	4	3.57	10	2.18	6	0.03	1	0.00	0	0.00	0	0.00	0	0.42	1	2.48	6	2.42	10	1.87	9	24.26	58
2018	Badplaats	25 58	30 33	3500	7.22	11	3.82	3	3.52	7	2.40	4	0.00	0	0.00	0	0.00	0	0.00	0	0.42	1	2.31	6	1.95	4	1.79	5	23.43	41
2020	Ohrigstad	24 43	30 34	3900	4.47	9	1.76	3	0.77	4	1.75	6	0.06	1	0.00	0	0.00	0	0.00	0	0.14	1	3.10	5	2.35	5	1.33	5	15.73	39
2021	Hemlock	25 34	30 34	3300	8.45	13	2.85	3	3.27	10	4.78	6	0.12	1	0.00	0	0.00	0	0.02	1	0.21	2	1.96	9	2.90	8	2.41	8	26.97	61
2021 A	Strydfontein	24 40	30 35	3800	4.10	8	1.76	1	0.83	2	2.44	9	0.00	0	0.00	0	0.00	0	0.00	0	0.16	1	3.19	7	1.67	5	1.44	5	15.59	38
2021 B	Rustplaats	24 51	30 35	-	1.38	11	1.64	4	2.38	8	1.92	8	0.03	2	0.00	0	0.00	0	0.00	0	0.06	2	2.19	8	1.58	9	0.36	7	11.54	59
2022	Vlakplaats	25 38	30 36	5000	6.36	13	2.75	4	2.52	11	4.78	6	0.09	1	0.00	0	0.00	0	0.00	0	0.15	2	1.89	7	3.51	6	1.64	6	23.69	56
2023	Vlakkloof	26 56	30 36	4531	2.94	8	2.36	2	5.99	11	1.15	3	0.34	1	0.00	0	0.00	0	0.00	0	0.74	1	2.52	11	1.69	8	3.07	9	20.80	54
2024	Busby	26 17	30 37	5100	4.46	20	3.30	8	3.80	12	0.73	6	0.18	1	0.00	0	0.00	0	0.00	0	0.10	1	3.99	14	5.04	13	1.80	14	20.40	89
2025	Transvaal Citrus Farms	25 28	30 38	3000	5.50	11	3.75	4	3.07	6	2.33	5	0.00	0	0.00	0	0.00	0	0.05	1	0.35	2	2.54	11	2.08	7	3.16	9	22.83	56
2026	Godwan River	25 35	30 38	3050	6.90	10	3.32	4	3.93	9	3.34	4	0.00	0	0.00	0	0.00	0	0.02	1	0.22	1	2.00	8	2.76	5	3.22	7	25.71	49
2027	Gea	26 20	30 38	5398	5.23	11	3.52	3	4.96	8	1.36	1	0.00	0	0.00	0	0.00	0	0.00	0	0.07	1	3.36	9	2.78	4	1.64	4	22.92	41
2028	Broadholm	26 29	30 39	5221	3.86	11	3.52	4	5.77	9	0.50	1	0.25	1	0.00	0	0.01	1	0.05	1	0.40	1	3.65	7	2.50	4	2.01	4	22.52	44

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2030	Hooitgedacht	24°38'	30°40'	3400	1.44	4	1.75	1	0.85	1	2.69	7	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	3.67	6	2.63	8	0.78	2	14.01	30
2032	Maryvale	26 26	30 40	5440	5.17	12	3.78	4	4.86	9	0.00	0	0.25	1	0.00	0	0.00	0	0.00	0	0.30	1	3.99	9	2.59	2	1.66	8	22.60	46
2032 A	Amsterdam	26 38	30 39	4065	5.08	11	3.41	6	4.32	7	0.70	3	0.45	2	0.00	0	0.00	0	0.05	1	0.65	1	3.59	6	1.47	3	1.47	6	21.19	46
2033	Idalia	26 53	30 40	4500	3.37	6	1.90	3	3.65	6	0.98	1	0.30	1	0.00	0	0.00	0	0.00	0	0.50	1	1.84	8	1.33	4	2.85	7	16.72	37
2034	Clewer House	24 54	30 41	4000	5.07	18	5.39	13	3.72	16	4.34	12	0.20	2	0.01	1	0.62	2	0.21	3	0.50	4	3.40	14	3.92	10	3.31	10	30.13	105
2035	Brook	26 10	30 41	5730	4.93	13	3.35	5	2.01	9	0.42	5	0.24	2	0.00	0	0.00	0	0.00	0	0.28	1	3.25	12	2.51	7	1.90	11	18.89	65
2035 A	Wolwekop	26 46	30 41	-	6.59	11	4.10	3	5.99	9	0.75	2	0.00	0	0.00	0	0.00	0	0.00	0	0.66	1	1.67	4	1.50	2	0.75	3	22.01	35
2035 M	Lions Glen	26 32	30 42	-	6.07	11	4.74	4	6.58	9	0.70	1	0.25	1	0.00	0	0.00	0	0.05	1	0.29	1	3.43	10	1.45	1	3.02	5	26.58	44
2036	Ceylon	25 05	30 43	4500	7.00	15	4.46	7	5.61	17	2.79	7	0.18	3	0.00	0	0.00	0	0.18	1	0.77	2	4.20	15	4.77	7	5.37	10	35.33	84
2037	Rietvallei	25 20	30 43	3300	6.29	12	6.47	5	4.87	9	3.25	3	0.05	1	0.00	0	0.00	0	0.00	0	0.50	1	2.63	10	2.78	6	2.80	7	29.64	54
2038	Coetsesstroom	25 36	30 43	4750	6.74	14	2.94	5	3.67	12	2.57	7	0.00	0	0.00	0	0.00	0	0.00	0	0.34	1	2.56	16	4.14	8	5.25	7	28.21	70
2038 A	Frankfort	24 48	30 44	4790	2.17	7	2.89	6	2.43	9	3.30	8	0.09	1	0.00	0	0.10	1	0.06	1	0.35	1	3.81	8	3.05	7	2.88	4	21.13	53
2039	Pilgrims Rest	24 54	30 44	4198	6.40	14	5.07	12	5.09	16	4.37	12	0.22	3	0.01	1	0.07	3	0.12	3	0.49	3	3.84	11	2.61	9	2.43	10	30.72	97
2040	Pilgrims Rest	24 54	30 44	4213	5.04	16	5.02	10	5.32	13	4.84	12	0.29	2	0.00	0	0.00	0	0.09	2	0.56	2	4.37	10	4.38	5	3.10	6	33.01	(78)
2041	Brooklands	25 14	30 44	-	4.67	12	3.03	6	4.21	8	2.87	7	0.00	0	0.00	0	0.00	0	0.06	1	0.62	4	3.53	8	2.90	6	2.56	7	24.45	59
2044	Elandsfontein	24 37	30 45	4000	3.69	6	3.80	3	1.64	3	1.35	3	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	3.87	7	3.92	7	0.78	2	19.45	32
2045	Rosehaugh	25 17	30 45	3500	12.26	13	5.10	5	5.26	10	2.33	3	0.00	0	0.00	0	0.00	0	0.06	1	0.65	2	3.13	12	2.38	6	2.82	7	31.99	59
2046	Barclaysvale	25 25	30 45	3623	4.04	14	3.10	5	4.09	10	2.00	7	0.00	0	0.03	1	0.00	0	0.05	2	0.38	1	2.67	11	2.46	8	2.75	8	21.57	67
2047	Waterval	25 13	30 46	3965	5.26	17	3.58	7	5.08	18	2.87	7	0.13	2	0.00	0	0.04	1	0.14	2	0.61	3	4.13	17	2.81	9	3.37	14	28.02	97
2048	Schagen	25 26	30 47	3000	6.28	13	3.34	5	4.22	9	-	-	0.00	0	0.02	1	0.00	0	0.07	2	0.36	1	2.52	7	2.12	5	2.20	8	(23.02	56)
2049	Killarney	25 23	30 46	3000	4.83	13	5.22	2	3.44	11	1.51	7	0.00	0	0.00	0	0.00	0	0.01	1	0.46	1	2.80	13	2.76	11	2.38	11	23.41	70
2050	Kaapsche Hoop	25 35	30 46	5015	9.62	13	4.11	6	9.45	14	4.02	5	0.12	1	0.00	0	0.26	3	0.13	2	0.70	2	7.02	16	6.51	12	7.15	16	49.10	90
2052	Tweefontein	25 02	30 47	3780	6.42	17	4.23	12	5.81	14	2.30	5	0.13	1	0.00	0	0.04	2	0.18	2	0.77	4	4.46	16	2.92	7	4.97	12	32.23	92
2053	Sabie	25 05	30 47	3635	5.90	14	4.19	8	4.73	15	4.01	7	0.15	3	0.00	0	0.03	1	0.29	3	0.78	3	4.83	19	3.22	8	5.81	12	33.94	93
2054	Sunnyside	25 34	30 47	4000	5.45	12	2.93	3	5.16	10	1.73	4	0.06	1	0.00	0	0.00	0	0.00	0	0.46	1	4.09	15	2.19	10	3.02	6	25.09	62
2055	Vaalbosk	24 44	30 48	4000	1.11	11	2.35	4	1.82	5	2.15	7	0.00	0	0.00	0	0.00	0	0.00	0	0.23	1	2.51	7	1.62	6	1.17	4	12.96	45
2056	Mac Mac	25 00	30 48	4100	13.76	12	10.73	14	11.01	11	3.74	5	0.21	1	0.00	0	0.26	2	0.36	1	1.21	4	5.28	17	3.45	10	5.07	9	55.08	86
2060	Inyoka	24 09	30 50	1459	3.36	7	1.38	2	0.05	1	2.25	4	0.00	0	0.00	0	0.03	1	0.00	0	0.13	1	2.31	6	4.02	6	0.85	2	14.38	30
2061	Mariepskop	24 35	30 50	3000	7.06	11	12.94	11	7.24	6	1.28	6	0.00	0	0.00	0	0.15	2	0.24	2	1.18	4	5.84	13	4.58	7	2.47	10	42.98	72
2062	Graskop Town	24 56	30 50	4880	18.08	16	11.55	13	11.66	14	2.78	6	0.11	1	0.16	1	0.00	0	0.76	5	1.86	3	6.86	19	4.73	12	5.11	12	63.66	102
2063	Graskop Forest	24 56	30 50	4850	18.88	18	10.93	14	11.44	16	2.61	6	0.18	3	0.11	1	0.38	3	0.53	5	1.84	5	6.40	16	5.08	10	6.12	12	64.50	109
2063 A	Klipkraal	25 03	30 50	4500	9.05	18	6.99	9	8.89	16	4.03	9	0.12	2	0.00	0	0.18	1	0.67	5	1.57	3	6.65	14	4.34	12	5.99	10	48.48	99
2063 B	Spitskop	25 09	30 50	4800	6.19	15	4.03	5	4.30	11	4.59	8	0.23	2	0.00	0	0.16	2	0.06	1	0.73	3	4.43	15	2.41	6	3.37	10	30.50	78
2065	Nelsrivier	25 18	30 50	3400	7.04	14	3.08	6	4.27	13	1.87	3	0.03	1	0.00	0	0.00	0	0.04	2	0.69	3	3.54	14	2.02	6	3.33	9	25.91	71
2066	Alkmaar	25 27	30 50	2320	2.33	5	3.62	3	4.12	10	3.91	5	0.00	0	0.00	0	0.00	0	0.00	0	0.41	1	2.09	7	0.98	4	0.29	2	17.75	37

SECTION 9. RAINFALL -1945- REËNVAL SEKSIE 9.

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2066 A	Melshoogte	25°49'	30°50'	4630	4.81	14	2.50	2	7.37	14	2.40	6	0.01	1	0.00	0	0.08	1	0.04	2	0.62	2	6.69	14	3.97	9	4.39	9	32.88	74
2067	Belvedere Power Station	24 39	30 51	3300	5.34	12	5.98	13	2.31	9	2.29	10	0.26	4	0.00	0	0.02	1	0.00	0	0.47	4	3.73	11	2.93	9	2.87	5	26.20	78
2069	Blyde	24 52	30 51	4700	8.27	13	7.88	11	4.65	15	2.49	7	0.13	1	0.00	0	0.21	3	0.21	3	0.62	4	3.73	10	2.18	9	3.45	10	33.82	86
2069 A	Maliseveld Vallei	25 08	30 51	-	4.45	13	3.24	8	3.12	13	3.72	8	0.15	1	0.00	0	0.10	1	0.10	1	0.68	3	4.36	15	2.11	9	3.20	9	25.23	81
2070	Ophir	25 09	30 51	5000	7.79	13	5.23	7	5.74	10	3.19	6	0.23	1	0.00	0	0.16	2	0.30	2	1.30	3	5.58	11	2.84	8	4.79	9	37.15	70
2071	Bedford 366	24 30	30 52	2500	4.65	10	4.01	9	2.26	6	0.93	4	0.00	0	0.00	0	0.00	0	0.05	1	0.99	2	3.30	8	3.20	7	2.64	4	22.03	51
2071 A	Blyde (Lisbon)	24 50	30 52	4600	14.12	13	9.80	9	10.62	13	2.96	6	0.15	1	0.00	0	0.48	4	0.40	3	1.48	4	3.92	10	2.89	10	4.73	10	53.55	83
2071 B	Bergvliet	25 05	30 52	3225	4.80	15	6.09	14	5.95	13	2.98	10	0.02	1	0.00	0	0.13	2	0.23	3	1.14	4	5.27	18	3.70	13	5.63	13	35.94	106
2071 M	Welkom	25 01	30 52	-	10.87	10	8.69	8	6.90	7	4.47	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	7.48	13	4.12	8	6.69	6	49.22	54
2072	Frantzinas Rust	25 46	30 52	3000	8.21	13	2.82	5	8.58	11	3.49	6	0.10	1	0.00	0	0.00	0	0.00	0	0.74	2	4.75	16	4.63	10	3.06	10	36.38	74
2073	Sterkwater	26 53	30 52	4000	7.01	11	2.47	2	6.48	9	0.35	1	0.25	1	0.00	0	0.00	0	0.00	0	0.40	1	2.58	13	2.00	9	3.62	11	25.16	58
2075	Weltevreden	26 49	30 53	4015	4.62	9	2.89	2	4.24	10	1.40	2	0.28	1	0.00	0	0.00	0	0.00	0	0.37	1	2.34	12	2.82	5	2.56	8	21.52	50
2076	Sabie Gorge	25 05	30 54	3200	5.79	19	6.19	12	5.12	13	2.85	7	0.07	1	0.00	0	0.28	2	0.22	3	1.11	5	5.26	17	4.53	13	7.23	15	38.65	107
2079	Retreat	25 40	30 54	2700	5.96	10	1.81	5	3.36	12	1.83	6	0.02	1	0.00	0	0.05	1	0.06	1	0.40	2	2.89	15	1.62	7	1.04	6	19.04	66
2080	Blesbokspruit	26 57	30 54	3900	5.41	16	2.12	5	5.35	-	0.72	3	0.33	2	0.00	0	0.00	0	0.00	0	0.30	1	1.52	17	0.89	10	3.55	16	20.19	(70)
2081 A	Salique	24 36	30 55	2650	6.39	16	7.61	14	4.26	12	3.42	7	0.00	0	0.00	0	0.00	0	0.00	0	1.13	2	5.39	14	2.61	14	2.89	10	33.70	89
2081 B	Witklip	25 12	30 55	3800	6.75	15	4.45	5	4.77	11	2.17	5	0.00	0	0.00	0	0.00	0	0.08	1	0.50	2	4.59	15	2.46	9	3.11	11	28.88	74
2082	Macsvale	25 39	30 55	2700	5.18	11	1.93	2	3.40	5	1.82	3	0.00	0	0.00	0	0.00	0	0.00	0	0.37	1	2.18	4	1.91	4	0.54	3	17.33	33
2083	Hartebeestkop	26 12	30 55	5272	6.07	6	4.08	2	3.87	8	0.50	2	0.27	1	0.00	0	0.00	0	0.00	0	0.55	1	3.18	8	2.31	4	2.94	6	23.77	38
2085 M	Welgevonden	24 44	30 55	-	8.89	9	10.56	12	7.91	9	2.03	7	0.00	0	0.00	0	0.00	0	0.00	0	1.10	2	4.33	10	2.53	9	4.92	11	42.27	69
2085 R	Rietspruit	24 59	30 56	-	9.07	14	11.88	9	7.02	12	4.06	10	0.12	1	0.00	0	0.05	1	0.17	3	1.10	4	5.55	15	3.48	12	5.21	11	47.71	92
2086	Ipohaber Ltd.	25 17	30 56	2700	7.84	10	3.37	5	3.15	7	1.37	2	0.00	0	0.00	0	0.00	0	0.00	0	0.38	1	3.09	7	1.15	3	1.37	4	21.72	39
2087 A	Wilgeboom	24 57	30 57	-	9.03	12	6.05	7	4.71	7	3.05	8	0.08	2	0.00	0	0.00	0	0.00	0	1.08	2	4.15	15	2.63	7	4.15	6	34.93	66
2088	Maggiesdale	25 30	30 57	2500	9.49	12	2.11	3	5.11	10	1.15	3	0.00	0	0.00	0	0.00	0	0.00	0	0.70	1	2.29	7	1.32	7	2.64	5	24.81	48
2089	Scotston	25 38	30 57	2600	6.65	11	1.71	2	2.32	8	0.79	5	0.00	0	0.00	0	0.00	0	0.00	0	0.39	1	2.63	8	1.69	5	1.16	6	17.34	46
2089 A	Zwartfontein	25 11	30 58	3500	4.52	13	6.44	7	4.17	7	2.57	6	0.17	1	0.00	0	0.17	1	0.00	0	0.55	4	3.88	12	1.66	8	1.88	10	26.01	69
2090	Bultfontein	25 15	30 58	3600	6.65	14	4.41	7	3.82	8	2.33	6	0.08	2	0.00	0	0.03	1	0.29	2	0.47	3	3.84	17	1.95	11	2.39	11	26.26	82
2090 A	Dipgats	25 19	30 58	3040	7.12	14	3.38	5	6.47	8	1.45	1	0.00	0	0.00	0	0.00	0	0.00	0	0.56	2	3.48	10	1.24	5	1.86	5	25.56	50
2091	Daisykop	25 43	30 58	2400	6.71	12	2.04	3	1.32	7	2.02	4	0.05	1	0.00	0	0.00	0	0.00	0	0.41	1	1.94	9	1.15	5	2.18	8	17.82	50
2092	Steynsdorp	26 08	30 58	2995	2.19	5	2.62	2	1.40	2	0.35	1	0.30	1	0.00	0	0.00	0	0.00	0	0.45	1	1.10	4	1.53	3	1.78	2	11.72	21
2093	Nelspruit	25 28	30 59	2181	6.39	12	2.65	7	4.86	8	2.65	5	0.01	1	0.00	0	0.12	1	0.00	0	0.47	2	2.66	14	1.29	10	-	-	(22.75	65)
	SECTION 10.																													
2096	Modderspruit	24 56	31 00	3000	8.34	19	7.22	12	5.90	10	2.67	9	0.09	2	0.00	0	0.04	1	0.05	2	0.68	4	4.44	13	3.46	11	3.79	12	36.68	95
2097	Witwater	25 10	31 00	3400	5.76	10	7.02	8	6.35	7	2.21	7	0.10	1	0.00	0	0.35	1	0.21	1	0.55	1	4.83	14	1.67	7	2.38	4	31.43	61

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2098	Carmichael Farm	25°47'	31°00	2400	3.07	11	2.04	3	3.97	9	0.88	5	0.00	0	0.00	0	0.00	0	0.03	1	0.00	0	1.88	10	1.20	3	2.07	7	15.14	49
2099	Moodies	25 49	31 00	2900	3.51	9	1.87	2	4.18	8	0.98	3	0.00	0	0.00	0	0.00	0	0.00	0	0.53	1	2.04	6	1.49	5	2.76	10	17.36	44
2102	Highlands	25 33	31 01	2700	4.09	11	1.75	4	5.13	11	0.29	3	0.08	1	0.00	0	0.00	0	0.00	0	0.52	1	4.03	10	1.74	8	0.95	6	18.58	55
2103	Fleur-de-Lys	24 33	31 02	2077	3.94	13	1.89	8	2.89	10	0.61	4	0.05	2	0.00	0	0.01	1	0.01	1	0.64	2	3.11	10	1.60	7	1.32	10	16.07	68
2106	Lowlands	25 44	31 02	2200	5.44	7	3.34	2	3.94	5	0.56	1	0.00	0	0.00	0	0.00	0	0.00	0	0.35	2	1.97	7	1.37	5	3.66	8	20.63	37
2106 A	Mayfern	25 28	31 03	2186	5.77	9	1.97	3	3.47	7	1.11	4	0.03	1	0.00	0	0.03	1	0.01	1	0.55	2	2.45	11	1.18	5	1.17	3	17.74	47
2107	Barberton	25 47	31 03	2796	3.65	13	2.73	6	4.79	13	1.60	4	0.12	2	0.00	0	0.00	0	0.00	0	0.37	2	1.88	10	1.40	6	2.98	10	19.52	66
2108	Barberton II	25 47	31 03	2500	2.72	13	2.59	5	4.50	13	1.02	5	0.10	1	0.00	0	0.00	0	0.02	1	0.42	2	1.92	11	1.32	8	3.05	9	17.64	68
2109	Mushroom	26 27	31 03	3950	4.44	12	5.84	8	6.79	15	0.29	3	0.01	1	0.00	0	0.02	2	0.17	4	0.41	2	3.08	18	1.14	9	3.65	14	25.84	88
2110	Champagne	24 42	31 04	2000	4.74	8	2.74	4	3.39	6	2.80	4	0.00	0	0.00	0	0.00	0	0.00	0	0.68	1	3.10	10	1.35	7	2.06	7	20.86	47
2111	Bormansdrift	25 37	31 04	2692	7.44	13	2.25	3	1.69	6	1.00	3	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	1.18	3	2.08	7	1.54	4	17.48	40
2112	Mankaiana	26 40	31 04	3310	5.11	14	4.73	6	4.80	14	1.35	3	0.20	1	0.00	0	0.00	0	0.02	1	0.45	2	3.38	17	1.47	6	5.41	12	26.92	76
2112 M	Acornhoek	24 36	31 05	2400	3.84	11	2.37	7	7.75	9	0.29	2	-	-	0.02	1	0.00	0	0.00	0	0.00	0	3.01	8	2.18	5	1.66	8	(21.02	51)
2113	Bushbuck Ridge	24 50	31 05	2862	9.52	11	5.74	7	8.06	9	0.91	6	0.00	0	0.00	0	0.00	0	0.04	1	0.32	1	3.99	13	2.53	5	3.03	4	34.14	57
2114	Jatinga	25 19	31 05	2800	6.28	14	4.36	8	3.55	9	1.96	3	0.06	1	0.00	0	0.00	0	0.00	0	0.48	3	3.08	12	1.13	9	1.64	11	22.54	70
2115	Umgenyana	25 21	31 05	2500	4.88	15	4.20	9	4.48	10	1.02	5	0.16	3	0.00	0	0.00	0	0.09	2	0.69	3	3.46	15	1.27	11	1.63	10	21.88	83
2116	Knoll	25 23	31 05	2500	4.96	17	3.76	7	3.85	8	0.83	6	0.16	3	0.00	0	0.03	2	0.02	2	0.60	3	3.24	16	1.24	10	1.29	10	19.98	84
2119	Karino	25 27	31 06	1630	5.08	12	2.81	7	4.24	11	0.87	7	0.15	3	0.00	0	0.06	1	0.00	0	0.46	2	3.36	14	1.47	8	0.57	8	19.07	73
2119 A	Lothian	24 52	31 07	1900	10.25	21	5.61	15	3.74	18	1.09	11	0.10	3	0.01	1	0.06	4	0.18	5	0.57	5	3.82	29	2.55	12	1.92	11	29.89	124
2120	Sandford Orleigh	25 00	31 07	1900	6.42	10	6.92	7	3.49	7	1.90	3	0.00	0	0.00	0	0.00	0	0.00	0	0.44	1	2.86	7	1.47	3	2.22	7	25.72	45
2121	Locle	24 00	31 08	1200	2.45	6	1.41	5	1.25	2	1.04	3	0.08	1	0.00	0	0.00	0	0.00	0	0.10	1	1.77	6	3.06	5	0.17	2	11.33	31
2122	M'timba	25 09	31 08	2600	6.53	8	5.46	4	4.98	5	1.99	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.27	7	0.91	2	1.12	3	24.26	33
2122 A	Havelock Mine	25 57	31 08	-	13.05	17	7.92	9	9.49	14	0.60	9	0.37	4	0.00	0	0.24	4	0.32	4	0.84	4	8.37	17	6.14	14	6.00	15	53.54	111
2123	Mbabane	26 19	31 09	3816	8.75	18	8.37	10	9.58	19	0.57	6	0.17	3	0.00	0	0.19	2	0.21	3	0.94	5	4.33	19	3.03	14	4.82	14	40.96	113
2123 M	Gutshwa Reserve	25 18	31 10	-	1.04	4	4.91	6	3.11	7	0.26	1	0.16	2	0.00	0	0.00	0	0.00	0	0.38	1	3.07	9	0.81	6	0.37	4	14.11	40
2124	Riverbank	25 40	31 10	1750	1.92	6	2.17	4	5.78	10	0.59	2	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	2.10	7	1.72	5	1.15	5	15.63	40
2125	Ezulwini	26 24	31 10	2554	5.88	11	6.26	7	8.90	14	0.25	1	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	3.37	12	3.03	9	2.55	9	30.64	64
2126	Mc Creedy	26 29	31 10	2500	4.45	12	5.58	8	8.75	14	0.75	2	0.04	1	0.00	0	0.00	0	0.00	0	0.55	2	4.38	17	2.72	7	3.35	7	30.97	70
2126 B	Nyamazane	25 26	31 11	-	6.00	13	3.77	5	3.21	6	1.01	3	0.13	1	0.00	0	0.03	1	0.00	0	0.44	1	3.67	7	1.07	6	0.43	5	19.76	48
2126 M	Cunningmoore	24 53	31 14	-	5.79	7	4.51	4	1.71	5	1.35	3	0.00	0	0.00	0	0.00	0	0.00	0	0.35	1	2.04	8	1.26	3	0.00	0	17.02	31
2127	Islington	24 38	31 15	1600	10.38	12	2.39	-	1.97	8	2.75	4	0.20	1	0.00	0	0.04	1	0.02	1	0.44	2	3.14	11	1.71	3	1.30	6	24.34	(49)
2127 M	Pretoriuskop Rest Ca.	25 10	31 15	-	8.22	10	5.06	6	1.68	7	0.57	1	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	2.40	10	0.46	1	0.44	3	19.23	39
2128	Piggs Peak	25 58	31 15	3320	4.79	12	5.81	8	8.11	10	0.05	1	0.00	0	0.02	1	-	-	0.03	1	0.54	3	4.20	16	1.91	11	2.87	14	(28.33	77)
2128 M	Nederland	24 18	31 18	-	8.02	4	1.00	3	1.36	4	1.93	4	0.00	0	0.00	0	0.04	1	0.00	0	0.09	1	1.91	5	1.94	3	1.00	2	17.29	27
2130 a	Boulders	25 35	31 19	-	1.97	10	4.37	6	6.11	9	3.76	2	0.33	3	-	-	0.00	0	0.00	0	0.33	1	2.65	10	1.24	7	0.50	8	(21.26	56)

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2130 A	Matapa Swazi National School	26°29'	31°19'	2200	4.93	14	4.72	10	5.58	14	1.03	2	0.16	2	0.00	0	0.03	1	0.00	0	0.42	2	2.27	13	1.87	9	2.38	10	23.39	77
2130 M	Newington	24 49	31 20	-	6.00	8	4.19	2	0.85	4	0.80	2	0.11	1	0.00	0	0.00	0	0.00	0	0.25	1	2.82	10	2.03	3	0.06	1	17.11	32
2132	Excelsior	25 34	31 20	1690	2.74	9	4.24	7	5.46	8	1.84	4	0.17	3	0.00	0	0.02	1	0.00	0	0.36	1	2.82	9	1.55	7	0.16	2	19.36	51
2133	Nlatikulu	26 58	31 20	3890	6.85	18	4.53	8	7.42	10	1.78	7	0.28	3	0.00	0	0.04	2	0.07	1	0.33	4	4.51	17	3.41	14	3.03	12	32.25	96
2134 M	Aird (Govt. Farm)	26 32	31 22	2154	5.21	12	7.80	8	5.66	11	0.26	3	0.11	1	-	-	0.00	0	0.00	0	0.30	1	2.42	14	2.56	7	1.54	9	(25.86	66)
2135	Bremersdorp	26 29	31 23	2054	4.66	10	3.59	6	5.10	10	(0.57)	3	0.14	2	0.00	0	0.00	0	0.00	0	0.30	1	1.16	10	1.79	6	-	-	(17.31	48)
2136	Transvalia	26 30	31 23	2000	4.27	11	2.37	4	4.97	9	0.84	3	0.10	1	0.00	0	0.00	0	0.00	0	0.32	1	2.45	12	1.92	7	1.10	9	19.34	57
2137	Ramblabane Ranch	25 43	31 25	3577	10.89	20	11.37	10	14.36	17	3.65	7	0.72	3	0.00	0	0.20	2	0.63	5	1.88	3	7.22	15	3.14	14	4.10	3	58.16	109
2138	St. Joseph	26 27	31 28	1700	4.79	11	2.97	5	4.17	9	0.58	4	0.35	3	0.00	0	0.00	0	0.00	0	0.68	1	3.33	15	1.72	8	1.30	8	19.89	64
2140	Kubuta	26 53	31 29	1749	2.63	10	3.71	5	3.86	8	1.26	4	0.00	0	0.00	0	0.07	1	0.00	0	0.15	1	3.41	14	3.10	7	2.30	8	20.49	58
2140 P	Moolhoek	26 59	31 29	-	-	-	-	-	-	-	1.20	1	0.07	1	0.00	0	0.00	0	0.00	0	0.00	0	2.08	5	1.96	2	2.41	6	(7.72	15)
2140 N	Malelane Rest Camp	25 28	31 30	-	3.83	11	1.91	6	1.97	12	1.29	6	0.39	5	0.00	0	0.01	1	0.00	0	0.30	1	1.97	13	0.73	8	0.95	4	13.35	67
2142	Dinedor	26 22	31 32	1322	4.66	9	2.78	8	3.52	10	0.72	3	0.44	2	0.00	0	0.00	0	0.00	0	0.75	1	2.17	13	3.20	7	0.72	4	18.96	57
2144	Mpisi	26 25	31 33	1400	4.72	9	3.44	6	3.77	8	1.00	3	0.39	2	0.00	0	0.00	0	0.00	0	0.68	1	2.04	9	2.01	3	0.65	1	18.70	42
2145	Letubi	25 25	31 34	1219	7.48	10	3.31	3	3.76	9	1.02	3	0.40	1	0.00	0	0.00	0	0.00	0	0.00	0	3.49	8	2.09	2	0.29	1	21.84	37
2146	Baleganes Ranch	26 03	31 34	1098	6.53	13	5.36	8	4.56	11	1.44	4	0.32	2	0.00	0	0.00	0	0.05	1	0.65	1	3.31	15	3.04	9	1.40	7	26.66	71
2147	Mlibe	26 10	31 35	1409	4.79	11	4.41	6	3.43	7	0.74	2	0.34	1	0.00	0	0.00	0	0.00	0	0.56	1	2.94	9	2.01	3	1.31	3	20.53	43
2147 A	Skukuza	24 59	31 36	905	10.10	9	(4.85	5)	1.43	3	0.54	2	0.28	2	0.00	0	0.08	2	0.08	1	0.07	1	2.84	10	0.80	3	0.22	3	(21.29	41)
2148	Lomati Estate Ltd.	25 40	31 36	850	6.86	8	3.00	5	2.62	5	2.49	2	0.08	1	0.00	0	0.14	2	0.00	0	1.28	1	3.65	6	2.59	3	0.24	1	22.95	34
2149	Singceni	26 46	31 36	1038	7.39	14	3.29	5	3.60	10	1.82	3	0.21	2	0.00	0	0.06	1	0.03	1	0.38	1	3.17	14	2.35	7	3.23	9	25.53	67
2154	Panata	26 20	31 39	1204	-	-	2.78	5	2.85	6	0.62	2	0.00	0	0.00	0	0.00	0	0.00	0	0.48	1	1.52	7	1.25	4	0.63	2	(10.13	27)
2154 a	Sipofaneni	26 41	31 41	-	4.92	10	3.04	5	4.24	8	(0.91	5)	0.45	2	0.04	1	0.00	0	0.00	0	0.35	1	2.22	10	0.56	4	2.30	4	(19.03	50)
2154 b	St. Philips Mission	26 51	31 45	600	3.85	6	1.86	5	2.64	8	0.00	0	0.95	2	0.00	0	0.00	0	0.00	0	0.51	1	1.44	6	0.33	2	2.49	5	14.07	35
2154 A	Satara	24 24	31 47	895	4.58	7	2.27	6	2.49	5	2.77	3	0.00	0	0.00	0	0.00	0	0.00	0	0.06	1	1.46	6	0.53	1	0.89	2	15.05	31
2155	Ranches Ltd. No. I	26 06	31 44	821	4.23	9	4.24	4	3.22	6	0.38	2	0.27	2	0.00	0	0.00	0	0.00	0	0.44	1	2.68	6	0.51	3	0.25	3	16.22	36
2156	Fig Tree	25 49	31 50	808	4.96	6	2.63	4	0.97	3	1.20	3	0.56	2	1.46	1	0.00	0	0.13	1	0.40	1	1.70	6	1.22	2	0.33	1	15.56	30
2157	Squamans Post	25 36	31 52	624	9.05	7	3.72	3	1.90	6	0.37	1	0.69	1	0.00	0	0.00	0	0.09	1	0.34	1	2.20	4	2.06	5	0.24	2	20.66	31
2157 A	Tshokwane	24 46	31 53	-	4.45	9	4.23	4	3.85	5	0.53	1	0.30	1	0.00	0	0.71	2	0.00	0	0.00	0	1.58	6	1.33	2	0.25	2	17.23	32
2157 M	Crocodile Bridge Rest Camp	25 22	31 53	-	6.51	10	3.58	5	2.43	9	0.22	1	0.69	2	0.00	0	0.05	1	0.06	1	0.12	1	2.28	10	3.01	6	0.41	5	19.36	51
2158	Komatipoort	25 26	31 56	460	6.53	7	3.57	3	2.93	6	0.00	0	0.44	1	0.06	1	0.00	0	0.21	1	0.07	1	1.83	8	4.19	3	0.46	3	20.29	34
2159	Wiesselrode	26 54	31 56	560	2.79	8	3.06	6	2.08	7	0.79	2	0.51	3	0.00	0	0.00	0	0.00	0	0.09	1	1.81	6	0.45	2	0.55	3	12.13	38
2160	Stegi	26 28	31 58	2143	6.81	10	3.22	6	5.97	9	1.68	2	0.95	3	-	-	0.00	0	0.00	0	0.56	1	2.17	5	0.62	2	2.76	5	(24.74	43)
2163	Nduzu	26 57	32 17	245	2.68	5	3.05	3	3.56	4	3.63	3	0.40	2	0.00	0	0.00	0	0.43	1	0.24	1	1.92	3	0.00	0	1.71	6	17.62	28

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2168	Alexander Bay	28°37'	16°29'	40	0.03	1	0.02	2	0.00	0	0.07	1	0.18	3	0.11	2	0.17	2	0.05	1	0.00	0	0.22	3	0.09	1	0.00	0	0.94	16
2166	Port Nolloth	29 14	16 52	22	0.00	0	0.00	0	0.01	1	0.16	2	0.26	5	0.08	3	0.30	4	0.14	2	0.00	0	0.76	4	-	-	0.00	0	(1.71	21)
2166 A	Komaan	29 11	17 18	-	0.00	0	0.00	0	0.00	0	0.20	1	0.47	4	0.29	2	0.97	4	0.00	0	0.00	0	1.28	3	0.00	0	0.00	0	3.21	14
2166 B	Komaggas	29 48	17 30	50	0.00	0	0.00	0	0.36	2	0.28	1	0.71	6	0.50	3	1.22	4	0.91	3	0.00	0	2.46	5	0.00	0	0.00	0	6.44	24
2169	Steinkopf	29 15	17 44	3000	0.00	0	0.09	2	0.30	2	0.20	1	1.05	7	0.82	5	1.36	6	1.03	3	0.02	1	2.26	3	0.00	0	0.05	1	7.18	31
2170	Okiep	29 36	17 52	3040	0.05	1	0.01	1	0.89	5	0.29	2	0.96	5	0.68	5	1.15	3	0.95	3	0.00	0	0.85	3	0.00	0	0.07	2	5.90	30
2171	Springbok	29 40	17 53	-	0.00	0	0.00	0	0.86	1	0.35	1	1.11	5	0.93	4	2.01	4	1.23	2	0.00	0	2.27	3	0.00	0	0.14	1	8.90	21
2173 B	Soutvlei	29 48	18 25	-	-	-	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.99	1	0.00	0	0.08	1	(1.07	2)
	SECTION 12.																													
2174	Pella	29 02	19 09	1500	0.63	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	0.00	0	0.00	0	0.10	1	0.00	0	0.00	0	0.93	4
2174 A	Pofadder	29 08	19 23	3250	0.16	2	0.01	1	0.59	2	0.01	1	0.00	0	0.03	1	0.35	3	0.01	1	0.00	0	0.40	2	0.00	0	0.06	1	1.62	14
2174 Aa	Skuitklip	28 51	19 42	-	0.78	3	0.31	3	0.47	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.38	1	0.00	0	0.04	1	1.98	9
2174 B	Bladgrond	28 52	19 56	-	0.51	4	0.12	2	0.96	4	0.57	2	0.00	0	0.08	1	0.95	2	0.00	0	0.00	0	0.12	1	0.00	0	0.02	1	3.33	17
2174 M	Grappies	29 23	19 57	-	0.00	0	0.36	1	2.10	3	0.00	0	0.00	0	0.00	0	0.43	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.89	5
2175	Witkop	27 30	20 08	-	-	-	0.47	2	0.96	6	0.48	4	0.00	0	0.00	0	0.15	1	0.00	0	0.00	0	0.00	0	0.15	1	0.02	1	(2.23	15)
2175 N	Areem	27 51	20 20	-	0.30	1	0.45	2	1.70	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.50	1	0.00	0	2.95	6
2176	Zwartnoddar	28 01	20 33	-	0.66	3	0.22	1	0.86	2	0.00	0	0.00	0	0.00	0	0.04	1	0.00	0	0.00	0	0.00	0	0.08	1	0.00	0	1.86	8
2177	Kakamas	28 46	20 36	-	0.16	3	0.00	0	0.84	4	0.08	1	0.00	0	0.00	0	0.44	2	0.00	0	0.00	0	0.00	0	0.07	2	0.05	1	1.64	13
2177 A	Aakhas	26 59	20 47	-	0.65	3	0.09	1	2.00	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.29	3	0.00	0	3.03	11
2177 B	Friersdale	28 44	20 50	-	0.45	2	0.00	0	1.40	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.25	1	0.00	0	0.00	0	2.10	8
	SECTION 13.																													
2179	Ceelkop	28 38	21 04	-	0.68	3	0.15	2	1.94	4	0.25	3	0.00	0	0.00	0	0.05	1	0.00	0	0.00	0	0.00	0	0.14	1	0.05	2	3.26	16
2182	Keshardt I	29 21	21 09	2595	0.22	2	1.65	4	1.16	5	0.21	4	-	-	0.23	2	0.45	3	-	-	-	-	0.06	1	0.03	1	0.13	3	(4.14	25)
2183	Upington	28 27	21 15	2647	1.32	3	0.15	1	1.31	7	0.24	1	0.00	0	0.00	0	0.09	1	0.00	0	0.00	0	0.01	1	0.01	1	0.47	1	3.60	16
2184	Louisvale	28 34	21 12	2563	1.61	5	0.10	4	1.25	9	0.51	2	0.00	0	0.00	0	0.16	2	0.00	0	0.00	0	0.05	2	0.08	1	0.40	3	4.16	28
2184 A	Rietfontein	28 46	21 16	2790	0.84	3	0.09	1	0.68	3	0.10	1	0.02	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.69	1	0.04	1	2.46	11
2184 B	N'Rougas Suid	29 10	21 15	-	0.68	5	0.05	2	1.75	5	0.03	2	0.01	1	0.00	0	0.15	1	0.00	0	0.00	0	0.01	1	0.03	1	0.05	1	2.76	19
2185	Kromputs	29 26	21 16	-	0.42	3	0.20	2	0.47	3	0.07	1	0.05	1	0.06	1	0.36	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.63	12
2186	Middelpos	29 14	21 23	-	0.56	3	0.22	2	1.19	6	0.03	1	0.00	0	0.02	1	0.10	1	0.00	0	0.00	0	0.10	1	0.41	3	0.20	4	2.83	22
2187	Troolilapepan	28 38	21 31	2900	1.92	4	0.00	0	1.26	3	0.17	3	0.00	0	0.00	0	0.28	1	0.00	0	0.00	0	0.00	0	0.11	1	0.00	0	3.74	12
2187 A	Woonplaas	27 05	21 36	-	0.80	1	0.30	1	1.82	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.92	(4)
2187 Aa	Grieff	29 20	21 46	-	0.51	4	0.00	0	0.59	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.22	1	0.20	1	1.52	9

No.	STATION STASIE	Latitude S. Breedtegr. S.	Longitude E. Lengtegr. O.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2187 b	Wilgenhoutsdrift	28°31'	21°43'	-	1.27	5	0.42	4	1.57	7	0.03	1	0.00	0	0.00	0	0.22	2	0.00	0	0.00	0	0.00	0	0.05	1	0.00	0	3.56	20
2187 B	Matlapanen	27 04	21 48	-	1.57	1	1.81	4	0.76	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.45	1	0.00	0	4.59	7
2187 C	Stompoor	29 48	21 53	-	0.94	2	0.10	1	1.09	4	0.63	3	0.00	0	0.10	1	0.89	1	0.00	0	0.00	0	0.00	0	0.13	1	0.00	0	3.88	13
2187 D	Sternhaa	28 51	21 58	-	0.71	3	1.42	3	1.51	5	0.00	0	0.00	0	0.00	0	0.30	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.94	13
2188	Brakbospoort	29 24	22 00	-	0.74	4	0.27	2	0.53	3	0.16	1	0.00	0	0.10	1	0.00	0	0.00	0	0.00	0	0.00	0	0.18	2	0.18	2	2.16	15
2188 A	Juriesleegte	29 58	22 03	-	2.48	3	0.16	1	1.40	4	0.20	1	0.00	0	0.00	0	1.21	2	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	5.65	12
2190	Marydale	29 24	22 06	3220	0.52	3	0.35	2	0.57	3	0.21	2	0.00	0	0.05	1	0.41	1	0.00	0	0.00	0	0.00	0	0.06	1	0.09	1	2.26	14
2190 A	Brandboom	28 53	22 07	-	0.42	1	0.00	0	0.76	3	0.17	1	0.00	0	0.00	0	0.35	1	0.00	0	0.00	0	0.00	0	0.00	0	0.16	1	1.86	7
2191	Winstead	28 55	22 09	-	1.02	3	0.75	1	0.00	0	-	-	0.00	0	0.00	0	0.32	1	0.00	0	0.00	0	0.00	0	0.00	0	0.10	1	(2.19	6)
2192	Vaalbult	29 15	22 10	-	1.89	4	0.18	3	0.59	2	0.00	0	0.14	1	0.00	0	0.49	2	0.00	0	0.00	0	0.00	0	0.18	1	0.31	2	3.78	15
2193	Diepwater	27 23	22 46	-	1.96	2	0.30	1	2.90	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	0.00	0	0.00	0	5.46	10
2193 A	Buchuberg (Daz)	29 03	22 13	2923	0.99	5	0.52	4	1.29	6	0.26	3	0.08	1	0.00	0	0.51	2	0.00	0	0.00	0	0.00	0	0.32	1	0.12	3	4.09	25
2194	Stuurmansput	29 29	22 13	-	1.02	4	0.00	0	1.54	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.56	(7)
2194 b	Grassmoor	29 56	22 12	-	2.38	3	0.77	4	2.66	5	0.62	3	0.08	1	0.14	1	1.28	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	7.93	19
2194 B	Doornspan	29 47	22 12	-	1.24	3	0.11	1	3.46	5	0.40	3	0.00	0	0.00	0	1.01	2	0.00	0	0.00	0	0.00	0	0.00	0	0.11	1	6.33	15
2194 C	Louretha	29 47	22 24	-	0.86	2	0.00	0	3.10	7	0.30	1	0.00	0	0.00	0	1.13	1	0.00	0	0.00	0	0.00	0	0.19	1	0.00	0	6.57	12
2194 D	Pilanyan	27 45	22 20	-	1.50	2	0.67	1	1.11	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.50	2	0.00	0	3.78	8
2194 M	Jones	27 55	22 25	-	-	-	-	-	0.03	1	0.07	3	0.16	2	0.00	0	0.00	0	0.00	0	0.00	0	0.10	1	0.54	4	0.02	1	(0.80	12)
2195	Koegas	29 18	22 22	2900	0.95	3	0.08	1	0.99	5	0.32	5	0.09	1	0.00	0	0.54	2	0.00	0	0.00	0	0.00	0	0.29	1	0.21	2	3.47	20
2195 A	Sunryside	29 48	22 20	4000	1.73	4	0.25	1	2.60	7	0.58	3	0.00	0	0.00	0	1.10	1	0.00	0	0.00	0	0.00	0	0.24	1	0.12	1	6.62	18
2196	Pile Hill	28 52	22 25	-	0.83	3	0.03	1	1.16	5	0.16	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.25	1	0.00	0	2.43	11
2196 a	Whyenbah	27 24	22 27	-	1.96	2	0.24	1	2.99	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.60	2	5.79	9
2196 A	Hartebeesthoek	27 58	22 27	-	1.84	2	0.00	0	1.52	2	0.34	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.15	1	0.22	2	0.00	0	4.07	8
2196 B	Nehanna	28 12	22 30	-	2.56	2	0.53	2	0.53	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.62	7
2196 C	Witdas	29 45	22 33	-	1.27	3	0.32	2	1.85	7	0.22	1	0.00	0	0.00	0	0.78	1	0.00	0	0.00	0	0.00	0	0.12	1	0.08	1	4.64	16
2197 A	Good Hope	29 50	22 33	-	1.79	3	0.60	3	3.11	7	0.00	0	0.00	0	0.00	0	1.75	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	7.15	14
2198	Uitzig	29 58	22 37	-	1.63	3	0.28	2	2.01	4	0.56	1	0.00	0	0.00	0	1.64	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	6.12	11
2199	Winton	27 28	22 35	-	1.93	2	0.37	1	2.41	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.67	1	0.58	2	6.96	11
2201	Dedeban	27 17	22 29	-	3.15	5	0.00	0	2.35	4	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.26	1	0.54	3	0.25	3	6.70	17
2201 R	Westbury	28 19	22 38	-	2.55	3	0.25	2	0.53	4	0.00	0	0.17	1	0.00	0	0.00	0	0.00	0	0.00	0	0.15	1	0.20	1	0.49	4	4.34	16
2202 a	Witberg	27 20	22 30	-	1.70	3	0.39	3	1.70	1	-	-	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.16	1	(3.95	8)
2202 A	Engelsby	27 51	22 39	-	1.37	2	1.22	4	2.26	7	0.34	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.61	3	0.49	2	6.29	19
2203	Mitchem	27 32	22 40	-	1.85	1	1.06	5	2.50	8	0.11	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.29	1	0.00	0	5.81	16
2203 M	Top-dog	28 00	22 40	-	1.44	2	1.06	2	3.73	7	0.15	1	0.25	1	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	0.60	3	0.00	0	7.53	17
2204	Dunmurray	28 13	22 41	4300	2.43	5	1.26	6	1.57	7	1.45	3	0.22	1	0.00	0	0.00	0	0.00	0	0.00	0	0.15	1	0.53	3	0.89	3	8.50	29

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2207	Smuts	27°22'	22°50'	-	2.08	2	0.00	0	1.69	3	0.00	0	-	-	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	(3.77	5)
2210	Prieska	29 40	22 45	3080	2.06	4	0.90	3	1.85	8	0.22	6	0.10	1	0.00	0	0.88	2	0.00	0	0.00	0	0.00	0	0.09	1	0.00	0	6.10	25
2213	Grootmodderfontein	29 59	22 43	-	1.92	2	0.24	1	1.12	1	0.65	1	0.00	0	0.15	1	1.50	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	5.58	(7)
2214	Pudulusch	27 48	22 52	-	1.74	4	0.43	4	3.25	10	0.16	3	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	0.00	0	6.03	23
2214 M	Neylan	27 54	22 47	-	1.10	1	0.77	2	2.10	8	0.00	0	0.25	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.10	2	1.10	2	5.42	16
2214 R	Range	28 47	22 48	-	1.41	6	1.44	5	2.63	11	0.26	5	0.23	3	0.22	2	0.15	1	0.00	0	0.00	0	0.00	0	0.49	2	0.15	1	6.98	36
2215	Goap	29 00	22 48	-	2.00	6	0.10	1	3.67	10	0.00	0	0.37	2	0.00	0	0.40	1	0.00	0	0.00	0	0.00	0	0.12	1	0.12	1	6.78	22
2215 a	Mokulu	27 10	22 52	-	2.25	6	0.00	0	3.24	8	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.10	1	0.46	2	0.57	2	6.62	19
2216	La Dauphine	28 26	22 50	-	1.87	3	0.55	1	0.45	1	0.00	0	0.60	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.47	(6)
2217	Niekershope	29 19	22 50	4300	1.16	5	0.06	1	1.54	5	0.21	1	0.21	1	0.00	0	0.24	1	0.00	0	0.00	0	0.00	0	0.80	1	0.00	0	4.22	15
2217 A	Wolhaartop	28 21	22 52	-	1.36	7	0.41	1	1.92	7	0.00	0	0.00	0	0.00	0	0.06	1	0.00	0	0.00	0	0.00	0	0.53	3	0.00	0	4.28	19
2218	Deben	27 36	22 52	-	1.93	1	0.00	0	2.97	8	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.15	1	0.15	1	0.00	0	5.20	11
2219	Hopkins	27 50	22 48	4500	1.68	5	0.66	3	2.09	10	0.00	0	0.16	1	0.00	0	0.00	0	0.00	0	0.00	0	0.07	1	0.26	3	0.21	2	5.13	25
2220	Smythe	27 52	22 54	4200	1.80	2	0.00	0	1.70	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.22	4	0.00	0	3.72	9
2222	Cosmos	28 06	22 54	-	1.52	2	0.50	3	1.81	6	0.00	0	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.22	1	0.00	0	4.20	13
2223 M	Aussaparust	28 18	22 58	-	3.39	3	0.00	0	2.14	5	0.00	0	0.35	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.15	1	0.00	0	6.03	10
2224 B	Lake Warren	28 44	22 58	-	2.82	7	0.19	2	2.83	16	0.15	5	0.35	2	0.01	1	0.17	1	0.00	0	0.00	0	0.06	1	0.89	3	0.38	4	7.85	42
2225 A	Unitett	29 44	22 55	-	1.71	4	0.49	2	2.12	6	0.20	2	0.08	1	0.00	0	0.72	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	5.32	16
	SECTION 14.																													
2225 B	Mancorp Mine	28 18	23 00	4357	3.06	7	0.48	3	-	-	0.10	3	0.40	2	0.00	0	0.06	1	0.00	0	0.00	0	0.00	0	0.34	3	-	-	(4.44	19)
2227	Milner	27 23	23 03	-	1.52	6	0.39	3	4.21	10	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.09	1	1.15	3	0.10	2	7.46	25
2227 A	Gasip M 105	28 32	23 02	-	1.45	4	1.06	2	2.09	4	0.56	1	0.25	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.89	1	6.30	13
2228	Onderongeluk	28 41	23 02	-	1.79	4	0.00	0	2.37	9	0.00	0	0.00	0	0.00	0	0.19	1	0.00	0	0.00	0	0.14	1	0.47	2	0.40	3	5.36	20
2229	Kleindoornbergsfontein	29 58	23 04	-	1.58	3	0.45	3	1.92	3	0.57	1	0.00	0	0.00	0	0.77	1	0.00	0	0.00	0	0.00	0	0.39	2	0.27	2	5.95	13
2231	Postmasburg	28 20	23 04	4300	2.61	5	1.82	2	3.64	7	0.80	3	0.48	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.52	3	0.83	3	10.70	24
2232	Carlsruhe	27 00	23 05	-	2.38	4	0.76	5	4.42	7	0.21	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.50	1	0.60	1	8.87	21
2232 B	Karreepan	27 15	23 08	-	1.71	5	0.71	3	4.53	6	0.36	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.05	2	0.00	0	8.36	17
2233	Numejaarskraal	29 22	23 07	-	1.52	4	0.51	2	5.01	7	0.48	3	0.23	1	0.00	0	0.20	1	0.00	0	0.00	0	0.00	0	0.87	2	0.75	3	9.57	23
2233 A	Kooisloot	29 35	23 03	-	1.53	5	0.12	1	1.84	7	0.43	2	0.17	1	0.00	0	0.50	1	0.00	0	0.00	0	0.00	0	0.09	1	0.00	0	4.68	18
2234	Nietons	28 48	23 09	-	4.35	6	0.26	1	3.70	5	0.00	0	0.41	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.62	1	0.00	0	9.34	15
2234 a	Graspan	29 41	23 11	-	0.81	4	0.12	1	1.16	4	0.13	1	0.17	1	0.00	0	0.52	1	0.00	0	0.00	0	0.00	0	0.20	2	1.03	1	4.14	15
2234 A	Lammertjiespan	29 53	23 14	-	1.02	2	0.22	1	3.00	6	0.38	2	0.00	0	0.00	0	0.55	1	0.00	0	0.00	0	0.00	0	0.45	1	0.37	1	5.99	14
2234 B	Reliance	28 44	23 11	-	1.62	2	0.36	1	1.55	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.16	1	0.42	2	0.32	1	4.43	9
2234 M	Tierkloof	28 21	23 15	-	3.20	8	0.23	1	5.76	8	1.02	3	0.36	2	0.00	0	0.10	1	0.00	0	0.00	0	0.00	0	0.63	5	0.56	2	11.86	30

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2235 A	Wildebeestpan	29°35'	23°14'	-	1.05	2	0.49	2	2.29	8	1.40	5	0.24	1	0.00	0	0.41	1	0.00	0	0.00	0	0.00	0	0.44	4	0.19	1	6.51	24
2237 B	Oranjeoord	29 11	23 19	-	1.17	4	0.51	2	1.67	5	0.10	2	0.17	1	0.00	0	0.24	1	0.00	0	0.00	0	0.00	0	0.92	4	1.01	4	5.79	24
2238	Branksea	27 52	23 20	-	2.21	5	0.00	0	2.66	3	0.73	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	0.13	1	0.15	2	6.28	14
2238 M	Colville	27 02	23 23	-	2.62	4	1.32	1	3.01	6	0.32	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.66	1	1.41	3	0.78	1	10.12	17
2239	Brakkies	29 26	23 21	-	1.77	3	0.20	2	0.98	6	0.27	2	0.00	0	0.00	0	0.40	1	0.00	0	0.00	0	0.00	0	0.49	2	0.00	0	4.11	16
2240	Karreekloof	29 49	23 23	3500	2.38	4	0.00	0	2.22	5	1.42	4	0.31	2	0.00	0	0.67	1	0.00	0	0.00	0	0.00	0	0.10	1	0.74	3	7.84	20
2241	Khosis	27 37	23 25	-	2.74	6	0.61	4	3.00	9	0.57	3	0.10	1	0.00	0	0.00	0	0.00	0	0.00	0	0.11	1	0.65	2	0.09	1	7.87	27
2244	Kuruman I	27 27	23 27	4500	1.53	5	1.53	5	4.29	14	0.12	3	0.08	1	0.00	0	0.00	0	0.00	0	0.00	0	0.02	1	1.68	4	0.08	2	9.33	35
2244 A	Greyling	27 54	23 26	-	-	-	1.74	5	2.47	6	0.75	2	0.03	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.40	2	2.50	1	(7.89	17)
2245 b	Koppiesdam	30 00	23 29	-	1.72	4	0.71	3	2.22	6	1.57	3	0.00	0	0.00	0	0.63	1	0.00	0	0.00	0	0.00	0	0.65	2	0.00	0	7.50	19
2245 B	Poplars	28 45	23 30	-	1.87	5	1.45	5	1.97	6	0.00	0	0.40	1	0.00	0	0.15	1	0.00	0	0.00	0	0.15	1	0.70	2	0.25	3	6.94	24
2246	Danielskuil	28 11	23 33	4600	3.17	6	0.48	2	4.40	10	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.38	4	0.33	2	9.76	24
2246 A	Wildeslaput	28 50	23 34	-	1.44	3	1.95	4	2.24	5	0.00	0	0.75	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.53	3	0.34	2	8.25	18
2246 B	De Hoop	29 31	23 34	-	1.71	2	0.00	0	0.00	0	0.49	2	0.00	0	0.00	0	0.37	1	0.00	0	0.00	0	0.00	0	0.50	2	0.27	1	3.34	(8)
2247	Silverstreams	28 22	23 35	-	3.63	6	1.17	3	2.98	8	0.86	3	0.20	1	0.00	0	0.06	1	0.00	0	0.00	0	0.00	0	1.34	4	0.39	2	10.63	28
2248	Uitvluchtspan	29 21	23 35	-	2.50	3	0.62	2	1.57	5	0.00	0	0.00	0	0.00	0	0.36	1	0.00	0	0.00	0	0.00	0	0.68	2	0.20	2	5.93	15
2248 A	Nelsonsfontein	27 52	23 38	-	3.38	7	1.16	6	4.23	11	2.46	3	0.09	1	0.00	0	0.00	0	0.00	0	0.00	0	0.17	1	0.79	3	1.51	5	13.79	37
2248 B	Mount Carmel	27 58	23 39	-	3.54	4	1.01	3	6.07	5	0.60	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	0.00	0	11.52	14
2249 B	Van Rooyensvlei	27 37	23 41	-	2.48	3	0.24	1	1.99	6	1.18	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.35	1	0.05	1	6.29	15
2250	Strydenburg	29 57	23 41	3530	2.04	3	0.34	2	0.29	3	1.73	3	0.00	0	0.00	0	0.41	1	0.00	0	0.00	0	0.00	0	0.25	1	0.00	0	6.06	13
2250 a	Droëplaas	28 05	23 42	-	1.45	4	0.81	4	1.17	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.15	1	0.00	0	3.58	14
2250 A	Campbell	28 48	23 43	4100	2.17	5	1.03	3	2.88	7	2.10	3	0.39	1	0.00	0	0.15	1	0.00	0	0.00	0	0.00	0	2.39	4	0.00	0	11.11	24
2250 B	Gartepan	29 21	23 43	-	1.63	2	0.40	1	0.76	3	0.41	2	0.19	1	0.00	0	0.34	1	0.00	0	0.00	0	0.00	0	0.62	2	0.62	3	4.97	15
2250 M	Platklip	27 43	23 45	-	3.80	6	0.42	1	2.66	7	1.16	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.45	2	1.51	5	10.00	24
2251	Gesina	27 49	23 42	-	3.54	6	0.97	6	3.99	9	0.88	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.09	1	0.56	3	0.60	3	10.63	31
2252	Papkuil	28 29	23 41	-	3.06	5	0.89	4	2.60	8	1.64	3	0.25	1	0.00	0	0.16	1	0.00	0	0.00	0	0.00	0	0.73	4	0.41	3	9.74	29
2252 M	Keloe Keloe	26 53	23 46	-	3.75	8	1.51	7	5.29	12	0.76	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.35	1	1.72	6	1.46	5	14.84	44
2254	Kalkdam	28 57	23 44	-	1.21	2	0.70	1	2.27	4	0.60	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.80	2	0.60	2	6.18	12
2255	Douglas	29 03	23 46	3380	1.95	6	1.31	5	1.27	9	0.93	2	0.42	2	0.00	0	0.28	1	0.00	0	0.00	0	0.00	0	1.28	2	1.02	3	8.46	30
2257	Surprise	28 09	23 48	-	2.82	5	0.92	2	2.34	6	0.45	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.24	1	0.26	2	6.93	18
2258	Motiton	27 04	23 50	-	3.33	7	1.22	5	5.02	9	0.79	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	1.34	5	0.27	1	12.27	31
2259	Van Tonderkrans	29 32	23 50	-	1.19	2	0.18	1	2.52	5	0.50	3	0.20	1	0.00	0	0.39	1	0.00	0	0.00	0	0.00	0	0.76	3	0.21	1	5.95	17
2259 A	Vaalpan	28 18	23 51	-	4.06	8	0.23	1	1.03	5	1.37	3	0.19	1	0.00	0	0.00	0	0.00	0	0.00	0	0.03	1	0.24	2	0.59	4	7.74	25
2260	Salomonsfontein	28 40	23 51	-	2.18	3	1.53	4	3.01	5	0.96	3	0.26	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.29	2	0.36	1	9.59	19
2261	Elandsberg	29 52	23 51	-	2.12	4	0.31	1	1.96	6	1.13	4	0.18	1	0.00	0	0.27	1	0.00	0	0.00	0	0.00	0	0.47	2	0.28	1	6.72	20

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2264	Orange Grove	28°38'	23°57'	-	2.26	7	1.24	4	2.22	6	0.47	2	0.23	1	0.00	0	0.18	1	0.00	0	0.00	0	0.00	0	1.04	4	0.73	2	8.37	27
2265	Wimbledon Estate	29 08	23 52	-	1.51	4	0.00	0	1.73	6	0.80	1	0.36	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.60	1	0.75	1	5.75	14
2265 A	Goede Hoop	29 51	23 56	-	2.21	5	0.27	1	1.58	4	0.60	2	0.00	0	0.00	0	0.25	1	0.00	0	0.00	0	0.00	0	0.74	2	0.57	2	6.22	17
2266	Boscobel	27 08	24 00	-	3.00	4	0.47	2	4.14	9	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.11	1	0.55	4	0.00	0	8.27	20
2267	Letchu Letchu	27 20	24 00	-	2.90	4	3.43	3	4.32	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.41	3	0.00	0	12.06	15
2267 A	Standard Pan	27 53	24 00	-	4.84	7	0.70	2	2.65	7	0.40	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.15	1	0.00	0	0.00	0	8.74	18
2268	Baviaanskrans	28 36	23 58	-	3.03	4	1.29	3	2.73	7	0.00	0	0.00	0	0.00	0	0.11	1	0.00	0	0.00	0	0.00	0	0.76	3	1.15	2	9.07	20
2269	Tweefontein	28 48	23 48	-	1.13	3	1.12	3	1.75	3	1.32	3	0.00	0	0.00	0	0.17	1	0.00	0	0.00	0	0.00	0	0.41	2	0.25	1	6.15	16
2269 M	Vlakfontein	27 41	24 02	-	2.52	7	1.31	2	4.87	10	1.05	3	0.11	2	0.00	0	0.00	0	0.00	0	0.00	0	0.06	1	1.21	4	0.16	2	11.29	31
2270	Perdeput	29 54	24 02	-	1.97	4	0.55	4	1.38	7	0.99	2	0.28	3	0.00	0	0.25	1	0.00	0	0.00	0	0.02	1	0.46	3	0.27	3	6.17	28
2270 M	Griqualand West Expt. Stn. I	28 10	24 05	-	-	-	0.12	1	1.59	5	1.94	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.15	1	1.67	4	(5.47	14)
2271	Koopmansfontein	28 15	24 03	-	3.46	9	1.09	6	2.10	9	1.47	6	0.14	2	0.00	0	0.04	1	0.00	0	0.00	0	0.01	1	0.26	4	0.70	3	9.27	41
2272	Potfontein	28 24	24 05	-	2.34	5	0.43	3	2.49	6	2.19	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.27	1	0.98	3	8.70	22
2273	Schmidtsdrift	28 42	24 04	-	1.63	3	1.09	3	0.84	6	0.47	3	0.21	1	0.08	1	0.11	1	0.00	0	0.00	0	0.05	1	0.13	1	0.31	2	4.92	22
2274	Groot Bultfontein	27 21	24 05	-	3.72	9	1.12	7	5.18	12	1.43	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.09	1	2.33	6	0.66	3	14.53	42
2275	Overwinning	28 32	24 11	-	2.26	6	0.63	3	3.17	7	0.81	4	0.20	2	0.02	1	0.02	1	0.00	0	0.00	0	0.00	0	0.26	3	1.07	5	8.44	32
2276	Hope Town	29 37	24 05	3604	-	-	0.43	3	1.92	8	0.54	2	0.30	1	-	-	0.36	1	0.00	0	0.00	0	0.00	0	0.63	3	0.07	1	(4.25	19)
2276 H	Griqualand West Expt. Stn. II	28 12	24 04	-	4.19	6	0.38	2	2.64	5	1.43	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.14	1	0.86	6	9.64	23
2276 A	Mossie	27 26	24 08	-	2.93	4	1.25	1	4.22	6	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.90	4	0.26	1	10.71	17
2276 K	Griqualand West Expt. Stn. III	28 11	24 08	-	-	-	0.12	1	2.59	5	1.29	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.12	1	1.06	4	(5.18	14)
2277	Sweet Home	27 15	24 09	-	2.70	3	1.46	3	4.92	9	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.58	3	0.58	2	11.24	20
2278	Birbury	27 02	24 10	-	3.93	-	0.30	2	7.36	-	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.42	1	3.47	3	0.60	2	16.08	(8)
2278 A	Reivilo	27 34	24 11	-	4.87	8	0.83	4	3.15	8	1.03	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.16	5	0.75	1	11.79	28
2278 B	Nareepan	27 58	24 09	-	2.98	4	0.62	4	2.28	8	2.56	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.96	4	0.41	1	9.81	26
2278 M	Grassdale	28 05	24 10	-	2.99	6	0.52	4	1.57	8	1.37	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.56	4	2.24	3	9.25	29
2278 P	Pretoriusdam	29 48	24 11	-	-	-	0.27	2	1.35	10	0.42	3	0.30	2	0.00	0	0.49	1	0.00	0	0.00	0	0.00	0	0.54	3	0.07	2	(3.44	23)
2279	Orange River	29 38	24 13	3520	2.09	6	0.12	1	2.60	7	0.26	1	0.35	1	0.00	0	0.41	1	0.00	0	0.00	0	0.00	0	0.49	2	0.00	0	6.32	19
2279 A	Brechin	29 28	24 13	-	0.23	4	0.87	5	1.47	9	(0.15	1)	0.44	2	0.00	0	0.29	1	0.00	0	0.00	0	0.03	2	0.47	2	0.12	2	(4.07	28)
2280 A	Grootdam	28 43	24 14	-	2.10	4	0.46	2	0.88	5	0.26	1	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.15	2	0.62	2	4.62	17
2280	Vogelfontein	28 17	24 14	3800	3.51	6	0.67	6	3.41	10	0.62	3	0.20	2	0.00	0	0.02	1	0.00	0	0.00	0	0.03	1	0.07	1	0.73	3	9.31	33
2281	Vogelstruisnek	27 39	24 16	-	3.87	8	1.20	5	3.73	9	2.33	5	0.05	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.24	3	0.00	0	12.42	31
2281 A	Geluk	27 03	24 17	-	2.86	3	1.37	3	7.03	10	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.70	1	1.50	3	1.96	4	14.42	24
2282	Sydney-on-Vaal	28 27	24 18	3412	1.94	8	1.84	6	4.15	6	0.88	3	0.17	2	0.00	0	0.20	1	0.00	0	0.00	0	0.11	2	0.62	3	0.79	6	10.70	37
2283	Plooysburg	29 01	24 14	-	1.50	4	0.82	3	2.54	7	0.00	0	0.25	1	0.00	0	0.17	1	0.00	0	0.00	0	0.07	1	1.20	2	0.06	1	6.61	20
2283 A	Skaapbosvlakte	27 37	24 20	-	3.69	6	1.20	3	6.18	7	1.13	2	0.06	1	0.00	0	0.00	0	0.00	0	0.00	0	0.13	1	0.00	0	0.42	2	12.81	22

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2284	Knocksberragh	27°57'	24°20'	-	4.02	8	1.58	7	1.73	7	2.64	6	0.09	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.70	2	1.81	4	12.57	35
2285 A	Zoutpansdrift	29 43	24 22	-	1.46	7	0.47	3	2.49	12	0.54	3	0.55	3	0.00	0	0.55	1	0.03	1	0.00	0	0.03	2	0.60	4	0.24	2	6.96	38
2285 Ba	Sandfontein	29 57	24 21	-	1.05	4	0.00	0	2.18	5	0.22	1	0.33	1	0.00	0	0.40	1	0.00	0	0.00	0	0.00	0	1.59	3	0.05	1	5.82	16
2285 C	Newlands	28 19	24 22	3500	2.75	8	1.88	8	3.46	14	0.41	3	0.16	2	0.01	1	0.10	1	0.00	0	0.00	0	0.12	3	0.50	4	1.04	5	10.43	49
2285 Ca	Rooipan (Klaarwater)	28 46	24 21	-	2.21	4	0.29	3	1.74	7	0.10	1	0.17	1	0.00	0	0.05	1	0.00	0	0.00	0	0.08	1	0.31	3	0.56	2	5.51	23
2285 CA	Kalkdam	28 49	24 21	-	2.54	5	0.30	2	1.61	4	0.35	1	0.22	1	0.00	0	0.11	1	0.00	0	0.00	0	0.10	1	0.50	3	0.39	3	6.12	21
2285 D	Belmont	29 25	24 22	3987	2.78	4	0.35	1	1.09	4	0.00	0	0.30	1	0.00	0	0.30	1	0.00	0	0.00	0	0.00	0	1.10	4	0.36	3	6.28	18
2285 E	Vogelpan	27 00	24 23	-	5.36	3	2.32	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.47	2	0.39	1	0.50	1	9.04	(9)
2285 F	Bellsbank	28 08	24 24	2840	2.48	6	1.45	4	1.80	5	2.16	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	7.89	20
2285 J	Klein Boetsap	27 58	24 27	3900	5.10	9	1.08	12	3.10	15	1.52	6	0.10	1	0.00	0	0.00	0	0.00	0	0.00	0	0.08	1	0.27	2	0.47	2	11.72	48
2285 K	Union Salt Pan (Wanda)	29 36	24 26	-	1.72	3	0.58	2	1.88	6	0.32	1	0.33	1	0.00	0	0.40	1	0.00	0	0.00	0	0.00	0	2.27	3	0.50	1	8.00	18
2285 L	Scholtzfontein	27 15	24 29	-	2.76	7	2.10	1	5.62	6	0.50	1	0.00	0	0.00	0	0.48	1	0.00	0	0.00	0	-	-	-	-	-	-	(11.16	16)
2285 M	Doornlaagte	28 14	24 25	-	3.40	6	0.33	4	6.17	10	1.05	4	0.08	1	0.00	0	0.13	1	0.00	0	0.00	0	0.00	0	0.31	2	1.20	4	12.67	32
2285 N	Eureka	29 05	24 29	-	2.28	8	0.77	6	2.31	10	0.27	1	0.18	2	0.00	0	0.20	1	0.00	0	0.00	0	0.13	1	0.93	3	0.05	1	7.12	33
2285 NN	Wilsns	27 08	24 29	-	1.99	3	1.77	3	7.53	12	0.40	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.35	1	1.64	4	0.84	2	14.52	27
2285 No	Lynley	27 12	24 28	-	4.49	6	2.40	5	4.88	13	0.74	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.35	2	1.23	4	0.94	4	15.03	38
2285 P	Magerskuilen	29 08	24 30	-	2.89	5	0.79	4	2.37	7	0.56	4	0.26	2	0.00	0	0.27	1	0.00	0	0.00	0	0.00	0	1.90	3	0.11	1	9.15	27
2285 Q	Spitskop	28 10	24 28	-	1.90	6	1.50	4	3.44	8	1.72	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.22	1	1.36	6	10.14	28
2285 R	Barkley West	28 32	24 32	3590	1.12	5	2.70	8	2.30	12	0.22	4	0.14	2	0.00	0	0.14	1	0.00	0	0.00	0	0.13	2	0.78	3	0.50	5	8.03	42
2285 S	Kameelfontein	27 02	24 37	-	1.87	3	0.97	3	6.76	11	0.33	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.41	1	1.15	3	0.18	2	11.67	25
2285 Ta	Kameelput	28 18	24 35	-	1.37	2	1.08	2	3.50	9	0.02	1	0.00	0	0.00	0	0.00	0	0.00	0	0.03	1	0.00	0	0.18	1	0.91	2	7.09	18
2285 V	Legpan	29 37	24 37	-	1.62	4	0.28	3	1.46	5	0.30	2	0.34	2	0.00	0	0.45	1	0.00	0	0.00	0	0.15	1	0.46	2	0.20	1	5.26	21
2285 W	Rocklands	28 25	24 36	-	1.30	4	-	-	3.00	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.05	1	0.00	0	0.14	1	1.06	4	(5.55	16)
2285 X	Spreeuwfontein	29 19	24 33	-	1.80	5	0.00	0	1.78	7	0.21	2	0.11	1	0.00	0	0.26	1	0.00	0	0.00	0	0.12	1	0.20	1	0.52	1	5.00	19
2285 Y	Bleskop	29 50	24 36	-	1.13	5	0.61	3	1.46	7	0.57	3	0.35	2	0.00	0	0.53	1	0.00	0	0.00	0	0.17	2	0.81	3	0.17	2	5.80	28
2285 ZB	Platfontein	28 40	24 37	-	1.69	4	0.39	2	1.95	8	0.84	2	0.00	0	0.00	0	0.35	1	0.00	0	0.00	0	0.00	0	0.97	2	0.65	2	6.84	21
2286	Modderrivier	29 02	24 37	3668	1.80	2	0.43	1	1.01	2	0.80	1	0.00	0	0.00	0	0.35	1	0.00	0	0.00	0	0.23	2	0.86	2	0.21	1	5.69	(12)
2286 A	Blaauwkoppies	29 46	24 38	-	0.57	4	0.25	1	1.96	5	0.51	2	0.33	1	0.00	0	0.55	1	0.00	0	0.00	0	0.00	0	0.69	3	0.28	3	5.14	20
2286 B	Lansdowne	27 22	24 35	-	2.38	4	2.75	4	4.78	10	1.76	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.10	1	0.70	2	0.29	2	12.76	26
2287 A	Espachs Drift	27 54	24 37	-	2.07	6	1.08	2	3.04	9	0.41	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.60	2	0.00	0	7.20	22
2288	Madrid	27 14	24 40	-	3.20	8	2.79	6	5.64	11	1.12	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.33	3	1.43	4	0.37	2	14.88	36
2288 B	Vaalharts Experimental Station	27 57	24 50	-	3.97	7	0.60	3	3.57	9	0.60	3	0.00	0	0.00	0	-	-	0.00	0	0.00	0	0.02	1	0.70	2	0.52	3	(9.98	28)
2290	Kalkdrift	29 02	24 40	-	1.29	5	0.63	4	1.26	9	0.19	3	0.24	3	0.01	1	0.15	1	0.00	0	0.00	0	0.28	3	0.56	3	0.13	4	4.74	36
2291	Gannahoek	29 06	24 41	-	1.75	5	0.84	3	1.82	9	0.18	3	0.15	1	0.00	0	0.16	1	0.00	0	0.00	0	0.21	1	1.08	3	0.00	0	6.19	(26)
2292	De Kroon 701	29 39	24 42	-	1.97	4	0.23	2	1.19	3	0.47	2	0.20	1	0.00	0	0.35	1	0.00	0	0.00	0	0.16	1	0.00	0	0.00	0	4.57	(14)

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar Inches Duime	Year-Jaar Days-Dae
2293	Windsorton	28° 19'	24° 43'	3836	2.96	6	0.34	5	3.01	8	0.15	1	0.12	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.64	2	0.39	2	7.61	25
2294	Smithsdale	28 30	24 43	-	0.76	5	1.39	1	1.83	6	0.19	1	0.16	1	0.07	1	0.00	0	0.00	0	0.00	0	0.02	1	0.34	2	0.28	1	4.94	19
2296	Vissersdrift	29 57	24 43	3800	1.55	6	0.25	2	1.99	7	0.81	2	0.37	1	0.00	0	0.39	1	0.00	0	0.00	0	0.27	1	0.37	2	0.31	2	6.31	24
2297	Tigerkloof	27 04	24 46	-	3.25	-	1.90	7	8.83	12	1.16	4	0.00	0	0.00	0	0.05	1	0.00	0	0.00	0	0.59	2	1.30	2	1.29	6	18.37	(34)
2299	Vingerkraal	29 53	24 44	-	0.97	4	0.25	1	1.91	6	0.15	1	0.40	1	0.00	0	0.51	1	0.00	0	0.00	0	0.19	1	0.23	1	0.20	1	4.81	(17)
2299 M	Taunga	27 33	24 47	-	3.24	6	1.12	4	5.94	11	-	-	0.05	1	-	-	0.00	0	0.00	0	0.00	0	0.08	1	1.50	7	0.44	3	(12.37	33)
2299 A	Kimberley Aerodrome	28 47	24 45	3926	2.03	8	0.79	6	4.02	12	0.60	6	0.20	3	0.01	1	0.29	1	0.00	0	0.00	0	0.13	3	0.73	3	0.45	2	9.25	45
2303	Wat-rval Rest	29 20	24 43	3800	1.12	4	0.66	2	1.28	5	0.43	1	0.00	0	0.00	0	0.17	1	0.00	0	0.00	0	0.20	1	0.13	1	0.00	0	3.99	15
2304	Pramberg	29 14	24 45	-	2.06	2	0.66	4	0.96	3	0.47	3	0.00	0	0.00	0	0.15	1	0.00	0	0.00	0	0.23	1	0.85	2	0.00	0	5.38	16
2305	Ludiksdaw	29 38	24 46	-	2.03	4	0.55	1	1.20	3	0.28	2	0.10	1	0.00	0	0.40	1	0.00	0	0.00	0	0.00	0	0.65	2	0.12	1	5.33	15
2306	Taunga	27 32	24 48	-	2.88	4	2.12	3	5.58	7	0.52	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.58	4	0.00	0	12.68	19
2307	Luckhoff	29 45	24 47	4200	1.80	5	0.70	4	2.59	9	0.96	3	0.27	1	0.00	0	0.44	1	0.00	0	0.00	0	0.20	2	0.52	4	0.38	4	7.86	33
2308	Jacobsdal	29 08	24 46	3200	2.33	3	0.59	4	0.93	2	0.10	1	0.00	0	0.00	0	0.18	1	0.00	0	0.00	0	0.26	1	1.05	2	0.09	2	5.53	16
2309	Wagdrasi	29 11	24 50	-	1.31	4	0.57	3	1.15	4	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.21	1	0.88	3	0.00	0	4.42	16
2311	Windsorton Road	28 21	24 49	-	2.65	5	0.00	0	3.19	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.34	2	0.46	2	6.64	(13)
2313	Tevredenheid	29 57	24 49	4018	1.67	9	0.51	8	3.12	11	1.31	5	0.46	5	0.05	1	0.48	2	0.00	0	0.00	0	0.29	3	0.53	4	0.41	4	8.83	52
2314	Adamshoop	29 31	24 50	4025	1.62	5	0.30	3	2.13	9	0.30	3	0.17	2	0.00	0	0.38	1	0.00	0	0.00	0	0.29	2	0.52	3	0.18	2	5.89	30
2314 A	Vaal Harts	27 55	24 50	3782	2.81	5	1.52	4	4.27	8	0.59	3	-	-	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.75	2	0.60	3	(10.54	25)
2315	Content	28 13	24 51	-	3.70	7	0.20	1	3.66	9	0.92	2	0.22	1	0.00	0	0.00	0	0.00	0	0.00	0	0.42	1	0.23	1	0.71	3	10.06	25
2316	Boshofshoop	29 24	24 51	-	2.77	5	1.45	6	0.15	1	1.35	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.27	1	0.25	2	0.80	1	7.04	18
2318	Warrenton	28 07	24 51	3931	4.14	7	0.52	6	3.61	9	0.26	2	0.08	1	0.00	0	0.05	1	0.00	0	0.00	0	0.00	0	0.80	2	0.91	4	10.37	32
2319 H	Boshofsdam	29 57	24 52	-	0.50	1	0.00	0	1.88	5	0.63	2	0.50	1	0.00	0	0.50	1	0.00	0	0.30	1	0.00	0	0.40	2	0.51	3	5.22	(16)
2319 M	Ganmvlakte	28 21	24 55	-	2.38	7	1.86	6	3.27	9	0.46	4	0.19	1	0.00	0	0.00	0	0.00	0	0.00	0	0.05	1	0.79	3	0.55	3	9.55	34
2320	Driesputs	29 00	24 57	-	2.66	7	1.07	2	1.59	5	0.59	2	0.00	0	0.00	0	0.31	1	0.00	0	0.00	0	0.00	0	0.53	2	0.43	1	7.18	20
2321	Allethein	28 47	25 00	-	1.98	7	2.76	3	1.84	6	0.69	3	0.21	1	0.00	0	0.38	1	0.00	0	0.00	0	0.15	1	1.69	3	0.66	3	10.36	28
2322	Spitskop No. I	29 50	24 54	-	2.10	7	0.80	4	1.24	4	0.66	3	0.34	2	0.00	0	0.40	1	0.00	0	0.00	0	0.43	2	1.02	3	0.00	0	6.99	26
2324 M	Uitkyk	29 35	24 55	4150	1.57	5	0.36	2	1.02	4	0.40	3	0.30	1	0.00	0	0.41	1	0.00	0	0.00	0	0.25	1	0.00	0	0.72	2	5.03	19
2325	Hartklip	27 00	24 57	3900	3.45	4	1.51	3	8.29	10	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.60	1	3.49	5	1.43	1	18.77	24
2326	Nazareth House Farm	28 05	24 55	-	3.43	7	0.31	4	3.33	13	0.49	5	0.10	1	0.00	0	0.12	1	0.00	0	0.00	0	0.08	2	1.22	4	0.35	4	9.43	41
2326 B	Rietput	29 33	24 57	-	1.24	4	0.55	4	1.01	3	0.13	1	0.18	1	0.00	0	0.40	1	0.00	0	0.00	0	0.29	2	0.39	2	0.37	1	4.56	19
2327	Koppieskraal	29 17	24 58	-	1.58	4	1.75	7	1.58	5	0.40	2	0.19	1	0.00	0	0.26	1	0.00	0	0.00	0	0.15	1	1.16	2	0.13	1	7.20	24
2328	Spreeuwfontein	27 13	24 59	4000	3.33	7	2.19	6	8.91	9	0.39	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.38	2	1.27	4	1.26	4	17.73	34
	SECTION 15.																													
2330	Leliefontein	27 03	24 58	-	3.21	8	2.94	5	6.91	12	0.40	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.45	2	2.15	6	1.52	4	17.58	39

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2331	Rampdaar	28°12'	25°00'	-	4.34	7	0.47	3	2.28	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.15	2	0.30	1	8.54	19
2333	Alexandria Estate	29 01	24 59	-	1.30	2	1.55	3	2.41	3	0.00	0	0.00	0	0.00	0	0.38	1	0.00	0	0.00	0	0.00	0	0.65	1	0.32	1	6.61	(11)
2335	De Kalk	29 02	24 58	-	2.33	5	1.33	3	1.89	6	0.55	3	0.00	0	0.00	0	0.35	1	0.00	0	0.00	0	0.09	1	0.64	2	0.34	1	7.52	22
2336	Koffiefontein	29 24	25 00	3900	1.87	6	0.96	5	2.29	6	0.05	2	0.22	1	0.00	0	0.24	1	0.00	0	0.00	0	0.19	2	0.39	3	0.73	1	7.39	27
2338	Middelfontein	29 26	25 01	3950	1.39	3	0.12	2	4.25	9	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.50	1	0.00	0	0.54	2	0.51	1	7.31	18
2338 A	Cheval	28 32	25 02	-	1.90	5	0.80	3	2.58	6	0.15	1	0.18	1	0.00	0	0.25	1	0.00	0	0.00	0	0.00	0	0.53	1	1.22	2	7.61	20
2338 B	Sweetwilliam	27 31	25 03	-	3.13	7	1.45	6	5.94	8	0.26	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.41	2	0.81	2	0.86	2	12.86	30
2339	Montagu	28 45	25 03	-	3.03	5	2.04	1	3.39	4	1.42	2	0.00	0	0.00	0	0.84	1	0.00	0	0.00	0	0.40	1	2.67	2	0.59	2	14.38	18
2341	Kafferfontein	29 51	25 03	-	3.07	8	1.13	4	2.05	4	0.89	3	0.34	2	0.00	0	0.33	1	0.00	0	0.00	0	0.51	2	0.51	3	0.18	1	9.01	28
2342	Mimosa	29 59	25 03	4700	1.64	4	0.74	2	1.81	8	0.70	1	0.10	1	0.00	0	0.59	1	0.00	0	0.00	0	0.66	2	0.98	3	0.15	1	7.37	23
2343 B	Weltevrede	29 12	25 04	-	2.11	5	2.93	5	1.24	4	0.40	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	6.68	15
2343 A	Orlando Park	27 43	25 05	-	2.94	4	1.54	5	4.45	14	1.00	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.19	3	0.80	2	11.92	31
2344	Paardeberg	28 58	25 05	3850	3.45	6	1.87	3	2.33	6	0.61	2	0.20	1	0.00	0	0.45	1	0.00	0	0.00	0	0.15	1	0.62	2	0.76	2	10.44	24
2346	Taaiboslaagte	29 34	25 05	-	1.32	4	0.30	1	1.28	7	0.76	4	0.26	1	0.00	0	0.23	1	0.00	0	0.00	0	0.33	2	0.25	1	0.67	1	5.40	22
2347	Wheeldon	29 50	25 06	-	1.84	6	0.53	4	0.48	2	0.34	2	0.31	2	0.00	0	0.41	1	0.00	0	0.00	0	0.13	1	1.15	4	0.26	2	5.45	24
2348	Neilscoton	27 43	25 06	-	2.32	2	1.39	4	4.57	10	0.60	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.82	2	0.44	2	10.14	22
2349	Vaallaagte	28 11	25 06	-	2.50	2	0.96	1	3.15	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.76	1	-	-	(7.37	7)
2350	Kromrand	28 39	25 06	-	3.37	7	0.77	2	3.00	5	0.24	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.75	3	0.47	1	9.60	19
2351	Thornbury	28 58	25 06	-	4.08	5	1.95	2	2.49	6	0.52	2	0.20	1	0.00	0	0.65	1	0.00	0	0.00	0	0.30	1	0.61	1	0.13	1	10.93	20
2352	Leeuwfontein	28 33	25 07	-	4.82	8	3.54	3	3.87	6	0.58	1	0.05	1	0.00	0	0.37	1	0.00	0	0.00	0	0.02	1	2.43	2	0.06	1	15.74	24
2353	Graspan	28 54	25 07	4000	1.65	5	1.28	2	3.12	3	0.60	1	0.22	1	0.00	0	0.78	1	0.00	0	0.00	0	0.00	0	1.33	3	0.66	1	9.64	17
2355	Parys 570	29 55	25 09	-	3.16	9	0.82	3	1.50	7	0.75	2	0.36	-	0.00	0	0.46	1	0.00	0	0.00	0	0.20	2	0.52	2	0.29	1	8.06	(27)
2357	Danielsfontein	28 51	25 08	-	3.78	7	2.27	2	2.73	4	0.68	1	0.15	1	0.00	0	0.80	1	0.00	0	0.00	0	0.20	1	0.94	2	1.38	3	12.93	22
2358	Christiana	27 55	25 10	3960	3.71	9	0.51	9	4.88	14	0.43	4	0.10	1	0.00	0	0.06	1	0.00	0	0.00	0	0.00	0	0.60	3	0.30	5	10.59	46
2359	Kroonplaats	29 08	25 10	-	2.09	4	1.69	3	1.71	6	0.67	2	0.14	1	0.00	0	0.29	1	0.00	0	0.00	0	0.10	1	0.41	1	0.13	1	7.23	20
2360	Constantia	29 35	25 08	4257	1.84	6	0.80	3	2.66	7	0.34	1	0.36	2	0.00	0	0.17	1	0.00	0	0.00	0	0.39	2	0.24	2	0.78	1	7.58	25
2361	De Hoop	27 45	25 10	4000	3.32	6	0.83	6	3.63	13	0.73	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.19	2	0.57	3	0.55	2	9.82	35
2362	Doornfontein	28 53	25 11	-	3.40	7	2.00	2	2.85	9	0.51	3	0.18	1	0.00	0	0.61	1	0.00	0	0.00	0	0.28	2	0.75	2	0.84	3	11.42	30
2364	Lowlands	27 54	25 12	-	2.92	5	0.56	5	3.54	13	0.40	3	0.10	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.42	2	0.22	2	8.16	32
2365	Bon Ami	29 18	25 12	-	3.44	6	2.64	3	3.03	4	0.00	0	0.00	0	0.00	0	0.20	1	0.00	0	0.16	1	0.00	0	1.10	3	1.15	3	11.72	21
2365 A	Kalkfontein Dam	29 30	25 13	4000	1.83	7	0.98	5	1.50	8	0.29	3	0.17	2	0.02	1	0.22	2	0.02	1	0.00	0	0.44	3	0.51	4	1.02	2	6.99	37
2366	Sandy Mount	29 46	25 12	-	2.00	6	1.34	6	2.93	7	0.66	3	0.28	2	0.00	0	0.30	1	0.00	0	0.00	0	0.24	1	0.99	4	1.07	2	9.81	32
2367	Groenpunt	29 01	25 13	-	1.51	3	1.59	2	1.43	3	0.65	2	0.20	1	0.00	0	0.70	1	0.00	0	0.00	0	0.00	0	0.66	2	0.30	1	7.04	15
2368 A	Clifton	28 10	25 14	-	3.95	6	1.80	4	2.19	7	0.22	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.68	1	0.28	1	9.12	20
2369	Boshof	28 52	25 14	4100	3.26	6	1.12	5	3.20	4	-	-	0.18	1	0.00	0	0.28	1	0.00	0	0.00	0	0.00	0	0.63	2	1.29	5	(9.96	24)

No.	STATION STASIE	Latitude S. Breedtegr.	Longitude E. Lengtegr.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2370	Olen	28°43'	29°14'	-	2.43	6	1.90	3	2.59	3	0.44	2	0.20	1	0.00	0	0.48	2	0.00	0	0.00	0	0.12	1	1.94	2	1.22	3	11.32	23
2370 A	Banksdrift	28 55	25 14	-	3.37	9	2.11	5	2.22	9	0.30	2	0.26	2	0.03	1	0.46	1	0.00	0	0.00	0	0.02	1	1.47	3	0.83	1	11.07	34
2371 A	Geeig	27 35	25 17	-	2.50	2	1.37	3	5.19	8	0.62	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.53	3	2.05	3	0.00	0	12.26	20
2374	Hartebeestfontein	29 49	25 16	-	2.10	6	1.82	4	2.12	11	0.64	3	0.37	3	0.00	0	0.56	1	0.00	0	0.00	0	0.27	1	1.41	3	0.73	2	10.02	34
2374 A	Bokpos	29 55	25 16	-	2.27	4	0.46	1	1.33	9	0.20	2	0.30	2	0.00	0	0.28	1	0.00	0	0.00	0	0.31	1	0.85	3	0.50	1	6.50	24
2376	Bordeaux	28 21	25 16	-	1.40	2	2.75	3	1.20	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.33	2	0.00	0	5.68	(9)
2379 A	Steenbokvlakte	29 38	25 19	-	1.96	5	0.30	3	1.12	4	0.55	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	0.84	2	0.76	1	5.93	19
2380	Fauresmith	29 45	25 19	4500	2.47	8	1.59	4	2.38	11	0.71	4	0.30	2	0.00	0	0.20	1	0.00	0	0.00	0	0.41	1	0.73	4	0.34	1	9.13	(36)
2381	Fauresmith	29 45	25 19	-	2.35	9	1.68	6	2.04	13	0.67	5	0.33	3	0.02	1	0.20	1	0.00	0	0.00	0	0.47	2	0.70	5	0.37	2	8.83	47
2382	Veld Reserve	29 46	25 19	4535	2.32	8	1.39	4	1.87	12	0.73	5	0.36	4	0.00	0	0.20	1	0.00	0	0.00	0	0.37	2	0.82	5	0.36	2	8.42	43
2383 A	Schweizer Reneke Erf 145	27 11	25 20	-	3.25	6	2.09	7	9.49	13	0.56	4	0.10	1	0.00	0	0.12	2	0.00	0	0.00	0	0.92	3	2.24	6	1.23	4	20.00	46
2385	Inhoek	29 08	25 20	-	4.34	9	2.70	6	2.59	8	0.52	3	0.36	2	0.00	0	0.62	1	0.00	0	0.00	0	0.16	1	0.51	4	0.21	1	12.01	35
2386	Venterevlei	29 31	25 20	-	2.28	3	1.23	2	0.71	2	0.46	1	0.11	1	0.00	0	0.20	1	0.00	0	0.00	0	0.00	0	0.22	1	0.35	1	5.56	12
2387	Houtvolop	27 22	25 21	-	3.40	4	2.01	4	9.17	11	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.32	2	1.63	4	0.53	2	17.06	27
2389	Pietersville	28 48	25 20	-	2.14	6	3.11	5	3.40	7	0.24	2	0.08	1	0.00	0	0.54	1	0.00	0	0.00	0	0.11	1	2.53	3	0.98	3	13.23	29
2389 A	Langefontein	29 09	25 21	-	6.32	8	1.49	3	2.94	5	0.60	3	0.20	1	0.00	0	0.49	1	0.00	0	0.00	0	0.22	1	0.55	2	0.24	1	13.05	25
2390	Doornvlei	29 54	25 22	-	1.62	6	1.05	7	2.51	14	0.69	4	0.44	4	0.00	0	0.46	1	0.00	0	0.00	0	0.22	3	0.83	3	0.87	4	8.69	46
2391	Spitskop 280	29 59	25 21	-	3.14	7	0.54	1	1.32	4	0.24	2	0.69	5	0.00	0	0.46	1	0.00	0	0.00	0	0.37	1	0.49	3	0.35	2	7.60	26
2393	Brandfontein	29 36	25 23	-	2.46	4	1.33	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.74	1	1.10	1	5.63	(8)
2394	Holpan	27 14	25 24	-	2.61	6	2.68	6	8.96	13	0.66	4	0.00	0	0.00	0	0.03	1	0.00	0	0.00	0	0.49	2	1.48	5	1.04	5	17.95	42
2395 A	Moirton	27 46	25 25	-	3.48	4	0.85	3	5.74	8	1.13	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.70	2	0.95	2	12.85	21
2396	Rondefontein	28 48	25 24	-	1.82	4	1.44	2	3.07	5	0.26	1	0.17	1	0.00	0	0.55	1	0.00	0	0.00	0	0.00	0	2.27	3	1.26	3	10.84	20
2397	Kranshoek	29 23	25 25	4400	2.19	5	0.38	1	0.66	2	0.25	1	0.00	0	0.00	0	0.22	1	0.00	0	0.00	0	0.34	1	0.39	1	0.32	1	4.75	13
2397 A	Spioenkop	28 17	25 25	-	2.52	5	5.46	4	2.73	7	0.25	2	0.00	0	0.00	0	0.20	1	0.00	0	0.00	0	0.00	0	0.28	1	0.18	1	11.62	21
2398	Petrusburg	29 07	25 25	4100	3.16	8	2.37	5	2.40	6	0.33	2	0.10	1	0.00	0	0.58	1	0.00	0	0.00	0	0.06	1	0.75	4	0.30	1	10.05	29
2399	Dassiespoort	29 33	25 25	4120	2.03	5	0.78	2	0.26	2	0.39	1	0.23	2	0.18	1	0.00	0	0.00	0	0.00	0	0.53	1	1.00	3	0.54	1	5.94	18
2401	Westhoek	29 02	25 26	-	1.54	5	2.87	4	3.98	7	0.05	1	0.19	1	0.00	0	0.50	1	0.00	0	0.00	0	0.04	1	0.90	5	0.85	1	10.92	26
2402	Jagersfontein	29 47	25 25	4650	2.18	6	1.26	3	1.80	5	0.65	2	0.00	0	0.00	0	0.00	0	0.00	0	0.65	1	0.00	0	1.07	3	0.71	3	8.32	23
2402 A	Koppiesvlei	27 04	25 07	-	2.45	5	1.65	3	7.10	8	0.60	1	0.00	0	0.00	0	0.31	1	0.00	0	0.00	0	0.55	1	2.55	2	1.27	1	16.48	22
2403	Kalkpoort	27 52	25 28	-	3.38	5	1.37	3	3.24	6	0.76	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.26	1	0.66	3	1.07	3	10.74	25
2404	Morsef	28 12	25 28	-	5.09	7	2.47	4	2.95	12	0.40	3	0.07	1	0.00	0	0.08	1	0.00	0	0.00	0	0.02	1	0.33	2	2.56	6	13.97	37
2407	Lapdoorns	27 43	25 27	-	2.51	3	1.96	5	5.70	11	0.98	7	0.12	2	0.00	0	0.00	0	0.00	0	0.00	0	0.52	3	0.69	3	2.13	5	14.61	39
2408	Orlando	27 23	25 31	-	2.25	2	0.96	4	9.26	10	0.00	0	0.00	0	0.00	0	0.25	2	0.00	0	0.00	0	0.00	0	1.58	3	1.07	3	15.37	24
2410	Halfweg	28 53	25 29	-	1.69	5	2.44	3	3.94	6	0.00	0	0.23	1	0.00	0	0.70	1	0.00	0	0.00	0	0.00	0	1.54	3	0.68	3	11.22	22
2411	Shotterwill	29 17	25 30	-	3.41	8	2.47	5	3.12	6	0.35	4	0.40	2	0.00	0	0.54	1	0.00	0	0.00	0	0.15	1	1.01	2	1.12	3	12.57	32

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Longtegr	Height Hoogte, Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2412	Sleutelpoort	29°52'	25°29'	4458	1.86	4	0.88	2	3.12	6	0.57	1	0.00	0	0.00	0	0.00	0	0.00	0	0.80	0	0.70	-	1.35	-	0.68	-	9.16	(13)
2413	Bosmansfontein	27 32	25 31	-	3.46	5	2.03	6	7.55	10	0.40	3	0.00	0	0.00	0	0.09	1	0.00	0	0.00	0	0.23	3	1.08	4	0.87	3	15.71	35
2414	New Elands	28 30	25 29	-	1.92	4	4.39	4	3.90	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	-	-	-	-	(10.21	12)
2415	Waterval	28 50	25 30	4000	1.25	3	3.38	4	3.06	8	0.77	2	0.12	1	0.00	0	0.43	1	0.00	0	0.00	0	0.00	0	1.67	1	1.94	2	12.62	22
2416	Katdoornput	28 59	25 30	4000	2.42	4	1.78	3	3.39	6	0.49	2	0.21	1	0.00	0	0.96	1	0.00	0	0.00	0	0.00	0	0.64	3	2.16	3	12.05	23
2417	Bestersput	29 11	25 30	-	4.69	8	1.80	7	2.10	7	0.32	6	0.29	2	0.05	1	0.64	1	0.00	0	0.00	0	0.09	1	0.68	4	0.27	4	10.93	41
2420	Kareefontein	27 39	25 32	3973	3.67	7	1.47	4	8.71	14	0.75	6	0.09	2	0.00	0	0.01	1	0.00	0	0.00	0	0.29	1	0.76	3	1.14	4	16.89	42
2421	Hertsogville	28 07	25 30	-	4.87	9	3.05	4	3.41	9	0.82	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.75	3	1.34	4	14.24	33
2422	Doornplaats	29 04	25 31	4145	3.70	9	2.07	6	2.65	6	0.67	4	0.34	2	0.00	0	0.50	1	0.00	0	0.00	0	0.00	0	0.73	4	1.24	2	11.90	34
2424	Gleniffer	29 41	25 31	-	1.98	6	1.60	3	2.73	6	0.80	4	0.37	2	0.00	0	0.21	1	0.00	0	0.00	0	0.65	1	1.11	3	1.63	1	11.08	27
2424 M	Springbok	27 13	25 32	-	2.88	6	2.55	5	9.51	11	0.78	4	0.13	1	0.00	0	0.00	0	0.00	0	0.00	0	0.79	2	2.62	5	0.96	4	20.22	38
2424 T	Graspan	28 41	25 33	-	1.62	3	2.72	3	2.64	4	0.00	0	0.00	0	0.00	0	0.21	5	0.00	0	0.00	0	0.00	0	1.20	2	0.45	2	8.88	15
2425	Eversbatch	29 22	25 33	-	2.74	7	1.91	7	2.54	7	0.31	4	0.32	2	0.00	0	0.60	1	0.00	0	0.00	0	0.15	1	1.13	5	0.75	3	10.45	37
2425 M	Vleeschkraal	27 01	25 34	-	2.88	8	2.04	6	7.54	16	0.51	3	0.25	2	0.00	0	0.46	1	0.00	0	0.00	0	0.66	2	2.37	5	1.27	3	17.98	46
2427	Belgrave 933	29 06	25 35	-	2.16	9	2.66	7	2.90	6	1.05	4	0.28	2	0.01	1	0.45	1	0.00	0	0.00	0	0.05	2	0.67	4	1.26	4	11.49	40
2428	Slangfontein	29 44	25 34	-	2.27	6	0.91	2	2.11	5	0.56	2	0.00	0	0.00	0	0.22	1	0.00	0	0.00	0	1.03	2	0.30	1	2.73	3	10.30	22
2429	Swartkoppies	29 52	25 34	-	1.41	4	0.87	3	3.95	8	0.50	1	0.35	1	0.05	1	0.36	1	0.00	0	0.00	0	0.80	1	0.82	2	0.94	1	10.05	23
2430	Zevenfontein	27 27	25 36	4200	3.06	5	4.48	6	7.30	11	0.97	2	0.15	2	0.00	0	0.19	1	0.00	0	0.00	0	0.57	3	1.25	5	0.78	4	18.75	41
2431	Bloemhof	27 39	25 36	4050	3.78	6	2.25	6	8.38	11	0.70	3	0.22	1	0.00	0	0.09	1	0.00	0	0.00	0	0.70	1	0.68	2	1.23	4	18.03	35
2433	Koppiesdam	29 13	25 37	-	1.82	9	3.75	6	2.62	6	0.15	2	0.32	4	0.00	0	0.76	1	0.00	0	0.00	0	0.13	3	0.69	3	0.35	4	10.59	38
2434	Berlin	29 29	25 37	-	3.06	9	1.29	2	3.11	7	0.62	2	0.00	0	0.00	0	0.50	1	0.00	0	0.00	0	0.19	1	0.94	3	0.27	1	9.98	26
2438	Kraalkop	28 05	25 40	-	5.51	8	1.94	2	2.53	6	0.26	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.98	3	12.22	20
2439	Sterkfontein	29 14	25 41	-	1.24	3	2.35	5	3.45	5	0.00	0	0.22	1	0.00	0	0.60	1	0.00	0	0.00	0	0.00	0	0.75	1	0.15	1	8.76	(17)
2440	Vaalboschfontein	27 16	25 42	-	3.55	5	3.51	3	6.09	5	0.74	6	0.25	1	0.00	0	0.00	0	0.00	0	0.00	0	0.69	4	1.29	4	0.67	2	16.79	30
2441	Wolhuterskop	28 14	25 42	-	3.65	7	2.59	4	3.76	6	0.73	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.30	2	0.66	3	11.69	23
2444	Rietpan	27 19	25 44	-	3.99	7	3.68	5	8.41	12	0.76	3	0.22	1	0.00	0	0.04	1	0.00	0	0.00	0	1.65	3	1.42	6	0.62	2	20.79	40
2446	Blesbokfontein	29 33	25 43	-	1.61	4	1.94	5	2.76	4	0.00	0	0.30	1	0.00	0	0.40	1	0.00	0	0.00	0	0.20	1	0.99	2	0.30	1	8.50	19
2447	Fairview	29 49	25 42	-	1.23	6	0.75	4	1.54	7	0.79	4	0.41	3	0.00	0	0.15	1	0.00	0	0.00	0	0.42	2	1.53	3	2.05	1	8.87	31
2448	Kelvedon	28 37	25 45	-	1.95	4	2.19	3	2.59	6	0.00	0	0.00	0	0.00	0	0.23	1	0.00	0	0.00	0	0.00	0	0.89	2	0.33	2	8.18	18
2450	Vaalbank	29 04	25 45	-	3.27	6	3.30	5	3.52	5	0.15	1	0.30	2	0.00	0	0.51	1	0.00	0	0.00	0	0.00	0	0.75	4	1.72	3	13.52	27
2451	Kameelfontein	27 36	25 46	-	3.14	3	2.61	2	8.59	9	0.48	1	0.00	0	0.00	0	0.16	1	0.00	0	0.00	0	0.70	1	1.09	1	0.87	2	17.64	20
2454	Beeskraal	27 46	25 46	-	4.07	7	2.72	6	6.27	7	0.93	4	0.21	1	0.00	0	0.09	1	0.00	0	0.00	0	0.17	2	0.67	3	2.30	7	17.43	38
2455	De Brug	29 09	25 48	-	2.73	5	3.79	5	5.65	6	0.44	4	0.40	2	0.00	0	0.53	1	0.00	0	0.00	0	0.00	0	0.78	3	2.78	4	17.10	30
2457	Bloemhof	29 59	25 48	-	0.36	5	1.20	6	2.48	8	0.68	4	0.49	7	0.05	2	0.24	1	0.00	0	0.00	0	0.26	3	1.79	5	1.04	3	8.59	44
2458	Northfield	29 15	25 49	4270	2.85	7	2.78	4	2.58	4	0.00	0	0.25	1	0.00	0	0.45	1	0.00	0	0.00	0	0.00	0	1.08	4	0.08	1	10.07	22

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2459	Vaalbank	29°32'	25°49'	4280	1.15	3	1.90	3	2.17	7	0.00	0	0.00	0	0.00	0	0.46	1	0.00	0	0.00	0	0.59	3	1.05	3	0.38	1	7.70	21
2461	Holloways Rust	27 16	25 49	4500	3.13	6	1.74	3	8.43	14	0.07	2	0.20	1	0.00	0	0.07	1	0.00	0	0.00	0	0.30	2	1.20	5	0.53	3	15.67	37
2463	Klippan	28 37	25 51	-	2.21	5	2.10	5	2.85	4	0.00	0	0.16	1	0.00	0	0.19	1	0.00	0	0.00	0	0.11	1	0.84	3	1.66	4	10.12	24
2463 M	Wintershoek	28 24	25 53	-	2.28	2	2.85	3	3.64	7	0.00	0	0.00	0	0.00	0	0.35	1	0.00	0	0.00	0	0.00	0	0.60	1	0.56	1	10.28	15
2464	Pakpoort	29 30	25 52	4320	1.55	6	2.98	2	2.37	5	0.51	3	0.27	3	0.00	0	0.50	1	0.00	0	0.00	0	0.32	2	1.21	5	0.53	1	10.24	28
2465	Wintervlei	27 52	25 59	-	4.52	7	2.35	5	6.89	15	0.71	4	0.25	1	0.00	0	0.12	1	0.00	0	0.00	0	0.65	2	0.38	2	1.01	3	16.88	40
2466	Geluk 299	28 08	25 53	-	3.59	8	1.19	4	3.58	11	0.77	4	0.15	1	0.00	0	0.51	2	0.00	0	0.00	0	0.12	1	0.85	3	1.62	5	12.38	39
2468	Kuilput	29 18	25 53	-	2.92	6	3.30	10	3.49	7	0.36	4	0.28	2	0.00	0	0.43	1	0.00	0	0.00	0	0.12	1	1.15	5	0.34	4	12.39	40
2469	Hoopstad	27 50	25 54	4065	4.88	7	2.98	7	6.06	13	0.47	5	0.20	1	0.00	0	0.15	1	0.00	0	0.00	0	0.02	1	0.32	2	1.00	4	16.08	41
2470	Hoopstad	27 50	25 54	4000	5.39	-	2.20	4	5.06	6	0.27	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.38	2	1.44	6	14.74	(19)
2471	Rustfontein	29 25	25 54	4520	0.95	2	3.25	4	2.42	6	0.00	0	0.22	1	0.00	0	0.40	1	0.00	0	0.00	0	0.00	0	1.30	2	0.22	1	8.76	(17)
2472	Vaalbank	27 35	25 54	-	3.50	3	2.30	2	7.20	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.48	1	0.00	0	0.65	2	14.13	15
2473	Oranje	28 16	25 56	-	2.32	3	3.82	4	3.03	6	0.13	1	0.00	0	0.00	0	0.25	1	0.00	0	0.00	0	0.00	0	0.92	1	0.76	2	11.23	18
2476	Bellevue	29 47	25 56	4552	1.75	3	-	-	2.12	3	0.30	1	0.66	2	0.00	0	0.45	1	0.00	0	0.00	0	0.40	1	1.13	3	1.07	2	(7.88	16)
2477	Uitkyk	29 55	25 56	-	0.32	2	2.51	4	1.00	3	0.43	1	0.46	1	0.00	0	0.19	1	0.00	0	0.00	0	0.45	2	0.80	3	1.94	2	8.10	(19)
2480	Skeem	29 59	25 58	-	0.83	3	0.97	6	1.87	7	1.29	4	0.28	3	0.00	0	0.00	0	0.00	0	0.00	0	0.82	3	0.48	3	1.04	4	7.58	33
2481	Rooipoort	27 06	26 00	-	1.82	3	3.20	3	6.76	9	1.23	3	0.00	0	0.00	0	0.25	1	0.00	0	0.00	0	0.70	1	0.85	2	1.34	3	16.15	25
2482	Wolmaransstad	27 12	25 59	-	4.40	5	2.94	5	7.22	12	1.51	2	0.00	0	0.00	0	0.24	1	0.00	0	0.00	0	1.62	3	1.25	4	0.75	3	19.93	35
2483	Salopia	29 12	26 00	-	1.85	9	2.54	8	3.82	8	0.27	5	0.38	2	0.01	1	0.35	1	0.00	0	0.00	0	0.01	1	0.70	5	0.76	4	10.69	44
2484	Maquassi	27 19	26 00	4300	2.69	5	3.68	5	9.22	10	0.98	4	0.16	1	0.00	0	0.00	0	0.00	0	0.00	0	0.46	2	1.40	5	0.32	2	18.91	34
2486	Grootpan	28 03	26 01	4200	3.04	3	2.72	5	5.36	10	0.29	1	0.00	0	0.00	0	0.35	1	0.00	0	0.00	0	0.15	1	0.37	1	1.08	2	13.36	24
2487	Olives	28 19	26 01	4500	3.26	7	4.26	6	4.17	14	0.43	3	0.15	2	0.00	0	0.33	2	0.00	0	0.00	0	0.27	2	0.60	3	1.57	7	15.04	46
2488	Middelkop	28 37	26 01	4288	3.31	6	2.32	3	3.00	5	0.68	2	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.92	2	1.02	4	11.40	23
2490	Toeloop (Riverside)	29 46	26 03	4500	0.73	3	2.42	9	1.34	4	0.18	2	0.00	0	0.00	0	0.25	1	0.00	0	0.00	0	0.15	1	1.27	4	0.66	2	7.00	26
2491	Brandewynskuil	27 24	26 04	4200	3.42	4	4.21	4	6.25	7	1.57	4	0.16	1	0.00	0	0.15	1	0.00	0	0.00	0	0.59	2	0.34	2	0.15	1	16.84	26
2493	Florisbad	28 46	26 04	-	3.03	5	3.50	6	3.07	5	0.46	2	0.00	0	0.00	0	0.20	1	0.00	0	0.00	0	0.06	1	1.35	3	1.26	4	12.93	27
2495	Kmalpoort	29 54	26 04	4800	0.19	1	2.29	3	1.46	3	0.00	0	0.75	1	0.00	0	0.25	1	0.00	0	0.00	0	0.58	2	1.55	2	1.20	1	8.27	(14)
2498	Driekoppies	27 28	26 07	4200	2.55	5	2.34	4	7.31	9	0.56	2	0.22	1	0.00	0	0.09	1	0.00	0	0.00	0	0.18	1	0.38	2	0.45	3	14.08	28
2499	Bainsvlei	29 03	26 07	-	1.94	4	3.15	3	2.47	5	1.01	3	0.38	1	0.00	0	0.27	1	0.00	0	0.00	0	0.00	0	1.57	2	1.81	2	12.60	21
2500	Puntjiesfontein	29 41	26 06	4550	0.45	3	3.38	7	1.81	7	0.42	2	0.34	3	0.00	0	0.40	1	0.00	0	0.00	0	0.00	0	0.90	2	1.23	2	8.93	27
2501	Uitkyk	27 17	26 07	4360	6.56	7	3.57	4	6.33	8	0.17	1	0.07	1	0.00	0	0.00	0	0.00	0	0.00	0	0.53	1	1.29	2	0.71	2	19.23	26
2502	Doornhult	27 33	26 08	4100	2.16	4	2.97	5	6.62	10	0.33	4	0.18	2	0.00	0	0.10	1	0.00	0	0.00	0	0.26	2	0.38	5	0.46	5	13.46	38
2503	Donkerhoek	28 54	26 07	4240	3.02	5	2.63	5	2.21	7	0.60	5	0.15	1	0.00	0	0.21	1	0.00	0	0.00	0	0.00	0	2.40	3	1.09	4	12.31	31
2505	Leeukop	27 03	26 08	4000	2.42	4	1.96	3	5.45	5	0.46	2	0.00	0	0.00	0	0.17	1	0.00	0	0.00	0	0.26	1	0.56	1	0.55	2	11.83	19
2505 M	Mooihoek	28 01	26 09	-	3.23	5	2.16	2	5.05	3	0.00	0	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.40	2	0.90	2	12.04	15

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2507	Wonderklip	29°25'	26°06'	4600	1.88	4	2.98	4	3.97	6	0.62	2	0.62	1	0.00	0	0.32	1	0.00	0	0.00	0	0.31	2	0.73	4	0.40	3	11.47	27
2507 R	Mooitgedacht	27 59	26 08	-	3.98	5	2.70	3	5.38	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.99	3	0.00	0	13.05	17
2508	Bultfontein	28 17	26 09	4350	3.54	6	3.44	2	4.87	8	0.47	1	0.00	0	0.00	0	0.25	1	0.00	0	0.00	0	0.00	0	0.78	2	1.17	2	14.52	22
2509	Karreepan	28 23	26 09	4400	3.83	3	6.26	3	4.83	5	0.32	3	0.18	2	0.00	0	0.43	1	0.00	0	0.00	0	0.00	0	0.00	0	0.46	3	16.31	20
2512	Vredenhof	29 05	26 10	4845	3.82	6	4.17	9	3.88	7	0.77	3	0.00	0	0.00	0	0.41	1	0.00	0	0.00	0	0.00	0	2.32	3	2.24	5	17.61	34
2514	Hedderbsburg	29 39	26 10	4700	1.35	3	3.80	7	2.75	5	0.77	2	0.42	2	0.00	0	0.42	1	0.00	0	0.00	0	0.39	2	1.77	5	0.51	1	12.18	28
2516 A	Bloemfontein Airport	29 07	26 11	4664	3.22	11	3.30	10	3.19	9	0.26	5	0.33	2	0.00	0	0.34	1	0.00	0	0.00	0	0.18	3	2.63	5	1.24	7	14.69	53
2519	Ellenboogsleegte	27 50	26 11	4150	2.93	7	3.32	6	4.89	8	0.40	3	0.44	1	0.00	0	0.22	2	0.00	0	0.00	0	0.55	1	0.00	0	1.07	3	13.82	31
2521	Salsmanspan	28 29	26 12	4320	2.09	4	3.66	7	3.78	6	0.65	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.43	1	0.69	2	0.35	1	11.65	23
2524	Voeruitsicht	28 06	26 15	4183	3.95	5	3.80	6	5.41	10	0.40	2	0.35	1	0.02	1	0.07	1	0.00	0	0.00	0	0.00	0	0.36	1	1.42	4	15.78	31
2525	Bloemfontein (Waverley Road)	29 05	26 15	4700	2.99	8	3.19	7	3.30	8	0.29	2	0.39	2	0.00	0	0.38	1	0.00	0	0.00	0	0.23	2	2.14	3	2.03	5	14.94	38
2526	Bloemfontein (Arboretum)	29 06	26 13	4550	2.99	8	2.91	6	3.88	7	0.33	3	0.40	3	0.00	0	0.35	1	0.00	0	0.00	0	0.28	4	2.11	3	1.74	4	14.99	39
2527	Bloemfontein (St. Michaels School)	29 07	26 13	4550	2.93	9	4.16	9	4.17	7	-	-	-	-	0.00	0	0.00	0	0.00	0	0.00	0	0.21	3	2.14	2	1.62	5	(15.23	35)
2527 A	Leeuwdoornstad	27 14	26 14	4326	4.30	5	3.54	3	7.88	9	1.10	3	0.16	1	0.00	0	0.19	1	0.00	0	0.00	0	0.88	2	0.68	3	0.88	2	19.61	29
2529	Commandodrift	27 29	26 14	4071	3.41	5	4.42	7	1.90	5	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.25	1	0.00	0	0.00	0	10.13	19
2530	Bloemfontein (Kings Park)	29 08	26 13	4550	3.01	8	3.60	7	3.26	6	0.34	3	0.36	2	0.03	1	0.32	1	0.00	0	0.00	0	0.12	1	2.65	3	1.29	3	14.98	35
2531	Beervlei	29 30	26 14	4765	1.18	2	2.36	5	3.93	7	1.32	3	0.45	1	0.00	0	0.32	1	0.00	0	0.00	0	0.51	2	0.95	3	0.98	4	12.00	28
2533	Bayswater	29 05	26 13	4500	3.86	8	3.19	8	3.95	8	0.34	3	-	-	0.03	1	0.43	1	0.00	0	0.00	0	0.29	3	2.33	3	2.11	5	(16.75	40)
2533 A	Carmel-Oos	29 51	26 15	4800	0.00	0	1.91	5	1.94	6	0.07	1	0.77	4	0.00	0	0.00	0	0.00	0	0.00	0	0.31	2	0.72	3	1.36	3	7.08	24
2536	Saamwerk	29 32	26 16	4850	1.70	3	2.56	8	4.41	9	0.91	3	0.50	4	0.00	0	0.28	1	0.00	0	0.00	0	0.44	3	1.05	3	1.01	3	12.86	37
2537	Rietvlei	27 50	26 16	4255	1.87	2	2.98	4	5.28	9	0.17	1	0.37	1	0.00	0	0.21	1	0.00	0	0.00	0	0.24	2	0.35	2	0.87	5	12.34	27
2537 C	Cyfergat	27 05	26 18	-	3.05	4	3.11	3	5.10	9	0.40	1	0.52	2	0.00	0	0.14	1	0.00	0	0.00	0	0.85	2	0.80	1	0.59	1	14.56	24
2538	Boesmansberg	28 34	26 18	4642	2.88	9	3.86	8	4.28	11	0.55	2	0.21	1	0.00	0	0.16	1	0.00	0	0.00	0	0.33	2	1.08	3	1.65	7	15.00	44
2541	Rosendal	29 41	26 18	5000	0.42	1	3.54	6	1.85	1	0.43	1	0.85	3	0.00	0	0.32	1	0.00	0	0.00	0	0.00	0	1.06	1	0.61	1	9.08	(15)
2542	Brakfontein	28 01	26 19	4100	1.79	4	4.22	7	6.15	7	0.23	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.24	1	1.45	1	14.08	21
2542 M	Meyerton	28 21	26 19	-	3.35	5	3.21	3	3.77	6	0.00	0	0.19	1	0.31	1	0.00	0	0.00	0	0.00	0	0.00	0	1.03	1	0.36	2	12.22	19
2543	Glen Kollege	28 58	26 19	4279	1.89	5	2.65	8	2.99	8	0.49	4	0.18	1	0.00	0	0.15	1	0.00	0	0.00	0	0.17	3	1.63	2	1.68	5	11.83	37
2544	Bloemspruit	29 07	26 18	4388	2.91	4	4.56	6	3.55	8	0.32	2	0.42	2	0.00	0	0.35	1	0.00	0	0.00	0	0.16	1	2.16	4	1.65	2	16.08	30
2545	Shannon Valley	29 08	26 19	4470	2.72	6	3.75	9	3.73	6	0.76	4	0.26	3	0.01	1	0.29	1	0.00	0	0.00	0	0.17	2	1.85	4	2.32	6	15.86	42
2546 A	Welgevonden	29 17	26 20	4650	0.87	1	3.26	4	4.50	4	0.00	0	0.00	0	0.00	0	0.35	1	0.00	0	0.00	0	0.70	1	0.92	3	0.67	2	11.27	16
2547	Erasmusfontein	29 27	26 20	4800	1.34	3	2.97	2	5.01	6	0.00	0	0.30	2	0.00	0	0.34	1	0.00	0	0.00	0	0.00	0	0.42	2	0.49	2	10.87	18
2548	Laspoort	29 48	26 20	4848	0.82	2	2.27	7	1.27	5	0.19	2	0.40	5	0.00	0	0.20	1	0.00	0	0.00	0	0.46	2	1.40	5	0.43	2	7.44	31
2550	Vogelstruispan	27 44	26 21	4150	4.39	4	2.50	5	5.40	9	0.20	2	0.25	1	0.00	0	0.12	1	0.00	0	0.00	0	0.21	2	0.31	1	1.39	2	14.77	27
2550 A	Houtenbek	28 52	26 21	4483	2.91	6	2.44	6	2.76	5	0.50	3	0.23	1	0.00	0	0.18	1	0.00	0	0.00	0	0.28	3	2.50	3	1.71	6	13.51	34
2553	Hendrik Theron	27 31	26 16	4260	2.89	5	1.73	3	5.12	9	0.60	3	0.20	1	0.00	0	0.10	1	0.00	0	0.00	0	0.37	2	0.15	1	1.03	4	12.19	29

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2554	Wesselsbron	27°51'	26°22'	4349	2.03	4	3.15	4	4.77	11	0.85	3	0.22	1	0.00	0	0.10	1	0.00	0	0.00	0	0.00	0	0.27	1	0.72	4	12.11	29
2556	Eshcshskop	28 40	26 24	4500	2.38	3	3.23	5	4.07	7	0.25	2	0.19	1	0.00	0	0.08	1	0.00	0	0.00	0	0.13	1	1.34	3	0.65	2	12.32	25
2556 A	Karreefontein	28 53	26 23	4500	2.13	5	3.92	6	2.82	3	0.53	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.27	1	2.80	3	1.63	6	14.10	26
2557	Masilspoort	29 02	26 25	4336	2.80	8	3.03	10	3.83	10	0.29	2	0.25	2	0.03	1	0.23	1	0.00	0	0.00	0	0.21	3	2.25	5	1.46	5	14.38	47
2558	Matjespruit	27 07	26 23	4200	2.11	6	3.11	6	5.27	14	2.00	7	0.46	2	0.00	0	0.00	0	0.00	0	0.00	0	0.41	4	1.20	4	1.86	5	16.42	48
2560	Tussen-Vier	29 13	26 25	4690	1.36	4	4.82	5	3.56	4	0.00	0	0.00	0	0.00	0	0.20	1	0.00	0	0.00	0	0.30	1	1.80	3	1.01	1	13.05	19
2561	Donkerhoek	29 53	26 24	5050	1.46	4	5.37	11	0.98	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.11	3	1.07	2	10.99	23
2563	Doornplaats	27 02	26 23	4325	2.78	6	1.47	3	5.56	9	1.26	4	0.33	1	0.00	0	0.14	1	0.00	0	0.01	1	0.77	3	2.33	4	1.99	7	16.64	39
2564	Hoopvlei	27 58	26 29	4250	3.28	6	1.98	8	5.40	11	0.28	2	0.34	2	0.00	0	0.10	1	0.00	0	0.00	0	0.14	2	0.68	3	0.80	6	13.00	41
2564 A	Elba	29 09	26 27	-	3.52	8	3.59	9	5.30	9	0.57	5	0.32	3	0.00	0	0.20	1	0.00	0	0.00	0	0.42	5	2.00	5	1.76	6	17.68	51
2565	Niekerksvlei	29 30	26 25	4890	1.99	5	2.44	4	4.30	6	0.12	1	0.25	1	0.00	0	0.32	1	0.00	0	0.00	0	0.29	1	0.93	3	0.58	2	11.22	24
2566	Blaauwbeskop	29 32	26 27	4890	1.69	5	2.59	5	3.87	6	0.60	2	0.53	3	0.00	0	0.31	1	0.00	0	0.00	0	0.29	1	1.09	3	0.28	1	11.05	27
2567	Meladrift	28 04	26 27	4200	3.07	9	5.70	6	5.65	12	0.23	1	0.40	1	0.00	0	0.10	1	0.00	0	0.00	0	0.00	0	0.41	1	1.22	2	16.78	33
2568	Brandfort	28 42	26 27	4600	3.44	5	4.60	10	3.20	13	0.25	2	0.24	2	0.00	0	0.10	1	0.00	0	0.00	0	0.39	5	1.09	3	1.35	6	14.66	47
2569	Moolhoek	28 58	26 29	-	1.66	3	1.65	2	4.88	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.22	2	1.74	2	12.15	13
2570	Middelpoort	29 20	26 30	4700	2.26	4	1.79	4	2.71	7	0.10	2	0.18	2	0.00	0	0.00	0	0.00	0	0.00	0	0.51	2	1.33	2	0.83	4	9.71	27
2571	Grootkuil	28 13	26 30	4200	3.13	5	4.88	6	3.77	8	0.00	0	0.55	1	0.00	0	0.25	1	0.00	0	0.00	0	0.14	1	0.55	1	1.25	3	14.52	26
2572	Pelserskraal	28 29	26 30	4350	5.73	7	4.19	8	4.69	12	0.67	2	0.28	1	0.00	0	0.07	1	0.00	0	0.00	0	0.17	1	0.58	4	0.54	5	16.92	41
2574	Helpmekaar	29 48	26 31	5308	1.03	2	2.91	5	2.65	5	0.00	0	0.73	3	0.00	0	0.28	1	0.00	0	0.00	0	0.80	2	1.88	3	1.22	3	11.50	24
2575	Vlakfontein	28 52	26 32	4580	0.96	2	2.32	4	4.32	5	0.00	0	0.21	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.72	2	0.77	1	9.30	15
2576	Hanoverspan	27 33	26 34	4200	3.06	7	1.40	3	4.22	7	0.80	3	0.36	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.55	5	11.39	26
2577	Tygerpoort	29 26	26 09	4700	2.16	6	1.77	5	3.79	6	0.53	3	0.21	1	0.00	0	0.34	1	0.00	0	0.00	0	0.25	1	1.05	3	0.73	3	10.83	29
2577 A	Tygerpoort	29 26	26 09	-	2.00	5	2.91	6	4.54	7	0.64	3	0.24	1	0.00	0	0.32	1	0.00	0	0.00	0	0.00	0	0.89	3	0.70	3	12.24	29
2578	Bulsberg	29 40	26 33	5200	1.04	2	3.27	6	3.26	6	0.42	1	0.62	4	0.00	0	0.21	1	0.00	0	0.00	0	0.68	2	1.55	4	0.67	2	11.72	28
2579	Helvetia	29 53	26 33	5200	0.87	3	2.77	5	2.21	10	0.40	1	0.40	2	0.00	0	0.00	0	0.00	0	0.00	0	0.65	2	2.07	4	1.82	3	11.19	30
2580 A	Mahempruit	27 59	26 34	4325	2.90	6	1.76	5	4.53	11	0.42	3	0.26	2	0.00	0	0.08	1	0.00	0	0.00	0	0.13	4	0.48	2	1.69	7	12.25	41
2586	Wardenfield	28 54	26 36	4600	1.20	2	1.15	1	3.07	5	0.25	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.71	2	0.99	2	7.37	13
2588	Bothaville	27 23	26 37	4180	3.98	4	3.87	7	6.55	11	1.44	3	0.69	1	0.00	0	0.23	1	0.00	0	0.00	0	0.70	3	0.53	2	2.58	5	20.57	37
2589	Rietfontein	29 27	26 37	5000	2.34	4	3.76	6	6.21	8	0.42	1	0.63	2	0.00	0	0.18	1	0.00	0	0.00	0	0.40	1	1.74	4	0.73	3	16.43	30
2590	Koodepoort	29 37	26 36	4947	1.79	3	3.09	5	4.85	6	0.44	2	0.20	1	0.00	0	0.20	1	0.00	0	0.00	0	0.58	1	1.02	3	0.50	1	12.67	23
2591	Malika	29 07	26 39	4600	2.15	8	1.76	7	6.66	9	0.41	4	0.35	3	0.00	0	0.00	0	0.00	0	0.00	0	0.56	4	2.06	4	2.05	3	16.08	42
2592	Nieuwjaarsfontein	29 31	26 38	5000	1.81	3	3.01	7	5.79	7	0.55	2	0.40	2	0.00	0	0.20	1	0.00	0	0.00	0	0.50	3	1.42	4	0.98	4	14.66	33
2593	Bultfontein	29 38	26 38	5275	2.04	5	2.64	8	4.69	7	0.49	2	0.51	2	0.00	0	0.20	1	0.00	0	0.00	0	0.43	2	1.16	4	1.03	2	13.19	33
2593 A	Meeikraal	29 02	26 40	4680	-	-	1.19	3	4.65	3	0.25	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.10	1	1.40	2	(9.39	10)
2596	De Klerk's Kraal	28 08	26 41	4250	2.27	-	2.98	5	4.26	6	0.00	0	0.00	0	0.00	0	0.20	1	0.00	0	0.00	0	0.25	1	0.53	1	1.10	1	11.39	(15)

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2596 A	Abrahamshof	28°24'	26°40'	4286	2.87	4	3.23	5	3.67	10	0.00	0	0.49	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.80	2	0.40	1	12.46	23
2597	Kildare	29 31	26 41	4980	1.83	3	3.86	7	5.20	8	0.45	2	0.40	3	0.00	0	0.07	1	0.00	0	0.00	0	0.75	2	1.59	4	0.68	2	14.83	32
2598	Demetsdorp	29 35	26 40	5100	2.18	6	3.19	8	4.35	10	0.80	3	0.60	4	0.00	0	0.15	1	0.00	0	0.00	0	0.22	2	1.21	4	0.81	5	13.51	43
2599	Odendaalsrust	27 52	26 41	4440	2.26	4	1.70	4	5.33	7	0.93	4	0.32	1	0.00	0	0.09	1	0.00	0	0.00	0	0.18	1	0.28	3	1.26	6	12.35	31
2600	Kromdraai	29 14	26 41	4541	-	-	-	-	3.20	6	0.55	3	0.30	1	0.00	0	0.20	1	0.00	0	0.00	0	0.00	0	0.75	3	1.28	3	(6.28	17)
2601	Eden	27 14	26 41	4300	3.19	6	2.98	5	6.24	12	0.68	5	0.60	2	0.00	0	0.12	1	0.00	0	0.00	0	0.38	2	0.31	2	2.10	5	16.60	40
2602	Avondsrust	28 17	26 42	4550	2.13	2	4.35	7	3.75	7	0.74	1	0.37	1	0.00	0	0.30	1	0.00	0	0.00	0	0.40	3	0.56	2	0.62	3	13.22	27
2603 B	Kilmarnoch	29 23	26 42	-	2.66	6	4.11	6	5.29	8	0.74	3	0.47	3	0.00	0	0.15	1	0.00	0	0.00	0	0.30	2	1.50	3	0.97	3	16.19	35
2607	Mentzburg	29 53	26 43	5050	0.64	2	2.06	5	4.01	7	0.81	2	0.32	2	0.00	0	0.00	0	0.00	0	0.00	0	0.65	2	1.62	4	1.21	2	11.32	26
2608	Mount Barnard	28 41	26 46	4690	1.88	3	2.61	5	2.88	4	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.71	3	0.70	1	8.78	16
2608 A	Vierfontein	27 05	26 45	4350	2.37	4	1.73	3	4.50	10	0.73	3	0.72	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.28	4	3.45	4	14.78	29
2609	Grootspruit	27 43	26 46	4320	4.84	9	1.24	8	5.70	14	0.56	5	0.51	2	0.00	0	0.24	1	0.00	0	0.00	0	0.62	6	0.63	4	2.21	8	16.55	57
2610	Vogelstruiskooi	29 03	26 46	4857	2.96	8	4.17	8	5.26	8	0.34	1	0.34	2	0.00	0	0.23	1	0.00	0	0.00	0	0.00	0	2.04	3	1.99	5	17.33	36
2612	Cliff	29 29	26 46	4865	2.87	7	4.00	9	6.04	13	0.35	3	0.46	2	0.00	0	0.18	1	0.00	0	0.00	0	0.42	3	1.54	4	1.49	3	17.35	43
2613	Kafferskop	29 42	26 48	5100	1.32	2	3.05	4	3.60	6	0.00	0	0.40	1	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	1.05	3	1.51	3	11.33	20
2613 A	Verkeerdevlei	28 50	26 47	4769	3.09	11	3.26	11	3.64	8	0.88	2	0.50	1	0.00	0	0.00	0	0.00	0	0.00	0	0.54	5	1.74	3	0.94	2	14.59	43
2614	Franciens	28 57	26 44	4950	2.98	8	3.08	10	5.32	11	0.46	2	0.36	2	0.03	1	0.12	1	0.01	1	0.00	0	0.00	0	1.77	3	1.71	4	15.84	43
2615	Richmond	27 36	26 49	4292	3.41	8	1.00	3	7.20	13	0.50	2	0.58	1	0.00	0	0.20	1	0.00	0	0.00	0	0.28	2	0.64	1	2.78	4	16.59	35
2616	Corona	28 01	26 48	4450	2.23	3	1.37	3	4.80	8	0.00	0	0.67	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.42	1	2.03	4	11.52	20
2618	Newlands	27 52	26 49	4500	2.93	3	1.32	4	5.67	8	0.20	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.10	1	0.46	2	0.49	2	11.17	21
2619	Paardekraal	29 50	26 49	5128	0.77	2	1.91	4	5.27	8	0.00	0	0.20	1	0.00	0	0.00	0	0.00	0	0.00	0	0.12	1	1.24	3	2.43	5	11.94	24
2620	Bovenlandsplaats	27 17	26 52	4540	4.80	5	1.24	4	5.01	9	0.32	2	0.67	1	0.00	0	0.15	1	0.00	0	0.00	0	0.61	1	0.65	3	2.68	7	16.13	33
2621	Vaalkrans	28 39	26 50	4520	2.05	5	4.20	7	4.04	8	0.07	1	0.00	0	0.36	1	0.00	0	0.00	0	0.00	0	0.00	0	1.12	3	0.64	2	12.48	27
2622	Abrahamskraal	29 07	26 50	4900	3.00	6	3.64	6	3.83	11	0.31	3	0.25	1	0.00	0	0.20	1	0.00	0	0.00	0	0.48	4	1.60	3	2.01	6	15.32	41
2623	Geluk	29 35	26 50	5350	2.24	6	3.11	11	10.17	9	0.24	1	0.71	4	0.04	1	0.00	0	0.00	0	0.00	0	0.94	5	1.82	5	1.68	4	20.94	46
2624 A	Sandelingskop	28 34	26 52	-	2.41	3	3.17	10	3.47	9	0.55	2	0.35	1	0.00	0	0.00	0	0.00	0	0.00	0	0.51	2	1.56	3	0.35	1	12.37	31
2626	Thaba 'Nchu	29 13	26 51	5000	3.52	5	3.49	8	3.50	10	0.29	2	0.47	4	0.00	0	0.20	1	0.00	0	0.00	0	0.14	2	2.30	3	2.30	5	16.21	40
2627	Kromlaas	29 43	26 53	4900	1.72	5	2.28	6	2.78	6	0.30	2	0.35	3	0.00	0	0.00	0	0.00	0	0.00	0	0.41	2	1.49	6	1.02	4	10.35	34
2628	Donkerkloof	28 15	26 51	4520	2.53	4	2.54	6	3.39	7	0.00	0	0.43	1	0.00	0	0.00	0	0.00	0	0.00	0	0.44	1	1.01	3	1.23	2	11.57	24
2629	Thornhill	27 14	26 53	4400	2.87	4	1.45	2	4.37	8	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.93	2	1.35	2	10.97	18
2630	Levina	28 51	26 53	4724	3.02	5	4.67	8	4.53	11	0.15	1	0.40	1	0.00	0	0.00	0	0.00	0	0.00	0	0.63	2	2.38	2	1.14	3	16.92	33
2631	Melrose	29 30	26 53	5442	3.43	4	2.95	5	4.65	11	0.21	2	0.38	2	0.48	3	0.15	1	0.00	0	0.00	0	0.13	1	1.48	4	1.84	4	15.70	37
2631 A	Avondrust	27 53	26 54	4580	2.26	5	2.22	2	5.75	9	0.44	2	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	0.08	0	0.28	1	0.60	4	11.85	24
2633	Goudboek	28 28	26 51	4750	2.89	7	3.72	12	3.24	13	0.41	5	0.42	2	0.00	0	0.04	1	0.00	0	0.00	0	0.93	3	1.66	2	0.55	7	13.86	52
2634	North End	29 04	26 54	4872	2.55	6	2.70	9	3.90	(6)	0.45	4	0.32	3	0.00	0	0.00	0	0.00	0	0.00	0	0.17	3	2.02	3	1.67	7	13.78	(41)

SECTION 15. RAINFALL -1945- REËNVAL SEKSIE 15.

No.	STATION STASIE	Latitude S. Breedtegr	Longitude E. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Dec Inches Duime	Dec-Dec Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2636	Dartford	29°28'	26°54'	5300	3.94	7	2.63	4	5.08	11	0.30	3	0.48	3	0.38	2	0.15	1	0.00	0	0.00	0	0.37	1	1.45	4	2.33	5	17.11	41
2637	Rustpan	27 25	26 55	4400	3.23	5	2.46	5	5.17	11	1.18	4	0.70	1	0.00	0	0.15	1	0.00	0	0.00	0	0.57	3	0.90	3	3.52	8	17.88	41
2639	Olivine	28 06	26 55	4500	1.85	4	1.22	3	6.29	9	0.55	2	0.42	1	0.00	0	0.00	0	0.00	0	0.00	0	0.77	3	0.40	2	1.50	2	13.00	26
2640	Wilgeboomnek	29 14	26 55	5400	2.55	4	5.03	9	4.73	9	0.53	2	0.70	4	0.00	0	0.22	1	0.00	0	0.00	0	0.21	1	2.07	3	2.06	4	18.10	37
2642	Klipplaatsfontein	27 03	26 55	4295	3.87	6	0.93	1	6.86	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.28	1	1.30	2	1.27	3	14.51	20
2643	Hebron	27 21	26 56	4440	3.42	5	2.11	4	6.71	11	0.98	4	0.68	1	0.00	0	0.25	1	0.00	0	0.00	0	0.25	1	0.80	2	3.69	7	18.39	36
2644 B	Viljoenskroon	27 12	26 57	4335	3.16	6	2.19	7	4.60	10	0.44	2	0.56	1	0.00	0	0.20	1	0.00	0	0.00	0	0.57	3	0.98	4	1.14	6	13.84	40
2646	Rietvlei	28 20	26 57	4730	1.28	2	3.22	7	2.98	10	0.00	0	0.36	1	0.00	0	0.25	1	0.00	0	0.00	0	0.43	3	1.25	1	1.66	5	11.43	30
2646 A	Treefontein	29 23	26 57	5180	2.71	7	3.31	5	3.79	9	0.45	2	0.45	2	0.00	0	0.24	1	0.00	0	0.00	0	0.00	0	1.67	4	1.89	4	14.51	34
2647	Driekop	28 46	26 58	4550	2.84	6	6.64	8	5.22	10	0.56	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.10	1	1.50	2	1.10	3	17.96	32
2649	Doornpoort	28 37	26 59	4500	3.54	6	2.12	7	3.89	9	0.17	1	0.40	1	0.00	0	0.07	1	0.00	0	0.00	0	0.07	1	1.89	4	0.70	4	12.85	34
2651	Meander	29 35	26 59	4900	1.50	2	3.32	7	4.46	7	0.13	1	0.22	1	0.00	0	0.00	0	0.00	0	0.00	0	0.39	2	1.16	2	1.61	4	12.79	26
2652	Waterford	29 43	26 59	4700	2.33	7	3.78	10	6.55	15	0.90	5	0.52	6	0.07	2	0.16	1	0.00	0	0.06	2	0.34	2	1.50	5	2.00	5	18.21	60
2653	Quilimane	29 58	26 59	4985	1.83	5	3.33	7	6.79	8	0.94	3	1.23	5	0.00	0	0.00	0	0.00	0	0.11	1	0.70	3	1.83	6	2.63	3	19.39	41
	SECTION 16.																													
2654	Grassmere	27 21	26 58	4430	3.22	5	2.10	4	5.54	11	1.11	3	0.55	1	0.00	0	0.00	0	0.00	0	0.00	0	0.22	1	0.88	3	2.00	4	15.62	32
2655	Adamsonsvlei	28 00	27 00	4550	1.37	2	2.26	4	5.06	8	0.00	0	0.00	0	0.00	0	0.20	1	0.00	0	0.00	0	0.38	2	0.62	2	1.62	2	11.51	21
2658	Linana	28 55	27 00	4700	2.50	5	6.64	10	5.68	10	0.45	2	0.67	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.45	2	1.37	3	19.76	35
2660	Sweetwater	29 55	27 00	5040	2.17	4	3.45	7	4.95	7	0.10	1	0.88	6	0.00	0	0.00	0	0.00	0	0.00	0	0.62	3	1.29	5	2.78	3	16.24	36
2661	Winburg	28 31	27 01	4700	3.66	7	2.42	8	3.68	14	0.27	2	0.45	1	0.00	0	0.11	1	0.00	0	0.00	0	0.72	3	1.25	4	1.19	5	13.75	45
2661 A	Heathfield	29 24	27 01	-	3.65	8	3.50	11	4.08	11	0.47	5	0.81	5	0.00	0	0.22	1	0.00	0	0.00	0	0.21	4	1.39	4	1.86	5	16.19	54
2662	Weltevreden	29 27	27 01	5060	3.04	5	3.00	4	4.26	9	0.00	0	0.32	1	0.00	0	0.16	1	0.00	0	0.00	0	0.58	2	1.39	3	1.11	2	13.86	27
2663	Enkeldoorn	27 31	27 02	4350	2.10	3	1.70	2	9.15	7	0.62	2	0.50	1	0.00	0	0.05	1	0.00	0	0.00	0	0.00	0	1.29	3	1.01	6	16.42	25
2663 M	Koppiesfontein	28 45	27 02	-	3.60	4	3.85	9	3.70	8	0.60	2	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	1.63	2	0.28	1	14.36	28
2664	Teesspruit	29 11	27 02	5300	3.34	4	3.54	9	3.32	8	0.83	3	0.79	3	0.00	0	0.23	1	0.00	0	0.00	0	0.72	4	1.75	5	2.24	4	16.76	41
2665	Sheans Post	29 17	27 02	5250	2.81	4	3.58	6	4.31	9	0.28	2	0.66	3	0.06	1	0.23	1	0.00	0	0.00	0	0.08	1	1.36	2	1.03	3	14.40	32
2666	Wepener	29 44	27 02	4686	3.37	9	4.69	12	5.69	15	0.64	3	0.63	6	0.10	2	0.17	1	0.00	0	0.03	1	0.26	4	1.98	7	2.29	5	19.85	63
2669	Portland (Whites)	28 01	27 01	4600	2.70	9	1.66	7	5.19	13	0.36	2	0.54	1	0.00	0	0.12	1	0.00	0	0.00	0	0.52	5	1.07	3	1.70	9	13.96	50
2670	Nandjiesfontein	28 10	27 03	4500	2.35	8	2.21	6	3.78	8	0.14	2	0.00	0	0.00	0	0.13	1	0.00	0	0.00	0	1.04	3	0.68	3	1.30	2	11.63	33
2671	Excelsior	28 56	27 04	4800	3.41	7	3.22	8	3.77	11	0.51	2	0.43	1	0.00	0	0.00	0	0.00	0	0.00	0	0.39	3	1.66	3	1.09	1	14.48	36
2674	Wonderboom	29 49	27 02	4700	1.99	3	4.20	5	6.40	8	1.05	2	0.45	1	0.00	0	0.00	0	0.00	0	0.00	0	0.48	1	1.95	6	2.38	2	18.90	28
2674 B	Voorspoed	27 24	27 12	4450	2.66	6	2.62	8	5.44	12	1.48	4	0.84	1	0.00	0	0.16	2	0.00	0	0.00	0	0.00	0	0.95	5	1.23	7	15.38	45
2675	Holfontein	27 53	27 05	4750	2.10	8	(1.32	7)	6.52	13	0.43	4	0.66	2	0.00	0	0.35	1	0.00	0	0.00	0	0.43	4	1.07	5	1.47	8	(14.15	52)
2676	Mon Repos	29 43	27 04	5100	2.66	5	3.81	8	4.83	6	0.53	2	0.72	7	0.00	0	0.15	1	0.00	0	0.00	0	0.30	3	1.57	3	1.74	4	16.30	39

No.	STATION STASIE	Latitude S. Breedtegr	Longitude E. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2678	Hennenman	27°58'	27°02'	4620	2.23	6	1.23	4	4.69	7	0.45	2	0.59	1	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	-	-	2.43	6	(11.92	27)
2679	Beddington	28 26	27 05	4731	1.77	4	3.50	9	4.73	15	0.22	2	0.45	1	0.00	0	0.15	1	0.00	0	0.00	0	1.03	3	1.22	2	0.95	3	14.02	40
2679 A	Morgenson	28 29	27 05	5000	2.36	4	2.03	5	4.94	12	0.00	0	0.48	1	0.00	0	0.14	1	0.00	0	0.00	0	0.49	2	1.50	1	0.34	2	12.28	28
2681	Schimpersvlei	28 49	27 05	4650	3.36	7	3.49	10	4.01	8	0.52	3	0.40	1	0.00	0	0.00	0	0.00	0	0.00	0	0.64	2	2.72	3	1.15	2	16.29	36
2682	Beauchamp Farm	29 10	27 05	-	2.95	6	2.80	8	3.96	9	0.23	1	0.80	3	0.00	0	0.20	1	0.00	0	0.00	0	0.95	5	1.82	2	1.97	4	15.58	39
2683	Sandrivierpoort	28 14	27 05	4565	1.24	4	1.32	5	5.13	9	0.37	2	0.45	1	0.00	0	0.18	1	0.00	0	0.00	0	0.48	3	0.73	3	1.58	4	11.48	32
2685	Anonies	28 55	27 06	4800	2.61	5	4.20	8	2.95	6	0.40	1	0.40	1	0.00	0	0.00	0	0.00	0	0.00	0	0.80	2	2.20	2	1.35	2	14.91	27
2686	Zamenloop	29 34	27 06	4800	3.62	12	2.30	8	5.41	10	0.23	2	0.58	5	0.23	2	0.10	1	0.00	0	0.04	1	0.44	6	1.31	4	1.65	5	15.91	56
2687	Taaibosch	28 19	27 05	4500	1.91	6	1.36	5	3.36	9	0.14	1	0.70	1	0.00	0	0.25	1	0.00	0	0.00	0	0.56	2	-	-	-	-	(8.28	25)
2688 A	Brandsdrift	29 07	27 07	5027	4.00	6	4.96	13	4.02	10	1.00	4	0.54	2	0.00	0	0.09	1	0.00	0	0.00	0	1.00	4	1.77	4	1.75	4	19.13	48
2689	Yaxham	29 18	27 08	5200	5.07	10	3.52	10	3.58	9	0.11	1	0.51	3	0.08	1	0.15	1	0.00	0	0.00	0	0.20	2	1.58	5	2.62	5	17.42	47
2690	Hobhouse	29 31	27 08	4900	2.55	6	3.79	8	5.79	8	0.29	2	0.70	5	0.00	0	0.07	1	0.00	0	0.00	0	0.39	3	1.29	3	1.48	3	16.35	39
2692	Ventersburg	28 05	27 08	4600	2.02	6	2.27	6	4.87	12	0.24	3	0.74	1	0.00	0	0.18	1	0.00	0	0.00	0	0.64	3	0.76	4	0.71	3	12.43	39
2693	Hartebeestfontein	28 33	27 08	4720	3.25	5	3.47	4	4.05	10	0.39	3	0.00	0	0.00	0	0.10	1	0.00	0	0.00	0	0.66	2	1.49	2	1.69	4	15.10	31
2694	Ladysdale	29 59	27 08	5050	1.50	6	3.57	12	6.31	14	0.98	5	1.20	5	0.11	1	0.00	0	0.02	1	0.00	0	0.59	2	1.22	5	3.13	6	18.63	57
2695	Cumberland	27 23	27 08	4590	1.95	3	1.63	1	0.26	2	1.32	2	0.00	0	0.00	0	0.37	1	0.00	0	0.00	0	0.27	1	1.67	6	1.29	4	8.76	20
2696 A	Rustbank	27 48	27 10	4760	2.27	5	0.90	5	5.98	11	0.44	3	0.69	1	0.00	0	0.21	1	0.00	0	0.00	0	0.39	1	1.21	3	0.53	3	12.62	33
2697	Westminster	29 10	27 09	5100	3.49	9	4.00	11	4.66	9	0.40	3	0.70	2	0.00	0	0.11	1	0.00	0	0.00	0	0.95	4	1.91	4	2.65	5	18.87	48
2698	Carrighalt	29 16	27 09	5200	3.71	7	3.01	10	4.34	12	0.24	1	0.58	2	0.05	1	0.12	1	0.00	0	0.00	0	0.32	3	2.01	5	1.88	7	16.26	49
2699	Goedheid	27 02	27 10	4550	3.63	8	1.85	5	4.57	10	0.73	4	0.97	3	0.00	0	0.15	1	0.00	0	0.00	0	0.15	2	1.99	5	2.16	7	16.20	45
2700	Burnett Holme	28 01	27 10	4800	1.67	5	1.13	5	5.72	11	0.45	3	0.70	1	0.00	0	0.17	1	0.00	0	0.00	0	0.56	2	1.04	2	1.29	4	12.73	34
2700 B	Middenspruit	27 35	27 09	4500	1.21	4	3.68	6	6.75	12	0.35	1	0.45	1	0.00	0	0.15	1	0.00	0	0.00	0	0.00	0	0.60	2	1.19	6	14.38	33
2701	Net Loc	28 31	27 12	4800	2.77	5	3.16	5	4.31	10	0.00	0	0.61	1	0.00	0	0.13	1	0.00	0	0.00	0	0.55	2	1.70	2	0.20	1	13.43	27
2702	Marée	28 42	27 11'	4700	2.79	7	2.65	7	5.00	11	0.30	2	0.55	1	0.00	0	0.00	0	0.00	0	0.00	0	0.16	1	1.38	2	0.50	1	13.33	32
2703	Burgundy	29 14	27 11	5100	1.95	4	0.70	4	2.47	6	0.48	1	0.63	3	0.00	0	0.10	1	0.00	0	0.00	0	1.33	3	1.88	2	2.20	6	11.74	30
2704	Môreson	28 49	27 12	4750	3.87	8	4.06	10	3.64	13	0.19	3	0.53	2	0.00	0	0.00	0	0.00	0	0.00	0	0.28	2	1.52	3	1.43	5	15.52	46
2705	Wargundy	29 16	27 12	5100	3.16	7	2.91	10	4.51	10	0.29	1	0.58	2	0.00	0	0.11	1	0.00	0	0.00	0	0.76	4	2.15	5	2.07	4	16.54	44
2706	Waterland	29 13	27 13	5170	3.03	8	3.55	12	4.19	11	0.45	3	0.66	4	0.05	1	0.10	1	0.00	0	0.00	0	1.08	5	1.77	3	2.35	6	17.23	54
2707	Broxton	29 13	27 11	-	3.55	5	4.11	13	5.39	9	0.42	1	0.59	2	0.08	1	0.15	1	0.00	0	0.00	0	1.39	4	2.46	6	2.68	5	20.82	47
2708	Cremen	29 21	27 14	5400	3.10	4	1.22	5	3.62	7	0.26	1	0.65	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.64	2	1.22	1	11.71	22
2709	Middelweg	27 17	27 14	4420	2.68	6	2.10	2	6.76	9	0.00	0	0.93	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.60	1	0.76	2	13.83	21
2709 A	Breslersflat	28 46	27 14	4850	3.59	9	4.26	-	3.70	11	0.66	3	0.53	1	0.00	0	0.00	0	0.00	0	0.00	0	0.44	3	1.35	2	1.25	2	15.78	(31)
2710	Danger Point	28 53	27 14	5000	2.27	4	5.40	6	4.55	9	0.57	1	0.55	1	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	2.35	2	1.50	4	17.39	28
2713	Mafeteng	29 49	27 15	5300	1.84	8	5.69	11	5.83	15	0.58	4	1.40	7	0.03	1	0.15	1	-	-	0.00	0	0.67	4	2.46	5	2.72	6	(21.37	62)
2713 A	Kroonstad Cereal Station	27 36	27 14	4740	2.89	5	1.37	5	6.60	18	0.42	5	0.50	1	0.00	0	0.16	2	0.00	0	0.00	0	0.23	3	0.60	3	2.44	12	15.21	54

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude E. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2714	Kroonstad (Parks)	27°40'	27°14'	4423	2.80	8	2.58	8	6.44	16	0.59	4	0.50	1	0.00	0	0.19	2	0.00	0	0.00	0	0.20	4	0.97	4	1.75	12	16.02	59
2715	Kroonstad	27 40	27 14	4400	2.56	6	(2.32	3)	5.92	13	0.80	2	0.45	1	0.00	0	0.15	1	0.00	0	0.00	0	0.00	0	0.77	4	2.19	11	(15.16	41)
2716	Handfontein	27 29	27 15	4600	3.50	5	1.82	4	4.53	8	0.31	2	0.75	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.70	2	1.73	6	13.34	28
2717	Leeuwspruit	27 49	27 14	4600	2.28	6	1.43	7	6.62	14	0.84	6	0.64	1	0.00	0	0.24	1	0.00	0	0.00	0	0.24	2	0.70	3	0.74	7	13.73	47
2718 M	Pot-the-Red	28 45	27 14	-	2.80	6	4.29	8	3.62	7	0.47	4	0.52	1	0.00	0	0.06	1	0.00	0	0.00	0	0.55	4	1.35	2	1.20	5	14.86	38
2719	Wolwekop	27 48	27 17	4450	3.50	7	1.05	7	6.66	12	0.64	5	0.56	1	0.00	0	0.16	1	0.00	0	0.00	0	0.27	3	0.66	4	0.82	6	14.32	46
2720	Welgevonden	28 10	27 13	4600	3.58	3	1.74	4	5.21	10	0.41	2	1.50	2	0.00	0	0.00	0	0.00	0	0.00	0	1.87	4	0.59	4	1.13	6	16.03	35
2721	Zorgvliet	29 07	27 16	5400	3.31	5	4.51	8	3.90	11	0.30	2	0.74	3	0.00	0	0.00	0	0.00	0	0.00	0	0.60	3	2.31	4	2.43	5	18.10	41
2721 A	Swartkoppie	27 54	27 15	4640	1.69	2	2.24	2	6.92	10	0.00	0	0.97	1	0.00	0	0.23	1	0.00	0	0.00	0	0.72	3	0.44	2	0.46	2	13.67	23
2722	Bakensvlakte	28 20	27 16	4550	1.42	5	2.27	6	4.33	11	0.34	4	0.66	1	0.00	0	0.25	1	0.00	0	0.00	0	0.58	2	1.12	4	0.91	4	11.88	38
2723	Rust-U-Marie	29 10	27 18	5450	3.72	7	2.02	7	3.64	12	0.41	3	0.60	3	0.00	0	0.06	1	0.00	0	0.00	0	0.59	3	1.85	4	1.93	3	14.82	43
2724	Commissiepoort	29 19	27 17	5440	2.52	6	1.66	6	5.85	11	0.28	1	1.10	3	0.11	1	0.00	0	0.00	0	0.00	0	0.75	1	0.85	2	2.38	4	15.50	35
2725	Hartsbeestlaagte	27 15	27 18	4450	1.98	5	1.92	4	5.97	8	0.00	0	0.84	1	0.00	0	0.00	0	0.00	0	0.00	0	0.26	1	0.96	1	1.04	3	12.97	23
2726	Tweespruit	27 32	27 18	4690	3.89	7	2.52	5	5.54	11	0.36	1	0.81	1	0.00	0	0.10	1	0.00	0	0.00	0	0.00	0	0.58	3	2.04	8	15.84	37
2727	Klein-in-Breuk	27 58	27 18	4900	1.78	4	2.52	4	5.93	8	0.11	1	0.80	1	0.00	0	0.20	1	0.00	0	0.00	0	1.08	3	0.60	2	0.80	4	13.82	28
2728	Maquatlingsnek	28 59	27 18	5100	2.69	3	5.12	9	5.31	8	0.32	1	0.71	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.94	4	2.27	2	19.36	28
2729	Convamore	29 27	27 19	5160	2.50	7	2.63	9	4.33	9	0.00	0	0.72	2	0.00	0	0.10	1	0.00	0	0.00	0	0.10	1	1.34	3	1.51	3	13.23	35
2731	Flora	28 48	27 19	5000	2.13	4	5.41	11	3.95	14	0.32	1	0.74	4	0.00	0	0.07	1	0.00	0	0.00	0	0.54	4	1.56	3	1.20	4	15.92	46
2733	Bella Vista	28 28	27 21	4700	3.54	5	3.61	7	3.91	8	0.00	0	0.67	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.86	2	1.11	2	13.70	25
2734	Vredefort	27 00	27 22	4690	2.42	4	1.82	4	7.48	7	1.00	3	1.05	1	0.00	0	0.21	1	0.00	0	0.00	0	0.00	0	1.86	4	1.55	4	17.39	28
2735	Verblyding	27 28	27 22	4560	3.41	7	2.40	4	5.65	10	0.43	1	0.82	1	0.00	0	0.20	1	0.00	0	0.00	0	0.16	3	0.00	0	2.10	11	15.17	38
2736 A	Mokhalinyane	29 20	27 30	-	0.95	4	2.40	7	5.75	6	0.00	0	0.44	3	0.03	1	0.10	1	0.00	0	0.00	0	0.25	1	1.61	5	1.96	5	13.49	33
2737	Fraai Uitzig	27 30	27 23	4640	3.23	6	2.18	7	6.02	6	0.24	1	0.77	1	0.00	0	0.00	0	0.00	0	0.00	0	0.10	1	2.00	6	1.65	4	16.19	32
2738	Lubbespruit	27 59	27 23	4900	2.95	6	3.24	6	5.97	8	0.10	1	0.60	1	0.00	0	0.00	0	0.00	0	0.00	0	1.15	3	0.92	3	0.95	3	15.88	31
2739	Goedamoed	28 45	27 23	5050	4.19	8	4.63	9	3.99	10	0.19	2	0.64	3	0.00	0	0.00	0	0.00	0	0.00	0	0.67	3	1.38	3	0.99	6	16.68	44
2740	Barletta	29 00	27 24	5500	2.82	2	5.67	7	5.78	7	0.52	2	1.18	5	0.00	0	0.00	0	0.00	0	0.00	0	0.44	1	2.89	4	3.42	3	22.72	31
2741	Skaapplaas	28 10	27 24	4850	1.77	5	1.84	7	5.72	12	0.10	1	0.75	1	0.00	0	0.19	1	0.00	0	0.00	0	0.76	4	0.62	4	1.88	6	13.63	41
2743	Heuningspruit	27 27	27 25	4600	3.54	9	1.28	4	4.92	8	0.46	2	0.99	1	0.00	0	0.13	1	0.00	0	0.00	0	1.54	5	0.37	3	1.41	9	14.64	42
2744	Fonteinlaagte	27 41	27 25	4700	2.66	5	2.32	4	3.32	4	0.35	1	0.96	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	0.39	3	10.20	19
2744 A	Thabana Morena	29 57	27 25	-	2.94	7	4.75	7	3.93	10	0.23	3	1.39	4	0.00	0	0.12	1	0.00	0	0.09	1	0.72	2	2.07	5	2.39	5	18.63	45
2746	Marquard	28 40	27 26	4950	1.88	7	3.48	9	3.38	11	0.53	2	0.56	1	0.00	0	0.00	0	0.00	0	0.00	0	0.19	2	1.10	2	0.68	3	11.80	37
2747	Belmont	28 50	27 26	5300	2.73	6	6.18	9	8.41	13	0.55	5	0.78	1	0.00	0	0.00	0	0.00	0	0.00	0	0.77	3	2.39	6	1.39	5	23.20	45
2748	Ladybrand	29 10	27 26	5840	3.64	7	5.48	11	4.94	13	0.77	4	0.93	6	0.06	1	0.03	1	0.00	0	0.00	0	1.06	5	2.36	6	2.56	7	21.83	61
2752	Roodekraal	28 03	27 27	4930	1.61	4	1.06	5	5.78	9	0.08	1	0.60	1	0.00	0	0.00	0	0.00	0	0.00	0	0.86	4	0.48	2	1.26	3	11.74	29
2753	Cradock	27 02	27 27	4650	2.46	6	1.93	6	5.21	11	0.41	2	0.93	1	0.00	0	0.00	0	0.00	0	0.00	0	0.27	2	0.30	2	0.45	2	11.96	32

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2755	Alma	28°54'	27°28'	5250	2.92	7	4.33	12	5.87	12	0.45	3	0.79	5	0.03	1	0.00	0	0.00	0	0.00	0	0.44	5	2.39	7	1.28	4	18.50	56
2756	Keble	28 57	27 27	5500	2.97	5	4.36	10	6.08	9	0.45	2	0.80	2	0.00	0	0.00	0	0.00	0	0.00	0	0.36	2	2.83	6	2.14	3	19.99	39
2757	Modderpoort	29 06	27 27	5283	3.00	7	4.91	15	5.69	23	0.81	21	0.87	6	0.05	1	0.03	1	0.00	0	0.00	0	0.94	7	3.03	8	2.45	6	21.76	95
2758	Borneo	29 04	27 26	5400	2.32	5	6.88	11	5.33	12	0.93	6	1.04	5	0.05	1	0.05	1	0.00	0	0.00	0	0.88	4	3.16	5	2.94	7	23.58	57
2759	Ladybrand	29 12	27 27	5200	2.58	7	4.90	10	4.93	10	0.16	1	1.00	5	0.07	1	0.03	1	0.00	0	0.00	0	1.21	3	2.32	3	2.52	7	19.72	48
2760	Dunkeld	27 18	27 27	4500	1.68	7	2.11	9	5.87	13	0.51	4	0.78	1	0.00	0	0.15	2	0.00	0	0.00	0	0.28	2	0.35	3	2.09	8	13.82	49
2761	Riensi	27 45	27 29	4700	1.05	2	1.83	4	4.55	6	0.00	0	0.60	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.25	1	8.28	14
2761 A	Matonshoek	28 40	27 30	5500	2.62	7	3.28	8	6.36	14	0.24	1	0.69	1	0.00	0	0.00	0	0.00	0	0.00	0	0.60	2	2.13	3	2.06	6	17.98	42
2762	Maseru	29 19	27 29	5123	3.04	7	3.73	9	4.50	11	(0.20	2)	0.88	3	0.00	0	0.09	1	0.00	0	0.00	0	0.66	3	1.70	4	2.07	6	(16.87	46)
2763	Morgenrood	27 21	27 33	4540	2.28	6	1.47	3	5.16	9	0.45	2	0.76	1	0.00	0	0.15	1	0.00	0	0.00	0	0.35	2	0.29	2	1.23	7	12.14	33
2764 A	Ina	28 14	27 32	4939	1.82	6	1.47	4	4.88	8	0.30	4	0.75	1	0.00	0	0.15	1	0.00	0	0.00	0	0.52	2	0.91	2	1.36	5	12.16	33
2765	Rafidim	29 09	27 32	5120	2.58	7	5.42	11	6.07	13	0.42	4	1.01	4	0.07	1	0.00	0	0.00	0	0.00	0	0.88	5	1.74	4	1.90	5	20.09	54
2767	Gordonia	28 08	27 32	5100	2.87	4	2.16	3	6.35	10	0.00	0	0.50	1	0.00	0	0.20	1	0.00	0	0.00	0	0.78	2	0.76	3	0.86	3	14.48	27
2770 A	Botsabelo	29 22	27 31	-	4.85	9	3.50	11	6.69	14	0.57	2	1.55	6	0.15	1	0.22	1	0.00	0	0.01	1	0.71	4	3.04	5	3.14	8	24.43	62
2771	Kopjesdam	27 14	27 36	4550	3.88	7	3.67	3	4.35	7	0.62	1	1.15	1	0.00	0	0.05	1	0.00	0	0.00	0	0.29	2	0.57	1	2.95	9	17.53	32
2774	Goedehoop	27 20	27 35	4580	2.01	6	1.57	3	4.34	9	0.54	1	0.84	1	0.00	0	0.00	0	0.00	0	0.00	0	0.49	2	1.16	5	0.48	4	11.43	31
2775 A	Ford	28 53	27 34	5240	1.49	3	4.51	8	5.78	11	0.60	2	0.55	1	0.00	0	0.00	0	0.00	0	0.00	0	0.78	3	2.02	3	0.49	1	16.22	32
2776	Clocolan	28 55	27 34	5250	2.23	7	4.60	9	7.77	10	0.76	5	0.85	2	0.00	0	0.00	0	0.00	0	0.00	0	0.55	2	2.39	5	1.06	5	20.21	45
2779	Wesselsdeel	27 59	27 34	4970	1.08	4	1.51	4	3.78	6	0.20	1	0.70	1	0.00	0	0.00	0	0.00	0	0.00	0	0.72	2	0.70	3	1.55	7	10.24	28
2780	Cambria	29 03	27 35	5100	2.37	8	5.68	13	6.46	14	0.58	6	0.97	4	0.04	1	0.00	0	0.00	0	0.00	0	0.47	5	2.81	5	2.44	9	21.82	65
2781	Steynsrust	27 56	27 35	5000	2.59	4	1.07	3	5.40	5	0.00	0	0.75	1	0.00	0	0.18	1	0.00	0	0.00	0	0.40	1	0.41	1	1.15	3	11.95	(29)
2782	Steynsrust	27 57	27 34	5000	2.40	5	1.39	2	6.07	6	0.28	1	0.70	1	0.00	0	0.21	1	0.00	0	0.00	0	0.12	1	0.35	1	1.25	5	12.77	23
2783	Lambertina	28 49	27 36	5400	2.41	6	6.20	8	6.09	13	0.44	2	0.91	2	0.06	1	0.09	1	0.00	0	0.00	0	0.37	1	2.44	3	1.34	4	20.35	41
2784	Mpharane	30 00	27 35	-	3.11	7	3.06	7	6.08	14	0.41	3	2.22	2	0.00	0	0.33	1	0.00	0	0.00	0	0.82	4	2.39	6	3.14	5	21.56	49
2785	Bethel	28 10	27 37	5089	2.34	6	3.40	4	6.15	8	0.00	0	0.45	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.07	4	1.69	5	15.10	28
2786	Sonskal	28 19	27 37	4700	2.57	7	2.67	3	5.30	11	0.14	2	0.55	1	0.00	0	0.12	1	0.00	0	0.00	0	1.30	3	0.48	3	1.59	5	14.72	36
2787	Platkop	28 58	27 38	5420	1.99	4	3.33	10	6.15	13	0.28	1	0.74	1	0.00	0	0.00	0	0.00	0	0.00	0	0.80	1	2.26	5	1.11	2	16.66	37
2787 A	Witkyk	27 38	27 37	4805	3.46	6	1.83	5	5.05	10	0.10	1	1.16	1	0.00	0	0.37	1	0.00	0	0.00	0	0.94	3	0.54	2	2.42	6	15.87	35
2788	Van Dykskraal	27 47	27 37	4650	2.63	6	2.63	6	5.78	11	0.15	1	0.99	1	0.00	0	0.15	1	0.00	0	0.00	0	0.65	2	0.38	1	1.17	6	14.53	35
2789	Elandskop	28 39	27 39	5560	3.28	9	4.26	9	5.42	11	0.12	1	0.84	2	0.00	0	0.00	0	0.00	0	0.00	0	0.56	3	2.21	4	1.93	7	18.62	46
2789 A	Bolitho	29 02	27 40	5100	2.51	6	3.33	12	6.42	13	0.26	2	1.01	5	0.00	0	0.03	1	0.00	0	0.00	0	1.01	6	2.98	6	2.05	7	19.60	58
2791	Sunny Hills	28 37	27 36	-	2.84	7	3.66	9	6.35	12	0.00	0	0.81	1	0.00	0	0.05	1	0.00	0	0.00	0	0.61	3	2.35	5	1.25	3	17.92	41
2791 A	Thaba Bosigo	29 21	27 40	-	1.96	7	2.24	12	4.81	12	0.44	1	1.52	5	0.06	1	0.00	0	0.00	0	0.00	0	0.94	2	2.68	5	2.47	6	17.12	51
2792	Kirklington	28 55	27 40	5500	2.24	11	5.61	9	4.62	13	1.14	3	0.85	1	0.00	0	0.03	1	0.00	0	0.02	1	1.24	5	2.10	6	0.57	4	18.42	54
2793	Doorndraai	27 16	27 41	4600	1.99	6	2.09	6	4.55	10	0.42	1	1.03	1	0.00	0	0.13	1	0.00	0	0.00	0	0.12	1	0.73	1	2.39	8	13.45	35

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2794	Bankpan	27°50'	27°43'	4720	2.72	5	2.53	7	5.89	11	0.52	3	0.93	1	0.00	0	0.15	1	0.00	0	0.00	0	0.75	1	1.14	2	0.25	1	14.88	32
2795	Klipdrift	28 35	27 41	4950	2.05	9	2.69	8	4.73	10	0.15	2	0.79	1	0.00	0	0.00	0	0.00	0	0.00	0	0.99	4	2.26	4	1.93	7	15.59	45
2796 A	Verdruk	27 27	27 41	4900	4.52	4	1.42	3	5.24	7	0.00	0	0.98	1	0.00	0	0.00	0	0.00	0	0.00	0	0.08	1	1.34	3	0.59	2	14.17	(21)
2797	Edenville	27 33	27 41	4950	3.62	9	2.10	6	7.00	12	0.42	3	0.83	1	0.00	0	0.17	2	0.00	0	0.00	0	1.06	5	1.25	7	1.53	9	17.98	54
2797 M	Mikpunt	28 00	27 42	-	2.74	6	1.87	6	7.42	13	0.05	1	0.95	1	0.00	0	0.32	1	0.00	0	0.00	0	0.51	2	1.15	3	1.55	8	16.56	41
2798	Ohwarriekop	28 18	27 42	4896	2.26	6	2.51	6	6.18	12	0.15	1	0.46	1	0.00	0	0.17	1	0.00	0	0.00	0	0.64	3	0.61	3	1.92	6	14.90	39
2798 A	Steyn	28 59	27 41	5000	2.38	4	3.88	12	5.35	15	0.00	0	0.74	1	0.00	0	0.00	0	0.00	0	0.00	0	1.08	1	2.18	5	0.90	1	16.51	39
2800	Vischgat	28 03	27 43	5233	3.52	7	2.92	7	7.32	17	0.47	3	0.85	1	0.00	0	0.30	1	0.00	0	0.00	0	0.20	2	0.67	5	1.59	6	17.84	49
2800 A	Langeveldts	28 56	27 42	-	2.40	8	5.28	10	6.89	16	0.77	3	1.14	3	0.00	0	0.00	0	0.00	0	0.00	0	0.51	1	2.17	5	0.65	3	19.81	49
2801	Goedemoed	27 03	27 49	4840	2.50	8	2.95	3	3.76	8	0.22	2	1.00	1	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	0.90	3	1.30	5	12.93	31
2802	Waalhoek	27 41	27 43	5140	3.72	7	1.90	5	5.96	10	0.19	1	0.96	1	0.00	0	0.15	1	0.00	0	0.00	0	0.97	3	0.20	1	3.78	10	17.83	39
2803	Mignonette	28 12	27 44	4950	3.32	8	1.77	4	5.82	10	0.43	3	0.65	1	0.00	0	0.12	1	0.00	0	0.00	0	0.00	0	0.33	2	1.32	4	13.76	33
2803 A	Usdum	28 44	27 44	-	2.86	6	3.74	5	3.82	9	0.30	1	0.95	1	0.00	0	0.00	0	0.00	0	0.00	0	0.51	4	1.54	6	1.17	6	14.89	38
2804	Teyateyaneng	29 09	27 44	5700	2.25	9	3.21	11	5.75	16	0.35	3	1.17	5	0.00	0	0.00	0	0.00	0	0.00	0	0.70	5	1.91	4	1.97	7	17.31	60
2804 A	Roma	29 27	27 44	-	3.38	7	2.25	8	6.11	9	0.61	1	2.45	4	0.00	0	0.00	0	0.00	0	0.00	0	1.14	2	2.84	6	3.79	8	22.57	45
2805	Kleinfontein	27 51	27 46	4810	2.47	8	3.26	7	6.39	11	0.20	1	1.00	1	0.00	0	0.10	1	0.00	0	0.00	0	0.86	2	1.05	4	1.49	7	16.82	42
2806	Roodepoort	28 00	27 45	5147	3.02	9	2.19	8	7.29	16	0.39	2	1.00	1	0.00	0	0.32	2	0.00	0	0.00	0	0.23	2	1.02	5	1.95	8	17.41	53
2807	Waterford	28 03	27 45	5215	4.18	8	1.52	4	8.18	10	0.18	1	1.08	1	0.00	0	0.33	1	0.00	0	0.00	0	0.20	2	0.92	3	1.09	3	17.68	33
2808	Swartlaagte	28 53	27 44	5180	3.25	9	4.79	9	6.05	11	0.00	0	0.93	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.83	4	0.88	2	17.73	37
2809	Vaalkrans	27 25	27 47	4887	1.59	6	1.65	3	4.60	7	0.10	1	0.98	1	0.00	0	0.00	0	0.00	0	-	-	-	-	1.16	4	1.48	3	(11.56	25)
2811	Lourensia	27 10	27 47	4795	2.67	7	2.69	3	3.19	7	0.52	3	0.90	2	0.00	0	0.10	1	0.00	0	0.00	0	0.16	2	0.72	3	1.16	7	12.11	35
2813	Kismet Estate	27 49	27 48	5050	2.24	6	3.87	8	5.52	11	0.72	3	1.05	1	0.00	0	0.16	1	0.00	0	0.00	0	0.73	3	1.24	4	1.15	5	16.68	42
2814	Tweefontein	27 55	27 48	4900	3.41	6	2.82	6	6.25	12	0.29	2	0.95	1	0.00	0	0.20	1	0.00	0	0.00	0	0.94	1	0.65	4	0.83	4	16.34	37
2816	Hammonia	28 43	27 48	5300	3.06	7	2.99	8	4.78	14	0.24	2	0.87	2	0.00	0	0.00	0	0.00	0	0.00	0	0.69	3	1.97	5	1.52	7	16.12	48
2816 A	Springvale	27 37	27 48	-	3.52	7	1.67	3	5.51	7	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.36	2	0.84	3	1.55	6	13.45	28
2817	Bloemhoek	27 57	27 49	4960	3.04	6	2.72	4	6.35	4	0.00	0	0.92	1	0.00	0	0.00	0	0.00	0	0.00	0	0.56	1	0.35	1	0.70	2	14.64	(19)
2817 M	Frasi Uitsicht	28 27	27 49	5400	2.15	10	2.09	7	4.24	10	0.37	3	0.58	1	-	-	0.06	1	0.00	0	0.00	0	0.95	4	2.16	3	-	-	(12.60	39)
2818	Enkelbosch	27 25	27 50	4850	3.91	8	2.90	6	3.75	9	0.30	1	1.30	1	0.00	0	0.00	0	0.00	0	0.00	0	0.87	2	0.80	3	2.17	7	16.00	37
2819	Wexford	28 03	27 50	5300	3.90	8	3.80	9	9.62	10	0.27	1	0.96	1	0.00	0	0.00	0	0.00	0	0.00	0	0.15	2	1.28	4	1.55	7	21.53	42
2820	Kerry	28 00	27 51	5065	3.90	7	5.42	9	7.55	10	0.21	1	0.72	1	0.00	0	0.28	1	0.00	0	0.00	0	0.00	0	0.97	2	1.89	5	20.94	36
2821	Hugenoot	28 02	27 51	5150	3.94	9	7.54	8	7.90	11	0.55	1	0.96	1	0.00	0	0.24	1	0.00	0	0.07	1	0.34	3	1.32	3	1.71	7	24.57	45
2822	Kopje Alleen	28 10	27 51	5000	2.12	5	2.59	5	6.30	5	0.00	0	0.80	1	0.00	0	0.15	1	0.00	0	0.00	0	0.00	0	0.61	1	1.64	2	14.21	20
2823	Maraisrust	27 33	27 53	4856	1.50	4	1.52	3	3.75	6	0.55	4	0.93	1	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	1.25	3	1.81	5	11.51	27
2824	Glen Morgan	28 43	27 50	5500	4.18	12	3.43	7	4.28	13	1.00	3	0.95	3	0.00	0	0.00	0	0.00	0	0.00	0	0.62	1	1.38	4	1.45	7	17.29	50
2825	Imperani	28 52	27 51	5380	2.46	9	4.00	9	5.97	14	0.94	6	1.36	3	0.00	0	0.09	1	0.00	0	0.04	1	0.82	4	1.91	5	0.92	5	18.51	57

No.	STATION STASIE	Latitude S. Breedtegr.	Longitude E. Lengtegr.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2826	Ficksburg	28°52'	27°53'	5200	2.53	8	3.29	6	5.48	9	1.03	3	1.22	2	0.00	0	0.07	1	0.00	0	0.00	0	0.82	4	1.66	4	0.65	3	16.75	(40)
2827	Ficksburg	28 52	27 53	5200	2.73	8	3.40	10	5.62	11	0.98	7	1.19	4	0.08	1	0.00	0	0.00	0	0.00	0	0.54	2	1.70	4	0.61	3	16.85	50
2829	Schaapplaats	27 00	27 55	4800	1.51	7	2.70	3	5.55	10	0.34	2	0.00	0	0.00	0	0.00	0	0.00	0	0.02	1	0.25	1	1.35	4	5.70	8	17.42	36
2830	Burnetsland	27 45	27 55	5350	4.90	7	2.39	6	5.02	10	0.14	1	0.60	2	0.00	0	0.15	1	0.00	0	0.00	0	1.17	4	0.64	3	2.01	5	17.02	39
2832	Vegkop	27 28	27 54	4960	4.93	11	5.69	5	5.03	6	0.22	2	1.15	2	0.00	0	0.00	0	0.13	1	0.00	0	1.81	5	0.83	2	1.53	5	21.32	39
2833	Mooihoek	27 50	27 54	5050	3.89	9	3.75	8	3.48	13	0.21	2	0.98	1	0.00	0	0.20	2	0.00	0	0.00	0	0.92	3	1.68	4	2.93	10	17.84	52
2834	Strathcona	28 46	28 00	5800	6.13	-	2.55	9	5.28	14	0.62	6	0.88	4	0.00	0	0.10	1	0.00	0	0.00	0	1.34	4	2.14	8	1.57	8	20.61	(54)
2836	Angora	28 03	27 56	5200	2.54	8	3.72	8	6.30	11	0.91	2	1.00	1	0.00	0	0.18	1	0.00	0	0.00	0	0.00	0	0.48	2	1.04	4	16.17	37
2837	Lindley	27 53	27 55	5000	5.85	9	4.42	8	6.81	13	0.05	3	1.03	1	0.00	0	0.27	2	0.00	0	0.00	0	1.27	3	1.42	6	2.30	11	23.42	56
2838 M	Rivenhill	28 41	27 55	-	4.15	11	3.56	9	3.57	10	0.53	5	0.86	3	0.00	0	0.06	1	0.00	0	0.00	0	0.47	3	2.16	4	2.20	5	17.56	51
2840	Rustfontein	27 30	27 58	5100	4.27	8	2.99	6	4.89	7	0.10	1	0.95	1	0.00	0	0.10	1	0.00	0	0.00	0	0.41	3	0.55	3	1.59	8	15.85	38
2840 A	Gertruida	27 32	28 00	5200	4.24	7	2.95	7	4.60	10	0.29	3	1.00	1	0.00	0	0.13	2	0.00	0	0.00	0	0.88	7	1.45	5	1.54	9	17.08	51
2841	Toggekry	27 38	26 55	5050	2.97	4	1.62	5	5.75	14	0.49	3	0.60	1	0.00	0	0.12	1	0.00	0	0.00	0	0.27	2	1.02	3	3.68	6	16.52	39
2841 A	Riebeek	28 01	27 56	5290	3.08	7	4.07	7	4.95	6	0.74	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.37	1	0.00	0	13.21	(23)
2842	Leuctia	28 09	27 54	5200	2.51	7	2.07	5	6.60	10	0.27	1	0.85	1	0.00	0	0.20	1	0.00	0	0.00	0	0.00	0	0.82	2	2.21	5	15.53	32
2842 A	Welgegund	28 40	27 58	-	3.91	8	3.24	6	4.15	8	0.41	3	0.77	2	0.00	0	0.06	1	0.00	0	0.00	0	1.23	3	2.07	7	3.13	7	18.97	45
2843	Oorsprong-Oos	27 08	27 57	5000	2.50	10	5.41	4	5.83	10	0.25	1	0.85	1	0.00	0	0.00	0	0.00	0	0.00	0	0.26	1	0.38	1	3.81	7	19.29	35
2845	Sidbury	27 51	27 57	5200	2.88	6	3.05	6	4.12	6	0.54	3	1.10	1	0.00	0	0.31	1	0.00	0	0.00	0	0.45	2	0.00	0	0.55	3	13.00	28
2846	Paul Roux	28 17	27 57	5103	2.63	4	4.00	6	2.89	4	1.72	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.19	1	0.74	3	0.88	1	13.05	(20)
2847	Rosendal	28 30	27 55	5500	2.34	9	4.13	11	4.36	14	1.16	7	0.21	1	0.00	0	0.00	0	0.00	0	0.00	0	0.90	5	1.54	8	2.60	8	17.24	63
2849	Heilbron	27 17	27 58	5110	3.28	8	2.03	2	5.26	8	0.42	1	1.03	1	0.00	0	0.00	0	0.00	0	0.00	0	0.21	2	0.35	3	3.64	8	16.22	33
2850	Roodekop	27 31	27 58	5100	4.61	8	3.52	6	5.44	11	0.41	4	0.85	2	0.00	0	0.10	1	0.00	0	0.00	0	0.47	3	0.63	4	1.76	10	17.79	49
2852	Berlin 91	28 45	27 58	5485	4.06	13	3.08	9	5.72	18	0.53	4	0.90	3	0.01	1	0.04	1	0.00	0	0.00	0	1.25	4	2.00	6	1.89	8	19.48	67
2853	Dwarskloof	28 47	27 56	5393	4.87	12	4.89	11	6.53	15	1.13	4	1.12	3	0.00	0	0.07	1	0.00	0	0.07	2	1.94	4	2.29	5	2.28	9	25.19	66
2854	Driefontein	27 26	27 59	5200	3.18	9	1.32	4	4.58	10	0.62	4	0.40	1	0.00	0	0.23	1	0.00	0	0.00	0	0.69	7	0.41	3	2.63	10	14.06	49
2854 A	Voorspoed	27 31	28 01	-	3.72	7	2.97	3	4.51	10	0.21	1	1.04	2	0.00	0	0.00	0	0.00	0	0.00	0	0.47	4	1.07	3	1.99	7	15.98	(37)
2855 A	Danielsrust	27 33	28 01	5400	4.42	8	2.44	5	4.91	9	0.40	3	1.33	1	0.00	0	0.14	2	0.00	0	0.00	0	0.53	4	0.71	4	1.98	9	16.86	45
2856	Dorothea	27 49	28 01	5348	2.45	8	3.35	6	6.19	8	0.54	2	1.35	1	0.00	0	0.25	1	0.00	0	0.00	0	0.87	2	1.44	3	2.30	6	18.74	37
2857	Manitoba	28 10	28 02	5500	3.17	7	2.18	5	7.78	9	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.76	3	2.20	5	16.09	29
2857 A	Schoongesicht	27 24	28 02	5275	1.58	5	3.30	3	3.66	7	0.49	3	0.62	1	0.00	0	0.15	1	0.00	0	0.00	0	0.55	1	0.50	3	1.96	8	12.81	32
2858	Smaldeel	28 12	28 02	5650	2.22	4	1.33	4	9.16	9	0.61	2	1.10	2	0.00	0	0.00	0	0.00	0	0.00	0	0.25	1	0.65	3	2.77	8	18.09	33
2859	Overdene	28 28	28 02	6220	2.63	8	3.07	7	6.79	12	0.78	4	1.18	3	0.00	0	0.00	0	0.00	0	0.00	0	0.27	2	1.73	3	1.95	6	18.40	45
2861	Ebenhaezer	27 51	28 06	5600	3.25	4	5.13	4	5.94	7	0.47	2	1.25	1	0.00	0	0.27	1	0.00	0	0.00	0	0.95	1	1.33	2	2.70	6	21.29	28
2862	Kaallaagte	28 08	28 03	5330	2.77	7	2.80	6	7.91	15	0.60	2	1.01	1	0.00	0	0.00	0	0.00	0	0.12	1	0.04	1	1.30	3	1.71	4	18.26	40
2863	Le Long	28 11	28 03	5466	4.54	8	4.33	6	7.97	12	1.69	3	1.29	1	0.00	0	0.00	0	0.00	0	0.11	1	0.20	2	1.22	4	1.61	6	22.87	43

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2864	Midden	27°02'	28°03'	4900	3.14	6	4.71	5	5.07	9	0.40	1	0.90	1	0.00	0	0.00	0	0.00	0	0.00	0	0.30	2	0.86	2	1.24	5	16.62	31
2865	Steilfontein	27 31	28 04	5500	2.67	5	4.30	3	3.68	5	0.00	0	0.30	1	0.00	0	0.00	0	0.00	0	0.44	1	0.00	0	0.00	0	1.68	6	13.07	(21)
2866	Languedoc	27 36	28 03	5390	2.76	6	3.55	5	6.00	10	0.71	3	1.00	1	0.00	0	0.20	1	0.00	0	0.07	1	0.76	4	1.22	3	3.65	6	19.92	40
2867	Kafferskraal	28 06	28 04	5250	1.76	4	2.09	5	7.52	13	0.80	1	0.95	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.73	4	1.71	5	15.56	33
2867 N	Duikfontein	28 17	28 04	5250	2.25	7	2.12	7	7.60	14	0.83	3	0.85	1	0.55	1	0.00	0	0.00	0	0.00	0	0.28	1	1.87	4	2.34	8	18.69	46
2868	Mount Morkel	28 41	28 04	5850	4.55	10	4.40	8	6.81	14	0.58	3	0.88	2	0.00	0	0.05	1	0.00	0	0.00	0	0.88	5	1.87	5	2.49	7	22.51	55
2869	Leriba	28 53	28 03	5700	3.19	8	8.30	12	5.37	17	2.01	8	1.11	3	0.00	0	-	-	0.00	0	0.14	2	2.91	5	2.12	6	1.94	10	(27.09	71)
2869 A	Rafidim	27 51	28 04	5450	3.29	7	4.08	7	4.62	10	0.00	0	1.17	1	0.00	0	0.27	1	0.00	0	0.00	0	0.63	2	0.58	2	1.12	3	15.66	33
2870	Maleppodraai	28 31	28 04	5670	4.05	6	1.96	6	5.34	10	1.36	5	0.93	2	0.00	0	0.00	0	0.00	0	0.08	1	1.07	3	1.28	2	1.33	5	17.40	40
2871	Bronkhorstfontein	27 57	28 06	5240	3.76	9	4.83	7	6.61	12	0.24	1	1.01	1	0.00	0	0.18	1	0.00	0	0.00	0	0.22	1	0.58	2	2.26	6	19.69	40
2872	Klipkraal 101	27 14	28 08	5100	1.94	7	4.42	5	5.55	8	0.69	3	1.18	1	0.00	0	0.00	0	0.00	0	0.00	0	0.13	1	0.25	3	1.40	6	15.56	34
2873	Korte	27 47	28 06	5550	3.33	11	3.15	7	6.97	14	0.22	3	1.00	1	0.00	0	0.23	2	0.00	0	0.00	0	1.01	2	2.26	6	1.31	5	19.48	51
2874	Magdalena	27 52	28 09	5470	3.86	12	2.78	7	5.67	11	0.19	1	0.95	1	0.00	0	0.13	1	0.00	0	0.00	0	0.00	0	1.20	2	1.23	3	16.01	38
2876	Petrus Steyn	27 39	28 08	5600	2.17	8	2.45	6	5.70	12	0.21	2	0.35	1	0.00	0	0.19	1	0.00	0	0.00	0	1.35	4	1.31	6	2.85	8	16.58	48
2877	Slaapplaats	27 47	28 09	5452	3.68	6	3.03	3	6.05	6	0.35	2	1.03	1	0.00	0	0.22	1	0.00	0	0.00	0	1.21	3	1.74	5	0.63	2	17.94	(29)
2877 A	Marakabies	29 33	28 09	-	2.36	6	4.30	8	4.10	9	1.30	4	2.07	5	0.06	1	0.00	0	0.00	0	0.00	0	0.95	4	3.56	5	2.57	4	21.27	46
2878	Vaalbank I	28 01	28 10	5510	2.71	9	3.21	6	5.16	11	0.53	3	0.81	1	0.00	0	0.14	1	0.00	0	0.12	1	0.00	0	0.81	4	1.37	5	14.86	41
2879	Witbankfontein	28 05	28 10	5500	2.90	10	2.90	7	7.19	15	1.08	5	1.11	2	0.00	0	0.00	0	0.00	0	0.35	1	0.18	3	0.73	5	1.82	8	18.26	56
2880	The Outlook	28 17	28 10	5600	2.21	9	3.97	6	6.80	10	1.30	3	1.14	2	0.00	0	0.00	0	0.00	0	0.00	0	0.86	2	1.69	4	0.72	3	18.69	39
2881	Ashoek	28 22	28 10	6060	2.27	5	4.98	9	6.69	12	0.76	3	0.98	1	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	1.17	2	2.02	5	19.17	38
2883	Elba	27 22	28 10	5200	2.45	8	6.81	6	5.88	8	0.32	1	0.81	1	0.00	0	0.00	0	0.00	0	0.00	0	0.34	2	0.84	2	1.98	5	19.43	33
2884	Daalpan	28 00	28 12	5500	3.22	7	1.76	4	6.25	9	0.30	1	1.90	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.81	5	1.46	3	15.70	30
2887	Fouriesburg	28 37	28 12	5850	2.27	7	3.73	10	5.38	15	1.10	5	0.94	3	0.00	0	0.00	0	0.00	0	0.00	0	0.63	4	1.78	6	2.62	5	18.45	55
2888	Nooitgedacht	27 47	28 14	5250	4.36	8	1.79	5	6.79	11	0.60	2	0.95	1	0.00	0	0.00	0	0.00	0	0.00	0	0.77	3	1.41	4	1.05	6	17.72	40
2889	Broodkop	28 19	28 11	5950	2.83	8	3.74	6	7.69	11	0.74	2	1.13	2	0.00	0	0.00	0	0.00	0	0.00	0	0.40	2	1.71	7	1.56	8	19.80	46
2891	Butha Buthe	28 46	28 15	5800	2.34	7	4.45	11	7.05	17	2.44	10	1.10	5	0.00	0	0.00	0	0.00	0	0.00	0	1.75	5	1.73	5	-	-	(20.76	60)
2891 A	Pontmain	29 01	28 13	-	3.75	12	6.30	14	5.89	18	2.20	8	1.28	2	0.00	0	0.06	1	0.00	0	0.27	1	1.57	6	2.45	8	2.22	6	25.99	76
2892	Uitzicht	27 11	28 14	5000	3.33	9	4.66	4	7.92	8	0.34	2	0.92	1	0.00	0	0.00	0	0.00	0	0.00	0	0.11	1	0.74	5	3.39	7	21.41	37
2895	Leliesbult	27 28	28 16	5296	2.13	10	4.15	5	8.06	8	0.80	1	0.90	1	0.00	0	0.00	0	0.00	0	0.00	0	0.42	1	1.37	2	2.81	5	20.64	33
2896	Millerton	27 40	28 16	5300	1.51	5	2.93	4	6.15	11	0.38	2	0.92	1	0.00	0	0.00	0	0.00	0	0.00	0	0.77	3	1.51	5	1.08	5	15.25	36
2896 A	Menin	28 05	28 16	5350	3.00	7	4.04	6	7.40	9	1.20	1	1.00	1	0.00	0	0.00	0	0.00	0	0.20	1	0.00	0	1.41	3	4.59	5	22.84	33
2897 A	Highlands	28 24	28 16	6200	1.20	4	2.94	3	4.33	5	0.83	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.70	1	3.82	6	13.82	20
2898	Vergenoeg	27 24	28 16	5456	2.88	13	6.26	6	6.76	11	0.70	5	1.04	2	0.00	0	0.12	1	0.00	0	0.00	0	0.91	6	1.19	4	2.52	9	22.38	57
2899	Blydskapwerf	27 49	28 15	5280	3.69	8	2.76	5	5.54	10	0.13	2	1.00	1	0.00	0	0.25	1	0.00	0	0.00	0	0.55	3	0.77	5	1.32	6	16.01	41
2901	Woodfort	28 00	28 18	5310	2.61	10	2.96	9	6.46	13	1.19	5	0.92	1	0.00	0	0.24	2	0.00	0	0.08	1	0.39	4	0.91	8	2.68	8	18.44	61

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2903	Bethlehem	28°14'	28°19'	5284	1.76	7	2.74	9	6.70	11	2.24	6	0.75	1	0.05	1	0.00	0	0.00	0	0.00	0	0.87	2	1.68	5	2.26	7	19.05	49
2904	Hooggelegen	27 33	28 20	5580	3.39	8	3.15	2	7.95	8	0.10	1	1.28	1	0.11	1	0.00	0	0.00	0	0.00	0	0.51	3	1.01	3	3.12	8	20.62	35
2905	Amor	27 57	28 20	5300	2.30	6	2.97	5	5.40	10	0.00	0	1.04	1	0.00	0	0.00	0	0.00	0	0.00	0	0.26	1	0.56	3	1.53	7	14.06	33
2909	Riviera	27 40	28 23	5300	2.21	6	3.39	5	7.30	15	0.85	2	1.05	1	0.15	1	0.21	1	0.00	0	0.00	0	0.25	1	1.40	3	1.18	4	17.99	39
2909 A +	Goedehoop	28 01	28 26	5520	2.59	10	3.35	6	6.56	13	0.18	1	1.22	2	0.07	1	0.00	0	0.00	0	0.07	1	0.20	2	1.72	5	3.23	9	19.19	50
2910	Saaiboek	28 28	28 23	6020	2.63	6	2.11	5	6.02	7	0.96	2	1.18	1	0.00	0	0.00	0	0.00	0	-	-	0.27	2	1.21	3	0.25	1	(14.63	27)
2911	Turffontein	27 17	28 24	5000	2.67	10	6.00	5	7.96	-	0.52	3	1.00	1	0.00	0	0.00	0	0.00	0	0.00	0	0.37	3	0.48	5	1.89	8	20.89	(35)
2912	Clarens	28 31	28 25	5500	1.38	6	3.61	5	6.16	9	1.94	2	1.25	1	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	1.40	4	2.21	5	18.35	33
2913	Geluk	28 34	28 24	5650	3.62	12	3.73	10	6.25	18	2.60	8	1.18	3	0.00	0	0.00	0	0.00	0	0.06	2	0.53	6	1.14	7	2.38	8	21.49	74
2914	Spitzkrantz	28 20	28 25	5700	2.32	7	2.98	8	7.68	11	2.02	3	0.86	1	0.00	0	0.00	0	0.00	0	0.00	0	0.53	2	2.01	3	2.38	6	20.78	41
2914 A	Bokong	29 20	28 28	7000	1.66	6	3.58	11	5.46	10	1.57	4	0.95	1	0.00	0	0.00	0	0.00	0	0.00	0	1.56	3	1.86	4	1.61	3	18.25	42
2916	Reitz	27 48	28 26	5373	3.01	11	2.79	6	5.54	13	1.05	6	0.80	1	0.08	1	0.20	1	0.00	0	0.00	0	0.37	3	1.37	7	2.46	9	17.67	58
2917	Susanna	28 14	28 27	5740	2.38	8	3.09	7	5.33	11	1.89	8	1.64	3	0.00	0	0.00	0	0.00	0	0.17	1	0.90	2	2.49	6	1.69	8	19.58	54
2917 M	Mil Desperandum	28 18	28 28	-	2.57	11	2.32	3	6.86	10	2.38	8	0.67	1	0.00	0	0.00	0	0.00	0	0.13	1	0.39	3	1.33	4	2.56	8	19.21	49
2918 A	Athene	28 23	28 30	5700	2.57	6	2.46	3	6.88	7	1.49	3	0.73	1	0.04	1	0.00	0	0.00	0	0.00	0	0.21	1	1.14	2	2.22	7	17.74	31
2918 B	White Hill Estate	30 03	28 29	8600	3.01	10	3.58	10	3.24	7	0.51	2	0.29	1	0.00	0	0.00	0	0.00	0	0.45	2	1.02	5	4.12	6	1.80	3	18.02	46
2919	Catharinasvlei	27 12	28 30	5050	2.76	11	4.37	5	7.82	13	0.92	3	0.93	2	0.04	1	0.00	0	0.00	0	0.00	0	0.55	3	1.17	5	1.09	4	19.65	47
2919 A	Frankfort	27 16	28 30	5052	1.64	6	6.65	5	7.65	8	0.41	1	0.51	1	0.00	0	0.00	0	0.00	0	0.00	0	0.62	2	0.59	3	1.41	5	19.48	31
2920	Bellevue	28 13	28 30	5800	3.03	7	3.97	4	7.34	8	3.94	7	4.40	6	0.00	0	0.00	0	0.00	0	0.15	1	1.32	2	2.42	5	2.24	9	28.81	49
2921	Glen Alphen	27 07	28 31	5100	-	-	5.36	5	7.08	7	2.24	3	0.00	0	1.20	1	0.15	1	0.00	0	0.00	0	0.76	2	0.00	0	1.28	4	(18.07	23)
2923	Teesling	27 33	28 31	5279	2.84	7	4.94	6	5.96	10	0.67	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.29	2	1.31	4	1.69	5	17.70	35
2925	Thaba Tseka	29 35	28 32	5309	2.49	10	3.44	7	5.90	9	0.88	3	0.81	1	-	-	-	-	-	-	0.11	1	1.47	5	1.16	6	1.94	6	(18.20	46)
2926	Vogeldraai	27 25	28 32	5309	1.78	7	3.52	8	6.26	10	0.77	5	0.84	1	0.15	1	0.00	0	0.00	0	0.00	0	1.21	5	0.58	3	1.56	4	16.67	44
2927	Kleinfontein	28 21	28 37	5600	1.52	4	2.04	3	4.84	9	2.09	3	0.63	1	0.00	0	0.00	0	0.00	0	0.00	0	0.63	2	1.16	3	2.32	6	15.23	31
2928	Groenland	28 30	28 34	5900	2.59	9	2.70	4	7.07	9	1.87	4	0.96	1	0.05	1	0.00	0	0.00	0	0.00	0	0.60	3	1.72	4	2.14	7	19.70	42
2929	Vrede	28 04	28 34	5500	2.04	6	2.74	7	5.18	12	2.99	2	0.90	1	0.00	0	0.00	0	0.00	0	0.00	0	0.96	3	2.75	5	0.51	1	18.07	37
2930	Skalkie	28 13	28 34	5700	1.82	5	3.61	4	5.32	10	3.45	2	1.03	1	0.00	0	0.00	0	0.00	0	0.00	0	1.00	2	1.16	4	1.75	5	19.14	33
2931	Bieskop	27 25	28 35	5150	2.85	5	5.67	7	7.95	12	0.00	0	0.88	1	0.20	1	0.00	0	0.00	0	0.09	1	0.73	3	1.00	4	1.14	3	20.51	37
2932	Villiers	27 02	28 36	4900	2.86	4	8.40	7	10.50	13	1.50	3	1.30	1	0.00	0	0.00	0	0.00	0	0.00	0	0.46	3	2.42	4	0.93	2	28.37	37
2933	Zoetveld	27 27	28 36	5210	4.35	8	5.61	6	6.63	-	0.00	0	1.08	1	0.12	1	0.00	0	0.00	0	0.00	0	0.23	2	1.50	4	1.22	3	20.74	(25)
2936	Morgenson	27 53	28 39	5357	3.31	9	3.47	4	4.66	10	0.76	3	0.85	2	0.05	1	0.00	0	0.00	0	0.00	0	0.39	3	1.76	7	1.76	6	17.01	45
2939	Caledonia	28 34	28 39	6400	2.73	8	5.30	9	10.21	16	3.35	8	1.15	1	0.00	0	0.00	0	0.00	0	0.00	0	0.47	2	1.59	5	4.67	9	29.47	58
2939 A	Makhuleng	29 25	28 38	5900	1.07	1	5.52	4	5.35	7	0.90	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.55	1	1.25	1	1.33	1	16.97	(17)
2940	Belladale	27 33	28 39	5456	2.88	11	4.63	7	8.65	11	0.60	5	1.00	1	0.11	1	0.00	0	0.00	0	0.06	1	0.44	3	3.03	5	2.79	10	24.19	55
2941	Bester	28 02	28 39	5600	0.62	3	3.43	5	6.72	11	1.72	3	0.62	1	0.17	1	0.00	0	0.00	0	0.00	0	0.98	3	0.49	2	1.10	3	15.85	32

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2943	Kappa	27°42'	28°40'	5600	1.51	6	4.70	3	6.08	9	0.51	5	0.93	1	0.00	0	0.00	0	0.00	0	0.00	0	0.33	1	2.50	6	1.72	7	18.28	38
2944	Oldenburg	28 31	28 41	5800	3.00	9	3.82	10	7.68	15	2.01	9	0.82	2	0.05	1	0.00	0	0.00	0	0.01	1	0.54	4	0.86	4	2.49	7	21.28	62
2945	Grenfell	27 30	28 43	5000	2.28	10	4.13	7	6.80	12	0.48	3	0.92	2	0.12	1	0.00	0	0.00	0	0.10	1	0.70	4	1.96	5	1.26	7	18.75	52
2947	Kestell	28 19	28 42	5600	0.64	7	5.13	7	6.45	11	0.00	0	0.67	1	0.04	1	0.00	0	0.00	0	0.00	0	0.33	2	1.15	3	1.23	5	15.64	37
2948	Eerste Geluk	28 26	28 42	5593	2.44	7	4.21	7	8.43	14	1.46	2	0.75	1	0.13	1	0.00	0	0.00	0	0.05	1	0.54	3	0.81	5	1.47	6	20.29	47
2948 A	Memo	29 10	28 43	7700	3.01	5	6.22	10	3.99	8	1.39	3	1.13	2	0.00	0	0.00	0	0.00	0	0.00	0	1.81	6	1.07	2	2.82	5	21.44	41
2948 b	Sehong Hong	29 42	28 42	-	3.76	7	3.84	8	4.55	11	0.46	2	0.72	1	0.00	0	0.00	0	0.00	0	0.12	1	0.68	4	0.76	3	2.34	5	17.23	42
2951	Stanleyvale	28 02	28 48	5450	2.56	7	4.12	5	4.10	7	1.79	5	1.02	1	0.15	1	0.00	0	0.00	0	0.00	0	1.12	4	0.86	5	1.42	5	17.14	40
2952	Eerste Zending	28 32	28 48	5527	2.74	7	6.55	10	8.54	17	3.04	10	0.57	1	0.15	1	0.00	0	0.00	0	0.01	1	0.65	4	0.33	2	-	-	(22.58	53)
2952 A	Spioenrif	27 36	28 48	5240	2.37	8	4.58	6	5.13	5	0.72	2	0.96	1	0.03	1	0.00	0	0.00	0	0.00	0	0.42	3	2.50	5	2.29	7	19.00	38
2953	Witzieshoek	28 32	28 48	5575	2.10	8	6.46	9	8.90	18	2.43	9	0.64	1	0.15	1	0.00	0	0.00	0	0.00	0	0.85	4	0.69	6	1.27	8	23.49	64
2953 A	Mashai	29 41	28 48	7000	2.68	8	2.99	8	4.78	8	0.64	3	0.60	1	0.00	0	0.00	0	0.00	0	0.06	1	0.75	4	0.86	3	1.97	6	15.33	42
2956	Matsoakeng	28 40	28 50	6000	2.12	9	4.55	4	10.87	15	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.12	1	0.38	1	0.35	2	1.92	6	20.31	38
2957	Welbedacht	27 08	28 51	5150	2.26	6	5.34	4	5.47	8	0.98	3	0.99	1	0.04	1	0.00	0	0.00	0	0.00	0	0.53	4	0.64	5	1.47	5	17.72	37
2958	Cornelia	27 14	28 51	5180	1.07	2	4.94	4	5.49	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.92	3	0.58	1	1.22	3	14.22	(18)
2959	Thaba Bulois	28 13	28 50	5300	1.33	6	5.64	7	6.24	16	0.88	5	0.76	2	0.05	1	0.02	1	0.00	0	0.12	1	1.40	7	0.81	7	1.01	7	18.26	60
2960	Woodsicht	27 34	28 52	5320	3.03	14	5.22	8	9.64	14	1.29	7	1.14	2	0.08	1	0.00	0	0.00	0	0.03	1	1.30	6	3.10	6	3.37	13	28.20	72
2961	Rummede	27 55	28 52	5320	1.12	3	7.12	6	6.42	9	1.06	3	0.94	1	0.00	0	0.00	0	0.00	0	0.00	0	0.62	2	1.64	4	4.07	6	22.99	34
2963	Aberfeldy	28 14	28 57	-	1.41	7	5.93	8	6.18	11	0.76	5	0.60	1	0.00	0	0.00	0	0.00	0	0.11	1	1.30	5	0.71	4	1.04	5	18.04	(47)
2963 A	Ledingwana	29 15	28 52	6600	2.38	12	5.34	12	5.45	14	1.19	6	0.95	1	0.00	0	0.00	0	0.00	0	0.11	2	0.80	5	0.78	3	1.22	4	18.22	59
2964	Woodside	27 33	28 53	5300	5.31	10	5.53	5	7.83	5	0.00	0	1.50	1	0.00	0	0.00	0	0.00	0	0.00	0	0.63	2	3.36	4	2.00	3	26.16	30
2965	Eirend	27 41	28 50	5450	1.30	5	5.71	6	6.83	9	0.78	4	0.87	1	0.00	0	0.00	0	0.00	0	0.00	0	0.53	3	1.99	6	1.80	9	19.81	43
2966	Cairnsmore	28 02	28 53	5300	2.98	11	4.38	8	4.52	13	2.53	8	0.86	2	0.04	1	0.00	0	0.00	0	0.00	0	1.12	4	1.14	6	2.68	10	20.25	63
2966 A	Doone	28 14	28 55	5500	0.57	5	7.60	10	6.56	13	1.06	5	0.83	1	0.06	1	0.00	0	0.00	0	0.11	1	1.12	7	0.87	5	1.09	9	19.87	57
2967	Prospect	27 07	28 55	5130	2.53	9	6.33	6	5.82	12	0.61	5	1.03	1	0.00	0	0.00	0	0.00	0	0.04	1	0.43	3	0.55	5	0.81	8	18.15	50
2967 A	Makheka	29 36	28 52	7600	2.20	4	5.05	7	5.83	11	1.59	4	1.17	1	0.00	0	0.00	0	0.00	0	0.09	1	1.51	4	1.33	4	2.26	4	21.03	40
2967 B	Mokuniki	29 49	28 57	7600	3.24	8	5.89	10	5.11	10	0.35	2	0.84	2	0.00	0	0.00	0	0.00	0	0.35	1	0.93	5	0.71	2	2.55	7	19.97	47
2967 C	Rotterdam	27 22	28 58	5450	2.55	7	4.69	7	5.87	9	0.52	3	1.01	1	0.00	0	0.00	0	0.00	0	0.00	0	0.86	3	1.11	3	0.64	4	17.25	39
2968	Warden	27 51	28 58	5350	1.25	8	5.44	6	5.77	7	1.53	2	0.80	1	0.02	1	0.00	0	0.00	0	0.00	0	0.36	1	1.63	3	2.50	6	19.30	35
	SECTION 17.																													
2969 A	Mount Paul	28 22	29 00	5500	0.65	2	6.74	7	10.40	11	0.55	1	0.75	1	0.00	0	0.00	0	0.00	0	0.00	0	0.05	1	1.47	4	1.01	5	21.62	32
2970	Boschkloof	28 31	29 00	5856	3.45	8	6.26	6	9.24	12	1.18	3	0.76	1	0.15	1	0.00	0	0.00	0	0.20	1	1.97	5	1.41	4	0.95	5	25.57	46
2970 A	Sylvan	28 00	29 01	6100	1.31	4	4.62	6	4.26	10	0.75	1	1.67	5	0.10	1	0.00	0	0.00	0	0.00	0	0.79	3	1.83	4	1.13	7	16.46	41
2970 B	Grootfontein	27 30	29 01	5577	2.81	9	3.42	4	4.41	10	0.91	3	0.98	2	0.05	1	0.00	0	0.00	0	0.00	0	0.38	2	1.43	4	1.31	5	15.70	40

SECTION 17. RAINFALL -1945- REËNVAL SEKSIE 17.

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
2972	Kaya Lami	27°45'	29°03'	5800	2.02	5	4.04	2	5.39	6	0.76	2	1.10	1	0.03	1	0.00	0	0.00	0	0.00	0	0.40	2	1.90	3	1.46	5	17.10	27
2973	Rosedale	28 21	29 02	5300	3.43	5	1.58	4	8.07	13	0.57	4	0.65	1	0.00	0	0.00	0	0.00	0	0.10	1	0.26	3	1.56	2	0.52	4	16.74	37
2974	Clifford Chambers	28 40	29 04	4500	4.77	12	10.27	10	9.03	12	2.13	6	0.23	1	0.15	1	0.00	0	0.10	1	0.75	1	1.02	7	1.47	3	1.71	4	31.63	58
2974 A	Heritage	27 57	29 04	5700	1.15	6	6.32	7	4.83	13	1.45	5	1.00	-	0.04	1	0.00	0	0.00	0	0.00	0	0.75	3	2.16	3	11.57	8	19.27	(46)
2974 B	New Leeds	28 30	29 04	5800	3.05	7	5.24	6	8.41	12	0.79	3	0.48	1	0.00	0	0.00	0	0.00	0	0.15	1	1.45	6	1.76	4	0.20	1	21.53	41
2975	Sahlabathebe	29 53	29 04	8000	5.15	9	6.68	10	4.83	10	0.70	3	0.66	3	0.00	0	0.00	0	0.13	1	0.32	2	1.13	6	0.56	7	1.83	6	21.99	57
2977	Georgeskraal	27 46	29 05	5800	1.21	3	3.59	3	6.58	11	0.79	3	1.01	1	0.11	1	0.00	0	0.00	0	0.19	1	0.48	2	1.84	3	0.35	1	16.15	29
2978 M	Bellevue	27 35	29 07	-	3.10	6	5.22	4	5.70	8	0.70	1	0.76	1	0.00	0	0.00	0	0.00	0	0.00	0	1.28	4	1.75	5	0.91	4	19.42	33
2981	Harrismith	28 16	29 08	5346	0.97	5	2.90	8	5.52	13	0.68	2	-	-	0.00	0	0.00	0	0.00	0	0.04	1	0.57	5	1.58	3	0.78	5	(13.04	42)
2982 A	Mokhetlong	29 27	29 05	7250	2.49	8	2.77	11	4.65	14	0.68	4	1.30	1	0.00	0	0.00	0	0.00	0	0.26	3	0.91	6	1.26	8	1.79	10	16.01	65
2983	Buckland Downs	27 58	29 08	5840	1.47	8	2.65	4	3.46	11	3.84	6	0.80	2	0.08	1	0.00	0	0.00	0	0.00	0	0.88	2	1.59	6	1.81	7	16.58	47
2983 A	Hoffenthal	28 47	29 15	5000	4.25	11	3.81	7	6.71	11	1.42	3	0.00	0	0.41	1	0.00	0	0.00	0	0.55	1	0.93	1	1.10	1	1.32	5	20.50	41
2984	Goedgevonden	27 00	29 09	5000	1.84	7	4.62	3	4.72	7	1.20	4	0.93	1	0.00	0	0.00	0	0.00	0	0.00	0	0.66	4	0.53	5	2.57	6	17.07	37
2985	Vrede (Govt. School)	27 25	29 10	5509	1.70	9	2.66	3	4.63	12	0.34	3	0.84	2	0.00	0	0.00	0	0.00	0	0.00	0	0.73	4	4.14	9	1.76	8	16.80	50
2986	Vrede (Stadsklerk)	27 25	29 10	5509	1.66	8	2.90	3	4.75	12	0.44	1	0.79	2	0.00	0	0.00	0	0.00	0	0.03	1	0.77	7	4.28	10	1.79	8	17.41	52
2987	Sterkstroom	27 42	29 10	5750	1.81	7	4.16	5	5.39	11	0.97	3	1.15	1	0.00	0	0.00	0	0.00	0	0.00	0	0.23	1	2.31	4	1.30	4	17.32	36
2988	Harrismith (Forest)	28 17	29 11	5900	2.45	5	4.20	6	6.65	8	0.35	2	0.09	1	0.39	1	0.00	0	0.00	0	0.00	0	0.34	2	1.95	5	0.85	3	17.27	33
2988 A	Walton	28 21	29 10	5300	0.85	5	4.62	6	7.50	10	0.98	3	0.73	1	0.00	0	0.00	0	0.00	0	0.30	2	0.76	5	1.45	4	0.52	4	17.71	40
2988 B	Cathedral Peak Hotel	28 57	29 12	-	6.57	12	7.71	13	9.43	17	0.95	2	0.38	1	0.00	0	0.00	0	0.10	1	0.00	0	2.49	6	0.70	3	2.74	11	31.07	66
2989	Verkykerskop	27 55	29 17	5900	2.15	8	3.31	4	6.34	12	1.01	5	0.76	2	0.00	0	0.00	0	0.00	0	0.04	1	1.41	3	1.22	4	1.67	7	17.91	46
2991	Langberg	27 28	29 15	5900	1.82	6	2.47	2	6.20	9	0.93	3	1.06	1	0.00	0	0.00	0	0.00	0	0.00	0	1.06	3	2.82	3	1.46	6	17.82	33
2991 A	Rocco	27 37	29 15	6050	2.43	6	3.05	4	-	-	1.05	3	0.97	1	0.00	0	0.00	0	0.00	0	0.00	0	0.28	1	1.95	4	1.34	5	(11.07	24)
2992	Knockshegowan	28 21	29 18	5416	1.25	12	5.18	10	7.83	13	0.94	6	0.46	1	0.08	1	0.00	0	0.08	2	0.70	2	0.00	0	0.65	5	0.82	9	17.99	61
2992 A	Bergview	29 51	29 16	-	9.01	16	9.39	12	7.19	17	1.88	2	0.84	2	0.00	0	0.12	2	0.75	4	0.46	2	3.75	8	1.51	9	5.16	13	40.06	87
2993 A	Sani Pass	29 34	29 18	8000	2.68	19	4.57	14	3.96	18	0.72	6	0.72	2	0.00	0	0.00	0	0.17	2	0.07	3	1.14	10	7.09	6	3.80	10	24.92	90
2994	Morgenlicht	27 58	29 18	5800	1.43	1	3.50	3	7.14	7	0.84	3	0.87	1	0.00	0	0.00	0	0.00	0	0.04	1	0.79	3	1.14	5	1.49	8	17.24	32
2996	Heelgoed	27 56	29 20	6200	2.55	5	3.08	4	5.15	8	0.50	2	0.96	1	0.00	0	0.00	0	0.00	0	0.00	0	0.72	1	0.72	2	1.96	7	15.64	30
3000	Waschbank	28 05	29 17	5800	1.36	4	4.20	8	6.20	10	1.58	4	0.72	2	0.00	0	0.00	0	0.00	0	0.02	1	0.58	2	0.77	4	1.27	6	16.70	41
3002	Kromdraai	27 02	29 22	5262	1.15	8	4.56	5	5.23	8	0.65	3	-	-	0.00	0	0.00	0	0.00	0	0.13	1	1.49	5	1.29	7	0.48	5	(14.98	42)
3002 a	Nox	27 51	29 18	-	1.87	7	3.54	7	6.34	12	0.56	5	1.30	1	0.01	1	0.00	0	0.00	0	0.06	1	0.84	2	1.06	7	1.46	6	17.04	49
3002 A	Geluksburg	28 31	29 21	3950	1.87	8	8.59	8	9.45	10	1.12	4	0.35	1	0.31	1	0.00	0	0.00	0	0.50	1	1.25	5	1.13	4	1.41	7	25.98	49
3003	Bergville	28 44	29 21	3700	3.19	9	3.34	6	6.80	10	1.52	5	0.04	1	0.00	0	0.00	0	0.00	0	0.00	0	0.62	2	1.26	1	1.65	5	18.42	39
3008 A	Groothoek	28 00	29.26	5800	2.72	5	4.75	6	7.28	14	0.71	2	0.72	1	0.00	0	0.00	0	0.00	0	0.10	1	0.20	1	0.76	3	1.53	7	18.77	40
3009	Earlridge	27 03	29 26	5478	1.10	6	3.00	2	4.00	6	1.02	3	0.80	1	0.00	0	0.00	0	0.00	0	0.00	0	1.30	5	1.82	6	1.65	4	14.69	33
3010	Grosvenor Downs	28 23	29 27	5000	4.01	8	9.64	5	10.02	9	0.45	1	0.35	1	0.15	1	0.00	0	0.38	2	1.05	4	1.72	8	1.15	7	2.74	10	31.66	56

No.	STATION STASIE	S. Latitude S. Breedtegr	M. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3011	Bonheim	28° 47'	29° 27'	3643	7.27	12	2.91	5	7.07	10	0.66	2	0.10	1	0.41	1	0.00	0	0.00	0	0.07	1	-	-	-	-	1.61	6	(20.10	38)
3012	Van Zylsrust	27 07	29 29	5400	2.13	9	2.88	4	4.56	9	1.13	4	0.59	2	0.00	0	0.00	0	0.00	0	0.08	1	1.40	5	2.46	9	2.73	7	17.96	50
3013	Newlands	27 07	29 27	5450	1.34	9	2.16	5	4.30	10	1.50	4	0.70	2	0.00	0	0.00	0	0.00	0	0.11	2	1.15	7	2.22	11	0.94	9	14.42	59
3013 A	Vlakspruit	27 09	29 28	-	4.18	10	2.91	5	5.26	10	1.06	5	0.79	2	0.00	0	0.00	0	0.00	0	0.03	1	0.76	8	1.99	11	2.24	7	19.22	59
3014	Tygerfontein	27 35	29 27	-	1.10	3	5.89	4	4.33	4	1.20	2	0.68	1	0.00	0	0.00	0	0.00	0	0.00	0	0.65	1	2.26	5	0.51	2	16.62	(22)
3015	Mons	27 39	29 28	5800	0.96	4	0.30	2	7.35	10	0.90	3	1.00	1	0.00	0	0.00	0	0.00	0	1.10	3	-	-	-	-	1.83	6	(13.44	29)
3016	Bryn Eva	28 53	29 28	4000	3.88	7	1.23	3	10.26	15	1.21	2	0.48	1	0.63	1	0.00	0	0.00	0	0.00	0	1.06	3	1.36	3	1.80	5	21.91	40
3018	Cranbourne	27 08	29 27	5446	1.35	7	2.44	3	3.27	9	0.94	5	0.77	2	0.00	0	0.00	0	0.00	0	0.11	2	1.06	7	1.81	6	1.07	9	12.82	50
3019	Roodedraai	27 21	29 30	5200	3.32	7	2.81	3	6.41	12	1.00	4	0.65	3	0.00	0	0.00	0	0.00	0	0.02	1	0.45	5	2.25	7	0.61	4	17.52	46
3020	Kroonhof	27 56	29 30	-	2.05	9	2.59	7	5.08	13	0.46	4	0.59	2	0.00	0	0.00	0	0.00	0	0.00	0	0.80	3	0.80	2	0.85	2	13.22	42
3022	Heartsease	29 00	29 29	3830	5.13	9	3.80	7	9.37	22	1.19	2	0.48	1	0.50	1	0.00	0	0.00	0	0.00	0	1.23	6	0.73	2	1.88	11	24.31	61
3022 A	Goedgemoed	27 04	29 30	-	1.37	7	3.46	4	4.50	-	1.41	4	0.58	1	0.00	0	0.00	0	0.00	0	0.10	1	1.10	4	2.08	9	1.71	7	16.31	(37)
3023	Wyford	28 24	29 27	5000	1.96	11	6.71	7	9.51	13	0.85	3	0.24	1	0.13	1	0.00	0	0.17	1	1.00	3	1.18	8	0.76	8	1.55	9	24.06	65
3026	Bluebank	28 30	29 31	3600	2.07	7	3.34	4	7.92	10	0.42	2	0.00	0	0.12	1	0.00	0	0.00	0	0.62	1	0.38	2	0.47	3	0.62	5	15.96	35
3028	Varkenspruit	27 06	29 30	5400	1.73	10	3.31	5	3.99	8	1.22	5	0.57	1	0.00	0	0.00	0	0.00	0	0.00	0	1.58	5	1.99	7	1.88	4	16.27	45
3029	Mount Royal	28 37	29 32	4350	5.57	11	4.11	5	6.08	13	1.02	4	0.08	1	0.15	1	0.00	0	0.00	0	0.11	3	0.46	6	0.84	4	0.79	8	19.21	56
3030 B	Himeville	29 45	29 32	5162	7.48	16	7.58	11	6.59	15	0.75	6	0.79	3	0.00	0	0.07	2	0.06	2	0.33	2	1.58	9	1.18	7	6.26	12	32.67	85
3031	Nemel	27 41	29 34	5669	1.37	7	3.18	2	6.09	8	1.63	3	0.54	1	0.00	0	0.00	0	0.00	0	0.06	1	0.49	5	2.00	5	2.27	7	17.63	39
3032	Snowhill	29 42	29 35	5400	6.79	13	6.56	12	8.55	15	2.22	4	0.87	1	0.00	0	0.00	0	0.00	0	0.29	3	1.48	7	1.00	4	3.60	13	31.36	72
3033	Edendale	27 27	29 10	5560	2.01	9	4.05	5	5.80	10	0.33	4	0.83	2	0.00	0	0.00	0	0.00	0	0.05	1	1.40	7	1.80	7	1.31	7	17.58	52
3034	Paardekop	27 11	29 38	5650	1.84	6	2.20	4	2.89	3	1.44	2	0.73	1	0.00	0	0.00	0	0.00	0	0.00	0	1.26	4	1.30	4	1.93	3	13.59	27
3035	Paardekop	27 10	29 37	5650	4.21	9	1.72	2	5.20	4	1.45	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.90	3	1.49	5	1.42	4	16.39	30
3036	Streepfontein	27 18	29 35	5610	2.45	12	0.97	3	5.11	12	0.51	1	1.15	2	0.00	0	0.00	0	0.00	0	0.05	1	0.54	10	2.87	10	0.67	7	14.32	58
3037 A	Essenwood	28 04	29 39	-	5.26	13	4.61	6	6.12	12	1.00	4	0.50	2	0.05	1	0.00	0	0.10	2	0.15	4	1.14	8	1.14	6	2.22	11	22.29	69
3039	Moorside	28 28	29 40	4000	2.58	6	4.23	4	9.36	11	1.68	2	0.00	0	0.30	1	0.00	0	0.00	0	0.48	1	0.61	2	0.31	1	0.13	1	19.68	29
3040 M	Armut Hill	28 37	29 40	-	5.49	8	3.48	5	6.14	9	0.51	2	0.00	0	0.15	1	0.00	0	0.00	0	0.15	1	0.00	0	1.41	3	0.57	6	17.90	35
3043	Springbokbult	27 33	29 41	5750	3.06	5	3.26	3	4.35	4	0.60	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.27	1	0.67	3	1.01	3	13.22	(20)
3043 A	Verdun	28 37	29 41	3900	2.44	7	3.49	6	6.50	16	0.45	4	0.26	2	0.07	2	0.00	0	0.00	0	0.13	2	0.21	4	0.63	6	0.75	5	14.93	54
3044	Draycott	28 58	29 42	3700	2.55	6	4.75	8	2.80	5	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.25	2	1.35	1	3.03	4	14.73	26
3045	Driefontein	29 02	29 36	4300	4.12	4	3.01	5	7.22	17	0.82	6	0.62	1	0.38	1	0.00	0	0.00	0	0.27	1	1.32	5	0.97	2	4.24	9	22.97	61
3045 a	Rockleigh	29 53	29 40	-	6.69	12	4.79	8	7.40	12	0.88	5	0.90	1	0.00	0	0.00	0	0.00	0	0.16	1	1.51	4	1.65	4	4.91	13	28.89	60
3045 A	Munro's Winkel	27 52	29 42	-	3.29	12	4.07	7	5.74	14	1.51	4	0.53	1	0.00	0	0.00	0	0.08	1	0.00	0	1.09	6	1.51	7	2.25	11	20.07	63
3048 A	Paulholm	29 41	29 42	5000	5.69	16	4.87	8	8.79	14	2.44	7	0.75	2	0.00	0	0.00	0	0.16	2	0.11	2	2.02	12	0.42	2	2.77	10	28.02	75
3049	Palaford	27 12	29 41	5800	5.35	8	2.04	4	4.88	4	1.47	3	0.83	1	0.00	0	0.00	0	0.00	0	0.15	1	1.51	7	2.24	8	3.15	6	21.62	42
3051	Lekkerwater	27 37	29 44	5890	4.12	12	4.09	7	6.26	15	0.75	5	0.81	3	0.00	0	0.00	0	0.00	0	0.07	1	0.89	4	2.68	10	2.59	9	22.26	66

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar Inches Duime	Year-Jaar Days-Dae
3052	Moedersrust	27°47'	29°44'	6200	5.11	10	6.85	8	10.39	11	1.13	4	0.29	2	0.00	0	0.00	0	0.33	1	0.06	1	2.18	10	1.60	8	4.66	11	32.60	66
3057	Bulwer	29 48	29 46	4870	7.61	15	7.05	10	10.64	15	1.47	4	0.87	4	0.00	0	0.00	0	0.39	3	0.47	2	3.02	9	3.56	11	6.74	13	41.82	86
3059	East Meshlyn	29 21	29 45	5300	6.35	10	5.08	9	8.55	10	1.50	3	0.85	1	0.00	0	-	-	-	-	-	-	1.64	5	0.55	7	3.45	13	(27.97	58)
3060	Zandspruit	27 16	29 47	5413	4.36	8	6.41	4	6.11	10	0.83	4	0.96	2	0.00	0	0.00	0	0.00	0	0.02	1	0.53	5	2.62	7	1.67	4	23.51	45
3061	Hampton	27 56	29 47	4400	2.04	10	4.28	5	5.83	13	4.00	4	0.00	0	0.00	0	0.10	1	0.10	1	0.35	2	0.52	7	1.04	3	2.49	12	20.75	58
3061 A	Meyershoek	28 11	29 45	-	1.80	5	3.95	4	7.80	8	0.85	1	0.00	0	0.50	1	0.00	0	0.00	0	0.00	0	0.00	0	1.10	3	0.58	2	16.58	24
3062	Ladysmith	28 33	29 47	3482	3.34	12	3.45	7	6.58	13	0.35	4	0.33	3	0.00	0	0.01	1	0.00	0	0.14	2	0.74	8	0.68	5	1.13	10	16.75	65
3063	Rietpoort	27 07	29 51	5600	4.23	12	2.74	3	7.45	11	0.39	5	0.67	2	0.00	0	0.00	0	0.00	0	0.21	2	2.15	9	3.07	9	1.27	8	22.18	61
3065	Glendoone	29 08	29 49	5300	2.44	12	3.22	9	4.85	13	2.01	5	0.74	3	0.20	1	0.00	0	0.03	1	0.19	4	1.47	10	0.47	4	2.26	13	17.88	75
3065 A	Rietlaagte	28 21	29 50	4800	0.95	2	4.26	5	7.47	15	1.90	3	0.48	1	0.15	1	0.00	0	0.00	0	0.00	0	0.48	3	1.35	4	0.81	5	17.85	39
3066	Holalea	28 38	29 50	3400	2.55	6	1.97	3	7.25	11	0.71	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.86	2	2.70	6	17.04	(30)
3067	Colenso	28 43	29 50	3151	3.18	8	3.86	9	7.61	12	0.43	3	0.30	3	0.02	1	0.00	0	0.00	0	0.05	1	-	-	-	-	-	-	(15.45	37)
3068	Effort Farm	29 14	29 51	-	4.72	6	4.88	-	5.55	9	2.00	3	0.50	1	0.12	1	0.04	1	0.12	1	0.09	1	1.70	8	0.24	4	4.08	11	24.04	(46)
3068 M	Long Elmsel	29 46	29 50	-	7.62	19	4.69	11	6.96	19	1.24	6	0.49	2	0.00	0	0.00	0	0.28	3	0.61	5	1.67	13	3.09	12	3.55	15	30.18	105
3069	Xuneni	29 55	29 50	4200	9.19	18	6.68	12	9.46	13	2.64	6	0.94	2	0.00	0	0.08	1	0.80	3	0.82	2	3.39	17	3.07	11	8.85	17	45.92	102
3070	Middelin	28 09	29 51	4900	4.05	5	2.27	3	5.03	8	1.20	3	0.28	1	0.25	1	0.00	0	0.00	0	0.20	1	0.32	2	1.35	4	0.49	2	15.44	30
3071 P	Estcourt Pasture Research	29 01	29 52	3875	2.06	9	3.05	8	7.06	14	0.79	5	0.72	3	0.12	2	0.00	0	0.00	0	0.00	0	0.56	7	2.23	5	2.55	12	19.14	65
3072	Impendhle	29 36	29 52	5200	5.59	9	5.44	8	7.90	17	2.82	4	0.90	3	0.00	0	0.19	2	0.17	3	0.69	4	1.40	7	1.00	5	4.90	13	31.00	75
3073	Loskop	27 36	29 47	4300	4.00	9	5.02	5	6.73	13	0.44	2	0.64	1	0.00	0	0.00	0	0.08	1	0.00	0	0.54	2	0.73	4	2.19	7	20.37	44
3074	Amersfoort	27 00	29 52	5400	2.77	8	2.36	2	5.67	8	0.30	3	0.50	1	0.00	0	0.00	0	0.00	0	0.23	1	1.54	5	6.27	7	1.10	5	20.74	40
3075	Volksrust I	27 22	29 53	5465	-	-	0.74	2	6.02	11	-	-	0.26	2	0.00	0	0.00	0	0.00	0	0.05	2	0.66	7	2.18	7	0.87	6	(15.18	48)
3078	Laingsnek	27 28	29 52	5250	3.28	7	5.77	4	10.26	10	0.60	2	0.70	2	0.00	0	0.00	0	0.25	1	0.15	3	0.55	6	2.87	6	1.33	5	25.76	46
3081	Quietways	28 49	29 52	3300	2.86	8	2.06	5	6.51	9	0.38	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	-	-	-	-	-	-	(11.81	23)
3082	Estcourt	29 00	29 53	3876	2.15	8	2.70	7	6.89	13	0.77	4	0.73	2	0.13	1	0.00	0	0.00	0	0.00	0	0.58	8	2.67	7	2.74	11	19.36	61
3083	Newcastle (Convent)	27 45	29 56	3933	2.20	11	5.36	6	6.64	12	0.56	5	0.31	2	0.00	0	0.07	2	0.05	1	0.20	2	0.64	6	0.51	5	2.95	8	19.49	60
3084	Newcastle (Post Office)	27 45	29 55	3974	1.91	8	5.59	4	6.07	8	0.36	3	0.45	3	0.00	0	0.05	1	0.10	1	0.19	2	0.62	2	0.26	2	3.84	8	19.44	(42)
3085	Knon	29 00	29 57	5350	4.99	8	2.17	2	4.84	8	0.22	1	0.57	2	0.00	0	0.00	0	0.00	0	0.17	1	1.02	5	5.03	7	0.64	2	19.65	(36)
3085 B	Springbok	28 00	29 57	-	1.73	3	3.14	2	4.73	4	2.37	2	0.00	0	0.00	0	0.00	0	0.00	0	0.56	1	0.22	1	0.00	0	0.63	3	13.38	16
3086	Elandslaagte	28 25	29 57	3900	1.02	9	3.74	5	5.83	14	0.35	2	0.08	1	0.00	0	0.00	0	0.00	0	0.95	1	0.19	2	0.91	2	0.90	7	13.97	43
3088	Ballengeich	27 54	29 58	4100	2.71	4	4.04	6	5.48	9	1.06	2	0.34	1	0.00	0	0.00	0	0.10	1	0.39	2	0.13	1	0.95	3	1.94	4	17.14	33
3089	Emerald Dale	29 56	29 57	4400	6.05	25	5.11	13	7.88	20	1.25	8	0.99	9	0.12	5	0.09	4	0.31	7	0.47	7	3.08	18	1.26	17	4.51	17	31.12	150
3090	Lauriston	29 05	29 59	4900	3.35	9	5.18	8	5.18	14	0.75	3	0.82	2	0.08	2	0.00	0	0.02	1	0.05	1	0.73	9	0.80	5	3.27	11	20.23	65
3091	Torwood	29 17	30 00	4700	6.32	19	4.10	13	6.52	17	(2.27)				0.19	2	0.06	1	0.15	2	0.30	5	1.16	11	0.76	11	3.69	19	23.52	(102)
3093	Struisvogelpoort	28 08	30 04	4800	4.18	7	3.37	5	7.97	11	2.03	3	0.49	2	0.00	0	0.05	1	0.06	1	0.26	2	0.50	5	1.35	3	0.92	8	21.18	48
3094	Rongpoort	29 03	30 02	4500	2.11	10	2.83	8	5.43	15	0.80	6	1.00	3	0.24	1	0.00	0	0.00	0	0.06	2	0.44	5	1.06	5	2.54	10	16.51	65

No.	STATION STASIE	S. Latitude Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3095	Nottingham Road	29°22'	29°29'	4719	3.38	18	3.71	14	5.20	18	1.18	5	0.83	4	0.05	1	0.08	1	0.13	6	0.25	6	1.44	10	1.64	12	2.41	19	20.30	114
3097	Fitty Park	28 34	30 04	3400	2.25	4	2.80	5	5.66	6	0.00	0	0.30	1	0.00	0	0.00	0	0.00	0	0.13	1	0.44	2	0.82	2	1.55	4	13.95	25
3098	Saragrove	29 11	30 14	5100	2.60	9	3.86	7	5.38	10	0.84	4	0.66	2	0.45	1	0.00	0	0.00	0	0.15	4	0.81	6	0.00	0	2.85	8	17.60	51
3098 a	Vaucluse	29 43	30 05	-	6.50	11	4.00	9	9.69	15	1.61	3	0.92	2	0.00	0	0.00	0	0.13	2	0.39	4	2.34	10	1.15	8	3.92	12	30.65	76
3098 A	Whitson Farm	29 48	30 05	4000	5.54	18	3.84	12	6.82	17	1.36	4	0.94	4	0.01	1	0.01	1	0.16	2	0.17	2	2.04	12	0.32	3	2.72	16	23.93	92
3099	Try Again	28 00	30 05	4600	2.18	6	3.78	4	6.10	9	3.36	3	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	0.35	3	0.63	3	1.50	5	18.10	34
3100	Weenen	28 51	30 05	2816	2.87	10	2.23	7	5.89	13	0.28	3	0.49	2	0.22	1	0.00	0	0.00	0	0.04	1	0.18	5	3.14	6	3.65	10	18.99	58
3103	Wakkerstroom	27 21	30 09	5817	3.66	15	2.24	4	5.58	9	0.25	3	0.40	3	0.00	0	0.00	0	0.00	0	0.15	2	0.67	7	0.89	13	0.68	7	14.52	63
3103 A	Rustverwacht	27 34	30 08	-	2.32	8	4.88	4	7.50	14	0.28	3	0.63	3	0.02	1	0.00	0	0.05	2	0.16	4	0.34	5	1.66	6	1.52	3	19.36	53
3104	Doornkop	27 57	30 08	4300	0.89	2	2.91	2	5.66	8	1.33	2	0.45	1	0.00	0	0.00	0	0.00	0	0.24	1	0.28	2	0.88	2	0.87	4	13.51	(24)
3104 A	Uitsien	29 06	30 08	4900	3.24	4	3.23	4	6.92	8	0.47	1	1.45	2	0.00	0	0.00	0	0.00	0	0.00	0	0.46	1	0.00	0	2.19	3	17.96	(23)
3104 C	Glencoe	28 10	30 09	4300	2.18	4	3.16	3	7.34	11	1.88	3	0.74	3	0.00	0	0.00	0	0.12	1	0.53	1	0.81	4	1.30	4	0.95	5	19.01	39
3106	Balbrogie	28 22	30 10	3300	3.46	12	3.80	7	6.86	14	1.97	6	0.32	3	0.08	2	0.05	1	0.09	2	0.21	2	0.68	8	0.93	7	0.85	12	19.30	76
3107 B	Mon Repos	28 05	30 11	4300	3.03	12	2.53	3	6.14	9	2.57	4	0.41	1	0.00	0	0.07	1	0.08	1	0.80	1	0.53	3	1.32	3	1.09	6	18.57	44
3107 C	Naauwpoort	29 59	30 12	2500	3.71	10	3.30	5	6.70	10	1.91	4	1.75	3	0.00	0	0.00	0	0.00	0	0.12	1	2.58	6	0.08	1	2.88	6	23.03	46
3107 D	Spitskop	27 07	30 14	5500	7.35	8	2.65	3	7.60	10	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.08	1	1.49	8	2.41	5	2.03	3	23.61	38
3108	Howick (Gaol)	29 29	30 14	3450	4.88	13	3.06	5	10.07	9	0.87	3	0.52	2	0.00	0	0.00	0	0.15	1	0.34	4	2.29	6	0.60	2	2.81	11	25.59	56
3109	Dundee	28 10	30 14	4114	3.36	11	4.26	7	6.41	15	0.88	4	0.33	2	0.01	1	0.01	1	0.00	0	0.57	2	0.48	6	1.65	5	1.11	10	19.07	64
3109 A	Vredsfontein	27 46	30 16	4000	3.79	6	5.70	3	5.20	6	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.15	1	0.31	2	1.26	2	0.08	1	16.49	(21)
3110	Cedara	29 32	30 17	3541	5.40	24	4.11	16	8.96	20	0.93	9	0.78	8	0.01	1	0.00	0	0.22	4	0.29	7	2.10	19	0.98	14	2.44	16	26.22	138
3111	Richmond	29 52	30 16	2810	3.51	12	5.46	12	8.22	14	1.25	5	1.52	4	0.00	0	0.02	1	0.32	3	0.39	11	4.10	16	1.51	14	5.13	14	31.43	106
3112	Merrivale	29 30	30 17	3430	5.23	18	3.38	8	7.99	13	1.09	5	0.64	3	0.00	0	0.00	0	0.00	0	0.34	3	2.24	14	0.91	7	2.59	17	24.41	(88)
3112 A	Utrecht West	27 40	30 18	3930	3.00	6	4.95	3	5.78	10	0.16	2	0.48	2	0.00	0	0.00	0	0.00	0	0.35	1	0.39	1	2.48	3	1.23	3	18.82	31
3114	Kirkloof	29 19	30 19	4800	5.18	18	6.98	12	12.25	18	2.01	4	1.42	3	0.01	1	0.04	2	0.83	6	0.44	7	1.66	10	1.39	9	5.37	16	37.58	106
3115	Utrecht	27 39	30 20	3926	2.92	5	6.66	4	6.76	11	0.61	3	0.59	3	0.00	0	0.00	0	0.00	0	0.40	1	0.40	1	2.04	3	1.36	3	21.74	34
3116	Swartwater	28 20	30 21	4500	3.48	5	1.83	4	7.07	9	1.27	2	0.35	2	0.00	0	0.00	0	0.00	0	0.28	1	0.74	3	0.62	2	2.03	4	17.67	32
3116 A	Vermaakskraal	28 36	30 20	3500	2.65	9	1.98	5	7.60	9	1.00	2	-	-	-	-	0.00	0	0.00	0	0.00	0	0.43	1	2.32	5	1.81	6	(17.79	37)
3117	Baynesfield Estate	29 45	30 20	2700	4.21	19	4.44	10	6.76	15	0.89	2	0.94	4	0.00	0	0.00	0	0.10	1	0.20	2	3.02	12	1.00	11	2.83	14	24.39	90
3118	Tugela Ferry	28 51	30 28	3800	3.84	6	2.32	3	4.58	6	1.83	2	0.42	2	0.10	1	0.00	0	0.00	0	0.54	2	0.18	-	2.43	6	1.81	6	18.05	(34)
3120	Pietermaritzburg (W.H.)	29 35	30 22	2243	5.94	20	5.46	14	10.45	18	0.60	4	0.94	4	0.00	0	0.04	2	0.32	3	0.37	7	2.28	18	1.66	14	3.31	19	31.37	123
3121	Cliffside	29 57	30 24	2500	2.24	12	4.32	8	8.54	9	1.08	4	1.78	4	0.00	0	0.05	1	0.07	2	0.30	1	2.29	7	0.41	4	2.91	13	23.99	65
3122 M	Rietvlei	28 02	30 24	-	4.39	5	2.18	2	5.94	10	0.77	1	0.00	0	0.00	0	0.00	0	0.00	0	0.32	1	0.10	1	1.10	5	0.40	2	15.20	27
3123 B	Allerton	29 35	30 23	2100	6.65	20	5.75	13	9.69	19	0.58	4	0.93	4	0.00	0	0.03	2	0.44	4	0.40	7	2.77	20	2.05	15	4.62	19	33.91	127
3125	Benean	29 34	30 19	2150	7.79	16	7.21	13	11.85	16	1.46	5	0.78	2	0.00	0	0.00	0	0.47	3	0.44	3	2.91	11	2.11	10	5.14	17	40.16	96
3126	Bonnieblink	29 35	30 27	2150	5.39	14	5.06	6	9.75	10	0.63	2	1.24	2	0.00	0	0.00	0	0.00	0	0.00	0	1.68	8	0.68	5	1.85	7	26.28	(54)

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3127	Pietermaritzburg (Town Bush Valley)	29°35'	30°21'	2115	7.66	19	7.04	13	12.20	15	0.71	5	0.94	4	0.24	1	0.00	0	0.47	3	0.56	6	2.80	16	2.27	12	4.84	17	39.73	111
3130	Middelton	29 06	30 25	4198	1.75	6	2.95	8	5.13	14	1.02	4	1.57	3	0.37	1	0.00	0	0.00	0	0.32	2	0.86	7	0.81	2	3.16	10	17.94	57
3131	Grootrietvlei	27 09	30 22	4500	3.86	8	2.24	3	5.69	8	0.83	2	0.20	1	0.00	0	0.00	0	0.00	0	0.53	1	0.14	2	2.23	4	1.47	4	17.19	33
3133	Helpmekaar	28 26	30 25	4900	4.19	10	2.40	3	7.28	10	0.45	1	0.57	1	0.00	0	0.00	0	0.00	0	0.24	1	0.42	2	1.39	4	0.31	3	17.25	35
3134	Residence	28 32	30 24	4250	3.34	8	2.13	3	7.74	13	1.53	2	0.82	3	0.03	1	0.00	0	0.04	1	0.30	2	0.74	5	2.22	4	1.28	9	20.17	51
3135	Carwin	29 43	30 25	2800	3.22	15	3.73	10	6.24	12	1.31	4	1.00	3	0.00	0	0.00	0	0.02	1	0.11	4	2.45	7	1.03	8	2.38	13	21.49	77
3136	Waaihoek	27 46	30 26	4190	4.21	5	3.54	3	7.06	9	1.13	1	0.35	1	0.00	0	0.00	0	0.00	0	0.46	1	0.00	0	0.84	4	0.86	3	18.45	27
3137	Sutherland	28 31	30 26	3750	3.45	5	2.66	3	7.55	8	1.45	3	0.91	4	0.00	0	0.00	0	0.05	1	0.31	2	0.78	4	1.88	5	1.23	8	20.27	(43)
3139	Winterhoek	28 57	30 30	4300	3.12	11	2.88	7	6.44	12	0.51	3	2.38	2	0.12	1	0.00	0	0.04	1	0.31	2	0.40	5	0.54	5	4.47	12	21.21	61
3140	Umlaas Road	29 44	30 31	2500	3.57	17	4.02	10	8.66	12	0.92	3	0.95	3	0.00	0	0.03	1	0.08	2	0.25	2	2.53	9	0.98	9	2.96	14	24.95	82
3142	Hambleholm	29 25	30 30	2240	5.06	12	3.32	6	7.73	9	0.45	1	0.00	0	0.00	0	0.00	0	0.26	2	0.00	0	1.90	5	0.78	1	2.76	9	22.26	45
3143	New Hanover	29 22	30 31	2594	3.77	9	3.94	7	6.69	5	1.04	3	1.13	2	0.00	0	0.00	0	0.34	2	0.20	1	1.00	4	0.32	2	1.63	5	20.06	40
3143 A	Islay	29 49	30 29	2100	2.07	9	3.74	7	7.24	10	0.95	2	0.91	2	0.00	0	0.02	1	0.02	1	0.20	1	1.30	6	0.42	5	1.21	8	18.08	52
3144 B	Mid Illovo	29 58	30 31	2300	4.42	15	6.77	10	9.15	16	1.02	3	1.59	4	0.05	2	0.90	6	0.11	3	0.80	11	3.26	16	1.56	14	3.60	16	33.23	116
3145	Eaton	29 52	30 31	2600	2.73	15	4.04	9	9.11	13	0.79	3	1.54	4	0.12	1	0.15	3	0.12	2	0.47	6	3.67	14	0.88	9	2.46	17	26.08	96
3146 M	Excelsior	28 02	30 33	-	4.80	7	3.93	3	6.89	9	0.99	1	0.38	1	0.00	0	0.00	0	0.00	0	0.21	1	0.18	2	0.83	4	0.18	1	18.39	29
3147	Waldheim	28 29	30 32	3578	5.49	5	2.48	3	7.81	9	0.80	1	0.45	2	0.00	0	0.00	0	0.00	0	0.27	1	0.37	3	0.59	4	0.36	2	18.62	30
3148	Camperdown	29 43	30 33	2500	2.73	13	3.06	12	7.84	11	0.74	3	1.20	3	0.00	0	0.05	1	0.08	1	0.18	2	2.33	7	0.67	6	2.82	13	21.70	(72)
3149	Camperdown	29 48	30 33	2500	2.55	17	3.49	11	7.65	13	0.84	3	0.99	3	0.16	2	0.09	1	0.09	2	0.21	4	2.15	13	0.61	12	2.20	16	21.03	97
3150	Goedehoop	27 08	30 34	4700	3.22	14	3.33	5	6.19	13	0.88	3	0.36	2	0.00	0	0.00	0	0.35	1	0.66	1	1.17	13	4.07	8	3.10	12	23.33	72
3150 M	Windy Hill Wattle Co.	29 29	30 34	2100	4.37	16	4.24	8	9.48	12	0.59	4	0.75	3	0.00	0	0.02	1	0.42	3	0.22	2	1.33	9	1.10	8	4.01	16	26.53	82
3151	Klipfontein	27 40	30 34	5000	4.77	4	2.51	2	5.70	10	1.10	2	0.45	1	0.00	0	0.00	0	0.00	0	0.27	1	0.60	3	0.52	1	0.90	2	16.82	26
3153	Altona	27 20	30 38	3800	5.85	9	4.14	2	9.45	12	1.08	5	0.43	2	0.00	0	0.00	0	0.21	1	0.35	1	1.27	9	1.18	4	3.50	11	27.46	56
3154 M	Umgeni Dam	29 35	30 37	-	3.03	14	2.91	9	8.09	11	0.61	3	0.75	4	0.00	0	0.00	0	0.08	2	0.10	2	1.93	9	0.59	10	3.18	16	21.27	80
3155 A	Vredeswil	27 37	30 40	4000	4.29	10	2.82	2	6.80	10	1.04	2	0.32	2	0.00	0	0.05	1	0.00	0	0.38	3	1.24	11	0.75	7	2.26	7	19.95	55
3156	Inadi	28 50	30 41	2630	2.32	10	1.88	4	6.35	12	0.38	1	0.79	3	0.00	0	0.00	0	0.00	0	0.44	3	0.87	6	0.24	4	3.57	6	16.84	49
3158	Mistley	29 15	30 39	3200	3.71	16	2.76	10	8.55	13	0.81	5	0.73	4	0.04	1	0.03	2	0.25	3	0.33	3	1.86	17	1.59	11	3.22	16	23.88	101
3159	Newlands	29 59	30 39	2120	3.58	16	5.34	12	8.78	14	0.62	4	1.88	4	0.06	2	0.98	3	0.05	2	1.44	10	5.31	17	1.34	12	3.11	15	32.49	111
3159 A	Isandhlwana	28 22	30 40	4060	6.01	6	3.00	4	5.92	7	1.33	1	0.38	1	0.00	0	0.00	0	0.17	1	0.00	0	0.33	2	0.78	3	0.42	3	18.34	28
3160	Inchanga	29 44	30 40	2500	2.69	11	3.36	7	9.06	11	0.81	2	1.10	3	0.02	1	0.00	0	0.00	0	0.32	1	3.68	8	1.05	9	3.51	16	25.60	69
3161	Nqutu	28 13	30 40	4350	4.79	8	3.51	2	5.82	11	1.07	3	0.73	2	0.00	0	0.00	0	0.00	0	0.28	1	0.78	5	0.82	2	0.37	2	18.17	36
3163	Kromberg	28 59	30 42	4400	3.53	17	4.60	8	6.25	12	2.08	4	2.71	4	-	-	0.00	0	0.45	2	0.54	2	1.19	9	1.31	8	4.59	16	(27.25	82)
3165	Marthinusdrift	27 31	30 43	3700	7.20	6	3.55	2	10.23	11	2.71	2	0.30	1	0.00	0	0.00	0	0.00	0	0.15	1	0.40	3	1.00	2	1.53	3	27.07	31
3165 A	Shongweni	29 51	30 43	1500	1.87	16	3.59	10	7.71	15	0.54	3	1.20	5	0.06	2	0.18	2	0.06	1	0.63	8	3.97	13	0.89	12	2.72	16	23.42	103
3168	Vryheid	27 46	30 47	3917	3.57	10	4.60	3	6.49	13	1.04	2	0.48	2	0.00	0	0.00	0	0.03	1	0.56	3	0.79	10	1.82	8	1.41	7	20.79	59

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3170	Willcrest	29°46'	30°46'	2275	4.05	17	5.74	12	10.35	16	0.79	6	1.39	4	0.11	2	0.11	3	0.29	5	1.01	9	5.35	18	1.84	16	4.46	17	35.49	125
3171	Waterval	28 00	30 49	3600	3.09	3	3.40	3	4.27	4	2.71	2	0.43	1	0.00	0	0.00	0	0.00	0	0.33	1	0.54	2	0.24	1	1.48	4	16.49	21
3172	Lootshoek	28 53	30 47	2780	1.84	7	1.87	3	5.58	9	0.45	1	0.89	3	0.00	0	0.00	0	0.00	0	0.25	1	0.93	4	0.49	3	5.12	11	17.42	42
3173	Boscombe	29 04	30 49	4000	4.63	16	4.35	8	8.45	12	0.42	1	0.70	2	0.03	1	0.08	2	0.31	4	0.50	5	2.44	13	1.67	9	4.59	12	28.17	85
3174	Piet Retief	27 00	30 48	4137	5.64	7	2.56	4	7.38	9	1.31	3	0.23	1	0.00	0	0.00	0	0.00	0	0.46	1	1.46	10	1.83	6	4.59	10	25.46	51
3175	Mfongosi	28 43	30 48	1400	5.71	14	3.23	7	7.60	16	0.85	3	1.32	4	0.00	0	0.00	0	0.00	0	0.47	3	0.91	13	0.13	8	3.42	14	23.64	82
3176	Mfongosi Store	28 43	30 48	1400	5.64	11	3.39	5	5.75	9	1.00	2	1.04	4	0.00	0	0.00	0	0.00	0	0.30	2	0.71	6	0.14	4	3.22	8	21.19	(51)
3177	Intake Weir	29 54	30 49	450	2.47	17	3.89	12	8.83	16	0.41	6	1.26	6	0.00	0	0.38	3	0.15	4	0.74	10	4.28	17	1.08	15	3.24	18	26.73	124
3178	Paulpietersburg	27 27	30 50	3660	4.71	14	2.67	4	7.35	16	1.88	5	0.36	3	0.00	0	0.01	1	0.01	1	0.27	2	1.02	14	1.53	12	3.78	14	23.59	86
3179 A	Rondspring	28 24	30 50	4200	3.88	10	2.99	2	7.47	13	0.93	1	0.61	2	0.00	0	0.00	0	0.02	1	0.43	2	0.88	5	0.80	4	0.70	3	18.71	43
3180 A	Uitzicht	27 35	30 53	3500	5.23	6	2.72	2	4.45	8	2.83	3	0.20	1	0.00	0	0.00	0	0.00	0	0.47	1	0.44	4	0.23	1	1.99	4	18.46	30
3180 M	Qudeni	28 39	30 54	-	10.31	17	7.85	7	11.02	10	0.80	1	0.95	2	0.17	1	0.31	2	0.87	3	1.05	3	4.53	10	1.45	5	6.08	8	45.39	69
3182	Impahlazini	28 54	30 52	3780	2.55	11	1.29	4	4.42	9	0.70	1	1.08	3	0.04	1	0.00	0	0.18	2	0.00	0	0.98	6	0.73	3	5.25	10	17.22	50
3184	Kranskop	28 58	30 51	3767	3.42	15	2.36	4	7.41	11	0.45	1	0.93	4	0.32	2	0.00	0	0.09	2	0.50	3	1.71	12	0.62	6	3.35	11	21.16	71
3185	Pinetown	29 49	30 52	1200	2.28	5	5.28	6	8.66	6	0.32	1	1.34	2	0.00	0	0.03	1	0.00	0	1.00	4	4.00	3	1.43	5	2.74	4	27.08	(37)
3187	Woodlands	28 39	30 55	4770	10.09	14	6.40	8	11.16	11	0.77	2	0.47	3	0.26	1	0.00	0	0.76	4	0.99	4	4.08	14	1.72	7	4.50	12	41.20	80
3188	Elandsvlei	29 04	30 54	3000	3.92	18	3.73	7	3.39	16	0.64	1	1.25	3	0.06	3	0.07	2	0.26	3	0.66	7	1.95	15	0.78	11	3.44	13	24.15	99
3189 A	Worthdene	29 52	30 53	777	2.19	16	4.78	11	9.40	14	0.28	3	1.61	5	-	-	0.42	3	0.23	4	0.68	8	5.11	15	1.30	9	3.04	16	(28.59	104)
3192	Umlaas Filter Beds	29 56	30 53	600	2.77	16	3.39	9	9.08	16	0.68	4	1.79	5	0.02	1	0.73	2	0.26	4	0.71	10	3.40	18	1.16	11	2.64	14	26.63	110
3193	Swartkop	28 14	30 54	3400	6.44	7	3.42	2	6.22	11	0.84	3	0.23	1	0.00	0	0.00	0	0.00	0	0.30	2	0.47	3	0.24	2	1.42	4	19.58	35
3193 A	Salem	29 01	30 55	3200	3.90	15	2.66	5	9.51	9	0.48	2	0.58	2	0.37	2	0.00	0	0.05	1	0.64	2	2.65	7	0.85	6	2.82	13	24.51	64
3194	Mbeedse	29 33	30 56	2050	4.22	12	7.17	7	11.95	13	0.42	3	1.67	5	0.00	0	0.06	1	0.25	2	0.63	6	5.81	15	1.80	9	4.38	15	38.36	88
3194 A	Frogmore	29 02	30 55	3400	3.64	13	2.98	6	9.55	14	0.43	1	0.68	2	0.20	2	0.00	0	0.00	0	0.30	1	2.51	5	0.65	3	2.34	6	23.28	53
3194 M	Durban Hights	29 48	30 55	-	2.09	9	5.12	8	9.25	12	0.30	1	1.87	5	0.00	0	0.00	0	0.04	1	0.48	3	3.15	7	1.12	10	1.91	11	25.33	67
3195	Coedmore	29 55	30 56	500	2.55	17	5.36	8	10.21	16	0.49	7	2.07	5	0.04	1	0.32	3	0.49	5	0.79	9	2.48	17	1.32	11	3.11	14	29.23	113
3196 A	Umbogintwini	29 58	30 56	224	3.64	16	5.40	9	8.76	14	0.70	6	2.03	5	0.10	3	2.92	2	0.65	7	0.76	9	2.15	16	1.56	10	3.17	14	31.84	111
3197	Zasiplaats	27 18	30 57	3450	5.83	7	3.21	3	8.63	10	2.10	3	0.30	1	0.00	0	0.00	0	0.00	0	0.09	1	1.41	10	1.59	7	2.57	11	25.73	53
3199 M	Babanango 473	28 23	30 59	-	5.47	7	3.06	5	10.67	8	0.36	1	0.82	3	0.00	0	0.00	0	0.00	0	0.30	1	1.00	5	0.99	4	1.90	5	24.57	(39)
3200	Welverdiend	28 28	31 05	3420	3.99	13	3.42	5	8.48	15	1.28	2	0.76	2	0.00	0	0.00	0	0.00	0	0.47	1	1.00	8	0.53	3	1.97	7	21.90	56
3201	Milkwoodkraal	29 43	30 59	400	2.08	9	5.23	8	9.03	11	0.66	3	2.08	4	0.00	0	0.14	1	0.31	4	0.74	6	2.61	13	1.00	9	2.82	14	26.70	82
3202	Congella	29 52	30 59	20	2.16	12	7.45	10	7.88	13	0.25	2	2.63	5	0.00	0	0.11	1	0.30	2	0.53	6	1.22	12	1.00	9	2.69	13	26.22	85

No.	STATION STASIE	Latitude S. Breedtegr.	Longitude E. Lengtegr.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3203	Langkrans	27°50'	31°03'	5000	5.22	16	5.61	5	9.76	15	0.51	3	0.47	3	0.04	1	0.09	3	0.33	5	0.58	6	2.38	17	1.41	12	3.66	15	30.06	101
3204	Durban (Botanical Gardens)	29 51	31 00	300	2.70	12	7.58	10	8.45	13	0.31	2	2.67	5	0.00	0	0.02	1	0.32	3	0.82	7	1.84	15	1.14	12	3.06	12	28.91	92
3206	Saccharine	29 42	31 00	200	4.27	9	6.77	7	9.57	11	1.55	3	2.92	5	0.40	1	0.00	0	0.08	2	0.68	5	2.05	10	0.80	8	3.05	2	32.14	63
3207	Effingham	29 47	31 00	300	1.63	7	6.12	7	11.29	11	0.73	4	2.47	5	0.00	0	0.04	1	0.19	3	0.75	8	1.90	14	0.85	9	3.09	13	29.06	82
3209	Gluckstad	27 58	31 02	3280	4.29	11	3.99	5	7.29	12	0.83	2	0.42	1	0.00	0	0.00	0	0.00	0	0.54	3	1.53	10	0.75	7	6.51	11	26.15	62
3210	Cornubia	29 43	31 04	300	3.64	12	6.80	9	11.08	13	1.93	3	1.99	5	0.09	2	0.05	1	0.41	5	1.30	8	2.36	13	1.66	10	3.47	14	34.78	95
3212	Florida Road	29 49	31 01	200	2.65	13	6.44	10	8.28	12	0.40	2	2.40	5	0.00	0	0.05	1	0.28	4	0.59	7	1.75	15	0.98	8	2.44	15	26.26	92
3213 F	Johannesloop	27 01	31 02	-	4.56	13	2.48	5	6.05	11	0.60	3	0.36	3	0.00	0	0.00	0	0.00	0	0.33	1	3.14	18	1.26	9	4.45	15	23.23	78
3213 M	Goedgeloof	28 06	31 01	-	3.77	5	3.58	3	4.57	9	1.54	2	0.66	2	0.00	0	0.00	0	0.00	0	0.28	1	0.79	4	0.77	3	4.12	8	20.02	37
3215	Mount Edgecombe	29 42	31 02	165	3.88	13	6.77	9	10.87	13	1.75	4	1.84	4	0.11	2	0.05	1	0.28	5	1.06	10	1.68	16	1.31	10	3.55	15	33.15	102
3216	Balmoral	27 26	31 04	2800	6.12	10	2.14	4	6.21	8	0.86	3	0.30	1	0.00	0	0.00	0	0.00	0	0.23	2	1.60	11	1.76	5	2.07	11	21.29	55
3217	Mapumulo	29 09	31 04	1400	4.40	16	5.71	8	8.82	15	0.78	3	2.35	4	0.12	3	0.00	0	0.26	2	0.42	6	4.96	13	1.41	9	3.83	13	33.06	92
3217 B	Durban Airport	29 49	31 02	20	2.60	15	5.81	12	9.86	15	0.52	4	2.03	5	0.03	1	0.04	2	0.32	5	0.78	8	1.55	15	1.07	11	3.03	15	27.64	108
3218	Durban Point	29 47	31 03	50	3.38	10	7.31	8	5.13	10	0.75	4	1.82	5	0.14	2	0.92	2	0.64	4	0.98	6	2.33	19	1.45	13	4.46	14	29.31	97
3221	Verulam	29 38	31 03	400	2.81	11	4.99	6	7.69	9	0.00	0	2.54	6	0.00	0	0.00	0	0.00	0	0.81	7	2.16	8	0.99	6	2.75	9	24.34	62
3222	Mount Edgecombe	29 42	31 03	340	3.02	14	5.78	8	9.33	13	1.69	4	1.94	5	0.16	3	0.01	1	0.17	4	0.83	8	1.88	17	0.86	12	2.83	16	28.50	105
3223	Blackburn	29 41	31 05	50	2.28	10	5.98	8	8.74	13	1.06	4	2.59	5	0.02	1	0.12	1	0.23	4	1.01	7	2.35	11	1.15	10	2.96	14	28.49	88
3225	Sulphur Springs	27 10	31 05	3200	4.76	7	2.17	2	10.24	9	3.55	2	0.13	1	0.00	0	0.00	0	0.00	0	0.37	1	1.09	5	1.90	3	1.42	3	25.63	33
3226	Babanango	28 23	31 05	4260	5.69	8	2.74	4	13.06	13	0.77	1	0.76	2	0.40	1	0.00	0	0.00	0	0.50	1	2.18	8	0.81	3	3.98	7	30.89	48
3227	Nkandhla	28 32	31 05	3588	4.81	10	4.93	6	7.16	6	1.74	3	1.72	4	0.00	0	0.00	0	0.00	0	0.23	1	1.41	7	0.57	3	4.96	8	27.53	48
3227 M	Wonderdraai	28 30	31 05	-	4.46	13	5.34	9	12.43	-	1.38	3	0.69	4	0.02	1	0.00	0	0.07	3	0.70	8	1.88	12	0.82	6	2.75	9	30.54	(68)
3230	Beach	29 43	31 06	10	2.71	13	6.56	7	11.24	13	2.79	4	2.76	5	0.10	2	0.38	2	0.15	3	1.14	5	2.39	14	2.00	11	3.86	11	36.08	90
3230 a	Vlakfontein (Waterfall)	27 59	31 11	-	2.94	5	3.73	3	7.29	8	1.00	2	0.49	2	0.00	0	0.00	0	0.00	0	0.42	1	1.05	5	0.13	1	4.50	7	21.55	(34)
3230 A	Goedgegun	27 07	31 12	-	4.45	16	2.43	9	9.35	14	3.14	3	0.20	3	0.00	0	0.00	0	0.10	4	0.34	2	1.68	15	2.86	12	4.40	15	28.95	93
3231	Nelkon	27 46	31 13	3600	4.83	6	2.08	3	5.07	9	0.84	2	0.27	1	0.00	0	0.00	0	0.00	0	0.41	1	0.44	3	0.24	2	1.93	4	16.11	31
3232	Lot 12	28 53	31 16	2300	4.20	16	5.64	5	10.89	11	0.00	0	1.42	3	0.19	1	0.00	0	0.55	5	0.03	1	3.64	11	1.55	7	4.33	9	32.44	69
3232 A	Frasers	29 30	31 12	250	2.79	9	6.59	7	10.08	11	1.01	3	2.12	5	0.00	0	0.17	2	0.54	4	1.06	7	2.49	14	1.04	9	2.43	13	30.32	84
3233	Dwaleni	27 10	31 16	3200	4.89	10	1.79	2	9.95	11	1.69	2	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	1.36	8	1.01	3	3.53	6	24.52	43
3234	Uitkoast	27 56	31 13	2300	4.46	6	3.89	4	7.18	12	2.29	5	0.55	2	0.00	0	0.00	0	0.11	3	0.40	2	0.68	5	0.14	2	2.64	4	22.34	45
3235	Bergplaats	27 15	31 13	2600	6.00	8	2.66	3	8.17	11	1.12	2	0.00	0	0.00	0	0.00	0	0.00	0	0.27	1	1.40	7	1.79	5	3.54	4	24.95	41
3236 A	Surprise Store	28 11	31 15	3387	4.63	7	4.77	6	8.42	9	1.00	1	0.00	0	0.00	0	0.00	0	0.00	0	0.67	1	2.11	8	0.66	2	6.91	5	29.17	39
3237	Louisburg	27 35	31 17	4200	4.15	6	2.96	3	6.47	9	0.83	3	0.00	0	0.00	0	0.00	0	0.00	0	0.53	2	1.90	10	0.71	3	2.52	5	20.07	41
3238 A	Lisbon	27 45	31 16	2700	4.01	3	1.65	2	4.57	10	1.87	3	0.51	2	0.00	0	0.00	0	0.00	0	0.33	2	0.56	3	0.42	2	1.11	3	15.03	30
3240	Overvlood	28 22	31 21	1750	2.49	5	3.52	6	8.23	10	0.74	3	0.49	2	0.00	0	0.00	0	0.03	1	0.10	1	1.31	5	0.22	4	2.67	6	19.80	43
3241	Springvale	28 33	31 22	2600	2.85	6	2.14	4	7.58	17	0.31	1	0.63	1	0.23	1	0.00	0	0.23	1	0.21	1	1.91	5	0.61	4	-	-	(16.70	41)

No.	STATION STASIE	Latitude S. Breedtegr	Longitude E. Longtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3241 A	Mhlotsheni	27°11'	31°23'	2700	7.01	8	0.83	3	5.70	4	0.55	2	0.00	0	0.00	0	0.00	0	0.00	0	0.33	1	2.57	10	2.23	8	5.01	6	24.23	42
3242	Melmoth	28 35	31 24	2527	3.48	17	2.84	7	7.56	17	0.35	4	2.02	3	0.13	1	0.11	2	0.49	6	0.46	7	2.18	16	0.79	8	4.89	16	25.30	104
3245	Ngoni	27 50	31 23	3600	11.17	14	7.87	6	11.21	14	6.18	7	1.32	4	0.47	2	0.37	3	1.20	3	0.95	5	4.45	14	3.53	9	9.78	12	58.50	93
3245 A	Etonjaneni	28 30	31 25	-	4.36	10	3.45	6	10.10	15	0.16	1	0.81	2	0.38	1	0.00	0	0.31	2	0.32	3	2.00	9	1.17	6	4.63	10	27.69	65
3246	Eshowe	28 53	31 28	1740	4.98	13	7.46	7	12.81	10	0.42	2	2.01	3	0.00	0	0.21	1	1.04	4	1.12	6	6.25	13	2.60	7	6.15	10	45.05	76
3247	Mahlabatini	28 15	31 27	2765	3.91	7	3.61	7	7.85	15	1.81	4	0.66	3	0.07	1	0.00	0	0.10	2	0.28	2	3.72	13	1.33	6	4.84	9	28.18	69
3248	Belmont	28 52	31 29	1500	3.32	11	5.99	7	13.25	14	0.36	3	2.06	3	0.01	1	0.00	0	1.01	4	0.60	4	3.51	7	1.72	8	4.38	11	36.21	73
3252	Gingindhlovu	29 01	31 35	150	3.59	15	7.36	8	8.80	12	0.52	6	1.32	5	0.87	4	0.10	2	1.26	10	0.96	6	3.45	18	2.42	14	5.63	13	36.28	113
3253	Amatikulu	29 07	31 35	360	2.30	7	7.52	6	9.25	8	1.22	4	0.91	3	0.55	2	0.78	3	2.00	7	0.90	2	2.65	8	1.87	5	3.92	7	33.87	62
3254	Isilingo	27 13	31 35	2000	3.86	13	3.24	8	9.49	13	0.41	3	0.60	5	0.02	2	0.01	1	0.02	1	0.23	3	2.63	16	1.48	12	4.78	11	26.77	88
3255	Nongoma	27 54	31 39	2500	4.74	10	4.00	5	11.12	12	0.89	2	0.72	3	0.00	0	0.00	0	0.63	3	0.15	1	2.18	8	1.54	7	4.15	9	30.12	60
3257 K	Pongolo Settlement	27 23	31 37	-	6.13	5	3.22	4	6.32	12	0.11	1	0.21	2	0.00	0	0.00	0	0.00	0	0.23	2	1.71	7	0.15	1	1.91	5	19.99	39
3258 A	Fairbreeze Estate	29 02	31 40	220	3.85	10	13.68	6	12.51	6	0.67	2	1.18	3	1.44	2	0.81	4	2.25	4	0.91	4	2.89	9	2.01	4	5.10	7	47.30	61
3258 M	Hooltgedacht	27 23	31 39	-	5.89	4	3.05	4	5.82	10	0.23	1	0.15	1	0.00	0	0.00	0	0.00	0	0.09	2	1.62	10	0.23	3	1.83	4	18.91	38
3259 A	Tokazi	27 47	31 37	1900	4.86	6	3.68	3	4.69	7	4.80	4	0.17	1	0.00	0	0.00	0	0.00	0	0.21	2	1.68	9	0.58	3	2.39	5	23.06	40
3260	Obanjeni Lot 83	28 57	31 41	300	4.19	10	9.15	6	9.72	10	0.58	3	1.47	3	1.64	3	0.30	3	2.38	7	0.80	3	4.01	13	1.83	7	4.46	10	40.53	78
3261	Zilverbout	27 42	31 44	1500	2.39	3	4.91	3	5.89	8	2.43	3	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	0.55	2	0.20	1	3.74	5	20.31	(26)
3263	Kwayaya	28 43	31 40	500	2.54	8	4.82	6	10.34	16	0.20	-	1.57	3	0.24	1	0.04	2	0.11	2	0.28	3	2.42	16	0.74	3	5.31	11	28.61	(71)
3265	Mtusini	28 56	31 45	40	2.15	10	10.34	5	9.18	7	1.26	4	1.05	3	0.98	2	0.61	3	2.05	5	1.11	2	2.34	11	1.86	10	3.63	9	36.56	71
3267	Lavoni Lot 254	28 37	31 47	600	3.60	10	4.40	5	9.91	8	0.77	1	1.10	2	0.16	1	0.25	1	0.49	3	0.14	1	2.08	14	0.67	2	5.26	8	28.83	56
3269	Port Durnford E.	28 55	31 50	300	4.90	13	8.47	6	11.90	7	2.90	3	1.31	2	1.12	2	0.60	2	2.36	3	0.80	2	3.15	13	3.50	9	5.94	9	46.95	71
3270	Port Durnford A.	28 51	31 53	200	4.32	9	7.18	7	12.48	10	3.58	4	2.35	4	1.53	4	1.09	3	2.36	5	0.53	2	3.01	9	2.03	10	3.81	8	44.27	75
3271	Gellel	27 19	31 54	500	4.24	6	2.40	4	4.69	8	1.46	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.94	3	0.41	1	1.14	5	15.28	(29)
3273	Enselini	28 36	31 52	400	2.57	7	6.31	7	7.73	8	2.76	3	1.51	2	0.73	1	0.35	1	1.85	7	0.42	1	2.13	8	1.32	5	4.97	8	32.65	58
3275	Empangeni	28 46	31 55	210	3.71	15	5.35	9	9.42	14	1.79	4	1.31	3	0.65	4	0.14	2	1.57	8	0.19	3	2.41	15	1.34	9	3.93	12	31.81	98
3276 N	Nagana Research Station	28 17	31 57	-	4.67	10	4.60	6	6.24	12	0.25	2	1.06	4	0.00	0	0.00	0	0.09	1	0.23	2	1.78	8	0.71	7	3.15	8	22.72	60
3277	Kulu Halt	28 42	31 58	100	3.85	12	5.76	8	9.51	11	0.95	4	1.28	2	0.63	4	0.12	1	1.28	9	0.12	2	2.34	11	1.46	7	5.15	10	32.45	81
3279	Clerkness	27 37	31 58	950	4.02	3	2.06	6	7.27	13	1.22	3	1.71	4	0.27	1	0.00	0	0.00	0	0.15	1	0.35	2	0.12	1	2.79	4	19.96	38
3280	Nkonkoni B.	27 32	32 00	500	2.89	6	2.23	5	6.11	9	3.93	5	0.58	3	0.00	0	0.00	0	0.00	0	0.05	1	1.12	7	0.00	0	2.77	5	19.68	41
3283	Ktesa	28 31	32 09	25	3.00	14	7.36	7	7.83	11	1.03	3	0.67	4	1.16	5	0.28	1	0.61	6	0.12	1	1.89	12	0.66	5	3.19	7	27.80	76
3284	Ingwavuma	27 08	32 00	2000	3.75	14	4.33	9	5.76	12	1.74	5	1.16	3	0.00	0	0.02	1	0.00	0	0.11	1	2.59	12	0.42	3	1.81	8	21.69	68
3284 M	Mkuzi	27 37	32 02	401	1.43	4	(2.15	5)	4.43	10	3.11	5	1.03	4	0.01	1	0.00	0	0.00	0	0.14	2	1.06	10	0.23	5	2.31	3	(15.90	49)
3285	Potters Camp	28 05	32 03	1483	5.54	10	7.82	6	7.93	11	0.11	1	1.03	3	0.00	0	0.00	0	0.00	0	0.23	1	3.04	7	1.06	4	3.38	7	30.14	50
3286	Ubombo	27 34	32 05	1800	3.49	13	4.84	7	7.20	11	2.18	5	0.94	4	0.09	1	0.00	0	0.72	2	0.20	2	3.45	16	0.52	9	3.47	8	27.10	78
3288	Mpona	28 37	32 02	300	2.82	7	5.43	7	10.16	10	1.54	3	1.15	3	0.44	2	0.00	0	0.95	3	0.00	0	1.71	9	1.16	5	4.13	8	29.49	57

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3289	Richards Bay	28°47'	32°06'	50	2.30	3	7.37	5	6.24	6	3.45	3	0.17	1	0.66	2	1.66	2	1.32	2	1.09	2	1.45	3	0.43	3	3.61	5	29.75	(35)
3290	Otobotini	27 25	32 06	300	5.82	6	1.75	3	6.43	8	5.00	5	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	1.17	4	0.12	1	0.76	3	21.35	31
3291	Lansdowne	28 12	32 10	700	4.72	12	8.37	8	5.62	13	1.08	4	1.08	2	0.19	2	0.02	1	0.20	4	0.86	3	2.18	10	0.58	5	3.37	8	28.27	72
3293	Kwambonambi	28 40	32 10	100	3.70	9	7.06	8	9.14	9	2.21	3	0.77	3	1.03	3	0.94	2	1.28	4	0.04	1	2.03	8	1.20	8	4.76	10	34.16	65
3295	Kangela	28 22	32 12	250	5.12	15	8.23	7	8.97	14	0.65	6	1.07	4	0.62	5	0.10	1	0.24	4	0.34	3	2.04	11	0.56	4	4.76	10	32.70	84
3295 M	Harrogate	27 54	32 15	-	4.19	8	2.97	5	6.71	-	1.28	6	1.03	4	0.13	3	0.00	0	0.46	1	0.34	2	1.12	12	0.19	6	1.55	5	19.97	(52)
3296	Hill Farm	28 25	32 14	250	4.62	16	8.19	8	10.16	14	1.06	7	1.24	4	0.69	5	0.14	3	0.66	9	0.76	6	2.63	17	0.57	8	5.38	12	36.10	109
3297	River View	28 27	32 13	50	3.31	10	8.40	7	12.10	12	0.60	2	1.01	3	0.90	4	0.15	2	0.25	3	0.48	2	2.13	9	0.24	2	4.30	7	33.87	63
3298	Palm Ridge	28 20	32 15	200	7.66	10	5.09	6	9.03	12	1.87	3	1.30	3	0.45	3	0.19	3	0.07	2	0.57	2	2.12	8	0.10	1	3.21	8	31.66	61
3300	Hluhluwe Lot 40	28 03	32 17	360	2.76	2	6.10	4	5.70	5	2.16	3	0.96	2	0.22	1	0.00	0	0.00	0	0.80	2	0.98	4	0.21	1	2.26	5	22.15	29
3302	Hluhluwe Lot 29	28 04	32 15	300	3.03	12	4.65	8	6.23	14	2.64	7	1.12	4	0.18	3	0.00	0	0.09	2	0.57	4	1.19	14	0.44	5	2.07	9	22.21	82
3302 A	Dukuduku, St. Lucia Estuary	28 17	32 17	230	1.23	-	8.34	-	8.59	-	2.85	-	1.54	-	1.27	-	0.35	-	0.10	-	0.51	-	2.33	-	0.24	-	1.29	-	28.64	-
3303	Dukuduku	28 24	32 18	230	5.62	11	7.15	7	8.82	11	1.07	4	1.15	4	0.96	4	0.31	2	0.43	5	0.50	3	2.70	12	0.50	3	3.47	9	32.68	75
3304	Ulca	28 28	32 18	50	3.36	7	9.31	8	11.94	14	2.77	8	0.68	5	0.63	2	0.63	2	0.95	2	0.29	3	2.87	9	0.47	2	4.35	4	38.25	66
3306	St. Lucia Lake	28 15	32 24	-	3.12	6	6.14	4	10.89	13	1.73	3	3.59	4	0.90	3	0.04	1	0.66	3	0.49	4	3.45	12	0.87	4	2.33	6	34.21	63
3307	Cape St. Lucia	28 31	32 24	363	9.01	8	5.72	4	11.28	10	3.51	5	0.36	1	0.64	2	1.57	2	1.14	3	0.47	4	3.78	11	0.30	2	3.52	8	41.30	60
3307 A	Mseleni Mission Station	27 22	32 32	280	3.02	4	3.30	4	7.53	11	1.51	3	1.56	3	0.49	3	0.00	0	0.00	0	0.35	1	1.01	7	0.22	3	2.13	6	21.12	45
3308	Maputa	27 00	32 45	150	3.98	11	5.72	9	13.75	16	2.45	4	0.68	2	0.53	2	0.15	3	0.79	4	0.76	4	2.03	10	0.21	4	2.35	9	33.40	78
	SECTION 19.																													
3308 A	Wallenkraal	30 23	17 31	2500	0.00	0	0.00	0	0.30	2	0.26	1	1.33	5	0.22	3	0.91	4	0.44	3	0.00	0	2.35	3	0.00	0	0.00	0	5.81	21
3308 Aa	Soebatsfontein	30 07	17 36	-	0.00	0	0.00	0	0.45	4	0.40	2	0.70	7	0.46	4	0.55	4	0.32	3	0.00	0	2.92	4	0.07	2	0.00	0	5.87	30
3308 M	Derubergdraai	30 46	17 42	-	0.08	1	0.00	0	0.08	1	0.66	1	1.17	6	0.59	6	1.29	5	0.60	3	0.00	0	2.20	2	0.00	0	0.02	1	6.69	26
3308 B	Cape Columbine	32 50	17 51	201	0.00	0	0.03	1	0.02	1	1.35	4	0.65	11	2.11	10	1.63	10	1.20	7	0.15	2	0.54	6	0.30	5	0.18	1	8.16	58
3310	Schuinskraal	30 33	17 56	1650	0.00	0	0.00	0	0.49	3	0.57	1	1.95	3	1.00	4	1.43	3	1.32	2	0.00	0	3.10	3	0.05	1	0.00	0	9.91	20
3310 A	Kamieskroon	30 13	17 57	2500	0.00	0	0.03	1	0.25	1	0.53	1	0.89	4	0.90	3	1.94	3	1.01	3	0.00	0	2.68	3	0.00	0	0.00	0	8.23	19
3311	Garies	30 34	18 00	-	0.00	0	0.00	0	0.47	3	0.50	2	1.66	5	0.73	4	1.46	4	1.21	5	0.00	0	2.60	3	0.00	0	0.06	1	8.69	27
3311 a	Garies	30 34	18 00	830	0.00	0	0.00	0	0.49	2	0.49	2	1.66	6	0.67	4	1.57	5	1.22	4	0.00	0	2.55	3	0.00	0	0.05	1	8.70	27
3311 A	Rietpoort	30 55	18 00	1400	0.07	1	0.00	0	0.00	0	0.00	0	0.55	1	-	-	0.00	0	0.63	3	0.00	0	2.75	3	-	-	-	-	(4.00	8)
3312	Vredenburg	32 54	17 59	395	0.00	0	0.00	0	0.00	0	0.52	1	3.22	12	3.13	11	2.11	8	2.00	8	0.14	1	0.66	5	0.00	0	0.21	2	11.99	48
3313	Lilyfontein	30 19	18 05	4370	0.00	0	0.00	0	0.57	3	1.44	2	4.00	8	2.76	6	4.41	5	1.79	2	1.79	2	0.04	1	3.78	3	0.15	1	20.73	33
3314	Nieuwe Rust	31 09	18 22	1200	0.00	0	0.00	0	0.09	1	0.80	1	1.07	5	1.24	5	1.15	3	0.71	1	0.00	0	1.09	3	0.00	0	0.00	0	6.15	19
3314 B	Koekenaap	31 32	18 18	-	0.00	0	0.00	0	0.12	2	0.32	1	0.64	7	0.87	6	0.94	4	0.62	4	0.02	1	0.76	2	0.00	0	0.00	0	4.29	27
3315	Kersefontein	32 54	18 20	15	0.00	0	0.00	0	0.05	1	0.59	3	2.87	13	2.62	11	2.20	10	1.89	9	0.10	1	0.64	3	0.00	0	0.00	0	10.96	51
3315 a	Redelinghuys	32 29	18 32	-	0.00	0	0.04	1	0.08	3	0.77	3	2.28	14	3.23	10	2.71	9	1.28	7	0.11	2	0.73	3	0.10	2	0.03	1	11.36	55

No.	STATION STASIE	Latitude S. Breedtegr S.	Longitude E. Lengtegr O.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3317	Graafwater	32°09'	18°36'	550	0.01	1	0.10	2	0.07	1	0.98	3	1.72	12	2.79	11	1.80	8	1.03	5	0.10	2	0.68	2	0.05	2	0.16	3	9.49	52
3318	Klaver	31 47	18 37	123	0.01	1	0.03	1	0.16	2	0.55	1	1.32	10	1.39	10	1.29	6	1.10	8	0.04	1	0.50	2	0.07	1	-	-	(6.46	43)
3318 A	Wilgenhoutdrift	32 40	18 42	400	0.00	0	0.00	0	0.31	3	1.04	4	3.92	15	4.12	10	2.22	8	1.89	9	0.21	2	0.84	4	0.18	3	0.10	2	14.83	60
3318 Aa	Moutonshoek	32 44	18 43	1995	0.00	0	0.00	0	0.07	1	1.36	3	5.78	14	8.71	11	5.36	11	3.17	8	0.14	1	1.75	5	0.00	0	0.00	0	26.34	(54)
3318 B	Puts	31 47	18 41	480	0.00	0	0.02	1	0.19	3	0.83	3	2.54	11	2.75	11	2.68	10	1.68	6	0.06	1	0.58	3	0.45	3	0.15	3	11.93	55
3318 Ca	Heldervue	32 49	18 43	2600	0.00	0	0.00	0	0.45	4	1.77	5	6.77	13	8.70	13	9.98	13	5.80	12	0.32	5	2.22	9	0.69	5	0.94	5	37.64	84
3318 E	Het Kruis	32 35	18 44	-	0.00	0	0.04	1	0.00	0	0.52	-	3.22	12	(2.40	8)	2.48	9	1.27	5	0.10	1	0.26	4	0.00	0	0.00	0	(10.19	40)
3319	Piquetberg	32 54	18 45	770	0.00	0	0.00	0	0.35	1	1.04	3	5.62	12	4.72	9	4.90	9	2.63	9	0.16	1	1.37	4	0.30	1	0.57	2	21.66	51
3320	Bulshoek	32 00	18 47	254	0.00	0	0.00	0	0.10	2	0.72	1	1.49	11	1.76	10	1.92	10	1.36	7	0.04	1	0.22	2	0.15	2	0.10	2	7.86	48
3321	Van Rhynsdorp	31 36	18 44	400	0.00	0	0.00	0	0.00	0	0.55	1	1.23	8	0.94	6	0.83	4	0.45	2	0.07	2	0.10	1	0.00	0	0.00	0	4.17	24
3322	Elandsfontein	32 18	18 49	1390	0.00	0	0.06	1	0.10	1	1.28	3	3.87	9	5.35	11	4.63	9	2.84	7	0.08	1	1.31	3	0.18	1	0.27	4	19.97	50
3322 B	Diepvlei	31 41	18 56	500	0.00	0	0.00	0	0.09	1	0.47	1	0.95	3	1.91	4	1.40	4	0.88	5	0.00	0	0.00	0	0.08	1	0.00	0	5.78	19
3323	Clanwilliam	32 10	18 54	245	0.00	0	0.05	1	0.22	2	0.38	1	1.30	7	2.30	5	2.58	7	1.17	6	0.08	1	0.44	3	0.07	1	0.10	2	8.69	(36)
3324	Clanwilliam	32 11	18 54	245	0.00	0	0.05	1	0.22	2	0.39	2	1.53	8	2.38	10	2.19	7	0.94	7	0.08	1	0.41	2	0.04	2	0.02	1	8.25	43
	SECTION 20.																													
3325	Cloudskraal	31 20	19 02	2600	0.00	0	0.00	0	0.31	3	1.01	4	4.96	11	4.28	9	2.73	9	2.19	6	0.13	2	1.37	5	0.54	3	0.26	3	17.78	55
3326	Algeria	32 22	19 04	1696	0.00	0	0.00	0	0.17	1	1.89	3	7.43	13	4.80	10	4.58	7	2.60	7	0.36	1	2.27	3	0.81	2	0.18	2	25.09	49
3328	Nieuwoudtville	31 22	19 09	2358	0.00	0	0.00	0	0.24	3	1.14	2	4.34	11	3.70	10	3.42	6	2.52	7	0.03	1	0.73	3	0.24	3	0.15	1	16.51	47
3328 M	Die Hoop	31 33	19 09	-	0.00	0	0.00	0	0.00	0	0.80	1	2.61	4	3.02	5	3.35	4	1.00	1	0.00	0	0.48	2	0.00	0	0.00	0	11.26	17
3329	Wupperthal	32 16	19 13	1600	0.00	0	0.00	0	0.00	0	0.64	2	1.31	4	3.07	6	3.22	4	1.47	3	0.00	0	1.64	1	0.00	0	0.00	0	11.35	20
3330	Lokenburg	31 41	19 11	2100	0.00	0	0.00	0	0.12	3	0.75	2	1.59	8	2.51	9	2.78	4	1.53	7	0.00	0	0.31	2	0.15	1	0.02	1	9.76	37
3331	Welbedacht	32 09	19 11	2000	0.00	0	0.00	0	0.00	0	0.32	2	1.00	6	2.69	8	2.75	6	1.34	5	0.50	1	0.00	0	0.00	0	0.10	1	8.70	29
3331 M	Doornbos	31 58	19 14	-	0.00	0	0.00	0	0.00	0	0.37	1	0.43	1	1.09	4	1.66	3	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	3.85	10
3332	Doornrivier	31 14	19 12	1300	0.00	0	0.00	0	0.30	1	0.39	1	0.90	4	0.94	5	0.62	3	0.44	2	0.00	0	0.36	1	0.00	0	0.33	1	4.28	18
3332 a	Toskoms	31 30	19 27	-	0.00	0	0.00	0	0.33	3	0.35	1	0.92	6	1.12	8	2.15	5	0.92	3	0.00	0	0.31	2	0.00	0	0.27	1	6.37	29
3332 A	Kliprug	31 39	19 52	3300	0.00	0	0.00	0	0.00	0	1.48	1	2.56	5	3.23	7	3.96	7	2.04	5	0.00	0	0.00	0	0.00	0	0.00	0	13.27	25
3333	Meenen	32 07	19 31	1000	0.00	0	0.00	0	0.70	2	0.15	1	0.52	2	0.88	2	1.34	3	0.43	2	0.00	0	0.67	1	0.00	0	0.00	0	4.69	13
3333 A	Loeriesfontein	30 57	19 27	3000	0.00	0	0.05	1	0.80	1	0.79	2	2.37	8	1.42	5	2.25	5	0.50	2	0.00	0	1.74	4	0.00	0	0.20	1	10.12	29
3333 b	Elandsvlei	32 19	19 33	-	0.00	0	0.00	0	0.27	2	0.00	0	0.39	2	0.27	2	0.51	4	0.19	2	0.00	0	1.10	1	0.00	0	0.00	0	2.73	13
3333 B	Wilgenbosch	31 32	19 35	-	0.00	0	0.39	1	0.52	2	0.49	1	1.12	7	1.19	8	2.32	6	1.04	5	0.00	0	0.19	2	0.00	0	0.22	1	7.48	33
3334	Platberg	31 35	19 38	3150	0.00	0	0.00	0	0.92	2	0.73	1	1.45	7	2.11	9	2.62	6	1.31	5	0.00	0	0.30	2	0.00	0	0.20	1	9.64	33
3335	Groot Toren	31 20	19 45	2782	0.00	0	0.04	1	1.06	6	0.40	1	1.82	8	1.57	6	2.45	5	0.10	1	0.05	1	0.00	0	-	-	0.15	1	(7.64	30)
3335 M	Kreitsberg	31 40	19 49	-	0.00	0	0.02	2	0.98	1	0.64	1	1.27	7	1.88	9	2.88	6	1.27	5	0.00	0	0.05	1	0.24	1	0.00	0	9.23	33
3336	Calvinia	31 28	19 46	3217	0.00	0	0.00	0	0.89	6	0.58	1	1.45	9	0.68	7	1.67	3	0.89	5	0.00	0	-	-	0.00	0	0.32	2	(6.48	33)

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude E. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar Inches Duime	Year-Jaar Days-Dae
3337	Rhenosterhoek	31°23'	19°51'	3770	0.00	0	0.30	1	0.91	2	0.50	1	1.90	2	2.16	3	3.42	2	1.95	2	0.00	0	0.00	0	0.00	0	0.00	0	10.84	13
3337 A	Vondelingsfontein	31 48	19 50	-	0.00	0	0.00	0	1.06	3	1.35	1	3.10	7	3.18	8	3.15	5	3.01	4	0.00	0	0.32	3	0.20	1	0.18	1	15.55	33
3339	Boven Downs	31 35	19 57	3464	0.48	2	0.00	0	1.44	2	0.52	2	0.68	3	0.65	2	1.70	3	0.80	2	0.00	0	0.08	1	0.00	0	0.20	1	6.55	18
3340	Perdefontein	31 47	19 57	-	0.00	0	0.00	0	1.36	2	1.32	1	3.01	4	2.90	3	3.63	3	1.95	3	0.00	0	0.30	2	0.00	0	0.00	0	14.47	18
3340 A	Die Hoop	31 55	19 58	4400	0.00	0	0.46	1	1.52	3	1.17	1	4.28	8	2.91	10	4.71	6	2.33	4	0.00	0	1.14	4	0.29	1	0.12	1	18.93	39
3341 M	Manelsfontein	31 16	20 05	-	0.00	0	0.00	0	0.89	3	0.25	1	0.69	3	1.24	3	1.44	3	0.74	3	0.00	0	0.00	0	0.00	0	0.00	0	5.25	16
3342	Roodewerf	32 14	20 06	1640	0.00	0	0.00	0	0.70	1	0.27	1	0.27	1	0.80	3	1.15	4	0.45	2	0.00	0	0.09	1	0.00	0	0.00	0	3.73	13
3342 a	Kapgat	31 38	20 08	-	0.00	0	0.29	1	2.36	3	0.58	1	0.98	4	1.02	4	2.03	3	0.79	4	0.00	0	0.56	2	0.30	1	0.00	0	8.91	23
3342 A	Middelpos	31 55	20 13	3900	0.00	0	0.53	2	1.67	2	0.17	1	0.29	2	0.64	2	0.87	2	0.51	2	0.00	0	0.50	1	0.00	0	0.33	1	5.51	15
3342 B	Agterkop	32 06	20 07	4098	0.30	1	0.22	1	1.26	2	0.86	1	2.93	6	2.67	8	4.54	6	2.03	5	0.00	0	0.50	1	0.25	1	0.12	1	15.68	33
3342 C	Bo Nadrift	32 26	20 08	3000	0.00	0	0.00	0	0.87	2	0.30	1	0.37	3	0.87	3	0.18	1	0.27	2	0.00	0	0.20	1	0.00	0	0.00	0	3.06	13
3342 D	Rocidam	31 15	20 15	-	0.32	2	0.03	1	0.65	3	0.50	1	0.00	0	0.10	1	0.33	1	0.00	0	0.00	0	0.41	1	0.00	0	-	-	(2.34	10)
3343 A	Diepdrift	31 32	20 18	-	0.00	0	0.00	0	3.20	2	0.15	1	0.18	2	0.31	4	0.82	2	0.26	2	0.00	0	0.25	1	0.00	0	0.67	1	5.84	15
3344	Meintjiesfontein	32 09	20 18	4230	0.00	0	0.32	3	1.20	5	0.85	3	3.49	6	3.45	9	3.62	5	1.81	5	0.00	0	1.18	3	0.23	1	0.15	1	16.30	41
3345	Harderug	31 49	20 22	3568	0.00	0	0.00	0	1.30	2	0.00	0	0.50	1	1.17	3	0.52	2	0.00	0	0.00	0	0.00	0	0.00	0	-	-	(3.49	54)
3345 A	Bet-El	32 05	20 22	3700	0.00	0	0.00	0	0.65	1	0.24	1	0.49	2	1.20	4	1.56	3	0.91	4	0.00	0	0.70	1	0.00	0	0.00	0	5.75	16
3346	Voëlfontein	32 16	20 20	4070	0.00	0	0.00	0	0.95	1	0.00	0	0.00	0	4.20	2	4.95	2	1.25	1	0.00	0	2.25	2	0.00	0	0.08	1	13.68	(9)
3347	Nelskop	30 34	20 27	3044	0.00	0	0.14	1	1.72	5	0.23	2	0.00	0	0.11	1	0.13	3	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	2.53	(13)
3347 M	Ou Koppieskraal	31 26	20 28	-	0.90	1	0.14	1	0.84	1	0.15	1	0.15	2	0.15	3	0.52	3	0.00	0	0.00	0	0.47	1	0.00	0	0.00	0	3.32	13
3348	Brandvlei	30 28	20 29	3000	0.14	2	0.09	1	1.32	5	0.30	4	0.08	2	0.13	3	0.38	4	0.15	1	0.00	0	(0.08	1)	0.00	0	0.28	1	(2.95	24)
3348 M	Bonekraal	31 48	20 35	-	0.00	0	0.00	0	1.32	1	0.17	1	0.21	2	0.61	2	0.98	4	0.17	1	0.00	0	0.80	1	0.00	0	0.22	1	4.48	13
3348 T	Melkbosvlei	29 41	20 37	-	0.67	3	0.34	2	1.78	5	0.15	2	0.00	0	0.03	1	1.50	1	0.00	0	0.00	0	0.28	1	0.00	0	0.20	1	4.95	16
3349	Lucerne	31 38	20 37	3508	0.00	0	0.00	0	1.71	1	0.20	1	0.15	1	0.50	3	0.45	3	0.00	0	0.00	0	0.35	2	0.00	0	0.00	0	3.36	11
3350	Snyderspost	32 01	20 38	4090	0.00	0	0.56	2	0.90	3	0.20	1	0.75	4	0.83	2	1.04	2	0.58	2	0.00	0	0.96	1	0.00	0	0.34	1	6.16	18
2350 A	Nuwedam	32 32	20 37	-	0.00	0	0.00	0	3.46	2	0.60	1	1.80	6	3.35	4	3.46	5	1.36	3	0.00	0	0.66	3	0.00	0	0.00	0	14.69	24
3352	Sutherland (Geol)	32 23	20 40	4776	0.00	0	0.35	2	2.17	4	0.51	3	1.56	8	1.98	9	2.51	7	0.95	5	0.00	0	0.85	3	0.00	0	0.22	1	11.10	42
3353	Danielshope	31 43	20 44	3640	0.00	0	2.15	1	1.15	1	0.00	0	0.00	0	0.00	0	0.54	1	0.17	1	0.00	0	0.75	1	0.00	0	0.00	0	4.76	(5)
3353 A	Onderste Doorns	30 12	20 39	2925	1.00	4	0.25	2	2.20	4	0.07	1	0.00	0	0.02	1	0.54	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	4.08	13
3353 C	Skietfontein	32 42	20 50	4329	0.00	0	0.40	2	2.53	3	1.10	2	4.30	3	3.10	3	4.10	5	2.24	2	0.00	0	1.20	3	0.10	1	0.00	0	19.07	24
3353 D	Brulpaddaleegte	30 42	21 00	3300	0.79	3	0.26	2	0.48	4	0.32	2	0.00	0	0.06	1	1.07	4	0.00	0	0.00	0	0.00	0	0.00	0	0.29	1	3.27	17
3353 E	Prinshof	32 07	20 53	4050	0.21	1	1.35	3	1.17	2	0.15	2	0.40	3	0.69	4	1.33	6	0.47	2	0.00	0	1.20	1	0.00	0	0.19	1	6.96	25
3354	Williston	31 21	20 55	3490	0.32	1	0.00	0	0.67	2	0.00	0	0.10	1	0.07	1	0.49	3	0.00	0	0.00	0	0.47	2	0.00	0	0.38	1	2.50	(11)
3354 A	Williston	31 20	20 55	3540	0.18	1	0.02	1	0.80	2	0.12	1	0.10	3	0.18	2	0.45	4	0.06	1	0.00	0	0.50	2	0.00	0	0.30	1	2.71	18

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duims	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3355	De Puts	31°39'	20°57'	3850	0.35	1	0.00	0	2.22	3	0.20	1	0.00	0	0.10	2	0.34	2	0.00	0	0.00	0	0.55	2	0.00	0	0.20	1	3.96	12
3355 a	Swartkop	30 08	21 03	3500	0.40	1	0.25	1	2.65	4	0.14	2	0.00	0	0.00	0	1.44	1	0.07	1	0.00	0	0.00	0	0.00	0	-	-	(4.95	10)
3355 A	Amysrivier	32 44	21 03	3940	0.00	0	0.43	1	4.27	2	0.30	2	0.43	3	0.73	3	0.51	3	0.44	2	0.00	0	0.75	1	0.00	0	0.21	1	8.07	18
3355 B	Driefontein	31 00	21 05	-	0.59	2	0.13	1	0.35	3	0.36	2	0.00	0	0.15	1	0.71	4	0.05	1	0.00	0	0.00	0	0.00	0	-	-	(2.34	14)
3355 c	Blinkklip	30 19	21 11	-	0.49	2	0.09	1	1.70	5	0.08	1	0.00	0	0.06	1	1.54	2	0.00	0	0.00	0	0.00	0	0.00	0	0.33	1	4.29	13
3355 C	Ploegfontein	31 46	21 12	-	0.13	1	0.10	1	1.43	3	0.11	1	0.02	1	0.31	2	0.66	5	0.06	1	0.00	0	0.69	2	0.00	0	0.38	1	3.89	18
3355 M	Witkalk	30 51	21 05	-	0.18	2	0.07	1	1.04	3	0.56	2	0.07	2	0.22	3	1.00	2	0.00	0	0.00	0	0.00	0	0.35	1	0.00	0	3.49	16
3356	Grootfontein	31 07	21 12	3896	0.29	1	0.00	0	0.54	3	0.29	3	0.00	0	0.13	2	0.71	3	0.00	0	0.00	0	0.00	0	0.00	0	0.42	1	2.38	13
3356 A	Rhenostervlei	32 25	21 13	-	0.08	1	0.41	4	2.26	5	0.59	2	1.41	6	0.97	5	1.84	6	0.47	2	0.00	0	2.66	3	0.00	0	0.25	1	10.94	35
3357	Boesmansberg	30 10	21 14	2900	1.96	4	0.52	3	2.10	6	0.89	3	0.09	1	0.00	0	1.34	2	0.00	0	0.00	0	0.00	0	0.07	1	0.00	0	6.97	20
3358	Bankfontein	31 10	21 13	3716	0.47	1	0.05	1	0.00	0	0.18	1	0.00	0	0.14	1	0.56	3	0.00	0	0.00	0	0.00	0	0.00	0	0.38	1	1.78	(8)
3358 M	Leeukolk	30 26	21 18	-	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.45	1	0.00	0	0.00	0	0.00	0	0.00	0	0.26	1	2.01	(3)
3359 b	Rotersleegte	30 35	21 22	-	0.48	3	0.16	1	1.09	2	0.00	0	0.00	0	0.00	0	1.35	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.08	9
3359 a	Klipkloof	30 59	21 21	-	0.44	4	0.34	3	0.64	5	0.41	2	0.12	2	0.39	2	1.67	4	0.00	0	0.00	0	0.20	1	0.00	0	0.50	1	4.51	24
3359 A	Skuinshoogte	31 14	21 21	-	0.11	1	0.00	0	0.41	3	0.15	1	0.06	1	0.11	1	0.62	2	0.12	1	0.00	0	0.43	1	0.00	0	0.42	1	2.42	12
3360	Windhoek	31 23	21 22	3690	0.00	0	0.00	0	0.67	3	0.10	1	0.05	1	0.12	1	0.62	2	0.00	0	0.00	0	0.85	1	0.00	0	0.00	0	2.41	9
3361	Hongarfontein	31 41	21 21	4110	0.10	1	0.00	0	0.75	2	0.09	2	0.07	1	-	-	-	-	0.06	1	0.00	0	0.77	2	0.00	0	0.23	1	(2.07	11)
3362	Grootfontein	32 03	21 24	3900	0.00	0	0.00	0	0.40	1	0.17	1	0.43	3	0.76	2	0.64	3	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	2.70	11
3362 A	Skietkloof	30 12	21 26	-	0.35	1	1.20	3	2.13	3	0.07	1	0.00	0	0.07	1	2.02	3	0.15	1	0.00	0	0.00	0	0.00	0	0.32	1	6.31	14
3363 A	Mondefontein	32 13	21 22	4762	0.37	3	0.83	4	0.30	1	0.35	2	0.54	3	0.77	3	0.86	4	0.45	3	0.00	0	0.07	1	0.00	0	0.16	1	4.70	25
3363 M	Rondom	32 24	21 30	-	0.50	1	1.81	4	0.38	1	0.25	1	0.00	0	0.25	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.19	8
3364	Goraas	31 11	21 32	4000	0.11	1	0.15	1	1.44	4	0.00	0	0.13	1	0.08	1	1.05	3	0.00	0	0.00	0	0.64	1	0.00	0	0.44	2	4.04	13
3365	Fraserburg	31 55	21 31	4137	0.00	0	0.42	3	0.56	2	0.05	1	0.14	3	0.25	2	0.55	7	0.08	1	0.00	0	0.00	0	0.00	0	0.18	1	2.23	20
3366	Scorpioendrift	31 02	21 33	4300	0.20	1	0.00	0	0.42	3	0.30	1	0.10	1	0.00	0	1.45	3	0.00	0	0.00	0	0.95	1	0.00	0	0.00	0	3.42	10
3366 A	Namakersvlei	31 43	21 32	3920	0.00	0	0.00	0	1.59	3	0.00	0	0.15	1	0.72	3	0.87	2	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	3.63	10
3367	Nerneville	32 40	21 31	2400	0.26	1	0.36	3	2.00	4	0.00	0	0.20	1	0.41	2	0.10	2	0.00	0	0.00	0	0.34	2	0.00	0	0.26	1	3.93	16
3368	Wilgerboschdrift	32 31	21 33	2480	0.70	1	0.52	2	1.69	3	0.22	2	0.31	2	0.43	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.87	11
3369	Springfontein	31 29	21 33	3900	0.07	1	0.00	0	1.03	4	0.15	1	0.20	1	0.17	1	0.75	4	0.00	0	0.00	0	0.40	2	0.00	0	0.40	1	3.17	15
3370	Rheboksfontein	31 24	21 37	4250	0.00	0	0.00	0	1.06	3	0.18	1	0.00	0	0.00	0	1.21	4	0.00	0	0.00	0	0.27	1	0.00	0	0.00	0	2.72	9
3371	Klein Dubbelvlei	30 30	21 37	3200	1.27	1	0.30	1	1.85	5	0.00	0	0.00	0	0.00	0	1.53	1	0.00	0	0.00	0	0.00	0	0.00	0	0.50	1	5.45	9
3371 M	De Land	31 23	21 35	-	0.17	3	0.00	0	1.09	4	0.18	1	0.20	1	0.15	2	1.10	5	0.02	1	0.00	0	0.45	2	0.00	0	0.42	3	3.78	22
3373	Kalabasputs	30 17	21 42	3260	2.10	1	0.00	0	0.75	2	0.00	0	0.00	0	0.00	0	2.10	1	0.00	0	0.00	0	0.00	0	0.00	0	0.65	1	5.60	(5)
3374	Teekloof	32 10	21 37	4625	0.00	0	0.00	0	0.93	4	0.00	0	0.55	2	0.35	1	0.55	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.38	9
3375	Grootfontein	32 26	21 36	-	0.27	1	0.58	2	1.43	3	0.19	1	0.18	1	0.32	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.97	9
3376	Vindragersfontein	32 34	21 44	2350	0.19	1	0.39	4	1.40	3	0.10	1	0.28	2	0.50	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	2.86	12

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3377	Gansvlei	30°25'	21°42'	3200	1.00	-	0.12	2	1.21	4	0.12	2	0.00	0	0.00	0	2.22	3	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	4.97	(12)
3379	Koppiesfontein	31 30	21 41	3898	0.08	1	0.00	0	0.69	3	0.18	1	0.23	1	0.10	1	0.90	2	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	2.58	10
3380	Stofkraal	31 40	21 46	3940	0.10	1	0.23	1	1.14	2	0.10	1	0.22	1	0.23	1	0.85	3	0.00	0	0.00	0	0.00	0	0.00	0	0.32	1	3.19	11
3381	Prince Albert Road	32 09	21 41	2100	0.00	0	0.20	1	1.44	3	0.00	0	0.53	2	0.68	2	0.00	0	0.00	0	0.00	0	0.83	3	0.00	0	0.00	0	3.68	11
3381 A	T'Kokeboos	30 54	21 42	-	0.00	0	0.00	0	1.45	4	0.00	0	0.00	0	0.15	2	2.00	3	0.00	0	0.00	0	0.45	2	0.00	0	0.00	0	4.05	11
3382	De Nauwte	30 09	21 42	3060	2.16	3	0.15	1	1.05	2	0.00	0	0.00	0	0.00	0	1.68	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	5.04	8
3383	Kanossa	31 04	21 43	4200	0.73	4	0.22	2	1.37	3	0.13	1	0.10	1	0.06	1	2.35	2	0.00	0	0.00	0	0.41	2	0.00	0	0.62	2	5.99	18
3384	Ratelfontein	32 04	21 45	4750	0.00	0	0.00	0	2.14	6	0.00	0	0.45	2	0.31	2	0.58	2	0.00	0	0.00	0	0.00	0	0.00	0	0.31	1	3.79	13
3385	Spitshoek	31 51	21 47	-	0.20	2	0.00	0	1.11	3	0.00	0	0.40	1	0.45	2	1.17	2	0.11	1	0.00	0	0.00	0	0.00	0	0.00	0	3.44	11
3386	Oudekloof	32 08	21 45	5000	0.00	0	0.10	1	0.71	3	0.00	0	0.50	2	0.54	2	0.96	3	0.20	2	0.00	0	0.19	1	0.00	0	0.27	1	3.47	15
3387	Zeekoevlei	32 37	21 49	2050	0.00	0	0.83	2	1.46	3	0.00	0	0.24	1	0.32	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.41	2	3.26	10
3388	Zwerts Rail	32 54	21 50	2050	0.16	1	0.83	3	1.41	3	0.00	0	0.00	0	0.70	2	0.00	0	0.00	0	0.00	0	0.30	2	0.00	0	0.00	0	3.40	11
3389	Van Wyksvlei	30 21	21 49	3150	0.75	2	0.20	2	2.11	5	0.03	1	0.08	2	0.09	1	1.94	4	0.04	1	0.00	0	0.00	0	0.00	0	0.39	3	5.63	21
3389 A	Rooidam	30 23	21 55	-	0.63	1	0.00	0	2.02	5	0.00	0	0.00	0	0.00	0	1.75	2	0.00	0	0.00	0	0.00	0	0.00	0	0.31	1	4.71	9
3391	Wilgefontein	32 49	21 50	2030	0.00	0	0.41	2	1.16	2	0.00	0	0.00	0	0.54	2	0.00	0	0.00	0	0.00	0	0.08	1	0.00	0	0.00	0	2.19	7
3392	Rietvlei	32 13	21 53	3180	0.83	3	0.08	2	3.90	3	0.03	2	0.07	2	0.36	1	0.44	3	0.10	2	0.00	0	0.00	0	0.00	0	0.26	1	6.07	19
3393	Jagersberg	30 40	21 50	3700	0.47	1	0.40	1	1.26	3	0.00	0	0.00	0	0.00	0	2.10	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	4.23	(6)
3394	Saaifontein	31 43	21 53	4200	0.00	0	0.00	0	1.98	3	0.00	0	0.25	1	0.00	0	0.85	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.08	(6)
3395	Bulwater	32 30	21 50	2152	0.17	[illegible]	0.85	2	1.15	4	0.13	1	0.44	2	0.33	3	0.14	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	3.21	14
3397	Slingersfontein	31 34	21 54	4060	0.26	1	0.00	0	1.72	5	0.00	0	0.17	1	0.00	0	1.08	2	0.00	0	0.00	0	0.00	0	0.00	0	0.33	1	3.56	10
3400	Fraserburg Road	32 47	21 59	1820	0.00	0	0.78	2	1.86	6	0.10	1	0.61	2	0.43	2	0.29	2	0.00	0	0.00	0	0.18	1	0.00	0	0.18	1	4.43	17
3402	Garstkolk	30 41	22 02	3510	1.05	2	0.02	1	1.29	5	0.06	2	0.11	2	0.17	3	1.89	4	0.04	1	0.00	0	0.27	2	0.00	0	0.35	1	5.25	23
3402 A	Klerefontein	30 58	22 00	4200	1.15	2	0.30	2	3.49	3	0.12	1	0.15	1	0.12	1	1.85	2	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	7.38	13
3403	Visgat	31 29	22 03	4150	1.43	3	0.36	2	2.85	4	0.15	1	0.20	1	0.16	2	1.42	2	0.00	0	0.00	0	0.00	0	0.00	0	0.35	1	6.92	16
3403 A	Vlagfontein	32 31	22 04	-	0.00	0	0.23	1	0.63	3	0.39	2	0.61	4	0.43	2	0.27	3	0.00	0	0.00	0	0.00	0	0.00	0	0.21	1	2.77	16
3404	Ceilleryfontein	31 05	22 01	4320	0.19	2	0.10	1	2.42	4	0.19	2	0.25	1	0.00	0	2.03	4	0.00	0	0.00	0	0.05	1	0.00	0	0.70	1	5.93	16
3405	Brak	30 37	22 08	3530	1.20	3	0.34	3	2.59	4	0.18	1	0.07	1	0.23	2	1.77	3	0.00	0	0.00	0	0.01	1	0.00	0	0.37	1	6.76	19
3406	Carnarven	30 58	22 08	4079	0.46	3	0.07	3	2.55	5	2.23	3	0.11	2	0.16	3	1.81	5	0.02	1	0.00	0	0.06	1	-	-	0.89	2	(8.36	28)
3407	Carnarven	30 58	22 08	4080	0.27	1	0.00	0	2.29	2	0.15	1	0.13	1	0.00	0	1.78	4	0.00	0	0.00	0	0.00	0	0.00	0	0.94	1	5.56	10
3408	Rietfontein	31 18	22 08	4370	0.30	1	0.60	1	3.00	2	0.15	1	0.00	0	0.00	0	1.62	2	0.00	0	0.00	0	0.00	0	0.00	0	-	-	(6.19	7)
3409	Grantham	32 18	22 10	2990	0.03	1	1.04	2	2.44	3	0.48	2	0.49	3	0.49	1	0.50	4	0.09	2	0.00	0	0.00	0	0.00	0	0.25	1	5.81	19
3410	Juriesfontein	31 39	22 08	4425	0.46	2	0.15	1	2.46	4	0.15	1	0.00	0	0.40	3	2.00	2	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	6.02	14
3411	Driefontein	31 55	22 17	4630	0.00	0	0.00	0	1.61	2	0.00	0	0.22	1	0.51	2	1.89	4	0.00	0	0.00	0	0.00	0	0.00	0	0.55	1	4.78	10
3412	Gannapan	30 23	22 11	3500	1.18	3	0.49	1	2.01	7	0.18	1	0.00	0	0.00	0	1.54	1	0.00	0	0.00	0	0.00	0	0.00	0	0.75	1	6.15	14
3413	Springfontein	31 44	22 12	4800	1.55	4	0.00	0	2.90	6	0.11	1	0.30	2	0.67	4	2.39	8	0.06	1	0.00	0	0.00	0	0.00	0	0.58	1	8.48	27

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3414	Blauwkrans	31°01'	22°15'	4420	0.74	3	0.34	2	2.51	4	0.17	2	0.33	2	0.18	2	1.75	5	0.09	2	0.00	0	0.27	1	0.00	0	0.95	1	7.23	24
3414 A	Vrede Rust	32 38	22 16	2300	0.00	0	0.45	1	1.08	3	0.46	2	0.68	4	0.46	2	0.31	3	0.00	0	0.00	0	0.00	0	0.00	0	0.15	1	3.59	16
3415	Lutjesbosch	32 33	22 17	2200	0.00	0	0.15	1	2.15	5	0.43	2	0.83	3	0.38	2	0.22	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	4.16	14
3415 A	Spreeuwfontein	32 56	22 12	-	0.00	0	0.35	1	1.28	2	0.25	1	1.52	2	0.75	2	0.71	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	4.86	10
3416	Groot Waterval	32 59	22 16	3100	0.11	1	0.28	1	1.35	3	0.18	1	1.74	3	0.90	2	0.73	2	0.00	0	0.00	0	0.00	0	0.00	0	-	-	(5.29	13)
3416 A	Rietfontein	32 13	22 17	-	1.50	1	0.25	1	2.10	2	0.00	0	0.80	3	0.68	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.70	1	6.03	9
3417	Klippan	30 04	22 16	3410	3.96	2	0.12	1	1.82	6	0.00	0	0.08	1	0.00	0	1.53	1	0.08	1	0.00	0	0.00	0	0.00	0	0.38	1	7.97	13
3418	Rosary	31 57	22 20	4800	1.06	4	0.10	2	2.04	4	0.00	0	0.28	2	0.57	3	1.66	4	0.00	0	0.00	0	0.00	0	0.00	0	0.35	2	6.06	21
3419	Lammerkraal	32 49	22 19	2700	0.65	1	0.60	4	2.29	6	0.31	3	1.43	4	0.66	2	0.45	3	0.07	1	0.00	0	0.38	3	0.00	0	0.13	1	6.97	28
3420	Loxton	31 28	22 22	4490	1.58	6	0.40	5	2.13	5	0.24	1	0.21	1	0.48	3	1.93	5	0.14	2	0.00	0	0.07	1	0.00	0	0.78	3	7.96	32
3421	Snydersfontein	31 49	22 22	4095	0.62	2	0.30	1	2.33	4	0.16	1	0.42	2	0.42	3	2.08	3	0.00	0	0.00	0	0.10	1	0.00	0	0.55	1	6.98	18
3421 P	Rietfontein	32 55	22 21	-	0.28	1	0.77	5	1.51	5	0.58	3	2.29	4	0.76	2	0.59	4	0.10	1	0.00	0	0.45	4	0.00	0	0.00	0	7.33	29
3422	Rocklands	31 43	22 24	5000	0.72	4	0.53	4	2.16	4	0.26	2	0.45	5	0.59	4	2.27	5	0.00	0	0.00	0	0.12	2	0.00	0	0.95	1	8.05	31
3423	Stols River Dam	32 25	22 28	2400	1.66	2	0.68	2	1.44	4	0.23	3	1.25	5	0.62	3	0.56	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	6.44	21
3425	Slangfontein	31 40	22 24	3740	0.50	1	0.00	0	2.39	3	0.00	0	0.12	1	0.34	1	1.78	1	0.00	0	0.00	0	0.00	0	-	-	-	-	(5.13	7)
3425 A	Rosedene	32 02	22 27	4900	0.59	4	0.18	1	2.05	3	0.00	0	0.00	0	0.46	1	1.10	1	0.00	0	0.00	0	0.31	2	0.00	0	0.00	0	4.69	12
3426	Oorlogshoek	30 35	22 26	3900	0.74	2	0.00	0	2.33	6	0.33	1	0.20	1	0.34	2	1.66	2	0.00	0	0.00	0	0.00	0	0.00	0	0.27	1	5.87	15
3427	Bakovenfontein	32 44	22 23	2860	0.25	1	0.53	2	1.02	4	0.44	3	1.13	4	0.57	3	0.40	2	0.12	1	0.00	0	0.32	2	0.00	0	0.15	1	4.93	23
3427 a	Prinshof	31 10	22 29	-	0.84	3	0.00	0	2.49	5	0.18	1	0.16	1	0.27	2	1.37	2	0.00	0	0.00	0	0.00	0	0.00	0	0.70	1	6.01	15
3427 A	Lakenvlei	31 35	22 28	4800	2.76	4	0.69	2	2.32	4	0.00	0	0.00	0	0.42	3	1.78	3	0.00	0	0.00	0	0.00	0	0.00	0	0.32	1	6.29	17
3428	Dunedin	31 57	22 25	-	1.78	5	0.18	1	3.33	8	0.00	0	0.55	3	0.67	1	1.91	3	0.15	1	0.00	0	0.20	1	0.00	0	0.51	1	9.28	24
3429	Meyerspoort	32 40	22 27	2700	0.00	0	0.00	0	2.00	3	0.85	3	1.01	3	0.48	2	0.10	1	0.00	0	0.00	0	0.31	2	0.00	0	0.15	1	4.90	15
3429 a	Buffelbout	30 20	22 28	-	1.03	4	0.08	1	2.14	6	0.23	1	0.11	1	0.06	1	1.98	2	0.00	0	0.00	0	0.00	0	0.00	0	0.53	1	6.16	17
3429 A	Beyersfontein	31 03	22 31	-	0.80	3	0.58	4	2.83	4	0.00	0	0.17	2	0.28	2	1.78	3	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	6.84	19
3429 B	Leeuwkloof	31 52	22 28	5500	0.77	2	0.00	0	2.46	6	0.19	1	0.18	1	0.52	3	2.25	4	0.00	0	0.00	0	0.00	0	0.00	0	0.38	1	6.75	18
3430	Paardekraal	32 13	22 26	5230	0.00	0	0.12	1	2.12	5	0.12	2	1.26	3	0.53	2	1.49	3	0.00	0	0.00	0	0.26	1	0.00	0	0.00	0	5.90	17
3431	Stolshoek	32 19	22 30	3500	0.90	2	0.50	3	1.26	2	0.59	4	1.07	5	0.79	2	0.25	1	-	-	0.00	0	0.20	2	0.00	0	0.00	0	(5.56	21)
3432	Nobleafontein	32 35	22 30	2750	0.48	2	1.28	4	1.69	4	1.08	3	1.20	6	0.50	3	0.57	4	0.06	1	0.00	0	0.19	2	0.00	0	0.20	1	7.25	30
3432 A	Rietfontein	31 20	22 31	4570	0.22	2	0.12	2	2.02	4	0.30	2	0.11	1	0.14	2	1.06	2	0.00	0	0.00	0	0.00	0	0.00	0	0.34	1	4.31	16
3433	Weltevreden	32 26	22 30	2600	2.35	3	0.94	2	1.27	4	0.17	1	0.90	3	0.65	2	0.66	2	0.00	0	0.00	0	0.07	1	0.00	0	0.00	0	7.01	18
3434	Tsaiboschfontein	31 27	22 33	4760	1.33	1	0.10	1	5.75	4	0.20	1	0.28	1	0.41	3	1.46	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	9.53	13
3435	Matjesfontein	32 06	22 18	5550	0.50	1	0.00	0	1.30	2	0.00	0	0.92	2	-	-	1.20	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	(4.39	9)
3436	Palmietfontein	32 46	22 29	3050	0.20	1	0.65	2	1.25	5	0.30	2	0.96	3	0.52	2	0.37	2	0.00	0	0.00	0	0.16	2	0.00	0	0.00	0	4.41	19
3437	Matroos	31 17	22 34	4630	1.00	3	0.00	0	2.67	4	0.00	0	0.25	1	0.00	0	1.36	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	5.28	10
3438	Matjesvlei	30 09	22 32	5800	0.89	2	0.90	4	2.84	7	0.35	2	0.92	3	0.79	3	1.70	4	0.29	2	0.00	0	0.47	3	0.10	1	0.61	1	9.80	32

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3439	Cypherfontein	32°32'	22°35'	2820	0.42	2	0.54	3	1.47	5	0.62	4	0.99	5	0.50	2	0.45	5	0.05	1	0.00	0	0.20	2	0.00	0	0.21	1	5.45	30
3440	Beaufort West	32 21	22 35	2850	0.62	3	0.18	2	1.10	4	0.54	5	0.57	7	0.44	2	0.30	5	0.05	2	0.00	0	0.15	3	0.04	1	0.12	1	4.11	35
3442	Lombaardskraal	32 30	22 36	2860	0.71	2	0.00	0	1.19	3	0.35	1	1.21	3	0.55	1	0.70	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	4.71	13
3442 A	Steeldam	30 36	22 37	-	1.57	4	0.00	0	2.09	5	0.38	2	0.00	0	0.00	0	1.63	1	0.00	0	0.00	0	0.00	0	0.00	0	0.25	1	5.92	13
3443 a	Beaufort West Airport	32 19	22 38	2850	0.70	2	0.47	2	1.18	3	0.72	4	0.48	4	0.69	2	0.59	4	0.03	1	0.00	0	0.15	2	0.05	1	0.16	1	5.22	26
3443 A	Gemsbokfontein	32 41	22 36	-	0.08	1	0.88	3	1.42	3	1.08	4	1.12	4	0.50	3	0.77	4	0.09	1	0.00	0	0.22	1	0.00	0	0.00	0	6.16	24
3444	Swaalfontein	30 54	22 39	4170	0.61	3	0.18	1	2.15	3	0.37	2	0.03	1	0.07	1	1.89	2	0.00	0	0.00	0	0.00	0	0.00	0	1.17	1	6.47	14
3444 A	Bosboek	31 27	22 37	4400	1.23	2	0.00	0	5.32	9	0.15	1	0.00	0	0.15	1	1.44	3	0.00	0	0.00	0	0.00	0	0.10	1	0.25	1	8.64	18
3445	Kuilspoort	32 13	22 40	3300	0.17	1	0.80	3	1.93	4	0.00	0	0.23	1	0.45	1	0.62	4	0.10	1	0.00	0	0.12	1	0.00	0	0.35	1	4.77	17
3446	Blaauwboschkuil	32 26	22 43	2900	0.91	2	0.00	0	1.65	4	0.42	1	0.64	2	0.67	1	0.42	3	0.00	0	0.00	0	0.00	0	0.00	0	0.24	1	4.95	14
3447 a	Tituspan	30 28	22 42	-	1.64	3	0.00	0	2.30	6	0.16	2	0.00	0	0.00	0	1.93	2	0.00	0	0.00	0	0.00	0	0.00	0	0.22	1	6.25	14
3447 A	De Putten	31 50	22 43	4370	1.29	2	3.21	5	0.91	5	0.00	0	0.08	1	0.27	2	1.32	1	0.00	0	0.00	0	0.08	1	0.00	0	0.64	2	7.80	19
3447 b	De Hoop	32 09	22 43	-	0.84	3	1.01	2	2.39	7	0.00	0	0.27	2	0.48	1	1.17	2	0.00	0	0.00	0	0.16	1	0.00	0	0.39	1	6.71	19
3447 B	De Kruis	31 00	22 45	-	0.29	2	0.51	1	2.26	3	0.05	1	0.00	0	0.10	1	1.55	2	0.03	1	0.00	0	0.00	0	0.00	0	0.52	2	5.31	13
3447 F	Leeuput	30 17	22 45	-	1.33	3	0.18	2	1.97	6	1.76	2	0.10	1	0.00	0	1.40	1	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	6.94	16
3447 H	Cordaatskuil	30 47	22 48	-	1.48	9	0.39	2	1.24	6	0.00	0	0.00	0	0.00	0	1.88	1	0.00	0	0.00	0	0.00	0	0.84	1	0.00	0	5.83	15
3447 M	Wagensarskraal	31 48	22 48	-	3.65	4	0.38	2	2.78	3	0.00	0	0.45	2	0.22	1	1.28	4	0.04	1	0.00	0	0.00	0	0.00	0	0.78	2	9.58	19
3447 P	Klipstawel	32 45	22 48	-	0.48	2	0.00	0	1.19	3	0.50	5	1.03	4	0.36	2	0.56	3	0.06	1	0.00	0	0.14	1	0.00	0	0.27	1	4.59	22
3447 R	Kweekwa	31 12	22 50	-	0.82	2	0.68	3	2.17	4	0.29	3	0.00	0	0.00	0	1.68	2	0.00	0	0.00	0	0.00	0	0.38	2	0.43	1	6.45	17
3448	Gannakraal	31 55	22 50	4300	0.78	3	0.88	3	3.41	4	0.00	0	0.22	1	0.42	1	1.47	1	0.00	0	0.00	0	0.00	0	0.00	0	1.18	1	8.36	14
3450 M	Sterling	31 16	22 51	-	1.58	5	0.32	4	2.52	6	0.28	5	0.12	2	0.06	1	1.61	5	0.00	0	0.00	0	0.03	1	0.00	0	0.62	1	7.14	30
3450 A	Aarfontein	31 02	22 52	-	0.51	2	0.58	2	1.35	3	0.00	0	0.13	2	0.00	0	1.81	1	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	4.78	11
3451	Vosburg	30 35	22 53	3730	1.60	4	0.03	1	2.79	8	0.36	3	0.11	1	0.05	1	1.64	2	0.00	0	0.00	0	0.00	0	0.00	0	0.37	1	6.95	21
3451 M	Nooitgedacht No. I	30 10	22 55	-	0.81	4	0.84	3	2.28	6	0.59	3	0.10	1	0.00	0	1.20	1	0.00	0	0.00	0	0.00	0	0.00	0	0.09	4	5.91	22
3452	Klipkrans	32 45	22 55	2750	0.86	2	0.20	2	1.78	4	0.46	2	1.22	1	0.47	3	0.76	2	0.00	0	0.00	0	0.19	1	0.00	0	0.28	1	6.22	18
3453	Hasseldene	31 54	22 56	3800	0.72	2	0.55	6	3.46	8	0.19	1	0.10	1	0.21	1	1.58	2	0.00	0	0.00	0	0.22	1	0.00	0	0.70	1	7.73	23
3454	Ryskuil	32 38	22 54	2690	1.50	3	0.48	2	0.57	2	0.33	2	1.30	1	0.39	1	0.42	2	0.00	0	0.00	0	0.00	0	0.15	1	0.00	0	5.14	14
3454 M	Aardoorns	32 50	22 56	-	0.97	2	0.67	4	1.21	6	0.27	4	1.34	5	0.42	2	0.68	5	0.08	1	0.00	0	0.12	2	0.00	0	0.26	1	6.02	32
	SECTION 22.																													
3456	Melspoort	32 05	23 01	3319	2.88	5	0.56	6	3.31	8	0.11	5	0.85	6	0.62	2	1.09	4	0.06	1	0.00	0	0.11	2	0.00	0	0.70	1	10.29	40
3456 A	Sweetfontein	30 50	23 02	-	1.45	2	0.50	3	2.46	4	0.12	1	0.09	1	0.00	0	1.50	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	6.12	12
3457	Brakfontein	31 53	23 03	3947	1.93	3	1.03	5	3.11	3	0.00	0	0.50	3	0.19	1	1.24	4	0.00	0	0.00	0	0.20	2	0.00	0	0.73	2	8.93	23
3458	Kromrivier	31 59	23 01	3400	2.03	5	0.49	6	3.47	8	0.11	3	0.61	5	0.40	1	1.10	2	0.00	0	0.00	0	0.13	1	0.00	0	0.80	1	9.14	32
3458 a	Rheboksfontein	31 06	23 03	-	1.43	2	0.76	2	2.19	3	0.07	1	0.15	1	0.13	1	1.60	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	6.33	11

SECTION 22. RAINFALL -1945- REËNVAL SEKSIE 22.

No.	STATION STASIE	Latitude S. Breedtegr S.	Longitude E. Lengtegr O.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar Inches Duime	Year-Jaar Days-Dae
3458 A	Breipaal	32°13'	22°57'	3400	0.00	0	1.54	2	1.93	2	0.00	0	0.50	1	0.46	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	4.43	(6)
3459	Kamferskraal	32 14	23 03	3100	0.54	2	0.93	2	2.47	5	0.23	2	0.66	2	0.40	1	1.04	1	0.00	0	0.00	0	0.00	0	0.00	0	0.52	1	6.79	16
3459 M	Driefontein	31 15	23 03	-	1.83	7	0.55	4	2.47	6	0.27	4	0.19	2	0.08	1	1.25	2	0.00	0	0.00	0	0.00	0	0.00	0	0.55	1	7.19	27
3459 R	Kockfontein	31 46	23 04	-	0.23	1	3.04	3	2.58	4	0.00	0	0.54	3	0.30	1	0.97	1	0.00	0	0.00	0	0.26	2	0.00	0	0.76	1	8.68	16
3459 V	Sandpan	30 37	23 05	-	1.28	3	0.22	1	2.25	8	0.10	1	0.10	1	0.00	0	1.54	2	0.00	0	0.00	0	0.00	0	0.00	0	0.28	1	5.77	17
3459 A	Verekuil	32 31	23 05	2800	1.00	1	2.80	3	2.10	5	0.17	1	1.53	3	0.43	2	0.68	2	0.00	0	0.00	0	0.00	0	0.00	0	0.33	1	9.04	18
3460	Omdraaisvlei	30 07	23 06	3400	1.81	5	0.55	4	1.66	6	0.83	5	0.00	0	0.00	0	0.74	1	0.00	0	0.00	0	0.00	0	0.32	2	0.05	1	5.96	24
3461	Victoria West	31 24	23 07	4164	1.07	5	0.95	6	3.16	7	0.18	3	0.19	2	0.15	1	1.48	4	0.00	0	0.00	0	0.15	2	0.31	2	1.01	2	8.65	34
3463	Middelkraal	32 46	23 04	2670	1.26	3	0.90	3	1.17	4	0.39	2	1.19	2	0.38	2	0.84	3	0.00	0	0.00	0	0.07	1	0.00	0	0.22	1	6.42	21
3464	Sodium	30 11	23 09	3370	1.46	4	0.69	3	2.07	5	0.00	0	0.00	0	0.70	1	0.00	0	0.00	0	0.00	0	-	-	-	-	-	-	(4.92	13)
3465	Skilderspan	30 13	23 06	3380	1.92	4	0.81	4	1.08	3	0.87	3	0.00	0	0.00	0	0.89	1	0.00	0	0.00	0	0.00	0	0.16	1	0.00	0	5.73	16
3467 M	De Poort	30 50	23 10	-	1.80	5	0.52	1	2.84	4	0.10	1	0.16	2	0.00	0	1.50	2	0.00	0	0.00	0	0.00	0	0.00	0	1.04	1	7.96	16
3468	Wiegmaarspoort	32 37	23 12	2800	0.00	0	3.85	2	1.40	2	0.00	0	1.10	1	0.55	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.30	1	7.20	8
3470	Sout Water	30 40	23 09	3700	1.12	4	0.19	1	2.54	7	0.37	2	0.11	1	0.00	0	1.46	2	0.00	0	0.00	0	0.00	0	0.00	0	0.72	1	6.51	18
3471	Biesjesfontein	31 29	23 11	4175	0.21	2	0.70	4	3.56	9	0.48	4	0.31	2	0.12	1	1.45	3	0.00	0	0.00	0	0.12	2	0.02	1	1.36	3	8.33	31
3472	Riethron	32 54	23 09	2560	1.49	3	0.76	7	1.08	4	0.28	4	1.29	7	0.41	2	0.76	4	0.11	1	0.00	0	0.35	4	0.00	0	0.24	1	6.77	37
3473	Rocipoort	30 15	23 13	3450	1.49	4	0.45	3	1.57	5	0.81	2	0.00	0	0.00	0	0.84	1	0.00	0	0.00	0	0.00	0	0.46	2	0.00	0	5.62	17
3475	Kalkfontein	31 07	23 15	4100	2.34	4	0.62	3	2.48	5	0.00	0	0.00	0	0.00	0	1.61	1	0.00	0	0.00	0	0.00	0	0.00	0	1.06	1	8.11	14
3476	Bakensrug	32 14	23 11	3750	0.30	2	1.28	4	1.69	4	0.00	0	0.97	4	0.52	2	0.73	2	0.00	0	0.00	0	0.20	1	0.00	0	0.72	1	6.41	20
3476 A	Slagberg	31 18	23 17	-	1.99	2	0.84	4	2.41	3	0.00	0	0.25	1	0.20	1	1.35	2	0.00	0	0.00	0	0.00	0	0.00	0	0.76	1	7.80	14
3476 M	Kruidfontein	32 03	23 18	-	0.83	1	0.70	2	3.73	6	0.00	0	0.92	3	0.50	1	1.01	1	0.00	0	0.00	0	0.24	1	0.00	0	0.45	1	8.38	16
3477	Poortjie Wes	32 10	23 20	3200	1.24	4	0.20	2	3.11	4	0.12	1	1.15	3	0.58	2	0.96	2	0.00	0	0.00	0	0.25	1	0.00	0	0.65	1	8.26	20
3477 M	Graafwater	30 47	23 22	-	1.04	5	1.01	3	1.80	3	0.50	3	0.20	2	0.00	0	1.58	1	0.00	0	0.00	0	0.00	0	0.00	0	0.80	1	6.93	18
3477 a	Alicedale	30 15	23 22	-	1.17	5	0.25	1	1.85	4	0.25	1	0.20	2	0.16	1	0.03	1	0.09	1	0.00	0	0.00	0	0.20	1	0.45	2	4.65	19
3477 A	Dombietersfontein	31 04	23 23	-	0.97	4	1.69	4	2.07	5	0.30	3	0.31	2	0.12	2	1.37	2	0.03	1	0.00	0	0.07	2	0.37	1	0.48	1	7.78	27
3477 V	Uitvlugsfontein	31 41	23 22	-	2.14	3	0.92	6	2.96	2	0.08	1	0.44	3	0.32	2	1.13	1	0.00	0	0.00	0	0.09	1	0.00	0	0.89	3	8.97	22
3479	Makouwkuil	32 56	24 21	2400	0.00	0	1.56	3	1.25	3	0.00	0	1.00	1	0.42	2	0.85	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	5.08	11
3479 A	Nieuwejaarsfontein	30 52	23 28	-	1.31	5	0.26	1	1.69	3	0.00	0	0.15	1	0.00	0	1.59	2	0.00	0	0.00	0	0.00	0	0.00	0	0.53	2	5.53	14
3479 B	Alspoortjie	31 22	23 27	-	0.76	3	0.40	2	3.06	5	0.00	0	0.42	3	0.16	1	1.32	2	0.00	0	0.00	0	0.00	0	0.37	3	0.30	1	6.79	20
3480	Vlakfontein	31 31	23 27	4350	1.08	3	0.52	2	3.25	5	0.20	-	0.69	4	0.11	-	1.27	2	0.00	0	0.00	0	0.00	0	0.00	0	0.90	2	8.02	(18)
3480 a	Jongetjieslaagte	32 41	23 28	-	0.97	2	1.52	3	1.08	6	0.30	2	1.09	6	0.59	3	1.00	3	0.00	0	0.00	0	0.52	3	0.00	0	0.23	1	7.30	29
3481 M	Loskop	31 47	23 32	-	1.11	1	0.00	0	3.81	3	0.00	0	0.86	2	0.32	1	0.95	1	0.00	0	0.00	0	0.00	0	0.00	0	0.61	1	7.66	(9)
3481 R	Breipaal	32 43	23 32	-	0.36	2	2.73	5	1.17	4	0.38	2	0.78	3	0.39	2	1.06	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	6.87	20
3482	Beskuitkuil	31 08	23 36	4200	0.53	2	0.63	2	2.50	2	0.00	0	0.00	0	0.15	1	1.35	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	5.16	(8)
3484	Doornkuil	30 28	23 38	3850	1.15	4	0.33	2	0.60	2	1.15	2	0.20	1	0.12	1	0.54	1	0.00	0	0.00	0	0.00	0	1.22	2	0.35	1	5.66	16

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3485	Thomasgat	31°00'	23°33'	4250	1.14	5	0.20	1	1.96	3	0.20	1	0.43	2	0.25	2	1.52	2	0.00	0	0.00	0	0.00	0	0.16	1	0.56	2	6.42	19
3486 M	West Front	30 53	23 36	-	1.42	6	1.41	6	1.53	4	0.69	3	0.41	2	0.19	2	1.38	2	0.00	0	0.00	0	0.16	1	0.35	1	0.47	2	8.01	29
3486 a	Kariegasfontein	32 31	23 36	-	1.81	4	0.47	3	1.45	4	0.47	5	0.95	5	0.50	3	0.90	2	0.60	1	0.00	0	0.10	3	0.00	0	0.55	1	7.80	31
3486 A	Selbourne	31 08	23 39	-	0.54	2	0.49	1	1.26	3	0.23	2	0.52	2	0.21	1	1.35	1	0.00	0	0.00	0	0.00	0	0.00	0	0.85	2	5.45	14
3487	Klipkraal	31 22	23 39	4280	1.17	4	0.00	0	3.71	7	0.20	1	0.72	4	0.00	0	1.37	2	0.00	0	0.00	0	0.00	0	0.12	1	0.35	2	7.64	21
3488	Sarelsrivier	32 17	23 36	3140	0.98	3	1.01	2	3.30	4	0.16	1	1.09	3	0.44	2	1.11	1	0.00	0	0.00	0	0.00	0	0.00	0	0.46	1	8.55	17
3489 M	Lemoenkloof	30 51	23 40	-	1.60	7	1.25	5	1.86	4	0.82	2	0.60	2	0.25	1	1.23	2	0.06	1	0.00	0	0.16	2	0.26	2	0.39	2	8.48	30
3492	Lekkervlei	31 03	23 36	4200	1.17	4	0.40	1	2.44	4	0.38	2	0.37	2	0.20	1	1.30	2	0.00	0	0.00	0	0.07	1	0.00	0	0.34	2	6.67	19
3492 A	Allemansfontein	31 46	23 37	-	1.45	3	0.17	2	3.02	3	0.00	0	1.12	4	0.36	1	1.09	2	0.00	0	0.00	0	0.27	1	0.00	0	0.41	2	7.89	18
3493	Patrysfontein	31 18	23 41	4200	1.01	3	0.54	2	2.76	6	0.34	1	0.61	3	0.22	1	1.40	2	0.00	0	0.00	0	0.47	3	0.27	1	0.18	1	7.80	23
3493 H	Kykrug	32 16	23 41	-	0.69	2	0.19	1	3.30	2	0.23	1	1.20	3	0.56	2	1.23	2	0.00	0	0.00	0	0.00	0	0.00	0	0.40	1	7.80	14
3493 V	Deelfontein	30 59	23 47	-	1.51	3	0.44	2	2.78	5	0.40	2	0.40	3	0.28	1	1.20	1	0.00	0	0.00	0	0.28	2	0.47	1	0.43	2	8.19	22
3494	Elandspoort	31 37	23 47	4700	1.44	3	2.09	4	4.30	6	0.00	0	1.25	4	0.40	2	1.19	3	0.00	0	0.00	0	0.37	2	0.00	0	0.41	1	11.45	25
3496	Murraysburg	31 57	23 45	3800	1.10	4	0.90	6	2.89	6	0.12	2	1.64	4	0.60	2	1.48	4	0.00	0	0.00	0	0.49	2	0.23	1	0.59	2	10.04	33
3498	Skoongesig	32 32	23 53	2700	0.82	1	1.42	3	2.54	4	0.73	3	0.83	3	0.50	2	1.00	2	0.00	0	0.00	0	0.32	2	0.00	0	0.24	1	8.40	21
3499	Oudefontein	31 17	23 47	4350	1.91	2	0.72	1	3.54	6	0.22	1	0.90	1	0.23	1	1.50	1	0.00	0	0.00	0	0.63	1	0.27	1	0.25	1	10.17	16
3500	Snyderskraal	31 49	23 43	3900	0.00	0	1.99	4	3.02	5	0.25	1	1.35	2	0.50	2	1.25	2	0.00	0	0.00	0	0.40	1	0.20	1	0.00	0	8.96	18
3501	De Kruis	32 08	23 50	4500	1.30	2	1.23	3	3.83	7	0.00	0	2.91	6	0.93	5	1.62	5	0.00	0	0.00	0	0.58	3	0.00	0	0.37	1	12.77	32
3502	Stockdale	32 53	23 51	2550	0.51	2	0.98	6	1.56	3	0.16	1	0.50	2	0.32	1	0.76	1	0.00	0	0.00	0	0.23	1	0.00	0	0.30	1	5.32	(18)
3503	Klipplaat	31 45	23 53	4525	0.79	2	2.90	6	2.70	6	0.06	1	1.55	4	0.54	2	1.00	3	0.00	0	0.00	0	0.51	3	0.14	1	0.00	0	10.19	28
3503 T	Klipkuil	32 43	23 53	-	1.58	3	1.05	4	1.84	4	0.48	3	1.31	5	0.50	3	1.12	3	0.00	0	0.00	0	1.32	5	0.00	0	0.36	1	9.56	31
3504	Kocksbeen	30 23	23 54	3990	2.86	4	0.14	2	2.29	9	0.28	2	0.52	2	0.10	1	0.40	1	0.00	0	0.00	0	0.04	1	0.25	1	0.39	2	7.27	25
3505 A	Vleiplaats	31 59	23 55	3960	1.00	1	1.23	4	4.29	5	0.10	1	2.02	3	0.55	2	1.55	2	0.00	0	0.00	0	0.39	3	0.00	0	0.52	1	11.65	22
3506	Chelmsford	32 52	23 54	2750	0.48	1	1.52	6	2.08	7	1.20	5	0.61	4	0.30	1	1.16	4	0.07	1	0.00	0	0.26	2	0.00	0	0.15	1	7.83	32
3506 A	Mon Repos	32 29	23 56	-	0.95	3	1.06	4	2.66	5	0.55	3	0.99	4	0.41	4	0.99	2	0.06	1	0.00	0	1.09	3	0.00	0	0.28	2	9.04	31
3507	Richmond	31 25	23 57	4700	2.00	8	0.90	4	2.11	5	0.47	2	1.39	4	0.43	1	1.93	4	0.00	0	0.00	0	0.58	2	0.33	2	0.93	2	11.07	32
3507 A	Beeldhouwersfontein	32 10	23 55	5100	1.22	1	0.89	3	4.62	4	0.45	2	3.31	6	0.71	3	1.90	2	0.00	0	0.00	0	0.71	3	0.00	0	0.32	1	14.13	25
3507 M	Rhenosterpoort	30 40	23 55	-	1.54	6	0.64	3	2.03	5	0.00	0	0.32	2	0.13	1	0.65	1	0.00	0	0.00	0	0.00	0	0.00	0	0.32	1	5.63	(19)
3509	Bloukrans	30 34	23 59	3950	1.28	6	0.00	0	1.62	10	-	-	0.10	1	0.00	0	0.45	1	0.00	0	0.00	0	0.00	0	0.00	0	1.29	2	(4.74	20)
3510	De Aar	30 39	24 01	4079	1.23	8	0.36	4	1.43	6	0.23	1	0.40	3	0.17	2	0.55	1	0.00	0	0.00	0	0.24	2	0.31	3	0.30	1	5.22	(31)
3510 M	De Aar	30 39	24 01	4089	1.10	8	0.48	6	1.63	10	0.26	1	0.54	3	0.16	2	0.72	2	0.02	1	0.00	0	0.26	2	0.55	3	0.36	4	6.08	42
3510 A	Coetzeeskraal	31 59	24 01	4900	1.78	5	1.72	3	3.64	7	0.40	4	3.70	6	1.32	6	1.34	2	0.03	2	0.00	0	0.85	5	0.01	1	0.48	2	15.27	43
3510 B	Quaggasdrift	32 06	24 01	5188	1.64	3	1.67	3	5.17	4	0.50	1	4.25	6	1.70	2	2.22	3	0.00	0	0.00	0	0.71	4	0.05	1	0.31	1	18.22	28
3511	Die Aarplaas	31 13	23 59	4680	1.00	5	1.61	4	2.82	5	0.63	3	1.06	3	0.30	3	1.16	2	0.05	1	0.00	0	0.58	3	0.15	2	0.36	3	9.72	34
3512	Eselsfontein	30 55	24 03	4300	0.85	4	0.71	3	2.56	5	0.00	0	0.00	0	0.00	0	0.75	1	0.00	0	0.15	1	0.00	0	0.25	1	0.72	3	5.99	18

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3513	Skietkraal	31°36'	24°03'	5230	1.63	3	1.03	3	2.68	4	0.44	2	1.93	5	0.75	3	1.70	2	0.00	0	0.00	0	0.60	1	0.15	1	-	-	(10.91	24)
3514	Aberdeen	32 29	24 04	2400	0.45	2	1.85	4	2.03	7	0.75	4	0.52	3	0.59	2	0.91	3	0.12	1	0.00	0	0.53	3	0.00	0	0.33	2	8.08	31
3516	Aberdeen	32 29	24 04	2400	0.90	3	1.40	3	1.75	4	0.57	3	0.52	3	0.41	1	0.77	1	0.00	0	0.00	0	0.07	1	0.00	0	0.30	1	6.69	(20)
3517	Ebenezer	30 37	24 05	4025	1.09	6	0.32	2	2.15	8	0.49	1	0.64	3	0.27	2	0.68	1	0.00	0	0.00	0	0.54	1	0.88	2	0.30	1	7.36	27
3518	Witteklip	31 53	24 03	-	2.03	3	0.93	5	4.09	4	0.40	1	2.39	5	0.99	3	1.73	3	0.00	0	0.00	0	0.75	3	0.08	1	0.34	2	13.73	30
3519	Oulton	32 03	23 48	5400	1.21	4	2.52	5	4.25	4	0.38	3	2.62	5	0.91	2	1.46	5	0.00	0	0.00	0	0.75	2	0.00	0	0.51	2	14.61	32
3520 A	Doornbosch	32 03	24 05	5070	0.15	1	0.83	3	3.12	6	0.31	1	2.22	5	0.75	1	1.29	3	0.00	0	0.00	0	0.90	4	0.00	0	0.21	1	9.78	25
3521	Wortelfontein	31 08	24 08	4670	2.10	5	0.60	2	2.20	3	0.30	1	0.82	3	0:00	0	0.95	1	0.00	0	0.35	1	0.00	0	0.34	1	0.39	2	8.05	19
3521 A	Merino	31 59	24 07	5073	1.94	3	1.72	7	4.09	6	0.42	1	2.23	6	0.72	3	1.21	5	0.00	0	0.00	0	0.77	4	0.00	0	0.38	2	13.48	32
3522	Hartebeesthoek	30 47	24 05	4300	0.29	1	0.93	4	2.44	5	0.10	1	0.42	1	0.11	1	0.62	1	0.00	0	0.00	0	0.32	1	0.10	1	0.37	1	5.70	17
3522 A	Raafontein	30 59	24 09	-	0.53	2	0.60	2	2.19	4	0.27	1	0.74	2	0.21	1	0.88	1	0.08	1	0.00	0	0.43	1	0.00	0	1.13	3	7.06	18
3523	Scheurfontein	31 18	24 09	5000	1.71	7	1.28	3	2.83	4	0.89	3	1.21	4	0.60	2	1.30	2	0.00	0	0.00	0	0.46	2	0.19	1	0.51	2	10.98	30
3524	Koesedraai	30 08	24 10	3930	3.22	2	0.40	1	0.65	3	0.21	1	0.42	2	0.06	2	0.40	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	5.36	12
3525 A	Merino	30 35	24 10	-	1.03	5	0.32	2	2.05	8	0.21	2	0.57	3	0.18	2	0.40	1	0.00	0	0.00	0	0.48	1	0.48	2	0.37	2	6.09	28
3526 A	Zuurplaats	32 03	24 10	5600	2.05	5	2.44	10	4.11	7	0.49	4	1.81	6	0.66	4	1.07	7	0.03	1	0.00	0	0.96	6	0.26	2	0.34	2	14.22	54
3528	Moeitvermacht	31 24	24 10	4940	0.55	3	0,21	2	2.76	7	0.94	2	0.00	0	0.00	0	1.32	1	0.00	0	0.00	0	0.32	2	0.00	0	0.00	0	6.10	17
3529	Houd Constant	32 05	24 14	-	2.74	3	1.88	7	4.04	4	0.53	4	0.46	2	0.67	2	1.26	2	0.00	0	0.00	0	1.17	4	1.39	3	0.13	1	14.27	32
3530	Paardekraal	32 13	24 12	2900	1.12	2	2.28	4	3.82	4	0.73	2	1.13	2	0.72	2	0.00	0	0.00	0	0.00	0	1.13	3	0.30	1	0.41	1	11.64	21
3530 A	Ongelukskop	29 59	24 14	3900	1.83	4	0.15	1	2.58	3	0.62	2	0.20	1	0.00	0	0.32	1	0.00	0	0.00	0	0.00	0	1.11	2	0.13	2	6.94	16
3531	Zoetvlei	31 35	24 14	5350	1.39	4	1.04	5	2.77	7	1.19	5	0.95	4	0.78	2	1.32	3	0.07	1	0.00	0	0.51	3	0.22	3	0.73	3	10.97	40
3533	Donkerhoek	30 15	24 15	4200	1.99	7	0.54	6	1.46	6	0.24	1	0.47	3	0.10	1	0.49	2	0.00	0	0.00	0	0.10	1	0.91	4	0.14	2	6.44	33
3534	Rietfontein	30 45	24 11	4200	1.04	5	0.60	4	2.76	6	0.56	2	0.63	3	0.11	1	0.75	1	0.00	0	0.00	0	0.16	1	0.16	1	0.39	2	7.16	26
3535	Grootfontein	31 15	24 12	4840	1.71	5	0.87	5	2.36	3	0.84	3	0.79	4	0.15	1	0.83	2	0.00	0	0.00	0	0.30	2	0.00	0	0.76	2	8.61	27
3536	Van der Waltshoek	32 08	24 15	4500	1.54	3	0.63	2	2.99	3	0.18	1	0.42	2	0.30	1	0.34	1	0.00	0	0.00	0	0.45	2	0.00	0	0.30	1	7.15	16
3537	Dalgetty	31 40	24 16	5400	1.74	3	1.15	2	2.23	4	1.16	3	1.02	4	0.85	2	2.11	3	0.15	1	0.00	0	0.38	3	0.26	3	0.75	3	11.80	31
3537 A	Oatlands	32 51	24 17	-	0.09	1	1.56	4	1.89	4	0.44	2	0.48	2	0.32	1	0.77	1	0.00	0	0.00	0	0.35	2	0.00	0	0.35	1	6.25	18
3539	Slingershoek	30 37	24 15	4400	2.35	7	0.17	2	2.11	8	0.29	2	0.67	3	0.26	2	0.40	1	0.08	1	0.00	0	0.07	1	0.18	2	1.22	3	7.80	32
3540	Bezberg	30 14	24 18	4300	1.82	7	0.28	3	1.16	5	0.42	2	0.31	2	0.24	1	0.17	1	0.00	0	0.00	0	0.16	1	0.12	1	0.12	1	4.80	24
3541	Burgersville	30 44	24 20	4420	1.46	3	0.18	2	2.11	4	0.42	3	0.60	3	0.00	0	0.52	1	0.00	0	0.00	0	0.00	0	0.10	1	0.13	1	5.52	18
3542	Middlemount	31 28	24 20	4900	1.93	3	0.99	2	2.04	4	0.90	2	0.60	4	0.30	-	0.81	2	0.00	0	0.00	0	0.33	2	0.00	0	0.50	2	8.40	(21)
3543	Waterfall	32 05	24 22	4000	2.47	2	0.74	2	3.02	3	0.20	1	0.00	0	0.65	1	0.92	2	0.00	0	0.00	0	0.83	3	0.24	1	0.00	0	9.07	15
3545	The Hills	31 09	24 20	4790	1.70	4	0.24	1	2.00	3	0.40	1	0.71	3	0.20	2	0.78	1	0.04	1	0.00	0	0.20	1	0.33	4	0.06	1	6.66	22
3546	Fairview	32 44	24 22	2400	0.57	2	1.54	4	2.95	5	0.20	2	0.67	3	0.30	1	0.85	2	0.00	0	0.00	0	0.20	1	0.34	2	0.27	1	7.89	23
3546 B	Rietvlei	32 10	24 22	-	1.62	4	1.87	6	2.76	7	0.21	2	0.68	6	0.30	2	0.50	4	0.00	0	0.00	0	0.42	2	0.16	1	0.00	0	8.52	31
3548	Vergelegen	31 40	24 23	5400	1.46	6	0.57	2	4.77	7	0.68	2	0.57	3	0.35	2	1.03	2	0.00	0	0.00	0	0.59	2	0.00	0	0.39	2	10.41	28

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3550	Rociwal	30°41'	24°26'	4650	2.06	5	0.26	2	4.13	10	0.86	4	0.70	3	0.41	2	0.50	1	0.06	1	0.00	0	0.15	1	0.35	3	0.00	0	9.48	32
3552	Dassiesfontein	31 34	24 24	5000	1.85	4	1.31	4	3.47	6	0.35	1	0.69	4	0.30	2	1.14	3	0.00	0	0.00	0	0.56	4	0.44	2	0.51	2	10.62	32
3553	Marais Siding	32 37	24 26	2200	0.64	2	0.02	1	3.09	5	0.33	2	0.68	2	0.34	2	0.88	2	0.07	1	0.00	0	0.15	1	0.16	1	0.12	1	6.48	20
3553 N	Constantia	32 43	24 29	-	0.44	2	1.32	4	2.96	5	0.36	2	0.70	2	0.15	1	0.76	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	6.69	18
3554	Hanover	31 04	24 27	4550	1.63	7	0.35	4	2.31	7	0.40	4	0.79	7	0.14	1	0.75	1	0.05	1	0.00	0	0.16	3	0.56	3	0.58	4	7.72	42
3556	Winterhoek	32 13	24 28	3300	1.13	2	1.37	2	1.96	4	0.96	1	0.69	2	0.61	1	1.16	2	0.00	0	0.00	0	0.36	2	0.00	0	0.00	0	8.24	16
3557	Hoogmoedsfontein	31 13	24 29	4600	2.00	4	0.53	4	1.90	4	0.39	1	0.41	2	0.00	0	0.00	0	0.00	0	0.00	0	0.17	1	0.00	0	0.58	1	5.98	17
3558	Philipstown	30 26	24 28	4395	2.18	5	0.31	3	2.34	11	0.38	2	0.31	2	0.05	1	0.34	1	0.00	0	0.00	0	0.08	1	1.01	3	0.33	2	7.33	31
3560	Kendrew Estates	32 31	24 30	2050	0.99	3	1.15	2	2.63	4	0.62	2	0.57	2	0.36	1	0.92	2	0.00	0	0.00	0	0.00	0	0.12	1	0.16	1	7.52	19
3561	Kendrew	32 31	24 30	2015	0.60	2	1.79	3	2.93	3	0.76	3	0.59	3	0.37	1	0.76	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	7.80	16
3561 A	Carnil Rust	30 26	24 31	4600	2.62	5	0.35	3	3.22	9	0.23	2	0.41	3	0.00	0	0.47	1	0.00	0	0.00	0	0.04	1	0.93	3	0.41	2	8.68	29
3561 B	Coetzeeskraal	31 31	24 34	-	1.79	4	0.99	4	3.04	6	0.91	4	0.48	3	0.28	2	0.86	2	0.03	1	0.00	0	0.44	3	0.27	1	0.63	2	9.72	32
3562	Donkerhoek	31 37	24 34	5700	1.11	3	1.00	3	3.54	7	0.60	2	0.77	3	0.39	3	0.44	1	0.00	0	0.00	0	0.71	5	0.00	0	0.00	0	8.56	27
3563	Graaf Reinet (Gaol)	32 15	24 32	2430	1.27	2	1.16	2	1.36	3	0.92	2	0.94	3	0.93	2	1.39	3	0.00	0	0.00	0	0.21	2	0.00	0	0.10	1	8.28	(20)
3565	Graaf Reinet (Convent)	32 15	24 32	2442	1.54	5	1.06	4	1.79	5	0.81	3	0.93	5	1.00	2	1.30	4	0.05	1	0.00	0	0.30	4	0.01	1	0.12	1	8.91	35
3566	Graaf Reinet (V.R. Dam)	32 14	24 32	2450	1.48	3	1.18	4	1.86	5	0.47	2	0.92	4	0.79	2	1.13	4	0.00	0	0.00	0	0.28	3	0.00	0	0.11	1	8.22	28
3567	Bokfontein	31 25	24 33	4750	1.03	3	0.77	3	3.23	7	0.45	2	0.45	3	0.26	1	0.80	2	0.05	1	0.00	0	0.37	2	0.05	1	1.89	2	9.35	27
3570	New Bethesda	31 52	24 33	4400	2.14	3	1.24	6	3.10	7	0.84	5	0.85	4	0.57	2	0.37	2	0.00	0	0.00	0	0.67	2	0.00	0	0.47	2	10.25	33
3571	Nolmada	30 57	24 34	4400	1.68	6	0.97	6	1.96	5	0.59	2	0.37	2	0.15	1	0.75	1	0.00	0	0.00	0	0.12	1	0.42	3	0.61	2	7.62	29
3573	Andriesfontein	30 57	24 36	4500	1.70	6	0.41	4	1.93	5	0.82	3	0.42	4	0.18	1	0.65	1	0.00	0	0.00	0	0.14	3	0.30	3	1.44	3	7.99	33
3574	Lucernvale	31 40	24 35	5450	1.51	3	0.78	2	4.76	8	0.52	3	0.85	5	0.33	2	0.87	2	0.11	2	0.00	0	0.85	5	0.06	1	0.38	3	11.02	36
3575	Groothoek	32 10	24 34	4500	2.61	3	1.17	3	1.98	4	0.67	2	1.51	4	0.50	2	0.92	3	0.00	0	0.00	0	0.61	4	0.22	1	0.80	2	10.99	28
3576	Rynheath	32 19	24 33	2400	0.55	2	1.31	3	2.17	8	0.40	4	0.64	4	0.28	1	0.85	2	0.00	0	0.00	0	0.19	2	0.00	0	0.23	2	6.62	28
3577	Roodebloem	32 09	24 33	3200	1.39	4	0.91	3	1.94	4	0.43	3	0.86	5	0.44	2	0.77	3	0.00	0	0.00	0	0.20	2	0.00	0	0.09	1	7.03	27
3578	Sterkfontein	30 45	24 30	4570	1.20	6	1.08	4	3.15	9	0.37	3	0.21	2	0.59	3	0.41	1	0.10	1	0.00	0	0.17	1	0.15	1	0.00	0	7.43	31
3579	Droogefontein	31 08	24 43	4550	1.72	7	0.87	6	2.28	7	0.68	3	0.53	3	0.15	1	0.71	1	0.00	0	0.00	0	0.37	3	0.40	2	2.20	4	9.91	37
3580	Uitkomst	32 45	24 40	1690	0.55	2	0.64	3	2.05	4	0.53	2	0.68	3	0.17	1	0.66	2	0.00	0	0.00	0	0.09	1	0.00	0	0.28	1	5.65	19
3581	Groot Arendskraal	30 17	24 34	4250	1.34	4	0.58	4	2.24	5	0.48	2	0.41	2	0.00	0	0.50	1	0.00	0	0.00	0	0.07	1	0.24	3	0.18	3	6.04	25
3582 A	Vrede	31 10	24 39	4500	1.98	6	1.39	4	1.75	2	0.45	3	0.72	4	0.22	1	0.87	3	0.00	0	0.00	0	0.29	2	0.45	3	0.54	2	8.66	30
3583	Wellwood	31 59	24 37	4000	2.20	3	1.60	7	2.49	7	1.86	7	1.86	7	0.50	3	0.56	4	0.03	2	0.00	0	0.58	4	0.13	2	0.45	4	12.26	50
3584	Patruaville	30 05	24 40	3900	1.54	6	0.71	3	2.95	6	0.57	3	0.39	2	0.00	0	0.39	1	0.00	0	0.00	0	0.24	2	1.49	4	0.14	1	8.42	28
3585	Gordonsfontein	31 14	24 39	4572	1.20	2	1.10	2	1.98	3	0.30	1	0.53	2	0.30	1	0.75	1	0.00	0	0.00	0	0.00	0	0.00	0	0.50	1	6.66	(13)
3587	Paardevlei	31 26	24 39	4700	1.07	4	0.78	2	3.07	5	1.50	2	0.66	4	0.25	1	0.95	2	0.00	0	0.00	0	0.40	2	0.00	0	0.70	1	9.38	23
3588	Jansenville	32 56	24 40	1470	0.89	5	1.18	6	1.61	3	0.65	4	0.72	5	0.33	2	0.69	3	0.00	0	0.00	0	0.37	6	0.00	0	0.33	1	6.77	35
3589	Jansenville	32 56	24 40	1450	0.78	2	0.99	4	1.65	3	0.58	3	0.60	4	0.25	1	0.57	1	0.00	0	0.00	0	0.22	3	0.00	0	0.28	1	5.92	(22)

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3590	Macasserfontein	30°12'	24°38'	4088	0.94	4	1.40	9	3.40	5	0.36	1	0.51	2	0.00	0	0.50	1	0.00	0	0.00	0	0.00	0	0.43	2	0.40	1	7.94	25
3593	Leeuwhoek	31 25	24 43	4940	1.70	3	0.40	1	2.26	4	1.42	2	0.94	2	0.25	1	0.94	2	0.00	0	0.00	0	0.53	2	0.00	0	0.55	1	8.99	18
3594	Gordenville	31 45	24 41	5600	2.33	6	1.80	5	3.24	8	0.93	5	1.52	7	0.35	3	0.94	3	0.04	1	0.00	0	0.73	5	0.06	1	0.70	4	12.64	48
3595	Bloemhof	32 02	24 40	3580	1.51	3	0.85	6	2.08	7	0.59	4	1.47	7	0.59	3	0.38	2	0.00	0	0.00	0	0.38	3	0.11	1	0.37	2	8.33	38
3596 M	Coetzeesfontein	31 41	24 44	-	2.21	3	0.57	2	4.33	5	0.35	1	0.76	3	0.35	1	0.67	1	0.00	0	0.00	0	0.00	0	0.45	1	0.92	2	10.61	19
3597	Uitkomst	32 45	24 40	2400	0.56	2	0.56	2	2.11	4	0.33	2	0.67	3	0.11	1	0.68	1	0.00	0	0.00	0	0.14	1	0.00	0	0.28	2	5.44	18
3598	Bethesda Road	31 54	24 45	4618	2.03	3	1.31	4	1.96	5	0.24	1	1.60	4	0.61	2	0.48	2	0.00	0	0.00	0	0.36	2	0.38	1	0.19	2	9.16	26
3600	Damfontein	31 10	24 50	4800	1.23	3	1.10	3	2.19	5	0.59	2	0.00	0	0.00	0	0.73	1	0.00	0	0.00	0	0.32	2	0.00	0	0.40	3	6.56	19
3601	Glen Harry	32 06	24 43	3310	1.78	3	0.65	4	1.49	4	0.37	2	2.47	5	0.60	2	0.54	2	0.00	0	0.36	1	0.00	0	0.00	0	0.32	2	8.58	25
3602	Loopfontein	32 51	24 48	2080	2.15	2	1.22	3	1.84	4	0.22	2	0.63	3	0.20	1	0.65	1	0.00	0	0.00	0	0.07	1	0.00	0	0.18	1	7.16	18
3603	Bell Rock	30 35	24 50	4500	1.49	5	0.36	2	2.20	9	0.28	2	0.53	4	0.00	0	0.38	1	0.00	0	0.00	0	0.16	2	1.18	3	0.58	3	7.16	31
3604	Uitsicht	31 24	24 50	5800	2.25	3	1.85	3	2.10	2	0.60	1	0.00	0	0.00	0	1.25	3	0.00	0	0.00	0	0.25	1	0.00	0	1.10	2	9.40	(15)
3606	Excelsior	32 11	24 49	4500	2.66	3	0.43	3	1.33	5	0.79	3	3.94	8	0.83	3	0.61	2	0.00	0	0.00	0	0.65	3	0.00	0	0.49	2	11.73	32
3607	Boaduivenkop	30 15	24 45	-	0.89	5	0.35	4	1.46	7	0.31	1	0.49	2	0.00	0	0.47	2	0.00	0	0.00	0	0.13	2	0.22	2	1.32	2	5.64	27
3607 B	Fairfield	31 02	24 51	-	1.73	4	1.41	3	1.75	3	0.73	2	0.84	4	0.27	1	0.65	1	0.00	0	0.00	0	0.23	1	0.63	1	0.43	2	8.67	22
3607 M	Olyvenfontein	32 58	24 52	-	1.46	4	1.05	4	1.72	3	0.66	2	0.46	4	0.19	3	0.56	2	0.00	0	0.00	0	0.39	4	0.05	1	0.23	2	6.77	29
3607 T	Moolfontein	30 52	24 52	-	1.56	3	1.28	6	2.24	4	0.00	0	0.21	1	0.20	1	0.49	2	0.00	0	0.00	0	0.47	4	0.21	2	1.27	6	7.93	29
3608	Winterhoek	31 18	24 52	5050	2.26	5	0.74	1	4.87	5	0.94	1	1.51	3	0.41	1	0.54	1	0.00	0	0.00	0	0.55	2	0.33	1	0.66	1	12.81	21
3611	Kaaimansgat	31 57	24 53	5380	2.75	3	1.69	3	2.75	3	0.00	0	2.95	4	0.40	1	0.95	3	0.00	0	0.00	0	0.80	3	0.00	0	0.78	3	13.07	23
3612	Groenkloof	32 20	24 53	2800	2.94	5	0.37	3	1.01	4	0.92	3	2.29	5	0.60	3	0.58	2	0.10	1	0.00	0	0.37	3	0.15	2	0.68	4	10.01	35
3615	Nooitgedacht	30 11	24 55	4350	1.06	2	0.73	2	3.28	6	0.55	1	0.46	1	0.00	0	0.00	0	0.00	0	0.00	0	0.55	-	0.84	4	0.21	2	7.68	(18)
3616 A	Lekkerplaats	31 07	24 54	4700	1.76	4	1.67	7	2.92	7	0.64	3	1.03	6	0.19	2	0.61	3	0.00	0	0.00	0	0.34	3	0.92	4	0.47	4	10.55	43
3617	Greystone	31 35	24 57	-	1.09	3	1.53	3	3.05	7	0.11	2	0.73	5	0.49	4	0.42	2	0.00	0	0.00	0	0.47	3	0.00	0	0.83	3	8.72	32
3620	Roodshoogte	31 46	24 55	5200	1.21	2	2.37	3	2.12	6	0.00	0	0.84	3	0.61	3	0.58	2	0.00	0	0.00	0	0.94	3	0.94	2	1.75	1	11.36	25
3621	Klipfontein	32 33	24 43	2400	1.00	2	0.00	0	1.92	3	0.47	2	0.66	3	0.17	1	0.80	2	0.00	0	0.00	0	0.00	0	0.25	1	0.00	0	5.27	(14)
3622	Nauwpoort	31 11	24 57	4800	1.14	1	0.70	1	1.43	1	0.44	1	1.28	3	0.00	0	0.90	1	0.00	0	0.00	0	0.59	2	0.40	2	0.15	1	7.03	13
3623	Carlton Siding	31 15	24 57	5187	1.25	2	1.25	3	2.83	6	0.18	1	1.36	3	0.40	2	0.71	2	0.00	0	0.00	0	0.00	0	0.74	2	0.47	1	9.19	22
3624	Grootfontein	31 29	25 02	4150	3.33	6	1.01	9	3.75	8	0.91	6	0.45	4	0.39	2	0.37	3	0.00	0	0.00	0	0.62	4	0.37	2	0.43	3	11.63	47
3624 A	Newlands	31 46	24 59	4900	1.23	3	2.06	4	2.10	4	0.62	2	0.00	0	0.00	0	0.50	2	0.00	0	0.00	0	1.30	1	0.70	1	0.00	0	8.51	(17)
	SECTION 23.																													
3625	Olivewood	30 24	25 00	3850	0.82	4	0.56	3	2.87	10	1.10	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.77	2	0.00	0	0.99	2	7.11	24
3626	Esperanza	30 35	25 00	4300	1.09	4	0.57	3	1.85	8	0.51	2	0.35	3	0.09	1	0.38	1	0.00	0	0.00	0	0.18	1	0.61	3	0.60	3	6.23	29
3627	Middelburg (Cape)	31 30	25 00	4095	3.63	7	1.32	5	2.38	7	0.77	6	0.45	4	0.30	1	0.32	2	0.00	0	0.00	0	0.45	3	0.00	0	0.64	3	10.26	38
3629	Middelburg	31 30	25 00	4095	3.32	8	1.40	6	3.29	5	0.67	4	0.50	5	0.34	1	0.33	2	0.00	0	0.00	0	0.37	2	0.00	0	0.50	3	10.72	36
3630	Groot Vallei	32 14	25 03	5400	1.95	4	0.86	3	2.22	6	1.20	5	4.00	6	0.63	4	0.66	3	0.16	2	0.00	0	0.86	4	0.00	0	1.05	2	13.59	39

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3631 M	Rocikuil	32°39'	24°58'	-	1.66	3	0.81	2	1.79	2	0.12	1	1.26	3	0.27	1	0.52	2	0.00	0	0.00	0	0.14	2	0.21	1	0.15	1	6.93	(18)
3632	Philadelphia	31 40	25 01	4400	0.74	4	1.64	4	2.62	5	0.19	1	0.28	3	0.66	2	0.48	2	0.00	0	0.00	0	0.73	3	0.00	0	1.56	2	8.90	26
3633	Zuurfontein	32 08	25 03	4780	1.36	2	2.64	4	1.47	2	0.87	4	1.77	4	0.50	1	0.22	2	0.00	0	0.00	0	0.51	2	0.00	0	0.20	1	9.54	22
3634	Ranswoude	30 07	25 05	4500	0.84	5	0.18	1	1.26	4	0.85	1	0.48	3	0.00	0	0.26	1	0.00	0	0.00	0	0.78	3	0.00	0	0.18	1	4.83	19
3636	Karreepoort	30 16	25 06	4400	1.06	4	0.76	4	1.89	5	0.62	1	0.61	3	0.00	0	0.49	2	0.00	0	0.00	0	0.45	2	0.40	1	0.33	2	6.61	23
3637	Fonteintjie	30 28	25 02	4200	1.48	4	0.49	2	2.60	9	0.49	3	0.11	1	0.00	0	0.29	1	0.00	0	0.00	0	0.83	2	0.34	1	0.55	1	7.18	24
3639	Kleinfontein	31 55	25 05	4100	0.96	2	3.63	4	1.87	4	0.59	3	0.38	2	0.00	0	0.09	1	0.00	0	0.00	0	0.38	1	0.00	0	0.00	0	7.90	17
3642	Colesberg	30 43	25 06	4660	1.53	5	0.49	3	1.27	5	0.49	2	1.00	2	0.00	0	0.43	1	0.05	1	0.00	0	0.68	4	0.75	4	1.72	3	8.41	30
3643	Pearston	32 35	25 08	2330	1.66	4	1.31	4	1.13	6	0.63	2	1.59	5	0.36	3	0.34	2	0.11	1	0.00	0	0.31	2	0.30	2	0.08	1	7.82	32
3644	Stradbroke West	31 39	25 08	4150	1.06	2	1.78	5	2.31	3	0.27	1	0.30	1	0.00	0	0.36	2	0.00	0	0.00	0	0.42	1	0.30	1	0.52	1	7.32	17
3645	Hartmanshoop	30 15	25 09	4500	0.80	5	0.29	2	1.32	6	0.48	1	0.64	5	0.09	1	0.42	1	0.00	0	0.00	0	0.74	3	0.61	3	0.32	3	5.71	30
3647	Groenvlei	31 10	25 10	4923	1.58	5	1.55	7	(1.57	5)	0.47	2	0.56	4	0.26	1	0.43	2	0.00	0	0.00	0	1.03	4	0.19	2	0.36	4	8.00	36
3648	Telpoort	31 23	25 10	4400	2.48	5	0.53	2	2.77	5	0.00	0	0.23	1	0.00	0	0.00	0	0.00	0	0.00	0	0.71	2	0.35	1	0.47	1	7.74	17
3649	Greyville	31 33	25 09	4000	2.14	5	1.50	2	2.78	5	0.32	1	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	0.41	3	0.14	2	0.69	4	8.28	23
3650	Rockdale	32 12	25 09	5400	1.00	2	3.39	-	1.27	-	0.60	1	2.88	3	0.33	3	0.56	2	0.00	0	0.00	0	1.00	1	0.00	0	0.48	1	11.51	(13)
3651	Walsingham	32 29	25 08	4000	1.40	4	0.25	1	1.86	4	0.51	2	2.38	5	0.73	3	0.18	1	0.13	1	0.00	0	0.36	3	0.33	2	0.11	1	8.24	27
3652	Karreefontein	32 00	25 11	4180	1.34	3	3.21	4	2.78	4	0.79	2	0.23	1	0.00	0	0.00	0	0.00	0	0.00	0	0.41	1	0.00	0	0.00	0	8.76	15
3654	Stradbroke	31 38	25 11	3800	1.73	4	2.22	6	1.95	6	0.50	2	0.31	1	0.00	0	0.36	2	0.00	0	0.00	0	0.38	2	0.25	1	0.75	2	8.45	26
3655	Philadelphia	30 01	25 13	4900	2.41	7	0.70	2	2.64	9	0.95	3	0.28	3	0.00	0	0.28	1	0.00	0	0.00	0	0.29	2	0.62	3	0.42	4	8.59	34
3657	Adamsfontein	30 35	25 12	4130	0.81	3	0.00	0	2.05	7	0.24	2	0.70	3	0.00	0	0.25	1	0.00	0	0.00	0	0.45	1	0.50	1	0.00	0	5.00	18
3657 A	Poplar Grove	30 54	25 11	4600	2.24	4	0.00	0	1.54	5	0.00	0	0.65	3	0.22	1	0.27	1	0.00	0	0.00	0	0.80	2	0.37	2	0.81	2	6.90	20
3658	Knoffelsvlei	31 21	25 13	4150	1.03	1	1.15	3	3.11	7	0.00	0	0.00	0	0.00	0	0.20	1	0.00	0	0.00	0	0.93	2	0.22	1	0.47	1	7.11	16
3659	Tafelkop	31 38	25 13	3850	1.24	5	2.95	4	1.35	4	0.72	3	0.84	5	0.42	1	0.15	2	0.00	0	0.00	0	1.44	3	0.67	2	1.34	3	11.12	32
3660	Thorndale	31 50	25 13	3850	1.37	3	1.91	4	2.15	3	1.10	3	0.00	0	0.26	1	0.00	0	0.00	0	0.00	0	0.58	3	0.18	1	0.08	1	7.63	19
3661	Blyde Rivier Dam	32 40	25 13	2200	2.69	4	0.55	3	1.22	5	0.50	-	1.16	4	0.36	2	0.25	1	0.00	0	0.00	0	0.34	4	0.27	3	0.31	3	7.65	29
3661 A	Grapevale	30 57	25 14	4800	1.47	4	0.93	5	2.31	11	0.52	3	0.43	4	0.20	1	0.48	2	0.00	0	0.00	0	1.20	4	0.25	1	0.40	2	8.19	37
3662	Tafelberg Hall	31 38	25 15	3700	2.17	6	1.82	4	1.91	5	0.74	3	0.25	2	0.20	1	0.40	2	0.00	0	0.00	0	0.53	4	0.06	1	0.87	2	8.95	30
3663	Upsal	32 23	25 16	5500	2.60	5	1.13	4	1.38	5	0.84	1	6.28	8	1.52	4	0.51	1	0.31	2	0.00	0	0.99	4	0.11	1	0.86	3	16.53	38
3664	Prospect	32 36	25 13	4000	0.78	3	1.40	3	1.18	2	1.24	2	1.83	5	0.36	2	0.30	1	0.00	0	0.00	0	0.75	2	1.11	3	0.00	0	8.95	23
3665	Rietvlei	32 53	25 16	2250	1.39	3	1.12	3	1.56	4	0.66	3	0.90	3	0.36	3	0.38	2	0.00	0	0.00	0	0.38	4	0.15	1	0.40	4	7.30	30
3666	Donkerkloof	32 59	25 15	2100	1.80	3	0.55	2	2.08	3	0.35	1	0.84	2	0.37	2	0.35	2	0.00	0	0.00	0	0.19	1	0.00	0	0.22	2	6.75	18
3667	Philippolis	30 16	25 16	4500	1.31	5	0.70	5	1.45	8	1.27	2	0.59	3	0.10	1	0.41	1	0.00	0	0.00	0	0.85	2	0.50	4	0.38	3	7.56	34
3668	Philippolis	30 15	25 16	4500	1.18	6	0.56	5	1.34	7	1.03	2	0.64	4	0.10	1	0.41	1	0.00	0	0.00	0	0.88	2	0.52	4	0.32	3	6.98	35
3670	Bloemhof	32 43	25 16	2400	0.97	3	0.83	3	1.68	4	0.54	1	1.17	5	0.29	3	0.42	1	0.00	0	0.00	0	0.31	5	0.21	2	0.23	3	6.65	30
3672	Brandwag	30 49	25 20	4350	1.13	4	0.42	1	1.12	3	0.00	0	0.00	0	0.20	1	0.30	1	0.00	0	0.00	0	0.46	1	0.18	1	2.30	2	6.11	14

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3673	Zebrasspoort	31°20'	25°16'	4300	1.63	3	1.67	3	2.99	4	0.00	0	0.23	1	0.00	0	0.34	1	0.00	0	0.00	0	1.04	3	0.19	1	0.64	2	8.73	18
3674	Struishoek	32 33	25 17	3000	1.21	3	0.52	3	1.37	5	1.20	2	4.09	6	0.59	2	0.78	1	0.28	1	0.00	0	1.93	7	0.73	1	0.42	2	13.12	33
3677	Alwynskop	30 09	25 20	4850	1.52	3	0.29	2	3.60	7	0.81	1	0.50	3	0.00	0	0.43	1	0.00	0	0.00	0	0.65	2	0.32	2	0.17	1	8.29	22
3678 M	Smalvlei	32 30	25 18	-	3.55	2	1.11	4	1.32	4	1.17	2	6.97	7	1.98	5	0.54	2	0.31	1	0.00	0	1.67	3	0.00	0	0.31	2	18.93	32
3680	Achtertang	30 40	25 20	4050	1.02	5	0.55	2	1.73	7	0.85	5	0.62	3	0.00	0	0.28	1	0.00	0	0.00	0	1.48	2	0.38	2	0.93	3	7.84	30
3682 A	Avondrust	30 22	25 23	4400	1.24	3	0.82	5	1.70	4	1.20	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	1.51	3	0.65	2	0.00	0	7.12	19
3683	Lorraine	32 07	25 15	-	1.48	4	4.07	8	1.34	4	0.36	2	0.90	5	0.39	4	0.20	2	0.00	0	0.00	0	0.52	2	0.48	2	0.09	1	9.83	34
3686	Tweefontein	30 32	25 23	-	0.43	1	0.00	0	0.60	2	1.67	3	0.36	2	0.00	0	0.30	1	0.00	0	0.00	0	1.19	2	0.00	0	1.48	2	6.03	13
3687	Bruintjieshoogte	32 40	25 20	-	1.87	3	0.52	2	1.28	3	1.54	2	0.39	7	0.72	3	0.55	1	0.00	0	0.00	0	0.48	2	0.00	0	0.18	1	7.53	24
3688	Pienaarsfontein	30 23	25 25	-	1.86	4	0.48	2	1.75	1	0.77	1	0.00	0	0.00	0	0.29	1	0.00	0	0.00	0	1.44	3	0.79	3	0.60	2	7.98	17
3691	De Keur	31 36	25 30	-	1.69	6	1.03	8	2.07	9	0.75	5	0.18	2	0.22	3	0.24	2	0.03	2	0.00	0	0.81	2	0.16	1	0.97	3	7.34	42
3692	Fish River	31 55	25 25	3244	1.11	3	1.97	3	1.68	4	0.53	7	0.38	2	0.24	3	0.23	2	0.01	1	0.00	0	0.53	3	-	-	-	-	(9.68	28)
3693	Die Doringe	32 30	25 25	-	2.46	2	0.84	4	1.43	4	0.95	2	6.59	7	1.56	5	0.47	2	0.36	2	0.00	0	1.41	4	0.00	0	0.15	1	16.22	33
3693 A	Ufiomi	32 37	25 25	-	3.20	2	0.00	0	2.56	4	0.26	1	0.35	1	0.00	0	0.50	1	0.00	0	0.00	0	0.80	2	0.00	0	0.52	1	8.19	(12)
3694	Krislafontein	30 14	25 26	-	0.87	4	0.59	5	2.42	8	0.22	1	0.48	5	0.00	0	0.50	1	0.00	0	0.00	0	0.42	2	0.76	4	0.53	2	6.79	32
3698	Culmstock	31 31	25 25	3700	1.50	5	1.56	6	1.51	7	0.29	2	0.49	4	0.20	1	0.15	1	0.00	0	0.00	0	0.67	3	0.00	0	0.90	3	7.27	32
3700	Buffelsfontein	32 39	25 27	-	2.25	3	1.51	2	1.36	4	0.10	1	4.29	5	1.11	3	0.30	1	0.50	1	0.00	0	1.46	6	1.08	2	0.25	1	14.21	29
3702	Graseridge	31 46	25 28	3503	0.88	3	1.42	3	1.86	3	0.94	-	0.28	-	0.27	1	0.23	2	0.00	0	0.00	0	0.95	3	0.60	3	0.07	1	7.50	(19)
3704	Grootvlakte	32 34	25 27	-	2.88	4	1.37	5	1.04	5	0.67	2	4.33	7	0.88	4	0.25	1	0.33	1	0.00	0	1.16	6	0.30	3	0.16	1	13.37	39
3704 A	Honey Grove	32 19	25 29	-	1.68	3	0.92	2	0.82	2	1.45	2	1.95	6	0.70	2	0.30	1	0.00	0	0.00	0	1.18	3	0.00	0	0.16	1	9.16	22
3705	Buffelsfontein	32 38	25 27	-	3.19	3	0.34	1	1.65	3	0.52	2	1.86	4	0.37	2	0.35	1	0.30	1	0.00	0	0.66	4	0.90	2	0.38	3	10.52	26
3706	Beyersberg	30 15	25 29	-	0.97	5	0.56	4	1.79	11	1.09	2	0.71	-	0.19	1	0.26	1	0.09	0	0.00	0	0.43	2	0.88	2	0.45	2	7.33	(30)
3707	Summerhill	30 34	25 28	4098	1.47	4	0.48	4	1.65	9	1.99	4	0.58	3	0.08	1	0.45	1	0.02	1	0.00	0	1.19	2	0.08	1	1.10	2	9.09	32
3708	Norvalspont	30 38	25 28	-	1.39	5	0.42	2	1.87	10	0.73	4	0.43	3	0.00	0	0.27	1	0.00	0	0.00	0	0.85	2	0.00	0	1.30	3	7.26	30
3708 A	Inel	31 03	25 30	-	1.13	-	0.75	-	0.62	-	0.23	-	0.00	0	0.00	0	0.65	-	0.47	-	0.00	0	0.53	-	0.00	0	1.25	-	5.63	-
3708 B	Skilderirans	31 17	25 31	-	1.80	4	1.34	2	2.20	5	0.26	1	0.78	3	0.37	1	0.00	0	0.00	0	0.00	0	1.13	2	0.17	1	1.11	3	9.16	22
3709	Manor Holme	31 30	25 27	-	2.53	5	1.51	4	2.37	9	0.27	2	0.37	2	0.27	1	0.11	1	0.00	0	0.00	0	0.93	3	0.82	4	1.83	3	11.01	34
3710	Die Hoogte	32 50	25 30	-	2.41	3	1.42	4	1.72	3	0.42	1	2.82	4	0.52	2	0.00	0	0.00	0	0.00	0	0.00	0	0.27	1	0.00	0	9.58	18
3712	Oranje	30 20	25 31	4900	0.97	5	0.90	4	3.55	10	1.64	2	0.71	1	0.20	1	0.00	0	0.00	0	0.00	0	1.00	2	0.00	0	1.04	1	10.01	26
3714	Montagu	30 44	25 35	4200	0.82	4	0.37	1	1.58	6	1.02	4	0.44	3	0.00	0	0.35	1	0.00	0	0.00	0	0.83	2	0.63	2	0.97	2	7.01	25
3715	Vaalkrantz	32 35	25 34	-	1.00	3	0.00	0	0.80	2	0.00	0	2.00	-	2.60	3	0.00	0	0.00	0	0.00	0	1.32	1	0.00	0	0.90	1	8.62	(10)
3716	Pylfontein	31 11	25 33	-	1.92	4	1.10	3	2.25	6	0.39	2	0.96	4	0.13	1	0.00	0	0.00	0	0.00	0	1.33	3	0.00	0	0.77	2	8.85	25
3717	Fortuinplaats	31 58	25 28	-	1.20	3	1.60	2	1.75	4	1.23	3	0.50	1	0.20	1	0.00	0	0.00	0	0.55	2	0.00	0	0.15	1	0.42	1	7.60	18
3718	Grootfontein	32 37	25 32	-	3.00	2	0.60	2	1.32	4	0.16	1	2.50	2	0.60	1	0.30	1	0.33	1	0.00	0	0.75	4	0.41	2	0.50	3	10.47	23
3718 A	De Doorns	32 04	25 34	-	0.72	2	1.52	4	2.22	3	0.68	3	0.99	3	0.14	1	0.00	0	0.00	0	0.00	0	0.89	2	0.00	0	0.40	2	7.56	20

No.	STATION STASIE	S. Latitude S. Breedtegr.	E. Longitude E. Lengtegr.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3720	Baghdad	30°10'	25°35'	-	0.92	2	0.55	4	3.25	8	0.25	1	0.70	4	0.00	0	0.00	0	0.00	0	0.00	0	0.62	2	0.00	0	0.22	1	6.51	22
3721	Somerset East	32 43	25 35	2514	3.26	7	1.44	6	1.28	9	0.79	3	2.05	6	0.30	3	0.33	1	0.08	1	0.02	1	1.04	8	0.62	3	1.08	5	12.29	(53)
3722	Somerset East	32 43	25 35	2474	3.22	9	1.46	8	1.03	9	1.08	5	1.94	6	0.38	3	0.53	2	0.26	1	0.19	4	1.18	10	0.73	3	1.27	7	13.27	67
3724	Doornkloof	30 56	25 39	-	0.48	2	0.76	2	1.15	3	1.21	5	0.52	4	0.00	0	0.25	1	0.00	0	0.00	0	1.01	3	0.53	2	0.50	1	6.41	23
3724 A	Teviot	31 41	25 37	-	1.31	5	2.03	7	2.10	6	0.78	6	0.60	5	0.25	1	0.10	2	0.00	0	0.00	0	1.13	2	0.15	1	0.18	2	8.63	37
3725	Paardefontein	32 01	25 39	-	0.43	2	0.74	2	2.13	4	0.45	3	0.64	2	0.10	1	0.23	1	0.00	0	0.00	0	0.73	2	0.15	1	-	-	(5.60	18)
3726	Semaphore	32 22	25 44	2700	1.16	4	1.15	5	1.89	8	1.56	4	0.62	4	0.14	2	0.21	1	0.00	0	0.00	0	2.31	4	0.12	2	0.10	1	9.26	35
3727	Leeuwfontein	32 56	25 37	-	1.12	3	1.24	-	1.60	5	0.84	3	1.29	4	0.42	4	0.34	3	0.11	1	0.00	0	0.55	6	0.84	2	0.61	3	8.96	(34)
3728	Blaauwheuvel	30 07	25 38	-	0.84	2	1.30	3	3.14	9	1.10	3	0.46	3	0.00	0	0.52	1	0.00	0	0.00	0	1.03	3	0.98	3	0.89	2	10.26	29
3729	Verstersfontein	31 04	25 40	-	1.00	4	0.66	3	3.02	6	0.65	3	0.70	3	0.15	1	0.00	0	0.00	0	0.00	0	1.79	4	0.78	3	0.65	2	9.40	29
3730	Karreefontein	31 35	25 40	4000	1.40	4	1.44	3	2.60	3	0.32	1	0.57	3	0.22	1	0.00	0	0.00	0	0.00	0	1.33	2	0.60	2	1.16	4	9.44	23
3731	Cradock (Gaol)	32 10	25 38	2859	1.49	5	1.76	5	2.06	8	0.63	5	0.83	6	0.12	2	0.20	3	0.01	1	0.00	0	1.02	3	0.13	3	0.31	1	8.56	42
3735	Grootfontein	30 34	25 40	-	1.11	4	0.70	3	1.71	7	1.96	4	0.34	2	0.15	1	0.41	1	0.00	0	0.00	0	0.85	2	0.21	1	0.70	1	8.14	26
3736	Liebafontein	31 00	25 40	-	0.65	3	0.70	3	1.83	5	0.58	2	0.87	4	0.00	0	0.27	1	0.00	0	0.00	0	0.93	2	0.41	2	0.65	2	6.89	24
3737	Bulhoek	31 17	25 41	-	1.29	3	1.47	3	2.16	6	0.48	3	0.29	2	0.38	1	0.09	2	0.00	0	0.00	0	1.44	2	1.17	4	1.01	3	9.78	28
3738	Cloverfields	32 25	25 46	-	1.36	4	1.30	4	1.47	4	1.52	4	0.63	2	0.00	0	0.00	0	0.00	0	0.00	0	0.92	2	0.00	0	0.06	1	7.26	21
3739	Springfontein	30 16	25 43	5000	1.27	5	1.87	7	2.65	8	1.32	3	0.20	1	0.00	0	0.42	1	0.00	0	0.00	0	1.27	2	0.60	2	0.54	2	10.14	(31)
3740	Springfontein	30 16	25 43	5000	1.27	5	1.87	7	2.67	8	1.45	5	0.43	5	0.08	1	0.42	1	0.00	0	0.00	0	0.90	2	0.76	3	0.58	2	10.43	39
3742	De Kuilen	31 45	25 42	-	1.16	5	1.75	4	2.28	4	0.35	1	0.96	4	0.21	1	-	-	-	-	0.00	0	1.28	1	0.51	1	0.03	1	(8.53	22)
3743	Hanelfontein	30 00	25 43	4600	1.10	2	1.31	2	-	-	-	-	-	-	0.04	1	0.19	1	0.00	0	0.00	0	0.50	1	0.86	3	0.85	1	(8.13	21)
3744	Highbury	30 10	25 43	-	1.00	2	0.48	1	2.11	8	1.37	4	0.40	1	0.00	0	0.40	1	0.00	0	0.00	0	0.70	1	0.00	0	0.75	2	7.21	20
3745	Hamilton Manor	30 13	25 43	-	1.37	6	1.33	6	2.24	9	1.60	5	0.55	4	0.06	1	0.44	1	0.00	0	0.00	0	0.77	2	0.51	4	0.69	2	9.56	40
3747 A	Klaverfontein	30 24	25 44	-	1.72	5	1.12	4	1.31	7	1.82	5	0.38	5	0.12	1	0.25	1	0.00	0	0.00	0	0.95	2	1.36	6	1.73	3	10.76	39
3749	Kaalplaas	31 36	25 44	-	0.13	1	0.98	3	2.75	3	0.24	1	0.55	2	0.34	2	0.00	0	0.00	0	0.00	0	1.46	2	0.50	2	0.00	0	6.95	16
3750	Zeekoegatboven	30 43	25 49	-	0.82	3	0.28	2	1.14	5	1.13	4	0.60	2	0.12	1	0.39	1	0.00	0	0.00	0	0.75	2	0.25	1	0.71	3	6.19	24
3751	Elandsfontein	30 55	25 46	-	0.63	2	1.03	2	2.05	6	0.77	4	0.64	3	0.18	1	0.24	1	0.00	0	0.00	0	1.32	3	0.26	1	0.47	1	7.59	24
2752	Varwvlei	31 40	25 45	5400	1.00	1	1.11	2	3.10	5	0.38	1	1.27	4	0.26	1	0.00	0	0.00	0	0.00	0	1.14	2	0.00	0	-	-	(8.26	16)
5753	Tarka Training Farm	32 19	25 45	-	1.02	3	0.21	1	2.52	6	0.82	3	0.66	2	0.03	1	0.28	1	0.00	0	0.00	0	1.35	3	0.00	0	0.00	0	6.89	20
3755	Oukraal	32 35	25 38	2800	4.43	5	0.99	4	2.49	8	1.00	4	1.89	5	0.49	3	0.29	1	0.34	1	0.00	0	1.16	7	0.46	3	1.52	5	15.06	46
3756	Oaklands	30 14	25 46	-	1.11	6	1.31	8	2.39	10	1.61	7	0.51	5	0.07	1	0.43	1	0.00	0	0.00	0	0.73	2	0.45	4	0.78	2	9.39	46
3757	Morafontein	31 15	25 56	-	1.31	4	2.09	6	4.08	10	0.69	3	0.70	4	0.22	2	0.16	2	0.00	0	0.00	0	1.26	3	0.37	2	1.50	3	12.38	39
3758	Plankfontein	32 07	25 46	4000	1.16	2	0.83	2	2.30	4	0.40	1	1.03	3	0.21	1	0.00	0	0.00	0	0.00	0	1.36	3	0.00	0	0.00	0	7.29	16
3759	Trompsburg	30 02	25 47	4700	0.43	3	0.72	2	2.56	9	0.77	4	0.23	1	0.00	0	0.13	1	0.00	0	0.00	0	0.38	1	0.80	3	0.83	2	6.85	26
3760	Normandale	30 12	25 47	4955	0.00	0	(0.80	3)	2.60	10	1.93	7	0.69	6	0.06	2	0.25	1	0.00	0	0.00	0	1.15	3	0.91	4	1.11	5	9.50	41
3762	Hofmeyr	31 38	25 48	4104	1.49	4	1.49	4	2.98	5	0.83	4	1.05	5	0.25	1	0.15	1	0.00	0	0.00	0	1.30	2	0.35	2	0.06	1	9.95	29

No.	STATION STASIE	S. Latitude S. Breedtegr.	E. Longitude O. Lengtegr.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3763	Roodebergleegte	31°47'	25°47'	4320	0.94	2	1.23	4	2.36	4	0.65	3	1.03	5	0.22	1	0.09	-	0.00	0	0.00	0	1.33	2	0.33	1	0.40	1	8.58	(23)
3764	Cookhouse	32 45	25 49	1900	2.34	4	0.33	1	1.36	6	0.36	2	0.44	2	0.00	0	0.10	1	0.06	1	0.00	0	0.95	6	0.37	1	0.70	4	7.01	28
3765	Steynsburg	31 18	25 50	4850	0.82	1	1.61	4	2.53	5	0.60	2	0.62	2	0.41	2	0.00	0	0.00	0	0.00	0	1.02	2	0.33	2	1.72	4	9.64	24
3766	Newlands	31 55	25 49	4000	0.48	1	4.97	4	3.63	5	0.00	0	0.60	2	0.00	0	0.00	0	0.00	0	0.00	0	1.30	2	0.00	0	0.00	0	10.98	14
3767	Middleton	32 57	25 49	1670	2.13	4	1.48	4	0.95	4	1.16	2	0.98	3	0.34	3	0.26	1	0.00	0	0.00	0	0.58	3	0.50	1	0.51	2	8.89	27
3769	Voëlfontein	30 52	25 50	4500	1.33	4	0.45	1	1.25	5	1.59	3	0.40	1	0.09	2	0.30	1	0.00	0	0.00	0	1.05	3	0.29	2	0.00	0	6.75	22
3770	Brandpoort	31 05	25 50	4950	0.52	2	0.00	0	2.76	7	0.00	0	0.37	1	0.00	0	0.00	0	0.00	0	0.00	0	1.44	2	0.00	0	0.00	0	5.09	(12)
3771	Bloemhof	31 22	25 50	-	0.88	3	0.75	2	1.90	3	0.93	3	0.82	3	0.07	1	0.03	1	0.00	0	0.00	0	1.30	4	0.37	4	0.77	4	7.82	28
3772	Grootdam	31 58	25 50	4100	0.89	3	1.58	4	3.36	6	0.40	2	0.68	5	0.25	2	0.20	1	0.13	1	0.00	0	1.37	4	0.15	1	0.29	1	9.30	30
3773	Renbult	31 03	25 46	4770	1.16	3	1.96	3	1.54	4	0.53	1	0.72	3	0.12	1	0.00	0	0.00	0	0.00	0	0.97	2	0.96	3	0.63	2	8.59	22
3774	Athlone	32 03	25 51	3600	1.20	3	1.25	3	2.05	5	0.33	3	0.50	4	0.28	3	0.25	1	0.00	0	0.00	0	1.31	3	0.00	0	0.00	0	7.17	25
3776	Melrose	32 37	25 53	2050	1.62	4	0.92	4	2.53	8	0.48	3	0.47	3	0.05	1	0.30	1	0.02	1	0.02	1	0.95	4	0.00	0	2.37	3	9.73	33
3777	Westward Ho!	30 07	25 52	4785	0.94	3	0.31	2	3.78	9	0.46	1	0.40	3	0.00	0	0.00	0	0.00	0	0.00	0	0.49	2	0.45	1	0.84	1	7.67	(22)
3778	Mooivlei	30 08	25 55	5100	0.74	2	0.88	5	2.67	7	1.21	3	0.88	3	0.51	3	0.00	0	0.00	0	0.00	0	-	-	0.51	3	0.94	2	(8.34	28)
3780	Laborare	32 25	25 52	3950	1.59	4	0.71	1	1.16	6	0.37	1	1.05	5	0.00	0	0.35	1	0.00	0	0.00	0	1.67	4	0.00	0	0.00	0	6.90	22
3782	Middelfontein	30 19	25 54	5000	0.52	5	1.41	4	3.10	9	1.47	4	0.75	4	0.00	0	0.20	1	0.00	0	0.00	0	0.49	3	0.95	4	1.07	3	9.96	37
3783	Pweefontein	31 01	25 56	4750	0.78	3	1.70	5	2.01	8	1.88	6	0.77	5	0.15	1	0.21	1	0.00	0	0.00	0	0.98	2	0.71	2	0.70	3	9.89	36
3784	Cliftonvale	30 33	26 04	4500	0.90	4	1.46	6	2.79	12	1.38	4	0.74	5	0.21	2	0.27	1	0.07	1	0.00	0	0.82	2	0.86	4	0.97	3	10.47	44
3785	Modderfontein	31 58	25 54	4100	0.90	2	1.38	3	3.52	6	0.35	1	0.48	2	0.15	1	0.00	0	0.00	0	0.00	0	1.27	3	0.00	0	0.22	1	8.27	(19)
3786	Fulmer	32 32	25 44	4600	1.78	3	1.00	2	1.75	8	0.96	5	0.92	5	0.02	1	0.22	1	0.00	0	0.00	0	0.97	5	0.16	1	0.28	2	8.06	33
3787	Kenilworth	31 55	25 55	4000	1.09	4	2.04	4	3.96	5	0.25	1	0.56	4	0.38	3	0.00	0	0.00	0	0.00	0	1.51	3	0.15	1	0.00	0	9.94	25
3788	Rietfontein	32 08	25 52	4000	0.98	2	1.73	2	1.81	5	1.03	3	0.70	2	0.00	0	0.49	1	0.00	0	0.00	0	1.04	2	0.00	0	0.00	0	7.78	17
3789	Donkerhoek	32 23	25 54	3500	1.75	5	1.57	5	1.88	8	1.14	5	1.78	6	0.42	4	0.33	1	0.00	0	0.00	0	2.34	6	0.21	2	0.35	2	11.77	44
3789 B	Viedas	30 06	25 56	4650	0.26	1	1.03	1	2.36	3	0.95	2	0.76	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.53	2	1.43	1	7.32	(11)
3790	Driefontein	30 25	25 56	4370	1.22	4	0.69	4	0.83	5	1.34	3	0.36	4	0.05	2	0.22	1	0.02	1	0.00	0	0.90	2	0.97	4	1.28	3	7.86	33
3792	Lucknow	30 32	25 55	4150	1.49	2	0.00	0	1.04	3	1.97	5	0.51	2	0.00	0	0.27	1	0.00	0	0.00	0	0.96	2	0.37	1	1.38	2	7.99	18
3792 A	Rehedale	31 45	25 56	-	0.97	2	1.88	4	2.74	4	0.94	3	0.89	3	0.22	1	0.23	1	0.00	0	0.00	0	1.40	2	0.00	0	0.50	1	9.77	21
3793	Leeuwkuil	31 49	25 56	4000	0.80	1	2.11	4	2.36	6	0.82	3	0.75	3	0.23	1	0.23	1	0.00	0	0.00	0	1.39	3	0.00	0	0.55	2	9.24	24
3794	Lilydale	30 00	25 57	4870	0.37	3	1.93	7	2.57	7	0.67	3	0.86	3	0.00	0	0.18	1	0.00	0	0.00	0	0.00	0	2.30	6	1.51	3	10.39	33
3796	De Dam	31 17	25 57	5200	1.68	3	0.80	3	2.02	6	1.15	3	0.60	4	0.24	1	0.13	1	0.00	0	0.00	0	0.90	1	0.62	2	1.16	3	9.30	27
3800	Elandsdrift	32 13	25 57	3050	1.17	3	1.50	2	1.39	4	0.99	3	1.48	6	0.30	2	0.36	1	0.10	1	0.00	0	1.21	2	0.25	2	0.22	1	8.97	27
3801	Bethulie	30 30	25 58	4181	2.07	9	1.03	9	1.76	10	2.09	7	0.65	6	0.16	3	0.30	3	0.06	1	0.00	0	0.89	4	1.39	5	0.75	4	11.15	61
3802	Rietkuil	31 11	25 58	5200	1.60	4	2.13	8	2.51	8	0.75	4	0.96	6	0.24	3	0.22	2	0.00	0	0.00	0	1.09	3	0.33	4	1.61	3	11.44	45
3803	Wolwekloof	31 20	25 58	5100	1.21	2	1.30	5	0.49	2	1.10	4	0.94	4	0.45	2	0.15	1	0.00	0	0.00	0	1.03	2	0.08	1	1.57	3	8.32	26
3809	Lynedoch	32 31	25 59	2700	0.94	3	1.84	4	3.11	8	1.45	5	1.29	6	0.84	5	0.50	1	0.08	1	0.00	0	0.00	0	0.79	4	0.23	2	11.07	39

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar Inches Duime	Year-Jaar Days-Dae
3811	Stillewoning	30°40'	26°03'	4800	1.13	3	0.55	2	1.10	4	3.32	4	0.70	1	0.20	1	0.30	1	0.00	0	0.00	0	0.80	1	0.50	1	1.80	2	10.40	20
3812	Cheviotdale	30 47	26 01	5000	0.80	3	1.03	4	1.07	5	2.40	5	0.56	4	0.25	2	0.35	1	0.00	0	0.00	0	0.86	2	0.53	4	2.07	6	9.92	36
3812 A	Pleisterkraal	30 56	26 02	4700	0.60	2	0.86	6	1.15	7	1.81	6	0.72	6	0.00	0	0.26	1	0.00	0	0.00	0	0.75	2	0.79	4	0.65	2	7.59	36
3813	Skilderkrans	30 59	26 00	4700	0.76	3	1.17	2	1.12	3	1.50	4	0.98	5	0.20	1	0.22	1	0.00	0	0.00	0	0.93	2	0.93	4	0.82	2	8.63	27
3814	Spitskop	31 35	26 00	4500	1.04	3	2.51	6	1.79	3	2.57	4	1.15	5	0.42	3	0.24	2	0.05	1	0.00	0	1.04	2	0.89	5	0.38	2	12.08	36
3815	Leliskloof	32 20	26 01	4500	1.18	3	2.36	3	1.32	4	0.68	3	4.00	4	0.97	5	0.47	1	0.00	0	0.00	0	1.50	4	0.15	1	0.26	1	12.89	29
3816	Albertvale	32 44	26 00	2300	1.35	5	0.82	4	2.82	7	0.51	2	1.38	4	0.53	3	0.23	1	0.00	0	0.02	1	1.39	7	0.00	0	0.85	3	9.90	37
3817	Stormfontein	31 05	26 04	4900	0.38	1	0.47	2	2.15	7	1.15	2	0.98	4	0.20	1	0.30	1	0.00	0	0.00	0	0.93	3	0.00	0	0.90	2	7.26	23
3821	Hillmoor	31 10	26 01	5100	0.59	4	3.29	9	2.34	8	1.41	5	1.01	6	0.37	3	0.21	2	0.00	0	0.00	0	1.12	4	0.55	4	1.47	3	12.36	48
3822	Zuurfontein	31 20	26 06	5350	2.55	5	2.15	7	2.26	8	1.47	4	1.06	4	0.59	4	0.27	1	0.00	0	0.00	0	1.07	3	0.31	2	1.71	3	13.44	41
3824	Gresham	31 12	26 08	5400	0.76	4	1.99	6	1.81	6	1.47	3	0.88	4	0.24	1	0.10	1	0.00	0	0.00	0	0.99	3	0.25	2	1.47	2	9.96	32
3825	Hellbron	31 41	26 03	5000	1.33	3	2.80	7	2.14	3	0.89	5	1.79	4	0.49	3	0.41	1	0.00	0	0.00	0	1.06	3	0.30	2	0.33	1	11.54	32
3826	Hartebeestleegte	32 12	26 04	3500	0.00	0	0.71	2	2.29	3	0.00	0	2.18	5	0.72	2	0.46	1	0.00	0	0.00	0	1.30	3	0.00	0	0.00	0	7.66	(16)
3827	Deelsvlei	30 41	26 10	4600	0.99	3	0.67	5	1.85	9	1.68	4	0.74	6	0.20	2	0.27	1	0.07	1	0.00	0	0.72	2	0.79	4	1.17	3	9.15	40
3828	Dampiaats	30 47	26 04	4650	1.37	3	0.51	4	2.42	7	2.75	4	0.53	3	0.00	0	0.00	0	0.00	0	0.00	0	1.19	3	0.88	3	1.67	3	11.32	30
3829	Winnaarsbaken	30 55	26 07	4600	0.88	1	0.71	2	1.41	6	1.65	4	0.73	4	0.10	1	0.16	1	0.00	0	0.00	0	1.06	2	0.66	3	0.94	2	8.30	26
3830 A	Swalukrans	32 07	26 05	-	0.72	2	1.67	3	1.39	3	0.37	2	1.50	5	0.54	3	0.31	2	0.00	0	0.00	0	1.47	3	0.29	1	0.44	2	8.60	26
3831	Cheviot Falls	32 19	26 08	4750	1.72	4	2.04	4	1.82	5	2.33	7	3.41	6	1.24	6	0.71	1	0.20	2	0.00	0	2.40	5	1.24	4	0.42	1	17.53	45
3833	Bedford	32 41	26 05	2456	2.53	8	1.51	9	2.45	9	0.71	5	2.29	6	0.15	2	0.62	1	0.10	3	0.10	3	2.07	14	0.15	3	1.46	9	14.34	72
3835	Kalkoenkrans	31 15	26 05	5000	1.97	5	0.67	3	2.50	6	1.64	5	0.96	3	0.34	1	0.00	0	0.00	0	0.00	0	1.44	3	0.43	1	0.42	1	10.37	28
3836	Manelsdam	31 58	26 07	4100	0.93	3	2.55	3	3.62	3	0.35	1	1.08	4	0.39	2	0.32	1	0.00	0	0.31	1	1.33	2	0.29	1	0.56	2	11.73	23
3837	Rosslands	31 13	26 09	4900	1.19	5	1.76	8	2.04	7	1.22	3	0.67	4	0.25	1	0.13	3	0.00	0	0.00	0	1.22	4	0.42	2	1.94	3	10.84	40
3838	Hillside	31 19	26 08	5000	1.34	3	0.71	3	2.11	7	1.10	4	0.64	3	0.00	0	0.00	0	0.00	0	0.00	0	0.94	3	0.67	3	1.28	3	8.79	29
3839	Oskloof	32 11	26 08	5000	0.67	2	0.97	3	3.30	4	0.30	1	2.30	4	0.80	2	0.38	1	0.00	0	0.00	0	1.65	3	0.08	1	0.85	2	11.30	23
3841 A	Silvermere	30 41	26 09	-	1.02	2	1.52	7	1.93	8	1.87	5	0.61	4	0.16	1	0.27	1	0.06	1	0.00	0	0.65	2	0.88	4	1.56	3	10.53	38
3842	Erinmore	31 08	26 12	5000	1.05	4	1.68	5	1.75	6	1.78	4	0.82	4	0.00	0	0.13	2	0.00	0	0.00	0	1.20	3	0.35	2	0.89	3	9.65	33
3844	Hughenden	30 42	26 11	4800	0.60	3	1.24	6	2.40	11	1.79	5	0.96	5	0.18	1	0.21	1	0.03	1	0.00	0	0.73	2	1.21	3	1.81	2	11.16	40
3845	Bella Vista	31 47	26 07	4500	2.23	4	2.74	6	2.56	6	0.73	5	0.88	5	0.62	4	0.40	1	0.06	1	0.00	0	1.58	4	0.32	2	0.26	2	12.38	40
3846	Modderfontein	31 50	26 10	4375	1.51	5	2.07	7	3.45	6	0.48	4	0.79	7	0.44	5	0.33	1	0.03	1	0.00	0	1.80	6	0.04	2	0.45	2	11.39	46
3847	Clifton	32 50	26 10	2100	2.39	4	0.38	2	1.14	3	0.00	0	1.23	2	0.38	2	0.00	0	0.00	0	0.00	0	1.05	3	0.30	1	0.22	1	7.09	(18)
3848	Groot Zeekoegat	31 25	26 11	5500	1.26	2	2.37	4	1.89	4	0.00	0	0.80	1	0.50	1	0.00	0	0.00	0	0.00	0	1.11	1	0.00	0	1.00	2	8.93	(15)
3849 A	Aldersyde	32 01	26 11	4500	1.00	4	3.19	6	3.89	7	0.48	2	0.90	5	0.52	3	0.58	3	0.10	1	0.00	0	1.70	3	0.33	2	0.47	1	13.16	37
3851	Winterhoek	30 29	26 12	4500	0.46	2	0.93	2	2.65	4	1.40	3	0.62	4	0.00	0	0.15	1	0.00	0	0.00	0	0.42	3	0.52	2	1.08	2	8.23	23
3852	Hoogstede	30 43	26 16	4600	0.64	2	0.35	2	1.30	5	1.35	3	0.69	4	0.15	1	0.00	0	0.00	0	0.00	0	0.88	2	0.96	3	1.90	3	8.22	25
3853	Mooivlei	31 08	26 14	5000	1.25	2	1.65	6	1.92	4	1.35	2	0.57	3	0.00	0	0.00	0	0.00	0	0.00	0	1.45	4	0.00	0	1.04	3	9.23	24

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar Inches Duime	Year-Jaar Days-Dae
3855	Cullendale	32°39'	26°11'	2400	2.00	3	0.93	3	2.21	6	0.85	2	0.95	2	0.35	1	0.26	1	0.00	0	0.00	0	1.44	6	0.27	1	0.18	1	9.44	26
3856	Haasfontein	30 17	26 13	4750	0.28	3	2.35	8	1.20	5	2.24	6	0.83	6	0.00	0	0.13	1	0.00	0	0.00	0	0.54	3	1.39	5	0.91	3	9.87	40
3857	Die Tuine	30 57	26 13	5000	0.62	3	1.99	6	1.46	6	2.25	5	1.01	6	0.11	1	0.15	1	0.00	0	0.00	0	0.88	2	0.60	4	1.35	3	10.42	37
3858	Collingham	31 19	26 14	5500	1.21	4	2.53	6	2.95	12	1.83	7	1.16	6	0.30	3	0.18	3	0.00	0	0.00	0	1.23	4	1.03	4	1.26	4	13.68	53
3859	De Hoop	32 05	26 11	4000	0.90	2	1.54	3	3.30	5	0.77	6	1.48	3	0.81	4	0.36	1	0.90	1	0.00	0	1.67	3	0.33	1	0.56	1	12.62	30
3859 A	Boesmansberg	30 11	26 15	4870	0.74	4	1.30	4	2.14	5	1.95	3	1.00	4	0.00	0	0.13	1	0.00	0	0.00	0	0.38	1	1.13	4	1.26	1	10.03	27
3860	De Hoek	31 51	26 12	5000	1.53	3	2.22	6	3.98	6	0.33	2	0.41	2	0.42	3	0.30	1	0.00	0	0.00	0	1.66	3	0.00	0	0.45	1	11.30	27
3861	Tarkastad	32 00	26 16	4244	1.19	3	3.22	6	3.10	4	0.34	1	1.64	7	0.57	3	0.45	1	0.13	1	0.00	0	1.63	2	0.21	2	0.14	1	12.62	31
3862	Tarkastad	32 00	26 16	4244	0.80	2	2.02	6	4.23	5	0.36	2	1.72	6	0.57	2	0.42	1	0.00	0	0.00	0	1.56	3	0.14	1	0.71	1	12.53	29
3863	Mooifontein	31 08	26 16	4920	1.15	3	2.23	5	1.80	8	1.40	4	0.39	3	0.00	0	0.06	2	0.06	2	0.00	0	1.22	3	0.90	4	1.71	4	10.92	38
3865	Roetshoek	31 38	26 15	4772	2.40	7	4.05	8	2.88	7	1.38	3	0.62	4	0.66	4	0.00	0	0.11	1	0.00	0	2.01	4	0.83	2	0.27	1	15.21	41
3869	Wheatlands	32 12	26 17	4300	0.99	3	1.59	4	2.74	5	1.00	3	-	-	0.66	2	0.42	1	0.20	1	0.00	0	1.62	3	0.55	3	0.45	2	(10.22	27)
3870	Spring Valley	32 16	26 17	4465	0.67	3	1.90	3	3.00	7	1.06	3	2.70	3	0.60	1	0.58	1	0.12	1	0.00	0	1.34	3	0.58	2	0.35	1	12.90	28
3871	Ebenhaeser	30 25	26 17	4250	0.40	1	1.60	4	0.68	3	1.11	2	0.85	4	0.09	2	0.11	1	0.00	0	0.00	0	0.30	1	1.18	5	1.30	2	7.62	25
3872	Kingsleigh	31 03	26 18	4700	0.64	2	1.94	5	1.33	11	1.94	5	0.81	4	0.17	2	0.15	1	0.00	0	0.00	0	0.92	2	0.91	5	1.45	3	10.26	40
3873	Stockdale	31 14	26 18	5200	1.27	3	1.06	3	2.55	8	1.54	3	0.66	3	0.27	2	0.00	0	0.00	0	0.00	0	1.03	3	0.16	2	1.78	3	10.32	30
3873 A	Storsberg Junction	31 17	26 18	5300	1.18	3	0.23	1	5.61	8	0.61	2	0.75	3	0.00	0	0.00	0	0.00	0	0.00	0	1.22	2	0.12	1	1.32	2	11.04	22
3875	Adelaide	32 42	26 18	1966	1.17	4	1.26	3	2.07	8	0.36	1	0.28	2	0.42	3	0.39	1	0.05	1	0.00	0	1.36	7	0.15	1	0.53	3	8.04	34
3876	Adelaide	32 42	26 18	1966	1.32	4	1.44	5	2.32	8	0.42	1	0.85	4	0.37	3	0.37	1	0.00	0	0.00	0	1.29	6	0.21	1	0.55	3	9.14	36
3876 A	Lourensa	30 20	26 23	4700	0.84	3	1.18	3	1.96	7	1.07	4	0.80	4	0.00	0	0.10	1	0.00	0	0.00	0	0.53	3	1.44	4	1.25	2	9.37	31
3877	Dreunberg Junction	30 57	26 20	4840	0.95	2	1.81	5	2.73	9	1.77	4	0.70	3	0.13	1	0.00	0	0.00	0	0.00	0	0.65	1	0.49	2	1.90	3	11.13	30
3878	Burgersdorp	31 00	26 20	4300	0.74	3	1.73	7	1.79	8	1.43	5	0.48	5	0.17	2	0.04	1	0.00	0	0.00	0	0.72	2	1.17	5	1.48	3	9.75	41
3879	Wildsperdehoek	31 34	26 18	6000	1.45	3	2.50	5	2.80	4	1.39	4	1.90	5	0.64	1	0.33	1	0.00	0	0.00	0	1.62	3	1.06	4	0.96	4	14.65	34
3880	Ellesmere	30 42	26 20	4400	1.38	6	2.62	8	1.84	10	1.60	4	0.90	4	0.20	2	0.15	1	0.05	1	0.00	0	0.47	2	0.75	4	1.87	5	11.83	47
3881	Mount Rayner	31 12	26 26	5900	0.97	2	0.62	3	1.69	7	0.75	1	0.50	5	0.00	0	0.00	0	0.00	0	0.00	0	0.88	2	0.25	1	1.01	2	6.67	23
3882	Glen Roy	32 15	26 25	5700	1.60	5	2.47	11	3.72	10	1.72	9	2.05	9	1.21	8	0.63	4	0.19	2	0.00	0	2.12	10	0.91	6	0.44	4	17.06	78
3885	Dalkeith	31 29	26 20	5500	1.64	5	3.68	8	3.28	6	1.14	4	0.89	6	0.38	1	0.23	1	0.00	0	0.00	0	1.37	3	0.32	3	0.79	3	13.72	40
3886	Venthor	32 22	26 21	5500	1.23	5	1.83	6	2.65	7	1.19	6	2.32	6	2.14	8	0.84	3	0.51	3	0.00	0	2.06	5	0.80	3	0.74	2	16.31	54
3887	Langdraai	32 31	26 22	3400	2.12	4	1.11	3	1.78	7	0.74	2	0.57	3	0.11	1	0.53	1	0.00	0	0.00	0	0.94	4	1.09	3	0.29	2	9.28	30
3888	De Villiers	31 00	26 22	4700	0.87	3	1.97	6	2.43	8	2.48	5	0.81	5	0.17	1	0.25	1	0.00	0	0.00	0	1.46	2	0.94	4	2.26	3	13.64	38
3889	Waltevrede	31 18	26 21	5200	0.65	2	1.20	2	3.69	8	2.03	4	1.27	7	0.25	2	0.19	2	0.00	0	0.00	0	1.18	3	0.00	0	1.93	3	12.39	33
3890	Molteno	31 23	26 22	5180	1.91	6	2.92	7	3.37	7	1.36	3	1.14	4	0.43	2	0.12	1	0.00	0	0.00	0	1.58	2	1.38	4	0.62	3	14.83	39
3891	Burnley	31 33	26 21	5400	1.73	5	2.72	5	5.08	7	1.56	4	0.93	4	0.38	2	0.00	0	0.02	1	0.00	0	1.91	3	0.61	3	1.03	1	15.97	35
3891 M	Sterling Chase	32 17	26 21	-	1.82	4	1.66	8	2.53	10	1.51	9	2.56	7	1.47	8	0.72	3	0.35	2	0.00	0	2.14	8	0.86	5	0.62	4	16.24	68
3893 M	Karreekloof	30 27	26 23	-	0.22	1	1.43	2	1.78	6	1.20	4	0.73	4	0.00	0	0.11	1	0.00	0	0.00	0	0.26	1	1.12	5	2.04	2	8.89	26

No.	STATION STASIE	S. Latitude S. Breedtegr.	E. Longitude O. Lengtegr.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3895	Stoneycroft	30°47'	26°23'	4750	0.53	2	1.95	4	1.51	5	1.56	3	0.45	3	0.30	2	0.12	1	0.00	0	0.00	0	0.66	2	1.07	4	1.66	4	9.81	30
3896	Welgevonden	31 10	26 24	5010	0.87	2	1.26	4	2.75	6	1.14	2	0.45	2	0.21	1	0.00	0	0.00	0	0.00	0	1.60	3	0.74	2	1.83	3	10.85	25
3896 K	Westerford	32 55	26 23	-	1.54	7	1.24	6	1.03	6	0.51	3	0.92	6	0.31	3	0.35	1	0.00	0	0.04	2	1.28	5	0.10	1	0.36	3	7.68	43
3896 a	Odendaalstroom	30 34	26 26	-	0.16	1	5.28	4	1.85	4	1.63	4	0.58	2	0.00	0	0.00	0	0.00	0	0.00	0	0.60	1	0.25	2	2.57	3	12.92	21
3897	Dorrington	31 14	26 21	5600	1.37	4	1.50	5	2.89	6	1.28	3	1.14	5	0.00	0	0.00	0	0.00	0	0.00	0	1.42	3	1.17	2	0.74	2	11.51	30
3898	Evening Sun	32 10	26 24	5100	1.31	3	2.73	4	2.70	4	0.88	3	1.42	4	0.81	4	0.37	1	0.00	0	0.00	0	1.54	2	0.47	1	0.00	0	12.23	26
3899	Cyphergat	31 27	26 26	5479	1.52	4	0.71	4	3.20	8	0.58	3	0.29	2	0.00	0	0.00	0	0.00	0	0.00	0	1.50	4	0.19	1	0.39	4	8.38	30
3904	Goedemoed	30 33	26 26	4300	0.48	3	3.12	5	1.24	5	1.24	4	0.95	4	0.10	1	0.10	1	0.00	0	0.00	0	0.49	4	1.16	6	2.52	4	11.40	37
3905	Waverley	31 56	26 27	4020	1.38	3	5.51	10	3.04	5	0.47	5	0.30	5	0.34	3	0.14	1	0.04	1	0.00	0	1.88	6	0.52	3	0.45	3	14.07	45
3905 A	Ysterverkfontein	30 06	26 30	4919	0.15	1	4.03	5	0.53	2	1.10	2	0.26	3	0.00	0	0.00	0	0.00	0	0.00	0	0.77	2	1.20	4	1.59	2	9.63	21
3906	Welgedacht	30 52	26 31	4700	1.45	3	1.54	3	1.66	6	1.44	5	1.17	6	0.19	2	0.05	1	0.00	0	0.00	0	0.28	2	1.52	5	2.24	4	11.54	37
3907	Sunnyside	32 20	26 33	6300	3.13	7	1.92	9	1.12	8	1.10	2	2.54	5	2.49	7	0.36	3	0.03	1	0.71	5	3.01	8	0.55	5	0.86	7	17.82	67
3908	Fort Fordyce	32 41	26 30	3838	5.68	11	3.09	11	5.32	12	1.59	5	1.67	7	1.29	7	0.85	2	0.09	1	1.27	6	3.97	12	1.59	6	2.38	8	28.79	88
3909	Braeside	32 41	26 33	2500	1.66	6	0.64	4	2.56	9	0.99	4	1.13	4	0.58	4	0.31	1	0.00	0	0.00	0	1.69	7	0.47	2	0.88	5	10.91	46
3909 M	Sanddrift	30 37	26 31	-	0.66	2	1.15	2	0.93	4	2.06	4	0.83	3	0.16	2	0.00	0	0.00	0	0.00	0	0.80	2	0.60	2	2.67	3	9.86	24
3910	Smithfield	30 13	26 32	4600	1.87	4	1.45	4	1.73	6	0.27	1	0.43	1	0.00	0	0.00	0	0.00	0	0.00	0	0.55	3	1.43	4	1.32	2	9.05	25
3912	Vetkraal	30 56	26 32	5000	2.60	4	1.55	5	1.41	8	1.98	7	1.02	7	0.19	3	0.02	1	0.04	1	0.00	0	0.49	2	1.52	4	2.71	5	13.53	47
3913	Fountain Head	32 25	26 31	4000	1.98	3	1.47	4	1.83	8	1.30	7	1.03	4	1.52	4	0.98	2	0.08	1	0.00	0	2.61	9	0.23	1	0.93	5	13.96	48
3914	Sevenfontein	32 55	26 30	1500	1.25	4	0.88	5	(0.68	2)	0.26	1	0.88	4	0.09	1	0.39	1	0.00	0	0.01	1	1.24	4	0.02	1	0.39	2	6.09	26
3915	Broughton	31 17	26 34	5500	2.36	5	3.44	6	3.26	7	1.45	3	1.89	6	0.20	1	0.00	0	0.00	0	0.00	0	1.37	3	1.23	2	1.98	3	17.18	36
3916	Sterkstroom	31 33	26 33	4406	1.48	6	3.45	10	3.19	7	1.29	3	0.20	2	0.24	2	0.15	1	0.01	1	0.00	0	1.60	4	0.94	5	1.09	3	13.64	44
3917	Alphen	31 51	26 33	4550	1.66	4	3.34	7	3.91	6	0.75	2	0.00	0	0.00	0	0.33	1	0.00	0	0.00	0	1.70	1	0.14	1	0.22	2	12.05	24
3918	Rocklands	32 03	26 31	4250	1.22	3	5.03	6	3.03	6	0.72	2	0.53	5	0.37	3	0.15	1	0.06	1	0.00	0	2.01	3	0.42	3	0.55	2	14.09	35
3918 M	Lily Fountain	32 08	26 30	-	1.45	4	4.48	8	2.69	7	0.76	5	0.90	5	0.51	5	0.17	1	0.05	1	0.00	0	2.97	5	1.86	4	0.49	4	16.34	49
3919	Millholme	32 30	26 32	4000	1.80	2	1.45	3	1.38	4	1.40	6	1.25	5	1.09	4	0.63	1	0.38	2	0.00	0	2.39	8	0.31	1	0.33	1	12.41	37
3919 B	Baddaford	32 44	26 34	1500	2.41	6	0.77	3	3.14	8	0.63	4	0.84	7	0.43	2	0.24	1	0.00	0	0.05	1	1.80	9	0.25	2	0.57	4	11.13	47
3919 A	Boerand	30 20	26 36	-	0.68	2	1.64	4	0.60	3	2.12	4	0.36	1	0.00	0	0.00	0	0.00	0	0.00	0	0.46	2	1.86	5	1.25	2	8.97	23
3920 A	Klipfontein	31 03	26 35	5400	2.80	5	1.94	6	4.10	9	2.54	7	1.65	4	0.00	0	0.00	0	0.00	0	0.00	0	0.60	2	1.10	4	2.34	4	17.07	41
3921	Marshmoor	31 23	26 33	6300	2.47	7	3.10	5	4.13	9	1.92	4	1.13	4	0.29	2	0.11	1	0.00	0	0.00	0	1.31	3	1.66	4	1.71	3	17.83	42
3922 a	Tafelberg	30 25	26 36	-	0.45	2	2.15	5	0.75	2	2.92	5	0.30	1	0.00	0	0.05	1	0.00	0	0.00	0	0.25	1	1.57	3	0.26	1	8.70	21
3922 A	Witkop	31 08	26 37	5900	1.09	3	2.05	6	2.19	6	2.13	8	1.75	5	0.50	1	0.05	1	0.00	0	0.00	0	0.78	2	0.90	5	2.62	4	14.06	41
3923	Stonehouse	32 26	26 36	4500	0.95	12	1.38	4	2.33	7	1.03	3	1.41	5	1.95	6	0.44	1	0.61	2	0.00	0	2.43	7	0.27	2	0.63	2	13.43	51
3924	Buxton (Forest)	32 33	26 36	2700	3.74	7	2.37	8	2.86	12	1.67	7	1.53	6	0.79	6	0.75	3	0.32	2	0.24	6	3.79	16	1.11	6	1.80	8	20.97	87
3927	Buxton	32 34	26 38	2600	2.02	4	1.15	3	4.40	7	1.24	6	0.66	5	0.36	3	0.54	1	0.21	1	0.00	0	2.12	12	1.12	4	0.52	4	14.34	50
3928	Kalkfontein	31 07	26 35	6300	1.72	4	0.95	2	2.98	7	2.55	7	1.56	6	0.00	0	0.00	0	0.00	0	0.00	0	0.69	3	0.96	6	2.49	5	13.90	40

No.	STATION STASIE	Latitude S. Breedtegr	Longitude E. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3928 M	Merino	32°56'	26°40'	-	0.85	6	3.70	7	1.83	12	0.39	3	0.90	7	0.42	5	0.40	1	0.01	1	0.28	3	1.53	9	0.19	3	0.65	8	11.15	65
3929	Balfour	32 32	26 40	2103	2.60	5	1.16	9	3.75	11	1.20	7	0.47	6	0.53	7	0.46	2	0.21	2	0.00	0	2.47	15	0.71	8	1.15	7	14.71	79
3930	Picardy	32 34	26 41	2300	1.69	6	0.87	6	3.10	9	0.80	7	0.37	5	0.54	5	0.37	1	0.21	2	0.00	0	2.42	13	0.02	1	0.95	7	11.34	62
3931	Aliwal North (Station Master)	30 41	26 41	4369	0.85	4	1.65	8	1.07	6	1.85	5	0.59	5	0.13	1	0.19	2	0.00	0	0.00	0	0.63	2	1.17	5	2.19	4	10.32	(42)
3933	Aliwal North	30 42	26 43	4344	1.18	5	1.68	10	1.53	11	1.85	3	1.13	6	0.24	3	0.04	1	0.06	1	0.00	0	0.64	3	1.79	6	2.21	5	12.35	54
3936	Buffelsfontein	31 22	26 42	6200	1.55	5	2.55	6	3.65	8	1.75	3	0.50	2	0.10	2	0.00	0	0.00	0	0.00	0	1.05	3	1.10	3	1.80	4	14.05	36
3937	Gordon's Park	31 34	26 39	6000	2.12	6	3.62	5	3.66	5	1.20	3	0.00	0	0.00	0	0.21	1	0.00	0	0.00	0	1.42	3	0.26	2	0.70	2	13.19	27
3938	Yardley Chase	31 34	26 40	5116	1.92	8	3.94	15	3.48	12	1.05	8	0.40	6	0.36	5	0.33	3	0.00	0	0.00	0	1.52	6	0.73	5	1.18	6	14.91	74
3939	Katberg	32 29	26 41	3240	4.11	8	2.49	9	3.35	11	2.18	6	1.23	6	0.67	7	0.55	3	0.58	3	0.17	5	4.59	13	1.17	7	2.85	8	23.94	86
3940	Oakdene	32 39	26 40	1800	1.35	2	0.37	2	3.05	6	0.91	5	0.80	3	0.35	2	0.47	2	0.20	1	0.00	0	2.65	9	0.00	0	1.61	7	11.16	39
3941	Fort Beaufort (Gaol)	32 47	26 38	1495	1.66	5	1.28	6	1.35	9	0.41	3	0.60	5	0.34	5	0.24	1	0.04	1	0.03	1	1.48	8	0.10	1	0.52	3	8.05	48
3941 A	Fort Beaufort	32 47	26 38	1495	1.67	5	1.48	8	1.48	9	0.43	4	0.53	7	0.33	4	0.28	2	0.00	0	0.02	1	1.58	9	0.16	2	0.72	7	8.68	58
3942	Fort Beaufort (Power Station)	32 46	26 38	1495	1.85	6	1.11	7	1.21	7	0.45	5	0.63	5	0.31	5	0.27	2	0.05	1	0.04	1	1.81	6	0.17	2	0.69	6	8.59	53
3944	Coldstream	31 28	26 44	5000	2.89	9	3.31	7	3.16	5	1.70	3	0.28	1	0.30	1	0.00	0	0.00	0	0.00	0	1.21	3	0.61	2	1.03	3	14.49	34
3944 A	Balfour (Wilsonia)	32 34	26 40	-	2.69	5	1.15	9	4.23	10	0.86	8	0.74	6	0.54	7	0.41	2	0.20	1	0.00	0	2.20	4	0.63	6	0.79	6	14.44	64
3945	Glen Duxbury	31 36	26 44	5100	1.43	6	4.20	11	3.17	5	1.22	4	0.45	4	0.15	1	0.25	1	0.00	0	0.00	0	1.29	4	0.77	5	1.19	2	14.12	43
3945 A	Carnarvon	31 35	26 44	5139	1.76	7	5.23	14	4.80	8	1.04	6	0.38	5	0.18	1	0.17	1	0.04	1	0.00	0	1.66	5	0.90	5	1.27	3	17.43	56
3946	Horatio	31 20	26 48	6300	2.01	4	1.13	4	3.46	7	1.61	3	0.67	3	0.10	1	0.11	1	0.00	0	0.00	0	0.86	2	1.43	3	1.53	3	12.91	31
3946 A	Mongewil	31 48	26 43	-	1.54	6	3.24	11	4.09	9	0.86	3	0.17	3	0.22	1	0.13	1	0.03	1	0.00	0	2.24	5	0.73	3	2.79	4	16.04	47
3947	Ubique	32 31	26 40	2500	3.23	7	1.51	6	3.15	8	1.79	4	0.58	3	0.35	3	0.47	2	0.32	2	0.00	0	3.05	11	0.74	2	2.19	7	17.38	55
3948	Copia	30 57	26 48	6500	2.21	3	1.55	6	2.99	6	1.04	3	1.73	6	0.34	2	0.00	0	0.04	1	0.13	1	0.84	3	1.27	3	2.45	5	14.59	39
3948 A	Nooitgedacht	31 46	26 46	4200	1.50	4	4.37	8	2.15	3	1.02	1	0.00	0	0.00	0	0.44	1	0.00	0	0.00	0	1.65	2	1.74	3	1.30	2	14.17	24
3950	Grasfontein	30 28	26 46	4900	0.83	2	1.50	8	2.92	7	1.23	2	1.25	4	0.03	1	0.02	1	0.00	0	0.00	0	0.52	1	1.51	3	2.13	3	11.94	32
3951	Snymanskraal	31 22	26 48	6102	2.40	6	1.59	5	3.33	8	1.66	3	0.70	2	0.60	2	0.00	0	0.00	0	0.00	0	0.94	3	1.46	3	1.54	5	14.22	37
3953	Kalkoenkrans	31 32	26 45	4900	1.76	7	3.71	13	3.87	11	1.94	5	0.00	0	0.24	1	0.07	1	0.00	0	0.00	0	1.13	3	0.45	2	0.40	4	13.57	47
3955	Garfield	32 52	26 46	1500	2.17	6	1.96	4	0.53	3	0.32	2	0.61	3	0.24	1	0.40	1	0.00	0	0.00	0	1.01	5	0.23	2	0.72	2	8.19	(29)
3956	Seymour	32 33	26 46	2600	0.76	3	1.75	4	3.88	8	1.16	5	0.37	5	1.05	3	0.32	1	0.18	1	0.00	0	1.78	6	0.11	1	0.57	3	11.93	40
3957	Zonnebloem	30 03	26 47	4500	0.95	2	2.09	3	2.95	4	0.23	1	0.39	2	0.00	0	0.00	0	0.00	0	0.00	0	0.50	1	0.77	2	2.27	3	10.15	18
3959	Modderpoort	31 05	26 52	5300	1.44	6	1.49	7	4.40	9	1.74	6	0.56	3	0.13	1	0.00	0	0.00	0	0.00	0	0.66	1	1.12	5	1.72	4	13.26	42
3960	Jamestown	31 07	26 48	5000	1.66	5	2.39	6	3.34	7	1.51	3	1.01	3	0.00	0	0.00	0	0.00	0	0.00	0	0.71	2	0.76	4	1.80	4	13.18	34
3961	Glencairn	32 24	26 50	4700	1.59	5	1.83	5	2.34	5	0.83	3	0.95	5	2.11	5	0.45	2	0.46	3	0.00	0	3.31	8	0.61	3	0.97	5	15.45	49
3963	Rourville	30 25	26 50	4950	1.90	5	1.58	8	3.24	9	1.36	3	1.34	6	0.10	2	0.08	1	0.00	0	0.00	0	0.50	4	1.63	5	1.58	5	13.31	48
3963 A	Klipfontein	30 32	26 50	4700	0.50	1	3.71	10	2.20	6	1.31	2	1.15	2	0.00	0	0.00	0	0.00	0	0.00	0	0.70	2	1.27	3	2.16	3	13.00	29
3964	Den Haag	31 12	26 48	5400	1.90	6	2.60	7	2.41	6	1.45	6	0.49	3	0.00	0	0.00	0	0.00	0	0.00	0	1.26	3	0.92	4	1.59	3	12.62	38
3965	Otterburn	32 25	26 48	5000	2.25	6	2.10	8	3.08	11	1.72	9	0.81	6	2.21	8	0.55	2	0.69	3	0.02	1	3.68	11	1.16	5	1.37	7	19.64	77

No.	STATION STASIE	S. Latitude Breedtegr.	E. Longitude Lengtegr.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3967	Alice	32°47'	26°50'	1720	2.30	7	0.98	3	1.04	5	0.34	2	0.71	4	0.61	4	0.55	1	0.00	0	0.00	0	1.72	8	0.22	1	1.09	4	9.56	39
3968	Lovedale	32 46	26 50	1760	2.30	8	1.04	10	1.05	10	0.44	6	0.66	6	0.54	7	0.47	2	0.15	1	0.06	3	1.64	12	0.24	5	1.25	8	9.84	78
3968 A	Brakfontein	32 56	26 51	1200	0.45	3	3.12	5	0.54	3	1.03	5	0.76	3	0.64	4	0.67	1	0.00	0	0.00	0	1.95	5	0.40	1	0.32	2	9.88	32
3969	Middelplaats 116	30 27	26 52	5150	1.81	6	2.18	11	4.29	8	2.86	4	1.33	7	0.12	2	0.08	1	0.00	0	0.00	0	0.73	3	2.46	5	2.12	5	17.98	52
3970	Queenstown (Gardens)	31 54	26 52	3533	2.30	7	2.64	8	3.05	10	1.29	3	0.15	2	0.31	5	0.24	1	0.04	2	0.00	0	1.76	4	0.13	2	2.40	3	14.31	47
3971	Queenstown (Gaol)	31 54	26 52	3533	2.67	6	3.22	9	2.90	8	1.01	3	0.17	2	0.28	3	0.26	1	0.03	1	0.00	0	1.94	3	0.41	2	2.30	3	15.19	41
3971 M	Bloemhof	31 14	26 53	-	1.67	6	0.74	4	4.21	6	1.56	4	0.73	5	0.10	1	0.00	0	0.00	0	0.00	0	0.67	2	0.98	2	1.94	3	12.60	33
3972	Spitzkop	31 15	26 53	6400	1.99	5	2.44	8	3.68	6	2.89	5	1.62	4	0.00	0	0.00	0	0.00	0	0.00	0	1.65	3	1.05	5	1.32	3	16.64	39
3974	Woburn	32 43	26 53	2000	2.63	5	0.76	3	1.35	5	0.64	4	0.66	2	0.15	1	0.50	1	0.00	0	0.00	0	2.24	5	0.22	1	1.36	3	10.51	30
3976	Queenstown (N.H.)	31 56	26 54	3800	2.38	6	3.12	8	2.80	6	1.88	5	0.10	1	0.15	2	0.13	1	0.00	0	0.00	0	2.12	3	0.39	2	1.73	3	14.80	37
3978	Rockford	32 29	26 56	5000	2.23	6	2.05	8	3.37	12	1.11	4	3.55	7	1.54	7	0.50	1	0.50	2	0.00	0	2.63	7	0.68	2	0.81	6	18.97	62
3979	Hogsback	32 35	26 56	4000	6.09	11	2.88	9	3.26	11	1.81	7	3.09	7	1.75	5	1.02	4	0.91	3	0.09	4	5.39	15	1.66	6	3.66	9	31.61	91
3981	Umtello	30 20	26 57	5125	2.34	6	1.12	2	0.90	1	0.00	0	0.92	2	0.00	0	0.00	0	-	-	-	-	0.00	0	1.36	3	1.91	3	(8.55	17)
3981 A	Swakfontein	31 09	26 57	-	0.00	0	3.49	6	3.59	8	1.24	3	0.90	6	0.00	0	0.05	1	0.00	0	0.00	0	0.89	2	1.67	5	1.72	3	13.55	34
3982 a	Qoqodala	31 43	26 57	-	1.95	8	4.08	8	3.23	6	1.20	6	0.00	0	0.21	2	0.07	1	0.00	0	0.00	0	1.86	5	2.23	4	2.45	4	17.28	44
3982 A	Pleasant View	32 40	26 54	1800	-	-	1.73	5	1.63	7	0.80	4	0.26	3	0.35	2	0.10	2	0.19	1	0.00	0	2.89	11	0.38	4	2.31	4	14.24	43
3983	Excelsior	30 11	26 44	5200	0.78	4	2.76	6	2.08	7	1.36	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.78	2	1.29	4	1.96	3	11.01	29
	SECTION 24.																													
3983 A	Leeuwfontein	30 20	27 02	5400	1.90	6	1.76	7	5.11	12	1.33	3	1.36	5	0.11	1	0.10	1	0.00	0	0.00	0	0.55	2	2.13	5	2.09	4	16.40	46
3983 B	Vastrap	30 38	27 02	4500	1.23	3	2.20	5	2.61	4	1.10	1	0.40	1	0.00	0	0.00	0	0.00	0	0.00	0	1.23	2	1.00	2	2.47	3	12.24	21
3984	Paardefontein	30 45	27 00	4700	0.92	3	2.17	7	1.89	5	1.23	2	0.85	5	0.00	0	0.00	0	0.00	0	0.00	0	0.77	2	1.71	5	1.85	3	11.39	32
3985	Waterval	30 51	26 57	4400	1.97	5	1.14	5	1.46	7	1.01	5	1.06	5	0.18	2	0.06	2	0.20	1	0.00	0	0.64	2	1.66	6	2.14	4	11.52	44
3985 A	Klein Nasuwpoort	31 25	27 00	-	1.32	3	1.95	4	5.07	6	0.57	4	0.20	1	0.20	1	0.00	0	0.00	0	0.00	0	0.93	2	0.85	3	0.18	1	11.27	25
3986	Middeldrift	32 50	26 59	1540	4.60	5	0.80	4	0.51	3	0.51	3	0.54	3	0.20	1	0.73	1	0.15	1	0.05	1	1.80	8	0.50	1	0.60	2	10.99	(33)
3987	Middeldrift	32 49	26 59	1600	4.38	8	0.82	5	0.64	6	0.51	4	0.54	6	0.44	-	0.71	-	0.16	-	0.05	-	1.71	-	0.42	-	0.92	4	11.30	(33)
3988	Franshoek	30 05	27 01	4800	1.01	3	2.23	5	3.99	6	0.33	1	1.10	2	0.00	0	0.06	1	0.00	0	0.00	0	0.35	2	1.43	4	1.86	2	12.36	26
3989	Compton	30 28	27 02	4950	0.85	4	2.46	6	1.32	8	0.96	2	0.58	2	0.00	0	0.00	0	0.00	0	0.00	0	0.62	2	1.59	4	2.24	4	10.62	32
3989 A	Broederstroom	30 32	27 01	-	1.68	6	3.26	9	1.91	7	1.29	3	0.88	3	0.15	2	0.07	1	0.00	0	0.00	0	0.83	3	1.62	5	2.03	5	13.72	44
3990	Dordrecht	31 22	27 02	5230	2.14	5	4.24	11	2.63	7	3.17	3	0.00	0	0.08	1	0.00	0	0.00	0	0.00	0	1.14	3	0.55	3	1.23	5	15.18	38
3991	Riversdale	32 05	27 04	-	2.48	6	2.46	10	1.48	6	0.86	4	0.21	2	0.00	0	0.24	1	0.00	0	0.00	0	1.60	2	0.51	2	1.12	3	10.96	36
3992	Dordrecht	31 22	27 03	5230	2.88	7	3.45	9	4.22	7	3.26	4	0.45	2	0.08	1	0.00	0	0.00	0	0.00	0	1.19	5	1.26	4	1.53	4	18.32	43
3992 M	Driver's Drift	31 49	27 03	-	3.24	8	2.64	7	2.62	7	1.22	3	0.00	0	0.23	2	0.13	1	0.00	0	0.00	0	1.67	3	0.58	1	3.07	2	15.40	34
3993	Lenye	32 43	27 03	3500	5.03	8	1.03	6	1.61	9	0.92	6	0.83	7	0.64	5	0.61	1	0.18	1	0.07	2	3.16	8	1.65	7	0.79	3	16.48	63
3994	Tarsus	32 20	27 04	4550	2.98	5	3.48	13	4.57	12	0.92	5	0.87	5	0.65	6	0.21	1	0.16	1	0.20	3	5.93	10	0.31	4	0.83	4	21.11	69

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
3995	Zastron	30°18'	27°05'	5450	1.58	6	1.38	5	5.02	10	0.43	2	1.53	3	0.00	0	0.18	1	0.00	0	0.00	0	0.42	3	2.06	7	2.03	4	14.63	41
3996	Tylden	32 07	27 04	2896	3.04	5	2.93	9	2.00	7	1.18	4	0.12	1	0.11	2	0.22	1	0.00	0	0.00	0	1.82	5	0.64	3	1.49	4	13.55	41
3996 A	Thomasrivier	32 27	27 15	2800	1.52	5	2.46	5	2.89	6	0.00	0	0.37	2	0.47	3	0.17	1	0.30	1	0.07	2	1.82	7	0.21	3	0.42	1	10.70	36
3997	Wolfridge	32 39	27 00	4000	5.56	12	3.06	10	3.14	13	1.17	6	0.85	7	0.94	7	0.68	3	0.30	2	0.28	6	5.20	15	1.06	6	3.18	8	25.42	95
3998	Brakfontein	30 45	27 05	4900	1.65	4	2.68	8	2.79	13	1.66	4	1.43	6	0.32	2	0.01	1	0.00	0	0.00	0	0.89	2	1.19	4	2.29	5	14.91	49
3999	Fort White	32 50	27 07	2000	4.05	8	1.08	7	0.77	8	1.02	5	0.61	6	1.02	8	0.70	1	0.14	1	0.10	4	2.67	11	0.21	1	1.00	6	13.37	66
4001	Bushmanskop	30 02	27 07	5000	1.21	7	2.95	11	4.99	14	1.25	3	0.97	5	0.10	2	0.07	1	0.00	0	0.00	0	0.56	4	1.39	6	2.40	3	15.89	56
4001 A	Flaauwkraal (Kassfabriek)	31 00	27 04	5000	-	-	1.82	6	2.78	5	0.64	1	1.51	4	0.21	1	0.00	0	0.00	0	0.00	0	1.18	3	1.35	5	2.77	3	12.26	28
4002	Carlton	31 21	27 05	5000	3.06	6	4.10	10	4.13	7	2.93	5	0.71	4	0.10	1	0.10	1	0.02	1	0.00	0	0.93	2	1.70	4	1.25	3	19.03	44
4003	Clarks Siding	31 24	27 07	5455	3.20	8	3.03	8	4.69	10	2.17	4	0.58	2	0.08	1	0.00	0	0.00	0	0.00	0	1.11	1	1.88	5	1.29	4	18.03	49
4004	Exwell Park	32 12	27 07	3000	1.90	4	2.43	7	3.90	6	1.29	6	0.10	1	0.13	2	0.15	1	0.00	0	0.00	0	2.09	4	0.39	2	1.07	3	13.45	36
4006	Cata	32 35	27 08	3200	4.93	9	3.31	10	3.30	10	1.22	4	1.97	6	0.99	5	0.66	3	0.31	1	0.21	2	4.55	8	0.51	3	2.50	7	24.46	68
4006 M	Xukwane	32 54	27 08	-	2.29	6	0.89	4	0.79	5	0.29	2	0.98	4	0.26	4	0.64	1	0.12	1	0.09	2	1.90	9	0.25	1	0.96	5	9.46	44
4006 A	Zondagsfontein	30 25	27 09	5100	1.52	4	2.69	5	3.91	9	0.97	2	0.95	4	0.00	0	0.00	0	0.00	0	0.00	0	0.69	3	1.37	4	2.28	3	14.30	34
4007	Herschel	30 37	27 10	5000	1.65	3	1.56	5	4.25	8	1.38	2	1.50	4	0.00	0	0.00	0	0.00	0	0.00	0	1.02	3	1.83	6	2.57	4	15.76	35
4008	Cathcart Forest	32 18	27 08	3700	2.85	12	3.35	13	3.40	13	0.80	6	1.11	5	0.26	4	0.36	2	0.08	2	0.49	6	5.47	9	0.87	5	1.14	4	19.98	81
4010	Keiskamm Hoek	32 41	27 09	2066	3.16	10	1.17	7	1.60	10	1.36	7	0.70	7	1.02	6	0.31	3	0.23	1	0.00	0	2.76	12	0.65	6	0.84	4	13.80	73
4011	Springvalley	30 07	27 14	5300	2.27	7	1.79	9	5.79	12	0.34	3	0.99	5	0.05	1	0.07	1	0.00	0	0.00	0	0.57	4	1.52	7	2.77	6	16.16	55
4012	Cathcart (Town Clerk)	32 18	27 10	3800	2.44	7	2.50	12	2.65	13	0.82	5	1.04	5	0.27	3	0.19	2	0.00	0	0.27	5	3.98	9	1.07	5	1.06	6	16.29	72
4013	Cathcart (Station Master)	32 17	27 08	3800	2.19	7	2.40	11	3.12	10	1.02	5	0.92	5	0.25	1	0.15	1	0.08	1	0.25	3	3.95	8	0.90	4	1.01	4	16.24	62
4014	Rabula	32 46	27 13	2600	4.68	10	2.37	7	1.85	10	0.95	5	0.64	7	1.29	7	0.45	1	0.14	1	0.07	1	4.86	13	0.41	3	1.23	5	18.94	70
4016	Lady Grey	30 42	27 13	5237	0.55	1	4.43	10	3.79	8	1.28	2	1.90	6	0.32	1	0.00	0	0.00	0	0.00	0	0.78	3	2.64	4	3.92	5	19.61	40
4016 B	Welbedacht	30 43	27 11	-	0.73	2	2.47	3	2.25	3	0.72	1	1.20	1	0.00	0	0.00	0	0.00	0	0.00	0	0.65	2	1.45	3	1.10	1	10.57	(16)
4018	Bude	30 20	27 12	5200	0.63	3	0.85	1	3.43	5	0.49	2	1.16	4	0.00	0	0.00	0	0.00	0	0.00	0	0.37	1	1.25	4	2.80	4	10.98	24
4018 M	Clanville	31 00	27 13	-	1.73	4	1.68	4	1.62	5	0.00	0	1.10	2	0.00	0	0.00	0	0.00	0	0.00	0	0.95	3	1.86	7	2.71	5	11.65	30
4020	Lady Frere	31 42	27 14	3400	2.86	6	3.77	6	3.12	5	2.31	6	0.06	1	0.00	0	0.00	0	0.00	0	0.00	0	1.39	3	1.02	5	2.82	4	17.35	36
4021	Quaggasfontein	30 28	27 14	4500	2.66	5	2.86	9	3.73	10	1.22	2	1.13	5	0.10	2	0.13	1	0.00	0	0.00	0	0.39	2	1.29	5	2.53	5	16.04	46
4022 M	Hollowdale	32 13	27 16	-	1.62	3	2.57	9	3.56	10	1.94	6	0.32	2	0.20	3	0.35	1	0.00	0	0.00	0	2.14	6	0.31	3	0.99	3	14.00	46
4023	Bontsa	32 36	27 14	3000	2.09	5	1.55	7	2.42	12	0.90	6	0.41	5	0.68	5	0.22	1	0.22	1	0.18	3	2.26	12	0.50	5	1.86	8	13.29	70
4023 A	Welgemoed	30 25	27 15	5100	2.74	4	2.58	6	6.44	12	1.20	3	1.53	5	0.00	0	0.10	1	0.00	0	0.00	0	0.70	2	2.50	5	2.26	4	20.05	42
4025	Contest	31 58	27 15	2750	2.83	8	2.46	9	1.64	8	0.64	5	0.11	2	0.15	1	0.12	1	0.00	0	0.02	1	3.04	4	0.90	4	1.04	4	12.95	47
4027	Evelyn Valley	32 44	27 15	3500	6.52	16	4.79	13	5.63	15	1.77	9	1.50	10	2.44	10	1.08	4	0.44	3	2.56	11	8.81	18	1.97	10	3.70	14	41.21	133
4028	Motkop	30 52	27 16	6360	1.87	6	3.66	11	3.21	11	1.18	3	1.24	3	0.15	1	0.00	0	0.00	0	0.00	0	1.05	3	2.68	6	4.00	5	19.04	49
4029	Crawley	32 24	27 15	-	2.35	6	3.75	10	3.55	16	0.53	4	0.56	6	0.18	3	0.20	1	0.03	2	0.20	7	2.44	10	0.00	0	0.63	5	14.52	70
4031	Waratah	30 06	27 17	5000	2.30	9	2.78	12	5.60	13	0.58	4	1.30	6	0.07	3	0.09	1	0.00	0	0.00	0	0.97	5	1.74	7	3.09	6	18.52	66

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4032	Willows	32°38'	27°18'	3600	4.19	15	2.85	13	3.93	15	0.91	7	1.26	9	1.73	8	0.68	2	0.53	3	1.46	10	5.92	13	1.06	8	3.14	8	27.66	111
4033	Clearwater	30 05	27 18	4900	2.58	9	3.17	12	5.59	10	0.55	3	1.35	4	0.16	3	0.10	1	0.00	0	0.00	0	0.76	3	1.94	7	3.55	6	19.75	58
4034	Bensonvale	30 35	27 20	5240	2.02	6	1.80	9	5.55	13	1.02	4	3.18	6	0.12	2	0.15	1	0.00	0	0.00	0	0.80	4	3.72	5	2.85	5	21.21	55
4035	Thomas River	32 28	27 16	3565	1.18	3	2.13	7	3.94	8	0.50	2	0.66	3	0.37	3	0.18	1	0.20	1	0.00	0	1.75	7	0.23	1	0.76	2	11.90	38
4036	Pirie Forest	32 44	27 18	2000	4.58	11	3.29	8	3.68	12	1.06	6	0.74	7	0.68	5	0.54	1	0.31	1	1.04	5	5.54	11	0.44	3	2.11	7	24.01	77
4037	Sterkspruit	30 31	27 22	4770	2.03	7	2.07	12	4.63	12	0.94	2	1.90	4	0.00	0	0.19	1	0.00	0	0.00	0	0.43	5	1.46	6	2.82	5	16.47	54
4037 M	Sterkspruit (Gaol)	30 31	27 22	-	1.73	6	1.43	8	4.52	9	1.25	3	2.52	6	0.12	2	0.15	1	0.00	0	0.00	0	0.39	3	1.57	5	2.74	3	16.40	46
4038	Iselani	32 40	27 25	2500	5.67	8	3.37	7	3.30	12	0.96	4	0.15	2	0.40	3	0.22	1	0.10	1	0.79	6	6.69	9	0.35	2	2.40	4	24.40	59
4039 A	Rossouw	31 10	27 17	-	1.90	3	2.68	5	1.83	6	1.57	3	0.87	4	0.24	2	0.00	0	0.00	0	0.00	0	1.89	4	0.90	6	1.94	4	13.82	37
4040	Riffel	31 36	27 23	6000	1.47	4	2.17	7	6.69	9	1.02	4	0.16	2	0.11	1	0.10	1	0.00	0	0.00	0	1.30	2	1.35	4	2.25	4	16.62	38
4041	Indwe	31 28	27 20	4250	1.98	5	2.13	7	7.97	10	1.67	4	0.00	0	0.00	0	0.08	1	0.00	0	0.00	0	1.44	3	1.05	4	1.24	3	17.56	37
4043	Isidenge (Forest)	32 40	27 17	2900	5.42	12	4.10	8	3.90	13	0.92	7	1.10	8	1.54	7	0.80	3	0.61	2	1.79	8	6.72	12	1.05	7	3.16	8	31.11	95
4044	Isidenge (Block D.)	32 40	27 21	2900	4.03	15	3.43	9	4.54	14	1.55	7	1.01	9	1.77	9	0.64	3	0.47	4	0.85	9	5.71	13	0.96	8	2.56	10	27.52	110
4045	Kornetspruit	30 16	27 21	4875	1.94	8	1.24	8	5.34	12	0.59	3	1.36	5	0.04	1	0.11	2	0.04	1	0.00	0	0.29	2	2.14	5	2.24	3	15.33	50
4045 A	Halma	30 23	27 23	4850	2.00	5	3.33	2	4.08	9	0.46	1	1.85	4	0.00	0	0.14	1	0.00	0	0.00	0	0.24	1	2.28	5	2.30	4	18.68	32
4045 B	Frossay	31 41	27 21	3800	1.55	4	2.50	4	4.97	7	2.02	3	0.15	1	0.00	0	0.00	0	0.00	0	0.00	0	1.42	3	0.55	2	2.34	3	15.50	27
4048	Kologha	32 32	27 22	4200	4.71	11	3.55	11	4.86	11	0.64	4	1.12	7	0.47	2	0.32	2	0.25	1	1.90	8	6.35	12	0.70	6	2.96	5	27.83	80
4048 M	Willowbank	32 35	27 22	-	2.90	11	1.03	9	2.19	11	0.32	4	0.74	6	0.33	7	0.24	1	0.16	2	0.56	7	4.01	10	0.40	2	0.51	4	13.39	74
4049	Cwencwe	32 41	27 19	2800	4.69	12	3.84	8	3.39	12	0.76	5	1.73	5	1.21	7	0.72	1	0.51	1	1.74	8	5.21	11	0.51	2	2.38	7	26.69	79
4050	Lille	30 10	27 22	4800	1.94	8	4.47	9	6.63	10	0.42	2	1.47	5	0.01	1	0.05	1	0.00	0	0.00	0	0.58	3	1.49	6	3.08	5	17.14	50
4050 A	Ossa	30 45	27 25	6500	1.24	4	4.41	10	4.80	13	1.29	3	2.49	5	0.52	4	0.14	2	0.02	1	0.00	0	1.10	3	2.55	7	5.13	7	23.69	59
4050 M	Willowgrove	32 11	27 22	-	1.96	5	2.91	9	4.20	10	1.39	5	0.16	3	0.07	2	0.11	1	0.00	0	0.01	1	2.64	6	0.80	4	2.04	8	16.29	54
4051	Kingwilliamstown	32 53	27 23	1230	2.49	3	1.54	7	1.22	7	0.17	1	0.40	3	0.35	4	0.30	1	0.00	0	0.43	3	2.07	8	0.60	2	0.87	4	10.44	(43)
4052	Kingwilliamstown	32 53	27 23	1230	2.58	4	1.84	8	1.39	12	0.26	3	0.48	6	0.53	6	0.31	1	0.02	1	0.51	4	2.34	10	0.28	1	0.82	4	11.36	60
4053	Orpendale	30 50	27 25	6400	0.60	2	3.31	7	3.39	8	1.39	2	1.44	4	0.00	0	0.00	0	0.00	0	0.00	0	1.29	4	1.90	3	4.74	7	18.06	37
4054	Mount Coke	32 59	27 27	1600	2.48	10	1.26	8	1.26	6	0.31	3	0.58	4	0.45	2	0.35	1	0.07	2	0.89	6	3.60	10	0.53	2	0.92	7	12.70	61
4056	New England	30 51	27 30	5920	1.74	5	3.80	7	3.51	8	0.00	0	1.65	3	1.89	6	0.29	2	0.01	1	0.00	0	1.40	4	2.10	6	3.94	5	20.33	47
4057	Lair	32 18	27 25	3800	1.67	5	2.49	10	1.64	8	1.09	6	0.14	3	0.24	3	0.35	1	0.26	1	0.00	0	0.73	6	1.63	5	0.89	7	13.13	55
4058	Fort Cunynghame	32 29	27 24	3500	2.34	11	3.56	16	3.32	11	0.48	4	0.41	4	0.32	2	0.33	1	0.18	2	0.99	8	5.10	12	0.48	4	2.45	9	19.96	84
4059	Alta	32 31	27 25	3100	5.31	12	4.17	12	3.06	11	0.60	3	0.83	5	0.26	1	0.35	2	0.24	2	1.81	8	6.46	13	0.79	4	2.93	8	26.81	81
4062	North Cliff	32 18	27 27	4000	2.23	5	2.75	11	2.31	12	1.22	6	0.12	3	0.14	3	0.38	1	0.18	1	0.00	0	3.23	7	0.82	5	0.85	8	14.23	62
4063	Dohne	32 32	27 27	3040	3.46	9	4.05	7	3.97	9	0.60	2	0.75	2	0.00	0	0.47	1	0.20	1	0.75	6	4.24	8	0.39	1	3.21	5	22.09	51
4063 M	Dohne	32 31	27 28	3040	4.06	10	2.87	9	2.53	10	0.75	6	0.61	4	0.28	3	0.34	1	0.26	2	0.93	7	3.90	10	0.36	3	2.58	6	19.47	71
4064	Frankfort	32 43	27 28	2055	3.39	7	1.75	6	2.64	11	0.52	5	0.16	2	0.17	2	0.37	2	0.05	1	0.23	4	2.72	9	0.47	3	2.07	6	14.54	(58)
4065	Mohaleshoek	30 09	27 28	5050	3.97	8	2.75	12	4.77	15	0.17	5	2.10	6	0.03	2	0.06	1	0.00	0	0.01	1	0.55	5	1.77	8	3.46	6	19.64	69

SECTION 24. RAINFALL -1945- REËNVAL SEKSIE 24.

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4066	Qacu	32°24'	27°27'	4000	2.99	13	4.25	13	3.49	12	1.10	5	0.72	5	0.40	5	0.34	2	0.20	2	1.00	7	4.99	14	0.20	3	1.80	6	21.48	87
4068	Kubusie Forest	32 35	27 17	3400	4.20	11	2.70	7	2.95	9	0.78	4	0.85	4	1.35	3	0.30	1	0.40	1	1.30	8	5.95	10	0.70	2	2.65	8	24.13	68
4068 A	Umtinthloni	31 34	27 46	4886	4.90	9	5.80	8	7.97	9	0.75	4	0.34	4	0.00	0	0.26	2	0.10	1	1.08	6	4.32	10	0.88	7	4.82	9	31.22	69
4069	Woodlands	32 43	27 29	2200	3.43	10	2.94	11	1.68	14	0.89	7	0.39	5	0.51	5	0.41	2	0.11	4	0.38	10	3.12	11	0.66	5	1.40	8	15.92	92
4069 A	Glenlyon	31 23	27 29	6000	2.08	6	5.42	10	5.26	7	1.23	3	0.53	3	0.41	2	0.25	1	0.11	1	0.12	1	-	-	1.12	4	2.67	6	(19.20	43)
4070	Heeltap	32 22	27 30	3300	2.21	6	2.48	9	2.07	10	0.06	1	0.30	2	0.00	0	0.45	1	0.20	1	0.10	1	3.70	7	0.20	1	1.02	3	12.79	42
4072	Avoca	30 45	27 32	6000	2.77	10	3.19	10	4.63	12	0.88	4	1.57	4	1.03	4	0.31	3	0.00	0	0.00	0	1.48	5	2.25	6	4.31	8	22.42	66
4073	Sweetlands	32 19	27 36	2500	1.05	4	2.44	8	2.92	10	1.13	5	0.16	1	0.08	2	0.31	1	0.09	1	0.18	3	3.27	5	1.00	2	1.53	3	14.16	45
4075	Kei Road	32 42	27 33	2335	2.88	8	5.50	7	2.47	10	0.50	1	0.10	1	0.05	1	0.00	0	0.00	0	0.87	6	4.52	7	0.91	2	1.39	7	19.19	50
4076	Keilands	32 12	27 32	1840	2.40	4	1.20	4	2.20	6	0.72	2	0.00	0	0.00	0	0.38	1	0.00	0	0.00	0	2.57	4	0.81	2	0.00	0	10.28	(23)
4077	Huxley	32 30	27 35	3500	2.44	11	2.39	12	1.71	9	0.55	3	0.44	3	0.22	1	0.35	2	0.49	2	0.56	6	4.53	9	0.35	2	2.28	6	16.31	66
4080	Nququ	31 47	27 32	3450	5.32	12	4.60	14	6.81	13	2.08	7	0.65	6	0.39	7	0.40	2	0.11	2	0.89	8	5.80	12	0.89	6	3.36	10	31.30	99
4081	Cofimvaba	32 00	27 35	3128	4.88	11	4.02	12	3.77	15	2.25	6	0.28	5	0.21	3	0.31	2	0.04	1	0.46	6	4.73	9	1.27	4	2.24	6	24.46	80
4082	Blinkwa	30 34	27 37	5257	2.37	8	1.78	11	5.86	16	1.10	3	2.04	6	0.17	2	0.09	1	0.01	1	0.00	0	1.21	5	1.22	7	2.85	6	18.70	66
4083	Barkly East	30 58	27 36	5858	2.01	7	3.91	8	4.72	13	0.76	3	1.36	6	0.35	3	0.11	2	0.03	1	0.00	0	0.85	4	1.67	6	3.79	8	19.56	61
4084	Kops Horn	31 09	27 38	7400	2.33	8	4.33	13	3.67	14	1.66	5	1.56	5	0.58	6	0.24	3	0.17	4	0.08	1	1.97	8	2.82	8	4.25	6	23.66	81
4085	Bolo	32 22	27 39	2636	2.06	10	2.54	13	2.36	12	0.56	7	0.29	3	0.16	3	0.26	1	0.08	2	0.65	8	4.90	8	0.95	3	1.38	7	16.19	77
4086	Berlin	32 53	27 35	1635	2.46	8	2.37	8	1.45	6	0.42	4	0.58	4	0.36	3	0.38	1	0.05	1	1.06	7	5.20	10	0.64	4	1.08	3	16.05	61
4087	Ida	31 25	27 33	4420	2.09	6	3.52	8	4.29	8	0.96	4	0.06	1	0.17	1	0.18	1	0.04	1	0.04	1	2.26	6	1.10	6	3.14	8	17.85	51
4088	Invergwali	32 30	27 40	2500	1.51	8	1.60	12	1.44	12	0.43	5	0.25	3	0.06	2	0.32	1	0.17	2	0.15	6	3.40	8	0.21	5	1.30	7	10.84	71
4089	Castledale	32 49	27 37	1500	2.29	-	1.75	9	1.05	7	0.31	2	0.22	1	0.18	2	0.39	1	0.03	1	0.49	8	3.22	11	0.32	3	0.69	5	10.94	(50)
4089 A	Hota	31 38	27 40	3700	2.84	5	2.47	6	5.50	10	0.58	2	0.09	1	0.00	0	0.00	0	0.00	0	0.15	1	1.53	3	0.30	1	2.67	6	16.13	35
4090	Lafuta	31 39	27 40	3660	2.45	6	3.28	8	6.56	12	0.87	3	0.00	0	0.25	1	0.18	1	0.00	0	0.10	2	1.65	6	0.73	5	2.42	3	18.49	47
4091	Cala	31 31	27 41	3800	3.05	6	2.46	9	2.76	6	0.55	3	0.13	2	0.05	1	0.18	1	0.03	1	0.10	1	1.70	3	0.23	3	2.60	5	13.84	41
4093	Kromdraai	31 06	27 42	6040	1.77	5	4.37	9	3.59	7	0.88	2	1.18	4	0.38	1	0.00	0	0.00	0	0.00	0	1.43	3	2.04	4	3.12	4	18.76	39
4094	Moulu	32 09	27 43	3783	3.80	10	4.00	10	4.70	14	1.40	4	0.15	1	0.45	3	0.33	1	0.00	0	0.83	7	4.87	10	0.95	5	2.14	6	23.62	71
4095	Grants	32 36	27 42	2300	2.81	7	3.04	8	2.46	8	0.20	2	0.45	4	0.11	1	0.40	1	0.12	1	1.11	7	5.53	10	0.29	2	1.58	7	18.10	58
4096	Fort Jackson	32 55	27 42	1108	1.91	9	2.47	8	0.79	8	0.72	4	0.69	5	0.44	5	0.36	1	0.28	2	1.46	6	5.59	10	0.55	4	0.55	4	15.81	66
4097	Quthing	30 25	27 43	5700	2.99	5	1.44	5	5.32	12	0.75	3	2.21	6	0.16	1	0.04	1	0.00	0	0.00	0	0.95	5	2.01	6	1.57	3	17.44	47
4099	Kelvin Grove	30 51	27 45	3300	2.03	6	2.95	8	3.49	11	0.94	4	1.35	2	0.32	1	0.08	1	0.00	0	0.00	0	1.24	5	2.41	6	2.91	4	17.72	48
4101	Nomadamba	31 42	27 45	4000	6.52	12	6.54	10	8.21	14	1.76	3	0.06	1	0.26	2	0.43	2	0.04	1	1.95	8	5.35	8	0.60	3	4.26	8	35.98	72
4102	Hopewell	32 22	27 42	2400	2.59	11	2.08	10	2.69	12	0.78	7	0.33	4	0.15	3	0.31	1	0.11	2	0.70	9	4.04	10	1.03	6	1.43	5	16.24	80
4103	Rapaces	30 03	28 33	-	3.33	8	4.24	8	3.51	9	0.40	1	0.24	1	0.00	0	0.00	0	0.00	0	0.00	0	1.02	4	1.57	2	2.06	3	16.35	36
4104	Sassum	31 24	27 45	4880	1.87	3	4.35	9	4.06	10	0.84	2	0.00	0	0.00	0	0.20	1	0.00	0	0.00	0	1.48	4	1.63	4	1.62	2	16.05	35
4105	Bellevilla	31 11	27 50	6600	2.21	6	6.12	8	4.10	12	1.12	4	0.86	3	0.45	2	0.36	2	0.00	0	0.12	1	2.18	6	2.21	8	2.97	5	22.70	57

No.	STATION STASIE	Latitude S. Breedtegr	Longitude E. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4106	Tsomo	32°02'	27°49'	2549	2.39	7	2.20	6	2.91	10	0.91	4	0.00	0	0.08	1	0.20	1	0.00	0	0.00	0	1.56	4	0.75	3	1.20	4	12.20	40
4107	Fort Grey	33 02	27 47	690	2.78	10	2.08	8	1.28	11	0.64	2	0.61	5	0.62	6	0.38	2	0.57	2	2.06	10	7.69	10	0.77	6	0.00	0	19.48	72
4108	Reedsdell	30 42	27 45	5989	2.67	8	2.79	9	5.49	14	1.10	5	2.25	5	0.36	2	0.05	1	0.00	0	0.00	0	1.52	6	3.34	8	4.07	8	23.64	66
4109	Pumystone	30 42	27 49	8000	3.17	10	2.13	9	3.91	13	0.85	2	1.90	6	0.26	3	0.03	1	0.00	0	0.14	2	1.65	7	2.39	8	4.69	9	21.12	70
4111	Lisburn	31 05	27 52	-	0.97	2	5.22	6	-	-	1.00	3	0.80	4	0.00	0	0.11	1	0.00	0	0.00	0	1.46	3	2.18	5	3.23	5	(18.08	35)
4112	Elliot	31 20	27 51	4760	1.54	3	5.74	9	5.15	11	1.52	3	0.00	0	0.00	0	0.18	1	0.00	0	0.00	0	1.97	6	0.81	4	3.48	6	20.39	43
4113	Glen Hope	31 25	27 50	4640	2.25	8	4.52	9	4.97	9	0.72	4	0.29	5	0.17	2	0.22	1	0.00	0	0.16	2	2.33	8	1.13	4	2.88	6	19.64	58
4114	Woolhope	32 43	27 50	1300	1.58	7	5.28	10	1.43	10	0.51	5	0.67	5	0.00	0	0.35	1	0.08	2	0.97	8	6.79	10	0.25	2	0.74	5	18.65	65
4115	Amalinda Reservoir	32 59	27 51	415	2.09	11	2.14	9	1.18	9	0.64	7	0.66	6	0.39	5	0.27	1	0.68	2	1.40	10	6.24	13	0.47	6	0.28	4	16.44	83
4116	Vincent	32 59	27 55	500	1.84	8	2.36	8	1.86	9	0.42	3	0.69	5	0.65	4	0.39	1	0.78	2	2.15	9	7.07	13	0.72	6	0.52	5	19.45	73
4118	Komga	32 34	27 54	2220	2.50	10	2.74	8	2.41	7	0.39	2	0.62	4	0.21	4	0.30	1	0.14	1	0.68	6	5.64	7	0.78	3	1.51	4	17.92	57
4118 A	Thaba Telle	30 01	27 54	-	2.52	7	3.21	10	4.61	12	0.55	4	1.31	4	0.00	0	0.00	0	0.00	0	0.06	1	0.89	4	1.86	5	2.53	5	17.54	52
4119	Tosing	30 20	27 56	5800	3.07	4	-	-	3.81	6	0.36	1	1.76	4	0.00	0	0.00	0	0.00	0	0.00	0	1.00	3	2.23	4	3.92	4	(16.15	26)
4120	Indlunkulu	31 58	27 59	3200	2.01	7	4.70	10	7.67	11	0.62	3	0.59	2	0.33	3	0.32	1	0.16	1	0.80	3	6.83	7	0.00	0	4.42	7	28.45	55
4121	Nqamakwe	32 12	27 56	3321	1.53	7	2.04	11	1.93	10	0.74	6	0.38	4	0.26	1	0.25	1	0.05	1	0.35	8	2.74	10	0.86	4	1.68	6	12.81	69
4122	Ndabakazi	32 21	28 03	2000	1.62	5	1.66	10	1.50	9	0.00	0	0.25	-	0.00	0	0.00	0	0.00	0	0.44	1	4.91	9	0.47	2	0.83	3	11.68	(39)
4123	Sibota (Kei Bridge)	32 30	27 58	1000	1.16	4	1.86	4	2.12	4	0.00	0	0.15	1	0.00	0	0.40	1	0.00	0	0.06	1	3.22	8	0.00	0	0.86	3	9.83	26
4124	Malpas	30 45	28 00	6400	3.83	12	3.48	12	3.71	17	1.54	4	0.85	5	0.37	4	0.10	1	0.00	0	0.12	2	1.55	7	2.63	6	3.58	8	21.76	78
4126	Engcobo	31 41	28 00	2988	3.58	8	5.06	12	6.14	13	1.58	4	0.00	0	0.00	0	0.40	2	0.00	0	0.13	2	3.27	10	0.76	6	3.79	9	24.71	66
4127	Hopewell	32 37	28 01	1900	2.20	7	3.68	6	2.57	10	0.43	3	0.23	4	0.00	0	0.30	1	0.22	3	1.23	6	6.73	10	0.42	2	1.07	4	19.08	56
4128	Mooiplaas	32 43	28 01	1000	2.87	7	3.02	7	0.82	3	0.50	1	0.38	2	0.09	1	0.40	1	0.00	0	1.84	7	7.83	8	0.00	0	0.85	2	18.60	39
4129	Nkobongo	31 52	28 03	3250	4.59	11	5.91	9	7.15	16	0.58	4	0.60	3	0.14	2	0.32	2	0.00	0	1.23	6	8.79	11	0.69	6	3.75	9	33.75	79
4129 M	Ndabakazi	32 21	28 02	-	3.21	12	3.18	10	2.79	14	0.72	4	0.62	5	0.35	2	0.45	1	0.05	1	0.77	7	4.53	13	1.26	4	1.54	6	19.47	79
4130 M	Gombie Mouth	32 56	28 00	-	2.62	8	1.49	3	2.06	13	0.26	3	0.31	2	0.60	3	0.44	3	0.50	3	1.42	9	6.27	14	0.87	4	0.89	7	17.73	72
4131	Ronan	31 20	28 03	4200	1.17	3	7.28	9	4.10	5	1.06	3	0.15	1	0.33	2	0.25	1	0.10	1	0.00	0	2.80	4	1.07	2	2.74	4	21.05	35
4131 M	Ramfontein	31 23	28 10	-	1.94	5	5.56	7	3.63	7	1.35	3	0.35	2	0.10	1	0.10	1	0.00	0	0.23	1	2.57	5	0.85	3	1.47	4	18.15	39
4132	Gosgcuane	32 19	28 05	2760	2.59	9	2.51	11	2.09	12	1.35	6	0.49	6	0.61	5	0.39	1	0.06	1	0.86	7	4.72	12	0.99	9	1.45	7	18.11	86
4133	Emyanyana	31 50	28 06	2800	3.31	13	3.93	12	4.72	16	0.55	4	0.33	2	0.09	2	0.25	2	0.03	1	0.61	7	5.51	12	0.79	9	2.64	11	22.76	91
4136	Butterworth	32 20	28 08	1800	2.54	7	2.49	11	2.60	12	0.55	5	0.32	2	0.26	1	0.40	1	0.04	1	0.77	7	4.79	10	0.78	3	1.33	5	16.87	65
4137	Manina	31 35	28 09	4000	6.32	10	6.89	10	7.27	12	0.68	3	0.17	1	0.16	1	0.28	1	0.00	0	0.84	4	4.07	12	1.19	4	6.08	14	33.95	72
4139	Ibeka	32 17	28 13	2460	2.18	7	3.54	7	2.77	4	0.51	2	0.00	0	0.48	1	0.40	1	0.00	0	0.89	7	4.70	12	0.81	5	1.45	7	17.73	53
4140	Kilmeny	30 50	28 11	6000	4.47	13	8.66	10	4.67	10	1.01	4	0.25	1	0.00	0	0.00	0	0.00	0	0.48	2	6.18	10	1.56	5	3.48	6	30.76	61
4140 A	Inyara	32 45	28 00	-	2.00	5	1.83	4	1.42	4	0.80	1	0.23	1	0.20	1	0.30	1	0.01	1	1.75	7	9.30	9	0.25	1	0.53	1	18.62	36
4141	Emgcwe	32 07	28 14	3250	2.41	6	3.08	10	3.36	13	0.43	5	0.29	1	0.16	1	0.33	1	0.09	1	0.62	6	3.42	8	0.58	2	1.98	9	16.75	63
4141 a	Temple Horne	30 47	28 13	-	3.64	9	8.01	10	6.20	-	1.32	3	0.00	0	0.00	0	0.05	1	0.17	2	0.48	1	3.99	5	1.69	3	1.76	5	27.31	(39)

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4141 A	Rose	31°20'	28°10'	4700	2.21	7	6.00	9	3.44	7	0.99	3	0.21	1	0.10	1	0.17	1	0.00	0	0.18	2	2.98	6	0.37	-	1.08	-	17.73	(37)
4143	Clarksbury	31 48	28 18	2310	2.42	8	5.00	10	5.39	13	0.45	4	0.46	2	0.08	1	0.18	1	0.00	0	0.19	3	2.46	12	1.22	8	-	-	(17.85	62)
4144	Idutywa	32 06	28 18	2740	1.84	7	3.51	9	4.37	12	0.56	5	0.39	2	0.06	1	0.12	1	0.00	0	0.36	5	3.12	8	0.74	1	1.45	5	16.52	(56)
4145	Idutywa	32 06	28 18	2740	2.08	9	3.94	9	3.66	12	0.37	6	0.42	4	0.06	1	0.20	1	0.06	1	0.58	8	3.07	10	0.57	4	1.83	10	16.84	75
4146	Kentani	32 30	28 19	1600	4.6[illegible]	11	3.20	9	2.70	8	1.24	7	1.15	4	0.38	3	0.42	1	0.20	3	3.14	12	8.72	12	0.69	4	1.55	7	28.01	81
4146 A	Bloegoshof	30 45	28 20	5050	3.26	5	6.40	9	5.62	11	0.00	0	0.27	1	0.00	0	0.00	0	0.18	1	0.34	1	2.79	4	1.65	2	2.03	3	22.54	37
4147	Coldstream	30 54	28 19	4600	4.05	10	7.34	12	5.08	14	0.48	2	0.31	1	0.00	0	0.00	0	0.11	2	0.05	1	4.33	7	1.36	8	3.20	10	26.31	67
4149	Hopefield	31 23	28 21	4700	1.43	6	4.40	7	3.80	8	0.93	3	0.42	2	0.13	2	0.18	1	0.20	1	0.22	1	2.36	6	0.79	2	1.38	3	16.24	42
4149 A	Maclear	31 04	28 21	4120	1.99	8	7.10	12	4.16	9	1.13	4	0.00	0	0.00	0	0.06	1	0.18	1	0.00	0	2.94	6	0.92	4	3.35	5	21.83	50
4150	Maclear	31 04	28 21	4120	1.66	6	5.04	10	4.67	9	0.42	2	0.42	1	0.00	0	0.05	1	0.17	2	0.20	1	2.26	6	0.68	4	2.88	6	18.45	48
4151	Delville Bos	30 45	28 21	5500	3.82	12	7.26	14	6.43	15	0.38	3	0.20	1	0.00	0	0.06	1	0.13	2	0.31	2	3.76	8	2.26	4	2.60	7	27.21	69
4153	Bastya	31 34	28 25	2410	7.83	16	7.71	13	7.39	17	1.55	3	0.60	1	0.26	1	0.35	2	0.05	1	2.33	7	7.43	15	2.57	7	4.27	8	42.34	91
4153 A	Kromhoek	30 57	28 27	-	4.67	8	4.40	11	3.10	9	1.61	3	0.80	1	0.00	0	0.00	0	0.00	0	0.09	1	3.16	6	0.87	4	4.15	8	22.85	51
4154	Qunu	31 47	28 37	2600	2.22	6	3.68	8	3.52	9	0.30	1	0.76	1	0.00	0	0.20	1	0.00	0	0.36	3	3.24	8	0.35	2	2.01	5	16.64	44
4155	Mount Fletcher	30 41	28 30	4800	3.95	6	6.68	10	5.28	13	0.54	3	0.40	1	0.00	0	0.00	0	0.00	0	0.81	1	2.68	7	0.64	4	3.35	6	24.33	51
4156	Ntywenka	31 10	28 37	4000	7.48	18	7.23	16	6.17	18	1.20	5	1.05	4	0.13	1	0.06	2	0.06	2	0.90	8	5.16	14	1.73	11	4.65	14	35.82	113
4157	Willowvale	32 16	28 30	1930	3.88	6	3.90	9	4.54	11	0.66	4	0.75	3	0.25	3	0.00	0	0.33	2	2.48	6	10.01	9	1.14	5	2.05	9	29.99	67
4157 B	Ade	30 18	28 34	-	5.15	8	7.93	9	4.79	9	0.38	1	0.00	0	0.00	0	0.00	0	0.10	1	0.57	1	1.14	3	0.30	2	5.67	8	26.03	42
4158	Colwana	30 44	28 42	5500	7.91	13	6.91	9	7.71	15	1.25	3	0.59	2	0.17	2	0.10	1	0.18	1	0.55	4	6.47	9	1.12	6	4.52	10	37.48	75
4159	Kambi	31 28	28 37	4000	6.53	11	9.54	9	9.78	14	1.53	3	1.78	1	0.20	1	0.45	2	0.00	0	2.10	5	11.94	10	0.83	7	3.67	9	48.35	72
4160	Mzimbi	32 26	28 37	250	4.93	11	3.02	9	6.04	12	0.35	8	0.71	5	0.36	2	0.24	2	0.36	4	3.10	11	12.57	13	0.74	6	1.57	8	33.99	91
4161	Krith	30 18	28 40	4500	4.56	14	7.86	10	4.98	13	0.88	4	0.27	2	0.00	0	0.00	0	0.14	1	0.74	2	1.36	6	4.03	5	2.23	7	27.05	64
4162	Etwa	30 53	28 42	3750	7.13	15	6.37	11	4.51	13	0.69	2	0.57	1	0.00	0	0.05	1	0.10	1	0.15	1	5.26	10	1.29	7	4.47	14	30.59	76
4163	Bele	31 19	28 39	4000	4.82	15	6.28	12	4.44	11	1.02	3	0.94	1	0.23	2	0.17	2	0.05	2	0.91	5	5.47	13	1.47	9	4.22	13	30.02	88
4164	Cesu	31 42	28 40	2720	2.69	11	3.58	10	4.24	11	0.25	3	0.86	3	0.03	1	0.16	2	0.25	2	0.85	7	4.89	13	0.34	3	2.41	10	20.55	76
4165	Xorana	31 54	28 44	2650	2.50	10	3.50	10	4.35	12	0.33	3	1.10	3	0.00	0	0.20	2	0.08	1	1.29	7	6.03	11	0.54	5	2.51	9	22.43	73
4166	Ngadla	32 22	28 40	500	4.72	10	2.82	11	4.58	10	1.17	3	0.84	2	0.30	2	0.26	3	0.16	2	2.95	11	11.18	12	0.87	4	1.59	6	31.44	76
4166 A	Tsolike	30 01	28 44	-	5.39	8	3.34	5	5.13	13	0.64	2	0.40	1	0.00	0	0.00	0	0.00	0	0.38	1	1.26	4	1.41	4	2.10	5	20.05	43
4167	Quacheanak	30 07	28 42	6500	9.41	16	7.04	11	6.18	13	1.08	5	0.37	1	0.00	0	0.01	1	0.02	1	0.54	1	1.80	7	2.99	5	2.70	5	31.74	66
4168	Elliotdale	31 58	28 40	2200	2.20	9	3.35	11	5.05	13	0.61	4	1.10	4	0.10	1	0.28	2	0.11	1	1.02	8	6.49	12	0.74	5	2.35	13	23.40	83
4169	Mqanduli	31 48	28 45	2300	3.44	10	3.68	12	6.10	15	0.20	2	0.94	3	0.05	2	0.16	2	0.18	2	1.37	6	6.51	11	0.53	5	2.32	10	25.48	80
4170	Cengcane	31 00	28 46	4200	6.35	14	7.53	15	5.96	13	1.10	2	0.50	1	0.22	1	0.08	1	0.12	2	0.52	3	5.97	13	1.27	9	4.63	12	32.25	86
4171	Mqadu Heights	31 25	28 46	3900	7.65	14	5.68	12	5.69	15	1.23	3	0.92	3	0.26	1	0.29	2	0.10	1	1.56	6	6.22	17	1.43	9	6.27	13	37.30	96
4171 A	Tubeni	32 03	28 45	1950	4.52	5	5.01	9	4.86	11	0.77	4	1.20	2	0.00	0	0.30	1	0.06	1	2.77	6	9.02	11	0.48	1	2.53	4	31.52	55
4171 B	Cancele Mission	30 51	28 47	-	5.17	11	7.79	9	3.94	12	0.81	3	0.36	1	0.10	1	0.00	0	0.00	0	-	-	3.41	6	0.58	6	3.48	11	(25.64	60)

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4171 M	Umtata	31°36'	28°45'	-	1.67	10	2.57	10	3.80	14	0.20	3	0.86	2	0.06	1	0.14	2	0.00	0	0.46	6	3.26	10	0.99	7	2.63	10	16.24	75
4172	Umtata	31 35	28 47	2237	2.61	12	2.25	11	3.12	12	0.23	3	0.84	3	0.05	3	0.15	2	0.00	0	0.67	5	3.26	11	0.30	4	2.37	11	15.85	77
4174	Matatiele	30 20	28 49	4800	4.19	10	9.45	10	8.01	16	0.57	5	0.33	3	0.00	0	0.03	1	0.00	0	0.92	2	1.41	7	0.39	5	2.38	10	27.68	69
4177	Tsolo	31 18	28 46	3200	3.21	9	3.81	6	2.99	6	0.61	3	0.62	1	0.11	1	0.08	2	0.00	0	0.24	3	2.89	9	0.60	5	1.80	7	16.96	52
4178	Ngadu	31 26	28 45	2860	4.43	13	4.68	10	3.93	14	1.24	3	1.13	3	0.21	1	0.22	2	0.07	1	1.16	4	5.23	14	1.13	10	3.97	10	27.40	85
4179	Entremonts	30 24	28 52	6000	3.02	4	6.83	8	5.13	7	0.70	3	0.48	1	0.00	0	0.00	0	0.00	0	0.50	1	1.50	4	1.55	3	1.66	4	21.37	35
4181	Bashee	32 14	28 55	126	4.92	8	2.20	10	4.48	11	0.42	3	1.17	6	0.43	2	0.12	2	0.26	2	2.56	10	6.94	11	0.52	5	1.27	8	25.29	78
4181 M	Strathroy Store	30 33	28 53	-	6.62	5	5.45	6	6.96	5	0.51	2	0.50	2	0.00	0	0.00	0	0.14	1	0.60	1	2.24	6	1.18	2	2.23	4	26.43	34
4183 A	Tsitsheni Plantation	30 40	28 57	5600	5.74	10	12.21	9	4.49	11	0.79	2	0.49	3	0.16	1	0.10	1	0.18	2	0.80	3	2.86	8	2.26	5	2.66	11	32.74	66
4184	Ammanyama	30 53	28 54	4200	8.21	14	7.34	9	4.91	14	1.33	3	0.55	2	0.43	2	0.07	1	0.20	1	0.28	2	4.58	10	3.89	4	4.12	8	35.91	70
4185	Senzuti	31 12	28 57	3600	4.74	11	4.32	9	4.35	14	0.88	3	1.25	1	0.11	1	0.10	1	0.05	1	0.39	4	4.28	9	1.58	9	3.26	11	25.31	74
4186	Wilo	31 53	28 58	1990	4.63	12	4.13	8	4.50	9	1.19	5	1.29	4	0.14	1	0.24	2	0.45	4	3.57	9	12.34	11	0.52	7	2.82	15	35.82	87
4187	Cwebe	32 14	28 54	200	3.83	11	3.11	3	7.14	14	0.58	6	1.17	6	0.43	3	0.30	3	0.39	5	3.24	10	2.38	14	0.71	7	1.82	9	25.10	101
4187 A	Ramutsiliso	30 02	28 56	7200	8.31	13	6.51	8	4.89	12	0.92	5	0.25	2	0.00	0	0.00	0	0.27	2	0.68	1	2.01	8	1.60	5	3.58	11	29.02	67
4187 B	Nyenyane Forest	30 27	28 58	5500	7.50	13	5.88	7	5.37	10	0.75	3	0.78	3	0.11	1	0.11	2	0.36	1	0.72	2	3.06	5	1.43	5	3.58	10	29.65	62
4187 C	Sebeni	31 39	28 57	2600	5.45	14	1.65	7	3.96	9	0.00	0	0.96	1	0.00	0	0.25	1	0.00	0	1.09	9	4.13	12	0.05	1	2.07	5	19.61	58
4188	Mount Frere	30 54	28 59	3800	5.48	8	8.05	11	5.04	10	1.05	4	0.60	1	0.00	0	0.00	0	0.08	1	0.08	1	3.66	7	1.76	5	3.74	10	29.54	58
	SECTION 25.																													
4189	Nyenyane	30 32	29 02	4300	6.33	16	7.32	11	7.42	16	0.83	3	0.80	5	0.14	2	0.13	3	0.13	3	0.60	5	3.53	8	1.17	10	2.65	15	31.05	97
4191	Papane	31 00	29 01	3350	7.78	6	3.68	7	2.70	5	1.02	2	0.75	1	0.06	1	0.04	1	0.24	1	0.09	2	3.11	6	0.73	3	1.97	5	22.17	40
4192	Libode	31 32	29 01	2640	3.54	12	4.08	9	4.72	12	0.33	1	0.96	2	0.25	2	0.36	2	0.00	0	0.89	6	5.07	11	0.43	2	2.39	9	23.02	67
4192 A	Cedarville	30 23	29 03	4832	3.00	10	3.86	7	5.22	12	0.67	3	0.42	1	0.00	0	0.00	0	0.00	0	0.24	2	1.86	5	1.96	5	1.30	7	18.53	52
4192 C	Taylorville	30 10	29 04	5600	6.51	10	6.30	6	3.95	6	0.84	1	0.00	0	0.00	0	0.00	0	0.20	1	0.59	1	1.35	3	2.53	3	2.20	6	24.47	37
4194	Notinsila	31 44	29 11	1600	3.95	10	7.24	7	5.09	9	0.72	4	1.33	2	0.00	0	0.24	1	0.18	2	5.50	10	13.60	10	0.43	4	2.96	9	41.24	68
4195	Ngqeleni	31 40	29 02	2180	2.87	12	3.75	10	3.68	13	0.32	6	1.00	3	0.17	2	0.21	2	0.05	2	1.28	8	5.58	12	0.19	2	1.91	8	21.01	80
4200	Sandflats	30 23	29 13	4700	4.89	7	2.64	8	4.90	10	0.70	3	0.68	2	0.08	1	0.00	0	0.00	0	0.30	1	1.06	6	3.10	8	2.14	10	20.49	56
4201 A	Cwelo	31 40	29 14	1550	4.47	18	3.76	9	4.14	13	0.43	6	1.04	3	0.25	4	0.29	2	0.27	4	3.01	11	10.38	14	0.19	2	2.31	15	30.54	101
4202	Insiswa	30 49	29 15	4259	6.66	9	4.18	8	6.08	11	0.57	2	1.42	2	0.00	0	0.10	1	0.31	1	0.11	1	3.55	8	1.13	4	3.86	8	27.97	55
4202 M	Majola	31 30	29 19	2400	5.38	12	5.42	8	7.46	-	0.50	4	0.90	1	0.20	3	0.42	2	0.44	2	2.93	7	8.96	10	1.36	-	2.00	9	35.97	(58)
4203	Tabankulu	30 57	29 18	3700	6.87	6	2.71	11	3.00	11	0.46	3	1.45	4	0.07	1	0.00	0	0.20	2	0.24	1	3.49	10	0.56	7	2.79	9	21.84	65
4204	Kingsmead	30 19	29 24	-	6.01	9	4.70	7	5.05	7	0.49	2	0.09	1	0.00	0	0.00	0	0.07	1	0.61	1	1.22	5	2.18	8	2.49	7	22.91	48
4204 M	Tigervlei	30 30	29 22	-	5.91	8	3.33	7	5.39	10	0.45	1	0.53	1	0.00	0	0.00	0	0.00	0	0.00	0	1.76	5	2.24	4	3.19	7	22.80	43
4205	Tonti	30 52	29 24	5000	8.26	16	5.15	12	5.52	15	0.80	4	1.15	2	0.06	1	0.19	2	0.36	4	0.76	7	5.49	18	2.44	13	5.73	15	35.91	109
4206	Mount Ayliff	30 48	29 22	3000	4.81	9	2.59	8	3.90	12	0.67	2	1.30	1	0.01	1	0.12	2	0.08	2	0.06	1	2.91	9	0.82	7	3.50	6	20.77	60

No.	STATION STASIE	Latitude S. Breedtegr S.	Longitude E. Lengtegr O.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4207	Tabankulu Forest	30°49'	29°16'	5000	10.48	16	6.76	11	5.46	14	0.94	4	1.25	2	0.00	0	0.14	1	0.53	2	1.37	6	6.29	12	2.10	10	5.84	17	41.16	95
4208	Benlomond	30 25	29 26	4950	5.54	9	3.14	5	4.97	10	0.69	1	0.70	1	0.00	0	0.00	0	0.00	0	0.00	0	1.43	6	1.81	7	2.55	9	20.83	48
4209	Benlomond	30 05	29 22	6430	5.36	11	6.47	9	6.45	15	1.63	4	0.82	1	0.00	0	0.06	1	0.10	3	0.72	2	1.89	8	3.70	8	3.73	7	30.93	69
4210	Flitwick Grange	30 13	29 28	5870	6.03	14	5.31	8	6.37	10	1.08	3	1.10	1	0.00	0	0.00	0	0.23	2	0.75	3	1.84	8	2.01	10	4.04	12	28.76	71
4211	Kokstad	30 32	29 25	4280	5.03	7	2.51	8	4.88	9	0.24	2	0.56	1	0.00	0	0.00	0	0.00	0	0.00	0	1.73	5	1.95	5	1.98	3	18.88	(40)
4211 A	Kokstad	30 32	29 25	4334	4.09	13	3.07	8	5.68	13	0.42	3	0.62	1	0.05	1	0.02	1	0.05	2	0.02	2	1.82	8	1.59	12	2.60	13	20.03	77
4212	Kokstad	30 32	29 25	4280	4.76	13	2.59	8	4.36	10	0.39	3	0.52	3	0.05	1	0.02	1	0.07	2	0.01	1	1.67	7	1.48	12	2.49	12	18.41	73
4213	Kliprug	30 26	29 29	4600	4.99	9	4.53	7	5.27	8	0.26	2	0.87	1	0.00	0	0.00	0	0.00	0	0.00	0	1.64	8	0.78	4	3.98	10	22.32	49
4214 A	Sevenfontein	30 30	29 28	-	4.83	9	3.00	8	8.72	11	0.29	3	0.82	1	0.08	1	0.00	0	0.09	2	0.00	0	1.64	9	2.69	6	3.16	11	25.32	61
4216	St. Johns Forest	31 37	29 31	840	7.04	16	9.48	8	4.97	12	1.40	4	1.48	3	0.49	2	0.98	3	0.44	4	4.42	9	13.17	15	0.78	7	3.76	13	48.41	96
4217	Flagstaff	31 05	29 30	3070	5.87	11	3.91	11	4.23	12	0.49	3	1.33	2	0.15	1	0.22	2	0.22	3	1.48	6	6.79	12	0.93	4	2.87	14	28.49	81
4217 A	Elandsdrift (Weza)	30 35	29 40	-	6.20	-	6.50	-	11.15	-	0.63	-	1.60	-	0.00	-	0.00	-	0.00	-	0.20	-	6.40	-	1.90	-	2.50	-	37.08	-
4218	Fort Donald	30 43	29 33	4700	6.48	13	4.21	9	6.35	12	0.52	3	0.95	1	0.00	0	0.00	0	0.28	1	0.48	2	3.83	13	2.39	10	3.65	9	29.14	73
4219	Insikeni	30 09	29 32	5000	8.95	15	7.64	12	10.76	11	1.59	3	1.13	1	0.00	0	0.06	1	0.46	5	1.35	6	5.59	15	3.26	12	5.93	12	46.72	93
4220	Willowdale	30 32	29 32	5000	3.60	12	1.68	7	5.97	12	0.30	3	1.21	1	0.15	1	0.00	0	0.00	0	0.02	1	1.68	10	2.68	9	1.89	8	19.18	64
4220 A	Mount Currie	30 31	29 25	6500	5.23	11	3.00	8	5.02	9	0.47	3	0.58	1	0.04	1	0.02	1	0.17	2	0.00	0	1.88	4	1.87	8	3.06	10	21.34	58
4221	Port St. Johns (Cape Hermes)	31 38	29 33	153	4.39	12	7.66	7	4.11	7	1.73	5	1.31	3	0.05	2	0.95	3	0.20	1	2.06	8	5.83	14	0.78	5	4.62	10	33.69	77
4221 A	Port St. Johns	31 38	29 33	-	5.25	9	9.04	6	5.32	9	1.95	2	1.19	2	0.32	1	0.62	2	0.21	1	3.31	6	10.86	14	0.63	3	4.41	12	43.11	67
4222	Mpur	30 17	29 32	5000	5.96	17	7.74	12	7.43	7	0.65	4	1.57	3	0.00	0	0.11	2	0.33	4	0.76	8	4.36	16	2.79	12	4.46	18	36.16	103
4224	Impetyne	30 37	29 40	5000	9.70	-	7.60	-	10.00	-	0.89	-	1.20	-	0.00	-	0.00	-	0.00	-	1.50	-	7.30	-	2.63	-	4.20	-	45.02	-
4225	Lusikisiki	31 22	29 35	1950	5.74	12	4.62	9	5.85	13	0.53	3	1.48	2	0.57	3	0.37	3	0.26	2	3.02	9	7.36	15	0.50	7	3.26	14	33.56	92
4225 M	Oxton	30 26	29 40	-	5.67	11	3.20	12	4.53	14	0.49	4	1.11	2	0.00	0	0.00	0	0.06	3	0.14	4	3.95	14	1.68	16	1.99	12	22.82	92
4225 T	Holycross Mission	31 09	29 40	-	6.16	14	4.82	12	4.17	14	0.46	3	1.72	5	0.24	2	0.75	3	0.37	4	2.13	8	6.67	15	0.43	6	2.97	15	30.89	101
4226	Ntsubane	31 24	29 42	1750	8.36	12	7.99	11	6.70	13	2.33	5	2.06	3	0.38	3	0.62	3	0.46	2	4.99	8	15.16	13	0.70	4	4.40	14	54.15	91
4227	Scylla	30 36	29 42	4000	6.80	-	5.81	-	11.03	-	0.60	-	1.59	-	0.00	-	0.00	-	0.00	-	0.00	-	0.00	-	-	-	-	-	(25.83)	-
4228	Ludeke	30 49	29 43	3500	5.50	-	3.85	12	4.86	11	0.35	3	1.56	1	0.02	1	0.02	1	0.06	1	1.11	3	4.47	6	0.76	7	1.52	6	24.08	(52)
4230	Ingwangwane	30 02	29 42	-	6.41	18	4.73	14	10.33	17	1.64	6	1.28	2	0.00	0	0.04	2	0.26	5	0.47	8	3.23	16	3.24	18	4.33	16	35.96	122
4230 A	Border	30 33	29 45	3500	4.68	18	3.83	13	8.16	15	0.47	2	1.47	2	0.00	0	0.00	0	0.15	3	0.75	4	5.01	14	-	-	-	-	(24.52	71)
4230 M	Lourdes	30 12	29 42	-	-	-	-	-	-	-	2.69	3	1.08	1	0.00	0	0.10	1	0.00	0	0.42	3	2.50	6	2.05	8	4.44	8	(13.28	30)
4231	Weza Plantation	30 36	29 43	3500	8.07	19	4.93	13	11.16	14	0.65	6	1.71	2	0.00	0	0.05	1	0.24	2	0.90	5	5.49	17	2.30	16	3.89	15	39.39	110
4232	Harding	30 34	29 53	2690	5.53	13	2.74	8	5.67	12	0.72	2	1.37	2	0.00	0	0.13	1	0.00	0	0.67	2	5.21	9	0.82	5	2.42	10	25.28	64
4233	Bisana	30 51	29 49	3100	4.27	7	3.41	8	6.23	11	0.41	2	1.24	1	0.00	0	0.20	2	0.09	1	0.72	3	5.36	12	0.90	9	2.26	8	25.09	64
4234	Glenora	30 34	29 51	2700	4.21	16	2.70	11	5.57	12	0.65	2	1.26	2	0.00	0	0.00	0	0.10	2	0.59	4	5.72	10	0.69	11	2.08	13	23.57	83
4236	Umzimkulu	30 16	29 56	2440	3.29	11	2.63	8	9.09	12	2.20	3	1.22	1	0.00	0	0.00	0	0.00	0	0.39	2	2.28	10	0.60	6	3.12	6	24.82	59
4237	Umzimkulu	30 16	29 56	2440	3.67	14	2.93	7	8.08	12	2.01	3	1.36	2	0.00	0	0.00	0	0.12	2	0.44	2	2.54	11	1.22	13	3.90	16	26.27	82

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4238	Mzambati Leper Institute	31°16'	29°57'	640	5.82	12	5.16	10	5.04	11	1.67	6	1.44	3	1.01	4	1.77	3	0.29	5	5.33	10	8.79	15	0.94	5	3.17	14	40.43	98
4239	Summerford	30 02	30 01	4000	5.12	18	4.75	12	6.68	17	1.35	6	0.70	2	0.00	0	0.00	0	0.26	4	0.27	4	2.91	18	1.05	12	4.12	13	27.21	106
4240	Hancock Grange	30 15	29 57	-	3.14	11	2.86	8	8.90	12	3.37	2	1.49	2	0.00	0	0.00	0	0.00	0	0.00	0	1.80	6	0.45	4	3.11	8	25.13	53
4241 a	Eureka	30 43	30 01	-	5.06	14	3.20	11	4.15	13	0.31	3	1.58	2	0.00	0	0.24	2	0.16	1	0.76	4	5.57	14	0.48	7	1.40	8	22.91	79
4242	Ixopo	30 09	30 04	3000	2.88	17	3.47	9	7.21	13	1.95	4	1.45	1	0.00	0	0.09	1	0.09	2	0.14	1	4.07	12	1.43	11	3.24	10	26.02	81
4242 E	Edwaland	30 53	30 05	-	2.44	6	3.21	9	3.46	7	0.21	2	1.48	2	-	-	-	-	-	-	1.28	2	5.39	8	0.40	2	1.40	8	(19.27	46)
4243	Stae Brees	30 01	30 11	1600	3.64	10	2.66	5	6.19	10	1.72	3	1.37	3	0.00	0	0.00	0	0.00	0	0.11	1	2.22	6	0.06	1	2.82	6	20.79	45
4243 A	Emcyeni	31 05	30 11	-	3.82	9	6.04	10	8.91	12	0.52	2	1.28	4	0.37	1	0.16	1	0.19	2	1.86	8	10.00	16	0.20	1	2.48	10	35.83	76
4244	Bally Clare	30 49	30 15	1700	4.79	11	7.42	8	6.15	10	0.91	5	1.43	2	0.19	1	0.47	2	0.23	3	1.91	7	16.20	16	1.26	5	2.53	11	43.49	81
4245	Leenane	30 07	30 14	2450	2.67	13	2.44	7	7.36	10	1.69	5	2.20	3	0.02	1	0.04	1	0.08	2	0.27	6	2.79	10	0.56	7	4.27	12	24.39	77
4247	Bushy Vales	30 55	30 18	300	1.33	2	7.05	10	5.67	8	0.39	1	2.07	2	0.33	1	0.25	1	0.21	2	1.77	5	8.37	8	0.02	1	1.58	4	29.04	45
4248	Mehlchinyana	30 36	30 21	500	3.63	6	6.31	6	6.19	7	0.52	2	1.95	1	0.00	0	0.50	1	0.25	1	0.98	3	1.52	2	1.20	3	1.20	6	24.25	(38)
4250 a	Ardee	30 23	30 23	1500	3.93	13	7.70	9	6.92	10	0.94	3	1.82	3	0.00	0	0.49	1	0.27	2	0.74	4	2.80	7	2.16	8	3.23	10	31.00	70
4250 A	Fairfield	30 19	30 25	2252	3.35	21	5.10	12	5.89	14	0.95	5	1.59	4	0.10	2	0.58	4	0.22	3	1.18	9	4.97	14	1.67	15	3.10	14	28.70	117
4250 b	Valleys	30 40	30 25	600	3.17	8	5.20	9	4.90	9	0.15	3	1.75	3	0.09	1	1.37	1	0.00	0	0.59	3	5.81	11	0.33	6	0.96	9	24.32	63
4252	Port Shepstone	30 44	30 27	50	4.28	8	5.99	8	6.96	9	1.05	1	1.55	1	0.17	1	2.83	1	0.12	1	1.27	6	8.71	15	0.67	5	1.81	11	35.41	(67)
4253	Port Shepstone	30 44	30 27	55	4.00	13	5.33	12	6.11	13	2.23	8	1.83	5	0.36	4	2.82	2	0.29	4	0.99	7	7.43	16	0.40	5	1.51	12	33.30	101
4253 A	Melville Halt	30 39	30 32	500	2.80	7	6.52	9	8.05	8	-	-	1.60	3	0.36	2	1.91	1	0.23	2	0.80	5	6.07	13	1.22	6	1.94	8	(22.50	64)
4255	Sawoti	30 16	30 28	1850	2.62	16	4.53	12	5.40	12	1.00	5	1.49	4	0.00	0	0.75	4	0.13	2	0.93	6	5.95	12	1.35	11	2.89	15	27.04	99
4256	Kloofend	30 35	30 31	5000	2.58	11	5.12	9	7.99	7	0.17	2	1.40	1	0.09	1	1.40	1	0.09	1	1.10	4	5.45	11	0.34	3	2.72	10	28.45	61
4257 A	Glebe	30 29	30 37	50	1.51	7	4.28	9	7.67	10	0.13	2	1.50	3	0.00	0	0.48	3	0.03	1	0.66	5	5.84	10	0.46	5	2.02	9	24.58	64
4258	Scottburgh	30 17	30 45	50	2.25	14	4.34	9	7.62	13	0.53	4	1.88	4	0.07	2	1.03	2	0.20	4	0.71	3	3.63	8	0.88	7	2.65	10	25.79	80
4258 B	Pennington	30 23	30 42	-	3.37	18	5.62	11	9.22	15	0.40	7	2.02	3	0.13	3	2.17	4	0.12	4	0.80	8	4.64	20	1.15	12	3.15	17	32.79	122
4259	Winkelspruit	30 06	30 51	120	4.13	12	6.12	8	10.05	13	0.22	4	2.88	3	0.02	1	2.43	3	0.80	2	0.97	9	2.74	11	1.41	9	3.86	15	35.63	90
	SECTION 26.																													
4262 M	Saldanha Bay	33 00	17 56	25	0.00	0	0.00	0	0.00	0	0.50	2	3.63	11	3.44	10	1.62	9	1.53	4	0.00	0	0.00	0	0.11	1	0.00	0	10.83	37
4263	Langebaan	33 05	18 02	15	0.00	0	0.00	0	0.00	0	0.66	3	3.81	11	1.74	7	1.26	8	0.98	5	0.08	1	0.68	7	-	-	0.00	0	(9.21	42)
4264	Dassen Island	33 26	18 05	15	0.00	0	0.01	1	0.07	1	1.47	6	4.67	13	4.01	11	3.17	10	2.53	11	0.08	2	2.59	6	0.12	3	0.23	4	18.95	68
4265	Geelbek	33 12	18 08	100	0.00	0	0.00	0	0.00	0	0.68	1	3.98	10	2.07	6	1.87	7	1.96	4	0.15	1	0.36	3	0.00	0	0.00	0	11.07	32
4266	Hopefield	33 04	18 21	140	0.00	0	0.00	0	0.00	0	0.88	4	3.36	12	3.97	10	2.21	7	2.26	6	0.09	1	0.43	3	0.15	1	0.10	1	13.45	45
4267 A	Eagles Nest	34 01	18 25	1500	0.00	0	0.03	1	0.11	4	1.38	5	(6.01	12)	8.06	14	8.96	15	5.56	14	0.13	4	2.05	11	0.55	4	0.78	8	33.62	92
4268	Darling	33 22	18 23	380	0.00	0	0.00	0	0.28	2	1.82	4	6.07	13	4.02	10	5.09	10	3.78	6	0.12	2	0.57	6	0.23	4	0.33	3	22.31	60
4269	Robben Island	33 49	18 22	25	0.00	0	0.00	0	0.06	2	1.60	6	3.27	12	4.46	12	2.80	9	1.99	7	0.08	2	0.47	4	0.00	0	0.20	2	14.93	56
4270	Signal Hill (or Lions Rump)	33 55	18 24	1147	0.05	2	0.04	1	0.09	3	1.56	8	6.69	16	3.35	17	2.59	13	2.58	11	0.23	4	1.79	8	0.25	4	0.55	8	19.77	95

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4271	Tafelberskloof	33°56'	18°24'	328	0.08	2	0.07	1	0.30	4	2.48	9	9.11	17	7.75	18	4.23	14	3.87	13	0.28	4	1.89	9	0.48	4	0.86	8	31.40	103
4271 A	Cableway, Table Mountain	33 57	18 24	3497	0.00	0	-	-	1.25	6	3.38	6	8.84	14	10.54	15	3.92	9	6.84	9	-	-	0.50	2	0.60	2	1.68	5	(37.55	68)
4272	Kasteelspoort	33 59	18 24	2500	0.00	-	0.15	-	0.64	-	3.70	-	12.12	-	12.08	-	9.62	-	7.37	-	0.57	-	3.92	-	1.01	-	2.43	-	53.61	-
4273	Woodhead Dam	33 59	18 24	2450	0.05	-	0.15	-	0.74	-	3.95	-	13.15	-	11.85	-	9.17	-	7.36	-	0.57	-	4.17	-	0.95	-	2.25	-	54.36	-
4274	Table Mountain (House)	33 59	18 24	2495	0.05	1	0.15	1	0.84	5	4.24	8	3.38	6	12.82	18	9.42	15	7.82	15	0.57	5	4.26	10	1.08	5	2.52	8	47.15	97
4275	Disa Head	33 59	18 24	2550	0.00	-	0.16	-	0.77	-	4.29	-	15.28	-	12.16	-	9.44	-	7.48	-	0.51	-	3.79	-	1.00	-	2.29	-	57.17	-
4276	Woodhead Tunnel	33 59	18 23	2250	0.02	-	0.11	-	0.58	-	2.72	-	10.10	-	11.34	-	5.46	-	3.62	-	0.29	-	2.30	-	0.70	-	1.80	-	39.04	-
4277	Lower Reservoir	33 56	18 25	290	0.02	-	0.09	-	0.22	-	2.52	-	9.58	-	8.95	-	4.73	-	4.28	-	0.16	-	2.38	-	0.47	-	0.93	-	34.33	-
4278	Cape Town (Fire Station)	33 56	18 26	88	0.00	0	0.00	0	0.14	2	2.24	7	8.14	14	6.58	17	2.74	12	2.87	10	0.05	2	1.83	5	0.29	3	0.47	4	25.35	76
4279	Flatteklip	33 57	18 25	550	0.04	-	0.16	-	0.39	-	3.39	-	10.34	-	10.50	-	5.65	-	4.92	-	0.25	-	2.88	-	0.60	-	1.30	-	40.42	-
4280	Waaivlei	33 58	18 25	3200	0.00	-	0.13	-	0.68	-	3.74	-	12.69	-	11.23	-	8.85	-	7.08	-	0.47	-	3.79	-	0.92	-	2.20	-	51.78	-
4281	St. Michaels	33 58	18 25	3050	0.00	-	0.17	-	0.82	-	4.42	-	12.43	-	13.14	-	9.63	-	8.44	-	0.55	-	4.02	-	1.08	-	2.56	-	57.26	-
4282	Wasikopje	33 58	18 25	3100	0.00	-	0.20	-	0.86	-	3.76	-	13.50	-	13.62	-	10.51	-	8.33	-	0.67	-	4.19	-	1.18	-	2.72	-	59.54	-
4283	Cape Town (Hospital)	33 54	18 25	54	0.06	2	0.05	1	0.23	3	2.21	9	6.92	16	5.85	17	3.53	15	3.42	12	0.13	4	0.44	8	0.25	4	0.27	7	23.36	98
4284	Maclears Beacon	33 58	18 26	3582	0.00	-	0.26	-	1.13	-	5.03	-	14.74	-	16.54	-	12.65	-	9.73	-	0.84	-	4.53	-	1.35	-	2.87	-	69.67	-
4286	Tokai	34 03	18 25	206	0.03	2	0.10	1	0.35	4	2.97	9	9.56	19	7.50	18	7.04	19	6.39	17	0.74	6	1.99	13	1.06	5	0.84	10	38.57	123
4287	Molteno Reservoir	33 56	18 25	306	0.03	-	0.06	-	0.27	-	2.93	-	9.64	-	9.47	-	4.89	-	4.67	-	0.39	-	1.92	-	0.55	-	1.07	-	35.69	-
4288	Kirstenbosch	33 59	18 26	293	0.02	1	0.05	1	0.48	4	3.93	8	10.42	15	11.43	18	10.98	17	8.67	16	0.30	6	2.05	14	0.97	6	1.99	7	51.29	113
4288 M	Klaver Camp (Simons Town)	34 12	18 25	-	0.60	2	0.10	1	0.58	5	2.06	9	8.49	15	5.12	17	4.29	18	3.64	12	0.35	5	2.09	9	0.55	5	1.00	10	28.87	108
4289	Devils Peak	33 57	18 27	1415	0.07	2	0.15	1	0.53	4	3.13	8	9.38	16	11.69	17	5.33	16	5.39	14	0.34	5	2.28	9	0.63	5	1.49	8	40.41	105
4291	Smitswinkel Bay	34 16	18 28	50	0.00	0	0.00	0	0.00	0	2.32	5	9.28	14	6.21	17	6.36	14	4.39	13	2.06	4	1.51	11	0.72	4	0.84	7	33.69	89
4292	Towers	33 23	18 22	600	0.00	0	0.00	0	0.17	2	1.91	4	6.22	14	4.42	11	4.62	11	3.45	10	0.27	2	0.54	6	0.27	4	0.50	4	22.37	68
4293	Paradise Estate	33 59	18 28	300	0.02	1	0.00	0	0.24	2	3.31	7	10.13	15	12.52	15	14.54	15	9.14	16	0.20	5	1.76	10	0.61	5	1.43	7	53.90	98
4295	Plumstead	34 01	18 28	100	0.02	1	0.05	1	0.19	4	2.90	6	8.62	14	8.84	17	10.97	15	6.64	15	0.09	2	1.15	6	0.33	3	0.52	3	40.32	89
4296	Muizenberg Reservoir	34 06	18 27	1538	0.00	-	0.12	-	0.80	-	3.02	-	11.47	-	8.43	-	8.68	-	5.70	-	0.21	-	3.89	-	1.20	-	2.09	-	45.61	-
4297	Milnerton	33 53	18 29	25	0.00	0	0.00	0	0.33	3	0.52	5	5.08	2	5.18	9	3.66	10	2.68	10	0.03	1	0.82	4	0.14	2	0.63	4	19.07	50
4298	Royal Observatory (Cape Town)	33 56	18 29	40	0.03	1	0.04	2	0.20	4	1.71	9	7.00	17	6.56	19	3.75	18	3.42	15	0.18	7	1.32	8	0.18	4	0.67	7	25.06	111
4299	Pinelands	33 56	18 30	50	0.02	1	0.00	0	0.13	3	1.96	7	6.60	-	7.62	17	4.50	14	3.95	13	0.08	1	0.93	6	0.24	3	0.39	3	26.42	(68)
4300	Cape Point	34 21	18 30	270	0.03	1	0.00	0	0.29	4	1.06	6	2.66	13	2.87	13	2.64	10	1.92	12	0.23	1	0.23	9	0.27	5	0.26	2	12.46	76
4301	Maitland Cemetery	33 55	18 32	50	0.00	0	0.00	0	0.10	2	1.23	6	4.68	15	4.26	16	2.68	12	2.99	13	0.10	2	0.73	5	0.15	3	0.15	4	17.07	78
4302	Burghers Post	33 30	18 32	750	0.00	0	0.00	0	0.00	0	1.65	3	5.23	11	6.06	11	6.25	9	4.69	8	0.00	0	0.00	0	0.00	0	0.26	1	24.14	43
4302 A	Wingfield Airport	33 54	18 32	77	0.00	0	0.04	1	0.24	3	1.38	5	5.55	15	5.49	17	3.90	16	3.71	14	0.12	2	1.06	6	0.14	5	-	-	(21.63	84)
4303	De Grendel	33 51	18 34	400	0.00	0	0.06	1	0.20	1	1.59	3	6.56	13	5.54	13	3.97	8	4.80	11	0.15	3	1.32	3	0.11	2	0.09	2	24.39	60
4304	Langgewens	33 17	18 42	300	0.00	0	0.00	0	0.03	1	0.25	4	3.60	13	4.11	12	2.67	10	1.24	9	0.19	3	0.27	5	0.85	3	0.29	1	13.50	61
4305	Van Schoorsdrift	33 40	18 35	121	0.00	0	0.00	0	0.07	1	1.60	4	5.39	14	3.56	13	3.61	13	2.60	9	0.17	2	0.42	6	0.30	2	0.27	5	17.99	69

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Longtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4306	Hardekraaltjie	33°35'	18°37'	500	0.00	0	0.00	0	0.12	2	1.40	4	4.95	-	4.89	12	4.38	13	2.97	9	0.00	0	0.70	2	0.00	0	0.00	0	19.41	(42)
4306 N	Belville	33 39	18 36	151	0.00	0	0.08	2	0.27	3	1.29	5	7.05	15	6.78	18	4.72	16	4.11	13	0.24	6	0.98	8	0.33	4	0.37	8	26.22	98
4307	Altydgedacht	33 50	18 38	309	0.00	0	0.03	1	0.24	4	1.55	7	6.76	15	6.43	16	5.76	13	1.94	7	0.14	1	1.04	3	-	-	-	-	(23.89	67)
4309	Durbanville	33 50	18 39	516	0.00	0	0.00	0	0.12	1	1.50	4	6.87	12	6.94	13	6.48	10	3.52	8	0.14	1	0.97	3	0.43	2	0.64	4	27.61	58
4310	Belville Forest	33 55	18 38	200	0.08	1	0.00	0	0.23	3	1.75	3	7.04	13	5.94	16	4.62	12	3.73	10	0.00	0	0.94	4	0.12	1	0.23	5	24.68	68
4311	Campamento	33 56	18 41	600	0.00	0	0.06	1	0.31	3	1.58	4	7.37	12	6.18	14	5.30	15	3.63	11	0.13	2	1.11	5	0.10	2	0.09	2	25.86	71
4312	Malmesbury	33 27	18 44	460	0.00	0	0.00	0	0.38	1	1.38	3	4.98	11	4.54	11	4.82	10	3.57	7	0.24	1	0.47	4	0.36	2	0.18	2	20.92	52
4313	Eersterivier	34 00	18 41	100	0.00	0	0.00	0	0.32	2	1.50	4	7.73	11	5.56	13	5.50	14	3.94	9	0.22	2	0.72	3	0.40	3	0.41	4	26.30	65
4314	Kraaifontein	33 51	18 45	350	0.00	0	0.00	0	0.27	3	1.19	3	4.99	14	5.64	14	6.61	10	3.23	9	0.00	0	0.47	3	0.38	3	0.46	4	23.24	63
4315	Kooitgedacht	33 53	18 50	600	0.00	0	0.00	0	0.08	1	0.00	0	5.96	12	5.60	5	7.06	-	0.11	2	0.00	0	0.50	-	0.00	0	0.35	1	19.66	(21)
4317	Elsenburg	33 51	18 50	594	-	-	0.03	1	0.33	5	1.80	7	6.60	14	7.27	16	7.27	15	2.68	11	0.27	3	0.75	6	0.70	4	0.59	3	(28.29	85)
4318	Steenbras I	34 11	18 51	50	0.02	-	0.09	-	0.45	-	4.20	-	11.26	-	9.59	-	7.61	-	5.43	-	0.31	-	2.59	-	1.37	-	1.20	-	44.12	-
4319	Steenbras III	34 10	18 52	50	0.02	-	0.07	-	0.48	-	4.85	-	11.46	-	8.71	-	7.82	-	5.32	-	0.30	-	3.69	-	1.17	-	1.42	-	45.31	-
4320	Steenbras Dam	34 11	18 51	1112	0.02	1	0.09	1	0.41	4	3.99	6	10.85	16	7.95	18	7.26	16	5.17	14	0.27	3	2.37	11	0.90	5	0.54	5	39.82	100
4321	Steenbras II	34 12	18 51	50	0.03	-	0.50	-	1.23	-	3.53	-	14.16	-	10.95	-	12.78	-	7.64	-	0.44	-	8.01	-	1.49	-	1.88	-	62.44	-
4322	Stellenbosch University Farm	33 56	18 52	390	0.00	0	0.04	1	0.33	3	2.06	6	8.17	15	8.23	16	8.20	17	5.49	14	0.37	4	1.37	8	0.63	3	0.51	6	35.40	93
4323	Stellenbosch	33 55	18 52	290	0.00	0	0.07	1	0.26	3	2.09	6	8.20	15	8.47	15	8.67	13	4.95	9	0.39	2	1.36	4	0.79	3	0.44	4	35.69	75
4326	Bisiwani	34 05	18 52	150	0.00	0	0.05	1	0.20	3	2.51	4	7.29	14	5.75	14	6.77	13	3.91	10	0.40	3	1.70	10	0.40	4	0.52	9	29.50	85
4326 A	Cape Explosive Works	34 05	18 49	25	0.02	1	0.02	1	0.23	3	2.35	4	6.73	12	5.38	15	5.89	15	3.54	8	0.31	3	1.22	8	0.46	6	0.38	4	26.53	80
4326 B	Riebeek Kasteel	33 23	18 54	-	0.00	0	0.00	0	0.05	1	2.87	4	5.32	12	7.59	11	5.17	8	5.05	9	0.20	1	0.65	4	0.89	3	0.49	2	27.28	55
4327	Bothmaskloof	33 24	18 53	975	0.00	0	0.00	0	0.16	2	1.71	3	4.64	12	7.56	8	7.55	10	3.97	6	0.21	1	0.74	5	0.68	2	0.46	3	27.68	52
4328	Lourensford	34 04	18 54	400	0.00	0	0.07	1	0.22	2	2.76	5	8.82	13	8.40	11	12.57	15	6.91	10	0.50	3	2.44	6	0.96	3	0.41	4	44.06	73
4330	Steenbras IV	34 10	18 55	200	0.03	-	0.00	-	0.41	-	4.06	-	10.11	-	9.52	-	8.43	-	5.54	-	0.59	-	4.05	-	1.38	-	1.66	-	45.78	-
4333	Steenbras V	34 09	18 56	290	0.09	-	0.00	-	0.56	-	3.38	-	9.42	-	9.08	-	7.23	-	5.04	-	0.54	-	2.86	-	1.50	-	1.54	-	41.24	-
4334	Steenbras VI	34 13	18 53	500	0.01	-	0.18	-	0.55	-	2.35	-	9.63	-	5.22	-	7.00	-	4.20	-	0.22	-	6.69	-	0.87	-	0.87	-	37.79	-
4335	Steenbras VII	34 09	18 59	1500	0.07	-	0.00	-	0.87	-	3.99	-	10.97	-	9.76	-	8.67	-	6.07	-	0.69	-	4.04	-	1.53	-	1.42	-	48.08	-
4336 N	Dwarsriviershoek	33 56	18 57	-	0.00	0	0.00	0	0.32	3	3.42	5	11.95	14	15.00	15	18.12	15	8.32	14	0.57	4	2.77	7	2.39	5	1.22	7	64.08	89
4336 A	Paarl	33 43	18 57	-	0.00	0	0.00	0	0.19	2	2.53	4	8.32	12	10.17	13	(8.58	15)	5.38	8	(0.72	3)	0.95	8	1.21	5	1.53	5	(39.56	75)
4337	Paarl	33 43	18 58	544	0.00	0	0.00	0	0.20	2	2.56	3	7.81	13	10.29	14	7.74	12	5.70	13	0.70	4	0.72	6	1.23	5	1.18	7	38.15	79
4338	Jonkershoek I	33 58	18 56	-	0.03	1	0.02	1	0.46	6	3.44	6	12.71	17	12.17	17	10.09	18	7.09	16	0.72	4	3.10	9	2.33	7	0.82	8	52.98	110
4338 A	Jonkershoek II	33 59	18 57	1030	0.07	1	0.00	0	0.71	4	4.37	5	18.53	14	14.87	16	11.64	16	8.72	13	0.62	4	5.41	9	2.98	6	1.85	9	69.77	97
4338 D	Herson	33 26	18 58	-	0.00	0	0.00	0	0.07	2	1.54	4	4.39	14	5.67	14	4.60	11	3.40	9	0.24	2	0.60	4	0.25	1	0.05	1	20.81	62
4338 B	Jonkershoek IV	33 58	18 58	2300	0.02	-	0.00	-	0.88	-	3.85	-	14.54	-	29.59	-	13.00	-	12.20	-	0.52	-	6.00	-	2.75	-	1.70	-	85.05	-

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4340	Vruchtbaar	33°38'	19°02'	450	0.00	0	0.03	1	0.29	3	2.60	5	7.51	14	8.49	15	6.30	14	3.85	16	0.63	5	1.42	7	0.98	3	0.53	3	32.63	86
4340 A	Jonkershoek III	34 00	19 00	1550	0.15	-	0.00	-	1.25	-	5.73	-	29.15	-	11.39	-	17.22	-	11.66	-	11.06	-	9.40	-	1.67	-	1.62	-	100.30	-
4341	Morning Star (Elgin)	34 10	19 00	1200	0.09	1	0.13	2	0.36	7	3.24	7	9.70	16	13.26	15	13.30	17	7.21	12	0.57	3	3.57	10	2.57	6	1.78	8	55.78	104
4342	Gouda	33 18	19 02	300	0.00	0	0.00	0	0.00	0	1.55	2	4.35	11	6.20	9	6.10	6	2.70	8	0.63	2	0.75	3	0.70	1	0.20	1	23.18	43
4343	Welbedacht	33 34	19 01	520	0.00	0	0.00	0	0.20	1	2.25	2	7.26	8	6.59	9	5.14	8	3.60	8	0.66	2	0.85	3	0.64	3	0.20	1	27.39	45
4344	Onverwacht	33 39	19 04	600	0.00	0	0.02	1	0.31	3	2.61	5	7.76	13	10.11	12	6.43	11	4.88	10	0.68	3	1.15	4	1.06	2	0.72	3	35.73	67
4345	Groot Drakenstein	33 52	19 00	480	0.00	0	0.01	1	0.20	1	2.99	4	10.17	14	12.32	15	9.17	16	4.18	12	0.37	3	1.07	7	0.93	5	1.10	7	42.51	85
4346	Elgin	34 09	19 02	846	0.00	0	0.11	2	0.20	5	2.90	4	10.34	15	10.49	14	12.64	14	6.63	11	0.28	3	4.38	8	2.67	5	0.86	4	51.50	85
4347	Nieuwberg	34 05	19 03	2600	0.04	2	0.45	4	1.77	9	4.36	6	13.56	13	19.78	13	20.72	16	14.67	14	0.77	6	6.21	9	2.43	4	1.32	5	86.08	101
4348	Artois	33 22	19 10	260	0.00	0	0.00	0	0.02	1	2.06	3	6.79	11	7.62	14	4.34	11	3.84	10	0.47	3	0.75	4	0.77	2	0.27	2	26.93	61
4349	La Motte	33 53	19 04	700	0.00	0	0.00	0	0.13	1	2.71	4	10.15	14	12.46	11	13.05	11	5.66	9	0.42	3	1.50	6	1.12	3	1.02	3	48.22	65
4350	Driefontein	33 56	19 04	-	0.00	0	0.00	0	0.25	1	3.37	4	13.53	14	24.81	11	27.82	11	9.86	9	0.80	3	3.20	6	1.54	3	2.05	3	87.23	65
4351	Mont Pellier	33 16	19 06	770	0.00	0	0.00	0	0.05	2	1.65	2	5.44	14	5.43	9	3.54	8	3.74	8	0.26	4	1.14	4	0.87	2	0.54	2	22.66	55
4352	Maartjiesvilla	33 39	19 01	1200	0.00	0	0.00	0	0.31	2	2.13	2	7.04	7	10.78	9	5.47	6	6.04	7	0.53	1	1.15	1	0.60	1	1.06	4	35.11	40
4354	Welgemoed	34 06	19 05	2000	0.00	-	0.00	-	0.91	-	1.80	-	5.93	-	4.50	-	3.42	-	0.69	-	0.00	-	3.10	-	0.59	-	0.27	-	21.21	-
4355	Lebanon	34 12	19 07	1280	0.00	0	0.24	2	0.28	2	2.06	4	8.47	13	7.61	10	5.91	12	4.36	10	0.25	2	4.15	9	1.36	3	0.40	4	35.09	71
4355 B	Highlands	34 17	19 06	-	0.02	1	0.30	4	0.96	6	2.41	6	8.76	15	7.65	11	8.28	15	6.20	12	0.86	4	6.42	11	1.70	3	0.94	4	44.50	91
4355 Y	Franschhoek	33 54	19 07	-	0.00	0	0.00	0	0.10	1	2.61	5	11.35	13	10.07	15	9.82	13	4.71	15	0.50	3	2.95	8	1.34	5	0.85	4	44.30	82
4357	Tydsgenoeg	34 07	19 07	2600	0.00	-	0.00	-	1.48	-	2.14	-	5.82	-	72.5	-	6.24	-	6.17	-	0.00	-	2.68	-	1.19	-	0.47	-	33.44	-
4358	Tulbagh	33 17	19 08	510	0.00	0	0.00	0	0.04	1	1.67	5	6.91	11	5.67	8	3.95	11	3.59	8	0.17	1	1.18	3	0.70	2	0.25	1	24.13	51
4359	Kluitjieskraal	33 25	19 11	880	0.00	0	0.00	0	0.15	1	2.25	4	6.59	13	9.07	12	4.94	10	4.00	8	0.55	4	0.62	6	0.80	6	0.33	4	29.30	68
4361	Haasvlakte	34 13	19 08	1500	0.05	-	0.27	-	1.01	-	2.35	-	8.75	-	6.20	-	8.25	-	5.85	-	0.38	-	6.30	-	1.35	-	0.78	-	41.54	-
4362 A	Middelvlei	34 22	19 08	240	0.24	2	0.24	3	0.37	3	2.48	5	6.96	11	3.59	8	4.14	11	3.66	9	0.33	4	4.06	8	0.80	3	0.29	3	27.16	70
4362 B	Vygeboom	34 04	19 08	1140	0.00	0	0.04	2	0.14	2	2.21	4	7.67	13	10.47	11	13.27	13	7.92	14	0.43	4	2.46	7	1.33	3	0.51	6	46.45	79
4362 C	Mont Rouge	33 11	19 10	1000	0.00	0	0.00	0	0.00	0	2.00	3	8.13	9	9.86	9	10.15	8	5.54	8	0.16	1	0.82	2	0.73	2	0.10	1	37.49	43
4362 M	Mooitgedacht	33 09	19 23	-	0.00	0	0.00	0	0.31	3	1.42	2	2.91	13	4.67	10	3.86	9	2.58	8	0.19	1	1.04	5	0.00	0	0.06	1	16.84	56
4363	La Plaisante	33 27	19 12	950	0.00	0	0.00	0	0.07	2	1.13	2	5.60	12	7.12	11	3.62	8	3.44	11	0.18	1	0.83	4	0.58	4	0.35	3	22.92	58
4364	Waverley Mills	33 25	19 14	750	0.00	0	0.00	0	0.08	1	2.17	3	63.5	12	7.22	11	4.91	8	3.38	7	0.41	3	0.70	4	0.57	2	0.72	3	26.51	54
4364 A	Rust River Valley	34 02	19 12	975	0.00	0	0.00	0	0.03	1	1.89	4	5.80	7	12.72	9	15.07	12	9.28	9	0.16	2	2.35	5	0.88	1	0.61	4	48.79	54
4365	Kompagniesdrift	34 13	19 12	301	0.00	0	0.00	0	0.04	1	2.01	3	7.00	13	4.59	9	4.95	12	4.08	9	0.06	1	0.61	3	1.21	3	0.50	3	25.05	57
4366 a	Hermanus	34 25	19 14	-	0.00	0	0.00	0	0.00	0	3.22	2	7.62	9	3.95	10	4.66	8	3.70	5	0.00	0	5.12	6	1.30	3	0.30	1	29.87	44
4366 A	Swartvlei	33 38	19 13	900	0.00	0	0.00	0	0.45	1	2.31	3	6.50	10	14.18	10	11.99	9	8.39	9	0.26	1	2.22	2	0.87	2	1.47	3	48.64	50
4367	Goedvertrouw	34 08	19 15	400	0.03	1	0.06	2	0.08	3	1.99	3	65.8	13	5.12	10	5.20	14	4.42	12	0.10	2	2.60	7	1.20	4	0.54	3	27.92	74
4367 A	Welgegun	33 54	19 17	2000	0.00	0	0.00	0	0.00	0	1.92	2	4.36	4	8.94	4	9.14	4	5.46	4	0.06	1	1.86	1	0.96	1	0.00	0	32.70	21
4368	Villiersdorp	33 59	19 18	1200	0.00	0	0.00	0	0.14	2	1.85	1	6.09	8	6.09	8	9.53	10	5.52	9	0.48	1	3.28	8	0.70	2	0.06	2	33.74	51

No.	STATION STASIE	S. Latitude S. Breedtegr.	E. Longitude O. Lengteg.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4369	Vogelvlei	33°19'	19°18'	1550	0.00	0	0.00	0	0.11	3	3.20	4	9.01	14	10.91	11	7.57	11	5.61	10	0.35	3	0.91	5	0.75	4	0.63	4	39.05	69
4370	Danger Point	34 37	19 18	91	0.12	2	0.00	0	0.41	3	1.26	5	4.24	12	3.56	10	2.29	12	4.28	9	0.66	6	3.45	11	0.27	3	0.63	6	21.27	79
4371	Ceres	33 22	19 18	1497	0.00	0	0.00	0	0.13	3	2.34	2	9.41	14	15.14	10	10.15	11	7.54	11	0.18	2	1.23	5	1.10	4	1.26	3	48.48	65
4372	Rawsonville	33 41	19 18	850	0.00	0	0.00	0	0.00	0	1.65	2	4.92	8	11.71	10	10.35	7	5.37	5	0.00	0	1.40	3	0.50	1	1.10	3	37.00	39
4373	Boontjieskraal	34 12	19 21	752	0.06	1	0.00	0	0.05	1	1.81	3	6.94	13	3.52	10	3.47	11	3.25	11	0.32	4	3.14	8	0.99	3	0.10	1	23.65	66
4373 A	Bokveldskloof	33 11	19 20	470	0.00	0	0.00	0	0.00	0	3.42	2	7.24	8	10.43	8	6.86	5	5.35	3	0.00	0	4.98	3	0.50	1	1.32	2	40.10	32
4374	Tussenbeide	34 17	19 18	550	0.05	1	0.00	0	0.30	2	2.58	5	9.43	15	4.08	12	4.21	15	3.55	11	0.28	4	4.32	9	1.92	3	0.45	7	31.17	84
4374 A	Stettyn	33 53	19 22	830	0.00	0	0.00	0	0.00	0	1.63	2	4.15	7	6.40	11	6.48	8	5.07	7	0.00	0	2.24	3	0.57	1	0.00	0	26.54	39
4375	Gansbaai	34 35	19 21	-	0.00	0	0.05	1	0.87	5	2.10	6	6.48	11	3.12	9	3.04	9	2.80	6	0.65	5	3.83	4	0.65	2	0.22	4	23.81	62
4377	Caledon	34 13	19 25	760	0.00	0	0.11	2	0.52	5	2.16	3	7.18	13	4.22	10	5.07	14	3.63	11	0.83	5	3.55	11	0.91	3	0.39	5	28.57	82
4378	Dunghye Park	34 20	19 32	402	0.00	0	0.00	0	0.28	3	1.59	3	3.48	10	4.01	9	2.08	8	2.14	7	0.09	1	2.18	6	0.28	2	0.17	1	16.30	50
4379	Worcester	33 39	19 26	660	0.00	0	0.04	1	0.00	0	0.52	1	2.84	10	2.68	8	3.04	7	1.64	7	0.10	1	1.73	4	0.03	1	0.00	0	12.62	40
4380 A	Achterfontein	33 22	19 27	2040	0.00	0	0.00	0	0.00	0	1.03	2	3.65	9	5.30	11	3.32	6	2.24	6	0.00	0	0.48	5	0.13	2	0.84	3	16.99	44
4380 B	Worcester	33 38	19 27	660	0.00	0	0.03	1	0.00	0	0.63	1	3.27	9	2.42	8	3.04	9	2.33	6	0.17	2	1.63	6	0.19	1	0.00	0	13.71	43
4380 C	Brandvlei Dam	33 42	19 27	-	0.00	0	0.00	0	0.02	1	0.70	2	2.98	8	3.50	10	3.12	9	3.36	9	0.18	2	1.15	3	0.36	1	0.00	0	15.37	45
4381	Stanford	34 26	19 28	74	0.00	0	0.09	1	0.57	3	2.46	3	7.50	13	3.16	12	4.27	12	3.78	11	0.40	5	3.87	10	1.34	4	0.74	5	28.18	79
4384	Welgemoed	33 14	19 31	3414	0.00	0	0.00	0	0.46	1	0.80	2	1.91	6	4.36	6	2.01	5	1.78	4	0.00	0	0.00	0	0.00	0	0.00	0	11.32	24
4385	Genadendal	34 02	19 33	950	0.76	4	0.64	5	1.12	6	1.67	4	5.72	9	4.51	9	4.21	9	3.96	7	0.79	2	6.20	8	0.73	2	0.00	0	30.31	65
4385 A	Ysbrandskop	34 16	19 34	-	0.00	0	0.00	0	0.00	0	1.96	2	5.95	12	4.47	7	3.32	10	4.57	10	0.18	1	3.29	6	0.45	2	0.05	1	24.24	51
4385 a	Oranje	34 39	19 33	-	0.05	2	0.15	4	0.62	6	1.95	6	5.90	13	5.47	11	3.40	13	5.00	15	0.17	5	4.37	14	0.77	4	0.97	8	28.82	101
4386	Orchard (Hexrivier)	33 29	19 38	1280	0.00	0	-	-	0.05	1	0.42	2	3.17	8	3.95	8	4.59	8	3.20	6	0.02	1	1.09	4	-	-	0.00	0	(16.53	38)
4386 A	Sylvan Rest	33 38	19 38	-	0.04	1	0.01	1	0.02	1	0.30	1	3.61	8	1.72	6	2.08	7	1.65	9	0.14	2	2.24	4	0.33	1	0.00	0	12.14	43
4387 A	Boskloof	34 23	19 39	600	0.00	0	0.03	1	0.14	1	1.89	6	7.86	13	4.39	12	3.61	13	3.86	10	0.54	3	4.92	14	1.27	3	0.11	1	28.62	77
4389 A	Drogast Rivier	34 11	19 41	500	0.35	1	0.04	1	0.31	3	1.07	3	5.26	9	2.72	6	3.34	9	2.43	5	0.33	1	3.40	9	0.40	2	0.08	1	19.53	50
4389 B	Elim	34 36	19 46	-	0.02	1	0.11	2	0.27	4	2.02	5	5.55	15	3.21	12	3.33	-	4.83	-	0.47	5	4.74	9	0.87	7	0.25	1	25.67	(61)
4390	Mierkraal	34 25	19 50	600	0.00	0	0.00	0	0.15	1	1.18	1	4.36	10	3.25	8	1.96	4	2.54	5	0.75	1	5.45	4	0.42	2	0.00	0	20.06	36
4391	Matroosberg	33 26	19 49	3162	0.00	0	0.03	2	0.32	3	0.34	2	2.67	9	2.66	9	2.59	8	1.41	8	0.13	2	1.10	6	0.05	1	0.00	0	11.30	50
4392	Mc Gregor	33 57	19 50	778	0.00	0	0.00	0	0.00	0	0.75	2	3.40	8	2.45	6	2.33	6	1.98	6	0.25	1	3.86	2	0.30	1	0.00	0	15.32	32
4393	Spes Bona	33 06	19 48	1982	0.00	0	0.09	2	2.05	3	0.17	2	1.15	7	0.96	5	1.02	8	0.46	4	0.00	0	0.27	3	0.10	1	0.00	0	6.27	35
4394	Robertson Plantation	33 49	19 51	530	0.00	0	0.00	0	0.25	1	0.49	1	3.62	6	1.66	4	1.94	6	1.26	4	0.25	1	1.52	4	0.25	1	0.00	0	11.24	28
4395	Rhebokskraal	33 59	19 51	1000	0.00	0	0.00	0	0.00	0	1.05	1	4.27	6	2.80	6	2.31	6	1.87	5	0.32	1	3.77	3	0.64	1	0.00	0	17.03	29
4395 M	Soutrivier	33 32	19 51	-	0.00	0	0.07	1	0.15	2	0.44	1	3.23	10	3.20	9	3.03	7	1.50	7	0.10	2	2.63	6	0.10	1	0.06	2	16.05	48
4396	Concordia	33 41	19 51	2900	0.19	1	0.00	0	0.00	0	1.12	1	6.85	6	3.25	5	2.77	3	2.95	5	0.48	1	3.48	5	0.00	0	0.31	2	21.40	29
4397	Dassieshoek	33 44	19 53	1100	0.60	3	0.53	5	1.57	6	0.85	4	4.54	10	2.72	8	2.54	9	2.58	8	1.44	6	4.55	8	0.34	2	0.06	2	22.32	71
4398	Robertson (B.H. School)	33 48	19 53	600	0.00	0	0.00	0	0.50	1	0.70	2	4.27	9	1.91	6	2.09	5	2.05	8	0.30	1	1.77	3	0.00	0	0.02	1	13.61	(36)

No.	STATION STASIE	Latitude Breedtegr. S.	Longitude Lengtegr. E.	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4399	Robertson	33°48'	19°53'	600	0.00	0	0.16	2	0.46	3	0.65	2	4.18	9	2.00	7	2.09	5	2.05	8	0.30	1	1.77	3	0.00	0	0.02	1	13.68	41
4400	De Hoop	33 46	19 54	670	0.42	1	0.00	0	0.59	2	0.60	1	3.65	5	2.79	4	2.72	6	2.70	6	1.23	3	3.42	5	0.46	1	0.00	0	18.58	34
4400 A	Riviersonderend	34 09	19 55	800	0.00	0	0.70	3	0.52	3	1.28	3	4.73	11	1.95	9	2.47	10	2.16	8	0.74	3	1.49	10	0.75	2	0.54	3	17.33	65
4401	Elipdale	34 18	19 58	559	-	-	0.00	0	0.18	1	1.22	2	4.86	8	2.37	3	2.15	3	2.82	4	0.00	0	4.85	6	0.00	0	0.25	1	(18.70	28)
4402	Bergendal	33 47	20 00	-	0.24	2	0.20	1	0.65	2	0.47	1	3.78	6	2.65	7	2.26	7	2.28	7	0.82	3	4.23	6	0.69	1	0.00	0	18.27	43
4405	Zoetendalsvlei	34 45	20 00	70	0.05	1	0.20	4	0.30	3	1.77	6	5.89	13	5.46	12	3.65	13	4.91	15	0.79	8	6.41	13	1.09	2	1.03	7	31.55	97
4406	Cape L'Agulhas	34 50	20 01	62	0.22	4	0.29	7	0.38	6	1.46	8	4.13	15	5.71	14	3.78	13	3.18	12	0.40	5	7.28	13	0.64	5	0.73	9	28.20	111
4407	Bredasdorp	34 32	20 02	220	0.00	0	0.00	0	0.64	4	1.42	4	3.75	13	3.18	8	2.07	6	3.28	9	0.39	3	6.55	7	0.37	1	0.27	2	21.92	57
4408	Tsomarivier	33 20	20 02	2500	0.00	0	0.00	0	0.27	2	0.25	1	2.72	6	2.54	8	1.62	4	1.14	6	0.00	0	1.37	3	0.00	0	0.00	0	9.91	30
4408 N	Noutgedag	33 14	20 05	-	0.00	0	0.29	2	0.63	1	0.42	1	2.73	6	3.96	10	3.86	7	1.75	7	0.11	1	1.02	3	0.02	1	0.00	0	14.79	39
4409	Bonnievale	33 56	20 05	-	0.00	0	0.00	0	0.06	2	0.54	1	1.97	4	2.07	4	2.21	5	1.22	5	0.24	1	2.90	4	0.53	1	0.06	1	11.80	28
4410	Middelvoetpad	33 41	20 04	-	0.00	0	0.00	0	0.00	0	0.12	1	4.33	5	1.59	6	0.98	4	1.41	4	0.21	1	1.93	6	0.00	0	0.00	0	10.57	27
4411	Montagu	33 47	20 07	746	0.22	2	0.03	1	0.25	3	0.70	2	5.45	10	2.78	10	2.60	9	2.08	9	0.08	1	2.88	7	1.00	1	0.21	2	18.28	57
4412	Protea	34 16	20 05	880	0.00	0	0.15	1	0.35	1	0.85	2	3.75	8	2.22	6	0.50	3	1.80	3	0.65	1	5.20	5	0.00	0	0.15	1	15.62	31
4413	Tweevlei	34 25	20 12	-	0.00	0	0.00	0	0.00	0	1.08	2	2.64	8	2.21	6	1.10	3	2.20	4	0.10	2	4.49	5	0.00	0	0.00	0	13.82	30
4414	Kleinfontein	34 07	20 13	-	0.00	0	0.00	0	0.24	3	0.90	2	2.42	8	1.98	9	1.50	10	1.43	6	0.70	2	4.47	7	0.27	1	0.00	0	13.91	48
4415 a	Tierhoek	33 20	20 13	-	0.00	0	0.07	2	0.54	2	0.26	1	2.29	7	2.11	11	1.32	5	0.67	5	0.16	2	0.53	1	0.00	0	0.00	0	7.95	36
4415 A	Plaatjeskraal	34 20	20 16	-	0.00	0	0.05	1	0.15	2	1.06	2	3.06	10	2.41	6	1.80	6	2.57	8	0.88	6	3.90	9	0.95	1	0.02	1	16.85	52
4415 B	Muurkraal	34 15	20 17	-	0.00	0	0.00	0	0.00	0	0.73	2	2.57	10	2.84	12	1.85	8	2.24	7	0.47	3	4.15	4	0.95	1	0.00	0	15.80	47
4415 C	Hoek van die Berg	33 36	20 19	-	0.00	0	0.00	0	0.05	1	0.20	1	2.68	6	2.10	7	1.29	4	1.12	4	0.00	0	2.47	3	0.00	0	0.00	0	9.91	26
4416	Schaperskrust	33 54	20 23	-	0.00	0	0.00	0	0.00	0	0.84	2	5.03	9	2.60	6	2.02	5	1.89	6	0.10	1	4.66	4	0.70	1	0.10	1	17.94	35
4417	Swellendam	34 02	20 27	420	0.25	4	1.36	6	1.34	9	1.73	7	3.40	13	2.77	10	3.12	9	3.69	8	2.00	7	5.23	11	0.74	3	0.96	4	26.59	91
4418	Swellendam (Forest)	34 01	20 26	836	0.50	5	2.16	5	1.88	9	1.53	5	3.07	10	2.51	10	3.10	9	3.18	9	2.94	11	5.38	11	0.83	3	1.81	6	28.89	93
4419	Pieter Meintjies Station	33 15	20 26	3595	0.15	1	0.08	2	1.44	2	0.30	1	2.65	6	3.41	7	2.41	6	2.16	6	0.14	1	0.91	2	0.28	1	0.00	0	13.93	35
4420	Baklysdrift	34 06	20 30	-	0.31	1	0.04	1	0.24	2	0.92	4	2.75	12	2.26	9	2.16	6	1.66	7	1.89	6	3.43	8	0.47	1	0.32	2	16.45	59
4421	Fortein	33 00	20 33	-	0.00	0	0.00	0	2.90	2	1.30	2	3.15	2	5.30	4	3.98	5	1.83	3	0.00	0	0.30	1	0.00	0	0.00	0	18.76	19
4422	Matjesfontein	33 14	20 35	2970	0.00	0	0.00	0	1.74	2	0.28	1	1.30	5	1.54	5	0.91	4	0.87	3	0.00	0	0.61	2	0.00	0	0.00	0	7.25	22
4423	Bellair	33 42	20 36	-	0.00	0	0.00	0	0.25	2	0.17	1	1.26	5	1.25	3	0.29	2	0.33	1	0.00	0	1.45	2	0.23	1	0.00	0	5.23	17
4424	Hillsdale	33 04	20 37	-	0.11	1	0.26	2	1.12	2	0.45	1	1.27	2	1.70	3	1.42	1	0.25	2	0.05	1	0.31	1	0.00	0	-	-	(6.94	18)
4425	White Hill Rail	33 14	20 38	-	0.00	0	0.55	2	1.93	4	0.26	1	1.49	5	1.73	7	0.95	3	0.52	3	0.07	1	0.42	2	0.00	0	0.00	0	7.92	28
4425 A	Oudekraalskop	34 10	20 45	-	0.00	0	0.17	1	0.28	1	0.66	1	3.10	7	2.06	4	1.00	4	1.74	3	0.85	3	2.35	5	0.98	1	0.12	2	13.31	32
4429	Barrydale	33 54	20 44	-	0.00	0	0.00	0	0.19	1	0.40	2	3.28	7	1.60	9	1.52	7	1.54	7	0.31	2	2.40	5	0.72	2	0.00	0	11.96	42
4429 N	Van Reenens Crest	34 05	20 43	-	0.00	0	0.48	2	0.53	2	1.31	3	3.71	9	2.65	8	2.02	8	2.89	7	2.54	4	3.90	8	1.25	4	0.48	3	21.76	58
4430 N	Fort Beaufort	34 23	20 50	-	0.00	0	0.00	0	0.03	1	0.48	1	2.35	8	2.89	11	0.94	6	1.31	7	0.26	2	3.13	9	0.57	1	0.17	1	12.13	47
4431	Prinsrivier	33 31	20 46	-	0.00	0	0.40	1	0.58	1	0.58	1	1.00	5	0.78	2	0.35	1	0.43	2	0.26	1	0.68	2	0.15	1	0.00	0	5.21	17

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4434	Strawberry Hill	33°99'	20°50'	1450	1.38	7	2.53	8	3.03	8	2.18	4	4.92	10	3.47	9	2.42	7	3.41	8	3.66	8	5.98	11	0.83	1	2.24	5	36.05	86
4435	Laingsburg	33 11	20 51	2160	0.00	0	0.00	0	0.85	2	0.00	0	0.11	1	0.70	3	0.38	1	0.00	0	0.00	0	0.40	2	0.00	0	0.00	0	2.44	9
4438	Blackdown	34 03	20 57	-	0.00	0	0.62	4	0.27	2	0.72	4	2.87	8	1.81	6	1.39	5	2.51	8	0.47	3	1.83	5	0.75	1	0.32	3	13.56	49
4439	Buffelsvlei	33 28	21 02	-	0.00	0	0.00	0	0.15	1	0.17	1	1.19	3	0.44	2	0.20	1	0.30	1	0.00	0	0.00	0	0.00	0	0.00	0	2.45	9
4440	Heidelberg	34 05	20 58	200	0.00	0	0.26	2	0.20	2	0.89	5	3.43	8	1.97	8	1.05	5	1.86	8	0.93	5	2.29	7	0.58	1	0.08	1	13.54	52
4441	Poortfontein	33 44	20 59	-	0.00	0	0.01	1	0.10	1	0.34	3	1.15	4	0.68	3	0.45	-	0.00	0	0.10	1	2.35	-	0.15	1	0.00	0	5.33	(14)
	SECTION 28.																													
4442	Algerynskraal	33 35	21 08	-	0.00	0	0.00	0	0.00	0	0.20	1	1.56	7	0.37	3	0.48	4	0.14	1	0.08	1	0.42	2	0.15	1	0.00	0	3.40	20
4443	Correnterivier	34 00	21 08	-	0.52	4	0.71	4	1.29	7	1.90	6	4.44	10	2.67	10	1.27	5	2.76	7	1.70	5	6.28	7	1.17	3	1.33	4	26.04	72
4444	Rietvlei	33 21	21 16	-	0.00	0	0.73	2	0.87	1	0.60	1	3.09	6	1.25	5	1.07	4	0.75	3	0.00	0	1.80	3	0.25	1	0.00	0	10.41	26
4446	Riversdale	34 06	21 16	354	0.11	2	0.34	5	0.32	6	0.94	5	3.10	11	2.20	11	0.80	8	2.04	8	2.10	5	2.64	9	1.10	2	0.33	3	16.02	75
4447	Heup	33 07	21 16	2405	0.00	0	0.00	0	1.77	3	0.23	4	0.46	5	0.84	5	0.22	2	0.32	3	0.00	0	0.57	3	0.00	0	0.00	0	4.41	25
4448	Ladismith	33 29	21 16	1860	0.00	0	0.76	4	0.32	2	0.94	4	2.16	8	0.74	5	0.82	6	1.73	5	0.15	2	1.88	8	0.42	1	0.12	2	10.04	47
4448 a	Garcia	34 00	21 17	-	0.31	7	1.03	7	1.22	8	1.25	4	3.27	12	1.60	10	0.85	6	2.47	7	2.01	7	4.34	12	0.80	2	0.81	5	19.96	87
4448 A	Kafferkuilsrivier	34 05	21 20	-	0.05	1	0.05	1	0.36	3	0.72	3	2.75	10	1.91	8	0.40	4	1.10	6	3.20	2	3.00	5	0.05	1	0.10	-	13.69	(44)
4449	Still Bay	34 22	21 25	-	0.42	4	0.39	5	0.56	7	0.84	7	4.07	12	3.09	15	0.62	9	1.20	8	0.83	9	2.69	13	0.56	3	0.94	8	16.21	100
4450	Weltevrede	34 07	21 33	-	0.00	0	0.57	5	0.17	3	0.67	3	2.28	10	2.23	12	0.71	7	1.54	7	0.47	3	2.56	9	1.07	1	0.28	2	12.47	62
4451	Opsoek	33 28	21 30	-	0.00	0	0.06	2	0.60	2	0.64	3	2.26	7	0.88	4	0.61	6	1.11	3	0.11	1	2.29	9	0.35	1	0.10	1	9.01	39
4452	Albertinia	34 12	21 35	-	0.07	1	0.96	4	0.42	3	0.78	3	3.60	9	2.99	8	0.55	5	2.24	7	0.48	4	3.14	9	1.11	1	0.24	2	16.58	56
4454	Calitsdorp	33 32	21 41	750	0.00	0	0.00	0	1.28	4	0.28	3	1.02	6	0.80	5	0.40	5	0.67	3	0.09	1	1.25	4	0.45	1	0.09	1	6.33	33
4456	Lenhoff	33 58	21 47	-	0.00	0	0.00	0	0.00	0	0.90	2	3.01	5	0.85	3	1.00	3	0.50	2	1.70	3	0.30	1	0.00	0	0.00	0	8.26	19
4456 A	Weltevreden	33 16	21 45	-	0.00	0	0.15	1	1.34	2	0.00	0	1.95	6	0.96	3	0.07	1	0.00	0	0.00	0	1.66	5	0.15	1	0.00	0	6.28	19
4458	Groenfontein	33 27	21 49	-	0.00	0	0.00	0	0.58	2	1.25	-	0.00	0	1.10	-	0.27	1	1.52	4	0.00	0	1.99	3	0.00	0	0.15	-	6.86	(10)
4458 A	Die Eiland	34 17	21 51	-	0.10	1	0.30	1	0.00	0	0.85	3	4.10	8	2.40	8	0.00	0	0.85	3	1.94	3	1.00	4	0.00	0	0.00	0	11.54	31
4459	Kruisrivier	33 26	21 54	-	0.00	0	0.00	0	0.86	2	1.45	2	2.94	5	1.89	3	1.22	1	1.47	3	0.00	0	3.66	5	0.00	0	0.00	0	13.49	21
4460	Matjesrivier	33 23	22 03	-	0.04	1	0.11	2	1.24	2	1.00	5	4.70	8	1.19	6	1.60	7	1.20	5	0.13	2	2.81	12	0.50	1	0.34	2	14.86	53
4461	Welbedacht	33 36	22 00	-	0.00	0	0.00	0	0.00	0	0.25	1	3.02	2	1.15	4	0.10	1	0.68	2	0.00	0	0.62	2	0.15	1	0.00	0	5.97	13
4462	Prince Albert	33 13	22 02	2120	0.00	0	0.33	2	1.60	4	0.34	1	2.87	7	1.13	6	0.20	4	0.14	1	0.00	0	0.70	3	0.00	0	0.23	2	7.54	30
4463 H	Ruiterbos	33 53	22 03	-	1.68	7	1.82	7	1.99	9	1.22	4	5.53	8	3.45	9	1.54	6	3.19	5	1.76	7	4.68	9	0.94	3	0.75	3	28.55	77
4464	Ewepartuin	34 00	22 05	-	0.04	1	1.46	5	0.47	4	0.46	3	0.69	3	2.79	6	0.50	2	0.42	2	3.30	2	3.66	7	0.51	1	0.45	1	14.75	37
4464 H	Zachariasfontein	33 05	22 10	-	0.00	0	0.92	3	2.06	5	0.19	2	2.70	6	0.86	4	0.63	6	0.08	1	0.00	0	0.36	4	0.00	0	0.12	1	7.92	32
4465	Cape St. Blaise	34 11	22 09	196	0.10	4	0.43	7	0.42	6	0.47	8	3.06	9	2.49	13	0.41	7	0.70	5	0.67	8	1.20	10	0.41	4	0.58	6	10.94	87
4466	Jonkersberg	33 55	22 14	-	2.68	12	2.57	7	2.64	7	1.48	8	4.84	11	2.38	9	1.15	6	4.87	5	1.88	9	7.21	15	1.11	5	2.54	6	35.35	100

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4467	Sandhoogte	34°03'	22°12'	-	0.85	2	0.81	4	0.39	2	0.46	1	2.66	6	1.70	5	0.48	3	0.92	2	0.58	3	2.52	5	0.44	1	0.40	2	12.21	36
4468	Oudtshoorn (Gaol)	33 35	22 12	1090	0.13	2	0.22	3	0.38	4	0.62	4	2.60	7	1.26	7	0.35	6	0.92	3	0.11	3	1.40	9	0.37	2	0.23	3	8.59	53
4469	Oudtshoorn	33 35	22 12	1090	0.10	1	0.20	3	0.34	3	0.54	2	2.60	7	1.35	6	0.33	3	1.02	4	0.12	2	1.32	-	0.31	1	0.12	1	8.35	(33)
4470	Oudtshoorn	33 35	22 12	1100	0.15	2	0.19	3	0.38	3	0.23	3	2.84	9	1.42	7	0.55	9	0.94	3	0.09	1	1.52	9	-	-	0.19	3	(8.51	52)
4471	Great Brak River	34 03	22 14	14	1.15	5	1.13	4	0.54	5	0.71	4	2.76	8	2.32	8	0.70	5	1.30	5	0.92	5	3.20	9	0.35	1	0.65	3	15.73	62
4472	Mount Hope	33 47	22 14	-	0.11	1	0.02	1	0.34	3	0.45	3	5.55	8	2.03	8	0.35	4	0.32	3	0.66	2	2.00	6	0.22	2	0.00	0	12.05	41
4473	Willow Glen	33 16	22 14	-	0.00	0	0.38	1	1.75	-	0.35	1	5.57	6	2.20	7	0.82	4	0.56	2	0.00	0	1.26	3	0.28	1	0.00	0	13.17	25
4474	Kleinfontein	33 56	22 18	-	1.01	4	0.80	4	1.25	5	0.61	2	3.90	7	2.96	5	1.02	5	2.14	4	0.86	4	4.28	9	0.92	3	1.34	5	21.09	57
4475	Schoemanshoek	33 29	22 15	-	0.00	0	0.09	1	0.60	2	0.73	2	3.34	6	0.79	4	0.43	3	1.35	3	0.09	1	1.65	7	0.14	2	0.35	2	9.56	33
4477	Rust-en-Vrede	33 24	22 21	-	0.13	2	0.36	4	0.93	4	1.64	7	5.07	7	1.24	-	1.66	8	1.80	4	0.23	-	3.83	-	0.87	2	1.64	6	19.40	(44)
4480	Windymare	33 57	22 24	-	1.60	13	1.52	10	1.48	11	1.01	11	6.62	12	2.87	10	1.47	9	3.10	7	1.11	10	5.76	18	0.75	4	1.23	8	28.52	123
4480 M	George (Aerodrome)	33 58	22 27	-	1.44	11	1.37	8	1.27	11	1.45	9	5.00	12	2.86	10	1.80	7	3.17	6	1.14	7	5.84	15	0.56	2	1.03	9	26.93	107
4481	Herold	33 51	22 26	-	0.10	1	0.19	1	0.47	4	0.44	4	5.71	7	2.18	9	0.41	3	1.79	4	0.23	2	1.92	12	0.71	4	0.34	2	14.49	53
4482	George (Rectory)	33 58	22 28	750	1.42	12	1.59	9	1.83	11	1.08	9	5.30	15	2.96	10	2.05	9	3.90	8	1.42	13	5.52	16	0.76	6	1.61	8	29.44	126
4483 A	Le Roux	33 32	22 29	-	0.00	0	0.00	0	0.48	2	0.40	1	4.50	2	2.13	5	0.67	3	0.00	0	0.00	0	1.62	3	0.36	1	0.00	0	10.16	17
4484	Zeekoegat	33 02	22 34	3290	0.00	0	0.10	1	1.48	2	0.60	1	2.32	3	1.76	4	1.42	4	0.20	1	0.55	1	1.26	2	0.00	0	0.13	1	9.82	20
4485	Klaarstroom	33 20	22 30	2640	0.00	0	0.00	0	3.28	4	0.39	2	2.86	7	0.69	4	0.50	3	0.28	2	0.00	0	0.90	3	0.08	1	0.12	1	9.10	27
4486	Zwartkraal	33 11	22 33	2600	0.00	0	0.38	3	1.60	2	0.27	1	2.63	6	1.35	4	1.25	6	0.18	1	0.00	0	1.09	5	0.00	0	0.12	1	8.87	29
4487	De Rust	33 30	22 22	1250	0.00	0	0.25	2	0.75	3	0.53	1	4.57	7	1.49	6	0.84	5	1.08	1	0.08	1	1.23	5	0.37	1	0.33	4	11.52	36
4487 A	Paradys	33 58	22 32	733	1.72	9	1.50	6	2.31	9	0.71	8	6.41	12	2.99	8	1.87	8	4.84	8	1.55	9	4.78	15	0.88	5	1.64	8	31.20	105
4489 A	Klipgat	33 06	22 40	2500	0.00	0	0.26	2	1.33	2	0.23	1	1.88	2	1.87	3	0.97	2	0.15	1	0.00	0	0.84	1	0.00	0	0.26	1	7.79	15
4490	Rondavel	33 12	22 43	2250	0.00	0	0.32	1	1.43	2	0.15	1	2.00	3	0.80	2	1.00	3	0.00	0	0.00	0	0.55	1	0.00	0	0.00	0	6.25	13
4491	Aangenaam	33 31	22 38	-	0.02	1	0.10	1	1.21	2	0.60	1	6.13	7	2.01	7	1.17	3	0.76	1	0.05	1	1.27	3	0.74	1	0.10	1	14.16	29
4492	Bergplaats	33 54	22 40	-	2.21	13	1.90	7	1.93	12	0.63	6	5.72	12	3.45	10	0.76	8	2.90	7	1.41	13	5.83	15	1.60	5	1.28	8	29.62	116
4492 A	Kleinplaat	33 51	22 40	-	1.49	8	0.74	7	0.95	10	0.97	7	7.12	11	3.78	11	0.71	5	1.73	4	0.61	12	3.82	15	1.07	4	0.78	5	23.77	99
4493	Woodville	33 57	22 40	-	1.77	11	1.43	7	1.57	8	1.00	7	4.93	12	2.92	10	1.35	8	3.64	7	1.80	12	4.66	15	1.27	5	1.77	7	28.11	109
4494	Schoonberg	33 48	22 39	-	0.00	0	0.55	2	0.66	1	0.52	2	8.34	5	3.90	9	0.76	4	1.69	3	0.00	0	2.65	7	0.00	0	0.00	0	19.07	33
4498	Molen River	33 46	22 49	-	0.00	0	0.06	1	0.43	2	0.63	2	6.85	9	3.92	8	0.53	3	0.88	3	0.09	1	1.56	5	0.48	2	0.35	2	15.78	38
4499	Furleigh	33 54	22 53	-	3.04	11	2.18	8	1.62	6	1.22	4	6.55	8	3.14	7	1.35	4	2.65	5	2.70	10	4.13	12	2.26	6	2.79	7	33.63	88
4500	Karatara	33 54	22 51	-	1.85	9	1.24	6	1.74	10	0.75	6	6.20	14	3.24	10	1.76	7	2.68	6	1.50	11	4.10	16	1.87	5	2.21	7	29.14	107
4502	Rooiriviier	33 32	22 49	-	0.00	0	0.00	0	0.95	3	0.70	2	5.89	7	2.88	7	0.66	3	0.53	1	0.11	1	1.21	3	0.10	1	0.15	2	13.18	30
4503	Geelhoutboom	33 54	22 48	-	1.81	7	1.33	6	1.39	9	0.69	4	6.31	11	3.66	13	1.33	6	2.86	7	1.59	12	4.56	14	1.20	4	1.91	7	28.64	100
4505	Buffelsklip	33 32	22 54	2000	0.00	0	0.10	1	0.00	0	0.00	0	5.30	5	2.11	5	0.54	1	0.00	0	0.00	0	1.41	2	0.00	0	0.00	0	9.46	24
4508	Roodekrans	33 28	22 59	-	0.00	0	0.00	0	1.29	3	0.48	2	3.90	5	1.22	3	0.31	3	0.30	1	0.00	0	0.86	3	0.00	0	0.00	0	8.36	20
4509	Millwood	33 53	22 59	1500	1.97	12	1.26	9	1.49	8	1.40	7	7.79	12	3.62	5	1.73	8	2.35	8	2.56	13	4.59	17	2.97	9	4.96	11	36.69	119

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4511	Rooiplaas	33°41'	22°58'	-	0.00	0	0.00	0	0.00	0	0.00	0	6.88	8	4.32	4	0.51	2	0.88	2	0.07	1	1.09	4	0.18	1	-	-	(13.93	22)
4512	Sourflats	33 57	23 00	710	1.26	12	1.06	9	1.04	7	0.87	5	6.78	12	3.46	5	1.70	8	1.72	5	1.32	13	3.40	16	1.76	8	2.95	10	27.32	110
4513	Belvedere	34 03	23 00	-	0.99	7	1.19	6	1.57	8	1.17	5	5.15	9	4.89	11	2.55	6	3.14	7	1.14	5	3.23	9	1.34	4	3.71	9	30.07	86
4514	Milnersdale	33 24	22 58	-	0.21	1	0.64	3	0.84	2	0.07	1	2.75	5	1.92	4	0.48	3	0.00	0	0.00	0	0.60	3	0.00	0	0.25	1	7.76	23
4514 A	Strydomsvlei	33 12	23 05	-	0.30	1	0.85	4	1.05	3	0.20	2	2.20	5	0.41	3	0.43	2	0.00	0	0.00	0	1.10	1	0.00	0	0.15	1	6.69	22
4515	Concordia	34 00	23 03	950	1.19	11	1.12	7	1.29	6	0.88	5	4.95	11	3.97	11	2.47	7	2.11	7	1.35	11	3.27	14	1.07	5	3.36	8	27.03	103
4520	Barnardsdale	33 25	23 07	2250	0.00	0	0.67	2	0.75	3	0.71	3	2.62	6	2.10	5	0.85	4	0.29	1	0.00	0	1.18	4	0.00	0	0.20	1	9.37	29
4521	Wolwekraal	33 43	23 03	2900	0.37	4	0.30	2	0.86	3	0.52	3	6.93	9	4.25	6	0.71	4	1.01	4	0.15	2	1.88	9	0.61	2	0.87	3	18.46	51
4522	Gouna	33 58	23 03	-	1.49	10	1.48	7	1.33	9	0.97	7	5.82	10	4.71	10	2.35	5	1.81	7	1.79	10	3.94	14	1.62	4	3.68	10	30.99	103
4523	Kafferskop	34 00	23 13	1300	1.09	5	1.48	4	1.30	6	0.97	5	6.30	9	4.50	10	1.38	4	2.18	5	0.84	7	3.64	9	1.10	3	3.69	7	28.47	74
4524	Slabbertspoort	33 08	23 11	-	0.00	0	0.82	3	2.00	3	0.92	2	1.91	3	0.45	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.20	1	6.30	13
4528	Uniondale	33 39	23 08	2244	0.02	1	0.39	4	1.15	5	0.59	5	5.34	9	3.51	13	0.81	7	0.59	2	0.09	1	0.85	5	0.19	3	0.39	5	13.92	60
4529	Vetvlei	33 32	23 08	-	0.70	1	0.40	1	0.81	4	0.51	3	2.88	7	2.50	5	0.86	6	0.57	2	0.00	0	1.13	5	0.00	0	0.00	0	10.36	34
4530	Avontuur	33 43	23 10	2879	0.00	0	0.41	3	0.59	2	0.00	0	6.52	7	4.59	5	1.22	2	0.00	0	0.00	0	1.79	4	0.46	1	0.73	2	16.31	26
4531	Buffelsnek	33 55	23 09	2216	3.12	8	1.80	8	2.08	6	0.89	5	9.88	10	6.75	11	2.75	6	2.88	7	1.79	11	4.99	10	2.29	6	4.12	9	43.34	97
4532	Deepwalls	33 57	23 10	1704	2.52	11	2.36	11	1.85	9	1.28	8	8.08	13	6.55	13	2.39	8	3.07	8	2.38	14	4.79	16	2.72	7	6.16	12	44.15	130
4534	Rooimuur	33 53	23 11	-	1.42	6	0.40	3	0.57	5	0.57	4	8.00	12	3.40	9	1.41	8	1.75	7	0.55	9	2.82	14	1.22	4	1.63	6	23.74	87
4535	Harkerville	34 03	23 14	550	1.67	12	2.40	9	1.90	7	1.18	6	8.68	13	5.36	13	3.04	10	3.93	7	1.69	12	4.97	13	2.91	6	5.37	11	43.10	119
4537	Krantsbosch	33 56	23 15	1186	2.16	15	1.50	8	1.23	9	0.83	7	6.82	12	4.19	11	1.37	8	1.93	9	1.51	11	3.32	14	1.37	6	2.53	10	28.76	120
4538	De Hoop	33 43	23 17	2250	0.00	0	0.00	0	0.72	3	0.60	3	5.87	7	2.89	5	0.91	3	0.52	1	0.00	0	2.15	5	0.25	1	0.25	1	14.16	29
4541	Plettenberg Bay	34 03	23 22	240	0.54	7	1.52	6	0.50	3	0.20	2	5.31	9	4.38	10	1.81	8	2.01	5	0.27	4	1.38	5	1.01	3	3.79	10	22.72	72
4542	Schilpadbeen	33 25	23 25	-	0.00	0	1.35	2	1.05	4	0.55	2	3.16	2	2.30	6	0.93	4	0.49	4	0.00	0	0.71	5	0.00	0	0.20	1	10.74	30
4542 A	Keurbooms River Forest	33 55	23 26	-	1.60	9	1.93	9	1.44	9	1.01	5	4.06	9	3.05	9	1.15	8	1.43	6	1.27	10	2.83	14	1.50	4	2.40	9	23.67	101
4544	Willowmore	33 17	23 30	2716	(0.32	2)	1.94	4	1.03	3	0.40	3	2.44	5	1.36	3	0.60	2	0.00	0	0.02	1	0.33	3	0.00	0	(0.26	1)	(8.70	27)
4545	Windheuwel	33 05	23 31	-	0.67	1	0.44	1	1.15	3	0.23	1	1.48	3	0.49	3	0.80	2	0.00	0	0.00	0	0.24	1	0.00	0	0.25	1	5.75	16
4545 A	Ongelegen	33 44	23 26	-	0.00	0	0.43	3	0.75	4	0.76	3	6.58	10	4.09	10	0.82	8	0.55	3	0.00	0	1.64	9	0.28	4	0.54	4	16.44	58
4546	Klein Rivier	33 47	23 36	-	0.29	7	0.68	6	1.28	8	0.63	5	5.67	10	5.16	11	1.35	8	1.27	8	0.23	6	1.91	13	1.19	6	1.34	7	21.00	95
4546 M	Lomar	33 15	23 40	-	0.00	0	3.26	6	0.76	3	0.94	2	1.19	6	1.08	4	0.57	2	0.00	0	0.00	0	0.00	0	0.00	0	0.19	1	7.99	24
4547	Ovendale	33 12	23 42	-	0.87	2	1.38	7	0.74	3	0.48	2	1.27	5	1.01	3	0.77	3	0.10	1	0.00	0	0.40	1	0.24	1	0.00	0	7.26	28
4548	Moorsdale	33 10	23 45	-	0.32	3	1.10	6	0.53	3	0.83	3	1.05	6	1.05	4	1.23	4	0.06	1	0.00	0	0.56	5	0.00	0	0.16	1	6.89	36
4549	Blauwkrans	33 57	23 38	700	1.64	10	1.37	6	1.48	4	0.94	4	6.72	9	4.20	11	2.25	5	1.19	7	1.48	6	1.80	11	1.25	4	3.64	5	27.96	82
4550	Lottering	33 57	23 47	700	1.76	10	1.49	7	1.65	7	1.21	4	7.36	7	5.51	11	2.61	4	2.04	7	1.22	6	3.02	11	2.02	6	4.60	11	34.49	91
4551 A	Rietrivier	33 30	23 45	-	0.00	0	1.90	1	0.15	1	0.21	1	3.05	2	2.46	5	0.56	3	0.00	0	0.00	0	0.59	3	0.00	0	0.00	0	8.92	16
4552	Krakeelrivier	33 48	23 45	-	0.00	0	0.75	1	1.58	3	0.75	2	9.28	7	5.88	7	1.49	5	0.96	4	0.15	1	2.44	7	0.33	1	0.90	3	24.51	41
4553	Fullarton	33 10	23 50	2016	0.16	3	2.71	5	0.47	3	0.68	3	0.47	6	0.83	2	1.05	4	0.00	0	0.00	0	0.37	2	0.00	0	0.14	1	6.88	29

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4554 M	Joubertina	33°49'	23°51'	-	0.14	2	0.34	4	1.59	8	0.58	5	8.02	8	4.78	9	1.03	-	0.87	6	0.21	2	1.62	11	0.37	2	0.68	3	20.23	60
4555	Stormsrivier	33 58	23 53	797	1.62	11	1.25	9	1.57	9	0.80	4	6.30	7	5.87	12	2.32	9	2.45	8	1.05	9	4.35	12	2.44	4	4.81	12	34.88	106
4558	Tweerivieren	33 50	23 53	-	0.00	0	0.00	0	0.61	2	0.57	2	8.87	4	5.23	5	0.83	2	0.64	1	0.00	0	0.93	3	0.00	0	0.52	1	18.20	20
4559	Veerenkraal	33 22	23 58	2088	0.13	2	3.92	5	0.93	4	1.28	4	1.17	4	0.70	3	0.24	2	0.00	0	0.00	0	0.73	3	0.00	0	0.00	0	9.10	27
4560 A	Hendrikskraal	33 53	24 06	-	0.44	9	0.74	6	1.19	5	0.73	3	9.75	9	6.79	11	0.68	8	1.27	9	0.17	7	2.54	13	1.04	5	1.29	4	26.63	89
4560 B	Bikasma	33 13	24 07	-	0.14	1	2.35	4	0.50	3	0.53	2	0.37	1	0.34	1	0.68	1	0.00	0	0.00	0	0.67	3	0.00	0	0.13	1	5.71	17
4561	Koeifontein	33 30	24 08	-	0.00	0	2.13	6	0.70	4	0.40	2	0.71	3	1.89	3	0.54	2	0.00	0	0.04	1	0.12	2	0.09	1	0.17	1	6.79	25
4562	Witte Elsbosch	34 00	24 09	745	1.76	6	0.88	5	1.21	5	1.21	3	9.08	7	5.46	10	2.82	7	2.49	7	0.29	2	3.22	7	2.03	3	4.26	6	34.71	68
4563	Zandvlakte	33 35	24 10	-	0.35	2	2.33	7	0.36	3	0.55	3	2.21	4	2.59	5	0.44	1	0.06	1	0.06	1	0.84	3	0.00	0	0.16	1	9.95	31
4564	Nooitgedacht	33 48	24 14	-	0.85	8	1.26	9	0.57	6	0.78	2	4.12	6	3.54	7	0.27	4	0.31	2	1.09	6	3.12	10	0.28	3	0.55	4	16.74	67
4566	Hoolkrans	33 31	24 17	-	0.16	1	2.24	4	0.35	2	1.33	2	1.21	3	2.65	-	0.47	1	0.00	0	0.00	0	0.45	1	0.00	0	0.00	0	8.86	14
4566 A	Zuur Anys	33 53	24 17	-	1.00	6	1.11	10	1.31	8	0.98	6	7.35	8	5.40	12	0.74	7	1.26	6	0.38	6	2.75	10	1.04	6	1.50	8	24.82	93
4567 M	Klipdrift	34 04	24 17	-	0.97	7	0.82	5	1.12	5	0.54	4	10.77	8	5.83	9	3.82	10	3.13	8	0.72	4	4.32	11	1.69	3	5.05	8	38.78	82
4568	Steytlerville	33 20	24 19	2200	0.34	2	1.73	6	0.46	3	0.78	3	0.74	3	0.55	2	0.67	3	0.00	0	0.21	1	0.40	5	0.21	1	0.15	1	6.24	30
4569	Klipplaat	33 02	24 20	2030	0.59	3	2.68	6	1.33	4	0.53	2	0.75	4	0.42	2	1.00	2	0.00	0	0.00	0	0.11	2	0.00	0	0.16	1	7.57	26
4570	Kranskop	33 14	24 22	-	0.90	2	4.51	6	0.31	2	0.58	3	0.00	0	0.50	2	0.52	2	0.24	1	0.00	0	0.14	1	0.00	0	0.00	0	7.70	19
4571	Waaipoort	33 25	24 25	-	0.00	0	3.63	3	0.80	3	0.65	2	0.64	2	0.51	2	0.85	1	0.00	0	0.17	1	0.10	1	0.28	1	0.00	0	7.63	16
4574	Dawkomskraal	33 54	24 30	-	1.06	5	1.11	5	0.70	2	0.65	2	5.03	5	4.53	7	0.73	2	1.38	2	0.45	1	2.40	6	1.20	2	0.85	3	20.09	42
4576	Driekopsvlei	33 05	24 46	-	0.55	1	1.51	5	1.37	3	0.38	2	0.43	2	0.18	1	0.68	2	0.00	0	0.00	0	0.07	1	0.10	1	0.21	1	5.48	19
4577	Strydomslaagte	33 02	24 35	-	0.30	1	2.44	5	1.20	2	0.46	2	0.50	2	0.00	0	0.90	1	0.00	0	0.00	0	0.30	2	0.00	0	0.00	0	6.10	15
4577 A	Doornrivier	33 34	24 33	-	0.85	3	1.26	3	0.30	1	0.87	4	1.80	3	0.34	2	0.73	2	0.00	0	0.00	0	0.16	1	0.40	1	0.39	2	7.10	22
4579	Comdomo	33 44	24 38	-	0.88	7	1.36	11	0.44	5	0.47	3	2.49	6	2.68	5	0.43	2	0.56	3	0.06	2	0.58	7	0.48	2	0.28	2	10.71	55
4580	Kruisrivier	33 40	24 22	-	0.26	2	0.98	4	0.00	0	1.08	1	2.63	4	2.80	3	0.16	1	0.00	0	0.05	1	0.41	1	0.30	2	0.00	0	8.67	19
4581	Mistkraal	33 43	24 40	-	0.63	4	1.12	4	0.65	5	0.35	3	1.90	4	2.50	3	0.48	2	0.28	2	0.03	1	0.57	4	0.67	2	0.32	2	9.50	36
4583	Vogelstruiskop	33 06	24 40	-	0.45	1	2.49	5	1.63	3	0.59	3	0.00	0	0.29	1	0.68	1	0.00	0	0.00	0	0.28	2	0.00	0	0.20	1	6.61	17
4584	Langhoogte	33 54	24 43	-	0.80	6	1.18	8	0.38	4	0.68	4	3.28	6	3.12	8	0.90	4	2.10	5	0.26	4	3.33	7	1.89	2	0.84	5	18.76	63
4585	Sandpoort	33 25	24 42	-	0.17	1	2.34	4	0.67	2	0.00	0	1.10	3	1.48	2	0.71	2	0.00	0	0.00	0	0.25	1	0.00	0	0.20	1	6.92	16
4586	Renstroom	33 12	24 45	-	0.45	2	2.40	4	1.61	3	0.77	3	0.84	3	0.63	2	1.00	2	0.00	0	0.11	1	0.07	1	0.00	0	0.21	1	8.09	22
4587	Hamansdorp	34 02	24 46	-	1.28	4	1.37	4	0.45	4	0.61	3	5.47	6	3.85	5	1.00	5	4.91	5	1.20	3	6.35	8	0.20	1	0.95	2	27.64	50
4588 A	Farndale	33 43	24 51	-	1.24	6	1.92	10	0.73	5	0.81	6	2.40	6	2.22	5	0.52	2	0.53	4	0.32	4	1.57	10	2.41	3	0.52	7	15.19	68
4589	Wolwefontein	33 18	24 50	-	1.41	4	1.39	3	1.51	3	1.00	4	0.77	3	0.88	3	0.91	3	0.00	0	0.00	0	0.60	6	0.00	0	0.30	1	8.77	30
4590	Saltpanaak	33 15	24 50	-	0.84	2	1.90	5	1.98	3	0.65	3	0.69	2	0.51	2	1.00	3	0.00	0	0.00	0	0.76	6	0.00	0	0.25	1	8.58	27
4593	Sanddrift	34 06	24 47	-	0.14	1	0.18	1	0.00	0	0.48	2	4.15	4	3.82	5	1.11	3	2.51	5	0.64	1	9.20	6	0.00	0	1.11	1	23.34	29
4594	Cape St. Francis	34 12	24 50	25	0.82	6	1.05	6	1.00	3	0.20	3	4.72	7	4.22	13	1.29	5	1.99	7	1.13	7	7.43	13	0.32	3	1.08	4	23.27	77
4595	Oranjezicht	33 10	24 52	-	0.37	1	0.91	2	1.81	3	0.91	3	0.46	1	0.36	2	0.58	2	0.49	1	0.00	0	0.00	0	0.12	1	0.22	1	6.23	17

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
4597	Hankey	33°50'	24°53'	-	0.68	2	0.90	4	0.22	2	0.36	2	1.97	2	1.97	2	0.52	2	0.78	2	0.00	0	0.11	1	0.50	1	0.00	0	8.01	20
4597 A	Noaga	33 42	24 54	-	1.11	-	1.65	-	0.26	-	0.83	-	2.07	-	2.67	-	0.45	-	0.86	-	0.12	-	2.69	-	0.74	-	0.90	-	14.35	-
4598	View Excello	33 51	24 53	-	0.90	3	1.26	6	0.17	1	0.48	4	2.29	5	2.18	4	0.49	2	0.61	2	0.00	0	2.02	4	0.35	1	0.20	2	10.95	34
4599	Kenmaan	33 29	24 56	-	0.00	0	1.51	3	0.66	2	0.66	2	1.30	3	1.99	4	0.86	2	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	6.98	16
4599 A	Jeffreys Bay	34 03	24 55	-	1.03	2	1.51	5	0.24	1	0.00	0	3.55	4	3.13	2	0.45	1	1.52	2	3.27	4	6.98	6	0.00	0	1.52	4	23.20	31
	SECTION 30.																													
5601	Waterford	33 05	25 00	-	1.00	3	0.93	6	1.72	3	1.42	4	0.46	3	0.29	3	0.51	2	0.00	0	0.00	0	0.20	2	0.00	0	0.19	1	6.72	27
5602	Tierhoek	33 31	25 00	-	0.30	2	2.10	4	0.79	3	0.46	2	2.01	4	3.60	4	0.75	1	0.00	0	0.00	0	0.28	1	0.85	2	0.12	1	11.26	24
5604	T.S.395 M.10	33 46	24 59	-	1.14	-	1.64	-	0.25	-	0.68	-	1.97	-	2.66	-	0.48	-	0.81	-	0.00	-	2.69	-	0.83	-	0.95	-	14.10	-
5604 A	Blue Berg	33 48	25 03	-	2.78	-	2.94	-	1.43	-	1.12	-	5.43	-	4.09	-	1.40	-	1.54	-	1.93	-	7.37	-	0.78	-	4.68	-	35.49	-
5605	Otterford	33 47	25 02	-	1.98	7	2.10	9	1.21	10	1.35	5	4.11	6	3.12	9	0.50	3	0.94	3	0.63	6	4.23	12	1.24	2	2.37	10	23.78	82
5606	Loerie Station	33 52	25 02	100	1.33	4	1.05	5	0.29	2	0.84	2	2.76	5	2.72	5	0.72	2	0.74	2	0.00	0	1.40	3	0.00	0	0.55	2	12.40	32
5608	Lower Forest Areas	33 50	25 03	-	0.72	-	1.92	-	0.00	0	0.00	0	2.78	-	2.55	-	0.20	-	0.66	-	0.00	0	2.13	-	0.00	-	0.74	-	11.70	-
5609	Buffelshoek	33 54	24 56	-	1.38	5	1.51	5	0.18	1	0.69	3	2.78	5	2.57	1	0.38	2	0.24	4	0.67	3	1.36	4	0.22	1	0.00	0	11.98	34
5610	Biesjesfontein	33 00	25 03	-	1.21	3	0.59	4	1.66	3	1.58	4	0.52	5	0.27	4	0.45	2	0.00	0	0.00	0	0.17	2	0.00	0	0.38	4	6.83	31
5611	Adolphskraal	33 31	25 05	-	0.05	1	1.69	6	0.62	2	0.52	2	1.54	3	1.62	5	0.15	1	0.00	0	0.00	0	0.00	0	0.20	1	0.00	0	6.39	21
5612	Longmore	33 51	25 08	-	1.74	7	2.34	11	1.11	9	1.11	5	4.58	6	4.60	10	1.10	4	1.36	4	0.54	6	4.21	10	0.24	1	2.66	9	25.59	82
5613	Lake Mentz	33 13	25 09	758	0.99	4	0.85	4	2.18	4	0.64	4	0.87	5	0.23	3	0.53	3	0.00	0	0.00	0	0.24	4	0.05	1	0.24	2	6.82	34
5615	Morgenpracht	33 27	25 06	-	0.30	1	1.05	3	0.67	2	0.44	2	0.80	2	0.84	3	0.62	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	4.72	14
5617	Loerie Plantation	33 48	25 05	-	2.02	6	2.68	11	2.15	9	0.76	3	5.44	7	3.92	8	1.57	5	1.85	5	1.57	8	5.65	12	0.84	3	3.28	11	31.73	88
5618	Witteklip Estate	33 54	25 15	-	1.30	7	2.55	12	0.84	9	0.60	3	6.38	8	6.21	11	0.90	4	1.06	4	0.89	10	2.89	10	0.00	0	3.05	7	26.67	85
5619	Die Vlei	33 41	25 20	-	1.52	-	1.92	-	0.95	-	0.48	-	2.84	-	2.84	-	0.62	-	2.91	-	2.03	-	4.91	-	0.08	-	0.24	-	21.34	-
5620	Van Staadens (Reservoir)	33 51	25 13	-	1.30	7	2.38	12	1.05	12	0.68	6	7.69	7	6.45	13	1.38	5	1.32	5	1.27	8	5.77	12	0.03	1	3.21	11	32.53	99
5621	Van Staadens (Hill)	33 49	25 11	1063	1.50	-	2.00	-	1.05	-	0.70	-	6.16	-	4.85	-	1.25	-	1.53	-	1.64	-	5.35	-	0.14	-	3.07	-	29.24	-
5622 M	Elandsrivier	33 43	25 18	-	1.44	4	1.74	6	0.97	5	0.50	3	2.65	4	2.52	5	0.55	2	2.84	3	1.84	5	4.64	7	0.07	1	0.51	5	30.27	50
5623	Uitenhage (Springs)	33 44	25 25	-	1.68	5	1.43	10	1.28	4	0.51	4	1.88	7	2.80	5	0.75	2	0.67	2	1.09	6	2.59	7	0.10	1	0.65	3	15.43	56
5626	Trig Kop (Elands)	33 45	25 14	-	1.80	-	1.98	-	0.98	-	0.53	-	2.93	-	2.63	-	0.59	-	2.80	-	1.83	-	4.84	-	0.05	-	0.60	-	21.56	-
5627	Uitenhage (Park)	33 46	25 24	358	0.32	4	2.28	11	1.08	4	0.48	4	2.93	4	3.75	5	0.73	3	0.54	1	2.21	9	-	-	0.39	3	0.61	4	(15.32	52)
5632	Klipfontein	33 10	25 23	-	0.57	3	0.73	2	2.09	3	0.88	3	1.36	4	0.39	4	0.62	2	0.00	0	0.00	0	0.49	5	0.10	1	0.00	0	7.23	27
5632 M	Asanzi	33 42	25 31	-	0.97	4	1.39	11	0.84	5	0.42	4	1.78	5	3.60	7	0.76	3	0.58	2	1.04	4	1.82	8	0.10	1	0.86	4	14.16	58
5633	Stella Home	33 56	25 34	-	1.21	7	1.70	10	1.15	6	0.37	3	4.46	7	5.51	13	0.84	5	1.47	6	1.31	10	2.03	10	0.11	2	2.05	9	22.21	88
5634	Middelwater	33 05	25 27	1335	1.02	2	0.81	2	2.00	3	0.46	3	1.52	4	0.29	2	0.30	2	0.00	0	0.00	0	0.57	3	0.25	1	0.31	3	7.53	25
5636	Carlton Cliff	33 30	25 40	115	0.87	4	1.55	8	0.45	3	0.66	3	1.65	6	1.57	5	0.58	2	0.02	1	-	-	0.51	4	0.23	2	-	-	(8.09	38)
5637	Port Elizabeth (Priory)	34 00	25 32	176	2.59	9	1.82	9	1.58	6	0.62	4	6.67	6	7.40	9	2.25	10	3.33	7	2.77	13	3.37	13	0.26	5	3.19	8	35.85	99
5638	Port Elizabeth (Lighthouse)	33 57	25 37	-	1.19	8	1.46	10	0.80	4	0.41	5	5.57	9	5.15	13	1.21	8	1.64	7	1.41	7	1.39	10	0.05	3	2.19	9	22.47	93

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
5639	Port Elizabeth (Golf Club)	33°57'	25°35'	320	1.22	6	1.40	9	0.96	4	0.31	3	5.63	9	6.59	13	1.14	5	1.99	6	1.86	5	2.32	10	0.34	1	1.42	7	25.18	78
5639 A	Port Elizabeth (Aerodrome)	33 59	25 36	205	0.57	5	1.65	8	0.91	4	0.03	1	5.97	9	5.69	11	1.16	6	2.28	7	2.07	9	1.86	10	0.04	2	1.78	9	24.01	81
5640	Drift Sands	33 59	25 37	100	1.49	7	1.68	8	0.91	4	0.45	5	5.05	9	5.26	13	1.36	7	2.33	6	1.93	6	2.15	10	0.12	2	1.62	7	24.35	84
5641	Walmer	33 58	25 35	-	1.75	7	1.54	7	0.93	4	0.31	2	5.92	8	5.77	11	1.48	5	2.40	5	1.88	6	2.22	11	0.00	0	2.82	8	27.02	74
5641 a	Humewood (Golf Club)	33 59	25 40	-	1.46	6	1.56	8	0.59	5	0.36	5	5.28	9	4.26	10	1.20	6	1.85	7	1.75	5	2.65	10	0.04	1	2.05	8	23.05	80
5641 A	Hermitage	33 31	25 40	-	0.82	5	0.99	8	0.30	4	0.61	3	1.64	6	2.22	8	0.50	4	0.20	3	0.04	1	0.75	7	0.41	2	0.17	3	8.65	54
5645	Moira	33 29	25 41	-	1.02	6	1.42	12	0.58	6	0.65	3	1.85	6	2.17	8	0.56	3	0.26	4	0.06	5	0.68	10	0.33	3	0.14	3	9.72	69
5646 A	Hopedale	32 50	25 49	-	2.48	3	0.53	2	1.10	5	0.63	2	0.74	4	0.15	2	0.15	1	0.00	0	0.00	0	0.60	3	0.36	2	0.27	2	7.01	26
5647	Grootfontein	33 16	25 53	-	1.31	3	1.27	2	1.33	2	0.42	2	1.78	4	0.00	0	0.34	1	0.00	0	0.00	0	0.65	3	0.40	1	0.20	1	7.70	19
5647 A	Arizona	33 35	25 51	-	1.45	3	0.64	1	0.12	1	0.67	3	3.48	5	3.82	2	0.00	0	0.00	0	0.12	1	0.86	5	0.00	0	0.77	2	11.93	23
5648 A	Bontkop	33 27	25 52	-	1.28	2	1.52	3	0.25	1	3.53	4	3.53	4	3.22	4	0.48	2	0.00	0	0.00	0	1.32	3	0.22	1	0.00	0	15.35	24
5649	Tembani	33 25	25 52	-	0.97	7	1.45	7	0.49	4	0.65	3	2.59	7	2.53	8	0.44	2	0.19	2	0.08	2	2.22	8	0.23	2	0.51	8	12.35	60
5650	Melakraal	33 00	26 01	-	1.34	3	1.22	5	1.20	3	1.02	2	1.12	3	0.99	4	0.21	1	0.00	0	0.00	0	1.13	4	0.42	1	0.36	2	9.01	28
5651	Vista	33 25	25 55	900	1.30	4	1.87	10	0.57	5	0.82	3	2.77	8	1.90	5	0.46	1	0.08	1	0.21	2	1.69	8	0.24	2	0.26	3	12.17	52
5652	Eensgevonden	33 12	26 07	-	2.69	2	2.74	5	0.80	2	0.30	2	1.70	4	1.20	2	0.40	1	0.00	0	0.00	0	1.40	5	0.02	1	0.71	4	11.96	28
5653	Alicedale	33 19	26 05	905	0.57	2	3.14	5	1.21	3	0.45	2	1.91	6	1.41	4	0.40	1	0.00	0	0.00	0	0.94	4	0.16	1	0.47	2	10.66	30
5654	Kalmoesfontein	33 15	26 06	2000	0.38	1	3.50	3	0.62	2	1.08	4	1.32	3	0.10	1	0.35	1	0.00	0	0.00	0	1.21	4	0.34	1	0.36	2	9.26	22
5655	Sydneyshope	33 24	26 13	1500	2.19	6	1.91	9	0.85	5	0.61	3	3.90	7	3.63	9	0.61	5	1.08	3	0.72	5	1.80	11	0.71	2	1.03	6	19.04	71
5656	Bird Island	33 50	26 18	35	0.66	4	1.02	9	0.47	8	0.25	5	2.44	5	3.71	9	1.10	4	4.46	4	0.54	6	1.73	11	0.00	0	1.93	3	18.31	68
5656 M	Carls Rust	33 22	26 18	-	1.06	5	3.09	10	1.28	6	1.02	4	4.10	8	3.58	9	0.56	4	0.43	2	0.24	3	2.08	11	1.03	5	1.01	6	19.48	73
5656 A	Clifton	33 27	26 20	1350	0.71	4	3.17	9	0.90	4	0.64	3	3.44	6	4.21	7	0.29	1	0.04	1	0.71	4	1.67	7	0.15	2	0.55	3	16.48	51
5657	Longbush	33 42	26 22	650	1.79	10	2.01	8	1.24	7	0.96	5	5.35	8	7.38	8	1.89	6	1.62	4	1.45	9	3.82	10	0.26	2	4.68	9	32.45	86
5658	Orinway	33 19	26 24	669	3.64	6	1.97	7	0.63	4	1.25	3	3.16	6	2.92	6	0.39	1	0.24	3	0.12	2	2.50	9	0.86	3	0.85	4	18.53	54
5659	Alexandria	33 39	26 25	669	1.49	3	1.81	9	0.43	4	0.62	3	3.90	6	5.47	10	0.95	5	0.86	2	0.81	7	2.49	6	0.06	2	2.24	6	21.13	63
5660	Longvale	33 35	26 21	950	0.85	6	2.75	7	1.27	6	0.29	2	4.35	6	4.18	10	0.56	3	0.00	0	0.80	6	1.84	7	0.08	2	1.35	5	18.32	60
5661	Slaaikraal	33 17	26 25	2000	3.11	7	1.73	13	0.50	5	0.76	1	2.86	6	2.76	7	0.41	2	0.06	1	0.22	5	2.65	14	0.85	1	1.25	6	17.16	68
5663	Grahamstown	33 18	26 32	-	2.59	8	1.89	11	1.26	8	0.91	4	3.14	8	2.76	8	0.39	4	0.06	1	0.32	5	2.88	11	0.85	5	0.95	6	18.00	79
5664	Grahamstown (Gaol)	33 18	26 32	1815	3.35	8	2.13	8	1.19	7	0.85	3	2.95	7	3.04	8	0.39	2	0.14	2	0.61	5	3.24	8	0.78	2	1.06	4	19.73	(64)
5664 M	Spadona	33 39	26 32	-	1.46	2	0.93	6	0.77	4	0.29	2	2.23	5	4.18	9	0.68	2	0.76	2	0.56	5	2.52	8	0.00	0	1.57	6	15.95	51
5666	Welbedacht	33 38	26 24	-	1.59	5	2.10	9	0.58	7	0.54	2	4.06	7	5.53	9	0.83	3	0.80	4	0.62	7	1.67	6	0.16	3	2.04	5	20.52	67
5667	Whitney	33 42	26 40	-	1.36	5	1.70	10	0.82	8	0.32	4	2.99	8	4.04	9	1.18	7	1.46	4	1.31	9	3.09	11	0.14	4	2.35	10	20.76	89
5668	Radway Green	33 21	26 40	1379	0.68	3	3.04	5	1.43	4	0.53	2	2.21	4	2.86	2	0.40	2	0.00	0	0.80	4	2.49	6	0.00	0	0.52	1	14.96	33
5669	Royville	33 32	26 43	950	2.15	4	1.92	5	0.39	2	0.45	3	1.50	3	1.46	3	0.45	2	4.37	2	1.00	5	4.43	6	0.00	0	1.41	3	19.53	38
5669 L	Stoneyvale	33 16	26 46	-	1.36	8	1.24	5	0.63	3	0.69	2	0.92	5	1.82	4	0.28	2	0.00	0	0.32	5	2.56	10	1.05	4	1.67	6	12.54	54
5669 M	Green Hills	33 17	26 42	-	3.41	9	2.37	8	1.90	8	1.01	3	1.09	5	1.38	7	0.47	3	0.10	1	1.59	6	4.80	9	1.04	4	2.47	6	21.63	69

No.	STATION STASIE	S. Latitude S. Breedtegr	E. Longitude O. Lengtegr	Height Hoogte Feet Voet	Jan. Inches Duime	Jan. Days-Dae	Feb. Inches Duime	Feb. Days-Dae	Mar-Mrt Inches Duime	Mar-Mrt Days-Dae	April. Inches Duime	April. Days-Dae	May-Mei Inches Duime	May-Mei Days-Dae	Jun. Inches Duime	Jun. Days-Dae	Jul. Inches Duime	Jul. Days-Dae	Aug. Inches Duime	Aug. Days-Dae	Sept. Inches Duime	Sept. Days-Dae	Oct-Okt Inches Duime	Oct-Okt Days-Dae	Nov. Inches Duime	Nov. Days-Dae	Dec-Des Inches Duime	Dec-Des Days-Dae	Year-Jaar. Inches Duime	Year-Jaar. Days-Dae
5670	Langholm	33°26'	26°45'	1026	1.17	4	2.52	5	0.60	3	0.95	3	0.95	3	1.60	3	0.40	2	0.65	1	0.48	3	2.55	5	0.30	1	0.67	1	12.84	34
5670 G	Greenlands	33 04	26 46	-	1.81	4	1.27	5	1.05	5	0.58	3	0.94	6	0.33	5	0.47	1	0.00	0	0.45	4	1.60	5	0.30	1	0.06	1	8.86	40
5671	Fraserscamp	33 17	26 55	1817	2.10	4	2.08	7	0.61	4	0.80	3	1.07	6	1.08	6	0.36	1	0.39	1	0.75	3	3.66	7	0.55	3	0.83	4	14.28	49
5671 A	Glencairn	33 21	26 50	1060	1.93	6	1.15	6	1.19	7	1.05	3	0.60	2	1.86	6	0.00	0	0.55	1	0.74	7	3.46	8	0.00	0	0.82	3	13.35	49
5672	Bathurst	33 30	26 49	800	1.08	7	2.57	9	1.04	9	0.62	2	1.60	7	2.29	8	1.06	4	0.72	4	2.00	8	4.18	8	0.36	3	1.65	7	19.17	76
5673	Bathurst	33 30	26 50	800	0.78	4	1.70	9	0.95	8	0.79	2	1.37	-	2.13	7	0.57	4	0.76	4	1.43	6	(3.94)	9	0.34	2	-	-	(14.76	55)
5674	Port Alfred	33 36	26 54	-	1.28	4	1.15	5	0.74	6	0.35	2	2.18	8	3.98	9	0.59	2	1.13	4	0.60	5	2.86	10	0.39	2	2.73	8	17.98	65
5674 M	Breakfast Vlei	33 05	26 56	-	3.57	3	1.78	4	0.98	5	0.50	1	1.10	3	0.35	2	0.00	0	0.18	1	0.26	2	2.25	7	0.00	0	0.05	1	11.02	29
5675	Rocklands	33 31	26 58	-	1.34	5	1.11	9	0.82	11	1.13	5	1.82	6	3.06	9	0.44	3	1.12	5	1.54	9	4.41	8	0.23	4	1.34	6	18.36	80
5675 A	Port Montgomery	33 03	26 58	-	0.97	3	2.14	3	0.89	5	0.40	1	0.93	2	0.74	2	0.53	1	0.00	0	0.14	2	2.37	7	0.55	1	0.24	2	9.90	29
	SECTION 31.																													
5676	Hope	33 28	26 59	725	1.85	5	0.65	4	1.12	4	1.01	4	1.34	4	2.50	8	0.37	2	1.16	5	1.51	6	4.74	7	0.32	2	1.32	7	17.89	58
5677	Great Fish Point	33 32	27 06	239	1.69	7	0.97	6	1.09	12	0.88	6	0.91	6	2.67	8	0.41	4	1.40	6	2.78	7	4.96	10	0.18	2	0.84	7	18.78	81
5679	Peddie	33 12	27 07	1069	1.64	4	0.74	2	1.11	7	0.73	3	1.28	4	0.69	4	0.48	1	0.18	1	0.47	4	3.56	6	0.20	1	0.38	3	11.46	40
5680 A	Lina Drift	33 04	27 12	492	1.82	7	1.71	5	0.51	4	0.32	1	0.59	2	0.18	1	0.51	1	0.00	0	0.00	0	2.55	7	0.38	1	0.00	0	8.57	29
5680 B	Waterford	33 13	27 22	550	2.38	4	0.55	3	1.03	7	0.49	2	0.91	4	0.77	4	0.40	1	0.73	1	1.35	7	5.41	6	0.10	2	0.49	3	14.61	44
5682	Silverdales	33 03	27 39	600	2.86	10	1.91	8	0.72	7	0.31	2	0.64	5	0.36	3	0.37	1	0.40	2	1.48	9	6.45	10	0.85	4	0.55	3	16.90	64
5683	Richmond	33 08	27 36	500	2.19	5	3.15	5	0.88	4	0.65	1	0.49	3	0.47	2	0.50	1	0.24	1	2.24	4	6.07	7	0.14	1	0.56	3	17.58	37
5684	Ngonyama (Ocean View)	33 07	27 41	300	3.23	7	1.60	8	1.16	8	0.95	4	0.47	4	0.70	5	0.49	2	0.45	2	2.11	9	7.05	9	0.26	2	0.42	4	18.89	64
5685	East London (Filter Beds)	33 00	27 55	328	1.55	9	2.05	9	1.61	12	0.69	6	0.67	6	0.56	5	0.37	2	0.71	3	1.77	11	6.79	11	0.58	6	0.51	7	17.86	87
5686	Umzoniana	33 00	27 53	360	1.95	10	2.14	9	1.10	12	0.54	5	0.67	6	0.39	4	0.29	1	0.51	2	1.59	10	7.37	13	0.56	7	0.34	5	17.45	84
5686 M	East London Airport	33 02	27 52	411	2.31	12	1.64	8	1.78	13	0.69	6	0.67	6	0.76	6	0.39	1	0.58	3	2.03	10	7.46	13	0.75	7	0.64	6	19.70	91
5687	East London (Signal Hill)	33 02	27 55	-	1.32	6	1.60	8	0.95	9	1.16	6	0.63	4	0.70	3	0.55	2	0.39	3	1.28	10	4.40	13	0.57	5	0.48	6	14.03	75
5688	East London (Queens Park)	33 02	27 55	-	1.55	7	1.80	8	1.36	9	0.95	6	0.66	5	0.75	4	0.56	2	0.42	3	1.59	10	5.96	13	0.80	5	0.60	6	17.00	78
	SECTION 32.																													
1	Ghanzi	21 30	21 45	-	0.46	3	1.00	3	1.77	7	0.03	1	-	-	0.00	0	0.00	0	0.00	0	0.00	0	-	-	1.35	8	-	-	(4.61	22)
2	Mohembo	18 17	21 50	3250	3.96	7	1.36	3	4.92	10	-	-	0.35	1	-	-	-	-	0.00	0	0.00	0	0.49	1	3.83	9	4.67	8	(19.58	39)
3	Maun	19 59	23 25	3090	0.70	7	1.69	9	6.36	13	0.04	1	0.08	1	0.00	0	0.00	0	0.00	0	0.00	0	0.59	4	1.88	15	3.20	11	14.54	61
3 N	Katimo Mulilo	17 30	24 07	3117	6.60	15	1.15	10	4.06	13	0.00	0	0.14	2	0.00	0	0.00	0	0.00	0	0.00	0	0.93	4	3.99	14	4.52	8	21.39	66
5	Kasane	17 49	25 09	3000	3.51	8	2.81	8	4.93	10	0.00	0	0.31	2	0.00	0	0.00	0	0.00	0	0.00	0	1.10	2	5.58	6	4.30	9	22.54	45
6 A	Masama	23 54	26 22	-	2.21	5	1.54	4	4.69	6	0.57	5	-	-	0.00	0	0.00	0	0.00	0	0.00	0	1.68	2	3.79	3	0.32	3	(14.80	28)
7	Kalamari	23 00	26 45	3400	1.07	2	1.34	1	7.70	9	0.08	1	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.70	2	1.64	2	0.55	2	13.08	19
8	Serowe	22 23	26 43	3500	2.05	7	1.47	1	8.34	11	0.09	1	-	-	0.00	0	0.00	0	0.00	0	0.00	0	0.51	3	1.48	4	2.23	5	(16.17	32)


15°
17°
19°
21°
23°
25°
27°
29°
31°
33°
24°
27°
30°
33°
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
PRETORIA
JOHANNESBURG
KIMBERLEY
BLOEMFONTEIN
PIETERMARITZBURG
DURBAN
BEAUFORT WEST
CAPE TOWN
PORT ELIZABETH
INSET ON SHEET 11
SLEUTELKAART
VIR DIE SEKSIES
KEY MAP
TO THE SECTIONS

INDEX TO RAINFALL STATIONS — BLADWYSER VIR REENVALSTASIES

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Aangenaam	26	184
Aardoorns	21	155
Aarfontein	21	155
Aberdeen	22	158
Aberfeldy	16	140
Abrahamshof	15	131
Abrahamskraal	15	131
Achterfontein	27	181
Achterfang	23	162
Acornhoek	10	116
Adamsfontein	23	161
Adamshoop	14	124
Adamsonsvlei	16	132
Ade	24	174
Adelaide	23	166
Adolphskraal	30	187
Agen	8	98
Agterkop	20	151
Airlie	9	113
Aird	10	117
Alaska	2	89
Albert 113	2	88
Albertinia	28	183
Albert Vale	23	165
Aldersyde	23	165
Alexander Bay	11	118
Alexandria	30	188
Alexandria Estate	15	125
Alfred	2	88
Algeria	20	160
Algerynskraal	28	183
Alice	23	169
Alicedale	22	156
Alicedale	30	188
Altaal North	23	169
Altmaar	9	114
Alldays	2	88
Allemansfontein	22	157
Allendale	9	108
Allerton	17	144
Allethein	14	124
Alloa Farm	8	107
Alma	16	135
Alma	8	102
Alphen	23	167
Alspoortjie	22	156
Alta	24	171
Altona	17	145
Altydgedacht	26	179
Altydsooi	2	90
Alwynskop	23	162
Amalinda Reservoir	24	173
Amanzamyama	24	175
Amansi	30	187
Amatikulu (Leper Inst.)	18	148
Amersfoort	17	143
Amor	16	139
Amsterdam	9	114
Andriesfontein	22	159
Angora	16	137
Anonien	16	133
Anyarivier	21	152
Ardee	25	177
Areas	12	119
Arisom	30	188
Arnoedsvlakte	6	95
Arnuthill	17	142
Artois	27	180
Ashook	16	138
Askham	12	118
Athene	16	139
Athlone	23	164
Atholt	9	115
Aussenparus	13	120
Authoriteit	1	87
Avoca	24	172
Avondrust	15	131
Avondrust	15	131
Avondrust	23	162
Aventuur	29	185
Babanango	17	146
Babanango	18	147
Baddeford	23	167
Baderoukoe	3	91
Badplaats	9	113
Baghdad	23	165
Bainsvlei	15	128
Bakenarug	22	156
Bakensvlakte	16	134
Baklysdrift	27	182
Bakovensfontein	21	154
Balaganes Ranch	10	117
Balbrogie	17	144
Balerno	2	88
Balfour	8	107
Balfour	23	168
Balfour (Wilsonia)	23	168
Ballengeich	17	143
Ballyclare	25	177
Balmoral	18	147
Bandolier Kop	2	89
Bandur	2	88
Bank	8	99
Bankpan	9, 16	110,136
Banksdrift	15	128
Banksfontein	21	152
Baragwanath	8	102
Barberton	10	116
Barberton (Cotton Stn.)	10	116
Barclayswale	9	114
Barkly East	24	172
Barkly West	14	123
Barletta	16	134
Barnardsdale	29	185
Barrage	8	100
Barrydale	27	182
Basberg	22	158
Bashee	24	175
Bathurst	30	189
Baviaanskrans	14	122
Baviaanskrans	8	98
Baynesfield Estate	17	144
Bayswater	15	129
Bazilya	24	174
Beach	18	147
Beauchamp Farm	16	135
Beaufort West	21	155
Beaufort West (Airport)	21	155
Beddington	16	133
Bedford	9	115
Bedford	23	165
Beeldhouwersfontein	22	157
Beerlaagte	8	105
Beervlei	16	129
Beeskraal	15	127
Beestepoort	8	107
Beetgeskraal	9	112
Beja	2	90
Bekaf	2	89
Bekkersrust	9	110
Bela	24	174
Belfast	9	112
Belgrave	15	127
Belladale	18	139
Ballair	27	182
Bella Vista	23	165
Bella Vista	16	134
Belle Ombre	2	91
Bellevilla	24	172
Bellevue	17	141
Bellevue	9	113
Bellevue	16	139
Bellevue	15	128
Bell Rock	22	160
Bellsbank	14	123
Bellville	26	179
Bellville (Forest)	26	179
Belmont	6	92
Belmont	14	123
Belmont	16	134
Belmont	18	148
Beltrim	8	101
Belvedere	2	90
Belvedere (Power Station)	9	115
Belvedere	29	185
Bencuti	24	175
Benean	17	144
Ben Lomond	25	178
Benoni I	8	105
Benroy	7	96
Bensonvale	24	171
Bergendal	27	182
Bergplaats	18	147
Bergplaats	28	184
Bergview	17	141
Bergville	17	141

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	BLADSIJDE PAGE
Bergvliet	9	115
Bergzicht	2	88
Berlin	15	127
Berlin	16	137
Berlin	24	172
Berrings	9	110
Beskuitkuil	22	156
Bester	16	139
Bestersput	15	127
Bet-El	20	151
Bethel	16	135
Bethal	9	110
Bethania	8	100
Bethesda Road	22	160
Bethlehem	16	139
Bethulie	23	164
Beuster	2	91
Beyersberg	23	162
Beyersfontein	21	154
Biesjesfontein	22	156
Biesjesfontein	30	187
Biesjespol	2	88
Biesjesvlakte	8	93
Biesjesvlei	7	95
Bieskop	16	139
Bikkana	29	186
Birbury	14	122
Bird Island	30	188
Bizana	26	176
Biswani	26	179
Blaauwbank	9	110
Blaauwboschkuil	8	105
Blaauwboschkuil	21	155
Blaauwboskop	15	130
Blaauwgomfontein	8	106
Blaauwheuwel	23	163
Blaauwkop	9	112
Blaauwkoppies	14	123
Blaauwkrans	21	154
Blaauwkrans	29	186
Blackburn	18	147
Blackdown	27	163
Black Hills	2	91
Bladgrond	12	118
Blesbokfontein	15	127
Blesbokspruit	9	115
Bleskop	14	123
Blikana	24	172
Blinderfontein	8	107
Blinkklip	21	152
Blinkwater	8	108
Blinkwater	9	111
Bloegumhof	24	174
Bloemfontein	7	95
Bloemfontein	9	112
Bloemfontein (Airport)	15	129
Bloemfontein (King's Park)	15	129
Bloemfontein (St. Michael's Sch.)	15	129
Bloemfontein (Waverley Rd.)	15	129
Bloemfontein (Arboretum)	15	129
Bloemhoek	16	138
Bloemhof	15	127
Bloemhof	15	127
Bloemhof	22	160
Bloemhof	23	164
Bloemhof	23	169
Bloemplaas	23	161
Bloemspruit	15	129
Blouirans	22	157
Bloupan	8	99
Bluebank	17	142
Blueberg	30	187
Blyde	9	118
Blyde (Lisbon)	9	115
Blyde Rivier Dam	23	161
Blydschapwerf	16	138
Blyvooruitsicht	8	99
Blyvooruitzicht	9	112
Bochem I	2	88
Boekenhoutfontein	1	87
Boesmansberg	15	129
Boesmansberg	21	152
Boesmansberg	25	166
Boesmanspruit	9	109
Bokfontein	22	159
Bokong	18	139
Bokpos	15	126
Boksburg	8	104

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	BLADSIJDE PAGE
Bokveldskloof	27	181
Bolitho	16	135
Bolo	24	172
Bombardie	9	109
Bon Accord Dam	8	104
Bon Ami	15	125
Bonaparte	2	88
Bonekraal	20	151
Bonheir	17	142
Bonn	9	113
Bonnieblink	17	144
Bonnievale	27	182
Bontfontein	2	90
Bontkop	30	188
Boons	8	98
Boontjeskraal	27	181
Bordeaux	15	126
Border	25	176
Borneo	16	135
Borrmansdrift	10	116
Boschfontein	8	98
Boschkloof	17	140
Boschplaats	8	109
Boschpoort	8	102
Boscobel	14	122
Boscombe	17	146
Bosduivenkop	22	160
Boshoek	6	92
Boshoek	21	155
Boshof	15	125
Boshofsdam	14	124
Boshofshoop	14	124
Boskloof	27	181
Boskop	8	98
Bosmansfontein	15	127
Bosrand	7	93
Bosrand	23	167
Boterseegte	21	152
Botesville	15	130
Bothasvlei	8	105
Bothma's Kloof	26	179
Bothsabelo	9	110
Bothsabelo	16	136
Boulders	10	116
Bouw	2	88
Boven Downs	20	151
Bovenlandsplaas	15	131
Bowadrif	20	151
Braeside	23	167
Brak	21	153
Brakbospoort	13	119
Brakfontein	9	111
Brakfontein	15	128
Brakfontein	22	158
Brakfontein	23	169
Brakfontein	24	170
Brakkies	14	121
Brakpan	7	94
Brakpan II	8	105
Brakspruit	8	97
Brakspruit	9	112
Brand	2	91
Brandboom	13	119
Brandewynskuil	15	128
Brandfontein	15	126
Brandfort	15	130
Brandpoort	23	164
Brandsdrift	16	135
Brandvlei	20	151
Brandvlei Dam	27	181
Brandwag	23	161
Brankaan	14	121
Breakfast Vlei	30	189
Brechin	14	122
Bredasdorp	27	182
Breipaal	22	156
Bremersdorp	10	117
Brereton	8	101
Brereton Park	9	113
Breslersflat	16	133
Brits	8	100
Broadholm	9	113
Broadlands	2	88
Broederstroom	2	89
Broederstroom	25	169
Broederstroom Drift	2	91
Bronkhorstfontein	16	138
Bronkhorstspruit	8	107

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Broodkop	16	138
Brook	9	114
Brooklands	9	114
Broughton	23	167
Broxton	16	133
Bruintjeshoogte	23	18.
Brulpaddaleegte	20	151
Brussels	7	96
Bryn Eva	17	142
Buchuberg (Dam)	13	119
Buckingham	8	97
Buckland Downs	17	141
Buda	24	170
Buffelbout	21	154
Buffeldoorns	8	98
Buffeldrift	8	108
Buffelsfontein	8	99
Buffelsfontein	23	168
Buffelsfontein	23	168
Buffelshoek	30	187
Buffelshoek	8	106
Buffelshoek (Buffelsnek)	8	98
Buffelsklip	28	184
Buffelsnek	29	185
Buffelspoort	8	106
Buffelspoort I	8	99
Buffelspruit	9	113
Buffelsvlei	27	183
Buitenlust	8	98
Bulhoek	23	168
Bulsberg	15	130
Bulshoek	19	150
Bultfontein	2	89
Bultfontein	2	89
Bultfontein	9	115
Bultfontein	16	130
Bultfontein	16	129
Bulwater	21	153
Bulwer	17	143
Burgersville	22	158
Burgharsdorp	23	166
Burgherspost	26	178
Burgundy	16	133
Burnetta Rolse	16	133
Burnettaland	16	137
Burnley	23	166
Busby	9	113
Bushbuck Ridge	10	116
Bushmanskop	24	170
Bushy Bend	7	97
Bushy Park	8	108
Bushy Vales	25	177
Butha Buthe	16	138
Butterworth	24	173
Buxton	23	167
Buxton Forest	23	167
Byenaderheid	9	109
Byenader	8	107

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Cairnsmore	16	140
Cala	24	172
Caledon	27	181
Caledonia	18	139
Calitzdorp	28	185
Calvinia	20	150
Cambria	16	136
Campamento	26	179
Campbell	14	121
Camperdown	17	145
Cancele Mission	24	174
Cape Agulhas	27	182
Cape Columbine	19	149
Cape Explosive Works (S/West)	26	179
Cape Point	27	178
Cape St.Blaize	28	183
Cape St.Francis	29	186
Capesthorne	2	88
Cape St.Lucia	18	149
Cape Town (Cable Way)	26	178
Cape Town (Devil's Peak)	26	178
Cape Town (Diea Head)	26	178
Cape Town (Fire Station)	26	178
Cape Town (Hospital)	26	178
Cape Town (Lower Reservoir)	26	178
Cape Town (Molteno Reservoir)	26	178
Cape Town (Plattaklip)	26	178
Cape Town (Royal Observatory)	27	178
Cape Town (Table Mountain House)	26	178
Cape Town (Tamboerskloof)	26	178
Cape Town (Kasteelspoort)	26	178
Cape Town (Maclear's Beacon)	26	178
Cape Town (Woodhead Dam)	26	178
Cape Town (Woodhead Tunnel)	26	178
Cape Town (Waaivlei)	26	178
Cape Town (St.Michaels)	26	178
Cape Town (Waaikopje)	26	178
Carlow	2	88
Carlsruhe	14	120
Carls Rust	30	188
Carlton Siding	22	160
Carlton	24	170
Carlton Cliff	29	187
Carmel Estate	8	99
Carmel Goe	15	129
Carmichael Farm	10	116
Carmil Rust	22	159
Carnarvon	21	153
Carnarvon	23	168
Carolina I	9	112
Carrigholt	16	133
Carwin	17	145
Castle Dale	24	172
Cata	24	170
Catharinas Vlei	16	139
Cathcart	24	170
Cathedral Peak Hotel	17	141
Cedars	17	144
Cedarville	25	175
Celleryfontein	21	153
Cengcane	24	174
Ceres	27	181
Ceylon	9	114
Cezu (Plantation)	24	174
Champagne	10	116
Chawner	2	91
Chelmsford	22	157
Cheval	15	125
Cheviotdale	23	165
Cheviotfells	23	165
Christiana	15	125
Chunies Poort	9	110
Clanville	24	170
Clanwilliam	19	150
Clarens	16	139
Clarkebury	24	174
Clark's Siding	24	170
Clearwater	24	171
Clerkness	18	148
Clewer House	9	114
Clewer Township	9	109
Cliff	15	131
Clifford Chambers	17	141
Cliffside	17	144
Clifton	15	125
Clifton	23	165
Clifton Vale	23	164
Clifton	30	188
Clippesby	7	95
Cloccolan	16	135
Cloudskraal	20	150
Cloverfields	23	163
Clydesdale Colliery	8	101
Clydesdale Colliery	9	109
Coedmore	17	146
Coetzeesfontein	22	160
Coetzeeskraal	22	157
Coetzeeskraal	22	159
Coetzeestroom	9	114
Cofimvaba	24	172
Colenso	17	143
Colesberg	23	161
Coldstream	23	168
Coldstream	24	174
Collingham	23	166
Cologne	9	108
Colville	14	121
Colwana	24	174
Comdomo	29	186
Commandodrift	15	129
Commissiepoort	16	134
Compass	13	120
Compton	24	169
Concordia	27	181

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Concordia	29	185
Congella	17	146
Constantia	22	159
Constantia	15	125
Content	14	124
Contest	24	170
Convamore	16	134
Cookhouse	23	164
Copia	23	168
Cordmatskuil	21	155
Cornelia	16	140
Corrubia	18	147
Corona	15	131
Correnterivier	28	183
Cradock	23	163
Cradock	16	134
Cranbourne	17	142
Crawley	24	170
Cremea	16	133
Crieff	13	118
Crocodile Rest Camp	10	117
Cullendale	23	166
Culmstock	23	162
Cumberland	7	97
Cumberland	16	133
Cumnor	6	92
Cunningmore	10	116
Cwebe	24	175
Cwele	25	175
Cwenowe	24	171
Cyferbult	8	99
Cyfergat	15	129
Cypherfontein	21	155
Cyphergat	23	167
Daisykop	9	115
Dalgetty	22	158
Dalkeith	23	166
Dalmuir	2	88
Damfontein	22	160
Damplaats	23	165
Dandaloo	8	106
Danger Point	16	133
Danger Point	27	181
Danielsfontein	15	125
Danielshope	20	151
Danielskuil	14	121
Daniels Rus	16	137
Darling	26	177
Dartford	15	132
Dassen Island	26	177
Dassiesfontein	22	159
Dassieshoek	27	181
Dassiespoort	15	126
Daukomskraal	29	186
De Aar	22	157
De Aar Plaas	22	157
Dadeben	13	119
Deben	13	120
De Brug	15	127
De Dam	1	87
De Dam	23	164
De Doorns	23	162
Deelfontein	22	157
Deelkraal	8	107
De Emigratie	9	112
Deelpan	16	138
Deetsvlei	23	165
Deepwalls (Forestry)	29	185
Deercroft	8	107
De Gracht	1	87
De Grendel	26	178
De Grootboom	9	113
De Hoek	2	90
De Hoek	23	166
De Hoop	14	121
De Hoop	15	125
De Hoop	21	155
De Hoop	23	166
De Hoop	27	182
De Hoop	29	185
De Kalk	15	125
De Keur	23	162
De Klerkskraal	15	130
De Kroon	8	101

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
De Kroon	14	123
De Kruis	21	155
De Kruis	22	157
De Kuilen	23	163
De Lagersdrift	9	111
De Land	21	152
De La Reyville	7	94
Delmas	8	107
Delville Bos	24	174
De Nauwte	21	153
Den Haag	23	168
De Poort	22	156
De Puts	21	152
De Putten	21	155
Derby	8	97
Derde Geld	9	112
Derdekraal	8	103
Derzbergedraai	19	149
De Rust	28	184
De Villiers	23	166
Devon	8	108
De Wagendrift	8	106
De Wagensdrift	9	110
De Wig	7	94
Dewetsdorp	15	131
Diamond V. Ranch	8	100
Die Dorings	23	162
Die Eiland	28	183
Die Hoogte	23	162
Die Hoop	20	151
Die Hoop	20	150
Diepdrift	20	151
Diepsloot	8	107
Diepvlei	19	150
Diepwater	13	119
Die Tuine	23	166
Die Vlei	30	187
Diggers Rest	2	90
Dikgatlong	1	87
Dinedor	10	117
Dipgate	9	115
Ditshukudu	7	94
Dohne	24	171
Domagal	6	92
Domhistersfontein	22	156
Dongola	2	88
Donkerhoek	8	106
Donkerhoek	15	128
Donkerhoek	15	130
Donkerhoek	22	158
Donkerhoek	22	159
Donkerhoek	23	164
Donkerkloof	23	161
Donkerkloof	15	131
Doutsa	24	170
Doone	16	140
Doonfeespan	13	119
Doornboom	2	90
Doornbosch	22	158
Doornbos	20	150
Doornbult	15	128
Doorndraai	5	92
Doorndraai	8	108
Doorndraai	16	135
Doornfontein	7	95
Doornfontein	7	96
Doornfontein	8	105
Doornfontein	9	109
Doornfontein	15	125
Doornhoek	7	95
Doornhoek	7	96
Doornkom	7	96
Doornkop	17	144
Doornkuil	8	101
Doornkuil	22	156
Doornkloof	8	104
Doornkloof	23	163
Doornlaagte	14	123
Doornplaats	15	127
Doornplaats	15	130
Doornpoort	15	132
Doornpoort	7	96
Doornrivier	20	150
Doornrivier	29	186
Dordrecht	24	169
Dorothea	16	137
Dorrington	23	167
Dorset	8	103

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Douglas	14	121
Downs	9	112
Draycott	17	142
Dreunberg Junction	23	166
Driefontein	2	89
Driefontein	2	90
Driefontein	9	109
Driefontein	16	137
Driefontein	17	142
Driefontein	21	152
Driefontein	21	153
Driefontein	22	156
Driefontein	23	164
Driefontein	27	180
Driehoek	9	113
Driekop	15	132
Driekoppies	15	128
Driekopsvlei	29	186
Drielaagte	8	98
Driepan	9	113
Driepats	14	124
Drift Sands	30	188
Drivers Drift	24	169
Droeplaas	14	121
Droevlei	1	87
Drogastrivier	27	181
Droogefontein	8	107
Droogefontein	22	159
Duikfontein	16	138
Duiwelskloof	2	90
Dukuduku	18	149
Dullstroom	9	112
Dundee	17	144
Dunedin	21	154
Dunghye Park	27	181
Dunkeld	16	135
Dunnurry	13	119
Durban (Botanical Gardens)	18	147
Durban Deep G.M.	8	101
Durban (Point)	18	147
Durban (Airport)	18	147
Durban Heights	17	146
Durbanville	26	179
Du Toitspan	7	96
Dwaleni	18	147
Dwarsfontein	8	98
Dwarskloof	16	137
Dwarsrivierhoek	26	179
Dwarsvlei	15	126
		-
Eagles Nest	26	177
Earlridge	17	141
East London	31	189
East Moklyn	17	143
East Rand Mines	8	104
Ebenezer	22	158
Ebenhaezer	8	107
Ebenhaezer	16	137
Ebenhaezer	23	166
Echodale	23	164
Eden	15	131
Edendale	17	142
Edenville	16	136
Edwaleni	25	177
Eembult	23	164
Eersgevonden	8	103
Eersgevonden	30	188
Eenzaam	29	187
Eenstroom	29	186
Eerste Fabrieke	8	105
Eerstegeluk	16	140
Eersterivier	26	179
Eerste Zending	16	140
Effinghan	18	147
Effort Farm	17	143
Eiffel	24	171
Eikenboom	9	110
Eireni	16	140
Elandsberg	14	121
Elandsdrift	23	164
Elandsdrift (Wesa)	25	176
Elandsfontein	9	114
Elandsfontein	19	150
Elandsfontein	23	163
Elandsheuwel	8	98

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Elandshoek	8	101
Elandshoek	9	113
Elandskop	16	135
Elandslaagte	17	143
Elandspoort	8	105
Elandspoort	22	157
Elands River (Forest Station)	30	187
Elandsvlei	20	150
Elandsvlei	17	146
Elba	15	130
Elba	16	138
Elesmar	7	97
Elgin	27	180
Elim	27	181
Elim Hospital	2	90
Ellenboogslaagte	15	129
Ellesmere	23	166
Elliot	24	173
Elliotdale	24	174
Elsa	6	93
Elsenburg	26	179
Emerald Dale	17	143
Engowe	24	173
Emoyeni	25	177
Empangeni	18	148
Emyanyana	24	173
Engcobo	24	173
Engeland	7	97
Englesby	13	119
Enkelbosch	16	136
Enkeldoorn	8	107
Enkeldoorn	16	132
Enon	17	143
Enseleni	18	148
Entabeni	2	91
Entremonts	24	175
Enselsburg	7	95
Erasmusfontein	15	129
Erinmore	23	165
Erith	24	174
Ermelo	9	112
Espachs Drift	14	123
Esbachskop	15	130
Eshowe	18	148
Esperanza	23	160
Essenwood	17	142
Esservale	1	87
Estcourt	17	143
Eston	17	145
Etesa	18	148
Etna	24	174
Eureka	14	123
Eureka	25	177
Euston	6	92
Evelyn Valley	24	170
Evening Sun	23	167
Evesbatch	15	127
Excelsior	9	110
Excelsior	10	117
Excelsior	16	132
Excelsior	17	145
Excelsior	22	160
Excelsior	23	169
Exwell Park	24	170
Ezulweni	10	116
Ezelsfontein	22	157
Fairbreeze Estate (Emoyeni)	18	148
Fairfield	22	160
Fairfield	25	177
Fairview	15	127
Fairview	9	112
Fairview	22	158
Farleigh	28	184
Faroasfontein	8	102
Faureesmith	15	126
Ferndale	29	186
Ficksburg	16	137
Fielden	6	92
Fig Tree	10	117
Fish River	23	162
Fitty Park	17	144
Flamukraal	24	170
Flagstaff	25	176
Fleur de Lys	10	116

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Fleurfontein	2	89
Flitwick Grange	25	176
Flora	16	134
Florida Road	18	147
Floris Bad	15	128
Fochville	8	99
Folkstone	8	106
Fonteinlaagte	16	134
Fonteintje	23	161
Ford	16	135
Forest Hill	9	112
Fort Beaufort	23	168
Fort Cunynghame	24	171
Fort Donald	25	176
Fort Fordyce	23	167
Fort Grey	24	173
Fort Jackson	24	172
Fort Montgomery	30	189
Fortuin	27	182
Fortuinplaas	23	162
Fortuna Dairy	8	106
Fort White	24	170
Fountain Head	23	167
Fouriesburg	16	138
Fouriaskloof	1	87
Fraaiuitsicht	16	136
Fraaiuitsicht	16	134
Franciena	15	131
Francistown	1	87
Frankenwald	8	103
Frankfort	9	114
Frankfort	16	139
Frankfort	24	171
Franschhoek	27	180
Fransboek	24	169
Frantsinas Rust	9	115
Fraserburg	21	152
Fraserburg Road	21	153
Fraser's Camp	30	189
Fraser's	18	147
Frederiksted	8	98
Friesedale	12	118
Frischgewaagd	9	110
Frisgewaagd	9	109
Frogmore	17	146
Frosmay	24	171
Fullarton	29	185
Fulmer	23	164
Funnystone	24	173
Gaberones	7	95
Gamsbok	14	123
Gannakraal	21	155
Gannspan	21	153
Gannavlakte	14	124
Gansbaai	27	181
Ganskuil	7	96
Ganzvlei	21	153
Garcia	28	183
Garfield	23	168
Garies	19	149
Garstkolk	21	153
Garth	8	108
Gasip M.105	14	120
Geegenana	24	173
Geduld	8	106
Geelbek	26	177
Geelhoutboom	28	184
Geelkop	13	118
Geluk	8	100
Geluk	9	109
Geluk	14	122
Geluk 299	15	128
Geluk	15	131
Geluk	16	139
Gelukaburg	17	141
Gem	9	113
Gemsbokfontein	8	104
Gemsbokfontein	9	111
Gemsbokfontein	21	155
Gemsbokpoort	8	104
Gemsbokvlei	6	92
Genadendal	27	181
George (Aerodrome)	28	184
George (Rectory)	28	184

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Georgekraal	17	141
Georgenholts	2	91
Germiston	8	103
Germiston (Airport)	8	103
Gertruida	16	137
Gertspan	14	121
Gesig	15	126
Gevonden	2	90
Geysdorp	7	93
Gezina	14	121
Ghanzi	32	189
Ghwarriekop	16	136
Gingindhlowu	18	148
Gipsyhill	9	111
Glebe	25	177
Glen	15	126
Glen Alphen	16	139
Glencairn	23	168
Glencairn	30	189
Glencoe	17	144
Glen (College)	15	129
Glendoone	17	143
Glen Duxbury	23	168
Gleneesh	8	108
Glen Harry	22	160
Glen Hope	24	173
Gleniffer	15	127
Glenlyon	24	172
Glen Morgan	16	136
Glenora	25	176
Glenred	6	92
Glen Roy	23	166
Glenshiel (2583)	2	89
Gluckstadt	18	147
Godwan River	9	113
Goedehoop	2	90
Goedehoop	9	111
Goedehoop	9	112
Goedehoop	14	122
Goedehoop	16	135
Goedehoop	16	139
Goedehoop	17	145
Goedemoed	16	134
Goedemoed	16	136
Goedemoed	23	167
Goedeverwachting	9	112
Goedgedacht	2	88
Goedgegun	18	147
Goedgeloof	18	147
Goedgenoeg	17	142
Goedgevonden	17	141
Goedheid (Leeuwkop)	16	133
Goedvertrouw	27	180
Gollel	18	148
Gonubie Mouth	24	173
Good Hope	7	94
Good Hope	8	106
Good Hope	9	110
Good Hope	13	119
Gooldville	2	91
Gopane Stad	7	94
Goraas	21	152
Gordonia	16	135
Gordonsfontein	22	159
Gordons Park	23	168
Gordonville	22	160
Gouda	27	180
Goudhoek	15	131
Gouna	29	185
Goup	13	120
Government G.M. Areas	8	105
Graaff-Reinet	22	159
Graaff-Reinet (v.Rynsdam)	22	159
Graafwater	19	150
Graafwater	22	156
Grahamstown	30	188
Granta	24	172
Grantham	21	153
Grapevale	23	161
Grappies	12	118
Grasfontein	23	168
Graskop Forest	9	114
Graskop Town	9	114
Graspan	7	93
Graspan	14	120
Graspan	15	125
Graspan	15	127
Grassdale	14	122

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Grassmere	16	132
Grassmoor	13	119
Grassridge	23	162
Great Brak River	28	184
Great Fish Point	31	189
Green Hills	30	188
Greenlands	30	189
Grenfell	16	140
Gresham	23	165
Greyling	14	121
Greylingspost (G.M. Coy.)	8	101
Greylingstad	8	107
Greystone	22	160
Greyville	23	161
Griqualand Wes Proefstasie	14	122
Groblersdal	9	110
Groenfontein	8	106
Groenfontein	8	108
Groenfontein	28	183
Groenkloof	22	160
Groenkom Estate (Bultfontein)	8	105
Groenland	16	139
Groenrivier	8	99
Groenpunt	15	125
Groenvlei	8	99
Groenvlei	8	100
Groenvlei	23	161
Groot Arendskraal	22	159
Groot Bultfontein	14	122
Grootschwaing	6	93
Grootdam	14	122
Grootdam	23	164
Groot Drakenstein	27	180
Grootfontein	1	87
Grootfontein	8	105
Grootfontein	9	111
Grootfontein	17	140
Grootfontein	23	162
Grootfontein	21	152
Grootfontein	22	158
Grootfontein	30	188
Grootfontein	22	160
Groothoek	17	141
Groothoek	22	159
Grootkuil	8	98
Grootkuil	15	130
Grootlaagte	9	111
Groot Marico	7	96
Grootmodderfontein	13	120
Grootpan	15	128
Grootrietvlei	17	145
Grootspruit	15	131
Groot Toren	20	150
Grootvlakte	23	162
Groot Vallei	23	160
Grootvlei	8	106
Grootvlei	8	107
Grootvlei	9	109
Groot Waterval	21	154
Groot Zeekoegat	23	165
Grosvenor Downs	17	141
Gruisfontein	23	163
Gutshwa Reserve	10	116
Haakdoornboom	8	103
Haarlem	6	93
Haasfontein	23	166
Haasvlakte	27	180
Haenertsburg	2	89
Halim	24	171
Halfweg	15	126
Hamelfontein	9	111
Hamelfontein	23	163
Hamilton Manor	23	163
Hammonia	16	136
Hampton	17	143
Hanoock Grange	25	177
Hankey	29	187
Hanover	22	159
Hanoverspan	15	130
Happy Rest	2	89
Hardekraaltjie	26	179
Harderug	20	151
Harding	25	176
Harkerville	29	185
Harrismith	17	141
Harrismith (Forest)	17	141
Harrogate	18	149
Hartebeestfontein	7	96
Hartebeestfontein	8	100
Hartebeestfontein	8	101
Hartebeestfontein	8	104
Hartebeestfontein	9	111
Hartebeestfontein	15	126
Hartebeestfontein	16	133
Hartebeesthoek	8	101
Hartebeesthoek	8	102
Hartebeesthoek	13	119
Hartebeesthoek	22	158
Hartebeestkop	9	115
Hartebeestlaagte	16	134
Hartebeestlaagte	23	165
Hartebeestpoort	8	99
Hartebeestpoort (Brits)	8	100
Hartebeestpoort (Dam)	8	101
Hartlip	14	124
Hartsmanshoop	23	161
Hasebult	2	89
Havelock Mine	10	116
Hayfields	8	103
Haseldene	21	155
Heartsease	17	142
Heathfield	16	132
Hebron	15	132
Hebron	21	154
Heelgoed	17	141
Heeltap	24	172
Heidelberg I	8	105
Heidelberg	8	105
Heidelberg	27	183
Heights	9	112
Heilbron	16	137
Heilbron	23	165
Heldervue	19	150
Helpmekaar	15	130
Helpmekaar	17	145
Helvetia	15	130
Hemlock	9	113
Hendrikskraal	29	186
Hendrikspan	9	110
Hendrik Theron	15	129
Hennaman	16	133
Hennoprivier	8	102
Heritage	17	141
Hermanus	27	180
Hermanusdoorns	8	100
Hermitage	30	188
Hermon	26	179
Herold	28	184
Herschel	24	170
Hertzogville	15	127
Het Kruis	19	150
Het Loo	16	133
Heuningspruit	16	134
Hexdrans	8	98
Highbury	8	102
Highbury	23	163
Highlands	10	116
Highlands	16	138
Highlands	27	180
Hill Farm	18	149
Hillmoor	23	165
Hillandale	27	182
Hillcrest	17	146
Hillside	23	165
Himeville	17	142
Hlatikulu	10	117
Hluhluwe (Lot 40)	18	149
Hluhluwe (Lot 29)	18	149
Hobhouse	16	133
Hoek van die Berg	27	182
Hoffenthal	17	141
Hofmeyr	23	163
Hogeveld	2	90
Hogsback	23	169
Holfontein	7	95
Holfontein	8	99
Holfontein	16	132
Hollowdale	24	170
Hollways Rust	15	128
Holmlea	17	143
Holpan	7	94
Holpan	15	126

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Holy Cross Mission	25	176
Home	24	174
Hondefontein	21	152
Honey Grove	23	162
Hongerfontein	21	152
Hooggelegen	16	139
Hoogmoedsfontein	22	159
Hoogstede	23	165
Hoopdal	8	99
Hoopstad	15	128
Hoopvlei	15	130
Hope	31	189
Hopedale	30	188
Hopefield	24	174
Hopefield	26	177
Hopetown	14	122
Hopewell	8	99
Hopewell	24	172
Hopewell	24	173
Hopkins	13	120
Horatio	23	168
Hota	24	172
Houdconstant	22	158
Houtrivier	2	88
Houtvolop	15	126
Houtenbeck	15	129
Howick (Gaol)	17	144
Hugenoot	16	136
Hughenden	23	165
Hulpallsen	6	92
Humansdorp (Gaol)	29	186
Humewood (Golf Club)	30	188
Huxley	24	172
Ibeka	24	173
Icon	2	88
Ida	24	172
Idalia	9	114
Idutywa	24	174
Illamarra	8	106
Impahlasini	17	146
Imperani	16	136
Impetyne	25	176
Ina	16	135
Inadi	17	145
Inchanga	17	145
Indlunkulu	24	173
Indwe	24	171
Ingwangwane	25	176
Ingwavuma	18	148
Inhoek	15	126
Insikani	25	176
Insiswa	25	176
Invergwali	24	172
Inyara	24	173
Ingoko	9	114
Irene	8	104
Irenedale	9	109
Isandhlwana	17	145
Isidinge	24	171
Isilingo	18	148
Islay	17	145
Islington	10	116
Isoavina	2	91
Intake Weir	17	146
Ixopo	25	177
Izeleni	24	171
Jaarsveld	8	107
Jacobsdal	14	124
Jagersberg	21	153
Jagersfontein	7	94
Jagersfontein	15	126
Jakkalsfontein	2	88
Jamestown	23	168
Jane Furse Memorial Hospital	9	111
Jansenville	22	159
Jatinga	10	116
Jeffreys Bay	29	187
Jersey Farm	8	98
Jessievale	9	113
Johannesburg (Antea)	8	102
Johannesburg (Berea)	8	102
Johannesburg (Booysens)	8	102
Johannesburg (Burgharsdorp)	8	102
Johannesburg (Bruma)	8	103
Johannesburg (Cemetery)	8	102
Johannesburg (Cydna)	8	102
Johannesburg (City Deep)	8	102
Johannesburg (Dunkeld)	8	102
Johannesburg (Joubert Park)	8	102
Johannesburg (King Edward VII School)	8	102
Johannesburg (Norwood)	8	102
Johannesburg (Observatory)	8	102
Johannesburg (Parktown)	8	102
Johannesburg (Royal Golf Club)	8	103
Johannesburg (S.A. Breweries)	8	102
Johannesburg (Smith Street)	8	102
Johannesburg (Springfield)	8	102
Johannesburg (Turffontein)	8	102
Johannesburg (Vrededorp)	8	102
Johannesburg (Zoo)	8	102
Johannesloop	17	147
Jones	13	119
Jongetjieslaagte	22	156
Jonkersberg	28	183
Jonkershoek I	26	179
Jonkershoek II	26	179
Jonkershoek IV	26	179
Jonkershoek III	27	180
Joubertina	29	186
Juriesfontein	21	153
Juriesleagte	13	119
Kaaimansgat	22	160
Kaallaagte	16	137
Kaallaagte	7	97
Kaalplaas	23	163
Kaalplaats	7	93
Kaapsche Hoop	9	114
Kafferfontein	15	125
Kafferspan	6	92
Kaffirskraal	7	94
Kaffirskuil River	28	183
Kaffirskop	29	185
Kaffirskraal	7	95
Kaffirskraal	7	96
Kaffirskraal	8	99
Kaffirskraal	16	138
Kaffirskraal Kopje	9	109
Kakamas	12	118
Kalabasputs	21	152
Kalamari	32	189
Kalkdam	14	123
Kalkdam	14	121
Kalkdrift	14	123
Kalkfontein	2	88
Kalkfontein	8	105
Kalkfontein	9	109
Kalkfontein	22	156
Kalkfontein	23	167
Kalkfonteindam	15	125
Kalkheuwel	8	101
Kalkheuwel	8	105
Kalkoenkrans	23	165
Kalkoenkrans	23	168
Kalkpan	7	94
Kalkpoort	15	126
Kalmoesfontein	30	188
Kambi	24	174
Kameelfontein	14	123
Kameelfontein	15	127
Kameeldrift	8	100
Kameelkop	9	110
Kameelput	14	123
Kamferskraal	22	156
Kamhlabane Rand	10	117
Kamieskroon	19	149
Kangella	18	149
Kanoesa	21	153
Kanye	7	94
Kapgat	20	151
Kappa	16	140
Karatara	28	184
Kariegasfontein	22	157
Karina	9	111

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	BLADSIJDE PAGE
Karino	10	116
Karkloof	17	144
Karreefontein	8	101
Karreefontein	15	127
Karreefontein	15	130
Karreefontein	23	161
Karreefontein	23	163
Karreekloof	23	166
Karreeskloof	14	121
Karreepan	14	122
Karreepan	14	120
Karreepan	15	129
Karrespoort	8	100
Karrespoort	23	161
Kasama	32	189
Katberg	23	168
Katdoornpat	15	127
Katima Mulilo	32	189
Kaya Lami	17	141
Keble	16	135
Keerom	9	108
Keilands	24	172
Kei Road	24	172
Keiskamma Hoek	24	170
Keloe Keloe	14	121
Kelvedon	15	127
Kelvin Grove	24	172
Kempton Park	8	104
Kendrew	22	159
Kendrew Estates	22	159
Kenhardt	13	118
Kenilworth	23	164
Kennedysvale	9	112
Kentani	24	174
Kerry	16	136
Kersefontein	19	149
Kestell	16	140
Keurboomsrivier Forest	29	185
Khosis	14	121
Kildare	15	131
Killarney	9	114
Kilmarnoch	15	131
Kilmeny	24	173
Kimberley (Aerodrome)	14	124
Kingsleigh	23	166
Kingsmead	25	175
Kingwilliamstown	24	171
Kinross	9	109
Kirklington	16	135
Kirstenbosch	26	178
Kismet Estate	16	136
Klaarstroom	28	184
Klaver	19	150
Klaver Camp	26	178
Klaverfontein	23	163
Klaver Valley	9	109
Klein Australia	2	91
Klein Begin	2	89
Klein Boetsap	14	123
Kleindoornbergsfontein	14	120
Kleindubbelvlei	21	152
Kleinfontein	16	136
Kleinfontein	16	139
Kleinfontein	23	161
Kleinfontein	27	182
Kleinfontein	28	184
Kleinginbreuk	16	134
Kleinleswukuil	8	101
Klein Mier	4	92
Klein Nasuwpoort	24	169
Kleinplaat	28	184
Kleinrivier	29	185
Klerefontein	21	153
Klerksdorp	7	96
Klerkskraal	8	98
Klipbanksfontein	1	87
Klipdale	27	182
Klipdrift	7	94
Klipdrift	8	105
Klipdrift	16	136
Klipdrift	29	186
Klipdriftdam	8	108
Klipdriftdam	8	99
Klipfontein	7	95
Klipfontein	8	99
Klipfontein	9	113
Klipfontein	17	145
Klipfontein	22	160

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	BLADSIJDE PAGE
Klipfontein	23	167
Klipfontein	29	168
Klipfontein	30	187
Klipgat	28	184
Klipkloof	21	152
Klipkop	8	100
Klipkraal	9	114
Klipkraal 101	16	138
Klipkraal	22	157
Klipkrans	21	155
Klipkuil	22	157
Klipkuil	7	96
Klippan	7	94
Klippan	15	128
Klippan	21	154
Klipplaat	22	157
Klipplaat	29	186
Klipplaatsdrift	7	96
Klipplaatsfontein	15	132
Kliprif	7	95
Kliprivier	8	101
Kliprug	20	150
Kliprug	25	176
Klipspruit	7	94
Klipspruit	8	101
Klipstawel	21	155
Kloofend	25	177
Kluitjeskraal	27	180
Knapbrooke	8	106
Knapdaar	15	125
Knel	23	116
Knelpoort	15	128
Knocksbarragh	14	123
Knockshegowan (Schoondraai)	17	141
Knoffelsvlei	23	161
Knoll	10	116
Kocksbeen	22	157
Koedoespoort	8	104
Koegas	13	119
Koeifontein	29	186
Koekemoer	7	97
Koekemoap	19	149
Koemap	1	87
Koemsdraai	22	158
Koffiefontein	15	125
Kokstad	25	176
Kologha	24	171
Komaan	11	118
Komaggas	11	118
Komatipoort	10	117
Komga	24	173
Kompagniesdrift	27	180
Kopkfontein	22	156
Koopmansfontein	14	122
Kopje Alleen	16	136
Kopje Alleen	8	107
Kopjesdam	16	135
Koppiesdam	14	121
Koppiesdam	15	127
Koppiesfontein	16	132
Koppiesfontein	21	153
Koppieskraal	14	124
Koppiesvlei	15	126
Kops Horn	24	172
Kornetspruit	24	171
Korte	16	138
Koster	7	97
Koup	28	183
Kraaifontein	26	179
Kraaipan	7	93
Kraalkop	15	127
Krakeelrivier	29	185
Kranskop	17	146
Kranskop	29	186
Kranspan	9	112
Krantsbosch	29	185
Krantshoek	15	126
Kranspoort	2	90
Kreitsberg	20	150
Krielsfontein	23	162
Krokodilrivier	8	104
Kromberg	17	145
Kromdraai	8	100
Kromdraai	15	131
Kromdraai	17	141
Kromdraai	24	172
Kromboek	24	174
Kromhof	17	142

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Kromputs	13	118
Kromrand	15	131
Kromrand	15	125
Krom River	22	155
Kromspruit	7	96
Kroondal	8	99
Kroonplaats	15	125
Kroonstad	16	134
Kroonstad (Cereal Station)	16	133
Krugersdorp IV	8	100
Kruidfontein	22	156
Kruispad	1	87
Kruis River	7	95
Kruisrivier	28	183
Kruisrivier	29	186
Kubusie Forest	24	172
Kuburta	10	117
Kuilfontein	7	96
Kuilput	15	128
Kuilspoort	21	155
Kulu Halt	18	148
Kuruman I	14	121
Kwaggafontein	8	108
Kwaggaskop	9	111
Kwaggasnek	7	96
Kwambonambi	18	149
Kwayaya	18	148
Kweekwa	21	155
Kwepartuin	28	183
Kwikstaart	8	99
Kykrug	22	157
Laatagevonden	2	91
Labera	6	92
Laborars	23	164
La Cotte	2	91
La Dauphine	13	120
Ladismith	28	183
Ladybrand	16	134
Ladybrand	16	135
Lady Frere	24	170
Lady Grey	24	170
Ladysdale	16	133
Ladysmith	17	143
Lafuta	24	172
Laingsburg	27	183
Laingsnek	17	143
Lair	24	171
Lake Menta	30	187
Lakenvlei	21	154
Lake Warren	13	120
Lambertina	16	135
Lammerkraal	21	154
Lammertjespan	14	120
La Motte	27	180
Langberg	17	141
Langdraai	23	166
Langebaan	26	177
Langefontein	15	126
Langerveldts	16	136
Langgewens	26	178
Langholm	30	189
Langhoogte	29	186
Langkrans	18	147
Langsloot	9	109
Lanquedoc	16	138
Lansdowne	14	123
Lansdowne	18	149
Lapdoorns	15	126
La Plaisante	27	180
Laspoort	15	129
Lauriston	17	143
Lavoni Lot 254	18	148
Lebanon	27	180
Ledingwana	16	140
Leemane	25	177
Leeukuil	8	101
Leeuwbank	9	112
Leeuwdoorns	8	106
Leeuwdoornstad	15	129
Leeuwfontein	2	91
Leeuwfontein	7	96
Leeuwfontein	8	107
Leeuwfontein	15	125
Leeuwfontein	23	163
Leeuwfontein	24	169
Leeuwhoek	22	160
Leeuwkloof	21	154
Leeuwkolk	21	152
Leeuwkop	8	108
Leeuwkop	15	128
Leeuwkuil	23	164
Leeuwkuil	8	106
Leeuwpan	7	94
Leeuwpoort	8	99
Leeuwpoort	8	100
Leeuwput	21	155
Leeuwspruit	16	134
Legkraal	2	88
Legpan	14	123
Leinster	8	98
Leipzig	1	87
Lekkerplaats	22	160
Lekkervlei	22	157
Lekkerwater	17	142
Leliefontein	15	124
Leliekloof	23	165
Leliesbult	16	138
Le-Long	16	137
Lemana	2	90
Lemoenkloof	22	157
Lenhoff	28	183
Lenye	24	169
Leonard	7	94
Leribe	16	138
Le Roux	28	184
Leslie	8	108
Letaba Estates	2	91
Letaba Ranch	3	91
Letaba Rest Camp (Mondswani)	3	92
Letchu Letchu	14	122
Letjesbosch	21	154
Letubi	10	117
Leuctia	16	137
Levina	15	131
Levutu	2	91
Leydenburg	9	113
Leydsdorp	2	91
Liboda	25	175
Lichtenburg (Geol)	7	95
Lichtenburg (Plantation)	7	95
Liebafontein	23	163
Lilyfontein	19	149
Lily Fountain	23	167
Lille	24	171
Lillydale	23	164
Limerick	8	97
Linana	16	132
Lindequesdrift	8	100
Lindley	16	137
Line Drift	31	189
Linokana	7	94
Lions Glen	9	114
Lisbon	18	147
Lisburn	24	173
Little Quendon	8	98
Lobatsi	7	94
Lobithal	9	111
Lochaber	9	115
Loerie (Plantation)	30	187
Loerie (Station)	30	187
Loeriesfontein	20	150
Logaging	6	93
Lokenburg	20	150
Lomar	29	185
Lomati Estate	10	117
Lombards Kraal	21	155
Longbush	30	188
Long Elmsel	17	143
Longhurst	6	92
Longueval	2	89
Longmore	30	187
Longvale	30	188
Loole	10	116
Loopfontein	22	160
Lootshoek	17	146
Lorraine	23	162
Loskop	17	143
Loskop	22	156
Loskop Canals	9	110
Loskop Dam	9	110
Losperfontein	8	100
Lot 12	18	147

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Lothian	10	116
Lottering	29	185
Louis Trichardt	2	89
Louisvale	13	118
Lourdes	25	176
Lourensford	26	179
Lowrensgeluk	6	93
Lowrensa	23	166
Lowrensia	16	136
Lowretha	13	119
Lowrsburg	18	147
Lovedale	23	169
Lower Forest Areas	30	187
Lowlands	10	116
Lowlands	15	125
Lorton	21	154
Lubbespruit	16	134
Lucerne	20	151
Lucerne Vale	22	159
Lucknow	23	164
Luckoff	14	124
Ludeke	25	176
Ludikedas	14	124
Ludlow	8	106
Luipaardsvlei	8	100
Luipaardsvlei (G.M.)	8	101
Lusikisiki (Gaol)	25	176
Lydenburg	9	113
Lymedock	23	164
Lynley	14	123
Lynwood	8	105
Maandagshoek	9	112
Maartenshoop	9	112
Maasstroom	1	87
Macassarfontein	22	160
Maccauvlei	8	102
Machadodorp	9	112
Machavie	7	97
Maclear	24	174
Maclears Beacon	26	178
Mac Mac	9	114
Macswale	9	115
Macuville	2	89
Madrid	14	123
Mafeking	7	94
Mafeteng	16	133
Magdalena	16	138
Magerskuilen	14	123
Maggiesdale	9	115
Mahale	2	91
Mahemspruit	15	130
Mahlabatini	18	148
Mahobieskraal	7	97
Maitland Cemetery	27	178
Majola	25	175
Makhaba	16	140
Makoukuil	22	156
Makuleng	16	139
Malalane Rest Camp	10	117
Maliseveld Vallei	9	115
Maliba	15	130
Mallow	8	106
Malmesbury	26	179
Maloppoedraai	16	138
Malpas	24	173
Mamagalieskraal Settlement	8	101
Mamagalieskraal South	8	101
Mampakuil	2	89
Mancorp Mine	14	120
Mandeladam	23	165
Mandelsfontein	20	151
Manina	24	173
Manitoba	16	137
Mankaiana	10	116
Manor Holme	23	162
Mansbie	24	174
Mapumulo	18	147
Maputa	18	149
Maqhassi	15	128
Maqwatlingaaak	16	134
Marabisburg (G.M. Co.)	8	102
Maraisrust	16	136
Marais Siding	22	159
Marakabies	16	138
Marble Hall	9	110
Marse	16	133
Maribogo	7	93
Mariepskop	9	114
Maricodraai	7	96
Marken	1	87
Marnitz	1	87
Marquard	16	134
Marshmoor	23	167
Marthinusdrif	17	145
Marydale	13	119
Maryvale	9	114
Maryvale Farm	8	100
Masama	32	189
Masequa	2	89
Masaru	16	135
Mashaba	2	89
Mashai	16	140
Masilibitsani	6	92
Matapa Swazi School	10	117
Matatiele	24	175
Matiebaskraal II	2	88
Matiwa	2	91
Matjesfontein	21	154
Matjesfontein	27	182
Matjes River	28	183
Matjespruit	15	130
Matjesvlei	21	154
Matlapanen	13	119
Matonshoek	16	135
Matsoakeng	16	140
Matroosberg	27	181
Maup	32	189
Mayana Mabede	6	93
Mayfern	10	116
Mayville	8	103
Maselspoort	15	130
Mbabane	10	116
Mbulu	24	172
McCreedy	10	116
McGregor	27	181
Meander	15	132
Mebani	8	99
Mehlonirgana	25	177
Meintjiesfontein	20	151
Meisjesvlei	8	107
Melkbosvlei	20	151
Melmoth	18	148
Melrose	6	92
Melrose	15	131
Melrose	23	164
Melville Halt	25	177
Memel	17	142
Menin	16	138
Meno	16	140
Mentzburg	15	131
Merensky Skoolplaas	2	90
Merino	22	158
Merino	23	168
Merrivale	17	144
Merweville	21	152
Messina	2	90
Meyershoek	17	143
Meyerspoort	21	154
Meyerton	15	129
Mfongosi	17	146
Mhlatzheni	18	148
Middelburg	9	110
Middelburg (Cape)	23	160
Middeldrift	24	169
Middelfontein	8	98
Middelfontein	8	104
Middelfontein	15	125
Middelfontein	23	164
Middelin	17	143
Middelkop	2	90
Middelkop	6	93
Middelkop	8	97
Middelkop	15	128
Middelkraal	9	110
Middelkraal	22	156
Middelplaats 116	23	169
Middelpoort	15	130
Middelpos	13	118
Middelpos	20	151
Middelvlei	27	180
Middelvoetpad	27	182
Middelwater	30	187

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Middelweg	16	133
Midden	16	138
Middenspruit	16	133
Middlemount	22	158
Middelton	17	145
Middleton	23	164
Mid-Illovo	17	145
Mierkraal	27	181
Mignonette	16	136
Mikpunt	16	136
Milkwoodkraal	17	146
Millholme	23	167
Mills, The	22	158
Millerton	16	138
Millwood	28	184
Milner	14	120
Milnersdale	29	185
Milnerton	26	178
Mimosa	7	94
Mimosa	15	125
Mimosa Park	8	98
Mimro's Winkel	17	141
Mistake	6	92
Mistkraal	29	186
Mistley	17	145
Mitchan	13	119
Mkambati (Leper Institute)	25	177
Mkuai	18	148
Mlihn	10	117
Mombevelden	8	108
Mochudi	7	95
Modderfontein	8	103
Modderfontein	23	165
Modderfontein	23	164
Modderpoort	16	135
Modderpoort	23	168
Modderrivier	14	123
Modderspruit	10	115
Moedersrust	17	143
Mohalashoek	24	171
Mohembo	32	189
Moira	30	188
Moirton	15	126
Mokhalinyane	16	134
Mokhotlong	17	141
Mokuisiki	16	140
Molen River	28	184
Molepolole	7	93
Molteno	23	166
Molteno Reservoir	26	178
Monsvein	2	90
Mon Desir	2	91
Mongewil	23	168
Mon-Repos	16	132
Mon Repos	22	157
Mon Repos	17	144
Mons	17	142
Montagu	15	125
Montagu	23	162
Montagu	27	182
Montpellier	27	180
Mont Rouge	27	180
Moodies	10	116
Moolbank	8	97
Mooifontein	7	94
Mooifontein	22	160
Mooifontein	8	100
Mooifontein	9	111
Mooifontein	23	166
Mooigelegen	9	108
Mooihoek	2	90
Mooihoek	15	128
Mooihoek	15	130
Mooihoek	10	117
Mooihoek	16	137
Mooiplaas	24	173
Mooivlei	23	164
Mooivlei	23	165
Moorsdale	29	185
Moorddrift	8	108
Moorside	17	142
Morweon	16	133
Morgenlicht	17	141
Morgenpracht	30	187
Morgenrood	16	135
Morgenson	16	133
Morgenson	9	111
Morgenson	16	139

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Morning Star (Elgin)	27	180
Morokweng	6	92
Moreaf	15	126
Morefontein	23	163
Mosdene	8	108
Mosita	6	93
Mossie	14	122
Motition	14	121
Motkop	24	170
Mount Ayliff	25	175
Mount Barnard	15	131
Mount Carmel	14	121
Mount Coke	24	171
Mount Currie	25	176
Mount Edgecombe	18	149
Mount Edgecombe	18	147
Mount Fletcher	24	174
Mount Frere	24	175
Mount Hope	28	184
Mount Morkel	16	138
Mount Paul	17	140
Mount Rayner	23	166
Mount Royal	17	142
Moutons Hoek	19	150
Mpharane	16	135
Mpisi	10	117
Mpoza	18	148
Mpur	25	176
Mqanduli	24	174
Mselani Mission Station	18	149
Mtimba	10	116
Mtunzini	18	148
Mutsamberg (Reservoir)	26	178
Mukuln	13	120
Murraysburg	22	157
Mushroom	10	116
Muurkraal	27	182
Mvenyane	25	175
Mvenyane (Forest)	24	175
Naartjieswilla	27	180
Naauwpoort	17	144
Naauwpoort	22	160
Naboomspruit	8	107
Nagana Research Station	18	148
Natalspruit	8	103
Nazareth House Farm	14	124
N'dabakazi	24	173
Ndawn	10	117
Ndwedwe	17	146
Nebo	9	111
Nederland	10	116
Neilscoton	15	125
Nelsdrift	15	130
Nelshoogte	9	115
Nelskop	20	151
Nelskraal	30	188
Nelsonsfontein	14	121
Nelspan	9	111
Nelspoort	22	155
Nelspruit	9	113
Nelsrivier	9	114
Neuwerwet	7	93
New Agatha	2	90
New Bethesda	22	159
Newcastle	17	143
New Denmark	9	110
New Elands	15	127
New England	24	171
New Hanover	17	145
Newington	10	117
Newlands	14	123
Newlands	15	131
Newlands	17	142
Newlands	17	145
Newlands	23	164
Newlands	22	160
New Leeds	17	141
New Modderfontein (G.M. Co.).	8	105
New Union Goldfields	2	91
Nuylan	13	120
Ngadla	24	174
Ngami	18	148
Ngonyama (Ocean View)	31	189
Ngqelani	25	175

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	BLADSIJDE PAGE
Niekerkshope	13	130
Niekerksvlei	9	110
Niekerksvlei	15	130
Nietena	14	120
Nietverdiend	7	95
Niemberg	27	180
Niesse Rust	19	149
Niewejaarsfontein	15	130
Niewejaarsfontein	22	156
Niewoudtville	20	150
Nigel House	8	105
Nilsna	14	123
Nildesperandum	16	139
Nkandhla	18	147
Nkobongo	24	173
Nkonkoni	18	148
Nongo	29	187
Noblesfontein	21	154
Nokanna	13	119
Nomadamba	24	172
Nongoma	18	148
Noodshulp	7	94
Noodshulp	8	104
Nooitgedacht	2	90
Nooitgedacht	7	94
Nooitgedacht	8	100
Nooitgedacht	8	106
Nooitgedacht	8	107
Nooitgedacht (Laboratorium).	9	112
Nooitgedacht	9	114
Nooitgedacht	15	129
Nooitgedacht	16	138
Nooitgedacht	18	148
Nooitgedacht	21	155
Nooitgedacht	22	160
Nooitgedacht	23	168
Nooitgedacht	26	179
Nooitgedacht	27	180
Nooitgedacht	29	186
Nooitgedag	27	182
Nooitvermacht	22	158
Normandale	23	163
North Cliff	24	171
Northdene	17	146
North End	15	131
Northfield	15	127
Nurvalspont	23	162
Nutingila	25	175
Nottingham Road	17	144
Noupoort	7	95
Nox	17	141
Noyjons	8	97
Nqamakwe	24	173
Nqadu Heights	24	174
Nqadu (Plantation)	24	175
Nququ	24	172
Nqutu	17	145
N'Roungas Suid	13	118
Ntonjaneni	18	148
Ntsubane	25	176
Ntywanka	24	174
Nun Nun	8	107
Nuwedam	20	151
Nuwejaarskraal	14	120
Nyamasan	10	116
Nylstroom	8	106
Nylsvlei	8	107
Oakdale	8	108
Oakdene	23	168
Oaklands	23	163
Oatlands	1	87
Oatlands	22	158
Obanjene Lot 83	18	148
Odendaalsrus	15	131
Odendaalstroom	23	167
Ohrigstad	9	113
Oldenburg	16	140
Olifantsfontein	8	104
Olifantsnek Dam	8	98
Olifantspoort	8	98
Olifantsvlei	7	95
Olives	15	128
Olivewood	23	160
Olivine	15	132
Olyvenfontein	22	160
Omdraaisvlei	22	156
Onbekend	8	106
Onder Ongeluk	14	120
Onderste Doorns	20	151
Onderstepoort	8	103
Ongelegen	29	185
Ongelukskop	22	158
Onrust	5	92
Onverwacht	9	109
Onverwacht	27	180
O'Okiep	11	118
Oogies Colliery	9	109
Oorlogsboek	21	154
Oorsprong Oos	16	137
Openside	6	93
Ophir	9	115
Ophirton Depot	8	102
Opsoek	28	183
Orangedale Estate	7	97
Orange Grove	14	122
Oranje	15	128
Oranje	23	162
Oranje	27	181
Oranjefontein	1	87
Oranjeoord	14	121
Orange River	14	122
Oranjeville	8	104
Oranjezicht	29	186
Oranjia	9	110
Orchard (Hex River)	27	181
Orinway	30	188
Orlando	15	126
Orlando Park	15	125
Orpendale	24	171
Oskloof	23	166
Ossa	24	171
Otobotini	18	149
Otterfontein	7	96
Otterford	30	187
Otterburn	23	168
Ottosdal	7	95
Ottoshoop	7	95
Ou Koppieskraal	20	151
Oudefontein	22	157
Oudekloof	21	153
Oudekraalskop	27	182
Oudtshoorn	28	184
Oukraal	23	163
Oulton	22	158
Outlook, The	16	138
Owendale	29	185
Overdene	16	137
Overvloed	18	147
Overwinning	14	122
Oxton	25	176
Paardeberg	15	125
Paardefontein	23	163
Paardefontein	24	169
Paardekop	17	142
Paardekraal	21	154
Paardekraal	22	158
Paardekraal	15	131
Paardevlei	15	132
Paardevlei	22	159
Paarl	26	179
Paarlshoop	8	102
Pafuri	3	91
Pakpoort	15	128
Palapye Road	1	87
Palmarywille	2	91
Palmford	17	142
Palmietfontein	2	88
Palmietfontein	7	97
Palmietfontein	21	154
Palmietgat	8	106
Palm Ridge	18	149
Palmyra	6	92
Paneta	10	117
Papane	25	175
Papkuil	14	122
Paradise Estate	26	178
Paradys	28	184
Paris No. 180	9	113

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	BLADSIJDE PAGE
Parys	8	97
Parys	8	99
Parys 570	15	125
Paschaskraal	9	112
Patrysfontein	22	157
Paulholm	17	142
Paulpietersburg	17	146
Paul Roux	16	137
Pearston	23	161
Peddie	31	189
Pella	8	100
Pella	12	118
Pelserskraal	15	130
Pennington	25	177
Perdefontein	20	151
Perdepoort	14	122
Petrusburg	15	126
Petrus Steyn	16	138
Petrusville	22	159
Phantom	2	89
Philadelphia	9	109
Philadelphia	23	161
Philippolis	23	161
Philipstown	22	159
Picardy	23	168
Pienaarsfontein	23	162
Pienaarsrivier	8	105
Pietermaritsburg (M.H.)	17	144
Pietermaritsburg (Town Bush Valley)	17	145
Pieter Meintjes	27	182
Pietersburg Hospital	2	88
Pietersburg (Aerodrome)	2	88
Pietershoogte	8	101
Pietersville	15	126
Piet Retief	17	146
Pigeonhole	2	90
Pigg's Peak	10	116
Pilandsberg	8	97
Pilanyan	13	119
Pilshill	13	119
Pilgrims Rest	9	114
Pinelands	27	178
Pinetown	17	146
Piquetberg	19	150
Pirie Forest	24	171
Plaatjeskraal	27	182
Plankfontein	23	163
Planknak	9	109
Platberg	20	150
Platfontein	14	123
Platklip	14	121
Platkop	16	135
Platkoppies	8	104
Platveld	2	91
Pleasant View	23	169
Pleisterkraal	23	165
Pleesiedam	6	92
Plettenberg Bay	29	185
Ploegfontein	21	152
Plocysburg	14	122
Plumstead	26	178
Pofadder	12	118
Pongola Settlement	18	148
Pontmain	16	138
Poortfontein	27	183
Poortjie	7	94
Poortje-Wes	22	156
Poplar Grove	23	163
Poplars	14	121
Port Alfred (Golf Club)	30	189
Port Beaufort	27	182
Port Durnford (E)	18	148
Port Durnford (A)	18	148
Port Elizabeth (Aerodrome)	30	188
Port Elizabeth (Lighthouse)	30	187
Port Elizabeth (Golf Club)	30	188
Port Elizabeth (Priory)	30	187
Portland (Whites)	16	132
Port Nolloth	11	118
Port St. Johns	25	176
Port St. Johns (Cape Hermes)	25	176
Port Shepstone (Gaol)	25	177
Postmasburg	14	120
Potchefstroom	8	98
Potfontein	14	122
Potgietersrust	9	108
Pot-The-Red	16	134
Potter's Camp	18	148
Pramberg	14	124
Premier Mine	8	106
Prerus	8	98
"Pretoria" Farm	9	113
Pretoria (Arcadia)	8	104
Pretoria (Fountains)	8	104
Pretoria (Zoo)	8	104
Pretoria (Erytirion)	8	104
Pretoria (Burghers Park)	8	104
Pretoria (Country Club)	8	104
Pretoria (Leper Institute)	8	103
Pretoria (Met. Office, Brooklyn)	8	104
Pretoria (Brooklyn)	8	104
Pretoria (Wacklesmeck)	8	104
Pretoria (New Cemetery)	8	103
Pretoria (Middle Crescent)	8	103
Pretoria (Power Station)	8	103
Pretoria (Parktown)	8	103
Pretoria (Sewage Works)	8	103
Pretoria (Skinners Court)	8	103
Pretoria (Union Bldgs. Nursery)	8	104
Pretoria (University Farm)	8	105
Pretoria (West End Plantation)	8	103
Pretoria (W.E. Timber Inv. Stn.)	8	103
Pretoriusdam	14	122
Pretoriuskop Rest Camp	10	116
Prieska	13	120
Prince Albert	28	183
Prince Albert Road	21	153
Prinshof	8	104
Prinshof	20	151
Prinshof	21	154
Prinsrivier	27	182
Progress	6	93
Prospect	16	140
Prospect	23	161
Protea	27	182
Punda Maria	3	97
Puduhusch	13	120
Puntjesfontein	15	128
Puselia	2	90
Puts	19	150
Pylfontein	23	162
Qanha's Nek	24	174
Qacu	24	172
Qoqodala	23	169
Quaggafontein	24	170
Quaggasdrift	22	157
Qudepi	17	146
Queenstown	23	169
Queston	9	113
Quietways	17	143
Quilimane	15	132
Quzu	24	174
Quthing	24	172
Rabula	24	170
Radway Green	30	188
Rafidim	16	135
Rafidim	16	138
Rainhill	8	98
Ramathlabama	7	94
Ramatoeloes Kloof	2	89
Ramatsiliso	24	175
Ramblaholm	17	145
Ramfontein	24	173
Ranches Ltd.	10	117
Randfontein (G.M.)	8	100
Randfontein (Municipality)	8	100
Randfontein	16	134
Randjesfontein	16	132
Range	13	120
Rapaces	24	172
Rasfontein	22	158
Rasboop	8	100
Raskop	8	108
Ratelfontein	21	153
Ravenshill	2	91
Raweonville	27	181

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Reddersburg	15	129
Redelinghuys	18	149
Redhill	2	88
Reedsdell	24	173
Reenen	20	150
Reitz	16	139
Reitvlei	14	122
Reliance	14	120
Renosvombe	23	161
Request	7	97
Residence	17	145
Reston	9	111
Retreat	6	93
Retreat	9	115
Rhebokfontein	21	152
Rhebokfontein	22	155
Rhebokkraal	27	181
Rhenosterfontein	7	96
Rhenosterfontein	8	101
Rhenosterhoek	20	151
Rhenosterpoort	22	157
Rhenostervlei	21	152
Richards Bay	18	149
Richmond	15	131
Richmond	17	144
Richmond	22	157
Richmond	31	189
Riebeek	16	137
Riebeek Kasteel	26	179
Riepan	8	102
Riemvasmaak	16	135
Rietbokhoek	8	102
Rietbron	22	156
Rietbult	8	107
Rietfontein	4	92
Rietfontein	7	95
Rietfontein	7	97
Rietfontein	8	99
Rietfontein	8	101
Rietfontein 9	8	104
Rietfontein	8	106
Rietfontein 72	8	106
Rietfontein	8	107
Rietfontein	13	118
Rietfontein	15	130
Rietfontein	21	153
Rietfontein	21	154
Rietfontein	21	154
Rietfontein	22	158
Rietfontein	23	164
Rietgat	7	95
Rietkuil	9	109
Rietkuil	23	164
Rietlangte	17	143
Rietondale	8	104
Rietpan	7	93
Rietpan I	7	94
Rietpan II	7	94
Rietpan	15	127
Rietpoort	17	143
Rietpoort	18	149
Rietput	14	124
Rietrivier	29	185
Rietspruit	7	96
Rietspruit	9	115
Rietvallei	9	114
Rietvlei	8	101
Rietvlei	8	106
Rietvlei	17	144
Rietvlei	9	109
Rietvlei	7	95
Rietvlei	9	112
Rietvlei	15	129
Rietvlei	15	132
Rietvlei	21	153
Rietvlei	22	158
Rietvlei	23	161
Rietvlei	28	183
Rivenhill	16	137
Riverbank	10	116
Riversdale	24	169
Riversdale	28	183
Riverside	9	109
River View	18	149
Riviera	27	139
Rivieresonderend	27	182
Robben Eiland	26	177
Roberts Heights	8	103

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Robertson (Boy's High School)	27	181
Robertson (Gaol)	27	182
Robertson (Plantation)	27	181
Rocco	17	141
Rockdale	23	161
Rockford	23	169
Rocklands	14	123
Rocklands	21	154
Rocklands	23	167
Rocklands	30	189
Rocklaigh	17	142
Roelofskamp	6	93
Roetsbosk	23	166
Rolfontein	9	111
Roma	16	136
Roman	24	173
Rondavel	28	184
Rondavelskraal	7	96
Rondebosch	8	108
Rondebult	8	104
Rondefontein	15	126
Rondom	21	152
Rondspring	17	146
Rongpoort	17	143
Roodebergleegte	23	164
Roodeblom	22	159
Roodedraai	17	142
Roodehoogte	22	160
Roodekop	8	104
Roodekop	7	97
Roodekop	16	137
Roodekraal	16	134
Roodekrans	28	184
Roodekrans	29	186
Roodekranz	8	101
Roodekuil	8	105
Roodepoort	8	101
Roodepoort	9	111
Roodepoort	15	128
Roodepoort	15	130
Roodepoort	16	136
Roodesand	2	90
Roodewerf	20	151
Rooiberg	8	100
Rooidam	20	151
Rooidam	21	153
Rooiruntjesfontein	7	95
Rooikraal	15	130
Rooikop	8	107
Rooikoppies	8	100
Rooikuil	23	161
Rooimuur	29	185
Rooipan (Klaarwater)	14	123
Rooiplaas	29	185
Rooipoort	7	96
Rooipoort	7	97
Rooipoort	22	156
Rooirivier	28	184
Rooisloot	14	120
Rooisal	22	159
Roos Senekal	9	111
Roosville	7	94
Rosary	21	154
Rose Deep (G.M. Co.)	8	106
Rosedale	17	141
Rosedene	21	154
Rosendal	15	129
Rosendal	16	137
Rosebough	9	114
Rosenneath	2	88
Rosherville	8	103
Rosslands	23	165
Rosscow	24	171
Rotterdam	16	140
Rotterdam	1	87
Rouxput	2	89
Rouxville	23	168
Royville	30	188
Ruiter Bos	28	183
Runnymede	16	140
Rustbank	16	133
Rust-der-Winter	8	106
Rustenburg (School)	1	87
Rustenburg	9	112
Rustenburg (Town)	8	98
Rust-en-Vrede	28	184
Rustfontein	15	128
Rustfontein	16	137

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	BLADSIJDE PAGE
Rustpan	15	132
Rustplaats	9	113
Rust River Valley	27	180
Rust-u-Marie	16	134
Rustvermaakt	17	144
Rynbeath	22	159
Rystbuil	21	155
Saamwerk	15	129
Saaifontein	21	153
Saaibosk	16	139
Sabeni	24	175
Sabie	9	114
Sabie Gorge	9	115
Saccharine	18	147
Saint John's Forest	25	176
Saint Joseph	10	117
Saint Lucia Lake	18	149
Saint Michael's	26	178
Saint Patrick	8	99
Saint Philip's Mission	10	117
Saldanha Bay	26	177
Salem	17	146
Saliqua	9	115
Salomonsfontein	14	121
Salopia	15	128
Saltberry Plain	8	101
Saltpanmek	29	186
Salsmanspan	15	129
Sandcliff	9	113
Sanddrift	29	186
Sandtrift	23	167
Sandflats	25	175
Sandfontein	14	123
Sandford Orleigh	10	116
Sandhoogte	28	184
Sandown	2	88
Sandpan	22	156
Sandpoort	29	186
Sandrivier	8	102
Sandrivierspoort	16	133
Sandymount	15	125
Sani Pass	17	141
Sarelsrivier	22	157
Saregrove	17	144
Saseun	24	172
Satara	10	117
Savoti	25	177
Schaapplaats	16	137
Schagen	9	114
Scheepersrust	27	182
Scheerpoort	8	101
Schelm	9	112
Scheurfontein	22	158
Schikfontein	8	104
Schilpadbeen	29	185
Schimperslei	16	133
Schmidtsdrift	14	122
Schoemanshoek	28	184
Scholtzfontein	14	123
Schoonberg	28	184
Schoongezicht	9	109
Schoongezicht	16	137
Schoonoord	9	111
Schuinsdrift	7	96
Schuinskraal	19	149
Schweizer Renaka	15	126
Scorpioendrift	21	152
Scotston	9	115
Scottburgh	25	177
Scylla	25	176
Sebata	6	92
Sehlumthetse	17	141
Sehong Hong	16	140
Selbourne	22	157
Selemo	6	93
Sekukuniland	9	112
Semapore	23	163
Sendelingskop	15	131
Senekal	16	135
Serone	32	189
Setali	2	90
Setlagoli	7	93
Settlers	8	106
Sevenfontein	25	176
Sevenfontein	23	167
Seymour	23	168
Shamrock	8	98
Shannonvalley	15	129
Sheemspoet	16	132
Sheerfield	7	97
Shongweni	17	145
Shopsite	7	93
Shotterwill	15	126
Sibasa	2	91
Sidbury	16	137
Signal Hill (Liens Ramp)	26	177
Sihota	24	173
Siloam	2	90
Silverdales	11	189
Silvermere	23	165
Silver Streams	14	121
Silverton	8	105
Simmer & Jack (G.M. Co.)	8	103
Simmer Pan	8	103
Singoemi	10	117
Sipofanemi	10	117
Skaapboevlakte	14	122
Skaapplaas	16	134
Skalkie	16	139
Skema	15	128
Skietfontein	20	151
Skietkloof	21	152
Skietkraal	22	158
Skilderkrans	23	162
Skilderkrans	23	165
Skilderspan	22	156
Skoongezig	22	157
Skuinshoogte	7	93
Skuinshoogte	21	152
Skuitklip	12	118
Skukuza	10	117
Slaakraal	30	188
Slaapplaats	16	138
Slagberg	22	156
Slabbertspoort	29	185
Slangfontein	15	127
Slangfontein	21	154
Sleutelpoort	15	127
Slingersfontein	21	153
Slingershoek	22	158
Sluurry	7	94
Smaldeel	16	137
Smalvlei	23	162
Smithfield	23	167
Smithsdale	14	124
Smitswinkel Bay	26	178
Smuts	13	120
Smythe	13	120
Snowhill	17	142
Snyderfontein	21	154
Snyderskraal	22	157
Snyderspoort	20	151
Snymanskraal	23	166
Sodium	22	156
Soebatsfontein	19	149
Soho	2	88
Somerset East	23	163
Sourflats	29	185
Soutrivier	27	181
Southstar	22	156
Southvlei	11	118
Spadona	30	188
Sparkshurst	9	109
Spes Bona	27	181
Spioenrif	16	140
Spioenkop	15	126
Spitshoek	21	153
Spitskop	23	165
Spitskop	23	169
Spitskop	9	114
Spitskop	14	123
Spitskop I	14	124
Spitskop 280	15	126
Spitskop	17	144
Spitskrans	16	139
Spreeuwfontein	14	123
Spreeuwfontein	14	124
Spreeuwfontein	21	154
Springbok	11	118
Springbok	15	127
Springbok	17	143
Springbokbult	17	142

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Springfontein	21	152
Springfontein	21	153
Springfontein	23	163
Springhall	8	103
Springs I	8	106
Springs II	8	106
Springvale	16	136
Springvale	18	147
Springvalley	23	166
Springvalley	24	170
Squamans Post	10	117
Stas Brees	25	177
Standard Pan	14	122
Standerton	9	109
Stanford	27	181
Stanleyvale	16	140
Steeldam	21	155
Steenbokvlakte	15	126
Steenbras I - III	26	179
Steenbras IV - VI	26	179
Steenbras VII	26	179
Steenbras Dam	27	179
Steenboppies	8	110
Stegi	10	117
Steilfontein	16	138
Steinkopf	11	118
Stella Home	30	187
Stellenbosch	27	179
Stellenbosch (Agric. College)	27	179
Stellenbosch	7	96
Sterkfontein	1	87
Sterkfontein	8	100
Sterkfontein	8	101
Sterkfontein	9	110
Sterkfontein	15	127
Sterkfontein	22	159
Sterkloop	1	87
Sterkspruit	24	171
Sterkstroom	17	141
Sterkstroom	23	167
Sterkwater	2	89
Stinkwater	9	115
Sterling	21	155
Sterling Chase	23	166
Sternham	13	119
Stettyn	27	181
Steyn	16	136
Steynsburg	23	164
Steynsdorp	9	115
Steynsrust	16	135
Steytlerville	29	186
Still Bay	28	183
Stillewoning	23	165
Stinkboutboom	7	94
Stirum	1	87
Stockdale	22	157
Stockdale	23	166
Stockpoort	1	87
Stofkraal	21	153
Stolsbosk	21	154
Stolts River Dam	21	154
Stompor	13	119
Stonehouse	23	167
Stonycroft	23	167
Stonyvale	30	188
Storwberg Junction	23	166
Stormfontein	23	165
Stormerivier	29	186
Strandadrift	7	96
Stradbroke	23	161
Stradbroke West	23	161
Strathcona	16	137
Strathroy Store	24	175
Strawberry Hill	27	183
Streepfontein	17	142
Strehla	8	108
Struan	7	95
Struisbosk	23	162
Struisvogelpoort	17	143
Strydenburg	14	121
Strydfontein	9	113
Strydomslaagte	29	186
Strydomsvlei	29	185
Strydpan	8	107
Strydpan	1	87
Stuurmansgat	13	119
Sub-Signal (G.M. Co.)	8	105
Sulphur Springs	18	147
Summerford	25	177
Summerhill	23	162
Sunnyhills	16	135
Sunnyside	9	114
Sunnyside	13	119
Sunnyside	23	167
Surprise	14	121
Surprise Store	18	147
Susanna	16	139
Sutherland	17	145
Sutherland	20	151
Swalfontein	21	155
Swakfontein	23	169
Swalukrans	23	165
Swartkop	21	152
Swartkop	17	146
Swartkoppie	16	134
Swartkoppies	15	127
Swartkoppies	8	102
Swartlaagte	6	93
Swartlaagte	16	136
Swartvlei	27	180
Swartwater	17	144
Sweetfontein	22	155
Sweethome	14	122
Sweetlands	24	172
Sweetwater	16	132
Sweetwilliam	15	125
Swellendam	27	182
Swellendam Forest	27	182
Swerwerskraal	1	87
Sydney-on-Vaal	14	122
Sydney's Hope	30	188
Syferfontein	7	95
Syferfontein	7	97
Sylvan	17	140
Sylvan Rest	27	181
Tasiboschfontein	16	133
Tasiboschfontein	21	154
Tasiboslaagte	15	125
Tabankulu (Forest)	25	176
Tabankulu	25	175
Table Mountain (Cableway)	26	178
Table Mountain (Devil's Peak)	26	178
Table Mountain (Diss Head)	26	178
Table Mountain (Maclear's Beacon)	26	178
Table Mountain (Lower Reservoir)	26	178
Table Mountain (Kasteelspoort)	26	178
Table Mountain (Platteklip)	26	178
Table Mountain (St.Michael's)	26	178
Table Mountain (Waai Kopje)	26	178
Table Mountain (Waaivlei)	26	178
Table Mountain (Woodhead Dam)	26	178
Table Mountain (Woodhead Tunnel)	26	178
Table Mountain (House)	26	178
Tafelberg	23	167
Tafelberg Hall	23	161
Tafelkop	8	106
Tafelkop	23	161
Tarkastad	23	166
Tarka Training Farm	23	163
Tarlton	8	100
Tarsna	24	169
Taungs	14	124
Taylerville	25	175
Teekloof	21	152
Telpoort	23	161
Tembani	30	188
Temple Horne	24	173
Teviot	23	163
Tevreden	9	111
Tevredenhaid	14	124
Teyateyaneng	16	136
Thaba Bosigo	16	135
Thaba Bulois	16	140
Thabana Morena	16	134
Thaba 'Nchu	15	131
Thaba Telle	24	173
Thaba Tseka	16	139
Thabasimbi	8	99
Thomasgat	22	157
Thomas River	24	170

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	BLADSY PAGE
Thomas River	24	171
Thornbury	15	125
Thorndale	23	161
Thornhill	15	131
Thornloe	2	88
Tierfontein	8	98
Tierhoek	27	182
Tierhoek	30	187
Tierkloof	8	98
Tierkloof	14	120
Tigerkloof	14	124
Tigerpoort	8	106
Tiger Vlei	25	175
Tikvoh	9	110
Timbadola	2	90
Titespan	21	155
Tkokoboos	21	153
Tobiasgyaloop	8	107
Toekoms	20	150
Toelloop (Riverside)	15	128
Toggekry	16	137
Tokai	26	178
Tokasi	18	148
Torteldoos	9	111
Tonti	25	175
Toowoomba	8	105
Topdog	13	119
Torwood	17	143
Tosing	24	173
Touws River	27	182
Towers	26	178
Transvaal Citrus Farms	9	113
Transvalia	10	117
Tragauna	8	104
Triangle	2	91
Trighop (Elands)	30	187
Trompsburg	23	163
Trooilapspan	13	118
Try Again	17	144
T.S.395 N.10	30	187
Tsabong	5	92
Tshakhuma	2	91
Tshatshani	24	175
Tshokwane	10	117
Tsoelike	24	174
Tsolo	24	175
Tsomo	24	173
Tubani	24	174
Tugela Ferry	17	144
Tulbagh	27	180
Turffontein	8	98
Turffontein	16	139
Turfpan	8	108
Turndale	6	93
Tussenbeide	27	181
Tussen Vier	15	130
Tweedrasi	9	109
Tweedracht	8	106
Tweefontein	8	108
Tweefontein	9	111
Tweefontein	9	114
Tweefontein	14	122
Tweefontein	15	132
Tweefontein	16	136
Tweefontein	23	162
Tweefontein	23	164
Tweeling	16	139
Tweeputkoppies	2	89
Twee Riviere	4	92
Twee Riviere	8	99
Tweerivieren	29	186
Tweespruit	16	132
Tweespruit	16	134
Tweevlei	27	182
Twenty-four Rivers	8	105
Two Rivers Estate	7	97
Twyfelshoek	7	94
Tydagenoeg	27	180
Tygerfontein	17	142
Tygerpoort	15	130
Tyldan	24	170
Tzaneen	2	90
Ubique	23	168
Ubombo	18	148
Uflond	23	162
Uitenhage	7	97
Uitenhage (Park)	30	187
Uitenhage (Springs)	30	187
Uitkomst	18	147
Uitkomst	22	159
Uitkomst	22	160
Uitkyk	14	126
Uitkyk	15	128
Uitkyk	15	128
Uitkyk	16	135
Uitkyk	9	109
Uitschot	7	95
Uitvalgrond	8	100
Uitvluchtspan	14	121
Uitvlugsfontein	22	156
Uitzicht	22	160
Uitzicht	9	109
Uitzicht	9	111
Uitzicht	16	138
Uitzicht	17	146
Uitzien	17	144
Uitzig	13	119
Ulos	18	149
Umballo	23	169
Umbogintwini (Kynoch)	17	146
Umgeni Dam	17	145
Umgeuzuma	10	116
Umlaas Road	17	145
Umlaas Filter Beds	17	146
Umtata	24	173
Umtinthlondi	24	172
Umsinkulu	25	176
Umsunduzi	31	189
Uniondale	29	185
Union Saltpan (Wanda)	14	123
Uniteit	13	120
Upingtoe	13	118
Upsal	23	161
Usdum	16	136
Utrecht	17	144
Utrecht West	17	144
Vaalbank	8	101
Vaalbank	15	127
Vaalbank	15	128
Vaalbank I	16	138
Vaalboschfontein	15	127
Vaalbult	13	119
Vaal Harts (Experimental Stn.)	14	123
Vaalharts	14	124
Vaalhoek	9	114
Vaalkop	7	95
Vaalkop	8	99
Vaalkrans	15	131
Vaalkrans	16	136
Vaalkrantz	23	162
Vaallaagte	15	125
Vaalpan	14	121
Val	8	108
Valencia Estate	2	91
Vallaye	25	177
Vanwardesdam	7	93
Vancouver	9	110
Vanderbylpark	8	101
Van der Waltshoek	22	158
Van Dyksdrift	9	110
Vandykskraal	16	135
Van Rhynsdorp	19	150
Van Rooyensvlei	14	121
Van Schoorsdrift	26	178
Van Staaden's (Reservoir)	30	187
Van Staaden's (Hill)	30	187
Van Tonderskrans	14	121
Van Wyksvlei	21	153
Van Zylsrust	5	92
Van Zylsrust	17	142
Varkensfontein	8	102
Varkenskuil II	8	107
Varkenspruit	17	142
Varsvlei	23	163
Vastrap	8	108
Vastrap	24	169
Vaumlamba	17	144
Veerenkraal	29	186

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	PAGINA PAGE
Vaghop	16	137
Vald Reserve	15	126
Vantersberg	16	133
Vanterdorp	2	88
Vanterstorp	7	97
Vanterspos	8	100
Vanterevlei	15	126
Vantnoor	23	166
Verblyding	16	134
Verdoornsdraai	1	87
Verdruk	16	136
Verdun	9	109
Verdun	17	142
Vereeniging I	8	101
Vereeniging II	8	101
Vereknil	22	156
Vergelegen	2	90
Vergelegen	22	158
Vergenoeg	16	138
Verkeerdepan	9	112
Verkeerdevlei	15	131
Verkykerskop	17	141
Vermaaskraal	17	144
Versterafontein	23	163
Verulam	18	147
Versamelingwater	2	91
Versamelahoek	2	89
Vetkraal	23	167
Vetvlei	29	185
Victoria West	22	156
Vierfontein	15	131
View Excello	29	187
Viljoenskroon	15	132
Villa Nora	1	87
Villiers	16	139
Villiersdorp	27	180
Vincent	24	173
Vingerkraal	14	124
Vintragerafontein	21	152
Vischgat	16	136
Visdam	23	164
Vissersdrift	14	124
Visgat	21	153
Vista	30	188
Vlagfontein	21	153
Vlakfontein	8	99
Vlakfontein	8	106
Vlakfontein	9	111
Vlakfontein	14	122
Vlakfontein	15	130
Vlakfontein (Waterfall)	18	147
Vlakkloof	9	113
Vlaklaagte	7	95
Vlaklaagte	8	108
Vlaklaagte	9	110
Vlaklaagte	9	111
Vlakplaats	8	108
Vlakplaats	9	113
Vlakspruit	17	142
Vlaisfontein	7	95
Vleeschkraal	15	127
Vleiplaats	22	157
Vlekfontein	22	156
Vliegenpan	2	89
Vlieger Farm	7	96
Voelfontein	23	164
Voelfontein	20	151
Vogeldraai	16	139
Vogelfontein	7	97
Vogelfontein	8	107
Vogelfontein	14	122
Vogelpan	14	123
Vogelstruiskop	29	186
Vogelstruiskood	15	131
Vogelstruiskuil	7	94
Vogelstruisnek	14	122
Vogelstruispan	15	129
Vogelvlei	6	93
Vogelvlei	27	181
Volkersrust I	17	143
Volop	9	110
Vondelingsfontein	20	151
Voorspoed	16	132
Voorspoed	16	137
Voorutsicht	15	129
Voskuil	21	155
Vrede	7	93
Vrede	16	139
Vrede (Govt. School)	17	141
Vrede (Stadsklerk)	17	141
Vrede	22	159
Vredefontein	17	144
Vredefort	16	134
Vredesburg	19	149
Vredenhof	15	129
Vrede Rust	21	154
Vredesvil	17	145
Vreemdeling	2	90
Vruchtbaar	27	180
Vryburg	6	93
Vryheid	17	145
Vulcanus	2	88
Vygeboom	27	180
Vygeboomspruit	2	89
Waaihoek	16	136
Waaihoek	17	145
Waaikopje	26	178
Waaikraal	8	107
Waaipoort	29	186
Waaivlei	26	178
Waarkom	2	88
Wagenaarskraal	21	155
Wakkerstroom	17	144
Waldheim	17	145
Wallenkraal	19	149
Walmer	30	188
Walsingham	23	161
Walton	17	141
Wamakersvlei	21	152
Warburton	9	113
Waratah	24	170
Warden	16	140
Wardsmfield	15	130
Wargundy	16	133
Warmbaths Hotel	8	105
Warmbaths (Baths)	8	105
Warrenton	14	124
Waschbank	17	141
Waterfall	22	158
Waterford	7	97
Waterford	15	132
Waterford	16	136
Waterford	30	187
Waterford	31	189
Waterkloof	8	98
Waterland	16	133
Waterpan	9	109
Water Reserve	2	89
Waterval (Selons)	7	97
Waterval	9	109
Waterval	9	111
Waterval	9	114
Waterval	15	127
Waterval	17	146
Waterval	24	169
Waterval Boven	9	112
Waterval West	14	124
Waverley Nursery	8	103
Waverley	23	167
Waverley Mills	27	180
Wesnen	17	144
Wegdraai	14	124
Welbedacht	16	140
Welbedacht	7	95
Welbedacht	24	170
Welbedacht	27	180
Welbedacht	28	183
Welbedacht	30	188
Welgedacht	8	106
Welgedacht	23	167
Welgegun	27	180
Welgegund	16	137
Welgegund	8	105
Welgelegen	9	112
Welgelaven	6	93
Welgemoed	24	170
Welgemoed	27	180
Welgemoed	27	181
Welgevonden	7	96
Welgevonden	8	107
Welgevonden	9	115
Welgevonden	15	129

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	BLADSY PAGE
Welgevonden	16	134
Welgevonden	23	167
Welkom	9	115
Welkom	18	147
Wellwood	22	159
Weltevrede	7	94
Weltevrede	15	125
Weltevrede	23	116
Weltevrede	28	183
Weltevreden	1	87
Weltevreden	2	89
Weltevreden	9	110
Weltevreden (School)	9	110
Weltevreden	9	113
Weltevreden	9	115
Weltevreden	16	132
Weltevreden	21	154
Weltevreden	28	183
Welverdiend	8	99
Welverdiend	9	110
Welverdiend	17	146
Welverdient	8	99
Wemmershoek	9	112
Wendover	7	97
Wepener	16	132
Werk-en-Lust	7	95
Wesselsbron	15	130
Wesselsdeel	16	135
Westbury	13	119
Westerford	23	167
Western Reefs	7	96
Westfalia	2	90
Westfront	22	157
Westhoek	15	126
Westminster	16	133
Westward Ho!	23	164
Wexford	16	136
Wesa (Plantation)	25	176
Wheatlands	23	166
Wheeldon	15	125
White Hill Estate	16	139
White Hill Rail	27	182
Whitney	30	188
Whitson Farm	17	144
Wyambah	13	119
Wiegnaarspoort	22	156
Wildeslaspt	14	121
Wildebeestfontein	9	110
Wildebeestpan	14	121
Wildeperdehoek	23	166
Wilgeboom	9	115
Wilgeboomek	15	132
Wilgeboschdrift	21	152
Wilgeboschfontein	2	89
Wilgeboafontein II	2	89
Wilgefontein	21	153
Wilgenbosch	20	150
Wilge River	8	108
Wilgenboutendrift	19	150
Wilgenboutedrift	13	119
Wilo	24	175
Williston	20	151
Willowbank	24	171
Willowdale	25	176
Willow Glen	28	184
Willow Grange	8	103
Willow Grove	24	171
Willowmore	29	185
Willows	24	171
Willows	8	105
Willowvale	24	174
Wilton Valley	1	87
Winkladen Estate	14	122
Winburg	8	107
Winburg	16	132
Windhoek	21	152
Windheuwel	29	185
Winchester	9	112
Windsorton	14	124
Windsorton Road	14	124
Windy Hill (Wattle Co.)	17	145
Windymere	28	184
Wingfield Airport	26	178
Winkelhaak	7	96
Winkelspruit	25	177
Wirmarebaken	23	165
Winstead	13	119
Winterhoek	17	145
Winterhoek	22	159
Winterhoek	22	160
Winterhoek	23	165
Wintershoek	15	128
Winterwlei	15	128
Winton	13	119
Wisselrode	10	117
Witbank	9	110
Witbank II	9	109
Witbankfontein	16	138
Witbank (Power Station)	9	109
Witberg	13	119
Witdam	13	119
Witdraai	4	92
Witkalk	21	152
Witkleifontein	8	105
Witklip	9	115
Witkop	12	118
Witkop	23	167
Witpoort	9	108
Witrand	2	89
Wittebank	8	107
Witte Elsbosch	29	186
Witteklip	22	158
Witteklip Estate	30	187
Wittonvale	2	90
Witwater	10	115
Witziashoek	16	140
Woburn	23	169
Wolfridge	24	170
Wolhaarkop	13	120
Wolhuterskop	8	100
Wolhuterskop	15	127
Wolmada	22	159
Wolmaransstad	15	128
Wolsekraal	8	100
Wolwekraal	29	185
Wolwefontein	29	186
Wolwekloof	23	164
Wolwekop	16	134
Wonderboom	16	132
Wonderklip	15	129
Wonderdraai	18	147
Wonderfontein	9	111
Woodbush I	2	89
Woodfort	16	138
Woodhead Dam	26	178
Woodhead Tunnel	26	178
Woodlands	8	100
Woodlands	17	146
Woodlands	24	172
Woodside	16	140
Woodville	28	184
Wooldridge	8	99
Woolhope	24	173
Woemplaas	13	118
Wortelfontein	22	158
Worcester	27	181
Woudsicht	16	140
Wuppertheal	20	150
Wyford	17	142
Xoranna	24	174
Xukwana	24	170
Xumeni	17	143
Yardley Chase	23	168
Yazhan	16	133
Youngbury	7	94
Ysbrandskop	27	181
Ysterverkfontein	23	167
Zaaiplaats	8	107
Zaaiplaats	17	146
Zachariasfontein	28	183
Zamenkomst	8	98

NAAM VAN STASIE NAME OF STATION	SEKSIE SECTION	BLADSIJDE PAGE
Zamenloop	16	133
Zandbakken	8	108
Zandfontein	8	98
Zandfontein	8	101
Zandfontein	8	99
Zandfontein	9	109
Zandspruit	17	143
Zandvlakte	29	186
Zastron	24	170
Zebrapoort	23	162
Zeekoegat	28	184
Zeekoegatboven	23	163
Zeekoehoek	8	99
Zeekoevlei	21	153
Zeerust	7	95
Zevenfontein	15	127
Zilverbout	18	148
Zoetendalsvlei	27	182
Zoetveld	16	139
Zoetvlei	22	158
Zomerkomst	2	90
Zondagsfontein	24	170
Zonnebloem	23	168
Zorgvliet	16	134
Zoutpan	8	103
Zoutpansdrift	14	123
Zuni Zuni	7	95
Zuur Anys	29	186
Zuurbekom	8	101
Zuurfontein	7	96
Zuurfontein	23	165
Zuurfontein	23	161
Zuurplaats	22	158
Zwagershoek	9	113
Zwartfontein	9	111
Zwartfontein	9	115
Zwartkop	8	103
Zwartkop	8	103
Zwartkoppies	8	105
Zwartkraal	28	184
Zwartmodder	12	118
Zwartrandjes	2	89
Zwartruggens	7	96
Zwarts Rail	21	153
Zyverbult	1	87
Zyvergat	2	89