PUBLICATIONS OF THE WEATHER BUREAU

Department of Transport
Private Bag X193
PRETORIA
SOUTH AFRICA

Regular Publications.		*Subscription per year*
Report on Meteorological Data of the Year (latest edition—1970)	Local	± R4,40
	Overseas	± R5,50
Monthly Weather Report		R1,50
Daily Weather Report—		
(i) distributed daily		R6,00
(ii) distributed monthly		R5,00
Weekly Rainfall Report		R1,00
Notos		± R5,00
Annual Radiation Bulletin		R3.40
News Letter, Weather Bureau		R1,50
Radiosonde Rawin Data	Local	R1,10
	Overseas	R1,40

Miscellaneous Publications		*Price*
Hourly Values at 19 stations:		
(i) Temperature and Relative Humidity	5 Years per station	R1,25
	1 year per station	R0,25
(ii) Sunshine	5 years per station	R0,50
	1 year per station	R0,10
Annual Report 1941–45 for South-West Africa		R0,10
Annual Reports for 1946 to 1950 for South-West Africa	per year	R0,10
(Thereafter included in the regular publication "Report on Meteorological Data of the Year").		
Aeronautical Climatological Summaries—Frequency tables of visibility and low cloud for:		
Jan Smuts Airport. 1961		R0,10
Louis Botha Airport. 1961		R0,10
D. F. Malan Airport. 1962		R0,10
I.G.Y. Weather Charts: July 1957 to December 1958	per set	R2,70
	per month	R0,15
List of Antarctic Terms		R0,05
Rainfall Register: Met 4		R0.50
W.B. 7 Meteorological Observations at Tristan da Cunha (1943–47). 1949		R0,05
W.B. 10 Bilingual Meteorological Dictionary (English-Afrikaans; Afrikaans-English) (out of print)		
W.B. 12 Bibliography of Meteorological Regional Literature; Volume I: Southern Africa. (1486–1948) 1950		R0,25
W.B. 13 Upper Winds in Southern Africa. 1950		R0,10
W.B. 14 Sunshine and Cloudiness in South Africa. 1950		R0,05
W.B. 15 Continentality and the Analysis of Atmospheric Pressure over the Northern Hemisphere. 1950		R0,05
W.B. 16 Analysis of the Standard Deviation of Atmospheric Pressure over the Northern Hemisphere. 1951		R0.05
W.B. 17 The Auto-correlation of daily sea-level Pressure over the Northern Hemisphere. 1952		R0,05
W.B. 19 Climate of South Africa; Part 1: Climate Statistics. 1954. (Obtainable from the Government Printer)		R2.00
W.B. 21 Climate of South Africa; Part 3: Maximum 24-hours Rainfall. 1956 (Out of print)		
W.B. 22 Climate of South Africa; Part 4: Rainfall Maps. 1957		R2.00
W.B. 24 Meteorology of the Antarctic; Van Rooy, M. P., ed. 1957		R6,00
W.B. 25 First Steps in Dynamical Weather Prediction; Burger, Alewyn P. 1960 (Out of print)		
W.B. 26 Climate of South Africa; Part 6: Surface Winds. 1960 (Out of print)		
W.B. 27 Climate of South Africa; Part 7: Average Monthly Rainfall—South-West Africa. 1963		R0.30
W.B. 28 Climate of South Africa: Part 8: General Survey. 1965 (Out of print)		
W.B. 29 Climate of South Africa; Part 9: Average Monthly Rainfall up to the end of 1960. 1965	Local	R3,70
	Overseas	R4,65
W.B. 30 Bibliography of Meteorological Regional Literature; Volume III: Antarctic Region. 1966	Local	R7,70
	Overseas	R9,65
W.B. 31 Aeronautical Climatological Summaries—Descriptive Memoranda (ADCM). 1968		R0.75
W.B. 32 Solar Radiation and Sunshine. 1968 (Out of print)		
W.B. 33 "Here is the Weather Forecast". (Arrangement of Forecast areas and other information). 1969		Free
W.B. 34 Bibliography of Meteorological Regional Literature; Volume II: Southern Africa (1948—1960).1972	Local	R12,55
	Overseas	R15,70
W.B. 35 Climate of South Africa; Part 10: District Rainfall for South Africa and the Annual March of Rainfall over Southern Africa.1972		R1,25

Miscellaneous publications in the W.B. series not appearing on this list are either obsolete or continuations thereof are contained in later publications.

In order to avoid delay requisitioners are requested to submit in advance the requisite amount in South African currency (plus 10 cents commission for Overseas Customers) or an equivalent amount in foreign currency at the ruling rate of exchange.

Gedruk deur Die Staatsdrukker, Pretoria, en verkrygbaar by Departement van Vervoer, Privaatsak X193, Pretoria.
Printed by the Government Printer, Pretoria, and obtainable from Department of Transport, Private Bag X193, Pretoria.

1/63

REPUBLIEK VAN SUID-AFRIKA | REPUBLIC OF SOUTH AFRICA

VERSLAG

OOR WEERKUNDIGE DATA

VAN DIE JAAR 1971

ATMOSPHERIC SCIENCES
LIBRARY
N.O.A.A.
Dept. of Commerce

REPORT

ON METEOROLOGICAL DATA

OF THE YEAR 1971

WEERBURO
DEPARTEMENT VAN VERVOER

WEATHER BUREAU
DEPARTMENT OF TRANSPORT

Uitgegee op Gesag/Published by Authority

RP 59/1974

Drukkoste/Cost of printing R830

PRYS/PRICE R1,75
OORSEE/OVERSEAS R2,20
POSVRY/POST FREE

REPUBLIEK VAN SUID-AFRIKA

Departement van Vervoer

WEERBURO

VERSLAG
OOR WEERKUNDIGE DATA

VAN DIE JAAR 1971

UITGEGEE OP GESAG

QC
991
.S6
R6
1971

REPUBLIC OF SOUTH AFRICA

Department of Transport

WEATHER BUREAU

LIBRARY
N.O.A.A.
U.S. Dept. of Commerce

REPORT
ON METEOROLOGICAL DATA

OF THE YEAR 1971

PUBLISHED BY AUTHORITY

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

VOORWOORD

Sedert 1926 word statistiese opsommings van elke jaar se weerkundige gegewens in die vorm van 'n "Verslag van die Jaar" gepubliseer, soos deur wetgewing vereis. Hierdie verslae bevat die data van stasies in die Republiek van Suid-Afrika asook dié van stasies in sommige aangrensende gebiede waar die Republiek vir die weerdienste verantwoordelik was.

Die doel van hierdie verslae is om die groot hoeveelheid ingesamelde weerkundige gegewens in 'n saaklike en bruikbare vorm beskikbaar te stel en om in die behoeftes van verskeie staatsdepartemente, institute, navorsers en ander belanghebbendes te voorsien.

Die huidige boekdeel handel oor die waarnemings wat in die jaar 1971 ingesamel is by stasies in die Republiek van Suid-Afrika asook in Suidwes-Afrika, Lesotho, Swaziland, die eilande Marion en Gough en by die Antarktiese stasie SANAE.

Die aantal stasies in elke gebied het min of meer konstant gebly. Data word verstrek vir 'n totaal van 96 eersteorde-weerstasies waarvan 16 weerkantore is en deur voltydse personeel beman word, terwyl die res deur deeltydse weerkundige beamptes behartig word wat 'n maandelikse toelaag ontvang. Verder is daar gegewens vir 120 ander weerstasies en 3252 reënvalstasies waar die werk deur vrywillige medewerkers gedoen word.

Ek wil hier my opregte dank en waardering uitspreek teenoor al die waarnemers en medewerkers vir hulle toegewyde dienste.

PRETORIA
Julie 1974

J.J. LE ROUX
DIREKTEUR : Weerburo

PREFACE

Statistical summaries of the meteorological data for each year have been published in the form of a "Report of the Year" since 1926. This publication is a statutory requirement and contains the data for stations in the Republic of South Africa as well as those in adjacent territories where the Republic was responsible for the meteorological services.

The purpose of the report is to present the large volume of collected meteorological data in a concise and usable form and to meet the needs of several government departments, institutions, research workers and other potential users.

The present volume deals with the observations of the year 1971 which have been made at stations in the Republic of South Africa as well as in South West Africa, Lesotho, Swaziland, the islands Marion and Gough and at the Antarctic station SANAE.

The number of stations in each territory remained more or less constant. Results are given for a total of 96 first order weather stations, of which 16 are weather offices and staffed by full-time personnel, whilst the remainder are in the charge of part-time meteorological officers who receive a monthly allowance. Data are also given for 120 other weather stations and 3252 rainfall stations where the observations are made by voluntary co-operative workers.

My sincere thanks and appreciation to all these observers and collaborators for their devoted services.

PRETORIA
July 1974

J.J. LE ROUX
DIRECTOR : Weather Bureau

INHOUD

		Bladsy
VOORWOORD		III
INHOUD		IV - V
BLADWYSER VAN STASIES IN TABELLE I, II EN III		VI - XI
VERKLARENDE AANTEKENINGE		XII - XXI
OMSETTABELLE		XXII
TABEL I	Uiterste temperature - vroegste en laatste rypdatums - neerslag	1
TABEL II	Gemiddelde daaglikse waardes van verdamping, windspoed, droë- en natboltemperatuure, relatiewe vogtigheid en bewolktheid - frekwensies van voorkoms van hidrometeore - sonskynduur	44
TABEL III	Daaglikse gemiddeldes en uiterstes van lugdruk	75
TABEL IV	Windrigtings- en windspoedfrekwensies en gemiddelde windspoed vir weerkantore en ander stasies met anemograwe — R.S.A.	84
	S.W.A.	92
	Marioneiland	94
TABEL V	Grasminimum- en grondtemperature	95
TABEL VI	Pentadewaardes van gemiddelde daaglikse temperature, totale sonskynduur en reënval	121
TABEL VIIA	Gemiddelde uurlikse waardes van lugtemperatuur	141
TABEL VIIB	Gemiddelde uurlikse waardes van relatiewe vogtigheid	148
TABEL VIII	Klimaatgegewens vir SANAE	152
TABEL IXA	Maandelikse reënvalgegewens vir die Republiek van Suid-Afrika, Lesotho en Swaziland	156
TABEL IXB	Maandelikse reënvalgegewens vir Suidwes-Afrika	224
KAART VAN SEKSIES	volg op	233

1971 ANNUAL REPORT

CONTENTS

		Page
PREFACE		III
CONTENTS		IV - V
INDEX TO STATIONS IN TABLES I, II AND III		VI - XI
EXPLANATORY NOTES		XII - XXI
CONVERSION TABLES		XXII
TABLE I	Extreme temperatures - first and last dates of the occurrence of frost - precipitation	1
TABLE II	Average daily values of evaporation, wind speed, dry and wet bulb temperatures, relative humidity and cloudiness - frequencies of occurrence of hydrometeors - sunshine duration	44
TABLE III	Daily averages and extremes of atmospheric pressure	75
TABLE IV	Wind direction and wind speed frequencies and average wind speed for weather stations and other stations with anemographs R.S.A.	84
	S.W.A.	92
	Marion Island	94
TABLE V	Grass minimum and soil temperatures	95
TABLE VI	Pentade values of mean daily temperature, total sunshine duration and rainfall	121
TABLE VIIA	Mean hourly values of air temperature	141
TABLE VIIB	Mean hourly values of relative humidity	148
TABLE VIII	Climate data for SANAE	152
TABLE IXA	Monthly rainfall data for the Republic of South Africa, Lesotho and Swaziland	156
TABLE IXB	Monthly rainfall data for South West Africa	224
MAP OF SECTIONS	follows on	233

BLADWYSER 1971 INDEX

STASIE - STATION	ORDE ORDER	Bladsye TABELLE I	II	III	IV	V	VI	Pages TABLES VIIA	VIIB	VIII	IXA	IXB
Addo (AGR)	2	5	47	.	.	97	.	.	.	.	162	.
Alexander Bay (WK)	WK	19	57	80	88	.	.	144	149	.	188	.
Aliwal North (TNK)	1	13	52	78	.	102	127	.	.	.	178	.
Armoedsvlakte (AGR)	1	26	63	80	.	110	135	.	.	.	203	.
Balkfontein (IRR)	2	24	61	.	.	.	.	.	.	.	200	.
Barberton (AGR)	2	34	68	.	.	115	.	.	.	.	210	.
Bashee (VRT)	3	10	.	.	.	.	.	.	.	.	171	.
Bathurst (AGR)	2	5	47	.	.	97	.	.	.	.	162	.
Beaufort West (AER)	3	9	.	.	.	.	.	.	.	.	168	.
Beaufort West (TNK)	1	9	50	78	.	99	125	.	.	.	168	.
Belfast (BOS)	3	34	.	.	.	.	.	.	.	.	210	.
Bethal (TNK)	1	30	65	81	.	113	136	.	.	.	206	.
Bethlehem (Loch Lomond)	1	22	60	80	.	108	132	.	.	.	194	.
Bien Donné (AGR)	2	4	46	.	84	96	.	.	.	.	158	.
Bloemfontein (J. B. M. Hertzog)	WK	18	56	79	87	105	131	143	149	.	186	.
Boegoebergdam (IRR)	2	17	56	.	.	.	.	.	.	.	186	.
Brandvlei (POL)	1	14	.	.	.	.	.	.	.	.	178	.
Brits (Hartebeestpoort)	2	32	67	.	.	114	.	.	.	.	208	.
Buffelspoort (AGR)	3	32	.	.	.	.	.	.	.	.	208	.
Burgersdorp (MUN)	2	12	52	.	.	.	.	.	.	.	178	.
Butha-Buthe	2	20	58	.	.	.	.	.	.	.	198	.
Calvinia (TNK)	1	11	51	78	.	101	126	.	.	.	174	.
Cape Agulhas (VRT)	1	1	44	77	.	.	121	.	.	.	156	.
Cape Columbine (VRT)	1	8	49	77	.	.	.	.	.	.	164	.
Cape Hermes (VRT)	1	11	51	78	.	.	.	.	.	.	174	.
Cape Point (VRT)	1	1	44	77	.	.	.	.	.	.	156	.
Cape St. Blaize (VRT)	1	2	45	77	.	.	.	.	.	.	156	.
Cape St. Francis (VRT)	1	2	45	77	.	.	.	.	.	.	158	.
Cape St. Lucia (VRT)	1	23	60	80	.	.	133	.	.	.	196	.
Cape Town (D. F. Malan)	WK	3	45	77	84	95	121	141	148	.	158	.
Cape Town (Kirstenbosch)	3	3	.	.	.	95	.	.	.	.	158	.
Cape Town (Royal Observatory)	2	3	45	.	.	.	.	.	.	.	158	.
Carletonville	3	29	.	.	.	.	.	.	.	.	206	.
Carolina (TNK)	1	30	66	81	.	113	.	.	.	.	208	.
Cathedral Peak (BOS)	3	20	58	.	.	.	.	.	.	.	190	.
Cedara (AGR)	1	16	55	79	.	104	130	.	.	.	184	.
Cradock (TNK)	2	10	50	.	.	.	.	.	.	.	168	.
De Aar (AGR)	1	.	.	78	.	.	.	.	.	.	176	.
De Aar (TNK)	1	12	52	.	.	101	127	.	.	.	176	.
D. F. Malan (WK)	WK	3	45	77	84	95	121	141	148	.	158	.
Diaz Point (VRT)	1	26	62	80	.	.	.	.	.	.	.	224
Döhne (AGR)	1	9	49	78	.	99	125	.	.	.	166	.
Doornlaagte	1	27	63	81	.	110	.	.	.	.	202	.

BLADWYSER 1971 INDEX

STASIE - STATION	ORDE ORDER	Bladsye TABELLE I	II	III	IV	V	VI	VIIA	VIIB	VIII	Pages TABLES IXA	IXB
Doornspruit	1	37	70	82	.	116	.	.	.	.	216	.
D.R. de Wet (BOS)	2	36	69	.	.	.	.	.	.	.	214	.
Durban (Louis Botha)	WK	17	55	79	86	104	130	143	149	.	184	.
East London (AGR)	2	7	48	.	.	98	.	.	.	.	164	.
East London (WK)	WK	7	48	77	85	98	124	142	148	.	164	.
Elsenburg (AGR)	2	3	46	.	.	95	122	.	.	.	158	.
Emerald Dale	3	16	.	.	.	.	.	.	.	.	184	.
Ermelo (Nooitgedacht)	2	27	64	.	.	111	.	.	.	.	204	.
Eshowe (MUN)	3	21	.	.	.	.	.	.	.	.	192	.
Estcourt (AGR)	1	19	57	79	87	106	131	143	149	.	188	.
Fauresmith	1	15	54	79	.	103	129	.	.	.	182	.
Frankfort (TNK)	1	25	62	80	.	109	134	.	.	.	200	.
Fraserburg	1	10	51	78	.	100	.	.	.	.	170	.
Gemsbokfontein (BOS)	3	34	.	.	.	.	.	.	.	.	210	.
George (AER)	3	5	.	.	.	.	123	.	.	.	160	.
Glen College (AGR)	2	20	58	.	.	106	.	.	.	.	190	.
Gobabeb	1	38	71	82	.	117	.	.	.	.	.	226
Gobabis	1	41	73	82	.	119	.	.	.	.	.	228
Goedgegun (Nhlangano)	2	25	62	.	.	.	.	.	.	.	200	.
Gooldville (HOSP)	3	40	.	.	.	.	.	.	.	.	222	.
Gougheiland (WK)	WK	1	44	77	.	.	.	141	148	.	156	.
Graaff-Reinet (TNK)	1	9	50	78	.	99	.	.	.	.	168	.
Grahamstown (VET)	3	7	.	.	.	.	.	.	.	.	164	.
Great Fish Point (VRT)	3	6	.	.	.	.	.	.	.	.	162	.
Grootfontein (AGR)	1	11	52	78	86	101	127	142	149	.	174	.
Grootfontein S.W.A. (WK)	WK	42	73	83	93	119	140	147	151	.	.	232
Hartebeestpoort (Brits)	2	32	67	.	.	114	.	.	.	.	208	.
Haruchas	3	36	.	.	.	.	.	.	.	.	.	224
Havelock Mine	2	34	68	.	.	.	.	.	.	.	210	.
Heldervue	3	8	.	.	.	.	.	.	.	.	164	.
Hendrik Verwoerddam	2	12	.	.	.	.	.	.	.	.	176	.
Henkriesfontein (COL)	3	19	.	.	.	.	.	.	.	.	188	.
Hillside	2	7	48	.	.	.	.	.	.	.	164	.
Hlatikulu	3	28	.	.	.	.	.	.	.	.	204	.
Hoopstad (TNK)	1	23	60	80	.	108	.	.	.	.	196	.
Jansenville	1	8	49	78	.	98	124	.	.	.	166	.
Jan Smuts (Johannesburg)	WK	30	65	81	89	113	136	145	150	.	206	.
J.B.M. Hertzog (WK)	WK	18	56	79	87	105	131	143	149	.	186	.
J.G. Strijdom (WK)	WK	41	72	82	93	118	.	147	151	.	.	228
Johannesburg (Jan Smuts)	WK	30	65	81	89	113	136	145	150	.	206	.
Johannesburg (Joubert Park)	2	29	65	.	.	.	.	.	.	.	206	.

BLADWYSER 1971 INDEX

STASIE - STATION	ORDE ORDER	Bladsye TABELLE I	II	III	IV	V	VI	VIIA	VIIB	VIII	Pages TABLES IXA	IXB
Johannesburg (Republiek Sterrewag)	2	30	65	.	.	112	.	.	.	.	206	.
Jonkershoek (BOS)	3	3	.	.	.	.	.	.	.	.	158	.
Kaap Agulhas (VRT)	1	1	44	77	.	.	121	.	.	.	156	.
Kaappunt (VRT)	1	1	44	77	.	.	.	.	.	.	156	.
Kaapstad (D. F. Malan)	WK	3	45	77	84	95	121	141	148	.	158	.
Kangogrotte	3	6	.	.	.	.	.	.	.	.	162	.
Karibib	3	42	.	.	.	.	.	.	.	.	.	228
Keetmanshoop (WK)	WK	26	63	80	92	110	134	145	150	.	.	224
Kimberley (WK)	WK	19	57	80	88	106	132	144	150	.	188	.
King William's Town (MUN)	2	8	49	.	.	.	.	.	.	.	166	.
Kirstenbosch (Cape Town)	3	3	.	.	.	95	.	.	.	.	158	.
Klein Aub	3	38	.	.	.	.	.	.	.	.	.	226
Kokstad (AGR)	3	13	.	.	.	.	128	.	.	.	178	.
Kokstad (TNK)	1	13	53	79	.	102	.	.	.	.	178	.
Koopmansfontein (AGR)	2	22	59	.	.	107	.	.	.	.	192	.
Kroonstad (MUN)	1	24	61	80	.	108	133	.	.	.	196	.
Krugersdorp (MUN)	3	29	.	.	.	.	.	.	.	.	206	.
Kuruman (TNK)	1	24	61	80	.	109	.	.	.	.	198	.
Ladysmith (MUN)	2	21	59	.	.	.	.	.	.	.	192	.
Lake St. Lucia Research Centre	3	23	.	.	.	.	.	.	.	.	196	.
Langgewens (AGR)	3	6	.	.	.	.	123	.	.	.	162	.
Leribe	2	20	58	.	.	.	.	.	.	.	190	.
Letaba	3	39	.	.	.	.	.	.	.	.	220	.
Levubu (AGR)	1	40	72	82	.	118	.	.	.	.	220	.
Lindleyspoort (IRR)	3	35	.	.	.	.	.	.	.	.	212	.
Loch Lomond (AGR)	1	22	60	80	.	108	132	.	.	.	194	.
Loskopdam (IRR)	3	35	.	.	.	.	.	.	.	.	212	.
Louis Botha (WK)	WK	17	55	79	86	104	130	143	149	.	184	.
Luderitz Bay (Diaz Point)	1	26	62	80	.	.	.	.	.	.	.	224
Lydenburg (VIS)	1	35	69	81	.	115	137	.	.	.	212	.
Macuville (AGR)	1	41	73	82	.	119	140	.	.	.	222	.
Mafeking (TNK)	1	31	67	81	.	113	136	.	.	.	208	.
Magoebaskloof	3	38	.	.	.	.	.	.	.	.	.	.
Makatini (AGR)	1	26	62	80	.	109	134	.	.	.	200	.
Malkerns	2	28	64	.	.	112	.	.	.	.	204	.
Mara (AGR)	1	39	71	82	.	118	139	.	.	.	220	.
Marico Bosveld (IRR)	3	35	.	.	.	.	.	.	.	.	212	.
Mariental (POS)	1	36	69	81	.	116	138	.	.	.	.	224
Marionellland (WK)	WK	1	44	77	94	95	.	141	148	.	156	.
Marnitz	1	39	71	82	.	118	.	.	.	.	220	.
Maseru	2	18	56	.	.	105	.	.	.	.	188	.
Matroosberg	1	6	48	77	.	97	124	.	.	.	162	.

BLADWYSER 1971 INDEX

STASIE - STATION	ORDE ORDER	Bladsye Pages										
		TABELLE TABLES										
		I	II	III	IV	V	VI	VIIA	VIIB	VIII	IXA	IXB
Matsapa	2	28	64	81	.	112	.	.	.	.	204	.
Mbabane	2	31	66	.	.	.	.	.	.	.	208	.
Mbazwane (BOS)	2	26	62	.	.	.	.	.	.	.	202	.
Mohaleshoek	2	14	53	.	.	.	.	.	.	.	180	.
Mossel Bay (Cape St. Blaize)	1	2	45	77	.	.	.	.	.	.	156	.
Mount Edgecombe	2	17	55	.	.	104	130	.	.	.	184	.
Möwe	1	42	73	83	.	.	.	.	.	.	.	232
Mpaka	2	31	66	.	.	.	.	.	.	.	208	.
Mpisi	2	31	66	.	.	.	.	.	.	.	208	.
Nelspruit (AGR)	1	36	69	81	.	115	138	.	.	.	214	.
Newcastle (CON)	1	24	61	80	.	109	133	.	.	.	198	.
Nhlangano (Goedgegun)	2	25	62	.	.	.	.	.	.	.	200	.
Nooitgedacht (AGR)	2	27	64	.	.	111	.	.	.	.	204	.
Northdene (MUN)	3	16	.	.	.	.	.	.	.	.	184	.
Okiep	1	15	54	79	.	103	.	.	.	.	182	.
Ombika	3	43	.	.	.	.	.	.	.	.	.	232
Ondangwa	1	43	74	83	.	120	.	.	.	.	.	232
Otjovasandu	3	42	.	.	.	.	.	.	.	.	.	232
Oviston (IRR)	3	12	.	.	.	.	.	.	.	.	176	.
Ox-Bow	2	20	58	.	.	106	.	.	.	.	190	.
Paarl (AGR)	2	4	46	.	.	96	.	.	.	.	158	.
Paddock	3	13	.	.	.	.	.	.	.	.	178	.
Paulpietersburg (Welverdiend)	3	25	.	.	.	.	.	.	.	.	200	.
Pelican Point (VRT)	1	40	72	82	.	.	.	.	.	.	.	226
Pelindaba	3	32	.	.	.	.	.	.	.	.	210	.
Phalaborwa (AER)	1	39	71	82	.	117	139	.	.	.	220	.
Pietermaritzburg (PUR)	3	16	.	.	.	.	.	.	.	.	184	.
Pietersburg (WK)	WK	38	71	82	91	117	139	146	151	.	218	.
Piet Retief (TNK)	1	28	64	81	.	111	135	.	.	.	204	.
Piggs Peak	2	35	69	.	.	.	.	.	.	.	212	.
P. K. le Rouxdam (Vanderkloofdam)	3	15	.	.	.	.	.	.	.	.	182	.
Plateau Camp	3	11	.	.	.	.	.	.	.	.	174	.
Pofadder (SKL)	1	17	56	79	.	105	.	.	.	.	184	.
Port Elizabeth (WK)	WK	5	47	77	85	97	123	142	148	.	160	.
Port Nolloth (VRT)	1	17	55	79	.	.	131	.	.	.	184	.
Port Shepstone (VRT)	1	14	53	79	.	.	128	.	.	.	178	.
Port St. Johns (Cape Hermes)	1	11	51	78	.	.	.	.	.	.	174	.
Potchefstroom (AGR)	1	27	63	81	.	110	135	.	.	.	202	.
Potgietersrus Tabak Ko-op.	1	38	70	82	.	117	.	.	.	.	216	.
Pretoria (Lynnwoodweg)	3	33	.	.	.	114	.	.	.	.	210	.
Pretoria (Proclamation Hill)	3	32	67	.	.	114	.	.	.	.	210	.
Pretoria (PUR)	3	33	.	.	.	114	.	.	.	.	210	.

BLADWYSER 1971 INDEX

STASIE - STATION	ORDE ORDER	Bladsye										
		TABELLE										
		I	II	III	IV	V	VI	VIIA	VIIB	VIII	IXA	IXB
Pretoria WB (Forum)	WB	33	67	81	90	.	.	145	150	.	210	.
Pretoria Univ. (AGR)	2	33	68	.	.	114	.	.	.	.	210	.
Pretoriuskop	3	36	.	.	.	.	.	.	.	.	214	.
Prieska	1	15	54	79	.	103	129	.	.	.	182	.
Pusella (GSH)	3	39	.	.	.	.	.	.	.	.	218	.
Queenstown (TNK)	1	10	51	78	.	100	126	.	.	.	172	.
Quthing	2	14	54	.	.	.	.	.	.	.	180	.
Richard's Bay (ALUSAF)	2	21	59	80	.	107	.	.	.	.	192	.
Rietkuil	3	22	.	.	.	.	.	.	.	.	194	.
Rietrivier (AGR)	2	18	56	.	.	105	.	.	.	.	186	.
Rietvlei (AGR)	2	33	68	.	.	.	.	.	.	.	210	.
Riversdale	1	2	45	77	.	95	121	.	.	.	156	.
River View	2	22	60	.	.	.	.	.	.	.	194	.
Robertson (AGR)	1	4	46	77	.	96	122	.	.	.	158	.
Rohrbeck	3	37	.	.	.	.	.	.	.	.	.	226
Roodeplaat (AGR)	1	34	68	.	90	115	137	146	151	.	210	.
Rooibokkop (VIS)	2	37	70	.	.	.	.	.	.	.	216	.
Rooiheuwel (AGR)	1	4	46	77	.	96	122	.	.	.	160	.
Rossing Prospect	2	41	72	.	.	.	.	.	.	.	.	228
Rundu	1	43	74	83	.	120	.	.	.	.	.	232
Rustenburg (AGR)	1	32	67	81	.	114	137	.	.	.	208	.
Rustfonteindam (IRR)	3	18	.	.	.	.	.	.	.	.	186	.
SANAE	WK	.	.	.	.	.	.	.	.	153	.	.
Saulspoort (HOSP)	2	.	.	.	.	.	.	.	.	.	212	.
Seven Oaks (Ryhill)	2	19	57	.	.	106	.	.	.	.	188	.
Sheeprun	1	13	53	79	.	102	.	.	.	.	178	.
Shingwidzi	3	40	.	.	.	.	.	.	.	.	220	.
Sishen	3	23	.	.	.	.	.	.	.	.	196	.
Siteki	2	31	66	.	.	.	.	.	.	.	208	.
Skukuza	1	37	70	82	.	116	.	.	.	.	216	.
Somerset East (POW)	1	8	49	78	.	98	.	.	.	.	166	.
Somerset West (DYN)	3	1	.	.	.	.	.	.	.	.	156	.
Standerton	1	27	63	81	.	111	.	.	.	.	204	.
Stormsriviermond	3	2	.	.	.	.	.	.	.	.	158	.
Sutherland	1	9	50	78	.	99	.	.	.	.	168	.
Teyateyaneng	2	18	57	.	.	.	.	.	.	.	188	.
Towoomba (AGR)	1	37	70	82	.	116	138	.	.	.	214	.
Tulbach	2	6	47	.	.	.	.	.	.	.	162	.
Tuscanen	3	41	.	.	.	.	.	.	.	.	222	.
Twee Riviere	1	29	65	81	.	112	.	.	.	.	204	.
Tygerhoek (AGR)	2	2	44	.	.	95	.	.	.	.	156	.

BLADWYSER 1971 INDEX

STASIE - STATION	ORDE ORDER	Bladsye Pages										
		TABELLE TABLES										
		I	II	III	IV	V	VI	VIIA	VIIB	VIII	IXA	IXB
Tzaneen (Pusella)	3	39	.	.	.	.	.	.	.	.	218	.
Uis	1	42	73	83	.	119	.	.	.	.	.	228
Uitenhage (PUR)	2	5	47	.	.	.	.	.	.	.	160	.
Umtata	1	11	51	78	.	100	126	.	.	.	172	.
Upington (AGR)	2	21	59	.	.	107	.	.	.	.	192	.
Upington (WK)	WK	21	59	80	89	107	132	144	150	.	192	.
Vaalharts (AGR)	2	23	60	.	.	108	.	.	.	.	196	.
Vanderkloofdam (P. K. le Rouxdam)	3	15	.	.	.	.	.	.	.	.	182	.
Vanwyksvlei	1	14	53	79	.	102	128	.	.	.	180	.
Vereeniging (RWB)	3	27	.	.	.	111	.	.	.	.	202	.
Virginia (MUN)	2	22	.	.	.	107	.	.	.	.	194	.
Volksrust (MUN)	3	25	.	.	.	.	.	.	.	.	200	.
Vredendal	1	10	50	78	.	100	125	.	.	.	170	.
Vryburg (Armoedsvlakte)	1	26	63	80	.	110	135	.	.	.	203	.
Wakkerstroom (MUN)	3	25	.	.	.	.	.	.	.	.	200	.
Waterford	1	16	55	79	.	104	.	.	.	.	202	.
Welkom (AER)	2	24	61	.	.	.	.	.	.	.	196	.
Wellington (MUN)	3	4	.	.	.	.	.	.	.	.	158	.
Welverdiend (Paulpietersburg)	3	25	.	.	.	.	.	.	.	.	200	.
Wepener (TNK)	1	15	54	79	.	103	129	.	.	.	184	.
Willowmore (POW)	1	7	48	77	.	97	.	.	.	.	164	.
Willow Park	3	12	52	.	.	101	.	.	.	.	174	.
Windhoek (WK)	WK	40	72	82	92	118	140	146	151	.	.	226
Wisselrode	2	28	64	.	.	112	.	.	.	.	204	.
Zuurbekom (RWB)	3	29	.	.	.	.	.	.	.	.	206	.
Zwartkopjes (RWB)	3	30	.	.	.	112	.	.	.	.	206	.

VERKLARENDE AANTEKENINGE

WEERSTASIES

In die R.S.A. word weerstasies in 4 hoofgroepe geklassifiseer, naamlik :-

(1) Eersteorde-weerstasies wat beman word óf deur voltydse personeel van die Weerburo (Weerkantore) óf deur Deeltydse Weerkundige Beamptes, en waar waarnemings vir klimatologiese doeleindes ten minste driemaal per dag gemaak word, d.w.s. op die hoofwaarnemingsure, naamlik 8 vm. (0800), 2 nm. (1400) en 8 nm. (2000) Suid-Afrikaanse Standaard Tyd.

Benewens 'n kwikbarometer en die gewone toerusting bestaande uit 'n Stevensonskerm met vier termometers (droëbol, natbol, maksimum en minimum) en 'n Standaard Reënmeter, is die eersteorde-weerstasies omtrent almal toegerus met outografiese instrumente vir die registrering van Lugdruk, Temperatuur, Relatiewe Vogtigheid, Sonskynduur en Reënval; ook Windrigting en -spoed by 18 weerkantore. (Vanweë kwaai verwering kry Vuurtorings nie al die outografiese instrumente nie). By sommige eersteorde-weerstasies word daar ook Bolugpeilings deur middel van vliegtuie of radiosondes gemaak en by enkeles is daar die nodige toerusting vir die meting van Straling. By meeste van hierdie stasies word Grondtemperature (op verskeie dieptes) asook Grasminimumtemperature en Verdamping gemeet.

(2) Tweedeorde-weerstasies waar vrywillige medewerkers tweemaal per dag op die hoofwaarnemingsure 8 vm. en 2 nm.(0800 en 1400) S.A.S.T. waarnemings maak. Benewens die gewone toerusting is party van hierdie stasies ook met een of meer outografiese instrumente toegerus (meestal 'n termograaf, higrograaf, barograaf, sonskynmeter of outografiese reënmeter); die meeste landbouproefstasies wat in hierdie klas val, is ook toegerus met 'n stel grondtermometers (meestal 5 dieptes) en 'n grasminimumtermometer.

(3) Derdeorde-weerstasies waar vrywillige werkers net eenmaal per dag waarnemings maak, naamlik om 0800 S.A.S.T. Die gewone toerusting is aangevul met met een of twee outografiese instrumente (meestal net 'n termograaf) en enkeles het ook grondtermometers en en 'n grasminmimtermometer; die meeste het geen droë- en natbolpsigrometers nie.

(4) Reënvalstasies waar vrywillige waarnemers slegs neerslag eenmaal per dag om 0800 S.A.S.T. meet.

EXPLANATORY NOTES

WEATHER STATIONS

In the R.S.A. weather stations are classified in 4 main groups, namely :-

(1) First Order Weather Stations, which are either manned by full-time personnel of the Weather Bureau (Weather Offices) or by Part-time Meteorological Officers, and where observations for climatological purposes are made at least three times daily, i.e. at the main observation hours, namely : 8 a.m. (0800), 2 p.m. (1400) and 8 p.m. (2000) South African Standard Time.

Besides a mercury barometer and the usual equipment comprising a Stevenson Screen with four thermometers (dry bulb, wet bulb, maximum and minimum) and a Standard Raingauge, nearly all first order weather stations are equipped with autographic instruments for recording Pressure, Temperature, Relative Humidity, Sunshine Duration and Rainfall; also Wind Direction and Speed at 18 weather offices. (Owing to severe corrosion, Lighthouses are not equipped with all the autographic instruments). At some first order weather stations Upper Air Ascents are made by means of aircraft or radiosondes and Solar Radiation equipment is also maintained at a few. At most of these stations Soil Temperatures (at various depths) as well as Grass Minimum Temperatures and Evaporation are measured.

(2) Second Order Weather Stations, where observations are made twice daily at 8 a.m. and 2 p.m. (0800 and 1400) S.A.S.T. by voluntary co-operative workers. In addition to the usual equipment some of these stations are also equipped with one or more autographic instruments (usually a thermograph, hygrograph, barograph, sunshine recorder or an autographic raingauge); agricultural experimental farms falling in this category are also equipped with a set of soil thermometers (usually 5 depths) and a grass minimum thermometer.

(3) Third Order Weather Stations, where observations are carried out once a day at 0800 S.A.S.T. by voluntary workers. These stations are equipped with one or two autographic instruments (usually only a thermograph) in addition to the usual equipment and a few also have soil thermometers and a grass minimum thermometer; most of them have no dry and wet bulb psychrometers.

(4) Rainfall Stations, where only precipitation is measured once daily at 0800 S.A.S.T. by voluntary observers.

Weens die toenemende nywerheidsaktiwiteit in die Republiek het die aanvraag vir uitgebreide en breedvoerige Weerkundige en Klimatologiese gegewens steeds toegeneem. Om hierdie rede is die materiaal in hierdie verslag so volledig moontlik gegee om sodoende te kan voorsien in die mees dringende behoeftes.

Elke reënval- en klimaatstasie is voorsien van 'n tweeledige verwysingsnommer, bv. 145/59. Die eerste deel van die nommer het betrekking op die seksie waarin die stasie val, soos aangedui op die sleutelkaart van seksies aan die einde van hierdie publikasie. Die tweede deel van die nommer dui die stasie se posisie binne die seksie aan: Elke seksie bestaan uit 'n halwe breedtegraad by 'n halwe lengtegraad en word verder opgedeel in een-minuut intervalle van breedte- en lengtegrade. Die 900 snypunte word van bo na onder en met toenemende lengtegraad agtereenvolgens genommer, soos in die figuur hieronder aangedui. Aangesien hierdie snypunte in ons land ongeveer 1 myl van mekaar is, is daar so voorsiening gemaak vir die moontlikheid van 'n nommer vir een stasie per vierkante myl. Indien daar meer as een stasie binne die vierkante myl lê, word verder onderskei tussen die stasies deur A, B, C, ens. agter die tweede deel van die stasienommer by te voeg, bv. 145/59, 145/59A, 145/59B.

Die sirkels in die figuur stel die posisies van stasies in seksie 145 voor :-

As the demand for extensive and detailed Meteorological and Climatological information has increased constantly, mainly due to increasing industrial activity in the Republic, the material presented in this report has been given as fully as possible in order to cope with the more pressing demands made upon the Weather Bureau.

A reference number consisting of two parts is alotted to every rainfall and climate station, e.g. 145/59. The first part of the number refers to the section in which the station falls as shown on the key map of sections at the end of this publication. The second part of the number indicates the position of the station within the section: Each section consists of half a degree latitude by half a degree longitude and is further divided into one-minute intervals of latitude and longitude. The 900 intersections are numbered from top to bottom and in progressive longitudinal order, as shown in the figure below. Since these intersections are about 1 mile apart in this country, provision has thus been made for the possible numbering of one station per square mile. Where more than one station falls within the square mile A, B, C, etc. is added to the second part of the station number to differentiate between the stations, e.g. 145/59, 145/59A, 145/59B.

The circles in the figure show the positions of stations in section 145 :-



'n Leser wat die reënval vir enige deel van die land wil naslaan, hoef dus net die sleutelkaart te raad-

A reader who wishes to find the rainfall for any particular part of the country merely has to consult the

pleeg, te besluit in watter seksies hy belangstel en dan daardie nommers in die Reënvaltabel (bladsye 156 tot 233) na te slaan. Die reënvalstasies is numeries volgens hul verwysingsnommers gerangskik in hierdie tabel. Ook in al die ander tabelle volg die stasies in numeriese volgorde op mekaar.

Die hoogtes wat vir stasies aangegee word, is redelik korrek in die geval van weerkantore en 1e-ordestasies, maar origens is hulle meestal net benaderde waardes wat van kontoerkaarte afgelees is en hierdie syfers kan slegs as 'n algemene aanduiding gebruik word.

SANAE

Die klimaatgegewens van SANAE in Antarktika word in Tabel VIII gepubliseer. Besonderhede van die metings en ander aantekeninge wat op hierdie gegewens betrekking het, word by die tabel aangegee.

BESONDERHEDE VAN METINGS

Eenhede : Sedert 1951 word alle weerkundige gegewens reeds in metrieke eenhede gepubliseer. Direk na hierdie aantekeninge volg daar tabelle vir die omsetting van :-

(1) Millimeters na Duime
(2) Grade Celsius na Grade Fahrenheit
(3) Meters na Voet
(4) Meters per Sekonde na Myl per Uur

Tyd : Tensy anders bo-aan 'n tabel vermeld, verwys alle tye in hierdie verslag altyd na Suid-Afrikaanse Standaard Tyd (meridiaan 30°E) wat Greenwich Gemiddelde Tyd met 2 uur vooruitloop. Die standaard waarnemingsure is 0800, 1400 en 2000 uur S.A.S.T. Vir Sinoptiese en Lugvaartdoeleindes word daar by sekere uitgesoekte weerstasies ook nog waarnemings op sekere ander tye gedoen maar hulle word nie in hierdie verslae opgesom nie.

Temperatuur : By alle weerstasies word die Lugtemperatuur gemeet in 'n Stevensonskerm wat nie kunsmatig geventileer word nie en waarin daar 'n kwikmaksimum-, 'n alkohol-minimumtermometer en 'n droë- en natbolpsigrometer opgestel is. Die psigrometer is so opgestel dat die bolle van die termometers 1,2 meter bo die grondoppervlakte is.

Uurlikse lugtemperature word van die kurwes van termohigrograwe verkry wat in Stevensonskerms opgestel is. Die kurwes word met behulp van die lesings van die maksimum- en minimumtermometers gekorrigeer.

By alle stasies word die maksimumtermometers slegs tydens die oggendwaarneming om 0800 S.A.S.T. afgelees en verstel; die lesings voor verstelling word altyd teenoor die vorige dag se datum geboekstaaf.

key map, decide in which sections he is interested and turn to those numbers in the Rainfall Table (pages 156 to 233). The rainfall stations are arranged numerically according to their reference numbers in this table. This numerical order of stations has also been maintained in the other tables.

The heights given for stations are reasonably correct in the case of weather offices and first order stations, but for most of the other stations they are merely approximate values derived from contour maps and these figures may be used only as a general indication.

SANAE

The climate data of SANAE in the Antarctic are published in Table VIII. Details of the measurements and other notes pertaining to these data are given with the table.

DETAILS OF MEASUREMENTS

Units : All meteorological data have been published in metric units since 1951. Following directly on these explanatory notes there are conversion tables for converting :-

(1) Millimetres to Inches
(2) Degrees Celsius to Degrees Fahrenheit
(3) Metres to Feet
(3) Metres per Second to Miles per Hour

Time : Unless otherwise stated in the heading of a table, all times mentioned in this report always refer to South African Standard Time (meridian 30°E) which is 2 hours ahead of Greenwich Mean Time. The standard observation hours are 0800, 1400 and 2000 S.A.S.T. For Synoptic and Aviation purposes selected stations also make observations at certain other times but these are not summarized in these reports.

Temperature : At all weather stations, air temperature is measured in a Stevenson screen, which is not artificially ventilated and houses a maximum (mercury) and minimum (alcohol) thermometer and a dry and wet bulb psychrometer. The psychrometer is exposed so that the thermometer bulbs are 1, 2 metres above ground level.

Hourly temperatures are obtained from the traces of thermohygrographs exposed in Stevenson screens. The traces are corrected by means of the readings of the maximum and minimum thermometers.

At all stations the maximum thermometers are read and reset only at the morning observation (0800 S.A.S.T.) and the readings observed before resetting are always recorded against the previous date.

Die minimumtermometer word ook altyd om 0800 S.A.S.T. afgelees en verstel maar die lesing word teenoor die datum van aflesing geboekstaaf; by 1e- en 2e-ordestasies word hierdie termometer nogeens om 1400 S.A.S.T. afgelees en verstel en die lesings word weereens teenoor die datum van aflesing geboekstaaf. Dit word gedoen om te verseker dat die minimumtemperatuur vir 'n sekere datum, wat moontlik na 0800 S.A.S.T. kon plaasgevind het, tog geregistreer sal word. Dit is natuurlik onprakties by 3e-ordestasies en gevolglik is die resultate by 3e-ordestasies verkry, nie altyd streng vergelykbaar met dié verkry by 1e- en 2e-ordestasies nie.

Vroegste en Laatste Rypdatums word vir alle 1e-, 2e- en 3e-ordestasies waar ryptoestande waargeneem is, aangegee. Die volgende temperature, gemeet op 'n hoogte van 1,2 m bo grondvlak in 'n Stevensonskerm, dien as kriteriums vir die voorkoms van ryp :

Ligte (of grond-) ryp	:	$< 2,5^{o}C$ tot $0^{o}C$
Matige ryp	:	$< 0^{o}C$ tot $-2,5^{o}C$
Swaar ryp	:	$< -2,5^{o}C$

Grasminimumtemperature word verkry van 'n gewone alkohol-minimumtermometer wat binne 'n glasomhulsel gemonteer en horisontaal bo kort geknipte gras opgestel is sodat sy bol ongeveer 5 cm bo die grondvlak is.

Grondtemperature by dieptes van 30 cm en meer word verkry met die gebruiklike Symons-tipe grondtermometers wat in staalbuise hang. Vir dieptes van minder as 30 cm word ingeplante kwiktermometers gebruik. Die kleur van die bogrond word vir elke stasie aangedui met twee kodeletters volgens die kode hieronder. Die struktuur van die grond is meganies ontleed volgens die grootte van die partikels en die persentasies (per gewig) van die verskillende klasse word in die volgende volgorde aangegee by elke diepte: gruis en klip; sand; slik; klei. Die ontleding en klassifikasie van die grondtipes en -struktuur wat in hierdie verslag aangegee word, is volgens die internasionale sisteem gemaak.

The minimum thermometer is also read and reset at 0800 S.A.S.T. but the readings are entered against the actual date of reading; at 1st and 2nd order stations this thermometer is again read and reset at 1400 S.A.S.T. to ensure that the minimum temperature for a particular date is always recorded even though it may have occurred after 8 a.m. in the morning. The readings are again recorded against the actual date of reading. This second reading of the minimum thermometer is, of course, not practicable at 3rd order stations, so that the results obtained from 3rd order stations are not always strictly comparable with those obtained from 1st and 2nd order stations.

First and Last Dates of Occurence of Frost are given for all 1st, 2nd and 3rd order stations where frost conditions were observed. The following temperatures, measured at a height of 1,2 m above ground level in a Stevenson screen, serves as criteria for the occurrence of frost :

Light (or ground) frost	:	$< 2,5^{o}C$ to $0^{o}C$
Moderate frost	:	$< 0^{o}C$ to $-2,5^{o}C$
Heavy frost	:	$< -2,5^{o}C$

Grass Minimum Temperatures are obtained by means of an ordinary sheathed alcohol minimum thermometer exposed horizontally above short mown grass with its bulb approximately 5 cm above the soil.

Soil Temperatures at depths of 30 cm and more are obtained by means of the customary Symons pattern soil thermometers suspended in steel tubes. For depths of less than 30 cm, embedded mercury thermometers are used. The colour of the topsoil is indicated for each station by two code letters according the the code given below. The structure of the soil was analysed mechanically according to the size of the particles and the percentage (by weight) in the different categories are given in the following order for each depth: gravel and rock; sand; silt; clay. The analyses and classification of soil types and structure given in this report are according to the international system.

Kode vir die kleur van die Bogrond :

Amberkleurig	AA	Amber
Blou	BB	Blue
Donkerblou	BD	Dark blue
Ligblou	BL	Light blue
Vaalblou	BV	Blue dun
Donkergeel	GD	Dark yellow
Geel	GG	Yellow
Liggeel	GL	Light yellow

Code for the colour of the Topsoil :

Sjokoladebruin	NC	Chocolate-brown
Donkerbruin	ND	Dark brown
Geelbruin (oker)	NG	Yellowish-brown (ochre)
Kastanjebruin	NK	Chestnut-brown
Ligbruin	NL	Light brown
Bruin	NN	Brown
Oranjebruin	NO	Orange-brown
Rooibruin	NR	Reddish-brown

Vaalbruin	NV	Greyish-brown
Kakiebruin	NH	Khaki-brown
Swartbruin	NS	Black-brown
Donkeroranje	OD	Dark orange
Oranje	OO	Orange
Ligoranje	OL	Light orange
Donkerrooi	RD	Dark red
Ligrooi	RL	Light red
Oranjerooi	RO	Orange-red
Karmosynrooi (persrooi)	RP	Crimson
Rooi	RR	Red
Swart	SS	Black
Ligswart	SL	Light black
Swart en wit gemeng	SW	Black and white mixed
Donkervaal	VD	Dark grey
Ligvaal	VL	Light grey
Vaal	VV	Grey
Blouvaal	VB	Blue-grey
Vaalwit	VW	Whitish-grey
Wit	WW	White
Ligpers	PL	Light purple
Donkerpers	PD	Dark purple
Pers	PP	Purple
Onbekend	XX	Unknown

Reënval · Die standaard reënmeter wat in Suid-Afrika in gebruik is, het 'n deursnee van 127 mm en word op 'n staander gemonteer sodat die rand van die reënmetertregter horisontaal en 1,2 meter bo die grondoppervlakte is. Verdamping van reënwater uit die meter word beperk deur die spesiale nou opening van die opvangemmertjie wat self geheel en al binne die buitenste silinder ingesluit is. Ook is 'n klep ontwerp wat verdamping, behalwe deur die tregtertuig, heeltemal verhoed en feitlik al die reënmeters is nou met hierdie klep toegerus.

Behalwe die maandelikse totale van reënval en die aantal dae met reën, word die reënvaltotale vir die kalenderjaar, sowel as vir die seisoensjaar (gereken vanaf 1 Julie tot 30 Junie), ook verstrek. Daarbenewens word daar vir stasies waarvoor daar 30-jarige normale bestaan, ook die jaar- en seisoenstotale as 'n persentasie van daardie normaal weergegee. Laasgenoemde normale verskyn in die publikasie : "Klimaat van Suid-Afrika; Deel 9 : Gemiddelde maandelikse reënval tot op die end van 1960 (W.B. 29)".

Relatiewe Vogtigheid word van die droë- en natbolpsigrometer se lesings bereken met behulp van Jelinek se tabelle vir ligte wind, wat vir gebruik in Suid-Afrika aangepas is. In hierdie tabelle word die verhouding tussen die dampdruk (e), die versadigde dampdruk by die temperatuur van die natbol (e_t') en die psigrometriese verskil (t-t') as volg aangeneem :-

$e = e_t' - 0.0008\ (t-t')$ waar $t' > 0^oC$ en

$e = e_t' - 0.000706\ (t-t')$ waar $t' < 0^oC$.

Wanneer t' benede vriespunt daal, word daar veronderstel dat die natbol met 'n yslagie bedek is. In die daaropvolgende berekening van die relatiewe vogtigheid, nl. $U = \frac{e}{e_t} \times 100$, is die versadigde dampdruk (e_t) oor suiwer vloeibare water egter in alle gevalle as maatstaf gebruik, ongeag of die droëboltemperatuur bo of onder vriespunt was.

Rainfall : The Standard raingauge used in South Africa, is 127 mm in diameter and is mounted on a stand so that the rim of the funnel is horizontal and 1,2 meters above ground level. Evaporation of rainwater from the gauge is reduced by having a small orifice to the collecting bucket and enclosing the latter completely within an outer shell. In addition a seal has been fitted which prevents evaporation except through the funnel tube and practically all the raingauges have now been fitted with this seal.

In addition to the monthly rainfall totals and number of days with rain, the total amounts of precipitation for the calender year as well as the seasonal year (from 1 July to 30 June) are also published. Furthermore, the annual and seasonal totals, expressed as percentages of the normal, are also included for stations for which 30 year normals are available. These normals appear in the publication : "Climate of South Africa; Part 9 : Average monthly rainfall up to the end of 1960 (W.B. 29)".

Relative Humidity is calculated from the readings of the dry and wet bulb psychrometer using Jelinek's tables for light wind, adapted for use in South Africa. In these tables the relation between the vapour pressure (e), the saturated vapour pressure at the temperature of the wet bulb (e_t') and the psychrometric difference (t-t') is taken as :-

$e = e_t' - 0.0008\ (t-t')$ where $t' > 0^oC$ and

$e = e_t' - 0.000706\ (t-t')$ where $t' < 0^oC$.

In the case of values of t' below freezing point the wet bulb was considered to be covered with ice. In the subsequent calculation of relative humidity viz. $U = \frac{e}{e_t} \times 100$, the saturation vapour pressure (e_t) over pure liquid water was adopted in all cases, whether or not the dry bulb temperature was below freezing point.

As gevolg van die betreklike hoë temperature wat by meeste stasies oordag bereik word, kan die natboltermometer hom nie so vinnig as die droëboltermometer aanpas by die vinnig-dalende temperatuur wat teen sononder ondervind word nie en gevolglik is die 2000 uur natboltemperature meestal effens hoër as wat hulle behoort te wees. Hiervoor is daar egter geen korreksie toegepas nie.

Uurlikse waardes van relatiewe vogtigheid word verkry van die kurwes van termohigrograwe wat met behulp van die psigrometerlesings korrigeer word.

Verdamping word gemeet deur die verandering in hoogte van die vrye wateroppervlak in 'n pan of tenk waar te neem. In die Weerburo word die V. S. A. Klas A-pan gebruik en waarnemings word daagliks om 0800 S. A. S. T. gedoen. Die Klas A-pan is silindries, 250 mm diep met 'n deursnit van 1, 2 m. Die hoogte van die wateroppervlak word op 'n skaal wat skuins in die water lê, afgelees.

Verdampinggegewens is in Tabel II van hierdie Verslag ingesluit. Waar gemiddelde gegewens tussen hakies verskyn beteken dit dat daar 'n sifdraadskerm oor die verdampingspan geplaas is. Daaglikse waardes van verdamping wat ontbreek word deur interpolasie aangevul.

Windgegewens : (1) Die windgegewens in Tabel II is hoofsaaklik dié van 1e-orderstasies wat Verdamping meet en is verkry vanaf die windtotalisator (hoogte 2 m). 'n Windtotalisator registreer die werklike aantal kilometers wind wat by die instrument verby waai. As die teller aan die begin van 'n gekose periode en dan weer aan die einde daarvan afgelees word, dan gee die verskil tussen die twee lesings die hoeveelheid wind in km aan wat in die periode by die instrument verbygewaai het. Deur hierdie syfer met die tydsduur te deel, word die gemiddelde windspoed verkry.

In hierdie tabel word die windgegewens vir die periodes 0800 - 2000 S. A. S. T. (OORDAG) en 2000-0800 S. A. S. T. (OORNAG) aangegee.

(2) Die windgegewens in Tabel IV is verkry vanaf anemograafkaarte wat uurliks afgelees is. Die tabel sluit windfrekwensies vir weerstasies en ander 1e- ordestasies met anemograwe in. Een 2e-ordestasie toegerus met 'n anemograaf, naamlik Bien Donné, is ook ingesluit.

Die Frekwensie van Dae met Donderstorms, Hael, Sneeu, Mis en dae waarop sekere temperatuurperke oorskry is, word volledig vir 1e-ordeweerstasies aangegee. By 2e-ordestasies waar die waarnemings herhaaldelik op Sondae en Vakansiedae onderbreek is, word genoemde

Owing to the relatively high temperatures reached during the daytime at most stations, the wet bulb thermometer cannot adapt itself as rapidly to the fast falling temperature at sundown as the dry bulb thermometer and as a result the 2000 hour wet bulb temperatures are generally slightly higher than they should be. No correction, however, has been applied to these values.

Hourly values of relative humidity are obtained from the traces of thermohygrographs corrected with the aid of the psychrometer readings.

Evaporation is measured by observing the change of level of the free water surface in a pan or tank. In the Weather Bureau the U. S. A. Class A pan is used and observations are carried out daily at 0800 S. A. S. T. The Class A pan is cylindrical, 250 mm deep and 1, 2 m in diameter. The height of the water surface is read off on a slanting scale mounted inside the pan.

Evaporation data are included in Table II of this Report. Where average values appear in brackets it indicates that a wire mesh screen has been placed over the evaporation pan. Missing daily values of evaporation are supplemented by interpolation.

Wind data : (1) The wind data in Table II are mainly those of 1st order stations measuring Evaporation and are obtained from the wind totalizator (height 2 m). A totalizator registers the actual number of kilometres wind which passes the instrument. If the counter is read at the beginning of a chosen period and again at the end of that period, the difference between the two readings indicates the amount of wind in km which passed the instrument during that period. The average wind speed is obtained by dividing this figure by the time interval.

Wind data in this table are given for the periods 0800 - 2000 S. A. S. T. (BY DAY) and 2000 - 0800 S. A. S. T. (BY NIGHT).

(2) The wind data in Table IV are obtained from anemograph charts read of hourly. The table includes wind frequencies for weather offices and other 1st order stations with anemographs. One 2nd order station equipped with an anemograph, namely Bien Donné, is also included.

Frequency of Days with Thunderstorms, Hail, Snow, Fog and days on which certain temperature limits were exceeded, are given in full for 1st order stations. At 2nd order stations these frequencies (including those of rain days) are not included when observations have

frekwensies (ook die van reëndae) nie ingesluit nie. Vir 3e-ordeweerstasies word alleen nog die frekwensies van reëndae en temperatuur ingesluit wanneer die waarnemings nie herhaaldelik onderbreek was nie. Die frekwensie van dae met Donderstorms, Hael, Sneeu en Mis is bowendien alleen dan by die tabelle van 1e- en 2e-ordestasies ingesluit indien daar redelike sekerheid bestaan dat hierdie weerverskynsels gereeld waargeneem en getrou aangeteken is. Die volgende besonderhede word in dié verband verstrek :-

(1) 'n "Dag met Donder" dui enige dag aan waarop daar donder by die weerstasie gehoor is, ongeag of daar een of meer donderstorms op so 'n dag by die stasie voorgekom het.

(2) "Hael" sluit alle tipes van hael in, afgesien van die intensiteit of skade berokken.

(3) "Sneeu" sluit ysreën in.

(4) Dae met "Mis" is daardie dae waarop die maksimum horisontale sigafstand op een of ander tyd van die dag (meestal vroeg in die oggend) minder as 1000 meter was. Dit sluit nie vlak mis in nie.

Sonskynure en die Frekwensie van dae binne sekere perke van Sonskynduur, is verkry deur middel van Campbell-Stokes sonskynmeters en hierdie kaarte is herlei volgens die gebruiklike standaard prosedure soos tans deur die Wëreld Weerkundige Organisasie voorgeskryf. By die berekening van die persentasiewaardes het die "moontlike" sonskynduur in elke geval betrekking op dié wat sou geld by die breedtegraad van die betrokke stasie en oor 'n horisontale vlak met 'n onbelemmerde horison en wolklose hemel.

Lugdruk: Gemiddelde Lugdruk word tot die naaste 100 of 50 geopotensiale metervlak herlei. Die bepaalde niveau vir elke stasie word in die meegaande lys van stasies vir Tabel III aangegee. Uiterste waardes van Lugdruk in Tabel III het alleen betrekking op waardes om 0800 en 1400 S.A.S.T. en om 2000 S.A.S.T. waar beskikbaar.

been persistently missed on Sundays and Public Holidays. For 3rd order stations only the frequencies of rain days and temperatures are included, provided observations were not missed persistently. The frequency of days with Thunderstorms, Hail, Snow and Fog are moreover only given in the tables of 1st and 2nd order stations if reasonable certainty exists that such phenomena were regularly observed and noted. The following particulars should be noted :-

(1) A "Day with Thunder" includes any day on which thunder was heard at a station, irrespective of whether or not more than one thunderstorm occurred at the station on that day.

(2) "Hail" includes all types of hail, irrespective of intensity or damage done.

(3) "Snow" includes sleet.

(4) Days with "Fog" are considered as such if the maximum horizontal range of vision at some or other time of day (usually early morning) was less than 1000 metres. This does not include shallow fog.

Sunshine Duration and Frequency of days falling within certain categories of sunshine duration are obtained with Campbell-Stokes sunshine recorders and the cards have been reduced according to established standard practice as now prescribed by the World Meteorological Organisation. In the computation of percentage values, the "possible" sunshine duration in each case refers to its duration at the latitude of the station in question and over a horizontal surface with an unobstructed horizon and a clear sky.

Atmospheric Pressure: Mean Atmospheric Pressure values are reduced to the nearest 100 or 50 geopotential metre level. The relevant level for each station is given in the accompanying list of stations for Table III. Extreme values of Atmosphere Pressure in Table III refer only to values at 0800 and 1400 S.A.S.T. and at 2000 S.A.S.T. where available.

VERKORTINGS GEBRUIK VIR STAATSDEPARTEMENTE EN ANDER INSTITUTE:

ABBREVIATIONS USED FOR GOVERNMENT DEPARTEMENTS AND OTHER INSTITUTIONS:

Lugverkeer	AER	Air traffic
Landbou	AGR	Agriculture
Bosbou	BOS	Forestry
Botaniese Tuine	BOT	Botanical gardens
Kerkhof	CEM	Cemetery
Kleurlingsake	COL	Coloured Affairs
Klooster	CON	Convent
Dinamietfabriek	DYN	Dynamite factory

Goudmyn	GM	Gold mine
Hospitaal	HOSP	Hospital
Gesondheid	GSH	Health
Waterwese	IRR	Water Affairs
Lande	LAN	Lands
Landdros	MAG	Magistrate
Stadsraad	MUN	Municipality
Bantoesake	NAF	Bantu Affairs
Observatorium	OBS	Observatory
Polisie	POL	Police
Poskantoor	POS	Post Office
Kragstasie	POW	Power Station
Rioleringswerke	PUR	Purification works
Opgaardam	RSV	Reservoir
Rand Waterraad	RWB	Rand Water Board
Spoorwee	SAR	Railways
Skool	SKL	School
Tronk	TNK	Gaol
Veeartsenykunde	VET	Veterinary service
Visteelt	VIS	Pisciculture
Vuurtoring	VRT	Lighthouse
Weerburo	WB	Weather Bureau
Weerkantoor	WK	Weather Office

SIMBOLE: Hier volg 'n verklarende lys van die simbole wat in hierdie verslag gebruik word:

Breedtegraad (S = Suid)	Ø	Latitude (S = South)
Lengtegraad (E = Oos en W = Wes)	λ	Longitude (E = East and W = West)
Hoogte van stasie bo gemiddelde seespieël	H	Height of station above Mean Sea Level
Hoogte van droëboltermometer bo grondvlak	HT	Height of dry bulb thermometer above ground level
Hoogte van boonste rand van reënmeter bo grondvlak	HR	Height of rim of raingauge above ground level
Hoogte van windmeterkop bo grondvlak	HA	Height of anemometer head above ground level
Geopotensiale meters	GPM	Geopotential metres
Meters	M/m	Metres
Sentimeters	CM	Centimetres
Millimeters	MM/mm	Millimetres
Millibar	mb	Millibar
Meters per sekond	ms	Metres per second
Gemiddeldes	MS	Means
Suid-Afrikaanse Standaard Tyd	S.A.S.T.	South African Standard Time
Persentasie	PER/%	Percentage
Geen of te min waarnemings	-	No observations or too few observations
Waardes in hakies dui aan dat die aantal beskikbare waarnemings waaruit die waardes verkry is, minder as 85% maar meer as 66% van die totale moontlike aantal waarnemings is. By Verdamping (Tabel II) waar ontbrekende daaglikse waardes deur interpolasie aangevul word, dui hakies om gemiddelde waardes aan dat daar 'n sifdraadskerm oor die verdampingspan geplaas is.	( )	Values in brackets indicate that the number of available observations from which the values were obtained, were less than 85% but more than 66% of the possible total number of observations. For Evaporation (Table II) where missing daily values are supplemented by interpolation, brackets around average values indicate that a wire mesh screen has been placed over the evaporation pan.

SYMBOLS: The following is a list of the symbols used in this Report, together with their meanings:

Waar agtereenvolgende waardes tussen hakies moet verskyn, word die hakies om die individuele waardes gesluit waar ruimte dit toelaat, andersins word die hakies om 'n groep agtereenvolgende waardes gesluit.

BELANGRIKE VERANDERINGE

Die volgende veranderinge is in hierdie Verslag aangebring :-

(1) Die gegewens wat in tabelle I, IIA en III van vorige verslae voorgekom het, is geherrangskik in die nuwe tabelle I, II en III.

(2) Die volgende gegewens is bygevoeg :-

(a) Vroegste en Laatste Rypdatums in die nuwe Tabel I.

(b) Gemiddelde daaglikse waardes van Verdamping en Windspoed (verkry vanaf die windtotalisator) in die nuwe Tabel II.

(c) Lugdrukuiterstes in die nuwe tabel vir Lugdruk, naamlik Tabel III.

(3) Windfrekwensies word alleen aangegee vir stasies wat oor anemograwe beskik. Die frekwensies verskyn nou in 'n aparte tabel, nl. die nuwe Tabel IV.

(4) Sonskyngegewens word nie meer in 'n aparte tabel soos in vorige verslae aangegee nie maar word in die nuwe Tabel II opgeneem.

Where successive values have to appear in brackets, the brackets are closed around the individual values where space is available, otherwise the brackets are closed around a group of successive values.

IMPORTANT CHANGES

The following changes have been made in this Report :-

(1) Data which appeared in tables I, IIA and III of previous reports have been rearranged in the new tables I, II and III.

(2) The following data have been added :-

(a) First and Last Dates of the occurrence of Frost in the new Table I.

(b) Average daily values of Evaporation and Windspeed (obtained from the wind totalizator) in the new Table II.

(c) Extremes of Pressure in the new table for Pressure, namely Table III.

(3) Wind frequencies are given only for stations with anemographs. The frequencies now appear in a separate table, namely the new Table IV.

(4) Sunshine data are no longer given in a separate table as in previous reports, but are included in the new Table II.

BYVOEGINGS TOT EN VERANDERINGS IN DIE NETWERK VAN EERSTEORDE-WEERSTASIES

21/178 D. F. Malan WK Ø = 33°58'S; λ = 18°36'E; H = 44 m.

Verskuif 40 treë wesnoordwes op 18 Februarie 1971; hoogte onveranderd.

50/887 Willowmore MUN Ø = 33°17'S; λ = 23°30'E; H = 834 m.

Verskuif 1200 treë noordnoordoos op 4 Januarie 1971; nuwe hoogte 829 m.

Verskuif 1010 treë suidwes na kragstasie (POW) op 21 Julie 1971; nuwe hoogte 840 m.

170/9B De Aar AGR Ø = 30°39'S; λ = 24°01'E; H = 1241 m.

Gesluit op 8 September 1971 en oorgeplaas op 9 September 1971 na nuwe stasie 170/10 De Aar TNK, Ø = 30°40'S; X = 24°01E; H = 1258 m.

175/371A Aliwal North Ø = 30°41'S; λ = 26°43'E; H = 1317 m.

Gesluit op 31 Augustus 1971 en oorgeplaas op 1 September 1971 na nuwe stasie 175/371 Aliwal North TNK, Ø = 30°41'S; X = 26°43'E; H = 1310 m.

193/561 Vanwyksvlei Ø = 30°21'S; λ = 21°49'E; H = 959 m.

Verskuif 330 treë wes op 20 September 1971; nuwe hoogte 962 m.

233/44 Wepener Ø = 29°44'S; λ = 27°02'E; H = 1425 m.

Verskuif 880 treë oos na TNK op 7 Mei 1971; nuwe hoogte 1437 m.

247/668 Pofadder Ø = 29°08'S; λ = 19°23'E; H = 985 m.

Verskuif 1060 treë SSW op 1 Februarie 1971; nuwe hoogte 997 m.

Verskuif 750 treë noordoos na SKL op 27 September 1971; nuwe hoogte 984 m.

568/817 Mariental POS S.W.A. Ø = 24°37'S; λ = 17°58'E; H = 1095 m.

Verskuif 200 treë suidoos op 11 Maart 1971; nuwe hoogte 1099 m.

631/791 Groendraai Ø = 24°11'S; λ = 27°57'E; H = 1025 m.

Gesluit op 31 Mei 1971 en oorgeplaas op 1 Junie 1971 na nuwe stasie 631/823 Doornspruit, Ø = 24°13'S; λ = 27°58'E; H = 1043 m.

961/247 Outjo POS S.W.A. Ø = 20°07'S; λ = 16°09'E; H = 1265 m.

Verskuif 1300 treë noordwes op 26 Junie 1971; nuwe hoogte 1278 m.

Gesluit op 31 Augustus 1971.

ADDITIONS TO AND CHANGES IN THE NETWORK OF FIRST ORDER WEATHER STATIONS

21/178 D. F. Malan WK Ø = 33°58'S; λ = 18°36'E; H = 44 m.

Moved 40 yards west-north-west on 18 February 1971; height unchanged.

50/887 Willowmore MUN Ø = 33°17'S; λ = 23°30'E; H = 834 m.

Moved 1200 yards north-north-east on 4 January 1971; new height 829 m.

Moved 1010 yards south-west to power station (POW) on 21 July 1971; new height 840 m.

170/9B De Aar AGR Ø = 30°39'S; λ = 24°01'E; H = 1241 m.

Closed on 8 September 1971 and transferred on 9 September 1971 to new station 170/10 De Aar TNK, Ø = 30°40S; λ = 24°01E; M = 1258 m.

175/371A Aliwal North Ø = 30°41'S; λ = 26°43'E; H = 1317 m.

Closed on 31 August 1971 and transferred on 1 September 1971 to new station 175/371 Aliwal North TNK; Ø = 30°41S; λ = 26°43'E; H = 1310 m.

193/561 Vanwyksvlei Ø = 30°21'S; λ = 21°49'E; H = 959 m.

Moved 330 yards west on 20 September 1971; new height 962 m.

233/44 Wepener Ø = 29°44'S; λ = 27°02'E; H = 1425 m.

Moved 880 yards east to TNK on 7 May 1971; new height 1437 m.

247/668 Pofadder Ø = 29°08'S; λ = 19°23'E; H = 985 m.

Moved 1060 yards SSW on 1 February 1971; new height 997 m.

Moved 750 yards north-east to SKL on 27 September 1971; new height 984 m.

568/817 Mariental POS S.W.A. Ø = 24°37'S; λ = 17°58'E; H = 1095 m.

Moved 200 yards south-east on 11 March 1971; new height 1099 m.

631/791 Groendraai Ø = 24°11'S; λ = 27°57'E; H = 1025 m.

Closed on 31 May 1971 and transferred on 1 June 1971 to new station 631/823 Doornspruit, Ø = 24°13'S; λ = 27°58'E; H = 1043 m.

961/247 Outjo POS S.W.A. Ø = 20°07'S; λ = 16°09'E; H = 1265 m.

Moved 1300 yards north-west on 26 June 1971; new height 1278 m.

Closed on 31 August 1971.

OMSETTABELLE - CONVERSION TABLES

Millimeters na Duime Millimetres to Inches		Celsius na Fahrenheit Celcius to Fahrenheit				Meters na Voet Metres to Feet		Meters per Sekond na Myle per uur Metres per Second to Miles per hour	
1 mm = 0,03937 Dium / Inch		$(^{o}C \times \frac{9}{5}) + 32 = {}^{o}F$				1 m = 3,28 Voet / Feet		1 m/s = 2,2 mpu; mph	
mm	Duime Inches	°C	°F	°C	°F	m	Voet Feet	m/s	mpu mph
0,1 =	0,00	-13,5 =	7,7	16,5 =	61,7	1 =	3,3	1 =	2
0,2 =	0,01	-13,0 =	8,6	17,0 =	62,6	2 =	6,6	2 =	5
0,3 =	0,01	-12,5 =	9,5	17,5 =	63,5	3 =	9,8	3 =	7
0,4 =	0,02	-12,0 =	10,4	18,0 =	64,4	4 =	13,1	4 =	9
0,5 =	0,02	-11,5 =	11,3	18,5 =	65,3	5 =	16,4	5 =	11
0,6 =	0,02	-11,0 =	12,2	19,0 =	66,2	6 =	19,7	6 =	13
0,7 =	0,03	-10,5 =	13,1	19,5 =	67,1	7 =	23,0	7 =	16
0,8 =	0,03	-10,0 =	14,0	20,0 =	68,0	8 =	26,3	8 =	18
0,9 =	0,04	-9,5 =	14,9	20,5 =	68,9	9 =	29,5	9 =	20
		-9,0 =	15,8	21,0 =	69,8	10 =	32,8		
1 =	0,04	-8,5 =	16,7	21,5 =	70,7	15 =	49	10 =	22
2 =	0,08	-8,0 =	17,6	22,0 =	71,6	20 =	66	11 =	25
3 =	0,12	-7,5 =	18,5	22,5 =	72,5	25 =	82	12 =	27
4 =	0,16	-7,0 =	19,4	23,0 =	73,4	30 =	98	13 =	29
5 =	0,20	-6,5 =	20,3	23,5 =	74,3	35 =	115	14 =	31
6 =	0,24	-6,0 =	21,2	24,0 =	75,2	40 =	131	15 =	34
7 =	0,28	-5,5 =	22,1	24,5 =	76,1	45 =	148	16 =	36
8 =	0,31	-5,0 =	23,0	25,0 =	77,0	50 =	164	17 =	38
9 =	0,35	-4,5 =	23,9	25,5 =	77,9	55 =	180	18 =	40
10 =	0,39	-4,0 =	24,8	26,0 =	78,8	60 =	197	19 =	43
		-3,5 =	25,7	26,5 =	79,7	65 =	213		
11 =	0,43	-3,0 =	26,6	27,0 =	80,6	70 =	230	20 =	45
12 =	0,47	-2,5 =	27,5	27,5 =	81,5	75 =	246	21 =	47
13 =	0,51	-2,0 =	28,4	28,0 =	82,4	80 =	262	22 =	49
14 =	0,55	-1,5 =	29,3	28,5 =	83,3	85 =	279	23 =	51
15 =	0,59	-1,0 =	30,2	29,0 =	84,2	90 =	295	24 =	54
16 =	0,63	-0,5 =	31,1	29,5 =	85,1	95 =	312	25 =	56
17 =	0,67	0,0 =	32,0	30,0 =	86,0	100 =	328	26 =	58
18 =	0,71	0,5 =	32,9	30,5 =	86,9	150 =	492	27 =	60
19 =	0,75	1,0 =	33,8	31,0 =	87,8	200 =	656	28 =	63
20 =	0,79	1,5 =	34,7	31,5 =	88,7	250 =	820	29 =	65
		2,0 =	35,6	32,0 =	89,6	300 =	984		
21 =	0,83	2,5 =	36,5	32,5 =	90,5	350 =	1148	30 =	67
22 =	0,87	3,0 =	37,4	33,0 =	91,4	400 =	1312	31 =	69
23 =	0,91	3,5 =	38,3	33,5 =	92,3	450 =	1476	32 =	72
24 =	0,94	4,0 =	39,2	34,0 =	93,2	500 =	1640	33 =	74
25 =	0,98	4,5 =	40,1	34,5 =	94,1	550 =	1805	34 =	76
26 =	1,02	5,0 =	41,0	35,0 =	95,0	600 =	1696	35 =	78
27 =	1,06	5,5 =	41,9	35,5 =	95,9	650 =	2133	36 =	81
28 =	1,10	6,0 =	42,8	36,0 =	96,8	700 =	2297	37 =	83
29 =	1,14	6,5 =	43,7	36,5 =	97,7	750 =	2461	38 =	85
30 =	1,18	7,0 =	44,6	37,0 =	98,6	800 =	2625	39 =	87
		7,5 =	45,5	37,5 =	99,5	850 =	2789		
40 =	1,57	8,0 =	46,4	38,0 =	100,4	900 =	2953	40 =	89
50 =	1,97	8,5 =	47,3	38,5 =	101,3	950 =	3117	41 =	92
60 =	2,36	9,0 =	48,2	39,0 =	102,2	1000 =	3281	42 =	94
70 =	2,76	9,5 =	49,1	39,5 =	103,1	1050 =	3445	43 =	96
80 =	3,15	10,0 =	50,0	40,0 =	104,0	1100 =	3609	44 =	98
90 =	3,54	10,5 =	50,9	40,5 =	104,9	1150 =	3773	45 =	101
		11,0 =	51,8	41,0 =	105,8	1200 =	3937	46 =	103
100 =	3,94	11,5 =	52,7	41,5 =	106,7	1250 =	4101	47 =	105
200 =	7,87	12,0 =	53,6	42,0 =	107,6	1300 =	4265	48 =	107
300 =	11,81	12,5 =	54,5	42,5 =	108,5	1350 =	4429	49 =	110
400 =	15,75	13,0 =	55,4	43,0 =	109,4	1400 =	4593		
500 =	19,69	13,5 =	56,3	43,5 =	110,3	1500 =	4921	50 =	112
600 =	23,62	14,0 =	57,2	44,0 =	111,2	1600 =	5249	51 =	114
700 =	27,56	14,5 =	58,1	44,5 =	112,1	1700 =	5577	52 =	116
800 =	31,50	15,0 =	59,0	45,0 =	113,0	1800 =	5906	53 =	119
900 =	35,43	15,5 =	59,9	45,5 =	113,9	1900 =	6234	54 =	121
1000 =	39,37	16,0 =	60,8	46,0 =	114,8	2000 =	6562	55 =	123
1 Duim / Inch = 25,4 mm		$(^{o}F - 32) \times 5/9 = {}^{o}C$				1 Voet / Foot = 0,3 m		1 mpu; mph = 0,45 m/s	

MAAND / MONTH	GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM T̄x	DAELIKSE MINIMUM / DAILY MINIMUM T̄n	T̄m* – NORMALE Tm / T̄m* – LONGTERM Tm ΔT̄m	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥ 30,0	MAKSIMUM / MAXIMUM < 17,5	MAKSIMUM / MAXIMUM < 10,0	MINIMUM ≥ 20,0	MINIMUM < +2,5	MINIMUM < 0,0	MINIMUM < −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
0/653 MARIONEILAND – WK Ø 46°53'S λ 37°52'E H 22 M HT 1.2 M HR 1.2 M																												
J	10.5	5.3	-	14.3	26	1.0	30	6.6	3	8.9	11	0	31	14	0	2	0	0	17			196.0	27.5	18	27	23	8	1
F	11.3	6.1	-	16.7	27	2.5	19	8.0	22	10.3	10	0	28	9	0	0	0	0				194.6	24.1	23	25	18	10	0
M	11.2	6.0	-	17.7	3	0.9	16	6.5	15	9.5	4	0	30	11	0	2	0	0				159.5	25.6	25	26	17	7	1
A	8.8	3.5	-	14.0	8	0.1	21	4.9	20	8.9	2	0	30	19	0	10	0	0				255.3	42.8	22	27	2	11	2
M	7.5	2.0	-	12.0	9	-1.0	12	2.8	21	5.8	26	0	31	28	0	17	5	0		2		242.3	30.4	19	30	25	8	3
J	6.6	1.7	-	12.3	17	-2.8	2	-0.4	15	7.5	7	0	30	27	0	18	6	2			2	200.1	38.1	17	28	22	7	2
J	6.3	1.6	-	10.7	15	-4.0	4	0.0	17	7.7	28	0	31	29	0	18	12	3				206.3	70.5	5	29	22	4	2
A	5.7	1.1	-	9.2	2	-3.8	1	1.5	13	6.1	9	0	31	31	0	19	14	2				246.2	51.4	5	28	22	6	3
S	5.8	0.8	-	8.1	27	-6.5	17	2.0	16	5.1	13	0	30	30	0	23	9	1				154.7	22.5	7	28	22	4	0
O	7.3	1.9	-	14.0	28	-3.1	18	1.1	17	6.3	11	0	31	28	0	20	2	1			18	198.3	39.7	25	25	18	8	2
N	9.2	2.9	-	14.7	11	-0.8	17	4.5	2	5.7	25	0	30	16	0	12	3	0		17		137.5	14.8	22	27	21	5	0
D	9.7	3.5	-	15.3	18	0.3	7	6.4	2	7.7	20	0	31	19	0	8	0	0	22			216.7	38.6	20	31	22	5	5
A	8.3	3.0	-	17.7	-	-6.5	-	-0.4	-	10.3	-	0	364	261	0	149	51	9				2407.5	70.5	-	331	234	83	21
0/681 GOUGHEILAND – WK Ø 40°21'S λ 9°53'W H 54 M HT 1.2 M HR 1.2 M																												
J	17.2	11.2	-	21.7	31	8.0	1	13.2	25	14.8	7	0	16	0	0	0	0	0				154.4	29.7	2	21	16	5	1
F	16.7	11.5	-	21.3	7	6.8	14	11.7	13	17.3	21	0	17	0	0	0	0	0				208.1	88.4	26	15	12	4	2
M	15.6	10.2	-	19.8	25	5.6	31	11.0	13	15.1	16	0	27	0	0	0	0	0				262.3	51.4	15	17	14	7	4
A	14.8	10.3	-	19.8	13	5.6	1	9.7	29	15.4	5	0	25	1	0	0	0	0				236.7	60.6	5	24	20	6	3
M	13.4	8.7	-	18.6	3	2.0	13	7.2	12	16.1	4	0	29	4	0	2	0	0	13			380.6	75.7	19	25	23	9	4
J	11.2	7.3	-	16.0	24	3.8	12	6.6	10	11.7	24	0	30	8	0	0	0	0				211.3	53.0	19	24	19	9	2
J	11.5	6.2	-	15.8	21	0.6	28	5.6	12	11.5	22	0	31	8	0	3	0	0				212.0	41.5	2	28	23	6	3
A	11.6	6.9	-	15.3	19	0.2	30	6.4	29	11.7	27	0	31	8	0	2	0	0	30			383.0	66.0	11	27	22	9	5
S	11.5	6.9	-	15.6	29	3.3	23	7.6	15	11.9	6	0	30	7	0	0	0	0				216.8	60.7	6	25	16	7	3
O	12.8	7.6	-	17.1	16	3.5	11	8.4	11	12.8	6	0	31	4	0	0	0	0				261.1	78.7	12	22	16	6	5
N	15.0	9.9	-	21.9	14	5.1	24	10.7	29	15.3	21	0	26	0	0	0	0	0				261.8	59.0	15	17	15	8	5
D	17.6	11.3	-	22.8	23	6.5	30	11.5	7	15.6	18	0	11	0	0	0	0	0				205.7	55.4	31	21	17	6	2
A	14.1	9.0	-	22.8	-	0.2	-	5.6	-	17.3	-	0	304	40	0	7	0	0				2993.8	88.4	-	266	213	82	39
3/ 20 KAAP AGULHAS – VRT Ø 34°50'S λ 20° 1'E H 6 M HT 1.2 M HR 1.2 M																												
J	22.9	16.9	-0.4	26.5	15	11.0	1	20.2	16	20.6	29	0	0	0	1	0	0	0				2.3	1.0	13	4	2	0	0
F	23.3	17.9	0.1	29.4	9	14.8	11	19.0	15	20.3	14	0	0	0	1	0	0	0				7.6	4.5	27	7	2	0	0
M	22.4	16.9	0.4	24.9	31	11.6	26	18.0	25	20.0	4	0	0	0	0	0	0	0				16.3	6.0	18	10	8	0	0
A	19.9	14.4	-0.4	24.8	23	10.6	11	17.4	2	17.8	27	0	1	0	0	0	0	0				38.9	18.0	4	10	6	2	0
M	18.7	13.1	0.3	21.5	13	10.0	17	15.5	19	16.0	29	0	7	0	0	0	0	0				34.8	14.0	26	9	6	1	0
J	17.5	11.0	0.0	29.4	10	8.0	17	13.4	15	14.2	1	0	16	0	0	0	0	0				103.4	31.0	18	14	13	3	1
J	16.0	10.5	0.1	21.8	13	7.2	6	14.0	29	14.1	8	0	27	0	0	0	0	0				75.4	22.0	15	12	9	4	0
A	16.0	10.1	-0.6	20.5	1	6.0	6	12.9	25	13.5	13	0	23	0	0	0	0	0				51.3	13.0	19	16	9	2	0
S	16.3	10.6	-0.8	20.5	23	6.1	7	12.5	6	14.8	20	0	21	0	0	0	0	0				25.0	10.0	27	11	6	1	0
O	18.9	13.2	0.2	22.0	13	9.4	18	14.5	22	17.0	28	0	6	0	0	0	0	0				33.9	10.5	22	11	8	1	0
N	20.3	14.9	-0.1	22.5	29	12.4	2	16.0	1	18.4	24	0	2	0	0	0	0	0				42.4	19.0	10	12	9	1	0
D	22.2	16.6	0.3	25.4	25	13.7	20	17.9	11	20.2	30	0	0	0	1	0	0	0				63.5	59.0	11	8	3	1	1
A	19.5	13.8	-0.1	29.4	-	6.0	-	12.5	-	20.6	-	0	103	0	3	0	0	0				494.8	59.0	-	124	81	16	2
4/891 KAAPPUNT – VRT Ø 34°21'S λ 18°30'E H 227 M HT 1.2 M HR 1.2 M																												
J	20.4	14.4	-0.7	30.2	25	11.7	1	17.4	20	17.4	25	1	1	0	0	0	0	0				8.1	5.0	15	6	3	0	0
F	21.4	15.3	0.0	32.0	9	13.2	27	16.4	27	17.6	14	1	2	0	0	0	0	0				1.3	1.3	28	1	1	0	0
M	21.4	14.8	0.6	33.5	31	11.2	27	16.2	22	17.9	31	1	3	0	0	0	0	0				4.1	3.0	24	5	1	0	0
A	18.3	13.2	-0.9	22.5	22	10.5	11	14.6	10	16.0	1	0	11	0	0	0	0	0				5.4	1.6	30	7	3	0	0
M	17.9	12.4	-0.4	23.3	17	10.3	19	13.5	19	14.6	7	0	15	0	0	0	0	0				34.9	12.5	19	7	6	1	0
J	15.8	10.8	-1.2	27.2	10	7.3	15	12.6	14	14.6	11	0	25	0	0	0	0	0				76.6	26.5	23	18	10	2	1
J	14.8	10.3	-0.9	20.6	13	8.7	16	11.5	29	12.6	13	0	29	0	0	0	0	0				38.9	7.6	29	9	8	0	0
A	14.1	-	-	22.8	13	-	-	11.0	5	-	-	0	30	0	-	-	-	-				49.9	19.0	16	16	7	1	0
S	15.1	-	-	21.2	22	-	-	11.3	6	-	-	0	24	0	-	-	-	-				34.9	17.5	2	10	7	1	0
O	18.1	-	-	29.3	9	-	-	14.0	22	-	-	0	14	0	-	-	-	-				6.5	4.0	31	7	1	0	0
N	18.8	13.2	-0.1	25.4	24	10.5	2	14.2	2	16.3	24	0	7	0	0	0	0	0				3.7	1.1	15	6	2	0	0
D	19.7	14.7	0.1	22.9	24	11.9	3	15.7	1	18.1	31	0	4	0	0	0	0	0				24.6	17.5	11	7	5	1	0
A	18.0	-	-	33.5	-	-	-	11.0	-	-	-	3	165	0	-	-	-	-				289.1	26.5	-	99	54	6	1
5/545 SOMERSET WEST – DYN Ø 34° 5'S λ 18°49'E H 8 M HT 1.2 M HR 1.2 M																												
J	26.4	16.1	-0.4	36.5	8	7.9	1	21.0	11	20.5	9	6	0	0	1	0	0	0				10.0	7.5	31	2	2	0	0
F	27.1	16.4	0.1	36.0	8	12.0	11	20.4	27	22.1	8	7	0	0	2	0	0	0				0.9	0.5	26	2	0	0	0
M	25.4	13.9	-0.2	36.0	31	8.0	27	17.6	25	19.0	2	3	0	0	0	0	0	0				15.5	5.8	25	4	4	0	0
A	21.7	12.0	-0.2	25.5	7	7.9	29	18.1	10	17.3	1	0	0	0	0	0	0	0				9.2	5.0	30	4	4	0	0
M	20.3	8.4	-0.4	26.0	17	3.2	17	13.7	19	14.0	15	0	4	0	0	0	0	0				51.9	22.5	19	3	3	2	0
J	18.1	7.5	0.1	29.7	10	2.2	18	13.4	14	14.5	12	0	16	0	0	2	0	0	17			70.9	16.8	30	10	7	4	0
J	16.9	6.8	0.0	23.6	13	3.7	21	13.0	9	12.2	1	0	20	0	0	0	0	0				52.9	19.2	15	6	6	2	0
A	16.7	7.3	-0.5	25.8	13	1.4	26	13.6	18	12.4	15	0	21	0	0	2	0	0				94.1	30.7	17	14	11	2	1
S	17.5	7.1	-1.4	25.4	19	1.2	7	13.4	6	14.0	24	0	13	0	0	2	0	0	7			26.5	9.5	5	8	6	0	0
O	21.8	11.0	0.3	29.3	27	5.0	2	16.0	22	17.0	29	0	2	0	0	0	0	0				23.8	15.2	22	6	5	1	0
N	23.1	13.2	-0.2	30.4	23	9.5	4	18.1	1	17.6	10	1	0	0	0	0	0	0				11.0	6.7	14	4	3	0	0
D	25.4	15.8	0.3	33.9	29	10.6	22	20.5	12	20.0	29	4	0	0	0	0	0	0				5.2	3.0	21	3	2	0	0
A	21.7	11.3	-0.2	36.5	-	1.2	-	13.0	-	22.1	-	21	76	0	3	6	0	0				371.9	30.7	-	66	53	11	1

* T̄m = ½(T̄x + T̄n) Waar/Where ** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

UITERSTE TEMPERATURE – °C – EXTREME TEMPERATURES | RYP / FROST | NEERSLAG – mm – PRECIPITATION

MAAND / MONTH	GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM Tx	DAELIKSE MINIMUM / DAILY MINIMUM Tn	Tm* – NORMALE Tm / Tm* – LONGTERM Tm ΔTm	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH MAKSIMUM / MAXIMUM > 30,0	MAKSIMUM < 17,5	MAKSIMUM < 10,0	MINIMUM / MINIMUM > 20,0	MINIMUM < +2,5	MINIMUM < 0,0	MINIMUM < −2,5	VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
7/699A TYGERHOEK – AGR												Ø 34° 9'S			λ 19°54'E				H 168 M			HT 1.2 M			HR 1.2 M			
J	28.6	15.2	–	37.1	25	7.4	1	21.3	21	21.4	29	11	0	0	2	0	0	0				3.2	2.5	15	6	1	0	0
F	27.8	16.2	–	39.4	9	10.6	12	16.9	15	21.1	14	9	1	0	2	0	0	0				43.8	19.5	14	8	6	1	0
M	26.7	14.0	–	35.6	31	8.3	28	17.1	22	17.3	18	5	1	0	0	0	0	0				38.4	24.5	18	8	6	1	0
A	22.9	11.0	–	29.7	23	4.1	11	14.6	2	15.1	25	0	3	0	0	0	0	0				50.7	24.5	4	7	6	1	0
M	20.4	7.3	–	28.8	8	0.6	17	13.4	19	12.0	10	0	6	0	0	2	0	0	16			56.4	22.5	19	8	7	2	0
J	18.3	5.5	–	28.3	10	–0.6	17	11.1	15	11.2	30	0	12	0	0	7	1	0		17		41.3	14.1	23	10	9	1	0
J	16.5	5.2	–	21.6	26	0.4	5	12.9	23	11.5	9	0	21	0	0	8	0	0				79.0	23.0	9	12	9	3	0
A	16.4	5.7	–	24.4	13	–0.4	6	10.4	17	10.4	9	0	16	0	0	4	1	0				96.9	31.0	19	14	11	4	1
S	17.6	5.4	–	27.1	23	–1.4	7	10.8	6	12.1	20	0	17	0	0	6	1	0		7		18.8	4.5	29	9	8	0	0
O	23.1	9.6	–	32.3	9	1.4	18	12.4	22	16.8	13	2	3	0	0	1	0	0	18			31.2	16.5	31	6	4	2	0
N	25.7	12.1	–	35.0	24	7.1	8	14.0	1	17.1	24	2	2	0	0	0	0	0				43.6	15.5	1	12	7	1	0
D	27.0	14.3	–	34.1	22	7.7	21	19.0	1	19.6	30	7	0	0	0	0	0	0				24.3	13.5	11	5	5	1	0
A	22.6	10.1	–	39.4	–	–1.4	–	10.4	–	21.4	–	36	82	0	4	28	3	0				527.6	31.0	–	105	79	17	1
10/456 RIVERSDALE												Ø 34° 6'S			λ 21°16'E				H 117 M			HT 1.2 M			HR 1.2 M			
J	27.9	15.5	0.0	37.5	25	7.8	1	19.3	16	20.3	10	10	0	0	1	0	0	0				9.1	3.0	9	7	4	0	0
F	27.0	16.9	–0.2	39.0	9	12.9	17	18.3	15	21.9	14	7	0	0	2	0	0	0				73.5	35.0	15	8	8	1	1
M	26.3	15.0	0.0	36.4	31	8.4	28	18.0	22	19.3	15	5	0	0	0	0	0	0				53.5	20.0	22	7	7	2	0
A	23.1	11.7	–0.9	31.2	1	6.5	12	16.9	10	18.3	1	1	2	0	0	0	0	0				97.0	55.0	4	6	6	2	2
M	21.3	7.7	–0.6	30.7	8	1.5	21	15.6	19	17.4	18	1	5	0	0	1	0	0	21			49.0	16.5	10	6	6	3	0
J	19.5	6.4	–0.1	29.3	10	0.3	17	11.6	15	12.4	5	0	9	0	0	4	0	0				38.5	9.0	13	10	10	0	0
J	17.8	6.3	0.0	24.7	26	0.6	5	12.0	30	11.7	9	0	14	0	0	3	0	0				100.5	32.0	9	10	10	5	1
A	17.8	6.3	–1.3	24.4	13	0.0	26	13.2	25	11.0	9	0	15	0	0	4	0	0				68.5	23.5	19	11	11	1	0
S	18.9	6.3	–2.0	30.4	23	0.0	7	11.8	6	11.8	23	1	10	0	0	2	0	0	29			11.7	3.5	6	5	5	0	0
O	23.3	9.8	–0.2	32.6	9	3.0	5	16.0	17	16.9	13	2	2	0	0	0	0	0				34.5	20.0	22	4	4	1	0
N	23.6	12.5	–0.9	33.8	24	5.8	8	16.0	2	16.3	23	2	3	0	0	0	0	0				64.5	24.0	1	10	10	2	0
D	27.2	14.8	0.5	34.0	22	9.3	7	18.4	10	20.0	26	8	0	0	0	0	0	0				13.6	6.0	11	9	4	0	0
A	22.8	10.8	–0.5	39.0	–	0.0	–	11.6	–	21.9	–	37	60	0	3	14	0	0				613.9	55.0	–	93	85	17	4
12/251 CAPE ST BLAIZE – VRT												Ø 34°11'S			λ 22° 9'E				H 59 M			HT 1.2 M			HR 1.2 M			
J	23.1	17.7	–0.8	26.1	29	13.3	1	19.2	3	21.2	30	0	0	0	4	0	0	0				18.6	16.0	9	4	2	1	0
F	22.7	18.2	–0.8	28.8	9	15.4	16	19.6	15	21.7	14	0	0	0	3	0	0	0				26.0	8.5	15	9	7	0	0
M	23.2	17.2	0.1	29.8	31	12.6	26	18.4	27	19.9	15	0	0	0	0	0	0	0				20.7	12.0	18	6	4	1	0
A	20.8	14.8	–0.9	33.8	1	11.2	12	17.0	7	21.0	1	1	1	0	1	0	0	0				47.6	17.5	1	8	7	1	0
M	19.8	13.1	–0.6	26.9	18	10.0	16	15.6	1	17.2	14	0	6	0	0	0	0	0				85.3	35.0	10	6	6	4	1
J	19.3	11.9	–0.2	28.2	11	6.9	15	12.7	15	17.0	11	0	8	0	0	0	0	0				42.0	10.5	24	10	8	1	0
J	17.1	10.9	–0.9	23.6	6	8.5	25	12.6	30	15.0	14	0	19	0	0	0	0	0				88.6	25.0	9	12	10	4	1
A	17.1	10.0	–1.8	22.6	14	6.1	25	12.0	17	12.6	1	0	18	0	0	0	0	0				73.6	22.1	19	10	9	3	0
S	17.1	10.7	–1.8	19.8	19	6.2	7	13.7	6	14.5	24	0	13	0	0	0	0	0				14.9	4.5	3	7	5	0	0
O	18.8	13.5	–0.8	22.5	29	8.4	23	15.7	2	16.7	31	0	8	0	0	0	0	0				14.1	12.0	22	2	2	1	0
N	19.7	14.8	–1.2	23.6	26	11.8	2	15.5	2	18.4	26	0	5	0	0	0	0	0				45.6	16.3	1	9	8	1	0
D	22.2	17.1	–0.4	26.1	25	14.4	6	18.2	10	21.2	31	0	0	0	4	0	0	0				5.9	5.5	9	2	1	0	0
A	20.1	14.2	–0.8	33.8	–	6.1	–	12.0	–	21.7	–	1	78	0	12	0	0	0				482.9	35.0	–	85	69	17	2
15/692 STORMSRIVIERMOND												Ø 34° 2'S			λ 23°54'E				H 4 M			HT 1.2 M			HR 1.2 M			
J	22.6	16.7	–	27.5	10	10.3	14	19.5	20	21.0	27	0	0	0	4	0	0	0				36.0	10.0	20	8	8	1	0
F	22.3	16.5	–	26.2	19	12.9	24	19.3	4	20.6	3	0	0	0	1	0	0	0				77.5	18.0	14	9	9	4	0
M	22.5	16.0	–	29.8	14	9.8	12	18.3	26	21.2	16	0	0	0	1	0	0	0				111.9	42.0	17	10	8	4	1
A	19.3	12.9	–	25.5	1	9.0	9	15.7	11	17.2	2	0	8	0	0	0	0	0				134.5	76.2	4	6	2	2	2
M	19.4	11.5	–	26.9	18	7.7	17	14.7	20	16.1	10	0	4	0	0	0	0	0				187.9	67.7	19	7	7	4	3
J	18.6	10.0	–	27.3	11	5.7	26	10.5	15	16.3	5	0	14	0	0	0	0	0				81.6	22.0	14	6	6	5	0
J	16.8	9.5	–	25.3	14	5.4	23	13.5	21	13.4	10	0	24	0	0	0	0	0				150.0	46.8	29	9	9	5	2
A	16.1	9.3	–	24.4	1	6.7	6	12.4	25	12.6	22	0	25	0	0	0	0	0				154.1	53.0	21	11	11	6	1
S	16.8	10.6	–	25.9	23	4.9	7	12.3	6	15.1	24	0	19	0	0	0	0	0				34.9	7.8	27	6	6	0	0
O	19.0	13.2	–	26.8	10	9.1	23	14.9	17	18.4	10	0	7	0	0	0	0	0				60.0	46.8	22	5	4	1	1
N	19.7	13.8	–	23.2	19	10.3	9	16.7	2	17.9	27	0	2	0	0	0	0	0				145.8	53.0	10	8	8	5	2
D	21.5	16.0	–	25.6	25	12.4	15	17.2	2	21.5	31	0	1	0	2	0	0	0				25.8	11.3	9	5	5	1	0
A	19.5	13.0	–	29.8	–	4.9	–	10.5	–	21.5	–	0	104	0	8	0	0	0				1200.0	76.2	–	90	83	38	12
17/582 CAPE ST FRANCIS – VRT												Ø 34°12'S			λ 24°50'E				H 7 M			HT 1.2 M			HR 1.2 M			
J	22.9	17.7	0.3	25.8	28	12.3	12	20.3	16	21.6	31	0	0	0	6	0	0	0				22.7	10.0	9	11	5	1	0
F	22.5	17.5	0.0	25.8	8	13.9	12	20.0	15	21.2	1	0	0	0	3	0	0	0				29.6	10.0	10	9	7	1	0
M	22.9	17.7	1.3	25.3	15	10.6	27	20.0	23	20.6	16	0	0	0	2	0	0	0				32.7	11.0	19	11	7	1	0
A	19.8	13.7	–1.0	30.7	1	9.5	12	16.8	5	18.0	27	1	3	0	0	0	0	0				146.7	40.0	4	10	8	6	2
M	20.1	12.9	0.2	29.0	14	7.4	22	16.1	20	16.5	11	0	3	0	0	0	0	0				105.9	32.5	1	8	7	3	2
J	18.7	11.5	0.2	29.4	10	6.7	26	13.1	15	18.0	11	0	12	0	0	0	0	0				100.5	27.5	15	9	6	4	2
J	17.1	10.5	–0.4	26.4	14	6.6	19	13.4	17	13.8	9	0	23	0	0	0	0	0				123.2	38.0	29	12	10	4	2
A	16.0	9.5	–2.0	18.2	4	6.0	27	13.8	25	13.6	2	0	27	0	0	0	0	0				103.6	25.0	19	13	9	4	1
S	17.1	11.0	–1.1	20.0	19	4.8	7	12.5	6	15.0	23	0	16	0	0	0	0	0				46.3	11.0	6	12	9	1	0
O	19.3	13.6	0.5	22.0	10	8.8	1	16.5	23	17.6	9	0	3	0	0	0	0	0				31.2	11.0	22	7	4	2	0
N	19.7	14.4	–0.2	22.8	13	9.8	17	16.4	2	17.8	24	0	5	0	0	0	0	0				77.1	24.0	1	15	10	3	0
D	22.2	16.5	0.4	25.2	29	12.4	15	18.4	11	21.0	31	0	0	0	1	0	0	0				21.4	10.0	11	11	4	1	0
A	19.9	13.9	–0.1	30.7	–	4.8	–	12.5	–	21.6	–	1	92	0	12	0	0	0				840.9	40.0	–	126	86	31	9

* Tm = 1/2 (Tx + Tn) Waar Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 108

TABEL I | TABLE I

UITERSTE TEMPERATURE – °C – EXTREME TEMPERATURES | RYP / FROST | NEERSLAG – mm – PRECIPITATION

MAAND / MONTH	Tx: DAELIKSE MAKSIMUM / DAILY MAXIMUM (Gemiddeldes van / Averages of)	Tn: DAELIKSE MINIMUM / DAILY MINIMUM (Gemiddeldes van / Averages of)	ΔTm: Tm* – NORMALE Tm / Tm* – LONGTERM Tm	Txx: VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM	DATUM / DATE	Tnn: VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM	DATUM / DATE	Txn: LAAGSTE MAKSIMUM / LOWEST MAXIMUM	DATUM / DATE	Tnx: HOOGSTE MINIMUM / HIGHEST MINIMUM	DATUM / DATE	Aantal dae met / Number of days with: Maksimum / Maximum > 30,0	Maksimum / Maximum < 17,5	Maksimum / Maximum < 10,0	Minimum > 20,0	Minimum < +2,5	Minimum < 0,0	Minimum < −2,5	Vroegste en laatste datums / First and last dates < +2,5	< 0,0	< −2,5	MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	Rx: MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS	DATUM / DATE	Aantal dae met hoeveelhede / Number of days with amounts ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
20/779 KIRSTENBOSCH – BOT												Ø 33°59'S				λ 18°26'E			H 89 M			HT 1.2 M			HR 1.2 M			
J	-	12.7	-	-	-	9.7	12	-	-	18.8	25	-	-	-	0	0	0	0				30.1	15.4	13	5	3	2	0
F	24.6	16.1	0.2	36.0	9	11.8	11	17.0	15	20.4	9	3	1	0	1	0	0	0				0.0	0.0	-	0	0	0	0
M	23.9	14.5	0.1	33.5	31	9.8	26	17.5	26	18.5	31	1	0	0	0	0	0	0				44.4	28.2	24	3	3	2	1
A	20.6	12.3	-0.4	26.7	22	9.8	11	15.7	2	16.4	27	0	3	0	0	0	0	0				55.1	30.2	26	7	6	1	1
M	19.7	10.1	0.0	26.0	13	6.0	21	14.9	19	12.6	26	0	7	0	0	0	0	0				116.2	41.5	18	9	8	5	1
J	17.1	8.9	-0.4	27.7	10	4.6	17	12.6	15	14.7	11	0	19	0	0	0	0	0				214.3	104.3	30	15	11	5	3
J	16.3	7.9	-0.4	22.6	13	5.5	5	13.2	29	11.9	1	0	22	0	0	0	0	0				210.8	78.0	2	13	10	7	3
A	15.2	7.9	-1.4	26.1	13	3.5	19	11.0	18	12.6	16	0	27	0	0	0	0	0				265.1	66.0	1	18	16	9	4
S	16.9	7.8	-1.4	25.4	22	3.0	7	10.9	3	12.8	23	0	17	0	0	0	0	0				53.0	16.0	5	11	7	2	0
O	20.2	11.3	0.5	32.3	9	7.2	15	15.3	22	15.1	9	1	8	0	0	0	0	0				67.7	28.5	15	11	10	2	1
N	20.9	12.3	-0.5	28.9	24	10.5	4	15.4	1	15.8	24	0	2	0	0	0	0	0				13.6	8.0	14	5	3	0	0
D	23.1	14.7	0.2	30.1	22	10.2	21	19.7	12	18.3	28	1	0	0	0	0	0	0				48.8	27.5	25	7	6	2	1
A	-	11.4	-	-	-	3.0	-	-	-	20.4	-	-	-	-	1	0	0	0				1119.1	104.3	-	104	83	37	15
20/866 CAPE TOWN ROYAL OBSERVATORY												Ø 33°56'S				λ 18°29'E			H 12 M			HT 1.2 M			HR 1.2 M			
J	25.7	15.8	-0.8	35.6	4	12.8	13	17.8	15	20.1	4	5	0	0	1	0	0	0				9.5	7.0	31	3	3	0	0
F	27.0	17.2	0.4	38.0	9	12.5	11	21.5	15	21.5	23	5	0	0	2	0	0	0				0.0	0.0	-	0	0	0	0
M	27.4	16.7	1.6	33.8	31	10.9	26	20.2	25	18.8	4	3	0	0	0	0	0	0				6.6	3.8	24	3	2	0	0
A	22.0	13.5	-0.4	27.9	22	10.0	9	16.8	26	16.0	19	0	3	0	0	0	0	0				20.0	7.5	28	6	5	0	0
M	20.5	11.1	0.5	26.1	13	5.4	17	13.6	19	14.8	28	0	5	0	0	0	0	0				56.4	26.5	19	5	5	2	1
J	17.3	9.4	-0.4	25.0	10	4.1	17	13.8	29	14.4	11	0	16	0	0	0	0	0				(57.6)	-	-	-	-	-	-
J	17.2	8.5	0.0	24.4	13	4.5	26	13.2	9	12.5	29	0	16	0	0	0	0	0				86.9	20.5	14	11	9	5	0
A	16.7	9.1	-0.8	27.7	13	3.8	6	13.1	24	12.1	22	0	22	0	0	0	0	0				82.6	23.0	24	14	10	3	0
S	17.7	-	-	25.4	9	-	-	13.0	3	-	-	0	15	0	-	-	-	-				76.8	51.0	5	8	5	2	1
O	21.8	12.7	0.4	32.8	9	8.3	1	16.3	10	16.3	31	1	2	0	0	0	0	0				24.0	9.2	10	6	5	0	0
N	23.6	14.0	-0.3	30.2	23	11.5	19	19.2	1	17.4	29	1	0	0	0	0	0	0				4.3	2.5	26	2	2	0	0
D	25.3	16.2	0.3	32.2	22	11.9	22	18.5	25	20.1	28	1	0	0	1	0	0	0				12.8	4.5	25	7	5	0	0
A	21.9	-	-	38.0	-	-	-	13.0	-	21.5	-	16	79	0	-	-	-	-				(437.5)	51.0	-	-	-	-	-
21/178 D F MALAN – WK ***												Ø 33°58'S				λ 18°36'E			H 44 M			HT 1.2 M			HR 1.2 M			
J	25.6	14.7	-0.4	34.2	4	7.4	12	20.3	16	17.6	30	6	0	0	0	0	0	0				9.1	2.8	15	5	3	0	0
F	26.9	15.9	0.5	38.3	9	8.8	11	21.4	27	19.0	6	6	0	0	0	0	0	0				0.9	0.6	27	3	0	0	0
M	25.1	13.1	-0.5	34.7	31	4.7	27	18.9	25	18.2	2	2	0	0	0	0	0	0				10.2	6.6	24	3	3	0	0
A	21.7	11.5	-0.5	27.4	22	6.6	9	17.9	10	16.5	27	0	0	0	0	0	0	0				18.0	6.0	26	6	5	0	0
M	20.2	7.9	-0.5	26.3	17	0.9	21	13.2	19	12.7	3	0	6	0	0	2	0	0	21			47.4	18.7	19	8	6	2	0
J	17.3	7.2	-0.7	28.1	10	0.0	17	13.3	15	14.1	12	0	18	0	0	3	0	0				57.9	15.3	30	14	7	3	0
J	16.7	6.1	-0.7	23.8	13	1.5	25	12.8	9	12.1	1	0	21	0	0	2	0	0				60.3	14.5	14	10	8	2	0
A	16.1	7.0	-1.4	26.9	13	0.4	26	12.8	25	11.9	14	0	23	0	0	3	0	0				85.8	25.5	24	16	11	3	1
S	17.6	6.0	-2.1	24.3	9	0.2	7	12.4	6	12.8	23	0	16	0	0	6	0	0	29			29.6	11.4	3	11	4	1	0
O	21.6	10.4	-0.1	34.1	9	4.5	1	16.0	22	15.2	27	1	4	0	0	0	0	0				23.4	8.5	15	14	5	0	0
N	23.3	12.2	-0.3	30.6	23	6.5	8	18.7	1	16.0	30	1	0	0	0	0	0	0				3.4	2.2	14	4	1	0	0
D	25.1	14.9	0.5	30.4	22	8.0	22	19.7	25	18.8	31	1	0	0	0	0	0	0				15.5	6.0	25	6	4	0	0
A	21.4	10.6	-0.5	38.3	-	0.0	-	12.4	-	19.0	-	17	88	0	0	16	0	0				361.5	25.5	-	100	57	11	1
21/591A ELSENBURG II – AGR												Ø 33°51'S				λ 18°50'E			H 162 M			HT 1.2 M			HR 1.2 M			
J	27.9	13.4	-1.0	37.2	8	6.5	1	20.9	15	19.4	25	9	0	0	0	0	0	0				4.7	2.5	31	4	2	0	0
F	28.9	14.7	0.1	38.0	9	10.4	11	21.4	27	19.4	5	13	0	0	0	0	0	0				0.2	0.2	9	1	0	0	0
M	27.3	12.8	-0.4	36.3	31	6.2	27	18.7	25	19.5	23	7	0	0	0	0	0	0				15.7	10.5	24	4	3	1	0
A	23.1	10.5	-1.2	29.7	18	4.7	11	17.3	10	16.3	1	0	1	0	0	0	0	0				11.6	3.9	26	6	4	0	0
M	21.0	7.9	-0.7	29.5	8	3.5	2	12.3	19	12.7	26	0	4	0	0	0	0	0				67.0	32.0	18	6	5	3	1
J	17.3	7.4	-1.2	29.1	10	2.0	17	11.6	14	15.1	20	0	19	0	0	3	0	0	17			63.9	18.0	30	10	9	2	0
J	16.1	6.1	-1.2	22.7	13	2.4	27	12.2	9	11.0	15	0	22	0	0	1	0	0				77.2	36.5	15	8	7	2	1
A	15.5	6.5	-1.9	25.5	13	0.4	26	11.7	18	10.7	15	0	24	0	0	3	0	0				89.7	20.0	24	16	14	3	0
S	17.2	5.2	-2.5	25.2	19	0.2	7	11.3	6	11.6	24	0	16	0	0	6	0	0	17			26.6	11.0	3	9	6	1	0
O	22.4	8.1	-0.6	32.8	9	2.9	18	15.4	22	13.0	10	2	7	0	0	0	0	0				28.5	7.7	15	10	7	0	0
N	24.2	10.3	-1.2	34.3	23	4.7	8	17.7	1	14.2	10	3	0	0	0	0	0	0				3.5	2.6	14	3	1	0	0
D	27.2	13.6	0.3	34.0	29	8.3	21	21.7	5	18.6	10	8	0	0	0	0	0	0				10.3	2.7	4	6	5	0	0
A	22.3	9.7	-1.0	38.0	-	0.2	-	11.3	-	19.5	-	42	93	0	0	13	0	0				398.9	36.5	-	83	63	12	2
21/778 JONKERSHOEK – BOS												Ø 33°58'S				λ 18°56'E			H 274 M			HT 1.2 M			HR 1.2 M			
J	27.2	12.3	-1.4	35.1	4	4.0	1	17.7	15	17.4	25	7	0	0	0	0	0	0				19.4	10.0	15	4	3	1	0
F	29.0	14.4	0.4	38.0	23	7.5	12	20.5	15	19.8	23	12	0	0	0	0	0	0				0.0	0.0	-	0	0	0	0
M	26.7	11.4	-1.2	34.5	31	6.0	27	16.7	25	17.0	2	7	1	0	0	0	0	0				28.6	14.8	24	4	4	1	0
A	22.4	8.3	-1.4	28.5	18	2.0	12	16.6	10	14.6	28	0	1	0	0	1	0	0	12			22.6	7.6	24	9	6	0	0
M	20.3	6.9	-0.6	28.2	8	1.7	17	11.7	19	12.4	27	0	7	0	0	1	0	0				107.2	35.0	19	8	5	3	2
J	16.9	5.6	-1.6	29.0	10	1.0	26	10.5	14	12.4	11	0	20	0	0	7	0	0				121.8	31.0	30	14	9	5	2
J	16.4	4.7	-1.4	23.0	13	1.0	21	11.6	16	10.2	15	0	18	0	0	7	0	0				140.7	44.0	15	12	9	5	3
A	15.4	4.5	-2.4	26.5	13	-0.4	26	11.3	18	9.6	15	0	23	0	0	10	2	0		26		172.7	47.2	24	23	15	8	2
S	17.4	4.2	-2.5	25.0	19	-0.7	7	11.8	3	11.5	24	0	15	0	0	8	3	0		8		48.5	16.5	3	14	6	2	0
O	22.0	7.3	-0.9	32.2	9	1.2	2	13.1	22	12.4	27	1	6	0	0	3	0	0	3			54.2	10.9	22	11	9	1	0
N	24.1	9.4	-1.0	33.8	23	4.0	21	16.7	1	13.5	23	2	1	0	0	0	0	0				25.9	14.8	14	5	4	1	0
D	26.1	12.0	-0.2	33.6	28	5.0	14	19.2	20	20.0	29	7	0	0	0	0	0	0				27.0	8.0	5	8	5	0	0
A	22.0	8.4	-1.2	38.0	-	-0.7	-	10.5	-	20.0	-	36	92	0	0	37	5	0				768.6	47.2	-	112	75	27	9

* Tm = 1/2 (Tx + Tn); Waar/Where ** Laatste datum verwys na vorige maand / Last date refers to previous month.

*** Stasie verskuif: kyk na bl. XXI / Station shifted: see p. XXI

TV 4 / 108

TABEL I | TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM Tx	DAELIKSE MINIMUM / DAILY MINIMUM Tn	Tm* – NORMALE / Tm* – LONGTERM Tm	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM > 30,0	> 17,5	< 10,0	MINIMUM / MINIMUM > 20,0	> +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
21/793	**PAARL – AGR**											**Ø 33°43'S**			**λ 18°57'E**				**H 166 M**			**HT 1.2 M**			**HR 1.2 M**			
J	29.3	15.6	−0.4	36.6	4	8.0	1	22.0	15	19.7	25	13	0	0	0	0	0	0				4.4	1.9	31	4	2	0	0
F	31.0	17.2	0.6	39.4	23	10.9	11	22.9	15	23.0	23	17	0	0	5	0	0	0				3.6	3.5	25	2	1	0	0
M	28.7	14.6	−0.4	36.4	31	7.7	27	18.0	25	19.7	23	10	0	0	0	0	0	0				34.1	15.5	24	7	6	1	0
A	24.4	10.9	0.2	32.0	18	4.7	12	17.9	10	16.4	27	3	0	0	0	0	0	0				17.1	6.5	24	9	4	0	0
M	22.2	7.9	0.6	30.8	8	1.5	17	13.4	19	12.3	3	1	3	0	0	1	0	0	17			56.1	21.5	14	7	4	3	0
J	18.3	6.3	0.0	28.8	10	0.1	17	11.8	14	13.9	20	0	14	0	0	4	0	0				110.1	59.0	30	11	8	2	1
J	17.4	5.7	0.4	23.6	13	1.4	27	12.1	9	11.0	1	0	16	0	0	6	0	0				125.3	49.0	2	10	9	3	2
A	16.4	6.5	−1.0	26.7	13	0.9	27	11.9	4	11.5	22	0	23	0	0	4	0	0				169.8	33.2	16	15	12	8	2
S	18.5	6.5	−2.0	27.1	19	0.3	7	11.4	3	15.0	23	0	13	0	0	2	0	0	7			24.2	11.0	3	9	5	1	0
O	23.9	11.0	0.6	34.8	9	5.2	2	15.6	22	17.1	30	4	4	0	0	0	0	0				28.5	13.5	15	11	5	1	0
N	26.2	13.8	0.7	35.3	23	9.1	5	18.4	1	20.3	23	5	0	0	1	0	0	0				2.5	1.3	1	2	2	0	0
D	28.1	15.6	0.8	35.9	27	10.0	14	20.6	5	22.0	29	10	0	0	1	0	0	0				17.6	8.0	11	5	4	0	0
A	23.7	11.0	0.0	39.4	–	0.1	–	11.4	–	23.0	–	63	73	0	7	17	0	0				593.3	59.0	–	92	62	19	5
21/860	**BIEN DONNE – AGR**											**Ø 33°50'S**			**λ 18°59'E**				**H 138 M**			**HT 1.2 M**			**HR 1.2 M**			
J	28.1	14.8	–	35.1	4	8.5	12	20.7	15	20.8	28	10	0	0	2	0	0	0				4.0	2.7	15	4	1	0	0
F	29.7	16.2	–	37.8	9	8.5	11	21.5	15	22.3	23	13	0	0	6	0	0	0				1.0	1.0	25	1	1	0	0
M	27.4	13.7	–	35.3	31	6.2	26	18.1	25	19.8	20	9	0	0	0	0	0	0				31.3	13.4	24	6	5	1	0
A	23.5	9.9	–	30.7	22	3.3	12	17.3	10	16.3	27	2	1	0	0	0	0	0				18.6	8.8	26	9	4	0	0
M	21.4	7.3	–	29.9	8	0.2	17	13.1	24	15.7	30	0	5	0	0	1	0	0	17			52.4	16.3	18	5	4	3	0
J	18.1	5.0	–	29.1	10	−0.2	26	11.5	14	14.3	20	0	16	0	0	9	2	0		17		102.1	43.3	30	12	8	3	1
J	17.3	4.7	–	23.7	13	−0.4	21	12.2	9	11.6	8	0	15	0	0	13	3	0				93.2	28.7	15	11	7	3	2
A	16.2	5.9	–	26.8	13	−0.6	27	11.8	18	12.0	22	0	23	0	0	8	1	0				137.7	27.7	16	17	12	6	1
S	18.2	5.3	–	25.7	9	−1.3	7	11.3	3	16.6	23	0	13	0	0	8	1	0	29	7		34.6	14.9	3	8	5	1	0
O	23.4	10.0	–	32.8	9	2.9	1	14.1	22	16.6	30	2	4	0	0	0	0	0				24.3	8.5	15	9	4	0	0
N	25.3	12.8	–	34.8	23	6.9	5	16.9	1	17.6	23	4	1	0	0	0	0	0				6.8	3.4	14	4	2	0	0
D	27.1	14.5	–	34.9	27	8.3	10	21.0	5	21.6	29	10	0	0	2	0	0	0				21.1	7.9	11	8	6	0	0
A	23.0	10.0	–	37.8	–	−1.3	–	11.3	–	22.3	–	50	78	0	10	39	7	0				527.1	43.3	–	94	59	17	4
21/8788	**WELLINGTON – MUN**											**Ø 33°38'S**			**λ 19° 0'E**				**H 116 M**			**HT 1.2 M**			**HR 1.2 M**			
J	30.4	16.0	–	38.1	4	8.6	1	22.1	15	21.9	8	15	0	0	3	0	0	0				1.2	0.9	13	2	0	0	0
F	32.5	17.4	–	40.6	23	11.2	27	24.2	27	25.5	9	18	0	0	8	0	0	0				3.0	3.0	25	1	1	0	0
M	29.6	14.6	–	37.2	31	9.0	26	19.0	25	21.1	23	15	0	0	1	0	0	0				31.5	9.5	25	5	5	0	0
A	25.1	11.5	–	32.3	18	5.2	12	18.5	10	16.8	7	4	0	0	0	0	0	0				9.8	4.5	26	6	4	0	0
M	23.0	8.1	–	32.0	8	3.7	17	13.6	19	13.3	27	1	3	0	0	0	0	0				32.7	14.0	14	5	3	2	0
J	18.9	6.1	–	29.9	10	1.8	17	11.9	14	12.7	20	0	13	0	0	2	0	0	17			111.2	64.5	30	12	8	2	1
J	17.7	5.6	–	24.3	13	2.7	21	11.8	9	10.8	1	0	12	0	0	0	0	0				80.3	29.0	15	9	8	2	1
A	17.0	6.1	–	27.9	13	1.6	26	12.3	24	10.9	15	0	20	0	0	3	0	0				121.7	27.0	16	17	13	5	1
S	19.1	6.8	–	27.8	19	1.5	7	11.7	3	13.7	23	0	12	0	0	3	0	0	7			10.7	4.5	5	5	3	0	0
O	24.8	10.2	–	34.8	9	4.7	2	16.0	22	17.2	9	6	2	0	0	0	0	0				18.6	7.1	15	6	5	0	0
N	27.7	13.5	–	36.5	23	9.3	21	20.4	1	16.5	10	10	0	0	0	0	0	0				3.0	3.0	14	1	1	0	0
D	29.9	16.0	–	37.1	27	9.8	21	23.3	5	23.0	29	14	0	0	3	0	0	0				10.3	3.5	23	4	3	0	0
A	24.6	11.0	–	40.6	–	1.5	–	11.7	–	25.5	–	83	62	0	15	8	0	0				434.0	64.5	–	73	54	11	3
23/710	**ROBERTSON – AGR**											**Ø 33°50'S**			**λ 19°54'E**				**H 156 M**			**HT 1.2 M**			**HR 1.2 M**			
J	30.0	14.9	−0.7	36.8	25	7.0	1	23.0	21	21.8	29	17	0	0	3	0	0	0				0.8	0.7	15	2	0	0	0
F	29.6	16.3	−0.5	37.4	9	11.0	18	18.6	15	21.8	14	13	0	0	2	0	0	0				3.1	2.0	25	4	1	0	0
M	28.2	14.1	−0.4	36.0	31	7.8	27	17.6	22	19.0	4	13	0	0	0	0	0	0				25.1	9.5	18	6	4	0	0
A	23.8	11.1	−0.4	33.2	1	3.2	12	16.6	2	19.4	28	2	2	0	0	0	0	0				35.5	17.0	4	5	5	2	0
M	21.6	6.4	−0.5	30.8	14	0.2	17	13.5	19	13.4	15	2	5	0	0	4	0	0	16			23.8	15.0	19	7	4	1	0
J	19.2	5.2	0.1	28.5	10	−1.8	17	12.9	15	13.6	12	0	11	0	0	10	1	0		17		46.6	24.5	30	10	5	2	0
J	17.6	5.1	0.0	23.6	13	0.4	5	12.8	9	11.4	1	0	13	0	0	7	0	0				55.6	11.0	29	10	9	2	0
A	17.2	6.6	−0.8	24.5	13	0.0	27	12.0	25	11.2	31	0	19	0	0	4	0	0				74.2	33.5	19	11	7	3	1
S	19.5	5.4	−2.0	27.8	23	−2.0	7	11.4	6	12.4	24	0	11	0	0	6	1	0		7		7.9	4.5	3	6	4	0	0
O	24.4	9.3	−0.4	32.6	9	1.6	23	14.1	22	15.4	13	3	2	0	0	1	0	0	23			6.5	6.0	22	2	1	0	0
N	25.5	12.3	−0.9	34.4	24	5.4	8	15.6	2	18.4	26	5	2	0	0	0	0	0				48.5	21.2	1	5	5	3	0
D	28.5	14.5	−0.2	36.0	30	8.0	21	21.0	1	19.0	28	10	0	0	0	0	0	0				10.4	9.4	11	3	1	0	0
A	23.8	10.1	−0.6	37.4	–	−2.0	–	11.4	–	21.8	–	65	65	0	5	32	2	0				338.0	33.5	–	71	46	13	1
28/428	**RODIHEUWEL – AGR**											**Ø 33°38'S**			**λ 22°15'E**				**H 301 M**			**HT 1.2 M**			**HR 1.2 M**			
J	30.6	15.2	–	38.2	26	7.5	1	21.5	16	22.5	25	20	0	0	2	0	0	0				19.8	19.8	9	1	1	1	0
F	30.7	17.1	–	40.2	13	9.0	27	21.0	4	21.5	14	17	0	0	3	0	0	0				12.2	7.4	19	7	3	0	0
M	28.8	14.2	–	36.5	14	6.5	27	20.0	18	22.5	15	14	0	0	2	0	0	0				26.2	12.5	18	5	5	1	0
A	24.0	10.3	–	33.2	1	4.0	12	18.0	5	17.2	2	1	0	0	0	0	0	0				61.8	28.5	4	7	6	2	2
M	20.7	5.0	–	32.0	9	−0.5	21	13.4	1	15.5	10	1	5	0	0	9	1	0	17	21		19.2	10.6	19	4	3	1	0
J	18.8	4.0	–	26.5	11	−1.5	17	10.7	25	15.6	5	0	10	0	0	13	3	0				13.6	10.7	5	3	2	1	0
J	16.9	3.8	–	25.2	14	−1.6	5	10.9	30	11.2	10	0	20	0	0	15	5	0				60.5	27.2	29	12	7	2	1
A	17.3	4.0	–	24.0	16	−1.0	27	10.3	20	9.5	1	0	14	0	0	11	2	0				29.5	10.5	19	8	5	1	0
S	19.9	5.2	–	26.5	23	−1.5	7	11.4	6	11.3	21	0	11	0	0	4	1	0		7		2.6	1.3	24	3	1	0	0
O	25.0	7.8	–	33.5	31	2.0	5	15.6	22	14.5	13	3	3	0	0	4	0	0	18			9.5	8.0	22	2	2	0	0
N	26.3	10.5	–	38.5	24	3.0	8	16.0	7	16.4	1	8	1	0	0	0	0	0				15.5	4.5	10	7	5	0	0
D	29.7	13.2	–	37.0	30	7.0	17	21.5	11	20.0	26	16	0	0	0	0	0	0				1.0	1.0	11	1	1	0	0
A	24.1	9.2	–	40.2	–	−1.6	–	10.3	–	22.5	–	80	64	0	7	56	12	0				271.4	28.5	–	60	42	9	3

* Tm = ½ (Tx + Tn); Waar Where ** Laatste datum verwys na vorige maand / Last date refers to previous month.

TABEL I

TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES: DAELIKSE MAKSIMUM / DAILY MAXIMUM $\bar{T}x$	DAELIKSE MINIMUM / DAILY MINIMUM $\bar{T}n$	$\bar{T}m$* – NORMALE Tm / $\bar{T}m$* – LONGTERM Tm $\Delta\bar{T}m$	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥ 30,0	≤ 17,5	≤ 10,0	MINIMUM / MINIMUM ≥ 20,0	≤ +2,5	≤ 0,0	≤ −2,5	VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES ≤ +2,5	≤ 0,0	≤ −2,5	NEERSLAG – mm – / PRECIPITATION: MAANDTOTALE EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
28/748	**GEORGE – AER**											**Ø 33°58'S**			**λ 22°25'E**				**H 221 M**			**HT 1.2 M**			**HR 1.2 M**			
J	23.7	14.1	–	32.5	25	7.3	1	16.9	20	18.6	28	2	2	0	0	0	0	0				47.7	15.0	23	12	10	1	0
F	24.3	15.2	–	34.2	19	10.9	18	17.5	4	19.2	10	3	0	0	0	0	0	0				90.3	17.5	14	13	13	4	0
M	24.4	13.6	–	34.5	31	7.0	27	17.9	26	17.8	16	4	0	0	0	0	0	0				83.6	39.5	22	10	8	2	1
A	21.2	10.8	–	32.7	1	6.5	11	15.4	2	18.1	1	1	4	0	0	0	0	0				135.0	48.0	4	10	10	4	2
M	20.5	8.6	–	31.0	8	5.0	30	13.4	1	13.3	18	2	9	0	0	0	0	0				86.4	27.4	19	8	8	3	0
J	19.6	7.1	–	28.1	10	2.4	26	11.5	16	16.4	11	0	12	0	0	1	0	0	26			34.4	9.5	24	10	7	0	0
J	17.3	6.4	–	24.5	14	2.5	21	11.8	30	11.5	10	0	16	0	0	0	0	0				147.7	49.0	29	13	10	5	2
A	16.5	5.9	–	22.6	13	1.8	6	10.0	17	10.0	22	0	16	0	0	1	0	0				131.8	47.0	21	12	10	5	1
S	17.6	6.7	–	29.0	23	0.0	7	10.7	6	11.7	16	0	16	0	0	1	0	0	7			24.1	9.0	16	8	7	0	0
O	–	9.4	–	–	–	5.3	6	–	–	16.3	10	–	–	–	0	0	0	0				48.2	26.0	21	8	5	2	1
N	20.9	11.0	–	29.2	24	4.8	3	15.3	2	16.4	24	0	4	0	0	0	0	0				92.4	24.1	1	12	12	4	0
D	23.3	13.4	–	28.6	25	7.6	22	17.2	10	19.3	31	0	2	0	0	0	0	0				29.5	7.4	9	11	8	0	0
A	–	10.2	–	34.5	–	0.0	–	10.0	–	19.3	–	–	–	–	0	3	0	0				951.1	49.0	–	127	108	30	7
34/767	**UITENHAGE – PUR**											**Ø 33°47'S**			**λ 25°26'E**				**H 32 M**			**HT 1.2 M**			**HR 1.2 M**			
J	26.4	16.7	–	35.5	10	9.5	22	21.1	16	21.0	28	4	0	0	2	0	0	0				26.1	5.6	28	8	7	0	0
F	25.7	16.3	–	32.5	13	12.1	12	19.0	15	20.1	8	4	0	0	1	0	0	0				45.9	25.0	10	10	6	1	1
M	26.4	15.5	–	35.8	15	8.6	27	18.3	23	19.8	17	6	0	0	0	0	0	0				34.4	9.8	18	9	7	0	0
A	22.4	10.7	–	35.8	1	6.0	12	15.1	3	17.2	27	1	4	0	0	0	0	0				80.3	22.8	5	7	6	4	0
M	23.9	10.2	–	35.0	9	2.8	22	16.8	27	17.3	11	3	1	0	0	0	0	0				50.9	18.0	15	8	7	1	0
J	22.1	7.6	–	30.9	10	0.8	18	12.6	15	13.0	6	1	5	0	0	2	0	0	18			7.2	3.5	16	6	3	0	0
J	20.5	8.1	–	29.3	27	2.9	5	13.1	17	14.7	29	0	7	0	0	2	0	0				67.0	28.6	29	11	9	3	1
A	19.7	7.7	–	28.2	16	2.5	27	13.9	20	13.6	23	0	8	0	0	0	0	0				123.9	84.9	21	6	4	2	2
S	20.8	9.6	–	28.9	10	1.5	7	14.9	6	16.0	16	0	4	0	0	1	0	0	7			1.0	1.0	6	1	1	0	0
O	23.4	12.8	–	29.8	19	4.9	1	18.4	23	18.6	13	0	0	0	0	0	0	0				28.0	6.9	22	10	6	0	0
N	23.8	14.6	–	30.3	19	5.4	17	16.8	3	19.8	24	1	3	0	0	0	0	0				32.0	7.7	1	10	8	0	0
D	25.8	16.8	–	32.0	28	11.1	5	18.8	1	22.5	26	4	0	0	8	0	0	0				26.7	11.5	11	5	4	1	0
A	23.4	12.2	–	35.8	–	0.8	–	12.6	–	22.5	–	24	32	0	11	5	0	0				523.4	84.9	–	91	68	12	4
35/179	**PORT ELIZABETH – WK**											**Ø 33°59'S**			**λ 25°36'E**				**H 60 M**			**HT 1.2 M**			**HR 1.2 M**			
J	25.4	17.5	0.6	33.3	10	10.4	12	21.5	16	20.9	28	2	0	0	6	0	0	0				11.8	3.1	25	11	3	0	0
F	25.5	17.7	0.4	31.1	10	14.2	12	19.4	15	20.8	9	1	0	0	2	0	0	0				41.2	17.5	10	13	10	1	0
M	25.2	16.9	0.9	30.8	15	10.9	27	20.0	26	21.0	16	2	0	0	2	0	0	0				42.1	24.5	18	10	7	1	0
A	21.7	12.9	−0.6	34.2	1	9.2	14	17.0	5	17.5	27	1	1	0	0	0	0	0				123.9	32.2	5	9	7	4	3
M	21.3	11.0	0.0	31.7	8	5.0	22	15.4	1	15.8	11	2	4	0	0	0	0	0				153.7	25.8	11	10	9	6	1
J	19.4	9.3	0.5	29.3	10	3.1	18	10.0	15	13.9	11	0	10	0	0	0	0	0				62.2	37.7	15	8	5	2	1
J	18.6	9.3	0.5	27.0	27	2.8	19	13.7	17	14.2	15	0	14	0	0	0	0	0				84.6	22.6	29	12	11	3	0
A	17.4	8.6	−1.1	22.6	8	4.6	28	12.8	25	12.6	9	0	14	0	0	0	0	0				117.3	51.2	21	11	8	3	2
S	18.2	10.3	−0.8	25.2	10	3.4	7	13.3	6	14.8	23	0	11	0	0	0	0	0				32.5	20.7	29	9	4	1	0
O	20.8	12.9	0.3	30.2	10	7.2	24	16.3	23	17.6	29	1	2	0	0	0	0	0				32.3	16.5	22	11	4	1	0
N	21.3	13.8	−0.5	25.6	19	6.4	17	16.2	3	18.2	24	0	1	0	0	0	0	0				63.4	15.3	1	15	10	3	0
D	23.8	16.5	0.6	28.0	30	12.8	7	18.0	1	21.2	31	0	0	0	3	0	0	0				43.8	19.0	9	9	6	1	0
A	21.5	13.1	0.1	34.2	–	2.8	–	10.0	–	21.2	–	9	57	0	13	0	0	0				808.8	51.2	–	128	84	26	7
35/334	**ADDO – AGR**											**Ø 33°34'S**			**λ 25°42'E**				**H 85 M**			**HT 1.2 M**			**HR 1.2 M**			
J	28.9	16.9	–	36.6	10	8.6	22	22.6	20	22.3	28	11	0	0	6	0	0	0				22.3	10.0	28	8	6	1	0
F	29.0	–	–	39.8	19	–	–	19.6	15	–	–	10	0	0	–	–	–	–				66.1	35.4	10	8	7	3	1
M	29.0	15.5	–	39.4	15	10.2	27	20.2	16	21.9	16	9	0	0	3	0	0	0				40.5	17.5	18	8	6	1	0
A	24.6	11.0	–	35.6	1	6.9	13	16.0	3	18.6	1	3	1	0	0	0	0	0				114.6	50.6	5	7	6	3	1
M	23.0	8.5	–	33.7	9	2.6	22	16.0	1	15.6	11	4	2	0	0	0	0	0				55.5	12.4	11	8	7	2	0
J	22.2	5.8	–	29.4	11	−0.4	18	13.4	15	11.0	5	0	4	0	0	4	1	0	17	18		1.1	0.7	21	5	0	0	0
J	20.4	6.6	–	27.2	27	0.6	6	13.3	30	13.0	8	0	8	0	0	5	0	0				70.7	21.8	29	10	9	3	0
A	20.5	5.8	–	27.9	30	0.5	6	12.6	20	12.9	23	0	6	0	0	3	0	0				83.5	56.5	21	7	3	2	1
S	21.5	7.0	–	29.2	10	−1.5	7	15.1	1	13.5	25	0	3	0	0	3	1	0	29	7		0.2	0.2	1	1	0	0	0
O	24.1	10.3	–	34.0	10	4.0	2	17.4	23	16.9	13	3	1	0	0	0	0	0				46.0	16.0	8	7	4	2	0
N	25.1	11.7	–	33.6	24	3.9	17	14.8	7	17.6	24	4	1	0	0	0	0	0				12.8	4.0	1	8	4	0	0
D	27.3	14.6	–	36.2	8	7.7	7	20.6	11	21.1	30	5	0	0	3	0	0	0				32.7	10.2	11	5	4	2	0
A	24.6	–	–	39.8	–	−1.5	–	12.6	–	–	–	49	26	0	–	–	–	–				546.0	56.5	–	82	56	19	3
37/541	**BATHURST – AGR**											**Ø 33°31'S**			**λ 26°49'E**				**H 259 M**			**HT 1.2 M**			**HR 1.2 M**			
J	25.2	16.9	–	32.7	10	11.5	1	18.5	16	21.0	25	3	0	0	1	0	0	0				38.6	13.5	25	7	7	1	0
F	25.8	17.0	–	37.0	10	14.0	16	18.6	4	19.4	25	5	0	0	0	0	0	0				141.8	50.0	21	13	12	5	1
M	25.7	16.7	–	34.3	24	12.8	27	19.5	26	23.0	14	4	0	0	2	0	0	0				56.7	25.0	18	10	6	1	1
A	22.6	13.0	–	32.6	1	8.3	12	15.5	3	21.0	1	1	3	0	1	0	0	0				119.6	60.0	5	7	6	4	1
M	22.0	–	–	32.9	4	–	–	14.5	16	–	–	3	4	0	–	–	–	–				64.0	18.0	11	8	8	3	0
J	21.3	–	–	28.7	29	–	–	11.2	15	–	–	0	6	0	–	–	–	–				5.2	2.5	24	3	2	0	0
J	19.7	–	–	27.9	27	–	–	10.9	4	–	–	0	7	0	–	–	–	–				64.8	42.0	30	9	7	1	1
A	19.2	9.4	–	27.7	14	4.8	27	12.7	20	15.4	2	0	10	0	0	0	0	0				114.3	78.0	21	6	3	2	2
S	19.2	10.2	–	28.9	10	3.4	7	13.1	1	15.3	19	0	9	0	0	0	0	0				7.8	3.0	1	6	3	0	0
O	21.6	12.6	–	30.5	10	7.2	24	14.6	23	17.2	13	2	1	0	0	0	0	0				111.8	38.0	7	12	10	3	2
N	21.8	13.3	–	28.2	24	9.3	8	14.7	7	19.5	24	0	3	0	0	0	0	0				63.3	16.5	7	14	13	3	0
D	24.2	15.4	–	31.5	28	11.4	21	16.6	1	20.8	31	2	1	0	2	0	0	0				89.0	54.0	11	7	7	2	1
A	22.4	–	–	37.0	–	–	–	10.9	–	–	–	20	44	0	–	–	–	–				876.9	78.0	–	102	84	25	9

* $\bar{T}m = 1/2\,(\bar{T}x + \bar{T}n)$; Waar Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

TABEL I | TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM Tx	DAELIKSE MINIMUM / DAILY MINIMUM Tn	Tm* – NORMALE Tm / Tm* – LONGTERM Tm ΔTm	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM > 30,0	> 17,5	> 10,0	MINIMUM / MINIMUM < 20,0	< +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS: ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
38/152	**GREAT FISH POINT – VRT**											**Ø 33°32'S**			**λ 27° 6'E**				**H 73 M**				**HT 1.2 M**		**HR 1.2 M**			
J	23.7	17.1	−0.3	28.6	10	12.2	25	19.9	20	20.1	19	0	0	0	2	0	0	0				37.2	12.4	10	10	8	1	0
F	23.4	(17.2)	(0.6)	29.6	2	–	–	19.0	15	–	–	0	0	0	–	–	–	–				69.1	30.0	10	11	7	3	1
M	24.2	17.2	0.6	28.0	1	13.8	27	18.5	26	20.4	15	0	0	0	1	0	0	0				24.2	10.5	18	9	5	1	0
A	21.8	14.1	−0.8	31.1	1	10.6	11	15.7	3	17.2	25	1	2	0	0	0	0	0				132.1	74.0	5	9	6	3	1
M	22.2	12.4	−0.2	35.0	9	6.3	17	16.4	20	21.8	10	2	3	0	1	0	0	0				68.4	30.5	27	10	8	3	1
J	20.1	10.0	−0.6	30.3	10	5.0	18	11.4	16	17.4	11	1	7	0	0	0	0	0				10.6	5.2	16	4	3	0	0
J	19.1	10.5	−0.1	27.5	14	6.8	5	12.6	4	14.6	29	0	9	0	0	0	0	0				52.1	24.5	30	10	6	2	0
A	18.5	10.4	−1.2	25.7	2	6.3	22	14.0	25	14.0	17	0	11	0	0	0	0	0				67.1	35.0	21	7	5	2	2
S	18.8	11.1	−1.4	24.9	10	4.8	7	14.5	1	15.8	24	0	9	0	0	0	0	0				19.9	9.5	28	9	3	0	0
O	20.9	13.2	−0.1	25.4	10	8.0	1	16.4	23	17.1	13	0	0	0	0	0	0	0				60.4	20.5	7	11	9	2	0
N	21.1	14.9	−0.5	26.7	19	10.7	8	15.1	7	17.9	24	0	1	0	0	0	0	0				42.4	14.0	3	13	7	1	0
D	23.3	16.3	−0.1	27.9	31	12.8	7	16.7	1	21.4	30	0	1	0	2	0	0	0				65.2	38.2	11	7	7	2	1
A	21.4	(13.7)	(0.4)	35.0	–	4.8	–	11.4	–	–	–	4	43	0	–	–	–	–				648.7	74.0	–	110	74	20	6
41/347	**LANGGEWENS – AGR**											**Ø 33°17'S**			**λ 18°42'E**				**H 91 M**				**HT 1.2 M**		**HR 1.2 M**			
J	29.8	14.8	−1.3	38.4	8	10.0	1	22.9	20	19.7	9	13	0	0	0	0	0	0				2.0	2.0	13	1	1	0	0
F	31.8	17.5	1.0	40.1	9	12.0	27	23.0	27	25.3	9	17	0	0	7	0	0	0				0.0	0.0	–	0	0	0	0
M	28.7	14.7	−0.4	36.4	31	9.8	26	17.2	25	21.5	31	10	1	0	1	0	0	0				22.0	8.2	24	4	4	0	0
A	24.1	12.2	−1.1	31.5	18	6.4	11	18.5	10	17.4	1	2	0	0	0	0	0	0				2.1	1.0	25	3	1	0	0
M	22.1	10.2	0.4	31.0	8	6.5	20	13.8	19	14.0	29	1	3	0	0	0	0	0				17.6	7.0	14	3	3	0	0
J	17.9	8.4	−0.4	30.0	10	5.0	15	12.5	15	14.6	1	0	14	0	0	0	0	0				60.2	34.0	30	7	7	1	1
J	16.4	7.9	−0.2	22.9	13	5.5	8	11.4	9	10.5	1	0	20	0	0	0	0	0				51.1	24.0	15	7	7	2	0
A	15.8	7.1	−1.8	25.2	13	3.1	26	12.0	25	11.0	15	0	25	0	0	0	0	0				52.0	10.0	16	11	11	1	0
S	17.6	6.4	−2.5	25.4	19	1.5	7	10.7	6	13.5	23	0	13	0	0	1	0	0	7			12.2	4.8	5	6	4	0	0
O	23.7	9.9	−0.6	35.0	9	4.9	5	16.0	22	17.3	28	2	3	0	0	0	0	0	7			12.8	8.5	15	4	2	0	0
N	26.7	12.5	−0.9	36.0	23	8.7	16	20.4	1	16.0	26	4	0	0	0	0	0	0	**			4.0	4.0	14	1	1	0	0
D	29.3	15.5	0.3	36.6	28	9.8	14	22.5	5	19.4	28	15	0	0	0	0	0	0				6.9	5.0	5	2	2	0	0
A	23.7	11.4	−0.6	40.1	–	1.5	–	10.7	–	25.3	–	64	79	0	8	1	0	0				242.9	34.0	–	49	43	4	1
42/198	**TULBAGH**											**Ø 33°18'S**			**λ 19° 7'E**				**H 150 M**				**HT 1.2 M**		**HR 1.2 M**			
J	31.0	–	–	37.5	25	–	–	24.9	20	–	–	15	0	0	–	–	–	–				5.5	5.5	14	1	1	0	0
F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				0.0	0.0	–	0	0	0	0
M	28.7	14.5	–	36.5	31	9.2	26	20.0	25	17.8	15	13	0	0	0	0	0	0				15.0	4.0	23	5	5	0	0
A	24.8	12.1	–	31.5	18	5.5	12	18.2	10	17.5	2	2	0	0	0	0	0	0				2.5	1.0	7	3	2	0	0
M	21.9	9.0	–	31.0	8	4.0	7	14.0	19	14.5	17	1	3	0	0	0	0	0				21.5	8.5	19	3	3	0	0
J	18.6	6.4	–	29.5	10	0.5	16	13.7	14	14.4	12	0	14	0	0	4	0	0	16			46.5	27.0	30	8	6	1	1
J	17.4	6.1	–	23.5	13	1.0	21	11.2	9	11.5	1	0	14	0	0	2	0	0				48.8	27.8	1	4	4	2	1
A	16.5	6.7	–	24.0	13	0.0	27	12.0	29	12.0	15	0	19	0	0	3	0	0				65.0	19.0	24	11	10	1	0
S	18.5	5.6	–	–	–	0.5	7	13.0	4	13.3	23	0	12	0	0	5	0	0	29			7.5	7.5	5	1	1	0	0
O	25.0	10.3	–	34.5	9	3.5	23	16.7	22	16.5	9	4	1	0	0	0	0	0				2.7	2.2	16	2	1	0	0
N	27.6	12.5	–	34.5	23	8.5	5	19.5	1	17.0	26	10	0	0	0	0	0	0				4.7	3.5	14	2	2	0	0
D	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				5.8	5.2	20	2	1	0	0
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				225.5	27.8	–	42	36	4	2
43/566	**MATROOSBERG**											**Ø 33°26'S**			**λ 19°49'E**				**H 967 M**				**HT 1.2 M**		**HR 1.2 M**			
J	28.5	12.2	–	34.2	26	5.7	1	20.5	21	18.4	9	13	0	0	0	0	0	0				0.5	0.5	9	1	0	0	0
F	28.2	13.5	–	35.5	13	5.9	27	17.7	4	18.0	10	12	0	0	0	0	0	0				3.2	2.2	25	2	2	0	0
M	25.7	11.3	–	32.9	13	4.0	26	15.6	26	18.8	15	3	2	0	0	0	0	0				18.4	7.7	23	6	4	0	0
A	21.7	8.5	–	28.2	29	0.8	12	13.1	3	17.7	1	0	7	0	0	1	0	0	12			7.9	7.3	1	3	1	0	0
M	18.2	5.8	–	28.4	9	−0.5	20	9.4	19	15.3	14	0	15	1	0	4	1	0		20		12.3	6.3	19	5	3	0	0
J	15.4	4.8	–	23.2	11	−1.8	17	6.8	15	12.5	11	0	21	3	0	8	2	0				35.9	19.4	30	7	4	2	0
J	13.4	3.5	–	19.8	27	0.3	18	7.4	4	9.6	14	0	27	4	0	11	0	0				55.0	25.5	15	9	5	3	1
A	13.5	3.0	–	20.2	13	−3.2	26	7.4	25	7.0	14	0	25	7	0	13	4	1			26	12.0	2.5	2	9	5	0	0
S	17.0	2.8	–	26.6	23	−3.6	7	7.5	6	9.6	23	0	16	1	0	14	10	1			7	0.3	0.3	1	1	0	0	0
O	21.6	6.2	–	29.6	31	−0.3	23	10.3	22	13.0	10	0	6	0	0	6	1	0	24	23		3.7	2.0	22	3	2	0	0
N	23.9	8.4	–	33.1	24	2.8	8	14.8	15	13.4	24	2	4	0	0	0	0	0				2.0	1.3	14	3	1	0	0
D	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				20.8	20.8	11	1	1	1	0
A	–	–	–	–	–	−3.6	–	6.8	–	–	–	–	–	–	–	–	–	–				172.0	25.5	–	50	28	6	1
48/383	**KANGOGROTTE**											**Ø 33°23'S**			**λ 22°13'E**				**H 640 M**				**HT 1.2 M**		**HR 1.2 M**			
J	30.3	13.8	–	38.1	26	5.8	1	18.8	20	19.4	10	20	0	0	0	0	0	0				15.0	12.5	9	–	3	1	0
F	29.6	15.1	–	40.4	13	11.7	18	15.9	4	19.8	14	16	1	0	0	0	0	0				22.5	8.0	15	–	8	0	0
M	27.7	13.2	–	36.7	13	5.8	27	18.6	22	22.7	15	11	0	0	1	0	0	0				42.2	17.0	15	–	5	2	0
A	22.6	9.3	–	31.1	1	3.1	12	14.2	3	21.3	1	2	5	0	1	0	0	0				128.0	60.0	4	–	6	3	2
M	19.5	6.4	–	29.7	9	−0.2	21	11.7	1	19.6	10	0	10	0	0	2	1	0	21	21		22.0	13.0	19	–	4	1	0
J	18.4	5.4	–	24.7	11	−1.2	17	7.3	15	13.3	30	0	11	1	0	5	2	0		21		29.8	13.0	5	–	6	1	0
J	16.2	4.9	–	23.7	27	−0.7	5	8.7	30	14.9	14	0	17	1	0	8	2	0		**		108.4	39.0	29	–	8	4	2
A	16.0	3.9	–	25.2	30	−0.4	6	7.2	20	7.4	9	0	17	4	0	9	1	0				50.5	15.0	21	–	7	3	0
S	18.5	4.9	–	27.4	23	−1.8	7	8.4	6	9.2	16	0	16	2	0	6	1	0				5.0	3.0	1	–	2	0	0
O	24.0	7.5	–	32.4	31	2.0	24	12.4	22	14.4	13	3	5	0	0	2	0	0	24			13.0	10.0	22	–	2	1	0
N	25.0	9.9	–	37.9	24	2.7	8	11.9	7	14.6	27	8	3	0	0	0	0	0				26.5	8.0	6	–	6	0	0
D	29.1	12.7	–	36.4	30	6.4	17	18.6	11	18.0	29	13	0	0	0	0	0	0				11.0	7.5	11	–	3	0	0
A	23.1	8.9	–	40.4	–	−1.8	–	7.2	–	22.7	–	73	85	8	2	32	7	0				473.9	60.0	–	–	60	16	4

* Tm = ½ (Tx + Tn). Waar Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 198

TABEL I

TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM $\bar{T}x$	DAELIKSE MINIMUM / DAILY MINIMUM $\bar{T}n$	$\bar{T}m$* – NORMALE / LONGTERM $\bar{T}m$ $\Delta\bar{T}m$	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM > 30,0	> 17,5	< 10,0	MINIMUM / MINIMUM > 20,0	> +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – / PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
50/887	**WILLOWMORE – POW *** Ø 33°17'S λ 23°30'E H 840 M**																					**HT 1.2 M**			**HR 1.2 M**			
J	30.1	14.6	–	36.7	26	6.3	1	20.9	21	18.6	25	15	0	0	0	0	0	0				20.0	17.0	9	2	2	1	0
F	28.9	15.2	–	38.4	13	10.3	27	17.2	16	20.4	14	13	1	0	1	0	0	0				3.1	1.5	10	4	2	0	0
M	26.8	13.9	–	34.8	13	6.6	27	16.0	23	22.4	14	11	1	0	1	0	0	0				44.7	15.0	15	7	5	2	0
A	22.1	9.7	–	28.4	30	1.6	11	14.4	3	18.3	1	0	7	0	0	1	0	0	11			29.5	9.5	3	7	6	0	0
M	19.2	5.6	–	28.8	9	−2.1	21	12.6	20	15.0	10	0	12	0	0	7	1	0		21		7.5	5.5	10	2	2	0	0
J	17.3	4.7	–	24.0	11	−3.4	17	7.4	15	12.4	12	0	14	3	0	10	3	1			17	8.8	4.6	5	4	3	0	0
J	15.7	4.7	–	24.2	28	−0.5	31	7.6	30	11.3	29	0	21	3	0	7	2	0				70.4	32.0	29	10	7	2	1
A	15.2	3.4	–	25.1	30	−1.6	26	6.9	20	7.8	14	0	22	3	0	9	2	0				54.4	28.4	21	8	5	2	1
S	18.1	5.1	–	27.1	13	−3.7	7	8.3	6	10.4	20	0	16	0	0	7	1	1		7	7	1.2	0.7	5	3	0	0	0
O	22.9	8.1	–	33.2	10	0.5	5	13.4	14	14.3	13	2	5	0	0	3	0	0	24			1.9	1.0	13	2	1	0	0
N	24.5	10.1	–	36.8	24	4.0	8	13.6	7	17.3	25	6	5	0	0	0	0	0				9.9	3.4	6	4	3	0	0
D	28.1	13.1	–	37.5	28	8.6	21	21.0	13	19.9	31	12	0	0	0	0	0	0				44.3	17.3	30	3	3	3	0
A	22.4	9.0	–	38.4	–	−3.7	–	6.9	–	22.4	–	59	104	9	2	44	9	2				295.7	32.0	–	56	39	10	2
54/805	**HILLSIDE Ø 33°25'S λ 25°27'E H 101 M**																					**HT 1.2 M**			**HR 1.2 M**			
J	30.3	16.8	–	38.6	5	8.0	22	21.5	16	22.0	28	15	0	0	7	0	0	0				47.3	20.0	10	9	8	2	0
F	29.9	16.8	–	41.0	19	13.0	18	19.5	15	20.2	14	11	0	0	1	0	0	0				40.7	18.2	10	8	6	1	0
M	29.7	15.6	–	38.5	15	9.9	27	20.0	23	21.6	16	9	0	0	3	0	0	0				38.7	25.3	18	7	5	1	1
A	25.3	10.8	–	35.4	1	5.0	11	16.3	3	18.7	1	7	2	0	0	0	0	0				75.4	32.6	5	7	6	3	1
M	23.1	8.3	–	33.6	9	1.3	22	15.6	27	16.4	11	3	3	0	0	2	0	0	21			58.3	27.5	10	6	6	1	1
J	21.9	5.4	–	28.7	12	−0.2	26	13.6	16	12.3	30	0	5	0	0	7	1	0	(27)	26		2.9	2.1	21	2	1	0	0
J	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		(26)		62.4	26.3	29	8	6	2	1
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		**		111.5	75.4	21	6	4	2	2
S	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				0.9	0.8	28	2	0	0	0
O	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				38.8	16.0	8	6	4	2	0
N	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				14.4	4.0	7	13	5	0	0
D	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				30.4	13.5	11	7	2	2	0
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				521.7	75.4	–	81	53	16	6
57/ 48	**GRAHAMSTOWN – VET Ø 33°18'S λ 26°32'E H 539 M**																					**HT 1.2 M**			**HR 1.2 M**			
J	25.3	15.2	0.1	34.0	5	8.0	1	17.5	20	19.5	28	6	0	0	0	0	0	0				39.3	20.5	10	11	8	1	0
F	25.5	15.4	−0.1	35.0	13	11.5	2	16.5	4	19.8	14	6	2	0	0	0	0	0				100.2	37.0	21	10	8	4	1
M	25.7	14.6	0.4	34.5	16	11.0	27	16.7	26	19.0	17	7	1	0	0	0	0	0				66.7	25.5	18	11	11	2	1
A	21.8	10.7	−0.8	31.6	30	5.5	7	13.9	3	18.5	1	1	5	0	0	0	0	0				96.9	54.4	5	4	4	2	2
M	20.0	8.3	−0.6	29.5	9	2.0	21	13.6	20	13.7	15	0	9	0	0	1	0	0				53.1	14.0	16	8	8	2	0
J	19.5	6.3	0.5	26.5	29	1.0	26	10.0	15	11.7	6	0	9	0	0	2	0	0	21			1.9	1.5	16	2	1	0	0
J	18.2	7.0	1.0	23.5	15	3.0	19	8.4	4	13.0	9	0	13	2	0	4	0	0	(26)			64.3	39.0	30	5	5	2	1
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
S	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
O	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
N	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
D	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
59/511	**EAST LONDON – AGR Ø 33° 1'S λ 27°48'E H 185 M**																					**HT 1.2 M**			**HR 1.2 M**			
J	21.9	11.5	–	29.4	10	12.2	1	20.2	7	20.6	25	0	0	0	2	0	0	0				54.2	8.4	25	14	13	0	0
F	25.0	17.5	–	31.7	10	14.3	27	19.6	4	20.5	13	2	0	0	1	0	0	0				120.6	39.0	15	13	8	4	2
M	25.3	17.8	–	32.4	24	14.6	27	19.2	26	21.7	14	1	0	0	4	0	0	0				58.4	17.0	19	12	8	1	0
A	22.3	14.0	–	30.1	30	10.6	7	16.5	3	17.7	29	1	1	0	0	0	0	0				92.3	60.0	5	9	7	2	1
M	22.3	12.7	–	33.7	9	6.5	21	15.4	20	18.4	19	3	3	0	0	0	0	0				74.7	42.3	27	8	6	2	1
J	20.8	11.0	–	29.4	29	4.0	18	12.4	16	17.9	11	0	5	0	0	0	0	0				7.5	4.5	16	3	3	0	0
J	19.9	10.9	–	27.7	14	6.3	20	11.7	4	19.2	15	0	8	0	0	0	0	0				101.5	56.0	30	8	7	4	1
A	19.3	9.5	–	30.2	14	5.4	22	13.4	20	13.0	31	1	9	0	0	0	0	0				103.4	58.8	21	5	3	2	2
S	19.3	11.2	–	25.9	19	4.5	7	14.6	28	15.4	24	0	11	0	0	0	0	0				17.2	6.5	19	4	4	0	0
O	21.2	13.1	–	29.2	13	6.8	24	14.5	23	17.2	13	0	1	0	0	0	0	0				94.0	31.5	22	10	8	3	1
N	21.3	14.0	–	26.0	24	9.3	9	14.3	7	19.2	24	0	3	0	0	0	0	0				107.6	37.2	3	11	9	3	1
D	23.3	15.8	–	28.7	28	12.5	15	17.1	1	20.8	30	0	1	0	1	0	0	0				73.3	41.4	11	7	6	2	1
A	21.8	13.3	–	33.7	–	4.0	–	11.7	–	21.7	–	8	42	0	8	0	0	0				904.7	60.0	–	104	82	23	10
59/572	**EAST LONDON – WK Ø 33° 2'S λ 27°50'E H 127 M**																					**HT 1.2 M**			**HR 1.2 M**			
J	24.9	17.8	−0.2	30.2	10	12.3	1	20.6	7	21.0	25	1	0	0	2	0	0	0				54.9	8.0	25	17	13	0	0
F	25.2	17.7	−0.4	31.2	10	15.0	16	19.8	4	20.6	13	1	0	0	1	0	0	0				116.3	41.2	21	14	9	3	2
M	25.6	17.9	0.6	32.9	24	15.0	27	20.1	26	21.6	14	3	0	0	5	0	0	0				61.4	26.3	19	14	9	1	1
A	22.7	14.2	−0.8	29.2	1	11.4	7	16.7	3	18.1	29	0	1	0	0	0	0	0				147.3	97.7	5	10	7	2	2
M	22.5	12.8	0.0	33.3	9	7.6	21	16.1	20	19.4	10	3	4	0	0	0	0	0				84.3	41.7	27	9	7	2	1
J	20.9	10.4	0.0	29.3	10	4.5	18	13.2	16	16.8	11	0	5	0	0	0	0	0				9.2	4.0	16	4	3	0	0
J	20.2	10.6	−0.2	28.1	14	5.0	14	12.7	4	17.9	15	0	7	0	0	0	0	0				98.7	64.0	30	9	7	2	1
A	19.2	9.3	−2.0	31.0	14	5.5	22	14.4	20	13.2	31	1	7	0	0	0	0	0				100.7	63.0	21	4	3	2	2
S	19.4	13.3	−0.6	26.5	19	5.0	7	15.4	28	16.0	24	0	7	0	0	0	0	0				22.0	7.5	8	7	4	0	0
O	21.3	13.3	−0.6	28.0	13	7.5	24	15.5	23	17.5	13	0	1	0	0	0	0	0				115.3	39.4	7	9	7	3	3
N	21.4	14.4	−1.2	25.7	11	10.4	9	14.7	7	19.6	25	0	3	0	0	0	0	0				87.8	34.2	3	12	8	2	1
D	23.4	16.2	−0.5	28.8	8	12.7	22	17.6	1	21.4	30	0	0	0	1	0	0	0				83.1	44.8	11	10	7	3	1
A	22.2	14.0	−0.5	33.3	–	4.5	–	12.7	–	21.6	–	9	35	0	9	0	0	0				981.0	97.7	–	119	84	20	14

* $\bar{T}m = 1/2\,(\bar{T}x + \bar{T}n)$; Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TY 4 / 166

*** Stasie verskuif; kyk na bl. XXI / Station shifted; see p. XXI

TABEL I | TABLE I

MAAND / MONTH	DAELIKSE MAKSIMUM DAILY MAXIMUM Tx	DAELIKSE MINIMUM DAILY MINIMUM Tn	Tm* – NORMALE Tm / Tm* – LONGTERM Tm ΔTm	VOLSTREKTE MAKSIMUM ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET NUMBER OF DAYS WITH MAKSIMUM MAXIMUM > 30,0	> 17,5	> 10,0	MINIMUM MINIMUM < 20,0	< +2,5	< 0,0	< −2,5	VROEGSTE EN LAATSTE DATUMS FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	MAANDT- EN JAARTOTALE MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
60/620	**CAPE COLUMBINE – VRT**											**Ø 32°50'S λ 17°51'E H 60 M**											**HT 1.2 M**		**HR 1.2 M**			
J	19.9	12.7	−0.6	25.0	24	10.0	22	18.0	6	15.5	26	0	0	0	0	0	0	0				1.4	0.6	31	3	0	0	0
F	21.6	14.0	0.5	33.5	23	11.2	27	16.0	21	20.0	9	1	0	0	0	0	0	0				0.5	0.5	25	1	0	0	0
M	20.8	13.1	0.0	31.6	23	9.4	27	16.5	14	21.2	31	1	1	0	1	0	0	0				7.4	4.4	17	2	2	0	0
A	17.5	11.2	−1.4	22.7	7	8.6	12	14.5	26	14.0	1	0	20	0	0	0	0	0				5.2	3.0	26	5	2	0	0
M	18.3	11.1	0.2	24.8	28	7.4	16	13.9	24	13.8	29	0	16	0	0	0	0	0				14.8	8.4	19	3	3	0	0
J	15.6	9.8	−1.0	20.7	10	6.4	16	12.0	23	12.6	12	0	24	0	0	0	0	0				39.5	20.6	30	8	5	1	0
J	15.3	9.3	−0.6	20.0	13	6.4	25	12.7	7	12.2	13	0	28	0	0	0	0	0				30.8	8.7	15	7	7	0	0
A	15.0	9.4	−1.1	21.5	13	6.0	26	12.2	19	12.4	1	0	30	0	0	0	0	0				59.0	11.3	1	15	10	1	0
S	15.9	8.9	−1.5	28.1	22	5.3	7	12.5	4	12.4	14	0	26	0	0	0	0	0				3.4	1.0	5	7	1	0	0
O	18.0	10.8	−0.5	27.1	9	7.0	2	15.1	10	14.3	9	0	14	0	0	0	0	0				6.4	2.7	15	6	3	0	0
N	19.0	11.6	−0.6	22.5	9	8.5	8	17.4	18	13.4	14	0	1	0	0	0	0	0				1.1	0.8	14	2	0	0	0
D	19.7	13.0	−0.2	22.0	31	10.6	2	17.8	1	16.0	27	0	0	0	0	0	0	0				3.8	2.6	24	2	2	0	0
A	18.1	11.2	−0.6	33.5	–	5.3	–	12.0	–	21.2	–	2	160	0	1	0	0	0				173.3	20.6	–	61	35	2	0
62/379	**HELDERVUE**											**Ø 32°49'S λ 18°43'E H 820 M**											**HT 1.2 M**		**HR 1.2 M**			
J	25.1	11.9	–	33.9	8	6.1	13	18.0	20	21.0	9	3	0	0	1	0	0	0				5.0	3.0	13	2	2	0	0
F	26.9	13.6	–	35.3	9	7.6	27	18.5	27	21.1	23	8	0	0	2	0	0	0				6.3	6.3	9	1	1	0	0
M	23.9	10.3	–	32.2	30	5.1	27	15.5	25	16.9	31	2	3	0	0	0	0	0				53.4	23.7	17	5	5	2	0
A	19.7	8.3	–	28.1	29	3.8	11	11.6	10	16.5	1	0	8	0	0	0	0	0				19.0	9.5	30	3	3	0	0
M	18.6	6.1	–	29.5	8	1.0	16	9.1	19	12.8	18	0	15	1	0	5	0	0	4			47.0	21.2	18	4	4	3	0
J	14.1	3.8	–	24.2	10	−0.5	17	7.0	15	10.7	11	0	23	6	0	14	2	0			16	133.6	75.0	30	10	8	3	2
J	13.0	3.4	–	21.3	27	−0.2	7	8.1	9	7.6	14	0	27	6	0	15	1	0				149.7	51.5	15	9	8	3	2
A	12.0	3.7	–	22.6	13	−1.0	19	6.5	19	8.0	13	0	27	10	0	9	1	0			19	157.6	23.0	2	17	13	6	0
S	14.1	–	–	23.4	22	–	–	6.4	4	–	–	0	24	7	–	–	–	–				11.7	8.5	5	3	2	0	0
O	18.8	6.5	–	28.9	9	1.8	5	9.5	22	14.3	9	0	13	1	0	3	0	0	18			16.7	14.0	16	4	2	1	0
N	21.9	7.8	–	30.0	9	3.0	16	14.1	1	10.8	27	0	4	0	0	0	0	0				2.3	2.0	20	2	1	0	0
D	24.3	10.4	–	31.8	27	6.0	14	17.2	5	15.0	28	2	1	0	0	0	0	0				4.3	2.4	6	2	2	0	0
A	19.4	–	–	35.3	–	–	–	6.4	–	–	–	15	145	31	–	–	–	–				606.6	75.0	–	62	51	18	4
74/296	**JANSENVILLE**											**Ø 32°56'S λ 24°40'E H 410 M**											**HT 1.2 M**		**HR 1.2 M**			
J	31.9	16.7	−0.4	39.1	27	7.5	1	24.2	7	20.6	25	22	0	0	2	0	0	0				25.2	8.5	9	8	7	0	0
F	30.8	17.1	−0.8	40.2	13	13.2	16	20.5	16	21.0	14	16	0	0	1	0	0	0				15.1	7.5	13	9	5	0	0
M	29.6	15.8	−0.2	36.6	16	8.9	27	18.2	23	24.0	14	14	0	0	3	0	0	0				21.1	6.5	23	6	5	0	0
A	25.1	11.1	−1.4	33.2	30	4.6	11	16.8	3	19.0	1	6	3	0	0	0	0	0				21.2	8.0	2	7	7	0	0
M	21.8	7.2	−1.1	32.4	9	0.7	21	15.8	20	18.2	15	1	5	0	0	2	0	0	21			16.2	9.5	10	3	2	0	0
J	20.5	5.5	0.2	27.9	29	−2.0	17	13.4	15	12.5	12	0	10	0	0	5	3	0		17		8.3	4.0	21	6	2	0	0
J	18.7	6.6	0.6	25.1	2	1.2	26	10.0	4	13.0	15	0	13	0	0	3	0	0				74.8	33.0	29	8	7	3	1
A	18.9	5.9	−2.0	27.4	16	0.5	26	10.5	20	11.5	5	0	10	0	0	3	0	0				132.5	77.0	21	4	4	3	2
S	21.5	7.2	−2.7	30.6	13	−1.0	7	15.0	6	12.4	21	1	6	0	0	2	1	0	8	7		0.0	0.0	–	0	0	0	0
O	25.3	10.8	−1.2	34.0	10	3.5	5	16.5	14	16.6	13	7	2	0	0	0	0	0				16.8	8.0	13	5	4	0	0
N	27.6	12.3	−1.5	38.0	24	5.0	8	15.6	7	20.0	25	8	2	0	0	0	0	0				9.0	6.0	24	4	2	0	0
D	30.1	14.7	−0.9	39.5	28	10.0	22	19.2	11	21.0	31	15	0	0	2	0	0	0				20.2	6.5	4	7	4	0	0
A	25.1	10.9	−0.9	40.2	–	−2.0	–	10.0	–	24.0	–	90	51	0	8	15	4	0				360.4	77.0	–	67	49	6	3
76/134	**SOMERSET EAST – POW**											**Ø 32°44'S λ 25°35'E H 739 M**											**HT 1.2 M**		**HR 1.2 M**			
J	27.9	14.0	−1.0	36.0	27	5.0	1	17.2	20	18.3	25	10	1	0	0	0	0	0				61.3	20.2	28	15	8	2	0
F	27.0	14.6	−1.2	36.0	13	10.0	16	15.6	16	19.5	14	11	1	0	0	0	0	0				111.6	22.0	14	13	11	5	0
M	27.5	13.5	−0.2	36.2	13	9.0	27	15.6	26	21.5	14	10	1	0	1	0	0	0				50.7	18.0	18	12	6	2	0
A	22.8	9.7	−1.9	30.6	30	3.0	11	13.5	3	16.5	1	1	5	0	0	0	0	0				90.2	26.0	2	10	8	4	1
M	20.4	7.2	−1.6	29.8	10	0.0	21	13.0	16	18.7	10	0	11	0	0	5	0	0	17			31.4	10.0	11	8	6	1	0
J	19.8	6.6	0.3	26.9	29	−1.7	17	10.2	16	16.8	11	0	10	0	0	4	2	0		17		4.6	4.0	6	4	1	0	0
J	18.8	7.0	0.6	27.0	28	1.0	19	7.0	4	17.8	7	0	12	2	0	4	0	0				61.5	20.3	3	11	6	2	0
A	18.0	4.5	−2.7	27.2	30	−1.0	26	8.5	20	13.0	2	0	13	2	0	9	2	0				203.1	116.0	21	7	6	2	2
S	20.0	5.6	−2.8	29.0	13	−2.9	7	12.7	28	10.0	21	0	11	0	0	5	1	1		7	7	1.3	0.6	1	4	0	0	0
O	22.9	8.8	−1.4	31.0	10	2.0	5	11.7	23	14.5	13	3	3	0	0	4	0	0	24		7	73.5	45.5	7	11	6	2	1
N	24.4	9.7	−2.0	38.2	24	3.7	9	11.5	2	18.2	25	4	5	0	0	0	0	0			**	39.0	11.5	1	14	8	1	0
D	27.2	12.6	−1.0	37.4	28	7.5	22	17.5	9	18.5	31	11	0	0	0	0	0	0				64.6	21.0	11	12	10	2	0
A	23.1	9.5	−1.2	38.2	–	−2.9	–	7.0	–	21.5	–	50	73	4	1	31	5	1				792.8	116.0	–	121	76	23	4
79/712	**KING WILLIAMS TOWN – KUN**											**Ø 32°52'S λ 27°24'E H 400 M**											**HT 1.2 M**		**HR 1.2 M**			
J	25.7	16.3	–	32.9	5	9.0	1	19.0	7	19.9	28	4	0	0	0	0	0	0				80.6	20.5	25	14	12	3	0
F	26.3	16.3	–	36.2	13	12.7	17	17.8	4	21.2	14	7	0	0	1	0	0	0				63.8	13.7	21	14	11	4	0
M	26.8	16.4	–	33.3	14	11.8	6	16.8	26	23.7	14	8	1	0	1	0	0	0				35.8	10.5	22	10	5	1	0
A	23.3	11.9	–	32.6	30	7.0	21	15.5	3	16.4	1	2	1	0	0	0	0	0				56.9	17.0	5	8	6	3	0
M	21.5	8.9	–	31.0	9	1.5	1	14.3	20	16.2	10	2	7	0	0	2	0	0	17			34.9	14.0	27	8	5	1	0
J	20.8	7.5	–	29.2	29	−1.2	18	11.7	16	14.6	30	0	6	0	0	2	1	0		18		1.4	1.1	21	3	1	0	0
J	20.3	8.2	–	28.6	28	1.5	19	9.8	4	17.1	15	0	10	1	0	1	0	0		18		79.2	58.0	30	9	6	1	1
A	19.2	6.6	–	28.5	14	2.4	1	11.0	20	12.3	14	0	10	0	0	1	0	0		**		87.7	42.0	21	5	3	2	2
S	20.1	9.0	–	28.7	10	0.2	7	14.0	28	14.4	19	0	10	0	0	1	0	0	7			2.2	1.2	2	5	1	0	0
O	22.4	11.1	–	34.0	13	3.7	1	16.5	14	16.1	13	2	3	0	0	0	0	0				41.5	16.2	14	9	7	2	0
N	22.8	12.5	–	32.9	24	6.4	9	13.2	7	18.5	24	2	5	0	0	0	0	0				39.3	9.5	26	16	9	0	0
D	25.5	14.4	–	35.1	28	9.3	7	16.6	1	20.3	30	6	2	0	1	0	0	0				27.6	11.6	11	12	7	1	0
A	22.9	11.6	–	36.2	–	−1.2	–	9.8	–	23.7	–	33	55	1	3	7	1	0				550.9	58.0	–	113	73	18	3

* Tm = 1/2 (Tx + Tn). Waar Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 – 198

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN AVERAGES OF: DAELIKSE MAKSIMUM DAILY MAXIMUM $\bar{T}x$	DAELIKSE MINIMUM DAILY MINIMUM $\bar{T}n$	$\bar{T}m$* – NORMALE $\bar{T}m$ $\bar{T}m$* – LONGTERM $\bar{T}m$ $\Delta\bar{T}m$	VOLSTREKTE MAKSIMUM ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET NUMBER OF DAYS WITH: MAKSIMUM MAXIMUM > 30,0	> 17,5	< 10,0	MINIMUM MINIMUM > 20,0	> +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
79/811	**DÖHNE – AGR**											**Ø 32°31'S**			**λ 27°28'E**				**H 899 M**			**HT 1.2 M**			**HR 1.2 M**			
J	24.1	14.3	−0.3	34.0	5	8.5	1	16.5	7	17.5	25	3	2	0	0	0	0	0				144.0	23.0	9	20	19	5	0
F	23.9	14.6	−0.8	32.0	13	10.4	17	15.0	16	20.8	14	3	3	0	1	0	0	0				114.9	28.5	21	16	12	6	1
M	24.1	14.6	0.2	32.4	13	10.0	27	13.0	26	20.6	14	3	1	0	1	0	0	0				98.3	19.0	31	18	14	2	0
A	21.5	11.1	−0.8	30.0	30	5.7	7	14.5	3	16.1	30	0	7	0	0	0	0	0				89.6	27.5	3	12	7	3	1
M	18.7	8.9	−1.3	26.5	10	2.4	21	10.5	20	16.2	9	0	13	0	0	1	0	0	21			32.3	8.0	1	10	7	0	0
J	18.4	7.7	0.1	25.0	30	0.7	17	9.0	15	14.0	30	0	11	2	0	2	0	0				4.5	3.0	21	4	1	0	0
J	17.9	7.9	0.6	26.0	28	3.0	18	6.9	4	16.5	3	0	12	3	0	0	0	0				58.2	43.0	30	10	6	1	1
A	17.3	5.7	−2.2	28.5	30	0.5	26	7.6	20	14.0	2	0	16	3	0	3	0	0				126.3	66.0	21	4	3	2	2
S	18.4	7.0	−2.1	28.5	26	−0.8	7	9.5	28	13.5	19	0	16	1	0	1	1	0		7		10.5	2.1	8	9	5	0	0
O	20.5	9.5	−1.3	29.0	10	1.7	24	8.6	23	14.7	10	0	8	1	0	1	0	0	24	7		44.9	10.3	14	11	8	1	0
N	20.9	10.7	−1.7	32.0	24	5.2	8	9.0	2	17.6	25	3	8	1	0	0	0	0		**		100.6	14.5	30	13	10	6	0
D	22.9	12.8	−0.6	33.2	31	8.2	7	14.0	1	20.2	31	5	5	0	1	0	0	0				71.6	18.0	10	15	11	3	0
A	20.7	10.4	−0.9	34.0	–	−0.8	–	6.9	–	20.8	–	17	102	11	3	8	1	0				895.7	66.0	–	142	103	29	5
88/293	**SUTHERLAND**											**Ø 32°23'S**			**λ 20°40'E**				**H 1459 M**			**HT 1.2 M**			**HR 1.2 M**			
J	27.4	9.9	–	32.4	4	2.0	1	20.8	14	19.0	28	5	0	0	0	1	0	0	1			24.8	13.0	9	4	3	2	0
F	27.9	10.8	–	32.4	13	3.0	27	20.8	28	16.8	24	5	0	0	0	0	0	0				23.3	11.0	20	5	5	1	0
M	24.7	7.9	–	30.7	13	1.3	27	14.9	25	16.6	14	1	2	0	0	1	0	0				32.3	16.0	23	6	5	1	0
A	20.4	4.2	–	27.2	29	−3.9	12	13.4	5	13.2	1	0	8	0	0	12	6	1		11	12	37.5	20.0	3	3	3	2	0
M	16.5	0.3	–	23.6	9	−5.9	21	7.9	19	13.3	10	0	19	2	0	21	19	11				15.0	6.0	10	4	3	0	0
J	13.0	−0.6	–	19.9	9	−11.6	17	4.1	15	7.6	5	0	26	7	0	20	17	10				24.4	8.0	21	6	6	0	0
J	12.0	0.0	–	19.2	28	−5.7	5	5.1	16	5.5	9	0	29	8	0	23	15	6				86.2	25.7	8	9	9	4	1
A	11.2	−1.2	–	19.4	29	−6.5	19	2.6	20	4.3	17	0	27	14	0	26	19	11				30.2	13.0	2	7	5	1	0
S	16.0	−2.5	–	24.0	23	−10.9	28	6.3	6	5.3	24	0	17	3	0	27	22	17				0.0	0.0	–	0	0	0	0
O	20.9	1.4	–	27.9	31	−9.4	2	10.3	22	7.9	8	0	7	0	0	15	11	6			24	5.8	5.8	22	1	1	0	0
N	22.9	4.0	–	31.0	24	−1.4	17	14.5	15	14.1	10	2	5	0	0	9	3	0				0.0	0.0	–	0	0	0	0
D	25.8	8.0	–	34.1	28	−0.4	21	18.4	5	13.1	31	5	0	0	0	2	1	0	22	21		7.0	4.0	2	2	2	0	0
A	19.9	3.5	–	34.1	–	−11.6	–	2.6	–	19.0	–	18	140	34	0	157	113	62				286.5	25.7	–	47	42	11	1
92/141	**BEAUFORT WEST – TNK**											**Ø 32°21'S**			**λ 22°35'E**				**H 857 M**			**HT 1.2 M**			**HR 1.2 M**			
J	32.2	16.2	–	36.2	27	9.6	1	24.3	7	21.0	27	26	0	0	3	0	0	0				12.5	8.4	24	5	3	0	0
F	31.3	16.7	–	37.6	13	12.1	27	24.3	16	23.3	14	14	0	0	3	0	0	0				14.3	4.6	10	7	3	0	0
M	28.6	14.5	–	35.8	13	7.6	27	18.8	26	24.6	14	14	0	0	2	0	0	0				45.5	17.6	23	8	6	2	0
A	24.0	10.2	–	32.0	30	4.2	12	15.7	3	22.0	30	3	3	0	1	0	0	0				22.9	7.4	4	7	5	0	0
M	20.3	7.1	–	29.6	9	−0.5	17	11.6	20	21.0	10	0	9	0	1	4	1	0	16	17		15.0	9.7	19	3	2	0	0
J	18.7	6.8	–	25.5	9	−2.7	17	9.1	15	16.2	11	0	12	2	0	7	3	1			17	7.1	5.4	19	3	2	0	0
J	17.9	6.8	–	27.4	28	−1.6	18	8.7	4	14.6	7	0	17	1	0	8	2	0			17	38.9	25.5	29	7	5	1	1
A	17.2	4.1	–	28.0	30	−1.1	26	7.4	21	11.8	14	0	16	3	0	10	3	0			**	71.8	51.7	20	4	2	2	1
S	20.5	5.7	–	28.6	13	−1.7	7	11.7	6	10.9	16	0	9	0	0	4	1	0		7		0.0	0.0	–	0	0	0	0
O	25.1	9.8	–	33.4	31	2.3	2	13.0	14	17.3	13	6	3	0	0	1	0	0	2			12.4	6.4	22	3	3	0	0
N	27.4	12.1	–	37.6	24	5.4	17	14.3	7	17.1	25	11	2	0	0	0	0	0				3.9	3.9	7	1	1	0	0
D	30.7	14.9	–	39.5	28	10.1	12	23.2	13	22.9	31	17	0	0	1	0	0	0				37.4	36.8	31	2	1	1	1
A	24.5	10.4	–	39.5	–	−2.7	–	7.4	–	24.6	–	91	71	6	11	34	10	1				281.7	51.7	–	50	33	6	3
92/288	**BEAUFORT WEST – AER**											**Ø 32°18'S**			**λ 22°40'E**				**H 893 M**			**HT 1.2 M**			**HR 1.2 M**			
J	31.7	15.4	−0.8	36.3	5	8.5	1	23.7	7	20.2	31	22	0	0	3	0	0	0				46.9	23.7	24	4	3	2	0
F	30.5	15.7	−1.0	37.0	13	11.1	27	23.8	4	22.2	14	12	0	0	1	0	0	0				13.8	6.2	20	5	3	0	0
M	28.6	14.9	−0.2	35.7	13	6.8	27	18.2	26	19.9	17	12	0	0	0	0	0	0				30.0	11.5	23	7	6	1	0
A	23.7	9.2	−1.3	31.7	30	4.1	12	15.8	3	19.2	1	3	5	0	0	0	0	0				23.6	12.2	4	6	5	1	0
M	19.9	7.0	−1.2	29.9	8	0.0	17	11.0	20	21.7	10	0	11	0	1	7	0	0	4			12.3	9.2	19	3	2	0	0
J	18.7	5.7	0.2	26.0	9	−4.6	16	8.1	15	16.7	12	0	10	2	0	6	4	2		16	16	5.6	4.7	19	2	1	0	0
J	18.1	5.5	0.3	26.9	28	−0.9	18	8.0	4	16.2	29	0	15	1	0	9	4	0				26.0	18.8	29	6	3	1	0
A	17.2	3.4	−2.6	28.1	30	−1.8	20	6.9	20	11.2	30	0	16	3	0	12	3	0				71.1	54.5	20	2	2	2	1
S	20.1	4.7	−2.9	28.5	13	−2.9	7	11.2	6	9.6	16	0	11	0	0	4	2	1		8	7	0.0	0.0	–	0	0	0	0
O	24.3	8.5	−1.7	33.0	10	1.4	2	12.6	14	13.6	20	5	3	0	0	1	0	0	2			6.1	2.7	13	3	3	0	0
N	27.1	10.7	−1.5	37.5	24	3.9	8	13.6	7	15.6	1	9	2	0	0	0	0	0				5.6	4.5	7	3	2	0	0
D	30.3	14.1	−0.5	39.5	28	9.1	22	22.6	11	21.5	31	15	0	0	1	0	0	0				3.2	3.2	31	1	1	0	0
A	24.2	9.6	−1.1	39.5	–	−4.6	–	6.9	–	22.2	–	78	73	6	6	39	13	3				244.2	54.5	–	42	31	7	1
96/ 45	**GRAAFF-REINET – TNK**											**Ø 32°15'S**			**λ 24°32'E**				**H 744 M**			**HT 1.2 M**			**HR 1.2 M**			
J	30.5	15.4	–	37.8	5	8.2	1	21.6	7	19.3	28	17	0	0	0	0	0	0				81.5	54.0	9	6	6	2	1
F	29.7	16.6	–	37.0	13	11.3	18	19.8	4	23.5	14	14	0	0	2	0	0	0				28.7	16.0	10	8	5	1	0
M	28.8	14.5	–	37.4	9	7.0	27	20.3	26	22.2	14	12	0	0	2	0	0	0				29.1	17.0	23	4	3	1	0
A	23.6	11.1	–	30.7	30	5.8	13	14.4	5	19.8	23	2	4	0	0	0	0	0				32.5	9.0	2	6	6	0	0
M	20.3	9.4	–	29.5	9	2.1	21	12.0	20	18.3	10	0	10	0	0	1	0	0	21			34.9	12.0	10	3	3	3	0
J	19.9	8.4	–	26.3	9	−0.7	17	10.5	15	17.0	5	0	9	0	0	4	2	0		6		1.7	0.9	6	2	0	0	0
J	18.4	8.2	–	27.5	28	1.4	18	7.2	30	14.7	28	0	14	2	0	1	0	0				48.4	16.5	30	7	6	2	0
A	18.1	5.3	–	30.8	30	−0.8	20	8.0	20	12.3	2	1	14	2	0	5	2	0				94.4	45.0	21	3	3	3	2
S	21.0	6.7	–	29.9	13	−0.2	7	13.2	6	12.7	24	0	7	0	0	4	1	0		7		0.0	0.0	–	0	0	0	0
O	23.9	9.6	–	32.2	10	2.4	24	14.2	23	16.0	13	4	4	0	0	1	0	0	24			36.3	11.0	14	7	6	2	0
N	26.5	11.1	–	36.8	24	5.1	8	13.6	7	20.0	25	7	1	0	0	0	0	0				17.0	9.0	7	4	3	0	0
D	29.5	13.4	–	37.6	28	7.8	22	21.4	11	20.4	31	15	0	0	1	0	0	0				16.0	5.3	5	6	4	0	0
A	24.2	10.8	–	37.8	–	−0.8	–	7.2	–	23.5	–	72	63	4	5	16	5	0				420.5	54.0	–	56	45	14	3

* $\bar{T}m = 1,2\ (\bar{T}x + \bar{T}n)$; Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

Maand / Month	Daelikse maksimum / Daily maximum Tx	Daelikse minimum / Daily minimum Tn	Tm* - Normale Tm / Tm* - Longterm Tm ΔTm	Volstrekte maksimum / Absolute maximum Txx	Datum / Date	Volstrekte minimum / Absolute minimum Tnn	Datum / Date	Laagste maksimum / Lowest maximum Txn	Datum / Date	Hoogste minimum / Highest minimum Tnx	Datum / Date	Aantal dae met / Number of days with: Maksimum / Maximum ≥ 30,0	Maksimum / Maximum < 17,5	Maksimum / Maximum < 10,0	Minimum ≥ 20,0	Minimum < +2,5	Minimum < 0,0	Minimum < −2,5	Ryp / Frost: Vroegste en laatste datums / First and last dates < +2,5	< 0,0	< −2,5	Neerslag / Precipitation – mm –: Maand- en jaartotale / Monthly and annual totals	Maksimum in 24 uur / Maximum in 24 hours Rx	Datum / Date	Aantal dae met hoeveelhede / Number of days with amounts ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
98/190 CRADOCK - TNK ø 32°10'S λ 25°37'E H 872 M HT 1.2 M HR 1.2 M																												
J	31.0	14.5	0.4	37.4	5	6.3	22	20.8	21	19.8	25	21	0	0	0	0	0	0				44.3	19.7	30	-	9	1	0
F	29.5	15.1	0.2	36.9	13	8.5	28	20.7	4	18.9	10	14	0	0	0	0	0	0				24.5	12.8	15	-	3	2	0
M	28.9	13.1	0.6	37.0	9	9.3	1	18.5	23	18.3	17	16	0	0	0	0	0	0				70.9	42.5	23	-	4	3	1
A	24.4	9.4	-0.2	31.4	30	3.9	13	15.2	5	15.7	2	3	2	0	0	0	0	0				50.3	39.3	2	-	4	1	1
M	20.0	5.0	-0.6	27.7	8	-3.3	21	11.3	20	15.0	1	0	11	0	0	10	3	1	4	21	21	6.9	6.0	11	-	1	0	0
J	19.0	2.5	0.6	25.2	29	-4.6	17	10.3	15	7.2	6	0	10	0	0	14	7	1				2.0	2.0	5	-	1	0	0
J	18.1	3.8	1.5	25.7	28	-3.7	19	8.0	4	11.8	1	0	11	2	0	11	8	1			19	34.1	12.0	30	-	5	1	0
A	18.5	2.0	-1.6	28.8	30	-2.0	26	9.3	22	8.5	5	0	14	2	0	19	6	0				52.0	20.5	21	-	4	2	0
S	22.0	4.9	-1.0	32.1	24	-2.7	7	13.2	6	12.8	19	2	7	0	0	6	2	0		22		0.8	0.8	10	-	0	0	0
O	24.2	8.4	-0.5	33.1	12	1.0	2	12.7	23	15.7	14	5	3	0	0	2	0	0	2			69.1	39.0	28	-	7	1	1
N	26.1	10.1	-1.2	36.2	24	3.4	17	13.6	2	16.6	25	8	3	0	0	0	0	0				31.7	21.8	19	-	3	1	0
D	29.2	12.8	-0.1	37.9	28	6.7	22	22.1	13	18.6	31	16	0	0	0	0	0	0				8.0	4.8	4	-	3	0	0
A	24.2	8.5	-0.2	37.9	-	-4.6	-	8.0	-	19.8	-	85	61	4	0	62	26	3				394.6	42.5	-	-	44	12	3
104/734 BASHEE - VRT ø 32°14'S λ 28°55'E H 37 M HT 1.2 M HR 1.2 M																												
J	24.9	18.5	0.0	27.4	31	14.5	1	21.5	7	21.5	31	0	0	0	5	0	0	0				102.6	13.5	24	20	18	4	0
F	25.3	18.5	-0.2	28.0	14	16.0	16	20.5	16	21.2	26	0	0	0	4	0	0	0				98.0	27.0	15	9	9	5	1
M	25.2	18.9	0.8	29.5	9	14.5	27	19.0	26	21.8	18	0	0	0	9	0	0	0				181.3	48.5	19	17	13	7	3
A	23.6	15.9	-0.3	29.5	30	12.6	7	19.6	3	19.2	1	0	0	0	0	0	0	4				127.3	89.0	3	10	7	3	1
M	22.3	13.8	-0.4	33.0	10	9.5	21	18.0	2	19.5	10	1	0	0	0	0	0	0				193.4	69.5	11	9	7	5	4
J	21.2	11.9	-0.4	30.6	10	7.0	18	16.2	16	17.8	11	1	3	0	0	0	0	0				6.9	6.5	19	2	1	0	0
J	20.4	11.7	-0.2	29.4	1	8.2	18	13.0	4	15.6	11	0	3	0	0	0	0	0				127.0	47.0	4	8	6	4	2
A	19.7	10.7	-1.5	26.6	24	7.0	22	15.5	20	13.8	19	0	2	0	0	0	0	0				131.8	74.0	21	5	3	2	2
S	20.1	13.0	-0.8	24.8	19	8.0	7	15.0	29	16.0	24	0	4	0	0	0	0	0				36.0	14.8	28	14	8	1	0
O	21.4	14.4	-0.5	24.5	7	9.0	24	14.0	23	18.8	14	0	1	0	0	0	0	0				109.3	50.0	7	12	9	4	1
N	21.8	15.5	-1.0	24.5	26	11.8	8	15.5	2	20.4	25	0	2	0	1	0	0	0				140.1	29.5	3	15	12	4	2
D	24.1	17.3	0.0	28.5	20	14.5	23	20.0	11	20.8	9	0	0	0	4	0	0	0				95.0	27.0	10	14	14	4	1
A	22.5	15.0	-0.4	33.0	-	7.0	-	13.0	-	21.8	-	2	15	0	23	0	0	4				1348.7	89.0	-	135	107	43	17
106/850 VREDENDAL ø 31°40'S λ 18°29'E H 34 M HT 1.2 M HR 1.2 M																												
J	28.9	14.1	-0.8	40.5	4	8.3	22	22.7	20	19.2	9	10	0	0	0	0	0	0				1.0	1.0	13	1	1	0	0
F	32.2	15.2	1.2	42.0	23	9.6	12	24.7	27	20.8	23	18	0	0	2	0	0	0				2.8	2.5	9	2	1	0	0
M	29.0	13.4	-0.4	37.4	30	6.0	27	21.6	25	23.2	23	12	0	0	2	0	0	0				4.4	3.8	17	2	1	0	0
A	26.1	10.2	-0.4	35.8	29	4.4	12	20.6	12	18.4	1	4	0	0	0	0	0	0				3.3	1.7	6	2	2	0	0
M	25.2	8.6	1.0	34.4	8	3.0	21	16.2	19	17.2	28	3	1	0	0	0	0	0				6.5	3.7	18	2	2	0	0
J	20.4	6.3	-0.3	31.3	10	2.0	16	14.1	21	11.5	27	1	7	0	0	2	0	0	6			12.1	11.0	21	2	1	1	0
J	19.5	7.1	0.8	27.7	13	2.6	23	14.8	8	12.2	1	0	11	0	0	0	0	0				25.7	7.0	1	7	6	0	0
A	19.1	7.1	-0.5	31.0	13	1.4	27	12.1	19	12.7	1	1	10	0	0	3	0	0				22.5	6.5	2	10	7	0	0
S	21.6	6.4	-1.3	31.1	22	0.0	7	15.7	4	13.5	23	1	6	0	0	3	0	0	8			0.0	0.0	-	0	0	0	0
O	24.8	9.3	-0.8	34.8	9	4.2	2	17.4	22	16.4	9	5	1	0	0	0	0	0				2.2	2.2	15	1	1	0	0
N	27.0	12.4	0.3	37.4	9	9.0	21	21.3	15	15.6	14	8	0	0	0	0	0	0				6.0	5.0	14	2	2	0	0
D	27.8	13.9	-0.2	35.5	22	9.0	22	22.0	11	17.8	26	9	0	0	0	0	0	0				0.0	0.0	-	0	0	0	0
A	25.1	10.3	-0.1	42.0	-	0.0	-	12.1	-	23.2	-	72	36	0	4	8	0	0				86.5	11.0	-	31	24	1	0
113/ 25 FRASERBURG ø 31°55'S λ 21°31'E H 1258 M HT 1.2 M HR 1.2 M																												
J	30.6	13.1	-0.4	34.5	18	7.6	21	26.0	14	19.2	28	20	0	0	0	0	0	0				16.7	8.0	8	5	3	0	0
F	29.5	13.8	-0.4	34.3	2	6.1	27	23.4	10	19.1	24	12	0	0	0	0	0	0				45.9	24.8	10	6	6	2	0
M	26.9	11.2	-0.4	33.2	13	3.1	26	18.6	25	17.3	17	3	0	0	0	0	0	0				33.4	10.0	23	6	6	1	0
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				22.7	9.0	3	3	3	0	0
M	18.6	2.3	-0.5	25.3	9	-2.7	21	10.3	20	9.7	10	0	9	0	0	16	9	1	(4)	(4)	21	18.0	15.5	10	2	2	1	0
J	15.4	2.3	1.1	21.6	9	-6.4	16	6.4	15	8.7	5	0	20	4	0	22	15	5				9.2	6.5	19	3	3	0	0
J	14.5	0.8	0.6	22.4	28	-4.9	6	8.2	4	8.3	29	0	22	5	0	23	15	4				40.6	13.7	8	7	7	2	0
A	13.9	-	-	23.1	30	-	-	5.6	21	-	-	0	23	6	-	-	-	-				20.6	12.5	20	3	2	1	0
S	19.8	2.3	-1.0	29.0	23	-5.9	7	9.4	6	8.0	23	0	13	1	0	26	14	4				0.0	0.0	-	0	0	0	0
O	24.0	5.1	-1.0	31.3	12	-2.7	2	13.4	23	15.7	13	2	5	0	0	9	4	1		18	2	1.2	1.2	13	1	1	0	0
N	26.3	7.8	-1.2	34.6	24	0.6	8	15.7	7	16.9	10	5	1	0	0	2	0	0	17			0.0	0.0	-	0	0	0	0
D	29.4	11.7	0.0	37.4	28	6.1	21	22.2	5	18.8	31	12	0	0	0	0	0	0				3.0	2.0	10	2	2	0	0
A	-	-	-	37.4	-	-	-	5.6	-	19.2	-	-	-	-	-	-	-	-				211.5	24.8	-	38	35	7	0
123/654 QUEENSTOWN - TNK ø 31°54'S λ 26°52'E H 1066 M HT 1.2 M HR 1.2 M																												
J	-	-	-	34.0	18	-	-	19.5	21	-	-	14	0	0	-	-	-	-				45.7	11.0	6	14	10	1	0
F	-	-	-	33.5	14	-	-	18.5	5	-	-	7	0	0	-	-	-	-				50.4	15.5	10	12	9	2	0
M	-	-	-	36.2	9	-	-	17.2	23	-	-	9	1	0	-	-	-	-				79.8	25.0	18	11	9	3	1
A	23.1	9.9	-	29.2	29	4.5	7	14.8	6	19.2	30	0	3	0	0	0	0	0				82.3	48.0	2	8	7	2	1
M	18.9	6.5	-	26.0	9	-3.0	17	10.0	16	16.5	15	0	11	0	0	6	3	2	6	17	17	18.8	6.0	10	6	4	0	0
J	18.2	4.0	-	23.2	29	-5.5	17	8.8	15	16.8	30	0	9	3	0	14	6	3				3.5	3.0	21	2	1	0	0
J	17.5	5.2	-	24.4	28	-3.5	19	7.2	4	16.4	3	0	12	1	0	5	2	1				35.1	24.0	30	6	5	1	0
A	18.2	3.2	-	28.6	30	-3.0	26	8.4	20	12.5	31	0	14	1	0	15	8	1			26	51.0	29.0	20	2	2	2	1
S	21.0	5.9	-	30.0	26	-1.5	8	8.8	28	12.8	19	0	9	2	0	4	2	0		8		7.2	3.0	11	4	2	0	0
O	22.8	8.7	-	30.0	31	1.8	18	10.5	23	15.1	13	0	4	0	0	2	0	0	18			61.0	17.0	28	10	8	3	0
N	25.2	10.7	-	35.0	24	4.0	8	10.2	2	17.8	25	8	5	0	0	0	0	0				32.3	8.5	26	8	7	0	0
D	27.4	12.8	-	36.2	28	8.4	7	16.2	1	18.2	31	10	1	0	0	0	0	0				31.2	11.0	13	7	5	1	0
A	-	-	-	36.2	-	-5.5	-	7.2	-	-	-	48	69	7	-	-	-	-				498.3	48.0	-	90	69	15	3

* Tm = 1/2 (Tx + Tn); Waar/Where ** Laatste datum verwys na vorige maand / Last date refers to previous month. 1V 4 / 198

TABEL I — TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAGELIKSE MAKSIMUM / DAILY MAXIMUM (T̄x)	DAGELIKSE MINIMUM / DAILY MINIMUM (T̄n)	T̄m* – NORMALE T̄m / T̄m* – LONGTERM T̄m (Δ T̄m)	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM (Txx)	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM (Tnn)	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM (Txn)	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM (Tnx)	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥ 30,0	≥ 17,5	≥ 10,0	MINIMUM / MINIMUM ≥ 20,0	≥ +2,5	≥ 0,0	≤ −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES: ≤ +2,5	≤ 0,0	≤ −2,5	NEERSLAG – mm – / PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS (Rx)	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
127/485 UMTATA												Ø 31°35'S			λ 28°47'E				H 692 M			HT 1.2 M			HR 1.2 M			
J	26.4	16.6	–	35.4	18	12.1	22	16.9	21	20.0	25	7	1	0	0	0	0	0				79.9	36.0	18	15	11	1	1
F	26.2	16.1	–	33.4	14	13.1	5	17.7	16	20.3	15	7	0	0	1	0	0	0				62.1	24.3	10	9	8	2	0
M	26.0	16.3	–	34.8	9	11.6	27	15.3	26	20.1	8	8	1	0	1	0	0	0				38.4	11.0	9	13	13	1	0
A	23.9	12.5	–	33.6	22	7.6	10	16.7	11	17.9	2	2	1	0	0	0	0	0				57.0	24.0	3	5	5	3	0
M	21.3	7.2	–	28.4	9	0.1	21	12.2	20	13.2	27	0	8	0	0	4	0	0	18			35.9	–	–	–	–	–	–
J	20.7	4.3	–	27.2	30	−2.5	18	12.1	16	11.0	14	0	6	0	0	6	1	0		18		0.8	0.4	25	3	0	0	0
J	19.5	5.5	–	26.7	28	−0.8	19	8.5	4	12.6	11	0	9	1	0	6	1	0				36.5	19.0	4	8	5	1	0
A	20.0	5.2	–	33.5	30	−0.5	1	11.0	20	10.9	10	1	8	0	0	4	1	0	27	1		84.7	66.0	20	5	5	2	1
S	20.3	9.1	–	32.6	13	4.4	22	9.6	29	12.0	20	1	10	1	0	0	0	0				26.6	9.0	27	8	7	0	0
O	22.2	11.3	–	30.9	26	4.2	1	10.0	23	16.3	14	1	3	0	0	0	0	0				100.7	45.0	8	11	8	3	1
N	22.7	12.7	–	31.4	5	6.7	9	11.5	2	18.5	24	3	5	0	0	0	0	0				70.0	15.6	14	14	10	1	0
D	24.9	14.3	–	36.6	31	10.5	7	15.7	1	19.2	30	6	2	0	0	0	0	0				55.0	12.7	13	13	10	2	0
A	22.8	10.9	–	36.6	–	−2.5	–	8.5	–	20.3	–	36	54	2	2	20	3	0				647.6	66.0	–	–	–	–	–
129/ 68A CAPE HERMES – VRT												Ø 31°38'S			λ 29°33'E				H 47 M			HT 1.2 M			HR 1.2 M			
J	24.2	18.7	−0.8	26.0	20	14.8	22	20.5	3	21.0	15	0	0	0	7	0	0	0				140.2	22.0	10	16	14	7	0
F	24.9	20.1	−0.3	27.5	15	17.3	16	20.4	27	22.4	1	0	0	0	18	0	0	0				116.0	45.0	4	15	10	4	1
M	25.6	20.4	1.0	35.0	9	15.2	27	20.0	26	24.2	15	1	0	0	18	0	0	0				73.1	17.5	11	18	12	2	0
A	24.4	18.2	0.4	28.3	30	16.2	4	21.0	3	20.8	29	0	0	0	3	0	0	0				93.6	65.0	3	8	4	3	1
M	22.9	15.8	−0.3	31.0	10	11.2	17	17.4	28	20.5	11	1	1	0	1	0	0	0				219.7	56.8	11	8	8	5	4
J	21.5	14.1	−0.3	29.3	30	9.0	17	15.5	17	18.5	13	0	3	0	0	0	0	0				3.9	2.5	16	3	2	0	0
J	21.2	14.1	0.4	29.5	1	11.0	5	14.9	4	17.6	1	0	4	0	0	0	0	0				117.5	51.0	4	6	6	4	2
A	20.0	13.1	−1.2	24.5	29	8.7	20	15.8	26	17.6	31	0	2	0	0	0	0	0				75.5	34.0	20	6	5	3	1
S	20.0	14.6	−1.0	25.0	19	11.2	7	14.8	29	18.4	24	0	3	0	0	0	0	0				71.7	20.5	29	13	8	4	0
O	21.8	16.1	−0.2	24.5	15	10.4	24	18.5	23	19.5	14	0	0	0	0	0	0	0				151.0	69.0	7	8	8	4	2
N	21.6	16.5	−1.1	25.0	14	12.2	3	15.0	2	20.6	25	0	1	0	2	0	0	0				124.8	23.0	7	17	16	5	0
D	23.9	18.6	−0.2	28.0	29	15.5	22	19.5	1	22.5	29	0	0	0	9	0	0	0				102.1	24.5	2	11	10	4	0
A	22.7	16.7	−0.3	35.0	–	8.7	–	14.8	–	24.2	–	2	14	0	58	0	0	0				1289.1	69.0	–	129	103	45	11
134/478 CALVINIA – TNK												Ø 31°28'S			λ 19°46'E				H 980 M			HT 1.2 M			HR 1.2 M			
J	–	–	–	–	–	6.5	1	–	–	20.5	28	–	–	–	1	0	0	0				12.5	7.5	9	3	3	0	0
F	32.1	15.5	1.3	36.8	18	5.5	27	24.2	10	22.0	9	22	0	0	4	0	0	0				5.5	4.0	25	2	2	0	0
M	29.3	12.5	0.0	35.0	13	4.0	26	15.0	25	19.5	31	14	1	0	0	0	0	0				19.9	13.0	23	5	3	1	0
A	25.4	8.0	0.6	32.5	29	1.0	12	20.4	3	18.0	1	3	0	0	0	2	0	0	12			6.1	3.5	1	4	3	0	0
M	21.4	6.2	0.6	29.0	8	−1.5	24	9.6	19	17.0	10	0	5	1	0	8	1	0		24		17.7	10.5	19	4	3	1	0
J	17.9	4.7	0.6	25.0	9	−3.5	16	10.0	24	16.0	4	0	12	0	0	9	2	1			16	45.4	39.0	20	4	3	1	1
J	15.9	4.6	0.8	24.5	28	0.0	22	7.5	9	13.5	14	0	20	1	0	7	0	0				76.4	30.0	8	11	7	3	1
A	15.4	2.7	−2.2	24.0	13	−4.5	27	5.5	19	11.5	1	0	20	5	0	16	3	1			27	29.6	18.5	2	9	6	1	0
S	20.6	2.9	−1.2	28.5	18	−1.5	29	11.0	5	15.5	23	0	10	0	0	17	8	0		29		0.7	0.7	5	1	0	0	0
O	24.6	6.9	−0.9	32.0	31	0.5	1	13.0	22	16.5	28	6	4	0	0	4	0	0	23			1.0	1.0	22	1	1	0	0
N	27.0	9.7	−0.1	35.0	23	5.5	16	19.0	15	13.5	26	9	0	0	0	0	0	0				0.5	0.5	14	1	0	0	0
D	29.7	12.7	0.5	37.0	27	7.0	21	20.8	5	20.5	18	14	0	0	1	0	0	0				0.0	0.0	–	0	0	0	0
A	–	–	–	–	–	−4.5	–	5.5	–	22.0	–	–	–	–	6	63	14	2				215.3	39.0	–	45	31	7	2
145/ 59A GROOTFONTEIN II – AGR												Ø 31°29'S			λ 25° 2'E				H 1270 M			HT 1.2 M			HR 1.2 M			
J	30.3	13.2	0.8	33.9	18	4.8	22	21.4	21	17.8	10	19	0	0	0	0	0	0				58.0	30.2	8	10	9	1	1
F	27.7	13.5	−0.1	32.2	25	5.0	28	22.1	16	17.7	10	8	0	0	0	0	0	0				37.2	13.8	6	11	6	1	0
M	27.4	11.4	0.9	33.3	9	7.0	26	20.6	23	16.5	10	9	0	0	0	0	0	0				66.2	24.9	23	10	7	2	0
A	22.3	7.4	0.3	28.5	29	2.3	14	13.7	6	14.5	23	0	5	0	0	1	0	0	14			44.3	15.0	2	7	5	2	0
M	17.3	4.0	−0.2	24.3	9	−5.2	21	8.4	20	14.8	1	0	15	2	0	12	7	3		17	17	22.2	11.5	10	6	4	1	0
J	15.9	2.3	1.2	21.6	29	−8.0	16	6.8	15	11.0	14	0	16	1	0	15	9	4				4.8	2.9	21	4	2	0	0
J	15.9	3.1	2.2	22.6	28	−4.0	19	6.2	4	13.4	3	0	18	4	0	12	8	3				18.6	5.9	30	7	5	0	0
A	16.5	0.9	−1.0	26.8	30	−6.5	26	6.7	20	10.8	14	0	17	2	0	19	14	5				16.3	6.6	20	6	4	0	0
S	22.1	2.0	−0.4	30.6	24	−6.9	7	12.9	6	9.7	19	1	6	0	0	15	9	4			22	1.1	1.0	10	2	1	0	0
O	23.5	6.6	−0.3	31.5	12	−1.9	2	11.6	23	14.8	13	1	6	0	0	8	2	0		2		43.9	27.3	7	6	4	1	1
N	26.3	8.3	−0.3	34.9	24	0.9	17	15.4	2	17.8	25	6	3	0	0	2	0	0	17			10.1	7.2	19	5	2	0	0
D	29.5	11.1	0.2	36.6	31	5.9	22	21.1	13	19.2	9	14	0	0	0	0	0	0				21.8	14.1	1	7	4	1	0
A	22.9	7.0	0.3	36.6	–	−8.0	–	6.2	–	19.2	–	58	86	9	0	84	49	19				344.5	30.2	–	81	53	9	2
146/365 PLATEAU CAMP – IRR												Ø 31° 5'S			λ 25°43'E				H 1582 M			HT 1.2 M			HR 1.2 M			
J	28.0	13.2	–	30.8	17	6.7	22	21.1	21	18.5	18	6	0	0	0	0	0	0				83.9	26.5	9	12	10	3	1
F	26.0	13.4	–	31.4	3	8.9	28	21.9	16	17.8	26	1	0	0	0	0	0	0				85.9	25.8	6	10	7	3	2
M	27.9	13.1	–	32.1	9	7.4	27	17.4	23	18.3	17	6	1	0	0	0	0	0				51.3	26.7	23	8	6	1	1
A	20.5	8.1	–	25.6	29	4.7	6	13.9	5	12.4	30	0	5	0	0	0	0	0				88.7	20.5	7	9	9	4	0
M	15.4	4.3	–	20.6	9	−3.2	21	7.1	20	11.5	1	0	22	3	0	10	2	1	16	17	21	27.5	13.9	10	6	4	1	0
J	13.9	2.2	–	18.7	29	−4.0	16	4.8	15	6.5	14	0	27	5	0	13	6	3				11.9	4.1	21	4	3	0	0
J	13.8	1.9	–	19.5	28	−3.3	18	7.5	10	7.2	30	0	27	7	0	20	5	1				35.7	26.9	30	7	4	1	1
A	14.8	1.4	–	24.8	30	−3.4	26	7.6	3	7.6	30	0	22	5	0	22	12	2			26	9.9	3.3	7	4	4	0	0
S	20.8	5.1	–	28.1	24	−2.4	7	11.1	6	11.3	24	0	8	0	0	7	1	0				0.4	0.4	10	1	0	0	0
O	21.9	7.3	–	29.3	12	−0.5	24	10.2	23	14.0	14	0	5	0	0	5	1	0		24		76.6	35.1	7	8	4	2	2
N	25.1	9.1	–	32.6	24	1.8	16	16.9	2	16.3	25	4	2	0	0	2	0	0	16			11.5	6.6	19	3	3	0	0
D	27.8	11.2	–	35.1	31	6.3	14	20.6	2	17.2	9	10	0	0	0	0	0	0				34.4	24.5	1	5	4	1	0
A	21.3	7.5	–	35.1	–	−4.0	–	4.8	–	18.5	–	27	119	20	0	79	27	7				517.7	35.1	–	77	58	16	7

* T̄m = 1/2 (T̄x + T̄n); Waar/Where xx Laatste datum verwys na vorige maand / Last date refers to previous month

TY 4 / 198

MAAND / MONTH	Daelikse maksimum / Daily maximum Tx	Daelikse minimum / Daily minimum Tn	Tm* − normale Tm / Tm* − longterm Tm ΔTm	Volstrekte maksimum / Absolute maximum Txx	Datum / Date	Volstrekte minimum / Absolute minimum Tnn	Datum / Date	Laagste maksimum / Lowest maximum Txn	Datum / Date	Hoogste minimum / Highest minimum Tnx	Datum / Date	Maks. > 30,0	Maks. < 17,5	Maks. < 10,0	Min. > 20,0	Min. < +2,5	Min. < 0,0	Min. < −2,5	Ryp / Frost < +2,5	Ryp / Frost < 0,0	Ryp / Frost < −2,5	Maand- en jaartotale / Monthly and annual totals	Maksimum in 24 uur / Maximum in 24 hours Rx	Datum / Date	≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
	UITERSTE TEMPERATURE − °C − EXTREME TEMPERATURES: Gemiddeldes van / Averages of											Aantal dae met / Number of days with: Maksimum / Maximum			Minimum / Minimum				Vroegste en laatste datums / First and last dates			NEERSLAG − mm − PRECIPITATION			Aantal dae met hoeveelhede / Number of days with amounts			
148/810 WILLOW PARK				Ø 31°30'S				λ 26°57'E				H 1485 M				HT 1.2 M				HR 1.2 M								
J	26.6	13.3	-	30.4	18	8.8	1	16.6	21	17.7	10	3	1	0	0	0	0	0				35.8	12.0	19	14	8	1	0
F	25.2	13.1	-	31.9	14	9.6	17	16.2	16	16.6	25	2	1	0	0	0	0	0				76.1	33.4	21	13	9	3	1
M	25.1	11.7	-	31.6	9	7.0	27	16.3	23	15.7	14	5	2	0	0	0	0	0				80.9	24.5	29	14	11	4	0
A	21.2	9.1	-	26.2	29	4.0	17	13.2	6	16.0	28	0	4	0	0	0	0	0				82.5	25.0	2	8	8	3	0
M	16.2	5.1	-	22.0	9	-5.0	21	6.7	20	13.0	1	0	16	2	0	9	4	1	13	17	21	35.9	14.5	11	10	9	1	0
J	15.7	4.3	-	20.4	29	-7.2	16	6.5	15	12.0	30	0	16	3	0	7	4	2				4.5	1.5	24	5	3	0	0
J	14.5	4.4	-	20.7	29	-2.5	18	3.2	4	11.6	29	0	22	8	0	9	4	0				52.0	36.5	30	9	7	1	1
A	15.9	2.4	-	25.9	30	-6.0	26	6.0	20	14.9	31	0	17	5	0	17	5	2				15.0	6.0	21	5	5	0	0
S	20.3	4.0	-	29.3	24	-4.0	8	5.6	28	11.7	19	0	8	1	0	8	4	3			22	10.5	4.0	29	5	4	0	0
O	22.1	7.3	-	31.2	12	-2.1	2	4.6	23	15.6	14	1	6	1	0	8	2	0		2		70.1	27.0	28	11	8	1	1
N	24.0	9.0	-	32.8	24	1.2	9	6.7	2	17.2	19	5	5	1	0	2	0	0	21			22.5	8.0	7	9	7	0	0
D	26.1	11.3	-	33.0	8	5.7	14	18.0	10	18.6	9	6	0	0	0	0	0	0				69.8	32.0	13	10	6	3	1
A	21.1	7.9	-	33.0	-	-7.2	-	3.2	-	18.6	-	22	98	21	0	60	23	8				555.6	36.5	-	113	85	17	4
170/ 9B DE AAR - AGR*****				Ø 30°39'S				λ 24° 1'E				H 1241 M				HT 1.2 M				HR 1.2 M								
J	32.5	16.5	1.0	36.0	17	10.2	22	28.0	25	21.4	28	28	0	0	4	0	0	0				29.0	20.0	24	8	6	1	0
F	30.0	16.2	0.0	35.9	3	10.0	28	25.0	28	20.2	26	14	0	0	2	0	0	0				58.7	15.0	20	10	10	2	0
M	29.9	13.8	0.6	34.9	16	8.1	26	24.6	31	18.9	18	14	0	0	0	0	0	0				24.4	11.0	23	7	6	1	0
A	24.5	8.8	0.7	30.0	29	4.7	6	17.0	5	16.4	1	0	3	0	0	0	0	0				46.8	12.7	23	10	8	2	0
M	19.4	5.1	0.8	25.0	9	-1.9	21	11.6	20	14.5	1	0	9	0	0	7	3	0	16	17		27.6	19.0	10	5	4	1	0
J	17.0	3.5	1.8	22.5	29	-4.1	18	8.5	15	8.9	5	0	14	1	0	11	6	2			16	21.3	16.0	5	5	4	1	0
J	-	3.6	-	-	-	-2.5	19	-	-	11.2	8	-	-	-	0	13	4	0				24.5	6.5	29	6	5	0	0
A	-	1.4	-	-	-	-3.3	27	-	-	9.1	14	-	-	-	0	21	10	1			27	18.5	9.6	21	4	4	0	0
S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		(7)		-	-	-	-	-	-	-
O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(1)			-	-	-	-	-	-	-
N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-
D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-
172/877 HENDRIK VERWOERDDAM - IRR				Ø 30°37'S				λ 25°30'E				H 1321 M				HT 1.2 M				HR 1.2 M								
J	31.1	16.5	-	35.6	5	11.0	22	24.4	21	20.0	28	22	0	0	0	0	0	0				50.5	9.5	19	10	9	0	0
F	28.7	16.6	-	37.0	2	13.2	28	22.0	5	21.0	26	9	0	0	2	0	0	0				77.9	27.5	6	9	8	2	2
M	29.0	15.8	-	34.8	9	10.5	27	21.1	31	20.5	17	16	0	0	1	0	0	0				49.3	14.0	23	7	6	3	0
A	22.9	11.8	-	28.2	29	6.8	6	15.6	14	18.0	22	0	3	0	0	0	0	0				98.2	40.0	3	8	7	4	1
M	17.6	7.5	-	23.4	9	1.1	21	9.0	20	14.7	1	0	14	2	0	1	0	0	21			40.7	21.8	2	3	3	1	0
J	16.4	6.6	-	21.1	29	-1.7	16	8.0	15	12.7	13	0	16	3	0	4	2	0		16		6.5	6.5	6	1	1	0	0
J	16.2	5.2	-	22.2	28	-0.7	18	8.8	30	12.4	1	0	16	2	0	2	1	0		18		21.7	15.5	30	3	3	1	0
A	17.6	4.1	-	27.5	30	0.2	22	10.0	21	11.2	31	0	14	0	0	8	0	0				4.7	3.6	22	2	2	0	0
S	23.6	8.6	-	30.6	24	1.2	7	15.6	29	14.5	14	1	3	0	0	1	0	0	7			0.6	0.6	10	1	0	0	0
O	25.6	11.5	-	32.0	12	3.0	24	12.4	23	16.6	22	3	1	0	0	0	0	0				101.0	57.0	7	7	6	2	2
N	27.9	12.9	-	35.0	24	4.5	18	19.8	16	21.5	25	9	0	0	2	0	0	0				17.5	17.5	20	1	1	1	0
D	31.2	14.4	-	37.8	31	10.5	6	24.0	2	20.6	31	20	0	0	1	0	0	0				55.5	52.0	19	2	2	1	1
A	24.0	11.0	-	37.8	-	-1.7	-	8.0	-	21.5	-	80	67	7	6	16	3	0				524.1	57.0	-	54	48	15	6
173/462 OVISTON - IRR				Ø 30°42'S				λ 25°46'E				H 1294 M				HT 1.2 M				HR 1.2 M								
J	30.4	15.4	-	34.0	18	9.7	22	22.5	25	18.3	30	19	0	0	0	0	0	0				74.4	16.5	10	11	11	4	0
F	28.3	15.2	-	32.2	3	9.8	28	22.3	5	19.9	26	8	0	0	0	0	0	0				76.3	35.7	6	10	7	3	2
M	28.5	13.7	-	34.1	9	8.7	27	21.4	31	19.7	14	11	0	0	0	0	0	0				58.9	31.0	23	10	8	2	1
A	22.4	8.8	-	27.7	29	4.9	17	16.0	14	15.3	1	0	3	0	0	0	0	0				77.1	17.0	4	10	-	5	0
M	17.5	4.6	-	23.0	9	-2.2	21	10.2	20	11.0	1	0	14	0	0	8	3	0	16	17		25.8	8.5	2	5	4	0	0
J	16.0	2.1	-	21.0	29	-5.0	16	7.6	15	10.4	14	0	18	2	0	15	8	4			16	8.0	7.0	16	4	1	0	0
J	16.2	1.7	-	21.0	28	-4.6	18	9.1	10	6.4	1	0	18	1	0	18	7	2				15.4	10.0	30	3	2	1	0
A	17.1	1.1	-	25.6	30	-4.1	27	9.0	21	3.9	29	0	16	2	0	21	6	2			27	6.0	4.0	22	3	2	0	0
S	23.3	4.6	-	30.0	24	-1.9	7	16.2	6	9.6	24	0	3	0	0	8	4	0		9		0.0	0.0	-	0	0	0	0
O	24.1	9.0	-	31.7	12	0.9	1	13.6	23	15.2	14	1	2	0	0	2	0	0	24			76.4	42.3	7	6	5	2	2
N	27.7	11.5	-	33.4	24	4.6	8	21.0	2	18.4	25	9	0	0	0	0	0	0				9.0	9.0	22	1	1	0	0
D	30.5	13.6	-	40.0	31	7.3	14	24.0	2	20.6	31	14	0	0	1	0	0	0				19.9	11.0	19	3	2	1	0
A	23.5	8.4	-	40.0	-	-5.0	-	7.6	-	20.6	-	62	74	5	1	72	28	8				447.2	42.3	-	66	-	18	5
174/600A BURGERSDORP - MUN				Ø 31° 0'S				λ 26°20'E				H 1481 M				HT 1.2 M				HR 1.2 M								
J	28.9	15.0	-	32.0	17	9.5	22	21.7	25	19.6	18	12	0	0	0	0	0	0				101.8	28.0	25	10	10	4	1
F	27.3	14.7	-	31.6	3	9.0	28	23.7	16	19.5	26	3	0	0	0	0	0	0				100.5	29.5	15	13	10	3	2
M	27.5	12.6	-	32.6	9	8.4	27	18.3	23	17.0	25	8	0	0	0	0	0	0				89.2	69.0	23	9	6	1	1
A	21.5	7.6	-	27.0	29	4.5	17	15.6	5	13.5	1	0	4	0	0	0	0	0				79.2	15.5	1	8	8	4	0
M	16.6	3.3	-	21.4	10	-4.1	21	9.3	20	13.0	1	0	18	2	0	13	4	2	6	17	17	32.9	11.5	10	7	5	1	0
J	12.1	1.3	-	20.5	29	-6.5	16	6.9	15	7.9	14	0	21	4	0	16	11	5				3.0	3.0	5	1	1	0	0
J	15.2	1.1	-	20.1	27	-6.0	19	7.5	10	8.8	1	0	19	3	0	20	12	5				24.5	16.5	30	5	4	1	0
A	16.1	0.0	-	26.3	30	-4.9	27	7.0	22	8.9	14	0	17	4	0	26	18	5				11.7	3.6	20	5	5	0	0
S	22.5	3.7	-	29.5	24	-3.7	7	14.0	6	13.3	19	0	3	0	0	11	4	2			7	0.0	0.0	-	0	0	0	0
O	23.7	7.3	-	30.6	12	-1.4	1	11.6	23	15.6	14	1	3	0	0	4	1	0	24	1		39.7	22.5	7	6	4	2	0
N	27.0	10.6	-	33.2	25	4.0	17	18.0	2	18.6	25	7	0	0	0	0	0	0				7.5	4.6	19	3	2	0	0
D	29.2	12.6	-	35.2	31	3.9	10	21.6	2	19.5	29	13	0	0	0	0	0	0				27.6	13.0	18	4	3	2	0
A	22.3	7.5	-	35.2	-	-6.5	-	6.9	-	19.6	-	44	85	13	0	90	50	19				517.6	69.0	-	71	58	18	4

* $\bar{T}m = 1/2\ (\bar{T}x + \bar{T}n)$;   Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.   TV 4 / 198

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

TABEL I

TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM	DAELIKSE MINIMUM / DAILY MINIMUM	Tm* – NORMALE Tm / Tm* – LONGTERM Tm	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM 30,0 ≥	17,5 ≥	10,0 ≥	MINIMUM / MINIMUM 20,0 ≥	+2,5 ≥	0,0 ≥	−2,5 ≥	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES +2,5 ≤	0,0 ≤	−2,5 ≤	NEERSLAG – mm – / PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS 0,1 ≥	1,0 ≥	10,0 ≥	25,0 ≥
	Tx	Tn	ΔTm	Txx		Tnn		Txn		Tnk												Rx						
175/371	**ALTWAL NORTH – TNK *****											**ø 30°41'S**			**λ 26°43'E**				**H 1310 M**			**HT 1.2 M**			**HR 1.2 M**			
J	30.7	15.2	–	33.7	18	11.0	22	24.2	25	19.5	5	22	0	0	0	0	0	0				91.5	19.6	25	13	10	5	0
F	29.3	14.9	–	33.0	14	10.8	28	26.0	7	18.6	26	11	0	0	0	0	0	0				86.2	32.5	10	10	8	2	2
M	29.4	13.3	–	34.0	9	9.3	27	18.5	23	18.1	25	15	0	0	0	0	0	0				52.9	27.0	23	11	7	1	1
A	23.6	8.1	–	28.8	29	5.6	7	17.6	4	14.0	1	0	0	0	0	0	0	0				85.8	19.2	4	9	9	3	0
M	18.7	4.0	–	24.3	9	−1.8	22	11.1	23	12.6	1	0	9	0	0	8	4	0	18	18		68.3	24.8	3	9	8	3	0
J	17.7	1.6	–	22.1	29	−6.8	18	10.0	15	9.0	30	0	11	0	0	19	8	5			16	4.8	3.2	6	3	1	0	0
J	17.4	1.3	–	22.5	28	−5.4	19	8.5	10	11.0	1	0	12	1	0	18	11	3				33.1	23.5	30	5	3	1	0
A	18.8	1.0	–	28.1	31	−3.8	27	8.4	22	9.5	14	0	10	1	0	20	14	1				6.2	3.7	22	4	3	0	0
S	24.4	4.3	–	30.5	24	−3.2	6	16.0	8	14.0	25	1	1	0	0	10	3	1			6	0.0	0.0	–	0	0	0	0
O	24.9	7.9	–	30.7	12	−0.7	1	11.8	23	17.5	13	4	1	0	0	3	1	0	24	2		39.3	25.5	7	6	6	1	1
N	27.7	10.6	–	34.0	25	3.9	9	19.8	16	17.0	25	8	0	0	0	0	0	0				26.6	17.5	19	8	5	1	0
D	30.0	12.4	–	35.4	26	7.7	14	20.9	2	18.6	9	16	0	0	0	0	0	0				43.3	11.3	19	9	7	1	0
A	24.4	7.9	–	35.4	–	−6.8	–	8.4	–	19.5	–	77	44	2	0	78	41	10				538.0	32.5	–	87	67	18	4
178/689	**SHEEPRUN**											**ø 30°59'S**			**λ 28°23'E**				**H 1213 M**			**HT 1.2 M**			**HR 1.2 M**			
J	26.1	14.5	–	34.3	5	9.1	1	16.0	21	18.4	14	6	2	0	0	0	0	0				168.8	37.5	19	19	17	7	2
F	25.1	13.6	–	33.2	14	10.9	26	17.0	16	17.8	15	4	1	0	0	0	0	0				76.3	37.5	15	16	8	2	1
M	25.6	13.8	–	34.0	9	10.4	29	15.5	26	19.4	10	6	2	0	0	0	0	0				79.1	24.7	4	19	15	1	0
A	22.7	9.6	–	28.9	27	4.4	10	16.6	11	15.5	23	0	4	0	0	0	0	0				55.6	13.0	3	10	6	3	0
M	18.9	4.4	–	25.3	10	−3.2	21	9.5	20	15.0	1	0	11	1	0	6	5	3	17	17	17	78.4	32.5	1	12	8	3	1
J	18.4	1.3	–	23.3	9	−7.5	18	8.2	25	13.4	30	0	9	1	0	20	10	3				2.9	1.5	24	3	1	0	0
J	17.7	1.6	–	23.4	2	−5.3	19	6.3	4	10.6	16	0	13	3	0	17	8	4				33.8	18.0	4	8	6	1	0
A	18.5	2.2	–	29.0	31	−3.5	12	5.7	20	12.2	31	0	12	2	0	16	8	3		27	26	55.7	40.7	20	3	3	1	1
S	20.0	6.7	–	29.7	24	3.4	7	8.8	30	10.0	20	0	10	2	0	0	0	0				17.7	5.8	29	8	7	0	0
O	22.0	8.5	–	28.7	20	1.9	1	8.0	23	14.1	14	0	6	1	0	3	0	0	24			153.7	38.4	8	12	10	6	3
N	22.9	10.8	–	31.5	26	4.5	8	11.0	2	16.3	30	2	6	0	0	0	0	0				64.1	21.5	19	19	11	2	0
D	24.7	12.5	–	32.8	31	8.0	29	16.0	1	18.3	29	6	2	0	0	0	0	0				103.2	34.0	29	16	12	3	1
A	21.9	8.3	–	34.3	–	−7.5	–	5.7	–	19.4	–	24	78	10	0	62	31	13				889.3	40.7	–	145	104	29	9
180/721	**KOKSTAD – AGR**											**ø 30°31'S**			**λ 29°25'E**				**H 1372 M**			**HT 1.2 M**			**HR 1.2 M**			
J	24.6	12.8	–	31.5	15	8.4	1	13.5	3	16.1	19	3	2	0	0	0	0	0				122.2	43.5	19	18	14	4	1
F	23.5	12.3	–	31.0	14	9.2	8	16.4	16	16.2	15	1	1	0	0	0	0	0				86.5	35.0	15	12	9	3	2
M	23.9	12.5	–	27.9	9	8.1	31	16.0	26	17.3	10	0	1	0	0	0	0	0				35.0	10.0	22	14	6	1	0
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				31.6	–	–	–	–	–	–
M	18.6	4.8	–	24.3	9	−2.9	21	8.5	16	14.5	1	0	11	2	0	7	3	1	16	17	21	35.5	13.5	11	12	5	2	0
J	18.2	1.5	–	22.3	30	−5.3	18	7.0	25	7.5	30	0	6	3	0	–	5	4				2.5	2.0	24	3	1	0	0
J	17.7	1.4	–	21.4	1	−3.6	18	6.0	31	–	–	0	–	–	0	–	6	1				57.3	26.5	3	5	5	2	1
A	18.7	2.5	–	28.6	31	−2.7	1	9.6	20	9.4	31	0	13	1	0	19	8	1		28	1	47.5	26.1	20	3	3	2	1
S	20.3	6.6	–	29.8	24	2.6	7	8.2	29	9.4	19	0	10	2	0	0	0	0				11.0	3.0	29	8	5	0	0
O	21.6	7.9	–	29.0	14	0.4	23	7.5	23	12.8	13	0	7	1	0	4	0	0	25			118.6	24.5	28	13	12	4	0
N	22.1	9.4	–	30.1	26	5.1	3	9.8	2	13.8	25	1	4	1	0	0	0	0				96.3	37.5	14	16	9	3	1
D	23.6	11.4	–	32.8	31	6.9	22	14.2	21	15.2	9	4	3	0	0	0	0	0				89.5	26.0	9	17	10	3	1
A	–	–	–	32.8	–	−5.3	–	6.0	–	17.3	–	–	–	–	–	–	–	–				733.5	43.5	–	–	–	–	–
180/722A	**KOKSTAD – TNK**											**ø 30°32'S**			**λ 29°25'E**				**H 1278 M**			**HT 1.2 M**			**HR 1.2 M**			
J	25.4	13.6	–	33.3	15	9.2	2	14.4	21	16.6	10	4	2	0	0	0	0	0				90.4	16.6	9	16	12	4	0
F	25.0	12.7	–	32.4	14	9.6	13	16.0	16	16.3	27	3	1	0	0	0	0	0				53.7	24.3	15	13	8	2	0
M	25.4	13.1	–	34.0	9	8.0	29	16.9	26	18.0	10	6	1	0	0	0	0	0				31.8	6.8	14	14	10	0	0
A	23.5	8.6	–	29.8	28	3.0	26	16.9	4	13.8	3	0	1	0	0	0	0	0				34.8	15.6	4	7	5	1	0
M	18.8	3.7	–	25.2	9	−4.6	21	8.8	20	12.5	1	0	11	2	0	10	6	4	6	17	18	32.9	11.0	1	9	5	2	0
J	18.9	−0.4	–	23.1	30	−7.8	16	7.5	25	6.5	20	0	6	2	0	25	12	6				1.7	1.7	24	1	1	0	0
J	17.7	0.6	–	23.4	2	−5.2	18	7.1	31	6.8	10	0	11	3	0	25	11	4			21	45.7	23.2	4	4	4	2	0
A	19.3	1.3	–	29.2	31	−2.5	1	9.3	20	9.0	18	0	11	1	0	21	12	0		28		40.2	23.5	20	3	3	2	0
S	20.5	6.0	–	30.7	24	2.0	10	10.0	30	10.2	28	1	11	0	0	1	0	0				4.2	1.2	29	6	3	0	0
O	22.5	8.2	–	30.0	22	0.4	23	5.3	23	13.9	12	0	6	1	0	3	0	0	25			124.8	32.4	28	12	11	4	2
N	23.1	10.0	–	31.6	26	5.8	8	10.7	2	14.4	20	2	4	0	0	0	0	0				68.8	19.0	26	11	9	3	0
D	24.4	11.9	–	33.8	31	8.5	6	15.3	2	16.6	27	4	2	0	0	0	0	0				98.2	36.8	9	9	8	3	1
A	22.0	7.4	–	34.0	–	−7.8	–	5.3	–	18.0	–	20	67	9	0	85	41	14				627.2	36.8	–	105	79	23	3
182/379	**PADDOCK**											**ø 30°49'S**			**λ 30°13'E**				**H 514 M**			**HT 1.2 M**			**HR 1.2 M**			
J	24.3	17.1	–	30.4	13	12.6	1	17.0	3	23.0	19	2	2	0	1	0	0	0				158.9	54.5	24	18	15	6	1
F	25.0	16.8	–	29.9	14	14.0	19	18.0	16	19.2	15	0	0	0	0	0	0	0				81.6	39.4	15	14	12	1	1
M	25.6	17.7	–	32.6	14	14.3	27	17.8	26	22.6	14	2	0	0	3	0	0	0				104.7	24.1	26	19	15	4	0
A	23.8	15.2	–	33.1	30	12.5	7	18.0	11	19.0	23	1	0	0	0	0	0	0				94.3	56.0	4	12	5	2	1
M	21.7	12.6	–	28.7	10	6.4	21	13.5	16	18.3	1	0	5	0	0	0	0	0				107.9	46.0	11	12	8	4	1
J	21.3	10.7	–	29.1	30	4.0	18	12.5	25	14.0	13	0	4	0	0	0	0	0				0.3	0.1	24	3	0	0	0
J	20.9	10.6	–	28.0	1	6.4	14	11.3	4	17.5	1	0	4	0	0	0	0	0				86.4	52.0	4	6	5	3	1
A	20.4	9.9	–	29.9	29	6.2	1	14.2	26	14.0	3	0	6	0	0	0	0	0				141.8	86.0	20	7	3	3	2
S	19.1	11.9	–	30.0	13	8.4	7	11.1	29	14.7	14	0	10	0	0	0	0	0				54.9	13.4	27	15	11	2	0
O	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				239.0	74.1	7	14	9	4	3
N	22.6	13.6	–	27.0	5	8.9	9	12.3	2	17.4	24	0	5	0	0	0	0	0				96.9	22.5	27	21	16	1	0
D	23.5	15.7	–	31.3	31	12.5	7	16.6	1	20.1	31	2	3	0	1	0	0	0				184.9	61.0	2	21	14	8	2
A	–	–	–	–	–	4.0	–	11.1	–	–	–	–	–	–	–	–	–	–				1351.6	86.0	–	162	113	38	12

* Tm = 1/2 (Tx + Tn); Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 – 198

*** Stasie verskuif; kyk na bl. XXI / Station shifted; see p. XXI

TABEL I

TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM (Tx)	DAELIKSE MINIMUM / DAILY MINIMUM (Tn)	$\bar{T}m$* – NORMALE $\bar{T}m$ / $\bar{T}m$* – LONGTERM $\bar{T}m$ (Δ$\bar{T}m$)	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM (Txx)	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM (Tnn)	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM (Txn)	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM (Tnx)	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥30,0	≥17,5	≤10,0	MINIMUM / MINIMUM ≥20,0	≤+2,5	≤0,0	≤−2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES ≤+2,5	≤0,0	≤−2,5	NEERSLAG – mm – / PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS (Rx)	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥0,1	≥1,0	≥10,0	≥25,0
182/794A	**PORT SHEPSTONE – VRT**											**Ø 30°44'S**			**λ 30°27'E**				**H 17 M**			**HT 1.2 M**			**HR 1.2 M**			
J	25.3	20.5	−0.2	27.6	20	16.8	22	21.0	3	24.0	19	0	0	0	19	0	0	0				120.1	20.0	24	14	10	5	0
F	25.8	20.3	−0.4	27.7	15	17.0	19	21.5	16	23.2	14	0	0	0	15	0	0	0				105.4	23.8	1	12	12	3	0
M	26.1	20.9	0.9	28.5	8	17.4	27	22.0	26	25.3	8	0	0	0	22	0	0	0				105.5	19.7	10	15	12	4	0
A	24.7	18.5	0.7	28.4	30	15.6	12	20.2	11	20.7	29	0	0	0	1	0	0	0				64.3	44.7	3	9	8	1	1
M	22.6	15.1	0.0	28.3	10	9.6	18	18.0	28	22.3	1	0	0	0	1	0	0	0				191.6	50.0	27	9	8	6	4
J	21.6	12.6	0.0	27.4	30	7.1	18	16.9	17	16.0	20	0	2	0	0	0	0	0				0.9	0.9	20	1	0	0	0
J	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				133.3	63.6	4	5	5	5	2
A	20.8	12.6	−0.4	24.4	3	8.8	2	17.5	26	17.0	19	0	0	0	0	0	0	0				238.1	172.1	20	4	3	2	2
S	20.5	15.5	−0.3	24.2	19	11.1	10	15.8	29	18.5	14	0	3	0	0	0	0	0				50.2	10.9	29	16	9	2	0
O	22.1	16.6	−0.3	25.1	3	11.5	24	15.4	23	20.3	13	0	1	0	1	0	0	0				132.9	44.9	9	10	8	4	3
N	22.7	17.3	−0.9	26.0	30	13.4	3	17.6	2	21.2	25	0	0	0	5	0	0	0				112.7	24.8	4	19	18	3	0
D	24.7	19.3	−0.1	29.0	30	16.7	7	21.3	2	22.2	29	0	0	0	9	0	0	0				94.0	20.2	2	15	14	4	0
A	–	–	–	29.0	–	–	–	–	–	25.3	–	–	–	–	–	–	–	–				1349.0	172.1	–	129	107	39	12
190/868	**BRANDVLEI – POL**											**Ø 30°28'S**			**λ 20°29'E**				**H 914 M**			**HT 1.2 M**			**HR 1.2 M**			
J	33.9	15.8	–	38.0	8	9.0	21	26.5	20	23.0	28	27	0	0	4	0	0	0				21.0	14.0	9	–	3	1	0
F	33.6	17.6	–	37.5	13	9.3	27	26.5	10	23.4	24	25	0	0	5	0	0	0				38.5	34.5	8	–	2	1	1
M	30.9	13.9	–	36.5	13	7.0	26	22.5	25	18.5	14	20	0	0	0	0	0	0				35.0	18.0	14	–	5	1	0
A	26.7	9.1	–	33.0	29	5.0	13	19.3	1	16.0	1	7	0	0	0	0	0	0				8.0	5.0	1	–	2	0	0
M	22.4	5.4	–	29.9	9	0.5	20	14.5	20	13.5	10	0	5	0	0	7	0	0	5			16.0	16.0	10	–	1	1	0
J	19.4	2.7	–	25.2	9	−2.9	17	10.0	15	10.5	5	0	9	0	0	13	8	1		16	17	0.0	0.0	–	–	0	0	0
J	18.1	2.5	–	27.0	28	−1.1	17	9.5	9	8.5	29	0	13	1	0	19	3	0			17	26.5	13.0	8	–	3	1	0
A	17.7	1.4	–	26.5	29	−2.0	27	10.5	19	5.1	13	0	16	0	0	24	5	0			**	5.0	5.0	2	–	1	0	0
S	23.6	4.3	–	33.9	23	−1.0	7	15.0	6	10.2	19	2	3	0	0	10	1	0	29	7		0.0	0.0	–	–	0	0	0
O	27.2	8.2	–	35.4	31	2.5	1	15.9	22	17.0	28	11	1	0	0	0	0	0				0.0	0.0	–	–	0	0	0
N	29.6	11.6	–	37.5	23	7.0	7	20.5	15	19.2	26	13	0	0	0	0	0	0				0.0	0.0	–	–	0	0	0
D	32.5	14.6	–	39.2	27	9.5	6	24.5	5	20.5	18	21	0	0	2	0	0	0				0.0	0.0	–	–	0	0	0
A	26.3	8.9	–	39.2	–	−2.9	–	9.5	–	23.4	–	126	47	1	11	73	17	1				150.0	34.5	–	–	17	5	1
193/561	**VANWYKSVLEI*** **											**Ø 30°21'S**			**λ 21°49'E**				**H 962 M**			**HT 1.2 M**			**HR 1.2 M**			
J	33.8	17.7	–	37.7	18	12.3	11	27.7	9	22.4	26	28	0	0	5	0	0	0				21.5	13.0	26	3	3	1	0
F	32.9	18.4	–	37.0	3	11.7	11	26.5	10	23.3	3	25	0	0	9	0	0	0				16.0	6.5	6	7	6	0	0
M	31.3	15.3	–	35.4	9	7.2	26	24.3	26	21.5	17	24	0	0	2	0	0	0				22.6	10.0	17	5	5	1	0
A	26.7	9.8	–	32.7	21	4.3	16	20.0	1	17.3	22	6	0	0	0	0	0	0				3.1	1.9	1	2	2	0	0
M	21.9	6.2	–	27.5	9	0.6	21	14.0	20	12.7	10	0	5	0	0	4	0	0	17			16.6	16.5	10	2	1	1	0
J	18.7	4.6	–	24.0	9	−2.6	18	10.0	15	10.9	21	0	10	0	0	8	3	1		16	18	15.0	7.0	19	4	4	0	0
J	18.0	3.4	–	25.5	28	−2.9	17	10.6	10	12.7	7	0	12	0	0	13	6	1				12.4	7.0	9	6	3	0	0
A	18.0	1.7	–	27.0	30	−2.9	27	11.0	21	9.5	14	0	15	0	0	19	8	1			27	5.5	4.0	20	2	2	0	0
S	24.2	5.7	–	33.4	23	−0.6	7	16.2	6	12.4	19	2	2	0	0	6	1	0	8	7		0.0	0.0	–	0	0	0	0
O	26.9	9.6	–	35.0	12	2.9	1	13.0	14	18.5	13	10	1	0	0	0	0	0				22.6	11.5	7	4	3	1	0
N	30.0	13.5	–	38.0	24	7.3	8	23.0	15	22.5	10	13	0	0	2	0	0	0				0.3	0.3	19	1	0	0	0
D	32.8	16.1	–	40.3	28	11.2	12	26.5	5	22.9	28	23	0	0	5	0	0	0				11.0	6.5	2	2	2	0	0
A	26.3	10.2	–	40.3	–	−2.9	–	10.0	–	23.3	–	131	45	0	23	50	18	3				146.6	16.5	–	38	31	4	0
204/819	**MOHALESHOEK – LESOTHO**											**Ø 30° 9'S**			**λ 27°28'E**				**H 1600 M**			**HT 1.2 M**			**HR 1.2 M**			
J	28.9	13.0	–	31.2	4	10.5	28	23.0	10	16.6	2	3	0	0	0	0	0	0				58.4	27.5	8	–	5	3	1
F	29.1	12.4	–	32.9	25	10.0	10	19.0	9	15.0	14	3	0	0	0	0	0	0				128.4	60.0	6	–	6	3	2
M	29.5	12.2	–	32.0	7	10.0	9	27.0	31	14.0	8	4	0	0	0	0	0	0				71.0	21.0	9	–	5	4	0
A	27.9	8.5	–	29.5	5	6.2	5	25.3	30	11.0	1	0	0	0	0	0	0	0				56.0	20.0	11	–	4	2	0
M	19.7	3.1	–	24.5	1	−0.2	21	15.5	31	8.7	4	0	3	0	0	14	1	0	10	21		0.0	0.0	–	–	0	0	0
J	14.9	–	–	19.2	8	–	–	9.5	16	–	–	0	25	1	–	–	–	–			(17)	0.0	0.0	–	–	0	0	0
J	16.3	0.5	–	20.0	28	−3.2	1	13.5	9	5.5	28	0	19	0	0	25	13	3				21.6	7.0	4	–	4	0	0
A	19.7	3.5	–	21.6	16	−2.7	1	15.0	5	8.4	17	0	3	0	0	6	2	1		23	1	11.1	6.8	22	–	2	0	0
S	23.3	7.9	–	29.0	24	1.2	7	17.6	8	16.0	24	0	0	0	0	1	0	0				3.0	3.0	10	–	1	0	0
O	(24.6)	9.0	–	–	–	15.4	24	–	–	18.2	13	–	–	–	0	2	0	0	24			37.6	16.0	7	–	5	2	0
N	26.2	11.6	–	31.0	27	2.6	8	21.2	11	19.0	25	1	0	0	0	0	0	0				38.1	12.5	6	–	5	1	0
D	28.7	12.3	–	33.0	26	6.8	14	24.0	19	18.2	27	5	0	0	0	0	0	0				89.0	19.3	29	–	7	5	0
A	(24.1)	–	–	–	–	–	–	9.5	–	19.0	–	–	–	–	–	–	–	–				514.2	60.0	–	–	44	20	3
205/385	**QUTHING – LESOTHO**											**Ø 30°25'S**			**λ 27°43'E**				**H 1737 M**			**HT 1.2 M**			**HR 1.2 M**			
J	(27.6 | 14.2)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				102.0	20.3	19	–	11	3	0
F	26.1	13.1	–	29.5	14	11.5	17	20.4	7	16.5	15	0	0	0	0	0	0	0				98.3	25.0	16	–	9	5	1
M	26.0	12.3	–	32.0	9	9.0	1	17.6	25	15.5	17	5	0	0	0	0	0	0				108.3	42.5	23	–	10	3	1
A	(20.9)	(8.5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				129.4	33.5	1	–	9	5	2
M	16.9	3.9	–	23.5	14	−1.5	17	11.5	11	8.5	2	0	20	0	0	10	4	0	16	17		53.5	19.0	1	–	5	2	0
J	16.6	2.4	–	19.6	29	−5.5	16	10.2	15	8.5	30	0	–	0	0	10	4	2			16	0.0	0.0	–	–	0	0	0
J	15.0	2.1	–	19.2	3	−3.5	18	7.5	10	9.5	1	0	23	3	0	16	5	1			(18)	19.0	6.5	4	–	4	0	0
A	(17.3)	(1.6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		(27)		26.1	15.3	21	–	4	1	0
S	22.7	7.0	–	28.0	24	2.3	7	17.7	6	14.4	25	0	0	0	0	1	0	0				0.7	0.7	10	–	0	0	0
O	23.0	8.6	–	32.3	31	1.5	24	11.0	23	17.0	14	2	4	0	0	3	0	0	24			74.5	31.5	7	–	6	3	1
N	25.2	10.7	–	30.0	26	3.4	8	20.1	16	16.7	6	0	0	0	0	0	0	0				82.7	35.0	19	–	8	2	1
D	26.7	12.6	–	31.9	26	8.0	6	20.5	18	19.0	27	2	0	0	0	0	0	0				68.7	17.0	18	–	9	2	0
A	(22.0)	(8.1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				763.2	42.5	–	–	75	26	6

* $\bar{T}m$ = 1/2 ($\bar{T}x$ + $\bar{T}n$); Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

*** Stasie verskuif; kyk na bl. XXI / Station shifted; see p. XXI

MAAND / MONTH	GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM $\bar{T}x$	DAELIKSE MINIMUM / DAILY MINIMUM $\bar{T}n$	$\bar{T}m^*$ – NORMALE Tm / $\bar{T}m^*$ – LONGTERM Tm $\Delta\bar{T}m$	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM > 30,0	< 17,5	< 10,0	MINIMUM / MINIMUM > 20,0	< +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
214/636 OKIEP												Ø 29°36'S			λ 17°52'E				H 918 M			HT 1.2 M			HR 1.2 M			
J	30.2	–	–	37.1	8	–	–	22.1	20	–	–	15	0	0	–	–	–	–				0.0	0.0	–	0	0	0	0
F	32.1	19.0	2.3	36.6	23	11.4	11	23.3	10	24.9	9	22	0	0	13	0	0	0				5.3	3.1	9	3	2	0	0
M	29.0	16.0	0.7	35.4	12	6.9	26	17.3	25	22.2	23	12	1	0	5	0	0	0				3.1	1.5	31	4	2	0	0
A	25.6	12.5	0.6	32.6	29	6.6	12	17.0	4	19.7	18	6	1	0	0	0	0	0				10.0	10.0	1	1	1	1	0
M	22.5	11.5	1.9	29.0	9	3.5	20	11.6	19	18.7	8	0	5	0	0	0	0	0				7.7	3.5	9	4	3	0	0
J	17.7	7.4	−0.4	24.7	9	2.7	15	10.5	14	15.5	4	0	14	0	0	0	0	0				12.6	11.6	21	2	2	1	0
J	15.8	6.4	0.0	24.9	28	2.2	17	8.6	9	10.6	19	0	20	5	0	1	0	0	17			36.5	8.7	9	7	6	0	0
A	15.8	5.4	−2.3	23.7	28	−0.7	20	6.5	19	14.2	13	0	18	4	0	3	1	0		20		53.5	29.0	2	8	4	2	1
S	21.7	7.4	0.4	30.3	18	1.2	3	12.7	5	17.2	22	1	7	0	0	4	0	0	29	20		0.0	0.0	–	0	0	0	0
O	23.8	9.9	−0.4	30.9	27	3.2	23	13.3	22	17.6	9	3	3	0	0	0	0	0		**		0.6	0.6	22	1	0	0	0
N	26.3	12.2	−0.2	34.9	25	6.5	2	17.2	1	17.7	26	7	1	0	0	0	0	0				0.1	0.1	15	1	0	0	0
D	27.9	14.0	−0.8	35.5	27	8.8	13	18.5	11	20.6	27	11	0	0	1	0	0	0				0.0	0.0	–	0	0	0	0
A	24.0	–	–	37.1	–	−0.7	–	6.5	–	–	–	77	70	9	–	–	–	–				129.4	29.0	–	31	20	4	1
224/430 PRIESKA												Ø 29°40'S			λ 22°45'E				H 933 M			HT 1.2 M			HR 1.2 M			
J	34.6	18.4	−0.4	37.7	4	13.2	1	21.5	9	21.3	8	13	0	0	6	0	0	0				27.7	17.0	9	4	4	1	0
F	32.9	18.2	−0.4	38.3	3	13.7	28	26.0	10	22.6	3	25	0	0	5	0	0	0				62.2	33.5	6	8	8	2	1
M	32.8	15.5	0.2	37.8	16	9.7	27	21.3	31	20.3	17	27	0	0	1	0	0	0				13.8	6.6	22	4	3	0	0
A	27.8	10.0	0.6	32.7	21	4.5	17	21.0	4	18.3	22	8	0	0	0	0	0	0				22.8	13.7	24	5	3	1	0
M	22.8	5.8	1.0	28.1	10	−1.0	21	15.6	20	16.5	1	0	5	0	0	5	3	0	17	17		24.4	17.4	10	4	2	1	0
J	20.0	4.1	2.0	25.1	9	−4.6	18	11.7	16	10.8	5	0	9	0	0	10	3	3			16	16.3	6.4	5	4	3	0	0
J	19.5	3.5	0.9	26.0	28	−3.4	19	12.1	30	11.4	8	0	8	0	0	15	9	2				5.2	2.5	23	4	2	0	0
A	20.3	2.2	−1.6	29.7	30	−2.8	27	7.2	21	10.7	2	0	9	1	0	20	7	1			27	3.7	3.0	21	3	1	0	0
S	26.8	7.1	−0.1	33.6	23	−0.7	7	18.3	6	16.6	19	8	0	0	0	2	1	0		2		0.0	0.0	–	0	0	0	0
O	28.1	10.4	−0.8	37.0	12	0.7	1	13.0	14	17.7	13	14	1	0	0	1	0	0	1			40.0	22.7	14	5	5	1	0
N	31.4	14.2	−0.7	38.0	24	7.8	21	24.9	16	21.4	24	18	0	0	3	0	0	0				2.7	2.7	19	1	1	0	0
D	34.3	16.6	−0.4	40.7	28	10.0	7	28.4	5	26.0	29	27	0	0	7	0	0	0				1.2	1.2	1	1	1	0	0
A	27.6	10.5	0.0	40.7	–	−4.6	–	7.2	–	26.0	–	140	32	1	22	53	23	6				220.0	33.5	–	43	33	6	1
228/420 P K LE ROUXDAM – IRR												Ø 30° 0'S			λ 24°44'E				H 1207 M			HT 1.2 M			HR 1.2 M			
J	32.2	19.0	–	36.5	2	13.5	22	24.0	9	22.0	28	24	0	0	5	0	0	0				111.0	49.0	10	–	6	3	2
F	30.5	18.0	–	35.5	3	13.6	7	23.3	5	21.5	26	16	0	0	4	0	0	0				60.9	26.0	10	–	8	2	1
M	32.5	18.2	–	35.3	9	12.3	26	17.4	30	21.4	18	19	1	0	4	0	0	0				65.7	33.0	23	–	7	2	1
A	24.5	11.7	–	29.7	21	7.5	6	18.5	4	15.6	22	0	0	0	0	0	0	0				81.7	19.0	4	–	6	5	0
M	19.4	7.6	–	24.8	10	2.2	21	11.1	20	15.2	1	0	7	0	0	1	0	0	21			19.5	12.5	10	–	3	1	0
J	17.1	5.6	–	22.8	29	0.5	16	9.4	16	10.5	30	0	14	2	0	8	0	0				13.7	13.5	6	–	1	1	0
J	17.5	5.5	–	23.5	28	0.0	17	10.1	16	11.1	8	0	15	0	0	5	0	0				13.7	9.5	30	–	3	0	0
A	19.1	4.2	–	28.8	30	0.1	27	11.0	21	11.2	31	0	11	0	0	11	0	0	28			1.0	1.0	2	–	1	0	0
S	25.1	9.3	–	32.5	23	3.5	6	17.2	8	16.0	14	2	1	0	0	0	0	0				1.0	1.0	10	–	1	0	0
O	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				31.0	13.9	15	–	4	0	0
N	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				3.5	2.8	19	–	1	0	0
D	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				7.9	4.5	19	–	2	0	0
A	–	–	–	–	–	0.0	–	9.4	–	–	–	–	–	–	–	–	–	–				410.6	49.0	–	–	43	14	4
229/556 FAURESMITH												Ø 29°46'S			λ 25°19'E				H 1362 M			HT 1.2 M			HR 1.2 M			
J	29.6	–	–	33.7	2	–	–	23.1	25	–	–	17	0	0	–	–	–	–				137.9	55.8	24	12	10	4	1
F	27.6	14.5	–	31.0	3	10.4	28	20.9	5	19.9	26	5	0	0	0	0	0	0				111.5	33.5	3	15	10	4	1
M	28.3	13.6	–	33.8	9	9.1	27	16.6	30	17.6	17	11	1	0	0	0	0	0				56.1	17.6	30	13	9	1	0
A	23.6	8.7	–	27.9	21	4.1	6	18.0	4	12.7	1	0	0	0	0	0	0	0				45.6	15.2	4	10	9	1	0
M	18.3	4.5	–	23.4	10	−4.4	31	11.3	10	12.9	1	0	9	0	0	8	4	1	16	17	31	32.5	9.4	10	7	5	0	0
J	16.6	2.7	–	21.6	29	−4.6	18	9.0	15	8.4	19	0	15	2	0	12	6	2				7.9	3.4	6	4	3	0	0
J	16.8	2.1	–	22.0	28	−3.9	19	10.2	16	8.6	9	0	16	0	0	16	8	3				10.2	9.0	30	4	2	0	0
A	18.1	0.9	–	28.1	30	−5.6	27	9.5	21	9.7	2	0	11	1	0	21	16	2		28	27	0.5	0.4	3	2	0	0	0
S	24.4	6.8	–	30.1	24	0.6	4	16.8	6	14.7	25	1	1	0	0	4	0	0				0.3	0.3	10	1	0	0	0
O	24.8	9.4	–	31.8	12	0.4	1	15.0	23	16.2	12	3	1	0	0	2	0	0	24			78.1	23.3	12	7	7	3	0
N	28.1	12.1	–	33.6	26	4.2	8	22.4	11	20.2	25	10	0	0	1	0	0	0				8.4	3.3	19	4	3	0	0
D	30.2	14.1	–	36.7	27	8.5	14	21.9	2	19.9	31	18	0	0	0	0	0	0				35.9	14.0	28	7	4	1	0
A	23.9	–	–	36.7	–	−5.6	–	9.0	–	–	–	65	54	3	–	–	–	–				524.9	55.8	–	86	67	14	2
233/ 44 WEPENER – TNK***												Ø 29°44'S			λ 27° 2'E				H 1437 M			HT 1.2 M			HR 1.2 M			
J	28.8	15.4	–	32.4	2	10.1	1	22.7	24	19.2	29	13	0	0	0	0	0	0				114.5	26.3	19	14	12	3	1
F	27.4	13.7	–	31.3	26	6.2	28	21.8	7	15.9	26	4	0	0	0	0	0	0				87.6	25.7	6	13	11	2	1
M	28.0	12.3	–	33.5	9	7.9	8	17.5	23	16.6	25	7	0	0	0	0	0	0				51.9	20.8	23	12	10	1	0
A	23.3	7.8	–	27.5	29	3.4	26	17.9	8	13.4	1	0	0	0	0	0	0	0				45.0	19.4	4	10	7	1	0
M	17.9	3.5	–	22.9	9	−3.8	17	12.9	16	13.4	1	0	13	0	0	10	7	3	6	17	17	38.3	14.6	1	8	5	2	0
J	16.9	1.4	–	21.0	20	−9.0	17	9.1	16	10.9	14	0	14	2	0	18	15	8				0.0	0.0	–	0	0	0	0
J	16.5	0.5	–	20.7	3	−7.5	18	8.7	17	9.9	3	0	15	1	0	23	16	9				9.4	6.0	30	2	2	0	0
A	18.6	−0.4	–	27.5	30	−5.6	27	9.6	3	10.2	14	0	10	1	0	26	20	12				0.3	0.3	3	1	0	0	0
S	24.7	5.2	–	29.2	24	−3.1	7	18.2	8	15.4	25	0	0	0	0	9	4	1			7	1.4	1.3	10	2	1	0	0
O	24.5	9.7	–	30.6	12	−1.0	1	15.9	23	18.5	12	1	2	0	0	4	2	0	24	2		35.0	16.4	7	5	5	1	0
N	27.4	11.4	–	32.0	26	3.5	8	22.3	8	19.1	25	8	0	0	0	0	0	0				20.1	8.6	6	6	5	0	0
D	28.7	13.2	–	34.4	26	6.5	14	16.6	2	19.1	31	11	1	0	0	0	0	0				77.7	26.0	19	10	9	4	1
A	23.6	7.8	–	34.4	–	−9.0	–	8.7	–	19.2	–	44	55	4	0	90	64	33				481.2	26.3	–	83	67	14	3

[illegible] Waar/Where ** Laatste datum verwys na vorige maand / Last date refers to previous month.

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

TABEL I | TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES: DAELIKSE MAKSIMUM / DAILY MAXIMUM $\bar{T}x$	DAELIKSE MINIMUM / DAILY MINIMUM $\bar{T}n$	$\bar{T}m$* – NORMALE $\bar{T}m$ / $\bar{T}m$* – LONGTERM $\bar{T}m$ $\Delta\bar{T}m$	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥ 30,0	< 17,5	< 10,0	MINIMUM / MINIMUM ≥ 20,0	< +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – / PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
237/591 WATERFORD												Ø 29°51'S			λ 29°20'E				H 1643 M			HT 1.2 M			HR 1.2 M			
J	23.6	11.9	-	29.4	15	7.0	2	15.3	3	14.7	29	0	3	0	0	0	0	0				185.6	50.4	31	25	23	4	1
F	23.0	10.9	-	27.7	14	6.7	13	14.9	16	14.4	27	0	2	0	0	0	0	0				177.8	43.4	20	18	17	7	2
M	23.6	10.8	-	29.1	9	6.0	29	17.9	26	13.8	19	0	0	0	0	0	0	0				143.0	24.6	28	23	18	6	0
A	22.2	6.8	-	29.2	28	0.2	26	16.2	4	11.9	3	0	2	0	0	4	0	0	6			46.9	13.9	23	11	7	2	0
M	18.1	1.2	-	24.9	15	-6.4	22	9.2	20	10.1	1	0	12	3	0	21	11	7		5	17	38.4	17.1	11	9	7	1	0
J	17.7	-2.5	-	21.0	14	-8.2	18	7.4	25	1.8	25	0	9	3	0	30	26	12				5.3	3.3	24	2	2	0	0
J	16.6	-2.8	-	22.5	3	-7.9	6	5.6	5	3.8	16	0	14	4	0	29	25	19				39.8	31.3	4	5	3	1	1
A	18.7	-0.6	-	27.6	31	-8.8	1	6.0	20	9.1	19	0	10	3	0	23	17	11				41.7	21.4	20	5	3	2	0
S	20.4	4.4	-	28.8	24	0.4	10	9.4	30	10.6	25	0	11	2	0	6	0	0				6.2	1.8	29	10	3	0	0
O	21.2	6.0	-	28.1	14	-3.1	24	4.4	23	13.4	4	0	6	1	0	8	2	1		25	24	141.3	31.1	14	16	12	5	3
N	21.5	7.6	-	29.0	24	2.4	9	9.9	16	11.8	20	0	5	1	0	1	0	0	9			135.1	29.0	30	21	18	3	1
D	22.5	9.8	-	30.3	25	7.0	4	13.2	2	13.7	27	1	4	0	0	0	0	0				169.4	31.1	28	22	18	5	2
A	20.8	5.3	-	30.3	-	-8.8	-	4.4	-	14.7	-	1	78	17	0	122	81	50				1130.5	50.4	-	167	131	36	10
238/806 EMERALD DALE												Ø 29°56'S			λ 29°57'E				H 1189 M			HT 1.2 M			HR 1.2 M			
J	24.8	14.2	0.0	31.0	15	10.2	22	15.2	3	17.5	15	3	4	0	0	0	0	0				74.9	40.0	11	19	11	1	1
F	24.8	13.5	-0.5	30.8	14	9.3	19	15.7	16	16.7	27	2	1	0	0	0	0	0				83.2	26.3	7	13	8	3	1
M	25.1	14.1	1.1	32.0	9	8.2	31	16.0	12	18.0	8	5	2	0	0	0	0	0				92.3	29.0	10	23	11	3	1
A	23.0	9.5	-0.3	31.0	28	5.8	10	15.0	13	13.0	3	1	4	0	0	0	0	0				46.0	18.5	3	17	9	1	0
M	19.8	6.1	-1.0	26.5	15	-0.5	21	12.4	12	12.2	1	0	9	0	0	5	2	0	17	21		49.0	13.0	3	12	7	2	0
J	20.0	3.6	0.5	24.5	29	-2.8	18	8.0	25	8.2	15	0	6	1	0	8	3	1			18	0.0	0.0	-	0	0	0	0
J	19.6	3.5	0.5	24.3	30	-2.8	18	10.0	4	7.0	12	0	9	0	0	11	2	1			18	51.2	28.0	4	3	3	2	1
A	20.1	4.2	-1.2	31.4	31	-2.5	1	9.4	20	11.0	31	1	5	1	0	7	2	0		22		70.5	41.0	20	6	3	2	1
S	20.1	8.1	-1.3	30.8	24	3.8	7	11.0	30	12.8	25	1	10	0	0	0	0	0				31.2	7.0	19	22	11	0	0
O	22.2	9.2	-1.1	31.2	14	1.0	24	6.5	23	13.6	14	2	6	1	0	1	0	0	24			146.8	67.0	29	25	15	4	1
N	22.6	10.7	-0.9	31.0	1	6.2	3	11.0	2	14.8	30	1	4	0	0	0	0	0				126.5	39.5	19	26	15	3	2
D	23.3	13.0	-0.7	32.1	25	9.0	6	13.8	21	17.5	9	2	5	0	0	0	0	0				116.5	26.0	2	23	19	3	1
A	22.1	9.1	-0.4	32.1	-	-2.8	-	6.5	-	18.0	-	18	65	3	0	32	9	2				888.1	67.0	-	189	112	24	9
239/482 CEDARA - AGR												Ø 29°32'S			λ 30°17'E				H 1067 M			HT 1.2 M			HR 1.2 M			
J	24.2	15.1	-	31.3	15	11.6	2	15.4	3	18.5	11	3	2	0	0	0	0	0				102.1	35.3	15	15	12	4	1
F	24.1	13.9	-	29.4	14	9.8	19	16.2	16	17.3	11	0	1	0	0	0	0	0				100.0	33.1	27	16	15	3	1
M	25.3	14.6	-	32.1	9	8.1	31	17.8	12	19.2	8	5	0	0	0	0	0	0				64.8	15.5	26	14	12	2	0
A	23.1	11.1	-	29.6	22	6.4	10	14.3	13	14.5	8	0	4	0	0	0	0	0				68.3	25.4	3	8	8	3	1
M	19.7	6.3	-	25.5	9	0.9	21	11.3	31	10.8	3	0	11	0	0	5	0	0	17			107.0	42.0	12	7	6	4	2
J	19.1	4.1	-	24.7	14	-1.8	17	8.6	25	9.1	20	0	7	1	0	4	2	0		17		0.8	0.5	24	2	0	0	0
J	19.1	3.2	-	23.8	3	-2.6	18	10.1	31	6.2	12	0	9	0	0	8	2	1			18	39.8	29.0	4	4	3	1	1
A	19.9	4.6	-	29.8	31	-2.0	1	9.8	20	10.5	18	0	12	1	0	6	1	0		1	18	70.4	37.3	21	4	3	2	2
S	20.2	8.8	-	31.4	26	4.6	16	11.0	29	13.8	25	3	10	0	0	0	0	0			**	26.1	5.3	29	16	9	0	0
O	22.5	10.3	-	33.1	22	1.5	25	12.3	23	14.1	12	3	4	0	0	1	0	0	25			61.5	12.0	23	19	13	2	0
N	22.5	11.7	-	32.1	1	6.7	9	12.1	2	16.6	25	1	5	0	0	0	0	0				73.5	13.6	6	20	17	2	0
D	23.6	12.3	-	33.0	25	9.0	6	13.5	21	16.5	30	5	4	0	0	0	0	0				102.5	33.5	2	24	16	2	1
A	21.9	9.7	-	33.1	-	-2.6	-	8.6	-	19.2	-	20	69	2	0	24	5	1				816.8	42.0	-	149	114	25	9
239/756 PIETERMARITZBURG - PUR												Ø 29°36'S			λ 30°26'E				H 613 M			HT 1.2 M			HR 1.2 M			
J	27.2	17.1	-	34.6	15	12.6	5	19.8	4	21.0	11	5	0	0	1	0	0	0				245.0	131.5	15	16	11	5	2
F	26.9	16.8	-	31.2	14	11.2	19	19.3	16	21.0	8	3	0	0	2	0	0	0				112.2	46.3	7	14	11	3	2
M	27.9	17.1	-	35.1	25	11.8	29	19.8	26	22.0	9	10	0	0	2	0	0	0				82.8	24.7	26	17	11	2	0
A	26.1	12.9	-	32.9	28	7.9	10	17.5	13	17.4	3	5	0	0	0	0	0	0				66.3	16.5	2	14	9	2	0
M	23.0	6.8	-	29.6	9	0.3	18	13.2	31	14.6	1	0	4	0	0	4	0	0	18			98.5	41.7	1	7	6	2	2
J	22.5	5.0	-	27.6	14	-2.3	18	12.1	25	7.6	26	0	4	0	0	12	2	0		17		1.5	0.7	24	4	3	0	0
J	22.5	2.1	-	27.8	3	-1.8	18	13.0	31	8.3	25	0	3	0	0	17	7	0				48.8	33.2	4	6	4	1	1
A	22.7	4.5	-	32.7	30	-1.3	1	11.8	20	9.4	21	3	3	0	0	9	1	0	28	1		59.1	24.5	21	4	4	2	0
S	22.5	11.0	-	33.0	13	6.3	8	13.8	29	13.9	3	3	7	0	0	0	0	0				37.0	8.4	29	14	11	0	0
O	25.1	11.6	-	36.3	22	3.8	24	11.9	23	16.4	12	6	3	0	0	0	0	0				58.9	13.5	23	18	13	1	0
N	25.3	13.8	-	34.9	1	9.8	3	14.9	2	18.0	27	6	3	0	0	0	0	0				61.3	17.6	15	19	12	1	0
D	26.8	15.6	-	35.4	31	11.2	6	17.3	21	18.7	30	9	1	0	0	0	0	0				101.2	45.2	2	21	13	2	1
A	24.9	11.2	-	36.3	-	-2.3	-	11.8	-	22.0	-	50	28	0	5	42	10	0				972.6	131.5	-	154	108	21	8
240/682 NORTHDENE - MUN												Ø 29°52'S			λ 30°53'E				H 237 M			HT 1.2 M			HR 1.2 M			
J	25.9	18.8	-	31.5	19	15.5	4	20.5	3	21.2	20	2	0	0	9	0	0	0				87.7	21.2	24	14	9	3	0
F	26.0	18.5	-	28.2	14	14.5	19	19.5	16	21.6	15	0	0	0	5	0	0	0				108.8	17.0	28	14	14	5	0
M	26.8	18.9	-	32.6	10	16.5	31	21.5	27	22.5	9	3	0	0	10	0	0	0				188.5	46.0	2	16	13	6	2
A	25.4	16.6	-	30.0	2	13.6	9	20.0	11	19.0	3	0	0	0	0	0	0	0				87.4	50.5	3	9	9	1	1
M	23.2	13.1	-	28.6	6	9.0	22	16.4	31	17.8	1	0	1	0	0	0	0	0				204.4	116.5	12	10	8	3	2
J	22.7	10.9	-	28.2	30	6.0	18	15.2	25	14.1	15	0	1	0	0	0	0	0				0.3	0.3	20	1	0	0	0
J	22.4	10.9	-	30.0	1	7.0	18	15.3	4	15.4	1	0	3	0	0	0	0	0				85.0	50.5	4	4	4	3	1
A	21.9	10.9	-	32.0	17	7.5	23	15.2	20	15.5	18	1	3	0	0	0	0	0				70.3	45.0	20	5	4	2	1
S	20.5	13.7	-	30.0	13	10.0	10	14.8	29	17.5	14	0	8	0	0	0	0	0				41.7	8.5	8	14	8	0	0
O	23.3	15.1	-	33.5	22	8.5	24	13.5	23	18.2	14	1	1	0	0	0	0	0				39.4	11.0	29	15	8	2	0
N	24.1	15.6	-	35.5	1	11.2	5	16.0	2	19.5	20	2	1	0	0	0	0	0				95.0	34.5	5	18	13	3	1
D	24.9	17.7	-	31.0	31	13.8	6	19.0	2	21.5	30	1	0	0	3	0	0	0				157.6	88.0	2	18	12	4	1
A	23.9	15.1	-	35.5	-	6.0	-	13.5	-	22.5	-	10	18	0	27	0	0	0				1166.1	116.5	-	138	102	32	9

* $\bar{T}m$ = 1.2 ($\bar{T}x$ + $\bar{T}n$); Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

TABEL I | TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM $\bar{T}x$	DAELIKSE MINIMUM / DAILY MINIMUM $\bar{T}n$	$\bar{T}m$* – NORMALE / LONGTERM $\bar{T}m$* $\Delta\bar{T}m$	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM > 30,0	> 17,5	> 10,0	MINIMUM / MINIMUM < 20,0	< +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – / PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
240/808	**LOUIS BOTHA – WK**											**Ø 29°58'S**			**λ 30°57'E**				**H**		**8 M**		**HT 1.2 M**		**HR 1.2 M**			
J	27.2	20.6	0.0	30.3	18	16.8	4	20.8	3	23.6	11	3	0	0	19	0	0	0				99.8	20.2	24	16	12	4	0
F	27.5	19.9	−0.6	30.0	14	16.5	19	21.1	16	23.4	15	0	0	0	10	0	0	0				129.5	30.0	1	14	13	5	2
M	27.7	20.4	0.7	33.5	10	18.0	29	23.7	26	25.2	8	5	0	0	19	0	0	0				158.8	34.9	27	15	13	7	1
A	26.1	17.9	0.5	29.4	2	13.6	6	21.3	11	20.6	3	0	0	0	2	0	0	0				53.3	17.3	3	10	10	1	0
M	23.8	13.8	−0.1	28.2	10	7.5	19	18.5	31	20.9	1	0	0	0	1	0	0	0				227.1	110.6	12	12	8	5	3
J	23.1	10.3	0.4	27.4	28	5.9	19	17.3	25	16.1	15	0	1	0	0	0	0	0				0.0	0.0	–	0	0	0	0
J	22.5	9.7	0.3	30.4	3	5.2	18	15.9	4	14.5	25	1	2	0	0	0	0	0				117.3	58.7	4	6	5	3	2
A	22.5	11.5	−0.1	27.5	17	6.0	2	17.4	26	15.6	6	0	1	0	0	0	0	0				68.3	39.5	20	4	3	2	1
S	21.6	15.3	−0.4	26.9	13	11.3	7	16.0	6	19.6	25	0	2	0	0	0	0	0				54.2	13.0	29	16	12	1	0
O	24.1	17.1	0.0	30.1	22	10.9	24	16.0	23	20.5	10	0	1	0	2	0	0	0				23.7	8.6	23	19	8	0	0
N	24.8	17.6	−0.8	30.8	1	13.0	3	18.0	2	21.5	20	1	0	0	6	0	0	0				61.8	13.0	5	18	13	2	0
D	26.2	19.5	−0.2	31.7	31	15.6	6	21.9	2	22.8	31	1	0	0	12	0	0	0				77.7	24.0	2	16	10	3	0
A	24.8	16.1	0.0	33.5	–	5.2	–	15.9	–	25.2	–	11	7	0	71	0	0	0				1071.5	110.6	–	146	107	33	9
241/ 72	**MOUNT EDGECOMBE**											**Ø 29°42'S**			**λ 31° 3'E**				**H**		**104 M**		**HT 1.2 M**		**HR 1.2 M**			
J	26.4	19.7	–	30.3	19	16.2	22	20.7	3	23.4	11	2	0	0	16	0	0	0				82.1	18.3	23	14	11	3	0
F	26.4	18.8	–	28.5	15	14.5	19	20.9	16	21.1	11	0	0	0	7	0	0	0				152.4	51.0	28	13	11	5	2
M	26.9	19.6	–	32.5	10	16.8	29	23.1	26	23.6	9	2	0	0	10	0	0	0				241.9	65.7	27	13	12	5	4
A	25.4	17.3	–	30.1	2	14.4	6	20.8	11	19.7	3	1	0	0	0	0	0	0				59.9	33.2	3	9	6	1	1
M	22.9	13.4	–	27.0	10	7.5	18	17.9	31	20.7	1	0	0	0	1	0	0	0				224.1	153.9	12	11	7	4	2
J	22.5	10.8	–	27.6	28	5.0	18	16.2	25	15.5	15	0	2	0	0	0	0	0				0.2	0.2	20	1	0	0	0
J	22.0	10.5	–	28.6	1	6.5	19	16.2	31	14.5	25	0	3	0	0	0	0	0				87.5	60.0	4	4	4	3	1
A	21.6	11.2	–	27.8	17	7.5	22	16.5	20	15.7	18	0	3	0	0	0	0	0				113.4	94.8	20	6	3	2	1
S	21.0	14.4	–	28.4	13	9.9	10	15.8	30	18.0	25	0	6	0	0	0	0	0				54.6	13.9	8	15	11	1	0
O	23.9	15.7	–	32.7	14	10.1	26	14.6	23	18.8	10	2	1	0	0	0	0	0				29.8	9.7	23	14	6	0	0
N	24.6	16.9	–	36.2	11	12.7	3	17.5	2	20.6	20	2	0	0	2	0	0	0				56.9	12.2	15	17	8	1	0
D	25.4	18.5	–	30.2	31	14.5	6	20.9	2	21.3	31	1	0	0	7	0	0	0				136.6	99.9	2	15	13	1	1
A	24.1	15.6	–	36.2	–	5.0	–	14.6	–	23.6	–	10	15	0	43	0	0	0				1239.4	153.9	–	132	92	26	12
242/644	**PORT NOLLOTH – VRT**											**Ø 29°14'S**			**λ 16°52'E**				**H**		**4 M**		**HT 1.2 M**		**HR 1.2 M**			
J	19.6	12.3	0.3	24.0	20	9.5	3	17.0	28	15.4	11	0	3	0	0	0	0	0				0.5	0.5	11	1	0	0	0
F	18.9	12.5	−0.1	23.2	23	9.0	28	16.2	16	15.6	9	0	3	0	0	0	0	0				0.4	0.3	9	2	0	0	0
M	19.2	11.9	0.0	33.3	31	7.7	27	15.0	2	15.4	31	1	5	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	16.8	9.0	−1.6	30.6	6	4.0	12	12.2	23	12.2	2	1	22	0	0	0	0	0				0.0	0.0	–	0	0	0	0
M	18.5	9.0	−0.2	31.2	17	4.5	25	13.6	25	14.1	17	1	18	0	0	0	0	0				1.5	1.0	18	2	1	0	0
J	17.0	8.4	−0.5	31.2	10	3.2	19	12.0	23	13.8	10	1	22	0	0	0	0	0				1.1	0.6	21	2	0	0	0
J	17.0	8.6	0.9	27.3	18	4.0	20	12.6	7	16.2	13	0	23	0	0	0	0	0				10.2	4.0	3	5	4	0	0
A	15.4	8.0	−0.6	29.2	11	4.5	20	13.0	19	11.4	1	0	28	0	0	0	0	0				14.8	5.7	19	5	4	0	0
S	16.1	7.2	−1.1	33.3	22	3.6	8	12.8	19	11.7	24	1	28	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	17.0	9.2	−0.4	25.5	24	6.3	2	13.5	6	13.5	29	0	20	0	0	0	0	0				0.0	0.0	–	0	0	0	0
N	18.6	10.7	−0.2	28.6	8	6.5	3	14.3	13	14.0	20	0	5	0	0	0	0	0				0.7	0.7	14	1	0	0	0
D	19.3	12.7	0.8	22.0	3	8.4	22	16.0	1	15.2	5	0	3	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	17.8	10.0	−0.2	33.3	–	3.2	–	12.0	–	16.2	–	5	180	0	0	0	0	0				29.2	5.7	–	18	9	0	0
247/668	**POFADDER – SKL*** **											**Ø 29° 8'S**			**λ 19°23'E**				**H**		**984 M**		**HT 1.2 M**		**HR 1.2 M**			
J	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
F	32.9	18.9	–	35.6	14	10.8	11	29.1	10	23.9	19	24	0	0	12	0	0	0				7.4	2.7	10	6	4	0	0
M	30.2	16.4	–	34.5	12	7.5	26	22.9	26	22.7	14	18	0	0	4	0	0	0				20.0	13.5	14	5	4	1	0
A	25.7	12.6	–	31.8	21	5.4	15	19.3	5	19.7	30	2	0	0	0	0	0	0				24.2	18.5	2	2	2	1	0
M	21.7	9.1	–	27.7	9	2.6	20	13.2	20	16.4	10	0	5	0	0	0	0	0				14.4	13.5	10	2	1	1	0
J	18.3	6.0	–	23.6	11	−0.5	25	10.4	16	12.4	20	0	10	0	0	6	1	0	15	25		1.2	1.2	4	1	0	0	0
J	16.4	4.5	–	24.5	28	−1.4	17	8.4	9	13.2	29	0	17	2	0	8	1	0	(31	17)		25.2	16.6	8	4	4	1	0
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
S	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				0.0	0.0	–	0	0	0	0
O	26.0	10.7	–	32.8	27	3.1	23	17.0	22	17.5	28	7	1	0	0	0	0	0				0.0	0.0	–	0	0	0	0
N	28.6	13.0	–	35.4	23	6.6	7	20.5	15	20.1	26	13	0	0	1	0	0	0				0.0	0.0	–	0	0	0	0
D	31.3	14.8	–	37.5	27	8.7	14	23.6	11	22.3	28	21	0	0	3	0	0	0				0.0	0.0	–	0	0	0	0
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
253/363	**BOEGOEBERGDAM – IRR**											**Ø 29° 3'S**			**λ 22°13'E**				**H**		**891 M**		**HT 1.2 M**		**HR 1.2 M**			
J	35.0	20.0	−0.3	39.3	22	14.6	21	25.4	9	24.2	7	30	0	0	17	0	0	0				35.5	18.5	9	–	4	1	0
F	33.1	20.2	−0.3	38.4	3	12.5	28	23.0	10	24.2	26	26	0	0	17	0	0	0				34.0	20.5	15	–	3	1	0
M	33.2	18.2	1.7	37.5	12	12.3	27	27.0	30	23.2	13	26	0	0	12	0	0	0				4.0	4.0	9	–	1	0	0
A	28.2	13.5	0.9	32.5	21	8.2	17	22.3	4	21.8	22	7	0	0	1	0	0	0				20.5	7.0	24	–	4	0	0
M	23.2	9.9	1.2	27.6	8	4.4	21	15.2	20	17.1	1	0	3	0	0	0	0	0				19.5	17.5	10	–	2	1	0
J	20.0	7.6	1.4	24.8	9	−0.4	16	11.7	16	12.9	29	0	8	0	0	4	3	0	15	16		20.0	7.0	20	–	4	0	0
J	19.8	6.6	1.2	25.8	28	0.4	18	11.0	10	15.0	28	0	8	0	0	5	0	0		18		2.5	2.5	30	–	1	0	0
A	20.7	4.5	−1.9	29.8	30	0.1	22	9.4	21	14.0	14	0	10	1	0	4	0	0	27	**		0.0	0.0	–	–	0	0	0
S	27.2	9.3	0.7	34.0	23	3.0	4	18.2	16	19.0	19	7	0	0	0	0	0	0				0.0	0.0	–	–	0	0	0
O	28.2	13.3	−0.8	34.7	31	8.2	23	13.6	14	19.9	20	13	1	0	0	0	0	0				36.0	17.5	14	–	4	1	0
N	31.5	16.3	0.1	37.1	25	10.3	8	25.6	16	23.4	26	20	0	0	5	0	0	0				8.5	7.5	17	–	2	0	0
D	34.3	19.1	0.3	40.0	27	13.5	12	27.4	1	26.5	28	26	0	0	11	0	0	0				2.0	2.0	17	–	1	0	0
A	27.9	13.2	0.3	40.0	–	−0.4	–	9.4	–	26.5	–	155	30	1	63	13	3	0				182.5	20.5	–	–	26	4	0

* $\bar{T}m = 1.2\ (\bar{T}x + \bar{T}n)$. Waar: Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

TABEL I

TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM $\bar{T}x$	DAELIKSE MINIMUM / DAILY MINIMUM $\bar{T}n$	$\bar{T}m$* – NORMALE $\bar{T}m$ / $\bar{T}m$* – LONGTERM $\bar{T}m$ $\Delta\bar{T}m$	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM > 30,0	> 17,5	> 10,0	MINIMUM / MINIMUM < 20,0	< +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS < +2,5	< 0,0	EN FIRST AND LAST DATES < −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
258/157	RIETRIVIER – AGR											Ø 29° 7'S			λ 24°36'E				H 1140 M			HT 1.2 M			HR 1.2 M			
J	30.7	17.6	–	34.5	17	13.4	1	24.2	9	21.6	18	20	0	0	2	0	0	0				163.2	83.5	24	11	9	3	2
F	30.0	16.1	–	35.0	3	8.5	28	24.1	7	19.0	26	14	0	0	0	0	0	0				34.3	8.5	5	9	7	0	0
M	30.6	14.8	–	36.3	9	10.5	2	23.5	31	19.2	17	15	0	0	0	0	0	0				61.2	29.0	23	10	7	1	1
A	25.8	9.7	–	30.5	21	4.8	17	19.6	5	14.5	23	3	0	0	0	0	0	0				37.6	9.0	24	8	6	0	0
M	20.5	5.6	–	25.8	10	−2.7	21	12.7	23	14.7	1	0	6	0	0	8	2	1	16	17	21	30.0	13.7	10	7	6	1	0
J	19.1	3.3	–	24.5	29	−5.0	18	10.6	15	9.5	14	0	8	0	0	9	5	3				7.4	4.0	5	5	2	0	0
J	19.2	1.7	–	24.7	29	−5.0	18	12.0	16	9.0	8	0	11	0	0	18	12	3				6.9	6.0	30	2	1	0	0
A	20.9	0.7	–	31.0	31	−4.0	27	12.0	21	12.4	2	2	8	0	0	22	16	6			27	0.2	0.2	3	1	0	0	0
S	27.2	6.5	–	34.1	24	−1.4	7	17.6	6	17.8	19	8	0	0	0	2	2	0		7		0.0	0.0	–	0	0	0	0
O	27.7	11.0	–	35.0	12	2.0	1	19.8	17	17.2	13	10	0	0	0	1	0	0	1			34.1	17.5	14	5	4	2	0
N	30.4	13.1	–	36.5	26	5.2	8	24.5	16	19.5	6	16	0	0	0	0	0	0				15.7	4.8	19	3	3	0	0
D	32.5	14.7	–	38.4	31	9.2	14	24.0	2	20.2	29	23	0	0	2	0	0	0				37.2	15.5	18	6	5	1	0
A	26.2	9.6	–	38.4	–	−5.0	–	10.6	–	21.6	–	111	33	0	4	60	37	13				427.8	83.5	–	67	50	8	3
261/516	J B M HERTZOG – WK											Ø 29° 6'S			λ 26°18'E				H 1351 M			HT 1.2 M			HR 1.2 M			
J	29.0	15.6	–	32.8	2	11.2	1	21.3	24	17.6	3	14	0	0	0	0	0	0				71.4	19.7	18	15	12	3	0
F	27.4	13.7	–	31.0	27	4.8	28	21.7	7	16.3	7	4	0	0	0	0	0	0				82.8	22.5	3	10	8	4	0
M	28.7	12.6	–	33.8	7	8.4	2	21.0	23	17.5	25	11	0	0	0	0	0	0				60.4	19.8	9	9	7	2	0
A	24.0	7.4	–	28.4	28	3.5	26	18.7	6	14.2	1	0	0	0	0	0	0	0				42.4	18.5	4	9	7	1	0
M	18.8	2.9	–	23.0	8	−3.7	17	11.1	23	13.5	1	0	8	0	0	10	7	3	16	17	17	32.3	10.3	3	6	6	1	0
J	17.6	−0.7	–	21.3	30	−8.7	17	9.8	16	6.3	14	0	9	1	0	26	16	7				2.2	2.2	6	1	1	0	0
J	17.5	−1.2	–	22.3	29	−7.0	19	11.2	24	6.0	1	0	13	0	0	28	18	13				3.3	1.8	30	3	2	0	0
A	19.6	−1.8	–	28.6	30	−6.5	5	10.8	3	5.2	14	0	9	0	0	27	23	12			28	0.8	0.8	21	1	0	0	0
S	26.0	5.2	–	30.7	24	−1.6	7	18.6	8	14.9	25	2	0	0	0	5	2	0		7		2.3	2.2	10	2	1	0	0
O	25.7	9.4	–	31.3	11	0.3	2	17.0	23	17.7	14	4	1	0	0	3	0	0	24			55.0	15.6	27	6	5	4	0
N	28.9	11.5	–	35.0	25	4.4	8	23.8	11	18.1	25	10	0	0	0	0	0	0				18.5	8.5	10	7	4	0	0
D	29.7	13.4	–	34.8	31	7.3	14	17.2	2	18.7	23	13	1	0	0	0	0	0				70.7	25.6	23	9	8	8	1
A	24.4	7.3	–	35.0	–	−8.7	–	9.8	–	18.7	–	58	41	1	0	99	66	35				442.1	25.6	–	78	61	23	1
262/166	RUSTFONTEINDAM – IRR											Ø 29°16'S			λ 26°36'E				H 1382 M			HT 1.2 M			HR 1.2 M			
J	29.4	16.0	–	33.2	2	12.4	16	23.5	22	18.3	29	14	0	0	0	0	0	0				76.9	23.0	18	–	11	2	0
F	27.8	14.1	–	32.0	26	6.6	28	21.5	7	16.5	20	6	0	0	0	0	0	0				84.5	26.5	4	–	8	4	1
M	29.0	13.5	–	34.0	9	8.6	2	19.6	23	17.6	17	13	0	0	0	0	0	0				58.3	26.0	23	–	8	2	1
A	24.1	8.1	–	28.3	29	3.4	26	18.8	5	14.5	1	0	0	0	0	0	0	0				51.4	39.5	4	–	4	1	1
M	19.0	4.3	–	24.4	4	−2.6	17	12.1	23	12.7	1	0	8	0	0	8	2	1	17	17	17	56.5	13.5	3	–	7	3	0
J	17.7	0.4	–	21.9	29	−8.0	18	10.2	16	6.2	14	0	8	0	0	23	12	4				0.0	0.0	–	–	0	0	0
J	17.5	−0.4	–	21.5	29	−6.5	17	11.4	17	4.6	9	0	14	0	0	27	13	6				5.7	4.1	30	–	2	0	0
A	19.5	−1.4	–	28.4	30	−7.3	22	10.5	21	4.9	31	0	8	0	0	28	25	8			28	0.0	0.0	–	–	0	0	0
S	25.8	5.8	–	31.3	24	−1.5	4	18.9	8	16.0	25	1	0	0	0	7	2	0		6		0.0	0.0	–	–	0	0	0
O	24.6	9.5	–	31.6	12	1.5	1	15.5	23	18.1	12	3	2	0	0	1	0	0	1			28.9	11.5	7	–	4	2	0
N	28.3	11.9	–	33.2	26	5.5	8	23.5	11	16.8	6	10	0	0	0	0	0	0				11.8	4.9	10	–	5	0	0
D	29.8	12.8	–	35.4	26	8.2	14	17.8	2	19.6	27	14	0	0	0	0	0	0				49.2	18.0	1	–	6	2	0
A	24.4	7.9	–	35.4	–	−8.0	–	10.2	–	19.6	–	61	40	0	0	94	54	19				423.2	39.5	–	–	55	16	3
263/859	MASERU – LESOTHO											Ø 29°19'S			λ 27°29'E				H 1528 M			HT 1.2 M			HR 1.2 M			
J	27.3	15.3	0.3	30.2	2	11.5	1	22.0	24	17.6	13	1	0	0	0	0	0	0				131.6	28.5	19	16	13	4	1
F	26.1	13.4	−0.7	30.1	27	7.9	28	19.6	6	15.8	16	1	0	0	0	0	0	0				110.8	28.5	5	11	10	5	1
M	27.3	12.4	1.6	32.5	8	7.5	3	17.6	23	16.2	10	7	0	0	0	0	0	0				59.3	16.0	25	13	8	1	0
A	22.8	7.8	0.6	27.6	29	3.9	26	17.0	8	12.1	3	0	1	0	0	0	0	0				50.1	21.7	4	10	9	2	0
M	17.4	3.4	0.1	22.0	9	−2.4	21	12.5	20	12.1	1	0	16	0	0	11	6	0	16	17		79.8	24.5	11	6	5	4	0
J	17.1	−0.1	1.8	21.2	29	−8.4	17	10.1	12	6.5	22	0	14	0	0	27	13	6			15	0.5	0.5	21	1	0	0	0
J	16.4	−0.6	1.2	21.0	3	−5.8	18	10.0	17	5.4	6	0	19	0	0	28	15	8				19.2	9.0	4	3	3	0	0
A	19.1	−0.4	−0.8	27.8	30	−5.2	27	10.5	3	5.6	14	0	10	0	0	25	16	8			28	0.0	0.0	–	0	0	0	0
S	24.9	5.8	2.0	29.1	1	−2.0	7	18.5	9	13.0	27	0	0	0	0	8	2	0				9.3	5.1	18	3	3	0	0
O	24.3	9.0	0.7	29.8	21	−0.5	2	14.4	15	15.2	14	0	1	0	0	3	1	0	24	2		53.1	17.0	7	9	8	3	0
N	26.9	10.8	0.6	32.1	26	4.5	8	20.6	14	16.5	25	6	0	0	0	0	0	0				35.2	8.9	19	11	9	0	0
D	28.4	12.5	0.0	34.2	27	6.8	14	16.4	2	19.1	28	9	1	0	0	0	0	0				100.4	49.2	28	9	8	3	1
A	23.2	7.4	0.6	34.2	–	−8.4	–	10.0	–	19.1	–	24	62	0	0	102	53	22				649.3	49.2	–	92	76	22	3
264/399	TEYATEYANENG – LESOTHO											Ø 29° 9'S			λ 27°44'E				H 1753 M			HT 1.2 M			HR 1.2 M			
J	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				(18.0)	–	–	–	–	–	–
M	26.9	13.5	2.4	32.0	8	9.4	29	17.5	23	16.3	8	7	0	0	0	0	0	0				51.5	13.0	25	–	7	2	0
A	22.9	9.4	1.4	26.6	30	4.0	5	18.0	2	14.4	29	0	0	0	0	0	0	0				36.7	27.5	4	–	5	1	1
M	17.7	4.9	−0.2	21.7	30	−0.5	21	13.9	21	11.6	1	0	15	0	0	9	2	0	16	17		71.0	28.0	1	–	5	3	1
J	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				0.0	0.0	–	–	0	0	0
J	(16.8)	(3.2)	(2.0)	21.3	23	−2.5	18	–	–	6.4	7	0	–	–	0	10	1	0				16.3	8.5	4	–	3	0	0
A	18.9	3.6	0.6	26.5	31	−2.5	4	9.3	3	11.0	31	0	9	1	0	9	5	0	27	26		0.0	0.0	–	–	0	0	0
S	23.9	9.2	2.6	27.5	1	5.6	30	16.5	9	15.4	25	0	2	0	0	0	0	0				2.5	1.7	18	–	1	0	0
O	23.9	10.0	0.0	30.9	22	2.9	24	17.8	9	15.6	12	1	0	0	0	0	0	0				44.5	24.0	7	–	5	1	0
N	–	11.3	–	–	–	5.7	8	–	–	15.5	24	–	–	–	0	0	0	0				64.5	15.0	26	–	10	3	0
D	27.3	12.9	−0.2	33.5	26	7.6	14	22.7	3	18.5	27	3	0	0	0	0	0	0				78.7	27.0	28	–	8	2	1
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–

* $\bar{T}m = 1.2\,(\bar{T}x + \bar{T}n)$. Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

MAAND / MONTH	Daelikse maksimum / Daily maximum $\bar{T}x$	Daelikse minimum / Daily minimum $\bar{T}n$	$\bar{T}m^*$ – Normale $\bar{T}m$ / $\bar{T}m^*$ – Longterm $\bar{T}m$ $\Delta\bar{T}m$	Volstrekte maksimum / Absolute maximum Txx	Datum / Date	Volstrekte minimum / Absolute minimum Tnn	Datum / Date	Laagste maksimum / Lowest maximum Txn	Datum / Date	Hoogste minimum / Highest minimum Tnx	Datum / Date	Maksimum / Maximum > 30,0	Maksimum / Maximum < 17,5	Maksimum / Maximum < 10,0	Minimum > 20,0	Minimum < +2,5	Minimum < 0,0	Minimum < −2,5	Ryp / Frost: Vroegste en laatste datums / First and last dates < +2,5	< 0,0	< −2,5	Maand- en jaartotale / Monthly and annual totals	Maksimum in 24 uur / Maximum in 24 hours Rx	Datum / Date	Aantal dae met hoeveelhede / Number of days with amounts ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
268/631 ESTCOURT - AGR Ø 29° 1'S λ 29°52'E H 1181 M HT 1.2 M HR 1.2 M																												
J	26.4	15.8	0.1	31.0	2	12.4	2	17.4	22	20.0	15	4	1	0	0	0	0	0				136.1	51.5	29	18	12	4	2
F	26.2	14.2	−0.7	30.7	26	10.6	13	18.5	16	17.1	27	4	0	0	0	0	0	0				58.1	30.5	27	11	7	1	1
M	27.6	14.8	1.5	33.4	8	10.3	31	23.0	23	18.1	9	6	0	0	0	0	0	0				27.2	7.0	26	12	7	0	0
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				31.8	9.5	14	6	4	0	0
M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				43.4	9.0	1	8	8	0	0
J	18.8	3.3	0.2	24.2	14	−2.8	18	8.6	25	6.7	25	0	8	1	0	8	2	1	(2	17	18)	0.3	0.3	25	1	0	0	0
J	19.1	3.1	0.4	25.5	3	−0.1	18	11.3	5	7.3	4	0	9	0	0	11	1	0			18	24.0	19.6	4	3	2	1	0
A	20.8	3.9	−0.8	30.2	31	−1.1	1	10.6	20	8.0	20	1	6	0	0	11	1	0	23	1	**	25.5	20.0	21	2	2	1	0
S	23.7	9.4	0.6	31.4	24	4.9	10	12.2	7	13.0	27	4	5	0	0	0	0	0				4.3	1.4	30	9	2	0	0
O	24.9	10.2	−0.7	32.3	22	3.6	23	10.8	23	14.6	15	6	3	0	0	0	0	0				55.6	19.5	7	12	7	2	0
N	25.0	11.8	−0.9	31.2	1	7.9	18	12.7	2	15.2	27	2	4	0	0	0	0	0				113.3	39.5	28	16	12	3	1
D	25.9	14.2	−0.4	33.7	25	10.9	22	16.6	2	17.4	27	7	1	0	0	0	0	0				97.7	23.5	28	17	12	4	0
A	–	–	–	33.7	–	–	–	–	–	20.0	–	–	–	–	–	–	–	–				617.3	51.5	–	115	75	16	4
270/194 SEVEN OAKS - RYHILL Ø 29°14'S λ 30°37'E H 1065 M HT 1.2 M HR 1.2 M																												
J	24.2	14.5	–	30.0	15	10.0	1	15.5	3	18.0	27	0	2	0	0	0	0	0				168.1	62.0	15	19	14	5	2
F	23.6	13.3	–	29.5	25	10.0	18	16.5	16	17.0	11	0	1	0	0	0	0	0				119.1	42.0	7	18	13	3	2
M	26.6	15.9	–	31.0	8	9.5	31	18.0	27	19.0	9	2	0	0	0	0	0	0				111.3	46.0	2	17	13	4	2
A	22.6	11.9	–	29.4	28	8.0	10	14.5	13	14.5	3	0	2	0	0	0	0	0				92.1	33.0	2	14	9	3	1
M	19.0	8.1	–	26.5	15	1.5	21	10.2	31	17.6	1	0	12	0	0	1	0	0	21			103.8	28.5	11	12	6	4	2
J	18.6	5.6	–	22.6	8	−1.0	18	7.5	25	9.0	20	0	7	1	0	2	2	0		17		0.0	0.0	–	0	0	0	0
J	18.9	5.9	–	26.0	3	1.5	19	9.0	31	10.0	1	0	9	1	0	2	0	0		18		50.5	31.6	4	6	3	2	1
A	20.1	6.4	–	30.4	31	1.5	1	11.6	20	14.4	31	1	9	0	0	1	0	0		**		77.1	39.5	20	5	5	2	2
S	20.8	9.8	–	31.0	24	5.5	7	10.5	29	13.5	25	2	11	0	0	0	0	0				28.4	5.5	29	11	9	0	0
O	22.8	10.6	–	33.0	22	0.5	24	9.0	23	15.0	4	2	5	1	0	2	0	0	(24)			101.1	20.0	8	18	15	5	0
N	23.0	–	–	31.0	1	–	–	10.8	2	–	–	1	3	0	–	–	–	–				77.5	10.0	1	15	14	1	0
D	23.8	–	–	32.6	25	–	–	13.2	21	–	–	4	3	0	–	–	–	–				186.1	44.0	2	21	16	4	2
A	22.0	–	–	33.0	–	−1.0	–	7.5	–	–	–	12	64	3	–	–	–	–				1115.1	62.0	–	156	117	33	14
274/ 34 ALEXANDER BAY - WK Ø 28°34'S λ 16°32'E H 21 M HT 1.2 M HR 1.2 M																												
J	23.0	14.8	−0.6	26.3	31	11.0	3	20.6	22	17.7	15	0	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
F	23.3	14.1	−0.8	30.2	12	8.7	28	19.8	16	17.2	10	1	0	0	0	0	0	0				1.8	1.8	9	1	1	0	0
M	23.2	13.7	−0.7	37.6	31	8.1	27	19.5	2	19.4	31	1	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	21.4	10.3	−2.0	33.1	6	5.7	13	16.8	11	17.0	1	2	3	0	0	0	0	0				0.0	0.0	–	0	0	0	0
M	24.4	9.9	0.4	34.0	30	5.4	25	16.6	10	18.2	17	9	1	0	0	0	0	0				1.1	0.7	9	2	0	0	0
J	19.9	8.8	−0.8	32.8	9	2.1	16	14.3	13	17.5	10	2	11	0	0	1	0	0	16			0.0	0.0	–	0	0	0	0
J	19.2	8.7	0.2	28.9	13	4.8	25	13.1	27	16.8	13	0	13	0	0	0	0	0	16			8.4	3.1	29	6	3	0	0
A	18.0	8.4	−0.9	29.5	11	5.1	20	13.9	19	12.7	17	0	14	0	0	0	0	0	**			8.6	5.7	1	4	2	0	0
S	19.1	8.1	−1.5	32.8	22	4.0	8	14.0	13	13.8	24	1	12	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	20.8	11.0	−0.4	32.4	25	6.7	23	16.9	6	14.7	29	1	2	0	0	0	0	0				1.2	1.2	22	1	1	0	0
N	22.5	12.4	0.6	34.8	8	8.1	17	19.7	23	15.9	14	1	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
D	23.0	15.0	0.3	26.6	31	10.7	22	20.6	10	17.6	3	0	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	21.5	11.3	−0.5	37.6	–	2.1	–	13.1	–	19.4	–	18	56	0	0	1	0	0				21.1	5.7	–	14	7	0	0
277/177 HENKRIESFONTEIN - COL Ø 28°57'S λ 18° 6'E H 335 M HT 1.2 M HR 1.2 M																												
J	37.5	18.8	–	42.3	8	10.7	21	28.8	20	26.2	9	30	0	0	11	0	0	0				11.1	5.7	26	3	2	0	0
F	38.4	20.8	–	41.6	24	13.7	28	31.3	10	26.3	23	28	0	0	18	0	0	0				24.5	23.7	9	2	1	1	0
M	35.2	17.5	–	41.3	12	11.8	26	26.8	26	23.2	23	29	0	0	6	0	0	0				7.8	3.3	17	3	3	0	0
A	31.1	13.5	–	37.2	29	8.3	15	24.5	4	21.5	1	19	0	0	1	0	0	0				5.0	5.0	2	1	1	0	0
M	26.9	8.6	–	34.6	9	2.9	22	18.7	20	15.6	10	7	0	0	0	0	0	0				2.7	1.5	19	2	2	0	0
J	22.4	5.0	–	29.8	10	0.3	26	16.3	16	10.0	2	0	2	0	0	8	0	0	17			0.0	0.0	–	0	0	0	0
J	20.9	4.5	–	26.7	28	0.5	19	15.4	9	9.2	16	0	7	0	0	2	0	0				2.5	1.0	3	4	1	0	0
A	21.4	5.6	–	29.0	28	1.4	20	12.3	19	9.3	28	0	5	0	0	1	0	0	20			13.9	6.5	2	4	2	0	0
S	27.7	8.7	–	35.2	18	2.5	29	19.8	6	13.9	23	12	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	30.5	11.8	–	36.7	31	3.7	23	19.7	22	17.2	28	17	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
N	–	15.1	–	–	–	10.7	7	–	–	22.6	26	–	–	–	2	0	0	0				0.0	0.0	–	0	0	0	0
D	36.4	16.9	–	42.7	27	11.2	14	27.0	11	22.3	27	27	0	0	5	0	0	0				0.0	0.0	–	0	0	0	0
A	–	12.2	–	42.7	–	0.3	–	12.3	–	26.3	–	–	–	–	43	11	0	0				67.5	23.7	–	19	12	1	0
290/468 KIMBERLEY - WK Ø 28°48'S λ 24°46'E H 1198 M HT 1.2 M HR 1.2 M																												
J	31.3	18.2	−0.4	34.4	30	15.0	1	25.0	9	20.9	18	22	0	0	3	0	0	0				82.7	23.5	8	11	8	3	0
F	30.5	17.2	−0.1	35.7	3	13.5	28	23.5	7	20.1	26	16	0	0	1	0	0	0				64.9	35.6	4	9	7	2	1
M	30.8	16.5	2.1	35.9	8	12.1	12	25.2	31	21.5	17	20	0	0	3	0	0	0				52.9	19.6	23	9	8	1	0
A	25.6	12.1	0.8	30.5	29	6.3	6	19.6	6	17.0	30	3	0	0	0	0	0	0				35.3	16.0	4	9	6	1	0
M	20.2	7.4	−0.2	24.6	8	−1.7	21	12.9	2	14.8	1	0	6	0	0	4	1	0	16	21		54.7	26.5	2	8	5	2	1
J	18.8	5.6	1.5	23.8	29	−4.3	16	10.7	15	11.6	14	0	7	0	0	6	4	2			16	4.2	2.5	5	3	2	0	0
J	18.7	5.0	1.4	23.4	28	−2.4	18	11.6	16	11.0	8	0	12	0	0	10	3	0			17	7.7	3.9	24	4	3	0	0
A	20.5	4.1	−1.2	30.0	31	−1.7	20	11.2	21	13.5	30	0	8	0	0	12	2	0			**	0.4	0.4	21	1	0	0	0
S	26.6	9.9	1.9	33.0	24	−0.2	7	18.1	6	17.8	24	7	0	0	0	2	1	0	7	7		0.2	0.2	10	1	0	0	0
O	27.1	12.3	−0.5	33.6	12	3.7	24	18.2	23	17.5	22	10	0	0	0	0	0	0				31.0	12.0	14	7	5	1	0
N	29.8	15.0	0.3	34.9	26	7.8	8	25.7	8	20.0	24	15	0	0	0	0	0	0				22.4	6.2	6	7	5	0	0
D	31.1	16.1	−0.5	36.9	27	10.8	14	19.9	2	21.7	31	21	0	0	3	0	0	0				95.6	25.0	19	10	9	5	1
A	25.9	11.6	0.4	36.9	–	−4.3	–	10.7	–	21.7	–	114	33	0	10	34	11	2				452.0	35.6	–	79	58	15	3

* $\bar{T}m = 1/2 (\bar{T}x + \bar{T}n)$; Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TABEL I

TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM $\bar{T}x$	DAELIKSE MINIMUM / DAILY MINIMUM $\bar{T}n$	$\bar{T}m$* – NORMALE Tm / $\bar{T}m$* – LONGTERM Tm $\Delta\bar{T}m$	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	EXTREME TEMPERATURES – AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥ 30,0	≥ 17,5	≥ 10,0	MINIMUM / MINIMUM ≤ 20,0	≤ +2,5	≤ 0,0	≤ −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES ≤ +2,5	≤ 0,0	≤ −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
293/597	GLEN COLLEGE – AGR											Ø 28°57'S			λ 26°20'E				H 1304 M			HT 1.2 M			HR 1.2 M			
J	29.4	16.0	0.0	34.0	2	11.0	1	20.8	24	18.4	18	14	0	0	0	0	0	0				95.0	18.5	18	11	11	3	0
F	28.1	13.9	−0.7	33.0	26	4.5	28	21.3	7	16.6	7	6	0	0	0	0	0	0				62.9	18.0	3	9	8	3	0
M	29.6	13.2	1.7	35.0	9	7.4	2	20.9	23	18.2	16	18	0	0	0	0	0	0				37.4	9.0	9	9	7	0	0
A	24.9	8.0	0.8	29.7	21	4.2	26	19.8	6	14.7	1	0	0	0	0	0	0	0				57.1	29.8	4	8	7	2	1
M	19.3	3.6	0.0	23.3	9	−3.4	21	12.7	23	13.0	1	0	8	0	0	10	5	1	16	17	21	32.3	15.5	3	6	6	1	0
J	18.4	0.5	0.9	22.5	30	−8.2	17	10.3	16	8.7	14	0	7	0	0	21	11	7				2.0	2.0	6	1	1	0	0
J	18.2	−0.1	1.0	22.4	3	−6.5	17	12.0	17	7.7	30	0	12	0	0	23	16	9				4.2	4.0	24	2	1	0	0
A	20.4	−1.2	−1.7	29.7	30	−6.6	4	11.7	3	9.1	14	0	8	0	0	26	23	12			28	0.0	0.0	–	0	0	0	0
S	27.0	5.6	1.8	32.1	24	−1.3	7	18.8	8	12.8	25	4	0	0	0	5	2	0		16		0.2	0.2	18	1	0	0	0
O	26.1	10.0	0.4	32.0	12	1.3	2	16.8	23	18.7	12	5	1	0	0	3	0	0	24			71.3	27.0	27	6	5	4	1
N	28.8	11.9	0.3	34.2	25	5.3	9	23.3	6	17.8	27	11	0	0	0	0	0	0				20.9	9.5	10	6	5	0	0
D	30.0	13.3	−0.4	36.4	27	6.8	7	18.6	2	18.9	18	15	0	0	0	0	0	0				57.6	27.0	1	8	8	1	1
A	25.0	7.9	0.3	36.4	–	−8.2	–	10.3	–	18.9	–	73	36	0	0	88	57	29				440.9	29.8	–	67	59	14	3
297/ 83	LERIBE – LESOTHO											Ø 28°53'S			λ 28° 3'E				H 1666 M			HT 1.2 M			HR 1.2 M			
J	26.1	14.8	–	29.2	16	8.9	4	20.6	22	16.7	13	0	0	0	0	0	0	0				127.5	27.0	11	–	10	5	2
F	26.9	13.7	–	31.1	13	11.4	4	20.4	9	17.8	23	1	0	0	0	0	0	0				84.1	41.5	4	–	11	2	1
M	26.9	12.6	–	31.5	8	7.0	1	16.1	23	16.5	20	5	1	0	0	0	0	0				41.5	20.0	24	–	3	2	0
A	21.9	8.2	–	26.5	28	4.0	6	16.3	5	11.4	3	0	3	0	0	0	0	0				46.0	18.4	4	–	3	3	0
M	17.1	3.5	–	24.1	1	−2.0	29	11.5	12	11.0	1	0	16	0	0	10	7	0	16	17		51.0	23.5	2	–	4	2	0
J	15.7	−0.3	–	18.9	29	−4.8	25	11.0	16	2.7	5	0	23	0	0	27	10	9			16	0.0	0.0	–	–	0	0	0
J	16.7	1.5	–	18.9	17	−0.9	14	13.9	16	6.5	7	0	14	0	0	19	7	0				10.0	7.0	4	–	2	0	0
A	(17.0)	(1.3)	–	25.0	30	−5.0	23	–	–	6.2	19	0	–	–	0	–	–	1		27	23	1.5	1.5	3	–	1	0	0
S	23.7	7.8	–	27.5	25	4.5	4	16.0	9	14.1	25	0	3	0	0	0	0	0				0.5	0.5	20	–	0	0	0
O	23.6	8.8	–	27.2	12	2.2	24	12.5	8	15.1	14	0	1	0	0	2	0	0	24			48.0	22.5	9	–	3	2	0
N	25.2	10.8	–	31.5	26	6.9	10	20.5	16	13.7	19	2	0	0	0	0	0	0				58.4	26.0	14	–	8	1	1
D	27.3	12.5	–	31.5	26	9.0	7	22.0	1	17.4	27	2	0	0	0	0	0	0				69.6	27.5	23	–	8	3	1
A	(22.3)	(7.9)	–	31.5	–	−5.0	–	–	–	17.8	–	10	–	–	0	–	–	10				538.1	41.5	–	–	53	20	5
297/436	BUTHA-BUTHE – LESOTHO											Ø 28°46'S			λ 28°15'E				H 1768 M			HT 1.2 M			HR 1.2 M			
J	25.1	14.0	–	27.8	2	10.1	4	20.5	22	16.4	20	0	0	0	0	0	0	0				138.3	46.5	11	–	14	4	1
F	25.2	12.8	–	27.5	28	10.4	4	20.1	8	14.6	20	0	0	0	0	0	0	0				82.5	44.5	4	–	8	1	1
M	26.0	10.9	–	30.5	9	6.4	1	17.2	23	14.8	10	2	1	0	0	0	0	0				115.0	43.0	30	–	7	4	2
A	21.5	6.8	–	25.9	28	2.6	26	17.0	8	11.9	3	0	2	0	0	0	0	0				64.5	20.0	4	–	7	3	0
M	16.4	2.6	–	20.7	8	−2.4	17	11.9	12	9.2	2	0	20	0	0	17	7	0	5	17		61.0	24.5	11	–	5	2	0
J	16.4	−0.7	–	19.8	5	−5.8	18	10.6	17	3.7	27	0	19	0	0	27	19	6			16	1.6	1.6	21	–	1	0	0
J	15.8	−0.8	–	18.6	4	−5.4	18	11.5	16	6.4	7	0	26	0	0	28	21	9				18.0	12.5	4	–	3	1	0
A	–	0.7	–	–	–	−3.8	1	–	–	6.8	21	–	–	–	0	25	16	4		28	27	0.0	0.0	–	–	0	0	0
S	–	6.2	–	–	–	3.2	16	–	–	13.0	28	–	–	–	0	0	0	0				6.3	2.5	10	–	3	0	0
O	–	8.3	–	–	–	0.8	24	–	–	14.4	14	–	–	–	0	1	0	0	24			36.5	23.0	7	–	5	1	0
N	–	9.7	–	–	–	3.6	12	–	–	13.8	19	–	–	–	0	0	0	0				64.0	23.5	14	–	9	2	0
D	–	10.2	–	–	–	3.2	30	–	–	15.0	9	–	–	–	0	0	0	0				102.9	41.0	28	–	9	4	1
A	–	6.7	–	–	–	−5.8	–	–	–	16.4	–	–	–	–	0	98	63	19				690.6	46.5	–	–	71	22	5
298/193	OX-BOW – LESOTHO											Ø 28°43'S			λ 28°37'E				H 2591 M			HT 1.2 M			HR 1.2 M			
J	17.5	7.2	–	20.4	2	2.6	1	11.6	22	10.3	26	0	13	0	0	0	0	0				228.7	31.5	6	22	19	9	3
F	16.8	6.0	–	20.0	13	1.8	14	13.5	16	9.5	20	0	15	0	0	1	0	0	14			172.0	35.0	8	15	15	7	1
M	17.2	4.5	–	21.6	8	1.0	1	11.1	23	8.9	25	0	14	0	0	7	0	0				139.0	40.4	25	14	12	3	2
A	13.6	1.6	–	18.6	27	−3.4	26	8.5	5	6.6	3	0	28	2	0	19	8	2		6	6	122.1	24.0	4	8	8	7	0
M	9.3	−2.8	–	14.7	1	−8.8	17	4.5	21	6.5	1	0	31	17	0	29	24	17				78.1	31.0	2	6	6	4	1
J	8.3	−5.3	–	13.1	12	−12.7	17	2.9	17	0.8	30	0	30	22	0	30	29	24				5.0	4.5	21	2	1	0	0
J	–	−6.4	–	–	–	−11.5	21	–	–	2.6	16	–	–	–	0	30	29	27				24.4	19.0	4	3	3	1	0
A	–	−3.5	–	–	–	−12.2	4	–	–	2.2	20	–	–	–	0	31	24	17				15.0	15.0	21	1	1	1	0
S	14.4	2.5	–	17.3	24	−3.4	22	7.5	9	7.9	15	0	30	4	0	15	8	4				21.8	11.7	18	7	4	1	0
O	14.1	1.9	–	19.0	13	−4.2	5	8.7	23	8.6	15	0	24	3	0	16	10	6				89.9	23.8	28	8	7	3	1
N	14.8	3.7	–	20.9	25	−3.8	12	10.0	14	7.9	19	0	25	0	0	11	1	1			12	129.2	24.2	19	16	14	5	0
D	17.1	4.7	–	22.3	26	−0.2	6	10.8	2	9.9	27	0	19	0	0	5	1	0	15	6		82.0	16.4	1	16	14	3	0
A	–	1.2	–	22.3	–	−12.7	–	–	–	10.3	–	–	–	–	0	194	134	98				1107.2	40.4	–	118	104	44	8
299/419	CATHEDRAL PEAK – BOS											Ø 28°59'S			λ 29°14'E				H 1870 M			HT 1.2 M			HR 1.2 M			
J	20.3	12.9	–	25.4	2	8.3	22	13.0	3	15.4	11	0	5	0	0	0	0	0				333.1	42.3	6	29	24	10	4
F	19.3	12.0	–	24.6	28	9.4	17	13.1	16	15.2	27	0	6	0	0	0	0	0				206.9	40.0	6	19	16	7	2
M	21.5	13.0	–	27.0	8	10.1	31	15.4	20	17.0	10	0	3	0	0	0	0	0				152.8	22.3	30	21	15	6	0
A	19.5	10.5	–	25.6	28	6.7	12	12.5	4	15.4	30	0	7	0	0	0	0	0				46.5	17.1	14	10	6	1	0
M	15.4	7.2	–	21.5	1	−1.2	17	9.5	2	15.8	1	0	19	2	0	4	1	0	16	17		47.3	17.7	1	8	6	2	0
J	14.5	5.2	–	18.4	8	−1.7	17	4.1	16	10.6	30	0	24	4	0	6	3	0				8.1	4.8	25	3	3	0	0
J	14.5	5.3	–	18.9	1	−0.5	5	6.0	5	9.8	29	0	26	2	0	6	1	0				30.8	30.4	4	2	1	1	1
A	16.5	5.4	–	25.3	31	−0.3	27	7.5	20	15.1	31	0	18	3	0	7	2	0		27		59.1	35.8	20	6	4	2	1
S	19.7	6.3	–	26.5	14	2.0	9	7.3	30	15.5	14	0	9	3	0	1	0	0				25.1	8.8	29	8	4	0	0
O	19.6	8.4	–	26.7	21	0.4	24	5.1	24	14.3	22	0	8	2	0	2	0	0	24			135.4	32.0	23	12	8	5	3
N	19.4	9.3	–	24.0	7	4.0	3	6.8	16	13.3	25	0	7	2	0	0	0	0				86.3	12.0	2	24	17	1	0
D	20.8	11.3	–	28.0	25	8.6	6	13.1	2	16.4	9	0	8	0	0	0	0	0				127.5	22.5	1	21	16	5	0
A	18.4	9.1	–	28.0	–	−1.7	–	4.1	–	17.0	–	0	140	18	0	26	7	0				1258.9	42.3	–	163	120	40	11

*$\bar{T}m = 1/2\ (\bar{T}x + \bar{T}n)$; Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

TABEL I

TABLE I

MAAND / MONTH	Tx: DAELIKSE MAKSIMUM / DAILY MAXIMUM	Tn: DAELIKSE MINIMUM / DAILY MINIMUM	ΔTm: Tm* – NORMALE Tm / Tm* – LONGTERM Tm	Txx: VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM	DATUM / DATE	Tnn: VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM	DATUM / DATE	Txn: LAAGSTE MAKSIMUM / LOWEST MAXIMUM	DATUM / DATE	Tnx: HOOGSTE MINIMUM / HIGHEST MINIMUM	DATUM / DATE	MAKSIMUM / MAXIMUM ≥ 30,0	MAKSIMUM / MAXIMUM < 17,5	MAKSIMUM / MAXIMUM < 10,0	MINIMUM ≥ 20,0	MINIMUM < +2,5	MINIMUM < 0,0	MINIMUM < –2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< –2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	Rx: MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
300/423	LADYSMITH - MUN											Ø 28°33'S				λ 29°45'E			H 1034 M			HT 1.2 M			HR 1.2 M			
J	28.8	16.9	-	34.2	2	13.2	22	20.1	3	19.8	15	12	0	0	0	0	0	0				149.9	26.0	31	16	14	6	1
F	27.2	15.3	-	32.8	28	12.4	9	19.4	16	18.4	8	5	0	0	0	0	0	0				79.1	20.0	15	9	7	4	0
M	29.5	16.0	-	35.9	8	11.8	31	23.3	23	18.9	25	11	0	0	0	0	0	0				71.2	27.7	12	6	5	3	1
A	25.9	-	-	32.0	28	-	-	19.6	4	-	-	2	0	0	-	-	-	-				76.1	25.5	14	7	6	4	1
M	20.7	-	-	27.5	1	-	-	14.1	12	-	-	0	8	0	-	-	-	-				62.1	22.5	1	9	8	3	0
J	20.2	-	-	24.5	14	-	-	10.9	25	-	-	0	6	0	-	-	-	-				1.2	1.2	25	1	1	0	0
J	19.7	-	-	25.0	3	-	-	10.8	5	-	-	0	9	0	-	-	-	-				27.3	22.0	4	4	3	1	0
A	22.3	-	-	32.0	31	-	-	11.7	20	-	-	2	4	0	-	-	-	-				27.0	15.0	21	2	2	2	0
S	25.3	-	-	33.0	24	-	-	10.9	7	-	-	10	4	0	-	-	-	-				7.5	5.0	27	5	2	0	0
O	26.7	-	-	33.9	21	-	-	14.0	24	-	-	10	3	0	-	-	-	-				83.7	19.3	27	8	8	4	0
N	26.6	-	-	31.7	1	-	-	14.5	2	-	-	5	3	0	-	-	-	-				56.0	14.0	28	13	9	2	0
D	27.9	-	-	35.2	25	-	-	18.0	2	-	-	13	0	0	-	-	-	-				105.6	27.5	11	13	11	4	1
A	25.1	-	-	35.9	-	-	-	10.8	-	-	-	70	37	0	-	-	-	-				746.7	27.7	-	93	76	33	4
303/833A	ESHOWE - MUN											Ø 28°53'S				λ 31°28'E			H 532 M			HT 1.2 M			HR 1.2 M			
J	25.9	15.7	-	33.0	10	12.0	22	17.2	3	19.2	14	5	1	0	0	0	0	0				200.5	47.6	20	21	17	5	3
F	25.4	14.9	-	30.4	26	10.6	19	17.7	16	17.5	11	2	0	0	0	0	0	0				150.1	35.0	2	14	12	7	2
M	26.9	16.9	-	35.0	25	14.6	3	19.7	26	19.7	25	7	0	0	0	0	0	0				110.6	27.0	27	15	12	4	1
A	24.1	16.0	-	30.9	30	13.6	10	16.5	13	18.4	29	3	2	0	0	0	0	0				110.9	29.4	4	15	11	3	1
M	21.1	12.5	-	27.5	15	8.0	22	13.8	31	18.5	1	0	9	0	0	0	0	0				298.8	204.5	13	11	9	6	1
J	20.6	9.9	-	26.2	14	4.1	18	11.6	25	14.4	9	0	5	0	0	0	0	0				8.5	7.6	1	2	1	0	0
J	20.7	9.6	-	27.1	3	5.4	19	12.0	5	14.3	2	0	6	0	0	0	0	0				93.2	62.1	5	5	5	3	1
A	21.3	10.2	-	29.4	17	5.1	1	13.6	20	16.8	31	0	4	0	0	0	0	0				48.7	12.5	4	6	6	2	0
S	20.2	12.8	-	31.1	13	8.4	7	11.8	30	16.5	25	1	10	0	0	0	0	0				140.1	20.8	17	16	13	5	0
O	23.1	13.5	-	33.5	22	6.8	24	11.4	23	17.8	14	4	5	0	0	0	0	0				197.7	40.8	8	17	13	7	4
N	23.1	14.6	-	33.0	1	10.8	9	12.8	16	18.5	20	1	2	0	0	0	0	0				95.6	12.4	12	16	12	5	0
D	24.7	16.7	-	32.6	25	13.8	6	17.0	21	20.5	30	5	2	0	1	0	0	0				109.5	52.2	3	12	10	3	1
A	23.1	13.6	-	35.0	-	4.1	-	11.4	-	20.5	-	28	46	0	1	0	0	0				1564.2	204.5	-	150	121	50	14
305/ 17	RICHARDS BAY - ALUSAF											Ø 28°47'S				λ 32° 1'E			H 17 M			HT 1.2 M			HR 1.2 M			
J	29.2	20.7	-	37.8	19	17.5	4	22.8	21	24.3	14	11	0	0	19	0	0	0				185.2	74.4	16	19	16	4	3
F	28.6	19.5	-	33.9	28	16.2	20	23.7	17	21.6	9	6	0	0	13	0	0	0				134.0	44.6	4	10	9	4	3
M	29.8	20.7	-	36.8	9	17.7	22	25.1	30	24.0	8	11	0	0	17	0	0	0				208.0	79.5	29	15	12	7	3
A	27.5	18.5	-	33.6	19	16.3	16	21.4	8	20.5	3	9	0	0	3	0	0	0				127.9	36.3	2	15	14	5	1
M	24.0	14.5	-	31.1	15	7.8	19	17.2	16	20.2	1	1	2	0	1	0	0	0				568.0	405.4	12	15	13	5	3
J	24.1	11.3	-	31.9	8	6.2	18	16.1	25	16.4	15	2	2	0	0	0	0	0				14.3	8.3	25	3	2	0	0
J	23.0	11.2	-	31.0	3	6.4	19	16.4	5	17.1	10	2	2	0	0	0	0	0				130.5	44.4	25	-	-	-	-
A	24.0	12.6	-	30.1	29	8.9	1	16.8	20	18.1	19	1	2	0	0	0	0	0				18.2	12.3	21	8	4	1	0
S	23.7	16.0	-	31.8	5	11.1	10	16.7	30	19.2	27	2	1	0	0	0	0	0				88.4	27.0	30	12	10	3	1
O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				83.9	32.0	9	-	-	-	-
N	26.4	17.8	-	35.6	1	13.4	9	18.4	16	21.5	6	3	0	0	5	0	0	0				88.3	23.3	16	15	11	3	0
D	28.0	19.8	-	35.3	25	16.1	6	21.2	2	23.7	29	9	0	0	14	0	0	0				167.0	78.0	2	11	8	5	2
A	-	-	-	37.8	-	6.2	-	16.1	-	-	-	-	-	-	-	-	-	-				1813.7	405.4	-	-	-	-	-
317/447A	UPINGTON - AGR											Ø 28°27'S				λ 21°15'E			H 793 M			HT 1.2 M			HR 1.2 M			
J	34.7	18.1	-	40.3	7	10.7	12	30.5	21	24.6	8	31	0	0	8	0	0	0				29.3	18.0	24	5	4	1	0
F	32.8	18.3	-	36.3	2	8.4	28	25.4	10	22.1	13	25	0	0	5	0	0	0				50.0	24.2	10	8	7	2	0
M	32.3	15.0	-	36.9	9	6.2	27	22.9	31	23.0	13	25	0	0	1	0	0	0				52.3	26.0	29	7	5	2	1
A	27.9	10.8	-	33.5	21	3.1	17	21.5	4	20.9	22	6	0	0	1	0	0	0				10.6	3.7	30	7	4	0	0
M	23.6	6.9	-	28.5	8	-0.6	21	16.0	20	14.8	23	0	3	0	0	4	2	0	17	17		13.6	9.7	10	2	2	0	0
J	21.3	5.7	-	26.4	29	-6.1	17	12.5	15	14.3	20	0	7	0	0	9	5	2			17	8.4	3.5	5	4	3	0	0
J	20.1	4.0	-	27.2	7	-3.3	18	11.5	10	14.3	7	0	9	0	0	13	6	2			18	6.2	4.5	30	6	2	0	0
A	20.4	1.4	-	29.4	29	-2.5	26	11.5	21	13.0	14	0	8	0	0	24	9	0				1.5	1.0	21	2	1	0	0
S	26.4	6.6	-	35.5	24	-1.7	7	16.9	6	14.1	19	6	1	0	0	3	1	0				0.0	0.0	-	0	0	0	0
O	28.1	9.8	-	37.5	12	-0.1	1	13.0	14	19.4	13	14	1	0	0	2	1	0	2	1		18.5	12.5	14	3	3	1	0
N	30.7	13.5	-	37.4	24	8.2	9	23.2	20	24.8	24	16	0	0	2	0	0	0				13.5	13.5	18	1	1	1	0
D	33.0	15.7	-	39.9	28	9.9	7	26.0	13	24.0	29	13	0	0	4	0	0	0				8.9	6.0	17	2	2	0	0
A	27.6	10.5	-	40.3	-	-6.1	-	11.5	-	24.8	-	136	29	0	21	55	24	4				212.8	26.0	-	47	34	7	1
317/474	UPINGTON - WK											Ø 28°24'S				λ 21°16'E			H 836 M			HT 1.2 M			HR 1.2 M			
J	35.5	19.8	-	38.9	4	12.1	21	31.2	21	25.4	8	31	0	0	16	0	0	0				15.5	10.5	24	5	3	1	0
F	33.2	19.5	-	37.5	3	12.0	28	25.2	10	23.3	13	26	0	0	13	0	0	0				83.2	29.3	10	11	8	3	1
M	33.0	17.1	-	37.3	17	10.3	27	22.8	30	23.0	13	27	0	0	3	0	0	0				31.4	20.0	29	6	4	1	0
A	28.2	13.3	-	34.3	21	7.5	17	21.0	4	21.3	22	8	0	0	1	0	0	0				36.5	18.2	2	7	5	1	0
M	23.6	9.2	-	28.8	10	2.3	21	15.5	20	16.8	10	0	3	0	0	1	0	0	21			13.8	10.0	10	3	2	1	0
J	21.0	7.2	-	26.3	29	-2.7	17	12.4	15	13.5	7	0	7	0	0	6	3	1		16	17	14.3	6.3	5	4	3	0	0
J	20.0	5.6	-	26.9	7	-2.3	17	11.8	10	14.7	29	0	9	0	0	7	2	0		18	17	5.9	4.2	30	3	2	0	0
A	20.6	3.9	-	29.8	29	0.1	26	11.4	19	13.3	14	0	8	0	0	9	0	0			**	0.8	0.7	21	2	0	0	0
S	26.9	8.8	-	35.5	23	0.8	7	16.8	6	17.4	23	8	1	0	0	1	0	0	7			0.0	0.0	-	0	0	0	0
O	28.7	12.5	-	38.4	12	3.8	1	12.7	14	21.0	28	16	1	0	1	0	0	0				17.5	14.5	14	3	3	1	0
N	31.7	15.6	-	39.0	26	11.4	15	24.7	15	25.1	24	19	0	0	4	0	0	0				6.7	6.7	18	1	1	0	0
D	34.4	17.8	-	40.8	27	12.7	6	26.8	5	23.6	29	26	0	0	6	0	0	0				3.2	3.2	17	1	1	0	0
A	28.1	12.5	-	40.8	-	-2.7	-	11.4	-	25.4	-	161	29	0	44	24	5	1				228.8	29.3	-	46	32	8	1

* Tm = ½ (Tx + Tn). Waar/Where ** Laatste datum verwys na vorige maand / Last date refers to previous month.

MAAND / MONTH	DAELIKSE MAKSIMUM / DAILY MAXIMUM Tx	DAELIKSE MINIMUM / DAILY MINIMUM Tn	Tm* – NORMALE Tm / Tm* – LONGTERM Tm ΔTm	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	MAKSIMUM / MAXIMUM > 30,0	MAKSIMUM / MAXIMUM < 17,5	MAKSIMUM / MAXIMUM < 10,0	MINIMUM / MINIMUM > 20,0	MINIMUM / MINIMUM < +2,5	MINIMUM / MINIMUM < 0,0	MINIMUM / MINIMUM < –2,5	RYP / FROST < +2,5	RYP / FROST < 0,0	RYP / FROST < –2,5	MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
323/102 KOOPMANSFONTEIN II - AGR Ø 28°12'S λ 24° 4'E H 1341 M HT 1.2 M HR 1.2 M																												
J	29.7	16.2	-0.6	33.7	2	12.5	1	24.0	9	20.5	13	16	0	0	1	0	0	0				103.5	24.5	8	11	10	4	0
F	27.6	14.7	-1.2	31.8	3	6.2	28	21.4	7	17.7	13	4	0	0	0	0	0	0				130.0	29.0	15	13	10	7	1
M	29.8	13.3	1.6	35.0	8	7.4	1	23.8	31	20.4	9	19	0	0	1	0	0	0				85.0	35.0	30	10	7	2	2
A	24.7	9.1	0.8	29.0	29	5.0	6	17.9	6	14.9	23	0	0	0	0	0	0	0				41.5	19.0	7	7	6	1	0
M	19.5	4.8	0.2	23.4	8	-3.9	21	11.3	20	13.5	1	0	7	0	0	8	6	2	16	16	17	39.0	14.0	10	7	6	2	0
J	18.3	2.6	2.0	22.1	8	-9.0	16	8.4	16	10.0	19	0	6	2	0	12	7	5				2.0	1.0	6	2	2	0	0
J	18.0	1.3	1.7	23.0	28	-6.1	17	11.4	17	8.3	8	0	12	0	0	18	13	6				5.0	3.0	26	2	2	0	0
A	20.1	-0.1	-1.0	27.7	30	-6.1	20	9.5	21	10.3	31	0	8	1	0	24	19	12				1.5	1.5	1	1	1	0	0
S	26.0	6.3	1.8	31.2	24	-4.4	7	19.3	8	13.9	19	3	0	0	0	5	3	1			7	0.0	0.0	-	0	0	0	0
O	26.6	9.2	-0.5	33.1	11	-1.4	1	16.8	23	16.1	13	10	1	0	0	4	1	0	2	1		38.5	22.5	14	5	5	2	0
N	29.4	11.7	0.2	34.8	26	4.0	8	23.7	16	18.4	26	14	0	0	0	0	0	0				14.5	9.0	19	5	4	0	0
D	30.2	13.2	-0.8	35.8	27	6.5	14	19.3	2	20.0	28	19	0	0	0	0	0	0				73.0	31.5	18	7	6	2	2
A	25.0	8.5	0.3	35.8	-	-9.0	-	8.4	-	20.5	-	85	34	3	2	71	49	26				533.5	35.0	-	70	59	20	5
328/636 VIRGINIA - MUN Ø 28° 6'S λ 26°52'E H 1335 M HT 1.2 M HR 1.2 M																												
J	28.7	16.8	-	32.2	16	14.2	22	21.6	22	18.8	2	8	0	0	0	0	0	0				105.7	26.1	20	11	11	5	1
F	27.5	15.1	-	31.6	26	10.1	28	21.3	7	18.7	16	3	0	0	0	0	0	0				66.0	23.9	4	8	7	2	0
M	29.1	14.2	-	33.7	8	7.9	1	19.2	23	17.4	25	15	0	0	0	0	0	0				32.6	14.4	23	10	6	1	0
A	24.3	9.4	-	28.2	28	5.4	26	19.8	4	13.9	3	0	0	0	0	0	0	0				77.7	43.8	4	9	7	2	1
M	19.0	5.1	-	22.8	8	-1.0	18	13.5	11	14.0	1	0	10	0	0	8	4	0	18	18		42.4	18.0	1	6	5	1	0
J	18.4	0.9	-	22.7	14	-4.4	17	11.8	16	5.7	22	0	8	0	0	21	10	3			16	0.0	0.0	-	0	0	0	0
J	18.1	-0.2	-	22.2	3	-5.6	18	12.3	16	4.9	7	0	11	0	0	24	15	4				0.2	0.1	30	1	0	0	0
A	20.4	-0.1	-	28.7	31	-4.4	4	11.9	3	6.5	14	0	5	0	0	24	17	7		28	28	0.0	0.0	-	0	0	0	0
S	26.3	7.8	-	30.9	24	1.6	4	17.2	8	13.6	24	2	2	0	0	2	0	0	16			0.1	0.1	18	1	0	0	0
O	26.1	11.0	-	30.8	28	2.6	2	17.9	15	17.7	22	4	0	0	0	0	0	0				36.3	26.4	7	5	3	1	1
N	27.8	12.7	-	32.6	1	7.8	21	18.8	6	16.5	27	6	0	0	0	0	0	0				78.2	27.4	19	9	6	3	1
D	28.7	14.5	-	34.2	27	9.4	14	19.7	2	18.8	29	12	0	0	0	0	0	0				87.6	22.5	10	10	9	4	0
A	24.5	8.9	-	34.2	-	-5.6	-	11.8	-	18.8	-	50	36	0	0	79	46	14				526.8	43.8	-	70	54	19	4
331/520 LOCH LOMOND - AGR Ø 28°10'S λ 28°18'E H 1631 M HT 1.2 M HR 1.2 M																												
J	25.9	14.1	0.6	29.0	6	11.0	4	18.4	22	16.1	24	0	0	0	0	0	0	0				117.5	41.2	13	12	12	3	1
F	24.5	12.5	-0.6	28.7	27	10.1	13	17.9	16	14.8	16	0	0	0	0	0	0	0				114.7	27.4	3	13	10	4	1
M	26.6	11.6	1.6	32.1	8	6.3	1	16.6	23	14.8	11	3	1	0	0	0	0	0				55.8	29.5	23	7	5	1	1
A	22.0	7.5	0.8	26.5	28	2.9	6	15.9	8	11.9	13	0	2	0	0	0	0	0				86.6	25.4	7	7	6	4	1
M	16.8	2.5	-0.2	22.0	8	-3.6	19	11.9	3	9.1	2	0	18	0	0	15	5	3	5	17	18	45.7	13.7	1	6	5	2	0
J	16.1	-1.7	0.8	19.7	14	-5.5	16	9.9	25	2.6	26	0	18	1	0	28	26	8				0.0	0.0	-	0	0	0	0
J	15.8	-1.7	0.8	19.5	29	-6.6	20	10.6	5	5.8	7	0	22	0	0	29	21	12				10.8	4.7	4	3	3	0	0
A	18.4	-1.1	-0.2	25.4	31	-5.9	6	9.9	21	2.5	14	0	12	2	0	29	19	11			28	7.9	7.9	21	1	1	0	0
S	23.3	4.8	1.4	28.6	28	0.0	16	12.7	7	10.1	28	0	3	0	0	5	0	0				8.6	4.0	11	6	2	0	0
O	23.8	7.8	-0.1	28.9	22	-0.2	18	16.3	24	13.2	15	0	2	0	0	3	1	0	24	18		47.8	19.9	7	6	6	2	0
N	24.3	9.5	-0.6	30.0	26	2.9	12	15.3	16	14.0	27	0	2	0	0	0	0	0				61.0	17.1	14	13	12	2	0
D	26.3	11.5	0.3	30.8	26	8.2	6	15.4	2	16.7	27	1	1	0	0	0	0	0				134.3	40.5	23	11	10	5	1
A	22.0	6.4	0.4	32.1	-	-6.6	-	9.9	-	16.7	-	4	81	3	0	109	72	34				690.7	41.2	-	85	72	23	5
332/370 RIETKUIL Ø 28°10'S λ 28°43'E H 1647 M HT 1.2 M HR 1.2 M																												
J	25.5	13.2	-	29.5	2	9.3	30	16.7	22	16.0	16	0	1	0	0	0	0	0				141.6	47.7	9	-	11	3	3
F	24.1	11.6	-	28.0	26	8.5	13	16.6	16	14.6	7	0	1	0	0	0	0	0				69.3	17.5	16	-	10	3	0
M	27.9	11.8	-	31.5	8	7.4	29	16.0	23	14.0	25	2	1	0	0	0	0	0				92.1	21.5	23	-	7	5	0
A	21.9	6.8	-	26.6	28	1.2	6	15.3	4	11.5	15	0	2	0	0	1	0	0	6			79.8	32.0	7	-	6	3	1
M	16.7	2.2	-	22.3	7	-4.8	31	11.2	12	9.8	2	0	18	0	0	19	12	2		6	30	43.9	11.2	2	-	6	2	0
J	16.0	-2.4	-	19.2	14	-5.5	21	8.6	25	1.9	30	0	20	1	0	30	24	16				3.2	3.2	25	-	1	0	0
J	16.3	-2.9	-	19.5	28	-8.3	18	10.5	5	4.6	3	0	23	0	0	31	22	16				10.3	6.8	4	-	2	0	0
A	18.3	-1.8	-	26.0	31	-7.5	4	10.7	22	6.0	21	0	9	0	0	29	21	13			28	0.0	0.0	-	-	0	0	0
S	22.6	4.4	-	27.5	24	-0.6	4	11.5	7	10.2	28	0	4	0	0	5	1	0				14.0	8.5	7	-	2	0	0
O	23.8	7.0	-	29.0	21	-1.0	2	13.7	24	12.1	15	0	1	0	0	3	1	0	2	2		33.7	14.0	7	-	4	1	0
N	23.5	8.9	-	29.6	24	4.6	9	11.5	16	13.5	27	0	4	0	0	0	0	0				90.7	22.2	10	-	10	4	0
D	25.8	11.1	-	29.5	29	7.6	13	14.5	2	14.8	9	0	1	0	0	0	0	0				123.2	30.5	1	-	12	4	1
A	21.9	5.8	-	31.5	-	-8.3	-	8.6	-	16.0	-	2	85	1	0	118	81	47				701.8	47.7	-	-	71	25	5
339/357 RIVER VIEW Ø 28°27'S λ 32°12'E H 46 M HT 1.2 M HR 1.2 M																												
J	29.6	20.9	-	36.6	11	17.8	22	23.8	22	24.2	19	11	0	0	21	0	0	0				214.6	50.5	17	19	16	7	3
F	28.4	19.8	-	32.1	28	16.0	20	23.0	16	22.0	26	5	0	0	13	0	0	0				115.7	35.8	16	11	10	5	1
M	29.6	20.8	-	35.5	9	17.5	22	24.4	27	24.6	9	12	0	0	18	0	0	0				151.0	40.9	4	15	14	3	3
A	27.5	19.0	-	32.2	2	16.4	12	22.0	11	20.7	23	7	0	0	8	0	0	0				90.0	26.2	8	14	10	3	1
M	23.7	14.9	-	29.2	15	8.6	19	18.0	12	19.5	10	0	0	0	0	0	0	0				347.1	276.4	12	13	11	4	1
J	23.3	11.9	-	29.0	14	8.4	14	15.0	25	17.0	15	0	3	0	0	0	0	0				4.7	4.0	25	2	1	0	0
J	23.5	12.3	-	30.9	1	7.0	19	17.2	5	17.0	10	2	1	0	0	0	0	0				62.0	40.4	4	6	5	1	1
A	24.6	13.4	-	33.2	31	9.0	9	17.0	20	18.0	19	2	1	0	0	0	0	0				3.1	2.5	21	3	2	0	0
S	24.4	16.5	-	34.8	5	11.2	10	16.9	30	19.8	25	3	1	0	0	0	0	0				59.6	22.5	19	10	8	1	0
O	26.0	17.2	-	34.8	22	10.5	24	18.2	23	21.0	13	5	0	0	3	0	0	0				102.4	34.5	8	10	8	5	1
N	26.8	18.2	-	34.5	15	13.4	9	19.0	16	22.5	6	5	0	0	7	0	0	0				34.4	16.0	19	13	8	1	0
D	28.3	20.0	-	36.2	25	16.0	22	21.8	2	23.5	31	10	0	0	14	0	0	0				135.4	41.2	9	12	8	4	2
A	26.3	17.1	-	36.6	-	7.0	-	15.0	-	24.6	-	62	6	0	84	0	0	0				1320.0	276.4	-	128	101	34	13

Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month

TABEL I

TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM (Tx)	DAELIKSE MINIMUM / DAILY MINIMUM (Tn)	Tm* – NORMALE Tm / Tm* – LONGTERM Tm (ΔTm)	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM (Txx)	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM (Tnn)	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM (Txn)	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM (Tnx)	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM 30,0 (∧)	17,5 (∨)	10,0 (∨)	MINIMUM / MINIMUM 20,0 (∧)	+2,5 (∨)	0,0 (∨)	−2,5 (∨)	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES +2,5 (<)	0,0 (<)	−2,5 (<)	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS (Rx)	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS: 0,1 (∧1)	1,0 (∧1)	10,0 (∧1)	25,0 (∧1)
339/720	**CAPE ST LUCIA – VRT**											**ø 28°30'S**			**λ 32°24'E**				**H 107 M**					**HT 1.2 M**		**HR 1.2 M**		
J	27.3	20.5	−0.7	30.4	19	17.2	4	22.8	22	23.4	27	2	0	0	20	0	0	0				195.4	59.2	16	20	17	6	3
F	26.9	20.3	−1.1	29.0	2	17.4	19	23.4	5	22.8	12	0	0	0	15	0	0	0				215.0	33.0	21	14	13	7	6
M	27.3	20.6	−0.2	29.6	19	17.9	12	23.4	31	24.0	8	0	0	0	20	0	0	0				214.0	70.0	11	16	13	8	1
A	25.6	18.8	−0.4	28.8	2	16.4	12	20.0	11	21.0	25	0	0	0	6	0	0	0				116.0	35.0	8	14	11	5	1
M	22.3	15.3	−1.2	26.5	1	9.7	21	17.0	29	20.0	1	0	1	0	0	0	0	0				528.7	209.0	12	15	15	11	5
J	21.6	13.2	−0.5	26.0	14	8.4	18	16.7	17	16.4	15	0	2	0	0	0	0	0				29.4	13.5	25	6	4	1	0
J	21.5	13.2	−0.6	29.0	3	9.0	18	16.3	26	17.0	2	0	3	0	0	0	0	0				225.0	89.0	4	8	8	5	2
A	22.1	13.6	−1.0	25.0	7	10.1	1	16.4	26	17.5	3	0	1	0	0	0	0	0				24.0	5.5	25	9	5	0	0
S	22.1	16.3	−0.8	28.0	2	12.0	7	16.4	30	18.8	25	0	1	0	0	0	0	0				65.0	18.0	30	13	9	3	0
O	22.8	16.8	−1.3	27.5	16	9.8	24	17.0	24	20.4	13	0	1	0	2	0	0	0				90.5	22.5	23	14	13	4	0
N	23.5	18.1	−1.7	28.5	20	14.2	3	18.9	16	21.4	20	0	0	0	7	0	0	0				101.4	33.0	19	15	12	3	1
D	25.7	19.9	−0.7	28.8	26	16.8	22	21.3	2	23.1	31	0	0	0	14	0	0	0				157.9	50.0	9	12	9	5	2
A	24.1	17.2	−0.9	30.4	–	8.4	–	16.3	–	24.0	–	2	9	0	84	0	0	0				1962.3	209.0	–	156	129	58	21
339/731	**LAKE ST LUCIA – RES CENTRE**											**ø 28°11'S**			**λ 32°25'E**				**H 18 M**					**HT 1.2 M**		**HR 1.2 M**		
J	29.5	21.4	–	35.7	11	18.0	4	22.7	22	24.7	14	12	0	0	21	0	0	0				144.1	80.2	14	18	14	2	1
F	28.3	19.9	–	31.4	15	15.8	20	24.1	16	23.0	11	6	0	0	11	0	0	0				146.5	62.8	8	10	9	4	2
M	29.0	20.7	–	34.0	9	17.6	22	24.3	27	25.2	25	9	0	0	19	0	0	0				191.5	126.0	11	12	11	4	1
A	26.8	19.0	–	30.6	2	16.4	9	21.6	11	21.2	23	1	0	0	9	0	0	0				62.2	24.2	2	10	8	2	0
M	23.1	14.6	–	28.6	1	8.3	22	16.9	16	20.0	1	0	1	0	0	0	0	0				123.5	72.0	12	10	9	3	1
J	21.9	11.3	–	25.4	22	5.6	18	13.5	16	14.3	25	0	3	0	0	0	0	0				17.2	10.2	25	2	2	1	0
J	22.4	11.7	–	29.3	3	5.8	19	15.9	5	15.2	8	0	2	0	0	0	0	0				79.9	52.2	4	8	6	2	1
A	24.0	12.8	–	29.0	31	9.1	13	18.6	20	17.7	3	0	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
S	24.4	16.6	–	32.4	2	11.9	10	16.4	30	19.8	25	2	1	0	0	0	0	0				71.0	23.0	30	9	8	2	0
O	25.8	17.3	–	34.0	15	10.3	19	18.4	5	20.8	14	4	0	0	6	0	0	0				93.1	17.2	23	14	10	3	0
N	26.6	18.4	–	32.7	30	13.8	18	19.0	16	22.4	6	4	0	0	7	0	0	0				66.4	20.0	20	13	10	2	0
D	27.8	20.2	–	32.5	9	15.9	23	21.9	2	24.1	30	10	0	0	15	0	0	0				195.9	96.8	3	12	8	4	3
A	25.8	17.0	–	35.7	–	5.6	–	13.5	–	25.2	–	48	7	0	88	0	0	0				1191.3	126.0	–	118	95	29	9
356/857	**SISHEN**											**ø 27°47'S**			**λ 22°59'E**				**H 1204 M**					**HT 1.2 M**		**HR 1.2 M**		
J	32.7	19.3	–	36.1	17	16.1	6	28.2	25	22.5	13	27	0	0	11	0	0	0				72.9	28.5	25	10	8	2	1
F	30.4	18.0	–	35.0	3	12.9	28	23.4	7	21.2	3	16	0	0	4	0	0	0				88.3	29.2	12	8	7	4	1
M	31.8	17.4	–	36.5	8	12.5	26	25.2	14	22.8	9	21	0	0	5	0	0	0				34.9	9.5	22	9	7	0	0
A	27.1	12.7	–	32.0	14	9.5	11	21.0	5	17.0	1	5	0	0	0	0	0	0				54.0	–	–	–	–	–	–
M	21.5	8.8	–	25.1	8	2.5	21	14.6	20	15.4	1	0	4	0	0	0	0	0				36.0	17.0	10	4	4	2	0
J	19.3	5.1	–	23.2	9	−2.5	17	13.0	16	10.2	21	0	6	0	0	9	3	0	15	16		1.0	0.9	5	2	0	0	0
J	19.0	4.1	–	23.1	2	−2.5	17	11.4	30	9.3	9	0	9	0	0	9	2	0				1.3	1.3	23	1	1	0	0
A	21.4	4.3	–	30.0	31	−1.5	22	7.7	21	11.7	31	0	7	1	0	9	4	0	27	26		0.0	0.0	–	0	0	0	0
S	27.9	9.8	–	33.0	24	2.5	7	18.9	6	16.0	19	10	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	27.8	13.1	–	34.5	12	7.0	1	17.7	14	18.5	13	13	0	0	0	0	0	0				46.3	22.0	14	4	2	2	1
N	30.6	15.5	–	36.6	26	9.9	8	24.6	20	21.2	26	15	0	0	2	0	0	0				12.2	6.0	6	3	2	0	0
D	32.4	17.2	–	38.1	27	12.4	6	21.8	1	22.8	31	24	0	0	5	0	0	0				31.4	11.8	1	5	4	1	0
A	26.8	12.1	–	38.1	–	−2.5	–	7.7	–	22.8	–	131	26	1	27	27	9	0				378.3	–	–	–	–	–	–
360/597	**VAALHARTS – AGR**											**ø 27°57'S**			**λ 24°50'E**				**H 1175 M**					**HT 1.2 M**		**HR 1.2 M**		
J	31.0	17.9	−0.1	34.5	3	14.7	21	24.2	9	20.2	25	22	0	0	1	0	0	0				75.7	15.5	7	–	9	2	0
F	29.7	16.8	−0.4	34.3	3	10.0	28	21.3	7	20.4	3	13	0	0	1	0	0	0				50.8	10.0	6	–	8	1	0
M	31.1	16.0	2.2	36.4	7	10.7	2	24.8	23	21.5	9	21	0	0	2	0	0	0				41.1	15.5	13	–	8	1	0
A	26.8	11.3	1.3	31.0	28	7.2	26	21.0	5	15.7	1	5	0	0	0	0	0	0				29.6	22.0	4	–	4	1	0
M	20.6	7.1	0.4	24.5	8	0.0	21	13.8	20	14.8	1	0	5	0	0	2	0	0	17			55.4	18.0	10	–	5	3	0
J	19.9	4.6	2.2	24.5	8	−4.3	16	11.0	16	11.8	14	0	6	0	0	8	4	2		15	16	1.0	1.0	5	–	1	0	0
J	19.3	3.6	1.4	23.7	28	−3.5	17	13.2	17	10.3	30	0	9	0	0	13	5	2			18	4.8	2.5	26	–	2	0	0
A	21.6	3.0	−0.8	30.2	30	−2.0	22	12.7	21	12.7	31	1	6	0	0	17	4	0		26		0.0	0.0	–	–	0	0	0
S	28.0	9.9	2.2	32.7	24	1.0	7	17.5	6	16.7	24	10	0	0	0	1	0	0	7			0.0	0.0	–	–	0	0	0
O	27.7	12.8	0.3	33.6	12	5.4	1	18.8	23	19.2	22	12	0	0	0	0	0	0				70.5	28.5	15	–	5	2	1
N	30.5	14.8	0.7	35.9	26	8.2	8	23.5	19	21.0	27	17	0	0	0	0	0	0				17.4	9.6	6	–	3	0	0
D	31.7	16.0	0.4	38.0	27	10.2	14	21.5	2	21.2	31	24	0	0	3	0	0	0				46.1	13.5	18	–	6	3	0
A	26.5	11.1	0.8	38.0	–	−4.3	–	11.0	–	21.5	–	125	26	0	7	41	13	4				392.4	28.5	–	–	51	13	1
362/710	**HOOPSTAD – TNK**											**ø 27°50'S**			**λ 25°54'E**				**H 1239 M**					**HT 1.2 M**		**HR 1.2 M**		
J	30.1	17.5	−0.2	34.4	2	15.0	4	23.4	22	19.6	13	20	0	0	0	0	0	0				106.3	27.0	11	13	11	4	1
F	28.9	15.5	−0.7	34.1	27	8.5	28	21.7	7	18.7	16	8	0	0	0	0	0	0				57.9	24.5	5	7	6	2	0
M	30.8	14.1	1.8	36.2	18	9.2	1	21.3	23	18.9	9	21	0	0	0	0	0	0				66.0	19.7	22	9	8	2	0
A	25.8	9.4	0.5	29.9	14	5.0	26	20.6	5	13.5	8	0	0	0	0	0	0	0				79.4	35.0	3	8	8	2	1
M	19.9	5.1	−0.5	23.7	25	−1.0	18	13.6	20	13.8	1	0	7	0	0	7	4	0	17	17		54.5	17.8	1	7	6	2	0
J	19.3	1.0	0.8	23.7	24	−7.1	17	11.1	16	8.2	14	0	7	0	0	22	10	4			16	0.7	0.7	6	1	0	0	0
J	19.0	0.9	1.2	22.7	28	−5.6	18	12.5	17	8.1	8	0	9	0	0	21	14	3				0.5	0.3	24	2	0	0	0
A	21.7	−0.3	−1.0	30.4	30	−4.6	21	13.2	21	9.9	14	2	5	0	0	26	19	7		28	27	0.0	0.0	–	0	0	0	0
S	28.0	7.7	2.0	32.6	24	1.0	7	17.7	6	14.0	19	12	0	0	0	2	0	0				0.0	0.0	–	0	0	0	0
O	26.9	11.4	−0.7	33.0	21	1.2	1	18.7	15	18.2	13	8	0	0	0	2	0	0	2			83.8	24.7	7	8	8	3	0
N	29.9	13.1	−0.4	35.4	25	5.5	9	20.7	6	18.4	25	18	0	0	0	0	0	0				34.8	9.7	17	8	6	0	0
D	–	14.7	–	–	–	9.4	14	–	–	19.1	28	–	–	–	0	0	0	0				117.8	24.5	19	12	10	6	0
A	–	9.2	–	–	–	−7.1	–	11.1	–	19.6	–	–	–	–	0	80	47	14				601.7	35.0	–	75	63	21	2

* $\bar{T}m = 1.2(\bar{T}x + \bar{T}n)$. Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TY 4 / 198

TABEL I | TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM (Tx)	DAELIKSE MINIMUM / DAILY MINIMUM (Tn)	Tm* – NORMALE Tm / Tm* – LONGTERM Tm (ΔTm)	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM (Txx)	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM (Tnn)	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM (Txn)	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM (Tnx)	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM > 30,0	> 17,5	< 10,0	MINIMUM / MINIMUM > 20,0	< +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS (Rx)	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
364/300	**WELKOM – AER**											**ø 28° 0'S**			**λ 26°40'E**				**H 1338 M**			**HT 1.2 M**			**HR 1.2 M**			
J	28.4	17.3	0.0	32.0	2	13.9	22	22.3	22	20.0	3	8	0	0	0	0	0	0				89.5	20.8	11	10	9	3	0
F	27.7	15.9	0.0	32.3	26	11.6	28	21.4	7	18.1	16	4	0	0	0	0	0	0				64.8	–	–	7	–	–	0
M	29.1	15.4	2.5	34.6	8	11.2	1	19.2	23	18.2	18	16	0	0	0	0	0	0				45.2	11.7	23	7	7	2	0
A	24.4	11.2	1.0	28.2	28	6.5	26	19.3	4	15.0	3	0	0	0	0	0	0	0				61.5	37.8	4	6	5	2	1
M	18.8	6.8	0.2	22.6	8	1.6	20	13.3	20	14.4	1	0	11	0	0	4	0	0	20			41.1	–	–	–	–	–	–
J	18.2	3.5	1.1	22.5	14	−3.4	17	11.2	16	7.1	14	0	9	0	0	8	3	1		15	17	0.7	0.4	6	2	0	0	0
J	17.7	3.0	1.0	21.7	3	−3.0	17	11.6	17	7.8	6	0	14	0	0	12	3	2				0.0	0.0	–	0	0	0	0
A	20.3	2.4	−0.5	28.6	31	−3.3	22	11.7	21	9.6	31	0	6	0	0	18	10	1	28	28	22	0.0	0.0	–	0	0	0	0
S	26.2	9.5	2.0	30.2	24	5.0	4	16.3	9	14.5	24	3	2	0	0	0	0	0				1.5	0.8	8	2	0	0	0
O	25.7	11.7	−0.5	31.3	21	5.5	2	18.0	23	18.5	12	4	0	0	0	0	0	0				48.9	23.3	7	8	6	2	0
N	27.9	13.1	−0.3	32.9	25	7.2	8	19.7	6	16.6	27	10	0	0	0	0	0	0				72.4	39.5	19	9	5	2	1
D	28.3	15.3	−0.6	33.3	26	10.5	14	18.8	2	20.0	27	10	0	0	0	0	0	0				90.6	19.5	19	10	9	4	0
A	24.4	10.4	0.5	34.6	–	−3.4	–	11.2	–	20.0	–	55	42	0	0	42	16	4				516.2	–	–	–	–	–	–
365/430	**KROONSTAD – MUN**											**ø 27°40'S**			**λ 27°15'E**				**H 1348 M**			**HT 1.2 M**			**HR 1.2 M**			
J	28.5	16.5	–	32.0	27	13.5	1	21.6	22	18.6	13	8	0	0	0	0	0	0				73.3	11.0	29	13	11	2	0
F	27.8	14.8	–	32.6	27	11.8	25	23.6	23	17.0	16	4	0	0	0	0	0	0				75.1	31.8	3	8	8	2	1
M	29.7	13.5	–	35.0	8	7.0	1	19.3	23	16.9	21	17	0	0	0	0	0	0				59.8	26.0	23	8	6	2	1
A	24.3	9.1	–	28.5	28	5.1	6	19.1	5	14.2	13	0	0	0	0	0	0	0				95.8	31.5	7	7	6	3	2
M	18.3	4.3	–	23.5	8	−2.5	31	12.4	11	12.1	2	0	10	0	0	8	5	0	17	17		33.7	13.0	3	6	5	1	0
J	18.9	−0.3	–	22.5	14	−7.0	17	13.0	16	6.0	22	0	6	0	0	28	15	4			16	0.0	0.0	–	0	0	0	0
J	18.5	0.0	–	22.8	3	−5.8	18	12.5	17	7.1	6	0	6	0	0	23	16	8				1.0	1.0	24	1	1	0	0
A	21.4	−0.3	–	29.2	31	−5.5	4	12.7	3	4.4	12	0	5	0	0	24	18	9		29	24	0.0	0.0	–	0	0	0	0
S	26.8	7.5	–	30.5	24	2.1	16	13.4	9	13.6	28	5	2	0	0	1	0	0	16			12.3	9.5	8	4	3	0	0
O	26.5	10.5	–	32.0	21	2.8	2	17.8	15	16.8	4	6	0	0	0	0	0	0				51.7	20.8	7	6	5	3	0
N	27.7	12.3	–	32.6	25	6.0	12	17.8	6	18.7	27	7	0	0	0	0	0	0				67.8	13.5	13	10	10	4	0
D	28.1	14.0	–	32.5	26	9.8	7	17.7	2	17.8	29	10	0	0	0	0	0	0				158.5	29.0	2	15	15	7	2
A	24.7	8.5	–	35.0	–	−7.0	–	12.4	–	18.7	–	57	29	0	0	84	54	21				629.0	31.8	–	78	70	24	6
370/735	**NEWCASTLE – CON**											**ø 27°45'S**			**λ 29°55'E**				**H 1198 M**			**HT 1.2 M**			**HR 1.2 M**			
J	28.0	16.4	0.5	33.7	11	12.2	22	17.3	22	20.6	11	9	1	0	1	0	0	0				139.2	41.5	21	18	13	5	2
F	26.5	14.9	−0.6	31.6	28	12.0	20	19.5	16	18.3	11	2	0	0	0	0	0	0				125.2	59.1	11	11	9	3	1
M	29.0	15.0	2.2	34.7	9	11.1	19	21.6	27	18.2	4	12	0	0	0	0	0	0				117.3	42.3	26	11	7	3	2
A	26.2	11.6	1.6	31.6	28	6.6	6	18.2	4	18.2	3	1	0	0	0	0	0	0				82.0	29.6	7	8	7	3	1
M	20.7	5.8	−0.3	27.7	1	−0.8	18	13.4	12	15.6	1	0	8	0	0	6	1	0	17	18		65.2	18.0	11	11	8	3	0
J	20.2	2.4	0.6	24.0	14	−1.8	18	10.9	25	7.5	22	0	5	0	0	18	3	0				1.0	1.0	25	1	1	0	0
J	19.9	2.1	0.1	24.1	3	−3.3	19	10.0	5	10.6	3	0	6	0	0	16	12	5			14	8.8	8.0	4	5	1	0	0
A	23.1	5.3	0.2	30.8	31	−3.4	1	16.3	26	12.6	25	2	5	0	0	10	4	1	22	9	1	21.4	16.2	20	3	3	1	0
S	25.9	10.7	1.2	30.6	2	6.0	9	11.6	30	17.8	27	8	4	0	0	0	0	0				34.8	14.5	7	7	5	2	0
O	25.8	11.4	−0.9	32.9	22	4.2	24	11.4	24	16.7	14	7	3	0	0	0	0	0				101.4	30.3	9	12	9	3	1
N	25.7	12.7	−1.2	30.6	1	8.6	3	11.1	16	16.8	27	5	3	0	0	0	0	0				99.3	22.7	23	20	15	2	0
D	28.0	15.3	0.1	34.2	26	11.3	22	19.0	1	19.2	27	9	0	0	0	0	0	0				142.3	41.6	2	12	10	5	2
A	24.9	10.3	0.3	34.7	–	−3.4	–	10.0	–	20.6	–	55	35	0	1	50	20	6				937.9	59.1	–	119	88	30	9
393/778	**KURUMAN – TNK**											**ø 27°28'S**			**λ 23°26'E**				**H 1312 M**			**HT 1.2 M**			**HR 1.2 M**			
J	31.1	17.0	0.4	34.5	2	13.1	21	26.5	11	19.8	13	22	0	0	0	0	0	0				78.8	34.0	24	10	9	3	1
F	28.6	15.6	−1.0	32.1	26	6.4	28	23.1	19	19.1	13	9	0	0	0	0	0	0				130.8	48.5	5	15	11	3	1
M	30.6	14.5	1.6	35.0	8	8.0	1	25.2	31	18.3	9	19	0	0	0	0	0	0				91.2	40.6	22	6	6	3	1
A	26.0	9.9	0.8	30.5	14	5.0	26	20.9	5	15.7	23	2	0	0	0	0	0	0				16.0	10.7	7	6	4	1	0
M	20.7	6.0	0.3	24.2	8	0.5	21	15.1	20	14.0	1	0	5	0	0	4	0	0	17			40.2	17.5	10	7	5	2	0
J	19.2	2.7	0.8	22.8	1	−2.1	23	12.5	16	7.3	21	0	4	0	0	13	7	0		15		2.2	1.1	5	3	1	0	0
J	18.8	1.9	0.5	22.3	23	−4.5	17	11.5	30	7.5	9	0	9	0	0	18	8	2			17	4.5	1.6	23	4	3	0	0
A	20.7	1.3	−1.0	28.1	31	−3.6	21	9.1	21	10.0	2	0	9	1	0	23	10	1		27	21	2.4	1.2	21	2	2	0	0
S	27.1	7.6	1.4	31.1	23	2.6	30	19.6	8	13.1	25	2	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	27.1	10.3	−0.6	33.5	12	1.6	1	18.3	15	18.4	14	12	0	0	0	1	0	0	1			37.0	21.3	14	3	3	2	0
N	29.8	12.8	−0.2	34.6	26	7.0	21	25.5	11	18.8	27	15	0	0	0	0	0	0				17.3	7.5	6	5	5	0	0
D	31.3	14.5	0.0	37.4	27	9.7	14	21.0	1	19.3	28	22	0	0	0	0	0	0				59.5	14.5	8	8	7	3	0
A	25.9	9.5	0.3	37.4	–	−4.5	–	9.1	–	19.8	–	103	27	1	0	59	25	3				479.9	48.5	–	69	56	17	3
399/894	**BALKFONTEIN – IRR**											**ø 27°24'S**			**λ 26°30'E**				**H 1280 M**			**HT 1.2 M**			**HR 1.2 M**			
J	29.7	17.4	0.5	32.5	2	14.0	1	21.6	22	20.0	2	14	0	0	0	0	0	0				89.3	18.2	6	14	14	3	0
F	29.0	15.8	0.3	33.2	27	11.8	28	25.2	23	18.5	13	6	0	0	0	0	0	0				33.0	11.0	5	9	6	1	0
M	30.3	14.2	2.0	35.2	8	8.2	2	18.6	23	18.8	19	20	0	0	0	0	0	0				51.1	29.0	23	8	6	1	1
A	25.3	10.7	1.1	29.8	28	5.7	26	19.2	4	14.5	3	0	0	0	0	0	0	0				93.7	24.0	7	6	6	5	0
M	20.4	5.7	0.6	25.1	1	−1.5	31	14.2	11	14.6	1	0	4	0	0	8	4	0	17	17		25.1	7.5	1	6	5	0	0
J	20.1	1.8	1.8	23.5	24	−7.4	17	12.4	16	8.6	22	0	3	0	0	17	8	3			16	0.0	0.0	–	0	0	0	0
J	19.2	1.6	1.1	23.5	3	−6.7	18	12.5	17	10.0	7	0	6	0	0	19	11	4				0.3	0.3	24	1	0	0	0
A	21.9	0.6	−0.8	29.8	30	−4.4	4	12.0	3	8.6	31	0	5	0	0	21	17	3	28	28	6	0.0	0.0	–	0	0	0	0
S	27.2	9.6	2.3	31.4	24	3.8	4	14.0	9	15.6	26	8	2	0	0	0	0	0				12.9	8.0	8	3	2	0	0
O	26.9	11.6	0.0	32.2	11	3.3	2	18.5	15	18.6	12	9	0	0	0	0	0	0				51.8	23.5	15	6	5	2	0
N	28.4	13.7	0.2	33.6	26	8.5	9	18.2	6	18.8	27	11	0	0	0	0	0	0				72.2	29.8	19	8	7	3	1
D	28.8	15.1	−0.5	33.0	26	10.4	14	18.0	2	19.4	29	12	0	0	0	0	0	0				188.4	49.0	19	12	10	10	1
A	25.6	9.8	0.7	35.2	–	−7.4	–	12.0	–	20.0	–	80	20	0	0	65	40	10				617.8	49.0	–	73	61	25	3

*$\bar{T}m = 1/2\ (\bar{T}x + \bar{T}n)$; Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 195

TABEL I

TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM Tx	DAELIKSE MINIMUM / DAILY MINIMUM Tn	$\bar{T}m$* – NORMALE Tm / $\bar{T}m$* – LONGTERM Tm: Δ Tm	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	EXTREME TEMPERATURES – AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥ 30,0	< 17,5	< 10,0	MINIMUM / MINIMUM ≥ 20,0	< +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – PRECIPITATION: MAANDE- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
403/886A	**FRANKFORT – TNK**											**Ø 27°16'S**				**λ 28°30'E**				**H 1499 M**				**HT 1.2 M**			**HR 1.2 M**		
J	26.5	14.5	–	30.2	11	11.3	1	19.4	22	17.6	16	1	0	0	0	0	0	0				137.0	24.5	13	19	15	6	0
F	25.7	13.0	–	29.4	27	10.3	25	20.2	16	15.8	16	0	0	0	0	0	0	0				124.9	30.7	3	11	11	5	2
M	27.4	11.2	–	31.5	8	5.0	1	20.1	23	14.3	23	3	0	0	0	0	0	0				77.0	31.6	23	8	6	2	1
A	23.2	7.5	–	27.2	28	3.1	6	16.5	4	12.2	15	0	1	0	0	0	0	0				121.0	55.0	7	7	6	3	2
M	18.3	1.7	–	23.7	8	-5.9	18	13.8	3	11.4	3	0	13	0	0	20	8	5	5	17	17	11.2	5.4	3	8	3	0	0
J	17.3	-2.2	–	21.0	14	-7.6	16	12.0	25	3.5	26	0	15	0	0	29	27	15				9.7	9.4	25	2	1	0	0
J	17.3	-2.5	–	20.3	29	-7.8	18	13.5	17	4.4	5	0	15	0	0	28	25	15				1.1	0.6	23	2	0	0	0
A	20.3	-2.1	–	27.2	31	-7.1	6	11.2	3	4.0	21	0	4	0	0	29	21	15		29	26	0.1	0.1	2	1	0	0	0
S	24.6	6.9	–	29.0	24	2.3	17	11.0	9	13.5	28	0	2	0	0	2	0	0				29.9	14.9	8	6	2	2	0
O	24.6	9.2	–	29.1	21	1.0	2	12.0	24	13.9	14	0	1	0	0	2	0	0				55.2	11.1	15	15	9	1	0
N	24.8	10.4	–	29.4	24	2.2	12	16.6	17	15.9	27	0	1	0	0	1	0	0	12			114.7	23.5	13	22	15	4	0
D	26.7	12.8	–	31.9	26	6.1	6	18.8	1	17.5	27	2	0	0	0	0	0	0				92.8	27.2	2	16	10	4	1
A	23.1	6.7	–	31.9	–	-7.8	–	11.0	–	17.6	–	6	52	0	0	111	81	50				774.6	55.0	–	117	78	27	6
406/682	**VOLKSRUST – MUN**											**Ø 27°22'S**				**λ 29°53'E**				**H 1652 M**				**HT 1.2 M**			**HR 1.2 M**		
J	24.3	13.5	–	30.0	11	9.3	26	17.0	22	17.0	16	0	2	0	0	0	0	0				116.3	28.0	21	–	12	5	1
F	23.5	11.9	–	28.0	28	8.7	24	15.6	16	15.1	11	0	1	0	0	0	0	0				70.0	25.0	1	–	7	4	1
M	25.7	12.0	–	31.2	8	8.1	19	19.4	27	15.5	4	2	0	0	0	0	0	0				78.5	26.0	22	–	6	4	1
A	22.3	9.1	–	25.8	28	3.5	6	14.7	4	12.4	14	0	2	0	0	0	0	0				133.0	46.0	7	–	5	4	3
M	16.5	4.2	–	23.7	1	-3.2	31	10.0	16	9.9	2	0	16	0	0	8	2	1	2	30	31	41.5	19.5	12	–	3	2	0
J	16.1	0.7	–	20.0	24	-2.0	20	7.6	25	4.8	13	0	18	3	0	23	13	0				0.0	0.0	–	–	0	0	0
J	15.8	-0.7	–	19.6	2	-5.5	18	6.3	5	5.0	2	0	–	–	0	–	–	9				3.7	3.0	4	–	1	0	0
A	19.0	2.1	–	26.0	31	-4.8	6	10.0	26	7.5	21	0	9	0	0	14	8	5		22	9	5.0	5.0	20	–	1	0	0
S	22.6	7.8	–	28.0	24	2.3	9	10.0	30	13.3	25	0	4	0	0	0	0	0	9			38.0	19.0	8	–	3	2	0
O	22.5	–	–	28.2	22	–	–	9.0	24	–	–	0	2	1	–	–	–	–				(57.9)	–	–	–	–	–	–
N	22.0	10.5	–	27.2	25	6.1	17	8.3	16	14.3	27	0	4	1	0	0	0	0				165.1	27.0	20	–	17	4	1
D	24.3	12.3	–	31.3	26	9.0	22	15.0	1	17.4	27	1	3	0	0	0	0	0				149.0	52.0	2	–	7	4	2
A	21.2	–	–	31.3	–	-5.5	–	6.3	–	17.4	–	3	–	–	–	–	–	–				(858.0)	52.0	–	–	–	–	–
407/261A	**WAKKERSTROOM – MUN**											**Ø 27°21'S**				**λ 30° 9'E**				**H 1780 M**				**HT 1.2 M**			**HR 1.2 M**		
J	22.6	12.8	–	28.0	11	8.5	26	17.0	4	16.0	16	0	1	0	0	0	0	0				226.9	108.5	3	–	10	4	4
F	22.1	10.9	–	26.6	27	7.0	20	17.2	23	14.2	12	0	1	0	0	0	0	0				13.5	6.0	21	–	3	0	0
M	24.4	10.5	–	29.5	8	5.3	19	18.4	27	14.5	4	0	0	0	0	0	0	0				34.3	10.5	28	–	5	1	0
A	21.6	8.4	–	25.6	28	3.0	6	15.0	4	11.5	14	0	2	0	0	0	0	0				74.2	27.5	7	–	6	3	1
M	15.8	3.2	–	22.5	1	-3.5	31	8.3	16	9.7	1	0	19	2	0	13	7	1	6	6	31	21.5	15.0	12	–	2	1	0
J	15.3	-0.3	–	19.5	13	-3.0	20	6.5	17	7.5	15	0	21	4	0	28	20	3				0.0	0.0	–	–	0	0	0
J	15.2	-0.8	–	19.0	2	-5.0	21	7.6	31	5.6	3	0	26	2	0	27	17	10				0.0	0.0	–	–	0	0	0
A	18.1	2.0	–	25.3	31	-7.0	4	7.6	26	9.1	21	0	12	1	0	15	9	4		24	9	0.0	0.0	–	–	0	0	0
S	21.8	7.5	–	26.2	24	2.5	9	9.9	30	12.4	25	0	5	2	0	0	0	0				10.3	6.7	25	–	3	0	0
O	20.8	8.0	–	26.7	22	1.4	2	7.6	24	13.5	22	0	4	1	0	2	0	0	24			96.7	18.5	9	–	12	3	0
N	20.8	9.7	–	25.5	24	5.5	12	10.1	16	13.1	27	0	4	0	0	0	0	0				88.2	15.5	28	–	16	3	0
D	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				84.5	39.0	2	–	4	2	2
A	–	–	–	–	–	-7.0	–	6.5	–	–	–	–	–	–	–	–	–	–				650.1	108.5	–	–	61	17	7
408/598	**WELVERDIEND**											**Ø 27°28'S**				**λ 30°50'E**				**H 1140 M**				**HT 1.2 M**			**HR 1.2 M**		
J	26.0	15.5	–	32.4	11	10.4	7	16.9	22	19.0	15	2	1	0	0	0	0	0				205.0	81.0	11	15	13	5	2
F	25.8	13.8	–	30.0	25	7.7	19	21.3	17	17.9	8	0	0	0	0	0	0	0				45.9	15.0	28	7	6	2	0
M	26.8	14.1	–	31.7	25	9.6	18	21.0	27	17.8	16	4	0	0	0	0	0	0				112.0	29.3	26	12	11	3	1
A	24.8	11.5	–	30.5	30	6.5	6	17.7	14	15.9	21	1	0	0	0	0	0	0				100.8	33.0	7	6	5	4	2
M	20.8	6.7	–	29.0	1	1.5	31	13.4	12	14.0	1	0	8	0	0	2	0	0	22			98.7	49.0	11	5	5	3	1
J	19.8	3.6	–	24.8	14	1.0	18	9.0	16	8.4	22	0	5	1	0	9	0	0				0.0	0.0	–	0	0	0	0
J	20.4	3.5	–	26.5	3	-1.2	17	11.1	5	8.8	16	0	7	0	0	14	2	0		17		6.5	6.5	4	1	1	0	0
A	22.6	5.4	–	31.5	31	-1.5	4	12.4	26	11.9	20	2	4	0	0	8	1	0	24	4		12.4	6.2	21	2	2	0	0
S	24.4	9.6	–	32.0	15	6.1	9	10.0	9	14.4	27	5	3	0	0	0	0	0				51.3	21.1	8	12	9	1	0
O	23.5	11.1	–	32.7	22	4.0	24	10.5	24	16.4	15	2	5	0	0	0	0	0				118.9	23.0	22	18	17	5	0
N	23.4	11.9	–	29.7	1	7.9	18	12.3	16	14.9	7	0	4	0	0	0	0	0				168.8	26.4	19	17	16	7	1
D	26.0	14.3	–	33.3	25	11.7	22	18.0	2	18.0	27	8	0	0	0	0	0	0				177.5	63.7	14	16	15	5	2
A	23.7	10.1	–	33.3	–	-1.5	–	9.0	–	19.0	–	24	37	1	0	33	3	0				1097.8	81.0	–	111	100	35	9
409/337	**NHLANGANO – SWAZ**											**Ø 27° 7'S**				**λ 31°12'E**				**H 1036 M**				**HT 1.2 M**			**HR 1.2 M**		
J	25.7	16.3	–	32.4	11	13.0	23	17.8	22	20.2	15	5	0	0	1	0	0	0				107.0	35.8	11	12	10	4	1
F	24.8	15.3	–	28.6	26	10.1	19	20.7	5	17.4	26	0	0	0	0	0	0	0				61.2	35.6	11	5	5	2	1
M	26.6	16.3	–	32.5	25	11.0	31	21.0	27	20.5	8	4	0	0	1	0	0	0				77.6	24.4	27	7	7	3	0
A	24.4	13.8	–	30.0	30	9.2	6	17.6	14	17.3	3	0	0	0	0	0	0	0				67.4	25.0	3	6	6	3	0
M	20.3	9.0	–	30.2	1	4.5	18	13.1	12	15.4	1	1	11	0	0	0	0	0				65.0	31.0	11	4	3	2	2
J	19.3	6.6	–	26.5	24	4.0	1	9.3	16	9.9	15	0	9	1	0	0	0	0				1.3	1.3	16	1	1	0	0
J	20.1	6.3	–	25.6	3	1.8	17	9.5	5	10.0	16	0	5	1	0	1	0	0	17			6.4	5.8	4	2	1	0	0
A	22.6	8.6	–	32.7	31	3.0	4	12.6	26	12.9	31	2	4	0	0	0	0	0	17			5.3	4.0	21	2	2	0	0
S	23.4	12.3	–	32.6	15	8.7	7	11.5	9	19.3	27	3	4	0	0	0	0	0	**			25.3	18.0	30	6	3	1	0
O	22.5	12.6	–	32.5	4	5.4	24	11.4	24	16.9	12	2	7	0	0	0	0	0				137.3	59.0	9	15	12	4	1
N	23.1	13.0	–	29.0	30	9.2	3	12.1	16	16.4	29	0	4	0	0	0	0	0				92.2	39.0	20	12	10	2	1
D	25.0	15.4	–	32.2	25	12.2	22	17.7	22	18.9	30	4	0	0	0	0	0	0				163.5	51.0	13	16	14	6	2
A	23.1	12.1	–	32.7	–	1.8	–	9.3	–	20.5	–	21	44	2	2	1	0	0				809.5	59.0	–	88	74	27	8

* $\bar{T}m = 1/2\ (\bar{T}x + \bar{T}n)$; Waar/Where ** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM Tx	DAELIKSE MINIMUM / DAILY MINIMUM Tn	Tm* – NORMALE Tm / Tm* – LONGTERM Tm Δ Tm	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM > 30,0	< 17,5	< 10,0	MINIMUM / MINIMUM > 20,0	< +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – / PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
411/324	**MAKATINI – AGR**											**ø 27°24'S**			**λ 32°11'E**				**H 73 M**			**HT 1.2 M**			**HR 1.2 M**			
J	30.9	20.9	–	41.2	11	16.8	23	24.3	3	25.2	14	18	0	0	20	0	0	0				80.7	28.0	14	10	7	3	1
F	31.5	19.5	–	35.4	20	14.7	20	26.1	5	23.2	26	20	0	0	13	0	0	0				28.0	8.4	28	8	5	0	0
M	32.3	20.6	–	38.6	25	16.3	29	27.3	31	24.4	8	25	0	0	20	0	0	0				65.3	41.3	4	9	5	2	1
A	29.1	18.5	–	35.0	2	14.4	27	23.7	13	22.3	13	10	0	0	6	0	0	0				68.0	37.5	3	5	5	2	1
M	26.7	12.8	–	35.7	1	3.4	19	20.7	16	19.5	2	4	0	0	0	0	0	0				1.4	1.0	12	2	1	0	0
J	25.4	8.1	–	32.2	14	3.8	30	15.8	16	14.9	25	2	1	0	0	0	0	0				4.6	4.0	16	2	1	0	0
J	26.2	8.3	–	33.3	16	3.0	15	18.2	5	15.3	26	1	0	0	0	0	0	0				2.0	2.0	4	1	1	0	0
A	27.7	11.3	–	35.2	31	3.3	2	20.0	26	18.5	22	8	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
S	28.0	16.3	–	36.9	5	11.8	19	18.1	30	19.7	27	12	0	0	0	0	0	0				14.3	11.4	8	3	2	1	0
O	28.6	17.4	–	37.3	22	11.2	24	17.8	5	21.2	16	12	0	0	4	0	0	0				54.4	19.8	9	11	8	2	0
N	29.1	18.7	–	36.7	15	11.7	18	20.4	16	21.9	6	16	0	0	8	0	0	0				42.7	10.5	6	10	8	1	0
D	30.1	20.3	–	39.7	9	15.0	23	22.7	2	24.2	30	16	0	0	17	0	0	0				84.2	19.8	2	12	10	3	0
A	28.8	16.1	–	41.2	–	3.0	–	15.8	–	25.2	–	144	1	0	88	0	0	0				445.6	41.3	–	73	53	14	3
412/180	**MBAZWANE – BOS**											**ø 27°30'S**			**λ 32°36'E**				**H 80 M**			**HT 1.2 M**			**HR 1.2 M**			
J	30.0	20.8	–	40.9	14	17.5	5	24.4	21	24.6	14	9	0	0	21	0	0	0				57.9	26.7	21	14	10	1	1
F	29.0	19.2	–	32.3	8	14.9	19	26.8	9	22.1	26	6	0	0	12	0	0	0				116.2	50.8	8	9	7	4	1
M	30.3	20.4	–	34.8	25	17.8	22	25.8	27	23.8	8	14	0	0	17	0	0	0				130.7	67.9	1	9	7	3	2
A	28.5	18.7	–	33.8	2	15.4	9	23.3	13	21.3	13	10	0	0	7	0	0	0				139.0	81.6	3	10	6	3	1
M	25.6	14.2	–	31.7	15	8.1	19	19.1	16	20.1	1	3	0	0	1	0	0	0				43.3	23.1	12	7	4	2	0
J	24.4	12.0	–	31.4	14	8.2	18	14.7	16	15.1	15	1	2	0	0	0	0	0				8.5	8.5	16	1	1	0	0
J	25.5	11.8	–	33.9	16	8.8	18	17.0	5	15.6	8	3	1	0	0	0	0	0				36.3	34.4	4	5	1	1	1
A	26.6	12.6	–	33.9	31	7.8	4	20.6	26	18.6	22	8	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
S	26.1	15.5	–	35.3	5	12.4	11	16.8	30	18.4	27	4	1	0	0	0	0	0				33.3	16.0	8	8	6	1	0
O	26.3	16.9	–	32.9	22	10.2	24	18.9	5	20.6	14	6	0	0	2	0	0	0				119.6	50.7	9	11	10	2	1
N	27.0	17.6	–	33.0	15	12.5	9	20.5	3	22.0	6	5	0	0	4	0	0	0				69.7	27.6	20	13	11	1	1
D	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				51.6	10.9	16	10	9	2	0
A	–	–	–	–	–	7.8	–	14.7	–	–	–	–	–	–	–	–	–	–				806.1	81.6	–	97	72	20	8
413/158	**DIAZ POINT – SWA – VRT**											**ø 26°38'S**			**λ 15° 6'E**				**H 23 M**			**HT 1.2 M**			**HR 1.2 M**			
J	(20.7	13.8)	(0.8)	23.8	30	11.9	13	–	–	–	–	0	–	0	–	0	0	0				0.0	0.0	–	0	0	0	0
F	20.1	14.0	−1.4	23.0	2	12.3	28	16.1	23	15.6	20	0	3	0	0	0	0	0				0.0	0.0	–	0	0	0	0
M	20.6	13.3	−1.2	29.2	31	11.0	27	17.0	2	15.1	31	0	2	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	18.6	11.2	−2.1	26.7	1	8.0	6	12.2	21	14.9	1	0	12	0	0	0	0	0				0.0	0.0	–	0	0	0	0
M	20.5	11.5	0.1	29.7	29	9.2	27	14.6	22	17.1	30	0	10	0	0	0	0	0				0.0	0.0	–	0	0	0	0
J	18.1	10.3	−1.1	27.7	9	7.6	14	13.2	23	16.6	10	0	17	0	0	0	0	0				0.0	0.0	–	0	0	0	0
J	16.8	9.4	−1.2	23.4	12	7.0	23	10.7	23	11.6	5	0	20	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	15.8	9.4	−1.3	18.8	22	6.8	28	11.3	13	11.2	1	0	26	0	0	0	0	0				3.5	3.5	1	1	1	0	0
S	16.4	9.1	−1.4	26.7	21	5.2	28	12.0	21	11.9	24	0	22	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	17.5	10.4	−1.2	21.5	18	4.0	4	13.0	9	12.3	28	0	15	0	0	0	0	0				0.0	0.0	–	0	0	0	0
N	18.6	11.0	−1.5	22.0	26	5.5	2	13.6	22	13.2	28	0	10	0	0	0	0	0				0.0	0.0	–	0	0	0	0
D	20.7	12.8	−0.7	25.0	28	7.1	17	15.3	17	16.0	15	0	3	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	(18.7	11.3)	(1.1)	29.7	–	4.0	–	10.7	–	–	–	0	–	0	–	0	0	0				3.5	3.5	–	1	1	0	0
419/182	**KEETMANSHOOP – SWA – WK**											**ø 26°32'S**			**λ 18° 7'E**				**H 1064 M**			**HT 1.2 M**			**HR 1.2 M**			
J	34.8	19.0	–	39.4	18	10.8	21	29.2	21	24.2	6	30	0	0	13	0	0	0				18.9	10.6	24	7	2	1	0
F	33.2	19.7	–	36.3	3	14.1	11	29.9	10	23.8	5	27	0	0	12	0	0	0				60.0	17.1	8	10	7	2	0
M	33.3	18.1	–	36.8	9	12.0	26	25.3	31	24.5	13	28	0	0	7	0	0	0				11.5	3.0	15	7	5	0	0
A	29.2	14.1	–	32.9	20	6.7	5	22.1	4	19.3	29	13	0	0	0	0	0	0				6.5	3.8	1	5	2	0	0
M	24.5	11.2	–	28.8	9	1.2	20	15.7	20	16.2	10	0	1	0	0	2	0	0	20			3.1	2.8	10	2	1	0	0
J	22.1	7.4	–	26.6	4	0.4	15	13.5	15	14.1	2	0	6	0	0	5	0	0				0.9	0.9	4	1	0	0	0
J	20.8	7.2	–	27.2	7	0.3	10	12.9	8	16.0	29	0	9	0	0	2	0	0				1.0	1.0	8	1	1	0	0
A	22.1	5.8	–	30.1	29	−0.4	20	11.4	20	11.7	28	1	5	0	0	5	1	0	22	20		0.0	0.0	–	0	0	0	0
S	27.9	10.7	–	34.7	23	3.9	6	18.1	6	17.7	23	12	0	0	0	0	0	0		20		0.0	0.0	–	0	0	0	0
O	29.2	13.1	–	35.2	19	4.3	23	16.2	14	20.5	6	16	1	0	1	0	0	0		**		4.8	2.5	14	2	2	0	0
N	31.6	15.2	–	37.8	25	8.5	14	25.4	15	22.4	26	22	0	0	4	0	0	0				0.0	0.0	–	0	0	0	0
D	33.6	16.9	–	39.1	27	10.3	13	25.8	5	24.7	28	26	0	0	7	0	0	0				3.3	1.4	28	4	2	0	0
A	28.5	13.2	–	39.4	–	−0.4	–	11.4	–	24.7	–	175	22	0	44	14	1	0				110.0	17.1	–	39	22	3	0
432/237	**ARMOEDSVLAKTE – AGR**											**ø 26°57'S**			**λ 24°38'E**				**H 1234 M**			**HT 1.2 M**			**HR 1.2 M**			
J	29.4	17.6	−0.7	33.5	3	15.0	21	24.6	22	20.0	12	12	0	0	0	0	0	0				141.6	25.5	18	13	13	5	1
F	28.2	15.8	−1.0	32.6	27	7.8	28	23.9	6	18.4	19	5	0	0	0	0	0	0				119.2	32.5	9	15	11	4	2
M	31.5	14.3	1.8	35.7	18	6.9	1	22.9	23	19.2	10	–	0	0	0	0	0	0				30.6	13.0	22	11	7	1	0
A	26.8	10.5	1.1	30.4	14	4.1	26	21.5	9	15.2	4	1	0	0	0	0	0	0				45.5	19.0	7	6	4	2	0
M	20.9	5.8	−0.1	24.7	8	0.0	17	13.6	20	14.4	1	0	3	0	0	7	0	0	17			43.2	14.8	1	5	5	2	0
J	20.0	2.7	1.2	24.1	24	−4.8	17	11.8	16	7.2	8	0	4	0	0	14	5	4		15	16	0.4	0.4	6	1	0	0	0
J	(19.4)	–	–	23.3	3	–	–	–	–	–	–	0	–	0	–	–	–	–				0.6	0.6	24	1	0	0	0
A	22.2	0.6	−1.4	29.8	30	−5.0	20	12.9	21	9.3	31	0	6	0	0	24	17	6			24	0.0	0.0	–	0	0	0	0
S	28.2	9.1	2.5	32.6	24	2.8	4	15.3	6	15.0	27	10	1	0	0	0	0	0				9.5	9.5	8	1	1	0	0
O	28.0	11.8	−0.4	33.6	3	−0.4	1	19.3	23	20.6	4	14	0	0	1	1	1	0	1	1		40.2	21.5	15	4	3	2	0
N	29.8	13.2	−0.4	35.7	26	5.9	21	19.7	19	18.8	26	19	0	0	0	0	0	0				24.7	6.6	30	8	6	0	0
D	30.8	15.1	−0.7	37.3	27	9.3	14	19.0	1	19.5	28	23	0	0	0	0	0	0				80.0	16.0	18	11	11	4	0
A	(26.3)	–	–	37.3	–	–	–	–	–	20.6	–	–	–	0	–	–	–	–				535.5	32.5	–	76	61	20	3

* $\bar{T}m = 1/2\ (\bar{T}x + \bar{T}n)$; Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

TABEL I | TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM $\bar{T}x$	DAELIKSE MINIMUM / DAILY MINIMUM $\bar{T}n$	$\bar{T}m$* – NORMALE / $\bar{T}m$* – LONGTERM $\bar{T}m$ $\Delta\bar{T}m$	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM > 30,0	< 17,5	< 10,0	MINIMUM / MINIMUM > 20,0	< +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – / PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
435/157 DOORNLAAGTE												ø 26°37'S			λ 26° 6'E				H 1472 M			HT 1.2 M			HR 1.2 M			
J	27.2	15.8	-	32.0	1	13.2	1	21.0	23	17.6	2	5	0	0	0	0	0	0				141.8	32.2	24	14	14	5	1
F	26.4	14.2	-	30.3	27	11.3	28	22.2	23	16.6	8	2	0	0	0	0	0	0				77.7	34.5	3	8	7	1	1
M	28.2	13.0	-	32.4	7	7.2	2	21.4	23	15.9	19	14	0	0	0	0	0	0				75.9	21.7	20	9	9	3	0
A	24.0	9.6	-	27.3	14	5.4	26	19.1	5	13.8	13	0	0	0	0	0	0	0				136.4	58.0	14	7	7	5	1
M	19.1	4.8	-	24.3	1	-1.1	18	13.6	20	11.3	2	0	10	0	0	8	4	0	17	18		19.4	7.5	11	5	4	0	0
J	18.6	2.1	-	22.1	24	-3.8	17	13.0	16	8.6	22	0	5	0	0	16	7	1			17	0.2	0.2	6	1	0	0	0
J	18.3	1.3	-	21.8	3	-3.6	17	12.8	17	8.1	7	0	10	0	0	21	10	3				2.8	2.8	24	1	1	0	0
A	21.1	1.3	-	27.7	31	-4.3	5	12.1	3	8.6	29	0	4	0	0	19	11	6	28	25	24	0.0	0.0	-	0	0	0	0
S	26.1	9.1	-	30.1	28	3.1	30	13.0	8	14.9	28	1	2	0	0	0	0	0				18.5	18.5	8	1	1	1	0
O	26.0	10.5	-	30.8	3	3.8	1	18.5	16	16.6	12	2	0	0	0	0	0	0				50.0	18.5	15	5	5	2	0
N	27.0	12.3	-	32.8	25	6.9	9	17.1	19	15.0	25	6	2	0	0	0	0	0				107.1	34.5	19	10	10	4	1
D	27.7	13.8	-	32.6	26	9.3	6	17.3	2	17.1	11	5	1	0	0	0	0	0				107.9	34.5	1	8	8	5	1
A	24.1	9.0	-	32.8	-	-4.3	-	12.1	-	17.6	-	35	34	0	0	64	32	10				737.7	58.0	-	69	66	26	5
437/134 POTCHEFSTROOM – AGR												ø 26°44'S			λ 27° 5'E				H 1345 M			HT 1.2 M			HR 1.2 M			
J	27.9	16.1	-0.4	32.0	11	11.7	1	21.7	22	18.8	2	5	0	0	0	0	0	0				119.9	38.6	3	13	9	5	2
F	27.6	14.5	-0.6	31.2	15	12.0	4	25.2	23	17.2	13	3	0	0	0	0	0	0				82.1	38.0	23	10	8	3	1
M	29.1	13.1	1.1	33.6	8	7.0	1	23.0	25	16.9	20	13	0	0	0	0	0	0				119.5	53.0	27	11	8	4	1
A	24.6	9.7	0.4	28.2	14	5.7	26	19.2	3	14.0	13	0	0	0	0	0	0	0				160.1	46.0	7	7	7	5	3
M	19.7	4.4	-0.6	27.0	1	-2.0	21	13.4	11	12.7	1	0	8	0	0	7	6	0	17	17		11.4	6.2	3	5	4	0	0
J	19.3	1.5	1.1	23.2	14	-6.0	17	13.8	15	7.2	22	0	6	0	0	22	4	2			16	12.4	12.4	25	1	1	1	0
J	19.0	1.4	0.7	22.8	3	-5.6	18	13.0	17	9.6	7	0	7	0	0	18	10	3				2.2	2.2	24	1	1	0	0
A	22.0	1.6	-1.0	28.8	31	-4.2	4	12.8	3	7.8	29	0	5	0	0	20	11	3	28	26	26	0.0	0.0	-	0	0	0	0
S	26.4	9.3	1.4	30.4	25	5.4	17	12.6	9	13.6	27	3	2	0	0	0	0	0				32.2	29.0	8	3	2	1	1
O	26.0	10.6	-1.6	31.8	21	2.9	18	17.5	24	16.8	14	6	0	0	0	0	0	0				58.4	18.8	15	11	8	2	0
N	27.1	12.3	-1.3	33.2	25	5.4	12	18.4	6	19.6	27	6	0	0	0	0	0	0				80.5	18.4	19	13	9	5	0
D	28.5	13.5	-0.9	32.6	26	7.8	7	19.5	1	16.4	18	11	0	0	0	0	0	0				123.8	40.3	19	15	10	5	1
A	24.8	9.0	-0.1	33.6	-	-6.0	-	12.6	-	19.6	-	47	28	0	0	67	31	8				802.5	53.0	-	90	67	31	9
438/731 VEREENIGING – RWB												ø 26°41'S			λ 27°55'E				H 1440 M			HT 1.2 M			HR 1.2 M			
J	26.8	16.3	-0.2	32.0	11	13.0	1	19.6	22	18.8	12	1	0	0	0	0	0	0				128.4	48.0	13	12	10	4	2
F	26.2	15.1	-0.4	29.8	15	13.0	25	22.0	16	16.8	16	0	0	0	0	0	0	0				99.4	55.0	16	9	7	3	1
M	27.8	13.7	1.3	31.9	8	9.0	1	22.0	23	17.0	16	4	0	0	0	0	0	0				61.9	14.0	26	12	11	2	0
A	23.6	10.5	0.9	28.2	28	6.1	6	17.2	8	15.2	13	0	1	0	0	0	0	0				138.4	48.0	7	7	6	4	2
M	18.7	5.0	-0.4	24.5	1	-1.0	18	14.0	3	12.4	3	0	11	0	0	7	3	0	17	18		18.5	11.5	3	5	3	1	0
J	18.0	1.8	1.0	21.5	14	-2.5	16	14.0	15	6.0	26	0	12	0	0	18	4	0				16.5	16.5	25	1	1	1	0
J	17.8	1.6	0.8	20.7	4	-3.8	18	12.5	17	6.3	25	0	12	0	0	19	10	2			18	0.5	0.5	24	1	0	0	0
A	21.0	2.6	-0.5	27.6	31	-2.3	5	11.5	3	8.2	19	0	5	0	0	14	7	0	28	26	19	0.0	0.0	-	0	0	0	0
S	25.2	10.5	1.9	29.0	24	7.0	22	11.5	9	15.0	28	0	2	0	0	0	0	0			**	33.4	23.5	8	5	3	1	0
O	25.2	11.3	-1.1	29.5	3	5.2	18	14.8	24	16.2	14	0	1	0	0	0	0	0				44.4	11.5	28	8	8	1	0
N	25.5	12.9	-1.1	30.8	25	8.0	12	18.6	19	18.5	27	1	0	0	0	0	0	0				135.2	40.5	19	15	11	5	1
D	27.1	14.3	-0.4	33.0	26	10.6	6	17.7	1	17.6	27	2	0	0	0	0	0	0				105.8	32.5	2	13	10	4	0
A	23.6	9.6	0.1	33.0	-	-3.8	-	11.5	-	18.8	-	8	44	0	0	58	24	2				782.4	55.0	-	88	70	26	6
441/446 STANDERTON												ø 26°56'S			λ 29°15'E				H 1559 M			HT 1.2 M			HR 1.2 M			
J	26.5	14.1	-	31.5	11	10.4	26	18.0	22	17.2	24	1	0	0	0	0	0	0				107.4	56.0	21	16	10	2	1
F	25.6	13.3	-	29.9	28	9.0	19	22.1	9	15.1	11	0	0	0	0	0	0	0				47.3	27.1	8	8	7	1	1
M	27.8	11.4	-	32.4	8	5.3	1	21.3	23	14.5	24	7	0	0	0	0	0	0				66.9	24.3	12	9	7	2	0
A	23.3	8.6	-	27.8	28	4.5	6	15.0	4	13.6	14	0	2	0	0	0	0	0				155.6	52.0	7	7	6	5	3
M	18.4	2.4	-	23.9	1	-4.2	19	12.9	16	10.6	3	0	12	0	0	17	5	4	6	17	18	16.8	7.0	2	4	3	0	0
J	17.8	-1.0	-	21.6	14	-5.0	16	12.1	17	4.6	26	0	14	0	0	24	23	8				0.6	0.6	25	1	0	0	0
J	17.8	-2.6	-	20.6	3	-9.2	18	12.9	31	2.6	5	0	12	0	0	30	23	16				0.8	0.5	24	2	0	0	0
A	21.2	0.3	-	28.0	31	-6.9	6	13.5	3	6.2	19	0	3	0	0	22	15	8		26	24	1.6	1.6	20	2	2	0	0
S	25.1	7.1	-	29.4	24	3.3	17	9.8	9	11.8	29	0	2	1	0	0	0	0				31.0	24.3	8	5	4	1	0
O	24.4	8.8	-	29.7	21	1.9	18	17.0	5	11.4	15	0	1	0	0	2	0	0	18			78.8	21.1	28	13	10	3	0
N	23.9	10.6	-	29.2	25	5.3	12	13.6	17	14.6	27	0	2	0	0	0	0	0				167.6	29.1	3	23	20	6	0
D	25.8	12.5	-	31.9	26	7.8	6	17.2	1	16.6	27	2	1	0	0	0	0	0				148.2	40.3	2	14	11	5	2
A	23.1	7.1	-	32.4	-	-9.2	-	9.8	-	17.2	-	10	49	1	0	95	66	36				822.6	56.0	-	104	80	25	7
442/811 NOOITGEDACHT – AGR												ø 26°31'S			λ 29°58'E				H 1694 M			HT 1.2 M			HR 1.2 M			
J	23.9	13.3	-0.2	28.9	11	9.2	7	16.4	22	16.2	20	0	1	0	0	0	0	0				175.4	40.8	21	13	12	6	3
F	23.2	12.1	-0.6	27.7	27	7.9	24	17.2	9	15.0	12	0	1	0	0	0	0	0				4.6	2.8	8	4	2	0	0
M	25.3	11.6	1.3	30.1	8	6.0	19	17.2	27	16.2	8	1	1	0	0	0	0	0				24.7	15.6	26	6	5	1	0
A	22.6	9.1	1.4	26.4	28	3.5	6	15.4	4	12.9	14	0	2	0	0	0	0	0				98.3	27.5	4	9	6	5	1
M	17.3	3.2	-0.5	24.3	1	-3.7	31	10.3	21	10.4	1	0	15	0	0	14	5	3	6	17	17	39.1	36.5	2	3	2	1	1
J	16.4	0.3	0.5	20.1	14	-2.9	20	6.8	17	3.5	22	0	16	3	0	26	13	2				0.3	0.2	15	2	0	0	0
J	16.3	-0.5	0.0	19.8	3	-7.4	18	9.5	5	4.1	26	0	20	1	0	24	16	8				1.6	1.6	12	1	1	0	0
A	19.8	2.2	0.0	26.3	31	-5.2	4	13.0	3	10.4	21	0	5	0	0	15	7	4		24	6	0.6	0.6	2	1	0	0	0
S	23.0	7.9	1.2	28.4	29	3.6	12	8.6	9	12.2	25	0	4	1	0	0	0	0				37.2	28.5	8	7	3	1	1
O	22.3	8.7	-1.1	29.3	22	2.0	18	7.8	24	12.0	23	0	4	1	0	1	0	0(24)				139.8	69.0	28	13	13	3	1
N	22.5	-	-	27.0	25	-	-	13.3	17	-	-	0	2	0	-	-	-	-				154.5	30.0	2	18	13	6	1
D	24.0	11.1	-1.0	29.4	26	7.7	6	16.3	3	14.6	27	0	2	0	0	0	0	0				122.9	38.0	2	13	13	4	1
A	21.4	-	-	30.1	-	-7.4	-	6.8	-	-	-	1	73	6	-	-	-	-				799.0	69.0	-	90	70	27	9

* $\bar{T}m = 1/2\ (\bar{T}x + \bar{T}n)$; Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

TABEL I | TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM (Tx)	DAELIKSE MINIMUM / DAILY MINIMUM (Tn)	Tm* – NORMALE Tm / Tm* – LONGTERM Tm (Δ Tm)	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM (Txx)	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM (Tnn)	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM (Txn)	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM (Tnx)	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥ 30,0	≤ 17,5	≤ 10,0	MINIMUM / MINIMUM ≥ 20,0	≤ +2,5	≤ 0,0	≤ −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES ≤ +2,5	≤ 0,0	≤ −2,5	NEERSLAG – mm – PRECIPITATION: MAANDEL- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS (Rx)	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
444/540	**PIET RETIEF – TNK**											**Ø 27° 0'S**			**λ 30°48'E**				**H 1250 M**				**HT 1.2 M**		**HR 1.2 M**			
J	24.7	15.1	–	33.0	11	11.3	7	16.0	4	18.5	11	3	3	0	0	0	0	0				154.1	45.0	20	16	13	5	2
F	24.4	14.1	–	28.6	28	9.9	19	20.0	23	16.5	16	0	0	0	0	0	0	0				31.0	14.3	11	9	4	1	0
M	25.9	14.5	–	31.0	7	10.4	18	18.2	27	18.3	8	2	0	0	0	0	0	0				105.6	28.5	26	12	9	6	1
A	24.0	12.3	–	29.6	28	7.0	6	17.5	4	16.0	21	0	0	0	0	0	0	0				72.6	17.0	14	9	8	3	0
M	19.2	7.1	–	28.6	1	1.5	30	12.0	21	13.2	1	0	11	0	0	2	0	0	30			37.5	25.0	12	5	3	1	1
J	18.4	4.6	–	23.5	13	2.5	20	7.5	16	8.0	13	0	9	3	0	0	0	0				2.0	1.1	25	2	1	0	0
J	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				(0.2)	–	–	–	–	–	–
A	21.6	6.0	–	29.5	31	−0.5	4	13.4	26	11.5	31	0	4	0	0	4	1	0	8	(4)		2.7	2.7	20	1	1	0	0
S	23.9	10.6	–	30.6	15	5.0	9	11.5	30	15.4	27	4	4	0	0	0	0	0		4		59.9	27.0	8	8	7	2	1
O	22.7	11.0	–	31.1	22	4.0	24	11.5	5	15.0	4	3	5	1	0	0	0	0		**		159.6	38.5	8	16	15	5	3
N	22.9	12.0	–	29.2	24	8.0	17	10.7	16	15.0	29	0	5	0	0	0	0	0				180.6	46.0	19	18	16	3	3
D	25.0	14.4	–	32.8	25	11.0	22	16.7	1	17.0	26	4	1	0	0	0	0	0				202.7	45.5	13	15	14	6	3
A	–	–	–	33.0	–	–	–	–	–	18.5	–	–	–	–	–	–	–	–				(1008.5)	46.0	–	–	–	–	–
445/274	**MALKERNS – SWAZ**											**Ø 26°34'S**			**λ 31°10'E**				**H 730 M**				**HT 1.2 M**		**HR 1.2 M**			
J	26.6	17.8	–	34.0	11	14.4	23	19.9	4	21.1	14	5	0	0	2	0	0	0				349.1	54.5	21	20	18	10	7
F	26.7	17.2	–	29.6	8	12.0	19	22.2	5	19.4	12	0	0	0	0	0	0	0				89.8	30.1	8	13	10	4	1
M	27.6	17.6	–	31.8	22	14.5	29	23.0	6	21.1	8	4	0	0	2	0	0	0				105.3	26.5	26	13	12	4	1
A	25.7	15.4	–	32.0	2	11.5	6	20.4	11	18.5	21	2	0	0	0	0	0	0				143.4	73.0	4	9	7	2	2
M	22.8	11.1	–	32.5	1	5.7	1	15.0	21	16.6	2	1	3	0	0	0	0	0				28.6	20.7	11	5	3	1	0
J	21.6	8.0	–	28.8	14	4.5	27	10.6	16	13.4	13	0	4	0	0	0	0	0				5.2	5.2	16	1	1	0	0
J	22.5	8.9	–	28.9	3	4.5	14	12.8	5	16.6	2	0	1	0	0	0	0	0				14.7	12.0	4	3	2	1	0
A	24.6	10.4	–	32.6	31	4.6	4	16.5	26	15.3	3	4	1	0	0	0	0	0				0.6	0.6	20	1	0	0	0
S	25.6	13.1	–	35.0	16	9.5	9	13.2	9	18.2	27	9	2	0	0	0	0	0				30.6	17.5	8	9	5	1	0
O	24.7	14.0	–	36.1	4	8.9	24	13.1	24	18.2	4	5	4	0	0	0	0	0				111.5	17.9	29	17	16	4	0
N	24.2	14.4	–	31.3	30	10.0	18	14.4	16	18.0	20	4	2	0	0	0	0	0				97.6	32.5	4	20	12	3	1
D	26.4	16.7	–	34.9	12	13.4	22	18.6	1	20.0	30	8	0	0	0	0	0	0				180.7	74.5	2	13	10	4	4
A	24.9	13.7	–	36.1	–	4.5	–	10.6	–	21.1	–	42	17	0	4	0	0	0				1157.1	74.5	–	124	96	34	16
445/512	**MATSAPA – SWAZ**											**Ø 26°32'S**			**λ 31°18'E**				**H 642 M**				**HT 1.2 M**		**HR 1.2 M**			
J	27.6	18.1	–	35.3	11	15.0	5	18.7	22	22.0	16	6	0	0	3	0	0	0				201.0	51.5	21	–	12	8	2
F	27.6	17.6	–	30.7	26	13.0	19	22.0	5	20.1	22	3	0	0	1	0	0	0				58.4	46.6	28	–	4	1	1
M	29.0	18.0	–	38.5	29	14.5	31	23.5	27	21.5	8	8	0	0	4	0	0	0				68.4	18.5	26	–	7	3	0
A	26.2	15.9	–	30.6	2	12.0	6	21.5	11	19.0	3	1	0	0	0	0	0	0				112.2	81.5	3	–	5	2	1
M	23.1	11.2	–	31.0	1	5.1	18	16.5	16	17.0	3	1	2	0	0	0	0	0				25.0	20.0	11	–	2	1	0
J	21.7	8.0	–	29.0	14	5.5	11	12.0	16	11.8	15	0	4	0	0	0	0	0				3.1	3.1	16	–	1	0	0
J	22.9	8.5	–	29.5	3	5.0	19	13.4	5	14.1	2	0	1	0	0	0	0	0				9.3	9.3	4	–	1	0	0
A	24.9	9.9	–	32.5	31	4.0	1	17.5	26	14.5	20	4	0	0	0	0	0	0				0.0	0.0	–	–	0	0	0
S	26.4	13.8	–	36.0	16	9.5	9	13.7	9	21.5	27	9	2	0	1	0	0	0				31.7	17.3	8	–	3	1	0
O	25.9	14.3	–	36.5	4	8.0	24	14.0	24	20.0	4	4	1	0	0	0	0	0				170.6	76.0	7	–	10	4	1
N	24.9	14.8	–	31.8	20	9.8	18	17.8	3	18.3	28	3	0	0	0	0	0	0				46.0	17.5	5	–	4	3	0
D	26.6	16.9	–	35.8	12	14.0	22	19.0	1	21.3	30	9	0	0	1	0	0	0				210.5	98.0	2	–	7	4	3
A	25.6	13.9	–	38.5	–	4.0	–	12.0	–	22.0	–	48	10	0	10	0	0	0				936.2	98.0	–	–	56	27	8
445/569	**HLATIKULU – SWAZ**											**Ø 26°59'S**			**λ 31°19'E**				**H 1186 M**				**HT 1.2 M**		**HR 1.2 M**			
J	23.4	15.3	0.6	31.6	8	10.1	4	15.9	3	18.9	21	2	4	0	0	0	0	0				220.0	38.5	21	–	17	8	3
F	23.1	11.8	−1.3	25.7	25	10.2	19	17.5	5	16.5	26	0	0	0	0	0	0	0				160.4	85.0	8	–	9	2	2
M	24.3	15.3	1.9	31.1	15	11.9	31	19.5	27	18.4	8	1	0	0	0	0	0	0				93.1	20.0	26	–	12	5	0
A	21.9	13.5	0.9	26.7	2	10.9	6	16.3	14	16.4	3	0	2	0	0	0	0	0				89.0	27.5	8	–	7	4	1
M	18.5	10.3	−0.7	24.9	11	5.4	17	11.4	31	17.5	1	0	11	0	0	0	0	0				69.3	29.5	11	–	6	2	1
J	17.5	8.1	−0.2	25.1	12	3.2	17	7.2	16	12.6	14	0	15	2	0	0	0	0				9.0	7.0	16	–	2	0	0
J	(15.9)	8.1	(0.5	23.4)	(3)	4.4	18	(9.3)	(5	13.5)	(2)	0	–	–	0	0	0	0				21.7	16.5	4	–	3	1	0
A	20.0	9.0	0.4	28.6	30	5.4	4	12.5	26	17.5	30	0	9	0	0	0	0	0				5.4	3.5	21	–	2	0	0
S	21.4	10.6	0.7	30.0	16	5.5	9	10.6	9	16.1	14	0	7	0	0	0	0	0				91.3	33.0	30	–	10	3	1
O	19.9	11.4	−0.8	30.5	4	4.3	24	10.3	24	15.8	22	1	7	0	0	0	0	0				200.6	59.0	8	–	15	5	3
N	20.7	11.7	−1.0	32.3	7	7.5	17	11.4	16	15.5	30	1	7	0	0	0	0	0				172.8	35.5	14	–	16	5	2
D	22.4	14.1	0.0	30.6	12	10.6	22	15.3	17	18.4	9	2	6	0	0	0	0	0				177.1	31.5	2	–	17	5	3
A	(20.7)	11.6	(0.0)	32.3	–	3.2	–	7.2	–	18.9	–	7	–	–	0	0	0	0				1309.7	85.0	–	–	116	40	16
446/772	**WISSELROOE – SWAZ**											**Ø 26°52'S**			**λ 31°56'E**				**H 155 M**				**HT 1.2 M**		**HR 1.2 M**			
J	31.0	20.7	–	39.5	11	16.0	23	24.1	22	24.0	14	22	0	0	17	0	0	0				142.3	45.7	17	–	10	3	2
F	31.7	18.8	–	35.6	11	13.0	20	26.0	5	22.7	28	22	0	0	9	0	0	0				15.5	8.0	9	–	5	0	0
M	32.5	20.1	–	37.9	25	15.8	17	28.0	31	24.0	8	27	0	0	14	0	0	0				89.0	58.0	4	–	9	1	1
A	29.3	17.3	–	34.5	2	12.0	27	24.0	14	21.5	8	9	0	0	4	0	0	0				80.0	25.0	4	–	6	3	1
M	26.3	10.5	–	35.4	1	1.5	19	20.0	31	20.0	2	4	0	0	0	1	0	0	19			36.0	18.5	12	–	5	1	0
J	24.5	6.1	–	30.0	14	1.5	29	15.1	17	15.0	16	0	2	0	0	3	0	0				9.0	8.5	16	–	1	0	0
J	26.1	4.7	–	33.0	16	0.0	15	17.5	5	12.2	31	3	0	0	0	7	0	0				0.0	0.0	–	–	0	0	0
A	28.0	8.5	–	36.0	31	0.3	1	20.5	26	17.8	20	9	0	0	0	1	0	0	1			0.2	0.2	22	–	0	0	0
S	29.3	14.5	–	36.5	5	8.0	11	17.0	30	19.5	6	14	1	0	0	0	0	0				12.0	6.0	30	–	2	0	0
O	29.0	17.0	–	39.5	4	10.5	26	18.0	5	21.0	30	16	0	0	4	0	0	0				70.0	42.5	10	–	5	2	1
N	28.8	17.9	–	36.0	30	11.4	18	19.5	16	22.5	20	11	0	0	4	0	0	0				95.6	40.5	7	–	11	2	1
D	30.3	19.6	–	39.5	9	16.4	8	24.5	17	23.4	30	14	0	0	10	0	0	0				132.0	24.6	2	–	10	3	0
A	28.9	14.6	–	39.5	–	0.0	–	15.1	–	24.0	–	151	3	0	62	12	0	0				681.6	58.0	–	–	64	15	6

* Tm = 1/2 (Tx + Tn) Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 : 198

TABEL I

TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE - °C - EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM Tx	DAELIKSE MINIMUM / DAILY MINIMUM Tn	Tm* - NORMALE Tm / Tm* - LONGTERM Tm Δ Tm	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM > 30,0	< 17,5	< 10,0	MINIMUM / MINIMUM > 20,0	> +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG - mm - PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS > 0,1	> 1,0	> 10,0	> 25,0
461/208 TWEE RIVIERE												Ø 26°28'S			λ 20°37'E				H 879 M			HT 1.2 M			HR 1.2 M			
J	36.0	20.6	-	39.1	17	15.5	21	30.5	21	24.6	27	31	0	0	18	0	0	0				49.9	39.0	24	7	6	1	1
F	33.6	19.9	-	37.1	3	15.0	28	27.6	7	23.0	5	25	0	0	14	0	0	0				36.7	25.5	19	8	6	1	1
M	34.5	16.2	-	39.0	12	9.0	27	26.6	30	22.2	9	27	0	0	4	0	0	0				11.3	5.0	30	5	5	0	0
A	30.5	11.5	-	35.4	14	6.5	13	24.0	5	19.0	1	20	0	0	0	0	0	0				2.2	1.0	22	5	1	0	0
M	24.8	8.3	-	29.2	10	-0.6	21	15.0	20	15.6	1	0	1	0	0	3	1	0	17	21		22.9	12.0	2	4	3	1	0
J	22.1	5.0	-	26.8	30	-8.1	17	13.0	15	14.0	5	0	7	0	0	9	7	3			16	3.4	2.0	19	5	1	0	0
J	21.6	2.9	-	27.5	7	-5.5	17	14.0	10	11.1	23	0	8	0	0	15	11	6				0.2	0.2	23	1	0	0	0
A	22.9	1.1	-	32.5	29	-3.2	4	12.8	20	10.0	30	3	6	0	0	23	14	2			21	0.0	0.0	-	0	0	0	0
S	28.7	7.8	-	35.3	23	-1.3	7	17.5	6	15.4	19	15	0	0	0	2	1	0				0.0	0.0	-	0	0	0	0
O	-	12.1	-	-	-	-0.2	1	-	-	20.0	13	-	-	-	0	1	1	0	1	1		16.6	14.5	14	4	2	1	0
N	33.0	14.7	-	40.8	26	8.8	21	27.5	1	22.6	30	21	0	0	4	0	0	0				4.0	3.8	19	2	1	0	0
D	34.7	17.1	-	40.8	27	10.9	15	22.5	1	24.9	31	27	0	0	8	0	0	0				12.7	8.0	2	3	2	0	0
A	-	11.4	-	-	-	-8.1	-	12.8	-	24.9	-	-	-	-	48	53	35	11				159.9	39.0	-	44	27	4	2
474/680 CARLETONVILLE - PUR												Ø 26°20'S			λ 27°23'E				H 1500 M			HT 1.2 M			HR 1.2 M			
J	26.5	15.6	-	30.1	11	12.2	1	21.4	22	18.2	12	1	0	0	0	0	0	0				153.5	36.0	29	-	13	5	3
F	26.1	13.9	-	29.7	27	11.2	25	23.4	16	16.7	11	0	0	0	0	0	0	0				45.0	17.5	12	-	6	2	0
M	29.3	13.4	-	30.9	15	6.8	1	22.0	26	16.3	20	2	0	0	0	0	0	0				38.0	13.0	26	-	5	2	0
A	23.6	9.6	-	27.7	28	4.4	6	18.4	4	13.7	15	0	0	0	0	0	0	0				201.0	72.0	7	-	7	6	3
M	18.9	4.3	-	25.3	1	-2.5	18	13.9	11	12.1	3	0	10	0	0	8	5	0	17	18		36.0	18.0	12	-	4	2	0
J	18.1	0.7	-	21.9	23	-4.2	17	12.3	26	5.2	22	0	10	0	0	23	8	3			16	14.5	14.5	25	-	1	1	0
J	17.9	0.5	-	20.5	2	-5.0	18	12.4	17	7.5	7	0	11	0	0	24	13	4				1.2	1.2	25	-	1	0	0
A	20.9	0.6	-	27.0	30	-4.7	5	11.9	3	6.4	19	0	5	0	0	21	14	7	28	26	23	0.0	0.0	-	-	0	0	0
S	24.8	8.8	-	28.5	25	3.9	4	10.8	9	13.8	27	0	2	0	0	0	0	0				26.5	23.5	8	-	3	1	0
O	24.6	10.3	-	29.7	11	3.8	18	15.0	24	15.2	12	0	2	0	0	0	0	0				61.7	21.2	29	-	7	3	0
N	25.2	12.0	-	31.0	25	6.8	12	17.1	17	16.6	27	1	1	0	0	0	0	0				132.5	27.5	30	-	12	4	3
D	26.6	13.4	-	31.7	26	9.1	7	17.5	1	17.2	27	2	0	0	0	0	0	0				83.3	15.0	20	-	10	4	0
A	23.5	8.6	-	31.7	-	-5.0	-	10.8	-	18.2	-	6	41	0	0	76	40	14				793.2	72.0	-	-	69	30	9
475/456 KRUGERSDORP - MUN												Ø 26° 6'S			λ 27°46'E				H 1699 M			HT 1.2 M			HR 1.2 M			
J	24.6	14.4	-0.5	29.0	11	11.8	22	17.4	22	16.8	12	0	1	0	0	0	0	0				262.7	46.5	1	17	15	7	5
F	24.1	13.2	-0.6	28.0	15	11.3	25	20.6	23	15.5	11	0	0	0	0	0	0	0				94.4	23.8	12	15	13	3	0
M	25.2	12.8	1.1	29.2	8	10.1	2	19.0	23	15.6	9	0	0	0	0	0	0	0				120.2	58.5	23	12	8	2	2
A	21.7	9.5	0.5	25.4	29	4.5	6	15.7	4	12.5	15	0	2	0	0	0	0	0				144.6	45.5	7	8	8	4	2
M	17.4	4.5	-1.2	23.6	1	-1.4	18	12.6	22	10.9	1	0	15	0	0	8	2	0	17	18		26.0	14.5	2	5	4	1	0
J	16.4	2.5	0.3	20.5	24	-0.4	16	10.0	26	5.1	22	0	19	0	0	15	2	0				14.1	14.1	25	1	1	1	0
J	16.2	2.2	0.3	19.1	2	-1.3	18	12.4	5	6.1	7	0	23	0	0	17	6	0				0.2	0.2	25	1	0	0	0
A	19.0	3.7	-0.4	25.0	31	-3.1	4	11.3	3	8.1	19	0	9	0	0	8	5	1	26	23	4	0.0	0.0	-	0	0	0	0
S	22.9	9.2	1.2	27.0	15	5.2	11	8.5	9	13.7	28	0	4	1	0	0	0	0			4	39.7	36.6	8	3	2	1	1
O	22.6	10.1	-1.8	26.6	3	3.6	18	12.8	6	14.5	12	0	5	0	0	0	0	0			**	65.5	17.5	15	9	7	3	0
N	23.5	11.1	-1.4	29.7	25	6.4	12	15.2	17	14.6	27	0	1	0	0	0	0	0				164.5	37.5	13	19	16	4	3
D	25.1	12.6	-0.7	30.0	25	8.0	4	15.0	1	17.1	27	0	1	0	0	0	0	0				123.7	26.9	19	11	10	6	2
A	21.6	8.8	-0.3	30.0	-	-3.1	-	8.5	-	17.1	-	0	80	1	0	48	15	1				1055.6	58.5	-	101	84	32	15
475/528 ZUURBEKOM - RWB												Ø 26°18'S			λ 27°48'E				H 1578 M			HT 1.2 M			HR 1.2 M			
J	25.5	14.9	0.0	29.0	11	11.1	1	19.4	22	16.9	6	0	0	0	0	0	0	0				194.5	43.4	31	19	14	7	2
F	24.9	13.2	-0.4	29.0	27	10.5	25	22.1	23	16.3	11	0	0	0	0	0	0	0				55.7	14.5	22	12	8	2	2
M	26.0	(11.1)	(0.6)	30.5	8	6.0	2	21.1	23	16.8	9	1	0	0	0	0	0	0				70.5	30.0	23	15	8	2	1
A	22.8	8.0	1.1	26.8	28	2.5	6	16.8	4	13.5	13	0	1	0	0	0	0	0				164.1	41.8	3	11	9	6	3
M	18.4	2.2	-0.2	24.8	1	-4.5	18	13.6	22	11.0	3	0	12	0	0	16	8	4	6	17	18	49.9	26.6	12	4	4	2	1
J	17.7	-1.2	1.2	21.0	23	-5.5	24	12.7	26	5.2	26	0	15	0	0	28	22	6				13.0	13.0	25	1	1	1	0
J	17.8	-1.3	1.3	20.8	4	-8.5	18	12.5	17	6.4	7	0	12	0	0	26	23	10				0.3	0.3	24	1	0	0	0
A	20.9	-1.1	-0.4	26.9	31	-5.6	6	12.0	3	7.0	19	0	4	0	0	25	20	11	30	29	26	0.0	0.0	-	0	0	0	0
S	24.5	8.1	2.1	28.0	15	2.5	1	10.6	9	13.9	26	0	2	0	0	0	0	0				25.9	25.2	8	2	1	1	1
O	24.0	9.8	-1.1	28.4	11	4.0	2	14.0	24	15.0	14	0	1	0	0	0	0	0				51.1	12.5	15	8	7	2	0
N	24.5	11.3	-1.0	29.4	25	5.5	12	16.8	17	15.4	27	0	1	0	0	0	0	0				160.7	27.2	28	21	15	5	2
D	26.0	13.5	-0.1	30.0	25	8.7	6	17.2	1	18.0	10	0	1	0	0	0	0	0				93.5	27.7	19	16	11	3	1
A	22.7	(7.4)	(0.3)	30.5	-	-8.5	-	10.6	-	18.0	-	1	49	0	0	95	73	31				879.2	43.4	-	110	78	31	13
476/ 72 JOHANNESBURG - JOUBERT PARK												Ø 26°12'S			λ 28° 3'E				H 1753 M			HT 1.2 M			HR 1.2 M			
J	24.1	14.8	-0.2	28.0	11	11.2	22	19.8	22	18.8	11	0	0	0	0	0	0	0				134.8	30.0	13	-	14	6	2
F	23.3	13.9	-0.7	26.4	27	11.5	5	20.8	23	17.2	28	0	0	0	0	0	0	0				182.0	41.0	22	-	13	8	2
M	24.6	14.7	1.4	27.5	9	10.2	31	20.8	24	20.6	8	0	0	0	1	0	0	0				73.7	25.5	23	-	7	3	1
A	21.5	12.0	0.4	25.5	29	7.6	6	15.8	8	14.5	3	0	2	0	0	0	0	0				161.0	55.0	7	-	6	6	2
M	17.0	7.3	-1.0	23.0	1	0.4	17	12.5	22	15.0	1	0	18	0	0	1	0	0	17			36.0	23.0	2	-	5	1	0
J	16.0	6.3	0.4	19.3	23	2.7	17	10.3	26	9.1	9	0	23	0	0	0	0	0				3.5	3.5	25	-	1	0	0
J	16.1	6.0	0.6	19.6	4	0.2	17	11.0	17	9.6	7	0	24	0	0	3	0	0				0.0	0.0	-	-	0	0	0
A	18.9	7.1	-0.2	24.7	31	1.0	22	10.8	3	13.8	31	0	9	0	0	2	0	0	22			0.0	0.0	-	-	0	0	0
S	22.6	12.2	1.5	26.4	15	5.1	9	9.0	9	15.2	28	0	4	1	0	0	0	0				46.5	44.0	8	-	3	1	1
O	22.2	11.5	-1.0	27.2	22	6.8	25	12.4	24	15.5	22	0	5	0	0	0	0	0				73.7	21.5	29	-	7	4	0
N	22.9	12.2	-1.2	27.8	25	9.0	17	15.0	17	17.5	27	0	1	0	0	0	0	0				192.0	46.0	19	-	16	8	2
D	24.5	13.9	-0.1	30.0	26	11.0	4	15.2	1	19.0	26	0	1	0	0	0	0	0				138.5	30.5	27	-	9	7	1
A	21.1	11.0	0.0	30.0	-	0.2	-	9.0	-	20.6	-	0	87	1	1	6	0	0				1041.7	55.0	-	-	81	44	11

* $\bar{T}m = 1.2\ (\bar{T}x + \bar{T}n)$. Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

TABEL I | TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – GEMIDDELDES VAN AVERAGES OF: DAELIKSE MAKSIMUM DAILY MAXIMUM Tx	DAELIKSE MINIMUM DAILY MINIMUM Tn	Tm* – NORMALE Tm / Tm* – LONGTERM Tm ΔTm	VOLSTREKTE MAKSIMUM ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM HIGHEST MINIMUM Tnx	DATUM / DATE	EXTREME TEMPERATURES – AANTAL DAE MET NUMBER OF DAYS WITH: MAKSIMUM MAXIMUM 30,0 ∧	17,5 ∨	10,0 ∨	MINIMUM MINIMUM 20,0 ∧	+2,5 ∨	0,0 ∨	−2,5 ∨	RYP / FROST: VROEGSTE EN LAATSTE DATUMS FIRST AND LAST DATES +2,5 ∨	0,0 ∨	−2,5 ∨	NEERSLAG – mm – PRECIPITATION: MAANDE- EN JAARTOTALE MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE NUMBER OF DAYS WITH AMOUNTS 0,1 ∧1	1,0 ∧1	10,0 ∧1	25,0 ∧1
476/101	**JOHANNESBURG – REPUBLIEK STER**																					**Ø 26°11'S λ 28° 4'E H 1806 M**				**HT 1.2 M**		**HR 1.2 M**		
J	23.9	14.0	–	27.5	11	11.0	22	18.8	22	18.5	11	0	0	0	0	0	0	0				112.3	24.5	21	20	13	4	0
F	23.4	13.1	–	28.3	15	10.5	5	19.0	16	15.7	27	0	0	0	0	0	0	0				136.5	33.5	22	19	13	4	1
M	24.8	13.9	–	29.8	19	9.6	31	18.9	23	18.3	8	0	0	0	0	0	0	0				70.3	30.7	22	15	8	2	1
A	21.5	11.8	–	25.4	27	6.5	6	14.5	8	15.9	29	0	3	0	0	0	0	0				152.0	50.5	7	13	9	6	3
M	18.0	6.6	–	22.7	1	-1.1	17	11.4	22	13.0	1	0	11	0	0	2	1	0	17	17		22.6	12.0	2	7	4	1	0
J	16.6	5.6	–	21.2	24	1.5	16	10.5	26	9.1	24	0	17	0	0	2	0	0				7.4	7.2	25	2	1	0	0
J	16.6	5.3	–	20.0	28	-1.3	17	13.2	17	10.2	4	0	20	0	0	4	1	0		17		0.0	0.0	–	0	0	0	0
A	19.3	6.3	–	25.0	31	0.0	4	13.9	3	13.5	31	0	7	0	0	4	0	0	23			0.0	0.0	–	0	0	0	0
S	22.9	11.4	–	27.8	15	4.5	9	8.0	9	14.8	4	0	3	1	0	0	0	0				45.0	41.2	8	2	2	1	1
O	21.9	10.7	–	29.0	11	4.5	24	11.0	24	15.6	21	0	5	0	0	0	0	0				66.0	19.2	29	9	7	3	0
N	22.6	11.1	–	29.2	25	8.0	17	13.5	17	15.5	27	0	2	0	0	0	0	0				187.0	41.9	19	21	17	7	1
D	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				112.9	23.0	19	12	7	5	0
A	–	–	–	–	–	-1.3	–	8.0	–	–	–	–	–	–	–	–	–	–				912.0	50.5	–	120	81	33	7
476/111	**ZWARTKOPJES – RWB**																					**Ø 26°21'S λ 28° 4'E H 1514 M**				**HT 1.2 M**		**HR 1.2 M**		
J	26.5	15.2	–	31.4	11	11.4	1	19.8	22	17.5	16	2	0	0	0	0	0	0				133.4	41.5	13	14	12	5	2
F	25.7	13.4	–	30.7	27	11.2	14	23.0	23	15.6	11	1	0	0	0	0	0	0				139.4	56.0	23	11	9	5	1
M	27.2	11.6	–	31.6	8	7.3	2	21.5	23	14.5	24	3	0	0	0	0	0	0				74.9	26.0	23	10	6	4	1
A	23.7	9.0	–	28.0	28	4.0	6	16.5	4	13.8	3	0	1	0	0	0	0	0				140.2	35.0	7	8	7	5	3
M	19.1	3.2	–	26.0	1	-2.4	31	14.2	22	11.0	3	0	10	0	0	12	6	0	6	18		46.0	19.0	2	4	4	2	0
J	18.3	0.1	–	21.8	14	-3.7	16	14.0	26	4.9	26	0	10	0	0	27	14	2			16	4.5	4.5	25	1	1	0	0
J	18.3	-0.7	–	21.4	3	-5.0	18	13.5	17	3.0	31	0	7	0	0	29	18	4				0.4	0.4	24	1	0	0	0
A	21.3	0.8	–	27.0	30	-5.0	22	13.2	3	8.0	31	0	4	0	0	20	12	5	28	26	26	0.0	0.0	–	0	0	0	0
S	24.9	6.6	–	29.0	15	5.0	1	10.5	9	14.6	27	0	2	0	0	0	0	0				31.0	29.5	8	2	2	1	1
O	24.9	10.1	–	30.0	21	4.8	26	14.5	24	16.0	14	0	1	0	0	0	0	0				44.7	9.2	29	8	8	0	0
N	25.1	11.5	–	29.7	25	6.0	12	16.7	17	16.4	27	0	1	0	0	0	0	0				138.9	38.5	19	18	16	5	1
D	26.6	13.1	–	32.0	25	9.6	4	17.3	1	16.0	27	2	1	0	0	0	0	0				73.0	14.0	2	13	12	3	0
A	23.5	7.8	–	32.0	–	-5.0	–	10.5	–	17.5	–	8	37	0	0	88	50	11				826.4	56.0	–	90	77	30	9
476/398	**JAN SMUTS – WK**																					**Ø 26° 8'S λ 28°14'E H 1692 M**				**HT 1.2 M**		**HR 1.2 M**		
J	24.1	14.4	-0.2	28.7	11	11.4	26	17.5	22	19.1	11	0	0	0	0	0	0	0				107.2	22.0	21	16	12	6	0
F	23.3	13.2	-1.1	26.5	15	10.5	5	19.6	24	15.7	11	0	0	0	0	0	0	0				86.9	18.8	21	14	12	3	0
M	25.0	13.3	1.1	28.2	8	9.4	31	20.5	24	16.5	8	0	0	0	0	0	0	0				71.0	24.0	27	12	8	3	0
A	21.7	10.9	0.4	25.3	29	5.6	6	15.3	4	13.7	28	0	2	0	0	0	0	0				130.1	31.4	7	9	8	6	2
M	17.2	5.8	-1.3	22.8	1	-0.1	17	12.7	22	13.2	1	0	17	0	0	5	1	0	17	17		18.7	11.7	2	5	2	1	0
J	16.2	4.8	0.2	19.4	24	0.7	16	11.8	26	9.0	13	0	22	0	0	3	0	0				8.8	8.8	25	1	1	0	0
J	16.0	4.0	-0.3	19.3	4	-2.9	18	11.4	31	8.6	1	0	24	0	0	7	3	1			18	0.0	0.0	–	0	0	0	0
A	18.9	5.7	-0.5	24.4	31	-2.2	4	11.8	3	12.7	31	0	9	0	0	6	2	0	26	22	18	0.2	0.2	2	1	0	0	0
S	22.8	11.4	1.7	26.6	15	5.1	9	8.2	9	15.6	29	0	3	1	0	0	0	0			**	43.6	41.6	8	2	2	1	1
O	22.3	10.3	-1.4	27.0	11	3.9	18	12.6	24	14.6	22	0	5	0	0	0	0	0				74.0	18.0	15	9	8	3	0
N	22.6	11.4	-1.6	27.8	25	8.0	17	13.8	17	16.1	27	0	1	0	0	0	0	0				152.2	30.5	19	21	15	4	1
D	24.4	13.4	-0.2	29.0	26	9.9	6	15.2	1	18.5	26	0	1	0	0	0	0	0				105.0	28.3	27	15	10	3	2
A	21.2	9.9	-0.3	29.0	–	-2.9	–	8.2	–	19.1	–	0	84	1	0	21	6	1				797.7	41.6	–	105	78	30	6
478/867	**BETHAL – TNK**																					**Ø 26°27'S λ 29°29'E H 1663 M**				**HT 1.2 M**		**HR 1.2 M**		
J	24.5	13.7	–	30.6	11	9.9	26	15.6	22	16.9	15	1	1	0	0	0	0	0				173.3	39.5	28	18	14	7	3
F	23.9	12.4	–	29.0	27	8.9	19	18.9	9	15.4	12	0	0	0	0	0	0	0				71.0	54.0	11	6	3	2	1
M	26.1	12.0	–	30.0	8	8.5	10	20.9	27	14.2	7	0	0	0	0	0	0	0				24.4	13.2	21	5	3	1	0
A	22.6	9.7	–	26.5	28	5.0	6	14.5	4	14.5	14	0	2	0	0	0	0	0				111.4	41.0	4	7	5	5	1
M	17.7	4.3	–	24.5	1	-2.5	17	11.5	21	10.0	3	0	14	0	0	6	3	0	17	17		26.3	19.0	2	5	3	1	0
J	16.6	2.2	–	20.0	14	-1.5	1	8.7	17	5.0	14	0	18	1	0	15	4	0				0.0	0.0	–	0	0	0	0
J	16.5	1.6	–	19.5	3	-5.9	18	11.2	31	5.5	3	0	17	0	0	15	8	3			1	0.0	0.0	–	0	0	0	0
A	20.0	3.5	–	26.0	31	-4.5	4	12.1	3	10.5	21	0	4	0	0	10	5	1	26	22	4	1.7	1.7	2	1	1	0	0
S	23.6	9.0	–	27.8	25	4.0	9	8.6	9	12.1	16	0	4	1	0	0	0	0				33.8	29.5	8	4	3	1	1
O	23.0	9.7	–	28.4	22	3.0	24	10.1	24	13.0	23	0	3	0	0	0	0	0				92.2	19.0	9	13	11	5	0
N	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				(66.2)	–	–	–	–	–	–
D	24.9	12.8	–	30.5	26	8.6	6	16.0	1	16.0	27	1	2	0	0	0	0	0				98.8	33.0	10	11	9	3	1
A	–	–	–	–	–	-5.9	–	8.6	–	–	–	–	–	–	–	–	–	–				(699.1)	–	–	–	–	–	–
480/184A	**CAROLINA – TNK**																					**Ø 26° 4'S λ 30° 7'E H 1696 M**				**HT 1.2 M**		**HR 1.2 M**		
J	23.5	13.4	-0.6	28.5	11	10.3	7	19.1	4	16.5	15	0	0	0	0	0	0	0				127.6	28.6	21	17	13	5	1
F	23.3	12.0	-1.0	28.1	27	8.1	19	17.5	9	15.0	12	0	0	0	0	0	0	0				63.7	32.0	8	6	6	2	1
M	25.1	12.4	1.0	29.6	8	7.7	10	17.6	23	16.1	8	0	0	0	0	0	0	0				20.8	5.1	26	8	8	0	0
A	22.4	10.4	1.3	26.2	28	6.0	6	16.1	4	13.5	13	0	2	0	0	0	0	0				64.8	25.6	4	6	6	2	1
M	17.3	4.8	-0.6	24.1	1	-0.5	17	8.6	21	10.0	3	0	15	1	0	7	1	0	17	17		44.5	22.0	2	4	4	2	0
J	15.9	2.6	0.2	19.7	13	-1.1	27	5.6	17	6.1	16	0	20	2	0	13	1	0				3.0	3.0	16	1	1	0	0
J	16.2	1.9	0.2	19.2	2	-2.5	17	9.9	5	5.5	4	0	23	1	0	17	4	0				2.5	2.5	12	1	1	0	0
A	19.6	3.7	-0.2	26.1	31	-1.1	4	11.5	26	9.7	21	0	7	0	0	10	3	0	28	5		0.0	0.0	–	0	0	0	0
S	22.7	8.6	1.0	27.5	29	3.6	9	8.2	9	13.1	28	0	5	1	0	0	0	0				60.5	40.0	8	8	4	1	1
O	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				51.8	8.0	28	11	11	0	0
N	22.2	10.3	-1.2	27.0	25	6.1	18	13.0	16	13.6	8	0	2	0	0	0	0	0				203.6	34.4	5	19	16	8	2
D	24.2	12.5	-0.5	31.0	26	10.0	22	16.5	1	15.5	27	1	2	0	0	0	0	0				97.6	43.5	3	12	8	3	1
A	–	–	–	–	–	-2.5	–	5.6	–	–	–	–	–	–	–	–	–	–				740.4	43.5	–	93	78	23	7

* Tm = 1/2 (Tx + Tn); *Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.*

TV 4 / 190

TABEL I | TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM (Tx)	DAELIKSE MINIMUM / DAILY MINIMUM (Tn)	Tm* – NORMALE Tm / Tm* – LONGTERM Tm (ΔTm)	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM (Txx)	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM (Tnn)	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM (Txn)	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM (Tnx)	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥ 30,0	≥ 17,5	≤ 10,0	MINIMUM / MINIMUM ≥ 20,0	≥ +2,5	≤ 0,0	≤ −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES ≤ +2,5	≤ 0,0	≤ −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS (Rx)	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
482/260	**MBABANE – SWAZ**											**ø 26°20'S**			**λ 31° 9'E**				**H 1145 M**			**HT 1.2 M**			**HR 1.2 M**			
J	23.6	15.5	–	29.7	11	9.5	7	15.6	22	20.6	14	0	3	0	1	0	0	0				459.9	176.0	21	20	20	11	6
F	23.0	14.3	–	26.4	15	9.7	20	17.3	5	16.7	8	0	1	0	0	0	0	0				131.4	30.0	11	13	11	6	2
M	24.3	15.2	–	30.8	25	10.4	10	18.9	27	19.2	25	1	0	0	0	0	0	0				253.9	66.5	26	15	12	7	5
A	23.2	12.4	–	28.5	30	7.3	10	16.7	11	15.7	18	0	1	0	0	0	0	0				71.9	33.4	13	10	7	2	1
M	19.3	7.6	–	28.0	1	1.9	18	11.8	21	16.7	1	0	11	0	0	2	0	0	18			38.4	18.2	11	7	6	1	0
J	18.3	4.0	–	24.8	14	0.4	30	8.4	16	8.4	22	0	13	2	0	9	0	0				18.7	6.6	16	3	3	0	0
J	19.1	4.7	–	25.1	16	0.0	14	10.5	5	11.1	10	0	10	0	0	8	0	0				24.8	22.8	4	2	2	1	1
A	21.6	6.4	–	29.0	31	0.1	19	12.6	26	13.4	19	0	5	0	0	4	0	0	9			10.5	6.0	10	5	2	0	0
S	23.3	10.1	–	31.4	16	6.3	9	11.6	9	17.9	27	1	5	0	0	0	0	0				80.9	26.0	8	11	9	2	1
O	22.0	11.2	–	32.4	4	5.6	24	10.8	24	15.8	4	2	7	0	0	0	0	0				225.0	38.5	8	20	18	8	3
N	21.8	12.1	–	28.9	15	7.2	18	11.1	16	15.8	20	0	7	0	0	0	0	0				140.5	30.0	4	18	15	5	1
D	24.1	14.4	–	30.6	12	11.6	22	16.0	17	17.2	30	3	1	0	0	0	0	0				232.9	61.2	2	20	12	6	4
A	22.0	10.7	–	32.4	–	0.0	–	8.4	–	20.6	–	7	64	2	1	23	0	0				1688.8	176.0	–	144	117	49	24
483/ 53	**MPISI – SWAZ**											**ø 26°23'S**			**λ 31°32'E**				**H 425 M**			**HT 1.2 M**			**HR 1.2 M**			
J	29.7	18.8	–	37.5	11	11.5	29	21.6	3	25.0	21	15	0	0	10	0	0	0				49.0	8.0	17	12	10	0	0
F	30.1	–	–	35.0	11	–	–	24.5	5	–	–	17	0	0	–	–	–	–				17.0	7.0	21	4	4	0	0
M	30.9	–	–	35.0	25	–	–	25.5	27	–	–	20	0	0	–	–	–	–				83.5	27.0	11	9	8	3	1
A	27.5	–	–	32.5	2	–	–	22.5	14	–	–	4	0	0	–	–	–	–				85.0	20.5	2	8	7	4	0
M	24.5	(7.1)	–	32.6	1	–	–	18.5	16	–	–	2	0	0	–	–	–	–				16.9	15.5	11	2	2	1	0
J	23.7	3.7	–	29.5	14	0.0	30	13.6	16	11.5	16	0	2	0	0	11	0	0(10)				2.5	1.5	16	2	2	0	0
J	25.1	3.8	–	31.5	3	0.0	14	16.0	5	10.5	6	2	1	0	0	13	0	0				0.0	0.0	–	0	0	0	0
A	26.7	8.0	–	34.5	31	0.0	2	19.5	26	15.0	21	6	0	0	0	2	0	0	5			3.6	2.5	11	2	2	0	0
S	28.6	12.9	–	38.5	16	9.0	19	16.0	9	17.5	5	13	3	0	0	0	0	0				10.3	5.0	9	3	2	0	0
O	28.4	15.1	–	39.5	22	8.5	26	15.5	5	18.5	15	11	2	0	0	0	0	0				77.8	27.0	9	16	13	2	1
N	27.5	15.8	–	35.0	21	9.5	18	17.0	16	19.5	20	6	1	0	0	0	0	0				49.1	26.0	7	10	9	1	1
D	29.4	17.3	–	36.5	9	14.5	22	21.5	1	20.5	31	16	0	0	1	0	0	0				138.6	69.0	2	11	10	3	1
A	27.7	–	–	39.5	–	0.0	–	13.6	–	25.0	–	112	9	0	–	–	–	–				533.3	69.0	–	79	69	14	4
483/504	**MPAKA – SWAZ**											**ø 26°24'S**			**λ 31°47'E**				**H 335 M**			**HT 1.2 M**			**HR 1.2 M**			
J	(29.9)	18.8	–	38.5	11	11.7	1	23.0	1	24.0	16	12	0	0	9	0	0	0				120.3	25.0	21	17	13	5	1
F	–	18.7	–	–	–	7.1	20	–	–	20.8	22	–	–	–	5	0	0	0				43.7	24.0	11	9	5	2	0
M	–	18.7	–	–	–	11.5	19	–	–	22.6	8	–	–	–	9	0	0	0				35.7	11.9	26	11	6	1	0
A	28.0	16.5	–	33.1	2	10.2	11	23.0	14	21.0	3	5	0	0	2	0	0	0				124.6	58.0	20	11	8	3	2
M	25.0	11.7	–	32.3	1	4.6	18	19.4	21	19.1	2	1	0	0	0	0	0	0				15.7	9.0	11	5	3	0	0
J	–	(9.1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				9.2	4.5	16	5	3	0	0
J	24.7	9.0	–	32.0	16	3.6	15	16.0	5	13.6	31	1	1	0	0	0	0	0				2.5	2.3	4	3	1	0	0
A	26.7	11.1	–	33.6	31	4.8	2	20.4	26	16.7	20	6	0	0	0	0	0	0				1.8	1.8	10	1	1	0	0
S	28.2	15.1	–	38.0	16	11.4	11	16.5	9	18.2	27	13	3	0	0	0	0	0				22.4	11.5	8	7	4	1	0
O	27.4	15.7	–	38.8	4	10.0	24	16.5	24	21.2	4	8	1	0	1	0	0	0				172.4	57.0	15	20	10	5	3
N	26.5	16.3	–	34.6	30	5.8	18	18.2	16	22.4	20	7	0	0	2	0	0	0				82.9	50.0	4	19	10	1	1
D	28.6	18.5	–	35.5	9	13.4	1	22.0	22	21.2	30	14	0	0	6	0	0	0				227.0	72.0	2	18	12	5	4
A	–	(14.9)	–	–	–	–	–	–	–	24.0	–	–	–	–	–	–	–	–				858.2	72.0	–	126	76	23	11
483/807	**SITEKI – SWAZ**											**ø 26°27'S**			**λ 31°57'E**				**H 653 M**			**HT 1.2 M**			**HR 1.2 M**			
J	29.3	19.1	–	36.5	11	14.4	23	19.9	22	22.0	14	7	0	0	4	0	0	0				79.0	26.5	21	–	8	3	1
F	26.6	16.9	–	30.7	21	13.4	19	21.2	5	18.7	26	2	0	0	0	0	0	0				115.5	72.0	11	–	9	2	1
M	29.0	17.9	–	33.5	24	15.6	31	23.1	31	20.2	8	10	0	0	2	0	0	0				50.8	14.0	4	–	9	1	0
A	24.8	16.9	–	29.8	2	13.8	10	20.6	14	19.2	3	0	0	0	0	0	0	0				96.8	42.5	3	–	7	4	1
M	21.6	13.0	–	30.7	5	8.1	17	14.3	31	18.4	8	1	6	0	0	0	0	0				29.5	10.5	11	–	5	2	0
J	20.4	11.1	–	26.2	14	6.1	17	10.9	16	14.4	14	0	4	0	0	0	0	0				11.3	6.0	15	–	3	0	0
J	21.6	11.1	–	27.5	16	7.9	17	12.7	5	14.8	16	0	–	–	0	0	0	0				3.7	3.0	4	–	1	0	0
A	23.6	12.2	–	30.9	31	8.2	1	17.2	26	17.8	25	1	1	0	0	0	0	0				8.0	8.0	10	–	1	0	0
S	24.6	13.9	–	34.3	16	9.4	9	13.5	30	20.1	16	5	3	0	1	0	0	0				29.5	13.0	8	–	6	1	0
O	24.2	14.7	–	34.8	4	8.3	24	14.1	24	22.5	4	2	4	0	1	0	0	0				118.5	53.0	8	–	10	4	1
N	23.8	14.9	–	29.8	21	11.2	17	13.9	16	18.4	2	0	1	0	0	0	0	0				88.7	18.5	15	–	13	3	0
D	26.0	16.7	–	34.2	9	13.7	22	19.3	1	20.1	30	6	0	0	1	0	0	0				134.7	36.0	2	–	12	5	3
A	24.6	14.9	–	36.5	–	6.1	–	10.9	–	22.5	–	34	–	–	9	0	0	0				766.0	72.0	–	–	84	25	7
508/261	**MAFEKING – TNK**											**ø 25°51'S**			**λ 25°39'E**				**H 1278 M**			**HT 1.2 M**			**HR 1.2 M**			
J	29.3	16.4	–	34.6	11	14.4	6	23.7	22	18.4	2	10	0	0	0	0	0	0				159.8	34.6	11	17	15	7	2
F	28.0	15.1	–	32.0	27	12.5	4	24.5	24	17.8	8	4	0	0	0	0	0	0				54.2	21.6	3	10	7	2	0
M	30.5	15.0	–	34.1	8	7.5	1	21.8	26	18.6	19	21	0	0	0	0	0	0				37.1	14.3	23	8	5	1	0
A	26.1	12.4	–	29.4	14	7.6	9	21.4	5	16.9	18	0	0	0	0	0	0	0				113.9	72.5	3	6	5	3	1
M	21.1	7.2	–	26.6	1	1.0	31	15.0	11	14.2	2	0	4	0	0	4	0	0	18			17.1	11.5	11	5	2	1	0
J	20.5	5.1	–	25.0	24	1.9	17	16.5	15	7.5	22	0	3	0	0	2	0	0				0.0	0.0	–	0	0	0	0
J	20.7	3.8	–	24.5	2	−1.6	17	15.5	31	11.7	7	0	3	0	0	11	2	0		11		1.0	1.0	24	1	1	0	0
A	23.8	4.0	–	30.9	31	−3.2	21	14.8	3	10.4	31	1	4	0	0	9	5	3	25	23	5	0.0	0.0	–	0	0	0	0
S	28.5	11.1	–	33.0	28	7.4	21	13.6	8	15.0	27	15	2	0	0	0	0	0			22	10.7	9.9	8	2	1	0	0
O	28.2	12.4	–	34.0	3	6.5	1	19.9	16	20.5	4	12	0	0	1	0	0	0			**	53.0	20.6	6	7	5	2	0
N	28.6	13.8	–	35.0	1	8.6	2	19.5	19	18.4	27	11	0	0	0	0	0	0				101.8	31.0	13	8	7	4	1
D	30.3	14.7	–	36.0	26	9.0	6	21.2	2	18.7	26	20	0	0	0	0	0	0				99.2	27.8	2	11	8	3	1
A	26.3	10.9	–	36.0	–	−3.2	–	13.6	–	20.5	–	94	16	0	1	26	7	3				647.8	72.5	–	75	56	23	5

*$\bar{T}m = 1/2\ (\bar{T}x + \bar{T}n)$; Waar/Where ** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

TABEL I | TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM Tx	DAELIKSE MINIMUM / DAILY MINIMUM Tn	Tm* – NORMALE Tm / LONGTERM Tm Δ Tm	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥30,0	≥17,5	≤10,0	MINIMUM / MINIMUM ≥20,0	≤+2,5	≤0,0	≤−2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES ≤+2,5	≤0,0	≤−2,5	NEERSLAG – mm – / PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥0,1	≥1,0	≥10,0	≥25,0
511/523 RUSTENBURG – AGR												Ø 25°43'S			λ 27°18'E				H 1157 M			HT 1.2 M			HR 1.2 M			
J	28.2	17.3	−0.5	32.8	12	14.7	26	20.9	22	20.8	12	5	0	0	1	0	0	0				186.5	39.8	13	14	13	6	3
F	27.3	16.2	−1.0	30.8	27	12.7	25	24.3	24	18.9	16	2	0	0	0	0	0	0				103.2	37.0	12	12	8	4	1
M	29.3	14.8	1.0	32.3	7	10.7	2	24.5	26	17.9	9	16	0	0	0	0	0	0				64.7	38.0	23	11	5	1	1
A	25.7	12.1	0.8	28.6	27	8.5	6	20.1	4	16.4	18	0	0	0	0	0	0	0				180.5	56.5	7	8	8	5	4
M	21.7	6.2	−0.6	27.3	1	−0.9	17	17.7	11	14.0	3	0	0	0	0	5	1	0	17	17		6.4	2.9	12	4	2	0	0
J	20.1	3.4	0.1	24.8	24	1.1	24	15.7	26	8.9	26	0	2	0	0	9	0	0				9.5	9.5	25	1	1	0	0
J	20.4	2.7	0.3	23.1	4	−2.8	18	17.3	31	9.5	7	0	1	0	0	11	5	1			18	0.0	0.0	–	0	0	0	0
A	23.2	3.6	−0.5	28.6	31	−0.6	4	16.3	3	7.9	20	0	1	0	0	11	1	0	26	4	18	0.0	0.0	–	0	0	0	0
S	27.4	10.3	1.2	31.8	29	6.4	1	11.9	9	14.4	7	8	2	0	0	0	0	0			**	44.4	36.1	8	3	2	1	1
O	27.3	11.9	−1.4	32.5	22	7.2	26	17.4	24	16.2	5	9	1	0	0	0	0	0				33.2	12.2	15	7	5	1	0
N	28.0	13.8	−0.9	33.6	2	9.2	9	20.0	17	16.8	19	6	0	0	0	0	0	0				147.0	56.0	13	13	10	3	2
D	29.1	15.8	−0.4	34.6	26	12.6	4	19.6	1	19.4	27	15	0	0	0	0	0	0				81.7	16.2	1	12	12	2	0
A	25.6	10.7	−0.2	34.6	–	−2.8	–	11.9	–	20.8	–	61	7	0	1	36	7	1				857.1	56.5	–	85	66	23	12
511/855A BUFFELSPOORT II – AGR												Ø 25°45'S			λ 27°29'E				H 1230 M			HT 1.2 M			HR 1.2 M			
J	28.8	17.0	–	34.5	11	12.8	22	23.6	19	20.9	12	9	0	0	1	0	0	0				284.5	65.5	21	14	13	8	5
F	27.7	16.1	–	31.5	27	12.9	25	24.0	23	18.8	16	4	0	0	0	0	0	0				68.7	11.0	25	13	11	2	0
M	29.8	14.9	–	33.1	11	10.5	2	24.2	26	18.3	9	19	0	0	0	0	0	0				83.3	31.5	23	10	9	3	1
A	25.8	12.0	–	28.8	29	8.2	26	20.0	4	15.6	18	0	0	0	0	0	0	0				167.8	55.3	7	9	7	6	3
M	21.6	6.6	–	27.0	1	0.0	19	16.5	22	13.2	2	0	2	0	0	3	0	0	18			4.9	2.5	12	3	2	0	0
J	20.1	3.3	–	24.4	24	1.3	17	15.6	26	7.8	18	0	2	0	0	9	0	0				7.2	7.2	25	1	1	0	0
J	20.5	3.2	–	23.4	4	−1.9	18	17.0	31	7.9	7	0	3	0	0	13	2	0		18		0.0	0.0	–	0	0	0	0
A	23.7	3.8	–	29.2	31	−0.7	22	16.0	3	9.1	3	0	1	0	0	10	3	0	26	22		0.0	0.0	–	0	0	0	0
S	28.0	10.5	–	32.6	28	7.1	3	11.7	9	18.7	17	12	2	0	0	0	0	0				33.1	18.7	17	3	2	1	1
O	27.7	12.2	–	33.3	22	7.5	26	17.4	24	16.3	5	14	1	0	0	0	0	0				36.4	15.6	15	7	5	1	0
N	28.4	13.8	–	33.1	1	11.2	9	19.9	17	16.5	11	8	0	0	0	0	0	0				137.1	42.8	13	15	8	5	2
D	29.7	15.1	–	35.9	26	12.4	7	18.6	1	19.7	27	18	0	0	0	0	0	0				111.7	27.0	19	14	12	5	1
A	26.0	10.7	–	35.9	–	−1.9	–	11.7	–	20.9	–	84	11	0	1	35	5	0				934.7	65.5	–	89	70	31	13
512/545 HARTEBEESTPOORT – IRR												Ø 25°35'S			λ 27°49'E				H 1158 M			HT 1.2 M			HR 1.2 M			
J	28.9	17.2	–	33.4	12	13.1	7	23.0	22	19.8	12	8	0	0	0	0	0	0				217.0	50.0	13	–	10	6	5
F	28.2	16.5	–	31.8	26	13.7	25	24.2	23	18.5	28	5	0	0	0	0	0	0				116.5	48.0	9	–	8	4	1
M	29.9	15.1	–	33.5	8	11.6	10	25.6	23	18.8	20	16	0	0	0	0	0	0				72.8	34.0	23	–	7	2	1
A	26.6	12.1	–	29.5	29	7.3	27	21.5	4	16.0	18	0	0	0	0	0	0	0				109.0	29.5	7	–	7	5	1
M	22.5	5.8	–	28.1	1	−2.0	18	18.2	17	13.0	3	0	0	0	0	6	2	0	17	18		8.0	5.5	3	–	2	0	0
J	21.1	2.4	–	24.5	24	−1.0	24	16.0	26	9.0	26	0	1	0	0	18	2	0				4.5	4.5	25	–	1	0	0
J	21.3	1.5	–	24.8	4	−3.0	19	18.2	31	7.6	7	0	0	0	0	20	12	1			19	0.0	0.0	–	–	0	0	0
A	24.2	2.0	–	29.5	31	−4.4	22	17.8	3	8.0	21	0	0	0	0	16	8	2	25	25	22	0.0	0.0	–	–	0	0	0
S	28.1	9.2	–	32.4	29	4.1	1	12.9	9	15.5	7	16	2	0	0	0	0	0				34.0	32.0	8	–	2	1	1
O	27.9	12.0	–	32.4	22	6.4	26	17.6	24	16.5	5	14	0	0	0	0	0	0				30.5	20.5	15	–	3	1	0
N	28.3	13.7	–	33.0	25	8.5	9	22.5	19	17.0	11	6	0	0	0	0	0	0				177.5	45.0	16	–	10	5	3
D	29.8	15.4	–	35.2	26	10.0	6	18.6	1	19.0	27	18	0	0	0	0	0	0				89.5	28.0	1	–	8	2	1
A	26.4	10.2	–	35.2	–	−4.4	–	12.9	–	19.8	–	83	3	0	0	60	24	3				859.3	50.0	–	–	58	26	13
512/738 PELINDABA												Ø 25°48'S			λ 27°55'E				H 1280 M			HT 1.2 M			HR 1.2 M			
J	26.7	17.0	–	31.2	12	14.3	22	20.5	22	19.8	12	3	0	0	0	0	0	0				193.6	50.5	12	11	9	8	3
F	25.9	16.1	–	28.8	28	13.4	25	22.6	24	18.2	16	0	0	0	0	0	0	0				151.5	69.5	22	13	12	3	2
M	27.5	15.1	–	30.9	8	12.2	2	22.9	26	19.3	9	3	0	0	0	0	0	0				54.7	20.9	20	8	6	2	0
A	24.3	11.7	–	27.3	29	7.4	6	18.0	4	15.4	14	0	0	0	0	0	0	0				149.2	44.5	7	5	5	4	3
M	20.1	6.3	–	25.4	1	−0.2	18	16.0	22	14.4	3	0	5	0	0	4	2	0	18	18		7.2	5.8	12	3	2	0	0
J	18.5	3.3	–	22.0	24	0.6	24	10.8	18	8.8	6	0	6	0	0	10	0	0				3.8	3.8	27	1	1	0	0
J	18.8	2.7	–	22.6	4	−0.2	19	15.2	31	7.9	7	0	8	0	0	16	2	0				0.0	0.0	–	0	0	0	0
A	21.6	4.2	–	26.7	31	−0.4	5	14.8	3	8.4	12	0	2	0	0	7	3	0	24	5		0.0	0.0	–	0	0	0	0
S	28.0	11.1	–	29.4	29	7.1	1	11.3	9	16.1	27	0	2	0	0	0	0	0				43.0	41.0	8	2	2	1	1
O	25.6	12.8	–	29.6	21	8.0	18	16.2	24	18.4	15	0	1	0	0	0	0	0				61.0	15.5	15	7	7	3	0
N	25.5	13.7	–	30.8	25	10.5	9	16.5	17	16.5	19	1	1	0	0	0	0	0				168.7	35.7	13	13	11	6	3
D	26.8	15.2	–	31.8	27	12.5	6	17.1	1	18.5	11	2	1	0	0	0	0	0				81.7	29.5	19	10	9	3	1
A	24.1	10.8	–	31.8	–	−0.4	–	10.8	–	19.8	–	9	26	0	0	37	7	0				914.4	69.5	–	73	64	30	13
513/165 PRETORIA – PROCLAMATION HILL												Ø 25°45'S			λ 28° 6'E				H 1356 M			HT 1.2 M			HR 1.2 M			
J	28.4	16.3	–	34.0	12	13.9	7	22.6	22	18.7	16	5	0	0	0	0	0	0				160.1	33.9	13	18	12	7	2
F	27.5	15.1	–	30.9	27	12.7	25	23.8	23	17.6	12	1	0	0	0	0	0	0				88.3	23.7	1	18	13	3	0
M	29.5	14.5	–	33.2	15	12.3	3	25.3	24	17.5	20	15	0	0	0	0	0	0				107.3	22.9	20	13	8	5	0
A	25.6	11.1	–	29.4	29	7.4	6	18.9	4	14.5	15	0	0	0	0	0	0	0				173.9	60.9	7	9	8	6	3
M	21.4	5.2	–	27.6	1	−1.0	18	16.7	22	13.2	3	0	1	0	0	7	3	0	18	18		13.4	5.6	3	5	3	0	0
J	19.9	2.9	–	22.5	24	0.4	19	14.8	26	7.5	18	0	4	0	0	13	0	0				15.0	15.0	25	1	1	1	0
J	20.0	1.8	–	23.5	4	−1.6	19	16.3	31	6.5	21	0	2	0	0	20	8	0				0.0	0.0	–	0	0	0	0
A	23.0	4.0	–	28.4	31	−0.6	1	16.1	3	9.0	21	0	1	0	0	7	4	0	24	6		0.0	0.0	–	0	0	0	0
S	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
O	26.5	11.3	–	31.3	22	6.8	26	15.9	24	16.3	5	5	1	0	0	0	0	0				60.2	14.2	15	8	7	3	0
N	26.8	13.0	–	31.9	25	9.1	12	18.7	17	15.3	6	2	0	0	0	0	0	0				198.5	66.8	3	19	12	5	2
D	28.4	14.6	–	34.4	26	10.5	6	17.5	1	18.7	27	10	0	0	0	0	0	0				91.0	40.7	1	14	9	2	1
A	–	–	–	34.4	–	–	–	–	–	18.7	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–

* Tm = 1/2 (Tx + Tn). Waar/Where xx Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

TABEL I

TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – EXTREME TEMPERATURES: GEMIDDELDES VAN AVERAGES OF: DAELIKSE MAKSIMUM DAILY MAXIMUM Tx	DAELIKSE MINIMUM DAILY MINIMUM Tn	$\bar{T}m$* – NORMALE Tm $\bar{T}m$* – LONGTERM Tm ΔTm	VOLSTREKTE MAKSIMUM ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET NUMBER OF DAYS WITH: MAKSIMUM MAXIMUM ≥ 30,0	≤ 17,5	≤ 10,0	MINIMUM MINIMUM ≥ 20,0	≤ +2,5	≤ 0,0	≤ −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS FIRST AND LAST DATES ≤ +2,5	≤ 0,0	≤ −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
513/284	PRETORIA – PUR											Ø 25°44'S			λ 28°10'E				H 1286 M			HT 1.2 M			HR 1.2 M			
J	27.5	16.2	−0.2	32.2	11	13.1	22	22.4	22	19.6	12	3	0	0	0	0	0	0				186.1	30.5	19	21	14	7	3
F	26.8	14.9	−0.9	30.0	27	12.6	20	23.4	23	17.6	11	0	0	0	0	0	0	0				84.0	14.4	21	16	14	2	0
M	28.5	13.6	0.8	31.7	7	10.7	10	24.8	23	16.1	24	9	0	0	0	0	0	0				67.9	14.5	22	12	10	3	0
A	25.1	10.4	0.3	29.4	27	6.5	10	18.8	4	14.1	15	0	0	0	0	0	0	0				143.7	38.5	7	8	8	6	3
M	21.1	4.6	−0.2	26.7	1	−2.2	19	16.0	22	12.7	3	0	3	0	0	4	3	0	18	18		5.9	5.5	3	2	1	0	0
J	19.6	0.6	0.0	23.7	24	−2.0	24	14.9	26	6.5	18	0	5	0	0	26	12	0				18.5	18.5	25	1	1	1	0
J	19.6	–	–	23.1	4	–	–	15.4	31	–	–	0	2	0	–	–	–	–				0.0	0.0	–	0	0	0	0
A	22.6	1.5	−0.7	28.3	31	−2.9	5	16.5	3	5.6	12	0	1	0	0	20	9	2	26	24	(2)	0.0	0.0	–	0	0	0	0
S	26.3	8.2	0.2	30.1	29	3.9	1	11.7	9	12.2	30	1	2	0	0	0	0	0			6	36.6	32.0	8	3	3	1	1
O	26.0	11.0	−1.8	30.9	22	5.6	18	15.7	24	16.6	15	4	1	0	0	0	0	0			**	52.8	20.8	15	10	7	2	0
N	26.4	12.8	−1.3	32.0	25	8.9	12	18.3	17	15.7	5	1	0	0	0	0	0	0				165.2	41.5	13	20	15	5	2
D	28.0	14.2	−0.7	32.4	26	8.7	6	17.8	1	17.2	27	5	0	0	0	0	0	0				133.7	47.5	1	16	12	5	2
A	24.8	–	–	32.4	–	–	–	11.7	–	19.6	–	23	14	0	–	–	–	–				894.4	47.5	–	109	85	32	11
513/314A	PRETORIA – FORUM – WB****											Ø 25°44'S			λ 28°11'E				H 1330 M			HT 1.2 M			HR 1.2 M			
J	26.9	17.5	0.0	31.6	12	14.6	22	21.8	22	19.8	12	3	0	0	0	0	0	0				172.0	31.0	21	18	13	7	1
F	26.2	16.6	−0.7	29.4	27	14.0	25	23.0	23	18.5	28	0	0	0	0	0	0	0				74.1	12.5	21	16	11	3	0
M	28.0	16.3	1.2	30.7	15	12.3	3	24.2	24	19.6	9	8	0	0	0	0	0	0				84.0	27.1	22	12	9	4	1
A	24.6	13.1	0.7	28.2	27	9.4	10	18.4	4	16.6	18	0	0	0	0	0	0	0				145.0	39.2	7	8	8	5	3
M	20.3	7.6	−0.4	26.1	1	1.5	18	15.5	22	14.8	3	0	4	0	0	2	0	0	18			6.5	5.5	3	4	1	0	0
J	18.9	5.2	0.2	22.9	24	2.7	19	14.2	26	9.3	6	0	6	0	0	0	0	0				17.7	17.7	25	1	1	1	0
J	19.1	4.7	0.3	22.3	4	0.4	19	16.0	31	9.0	25	0	4	0	0	5	0	0				0.0	0.0	–	0	0	0	0
A	22.0	6.8	−0.3	27.4	31	1.8	1	15.6	3	10.3	29	0	1	0	0	2	0	0	4			0.0	0.0	–	0	0	0	0
S	25.9	12.6	1.1	29.7	29	8.1	9	12.0	9	17.4	28	0	2	0	0	0	0	0				42.4	38.1	8	3	3	1	1
O	25.5	13.8	−1.1	30.3	22	9.1	24	15.5	24	18.2	15	1	1	0	0	0	0	0				52.8	20.8	15	10	7	2	0
N	25.8	14.3	−1.0	31.4	25	10.4	4	18.1	17	17.5	27	1	0	0	0	0	0	0				165.9	42.3	13	18	13	4	2
D	27.3	16.3	−0.3	32.4	26	13.2	4	17.7	1	20.5	27	2	0	0	1	0	0	0				117.2	46.9	1	16	9	3	1
A	24.2	12.1	0.0	32.4	–	0.4	–	12.0	–	20.5	–	15	18	0	1	9	0	0				877.6	46.9	–	106	75	30	9
513/405A	PRETORIA – LYNNWOOD – WB											Ø 25°45'S			λ 28°14'E				H 1369 M			HT 1.2 M			HR 1.2 M			
J	27.1	16.2	0.2	31.7	12	13.6	22	21.6	22	19.0	12	2	0	0	0	0	0	0				161.1	55.0	31	14	12	4	2
F	26.3	15.1	−0.7	29.4	27	12.7	25	23.3	23	17.7	11	0	0	0	0	0	0	0				70.4	13.5	21	15	12	2	0
M	27.8	14.6	1.3	30.5	15	10.7	3	24.3	24	17.2	9	6	0	0	0	0	0	0				104.2	33.0	20	12	9	4	2
A	24.3	–	–	28.3	27	–	–	17.9	4	–	–	0	0	0	–	–	–	–				139.0	40.0	7	8	7	6	3
M	20.0	5.3	−0.7	25.5	1	−1.0	18	15.3	22	11.3	3	0	5	0	0	6	2	0	18	18		7.1	5.0	3	3	2	0	0
J	18.6	2.9	−0.1	22.7	24	0.4	24	13.7	26	7.3	18	0	7	0	0	17	0	0				18.0	18.0	25	1	1	1	0
J	18.9	2.6	−0.1	22.5	4	−1.1	19	15.7	31	6.7	25	0	5	0	0	17	5	0				0.1	0.1	27	1	0	0	0
A	22.0	4.1	−0.6	27.8	31	−0.7	5	15.6	3	8.8	11	0	2	0	0	20	2	0	24	5		0.0	0.0	–	0	0	0	0
S	25.7	10.0	0.8	30.2	29	6.4	11	12.8	9	14.1	30	1	2	0	0	0	0	0				40.7	35.8	8	3	3	1	1
O	25.5	11.4	−1.2	30.3	22	6.6	26	15.3	24	16.3	5	1	1	0	0	0	0	0				49.0	22.1	15	9	7	1	0
N	25.9	12.6	−1.1	31.0	25	9.5	9	18.2	17	15.3	27	1	0	0	0	0	0	0				162.1	42.2	13	18	14	5	2
D	27.3	14.5	−0.4	32.0	26	11.4	4	17.4	1	17.7	11	3	1	0	0	0	0	0				126.5	65.2	1	17	12	3	1
A	24.1	–	–	32.0	–	−1.1	–	12.8	–	19.0	–	14	23	0	–	–	–	–				878.2	65.2	–	101	79	27	11
513/465	PRETORIA – UNIVERSITEIT – AGR											Ø 25°45'S			λ 28°16'E				H 1372 M			HT 1.2 M			HR 1.2 M			
J	26.5	16.1	–	31.6	12	13.6	22	20.8	22	18.7	12	2	0	0	0	0	0	0				219.2	116.0	31	15	12	4	2
F	25.7	15.0	–	29.1	27	12.3	25	22.2	23	17.6	12	0	0	0	0	0	0	0				74.4	13.5	17	17	13	3	0
M	27.6	14.6	–	30.2	19	11.6	3	24.2	24	17.4	9	1	0	0	0	0	0	0				129.7	60.4	20	10	9	4	1
A	24.6	11.6	–	27.5	27	6.8	6	17.0	4	14.9	18	0	1	0	0	0	0	0				127.3	32.3	7	9	7	6	1
M	20.5	6.3	–	26.2	1	−0.7	18	15.5	22	12.8	3	0	5	0	0	5	1	0	18	18		6.1	5.7	3	3	1	0	0
J	19.4	4.0	–	23.4	24	1.7	12	13.4	26	8.2	18	0	5	0	0	6	0	0				22.5	22.5	25	1	1	1	0
J	19.6	3.4	–	23.4	4	−0.3	19	15.7	31	7.3	9	0	5	0	0	9	2	0				0.9	0.9	27	1	0	0	0
A	22.7	5.2	–	27.7	31	−0.3	1	16.6	3	8.8	11	0	1	0	0	6	1	0	23	1		0.1	0.1	2	1	0	0	0
S	25.9	11.0	–	29.8	28	7.2	9	11.3	9	15.2	28	0	2	0	0	0	0	0				46.0	40.4	8	3	3	1	1
O	25.4	11.9	–	30.8	22	6.6	18	15.0	24	16.2	15	2	2	0	0	0	0	0				46.0	19.8	15	9	8	1	0
N	25.6	12.9	–	30.5	25	10.4	17	17.8	17	15.2	5	1	0	0	0	0	0	0				168.4	39.5	13	18	15	5	2
D	27.0	14.6	–	32.1	26	10.6	6	17.2	1	18.1	27	2	1	0	0	0	0	0				157.5	78.7	1	17	10	3	2
A	24.2	10.5	–	32.1	–	−0.7	–	11.3	–	18.7	–	8	22	0	0	26	4	0				998.1	116.0	–	104	79	28	9
513/531	RIETVLEI – AGR											Ø 25°51'S			λ 28°18'E				H 1524 M			HT 1.2 M			HR 1.2 M			
J	26.2	15.0	–	32.0	12	12.5	1	20.0	22	17.5	11	1	0	0	0	0	0	0				171.4	30.1	31	–	14	6	3
F	25.2	13.8	–	28.0	27	11.6	19	21.8	23	16.9	11	0	0	0	0	0	0	0				122.8	25.0	16	–	13	5	0
M	27.2	13.3	–	30.1	15	9.2	10	23.5	24	16.1	9	1	0	0	0	0	0	0				59.2	16.5	23	–	9	2	0
A	23.8	–	–	27.4	29	–	–	17.0	4	–	–	0	1	0	–	–	–	–				170.5	38.5	4	–	9	5	4
M	19.7	3.5	–	25.0	1	−3.3	18	15.0	22	9.8	3	0	7	0	0	10	5	1	17	18	18	10.3	3.6	26	–	3	0	0
J	18.2	1.2	–	21.8	24	−2.5	24	14.8	27	6.0	18	0	8	0	0	22	6	0				18.0	18.0	25	–	1	1	0
J	18.2	0.7	–	22.0	4	−4.0	19	14.1	31	5.0	13	0	6	0	0	22	13	4				2.2	2.2	27	–	1	0	0
A	21.1	2.6	–	26.5	31	−4.0	22	14.5	3	8.4	16	0	4	0	0	16	7	4	28	24	22	0.0	0.0	–	–	0	0	0
S	25.1	9.3	–	30.0	29	4.4	11	10.5	9	13.0	28	0	4	0	0	0	0	0				43.8	40.0	8	–	2	1	1
O	24.8	10.1	–	29.5	22	3.5	18	14.0	24	15.0	22	0	2	0	0	0	0	0				58.4	20.4	16	–	5	1	0
N	24.7	–	–	29.6	25	8.0	21	16.8	17	14.0	19	0	1	0	0	0	0	0				153.0	35.0	13	–	13	5	3
D	26.2	13.3	–	31.5	26	7.8	6	16.4	1	17.0	13	1	1	0	0	0	0	0				169.7	84.7	1	–	11	4	1
A	23.4	–	–	32.0	–	−4.0	–	10.5	–	17.5	–	3	34	0	–	–	–	–				979.3	84.7	–	–	81	30	12

* [illegible] Waar Where ** Laatste datum verwys na vorige maand / Last date refers to previous month. [illegible]

**** HT en HR ten opsigte van dak van gebou 19 m bo grondvlak / HT and HR refer to height above roof of building 19 m above ground level

MAAND / MONTH	UITERSTE TEMPERATURE – °C – EXTREME TEMPERATURES: GEMIDDELDES VAN AVERAGES OF: DAELIKSE MAKSIMUM DAILY MAXIMUM Tx	DAELIKSE MINIMUM DAILY MINIMUM Tn	Tm* – NORMALE Tm Tm* – LONGTERM Tm Δ Tm	VOLSTREKTE MAKSIMUM ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET NUMBER OF DAYS WITH: MAKSIMUM MAXIMUM ∧ 30,0	∨ 17,5	∨ 10,0	MINIMUM MINIMUM ∧ 20,0	∨ +2,5	∨ 0,0	∨ −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS FIRST AND LAST DATES ∨ +2,5	∨ 0,0	∨ −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE NUMBER OF DAYS WITH AMOUNTS ∧ 0,1	∧ 1,0	∧ 10,0	∧ 25,0
513/605 ROODEPLAAT – AGR												ø 25°35'S			λ 28°21'E				H 1164 M			HT 1.2 M			HR 1.2 M			
J	27.8	16.5	−0.6	32.3	12	13.8	7	22.7	22	20.4	12	3	0	0	1	0	0	0				200.4	49.5	21	15	14	7	4
F	27.2	15.5	−1.6	30.1	26	12.0	20	23.4	24	17.9	28	1	0	0	0	0	0	0				72.0	21.6	12	14	13	1	0
M	29.2	14.5	0.6	31.9	15	11.8	10	25.4	27	18.2	20	14	0	0	0	0	0	0				74.1	32.5	20	10	7	2	1
A	25.7	11.6	0.3	29.2	27	6.3	6	19.6	4	14.9	8	0	0	0	0	0	0	0				109.3	26.5	18	9	9	5	1
M	21.5	5.8	−0.8	27.2	1	−1.6	19	17.2	17	11.7	4	0	2	0	0	5	2	0	18	18		10.7	9.5	3	4	1	0	0
J	20.0	3.0	0.0	24.0	24	0.2	20	16.2	26	8.1	26	0	3	0	0	14	0	0				25.0	25.0	25	1	1	1	1
J	20.2	1.6	−0.7	24.0	4	−4.5	18	17.2	31	6.6	26	0	2	0	0	20	8	3			17	0.0	0.0	–	0	0	0	0
A	23.3	2.3	−1.1	28.6	31	−3.8	22	18.0	3	8.0	21	0	0	0	0	14	6	1	25	24	22	0.0	0.0	–	0	0	0	0
S	27.1	9.3	0.3	32.2	30	6.0	11	13.6	9	15.5	30	4	2	0	0	0	0	0				30.0	19.5	8	3	3	1	0
O	26.8	11.4	−2.1	32.5	22	6.5	26	18.7	7	16.6	15	8	0	0	0	0	0	0				49.3	21.0	15	8	6	2	0
N	26.8	13.0	−1.8	31.0	1	9.9	21	19.5	17	16.5	5	3	0	0	0	0	0	0				203.0	60.3	16	15	14	6	2
D	28.5	14.9	−0.4	33.8	26	9.3	6	19.6	1	17.4	11	11	0	0	0	0	0	0				99.5	52.5	1	13	10	2	1
A	25.3	9.9	−0.7	33.8	–	−4.5	–	13.6	–	20.4	–	44	9	0	1	53	16	4				873.3	60.3	–	92	78	27	10
516/285 GEMSBOKFONTEIN – BDS												ø 25°45'S			λ 29°40'E				H 1661 M			HT 1.2 M			HR 1.2 M			
J	25.1	13.0	0.2	30.6	11	9.6	9	18.9	22	16.3	20	1	0	0	0	0	0	0				168.5	61.0	12	–	12	6	1
F	24.3	11.6	−0.5	27.4	27	4.9	19	21.3	17	15.0	28	0	0	0	0	0	0	0				58.0	29.0	25	–	6	2	1
M	25.9	10.8	1.8	28.9	19	4.4	10	21.2	27	14.8	8	0	0	0	0	0	0	0				55.0	17.0	27	–	9	2	0
A	22.9	7.9	1.3	27.6	29	2.6	6	16.5	8	13.4	8	0	1	0	0	0	0	0				108.0	36.0	8	–	8	4	2
M	18.3	1.8	−0.4	24.1	1	−4.6	31	11.8	21	8.6	3	0	12	0	0	17	6	3	7	16	18	39.0	19.0	3	–	5	2	0
J	16.7	−0.6	0.4	19.8	9	−3.6	30	11.6	17	5.4	17	0	19	0	0	27	23	3				0.5	0.5	16	–	0	0	0
J	17.0	−1.4	0.5	20.6	4	−7.5	18	11.3	31	5.6	5	0	18	0	0	27	22	12				0.0	0.0	–	–	0	0	0
A	20.2	0.7	0.6	25.8	31	−6.2	4	14.8	3	10.8	21	0	5	0	0	21	15	5			23	0.5	0.5	2	–	0	0	0
S	23.5	6.7	1.4	28.0	29	2.2	1	9.2	9	14.0	28	0	4	1	0	2	0	0				42.0	38.5	8	–	3	1	1
O	23.1	8.5	−1.1	28.2	4	−1.0	18	14.0	24	14.0	23	0	4	0	0	1	1	0	18	18		62.0	13.0	15	–	10	2	0
N	23.1	9.6	−1.4	28.3	25	5.4	18	13.9	17	13.2	7	0	1	0	0	0	0	0				160.5	30.0	5	–	18	7	1
D	25.0	11.3	−0.6	30.4	26	6.1	6	16.4	1	15.6	27	1	1	0	0	0	0	0				80.0	19.5	13	–	10	4	0
A	22.1	6.7	0.2	30.6	–	−7.5	–	9.2	–	16.3	–	2	65	1	0	95	67	23				774.0	61.0	–	–	81	30	6
517/ 39 BELFAST II – BDS												ø 25°39'S			λ 30° 2'E				H 1950 M			HT 1.2 M			HR 1.2 M			
J	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				168.9	45.9	21	–	8	6	3
F	21.4	10.6	–	25.4	27	7.0	19	17.0	24	13.5	12	0	1	0	0	0	0	0				54.8	23.0	11	–	7	2	0
M	23.0	10.2	–	27.4	8	3.5	31	18.0	27	14.5	8	0	0	0	0	0	0	0				67.5	23.5	8	–	7	2	0
A	20.6	8.6	–	25.0	29	3.0	6	13.5	4	13.2	14	0	2	0	0	0	0	0				142.0	43.0	4	–	8	6	2
M	16.0	3.3	–	22.0	1	−2.2	31	6.0	21	8.5	3	0	17	1	0	9	6	0	6	17		51.5	20.0	12	–	6	2	0
J	14.6	1.5	–	18.0	13	−2.2	1	6.1	26	7.0	15	0	26	2	0	19	7	0				1.8	1.4	16	–	1	0	0
J	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				0.0	0.0	–	–	0	0	0
A	18.6	2.9	–	25.0	31	−0.7	4	14.0	3	9.4	21	0	11	0	0	12	5	0	24	24		0.0	0.0	–	–	0	0	0
S	21.4	7.4	–	25.5	25	3.0	9	6.7	9	11.5	16	0	4	1	0	0	0	0				61.6	51.5	9	–	3	1	1
O	20.5	7.7	–	25.5	22	3.0	24	7.0	24	11.0	9	0	6	1	0	0	0	0				104.1	21.0	15	–	14	4	0
N	20.1	8.5	–	25.0	25	5.0	18	12.0	17	12.5	8	0	5	0	0	0	0	0				202.9	29.7	6	–	21	8	2
D	22.4	10.8	–	27.2	26	8.0	6	14.5	1	12.9	13	0	1	0	0	0	0	0				87.7	13.9	1	–	11	4	0
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				942.8	51.5	–	–	86	35	8
519/ 17 BARBERTON – AGR												ø 25°47'S			λ 31° 1'E				H 765 M			HT 1.2 M			HR 1.2 M			
J	27.8	17.9	–	35.1	11	14.1	6	21.4	4	20.8	20	4	0	0	1	0	0	0				111.6	34.0	16	14	10	3	2
F	27.9	16.9	–	30.5	11	10.8	19	24.3	23	19.4	8	4	0	0	0	0	0	0				77.1	57.0	11	6	6	2	1
M	29.1	17.1	–	33.3	25	11.7	31	23.7	27	22.7	8	10	0	0	3	0	0	0				90.8	30.1	2	12	9	5	1
A	26.9	14.8	–	30.3	27	9.8	28	19.5	14	18.6	17	1	0	0	0	0	0	0				132.5	45.8	3	10	9	4	2
M	23.7	8.4	–	31.2	1	1.7	18	15.4	21	14.7	3	1	2	0	0	1	0	0	18			9.6	7.0	11	5	2	0	0
J	22.0	5.3	–	27.8	14	1.7	30	12.3	16	11.4	26	0	4	0	0	3	0	0				4.4	3.5	16	4	1	0	0
J	23.5	4.5	–	28.8	3	−0.2	14	18.7	5	12.3	5	0	0	0	0	4	1	0		14		0.0	0.0	–	0	0	0	0
A	25.4	7.0	–	32.7	31	0.6	2	16.8	26	14.8	21	2	1	0	0	2	0	0	2	14		0.0	0.0	–	0	0	0	0
S	27.7	11.9	–	35.4	16	8.7	11	13.7	9	16.7	27	12	2	0	0	0	0	0		**		26.5	15.0	8	4	4	1	0
O	25.9	14.1	–	34.1	4	9.2	24	13.0	24	17.9	13	7	4	0	0	0	0	0				96.0	30.5	15	16	16	3	1
N	25.4	15.0	–	31.1	15	11.4	1	17.7	17	17.6	20	3	0	0	0	0	0	0				167.7	60.2	6	16	11	3	3
D	27.6	17.2	–	33.6	25	14.4	23	20.0	22	20.0	27	12	0	0	0	0	0	0				195.2	67.5	2	11	9	5	3
A	26.1	12.5	–	35.4	–	−0.2	–	12.3	–	22.7	–	56	13	0	4	10	1	0				911.4	67.5	–	98	77	26	13
519/237 HAVELOCK MINE – SWAZ												ø 25°57'S			λ 31° 8'E				H 1167 M			HT 1.2 M			HR 1.2 M			
J	23.9	15.6	–	32.3	11	11.5	7	15.8	4	19.6	15	1	3	0	0	0	0	0				301.4	92.5	21	20	16	6	3
F	23.5	14.5	–	27.7	11	9.7	19	18.4	5	17.1	8	0	0	0	0	0	0	0				204.8	102.3	11	15	13	4	2
M	25.0	15.3	–	28.5	25	10.0	31	19.7	27	19.4	8	0	0	0	0	0	0	0				238.4	88.0	26	14	13	6	3
A	23.4	13.5	–	28.2	30	9.5	28	16.8	11	15.9	18	0	1	0	0	0	0	0				108.8	29.5	3	10	9	6	1
M	19.5	9.2	–	27.8	1	3.8	18	11.7	21	15.5	1	0	9	0	0	0	0	0				28.9	16.4	11	7	5	1	0
J	17.9	6.1	–	24.1	14	3.2	26	8.7	17	8.7	14	0	10	3	0	0	0	0				20.2	7.6	16	5	4	0	0
J	18.9	6.8	–	24.0	3	2.8	14	9.8	5	9.5	1	0	9	1	0	0	0	0				14.2	13.5	4	2	1	1	0
A	21.4	8.3	–	29.3	31	2.4	4	11.5	26	12.5	28	0	3	0	0	1	0	0	4			6.4	3.6	27	4	3	0	0
S	23.2	11.3	–	30.8	16	6.6	9	11.3	9	16.0	16	2	5	0	0	0	0	0	4			68.0	29.8	8	8	7	2	1
O	21.4	11.9	–	30.9	4	5.7	24	8.7	24	15.5	4	1	8	1	0	0	0	0	**			209.9	30.8	23	20	18	8	2
N	20.9	12.6	–	27.3	30	8.5	18	11.8	16	15.8	20	0	6	0	0	0	0	0				118.2	22.0	30	19	15	6	0
D	24.0	15.3	–	31.6	26	12.5	23	16.0	17	16.5	21	2	3	0	0	0	0	0				251.0	43.0	1	18	17	9	4
A	21.9	11.7	–	32.3	–	2.4	–	8.7	–	19.6	–	6	57	5	0	1	0	0				1570.2	102.3	–	142	121	49	16

x $\bar{T}m = 1/2\ (\bar{T}x + \bar{T}n)$; Waar/Where x x Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

MAAND / MONTH	UITERSTE TEMPERATURE – °C – EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM (Tx)	DAELIKSE MINIMUM / DAILY MINIMUM (Tn)	$\bar{T}m$* – NORMALE / LONGTERM (Δ$\bar{T}m$)	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM (Txx)	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM (Tnn)	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM (Txn)	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM (Tnx)	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥ 30,0	≤ 17,5	≤ 10,0	MINIMUM / MINIMUM ≥ 20,0	≤ +2,5	≤ 0,0	≤ −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES ≤ +2,5	≤ 0,0	≤ −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS (Rx)	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
519/448	**PIGGS PEAK – SWAZ**											**ø 25°58'S**			**λ 31°15'E**				**H 1012 M**				**HT 1.2 M**		**HR 1.2 M**			
J	24.5	15.7	–	33.5	11	12.0	7	17.2	1	19.0	20	1	2	0	0	0	0	0				265.4	85.0	21	19	17	7	2
F	23.6	15.0	–	27.0	11	8.5	19	18.5	5	21.5	6	0	0	0	1	0	0	0				135.1	64.0	11	15	12	3	1
M	25.1	15.1	–	29.4	25	9.3	31	21.0	27	19.0	8	0	0	0	0	0	0	0				174.0	34.5	22	14	13	7	2
A	23.6	12.8	–	29.3	30	9.0	6	17.5	11	16.5	18	0	0	0	0	0	0	0				95.4	41.1	3	11	8	2	1
M	20.1	7.6	–	27.5	1	2.0	18	12.7	21	14.0	2	0	9	0	0	1	0	0	18			26.4	17.5	11	6	4	1	0
J	18.9	4.6	–	25.2	24	2.0	30	9.0	16	8.0	26	0	7	2	0	2	0	0				12.9	6.5	16	4	3	0	0
J	19.8	4.6	–	26.3	16	0.0	14	11.3	5	9.3	6	0	8	0	0	4	0	0				9.5	7.5	4	2	2	0	0
A	21.9	6.1	–	29.4	31	0.0	1	13.1	26	12.2	21	0	3	0	0	3	0	0	2			2.4	1.0	10	4	1	0	0
S	23.7	10.5	–	33.2	16	5.6	10	12.2	9	18.0	13	2	4	0	0	0	0	0				53.1	26.0	8	7	7	2	1
O	22.5	11.6	–	32.8	4	5.5	26	9.5	24	15.0	10	2	7	1	0	0	0	0				189.4	47.5	9	19	17	6	2
N	21.8	12.4	–	28.8	15	8.5	18	12.2	16	16.0	20	0	5	0	0	0	0	0				116.2	26.6	30	16	16	3	1
D	24.4	14.6	–	32.5	12	12.0	8	16.2	22	16.5	28	3	1	0	0	0	0	0				244.3	61.0	2	16	14	7	4
A	22.5	10.9	–	33.5	–	0.0	–	9.0	–	21.5	–	8	46	3	1	10	0	0				1324.1	85.0	–	133	114	38	14
546/630	**MARICO BOSVELD – IRR**											**ø 25°30'S**			**λ 26°21'E**				**H 1078 M**				**HT 1.2 M**		**HR 1.2 M**			
J	29.2	18.2	–	34.9	11	15.6	5	21.4	22	20.4	12	9	0	0	2	0	0	0				165.7	29.0	13	–	15	4	4
F	28.5	17.1	–	33.0	27	14.4	4	24.5	24	19.5	9	5	0	0	0	0	0	0				94.4	44.5	12	–	10	2	1
M	30.9	15.8	–	34.5	8	10.5	2	24.7	26	20.0	16	21	0	0	0	0	0	0				56.0	19.0	12	–	7	2	0
A	27.2	12.8	–	30.2	29	8.7	6	23.2	7	16.8	18	1	0	0	0	0	0	0				112.0	31.5	7	–	7	5	1
M	22.6	7.2	–	28.8	1	0.8	18	16.8	11	16.3	3	0	1	0	0	3	0	0	17			12.5	5.5	3	–	3	0	0
J	21.3	4.1	–	25.0	24	1.4	24	17.2	27	8.5	26	0	1	0	0	5	0	0				30.0	30.0	25	–	1	1	1
J	21.3	3.5	–	24.5	3	0.1	17	17.8	17	9.3	7	0	0	0	0	11	0	0				0.0	0.0	–	–	0	0	0
A	24.1	3.5	–	32.0	31	−2.0	22	17.1	21	9.1	27	1	2	0	0	10	1	0	23	22		0.0	0.0	–	–	0	0	0
S	28.5	11.1	–	32.8	29	5.9	1	14.0	9	18.2	29	17	2	0	0	0	0	0		22		48.0	33.5	8	–	3	1	0
O	28.8	13.3	–	33.3	22	9.1	20	18.5	24	17.8	5	16	0	0	0	0	0	0		**		47.3	21.0	6	–	6	1	0
N	28.5	14.8	–	35.0	25	10.1	12	20.0	6	18.9	11	10	0	0	0	0	0	0				135.9	59.0	13	–	8	5	2
D	30.5	16.3	–	37.0	26	13.5	6	21.5	1	19.6	31	18	0	0	0	0	0	0				115.5	61.5	1	–	8	2	2
A	26.8	11.5	–	37.0	–	−2.0	–	14.0	–	20.4	–	98	6	0	2	29	1	0				817.3	61.5	–	–	68	23	11
547/359	**LINDLEYSPOORT – IRR**											**ø 25°29'S**			**λ 26°42'E**				**H 1175 M**				**HT 1.2 M**		**HR 1.2 M**			
J	27.9	16.6	–	33.3	11	14.6	22	19.6	22	20.0	12	5	0	0	0	0	0	0				211.3	45.5	13	17	13	10	3
F	27.2	15.8	–	30.8	27	12.6	25	23.6	24	17.7	16	2	0	0	0	0	0	0				88.7	25.0	21	14	10	4	1
M	29.1	15.0	–	32.3	8	10.7	2	23.4	26	18.4	20	15	0	0	0	0	0	0				34.5	12.5	20	11	9	1	0
A	25.1	11.9	–	28.1	29	8.2	6	20.6	4	16.5	18	0	0	0	0	0	0	0				158.5	57.0	7	8	8	6	2
M	20.9	6.7	–	26.5	1	−0.5	18	16.3	17	13.9	3	0	3	0	0	2	2	0	18	18		14.0	8.0	3	3	3	0	0
J	19.4	4.0	–	22.8	24	1.7	2	14.5	26	6.9	26	0	3	0	0	4	0	0				30.3	30.0	25	2	1	1	1
J	19.8	3.3	–	23.0	4	−0.6	17	17.3	18	8.0	7	0	3	0	0	10	2	0				0.1	0.1	24	1	0	0	0
A	22.7	4.6	–	28.3	31	−0.5	22	15.8	21	9.5	27	0	2	0	0	6	1	0	22	22		0.0	0.0	–	0	0	0	0
S	27.0	11.2	–	31.4	29	6.4	11	11.6	9	15.1	7	7	2	0	0	0	0	0				90.0	85.0	8	3	3	1	1
O	27.0	12.7	–	31.4	22	6.9	18	17.0	24	17.5	5	7	1	0	0	0	0	0				41.1	19.0	6	6	5	2	0
N	27.5	13.9	–	33.0	25	12.0	12	19.7	6	18.5	27	5	0	0	0	0	0	0				117.1	53.0	13	11	7	4	1
D	29.4	15.6	–	35.7	26	12.6	12	19.9	1	19.2	27	15	0	0	0	0	0	0				88.1	27.5	1	12	10	4	1
A	25.3	10.9	–	35.7	–	−0.6	–	11.6	–	20.0	–	56	14	0	0	22	5	0				873.7	85.0	–	88	69	33	10
552/654	**LOSKOPDAM – IRR**											**ø 25°24'S**			**λ 29°22'E**				**H 1009 M**				**HT 1.2 M**		**HR 1.2 M**			
J	29.7	20.0	0.2	35.6	11	17.5	23	25.0	17	24.1	12	15	0	0	15	0	0	0				144.5	45.0	1	–	11	6	1
F	29.2	17.4	−1.2	32.3	8	13.8	19	25.1	24	19.8	8	6	0	0	0	0	0	0				182.0	41.0	16	–	10	6	3
M	31.3	17.4	1.0	34.5	15	15.2	29	27.7	5	20.3	5	23	0	0	1	0	0	0				60.5	43.0	27	–	5	1	1
A	26.9	–	–	30.7	27	–	–	18.4	4	–	–	2	0	0	–	–	–	–				105.0	34.0	4	–	7	4	2
M	23.0	–	–	28.6	1	–	–	17.6	4	–	–	0	0	0	–	–	–	–				40.5	14.0	12	–	6	2	0
J	21.8	6.7	−0.6	25.4	9	4.9	19	17.2	18	10.0	18	0	2	0	0	0	0	0				0.0	0.0	–	–	0	0	0
J	22.3	6.0	−0.6	25.6	4	3.5	19	18.1	31	9.1	5	0	0	0	0	0	0	0				0.0	0.0	–	–	0	0	0
A	25.0	7.7	−1.1	30.6	30	3.9	1	20.4	4	11.1	21	2	0	0	0	0	0	0				0.0	0.0	–	–	0	0	0
S	28.7	13.3	0.5	33.2	29	10.0	9	15.8	9	16.3	26	16	1	0	0	0	0	0				52.0	52.0	8	–	1	1	1
O	28.0	15.0	−1.7	33.5	4	11.1	26	17.5	24	20.4	5	13	0	0	0	0	0	0				43.0	17.0	15	–	10	1	0
N	27.3	–	–	31.3	24	–	–	22.7	14	–	–	3	0	0	–	–	–	–				130.0	18.5	5	–	16	5	0
D	29.9	17.2	−1.3	35.5	26	15.3	12	20.8	1	20.0	27	16	0	0	0	0	0	0				115.0	38.0	1	–	11	6	1
A	26.9	–	–	35.6	–	3.5	–	15.8	–	–	–	96	3	0	–	–	–	–				872.5	52.0	–	–	77	32	9
554/816	**LYDENBURG – VIS**											**ø 25° 6'S**			**λ 30°28'E**				**H 1439 M**				**HT 1.2 M**		**HR 1.2 M**			
J	25.2	15.2	0.1	31.1	11	11.0	7	20.2	22	19.0	20	1	0	0	0	0	0	0				132.3	46.5	20	13	13	4	1
F	24.5	13.5	−0.6	28.7	27	8.0	20	21.3	23	16.5	8	0	0	0	0	0	0	0				79.8	33.5	11	9	8	3	1
M	26.1	13.1	1.1	29.3	8	8.8	10	21.6	5	17.0	20	0	0	0	0	0	0	0				60.7	26.3	4	6	5	3	1
A	23.7	11.3	1.1	27.7	29	6.3	23	18.0	8	16.2	14	0	0	0	0	0	0	0				30.5	8.5	5	6	6	0	0
M	19.4	5.2	−1.7	25.7	1	−0.6	31	10.6	21	10.6	5	0	9	0	0	5	2	0	17	18		30.0	9.0	11	5	5	0	0
J	17.6	2.6	−1.4	22.5	24	0.5	19	8.3	17	6.7	17	0	12	2	0	17	0	0				14.0	12.0	26	3	2	1	0
J	18.8	2.2	−0.6	22.0	2	−3.2	17	14.4	5	8.0	5	0	7	0	0	15	5	1			17	0.0	0.0	–	0	0	0	0
A	21.3	4.6	−0.4	27.6	31	−1.0	4	16.5	26	12.1	22	0	2	0	0	8	2	0	23	5	17	0.0	0.0	–	0	0	0	0
S	24.2	8.9	0.7	29.0	16	5.8	11	11.3	9	12.4	16	0	2	0	0	0	0	0			**	52.5	42.5	8	3	3	1	1
O	22.8	10.3	−1.4	29.0	4	6.0	26	10.2	24	14.4	5	0	3	0	0	0	0	0				96.5	20.0	15	14	14	3	0
N	22.7	11.8	−1.6	27.3	24	8.8	18	16.1	3	14.6	6	0	2	0	0	0	0	0				134.3	29.5	28	20	19	5	1
D	24.9	14.0	−0.2	29.0	26	11.5	8	16.7	1	16.5	27	0	1	0	0	0	0	0				134.2	44.5	1	14	13	4	1
A	22.6	9.4	−0.4	31.1	–	−3.2	–	8.3	–	19.0	–	1	38	2	0	45	9	1				764.8	46.5	–	93	88	24	6

* $\bar{T}m$ = 1/2 ($\bar{T}x$ + $\bar{T}n$); Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 108

MAAND / MONTH	UITERSTE TEMPERATURE – °C – EXTREME TEMPERATURES: GEMIDDELDES VAN AVERAGES OF: DAELIKSE MAKSIMUM DAILY MAXIMUM Tx	DAELIKSE MINIMUM DAILY MINIMUM Tn	Tm* – NORMALE Tm / Tm* – LONGTERM Tm ΔTm	VOLSTREKTE MAKSIMUM ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET NUMBER OF DAYS WITH: MAKSIMUM MAXIMUM ≥30,0	≥17,5	≤10,0	MINIMUM MINIMUM ≥20,0	≤+2,5	≤0,0	≤−2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS FIRST AND LAST DATES ≤+2,5	≤0,0	≤−2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE NUMBER OF DAYS WITH AMOUNTS ≥0,1	≥1,0	≥10,0	≥25,0
555/663A	D R DE WET – BOS											Ø 25° 3'S			λ 30°53'E				H 915 M			HT 1.2 M			HR 1.2 M		
J	25.1	16.6	–	34.5	11	13.2	5	18.5	1	19.6	15	1	0	0	0	0	0	0				367.5	119.0	21	20	18	7	5
F	24.6	16.0	–	28.0	8	12.4	19	20.2	23	18.0	12	0	0	0	0	0	0	0				102.9	22.5	8	13	11	3	0
M	26.3	16.0	–	30.5	25	11.4	10	21.0	27	20.0	8	1	0	0	0	0	0	0				100.2	34.5	26	8	7	4	1
A	24.0	–	–	27.4	13	–	–	18.0	7	–	–	0	0	0	–	–	–	–				69.2	15.0	3	14	11	2	0
M	20.8	9.1	–	29.0	1	2.8	18	12.6	21	14.5	3	0	5	0	0	0	0	0				37.9	12.0	4	8	7	2	0
J	18.8	6.8	–	24.2	24	3.8	30	10.2	17	9.8	15	0	8	0	0	0	0	0				30.2	15.0	26	6	6	1	0
J	20.9	6.5	–	26.8	16	2.2	14	15.4	5	11.5	5	0	3	0	0	1	0	0	14			13.0	10.0	25	2	2	1	0
A	22.4	7.8	–	30.2	25	3.0	1	13.4	26	13.6	21	1	4	0	0	0	0	0	14			10.5	5.5	20	4	4	0	0
S	24.6	11.5	–	33.8	16	8.2	19	11.8	9	14.5	16	4	3	0	0	0	0	0	**			68.1	47.5	8	5	4	2	1
O	23.3	12.7	–	35.0	4	8.8	24	11.2	24	17.0	4	2	4	0	0	0	0	0				108.0	22.2	10	17	17	4	0
N	22.2	13.6	–	28.8	15	10.5	1	14.6	16	17.2	7	0	5	0	0	0	0	0				152.8	23.5	2	20	17	7	0
D	24.9	15.6	–	32.4	12	13.0	8	16.5	22	17.6	13	2	1	0	0	0	0	0				296.1	53.6	10	17	15	9	5
A	23.2	–	–	35.0	–	2.2	–	10.2	–	–	–	11	33	0	–	–	–	–				1356.4	119.0	–	134	119	42	12
555/837	NELSPRUIT – AGR											Ø 25°27'S			λ 30°58'E				H 660 M			HT 1.2 M			HR 1.2 M		
J	28.8	18.6	0.0	39.5	11	15.2	26	21.6	4	21.6	15	9	0	0	8	0	0	0				130.3	67.2	21	14	10	4	1
F	28.3	17.9	−0.6	32.1	8	12.6	19	23.8	23	20.1	16	4	0	0	2	0	0	0				64.0	41.9	11	9	8	1	1
M	29.5	17.6	0.7	33.3	22	13.0	31	25.0	27	22.5	8	14	0	0	3	0	0	0				163.3	35.5	22	11	8	7	3
A	27.3	15.3	0.5	30.6	25	10.1	28	21.6	14	19.5	18	4	0	0	0	0	0	0				67.7	31.2	3	9	7	2	1
M	24.3	9.0	−1.1	31.5	1	2.5	18	16.1	21	16.0	3	1	1	0	0	0	0	0				33.7	17.5	28	7	4	1	0
J	22.3	6.2	−0.9	28.7	14	2.3	30	13.0	17	12.2	16	0	3	0	0	1	0	0	30			4.2	3.5	26	2	1	0	0
J	24.1	5.3	−0.3	30.0	16	0.5	14	18.8	5	11.9	5	0	0	0	0	2	0	0				1.9	1.9	25	1	1	0	0
A	26.0	7.3	−0.3	32.9	31	1.2	2	17.9	26	15.8	21	4	0	0	0	2	0	0	4			1.9	1.7	10	3	1	0	0
S	28.1	12.4	1.0	36.3	16	9.0	1	17.3	7	16.7	27	12	1	0	0	0	0	0				23.4	22.3	8	4	1	1	0
O	26.5	14.1	−1.0	36.6	4	9.9	24	12.9	24	17.6	10	11	3	0	0	0	0	0				129.6	27.4	31	16	14	4	2
N	24.8	15.2	−2.3	31.2	20	11.9	1	17.1	16	17.7	7	1	2	0	0	0	0	0				97.3	23.0	30	16	10	4	0
D	27.9	17.3	−0.8	35.0	12	14.5	8	20.8	1	20.2	27	12	0	0	1	0	0	0				236.4	51.0	1	20	12	7	4
A	26.5	13.0	−0.4	39.5	–	0.5	–	12.9	–	22.5	–	72	10	0	14	5	0	0				953.7	67.2	–	112	77	31	12
556/460	PRETORIUSKOP											Ø 25°10'S			λ 31°16'E				H 600 M			HT 1.2 M			HR 1.2 M		
J	29.5	19.3	–	39.7	11	16.0	5	22.2	4	23.5	14	13	0	0	12	0	0	0				194.4	110.0	16	–	10	3	3
F	28.9	18.2	–	33.1	1	14.3	19	23.6	23	20.6	21	11	0	0	3	0	0	0				73.1	29.0	11	–	8	2	1
M	30.1	18.5	–	34.5	22	13.7	31	24.8	27	21.3	8	18	0	0	6	0	0	0				207.3	90.5	26	–	8	4	2
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				110.6	50.5	3	–	6	3	2
M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				40.0	14.5	28	–	3	3	0
J	22.1	8.9	–	27.6	14	5.8	27	12.8	16	13.0	6	0	3	0	0	0	0	0				16.0	10.0	26	–	4	1	0
J	24.6	8.4	–	30.9	16	4.2	14	20.0	5	11.8	31	1	0	0	0	0	0	0				0.0	0.0	–	–	0	0	0
A	26.2	10.4	–	33.0	25	5.8	1	18.0	26	15.5	21	6	0	0	0	0	0	0				0.0	0.0	–	–	0	0	0
S	28.0	14.5	–	36.0	21	11.0	19	14.5	9	18.5	16	11	1	0	0	0	0	0				44.0	30.0	8	–	3	1	1
O	26.7	15.1	–	37.0	4	9.7	26	12.8	24	19.0	4	9	1	0	0	0	0	0				118.3	27.5	29	–	11	5	1
N	–	15.4	–	–	–	12.5	17	–	–	18.5	2	–	–	–	0	0	0	0				150.2	41.5	6	–	12	5	2
D	–	17.5	–	–	–	15.0	8	–	–	20.5	30	–	–	–	1	0	0	0				116.0	31.5	1	–	10	4	1
A	–	–	–	–	–	4.2	–	12.8	–	23.5	–	–	–	–	–	–	–	–				1069.9	110.0	–	–	75	31	13
568/817	MARIENTAL – SWA – POS***											Ø 24°37'S			λ 17°58'E				H 1099 M			HT 1.2 M			HR 1.2 M		
J	35.5	21.1	0.8	38.6	18	16.1	21	31.0	21	25.0	9	31	0	0	23	0	0	0				17.6	8.6	10	7	5	0	0
F	32.8	20.9	0.8	36.0	28	17.6	11	26.1	6	23.6	27	25	0	0	20	0	0	0				23.1	9.7	21	6	4	0	0
M	34.2	19.5	2.3	38.1	11	15.0	26	21.8	31	23.9	12	27	0	0	12	0	0	0				21.8	10.8	14	4	4	1	0
A	31.4	14.5	1.8	34.7	14	9.4	12	26.1	5	20.0	22	22	0	0	0	0	0	0				8.2	6.4	1	4	1	0	0
M	26.3	10.6	1.7	30.1	2	4.3	21	16.6	20	16.2	10	1	1	0	0	0	0	0				15.9	7.5	2	4	3	0	0
J	24.2	7.6	2.8	28.5	7	0.0	22	14.8	15	15.4	5	0	3	0	0	3	0	0	17			0.0	0.0	–	0	0	0	0
J	23.0	5.5	1.2	28.3	27	−1.0	18	15.5	4	11.8	29	0	4	0	0	7	2	0		18		0.3	0.3	8	1	0	0	0
A	24.0	4.1	−1.2	33.1	30	−2.5	21	12.0	20	10.0	30	4	4	0	0	10	3	0	25	24		0.0	0.0	–	0	0	0	0
S	30.8	11.3	1.5	34.6	24	5.6	7	20.2	6	15.5	20	23	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	31.9	13.8	0.3	37.3	27	5.6	24	18.9	14	22.5	20	23	0	0	2	0	0	0				31.5	31.5	14	1	1	1	1
N	33.6	15.9	−0.8	38.5	26	12.4	2	27.1	18	21.8	24	26	0	0	1	0	0	0				6.8	2.9	21	4	3	0	0
D	35.7	18.8	0.4	39.5	27	13.5	14	29.5	13	27.2	27	29	0	0	11	0	0	0				0.0	0.0	–	0	0	0	0
A	30.3	13.6	1.0	39.5	–	−2.5	–	12.0	–	27.2	–	211	12	0	69	20	5	0				125.2	31.5	–	31	21	2	1
570/628	HARUCHAS – SWA											Ø 24°58'S			λ 18°51'E				H 1100 M			HT 1.2 M			HR 1.2 M		
J	32.6	19.5	−1.2	38.0	4	13.4	22	27.9	21	22.8	7	27	0	0	16	0	0	0				80.5	38.3	18	7	7	3	1
F	30.1	20.4	−1.2	33.1	13	17.5	12	23.3	7	25.1	1	17	0	0	17	0	0	0				39.9	16.0	19	7	5	2	0
M	31.7	18.9	0.8	35.0	7	13.3	27	24.1	26	23.9	12	23	0	0	11	0	0	0				50.1	21.3	21	9	8	1	0
A	30.3	11.1	−0.3	34.2	14	5.1	9	24.1	5	17.3	21	18	0	0	0	0	0	0				14.8	7.5	1	4	4	0	0
M	25.1	7.4	0.5	28.8	10	−3.0	17	16.2	20	16.2	26	0	1	0	0	3	2	1	17	17	17	17.9	14.0	3	5	3	1	0
J	22.8	4.5	1.4	26.2	23	−3.6	26	13.8	15	12.3	5	0	4	0	0	11	5	3				0.2	0.2	19	1	0	0	0
J	21.8	2.7	0.6	27.1	27	−6.7	18	13.3	4	13.8	27	0	7	0	0	15	12	7				0.0	0.0	–	0	0	0	0
A	24.4	−0.1	−2.4	32.3	29	−5.0	21	10.5	20	6.0	30	3	4	0	0	27	16	5		26	23	0.0	0.0	–	0	0	0	0
S	30.2	8.1	0.6	35.0	23	1.0	7	18.6	6	15.5	19	21	0	0	0	1	0	0				0.0	0.0	–	0	0	0	0
O	30.9	11.3	−1.2	37.2	12	2.0	1	13.9	14	19.5	22	20	1	0	0	1	0	0	1			22.8	21.2	14	3	2	1	0
N	32.5	14.6	−1.8	38.5	26	9.5	15	25.4	18	18.0	24	22	0	0	0	0	0	0				21.7	12.5	9	4	3	1	0
D	34.7	17.3	−0.7	40.0	27	10.0	6	28.0	5	23.5	31	28	0	0	7	0	0	0				19.8	17.0	2	3	3	1	0
A	28.9	11.3	−0.4	40.0	–	−6.7	–	10.5	–	25.1	–	179	17	0	51	58	35	16				267.7	38.3	–	43	35	10	1

* Tm = 1/2 (Tx + Tn); Waar Where ** Laatste datum verwys na vorige maand / Last date refers to previous month.

IV 4 / 198

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

TABEL I | TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM $\bar{T}x$	DAELIKSE MINIMUM / DAILY MINIMUM $\bar{T}n$	NORMALE $\bar{T}m$* – LONGTERM $\bar{T}m$* $\Delta\bar{T}m$	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM > 30,0	> 17,5	< 10,0	MINIMUM / MINIMUM > 20,0	> +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
589/594 TOWOOMBA – AGR												Ø 24°54'S			λ 28°20'E				H 1143 M			HT 1.2 M			HR 1.2 M			
J	27.6	16.9	−0.9	34.6	12	14.4	5	22.8	22	19.6	16	3	0	0	0	0	0	0				221.2	35.0	31	18	16	8	1
F	27.0	15.8	−1.4	30.9	8	11.7	25	21.7	24	18.4	11	1	0	0	0	0	0	0				125.5	38.0	4	15	12	4	1
M	29.2	14.8	0.7	31.8	7	10.5	11	25.8	27	17.3	23	11	0	0	0	0	0	0				34.2	29.4	21	6	3	1	1
A	26.5	12.2	0.5	30.0	13	8.0	6	21.0	4	16.6	14	0	0	0	0	0	0	0				60.3	24.8	8	7	6	2	0
M	21.9	5.8	−1.0	28.9	1	−0.9	18	17.1	17	12.6	5	0	1	0	0	7	1	0	17	18		26.0	19.5	3	6	3	1	0
J	20.7	2.9	−0.2	24.0	24	−0.2	19	16.8	26	8.7	26	0	2	0	0	13	1	0				0.1	0.1	17	1	0	0	0
J	21.2	2.5	−0.1	25.5	4	−3.2	17	16.4	17	8.6	9	0	2	0	0	15	6	2			17	0.0	0.0	–	0	0	0	0
A	24.6	4.2	−0.7	30.0	31	−2.3	4	18.4	4	11.7	19	0	0	0	0	9	3	0	26	22	18	0.0	0.0	–	0	0	0	0
S	28.7	11.1	1.0	33.6	29	6.2	11	16.0	9	15.5	28	17	2	0	0	0	0	0			**	16.8	15.5	8	4	1	1	0
O	28.5	12.7	−1.1	34.2	4	5.2	18	17.6	24	18.4	15	13	0	0	0	0	0	0				42.9	9.2	15	9	5	1	0
N	28.7	14.0	−1.3	32.6	2	10.6	9	21.8	17	16.2	7	11	0	0	0	0	0	0				106.2	30.0	16	15	10	4	1
D	29.9	15.5	−0.8	35.4	26	12.7	4	19.1	1	19.7	27	16	0	0	0	0	0	0				76.0	36.5	1	10	7	2	1
A	26.2	10.7	−0.4	35.4	–	−3.2	–	16.0	–	19.7	–	72	7	0	0	44	11	2				709.2	38.0	–	91	63	24	5
591/653 ROOIBOKKOP – VIS												Ø 24°53'S			λ 29°22'E				H 853 M			HT 1.2 M			HR 1.2 M			
J	31.1	19.3	–	37.8	11	16.3	23	26.4	22	22.4	12	19	0	0	10	0	0	0				95.3	34.0	4	–	11	2	1
F	29.9	18.2	–	34.5	8	14.2	20	26.0	17	22.2	8	12	0	0	3	0	0	0				116.3	53.5	12	–	8	3	2
M	31.5	17.1	–	34.0	25	12.5	30	27.9	27	21.5	23	23	0	0	1	0	0	0				32.6	9.6	6	–	5	0	0
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				66.4	24.0	8	–	5	4	0
M	23.7	7.0	–	30.1	1	0.7	19	20.0	17	14.2	5	1	0	0	0	2	0	0	18			22.0	12.0	3	–	3	1	0
J	21.8	3.1	–	24.6	15	0.5	13	18.0	18	9.9	17	0	0	0	0	12	0	0				4.4	4.4	18	–	1	0	0
J	22.7	2.1	–	27.1	4	−1.5	18	20.1	17	6.7	5	0	0	0	0	16	4	0		15		0.0	0.0	–	–	0	0	0
A	26.7	4.2	–	32.0	20	−1.5	6	21.5	4	16.4	21	3	0	0	0	11	4	0	25	6		0.0	0.0	–	–	0	0	0
S	30.6	11.0	–	36.0	29	8.3	21	17.0	9	16.8	26	20	1	0	0	0	0	0				18.5	14.0	8	–	2	1	0
O	30.3	13.6	–	36.0	3	9.0	9	18.5	24	19.0	5	17	0	0	0	0	0	0				71.1	25.5	23	–	8	3	1
N	29.3	16.2	–	33.6	8	14.5	24	22.0	14	19.8	2	12	0	0	0	0	0	0				119.4	17.0	14	–	14	7	0
D	31.1	17.9	–	38.2	26	16.0	27	27.0	18	21.5	27	23	0	0	1	0	0	0				130.4	47.0	13	–	8	4	1
A	–	–	–	38.2	–	−1.5	–	17.0	–	22.4	–	–	–	–	–	–	–	–				676.4	53.5	–	–	65	25	5
596/179 SKUKUZA												Ø 24°59'S			λ 31°36'E				H 263 M			HT 1.2 M			HR 1.2 M			
J	31.7	21.1	0.5	41.7	11	18.0	6	24.5	22	24.8	15	23	0	0	22	0	0	0				81.5	43.0	16	10	8	2	1
F	31.7	19.8	−0.1	36.2	11	15.2	19	26.1	12	22.6	21	19	0	0	15	0	0	0				30.5	17.0	11	10	6	1	0
M	32.6	19.8	1.7	37.4	25	16.1	31	27.8	31	23.3	7	25	0	0	12	0	0	0				126.6	50.0	26	11	8	4	2
A	29.3	17.4	1.0	34.0	3	12.1	27	22.8	14	21.2	18	11	0	0	3	0	0	0				52.9	18.3	18	9	7	2	0
M	26.4	10.0	−0.6	35.1	1	1.3	19	18.0	21	17.6	3	4	0	0	0	1	0	0	19			24.7	17.8	4	5	3	1	0
J	24.9	6.3	−0.3	31.2	14	1.1	13	13.6	26	14.5	16	2	3	0	0	2	0	0				7.6	6.5	26	3	1	0	0
J	26.6	4.6	0.1	32.8	16	0.0	15	19.4	5	14.7	6	3	0	0	0	9	0	0				1.1	1.1	6	1	1	0	0
A	28.3	7.3	0.4	35.0	25	0.0	5	20.5	26	17.3	21	11	0	0	0	3	0	0	24			0.2	0.2	10	1	0	0	0
S	30.6	13.9	1.8	39.8	16	8.6	1	16.8	9	18.7	26	16	1	0	0	0	0	0				16.7	16.2	8	2	1	1	0
O	29.6	16.2	0.0	38.8	4	9.7	26	15.2	24	20.4	31	16	1	0	1	0	0	0				67.5	18.9	16	11	9	3	0
N	27.6	17.3	−2.2	33.9	20	13.4	24	19.0	16	21.0	2	7	0	0	3	0	0	0				112.7	44.7	6	13	7	4	1
D	31.2	19.2	−0.5	38.2	12	15.4	24	24.3	22	22.9	30	19	0	0	8	0	0	0				91.6	32.5	13	10	6	5	1
A	29.2	14.4	0.1	41.7	–	0.0	–	13.6	–	24.8	–	156	5	0	64	15	0	0				613.6	50.0	–	86	57	23	5
612/818 ROHRBECK – SWA												Ø 24° 8'S			λ 18°28'E				H 1200 M			HT 1.2 M			HR 1.2 M			
J	34.1	19.9	–	37.0	17	13.2	22	30.0	21	24.0	9	30	0	0	17	0	0	0				26.0	11.5	25	–	4	1	0
F	31.5	19.2	–	35.0	28	16.2	20	25.1	7	21.4	15	23	0	0	9	0	0	0				46.3	20.3	20	–	5	2	0
M	32.7	18.0	–	35.5	17	13.4	3	21.7	31	21.4	14	28	0	0	5	0	0	0				21.8	11.0	26	–	5	1	0
A	29.7	12.0	–	33.5	14	7.1	9	25.0	5	16.2	2	14	0	0	0	0	0	0				6.5	3.6	23	–	2	0	0
M	24.5	7.3	–	27.8	10	−3.0	17	15.7	20	14.8	26	0	1	0	0	3	1	1	17	17	17	1.4	1.4	11	–	1	0	0
J	23.3	5.8	–	31.7	9	−2.6	17	12.9	15	13.2	5	1	2	0	0	6	4	1				1.7	1.7	22	–	1	0	0
J	21.8	4.0	–	26.8	26	−6.5	18	14.5	4	14.0	27	0	6	0	0	13	11	4				0.0	0.0	–	–	0	0	0
A	24.1	2.0	–	31.6	30	−3.5	22	11.6	20	9.5	30	4	4	0	0	17	9	3		26	22	0.0	0.0	–	–	0	0	0
S	29.3	9.2	–	33.6	24	2.0	7	19.0	6	16.4	26	19	0	0	0	1	0	0	7			0.0	0.0	–	–	0	0	0
O	30.3	13.1	–	36.0	12	4.2	24	15.5	14	21.2	22	20	1	0	3	0	0	0				16.5	16.5	15	–	1	1	0
N	31.4	15.9	–	36.3	26	11.6	2	23.1	18	20.5	24	23	0	0	2	0	0	0				34.0	25.0	18	–	2	1	1
D	34.1	17.7	–	38.7	27	10.8	6	29.0	5	26.0	26	27	0	0	6	0	0	0				2.6	1.5	1	–	2	0	0
A	28.9	12.0	–	38.7	–	−6.5	–	11.6	–	26.0	–	189	14	0	42	40	25	9				156.8	25.0	–	–	23	6	1
631/823 DOORNSPRUIT* **												Ø 24°13'S			λ 27°58'E				H 1043 M			HT 1.2 M			HR 1.2 M			
J	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
J	21.9	1.6	–	25.0	24	−1.2	30	17.0	17	7.1	17	0	1	0	0	23	5	0	(1	10)		0.0	0.0	–	–	0	0	0
J	22.1	1.7	–	25.2	4	−1.9	18	18.5	5	6.9	8	0	0	0	0	20	11	0				8.5	8.5	12	–	1	0	0
A	25.1	2.1	–	30.7	31	−5.2	22	20.6	4	6.7	20	1	0	0	0	17	8	1	26	25	22	0.0	0.0	–	–	0	0	0
S	28.7	9.1	–	33.5	29	4.1	1	15.9	9	15.8	7	16	2	0	0	0	0	0			22	8.2	8.2	8	–	1	0	0
O	28.0	12.4	–	34.0	4	6.6	18	17.4	24	16.5	5	10	1	0	0	0	0	0			**	73.2	23.4	6	–	6	2	0
N	27.6	14.3	–	33.7	8	11.7	22	20.5	17	16.8	7	5	0	0	0	0	0	0				225.1	123.2	21	–	9	4	3
D	29.9	15.8	–	34.7	26	12.0	6	23.0	1	19.9	27	20	0	0	0	0	0	0				85.5	41.2	17	–	6	2	1
A	–	–	–	–	–	−5.2	–	15.9	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–

* $\bar{T}m = 1/2\,(\bar{T}x + \bar{T}n)$. Waar Where ** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

MAAND / MONTH	UITERSTE TEMPERATURE – °C – GEMIDDELDES VAN AVERAGES OF: DAELIKSE MAKSIMUM DAILY MAXIMUM Tx	DAELIKSE MINIMUM DAILY MINIMUM Tn	Tm* – NORMALE Tm / Tm* – LONGTERM Tm Δ Tm	VOLSTREKTE MAKSIMUM ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM HIGHEST MINIMUM Tnx	DATUM / DATE	EXTREME TEMPERATURES – AANTAL DAE MET NUMBER OF DAYS WITH: MAKSIMUM MAXIMUM ≥30,0	≥17,5	≤10,0	MINIMUM MINIMUM ≥20,0	≥+2,5	≤0,0	≤−2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS FIRST AND LAST DATES ≤+2,5	≤0,0	≤−2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE NUMBER OF DAYS WITH AMOUNTS ≥0,1	≥1,0	≥10,0	≥25,0
634/ 11	POTGIETERSRUS – TABAK KO-OP											ø 24°11'S				λ 29° 1'E				H 1116 M				HT 1.2 M			HR 1.2 M	
J	28.2	17.6	−0.4	34.4	11	14.4	23	22.9	28	21.3	12	8	0	0	2	0	0	0				161.0	72.5	20	12	11	5	1
F	27.9	16.6	−0.8	31.5	27	12.5	20	24.9	17	19.0	12	4	0	0	0	0	0	0				34.1	14.7	12	7	6	1	0
M	29.8	17.0	1.5	33.2	1	12.9	10	25.1	27	20.6	23	17	0	0	1	0	0	0				60.6	15.5	12	9	5	3	0
A	26.6	14.8	1.2	30.2	13	11.1	27	20.6	4	18.7	14	1	0	0	0	0	0	0				70.7	27.5	4	10	8	3	1
M	22.2	8.5	−0.4	28.8	1	2.1	18	16.6	21	15.7	1	0	2	0	0	1	0	0	18			24.5	14.0	4	4	4	1	0
J	20.9	6.0	0.8	25.5	15	2.4	27	15.2	18	10.8	17	0	2	0	0	1	0	0				0.6	0.6	26	1	0	0	0
J	21.5	6.0	0.8	25.4	16	0.9	18	16.7	17	12.0	10	0	1	0	0	1	0	0	18			0.0	0.0	–	0	0	0	0
A	24.5	8.6	0.7	30.2	31	2.6	1	19.6	4	15.1	21	1	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
S	28.1	13.6	1.7	33.0	29	8.6	11	15.0	9	19.0	29	13	1	0	0	0	0	0				13.0	12.0	8	2	2	1	0
O	27.3	15.0	−0.9	34.1	4	10.5	26	17.0	24	19.5	4	9	2	0	0	0	0	0				53.5	13.5	31	6	6	3	0
N	26.9	15.4	−1.5	32.3	25	12.6	17	20.9	17	18.7	16	3	0	0	0	0	0	0				98.9	30.4	29	14	12	2	1
D	30.0	17.5	0.5	36.1	26	14.4	2	21.6	1	22.6	13	17	0	0	3	0	0	0				41.2	13.0	20	7	6	1	0
A	26.2	13.1	0.3	36.1	–	0.9	–	15.0	–	22.6	–	73	8	0	6	3	0	0				558.1	72.5	–	72	60	20	3
649/ 84	GOBABEB – SWA											ø 23°34'S				λ 15° 3'E				H 407 M				HT 1.2 M			HR 1.2 M	
J	29.4	13.6	–	33.7	11	10.4	23	22.9	19	16.8	26	15	0	0	0	0	0	0				0.2	0.2	19	1	0	0	0
F	32.0	17.0	–	36.9	27	13.4	11	26.7	10	20.5	24	24	0	0	1	0	0	0				7.9	6.5	16	5	1	0	0
M	33.5	16.4	–	39.9	29	10.4	4	25.8	1	25.0	30	24	0	0	8	0	0	0				10.4	10.4	30	1	1	1	0
A	32.7	15.3	–	39.4	27	7.5	10	27.5	10	23.4	28	21	0	0	5	0	0	0				0.0	0.0	–	0	0	0	0
M	32.0	15.7	–	35.1	9	9.8	3	25.7	3	21.5	8	23	0	0	4	0	0	0				0.0	0.0	–	0	0	0	0
J	26.2	11.1	–	33.2	8	4.7	20	16.7	5	17.8	10	8	1	0	0	0	0	0				0.0	0.0	–	0	0	0	0
J	25.5	9.3	–	33.1	12	5.0	30	12.5	7	16.5	18	8	3	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	24.7	6.4	–	31.8	11	1.8	20	13.2	2	13.0	11	2	2	0	0	0	0	0				3.4	2.3	2	2	2	0	0
S	30.3	10.2	–	39.8	17	3.8	8	20.3	5	23.1	21	13	0	0	1	0	0	0				0.0	0.0	–	0	0	0	0
O	28.2	10.1	–	38.5	18	6.2	10	19.5	13	18.7	24	11	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
N	29.1	11.1	–	36.4	24	7.0	4	24.5	3	17.0	8	11	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
D	29.9	12.7	–	38.4	29	9.9	5	25.3	20	19.5	31	14	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	29.5	12.4	–	39.9	–	1.8	–	12.5	–	25.0	–	174	6	0	19	0	0	0				21.9	10.4	–	9	4	1	0
652/589	KLEIN AUB – SWA											ø 23°49'S				λ 16°40'E				H 1500 M				HT 1.2 M			HR 1.2 M	
J	32.3	17.8	–	35.2	4	13.0	14	29.0	31	21.6	16	27	0	0	5	0	0	0				35.0	22.7	31	4	3	1	0
F	29.4	17.2	–	32.4	28	13.9	3	25.7	6	20.3	28	11	0	0	1	0	0	0				93.2	23.0	7	12	10	3	0
M	30.6	16.4	–	33.5	7	11.8	3	19.0	31	21.2	12	23	0	0	4	0	0	0				8.5	6.8	14	5	2	0	0
A	28.3	11.0	–	32.1	16	4.7	8	25.4	8	15.7	18	8	0	0	0	0	0	0				14.0	6.5	22	5	2	0	0
M	23.3	7.1	–	26.2	2	0.0	17	15.5	20	14.8	10	0	1	1	0	2	0	0	17			3.4	2.5	8	4	1	0	0
J	21.5	4.9	–	25.2	23	−1.3	17	13.5	16	12.8	1	0	4	0	0	7	3	0		17		0.0	0.0	–	0	0	0	0
J	20.7	3.0	–	25.2	27	−3.0	19	12.6	4	10.6	7	0	5	0	0	14	12	2			18	0.0	0.0	–	0	0	0	0
A	22.8	2.4	–	29.0	30	−5.4	21	9.5	20	7.9	31	0	4	1	0	16	5	1	26	23	21	0.0	0.0	–	0	0	0	0
S	27.8	9.2	–	31.7	23	2.7	7	18.0	6	19.5	27	7	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	29.6	11.0	–	33.7	12	4.3	24	18.1	23	18.2	3	17	0	0	0	0	0	0				0.6	0.6	13	1	0	0	0
N	30.5	12.4	–	34.1	26	7.1	15	25.9	16	20.0	24	18	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
D	32.2	14.2	–	36.0	26	8.6	14	28.4	1	22.0	27	24	0	0	5	0	0	0				0.0	0.0	–	0	0	0	0
A	27.4	10.5	–	36.0	–	−5.4	–	9.5	–	22.0	–	135	14	2	15	39	20	3				154.7	23.0	–	31	18	4	0
677/802	PIETERSBURG – WK											ø 23°52'S				λ 29°27'E				H 1230 M				HT 1.2 M			HR 1.2 M	
J	26.9	17.0	0.0	33.3	11	13.7	6	21.8	28	20.7	12	3	0	0	2	0	0	0				96.5	39.0	16	12	8	4	1
F	26.0	15.7	−0.8	29.3	27	11.8	20	22.9	18	18.0	12	0	0	0	0	0	0	0				35.9	9.1	4	7	6	0	0
M	28.2	15.6	1.4	32.1	26	12.0	18	23.3	27	19.0	5	7	0	0	0	0	0	0				23.7	18.4	26	5	5	1	0
A	25.6	13.4	1.0	29.2	29	8.7	27	20.5	4	18.0	14	0	0	0	0	0	0	0				30.6	13.8	4	7	6	1	0
M	21.1	7.2	−1.0	28.0	1	1.4	18	15.3	21	12.5	3	0	3	0	0	2	0	0	18			9.5	6.0	4	3	2	0	0
J	18.9	4.3	−0.5	23.8	15	0.7	19	11.4	18	9.8	26	0	8	0	0	4	0	0				0.0	0.0	–	0	0	0	0
J	20.1	4.2	0.0	24.3	16	0.6	18	16.3	18	7.3	11	0	3	0	0	4	0	0				0.0	0.0	–	0	0	0	0
A	23.0	6.2	0.3	28.6	31	1.3	1	16.8	26	13.8	21	0	1	0	0	2	0	0	1			0.0	0.0	–	0	0	0	0
S	26.1	11.1	1.1	31.3	15	7.3	10	14.3	9	14.7	21	7	1	0	0	0	0	0				8.9	8.9	8	1	1	0	0
O	25.1	12.8	−1.4	32.8	4	9.0	20	15.3	24	16.0	16	3	3	0	0	0	0	0				126.9	45.6	30	9	8	5	1
N	24.6	14.1	−1.8	30.6	8	9.4	1	17.0	17	17.2	2	1	1	0	0	0	0	0				140.4	43.6	2	14	11	5	2
D	27.7	16.3	0.3	33.9	26	13.5	7	20.7	1	19.5	13	8	0	0	0	0	0	0				39.8	31.0	1	8	3	1	1
A	24.4	11.5	−0.1	33.9	–	0.6	–	11.4	–	20.7	–	29	20	0	2	12	0	0				512.2	45.6	–	66	50	17	5
678/893	MAGOEBASKLOOF											ø 23°53'S				λ 30° 0'E				H 1433 M				HT 1.2 M			HR 1.2 M	
J	21.6	14.5	–	31.5	11	8.4	6	14.8	4	17.3	16	1	5	0	0	0	0	0				390.3	113.0	21	24	21	10	1
F	21.3	13.6	–	25.7	28	9.5	20	17.1	18	15.6	12	0	1	0	0	0	0	0				249.4	51.0	8	22	20	9	2
M	23.7	13.6	–	28.6	2	8.5	11	18.1	23	17.2	7	0	0	0	0	0	0	0				85.1	52.0	26	12	11	2	1
A	21.9	11.2	–	27.1	13	6.8	23	15.6	7	15.5	18	0	4	0	0	0	0	0				161.7	37.5	6	17	14	7	1
M	18.3	5.9	–	26.0	1	−0.8	18	8.5	21	12.9	3	0	10	1	0	5	2	0	17	17		59.2	19.5	13	9	7	3	0
J	16.7	3.3	–	24.3	15	−0.7	27	7.8	17	9.7	16	0	16	3	0	14	4	0				14.9	6.0	17	5	5	0	0
J	18.3	2.5	–	23.2	16	−1.8	19	13.0	5	6.8	26	0	11	0	0	16	6	0	(30	24)		2.5	2.0	4	2	1	0	0
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
S	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
O	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
N	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
D	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–

* $\bar{T}m = 1/2\ (\bar{T}x + \bar{T}n)$; Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

TABEL I / TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM Tx	DAELIKSE MINIMUM / DAILY MINIMUM Tn	Tm* – NORMALE Tm / Tm* – LONGTERM Tm ΔTm	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥ 30,0	< 17,5	< 10,0	MINIMUM / MINIMUM ≥ 20,0	< +2,5	< 0,0	< −2,5	VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
679/289	**PUSELLA – GSH**											**ø 23°49'S**			**λ 30°10'E**				**H 749 M**			**HT 1.2 M**			**HR 1.2 M**			
J	27.7	18.4	−0.3	36.8	11	12.9	6	18.7	22	21.6	15	4	0	0	8	0	0	0				259.8	88.5	16	16	13	4	3
F	(27.5)	16.9	(0.9)	32.3	8	11.2	22	23.5	12	19.5	9	3	0	0	0	0	0	0				83.6	26.7	11	12	9	3	1
M	29.8	16.6	1.1	35.5	27	13.0	8	24.6	23	19.1	28	12	0	0	0	0	0	0				90.4	40.5	5	8	6	3	1
A	26.5	14.7	0.5	32.6	3	10.2	27	18.9	7	19.4	18	3	0	0	0	0	0	0				207.1	82.5	18	10	9	4	3
M	22.9	8.4	−1.1	30.2	1	1.9	18	14.1	21	15.0	5	1	1	0	0	2	0	0	18			45.1	35.5	12	6	6	1	1
J	21.2	5.5	−0.9	29.0	15	3.0	3	11.2	7	10.7	16	0	4	0	0	0	0	0				11.9	3.5	17	7	3	0	0
J	23.1	4.4	−0.4	28.5	16	0.8	15	18.3	18	11.5	5	0	0	0	0	6	0	0				0.0	0.0	–	0	0	0	0
A	24.9	5.6	−0.5	31.9	25	0.0	5	17.2	11	12.4	27	2	2	0	0	5	0	0	6			0.7	0.7	11	1	0	0	0
S	27.7	10.1	0.4	35.7	16	6.5	1	12.7	9	16.8	26	13	2	0	0	0	0	0				11.1	9.5	8	2	2	0	0
O	26.6	12.6	−1.3	37.4	4	9.5	20	12.9	24	17.3	9	6	3	0	0	0	0	0				94.7	35.8	30	14	11	2	1
N	25.4	14.8	−2.0	31.7	20	10.9	1	17.0	17	17.9	7	3	1	0	0	0	0	0				151.9	45.5	30	17	12	4	2
D	28.6	16.7	−0.2	34.7	5	13.0	9	20.0	22	19.7	31	14	0	0	0	0	0	0				111.1	43.0	1	11	9	3	2
A	(26.0)	12.1	(0.5)	37.4	–	0.0	–	11.2	–	21.6	–	63	13	0	8	13	0	0				1067.4	88.5	–	104	80	24	14
681/266	**PHALABORWA – AER**											**ø 23°56'S**			**λ 31° 9'E**				**H 433 M**			**HT 1.2 M**			**HR 1.2 M**			
J	30.1	20.9	–	39.0	11	17.0	6	23.0	22	24.0	20	14	0	0	20	0	0	0				122.8	67.0	16	10	10	3	1
F	29.8	19.5	–	35.0	11	16.0	19	23.0	23	22.0	9	13	0	0	9	0	0	0				57.0	41.5	11	7	6	0	0
M	31.8	20.4	–	36.6	26	16.6	11	27.0	5	23.5	7	25	0	0	15	0	0	0				20.2	8.7	2	3	3	0	0
A	29.3	18.2	–	35.0	3	15.3	24	22.0	7	20.5	6	11	0	0	2	0	0	0				62.6	53.0	3	4	4	1	1
M	25.4	12.6	–	34.0	1	6.5	18	18.3	21	19.0	3	2	0	0	0	0	0	0				7.7	7.5	11	2	1	0	0
J	23.4	9.8	–	31.6	15	7.0	3	14.1	17	14.4	21	1	2	0	0	0	0	0				9.3	4.5	26	5	2	0	0
J	25.0	9.9	–	30.0	3	7.0	21	19.0	6	14.0	5	0	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	26.7	11.7	–	33.0	25	7.0	4	20.3	26	18.8	25	3	0	0	0	0	0	0				1.6	1.6	11	1	1	0	0
S	29.5	15.4	–	38.0	16	12.0	11	16.0	9	19.0	21	14	1	0	0	0	0	0				22.0	19.0	8	2	2	1	0
O	28.9	16.7	–	39.0	4	12.0	26	15.0	24	20.7	16	15	1	0	2	0	0	0				37.1	12.0	29	5	4	1	0
N	27.6	17.7	–	34.0	15	14.0	17	18.0	16	22.0	6	10	0	0	5	0	0	0				148.0	48.0	27	10	8	3	3
D	30.3	19.8	–	36.0	26	17.4	22	23.6	22	22.5	21	17	0	0	11	0	0	0				61.4	38.0	1	8	8	1	1
A	28.1	16.1	–	39.0	–	6.5	–	14.1	–	24.0	–	125	4	0	64	0	0	0				549.7	67.0	–	57	49	10	6
682/141	**LETABA**											**ø 23°51'S**			**λ 31°35'E**				**H 215 M**			**HT 1.2 M**			**HR 1.2 M**			
J	32.6	21.8	0.5	42.5	11	18.5	6	23.4	22	25.9	20	26	0	0	25	0	0	0				235.7	163.5	15	–	7	4	1
F	31.3	20.2	−0.8	37.0	11	16.5	20	24.1	23	23.1	9	19	0	0	14	0	0	0				41.0	31.0	11	–	4	1	1
M	33.7	20.8	2.0	39.0	26	18.4	2	29.0	31	23.8	8	–	0	0	–	0	0	0				23.5	8.0	27	–	4	0	0
A	30.2	19.1	2.2	37.5	3	14.9	27	24.4	7	21.5	8	–	0	0	–	0	0	0				125.3	80.3	17	–	4	2	2
M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				4.0	4.0	29	–	1	0	0
J	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				7.6	7.0	27	–	1	0	0
J	26.0	7.6	0.8	31.5	16	3.0	15	18.9	6	14.5	16	3	0	0	0	0	0	0				4.7	3.0	6	–	2	0	0
A	28.0	9.9	0.8	34.5	25	3.5	1	22.4	26	17.5	21	8	0	0	0	0	0	0				0.0	0.0	–	–	0	0	0
S	30.6	14.6	1.3	38.9	20	10.5	1	16.9	9	19.0	30	16	1	0	0	0	0	0				61.1	60.1	8	–	2	1	1
O	30.1	16.9	−0.6	39.0	4	12.0	20	16.5	24	22.0	15	19	1	0	3	0	0	0				31.1	12.0	15	–	8	1	0
N	(30.3	16.5)	(2.1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				57.4	29.5	7	–	8	1	1
D	32.8	19.8	−0.2	39.9	26	11.5	23	23.5	22	24.0	17	21	0	0	16	0	0	0				81.0	52.0	13	–	5	2	1
A	–	–	–	42.5	–	–	–	–	–	–	–	–	–	–	–	–	–	–				672.4	163.5	–	–	46	12	7
719/370	**MARNITZ**											**ø 23°10'S**			**λ 28°13'E**				**H 932 M**			**HT 1.2 M**			**HR 1.2 M**			
J	28.9	18.5	−1.0	35.8	11	15.1	6	24.0	22	21.2	15	9	0	0	7	0	0	0				106.7	53.5	12	–	6	3	1
F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				(35.5)	–	–	–	–	–	–
M	32.1	18.0)	(2.2)	35.1	7	15.5	18	–	–	–	–	–	–	0	–	0	0	0				12.3	11.0	5	–	2	1	0
A	29.1	16.2	1.6	33.0	3	12.1	27	23.0	7	18.9	17	11	0	0	0	0	0	0				35.6	23.8	6	–	5	1	0
M	23.6	9.1	−0.4	32.0	1	1.9	19	17.5	5	14.6	4	2	0	0	0	1	0	0	19			21.2	15.3	4	–	3	1	0
J	21.8	6.3	0.1	26.3	23	1.0	28	16.0	18	10.7	17	0	3	0	0	1	0	0				0.0	0.0	–	–	0	0	0
J	22.7	5.2	−0.2	26.9	16	1.3	15	19.0	18	10.4	10	0	0	0	0	3	0	0				0.0	0.0	–	–	0	0	0
A	25.6	7.7	−0.1	31.0	20	0.3	5	21.4	4	16.5	20	2	0	0	0	3	0	0	(23)			0.0	0.0	–	–	0	0	0
S	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				9.0	9.0	8	–	1	0	0
O	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
N	27.7	16.2	−2.6	33.4	12	13.1	10	20.5	17	21.3	2	7	0	0	1	0	0	0				175.9	66.0	29	–	9	5	2
D	30.8	18.2	−1.0	37.3	26	14.1	2	23.0	1	22.9	13	21	0	0	2	0	0	0				60.9	38.0	1	–	5	2	1
A	–	–	–	–	–	0.3	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
722/ 99	**MARA – AGR**											**ø 23° 9'S**			**λ 29°34'E**				**H 896 M**			**HT 1.2 M**			**HR 1.2 M**			
J	–	17.9	–	–	–	12.1	6	–	–	21.4	12	–	–	–	2	0	0	0				150.2	77.4	16	14	9	3	2
F	28.3	16.2	–	32.9	28	10.4	20	24.4	18	19.8	12	6	0	0	0	0	0	0				2.9	1.1	23	5	1	0	0
M	30.4	16.7	–	35.0	26	12.0	11	26.5	27	19.7	23	18	0	0	0	0	0	0				41.4	29.0	1	3	3	1	1
A	28.5	14.7	–	32.7	3	9.5	23	21.2	7	19.3	18	10	0	0	0	0	0	0				67.0	52.5	6	7	3	1	1
M	23.2	8.2	–	32.7	1	0.2	19	15.6	21	16.0	3	1	1	0	0	2	0	0	18			38.3	26.2	4	5	3	1	1
J	21.2	4.1	–	27.7	15	0.6	28	11.7	17	11.8	16	0	3	0	0	9	0	0				0.0	0.0	–	0	0	0	0
J	23.0	4.4	–	27.4	10	−0.1	20	18.5	5	11.8	5	0	0	0	0	13	1	0		20		0.0	0.0	–	0	0	0	0
A	25.5	6.1	–	30.7	20	−0.3	1	16.2	11	16.8	3	3	2	0	0	7	2	0	23	5		0.0	0.0	–	0	0	0	0
S	28.0	11.2	–	34.1	16	7.2	19	13.5	9	15.8	30	13	2	0	0	0	0	0				8.2	8.2	8	1	1	0	0
O	27.4	13.9	–	36.9	4	9.4	20	12.9	24	19.8	16	11	1	0	0	0	0	0				60.4	25.3	7	6	5	2	1
N	26.2	15.2	–	32.2	8	11.6	17	14.5	17	18.7	2	9	1	0	0	0	0	0				114.5	28.7	2	15	10	5	1
D	30.0	17.0	–	37.4	26	12.7	8	20.7	1	20.7	27	18	0	0	1	0	0	0				28.5	16.9	1	8	5	1	0
A	–	12.1	–	–	–	−0.3	–	11.7	–	21.4	–	–	–	–	3	31	3	0				511.4	77.4	–	64	40	14	7

*Tm = ½ (Tx + Tn); Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 168

MAAND / MONTH	GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM ($\bar{T}x$)	DAELIKSE MINIMUM / DAILY MINIMUM ($\bar{T}n$)	$\bar{T}m$* – NORMALE Tm / $\bar{T}m$* – LONGTERM Tm ($\Delta \bar{T}m$)	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM (Txx)	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM (Tnn)	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM (Txn)	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM (Tnx)	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥ 30,0	MAKSIMUM / MAXIMUM < 17,5	MAKSIMUM / MAXIMUM < 10,0	MINIMUM ≥ 20,0	MINIMUM < +2,5	MINIMUM < 0,0	MINIMUM < −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS (Rx)	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
723/485A	LEVUBU – AGR											Ø 23° 5'S			λ 30°17'E				H 706 M			HT 1.2 M			HR 1.2 M			
J	27.6	18.6	–	36.8	11	13.3	6	18.3	22	21.6	15	7	0	0	7	0	0	0				212.8	85.8	21	18	14	5	3
F	27.4	17.6	–	33.0	8	14.0	19	21.5	12	19.5	9	2	0	0	0	0	0	0				59.5	24.7	11	11	7	2	0
M	30.0	18.3	–	35.3	26	15.8	11	25.8	27	20.3	23	13	0	0	2	0	0	0				46.2	23.1	1	8	6	2	0
A	27.6	16.6	–	34.0	3	13.8	27	19.3	7	18.8	4	5	0	0	0	0	0	0				104.0	63.5	6	12	9	3	1
M	23.4	11.8	–	31.5	1	6.3	18	15.9	21	17.0	3	1	1	0	0	0	0	0				24.8	17.2	4	7	4	1	0
J	21.7	9.2	–	29.8	15	6.5	11	10.4	17	13.8	15	0	4	0	0	0	0	0				12.4	5.0	16	4	3	0	0
J	23.7	9.8	–	28.8	16	6.2	14	17.1	5	14.7	8	0	1	0	0	0	0	0				0.3	0.3	5	1	0	0	0
A	25.8	10.3	–	32.6	25	6.7	6	16.3	11	14.6	3	4	2	0	0	0	0	0				0.0	0.0	–	0	0	0	0
S	27.9	14.5	–	35.8	16	10.8	9	13.2	9	17.4	6	13	2	0	0	0	0	0				34.7	17.6	8	4	3	2	0
O	27.1	14.9	–	37.4	4	9.5	24	11.8	24	17.8	23	11	3	0	0	0	0	0				123.2	42.1	31	15	12	4	1
N	25.3	15.8	–	31.5	12	11.9	17	14.7	17	19.5	7	2	2	0	0	0	0	0				203.5	63.8	16	16	15	4	3
D	28.0	18.0	–	34.4	26	14.9	23	21.0	1	21.0	21	13	0	0	0	0	0	0				83.9	38.5	1	12	7	2	1
A	26.3	14.6	–	37.4	–	6.2	–	10.4	–	21.6	–	71	15	0	9	0	0	0				905.3	85.8	–	108	80	25	9
725/756	SHINGWIDZI											Ø 23° 6'S			λ 31°26'E				H 215 M			HT 1.2 M			HR 1.2 M			
J	31.9	21.0	–	40.5	11	16.5	5	23.4	22	25.8	15	23	0	0	20	0	0	0				133.3	43.5	21	–	11	4	3
F	31.8	19.6	–	37.5	11	16.0	27	27.5	17	22.8	9	22	0	0	14	0	0	0				73.4	65.0	11	–	4	1	1
M	34.6	20.7	–	39.5	26	18.0	25	30.0	31	23.0	2	30	0	0	21	0	0	0				36.1	28.5	26	–	2	1	1
A	32.0	17.8	–	37.0	3	12.8	27	28.0	10	21.8	10	25	0	0	7	0	0	0				29.6	13.5	6	–	4	1	0
M	27.0	10.8	–	36.2	1	4.0	31	20.2	5	21.0	3	5	0	0	1	0	0	0				19.5	7.0	12	–	4	0	0
J	25.0	7.1	–	33.8	15	3.8	3	14.4	26	13.0	18	3	2	0	0	0	0	0				8.0	6.0	26	–	2	0	0
J	26.6	6.6	–	32.4	16	3.0	15	18.5	6	12.0	6	3	0	0	0	0	0	0				0.4	0.4	6	–	0	0	0
A	28.8	8.8	–	36.4	25	3.0	15	21.4	26	16.0	26	11	0	0	0	0	0	0				0.0	0.0	–	–	0	0	0
S	31.2	14.0	–	38.8	21	9.5	1	17.0	9	20.0	26	17	1	0	0	0	0	0				22.5	18.0	8	–	2	1	0
O	31.1	16.8	–	39.8	4	11.8	20	16.5	24	22.5	16	20	1	0	4	0	0	0				67.9	28.0	16	–	4	3	2
N	30.0	18.5	–	37.4	15	14.5	17	19.5	17	23.5	29	17	0	0	9	0	0	0				133.3	40.5	18	–	8	5	3
D	33.6	20.1	–	39.8	26	14.0	23	24.5	22	24.5	29	22	0	0	15	0	0	0				176.0	80.0	31	–	6	5	3
A	30.3	15.1	–	40.5	–	3.0	–	14.4	–	25.8	–	198	4	0	91	0	0	0				700.0	80.0	–	–	47	21	13
734/773	PELICAN POINT – SWA – VRT											Ø 22°53'S			λ 14°26'E				H 7 M			HT 1.2 M			HR 1.2 M			
J	19.5	14.7	−0.7	21.3	26	12.5	14	17.6	7	16.2	10	0	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
F	20.2	15.5	−0.5	22.6	1	13.8	22	18.2	21	17.3	10	0	0	0	0	0	0	0				4.8	3.1	15	3	2	0	0
M	19.7	14.3	−0.5	28.9	30	13.0	26	16.4	13	17.7	31	0	3	0	0	0	0	0				0.5	0.5	27	1	0	0	0
A	18.2	12.3	−1.0	30.8	29	10.0	12	14.0	20	17.0	1	1	16	0	0	0	0	0				0.0	0.0	–	0	0	0	0
M	20.3	13.1	1.2	33.8	17	8.8	12	13.4	4	17.5	17	3	14	0	0	0	0	0				0.0	0.0	–	0	0	0	0
J	17.1	11.4	−0.5	29.7	9	7.2	22	13.0	29	15.3	2	0	22	0	0	0	0	0				0.0	0.0	–	0	0	0	0
J	15.0	9.6	−1.0	22.4	18	7.5	17	12.2	13	12.2	29	0	28	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	14.7	9.1	−0.8	17.0	3	6.6	21	12.3	10	12.8	1	0	31	0	0	0	0	0				1.2	1.0	1	2	1	0	0
S	15.2	10.0	−0.1	22.8	15	7.3	30	12.6	10	14.5	23	0	28	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	16.1	11.2	0.2	18.6	23	9.6	11	14.2	8	13.0	31	0	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
N	17.2	12.5	−0.3	20.3	30	10.0	11	15.2	12	15.1	19	0	21	0	0	0	0	0				0.0	0.0	–	0	0	0	0
D	19.3	13.8	−0.1	20.8	23	10.5	14	17.2	15	16.0	28	0	1	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	17.7	12.3	−0.3	33.8	–	6.6	–	12.2	–	17.7	–	4	164	0	0	0	0	0				6.5	3.1	–	6	3	0	0
740/154	WINDHOEK – SWA – WK											Ø 22°34'S			λ 17° 6'E				H 1728 M			HT 1.2 M			HR 1.2 M			
J	30.2	16.8	0.1	33.3	3	12.2	21	26.9	11	21.2	3	17	0	0	3	0	0	0				81.7	28.5	31	15	12	2	1
F	26.1	15.9	−1.5	29.6	28	14.2	24	23.4	7	18.3	28	0	0	0	0	0	0	0				129.5	17.8	13	21	17	5	0
M	29.1	16.3	1.6	34.1	7	12.7	26	21.4	31	20.3	19	11	0	0	1	0	0	0				60.6	23.0	31	9	6	2	0
A	26.4	13.0	0.6	30.3	16	8.3	8	23.4	23	16.1	23	1	0	0	0	0	0	0				29.6	18.8	1	4	3	1	0
M	22.7	9.7	0.5	25.2	14	5.0	17	20.2	16	14.5	1	0	0	0	0	0	0	0				13.7	7.6	3	5	3	0	0
J	21.2	7.9	1.3	23.1	2	3.2	15	16.6	1	11.5	4	0	1	0	0	0	0	0				0.1	0.1	19	1	0	0	0
J	21.2	7.0	1.2	23.9	27	0.5	9	18.6	18	11.8	26	0	0	0	0	1	0	0	9			0.0	0.0	–	0	0	0	0
A	23.5	7.6	−0.2	27.9	30	−0.3	3	14.1	2	12.7	31	0	2	0	0	3	1	0	21	3		0.0	0.0	–	0	0	0	0
S	27.7	13.5	2.0	30.0	24	7.8	7	21.0	7	17.2	25	0	0	0	0	0	0	0		3		0.0	0.0	–	0	0	0	0
O	29.5	14.9	0.4	32.7	29	4.0	15	21.0	23	20.2	3	19	0	0	1	0	0	0		**		0.2	0.2	13	1	0	0	0
N	29.7	15.2	0.4	32.8	26	9.0	15	25.8	19	20.5	27	13	0	0	1	0	0	0				2.7	1.3	23	3	1	0	0
D	31.1	16.1	0.1	33.7	27	11.6	4	28.1	2	22.1	27	23	0	0	1	0	0	0				8.8	4.4	27	4	2	0	0
A	26.5	12.8	0.5	34.1	–	−0.3	–	14.1	–	22.1	–	84	3	0	7	4	1	0				326.9	28.5	–	63	44	10	1
766/858	GOOLDVILLE – HOSP											Ø 22°48'S			λ 30°29'E				H 762 M			HT 1.2 M			HR 1.2 M			
J	27.3	18.6	–	36.4	11	14.5	6	18.0	22	22.5	15	7	0	0	9	0	0	0				287.2	109.0	21	23	16	6	3
F	27.4	17.7	–	32.5	11	14.5	19	20.7	23	19.5	16	4	0	0	0	0	0	0				55.5	16.5	22	15	7	3	0
M	29.7	18.7	–	35.0	26	16.8	18	25.0	31	20.5	26	11	0	0	3	0	0	0				105.9	47.5	28	9	6	4	2
A	27.4	17.5	–	32.8	3	16.0	23	19.5	7	20.2	3	4	0	0	1	0	0	0				99.9	48.5	6	14	10	3	1
M	23.1	13.1	–	32.0	1	7.5	17	15.5	21	18.0	1	1	1	0	0	0	0	0				23.0	12.0	4	10	3	1	0
J	21.1	11.1	–	29.0	15	8.0	17	11.0	17	17.0	15	0	5	0	0	0	0	0				19.5	13.0	26	5	4	1	0
J	23.0	11.7	–	27.5	16	8.7	19	16.5	6	16.5	4	0	2	0	0	0	0	0				1.3	1.3	5	1	1	0	0
A	24.8	12.5	–	32.5	25	8.2	4	15.8	11	16.5	3	1	2	0	0	0	0	0				0.0	0.0	–	0	0	0	0
S	27.1	15.2	–	34.5	6	10.5	10	12.5	9	20.0	21	12	2	0	0	0	0	0				43.2	29.5	8	5	3	2	1
O	26.9	15.7	–	36.4	4	9.5	25	11.4	24	21.5	14	11	3	0	3	0	0	0				82.0	27.0	7	15	11	3	1
N	25.8	16.1	–	32.0	12	11.8	17	14.4	17	20.8	7	3	1	0	1	0	0	0				131.3	44.5	16	19	13	4	1
D	29.3	18.1	–	34.5	25	14.0	23	18.7	22	23.7	21	17	0	0	6	0	0	0				73.3	28.0	12	10	8	2	1
A	26.1	15.5	–	36.4	–	7.5	–	11.0	–	23.7	–	71	16	0	23	0	0	0				922.1	109.0	–	126	82	29	10

* $\bar{T}m = 1/2 (\bar{T}x + \bar{T}n)$; Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM Tx	DAELIKSE MINIMUM / DAILY MINIMUM Tn	$\bar{T}m$* – NORMALE Tm / $\bar{T}m$* – LONGTERM Tm ΔTm	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM > 30,0	< 17,5	< 10,0	MINIMUM / MINIMUM > 20,0	< +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
780/ 58	ROSSING PROSPECT – SWA											Ø 22°28'S			λ 15° 2'E				H 600 M			HT 1.2 M			HR 1.2 M			
J	26.7	13.7	–	30.0	26	11.0	3	20.0	20	17.2	17	0	0	0	0	0	0	0				0.1	0.1	9	1	0	0	0
F	29.6	15.9	–	35.0	27	12.0	11	24.0	10	21.0	23	10	0	0	2	0	0	0				0.8	0.5	3	3	0	0	0
M	32.1	17.0	–	37.0	29	9.0	3	26.0	15	24.0	31	20	0	0	7	0	0	0				3.8	3.8	28	1	1	0	0
A	31.7	18.4	–	37.5	28	12.0	10	26.0	4	25.2	1	20	0	0	12	0	0	0				4.5	4.5	1	1	1	0	0
M	29.8	17.7	–	34.0	8	11.0	23	24.5	3	23.5	9	21	0	0	6	0	0	0				0.0	–	–	0	0	0	0
J	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
J	25.5	11.7	–	31.5	13	5.0	9	12.5	26	17.5	23	6	3	0	0	0	0	0				0.0	–	–	0	0	0	0
A	24.3	–	–	33.0	11	–	–	13.0	1	–	–	–	–	–	–	–	–	–				0.0	–	–	0	0	0	0
S	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				0.0	–	–	0	0	0	0
O	27.2	–	–	36.0	18	–	–	18.0	13	–	–	–	–	–	–	–	–	–				0.0	–	–	0	0	0	0
N	25.8	–	–	33.0	24	–	–	22.0	28	–	–	4	0	0	–	–	–	–				0.0	–	–	0	0	0	0
D	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
784/839	J G STRIJDOM – SWA – WK											Ø 22°29'S			λ 17°28'E				H 1720 M			HT 1.2 M			HR 1.2 M			
J	29.8	16.6	–	32.8	3	14.0	25	26.3	11	19.8	15	15	0	0	0	0	0	0				65.9	23.5	10	13	7	1	0
F	26.5	15.8	–	29.7	28	13.8	24	22.5	7	17.2	15	0	0	0	0	0	0	0				162.9	41.4	7	15	10	7	1
M	28.6	14.4	–	31.4	7	11.0	26	22.6	25	19.5	19	7	0	0	0	0	0	0				101.4	44.0	25	10	8	4	1
A	26.0	10.3	–	30.1	16	4.8	5	21.7	23	14.4	23	1	0	0	0	1	0	0				36.7	14.4	2	6	6	1	0
M	22.1	6.0	–	24.7	3	0.9	17	17.8	20	13.2	1	0	0	0	0	12	0	0	17			35.1	16.8	4	6	5	1	0
J	20.5	5.0	–	22.6	23	0.9	26	15.8	25	9.3	1	0	2	0	0	17	0	0				2.8	1.7	20	3	2	0	0
J	20.8	3.0	–	23.6	26	−4.0	10	16.4	17	10.0	26	0	2	0	0	14	6	4		5	10	0.0	0.0	–	0	0	0	0
A	23.3	2.5	–	27.8	31	−5.5	21	14.8	20	8.5	31	0	3	0	0	12	7	2		23	22	0.0	0.0	–	0	0	0	0
S	27.1	9.3	–	30.3	24	3.3	8	19.4	6	14.7	27	1	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	29.4	11.9	–	32.8	30	1.9	15	19.2	23	18.4	3	15	0	0	0	1	0	0	15			0.4	0.2	21	2	0	0	0
N	29.3	13.1	–	32.0	26	6.2	15	24.8	17	18.5	27	14	0	0	0	0	0	0				26.1	15.2	17	5	3	1	0
D	31.0	15.1	–	33.4	18	9.1	16	28.8	1	20.6	27	23	0	0	1	0	0	0				15.5	7.3	31	7	3	0	0
A	26.2	10.3	–	33.4	–	−5.5	–	14.8	–	20.6	–	76	7	0	1	57	13	6				446.8	44.0	–	67	44	15	2
787/838	GOBABIS – SWA – TNK											Ø 22°28'S			λ 18°58'E				H 1436 M			HT 1.2 M			HR 1.2 M			
J	30.5	17.8	−0.4	34.2	3	14.7	26	27.3	16	21.1	8	19	0	0	1	0	0	0				109.4	26.2	20	11	8	5	1
F	27.7	16.9	−1.3	31.9	27	13.7	27	21.3	7	19.4	23	3	0	0	0	0	0	0				92.3	35.2	7	13	7	3	2
M	30.4	15.6	1.1	34.0	6	11.2	5	24.5	22	19.2	20	20	0	0	0	0	0	0				45.6	22.0	21	6	5	2	0
A	27.7	12.5	0.8	31.4	17	7.8	9	23.5	23	16.4	18	3	0	0	0	0	0	0				36.3	15.6	3	9	7	1	0
M	23.3	7.6	0.1	27.4	3	−0.3	17	18.9	4	14.3	2	0	0	0	0	2	1	0	17	17		16.0	13.0	4	4	3	1	0
J	22.3	7.1	2.1	24.9	14	−1.6	26	17.7	25	12.2	21	0	0	0	0	5	2	0				1.8	1.0	21	2	1	0	0
J	22.2	4.5	1.1	25.0	26	−5.0	18	17.7	9	13.1	26	0	0	0	0	11	7	4			10	0.0	0.0	–	0	0	0	0
A	24.9	2.9	−1.0	30.0	31	−6.6	21	13.4	20	10.5	16	0	2	0	0	15	8	3	26	26	22	0.0	0.0	–	0	0	0	0
S	28.8	10.0	0.6	31.7	25	2.8	8	18.3	7	15.9	26	9	0	0	0	0	0	0				0.7	0.7	7	1	0	0	0
O	–	12.3	–	34.2	3	5.7	1	18.2	14	18.3	28	5	0	0	0	0	0	0				17.0	13.0	26	2	2	1	0
N	30.5	15.2	−0.3	33.8	13	10.1	15	25.8	19	19.6	9	19	0	0	0	0	0	0				62.3	32.0	17	11	5	2	1
D	32.5	16.5	−0.2	34.9	17	10.7	11	29.2	2	22.5	30	28	0	0	3	0	0	0				6.6	3.9	18	8	1	0	0
A	–	11.6	–	34.9	–	−6.6	–	13.4	–	22.5	–	106	2	0	4	33	18	7				388.0	35.2	–	67	39	15	4
808/341	TUSCANEN											Ø 22°11'S			λ 29°12'E				H 580 M			HT 1.2 M			HR 1.2 M			
J	31.8	19.0	–	39.9	11	12.9	6	27.5	22	23.3	20	21	0	0	14	0	0	0				115.5	62.0	21	–	7	3	1
F	32.9	18.6	–	37.3	11	13.1	20	28.8	18	23.4	12	26	0	0	8	0	0	0				5.5	5.5	11	–	1	0	0
M	34.3	18.9	–	39.0	1	14.4	18	27.6	31	23.2	27	30	0	0	9	0	0	0				14.0	14.0	1	–	1	1	0
A	31.7	16.7	–	36.9	3	11.1	28	24.7	7	22.9	14	25	0	0	5	0	0	0				25.5	16.0	8	–	0	1	0
M	26.4	8.4	–	34.0	1	0.4	19	21.4	21	16.4	5	4	0	0	0	2	0	0	18			5.5	2.5	28	–	3	0	0
J	24.0	3.8	–	29.9	15	0.7	28	17.1	17	12.9	17	0	1	0	0	11	0	0				0.0	0.0	–	–	0	0	0
J	(25.5)	2.9	–	29.5	4	−0.3	16	–	–	8.4	8	0	–	0	0	–	2	0		3		0.0	0.0	–	–	0	0	0
A	27.8	5.0	–	34.4	20	−0.9	5	18.8	26	14.9	21	6	0	0	0	8	1	0	25	5		0.0	0.0	–	–	0	0	0
S	31.4	10.9	–	38.4	29	5.9	1	19.4	9	19.5	30	22	0	0	0	0	0	0				5.5	5.5	8	–	1	0	0
O	(31.2	15.4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				50.5	22.5	7	–	5	2	0
N	30.0	17.6	–	36.2	8	14.1	27	19.9	17	20.7	16	18	0	0	6	0	0	0				62.3	34.0	3	–	5	2	1
D	38.9	19.0	–	38.5	13	13.5	23	26.0	1	24.4	13	23	0	0	9	0	0	0				29.0	24.0	1	–	3	1	0
A	(30.5	13.0)	–	–	–	−0.9	–	–	–	24.4	–	–	–	–	–	–	–	–				313.3	62.0	–	–	26	10	2
809/706	MACUVILLE – AGR											Ø 22°16'S			λ 29°54'E				H 522 M			HT 1.2 M			HR 1.2 M			
J	30.7	19.5	−0.7	39.0	11	13.4	6	25.3	5	22.2	16	18	0	0	13	0	0	0				83.4	50.0	12	8	6	2	1
F	32.0	18.6	−0.6	37.2	11	12.8	20	26.8	18	22.7	9	22	0	0	7	0	0	0				3.7	2.5	23	2	2	0	0
M	34.3	20.6	2.6	38.5	1	16.8	18	28.0	31	23.6	23	30	0	0	17	0	0	0				6.0	6.0	1	1	1	0	0
A	31.4	18.1	1.7	37.0	3	13.5	28	23.9	7	23.2	4	22	0	0	7	0	0	0				35.3	17.0	6	4	4	2	0
M	26.1	10.8	−0.6	33.6	1	2.6	19	21.5	17	19.4	3	3	0	0	0	0	0	0				15.2	10.5	4	4	4	1	0
J	24.3	6.7	−0.4	30.7	15	2.0	28	17.0	17	14.0	26	1	1	0	0	1	0	0	28			0.0	0.0	–	0	0	0	0
J	26.1	6.8	0.5	30.6	11	2.3	16	21.0	26	15.0	5	2	0	0	0	1	0	0				0.0	0.0	–	0	0	0	0
A	27.9	8.5	0.1	34.3	20	0.5	1	19.8	26	17.5	21	8	0	0	0	3	0	0	5			0.0	0.0	–	0	0	0	0
S	30.6	14.1	0.6	37.2	16	9.2	3	20.0	9	19.9	30	16	0	0	0	0	0	0				10.0	10.0	8	1	1	1	0
O	30.5	16.8	−1.1	39.4	4	11.8	20	17.6	24	21.2	16	18	0	0	3	0	0	0				45.1	29.0	7	7	4	1	1
N	29.9	18.3	−1.6	37.3	8	13.4	17	19.2	18	23.0	29	16	0	0	8	0	0	0				108.0	67.0	30	8	7	2	1
D	33.2	19.4	0.2	39.5	26	14.4	23	23.8	1	23.5	27	24	0	0	15	0	0	0				45.9	34.4	1	5	5	1	1
A	29.7	14.9	0.1	39.5	–	0.5	–	17.0	–	23.6	–	180	1	0	70	5	0	0				352.6	67.0	–	40	34	10	4

*$\bar{T}m$ = 1/2 ($\bar{T}x$ + $\bar{T}n$): Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

TABEL I — TABLE I

MAAND / MONTH	UITERSTE TEMPERATURE – °C – / EXTREME TEMPERATURES: GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM Tx	DAELIKSE MINIMUM / DAILY MINIMUM Tn	Tm* – NORMALE Tm / Tm* – LONGTERM Tm ΔTm	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM > 30,0	< 17,5	< 10,0	MINIMUM / MINIMUM > 20,0	< +2,5	< 0,0	< −2,5	RYP / FROST: VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – / PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS > 0,1	> 1,0	> 10,0	> 25,0
826/596A	KARIBIB – SWA											Ø 21°56'S			λ 15°50'E				H 1170 M			HT 1.2 M			HR 1.2 M			
J	33.2	17.3	–	36.9	3	11.7	23	28.0	20	22.0	7	28	0	0	7	0	0	0				31.3	9.8	17	9	7	0	0
F	30.5	18.6	–	33.8	28	16.3	11	27.3	2	20.3	15	18	0	0	2	0	0	0				193.8	36.5	17	18	18	7	3
M	33.0	18.2	–	36.3	7	11.4	3	29.5	25	21.8	19	30	0	0	6	0	0	0				27.3	14.5	22	6	5	1	0
A	30.8	15.5	–	34.6	16	10.5	8	26.7	29	20.2	17	17	0	0	2	0	0	0				25.5	23.7	23	3	2	1	0
M	28.1	13.5	–	29.6	22	8.8	20	25.7	17	17.5	10	0	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
J	25.9	11.1	–	27.7	22	5.5	15	20.7	1	14.5	18	0	0	0	0	0	0	0				0.7	0.7	1	1	0	0	0
J	25.7	10.2	–	28.8	27	1.7	9	17.9	8	15.7	7	0	0	0	0	1	0	0	9			0.0	0.0	–	0	0	0	0
A	27.5	8.0	–	33.1	30	0.2	3	16.6	2	12.7	16	6	1	0	0	3	0	0	21			0.0	0.0	–	0	0	0	0
S	31.8	13.7	–	34.7	23	5.6	6	25.4	6	19.0	19	24	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	32.7	14.0	–	36.6	20	5.0	15	22.3	14	20.9	21	27	0	0	1	0	0	0				0.0	0.0	–	0	0	0	0
N	33.1	14.4	–	37.2	25	8.7	14	28.6	16	24.3	24	24	0	0	2	0	0	0				5.7	5.7	18	1	1	0	0
D	33.6	14.6	–	37.5	22	9.1	3	29.6	2	22.5	26	29	0	0	4	0	0	0				20.0	13.0	31	2	2	1	0
A	30.5	14.1	–	37.5	–	0.2	–	16.6	–	24.3	–	203	1	0	24	4	0	0				304.3	36.5	–	40	35	10	3
868/613	UIS – SWA											Ø 21°13'S			λ 14°51'E				H 791 M			HT 1.2 M			HR 1.2 M			
J	31.2	15.6	–	35.1	27	10.0	22	25.0	20	19.5	10	24	0	0	0	0	0	0				8.0	7.0	12	2	2	0	0
F	31.9	19.6	–	35.6	27	13.9	1	29.0	2	22.0	25	25	0	0	14	0	0	0				82.0	29.5	3	11	9	2	1
M	34.6	19.4	–	37.4	12	12.6	4	29.8	15	24.4	20	30	0	0	12	0	0	0				34.0	21.0	28	6	4	1	0
A	32.8	17.5	–	35.7	18	11.3	8	26.5	22	23.7	17	27	0	0	8	0	0	0				2.9	2.5	22	2	1	0	0
M	30.4	15.8	–	32.7	13	10.9	20	27.7	31	20.9	1	20	0	0	1	0	0	0				0.0	0.0	–	0	0	0	0
J	27.4	11.7	–	30.0	23	5.6	15	21.7	14	17.4	8	0	0	0	0	0	0	0				0.2	0.2	1	1	0	0	0
J	26.8	10.1	–	31.0	27	2.2	10	13.4	8	16.4	31	1	2	0	0	4	0	0	10			0.0	0.0	–	0	0	0	0
A	28.2	7.9	–	33.6	29	1.9	20	17.2	1	14.7	11	13	1	0	0	6	0	0	20			0.0	0.0	–	0	0	0	0
S	31.5	11.8	–	36.9	20	4.8	7	17.6	5	18.1	21	22	0	0	0	2	0	0				0.0	0.0	–	0	0	0	0
O	31.3	12.4	–	36.6	19	5.6	15	17.6	13	19.4	2	21	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
N	31.4	12.4	–	37.6	23	7.6	2	26.5	15	23.1	24	18	0	0	1	0	0	0				0.0	0.0	–	0	0	0	0
D	31.8	13.3	–	36.8	29	8.1	16	26.5	20	20.7	31	21	0	0	3	0	0	0				3.5	1.2	28	4	3	0	0
A	30.8	14.0	–	37.6	–	1.9	–	13.4	–	24.4	–	222	3	0	39	12	0	0				130.6	29.5	–	26	19	3	1
1010/186	GROOTFONTEIN – SWA – MK											Ø 19°36'S			λ 18° 7'E				H 1405 M			HT 1.2 M			HR 1.2 M			
J	28.4	17.2	–	32.8	3	15.5	25	24.8	24	20.4	15	6	0	0	1	0	0	0				148.3	39.5	24	18	13	5	1
F	27.0	16.4	–	29.5	28	15.3	16	22.7	7	17.9	21	0	0	0	0	0	0	0				167.8	41.5	13	16	12	6	2
M	29.5	15.2	–	32.6	19	12.6	31	24.6	22	18.4	21	15	0	0	0	0	0	0				37.7	9.9	25	11	8	0	0
A	28.7	14.1	–	31.1	16	9.3	28	24.3	29	17.1	16	6	0	0	0	0	0	0				17.4	10.3	29	10	4	1	0
M	25.0	8.0	–	28.7	2	3.4	18	22.8	17	13.5	11	0	0	0	0	0	0	0				4.8	2.7	4	2	2	0	0
J	23.7	6.3	–	25.7	14	2.5	26	21.7	9	13.0	21	0	0	0	0	0	0	0				0.1	0.1	2	1	0	0	0
J	23.6	5.5	–	25.8	26	−0.8	18	19.0	18	11.4	9	0	0	0	0	4	1	0	18	18		0.0	0.0	–	0	0	0	0
A	26.8	5.7	–	30.1	31	−1.8	22	20.5	21	10.5	31	1	0	0	0	5	2	0	23	22		0.0	0.0	–	0	0	0	0
S	30.4	11.1	–	33.1	28	5.4	8	23.6	7	16.9	26	20	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	32.9	16.2	–	35.5	6	7.7	15	29.0	15	22.9	31	28	0	0	4	0	0	0				0.6	0.4	31	3	0	0	0
N	31.4	16.5	–	35.3	2	9.9	19	23.1	6	21.5	28	23	0	0	3	0	0	0				15.8	8.7	5	7	4	0	0
D	32.8	17.5	–	35.6	15	12.7	4	29.4	19	22.6	27	29	0	0	3	0	0	0				35.1	9.6	18	11	7	0	0
A	28.3	12.5	–	35.6	–	−1.8	–	19.0	–	22.9	–	128	0	0	11	9	3	0				427.6	41.5	–	79	50	12	3
1045/380	MÖWE – SWA											Ø 19°20'S			λ 12°43'E				H 16 M			HT 1.2 M			HR 1.2 M			
J	20.2	15.1	–	21.6	21	12.1	24	19.2	14	17.4	29	0	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
F	21.4	17.2	–	23.0	9	15.7	11	19.8	12	18.7	4	0	0	0	0	0	0	0				12.7	9.5	15	3	2	0	0
M	19.9	15.7	–	21.4	1	13.0	5	18.6	13	17.5	1	0	0	0	0	0	0	0				13.6	13.6	28	1	1	1	0
A	(18.0	13.7)	–	24.2	1	9.2	4	–	–	–	–	0	–	–	–	0	0	0				0.0	0.0	–	0	0	0	0
M	18.9	13.4	–	36.5	17	11.0	16	15.0	22	15.2	9	1	17	0	0	0	0	0				2.5	2.2	31	2	1	0	0
J	(16.3	12.4)	–	20.0	4	10.0	21	–	–	–	–	0	–	0	0	0	0	0				0.0	0.0	–	0	0	0	0
J	15.0	10.8	–	17.2	7	7.6	9	12.7	21	13.2	29	0	27	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	14.8	10.3	–	20.1	2	6.6	21	13.2	16	13.0	1	0	28	0	0	0	0	0				1.3	1.3	1	1	1	0	0
S	15.4	11.5	–	17.5	24	8.6	9	13.6	12	14.0	18	0	26	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	16.4	12.1	–	17.5	27	10.0	24	14.8	1	14.0	19	0	25	0	0	0	0	0				0.0	0.0	–	0	0	0	0
N	17.9	13.4	–	19.5	30	11.7	7	16.0	17	15.0	26	0	9	0	0	0	0	0				0.0	0.0	–	0	0	0	0
D	20.2	15.1	–	22.2	31	11.4	14	18.8	13	18.2	29	0	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	(17.9	13.4)	–	36.5	–	6.6	–	12.7	–	18.7	–	1	–	–	–	0	0	0				30.1	13.6	–	7	5	1	0
1048/853	OTJOVASANDU – SWA											Ø 19°13'S			λ 14°29'E				H 1200 M			HT 1.2 M			HR 1.2 M			
J	31.3	15.6	–	35.5	3	9.0	22	25.5	10	20.4	4	0	0	0	1	0	0	0				149.0	39.0	29	11	5	2	1
F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				254.6	52.5	13	12	12	10	3
M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				19.9	10.0	20	5	5	1	0
M	29.2	11.7	–	30.8	1	5.4	20	25.6	29	16.5	1	5	0	0	0	0	0	0				6.5	6.5	2	1	1	0	0
J	26.3	7.3	–	28.0	22	1.3	15	21.9	1	13.0	8	0	0	0	0	1	0	0	15			6.7	6.7	1	1	1	0	0
J	26.6	6.5	–	28.5	26	−2.5	9	23.9	9	14.0	27	0	0	0	0	5	1	0		9		0.0	0.0	–	0	0	0	0
A	28.7	3.1	–	32.4	31	−4.1	21	17.2	21	8.6	31	11	1	0	0	11	4	2			21	0.0	0.0	–	0	0	0	0
S	32.2	10.1	–	35.7	27	−1.0	8	24.0	6	17.6	22	26	0	0	0	2	1	0	8	8	22	0.0	0.0	–	0	0	0	0
O	33.2	12.1	–	35.5	2	6.5	16	26.7	14	20.0	28	27	0	0	0	0	0	0			**	0.0	0.0	–	0	0	0	0
N	–	12.2	–	–	–	5.0	17	–	–	19.5	24	–	–	–	0	0	0	0				6.9	4.9	6	2	2	0	0
D	–	13.6	–	–	–	6.7	3	–	–	21.3	9	–	–	–	1	0	0	0				27.0	16.3	30	5	4	1	0
A	–	–	–	–	–	−4.1	–	17.2	–	–	–	–	–	–	–	–	–	–				–	–	–	–	–	–	–

* Tm = 1/2 (Tx + Tn); Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

MAAND / MONTH	UITERSTE TEMPERATURE – °C – GEMIDDELDES VAN / AVERAGES OF: DAELIKSE MAKSIMUM / DAILY MAXIMUM Tx	DAELIKSE MINIMUM / DAILY MINIMUM Tn	Tm* – NORMALE Tm / Tm* – LONGTERM Tm ΔTm	VOLSTREKTE MAKSIMUM / ABSOLUTE MAXIMUM Txx	DATUM / DATE	VOLSTREKTE MINIMUM / ABSOLUTE MINIMUM Tnn	DATUM / DATE	LAAGSTE MAKSIMUM / LOWEST MAXIMUM Txn	DATUM / DATE	HOOGSTE MINIMUM / HIGHEST MINIMUM Tnx	DATUM / DATE	EXTREME TEMPERATURES – AANTAL DAE MET / NUMBER OF DAYS WITH: MAKSIMUM / MAXIMUM ≥ 30,0	< 17,5	< 10,0	MINIMUM / MINIMUM ≥ 20,0	< +2,5	< 0,0	< −2,5	RYP / FROST – VROEGSTE EN LAATSTE DATUMS / FIRST AND LAST DATES < +2,5	< 0,0	< −2,5	NEERSLAG – mm – PRECIPITATION: MAAND- EN JAARTOTALE / MONTHLY AND ANNUAL TOTALS	MAKSIMUM IN 24 UUR / MAXIMUM IN 24 HOURS Rx	DATUM / DATE	AANTAL DAE MET HOEVEELHEDE / NUMBER OF DAYS WITH AMOUNTS ≥ 0,1	≥ 1,0	≥ 10,0	≥ 25,0
1051/800	**OMBIKA – SWA**											**ø 19°20'S**			**λ 15°57'E**				**H 1050 M**			**HT 1.2 M**			**HR 1.2 M**			
J	31.0	17.5	–	36.3	3	12.3	22	24.6	27	21.4	7	21	0	0	3	0	0	0				136.2	33.0	9	17	13	5	1
F	28.1	17.9	–	31.6	28	16.3	2	24.0	9	19.2	23	3	0	0	0	0	0	0				163.5	27.5	12	18	15	7	1
M	32.3	16.7	–	36.0	18	11.6	3	28.5	28	19.6	20	24	0	0	0	0	0	0				36.1	22.5	23	9	5	1	0
A	31.1	15.0	–	33.2	13	10.1	8	25.0	20	19.0	20	23	0	0	0	0	0	0				34.9	10.0	1	10	8	1	0
M	27.7	10.1	–	31.5	4	4.8	18	26.5	29	15.7	5	7	0	0	0	0	0	0				11.3	11.0	4	2	1	1	0
J	26.5	7.2	–	27.9	22	3.9	30	23.5	1	13.9	1	0	0	0	0	0	0	0				0.4	0.3	20	2	0	0	0
J	26.7	6.0	–	28.6	27	1.3	18	24.5	9	13.6	27	0	0	0	0	1	0	0	18			0.0	0.0	–	0	0	0	0
A	29.5	5.5	–	32.6	29	0.4	21	23.5	2	11.9	31	13	0	0	0	4	0	0	22			0.0	0.0	–	0	0	0	0
S	33.2	12.7	–	34.9	28	4.8	8	29.8	7	18.3	28	27	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	35.3	16.7	–	38.0	7	7.2	15	29.2	14	24.2	28	30	0	0	4	0	0	0				0.0	0.0	–	0	0	0	0
N	34.5	15.9	–	37.9	27	7.5	17	29.9	5	22.4	23	29	0	0	3	0	0	0				11.8	6.5	29	4	2	0	0
D	34.1	17.0	–	37.5	7	11.9	18	31.4	27	21.3	8	31	0	0	5	0	0	0				72.8	53.5	31	7	5	1	1
A	30.8	13.2	–	38.0	–	0.4	–	23.5	–	24.2	–	208	0	0	15	5	0	0				467.0	53.5	–	69	49	16	3
1200/866	**ONDANGWA – SWA – POS**											**ø 17°56'S**			**λ 15°59'E**				**H 1095 M**			**HT 1.2 M**			**HR 1.2 M**			
J	30.1	19.4	−1.0	35.1	4	15.3	22	22.6	11	22.0	7	14	0	0	10	0	0	0				149.1	39.0	31	12	11	5	1
F	27.3	19.0	−1.4	30.1	27	16.6	16	23.0	4	20.7	28	1	0	0	6	0	0	0				315.8	60.0	5	16	16	10	5
M	30.5	19.2	0.4	33.7	19	16.4	26	23.1	25	22.1	20	20	0	0	6	0	0	0				31.1	21.2	7	4	4	1	0
A	30.9	17.3	0.2	33.1	17	13.4	28	28.4	29	20.1	11	22	0	0	1	0	0	0				22.0	13.6	5	7	4	1	0
M	28.6	12.4	0.2	31.4	2	9.3	15	25.9	5	17.0	5	7	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
J	27.0	10.5	1.5	29.7	18	7.5	15	25.1	9	14.5	21	0	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
J	27.4	9.4	1.5	29.6	26	5.5	20	25.2	19	17.0	27	0	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
A	29.6	7.9	−0.5	32.8	28	2.5	21	24.4	2	12.3	31	15	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
S	33.5	13.7	0.5	35.9	27	9.0	5	30.8	7	19.6	19	30	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	35.3	16.6	0.2	38.5	29	6.1	15	28.4	15	23.0	30	30	0	0	6	0	0	0				2.1	2.1	27	1	1	0	0
N	33.8	17.5	−0.4	37.0	27	12.9	18	29.6	6	21.3	9	27	0	0	5	0	0	0				11.6	4.9	6	6	4	0	0
D	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				(99.2)	(36.4	27)	–	–	–	–
A	–	–	–	–	–	2.5	–	22.6	–	–	–	–	–	–	–	–	–	–				(630.9)	60.0	–	–	–	–	–
1208/475	**RUNDU – SWA – NAF**											**ø 17°55'S**			**λ 19°46'E**				**H 1102 M**			**HT 1.2 M**			**HR 1.2 M**			
J	27.9	18.1	–	32.1	16	14.7	25	22.6	24	20.6	15	7	0	0	1	0	0	0				389.2	109.0	24	21	19	8	5
F	29.2	17.9	–	31.4	17	16.7	1	27.5	3	19.2	21	5	0	0	0	0	0	0				136.0	28.0	8	16	14	4	2
M	31.3	16.6	–	33.6	19	13.9	17	29.2	3	18.4	28	23	0	0	0	0	0	0				57.5	31.0	2	6	5	2	1
A	30.5	16.0	–	32.7	18	10.6	27	26.7	7	18.7	9	21	0	0	0	0	0	0				42.5	23.5	6	6	3	1	0
M	27.6	10.0	–	30.5	12	3.5	31	25.5	29	13.8	10	2	0	0	0	0	0	0				1.5	1.5	7	1	1	0	0
J	26.1	7.8	–	28.7	15	2.5	30	24.0	9	13.2	20	0	0	0	0	0	0	0				0.8	0.8	19	1	0	0	0
J	26.4	6.0	–	28.5	9	2.0	16	23.6	18	10.8	5	0	0	0	0	1	0	0	16			0.0	0.0	–	0	0	0	0
A	29.6	6.5	–	32.1	31	1.6	5	24.5	21	13.7	30	13	0	0	0	10	0	0	5			0.0	0.0	–	0	0	0	0
S	32.7	14.4	–	35.5	28	8.2	1	26.2	6	18.6	3	28	0	0	0	0	0	0				0.0	0.0	–	0	0	0	0
O	35.5	17.7	–	37.8	5	8.5	16	31.0	14	24.5	8	31	0	0	5	0	0	0				0.5	0.5	31	1	0	0	0
N	31.9	17.6	–	37.0	21	13.5	26	20.5	6	21.8	28	22	0	0	4	0	0	0				9.6	4.0	9	5	3	0	0
D	32.6	18.5	–	37.0	5	14.5	3	25.5	23	23.5	7	25	0	0	7	0	0	0				53.0	27.0	20	11	10	1	1
A	30.1	13.9	–	37.8	–	1.6	–	20.5	–	24.5	–	177	0	0	17	11	0	0				690.6	109.0	–	68	55	16	9

*Tm = 1/2 (Tx + Tn); Waar/Where** Laatste datum verwys na vorige maand / Last date refers to previous month.

TV 4 / 198

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN) mm	WINDSPOED WIND SPEED OORDAG BY DAY m/s	WINDSPOED WIND SPEED OORNAG BY NIGHT m/s	DROËBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM/AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM/AT 0800	1400	2000	AANTAL DAE MET NUMBER OF DAYS WITH DONDER/THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	S AS % VAN MOONTLIKE S AS % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
0/653	MARIONEILAND - WK									Ø 46°53'S			λ 37°52'E			H 22 M						HT 1.2 M					
J	-	-	-	7.8	8.5	7.2	6.7	7.4	6.4	85	84	88	6.3	6.2	6.3	0	1	0	7	4.20	27	3	6	16	6	0	31
F	-	-	-	8.8	9.3	7.5	7.8	8.0	6.6	86	83	88	5.4	6.2	6.4	0	0	0	8	4.27	31	4	6	11	7	0	28
M	-	-	-	8.3	9.6	7.8	7.5	8.3	7.0	88	83	87	6.3	6.3	6.2	0	1	0	12	3.67	29	7	5	12	7	0	31
A	-	-	-	6.1	7.1	5.6	5.2	6.0	4.8	86	84	88	6.4	6.3	6.0	1	4	7	3	3.17	30	12	1	7	10	0	30
M	-	-	-	4.9	5.4	4.2	3.8	4.1	3.2	83	80	84	6.4	6.2	5.7	1	0	8	2	2.51	27	0	13	10	8	0	31
J	-	-	-	4.1	4.7	4.0	3.3	3.8	3.1	87	85	85	6.3	6.2	6.0	0	1	7	2	1.99	23	0	16	6	8	0	30
J	-	-	-	3.8	4.1	3.5	2.6	3.0	2.5	81	81	82	6.3	6.8	6.0	0	0	10	1	2.18	24	0	17	6	7	1	31
A	-	-	-	3.1	3.7	2.9	2.3	2.6	2.1	86	82	86	6.6	6.4	6.2	1	0	11	5	2.38	23	0	14	12	5	0	31
S	-	-	-	3.1	3.7	2.7	2.2	2.7	1.7	81	80	83	6.1	6.5	6.0	0	0	18	3	3.75	32	0	9	12	9	0	30
O	-	-	-	4.6	5.8	4.1	3.5	4.4	3.3	82	79	85	6.8	6.4	6.0	0	0	8	3	3.69	27	0	13	10	8	0	31
N	-	-	-	5.5	6.5	4.5	4.4	4.7	3.3	82	75	81	6.8	6.5	6.3	0	0	8	6	4.87	33	0	7	12	11	0	30
D	-	-	-	6.1	7.5	5.2	4.7	5.5	4.0	79	72	81	6.5	6.2	6.5	0	0	7	1	5.19	33	0	4	21	6	0	31
A	-	-	-	5.5	6.3	4.9	4.5	5.0	4.0	84	81	85	6.3	6.3	6.1	3	7	84	53	3.49	29	26	111	135	92	1	365
0/681	GOUGHEILAND - WK									Ø 40°21'S			λ 9°53'W			H 54 M						HT 1.2 M					
J	-	-	-	12.7	15.4	14.4	11.3	13.2	12.8	85	78	82	6.4	6.3	6.7	0	0	0	5	5.46	37	2	5	12	12	0	31
F	-	-	-	12.7	15.2	14.0	11.1	13.0	12.0	82	75	74	6.6	5.8	6.0	0	0	0	2	5.48	40	3	3	10	12	0	28
M	-	-	-	11.8	14.2	12.9	10.4	11.8	11.1	83	74	80	6.1	5.7	6.4	0	0	0	1	4.38	35	4	3	12	12	0	31
A	-	-	-	11.9	13.5	12.7	10.5	11.4	11.3	83	76	83	6.2	6.3	6.6	0	0	0	5	3.16	29	4	9	7	10	0	30
M	-	-	-	10.6	11.8	11.0	9.2	10.1	9.5	82	79	82	5.1	6.6	6.2	0	0	0	0	2.45	25	8	4	10	9	0	31
J	-	-	-	9.3	10.1	9.0	8.2	8.7	7.7	86	82	84	5.3	6.4	6.2	0	0	0	2	1.75	19	7	10	10	3	0	30
J	-	-	-	8.7	9.8	9.1	7.6	8.2	7.5	86	79	79	5.5	6.5	6.5	0	0	3	1	2.89	30	2	3	22	4	0	31
A	-	-	-	8.4	10.2	9.5	7.1	8.6	8.3	83	80	84	5.4	6.3	7.0	0	0	3	1	3.42	33	7	2	12	10	0	31
S	-	-	-	8.2	10.4	9.0	6.9	8.1	7.3	85	71	77	5.6	5.9	5.8	0	0	0	0	4.25	36	4	2	14	10	0	30
O	-	-	-	9.0	11.4	10.1	7.8	9.4	8.7	84	76	81	5.9	6.5	6.7	0	0	0	0	4.85	37	4	4	12	10	1	31
N	-	-	-	11.3	13.7	12.5	9.9	11.7	10.8	82	77	79	6.0	6.4	6.3	0	0	0	1	5.26	36	7	3	8	12	0	30
D	-	-	-	13.5	16.1	14.6	11.4	13.5	12.5	77	74	77	6.2	5.4	5.8	0	0	0	0	6.42	43	2	3	12	14	0	31
A	-	-	-	10.7	12.7	11.6	9.3	10.6	10.0	83	77	80	5.9	6.2	6.3	0	0	6	18	4.15	34	54	51	141	118	1	365
3/ 20	KAAP AGULHAS - VRT									Ø 34°50'S			λ 20° 1'E			H 6 M						HT 1.2 M					
J	-	-	-	19.0	22.0	18.9	16.7	18.3	16.6	78	68	78	5.8	4.3	(4.3)	1	0	0	5	-	-	-	-	-	-	-	-
F	-	-	-	19.5	22.1	20.0	17.9	18.8	17.8	84	72	80	5.1	4.4	(4.7)	0	0	0	2	-	-	-	-	-	-	-	-
M	-	-	-	18.5	21.5	18.8	16.9	18.5	17.1	84	74	83	5.0	3.9	3.9	1	0	0	5	-	-	-	-	-	-	-	-
A	-	-	-	16.1	19.0	16.6	14.7	16.4	15.1	86	75	84	5.8	4.7	3.2	1	0	0	3	-	-	-	-	-	-	-	-
M	-	-	-	14.5	18.2	15.9	12.5	14.6	13.5	77	66	75	4.1	3.4	2.1	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	12.9	16.8	13.8	10.8	13.2	11.8	76	66	77	4.5	4.6	3.5	2	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	11.9	15.4	13.3	10.2	12.7	11.4	80	72	78	4.7	4.4	3.5	1	0	0	4	-	-	-	-	-	-	-	-
A	-	-	-	11.8	15.2	12.8	9.6	11.6	10.6	75	62	75	5.2	4.8	4.4	0	0	0	2	-	-	-	-	-	-	-	-
S	-	-	-	12.6	15.6	13.1	10.6	12.1	10.8	76	64	74	5.3	4.4	2.8	1	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	15.6	17.9	15.5	13.5	14.8	13.4	77	70	77	4.1	3.7	3.7	0	0	0	5	-	-	-	-	-	-	-	-
N	-	-	-	17.1	19.5	16.7	15.1	16.8	15.2	80	75	84	6.0	4.1	3.5	2	0	0	3	-	-	-	-	-	-	-	-
D	-	-	-	18.5	21.3	18.7	17.2	18.5	17.2	87	76	84	5.3	2.8	3.7	0	0	0	1	-	-	-	-	-	-	-	-
A	-	-	-	15.7	18.7	16.2	13.8	15.5	14.2	80	70	79	5.1	4.1	(3.6)	9	0	0	30	-	-	-	-	-	-	-	-
4/891	KAAPPUNT - VRT									Ø 34°21'S			λ 18°30'E			H 227 M						HT 1.2 M					
J	-	-	-	16.2	19.1	16.5	14.4	16.2	15.0	85	74	85	4.5	3.6	4.3	0	0	0	15	-	-	-	-	-	-	-	-
F	-	-	-	16.9	20.4	17.5	15.4	17.2	16.0	85	72	86	3.5	3.7	4.6	0	0	0	10	-	-	-	-	-	-	-	-
M	-	-	-	16.3	20.3	17.4	14.8	16.8	15.8	85	70	84	4.6	3.4	3.4	0	0	0	9	-	-	-	-	-	-	-	-
A	-	-	-	14.2	17.4	14.9	13.3	15.0	13.8	90	77	87	5.4	4.8	4.3	0	0	0	15	-	-	-	-	-	-	-	-
M	-	-	-	13.5	16.7	14.5	11.8	13.6	12.7	81	70	80	4.1	3.6	3.0	0	0	0	4	-	-	-	-	-	-	-	-
J	-	-	-	12.0	14.6	12.8	10.8	12.3	11.1	86	77	81	4.8	5.7	4.6	0	0	0	10	-	-	-	-	-	-	-	-
J	-	-	-	11.1	13.9	12.1	10.1	11.8	10.4	88	78	80	4.1	4.5	3.8	0	0	0	9	-	-	-	-	-	-	-	-
A	-	-	-	10.5	12.9	10.9	9.2	10.7	9.5	84	75	83	5.5	5.4	4.1	0	0	0	4	-	-	-	-	-	-	-	-
S	-	-	-	11.3	13.5	11.7	9.6	10.9	9.8	79	71	77	5.0	5.5	4.1	1	0	0	10	-	-	-	-	-	-	-	-
O	-	-	-	13.8	16.8	14.1	12.2	13.7	12.3	82	70	80	3.8	3.5	4.0	0	0	0	8	-	-	-	-	-	-	-	-
N	-	-	-	14.6	17.6	15.0	12.9	14.5	13.3	81	70	82	4.3	3.9	4.0	1	0	0	5	-	-	-	-	-	-	-	-
D	-	-	-	15.8	18.6	16.6	14.7	16.3	15.4	89	79	87	5.0	3.8	3.5	1	0	0	15	-	-	-	-	-	-	-	-
A	-	-	-	13.9	16.8	14.5	12.4	14.1	12.9	85	74	83	4.5	4.3	4.0	3	0	0	114	-	-	-	-	-	-	-	-
7/699A	TYGERHOEK - AGR									Ø 34° 9'S			λ 19°54'E			H 168 M						HT 1.2 M					
J	-	-	-	18.5	27.3	-	15.6	18.4	-	72	38	-	4.9	3.1	-	1	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	18.3	27.1	-	16.4	19.2	-	81	43	-	4.8	3.6	-	2	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	16.2	25.5	-	15.0	18.0	-	87	44	-	4.0	3.1	-	2	0	0	1	-	-	-	-	-	-	-	-
A	-	-	-	13.1	21.6	-	12.4	16.2	-	91	54	-	4.6	3.7	-	0	0	0	2	-	-	-	-	-	-	-	-
M	-	-	-	8.4	18.8	-	7.9	13.8	-	93	54	-	3.9	2.7	-	0	0	0	5	-	-	-	-	-	-	-	-
J	-	-	-	6.5	16.9	-	6.2	12.6	-	96	58	-	4.2	3.8	-	0	0	0	11	-	-	-	-	-	-	-	-
J	-	-	-	6.2	15.0	-	5.8	12.1	-	94	69	-	4.3	3.9	-	0	0	0	17	-	-	-	-	-	-	-	-
A	-	-	-	7.7	15.4	-	6.9	11.7	-	89	61	-	4.4	4.6	-	0	0	0	6	-	-	-	-	-	-	-	-
S	-	-	-	8.2	16.3	-	7.5	11.9	-	90	56	-	4.8	4.2	-	0	0	0	3	-	-	-	-	-	-	-	-
O	-	-	-	13.5	22.5	-	11.8	15.0	-	80	40	-	3.8	3.5	-	0	0	0	3	-	-	-	-	-	-	-	-
N	-	-	-	15.7	23.0	-	13.5	15.8	-	77	43	-	4.4	3.8	-	0	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	18.3	25.5	-	15.7	18.2	-	75	46	-	5.0	3.8	-	0	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	12.5	21.2	-	11.2	15.2	-	85	51	-	4.4	3.7	-	5	0	0	48	-	-	-	-	-	-	-	-

TV 4 / 199

TABEL II | TABLE II

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED		DROËBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT			AANTAL DAE MET NUMBER OF DAYS WITH				SONSKYNDUUR / SUNSHINE DURATION		AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE					WAARNEMINGS OBSERVATIONS
		OORDAG BY DAY	OORNAG BY NIGHT													DONDER / THUNDER	HAIL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE AS % OF POSSIBLE	0%	1-10%	11-49%	50-89%	90-100%	
	mm	m/s		0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000												
10/456	RIVERSDALE									Ø 34° 6'S			λ 21°16'E			H 117 M						HT 1.2 M					
J	6.1	-	-	17.9	26.6	21.2	15.9	19.1	17.0	81	47	65	4.7	4.1	5.3	-	0	0	0	7.63	54	0	3	10	14	4	31
F	5.4	3.2	1.5	18.4	26.1	20.9	16.8	19.3	17.7	85	52	72	5.0	3.8	4.0	-	0	0	1	6.99	52	3	2	5	14	4	28
M	4.6	1.9	1.0	16.8	25.0	20.1	15.7	18.8	17.1	88	55	73	4.5	3.9	4.6	-	0	0	0	7.82	64	3	1	3	21	3	31
A	3.4	1.6	0.6	13.0	21.9	16.7	12.3	16.6	14.9	92	58	82	4.3	3.9	3.5	-	0	0	2	6.63	59	1	1	5	21	2	30
M	2.1	1.3	0.7	8.7	20.0	14.8	7.9	14.3	12.7	90	53	79	2.8	3.1	2.4	-	0	0	1	6.75	65	1	2	5	18	5	31
J	1.8	1.3	0.6	7.9	18.2	12.6	7.0	13.1	11.1	89	55	83	3.5	3.8	2.9	-	0	0	0	5.15	52	0	1	11	18	0	30
J	1.6	1.4	0.9	7.9	16.6	11.8	6.9	12.6	10.8	89	62	88	4.1	4.0	3.7	-	0	0	5	5.35	53	1	4	7	19	0	31
A	2.1	-	-	7.8	16.2	11.8	6.9	11.9	10.0	89	58	79	5.2	5.2	4.0	-	0	0	2	5.75	53	1	2	9	17	2	31
S	3.2	1.8	0.8	7.8	17.4	12.5	7.0	12.3	10.5	90	53	77	4.0	4.7	5.1	-	0	0	0	5.99	50	0	2	13	14	1	30
O	5.0	2.4	0.8	12.2	22.2	16.1	11.0	15.2	13.1	87	46	70	4.6	4.1	4.3	-	0	0	1	8.12	63	1	1	7	19	3	31
N	5.3	2.6	1.0	15.3	22.3	17.2	13.4	16.1	13.8	80	51	67	5.5	4.4	4.4	-	0	0	0	7.78	56	1	4	6	16	3	30
D	6.5	2.8	1.0	17.8	25.7	20.3	14.0	17.1	15.0	63	38	50	4.7	4.3	3.6	-	0	0	0	9.11	63	1	1	6	21	2	31
A	3.9	-	-	12.6	21.5	16.3	11.2	15.5	13.6	85	52	74	4.4	4.1	4.0	-	0	0	12	6.92	58	13	24	87	212	29	365
12/251	CAPE ST BLAIZE - VRT									Ø 34°11'S			λ 22° 9'E			H 59 M						HT 1.2 M					
J	-	-	-	19.6	21.6	19.9	17.5	18.7	18.1	81	75	83	4.3	3.3	5.4	1	0	0	1	-	-	-	-	-	-	-	-
F	-	-	-	19.4	21.6	20.0	18.0	19.1	18.5	86	78	86	5.1	3.8	4.4	0	0	0	3	-	-	-	-	-	-	-	-
M	-	-	-	19.0	21.4	19.4	17.5	18.9	17.9	86	78	86	4.7	3.5	3.9	3	0	0	2	-	-	-	-	-	-	-	-
A	-	-	-	16.1	18.6	16.9	14.8	16.6	15.5	87	81	86	4.3	3.7	4.2	1	0	0	4	-	-	-	-	-	-	-	-
M	-	-	-	14.9	17.8	16.2	12.5	15.0	14.5	75	74	82	2.9	3.3	3.0	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	13.3	17.5	14.6	11.2	13.6	12.9	77	67	80	4.3	3.6	3.4	1	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	12.2	15.7	13.5	10.5	13.2	12.3	81	76	87	4.2	3.8	3.8	3	0	0	1	-	-	-	-	-	-	-	-
A	-	-	-	11.4	15.5	13.0	9.9	12.4	11.4	82	70	82	5.2	4.8	4.9	0	0	0	2	-	-	-	-	-	-	-	-
S	-	-	-	12.2	15.4	13.5	10.3	12.4	11.5	77	73	77	3.9	4.5	4.0	1	0	0	2	-	-	-	-	-	-	-	-
O	-	-	-	15.1	17.5	15.7	13.4	15.1	14.2	82	76	84	4.5	3.3	3.8	0	0	0	4	-	-	-	-	-	-	-	-
N	-	-	-	16.5	18.3	16.9	14.9	15.9	15.2	84	74	83	5.2	3.7	4.4	1	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	18.9	21.0	18.9	17.0	18.4	17.4	83	76	85	4.8	3.3	4.0	0	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	15.7	18.5	16.5	14.0	15.8	14.9	82	75	83	4.5	3.7	4.1	11	0	0	19	-	-	-	-	-	-	-	-
17/582	CAPE ST FRANCIS - VRT									Ø 34°12'S			λ 24°50'E			H 7 M						HT 1.2 M					
J	-	-	-	19.7	21.8	20.1	18.5	19.8	18.9	89	82	89	4.5	4.4	5.4	0	0	0	3	-	-	-	-	-	-	-	-
F	-	-	-	19.2	21.3	19.6	18.5	19.7	18.8	93	86	92	4.5	4.1	5.1	0	0	0	5	-	-	-	-	-	-	-	-
M	-	-	-	19.4	21.9	20.2	18.4	20.1	18.8	90	84	88	4.4	3.5	4.9	2	1	0	2	-	-	-	-	-	-	-	-
A	-	-	-	16.0	18.8	16.9	15.0	17.1	16.0	89	83	90	4.0	4.0	2.9	2	0	0	1	-	-	-	-	-	-	-	-
M	-	-	-	15.4	18.9	16.4	13.5	16.3	14.7	81	78	83	3.4	3.6	3.0	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	13.4	17.6	15.0	11.9	14.9	13.5	84	76	85	3.8	3.6	3.3	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	12.2	16.0	14.2	11.0	13.9	12.9	86	80	85	3.5	3.7	4.0	1	0	0	1	-	-	-	-	-	-	-	-
A	-	-	-	12.1	15.2	13.1	10.9	13.5	12.0	86	82	87	5.0	4.2	3.0	0	0	0	0	-	-	-	-	-	-	-	-
S	-	-	-	13.5	16.3	14.7	12.3	14.3	13.3	86	79	85	5.0	4.9	3.8	0	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	15.9	18.1	16.5	15.0	16.5	15.6	90	83	90	4.8	3.8	4.0	0	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	16.8	18.3	16.9	15.4	16.4	15.4	86	81	85	5.2	4.5	4.9	0	0	0	2	-	-	-	-	-	-	-	-
D	-	-	-	18.8	21.2	19.3	17.7	19.0	18.1	87	80	89	5.0	4.4	4.0	0	0	0	1	-	-	-	-	-	-	-	-
A	-	-	-	16.0	18.8	16.9	14.8	16.8	15.7	87	81	87	4.4	4.1	4.0	5	1	0	15	-	-	-	-	-	-	-	-
20/866	CAPE TOWN ROYAL OBSERVATORY									Ø 33°56'S			λ 18°29'E			H 12 M						HT 1.2 M					
J	-	-	-	19.0	24.2	-	16.0	18.3	-	72	53	-	3.5	2.5	-	0	0	0	2	-	-	-	-	-	-	-	-
F	-	-	-	20.4	25.7	-	16.9	19.1	-	69	50	-	2.7	1.6	-	1	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	17.7	24.6	-	15.7	18.4	-	71	52	-	3.7	1.7	-	1	0	0	8	-	-	-	-	-	-	-	-
A	-	-	-	15.0	20.9	-	13.3	15.9	-	81	57	-	4.3	3.7	-	0	0	0	4	-	-	-	-	-	-	-	-
M	-	-	-	12.5	19.8	-	10.9	14.6	-	81	54	-	2.8	2.5	-	0	0	0	6	-	-	-	-	-	-	-	-
J	-	-	-	11.0	16.2	-	9.8	13.0	-	85	67	-	4.3	4.7	-	0	0	0	6	-	-	-	-	-	-	-	-
J	-	-	-	10.1	16.4	-	9.2	13.3	-	88	69	-	3.5	3.9	-	0	0	0	5	-	-	-	-	-	-	-	-
A	-	-	-	10.8	15.5	-	9.5	12.3	-	84	67	-	4.7	4.6	-	0	0	0	7	-	-	-	-	-	-	-	-
S	-	-	-	11.5	16.5	-	9.8	12.5	-	79	60	-	4.5	4.4	-	0	0	0	2	-	-	-	-	-	-	-	-
O	-	-	-	15.9	20.8	-	13.2	15.3	-	72	53	-	3.2	2.8	-	0	0	0	1	-	-	-	-	-	-	-	-
N	-	-	-	18.1	22.4	-	14.4	16.4	-	65	51	-	3.0	2.8	-	0	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	19.4	24.2	-	16.3	18.5	-	71	55	-	3.7	2.1	-	0	0	0	6	-	-	-	-	-	-	-	-
A	-	-	-	15.1	20.6	-	12.9	15.6	-	77	57	-	3.7	3.1	-	2	0	0	47	-	-	-	-	-	-	-	-
21/178	D F MALAN - WK ***									Ø 33°58'S			λ 18°36'E			H 44 M						HT 1.2 M					
J	9.0	-	-	18.4	24.1	19.0	15.7	18.0	16.1	75	53	75	4.1	2.5	2.7	0	0	0	5	9.92	70	0	2	2	20	7	31
F	9.1	-	-	18.9	25.9	19.9	16.3	18.9	16.8	76	50	72	2.7	1.9	2.5	0	0	0	0	10.87	81	0	1	1	25	1	28
M	6.8	-	-	15.9	23.9	18.3	14.7	17.8	16.0	87	52	78	3.3	2.1	2.4	1	0	0	2	9.80	80	0	0	3	15	13	31
A	3.9	-	-	13.4	20.6	15.6	12.4	16.0	14.1	89	59	83	4.1	3.7	3.5	1	0	0	9	7.37	66	1	3	5	10	11	30
M	3.1	-	-	9.3	19.5	13.9	8.6	14.4	12.3	91	56	82	3.1	2.6	2.9	0	0	0	4	7.90	76	2	2	0	12	15	31
J	1.9	-	-	9.3	16.1	11.6	8.3	12.7	10.5	88	67	86	4.3	4.6	3.7	1	0	0	10	5.79	58	1	2	10	7	10	30
J	1.5	-	-	8.1	15.6	11.0	7.4	12.7	10.1	92	69	88	3.7	3.9	3.0	0	0	0	10	6.60	65	1	2	6	8	14	31
A	2.2	-	-	8.7	15.0	11.5	7.8	11.6	10.1	90	66	83	4.7	5.3	3.7	0	0	0	4	5.61	52	4	1	11	8	7	31
S	3.3	-	-	9.6	16.3	12.0	8.5	12.0	10.2	87	58	79	4.2	4.6	3.2	0	0	0	8	7.26	61	0	1	11	12	6	30
O	6.1	-	-	14.5	20.5	15.2	12.5	14.7	13.1	78	52	77	3.5	3.2	3.1	0	0	0	0	9.81	76	0	1	4	13	13	31
N	8.4	-	-	17.3	22.0	16.7	14.0	15.7	14.1	67	48	74	3.3	3.7	2.7	0	0	0	0	11.04	79	0	0	2	13	15	30
D	8.7	-	-	18.9	23.6	18.9	16.2	18.0	16.4	75	56	77	3.7	2.6	2.9	1	0	0	6	10.67	74	1	1	3	14	12	31
A	5.3	-	-	13.5	20.3	15.3	11.9	15.2	13.3	83	57	79	3.7	3.4	3.0	4	0	0	58	8.55	71	10	16	58	157	124	365

TV 4 - 199

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED OORDAG BY DAY	WINDSPOED WIND SPEED OORNAG BY NIGHT	DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT			DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE AS % OF POSSIBLE	GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
	mm	m / s		0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000												
21/591A				ELSENBURG II - AGR						Ø 33°51'S			λ 18°50'E			H 162 M						HT 1.2 M					
J	-	-	-	18.6	26.6	-	15.3	18.5	-	69	42	-	3.1	1.4	-	-	-	-	-	10.15	72	0	1	3	22	5	31
F	-	-	-	19.9	28.9	-	16.5	19.8	-	69	39	-	1.6	0.4	-	-	-	-	-	11.20	84	0	0	1	13	14	28
M	-	-	-	17.0	26.2	-	14.8	18.2	-	78	42	-	2.7	1.0	-	-	-	-	-	9.63	78	0	1	2	19	9	31
A	-	-	-	13.2	21.8	-	11.8	15.7	-	83	50	-	2.3	1.8	-	-	-	-	-	7.58	67	1	2	4	17	6	30
M	-	-	-	10.4	19.9	-	8.9	13.9	-	82	49	-	2.3	1.4	-	-	-	-	-	7.63	74	1	2	2	12	14	31
J	-	-	-	9.9	16.5	-	8.3	12.4	-	79	59	-	3.3	3.2	-	-	-	-	-	5.46	55	1	5	6	9	9	30
J	-	-	-	8.0	15.6	-	7.2	12.4	-	89	67	-	3.1	2.8	-	-	-	-	-	6.29	62	1	5	4	12	9	31
A	-	-	-	9.1	14.5	-	7.9	11.3	-	84	66	-	4.5	3.7	-	-	-	-	-	5.39	50	3	2	10	11	5	31
S	-	-	-	9.5	16.1	-	8.3	11.8	-	84	56	-	4.0	3.0	-	-	-	-	-	6.94	58	0	3	6	19	2	30
O	-	-	-	13.6	21.3	-	11.9	14.6	-	80	43	-	2.1	1.5	-	-	-	-	-	9.10	70	1	0	6	15	9	31
N	-	-	-	17.0	23.9	-	13.7	16.1	-	67	40	-	1.5	0.9	-	-	-	-	-	11.05	80	0	0	1	21	8	30
D	-	-	-	19.2	25.6	-	16.0	18.5	-	70	47	-	2.6	1.4	-	-	-	-	-	10.60	74	0	2	2	17	10	31
A	-	-	-	13.8	21.4	-	11.7	15.3	-	78	50	-	2.8	1.9	-	-	-	-	-	8.42	69	8	23	47	187	100	365
21/793				PAARL - AGR						Ø 33°43'S			λ 18°57'E			H 166 M						HT 1.2 M					
J	-	-	-	20.0	28.4	-	16.3	19.5	-	67	39	-	3.0	2.0	-	1	0	0	1	-	-	-	-	-	-	-	-
F	-	-	-	21.0	30.2	-	17.1	20.4	-	72	36	-	1.6	1.1	-	0	0	0	1	-	-	-	-	-	-	-	-
M	-	-	-	17.7	27.4	-	15.3	18.6	-	76	38	-	2.5	1.8	-	1	0	0	4	-	-	-	-	-	-	-	-
A	-	-	-	13.3	23.2	-	11.9	16.8	-	84	49	-	2.8	2.5	-	0	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	9.1	21.5	-	8.1	14.6	-	87	43	-	2.1	2.2	-	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	7.8	17.5	-	7.1	12.8	-	90	55	-	3.1	3.8	-	2	0	0	2	-	-	-	-	-	-	-	-
J	-	-	-	6.6	16.7	-	6.1	12.6	-	93	59	-	2.9	3.5	-	0	0	0	6	-	-	-	-	-	-	-	-
A	-	-	-	8.2	15.4	-	7.5	11.8	-	90	63	-	4.6	5.0	-	0	0	0	2	-	-	-	-	-	-	-	-
S	-	-	-	9.9	17.7	-	8.3	12.4	-	79	50	-	3.6	3.9	-	0	0	0	2	-	-	-	-	-	-	-	-
O	-	-	-	15.1	23.0	-	12.3	15.4	-	70	40	-	3.0	2.8	-	0	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	18.6	25.1	-	14.4	16.9	-	63	42	-	2.7	2.3	-	0	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	20.5	27.2	-	16.7	19.6	-	66	45	-	2.8	2.5	-	1	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	14.0	22.8	-	11.8	15.9	-	78	47	-	2.9	2.8	-	5	0	0	18	-	-	-	-	-	-	-	-
21/860				BIEN DONNE - AGR						Ø 33°50'S			λ 18°59'E			H 138 M						HT 1.2 M					
J	-	-	-	19.1	27.1	-	15.7	18.7	-	68	40	-	3.1	2.1	-	0	0	0	2	-	-	-	-	-	-	-	-
F	-	-	-	19.8	28.7	-	16.2	19.4	-	67	37	-	1.6	1.3	-	0	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	16.6	26.2	-	14.5	17.9	-	78	39	-	2.4	1.8	-	3	0	0	2	-	-	-	-	-	-	-	-
A	-	-	-	12.3	22.5	-	11.0	16.0	-	84	47	-	2.9	3.0	-	1	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	9.0	20.4	-	7.5	13.8	-	80	43	-	2.6	2.3	-	1	0	0	1	-	-	-	-	-	-	-	-
J	-	-	-	6.6	17.0	-	6.1	12.1	-	93	52	-	3.7	4.2	-	2	0	0	2	-	-	-	-	-	-	-	-
J	-	-	-	5.9	16.5	-	5.4	12.2	-	92	57	-	3.6	3.7	-	0	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	7.6	14.9	-	6.9	11.0	-	90	59	-	5.0	5.4	-	0	0	0	2	-	-	-	-	-	-	-	-
S	-	-	-	8.8	16.9	-	7.3	11.8	-	80	51	-	4.3	4.9	-	0	0	0	3	-	-	-	-	-	-	-	-
O	-	-	-	14.6	22.3	-	11.8	14.7	-	70	39	-	3.1	3.1	-	0	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	17.6	24.2	-	13.7	16.2	-	62	39	-	2.9	2.9	-	0	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	19.6	25.9	-	15.8	18.4	-	65	45	-	3.5	2.8	-	1	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	13.1	21.9	-	11.0	15.2	-	77	46	-	3.2	3.1	-	8	0	0	12	-	-	-	-	-	-	-	-
23/710				ROBERTSON - AGR						Ø 33°50'S			λ 19°54'E			H 156 M						HT 1.2 M					
J	8.4	2.1	0.8	18.8	28.3	22.3	16.0	19.6	17.3	73	41	59	3.2	2.1	3.0	1	0	0	0	9.57	68	0	0	6	25	0	31
F	6.7	1.7	0.7	18.2	28.4	22.3	16.4	20.0	17.9	83	44	64	3.7	2.4	3.4	2	0	0	0	8.35	63	2	1	2	23	0	28
M	5.5	1.6	0.7	15.9	26.7	21.5	14.7	18.6	17.1	88	44	63	2.5	2.5	2.9	1	0	0	0	8.39	68	1	0	7	21	2	31
A	3.5	1.5	0.9	12.3	22.6	18.2	11.4	16.4	14.8	91	51	68	3.3	3.2	3.0	1	0	0	0	6.70	60	0	4	5	21	0	30
M	2.0	-	-	7.5	20.3	14.2	7.0	14.2	11.5	94	50	72	3.2	2.4	1.9	0	0	0	3	6.75	65	1	2	4	24	0	31
J	1.7	-	-	6.5	18.3	12.6	5.8	12.8	10.2	91	51	73	2.7	3.1	2.2	0	0	0	2	6.08	61	0	2	6	20	2	30
J	1.3	-	-	6.2	16.2	11.3	5.8	12.3	9.9	96	63	83	4.0	3.3	2.7	0	0	0	8	5.82	57	2	1	8	19	1	31
A	2.0	-	-	8.3	15.9	12.0	7.4	11.7	9.9	88	58	76	4.5	3.5	3.2	0	0	0	3	5.58	51	0	2	13	16	0	31
S	3.1	-	-	7.7	18.2	13.1	6.9	12.7	10.6	90	51	72	3.9	3.6	2.9	0	0	0	3	6.40	54	0	2	10	18	0	30
O	5.8	1.8	0.9	12.8	23.3	16.7	11.1	15.7	12.9	81	41	62	3.0	2.5	3.0	0	0	0	0	8.98	69	1	0	3	23	4	31
N	6.4	2.0	0.9	15.2	24.2	18.7	13.7	16.8	14.6	78	45	62	3.5	3.2	3.4	0	0	0	0	8.65	62	0	3	4	23	0	30
D	7.7	2.2	0.8	18.5	27.2	21.2	15.8	19.1	16.7	74	44	62	3.5	3.0	3.1	1	0	0	0	9.03	63	0	2	8	21	0	31
A	4.5	-	-	12.3	22.5	17.0	11.0	15.8	13.6	86	49	68	3.4	2.9	2.9	6	0	0	19	7.53	62	7	19	76	254	9	365
28/428				ROODHEUWEL - AGR						Ø 33°38'S			λ 22°15'E			H 301 M						HT 1.2 M					
J	9.6	1.9	0.9	20.2	29.1	22.0	17.7	21.3	18.3	78	49	70	1.9	2.2	2.7	3	0	0	0	11.09	79	1	1	1	16	12	31
F	8.8	1.9	0.9	20.5	29.3	23.5	17.4	20.5	18.3	73	44	61	3.3	3.2	3.6	1	0	0	0	8.81	66	2	1	4	11	10	28
M	6.4	-	-	16.8	27.5	21.7	14.9	19.6	17.6	81	46	65	2.8	2.9	2.8	3	0	0	0	8.60	70	2	0	5	15	9	31
A	4.4	-	-	12.5	22.8	17.3	11.8	17.0	14.8	91	55	76	2.7	3.0	2.9	3	0	0	0	7.96	71	1	1	5	15	8	30
M	2.8	-	-	7.2	19.4	12.6	6.7	13.9	11.0	94	52	83	3.2	2.5	1.6	0	0	0	6	7.57	73	2	1	2	12	14	31
J	2.1	-	-	6.0	17.7	11.6	5.5	13.5	10.1	94	61	84	4.3	3.4	2.5	1	0	0	7	5.99	60	1	2	7	14	6	30
J	1.9	-	-	5.5	15.7	10.6	4.7	11.9	8.9	90	63	80	4.2	3.8	2.6	0	0	0	8	5.85	58	4	2	5	14	6	31
A	2.5	-	-	5.6	15.9	11.3	4.9	11.2	9.2	90	55	75	4.4	3.3	3.3	0	0	1	2	6.67	61	3	2	4	12	10	31
S	4.0	-	-	7.6	18.5	13.4	6.7	12.3	10.2	89	45	66	3.4	3.9	3.3	0	0	0	0	7.96	67	1	1	6	18	4	30
O	6.2	1.9	0.5	12.5	23.6	17.6	10.9	15.8	13.5	80	40	62	3.4	3.6	3.0	0	0	0	0	9.13	71	2	1	3	19	6	31
N	6.8	2.2	0.7	15.8	24.7	18.8	13.8	17.0	14.9	80	44	65	3.8	3.8	3.5	1	0	0	0	9.44	68	0	1	7	14	8	30
D	9.4	2.3	0.9	18.5	28.3	21.5	15.4	18.8	16.6	71	38	59	3.7	3.1	3.3	1	0	0	0	10.38	72	0	0	5	15	11	31
A	5.4	-	-	12.4	22.7	16.8	10.9	16.1	13.6	84	49	71	3.4	3.2	2.9	13	0	1	23	8.29	68	19	13	54	175	104	365

TV 4 / 139

MAAND / MONTH	GEMIDDELDE DAELIKSE WAARDES VAN / AVERAGE DAILY VALUES OF: VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED / WIND SPEED: OORDAG BY DAY	WINDSPOED / WIND SPEED: OORNAG BY NIGHT	DROËBOL-TEMPERATUUR / DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR / WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOGTIGHEID / % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID / CLOUDINESS IN OKTAS/OCTAS OM / AT			AANTAL DAE MET / NUMBER OF DAYS WITH: DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION: GEMIDDELDE DAELIKSE URE (S) / AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE / AS % OF POSSIBLE	AANTAL DAE MET / NUMBERS OF DAYS WITH: GEGEWE % VAN MOONTLIKE / GIVEN % OF POSSIBLE: 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS / OBSERVATIONS
	mm	m/s		0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000													
	34/767			UITENHAGE - PUR						Ø 33°47'S			λ 25°26'E						H 32 M			HT 1.2 M						
J	-	-	-	20.4	24.3	-	18.5	21.3	-	83	75	-	4.7	4.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	19.0	24.0	-	17.6	21.4	-	87	78	-	4.2	4.6	-	-	0	0	0	-	-	-	-	-	-	-	-	-
M	-	-	-	17.0	24.9	-	15.9	20.1	-	89	62	-	3.8	4.2	-	-	0	0	2	-	-	-	-	-	-	-	-	-
A	-	-	-	12.5	21.6	-	11.1	17.0	-	83	61	-	2.1	3.5	-	-	0	0	0	-	-	-	-	-	-	-	-	-
M	-	-	-	11.3	22.6	-	10.1	16.3	-	85	49	-	2.3	2.5	-	-	0	0	4	-	-	-	-	-	-	-	-	-
J	-	-	-	8.4	21.0	-	7.7	16.1	-	90	58	-	2.1	2.8	-	-	0	0	2	-	-	-	-	-	-	-	-	-
J	-	-	-	8.6	19.6	-	7.9	15.3	-	90	61	-	2.9	3.7	-	-	0	0	3	-	-	-	-	-	-	-	-	-
A	-	-	-	9.0	18.7	-	8.2	14.7	-	89	62	-	2.8	3.1	-	-	0	0	0	-	-	-	-	-	-	-	-	-
S	-	-	-	11.1	19.4	-	9.8	15.4	-	84	63	-	2.3	4.3	-	-	0	0	0	-	-	-	-	-	-	-	-	-
O	-	-	-	15.5	22.2	-	13.6	19.6	-	80	77	-	4.5	4.4	-	-	0	0	0	-	-	-	-	-	-	-	-	-
N	-	-	-	18.1	22.5	-	15.8	-	-	78	-	-	4.2	5.1	-	-	0	0	0	-	-	-	-	-	-	-	-	-
D	-	-	-	20.1	24.5	-	16.7	18.7	-	69	54	-	4.4	3.1	-	-	0	0	0	-	-	-	-	-	-	-	-	-
A	-	-	-	14.3	22.1	-	12.7	-	-	84	-	-	3.4	3.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35/179			PORT ELIZABETH - WK						Ø 33°59'S			λ 25°36'E						H 60 M			HT 1.2 M						
J	7.6	-	-	20.7	23.7	20.7	18.2	19.5	18.5	78	66	80	4.4	3.7	5.0	2	0	0	1	7.83	55	1	2	9	16	3	31
F	5.7	-	-	20.6	24.0	20.4	18.8	20.5	19.0	83	71	86	4.3	3.6	4.8	3	0	0	4	7.13	53	2	1	11	10	4	28
M	5.3	-	-	19.8	23.9	20.4	17.9	20.0	18.5	82	69	83	3.9	3.8	4.3	3	0	0	2	7.18	58	1	4	5	21	0	31
A	3.7	-	-	15.6	20.8	16.9	14.3	11.1	15.8	87	68	88	3.1	3.8	2.3	2	0	0	1	7.67	68	3	0	2	11	14	30
M	2.3	-	-	13.1	20.3	15.4	11.8	15.6	13.7	85	61	83	2.7	3.1	2.5	1	0	0	0	7.15	69	1	1	5	12	12	31
J	2.0	-	-	11.4	16.7	13.8	10.0	14.6	12.5	84	64	85	3.1	3.2	3.6	0	0	0	0	6.33	64	3	1	5	12	9	30
J	1.8	-	-	10.7	17.8	13.1	9.7	13.8	11.7	88	64	84	3.4	3.5	4.1	1	0	0	5	6.26	62	3	1	5	14	8	31
A	2.6	-	-	10.6	16.4	12.7	9.4	12.9	11.3	84	64	83	4.5	3.2	3.4	1	0	0	1	7.49	69	2	0	4	19	6	31
S	4.0	-	-	13.0	17.2	13.9	11.1	13.4	12.3	77	66	83	4.1	4.3	4.6	0	0	0	0	7.02	59	1	2	6	21	0	30
O	5.1	-	-	16.2	19.5	16.2	14.3	16.1	14.7	80	69	84	5.0	4.2	3.7	1	0	0	1	7.30	56	2	1	8	15	5	31
N	6.2	-	-	17.5	19.9	16.6	15.4	16.4	14.9	79	69	83	4.7	4.4	4.7	1	0	0	3	8.00	58	1	1	8	18	2	30
D	6.8	-	-	19.7	22.6	19.2	17.5	18.2	17.8	80	64	86	5.0	4.0	4.5	0	0	0	1	8.55	59	2	2	5	19	3	31
A	4.4	-	-	15.7	20.4	16.6	14.0	16.0	15.1	82	66	84	4.0	3.7	4.0	15	0	0	19	7.33	61	22	16	73	188	66	365
	35/334			ADDO - AGR						Ø 33°34'S			λ 25°42'E						H 85 M			HT 1.2 M						
J	7.2	-	-	21.2	27.4	-	18.3	20.4	-	74	50	-	5.0	4.3	-	4	0	0	0	7.57	54	1	4	5	18	3	31
F	6.0	-	-	20.5	27.1	-	18.5	21.2	-	82	56	-	4.2	4.4	-	1	0	0	0	6.35	48	3	2	10	12	1	28
M	5.1	-	-	19.4	27.3	-	17.5	20.8	-	82	53	-	3.9	4.3	-	2	0	0	0	6.51	53	2	2	9	18	0	31
A	3.1	-	-	14.3	23.6	-	13.1	17.7	-	87	55	-	3.8	4.2	-	2	0	0	0	7.07	63	3	2	3	12	10	30
M	2.3	-	-	11.5	22.1	-	10.3	15.9	-	85	49	-	3.1	3.4	-	0	0	0	1	7.03	68	2	1	3	17	8	31
J	1.8	-	-	8.7	21.0	-	7.6	14.6	-	85	46	-	3.4	3.4	-	1	0	0	1	6.10	61	2	2	5	20	1	30
J	1.6	-	-	8.5	19.5	-	7.8	14.4	-	90	54	-	4.8	4.5	-	1	0	0	8	5.25	52	5	2	5	17	2	31
A	2.4	-	-	6.8	19.0	-	7.9	13.4	-	88	49	-	4.7	3.9	-	0	0	0	0	7.20	66	1	1	7	15	7	31
S	3.9	-	-	11.5	20.2	-	9.8	13.9	-	81	46	-	4.5	4.8	-	0	0	0	3	6.88	58	2	1	5	22	0	30
O	4.8	-	-	16.0	22.8	-	13.8	17.0	-	78	53	-	5.3	5.0	-	1	0	0	2	6.77	52	1	5	6	19	0	31
N	5.9	-	-	18.1	23.3	-	15.2	17.0	-	73	51	-	5.0	4.9	-	3	0	0	1	7.22	52	1	0	12	16	1	30
D	7.0	-	-	20.4	26.1	-	17.3	19.1	-	72	49	-	5.4	4.7	-	3	1	0	0	7.47	52	1	5	6	19	0	31
A	4.3	-	-	14.9	23.3	-	13.1	17.1	-	81	51	-	4.4	4.3	-	18	1	0	16	6.79	56	24	27	76	205	33	365
	37/541			BATHURST - AGR						Ø 33°31'S			λ 26°49'E						H 259 M			HT 1.2 M						
J	-	-	-	20.3	-	-	18.3	-	-	82	-	-	5.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	20.3	-	-	18.6	-	-	84	-	-	4.7	-	-	-	-	-	-	6.22	47	6	1	8	11	2	28
M	-	-	-	19.4	-	-	17.7	-	-	84	-	-	4.0	-	-	-	-	-	-	6.81	55	3	2	6	19	1	31
A	-	-	-	15.8(21.8)		-	14.0(17.6)		-	81(64)		-	3.6(3.3)		-	-	-	-	-	6.47	57	3	1	6	18	2	30
M	-	-	-	15.1	19.8	-	12.4	15.4	-	71	61	-	2.8	3.5	-	-	-	-	-	6.38	61	6	1	1	19	4	31
J	-	-	-	13.0	19.9	-	11.4	16.7	-	81	71	-	3.0	3.4	-	-	-	-	-	6.86	69	1	3	2	20	4	30
J	-	-	-	12.4	18.8	-	9.9	13.6	-	71	53	-	3.3	4.0	-	-	-	-	-	5.90	58	3	1	5	21	1	31
A	-	-	-	11.7	17.8	-	9.5	14.6	-	73	69	-	3.4	3.5	-	-	-	-	-	7.34	67	2	1	3	18	7	31
S	-	-	-	13.2	17.9	-	11.5	14.7	-	80	69	-	3.9	4.5	-	-	-	-	-	6.91	58	2	1	7	20	0	30
O	-	-	-	16.4	19.9	-	14.7	17.6	-	82	79	-	4.8	5.0	-	-	-	-	-	7.02	54	2	3	6	19	1	31
N	-	-	-	17.6	19.9	-	16.7	-	-	-	-	-	4.8	5.0	-	-	-	-	-	7.53	54	1	3	7	18	1	30
D	-	-	-	19.6	22.4	-	17.3	18.9	-	78	70	-	5.0	4.8	-	-	-	-	-	7.27	51	4	1	11	14	1	31
A	-	-	-	16.2	-	-	14.3	-	-	-	-	-	4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	42/198			TULBAGH						Ø 33°18'S			λ 19° 7'E						H 150 M			HT 1.2 M						
J	-	-	-	20.1	29.2	-	16.2	18.9	-	65	32	-	2.1	0.9	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	17.6	26.3	-	15.5	19.6	-	79	-	-	1.9	1.6	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	(14.7	22.6)	-	(12.9	15.9)	-	(80	45)	-	(3.6	2.7)	-	0	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	(10.9)	-	-	(9.6)	-	-	(84)	-	-	(1.8)	-	-	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	(7.8	17.9)	-	(6.7	13.5)	-	(85	58)	-	(2.1	3.0)	-	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	8.4(16.8)		-	7.3(12.8)		-	85(61)		-	2.6(2.3)		-	0	0	0	2	-	-	-	-	-	-	-	-
A	-	-	-	9.3(15.5)		-	8.0(11.8)		-	83(61)		-	4.4(4.9)		-	0	1	0	1	-	-	-	-	-	-	-	-
S	-	-	-	9.5	17.1	-	8.1	12.4	-	81	54	-	3.8	4.1	-	0	0	0	2	-	-	-	-	-	-	-	-
O	-	-	-	(14.7	23.1)	-	(12.1	14.8)	-	(72	35)	-	(3.0	3.1)	-	-	-	-	-	-	-	-	-	-	-	-	-
N	-	-	-	(17.9	26.7)	-	(14.7	16.8)	-	(69	30)	-	(2.9	3.1)	-	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABEL II | TABLE II

MAAND / MONTH	VERDAMPING (A.PAN) EVAPORATION (A.PAN) mm	WINDSPOED WIND SPEED OORDAG BY DAY m/s	WINDSPOED WIND SPEED OORNAG BY NIGHT m/s	DROËBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT 0800	1400	2000	% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM / AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT 0800	1400	2000	AANTAL DAE MET NUMBER OF DAYS WITH DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION GEMIDDELDE DAELIKSE URE AVERAGE DAILY HOURS	% VAN MOONTLIKE AS % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
43/566	MATROOSBERG									Ø 33°26'S			λ 19°49'E			H 967 M				HT 1.2 M							
J	11.1	3.4	1.8	16.9	26.5	20.4	13.0	16.5	14.7	64	34	53	2.0	1.7	1.6	1	0	0	0	11.97	85	0	0	0	17	14	31
F	9.6	3.4	1.7	16.7	26.8	20.4	13.7	16.5	15.0	73	34	57	3.3	2.4	2.6	0	0	0	0	9.30	70	0	1	4	18	5	28
M	7.5	3.0	1.6	14.3	24.2	18.9	12.1	15.4	13.8	78	39	56	2.7	2.1	1.8	0	0	0	0	9.27	75	1	0	5	19	6	31
A	4.6	2.6	1.2	10.9	20.2	14.3	9.1	13.1	10.8	81	43	65	3.6	2.9	2.3	1	0	0	7	7.97	71	1	0	5	13	11	30
M	3.9	2.8	1.2	7.5	17.0	11.3	5.7	10.7	7.8	77	45	62	2.7	2.3	1.5	0	0	0	0	7.85	75	0	1	4	14	12	31
J	2.9	3.0	1.6	6.3	14.5	9.0	4.4	9.1	6.3	76	49	68	2.8	2.6	2.0	0	0	0	0	7.11	71	1	0	6	15	8	30
J	2.0	2.4	1.6	4.8	12.6	7.9	3.7	8.6	6.0	85	59	77	3.4	3.1	2.7	0	0	0	0	6.74	66	2	0	6	12	11	31
A	2.7	2.9	1.7	5.0	12.3	7.5	3.7	7.6	5.4	81	52	73	4.0	3.6	2.9	0	0	1	3	6.96	64	0	0	11	11	9	31
S	4.3	2.6	1.1	6.9	15.9	9.5	4.8	9.0	6.2	72	39	61	3.2	3.5	2.1	0	0	0	1	8.26	69	0	0	8	14	8	30
O	7.0	3.0	1.4	11.1	20.3	13.8	8.3	12.2	9.8	68	36	59	2.6	2.4	2.0	0	0	0	2	10.20	79	0	1	2	20	8	31
N	8.8	3.4	1.7	13.9	22.1	16.0	10.1	13.3	11.4	62	35	58	3.7	3.0	2.8	0	0	0	0	10.56	76	0	0	2	21	7	30
D	10.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	0	0	11.44	80	0	0	3	17	11	31
A	6.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	13	8.97	74	5	3	56	191	110	365
50/887	WILLOWMORE - POW***									Ø 33°17'S			λ 23°30'E			H 840 M				HT 1.2 M							
J	8.3	1.6	0.8	18.6	28.2	21.6	14.7	17.9	15.8	65	34	54	2.9	2.2	2.6	2	0	0	0	9.76	69	0	0	5	26	0	31
F	7.1	1.6	0.8	18.1	26.9	21.5	15.2	18.4	16.3	74	44	60	3.8	3.3	2.9	3	0	0	0	7.98	60	0	2	5	20	1	28
M	6.1	1.2	0.7	15.9	25.5	19.9	13.7	17.4	15.8	80	45	66	3.9	2.5	2.0	7	0	0	3	8.00	65	1	1	3	26	0	31
A	3.7	3.2	1.8	11.7	21.0	15.5	10.6	14.8	12.5	87	51	71	2.9	2.8	2.1	3	0	0	3	7.57	67	2	0	3	24	1	30
M	2.7	-	-	7.6	18.1	11.8	6.3	12.0	8.7	85	48	67	2.7	2.7	(1.5)	0	0	0	4	6.33	61	3	0	9	19	0	31
J	2.2	-	-	5.6	16.6	-	4.6	10.8	-	87	49	-	2.7	3.0	-	4	0	0	1	5.94	59	0	2	5	23	0	30
J	2.2	-	-	5.9	14.5	9.9	5.3	10.1	7.7	89	58	73	3.9	3.4	(2.9)	2	0	0	5	5.69	56	3	3	6	15	4	31
A	3.7	-	-	5.4	13.7	9.5	4.5	8.9	7.1	88	53	71	3.5	3.0	2.1	0	0	3	0	8.05	74	1	1	3	12	14	31
S	5.2	2.9	1.8	7.5	16.9	11.8	6.2	10.3	8.6	83	41	64	2.0	3.0	2.1	0	0	0	2	8.68	73	0	0	3	20	7	30
O	7.4	3.4	1.9	11.9	21.2	16.0	9.7	13.4	11.6	75	39	59	3.8	3.2	2.2	0	0	0	0	9.22	71	1	0	2	24	4	31
N	9.2	3.7	2.2	14.3	22.8	17.0	11.4	14.3	12.4	70	38	59	3.2	3.1	2.4	0	0	0	0	9.81	71	0	0	6	18	6	30
D	10.8	3.4	2.4	16.9	25.8	20.8	13.8	16.4	15.5	70	36	57	3.0	2.8	3.0	3	1	0	0	9.61	67	0	0	4	26	1	31
A	5.7	-	-	11.6	20.9	-	9.7	13.7	-	79	45	-	3.3	2.9	-	24	1	3	18	8.05	66	11	9	54	253	38	365
54/805	HILLSIDE									Ø 33°25'S			λ 25°27'E			H 101 M				HT 1.2 M							
J	-	-	-	21.2	27.1	-	18.4	19.7	-	75	47	-	4.5	3.6	-	3	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	20.5	28.7	-	18.5	-	-	82	-	-	4.5	-	-	3	0	0	1	-	-	-	-	-	-	-	-
M	-	-	-	19.5	28.8	-	17.7	21.0	-	83	47	-	3.5	3.3	-	1	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	13.9	24.6	-	12.9	18.3	-	89	51	-	3.1	3.3	-	0	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	11.5	22.1	-	10.6	16.6	-	89	54	-	2.4	3.5	-	0	0	0	1	-	-	-	-	-	-	-	-
J	-	-	-	8.0	21.2	-	6.9	14.3	-	85	42	-	3.2	3.1	-	0	0	0	2	-	-	-	-	-	-	-	-
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59/511	EAST LONDON - AGR									Ø 33° 1'S			λ 27°48'E			H 185 M				HT 1.2 M							
J	-	-	-	21.0	23.3	-	19.3	20.3	-	85	75	-	4.8	4.4	-	8	0	0	3	7.14	51	2	2	9	17	1	31
F	-	-	-	20.8	23.9	-	18.7	20.3	-	81	70	-	4.0	4.2	-	4	0	0	1	7.41	56	3	2	8	9	6	28
M	-	-	-	20.6	23.8	-	18.2	20.3	-	78	71	-	4.2	4.6	-	3	0	0	0	6.58	53	1	1	8	21	0	31
A	-	-	-	17.0	20.9	-	14.8	17.3	-	78	68	-	4.0	3.8	-	2	0	0	1	7.39	66	1	1	5	17	6	30
M	-	-	-	15.3	21.1	-	12.2	15.4	-	68	52	-	3.3	3.5	-	1	0	0	0	7.30	70	1	2	5	11	12	31
J	-	-	-	13.1	19.8	-	10.2	14.1	-	67	50	-	2.3	2.7	-	1	0	0	0	7.62	76	1	0	4	12	13	30
J	-	-	-	13.4	18.1	-	10.5	13.9	-	68	60	-	3.5	2.9	-	-	-	-	-	6.45	63	1	4	4	15	7	31
A	-	-	-	12.6	18.2	-	9.9	13.2	-	69	53	-	3.8	3.1	-	2	0	0	2	7.51	69	1	1	4	18	7	31
S	-	-	-	14.1	17.8	-	11.8	14.5	-	75	68	-	4.2	4.1	-	1	0	0	0	6.51	55	1	2	7	20	0	30
O	-	-	-	16.7	19.9	-	14.5	16.5	-	77	69	-	4.8	5.0	-	2	0	0	0	6.88	53	1	3	10	14	3	31
N	-	-	-	18.1	19.7	-	15.7	16.6	-	77	71	-	5.5	5.0	-	3	0	0	3	6.83	49	2	2	10	15	1	30
D	-	-	-	20.2	22.2	-	17.6	18.6	-	76	69	-	4.9	4.5	-	5	0	0	0	7.64	53	3	2	9	13	4	31
A	-	-	-	16.9	20.7	-	14.5	16.7	-	75	65	-	4.1	4.0	-	-	-	-	-	7.11	59	18	22	83	182	60	365
59/572	EAST LONDON - WK									Ø 33° 2'S			λ 27°50'E			H 127 M				HT 1.2 M							
J	6.6	-	-	20.9	23.3	20.5	18.9	20.1	18.9	81	74	85	4.7	4.5	5.3	7	0	0	2	7.08	50	4	2	8	15	2	31
F	6.4	-	-	20.6	23.6	20.5	18.7	20.4	19.1	83	74	87	4.4	4.7	4.1	4	0	0	4	7.39	56	4	2	6	8	8	28
M	6.0	-	-	20.6	23.8	20.8	18.4	20.6	19.5	80	74	88	4.9	4.7	5.1	3	0	0	0	6.98	57	1	2	9	14	5	31
A	4.5	-	-	16.9	21.1	17.4	15.0	17.9	16.0	81	72	86	4.4	4.0	3.9	4	0	0	1	7.32	65	1	1	5	15	8	30
M	4.2	-	-	15.1	20.7	15.2	12.2	15.9	13.3	72	60	80	3.5	3.3	3.0	1	0	0	0	7.28	70	2	2	4	11	12	31
J	3.7	-	-	12.2	19.6	14.4	10.0	14.5	12.0	74	57	76	2.7	2.8	2.4	1	0	0	0	7.84	78	1	0	4	8	17	30
J	3.7	-	-	12.5	18.1	14.0	10.2	14.0	12.1	75	63	80	3.4	3.2	2.9	0	0	0	0	6.86	67	2	2	5	11	11	31
A	4.3	-	-	12.2	18.0	13.1	9.8	13.5	11.2	74	59	79	4.7	3.7	2.8	0	0	0	0	7.82	72	2	0	2	15	12	31
S	4.5	-	-	14.2	17.7	14.4	12.0	14.5	13.0	76	69	84	4.9	4.9	4.0	0	0	0	0	6.31	53	2	1	11	16	0	30
O	5.7	-	-	16.6	19.8	16.6	14.6	16.4	15.1	78	70	83	5.0	5.2	5.0	0	0	0	1	6.98	54	1	3	9	13	5	31
N	5.9	-	-	18.1	19.6	17.0	15.9	16.8	15.6	78	74	86	5.8	5.4	5.9	3	0	0	0	7.04	51	3	2	8	14	3	30
D	7.5	-	-	20.2	22.0	19.5	17.8	18.8	18.1	79	72	86	5.1	4.8	5.7	4	0	0	2	7.80	55	3	2	9	13	4	31
A	5.3	-	-	16.7	20.6	16.9	14.5	16.9	15.3	78	68	83	4.5	4.3	4.2	27	0	0	10	7.23	60	26	19	80	153	87	365

*** Stasie verskuif; kyk na bl. XXI / Station shifted; see p. XXI

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED OORDAG BY DAY	WINDSPOED WIND SPEED OORNAG BY NIGHT	DROËBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT 0800	1400	2000	% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM / AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT 0800	1400	2000	AANTAL DAE MET NUMBER OF DAYS WITH DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE AS % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
	mm	m/s																									
60/620				CAPE COLUMBINE - VRT						Ø 32°50'S			λ 17°51'E						H 60 M			HT 1.2 M				
J	-	-	-	15.2	18.6	15.4	13.9	15.5	14.2	86	72	86	4.6	2.6	2.9	0	0	0	16	-	-	-	-	-	-	-	-
F	-	-	-	16.2	18.8	16.2	14.4	15.4	14.3	84	69	82	2.6	1.4	1.9	0	0	0	8	-	-	-	-	-	-	-	-
M	-	-	-	15.4	18.8	15.8	14.3	15.7	14.2	89	72	85	3.7	2.7	2.5	0	0	0	11	-	-	-	-	-	-	-	-
A	-	-	-	12.5	15.6	13.0	11.8	13.6	12.1	92	79	90	4.7	4.0	3.3	1	0	0	19	-	-	-	-	-	-	-	-
M	-	-	-	12.3	16.4	13.8	10.7	13.1	11.8	82	68	78	2.7	2.3	2.1	0	0	0	4	-	-	-	-	-	-	-	-
J	-	-	-	10.9	14.3	12.0	9.6	12.2	10.6	83	78	84	4.8	4.7	3.3	0	0	0	9	-	-	-	-	-	-	-	-
J	-	-	-	10.2	14.3	11.7	9.4	12.3	10.6	90	78	87	4.4	3.5	3.2	0	0	0	11	-	-	-	-	-	-	-	-
A	-	-	-	10.4	14.0	11.3	9.3	11.8	10.3	86	76	87	4.8	4.4	3.7	0	0	0	4	-	-	-	-	-	-	-	-
S	-	-	-	11.0	14.6	12.1	9.6	11.8	10.1	83	71	77	4.9	4.6	3.0	0	0	0	5	-	-	-	-	-	-	-	-
O	-	-	-	13.3	16.6	13.2	11.9	13.5	11.8	84	69	85	3.8	3.0	3.1	0	0	0	6	-	-	-	-	-	-	-	-
N	-	-	-	14.5	17.5	13.9	12.7	14.4	12.5	82	69	84	4.1	2.6	2.5	0	0	0	8	-	-	-	-	-	-	-	-
D	-	-	-	15.4	18.4	15.3	14.4	15.9	14.3	90	76	90	4.4	2.7	2.5	0	0	0	18	-	-	-	-	-	-	-	-
A	-	-	-	13.1	16.5	13.6	11.8	13.8	12.2	86	73	85	4.1	3.2	2.8	1	0	0	119	-	-	-	-	-	-	-	-
74/296				JANSENVILLE						Ø 32°56'S			λ 24°40'E						H 410 M			HT 1.2 M				
J	8.8	2.3	1.4	20.1	29.8	24.0	17.2	19.8	18.0	74	36	54	1.3	2.4	3.6	5	0	0	0	9.15	65	0	1	8	17	5	31
F	6.5	2.1	1.3	19.9	28.9	23.9	17.6	20.0	18.4	79	42	59	4.1	3.5	4.1	5	0	0	0	7.62	57	2	0	9	15	2	28
M	6.2	1.9	1.1	18.0	28.0	23.2	15.9	19.3	17.7	80	42	58	4.3	2.8	3.4	4	0	0	0	7.79	63	1	1	4	24	1	31
A	3.5	-	-	13.1	23.7	18.8	11.8	16.9	15.1	87	50	67	4.2	3.4	2.5	3	0	0	0	6.79	60	1	4	2	22	1	30
M	2.7	-	-	8.8	20.8	15.3	7.7	13.8	11.7	88	44	64	3.1	3.1	2.8	0	0	0	0	6.83	65	1	2	6	18	4	31
J	2.3	-	-	6.8	19.2	13.4	5.5	12.4	9.6	82	43	60	3.2	3.5	2.2	2	1	0	2	6.29	63	2	1	4	23	0	30
J	2.4	1.4	0.7	7.7	17.4	13.2	6.7	12.1	10.2	87	52	69	4.3	3.5	2.9	0	0	0	0	6.28	61	4	1	1	21	2	29
A	3.1	1.7	0.9	7.3	17.4	12.8	6.2	11.7	9.7	85	48	66	4.3	3.0	1.9	1	0	0	3	7.36	67	2	1	3	20	5	31
S	4.2	1.7	0.6	9.3	20.3	15.4	8.2	13.3	11.3	85	42	58	4.5	3.4	2.5	0	0	0	0	8.15	68	0	0	5	24	1	30
O	5.6	2.0	0.9	14.2	23.8	18.9	12.1	15.8	14.3	83	40	59	5.1	4.2	2.8	1	0	0	0	8.20	63	1	2	3	21	4	31
N	7.3	2.3	1.3	16.8	25.8	19.5	13.8	16.6	14.4	70	36	55	3.5	4.3	3.8	3	1	0	0	8.99	65	0	1	6	17	6	30
D	8.0	2.3	1.3	19.0	28.3	23.2	15.9	18.8	17.0	71	37	52	4.1	3.3	2.8	8	0	0	0	9.54	67	1	1	4	19	6	31
A	5.1	-	-	13.4	23.6	18.5	11.5	15.9	13.9	81	43	60	3.8	3.4	2.9	32	2	0	5	7.75	64	15	15	55	241	37	363
76/134				SOMERSET EAST - POW						Ø 32°44'S			λ 25°35'E						H 739 M			HT 1.2 M				
J	6.5	1.8	0.8	18.2	26.6	19.9	15.8	18.4	16.4	78	46	71	3.5	2.9	5.1	6	0	0	8	8.62	61	3	0	8	14	6	31
F	5.0	1.6	0.6	17.5	25.2	20.1	15.7	18.4	17.0	84	54	74	4.9	4.1	5.0	5	0	0	3	7.06	53	4	2	5	15	2	28
M	4.7	-	-	16.9	26.2	19.5	14.8	17.8	15.9	82	45	70	4.1	3.1	4.8	5	0	0	8	7.63	62	2	0	6	18	5	31
A	3.2	-	-	12.8	21.4	15.0	10.9	15.3	12.6	82	53	77	4.4	3.5	3.4	4	1	0	8	6.83	61	1	2	5	19	3	30
M	2.6	-	-	10.0	19.3	12.5	7.7	12.5	9.5	76	46	70	2.6	2.8	2.6	0	0	0	6	7.02	67	2	3	1	16	9	31
J	3.5	-	-	9.4	19.1	12.5	6.1	10.8	8.0	65	33	54	2.7	2.8	2.4	0	0	0	2	6.61	66	2	1	5	21	1	30
J	3.1	-	-	9.4	18.0	12.0	6.5	10.8	8.4	70	41	63	3.7	2.6	3.0	0	0	1	9	6.50	63	3	2	2	19	5	31
A	3.4	-	-	6.8	17.0	10.4	4.8	10.2	7.3	75	42	66	3.5	2.7	2.7	0	0	1	3	7.66	70	1	1	4	14	11	31
S	3.8	-	-	8.3	19.1	11.7	7.1	11.2	8.9	85	36	69	4.4	2.8	4.0	1	0	0	11	7.61	64	1	2	4	20	3	30
O	4.5	-	-	12.6	21.6	15.1	10.9	14.6	12.3	81	46	72	4.5	3.4	4.2	3	0	0	10	8.15	63	0	2	7	18	4	31
N	5.3	-	-	14.5	23.0	15.9	12.1	14.9	12.9	75	43	72	3.6	4.0	4.8	3	0	0	5	7.70	56	2	2	7	13	6	30
D	6.4	-	-	17.1	25.8	18.8	14.5	17.0	15.2	75	42	68	4.2	3.9	4.2	7	3	0	9	8.18	57	1	3	6	17	4	31
A	4.3	-	-	12.8	21.9	15.3	10.6	14.3	12.0	77	44	69	3.8	3.2	3.9	34	4	2	82	7.46	62	22	20	60	204	59	365
79/712				KING WILLIAMS TOWN - MUN						Ø 32°52'S			λ 27°24'E						H 400 M			HT 1.2 M				
J	-	-	-	19.7	24.7	-	18.2	(19.7)	-	86	(60)	-	5.2	5.0	-	6	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	19.4	25.0	-	17.8	20.6	-	85	65	-	3.8	4.4	-	4	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	19.1	25.7	-	16.9	20.0	-	79	56	-	3.9	4.0	-	5	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	14.7	22.6	-	13.0	16.9	-	81	54	-	4.0	3.2	-	3	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	11.7	20.4	-	9.8	14.2	-	77	47	-	3.1	3.7	-	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	9.7	20.3	-	7.5	13.3	-	71	41	-	2.3	2.8	-	1	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	10.4	19.4	-	8.2	12.9	-	72	42	-	3.2	3.0	-	2	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	9.4	18.6	-	7.5	12.1	-	75	41	-	4.3	3.1	-	1	0	0	2	-	-	-	-	-	-	-	-
S	-	-	-	12.0	19.0	-	10.1	13.4	-	77	49	-	4.4	4.3	-	0	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	15.3	21.2	-	13.0	15.8	-	76	53	-	4.2	4.6	-	4	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	17.2	20.7	-	14.6	16.2	-	74	60	-	4.4	4.9	-	4	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	19.2	24.2	-	16.1	18.6	-	71	55	-	4.3	4.7	-	5	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	14.8	21.8	-	12.7	(16.1)	-	77	(52)	-	3.9	4.0	-	35	0	0	2	-	-	-	-	-	-	-	-
79/811				DOHNE - AGR						Ø 32°31'S			λ 27°28'E						H 899 M			HT 1.2 M				
J	5.1	2.6	1.8	17.7	22.0	16.6	15.6	18.4	15.8	82	72	93	5.2	4.9	6.5	10	1	0	2	6.05	43	5	3	7	16	0	31
F	5.1	2.3	1.7	17.9	22.7	17.4	15.7	18.3	16.6	81	67	93	4.1	4.7	5.4	3	0	0	1	6.68	50	3	2	9	12	2	28
M	4.8	2.9	2.0	16.8	22.8	16.9	14.9	17.5	16.2	82	60	93	4.6	4.7	6.0	5	0	0	4	6.43	52	4	1	8	16	2	31
A	3.7	2.6	2.1	14.6	19.8	13.6	11.8	14.6	12.6	74	58	90	3.7	3.7	5.1	2	0	0	3	7.20	64	2	1	3	21	3	30
M	3.6	3.5	3.1	12.0	17.6	11.5	8.8	11.6	9.2	67	50	75	3.6	3.6	2.5	0	0	0	3	6.41	61	4	1	3	21	2	31
J	4.2	3.5	2.6	11.2	17.5	11.6	7.0	10.1	7.9	55	37	61	2.6	2.9	3.0	0	0	0	1	7.41	74	1	0	3	25	1	30
J	4.6	4.2	3.4	10.3	17.2	11.3	6.9	10.0	7.9	64	41	65	3.4	3.3	2.3	0	0	0	0	6.45	63	3	1	4	23	0	31
A	4.4	3.8	2.3	9.3	16.3	9.3	6.1	9.4	7.2	64	39	76	3.7	3.4	2.4	0	0	0	3	7.72	71	2	0	2	17	10	31
S	4.4	3.1	2.1	10.5	16.4	10.0	8.2	10.9	9.0	75	49	88	4.5	4.0	5.0	0	0	0	2	6.53	55	3	1	5	21	0	30
O	4.8	3.0	1.9	13.9	18.5	12.6	11.2	13.3	11.4	73	57	84	4.4	5.2	5.4	1	0	0	5	6.83	53	2	4	8	12	5	31
N	5.2	3.0	1.8	15.4	18.7	12.9	12.2	14.4	11.9	74	66	89	5.0	5.1	5.8	5	0	0	2	6.89	50	3	3	8	16	0	30
D	5.8	2.8	1.5	16.7	20.9	15.7	13.9	16.2	14.6	74	64	89	4.2	5.0	6.3	1	0	0	1	7.30	51	5	2	6	15	3	31
A	4.6	3.1	2.2	13.9	19.2	13.3	11.0	13.7	11.7	72	55	83	4.1	4.2	4.6	27	1	0	27	6.83	56	37	19	66	215	28	365

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN) mm	WINDSPOED WIND SPEED m/s DOORDAG BY DAY	WINDSPOED WIND SPEED m/s OORNAG BY NIGHT	DROËBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM/AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM/AT 0800	1400	2000	AANTAL DAE MET NUMBER OF DAYS WITH DONDER/THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION GEMIDDELDE DAELIKSE URE (%) AVERAGE DAILY HOURS (%)	% VAN MOONTLIKE % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
88/293	SUTHERLAND									ø 32°23'S			λ 20°40'E			H 1459 M					HT 1.2 M						
J	–	3.8	2.0	15.1	25.6	22.6	12.0	14.7	14.3	70	28	44	1.3	2.1	2.1	2	0	0	0	11.98	85	0	0	2	10	19	31
F	–	3.6	1.8	14.5	25.8	20.8	12.3	15.6	13.7	78	32	46	2.2	3.5	3.0	0	0	0	0	11.21	85	0	0	1	11	16	28
M	–	3.5	1.7	10.6	23.3	18.6	9.3	13.9	11.9	85	35	45	2.5	2.4	2.4	2	0	0	0	9.95	81	0	0	3	13	15	31
A	–	2.9	1.3	6.4	19.3	13.3	5.4	11.3	9.1	88	37	58	2.8	2.5	2.1	2	0	0	1	8.88	79	0	0	2	16	12	30
M	–	2.8	1.4	2.0	15.2	9.0	1.1	8.5	5.2	86	40	56	3.1	1.9	1.4	0	0	0	2	8.22	79	1	0	2	16	12	31
J	–	3.4	1.9	1.5	11.6	6.2	0.7	7.0	3.8	87	52	68	3.6	3.0	2.3	3	0	0	0	6.76	67	0	1	7	16	6	30
J	–	3.4	1.8	1.3	10.6	5.6	0.7	6.9	3.9	90	61	77	3.8	2.8	2.1	3	0	2	0	6.73	66	1	2	6	18	4	31
A	–	3.8	1.9	0.4	9.9	5.2	−0.1	5.7	3.5	92	56	78	4.0	3.4	2.8	0	0	6	0	7.25	66	0	0	6	22	3	31
S	–	3.3	1.1	1.0	14.9	8.1	−0.1	7.5	4.1	84	34	52	2.5	2.8	2.0	0	0	0	0	9.13	77	0	0	3	20	7	30
O	–	3.7	1.4	7.8	19.6	12.4	5.9	10.5	6.9	77	30	44	3.3	2.9	2.3	0	0	1	1	10.30	80	0	2	0	18	11	31
N	–	4.1	1.7	11.7	21.6	15.9	8.3	12.0	9.0	66	30	39	2.8	2.6	2.1	0	0	0	0	11.58	84	0	0	0	16	14	30
D	–	3.8	2.0	15.2	24.3	19.6	11.5	14.8	12.0	65	35	40	2.0	2.8	2.2	0	0	0	0	12.23	86	0	0	1	11	19	31
A	–	3.5	1.7	7.3	18.5	13.1	5.6	10.7	8.1	81	39	54	2.8	2.7	2.2	12	0	9	4	9.52	79	2	5	33	187	138	365
92/141	BEAUFORT WEST – TNK									ø 32°21'S			λ 22°35'E			H 857 M					HT 1.2 M						
J	11.1	2.1	2.1	19.6	30.3	26.4	15.6	18.5	17.2	65	29	38	2.9	2.7	2.4	0	0	0	0	10.35	74	0	1	2	18	10	31
F	9.3	2.1	1.7	19.6	29.3	25.1	16.1	18.9	17.2	70	36	45	3.9	3.6	3.3	2	0	0	0	9.14	69	0	0	6	15	7	28
M	7.8	1.9	1.4	16.9	27.3	23.7	14.1	17.6	16.4	74	37	47	3.5	2.8	2.8	3	0	0	1	8.78	71	0	1	5	17	8	31
A	4.9	1.7	0.9	12.7	22.9	18.1	10.3	15.0	13.2	76	43	56	3.7	3.2	2.3	1	0	0	1	7.84	70	0	2	4	15	9	30
M	3.9	1.7	1.3	9.1	19.3	14.1	6.9	12.8	10.2	76	47	62	2.7	2.7	1.6	0	0	0	0	7.45	71	2	2	2	8	17	31
J	4.8	2.4	1.8	9.0	18.0	13.2	5.8	11.0	8.6	64	41	53	3.5	3.2	2.0	0	0	0	0	6.32	63	0	3	2	24	1	30
J	4.2	2.3	1.9	8.2	17.0	13.1	5.8	10.9	9.0	73	48	59	3.7	3.5	2.6	0	0	0	1	6.77	66	1	4	4	13	9	31
A	4.4	2.1	1.2	6.1	16.1	11.7	4.2	9.8	7.6	76	43	57	3.7	3.3	2.1	0	0	1	0	8.43	77	1	1	4	10	15	31
S	–	1.6	1.0	8.4	19.5	15.0	6.2	11.3	9.1	73	33	44	3.4	3.0	2.0	0	0	0	1	9.54	80	0	0	1	17	12	30
O	8.2	2.0	1.3	13.2	23.7	19.7	10.0	14.1	12.4	66	32	42	4.1	3.9	2.1	0	0	1	1	8.74	68	1	1	2	25	2	31
N	9.5	2.2	1.4	16.2	25.9	22.3	11.9	15.2	13.7	61	30	37	3.6	3.8	3.6	0	0	0	0	9.83	71	0	1	4	17	8	30
D	11.0	1.7	1.6	18.9	29.4	25.3	14.5	17.3	16.0	61	27	38	3.3	3.3	3.5	2	0	0	0	10.33	72	0	1	5	16	9	31
A	–	2.0	1.5	13.2	23.2	19.0	10.1	14.4	12.5	70	37	48	3.5	3.3	2.5	8	0	2	5	8.63	71	5	17	41	195	107	365
96/ 45	GRAAFF-REINET – TNK									ø 32°15'S			λ 24°32'E			H 744 M					HT 1.2 M						
J	8.0	2.3	1.4	19.2	28.5	24.4	16.1	19.4	17.6	72	41	53	3.3	2.8	3.1	–	0	0	0	9.48	68	1	0	3	27	0	31
F	7.5	2.2	1.4	19.6	27.7	23.7	16.3	19.1	17.8	73	43	57	4.1	3.9	3.9	–	0	0	0	7.81	59	2	1	4	15	6	28
M	6.9	2.0	1.3	17.8	27.3	22.4	14.9	17.9	16.6	73	40	55	2.9	3.0	2.8	–	0	0	0	7.93	65	0	1	5	24	1	31
A	3.8	1.6	1.0	13.5	22.3	17.0	11.2	15.4	13.7	78	50	71	3.3	3.6	2.4	–	0	0	0	6.32	56	2	2	7	19	0	30
M	3.9	1.9	1.8	11.3	19.5	13.8	8.4	12.6	10.0	69	46	65	2.4	3.1	2.3	–	0	0	0	7.00	67	3	0	4	23	1	31
J	3.9	2.2	1.7	10.3	19.2	13.5	6.5	11.4	8.7	59	36	52	2.9	3.1	1.7	–	0	0	0	6.76	67	0	2	5	23	0	30
J	3.7	2.1	1.8	10.1	17.6	13.6	6.9	11.1	9.1	66	46	57	3.2	3.5	2.6	–	0	0	5	6.21	60	3	3	3	19	3	31
A	3.7	1.9	1.5	7.9	16.9	11.2	5.3	10.4	7.9	69	44	64	3.8	2.9	1.9	–	0	0	0	7.28	66	0	2	7	20	2	31
S	5.1	1.9	1.1	9.9	19.5	13.9	7.6	12.0	9.7	74	39	57	3.4	3.3	1.4	–	0	0	1	8.03	67	0	1	4	25	0	30
O	5.7	2.0	1.0	13.8	22.7	17.5	10.9	14.5	13.0	70	40	60	4.4	4.1	2.3	–	0	0	2	7.95	62	1	3	3	20	4	31
N	7.8	2.3	1.2	16.1	25.1	19.8	12.3	15.3	13.5	64	34	49	2.9	3.3	3.2	–	0	0	0	8.73	63	1	0	5	23	1	30
D	8.9	2.3	1.3	18.2	28.1	23.3	14.8	17.7	16.2	69	35	48	3.0	4.1	3.2	–	0	0	0	8.83	62	0	1	7	23	0	31
A	5.7	2.1	1.4	14.0	22.9	17.8	10.9	14.7	12.8	70	41	57	3.3	3.4	2.6	–	0	0	8	7.69	63	13	16	57	261	18	365
98/190	CRADOCK – TNK									ø 32°10'S			λ 25°37'E			H 872 M					HT 1.2 M						
J	–	–	–	19.4	28.7	–	16.2	18.8	–	71	36	–	1.9	1.9	–	–	–	–	–	–	–	–	–	–	–	–	–
F	–	–	–	19.0	28.2	–	16.1	18.7	–	73	37	–	2.6	2.5	–	–	–	–	–	–	–	–	–	–	–	–	–
M	–	–	–	17.6	27.5	–	15.2	19.2	–	77	43	–	2.0	1.7	–	–	–	–	–	–	–	–	–	–	–	–	–
A	–	–	–	(13.0)	–	–	(11.1)	–	–	(79)	–	–	(3.4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M	–	–	–	7.7	19.7	–	6.1	12.2	–	80	37	–	1.2	1.0	–	–	–	–	–	–	–	–	–	–	–	–	–
J	–	–	–	4.8	18.0	–	3.3	10.9	–	78	38	–	1.7	1.0	–	–	–	–	–	–	–	–	–	–	–	–	–
J	–	–	–	5.7	17.2	–	4.1	10.7	–	77	41	–	1.9	1.4	–	–	–	–	–	–	–	–	–	–	–	–	–
A	–	–	–	5.3	16.6	–	3.8	9.4	–	78	34	–	1.4	1.5	–	–	–	–	–	–	–	–	–	–	–	–	–
S	–	–	–	9.3	20.9	–	7.1	12.0	–	73	30	–	2.0	0.4	–	–	–	–	–	–	–	–	–	–	–	–	–
O	–	–	–	13.7	22.6	–	10.9	13.9	–	70	34	–	2.0	2.1	–	–	–	–	–	–	–	–	–	–	–	–	–
N	–	–	–	16.6	23.9	–	12.4	14.8	–	59	34	–	1.6	2.5	–	–	–	–	–	–	–	–	–	–	–	–	–
D	–	–	–	19.2	28.0	–	14.7	17.1	–	60	30	–	1.0	2.6	–	–	–	–	–	–	–	–	–	–	–	–	–
A	–	–	–	(12.6)	–	–	(10.1)	–	–	(73)	–	–	(1.9)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106/850	VREDENDAL									ø 31°40'S			λ 18°29'E			H 34 M					HT 1.2 M						
J	8.6	2.4	1.1	16.8	28.0	22.4	15.1	19.6	17.1	83	43	58	3.8	1.2	1.2	0	0	0	0	10.40	75	0	1	3	21	6	31
F	9.4	2.4	1.2	18.0	31.4	24.2	15.7	20.8	17.8	79	35	53	1.9	0.9	0.6	0	0	0	2	11.42	86	0	0	1	8	19	28
M	6.6	2.0	0.8	15.1	27.6	21.4	13.9	19.2	16.6	89	43	61	3.1	1.4	1.1	0	0	0	8	9.47	77	0	0	4	16	11	31
A	4.3	1.6	0.8	11.2	24.9	18.1	10.6	17.2	14.5	94	43	67	3.9	1.9	0.3	0	0	0	11	8.86	78	0	0	1	21	8	30
M	4.0	1.7	0.8	9.4	23.5	16.6	8.0	15.0	12.3	83	36	60	2.0	0.6	0.9	0	0	0	2	8.55	81	1	1	1	18	10	31
J	2.7	1.6	0.8	7.4	18.7	13.4	6.3	12.8	10.7	87	49	71	2.9	2.3	1.7	0	0	0	7	6.84	67	0	0	6	16	8	30
J	2.9	1.9	1.0	8.0	17.9	13.6	7.4	12.6	11.3	93	52	76	3.5	2.2	1.6	0	0	0	4	7.02	64	0	0	8	10	13	31
A	2.7	2.0	0.9	8.1	17.6	13.1	7.4	12.3	10.9	93	53	75	4.3	2.8	1.8	0	0	0	4	6.83	62	0	2	9	14	6	31
S	4.6	2.5	1.0	8.1	20.1	15.2	7.2	13.2	11.3	89	42	62	2.9	2.2	1.1	0	0	0	5	8.39	70	1	0	4	19	6	30
O	6.0	2.5	1.0	12.4	23.8	17.2	11.0	15.4	13.1	84	38	63	3.1	1.8	1.6	0	0	0	3	9.80	76	1	0	2	17	11	31
N	7.4	2.6	1.3	16.0	25.9	19.7	13.2	16.9	14.3	72	37	54	2.3	1.4	0.8	0	0	0	0	11.27	82	0	0	0	21	9	30
D	7.8	2.3	1.1	17.0	27.0	21.3	15.3	19.0	16.6	82	45	62	3.3	1.2	0.9	0	0	0	0	10.23	72	2	0	1	17	11	31
A	5.6	2.1	1.0	12.3	23.9	18.0	10.9	16.2	13.9	86	43	63	3.1	1.7	1.1	0	0	0	46	9.09	75	5	4	40	198	118	365

TV 4 / 199

TABEL II — TABLE II

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED		DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOCHTIGHEID % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT			AANTAL DAE MET NUMBER OF DAYS WITH				SONSKYNDUUR / SUNSHINE DURATION			AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE					WAARNEMINGS OBSERVATIONS
		OORDAG BY DAY	OORNAG BY NIGHT													DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS	% VAN MOONTLIKE % OF POSSIBLE	0%	1-10%	11-49%	50-89%	90-100%	
	mm	m/s		0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000													
113/ 25	FRASERBURG									Ø 31°55'S			λ 21°31'E			H 1258 M				HT 1.2 M								
J	11.6	3.0	1.7	17.7	28.8	24.3	13.4	16.3	14.9	62	25	39	1.3	2.4	1.8	2	0	0	0	11.42	82	0	0	2	12	17	31
F	9.3	2.6	1.4	17.2	27.7	23.0	14.0	17.2	15.6	71	34	47	1.3	3.3	3.0	3	0	0	0	10.83	82	0	0	2	15	11	28
M	7.8	2.8	1.2	13.7	25.4	20.6	11.5	15.3	13.4	78	34	45	2.0	2.6	2.2	0	0	0	0	10.08	82	0	0	4	10	17	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M	3.4	2.2	0.9	3.3	17.5	10.7	2.2	10.4	7.0	84	40	60	2.0	2.2	0.9	0	0	0	0	9.00	86	0	1	3	5	22	31
J	3.1	2.8	1.2	1.2	14.4	8.4	0.5	8.1	4.8	89	41	58	2.4	2.9	1.5	1	0	0	0	6.60	65	0	2	4	21	3	30
J	2.5	2.6	1.4	1.7	13.3	7.9	1.1	7.9	5.4	91	49	69	3.0	2.9	2.2	2	0	0	0	7.06	69	2	1	5	11	12	31
A	3.0	2.9	1.3	1.3	12.8	7.5	0.3	7.4	4.6	90	48	66	4.1	2.8	1.6	0	0	3	1	8.26	75	0	0	5	15	11	31
S	5.7	2.4	0.9	4.0	18.7	12.2	2.1	9.6	6.4	77	27	41	2.1	2.7	1.6	0	0	0	0	10.18	85	0	0	1	12	17	30
O	8.3	3.0	1.2	10.9	22.6	16.9	7.2	11.7	9.3	59	25	36	3.5	3.6	2.2	0	0	0	0	10.49	81	0	0	3	15	13	31
N	10.6	3.2	1.6	14.7	24.9	19.7	9.5	13.5	11.2	52	25	35	1.8	2.9	2.4	0	0	0	0	11.61	84	0	0	2	12	16	30
D	11.6	2.9	1.5	17.5	27.6	23.3	12.6	15.2	13.7	56	24	33	1.9	3.6	1.7	2	0	0	0	10.81	76	0	0	0	29	2	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
123/654	QUEENSTOWN - TNK									Ø 31°54'S			λ 26°52'E			H 1066 M				HT 1.2 M								
J	7.0	2.5	1.1	17.9	26.6	20.2	15.9	18.1	16.9	81	45	73	4.7	3.8	5.4	4	0	0	0	8.44	60	0	2	5	22	2	31
F	5.3	2.0	0.9	17.2	25.4	20.2	15.5	17.8	16.7	84	49	72	4.9	4.9	5.0	5	0	0	0	7.26	55	1	4	4	87	2	28
M	5.1	2.1	1.1	16.6	25.4	19.4	14.8	17.1	15.9	83	46	71	5.1	4.1	4.7	7	0	0	4	7.08	58	2	0	8	19	2	31
A	3.6	1.8	1.0	12.5	21.9	15.5	10.6	14.3	12.5	82	45	73	5.1	3.4	2.7	7	0	0	-	7.06	63	0	0	7	18	5	30
M	3.2	1.9	1.1	8.1	18.0	12.2	6.4	11.4	8.8	80	46	66	4.0	3.1	2.2	1	0	0	0	6.97	66	2	1	5	20	3	31
J	3.4	2.5	1.4	6.6	17.6	12.1	3.9	9.7	7.3	70	34	52	2.4	2.8	1.7	1	0	0	0	7.16	71	0	2	4	24	0	30
J	3.3	2.6	1.6	6.9	16.3	12.2	4.6	9.7	7.8	72	44	56	4.7	3.2	2.4	0	0	0	4	6.51	63	2	2	4	20	3	31
A	4.0	2.7	1.4	5.9	17.2	11.7	3.6	9.2	7.0	73	35	53	3.6	3.1	1.3	1	0	0	0	8.27	75	2	0	1	19	9	31
S	4.6	2.1	0.8	8.2	19.6	12.9	6.8	11.3	9.3	84	37	63	5.3	2.7	2.6	0	0	0	5	8.13	68	0	2	0	28	0	30
O	4.9	2.0	0.9	12.3	21.4	15.2	10.5	13.7	12.1	80	43	70	5.0	4.2	4.3	4	1	0	1	7.66	59	0	2	7	18	4	31
N	6.4	2.3	1.1	14.7	23.1	16.1	12.2	14.5	12.9	75	41	72	4.4	4.4	4.2	5	0	0	0	8.33	61	2	0	5	18	5	30
D	7.3	-	-	17.1	25.9	18.6	13.9	16.0	15.0	70	38	69	3.4	4.6	4.6	7	0	0	0	8.63	61	1	1	7	18	4	31
A	4.8	-	-	12.0	21.5	15.5	9.9	13.6	11.9	78	42	66	4.4	3.7	3.4	42	1	0	-	7.63	63	12	16	57	241	39	365
127/485	UMTATA									Ø 31°35'S			λ 28°47'E			H 692 M				HT 1.2 M								
J	-	-	-	19.2	-	-	17.8	-	-	88	-	-(6.1)	-	-	-	-	-	-	-	(5.08)	(36)	(2)	(2)	(10)	(9)	(0)	(23)
F	-	-	-	18.4	25.7	-	17.0	20.0	-	87	61	-(4.7)	-	-	-	-	-	-	-	(5.87)	(44)	(3)	(3)	(4)	(13)	(0)	(23)
M	4.3	-	-	18.3	25.1	-	16.9	19.7	-	87	62	-	5.1	5.1	-	-	-	-	-	5.32	43	5	0	13	13	0	31
A	4.0	-	-	14.1	23.2	-	13.0	16.4	-	89	50	-	4.0	4.0	-	-	-	-	-	(6.02)	(53)	(1)	(2)	(6)	(13)	(0)	(22)
M	2.3	-	-	8.2	20.6	13.8	7.4	13.3	11.4	89	44	74	4.2	3.5	2.8	0	0	0	5	6.01	57	1	4	4	18	2	29
J	1.7	-	-	5.8	20.2	12.2	4.8	12.1	9.5	86	36	69	2.5	2.5	2.0	0	0	0	8	6.72	66	0	1	3	26	0	30
J	2.5	-	-	6.9	19.0	12.3	5.4	12.0	9.5	81	41	70	4.0	3.1	2.4	0	0	0	8	5.52	50	4	3	5	19	0	31
A	2.1	-	-	7.0	19.1	12.3	5.9	12.4	10.0	86	45	75	3.0	3.4	2.6	0	0	0	2	7.15	65	2	1	3	24	1	31
S	2.5	-	-	11.0	19.4	13.4	9.7	13.8	12.1	85	53	86	4.3	4.5	4.6	1	0	0	5	5.25	44	3	1	11	15	0	30
O	-	-	-	14.0	21.1	15.5	12.7	15.8	14.1	86	58	86	4.4	4.6	4.8	1	0	0	2	5.40	42	5	1	12	13	0	31
N	3.8	-	-	15.8	21.1	15.7	14.2	17.2	14.7	84	69	90	4.6	5.1	5.2	2	0	0	1	5.32	39	5	4	7	14	0	30
D	-	-	-	17.7	23.9	18.5	15.7	18.7	16.6	82	61	83	4.4	4.7	6.0	7	0	0	0	6.11	43	5	3	5	18	0	31
A	-	-	-	13.0	-	-	11.7	-	-	86	-	-(4.3)	-	-	-	-	-	-	-	(5.81)	(48)	(36)	(25)	(83	195)	(3	342)
129/ 68A	CAPE HERMES - VRT									Ø 31°38'S			λ 29°33'E			H 47 M				HT 1.2 M								
J	-	-	-	21.9	22.9	22.0	20.2	21.0	20.6	85	84	87	5.5	4.2	6.4	4	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	22.5	23.8	22.5	21.0	22.2	21.3	87	86	89	4.2	3.7	4.5	0	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	22.6	23.8	22.7	20.8	21.8	21.0	85	83	86	5.0	3.9	4.4	2	0	0	1	-	-	-	-	-	-	-	-
A	-	-	-	21.0	22.5	20.9	18.3	20.0	18.8	76	79	81	3.8	3.9	4.2	1	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	18.1	20.6	18.6	15.3	17.9	16.4	73	76	80	3.7	3.6	3.4	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	16.2	19.9	17.6	12.9	16.3	14.7	67	68	72	1.8	2.0	1.3	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	16.6	19.6	17.4	13.1	16.3	14.6	67	71	74	2.8	2.5	2.4	0	0	0	1	-	-	-	-	-	-	-	-
A	-	-	-	15.9	18.6	16.8	13.1	15.5	14.6	71	71	78	3.4	3.8	3.3	1	0	0	0	-	-	-	-	-	-	-	-
S	-	-	-	17.0	18.8	17.2	15.0	16.9	15.9	80	81	87	4.9	4.7	4.7	2	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	19.6	20.1	18.9	17.4	18.2	17.4	80	82	86	4.1	4.7	5.7	2	0	0	1	-	-	-	-	-	-	-	-
N	-	-	-	19.5	20.1	19.0	17.7	18.6	17.6	83	85	86	5.1	5.3	6.1	4	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	22.2	22.7	21.0	19.8	20.5	19.7	80	81	88	4.3	3.8	6.0	4	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	19.4	21.1	19.5	17.1	18.8	17.7	78	79	83	4.1	3.8	4.4	20	0	0	3	-	-	-	-	-	-	-	-
134/478	CALVINIA - TNK									Ø 31°28'S			λ 19°46'E			H 980 M				HT 1.2 M								
J	10.0	1.5	0.9	18.3	30.0	24.3	14.0	18.3	16.8	62	29	46	1.7	1.6	0.9	0	0	0	0	10.54	76	0	0	2	29	0	31
F	9.3	1.7	0.7	18.9	30.6	25.0	14.4	19.0	16.3	61	31	39	1.2	2.9	1.3	0	0	0	0	10.11	77	0	0	2	26	0	28
M	7.9	1.6	0.8	14.6	27.8	(22.1)	11.7	18.1	(16.0)	71	38	(49)	2.2	2.4	(1.4)	2	0	0	2	-	-	-	-	-	-	-	-
A	4.5	1.2	0.4	9.3	24.3	17.5	7.4	16.2	12.9	76	40	58	2.5	2.6	0.7	0	0	0	0	7.70	68	3	0	4	23	0	30
M	4.3	1.6	0.8	7.7	20.6	13.7	5.5	12.9	9.1	74	39	54	2.1	1.4	(0.7)	0	0	0	2	6.85	65	0	2	3	26	0	31
J	3.0	-	-	5.8	16.8	-	4.0	10.7	-	76	46	-	2.0	2.7	-	0	0	0	0	6.36	63	1	0	6	23	0	30
J	3.1	-	-	5.9	14.8	10.1	4.6	10.4	7.7	83	59	73	3.4	3.1	2.6	0	0	0	1	6.89	61	3	0	5	23	0	31
A	2.7	1.2	0.9	3.9	14.2	8.9	2.9	8.9	6.3	86	52	70	3.8	3.6	3.3	0	0	0	2	6.37	58	1	0	11	14	15	31
S	4.3	0.9	0.6	5.1	19.3	12.8	3.2	11.6	8.4	75	37	54	1.7	2.0	1.1	0	0	0	0	9.19	77	0	0	2	26	2	30
O	6.9	1.2	0.9	12.1	23.5	17.6	8.6	13.2	10.9	63	29	43	2.9	2.3	2.1	0	0	0	0	9.67	75	0	1	2	27	1	31
N	8.9	1.7	0.9	15.6	25.9	19.8	11.2	15.9	12.9	60	33	45	2.5	2.3	0.6	0	0	0	0	10.31	75	0	0	1	29	0	30
D	9.0	1.7	0.5	18.3	28.3	22.5	13.8	18.8	16.0	63	38	51	1.5	2.0	0.8	0	0	0	0	11.03	78	0	0	0	31	0	31
A	6.2	-	-	11.3	23.0	-	8.4	14.5	-	71	39	-	2.3	2.4	-	2	0	0	7	-	-	-	-	-	-	-	-

TV 4 / 199

TABEL II | TABLE II

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED		DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT			AANTAL DAE MET NUMBER OF DAYS WITH				SONSKYNDUUR / SUNSHINE DURATION			AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE					WAARNEMINGS OBSERVATIONS
		OORDAG BY DAY	OORNAG BY NIGHT	0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000	DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE AS % OF POSSIBLE	0%	1-10%	11-49%	50-89%	90-100%	
	mm	m/s																											
145/ 59A	GROOTFONTEIN IT - AGR									Ø 31°29'S			λ 25° 2'E			H 1270 M						HT 1.2 M						
J	10.5	3.6	1.6	18.8	28.8	22.4	15.0	16.7	15.5	67	28	50	2.8	3.4	3.4	10	1	0	0	10.55	76	0	0	4	17	10	31	
F	7.2	2.7	1.2	17.9	26.1	21.2	15.1	17.2	15.7	76	41	58	3.8	4.4	4.2	15	0	0	0	8.76	66	0	0	8	16	4	28	
M	7.3	3.0	1.2	15.6	26.2	20.4	13.5	16.0	14.5	80	35	55	3.5	3.4	2.4	9	1	0	1	8.95	73	0	0	4	16	11	31	
A	5.0	2.6	1.3	11.5	21.1	14.8	9.4	13.5	11.0	77	44	64	3.5	3.5	2.9	7	2	0	0	8.06	71	0	0	6	14	10	30	
M	3.4	2.6	1.7	6.6	16.6	9.9	5.0	10.5	6.9	80	48	67	2.9	3.0	2.7	3	1	0	1	7.90	75	1	2	4	9	15	31	
J	3.7	3.2	1.9	5.3	15.4	9.6	3.1	8.6	5.9	71	39	59	3.5	3.3	3.2	1	2	0	0	7.34	72	1	1	4	15	9	30	
J	4.1	3.5	2.0	5.5	15.2	9.2	3.3	8.5	5.5	73	41	60	3.9	3.2	2.5	0	0	0	0	7.28	66	2	1	2	16	10	31	
A	4.7	3.5	2.1	4.5	15.7	9.8	2.3	7.9	4.9	72	34	48	4.0	2.9	2.1	2	0	2	10	9.05	82	0	0	3	12	16	31	
S	6.6	3.3	1.2	7.8	21.0	13.9	5.1	10.1	7.6	68	22	40	4.5	2.7	2.0	1	0	0	2	9.19	77	0	0	3	18	9	30	
O	7.0	3.2	1.3	12.9	22.1	16.1	9.5	12.1	10.3	65	31	49	4.4	4.5	2.5	2	1	0	0	9.39	73	1	2	3	13	12	31	
N	9.1	3.7	1.5	15.5	24.9	18.4	11.1	13.3	11.5	59	25	45	3.2	3.8	3.0	5	0	0	0	10.49	76	0	0	4	12	14	30	
D	10.4	3.5	1.5	17.9	27.6	21.7	13.3	14.8	14.0	61	23	43	2.6	4.1	3.2	8	1	0	0	11.06	78	0	0	2	20	9	31	
A	6.6	3.2	1.5	11.7	21.7	15.6	8.8	12.4	10.3	71	34	53	3.5	3.5	2.8	63	9	2	14	9.00	74	5	6	47	178	129	365	
148/810	WILLOW PARK									Ø 31°30'S			λ 26°57'E			H 1485 M						HT 1.2 M						
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	0	0	3	8.51	61	0	1	7	21	2	31	
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	0	0	2	7.83	59	0	3	5	20	0	28	
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	0	0	2	6.98	57	0	2	10	16	3	31	
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	0	0	1	7.22	64	0	2	7	19	2	30	
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0	3	3	6.47	61	2	2	4	23	0	31	
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0	0	0	6.92	68	1	0	6	23	0	30	
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	1	0	6.22	57	2	3	3	23	0	31	
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	3	8.15	74	0	1	4	18	8	31	
S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	0	0	7	8.49	71	1	0	3	23	3	30	
O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	0	1	8.00	62	1	2	7	14	7	31	
N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	0	0	0	9.21	67	1	0	4	20	5	30	
D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	0	0	0	9.02	64	0	1	7	21	2	31	
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50	1	4	22	7.75	64	8	17	67	241	32	365	
170/ 9B	DE AAR - AGR***									Ø 30°39'S			λ 24° 1'E			H 1241 M						HT 1.2 M						
J	13.4	3.8	2.9	21.1	30.9	26.1	15.7	17.9	16.2	57	26	37	1.8	3.5	3.0	7	0	0	1	11.17	81	0	0	3	13	15	31	
F	9.0	2.8	2.5	19.7	28.3	23.5	15.8	17.8	16.2	67	35	48	2.5	4.6	4.3	10	0	0	0	10.33	78	0	0	1	16	11	28	
M	9.7	3.2	2.2	17.3	28.6	23.3	13.2	16.3	14.3	63	27	37	2.3	3.5	1.8	8	0	0	0	8.95	73	0	2	4	11	14	31	
A	5.6	2.6	1.3	11.4	23.1	17.1	9.3	14.0	12.0	76	36	56	2.9	2.8	3.1	3	0	0	0	8.58	76	1	1	2	13	13	30	
M	3.9	2.7	1.6	7.0	18.5	13.1	5.4	11.3	9.2	80	41	69	2.3	3.4	1.7	3	0	0	0	8.55	81	0	2	3	7	19	31	
J	3.3	2.2	2.4	5.2	15.8	-	3.6	9.4	-	78	43	-	3.0	2.5	-	3	0	0	0	7.56	74	1	0	6	13	10	30	
J	3.4	-	-	5.7	15.6	-	2.3	8.9	-	70	40	-	2.1	2.0	-	-	-	-	-	7.51	72	0	2	4	18	7	31	
A	4.9	-	-	4.2	16.4	-	2.0	7.9	-	70	28	-	2.7	2.5	-	1	0	2	2	8.93	81	0	0	4	8	19	31	
S	8.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10.16	85	0	0	0	16	12	28	
O	8.7	3.5	1.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.44	74	0	3	2	13	13	31	
N	12.9	3.9	2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11.29	83	0	0	4	8	18	30	
D	14.0	3.8	2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11.87	84	0	0	2	9	20	31	
A	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.53	79	2	10	35	145	171	363	
174/600A	BURGERSDORP - MUN									Ø 31° 0'S			λ 26°20'E			H 1481 M						HT 1.2 M						
J	-	-	-	19.1	27.6	-	16.1	19.0	-	73	43	-	2.5	3.8	-	-	0	0	1	-	-	-	-	-	-	-	-	
F	-	-	-	18.5	25.8	-	15.9	18.2	-	76	47	-	2.4	3.9	-	-	0	0	0	-	-	-	-	-	-	-	-	
M	-	-	-	16.6	26.5	-	14.2	16.4	-	77	33	-	1.8	2.5	-	-	0	0	0	-	-	-	-	-	-	-	-	
A	-	-	-	10.5	20.7	-	9.5	14.0	-	88	46	-	1.7	2.5	-	-	0	0	1	-	-	-	-	-	-	-	-	
M	-	-	-	5.0	15.9	-	4.4	10.9	-	91	53	-	2.0	2.1	-	-	0	0	3	-	-	-	-	-	-	-	-	
J	-	-	-	2.7	15.1	-	2.0	9.5	-	88	46	-	2.1	2.1	-	-	0	0	1	-	-	-	-	-	-	-	-	
J	-	-	-	2.8	14.4	-	1.5	8.7	-	80	45	-	2.8	1.7	-	-	0	0	0	-	-	-	-	-	-	-	-	
A	-	-	-	2.3	15.1	-	1.3	8.6	-	84	39	-	1.3	1.4	-	-	0	1	0	-	-	-	-	-	-	-	-	
S	-	-	-	8.7	21.4	-	6.9	15.2	-	77	-	-	2.1	1.4	-	-	0	0	0	-	-	-	-	-	-	-	-	
O	-	-	-	13.1	22.3	-	9.9	13.7	-	66	35	-	1.9	3.0	-	-	0	0	0	-	-	-	-	-	-	-	-	
N	-	-	-	16.5	25.6	-	12.1	14.9	-	59	28	-	2.5	2.7	-	-	0	0	0	-	-	-	-	-	-	-	-	
D	-	-	-	18.9	27.9	-	14.8	17.7	-	64	35	-	1.2	2.9	-	-	0	0	0	-	-	-	-	-	-	-	-	
A	-	-	-	11.2	21.5	-	9.1	13.9	-	77	-	-	2.0	2.5	-	-	0	1	6	-	-	-	-	-	-	-	-	
175/371	ALIWAL NORTH - TNK***									Ø 30°41'S			λ 26°43'E			H 1310 M						HT 1.2 M						
J	8.9	-	-	19.6	28.7	22.8	16.0	18.7	16.2	69	38	52	3.0	4.2	3.8	6	0	0	0	8.71	63	0	1	7	19	4	31	
F	7.4	-	-	18.6	27.9	21.8	15.5	18.4	16.1	73	40	57	2.9	4.3	3.7	11	1	0	0	9.13	69	0	0	7	19	2	28	
M	6.3	-	-	15.9	27.9	21.1	13.8	17.4	15.0	81	35	54	2.8	3.4	2.7	5	0	0	0	8.23	67	1	0	5	20	5	31	
A	3.7	-	-	9.9	22.2	15.3	9.3	14.6	12.0	91	44	68	2.1	3.7	2.2	5	0	0	0	7.86	69	0	0	6	24	0	30	
M	2.2	-	-	5.1	17.3	10.8	4.6	11.4	8.4	94	50	73	3.5	2.6	1.4	3	1	0	4	7.51	71	3	0	3	19	6	31	
J	2.5	-	-	3.1	16.6	9.8	2.0	9.6	6.4	85	39	61	2.6	2.4	1.6	0	0	0	1	7.26	71	1	0	4	23	2	30	
J	2.5	-	-	3.3	16.1	9.6	1.8	9.3	5.8	80	40	57	3.4	2.6	1.8	1	0	0	0	7.11	68	3	0	2	26	0	31	
A	3.8	-	-	2.7	16.9	10.4	1.4	9.0	5.6	81	34	49	3.2	2.8	1.1	1	0	2	0	8.22	75	1	0	2	20	3	26	
S	6.2	-	-	9.1	23.1	16.2	6.6	12.6	9.4	70	26	41	2.3	2.3	1.1	0	0	0	0	9.32	78	0	0	2	23	5	30	
O	6.5	2.0	1.1	13.8	23.4	17.7	10.7	13.9	11.7	68	34	50	3.0	4.4	3.0	6	1	0	0	8.71	68	0	1	5	19	6	31	
N	8.0	2.3	1.6	17.0	26.0	18.8	12.8	15.1	12.6	62	29	50	3.0	4.0	2.8	6	0	0	0	10.22	75	0	0	4	17	9	30	
D	9.2	2.1	1.3	18.9	28.0	21.9	14.4	16.4	14.4	61	29	47	2.1	4.3	3.8	4	1	0	0	10.04	71	2	1	2	21	5	31	
A	5.6	-	-	11.4	22.8	16.3	9.1	13.9	11.1	76	37	55	2.8	3.4	2.4	48	4	2	5	8.53	70	11	3	49	250	47	360	

*** Stasie verskuif; kyk na bl. XXI / Station shifted; see p. XXI

TV 4 / 199

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN) mm	WINDSPOED WIND SPEED OORDAG BY DAY m/s	WINDSPOED WIND SPEED OORNAG BY NIGHT m/s	DROEBGL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM/AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM/AT 0800	1400	2000	AANTAL DAE MET NUMBER OF DAYS WITH DONDER/THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE AS % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
178/689				SHEEPRUN						Ø 30°59'S			λ 28°23'E						H 1213 M			HT 1.2 M					
J	4.7	-	-	18.7	25.0	18.6	16.7	19.4	16.8	83	61	84	5.1	4.7	5.9	15	0	0	0	6.09	44	0	5	10	16	0	31
F	3.9	-	-	17.1	24.2	18.5	15.8	18.7	16.2	88	62	81	4.8	4.7	5.5	13	0	0	4	6.12	46	2	3	7	16	0	28
M	4.1	-	-	16.9	24.7	18.0	15.4	18.3	16.2	87	57	84	5.0	4.4	5.7	14	1	0	6	6.19	50	4	2	6	19	0	31
A	3.2	-	-	12.9	22.3	15.0	11.2	15.7	12.6	84	51	77	4.5	3.5	3.9	6	1	0	5	6.32	56	0	2	9	19	0	30
M	1.9	-	-	6.8	18.2	10.3	5.7	12.3	8.3	87	52	77	3.3	3.1	3.2	4	0	0	0	5.86	55	2	2	7	20	0	31
J	1.8	-	-	3.5	18.1	9.6	2.3	10.8	6.5	85	39	64	1.9	2.3	2.1	1	0	0	0	6.45	63	0	1	6	23	0	30
J	2.2	-	-	3.6	17.2	9.4	2.2	10.2	6.1	82	42	63	3.2	2.6	2.3	0	0	1	8	6.09	59	2	0	6	23	0	31
A	3.0	-	-	5.3	18.0	10.7	3.6	10.5	7.1	80	40	63	3.1	2.6	2.2	2	0	2	4	6.93	63	1	2	3	25	0	31
S	3.5	-	-	10.1	19.4	12.1	8.7	12.8	9.9	84	50	76	4.0	3.3	4.3	5	0	0	0	6.68	56	3	2	2	23	0	30
O	3.6	-	-	13.0	20.6	13.9	11.2	14.6	12.1	82	54	82	4.7	4.6	4.1	8	2	1	5	6.62	51	3	0	9	18	1	31
N	4.9	-	-	15.5	21.5	14.9	13.3	15.6	13.3	79	56	85	4.6	4.5	5.7	14	0	0	3	6.62	48	1	4	8	17	0	30
D	5.4	1.1	0.4	17.4	23.4	17.1	14.9	17.4	15.0	77	58	81	4.6	4.4	5.6	16	0	0	1	6.93	49	4	2	6	19	0	31
A	3.5	-	-	11.7	21.1	14.0	10.1	14.7	11.7	83	52	76	4.1	3.7	4.2	98	4	4	36	6.41	53	22	25	79	238	1	365
180/722A				KOKSTAD - TNK						Ø 30°32'S			λ 29°25'E						H 1278 M			HT 1.2 M					
J	5.6	2.7	1.2	17.6	23.9	18.0	15.5	18.1	16.2	81	59	84	4.9	4.7	6.5	10	0	0	0	7.12	51	3	0	10	18	0	31
F	4.9	2.2	0.9	16.5	23.7	17.6	14.6	17.5	16.1	82	57	87	4.4	4.8	4.7	4	0	0	0	7.25	55	2	1	7	15	3	28
M	4.0	2.3	0.8	16.3	24.2	17.2	14.7	17.6	15.9	85	54	85	4.9	4.6	5.2	4	0	0	4	6.59	54	3	1	5	20	2	31
A	3.8	2.4	1.0	11.3	22.5	14.7	10.2	14.5	12.4	86	43	78	4.4	3.9	3.0	1	0	0	-	7.53	66	0	1	7	19	3	30
M	2.3	1.8	0.8	6.3	18.0	10.3	5.2	11.0	8.2	86	43	77	3.8	3.7	2.3	0	0	0	0	6.85	65	2	3	5	15	6	31
J	2.6	1.9	0.6	1.6	18.1	8.3	0.5	9.5	5.4	82	30	64	1.4	1.6	1.1	0	0	0	0	8.18	80	1	0	1	18	10	30
J	2.6	2.2	1.0	2.8	16.7	8.2	1.3	9.1	5.4	78	38	66	2.3	2.5	1.9	0	0	0	2	7.49	72	2	2	3	14	10	31
A	4.3	2.7	1.1	4.7	18.1	9.4	3.1	9.5	6.7	79	33	69	2.4	2.6	1.4	1	0	0	0	8.45	77	1	1	1	18	10	31
S	4.4	2.7	1.1	9.7	19.2	12.4	8.2	11.9	10.1	82	45	77	4.0	4.1	4.1	2	0	0	3	6.90	58	3	2	4	20	1	30
O	4.7	2.4	1.1	13.0	20.8	13.6	10.8	14.0	11.9	77	50	83	3.7	4.3	5.0	6	0	2	0	7.77	61	2	1	6	19	3	31
N	5.5	2.6	1.3	14.9	21.4	13.9	12.3	15.0	12.3	76	53	84	4.9	5.0	5.2	4	2	0	0	7.91	58	2	1	7	18	2	30
D	5.5	2.5	1.1	17.2	22.7	16.1	14.4	16.7	14.4	75	57	84	3.7	5.2	5.6	7	2	0	0	7.23	51	4	1	6	18	2	31
A	4.2	2.4	1.0	11.0	20.8	13.3	9.2	13.7	11.3	81	47	78	3.7	3.9	3.8	39	4	2	-	7.44	61	25	14	62	212	52	365
182/794A				PORT SHEPSTONE - VRT						Ø 30°44'S			λ 30°27'E						H 17 M			HT 1.2 M					
J	-	-	-	22.8	24.2	23.2	20.6	21.6	21.3	81	78	84	6.1	5.9	7.4	2	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	22.8	24.9	23.5	20.6	22.0	21.2	80	77	81	4.4	4.4	5.2	2	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	22.8	24.9	23.6	20.9	22.3	21.6	84	79	83	5.3	5.0	6.3	3	0	0	1	-	-	-	-	-	-	-	-
A	-	-	-	19.9	23.9	21.4	17.4	20.5	19.2	77	72	80	4.7	4.6	4.2	1	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	17.3	21.6	17.6	14.4	17.7	15.4	71	67	79	3.6	4.1	3.0	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	14.8	20.6	16.7	11.4	16.7	14.2	66	65	75	2.0	2.0	2.4	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	15.0	19.6	16.6	12.3	16.2	14.7	72	69	80	3.2	3.5	3.8	1	0	0	0	-	-	-	-	-	-	-	-
S	-	-	-	17.2	19.6	17.8	14.7	17.0	16.1	75	75	83	6.1	6.2	6.2	2	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	19.4	21.2	19.5	16.7	18.4	17.4	75	75	81	5.1	6.0	6.0	4	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	19.9	21.3	19.7	17.5	18.8	17.8	77	77	81	6.1	6.2	6.8	6	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	22.0	23.5	21.7	19.6	20.9	19.9	79	78	84	5.5	5.5	6.7	5	0	0	2	-	-	-	-	-	-	-	-
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	0	0	3	-	-	-	-	-	-	-	-
193/561				VANWYKSVLEI***						Ø 30°21'S			λ 21°49'E						H 962 M			HT 1.2 M					
J	11.6	2.9	2.2	21.9	31.9	29.4	16.1	18.4	17.2	54	24	27	1.3	2.5	1.9	-	0	0	0	11.22	81	0	0	2	11	18	31
F	9.3	2.7	1.8	21.5	31.4	27.0	17.0	19.1	17.6	63	29	40	1.6	4.1	2.8	-	0	0	0	10.13	77	0	0	2	16	10	28
M	9.0	2.6	1.2	18.0	29.9	25.4	13.8	17.8	16.4	62	28	39	1.9	2.7	2.2	-	0	0	1	9.36	76	0	1	3	9	18	31
A	6.6	2.4	0.9	12.0	25.7	20.4	8.8	15.1	12.6	64	30	38	2.4	2.6	1.4	-	0	0	1	8.90	79	1	1	2	11	15	30
M	4.0	-	-	7.7	21.0	15.0	5.6	12.4	9.6	73	32	49	1.6	2.3	0.7	-	0	0	0	9.01	85	0	0	2	11	18	31
J	3.0	-	-	5.4	17.9	12.8	3.9	10.3	7.8	79	34	48	2.6	2.6	1.5	-	1	0	0	7.86	77	0	1	2	25	2	30
J	3.3	-	-	4.3	17.1	12.2	3.0	9.9	7.7	82	38	54	2.3	2.9	1.9	-	0	0	0	7.73	74	0	2	3	17	9	31
A	-	-	-	3.6	16.6	12.1	2.0	8.8	6.7	75	32	43	2.4	2.6	1.3	-	0	0	0	9.49	86	0	0	1	8	22	31
S	6.8	2.9	1.1	8.5	23.1	18.2	4.6	11.7	9.2	52	19	25	1.3	1.3	0.5	-	0	0	0	10.29	86	0	0	0	15	15	30
O	9.3	3.9	2.2	14.0	25.4	21.5	8.9	13.5	11.7	49	23	28	2.8	3.6	2.2	-	1	0	0	10.33	81	1	1	1	10	18	31
N	12.0	4.2	3.1	18.4	28.5	25.6	11.6	15.4	14.1	42	21	24	1.6	2.7	2.2	-	0	0	0	11.56	85	0	0	1	12	17	30
D	13.7	4.7	3.1	20.9	31.2	28.3	13.8	16.4	15.1	44	17	20	1.1	2.3	1.6	-	0	0	0	12.27	87	0	0	1	12	18	31
A	-	-	-	13.0	25.0	20.7	9.1	14.1	12.1	62	27	36	1.9	2.7	1.7	-	2	0	2	9.85	81	2	6	20	157	180	365
204/819				MOHALESHOEK - LESOTHO						Ø 30° 9'S			λ 27°28'E						H 1600 M			HT 1.2 M					
J	-	-	-	18.9	26.4	-	14.2	16.2	-	59	33	-	2.0	1.7	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	16.3	26.3	-	13.4	15.5	-	72	30	-	2.2	2.5	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	17.1	27.3	-	13.4	15.5	-	66	26	-	2.6	3.1	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	13.9	26.2	-	9.9	14.3	-	60	23	-	2.1	2.5	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	9.4	17.4	-	5.3	7.7	-	52	20	-	1.1	0.9	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	4.9	12.1	-	1.9	4.5	-	58	23	-	0.5	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	4.4	13.6	-	2.0	5.8	-	65	25	-	1.9	2.8	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	7.3	17.3	-	3.6	7.1	-	53	16	-	2.1	2.3	-	-	-	-	-	-	-	-	-	-	-	-	-
S	-	-	-	12.3	20.7	-	7.4	10.3	-	49	21	-	3.0	3.1	-	-	-	-	-	-	-	-	-	-	-	-	-
O	-	-	-	14.6	20.9	-	9.9	12.1	-	54	32	-	2.6	4.3	-	-	-	-	-	-	-	-	-	-	-	-	-
N	-	-	-	16.4	24.4	-	11.9	14.4	-	58	31	-	2.7	3.2	-	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	17.8	26.3	-	12.8	15.3	-	55	28	-	2.4	3.7	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	12.8	21.6	-	8.8	11.6	-	58	26	-	2.1	2.6	-	-	-	-	-	-	-	-	-	-	-	-	-

*** Stasie verskuif: kyk na bl. XXI / Station shifted: see p. XXI

TABEL II | TABLE II

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED OORDAG BY DAY	WINDSPOED WIND SPEED OORNAG BY NIGHT	DROËBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT			DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE AS % OF POSSIBLE	0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
	GEMIDDELDE DAELIKSE WAARDES VAN / AVERAGE DAILY VALUES OF															AANTAL DAE MET NUMBER OF DAYS WITH				SONSKYNDUUR / SUNSHINE DURATION		AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE					
	mm	m/s		0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000												
205/385				**QUTHING - LESOTHO**						**ø 30°25'S**			**λ 27°43'E**			**H 1737 M**						**HT 1.2 M**					
J	-	-	-	(19.0	25.7)	-	(15.1	16.7)	-	(66	38)	-	(4.0	5.1)	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	18.0	24.8	-	14.2	15.7	-	66	37	-	3.0	5.3	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	16.9	24.9	-	13.1	15.6	-	65	35	-	2.3	4.1	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	(13.0	19.6)	-	(10.4	12.4)	-	(72	41)	-	(3.0	4.4)	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	8.5	15.7	-	6.2	9.3	-	71	40	-	2.1	2.7	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	6.4	14.2	-	3.5	7.2	-	62	33	-	2.1	1.9	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	5.9	14.0	-	3.1	6.7	-	62	30	-	3.1	3.5	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	(6.9	14.8)	-	(3.6)	(6.8)	-	(57	27)	-	(2.6	3.5)	-	-	-	-	-	-	-	-	-	-	-	-	-
S	-	-	-	11.3	21.4	-	7.1	11.9	-	54	29	-	3.0	4.3	-	-	-	-	-	-	-	-	-	-	-	-	-
O	-	-	-	13.2	20.7	-	9.2	11.5	-	58	29	-	3.2	4.9	-	-	-	-	-	-	-	-	-	-	-	-	-
N	-	-	-	-	23.1	-	9.5	12.9	-	-	27	-	3.2	4.8	-	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	17.6	24.9	-	12.7	13.6	-	56	24	-	2.5	5.2	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	-	(20.3)	-	(9.0	11.7)	-		(33)	-	(2.8	4.1)	-	-	-	-	-	-	-	-	-	-	-	-	-
214/636				**OKIEP**						**ø 29°36'S**			**λ 17°52'E**			**H 918 M**						**HT 1.2 M**					
J	(12.3)	3.7	2.0	19.6	28.7	22.4	14.0	17.5	15.8	54	30	49	1.5	1.2	1.2	0	0	0	0	11.96	87	0	0	1	14	16	31
F	(12.8)	3.5	1.7	22.1	30.8	25.1	15.1	18.4	16.5	47	27	39	1.3	2.0	1.5	2	0	0	0	11.49	87	0	0	0	11	17	28
M	(9.5)	3.1	1.5	17.9	27.9	22.2	13.0	16.9	15.5	57	31	49	1.9	1.9	1.6	1	0	0	0	9.66	79	1	0	4	8	18	31
A	(6.7)	2.5	0.9	14.2	24.8	19.1	10.7	16.2	13.9	65	40	57	2.0	1.5	1.2	1	0	0	0	9.46	83	0	0	2	10	18	30
M	(6.2)	3.2	1.6	12.7	21.6	16.6	8.6	13.1	10.3	58	35	44	2.5	1.9	1.5	2	0	0	0	8.95	84	0	0	3	11	17	31
J	(4.4)	3.1	1.9	8.9	16.9	11.9	5.9	9.6	8.0	65	35	58	2.0	1.8	1.4	0	0	0	0	7.94	77	0	1	3	11	15	30
J	(3.6)	3.1	2.1	7.8	14.7	10.8	5.3	9.1	7.8	70	49	66	2.7	2.4	2.7	2	0	0	0	7.35	70	1	2	3	11	14	31
A	(3.8)	2.5	1.5	7.1	14.7	10.3	4.8	8.8	7.6	73	46	70	3.5	3.0	2.5	0	0	1	0	7.98	72	0	2	4	12	13	31
S	(6.5)	2.7	1.2	10.1	20.7	14.8	6.0	10.4	9.1	55	22	46	1.6	1.9	1.5	0	0	0	0	10.22	86	0	0	0	16	14	30
O	(8.4)	3.1	1.6	13.5	22.5	16.5	8.7	12.1	10.7	54	27	49	3.1	2.9	2.4	1	0	0	2	9.64	75	1	1	2	14	13	31
N	(10.7)	3.6	2.1	17.0	24.9	19.1	10.3	13.5	11.9	43	25	42	3.2	2.5	2.5	0	0	0	0	11.08	81	0	1	0	14	15	30
D	(11.5)	3.8	2.0	18.5	26.7	20.7	13.1	16.2	14.9	55	31	54	2.2	1.5	1.9	0	0	0	0	12.05	86	0	0	2	9	20	31
A	(8.0)	3.2	1.7	14.1	22.9	17.5	9.6	13.5	11.8	58	33	52	2.3	2.0	1.8	9	0	1	2	9.81	81	3	7	24	141	190	365
224/430				**PRIESKA**						**ø 29°40'S**			**λ 22°45'E**			**H 933 M**						**HT 1.2 M**					
J	10.6	1.5	0.8	22.5	33.0	28.3	17.2	20.1	17.9	59	29	35	2.0	3.1	2.8	3	0	0	0	10.70	77	0	1	4	10	16	31
F	7.9	-	-	20.6	31.1	25.6	17.2	20.3	18.5	71	36	51	2.3	3.2	3.1	6	0	0	0	9.89	75	0	0	4	14	10	28
M	7.7	-	-	17.7	31.2	25.7	14.4	19.0	16.6	69	30	39	2.5	2.7	1.7	4	0	0	0	9.08	74	1	0	5	13	12	31
A	5.2	-	-	11.2	26.6	19.5	9.9	16.8	13.8	84	35	52	2.8	3.4	1.5	2	0	0	0	8.07	71	0	0	8	22	0	30
M	2.8	-	-	6.5	21.6	13.5	5.9	13.8	10.3	91	40	67	1.6	2.1	1.2	2	0	0	0	8.36	78	0	0	3	24	4	31
J	2.3	-	-	5.0	19.0	11.9	4.2	11.9	9.0	89	41	64	3.2	2.3	1.2	1	0	0	1	7.47	73	0	2	3	24	1	30
J	2.9	-	-	4.1	18.3	11.7	2.7	10.9	7.6	82	39	57	2.8	2.8	1.5	1	0	0	0	7.44	71	0	2	4	25	0	31
A	4.1	-	-	3.2	18.7	12.1	1.7	10.1	7.0	78	31	46	2.4	2.4	0.9	0	0	0	0	9.03	81	0	1	1	24	5	31
S	6.9	-	-	9.3	25.7	18.9	5.6	13.4	10.3	56	19	29	2.0	1.4	1.4	0	0	0	0	10.09	85	0	0	0	24	6	30
O	7.3	-	-	14.5	26.9	21.2	10.3	15.7	13.2	58	30	39	2.8	4.2	2.5	4	1	0	0	9.46	74	1	0	4	15	11	31
N	9.5	1.7	0.9	18.9	29.9	25.1	12.8	16.7	14.5	48	22	29	1.9	2.9	2.6	1	0	0	0	11.30	83	0	0	2	15	13	30
D	11.6	2.0	1.1	21.6	32.7	28.6	15.6	18.1	15.8	50	21	23	1.4	2.3	2.0	0	0	0	0	11.80	84	0	0	1	13	17	31
A	6.6	-	-	12.9	26.2	20.2	9.8	15.6	12.9	70	31	44	2.3	2.7	1.9	24	1	0	1	9.39	77	2	6	39	223	95	365
229/556				**FAURESMITH**						**ø 29°46'S**			**λ 25°19'E**			**H 1362 M**						**HT 1.2 M**					
J	8.4	2.0	1.5	20.2	28.4	24.7	16.1	18.3	16.7	66	38	48	3.0	3.5	3.5	8	1	0	1	9.13	66	0	1	8	19	3	31
F	6.6	1.5	1.1	18.8	26.4	22.4	15.4	17.6	16.6	70	42	56	2.3	3.7	3.5	8	1	0	0	9.08	69	0	0	6	19	3	28
M	6.7	1.6	1.1	17.7	27.2	22.2	14.0	16.6	14.8	68	34	46	2.2	3.1	2.3	6	0	0	0	8.20	67	1	1	5	14	10	31
A	4.1	-	-	12.2	22.7	15.9	10.1	13.9	12.0	77	37	63	2.3	2.1	1.7	9	0	0	0	8.56	75	0	0	5	14	11	30
M	2.7	-	-	7.0	17.9	11.6	5.9	11.0	8.7	85	44	67	1.8	2.2	1.6	4	0	0	0	7.68	72	1	1	4	20	5	31
J	2.1	-	-	4.6	16.0	10.0	3.1	9.6	6.7	79	43	62	2.4	1.8	1.2	0	0	0	0	7.09	69	1	0	5	23	1	30
J	-	-	-	4.1	16.1	9.8	2.0	8.8	5.9	71	36	56	2.5	1.6	0.6	1	0	0	0	7.51	72	0	1	3	25	2	31
A	4.1	-	-	4.3	17.4	11.3	1.8	8.6	5.8	66	28	41	1.6	1.5	0.3	0	0	0	2	8.93	81	0	0	3	15	13	31
S	6.2	2.1	1.2	12.0	23.7	18.0	6.8	11.5	8.9	46	18	27	1.8	1.7	0.9	1	0	0	0	9.79	82	0	0	2	22	6	30
O	7.3	2.3	1.2	14.8	24.0	18.5	10.3	13.3	11.3	56	28	42	2.3	4.0	2.3	8	1	0	0	9.03	70	0	0	7	19	5	31
N	9.9	2.4	1.7	18.0	27.1	22.3	11.9	14.7	12.8	39	23	33	1.8	3.2	1.9	5	0	0	0	9.33	69	0	0	6	24	0	30
D	11.0	2.4	1.6	20.4	28.8	23.9	14.1	15.5	14.0	50	22	33	1.3	3.0	2.3	6	0	0	0	10.28	73	1	0	2	28	0	31
A	-	-	-	12.8	23.0	17.5	9.3	13.3	11.2	64	33	48	2.1	2.6	1.8	56	3	0	3	8.72	72	4	4	56	242	59	365
233/ 44				**WEPENER - TNK*** **						**ø 29°44'S**			**λ 27° 2'E**			**H 1437 M**						**HT 1.2 M**					
J	8.0	1.4	1.0	19.4	27.1	22.7	16.3	18.9	17.1	73	46	58	3.1	4.2	3.2	10	0	0	0	9.44	70	1	0	4	22	4	31
F	6.2	-	-	17.5	26.0	20.5	15.1	17.9	16.5	78	45	67	2.9	5.0	3.7	10	0	0	0	9.04	69	0	2	3	18	5	28
M	6.5	-	-	16.0	27.0	20.1	13.3	16.4	14.8	74	35	57	2.5	4.0	3.0	8	0	0	0	8.91	73	0	1	3	18	9	31
A	3.9	-	-	11.5	22.3	14.7	9.8	14.2	11.8	82	40	70	2.7	3.7	(1.7)	3	1	0	0	9.04	79	0	1	4	5	20	30
M	2.3	-	-	4.9	17.0	10.3	4.1	11.1	8.0	89	48	74	2.4	2.6	1.4	4	0	2	3	7.59	71	1	0	3	24	3	31
J	2.7	-	-	3.1	16.3	9.1	1.6	10.0	5.9	79	43	62	2.2	2.6	1.1	0	0	0	0	7.34	71	0	1	2	27	0	30
J	3.1	-	-	1.9	15.7	8.8	0.3	9.0	5.2	77	40	58	3.0	2.6	0.8	0	0	0	2	7.48	71	0	3	2	26	0	31
A	4.2	-	-	2.5	17.7	10.9	0.6	9.8	6.1	73	34	48	2.4	2.6	0.7	0	0	2	0	8.96	82	0	1	1	19	10	31
S	7.1	-	-	10.1	23.7	16.5	6.6	13.2	9.8	61	27	41	2.5	3.5	2.4	1	0	0	0	9.83	82	0	0	2	16	12	30
O	7.3	2.0	1.2	14.4	23.2	17.4	10.4	13.8	11.5	62	34	49	3.1	5.2	3.1	7	0	0	0	9.07	71	0	1	6	15	9	31
N	8.5	2.2	1.4	16.7	26.0	20.3	12.5	15.2	13.2	62	29	45	3.0	4.5	2.7	4	0	0	0	10.33	76	1	0	2	20	7	30
D	8.9	2.0	1.3	18.6	27.1	22.0	14.3	16.6	14.6	63	34	46	2.6	4.4	3.9	3	1	0	0	10.03	72	1	1	4	15	10	31
A	5.7	-	-	11.4	22.4	16.1	8.7	13.8	11.2	73	38	56	2.7	3.7	(2.3)	50	2	4	5	8.92	74	4	11	36	225	89	365

*** Stasie verskuif: kyk na bl.XXI / Station shifted; see p.XXI

TABEL II | TABLE II

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN) mm	WINDSPOED WIND SPEED OORDAG BY DAY m/s	WINDSPOED WIND SPEED OORNAG BY NIGHT m/s	DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM/AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM/AT 0800	1400	2000	AANTAL DAE MET NUMBER OF DAYS WITH DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	% VAN MOONTLIKE AS % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
237/591				WATERFORD						Ø 29°51'S			λ 29°20'E			H 1643 M				HT 1.2 M							
J	4.2	2.1	0.8	16.2	21.3	15.8	14.7	17.0	14.9	85	66	91	5.3	6.1	(6.3)	16	2	0	0	5.09	37	4	2	13	12	0	31
F	5.0	1.7	0.7	14.9	21.3	14.9	13.6	16.0	14.0	87	60	91	5.4	(5.1	5.5)	10	2	0	1	6.87	52	1	0	13	13	1	28
M	4.3	1.8	0.7	14.6	21.5	15.5	13.5	16.4	14.4	89	62	90	5.3	5.2	5.6	14	0	0	0	5.95	48	1	1	10	17	2	31
A	3.6	1.4	0.7	10.9	21.0	12.8	9.7	13.7	10.9	86	46	81	3.5	3.6	4.5	4	0	0	1	7.65	67	0	1	6	14	9	30
M	2.5	1.2	0.6	4.9	16.8	7.9	3.9	10.0	6.1	87	43	78	3.0	3.2	3.3	1	0	0	4	7.35	69	1	2	3	18	7	31
J	2.6	1.4	0.7	1.6	16.8	5.5	0.6	8.1	3.0	83	26	67	1.7	1.4	0.8	0	0	0	2	8.34	81	0	1	0	17	12	30
J	2.3	1.3	0.8	1.4	15.4	4.5	0.1	7.7	2.2	82	34	68	1.2	2.5	1.6	1	0	1	3	8.15	78	1	0	3	12	15	31
A	4.1	2.0	1.1	4.8	17.7	7.4	2.6	8.7	4.3	73	29	63	2.8	2.6	1.5	2	0	0	3	8.57	78	1	1	1	17	11	31
S	4.2	2.4	1.2	10.1	18.9	10.3	8.2	11.1	8.4	81	43	81	4.3	4.9	4.2	6	0	0	3	6.47	54	2	3	6	16	3	30
O	5.6	2.5	0.8	12.4	19.5	12.1	10.2	12.6	10.4	78	47	83	4.1	5.0	4.8	12	0	1	0	7.34	57	1	0	9	20	1	31
N	4.8	2.1	0.9	13.3	19.7	12.8	11.5	13.7	11.6	81	54	87	5.7	5.6	6.2	18	3	0	0	5.61	41	4	1	11	14	0	30
D	5.2	2.1	0.8	16.0	20.5	14.3	13.7	15.4	13.3	79	62	90	4.5	6.0	6.2	15	2	0	0	6.12	44	4	3	8	16	0	31
A	4.0	1.8	0.8	10.1	19.2	11.1	8.5	12.5	9.5	83	48	81	3.9	(4.3	4.2)	99	9	2	17	6.96	57	20	15	83	186	61	365
239/482				CEDARA - AGR						Ø 29°32'S			λ 30°17'E			H 1067 M				HT 1.2 M							
J	4.0	1.6	1.0	18.7	22.8	19.4	16.8	19.7	18.5	83	75	93	5.7	6.1	7.5	3	0	0	3	4.73	34	4	5	11	11	0	31
F	5.1	1.6	0.7	17.7	23.0	18.3	16.1	18.5	17.3	85	66	90	4.8	4.6	6.7	4	0	0	1	6.24	47	3	4	6	13	2	28
M	3.9	1.5	0.8	18.0	23.8	18.2	15.9	17.7	16.3	80	57	82	4.9	4.9	5.6	6	0	0	4	5.79	47	4	4	6	16	1	31
A	3.5	1.2	1.0	14.9	22.0	15.8	12.8	15.8	13.4	78	53	76	3.9	3.9	4.2	1	0	0	3	6.62	58	5	0	5	14	6	30
M	3.0	1.2	0.8	10.4	18.8	11.8	8.6	12.7	9.7	79	49	76	3.0	3.5	1.5	1	0	0	0	7.34	69	3	0	5	10	13	31
J	2.6	1.1	0.6	7.3	18.6	9.7	5.7	11.4	7.5	79	39	71	1.7	1.7	1.2	0	0	0	0	7.69	75	3	0	2	18	7	30
J	2.8	1.4	0.7	6.6	18.1	8.9	4.6	10.9	6.5	74	40	72	1.4	2.0	1.3	0	0	0	0	8.23	79	1	0	3	11	16	31
A	3.6	1.7	0.9	8.5	18.9	10.6	6.5	11.4	8.6	76	41	77	3.1	3.0	2.8	1	0	0	1	7.98	72	1	3	1	16	10	31
S	3.1	1.8	0.9	12.7	18.3	13.1	10.7	13.5	11.8	79	63	86	5.2	5.4	6.7	3	0	0	7	5.10	43	7	1	6	14	2	30
O	4.2	1.8	1.3	15.5	21.0	16.1	13.2	15.7	14.5	77	60	86	4.5	4.8	6.1	2	0	0	5	6.05	47	2	1	12	15	1	31
N	4.4	2.0	1.2	16.2	20.9	15.6	13.8	16.2	14.3	78	63	87	5.8	5.6	7.5	11	0	0	2	5.40	40	4	5	8	13	0	30
D	4.6	1.9	1.0	17.8	22.2	16.9	15.8	18.0	15.7	81	69	89	5.2	5.5	7.4	6	0	0	5	5.53	39	8	1	7	14	1	31
A	3.7	1.6	0.9	13.7	20.7	14.5	11.7	15.1	12.8	79	56	82	4.1	4.3	4.9	38	0	0	31	6.39	53	45	24	72	165	59	365
240/808				LOUIS BOTHA - WK						Ø 29°58'S			λ 30°57'E			H 8 M				HT 1.2 M							
J	5.3	-	-	23.9	25.8	23.5	21.1	22.1	21.4	77	71	82	5.6	5.8	7.2	2	0	0	0	4.47	32	4	11	9	7	0	31
F	6.5	-	-	23.7	26.2	23.5	21.0	22.2	21.3	77	69	82	4.0	4.0	6.4	4	0	0	0	7.13	54	2	3	5	16	2	28
M	5.0	-	-	23.5	26.6	23.9	21.3	23.0	22.0	82	73	85	4.5	4.5	6.4	5	0	0	0	6.02	49	4	2	10	12	3	31
A	4.0	-	-	20.8	25.0	21.5	18.4	21.0	19.8	79	68	85	4.2	4.6	5.1	2	0	0	0	6.05	53	3	4	3	17	3	30
M	3.0	-	-	16.7	22.8	17.7	14.8	18.1	16.0	81	62	84	3.3	3.9	2.9	4	0	0	0	6.46	61	2	2	6	19	2	31
J	3.1	-	-	13.4	22.0	16.2	11.6	16.9	14.3	80	57	81	1.7	1.5	1.5	0	0	0	0	8.06	79	1	0	2	18	9	30
J	2.8	-	-	13.2	21.6	16.1	11.2	16.2	14.2	78	57	80	1.9	2.2	1.9	1	0	0	0	7.93	76	1	1	2	18	9	31
A	4.1	-	-	15.3	21.2	16.7	13.2	16.6	15.0	78	61	82	2.6	3.1	3.7	2	0	0	0	7.61	69	4	0	1	21	5	31
S	3.2	-	-	18.0	20.5	18.1	15.6	17.2	16.6	77	71	85	5.4	6.0	6.6	3	0	0	1	3.51	29	7	7	7	9	0	30
O	5.1	-	-	20.3	22.5	20.0	17.3	18.8	18.2	74	68	83	4.9	5.6	7.1	7	0	0	1	5.39	42	3	4	7	14	3	31
N	6.1	-	-	21.1	23.4	20.5	17.9	19.6	18.4	72	69	82	5.8	5.8	6.8	7	0	0	0	5.26	39	4	4	11	10	1	30
D	5.9	-	-	23.0	24.9	22.2	20.2	21.3	20.4	76	72	85	5.5	5.7	7.0	2	0	0	0	5.36	38	6	3	10	12	0	31
A	4.5	-	-	19.4	23.5	20.0	17.0	19.4	18.1	78	67	83	4.1	4.4	5.2	39	0	0	2	6.10	50	41	41	73	173	37	365
241/ 72				MOUNT EDGECOMBE						Ø 29°42'S			λ 31° 3'E			H 104 M				HT 1.2 M							
J	-	-	-	23.2	25.1	-	20.9	21.9	-	80	74	-	5.3	5.6	-	2	0	0	0	5.16	37	2	3	15	11	0	31
F	-	-	-	23.0	25.5	-	20.8	21.7	-	81	70	-	4.0	4.1	-	5	0	0	0	7.29	55	0	3	6	17	2	28
M	-	-	-	22.7	25.7	-	21.0	22.6	-	85	75	-	3.9	4.2	-	3	0	0	0	6.23	51	2	1	8	20	0	31
A	-	-	-	20.2	24.2	-	18.2	20.6	-	81	70	-	3.7	4.3	-	3	0	0	0	6.39	56	0	4	6	16	4	30
M	-	-	-	16.2	21.7	-	14.4	17.7	-	81	65	-	2.9	3.4	-	1	0	0	0	6.85	64	1	1	6	17	6	31
J	-	-	-	13.4	21.3	-	11.2	16.1	-	75	56	-	1.4	1.2	-	0	0	0	0	8.02	78	1	1	2	16	10	30
J	-	-	-	13.4	20.9	-	10.7	15.5	-	70	55	-	1.6	1.7	-	1	0	0	0	8.10	77	1	0	3	13	14	31
A	-	-	-	14.7	20.6	-	12.6	15.8	-	77	58	-	2.4	2.3	-	2	0	0	0	7.90	71	1	0	5	20	5	31
S	-	-	-	17.2	20.0	-	15.2	16.8	-	80	71	-	5.0	5.2	-	1	0	0	0	3.68	31	7	3	11	9	0	30
O	-	-	-	19.5	22.1	-	16.9	18.4	-	76	69	-	4.6	5.0	-	4	0	0	2	5.75	45	1	3	12	14	1	31
N	-	-	-	20.6	23.3	-	17.7	19.2	-	74	67	-	5.3	5.1	-	8	0	0	0	5.94	44	2	4	11	13	0	30
D	-	-	-	22.6	23.9	-	19.8	20.7	-	76	74	-	5.1	5.9	-	3	1	0	0	5.36	38	3	2	15	11	0	31
A	-	-	-	18.9	22.9	-	16.6	18.9	-	78	67	-	3.8	4.0	-	33	1	0	2	6.39	53	21	25	100	177	42	365
242/644				PORT NOLLOTH - VRT						Ø 29°14'S			λ 16°52'E			H 4 M				HT 1.2 M							
J	-	-	-	14.2	17.8	16.0	13.4	15.5	14.8	91	78	87	5.4	2.3	3.4	0	0	0	17	-	-	-	-	-	-	-	-
F	-	-	-	14.1	17.3	15.6	13.5	15.2	14.4	93	80	87	5.6	3.3	2.5	0	0	0	20	-	-	-	-	-	-	-	-
M	-	-	-	13.6	16.6	15.2	12.9	14.8	13.9	92	82	89	5.4	3.9	3.4	0	0	0	18	-	-	-	-	-	-	-	-
A	-	-	-	10.6	15.2	12.9	10.0	13.5	12.2	93	84	91	4.6	3.8	2.3	0	0	0	24	-	-	-	-	-	-	-	-
M	-	-	-	10.6	16.1	13.5	9.1	12.9	11.5	80	71	79	2.8	1.5	1.3	0	0	0	11	-	-	-	-	-	-	-	-
J	-	-	-	10.5	15.1	12.6	8.5	12.5	10.7	79	75	80	4.0	3.3	2.2	0	0	0	10	-	-	-	-	-	-	-	-
J	-	-	-	10.0	15.4	13.0	8.8	12.7	11.6	85	75	85	4.0	3.0	2.8	0	0	0	12	-	-	-	-	-	-	-	-
A	-	-	-	9.0	13.9	12.2	8.1	12.1	11.1	88	79	86	4.6	2.9	2.2	0	0	0	8	-	-	-	-	-	-	-	-
S	-	-	-	9.1	14.1	11.6	8.0	11.7	10.5	87	74	86	3.8	2.6	1.4	0	0	0	10	-	-	-	-	-	-	-	-
O	-	-	-	11.7	15.4	13.3	10.7	13.2	12.2	89	77	87	5.3	4.0	3.0	0	0	0	15	-	-	-	-	-	-	-	-
N	-	-	-	13.5	16.9	14.3	12.3	14.4	13.1	87	75	86	4.1	2.9	3.3	0	0	0	6	-	-	-	-	-	-	-	-
D	-	-	-	14.6	17.3	16.2	13.8	15.6	15.2	92	83	90	5.6	3.6	4.5	0	0	0	24	-	-	-	-	-	-	-	-
A	-	-	-	11.8	15.9	13.9	10.8	13.7	12.6	88	78	86	4.6	3.1	2.7	0	0	0	175	-	-	-	-	-	-	-	-

TV 4 / 199

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED OORDAG BY DAY	WINDSPOED WIND SPEED OORNAG BY NIGHT	DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT 0800	1400	2000	% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM / AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT 0800	1400	2000	AANTAL DAE MET NUMBER OF DAYS WITH DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE AS % OF POSSIBLE	SONSKYNDUUR / SUNSHINE DURATION AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
	mm	m/s																										
247/668	POFADDER - SKL***									Ø 29° 8'S			λ 19°23'E			H 984 M						HT 1.2 M						
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	2.6	3.2	21.3	31.1	28.7	15.4	19.4	18.1	53	29	36	1.5	2.3	3.0	-	0	0	0	10.95	83	0	0	2	10	15	27	
M	12.5	2.5	2.8	17.9	28.2	25.9	12.8	16.2	15.5	56	25	31	1.8	1.7	2.2	-	0	0	0	9.55	78	0	1	5	7	18	31	
A	8.5	1.8	1.8	14.1	24.3	20.1	10.0	14.0	12.8	60	33	40	2.2	1.9	1.4	-	1	0	1	9.85	87	0	0	2	11	17	30	
M	6.5	2.3	1.4	10.6	20.4	15.5	6.9	11.9	9.7	58	33	46	1.8	1.2	0.9	-	0	0	0	9.50	89	0	0	1	7	23	31	
J	5.1	2.4	1.4	7.6	17.1	12.5	4.9	9.5	7.5	66	34	46	1.4	1.3	1.0	-	0	0	1	8.72	84	0	0	1	12	17	30	
J	4.3	2.0	1.6	6.6	15.0	11.4	4.6	9.2	7.6	74	47	59	2.2	2.3	1.1	-	0	0	0	8.10	77	1	0	3	9	18	31	
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
O	11.8	-	-	14.2	24.6	20.9	9.3	14.1	12.4	53	28	34	2.6	3.0	(3.3)	-	0	0	0	10.65	83	0	0	3	9	19	31	
N	-	3.6	3.6	17.5	26.9	23.6	-	-	-	-	-	-	2.3	2.4	2.6	-	0	0	1	11.85	87	0	0	0	12	18	30	
D	-	3.6	3.8	19.4	29.2	26.6	13.9	17.5	16.6	55	26	34	1.4	1.2	0.2	-	0	0	0	12.53	90	0	0	1	3	27	31	
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
253/363	BOEGOEBERGDAM - IRR									Ø 29° 3'S			λ 22°13'E			H 891 M						HT 1.2 M						
J	-	-	-	24.0	32.9	-	17.2	19.6	-	49	25	-	1.6	2.2	-	-	-	-	-	-	-	-	-	-	-	-	-	
F	-	-	-	23.3	31.4	-	17.8	20.0	-	56	32	-	2.3	3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	
M	-	-	-	21.7	31.5	-	15.4	18.7	-	47	23	-	2.0	2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	
A	-	-	-	15.9	26.8	-	11.8	16.9	-	60	34	-	2.3	2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	
M	-	-	-	11.4	21.6	-	8.6	13.4	-	68	36	-	1.2	1.9	-	-	-	-	-	-	-	-	-	-	-	-	-	
J	-	-	-	8.8	19.4	-	6.3	11.6	-	68	35	-	2.0	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	
J	-	-	-	8.0	18.7	-	5.4	11.1	-	66	35	-	1.9	1.4	-	-	-	-	-	-	-	-	-	-	-	-	-	
A	-	-	-	6.3	19.6	-	3.4	11.2	-	60	31	-	1.9	1.2	-	-	-	-	-	-	-	-	-	-	-	-	-	
S	-	-	-	26.2	12.5	-	-	-	-	-	-	-	1.2	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	
O	-	-	-	17.5	27.1	-	-	-	-	-	-	-	2.2	3.1	-	-	-	-	-	-	-	-	-	-	-	-	-	
N	-	-	-	20.9	29.9	-	-	-	-	-	-	-	1.6	2.6	-	-	-	-	-	-	-	-	-	-	-	-	-	
D	-	-	-	23.4	32.8	-	16.6	18.0	-	48	19	-	1.1	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	
A	-	-	-	17.3	25.3	-	-	-	-	-	-	-	1.8	2.2	-	-	-	-	-	-	-	-	-	-	-	-	-	
258/157	RIETRIVIER - AGR									Ø 29° 7'S			λ 24°36'E			H 1140 M						HT 1.2 M						
J	-	-	-	21.7	29.2	-	18.4	20.3	-	73	43	-	2.5	3.2	-	12	1	0	2	-	-	-	-	-	-	-	-	
F	-	-	-	20.1	28.3	-	17.3	19.7	-	76	44	-	2.4	4.3	-	8	0	0	0	-	-	-	-	-	-	-	-	
M	-	-	-	18.8	29.0	-	15.4	18.7	-	70	36	-	2.5	3.1	-	17	0	0	2	-	-	-	-	-	-	-	-	
A	-	-	-	13.2	25.2	-	11.7	16.2	-	83	37	-	2.0	1.5	-	10	0	0	0	-	-	-	-	-	-	-	-	
M	-	-	-	8.1	19.2	-	7.4	13.1	-	91	48	-	1.3	1.6	-	9	0	0	0	-	-	-	-	-	-	-	-	
J	-	-	-	5.0	(17.5)	-	3.8	(10.7)	-	83	(41)	-	2.2	(1.7)	-	5	0	0	0	-	-	-	-	-	-	-	-	
J	-	-	-	4.2	18.5	-	2.8	11.6	-	79	42	-	1.8	1.3	-	3	0	1	0	-	-	-	-	-	-	-	-	
A	-	-	-	4.7	20.0	-	2.3	10.4	-	65	25	-	1.1	0.9	-	0	0	2	0	-	-	-	-	-	-	-	-	
S	-	-	-	12.6	26.0	-	7.4	13.3	-	46	19	-	0.7	1.1	-	-	-	-	-	-	-	-	-	-	-	-	-	
O	-	-	-	16.7	25.6	-	11.9	14.8	-	56	28	-	2.0	2.7	-	7	0	0	0	-	-	-	-	-	-	-	-	
N	-	-	-	20.2	28.8	-	14.2	17.8	-	50	31	-	1.3	1.9	-	9	0	0	0	-	-	-	-	-	-	-	-	
D	-	-	-	21.8	30.6	-	15.8	18.1	-	52	27	-	1.4	2.1	-	12	0	0	0	-	-	-	-	-	-	-	-	
A	-	-	-	13.9	(24.8)	-	10.7	(15.4)	-	69	(35)	-	1.8	(2.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	
261/516	J B M HERTZOG - WK									Ø 29° 6'S			λ 26°18'E			H 1351 M						HT 1.2 M						
J	8.2	-	-	19.9	27.5	23.4	16.8	18.7	17.3	74	44	55	4.1	5.0	4.1	14	0	0	0	9.01	65	1	1	4	19	6	31	
F	7.0	-	-	18.3	25.4	20.9	15.7	17.7	16.2	77	48	62	3.2	4.8	3.6	13	0	0	0	8.74	67	0	1	4	17	6	28	
M	7.0	-	-	17.3	27.5	21.0	14.2	17.3	15.1	72	36	54	2.9	4.3	3.0	7	0	0	0	9.05	74	0	0	5	16	10	31	
A	5.0	-	-	11.0	23.3	15.4	9.8	14.4	11.5	86	38	64	2.4	3.4	2.4	3	0	0	0	8.92	78	0	0	3	11	16	30	
M	3.5	-	-	5.6	18.1	10.4	5.2	11.3	7.8	94	43	70	2.6	2.8	1.8	3	0	0	0	7.97	75	0	2	3	12	14	31	
J	3.5	-	-	1.4	17.1	8.8	0.6	9.6	5.3	88	35	59	2.1	2.0	1.4	0	0	0	0	8.26	80	0	1	1	21	7	30	
J	3.7	-	-	1.7	16.7	8.2	0.3	9.0	4.5	79	34	56	2.3	1.7	1.0	0	0	0	4	8.38	80	0	1	2	14	14	31	
A	5.6	-	-	2.6	18.5	10.5	0.3	9.0	4.6	67	25	36	2.4	2.5	1.4	0	0	1	0	9.62	87	0	0	0	11	20	31	
S	9.2	-	-	11.4	25.1	17.3	6.7	12.5	8.9	50	19	29	2.0	2.3	1.8	1	0	0	0	9.79	82	0	1	0	15	14	30	
O	8.6	-	-	15.6	24.3	18.1	10.9	13.8	11.6	57	30	46	2.9	4.1	3.5	6	0	0	0	9.15	72	0	1	5	15	10	31	
N	10.4	-	-	18.4	26.8	21.2	13.2	14.9	12.7	56	26	37	3.0	4.0	3.4	5	0	0	0	10.44	77	0	1	2	18	9	30	
D	10.6	-	-	19.9	27.9	22.8	14.8	16.2	14.5	58	29	42	2.3	3.8	3.4	6	0	0	0	10.23	73	2	0	2	14	13	31	
A	6.9	-	-	11.9	23.2	16.5	9.0	13.7	10.8	71	34	51	2.7	3.4	2.6	58	0	1	4	9.13	75	3	9	31	183	139	365	
263/859	MASERU - LESOTHO									Ø 29°19'S			λ 27°29'E			H 1528 M						HT 1.2 M						
J	-	-	-	18.8	25.7	-	16.2	18.1	-	77	46	-	4.0	5.1	-	13	1	0	0	8.53	62	0	3	3	25	0	31	
F	-	-	-	17.2	24.2	-	15.2	17.0	-	81	47	-	3.5	4.9	-	9	2	0	0	8.84	67	0	2	2	17	7	28	
M	-	-	-	16.2	25.9	-	13.4	16.3	-	73	35	-	2.7	4.6	-	9	0	0	0	8.57	70	1	2	4	15	9	31	
A	-	-	-	10.8	22.0	-	9.4	13.6	-	84	37	-	2.7	3.3	-	4	0	0	0	8.39	74	0	2	2	22	4	30	
M	-	-	-	5.8	16.4	-	5.1	10.1	-	90	42	-	2.4	2.7	-	3	0	0	3	7.46	70	2	0	4	21	4	31	
J	-	-	-	1.9	16.4	-	0.9	8.5	-	84	31	-	1.6	2.1	-	1	0	0	0	7.64	74	0	0	3	27	0	30	
J	-	-	-	1.3	15.2	-	0.1	7.8	-	80	31	-	2.6	2.5	-	2	1	0	4	-	-	-	-	-	-	-	-	
A	-	-	-	2.9	17.9	-	0.5	8.0	-	63	19	-	2.1	2.3	-	0	0	1	0	8.74	79	0	0	3	18	10	31	
S	-	-	-	10.4	24.0	-	6.2	11.7	-	54	19	-	2.6	3.5	-	4	0	0	0	8.98	75	0	0	4	26	0	30	
O	-	-	-	14.3	22.9	-	10.1	13.2	-	59	32	-	3.2	5.1	-	8	0	0	0	8.65	68	1	1	4	18	7	31	
N	-	-	-	16.6	25.3	-	11.9	14.1	-	57	27	-	3.6	4.8	-	11	2	0	0	9.46	70	1	0	4	21	4	30	
D	-	-	-	18.6	26.1	-	13.0	15.7	-	54	34	-	2.3	4.0	-	6	0	0	0	9.68	69	1	1	2	21	6	31	
A	-	-	-	11.2	21.8	-	8.5	12.8	-	71	33	-	2.8	3.7	-	70	6	1	7	-	-	-	-	-	-	-	-	

*** Stasie verskuif; kyk na bl. XXI / Station shifted; see p. XXI

TABEL II | TABLE II

GEMIDDELDE DAELIKSE WAARDES VAN / AVERAGE DAILY VALUES OF

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN) mm	WINDSPOED WIND SPEED OORDAG BY DAY m/s	WINDSPOED WIND SPEED OORNAG BY NIGHT m/s	DROËBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM/AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM/AT 0800	1400	2000	AANTAL DAE MET NUMBER OF DAYS WITH DONDER/THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE AS % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
264/399 TEYATEYANENG - LESOTHO																												
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	17.7	25.6	-	14.0	16.4	-	66	37	-	2.1	3.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	12.7	21.2	-	10.1	13.9	-	72	43	-	1.8	2.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	7.6	16.0	-	6.0	10.7	-	79	51	-	1.5	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	6.5	16.0	-	3.7	8.7	-	63	34	-	1.7	1.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	7.8	16.8	-	4.1	8.7	-	54	30	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S	-	-	-	13.2	22.6	-	8.2	12.2	-	49	25	-	2.9	2.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O	-	-	-	14.5	23.0	-	10.2	13.2	-	57	30	-	3.0	2.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N	-	-	-	16.7	25.0	-	12.1	15.1	-	48	32	-	2.7	2.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	18.8	26.0	-	13.8	16.6	-	57	36	-	1.7	2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
268/631 ESTCOURT - AGR																												
J	5.4	1.8	0.9	18.8	24.7	19.5	16.8	18.9	17.3	82	59	81	6.1	5.3	6.3	14	0	0	0	4.67	34	1	6	16	8	0	31
F	6.3	1.9	0.8	18.0	24.6	18.4	15.9	18.0	16.1	81	52	79	4.9	3.4	5.1	8	1	0	0	6.76	51	0	2	10	15	1	28
M	6.0	1.9	0.9	18.3	26.3	19.6	16.2	18.6	16.6	81	47	74	4.8	3.6	4.8	12	0	0	0	7.07	58	0	1	10	19	1	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.34	64	2	1	5	14	8	30
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.36	69	2	0	6	14	9	31
J	3.0	1.4	0.8	6.1	17.8	9.0	4.4	10.9	6.1	77	40	66	1.8	1.4	1.4	0	0	0	1	8.14	79	1	1	3	8	17	30
J	3.4	-	-	6.2	18.3	9.1	3.9	10.1	5.8	70	35	61	1.0	1.7	1.3	0	0	0	0	8.44	80	0	1	4	8	18	31
A	4.6	1.9	0.9	7.9	19.7	11.3	5.8	11.0	7.4	75	34	58	2.9	1.9	1.7	2	1	0	0	8.64	78	1	1	3	13	13	31
S	5.4	2.2	1.2	13.3	22.2	15.0	10.9	13.7	11.5	76	41	68	4.6	3.5	3.9	5	0	0	0	6.68	56	1	5	5	12	7	30
O	6.0	2.3	1.0	15.4	23.3	16.6	12.7	14.9	13.3	74	42	70	4.4	4.2	4.5	11	0	0	0	6.42	50	1	3	9	16	2	31
N	6.3	2.3	1.2	16.1	23.6	16.6	13.5	16.2	14.0	76	47	76	5.4	4.8	6.0	16	1	0	0	6.02	44	2	4	9	15	0	30
D	6.3	2.0	1.2	17.9	24.4	18.5	15.6	17.9	15.6	79	55	76	5.6	4.1	5.1	11	2	0	0	5.97	43	1	5	12	11	2	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.96	57	12	30	92	153	78	365
270/194 SEVEN OAKS - RYHILL																												
J	-	-	-	18.3	22.5	-	16.6	19.1	-	84	73	-	5.0	5.5	-	2	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	17.1	22.5	-	15.9	18.3	-	88	66	-	4.7	3.8	-	2	1	0	0	-	-	-	-	-	-	-	-
M	-	-	-	19.3	25.3	-	17.7	20.3	-	85	62	-	5.4	4.1	-	3	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	15.1	21.4	-	13.6	16.3	-	84	60	-	4.3	3.9	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	11.6	18.1	-	9.5	12.3	-	53	48	-	5.3	4.3	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	9.5	17.8	-	6.7	10.6	-	66	37	-	3.0	2.6	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	9.4	17.8	-	6.2	9.6	-	61	29	-	3.6	3.7	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	10.7	18.8	-	7.9	10.8	-	67	33	-	3.9	4.0	-	1	1	0	0	-	-	-	-	-	-	-	-
S	-	-	-	13.1	18.1	-	11.1	12.9	-	80	63	-	5.5	5.7	-	3	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	15.8	20.8	-	13.1	15.1	-	76	57	-	5.3	5.7	-	4	0	1	0	-	-	-	-	-	-	-	-
N	-	-	-	16.3	21.1	-	13.7	16.1	-	75	62	-	5.9	5.8	-	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	18.2	21.3	-	15.8	17.3	-	78	69	-	5.7	6.2	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	14.5	20.5	-	12.3	14.9	-	75	55	-	4.8	4.6	-	-	-	-	-	-	-	-	-	-	-	-	-
274/ 34 ALEXANDER BAY - WK																												
J	10.1	-	-	16.8	21.7	18.2	15.3	17.3	16.2	85	62	81	5.1	1.7	3.4	0	0	0	0	9.96	73	0	1	3	20	7	31
F	8.6	-	-	15.4	22.2	17.5	14.7	17.5	15.7	92	61	82	5.8	1.6	2.6	0	0	0	5	9.51	73	0	0	4	19	5	28
M	7.7	-	-	15.0	22.2	17.7	14.1	17.1	15.6	90	59	80	5.7	2.0	3.2	1	0	0	7	8.50	69	0	1	3	22	5	31
A	5.8	-	-	11.4	19.8	14.7	11.1	15.6	13.3	96	62	85	4.3	1.7	2.4	0	0	0	16	9.14	80	0	0	1	18	11	30
M	5.8	-	-	11.8	22.1	15.6	9.7	15.1	12.3	79	48	70	2.5	1.3	1.5	0	0	0	8	9.19	86	0	1	0	15	15	31
J	4.5	-	-	10.1	18.9	13.7	8.5	13.2	11.2	81	52	75	3.6	1.7	1.6	0	0	0	9	7.71	74	0	0	3	16	11	30
J	4.3	-	-	10.1	18.3	13.6	8.8	13.2	11.5	86	56	79	4.5	2.3	2.3	0	0	0	12	7.06	67	0	1	7	12	11	31
A	4.2	-	-	9.2	17.2	12.9	8.6	13.0	11.3	93	61	83	3.9	2.4	2.5	0	0	0	8	8.38	75	0	1	3	15	12	31
S	6.4	-	-	9.8	17.5	12.5	8.7	12.8	10.9	88	55	81	3.8	1.4	1.4	0	0	0	9	9.51	80	0	0	3	17	10	30
O	7.8	-	-	12.8	19.5	14.6	11.6	14.5	12.8	86	57	82	5.3	2.8	2.8	0	0	0	4	8.59	67	0	2	7	15	7	31
N	9.7	-	-	15.1	21.2	16.3	13.1	15.7	14.1	78	54	77	4.0	2.0	2.6	0	0	0	2	10.01	74	0	0	3	14	13	30
D	9.8	-	-	16.8	22.0	18.1	15.3	17.2	16.2	84	60	81	5.1	1.6	3.5	0	0	0	3	9.83	71	0	2	3	19	7	31
A	7.1	-	-	12.9	20.2	15.5	11.6	15.2	13.4	87	57	80	4.5	1.9	2.5	1	0	0	83	8.95	74	0	9	40	202	114	365
290/468 KIMBERLEY - WK																												
J	9.5	-	-	21.9	29.3	25.6	17.3	18.8	17.7	64	37	47	3.4	4.3	4.4	10	0	0	0	9.61	70	0	2	3	16	10	31
F	8.0	-	-	20.7	28.5	23.9	16.6	18.2	16.8	67	37	50	2.9	4.1	3.5	9	0	0	0	9.90	75	0	1	2	13	12	28
M	7.9	-	-	19.8	28.8	23.8	14.9	17.4	15.7	60	32	44	3.2	3.9	2.9	6	0	0	0	8.83	72	0	0	6	13	12	31
A	5.2	-	-	14.8	24.3	19.0	11.5	14.8	13.2	68	35	53	3.0	3.1	2.4	5	0	0	1	8.76	77	0	0	5	11	14	30
M	3.3	-	-	9.3	19.0	13.7	7.6	12.1	9.9	79	44	61	2.0	2.9	2.2	3	1	0	0	8.72	82	1	0	3	7	20	31
J	3.4	-	-	7.2	17.9	12.1	4.6	10.4	7.6	68	39	52	2.8	2.6	2.4	0	0	0	0	8.13	79	0	0	5	8	17	30
J	3.8	-	-	6.6	17.8	11.4	4.0	9.7	6.5	68	34	48	2.4	1.4	1.6	0	1	0	4	8.96	85	0	0	3	10	18	31
A	5.7	-	-	6.6	19.4	12.8	3.1	9.3	6.2	56	23	35	2.0	2.2	1.6	0	0	0	0	10.07	91	0	0	1	8	22	31
S	8.9	-	-	13.8	25.6	19.7	7.4	12.6	9.8	39	18	24	2.2	1.9	2.3	1	0	0	0	10.02	84	0	0	1	15	14	30
O	9.1	-	-	16.8	25.5	20.6	11.0	13.9	12.3	49	25	37	3.1	4.1	3.6	6	0	0	0	9.50	74	0	0	5	16	10	31
N	11.5	-	-	19.7	28.4	23.5	12.8	14.9	13.2	45	21	31	2.5	4.0	3.5	6	0	0	0	10.71	79	0	1	1	14	14	30
D	12.3	-	-	21.2	29.1	25.0	14.6	16.3	15.1	49	26	35	2.0	3.4	3.4	10	0	0	0	10.61	76	0	2	1	14	14	31
A	7.4	-	-	14.9	24.5	19.3	10.5	14.0	12.0	59	31	43	2.6	3.2	2.8	56	2	0	5	9.49	78	1	6	36	145	177	365

TV 4 / 198

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED		DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C			% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS			DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	% VAN MOONTLIKE % OF POSSIBLE	0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
										OM / AT			OM / AT									GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE					
	mm	OORDAG BY DAY m/s	OORNAG BY NIGHT m/s	0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000												
293/597				**GLEN COLLEGE - AGR**						**ø 28°57'S**			**λ 26°20'E**			**H 1304 M**						**HT 1.2 M**					
J	-	-	-	21.0	28.0	-	17.1	18.8	-	68	40	-	3.8	4.9	-	12	0	0	0	8.83	64	0	2	7	15	7	31
F	-	-	-	19.5	26.2	-	16.2	17.9	-	71	43	-	3.2	5.4	-	10	0	0	0	8.37	64	0	2	6	15	5	28
M	-	-	-	18.6	28.6	-	14.8	17.5	-	66	31	-	2.5	4.2	-	6	0	0	0	8.83	72	0	1	4	15	11	31
A	-	-	-	12.6	24.1	-	10.8	14.6	-	80	33	-	2.0	3.2	-	5	0	0	0	8.94	79	0	0	4	12	14	30
M	-	-	-	6.8	18.6	-	6.0	12.0	-	89	44	-	2.7	2.9	-	1	0	0	1	8.01	75	1	2	2	12	14	31
J	-	-	-	3.2	17.9	-	2.0	9.7	-	81	31	-	2.0	2.1	-	0	0	0	0	8.33	81	0	1	0	16	13	30
J	-	-	-	3.3	17.5	-	1.4	9.1	-	71	29	-	2.7	2.7	-	0	0	0	0	8.26	79	0	1	2	13	15	31
A	-	-	-	3.6	19.6	-	1.1	9.4	-	62	20	-	1.7	1.7	-	0	0	0	0	9.62	87	0	0	1	11	19	31
S	-	-	-	12.9	26.2	-	7.7	12.8	-	46	16	-	2.4	2.9	-	1	0	0	0	9.39	79	1	0	0	19	10	30
O	-	-	-	16.8	25.1	-	11.5	13.9	-	52	25	-	3.4	5.0	-	6	0	0	0	8.75	69	0	3	5	15	8	31
N	-	-	-	19.1	26.9	-	13.5	14.5	-	52	22	-	3.2	4.3	-	2	0	0	0	10.02	74	0	1	3	16	10	30
D	-	-	-	20.9	28.6	-	14.9	16.0	-	52	24	-	2.1	4.5	-	7	0	0	0	9.86	71	2	0	5	11	13	31
A	-	-	-	13.2	23.9	-	9.7	13.9	-	66	30	-	2.6	3.7	-	50	0	0	1	8.93	74	4	13	39	170	139	365
297/ 83				**LERIBE - LESOTHO**						**ø 28°53'S**			**λ 28° 3'E**			**H 1666 M**						**HT 1.2 M**					
J	-	-	-	18.3	24.0	-	15.9	17.6	-	78	52	-	4.4	5.7	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	17.7	23.6	-	14.3	16.9	-	69	50	-	3.6	5.3	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	17.4	25.0	-	14.0	16.3	-	69	39	-	3.2	4.1	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	11.7	20.4	-	9.9	14.1	-	79	49	-	2.7	3.5	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	6.3	15.1	-	5.1	9.9	-	84	50	-	0.8	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	3.0	14.1	-	1.6	7.0	-	78	37	-	0.2	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	3.5	14.9	-	1.6	7.6	-	71	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	4.8	17.1	-	1.9	8.2	-	59	24	-	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-
S	-	-	-	12.3	22.8	-	7.9	12.5	-	54	27	-	0.3	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-
O	-	-	-	12.9	22.0	-	9.5	13.0	-	64	35	-	1.8	1.9	-	-	-	-	-	-	-	-	-	-	-	-	-
N	-	-	-	16.3	22.8	-	12.7	14.5	-	66	38	-	2.0	2.7	-	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	18.5	24.6	-	13.7	15.7	-	58	37	-	2.8	3.5	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	11.9	20.5	-	9.0	12.8	-	69	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
297/436				**BUTHA-BUTHE - LESOTHO**						**ø 28°46'S**			**λ 28°15'E**			**H 1768 M**						**HT 1.2 M**					
J	-	-	-	17.9	23.4	-	15.5	17.7	-	78	57	-	2.9	3.5	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	16.1	20.8	-	14.2	16.2	-	81	62	-	3.6	4.2	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	15.9	24.4	-	13.9	17.7	-	80	51	-	1.6	2.9	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	9.9	20.4	-	9.1	13.8	-	90	47	-	1.9	1.8	-	4	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	4.9	15.4	-	4.3	9.7	-	91	46	-	1.9	2.2	-	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	1.3	15.5	-	0.6	8.6	-	88	36	-	1.2	1.0	-	1	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	0.9	14.6	-	-0.2	7.2	-	83	30	-	1.2	2.7	-	0	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	3.4	16.2	-	1.4	8.8	-	70	33	-	1.2	1.4	-	0	0	0	0	-	-	-	-	-	-	-	-
S	-	-	-	11.3	21.1	-	8.0	12.0	-	64	31	-	2.2	2.2	-	2	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	14.1	21.4	-	10.3	12.5	-	62	33	-	3.1	3.3	-	3	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	15.9	22.4	-	12.0	13.8	-	63	36	-	2.9	3.4	-	9	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	16.6	23.7	-	12.8	14.5	-	64	34	-	2.6	3.8	-	5	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	10.7	19.9	-	8.5	12.7	-	76	41	-	2.2	2.7	-	-	-	-	-	-	-	-	-	-	-	-	-
298/193				**OX-BOW - LESOTHO**						**ø 28°43'S**			**λ 28°37'E**			**H 2591 M**						**HT 1.2 M**					
J	-	-	-	13.1	15.6	-	10.8	12.1	-	76	67	-	5.4	7.4	-	8	0	0	0	6.34	46	0	2	17	12	0	31
F	-	-	-	11.2	14.8	-	9.1	10.5	-	77	5[illegible]	-	4.5	6.7	-	5	0	0	0	7.07	54	0	2	10	16	0	28
M	4.0	-	-	10.7	15.8	-	8.5	10.6	-	75	5[illegible]	-	3.1	5.7	-	14	6	0	0	7.48	61	0	3	4	24	0	31
A	-	-	-	5.5	12.7	-	3.9	8.0	-	79	53	-	3.3	4.0	-	5	3	0	1	7.11	62	2	1	3	24	0	30
M	1.8	-	-	0.4	7.9	-	0.1	4.2	-	95	56	-	3.2	4.3	-	2	2	3	9	6.04	56	2	2	5	22	0	31
J	1.4	-	-	-2.4	7.3	-	-	-	-	-	-	-	1.5	2.3	-	0	1	1	2	6.42	62	1	0	6	23	0	30
J	1.6	-	-	-2.7	6.3	-	-	-	-	-	-	-	0.2	0.2	-	0	0	1	0	6.95	66	0	1	4	26	0	31
A	2.6	-	-	2.1	8.7	-	-	-	-	-	-	-	2.2	2.3	-	0	0	0	0	8.05	72	0	2	1	28	0	31
S	4.1	-	-	8.3	13.0	-	3.4	6.1	-	41	[illegible]	-	2.8	4.1	-	0	0	2	0	7.29	61	0	3	6	21	0	30
O	4.0	-	-	8.9	12.9	-	5.3	7.1	-	59	43	-	3.8	4.6	-	2	2	2	0	7.25	57	1	3	6	21	0	31
N	4.2	-	-	10.1	13.4	-	6.9	8.5	-	63	50	-	3.8	5.1	-	6	2	0	0	6.73	50	2	0	14	14	0	30
D	4.6	-	-	12.1	15.5	-	8.1	9.8	-	58	48	-	3.4	4.8	-	2	1	0	0	7.65	55	1	3	7	20	0	31
A	-	-	-	6.4	12.0	-	-	-	-	-	-	-	3.1	4.3	-	44	17	9	12	7.03	58	9	22	83	251	0	365
299/419				**CATHEDRAL PEAK - BOS**						**ø 28°59'S**			**λ 29°14'E**			**H 1870 M**						**HT 1.2 M**					
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.51	26	2	10	16	3	0	31
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.08	39	3	1	15	8	1	28
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.31	51	0	0	12	17	2	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.00	61	0	1	8	17	4	30
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.74	63	1	2	7	10	11	31
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.09	78	0	2	1	15	12	30
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.24	79	1	1	1	12	16	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.53	77	1	0	3	16	11	31
S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.08	59	1	2	5	19	3	30
O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.98	55	2	0	10	17	2	31
N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.02	37	2	1	17	10	0	30
D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.32	38	3	2	13	13	0	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.49	54	16	22	108	157	62	365

TV 4 / 100

TABEL II

TABLE II

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED		DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C			% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS			DONDER/THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	% VAN MOONTLIKE POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE					WAARNEMINGS OBSERVATIONS
				OM / AT			OM / AT			OM / AT			OM / AT									0%	1-10%	11-49%	50-89%	90-100%	
	mm	m/s		0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000												
300/423				LADYSMITH - MUN						Ø 28°33'S			λ 29°45'E					H 1034 M			HT 1.2 M					
J	-	-	-	20.3	27.2	-	17.8	19.7	-	78	48	-	5.4	5.3	-	14	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	19.1	26.0	-	16.8	18.8	-	79	48	-	4.8	4.4	-	6	0	0	1	-	-	-	-	-	-	-	-
M	-	-	-	19.5	28.4	-	17.2	19.3	-	79	40	-	4.0	3.4	-	9	1	0	0	-	-	-	-	-	-	-	-
A	-	-	-	15.1	25.1	-	13.8	16.9	-	86	41	-	4.6	3.3	-	4	0	0	2	-	-	-	-	-	-	-	-
M	-	-	-	9.4	20.0	-	8.4	12.8	-	87	40	-	2.5	3.4	-	3	0	0	1	-	-	-	-	-	-	-	-
J	-	-	-	5.9	19.6	-	4.6	11.6	-	81	33	-	1.9	1.7	-	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	5.4	19.2	-	3.5	10.9	-	72	30	-	1.4	2.1	-	0	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	9.0	21.2	-	6.4	12.1	-	67	29	-	2.6	2.0	-	2	1	0	4	-	-	-	-	-	-	-	-
S	-	-	-	13.9	24.6	-	11.8	15.0	-	78	32	-	4.6	3.0	-	4	0	0	4	-	-	-	-	-	-	-	-
O	-	-	-	17.3	25.4	-	13.7	16.0	-	75	34	-	4.4	4.5	-	9	1	0	0	-	-	-	-	-	-	-	-
N	-	-	-	17.7	25.3	-	14.7	17.3	-	71	43	-	0.5	0.5	-	12	1	0	0	-	-	-	-	-	-	-	-
D	-	-	-	19.4	26.9	-	16.7	18.8	-	76	44	-	5.1	4.6	-	7	2	0	0	-	-	-	-	-	-	-	-
A	-	-	-	14.3	24.1	-	12.1	15.8	-	77	39	-	3.5	3.2	-	70	6	0	12	-	-	-	-	-	-	-	-
305/ 17				RICHARDS BAY - ALUSAF						Ø 28°47'S			λ 32° 1'E					H 17 M			HT 1.2 M					
J	-	-	-	24.6	27.3	23.9	22.2	23.3	21.9	80	70	86	5.2	5.2	6.2	6	0	0	0	7.32	53	4	4	1	22	0	31
F	-	-	-	23.7	27.4	23.2	21.6	23.1	21.5	83	68	85	4.9	4.4	4.0	0	0	0	0	8.61	66	0	3	3	19	3	28
M	-	-	-	24.1	28.8	23.7	22.2	24.0	22.2	83	67	87	5.2	3.9	4.7	4	0	0	1	7.37	60	0	0	9	21	1	31
A	-	-	-	21.6	26.6	-	20.2	22.4	-	87	69	-	4.0	3.8	-	1	0	0	0	6.79	60	1	5	2	20	2	30
M	-	-	-	17.5	23.4	-	16.4	19.4	-	89	69	-	3.6	3.5	-	2	0	0	0	5.99	56	4	1	6	10	8	29
J	-	-	-	14.7	23.2	-	12.9	18.7	-	80	63	-	1.8	1.6	-	0	0	0	0	(7.65)	(74)	(0)	(3)	(1)	(7)	(11)	(22)
J	-	-	-	13.9	22.2	-	12.8	17.2	-	87	58	-	2.9	2.0	-	1	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	16.4	23.0	-	14.6	17.6	-	81	56	-	2.5	2.8	-	0	0	0	0	(7.27)	(65)	(2)	(0)	(3)	(10)	(5)	(20)
S	-	-	-	19.2	22.0	-	17.3	18.9	-	82	75	-	4.6	5.2	-	2	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N	-	-	-	22.1	25.3	-	19.1	20.7	-	75	65	-	6.1	5.4	-	5	0	0	0	6.07	45	4	3	7	15	1	30
D	-	-	-	23.7	26.5	-	20.7	22.0	-	76	67	-	5.2	5.3	-	3	0	0	0	6.66	48	5	5	4	15	2	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
317/447A				UPINGTON - AGR						Ø 28°27'S			λ 21°15'E					H 793 M			HT 1.2 M					
J	-	-	-	23.3	33.4	-	17.1	19.8	-	52	25	-	1.4	2.3	-	8	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	22.9	31.2	-	18.6	20.6	-	65	35	-	2.3	3.7	-	9	0	0	1	-	-	-	-	-	-	-	-
M	-	-	-	19.6	31.3	-	15.5	19.0	-	64	28	-	2.3	2.6	-	6	1	0	0	-	-	-	-	-	-	-	-
A	-	-	-	14.4	27.1	-	12.4	16.5	-	79	30	-	1.8	2.4	-	6	0	0	2	-	-	-	-	-	-	-	-
M	-	-	-	9.4	23.0	-	8.0	14.0	-	82	33	-	1.3	1.3	-	4	0	0	5	-	-	-	-	-	-	-	-
J	-	-	-	7.5	20.6	-	5.6	11.8	-	74	30	-	2.7	1.5	-	2	1	0	4	-	-	-	-	-	-	-	-
J	-	-	-	6.2	19.2	-	4.1	10.6	-	70	28	-	2.4	9.5	-	0	0	0	4	-	-	-	-	-	-	-	-
A	-	-	-	4.1	19.5	-	2.7	10.5	-	78	26	-	1.5	1.3	-	0	0	0	1	-	-	-	-	-	-	-	-
S	-	-	-	11.3	25.5	-	7.4	13.5	-	56	20	-	1.4	1.1	-	0	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	16.4	27.0	-	11.3	15.0	-	52	23	-	2.3	2.9	-	4	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	19.9	29.6	-	13.4	16.6	-	45	22	-	1.4	2.7	-	4	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	21.9	31.9	-	15.1	17.5	-	46	20	-	1.1	1.3	-	3	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	14.7	26.6	-	10.9	15.5	-	64	27	-	1.8	2.7	-	46	2	0	17	-	-	-	-	-	-	-	-
317/474				UPINGTON - WK						Ø 28°24'S			λ 21°16'E					H 836 M			HT 1.2 M					
J (14.3)	-	-	-	23.5	33.5	30.7	15.9	18.9	17.7	43	21	27	2.4	2.6	3.3	3	0	0	0	11.15	81	0	1	1	12	17	31
F (11.1)	-	-	-	23.2	31.5	28.5	17.7	19.6	19.0	57	32	40	2.6	3.7	3.5	9	0	0	0	10.23	78	0	0	5	13	10	28
M (10.6)	-	-	-	20.5	31.8	27.4	14.7	18.0	16.7	52	24	31	2.7	2.9	2.8	3	0	0	0	9.35	76	1	1	4	9	16	31
A (6.8)	-	-	-	15.7	27.1	21.7	12.0	15.8	14.5	65	28	44	2.3	3.1	2.3	6	0	0	0	8.96	79	1	0	4	8	17	30
M (5.2)	-	-	-	11.2	23.0	17.2	8.5	13.6	11.6	69	32	49	1.8	2.3	1.8	3	0	0	0	9.73	91	0	0	1	5	25	31
J (5.2)	-	-	-	8.8	20.3	14.3	5.8	11.5	8.9	65	31	47	2.8	1.8	1.6	4	1	0	0	8.71	84	0	1	1	9	19	30
J (4.7)	-	-	-	7.5	19.1	13.4	4.7	11.1	8.4	70	36	49	2.1	2.2	2.1	0	0	0	1	8.56	81	0	0	3	11	17	31
A (4.3)	-	-	-	6.1	19.4	14.0	3.3	10.5	7.7	63	29	38	1.9	2.3	1.1	0	0	0	0	9.85	89	0	0	1	7	23	31
S (7.2)	-	-	-	11.7	25.6	20.3	7.2	14.0	11.4	51	23	30	1.4	1.3	1.2	0	0	0	0	10.65	89	0	0	0	10	20	30
O (8.6)	-	-	-	17.0	27.4	22.9	10.8	15.0	13.2	45	24	31	2.7	3.5	2.7	1	0	0	0	9.98	78	1	1	3	10	16	31
N (11.6)	-	-	-	20.2	30.3	26.7	12.6	16.2	14.7	40	19	22	2.3	3.0	3.1	2	0	0	0	11.59	86	0	0	1	11	18	30
D (12.2)	-	-	-	22.4	32.5	29.4	14.3	17.2	16.2	40	17	22	1.9	1.8	1.9	3	0	0	0	12.18	87	0	0	2	6	23	31
A (8.5)	-	-	-	15.7	26.8	22.2	10.6	15.1	13.3	55	26	36	2.2	2.5	2.3	34	1	0	1	10.08	83	3	4	26	111	221	365
323/102				KOOPMANSFONTEIN II - AGR						Ø 28°12'S			λ 24° 4'E					H 1341 M			HT 1.2 M					
J 8.2	-	-	-	20.9	28.1	-	16.8	18.8	-	66	40	-	3.1	4.5	-	13	0	0	0	-	-	-	-	-	-	-	-
F -	-	-	-	18.9	25.8	-	16.2	18.6	-	76	51	-	2.9	4.4	-	13	0	0	1	-	-	-	-	-	-	-	-
M 7.4	-	-	-	18.7	28.6	-	14.4	17.7	-	62	32	-	2.5	3.7	-	5	0	0	0	-	-	-	-	-	-	-	-
A 4.5	-	-	-	14.0	23.8	-	10.8	13.9	-	67	31	-	1.9	2.6	-	-	-	-	-	-	-	-	-	-	-	-	-
M 3.2	-	-	-	9.2	18.4	-	7.4	11.2	-	78	39	-	1.9	2.3	-	3	0	0	0	-	-	-	-	-	-	-	-
J 3.3	-	-	-	6.3	17.3	-	3.9	9.4	-	68	32	-	2.1	2.1	-	0	0	0	0	-	-	-	-	-	-	-	-
J 4.0	-	-	-	5.0	(17.2)	-	2.7	(8.9)	-	68	(29)	-	1.4	(1.0)	-	-	-	-	-	-	-	-	-	-	-	-	-
A 5.8	-	-	-	7.0	19.3	-	3.1	8.8	-	50	18	-	1.2	1.4	-	-	-	-	-	-	-	-	-	-	-	-	-
S 8.7	-	-	-	15.2	26.1	-	8.0	12.6	-	36	16	-	1.6	1.7	-	0	0	0	0	-	-	-	-	-	-	-	-
O 8.4	-	-	-	17.1	25.0	-	11.0	14.3	-	48	31	-	2.5	3.6	-	4	0	0	0	-	-	-	-	-	-	-	-
N 10.0	-	-	-	19.6	24.2	-	13.1	13.5	-	49	21	-	2.0	3.1	-	4	0	0	0	-	-	-	-	-	-	-	-
D 10.3	-	-	-	21.4	28.8	-	13.9	15.9	-	44	25	-	2.0	3.0	-	8	0	0	0	-	-	-	-	-	-	-	-
A -	-	-	-	14.4	(23.5)	-	10.1	(13.6)	-	59	(30)	-	2.1	(2.8)	-	-	-	-	-	-	-	-	-	-	-	-	-

TV 4 / 199

TABEL II | TABLE II

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED		DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT			AANTAL DAE MET NUMBER OF DAYS WITH				SONSKYNDUUR / SUNSHINE DURATION: GEMIDDELDE DAELIKSE UREN AVERAGE DAILY HOURS	AS % VAN MOONTLIKE AS % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE					WAARNEMINGS OBSERVATIONS
	mm	OORDAG BY DAY m/s	OORNAG BY NIGHT m/s	0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000	DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG			0%	1-10%	11-49%	50-89%	90-100%	
331/520	LOCH LOMOND – AGR									Ø 28°10'S			λ 28°18'E			H 1631 M						HT 1.2 M					
J	6.4	2.1	1.2	17.9	24.6	18.3	15.5	17.6	15.8	78	50	77	5.3	6.0	5.1	13	0	0	0	7.79	57	0	3	6	19	3	31
F	6.7	1.7	1.1	15.8	23.5	17.5	14.0	16.5	14.5	82	50	73	4.1	5.7	4.6	9	3	0	1	8.16	62	0	2	5	18	3	28
M	6.3	1.8	1.1	15.9	25.2	18.1	14.1	15.8	13.9	81	38	64	3.4	4.5	3.2	7	0	0	5	8.66	71	0	1	4	22	4	31
A	4.2	1.7	0.6	10.8	21.1	13.8	9.8	13.7	11.1	89	43	72	4.1	3.5	2.3	3	0	0	14	8.00	70	0	0	5	24	1	30
M	2.6	1.6	0.6	5.4	16.0	8.9	4.6	9.7	7.0	90	43	75	3.7	3.6	1.6	0	0	0	6	7.16	67	1	3	1	23	3	31
J	2.8	1.7	0.6	0.6	15.5	6.2	0.1	8.2	3.7	90	33	66	2.0	2.0	0.6	0	0	0	9	7.74	74	0	0	2	26	2	30
J	3.2	2.1	0.8	0.5	15.1	7.1	-0.3	8.0	4.2	87	35	62	2.3	2.1	1.6	0	0	1	8	7.97	75	0	0	4	22	5	31
A	4.7	2.4	0.8	2.7	17.6	8.3	1.4	8.7	4.2	80	28	51	2.1	1.6	0.1	1	0	0	5	9.27	83	0	0	1	16	14	31
S	6.0	2.6	1.1	9.8	22.3	13.7	7.8	11.9	8.8	76	27	53	3.4	3.5	2.5	3	0	0	3	7.93	66	1	2	1	26	0	30
O	6.7	2.4	1.2	14.2	22.3	15.1	11.4	13.8	11.1	72	38	61	4.4	4.5	3.8	3	0	0	0	8.31	65	0	1	7	14	9	31
N	6.5	2.4	1.4	15.2	22.7	15.6	12.7	15.1	12.2	76	46	68	5.3	5.3	4.2	17	0	0	0	8.23	61	1	1	5	21	2	30
D	8.0	–	–	17.0	24.6	17.7	14.3	16.0	13.7	76	42	66	3.6	4.3	4.0	9	0	0	1	9.15	66	2	0	5	15	9	31
A	5.3	–	–	10.5	20.9	13.4	8.8	12.9	10.0	81	39	66	3.6	3.9	2.8	65	3	1	52	8.20	68	5	13	46	246	55	365
339/357	RIVER VIEW									Ø 28°27'S			λ 32°12'E			H 46 M						HT 1.2 M					
J	–	–	–	24.3	28.0	–	22.0	23.1	–	81	64	–	4.4	4.8	–	3	0	0	0	–	–	–	–	–	–	–	–
F	–	–	–	23.7	27.5	–	21.6	23.0	–	82	66	–	4.8	5.0	–	1	0	0	0	–	–	–	–	–	–	–	–
M	–	–	–	23.8	28.9	–	21.2	24.0	–	78	65	–	4.6	4.3	–	5	0	0	0	–	–	–	–	–	–	–	–
A	–	–	–	21.6	26.6	–	20.0	22.1	–	86	66	–	3.9	4.5	–	3	0	0	0	–	–	–	–	–	–	–	–
M	–	–	–	17.3	23.0	–	15.8	18.9	–	85	66	–	4.0	4.3	–	4	0	0	0	–	–	–	–	–	–	–	–
J	–	–	–	14.3	22.9	–	12.8	17.3	–	83	54	–	1.7	2.2	–	0	0	0	1	–	–	–	–	–	–	–	–
J	–	–	–	14.7	22.8	–	12.8	17.0	–	79	53	–	1.9	1.6	–	1	0	0	0	–	–	–	–	–	–	–	–
A	–	–	–	16.3	24.0	–	14.0	17.4	–	76	48	–	2.5	2.5	–	0	0	0	0	–	–	–	–	–	–	–	–
S	–	–	–	19.0	22.9	–	17.0	18.7	–	81	65	–	5.0	4.9	–	5	0	0	0	–	–	–	–	–	–	–	–
O	–	–	–	20.8	25.1	–	18.3	20.4	–	77	63	–	5.3	5.0	–	5	0	0	0	–	–	–	–	–	–	–	–
N	–	–	–	21.8	25.3	–	18.8	20.8	–	74	65	–	6.0	4.7	–	3	0	0	0	–	–	–	–	–	–	–	–
D	–	–	–	23.7	26.9	–	20.3	22.6	–	72	67	–	5.1	5.3	–	5	0	0	2	–	–	–	–	–	–	–	–
A	–	–	–	20.1	25.3	–	17.9	20.4	–	79	62	–	4.1	4.1	–	35	0	0	3	–	–	–	–	–	–	–	–
339/720	CAPE ST LUCIA – VRT									Ø 28°30'S			λ 32°24'E			H 107 M						HT 1.2 M					
J	–	–	–	24.3	25.6	23.5	22.3	22.7	21.6	83	77	84	4.2	3.6	5.4	5	0	0	2	–	–	–	–	–	–	–	–
F	–	–	–	23.5	25.6	23.5	21.2	22.3	21.1	81	74	79	4.1	3.2	3.4	2	0	0	0	–	–	–	–	–	–	–	–
M	–	–	–	23.4	26.0	23.9	22.0	23.4	22.2	88	79	86	3.8	2.9	4.0	5	0	0	0	–	–	–	–	–	–	–	–
A	–	–	–	21.3	24.1	22.3	19.8	21.6	20.7	87	80	86	3.3	3.3	4.0	2	0	0	0	–	–	–	–	–	–	–	–
M	–	–	–	17.5	21.1	19.4	16.1	18.4	17.3	86	76	80	4.0	3.8	2.8	5	0	0	0	–	–	–	–	–	–	–	–
J	–	–	–	14.8	20.7	18.6	12.9	17.3	16.1	79	70	76	1.6	1.5	1.4	0	0	0	1	–	–	–	–	–	–	–	–
J	–	–	–	15.0	20.4	18.2	13.2	16.8	15.8	81	69	78	2.1	1.6	1.9	2	0	0	1	–	–	–	–	–	–	–	–
A	–	–	–	15.6	20.6	18.6	13.8	17.5	16.0	81	72	75	2.8	2.3	2.3	0	0	0	0	–	–	–	–	–	–	–	–
S	–	–	–	18.5	20.8	19.0	17.0	18.1	17.3	85	76	84	5.2	4.1	5.0	2	0	0	0	–	–	–	–	–	–	–	–
O	–	–	–	19.4	21.4	19.9	18.0	19.1	18.4	86	80	85	5.4	4.3	5.9	5	0	0	0	–	–	–	–	–	–	–	–
N	–	–	–	20.6	22.2	20.6	18.8	19.7	18.7	83	79	84	6.5	4.9	5.7	3	0	0	0	–	–	–	–	–	–	–	–
D	–	–	–	22.8	24.0	22.0	20.8	21.7	20.6	83	80	87	4.7	4.6	5.8	6	0	0	0	–	–	–	–	–	–	–	–
A	–	–	–	19.7	22.7	20.8	18.0	19.9	18.8	84	76	82	4.0	3.3	4.0	37	0	0	4	–	–	–	–	–	–	–	–
360/597	VAALHARTS – AGR									Ø 27°57'S			λ 24°50'E			H 1175 M						HT 1.2 M					
J	7.4	–	–	21.5	29.6	–	18.1	20.7	–	72	44	–	2.4	3.0	–	–	0	0	0	–	–	–	–	–	–	–	–
F	6.6	–	–	19.8	28.6	–	17.2	19.5	–	77	41	–	2.7	3.1	–	–	0	0	0	–	–	–	–	–	–	–	–
M	6.5	–	–	19.8	30.1	–	15.4	18.8	–	63	32	–	2.6	3.4	–	5	0	0	0	–	–	–	–	–	–	–	–
A	4.5	–	–	15.3	25.9	–	12.4	16.3	–	72	35	–	1.9	2.6	–	3	0	0	0	–	–	–	–	–	–	–	–
M	2.9	–	–	9.5	20.1	–	8.1	13.4	–	83	45	–	2.1	2.1	–	1	1	0	0	–	–	–	–	–	–	–	–
J	3.0	–	–	6.7	19.0	–	4.8	11.2	–	75	36	–	2.0	2.0	–	0	0	0	0	–	–	–	–	–	–	–	–
J	3.8	–	–	5.8	18.6	–	3.6	10.8	–	70	35	–	1.3	1.0	–	0	0	0	0	–	–	–	–	–	–	–	–
A	4.6	–	–	6.3	21.0	–	3.0	10.6	–	56	22	–	0.7	1.9	–	0	0	0	0	–	–	–	–	–	–	–	–
S	6.9	–	–	14.1	27.3	–	7.9	14.4	–	39	21	–	0.2	1.3	–	0	0	0	0	–	–	–	–	–	–	–	–
O	6.8	–	–	17.2	26.8	–	11.8	15.6	–	51	28	–	2.4	3.6	–	3	0	0	0	–	–	–	–	–	–	–	–
N	8.8	–	–	19.9	29.1	–	13.7	15.7	–	49	21	–	1.9	2.8	–	4	0	0	0	–	–	–	–	–	–	–	–
D	8.9	–	–	21.8	30.2	–	15.4	17.4	–	50	25	–	1.6	2.2	–	–	0	0	0	–	–	–	–	–	–	–	–
A	5.9	–	–	14.8	25.5	–	10.9	15.4	–	63	32	–	1.8	2.4	–	–	1	0	0	–	–	–	–	–	–	–	–
362/710	HOOPSTAD – TNK									Ø 27°50'S			λ 25°54'E			H 1239 M						HT 1.2 M					
J	7.6	1.9	1.2	20.6	28.4	23.3	18.0	20.0	18.7	78	47	66	3.8	4.9	4.0	6	0	0	0	8.63	63	0	1	8	18	4	31
F	6.5	1.6	0.9	19.2	27.6	22.5	16.7	19.2	17.5	78	46	62	2.7	4.6	3.0	6	0	0	0	9.26	71	0	2	2	18	6	28
M	7.1	1.8	1.1	18.2	29.5	22.4	15.0	18.6	16.3	72	36	55	2.1	3.5	2.0	8	0	0	0	9.45	77	0	0	3	15	13	31
A	4.4	1.5	0.5	12.4	24.8	17.4	11.3	16.3	13.7	89	41	67	1.9	3.0	1.8	5	0	0	0	8.73	77	0	1	2	13	14	30
M	3.0	–	–	6.9	19.0	12.0	6.5	13.0	9.8	95	48	76	2.2	2.5	0.9	3	0	0	0	8.58	80	0	0	5	6	20	31
J	3.2	–	–	2.7	18.7	10.5	1.8	10.8	6.8	87	36	59	1.6	1.4	0.5	0	0	0	0	9.09	87	0	0	2	6	22	30
J	4.2	1.8	0.8	2.6	18.1	9.7	1.3	10.4	5.9	80	36	56	1.8	1.1	0.7	1	0	0	2	9.05	86	0	1	0	9	21	31
A	6.1	2.4	0.8	2.6	20.8	11.9	0.4	10.8	6.1	68	26	41	0.8	0.8	0.0	0	0	0	0	10.40	93	0	0	0	3	28	31
S	8.9	3.1	1.0	13.0	27.2	18.8	8.2	15.0	11.1	52	25	35	1.6	2.1	0.7	2	0	0	0	6.70	56	1	0	1	11	17	30
O	8.1	2.8	1.6	16.3	25.8	19.4	11.9	15.3	13.1	61	32	49	2.6	3.8	2.6	5	0	0	0	9.21	72	0	2	3	15	11	31
N	9.8	3.0	1.7	19.0	28.4	22.0	14.5	16.1	14.5	62	27	45	2.4	4.1	2.4	7	0	0	0	10.07	75	0	2	1	18	9	30
D	9.9	2.7	1.5	20.1	28.7	22.6	15.8	17.6	16.0	64	34	53	2.2	3.6	3.0	9	1	0	0	9.82	71	1	1	4	18	7	31
A	6.6	–	–	12.8	24.7	17.7	10.1	15.3	12.5	74	36	55	2.1	2.9	1.8	52	1	0	2	9.08	75	2	10	31	150	172	365

TV 4 / 199

MAAND / MONTH	GEMIDDELDE DAELIKSE WAARDES VAN / AVERAGE DAILY VALUES OF: VERDAMPING (A-PAN) EVAPORATION (A-PAN) mm	WINDSPOED WIND SPEED m/s: OORDAG BY DAY	OORNAG BY NIGHT	DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM/AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM/AT 0800	1400	2000	AANTAL DAE MET NUMBER OF DAYS WITH: DONDER/THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION: GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	S AS % VAN MOONTLIKE S AS % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE: 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
364/300	WELKOM – AER									Ø 28° 0'S			λ 26°40'E			H 1338 M				HT 1.2 M								
J	–	–	–	20.2	(27.0)	–	17.1	(19.0)	–	73	(46)	–	4.8	(5.3)	–	15	0	0	0	–	–	–	–	–	–	–	–	–
F	–	–	–	(19.1	26.5)	–	(16.0	17.9)	–	(73	42)	–	(3.6	4.6)	–	12	0	0	0	–	–	–	–	–	–	–	–	–
M	–	–	–	19.2	(27.8)	–	15.1	(17.6)	–	64	(35)	–	2.6	(4.3)	–	9	0	0	0	–	–	–	–	–	–	–	–	–
A	–	–	–	14.4	(23.8)	–	12.0	(14.7)	–	77	(35)	–	2.3	(3.3)	–	7	0	0	2	–	–	–	–	–	–	–	–	–
M	–	–	–	(9.2	17.7)	–	(7.7	11.2)	–	(81	43)	–	(2.5	2.2)	–	4	0	0	1	–	–	–	–	–	–	–	–	–
J	–	–	–	6.0	(17.5)	–	4.0	(9.1)	–	73	(29)	–	1.1	(1.1)	–	0	0	0	0	–	–	–	–	–	–	–	–	–
J	–	–	–	6.1	17.9	–	3.4	(9.7)	–	64	(31)	–	2.2	(1.6)	–	0	0	0	1	–	–	–	–	–	–	–	–	–
A	–	–	–	(6.6	19.6)	–	(2.8	(9.3)	–	(50	20)	–	(1.5	1.3)	–	0	0	0	0	–	–	–	–	–	–	–	–	–
S	–	–	–	14.0	(24.9)	–	9.8	(15.8)	–	58	(39)	–	2.2	(2.2)	–	5	0	0	0	–	–	–	–	–	–	–	–	–
O	–	–	–	16.3	(24.8)	–	11.7	(14.8)	–	60	(32)	–	3.6	(4.2)	–	7	0	0	1	–	–	–	–	–	–	–	–	–
N	–	–	–	18.3	(26.6)	–	14.1	(15.9)	–	63	(31)	–	3.3	(4.2)	–	10	0	0	0	–	–	–	–	–	–	–	–	–
D	–	–	–	19.3	(25.5)	–	15.4	(16.2)	–	67	(36)	–	3.1	(3.5)	–	10	9	4	0	–	–	–	–	–	–	–	–	–
A	–	–	–	(14.1	23.3)	–	(10.8	14.3)	–	(67	35)	–	(2.7	3.1)	–	79	9	4	5	–	–	–	–	–	–	–	–	–
365/430	KROONSTAD – MUN									Ø 27°40'S			λ 27°15'E			H 1348 M				HT 1.2 M								
J	–	1.5	0.7	19.2	27.1	22.3	16.9	19.3	18.1	80	48	67	4.5	5.3	4.8	8	0	0	0	7.29	53	1	1	10	19	0	31
F	–	1.3	0.5	17.1	26.4	21.7	15.5	18.7	17.4	85	48	67	2.5	4.7	3.7	9	0	0	0	7.01	54	0	2	9	17	0	28
M	–	1.4	0.7	16.0	28.6	21.9	13.9	18.3	16.3	79	38	57	2.6	4.3	3.9	6	0	0	0	7.37	60	1	1	5	24	0	31
A	–	1.0	0.4	10.8	23.5	16.4	10.2	15.7	13.5	93	44	73	2.3	3.7	3.0	4	0	0	2	7.08	62	0	1	5	24	0	30
M	–	1.0	0.4	5.6	18.2	10.8	5.0	11.8	8.5	91	46	75	2.7	3.0	1.7	6	5	1	0	6.63	61	1	3	2	25	0	31
J	–	1.0	0.5	0.9	18.0	8.4	0.3	10.7	5.3	90	37	63	1.3	1.5	0.8	0	0	0	1	7.42	71	0	0	3	27	0	30
J	–	1.2	0.6	1.0	17.5	8.9	-0.2	9.7	5.1	80	33	55	2.2	2.1	1.3	0	0	0	1	7.35	69	0	0	3	28	0	31
A	–	1.5	0.5	1.9	20.5	11.2	0.2	10.7	5.8	74	26	42	1.0	1.3	0.3	0	0	0	0	8.18	73	0	0	1	30	0	31
S	–	1.8	0.8	10.6	25.5	18.3	7.8	14.2	11.1	69	28	41	2.1	3.1	2.8	4	0	0	0	6.82	57	1	1	7	21	0	30
O	–	2.0	1.1	14.8	25.3	19.1	11.4	15.3	12.9	67	34	49	2.9	4.4	3.3	3	1	0	0	6.92	54	2	1	7	21	0	31
N	–	1.9	1.0	17.0	25.8	20.0	13.9	16.1	14.5	72	36	57	3.6	4.8	4.4	5	0	0	0	7.82	58	1	0	5	24	0	30
D	–	1.5	1.0	18.5	26.9	21.4	15.6	17.9	16.1	74	42	60	2.9	3.9	4.4	11	0	0	0	8.70	63	2	0	5	24	0	31
A	–	1.4	0.7	11.1	23.6	16.7	9.2	14.9	12.1	79	38	59	2.5	3.5	2.9	56	6	1	4	7.38	61	9	10	62	284	0	365
370/735	NEWCASTLE – CON									Ø 27°45'S			λ 29°55'E			H 1198 M				HT 1.2 M								
J	5.4	–	–	20.0	26.2	20.8	17.5	19.4	18.2	79	55	78	5.2	5.1	6.4	8	0	0	1	6.37	47	2	2	10	17	0	31
F	4.8	–	–	17.6	25.1	19.7	15.8	18.3	16.7	82	52	74	5.2	4.8	3.4	4	0	0	0	7.03	54	1	1	7	19	0	28
M	5.0	–	–	17.8	27.8	20.7	15.9	18.8	17.1	84	42	71	4.8	4.2	4.0	10	0	0	2	7.04	57	0	1	8	22	0	31
A	3.5	–	–	14.2	25.0	17.3	12.9	16.4	14.1	86	41	71	4.4	3.3	2.9	4	0	0	4	6.80	59	0	1	4	25	0	30
M	2.2	–	–	8.1	19.6	11.7	7.2	12.7	9.3	88	46	74	3.3	2.9	2.5	4	1	0	0	6.75	63	2	1	3	25	0	31
J	2.1	–	–	5.0	19.5	9.9	3.7	11.1	6.5	83	34	62	2.3	1.5	0.8	0	0	0	5	6.91	66	1	0	3	26	0	30
J	3.0	–	–	5.2	19.2	9.5	3.0	10.1	5.8	73	30	55	2.0	1.8	1.1	1	0	0	7	7.42	70	1	0	3	26	1	31
A	4.2	–	–	9.0	22.3	13.6	5.8	11.9	8.1	65	28	46	2.5	1.7	1.0	2	1	0	0	8.10	73	0	1	2	28	0	31
S	4.6	–	–	15.2	24.7	16.6	11.6	14.3	11.8	67	35	60	3.9	3.7	3.0	4	0	0	0	6.70	56	4	0	4	22	0	30
O	5.3	–	–	16.4	24.1	17.5	13.2	15.3	13.4	72	42	65	4.2	4.6	4.2	12	2	0	0	7.32	57	1	2	6	22	0	31
N	4.8	–	–	16.8	23.2	16.8	14.0	16.5	14.1	71	49	73	5.2	5.2	5.2	16	3	0	0	6.09	45	3	2	8	17	0	30
D	5.8	–	–	19.7	26.7	19.8	16.2	18.1	15.9	71	44	71	4.7	4.7	4.5	7	3	0	2	7.11	51	2	1	9	19	0	31
A	4.2	–	–	13.7	23.6	16.2	11.4	15.2	12.6	77	41	67	4.0	3.6	3.3	72	10	0	21	6.97	57	17	12	67	268	1	365
393/778	KURUMAN – TNK									Ø 27°28'S			λ 23°26'E			H 1312 M				HT 1.2 M								
J	–	–	–	20.8	29.3	24.4	18.1	20.1	18.1	77	43	56	2.9	3.5	2.6	3	0	0	0	9.19	67	0	0	5	26	0	31
F	–	–	–	18.1	27.2	21.9	16.6	19.5	17.7	86	50	68	2.5	4.7	2.9	4	–	–	–	8.95	69	0	1	3	23	1	28
M	–	–	–	16.7	29.4	23.0	14.3	18.6	16.3	77	36	52	3.0	2.8	1.9	1	0	0	0	8.65	71	0	0	3	28	0	31
A	–	–	–	11.4	25.2	17.1	10.2	16.2	13.6	86	39	67	1.9	2.2	1.0	2	0	0	0	8.55	75	0	0	4	26	0	30
M	–	–	–	7.0	20.0	13.5	6.4	13.1	10.5	91	43	70	1.8	1.6	0.9	–	–	–	–	7.80	72	0	1	2	28	0	31
J	–	–	–	4.0	18.2	10.4	2.9	11.6	7.3	84	44	63	1.9	1.8	0.9	0	0	0	0	7.15	69	0	1	4	25	0	30
J	–	–	–	3.7	18.3	9.3	2.3	10.9	5.9	79	38	60	1.4	1.0	0.6	0	0	0	0	8.11	77	1	0	2	28	0	31
A	–	–	–	3.7	19.9	11.7	1.5	10.5	6.4	68	29	45	0.5	1.1	0.2	0	0	0	0	9.32	83	0	0	0	31	0	31
S	–	–	–	12.1	26.5	18.4	7.4	13.8	10.5	51	21	35	1.4	1.4	0.9	0	0	0	0	9.14	77	0	0	1	29	0	30
O	–	–	–	16.3	25.9	19.8	11.4	14.8	12.6	55	30	44	1.7	3.0	1.7	2	1	0	0	9.17	72	0	2	2	20	5	29
N	–	–	–	19.3	28.7	21.8	14.1	16.3	14.0	57	26	42	2.5	2.7	2.5	3	0	0	0	10.30	76	0	0	3	23	4	30
D	–	–	–	20.7	29.6	24.6	15.6	17.6	15.3	59	30	41	1.6	2.6	2.6	4	0	0	0	10.43	75	1	0	2	28	0	31
A	–	–	–	12.8	24.9	18.0	10.1	15.3	12.3	73	36	54	1.9	2.4	1.6	–	–	–	–	8.90	73	2	5	31	315	10	363
399/894	BALKFONTEIN – IRR									Ø 27°24'S			λ 26°30'E			H 1280 M				HT 1.2 M								
J	–	–	–	21.0	28.0	–	17.9	19.4	–	74	43	–	3.6	4.3	–	–	0	0	0	–	–	–	–	–	–	–	–	–
F	–	–	–	19.5	27.5	–	16.6	19.2	–	74	45	–	2.7	4.2	–	–	0	0	0	–	–	–	–	–	–	–	–	–
M	–	–	–	18.7	28.2	–	14.9	17.5	–	66	32	–	2.2	4.1	–	–	0	0	0	–	–	–	–	–	–	–	–	–
A	–	–	–	13.9	24.4	–	12.4	15.9	–	84	40	–	1.9	3.1	–	–	0	0	0	–	–	–	–	–	–	–	–	–
M	–	–	–	8.6	19.4	–	7.5	12.1	–	86	40	–	2.5	2.7	–	–	0	0	2	–	–	–	–	–	–	–	–	–
J	–	–	–	4.3	19.3	–	3.0	10.7	–	81	31	–	1.0	1.6	–	–	0	0	0	–	–	–	–	–	–	–	–	–
J	–	–	–	4.3	18.5	–	2.3	10.0	–	71	30	–	1.9	1.5	–	–	0	0	0	–	–	–	–	–	–	–	–	–
A	–	–	–	5.6	21.1	–	2.4	10.8	–	56	23	–	0.6	1.0	–	–	0	0	0	–	–	–	–	–	–	–	–	–
S	–	–	–	14.5	26.5	–	9.3	13.4	–	49	18	–	2.1	2.8	–	–	0	0	0	–	–	–	–	–	–	–	–	–
O	–	–	–	16.8	25.6	–	12.7	16.6	–	62	38	–	2.6	3.8	–	–	0	0	0	–	–	–	–	–	–	–	–	–
N	–	–	–	18.9	27.2	–	14.8	16.0	–	64	28	–	2.7	4.3	–	–	0	0	0	–	–	–	–	–	–	–	–	–
D	–	–	–	20.1	27.4	–	15.8	17.4	–	64	35	–	2.3	2.7	–	–	0	0	0	–	–	–	–	–	–	–	–	–
A	–	–	–	13.9	24.4	–	10.8	14.9	–	69	34	–	2.2	3.0	–	–	0	0	2	–	–	–	–	–	–	–	–	–

TV 4 / 399

MAAND / MONTH	GEMIDDELDE DAELIKSE WAARDES VAN / AVERAGE DAILY VALUES OF: VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED: OORDAG BY DAY	OORNAG BY NIGHT	DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOCHTIGHEID % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT			AANTAL DAE MET NUMBER OF DAYS WITH: DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION: GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE AS % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE: 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
	mm	m/s		0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000												
403/886A				FRANKFORT - TNK						Ø 27°16'S			λ 28°30'E						H 1499 M			HT 1.2 M					
J	6.4	1.7	1.2	18.1	25.0	19.6	16.4	18.9	17.2	84	56	79	5.2	5.0	5.2	20	1	0	2	8.01	59	0	1	9	20	1	31
F	6.4	1.7	0.8	16.9	23.9	18.4	15.1	19.5	15.8	83	54	77	4.0	4.1	4.1	12	3	0	1	8.81	67	0	1	5	16	6	28
M	6.5	1.8	0.7	15.7	25.9	18.8	14.2	17.2	14.7	85	42	66	3.4	3.5	3.5	7	2	0	2	8.82	72	0	1	2	22	6	31
A	4.2	-	-	11.4	22.2	14.2	10.8	15.4	12.4	93	49	81	3.2	3.2	2.4	3	1	0	4	8.43	74	0	1	3	16	10	30
M	2.7	-	-	4.7	17.3	8.5	4.2	11.1	6.7	92	47	77	3.1	2.8	2.1	2	0	0	7	7.38	69	0	2	5	16	8	31
J	2.5	-	-	0.3	16.6	5.9	-0.1	9.5	3.7	91	38	70	2.3	1.6	1.3	0	0	0	3	7.90	76	0	1	2	23	4	30
J	3.4	-	-	0.0	16.7	6.2	-0.8	9.2	3.6	86	35	64	1.5	1.5	1.3	1	0	0	2	8.60	81	0	0	1	17	13	31
A	5.0	2.4	0.6	2.4	19.5	9.2	0.9	10.1	4.8	77	27	49	1.4	1.1	0.5	2	0	0	0	9.77	88	0	0	1	10	20	31
S	7.0	2.7	1.1	11.9	23.8	15.2	9.2	13.6	10.3	71	32	55	2.0	3.1	2.5	1	0	0	2	8.90	75	2	0	2	17	9	30
O	7.0	2.6	1.5	15.0	22.9	16.2	12.0	14.4	12.0	71	40	63	2.7	4.1	3.5	12	1	0	0	8.67	68	1	1	6	18	5	31
N	6.6	2.4	1.4	15.9	23.3	16.0	13.6	16.2	13.1	78	50	73	4.3	4.2	5.0	20	2	0	0	7.96	59	1	1	6	18	4	30
D	7.7	2.3	1.3	17.8	25.0	19.4	15.3	17.4	15.7	77	47	69	4.1	3.6	3.8	14	0	0	0	9.02	65	1	2	4	17	7	31
A	5.5	-	-	10.8	21.8	14.0	9.2	14.4	10.8	82	43	69	3.1	3.1	2.9	94	10	0	23	8.52	70	5	11	46	210	93	365
409/337				NHLANGANO - SWAZ						Ø 27° 7'S			λ 31°12'E						H 1036 M			HT 1.2 M					
J	-	-	-	18.9	24.0	-	17.5	19.4	-	87	64	-	5.1	5.3	-	5	0	0	12	-	-	-	-	-	-	-	-
F	-	-	-	18.3	23.7	-	16.7	18.8	-	85	61	-	4.6	4.7	-	1	0	0	4	-	-	-	-	-	-	-	-
M	-	-	-	18.4	25.2	-	17.2	19.6	-	89	58	-	4.6	4.4	-	4	0	0	10	-	-	-	-	-	-	-	-
A	-	-	-	16.4	23.1	-	15.1	18.1	-	87	60	-	3.8	3.8	-	1	0	0	9	-	-	-	-	-	-	-	-
M	-	-	-	11.8	19.1	-	10.2	13.8	-	82	53	-	3.0	3.3	-	0	0	0	3	-	-	-	-	-	-	-	-
J	-	-	-	9.1	18.8	-	7.4	12.2	-	79	43	-	1.4	1.5	-	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	9.1	19.0	-	6.6	11.2	-	68	34	-	1.2	2.0	-	0	0	0	2	-	-	-	-	-	-	-	-
A	-	-	-	11.7	21.5	-	9.1	12.2	-	70	28	-	2.9	1.7	-	0	0	0	5	-	-	-	-	-	-	-	-
S	-	-	-	15.3	22.2	-	12.7	14.7	-	74	41	-	3.9	3.5	-	4	0	0	10	-	-	-	-	-	-	-	-
O	-	-	-	15.9	21.0	-	13.9	16.4	-	80	61	-	5.3	5.1	-	10	1	0	7	-	-	-	-	-	-	-	-
N	-	-	-	16.2	21.2	-	14.5	17.1	-	83	65	-	6.1	5.5	-	8	0	0	11	-	-	-	-	-	-	-	-
D	-	-	-	18.6	23.4	-	16.6	19.1	-	81	6[illegible]	-	5.3	5.5	-	9	0	0	13	-	-	-	-	-	-	-	-
A	-	-	-	15.0	21.9	-	13.1	16.1	-	80	53	-	3.9	3.9	-	42	1	0	86	-	-	-	-	-	-	-	-
411/324				MAKATINI - AGR						Ø 27°24'S			λ 32°11'E						H 73 M			HT 1.2 M					
J	7.0	-	-	24.6	29.3	24.3	22.0	23.1	21.9	79	58	79	5.7	6.2	6.0	9	0	0	0	6.95	51	3	2	8	16	2	31
F	8.4	-	-	24.8	30.1	24.1	21.2	22.2	21.0	71	48	74	5.0	5.7	5.4	2	0	0	0	7.43	57	0	2	7	17	2	28
M	7.8	-	-	24.7	31.0	24.7	22.0	23.3	22.0	78	51	78	4.7	4.9	4.3	6	0	0	0	8.40	69	0	0	6	24	1	31
A	5.3	-	-	21.9	28.3	22.1	20.2	21.9	20.4	85	55	85	4.9	4.6	3.9	2	0	0	0	7.44	65	2	1	4	17	6	30
M	5.1	-	-	17.4	25.9	18.0	15.0	17.8	15.5	77	42	75	4.4	4.5	2.5	2	0	0	0	6.92	64	0	4	3	16	8	31
J	4.1	-	-	12.6	24.6	16.3	11.6	16.2	13.6	88	38	74	2.9	3.1	1.8	0	0	0	0	7.72	74	1	2	3	13	11	30
J	5.3	-	-	13.0	25.3	16.3	11.3	16.0	13.1	81	34	68	2.7	2.6	1.1	0	0	0	0	8.51	80	0	1	2	18	10	31
A	6.9	-	-	16.4	26.5	18.7	13.5	16.9	14.8	71	34	65	3.0	3.0	1.5	0	0	0	0	8.86	79	0	1	2	18	10	31
S	7.3	-	-	20.0	26.8	20.2	16.4	18.7	16.8	67	44	70	4.8	4.0	4.7	2	0	0	0	6.55	55	1	5	5	18	1	30
O	7.0	-	-	21.1	26.5	20.9	18.3	19.6	18.2	76	51	76	6.0	5.7	5.8	7	0	0	0	5.92	47	3	2	13	7	6	31
N	8.2	-	-	22.6	27.9	22.0	18.9	20.1	19.0	68	47	74	6.5	6.7	6.4	9	0	0	0	5.26	39	3	5	9	13	0	30
D	8.1	-	-	23.8	28.8	23.4	20.3	22.0	20.3	70	55	74	6.1	6.0	5.6	6	0	0	0	6.85	50	0	6	7	14	4	31
A	6.7	-	-	20.2	27.6	20.9	17.6	19.8	18.1	76	46	74	4.7	4.7	4.1	45	0	0	0	7.23	60	13	31	69	191	61	365
412/180				MBAZWANE - BOS						Ø 27°30'S			λ 32°36'E						H 80 M			HT 1.2 M					
J	-	-	-	24.9	28.2	-	23.1	23.0	-	85	63	-	5.3	4.5	-	-	0	0	1	-	-	-	-	-	-	-	-
F	-	-	-	24.0	27.2	-	22.4	23.1	-	86	69	-	4.8	3.6	-	-	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	24.1	28.5	-	22.9	24.6	-	90	71	-	4.2	3.2	-	-	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	21.9	27.2	-	21.1	22.6	-	93	65	-	3.6	3.6	-	-	0	0	1	-	-	-	-	-	-	-	-
M	-	-	-	17.4	24.4	-	16.4	19.2	-	90	59	-	3.7	3.5	-	-	0	0	4	-	-	-	-	-	-	-	-
J	-	-	-	14.9	23.1	-	14.1	17.8	-	91	57	-	2.2	2.4	-	-	0	0	5	-	-	-	-	-	-	-	-
J	-	-	-	14.6	24.2	-	13.8	18.1	-	91	52	-	1.4	2.1	-	-	0	0	2	-	-	-	-	-	-	-	-
A	-	-	-	16.7	24.6	-	15.3	19.1	-	85	57	-	2.5	2.2	-	-	0	0	0	-	-	-	-	-	-	-	-
S	-	-	-	19.8	23.9	-	18.3	19.8	-	86	67	-	4.5	3.6	-	-	0	0	1	-	-	-	-	-	-	-	-
O	-	-	-	21.1	23.5	-	19.3	20.9	-	84	78	-	5.4	4.5	-	-	-	-	-	-	-	-	-	-	-	-	-
N	-	-	-	22.6	24.9	-	19.9	21.1	-	77	70	-	7.1	6.2	-	-	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
413/158				DIAZ POINT - SWA - VRT						Ø 26°38'S			λ 15° 6'E						H 23 M			HT 1.2 M					
J	-	-	-	15.4	18.6	16.6	14.2	15.9	15.4	88	72	87	2.8	1.7	1.8	0	0	0	8	-	-	-	-	-	-	-	-
F	-	-	-	15.1	18.4	16.2	14.0	15.7	15.0	89	75	88	3.6	3.1	3.1	0	0	0	15	-	-	-	-	-	-	-	-
M	-	-	-	14.5	17.9	16.0	13.4	15.2	14.5	88	74	86	4.0	2.6	3.2	0	0	0	17	-	-	-	-	-	-	-	-
A	-	-	-	12.7	16.6	13.7	11.4	13.9	12.8	91	74	89	2.7	1.9	2.6	0	0	0	17	-	-	-	-	-	-	-	-
M	-	-	-	13.8	17.4	15.0	11.1	13.6	12.5	73	67	76	2.3	1.6	1.3	1	0	0	9	-	-	-	-	-	-	-	-
J	-	-	-	11.9	16.1	13.5	10.2	12.7	11.7	81	68	82	2.4	2.0	1.5	0	0	0	10	-	-	-	-	-	-	-	-
J	-	-	-	11.2	14.6	12.6	9.6	11.9	11.1	82	73	83	3.3	2.5	3.1	0	0	0	16	-	-	-	-	-	-	-	-
A	-	-	-	10.2	14.2	12.2	9.2	11.6	10.9	86	72	84	2.9	2.7	1.3	0	0	0	7	-	-	-	-	-	-	-	-
S	-	-	-	10.5	15.1	12.0	9.4	12.1	10.8	87	68	86	2.2	1.6	0.8	0	0	0	14	-	-	-	-	-	-	-	-
O	-	-	-	12.2	15.6	13.1	10.9	12.7	11.8	85	71	85	3.5	2.8	3.3	0	0	0	10	-	-	-	-	-	-	-	-
N	-	-	-	13.6	16.6	14.5	12.2	14.0	13.4	84	72	88	3.3	2.4	2.3	0	0	0	11	-	-	-	-	-	-	-	-
D	-	-	-	15.0	17.5	16.3	13.8	15.1	15.0	85	77	87	2.2	1.3	2.5	0	0	0	12	-	-	-	-	-	-	-	-
A	-	-	-	13.0	16.5	14.3	11.6	13.7	12.9	85	72	85	2.9	2.2	2.2	1	0	0	146	-	-	-	-	-	-	-	-

MAAND / MONTH	GEMIDDELDE DAELIKSE WAARDES VAN / AVERAGE DAILY VALUES OF: VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED / WIND SPEED: OORDAG BY DAY	WINDSPOED / WIND SPEED: OORNAG BY NIGHT	DROEBOL-TEMPERATUUR / DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR / WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOGTIGHEID / % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID / CLOUDINESS IN OKTAS/OCTAS OM / AT			AANTAL DAE MET / NUMBER OF DAYS WITH: DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION: GEMIDDELDE DAELIKSE URE (S) / AVERAGE DAILY HOURS (S)	% VAN MOONTLIKE / % OF POSSIBLE	AANTAL DAE MET / NUMBERS OF DAYS WITH: GEGEWE % VAN MOONTLIKE / GIVEN % OF POSSIBLE: 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS / OBSERVATIONS
	mm	m/s		0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000													
419/182	KEETMANSHOOP – SWA – WK									Ø 26°32'S			λ 18° 7'E						H 1064 M			HT 1.2 M						
J	15.2	–	–	21.5	32.4	30.0	14.5	18.1	16.9	45	21	24	2.6	2.6	3.5	8	0	0	0	11.18	82	0	0	2	12	17	31	
F	11.5	–	–	22.2	30.9	28.3	16.7	18.9	18.1	57	29	37	2.4	3.7	4.3	14	0	0	0	10.14	78	0	0	1	18	9	28	
M	11.8	–	–	20.4	31.4	27.2	14.8	18.1	16.6	54	24	33	2.6	2.5	3.3	8	0	0	0	9.83	80	0	0	3	12	16	31	
A	9.2	–	–	16.2	27.4	24.3	10.7	14.9	13.6	50	20	26	1.4	1.7	2.0	3	0	0	0	10.45	91	0	0	0	8	22	30	
M	7.8	–	–	12.7	23.3	18.9	7.7	12.5	10.4	49	23	29	1.3	1.9	2.1	2	0	0	0	9.75	90	0	0	2	4	25	31	
J	7.0	–	–	8.3	20.8	15.8	4.1	10.4	8.0	49	21	28	1.3	1.2	1.5	1	0	0	0	9.03	86	0	0	2	7	21	30	
J	7.3	–	–	8.2	19.5	14.6	3.8	9.4	6.9	48	21	28	1.6	1.6	1.7	1	0	0	0	9.28	88	0	0	2	7	22	31	
A	7.7	–	–	7.4	20.4	16.3	2.8	8.9	6.8	44	15	18	1.7	1.6	1.5	0	0	0	0	10.53	94	0	0	0	4	27	31	
S	11.7	–	–	13.3	26.1	22.4	6.2	11.7	9.9	31	10	12	1.0	0.9	0.7	0	0	0	0	11.12	93	0	0	0	4	26	30	
O	12.5	–	–	16.8	27.3	24.1	8.2	12.4	11.0	28	12	14	3.0	3.0	2.8	2	0	0	0	10.29	81	0	1	3	9	18	31	
N	15.3	–	–	18.8	29.8	26.7	10.2	13.8	12.7	32	10	13	2.2	2.2	2.7	1	0	0	0	11.69	87	0	0	0	10	20	30	
D	16.3	–	–	20.3	31.2	29.1	12.5	15.7	14.6	39	14	16	1.3	1.8	2.0	4	0	0	0	12.22	89	0	0	2	8	21	31	
A	11.1	–	–	15.5	26.7	23.1	9.3	13.7	12.1	44	18	23	1.9	2.1	2.3	44	0	0	0	10.46	86	0	1	17	103	244	365	
432/237	ARMOEDSVLAKTE – AGR									Ø 26°57'S			λ 24°38'E						H 1234 M			HT 1.2 M						
J	7.6	2.4	1.5	21.1	27.7	23.1	17.8	19.7	18.7	73	49	68	3.6	4.2	3.5	10	0	0	0	8.97	66	0	0	5	23	3	31	
F	6.3	1.9	0.7	18.9	26.5	21.6	17.3	19.3	18.2	86	51	74	2.7	4.4	3.6	5	0	0	1	8.89	68	0	1	4	18	5	28	
M	8.0	2.3	1.2	18.8	30.0	23.3	15.1	18.4	16.5	68	32	51	2.4	2.7	2.3	2	0	0	0	9.73	79	0	0	3	20	8	31	
A	–	–	–	(13.4	26.4	18.2	12.2	17.4	14.2	86	40	65	1.7	2.7)	–	2	0	0	0	8.66	76	0	1	4	10	15	30	
M	3.7	2.0	0.8	7.6	20.0	12.6	7.0	12.4	9.4	92	39	66	1.8	2.0	1.5	0	0	0	0	8.21	76	0	0	5	9	17	31	
J	4.4	–	–	4.5	19.2	9.9	3.3	10.9	6.0	83	34	55	1.3	1.3	0.5	0	0	0	1	8.70	83	0	0	2	10	18	30	
J	–	–	–	(2.7	18.5)	(9.7)	(1.3	11.3)	(5.8	79	40	55	0.8	0.9	0.6)	0	0	0	0	(9.26)	(87)	(0)	(1)	(0)	(5)	(15)	(21)	
A	6.7	2.8	1.2	4.3	21.1	12.1	1.6	11.7	6.4	62	29	41	0.3	0.7	0.2	0	0	0	0	10.67	95	0	0	0	2	29	31	
S	9.7	3.4	1.4	14.6	27.4	19.4	8.8	14.3	10.4	45	21	30	1.4	1.0	1.0	0	0	0	0	9.95	83	1	0	0	12	14	27	
O	10.0	3.5	2.0	17.3	26.6	20.6	12.0	15.0	12.9	55	27	41	2.4	3.4	2.8	1	0	0	0	10.02	79	1	0	3	13	13	30	
N	11.0	3.8	1.9	19.8	28.9	22.7	14.4	16.0	13.8	56	25	36	3.3	3.4	3.0	2	0	0	0	10.38	77	1	0	3	12	14	30	
D	9.9	3.4	1.5	21.4	29.0	23.4	15.5	17.3	16.1	54	30	48	1.9	2.9	3.3	6	0	0	0	10.72	78	2	0	2	14	13	31	
A	–	–	–	(13.7	25.1	18.1	10.5	15.3	12.4	70	35	53	2.0	2.5)	–	28	0	0	2	(9.51)	(79)	(5)	(3)	(31	148	164	351)	
435/157	DOORNLAAGTE									Ø 26°37'S			λ 26° 6'E						H 1472 M			HT 1.2 M						
J	(5.5)	1.3	0.7	19.7	25.2	20.3	17.0	19.0	17.4	77	56	77	3.9	5.1	4.6	16	0	0	2	7.78	57	1	2	9	17	2	31	
F	(4.9)	1.3	0.7	18.1	24.9	19.1	16.1	18.0	16.7	81	53	78	2.6	4.7	3.7	17	0	0	0	8.55	66	0	0	5	19	4	28	
M	(5.6)	–	–	18.7	27.1	19.3	15.0	17.1	15.0	68	38	64	2.2	(3.4	2.9)	9	0	0	0	8.74	71	0	1	4	17	9	31	
A	(3.6)	–	–	15.2	22.9	15.1	13.2	15.6	12.8	81	46	77	(2.0	2.6	2.2)	4	0	0	1	8.46	74	0	0	5	15	10	30	
M	(2.7)	1.8	1.1	9.1	18.2	10.4	7.8	11.5	8.0	83	45	73	2.2	2.1	2.2	6	0	0	0	8.22	76	1	0	2	15	13	31	
J	(2.7)	2.1	0.8	6.7	17.9	7.8	4.8	10.0	4.9	75	36	63	1.3	1.5	1.4	0	0	0	2	8.78	83	0	0	1	14	15	30	
J	(3.2)	2.3	1.3	6.2	17.6	7.9	4.1	9.4	4.3	71	32	55	1.2	1.4	1.2	0	0	0	0	9.02	85	0	0	3	8	20	31	
A	(4.4)	2.7	1.2	8.5	20.4	10.3	4.9	11.2	4.9	57	30	41	0.8	0.9	0.7	0	0	0	0	10.39	93	0	0	0	5	26	31	
S	(6.9)	3.2	1.7	15.3	25.3	16.6	10.2	14.2	9.9	52	29	41	2.1	2.4	2.0	4	0	0	0	9.10	76	2	0	1	14	13	30	
O	(6.7)	3.3	2.1	16.8	24.9	17.9	12.5	14.6	11.8	59	32	50	2.7	3.5	3.3	5	0	0	1	8.33	65	2	1	4	19	5	31	
N	(7.3)	–	–	18.5	26.0	18.8	14.2	15.8	13.6	63	35	59	2.9	3.8	4.1	9	0	0	0	9.41	70	1	1	3	18	7	30	
D	(7.3)	2.7	1.4	20.0	26.0	19.8	14.9	16.8	14.6	60	40	58	2.5	3.8	3.7	11	0	0	0	10.36	75	1	1	1	16	12	31	
A	(5.1)	–	–	14.4	23.0	15.3	11.2	14.4	11.2	69	39	61	(2.2	2.9	2.7)	81	0	0	6	8.93	74	8	6	38	177	136	365	
437/134	POTCHEFSTROOM – AGR									Ø 26°44'S			λ 27° 5'E						H 1345 M			HT 1.2 M						
J	6.3	1.8	1.1	19.9	26.5	21.4	17.5	19.7	18.4	79	55	75	3.6	5.2	4.7	10	1	0	0	8.43	62	0	2	7	17	5	31	
F	6.0	1.7	0.7	18.5	26.1	20.6	16.4	18.5	17.1	81	48	71	3.0	4.6	4.3	9	0	0	0	9.02	69	0	0	5	17	6	28	
M	6.1	1.7	0.7	17.9	27.7	20.8	15.1	18.0	15.8	75	40	61	2.5	4.3	3.0	9	2	0	0	8.41	69	0	1	5	16	9	31	
A	3.9	1.4	0.5	13.9	23.2	16.2	12.5	16.1	13.7	86	48	76	2.5	3.6	2.6	4	0	0	2	8.39	73	0	1	3	20	6	30	
M	2.8	1.4	0.6	8.1	16.7	10.8	7.0	11.8	8.4	86	44	73	2.6	2.8	1.7	0	0	0	0	7.71	71	0	3	2	17	9	31	
J	2.9	1.6	0.8	5.3	18.6	9.5	4.0	10.5	6.1	82	34	61	1.7	1.4	0.8	1	0	0	0	8.42	80	0	1	0	29	0	30	
J	3.1	1.8	0.8	4.9	18.4	9.6	3.3	10.2	5.8	77	33	55	1.4	1.8	1.1	0	0	0	2	8.66	81	0	0	2	25	4	31	
A	4.7	2.1	0.9	7.5	21.2	12.4	4.5	11.9	7.2	63	28	46	0.7	0.9	0.1	0	0	0	0	9.91	89	0	0	0	13	18	31	
S	6.5	2.1	1.0	15.3	25.7	18.4	11.0	14.8	11.4	60	31	43	1.8	2.8	1.3	1	0	0	0	8.68	73	2	0	2	18	8	30	
O	6.6	2.4	1.3	16.4	24.8	18.7	12.7	15.6	13.0	66	39	53	3.0	4.5	2.6	7	1	0	0	8.83	69	0	2	3	19	7	31	
N	6.9	2.1	1.3	17.5	25.8	18.9	14.6	17.1	14.8	73	43	66	4.0	5.0	3.9	11	1	0	0	8.66	65	1	1	4	18	6	30	
D	7.5	2.1	1.1	19.6	26.8	20.7	15.7	17.7	15.6	68	40	60	3.0	4.5	3.6	12	0	0	0	9.28	67	1	1	5	19	5	31	
A	5.3	1.9	0.9	13.7	23.6	16.5	11.2	15.2	12.3	75	40	62	2.5	3.5	2.5	64	5	0	4	8.70	72	4	12	38	228	83	365	
441/446	STANDERTON									Ø 26°56'S			λ 29°15'E						H 1559 M			HT 1.2 M						
J	5.2	1.8	1.4	16.9	25.1	–	15.4	18.2	–	86	52	–	5.9	5.6	–	–	0	0	2	7.14	52	0	1	11	17	2	31	
F	5.1	1.5	1.1	15.4	23.9	–	14.2	17.3	–	88	52	–	4.5	5.0	–	–	0	0	0	7.96	61	0	0	6	22	0	28	
M	5.6	–	–	14.4	26.2	–	13.5	16.8	–	90	39	–	3.6	3.9	–	–	–	–	1	8.60	70	0	1	1	24	0	26	
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
M	2.0	1.1	0.7	5.4	17.1	–	4.8	11.1	–	91	48	–	3.0	2.7	–	–	0	0	5	7.39	68	2	0	3	20	6	31	
J	1.9	1.4	0.6	1.4	16.8	–	0.7	9.7	–	88	38	–	3.3	1.9	–	–	0	0	12	7.35	70	0	0	5	24	1	30	
J	2.4	1.5	0.7	0.3	16.7	–	-0.7	9.1	–	82	34	–	1.5	1.4	–	–	0	0	5	8.63	81	0	0	3	15	13	31	
A	4.1	2.2	1.2	4.1	20.1	–	2.3	10.7	–	74	26	–	1.9	1.3	–	–	0	0	2	9.75	87	0	0	0	15	16	31	
S	5.6	2.3	1.5	11.5	24.2	–	8.8	13.9	–	73	33	–	2.7	3.0	–	–	0	0	3	8.65	72	2	0	2	21	5	30	
O	5.7	2.2	1.6	13.6	23.1	–	11.5	14.9	–	79	42	–	3.3	4.5	–	–	0	0	0	7.49	59	1	2	7	21	0	31	
N	4.8	1.9	1.4	14.8	22.1	–	13.2	15.9	–	84	54	–	4.4	4.6	–	–	0	0	0	6.89	51	2	2	9	16	1	30	
D	5.9	–	–	16.9	23.9	–	14.7	16.9	–	80	50	–	4.5	4.6	–	–	1	0	0	8.88	64	1	1	2	22	0	26	
A	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABEL II | TABLE II

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED		DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT			AANTAL DAE MET NUMBER OF DAYS WITH				SONSKYNDUUR / SUNSHINE DURATION		AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE					
		OORDAG BY DAY	OORNAG BY NIGHT	0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000	DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (%) AVERAGE DAILY HOURS	AS % VAN MOONTLIKE AS % OF POSSIBLE	0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
	mm	m / s																									
442/811	NOOITGEDACHT - AGR									Ø 26°31'S			λ 29°58'E			H 1694 M				HT 1.2 M							
J	-	-	-	16.8	22.7	-	14.8	17.0	-	81	56	-	4.6	5.2	-	7	0	0	2	-	-	-	-	-	-	-	-
F	-	-	-	14.9	22.4	-	13.6	15.9	-	86	50	-	4.7	4.3	-	2	0	0	10	-	-	-	-	-	-	-	-
M	-	-	-	15.7	24.1	-	14.3	15.7	-	86	40	-	3.4	3.9	-	5	0	0	9	-	-	-	-	-	-	-	-
A	-	-	-	13.4	21.7	-	11.9	14.4	-	84	43	-	3.8	3.3	-	6	0	0	5	-	-	-	-	-	-	-	-
M	-	-	-	7.6	15.9	-	6.5	9.9	-	85	45	-	2.8	2.4	-	0	0	0	12	-	-	-	-	-	-	-	-
J	-	-	-	4.0	15.6	-	3.0	8.3	-	85	33	-	2.0	1.9	-	0	0	0	3	-	-	-	-	-	-	-	-
J	-	-	-	4.3	15.4	-	2.4	7.7	-	72	30	-	1.3	1.4	-	2	0	0	2	-	-	-	-	-	-	-	-
A	-	-	-	7.9	19.1	-	5.2	9.4	-	66	23	-	1.6	1.3	-	0	0	0	1	-	-	-	-	-	-	-	-
S	-	-	-	13.8	(22.2)	-	9.9	(12.4)	-	61	(28)	-	2.8	3.3	-	1	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	14.3	20.7	-	11.5	13.0	-	72	39	-	3.4	3.9	-	7	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	14.7	21.3	-	12.6	14.6	-	78	47	-	4.3	4.4	-	14	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	16.6	22.4	-	14.3	15.9	-	78	50	-	4.5	4.3	-	6	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	12.0	(20.3)	-	10.0	(12.9)	-	78	(40)	-	3.3	3.3	-	50	0	0	44	-	-	-	-	-	-	-	-
444/540	PIET RETIEF - TNK									Ø 27° 0'S			λ 30°48'E			H 1250 M				HT 1.2 M							
J	4.5	1.8	0.9	17.9	23.3	18.1	16.2	18.2	16.7	84	63	87	5.8	5.5	5.1	7	0	0	5	6.08	45	3	4	4	20	0	31
F	4.7	1.8	0.7	16.8	23.4	17.7	15.2	17.3	15.8	84	55	82	5.7	4.8	3.7	1	0	0	6	7.03	54	0	3	8	15	2	28
M	5.2	1.7	0.7	17.5	24.8	18.1	15.8	17.8	16.3	84	52	84	4.6	4.0	4.7	8	3	0	3	7.38	60	0	0	10	20	1	31
A	3.6	1.6	1.0	15.3	23.1	16.5	13.3	16.0	14.4	81	50	80	3.9	4.0	4.0	3	0	0	-	7.35	64	1	2	6	19	2	30
M	2.5	1.8	1.1	10.1	18.6	11.8	8.2	11.7	9.5	77	45	75	3.9	3.3	2.5	1	0	0	4	7.26	67	3	0	5	14	9	31
J	2.6	1.8	1.3	7.7	17.8	10.2	5.8	10.5	7.5	76	41	70	1.5	1.8	1.5	0	0	0	2	8.15	78	3	1	1	5	20	30
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	4.5	2.6	1.7	9.6	20.8	13.1	6.2	10.8	8.5	63	28	54	2.4	2.0	1.4	0	0	0	5	8.78	79	1	0	4	11	15	31
S	5.0	2.4	1.6	14.2	22.3	15.0	10.9	13.6	11.9	70	43	72	3.7	3.9	3.2	4	0	0	4	6.91	58	3	0	7	20	0	30
O	4.7	2.2	1.4	14.7	21.4	15.2	12.5	14.9	13.0	79	53	79	4.5	5.0	4.9	7	0	0	3	6.43	51	3	3	8	14	3	31
N	4.5	2.2	1.4	15.3	21.5	15.3	13.5	16.2	13.9	83	61	86	6.3	5.4	6.7	9	2	0	6	5.41	40	4	1	14	11	0	30
D	5.5	2.1	1.4	17.7	23.8	17.7	15.5	17.5	15.7	81	57	83	5.4	5.0	5.6	4	1	0	0	6.82	49	1	4	11	14	1	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
445/274	MALKERNS - SWAZ									Ø 26°34'S			λ 31°10'E			H 730 M				HT 1.2 M							
J	-	-	-	21.4	25.0	-	19.0	20.6	-	80	67	-	5.7	5.7	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	20.8	25.7	-	18.3	19.7	-	79	57	-	5.4	4.9	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	21.2	26.4	-	18.8	20.9	-	80	61	-	4.6	4.7	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	19.1	24.7	-	16.8	19.3	-	79	60	-	4.1	4.4	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	15.6	22.0	-	12.4	14.7	-	69	44	-	3.3	3.6	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	12.9	20.7	-	9.5	13.0	-	64	39	-	1.7	2.3	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	13.1	21.8	-	9.1	12.7	-	58	32	-	1.3	2.1	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	14.7	23.5	-	10.9	14.2	-	62	33	-	2.9	2.1	-	-	-	-	-	-	-	-	-	-	-	-	-
S	-	-	-	17.3	24.4	-	14.2	16.8	-	74	48	-	4.1	4.1	-	-	-	-	-	-	-	-	-	-	-	-	-
O	-	-	-	18.0	23.0	-	15.5	17.2	-	78	59	-	5.1	5.8	-	-	-	-	-	-	-	-	-	-	-	-	-
N	-	-	-	18.2	23.1	-	16.0	18.0	-	80	60	-	6.5	6.0	-	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	20.3	24.8	-	17.9	19.8	-	79	63	-	5.6	5.9	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	17.7	23.8	-	14.9	17.2	-	73	52	-	4.2	4.3	-	-	-	-	-	-	-	-	-	-	-	-	-
445/512	MATSAPA - SWAZ									Ø 26°32'S			λ 31°18'E			H 642 M				HT 1.2 M							
J	-	-	-	21.3	26.1	-	19.1	20.7	-	81	60	-	5.6	5.4	-	-	-	-	-	5.93	44	1	4	12	14	0	31
F	-	-	-	20.4	26.2	-	18.2	19.6	-	80	52	-	5.3	4.9	-	-	-	-	-	6.75	52	0	3	10	13	2	28
M	-	-	-	20.8	27.6	-	18.8	20.8	-	82	52	-	4.3	4.1	-	-	-	-	-	7.20	59	1	0	10	18	2	31
A	-	-	-	18.2	24.9	-	16.8	19.5	-	87	59	-	4.0	3.9	-	-	-	-	-	6.25	55	1	5	6	18	0	30
M	-	-	-	14.3	22.3	-	11.7	15.3	-	73	45	-	2.8	3.2	-	-	-	-	-	7.12	66	0	1	7	17	6	31
J	-	-	-	11.2	20.9	-	8.6	13.3	-	70	39	-	1.4	1.8	-	-	-	-	-	7.83	75	3	1	0	20	6	30
J	-	-	-	11.4	21.9	-	7.9	12.8	-	60	30	-	0.9	1.5	-	-	-	-	-	8.31	78	1	0	3	20	7	31
A	-	-	-	13.4	23.7	-	10.0	13.9	-	66	32	-	2.6	1.3	-	-	-	-	-	8.25	74	0	2	1	28	0	31
S	-	-	-	16.7	24.8	-	14.1	16.5	-	77	45	-	4.4	3.3	-	-	-	-	-	6.12	51	3	1	9	17	0	30
O	-	-	-	17.9	24.5	-	15.6	17.9	-	80	54	-	4.9	5.0	-	-	-	-	-	5.72	45	3	2	11	13	2	31
N	-	-	-	18.5	23.8	-	16.4	18.7	-	80	62	-	6.0	5.7	-	-	-	-	-	5.03	37	3	3	13	11	0	30
D	-	-	-	20.2	25.6	-	18.3	20.5	-	84	64	-	5.6	4.8	-	-	-	-	-	6.17	45	3	4	6	18	0	31
A	-	-	-	17.0	24.4	-	14.6	17.5	-	77	49	-	4.0	3.7	-	-	-	-	-	6.72	56	19	26	88	207	25	365
446/772	WISSELRODE - SWAZ									Ø 26°52'S			λ 31°56'E			H 155 M				HT 1.2 M							
J	-	-	-	24.6	29.6	-	21.9	23.2	-	78	56	-	4.5	4.1	-	6	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	23.7	30.8	-	20.8	22.4	-	76	45	-	3.7	3.7	-	2	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	24.2	31.7	-	21.7	24.5	-	79	52	-	4.0	3.4	-	7	0	0	1	-	-	-	-	-	-	-	-
A	-	-	-	21.1	28.6	-	19.6	21.5	-	86	50	-	3.7	3.1	-	2	0	0	1	-	-	-	-	-	-	-	-
M	-	-	-	14.1	25.3	-	12.9	18.1	-	86	46	-	3.6	2.9	-	2	1	0	5	-	-	-	-	-	-	-	-
J	-	-	-	10.2	23.9	-	9.3	16.2	-	88	41	-	1.5	2.1	-	0	0	0	6	-	-	-	-	-	-	-	-
J	-	-	-	9.7	25.5	-	8.6	15.9	-	85	31	-	1.7	1.8	-	0	0	0	5	-	-	-	-	-	-	-	-
A	-	-	-	14.6	27.4	-	12.4	17.6	-	76	32	-	1.9	1.2	-	1	0	0	0	-	-	-	-	-	-	-	-
S	-	-	-	19.7	28.0	-	16.7	19.4	-	72	40	-	3.2	2.9	-	0	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	21.1	27.7	-	18.1	19.6	-	73	43	-	4.3	4.3	-	6	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	21.7	27.6	-	17.9	20.0	-	67	46	-	6.1	5.1	-	7	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	23.4	29.1	-	20.3	22.3	-	74	53	-	5.3	4.4	-	5	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	19.0	27.9	-	16.7	20.1	-	78	45	-	3.6	3.3	-	38	1	0	18	-	-	-	-	-	-	-	-

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN) mm	WINDSPOED WIND SPEED OORDAG BY DAY m/s	WINDSPOED WIND SPEED OORNAG BY NIGHT m/s	DROËBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM/AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM/AT 0800	1400	2000	AANTAL DAE MET NUMBER OF DAYS WITH DONDER/THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE AS % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
461/208	TWEE RIVIERE									Ø 26°28'S			λ 20°37'E			H 879 M				HT 1.2 M							
J	(11.4)	2.2	1.6	24.0	34.1	31.3	17.6	21.2	20.0	52	29	33	2.6	2.9	3.3	-	0	0	0	10.75	79	0	0	2	17	12	31
F	(8.9)	2.0	0.8	22.5	32.1	28.8	18.8	21.9	20.5	71	39	46	2.4	3.8	2.4	-	0	0	0	10.11	78	0	0	4	16	8	28
M	(7.6)	1.8	0.8	19.6	33.0	28.4	15.3	20.2	18.7	62	29	38	2.4	2.4	1.8	-	0	0	0	9.50	77	0	0	5	13	13	31
A	(5.6)	-	-	13.6	29.4	23.1	10.7	18.6	15.6	69	33	43	1.8	2.0	1.3	-	-	-	-	9.46	83	0	0	3	9	18	30
M	(4.1)	-	-	9.6	24.1	17.2	8.1	15.3	12.4	81	36	55	0.9	1.5	1.1	-	-	-	-	9.46	87	0	0	1	8	22	31
J	(3.3)	-	-	6.4	21.2	14.6	4.0	12.1	9.1	69	31	46	1.8	1.6	1.5	-	-	-	-	8.46	80	0	0	2	15	13	30
J	(3.3)	-	-	3.9	20.6	14.2	1.8	11.5	8.2	69	29	41	1.4	1.0	0.7	-	0	0	0	9.03	85	0	0	1	12	18	31
A	(4.1)	-	-	3.0	21.7	15.2	1.1	13.5	9.8	72	38	49	0.7	1.5	0.6	-	0	0	0	10.22	91	0	0	0	5	26	31
S	(6.9)	-	-	11.2	27.5	22.0	6.4	14.8	12.7	48	21	30	0.8	0.5	0.8	-	0	0	0	10.41	87	0	0	1	10	19	30
O	(8.3)	-	-	17.1	28.6	24.0	10.9	16.0	14.7	45	25	35	2.4	2.5	2.3	-	0	0	0	9.85	77	1	1	3	7	19	31
N	(10.0)	2.3	1.1	20.5	31.5	27.2	13.3	17.6	16.0	43	21	27	1.6	2.1	2.6	-	0	0	0	11.44	85	0	0	1	12	17	30
D	(11.4)	-	-	22.4	32.9	30.0	14.6	18.4	17.1	42	21	25	1.3	1.5	1.9	-	0	0	0	11.78	85	1	0	0	7	23	31
A	(7.1)	-	-	14.5	28.1	23.0	10.2	16.8	14.6	60	29	39	1.7	1.9	1.7	-	-	-	-	10.04	83	2	1	23	131	208	365
476/ 72	JOHANNESBURG - JOUBERT PARK									Ø 26°12'S			λ 28° 3'E			H 1753 M				HT 1.2 M							
J	-	-	-	17.9	22.5	-	15.3	17.1	-	76	58	-	5.6	6.0	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	16.8	21.8	-	14.3	16.2	-	76	56	-	4.1	5.4	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	18.0	23.1	-	14.6	16.3	-	68	47	-	2.7	4.9	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	15.3	20.5	-	12.3	14.3	-	71	50	-	3.3	3.7	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	9.7	16.1	-	7.3	9.8	-	71	42	-	2.0	2.2	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	8.4	15.0	-	5.7	8.8	-	67	41	-	1.6	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	8.2	14.9	-	5.1	8.2	-	61	37	-	0.9	1.6	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	10.5	17.8	-	5.9	9.1	-	48	28	-	1.3	1.2	-	-	-	-	-	-	-	-	-	-	-	-	-
S	-	-	-	15.2	21.7	-	10.1	13.0	-	51	34	-	1.1	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-
O	-	-	-	15.7	21.4	-	11.5	14.1	-	60	43	-	3.5	4.0	-	-	-	-	-	-	-	-	-	-	-	-	-
N	-	-	-	16.2	22.0	-	12.6	14.9	-	66	45	-	4.2	4.4	-	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	18.2	23.3	-	14.0	16.0	-	62	45	-	4.5	4.6	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	14.2	20.0	-	10.7	13.1	-	65	44	-	2.9	3.4	-	-	-	-	-	-	-	-	-	-	-	-	-
476/101	JOHANNESBURG - REPUBLIEK STER									Ø 26°11'S			λ 28° 4'E			H 1806 M				HT 1.2 M							
J	-	-	-	17.1	-	-	15.1	-	-	82	-	-	4.7	-	-	6	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	15.9	-	-	14.3	-	-	85	-	-	3.8	-	-	12	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	17.2(23.6)		-	14.4(15.8)		-	75(44)		-	2.4(4.3)		-	5	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	14.9	-	-	12.3	-	-	75	-	-	3.2	-	-	2	0	0	6	-	-	-	-	-	-	-	-
M	-	-	-	9.6	-	-	7.3	-	-	73	-	-	2.2	-	-	1	0	0	2	-	-	-	-	-	-	-	-
J	-	-	-	8.7(16.2)		-	5.9 (9.4)		-	66(38)		-	1.8(1.7)		-	0	0	0	2	-	-	-	-	-	-	-	-
J	-	-	-	8.1	-	-	4.9	-	-	61	-	-	1.3	-	-	0	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	9.9(18.4)		-	5.6 (9.5)		-	53(29)		-	1.0(1.2)		-	0	0	0	0	-	-	-	-	-	-	-	-
S	-	-	-	14.4(22.0)		-	10.0(12.5)		-	57(32)		-	1.4(2.0)		-	0	0	0	2	-	-	-	-	-	-	-	-
O	-	-	-	14.2	-	-	10.9	-	-	67	-	-	3.1	-	-	4	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	15.1(21.3)		-	12.2(15.0)		-	71(36)		-	3.9(4.2)		-	6	0	0	2	-	-	-	-	-	-	-	-
D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
476/398	JAN SMUTS - WK									Ø 26° 8'S			λ 28°14'E			H 1692 M				HT 1.2 M							
J	5.8	-	-	17.2	22.8	18.7	15.4	17.4	16.1	83	59	78	5.4	5.6	5.3	6	0	0	3	6.86	51	0	2	13	15	1	31
F	5.2	-	-	16.2	21.4	17.7	14.5	16.5	15.1	80	61	76	4.3	5.8	4.2	10	0	0	3	7.83	60	0	1	7	18	2	28
M	5.6	-	-	17.0	23.5	18.6	14.5	16.1	14.1	76	46	62	2.9	4.6	3.1	11	0	0	3	8.52	70	0	1	5	16	9	31
A	3.9	-	-	14.4	20.8	15.9	12.3	14.4	12.5	79	50	68	3.2	4.0	2.6	7	0	0	6	7.91	69	1	0	6	14	9	30
M	3.4	-	-	8.8	16.2	10.9	7.0	9.9	7.5	78	44	62	2.9	3.2	1.8	4	0	0	6	7.97	73	0	1	7	11	12	31
J	3.4	-	-	7.1	15.5	9.8	4.9	8.6	6.0	71	38	57	1.8	1.8	0.7	0	0	0	5	8.86	84	0	0	2	10	18	30
J	4.1	-	-	6.5	15.5	9.5	4.0	7.9	5.1	67	31	48	1.3	1.4	0.7	0	0	0	0	9.41	88	0	0	1	8	22	31
A	6.3	-	-	8.9	18.2	12.7	4.9	9.0	6.1	53	25	33	1.2	1.4	0.4	1	0	0	0	10.27	92	0	0	1	5	25	31
S	7.9	-	-	14.6	22.0	17.3	9.6	12.2	10.1	55	31	40	1.6	2.4	1.9	0	0	0	3	9.05	76	2	0	1	21	6	30
O	7.4	-	-	14.7	21.2	16.6	11.2	13.5	11.4	67	43	56	3.4	4.3	2.7	7	0	0	0	8.75	69	0	2	7	15	7	31
N	7.1	-	-	15.6	21.5	16.2	12.7	15.0	12.4	73	50	65	4.7	4.8	5.7	12	0	0	6	8.46	63	1	2	5	19	3	30
D	7.3	-	-	17.3	23.0	18.9	14.3	16.1	14.2	73	50	62	4.5	4.5	4.3	13	0	0	1	9.28	67	1	0	4	22	4	31
A	5.6	-	-	13.2	20.1	15.2	10.4	13.1	10.9	71	44	59	3.1	3.7	2.8	71	0	0	36	8.60	71	5	9	59	174	118	365
478/867	BETHAL - TNK									Ø 26°27'S			λ 29°29'E			H 1663 M				HT 1.2 M							
J	5.3	2.8	2.0	16.4	23.4	17.8	14.9	17.9	15.7	86	60	81	4.0	5.6	5.7	-	0	0	7	6.40	47	1	3	13	14	0	31
F	5.5	2.4	1.9	14.9	22.7	17.8	13.5	16.3	14.6	85	53	72	2.9	5.7	3.9	-	-	-	-	7.47	57	0	0	10	15	3	28
M	6.3	3.0	1.6	15.2	24.5	18.1	14.1	16.5	14.5	89	44	69	2.0	4.7	3.3	-	0	0	3	8.38	68	0	0	6	21	4	31
A	4.1	2.6	1.4	12.4	21.6	15.7	11.3	14.9	12.7	88	49	72	2.1	3.7	2.6	-	0	0	-	7.48	65	1	0	8	14	7	30
M	3.2	2.3	1.3	6.6	16.4	9.9	5.7	10.4	7.2	88	47	69	2.3	3.1	2.1	-	0	0	5	7.74	71	0	0	4	18	9	31
J	3.1	2.6	1.5	4.1	15.9	8.7	3.0	9.5	5.4	84	42	61	1.2	2.0	1.2	-	0	0	5	7.27	69	1	1	5	20	3	30
J	3.8	2.7	1.6	3.8	15.7	8.9	2.4	8.8	5.1	78	37	56	1.0	1.5	1.2	-	0	0	4	8.38	79	0	0	4	17	10	31
A	5.4	3.5	1.9	6.5	19.1	11.8	4.3	10.1	6.6	71	29	46	1.0	1.3	1.2	-	0	0	5	9.77	87	0	0	0	14	17	31
S	6.7	3.6	2.5	12.5	22.7	15.7	9.4	13.2	10.6	69	34	55	2.1	3.1	3.4	-	0	0	2	8.27	69	2	0	3	22	3	30
O	6.3	3.5	2.7	13.3	21.7	15.2	11.1	13.6	11.2	77	41	64	2.6	4.8	4.0	-	0	0	6	7.83	62	0	2	7	16	6	31
N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D	6.4	2.9	2.3	16.3	23.5	18.3	14.3	16.3	14.9	80	50	71	2.9	5.1	4.8	-	0	0	6	8.22	60	2	1	4	24	0	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TV 4 - 199

TABEL II | TABLE II

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED		DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C			% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS			DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	% VAN MOONTLIKE % OF POSSIBLE	GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE					WAARNEMINGS OBSERVATIONS
		OOR DAG BY DAY	OOR NAG BY NIGHT	OM / AT 0800	1400	2000	OM / AT 0800	1400	2000	OM / AT 0800	1400	2000	OM / AT 0800	1400	2000							0%	1-10%	11-49%	50-89%	90-100%	
	mm	m/s																									
480/184A	CAROLINA - TNK									Ø 26° 4'S			λ 30° 7'E			H 1696 M					HT 1.2 M						
J	5.4	1.9	1.1	16.1	21.9	17.1	14.6	17.0	15.2	86	62	82	5.3	5.5	4.9	6	0	0	2	6.55	48	1	2	12	16	0	31
F	5.4	1.8	1.0	14.5	22.0	16.4	13.3	15.6	14.3	88	52	80	5.3	5.5	3.6	4	0	0	6	6.80	52	0	1	12	15	0	28
M	6.1	2.3	0.9	15.3	23.9	17.0	13.9	15.2	14.2	85	39	75	4.2	4.3	2.9	8	0	0	5	8.28	68	0	1	3	25	2	31
A	4.5	2.1	1.0	12.9	21.1	15.1	11.6	13.9	12.0	86	46	71	4.2	4.0	2.2	6	0	0	8	7.32	64	1	1	5	23	0	30
M	3.2	1.9	0.8	6.8	16.2	9.9	5.9	9.5	7.2	89	41	69	3.7	3.3	2.5	3	1	0	7	7.46	69	0	1	3	25	2	31
J	2.9	2.0	0.8	4.2	15.0	8.5	3.1	7.8	5.2	85	36	61	2.5	1.8	1.4	1	1	0	8	7.69	73	2	1	1	26	0	30
J	3.4	2.2	0.7	3.6	15.3	8.5	2.1	7.3	4.4	77	29	51	1.0	1.5	0.8	2	0	0	3	8.70	81	0	1	0	24	6	31
A	5.2	2.7	1.1	7.0	18.7	11.4	4.2	8.7	6.0	65	22	44	2.6	1.2	0.3	0	0	0	7	9.32	83	0	0	0	24	7	31
S	6.2	2.5	1.4	12.4	21.7	14.5	9.1	11.7	9.7	67	30	58	2.4	3.1	2.9	6	0	0	2	8.17	68	2	1	1	23	3	30
O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N	5.4	2.1	1.5	14.2	20.7	14.9	12.3	14.7	12.8	80	54	79	5.3	5.9	6.3	15	2	0	6	7.20	54	1	1	8	17	0	27
D	6.5	2.1	1.4	15.8	23.0	18.8	13.6	15.7	15.0	79	48	68	4.9	5.6	4.9	14	0	0	4	8.05	59	1	1	7	22	0	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
482/260	MBABANE - SWAZ									Ø 26°20'S			λ 31° 9'E			H 1145 M					HT 1.2 M						
J	-	-	-	18.4	21.6	-	17.0	18.4	-	87	73	-	5.2	5.4	-	6	0	0	9	5.39	40	4	4	10	13	0	31
F	-	-	-	17.5	21.8	-	16.3	17.9	-	88	68	-	4.9	4.7	-	2	0	0	1	6.54	50	2	2	7	17	0	28
M	-	-	-	18.5	22.9	-	17.0	19.0	-	86	69	-	4.6	4.3	-	9	2	0	10	6.25	51	1	1	10	19	0	31
A	-	-	-	17.3	22.0	-	15.2	17.5	-	80	64	-	3.5	3.8	-	2	0	0	-	6.02	53	3	3	8	16	0	30
M	-	-	-	12.6	18.3	-	10.3	13.2	-	75	56	-	3.1	3.3	-	1	0	0	0	6.97	64	2	1	5	20	3	31
J	-	-	-	9.6	17.3	-	7.4	11.3	-	74	47	-	1.4	2.2	-	1	0	0	3	7.65	73	4	0	0	26	0	30
J	-	-	-	10.7	18.4	-	7.5	11.0	-	63	38	-	1.2	1.3	-	0	0	0	1	8.31	78	1	0	3	24	3	31
A	-	-	-	13.0	20.7	-	9.5	12.7	-	63	37	-	2.1	1.5	-	0	0	0	0	8.38	75	1	0	3	20	7	31
S	-	-	-	16.3	21.1	-	12.9	14.6	-	67	48	-	3.4	3.6	-	1	0	0	6	6.48	54	3	1	5	21	0	30
O	-	-	-	16.6	19.7	-	14.2	15.3	-	77	62	-	4.6	4.9	-	8	2	0	9	5.50	43	4	5	5	17	0	31
N	-	-	-	15.9	20.0	-	17.5	16.3	-	76	68	-	5.2	5.6	-	10	0	0	5	4.93	37	5	2	13	10	0	30
D	-	-	-	18.5	22.1	-	16.7	18.5	-	83	71	-	4.4	5.1	-	5	0	0	13	5.87	43	6	2	7	16	0	31
A	-	-	-	15.4	20.5	-	13.5	15.5	-	77	58	-	3.6	3.8	-	45	4	0	-	6.52	54	36	21	76	219	13	365
483/ 53	MPISI - SWAZ									Ø 26°23'S			λ 31°32'E			H 425 M					HT 1.2 M						
J	-	-	-	23.0	28.3	-	20.9	22.7	-	81	60	-	5.6	5.1	-	10	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	23.0	28.5	-	20.1	21.2	-	75	49	-	5.0	4.9	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	22.7	29.2	-	20.6	22.4	-	82	53	-	5.3	4.6	-	8	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	20.3	26.6	-	19.0	21.8	-	88	64	-	4.9	4.8	-	5	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	14.9	23.3	-	13.1	17.2	-	83	51	-	3.9	4.1	-	2	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	11.3	22.5	-	9.8	15.9	-	81	47	-	1.9	2.2	-	2	0	0	1	-	-	-	-	-	-	-	-
J	-	-	-	11.4	23.5	-	9.7	17.0	-	79	49	-	1.7	2.1	-	0	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	15.4	25.9	-	12.7	18.1	-	71	43	-	3.2	2.5	-	1	0	0	0	-	-	-	-	-	-	-	-
S	-	-	-	18.4	26.8	-	15.8	18.9	-	75	43	-	4.6	3.7	-	1	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	20.1	26.3	-	17.5	19.6	-	76	51	-	5.5	4.9	-	7	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	20.6	26.3	-	17.7	21.2	-	74	61	-	6.3	5.3	-	6	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	22.6	27.7	-	19.9	22.6	-	77	62	-	5.3	4.8	-	6	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	18.6	26.2	-	16.4	19.9	-	79	53	-	4.4	4.1	-	-	-	-	-	-	-	-	-	-	-	-	-
483/504	MPAKA - SWAZ									Ø 26°24'S			λ 31°47'E			H 335 M					HT 1.2 M						
J	-	-	-	23.3	28.0	-	21.4	23.9	-	84	63	-	5.6	5.4	-	3	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	22.4	28.6	-	20.4	22.2	-	82	55	-	4.7	4.6	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	23.2	30.4	-	21.4	23.3	-	84	52	-	4.0	4.1	-	4	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	20.4	26.7	-	19.6	22.7	-	92	69	-	4.9	3.8	-	2	0	0	2	-	-	-	-	-	-	-	-
M	-	-	-	15.9	23.7	-	15.1	19.2	-	91	63	-	3.6	3.4	-	1	0	0	2	-	-	-	-	-	-	-	-
J	-	-	-	(13.3	22.6)	-	(11.8	15.9)	-	(83	46)	-	(1.6	2.0)	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	13.8	23.8	-	11.1	14.7	-	70	31	-	1.4	1.6	-	0	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	16.1	25.9	-	13.5	19.4	-	73	51	-	3.1	2.0	-	1	0	0	1	-	-	-	-	-	-	-	-
S	-	-	-	18.7	27.0	-	16.2	18.8	-	77	46	-	4.2	3.2	-	2	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	19.9	26.2	-	17.5	19.3	-	79	53	-	5.0	4.8	-	6	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	20.4	25.9	-	17.5	19.1	-	74	50	-	6.2	5.7	-	9	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	22.0	27.3	-	19.6	21.7	-	79	60	-	5.5	4.7	-	6	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	(19.1	26.3)	-	(17.1	19.9)	-	(81	53)	-	(4.1	3.8)	-	-	-	-	-	-	-	-	-	-	-	-	-
483/807	SITEKI - SWAZ									Ø 26°27'S			λ 31°57'E			H 653 M					HT 1.2 M						
J	-	-	-	21.2	25.8	-	-	-	-	-	-	-	3.6	3.9	-	6	0	0	7	-	-	-	-	-	-	-	-
F	-	-	-	19.7	25.3	-	-	-	-	-	-	-	3.7	4.2	-	1	0	0	5	-	-	-	-	-	-	-	-
M	-	-	-	20.6	27.0	-	-	-	-	-	-	-	4.5	3.3	-	6	0	0	3	-	-	-	-	-	-	-	-
A	-	-	-	18.9	23.9	-	17.8	19.6	-	90	66	-	3.7	3.5	-	2	0	0	13	-	-	-	-	-	-	-	-
M	-	-	-	15.5	20.2	-	13.5	15.4	-	80	59	-	2.9	3.5	-	2	0	0	8	-	-	-	-	-	-	-	-
J	-	-	-	14.0	19.4	-	11.7	13.5	-	76	49	-	1.8	2.7	-	0	0	0	3	-	-	-	-	-	-	-	-
J	-	-	-	14.0	21.0	-	10.9	13.4	-	66	37	-	0.9	1.3	-	0	0	0	3	-	-	-	-	-	-	-	-
A	-	-	-	15.4	22.2	-	11.8	14.5	-	64	40	-	1.9	1.2	-	0	0	0	1	-	-	-	-	-	-	-	-
S	-	-	-	16.9	24.3	-	14.8	17.4	-	80	48	-	2.8	2.1	-	0	0	0	7	-	-	-	-	-	-	-	-
O	-	-	-	17.4	22.2	-	-	-	-	-	-	-	4.3	3.5	-	3	0	0	6	-	-	-	-	-	-	-	-
N	-	-	-	21.4	21.9	-	-	-	-	-	-	-	4.9	3.7	-	9	0	0	3	-	-	-	-	-	-	-	-
D	-	-	-	19.7	24.2	-	-	-	-	-	-	-	4.9	3.7	-	4	0	0	5	-	-	-	-	-	-	-	-
A	-	-	-	17.9	23.1	-	-	-	-	-	-	-	3.3	3.1	-	33	0	0	64	-	-	-	-	-	-	-	-

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED		DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT			AANTAL DAE MET NUMBER OF DAYS WITH				SONSKYNDUUR / SUNSHINE DURATION						
		OORDAG BY DAY	OORNAG BY NIGHT													DONDER/THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE AS % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
	mm	m/s		0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000											
508/261	**MAFEKING - TNK**									**Ø 25°51'S**			**λ 25°39'E**			**H 1278 M**				**HT 1.2 M**						
J	6.8	1.2	1.0	21.2	27.7	22.5	18.5	21.1	19.0	77	56	73	3.5	5.1	4.4	10	0	0	0	8.77	65	0	1	6	20	4	31
F	-	1.0	0.7	20.2	26.4	22.4	17.6	19.9	18.7	78	55	75	2.5	4.7	3.6	8	0	0	0	9.13	70	0	0	4	23	1	28
M	6.5	1.4	0.9	20.7	29.3	22.3	16.6	19.3	16.8	66	40	58	1.9	3.6	1.3	4	0	0	0	8.65	71	0	2	2	20	7	31
A	-	1.1	0.9	16.8	25.0	18.7	14.3	17.7	15.3	77	48	70	2.6	3.7	2.1	5	1	0	0	8.18	71	0	0	5	14	11	30
M	3.0	1.2	0.9	10.7	20.4	13.0	8.7	13.9	10.1	77	49	71	1.8	2.6	2.1	-	-	-	-	8.14	75	0	2	2	18	9	31
J	3.2	1.3	1.2	8.0	20.0	11.0	5.7	12.1	7.3	70	37	60	1.4	0.9	0.7	0	0	0	0	8.61	82	0	0	1	29	0	30
J	3.6	1.4	1.0	7.0	20.0	11.2	4.5	11.4	6.8	66	33	52	0.7	0.7	1.0	0	0	0	0	8.95	84	0	0	0	30	1	31
A	5.2	1.5	0.9	9.4	22.9	12.9	5.1	12.0	6.5	50	24	35	0.2	0.5	0.0	0	0	0	0	10.32	92	0	0	0	4	27	31
S	7.3	1.8	1.1	17.3	27.7	19.2	11.4	15.4	11.9	48	27	41	1.6	2.0	1.0	1	0	0	0	9.43	79	1	0	2	14	13	30
O	-	1.7	1.5	18.4	27.0	20.5	13.4	16.9	14.0	58	36	49	2.7	3.5	2.4	1	0	0	0	9.13	72	0	1	5	16	9	31
N	7.9	1.3	1.2	19.7	27.4	20.8	15.4	17.9	15.6	64	41	61	2.9	4.3	3.5	5	3	0	0	9.34	70	1	1	2	21	5	30
D	8.4	1.5	1.2	21.9	29.4	23.3	16.7	19.1	16.6	60	37	51	2.5	4.1	3.3	6	0	0	0	9.80	71	0	2	3	16	10	31
A	-	1.4	1.0	15.9	25.3	18.1	12.3	16.4	13.2	66	40	58	2.0	3.0	2.1	-	-	-	-	9.04	75	2	9	32	225	97	365
511/523	**RUSTENBURG - AGR**									**Ø 25°43'S**			**λ 27°18'E**			**H 1157 M**				**HT 1.2 M**						
J	6.0	1.3	0.5	20.9	26.4	21.6	18.2	20.0	18.8	77	56	77	5.2	5.2	5.1	17	0	0	0	7.20	53	1	0	11	15	4	31
F	5.8	1.2	0.4	20.0	26.1	20.5	17.6	19.7	18.0	79	55	79	4.1	4.9	3.3	10	1	0	0	7.63	59	1	0	9	16	2	28
M	6.2	1.4	0.4	20.0	28.0	21.0	17.0	19.3	16.8	74	44	67	2.7	4.1	2.0	9	0	0	0	8.97	73	0	0	4	18	9	31
A	3.8	1.1	0.4	16.7	24.5	17.3	14.8	17.7	15.4	82	51	82	2.8	4.3	2.1	7	0	0	0	8.40	73	0	1	6	10	13	30
M	3.2	1.1	0.6	10.9	20.7	12.2	8.9	13.2	9.6	78	42	72	1.5	2.6	1.3	4	0	0	0	8.68	80	0	0	4	10	17	31
J	2.9	1.1	0.5	6.5	19.2	9.9	5.1	11.9	7.3	81	41	70	1.6	1.8	0.9	0	0	0	0	8.67	82	0	0	2	11	17	30
J	3.6	-	-	6.7	19.7	9.9	4.9	11.7	6.6	75	35	62	1.2	1.2	0.6	0	0	0	0	9.52	89	0	0	1	12	18	31
A	5.3	1.6	0.8	9.4	22.2	12.0	5.8	12.0	7.0	58	26	47	1.3	1.6	0.2	0	0	0	0	10.32	92	0	0	0	6	25	31
S	6.8	1.8	0.7	16.8	26.5	17.6	11.9	14.9	11.4	56	29	49	1.6	2.0	1.4	0	0	0	0	9.31	78	2	0	2	15	11	30
O	6.8	1.8	0.7	18.1	25.7	18.9	13.7	15.9	13.5	62	36	54	3.7	4.1	2.2	6	0	0	0	8.10	64	0	3	6	16	6	31
N	7.0	1.9	0.6	19.3	26.5	20.0	15.5	18.3	15.4	68	46	63	4.7	4.8	4.4	12	2	0	0	8.49	63	1	0	8	18	3	30
D	7.8	1.7	0.8	21.2	27.7	21.6	17.0	19.0	17.0	66	44	63	3.9	4.7	2.2	10	0	0	0	9.27	68	1	2	2	21	5	31
A	5.4	-	-	15.5	24.4	16.9	12.5	16.1	13.1	71	42	65	2.9	3.4	2.1	75	3	0	0	8.71	72	6	6	55	168	130	365
512/545	**HARTEBEESTPOORT - IRR**									**Ø 25°35'S**			**λ 27°49'E**			**H 1158 M**				**HT 1.2 M**						
J	-	-	-	21.6	27.4	-	18.7	20.8	-	76	55	-	4.5	4.0	-	-	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	20.0	27.0	-	17.8	19.8	-	81	51	-	4.3	4.3	-	-	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	19.9	28.6	-	17.2	19.7	-	76	42	-	2.1	3.3	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	16.1	25.3	-	14.6	18.0	-	85	48	-	2.7	3.5	-	-	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	9.2	21.4	-	7.9	14.0	-	84	43	-	1.7	2.5	-	-	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	5.4	20.3	-	4.2	12.4	-	83	38	-	1.4	1.7	-	-	0	0	1	-	-	-	-	-	-	-	-
J	-	-	-	4.6	20.5	-	3.1	11.8	-	78	32	-	0.7	0.8	-	-	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	8.1	23.3	-	5.2	12.8	-	64	26	-	0.9	0.8	-	-	0	0	0	-	-	-	-	-	-	-	-
S	-	-	-	15.9	27.2	-	12.2	16.3	-	65	30	-	1.4	1.9	-	-	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	18.9	26.8	-	14.9	17.7	-	65	40	-	2.8	3.6	-	-	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	19.9	26.9	-	16.1	18.8	-	68	45	-	3.6	3.8	-	-	2	0	0	-	-	-	-	-	-	-	-
D	-	-	-	21.5	28.0	-	17.8	19.9	-	70	46	-	3.5	4.0	-	-	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	15.1	25.2	-	12.5	16.8	-	75	41	-	2.5	2.9	-	-	-	-	-	-	-	-	-	-	-	-	-
513/165	**PRETORIA - PROCLAMATION HILL**									**Ø 25°45'S**			**λ 28° 6'E**			**H 1356 M**				**HT 1.2 M**						
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.45	48	0	3	12	16	0	31
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.25	56	0	0	9	19	0	28
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.92	73	0	0	4	17	10	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.04	70	1	1	4	17	7	30
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.83	72	0	0	6	19	6	31
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.02	76	0	0	4	23	3	30
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.72	81	0	0	2	27	2	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.36	83	0	0	1	24	6	31
S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.54	67	1	2	5	15	8	31
N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.65	65	0	1	7	20	2	30
D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.11	66	1	2	2	25	1	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
513/314A	**PRETORIA - FORUM - WB******									**Ø 25°44'S**			**λ 28°11'E**			**H 1330 M**				**HT 1.2 M**						
J	-	-	-	19.8	25.3	22.6	16.9	18.6	18.3	75	53	67	5.2	5.4	5.3	14	0	0	0	7.39	55	0	3	8	16	4	31
F	-	-	-	19.0	24.7	21.4	16.1	18.0	17.5	75	52	69	3.7	5.4	4.2	11	0	0	0	7.78	60	0	0	8	18	2	28
M	-	-	-	19.5	26.5	23.2	16.2	17.7	17.0	72	42	55	2.4	4.1	2.5	6	0	0	0	8.93	73	0	0	5	16	10	31
A	-	-	-	15.5	23.5	19.3	13.6	16.3	15.3	80	48	66	3.2	4.2	2.3	4	0	0	0	8.49	74	0	2	3	21	4	30
M	-	-	-	9.6	19.3	14.5	7.8	11.9	10.3	79	41	58	2.3	2.9	1.5	2	0	0	0	8.68	80	0	0	5	10	16	31
J	-	-	-	7.0	18.2	12.9	5.1	10.5	8.6	77	37	56	1.9	1.7	1.0	0	0	0	1	8.84	83	0	0	3	10	17	30
J	-	-	-	6.5	18.2	13.4	4.5	10.1	8.1	73	32	47	0.7	1.1	0.7	0	0	0	0	9.51	89	0	0	0	8	23	31
A	-	-	-	9.6	21.0	16.5	5.9	10.8	9.2	57	24	34	0.9	1.1	0.6	0	0	0	0	10.26	91	0	0	1	5	25	31
S	-	-	-	15.8	24.6	21.3	11.2	13.7	12.8	57	29	38	1.6	2.1	1.5	0	0	0	0	9.21	77	2	0	2	13	13	30
O	-	-	-	17.1	23.9	20.7	12.8	14.8	13.7	62	38	46	3.0	4.0	2.5	4	0	0	0	8.18	64	1	2	4	16	8	31
N	-	-	-	17.9	24.4	20.0	14.1	16.5	14.7	68	45	58	4.5	4.9	5.2	13	0	0	0	8.64	65	0	1	8	16	5	30
D	-	-	-	19.5	26.0	23.0	15.9	17.5	16.5	70	43	53	4.4	4.5	3.6	9	0	0	0	8.97	65	1	2	2	24	2	31
A	-	-	-	14.7	23.0	19.1	11.7	14.7	13.5	70	40	54	2.8	3.5	2.6	63	0	0	1	8.74	72	4	10	49	173	129	365

**** HT en HR ten opsigte van dak van gebou 19 m bo grondvlak
HT and HR refer to height above roof of building 19 m above ground level

TABEL II

TABLE II

MAAND / MONTH	GEMIDDELDE DAELIKSE WAARDES VAN / AVERAGE DAILY VALUES OF: VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED / WIND SPEED: OORDAG BY DAY	WINDSPOED / WIND SPEED: OORNAG BY NIGHT	DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT 0800	1400	2000	% RELATIEWE VOGTKHEID % RELATIVE HUMIDITY OM / AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT 0800	1400	2000	AANTAL DAE MET NUMBER OF DAYS WITH: DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION: GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	% VAN MOONTLIKE % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH: GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
	mm	m/s																										
513/465	**PRETORIA - UNIVERSITEIT - AGR**									**Ø 25°45'S**			**λ 28°16'E**			**H 1372 M**				**HT 1.2 M**								
J	-	-	-	19.3	25.5	-	17.1	19.2	-	80	55	-	5.4	5.2	-	-	0	0	0	-	-	-	-	-	-	-	-	-
F	-	-	-	18.5	24.6	-	16.3	18.7	-	80	56	-	3.7	5.3	-	-	0	0	0	-	-	-	-	-	-	-	-	-
M	-	-	-	19.2	26.4	-	16.6	19.0	-	77	49	-	2.6	4.1	-	6	0	0	0	-	-	-	-	-	-	-	-	-
A	-	-	-	16.0	23.6	-	14.3	17.2	-	83	52	-	3.0	4.0	-	3	0	0	0	-	-	-	-	-	-	-	-	-
M	-	-	-	10.3	19.4	-	8.6	13.0	-	80	47	-	2.1	2.7	-	3	0	0	0	-	-	-	-	-	-	-	-	-
J	-	-	-	7.6	18.6	-	6.1	11.3	-	80	39	-	1.6	1.8	-	0	0	0	0	-	-	-	-	-	-	-	-	-
J	-	-	-	6.9	18.9	-	5.0	10.7	-	75	33	-	0.5	1.3	-	0	0	0	0	-	-	-	-	-	-	-	-	-
A	-	-	-	10.4	21.9	-	7.0	12.2	-	61	28	-	0.8	1.1	-	1	0	0	0	-	-	-	-	-	-	-	-	-
S	-	-	-	16.1	25.6	-	11.8	15.0	-	59	29	-	1.6	2.0	-	0	0	0	0	-	-	-	-	-	-	-	-	-
O	-	-	-	17.2	24.4	-	13.4	15.8	-	65	39	-	3.0	4.0	-	4	0	0	0	-	-	-	-	-	-	-	-	-
N	-	-	-	17.8	24.5	-	15.0	17.7	-	74	50	-	4.1	4.5	-	13	0	0	0	-	-	-	-	-	-	-	-	-
D	-	-	-	19.5	25.6	-	16.4	18.6	-	73	50	-	4.5	4.7	-	9	1	0	0	-	-	-	-	-	-	-	-	-
A	-	-	-	14.9	23.3	-	12.3	15.7	-	74	44	-	2.7	3.4	-	-	1	0	0	-	-	-	-	-	-	-	-	-
513/531	**RIETVLEI - AGR**									**Ø 25°51'S**			**λ 28°18'E**			**H 1524 M**				**HT 1.2 M**								
J	-	-	-	18.4	24.5	-	16.4	18.7	-	82	57	-	4.8	5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	17.8	23.6	-	15.9	18.8	-	82	63	-	3.2	4.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	18.3	25.8	-	16.0	17.8	-	79	45	-	2.1	3.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	14.3	22.2	-	13.0	15.9	-	86	51	-	3.1	3.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	9.0	(18.1)	-	7.6	(11.6)	-	82	(44)	-	2.1	(2.8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	5.7	17.1	-	4.4	10.2	-	82	39	-	1.3	1.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	5.5	17.2	-	3.7	10.0	-	75	37	-	0.8	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	9.0	(20.5)	-	5.6	(10.8)	-	59	(26)	-	0.6	(0.6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S	-	-	-	15.2	24.1	-	11.0	14.1	-	59	30	-	1.3	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O	-	-	-	16.3	23.2	-	12.8	15.5	-	67	43	-	2.8	4.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N	-	-	-	17.0	23.0	-	13.9	16.4	-	71	50	-	3.8	4.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	19.1	25.3	-	15.8	18.0	-	71	48	-	3.4	4.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	13.8	(22.1)	-	11.3	(14.8)	-	75	(44)	-	2.4	(3.2)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
513/605	**ROODEPLAAT - AGR**									**Ø 25°35'S**			**λ 28°21'E**			**H 1164 M**				**HT 1.2 M**								
J	6.6	2.1	1.2	20.8	26.4	21.8	18.2	20.2	19.2	78	57	79	4.9	4.9	5.0	6	1	0	0	7.55	56	0	2	10	12	7	31
F	6.4	1.9	0.9	19.2	26.0	20.4	17.2	19.5	18.2	77	54	81	3.8	4.8	4.4	9	0	0	0	8.35	64	0	0	9	17	2	28
M	7.5	2.3	1.0	20.4	28.1	20.6	17.4	19.3	17.1	75	43	71	2.4	3.9	2.1	5	0	0	0	9.25	76	0	1	3	15	12	31
A	4.5	1.8	0.8	16.8	24.8	16.7	14.9	17.7	15.0	82	50	83	3.1	4.0	2.6	6	0	0	1	8.49	74	0	1	4	17	8	30
M	3.9	1.9	1.1	10.8	20.7	10.8	9.0	13.2	8.8	79	41	77	2.5	2.9	1.4	2	0	0	0	8.22	75	0	1	4	12	14	31
J	3.5	1.7	1.1	7.8	19.6	8.4	6.3	11.9	6.2	81	39	74	1.3	1.7	1.0	1	0	0	0	8.84	83	0	0	2	7	21	30
J	4.3	2.0	1.1	6.5	19.7	8.8	4.8	11.4	5.8	76	34	64	0.8	1.3	0.6	1	0	0	0	9.48	89	0	0	0	9	22	31
A	6.2	2.4	1.0	10.2	22.6	11.2	6.9	12.3	6.5	63	26	49	1.1	1.0	0.4	1	0	0	0	9.99	89	0	0	0	9	22	31
S	7.7	2.5	1.2	16.8	26.4	17.5	12.6	15.8	12.4	63	33	56	1.5	2.2	1.9	2	0	0	0	9.11	76	2	1	1	19	7	30
O	8.5	2.9	1.5	18.5	25.9	18.7	14.2	16.6	13.6	63	39	58	3.5	4.3	0.3	4	0	0	0	8.72	69	1	2	4	14	10	31
N	8.3	2.8	1.1	19.0	25.8	18.9	15.6	18.1	15.5	71	47	71	4.0	4.3	5.5	7	0	0	1	8.96	67	0	0	9	16	5	30
D	8.3	2.4	1.2	20.5	27.3	20.9	17.0	19.1	17.3	71	47	70	4.1	4.5	3.6	9	0	0	0	9.14	67	0	3	2	22	4	31
A	6.3	2.2	1.1	15.6	24.4	16.2	12.8	16.3	13.0	73	43	69	2.7	3.3	2.4	53	1	0	2	8.84	73	3	11	48	169	134	365
519/ 17	**BARBERTON - AGR**									**Ø 25°47'S**			**λ 31° 1'E**			**H 765 M**				**HT 1.2 M**								
J	-	-	-	-	26.1	-	-	21.2	-	-	63	-	-	5.8	-	-	-	0	0	4.86	36	2	5	14	9	1	31
F	-	-	-	20.8	26.7	-	18.5	20.5	-	80	55	-	4.9	4.5	-	-	-	0	0	6.11	47	0	2	13	13	0	28
M	-	-	-	20.7	28.0	-	19.0	21.4	-	85	54	-	5.1	4.9	-	7	1	0	3	6.92	57	1	0	11	18	1	31
A	-	-	-	18.1	26.2	-	16.8	19.3	-	88	50	-	4.8	3.8	-	0	0	0	6	6.41	56	0	4	8	16	2	30
M	-	-	-	12.9	23.0	-	11.5	15.5	-	84	43	-	3.7	3.4	-	0	0	0	7	6.85	63	0	1	6	22	2	31
J	-	-	-	9.7	21.1	-	8.5	13.7	-	85	40	-	2.6	2.9	-	0	0	0	15	6.78	64	4	0	5	20	1	30
J	-	-	-	8.5	22.9	-	6.9	13.9	-	79	33	-	1.2	1.9	-	0	0	0	0	8.28	77	2	0	2	16	10	30
A	-	-	-	13.1	24.9	-	9.8	14.7	-	64	29	-	2.1	1.0	-	1	0	0	9	8.33	79	0	2	0	16	10	28
S	-	-	-	17.1	26.8	-	14.0	16.9	-	70	34	-	3.2	3.5	-	3	0	0	3	7.38	62	1	4	3	17	5	30
O	-	-	-	18.1	24.9	-	15.7	17.6	-	78	46	-	5.3	5.6	-	8	0	0	6	6.32	50	3	3	9	13	3	31
N	-	-	-	18.5	23.9	-	16.1	18.5	-	78	58	-	6.2	6.0	-	6	0	0	1	4.21	31	3	5	17	5	0	30
D	-	-	-	20.5	25.9	-	18.4	20.7	-	81	61	-	4.9	4.6	-	6	0	0	1	5.78	42	5	3	8	15	0	31
A	-	-	-	-	25.0	-	-	17.8	-	-	47	-	-	4.0	-	-	-	0	51	6.52	54	21	29	96	180	35	361
519/237	**HAVELOCK MINE - SWAZ**									**Ø 25°57'S**			**λ 31° 8'E**			**H 1167 M**				**HT 1.2 M**								
J	-	-	-	18.4	22.5	-	17.0	19.1	-	87	73	-	5.7	6.1	-	4	0	0	-	-	-	-	-	-	-	-	-
F	-	-	-	17.8	22.0	-	16.3	18.1	-	86	68	-	4.9	5.3	-	2	0	0	-	-	-	-	-	-	-	-	-
M	-	-	-	18.6	23.9	-	17.1	19.6	-	86	67	-	4.3	4.6	-	8	2	0	-	-	-	-	-	-	-	-	-
A	-	-	-	16.7	22.4	-	15.0	18.0	-	83	65	-	3.5	4.0	-	2	0	0	-	-	-	-	-	-	-	-	-
M	-	-	-	12.2	18.8	-	10.3	13.4	-	79	54	-	3.0	3.4	-	1	0	0	-	-	-	-	-	-	-	-	-
J	-	-	-	9.4	17.5	-	7.7	11.5	-	79	47	-	1.9	2.3	-	0	0	0	-	-	-	-	-	-	-	-	-
J	-	-	-	10.1	18.3	-	7.1	10.9	-	65	37	-	0.9	1.8	-	0	0	0	-	-	-	-	-	-	-	-	-
A	-	-	-	12.6	20.5	-	9.0	12.5	-	62	31	-	2.4	1.5	-	0	0	0	-	-	-	-	-	-	-	-	-
S	-	-	-	15.7	22.1	-	12.8	15.5	-	71	47	-	3.1	3.3	-	2	0	0	-	-	-	-	-	-	-	-	-
O	-	-	-	15.7	20.1	-	13.8	15.8	-	81	64	-	4.7	5.3	-	10	2	0	-	-	-	-	-	-	-	-	-
N	-	-	-	15.7	19.8	-	14.2	16.4	-	85	71	-	6.1	5.6	-	6	0	0	-	-	-	-	-	-	-	-	-
D	-	-	-	17.8	22.7	-	16.1	18.8	-	84	69	-	5.2	4.6	-	4	0	0	-	-	-	-	-	-	-	-	-
A	-	-	-	15.1	20.9	-	13.0	15.8	-	79	58	-	3.8	4.0	-	39	4	0	-	-	-	-	-	-	-	-	-

TV 4 / 199

TABEL II | TABLE II

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED DOORDAG BY DAY	WINDSPOED WIND SPEED OOR NAG BY NIGHT	DROËBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT 0800	1400	2000	% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM / AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT 0800	1400	2000	DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE AVERAGE DAILY HOURS	% AS % VAN MOONTLIKE % AS % OF POSSIBLE	0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
	GEMIDDELDE DAELIKSE WAARDES VAN / AVERAGE DAILY VALUES OF															AANTAL DAE MET NUMBER OF DAYS WITH				SONSKYNDUUR / SUNSHINE DURATION		AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE					
	mm	m/s		0800	1400	2000	0800	1400	2000																	
519/448	PIGGS PEAK - SWAZ									Ø 25°58'S			λ 31°15'E			H 1012 M				HT 1.2 M						
J	-	-	-	19.0	23.0	-	17.5	19.1	-	86	68	-	4.9	5.0	-	7	0	0	3	-	-	-	-	-	-	-
F	-	-	-	18.4	22.3	-	16.8	17.9	-	85	64	-	4.5	4.5	-	1	0	0	1	-	-	-	-	-	-	-
M	-	-	-	19.2	24.1	-	17.6	19.6	-	85	65	-	4.0	3.8	-	8	1	0	0	-	-	-	-	-	-	-
A	-	-	-	17.3	22.5	-	15.8	18.1	-	86	64	-	3.0	3.4	-	4	0	0	0	-	-	-	-	-	-	-
M	-	-	-	13.0	19.2	-	11.4	14.0	-	82	56	-	2.4	3.0	-	0	0	0	0	-	-	-	-	-	-	-
J	-	-	-	9.4	17.8	-	8.3	11.7	-	86	45	-	1.7	1.9	-	0	0	0	0	-	-	-	-	-	-	-
J	-	-	-	10.1	19.1	-	8.1	11.5	-	76	35	-	1.0	1.6	-	0	0	0	0	-	-	-	-	-	-	-
A	-	-	-	13.2	21.3	-	10.3	12.6	-	68	32	-	2.1	1.1	-	0	0	0	1	-	-	-	-	-	-	-
S	-	-	-	16.3	22.9	-	13.1	15.1	-	69	41	-	3.3	3.0	-	2	0	0	2	-	-	-	-	-	-	-
O	-	-	-	16.6	21.3	-	14.5	16.1	-	79	57	-	4.1	4.5	-	11	3	0	6	-	-	-	-	-	-	-
N	-	-	-	16.5	20.7	-	14.7	17.0	-	82	68	-	5.2	4.8	-	8	0	0	8	-	-	-	-	-	-	-
D	-	-	-	18.7	23.1	-	16.8	18.8	-	82	65	-	4.6	4.7	-	9	0	0	14	-	-	-	-	-	-	-
A	-	-	-	15.6	21.4	-	13.7	16.0	-	81	55	-	3.4	3.4	-	50	4	0	35	-	-	-	-	-	-	-
554/816	LYDENBURG - VIS									Ø 25° 6'S			λ 30°28'E			H 1439 M				HT 1.2 M						
J	5.6	1.7	0.7	18.6	23.7	19.2	16.4	18.6	16.8	80	62	79	4.9	4.8	4.7	-	0	0	-	7.61	56	0	0	10	19	2	31
F	5.5	1.5	0.7	17.3	23.2	18.0	15.0	17.5	15.8	79	58	79	3.6	4.5	2.8	-	0	0	-	8.23	63	0	1	7	17	3	28
M	5.3	-	-	17.5	25.2	18.8	15.2	17.5	16.2	79	47	77	3.2	3.4	2.5	-	0	0	-	8.95	73	0	0	3	21	7	31
A	3.7	-	-	15.1	22.5	15.9	13.5	16.1	14.1	84	54	82	3.4	4.2	2.6	-	0	0	-	7.33	64	1	2	5	15	7	30
M	2.9	1.3	0.4	9.1	18.6	11.0	8.0	12.3	9.1	86	48	79	2.6	2.6	1.7	-	0	0	-	7.65	70	1	2	1	22	5	31
J	2.4	-	-	6.3	17.2	8.6	5.4	10.9	6.8	88	46	78	1.4	2.0	1.6	-	0	0	-	7.61	72	2	0	2	26	0	30
J	3.1	-	-	6.5	18.2	8.9	4.7	10.9	6.2	76	39	67	0.5	1.4	0.6	-	0	0	-	8.18	76	1	0	1	27	2	31
A	4.6	-	-	8.9	20.9	11.7	6.4	11.9	7.8	70	32	58	2.0	1.4	0.8	-	0	0	-	9.40	83	0	0	1	10	20	31
S	5.5	-	-	14.7	23.6	15.9	11.6	14.4	12.1	71	37	65	2.2	2.5	1.7	-	0	0	-	8.69	73	1	0	2	23	4	30
O	5.3	2.0	0.6	15.5	21.9	16.1	13.2	15.4	12.9	78	51	71	3.3	4.5	3.3	-	0	0	-	6.99	55	3	0	8	17	3	31
N	5.0	1.9	0.6	16.4	21.5	16.4	14.2	16.5	14.3	78	61	80	4.7	5.6	5.2	-	1	0	-	6.68	50	1	2	8	19	0	30
D	6.1	1.6	0.6	18.7	23.4	18.8	15.8	17.8	16.4	75	58	79	3.6	4.9	4.4	-	0	0	-	6.89	50	1	1	10	19	0	31
A	4.6	-	-	13.7	21.7	14.9	11.6	15.0	12.4	79	49	75	2.9	3.5	2.7	-	1	0	-	7.85	64	11	8	58	235	53	365
555/663A	D R DE WET - BOS									Ø 25° 3'S			λ 30°53'E			H 915 M				HT 1.2 M						
J	-	-	-	19.6	23.3	-	17.9	19.5	-	84	69	-	6.3	5.9	-	3	0	0	1	-	-	-	-	-	-	-
F	-	-	-	18.7	23.4	-	17.4	19.7	-	88	70	-	4.1	5.4	-	2	0	0	1	-	-	-	-	-	-	-
M	-	-	-	18.8	25.3	-	17.4	20.3	-	87	62	-	3.5	4.4	-	5	0	0	2	-	-	-	-	-	-	-
A	-	-	-	16.6	23.2	-	15.2	19.3	-	86	68	-	3.8	4.9	-	1	0	0	5	-	-	-	-	-	-	-
M	-	-	-	11.1	20.3	-	9.4	14.4	-	80	51	-	3.1	3.0	-	1	0	0	3	-	-	-	-	-	-	-
J	-	-	-	8.6	18.2	-	7.0	12.6	-	79	50	-	2.5	2.1	-	0	0	0	3	-	-	-	-	-	-	-
J	-	-	-	8.8	20.3	-	6.5	12.1	-	71	34	-	0.6	1.6	-	1	0	0	0	-	-	-	-	-	-	-
A	-	-	-	10.7	21.7	-	8.4	13.4	-	72	35	-	2.3	1.9	-	0	0	0	5	-	-	-	-	-	-	-
S	-	-	-	15.1	23.8	-	12.4	15.6	-	72	39	-	2.9	3.0	-	2	0	0	3	-	-	-	-	-	-	-
O	-	-	-	16.6	20.6	-	14.6	15.4	-	80	56	-	3.6	4.8	-	3	2	0	6	-	-	-	-	-	-	-
N	-	-	-	16.4	20.5	-	15.0	17.5	-	86	74	-	6.5	6.4	-	6	0	0	9	-	-	-	-	-	-	-
D	-	-	-	18.9	23.2	-	17.3	19.6	-	85	71	-	6.0	6.2	-	9	0	0	8	-	-	-	-	-	-	-
A	-	-	-	15.0	22.0	-	13.2	16.6	-	81	57	-	3.8	4.1	-	33	2	0	46	-	-	-	-	-	-	-
555/837	NELSPRUIT - AGR									Ø 25°27'S			λ 30°58'E			H 660 M				HT 1.2 M						
J	5.6	-	-	21.6	27.2	22.7	19.4	21.3	20.0	82	60	78	5.5	5.6	6.2	9	0	0	0	6.03	45	3	2	12	14	0	31
F	6.2	-	-	20.7	26.9	22.3	18.5	20.4	19.1	81	54	73	5.3	4.9	4.9	2	0	0	0	7.13	55	2	2	5	16	3	28
M	5.3	-	-	20.7	28.4	22.3	19.0	21.8	19.9	85	55	80	4.3	4.0	4.4	9	1	0	0	7.80	64	0	2	5	22	2	31
A	3.9	-	-	18.1	26.4	19.6	16.7	20.6	18.2	86	59	87	3.9	3.6	4.1	4	0	0	0	7.16	62	2	2	3	21	2	30
M	3.1	-	-	12.3	23.5	14.8	11.1	16.3	13.1	86	47	83	3.1	2.9	3.1	2	0	0	0	7.52	69	1	1	5	19	5	31
J	2.8	-	-	9.1	21.6	12.1	8.1	14.7	10.5	87	48	82	2.7	2.4	2.4	0	0	0	0	7.70	73	4	0	0	12	14	30
J	3.9	-	-	6.8	23.4	12.7	7.1	14.8	9.7	79	37	67	1.1	1.6	1.2	0	0	0	0	8.88	83	0	1	1	16	13	31
A	4.9	-	-	11.5	25.0	16.1	9.1	15.9	11.9	73	38	60	2.3	4.5	1.7	0	0	0	0	8.45	75	0	2	4	16	9	31
S	6.4	1.3	0.4	16.5	27.3	19.6	13.6	17.8	15.0	72	40	62	3.4	2.9	3.4	3	0	0	0	7.68	64	2	1	5	19	3	30
O	5.5	1.3	0.4	18.2	25.5	19.4	15.6	18.4	16.0	76	52	72	4.1	4.7	5.0	11	1	0	0	6.45	51	4	3	4	19	1	31
N	4.4	-	-	18.4	23.7	19.6	15.3	16.1	16.0	82	64	80	6.5	6.2	6.6	11	1	0	0	4.80	36	5	1	15	9	0	30
D	5.6	-	-	20.8	26.6	21.6	18.7	21.0	19.5	82	61	83	5.3	5.5	5.6	12	4	0	0	6.23	45	3	3	9	16	0	31
A	4.8	-	-	16.4	25.5	18.6	14.3	18.3	15.7	81	51	76	4.0	4.1	4.1	63	7	0	0	7.15	59	26	20	68	199	52	365
568/817	MARIENTAL - SWA - POS ***									Ø 24°37'S			λ 17°58'E			H 1099 M				HT 1.2 M						
J	13.5	1.8	1.6	23.7	33.9	31.1	16.3	19.9	18.7	47	27	31	1.8	2.5	3.2	6	0	0	0	-	-	-	-	-	-	-	-
F	9.8	1.7	1.2	22.4	31.4	28.1	17.7	19.5	18.7	64	31	41	1.8	3.6	3.4	4	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	20.8	33.0	29.0	15.2	18.1	17.3	56	22	30	(1.8	2.5	3.7)	2	0	0	0	-	-	-	-	-	-	-	-
A	8.0	1.3	0.7	15.2	29.1	24.6	10.8	16.3	13.9	57	24	29	1.1	1.0	1.2	2	0	0	0	-	-	-	-	-	-	-	-
M	7.0	1.6	1.1	11.2	24.7	19.6	8.2	13.7	12.1	66	27	39	1.0	1.5	1.1	2	0	0	0	-	-	-	-	-	-	-	-
J	6.1	1.5	1.0	8.4	22.9	17.7	4.6	12.1	9.7	54	27	34	1.3	1.0	1.1	0	0	0	0	-	-	-	-	-	-	-	-
J	5.1	1.5	0.9	6.1	21.6	16.3	2.8	11.1	8.6	67	24	32	0.5	0.4	0.5	0	0	0	0	-	-	-	-	-	-	-	-
A	6.4	1.1	0.7	5.5	23.6	18.2	1.5	10.9	8.4	46	16	22	0.1	0.1	0.1	0	0	0	0	-	-	-	-	-	-	-	-
S	9.3	1.4	1.0	13.2	29.1	24.3	7.0	14.3	12.3	38	16	20	0.3	0.2	3.3	0	0	0	0	-	-	-	-	-	-	-	-
O	10.2	1.5	1.0	17.1	30.5	26.0	9.7	15.0	13.1	37	16	20	2.0	2.1	1.9	1	0	0	0	-	-	-	-	-	-	-	-
N	11.9	2.0	1.3	20.4	31.7	27.4	12.5	16.5	14.9	39	17	25	0.7	1.2	1.9	1	0	0	0	-	-	-	-	-	-	-	-
D	15.4	1.9	1.4	21.6	33.5	30.9	13.6	17.8	16.5	41	17	19	0.7	1.2	1.8	2	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	15.5	28.7	24.4	10.0	15.4	13.7	51	22	29	(1.1	1.4	1.9)	20	0	0	0	-	-	-	-	-	-	-	-

TV 4 : 109

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED		DROEBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT			DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE (S) AS % OF POSSIBLE (S)	GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
	mm	OORDAG BY DAY m/s	DOORNAG BY NIGHT m/s	0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000												
589/594	TOWOOMBA - AGR									Ø 24°54'S			λ 28°20'E			H 1143 M						HT 1.2 M					
J	6.1	1.7	1.2	21.0	25.5	21.8	18.2	19.9	19.0	77	61	77	4.7	5.4	3.8	12	0	0	0	7.40	55	0	1	13	11	6	31
F	5.6	1.6	0.8	19.7	25.3	19.9	17.4	19.3	18.3	80	57	83	3.9	4.7	3.2	7	1	0	0	7.94	61	0	2	7	14	5	28
M	6.4	1.7	1.1	20.2	27.6	21.0	17.3	19.1	17.1	75	45	68	1.8	3.9	2.5	4	0	0	0	9.45	77	0	0	3	18	10	31
A	4.2	1.4	1.0	17.4	25.4	17.3	15.2	18.0	14.9	80	49	78	3.0	3.9	2.1	1	0	0	0	7.90	69	0	3	2	21	4	30
M	3.7	1.5	0.9	10.8	20.8	11.7	9.3	13.2	9.2	82	41	72	1.9	2.5	1.4	0	0	0	2	8.82	81	0	0	4	10	17	31
J	3.5	1.6	1.0	7.6	19.8	10.4	5.9	11.7	7.1	79	37	62	0.9	1.7	0.8	0	0	0	0	9.15	86	0	0	2	6	22	30
J	4.0	1.8	1.1	7.3	20.3	10.5	5.2	11.0	6.0	73	29	50	0.6	1.2	0.4	0	0	0	0	9.52	89	0	0	0	10	21	31
A	6.3	2.1	1.2	11.1	23.6	13.1	7.5	12.4	7.2	57	23	41	1.0	0.9	0.4	0	0	0	0	10.00	97	0	0	0	9	22	31
S	7.8	2.2	1.5	18.4	27.7	19.3	12.8	15.1	12.1	54	26	43	1.3	2.3	1.7	0	0	0	0	9.16	77	1	1	1	27	0	30
O	7.7	2.5	2.0	19.4	27.3	20.1	14.1	16.2	14.0	57	31	51	3.0	4.3	2.6	4	0	0	0	8.53	67	1	2	4	17	7	31
N	7.9	2.7	1.6	19.9	27.4	20.6	16.1	18.5	16.2	69	42	64	3.5	4.4	4.6	9	1	0	0	8.65	65	0	0	6	22	2	30
D	7.5	-	-	21.6	28.5	22.1	17.3	18.6	17.1	66	39	62	3.1	4.5	3.2	5	1	0	0	9.12	67	1	0	5	20	5	31
A	5.9	-	-	16.2	24.9	17.3	13.0	16.1	13.2	71	40	63	2.4	3.3	2.2	42	3	0	2	8.80	73	3	9	47	185	121	365
591/653	ROOIBOKKOP - VIS									Ø 24°53'S			λ 29°22'E			H 853 M						HT 1.2 M					
J	-	-	-	23.2	30.2	-	20.3	22.3	-	76	49	-	4.5	4.8	-	-	0	0	0	-	-	-	-	-	-	-	-
F	-	-	-	20.9	29.1	-	18.9	21.4	-	82	49	-	3.7	4.3	-	-	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	20.5	30.8	-	18.4	21.4	-	81	43	-	1.0	2.7	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	10.0	22.9	-	9.3	15.0	-	91	40	-	1.7	1.8	-	-	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	5.7	20.9	-	5.3	14.0	-	94	44	-	1.0	1.5	-	-	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	4.8	22.1	-	4.0	(13.6)	-	85	(34)	-	0.3	0.7	-	-	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	8.7	25.6	-	6.6	15.8	-	73	32	-	0.0	0.1	-	-	0	0	0	-	-	-	-	-	-	-	-
S	-	-	-	16.6	28.1	-	13.8	18.4	-	72	36	-	0.6	1.0	-	-	0	0	0	-	-	-	-	-	-	-	-
O	-	-	-	19.7	25.3	-	16.5	16.0	-	71	32	-	2.5	3.6	-	-	1	0	0	-	-	-	-	-	-	-	-
N	-	-	-	20.8	28.4	-	18.0	21.1	-	76	50	-	3.7	4.3	-	12	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	22.3	30.0	-	-	-	-	-	-	-	2.7	3.8	-	7	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
596/179	SKUKUZA									Ø 24°59'S			λ 31°36'E			H 263 M						HT 1.2 M					
J	-	-	-	24.7	30.1	26.0	21.5	23.0	21.9	74	54	69	5.8	4.6	(3.8)	4	0	0	0	6.45	48	2	3	9	15	0	29
F	5.5	-	-	23.7	30.2	25.2	20.6	22.4	21.4	74	48	68	4.4	4.7	(3.2)	-	0	0	0	6.91	53	1	2	8	17	0	28
M	5.2	-	-	23.6	31.5	25.5	21.3	23.6	22.2	81	49	72	3.8	3.5	2.3	6	2	0	0	7.80	64	0	2	5	24	0	31
A	-	-	-	20.6	28.6	22.2	19.5	22.6	20.4	89	59	86	3.6	3.9	2.7	4	0	0	0	6.86	60	3	1	4	17	5	30
M	2.7	-	-	14.2	25.7	16.3	13.0	18.5	14.7	87	48	83	2.9	3.4	2.2	3	0	0	0	7.38	67	1	2	4	20	4	31
J	2.4	-	-	10.5	24.3	13.4	9.3	16.4	11.6	85	42	79	2.7	2.2	1.5	0	0	0	0	7.14	67	3	0	4	23	0	30
J	3.1	-	-	9.8	25.8	14.7	7.9	16.1	11.2	77	32	64	0.8	1.5	0.6	0	0	0	0	8.55	79	0	0	3	27	1	31
A	4.2	-	-	13.4	27.7	17.9	11.0	17.9	13.5	72	35	59	2.5	1.5	0.9	0	0	0	0	8.63	77	0	1	4	14	12	31
S	5.5	-	-	19.3	29.8	21.5	16.0	19.5	17.1	69	37	63	3.1	2.6	1.6	0	0	0	0	7.70	64	2	0	5	23	0	30
O	5.1	-	-	20.9	28.6	22.4	18.0	20.1	18.5	75	46	69	4.3	4.6	3.5	3	0	0	0	6.13	48	5	1	9	16	0	31
N	4.0	-	-	20.7	26.1	22.1	18.5	20.5	19.4	80	59	78	7.1	5.9	5.0	4	0	0	0	4.82	36	2	3	17	7	1	30
D	5.5	-	-	23.4	30.1	25.0	20.8	23.2	23.2	78	55	76	5.2	5.0	3.9	-	0	0	0	6.35	46	0	5	9	17	0	31
A	-	-	-	18.7	28.2	21.0	16.5	20.3	17.9	78	47	72	3.9	3.6	(2.6)	-	2	0	0	7.06	58	19	20	81	220	23	363
631/823	DOORNSPRUIT***									Ø 24°13'S			λ 27°58'E			H 1043 M						HT 1.2 M					
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
J	3.2	-	-	5.6	21.1	9.5	4.9	12.9	7.3	90	36	71	1.4	1.2	0.4	0	0	0	2	8.98	84	0	0	3	10	17	30
J	3.6	-	-	5.6	21.5	9.5	4.4	12.4	6.6	83	31	65	0.7	1.2	0.7	0	0	0	0	9.60	89	0	0	1	4	26	31
A	4.5	-	-	8.9	24.3	12.0	6.3	13.3	7.5	68	24	51	0.8	0.9	0.8	0	0	0	0	10.31	91	0	0	1	6	24	31
S	7.3	-	-	17.1	28.1	18.5	12.5	15.9	12.6	58	27	49	1.3	1.9	1.6	0	0	0	0	9.73	81	3	0	1	3	23	30
O	7.9	-	-	19.3	27.2	19.6	14.8	17.0	14.7	61	35	58	3.6	3.3	3.0	7	0	0	0	9.26	73	1	2	4	12	12	31
N	6.7	-	-	19.6	26.2	20.0	16.5	18.4	16.9	73	47	72	4.7	5.5	5.2	8	0	0	0	8.19	62	0	2	5	18	5	30
D	7.4	-	-	21.8	28.6	21.8	17.9	19.8	17.9	68	43	68	3.8	(4.7	3.3)	8	0	0	0	10.07	73	0	1	3	22	5	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
634/ 11	POTGIETERSRUS - TABAK KO-OP									Ø 24°11'S			λ 29° 1'E			H 1116 M						HT 1.2 M					
J	5.7	-	-	20.8	25.9	22.5	18.3	19.8	18.7	79	58	71	4.8	6.0	3.6	-	0	0	1	7.31	54	0	4	10	12	5	31
F	5.3	1.1	0.9	19.8	26.0	22.3	17.2	19.3	18.3	78	54	69	2.8	4.8	3.5	-	0	0	0	8.06	62	0	1	8	12	7	28
M	6.0	1.5	1.1	21.0	28.3	23.1	17.4	18.9	17.6	70	42	60	1.4	3.1	1.5	-	0	0	0	9.43	77	0	0	3	15	13	31
A	4.1	1.5	1.0	18.4	25.5	19.8	15.9	18.3	16.3	77	50	71	3.0	4.6	2.4	-	0	0	3	-	-	-	-	-	-	-	-
M	3.1	1.3	0.7	12.7	21.2	14.8	10.5	13.7	11.2	77	42	66	1.1	2.7	1.0	-	1	0	0	-	-	-	-	-	-	-	-
J	3.4	1.5	0.9	9.9	20.0	12.7	7.8	11.9	8.7	76	36	60	1.2	1.4	0.8	-	0	0	2	8.70	81	0	0	2	10	18	30
J	4.8	1.6	1.1	9.2	20.6	13.9	6.3	11.5	8.3	66	30	45	0.3	1.2	0.6	-	0	0	0	-	-	-	-	-	-	-	-
A	6.2	2.3	1.6	13.3	23.4	17.0	8.8	13.0	10.1	55	28	40	0.9	1.0	0.0	-	0	0	0	-	-	-	-	-	-	-	-
S	-	2.3	2.0	18.2	27.0	21.7	12.8	15.4	13.5	56	30	39	1.3	1.5	1.3	-	0	0	0	-	-	-	-	-	-	-	-
O	-	2.7	2.0	18.9	25.9	21.1	14.4	16.0	14.5	63	36	50	3.2	3.5	3.1	-	0	0	0	-	-	-	-	-	-	-	-
N	7.5	2.5	1.7	19.2	25.1	20.5	15.8	17.8	16.1	71	50	65	3.7	4.6	4.2	-	0	0	0	7.86	59	0	2	7	20	1	30
D	-	2.3	1.6	21.4	28.2	23.6	16.9	18.7	17.4	65	40	55	3.1	4.3	3.1	-	0	0	0	9.01	65	1	0	4	26	0	31
A	-	-	-	16.9	24.8	19.4	13.5	16.2	14.2	69	41	58	2.2	3.2	2.1	-	1	0	6	-	-	-	-	-	-	-	-

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

TABEL II

TABLE II

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED		DROËBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOCHTIGHEID % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT			AANTAL DAE MET NUMBER OF DAYS WITH DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	% VAN MOONTLIKE % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE					WAARNEMINGS OBSERVATIONS
	mm	OORDAG BY DAY	OORNAG BY NIGHT	0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000							0%	1-10%	11-49%	50-89%	90-100%	
649/ 64 GOBABEB - SWA Ø 23°34'S λ 15° 3'E H 407 M HT 1.2 M																											
J	10.7	3.0	2.4	14.8	27.4	22.8	13.6	18.1	16.2	86	36	48	6.1	1.4	3.0	1	0	0	0	10.55	79	0	0	1	22	8	31
F	11.7	2.7	2.0	18.3	30.7	26.3	16.3	20.9	18.6	82	38	45	3.7	1.9	2.8	0	0	0	2	11.08	86	0	0	1	13	14	28
M	11.6	2.7	1.8	17.2	31.7	26.9	14.3	19.5	17.2	74	27	34	4.9	1.8	1.9	1	0	0	8	9.53	78	0	1	3	17	10	31
A	10.5	2.4	1.3	16.2	31.5	25.3	11.8	18.1	15.6	59	21	31	1.7	1.1	1.1	0	0	0	6	10.56	91	0	1	0	2	27	30
M	9.9	3.0	2.0	16.8	31.0	24.0	11.3	17.7	14.9	50	21	33	1.6	1.2	1.2	0	0	0	2	9.94	90	0	0	1	6	24	31
J	6.5	2.5	1.6	11.9	24.5	18.6	8.9	14.8	12.6	65	32	48	2.4	1.2	1.0	0	0	0	5	9.01	84	0	0	2	7	20	29
J	6.8	2.6	2.0	10.4	23.9	17.8	6.9	13.6	11.7	65	28	47	1.5	1.1	1.0	0	0	0	6	9.27	85	1	0	1	5	24	31
A	6.5	2.3	1.2	7.3	22.6	17.6	5.3	12.7	11.3	75	28	43	2.4	0.8	0.8	0	0	0	13	9.79	87	0	2	0	6	23	31
S	9.7	2.6	1.5	11.4	28.4	21.0	8.3	15.9	12.9	71	20	37	2.5	0.4	0.2	0	0	0	11	10.48	88	0	0	0	10	20	30
O	9.6	2.7	1.7	11.4	26.6	20.7	9.5	15.8	13.4	79	28	42	4.4	1.4	1.5	2	0	0	10	9.75	77	0	1	2	15	13	31
N	10.9	3.0	2.1	12.3	27.3	21.6	10.9	17.1	14.6	84	31	44	5.2	0.8	0.9	0	0	0	8	10.98	83	0	0	0	21	9	30
D	11.5	2.8	2.2	14.5	27.7	22.6	12.9	17.5	16.0	85	32	47	5.3	1.1	1.5	1	0	0	6	10.45	77	0	0	1	20	10	31
A	9.7	2.7	1.8	13.5	27.8	22.1	10.8	16.8	14.6	73	29	42	3.5	1.2	1.4	5	0	0	77	10.12	83	1	5	12	144	202	364
677/802 PIETERSBURG - WK Ø 23°52'S λ 29°27'E H 1230 M HT 1.2 M																											
J	7.3	-	-	19.7	24.8	21.4	17.3	19.0	18.1	79	59	74	5.5	5.8	4.4	3	0	0	1	7.29	54	0	1	11	16	3	31
F	6.2	-	-	17.9	24.6	20.9	16.1	18.6	17.6	83	56	72	5.5	5.8	3.6	4	0	0	0	7.29	56	0	13	15	0	0	28
M	8.0	-	-	18.8	26.9	22.5	16.7	19.1	18.2	81	49	66	3.5	5.5	2.2	8	0	0	0	9.35	76	0	2	3	11	15	31
A	5.5	-	-	16.0	24.2	19.6	14.7	17.7	16.4	86	53	73	4.2	5.2	2.7	6	1	0	0	7.18	62	0	1	7	18	4	30
M	4.7	-	-	10.0	20.3	14.3	8.7	13.3	11.1	84	44	69	2.5	3.9	1.9	3	0	0	1	8.34	76	0	1	3	22	5	31
J	4.7	-	-	6.7	18.2	11.9	5.4	11.1	8.4	82	42	63	1.8	2.4	1.3	0	0	0	2	8.41	79	1	1	2	11	15	30
J	5.1	-	-	6.8	19.5	12.9	4.9	11.6	8.4	75	37	54	0.7	1.7	0.5	0	0	0	0	9.48	88	0	0	0	10	21	31
A	6.7	-	-	9.5	21.9	15.5	6.4	12.6	9.9	63	32	48	1.6	1.3	0.4	0	0	0	0	9.88	87	0	0	0	10	21	31
S	8.0	-	-	15.3	24.9	19.6	12.2	15.7	13.2	71	39	50	2.3	2.2	1.1	3	0	0	0	9.10	76	2	0	1	18	9	30
O	8.0	-	-	16.9	23.7	19.1	14.2	16.4	14.6	75	49	63	3.8	3.8	2.6	7	2	0	2	8.34	66	2	1	4	17	7	31
N	7.2	-	-	17.5	23.3	18.8	15.4	17.6	16.4	81	58	78	5.1	5.5	4.3	9	0	0	3	7.70	58	0	3	7	18	2	30
D	8.1	-	-	19.9	26.2	21.9	17.0	19.1	17.9	75	52	69	4.8	4.7	3.7	5	0	0	0	9.06	66	0	1	5	19	6	31
A	6.6	-	-	14.6	23.2	18.2	12.4	16.0	14.2	78	47	65	3.4	4.0	2.4	48	3	0	9	8.45	70	5	24	58	170	108	365
681/266 PHALABORWA - AER Ø 23°56'S λ 31° 9'E H 433 M HT 1.2 M																											
J	7.0	-	-	23.4	28.7	25.6	21.8	24.0	22.6	86	65	78	6.2	5.5	4.6	3	0	0	0	7.54	56	1	2	9	15	4	31
F	7.7	2.6	2.4	22.7	28.7	25.2	20.2	21.7	20.5	79	54	65	5.0	5.0	3.3	1	0	0	0	8.16	63	1	1	5	19	2	28
M	8.2	2.3	2.4	23.5	30.9	27.1	20.8	22.5	21.2	79	46	59	4.3	3.9	2.5	4	0	0	0	8.87	73	0	1	4	20	6	31
A	4.4	1.6	1.3	21.7	28.4	23.5	20.0	21.9	20.6	86	57	77	4.1	3.8	2.4	1	0	0	0	7.12	62	0	2	7	13	8	30
M	3.9	2.0	1.1	16.9	24.8	18.9	15.0	18.9	15.7	82	56	71	3.5	2.9	2.2	0	0	0	0	7.79	71	0	2	4	15	10	31
J	3.6	1.6	1.3	14.2	22.7	16.6	12.2	15.9	13.0	79	49	67	2.7	2.6	2.4	0	0	0	0	7.32	68	2	2	4	7	15	30
J	5.1	1.7	1.0	14.9	24.4	17.3	12.3	16.1	12.5	73	42	56	0.9	1.5	1.4	0	0	0	0	8.50	79	0	0	3	23	5	31
A	5.6	1.8	1.3	16.9	26.0	19.8	13.8	18.2	14.7	71	46	57	2.3	1.5	1.0	0	0	0	0	8.80	78	0	0	4	12	15	31
S	7.6	2.7	1.9	20.4	28.8	22.7	17.2	21.1	17.6	72	50	62	2.7	2.1	1.7	0	0	0	0	8.10	68	2	1	5	15	7	30
O	6.8	2.4	2.1	20.8	28.0	23.8	18.2	20.3	18.4	78	51	59	4.1	4.0	4.0	4	1	0	0	7.25	57	3	2	6	16	4	31
N	5.4	2.0	2.3	20.9	26.1	23.2	19.1	21.6	20.0	85	68	76	6.6	6.0	5.8	3	0	0	0	5.48	41	4	3	8	14	1	30
D	6.7	2.0	1.7	22.9	29.0	25.0	20.0	21.8	20.7	77	53	68	5.3	5.0	4.5	2	0	0	0	7.31	53	2	4	6	15	4	31
A	6.0	-	-	19.9	27.2	22.4	17.5	20.3	18.1	79	53	66	4.0	3.7	3.0	18	1	0	0	7.69	63	15	20	65	184	81	365
719/370 MARNITZ Ø 23°10'S λ 28°13'E H 932 M HT 1.2 M																											
J	6.6	-	-	21.8	27.6	23.8	19.1	20.8	19.7	78	54	69	4.9	5.8	4.1	7	0	0	0	7.54	56	0	1	15	14	1	31
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M	8.0	-	-	(22.5	30.9	25.2	17.9	19.9	18.1	64	33	49	1.6	3.2	1.3)	3	0	0	0	(8.71)	(71)	(0)	(0)	(3)	(20)	(2)	(25)
A	4.9	-	-	20.1	28.1	22.3	17.2	19.3	17.3	71	43	61	2.8	4.2	2.6	7	0	0	0	8.19	71	0	2	2	24	2	30
M	3.6	-	-	13.5	22.8	16.2	11.2	14.8	12.3	75	40	63	(2.6	3.7	1.6)	4	0	0	2	(6.88)	(62)	(1)	(0)	(1)	(12)	(11)	(25)
J	4.2	-	-	10.4	21.1	13.1	8.3	13.1	9.1	75	38	58	1.3	1.7	0.8	0	0	0	0	8.44	79	0	0	4	22	4	30
J	4.5	-	-	10.1	21.8	13.1	7.3	12.6	8.2	64	29	48	1.0	1.5	0.5	0	0	0	0	9.43	87	0	0	1	11	19	31
A	6.7	-	-	13.4	24.8	16.5	8.6	13.5	9.9	51	24	38	0.5	0.4	0.5	0	0	0	0	10.00	88	0	0	0	15	16	31
S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N	7.4	-	-	20.4	26.7	22.2	16.9	19.0	17.9	70	48	66	4.9	5.3	4.5	9	0	0	0	7.48	57	0	2	9	18	1	30
D	8.1	-	-	25.0	29.8	25.0	20.3	20.5	19.6	73	42	60	4.2	4.5	3.6	11	0	0	0	9.36	69	0	1	4	26	0	31
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
722/ 99 MARA - AGR Ø 23° 9'S λ 29°34'E H 896 M HT 1.2 M																											
J	6.3	1.9	0.8	20.7	25.8	22.3	19.0	20.8	19.5	85	65	77	6.7	5.8	3.8	6	0	0	0	7.61	57	1	1	8	16	5	31
F	6.7	-	-	19.8	27.1	22.6	17.7	20.0	18.5	81	51	67	5.9	5.2	2.1	0	0	0	0	8.79	68	0	0	7	18	3	28
M	7.3	-	-	20.7	29.3	23.6	18.2	20.5	19.0	78	43	64	4.8	3.8	1.0	2	0	0	0	9.17	75	0	0	3	27	1	31
A	4.9	-	-	18.2	27.4	20.7	16.6	19.6	17.6	85	48	74	4.4	4.4	2.2	2	0	0	1	7.85	68	1	0	6	17	6	30
M	3.6	-	-	12.1	22.2	15.0	11.0	15.4	12.4	88	48	74	3.6	3.7	2.2	3	0	0	0	8.26	75	0	1	2	19	9	31
J	3.1	-	-	8.2	20.3	12.5	7.2	13.5	9.6	87	45	69	2.4	2.5	1.7	0	0	0	0	8.01	75	3	0	2	15	10	30
J	4.0	-	-	8.6	22.1	13.6	6.5	13.2	9.3	72	33	55	1.6	1.8	0.5	0	0	0	0	9.38	86	0	0	1	11	19	31
A	5.5	-	-	16.5	24.6	11.3	10.9	14.5	8.1	48	31	63	0.3	1.0	1.8	0	0	0	0	9.06	80	0	2	1	8	20	31
S	6.3	1.7	1.0	16.3	27.0	20.3	12.8	16.7	14.2	68	36	51	3.5	1.7	0.1	1	0	0	0	8.43	70	3	0	2	20	5	30
O	7.2	2.1	1.1	18.7	26.5	20.4	15.6	18.1	15.9	73	45	64	4.4	3.6	2.9	5	0	0	0	8.15	65	3	0	6	17	5	31
N	5.5	1.8	1.0	19.9	24.7	20.0	16.6	19.0	17.2	79	60	76	5.7	5.9	4.8	6	0	0	0	6.84	52	3	3	5	17	2	30
D	7.3	1.7	0.9	21.5	28.1	23.2	18.4	20.4	18.7	75	50	66	5.3	4.6	3.5	6	0	0	0	8.29	61	1	2	6	18	4	31
A	5.6	-	-	16.8	25.4	18.8	14.2	17.6	15.0	77	46	67	4.1	3.7	2.2	31	0	0	1	8.32	69	15	9	49	203	89	365

TV 4 / 199

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED OORDAG BY DAY	WINDSPOED WIND SPEED OORNAG BY NIGHT	DROËBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM/AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM/AT 0800	1400	2000	AANTAL DAE MET NUMBER OF DAYS WITH DONDER/THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE AVERAGE DAILY HOURS	AS % VAN MOONTLIKE AS % OF POSSIBLE	SONSKYNDUUR / SUNSHINE DURATION: AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
	mm	m/s																									
723/485A LEVUBU - AGR																											
J	5.1	1.4	0.9	20.6	25.2	22.9	19.6	21.5	20.7	91	73	82	7.0	6.2	4.0	4	0	0	1	5.65	42	3	1	15	10	2	31
F	5.9	1.2	0.8	19.5	25.4	22.7	18.4	20.7	19.5	90	65	75	5.8	4.6	(2.4)	2	0	0	3	7.19	56	0	2	9	14	3	28
M	6.5	1.5	0.8	20.4	28.5	23.8	18.9	21.6	19.8	87	53	68	5.6	3.9	1.8	4	0	0	0	8.02	66	0	1	7	17	6	31
A	4.6	1.2	1.0	18.6	26.2	21.3	17.7	21.1	18.8	92	64	80	4.5	4.8	2.3	4	1	0	7	7.09	61	1	4	5	13	7	30
M	3.8	1.3	1.1	13.9	22.0	16.9	12.6	16.3	13.9	86	56	72	4.0	4.0	2.1	2	0	0	1	7.62	69	2	1	3	13	12	31
J	4.0	1.4	1.4	11.3	20.5	15.0	9.8	14.6	11.9	83	54	70	2.9	2.8	2.1	0	0	0	2	7.78	72	3	2	1	7	17	30
J	5.2	1.8	1.4	11.8	22.6	16.1	9.0	14.4	11.5	68	39	57	1.7	2.1	1.4	0	0	0	0	8.60	79	2	0	3	4	22	31
A	6.3	1.8	1.4	13.6	24.4	18.7	10.4	16.0	13.3	66	40	53	2.0	(1.7)	-	0	0	0	0	9.32	82	2	0	2	5	22	31
S	7.2	1.8	1.4	17.1	26.6	21.3	14.1	17.6	15.5	73	43	56	3.4	2.9	1.2	0	0	0	0	8.21	69	2	1	4	7	16	30
O	7.1	1.9	1.3	18.0	25.5	21.3	15.9	18.3	16.5	81	53	63	4.5	4.4	3.5	4	2	0	0	7.78	62	5	0	5	11	10	31
N	4.7	1.6	1.0	18.3	23.8	20.5	16.9	19.4	18.1	87	68	81	5.7	5.3	5.3	3	1	0	1	5.71	43	7	1	5	14	3	30
D	6.8	-	-	21.1	27.5	23.5	17.6	19.5	18.3	73	49	61	(6.3)	-	-	-	-	-	-	6.77	50	2	5	6	13	5	31
A	5.6	-	-	17.0	24.9	20.3	15.1	18.4	16.5	81	55	68	(4.5)	-	-	-	-	-	-	7.48	62	29	18	65	128	125	365
734/773 PELICAN POINT - SWA - VRT																											
J	-	-	-	15.2	18.4	16.4	14.8	16.4	15.6	96	81	90	7.9	5.6	4.3	0	0	0	18	4.84	36	0	6	16	9	0	31
F	-	-	-	15.9	18.9	17.2	15.5	16.9	16.1	96	82	88	7.6	6.0	6.1	0	0	0	23	5.01	39	0	3	15	10	0	28
M	-	-	-	14.5	17.8	16.2	14.1	15.6	14.9	95	78	87	6.8	4.2	4.5	0	0	0	15	5.11	42	0	6	9	15	0	30
A	-	-	-	12.7	16.1	14.7	12.3	14.1	13.3	96	80	87	6.2	3.4	3.1	0	0	0	24	5.71	49	0	6	8	16	0	30
M	-	-	-	13.2	18.0	15.6	12.0	14.6	13.5	88	71	79	4.9	3.6	2.6	0	0	0	18	6.22	56	0	7	5	6	11	29
J	-	-	-	12.2	15.9	14.0	11.4	13.6	12.7	92	78	85	5.6	3.8	3.0	0	0	0	18	4.85	45	6	2	6	15	1	30
J	-	-	-	10.7	13.8	12.5	10.1	12.2	11.5	94	83	88	6.0	4.8	3.9	0	0	0	22	4.50	40	7	1	12	5	6	31
A	-	-	-	9.8	13.4	12.1	9.5	11.7	11.1	95	80	88	6.6	3.8	2.1	0	0	0	17	5.14	45	4	1	13	12	1	31
S	-	-	-	10.5	14.2	12.4	10.2	12.4	11.4	95	80	89	6.1	4.0	3.3	0	0	0	14	4.19	35	6	0	18	5	0	29
O	-	-	-	12.0	15.1	13.1	11.5	13.3	12.2	93	80	90	7.0	4.0	4.1	0	0	0	11	3.89	31	7	5	10	7	0	29
N	-	-	-	13.4	16.1	14.7	12.8	14.3	13.6	94	82	88	7.6	3.7	3.8	0	0	0	10	4.74	36	1	5	15	9	0	30
D	-	-	-	15.2	18.1	16.3	14.5	16.0	15.3	92	80	89	7.3	3.9	4.5	0	0	0	10	5.87	43	1	2	6	20	1	30
A	-	-	-	12.9	16.3	14.6	12.4	14.3	13.4	94	80	87	6.6	4.2	3.8	0	0	0	200	5.01	41	32	44	133	129	20	358
740/154 WINDHOEK - SWA - WK																											
J	-	-	-	19.7	28.6	-	14.6	16.6	-	58	27	-	3.0	4.0	-	11	0	0	0	8.93	67	0	0	6	18	6	30
F	-	-	-	18.3	24.8	-	15.5	17.3	-	75	47	-	4.0	5.1	-	21	0	0	0	6.79	53	0	0	15	12	1	28
M	-	-	-	19.2	27.2	-	13.8	16.0	-	55	31	-	2.4	3.8	-	10	0	0	0	8.63	71	0	0	6	16	9	31
A	-	-	-	15.6	25.1	-	10.5	14.0	-	53	27	-	1.6	2.4	-	6	0	0	0	9.28	80	0	0	3	10	17	30
M	-	-	-	11.6	21.6	-	7.4	11.7	-	54	27	-	1.6	1.9	-	2	1	0	0	9.22	83	0	0	3	8	20	31
J	-	-	-	9.3	20.1	-	5.1	10.1	-	51	24	-	1.5	1.4	-	0	0	0	0	9.50	88	0	1	0	7	22	30
J	-	-	-	8.1	20.2	-	3.7	9.3	-	43	18	-	0.9	0.7	-	0	0	0	0	9.81	90	0	0	0	7	24	31
A	-	-	-	10.4	22.2	-	3.3	8.9	-	25	9	-	0.5	0.4	-	0	0	0	0	10.79	95	0	0	0	1	30	31
S	-	-	-	16.7	26.7	-	7.3	11.7	-	21	10	-	1.0	1.4	-	0	0	0	0	10.04	84	0	0	0	18	12	30
O	-	-	-	19.2	28.2	-	9.4	12.6	-	23	10	-	2.2	2.4	-	1	0	0	0	10.56	84	0	0	0	15	16	31
N	-	-	-	20.3	28.5	-	10.9	13.5	-	29	13	-	1.9	3.0	-	4	1	0	0	10.48	79	0	0	2	16	12	30
D	-	-	-	21.4	29.0	-	12.0	14.1	-	30	14	-	1.3	3.0	-	5	0	0	0	11.07	82	0	0	1	14	16	31
A	-	-	-	15.8	25.2	-	9.5	13.0	-	43	21	-	1.8	2.5	-	60	2	0	0	9.59	79	0	1	36	142	185	364
780/ 58 ROSSING PROSPECT - SWA																											
J	-	-	-	16.0	25.5	-	14.1	17.1	-	81	40	-	3.7	2.2	-	0	0	0	1	-	-	-	-	-	-	-	-
F	-	-	-	19.6	(29.1)	-	16.8	(20.3)	-	75	(42)	-	4.0	(2.2)	-	0	0	0	0	-	-	-	-	-	-	-	-
M	-	-	-	22.3	30.6	-	16.6	19.5	-	55	32	-	2.2	1.5	-	0	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	20.9	25.8	-	14.9	15.4	-	52	31	-	1.2	1.4	-	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	-	20.3	(30.3)	-	15.9	(22.6)	-	63	(51)	-	1.2	0.0	-	0	0	0	0	-	-	-	-	-	-	-	-
J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	-	13.7	-	-	10.7	-	-	68	-	-	0.5	-	-	0	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	11.1	-	-	8.0	-	-	64	-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O	-	-	-	15.3	-	-	11.3	-	-	60	-	-	2.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N	-	-	-	14.7	-	-	12.1	-	-	73	-	-	1.7	-	-	0	0	0	0	-	-	-	-	-	-	-	-
D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
784/839 J G STRIJDOM - SWA - WK																											
J	8.6	2.8	2.0	20.2	28.0	24.6	14.9	17.1	16.1	58	32	42	3.6	4.9	5.2	8	0	0	0	9.67	72	0	0	5	16	10	31
F	5.8	2.4	1.4	17.9	25.1	20.5	15.8	18.0	16.9	81	51	70	4.5	5.6	5.9	7	0	0	1	7.74	60	0	0	9	17	2	28
M	6.8	2.4	1.2	17.3	27.0	21.8	13.7	16.7	15.9	68	34	56	3.0	4.6	4.4	9	0	0	0	8.86	73	0	0	5	18	8	31
A	6.1	2.2	1.2	12.5	25.0	18.2	10.5	15.6	13.6	78	36	60	2.1	3.5	3.0	4	1	0	0	9.37	81	0	0	3	8	19	30
M	4.7	2.1	0.9	7.8	20.9	14.0	6.3	12.6	10.0	80	36	61	1.8	2.7	2.7	4	0	0	0	9.59	87	0	0	1	10	20	31
J	4.7	2.8	1.1	6.0	19.6	12.1	3.8	10.6	7.3	69	29	50	1.5	1.8	1.8	1	0	0	0	9.75	90	0	1	0	4	25	30
J	5.0	2.7	1.1	4.8	19.7	11.9	1.9	9.6	6.1	61	22	38	1.0	0.8	0.8	0	0	0	0	10.15	93	0	0	0	4	27	31
A	5.5	2.9	1.5	5.0	22.2	14.2	0.7	9.6	6.2	43	13	25	0.3	0.3	0.2	0	0	0	0	11.00	97	0	0	0	0	31	31
S	7.5	2.4	1.3	13.3	25.9	20.1	6.5	12.1	9.9	31	13	22	1.4	1.8	1.8	0	0	0	0	10.00	83	0	0	1	15	14	30
O	9.7	3.2	1.5	17.5	28.0	22.7	9.2	13.6	11.1	30	14	20	2.2	2.5	2.7	0	0	0	0	10.29	82	0	0	1	18	12	31
N	10.0	3.2	1.9	18.9	27.7	23.3	10.9	14.2	12.5	36	19	26	2.1	3.5	3.5	7	0	0	0	10.15	77	0	0	5	14	11	30
D	11.1	3.7	2.0	20.7	29.3	24.9	12.4	14.8	13.2	36	17	24	1.7	3.3	3.0	7	0	0	0	10.81	80	0	0	4	12	15	31
A	7.1	2.7	1.4	13.5	24.9	19.0	8.9	13.7	11.6	56	26	41	2.1	2.9	2.9	47	1	0	1	9.78	81	0	1	34	136	194	365

TV 4 / 199

TABEL II

TABLE II

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED OORDAG BY DAY	WINDSPOED WIND SPEED OORNAG BY NIGHT	DROËBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM/AT 0800	1400	2000	% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM/AT 0800	1400	2000	BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM/AT 0800	1400	2000	AANTAL DAE MET NUMBER OF DAYS WITH DONDER/THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	SONSKYNDUUR / SUNSHINE DURATION GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE AS % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
	mm	m/s																									
787/838	GOBABIS - SWA - TNK									ø 22°28'S			λ 18°58'E						H 1436 M			HT 1.2 M					
J	10.0	2.4	1.2	20.8	28.9	25.9	14.2	17.3	15.9	48	30	34	3.9	5.0	4.7	-	1	0	0	9.58	72	0	1	5	13	11	30
F	-	2.0	0.7	18.7	26.6	22.8	13.3	16.7	14.9	54	35	42	4.1	5.4	(4.5)	-	-	-	-	(7.63)	(59)	(9)	(2)	(4)	(10)	(4)	(20)
M	9.3	-	-	18.5	29.3	23.7	12.4	17.0	14.3	48	27	34	2.5	4.0	3.4	-	0	0	0	9.42	77	0	0	5	13	12	30
A	7.1	-	-	14.9	26.8	19.6	9.9	15.3	12.6	52	27	43	2.6	3.0	3.1	-	0	0	0	8.73	75	0	1	4	13	12	30
M	6.5	-	-	9.9	22.5	14.5	5.7	12.2	8.1	53	26	39	1.7	2.3	1.9	-	0	0	0	9.63	87	0	0	1	9	19	29
J	6.8	2.3	1.4	9.0	21.4	14.2	4.3	11.4	7.4	46	26	34	2.0	1.7	1.7	-	0	0	0	9.50	88	1	0	0	7	22	30
J	7.4	-	-	5.9	21.1	13.9	1.4	10.8	6.3	42	23	27	0.7	0.5	0.5	-	0	0	0	10.11	93	0	0	0	3	28	31
A	8.2	-	-	5.7	23.7	15.0	0.7	11.5	6.0	37	19	20	0.2	0.3	0.3	-	0	0	0	10.80	95	0	0	0	1	30	31
S	11.0	1.8	0.8	13.8	27.8	21.3	6.4	13.2	9.6	29	14	16	1.1	1.3	1.7	-	0	0	0	10.03	84	0	1	0	11	17	29
O	11.5	2.1	0.9	17.7	28.8	24.4	9.3	14.4	12.2	30	17	19	2.5	3.0	3.2	-	1	0	0	10.38	82	0	0	2	18	11	31
N	12.5	2.2	1.2	19.8	29.0	24.4	11.8	15.6	13.8	36	22	28	2.5	3.7	4.6	-	1	0	0	9.82	74	0	1	5	13	11	30
D	13.2	2.3	0.9	20.8	30.7	27.4	13.6	16.3	15.0	43	20	24	2.2	3.6	2.9	-	0	0	0	10.96	81	0	0	1	13	16	30
A	-	-	-	14.6	26.4	20.6	8.6	14.3	11.3	43	24	30	2.2	2.8	(2.7)	-	-	-	-	(9.72)	(80)	(10)	(6)	(27	124	193	351)
809/706	MACUVILLE - AGR									ø 22°16'S			λ 29°54'E						H 522 M			HT 1.2 M					
J	7.4	1.8	0.8	23.6	29.0	25.3	21.0	21.9	21.4	79	55	70	4.9	5.2	3.5	-	0	0	0	8.08	61	0	1	11	13	6	31
F	9.0	2.1	0.9	23.5	30.3	26.6	19.7	21.3	20.0	69	43	54	2.9	4.4	0.8	-	0	0	0	9.39	73	0	0	5	15	8	28
M	9.3	2.1	1.0	24.7	32.7	28.6	20.1	21.6	20.4	66	36	46	2.8	3.1	0.5	-	0	0	0	9.83	80	0	0	3	10	18	31
A	5.9	-	-	21.8	29.9	23.9	19.1	21.0	19.0	77	44	63	2.9	3.5	1.2	-	0	0	0	8.41	73	0	1	4	18	7	30
M	4.3	-	-	15.1	25.0	17.8	13.3	17.1	13.5	81	43	60	1.9	2.3	1.0	-	0	0	0	8.60	78	0	1	1	24	5	31
J	3.8	-	-	11.6	23.2	15.3	9.7	15.1	11.1	78	40	58	1.6	1.9	0.8	-	0	0	0	8.26	76	1	1	3	9	16	30
J	5.0	1.3	0.5	10.8	24.7	15.6	8.0	15.3	10.7	68	34	53	0.7	1.5	0.3	-	0	0	0	9.03	83	0	1	1	8	21	31
A	6.3	1.7	0.5	14.2	26.5	19.0	10.3	16.4	12.5	60	33	44	1.0	1.0	0.3	-	0	0	0	9.40	83	0	1	3	12	15	31
S	7.9	2.0	1.0	20.0	29.2	23.2	15.3	18.4	15.9	60	35	47	1.9	1.5	0.6	-	0	0	0	9.21	77	0	1	4	12	13	30
O	8.3	2.3	1.2	21.3	29.0	23.9	17.0	19.0	17.8	66	39	55	3.7	3.2	1.9	-	0	0	0	8.51	67	3	0	5	11	12	31
N	6.9	-	-	22.3	28.4	23.6	18.7	20.7	19.3	71	51	68	4.5	4.6	4.0	-	0	0	0	6.80	52	3	2	9	15	1	30
D	8.0	1.9	0.9	24.6	31.4	26.5	19.8	21.4	20.1	64	40	56	3.3	3.8	2.4	-	0	0	0	9.11	68	1	2	3	17	8	31
A	6.8	-	-	19.5	28.3	22.4	16.0	19.1	16.8	70	41	56	2.7	3.0	1.4	-	0	0	0	8.72	72	8	11	52	164	130	365
868/613	UIS - SWA									ø 21°13'S			λ 14°51'E						H 791 M			HT 1.2 M					
J	-	-	-	17.3	29.4	21.1	14.7	19.2	16.3	76	36	60	3.8	2.7	3.8	1	0	0	0	10.52	79	0	0	3	13	15	31
F	-	-	-	20.5	29.4	23.4	18.3	21.3	19.1	81	48	66	4.8	3.3	5.3	-	0	0	0	8.61	67	0	0	5	19	4	28
M	-	-	-	20.6	33.0	25.2	15.8	19.9	17.2	60	27	43	3.2	2.3	2.3	-	-	-	-	9.43	77	0	0	1	21	8	30
A	-	-	-	19.5	30.9	24.9	14.0	17.6	15.7	53	24	34	1.5	(1.7	1.3)	0	0	0	0	9.81	85	0	1	0	14	15	30
M	-	-	-	17.4	29.2	23.9	11.3	16.3	14.2	45	21	31	1.3	1.1	0.9	0	0	0	0	10.15	87	0	0	1	30	0	31
J	-	-	-	13.7	26.0	20.0	9.0	14.4	12.8	54	23	42	1.2	0.6	0.6	0	0	0	0	9.88	91	0	0	0	5	25	30
J	-	-	-	11.8	25.6	18.6	7.1	14.2	12.1	51	22	43	0.8	0.4	0.5	0	0	0	0	9.90	90	0	0	0	6	25	31
A	-	-	-	9.7	26.8	18.3	5.1	13.2	11.6	47	17	45	0.7	0.4	0.3	0	0	0	0	10.59	93	0	0	0	2	29	31
S	-	-	-	14.9	30.5	19.9	9.2	15.0	12.8	49	18	44	1.3	0.3	0.4	0	0	0	1	10.66	89	0	0	0	10	20	30
O	-	-	-	16.6	30.2	19.6	10.5	15.6	13.0	48	17	44	2.2	1.2	1.5	0	0	0	0	10.99	87	0	1	1	7	22	31
N	-	-	-	17.2	30.1	20.0	11.8	16.1	13.1	52	19	43	1.7	1.7	1.0	0	0	0	0	12.00	91	0	0	1	2	26	29
D	-	-	-	16.9	30.2	21.0	12.9	16.7	14.5	63	21	48	2.0	1.8	(3.0)	0	0	0	0	12.05	90	0	0	0	9	21	30
A	-	-	-	16.3	29.3	21.3	11.6	16.6	14.4	57	24	45	2.0	(1.5	1.7)	-	-	-	-	10.38	86	0	2	12	138	210	362
1010/186	GROOTFONTEIN - SWA - WK									ø 19°36'S			λ 18° 7'E						H 1405 M			HT 1.2 M					
J	-	-	-	20.1	26.9	22.9	17.3	19.3	18.4	77	49	67	5.5	5.5	5.5	17	0	0	0	8.52	65	0	0	8	17	6	31
F	-	-	-	18.7	25.3	21.2	17.7	19.7	18.9	90	61	82	5.4	5.4	5.0	17	0	0	0	7.53	59	0	1	9	17	1	28
M	-	-	-	18.8	27.9	21.6	16.4	18.8	17.7	78	42	69	2.8	4.1	3.2	15	0	0	0	8.54	70	0	1	4	21	5	31
A	-	-	-	16.8	27.0	20.6	14.3	17.7	16.3	77	39	65	3.3	3.6	2.9	9	0	0	0	8.47	73	0	0	5	15	10	30
M	-	-	-	11.3	24.1	14.9	8.8	14.1	10.9	72	30	61	1.1	1.5	1.1	3	0	0	0	10.04	90	0	0	2	4	25	31
J	-	-	-	9.1	22.7	13.2	6.1	12.4	8.4	64	26	51	1.2	1.1	0.6	0	0	0	0	10.17	93	0	0	0	7	23	30
J	-	-	-	7.9	22.4	12.7	4.4	11.6	7.3	57	23	45	0.5	0.4	0.1	0	0	0	0	10.59	96	0	0	0	2	29	31
A	-	-	-	10.5	25.4	14.9	4.9	11.7	7.3	40	13	30	0.5	0.9	0.4	0	0	0	0	11.06	96	0	0	0	1	30	31
S	-	-	-	17.7	29.2	20.9	9.5	13.9	11.3	32	13	28	1.0	1.1	1.1	0	0	0	0	10.37	87	0	0	2	9	19	30
O	-	-	-	21.5	31.5	25.3	11.6	15.8	13.6	27	15	23	2.1	2.5	2.5	3	0	0	0	9.96	79	0	0	1	20	10	31
N	-	-	-	21.8	29.7	25.3	13.9	16.5	15.3	42	25	36	3.5	4.3	3.2	10	0	0	0	9.12	69	0	3	3	13	11	30
D	-	-	-	22.7	31.3	26.4	15.1	17.6	16.8	45	24	38	4.2	4.5	3.7	14	0	0	0	9.43	70	0	0	6	17	8	31
A	-	-	-	16.4	26.9	20.0	11.7	15.8	13.5	58	30	50	2.6	2.9	2.4	88	0	0	0	9.48	78	0	5	40	143	177	365
1045/380	MÖWE - SWA									ø 19°20'S			λ 12°43'E						H 16 M			HT 1.2 M					
J	-	5.0	3.8	16.9	19.4	18.2	15.3	16.6	16.4	84	74	82	6.7	4.8	5.4	0	0	0	0	-	-	-	-	-	-	-	-
F	-	4.1	3.4	18.0	20.4	19.5	16.8	18.1	17.9	88	80	84	7.3	5.1	6.9	0	0	0	3	-	-	-	-	-	-	-	-
M	-	-	-	16.3	19.1	17.7	15.2	16.7	16.2	88	77	86	6.6	3.9	5.6	1	0	0	0	-	-	-	-	-	-	-	-
A	-	-	-	(14.6	17.1	16.0	13.8	15.4	15.0	91	83	89	5.6	5.0)	3.9	0	0	0	5	-	-	-	-	-	-	-	-
M	-	4.5	3.1	14.2	17.7	16.2	13.3	15.1	14.6	89	77	85	5.2	4.6	4.4	2	0	0	4	-	-	-	-	-	-	-	-
J	-	-	-	(13.2	15.5	14.7	12.4	13.9	13.6	91	82	88	7.2	4.7	4.7)	0	0	0	6	-	-	-	-	-	-	-	-
J	-	-	-	11.5	14.4	13.3	10.8	12.7	12.3	91	82	88	7.3	4.7	5.2	0	0	0	5	-	-	-	-	-	-	-	-
A	-	-	-	11.0	14.2	12.9	10.2	12.2	11.8	90	78	87	7.3	4.2	6.0	0	0	0	0	-	-	-	-	-	-	-	-
S	-	-	-	12.3	14.6	13.5	11.2	12.7	12.3	88	80	86	8.0	4.8	6.6	0	0	0	2	-	-	-	-	-	-	-	-
O	-	-	-	13.0	15.6	14.2	11.9	13.4	13.1	86	77	86	7.4	4.0	4.8	0	0	0	0	-	-	-	-	-	-	-	-
N	-	-	-	14.7	17.2	15.7	13.0	14.5	14.1	81	73	83	5.9	2.2	3.6	0	0	0	2	-	-	-	-	-	-	-	-
D	-	-	-	16.7	19.3	17.7	14.8	16.5	16.0	81	75	82	5.3	2.2	3.2	3	0	0	1	-	-	-	-	-	-	-	-
A	-	-	-	(14.4	17.0	15.8	13.2	14.8	14.4	87	78	85	6.7	4.2	5.0)	6	0	0	28	-	-	-	-	-	-	-	-

TV 4 / 199

TABEL II

TABLE II

MAAND / MONTH	VERDAMPING (A-PAN) EVAPORATION (A-PAN)	WINDSPOED WIND SPEED		DROËBOL-TEMPERATUUR DRY BULB TEMPERATURE IN °C OM / AT			NATBOL-TEMPERATUUR WET BULB TEMPERATURE IN °C OM / AT			% RELATIEWE VOGTIGHEID % RELATIVE HUMIDITY OM / AT			BEWOLKTHEID CLOUDINESS IN OKTAS/OCTAS OM / AT			AANTAL DAE MET NUMBER OF DAYS WITH				SONSKYNDUUR / SUNSHINE DURATION							
		OORDAG BY DAY	OORNAG BY NIGHT													DONDER / THUNDER	HAEL / HAIL	SNEEU / SNOW	MIS / FOG	GEMIDDELDE DAELIKSE URE (S) AVERAGE DAILY HOURS (S)	AS % VAN MOONTLIKE AS % OF POSSIBLE	AANTAL DAE MET NUMBERS OF DAYS WITH GEGEWE % VAN MOONTLIKE GIVEN % OF POSSIBLE 0%	1-10%	11-49%	50-89%	90-100%	WAARNEMINGS OBSERVATIONS
	mm	m / s		0800	1400	2000	0800	1400	2000	0800	1400	2000	0800	1400	2000												
1200/866			ONDANGWA - SWA - POS							Ø 17°56'S			λ 15°59'E						H 1095 M			HT 1.2 M					
J	-	-	-	(21.0)	28.2	-	(18.0)	-	-	(80)	-	-	(6.0)	-	-	-	-	-	-	(7.63)	(58)	(0)	(1)	(6)	(13)	(3)	(23)
F	-	-	-	20.3	(26.2	24.1)	19.4	(22.2	21.6)	92	(71	77)	6.3	5.1	5.8	21	1	0	0	(7.50)	(59)	(0)	(1)	(6)	(18)	(0)	(25)
M	-	-	-	20.5	29.3	(24.8)	18.7	20.7	(19.9)	84	46	(61)	3.4	3.4	3.5	9	0	0	0	9.72	80	0	1	2	13	12	28
A	-	-	-	18.6	29.9	(25.0)	16.7	20.1	(19.5)	82	40	(60)	2.9	3.4	(2.5)	11	0	0	0	9.60	82	0	0	0	15	15	30
M	-	-	-	(14.2	27.7	21.6	10.8	16.7	14.7	65	29	46	1.0	1.4	0.4)	0	0	0	0	10.12	90	0	0	2	3	21	26
J	-	-	-	11.8	26.4	19.0	8.4	14.6	12.0	63	24	42	0.8	0.3	0.2	0	0	0	0	9.82	89	0	0	1	4	25	30
J	-	-	-	11.0	26.6	19.0	6.9	13.9	11.3	51	20	37	0.7	0.1	0.2	0	0	0	0	9.89	89	0	0	1	6	19	26
A	-	-	-	9.7	28.8	20.6	4.5	13.1	10.2	41	10	20	0.1	0.1	0.0	0	0	0	0	10.73	93	0	0	0	3	28	31
S	-	-	-	15.7	37.1	24.9	16.4	36.6	25.7	39	14	25	1.6	0.6	1.3	0	0	0	0	10.67	89	0	0	0	11	19	30
O	-	-	-	20.5	34.4	28.3	12.9	18.9	16.6	41	21	28	2.3	1.5	(2.4)	3	0	0	0	10.53	84	0	0	0	19	10	29
N	-	-	-	21.3	32.7	27.6	14.9	18.2	16.4	50	23	31	2.6	2.8	2.8	9	1	0	0	10.75	83	0	0	1	15	11	27
D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1208/475			RUNDU - SWA - NAF							Ø 17°55'S			λ 19°46'E						H 1102 M			HT 1.2 M					
J	-	1.7	0.8	20.3	26.2	22.0	19.2	20.8	19.7	91	62	82	6.3	5.5	5.3	-	-	-	-	5.19	40	0	3	16	9	1	29
F	-	-	-	19.7	27.8	23.4	18.9	21.2	20.3	93	55	76	4.2	5.3	4.9	-	-	-	-	8.30	65	0	0	5	17	5	27
M	-	-	-	19.0	29.8	24.3	17.1	20.1	19.3	82	41	63	2.1	5.2	3.4	-	-	-	-	9.63	79	0	0	2	17	12	31
A	-	1.5	0.5	17.9	29.5	23.3	16.1	19.1	17.8	83	37	58	3.2	4.9	2.4	-	-	-	-	9.37	80	0	0	2	3	25	30
M	-	1.7	0.7	12.4	26.7	19.5	9.5	15.4	13.3	69	27	48	1.3	1.9	0.9	-	-	-	-	10.19	90	0	0	0	29	0	29
J	-	-	-	9.8	25.3	17.5	6.9	14.5	11.3	68	26	46	0.8	0.5	0.5	-	0	0	0	9.93	90	0	0	1	4	25	30
J	-	-	-	7.9	25.1	17.3	5.2	13.4	10.6	67	23	43	0.5	0.3	0.2	-	0	0	0	10.31	92	0	0	0	2	29	31
A	-	-	-	9.7	28.4	19.8	5.0	13.8	11.0	49	15	32	0.0	1.3	0.1	-	0	0	0	10.70	93	0	0	0	0	31	31
S	-	-	-	21.6	31.9	25.2	12.4	16.2	13.7	32	16	26	0.6	0.9	0.1	-	0	0	0	10.74	89	0	0	1	7	20	28
O	-	2.2	1.0	22.0	34.0	28.1	13.2	17.1	15.5	34	15	24	1.6	2.1	2.8	-	0	0	0	10.18	81	0	0	1	24	6	31
N	-	2.0	0.9	21.5	30.4	24.5	16.7	18.9	17.9	63	35	47	4.5	5.6	4.0	-	0	0	0	7.49	58	1	2	9	15	3	30
D	-	1.8	0.8	21.7	30.6	25.8	18.0	19.9	19.1	71	40	53	4.9	5.8	6.0	-	0	0	0	8.21	62	0	1	9	15	2	27
A	-	-	-	17.0	28.8	22.7	13.2	17.5	15.8	67	33	50	2.5	3.3	2.5	-	-	-	-	9.19	76	1	6	46	142	159	354

BESONDERHEDE VAN STASIES WAT IN TABEL III VERSKYN
DETAILS OF STATIONS APPEARING IN TABLE III

NR/NO	STASIE/STATION	ø	λ	H M	P BY/AT GPM
		° ′	° ′		
0/653	MARIONEILAND - WK	46 53 S	37 52 E	22	0
0/681	GOUGHEILAND - WK	40 21 S	9 53 W	54	0
3/ 20	KAAP AGULHAS - VRT	34 50 S	20 1 E	6	0
4/891	KAAPPUNT - VRT	34 21 S	18 30 E	227	0
10/456	RIVERSDALE	34 6 S	21 16 E	117	0
12/251	CAPE ST BLAIZE - VRT	34 11 S	22 9 E	59	0
17/582	CAPE ST FRANCIS - VRT	34 12 S	24 50 E	7	0
21/178	C F MALAN - WK***	33 58 S	18 36 E	44	0
23/710	ROBERTSON - AGR	33 50 S	19 54 E	156	0
28/428	ROOIHEUWEL - AGR	33 38 S	22 15 E	301	0
35/179	PORT ELIZABETH - WK	33 59 S	25 36 E	60	0
43/566	MATROOSBERG	33 26 S	19 49 E	967	1000
50/887	WILLOWMORE - POW***	33 17 S	23 30 E	840	800
59/572	EAST LONDON - WK	33 2 S	27 50 E	127	0
60/620	CAPE COLUMBINE - VRT	32 50 S	17 51 E	60	0
74/296	JANSENVILLE	32 56 S	24 40 E	410	0
76/134	SOMERSET EAST - POW	32 44 S	25 35 E	739	700
79/811	DOHNE - AGR	32 31 S	27 28 E	899	900
88/293	SUTHERLAND	32 23 S	20 40 E	1459	1500
92/141	BEAUFORT WEST - TNK	32 21 S	22 35 E	857	900
96/ 45	GRAAFF-REINET - TNK	32 15 S	24 32 E	744	700
106/850	VREDENDAL	31 40 S	18 29 E	34	0
113/ 25	FRASERBURG	31 55 S	21 31 E	1258	1250
123/654	QUEENSTOWN - TNK	31 54 S	26 52 E	1066	1100
127/485	UMTATA	31 35 S	28 47 E	692	700
129/ 68A	CAPE HERMES - VRT	31 38 S	29 33 E	47	0
134/478	CALVINIA - TNK	31 28 S	19 46 E	980	1000
145/ 59A	GROOTFONTEIN II - AGR	31 29 S	25 2 E	1270	1250
170/ 98	DE AAR - AGR***	30 39 S	24 1 E	1241	1250
175/371	ALIWAL NORTH - TNK***	30 41 S	26 43 E	1310	1300
178/689	SHEEPRUN	30 59 S	28 23 E	1213	1200
180/722A	KOKSTAD - TNK	30 32 S	29 25 E	1278	1300
182/794A	PORT SHEPSTONE - VRT	30 44 S	30 27 E	17	0
193/561	VANWYKSVLEI***	30 21 S	21 49 E	962	1000
214/636	OKIEP	29 36 S	17 52 E	918	900
224/430	PRIESKA	29 40 S	22 45 E	933	900
229/556	FAURESMITH	29 46 S	25 19 E	1362	1400
233/ 44	WEPENER - TNK***	29 44 S	27 2 E	1437	1400
237/591	WATERFORD	29 51 S	29 20 E	1643	1600
239/482	CEDARA - AGR	29 32 S	30 17 E	1067	1100
240/808	LOUIS BOTHA - WK	29 58 S	30 57 E	8	0
242/644	PORT NOLLOTH - VRT	29 14 S	16 52 E	4	0
247/668	POFADDER - SKL***	29 8 S	19 23 E	984	1000
261/516	J B M HERTZOG - WK	29 6 S	26 18 E	1351	1400
268/631	ESTCOURT - AGR	29 1 S	29 52 E	1181	1250
274/ 34	ALEXANDER BAY - WK	28 34 S	16 32 E	21	0
290/468	KIMBERLEY - WK	28 48 S	24 46 E	1198	1250
305/ 17	RICHARDS BAY - ALUSAF	28 47 S	32 1 E	17	0
317/474	UPINGTON - WK	28 24 S	21 16 E	836	800
331/520	LOCH LOMOND - AGR	28 10 S	28 18 E	1631	1600
339/720	CAPE ST LUCIA - VRT	28 30 S	32 24 E	107	0
362/710	HOOPSTAD - TNK	27 50 S	25 54 E	1239	1250
365/430	KROONSTAD - MUN	27 40 S	27 15 E	1348	1400
370/735	NEWCASTLE - CON	27 45 S	29 55 E	1198	1250
393/778	KURUMAN - TNK	27 28 S	23 26 E	1312	1300
403/886A	FRANKFORT - TNK	27 16 S	28 30 E	1459	1500
411/324	MAKATINI - AGR	27 24 S	32 11 E	73	0
413/158	DIAZ POINT - SWA - VRT	26 38 S	15 6 E	23	0
419/182	KEETMANSHOOP - SWA - WK	26 32 S	18 7 E	1064	1100
432/237	ARMOEDSVLAKTE - AGR	26 57 S	24 38 E	1234	1250
435/157	DOORNLAAGTE	26 37 S	26 6 E	1472	1500
437/134	POTCHEFSTROOM - AGR	26 44 S	27 5 E	1345	1300
441/446	STANDERTON	26 56 S	29 15 E	1559	1600
444/540	PIET RETIEF - TNK	27 0 S	30 48 E	1250	1250
445/512	MATSAPA - SWAZ	26 32 S	31 18 E	642	600
461/208	TWEE RIVIERE	26 28 S	20 37 E	879	900
476/398	JAN SMUTS - WK	26 8 S	28 14 E	1692	1700
478/867	BETHAL - TNK	26 27 S	29 29 E	1663	1700
480/184A	CAROLINA - TNK	26 4 S	30 7 E	1696	1700
508/261	MAFEKING - TNK	25 51 S	25 39 E	1278	1300
511/523	RUSTENBURG - AGR	25 43 S	27 18 E	1157	1200
513/314A	PRETORIA - FORUM - WB	25 44 S	28 11 E	1330	1300
554/816	LYDENBURG - VIS	25 6 S	30 28 E	1439	1400
555/837	NELSPRUIT - AGR	25 27 S	30 58 E	660	700
566/817	MARIENTAL - SWA - POS***	24 37 S	17 58 E	1099	1100

*** Stasie verskuif: kyk na bl. XXI / Station shifted: see p. XXI

BESONDERHEDE VAN STASIES WAT IN TABEL III VERSKYN
DETAILS OF STATIONS APPEARING IN TABLE III

NR/NO	STASIE/STATION	ø	λ	H M	P BY/AT GPM
		° ′	° ′		
589/594	TOWOOMBA - AGR	24 54 S	28 20 E	1143	1100
596/179	SKUKUZA	24 59 S	31 36 E	263	0
631/823	CCORNSPRUIT***	24 13 S	27 58 E	1043	1000
634/ 11	POTGIETERSRUS - TABAK KO-OP	24 11 S	29 1 E	1116	1100
649/ 64	GOBABEB - SWA	23 34 S	15 3 E	407	400
677/802	PIETERSBURG - WK	23 52 S	29 27 E	1230	1250
681/266	PHALABORWA - AER	23 56 S	31 9 E	433	0
719/370	MARNITZ	23 10 S	28 13 E	932	900
722/ 99	MARA - AGR	23 9 S	29 34 E	896	900
723/485A	LEVUBU - AGR	23 5 S	30 17 E	706	700
734/773	PELICAN POINT - SWA - VRT	22 53 S	14 26 E	7	0
740/154	WINDHOEK - SWA - WK	22 34 S	17 6 E	1728	1700
784/839	J G STRIJDOM - SWA - WK	22 29 S	17 28 E	1720	1700
787/838	GOBABIS - SWA - TNK	22 28 S	18 58 E	1436	1400
809/706	MACUVILLE - AGR	22 16 S	29 54 E	522	500
868/613	UIS - SWA	21 13 S	14 51 E	791	800
1010/186	GROOTFONTEIN - SWA - WK	19 36 S	18 7 E	1405	1400
1045/380	MÖWE - SWA	19 20 S	12 43 E	16	0
1200/866	ONDANGWA - SWA - POS	17 56 S	15 59 E	1095	1100
1208/475	RUNDU - SWA - NAF	17 55 S	19 46 E	1102	1100

*** Stasie verskuif; kyk na bl. XXI / Station shifted; see p. XXI

TABEL III

TABLE III

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT 0800	1400	2000	HOOGSTE HIGHEST OP URE / AT HOURS	LAAGSTE LOWEST OP URE / AT HOURS
	0/653 MARIONEILAND – WK				
J	1006.8	1006.8	1006.5	1022.5	983.6
F	1011.0	1011.2	1011.9	1027.7	994.5
M	1015.0	1014.1	1015.8	1028.7	987.8
A	1002.5	1000.7	997.8	1027.9	974.6
M	1005.7	1005.8	1006.9	1021.8	982.3
J	1008.2	1007.7	1008.0	1030.3	980.6
J	1013.0	1012.8	1013.9	1033.1	992.1
A	1007.5	1006.2	1006.8	1029.9	969.4
S	1005.6	1005.6	1006.3	1024.2	974.6
O	1010.9	1009.9	1010.6	1029.9	977.0
N	1007.1	1007.3	1007.8	1026.0	986.7
D	997.8	997.3	997.8	1011.8	973.4
A	1007.6	1007.1	1007.5	1033.1	969.4
	4/891 KAAPPUNT – VRT				
J	1012.8	1012.9	1012.7	1020.2	1006.4
F	1013.7	1013.8	1013.5	1019.8	1006.3
M	1014.7	1014.7	1014.4	1024.5	1005.0
A	1016.7	1016.5	1016.9	1024.5	1010.7
M	1019.1	1018.6	1019.3	1029.6	1006.8
J	1019.7	1019.2	1019.7	1031.9	1009.4
J	1019.7	1019.2	1019.8	1029.7	1004.2
A	1019.2	1019.0	1019.3	1029.9	1004.0
S	1021.3	1021.2	1021.3	1029.7	1006.2
O	1018.5	1018.2	1018.3	1029.7	1010.3
N	1016.8	1016.6	1016.8	1025.6	1010.4
D	1014.3	1014.3	1014.5	1020.2	1009.6
A	1017.2	1017.0	1017.2	1031.9	1004.0
	17/582 CAPE ST FRANCIS – VRT				
J	1012.9	1012.1	1012.7	1020.4	1004.9
F	1014.4	1013.6	1013.8	1021.6	1001.8
M	1015.1	1014.6	1015.3	1026.1	1004.7
A	1015.9	1015.1	1016.0	1023.8	1008.5
M	1019.3	1018.8	1019.6	1032.0	1005.7
J	1019.8	1018.9	1019.5	1033.4	1007.6
J	1019.5	1018.6	1019.3	1030.5	1005.4
A	1017.9	1017.4	1018.3	1028.2	1005.6
S	1020.8	1019.9	1020.7	1029.4	1008.8
O	1018.4	1017.2	1018.0	1029.5	1008.1
N	1016.7	1015.9	1016.7	1027.1	1004.8
D	1014.6	1013.4	1013.9	1021.9	1004.9
A	1017.1	1016.3	1017.0	1033.4	1001.8
	28/428 ROOIHEUWEL – AGR				
J	1012.3	1008.5	1011.1	1019.3	1002.5
F	1014.0	1010.7	1012.0	1019.4	1002.5
M	1015.3	1012.2	1013.6	1025.2	1002.2
A	1016.8	1013.9	1015.6	1025.0	1006.8
M	1021.2	1018.6	1019.5	1032.2	1005.7
J	1021.3	1018.3	1019.0	1033.9	1005.0
J	1021.1	1018.5	1019.3	1030.1	1006.0
A	1019.8	1017.4	1018.2	1030.0	1004.8
S	1021.9	1018.7	1019.5	1029.6	1008.1
O	1018.8	1015.3	1016.6	1028.8	1005.8
N	1016.7	1013.7	1015.0	1026.1	1004.0
D	1014.2	1010.0	1014.4	1021.0	1003.7
A	1017.8	1014.7	1016.1	1033.9	1002.2
	50/887 WILLOWMORE – POW ***				
J	922.9	921.1	921.5	927.9	916.2
F	925.0	923.2	923.0	931.1	917.6
M	925.8	924.2	924.8	933.2	917.6
A	925.9	924.3	925.5	932.2	919.0
M	929.2	927.6	(929.2)	939.0	915.7
J	929.7	928.5	–	939.0	919.9
J	927.3	926.3	(927.1)	935.1	917.3
A	927.1	925.8	926.3	934.8	915.6
S	929.2	927.1	928.3	935.8	921.7
O	927.9	925.5	926.0	936.1	917.9
N	925.3	923.7	924.7	933.3	917.9
D	924.1	921.7	922.4	929.7	916.0
A	926.6	924.9	–	939.0	915.7

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT 0800	1400	2000	HOOGSTE HIGHEST OP URE / AT HOURS	LAAGSTE LOWEST OP URE / AT HOURS
	0/681 GOUGHEILAND – WK				
J	1012.3	1012.9	1012.0	1025.6	995.8
F	1017.9	1019.0	1018.8	1034.3	1004.9
M	1014.6	1015.9	1015.4	1030.2	1000.5
A	1011.7	1012.7	1011.8	1032.9	986.1
M	1012.6	1013.0	1012.3	1031.6	981.5
J	1017.0	1017.7	1017.4	1034.9	993.0
J	1013.8	1015.1	1014.5	1028.8	992.6
A	1014.3	1014.7	1013.5	1030.3	997.2
S	1018.3	1019.5	1018.8	1036.6	992.7
O	1016.3	1016.7	1016.0	1028.9	994.0
N	1017.0	1017.4	1016.7	1029.6	991.2
D	1013.2	1013.4	1012.2	1031.8	977.5
A	1014.9	1015.7	1014.9	1036.6	977.5
	10/456 RIVERSDALE				
J	1013.3	1011.9	1012.5	1020.0	1004.9
F	1014.4	1013.3	1014.0	1020.4	1005.0
M	1015.3	1014.4	1015.0	1025.4	1004.8
A	1016.5	1015.6	1016.0	1023.8	1009.1
M	1019.6	1018.8	1019.1	1032.3	1005.5
J	1020.2	1018.6	1019.8	1032.9	1007.4
J	1020.0	1019.0	1019.3	1030.1	1005.6
A	1019.1	1018.1	1019.1	1029.8	1005.4
S	1021.6	1020.3	1021.2	1029.8	1006.6
O	1019.0	1016.7	1017.8	1029.7	1008.2
N	1017.0	1015.7	1016.6	1026.3	1008.1
D	1014.7	1012.7	1014.1	1020.8	1005.4
A	1017.6	1016.3	1017.0	1032.9	1004.8
	21/178 D F MALAN – WK ***				
J	1012.4	1012.0	1011.8	1019.8	1005.7
F	1013.0	1012.5	1012.4	1018.8	1005.4
M	1014.4	1013.8	1013.9	1023.6	1005.3
A	1016.4	1015.7	1016.3	1023.8	1009.4
M	1019.0	1018.4	1019.1	1029.7	1006.7
J	1019.9	1019.0	1019.7	1032.1	1009.7
J	1019.9	1018.9	1019.8	1029.9	1005.6
A	1019.4	1018.8	1019.3	1029.6	1004.0
S	1021.4	1020.8	1021.1	1029.7	1009.2
O	1018.2	1017.4	1017.8	1029.8	1009.3
N	1016.2	1015.7	1016.1	1024.3	1009.3
D	1013.7	1013.1	1013.4	1019.7	1008.7
A	1017.0	1016.3	1016.7	1032.1	1004.0
	35/179 PORT ELIZABETH – WK				
J	1012.7	1011.4	1012.3	1020.3	1003.8
F	1014.5	1013.5	1013.8	1021.7	1002.1
M	1015.2	1014.2	1015.4	1026.3	1004.4
A	1015.8	1014.8	1016.1	1023.1	1006.7
M	1019.7	1018.7	1019.9	1032.4	1006.0
J	1020.3	1019.0	1019.8	1033.2	1008.4
J	1019.8	1018.5	1019.5	1030.8	1006.4
A	1018.1	1017.1	1018.2	1028.2	1003.6
S	1021.0	1019.6	1020.7	1029.5	1010.5
O	1018.7	1017.0	1018.0	1029.6	1007.6
N	1016.7	1015.6	1017.0	1027.1	1004.1
D	1014.6	1013.1	1013.8	1021.4	1004.4
A	1017.3	1016.0	1017.0	1033.2	1002.1
	59/572 EAST LONDON – WK				
J	1012.6	1011.2	1012.3	1020.3	1003.3
F	1014.4	1013.1	1013.9	1021.2	1004.4
M	1015.4	1014.1	1015.3	1025.8	1003.7
A	1015.4	1013.8	1015.7	1022.8	1006.0
M	1019.7	1018.3	1020.1	1031.5	1005.7
J	1021.0	1019.1	1020.5	1033.6	1008.9
J	1020.1	1018.3	1019.6	1029.7	1006.2
A	1018.2	1016.0	1018.0	1026.1	987.7
S	1020.6	1018.6	1020.6	1029.7	1010.3
O	1018.4	1016.4	1017.8	1029.9	1009.0
N	1015.9	1014.6	1016.4	1025.2	1006.7
D	1013.9	1012.3	1013.2	1020.8	1003.8
A	1017.1	1015.5	1016.9	1033.6	987.7

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT 0800	1400	2000	HOOGSTE HIGHEST OP URE / AT HOURS	LAAGSTE LOWEST OP URE / AT HOURS
	3/ 20 KAAP AGULHAS – VRT				
J	1013.4	1012.3	(1013.4)	1020.7	1007.6
F	1015.1	1014.9	(1014.9)	1021.2	1004.7
M	1015.0	1015.1	1015.6	1025.8	1005.7
A	1016.7	1016.3	1016.8	1026.4	1009.6
M	1019.2	1019.0	1019.5	1030.5	1003.7
J	1019.5	1018.6	1020.1	1033.3	1005.4
J	1019.5	1019.0	1019.7	1030.0	1002.8
A	1018.8	1018.2	1018.7	1030.4	1003.0
S	1021.2	1020.9	1021.3	1030.0	1008.3
O	1018.8	1018.1	1018.2	1029.8	1008.0
N	1017.4	1017.2	1017.7	1027.3	1009.4
D	1014.8	1014.4	1015.1	1021.1	1006.5
A	1017.5	1017.0	(1017.6)	1033.3	1002.8
	12/251 CAPE ST BLAIZE – VRT				
J	1013.0	1012.1	1013.1	1020.1	1005.5
F	1014.6	1013.7	1014.1	1020.9	1004.6
M	1015.3	1014.3	1015.4	1025.6	1005.2
A	1016.4	1015.6	1016.9	1025.9	1008.5
M	1019.5	1018.9	1019.8	1032.5	1005.5
J	1019.8	1018.7	1019.9	1033.1	1006.9
J	1019.8	1018.9	1019.8	1029.9	1006.1
A	1019.0	1018.0	1019.0	1029.5	1003.7
S	1021.6	1020.4	1021.5	1030.0	1006.8
O	1018.7	1017.5	1018.4	1029.6	1009.0
N	1017.1	1016.3	1017.2	1026.7	1007.2
D	1014.7	1013.4	1014.5	1021.1	1006.7
A	1017.5	1016.5	1017.5	1033.1	1003.7
	23/710 ROBERTSON – AGR				
J	1014.1	1011.7	1013.0	1019.9	1006.6
F	1015.7	1013.5	1014.5	1021.3	1005.8
M	1016.4	1014.4	1015.2	1025.1	1004.6
A	1017.9	1016.2	1017.2	1025.9	1009.0
M	1021.2	1019.6	1020.3	1030.4	1005.9
J	1021.7	1019.7	1020.5	1035.5	1009.3
J	1021.7	1020.0	1020.8	1030.4	1006.9
A	1020.9	1019.2	1020.1	1030.5	1005.6
S	1023.1	1020.8	1021.9	1030.3	1009.0
O	1020.1	1017.5	1019.1	1030.7	1009.7
N	1018.2	1016.0	1017.3	1027.2	1008.9
D	1015.6	1013.3	1014.8	1022.2	1008.2
A	1018.9	1016.8	1017.9	1035.5	1004.6
	43/566 MATADOSBERG				
J	899.8	898.3	898.5	903.5	894.9
F	901.2	900.1	900.2	906.4	894.8
M	902.0	901.1	900.8	909.3	894.7
A	902.3	901.4	902.1	909.0	897.8
M	904.9	904.1	904.7	911.9	893.1
J	904.7	903.6	904.2	914.4	896.6
J	904.2	903.3	903.9	911.6	893.2
A	903.0	902.3	902.9	910.4	891.5
S	905.1	904.0	904.6	910.0	896.9
O	903.5	902.1	902.6	911.1	896.5
N	902.2	901.0	901.5	908.8	895.9
D	–	–	–	–	–
A	–	–	–	–	–
	60/620 CAPE COLUMBINE – VRT				
J	1012.7	1012.2	1011.5	1019.5	1005.8
F	1013.0	1012.8	1011.6	1019.0	1006.8
M	1014.6	1014.4	1013.7	1023.5	1006.4
A	1016.6	1016.1	1016.2	1022.6	1010.8
M	1019.0	1018.6	1018.8	1029.1	1009.1
J	1020.2	1019.7	1020.0	1031.4	1012.0
J	1020.1	1019.4	1019.9	1030.1	1007.8
A	1019.9	1019.4	1019.9	1028.5	1005.1
S	1021.8	1021.3	1021.0	1029.0	1010.3
O	1018.7	1018.2	1018.0	1029.5	1010.9
N	1016.6	1016.2	1015.7	1023.5	1010.0
D	1014.1	1013.7	1013.4	1019.9	1009.1
A	1017.3	1016.8	1016.6	1031.4	1005.1

*** Stasie verskuif: kyk na bl. XXI / Station shifted, see p. XXI

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE DAILY 0800	GEMIDDELDE OM AVERAGE AT 1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
			OP URE / AT HOURS		
	74/296 JANSENVILLE				
J	1013.1	1008.6	1010.4	1019.0	1000.9
F	1015.0	1011.3	1012.3	1021.5	1003.8
M	1016.5	1012.6	1013.6	1024.6	1004.7
A	1017.8	1013.7	1015.5	1024.5	1005.7
M	1022.6	1018.6	1020.6	1029.6	1008.0
J	1023.6	1019.3	1020.7	1036.3	1009.0
J	1022.0	1018.8	1019.8	1030.8	1007.2
A	1020.5	1017.1	1018.5	1030.5	1006.7
S	1022.5	1017.7	1019.6	1029.9	1010.6
O	1019.6	1015.0	1016.4	1028.5	1006.9
N	1016.8	1012.4	1014.7	1026.6	1000.8
D	1014.8	1010.2	1011.7	1021.6	1004.6
A	1018.7	1014.6	1016.1	1036.3	1000.8
	88/293 SUTHERLAND				
J	849.5	848.9	848.5	852.3	845.9
F	850.8	850.2	849.7	854.3	846.2
M	851.5	851.0	850.7	856.3	843.8
A	851.7	850.9	851.0	855.2	846.6
M	853.6	853.5	853.8	859.6	844.2
J	853.1	852.7	852.7	860.0	847.3
J	852.3	851.7	852.1	857.9	844.4
A	850.7	850.9	851.1	856.7	841.4
S	852.3	852.1	852.3	856.4	848.0
O	851.6	850.8	851.2	857.7	847.1
N	850.6	850.0	850.3	854.2	846.3
D	850.0	849.3	849.2	853.4	845.2
A	851.5	851.0	851.1	860.0	841.4
	106/850 VREDENDAL				
J	1012.0	1009.8	1009.3	1017.3	1003.1
F	1011.8	1009.8	1008.6	1017.0	1003.9
M	1014.1	1012.7	1012.0	1022.8	1005.9
A	1015.8	1014.3	1014.0	1020.2	1008.4
M	1019.0	1017.5	1017.4	1029.6	1008.5
J	1020.4	1019.1	1019.3	1030.6	1012.6
J	1020.3	1019.2	1019.1	1030.1	1011.1
A	1020.1	1018.8	1019.2	1027.5	1006.4
S	1021.5	1019.7	1019.1	1028.1	1008.5
O	1018.8	1016.2	1016.4	1029.1	1008.8
N	1016.0	1013.8	1013.6	1022.8	1007.9
D	1014.0	1012.0	1011.6	1019.0	1006.8
A	1017.0	1015.2	1015.0	1030.6	1003.1
	127/485 UMTATA				
J	(935.4)	–	–	–	–
F	(938.0)	(936.4)	–	–	–
M	938.0	937.0	–	945.7	930.1
A	937.6	935.2	–	942.5	930.5
M	942.1	940.2	941.6	951.3	928.9
J	942.7	940.6	942.1	952.8	929.0
J	941.0	940.1	941.0	951.3	930.7
A	939.6	936.1	936.6	947.6	929.0
S	941.6	937.9	941.2	948.1	930.6
O	939.4	937.1	939.0	948.6	930.2
N	937.2	934.8	937.9	946.1	927.6
D	935.9	933.7	935.4	944.0	929.5
A	(939.0)	–	–	–	–
	145/ 59A GROOTFONTEIN II – AGR				
J	876.0	873.9	873.9	880.7	870.4
F	877.9	876.0	876.0	882.3	871.0
M	879.0	877.0	877.4	885.8	872.2
A	878.9	877.3	877.9	882.2	873.2
M	882.1	880.8	881.7	888.5	871.2
J	882.7	881.2	881.8	889.7	873.4
J	881.6	880.6	880.8	887.5	872.5
A	879.0	877.5	878.3	885.9	868.3
S	880.7	878.3	879.2	885.2	873.6
O	879.5	877.2	877.6	886.3	870.9
N	877.6	875.0	875.9	883.8	869.4
D	876.6	873.7	874.4	881.0	868.6
A	879.3	877.4	877.9	889.7	868.3

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE DAILY 0800	GEMIDDELDE OM AVERAGE AT 1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
			OP URE / AT HOURS		
	76/134 SOMERSET EAST – POW				
J	934.3	932.4	933.7	942.5	927.8
F	936.3	934.7	934.5	947.4	929.5
M	936.9	935.5	936.3	944.5	928.9
A	936.9	935.7	936.9	943.1	930.4
M	940.6	939.6	940.5	950.8	930.7
J	941.1	939.7	940.4	957.4	931.5
J	939.8	938.7	939.4	948.4	929.0
A	937.8	936.7	937.7	946.4	928.0
S	940.3	938.5	939.7	947.0	932.0
O	938.5	936.2	937.5	948.0	930.8
N	936.4	934.7	936.3	944.5	928.2
D	935.0	933.0	933.8	941.7	925.9
A	937.8	936.3	937.2	957.4	925.9
	92/141 BEAUFORT WEST – TNK				
J	912.3	909.8	909.4	916.9	905.1
F	913.6	911.6	911.1	920.1	905.9
M	914.8	913.1	913.0	921.0	907.5
A	915.2	913.9	914.0	921.6	909.2
M	919.0	917.8	918.2	928.8	906.8
J	918.8	917.1	917.3	927.8	909.6
J	917.4	916.2	916.1	925.2	906.6
A	916.1	915.2	915.3	923.5	906.2
S	918.0	916.1	916.1	924.3	910.4
O	916.5	914.0	914.2	925.0	907.2
N	914.5	912.5	912.2	922.6	906.0
D	913.3	910.8	910.1	917.6	904.7
A	915.8	914.0	913.9	928.8	904.7
	113/ 25 FRASERBURG				
J	874.7	873.4	872.7	878.5	869.4
F	876.4	874.9	874.5	881.0	869.8
M	877.7	876.5	876.3	883.1	871.5
A	–	–	–	–	–
M	880.6	879.8	880.2	887.5	871.0
J	880.7	879.7	879.9	888.4	873.7
J	880.1	878.8	879.1	885.8	871.1
A	878.4	877.6	877.9	884.7	870.1
S	879.8	878.5	878.7	884.1	873.3
O	878.5	876.8	876.8	885.4	872.3
N	876.8	875.1	875.2	883.4	871.1
D	875.2	873.8	873.6	878.9	869.0
A	–	–	–	–	–
	129/ 68A CAPE HERMES – VRT				
J	1012.8	1011.2	1012.0	1020.9	1003.9
F	1014.2	1012.9	1013.5	1021.3	1006.8
M	1015.4	1014.3	1015.0	1025.9	1004.6
A	1015.4	1013.4	1015.3	1023.6	1006.8
M	1020.2	1018.6	1020.1	1028.8	1005.4
J	1021.5	1019.5	1021.0	1032.0	1008.6
J	1020.1	1018.1	1019.7	1032.5	1006.1
A	1018.8	1016.8	1018.2	1028.6	1006.0
S	1021.2	1018.9	1020.7	1030.0	1009.8
O	1018.5	1016.8	1018.2	1030.5	1007.8
N	1016.3	1014.7	1016.4	1026.9	1004.4
D	1014.2	1012.4	1013.4	1021.9	1002.7
A	1017.4	1015.6	1017.0	1032.5	1002.7
	170/ 9B DE AAR – AGR* **				
J	875.2	873.1	872.7	880.8	868.9
F	877.0	875.2	874.9	881.2	870.3
M	878.1	876.5	876.6	884.6	871.0
A	878.9	877.1	877.7	881.9	873.1
M	882.2	880.6	881.5	888.3	872.5
J	882.9	881.4	–	888.8	874.6
J	882.3	880.6	–	886.9	874.3
A	879.5	877.9	–	884.8	869.4
S	–	–	–	–	–
O	–	–	–	–	–
N	–	–	–	–	–
D	–	–	–	–	–
A	–	–	–	–	–

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE DAILY 0800	GEMIDDELDE OM AVERAGE AT 1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
			OP URE / AT HOURS		
	79/811 DÖHNE – AGR				
J	911.6	910.6	911.7	918.0	906.0
F	913.3	912.6	913.2	919.5	903.8
M	914.2	913.3	914.6	922.6	906.2
A	913.3	912.2	913.8	919.4	908.1
M	917.3	916.2	917.5	926.7	904.3
J	917.7	916.8	918.2	926.8	906.6
J	916.6	915.5	916.6	925.4	906.1
A	914.2	913.3	914.5	922.6	906.0
S	916.8	915.3	917.0	924.1	909.6
O	915.3	914.0	915.3	924.1	907.6
N	913.4	912.3	913.9	921.6	906.0
D	912.3	911.2	912.1	918.7	905.0
A	914.7	913.6	914.9	926.8	903.8
	96/ 45 GRAAFF-REINET – TNK				
J	933.3	930.4	930.5	938.5	925.1
F	935.6	932.8	932.6	941.2	927.6
M	936.2	934.1	934.2	943.3	927.5
A	936.5	934.7	935.3	942.9	929.6
M	940.1	938.7	939.9	948.0	929.2
J	941.2	939.0	939.7	951.0	931.5
J	940.0	938.4	939.0	947.9	929.4
A	938.1	936.3	937.3	946.4	925.4
S	939.8	937.4	938.1	946.5	931.4
O	938.2	935.2	935.8	947.0	927.2
N	935.9	932.9	934.4	944.1	922.4
D	934.4	931.4	931.6	940.3	924.5
A	937.4	935.1	935.7	951.0	922.4
	123/654 QUEENSTOWN – TNK				
J	890.3	889.1	890.6	896.2	882.0
F	892.3	891.2	891.1	897.2	884.2
M	893.3	891.7	892.6	899.7	886.8
A	892.7	891.2	892.4	895.7	887.2
M	896.2	895.2	896.3	903.7	886.5
J	897.4	895.2	896.9	905.7	885.0
J	896.6	895.1	896.0	903.2	886.5
A	893.3	891.9	893.1	901.7	883.2
S	895.8	893.9	894.9	901.7	887.3
O	894.3	892.1	893.3	902.3	885.2
N	892.6	890.2	891.7	898.7	882.5
D	891.2	888.9	890.3	896.3	882.4
A	893.8	892.1	893.3	905.7	882.0
	134/478 CALVINIA – TNK				
J	900.4	898.2	898.8	903.5	891.1
F	901.5	899.9	899.5	905.4	896.5
M	902.9	901.4	(901.8)	908.0	898.0
A	904.0	902.6	903.5	908.6	897.8
M	906.2	905.0	(905.4)	911.8	896.7
J	906.0	904.7	–	914.5	900.5
J	905.9	904.6	905.2	912.3	897.6
A	904.7	903.9	904.0	910.1	893.2
S	905.9	904.7	905.0	909.4	899.1
O	904.7	902.8	903.5	911.1	897.7
N	902.7	901.3	901.3	907.4	892.5
D	901.0	899.5	899.8	904.4	894.4
A	903.8	902.4	–	914.5	891.1
	175/371 ALIWAL NORTH – TNK* **				
J	870.3	868.5	867.5	874.1	862.3
F	871.6	870.0	869.4	876.4	864.2
M	873.0	871.4	871.1	879.4	865.3
A	873.4	871.8	872.2	877.3	866.6
M	876.9	875.4	876.2	881.7	866.3
J	877.8	876.2	876.4	882.6	868.4
J	876.6	875.3	875.3	886.9	867.5
A	873.5	871.7	872.1	878.7	863.8
S	874.5	872.3	872.6	878.5	866.3
O	873.7	871.2	871.6	879.1	864.7
N	871.7	868.9	869.4	876.1	863.0
D	870.6	868.1	868.2	874.9	861.8
A	873.6	871.7	871.8	888.9	861.8

TV 4 / 200

*** Stasie verskuif: kyk na bl. XXI / Station shifted: see p. XXI

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT 0800	1400	2000	HOOGSTE HIGHEST OP URE / AT HOURS	LAAGSTE LOWEST OP URE / AT HOURS
	178/689 SHEEPRUN				
J	881.7	880.5	881.6	887.0	874.7
F	883.5	882.5	883.1	888.9	875.4
M	884.6	883.3	884.6	892.3	878.1
A	884.2	882.4	883.9	888.6	878.0
M	887.8	886.2	887.6	895.3	876.4
J	888.4	886.6	887.8	895.2	876.5
J	887.2	885.7	886.8	893.6	876.5
A	884.6	882.6	884.0	891.8	876.6
S	886.4	884.1	885.8	891.6	877.4
O	885.1	883.2	884.7	892.2	876.3
N	883.2	881.6	883.4	889.4	874.5
D	882.2	880.6	881.9	888.2	874.2
A	884.9	883.3	884.6	895.3	874.2
	193/561 VANWYKSVLEI* **				
J	899.5	898.2	897.0	902.7	892.8
F	900.2	899.2	897.4	904.8	888.4
M	901.4	900.6	899.8	907.7	895.4
A	902.2	901.2	900.5	906.9	896.3
M	905.5	904.6	904.5	912.0	897.3
J	906.2	905.0	904.8	913.0	899.1
J	905.9	904.9	904.7	912.4	897.1
A	904.2	903.3	903.1	909.2	895.8
S	905.4	903.7	903.4	910.9	899.5
O	904.2	902.1	901.8	910.8	896.6
N	901.9	900.2	899.1	908.9	895.8
D	900.5	898.4	898.0	906.0	893.5
A	903.1	901.8	901.2	913.0	888.4
	229/556 FAURESMITH				
J	860.6	859.1	858.3	865.4	854.1
F	862.1	860.8	860.2	865.7	856.0
M	863.2	862.1	861.9	870.2	856.0
A	863.6	862.5	862.7	866.7	858.7
M	866.6	865.8	866.3	871.9	859.8
J	867.6	866.8	866.7	871.7	858.9
J	866.4	865.4	865.5	870.6	859.1
A	863.9	862.7	863.0	868.2	854.7
S	864.7	862.9	863.2	868.8	857.5
O	863.5	861.1	862.0	868.8	848.5
N	861.9	859.6	859.3	870.4	854.9
D	860.5	858.7	858.2	864.1	854.0
A	863.7	862.3	862.3	871.9	848.5
	239/482 CEDARA – AGR				
J	892.7	891.6	892.8	897.7	887.6
F	893.9	892.9	894.1	898.9	887.6
M	895.1	893.9	895.4	903.2	887.8
A	894.5	893.0	894.3	899.9	889.2
M	898.1	895.9	897.7	904.4	887.3
J	898.9	896.9	898.7	904.9	887.3
J	897.4	895.7	897.3	904.9	886.7
A	895.0	893.0	894.9	901.7	887.2
S	896.7	894.5	896.4	904.1	889.0
O	895.3	893.8	895.9	903.2	886.8
N	893.7	892.0	894.1	899.9	885.7
D	892.4	890.8	892.7	898.8	882.7
A	895.3	893.7	895.4	904.9	882.7
	247/668 POFADDER – SKL* **				
J	–	–	–	–	–
F	901.6	901.4	899.9	904.3	897.0
M	903.2	903.1	902.1	909.4	898.6
A	904.2	903.7	903.4	908.2	898.2
M	907.2	906.7	906.8	913.6	900.2
J	907.7	907.0	906.7	914.1	901.9
J	907.1	907.0	906.6	913.5	900.4
A	–	–	–	–	–
S	–	–	–	–	–
O	905.5	903.8	(904.1)	910.6	897.8
N	903.5	902.6	902.1	906.6	898.2
D	902.2	901.4	900.3	905.5	896.6
A	–	–	–	–	–

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT 0800	1400	2000	HOOGSTE HIGHEST OP URE / AT HOURS	LAAGSTE LOWEST OP URE / AT HOURS
	180/722A KOKSTAD – TNK				
J	870.7	869.2	870.3	876.6	862.6
F	872.3	871.0	871.5	876.7	864.7
M	873.5	872.0	873.1	881.2	865.1
A	873.1	871.4	872.4	882.1	866.5
M	876.6	874.7	875.8	883.3	865.6
J	877.4	875.2	876.8	883.4	865.4
J	876.2	874.3	875.8	883.3	866.0
A	873.6	871.4	872.4	880.8	865.8
S	875.0	872.5	874.4	881.1	866.4
O	873.6	871.2	873.3	881.0	864.0
N	871.6	869.7	871.6	875.5	863.1
D	870.9	869.2	870.8	877.6	862.6
A	873.7	871.8	873.2	883.4	862.6
	214/636 OKIEP				
J	912.0	910.9	911.0	914.3	909.0
F	912.2	911.5	911.4	915.5	909.3
M	913.8	913.2	913.4	916.2	909.6
A	915.0	914.2	914.7	919.0	910.7
M	917.8	916.6	917.4	923.8	912.6
J	918.3	917.1	918.0	923.8	913.4
J	917.9	917.1	917.7	924.3	911.6
A	917.6	916.7	917.1	922.1	908.4
S	918.1	917.1	917.2	921.8	912.9
O	916.2	915.2	915.5	922.5	912.2
N	914.6	913.5	913.8	918.5	909.9
D	913.8	913.0	912.9	916.5	910.3
A	915.6	914.7	915.0	924.3	908.4
	233/ 44 WEPENER – TNK* **				
J	861.0	859.5	858.5	865.0	855.4
F	862.4	860.8	860.7	864.9	855.8
M	863.8	861.9	861.6	870.6	850.8
A	864.4	862.5	(863.1)	867.6	859.3
M	867.7	866.6	866.9	872.8	858.8
J	869.0	867.9	867.9	873.9	859.3
J	867.8	866.8	866.8	872.1	859.8
A	865.4	863.9	863.7	870.0	856.8
S	865.6	863.8	863.8	869.5	858.0
O	864.4	862.9	862.9	868.8	856.5
N	862.6	860.5	860.2	868.7	855.2
D	861.6	859.7	859.3	865.1	854.0
A	864.6	863.1	(862.9)	873.9	850.8
	240/808 LOUIS BOTHA – WK				
J	1012.9	1011.5	1012.3	1020.8	1003.9
F	1014.6	1013.2	1014.2	1021.2	1005.9
M	1015.5	1013.9	1015.2	1025.7	1004.8
A	1015.5	1013.3	1014.9	1022.6	1008.3
M	1020.4	1018.4	1020.3	1030.5	1006.0
J	1022.4	1020.1	1021.9	1032.3	1007.0
J	1020.9	1018.7	1020.5	1032.2	1007.3
A	1018.7	1016.0	1017.7	1028.0	1006.2
S	1020.6	1018.1	1020.0	1030.9	1008.3
O	1017.9	1016.1	1018.1	1030.7	1004.1
N	1016.0	1013.5	1015.9	1025.9	999.8
D	1013.3	1011.8	1013.0	1022.1	1000.7
A	1017.4	1015.4	1017.0	1032.3	999.8
	261/516 J B M HERTZOG – WK				
J	861.0	859.1	858.5	865.5	854.3
F	862.4	860.7	860.3	866.7	855.6
M	863.8	862.0	862.0	870.0	855.8
A	863.9	862.4	862.9	867.6	858.2
M	867.1	865.6	866.3	872.0	857.2
J	868.2	866.7	867.1	872.0	858.5
J	867.1	865.4	866.0	871.3	856.6
A	864.6	862.7	863.0	868.9	855.1
S	865.1	862.8	863.2	869.7	857.8
O	864.0	861.8	862.1	869.4	856.2
N	862.0	859.5	859.5	865.6	854.0
D	861.1	858.9	858.7	865.1	853.7
A	864.2	862.3	862.5	872.0	853.7

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT 0800	1400	2000	HOOGSTE HIGHEST OP URE / AT HOURS	LAAGSTE LOWEST OP URE / AT HOURS
	182/794A PORT SHEPSTONE – VRT				
J	1013.0	1011.8	1012.2	1021.0	1004.1
F	1014.6	1013.4	1013.9	1021.4	1004.5
M	1015.4	1014.2	1015.2	1025.7	1005.5
A	1015.4	1013.5	1015.0	1022.5	1007.9
M	1020.2	1018.7	1020.2	1029.2	1006.2
J	1021.8	1020.1	1021.6	1033.3	1010.3
J	–	–	–	–	–
A	1018.2	1016.2	1017.5	1027.5	1005.5
S	1020.5	1018.3	1019.8	1030.3	1008.5
O	1017.9	1016.3	1017.8	1030.5	1004.9
N	1015.9	1014.1	1015.8	1026.1	1003.9
D	1013.5	1012.0	1012.9	1021.8	1001.0
A	–	–	–	–	–
	224/430 PRIESKA				
J	911.2	908.9	908.0	915.6	905.0
F	912.8	910.8	909.9	917.1	905.2
M	914.4	912.3	911.8	921.1	907.6
A	915.5	913.5	913.5	918.7	909.2
M	919.3	917.6	917.9	926.5	911.1
J	920.4	918.4	918.6	927.9	912.0
J	919.6	917.8	918.0	925.7	911.9
A	917.8	915.6	915.9	922.9	908.6
S	918.0	915.2	915.4	922.4	910.8
O	916.2	913.3	913.1	923.6	908.1
N	913.9	911.1	910.6	920.8	906.0
D	912.4	910.0	909.1	916.3	905.7
A	916.0	913.7	913.5	927.9	905.0
	237/591 WATERFORD				
J	841.5	840.3	(841.2)	846.5	835.2
F	843.0	(841.8)	(843.0)	847.6	836.7
M	844.5	842.9	844.1	851.9	836.4
A	843.7	841.8	843.1	847.6	837.8
M	846.5	844.7	845.7	852.2	835.7
J	847.4	845.2	846.8	852.0	837.2
J	846.0	844.8	846.3	852.3	836.2
A	843.3	841.7	843.4	849.3	835.5
S	845.0	842.7	844.3	850.3	836.9
O	844.0	842.3	844.0	849.9	836.1
N	842.5	841.4	842.5	847.3	834.7
D	841.4	840.1	841.9	846.8	834.6
A	844.1	(842.5)	(843.9)	852.3	834.6
	242/644 PORT NOLLOTH – VRT				
J	1013.0	1012.1	1011.7	1017.6	1008.1
F	1012.4	1011.8	1010.9	1016.3	1007.8
M	1014.4	1013.7	1013.3	1021.4	1009.2
A	1016.2	1015.0	1015.5	1022.0	1008.0
M	1018.0	1017.2	1017.9	1025.3	1012.0
J	1020.3	1019.5	1020.1	1027.8	1014.1
J	1020.0	1019.3	1019.9	1028.3	1010.3
A	1020.5	1019.7	1020.2	1025.9	1010.9
S	1020.9	1019.4	1019.6	1027.2	1011.6
O	1018.7	1017.4	1017.5	1027.9	1012.0
N	1016.3	1015.3	1015.1	1021.4	1010.7
D	1015.2	1014.2	1013.9	1019.0	1010.5
A	1017.2	1016.2	1016.3	1028.3	1007.8
	268/631 ESTCOURT – AGR				
J	877.0	875.2	876.2	881.7	869.6
F	878.3	876.5	877.4	883.1	869.4
M	880.0	877.7	879.2	887.4	870.1
A	–	–	–	–	–
M	–	–	–	–	–
J	883.6	881.5	882.9	889.5	872.1
J	882.1	880.1	881.5	889.1	870.3
A	879.8	877.2	878.6	885.8	870.5
S	881.4	878.4	880.3	888.2	871.3
O	880.2	877.3	879.3	888.3	870.5
N	878.5	875.8	877.8	884.3	869.6
D	877.0	874.7	876.2	882.4	866.5
A	–	–	–	–	–

TV 4 / 200

** Stasie verskuif; kyk na bl. XXI / Station shifted; see p. XXI

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT 0800	1400	2000	HOOGSTE HIGHEST OP URE / AT HOURS	LAAGSTE LOWEST OP URE / AT HOURS
	274/ 34 ALEXANDER BAY – WK				
J	1012.6	1011.0	1011.4	1017.2	1007.9
F	1012.1	1010.6	1010.3	1015.8	1006.9
M	1014.1	1012.6	1013.[illegible]	1020.9	1009.0
A	1015.9	1014.1	1015.1	1021.0	1007.7
M	1017.7	1016.0	1017.3	1024.6	1011.1
J	1020.1	1018.7	1019.6	1026.0	1013.1
J	1019.9	1018.5	1019.5	1026.4	1009.7
A	1020.3	1019.0	1019.8	1025.8	1010.7
S	1020.5	1018.4	1019.2	1026.5	1010.9
O	1018.4	1016.2	1017.1	1027.2	1011.0
N	1015.9	1014.0	1014.8	1020.5	1009.9
D	1014.7	1012.9	1013.5	1018.5	1008.8
A	1016.9	1015.2	1015.9	1027.2	1006.9
	317/474 UPINGTON – WK				
J	921.6	919.4	918.5	924.5	915.5
F	922.9	921.4	920.2	926.1	917.0
M	924.5	923.0	922.3	930.0	918.0
A	925.8	924.2	924.2	929.8	921.0
M	929.5	928.1	928.4	936.1	921.6
J	930.3	928.8	929.0	937.6	922.5
J	929.9	928.7	928.7	936.0	922.0
A	928.4	926.8	926.9	931.9	917.0
S	928.2	926.3	926.0	931.3	920.6
O	926.3	924.0	923.7	931.8	917.8
N	924.2	921.9	921.3	929.5	915.9
D	922.9	920.6	920.0	926.3	916.5
A	926.2	924.4	924.1	937.6	915.5
	362/710 HOOPSTAD – TNK				
J	875.3	873.5	872.9	879.4	869.0
F	877.1	875.5	874.7	881.1	869.4
M	878.7	876.9	876.5	884.6	870.1
A	879.3	877.4	877.7	882.7	873.7
M	882.7	881.0	881.1	887.5	873.8
J	883.8	881.9	882.3	887.8	874.5
J	882.8	880.9	881.2	886.7	873.3
A	880.2	878.5	878.2	883.9	872.7
S	880.5	878.1	878.2	885.0	872.2
O	879.1	876.9	876.9	884.4	872.1
N	877.1	874.7	874.7	880.5	869.3
D	876.1	874.2	873.7	879.7	869.1
A	879.4	877.5	877.3	887.8	869.0
	393/778 KURUMAN – TNK				
J	870.0	868.6	867.7	874.0	863.5
F	870.6	869.9	868.9	873.9	865.8
M	872.2	871.7	870.4	877.6	865.6
A	873.0	872.0	871.9	876.6	868.5
M	876.0	875.0	875.4	880.4	869.0
J	876.8	875.8	875.9	881.6	870.4
J	875.2	874.1	874.5	879.3	867.9
A	873.5	872.1	872.2	886.2	867.2
S	873.7	872.4	872.3	877.5	867.7
O	872.2	870.6	870.7	876.2	866.0
N	870.7	869.3	868.4	875.1	863.7
D	870.1	868.9	868.3	875.3	865.4
A	872.8	871.7	871.4	886.2	863.5
	413/158 DIAZ POINT – SWA – VRT				
J	1011.9	1011.1	1010.7	1014.9	1006.8
F	1010.9	1010.3	1009.3	1013.5	1004.7
M	1012.8	1012.3	1012.0	1015.5	1009.3
A	1014.6	1013.7	1013.9	1018.6	1009.2
M	1016.3	1015.4	1016.2	1020.1	1012.6
J	1019.0	1018.3	1018.7	1022.7	1014.9
J	1019.2	1018.9	1018.9	1024.8	1010.7
A	1019.9	1019.0	1019.2	1026.0	1012.8
S	1018.3	1017.0	1017.3	1022.5	1011.4
O	1017.1	1015.9	1016.0	1022.4	1011.7
N	1014.9	1013.9	1013.5	1019.1	1007.7
D	1013.9	1013.1	1012.4	1017.4	1008.9
A	1015.7	1014.9	1014.8	1026.0	1004.7

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT 0800	1400	2000	HOOGSTE HIGHEST OP URE / AT HOURS	LAAGSTE LOWEST OP URE / AT HOURS
	290/468 KIMBERLEY – WK				
J	875.0	873.4	872.8	879.7	869.0
F	876.6	875.1	874.7	880.2	870.2
M	878.0	876.6	876.4	884.3	870.6
A	878.6	877.4	877.6	882.0	873.0
M	882.0	880.9	881.5	887.4	872.1
J	882.9	881.7	882.0	887.8	874.6
J	881.9	880.6	881.1	886.1	873.9
A	879.7	877.9	878.4	883.5	872.9
S	880.0	878.0	878.4	883.5	872.8
O	878.6	876.6	876.8	884.4	871.9
N	876.6	874.7	874.6	881.9	868.5
D	875.7	873.7	873.4	879.2	868.5
A	878.8	877.2	877.3	887.8	868.5
	331/520 LOCH LOMOND – AGR				
J	842.0	840.0	840.5	846.1	836.1
F	843.1	841.3	841.6	846.7	836.3
M	845.1	842.9	843.8	850.8	836.3
A	845.3	843.3	844.0	849.3	839.7
M	847.6	845.9	846.7	850.8	840.2
J	849.2	847.3	848.3	852.6	840.3
J	847.9	846.0	846.9	852.3	838.7
A	845.5	843.5	844.2	849.9	837.0
S	846.7	844.3	844.9	851.5	838.0
O	845.3	843.4	843.8	850.4	838.8
N	843.6	841.4	841.9	847.1	836.4
D	842.3	840.4	840.6	845.9	835.9
A	845.3	843.3	843.9	852.6	835.9
	365/430 KROONSTAD – MUN				
J	860.7	859.0	858.6	864.4	855.5
F	861.7	860.3	859.4	865.6	855.2
M	863.2	861.6	861.4	870.1	855.6
A	863.4	861.9	862.3	867.7	858.7
M	866.3	865.5	865.8	872.3	858.5
J	867.7	866.2	866.3	871.9	859.2
J	867.1	865.4	865.9	871.2	858.6
A	864.7	862.9	862.7	868.9	856.2
S	865.0	863.2	863.0	869.8	857.1
O	863.8	861.7	861.9	867.9	856.5
N	862.0	860.2	859.7	867.3	854.2
D	860.7	859.4	859.1	864.9	852.3
A	863.9	862.3	862.2	872.3	852.3
	403/886A FRANKFORT – TNK				
J	851.4	849.5	850.0	854.7	845.8
F	852.4	850.6	850.6	856.0	845.8
M	854.3	852.4	852.8	860.2	845.7
A	854.3	852.4	853.1	858.4	849.1
M	857.0	855.1	855.9	861.9	849.4
J	856.5	856.2	857.3	861.6	849.8
J	857.1	854.9	856.0	861.5	848.2
A	854.9	852.5	853.5	858.8	846.1
S	855.7	853.2	854.1	860.7	848.0
O	854.5	852.1	853.2	859.4	847.7
N	852.7	850.3	851.3	856.2	845.6
D	851.7	849.8	849.9	855.3	845.0
A	854.5	852.4	853.1	861.9	845.0
	419/182 KEETMANSHOOP – SWA – WK				
J	890.3	888.5	887.6	892.7	885.3
F	891.1	889.9	888.8	894.2	885.9
M	892.8	891.4	890.3	897.7	886.7
A	893.6	892.4	892.1	897.5	887.8
M	896.4	895.4	895.5	901.4	890.7
J	896.7	895.5	895.6	901.4	891.0
J	896.7	895.7	895.7	901.7	889.3
A	895.7	894.5	894.3	899.7	886.1
S	896.1	894.4	894.0	898.7	889.1
O	894.5	892.5	892.1	899.4	887.8
N	892.8	890.7	890.1	896.7	886.3
D	891.9	890.0	889.0	894.7	885.5
A	894.1	892.6	892.1	901.7	885.3

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT 0800	1400	2000	HOOGSTE HIGHEST OP URE / AT HOURS	LAAGSTE LOWEST OP URE / AT HOURS
	305/ 17 RICHARDS BAY – ALUSAF				
J	1013.5	1011.8	1012.7	1020.1	1002.8
F	1014.7	1013.4	1014.2	1020.3	1004.6
M	1016.0	1014.5	1015.3	1024.9	1005.5
A	1016.2	1013.8	-	1021.3	1007.0
M	1020.9	1019.2	-	1029.7	1006.8
J	1023.2	1020.6	-	1031.1	1007.0
J	1021.4	1019.9	-	1031.0	1008.0
A	1019.4	1015.6	-	1027.3	1006.7
S	1020.6	1018.7	-	1030.2	1010.1
O	-	-	-	-	-
N	1016.5	1014.0	-	1024.6	1004.2
D	1013.9	1011.9	-	1021.9	1000.1
A	-	-	-	-	-
	339/720 CAPE ST LUCIA – VRT				
J	1012.9	1011.[illegible]	1012.0	1018.7	1003.4
F	1014.1	1013.1	1013.4	1019.3	1002.9
M	1015.6	1014.0	1014.9	1024.1	1006.9
A	1016.1	1013.8	1014.7	1022.4	1007.2
M	1020.2	1018.6	1019.9	1028.7	1007.6
J	1023.1	1020.7	1022.1	1031.1	1007.4
J	1021.0	1019.2	1020.5	1029.9	1007.5
A	1019.3	1016.5	1017.7	1026.4	1007.8
S	1020.0	1017.8	1019.2	1028.5	1007.4
O	1018.8	1016.4	1017.9	1029.1	1005.4
N	1016.7	1014.5	1015.6	1024.3	1004.5
D	1013.5	1011.9	1012.5	1021.3	1000.9
A	1017.6	1015.7	1016.7	1031.1	1000.9
	370/735 NEWCASTLE – CON				
J	876.7	874.7	875.3	880.9	869.8
F	877.6	876.0	876.4	881.3	866.8
M	879.6	877.0	878.1	886.7	869.0
A	879.2	876.8	877.8	883.2	873.6
M	882.2	880.3	881.3	888.5	872.3
J	883.7	881.3	882.3	888.6	873.3
J	882.3	880.2	881.2	889.1	873.1
A	879.9	877.1	878.4	885.2	871.9
S	880.9	878.3	879.6	887.9	872.1
O	880.0	877.3	878.6	886.1	870.3
N	878.1	875.8	877.3	883.4	870.4
D	877.2	874.6	874.9	886.4	868.6
A	879.8	877.5	878.4	889.1	869.8
	411/324 MAKATINI – AGR				
J	1012.1	1009.8	1011.5	1017.4	1003.0
F	1013.9	1010.7	1013.2	1019.0	1004.1
M	1015.5	1012.1	1014.6	1023.5	1004.8
A	1016.0	1012.5	1014.5	1022.2	1006.4
M	1020.0	1016.4	1019.3	1027.4	1006.9
J	1023.1	1019.2	1021.9	1030.7	1007.1
J	1021.1	1017.0	1019.8	1029.3	1006.3
A	1019.1	1014.0	1017.8	1026.7	1004.3
S	1018.7	1014.8	1018.0	1027.7	1008.0
O	1017.6	1013.7	1016.5	1028.5	1003.0
N	1015.8	1011.5	1014.1	1022.3	1002.8
D	1012.8	1009.5	1011.7	1021.2	1000.4
A	1017.2	1013.4	1016.1	1030.7	1000.4
	432/237 ARMUEDSVLAKTE – AGR				
J	874.7	873.2	872.9	878.9	869.4
F	876.5	875.1	874.2	880.1	870.7
M	878.2	876.6	876.4	884.1	870.3
A	(879.6)	(877.9)	-	-	-
M	881.8	880.5	881.0	886.5	873.6
J	883.0	881.4	881.9	886.9	874.9
J	(882.6)	(881.2)	(881.6)	-	-
A	879.9	877.9	878.3	884.8	872.2
S	880.4	878.2	878.8	884.3	872.2
O	878.7	876.4	876.5	882.8	871.5
N	876.7	874.5	874.1	880.4	868.4
D	875.5	873.9	873.6	879.6	869.0
A	(879.0)	(877.2)	-	-	-

LUGDRUK – mb – ATMOSPHERIC PRESSURE

Columns: DAELIKSE GEMIDDELDE OM / DAILY AVERAGE AT 0800, 1400, 2000; HOOGSTE / HIGHEST and LAAGSTE / LOWEST OP URE / AT HOURS

435/157 DOORNLAAGTE

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	850.4	849.5	849.3	853.6	845.8
F	851.6	850.5	850.2	854.9	846.2
M	852.6	(851.6)	(851.4)	-	-
A	(854.1)	(853.1)	(853.6)	-	-
M	856.4	855.3	856.0	860.4	850.0
J	857.6	856.4	857.0	860.8	850.6
J	856.5	855.1	855.5	860.0	848.8
A	854.3	853.0	853.5	857.5	846.9
S	855.0	853.7	853.8	859.3	847.6
O	853.7	852.2	852.4	857.6	847.9
N	852.1	850.3	850.5	855.5	845.3
D	851.5	849.9	849.9	855.0	843.6
A	(853.8)	(852.5)	(852.8)	-	-

437/134 POTCHEFSTROOM - AGR

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	870.8	869.1	868.9	874.5	866.1
F	872.1	870.3	870.0	876.1	865.7
M	873.8	872.3	872.0	880.4	865.9
A	874.3	872.6	873.0	877.8	869.6
M	877.6	875.6	876.2	882.7	869.8
J	879.0	876.8	877.6	882.3	870.5
J	877.7	875.6	876.4	881.6	868.4
A	875.7	873.4	873.7	879.3	866.8
S	875.8	873.3	873.9	880.3	867.7
O	874.1	872.2	873.1	878.9	868.0
N	872.1	870.3	870.5	875.6	865.6
D	871.2	869.7	869.4	874.7	863.7
A	874.5	872.6	872.9	882.7	863.7

441/446 STANDERTON

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	842.0	840.0	840.2	845.2	835.8
F	842.6	841.3	841.1	846.1	835.6
M	843.9	842.3	-	847.8	836.0
A	-	-	-	-	-
M	846.5	845.3	846.0	851.0	839.7
J	848.3	846.6	847.3	851.9	839.9
J	846.9	845.2	845.8	851.3	838.8
A	844.8	842.9	843.6	848.9	836.8
S	845.8	843.9	844.3	851.1	838.6
O	844.7	842.6	843.7	849.5	836.7
N	843.1	841.3	842.0	846.3	837.6
D	842.0	840.6	(840.2)	846.4	834.8
A	-	-	-	-	-

444/540 PIET RETIEF - TNK

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	876.3	874.9	875.7	880.1	870.7
F	877.2	875.8	876.5	881.3	869.4
M	879.3	877.5	878.7	885.9	870.4
A	879.1	877.0	878.3	883.7	873.8
M	881.4	879.7	881.0	886.6	873.1
J	882.7	881.0	882.2	888.0	873.1
J	-	-	-	-	-
A	879.3	876.9	878.3	884.3	871.6
S	881.0	878.5	880.6	887.0	872.6
O	880.0	877.6	879.3	886.3	871.3
N	878.3	876.3	877.6	883.5	871.0
D	876.9	875.1	875.9	882.1	869.7
A	-	-	-	-	-

445/512 MATSAPA - SWAZ

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	946.9	944.2	-	952.3	938.5
F	948.0	945.5	-	952.4	938.9
M	949.7	947.1	-	955.8	940.7
A	949.8	947.5	-	955.0	942.3
M	953.2	951.4	-	960.4	941.8
J	955.4	953.0	-	960.9	944.6
J	953.9	951.5	-	960.9	941.8
A	951.8	948.4	-	958.1	941.5
S	952.6	949.6	-	961.0	941.9
O	951.6	948.5	-	960.5	939.8
N	949.4	947.0	-	955.3	938.7
D	947.5	945.2	-	953.3	936.9
A	950.8	948.2	-	961.0	936.9

461/208 TWEE RIVIERE

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	910.5	908.7	907.4	913.9	904.9
F	911.7	910.5	909.0	914.8	906.5
M	913.3	911.9	910.7	919.2	907.1
A	914.9	913.5	912.9	918.7	905.5
M	918.0	917.3	917.3	923.3	911.9
J	919.5	918.3	918.0	925.0	912.7
J	919.1	918.0	917.6	923.9	911.5
A	917.4	916.3	915.7	921.1	907.5
S	917.0	915.6	914.8	919.7	909.4
O	915.1	913.2	912.4	920.2	907.1
N	913.0	910.9	910.2	917.6	906.0
D	912.1	910.1	908.9	915.0	904.9
A	915.1	913.7	912.9	925.0	904.9

476/398 JAN SMUTS - WK

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	831.7	830.3	830.4	835.0	826.8
F	832.6	831.2	831.1	836.0	827.2
M	834.5	833.3	833.3	839.8	826.9
A	834.5	833.2	833.8	838.4	829.7
M	836.4	835.1	836.0	840.6	830.7
J	837.9	836.5	837.4	841.0	831.0
J	836.7	835.3	836.0	840.6	829.7
A	834.8	833.3	833.9	838.4	826.8
S	835.9	834.2	834.8	840.8	829.6
O	834.6	832.9	833.7	839.2	828.6
N	833.1	831.4	831.7	836.6	827.3
D	832.0	830.9	830.8	835.5	825.2
A	834.6	833.1	833.6	841.0	825.2

478/867 BETHAL - TNK

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	831.0	829.9	829.9	834.2	826.3
F	832.0	831.2	831.1	834.8	827.6
M	834.1	832.4	833.2	838.9	826.5
A	833.7	832.6	833.0	837.8	828.4
M	835.8	834.8	835.2	840.2	829.9
J	836.9	836.1	836.2	840.9	830.0
J	835.5	834.6	834.9	839.8	828.5
A	833.8	832.6	832.9	837.7	826.7
S	835.1	833.8	834.2	839.9	829.2
O	833.8	832.8	832.8	838.4	824.2
N	-	-	-	-	-
D	831.1	830.2	830.1	835.0	824.6
A	-	-	-	-	-

480/184A CAROLINA - TNK

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	831.8	830.9	831.1	835.2	828.4
F	832.7	831.3	831.9	836.2	826.7
M	834.8	833.1	834.3	839.8	826.8
A	834.6	832.9	834.6	839.4	829.8
M	836.5	835.0	836.4	841.0	829.9
J	838.0	836.4	838.2	841.5	830.[illegible]
J	836.7	835.1	836.5	841.1	829.7
A	835.1	832.7	834.0	839.5	826.2
S	836.4	834.2	835.1	841.6	829.8
O	-	-	-	-	-
N	833.6	831.6	831.9	836.4	828.2
D	832.4	830.9	830.1	836.3	825.3
A	-	-	-	-	-

508/261 MAFEKING - TNK

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	870.9	869.3	868.9	874.2	865.2
F	872.1	870.5	869.4	874.9	865.9
M	873.8	872.5	871.7	879.3	866.1
A	874.4	872.7	873.5	880.1	867.5
M	877.0	875.8	876.1	881.2	871.1
J	878.3	876.5	877.9	881.6	868.7
J	877.4	876.0	876.3	881.3	870.3
A	875.2	873.5	874.1	878.5	867.7
S	875.5	873.8	874.4	880.5	867.5
O	874.3	872.2	872.3	878.6	867.3
N	872.4	870.7	870.9	876.3	865.9
D	871.5	869.6	869.7	875.7	864.4
A	874.4	872.8	872.9	881.6	864.4

511/523 RUSTENBURG - AGR

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	881.1	879.0	878.8	884.9	875.0
F	882.2	880.2	879.9	885.7	875.1
M	884.1	882.1	882.1	890.0	874.9
A	884.6	882.6	883.1	888.5	879.0
M	887.5	885.5	886.4	892.6	881.4
J	889.3	887.3	888.1	892.6	881.3
J	888.2	886.1	886.7	892.0	880.5
A	886.0	883.2	884.1	889.6	876.2
S	886.2	883.6	884.1	892.5	878.1
O	884.9	882.2	882.6	890.6	877.7
N	883.0	880.3	880.9	886.4	875.0
D	881.8	879.5	879.3	886.5	874.5
A	884.9	882.6	883.0	892.6	874.5

513/314A PRETORIA - FORUM - WB****

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	871.4	869.4	869.5	874.7	865.5
F	872.4	870.4	870.4	875.9	866.0
M	874.5	872.4	872.5	880.0	865.3
A	874.9	872.8	873.6	878.8	869.6
M	877.6	875.4	876.6	880.7	871.4
J	879.5	877.1	878.3	882.8	871.1
J	878.2	875.9	876.7	882.3	870.2
A	876.1	873.5	874.3	879.7	866.3
S	876.5	873.9	874.5	882.4	868.5
O	875.1	872.5	873.4	880.7	867.6
N	873.3	870.9	871.6	877.6	866.4
D	871.9	870.1	869.9	876.0	865.1
A	875.1	872.9	873.4	882.8	865.1

554/816 LYDENBURG - VIS

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	862.4	860.7	86[illegible].1	865.6	857.3
F	863.5	862.1	862.3	866.7	858.3
M	865.7	863.9	864.7	870.6	857.9
A	865.8	864.2	865.2	870.5	860.0
M	868.4	866.6	867.9	873.2	861.6
J	870.0	868.4	869.7	874.7	862.2
J	869.0	866.7	868.0	873.4	861.8
A	867.3	864.8	866.0	871.4	860.3
S	868.0	865.5	866.9	873.6	861.5
O	866.9	864.5	865.8	872.1	860.1
N	865.0	863.1	864.5	869.6	858.9
D	863.6	861.9	862.7	869.3	857.3
A	866.3	864.4	865.4	874.7	857.3

555/837 NELSPRUIT - AGR

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	934.8	932.7	933.3	939.1	929.1
F	935.9	933.7	934.1	941.0	928.5
M	938.2	935.5	936.9	945.1	928.1
A	938.6	935.8	937.2	944.0	931.4
M	942.1	939.4	941.1	948.9	931.8
J	944.6	941.8	943.2	949.9	933.2
J	942.8	939.7	941.4	948.4	931.0
A	940.7	936.9	938.7	945.8	931.0
S	941.0	937.5	939.6	948.5	930.9
O	940.0	936.7	938.4	948.6	930.5
N	938.1	935.3	936.2	942.7	929.4
D	935.6	933.1	933.7	940.8	928.0
A	939.4	936.5	937.8	949.9	928.0

568/817 MARIENTAL - SWA - POS***

MAAND MONTH	0800	1400	2000	HOOGSTE HIGHEST	LAAGSTE LOWEST
J	888.7	887.4	885.8	891.9	883.7
F	889.8	888.9	888.0	892.2	884.5
M	(890.9)	(890.0)	(889.1)	-	-
A	892.6	892.3	891.4	896.6	887.9
M	895.4	894.9	894.5	899.1	891.3
J	896.2	895.4	894.9	900.5	891.0
J	896.2	895.5	894.7	900.5	889.8
A	895.1	894.7	893.8	898.1	889.3
S	895.7	894.0	893.2	898.6	889.4
O	893.7	891.9	891.5	899.0	887.7
N	891.6	890.4	888.9	896.2	886.6
D	889.8	889.1	888.3	893.3	884.9
A	(893.0)	(892.0)	(891.2)	-	-

TV 4 200

*** Stasie verskuif; kyk na bl. XXI / Station shifted: see p. XXI

**** HT en HR ten opsigte van dak van gebou 19 m bo grondvlak
HT and HR refer to height above roof of building 19 m above ground level

MAAND MONTH	LUGDRUK – mb – ATMOSPHERIC PRESSURE				
	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT			HOOGSTE HIGHEST	LAAGSTE LOWEST
	0800	1400	2000	OP URE / AT HOURS	
	589/594 TOWDOMBA – AGR				
J	892.7	890.8	890.4	895.6	887.1
F	893.7	892.2	891.4	897.1	887.3
M	895.7	893.9	893.6	901.6	886.6
A	895.8	894.4	894.8	900.1	891.2
M	899.3	897.5	897.7	904.6	893.7
J	900.6	899.0	899.9	904.5	891.3
J	899.9	898.2	898.4	904.0	893.5
A	897.7	895.5	895.9	901.0	888.5
S	897.7	895.3	895.9	903.8	890.0
O	896.5	894.1	894.5	902.4	888.8
N	894.6	892.4	892.7	898.3	887.8
D	893.7	891.4	891.3	897.8	886.9
A	896.5	894.6	894.7	904.6	886.6
	634/ 11 POTGIETERSRUS – TABAK KO-OP				
J	891.8	890.0	890.1	894.4	886.4
F	892.9	891.0	890.5	895.9	886.9
M	894.8	892.7	892.8	900.7	885.9
A	895.5	893.3	894.2	899.3	889.1
M	898.6	896.7	897.3	903.3	891.7
J	900.4	898.1	899.0	903.4	891.9
J	899.1	896.8	897.4	903.2	891.4
A	896.6	894.6	895.3	900.3	887.5
S	897.5	894.8	895.5	903.4	890.0
O	896.1	893.2	894.1	901.1	887.2
N	894.1	891.6	892.3	897.2	887.6
D	892.7	890.3	890.5	896.8	886.1
A	895.8	893.6	894.1	903.4	885.9
	681/266 PHALABORWA – AER				
J	1011.8	1008.0	1009.4	1016.2	1001.5
F	1012.9	1009.7	1010.4	1017.6	1003.8
M	1015.1	1010.7	1011.8	1020.7	1002.9
A	1016.0	1012.1	1013.7	1021.0	1007.1
M	1020.7	1016.5	1018.7	1028.1	1008.5
J	1024.2	1019.9	1021.8	1029.0	1009.4
J	1022.1	1017.9	1019.9	1029.0	1009.0
A	1019.9	1014.7	1016.9	1026.2	1008.8
S	1018.9	1014.5	1016.7	1027.9	1006.0
O	1017.8	1013.3	1013.7	1024.9	1004.0
N	1016.0	1012.6	1013.7	1020.5	1005.0
D	1013.1	1009.4	1010.1	1019.1	1002.1
A	1017.4	1013.3	1014.7	1029.0	1001.5
	723/485A LEVUBU – AGR				
J	934.3	932.4	932.0	937.9	926.9
F	935.3	933.2	(932.2)	938.7	927.2
M	937.3	(934.6)	934.4	943.1	–
A	938.0	935.5	936.1	942.4	931.0
M	941.3	939.2	940.0	947.9	933.5
J	943.9	941.9	942.3	948.7	933.7
J	942.3	940.2	940.8	948.0	933.8
A	940.6	(938.2)	–	944.5	–
S	940.8	937.9	937.8	947.9	931.7
O	939.6	937.3	937.1	947.2	930.6
N	937.6	934.8	935.1	941.4	929.4
D	(936.2)	–	–	–	–
A	(938.9)	–	–	–	–
	784/839 J G STRIJDOM – SWA – WK				
J	830.3	829.2	828.5	833.0	826.7
F	831.1	830.4	829.7	833.5	827.1
M	833.0	832.2	831.8	835.7	827.9
A	833.7	832.8	832.7	836.5	829.2
M	835.3	834.4	834.5	837.5	831.2
J	835.8	834.7	835.0	839.1	832.0
J	835.4	834.4	834.4	838.2	830.3
A	834.3	833.4	833.4	836.9	827.6
S	835.2	833.7	833.7	838.1	830.1
O	833.5	831.6	831.7	836.3	828.2
N	832.2	830.3	830.1	836.2	826.2
D	831.5	830.0	829.6	834.7	826.8
A	833.4	832.3	832.1	839.1	826.2

MAAND MONTH	LUGDRUK – mb – ATMOSPHERIC PRESSURE				
	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT			HOOGSTE HIGHEST	LAAGSTE LOWEST
	0800	1400	2000	OP URE / AT HOURS	
	596/179 SKUKUZA				
J	1012.3	1009.6	(1009.8)	1016.6	1003.9
F	1014.4	1011.7	(1012.1)	1018.6	1004.9
M	1016.1	1012.8	1013.7	1022.5	1004.7
A	1017.2	1013.7	1014.9	1022.7	1008.6
M	1021.8	1018.5	1020.0	1029.8	1010.4
J	1025.1	1021.8	1023.0	1031.2	1011.8
J	1023.4	1019.6	1020.6	1030.9	1009.0
A	1020.9	1016.4	1017.7	1026.0	1009.8
S	1020.4	1016.0	1017.8	1028.8	1008.3
O	1019.1	1014.7	1016.8	1028.5	1005.7
N	1017.2	1013.9	1014.1	1022.7	1005.9
D	1014.1	1010.9	1011.4	1020.2	1003.9
A	1018.5	1015.0	(1016.0)	1031.2	1003.9
	649/ 64 GOBABEB – SWA				
J	965.7	964.0	963.5	968.6	960.4
F	964.5	963.5	963.0	966.6	960.5
M	965.9	965.0	964.3	968.7	962.1
A	967.3	966.2	966.1	970.0	963.1
M	969.1	968.1	968.2	970.7	965.9
J	970.9	970.1	970.1	973.1	967.1
J	970.9	970.2	969.8	974.5	965.7
A	970.9	970.1	969.6	974.7	966.9
S	969.7	968.2	968.3	972.4	965.3
O	969.0	967.4	967.3	971.8	965.2
N	967.7	966.0	965.9	970.5	963.2
D	967.4	965.7	965.4	969.7	962.6
A	968.3	967.0	966.8	974.7	960.4
	719/370 MARNITZ				
J	911.5	909.6	909.4	914.2	904.9
F	–	–	–	–	–
M	(915.6)	(913.1)	(913.3)	–	–
A	915.1	913.1	913.2	918.9	907.5
M	(918.2)	(916.2)	(916.9)	–	–
J	921.0	919.3	919.0	923.8	913.1
J	919.7	917.9	918.1	923.9	912.1
A	917.0	915.2	915.1	920.9	908.0
S	–	–	–	–	–
O	–	–	–	–	–
N	913.9	912.0	911.9	917.7	907.2
D	912.3	910.3	909.5	915.2	905.8
A	–	–	–	–	–
	734/773 PELICAN POINT – SWA – VRT				
J	1012.8	1011.8	1011.2	1015.8	1008.2
F	1011.3	1010.9	1009.8	1014.1	1006.5
M	1012.6	1011.8	1011.0	1014.9	1008.8
A	1014.0	1013.4	1012.5	1017.7	1009.3
M	1015.1	1014.4	1014.1	1018.2	1011.7
J	1018.2	1017.2	1017.1	1021.6	1012.9
J	1018.4	1017.8	1017.4	1022.5	1011.5
A	1019.0	1018.2	1017.4	1022.9	1014.4
S	1017.3	1016.2	1016.1	1020.6	1011.2
O	1016.6	1015.6	1015.1	1019.7	1011.2
N	1015.0	1014.0	1013.6	1017.0	1009.3
D	1014.4	1013.1	1012.7	1017.0	1009.4
A	1015.4	1014.5	1014.0	1022.9	1006.5
	787/838 GOBABIS – SWA – TNK				
J	859.7	859.2	857.5	861.7	855.1
F	860.4	859.6	–	863.4	853.0
M	861.2	860.2	859.4	864.3	855.3
A	862.1	861.4	861.1	865.1	858.6
M	864.3	863.1	863.2	867.1	859.5
J	865.0	863.8	863.9	868.1	860.5
J	864.7	863.6	863.3	867.8	859.4
A	863.2	862.3	861.8	865.9	856.4
S	863.5	862.2	861.6	866.5	857.6
O	861.7	859.8	859.1	865.0	855.4
N	860.2	858.5	857.8	863.5	854.4
D	859.6	858.0	856.6	863.8	854.4
A	862.1	861.0	–	868.1	853.0

MAAND MONTH	LUGDRUK – mb – ATMOSPHERIC PRESSURE				
	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT			HOOGSTE HIGHEST	LAAGSTE LOWEST
	0800	1400	2000	OP URE / AT HOURS	
	631/823 DOORNSPRUIT* **				
J	–	–	–	–	–
F	–	–	–	–	–
M	–	–	–	–	–
A	–	–	–	–	–
M	–	–	–	–	–
J	912.3	909.9	910.7	915.5	904.1
J	911.0	908.2	909.1	915.3	902.7
A	908.7	906.0	906.6	912.1	899.1
S	908.8	905.7	906.4	914.5	900.4
O	907.2	904.4	904.9	912.6	898.8
N	905.3	902.9	903.3	909.0	898.4
D	904.0	(901.8)	(901.8)	908.4	–
A	–	–	–	–	–
	677/802 PIETERSBURG – WK				
J	876.6	874.8	875.1	879.6	870.4
F	877.7	875.9	875.8	880.8	872.5
M	879.8	877.9	878.1	884.8	871.3
A	880.3	878.5	879.1	884.3	874.7
M	882.6	881.0	882.3	887.2	876.4
J	884.8	883.0	884.0	887.9	877.0
J	883.4	881.6	882.3	887.8	876.7
A	881.4	879.4	880.3	885.1	873.4
S	882.3	879.8	880.8	888.4	875.1
O	881.1	878.6	879.4	885.8	873.0
N	879.0	877.1	877.7	882.3	872.5
D	877.8	875.8	875.8	881.7	871.3
A	880.6	878.6	879.2	888.4	870.4
	722/ 99 MARA – AGR				
J	912.7	911.1	910.7	916.0	906.1
F	913.3	911.6	911.2	917.2	904.8
M	915.6	913.2	913.3	920.7	906.2
A	916.3	913.5	914.8	923.5	909.4
M	919.3	917.4	918.6	925.0	913.7
J	921.9	919.8	920.5	925.9	912.9
J	920.6	918.3	918.9	925.3	912.9
A	918.3	915.8	916.6	922.0	908.9
S	918.8	915.8	916.6	925.1	910.6
O	917.6	914.6	915.5	923.8	908.4
N	915.6	913.3	913.6	918.9	908.5
D	913.8	911.7	911.4	918.1	906.9
A	917.0	914.7	915.1	925.9	904.8
	740/154 WINDHOEK – SWA – WK				
J	830.1	828.5	–	832.9	826.2
F	830.6	829.9	–	832.7	826.2
M	832.6	831.7	–	835.0	827.1
A	833.4	832.6	–	836.3	827.2
M	835.3	833.9	–	837.3	831.4
J	835.6	834.3	–	838.7	831.9
J	835.1	834.0	–	838.0	830.1
A	834.2	833.2	–	836.7	829.6
S	834.8	833.4	–	838.0	829.6
O	833.0	831.4	–	835.4	828.7
N	831.7	830.1	–	835.1	825.3
D	831.3	829.8	–	833.9	828.0
A	833.1	831.9	–	838.7	825.3
	809/706 MACUVILLE – AGR				
J	955.6	953.3	953.0	959.7	949.0
F	956.6	954.5	955.4	960.1	948.4
M	958.7	956.0	955.7	965.0	947.6
A	959.7	957.5	957.1	963.7	951.1
M	963.9	961.3	962.2	969.3	955.8
J	966.8	964.1	965.1	971.9	956.4
J	965.0	962.4	963.0	970.7	956.8
A	962.3	959.5	959.7	967.2	951.8
S	962.1	959.1	959.4	969.2	951.9
O	961.0	957.7	957.6	967.4	950.6
N	958.6	956.1	955.8	963.3	950.1
D	956.5	953.5	953.1	967.0	947.4
A	960.6	957.9	958.1	971.9	947.4

*** Stasie verskuif; kyk na bl.XXI / Station shifted, see p.XXI

TV 4 / 200

TABEL III

TABLE III

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT 0800	1400	2000	HOOGSTE HIGHEST OP URE / AT HOURS	LAAGSTE LOWEST OP URE / AT HOURS
	868/613 UIS – SWA				
J	919.6	918.3	918.8	922.0	914.2
F	919.1	918.4	918.5	921.6	915.9
M	920.7	919.8	919.8	923.2	917.4
A	922.1	(921.3)	(921.1)	924.1	–
M	923.8	922.8	922.5	925.7	919.5
J	924.9	924.0	923.9	927.6	921.1
J	924.9	923.8	923.7	927.3	920.3
A	924.4	923.4	923.6	927.3	920.8
S	923.4	921.9	922.6	925.8	920.3
O	922.5	921.1	921.9	925.5	919.3
N	921.5	919.8	920.5	923.5	917.4
D	921.3	919.5	(920.3)	923.4	917.3
A	922.3	(921.2)	(921.4)	927.6	–
	1200/866 ONDANGWA – SWA – POS				
J	(889.5)	–	–	–	–
F	(889.7)	(889.1)	(887.5)	–	–
M	891.4	890.8	(889.4)	893.8	887.1
A	892.6	891.5	(890.7)	894.9	888.4
M	(893.4)	(892.9)	(892.0)	–	–
J	894.8	893.9	(893.5)	897.7	891.0
J	894.4	893.6	892.8	896.9	890.0
A	893.6	893.0	891.6	895.7	889.9
S	893.2	891.7	890.8	895.3	888.5
O	892.3	890.2	(889.4)	894.2	887.1
N	891.6	890.1	888.4	894.6	884.6
D	–	–	–	–	–
A	–	–	–	–	–

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT 0800	1400	2000	HOOGSTE HIGHEST OP URE / AT HOURS	LAAGSTE LOWEST OP URE / AT HOURS
	1010/186 GROOTFONTEIN – SWA – WK				
J	858.5	857.1	856.9	861.2	854.9
F	859.2	858.2	857.7	862.1	855.7
M	861.4	860.3	859.8	864.1	856.7
A	862.6	861.2	861.1	865.0	858.3
M	864.6	862.9	863.4	866.2	860.2
J	865.4	863.8	864.2	868.1	861.0
J	865.2	863.6	863.8	868.0	861.1
A	863.8	862.2	862.3	866.0	858.6
S	863.7	861.6	861.8	866.7	857.6
O	862.2	859.5	859.4	865.4	857.0
N	860.9	858.8	858.6	864.2	855.6
D	860.4	858.3	857.9	863.5	855.5
A	862.3	860.6	860.6	868.1	854.9
	1208/475 RUNDU – SWA – NAF				
J	888.4	886.7	886.8	892.4	883.9
F	889.4	(887.7)	(887.1)	891.5	–
M	891.0	889.9	888.8	893.6	886.3
A	892.1	891.0	890.3	895.3	888.0
M	894.4	893.2	893.0	896.6	890.5
J	896.0	894.7	894.7	899.0	892.1
J	895.5	894.3	893.9	898.4	891.8
A	894.1	892.6	892.1	896.0	888.6
S	893.7	891.3	891.5	896.8	887.6
O	–	–	–	–	–
N	–	–	–	–	–
D	–	–	–	–	–
A	–	–	–	–	–

LUGDRUK – mb – ATMOSPHERIC PRESSURE

MAAND MONTH	DAELIKSE GEMIDDELDE OM DAILY AVERAGE AT 0800	1400	2000	HOOGSTE HIGHEST OP URE / AT HOURS	LAAGSTE LOWEST OP URE / AT HOURS
	1045/380 MÖWE – SWA				
J	1011.8	1011.0	1011.3	1014.8	1008.2
F	1010.4	1010.0	1009.9	1012.5	1007.3
M	1011.6	1010.8	1010.5	1014.0	1007.4
A	(1012.4	1011.3	1011.3)	–	–
M	1013.7	1012.7	1013.2	1016.2	1009.8
J	(1016.8	1016.0	1016.7)	–	–
J	1017.4	1016.3	1016.6	1019.7	1012.7
A	1017.6	1016.3	1016.6	1020.9	1013.7
S	1016.9	1015.7	1016.5	1021.4	1012.2
O	1016.1	1014.9	1015.4	1018.8	1012.1
N	1014.5	1013.7	1014.0	1016.2	1010.4
D	1013.5	1012.6	1012.8	1015.2	1010.3
A	(1014.4	1013.4	1013.7)	–	–

W I N D O N T L E D I N G W I N D A N A L Y S I S

21/178 D F MALAN*** @ 33°58'S λ 18°36'E H 44M HA 12M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	4	4.2	2	3.4	0	0.0	0	0.0	1	2.7	5	6.3	37	8.2	221	8.5
FEB	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	48	6.2	217	8.4
MAR	2	5.4	10	3.1	0	0.0	0	0.0	0	0.0	0	0.0	38	8.4	209	7.4
APR	8	2.4	5	2.2	0	0.0	1	3.1	0	0.0	13	6.0	74	7.9	139	7.9
MAY	26	6.5	19	3.5	9	1.9	0	0.0	4	2.0	3	4.5	58	3.9	138	5.4
JUN	63	5.9	64	3.9	23	2.9	0	0.0	0	0.0	8	7.4	47	6.2	43	5.1
JUL	45	6.5	53	3.0	26	2.2	1	1.3	0	0.0	2	2.0	58	5.1	77	6.3
AUG	49	7.3	42	4.1	14	2.7	1	1.3	1	1.3	11	10.2	50	9.2	57	4.4
SEP	9	5.3	18	4.5	17	2.8	2	1.8	5	3.3	4	2.4	59	5.2	98	5.5
OCT	15	6.5	12	3.3	1	3.1	0	0.0	0	0.0	0	0.0	27	3.8	182	6.8
NOV	7	6.3	3	2.8	3	3.6	0	0.0	0	0.0	8	5.2	69	8.8	188	8.0
DEC	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	11	5.2	82	8.2	167	7.9
J/Y	228	6.3	228	3.6	93	2.6	5	1.9	11	2.6	66	6.2	647	6.9	1736	7.3

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	106	6.8	73	4.7	28	3.8	2	3.1	3	2.4	9	4.6	68	4.6	51	6.2
FEB	144	6.5	105	4.3	23	3.2	5	2.1	0	0.0	7	3.1	12	7.3	4	3.4
MAR	74	5.7	54	3.6	18	2.6	7	4.6	0	0.0	37	6.8	70	5.5	44	5.5
APR	64	4.8	76	2.9	15	2.6	2	2.0	2	1.6	22	5.1	63	5.6	53	5.7
MAY	28	5.7	37	3.0	23	3.0	2	1.8	2	3.6	23	4.0	45	5.0	60	5.7
JUN	20	3.4	4	2.8	6	1.9	2	1.3	4	1.8	28	4.8	73	5.2	102	6.5
JUL	46	4.2	15	2.6	15	2.5	6	6.6	4	4.8	12	7.2	57	6.1	48	8.0
AUG	43	4.0	39	2.8	13	2.4	6	3.4	5	3.5	16	5.8	86	6.3	114	7.4
SEP	56	4.1	65	3.0	31	3.5	5	1.6	4	2.2	27	4.8	45	4.3	41	5.6
OCT	147	6.3	74	4.1	19	2.2	13	3.7	10	3.2	12	5.7	54	8.0	35	5.9
NOV	145	6.0	91	5.0	30	3.4	7	4.2	7	2.5	19	7.0	37	6.7	6	5.1
DEC	179	6.7	106	5.1	22	3.3	1	4.0	2	2.2	21	8.1	73	5.5	20	4.6
J/Y	1052	5.9	739	4.0	243	3.0	58	3.6	43	2.9	233	5.7	663	5.7	578	6.3

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	134	32	103	104	180	102	76	13	0	0	0	0	0	
FEB	106	35	85	138	141	87	68	12	0	0	0	0	0	
MAR	181	34	93	135	158	98	39	3	3	0	0	0	0	
APR	183	33	107	156	125	72	40	4	0	0	0	0	0	
MAY	267	44	133	128	123	45	4	0	0	0	0	0	0	
JUN	233	33	122	155	103	41	33	0	0	0	0	0	0	
JUL	279	43	125	111	102	52	27	5	0	0	0	0	0	
AUG	197	33	119	135	133	88	26	11	2	0	0	0	0	
SEP	234	38	159	150	99	33	7	0	0	0	0	0	0	
OCT	143	31	77	176	204	77	36	0	0	0	0	0	0	
NOV	100	21	76	137	206	132	45	3	0	0	0	0	0	
DEC	60	25	82	149	213	170	39	6	0	0	0	0	0	
J/Y	2117	402	1281	1674	1787	997	440	57	5	0	0	0	0	

21/860 BIEN DONNE @ 33°50'S λ 18°59'E H 138M HA 14M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	10	3.0	1	1.8	1	1.3	0	0.0	2	1.3	2	1.8	253	6.6	116	5.0
FEB	5	1.4	2	1.3	1	2.2	1	1.8	0	0.0	7	4.6	307	6.9	82	5.9
MAR	7	1.9	4	2.1	0	0.0	0	0.0	1	1.3	10	4.2	201	6.1	102	5.1
APR	18	3.2	1	1.3	2	3.5	1	3.0	0	0.0	1	1.3	212	5.8	56	2.7
MAY	22	3.3	0	0.0	3	1.9	0	0.0	0	0.0	5	1.8	185	5.0	106	3.1
JUN	74	4.2	5	2.3	1	1.3	0	0.0	1	2.7	4	1.7	87	5.9	67	2.1
JUL	40	4.6	8	2.0	1	1.8	0	0.0	0	0.0	6	2.5	114	5.3	107	2.4
AUG	111	4.7	17	2.4	0	0.0	0	0.0	0	0.0	6	3.8	101	6.3	61	2.3
SEP	29	2.8	10	2.2	3	1.8	0	0.0	0	0.0	12	4.5	172	4.5	59	2.5
OCT	34	3.2	3	1.9	3	1.5	1	1.8	1	1.8	9	2.2	225	5.1	59	4.2
NOV	19	3.0	0	0.0	1	3.1	0	0.0	0	0.0	4	3.4	276	5.7	106	4.0
DEC	15	2.5	0	0.0	1	1.8	0	0.0	1	2.7	11	3.2	209	5.5	144	4.6
J/Y	384	3.9	51	2.2	17	2.0	3	2.2	6	1.9	77	3.3	2342	5.0	1067	3.6

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	23	3.5	5	3.1	5	2.7	0	0.0	3	3.1	36	3.6	73	3.3	47	3.1
FEB	31	2.7	19	3.1	3	2.8	2	2.2	1	3.1	10	2.9	31	3.1	26	2.6
MAR	48	2.7	6	2.7	3	1.9	1	2.2	1	1.8	22	3.5	78	3.4	80	3.2
APR	49	2.7	12	3.9	1	5.8	1	1.8	0	0.0	9	2.8	72	2.6	48	3.3
MAY	51	2.7	9	2.7	3	3.6	2	2.0	3	1.7	20	3.2	26	3.0	55	3.4
JUN	24	2.1	7	1.9	2	2.0	0	0.0	2	2.0	24	2.6	37	2.9	73	3.7
JUL	12	1.9	4	1.8	3	2.1	0	0.0	1	1.8	18	2.9	45	3.4	82	4.1
AUG	35	2.4	12	2.0	11	2.9	2	2.0	1	1.3	20	3.1	69	3.4	103	3.8
SEP	42	2.4	21	3.1	11	3.4	2	2.2	2	1.6	28	3.3	90	3.4	36	3.1
OCT	47	2.6	19	2.9	8	3.4	0	0.0	3	1.8	22	4.1	59	3.4	102	3.2
NOV	54	2.6	24	3.0	3	2.2	1	1.8	4	1.8	23	3.6	53	3.3	30	2.6
DEC	59	2.9	10	3.2	5	1.9	0	0.0	3	2.2	13	3.4	44	2.9	31	2.4
J/Y	475	2.6	148	2.9	58	2.9	11	2.1	24	2.0	245	3.3	679	3.2	709	3.4

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	165	40	123	183	166	61	6	0	0	0	0	0	0	
FEB	150	24	110	130	131	115	12	0	0	0	0	0	0	
MAR	180	38	154	191	153	16	12	0	0	0	0	0	0	
APR	237	43	159	160	103	17	1	0	0	0	0	0	0	
MAY	252	42	189	185	64	17	0	0	0	0	0	0	0	
JUN	312	61	150	134	32	31	0	0	0	0	0	0	0	
JUL	303	51	190	110	72	12	6	0	0	0	0	0	0	
AUG	195	38	212	185	90	23	1	0	0	0	0	0	0	
SEP	201	40	235	169	73	2	0	0	0	0	0	0	0	
OCT	149	43	200	225	127	0	0	0	0	0	0	0	0	
NOV	122	39	175	216	136	32	0	0	0	0	0	0	0	
DEC	198	44	201	145	110	45	1	0	0	0	0	0	0	
J/Y	2464	503	2098	2033	1257	366	39	0	0	0	0	0	0	

*** Stasie verskuif, kyk na bl. XXI / Station shifted; see p. XXI

W I N D O N T L E D I N G W I N D A N A L Y S I S

35/179 PORT ELIZABETH Ø 33959'S λ 25936'E H 60M HA 15M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	9	4.1	12	2.9	20	4.2	39	6.0	121	8.8	27	5.5	20	4.8	19	5.2
FEB	3	2.1	11	2.6	17	3.3	72	5.1	101	7.4	48	5.4	20	5.0	53	4.9
MAR	6	3.4	20	3.1	37	3.9	76	6.3	76	6.6	25	5.5	22	5.0	23	3.9
APR	10	2.2	17	3.1	17	3.5	30	5.3	41	6.3	19	5.7	7	3.1	10	5.5
MAY	37	3.4	31	3.8	24	4.0	20	3.6	18	4.4	3	3.6	1	3.6	10	3.8
JUN	31	2.9	27	2.8	25	3.9	29	5.1	8	6.9	8	2.7	2	3.1	1	3.1
JUL	43	2.7	32	3.6	35	4.4	19	5.7	10	3.7	1	1.8	2	4.7	20	5.7
AUG	11	2.7	25	3.9	18	3.7	15	4.9	10	9.0	34	10.9	12	9.2	4	4.9
SEP	9	2.9	13	4.7	32	6.8	40	8.0	24	5.1	13	4.1	13	3.8	4	3.0
OCT	8	2.5	18	3.9	33	4.5	83	7.1	77	7.6	17	6.6	13	5.4	16	4.6
NOV	2	3.6	3	2.1	15	4.9	58	7.1	83	7.8	41	6.7	26	5.4	27	4.5
DEC	1	1.3	3	3.7	24	4.1	33	5.5	77	7.5	73	6.3	35	5.1	14	3.8
J/Y	170	3.0	212	3.4	297	4.3	514	6.1	646	7.4	309	6.3	173	5.2	201	4.7

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	21	5.3	32	6.5	148	7.0	180	5.9	25	4.0	17	3.2	10	2.6	1	1.3
FEB	17	3.8	10	4.6	40	7.0	153	7.4	52	6.4	9	1.8	6	2.3	5	2.2
MAR	9	5.0	17	5.1	97	6.9	174	6.2	46	4.7	13	2.1	4	1.7	3	1.8
APR	7	6.5	18	5.9	96	7.2	178	6.9	117	4.5	47	2.6	21	2.1	5	3.4
MAY	14	5.4	21	5.6	51	5.6	103	5.9	72	4.2	43	2.7	34	2.7	15	3.0
JUN	0	0.0	8	2.8	62	5.1	106	5.1	45	5.1	37	2.5	20	3.1	23	3.6
JUL	17	6.5	4	4.2	51	5.1	168	5.7	75	6.6	22	3.9	6	5.1	14	3.8
AUG	4	2.2	15	4.2	75	6.6	175	5.9	117	5.8	48	2.4	11	3.5	4	1.9
SEP	6	5.5	27	5.1	118	7.7	184	6.4	90	5.1	25	3.1	2	1.6	2	2.0
OCT	10	5.0	29	5.3	130	8.6	114	6.7	42	4.3	16	2.5	0	0.0	0	0.0
NOV	27	4.9	26	5.5	92	8.2	149	7.1	32	4.1	6	2.3	0	0.0	0	0.0
DEC	27	4.0	39	5.7	122	8.4	109	6.0	31	3.6	2	2.2	0	0.0	0	0.0
J/Y	159	4.9	246	5.4	1082	7.2	1793	6.2	794	5.1	285	2.7	114	2.8	72	3.1

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY M/SEK M/SEC

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+
JAN	43	19	81	191	229	126	50	5	0	0	0	0	0
FEB	55	15	78	196	208	98	21	1	0	0	0	0	0
MAR	96	27	100	195	223	97	6	0	0	0	0	0	0
APR	80	24	140	196	177	80	23	0	0	0	0	0	0
MAY	247	40	155	170	98	26	7	1	0	0	0	0	0
JUN	238	43	141	173	90	35	0	0	0	0	0	0	0
JUL	225	31	145	144	117	62	17	3	0	0	0	0	0
AUG	166	37	129	144	144	61	62	1	0	0	0	0	0
SEP	118	35	85	162	174	114	28	4	0	0	0	0	0
OCT	138	15	89	155	180	93	60	14	0	0	0	0	0
NOV	133	20	80	138	161	127	58	3	0	0	0	0	0
DEC	154	18	91	150	178	114	33	5	1	0	0	0	0
J/Y	1693	324	1314	2014	1979	1033	365	37	1	0	0	0	0

59/572 EAST LONDON Ø 33902'S λ 27950'E H 127M HA 13M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	2	1.6	10	2.4	92	4.5	140	6.9	67	6.4	5	2.1	11	2.0	9	3.1
FEB	9	2.2	28	3.8	107	5.1	89	7.3	39	6.0	7	2.4	7	2.5	5	2.8
MAR	5	2.3	30	2.8	105	4.7	70	6.2	54	5.4	11	2.2	10	2.3	10	2.6
APR	17	2.3	35	3.7	30	4.3	30	5.5	16	4.7	6	1.9	9	1.8	9	2.1
MAY	38	3.5	36	4.1	32	4.5	25	4.3	5	2.8	6	1.9	10	1.5	9	2.1
JUN	54	3.6	42	3.6	46	3.9	29	4.4	8	4.1	0	0.0	4	1.3	9	1.7
JUL	36	3.1	60	3.5	43	4.9	38	5.5	10	4.1	1	1.3	5	2.5	4	2.4
AUG	27	2.9	24	3.5	37	4.7	23	4.1	29	7.2	24	7.1	6	1.7	14	2.2
SEP	11	2.1	33	3.4	55	5.9	45	6.4	27	4.2	6	2.3	9	2.6	15	2.4
OCT	12	2.7	49	3.3	104	4.7	70	7.1	69	5.6	11	3.4	13	3.1	10	3.7
NOV	9	2.8	20	3.9	61	5.8	90	8.4	46	7.2	7	3.5	20	2.8	11	2.5
DEC	2	2.9	22	3.3	70	5.2	107	6.8	42	5.0	23	3.4	26	3.3	17	3.1
J/Y	222	3.0	391	3.5	782	4.9	756	6.6	412	5.7	107	3.7	132	2.5	122	2.6

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	22	2.8	44	5.3	71	4.9	78	4.1	38	2.8	9	4.2	6	4.3	2	1.3
FEB	35	2.9	51	4.0	55	4.5	73	4.2	37	2.5	3	2.1	4	1.6	3	1.8
MAR	25	3.0	54	4.8	93	4.2	79	4.5	47	2.5	10	2.6	8	2.0	2	3.4
APR	8	2.7	70	5.1	71	5.7	108	5.1	121	4.2	22	2.5	43	2.6	19	3.1
MAY	8	3.1	26	4.1	53	5.4	94	5.5	82	4.4	40	2.8	156	4.1	52	4.2
JUN	5	1.9	13	3.4	38	4.6	70	5.3	118	4.1	21	3.0	104	3.8	53	3.7
JUL	25	4.4	21	3.4	54	4.9	83	5.0	132	6.5	15	3.2	104	3.8	34	3.4
AUG	10	3.3	30	5.1	66	5.8	101	5.5	132	4.7	50	3.6	70	2.3	35	3.0
SEP	21	3.3	49	6.4	80	6.6	118	5.3	122	4.4	18	2.8	16	2.1	5	2.4
OCT	8	3.6	31	6.3	118	6.5	83	5.6	79	4.7	9	2.6	16	2.4	2	1.7
NOV	29	3.8	58	6.2	106	6.5	71	4.7	70	5.0	5	1.5	19	2.3	[illegible]	2.1
DEC	15	3.5	65	6.1	84	6.0	86	4.6	41	3.1	16	3.0	11	1.9	[illegible]	[illegible]
J/Y	211	3.3	512	5.3	871	5.6	1024	5.0	1014	4.5	216	3.2	551	3.4	221	3.4

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY M/SEK M/SEC

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+
JAN	138	43	156	177	143	73	12	0	0	0	0	0	0
FEB	120	44	138	167	134	36	13	0	0	0	0	0	0
MAR	131	50	135	161	143	33	3	0	0	0	0	0	0
APR	106	49	194	228	103	26	12	0	0	0	0	0	0
MAY	70	51	217	236	140	27	3	0	0	0	0	0	0
JUN	106	51	225	226	96	21	5	0	0	0	0	0	0
JUL	99	57	125	175	217	37	21	11	2	0	0	0	0
AUG	61	47	225	222	123	45	20	1	0	0	0	0	0
SEP	87	42	159	203	164	56	9	0	0	0	0	0	0
OCT	63	34	143	223	207	53	20	1	0	0	0	0	0
NOV	73	28	138	176	155	97	30	3	0	0	0	0	0
DEC	115	35	144	221	158	59	12	0	0	0	0	0	0
J/Y	1189	539	2077	2435	1775	565	150	16	2	0	0	0	0

W I N D O N T L E D I N G W I N D A N A L Y S I S

145/ 59A GROOTFONTEIN Ø 31°29'S λ 25°02'E H 1270M HA 10M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	27	1.9	3	2.1	5	3.4	13	3.0	20	2.0	65	2.5	130	3.8	14	2.9
FEB	32	2.4	1	1.3	4	1.6	21	1.8	18	1.9	48	2.2	121	3.4	26	2.8
MAR	62	2.0	2	1.8	3	2.1	14	1.7	19	1.7	75	2.3	109	3.3	15	2.5
APR	67	1.9	0	0.0	2	2.7	4	2.0	6	2.1	52	2.2	44	2.5	10	1.8
MAY	101	2.1	3	4.6	1	1.8	1	1.3	10	1.7	48	2.2	25	2.8	9	3.1
JUN	116	2.1	1	1.3	4	1.7	0	0.0	5	1.5	7	2.0	22	3.3	16	3.7
JUL	99	2.8	2	2.5	0	0.0	3	1.5	6	1.8	33	2.1	33	3.4	20	3.1
AUG	103	2.8	3	2.4	1	1.8	9	1.4	19	1.7	23	2.1	26	4.0	16	3.8
SEP	97	2.1	3	1.7	0	0.0	3	1.7	40	2.1	84	2.7	56	2.9	11	2.9
OCT	110	2.2	5	1.7	9	1.8	19	2.1	19	2.1	64	2.8	80	3.4	28	3.4
NOV	67	2.0	5	2.1	7	2.1	15	1.8	22	1.9	110	3.0	122	3.7	23	3.9
DEC	54	2.1	4	1.9	7	1.5	15	2.0	33	2.0	71	2.8	106	3.7	58	3.4
J/Y	935	2.2	32	2.2	43	2.0	117	2.0	217	1.9	680	2.5	874	3.4	246	3.2

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	5	4.2	9	3.1	12	3.4	27	3.8	29	4.6	50	6.3	74	5.3	68	4.4
FEB	8	3.1	17	2.9	15	3.4	23	3.8	18	4.4	24	4.4	36	3.9	44	3.3
MAR	20	3.2	8	2.8	10	2.4	25	3.6	28	5.2	46	5.7	44	6.4	42	3.0
APR	7	3.9	7	4.6	12	3.2	32	3.1	47	4.0	65	4.8	66	5.3	77	2.3
MAY	5	3.0	6	4.2	10	2.9	27	3.5	19	4.0	56	4.3	78	5.1	133	4.4
JUN	5	3.8	0	0.0	11	3.0	20	2.8	22	4.1	56	4.3	142	6.0	156	4.1
JUL	9	3.4	5	1.8	4	1.3	23	3.3	30	4.7	70	6.3	122	6.5	168	3.9
AUG	11	4.4	6	2.1	15	4.6	26	4.0	51	4.8	130	5.1	110	6.2	116	3.1
SEP	20	3.9	22	3.0	13	2.0	29	4.0	52	5.5	96	5.6	37	4.8	69	2.2
OCT	11	3.7	16	4.1	17	4.8	29	3.4	45	5.0	58	5.5	47	4.9	54	3.4
NOV	18	4.5	23	4.1	18	5.0	22	5.4	31	5.9	58	5.7	32	5.5	28	3.3
DEC	27	3.9	19	4.1	10	5.7	19	4.7	31	5.3	41	5.7	45	5.3	46	3.8
J/Y	146	3.8	138	3.5	147	3.7	302	3.8	403	4.8	750	5.3	833	5.7	1001	3.6

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	193	67	195	169	105	15	0	0	0	0	0	0	0	
FEB	216	85	193	138	36	4	0	0	0	0	0	0	0	
MAR	222	114	206	117	65	16	4	0	0	0	0	0	0	
APR	222	91	219	125	50	13	0	0	0	0	0	0	0	
MAY	212	85	216	129	80	22	0	0	0	0	0	0	0	
JUN	137	65	213	160	125	18	2	0	0	0	0	0	0	
JUL	117	72	213	174	104	46	18	0	0	0	0	0	0	
AUG	79	93	241	155	126	41	9	0	0	0	0	0	0	
SEP	88	77	306	156	73	20	0	0	0	0	0	0	0	
OCT	133	83	261	179	82	6	0	0	0	0	0	0	0	
NOV	113	71	237	162	120	11	0	0	0	0	0	0	0	
DEC	158	81	206	197	88	14	0	0	0	0	0	0	0	
J/Y	1890	984	2706	1861	1054	226	33	0	0	0	0	0	0	

240/808 LOUIS BOTHA Ø 29°58'S λ 30°57'E H 8M HA 13M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	20	1.9	86	5.2	119	5.4	61	4.6	16	3.7	4	2.8	9	2.2	16	2.9
FEB	22	2.3	34	4.3	87	6.2	21	5.3	38	3.4	7	2.4	13	2.3	20	3.4
MAR	8	2.0	71	4.0	88	4.8	19	4.0	23	3.0	1	3.1	18	1.9	20	3.0
APR	15	2.1	40	3.6	53	3.4	4	3.3	12	2.0	3	1.9	11	5.5	4	3.0
MAY	21	2.8	18	3.7	54	4.3	5	4.5	6	2.7	1	2.7	2	2.0	9	2.6
JUN	36	2.1	34	3.9	90	5.1	9	4.0	8	2.8	1	1.8	0	0.0	1	1.8
JUL	9	1.7	33	3.6	64	4.5	10	4.2	12	3.6	1	2.2	3	3.7	14	4.6
AUG	12	2.3	20	3.2	75	4.5	37	6.8	25	3.9	6	3.0	6	3.3	7	3.4
SEP	13	2.7	33	3.4	87	5.9	29	5.4	19	3.7	6	2.8	13	3.0	8	3.1
OCT	16	3.3	49	3.8	161	6.5	25	6.2	28	5.0	9	3.0	10	3.9	11	3.4
NOV	12	2.8	22	4.7	184	7.8	38	7.9	33	5.8	8	3.0	4	3.8	15	4.4
DEC	8	1.8	25	3.8	143	6.0	30	6.4	23	4.2	14	3.9	28	5.2	24	6.0
J/Y	192	2.3	465	4.1	1205	5.8	288	5.7	243	3.9	61	3.0	119	3.6	149	3.8

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	29	4.2	81	6.2	72	3.4	6	2.1	0	0.0	0	0.0	1	1.3	0	0.0
FEB	41	4.6	39	5.5	48	3.8	14	1.9	1	1.3	0	0.0	1	1.3	0	0.0
MAR	24	4.3	58	6.6	82	3.7	17	2.3	3	2.1	1	4.0	0	0.0	0	0.0
APR	36	4.3	50	6.7	82	4.2	12	1.9	1	5.4	1	1.8	4	1.8	2	1.3
MAY	28	4.8	52	6.9	129	5.3	34	2.5	4	2.5	1	1.8	4	1.7	5	2.2
JUN	21	4.1	41	6.8	67	5.3	16	2.7	5	1.8	1	1.3	2	1.6	11	1.8
JUL	24	6.2	44	7.3	79	4.7	31	3.7	12	2.8	6	1.9	5	2.0	6	1.6
AUG	33	5.7	61	7.4	86	4.9	21	2.6	8	2.2	8	2.1	7	2.0	9	1.8
SEP	30	5.0	96	8.6	160	4.8	16	2.8	2	1.3	2	2.9	3	1.8	3	2.1
OCT	46	6.3	78	8.1	126	5.9	28	3.6	5	2.6	3	1.7	1	1.3	1	1.3
NOV	38	5.8	70	9.6	126	6.2	23	2.9	4	2.4	0	0.0	5	2.2	3	2.8
DEC	68	5.7	81	7.7	87	4.8	22	2.5	2	1.6	1	2.7	1	1.8	1	3.6
J/Y	418	5.2	751	7.5	1139	4.9	245	2.8	47	2.4	24	2.1	34	1.8	41	1.9

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	224	39	163	143	119	51	5	0	0	0	0	0	0	
FEB	286	41	114	113	94	23	1	0	0	0	0	0	0	
MAR	311	45	143	144	75	22	4	0	0	0	0	0	0	
APR	390	43	121	84	58	20	4	0	0	0	0	0	0	
MAY	366	36	127	113	53	28	17	4	0	0	0	0	0	
JUN	377	35	103	92	85	28	0	0	0	0	0	0	0	
JUL	391	41	103	103	60	40	6	0	0	0	0	0	0	
AUG	321	41	113	125	102	20	21	1	0	0	0	0	0	
SEP	200	30	131	156	109	61	28	5	0	0	0	0	0	
OCT	147	29	125	158	148	105	27	5	0	0	0	0	0	
NOV	135	20	90	118	161	131	54	11	0	0	0	0	0	
DEC	191	28	125	147	159	72	22	0	0	0	0	0	0	
J/Y	3339	428	1458	1496	1223	601	189	26	0	0	0	0	0	

W I N D O N T L E D I N G W I N D A N A L Y S I S

261/516 J.B.M.HERTZOG φ 29°06'S λ 26°18'E H 1351M HA 12M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	97	3.8	66	3.5	34	3.1	4	1.8	15	3.1	12	3.6	19	2.6	18	4.0
FEB	44	3.4	26	3.2	36	3.1	6	6.0	9	3.8	3	4.9	16	2.5	14	2.5
MAR	55	4.6	47	4.2	51	3.4	7	3.1	6	2.8	2	3.1	12	2.8	6	4.5
APR	19	4.5	12	3.8	20	2.7	3	1.7	4	2.8	2	2.7	7	1.6	12	4.5
MAY	43	3.8	29	3.6	30	3.4	9	2.8	13	2.4	2	2.2	14	5.0	22	5.1
JUN	54	4.0	27	3.4	56	3.8	5	2.0	3	2.7	1	3.1	4	4.0	11	3.6
JUL	59	3.7	29	4.1	31	3.4	11	1.8	8	2.2	1	1.3	11	2.9	15	3.3
AUG	31	3.9	18	4.2	25	2.5	0	0.0	2	1.8	0	0.0	3	1.5	2	1.8
SEP	28	4.4	30	3.4	27	3.4	4	2.8	2	2.7	4	2.5	14	2.0	8	3.5
OCT	89	5.2	58	5.6	63	4.0	24	3.6	17	3.5	10	3.4	15	3.3	4	2.8
NOV	73	5.4	55	5.6	71	5.5	13	3.6	12	2.9	9	1.9	11	3.4	22	4.8
DEC	90	4.6	42	4.9	57	4.4	15	2.4	16	4.5	15	4.9	27	4.6	22	4.7
J/Y	682	4.3	439	4.3	501	3.8	101	3.0	107	3.2	61	3.5	153	3.2	156	4.1

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	12	3.1	8	2.8	14	2.6	9	2.6	18	3.0	21	3.1	46	3.0	59	3.8
FEB	11	3.4	6	3.9	14	3.3	6	3.9	19	5.1	11	3.7	29	2.7	16	3.1
MAR	10	2.5	20-	2.5	31	3.3	29	3.7	49	3.8	20	4.1	50	4.4	56	4.9
APR	22	3.4	27	2.6	30	3.0	35	3.4	45	3.1	15	3.3	50	4.4	29	4.0
MAY	45	4.2	39	2.9	34	4.5	11	4.8	19	3.4	20	3.0	31	4.0	34	4.1
JUN	23	3.0	25	3.2	23	3.8	10	3.1	13	4.6	23	4.0	57	4.3	53	4.2
JUL	22	4.0	33	3.4	29	3.9	22	4.2	12	5.5	19	4.1	73	4.6	42	4.6
AUG	22	2.4	31	2.7	55	3.6	35	4.2	41	4.7	64	5.2	106	6.0	37	5.3
SEP	23	2.9	29	3.0	77	4.6	36	5.5	64	6.3	69	7.2	58	7.0	34	5.7
OCT	34	4.6	30	5.6	37	4.2	46	5.9	38	5.7	40	5.9	77	5.5	47	5.5
NOV	53	4.6	27	3.8	76	4.6	32	5.9	44	5.3	35	6.5	63	6.4	55	6.3
DEC	44	4.0	20	4.1	28	4.3	24	4.9	46	5.4	55	6.3	90	6.4	59	5.5
J/Y	321	3.8	295	3.4	448	4.1	295	4.6	408	4.8	392	5.4	730	5.2	521	4.9

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	292	57	200	138	57	0	0	0	0	0	0	0	0	
FEB	406	54	101	67	43	1	0	0	0	0	0	0	0	
MAR	293	37	172	148	79	14	1	0	0	0	0	0	0	
APR	388	56	126	104	35	10	1	0	0	0	0	0	0	
MAY	349	60	118	97	87	25	8	0	0	0	0	0	0	
JUN	332	33	138	160	51	6	0	0	0	0	0	0	0	
JUL	327	65	166	84	68	26	8	0	0	0	0	0	0	
AUG	272	41	150	145	96	28	11	1	0	0	0	0	0	
SEP	213	35	131	143	121	55	22	0	0	0	0	0	0	
OCT	115	37	161	207	148	49	24	3	0	0	0	0	0	
NOV	69	32	146	198	176	91	7	1	0	0	0	0	0	
DEC	94	29	169	213	165	50	23	1	0	0	0	0	0	
J/Y	3150	536	1778	1704	1126	355	105	6	0	0	0	0	0	

268/631 ESTCOURT φ 29°01'S λ 29°52'E H 1181M HA 15M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	6	1.6	6	1.5	16	1.7	22	2.0	9	2.7	47	2.8	45	3.7	49	4.2
FEB	3	1.5	4	1.6	4	1.3	6	1.6	10	2.2	19	2.4	52	3.8	57	4.2
MAR	3	1.7	7	1.5	19	1.7	13	1.6	17	1.6	21	2.9	75	3.8	34	5.0
APR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MAY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JUN	7	1.4	11	1.6	9	1.6	2	1.8	0	0.0	6	2.2	11	3.8	23	5.8
JUL	7	1.4	7	1.6	4	1.4	4	1.7	0	0.0	4	2.5	15	2.8	25	4.9
AUG	20	1.7	5	1.7	21	1.9	13	2.8	4	2.4	16	3.3	35	4.4	11	2.9
SEP	16	1.5	23	2.1	19	2.0	13	1.5	11	2.4	51	4.2	53	4.4	36	3.7
OCT	23	1.9	15	1.7	28	1.9	13	1.9	8	2.2	44	3.2	46	4.2	16	5.5
NOV	19	1.7	12	1.6	17	1.9	10	2.2	7	2.6	37	3.1	47	4.4	39	5.5
DEC	7	2.2	9	1.6	20	1.6	15	1.9	17	2.0	28	2.9	59	4.3	39	4.6
J/Y	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	23	3.4	11	2.0	16	2.7	3	2.4	1	1.3	6	2.6	35	2.3	15	1.7
FEB	33	4.5	4	1.7	3	3.0	3	2.4	2	3.6	0	0.0	21	1.6	21	1.9
MAR	14	3.5	9	1.6	17	2.8	3	3.1	0	0.0	5	3.9	36	2.5	15	1.7
APR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MAY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JUN	3	2.8	8	2.5	18	1.8	5	1.4	0	0.0	4	2.5	21	3.3	21	1.5
JUL	18	3.5	13	2.3	29	2.1	3	1.8	5	2.8	4	4.2	33	3.2	30	1.5
AUG	18	3.2	13	3.3	8	2.0	0	0.0	2	2.0	5	4.0	39	4.8	42	2.5
SEP	23	3.0	13	3.2	17	2.8	2	1.6	2	2.2	19	5.0	34	5.1	29	2.4
OCT	24	6.6	5	3.8	9	3.1	6	4.2	4	2.7	11	8.5	45	3.8	25	2.5
NOV	21	5.2	3	2.5	12	2.9	9	4.9	0	0.0	7	7.6	56	4.5	35	2.0
DEC	26	3.4	6	2.3	9	3.3	2	4.2	3	4.9	8	5.6	31	2.8	25	2.1
J/Y	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	434	80	152	45	28	5	0	0	0	0	0	0	0	
FEB	430	52	94	64	28	4	0	0	0	0	0	0	0	
MAR	456	73	125	47	43	0	0	0	0	0	0	0	0	
APR	-	-	-	-	-	-	-	-	-	-	-	-	-	
MAY	-	-	-	-	-	-	-	-	-	-	-	-	-	
JUN	571	55	60	16	13	5	0	0	0	0	0	0	0	
JUL	543	64	88	29	19	1	0	0	0	0	0	0	0	
AUG	492	65	111	31	35	10	0	0	0	0	0	0	0	
SEP	359	68	140	87	64	2	0	0	0	0	0	0	0	
OCT	422	66	140	45	45	21	5	0	0	0	0	0	0	
NOV	389	50	138	67	61	14	1	0	0	0	0	0	0	
DEC	440	62	133	66	37	6	0	0	0	0	0	0	0	
J/Y	-	-	-	-	-	-	-	-	-	-	-	-	-	

W I N D O N T L E D I N G W I N D A N A L Y S I S

274/ 34 ALEXANDER BAY Ø 28°34'S λ 16°32'E H 21M HA 12M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	11	3.5
FEB	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6	2.4
MAR	6	2.2	0	0.0	8	3.7	19	5.5	1	3.1	2	2.5	3	3.3	14	4.6
APR	7	2.8	1	1.3	3	1.5	20	4.6	4	3.4	0	0.0	3	3.0	21	3.3
MAY	2	5.1	5	4.9	69	7.3	73	4.6	10	3.0	1	1.8	6	3.8	42	6.5
JUN	30	4.5	6	5.0	64	6.8	42	5.1	17	4.9	1	5.8	29	5.4	24	8.0
JUL	21	4.4	6	3.0	63	8.0	33	5.9	7	3.3	2	1.8	33	4.6	49	6.3
AUG	5	3.2	4	2.5	13	3.1	21	3.0	9	1.8	3	2.5	18	2.7	74	6.2
SEP	1	1.3	0	0.0	5	3.3	14	4.7	1	4.9	1	2.7	40	4.0	129	8.5
OCT	4	3.4	2	1.3	2	1.3	0	0.0	1	2.2	1	3.1	21	3.9	94	8.5
NOV	0	0.0	0	0.0	1	2.7	6	3.2	6	2.1	2	2.2	11	2.9	114	11.1
DEC	1	1.3	0	0.0	0	0.0	1	3.6	0	0.0	2	2.5	6	2.6	86	6.8
J/Y	77	3.9	24	3.6	228	6.8	229	4.8	56	3.4	15	2.6	170	4.0	664	7.8

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	252	6.5	104	5.0	61	2.6	12	2.6	27	3.4	1	2.2	0	0.0	0	0.0
FEB	184	8.6	65	5.2	66	2.7	35	2.1	5	1.3	1	1.8	1	1.8	0	0.0
MAR	169	8.9	111	5.7	107	4.8	61	3.4	46	4.3	22	3.5	33	2.4	8	2.9
APR	128	8.3	123	5.9	101	3.4	66	3.6	32	3.1	12	4.2	15	3.3	15	4.2
MAY	82	9.2	52	3.9	80	3.3	42	3.7	25	3.0	17	2.4	14	1.9	9	2.3
JUN	79	5.5	38	4.0	50	3.4	15	2.7	36	4.6	23	6.3	32	4.7	24	4.6
JUL	68	6.0	24	3.9	54	3.4	24	4.1	42	4.9	27	6.4	36	5.5	39	6.5
AUG	93	6.7	72	4.8	58	3.7	19	4.3	24	4.4	18	7.8	39	7.9	39	5.7
SEP	166	8.0	48	4.7	56	3.6	30	.8	17	2.9	9	3.7	16	3.8	4	2.2
OCT	201	7.6	97	5.2	77	4.2	31	2.9	38	3.5	11	2.4	8	2.4	12	3.4
NOV	192	8.9	95	5.5	95	4.2	35	3.2	28	3.9	7	3.4	11	2.1	7	1.8
DEC	234	7.5	168	6.5	111	5.0	25	2.5	18	2.5	7	2.5	9	2.5	3	2.5
J/Y	1848	7.8	997	5.4	916	3.8	395	3.3	338	3.8	155	4.7	214	4.4	160	4.8

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0- 1.0	1.1- 1.5	1.6- 3.3	3.4- 5.4	5.5- 7.9	8.0- 10.7	10.8 13.8	13.9 17.1	17.2 20.7	20.8 24.4	24.5 28.4	28.5 32.6	32.7 +	M/SEK M/SEC
JAN	276	43	116	140	79	50	34	6	0	0	0	0	0	
FEB	309	33	112	64	62	27	36	20	9	0	0	0	0	
MAR	134	35	164	170	107	69	36	21	8	0	0	0	0	
APR	169	45	157	160	93	59	23	13	1	0	0	0	0	
MAY	215	50	165	124	90	48	41	10	1	0	0	0	0	
JUN	210	40	137	142	113	47	29	2	0	0	0	0	0	
JUL	216	30	137	106	143	95	16	1	0	0	0	0	0	
AUG	235	39	146	139	92	44	36	11	2	0	0	0	0	
SEP	183	41	131	118	89	67	54	36	1	0	0	0	0	
OCT	144	36	166	158	100	53	48	31	8	0	0	0	0	
NOV	110	34	136	146	95	61	67	54	17	0	0	0	0	
DEC	73	23	148	169	170	88	35	37	1	0	0	0	0	
J/Y	2274	449	1715	1636	1233	708	455	242	48	0	0	0	0	

290/466 KIMBERLEY Ø 28°48'S λ 24°46'E H 1198M HA 12M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	100	3.9	63	4.1	60	3.9	23	4.0	15	4.6	7	3.8	8	4.6	27	3.4
FEB	55	3.4	34	3.4	92	3.7	28	3.4	9	4.5	7	2.7	4	1.7	6	3.9
MAR	88	4.4	44	4.5	45	3.9	11	3.6	9	2.9	7	2.6	7	3.8	10	3.6
APR	84	3.5	30	3.3	19	3.1	5	2.3	2	2.5	2	1.8	13	1.6	10	4.0
MAY	85	3.8	81	3.3	54	3.0	13	2.1	2	1.6	1	1.3	16	4.2	18	2.3
JUN	149	5.1	111	4.1	70	3.4	11	2.0	18	3.1	5	1.5	4	2.5	15	4.1
JUL	137	5.1	99	3.7	107	3.4	11	6.4	0	0.0	1	3.1	3	1.3	2	2.7
AUG	84	4.9	39	4.2	27	3.0	6	2.6	0	0.0	0	0.0	0	0.0	2	1.3
SEP	64	4.9	30	4.2	30	3.9	5	2.6	1	1.8	2	1.8	5	2.6	8	2.6
OCT	90	4.4	57	4.5	45	4.8	13	3.9	12	2.9	7	2.8	25	2.5	21	3.0
NOV	105	3.8	34	3.4	19	3.4	8	3.3	9	4.0	4	2.0	11	2.8	31	3.7
DEC	73	3.5	41	3.7	31	3.4	18	4.6	4	3.7	11	2.6	10	4.3	13	3.4
J/Y	1114	4.3	663	3.9	599	3.6	152	3.6	81	3.5	54	2.5	108	3.0	163	3.4

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	29	3.0	17	2.9	14	2.9	10	2.5	34	2.7	22	2.4	12	2.6	21	3.1
FEB	16	2.8	4	2.7	4	2.2	10	3.5	24	3.4	19	2.5	23	3.2	16	3.0
MAR	6	1.9	4	2.2	10	1.7	27	2.6	31	3.4	17	2.8	24	2.5	30	4.1
APR	9	2.5	9	2.3	18	2.3	4	2.7	23	2.9	13	3.4	26	2.5	38	3.6
MAY	21	3.0	11	2.9	4	4.3	21	4.6	6	5.3	7	4.3	10	3.3	15	4.9
JUN	16	2.7	11	2.6	9	4.2	21	3.8	10	4.0	8	2.4	15	4.5	45	4.5
JUL	19	2.2	12	3.5	25	2.6	23	3.9	18	5.0	23	5.3	10	4.1	28	4.6
AUG	6	1.4	11	2.9	26	2.6	41	3.1	44	3.9	30	3.6	51	5.4	56	4.7
SEP	19	2.1	16	2.6	32	2.9	69	3.4	50	3.7	69	3.8	43	4.6	35	5.6
OCT	14	6.4	11	6.1	27	3.9	41	4.4	26	3.5	26	3.3	22	3.4	32	4.7
NOV	22	3.1	11	2.6	13	2.9	49	4.0	58	4.3	14	3.5	37	3.3	56	4.0
DEC	11	3.3	4	2.2	10	2.2	31	3.3	49	4.1	24	5.4	38	3.5	42	3.2
J/Y	188	3.0	121	3.0	192	2.9	347	3.6	373	3.8	272	3.7	311	3.8	414	4.2

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0- 1.0	1.1- 1.5	1.6- 3.3	3.4- 5.4	5.5- 7.9	8.0- 10.7	10.8 13.8	13.9 17.1	17.2 20.7	20.8 24.4	24.5 28.4	28.5 32.6	32.7 +	M/SEK M/SEC
JAN	282	68	160	170	56	7	1	0	0	0	0	0	0	
FEB	321	65	126	118	32	10	0	0	0	0	0	0	0	
MAR	374	61	122	120	61	6	0	0	0	0	0	0	0	
APR	415	83	105	82	34	1	0	0	0	0	0	0	0	
MAY	379	74	122	111	56	2	0	0	0	0	0	0	0	
JUN	202	42	159	200	111	6	0	0	0	0	0	0	0	
JUL	226	60	173	146	117	22	0	0	0	0	0	0	0	
AUG	321	64	132	124	74	21	8	0	0	0	0	0	0	
SEP	242	71	152	144	90	19	2	0	0	0	0	0	0	
OCT	275	67	121	147	111	19	4	0	0	0	0	0	0	
NOV	239	82	132	186	72	8	1	0	0	0	0	0	0	
DEC	334	72	138	126	59	14	1	0	0	0	0	0	0	
J/Y	3610	809	1642	1674	873	135	17	0	0	0	0	0	0	

W I N D O N T L E D I N G W I N D A N A L Y S I S

317/474 UPINGTON φ 28°24'S λ 21°16'E H 836M HA 12M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	49	4.4	38	5.0	22	4.0	22	3.7	16	4.2	14	4.0	17	3.8	13	3.9
FEB	67	4.8	70	4.1	29	3.0	31	2.3	14	3.0	13	2.5	6	3.3	11	3.3
MAR	22	5.3	21	5.0	15	4.2	22	2.5	9	2.9	14	3.5	11	3.0	7	1.7
APR	37	4.6	25	5.1	24	3.8	11	2.0	10	2.2	8	3.2	8	2.4	7	1.7
MAY	119	4.1	63	4.2	25	2.4	6	2.8	21	2.8	9	2.8	15	2.5	6	2.7
JUN	169	5.4	91	5.1	54	5.0	14	3.4	5	1.9	10	2.1	24	3.6	14	2.9
JUL	152	4.9	35	3.0	22	2.7	7	1.9	3	1.7	0	0.0	2	1.3	7	1.9
AUG	47	5.4	2	3.8	10	1.9	0	0.0	2	2.0	0	0.0	4	1.5	0	0.0
SEP	27	5.3	6	1.7	3	2.4	1	2.7	3	1.9	3	3.1	13	3.5	12	3.5
OCT	62	5.8	19	6.9	24	2.8	2	1.8	13	2.4	11	3.5	54	3.0	14	5.9
NOV	34	4.5	29	4.8	27	4.2	15	3.0	21	2.7	11	3.9	27	3.1	19	4.1
DEC	40	5.1	23	4.6	22	5.4	8	3.4	11	2.8	4	3.3	9	2.9	6	2.5
J/Y	825	5.0	422	4.6	277	3.8	139	2.8	128	2.8	97	3.2	190	3.1	116	3.4

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	32	3.8	186	3.7	86	3.4	57	3.4	26	3.0	24	3.5	25	3.4	37	4.6
FEB	9	2.4	81	3.1	32	3.0	21	3.2	12	3.5	22	3.0	19	2.5	48	3.8
MAR	26	2.7	116	2.5	45	2.9	36	2.9	17	2.2	23	4.0	28	2.9	50	4.6
APR	10	2.2	31	2.4	54	2.2	10	3.2	14	3.5	2	4.9	54	4.4	45	4.2
MAY	16	3.1	34	3.0	38	3.7	2	2.5	9	2.6	5	3.8	41	3.2	47	5.9
JUN	17	4.0	16	2.4	31	2.9	4	4.0	3	2.2	6	4.1	66	5.1	62	6.2
JUL	25	2.0	27	3.1	88	3.2	25	3.6	18	3.8	5	3.7	47	4.4	97	6.8
AUG	31	2.7	25	2.5	139	2.9	17	3.4	28	3.3	7	4.3	54	4.6	24	6.0
SEP	48	3.0	83	3.5	151	2.9	13	4.4	13	2.8	10	3.6	37	5.4	20	5.6
OCT	10	2.8	18	3.9	233	3.8	13	3.6	34	3.0	6	4.2	48	4.2	13	5.8
NOV	32	2.3	40	3.3	219	3.9	67	4.3	30	3.8	14	3.1	29	6.0	10	4.5
DEC	26	2.2	58	3.6	251	3.4	62	3.7	55	3.7	13	3.7	20	3.8	11	5.2
J/Y	282	2.8	715	3.2	1367	3.4	327	3.6	259	3.3	137	3.6	468	4.3	464	5.5

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	80	70	280	190	98	20	5	1	0	0	0	0	0	
FEB	163	81	209	117	63	13	2	0	0	0	0	0	0	
MAR	282	107	197	83	64	11	0	0	0	0	0	0	0	
APR	370	76	128	80	46	16	4	0	0	0	0	0	0	
MAY	288	60	200	107	65	17	7	0	0	0	0	0	0	
JUN	134	46	180	170	110	60	19	1	0	0	0	0	0	
JUL	184	55	205	157	88	55	0	0	0	0	0	0	0	
AUG	354	62	170	87	46	19	5	1	0	0	0	0	0	
SEP	277	73	173	123	57	14	3	0	0	0	0	0	0	
OCT	153	84	187	175	92	34	2	0	0	0	0	0	0	
NOV	96	77	211	216	99	17	4	0	0	0	0	0	0	
DEC	125	63	276	167	98	12	2	1	0	0	0	0	0	
J/Y	2506	854	2416	1672	926	288	53	4	0	0	0	0	0	

476/398 JAN SMUTS φ 26°08'S λ 28°14'E H 1692M HA 13M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	91	3.0	34	2.9	25	2.9	64	3.4	100	4.5	21	4.8	6	3.3	8	3.9
FEB	17	2.4	9	2.8	33	2.0	66	2.8	72	3.0	38	3.6	16	3.1	15	2.9
MAR	34	3.1	30	3.6	34	2.9	37	3.4	52	3.4	24	3.7	23	2.8	16	2.9
APR	56	5.0	11	2.7	6	2.7	7	3.1	2	2.2	2	2.0	3	1.9	12	3.2
MAY	20	2.6	14	3.5	13	3.0	6	2.3	18	3.0	42	4.4	24	3.2	39	3.6
JUN	60	3.0	15	2.9	18	2.7	8	5.8	6	4.7	18	5.4	11	1.9	3	2.2
JUL	34	3.5	18	3.1	5	3.2	7	3.5	26	4.9	2	3.4	2	2.0	11	2.5
AUG	86	4.5	14	3.0	5	2.2	3	3.7	5	4.5	4	6.0	3	3.0	5	3.1
SEP	90	5.1	22	4.4	12	4.0	12	4.6	20	5.9	3	4.9	4	4.2	11	3.6
OCT	122	5.4	65	4.8	33	3.8	26	4.6	14	4.2	25	6.3	16	4.1	7	4.7
NOV	127	4.7	56	4.8	23	3.9	25	3.7	18	5.8	9	5.5	5	2.3	7	5.5
DEC	92	4.1	24	4.2	19	4.1	12	3.4	23	3.4	6	4.1	13	3.8	25	3.8
J/Y	829	4.2	312	3.9	226	3.1	273	3.5	356	4.0	194	4.6	126	3.1	159	3.5

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	9	3.8	8	4.5	8	2.6	0	0.0	12	3.0	46	2.5	70	2.8	54	3.0
FEB	14	2.6	8	2.2	8	4.9	2	1.6	25	2.3	27	2.8	50	2.7	25	3.1
MAR	10	4.4	20	4.7	5	2.6	11	3.6	25	3.0	50	3.4	108	3.9	59	3.4
APR	26	4.0	50	2.5	44	2.6	15	3.8	33	3.4	50	3.2	85	3.8	72	3.8
MAY	52	4.3	63	3.4	20	4.6	21	2.6	20	2.1	32	2.6	52	3.0	42	2.9
JUN	12	2.3	44	3.1	14	3.6	20	3.4	34	2.5	62	2.9	88	3.1	37	2.8
JUL	26	4.5	84	4.9	33	4.7	18	5.9	36	2.6	63	2.9	57	3.4	43	3.5
AUG	26	3.8	92	4.6	36	4.6	8	4.0	38	3.2	67	3.6	155	4.0	91	4.8
SEP	17	4.0	43	5.1	29	5.5	8	4.0	37	3.0	82	3.3	136	4.3	148	4.4
OCT	19	4.7	28	7.3	31	6.3	1	4.0	17	4.2	41	4.0	101	4.2	137	4.6
NOV	16	3.8	34	3.8	25	4.1	14	5.1	20	2.9	49	3.5	82	4.3	117	5.1
DEC	39	3.9	37	4.7	17	4.1	12	4.8	19	4.4	36	3.5	112	4.1	102	4.1
J/Y	266	4.0	511	4.3	270	4.3	130	4.0	316	3.0	605	3.2	1096	3.8	927	4.1

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	188	67	206	168	99	15	1	0	0	0	0	0	0	
FEB	247	87	220	90	27	1	0	0	0	0	0	0	0	
MAR	206	50	259	158	65	6	0	0	0	0	0	0	0	
APR	246	61	210	123	73	7	0	0	0	0	0	0	0	
MAY	266	79	168	123	92	16	0	0	0	0	0	0	0	
JUN	270	80	219	101	50	0	0	0	0	0	0	0	0	
JUL	279	65	181	111	92	8	8	0	0	0	0	0	0	
AUG	106	45	230	228	93	35	7	0	0	0	0	0	0	
SEP	46	39	164	225	173	57	16	0	0	0	0	0	0	
OCT	61	34	168	236	192	46	6	1	0	0	0	0	0	
NOV	93	50	128	189	191	62	5	2	0	0	0	0	0	
DEC	156	55	211	199	93	28	2	0	0	0	0	0	0	
J/Y	2164	712	2364	1951	1240	281	45	3	0	0	0	0	0	

W I N D O N T L E D I N G W I N D A N A L Y S I S

513/314A PRETORIA(FORUM)**** Ø 25°44'S λ 28°11'E H 1330M HA 32M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	35	2.5	37	2.8	73	2.5	65	2.6	84	3.2	76	3.6	19	3.0	7	2.7
FEB	34	2.0	15	2.1	52	2.1	15	2.1	87	2.7	59	2.5	29	2.2	3	2.4
MAR	39	2.1	54	2.4	49	2.3	19	2.7	67	2.6	64	2.6	35	2.9	3	4.9
APR	34	2.4	34	2.7	28	2.3	10	1.9	15	2.0	9	2.2	28	2.7	8	1.8
MAY	21	1.8	11	2.9	30	2.1	8	1.8	21	2.1	40	3.4	68	3.0	15	3.2
JUN	19	1.9	28	2.3	33	2.3	19	1.8	23	2.5	15	2.8	24	1.7	3	1.3
JUL	19	1.9	25	2.1	23	2.0	11	1.7	18	1.8	26	3.3	16	1.7	3	3.0
AUG	31	2.8	19	3.0	36	2.5	21	2.2	9	2.4	5	2.4	28	2.7	7	2.2
SEP	34	3.5	37	3.3	38	2.4	25	1.9	34	2.9	12	3.9	19	2.7	9	4.5
OCT	70	2.9	48	3.2	99	2.9	27	1.8	57	2.3	21	3.5	22	3.9	11	4.1
NOV	80	2.5	54	3.3	88	2.4	32	2.1	46	2.9	14	4.1	25	3.2	3	2.5
DEC	41	2.5	53	2.8	68	2.6	29	2.5	29	2.3	9	3.4	55	3.4	3	2.8
J/Y	457	2.5	415	2.8	617	2.5	281	2.2	490	2.6	350	3.1	368	2.9	75	3.1

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	3	2.3	1	2.2	10	2.2	18	2.4	27	2.7	21	3.0	49	2.7	24	2.4
FEB	6	3.5	0	0.0	7	2.8	4	2.5	46	2.5	14	2.7	50	2.1	17	2.1
MAR	2	2.5	1	2.2	6	2.0	14	3.5	21	3.4	26	3.7	55	2.5	17	2.3
APR	5	2.6	3	3.6	8	2.9	9	2.4	45	3.0	21	2.9	49	2.4	18	2.2
MAY	9	2.3	6	2.7	14	2.9	9	3.1	27	2.2	22	2.7	36	1.7	4	1.7
JUN	0	0.0	2	2.7	6	2.0	13	3.0	38	2.4	21	2.2	23	1.9	12	2.1
JUL	20	2.0	23	2.5	33	2.7	16	2.2	52	2.6	15	3.2	38	2.3	20	2.1
AUG	11	1.7	15	3.1	36	3.1	26	3.1	47	3.8	44	3.4	68	3.0	22	2.3
SEP	5	2.5	14	3.6	19	3.1	6	1.7	46	3.2	44	3.1	45	2.7	23	2.5
OCT	8	3.5	13	3.7	20	4.3	14	3.7	22	2.4	18	4.0	53	2.9	19	2.4
NOV	8	4.2	6	4.2	20	3.8	15	4.1	22	3.7	26	3.9	65	2.8	17	2.7
DEC	13	2.9	9	2.7	22	3.1	27	3.9	44	3.2	43	3.4	65	3.2	18	2.8
J/Y	90	2.6	93	3.1	201	3.1	171	3.1	437	3.0	315	3.2	596	2.6	211	2.3

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+ M/SEC
JAN	195	78	318	137	15	1	0	0	0	0	0	0	0
FEB	234	96	285	52	5	0	0	0	0	0	0	0	0
MAR	272	37	342	89	3	1	0	0	0	0	0	0	0
APR	396	55	199	69	1	0	0	0	0	0	0	0	0
MAY	403	85	174	76	6	0	0	0	0	0	0	0	0
JUN	441	85	161	33	0	0	0	0	0	0	0	0	0
JUL	386	114	179	59	6	0	0	0	0	0	0	0	0
AUG	319	69	220	110	25	1	0	0	0	0	0	0	0
SEP	310	64	198	135	13	0	0	0	0	0	0	0	0
OCT	222	75	263	161	21	2	0	0	0	0	0	0	0
NOV	199	68	289	135	25	3	1	0	0	0	0	0	0
DEC	21	64	300	130	31	2	1	0	0	0	0	0	0
J/Y	3593	890	2928	1186	151	10	2	0	0	0	0	0	0

513/605 ROODEPLAAT Ø 25°35'S λ 28°21'E H 1164M HA 10M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	64	3.2	42	3.6	52	3.3	40	3.8	101	4.1	25	3.1	22	3.6	2	4.0
FEB	29	2.8	16	3.2	16	2.5	24	3.1	72	2.8	29	2.8	25	2.9	5	3.1
MAR	63	3.0	29	4.1	39	3.0	39	2.9	90	2.5	34	2.7	24	3.8	4	3.6
APR	41	3.4	37	3.5	37	2.1	35	1.6	63	1.9	15	2.4	18	2.6	2	2.7
MAY	60	2.7	20	3.0	49	1.9	37	1.9	85	2.1	63	3.3	44	3.5	10	3.8
JUN	40	3.5	21	4.2	41	2.4	85	1.7	73	2.4	38	2.0	2	2.6	0	0.0
JUL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AUG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OCT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
J/Y	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	16	2.3	2	4.2	5	3.2	7	3.2	42	2.7	29	2.5	47	2.6	12	3.0
FEB	24	2.2	5	2.7	11	3.0	4	2.0	45	3.1	34	3.4	43	3.0	13	2.9
MAR	24	2.6	1	4.0	15	5.2	7	4.1	48	3.7	28	3.8	36	3.5	20	3.5
APR	20	2.8	2	2.2	7	2.2	13	3.6	50	3.4	32	3.3	46	3.1	18	3.1
MAY	12	3.4	5	5.4	12	4.1	3	5.1	42	3.0	27	2.6	19	2.6	14	2.4
JUN	12	2.3	0	0.0	9	3.6	7	2.7	50	3.5	17	3.1	31	2.8	15	2.7
JUL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AUG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEP	-	-	-	-		-	-		-	-	-	-	-	-	-	-
OCT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
J/Y	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+ M/SEK
JAN	236	61	246	141	53	7	0	0	0	0	0	0	0
FEB	218	67	211	102	14	1	0	0	0	0	0	0	0
MAR	241	88	216	148	49	0	2	0	0	0	0	0	0
APR	270	106	194	117	17	2	0	0	0	0	0	0	0
MAY	242	137	223	113	28	1	0	0	0	0	0	0	0
JUN	260	107	253	76	21	3	0	0	0	0	0	0	0
JUL	-	-	-	-	-	-	-	-	-	-	-	-	-
AUG	-	-	-	-	-	-	-	-	-	-	-	-	-
SEP	-	-	-	-	-	-	-	-	-	-	-	-	-
OCT	-	-	-	-	-	-	-	-	-	-	-	-	-
NOV	-	-	-	-	-	-	-	-	-	-	-	-	-
DEC	-	-	-	-	-	-	-	-	-	-	-	-	-
J/Y	-	-	-	-	-	-	-	-	-	-	-	-	-

**** HT en HR ten opsigte van dak van gebou 19 m bo grondvlak / HT and HR refer to height above roof of building 19 m above ground level

W I N D O N T L E D I N G W I N D A N A L Y S I S

677/802 PIETERSBURG Ø 23°52'S λ 29°27'E H 1230M HA 12M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	6	4.5	55	3.4	182	4.0	77	4.8	57	3.8	23	3.7	9	2.7	2	1.6
FEB	7	1.5	44	2.5	75	2.9	86	3.0	59	4.0	27	4.4	8	2.3	3	1.9
MAR	6	2.1	30	3.1	100	3.5	100	4.4	51	4.0	23	3.5	14	3.1	5	2.6
APR	19	2.4	82	3.4	87	3.8	45	3.0	4	2.4	1	1.3	0	0.0	8	2.7
MAY	6	2.3	63	3.2	44	3.8	36	3.3	3	1.9	12	2.0	3	1.8	6	3.4
JUN	21	3.0	71	3.8	43	3.6	50	4.5	27	4.4	6	3.8	3	2.1	11	1.7
JUL	16	1.7	56	3.2	48	4.0	35	3.2	2	2.7	9	2.3	17	2.3	32	3.0
AUG	43	2.9	124	4.8	66	4.2	27	3.3	3	3.1	8	3.2	3	3.1	27	3.0
SEP	42	3.3	162	4.5	101	4.6	78	5.0	17	4.3	10	3.6	11	2.7	15	2.8
OCT	66	3.6	189	4.6	111	4.7	74	4.3	23	5.2	11	5.6	6	4.4	6	3.8
NOV	86	3.1	178	4.7	95	4.5	39	4.4	32	4.4	11	4.3	10	4.7	5	6.3
DEC	26	3.1	106	4.0	123	4.2	82	4.1	27	3.9	15	2.8	7	3.1	6	4.8
J/Y	344	3.0	1160	4.1	1075	4.1	729	4.1	305	4.1	156	3.6	91	3.0	126	3.1

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	3	5.9	3	4.6	3	1.7	0	0.0	3	2.4	1	1.8	5	2.5	14	3.4
FEB	4	1.6	13	3.2	2	2.7	1	2.2	3	2.1	1	1.8	5	2.1	3	1.9
MAR	6	3.7	9	2.5	4	3.4	1	1.8	2	1.6	1	2.2	18	2.2	8	2.5
APR	14	3.7	5	3.7	1	2.7	4	2.5	3	2.2	9	2.9	18	2.1	21	3.3
MAY	5	1.8	34	3.2	4	4.0	1	1.8	3	3.1	8	2.5	11	1.8	6	2.3
JUN	12	2.8	39	2.2	6	2.3	8	3.9	4	3.1	15	3.0	14	3.0	3	3.0
JUL	57	2.5	23	4.2	12	2.1	13	4.1	15	4.1	4	5.1	9	3.5	16	2.6
AUG	18	3.0	78	3.4	15	2.9	13	3.7	6	4.5	4	3.1	18	2.8	46	3.4
SEP	20	1.9	17	2.8	5	3.0	11	3.0	6	3.6	4	3.1	12	2.2	30	2.3
OCT	10	3.6	20	5.1	9	3.4	7	2.7	3	7.6	2	2.2	18	4.6	27	3.7
NOV	9	2.6	6	3.4	2	4.0	10	4.1	9	3.9	9	5.5	11	2.3	38	3.3
DEC	19	4.1	12	4.1	11	3.2	2	1.6	9	2.1	21	3.5	34	3.4	38	3.5
J/Y	177	2.9	259	3.4	74	2.9	71	3.4	66	3.5	79	3.4	173	2.9	250	3.2

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	277	46	152	138	106	1	0	0	0	0	0	0	0	
FEB	331	52	131	100	55	3	0	0	0	0	0	0	0	
MAR	366	33	157	124	61	3	0	0	0	0	0	0	0	
APR	399	24	142	94	58	3	0	0	0	0	0	0	0	
MAY	499	39	104	56	42	4	0	0	0	0	0	0	0	
JUN	387	45	110	100	65	13	0	0	0	0	0	0	0	
JUL	277	74	132	88	61	9	0	0	0	0	0	0	0	
AUG	245	55	166	140	96	31	11	0	0	0	0	0	0	
SEP	179	55	142	161	133	43	7	0	0	0	0	0	0	
OCT	162	34	129	169	192	50	8	0	0	0	0	0	0	
NOV	170	46	192	170	114	27	1	0	0	0	0	0	0	
DEC	206	69	132	143	176	18	0	0	0	0	0	0	0	
J/Y	3498	572	1689	1483	1159	205	27	0	0	0	0	0	0	

W I N D O N T L E D I N G W I N D A N A L Y S I S

419/182 KEETMANSHOOP - SWA - WK φ 26°32'S λ 18°07'E H 1064M HA 13M

WINDRICTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N ND	N VM	NNE ND	NNE VM	NE ND	NE VM	ENE ND	ENE VM	E ND	E VM	ESE ND	ESE VM	SE ND	SE VM	SSE ND	SSE VM
JAN	25	4.4	32	4.0	14	4.2	24	4.1	28	4.2	12	2.5	9	3.7	21	3.2
FEB	49	3.6	43	4.2	31	4.1	47	3.4	48	3.6	33	3.3	20	2.7	31	2.8
MAR	64	5.3	36	4.8	31	4.5	53	4.6	46	4.1	11	4.3	3	3.6	17	3.0
APR	70	5.1	69	3.6	33	3.2	54	3.9	22	3.7	12	2.8	6	1.8	3	2.1
MAY	131	6.3	186	4.9	93	4.5	58	4.1	19	4.8	8	2.8	4	1.4	7	2.2
JUN	139	5.6	111	4.1	66	3.8	23	3.4	46	3.6	6	2.4	2	2.2	3	2.7
JUL	134	6.2	110	3.7	50	4.1	56	4.0	24	3.3	1	1.3	0	0.0	1	1.3
AUG	84	4.5	80	3.3	37	3.6	54	3.6	19	4.4	6	1.6	2	1.5	1	1.8
SEP	45	4.2	29	2.8	15	2.5	62	3.1	30	3.3	4	2.4	4	1.5	9	1.8
OCT	30	5.3	26	4.2	26	4.5	73	4.2	44	4.2	13	2.4	8	2.3	21	2.4
NOV	50	4.8	24	3.6	14	2.8	24	3.2	27	4.2	9	3.0	15	2.5	15	1.8
DEC	24	5.9	12	3.9	12	3.9	34	3.7	16	4.1	16	3.3	17	2.6	20	2.9
J/Y	845	5.4	758	4.1	422	4.0	562	3.8	371	3.9	131	3.0	90	2.5	149	2.6

1971	S ND	S VM	SSW ND	SSW VM	SW ND	SW VM	WSW ND	WSW VM	W ND	W VM	WNW ND	WNW VM	NW ND	NW VM	NNW ND	NNW VM
JAN	39	3.5	242	5.4	112	3.8	37	3.4	14	2.0	16	3.1	14	3.3	14	3.6
FEB	18	3.3	63	4.7	23	3.5	12	3.0	11	4.0	9	3.1	5	2.4	31	3.6
MAR	18	4.1	120	4.0	62	3.8	37	3.8	12	5.0	23	4.5	14	3.8	48	4.0
APR	10	2.7	78	3.9	69	4.0	18	2.6	16	3.9	20	2.4	21	3.3	51	3.9
MAY	16	3.2	39	3.9	36	4.2	16	3.6	7	5.1	14	4.1	7	3.7	33	4.5
JUN	3	1.9	40	3.6	25	3.4	9	2.1	6	2.2	14	3.7	13	5.1	61	4.9
JUL	5	3.1	62	4.3	38	4.6	28	3.6	21	4.9	7	4.1	14	5.7	40	6.0
AUG	13	3.4	108	3.9	70	3.4	27	3.6	32	5.0	12	5.6	11	4.7	32	4.3
SEP	17	2.6	111	4.2	118	4.0	25	2.5	8	2.5	11	3.2	4	2.8	23	2.9
OCT	16	2.8	177	5.0	119	4.3	33	3.3	20	3.2	16	2.8	7	4.3	18	4.9
NOV	25	3.3	373	6.0	129	4.1	38	3.6	26	5.3	17	4.1	14	3.7	24	4.6
DEC	21	3.4	254	6.0	124	4.3	25	3.6	10	3.4	20	3.5	19	3.2	24	4.0
J/Y	203	3.3	1467	5.0	925	4.1	304	3.2	183	4.2	179	3.7	143	3.9	399	4.4

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	91	72	196	194	137	47	7	0	0	0	0	0	0	
FEB	198	72	175	142	70	15	0	0	0	0	0	0	0	
MAR	149	59	169	210	125	27	5	0	0	0	0	0	0	
APR	168	60	211	184	79	16	1	0	0	0	0	0	0	
MAY	68	37	137	279	189	33	1	0	0	0	0	0	0	
JUN	153	57	161	185	134	25	5	0	0	0	0	0	0	
JUL	153	57	166	167	138	52	11	0	0	0	0	0	0	
AUG	158	74	193	221	70	13	4	5	0	0	0	0	0	
SEP	209	85	195	150	73	6	2	0	0	0	0	0	0	
OCT	97	59	200	235	111	35	7	0	0	0	0	0	0	
NOV	96	46	226	165	122	60	5	0	0	0	0	0	0	
DEC	94	53	191	174	159	60	13	0	0	0	0	0	0	
J/Y	1630	731	2220	2305	1417	391	61	5	0	0	0	0	0	

740/154 WINDHOEK - SWA - WK φ 22°34'S λ 17°06'E H 1728M HA 15M

WINDRICTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N ND	N VM	NNE ND	NNE VM	NE ND	NE VM	ENE ND	ENE VM	E ND	E VM	ESE ND	ESE VM	SE ND	SE VM	SSE ND	SSE VM
JAN	16	2.1	21	2.7	26	3.0	65	3.6	60	2.7	28	2.8	27	2.1	49	3.5
FEB	22	2.3	23	2.7	32	2.9	136	3.4	72	2.1	25	2.4	25	2.5	41	2.7
MAR	25	2.7	33	3.3	32	3.6	92	3.4	107	2.3	21	2.6	22	2.3	46	2.4
APR	9	2.4	13	3.4	5	2.8	78	2.6	162	2.1	10	2.1	8	2.8	7	2.5
MAY	14	2.5	44	3.4	33	3.2	115	2.8	225	2.4	13	1.7	4	1.8	1	1.3
JUN	54	2.6	39	3.1	14	3.4	101	2.5	171	2.8	9	2.6	4	2.7	4	3.3
JUL	30	2.4	46	2.9	234	3.0	49	3.6	22	1.7	9	2.8	15	3.2	1	2.2
AUG	6	1.7	3	3.5	136	2.3	49	2.8	109	2.1	15	3.0	8	1.6	6	3.9
SEP	15	2.4	14	3.8	15	3.9	51	4.4	220	3.0	55	2.4	9	1.9	27	2.3
OCT	14	2.8	10	3.2	6	3.3	45	4.0	126	3.2	23	2.4	5	1.9	39	3.3
NOV	23	2.8	23	3.9	14	3.3	57	4.4	79	3.4	31	3.6	10	2.9	28	2.9
DEC	10	2.4	13	4.3	20	4.1	37	5.0	55	3.1	36	3.9	14	3.1	31	3.2
J/Y	240	2.5	276	3.3	557	3.0	868	3.4	1408	2.6	275	2.8	151	2.4	282	3.0

1971	S ND	S VM	SSW ND	SSW VM	SW ND	SW VM	WSW ND	WSW VM	W ND	W VM	WNW ND	WNW VM	NW ND	NW VM	NNW ND	NNW VM
JAN	54	2.7	72	3.4	33	3.1	25	4.1	15	2.6	18	2.9	12	2.8	20	2.4
FEB	12	2.8	5	2.4	3	2.8	4	2.4	3	1.6	4	2.4	8	2.1	14	2.1
MAR	12	2.8	14	2.7	4	3.1	11	3.0	6	2.2	30	2.4	27	2.4	26	2.8
APR	9	1.5	19	2.1	5	2.2	16	2.9	15	3.6	52	2.8	26	2.3	30	2.3
MAY	5	1.8	4	2.7	6	2.8	12	2.7	8	3.8	27	2.5	17	2.6	24	2.0
JUN	2	2.4	0	0.0	0	0.0	6	2.2	11	8.3	30	4.2	65	2.8	86	3.0
JUL	0	0.0	6	3.4	15	3.4	17	4.3	52	3.3	74	3.3	56	2.9	44	3.0
AUG	7	2.7	13	2.4	26	4.4	50	3.5	49	3.7	78	3.1	45	2.7	21	2.5
SEP	14	2.4	16	1.9	15	2.4	46	4.1	17	3.3	27	2.9	43	2.8	17	2.9
OCT	26	2.8	23	3.1	32	4.2	54	4.8	31	4.3	75	3.7	33	2.9	19	2.7
NOV	15	3.6	26	2.9	23	4.3	69	4.5	36	5.0	52	4.5	38	2.9	13	3.0
DEC	17	3.6	28	3.6	17	4.0	51	5.1	58	6.2	59	4.9	58	3.1	15	3.3
J/Y	173	2.7	173	2.7	183	3.2	361	4.2	305	4.2	526	3.5	428	2.8	331	2.8

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	183	87	242	136	23	0	0	0	0	0	0	0	0	
FEB	243	98	202	110	10	0	0	0	0	0	0	0	0	
MAR	228	135	227	131	23	1	0	0	0	0	0	0	0	
APR	225	123	259	78	11	0	0	0	0	0	0	0	0	
MAY	191	107	328	112	0	0	0	0	0	0	0	0	0	
JUN	86	115	306	149	43	0	0	0	0	0	0	0	0	
JUL	84	108	306	209	34	3	0	0	0	0	0	0	0	
AUG	123	151	313	126	26	5	0	0	0	0	0	0	0	
SEP	127	133	243	167	45	5	0	0	0	0	0	0	0	
OCT	177	93	196	231	72	2	0	0	0	0	0	0	0	
NOV	161	82	169	191	86	11	0	0	0	0	0	0	0	
DEC	221	67	142	144	42	29	0	0	0	0	0	0	0	
J/Y	2063	1301	2929	1829	468	56	0	0	0	0	0	0	0	

W I N D O N T L E D I N G W I N D A N A L Y S I S

784/839 J G STRIJDOM - SWA - WK Ø 22°29'S λ 17°28'E H 1720M HA 13M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	8	2.8	20	2.8	63	3.1	36	3.9	95	3.3	21	3.8	63	3.9	41	4.3
FEB	17	3.1	17	2.6	59	3.3	50	3.3	62	3.5	26	3.5	26	2.9	34	2.9
MAR	32	3.5	27	3.3	35	3.7	17	3.0	36	2.3	18	3.0	24	3.2	28	3.1
APR	22	2.7	13	1.9	21	3.0	11	2.6	10	3.0	5	2.1	7	2.4	12	2.8
MAY	13	3.3	41	3.3	49	3.2	10	2.5	17	4.3	9	3.3	20	3.0	24	2.3
JUN	38	4.4	20	3.7	13	3.9	5	1.8	10	2.6	6	3.1	16	2.0	2	1.3
JUL	29	4.5	9	3.8	13	2.5	6	2.0	14	2.5	15	2.7	17	2.8	34	2.0
AUG	15	2.8	5	1.8	8	1.5	11	2.0	11	2.5	5	3.3	11	2.3	21	2.9
SEP	25	2.8	17	4.0	23	2.5	20	3.3	31	3.0	48	3.8	33	2.5	37	2.4
OCT	21	3.0	13	2.2	16	2.7	7	1.8	32	3.0	26	3.7	46	2.6	45	2.6
NOV	30	3.3	20	4.2	54	3.0	19	3.3	41	3.1	33	3.1	48	3.3	22	4.0
DEC	20	3.3	16	2.5	15	2.8	21	3.4	42	2.8	12	3.6	48	2.8	26	3.6
J/Y	270	3.4	218	3.2	369	3.1	213	3.1	401	3.1	226	3.4	359	3.0	326	3.0

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	24	4.4	27	3.9	36	4.0	15	2.2	8	2.7	0	0.0	7	2.7	6	2.6
FEB	18	3.0	2	2.9	31	3.4	8	2.7	8	3.3	5	3.6	9	3.8	11	3.3
MAR	23	2.5	13	2.9	62	2.7	17	2.1	9	2.8	22	3.9	24	3.1	20	2.8
APR	7	2.2	11	1.9	93	2.4	48	2.9	37	4.0	29	3.8	30	3.9	10	4.2
MAY	2	4.9	5	2.5	35	2.2	37	2.6	14	5.2	24	3.0	28	4.9	11	4.0
JUN	0	0.0	5	1.7	53	2.3	46	2.1	27	3.8	39	3.8	74	4.7	49	4.6
JUL	0	0.0	1	1.3	49	2.8	55	3.2	23	3.2	32	3.6	66	4.0	27	4.5
AUG	9	2.7	8	3.6	114	3.3	141	3.4	59	6.3	41	4.5	73	3.9	16	4.8
SEP	31	2.6	7	2.2	50	3.0	38	2.8	20	3.1	15	3.7	25	3.7	12	4.4
OCT	14	3.0	18	3.3	61	3.6	37	4.4	49	4.8	17	3.9	30	3.9	16	3.0
NOV	23	3.4	17	3.8	37	3.0	49	4.6	43	5.6	16	3.5	23	3.3	15	3.1
DEC	37	2.9	19	2.9	7	3.0	37	3.6	101	3.9	64	5.8	39	4.2	20	3.8
J/Y	188	3.0	133	3.1	628	3.0	558	3.3	402	4.5	304	4.2	448	4.1	213	3.9

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	274	71	183	150	59	6	1	0	0	0	0	0	0	
FEB	287	56	165	136	26	2	0	0	0	0	0	0	0	
MAR	337	70	185	128	23	1	0	0	0	0	0	0	0	
APR	354	64	191	78	31	2	0	0	0	0	0	0	0	
MAY	405	49	155	98	36	1	0	0	0	0	0	0	0	
JUN	317	64	173	91	59	16	0	0	0	0	0	0	0	
JUL	300	57	205	124	42	16	0	0	0	0	0	0	0	
AUG	196	66	189	233	32	14	13	1	0	0	0	0	0	
SEP	288	70	195	143	22	2	0	0	0	0	0	0	0	
OCT	296	86	180	106	70	6	0	0	0	0	0	0	0	
NOV	230	71	187	153	68	11	0	0	0	0	0	0	0	
DEC	220	82	201	140	75	26	0	0	0	0	0	0	0	
J/Y	3504	806	2209	1580	543	103	14	1	0	0	0	0	0	

1010/186 GROOTFONTEIN - SWA - WK Ø 19°36'S λ 18°07'E H 1405M HA 13M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	21	4.0	17	3.9	34	3.8	45	4.1	49	5.2	66	4.8	60	4.0	37	3.5
FEB	25	3.6	29	3.3	47	3.5	45	4.1	69	3.5	26	3.6	24	3.0	23	2.7
MAR	42	3.3	40	3.4	56	4.5	72	4.0	51	3.7	19	2.9	10	2.4	8	3.3
APR	31	4.2	26	2.8	44	3.2	28	3.4	55	3.2	18	2.5	24	2.7	18	2.6
MAY	77	3.8	44	3.8	40	4.3	64	4.7	72	4.3	26	3.2	28	3.4	19	2.5
JUN	112	4.2	135	4.7	54	4.4	62	4.4	44	4.0	21	3.3	14	3.3	6	3.0
JUL	90	4.5	77	4.7	112	4.3	53	3.9	49	3.4	20	3.4	21	3.1	17	3.5
AUG	42	4.1	51	4.1	48	3.6	38	3.6	55	3.3	23	2.9	41	3.2	24	3.6
SEP	45	3.6	51	3.9	62	4.1	81	5.4	115	4.7	43	4.2	18	4.2	17	4.1
OCT	53	4.4	21	5.0	51	3.6	39	3.6	49	3.7	37	4.1	43	3.7	34	3.6
NOV	53	4.5	31	4.5	26	3.5	41	4.1	58	4.8	15	3.5	24	3.1	22	3.4
DEC	57	3.2	31	4.1	48	4.0	33	4.0	41	3.6	31	3.4	15	3.2	24	3.3
J/Y	648	4.0	553	4.2	622	4.0	601	4.3	707	4.0	345	3.8	322	3.4	249	3.4

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	32	3.6	46	4.2	39	3.8	23	4.1	29	3.2	46	3.1	31	3.7	17	4.2
FEB	14	2.9	25	2.6	19	2.5	17	2.5	25	2.6	35	2.4	19	3.0	14	4.1
MAR	8	2.4	13	2.6	21	3.4	10	2.4	52	2.4	75	2.6	22	2.1	23	2.8
APR	16	3.1	19	3.2	32	2.9	32	2.4	73	2.4	48	2.6	28	2.9	18	3.3
MAY	16	2.9	10	2.0	15	2.7	24	2.4	45	2.5	27	2.3	6	3.4	17	3.1
JUN	9	3.0	10	2.5	9	4.0	16	2.6	43	3.2	29	2.8	19	3.3	26	4.3
JUL	10	2.9	13	3.1	17	2.9	14	2.9	42	3.0	43	3.2	24	4.0	22	4.1
AUG	20	3.8	21	4.2	26	5.2	31	4.1	76	4.3	48	3.7	38	4.0	25	4.7
SEP	15	4.3	21	3.5	15	3.9	30	3.0	35	2.9	10	2.6	15	3.6	14	4.0
OCT	32	3.3	49	4.0	67	4.1	39	3.5	36	3.2	21	3.9	28	3.7	30	4.0
NOV	14	3.8	36	3.2	34	3.3	38	3.3	49	2.8	51	3.6	45	3.7	44	4.1
DEC	17	3.0	27	3.1	42	3.1	35	3.2	57	2.9	43	3.4	53	3.3	40	3.3
J/Y	203	3.4	290	3.4	336	3.6	309	3.1	662	3.0	476	3.0	330	3.5	290	3.6

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	152	41	199	220	117	15	0	0	0	0	0	0	0	
FEB	216	53	221	149	33	0	0	0	0	0	0	0	0	
MAR	222	78	231	172	40	1	0	0	0	0	0	0	0	
APR	210	65	292	128	25	0	0	0	0	0	0	0	0	
MAY	212	57	213	194	66	2	0	0	0	0	0	0	0	
JUN	111	35	193	275	104	2	0	0	0	0	0	0	0	
JUL	120	36	191	323	66	8	0	0	0	0	0	0	0	
AUG	137	33	223	273	61	17	0	0	0	0	0	0	0	
SEP	133	31	207	212	115	22	0	0	0	0	0	0	0	
OCT	115	42	233	258	87	9	0	0	0	0	0	0	0	
NOV	139	37	236	214	80	13	1	0	0	0	0	0	0	
DEC	150	50	285	209	49	1	0	0	0	0	0	0	0	
J/Y	1917	558	2724	2627	843	90	1	0	0	0	0	0	0	

W I N D O N T L E D I N G W I N D A N A L Y S I S

0/653 MARIONEILAND - WK φ 46°53'S λ 37°52'E H 22M HA 5M

WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK
WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC

1971	N		NNE		NE		ENE		E		ESE		SE		SSE	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	31	7.3	24	5.0	8	4.6	6	6.0	6	4.5	3	2.4	4	4.4	2	3.1
FEB	34	6.2	9	4.5	6	4.6	2	3.9	8	4.1	7	5.1	6	7.1	16	5.7
MAR	44	6.8	32	7.3	12	4.7	8	4.1	3	3.6	8	3.7	4	3.3	26	6.1
APR	33	8.9	32	5.8	2	5.4	4	5.1	7	4.8	4	4.9	4	3.3	10	5.8
MAY	31	8.8	10	4.1	4	5.3	9	3.7	4	5.0	19	5.4	11	5.3	4	3.1
JUN	26	7.1	8	3.4	4	4.9	8	5.5	4	4.6	4	6.5	5	6.9	8	6.7
JUL	9	5.7	6	5.8	18	6.6	6	5.0	3	5.0	27	8.0	12	7.3	48	8.0
AUG	5	5.4	8	5.5	2	5.1	4	5.9	5	5.6	10	5.8	12	4.4	56	7.6
SEP	11	8.1	8	7.5	2	1.8	1	2.6	4	1.8	0	0.0	6	3.6	12	6.8
OCT	13	8.4	9	4.6	3	5.1	16	4.4	9	4.8	4	2.8	3	3.8	19	4.7
NOV	10	6.9	16	8.5	5	4.8	7	4.2	2	4.9	8	5.0	8	6.5	56	8.6
DEC	23	7.2	5	5.5	7	4.8	10	5.2	4	6.2	6	3.0	4	4.5	4	5.3
J/Y	270	7.3	167	5.8	73	5.2	81	4.7	59	4.6	100	5.7	79	5.4	261	7.2

1971	S		SSW		SW		WSW		W		WNW		NW		NNW	
	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM	ND	VM
JAN	16	7.5	29	8.4	39	7.1	27	8.5	50	8.1	131	10.6	135	10.0	190	9.9
FEB	10	7.9	28	7.3	18	6.3	42	10.8	30	8.8	78	11.7	93	10.7	186	9.9
MAR	24	8.2	48	7.8	7	6.0	12	5.9	36	9.5	136	9.8	79	8.5	166	7.3
APR	11	7.3	39	6.8	36	5.9	72	8.1	75	9.3	135	9.5	90	10.0	91	9.5
MAY	8	6.8	42	7.5	54	8.4	81	9.2	57	10.2	130	11.1	84	9.5	135	10.8
JUN	17	6.5	41	8.6	26	11.2	94	9.9	70	9.9	129	10.3	58	9.1	148	9.6
JUL	38	5.3	61	7.7	22	11.8	53	10.1	52	12.4	284	11.2	69	8.8	19	6.9
AUG	41	11.1	59	10.3	30	11.2	59	11.9	53	9.5	192	9.3	74	8.5	72	8.6
SEP	33	8.1	76	13.0	24	7.9	107	9.8	36	8.7	207	10.0	96	8.6	75	9.3
OCT	20	11.5	66	10.0	32	8.0	48	8.5	59	10.5	277	10.0	43	8.6	47	9.0
NOV	40	9.0	87	7.2	43	8.1	37	9.6	24	7.2	182	9.9	77	8.0	88	8.5
DEC	8	5.3	80	9.8	87	12.1	51	9.0	51	10.0	210	12.4	83	9.3	105	7.9
J/Y	266	8.2	656	9.0	418	9.2	683	9.6	593	9.7	2091	10.5	981	9.3	1322	9.1

WINDSPOEDFREKWENSIE WIND SPEED FREQUENCY

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.2	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7+	M/SEK M/SEC
JAN	40	11	43	64	165	180	174	41	18	5	0	0	0	
FEB	73	5	47	67	130	132	90	59	38	5	0	0	0	
MAR	99	13	66	87	191	169	69	32	18	0	0	0	0	
APR	71	10	55	98	152	128	133	51	18	0	0	0	0	
MAY	43	9	34	77	167	151	130	102	13	0	0	0	0	
JUN	52	7	26	68	153	162	132	86	16	0	0	0	0	
JUL	17	9	49	70	138	141	207	99	14	0	0	0	0	
AUG	59	5	34	66	177	176	140	51	27	5	1	0	0	
SEP	22	5	36	59	150	195	152	75	23	3	0	0	0	
OCT	62	16	42	72	131	162	164	74	5	2	0	0	0	
NOV	30	7	41	76	190	211	109	51	5	0	0	0	0	
DEC	6	4	39	63	199	144	124	83	70	12	0	0	0	
J/Y	574	101	512	867	1943	1951	1624	804	265	32	1	0	0	

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
0/653	MARIONEILAND - WK					Ø 46°53'S		λ 37°52'E			H 22M			1971
GRAS/GRASS		3.7	4.6	4.7	1.6	0.4	-0.3	0.2	-0.3	-0.3	0.7	1.9	2.4	1.6
ABS MIN		-2.3	-0.1	-1.4	-1.3	-3.5	-3.7	-4.4	-5.1	-7.2	-3.1	-2.2	-1.5	-7.2
DAT		30	19	21	18	23	2	18	26	17	18	28	6	-
7/699A	TYGERHOEK - AGR					Ø 34° 9'S		λ 19°54'E			H 168M			1971
GRAS/GRASS		11.5	13.0	10.5	7.1	4.1	2.8	2.4	3.0	2.7	6.2	9.9	11.5	7.1
ABS MIN		1.5	6.1	3.6	-0.8	-3.4	-3.9	-2.5	-3.0	-4.2	-3.5	4.7	3.0	-4.2
DAT		1	12	28	11	17	17	27	26	7	18	8	21	-
10/456	RIVERSDALE					Ø 34° 6'S		λ 21°16'E			H 117M			1971
GRAS/GRASS		13.4	15.4	12.8	8.8	4.8	3.8	4.0	3.8	3.3	6.8	9.8	11.9	8.2
ABS MIN		5.4	11.0	6.3	2.9	-1.5	-3.0	-2.3	-3.7	-4.0	0.0	2.7	5.0	-4.0
DAT		1	17	27	12	21	17	5	26	7	1	8	7	-
GROND/SOIL		KLEUR VAN BOGROND				- XX -		COLOUR OF TOPSOIL						
10CM	0800	-	-	-	-	-	-	-	-	-	15.9	17.8	21.2	-
67/22/ 9/ 2	1400	-	-	-	-	-	-	-	-	-	25.3	25.4	30.1	-
	2000	-	-	-	-	-	-	-	-	-	22.3	23.4	29.0	-
20CM	0800	24.6	23.6	20.9	17.6	13.8	11.6	10.7	11.5	-	17.7	-	-	-
67/22/ 9/ 2	1400	26.9	25.4	23.3	20.1	15.6	13.2	12.5	12.7	-	20.9	-	-	-
	2000	29.1	26.7	24.7	20.8	16.4	13.8	13.1	13.5	-	22.4	-	-	-
30CM	0800	25.4	24.4	22.0	18.8	15.3	12.7	11.8	12.2	14.1	18.7	20.5	23.6	18.3
60/27/10/ 3	1400	25.8	24.8	22.3	19.3	15.4	12.9	11.6	12.4	14.6	19.6	21.2	24.3	18.7
	2000	27.4	26.1	23.7	20.1	16.2	13.8	13.0	13.5	16.2	21.6	22.6	26.5	20.1
60CM	0800	25.6	25.1	23.1	19.9	17.1	13.9	13.2	13.4	15.1	19.1	20.9	23.7	19.2
47/26/19/ 8	1400	25.4	24.9	22.9	19.7	16.8	13.8	13.0	13.3	14.8	18.8	20.6	23.5	19.0
	2000	25.6	24.7	23.0	19.8	16.8	14.0	13.1	13.4	15.0	19.0	20.8	23.7	19.1
20/779	KIRSTENBOSCH - BOT					Ø 33°59'S		λ 18°26'E			H 89M			1971
GRAS/GRASS		12.7	14.0	11.9	9.9	7.6	6.6	5.7	5.8	5.2	8.4	10.3	12.8	9.2
ABS MIN		7.0	8.9	6.6	6.5	2.9	1.1	3.0	1.0	-0.3	3.8	8.0	7.8	-0.3
DAT		12	11	27	11	21	17	31	19	7	18	17	21	-
21/178	D F MALAN - WK***					Ø 33°58'S		λ 18°36'E			H 44M			1971
GRAS/GRASS		12.3	13.9	11.1	9.6	5.6	5.0	3.8	4.9	-	7.4	10.0	13.4	-
ABS MIN		3.5	5.5	2.0	4.2	-1.6	-2.3	-0.6	-3.2	-	-1.2	3.8	6.2	-
DAT		22	11	27	9	21	17	25	26	-	2	17	22	-
GROND/SOIL		KLEUR VAN BOGROND				- NN -		COLOUR OF TOPSOIL						
10CM	0800	22.2	23.1	20.5	17.3	13.0	11.2	9.7	10.3	11.7	16.5	20.2	22.7	16.5
0/99/ 0/ 1	1400	26.6	27.3	24.5	19.6	15.8	13.1	12.6	13.3	15.3	20.9	24.7	27.0	20.1
	2000	28.5	29.2	26.4	20.9	16.6	13.7	13.0	13.5	16.4	23.3	27.3	29.9	21.6
20CM	0800	24.4	24.9	21.3	17.5	13.1	10.9	9.3	9.9	11.7	16.6	20.6	22.1	16.9
0/99/ 0/ 1	1400	24.7	25.0	21.8	18.4	14.4	11.7	10.8	11.3	12.9	16.4	22.1	(25.7)	(18.1)
	2000	26.3	26.8	23.9	19.6	15.5	12.6	11.8	12.3	14.6	20.7	24.1	26.7	19.6
30CM	0800	24.0	25.0	22.9	19.7	15.5	12.8	11.4	11.9	13.6	18.5	22.0	24.1	18.5
0/99/ 0/ 1	1400	24.4	25.4	23.3	19.7	15.5	12.8	11.5	11.9	13.6	18.6	22.1	24.4	18.6
	2000	25.0	25.9	23.8	20.6	16.4	13.6	12.5	12.9	14.7	19.8	23.2	25.2	19.5
60CM	0800	23.6	24.7	23.3	20.6	16.9	14.2	12.7	12.9	14.3	18.4	21.7	23.5	18.9
0/99/ 0/ 1	1400	23.6	24.6	23.4	20.6	16.8	14.1	12.5	12.8	14.1	18.3	21.6	23.4	18.8
	2000	23.6	24.7	23.3	20.5	16.7	14.1	12.5	12.8	14.2	18.3	21.5	23.4	18.8
120CM	0800	22.6	23.7	23.1	21.1	18.3	15.9	14.2	14.0	14.6	17.2	20.2	21.9	18.9
0/99/ 1/ 0	1400	22.7	23.7	23.1	21.1	18.3	15.9	14.2	14.0	14.6	17.2	20.2	21.9	18.9
	2000	22.6	23.7	23.1	21.0	18.3	15.9	14.2	14.0	14.6	17.2	20.2	21.9	18.9
21/591A	ELSENBURG II - AGR					Ø 33°51'S		λ 18°50'E			H 162M			1971
GRAS/GRASS		10.4	11.7	10.2	8.4	4.8	4.2	2.4	3.7	2.5	5.7	8.2	11.2	6.9
ABS MIN		3.7	5.8	4.3	2.4	0.3	-2.0	-0.6	-2.9	-3.4	0.2	2.3	5.6	-3.4
DAT		1	11	27	12	17	17	29	26	7	2	8	7	-
GROND/SOIL		KLEUR VAN BOGROND				- NV -		COLOUR OF TOPSOIL						
10CM	0800	24.9	24.7	20.9	16.5	11.7	10.1	9.0	10.0	11.1	15.4	21.4	24.4	16.6
23/56/13/ 8	1400	36.0	38.1	32.4	25.4	18.9	14.8	13.9	14.5	17.0	25.3	33.1	36.9	25.5
20CM	0800	26.0	27.4	23.7	18.5	13.4	11.2	10.3	11.2	12.2	16.6	22.7	25.9	18.3
26/52/16/ 6	1400	30.7	32.0	27.8	22.2	16.5	13.1	11.9	12.6	14.6	21.1	28.1	31.2	21.6
30CM	0800	27.1	28.5	23.2	20.0	14.9	12.4	11.3	12.0	13.3	17.7	23.8	27.0	19.4
20/58/15/ 7	1400	28.4	30.0	26.2	21.2	15.8	13.1	11.8	12.4	14.5	19.0	24.8	28.0	20.4
60CM	0800	27.6	29.3	26.5	22.3	17.6	14.4	12.9	13.2	14.4	18.3	23.9	27.2	20.7
23/52/14/ 6	1400	27.3	29.0	26.6	22.1	17.4	14.4	12.9	13.1	14.3	18.1	23.7	27.0	20.5
120CM	0800	25.2	26.9	26.2	23.1	19.6	16.6	14.5	14.2	14.7	17.2	21.4	24.6	20.3
5/27/29/39	1400	25.3	26.9	26.3	23.2	19.7	16.6	14.6	14.3	14.8	17.3	21.5	24.7	20.4

*** Stasie verskuif: kyk na bl. XXI / Station shifted: see p. XXI

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
21/793	PAARL - AGR					Ø 33°43'S		λ 18°57'E			H 166M			1971
GROND/SOIL		KLEUR VAN BOGROND				- NR -	COLOUR OF TOPSOIL							
10CM	0800	23.3	23.3	19.8	15.9	11.1	8.8	7.7	8.8	9.8	15.7	20.1	21.3	15.5
0/71/20/ 9	1400	33.2	34.8	29.5	23.7	17.4	12.7	12.9	14.1	17.4	27.0	32.5	32.3	24.0
20CM	0800	25.3	25.9	22.7	18.5	13.5	10.9	9.8	10.5	11.9	17.6	22.1	23.9	17.7
0/72/21/ 7	1400	29.6	30.0	25.9	21.1	15.5	12.3	11.4	12.3	14.5	21.7	27.2	28.5	20.8
30CM	0800	26.5	27.0	23.7	18.6	13.9	11.4	10.3	10.9	12.4	18.3	23.2	25.1	18.4
0/72/21/ 7	1400	27.2	27.6	24.1	19.3	14.0	11.5	10.4	11.2	12.9	19.2	24.6	26.2	19.0
60CM	0800	26.2	27.2	24.9	21.0	16.7	13.7	12.3	12.5	13.7	18.3	23.2	24.9	19.5
1/72/20/ 7	1400	26.0	26.9	24.7	20.8	16.5	13.6	12.2	12.4	13.6	18.2	22.9	24.8	19.4
120CM	0800	23.9	25.3	24.5	21.8	18.7	15.9	14.1	13.7	14.1	16.9	20.8	22.8	19.4
0/70/22/ 8	1400	24.0	25.3	24.5	21.8	18.7	15.9	14.2	13.7	14.1	17.0	20.8	22.9	19.4
21/860	BIEN DONNE - AGR					Ø 33°50'S		λ 18°59'E			H 138M			1971
GRAS/GRASS		11.1	12.5	10.8	-	-	2.3	1.7	3.0	-	-	8.8	10.7	-
ABS MIN		4.5	2.7	2.6	-	-	-3.0	-3.3	-3.8	-	-	2.3	3.0	-
DAT		1	11	26	-	-	26	27	27	-	-	5	21	-
GROND/SOIL		KLEUR VAN BOGROND				- NG -	COLOUR OF TOPSOIL							
10CM	0800	21.5	22.4	19.1	15.0	10.5	8.5	7.4	8.5	9.4	15.0	19.3	21.2	14.8
0/78/10/12	1400	33.1	33.8	29.7	23.9	18.9	14.9	14.3	15.0	18.5	26.9	31.5	32.5	24.4
20CM	0800	22.9	24.0	20.9	16.9	12.1	9.8	8.7	9.6	10.8	16.1	20.3	22.2	16.2
0/78/11/11	1400	27.6	28.6	24.8	20.1	15.0	12.0	11.1	12.1	14.0	21.1	25.7	27.3	19.9
30CM	0800	24.4	25.6	22.6	18.7	14.1	11.7	10.6	11.2	12.5	17.6	21.9	23.7	17.9
0/77/12/11	1400	25.5	26.5	23.3	19.3	14.6	12.1	10.9	11.7	13.3	18.9	23.4	25.1	18.7
60CM	0800	24.8	26.1	23.8	20.4	16.2	13.7	12.4	12.7	13.9	18.1	22.4	24.1	19.1
0/76/12/12	1400	24.4	25.7	23.5	20.0	16.0	13.5	12.2	12.5	13.6	17.8	22.0	23.8	18.7
120CM	0800	22.6	24.0	22.9	20.5	17.6	15.3	13.8	13.7	14.2	16.8	20.2	21.9	18.6
0/76/13/11	1400	22.6	24.0	22.9	20.5	17.6	15.3	13.8	13.7	14.2	16.9	20.2	21.9	18.6
23/710	ROBERTSON - AGR					Ø 33°50'S		λ 19°54'E			H 156M			1971
GRAS/GRASS		12.6	14.7	11.9	8.7	4.2	2.6	2.4	3.7	2.1	6.3	10.3	12.6	7.7
ABS MIN		4.0	8.5	4.6	0.4	-3.3	-3.9	-2.2	-3.1	-6.5	-1.5	2.6	5.8	-6.5
DAT		1	18	27	12	17	17	5	6	7	18	8	21	-
GROND/SOIL		KLEUR VAN BOGROND				- ND -	COLOUR OF TOPSOIL							
5CM	0800	23.0	23.2	20.1	15.5	10.6	8.5	8.2	9.2	10.4	15.5	18.4	22.1	15.4
14/71/14/ 1	1400	35.3	34.0	29.3	22.5	17.6	14.9	14.1	15.3	19.5	26.9	29.5	33.5	24.4
	2000	31.9	30.7	27.5	20.6	15.6	13.1	12.2	13.3	16.7	23.0	25.8	29.8	21.7
10CM	0800	23.8	24.2	20.8	15.8	11.8	9.4	8.9	9.9	11.4	16.9	19.3	23.3	16.3
14/71/14/ 1	1400	33.1	32.5	28.3	21.6	15.8	13.0	12.3	13.5	17.0	24.1	26.3	30.2	22.3
	2000	32.4	31.5	28.3	21.0	16.3	13.5	12.6	13.9	17.4	23.9	26.4	30.5	22.3
20CM	0800	26.7	26.9	23.8	18.6	13.9	11.3	10.6	11.4	13.4	19.0	21.4	25.2	18.5
0/80/18/ 2	1400	28.3	28.2	24.9	19.4	14.7	11.9	11.0	12.2	14.7	20.9	23.2	26.8	19.7
	2000	31.4	30.9	27.7	21.4	16.7	13.6	12.7	13.9	17.1	23.4	26.0	29.8	22.1
30CM	0800	27.7	28.0	25.0	19.9	15.6	12.9	11.9	12.7	14.8	20.0	22.6	26.1	19.8
19/68/11/ 2	1400	27.6	27.9	24.9	19.7	15.4	12.7	11.7	12.5	14.7	20.1	22.6	26.0	19.7
	2000	29.4	29.5	26.6	20.9	16.4	13.5	12.4	13.4	16.0	22.2	24.4	27.9	21.1
60CM	0800	27.3	28.0	25.8	21.2	17.6	14.5	13.1	13.5	15.2	19.5	22.2	25.4	20.3
0/82/17/ 1	1400	27.2	27.8	25.7	21.1	17.4	14.4	13.0	13.5	15.1	19.4	22.1	25.3	20.2
	2000	27.1	27.8	25.6	21.0	17.3	14.3	12.9	13.4	15.1	19.3	22.0	25.3	20.1
120CM	0800	25.1	26.5	25.5	22.1	19.4	16.4	14.6	14.4	15.1	17.8	20.1	23.2	20.0
0/75/21/ 4	1400	25.1	26.5	25.5	22.1	19.4	16.4	14.6	14.4	15.1	17.8	20.1	23.2	20.0
	2000	25.1	26.5	25.5	22.1	19.4	16.4	14.6	14.4	15.1	17.8	20.1	23.2	20.0
28/428	RODIHEUWEL - AGR					Ø 33°38'S		λ 22°15'E			H 301M			1971
GRAS/GRASS		11.9	14.1	11.3	7.8	2.1	1.4	1.8	1.4	2.5	5.2	6.8	9.6	6.3
ABS MIN		3.5	6.0	3.0	1.5	-4.0	-4.5	-4.8	-3.0	-4.8	-1.5	0.0	3.0	-4.8
DAT		1	27	27	12	17	17	5	27	7	5	8	17	-
GROND/SOIL		KLEUR VAN BOGROND				- GG -	COLOUR OF TOPSOIL							
10CM	0800	23.8	24.3	21.0	15.8	11.3	8.7	7.9	8.4	11.7	15.9	17.1	20.3	15.5
8/52/28/12	1400	33.1	31.7	29.0	23.1	17.6	14.4	13.1	15.0	20.2	25.0	26.7	31.5	23.4
	2000	31.5	30.5	27.5	21.3	16.1	13.4	12.0	13.8	18.4	23.5	24.5	29.2	21.8
20CM	0800	26.0	26.3	23.4	18.4	14.1	11.3	10.3	11.0	14.3	17.9	19.6	23.5	18.0
8/52/28/12	1400	27.4	27.1	24.1	19.3	14.5	11.6	10.8	11.5	15.2	20.0	24.1	28.1	19.5
	2000	29.9	29.3	26.5	21.1	16.2	13.2	12.4	13.4	17.4	22.3	24.7	30.1	21.4
30CM	0800	25.9	26.2	23.3	18.7	14.3	11.4	10.5	11.0	14.4	18.6	21.1	24.8	18.3
0/55/32/13	1400	26.9	26.6	23.7	19.1	14.5	11.6	10.7	11.3	14.9	19.5	22.2	25.8	18.9
	2000	29.2	28.5	25.8	20.8	16.1	13.1	12.1	13.0	17.0	21.9	24.3	28.4	20.9
60CM	0800	26.4	26.6	24.5	20.4	16.7	13.5	12.3	12.7	15.5	19.2	22.6	25.2	19.6
0/54/33/13	1400	26.1	26.4	24.1	20.1	16.5	13.4	12.1	12.5	15.3	19.0	22.3	24.7	19.4
	2000	26.1	26.4	24.1	20.1	16.4	13.3	12.0	12.5	15.4	19.0	22.6	25.1	19.4
120CM	0800	23.4	24.4	23.6	21.0	18.6	15.5	14.0	13.8	15.0	17.5	19.4	21.6	19.0
0/52/33/15	1400	23.4	24.4	23.6	21.0	18.6	15.5	14.0	13.8	15.0	17.5	19.5	21.6	19.0
	2000	23.5	24.4	23.6	20.9	18.6	15.4	14.0	13.8	15.0	17.5	19.5	21.7	19.0

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAR
35/179	PORT ELIZABETH - WK					Ø 33°59'S		λ 25°36'E			H 60M			1971
GRAS/GRASS		-	-	-	-	7.1	4.9	5.3	4.3	6.9	9.1	10.9	14.3	-
ABS MIN		-	-	-	-	1.9	-2.0	-1.4	-0.4	-0.7	1.8	3.2	6.7	-
DAT		-	-	-	-	22	18	19	8	7	1	17	8	-
GROND/SOIL		KLEUR VAN BOGROND			-	SW -	COLOUR OF TOPSOIL							
10CM	0800	22.9	22.9	21.5	17.5	14.6	12.4	11.7	11.8	14.1	17.0	18.5	21.3	17.2
7/89/ 3/ 1	1400	27.6	27.1	25.8	21.3	18.4	17.0	16.4	17.2	19.9	22.8	23.5	26.4	21.9
	2000	27.4	26.6	25.2	20.0	17.0	15.0	14.4	14.8	17.2	19.8	21.6	24.6	20.3
20CM	0800	23.9	24.1	23.0	18.6	16.0	14.1	13.2	12.9	15.2	17.6	19.5	22.4	18.4
0/98/ 1/ 1	1400	24.5	24.6	23.3	19.4	17.0	15.0	14.1	14.1	16.3	19.1	20.9	23.8	19.3
	2000	25.8	25.8	24.4	20.1	17.4	15.6	14.6	14.6	16.8	19.7	21.0	24.0	20.0
30CM	0800	23.9	24.4	23.3	19.3	16.8	14.7	13.8	13.8	15.7	18.1	19.1	22.2	18.8
0/96/ 3/ 1	1400	24.5	24.4	23.4	19.4	16.8	14.7	13.9	14.1	16.2	18.6	19.6	22.6	19.0
	2000	24.8	25.0	23.8	20.0	17.3	15.3	14.4	14.6	16.6	19.4	20.9	23.5	19.6
60CM	0800	23.9	24.2	23.3	20.0	17.6	15.5	14.4	14.5	16.0	18.5	20.0	22.0	19.2
0/96/ 3/ 1	1400	23.9	24.2	23.2	19.8	17.5	15.4	14.4	14.4	16.0	18.4	19.9	22.0	19.1
	2000	23.9	24.2	23.2	19.8	17.5	15.4	14.4	14.4	16.0	18.4	19.9	22.0	19.1
120CM	0800	22.6	23.0	22.8	20.6	18.8	16.9	15.8	15.5	16.1	17.9	19.2	20.7	19.2
0/99/ 1/ 0	1400	22.6	23.1	22.8	20.6	18.8	16.9	15.8	15.5	16.2	17.9	19.2	20.8	19.2
	2000	22.5	23.1	22.8	20.6	18.8	16.9	15.8	15.5	16.2	17.9	19.2	20.8	19.2
35/334	ADDO - AGR					Ø 33°34'S		λ 25°42'E			H 85M			1971
GRAS/GRASS		14.7	14.7	14.2	9.5	6.7	3.8	4.5	3.3	5.2	8.9	10.2	13.0	9.1
ABS MIN		5.1	10.6	6.9	5.0	0.2	-2.9	-1.5	-0.8	-2.7	1.4	1.8	6.5	-2.9
DAT		1	2	27	12	22	26	6	6	7	2	17	7	-
GROND/SOIL		KLEUR VAN BOGROND			-	NL -	COLOUR OF TOPSOIL							
5CM	0800	23.7	22.5	20.7	15.1	10.7	8.4	-	-	-	16.0	19.3	21.8	-
0/77/13/10	1400	36.7	34.2	33.2	27.9	22.4	18.5	-	-	-	28.9	30.9	33.4	-
10CM	0800	23.9	22.9	21.6	16.4	12.5	10.1	10.1	9.9	13.2	16.7	19.5	22.3	16.6
0/77/13/10	1400	32.3	30.7	29.2	24.0	18.7	15.3	15.3	17.0	21.8	25.6	28.3	30.6	24.1
20CM	0800	25.8	24.8	23.6	18.6	14.9	12.2	11.8	12.0	15.1	18.2	21.1	23.9	18.5
0/80/11/ 9	1400	28.0	26.9	25.5	20.5	16.2	13.1	12.9	13.9	17.5	21.1	24.0	26.5	20.5
30CM	0800	26.3	25.8	24.5	19.9	16.3	13.5	13.0	13.3	16.1	19.2	22.0	24.8	19.6
0/79/11/10	1400	26.7	26.2	25.1	20.2	16.5	13.6	13.1	13.6	16.6	19.8	22.7	25.3	19.9
60CM	0800	25.9	26.1	24.9	20.9	17.9	15.0	14.1	14.3	16.5	19.2	21.7	24.2	20.1
0/86/ 6/ 8	1400	25.8	26.1	24.8	20.9	17.8	15.0	14.1	14.3	16.4	19.2	21.6	24.1	20.0
120CM	0800	23.7	24.2	23.8	21.2	19.0	16.5	15.1	14.8	15.7	17.8	19.6	21.7	19.4
0/92/ 3/ 5	1400	23.7	24.3	23.8	21.2	19.0	16.6	15.1	14.9	15.8	17.8	19.7	21.7	19.5
37/541	BATHURST - AGR					Ø 33°31'S		λ 26°49'E			H 259M			1971
GRAS/GRASS		15.2	15.0	14.4	(10.9)	8.7	6.9	7.1	5.3	6.9	10.0	10.3	12.4	(10.3)
ABS MIN		8.3	10.9	10.0	-	3.4	1.0	2.2	1.2	2.6	2.3	3.5	6.7	-
DAT		22	17	27	-	21	26	2	4	8	2	17	22	-
GROND/SOIL		KLEUR VAN BOGROND			-	NV -	COLOUR OF TOPSOIL							
10CM	0800	22.8	(21.4)	21.9	16.6	-	12.0	11.5	11.1	13.3	16.2	18.4	20.7	-
6/73/11/10	1400	-	-	-	(20.9)	-	16.5	16.0	15.8	20.1	22.1	24.2	26.5	-
20CM	0800	23.3	22.7	22.3	18.1	15.6	13.6	13.1	12.4	15.1	17.3	19.1	21.5	17.8
0/75/16/ 9	1400	-	-	-	(19.7)	16.4	14.3	13.7	13.5	16.4	19.1	20.9	22.7	-
30CM	0800	23.5	23.1	22.7	18.6	15.9	13.9	13.4	13.0	15.5	17.7	19.5	21.7	18.2
0/74/14/12	1400	-	-	-	(19.8)	16.4	14.5	13.8	13.7	16.4	18.6	20.3	22.3	-
60CM	0800	24.1	24.0	23.6	20.1	17.7	15.5	14.6	14.3	16.3	18.3	19.9	21.8	19.2
0/73/14/13	1400	-	-	23.4	20.0	17.6	15.3	14.4	14.1	16.1	18.1	19.7	21.7	-
120CM	0800	22.7	23.4	23.2	20.9	18.4	16.7	15.4	15.0	15.9	17.5	19.0	20.6	19.1
0/65/ 9/26	1400	-	-	23.2	20.9	18.4	16.7	15.4	15.0	16.0	17.6	19.1	20.6	-
43/566	MATROOSBERG					Ø 33°26'S		λ 19°49'E			H 967M			1971
GRAS/GRASS		11.2	12.6	9.9	6.8	3.9	2.1	1.2	0.9	0.6	4.4	7.1	-	-
ABS MIN		4.4	4.8	2.4	-0.8	-1.9	-5.4	-2.4	-5.6	-6.3	-2.0	1.6	-	-
DAT		1	27	27	12	16	17	22	26	7	23	8	-	-
50/887	WILLOWMORE - PDW***					Ø 33°17'S		λ 23°30'E			H 840M			1971
GRAS/GRASS		13.5	14.1	12.7	-	3.6	2.4	2.7	1.9	3.7	6.4	8.9	11.8	-
ABS MIN		4.5	9.4	4.5	-	-3.6	-5.3	-2.1	-3.1	-5.5	-1.5	2.2	7.0	-
DAT		1	27	27	-	21	18	31	26	7	5	8	7	-
GROND/SOIL		KLEUR VAN BOGROND			-	XX -	COLOUR OF TOPSOIL							
10CM	0800	-	-	20.1	14.7	11.4	-	-	7.1	11.1	15.9	19.1	22.1	-
11/50/27/12	1400	-	-	27.1	21.1	16.7	-	-	12.6	18.6	23.9	27.5	30.9	-
	2000	-	-	27.4	20.1	(16.0)	-	-	12.1	18.0	23.4	26.7	30.9	-
20CM	0800	-	-	22.7	16.2	13.9	10.8	10.2	9.1	13.4	17.8	20.7	23.6	-
61/28/10/ 1	1400	-	-	23.6	18.6	14.4	11.4	10.4	10.4	15.4	20.3	23.3	26.7	-
	2000	-	-	25.9	19.7	(15.9)	-	(11.9)	12.2	17.7	22.6	25.8	29.4	-
30CM	0800	26.6	-	23.0	17.8	14.6	11.6	10.8	10.2	14.4	18.6	21.7	24.7	-
51/37/11/ 1	1400	28.7	-	24.7	18.9	15.6	12.5	11.4	10.7	15.1	19.5	22.5	25.5	-
	2000	30.1	-	25.8	19.9	(16.3)	-	(12.0)	11.3	15.8	20.4	23.3	26.6	-
60CM	0800	26.9	-	24.8	19.8	17.1	14.2	12.5	11.2	14.9	18.7	21.5	24.4	-
55/40/ 5/ 0	1400	27.0	-	24.8	19.8	17.1	14.2	12.5	11.2	14.9	18.6	21.5	24.4	-
	2000	27.1	-	24.8	19.8	17.1	-	12.5	11.1	14.8	18.6	21.5	24.3	-
120CM	0800	-	-	-	-	-	-	-	12.8	14.8	17.7	19.9	22.3	-
21/56/21/ 2	1400	-	-	-	-	-	-	-	12.8	14.9	17.7	19.9	22.3	-
	2000	-	-	-	-	-	-	-	12.8	14.9	17.7	19.9	22.3	-

*** Stasie verskuif: kyk na bl. XXI / Station shifted, see p. XXI

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
59/511	EAST LONDON - AGR					Ø 33° 1'S		λ 27°48'E		H 185M				1971
GROND/SOIL		KLEUR VAN BODGROND				- NN -	COLOUR OF TOPSOIL							
10CM	0800	22.0	22.5	22.1	18.4	15.7	13.5	13.4	13.1	15.3	17.4	18.6	21.5	17.8
1/65/31/ 3	1400	25.2	25.4	24.6	20.4	17.6	15.2	14.8	15.0	17.8	20.4	21.5	24.6	20.2
20CM	0800	22.9	23.5	23.0	19.5	17.0	14.7	14.5	14.2	16.5	18.4	19.5	22.5	18.9
1/65/31/ 3	1400	23.5	24.0	23.4	19.7	17.2	15.0	14.6	14.6	17.0	19.1	20.2	22.9	19.3
30CM	0800	23.1	23.6	23.1	19.7	17.1	15.0	14.6	14.3	16.6	18.5	19.6	22.3	19.0
8/61/28/ 3	1400	23.6	24.2	23.6	20.1	17.7	15.5	15.0	14.8	17.3	19.1	20.2	22.9	19.5
60CM	0800	22.5	23.4	23.1	20.4	18.5	16.4	15.5	15.1	16.7	18.3	19.3	21.5	19.2
0/58/35/ 7	1400	22.5	23.4	23.1	20.4	18.4	16.4	15.5	15.1	16.7	18.3	19.3	21.5	19.2
120CM	0800	20.6	21.6	21.8	20.7	19.5	18.0	16.7	16.1	16.3	17.3	18.1	19.4	18.8
0/54/38/ 8	1400	20.6	21.6	21.8	20.7	19.5	18.0	16.7	16.1	16.3	17.4	18.1	19.4	18.9
59/572	EAST LONDON - WK					Ø 33° 2'S		λ 27°50'E		H 127M				1971
GRAS/GRASS		16.3	16.3	15.9	11.5	9.2	7.4	7.3	6.1	8.8	10.1	-	-	-
ABS MIN		10.0	13.5	12.2	7.8	4.3	1.1	0.3	1.5	1.0	4.0	-	-	-
DAT		1	12	30	21	22	18	19	22	7	24	-	-	-
GROND/SOIL		KLEUR VAN BODGROND				- NV -	COLOUR OF TOPSOIL							
10CM	0800	21.4	-	(20.9)	17.4	15.1	12.8	12.9	12.1	14.8	16.9	19.1	21.2	-
0/64/21/15	1400	26.7	-	(25.4)	21.7	19.2	16.2	15.9	15.9	19.6	21.6	23.1	25.5	-
	2000	24.3	-	(23.3)	19.8	17.2	14.9	14.9	14.5	17.6	19.7	21.1	24.1	-
20CM	0800	22.2	23.0	22.0	18.7	16.3	13.9	13.8	13.2	15.8	17.8	19.5	21.9	18.2
0/63/22/15	1400	23.9	24.1	23.2	19.7	17.3	14.6	14.5	14.1	17.1	19.2	20.5	23.2	19.3
	2000	24.6	24.8	23.8	20.3	17.8	15.2	15.1	14.9	17.7	19.9	21.2	23.9	19.9
30CM	0800	22.6	23.2	22.5	19.2	17.0	14.5	14.4	13.8	16.3	18.2	19.7	22.2	18.6
24/41/16/19	1400	23.2	23.6	22.7	19.4	17.1	14.6	14.4	14.0	16.6	18.7	20.2	22.9	18.9
	2000	24.2	24.6	23.8	20.3	17.9	15.3	15.1	14.9	17.6	19.8	21.0	23.7	19.9
60CM	0800	22.7	23.5	22.9	20.1	18.1	15.6	15.0	14.6	16.7	18.5	19.9	22.2	19.1
0/26/19/55	1400	22.7	23.4	22.8	19.9	17.9	15.5	14.9	14.5	16.6	18.4	19.8	22.1	19.0
	2000	22.7	23.3	22.7	19.9	17.9	15.5	14.9	14.5	16.6	18.4	19.8	22.1	19.0
120CM	0800	21.7	22.5	22.4	20.7	19.3	17.3	16.1	15.7	16.6	18.1	19.1	20.8	19.2
8/62/16/14	1400	21.7	22.6	22.4	20.7	19.3	17.2	16.1	15.7	16.6	18.1	19.1	20.8	19.2
	2000	21.7	22.5	22.4	20.7	19.2	17.2	16.1	15.7	16.6	18.1	19.1	20.8	19.2
74/296	JANSENVILLE					Ø 32°56'S		λ 24°40'E		H 410M				1971
GRAS/GRASS		14.2	15.0	12.7	8.5	4.0	1.9	3.9	3.1	3.6	7.7	9.3	11.8	8.0
ABS MIN		3.4	10.8	6.2	1.5	-2.2	-5.7	-2.0	-2.5	-4.4	-0.5	2.5	5.8	-5.7
DAT		1	18	27	11	21	18	21	26	7	5	8	21	-
GROND/SOIL		KLEUR VAN BODGROND				- NV -	COLOUR OF TOPSOIL							
10CM	0800	25.7	25.5	23.7	17.8	13.6	10.7	10.3	10.1	14.2	17.9	20.5	23.0	17.7
0/48/40/12	1400	30.9	29.8	28.0	21.5	17.3	13.9	13.3	13.5	18.0	23.0	26.5	29.2	22.1
	2000	31.2	30.5	28.7	22.5	17.9	14.5	14.3	14.5	18.9	23.3	26.0	29.0	22.6
20CM	0800	27.5	27.3	25.8	20.1	16.2	13.0	12.4	11.9	15.8	19.3	22.5	24.9	19.7
1/35/40/24	1400	27.6	27.2	25.7	20.4	16.2	12.8	12.4	11.9	16.1	19.9	23.1	25.5	19.9
	2000	29.7	29.0	27.4	21.8	17.5	14.0	13.6	13.5	17.6	21.7	25.0	27.5	21.5
30CM	0800	28.3	28.0	26.6	21.7	17.9	14.6	13.9	13.6	17.0	20.3	23.7	26.0	21.0
0/39/35/26	1400	28.8	28.5	27.1	22.0	18.5	14.8	14.1	13.7	17.3	20.7	24.3	26.6	21.4
	2000	29.4	29.0	27.4	22.3	18.5	15.1	14.4	14.2	17.8	21.3	24.8	27.2	21.8
60CM	0800	28.1	28.1	27.0	22.7	19.4	15.9	14.7	14.3	17.0	20.1	23.4	25.7	21.4
2/71/20/ 7	1400	28.1	28.1	27.0	22.8	19.4	15.9	14.8	14.4	17.1	20.1	23.4	25.7	21.4
	2000	28.0	27.9	26.9	22.6	19.3	15.7	14.7	14.3	16.9	19.9	23.3	25.5	21.3
120CM	0800	25.9	26.7	26.1	23.4	20.9	17.8	16.1	15.4	16.4	18.6	21.3	23.5	21.0
2/71/20/ 7	1400	25.9	26.6	26.1	23.4	21.0	17.8	16.1	15.4	16.4	18.7	21.3	23.6	21.0
	2000	25.8	26.6	26.1	23.4	20.9	17.7	16.1	15.3	16.4	18.6	21.3	23.5	21.0
76/134	SOMERSET EAST - POW					Ø 32°44'S		λ 25°35'E		H 739M				1971
GRAS/GRASS		13.1	13.6	12.1	8.2	5.3	4.1	4.3	2.3	3.4	6.9	-	10.4	-
ABS MIN		1.2	8.1	7.4	0.8	-2.2	-3.7	-2.0	-2.5	-5.4	-1.5	-	4.0	-
DAT		1	28	27	11	17	17	18	26	7	18	-	22	-
GROND/SOIL		KLEUR VAN BODGROND				- VD -	COLOUR OF TOPSOIL							
10CM	0800	21.5	20.5	20.0	14.9	11.6	9.8	9.7	8.1	12.1	15.1	17.6	19.7	15.1
0/48/46/ 6	1400	27.3	24.9	24.8	19.8	15.5	13.5	12.9	12.4	17.9	22.2	24.5	26.2	20.2
	2000	26.9	24.7	24.5	19.1	14.8	12.9	12.1	11.9	16.9	20.6	23.1	25.1	19.4
20CM	0800	23.1	22.0	21.8	16.8	13.3	11.4	11.1	9.9	13.8	16.8	19.2	21.2	16.7
0/48/46/ 6	1400	24.3	22.9	22.7	18.0	14.3	12.2	11.7	10.1	14.9	18.4	20.9	23.1	17.6
	2000	26.1	24.2	24.3	19.5	15.6	13.4	12.9	12.2	16.6	20.2	22.5	24.8	19.4
30CM	0800	23.8	22.7	22.6	17.9	14.5	12.4	12.0	10.9	14.4	17.5	19.9	21.9	17.5
0/52/42/ 6	1400	24.0	22.9	22.7	18.0	14.6	12.4	12.0	10.9	14.6	17.9	20.3	22.3	17.7
	2000	25.3	24.0	23.7	19.0	15.5	13.3	12.7	12.0	15.7	19.1	21.5	23.3	18.8
60CM	0800	23.4	23.1	23.0	19.1	16.4	14.1	13.3	12.4	14.5	17.4	19.6	21.6	18.2
0/42/35/23	1400	23.4	23.1	23.0	19.1	16.5	14.1	13.3	12.4	14.6	17.4	19.6	21.7	18.2
	2000	23.3	23.0	23.0	19.0	16.4	14.0	13.2	12.3	14.5	17.3	19.6	21.6	18.1
120CM	0800	21.7	22.1	22.1	20.0	18.2	16.0	14.8	14.0	14.4	16.5	18.1	19.9	18.1
3/24/33/40	1400	21.7	22.2	22.2	20.1	18.2	16.0	14.8	14.0	14.4	16.6	18.2	19.9	18.2
	2000	21.7	22.0	22.1	20.0	18.2	15.9	14.8	14.0	14.4	16.5	18.2	19.8	18.1

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	EAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
70/411	DOHNE - AGR						φ 32°31'S		λ 27°28'E		H 899M			1971
GRAS/GRASS		13.1	13.2	12.5	8.3	5.1	3.5	4.4	2.2	4.1	7.3	9.0	10.5	7.8
ABS MIN		6.8	7.4	7.6	2.4	-0.7	-4.8	-2.2	-3.5	-5.0	-2.0	1.8	4.8	-5.0
DAT		1	17	4	13	21	17	18	27	7	24	9	7	-
GROND/SOIL		KLEUR VAN BOGROND				- VD -		COLOUR OF TOPSOIL						
5CM	0800	18.3	18.5	17.5	12.7	10.5	8.9	9.1	7.6	11.1	13.6	15.5	17.7	13.5
1/56/35/ 8	1400	25.0	26.0	23.9	20.0	16.1	14.3	14.1	14.8	17.5	20.0	22.1	25.4	19.9
	2000	20.7	21.5	20.4	16.4	12.6	11.3	11.5	11.0	14.2	16.4	17.8	20.9	16.2
10CM	0800	18.2	18.4	17.6	13.8	10.8	9.1	9.2	7.6	11.1	13.3	15.2	17.5	13.5
1/56/35/ 8	1400	24.1	25.0	22.9	19.3	15.3	13.0	13.0	13.5	16.6	19.1	21.2	24.3	18.9
	2000	21.0	21.7	20.8	16.9	13.0	11.5	11.7	11.2	14.4	16.7	18.1	21.0	16.5
20CM	0800	19.2	20.1	19.3	15.8	12.8	10.7	10.8	9.7	12.6	14.5	16.3	18.5	15.0
2/55/39/ 4	1400	20.3	21.2	20.1	16.5	13.3	11.3	11.2	10.5	13.3	15.4	17.3	19.9	15.9
	2000	21.1	22.0	20.9	17.2	13.9	11.9	11.9	11.4	14.1	16.4	18.1	20.8	16.6
30CM	0800	19.4	20.2	19.6	16.0	12.9	10.9	11.0	9.8	12.7	14.7	16.6	18.8	15.2
28/41/27/ 4	1400	20.7	21.4	20.4	16.9	13.7	11.6	11.7	11.0	13.9	16.2	18.1	20.6	16.3
	2000	21.4	22.1	21.3	17.6	14.2	12.1	12.1	11.7	14.6	17.0	18.8	21.4	17.0
60CM	0800	20.1	21.0	20.6	17.6	14.9	12.6	12.2	11.5	13.6	15.5	17.3	19.4	16.4
42/35/19/ 4	1400	19.9	21.0	20.4	17.5	14.8	12.5	12.1	11.4	13.6	15.4	17.1	19.3	16.3
	2000	19.9	21.0	20.4	17.5	14.8	12.5	12.1	11.4	13.3	15.4	17.0	19.3	16.2
120CM	0800	19.2	20.4	20.3	18.3	16.2	14.0	13.1	12.4	13.4	15.0	16.3	18.1	16.4
XX/XX/XX/XX	1400	19.2	20.3	20.3	18.2	16.2	14.0	13.1	12.5	13.4	15.0	16.3	18.1	16.4
	2000	19.2	20.3	20.3	18.2	16.2	14.0	13.1	12.5	13.4	15.0	16.3	18.1	16.4
88/293	SUTHERLAND						φ 32°23'S		λ 20°40'E		H 1459M			1971
GROND/SOIL		KLEUR VAN BOGROND				- VV -		COLOUR OF TOPSOIL						
10CM	0800	21.5	22.6	18.0	11.4	7.5	4.5	3.8	3.9	7.0	12.7	17.9	21.2	12.7
1/58/31/10	1400	25.0	24.7	20.6	14.9	9.8	6.1	5.0	5.2	8.9	15.2	20.5	23.7	15.0
	2000	28.6	27.2	24.1	17.3	12.8	8.1	6.8	7.3	11.8	18.5	23.6	26.6	17.7
20CM	0800	23.8	24.9	20.4	14.4	10.3	6.5	5.0	5.3	-	12.2	17.9	20.6	-
0/50/38/12	1400	23.6	23.8	20.1	14.2	10.1	6.3	5.1	(5.4)	-	14.1	20.3	23.3	-
	2000	26.0	25.0	22.1	16.1	11.7	7.5	6.3	(6.6)	-	18.2	23.7	27.1	-
30CM	0800	23.5	24.1	20.4	14.7	10.8	7.2	5.9	5.9	8.9	13.9	19.1	22.5	14.7
0/40/38/22	1400	23.4	23.7	20.3	14.6	10.6	7.1	5.7	5.7	8.8	14.0	19.2	22.7	14.7
	2000	24.9	24.0	21.5	15.8	11.7	7.8	6.4	6.6	10.0	15.8	20.6	23.8	15.7
60CM	0800	23.0	23.4	21.1	16.2	12.6	8.9	7.2	7.0	9.3	13.7	18.4	21.8	15.2
0/27/42/31	1400	22.9	23.4	21.0	16.1	12.6	9.0	7.3	7.1	9.2	13.7	18.3	21.8	15.2
	2000	22.8	23.3	20.9	16.0	12.5	9.0	7.2	7.0	9.2	13.7	18.2	21.6	15.1
92/141	BEAUFORT WEST - TNK						φ 32°21'S		λ 22°35'E		H 857M			1971
GRAS/GRASS		15.0	15.1	13.0	8.4	5.1	4.5	4.7	1.8	3.7	7.9	10.4	13.4	8.6
ABS MIN		3.8	9.6	5.8	2.0	-2.5	-5.2	-3.0	-3.4	-4.3	-0.5	3.5	6.5	-5.2
DAT		1	27	27	12	17	17	19	27	7	2	17	12	-
GROND/SOIL		KLEUR VAN BOGROND				- VV -		COLOUR OF TOPSOIL						
20CM	0800	29.5	28.7	24.6	19.5	15.1	13.1	12.5	11.3	16.0	20.9	24.0	26.7	20.2
32/43/18/ 3	1400	30.5	29.2	25.0	19.9	15.2	13.1	12.9	11.6	16.4	21.4	26.7	30.9	21.1
	2000	33.6	32.3	27.6	22.0	16.9	14.7	14.1	13.8	18.9	24.1	29.0	33.7	23.4
30CM	0800	30.2	29.6	25.8	20.8	16.7	14.4	13.7	12.6	17.0	21.4	25.4	29.0	21.[illegible]
12/74/10/ 4	1400	30.1	29.5	25.6	20.6	16.4	14.2	13.5	12.5	16.8	21.4	25.5	26.9	21.3
	2000	31.5	30.7	26.9	21.4	17.3	14.8	14.2	13.3	17.9	22.8	26.6	30.2	22.[illegible]
60CM	0800	29.1	29.2	26.7	22.3	19.4	16.8	15.6	14.2	17.0	20.6	24.0	27.2	21.[illegible]
59/31/ 7/ 3	1400	29.1	29.1	26.6	22.3	19.4	16.8	15.6	14.3	17.0	20.6	24.3	27.2	21.9
	2000	29.1	29.1	26.6	22.2	19.3	16.7	15.6	14.3	17.0	20.6	24.2	27.3	21.6
120CM	0800	26.0	26.9	26.2	23.8	21.8	19.5	17.9	16.7	17.0	19.2	21.6	24.0	21.7
XX/XX/XX/XX	1400	26.0	26.9	26.2	23.7	21.8	19.4	17.9	16.7	17.0	19.2	21.6	24.0	21.7
	2000	26.0	26.9	26.2	23.7	21.8	19.4	17.9	16.7	.0	19.2	21.6	24.0	21.7
96/ 45	GRAAFF-REINET - TNK						φ 32°15'S		λ 24°32'E		H 744M			1971
GRAS/GRASS		12.5	13.5	10.1	7.4	5.8	4.2	4.2	1.6	1.9	6.4	6.9	9.7	7.0
ABS MIN		0.8	8.5	2.5	-0.4	-1.3	-5.0	-2.2	-6.2	-5.0	-2.0	0.2	2.8	-6.2
DAT		1	13	27	14	21	17	18	20	7	2	21	17	-
GROND/SOIL		KLEUR VAN BOGROND				- VL -		COLOUR OF TOPSOIL						
10CM	0800	23.5	24.0	22.2	16.3	13.0	10.4	10.6	9.5	-	-	-	-	-
1/61/28/10	1400	26.2	26.3	24.7	18.8	14.8	12.3	12.2	12.1	-	-	-	-	-
	2000	27.7	28.0	26.2	19.6	15.4	13.0	13.0	13.2	-	-	-	-	-
20CM	0800	24.4	25.0	23.6	17.3	13.9	11.3	11.2	10.3	14.5	17.4	19.7	24.2	17.7
1/59/30/10	1400	25.8	26.4	24.6	18.3	14.6	11.8	11.8	11.7	16.1	19.4	22.3	25.2	19.[illegible]
	2000	28.1	28.5	26.5	19.7	15.7	13.1	12.8	13.0	17.8	21.0	23.5	26.8	20.[illegible]
30CM	0800	25.4	26.0	24.4	18.4	15.2	12.4	12.2	11.5	15.4	18.5	20.8	24.6	18.[illegible]
0/50/37/13	1400	25.7	26.3	24.8	18.6	15.3	12.5	12.3	11.7	15.8	18.9	21.4	25.3	19.[illegible]
	2000	27.1	27.5	26.0	19.6	16.1	13.3	13.1	12.8	17.1	20.3	22.8	27.0	20.[illegible]
60CM	0800	25.3	26.1	25.2	20.1	17.2	14.1	13.4	12.1	15.7	18.5	20.9	24.3	19.4
1/48/33/18	1400	25.3	26.0	25.2	20.1	17.0	14.1	13.5	12.7	15.7	18.5	20.9	24.2	19.4
	2000	25.2	26.0	25.1	20.0	17.0	14.1	13.4	12.6	15.6	18.6	20.9	24.[illegible]	19.4
120CM	0800	23.3	24.3	24.2	21.5	19.1	16.4	15.0	14.5	15.1	17.3	19.3	21.4	[illegible]
0/47/45/ 8	1400	23.4	24.3	24.1	21.5	19.2	16.5	15.1	14.5	15.2	17.4	19.3	21.5	[illegible]
	2000	23.3	24.3	24.2	21.4	19.1	16.4	15.0	14.4	15.2	17.4	19.3	21.4	[illegible]

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
106/850	VREDENDAL					Ø 31°40'S		λ 18°29'E			H 34M			1971
GRAS/GRASS		11.7	12.1	10.6	7.2	-	-	-	-	-	5.9	8.8	10.9	-
ABS MIN		4.7	5.7	2.6	0.4	-	-	-	-	-	0.4	5.0	5.1	-
DAT		1	12	27	12	-	-	-	-	-	5	21	22	-
GROND/SOIL		KLEUR VAN BOGROND				- NL -	COLOUR OF TOPSOIL							
5CM	0800	21.1	21.5	18.2	14.9	11.1	9.0	9.0	9.8	10.9	15.2	19.2	21.8	15.1
12/79/ 8/ 1	1400	44.5	46.0	39.4	33.8	27.1	20.1	18.4	20.5	28.3	35.7	40.8	42.8	33.1
	2000	33.0	33.8	28.7	23.8	19.1	15.2	14.1	15.7	20.8	25.5	29.9	34.0	24.5
10CM	0800	24.6	25.7	22.2	18.6	14.6	11.4	10.1	11.1	13.7	17.8	21.3	24.1	17.9
12/79/ 8/ 1	1400	32.1	33.2	28.2	23.7	19.1	15.1	14.5	15.6	19.5	25.5	30.2	32.4	24.1
	2000	34.8	36.1	31.1	26.3	21.1	16.6	14.9	16.7	22.0	27.4	31.8	35.2	26.2
20CM	0800	28.0	29.2	25.7	21.9	17.8	14.1	11.6	12.9	16.4	20.8	24.6	27.4	20.9
0/98/ 1/ 1	1400	28.0	29.1	25.5	21.5	17.5	14.1	12.7	13.5	16.5	21.1	25.0	27.5	21.0
	2000	30.9	34.2	28.3	24.1	19.6	15.9	14.7	15.7	19.5	24.3	28.3	30.4	23.8
30CM	0800	28.0	29.1	25.9	22.3	18.5	15.0	12.8	13.8	16.9	21.2	24.9	27.7	21.3
0/98/ 1/ 1	1400	28.9	30.0	26.7	23.1	19.2	15.6	13.2	14.2	17.5	21.9	25.7	27.9	22.0
	2000	30.1	31.3	27.3	23.9	19.8	16.1	14.6	15.5	19.1	23.5	27.4	29.4	23.2
60CM	0800	28.3	29.3	27.1	24.0	20.5	17.2	14.7	15.1	17.8	21.6	25.3	27.5	22.4
0/99/ 0/ 1	1400	28.2	29.2	27.0	23.9	20.5	17.1	14.6	15.0	17.7	21.5	25.1	27.3	22.3
	2000	28.0	29.0	26.9	23.7	20.3	17.0	14.5	14.9	17.5	21.4	25.0	27.2	22.1
113/ 25	FRASERBURG - TNK					Ø 31°55'S		λ 21°31'E			H 1258M			1971
GROND/SOIL		KLEUR VAN BOGROND				- NL -	COLOUR OF TOPSOIL							
5CM	0800	20.4	20.0	16.3	-	5.3	2.9	3.2	3.0	6.7	12.7	17.0	20.4	-
4/45/22/29	1400	36.9	36.4	31.7	-	17.6	13.2	11.9	13.5	21.1	27.7	34.1	38.4	-
	2000	33.2	31.8	27.6	-	13.0	9.7	9.0	10.2	17.5	23.9	29.5	34.1	-
10CM	0800	24.9	25.1	22.0	-	10.8	7.4	6.3	6.5	11.4	16.8	21.2	24.8	-
4/45/22/29	1400	27.5	27.3	23.6	-	12.1	8.3	7.5	8.3	14.1	19.6	24.1	27.6	-
	2000	31.3	31.1	27.3	-	14.8	10.8	9.7	11.0	17.5	22.9	27.6	31.3	-
20CM	0800	26.5	26.5	23.4	-	12.7	9.1	7.8	8.0	12.7	17.9	22.3	25.8	-
21/38/17/24	1400	26.4	26.5	23.2	-	12.5	8.8	7.6	7.9	13.1	18.4	22.7	26.1	-
	2000	29.3	29.3	25.7	-	14.5	10.5	9.5	10.8	16.5	21.4	25.6	29.2	-
30CM	0800	25.4	25.5	22.3	-	12.4	8.8	7.7	7.9	12.5	17.5	21.8	25.0	-
33/34/12/21	1400	27.8	27.8	24.7	-	14.6	10.8	8.8	9.3	14.4	19.6	24.0	27.4	-
	2000	28.7	28.3	25.1	-	14.6	10.8	9.6	10.3	15.5	20.5	24.7	28.2	-
60CM	0800	25.9	26.3	23.9	-	15.4	11.9	10.1	10.1	13.5	17.9	21.9	24.9	-
29/58/ 5/ 8	1400	26.1	26.4	24.1	-	15.5	12.0	10.3	10.1	13.6	18.1	22.0	25.1	-
	2000	26.2	26.5	24.1	-	15.5	12.1	10.4	10.3	13.8	18.2	22.1	25.2	-
123/654	QUEENSTOWN - TNK					Ø 31°54'S		λ 26°52'E			H 1066M			1971
GRAS/GRASS		14.2	14.1	13.0	8.6	5.1	2.2	2.9	1.5	3.2	7.4	9.2	11.7	7.8
ABS MIN		10.0	10.5	10.0	2.5	-5.2	-7.5	-6.2	-4.5	-5.5	0.6	2.4	7.0	-7.5
DAT		1	2	1	7	21	17	19	26	8	18	8	7	-
GROND/SOIL		KLEUR VAN BOGROND				- ND -	COLOUR OF TOPSOIL							
10CM	0800	25.0	24.0	21.8	16.7	12.5	10.2	10.0	9.2	14.2	16.3	19.4	21.9	16.8
1/51/34/14	1400	30.0	28.1	26.9	21.7	16.4	12.8	13.3	14.2	19.0	22.1	25.5	28.1	21.5
	2000	31.7	29.0	27.2	21.8	16.6	13.8	13.8	14.5	19.8	22.1	25.3	28.2	22.0
20CM	0800	26.6	26.2	24.7	19.6	15.5	12.5	12.4	12.0	-	-	-	-	-
1/50/37/12	1400	27.2	26.3	24.8	19.7	15.6	12.5	12.4	12.1	-	-	-	-	-
	2000	29.2	28.2	26.5	21.3	16.8	13.6	13.6	13.8	-	-	-	-	-
30CM	0800	27.1	26.6	25.2	20.3	16.2	13.1	13.0	12.6	17.4	19.4	22.3	25.0	19.9
0/51/34/15	1400	27.1	26.6	25.2	20.2	16.1	13.0	12.8	12.6	17.3	19.7	22.9	25.5	19.9
	2000	28.6	28.1	26.6	21.5	17.2	14.1	13.8	13.9	18.5	21.2	24.3	27.2	21.3
60CM	0800	26.8	26.7	25.8	21.5	18.1	15.0	14.4	13.8	17.4	19.4	22.1	24.7	20.5
0/62/26/12	1400	26.7	26.7	25.7	21.5	18.1	15.0	14.4	13.7	17.4	19.3	22.0	24.7	20.4
	2000	26.6	26.5	25.6	21.4	18.0	14.9	14.3	13.7	17.2	19.2	21.9	24.6	20.3
120CM	0800	24.7	25.1	24.8	21.9	19.5	16.7	15.5	14.7	16.2	18.0	20.0	22.4	20.0
12/48/25/15	1400	24.7	25.2	24.8	21.9	19.5	16.7	15.5	14.7	16.3	18.1	20.0	22.4	20.0
	2000	24.7	25.1	24.8	21.9	19.5	16.7	15.5	14.7	16.2	18.0	20.0	22.4	20.0
127/485	UMTATA					Ø 31°35'S		λ 28°47'E			H 692M			1971
GROND/SOIL		KLEUR VAN BOGROND				- NR -	COLOUR OF TOPSOIL							
10CM	0800	24.3	(25.6)	25.8	23.4	13.1	10.2	10.1	10.9	14.8	16.2	17.7	20.3	(17.7)
35/51/10/ 4	1400	-	-	26.4	24.0	17.6	13.3	13.7	16.0	20.4	22.6	24.9	27.4	-
	2000	-	-	-	-	17.9	14.3	14.2	16.3	20.3	21.6	22.5	25.3	-
20CM	0800	25.1	(26.3)	26.6	24.2	14.6	11.6	11.3	12.4	16.4	17.4	19.1	21.6	(18.9)
42/45/10/ 3	1400	-	-	26.1	24.4	15.7	11.8	11.8	13.6	17.7	19.3	21.2	23.6	-
	2000	-	-	-	-	17.8	13.8	13.6	15.7	19.7	21.0	22.4	25.5	-
30CM	0800	24.4	(25.4)	25.0	21.8	17.3	14.1	13.4	14.5	17.9	19.0	20.7	22.7	(19.7)
26/46/18/10	1400	-	-	24.9	22.0	17.2	13.8	13.1	14.2	17.6	18.8	20.4	22.8	-
	2000	-	-	-	-	17.9	14.3	13.7	14.9	18.3	19.5	21.2	23.8	-
60CM	0800	24.1	(25.2)	24.9	22.4	19.1	15.8	14.0	15.1	17.7	19.1	20.5	22.3	(20.0)
17/46/23/14	1400	-	-	24.8	22.4	18.9	15.7	13.8	15.0	17.6	19.0	20.3	22.2	-
	2000	-	-	-	-	18.8	15.7	14.2	15.1	17.7	19.0	20.3	22.2	-

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
134/478	CALVINIA - TNK					Ø 31°28'S		λ 19°46'E			H 980M			1971
GRAS/GRASS		-	12.4	9.9	5.8	4.6	2.9	3.1	0.7	0.0	4.0	7.9	10.0	-
ABS MIN		-	2.0	2.5	-1.0	-1.8	-5.2	-3.0	-6.5	-5.0	-1.0	2.5	3.0	-
DAT		-	27	26	12	24	16	18	27	7	23	16	21	-
GROND/SOIL		KLEUR VAN BOGROND				- GG -		COLOUR OF TOPSOIL						
20CM	0800	27.3	(28.9)	25.3	20.3	15.7	12.5	10.2	10.5	14.9	20.1	24.2	27.4	(19.8)
4/41/32/23	1400	28.1	(28.5)	25.2	20.4	15.9	12.7	10.1	10.5	14.9	20.2	24.5	26.8	(19.8)
	2000	28.5	(30.1)	(27.2)	22.1	(16.5)	-	10.7	11.7	17.0	21.9	26.5	29.3	-
30CM	0800	26.9	28.3	25.7	21.3	16.8	13.4	11.1	11.3	15.4	20.2	24.1	27.2	20.1
6/49/31/14	1400	27.3	28.6	26.0	21.4	17.0	13.6	11.1	11.3	15.3	20.3	24.3	27.4	20.3
	2000	27.7	28.6	26.8	21.5	(17.2)	-	11.5	11.8	16.1	20.8	24.7	27.8	-
60CM	0800	26.1	27.7	26.1	22.4	18.9	15.6	13.0	12.8	15.5	19.5	23.0	25.9	20.5
35/54/ 5/ 6	1400	26.3	27.7	26.2	22.5	19.1	15.7	13.0	12.8	15.6	19.5	23.1	25.9	20.6
	2000	26.2	27.8	26.1	22.4	19.2	15.6	13.1	12.8	15.6	19.7	23.3	26.2	20.7
120CM	0800	24.0	25.2	25.2	22.9	20.4	17.5	15.1	14.2	15.1	17.7	20.5	23.1	20.1
62/33/ 3/ 2	1400	23.9	25.2	25.2	22.9	20.4	17.5	15.0	14.2	15.1	17.7	20.5	23.1	20.1
	2000	24.0	25.2	25.1	22.9	20.4	17.5	15.1	14.2	15.1	17.7	20.5	23.2	20.1
145/ 59A	GROOTFONTEIN II - AGR					Ø 31°29'S		λ 25° 2'E			H 1270M			1971
GRAS/GRASS		9.9	10.4	7.6	3.4	0.0	-1.7	-1.4	-3.4	-	3.0	4.6	7.0	-
ABS MIN		0.6	0.3	1.0	-1.5	-9.0	-11.6	-10.0	-11.2	-	-5.4	-2.2	0.5	-
DAT		22	28	26	14	21	17	18	26	-	1	17	7	-
GROND/SOIL		KLEUR VAN BOGROND				- NV -		COLOUR OF TOPSOIL						
5CM	0800	22.1	20.9	18.3	11.7	7.9	5.6	5.9	5.0	10.4	14.0	19.8	21.2	13.6
10/70/17/ 3	1400	37.5	35.2	32.7	24.3	19.0	15.1	15.6	17.1	23.2	27.0	32.6	35.9	26.3
	2000	29.8	28.0	25.4	17.9	13.1	10.9	10.9	11.7	18.3	21.0	25.7	29.3	20.2
10CM	0800	23.4	22.5	20.5	13.7	9.7	7.1	7.2	6.3	11.5	14.3	19.8	21.9	14.8
10/70/17/ 3	1400	31.1	29.4	26.8	19.3	14.5	11.8	12.0	13.2	19.3	23.2	28.1	31.3	21.7
	2000	30.8	29.4	26.8	19.3	14.5	11.7	11.8	12.8	19.0	21.9	26.8	30.0	21.2
20CM	0800	25.3	24.4	22.5	15.4	11.7	9.1	9.1	8.7	13.8	16.5	21.4	24.0	16.8
31/54/13/ 2	1400	27.9	26.7	24.1	17.2	12.8	9.8	9.8	10.1	15.2	18.9	23.7	26.8	18.6
	2000	30.6	29.3	26.5	19.3	14.7	11.6	11.7	12.5	17.9	21.3	26.0	29.0	20.9
30CM	0800	26.5	25.5	23.8	16.8	13.3	10.2	10.2	9.9	14.9	17.6	22.4	25.2	18.0
20/65/14/ 1	1400	26.9	25.8	23.9	17.0	13.4	10.1	10.3	10.2	15.1	18.1	22.9	25.9	18.3
	2000	28.8	27.5	25.3	18.4	14.5	11.4	11.3	11.6	16.8	19.9	24.6	27.6	19.8
60CM	0800	26.5	26.2	24.9	18.8	15.8	12.3	11.7	11.5	15.0	17.9	22.0	25.0	19.0
95/XX/XX/XX	1400	26.5	26.1	24.8	18.8	15.7	12.3	11.7	11.5	15.0	17.9	22.0	24.9	18.9
	2000	26.5	26.1	24.7	18.7	15.6	12.3	11.6	11.4	15.0	17.9	22.0	24.9	18.9
120CM	0800	24.0	24.4	24.1	20.5	18.1	15.1	13.7	13.1	14.3	16.6	19.3	21.9	18.8
XX/XX/XX/XX	1400	24.0	24.5	24.1	20.5	18.1	15.1	13.7	13.1	14.3	16.7	19.3	22.0	18.8
	2000	24.0	24.4	24.1	20.5	18.0	15.1	13.7	13.1	14.3	16.7	19.3	22.0	18.8
148/810	WILLOW PARK					Ø 31°30'S		λ 26°57'E			H 1485M			1971
GRAS/GRASS		10.5	9.5	9.6	7.0	3.1	1.6	2.7	0.3	1.5	5.0	5.9	7.9	5.4
ABS MIN		5.2	8.2	5.1	2.0	-8.0	-11.0	-4.0	-10.5	-8.5	-5.8	-3.5	2.8	-11.0
DAT		1	17	6	17	21	16	18	26	8	2	21	7	-
GROND/SOIL		KLEUR VAN BOGROND				- ND -		COLOUR OF TOPSOIL						
10CM	0800	22.4	22.0	20.3	16.8	11.0	8.3	7.6	6.5	11.3	13.2	16.3	19.8	14.6
0/58/35/ 7														
20CM	0800	23.1	22.5	21.4	16.0	11.8	9.6	9.1	(8.1)	13.3	15.0	18.0	21.8	(15.8)
0/57/35/ 8														
30CM	0800	23.8	23.0	22.1	16.7	12.7	10.3	9.7	9.3	14.4	16.0	18.8	22.8	16.6
0/51/43/ 6														
60CM	0800	23.5	23.0	22.5	17.8	14.4	11.5	10.8	10.2	14.1	15.9	18.7	22.1	17.0
0/40/41/19														
12CCM	0800	21.5	21.5	21.5	18.8	17.5	13.7	12.5	11.7	13.2	14.9	16.6	19.3	16.9
1/44/37/18														
170/ 10	DE AAR - TNK***					Ø 30°40'S		λ 24° 1'E			H 1258M			1971
GRAS/GRASS		14.7	14.5	11.9	6.8	2.9	1.2	-	-0.6	2.6	-	(9.4)	-	-
ABS MIN		9.3	5.8	6.0	2.5	-3.9	-6.4	-	-5.5	-3.5	-	-	-	-
DAT		22	28	26	17	21	18	-	27	7	-	-	-	-
GROND/SOIL		KLEUR VAN BOGROND				- XX -		COLOUR OF TOPSOIL						
10CM	0800	26.5	24.4	22.6	14.8	10.4	7.1	7.4	6.7	12.4	14.5	20.3	23.4	15.9
0/79/15/ 6	1400	36.0	33.9	30.4	22.5	17.3	12.9	12.6	14.7	20.1	22.9	30.0	33.2	23.9
	2000	36.0	33.1	30.2	21.6	17.7	-	-	-	-	22.6	29.5	33.0	-
20CM	0800	30.2	28.3	26.7	19.0	14.3	10.5	10.2	10.3	14.7	17.5	21.7	-	-
1/79/13/ 7	1400	31.0	29.0	27.2	19.6	15.2	10.7	10.5	10.9	15.5	18.6	(23.8)	-	-
	2000	33.9	31.7	29.5	21.7	18.5	-	-	-	-	20.3	(25.4)	-	-
30CM	0800	31.1	29.4	28.0	20.7	16.3	12.2	12.0	12.2	16.4	18.5	24.0	27.3	20.7
19/63/11/ 7	1400	30.8	29.2	27.7	20.5	16.1	12.0	11.8	12.1	16.4	18.4	23.6	27.0	20.5
	2000	32.1	30.2	28.6	21.4	16.7	-	-	-	-	19.0	24.7	28.1	-
60CM	0800	-	-	-	-	-	-	-	-	-	18.0	22.8	26.0	-
95/ 4/ 1/ 0	1400	-	-	-	-	-	-	-	-	-	18.0	22.6	26.0	-
	2000	-	-	-	-	-	-	-	-	-	18.0	22.8	26.0	-

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAY
175/371	ALIWAL NORTH - TNK***					Ø 30°41'S		λ 26°43'E		H 1310M				1971
GRAS/GRASS		13.8	13.6	11.8	7.0	3.0	0.5	0.3	-0.1	2.7	6.4	8.9	-	-
ABS MIN		9.5	8.7	8.0	4.3	-6.0	-7.6	-6.7	-	-5.1	-2.5	1.8	-	-
DAT		4	28	27	9	21	18	19	-	6	1	9	-	-
GROND/SOIL		KLEUR VAN BOGROND				- XX -	COLOUR OF TOPSOIL							
10CM	0800	-	-	-	-	-	-	-	-	12.0	15.2	18.9	20.1	-
1/53/33/13	1400	-	-	-	-	-	-	-	-	23.5	25.8	30.0	31.7	-
	2000	-	-	-	-	-	-	-	-	20.6	22.9	27.2	28.4	-
20CM	0800	-	-	-	-	-	-	-	-	14.9	17.2	20.2	-	-
0/61/26/13	1400	-	-	-	-	-	-	-	-	16.4	19.9	-	-	-
	2000	-	-	-	-	-	-	-	-	19.0	22.1	24.0	-	-
30CM	0800	-	-	-	-	-	-	-	-	16.6	19.3	22.7	24.1	-
0/58/27/15	1400	-	-	-	-	-	-	-	-	16.7	19.6	23.0	24.7	-
	2000	-	-	-	-	-	-	-	-	17.5	20.5	24.0	25.1	-
60CM	0800	-	-	-	-	-	-	-	-	16.1	19.1	22.2	23.7	-
1/58/27/14	1400	-	-	-	-	-	-	-	-	16.2	19.2	22.3	23.7	-
	2000	-	-	-	-	-	-	-	-	16.2	19.1	22.3	23.7	-
120CM	0800	-	-	-	-	-	-	-	-	15.3	18.1	20.3	21.8	-
0/53/34/13	1400	-	-	-	-	-	-	-	-	15.3	18.1	20.4	21.8	-
	2000	-	-	-	-	-	-	-	-	15.3	18.0	20.3	21.8	-
178/689	SHEEPRUN					Ø 30°59'S		λ 28°23'E		H 1213M				1971
GRAS/GRASS		12.6	10.9	11.9	6.3	0.3	-3.5	-3.9	-2.2	2.9	5.2	7.9	10.3	4.9
ABS MIN		7.0	6.0	7.2	0.7	-7.5	-13.2	-11.3	-7.0	-1.8	-3.9	0.2	5.1	-13.2
DAT		2	13	29	10	22	18	19	26	23	1	9	6	-
GROND/SOIL		KLEUR VAN BOGROND				- NC -	COLOUR OF TOPSOIL							
10CM	0800	21.4	20.2	19.6	15.3	9.3	6.2	6.0	7.0	13.3	14.9	17.7	20.1	14.3
0/64/35/ 1	1400	29.5	28.6	26.9	22.0	15.5	12.8	12.2	14.3	20.5	23.3	26.8	29.4	21.8
	2000	27.5	26.4	25.0	20.5	13.9	11.4	11.1	13.0	18.9	20.9	23.3	25.7	19.6
20CM	0800	23.1	22.0	21.6	17.3	11.4	8.6	8.2	9.2	15.2	16.5	18.7	21.1	16.1
0/58/38/ 4	1400	25.8	24.9	23.6	19.2	13.1	10.2	9.8	11.2	17.1	19.2	22.3	24.7	18.4
	2000	27.2	26.4	25.0	20.6	14.3	11.5	11.2	12.9	18.6	20.6	23.4	25.8	19.8
30CM	0800	24.0	23.0	22.6	18.3	12.8	10.0	9.5	10.5	16.0	17.1	19.6	22.1	17.1
0/58/39/ 3	1400	25.1	24.0	23.4	19.0	13.4	10.6	10.1	11.2	16.7	18.4	21.1	23.5	18.0
	2000	26.6	25.6	24.5	20.1	14.4	11.6	11.1	12.6	17.9	19.7	22.3	25.0	19.3
60CM	0800	24.2	23.4	23.2	19.3	15.1	12.2	11.4	11.8	16.1	17.5	19.7	22.2	18.0
0/51/40/ 9	1400	24.0	23.2	23.0	19.2	14.9	12.1	11.3	11.7	16.0	17.3	19.5	22.0	17.9
	2000	23.9	23.1	22.8	19.0	14.7	11.9	11.1	11.5	15.8	17.2	19.4	22.0	17.7
120CM	0800	22.2	21.9	22.0	19.5	17.0	14.2	12.9	12.6	14.6	16.3	17.7	19.9	17.6
0/56/39/ 5	1400	22.2	21.9	22.0	19.5	16.9	14.2	12.9	12.5	14.6	16.3	17.7	19.9	17.5
	2000	22.1	21.8	21.8	19.3	16.7	14.0	12.7	12.4	14.5	16.2	17.6	19.9	17.4
180/722A	KOKSTAD - TNK					Ø 30°32'S		λ 29°25'E		H 1278M				1971
GRAS/GRASS		11.9	9.6	10.0	6.3	1.0	-3.7	-3.5	-1.9	3.6	5.4	7.9	8.8	4.6
ABS MIN		6.5	3.6	5.4	0.6	-7.0	-12.0	-8.5	-6.0	-1.0	-5.5	3.3	4.5	-12.0
DAT		5	13	31	26	21	18	19	1	16	23	9	6	-
GROND/SOIL		KLEUR VAN BOGROND				- VV -	COLOUR OF TOPSOIL							
10CM	0800	-	19.4	18.8	14.5	9.3	5.6	5.2	6.4	12.6	14.0	(17.0)	16.5	-
14/45/33/ 8	1400	-	29.5	27.8	22.5	15.5	12.9	11.6	14.1	20.5	23.1	(26.5)	26.6	-
	2000	-	25.6	24.2	20.2	13.9	11.5	10.3	12.4	17.8	19.4	(22.6)	23.3	-
20CM	0800	20.5	20.2	19.6	16.4	11.8	8.7	7.7	8.8	14.5	15.7	17.6	19.5	15.1
4/51/34/11	1400	23.7	24.0	22.8	18.9	13.2	10.0	8.9	10.6	16.4	18.2	20.6	22.4	17.5
	2000	(25.0)	24.6	23.7	20.0	14.5	11.7	10.4	12.1	17.6	19.3	21.4	23.0	(18.6)
30CM	0800	22.7	21.9	22.1	18.5	13.6	10.5	9.3	10.3	15.4	16.9	18.8	20.6	16.7
1/45/43/11	1400	22.9	22.2	22.3	19.0	14.1	10.6	9.2	10.3	15.7	17.4	19.3	21.2	17.0
	2000	24.3	24.6	23.5	19.9	14.7	11.5	10.3	11.6	16.8	18.7	20.8	22.4	18.3
60CM	0800	22.8	22.9	22.5	19.5	15.6	12.1	10.7	11.1	15.4	17.3	18.8	20.7	17.5
16/45/30/ 9	1400	22.7	22.8	22.4	19.4	15.5	12.1	10.7	11.0	15.3	17.2	18.8	20.6	17.4
	2000	22.7	22.8	22.4	19.4	15.4	12.0	10.6	11.1	15.4	17.2	18.8	20.6	17.4
193/561	VANWYKSVLEI***					Ø 30°21'S		λ 21°49'E		H 962M				1971
GRAS/GRASS		14.9	16.5	12.6	7.1	3.6	2.1	1.3	-0.8	2.8	7.5	11.5	14.6	7.8
ABS MIN		8.9	8.8	4.0	1.0	-2.0	-6.9	-4.4	-6.2	-4.2	-0.2	6.0	9.1	-6.9
DAT		1	27	26	16	22	18	19	27	7	1	8	6	-
GROND/SOIL		KLEUR VAN BOGROND				- XX -	COLOUR OF TOPSOIL							
10CM	0800	26.9	26.3	23.3	16.9	11.9	8.6	7.8	7.9	14.2	17.7	23.5	26.2	17.6
5/62/26/ 7	1400	37.9	36.9	33.0	24.7	18.5	14.4	13.5	15.1	22.0	25.3	31.2	34.9	25.6
	2000	38.2	36.4	32.7	24.7	18.3	14.2	13.4	15.3	23.0	26.7	32.6	36.0	26.0
20CM	0800	29.1	28.5	25.9	19.2	13.9	9.9	9.0	9.5	16.2	20.0	25.6	28.7	19.6
3/63/27/ 7	1400	32.7	32.3	28.6	22.0	16.7	12.4	11.4	12.4	18.1	21.6	27.2	30.5	22.2
	2000	35.7	34.6	31.0	23.9	17.7	13.2	12.7	14.2	20.9	24.2	29.7	33.1	24.2
30CM	0800	30.8	30.4	28.2	22.0	17.4	13.3	12.2	12.9	18.1	21.3	26.4	29.5	21.9
5/63/25/ 7	1400	30.9	30.3	28.0	21.9	17.3	13.2	12.1	12.9	18.1	21.5	26.6	29.7	21.9
	2000	32.1	31.8	29.1	23.0	18.0	14.0	12.6	13.8	18.9	22.0	27.2	30.4	22.5
60CM	0800	29.9	-	28.6	23.8	19.9	15.9	14.0	14.3	17.9	21.2	25.7	28.6	-
1/60/27/12	1400	29.9	-	28.5	23.7	19.9	15.8	14.0	14.3	17.9	21.2	25.7	28.6	-
	2000	29.8	-	28.5	23.6	19.8	15.8	14.0	14.2	17.9	21.2	25.7	28.5	-
120CM	0800	27.6	28.4	28.0	24.9	22.1	18.8	16.5	16.0	(16.7)	-	-	-	-
XX/XX/XX/XX	1400	27.6	28.4	28.0	24.9	22.2	18.8	16.5	16.0	-	-	-	-	-
	2000	27.6	28.4	28.0	24.9	22.2	18.8	16.5	16.0	-	-	-	-	-

*** Stasie verskuif. kyk na bl.XX1 / Station shifted. see p.XX1

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
214/636	OKIEP					Ø 29°36'S		λ 17°52'E		H 918M				1971
GRAS/GRASS		14.2	16.5	13.5	9.6	8.4	4.4	-	-	-	7.0	9.9	12.0	-
ABS MIN		8.1	8.4	4.6	3.5	0.5	-1.8	-	-	-	0.3	4.0	7.2	-
DAT		21	27	26	15	24	19	-	-	-	23	2	14	-
GROND/SOIL		KLEUR VAN BOGROND			- NL -		COLOUR OF TOPSOIL							
10CM	0800	26.2	27.0	23.5	18.4	15.0	10.9	8.0	8.9	13.8	17.6	21.5	23.5	17.9
36/50/11/ 3	1400	34.7	36.4	32.0	25.9	21.1	16.1	13.0	15.0	22.3	26.7	31.4	34.7	25.8
	2000	34.0	34.6	30.3	24.4	19.5	14.8	11.9	13.6	20.3	24.3	28.5	31.9	24.0
20CM	0800	27.9	29.1	25.6	20.1	16.6	12.3	8.9	9.8	15.2	19.1	23.0	26.0	19.5
30/52/12/ 6	1400	30.6	31.4	27.6	22.6	18.1	13.7	10.8	12.4	18.5	22.1	26.2	29.0	21.9
	2000	33.4	34.4	30.4	24.8	20.1	15.3	12.3	14.0	20.5	24.5	28.7	31.8	24.2
30CM	0800	29.5	30.6	27.5	22.6	18.9	14.9	11.6	12.3	17.3	20.9	24.7	27.5	21.5
11/63/12/14	1400	29.7	30.5	27.3	22.4	18.7	14.7	11.4	12.2	17.4	21.1	24.8	27.5	21.5
	2000	32.4	33.0	29.4	24.3	20.1	15.8	12.6	13.3	19.4	23.2	27.2	30.0	23.4
60CM	0800	29.3	30.4	28.5	24.4	21.3	17.4	13.8	13.9	17.9	21.1	24.4	27.1	22.5
34/52/ 9/ 5	1400	29.3	30.3	28.4	24.4	21.2	17.4	13.8	13.8	17.9	21.0	24.4	27.1	22.4
	2000	29.1	30.2	28.3	24.2	21.1	17.2	13.7	13.8	17.8	21.0	24.3	27.0	22.3
120CM	0800	26.5	27.8	27.6	25.2	23.1	20.2	16.9	15.8	17.3	19.8	22.2	24.5	22.2
11/72/13/ 4	1400	26.5	27.8	27.6	25.2	23.1	20.1	17.0	15.8	17.3	19.8	22.2	24.6	22.3
	2000	26.5	27.8	27.6	25.2	23.0	20.1	16.9	15.8	17.3	19.8	22.2	24.6	22.2
224/430	PRIESKA					Ø 29°40'S		λ 22°45'E		H 933M				1971
GRAS/GRASS		(15.8)	14.9	12.7	7.0	2.9	1.4	-0.5	-1.5	2.9	7.3	11.3	13.4	(7.3)
ABS MIN		-	9.5	6.5	1.2	-5.0	-7.0	-8.2	-6.0	-5.0	-3.1	5.0	6.1	-
DAT		-	28	27	17	17	18	19	27	7	1	21	22	-
GROND/SOIL		KLEUR VAN BOGROND			- NC -		COLOUR OF TOPSOIL							
10CM	0800	25.1	23.3	22.4	15.5	10.3	7.5	7.2	7.0	13.3	16.7	21.8	25.2	16.3
0/41/52/ 7	1400	34.9	31.1	30.6	22.1	16.0	12.7	12.1	13.9	22.3	25.9	34.1	37.8	24.5
	2000	34.0	31.0	30.9	22.8	16.3	12.8	12.7	14.3	22.0	24.5	32.1	36.1	24.1
20CM	0800	27.9	26.2	25.5	18.9	13.8	10.7	10.2	10.7	16.5	19.5	24.9	28.0	19.4
0/35/54/11	1400	29.0	26.8	25.8	18.9	13.6	10.5	10.0	10.5	16.7	20.3	25.5	28.5	19.7
	2000	31.5	29.0	28.0	21.1	15.7	12.4	11.7	12.7	19.0	22.7	28.2	31.4	21.9
30CM	0800	28.7	27.2	26.0	19.9	15.5	12.5	11.5	11.9	16.5	19.9	24.7	27.5	20.1
0/30/61/ 9	1400	28.9	27.3	26.5	20.4	15.6	12.7	11.4	12.0	17.2	20.4	25.9	29.0	20.6
	2000	29.9	28.3	26.9	20.9	16.0	12.6	11.7	12.4	17.7	21.3	26.2	29.5	21.1
60CM	0800	27.5	27.0	26.0	21.2	17.3	13.9	12.4	12.6	16.1	19.4	23.6	26.6	20.3
0/28/64/ 8	1400	27.5	26.9	25.9	21.1	17.2	13.7	12.3	12.5	16.1	19.3	23.5	26.6	20.2
	2000	27.4	26.8	25.8	21.1	17.1	13.7	12.3	12.5	16.1	19.3	23.6	26.7	20.2
120CM	0800	24.8	25.3	25.0	22.7	20.0	17.0	15.1	14.5	15.6	18.2	20.9	23.5	20.2
0/29/65/ 6	1400	24.7	25.3	25.0	22.6	19.9	16.9	15.0	14.4	15.6	18.2	20.9	23.5	20.2
	2000	24.7	25.3	24.9	22.6	19.9	16.8	14.9	14.4	15.6	18.2	20.8	23.5	20.1
229/556	FAURESMITH					Ø 29°46'S		λ 25°19'E		H 1362M				1971
GRAS/GRASS		14.9	13.1	12.0	6.1	2.0	-0.1	-0.6	-1.5	4.3	7.2	9.7	12.0	6.6
ABS MIN		11.1	5.6	6.8	1.7	-6.4	-7.2	-6.9	-8.4	-2.0	-2.1	1.9	7.0	-8.4
DAT		15	28	7	17	31	18	19	27	4	1	8	14	-
GROND/SOIL		KLEUR VAN BOGROND			- NL -		COLOUR OF TOPSOIL							
10CM	0800	23.6	21.6	21.5	15.2	11.0	8.7	8.6	8.7	14.5	16.4	21.4	23.2	16.2
6/60/25/ 9	1400	31.2	29.0	29.3	21.6	16.6	12.9	12.9	14.7	21.5	24.7	29.9	32.0	23.0
	2000	31.7	27.9	27.6	20.4	15.7	13.2	13.5	15.3	21.2	23.3	29.8	32.3	22.7
20CM	0800	25.8	24.0	24.2	17.3	13.2	10.5	10.5	11.1	16.5	18.7	23.7	26.0	18.5
4/59/27/10	1400	28.1	26.4	25.7	19.1	14.7	11.5	11.2	12.3	18.4	21.3	26.0	28.2	20.2
	2000	30.9	28.7	27.9	21.1	16.5	13.5	13.2	14.9	20.8	23.8	28.9	31.3	22.6
30CM	0800	27.0	25.8	25.8	19.5	15.6	12.6	12.0	12.7	17.8	20.4	24.6	27.0	20.1
12/57/21/10	1400	27.0	25.7	25.9	19.2	15.6	12.5	12.0	12.7	18.0	20.6	24.6	27.2	20.1
	2000	28.3	26.9	26.7	20.4	16.3	13.2	12.8	13.7	18.9	21.7	25.8	28.3	21.1
60CM	0800	26.5	25.6	26.2	21.1	17.8	14.6	13.5	13.8	17.5	20.2	23.5	26.1	20.5
91/ 7/ 1/ 1	1400	26.5	25.6	26.1	21.1	17.7	14.5	13.5	13.8	17.5	20.2	23.5	26.1	20.5
	2000	26.5	25.5	26.0	21.0	17.7	14.5	13.4	13.8	17.5	20.1	23.5	26.0	20.5
233/ 44	WEPENER - TNK***					Ø 29°44'S		λ 27° 2'E		H 1437M				1971
GRAS/GRASS		13.1	11.8	9.0	5.1	1.6	-0.7	-2.0	-3.1	2.0	6.0	7.4	-	-
ABS MIN		6.5	3.9	3.2	0.1	-5.5	-10.9	-10.2	-8.5	-5.9	-3.6	-0.4	-	-
DAT		4	28	8	26	17	17	18	1	7	1	8	-	-
GROND/SOIL		KLEUR VAN BOGROND			- ND -		COLOUR OF TOPSOIL							
5CM	0800	21.5	19.1	17.8	12.2	7.1	6.7	6.2	5.9	11.8	14.8	18.9	20.2	13.5
1/53/20/26	1400	31.6	30.0	29.5	23.2	18.9	14.4	14.6	17.3	24.5	27.3	31.3	31.5	24.5
	2000	25.9	23.7	23.5	17.1	13.2	12.2	12.2	14.2	20.4	22.3	26.8	27.5	19.9
10CM	0800	22.0	20.2	19.5	14.1	9.7	8.6	8.4	8.5	14.0	16.3	20.3	21.7	15.3
1/53/20/26	1400	27.6	26.0	25.8	20.2	14.6	11.6	11.5	13.0	19.3	22.5	26.5	27.2	20.5
	2000	27.8	25.4	25.0	19.1	15.1	13.1	13.2	15.0	20.8	23.1	27.3	28.2	21.1
20CM	0800	22.7	21.3	20.8	15.2	11.8	10.1	10.0	10.4	15.8	18.2	22.0	23.5	16.8
0/53/21/26	1400	25.4	24.5	23.9	18.1	12.6	10.3	10.0	10.6	16.2	19.2	23.3	24.5	18.2
	2000	27.5	25.7	25.2	19.0	14.6	12.2	12.1	13.3	19.0	21.8	25.7	27.0	20.3
30CM	0800	24.5	23.7	23.1	17.4	13.1	10.9	10.6	11.0	16.2	18.7	22.4	24.0	18.0
1/36/24/39	1400	24.8	23.9	23.3	17.9	14.2	11.8	11.6	12.3	17.7	20.2	23.6	25.2	18.9
	2000	26.9	25.6	25.1	19.2	14.8	12.2	12.0	13.0	18.3	21.0	24.7	26.1	19.9
60CM	0800	25.2	24.6	24.0	19.4	15.5	12.5	12.1	12.2	16.2	18.5	21.7	23.7	18.8
0/12/29/59	1400	25.1	24.5	23.9	19.3	15.6	12.5	12.1	12.3	16.3	18.6	21.8	23.8	18.8
	2000	24.9	24.4	23.8	19.2	15.5	12.5	12.1	12.4	16.4	18.7	21.8	23.7	18.8
120CM	0800	23.6	23.5	23.3	20.3	17.5	14.7	13.7	13.1	14.9	17.1	19.3	21.2	18.5
1/34/21/44	1400	23.7	23.5	23.3	20.3	17.5	14.8	13.7	13.1	15.0	17.1	19.3	21.2	18.5
	2000	23.6	23.5	23.3	20.2	17.4	14.7	13.7	13.1	14.9	17.1	19.3	21.2	18.5

*** Stasie verskuif: kyk na bl.XXI / Station shifted: see p XXI

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
237/591	WATERFORD					Ø 29°51'S		λ 29°20'E			H 1643M			1971
GRAS/GRASS		10.4	8.9	8.6	4.1	-1.7	-5.6	-6.8	-3.6	2.8	4.4	6.1	8.5	3.0
ABS MIN		5.0	4.0	3.2	-3.4	-10.4	-12.6	-12.0	-12.2	-2.2	-6.3	0.6	4.5	-12.6
DAT		2	13	29	26	22	16	19	1	10	24	9	6	-
GROND/SOIL		KLEUR VAN BOGROND				- ND -	COLOUR OF TOPSOIL							
10CM	0800	18.4	17.8	17.6	14.8	9.7	6.1	5.1	6.8	12.1	13.5	15.4	17.0	12.9
0/76/23/ 1	1400	23.2	(23.3)	22.6	18.8	13.0	10.3	8.6	11.5	16.4	19.4	21.0	22.3	(17.5)
	2000	(22.0)	(22.2)	21.5	18.5	13.5	10.2	8.7	11.8	16.2	18.0	19.7	20.9	(16.9)
20CM	0800	19.7	19.3	18.9	16.2	11.6	8.1	6.8	8.7	13.1	15.1	16.7	18.3	14.4
0/59/40/ 1	1400	20.6	(20.1)	19.6	16.6	11.6	8.3	6.8	9.4	14.0	16.2	17.9	19.3	(15.0)
	2000	(21.8)	(21.7)	20.9	17.9	13.1	9.7	8.2	11.2	15.5	17.8	19.0	20.6	(16.5)
30CM	0800	20.1	19.9	19.6	17.2	12.8	9.5	8.1	9.6	13.7	15.6	17.1	18.4	15.1
0/64/34/ 2	1400	20.5	(20.2)	19.9	17.3	12.9	9.8	8.3	9.9	14.2	16.2	17.7	18.9	(15.5)
	2000	(21.2)	(21.2)	20.7	18.1	13.7	10.6	8.8	10.9	14.9	17.0	18.5	19.8	(16.3)
60CM	0800	19.9	19.7	19.7	17.9	14.8	11.7	10.0	10.7	13.5	15.4	16.8	18.2	15.7
0/59/37/ 4	1400	19.9	19.7	19.7	17.9	14.8	11.7	10.0	10.7	13.5	15.4	16.8	18.2	15.7
	2000	19.8	19.7	19.6	17.8	14.7	11.6	9.9	10.6	13.5	15.4	16.7	18.2	15.6
120CM	0800	18.8	18.8	19.1	18.1	16.2	13.7	11.9	11.5	12.9	14.5	15.7	17.1	15.7
0/53/40/ 7	1400	18.8	18.8	19.1	18.1	16.2	13.6	11.9	11.6	12.9	14.5	15.7	17.1	15.7
	2000	18.7	18.8	19.1	18.1	16.2	13.6	11.9	11.5	12.9	14.5	15.7	17.1	15.7
239/482	CEDARA - AGR					Ø 29°32'S		λ 30°17'E			H 1067M			1971
GRAS/GRASS		13.9	12.4	12.6	8.2	2.8	-0.3	-1.9	0.3	5.8	7.5	9.6	-	-
ABS MIN		9.2	7.3	4.1	1.6	-3.1	-7.1	-8.6	-7.0	0.1	-2.5	5.2	-	-
DAT		2	19	31	10	18	17	18	1	10	25	9	-	-
GROND/SOIL		KLEUR VAN BOGROND				- ND -	COLOUR OF TOPSOIL							
5CM	0800	15.8	15.3	15.7	11.6	(6.0)	-	1.9	4.4	9.8	12.1	13.9	15.9	-
0/62/30/ 8	1400	23.8	23.4	24.1	19.4	(15.0)	-	11.9	14.8	19.0	22.1	22.7	24.1	-
	2000	20.5	21.0	21.2	15.7	(12.4)	-	6.3	7.7	12.7	16.7	17.8	17.8	-
10CM	0800	20.0	19.9	19.9	15.8	9.9	7.5	6.3	8.7	13.5	15.2	17.0	18.5	14.3
0/62/30/ 8	1400	25.5	25.9	26.0	21.0	16.1	14.4	13.2	15.8	19.6	22.6	23.4	25.1	20.7
	2000	22.6	23.2	23.3	17.4	12.8	10.5	8.1	8.6	14.7	18.6	20.1	21.3	16.8
20CM	0800	21.7	22.0	22.3	18.1	13.4	11.0	9.8	11.6	15.6	17.2	18.7	20.0	16.8
2/65/27/ 6	1400	23.2	23.0	23.7	19.1	14.1	11.4	10.5	12.3	16.7	18.4	20.0	21.0	17.8
	2000	20.8	21.2	21.7	17.6	12.6	10.3	8.4	9.4	14.9	17.1	18.9	20.7	16.1
30CM	0800	21.6	22.1	22.4	18.6	14.1	11.6	10.3	11.9	15.7	17.3	18.7	20.0	17.0
6/68/21/ 5	1400	23.3	23.3	24.1	19.5	15.3	12.9	11.7	13.2	16.9	18.6	19.9	21.3	18.3
	2000	21.2	21.6	22.1	18.1	13.0	10.9	8.9	10.0	15.2	17.3	19.1	20.6	16.5
60CM	0800	21.6	22.3	22.5	19.5	16.6	14.1	12.6	13.3	15.5	17.3	18.5	19.8	17.8
1/73/20/ 6	1400	21.6	22.3	22.5	19.5	16.6	14.1	12.6	13.3	15.5	17.3	18.5	19.8	17.8
	2000	21.6	22.4	22.5	19.5	16.6	14.1	12.6	13.3	15.6	17.3	18.5	19.8	17.8
120CM	0800	20.3	21.0	21.3	20.4	18.7	16.5	14.9	14.4	15.1	16.5	17.4	18.6	17.9
2/58/35/ 5	1400	20.3	21.0	21.3	20.4	18.7	16.5	14.9	14.4	15.1	16.4	17.4	18.6	17.9
	2000	20.3	21.0	21.3	20.4	18.6	16.5	14.9	14.4	15.1	16.4	17.4	18.6	17.9
240/808	LOUIS BOTHA - WK					Ø 29°58'S		λ 30°57'E		H	8M			1971
GRAS/GRASS		19.1	18.3	19.3	16.2	11.8	8.0	7.6	9.3	14.0	15.2	16.1	18.0	14.4
ABS MIN		14.2	14.3	16.3	11.4	5.3	3.5	3.6	3.5	10.4	8.6	11.0	12.3	3.5
DAT		4	19	31	6	18	17	21	2	7	24	18	6	-
241/ 72	MOUNT EDGECOMBE					Ø 29°42'S		λ 31° 3'E		H	104M			1971
GRAS/GRASS		18.1	16.0	17.5	14.1	9.2	5.9	5.0	6.7	12.0	13.1	15.0	16.5	12.4
ABS MIN		13.3	10.2	12.6	10.0	0.9	0.2	0.0	0.9	6.0	5.9	9.0	10.9	0.0
DAT		23	19	29	6	18	18	19	2	7	25	9	6	-
GROND/SOIL		KLEUR VAN BOGROND				- SS -	COLOUR OF TOPSOIL							
5CM	0800	24.5	24.0	23.5	20.4	16.0	13.1	12.3	13.9	17.3	19.9	21.5	23.6	19.2
1/50/41/ 8	1400	31.8	31.7	30.3	26.6	23.4	22.3	21.8	22.8	22.8	26.9	28.3	29.9	26.5
10CM	0800	24.5	24.2	24.1	21.2	17.0	14.3	13.4	14.6	17.7	20.1	21.7	23.9	19.7
1/50/41/ 8	1400	29.9	30.2	28.7	25.0	21.7	20.1	19.4	21.1	21.6	25.9	26.6	28.4	24.9
20CM	0800	25.4	25.5	25.2	22.6	18.9	16.6	15.7	16.5	18.8	21.2	22.6	24.3	21.1
0/52/38/10	1400	26.3	26.3	25.9	23.1	19.4	17.1	16.3	17.2	19.3	22.1	23.5	25.2	21.8
30CM	0800	25.8	26.1	25.7	23.1	19.8	17.4	16.5	17.1	19.2	21.4	22.9	24.5	21.6
0/55/39/ 6	1400	26.0	26.2	25.8	23.1	19.7	17.3	16.5	17.1	19.2	21.6	23.0	24.7	21.7
60CM	0800	25.2	25.8	25.7	23.6	21.1	18.6	17.5	17.5	19.1	21.0	22.3	23.8	21.8
3/37/38/22	1400	25.1	25.7	25.6	23.5	21.1	18.6	17.5	17.5	19.1	21.0	22.3	23.8	21.7
120CM	0800	24.4	25.2	25.3	23.8	21.9	19.6	18.3	18.0	19.0	20.6	21.7	23.0	21.7
0/19/57/24	1400	24.4	25.1	25.3	23.8	21.9	19.5	18.3	18.0	19.0	20.6	21.7	23.0	21.7

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
247/668	POFADDER - SKL***					Ø 29° 8'S		λ 19°23'E			H 984M			1971
GRAS/GRASS		-	17.5	15.2	11.0	6.9	3.5	2.7	-	-	8.8	11.7	13.2	-
ABS MIN		-	9.1	6.9	3.9	1.7	-2.2	-2.7	-	-	2.3	6.1	7.0	-
DAT		-	28	26	15	20	17	17	-	-	23	7	12	-
GROND/SOIL		KLEUR VAN BOGROND			-	XX -	COLOUR OF TOPSOIL							
10CM	0800	-	26.1	22.2	17.2	12.5	9.4	7.0	-	-	18.2	22.2	25.0	-
50/40/ 8/ 2	1400	-	37.8	32.7	26.2	20.8	16.0	13.4	-	-	25.7	30.3	33.5	-
	2000	-	39.1	33.0	24.3	18.1	14.4	11.9	-	-	(27.7)	31.7	35.7	-
20CM	0800	-	32.6	28.2	21.6	-	-	-	-	-	21.2	25.1	28.3	-
62/32/ 4/ 2	1400	-	32.7	29.2	23.5	-	-	-	-	-	21.2	25.0	28.3	-
	2000	-	35.5	32.3	25.7	-	-	-	-	-	(23.7)	27.6	31.6	-
30CM	0800	-	32.3	28.4	22.0	17.3	13.8	11.0	-	-	21.7	25.7	28.6	-
52/40/ 6/ 2	1400	-	32.1	28.1	21.7	17.1	13.6	10.8	-	-	21.7	25.6	28.6	-
	2000	-	33.0	29.7	23.5	18.6	14.7	12.1	-	-	(23.1)	27.3	30.0	-
60CM	0800	-	32.1	29.2	23.6	19.5	15.6	12.7	-	-	21.4	24.9	27.7	-
32/58/ 7/ 3	1400	-	32.1	29.2	23.4	19.4	15.6	12.7	-	-	21.3	24.9	27.6	-
	2000	-	31.9	29.0	23.2	19.1	15.3	12.4	-	-	(21.5)	24.9	27.6	-
258/157	RIETRIVIER - AGR					Ø 29° 7'S		λ 24°36'E			H 1140M			1971
GRAS/GRASS		-	-	-	-	3.5	0.0	-1.6	-2.8	2.2	7.2	-	-	-
ABS MIN		-	-	-	-	-5.1	-8.2	-7.5	-8.2	-5.5	-3.0	-	-	-
DAT		-	-	-	-	21	18	18	27	7	1	-	-	-
GROND/SOIL		KLEUR VAN BOGROND			-	NR -	COLOUR OF TOPSOIL							
10CM	0800	23.9	23.1	21.0	15.7	10.4	8.0	7.7	7.8	13.9	17.6	21.6	23.2	16.2
0/83/13/ 4	1400	33.9	34.0	31.4	25.6	19.7	(15.0)	14.8	17.6	23.9	27.5	32.9	35.0	(25.9)
20CM	0800	25.5	25.5	23.7	17.8	12.4	9.5	9.6	10.5	16.6	19.2	23.4	25.3	18.3
0/83/13/ 4	1400	30.1	29.3	27.1	21.3	15.7	(11.9)	11.8	12.9	18.9	23.0	27.3	29.5	(21.6)
30CM	0800	27.1	27.0	25.3	19.9	15.3	11.9	11.5	12.3	17.8	20.8	24.6	26.5	20.0
0/83/13/ 4	1400	27.6	27.6	26.1	20.3	15.7	(12.1)	11.8	12.7	18.1	21.5	25.6	27.6	(20.6)
60CM	0800	27.6	27.5	26.4	21.7	17.7	14.1	13.2	13.7	17.9	21.1	24.5	26.8	21.0
0/83/13/ 4	1400	27.4	27.3	26.2	21.5	17.5	14.0	13.1	13.6	17.8	20.9	24.4	26.6	20.9
120CM	0800	25.5	26.0	25.6	22.8	19.9	16.7	15.2	15.0	17.0	19.7	22.3	24.4	20.8
0/83/13/ 4	1400	25.6	26.0	25.6	22.8	19.9	16.7	15.2	15.0	17.0	19.7	22.3	24.4	20.9
261/516	J B M HERTZOG - WK					Ø 29° 6'S		λ 26°18'E			H 1351M			1971
GRAS/GRASS		12.8	10.7	8.3	3.5	-0.3	-4.4	-6.0	-7.3	0.1	4.6	6.9	7.5	3.0
ABS MIN		5.1	0.8	3.4	-0.8	-7.7	-13.2	-11.5	-11.7	-7.5	-6.2	-1.8	0.4	-13.2
DAT		1	28	3	26	21	17	18	27	7	2	9	14	-
GROND/SOIL		KLEUR VAN BOGROND			-	NN -	COLOUR OF TOPSOIL							
5CM	0800	21.0	19.2	18.2	12.2	7.1	3.9	2.9	3.3	11.5	15.8	19.8	20.3	12.9
0/77/15/ 8	1400	34.3	30.5	33.2	25.8	21.5	19.4	19.4	24.0	32.1	30.2	35.3	33.9	28.3
	2000	27.5	24.7	24.7	18.6	12.7	10.9	10.4	12.9	20.1	21.0	24.3	24.8	19.4
10CM	0800	22.0	19.8	19.4	13.9	9.0	6.3	6.1	6.4	12.9	15.3	18.5	20.1	14.1
0/77/15/ 8	1400	30.8	27.3	27.8	22.0	16.8	13.3	12.4	14.6	21.7	25.3	29.1	29.4	22.5
	2000	29.9	26.8	26.8	21.1	15.3	13.1	12.9	15.3	22.2	23.8	27.4	27.7	21.9
20CM	0800	24.3	22.2	22.0	17.2	13.0	9.9	9.5	10.2	15.8	18.0	21.3	22.8	17.2
0/80/13/ 7	1400	25.0	22.6	22.6	17.7	13.2	10.1	9.6	10.3	15.5	18.9	22.3	23.5	17.6
	2000	27.0	24.1	24.5	19.3	15.0	11.9	11.1	12.2	17.8	20.6	24.2	25.3	19.4
30CM	0800	24.7	22.6	22.3	17.7	13.4	10.4	9.8	10.5	16.1	18.3	21.4	22.8	17.5
0/71/18/11	1400	25.6	23.3	23.0	18.3	14.0	11.0	10.4	11.3	17.0	19.6	23.0	24.1	18.4
	2000	27.5	24.9	24.7	19.8	15.5	12.3	12.0	12.8	18.6	20.9	24.6	25.2	19.9
60CM	0800	25.1	23.6	23.2	19.5	16.0	12.5	11.7	11.8	16.0	18.7	21.5	23.3	18.6
0/54/18/28	1400	25.0	23.4	22.9	19.3	15.8	12.5	11.7	11.8	16.0	18.7	21.5	23.2	18.5
	2000	25.0	23.4	22.9	19.3	15.7	12.4	11.6	11.7	15.9	18.6	21.4	23.2	18.4
120CM	0800	22.8	22.8	22.3	20.4	18.0	14.9	13.3	12.5	14.3	16.9	19.1	21.1	18.2
0/61/28/11	1400	22.8	22.8	22.3	20.4	18.0	14.9	13.3	12.5	14.3	17.0	19.1	21.2	18.2
	2000	22.8	22.7	22.3	20.3	17.9	14.8	13.3	12.5	14.3	16.9	19.2	21.1	18.2
263/859	MASERU - LESOTHO					Ø 29°19'S		λ 27°29'E			H 1528M			1971
GRAS/GRASS		13.1	11.4	8.8	4.3	-0.4	-4.9	-5.6	-6.0	0.4	4.4	6.9	(8.0)	(3.4)
ABS MIN		8.5	2.4	3.4	0.4	-7.2	-13.9	-11.4	-11.5	-6.9	-7.0	0.4	-	-
DAT		1	28	3	26	31	17	18	27	16	2	9	-	-

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
268/631	ESTCOURT - AGR					Ø 29° 1'S		λ 29°52'E			H 1181M			1971
GRAS/GRASS		14.3	12.6	13.2	-	-	0.1	-0.5	0.8	7.1	8.7	10.6	13.0	-
ABS MIN		10.3	8.5	8.0	-	-	-6.0	-3.9	-4.0	1.7	1.5	5.8	10.5	-
DAT		2	13	29	-	-	18	21	1	10	19	18	24	-
GROND/SOIL		KLEUR VAN BOGROND			-	SL -	COLOUR OF TOPSOIL							
10CM	0800	22.5	21.5	21.9	-	-	7.9	7.2	9.0	15.1	17.2	19.0	20.7	-
0/54/32/14	1400	30.2	30.4	30.9	-	-	15.3	15.0	17.9	23.0	26.6	28.4	29.0	-
	2000	27.7	28.3	28.0	-	-	13.1	12.7	15.5	20.6	23.0	24.3	26.3	-
20CM	0800	24.1	23.3	24.2	-	-	10.5	9.9	11.4	16.8	18.7	20.4	22.0	-
0/46/40/14	1400	26.1	25.5	26.2	-	-	12.1	11.6	13.5	18.8	21.4	23.3	24.3	-
	2000	27.6	27.5	27.9	-	-	13.5	13.1	15.4	20.3	22.9	24.5	26.1	-
30CM	0800	25.3	24.7	25.5	-	-	12.7	11.9	13.2	18.1	20.2	21.8	23.3	-
0/37/45/18	1400	25.3	24.7	25.4	-	-	12.6	11.7	13.1	18.0	20.4	22.0	23.4	-
	2000	26.3	25.9	26.6	-	-	13.4	12.6	14.2	19.1	21.6	23.2	24.7	-
60CM	0800	25.0	24.4	25.3	-	-	14.1	13.0	13.8	17.7	20.1	21.5	22.8	-
16/51/24/ 9	1400	24.9	24.4	25.3	-	-	14.0	12.9	13.8	17.6	20.0	21.3	22.8	-
	2000	24.8	24.2	25.1	-	-	13.9	12.8	13.6	17.5	19.9	21.3	22.6	-
120CM	0800	23.4	23.1	23.8	-	-	15.8	14.3	14.3	16.5	18.8	19.9	21.1	-
72/18/ 6/ 4	1400	23.4	23.1	23.8	-	-	15.8	14.2	14.3	16.5	18.8	19.9	21.2	-
	2000	23.3	23.1	23.8	-	-	15.7	14.2	14.3	16.5	18.8	19.9	21.2	-
270/194	SEVEN OAKS - RYHILL					Ø 29°14'S		λ 30°37'E			H 1065M			1971
GRAS/GRASS		13.1	11.2	14.0	10.1	4.7	1.8	1.6	2.9	8.5	(8.3)	10.5	12.3	(8.3)
ABS MIN		9.0	7.0	6.0	6.0	-2.7	-5.5	-3.0	-2.0	3.0	-	6.0	6.8	-
DAT		23	10	31	6	21	18	19	1	14	-	10	6	-
GROND/SOIL		KLEUR VAN BOGROND			-	ND -	COLOUR OF TOPSOIL							
5CM	0800	19.1	18.6	20.1	14.6	9.7	7.3	6.1	8.2	13.1	15.8	18.2	19.5	14.2
0/36/39/25	1400	30.0	30.9	33.7	26.1	21.5	22.2	21.9	23.4	23.5	26.9	30.6	29.5	26.7
10CM	0800	20.0	20.3	22.1	16.8	12.0	10.1	9.2	10.1	14.4	15.1	17.3	18.5	15.5
0/36/39/25	1400	25.4	26.2	28.3	21.7	17.2	14.8	14.2	15.7	19.2	21.7	23.2	23.9	21.0
20CM	0800	21.0	21.7	23.4	18.4	14.8	12.4	11.6	12.5	15.5	17.2	19.3	20.8	17.4
0/55/28/17	1400	22.1	22.9	24.0	19.1	14.8	12.4	11.6	12.5	16.1	17.6	19.6	21.0	17.8
30CM	0800	22.1	22.8	24.9	19.6	15.8	13.3	12.4	13.2	16.5	17.5	19.4	20.5	18.2
0/55/26/19	1400	22.2	22.8	24.8	19.5	15.9	13.5	12.5	13.2	16.6	17.6	19.5	20.5	18.2
60CM	0800	21.6	22.3	24.5	20.2	17.5	15.0	13.8	14.0	16.2	17.4	18.7	20.1	18.4
0/53/29/18	1400	21.8	22.4	24.6	20.2	17.4	15.0	13.8	14.0	16.1	17.4	18.9	20.0	18.5
120CM	0800	20.3	21.1	23.1	20.7	19.2	17.1	15.7	15.2	15.8	16.9	17.7	18.9	18.5
0/38/34/28	1400	20.3	21.1	23.1	20.8	19.2	17.1	15.8	15.2	15.8	16.9	17.7	18.9	18.5
290/468	KIMBERLEY - WK					Ø 28°48'S		λ 24°46'E			H 1198M			1971
GRAS/GRASS		15.8	14.7	13.3	8.8	4.4	2.4	2.3	0.6	5.9	9.4	12.1	13.0	8.6
ABS MIN		10.4	7.9	7.1	4.5	-4.6	-8.9	-5.7	-4.6	-3.1	-0.8	6.1	6.2	-8.9
DAT		1	28	2	11	21	17	18	28	7	1	22	14	-
GROND/SOIL		KLEUR VAN BOGROND			-	NN -	COLOUR OF TOPSOIL							
10CM	0800	22.6	22.4	20.7	15.4	10.3	8.4	7.3	6.9	13.8	17.3	20.0	21.4	15.5
17/69/11/ 3	1400	32.0	32.9	30.7	23.9	18.1	14.9	14.3	16.2	24.0	28.4	30.3	33.1	24.9
	2000	30.6	30.8	28.4	21.9	15.8	13.9	13.2	14.7	22.4	25.8	29.1	30.2	23.1
20CM	0800	25.0	25.4	24.0	18.3	13.5	11.3	10.5	10.5	17.2	20.2	23.4	24.7	18.7
22/67/ 9/ 2	1400	27.4	27.8	26.0	20.2	15.2	12.6	11.7	12.3	19.1	22.9	26.6	27.1	20.7
	2000	29.9	30.3	28.4	22.3	16.8	14.5	13.8	14.9	21.7	25.3	29.1	30.2	23.1
30CM	0800	26.0	26.4	25.1	19.7	15.2	12.7	11.9	12.0	17.9	21.1	24.4	25.9	19.9
12/77/ 7/ 4	1400	26.0	26.4	25.1	19.6	15.1	12.6	11.8	11.9	18.0	21.4	24.8	26.2	19.9
	2000	27.7	28.0	26.5	21.0	16.1	13.7	12.9	13.3	19.4	22.8	26.3	27.8	21.3
60CM	0800	25.7	26.4	25.4	21.0	17.2	14.4	13.4	13.3	17.8	20.7	23.6	25.5	20.4
1/72/18/ 9	1400	25.5	26.3	25.3	20.9	17.2	14.3	13.4	13.3	17.8	20.7	23.6	25.4	20.3
	2000	25.4	26.2	25.3	20.8	17.0	14.2	13.3	13.2	17.7	20.6	23.5	25.4	20.2
120CM	0800	23.8	24.7	24.6	22.3	19.8	17.2	15.9	15.4	17.2	19.5	21.4	23.1	20.4
61/36/ 3/ 1	1400	23.8	24.7	24.6	22.3	19.8	17.2	15.9	15.4	17.2	19.5	21.4	23.1	20.4
	2000	23.8	24.7	24.6	22.2	19.8	17.1	15.9	15.4	17.3	19.5	21.4	23.1	20.4
293/597	GLEN COLLEGE - AGR					Ø 28°57'S		λ 26°20'E			H 1304M			1971
GRAS/GRASS		12.9	11.0	10.0	4.4	0.4	-2.7	-3.6	-4.9	2.5	6.8	8.4	8.9	4.5
ABS MIN		5.5	-1.0	2.9	0.0	-6.2	-10.7	-11.6	-11.0	-4.0	-3.1	1.3	2.5	-11.6
DAT		1	28	2	10	20	17	17	21	16	24	9	7	-
298/193	OX-BOW - LESOTHO					Ø 28°43'S		λ 28°37'E			H 2591M			1971
GRAS/GRASS		4.1	2.4	0.6	-2.8	-7.1	-11.0	-10.8	-	-	-2.2	-0.3	2.0	-
ABS MIN		-1.6	-2.4	-4.5	-8.2	-15.0	-18.9	-15.9	-	-	-10.1	-5.0	-6.3	-
DAT		1	14	1	26	18	18	22	-	-	5	12	6	-

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
305/ 17	RICHARDSBAAI - ALUSAF					Ø 28°47'S		λ 32° 1'E		H 17M				1971
GRAS/GRASS		20.3	19.1	20.2	18.0	13.4	9.4	10.2	-	-	-	-	-	-
ABS MIN		15.7	15.8	17.7	15.5	5.3	4.0	5.3	-	-	-	-	-	-
DAT		1	19	22	16	19	18	19	-	-	-	-	-	-
GROND/SOIL		KLEUR VAN BOGROND				- NV -	COLOUR OF TOPSOIL							
10CM	0800	27.2	26.8	26.8	22.4	18.4	16.0	15.4	17.1	20.4	-	27.0	25.4	-
1/86/ 6/ 7	1400	34.4	35.5	36.3	27.5	24.3	22.9	21.4	24.6	24.8	-	32.2	33.2	-
	2000	30.0	30.7	30.5	-	-	-	-	-	-	-	-	-	-
20CM	0800	27.8	28.2	28.5	23.4	19.6	17.5	-	-	20.3	-	23.7	25.2	-
0/93/ 3/ 4	1400	30.0	30.4	29.9	24.5	22.3	20.8	-	-	21.6	-	26.3	28.0	-
	2000	30.5	31.3	30.7	-	-	-	-	-	-	-	-	-	-
30CM	0800	28.3	28.7	28.7	24.0	20.5	18.3	17.4	18.7	21.2	-	24.3	26.5	-
0/92/ 3/ 4	1400	29.0	29.4	29.3	24.0	21.1	19.3	17.9	19.1	21.2	-	24.8	25.8	-
	2000	29.4	30.0	29.3	-	-	-	-	-	-	-	-	-	-
60CM	0800	28.7	29.3	29.3	24.9	21.3	19.0	17.9	19.3	21.3	-	24.6	25.9	-
0/92/ 3/ 5	1400	28.5	29.0	29.3	24.8	21.3	19.1	18.1	19.1	21.2	-	24.4	26.0	-
	2000	28.6	29.2	29.1	-	-	-	-	-	-	-	-	-	-
317/447A	UPINGTON - AGR					Ø 28°27'S		λ 21°15'E		H 793M				1971
GRAS/GRASS		14.5	15.7	12.1	7.7	3.5	1.9	0.1	-2.9	2.1	6.4	10.2	12.5	7.0
ABS MIN		7.3	4.4	3.0	-1.0	-4.5	-10.0	-7.0	-7.0	-6.4	-5.0	4.4	7.0	-10.0
DAT		12	28	27	16	21	17	18	26	7	1	21	7	-
GROND/SOIL		KLEUR VAN BOGROND				- VV -	COLOUR OF TOPSOIL							
10CM	0800	27.3	25.8	24.0	17.9	12.7	9.7	8.9	8.8	14.3	18.2	23.4	26.1	18.1
0/70/26/ 4	1400	40.5	36.8	34.7	28.5	23.1	18.6	17.8	20.0	27.6	30.6	35.9	40.2	29.5
20CM	0800	31.5	29.6	28.4	21.9	17.3	13.9	13.1	13.1	18.9	21.8	26.9	30.1	22.2
0/70/26/ 4	1400	32.3	31.1	29.0	22.8	17.9	14.2	13.2	13.4	19.2	23.0	28.0	30.8	22.9
30CM	0800	31.5	30.3	28.8	23.0	18.4	14.7	13.7	13.6	18.9	22.0	26.8	29.8	22.6
0/67/30/ 3	1400	32.5	31.1	29.2	23.5	18.9	15.1	14.1	14.3	19.8	23.0	27.8	30.8	23.3
60CM	0800	31.2	31.0	29.8	25.1	21.2	17.3	15.7	15.6	19.3	22.3	26.6	29.5	23.7
0/27/66/ 7	1400	31.2	30.9	29.7	25.0	21.1	17.2	15.6	15.6	19.2	22.3	26.6	29.4	23.7
120CM	0800	28.5	31.6	28.8	26.1	23.3	19.9	17.7	17.0	18.2	20.8	23.8	26.4	23.5
0/40/57/ 3	1400	28.5	29.1	28.8	26.0	23.2	19.9	17.7	17.0	18.3	20.8	23.8	26.4	23.3
317/474	UPINGTON - WK					Ø 28°24'S		λ 21°16'E		H 836M				1971
GRAS/GRASS		17.9	17.8	14.7	9.7	6.1	4.9	2.8	0.3	5.3	9.3	-	-	-
ABS MIN		10.7	8.5	9.7	2.8	-2.5	-6.2	-4.9	-3.4	-3.3	-1.0	-	-	-
DAT		21	28	1	17	21	17	17	27	7	1	-	-	-
GROND/SOIL		KLEUR VAN BOGROND				- NL -	COLOUR OF TOPSOIL							
5CM	0800	27.3	25.9	24.3	17.8	13.2	10.4	9.3	9.3	13.9	18.6	23.7	26.1	18.3
10/80/ 8/ 2	1400	42.7	38.2	36.5	29.3	24.4	21.0	20.6	24.1	33.6	35.4	41.7	48.1	33.0
	2000	37.8	33.2	32.1	24.4	19.1	15.4	15.0	16.2	23.3	26.5	30.2	35.0	25.7
10CM	0800	29.1	27.1	25.9	19.1	14.9	12.1	12.3	11.2	17.4	20.1	25.4	28.0	20.2
10/80/ 8/ 2	1400	37.2	34.5	32.5	26.8	21.6	16.9	15.6	17.5	23.2	27.2	32.7	35.0	26.7
	2000	38.1	34.2	32.9	25.4	20.4	16.6	16.2	17.7	24.4	27.6	33.0	36.4	26.9
20CM	0800	31.8	29.2	28.5	21.2	17.1	-	-	12.2	18.4	21.1	26.3	29.1	-
13/77/ 8/ 2	1400	33.8	32.0	29.8	24.1	19.2	-	-	14.6	20.4	24.8	29.9	32.0	-
	2000	36.6	34.1	32.4	25.7	20.7	-	-	16.9	22.9	26.7	32.3	34.9	-
30CM	0800	32.6	30.6	29.6	22.9	18.8	15.2	14.3	14.6	20.2	22.6	28.0	30.6	23.3
53/40/ 6/ 1	1400	32.4	30.5	29.2	22.9	18.6	15.1	13.8	14.4	19.9	23.3	28.3	30.8	23.3
	2000	33.9	32.3	30.8	24.6	19.8	16.2	15.3	16.0	21.3	25.2	30.3	32.6	24.9
60CM	0800	32.1	31.1	30.3	24.4	20.5	16.8	15.4	15.7	20.0	23.2	27.7	30.2	23.9
73/23/ 3/ 1	1400	32.0	30.8	30.0	24.1	20.2	16.7	15.3	15.5	19.9	23.0	27.5	30.1	23.8
	2000	31.9	30.8	29.8	24.1	20.1	16.6	15.3	15.4	19.8	22.9	27.4	29.9	23.7
120CM	0800	30.0	30.0	29.5	25.9	22.8	19.4	17.4	17.1	19.1	21.9	25.4	27.9	23.9
73/23/ 3/ 1	1400	29.9	30.1	29.5	25.9	22.7	19.4	17.4	17.1	19.2	21.9	25.4	28.0	23.9
	2000	29.9	30.0	29.5	25.9	22.6	19.3	17.4	17.1	19.2	21.9	25.4	28.0	23.9
323/102	KOOPMANSFONTEIN II - AGR					Ø 28°12'S		λ 24° 4'E		H 1341M				1971
GROND/SOIL		KLEUR VAN BOGROND				- ND -	COLOUR OF TOPSOIL							
10CM	0800	22.2	19.5	20.0	12.9	8.4	6.1	4.8	5.0	12.3	15.7	20.0	21.4	14.0
64/30/ 5/ 1	1400	33.0	30.4	30.8	23.2	17.5	14.8	14.6	16.8	26.0	28.4	34.1	33.3	25.2
20CM	0800	24.0	21.9	23.1	15.8	11.7	9.5	8.9	9.9	16.4	18.8	23.3	23.2	17.2
85/11/ 3/ 1	1400	27.4	24.9	25.4	18.3	13.5	10.7	9.9	11.1	18.2	21.4	25.8	27.3	19.5
30CM	0800	25.9	23.8	24.6	17.9	13.8	11.1	10.5	11.4	17.4	19.9	24.2	24.9	18.8
100/ 0/ 0/ 0	1400	26.1	24.0	24.7	18.0	13.9	11.2	10.6	11.6	17.8	20.5	24.7	25.4	19.0
60CM	0800	25.8	24.5	25.1	19.7	16.4	13.5	12.5	13.0	17.1	20.0	23.5	25.0	19.7
100/ 0/ 0/ 0	1400	25.7	24.4	25.0	19.7	16.4	13.5	12.5	13.0	17.2	19.9	23.5	24.9	19.6
120CM	0800	24.1	23.8	24.0	21.1	18.6	15.7	14.5	14.3	16.5	19.0	21.5	23.2	19.7
XX/XX/XX/XX	1400	24.1	23.7	24.0	21.1	18.6	15.7	14.5	14.3	16.5	19.0	21.5	23.2	19.7
328/636	VIRGINIA - MUN					Ø 28° 6'S		λ 26°52'E		H 1335M				1971
GRAS/GRASS		-	-	-	7.2	2.9	-1.5	-2.4	-2.9	3.9	7.8	-	-	-
ABS MIN		-	-	-	2.8	-3.1	-8.4	-8.8	-7.3	-2.7	-1.2	-	-	-
DAT		-	-	-	6	30	17	18	4	4	2	-	-	-

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
331/520	LOCH LOMOND - AGR						φ 28°10'S		λ 28°18'E		H 1631M			1971
GRAS/GRASS		12.3	9.8	8.0	3.9	-0.9	-5.0		- -4.0	0.6	4.2	6.5	8.9	-
ABS MIN		8.6	5.0	1.5	-1.1	-8.4	-8.5		- -11.4	-6.2	-5.6	-1.1	3.3	-
DAT		30	19	1	6	19	11		- 8	16	2	12	8	-
GROND/SOIL		KLEUR VAN BOGROND				- NO -	COLOUR OF TOPSOIL							
5CM	0800	20.7	18.2	17.8	11.9	6.3	2.7	2.4	4.7	11.1	15.3	16.6	19.6	12.3
0/76/23/ 1	1400	33.7	32.1	32.0	24.0	18.0	15.9	14.3	15.7	21.9	26.2	28.3	31.4	24.5
	2000	23.8	21.5	23.2	16.4	11.2	8.6	8.5	11.3	17.2	20.6	21.1	23.7	17.3
10CM	0800	20.1	17.7	17.7	11.8	6.7	3.0	2.9	5.1	11.0	14.7	16.0	18.7	12.1
0/76/23/ 1	1400	31.5	30.1	30.4	22.8	17.1	14.5	13.0	13.7	19.9	24.3	25.8	29.4	22.7
	2000	24.1	23.9	23.6	16.5	11.3	8.9	8.7	11.5	17.2	20.8	21.3	24.3	17.7
20CM	0800	20.3	18.4	18.8	13.2	8.5	5.0	4.9	6.8	12.4	15.7	16.5	19.2	13.3
0/74/25/ 1	1400	27.8	26.1	26.3	19.3	13.7	10.7	9.6	10.9	16.8	20.9	22.4	25.5	19.2
	2000	26.0	24.2	25.0	18.0	12.8	10.1	9.8	12.0	17.4	21.1	22.1	25.1	18.6
30CM	0800	22.5	21.0	21.8	16.4	11.7	8.5	7.8	9.1	14.1	17.6	18.6	21.2	15.9
0/66/30/ 4	1400	23.3	21.9	22.5	16.7	12.0	9.1	8.0	9.5	14.8	18.4	19.8	22.6	16.5
	2000	24.4	24.3	24.3	18.0	13.2	10.2	9.6	11.1	16.3	20.0	21.4	24.4	18.1
60CM	0800	23.0	22.0	22.7	17.9	14.0	10.7	9.6	10.4	14.2	17.7	19.1	21.7	16.9
0/63/28/ 9	1400	22.8	21.7	22.4	17.7	13.8	10.5	9.5	10.3	14.1	17.5	18.8	21.4	16.7
	2000	22.7	21.8	22.3	17.6	13.7	10.4	9.4	10.2	14.0	17.5	18.8	21.4	16.7
120CM	0800	-	21.1	21.6	18.8	15.8	12.7	11.2	11.0	13.1	16.0	17.6	19.5	-
2/56/25/17	1400	-	21.2	21.6	18.8	15.8	12.7	11.1	11.1	13.2	16.1	17.6	19.5	-
	2000	-	21.1	21.6	18.7	15.7	12.7	11.1	11.1	13.2	16.1	17.6	19.5	-
360/597	VAALHARTS - AGR						φ 27°57'S		λ 24°50'E		H 1175M			1971
GRAS/GRASS		14.0	13.7	13.5	8.9	4.8	0.0	-0.8	-2.5	5.1	9.7	11.5	12.8	7.6
ABS MIN		9.6	8.2	9.5	4.4	-3.7	-8.8	-8.8	-7.6	-2.8	-0.5	5.3	6.4	-8.8
DAT		21	28	2	26	21	16	17	20	7	1	9	18	-
GROND/SOIL		KLEUR VAN BOGROND				- NR -	COLOUR OF TOPSOIL							
10CM	0800	24.7	23.0	22.3	17.4	11.6	9.3	8.5	9.5	16.4	18.4	22.3	23.5	17.2
2/88/ 9/ 1	1400	33.3	32.5	31.6	25.1	17.5	14.4	13.7	16.0	24.2	28.2	33.1	33.9	25.3
20CM	0800	26.4	24.9	24.6	19.6	13.6	11.4	10.3	12.3	18.9	20.5	24.4	25.8	19.4
1/89/ 7/ 3	1400	29.6	28.7	27.5	22.0	15.4	12.7	11.8	13.3	19.9	23.6	27.9	29.2	21.8
30CM	0800	27.6	26.2	25.9	21.3	15.3	12.9	12.4	13.7	19.6	21.5	25.5	26.9	20.7
1/89/ 7/ 3	1400	28.4	27.1	26.3	21.6	15.1	12.9	12.5	13.8	19.7	22.5	26.3	27.7	21.2
60CM	0800	28.7	27.6	27.1	23.0	17.8	14.4	13.8	14.8	19.5	22.2	25.7	27.5	21.8
1/88/ 6/ 5	1400	28.3	27.2	26.8	22.8	17.4	14.2	13.7	14.7	19.5	21.9	25.4	27.2	21.6
120CM	0800	26.7	26.5	26.4	24.1	21.0	17.6	16.1	16.1	18.3	20.8	23.3	25.4	21.9
1/87/ 7/ 5	1400	26.7	26.5	26.4	24.1	21.0	17.6	16.1	16.1	18.3	20.8	23.3	25.3	21.9
362/710	HOOPSTAD - TNK						φ 27°50'S		λ 25°54'E		H 1239M			1971
GRAS/GRASS		15.2	13.3	11.6	6.5	2.0	-1.8	-2.4	-4.1	4.0	8.3	10.0	12.1	6.2
ABS MIN		10.2	5.0	5.5	1.9	-4.6	-11.5	-9.9	-8.8	-3.7	-3.9	1.2	5.0	-11.5
DAT		1	28	1	26	31	17	18	21	4	2	9	14	-
GROND/SOIL		KLEUR VAN BOGROND				- NR -	COLOUR OF TOPSOIL							
10CM	0800	23.1	22.4	21.8	14.7	9.6	7.2	7.3	8.2	16.0	17.1	19.5	20.2	15.6
4/76/16/ 4	1400	(34.1)	33.5	32.8	26.2	19.2	17.0	16.4	18.9	26.5	28.2	32.9	31.8	(26.5)
	2000	31.8	31.6	30.8	22.7	15.6	14.3	14.3	17.2	25.2	25.3	29.0	29.3	23.9
20CM	0800	24.8	24.3	24.2	17.5	12.3	10.1	10.0	11.1	18.2	18.9	20.8	21.9	17.8
1/78/16/ 5	1400	(27.9)	27.4	27.0	20.4	14.7	12.2	11.8	13.4	20.4	22.0	25.4	26.1	(20.7)
	2000	30.5	30.2	29.7	22.4	16.1	14.3	14.1	16.2	23.3	24.4	27.6	28.3	23.1
30CM	0800	26.5	26.2	26.1	20.0	15.0	12.8	12.5	13.5	19.4	20.6	22.7	23.8	19.9
1/78/15/ 6	1400	(26.7)	26.3	26.2	20.1	15.4	12.8	12.4	13.5	19.6	21.1	23.4	24.4	(20.2)
	2000	28.4	28.2	28.0	21.6	16.6	14.1	13.8	15.2	21.3	22.8	25.2	26.4	21.8
60CM	0800	26.7	26.6	26.8	21.9	18.2	15.3	14.5	15.0	19.1	21.2	22.8	24.2	21.0
3/72/19/ 6	1400	26.6	26.5	26.7	21.8	18.0	15.2	14.4	14.9	19.1	21.0	22.7	24.1	20.9
	2000	26.5	26.3	26.5	21.7	17.9	15.1	14.3	14.8	19.0	20.9	22.6	24.0	20.8
120CM	0800	25.5	25.6	26.2	23.1	20.4	17.6	16.3	15.9	18.0	20.2	21.6	23.2	21.1
39/45/12/ 4	1400	25.5	25.6	26.2	23.1	20.4	17.5	16.3	15.9	18.0	20.2	21.6	23.2	21.1
	2000	25.4	25.6	26.1	23.1	20.3	17.5	16.2	15.9	18.0	20.1	21.6	23.1	21.1
365/430	KROONSTAD - MUN						φ 27°40'S		λ 27°15'E		H 1348M			1971
GRAS/GRASS		14.1	12.4	10.2	6.2	1.8	-3.0	-3.1	-	(5.2)	8.0	9.7	11.5	-
ABS MIN		9.5	9.1	2.5	2.1	-5.0	-9.6	-9.8	-	-	-1.0	3.0	5.8	-
DAT		1	28	1	6	18	17	18	-	-	2	21	7	-
GROND/SOIL		KLEUR VAN BOGROND				- NN -	COLOUR OF TOPSOIL							
10CM	0800	22.8	21.6	21.6	15.7	11.2	7.6	7.4	8.0	13.6	17.0	18.9	20.4	15.5
0/68/27/ 5	1400	28.9	28.7	29.0	19.8	15.5	11.7	12.1	13.8	19.9	23.5	26.5	26.5	21.3
	2000	27.7	(26.6)	27.1	19.7	14.3	11.0	11.4	12.9	19.0	22.6	24.6	26.0	(20.2)
20CM	0800	23.8	22.8	23.0	16.7	12.4	8.4	8.4	9.0	14.5	17.0	19.7	21.4	16.4
0/68/27/ 5	1400	26.3	25.5	25.0	18.3	13.7	9.6	9.7	10.5	16.4	20.3	23.0	24.3	18.5
	2000	27.8	(27.0)	26.8	19.5	14.3	10.8	11.1	12.4	18.1	21.9	24.5	25.9	(20.0)
30CM	0800	24.7	24.0	23.9	18.5	14.3	10.4	10.0	10.6	15.1	18.1	20.3	22.3	17.7
6/63/25/ 6	1400	24.9	24.1	24.0	18.5	14.4	10.5	10.2	10.9	15.5	18.6	20.9	22.5	17.9
	2000	26.0	(25.2)	25.1	19.3	14.8	11.2	10.9	11.8	16.4	19.7	22.0	23.7	(18.8)
60CM	0800	24.8	24.3	24.0	19.8	-	12.4	11.4	11.6	14.9	17.9	20.1	22.0	-
2/64/28/ 6	1400	24.7	24.3	24.0	19.8	-	12.4	11.5	11.6	14.9	17.9	20.1	22.0	-
	2000	24.6	24.2	23.9	19.7	-	12.3	11.5	11.6	14.8	17.8	20.1	21.9	-
120CM	0800	23.6	23.7	23.5	20.9	18.3	14.8	13.1	12.5	14.1	16.8	18.8	20.7	18.4
0/60/31/ 9	1400	23.6	23.7	23.6	20.9	18.3	14.8	13.2	12.6	14.2	16.8	18.8	20.7	18.4
	2000	23.6	23.7	23.5	20.8	18.3	14.7	13.1	12.5	14.2	16.8	18.8	20.7	18.4

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
370/735	NEWCASTLE - CON					Ø 27°45'S		λ 29°55'E			H 1198M			1971
GRAS/GRASS		14.7	12.9	11.9	9.2	3.2	-0.8	-1.9	1.0	6.9	8.9	10.7	12.9	7.5
ABS MIN		11.4	9.6	8.1	3.7	-3.6	-3.9	-7.3	-6.1	2.4	3.3	6.8	9.6	-7.3
DAT		5	25	10	6	19	18	19	1	21	19	10	13	-
GROND/SOIL		KLEUR VAN BOGROND			-	XX -	COLOUR OF TOPSOIL							
10CM	0800	22.0	21.2	21.2	17.6	12.4	8.8	8.1	9.8	15.3	17.1	17.8	20.8	16.0
9/73/13/ 5	1400	29.9	28.6	29.1	23.9	17.5	14.0	13.4	16.3	22.4	24.9	24.5	28.6	22.8
	2000	27.2	26.1	26.6	21.9	15.8	13.1	12.8	15.6	20.5	22.9	22.0	26.2	20.9
20CM	0800	24.0	23.3	23.3	19.9	14.8	11.1	10.5	12.2	17.0	19.0	19.3	22.7	18.1
1/79/16/ 4	1400	25.4	24.7	24.7	20.9	15.6	11.8	10.9	12.8	17.8	20.2	20.6	23.8	19.1
	2000	27.1	26.0	26.4	22.0	16.5	13.1	12.3	14.6	19.3	21.6	21.6	24.1	20.4
30CM	0800	24.4	23.7	23.9	20.4	15.9	12.2	11.3	12.8	17.3	19.4	19.7	23.0	18.7
0/75/17/ 8	1400	24.8	24.1	24.3	20.5	15.7	12.1	11.3	13.0	17.5	19.8	20.0	23.2	18.9
	2000	26.4	25.4	25.4	21.7	16.6	13.0	12.0	13.9	18.5	20.7	20.8	23.1	19.8
60CM	0800	24.5	24.0	24.2	21.2	17.2	13.6	12.4	13.3	16.9	19.3	19.6	22.6	19.1
3/72/16/ 9	1400	24.3	23.9	24.0	21.0	17.1	13.5	12.3	13.2	16.8	19.1	19.5	22.5	18.9
	2000	24.3	23.9	23.9	21.0	17.0	13.5	12.2	13.2	16.8	19.2	19.5	22.5	18.9
393/778	KURUMAN - TNK					Ø 27°28'S		λ 23°26'E			H 1312M			1971
GRAS/GRASS		15.2	14.4	12.8	8.9	4.5	-0.1	-	0.4	-	8.9	11.6	12.2	-
ABS MIN		10.5	4.0	6.2	3.9	-0.5	-6.5	-	-5.0	-	-0.5	6.3	5.0	-
DAT		21	28	1	26	17	16	-	21	-	1	15	14	-
GROND/SOIL		KLEUR VAN BOGROND			-	XX -	COLOUR OF TOPSOIL							
10CM	0800	25.3	22.1	23.2	17.8	12.6	10.3	9.7	10.8	17.2	18.8	23.0	23.4	17.9
51/40/ 6/ 3	1400	30.3	27.5	27.9	22.5	16.9	14.0	13.3	15.5	22.2	24.4	29.9	33.2	23.1
	2000	30.9	27.5	28.4	22.6	17.3	14.2	13.4	16.0	22.7	24.8	30.0	32.0	23.3
20CM	0800	26.8	23.6	24.9	19.4	14.4	12.0	11.3	12.7	18.9	20.4	24.3	25.2	19.5
49/43/ 6/ 2	1400	28.6	25.7	25.8	20.6	15.4	12.6	11.7	13.4	19.8	22.2	27.3	29.1	21.0
	2000	31.2	27.4	28.3	22.6	17.3	14.3	13.4	15.6	21.9	24.3	29.6	31.4	23.1
30CM	0800	27.7	24.4	25.6	20.3	15.1	12.7	12.0	13.5	19.4	21.1	25.0	26.2	20.3
48/44/ 6/ 2	1400	28.0	24.9	25.6	20.3	15.2	12.6	11.9	13.4	19.5	21.6	26.1	27.4	20.5
	2000	30.3	27.0	27.6	22.1	16.8	13.9	13.2	14.9	21.2	23.6	28.5	30.4	22.5
60CM	0800	28.7	25.7	26.6	21.7	17.3	14.3	13.4	14.5	19.7	21.9	25.7	27.0	21.4
3/86/ 8/ 3	1400	28.4	25.3	26.3	21.5	17.1	14.4	13.3	14.3	19.6	21.6	25.4	26.8	21.2
	2000	28.3	25.4	26.1	21.4	16.9	14.5	13.1	14.2	19.4	21.6	25.3	26.6	21.1
120CM	0800	26.4	25.1	25.4	22.5	19.5	16.7	15.2	15.5	18.7	20.5	23.0	24.4	21.1
9/78/ 8/ 5	1400	26.5	25.2	25.5	22.6	19.6	16.7	15.3	15.6	18.7	20.6	23.0	24.5	21.1
	2000	26.4	25.1	25.4	22.4	19.4	16.6	15.2	15.5	18.6	20.4	22.9	24.4	21.0
403/886A	FRANKFORT - TNK					Ø 27°16'S		λ 28°30'E			H 1499M			1971
GRAS/GRASS		13.6	12.2	10.1	6.3	0.3	-4.1	-4.3	-4.1	5.3	8.1	9.2	11.5	5.3
ABS MIN		9.5	9.6	4.1	1.9	-7.5	-9.4	-9.4	-9.0	0.8	-0.9	1.9	4.8	-9.4
DAT		1	25	1	6	18	16	19	6	4	18	12	6	-
GROND/SOIL		KLEUR VAN BOGROND			-	VV -	COLOUR OF TOPSOIL							
10CM	0800	20.5	20.8	19.9	14.4	9.9	6.6	6.1	7.9	14.6	17.1	17.5	20.2	14.6
0/54/33/13	1400	26.1	27.2	25.9	19.8	14.9	11.7	11.3	13.5	20.4	24.3	24.4	27.8	20.6
	2000	25.4	27.1	25.5	19.3	14.5	11.6	11.5	14.1	20.1	22.9	23.0	26.5	20.1
20CM	0800	23.0	23.5	22.6	17.4	13.5	10.3	9.6	11.2	16.6	19.5	19.9	22.6	17.5
6/48/34/12	1400	23.7	24.1	23.0	17.8	13.7	10.5	9.7	11.2	16.9	20.3	20.9	23.7	18.0
	2000	25.2	26.2	25.0	19.5	15.2	12.1	11.5	13.2	18.8	22.1	22.8	25.7	19.8
30CM	0800	23.9	24.1	23.4	18.6	14.8	11.4	10.5	12.0	16.4	19.7	20.5	23.4	18.2
1/43/37/19	1400	23.7	23.9	23.1	18.5	14.6	11.3	10.4	11.8	16.7	19.6	20.5	23.3	18.1
	2000	24.5	24.8	23.9	19.1	15.1	11.9	11.1	12.5	17.4	20.5	21.4	24.1	18.9
60CM	0800	24.0	24.2	24.1	20.2	17.0	13.8	12.5	13.2	16.8	19.7	20.6	23.0	19.1
18/61/15/ 6	1400	24.0	24.2	24.0	20.2	17.0	13.8	12.5	13.2	16.8	19.7	20.6	23.0	19.1
	2000	24.0	24.2	24.0	20.2	16.9	13.7	12.5	13.3	16.8	19.6	20.6	23.0	19.1
120CM	0800	22.4	22.8	23.3	21.2	18.8	16.0	14.2	13.9	15.7	18.1	19.2	20.8	18.9
1/56/31/12	1400	22.5	22.8	23.3	21.2	18.8	16.0	14.2	13.9	15.7	18.2	19.2	20.9	18.9
	2000	22.4	22.8	23.2	21.2	18.8	16.0	14.2	13.9	15.7	18.1	19.2	20.9	18.9
411/324	MAKATINI - AGR					Ø 27°24'S		λ 32°11'E			H 73M			1971
GRAS/GRASS		19.3	16.3	18.2	16.4	9.9	4.8	4.6	7.2	12.7	15.6	16.9	18.8	13.4
ABS MIN		14.7	11.0	13.0	11.8	-0.6	0.5	-0.2	1.5	6.6	9.0	8.3	14.0	-0.6
DAT		23	20	29	27	19	30	15	5	11	26	18	23	-
GROND/SOIL		KLEUR VAN BOGROND			-	NR -	COLOUR OF TOPSOIL							
10CM	0800	26.5	26.4	26.8	22.6	18.0	13.7	13.7	16.9	21.2	22.5	23.8	25.6	21.5
0/69/22/ 9	1400	36.8	37.7	38.1	32.6	27.7	23.9	25.3	29.2	31.4	32.6	33.4	34.3	31.9
	2000	30.8	31.7	31.9	26.8	22.7	19.3	20.0	23.5	25.9	26.4	28.1	29.7	26.4
20CM	0800	27.6	28.1	28.5	24.8	21.0	17.2	17.1	19.8	23.2	23.9	25.1	26.8	23.6
0/68/21/11	1400	30.7	31.2	31.4	27.1	22.9	19.1	18.9	21.7	25.3	26.5	28.0	29.1	26.0
	2000	31.7	32.3	32.7	28.1	23.9	20.1	20.4	23.5	26.4	27.6	28.8	30.1	27.1
30CM	0800	27.8	28.0	28.7	24.7	21.1	17.4	17.2	19.6	23.0	23.7	24.9	26.5	23.5
0/67/20/13	1400	29.4	29.8	30.0	25.9	22.1	18.5	18.4	21.1	24.3	25.5	26.6	28.0	25.0
	2000	30.9	31.2	31.6	27.0	23.1	19.6	19.6	22.4	25.3	26.5	27.7	29.4	26.2
60CM	0800	28.8	29.0	29.7	26.4	23.6	20.2	19.6	21.2	23.8	24.7	26.0	27.2	25.0
0/60/24/16	1400	28.5	28.8	29.4	26.3	23.4	20.0	19.4	21.0	23.6	24.5	25.7	27.0	24.8
	2000	28.6	28.8	29.4	26.2	23.3	20.0	19.4	21.0	23.6	24.6	25.8	27.1	24.8
120CM	0800	26.9	27.1	27.4	26.4	24.6	22.2	20.9	21.1	22.5	23.5	24.5	25.3	24.4
0/59/27/14	1400	26.9	27.1	27.6	26.4	24.8	22.1	20.9	21.0	22.5	23.5	24.5	25.3	24.4
	2000	26.9	27.1	27.6	26.4	24.8	22.1	20.9	21.0	22.5	23.5	24.5	25.2	24.4

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
419/182	KEETMANSHOOP - SWA - WK						Ø 26°32'S		λ 18° 7'E		H 1064M			1971
GROND/SOIL		KLEUR VAN BOGROND				- NL -	COLOUR OF TOPSOIL							
10CM	0800	-	-	-	22.8	18.0	13.8	13.1	13.5	20.5	23.2	27.7	29.9	-
0/82/14/ 4	1400	-	-	-	30.5	24.0	18.9	18.3	20.9	28.9	32.5	37.9	40.0	-
	2000	-	-	-	30.7	24.3	19.8	19.1	22.1	29.8	32.9	38.3	41.2	-
20CM	0800	32.8	29.5	30.1	25.1	20.2	15.8	14.9	15.7	22.3	25.2	29.9	32.3	24.5
10/79/ 8/ 3	1400	34.9	32.4	32.1	26.7	21.1	16.5	15.6	16.8	23.6	26.8	31.6	33.9	26.0
	2000	38.8	35.6	34.8	29.6	23.3	19.1	18.2	20.2	27.3	30.6	35.6	38.1	29.3
30CM	0800	34.3	31.7	31.8	26.7	21.8	17.2	16.0	16.9	23.2	26.1	30.8	33.2	25.8
14/73/11/ 2	1400	34.3	31.5	31.6	26.6	21.7	17.1	15.9	16.9	23.2	26.2	30.9	33.3	25.8
	2000	36.1	33.4	33.0	28.0	22.5	18.1	17.1	18.4	24.7	27.8	32.4	34.8	27.2
60CM	0800	34.2	32.4	32.4	28.2	24.3	19.9	18.0	18.4	22.9	25.9	29.9	32.4	26.6
8/84/ 7/ 1	1400	34.2	32.3	32.3	28.2	24.3	19.9	17.9	18.4	22.9	25.9	29.9	32.4	26.5
	2000	34.1	32.2	32.2	28.1	24.2	19.8	17.9	18.4	22.9	25.9	29.9	32.3	26.5
120CM	0800	31.8	31.5	31.3	29.2	27.0	23.5	21.0	20.5	22.0	24.6	27.3	29.6	26.6
13/82/ 4/ 1	1400	31.8	31.5	31.3	29.2	27.0	23.5	21.0	20.5	22.1	24.7	27.3	29.6	26.6
	2000	31.8	31.5	31.3	29.2	27.0	23.5	21.0	20.5	22.1	24.7	27.3	29.6	26.6
432/237	ARMOEDSVLAKTE - AGR						Ø 26°57'S		λ 24°38'E		H 1234M			1971
GRAS/GRASS		14.5	14.7	12.3	(8.4)	3.7	-0.6	(-2.0)	-2.4	6.8	8.9	-	-	-
ABS MIN		10.6	6.1	5.6	-	-2.5	-7.4	-	-8.2	-	-3.1	-	-	-
DAT		23	28	1	-	21	17	-	20	-	1	-	-	-
GROND/SOIL		KLEUR VAN BOGROND				- ND -	COLOUR OF TOPSOIL							
5CM	0800	23.8	21.7	21.6	(15.7)	9.7	7.4	(5.2)	6.0	14.9	19.0	23.1	22.6	(15.9)
2/88/ 9/ 1	1400	38.7	36.6	40.4	(31.0)	22.5	20.6	(22.1)	26.9	33.6	35.9	40.9	37.4	(32.2)
	2000	28.5	(27.5)	29.2	-	14.8	12.8	(12.1)	15.4	22.6	25.5	27.2	27.7	-
10CM	0800	23.7	21.5	22.6	(16.3)	10.5	8.6	(7.0)	8.0	(15.6)	17.0	22.9	22.7	(16.4)
2/88/ 9/ 1	1400	35.6	34.2	35.5	(28.8)	20.5	18.1	(17.8)	21.5	(28.7)	28.4	34.5	33.8	(28.1)
	2000	29.5	(28.4)	30.8	-	15.8	14.5	(14.1)	17.7	(23.6)	24.8	30.3	30.0	-
20CM	0800	25.5	23.5	25.4	(19.0)	13.1	11.4	(10.6)	12.5	18.6	21.5	24.4	23.8	(19.1)
3/81/15/ 1	1400	28.9	27.2	28.5	(22.2)	15.6	13.3	(12.0)	14.0	21.4	24.6	27.7	27.8	(21.9)
	2000	30.0	(28.8)	30.4	-	16.7	14.8	(13.8)	16.1	23.1	26.6	29.7	29.8	-
30CM	0800	26.7	24.5	26.4	(20.2)	14.4	12.8	(11.7)	13.4	19.6	22.4	25.2	24.9	(20.2)
55/38/ 6/ 1	1400	28.3	26.6	27.7	(21.8)	15.4	13.2	(12.0)	13.9	20.6	23.9	27.1	27.0	(21.5)
	2000	30.4	(29.1)	30.5	-	17.4	15.3	(14.1)	16.3	23.1	26.5	29.7	29.9	-
60CM	0800	28.2	26.7	28.3	(22.6)	17.3	14.9	(13.7)	15.1	20.6	23.6	26.8	27.3	(22.1)
XX/XX/XX/XX	1400	27.9	26.3	27.8	(22.2)	16.9	14.6	(13.4)	14.8	20.4	23.3	26.3	26.9	(21.7)
	2000	28.0	26.4	28.2	(22.6)	17.2	14.8	(13.6)	15.0	20.7	23.6	26.7	27.2	(22.0)
435/157	DOORNLAAGTE						Ø 26°37'S		λ 26° 6'E		H 1472M			1971
GRAS/GRASS		13.6	12.2	9.7	(5.7)	1.4	-2.1	-2.7	-3.2	4.3	6.6	9.5	12.3	(5.6)
ABS MIN		9.4	8.0	4.0	-	-5.6	-9.9	-7.5	-9.3	-3.4	-1.6	2.4	7.6	-
DAT		1	28	2	-	18	17	19	5	30	1	9	6	-
GROND/SOIL		KLEUR VAN BOGROND				- NR -	COLOUR OF TOPSOIL							
10CM	0800	22.4	20.3	20.3	(13.9)	10.2	8.0	7.9	8.8	14.9	17.2	19.6	20.7	(15.3)
4/77/14/ 5	1400	30.4	28.6	(27.5)	(21.2)	16.4	14.1	13.4	15.4	22.5	25.7	28.5	30.5	(22.9)
	2000	28.3	26.1	(26.3)	(19.1)	14.9	13.0	12.6	15.1	21.8	23.5	26.1	27.4	(21.2)
20CM	0800	23.4	19.3	19.1	(13.5)	9.9	8.1	7.8	9.0	15.3	17.3	19.8	20.9	(15.3)
0/78/17/ 5	1400	27.6	23.8	(22.8)	(16.8)	13.2	11.0	10.6	12.0	19.5	23.1	27.7	28.7	(19.7)
	2000	28.4	24.8	(24.5)	(18.1)	14.5	12.6	12.1	14.7	21.2	23.7	27.9	(28.4)	(20.9)
30CM	0800	24.4	23.4	23.4	(17.2)	13.6	11.3	11.1	11.9	17.2	19.3	22.0	22.9	(18.1)
0/78/19/ 3	1400	25.2	24.1	(23.9)	(17.9)	13.9	11.9	11.7	12.8	18.1	20.4	23.2	24.4	(19.0)
	2000	25.8	25.7	(26.0)	(19.3)	15.3	13.1	12.2	13.8	19.1	20.4	23.4	24.8	(19.9)
60CM	0800	25.0	24.1	24.0	(18.9)	15.9	13.3	12.6	13.3	17.6	20.0	22.5	23.5	(19.2)
0/75/19/ 6	1400	25.3	24.2	23.9	(18.9)	15.6	13.1	12.6	13.5	17.9	20.4	22.9	23.8	(19.3)
	2000	25.4	24.3	23.9	(18.8)	15.7	12.9	12.5	13.4	17.8	20.2	22.7	23.7	(19.3)
120CM	0800	23.8	23.3	23.5	(19.8)	17.6	14.9	13.9	13.6	16.2	18.7	20.5	21.8	(19.0)
39/47/13/ 1	1400	23.9	23.3	23.4	(19.7)	17.6	14.9	13.8	13.6	16.3	18.6	20.5	21.6	(18.9)
	2000	23.9	23.3	23.4	(19.6)	17.5	14.8	13.7	13.5	16.1	18.5	20.3	21.5	(18.8)
437/134	POTCHEFSTROOM - AGR						Ø 26°44'S		λ 27° 5'E		H 1345M			1971
GRAS/GRASS		13.5	11.4	9.3	6.4	0.2	-3.0	-3.4	-4.0	4.5	6.7	9.0	10.4	5.1
ABS MIN		7.8	8.5	2.0	0.8	-7.0	-11.8	-11.8	-9.6	0.2	-2.7	0.6	2.0	-11.8
DAT		1	4	1	26	21	17	18	4	17	18	12	7	-
GROND/SOIL		KLEUR VAN BOGROND				- NN -	COLOUR OF TOPSOIL							
5CM	0800	23.1	22.1	20.8	15.1	10.4	7.5	7.2	8.8	15.8	18.1	19.5	21.9	15.9
4/62/27/ 7	1400	34.4	34.5	32.8	26.2	20.6	18.1	18.3	21.4	27.8	29.8	32.1	34.5	27.5
	2000	29.6	29.3	27.7	21.1	16.1	13.6	13.7	16.9	22.8	24.3	25.9	28.7	22.5
10CM	0800	23.1	22.0	20.8	15.0	10.7	7.4	7.2	8.7	15.7	17.9	19.5	22.0	15.8
4/62/27/ 7	1400	34.5	34.3	33.0	26.3	21.1	18.7	18.8	22.2	28.5	30.6	32.8	35.3	28.0
	2000	29.6	29.3	28.0	21.0	16.3	13.7	13.8	17.1	22.9	24.5	26.1	28.9	22.6
20CM	0800	25.6	25.3	24.4	18.4	14.4	11.5	11.0	12.8	18.4	20.5	21.5	24.1	19.0
7/61/24/ 8	1400	27.8	27.3	26.3	20.1	15.8	12.9	12.6	14.5	20.5	22.8	24.3	26.0	20.9
	2000	29.8	29.5	28.4	21.9	17.5	14.7	14.5	17.0	22.6	23.9	26.4	28.7	22.9
30CM	0800	26.8	26.5	25.8	19.8	16.0	13.0	12.6	14.2	19.6	21.9	23.1	25.4	20.4
28/51/17/ 4	1400	26.8	26.4	25.7	19.7	15.8	13.0	12.4	14.1	19.5	21.7	23.0	25.4	20.3
	2000	28.3	28.0	27.1	21.0	16.8	14.0	13.6	15.6	20.9	23.3	24.9	27.0	21.7
60CM	0800	27.0	26.7	26.2	21.4	18.0	15.2	14.3	15.0	19.1	21.6	22.9	24.9	21.0
37/47/12/ 4	1400	26.9	26.6	26.2	21.4	17.9	15.2	14.2	15.0	19.1	21.6	22.9	24.9	21.0
	2000	27.3	26.9	26.4	21.6	18.1	15.3	14.6	15.1	19.4	22.0	23.3	25.2	21.3
120CM	0800	25.0	25.2	25.3	22.4	19.8	17.1	15.6	15.6	17.7	20.1	21.4	22.9	20.7
45/37/ 9/ 9	1400	25.0	25.2	25.4	22.4	19.8	17.1	15.6	15.6	17.8	20.1	21.4	23.0	20.7
	2000	25.1	25.3	25.3	22.5	19.9	17.2	15.7	15.6	17.8	20.3	21.5	23.1	20.8

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
438/731	VEREENIGING - RWB					Ø 26°41'S		λ 27°55'E			H 1440M			1971
GRAS/GRASS		14.3	11.9	10.1	7.1	2.0	-1.8	-2.0	-1.3	6.5	8.1	9.8	11.2	6.3
ABS MIN		10.4	8.5	3.5	3.4	-4.5	-7.2	-7.4	-6.8	2.4	1.5	3.8	4.9	-7.4
DAT		1	19	1	10	19	24	18	6	5	18	12	6	-
GROND/SOIL		KLEUR VAN BOGROND				- XX -	COLOUR OF TOPSOIL							
10CM	0800	21.1	20.2	19.2	15.1	11.1	8.2	7.5	9.4	14.7	17.1	17.8	(19.5)	(15.1)
1/79/16/ 4														
20CM	0800	22.8	21.9	21.4	16.5	12.7	9.6	9.3	11.2	16.2	18.6	18.7	21.0	16.7
1/79/16/ 4														
30CM	0800	23.6	22.8	22.4	17.8	13.8	10.9	10.2	12.2	16.9	19.6	19.8	22.1	17.7
0/72/20/ 8														
60CM	0800	23.6	23.0	22.9	18.8	15.4	12.5	11.5	13.1	16.8	19.6	19.9	21.8	18.2
2/54/32/12														
120CM	0800	23.1	23.0	23.0	21.0	18.8	16.5	14.8	14.9	16.8	18.9	20.0	21.2	19.3
2/72/ 8/18														
441/446	STANDERTON					Ø 26°56'S		λ 29°15'E			H 1559M			1971
GRAS/GRASS		12.0	9.8	7.7	-	-0.5	-4.7	-6.8	-4.5	3.8	6.1	9.0	9.1	-
ABS MIN		5.9	5.5	-0.4	-	-7.8	-10.0	-13.6	-12.1	-1.2	-2.9	4.2	4.9	-
DAT		26	19	1	-	31	24	18	6	2	2	1	6	-
GROND/SOIL		KLEUR VAN BOGROND				- XX -	COLOUR OF TOPSOIL							
10CM	0800	19.9	18.8	17.6	-	9.9	6.9	5.4	8.5	13.5	15.0	15.5	17.9	-
1/56/36/ 7	1400	30.8	31.2	32.8	-	15.7	13.4	13.6	17.3	22.9	25.1	24.1	25.9	-
	2000	27.5	27.6	28.1	-	16.7	13.3	12.3	16.0	21.0	22.2	21.5	24.3	-
20CM	0800	22.9	22.5	22.2	-	13.7	10.7	9.5	11.6	16.6	18.6	18.6	20.7	-
55/28/11/ 3	1400	23.5	23.1	23.0	-	13.5	10.4	9.3	11.7	16.6	18.8	18.7	20.7	-
	2000	25.7	25.6	25.3	-	14.6	11.8	11.1	13.7	18.7	20.6	20.7	22.9	-
30CM	0800	23.4	23.3	22.9	-	14.3	11.2	10.0	12.0	16.6	18.5	18.7	20.9	-
83/11/ 5/ 1	1400	23.3	23.1	23.0	-	14.1	11.1	9.9	11.9	16.6	18.6	18.7	20.8	-
	2000	23.9	23.7	23.7	-	14.5	11.6	10.5	12.7	17.4	19.4	19.6	21.7	-
60CM	0800	22.7	22.8	22.8	-	15.5	12.6	11.1	12.1	15.9	18.3	-	20.4	-
84/ 7/ 5/ 4	1400	22.7	22.8	22.8	-	15.5	12.6	11.1	12.1	15.8	18.1	-	20.5	-
	2000	22.6	22.7	22.7	-	15.4	12.4	11.0	12.0	15.7	18.1	-	20.4	-
120CM	0800	20.4	21.0	21.2	-	17.5	14.8	13.1	12.7	14.4	16.6	17.5	18.6	-
91/ 5/ 3/ 1	1400	20.4	21.0	21.2	-	17.5	14.8	13.1	12.7	14.4	16.6	17.5	18.6	-
	2000	20.4	21.0	21.2	-	17.5	14.7	13.0	12.7	14.5	16.6	17.5	18.6	-
442/811	NOOITGEDACHT - AGR					Ø 26°31'S		λ 29°58'E			H 1694M			1971
GRAS/GRASS		11.0	9.7	8.4	6.0	0.2	-4.2	-5.1	-2.7	3.5	5.1	7.2	9.5	4.1
ABS MIN		5.5	4.3	1.6	-0.6	-6.5	-8.2	-12.1	-11.0	-0.7	-3.0	2.8	3.5	-12.1
DAT		7	20	10	6	31	20	18	4	1	18	12	4	-
GROND/SOIL		KLEUR VAN BOGROND				- XX -	COLOUR OF TOPSOIL							
10CM	0800	19.6	19.1	19.4	14.5	9.7	6.8	6.0	8.7	13.4	15.5	16.6	19.1	14.0
XX/XX/XX/XX	1400	29.5	29.5	28.8	24.8	20.0	17.0	16.5	20.8	(25.1)	25.1	26.2	29.4	(24.4)
20CM	0800	20.2	20.7	21.1	16.4	12.4	9.5	8.7	11.0	14.6	15.9	16.6	19.4	15.5
XX/XX/XX/XX	1400	23.1	23.5	23.4	19.2	14.8	11.6	10.9	13.3	(18.0)	19.1	20.0	22.3	(18.3)
30CM	0800	21.1	21.5	21.9	17.6	13.7	10.9	10.0	12.0	15.4	16.8	17.5	20.2	16.5
XX/XX/XX/XX	1400	22.0	22.4	22.4	18.2	14.1	11.3	10.5	12.6	(16.7)	17.7	18.8	21.3	(17.3)
60CM	0800	21.5	-	22.3	18.9	15.6	12.8	11.7	13.1	16.0	17.6	18.3	20.6	-
XX/XX/XX/XX	1400	21.3	-	22.1	18.6	15.4	12.5	11.5	12.8	15.8	17.3	18.0	20.3	-
120CM	0800	20.2	20.8	21.2	19.3	17.0	14.5	13.1	13.3	15.1	16.6	17.5	19.1	17.3
XX/XX/XX/XX	1400	20.2	20.8	21.2	19.3	17.0	14.5	13.1	13.3	15.0	16.7	17.5	19.1	17.3
444/540	PIET RETIEF - TNK					Ø 27° 0'S		λ 30°48'E			H 1250M			1971
GRAS/GRASS		14.2	12.8	12.6	10.6	5.9	3.1	-	3.9	8.9	10.1	11.2	13.7	-
ABS MIN		10.5	7.6	7.0	5.3	1.0	1.0	-	-1.5	3.8	3.8	7.5	10.4	-
DAT		4	19	19	6	31	20	-	6	9	24	9	22	-
GROND/SOIL		KLEUR VAN BOGROND				- NN -	COLOUR OF TOPSOIL							
10CM	0800	21.2	22.0	21.3	17.7	(14.1)	-	-	12.1	16.1	16.9	17.4	20.8	-
1/79/15/ 5	1400	28.5	31.4	30.2	25.5	(21.1)	-	-	19.6	23.7	24.6	24.5	28.3	-
	2000	24.8	27.2	26.0	21.9	-	-	-	17.8	20.7	20.9	20.8	25.2	-
20CM	0800	-	23.5	23.1	19.5	15.2	12.2	-	14.0	17.6	18.2	18.5	21.9	-
3/77/15/ 5	1400	-	26.5	26.0	22.0	17.1	14.0	-	16.1	20.4	21.2	21.3	24.9	-
	2000	-	27.6	26.7	22.8	18.1	15.2	-	17.7	21.2	21.7	21.8	25.6	-
30CM	0800	23.0	24.4	23.8	20.3	16.0	13.0	-	14.6	18.1	18.7	18.8	21.9	-
2/72/16/10	1400	23.9	25.0	24.5	20.9	16.4	13.3	-	15.0	18.7	19.6	19.6	22.5	-
	2000	24.8	26.6	25.9	22.2	17.6	14.7	-	16.6	20.1	20.8	20.9	24.1	-
60CM	0800	23.5	24.8	24.7	21.5	18.2	15.0	-	15.6	18.7	19.8	19.9	22.2	-
14/66/14/ 6	1400	23.6	24.7	24.5	21.4	18.0	14.9	-	15.5	18.6	19.7	19.7	22.1	-
	2000	23.6	24.7	24.5	21.4	18.1	15.0	-	15.6	18.8	19.8	20.0	22.3	-
120CM	0800	22.9	23.7	24.0	22.0	19.7	16.6	-	15.7	17.8	19.2	19.8	21.0	-
6/77/13/ 4	1400	23.0	23.7	24.0	22.0	19.7	16.6	-	15.7	17.8	19.2	19.5	21.0	-
	2000	23.0	23.6	24.0	22.0	19.7	16.6	-	15.7	17.8	19.2	19.5	21.0	-

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
445/274	MALKERNS - SWAZ					Ø 26°34'S		λ 31°10'E			H 730M			1971
GRAS/GRASS		16.6	15.5	15.6	13.5	8.7	4.7	5.5	7.4	11.1	12.7	13.3	15.5	11.7
ABS MIN		12.7	9.5	11.6	7.5	2.5	2.0	0.6	1.2	7.9	7.0	8.3	12.4	0.6
DAT		9	19	31	6	18	27	14	1	11	24	18	23	-
GROND/SOIL		KLEUR VAN BOGROND				- XX -	COLOUR OF TOPSOIL							
30CM	0800	24.2	24.8	24.3	21.8	18.1	14.7	14.4	16.9	19.8	20.4	21.5	23.5	20.4
XX/XX/XX/XX	1400	24.1	25.0	24.5	22.0	18.2	14.9	14.7	17.3	20.2	20.7	21.8	23.6	20.6
60CM	0800	23.9	24.7	24.4	22.3	19.6	16.3	15.6	17.0	19.3	20.4	21.4	22.9	20.7
XX/XX/XX/XX	1400	23.9	24.6	24.3	22.3	19.5	16.3	15.6	16.9	19.4	20.3	21.4	22.9	20.6
120CM	0800	23.2	23.9	23.9	22.8	21.0	18.3	-	-	(19.0)	19.9	20.8	21.9	-
XX/XX/XX/XX	1400	23.2	23.9	23.9	22.9	21.0	18.3	-	-	(19.0)	19.9	20.8	21.9	-
445/512	MATSAPA - SWAZ					Ø 26°32'S		λ 31°18'E			H 642M			1971
GRAS/GRASS		-	-	16.8	14.4	9.1	6.6	6.7	8.2	12.7	13.8	13.9	16.2	-
ABS MIN		-	-	13.0	9.5	3.5	4.1	3.0	3.5	9.5	8.0	8.9	13.0	-
DAT		-	-	31	6	18	27	14	1	10	5	18	3	-
GROND/SOIL		KLEUR VAN BOGROND				- NR -	COLOUR OF TOPSOIL							
10CM	0800	23.6	24.6	24.2	20.6	17.2	13.4	13.4	16.3	19.6	19.5	21.1	23.3	19.7
0/79/11/10	1400	29.8	32.7	30.9	26.4	22.6	19.1	19.3	23.0	26.5	25.6	27.5	29.4	26.1
20CM	0800	24.9	26.4	25.9	22.3	19.3	15.5	15.3	18.1	21.1	20.8	22.2	24.3	21.3
1/75/13/11	1400	27.0	28.6	27.7	23.7	20.5	16.7	16.6	19.7	22.9	22.8	24.4	26.3	23.1
30CM	0800	25.6	27.0	26.5	22.9	19.9	16.4	16.0	18.5	21.3	21.4	22.7	24.8	21.9
2/75/12/11	1400	26.0	27.5	27.0	23.6	20.4	16.7	16.4	19.1	22.3	21.9	23.5	25.5	22.5
60CM	0800	25.2	27.2	27.0	24.1	21.6	18.0	17.3	19.2	21.9	22.1	23.0	25.0	22.6
7/64/19/10	1400	25.2	27.2	27.1	24.1	21.5	18.0	17.2	19.2	21.9	22.1	22.9	25.0	22.6
120CM	0800	24.7	26.4	26.5	25.0	23.2	20.1	18.8	19.3	20.5	22.0	22.5	24.0	22.7
6/61/19/14	1400	24.8	26.5	26.6	25.0	23.2	20.2	18.8	19.4	20.6	22.1	22.6	24.0	22.8
446/772	WISSELRODE - SWAZ					Ø 26°52'S		λ 31°56'E			H 155M			1971
GROND/SOIL		KLEUR VAN BOGROND				- XX -	COLOUR OF TOPSOIL							
5CM	0800	26.3	26.9	26.7	22.6	18.0	14.1	14.3	17.4	20.7	22.6	23.3	25.3	21.5
XX/XX/XX/XX	1400	33.6	34.7	35.0	31.1	25.3	21.2	20.8	24.4	27.1	29.6	30.0	31.7	28.7
30CM	0800	28.7	30.0	29.7	25.9	21.6	17.9	17.5	19.9	22.5	24.5	25.1	26.9	24.2
XX/XX/XX/XX	1400	29.2	30.4	30.2	26.4	21.9	18.2	17.9	20.8	23.1	25.2	26.2	27.4	24.7
60CM	0800	29.2	30.0	30.2	26.9	23.6	19.8	18.4	20.6	22.6	24.6	25.5	27.1	24.9
XX/XX/XX/XX	1400	29.2	30.0	30.1	26.9	23.6	19.8	18.5	20.7	22.5	24.5	25.5	27.0	24.9
461/208	TWEE RIVIERE					Ø 26°28'S		λ 20°37'E			H 879M			1971
GRAS/GRASS		18.9	18.0	-	-	-	2.3	0.5	-1.7	5.5	10.5	13.2	16.0	-
ABS MIN		12.8	10.5	-	-	-	-10.7	-7.8	-5.4	-3.3	-1.0	7.1	9.0	-
DAT		22	28	-	-	-	17	25	21	7	1	21	15	-
GROND/SOIL		KLEUR VAN BOGROND				- XX -	COLOUR OF TOPSOIL							
10CM	0800	28.6	26.7	24.9	19.3	13.7	11.1	10.1	9.2	15.6	19.7	24.9	26.6	19.2
XX/XX/XX/XX	1400	38.5	35.7	33.0	27.6	22.2	16.8	15.7	18.2	25.0	29.4	34.6	36.6	27.8
	2000	39.0	35.1	34.9	28.9	20.7	16.6	16.6	19.2	26.7	29.4	35.5	38.2	28.4
20CM	0800	31.0	28.8	28.6	23.3	16.2	13.3	12.4	13.3	19.7	22.5	27.5	29.8	22.2
XX/XX/XX/XX	1400	33.9	32.1	29.5	23.9	19.1	15.0	13.7	14.0	20.3	25.2	29.2	31.6	24.0
	2000	36.9	34.2	32.9	27.5	21.3	17.0	16.1	17.4	24.0	28.0	32.5	35.1	26.9
30CM	0800	32.3	30.4	30.0	25.2	18.5	14.8	14.1	14.9	20.7	23.1	28.6	30.7	23.6
XX/XX/XX/XX	1400	32.7	30.8	30.1	25.3	18.9	15.1	14.3	15.1	21.1	24.4	28.9	31.0	24.0
	2000	34.7	32.9	31.5	26.7	21.2	16.9	15.5	16.4	22.3	26.4	30.4	32.8	25.6
60CM	0800	32.1	31.4	30.5	27.0	22.1	18.1	16.3	16.8	20.8	24.0	28.1	30.2	24.8
XX/XX/XX/XX	1400	32.0	31.2	30.5	27.0	22.0	18.1	16.3	16.9	20.8	24.0	28.1	30.1	24.7
	2000	31.9	31.1	30.4	26.8	22.0	17.9	16.2	16.7	20.8	24.0	28.0	30.0	24.7
476/101	JOHANNESBURG - REPUBLIEK STER					Ø 26°11'S		λ 28° 4'E			H 1806M			1971
GRAS/GRASS		11.0	8.7	10.6	8.3	3.2	1.4	1.5	2.7	8.2	8.3	9.1	-	-
ABS MIN		8.2	6.1	7.5	1.5	-4.5	-3.0	-3.2	-5.0	2.0	4.5	3.0	-	-
DAT		26	5	31	6	17	16	17	23	22	1	9	-	-
476/111	ZWARTKOPJES - RWB					Ø 26°21'S		λ 28° 4'E			H 1514M			1971
GRAS/GRASS		13.2	11.7	9.5	6.9	1.0	-2.0	-3.6	-1.9	6.6	7.8	8.8	10.3	5.7
ABS MIN		8.7	8.4	5.5	2.5	-5.0	-6.7	-7.5	-8.0	2.0	-0.2	2.5	4.6	-8.0
DAT		1	14	31	6	17	16	19	22	22	18	12	6	-

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
476/398	JAN SMUTS - HK					Ø 26° 8'S		λ 28°14'E			H 1692M			1971
GRAS/GRASS		13.3	11.2	-	-	2.2	0.6	0.2	2.1	8.0	7.4	9.6	11.1	-
ABS MIN		9.3	7.5	-	-	-4.0	-3.6	-7.0	-5.8	2.5	-2.5	3.5	5.0	-
DAT		1	14	-	-	19	11	18	4	22	18	9	6	-
GROND/SOIL		KLEUR VAN BOGROND				- RR -	COLOUR OF TOPSOIL							
10CM	0800	20.6	19.1	19.5	15.6	10.9	8.9	(7.1)	8.2	14.5	16.1	16.3	18.6	(14.6)
0/73/21/ 6	1400	27.0	23.5	23.6	19.3	14.2	12.5	(13.9)	14.8	22.0	23.8	23.4	26.7	(20.4)
	2000	25.8	22.6	22.9	18.5	13.5	11.9	(12.3)	14.0	20.1	21.8	21.5	24.7	(19.1)
20CM	0800	22.0	20.4	20.8	16.9	12.3	10.4	9.4	11.2	16.0	17.7	17.5	20.2	16.2
0/67/20/13	1400	24.4	21.6	21.8	17.9	13.2	11.3	11.3	13.6	18.6	20.8	20.8	23.3	18.2
	2000	25.5	22.4	22.7	18.7	13.9	12.1	12.7	15.2	19.9	22.0	21.7	24.7	19.3
30CM	0800	22.7	20.8	21.2	17.6	13.4	11.3	10.6	12.3	16.7	18.7	18.5	21.0	17.1
2/64/30/ 4	1400	23.1	20.9	21.4	17.8	13.4	11.4	10.9	12.7	17.2	19.2	19.1	21.5	17.4
	2000	23.9	21.5	21.9	18.3	13.9	11.9	11.9	14.0	18.4	20.5	20.3	22.8	18.3
60CM	0800	23.0	21.2	21.6	18.5	14.9	12.5	11.7	12.9	16.5	18.9	18.9	21.0	17.6
0/62/30/ 8	1400	22.8	21.2	21.5	18.5	14.8	12.4	11.7	12.8	16.4	18.7	18.8	20.8	17.5
	2000	22.8	21.1	21.5	18.4	14.6	12.4	11.6	12.8	16.5	18.8	18.8	20.8	17.5
120CM	0800	21.7	20.9	21.0	19.3	16.8	14.4	13.2	13.3	15.1	17.3	18.0	19.2	17.5
0/60/26/14	1400	21.7	20.9	21.0	19.3	16.8	14.4	13.2	13.3	15.2	17.4	18.0	19.2	17.5
	2000	21.7	20.9	21.0	19.3	16.7	14.3	13.1	13.3	15.2	17.4	18.0	19.2	17.5
478/867	BETHAL - TNK					Ø 26°27'S		λ 29°29'E			H 1663M			1971
GRAS/GRASS		12.8	10.9	10.2	7.9	2.4	-0.5	-1.9	0.2	6.6	8.2	-	11.0	-
ABS MIN		7.9	4.9	5.1	2.0	-5.0	-3.8	-9.0	-7.9	2.5	2.0	-	5.0	-
DAT		26	19	10	6	31	28	18	4	12	24	-	6	-
GROND/SOIL		KLEUR VAN BOGROND				- NY -	COLOUR OF TOPSOIL							
10CM	0800	19.9	20.2	20.4	15.7	11.3	8.9	8.2	10.2	14.9	15.8	-	19.7	-
2/68/18/12	1400	25.3	26.0	26.0	20.3	15.6	12.7	12.0	14.9	20.1	22.1	-	25.7	-
	2000	25.1	26.7	26.4	20.7	15.9	13.3	13.0	16.1	20.5	21.7	-	25.9	-
20CM	0800	21.8	20.7	21.1	16.4	12.0	9.5	8.8	11.0	15.5	16.6	-	20.4	-
3/70/17/10	1400	23.1	24.8	24.9	19.5	14.7	11.8	11.0	13.6	18.8	21.0	-	24.7	-
	2000	24.4	26.5	26.2	20.9	16.0	13.4	12.9	15.9	20.5	21.7	-	26.0	-
30CM	0800	23.0	23.2	23.7	19.0	15.0	12.2	11.3	13.3	17.4	19.1	-	22.4	-
0/75/18/ 7	1400	22.8	23.0	23.5	18.8	14.9	12.0	11.1	12.9	17.4	19.0	-	22.2	-
	2000	24.0	24.2	24.6	19.7	15.6	12.8	12.0	14.2	18.4	20.1	-	23.3	-
60CM	0800	22.9	23.0	23.8	19.8	16.7	13.7	12.6	13.8	17.4	19.2	-	21.8	-
0/68/19/13	1400	22.8	23.0	23.8	19.8	16.6	13.7	12.6	13.7	17.3	19.1	-	21.8	-
	2000	22.8	22.8	23.6	19.6	16.4	13.6	12.4	13.7	17.2	19.0	-	21.6	-
120CM	0800	21.8	21.9	22.9	20.3	18.0	15.3	13.9	14.0	16.3	18.2	-	20.2	-
2/71/18/ 9	1400	21.8	21.9	22.8	20.3	18.0	15.3	13.9	14.0	16.3	18.3	-	20.2	-
	2000	21.8	21.8	22.8	20.2	17.9	15.3	13.8	14.0	16.3	18.3	-	20.2	-
480/184A	CAROLINA - TNK					Ø 26° 4'S		λ 30° 7'E			H 1696M			1971
GRAS/GRASS		11.9	10.0	9.2	7.4	1.7	-1.5	-2.6	-0.6	5.0	-	8.6	10.6	-
ABS MIN		8.4	4.6	3.5	2.5	-5.5	-4.8	-7.0	-6.6	0.6	-	5.0	8.0	-
DAT		7	19	19	6	31	12	17	1	23	-	5	29	-
GROND/SOIL		KLEUR VAN BOGROND				- NN -	COLOUR OF TOPSOIL							
10CM	0800	21.2	20.6	21.0	14.5	8.2	4.7	4.0	7.1	12.7	-	17.0	20.3	-
36/50/11/ 3	1400	25.1	24.3	24.7	23.2	15.5	11.6	11.9	19.2	25.2	-	26.4	28.6	-
	2000	24.9	24.2	24.2	18.6	11.7	8.9	8.9	13.5	18.0	-	21.2	26.1	-
20CM	0800	21.6	20.9	21.3	17.1	12.5	9.3	8.9	11.6	15.6	-	18.1	20.4	-
15/69/12/ 4	1400	22.3	21.6	21.8	17.6	12.8	9.6	9.1	11.9	16.2	-	20.3	24.3	-
	2000	23.2	22.5	22.3	18.1	13.5	9.8	9.5	12.6	17.5	-	20.9	25.1	-
30CM	0800	22.1	21.5	21.8	17.9	12.5	10.5	9.9	12.3	16.0	-	19.1	21.8	-
0/84/11/ 5	1400	22.2	21.5	21.8	18.0	13.6	10.5	9.9	12.3	16.1	-	19.3	22.1	-
	2000	23.0	22.5	22.6	18.6	14.5	11.2	10.7	13.2	17.3	-	20.2	23.3	-
60CM	0800	22.0	21.7	22.0	18.9	15.4	12.4	11.5	13.1	16.1	-	19.1	21.5	-
1/77/13/ 9	1400	21.9	21.6	21.9	18.8	15.2	12.3	11.4	13.0	16.0	-	19.0	21.3	-
	2000	21.9	21.6	22.0	18.8	15.2	12.3	11.5	13.0	16.0	-	19.0	21.2	-
120CM	0800	20.9	21.0	21.4	19.4	16.9	14.2	13.0	13.5	15.6	-	18.2	19.8	-
2/78/10/10	1400	20.9	21.0	21.4	19.4	16.9	14.2	13.0	13.5	15.6	-	18.3	19.8	-
	2000	20.9	21.0	21.4	19.4	16.9	14.2	13.0	13.6	15.6	-	18.2	19.8	-
508/261	MAFEKING - TNK					Ø 25°51'S		λ 25°39'E			H 1278M			1971
GRAS/GRASS		14.8	14.0	11.9	9.3	-	1.8	0.1	-0.2	7.3	10.2	11.7	13.2	-
ABS MIN		9.9	10.6	3.5	2.5	-	-1.8	-5.9	-6.8	1.5	2.4	5.6	7.5	-
DAT		1	15	1	26	-	17	11	21	22	1	2	12	-
GROND/SOIL		KLEUR VAN BOGROND				- ND -	COLOUR OF TOPSOIL							
10CM	0800	22.8	22.3	22.2	17.9	13.2	10.4	9.0	9.7	16.3	18.9	20.6	22.3	17.1
3/67/22/ 8	1400	29.6	29.4	28.1	23.2	18.7	15.8	15.0	16.4	22.3	25.7	28.3	30.4	23.6
	2000	27.0	27.4	26.9	21.6	17.1	14.5	13.6	14.9	20.9	24.3	25.6	27.5	21.8
20CM	0800	-	25.0	25.0	20.6	16.7	13.6	12.5	12.9	18.8	21.1	23.1	24.8	-
2/64/22/12	1400	-	25.3	25.3	20.8	16.7	13.9	12.6	13.2	19.1	21.5	23.7	25.7	-
	2000	-	26.8	26.7	21.8	17.8	14.9	13.9	14.8	20.5	23.1	25.1	27.1	-
30CM	0800	25.4	25.1	25.3	20.8	16.8	14.0	13.0	12.5	18.9	21.5	23.3	25.2	20.1
0/65/25/10	1400	26.4	25.8	26.2	21.3	17.5	14.8	14.0	14.2	20.3	22.8	24.5	26.7	21.2
	2000	27.4	26.9	27.1	22.0	18.1	15.4	14.5	15.5	20.6	23.6	25.2	27.4	22.0
60CM	0800	26.2	25.8	26.4	22.4	19.2	16.3	15.3	15.5	19.3	22.1	23.9	25.6	21.5
30/42/19/ 9	1400	26.2	25.7	26.4	22.4	19.2	16.3	15.2	15.5	19.3	22.0	23.9	25.6	21.5
	2000	26.2	25.8	26.4	22.3	19.1	16.1	15.3	15.5	19.3	22.1	23.8	25.6	21.5

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
511/523	RUSTENBURG - AGR					Ø 25°43'S		λ 27°18'E			H 1157M			1971
GRAS/GRASS		15.6	14.1	12.4	9.7	3.1	-0.1	-1.3	-1.0	6.2	8.5	11.1	12.9	7.6
ABS MIN		12.2	10.7	7.6	4.7	-4.1	-4.5	-8.1	-5.6	2.3	1.1	4.0	7.0	-8.1
DAT		1	25	2	6	17	24	18	6	1	18	9	6	-
GROND/SOIL		KLEUR VAN BOGROND				- ND -		COLOUR OF TOPSOIL						
5CM	0800	23.3	22.3	22.3	17.3	12.6	8.6	8.1	9.6	16.7	19.6	21.4	23.7	17.1
1/63/30/ 6	1400	34.8	35.8	37.5	29.9	26.5	23.4	22.7	28.3	31.3	33.5	34.7	36.8	31.3
	2000	28.2	27.6	28.8	21.8	17.7	14.4	14.9	17.5	22.9	24.9	25.9	28.7	22.8
10CM	0800	24.2	23.3	24.1	18.9	15.3	12.0	11.4	12.7	18.2	20.6	22.1	24.1	18.9
1/63/30/ 6	1400	31.0	31.1	31.7	26.0	21.7	18.0	17.7	20.2	25.6	28.1	30.3	31.7	26.1
	2000	30.2	29.6	31.1	24.3	20.4	17.1	17.1	19.8	24.6	27.1	28.4	31.0	25.1
20CM	0800	26.1	25.5	26.7	21.5	18.0	14.5	14.0	15.5	20.2	22.7	24.1	25.8	21.2
0/60/32/ 8	1400	27.6	27.1	28.2	22.8	19.0	15.5	14.6	16.3	21.4	24.0	25.8	27.7	22.5
	2000	29.6	29.2	30.2	24.5	20.5	16.9	16.5	18.5	23.3	26.0	27.7	29.9	24.4
30CM	0800	27.2	26.7	27.9	23.1	19.5	16.2	15.0	16.5	21.1	23.5	25.0	26.5	22.3
0/60/33/ 7	1400	27.0	26.5	27.9	23.0	19.5	16.3	15.2	16.7	21.2	23.6	25.4	26.7	22.4
	2000	28.0	27.7	29.0	24.0	20.3	16.9	15.9	17.7	22.2	24.6	26.1	27.9	23.4
60CM	0800	26.5	26.4	27.7	24.3	21.2	18.0	16.4	17.2	20.4	22.9	24.1	25.4	22.5
0/58/35/ 7	1400	26.5	26.4	27.7	24.2	21.2	18.0	16.4	17.2	20.5	22.8	24.1	25.4	22.5
	2000	26.4	26.3	27.6	24.2	21.1	17.9	16.3	17.2	20.4	22.8	24.1	25.5	22.5
120CM	0800	25.4	25.4	26.3	24.8	22.5	19.7	17.7	17.5	19.1	21.5	22.6	23.7	22.2
0/48/41/11	1400	25.4	25.4	26.3	24.8	22.5	19.7	17.7	17.5	19.1	21.5	22.6	23.7	22.2
	2000	25.4	25.4	26.3	24.8	22.5	19.7	17.7	17.5	19.1	21.5	22.6	23.7	22.2
512/545	HARTEBEESTPOORT - IRR					Ø 25°35'S		λ 27°49'E			H 1158M			1971
GRAS/GRASS		15.8	15.0	12.4	10.3	2.9	-0.9	-2.1	-1.8	5.9	8.8	11.6	13.2	7.6
ABS MIN		12.2	11.1	7.4	4.9	-5.0	-4.2	-7.0	-7.0	1.0	2.9	5.2	6.8	-7.0
DAT		1	19	10	27	19	24	18	5	1	18	9	6	-
GROND/SOIL		KLEUR VAN BOGROND				- RR -		COLOUR OF TOPSOIL						
10CM	0800	23.2	22.6	21.8	17.8	12.9	9.8	8.7	10.2	15.5	18.8	20.4	22.4	17.0
17/61/15/ 7	1400	31.4	30.9	31.5	26.8	21.2	18.0	18.6	20.8	25.7	28.1	30.0	32.7	26.3
20CM	0800	24.7	24.4	24.1	20.1	15.5	12.4	11.4	13.0	17.6	20.4	21.6	23.8	19.1
0/73/22/ 5	1400	27.4	27.0	27.1	22.7	17.8	14.4	13.5	15.5	20.4	23.4	25.3	27.5	21.8
30CM	0800	25.8	25.4	25.5	21.3	16.8	13.7	12.7	14.2	18.7	21.5	22.9	25.1	20.3
0/67/21/12	1400	26.7	26.3	26.4	22.1	17.5	14.3	13.4	15.1	19.7	22.6	24.3	26.5	21.2
60CM	0800	26.5	26.5	26.6	23.0	19.3	16.0	14.6	15.6	19.1	22.0	23.7	25.6	21.5
0/71/19/10	1400	26.4	26.4	26.4	22.9	19.2	15.9	14.5	15.5	19.0	22.0	23.6	25.5	21.4
120CM	0800	25.1	25.5	25.7	23.4	20.7	17.6	15.9	15.7	17.8	20.4	22.1	23.7	21.1
4/62/26/ 8	1400	25.1	25.5	25.6	23.4	20.7	17.6	15.9	15.7	17.9	20.5	22.2	23.7	21.1
513/165	PRETORIA - PROCLAMATION HILL					Ø 25°45'S		λ 28° 6'E			H 1356M			1971
GROND/SOIL		KLEUR VAN BOGROND				- XX -		COLOUR OF TOPSOIL						
10CM	0800	20.8	19.5	18.9	15.2	10.5	7.6	6.8	8.2	-	15.9	17.8	19.6	-
XX/XX/XX/XX	2000	25.8	24.3	24.8	19.5	14.7	12.6	12.4	15.5	-	22.3	23.7	25.5	-
20CM	0800	22.2	21.2	20.7	17.0	12.2	9.3	8.4	9.8	-	17.6	19.3	21.1	-
XX/XX/XX/XX	2000	25.8	24.7	24.8	20.0	15.3	12.9	12.6	15.4	-	22.0	23.7	24.8	-
30CM	0800	24.2	23.4	23.1	19.1	15.2	12.4	11.4	12.7	-	19.8	21.3	23.0	-
XX/XX/XX/XX	2000	24.9	24.0	23.7	19.9	15.5	12.8	11.9	13.4	-	20.8	22.2	23.2	-
60CM	0800	24.2	23.6	23.4	20.1	16.6	13.8	12.7	13.7	-	19.8	21.4	22.9	-
XX/XX/XX/XX	2000	24.2	23.6	23.4	20.0	16.6	13.8	12.7	13.8	-	19.9	21.4	23.0	-
120CM	0800	23.5	23.5	23.5	21.7	19.4	16.8	15.4	15.3	-	19.2	20.5	21.8	-
XX/XX/XX/XX	2000	23.6	23.5	23.5	21.6	19.4	16.8	15.4	15.3	-	19.2	20.5	21.8	-
513/284	PRETORIA - PUR					Ø 25°44'S		λ 28°10'E			H 1286M			1971
GRAS/GRASS		13.8	12.6	10.6	8.0	1.4	-2.9	-2.6	-3.3	4.3	7.3	9.8	11.3	5.9
ABS MIN		10.1	9.5	6.5	3.0	-6.4	-6.5	-6.4	-7.9	-1.8	2.1	4.0	4.7	-7.9
DAT		1	19	10	10	19	24	27	5	1	26	9	6	-
513/405A	PRETORIA - LYNNWOOD - WB					Ø 25°45'S		λ 28°14'E			H 1369M			1971
GRAS/GRASS		14.7	13.3	12.3	8.9	2.9	-0.6	-1.2	-0.2	6.5	8.7	11.0	12.3	7.4
ABS MIN		11.0	11.3	8.9	3.4	-5.1	-3.8	-4.8	-5.2	2.1	2.9	5.8	6.0	-5.2
DAT		1	25	10	6	19	24	19	6	1	18	12	6	-
513/465	PRETORIA UNIVERSITEIT - AGR					Ø 25°45'S		λ 28°16'E			H 1372M			1971
GROND/SOIL		KLEUR VAN BOGROND				- RR -		COLOUR OF TOPSOIL						
10CM	0800	21.4	19.9	20.0	15.9	11.1	8.5	7.4	9.6	15.2	17.4	18.4	20.7	15.5
0/54/19/27	1400	30.7	28.5	29.0	23.4	18.6	15.3	15.3	19.5	25.0	26.8	28.3	30.9	24.3
20CM	0800	22.7	21.3	21.7	17.5	13.2	11.0	9.8	12.1	16.7	18.7	19.4	21.6	17.1
0/53/18/29	1400	26.6	25.2	25.2	21.1	15.9	12.9	12.2	15.0	20.4	22.5	23.7	25.8	20.5
30CM	0800	23.9	22.9	23.2	19.5	15.3	12.7	11.7	13.5	17.9	20.0	20.9	22.9	18.7
0/48/18/34	1400	24.5	23.3	23.7	19.7	15.9	13.0	12.2	14.2	18.7	20.8	21.8	24.0	19.3
60CM	0800	23.8	23.3	23.7	20.9	17.9	14.8	13.4	14.5	17.7	19.9	21.0	22.8	19.5
0/26/17/57	1400	23.7	23.3	23.6	20.8	17.8	14.7	13.3	14.4	17.7	19.9	21.0	22.7	19.4
120CM	0800	22.6	22.8	23.1	21.4	19.5	16.7	15.0	14.9	16.6	18.6	19.8	21.3	19.4
0/25/27/48	1400	22.5	22.8	22.9	21.4	19.5	16.7	15.0	14.9	16.6	18.6	19.8	21.3	19.3

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
513/605	ROODEPLAAT - AGR					ø 25°35'S		λ 28°21'E			H 1164M			1971
GRAS/GRASS		12.8	-	9.9	8.2	2.2	-1.2	-2.7	-1.8	5.1	7.3	9.9	11.7	-
ABS MIN		9.1	-	5.4	1.4	-4.6	-4.0	-9.4	-7.8	1.7	1.8	5.6	4.8	-
DAT		7	-	10	6	19	5	18	22	21	26	21	6	-
GROND/SOIL		KLEUR VAN BOGROND			-	NR -	COLOUR OF TOPSOIL							
10CM	0800	23.7	22.8	22.8	17.7	13.2	10.0	9.3	11.6	17.4	20.4	21.6	24.2	17.9
0/78/17/ 5	1400	33.3	32.5	32.5	26.1	21.6	18.3	18.0	21.9	27.3	30.4	32.6	35.3	27.5
	2000	30.6	28.5	29.0	22.8	18.3	15.4	15.3	18.7	23.9	26.6	27.3	30.6	23.9
20CM	0800	25.3	24.7	25.0	19.7	15.8	12.7	11.8	14.3	19.6	22.3	22.7	25.5	19.9
0/73/17/10	1400	28.8	28.3	28.3	22.9	18.4	15.1	14.4	17.4	23.0	26.0	27.3	30.1	23.3
	2000	30.6	29.6	29.8	23.9	19.4	16.4	15.9	19.1	24.5	27.2	28.4	31.3	24.7
30CM	0800	26.8	26.4	26.6	21.7	17.6	14.7	13.9	16.3	21.2	23.8	24.4	27.1	21.7
0/69/23/ 8	1400	27.5	26.9	27.1	22.1	18.1	15.0	14.2	16.6	21.8	24.6	25.7	28.2	22.3
	2000	29.7	28.9	29.0	23.7	19.6	16.4	15.8	18.5	23.7	26.3	27.6	30.4	24.1
60CM	0800	27.7	27.5	27.9	23.3	19.7	16.7	15.5	17.4	21.7	24.7	25.5	27.8	22.9
0/72/25/ 3	1400	27.3	27.1	27.5	23.0	19.4	16.4	15.3	17.1	21.5	24.3	25.2	27.6	22.6
	2000	27.5	27.2	27.6	23.1	19.4	16.4	15.2	17.2	21.6	24.4	25.3	27.6	22.7
120CM	0800	26.7	26.9	27.3	24.2	21.3	18.5	16.9	17.7	20.6	23.5	24.5	26.0	22.8
14/56/24/ 6	1400	26.7	26.9	27.3	24.2	21.4	18.6	17.0	17.8	20.7	23.6	24.5	26.2	22.9
	2000	26.7	26.8	27.2	24.1	21.2	18.5	16.9	17.7	20.6	23.5	24.5	26.1	22.8
519/ 17	BARBERTON - AGR					ø 25°47'S		λ 31° 1'E			H 765M			1971
GROND/SOIL		KLEUR VAN BOGROND			-	RD -	COLOUR OF TOPSOIL							
10CM	0800	-	23.3	23.4	20.2	15.5	12.6	12.2	15.3	19.0	20.0	20.6	23.1	-
14/58/19/ 9	1400	26.1	27.0	25.5	25.6	21.7	18.0	18.4	22.4	24.8	24.9	24.4	26.1	23.7
20CM	0800	-	24.4	24.5	21.8	17.7	14.8	14.7	17.1	20.4	20.7	21.2	23.5	-
0/61/23/16	1400	25.6	24.0	24.9	23.0	19.4	16.1	16.1	18.6	22.2	22.8	22.9	24.8	21.7
30CM	0800	-	24.8	25.0	22.1	18.5	15.5	15.1	17.4	20.9	21.6	21.9	24.0	-
0/62/24/14	1400	25.7	25.3	25.3	23.1	19.6	16.4	16.4	18.9	22.3	22.7	22.9	24.8	21.9
60CM	0800	-	25.1	25.3	23.4	20.9	17.8	17.0	18.4	21.1	22.2	22.4	23.9	-
0/59/25/16	1400	25.5	25.1	25.3	23.4	20.8	17.8	16.9	18.3	21.0	22.0	22.3	23.9	21.9
554/816	LYDENBURG - VIS					ø 25° 6'S		λ 30°28'E			H 1439M			1971
GRAS/GRASS		12.6	10.7	10.4	8.0	2.1	-0.6	-1.4	0.6	5.6	7.8	9.5	11.5	6.4
ABS MIN		7.3	4.7	4.4	2.5	-3.9	-3.7	-7.4	-5.4	2.1	2.9	5.8	8.0	-7.4
DAT		7	20	10	23	19	13	17	4	26	18	18	8	-
GROND/SOIL		KLEUR VAN BOGROND			-	SS -	COLOUR OF TOPSOIL							
10CM	0800	21.7	20.7	20.9	17.9	12.8	10.3	10.1	12.8	16.2	17.5	18.1	20.7	16.6
15/58/21/ 6	1400	27.5	26.7	27.3	22.6	17.9	13.9	13.5	16.4	21.7	23.0	23.6	27.2	21.8
	2000	26.3	25.6	26.5	21.8	17.4	14.3	14.8	17.8	21.5	22.2	22.1	25.4	21.3
20CM	0800	22.8	22.3	22.8	19.4	15.0	12.2	11.9	-	-	17.9	18.5	21.3	-
46/35/13/ 6	1400	24.7	24.2	24.7	20.7	16.2	12.8	12.5	-	-	20.4	21.5	24.9	-
	2000	26.0	25.8	26.4	21.8	17.6	14.2	14.3	-	-	21.6	21.9	25.7	-
30CM	0800	23.9	23.7	24.1	20.7	16.7	13.9	13.5	15.7	18.9	20.1	20.0	22.8	19.5
36/38/18/ 8	1400	24.2	24.0	24.5	21.0	17.0	13.9	13.5	15.9	19.5	20.6	20.7	23.5	19.9
	2000	25.5	25.4	25.9	22.0	18.1	13.9	14.7	17.1	20.7	21.8	21.9	25.0	21.0
60CM	0800	23.7	23.8	24.2	21.6	18.8	16.0	15.1	16.3	18.8	20.2	20.3	22.5	20.1
32/43/18/ 7	1400	23.6	23.7	24.0	21.5	18.7	15.9	15.0	16.2	18.7	20.1	20.3	22.4	20.0
	2000	23.4	23.6	23.9	21.4	18.5	15.8	14.9	16.2	18.6	20.0	20.2	22.2	19.9
120CM	0800	22.6	22.9	23.0	21.9	20.0	17.7	16.3	16.4	17.8	19.1	19.7	21.0	19.9
24/50/18/ 8	1400	22.6	22.9	23.0	21.9	20.0	17.7	16.3	16.4	17.8	19.1	19.6	21.0	19.9
	2000	22.5	22.9	23.0	21.9	20.0	17.6	16.3	16.4	17.8	19.2	19.6	21.0	19.9
555/837	NELSPRUIT - AGR					ø 25°27'S		λ 30°58'E			H 660M			1971
GRAS/GRASS		16.9	16.2	15.9	13.5	6.1	3.0	1.2	3.7	9.7	12.5	13.8	16.1	10.7
ABS MIN		12.9	10.0	10.8	6.5	-0.8	-2.1	-4.3	-2.6	4.9	8.1	10.3	12.6	-4.3
DAT		7	19	31	28	18	30	14	2	1	20	1	8	-
GROND/SOIL		KLEUR VAN BOGROND			-	NN -	COLOUR OF TOPSOIL							
10CM	0800	25.1	25.4	24.4	21.0	15.6	12.4	11.8	14.6	19.4	20.4	21.1	23.4	19.5
6/82/ 9/ 3	1400	33.1	34.6	34.3	30.0	25.2	21.7	22.6	25.6	30.4	29.8	28.5	30.3	28.8
	2000	30.7	31.8	30.4	26.3	21.5	18.3	19.2	22.4	26.1	25.5	25.4	27.9	25.5
20CM	0800	26.3	26.9	26.1	22.3	17.6	14.3	14.1	16.6	20.8	21.2	21.6	23.8	21.0
5/82/ 9/ 4	1400	29.7	30.3	30.0	25.9	21.2	17.7	17.9	20.5	25.2	25.6	25.2	27.0	24.7
	2000	30.9	32.1	30.9	26.7	22.1	18.7	19.3	22.2	26.2	25.8	25.5	27.9	25.7
30CM	0800	27.2	28.0	27.4	23.8	19.4	16.3	16.0	18.4	22.3	22.7	23.0	25.2	22.5
4/76/12/ 8	1400	28.3	29.1	28.5	24.8	20.5	17.1	16.9	19.4	23.5	24.1	23.9	25.8	23.5
	2000	30.0	31.1	30.3	26.3	22.0	18.7	18.8	21.4	25.4	25.5	25.3	27.4	25.2
60CM	0800	27.9	29.0	28.5	25.2	21.9	18.4	17.9	19.7	23.1	23.9	23.9	25.7	23.8
21/63/13/ 3	1400	27.6	28.7	28.1	25.0	21.5	18.1	17.6	19.4	22.9	23.6	23.7	25.6	23.5
	2000	27.9	28.8	28.3	25.1	21.6	18.3	17.8	19.6	23.1	23.8	23.8	25.7	23.7
120CM	0800	26.4	27.3	27.2	25.3	23.1	20.1	19.0	19.7	21.9	23.1	23.1	24.4	23.4
6/72/16/ 6	1400	26.4	27.3	27.2	25.3	23.1	20.1	19.0	19.7	21.9	23.1	23.1	24.4	23.4
	2000	26.4	27.3	27.2	25.3	23.1	20.0	19.0	19.7	21.9	23.1	23.1	24.4	23.4

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
568/817	MARIENTAL - SWA - POS***					ϕ 24°37'S		λ 17°58'E			H 1099M			1971
GRAS/GRASS		19.1	19.2	17.1	11.6	8.3	4.5	2.6	0.9	8.1	11.1	13.7	16.3	11.0
ABS MIN		14.1	15.0	13.5	5.8	2.6	-2.5	-4.0	-3.3	2.5	4.1	10.0	10.8	-4.0
DAT		1	11	26	12	21	22	18	21	7	24	12	10	-
GROND/SOIL		KLEUR VAN BOGROND			- XX -		COLOUR OF TOPSOIL							
10CM	0800	(33.2)	-	-	(23.0)	19.7	-	-	-	21.8	25.2	28.5	31.4	-
XX/XX/XX/XX	1400	(38.3)	-	-	(25.3)	21.8	-	-	-	23.5	27.6	30.5	32.8	-
	2000	-	-	-	(28.6)	23.9	-	-	-	26.7	30.4	33.9	36.1	-
20CM	0800	35.6	33.1	-	(26.0)	22.2	-	-	-	22.6	25.9	(29.4)	-	-
XX/XX/XX/XX	1400	36.0	33.4	-	(25.5)	21.8	-	-	-	22.6	26.3	(29.4)	-	-
	2000	39.0	36.5	-	(28.5)	23.1	-	-	-	24.3	28.2	(31.4)	-	-
30CM	0800	34.4	33.5	-	27.4	23.3	20.1	18.0	18.1	22.9	26.4	29.4	32.3	-
XX/XX/XX/XX	1400	35.3	33.2	-	27.1	23.0	20.0	18.0	18.0	22.6	26.2	29.1	32.0	-
	2000	35.5	33.9	-	27.6	23.5	20.1	18.1	18.2	23.0	26.4	29.5	32.5	-
60CM	0800	34.6	33.2	-	28.0	24.5	21.2	19.2	18.9	22.3	25.4	28.3	31.2	-
XX/XX/XX/XX	1400	34.6	33.2	-	28.0	24.6	21.2	19.1	18.9	22.3	25.3	28.3	31.2	-
	2000	34.6	33.2	-	27.9	24.5	21.2	19.1	18.9	22.4	25.3	28.3	31.0	-
120CM	0800	33.2	32.6	-	28.7	26.3	23.3	21.1	20.5	21.7	24.2	26.5	29.0	-
XX/XX/XX/XX	1400	33.2	32.6	-	28.7	26.3	23.3	21.1	20.5	21.7	24.3	26.5	28.9	-
	2000	33.2	32.7	-	28.6	26.2	23.3	21.1	20.5	21.7	24.2	26.4	29.0	-
589/594	TOMOOMBA - AGR					ϕ 24°54'S		λ 28°20'E			H 1143M			1971
GRAS/GRASS		14.8	13.4	11.0	8.8	1.3	-1.9	-1.5	-0.2	7.2	8.9	11.7	12.2	7.1
ABS MIN		10.4	8.6	6.2	3.3	-5.4	-3.9	-8.4	-7.0	1.7	-0.5	7.7	7.4	-8.4
DAT		5	25	10	27	18	12	17	22	22	18	9	8	-
GROND/SOIL		KLEUR VAN BOGROND			- NN -		COLOUR OF TOPSOIL							
5CM	0800	24.4	22.7	23.3	18.9	12.4	9.7	9.0	11.7	18.7	21.6	23.6	26.3	18.5
0/79/20/ 1	1400	38.5	39.5	42.0	34.8	27.8	24.8	26.2	32.4	38.1	40.3	43.0	44.6	36.0
	2000	30.5	29.6	31.1	25.4	19.3	17.0	17.2	20.8	25.7	28.0	29.4	32.2	25.5
10CM	0800	23.8	23.0	24.3	19.9	14.4	12.1	11.6	13.9	19.7	21.6	23.0	25.3	19.4
0/79/20/ 1	1400	32.9	30.7	32.8	26.8	20.7	17.3	17.0	20.5	25.5	29.8	31.7	33.8	26.6
	2000	31.0	30.0	32.2	26.2	20.4	17.9	17.7	21.2	26.1	29.0	30.4	33.1	26.3
20CM	0800	24.8	24.0	25.4	21.1	15.8	13.4	13.2	15.5	21.1	22.7	24.2	26.3	20.6
0/75/23/ 2	1400	30.1	29.6	31.1	25.9	19.8	16.6	16.3	19.4	26.0	28.6	30.5	32.6	25.5
	2000	31.4	30.7	32.7	26.8	21.1	18.6	18.6	22.0	26.5	29.5	30.8	33.8	26.9
30CM	0800	27.3	26.9	28.2	23.8	18.9	16.5	15.9	18.2	23.6	25.5	26.7	29.0	23.4
0/74/24/ 2	1400	28.0	27.3	28.7	24.1	19.1	16.8	16.2	18.5	24.0	26.2	27.6	30.1	23.9
	2000	29.8	29.3	31.1	25.8	20.8	18.4	17.5	20.0	24.9	28.3	29.6	32.2	25.6
60CM	0800	28.3	27.6	28.4	24.8	21.1	18.8	17.7	19.2	23.5	26.0	27.6	29.4	24.4
0/66/29/ 5	1400	28.2	27.6	28.5	24.7	21.0	18.7	17.7	19.2	23.5	25.9	27.5	29.2	24.3
	2000	28.1	27.6	28.3	24.6	21.0	18.7	17.7	19.2	23.4	25.8	27.4	29.1	24.2
120CM	0800	27.3	27.0	27.8	25.5	23.3	20.8	19.5	19.7	22.1	24.7	26.0	27.2	24.2
0/67/29/ 4	1400	27.3	27.0	27.8	25.4	23.3	20.9	19.5	19.8	22.2	24.6	25.8	27.2	24.2
	2000	27.3	27.0	27.8	25.4	23.2	20.9	19.5	19.8	22.1	24.6	26.0	27.2	24.2
596/179	SKUKUZA					ϕ 24°59'S		λ 31°36'E			H 263M			1971
GROND/SOIL		KLEUR VAN BOGROND			- NN -		COLOUR OF TOPSOIL							
10CM	0800	27.2	27.3	27.5	24.4	19.7	16.5	15.7	19.2	23.4	24.5	23.8	27.2	23.0
6/79/14/ 1	1400	31.7	31.0	31.7	27.4	23.0	20.1	20.2	23.9	28.6	29.0	27.6	32.0	27.2
	2000	(30.8)	(31.0)	31.2	27.1	22.9	20.2	20.6	24.6	28.6	28.8	26.3	31.4	(27.0)
20CM	0800	(27.7)	-	28.8	25.1	21.0	17.9	17.4	20.8	24.8	25.6	24.3	28.0	-
8/77/12/ 3	1400	(29.9)	-	30.5	26.4	21.9	18.8	18.3	21.4	26.1	27.0	25.9	30.0	-
	2000	-	-	31.9	27.5	23.3	20.2	20.3	23.9	28.1	28.6	26.3	31.5	-
30CM	0800	28.4	28.5	29.3	25.6	21.7	18.3	17.9	21.0	24.9	25.8	24.7	28.3	24.5
48/44/ 7/ 1	1400	29.6	29.3	30.0	26.1	21.9	19.0	18.5	21.6	25.9	26.7	25.6	29.4	25.3
	2000	(30.6)	31.1	31.6	27.3	23.3	20.2	20.1	23.4	27.4	28.3	26.0	31.1	(26.7)
60CM	0800	29.6	29.5	30.3	27.1	24.2	21.1	20.3	22.2	25.4	26.7	25.6	28.5	25.9
48/43/ 7/ 2	1400	29.4	29.3	30.2	27.0	24.0	21.0	20.2	22.2	25.3	26.6	25.5	28.3	25.7
	2000	(29.4)	29.4	30.1	27.0	24.0	21.0	20.2	22.1	25.3	26.6	25.5	28.3	(25.7)
120CM	0800	29.3	29.1	29.5	27.7	25.7	23.1	21.8	22.4	24.2	25.8	25.3	26.7	25.9
53/39/ 6/ 2	1400	29.2	29.2	29.5	27.7	25.7	23.1	21.8	22.4	24.2	25.8	25.3	26.7	25.9
	2000	(29.2)	29.2	29.5	27.6	25.6	23.1	21.8	22.4	24.2	25.8	25.3	26.8	(25.9)
631/823	DOORNSPRUIT***					ϕ 24°13'S		λ 27°58'E			H 1043M			1971
GRAS/GRASS		-	-	-	-	-	-0.4	-0.7	0.3	6.9	10.7	13.2	(14.3)	-
ABS MIN		-	-	-	-	-	-3.1	-5.4	-8.0	1.9	4.5	10.0	-	-
DAT		-	-	-	-	-	30	11	22	1	18	9	-	-
GROND/SOIL		KLEUR VAN BOGROND			- NV -		COLOUR OF TOPSOIL							
10CM	0800	-	-	-	-	-	12.7	12.0	14.0	18.7	20.6	21.0	23.0	-
2/79/ 9/10	1400	-	-	-	-	-	18.3	17.6	19.8	24.9	26.2	27.0	(30.2)	-
	2000	-	-	-	-	-	17.3	16.9	19.4	24.1	25.1	25.3	(28.1)	-
20CM	0800	-	-	-	-	-	14.8	13.8	15.6	19.9	21.6	21.9	24.0	-
3/77/ 9/11	1400	-	-	-	-	-	16.3	15.7	17.3	22.0	23.9	24.9	(27.4)	-
	2000	-	-	-	-	-	17.3	17.6	18.9	23.2	24.9	25.4	(28.0)	-
30CM	0800	-	-	-	-	-	15.9	15.0	16.7	20.7	22.4	22.8	24.7	-
6/73/ 8/13	1400	-	-	-	-	-	16.1	15.3	16.9	21.2	22.8	23.7	(25.6)	-
	2000	-	-	-	-	-	17.2	16.6	18.7	22.5	24.1	25.0	(27.3)	-
60CM	0800	-	-	-	-	-	17.4	16.6	17.6	20.9	22.9	23.6	25.2	-
62/29/ 4/ 5	1400	-	-	-	-	-	17.4	16.8	17.5	20.8	22.7	23.4	(25.0)	-
	2000	-	-	-	-	-	17.3	16.4	17.4	20.8	22.7	23.4	(25.1)	-
120CM	0800	-	-	-	-	-	18.6	17.5	17.9	20.2	22.3	23.0	24.4	-
4/59/10/27	1400	-	-	-	-	-	18.6	17.5	17.9	20.2	22.3	23.0	(24.4)	-
	2000	-	-	-	-	-	18.5	17.4	17.9	20.2	22.2	23.0	(24.4)	-

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
634/ 11	POTGIETERSRUS - TABAK-KO-OP						@ 24°11'S		λ 29° 1'E		H 1116M			1971
GRAS/GRASS		16.4	15.0	15.1	12.2	5.5	1.1	0.7	3.6	10.3	12.6	13.5	14.6	10.1
ABS MIN		12.7	10.8	9.5	7.5	-1.0	-3.1	-4.9	-4.0	5.8	7.1	11.0	11.0	-4.9
DAT		27	20	10	27	18	19	18	1	1	20	1	9	-
GROND/SOIL		KLEUR VAN BOGROND				- ND -		COLOUR OF TOPSOIL						
10CM	0800	23.7	23.4	24.0	19.5	14.3	12.8	13.5	15.6	20.4	21.7	21.7	25.7	19.7
0/76/10/14	1400	31.5	32.1	32.1	26.9	22.1	19.4	19.3	22.0	27.1	29.4	30.3	35.2	27.3
	2000	27.8	29.4	30.2	24.4	19.8	17.7	18.3	20.9	26.2	27.2	27.5	32.4	25.1
20CM	0800	25.8	26.1	26.8	22.3	17.7	16.0	15.9	17.2	21.9	23.0	23.0	26.6	21.9
0/66/10/24	1400	26.8	27.3	27.7	23.0	18.3	16.3	15.9	18.9	24.6	26.7	27.9	32.1	23.8
	2000	27.4	29.1	29.7	24.1	20.0	17.8	18.0	20.6	26.5	27.7	28.3	32.8	25.2
30CM	0800	25.8	26.1	26.7	22.2	17.8	16.0	16.3	18.4	23.1	24.3	24.5	27.9	22.4
0/63/10/27	1400	26.9	27.1	27.9	23.2	18.6	16.4	16.1	18.2	23.1	24.7	25.2	28.9	23.0
	2000	27.6	29.1	29.9	24.8	20.3	17.9	17.3	19.7	25.0	26.6	27.0	31.1	24.7
60CM	0800	27.2	27.2	28.3	24.5	20.9	18.3	17.6	19.1	23.2	25.0	25.7	28.5	23.8
0/65/14/21	1400	27.0	27.0	28.0	24.3	20.6	18.1	17.5	19.1	23.1	24.9	25.5	28.2	23.6
	2000	27.0	27.0	28.0	24.3	20.5	18.0	17.5	19.0	23.0	24.8	25.4	28.2	23.6
120CM	0800	27.1	26.8	27.7	25.2	22.4	19.9	18.7	19.3	22.2	24.3	25.2	27.1	23.8
0/62/14/24	1400	27.1	26.8	27.7	25.2	22.4	19.8	18.7	19.4	22.2	24.4	25.2	27.1	23.8
	2000	27.0	26.8	27.7	25.2	22.3	19.8	18.7	19.4	22.2	24.4	25.1	27.1	23.8
649/ 64	GOBABEB - SWA						@ 23°34'S		λ 15° 3'E		H 407M			1971
GROND/SOIL		KLEUR VAN BOGROND				- XX -		COLOUR OF TOPSOIL						
10CM	0800	25.7	27.7	26.9	23.8	22.8	17.8	15.8	14.3	20.2	21.6	23.1	24.7	22.0
XX/XX/XX/XX	1400	32.3	34.8	32.6	30.0	27.0	22.2	20.1	21.0	26.6	28.0	30.9	31.9	28.1
	2000	37.6	39.1	37.4	32.7	30.4	25.5	24.0	24.1	31.2	32.5	35.3	37.7	32.3
20CM	0800	30.1	31.8	30.7	27.0	25.9	21.3	19.4	18.3	24.1	25.5	27.7	29.8	26.0
XX/XX/XX/XX	1400	29.4	31.3	30.1	26.9	25.5	20.9	19.0	18.2	23.7	25.0	27.3	29.3	25.5
	2000	32.4	34.8	33.5	30.8	27.8	23.5	21.6	21.7	26.9	28.2	30.7	32.1	28.7
30CM	0800	30.3	32.1	31.0	28.0	26.7	22.3	20.4	19.4	24.6	26.2	28.5	29.7	26.6
XX/XX/XX/XX	1400	30.1	31.8	30.7	27.6	26.4	22.4	20.6	19.5	24.5	26.0	28.3	29.4	26.4
	2000	31.1	33.1	31.8	29.4	27.1	23.2	21.5	21.2	25.4	26.6	28.9	30.0	27.4
60CM	0800	29.8	31.1	30.8	28.9	27.7	24.5	22.5	21.7	24.6	26.0	27.8	28.8	27.0
XX/XX/XX/XX	1400	29.8	31.1	30.8	29.0	27.7	24.5	22.3	21.7	24.6	26.0	27.9	28.7	27.0
	2000	29.8	31.1	30.8	28.9	27.6	24.4	22.4	21.6	24.6	26.0	27.8	28.8	27.0
120CM	0800	28.4	29.2	29.6	28.9	28.2	26.4	24.6	23.7	24.4	25.5	26.6	27.4	26.9
XX/XX/XX/XX	1400	28.5	29.2	29.6	28.9	28.2	26.4	24.7	23.7	24.4	25.5	26.6	27.4	26.9
	2000	28.4	29.2	29.6	28.8	28.1	26.4	24.6	23.7	24.4	25.5	26.5	27.4	26.9
677/802	PIETERSBURG - WK						@ 23°52'S		λ 29°27'E		H 1230M			1971
GRAS/GRASS		15.1	13.5	13.8	11.5	4.8	2.1	2.6	4.2	9.5	11.0	12.4	-	-
ABS MIN		8.9	9.3	10.8	4.2	-0.2	-1.0	-1.5	-0.2	6.5	7.5	8.4	-	-
DAT		7	20	18	24	18	3	18	1	11	20	1	-	-
GROND/SOIL		KLEUR VAN BOGROND				- XX -		COLOUR OF TOPSOIL						
5CM	0800	24.1	21.7	23.1	19.1	14.2	10.7	8.7	11.0	-	18.0	20.0	21.8	-
24/62/12/ 2	1400	37.6	34.2	37.0	32.3	28.4	25.3	30.1	30.6	-	28.8	31.2	33.6	-
	2000	28.0	27.1	29.1	23.7	19.0	15.4	14.3	15.6	-	22.0	24.0	27.3	-
10CM	0800	24.1	22.5	24.6	20.4	15.9	12.6	12.4	13.2	15.9	18.0	19.9	21.9	18.5
24/62/12/ 2	1400	31.6	33.1	32.6	27.9	23.7	19.5	19.9	21.9	26.1	26.0	28.2	30.7	26.8
	2000	29.8	29.3	31.5	25.6	21.1	17.8	18.4	19.7	22.5	23.1	24.5	27.9	24.3
20CM	0800	25.6	24.4	26.6	22.3	17.9	14.5	14.4	15.3	18.2	19.3	21.1	23.4	20.3
62/31/ 6/ 1	1400	28.0	27.6	29.2	25.0	20.4	16.7	16.4	17.7	21.5	22.3	24.2	26.4	22.9
	2000	29.7	29.1	30.9	26.1	21.8	18.1	18.2	19.4	22.6	23.4	25.2	27.9	24.4
30CM	0800	26.7	25.6	27.8	23.6	19.3	15.9	15.7	16.2	19.3	20.3	22.1	24.2	21.4
81/12/ 6/ 1	1400	27.1	26.1	28.0	23.8	19.3	16.0	15.6	16.5	19.9	20.8	22.6	24.7	21.7
	2000	28.9	28.0	30.0	25.4	20.9	17.4	17.4	18.5	21.4	22.5	23.9	26.3	23.4
60CM	0800	27.9	26.7	28.5	24.8	20.4	18.0	17.1	17.4	20.0	21.0	22.6	24.4	22.4
60/30/ 9/ 1	1400	27.5	26.4	28.2	24.5	20.1	17.8	16.8	17.1	19.7	20.7	22.3	24.2	22.1
	2000	27.6	26.6	28.3	24.6	20.1	17.8	16.8	17.2	19.8	20.9	22.4	24.3	22.2
120CM	0800	27.2	26.3	27.2	25.1	22.3	19.0	17.9	18.0	19.7	20.7	21.8	23.3	22.4
39/52/ 7/ 2	1400	27.2	26.3	27.3	25.1	22.3	19.0	17.9	18.0	19.7	20.8	21.9	23.3	22.4
	2000	27.2	26.3	27.3	25.1	22.3	19.0	17.9	17.9	19.7	20.8	21.9	23.3	22.4
681/266	PHALABORWA - AER						@ 23°56'S		λ 31° 9'E		H 433M			1971
GRAS/GRASS		19.2	18.2	18.3	15.1	9.6	6.1	5.5	7.5	11.6	14.8	16.4	-	-
ABS MIN		16.0	14.0	13.6	9.7	2.6	3.2	3.2	2.0	6.6	9.1	14.4	-	-
DAT		5	19	11	23	18	12	21	5	23	24	11	-	-
GROND/SOIL		KLEUR VAN BOGROND				- ND -		COLOUR OF TOPSOIL						
10CM	0800	25.4	24.0	23.7	21.7	16.4	13.5	12.3	14.5	18.9	21.4	22.1	24.4	19.9
16/66/12/ 6	1400	33.6	33.5	34.6	30.6	25.5	22.0	22.9	25.2	29.2	31.7	30.6	34.2	29.5
	2000	28.5	28.2	28.6	25.1	20.4	17.5	16.6	20.0	23.4	25.6	24.6	28.5	23.9
20CM	0800	27.8	27.3	27.0	24.8	20.2	17.3	16.0	18.3	21.8	24.1	24.4	-	-
16/66/12/ 6	1400	31.6	31.5	31.9	28.3	23.9	20.6	20.6	22.8	26.6	28.8	28.6	-	-
	2000	31.1	30.5	31.2	28.1	23.6	21.1	20.8	22.7	26.1	28.8	27.7	-	-
30CM	0800	27.5	27.2	26.9	24.8	21.3	18.4	17.4	18.8	21.5	23.7	23.9	26.4	23.1
47/40/ 7/ 6	1400	27.4	27.1	26.8	24.7	21.3	19.0	17.5	18.9	21.9	23.8	24.1	26.5	23.3
	2000	28.1	27.5	27.6	25.4	21.6	19.6	18.2	19.5	22.2	24.6	24.8	27.4	23.9
60CM	0800	27.5	27.2	27.0	25.2	22.1	19.1	18.2	19.2	21.6	23.7	24.1	26.4	23.4
73/21/ 3/ 3	1400	27.4	27.0	26.9	25.0	22.0	19.0	18.1	19.1	21.5	23.5	24.1	26.3	23.3
	2000	27.5	27.1	27.2	25.2	22.0	19.2	18.1	19.2	21.6	23.7	24.2	26.4	23.5

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

SAST		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
719/370	MARNITZ					Ø 23°10'S		λ 28°13'E			H 932M			1971
GRAS/GRASS		17.5	-	(16.6)	15.0	(8.4)	4.1	3.4	5.7	-	-	15.4	16.7	-
ABS MIN		13.3	-	-	9.9	-	-0.4	0.2	-2.2	-	-	12.4	13.0	-
DAT		6	-	-	27	-	3	31	5	-	-	1	24	-
GROND/SOIL		KLEUR VAN BOGROND				- NR -	COLOUR OF TOPSOIL							
30CM	0800	28.4	-	(30.8)	26.5	(21.2)	17.7	17.2	19.6	-	-	26.8	29.8	-
1/84/12/ 3	1400	29.4	-	(31.5)	27.2	(21.9)	18.2	17.7	20.0	-	-	27.9	31.4	-
	2000	32.2	-	(33.5)	28.7	(23.4)	18.9	19.1	21.6	-	-	30.2	33.6	-
60CM	0800	29.6	-	(31.7)	28.3	-	20.2	19.5	21.1	-	-	28.3	30.7	-
1/80/13/ 6	1400	29.3	-	(31.3)	28.1	-	20.0	19.2	20.9	-	-	27.9	30.3	-
	2000	29.4	-	(31.3)	28.0	-	19.8	19.0	20.8	-	-	27.7	30.4	-
722/ 99	MARA - AGR					Ø 23° 9'S		λ 29°34'E			H 896M			1971
GRAS/GRASS		16.1	14.1	13.6	12.4	5.2	1.4	0.2	1.7	7.2	10.7	12.9	14.3	9.1
ABS MIN		9.5	8.9	8.5	6.9	-2.4	-2.9	-3.6	-5.5	3.5	4.4	7.7	9.7	-5.5
DAT		6	20	11	24	19	10	20	1	4	20	24	8	-
GROND/SOIL		KLEUR VAN BOGROND				- RR -	COLOUR OF TOPSOIL							
5CM	0800	23.5	23.8	23.6	19.8	13.0	9.4	9.3	11.2	17.4	20.7	21.7	24.8	18.2
15/69/12/ 4	1400	36.8	41.6	42.3	35.7	28.7	25.8	28.9	32.8	36.4	35.8	34.5	40.2	35.0
	2000	28.7	31.9	30.9	26.0	19.8	17.2	18.1	21.0	25.5	26.9	27.0	31.9	25.4
10CM	0800	24.1	25.3	25.1	21.8	15.6	12.5	13.2	14.9	19.5	21.6	22.2	25.6	20.1
15/69/12/ 4	1400	31.5	32.4	33.9	29.8	23.1	19.4	19.8	22.2	27.7	29.7	29.8	34.3	27.8
	2000	30.7	33.4	33.1	28.0	22.0	19.2	20.6	23.2	27.4	28.4	27.6	33.5	27.3
20CM	0800	25.5	27.2	27.3	23.5	17.6	14.6	15.2	16.8	21.3	22.9	23.3	26.9	21.8
15/69/12/ 4	1400	29.2	30.0	30.9	26.9	20.8	17.7	17.4	19.5	24.8	27.1	27.4	30.9	25.2
	2000	31.1	33.1	33.5	28.7	22.4	19.5	20.2	22.3	27.4	28.9	28.9	33.0	27.4
30CM	0800	25.6	28.7	29.1	25.7	20.7	17.5	17.5	19.0	23.1	24.8	25.2	28.2	23.8
53/38/ 7/ 2	1400	25.6	28.6	29.1	25.7	20.8	17.6	17.8	19.1	23.1	24.9	25.4	28.4	23.8
	2000	27.2	30.3	30.7	27.1	22.1	18.8	19.0	20.5	23.8	26.6	26.6	30.0	25.2
60CM	0800	27.7	28.5	29.0	26.5	22.7	19.4	18.9	19.5	22.8	24.7	25.2	27.9	24.4
15/71/10/ 4	1400	27.6	28.4	28.9	26.3	22.5	19.3	18.9	19.5	22.7	24.6	25.1	27.8	24.3
	2000	27.4	28.3	28.7	26.2	22.3	19.2	18.8	19.4	22.6	24.4	25.0	27.7	24.2
723/485A	LEVUBU - AGR					Ø 23° 5'S		λ 30°17'E			H 706M			1971
GRAS/GRASS		17.7	16.3	16.3	14.9	9.3	6.9	7.6	7.7	11.6	13.0	14.2	15.1	12.5
ABS MIN		12.2	11.9	12.7	11.3	3.5	3.2	3.6	4.0	8.0	8.7	10.8	12.0	3.2
DAT		6	20	18	24	17	3	19	5	19	20	11	9	-
GROND/SOIL		KLEUR VAN BOGROND				- NV -	COLOUR OF TOPSOIL							
10CM	0800	23.6	23.8	25.4	22.1	17.2	14.5	15.1	17.0	20.2	20.9	20.9	24.1	20.4
0/73/14/13	1400	30.1	32.0	(34.4)	30.3	25.2	22.5	23.6	(26.1)	29.2	29.2	29.1	(31.6)	(28.6)
	2000	29.2	(31.2)	32.7	28.5	23.4	20.7	22.1	-	28.0	28.3	26.6	(29.9)	-
20CM	0800	25.0	25.5	27.2	23.9	19.5	16.9	17.5	19.3	22.0	22.4	22.2	25.5	22.2
0/69/16/15	1400	27.1	27.8	(29.7)	26.3	21.7	19.0	19.5	(21.5)	24.6	25.4	25.9	(28.8)	(24.8)
	2000	28.8	(30.1)	31.8	27.9	23.3	20.6	21.4	-	26.8	28.0	26.3	(29.9)	-
30CM	0800	26.3	26.8	28.6	25.4	21.4	18.7	19.0	20.8	23.4	24.1	23.9	27.1	23.8
0/65/16/19	1400	26.3	26.7	(28.4)	25.3	21.3	18.7	19.0	(20.8)	23.3	24.1	24.3	(27.2)	(23.8)
	2000	27.5	(28.2)	29.9	26.6	22.5	19.8	20.2	-	25.0	26.5	25.2	(26.3)	-
60CM	0800	26.7	26.8	28.2	26.1	22.8	20.2	19.9	21.3	23.5	24.5	24.2	26.9	24.3
0/68/17/15	1400	26.5	26.8	28.2	26.1	22.8	20.1	19.8	21.3	23.4	24.4	24.1	26.8	24.2
	2000	26.5	26.8	28.1	26.0	22.6	20.0	19.8	21.2	23.4	24.3	24.0	26.7	24.1
120CM	0800	26.5	26.3	26.8	26.3	24.0	21.7	20.7	21.2	22.7	23.7	23.7	25.1	24.1
0/60/20/20	1400	26.4	26.3	26.9	26.3	24.0	21.7	20.7	21.3	22.7	23.7	23.7	25.1	24.1
	2000	26.4	26.3	26.8	26.3	23.9	21.6	20.7	21.3	22.7	23.7	23.7	25.1	24.0
740/154	WINDHOEK - SWA - WK					Ø 22°34'S		λ 17° 6'E			H 1728M			1971
GRAS/GRASS		13.8	12.1	12.4	9.5	7.1	4.7	3.8	4.3	10.7	12.0	12.2	12.5	9.6
ABS MIN		10.3	10.7	7.7	4.5	1.6	0.1	-2.3	-3.0	6.0	1.1	5.5	8.2	-3.0
DAT		22	20	3	8	17	15	9	3	7	15	15	4	-
784/839	J.G.STRIJDOM - SWA - WK					Ø 22°29'S		λ 17°28'E			H 1720M			1971
GROND/SOIL		KLEUR VAN BOGROND				- NV -	COLOUR OF TOPSOIL							
10CM	0800	23.1	21.0	21.3	16.7	13.0	10.7	9.4	11.0	17.2	20.3	21.3	23.0	17.3
8/81/ 8/ 3	1400	33.0	29.9	30.3	25.8	21.6	18.3	17.4	20.3	25.2	28.9	31.7	32.3	26.2
	2000	31.0	27.5	28.7	24.0	19.6	16.9	16.3	19.7	24.3	27.5	29.0	30.5	24.6
20CM	0800	26.5	22.7	23.2	19.0	15.2	12.8	11.8	13.8	19.0	-	(22.0)	24.4	-
11/78/ 7/ 4	1400	28.9	25.8	26.3	22.4	18.4	15.3	14.5	16.2	21.3	-	28.7	28.0	-
	2000	30.8	27.6	28.4	24.4	20.4	17.4	16.2	18.9	22.5	-	29.5	30.2	-
30CM	0800	26.4	24.2	24.8	20.8	17.1	14.6	13.7	15.4	20.4	23.2	24.6	25.8	20.9
12/77/ 7/ 4	1400	26.6	24.7	25.2	21.2	17.3	14.8	14.0	15.3	20.0	23.4	24.9	26.1	21.1
	2000	28.9	26.5	27.3	23.0	19.3	16.7	15.9	17.5	21.7	25.3	26.9	28.2	23.1
60CM	0800	27.1	25.2	25.9	22.5	19.0	16.5	15.6	16.4	20.1	23.1	24.7	25.8	21.3
0/85/ 9/ 6	1400	26.8	25.0	25.6	22.2	18.8	16.2	15.4	16.2	19.9	22.9	24.5	25.6	21.0
	2000	26.8	24.9	25.4	22.1	18.7	16.1	15.3	16.1	19.9	23.0	24.4	25.6	21.3
120CM	0800	25.8	24.8	25.2	22.8	20.2	17.7	16.5	16.8	19.1	21.6	23.3	24.4	21.5
1/88/ 6/ 5	1400	25.8	24.8	25.2	22.8	20.5	17.7	16.6	16.8	19.1	21.7	23.3	24.4	21.6
	2000	25.8	24.8	25.2	22.8	20.2	17.7	16.6	16.8	19.1	21.7	23.3	24.4	21.5

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
787/838	GOBABIS - SWA - TNK					Ø 22°28'S		λ 18°58'E			H 1436M			1971
GRAS/GRASS		15.9	14.7	13.2	10.3	5.1	4.5	1.7	0.0	7.1	9.5	12.5	14.1	9.1
ABS MIN		12.3	12.0	9.0	5.2	-2.5	-4.1	-9.4	-8.7	0.5	2.4	5.5	9.1	-9.4
DAT		22	27	4	9	17	26	18	21	8	24	18	6	-
GROND/SOIL		KLEUR VAN BOGROND				- XX -	COLOUR OF TOPSOIL							
10CM	0800	-	-	-	-	-	11.3	10.3	10.9	17.2	20.1	21.0	24.0	-
XX/XX/XX/XX	1400	-	-	-	-	-	20.7	19.8	22.2	28.4	32.2	34.6	37.6	-
	2000	-	-	-	-	-	18.7	18.2	21.7	27.1	29.9	30.3	34.7	-
20CM	0800	27.0	25.4	24.6	-	-	14.6	13.6	14.5	20.1	23.0	23.7	27.0	-
XX/XX/XX/XX	1400	34.5	30.3	31.0	-	-	17.6	16.6	18.3	24.3	28.0	29.7	32.7	-
	2000	34.8	(31.1)	31.3	-	-	19.4	19.0	21.2	27.1	29.8	31.0	34.5	-
30CM	0800	26.6	24.5	26.4	22.8	18.7	16.6	15.7	16.7	21.9	24.8	25.9	29.1	22.5
XX/XX/XX/XX	1400	27.6	25.1	26.8	23.3	19.1	17.1	15.9	17.1	22.2	25.5	26.7	29.6	23.0
	2000	29.6	27.0	29.1	25.3	21.2	19.0	18.2	19.8	24.9	27.9	29.2	31.9	25.3
60CM	0800	27.3	25.7	27.5	24.5	21.0	18.6	17.6	18.3	22.5	25.6	26.9	29.3	23.7
XX/XX/XX/XX	1400	27.0	25.5	27.3	24.3	20.8	18.4	17.5	18.1	22.3	25.4	26.6	29.1	23.5
	2000	27.0	25.4	27.1	24.2	20.7	18.3	17.4	18.0	22.2	25.3	26.6	29.0	23.4
120CM	0800	26.1	25.2	26.7	24.4	21.7	19.2	18.1	18.5	21.6	24.6	26.0	27.9	23.3
XX/XX/XX/XX	1400	26.2	25.3	26.8	24.5	21.7	19.3	18.2	18.5	21.7	24.6	25.9	28.0	23.4
	2000	26.2	25.2	26.7	24.4	21.6	19.2	18.1	18.5	21.6	24.6	25.9	28.0	23.3
809/706	MACUVILLE - AGR					Ø 22°16'S		λ 29°54'E			H 522M			1971
GRAS/GRASS		-	17.8	18.9	16.9	9.6	4.4	4.9	6.0	11.7	15.4	-	17.6	-
ABS MIN		-	12.5	15.4	12.2	1.1	0.0	1.0	-1.2	7.2	10.2	-	11.9	-
DAT		-	19	18	27	19	3	16	1	11	20	-	23	-
GROND/SOIL		KLEUR VAN BOGROND				- VW -	COLOUR OF TOPSOIL							
10CM	0800	26.1	26.6	27.6	23.1	16.2	12.5	12.3	15.0	20.9	24.6	26.7	29.4	21.7
61/32/ 5/ 2	1400	36.7	39.1	42.6	34.1	26.8	24.0	25.8	30.1	35.7	38.7	39.0	44.6	34.8
	2000	30.4	31.9	33.1	26.9	20.3	17.0	17.5	20.7	25.3	25.6	26.9	29.8	25.5
20CM	0800	28.1	29.8	31.1	26.2	20.6	17.2	17.2	19.4	23.6	25.3	26.1	29.6	24.5
61/32/ 5/ 2	1400	30.5	31.3	32.5	28.0	22.0	18.3	18.4	20.6	25.5	27.6	29.3	32.6	26.4
	2000	32.0	33.4	34.4	29.5	23.4	19.9	20.3	22.7	27.4	29.2	30.5	33.9	28.1
30CM	0800	29.0	30.4	31.7	27.2	21.9	18.2	18.1	20.1	24.3	26.1	27.1	30.5	25.4
8/79/ 8/ 5	1400	29.7	30.9	32.1	27.8	22.4	18.6	18.6	20.6	24.9	26.9	28.4	31.4	26.0
	2000	31.2	32.6	33.5	29.1	23.4	19.8	20.1	22.0	26.4	28.5	29.9	33.0	27.5
60CM	0800	29.9	30.9	32.0	29.0	24.7	21.0	20.3	21.4	24.6	26.8	28.0	30.7	26.6
8/79/ 8/ 5	1400	29.9	30.9	31.9	28.9	24.7	21.0	20.3	21.4	24.6	26.7	27.9	30.5	26.6
	2000	29.8	30.8	31.9	28.8	24.5	20.9	20.3	21.4	24.6	26.7	27.9	30.5	26.5
120CM	0800	29.3	29.8	30.6	29.4	26.7	23.4	22.0	22.0	23.8	25.7	26.8	28.6	26.5
8/79/ 8/ 5	1400	29.3	29.8	30.6	29.4	26.7	23.4	22.0	22.0	23.8	25.7	26.8	28.6	26.5
	2000	29.3	29.8	30.7	29.4	26.7	23.4	22.0	22.0	23.8	25.7	26.8	28.6	26.5
868/613	UIS - SWA					Ø 21°13'S		λ 14°51'E			H 791M			1971
GRAS/GRASS		14.3	18.5	17.6	15.8	13.7	9.9	8.0	6.0	10.1	10.1	10.5	11.5	12.2
ABS MIN		8.5	13.0	11.3	10.1	8.9	3.5	0.6	0.3	3.0	3.2	5.6	6.1	0.3
DAT		23	1	4	8	20	15	10	20	6	15	15	16	-
GROND/SOIL		KLEUR VAN BOGROND				- XX -	COLOUR OF TOPSOIL							
10CM	0800	24.6	25.1	26.8	25.3	22.9	18.0	16.7	16.5	20.2	21.3	-	-	-
6/85/ 7/ 2	1400	29.2	30.0	30.5	(28.7)	25.7	20.4	19.4	19.8	24.0	25.6	-	-	-
	2000	32.2	31.6	32.5	(31.1)	28.2	23.2	21.9	22.8	26.4	28.4	-	-	-
20CM	0800	25.7	26.0	27.5	26.3	23.8	19.0	17.9	17.8	21.3	22.5	23.9	24.7	23.0
6/85/ 6/ 3	1400	27.2	28.2	29.0	(27.4)	25.0	19.4	18.4	18.6	22.6	24.0	25.7	26.1	(24.3)
	2000	30.9	30.8	32.0	(30.0)	26.9	22.0	20.8	21.5	24.8	26.9	(27.9)	(29.5)	(27.0)
30CM	0800	26.3	26.6	28.0	26.7	24.3	19.7	18.6	18.6	22.0	23.1	23.7	25.3	23.6
8/84/ 5/ 3	1400	27.6	27.9	28.5	27.6	24.3	20.4	19.4	19.6	23.3	25.4	25.9	26.5	24.7
	2000	30.0	30.3	31.5	29.5	26.9	22.2	21.1	21.6	25.2	26.5	27.9	28.8	26.8
60CM	0800	27.8	28.1	29.2	28.1	26.1	22.1	20.8	20.8	23.3	24.5	26.0	26.7	25.3
14/78/ 6/ 2	1400	27.6	28.0	29.1	28.0	26.0	22.0	20.7	20.6	23.2	24.4	25.9	26.5	25.2
	2000	27.6	28.0	28.9	27.9	25.9	21.9	20.6	20.6	23.2	24.2	25.9	26.4	25.1
120CM	0800	27.2	27.4	28.1	27.7	27.1	24.7	23.1	22.6	23.3	24.4	25.5	26.2	25.6
41/54/ 3/ 2	1400	27.2	27.4	28.1	28.0	27.1	24.7	23.1	22.6	23.4	24.4	25.5	26.1	25.6
	2000	27.2	27.4	28.0	27.9	27.0	24.7	23.0	22.5	23.3	24.3	25.5	26.1	25.6
1010/186	GROOTFONTEIN - SWA - WK					Ø 19°36'S		λ 18° 7'E			H 1405M			1971
GROND/SOIL		KLEUR VAN BOGROND				- XX -	COLOUR OF TOPSOIL							
10CM	0800	21.8	21.5	22.9	21.7	16.0	14.0	13.1	14.0	19.0	23.5	24.4	24.8	19.7
XX/XX/XX/XX	1400	31.4	29.9	31.9	30.9	25.2	22.2	21.6	23.9	29.3	34.9	35.6	37.3	29.5
	2000	28.8	27.9	30.2	29.4	23.5	20.9	20.7	23.4	28.5	33.2	33.5	35.1	27.9
20CM	0800	23.5	22.8	24.3	23.5	18.3	16.3	15.6	17.1	21.6	25.8	26.6	27.1	21.9
XX/XX/XX/XX	1400	26.7	25.6	27.5	26.5	20.8	18.1	17.4	18.9	23.7	28.2	29.1	30.3	24.4
	2000	28.8	27.6	30.0	29.1	23.3	20.8	20.3	22.5	26.8	31.2	31.9	33.4	27.1
30CM	0800	25.4	24.5	26.3	25.5	20.5	18.0	17.3	18.5	22.8	27.0	27.9	28.9	23.5
XX/XX/XX/XX	1400	26.2	25.2	26.7	26.0	21.0	18.4	17.7	19.0	23.3	27.6	28.8	29.8	24.1
	2000	28.4	27.4	28.9	28.2	23.1	20.2	19.6	21.2	25.4	29.7	30.7	31.9	26.2
60CM	0800	26.2	25.6	27.2	26.6	22.7	20.0	19.1	19.9	23.2	26.8	28.5	29.3	24.6
XX/XX/XX/XX	1400	26.0	25.4	26.7	26.4	22.5	19.9	19.0	19.8	23.1	26.7	28.3	29.2	24.4
	2000	26.1	25.4	27.0	26.3	22.5	19.8	18.9	19.7	23.0	26.7	28.3	29.2	24.4
120CM	0800	25.7	25.4	26.6	26.3	24.0	21.5	20.3	20.4	22.3	25.2	27.2	28.2	24.4
XX/XX/XX/XX	1400	25.7	25.4	26.7	26.3	24.1	21.5	20.4	20.4	22.4	25.3	27.2	28.2	24.5
	2000	25.7	25.4	26.6	26.3	24.0	21.4	20.3	20.3	22.4	25.2	27.2	28.2	24.4

GEMIDDELDE GRASMINIMUM EN GRONDTEMPERATURE °C

MEAN GRASS MINIMUM AND SOIL TEMPERATURES °C

	SAST	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	J/Y
1200/866	ONDANGWA - SWA - POS					Ø 17°56'S		λ 15°59'E			H 1095M			1971
GROND/SOIL		KLEUR VAN BOGROND			-	XX -	COLOUR OF TOPSOIL							
10CM	0800	(23.3)	(22.3)	23.8	23.2	(20.3)	17.3	16.1	16.4	21.2	24.4	26.0	-	-
0/96/ 2/ 2	1400	-	(28.4)	30.6	31.2	(26.2)	23.4	23.5	23.4	28.3	32.1	33.8	-	-
	2000	-	(26.6)	(29.8)	(29.8)	(26.4)	(24.7)	(23.5)	25.1	29.5	(33.4)	34.9	-	-
20CM	0800	-	(23.2)	25.0	-	-	-	-	19.6	24.0	26.6	28.2	-	-
0/96/ 2/ 2	1400	-	(26.2)	28.4	-	-	-	-	20.4	24.4	27.7	29.5	-	-
	2000	-	(26.6)	(29.2)	-	-	-	-	23.3	27.4	(30.8)	32.5	-	-
30CM	0800	26.5	24.6	26.5	26.5	23.5	21.0	20.0	20.6	24.3	27.4	29.2	-	-
0/87/ 5/ 8	1400	-	24.8	26.5	26.5	23.4	20.8	19.8	20.3	24.2	27.4	29.1	-	-
	2000	-	26.0	27.6	28.3	24.9	22.4	21.5	22.1	25.7	29.0	30.7	-	-
60CM	0800	27.6	25.5	27.2	27.4	24.8	22.3	21.3	21.6	24.6	27.5	29.5	-	-
0/89/ 3/ 8	1400	-	25.4	27.0	27.2	24.5	22.1	21.1	21.3	24.4	27.3	29.1	-	-
	2000	-	25.4	26.9	27.2	24.5	22.1	21.1	21.4	24.4	27.4	29.2	-	-
120CM	0800	28.1	26.2	(26.7)	-	-	-	(22.4)	22.3	24.1	-	-	-	-
0/93/ 2/ 5	1400	-	26.2	(26.7)	-	-	-	(22.5)	22.4	24.2	-	-	-	-
	2000	-	26.2	(26.7)	-	-	-	(22.4)	22.4	24.1	-	-	-	-
1208/475	RUNDU - SWA - NAF					Ø 17°55'S		λ 19°46'E			H 1102M			1971
GROND/SOIL		KLEUR VAN BOGROND			-	XX -	COLOUR OF TOPSOIL							
10CM	0800	22.6	22.9	(24.1)	-	18.6	16.2	15.3	16.7	24.7	27.2	26.4	26.7	-
0/96/ 3/ 1	1400	29.9	32.6	-	-	25.2	21.2	20.5	23.3	28.9	33.0	34.0	35.0	-
	2000	27.4	29.2	-	-	25.4	23.1	24.1	24.4	28.9	36.3	34.8	34.6	-
20CM	0800	24.7	25.2	27.0	25.5	21.5	19.7	19.1	19.1	25.5	29.8	29.6	29.6	24.7
0/97/ 2/ 1	1400	26.8	28.4	28.8	27.3	22.7	19.6	18.8	20.7	26.1	29.8	30.3	31.3	25.9
	2000	28.4	30.1	31.8	30.1	26.0	22.7	22.1	24.8	27.8	33.2	33.4	33.9	28.7
30CM	0800	25.4	26.2	27.9	26.6	23.1	20.9	20.2	20.7	25.7	29.9	30.9	30.3	25.7
0/96/ 3/ 1	1400	25.6	26.5	27.8	26.5	22.8	20.4	19.8	20.3	25.8	29.7	29.7	30.2	25.4
	2000	27.0	28.5	29.7	28.2	24.2	21.4	20.7	22.4	28.3	30.6	30.8	31.5	26.9
60CM	0800	26.2	27.0	28.6	27.5	24.5	22.1	21.3	21.8	25.6	29.3	29.8	30.4	26.2
0/95/ 4/ 1	1400	26.0	26.6	28.2	27.1	24.3	21.9	21.3	21.6	25.6	29.1	29.7	30.3	26.0
	2000	26.2	27.1	28.4	27.2	24.2	21.9	21.1	21.6	25.6	29.1	29.6	30.2	26.0
120CM	0800	26.7	26.7	28.1	27.5	25.8	23.9	22.9	22.6	24.8	27.3	28.5	29.3	26.2
3/92/ 3/ 2	1400	26.7	26.8	28.1	27.5	25.8	23.9	22.9	22.6	24.8	27.3	28.4	29.3	26.2
	2000	26.6	26.7	28.1	27.5	25.8	23.9	22.9	22.6	24.8	27.3	28.4	29.3	26.2

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		KAAP AGULHAS - VRT 3/ 20 34°50'S H 6M 20°01'E					RIVERSDALE 10/456 34°06'S H 117M 21°16'E					D.F.MALAN - WK*** 21/178 33°58'S H 44M 18°36'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1- 1- 5- 1	21.7	15.5	18.6		0.0	27.3	12.1	19.7	58.1	0.0	26.4	13.6	20.0	61.8	0.0
2	6- 1-10- 1	22.8	17.3	20.1		1.0	28.2	17.9	23.1	23.9	3.6	28.1	16.3	22.2	54.5	1.3
3	11- 1-15- 1	23.6	15.1	19.3		1.2	28.7	13.8	21.3	47.8	2.5	22.8	12.1	17.5	32.0	5.4
4	16- 1-20- 1	22.6	16.9	19.7		0.1	25.8	14.4	20.1	35.6	1.0	24.1	15.0	19.5	49.6	0.0
5	21- 1-25- 1	22.7	17.6	20.1		0.0	26.8	15.2	21.0	32.8	2.0	26.6	14.0	20.3	53.3	0.0
6	26- 1-30- 1	24.3	19.1	21.7		0.0	29.9	19.2	24.5	31.8	0.0	26.5	17.0	21.7	51.6	0.0
7	31- 1- 4- 2	23.1	17.5	20.3		0.0	27.2	16.8	22.0	24.7	2.0	24.5	16.5	20.5	52.8	2.4
8	5- 2- 9- 2	24.7	19.5	22.1		0.0	29.8	18.2	24.0	41.1	0.0	33.0	16.8	24.9	61.8	0.0
9	10- 2-14- 2	23.7	17.2	20.5		0.0	28.6	17.9	23.3	31.0	9.5	25.3	15.3	20.3	54.3	0.1
10	15- 2-19- 2	22.4	17.4	19.9		0.8	24.0	14.8	19.4	44.4	36.5	26.7	15.4	21.1	58.4	0.0
11	20- 2-24- 2	23.4	18.6	21.0		0.5	27.4	17.1	22.3	38.4	3.5	28.0	15.9	21.9	57.3	0.2
12	25- 2- 1- 3	22.3	16.6	19.5		7.3	24.7	16.1	20.4	30.6	25.5	22.6	16.0	19.3	36.2	0.6
13	2- 3- 6- 3	24.0	18.8	21.4		0.0	26.3	14.8	20.5	45.5	0.0	25.5	15.2	20.3	56.6	0.0
14	7- 3-11- 3	23.5	17.0	20.3		2.0	27.4	14.5	20.9	49.2	0.0	24.1	12.5	18.3	51.1	0.0
15	12- 3-16- 3	23.1	17.8	20.5		0.0	28.2	16.9	22.5	31.7	4.0	25.4	12.5	18.9	50.4	0.0
16	17- 3-21- 3	22.9	17.3	20.1		8.0	26.6	16.4	21.5	39.4	19.0	25.7	13.5	19.6	43.7	2.2
17	22- 3-26- 3	19.4	15.0	17.2		3.8	21.7	14.7	18.2	25.7	24.0	22.6	14.1	18.3	34.8	8.0
18	27- 3-31- 3	21.3	15.6	18.5		1.5	27.9	12.4	20.1	42.9	3.0	27.9	10.5	19.2	55.1	0.0
19	1- 4- 5- 4	18.8	14.6	16.7		32.0	22.3	14.6	18.5	16.2	88.5	21.2	13.5	17.3	39.3	0.0
20	6- 4-10- 4	19.2	14.0	16.6		0.7	21.5	11.2	16.3	35.9	3.0	23.3	8.6	15.9	45.4	1.7
21	11- 4-15- 4	19.1	13.0	16.1		1.0	20.5	8.3	14.4	31.9	0.0	19.8	10.9	15.3	41.0	0.0
22	16- 4-20- 4	20.0	15.0	17.5		0.2	24.2	12.9	18.5	37.3	0.0	22.0	11.8	16.9	46.3	0.0
23	21- 4-25- 4	21.2	14.4	17.8		0.0	25.3	9.7	17.5	37.1	0.0	23.6	11.2	17.4	29.5	6.4
24	26- 4-30- 4	21.1	15.5	18.3		5.0	26.9	13.3	20.1	40.4	5.5	20.5	12.9	16.7	19.5	9.9
25	1- 5- 5- 5	18.5	12.8	15.7		0.0	19.1	7.3	13.2	33.7	3.0	18.7	10.5	14.6	46.7	0.0
26	6- 5-10- 5	20.0	14.2	17.1		2.0	24.0	9.3	16.7	36.1	16.5	21.8	7.4	14.6	34.7	1.9
27	11- 5-15- 5	19.7	13.8	16.7		6.0	22.7	9.4	16.1	35.9	7.5	21.0	9.1	15.1	45.5	11.1
28	16- 5-20- 5	17.8	11.2	14.5		12.2	20.9	8.2	14.5	31.2	12.0	18.5	5.4	11.9	36.1	29.7
29	21- 5-25- 5	18.4	11.7	15.1		0.4	21.3	1.7	12.5	34.0	0.0	19.2	7.4	13.3	33.3	4.2
30	26- 5-30- 5	17.9	14.8	16.3		14.2	19.7	8.3	14.0	30.7	10.0	21.3	8.2	14.7	39.1	0.5
31	31- 5- 4- 6	17.9	13.5	15.7		0.0	22.7	6.7	14.7	28.3	2.5	20.3	8.0	14.1	34.7	0.1
32	5- 6- 9- 6	18.5	11.1	14.8		0.0	20.3	6.4	13.3	34.9	0.0	18.3	6.0	12.1	34.5	0.5
33	10- 6-14- 6	20.0	12.7	16.3		29.0	22.2	7.4	14.8	23.1	12.0	19.1	9.5	14.3	26.9	17.0
34	15- 6-19- 6	15.5	8.6	12.1		40.7	15.4	4.5	9.9	18.7	8.0	15.9	4.7	10.3	36.6	1.3
35	20- 6-24- 6	16.6	11.7	14.1		10.2	17.6	9.4	13.5	21.9	10.0	16.3	9.5	12.9	18.3	22.6
36	25- 6-29- 6	16.5	9.5	13.0		10.5	19.0	3.6	11.3	31.5	0.0	16.2	4.2	10.2	32.3	1.1
37	30- 6- 4- 7	15.5	10.9	13.2		37.0	18.2	7.6	12.9	25.5	20.0	15.3	9.6	12.5	17.9	24.5
38	5- 7- 9- 7	16.1	10.4	13.3		10.0	17.3	7.1	12.2	20.5	35.0	16.3	5.6	10.9	32.9	7.6
39	10- 7-14- 7	17.4	11.3	14.3		0.1	20.3	7.4	13.9	31.6	0.0	18.6	7.1	12.9	36.0	15.0
40	15- 7-19- 7	16.0	10.3	13.1		26.2	16.4	6.0	11.2	23.1	17.0	15.3	6.6	10.9	25.2	17.5
41	20- 7-24- 7	16.4	10.5	13.5		3.0	17.7	4.6	11.1	28.9	5.0	16.6	3.7	10.1	37.9	4.6
42	25- 7-29- 7	15.3	9.9	12.6		12.0	18.6	5.6	12.1	32.4	17.0	17.8	5.3	11.5	38.8	6.4
43	30- 7- 3- 8	16.6	9.6	13.1		3.7	18.0	7.6	12.8	17.9	17.5	16.4	7.5	11.9	23.4	15.1
44	4- 8- 8- 8	16.2	9.2	12.7		5.2	17.5	5.5	11.5	32.7	0.0	15.0	7.8	11.4	15.9	11.3
45	9- 8-13- 8	16.4	11.9	14.1		0.0	19.8	8.0	13.9	36.3	0.0	19.9	6.9	13.4	39.9	2.3
46	14- 8-18- 8	16.7	10.6	13.7		14.5	19.1	6.7	12.9	25.7	7.5	15.0	9.7	12.3	18.3	23.0
47	19- 8-23- 8	14.6	9.7	12.1		15.0	15.2	6.6	10.9	19.9	43.5	16.7	6.4	11.5	43.3	3.5
48	24- 8-28- 8	14.8	8.6	11.7		10.0	17.0	3.5	10.3	42.6	10.5	15.1	3.1	9.1	41.1	26.1
49	29- 8- 2- 9	15.5	10.1	12.8		3.0	16.3	6.8	11.5	14.4	2.0	14.8	4.9	9.9	26.7	5.4
50	3- 9- 7- 9	13.6	7.3	10.5		9.5	15.0	3.2	9.1	27.2	7.0	13.7	4.0	8.9	36.2	23.4
51	8- 9-12- 9	16.7	11.2	13.9		0.0	21.0	5.2	13.1	43.5	0.0	19.8	6.1	12.9	43.7	0.0
52	13- 9-17- 9	17.0	11.8	14.4		1.6	18.5	8.4	13.5	25.9	1.7	17.8	7.8	12.8	28.6	0.7
53	18- 9-22- 9	17.7	13.5	15.6		0.6	21.7	7.9	14.8	35.7	1.5	20.7	8.2	14.5	40.1	0.0
54	23- 9-27- 9	17.7	11.6	14.7		10.3	20.8	8.0	14.4	23.6	1.5	16.7	7.8	12.3	23.9	3.4
55	28- 9- 2.10	16.1	9.0	12.5		4.0	19.2	5.0	12.1	36.6	0.0	17.7	3.6	10.7	43.6	1.2
56	3.10- 7.10	18.0	13.1	15.5		0.3	21.9	7.0	14.5	38.7	0.0	20.8	10.4	15.6	55.1	0.2
57	8.10-12.10	19.6	15.1	17.3		0.0	25.1	12.8	18.9	40.0	0.0	25.0	10.9	17.9	42.6	4.1
58	13.10-17.10	19.0	12.7	15.9		10.1	21.4	12.0	16.7	29.5	14.5	18.5	10.3	14.4	38.8	13.9
59	18.10-22.10	18.4	11.5	14.9		14.5	21.8	8.1	14.9	31.7	20.0	20.6	9.7	15.1	44.9	4.2
60	23.10-27.10	19.0	12.2	15.6		0.0	23.4	6.9	15.1	53.9	0.0	22.3	10.2	16.3	61.4	0.0
61	28.10- 1.11	19.8	15.3	17.5		10.0	26.1	13.5	19.8	42.2	24.0	23.1	13.5	18.3	49.8	1.2
62	2.11- 6.11	19.2	13.8	16.5		7.6	21.0	11.1	16.1	35.6	18.0	22.7	10.5	16.6	54.3	0.1
63	7.11-11.11	19.4	14.6	17.0		20.0	22.5	11.3	16.9	39.4	8.5	23.4	11.2	17.3	52.6	0.0
64	12.11-16.11	19.7	14.1	16.9		5.1	21.6	12.7	17.1	39.7	10.0	22.3	11.5	16.9	58.4	2.2
65	17.11-21.11	20.9	14.9	17.9		2.2	25.4	10.9	18.1	55.2	0.0	22.9	11.6	17.3	57.3	0.9
66	22.11-26.11	22.0	17.2	19.6		1.5	28.0	15.9	21.9	41.3	0.0	25.4	13.8	19.6	57.6	0.0
67	27.11- 1.12	20.8	15.7	18.3		4.2	23.7	13.7	18.7	24.0	4.5	24.8	14.9	19.9	58.6	0.0
68	2.12- 6.12	20.4	15.4	17.9		1.8	24.1	15.0	19.5	30.8	3.3	23.9	14.0	18.9	45.1	2.5
69	7.12-11.12	21.3	16.2	18.7		61.0	25.0	12.6	18.8	41.1	8.5	24.7	15.1	19.9	54.1	2.6
70	12.12-16.12	21.4	15.1	18.3		0.2	25.7	13.3	19.5	48.5	1.3	22.8	13.1	17.9	55.0	0.0
71	17.12-21.12	22.8	16.8	19.8		0.0	27.3	13.8	20.5	53.4	0.0	25.3	14.9	20.1	57.7	0.1
72	22.12-26.12	23.6	17.1	20.3		0.3	31.2	15.5	23.3	55.2	0.0	25.2	14.8	20.0	42.1	10.3
73	27.12-31.12	24.7	19.5	22.1		0.0	30.7	18.4	24.5	50.9	0.0	28.3	17.7	23.0	63.9	0.0

*** Stasie verskuif; kyk na bl. XXI / Station shifted; see p. XXI

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		ELSENBURG II - AGR 21/591A 33°51'S 18°50'E H 162M					ROBERTSON - AGR 23/710 33°50'S 19°54'E H 156M					ROODHEUWEL - AGR 28/428 33°38'S 22°15'E H 301M				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	28.7	10.7	19.7	63.3	0.0	30.4	10.9	20.7	59.8	0.0	30.2	11.5	20.9	65.5	0.0
2	6. 1-10. 1	31.7	14.0	22.9	52.6	0.1	30.9	17.2	24.1	44.7	0.0	32.0	17.4	24.7	57.0	19.8
3	11. 1-15. 1	23.7	12.2	17.9	33.3	2.1	28.4	13.9	21.1	52.5	0.7	30.0	14.7	22.3	62.0	0.0
4	16. 1-20. 1	26.0	13.0	19.5	51.6	0.0	28.8	13.6	21.2	49.6	0.0	27.4	15.3	21.3	39.8	0.0
5	21. 1-25. 1	29.6	13.7	21.7	55.9	0.0	29.0	14.7	21.9	41.3	0.1	29.8	14.4	22.1	56.5	0.0
6	26. 1-30. 1	28.8	16.1	22.5	52.7	0.0	32.4	18.5	25.5	44.8	0.0	33.9	17.3	25.6	52.0	0.0
7	31. 1- 4. 2	25.4	13.2	19.3	52.9	2.5	27.9	16.7	22.3	32.4	0.0	29.8	16.9	23.3	45.0	0.5
8	5. 2- 9. 2	34.6	18.1	26.3	59.3	0.2	31.6	18.2	24.9	44.3	0.5	32.4	18.0	25.2	52.0	0.0
9	10. 2-14. 2	28.3	13.9	21.1	55.2	0.0	31.5	17.2	24.3	51.2	0.2	33.0	17.9	25.5	40.5	1.5
10	15. 2-19. 2	30.8	15.3	23.1	57.3	0.0	28.6	13.4	21.0	39.3	0.4	30.7	15.9	23.3	45.1	7.9
11	20. 2-24. 2	33.3	15.7	24.5	58.2	0.0	31.1	16.6	23.9	43.6	0.0	31.3	17.7	24.5	45.5	0.0
12	25. 2- 1. 3	24.8	15.2	20.0	47.6	0.0	25.8	15.7	20.7	32.6	2.0	26.1	14.2	20.1	33.6	2.3
13	2. 3- 6. 3	28.7	12.3	20.5	55.2	0.0	29.3	16.7	23.0	50.9	0.0	29.4	13.6	21.5	56.6	0.0
14	7. 3-11. 3	26.1	12.1	19.1	53.3	0.0	28.8	12.9	20.9	52.7	0.0	29.3	13.1	21.2	54.8	0.0
15	12. 3-16. 3	28.6	12.4	20.5	47.9	0.0	31.7	12.8	22.3	45.7	0.0	34.5	15.8	25.1	40.0	11.6
16	17. 3-21. 3	26.9	14.5	20.7	44.3	3.9	28.6	14.7	21.7	43.6	13.5	25.9	16.4	21.1	30.6	12.5
17	22. 3-26. 3	23.4	14.3	18.9	31.8	11.8	21.9	15.0	18.5	20.3	11.6	24.6	14.3	19.5	30.0	2.1
18	27. 3-31. 3	30.5	11.2	20.9	54.5	0.0	29.7	12.0	20.9	41.4	0.0	30.0	11.7	20.9	50.7	0.0
19	1. 4- 5. 4	23.0	13.1	18.1	43.2	0.3	21.0	13.8	17.4	10.7	24.5	22.0	14.9	18.5	12.8	59.7
20	6. 4-10. 4	23.3	10.0	16.7	40.8	1.6	21.7	9.4	15.5	30.8	0.0	21.5	9.2	15.3	41.5	0.9
21	11. 4-15. 4	21.1	6.3	13.7	49.6	0.0	21.1	7.1	14.1	41.9	0.0	21.1	6.3	13.7	49.0	0.0
22	16. 4-20. 4	23.9	9.8	16.9	46.2	0.0	25.1	10.2	17.7	41.2	0.0	24.4	9.9	17.1	49.0	0.0
23	21. 4-25. 4	25.3	10.9	18.1	31.2	4.0	27.1	9.8	18.5	36.5	0.0	27.2	9.5	18.3	42.7	0.0
24	26. 4-30. 4	22.0	13.1	17.5	16.3	5.7	26.9	16.1	21.5	40.0	11.0	28.1	11.6	19.9	43.8	1.2
25	1. 5- 5. 5	19.1	7.0	13.1	39.8	0.0	19.9	7.6	13.7	33.4	0.0	18.3	6.7	12.5	30.2	1.5
26	6. 5-10. 5	23.1	8.7	15.9	35.1	0.0	24.4	6.5	15.5	35.0	4.0	25.9	7.2	16.5	38.0	6.6
27	11. 5-15. 5	22.9	9.3	16.1	46.5	11.3	24.1	8.9	16.5	39.3	0.4	21.6	8.8	15.2	33.3	0.5
28	16. 5-20. 5	18.4	6.4	12.4	36.6	52.8	20.3	3.2	11.7	31.8	18.0	19.4	4.0	11.7	42.5	10.6
29	21. 5-25. 5	19.5	7.7	13.6	31.4	2.6	21.0	4.7	12.9	32.6	0.0	19.8	1.2	10.5	40.1	0.0
30	26. 5-30. 5	22.0	8.4	15.2	37.7	0.3	19.5	8.0	13.7	29.3	1.4	19.5	2.7	11.1	41.5	0.0
31	31. 5- 4. 6	21.0	7.6	14.3	36.0	0.5	22.0	4.5	13.3	31.4	0.2	21.8	3.0	12.4	32.5	0.5
32	5. 6- 9. 6	18.4	6.9	12.7	30.2	0.0	21.3	3.6	12.5	43.0	0.0	20.3	7.1	13.7	31.7	10.7
33	10. 6-14. 6	18.7	10.2	14.5	20.9	19.0	21.5	7.4	14.5	26.1	1.3	21.4	4.9	13.1	39.4	0.0
34	15. 6-19. 6	15.9	4.3	10.1	37.6	0.0	15.1	3.0	9.1	22.2	0.4	13.5	2.3	7.9	19.5	0.0
35	20. 6-24. 6	16.2	10.2	13.2	16.2	16.9	18.4	8.7	13.5	29.1	20.0	18.9	5.8	12.3	26.0	2.4
36	25. 6-29. 6	16.1	5.2	10.7	32.5	9.5	18.5	2.6	10.5	38.3	0.2	17.1	0.7	8.9	31.2	0.0
37	30. 6- 4. 7	14.5	9.9	12.2	15.8	36.4	16.5	8.2	12.3	21.3	39.3	18.4	3.7	11.1	30.8	7.0
38	5. 7- 9. 7	15.7	5.8	10.7	31.2	5.0	16.2	6.1	11.1	23.9	7.0	15.8	4.2	10.0	17.9	16.7
39	10. 7-14. 7	17.7	6.9	12.3	36.0	5.1	20.0	5.0	12.5	42.0	0.0	19.0	6.2	12.6	31.3	0.4
40	15. 7-19. 7	14.3	6.8	10.5	21.2	44.2	16.0	5.6	10.8	18.5	14.0	15.0	4.3	9.7	26.0	4.1
41	20. 7-24. 7	16.2	4.5	10.3	38.4	4.5	18.2	3.0	10.6	31.5	7.0	17.1	0.1	8.6	43.5	1.0
42	25. 7-29. 7	17.4	3.9	10.7	38.7	0.0	19.1	4.3	11.7	34.5	11.0	18.1	3.7	10.9	35.4	27.3
43	30. 7- 3. 8	15.6	7.1	11.3	18.5	9.3	16.5	6.4	11.5	16.9	2.3	15.6	5.7	10.7	14.1	4.9
44	4. 8- 8. 8	14.0	7.1	10.5	12.1	20.1	17.0	7.0	12.0	29.9	0.3	17.1	3.2	10.1	37.5	0.0
45	9. 8-13. 8	19.7	5.8	12.7	42.1	3.3	20.1	6.5	13.3	33.5	0.0	19.7	3.7	11.7	40.0	0.0
46	14. 8-18. 8	14.1	8.2	11.1	19.3	27.4	16.3	8.6	12.5	21.6	23.4	17.6	5.3	11.5	29.0	0.7
47	19. 8-23. 8	16.2	6.2	11.2	41.7	2.8	15.9	6.4	11.1	25.3	37.7	13.9	5.8	9.9	17.3	22.4
48	24. 8-28. 8	14.7	3.4	9.1	39.9	20.0	17.0	3.3	10.1	37.9	10.5	15.5	1.6	8.5	42.5	5.5
49	29. 8- 2. 9	14.1	4.8	9.5	23.4	6.8	16.2	6.9	11.5	28.0	2.2	18.5	4.4	11.5	31.8	0.0
50	3. 9- 7. 9	12.6	2.5	7.5	33.0	18.4	14.7	2.9	8.8	23.1	5.0	15.6	4.3	9.9	38.7	1.3
51	8. 9-12. 9	19.6	5.2	12.4	44.5	0.0	22.3	5.0	13.7	39.1	0.2	21.8	3.1	12.5	49.8	0.0
52	13. 9-17. 9	17.3	6.8	12.1	27.2	1.1	20.7	7.4	14.1	35.9	0.0	21.7	6.3	14.0	41.5	0.0
53	18. 9-22. 9	22.0	6.6	14.3	39.1	0.0	21.3	6.9	14.1	35.5	0.3	22.0	5.8	13.9	45.3	0.0
54	23. 9-27. 9	15.8	7.4	11.6	20.5	7.1	20.6	7.1	13.9	27.8	2.0	21.7	7.4	14.5	35.0	1.3
55	28. 9- 2.10	17.5	4.0	10.7	35.9	0.0	20.1	2.2	11.1	38.4	0.0	20.1	2.4	11.3	47.5	0.0
56	3.10- 7.10	22.6	5.6	14.1	54.0	0.2	22.8	7.3	15.1	44.7	0.0	23.6	4.8	14.2	53.0	0.0
57	8.10-12.10	25.1	10.1	17.6	43.5	2.1	27.0	12.4	19.7	50.5	0.0	27.6	11.2	19.4	46.6	0.0
58	13.10-17.10	18.2	9.4	13.8	30.1	12.7	21.5	11.4	16.5	41.4	0.0	22.3	9.9	16.1	29.6	0.0
59	18.10-22.10	21.1	7.5	14.3	42.9	8.8	23.5	8.6	16.1	30.6	6.0	23.6	7.4	15.5	35.2	8.0
60	23.10-27.10	23.9	6.7	15.3	59.7	0.0	24.5	6.3	15.4	52.5	0.0	24.5	5.2	14.9	54.4	1.5
61	28.10- 1.11	24.3	11.2	17.7	49.6	5.1	26.1	12.9	19.5	40.3	21.7	28.3	12.3	20.3	46.3	1.0
62	2.11- 6.11	23.4	10.6	17.0	54.0	0.0	23.0	10.8	16.9	35.1	14.0	23.3	8.8	16.1	39.2	3.7
63	7.11-11.11	25.3	9.3	17.3	51.9	0.0	25.3	10.8	18.1	41.1	0.0	24.5	9.8	17.1	36.5	5.6
64	12.11-16.11	23.5	9.5	16.5	58.0	2.8	24.5	12.5	18.5	53.1	13.3	23.5	10.6	17.1	45.5	5.2
65	17.11-21.11	25.0	9.8	17.4	57.8	0.3	26.7	10.4	18.5	56.5	0.0	28.1	8.7	18.4	60.9	0.0
66	22.11-26.11	29.2	11.0	20.1	55.7	0.0	29.6	14.5	22.1	42.5	0.0	32.2	11.4	21.8	56.1	0.0
67	27.11- 1.12	25.6	12.2	18.9	61.2	0.0	24.9	15.1	20.0	31.0	0.0	27.2	13.1	20.1	49.5	0.0
68	2.12- 6.12	23.9	13.3	18.6	43.2	2.7	25.9	14.9	20.4	31.5	0.2	26.7	15.2	20.9	47.8	0.0
69	7.12-11.12	26.2	13.6	19.9	54.8	1.6	27.1	13.3	20.2	32.9	10.2	28.8	12.9	20.9	46.1	1.0
70	12.12-16.12	24.8	10.6	17.7	59.1	0.0	26.8	13.9	20.3	50.6	0.0	26.8	10.5	18.7	53.5	0.0
71	17.12-21.12	28.7	13.9	21.3	56.8	2.1	28.0	13.2	20.6	58.7	0.0	29.3	10.6	19.9	49.5	0.0
72	22.12-26.12	26.7	14.6	20.7	41.0	3.9	31.1	14.5	22.8	52.8	0.0	33.0	13.0	23.0	55.5	0.0
73	27.12-31.12	32.6	15.6	24.1	60.7	0.0	33.8	17.2	25.5	53.3	0.0	34.5	17.0	25.7	63.4	0.0

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		GEORGE - AER 28/T48 33°58'S H 221M 22°25'E					PORT ELIZABETH - WK 35/179 33°59'S H 60M 25°36'E					LANGGEWENS - AGR 41/347 33°17'S H 91M 18°42'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	23.2	11.1	17.1		5.0	24.3	15.2	19.7	54.8	0.0	31.0	13.8	22.4		0.0
2	6. 1-10. 1	24.4	16.8	20.6		10.5	26.5	19.1	22.8	28.2	1.0	32.9	16.3	24.6		0.0
3	11. 1-15. 1	24.0	12.8	18.4		5.5	24.8	15.8	20.3	54.7	0.9	25.7	12.7	19.2		2.0
4	16. 1-20. 1	20.7	13.3	17.0		7.9	23.5	17.6	20.5	18.8	3.1	28.1	14.4	21.3		0.0
5	21. 1-25. 1	24.2	13.8	19.0		15.0	24.6	16.8	20.7	37.3	3.8	30.4	15.3	22.9		0.0
6	26. 1-30. 1	24.9	15.9	20.4		2.3	28.4	19.7	24.1	44.6	3.0	31.8	16.2	24.0		0.0
7	31. 1- 4. 2	24.0	16.1	20.1		13.5	25.0	18.8	21.9	22.2	2.0	28.6	14.9	21.7		0.0
8	5. 2- 9. 2	25.7	15.7	20.7		12.8	27.0	18.9	22.9	41.1	1.3	36.2	21.8	29.0		0.0
9	10. 2-14. 2	23.7	16.5	20.1		22.5	27.1	17.5	22.3	45.2	21.6	30.7	15.7	23.2		0.0
10	15. 2-19. 2	24.5	13.3	18.9		21.5	23.3	16.7	20.0	30.4	11.7	32.5	17.4	24.9		0.0
11	20. 2-24. 2	25.2	15.4	20.3		8.0	25.5	17.1	21.3	33.1	3.5	34.6	19.7	27.1		0.0
12	25. 2- 1. 3	22.4	15.2	18.8		21.5	25.0	17.8	21.4	38.2	1.2	26.4	14.6	20.5		0.0
13	2. 3- 6. 3	24.4	14.5	19.5		2.5	25.3	16.2	20.7	41.0	1.4	31.1	15.0	23.1		0.0
14	7. 3-11. 3	24.4	13.4	18.9		0.0	25.0	17.0	21.0	39.0	1.7	27.0	13.7	20.3		0.0
15	12. 3-16. 3	26.4	13.7	20.1		7.5	27.6	18.1	22.9	37.6	2.2	29.7	14.1	21.9		0.0
16	17. 3-21. 3	23.7	14.7	19.2		23.0	25.2	18.4	21.8	26.6	26.6	28.2	15.4	21.8		9.3
17	22. 3-26. 3	21.8	13.9	17.9		42.1	23.5	16.3	19.9	27.9	9.4	23.7	15.2	19.5		12.7
18	27. 3-31. 3	26.5	11.3	18.9		0.5	24.5	15.0	19.7	44.4	0.7	31.9	14.6	23.3		0.0
19	1. 4- 5. 4	19.9	13.9	16.9		115.0	21.7	15.3	18.5	14.6	89.8	24.1	13.5	18.8		0.0
20	6. 4-10. 4	19.9	9.0	14.5		18.0	20.5	11.7	16.1	39.1	27.4	23.4	12.8	18.1		0.5
21	11. 4-15. 4	18.8	8.1	13.5		0.0	19.9	11.4	15.7	48.2	0.0	22.1	8.9	15.5		0.0
22	16. 4-20. 4	21.5	10.9	16.2		0.0	21.1	13.0	17.1	52.0	0.0	26.0	11.9	18.9		0.0
23	21. 4-25. 4	23.3	9.8	16.5		2.0	22.9	11.9	17.4	38.6	0.1	25.2	12.1	18.7		1.6
24	26. 4-30. 4	23.6	13.2	18.4		0.0	24.0	14.5	19.3	37.5	6.6	24.0	14.0	19.0		0.0
25	1. 5- 5. 5	17.4	8.8	13.1		2.0	19.0	12.2	15.6	29.6	23.3	20.1	9.2	14.7		0.0
26	6. 5-10. 5	24.0	9.7	16.9		22.0	25.6	11.6	18.6	41.5	8.7	24.3	10.9	17.6		0.0
27	11. 5-15. 5	21.3	10.6	15.9		22.5	23.6	12.3	17.9	36.2	48.9	23.6	10.9	17.3		7.0
28	16. 5-20. 5	19.9	8.8	14.3		27.4	20.9	10.9	15.9	41.7	22.1	19.9	8.2	14.1		10.6
29	21. 5-25. 5	21.3	6.4	13.9		0.0	21.2	7.6	14.4	35.4	0.0	20.4	8.9	14.7		0.0
30	26. 5-30. 5	18.7	7.7	13.2		12.5	18.3	10.8	14.5	30.0	50.7	23.4	12.5	17.9		0.0
31	31. 5- 4. 6	23.8	6.4	15.1		1.7	21.4	9.6	15.5	39.2	0.0	22.8	11.3	17.1		0.0
32	5. 6- 9. 6	19.2	8.8	14.0		5.0	19.8	10.7	15.3	30.9	0.2	19.8	7.5	13.7		0.0
33	10. 6-14. 6	22.3	9.9	16.1		4.0	23.1	12.2	17.7	38.3	4.0	19.5	10.9	15.2		14.0
34	15. 6-19. 6	13.9	4.6	9.3		8.0	15.2	6.9	11.1	19.8	41.0	15.9	6.3	11.1		0.0
35	20. 6-24. 6	18.9	8.0	13.5		15.7	17.8	10.0	13.9	18.9	17.0	15.8	8.6	12.2		12.2
36	25. 6-29. 6	19.1	4.8	11.9		0.0	19.1	7.6	13.3	41.7	0.0	16.5	6.9	11.7		0.0
37	30. 6- 4. 7	18.8	6.5	12.7		37.1	19.1	8.3	13.7	33.6	5.2	14.5	9.4	11.9		52.5
38	5. 7- 9. 7	16.8	7.9	12.3		19.5	19.0	10.0	14.5	25.4	13.5	15.0	7.4	11.2		4.5
39	10. 7-14. 7	18.9	7.8	13.3		1.2	19.4	10.0	14.7	29.2	1.5	17.8	8.4	13.1		0.0
40	15. 7-19. 7	17.1	6.9	12.0		24.7	17.8	8.5	13.1	31.3	19.1	15.3	7.3	11.3		26.5
41	20. 7-24. 7	15.8	3.5	9.7		8.6	17.5	8.2	12.9	41.2	13.0	16.9	7.7	12.3		1.6
42	25. 7-29. 7	18.7	6.0	12.3		49.7	19.9	9.9	14.9	33.5	22.6	18.0	7.9	12.9		0.0
43	30. 7- 3. 8	17.3	6.4	11.9		7.4	16.8	10.2	13.5	24.2	12.6	15.6	8.0	11.8		10.4
44	4. 8- 8. 8	16.8	5.0	10.9		0.2	18.1	6.4	12.3	42.0	3.1	14.7	6.8	10.7		8.5
45	9. 8-13. 8	18.2	6.4	12.3		0.0	18.2	9.6	13.9	45.4	0.0	19.7	8.2	13.9		0.0
46	14. 8-18. 8	16.9	6.4	11.7		17.5	18.6	9.3	13.9	29.1	0.2	14.6	8.8	11.7		20.6
47	19. 8-23. 8	13.5	8.7	10.1		99.3	15.8	10.8	13.3	24.6	100.3	16.2	6.3	11.3		0.0
48	24. 8-28. 8	15.5	4.9	10.2		12.1	15.6	6.7	11.1	46.0	10.8	15.5	4.8	10.1		7.0
49	29. 8- 2. 9	14.8	6.6	10.7		2.6	17.3	9.3	13.3	33.0	0.1	14.1	5.3	9.7		5.5
50	3. 9- 7. 9	14.7	4.8	9.7		8.5	16.2	8.4	12.3	39.8	4.8	12.3	3.0	7.7		8.2
51	8. 9-12. 9	18.8	5.9	12.3		0.0	19.9	9.3	14.6	39.7	0.0	20.5	6.5	13.5		0.0
52	13. 9-17. 9	16.7	8.0	12.3		9.0	18.5	10.4	14.5	33.6	4.4	18.2	7.0	12.6		1.2
53	18. 9-22. 9	19.6	7.2	13.4		5.2	19.7	10.8	15.3	43.5	1.1	21.8	9.8	15.8		0.0
54	23. 9-27. 9	21.0	8.1	14.5		1.0	18.8	12.7	15.7	24.9	0.1	16.3	8.3	12.3		2.8
55	28. 9- 2.10	-	6.0	-		0.0	18.4	9.2	13.8	45.5	22.2	19.4	4.5	11.9		0.0
56	3.10- 7.10	-	7.5	-		0.9	19.9	12.1	16.0	24.8	0.9	24.0	7.8	15.9		0.0
57	8.10-12.10	-	12.4	-		1.0	23.2	15.6	19.4	25.4	0.9	26.7	12.4	19.5		0.5
58	13.10-17.10	-	10.8	-		18.1	19.3	14.1	16.7	24.7	13.3	19.0	9.6	14.3		9.3
59	18.10-22.10	-	8.2	-		27.2	20.4	11.9	16.1	33.7	16.5	22.2	9.4	15.8		3.0
60	23.10-27.10	-	7.2	-		0.0	20.3	9.7	15.0	56.7	0.3	26.5	8.9	17.7		0.0
61	28.10- 1.11	-	12.2	-		25.0	22.4	16.7	19.5	45.6	15.5	24.1	13.8	18.9		0.0
62	2.11- 6.11	18.7	9.5	14.1		2.5	19.1	13.3	16.2	34.1	19.6	25.1	12.3	18.7		0.0
63	7.11-11.11	20.1	9.8	14.9		30.0	19.8	12.6	16.2	32.1	18.4	26.9	12.5	19.7		0.0
64	12.11-16.11	19.4	11.1	15.3		23.2	19.9	13.8	16.9	41.3	5.6	24.8	11.1	17.9		4.0
65	17.11-21.11	21.8	9.4	15.6		1.2	22.2	11.9	17.1	47.8	0.2	26.9	12.0	19.5		0.0
66	22.11-26.11	24.3	13.8	19.1		1.0	23.6	15.9	19.7	40.0	0.2	30.7	13.6	22.1		0.0
67	27.11- 1.12	21.4	12.4	16.9		12.5	22.2	14.9	18.5	40.1	8.6	28.2	14.4	21.3		0.0
68	2.12- 6.12	20.9	14.4	17.7		9.8	22.5	16.5	19.5	43.1	4.9	25.9	14.1	20.0		5.0
69	7.12-11.12	22.4	12.1	17.3		14.0	22.4	15.6	19.0	30.4	28.6	29.3	15.9	22.6		0.0
70	12.12-16.12	21.9	11.9	16.9		2.0	23.3	15.3	19.3	52.6	0.1	26.6	12.4	19.5		0.0
71	17.12-21.12	23.0	11.8	17.4		0.0	23.5	16.1	19.8	44.6	5.7	30.7	15.6	23.1		0.0
72	22.12-26.12	26.0	13.1	19.5		0.5	25.4	15.8	20.6	58.6	0.0	27.9	15.9	21.9		1.9
73	27.12-31.12	26.3	17.0	21.7		1.2	26.8	20.0	23.4	35.7	0.0	34.8	18.4	26.6		0.0

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		MATROOSBERG 43/566 33°26'S H 967M 19°49'E					EAST LONDON - WK 59/572 33°02'S H 127M 27°50'E					JANSENVILLE 74/296 32°56'S H 410M 24°40'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	28.9	9.5	19.2	66.2	0.0	23.4	14.7	19.1	49.4	0.2	30.9	12.5	21.7	58.0	2.5
2	6. 1-10. 1	29.9	14.4	22.1	58.5	0.5	25.4	18.5	21.9	32.5	15.5	32.2	17.7	24.9	35.1	12.0
3	11. 1-15. 1	25.7	10.7	18.2	64.0	0.0	24.4	17.8	21.1	39.0	12.4	32.9	16.0	24.5	58.3	0.0
4	16. 1-20. 1	27.3	11.0	19.1	63.1	0.0	23.1	18.0	20.5	10.8	12.9	29.9	18.2	24.1	33.9	0.0
5	21. 1-25. 1	26.7	11.1	18.9	53.2	0.0	24.7	17.6	21.1	20.0	10.7	30.4	16.5	23.5	46.4	1.5
6	26. 1-30. 1	32.6	16.1	24.3	56.2	0.0	27.7	19.5	23.6	60.8	0.0	35.0	18.6	26.8	45.5	9.2
7	31. 1- 4. 2	27.4	13.2	20.3	45.8	0.0	25.2	18.6	21.9	33.1	9.6	29.4	18.0	23.7	35.9	0.0
8	5. 2- 9. 2	29.2	15.2	22.2	43.1	1.0	25.3	18.1	21.7	27.0	1.0	31.6	16.9	24.3	43.4	0.2
9	10. 2-14. 2	31.4	14.2	22.8	59.8	0.0	27.2	18.5	22.9	49.9	16.8	34.9	18.7	26.8	40.9	11.9
10	15. 2-19. 2	27.7	12.6	20.1	44.5	0.0	23.4	16.8	20.1	31.5	32.9	27.8	15.5	21.7	29.5	1.8
11	20. 2-24. 2	29.3	14.1	21.7	44.7	0.0	25.1	17.5	21.3	40.2	50.4	29.7	17.5	23.6	32.2	0.1
12	25. 2- 1. 3	23.2	11.2	17.2	43.1	2.2	25.7	17.0	21.3	42.8	8.8	31.2	16.7	23.9	45.6	1.1
13	2. 3- 6. 3	27.8	11.4	19.6	48.2	0.0	24.9	17.2	21.1	53.9	5.2	30.2	14.5	22.3	51.3	0.0
14	7. 3-11. 3	26.0	10.1	18.1	55.0	0.0	24.9	18.3	21.6	29.2	7.6	30.7	16.6	23.7	47.2	0.0
15	12. 3-16. 3	29.9	13.4	21.7	47.1	2.2	28.1	19.1	23.6	39.0	0.0	34.4	18.3	26.3	31.0	3.8
16	17. 3-21. 3	25.8	12.4	19.1	44.8	5.3	25.7	19.3	22.5	27.1	33.9	27.6	17.5	22.5	28.4	5.8
17	22. 3-26. 3	18.5	10.8	14.7	29.1	10.9	24.7	17.4	21.1	15.0	12.3	25.0	14.5	19.7	27.9	11.5
18	27. 3-31. 3	26.6	9.9	18.3	52.4	0.0	25.2	16.6	20.9	41.4	2.4	29.8	13.3	21.5	48.0	0.0
19	1. 4- 5. 4	18.1	11.5	14.8	16.7	7.7	21.9	15.8	18.9	15.5	138.2	21.9	15.3	18.6	13.3	17.5
20	6. 4-10. 4	18.7	5.9	12.3	39.7	0.0	20.7	13.6	17.1	36.0	8.3	21.8	9.4	15.6	31.0	1.5
21	11. 4-15. 4	19.7	3.7	11.7	48.5	0.0	20.8	12.8	16.8	42.7	0.0	22.1	7.7	14.9	38.6	0.0
22	16. 4-20. 4	24.1	7.5	15.8	50.7	0.0	22.5	13.5	18.0	49.5	0.0	25.7	9.3	17.5	45.0	0.0
23	21. 4-25. 4	24.6	9.7	17.1	40.5	0.0	23.6	14.0	18.8	39.1	0.4	28.3	11.9	20.1	37.7	1.0
24	26. 4-30. 4	24.8	13.0	18.9	42.9	0.2	26.6	15.6	21.1	36.8	0.4	30.4	13.0	21.7	38.0	1.2
25	1. 5- 5. 5	16.7	4.4	10.5	35.1	0.0	20.5	13.1	16.8	29.2	4.6	20.6	8.3	14.5	30.7	0.0
26	6. 5-10. 5	24.6	9.1	16.9	41.9	0.9	27.2	14.1	20.7	47.3	0.0	28.5	7.3	17.9	40.8	9.5
27	11. 5-15. 5	19.0	9.4	14.2	44.7	1.3	23.7	13.7	18.7	36.3	21.8	22.8	11.1	16.9	35.2	0.7
28	16. 5-20. 5	14.6	3.5	9.1	35.8	10.1	21.5	11.1	16.3	36.7	6.2	20.7	7.1	13.9	42.0	6.0
29	21. 5-25. 5	16.4	3.8	10.1	37.2	0.0	23.7	11.8	17.7	40.3	0.0	20.5	3.5	12.0	32.4	0.0
30	26. 5-30. 5	17.5	5.2	11.3	39.3	0.0	19.4	12.7	16.1	28.1	51.7	18.6	5.6	12.1	25.3	0.0
31	31. 5- 4. 6	21.0	7.3	14.1	37.0	0.3	20.7	9.8	15.3	44.3	0.0	22.4	5.2	13.8	34.3	0.4
32	5. 6- 9. 6	18.3	3.7	11.0	46.2	0.0	21.6	11.8	16.7	34.3	0.0	20.3	8.0	14.1	23.8	3.5
33	10. 6-14. 6	17.1	7.4	12.3	33.3	0.2	25.0	14.1	19.5	45.5	0.0	23.7	7.4	15.5	41.2	0.0
34	15. 6-19. 6	10.8	1.7	6.3	30.4	0.0	15.5	7.2	11.3	29.8	7.5	15.4	1.5	8.5	21.8	0.1
35	20. 6-24. 6	12.7	6.1	9.4	31.5	15.9	20.2	10.2	15.2	34.6	1.7	19.0	7.3	13.1	23.8	4.3
36	25. 6-29. 6	14.2	2.3	8.3	44.4	0.1	21.8	9.2	15.5	45.0	0.0	20.9	2.7	11.8	40.6	0.0
37	30. 6- 4. 7	10.4	5.4	7.9	10.8	32.0	21.5	10.8	16.1	36.7	22.3	20.8	8.7	14.7	32.6	2.5
38	5. 7- 9. 7	11.5	3.8	7.7	26.8	13.4	19.7	11.0	15.3	39.9	2.0	18.3	7.1	12.7	20.5	24.0
39	10. 7-14. 7	15.1	4.7	9.9	44.5	2.0	20.6	10.5	15.5	30.2	0.7	17.8	6.8	12.3	-	4.0
40	15. 7-19. 7	12.1	2.7	7.4	31.7	25.9	20.7	10.4	15.5	43.5	0.0	18.9	7.2	13.1	42.0	0.3
41	20. 7-24. 7	16.0	2.1	9.1	44.3	0.6	21.3	10.2	15.7	34.3	0.0	20.2	5.3	12.7	33.9	0.0
42	25. 7-29. 7	16.2	3.5	9.9	41.2	0.5	20.1	11.2	15.7	36.3	2.4	19.8	5.5	12.7	33.6	33.0
43	30. 7- 3. 8	10.7	3.5	7.1	19.3	3.9	18.6	10.0	14.3	20.4	71.5	16.8	7.9	12.3	22.4	12.5
44	4. 8- 8. 8	12.6	3.7	8.1	37.5	0.6	18.8	8.2	13.5	45.1	0.0	18.2	5.4	11.8	41.3	0.0
45	9. 8-13. 8	17.2	2.0	9.6	45.4	0.0	18.6	9.9	14.3	39.8	0.0	19.6	4.9	12.3	44.5	0.0
46	14. 8-18. 8	12.6	5.3	8.9	26.9	3.3	22.1	10.0	16.1	36.9	0.0	21.9	6.8	14.3	35.3	0.0
47	19. 8-23. 8	11.4	1.8	6.6	31.5	3.2	16.6	9.5	13.1	22.4	100.5	14.6	6.2	10.4	19.0	131.0
48	24. 8-28. 8	13.2	0.1	6.7	40.2	1.0	17.6	7.8	12.7	50.5	0.0	17.3	4.1	10.7	45.6	0.0
49	29. 8- 2. 9	14.8	3.2	9.0	40.1	0.3	19.3	11.8	15.5	32.6	3.4	20.9	8.2	14.5	34.9	0.0
50	3. 9- 7. 9	11.1	-0.3	5.4	36.7	0.0	17.2	9.3	13.3	38.3	0.0	17.6	5.2	11.4	45.9	0.0
51	8. 9-12. 9	20.5	2.4	11.5	46.4	0.0	20.4	9.5	14.9	40.2	7.8	23.2	4.3	13.7	44.7	0.0
52	13. 9-17. 9	19.1	4.3	11.7	43.6	0.0	20.7	11.9	16.3	37.5	0.0	24.2	7.4	15.8	46.6	0.0
53	18. 9-22. 9	20.2	5.3	12.7	39.9	0.0	21.2	12.0	16.6	40.6	3.5	23.6	9.1	16.3	41.4	0.0
54	23. 9-27. 9	17.8	4.7	11.3	36.2	0.0	20.5	13.4	16.9	23.4	0.9	22.8	10.0	16.4	33.3	0.0
55	28. 9- 2.10	16.3	0.6	8.5	48.3	0.0	17.9	10.2	14.1	27.3	6.4	20.8	5.5	13.1	43.6	0.0
56	3.10- 7.10	21.0	3.7	12.3	53.8	0.0	21.4	12.5	16.9	31.7	39.4	22.9	9.0	15.9	38.7	1.6
57	8.10-12.10	24.3	9.0	16.7	53.1	0.0	21.9	16.5	19.2	21.5	36.6	26.6	14.2	20.4	35.0	2.0
58	13.10-17.10	17.0	6.9	11.9	49.3	1.5	21.7	14.5	18.1	30.1	4.5	22.8	13.0	17.9	30.0	13.0
59	18.10-22.10	20.0	5.5	12.7	34.8	2.0	21.3	13.0	17.1	31.0	29.7	25.7	10.0	17.9	44.9	0.2
60	23.10-27.10	21.9	4.5	13.2	59.2	0.0	19.8	10.9	15.3	47.2	5.1	25.0	7.9	16.5	48.1	0.0
61	28.10- 1.11	24.5	9.6	17.1	49.9	0.5	21.8	14.6	18.2	35.5	15.2	29.2	14.0	21.6	43.2	0.8
62	2.11- 6.11	21.1	7.4	14.3	47.2	0.0	20.1	13.8	16.9	26.8	45.0	24.7	11.5	18.1	36.7	0.0
63	7.11-11.11	23.1	7.6	15.3	52.7	0.0	20.0	12.9	16.5	37.8	10.4	23.7	10.1	16.9	36.0	2.2
64	12.11-16.11	21.1	7.4	14.3	55.5	1.7	20.9	13.5	17.2	30.3	0.6	26.2	12.1	19.1	47.0	0.0
65	17.11-21.11	24.8	7.5	16.1	59.4	0.0	22.0	13.5	17.7	44.5	4.3	29.7	10.4	20.1	57.3	0.0
66	22.11-26.11	30.0	10.9	20.5	51.8	0.0	23.6	16.9	20.3	43.8	7.4	32.4	15.5	23.9	44.9	6.0
67	27.11- 1.12	25.3	10.0	17.7	55.8	0.0	21.4	15.8	18.6	25.5	20.6	28.5	13.8	21.1	47.9	0.0
68	2.12- 6.12	24.6	10.4	17.5	55.0	0.0	21.5	16.4	18.9	32.5	7.3	27.6	15.3	21.5	40.6	10.2
69	7.12-11.12	25.8	11.8	18.8	47.5	20.8	22.8	15.7	19.3	27.4	59.3	27.4	14.0	20.7	36.9	4.5
70	12.12-16.12	24.0	9.6	16.8	55.1	0.0	22.3	14.7	18.5	49.4	0.1	28.3	12.8	20.5	49.0	0.0
71	17.12-21.12	-	-	-	61.8	0.0	23.3	16.0	19.7	45.8	0.0	29.2	13.3	21.3	47.6	0.0
72	22.12-26.12	-	-	-	61.6	0.0	25.1	14.9	20.0	53.2	0.0	34.7	13.9	24.3	59.2	0.0
73	27.12-31.12	-	-	-	65.2	0.0	26.8	19.7	23.3	33.6	0.7	34.3	18.9	26.6	57.4	5.5

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		DÖHNE - AGR 79/811 32°31'S H 899M 27°28'E					BEAUFORT WEST - TNK 92/141 32°21'S H 857M 22°35'E					VREDENDAL 106/850 31°40'S H 34M 18°29'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	24.2	10.9	17.5	43.1	15.0	31.8	13.2	22.5	47.5	0.0	31.1	11.0	21.1	61.0	0.0
2	6. 1-10. 1	25.4	14.8	20.1	24.8	31.2	32.7	17.1	24.9	36.5	2.0	32.8	15.9	24.3	52.9	0.0
3	11. 1-15. 1	24.0	14.8	19.4	27.6	11.0	32.3	16.0	24.1	64.5	0.0	25.9	13.8	19.9	51.4	1.0
4	16. 1-20. 1	22.4	15.1	18.7	9.6	43.2	32.0	16.5	24.3	61.6	0.0	27.2	13.9	20.5	54.7	0.0
5	21. 1-25. 1	21.0	13.6	17.3	18.2	40.9	30.4	14.4	22.4	53.5	8.4	28.6	13.0	20.8	59.3	0.0
6	26. 1-30. 1	26.9	16.2	21.5	57.5	0.0	33.6	19.1	26.3	46.5	2.1	27.9	16.4	22.1	34.4	0.0
7	31. 1- 4. 2	23.0	15.1	19.1	28.8	15.8	31.3	18.0	24.7	48.0	0.0	29.0	13.7	21.3	55.6	0.0
8	5. 2- 9. 2	22.9	14.6	18.7	27.4	1.4	30.5	14.9	22.7	42.6	4.2	36.9	18.4	27.7	60.0	2.5
9	10. 2-14. 2	28.5	16.3	22.4	48.1	12.5	32.9	19.0	25.9	45.5	4.6	29.8	14.0	21.9	56.1	0.0
10	15. 2-19. 2	21.8	13.2	17.5	26.3	26.0	31.4	15.4	23.4	45.0	3.7	32.8	14.9	23.9	59.0	0.0
11	20. 2-24. 2	23.5	14.7	19.1	31.9	42.1	31.8	17.7	24.7	44.0	1.2	35.1	16.4	25.7	57.8	0.0
12	25. 2- 1. 3	24.4	13.6	19.0	40.6	19.8	29.3	14.7	22.0	53.5	0.6	28.2	13.4	20.8	51.6	0.3
13	2. 3- 6. 3	23.0	12.8	17.9	47.0	9.8	29.5	13.7	21.6	53.2	8.8	27.9	12.9	20.4	49.9	0.0
14	7. 3-11. 3	24.3	15.4	19.9	30.4	11.7	30.1	14.6	22.3	50.0	6.1	27.3	12.3	19.8	55.8	0.0
15	12. 3-16. 3	28.2	16.4	22.3	34.8	3.2	32.6	17.4	25.0	32.5	11.9	28.4	13.3	20.9	39.2	0.4
16	17. 3-21. 3	23.6	16.0	19.8	27.0	14.1	27.3	16.1	21.7	33.0	18.7	29.7	15.0	22.3	44.8	3.8
17	22. 3-26. 3	21.9	14.2	18.1	15.6	32.2	24.6	13.3	18.9	44.0	0.0	27.3	15.4	21.3	40.4	0.2
18	27. 3-31. 3	23.8	13.6	18.7	35.1	27.3	28.0	12.6	20.3	47.5	0.0	33.4	11.8	22.6	51.8	0.0
19	1. 4- 5. 4	19.0	12.2	15.6	19.5	78.6	19.9	13.2	16.5	15.8	19.1	24.9	12.4	18.7	42.1	1.6
20	6. 4-10. 4	19.8	9.2	14.5	33.0	3.1	20.1	8.5	14.3	37.2	0.0	25.3	12.3	18.8	46.5	1.7
21	11. 4-15. 4	18.4	7.9	13.1	39.1	0.0	21.2	6.1	13.7	46.0	0.0	22.8	6.2	14.5	49.5	0.0
22	16. 4-20. 4	20.5	11.1	15.8	47.3	0.3	25.8	8.5	17.1	52.0	0.0	27.7	8.6	18.1	45.1	0.0
23	21. 4-25. 4	24.5	12.4	18.5	39.2	6.5	27.0	11.2	19.1	41.5	0.8	27.8	10.0	18.9	42.8	0.0
24	26. 4-30. 4	26.7	13.5	20.1	37.9	1.1	30.0	13.6	21.8	42.6	3.0	28.2	11.8	20.0	39.9	0.0
25	1. 5- 5. 5	15.6	7.9	11.7	25.0	11.0	19.0	7.0	13.0	35.0	0.0	22.6	6.5	14.5	47.9	0.0
26	6. 5-10. 5	24.9	10.5	17.7	45.4	0.2	27.2	11.2	19.2	40.0	5.0	28.0	8.1	18.1	39.2	0.0
27	11. 5-15. 5	20.4	11.0	15.7	27.3	7.6	20.7	9.0	14.9	36.7	0.3	26.4	9.5	17.9	48.1	2.8
28	16. 5-20. 5	16.7	7.4	12.1	34.7	0.0	17.5	5.9	11.7	42.8	9.7	22.4	10.1	16.3	40.2	3.7
29	21. 5-25. 5	19.6	8.0	13.8	33.2	0.6	20.5	5.6	13.1	33.4	0.0	23.5	7.3	15.4	35.1	0.0
30	26. 5-30. 5	15.7	8.9	12.3	29.4	12.2	17.7	4.6	11.1	36.2	0.0	27.3	10.2	18.7	44.8	0.0
31	31. 5- 4. 6	19.5	8.4	13.9	36.7	0.7	21.6	7.4	14.5	27.2	0.0	25.7	7.3	16.5	39.5	0.0
32	5. 6- 9. 6	21.0	9.3	15.1	31.4	0.0	22.2	9.2	15.7	39.0	0.0	22.0	4.7	13.3	41.8	0.0
33	10. 6-14. 6	19.7	9.0	14.3	42.7	0.0	20.2	10.5	15.3	38.1	0.0	21.9	8.8	15.3	29.8	0.5
34	15. 6-19. 6	12.1	3.2	7.7	31.8	1.1	12.8	1.2	7.0	25.2	5.4	18.9	3.2	11.1	38.1	0.0
35	20. 6-24. 6	17.8	8.7	13.3	35.2	3.4	16.3	7.4	11.9	23.3	1.7	17.0	7.8	12.4	29.1	11.6
36	25. 6-29. 6	18.1	6.2	12.1	39.3	0.0	18.5	3.5	11.0	36.5	0.0	19.0	6.1	12.5	34.7	0.0
37	30. 6- 4. 7	19.5	10.0	14.7	33.5	9.5	16.7	8.6	12.7	28.0	4.5	17.7	10.5	14.1	26.4	16.5
38	5. 7- 9. 7	19.3	8.4	13.9	39.9	1.0	18.5	9.5	14.0	22.6	7.0	17.8	7.0	12.4	26.6	4.0
39	10. 7-14. 7	16.1	7.0	11.5	25.2	1.3	17.1	6.5	11.8	29.9	0.0	20.7	7.2	13.9	41.5	0.0
40	15. 7-19. 7	16.6	6.3	11.5	40.8	0.0	15.7	3.1	9.4	39.2	0.6	18.3	6.5	12.4	33.5	5.0
41	20. 7-24. 7	19.6	9.4	14.5	31.0	0.4	20.1	4.6	12.3	46.1	0.0	20.5	5.6	13.1	37.0	0.0
42	25. 7-29. 7	21.0	8.2	14.6	34.7	2.4	22.5	8.5	15.5	40.0	25.5	22.0	6.5	14.3	40.6	0.2
43	30. 7- 3. 8	14.7	7.3	11.0	25.3	43.6	15.0	6.2	10.6	29.8	1.6	17.3	8.6	12.9	24.4	9.8
44	4. 8- 8. 8	16.7	5.1	10.9	39.0	0.0	17.4	5.5	11.5	45.1	0.0	17.8	7.8	12.8	32.7	3.3
45	9. 8-13. 8	16.5	5.7	11.1	44.8	0.0	19.7	2.4	11.1	49.1	0.0	23.9	6.9	15.4	40.6	0.0
46	14. 8-18. 8	20.7	6.6	13.7	34.9	0.0	18.8	5.8	12.3	42.4	0.0	17.7	8.5	13.1	33.4	7.1
47	19. 8-23. 8	11.6	4.8	8.2	19.4	125.5	11.5	1.5	6.5	25.4	71.1	18.5	5.9	12.2	40.8	0.0
48	24. 8-28. 8	16.1	3.4	9.7	48.9	0.8	15.6	2.0	8.8	48.0	0.4	19.7	3.8	11.7	41.4	2.0
49	29. 8- 2. 9	19.9	8.2	14.1	33.2	1.9	20.9	5.4	13.1	50.5	0.0	18.0	6.5	12.3	33.6	0.3
50	3. 9- 7. 9	14.8	4.1	9.5	34.9	0.0	14.6	3.3	8.9	50.0	0.0	17.0	3.5	10.3	35.8	0.0
51	8. 9-12. 9	19.8	6.5	13.1	42.1	2.8	22.5	3.6	13.1	48.5	0.0	24.7	5.0	14.9	46.4	0.0
52	13. 9-17. 9	20.5	8.3	14.4	42.1	0.1	22.9	6.7	14.8	53.0	0.0	21.3	7.7	14.5	32.6	0.0
53	18. 9-22. 9	19.9	8.3	14.1	41.0	0.8	23.8	7.7	15.7	47.8	0.0	27.2	7.5	17.3	47.8	0.0
54	23. 9-27. 9	23.0	8.7	15.9	29.0	2.6	22.2	7.9	15.1	39.0	0.0	20.2	9.3	14.7	34.1	0.0
55	28. 9- 2.10	15.3	5.3	10.3	24.9	2.3	19.5	3.6	11.5	47.8	0.0	22.2	5.9	14.1	54.2	0.0
56	3.10- 7.10	20.0	7.9	13.9	38.4	4.5	23.4	8.2	15.8	54.6	0.0	24.4	7.8	16.1	47.7	0.0
57	8.10-12.10	21.0	13.1	17.1	14.3	13.2	27.8	13.3	20.5	45.7	0.0	27.3	11.3	19.3	41.2	0.0
58	13.10-17.10	19.6	10.7	15.1	24.5	11.2	20.6	10.1	15.3	35.0	6.0	19.8	10.3	15.1	45.4	2.2
59	18.10-22.10	20.5	9.2	14.9	36.8	8.5	25.6	9.5	17.5	41.8	6.4	23.9	9.2	16.5	49.1	0.0
60	23.10-27.10	18.7	6.8	12.7	40.5	3.0	24.7	8.1	16.4	38.8	0.0	28.2	6.6	17.4	60.5	0.0
61	28.10- 1.11	22.8	11.5	17.1	42.2	10.5	28.9	13.5	21.2	40.0	0.0	24.9	12.7	18.8	50.3	0.0
62	2.11- 6.11	18.8	9.3	14.1	21.0	27.7	24.5	10.7	17.6	44.5	0.0	26.1	12.8	19.5	57.2	0.0
63	7.11-11.11	17.3	8.6	12.9	38.8	7.2	24.5	10.5	17.5	43.9	3.9	28.2	13.7	20.9	51.2	1.0
64	12.11-16.11	19.4	10.0	14.7	27.4	11.1	24.5	11.3	17.9	49.5	0.0	24.8	13.0	18.9	58.3	5.0
65	17.11-21.11	22.5	9.9	16.2	44.8	11.5	28.4	10.5	19.5	60.5	0.0	27.3	11.0	19.1	56.9	0.0
66	22.11-26.11	27.7	13.9	20.8	49.1	14.3	33.8	15.4	24.6	43.5	0.0	29.7	11.2	20.5	53.8	0.0
67	27.11- 1.12	18.9	12.0	15.5	19.6	28.4	29.0	13.5	21.3	58.5	0.0	28.0	12.3	20.1	61.7	0.0
68	2.12- 6.12	19.5	12.7	16.1	27.5	18.5	28.3	14.5	21.4	53.6	0.0	24.6	13.5	19.1	46.2	0.0
69	7.12-11.12	20.8	11.9	16.3	27.2	35.0	29.7	14.2	21.9	32.7	0.6	27.0	14.1	20.5	59.6	0.0
70	12.12-16.12	21.3	11.0	16.1	38.9	1.3	27.4	12.9	20.1	50.7	0.0	25.5	11.9	18.7	57.0	0.0
71	17.12-21.12	22.7	12.0	17.3	56.4	1.8	29.8	14.0	21.9	54.0	0.0	29.1	13.3	21.2	44.3	0.0
72	22.12-26.12	27.4	12.7	20.1	44.5	0.0	33.3	15.1	24.2	62.5	0.0	28.7	14.6	21.7	42.9	0.0
73	27.12-31.12	27.8	16.6	22.2	31.8	9.4	36.7	19.2	27.9	58.1	36.8	31.4	16.2	23.8	55.2	0.0

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REENVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		QUEENSTOWN - TNK 123/654 31°54'S 26°52'E H1066M					UMTATA 127/485 31°35'S 28°47'E H 692M					CALVINIA - TNK 134/478 31°28'S 19°46'E H 980M				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	26.5	-	-	51.0	0.4	-	13.4	-	-	0.6	33.2	12.0	22.6	53.6	0.0
2	6. 1-10. 1	27.3	-	-	35.6	14.9	26.7	17.2	21.9	-	14.4	32.3	17.8	25.1	40.3	10.0
3	11. 1-15. 1	30.0	-	-	51.6	7.0	27.0	17.1	22.1	23.6	2.0	27.6	12.4	20.0	57.1	0.0
4	16. 1-20. 1	27.9	-	-	34.8	9.6	25.6	17.9	21.5	-	51.6	-	12.8	-	59.2	0.0
5	21. 1-25. 1	25.3	-	-	25.1	13.3	22.5	15.3	18.9	-	11.3	-	12.0	-	53.2	2.5
6	26. 1-30. 1	30.8	-	-	54.6	0.0	28.4	18.4	23.4	-	0.0	-	16.5	-	52.5	0.0
7	31. 1- 4. 2	27.3	-	-	31.5	1.0	27.1	17.5	22.3	-	5.0	-	13.1	-	54.5	0.0
8	5. 2- 9. 2	25.4	-	-	32.2	5.6	24.2	15.3	19.7	-	5.5	32.5	18.1	25.3	46.2	1.5
9	10. 2-14. 2	30.6	-	-	49.8	25.5	30.3	15.9	23.1	-	24.3	32.2	13.8	23.0	50.4	0.0
10	15. 2-19. 2	25.1	-	-	29.2	1.4	23.6	15.7	19.7	-	15.7	32.9	17.2	25.1	49.1	0.0
11	20. 2-24. 2	26.0	-	-	33.2	12.7	25.7	16.3	21.0	-	6.0	33.5	18.3	25.9	49.9	0.0
12	25. 2- 1. 3	27.6	-	-	47.3	4.7	26.3	16.2	21.3	-	5.6	27.7	10.3	19.0	-	4.0
13	2. 3- 6. 3	26.6	-	-	48.3	1.3	24.9	14.8	19.9	-	4.0	30.1	11.1	20.6	-	0.0
14	7. 3-11. 3	30.2	-	-	38.4	7.2	27.5	17.9	22.7	-	15.0	23.1	-	-	-	0.0
15	12. 3-16. 3	29.8	-	-	40.0	22.5	29.7	16.4	23.1	-	1.4	33.4	16.7	25.1	-	3.0
16	17. 3-21. 3	26.2	16.5	21.3	28.0	25.1	26.2	18.0	22.1	-	3.2	29.3	13.3	21.3	-	3.0
17	22. 3-26. 3	22.9	15.0	18.9	20.8	23.7	22.7	15.7	19.2	-	10.3	24.1	11.3	17.7	-	13.9
18	27. 3-31. 3	24.8	12.8	18.8	33.1	0.0	25.6	15.0	20.3	-	4.5	30.2	13.4	21.8	-	0.0
19	1. 4- 5. 4	20.2	12.0	16.1	21.6	58.5	21.6	15.0	18.3	-	34.0	22.6	10.7	16.7	36.6	4.1
20	6. 4-10. 4	19.5	7.4	13.5	31.1	20.5	21.5	10.8	16.1	35.0	6.0	22.5	7.2	14.9	36.8	1.0
21	11. 4-15. 4	20.7	7.9	14.3	38.8	0.0	21.1	10.9	16.0	-	0.0	24.0	3.1	13.5	48.3	0.0
22	16. 4-20. 4	24.9	9.3	17.1	41.7	0.0	23.9	12.6	18.3	-	0.0	27.7	6.1	16.9	45.6	0.0
23	21. 4-25. 4	25.2	11.4	18.3	34.9	1.8	26.8	13.3	20.1	-	17.0	27.7	10.4	19.1	33.8	0.0
24	26. 4-30. 4	28.1	11.4	19.7	43.8	1.5	28.2	12.6	20.4	-	0.0	27.9	9.9	18.9	29.9	1.0
25	1. 5- 5. 5	17.9	8.2	13.1	23.7	6.2	-	-	-	-	23.0	21.0	3.9	12.5	39.0	0.0
26	6. 5-10. 5	25.0	5.7	15.3	45.9	6.0	27.4	7.9	17.7	42.4	0.0	25.9	9.7	17.8	31.9	6.6
27	11. 5-15. 5	18.9	8.5	13.7	29.6	5.1	21.6	9.0	15.3	27.0	9.0	20.9	8.9	14.9	40.2	0.0
28	16. 5-20. 5	15.6	5.5	10.5	40.4	0.0	18.7	4.5	11.6	25.8	0.0	16.7	6.6	11.7	31.5	11.1
29	21. 5-25. 5	18.7	4.5	11.6	33.0	1.5	22.1	4.6	13.3	36.7	0.0	19.8	3.0	11.4	34.6	0.0
30	26. 5-30. 5	18.1	7.3	12.7	38.0	0.0	18.9	8.8	13.9	25.7	3.9	23.7	4.9	14.3	33.2	0.0
31	31. 5- 4. 6	19.9	0.8	10.3	40.2	0.0	19.7	5.2	12.5	30.9	0.0	22.6	8.7	15.7	21.1	0.4
32	5. 6- 9. 6	20.3	3.7	12.0	29.8	0.0	23.1	5.1	14.1	31.9	0.0	21.5	3.0	12.3	38.6	0.0
33	10. 6-14. 6	20.8	9.6	15.2	43.6	0.0	23.3	6.1	14.7	36.4	0.0	17.8	7.7	12.7	32.4	0.0
34	15. 6-19. 6	12.0	-1.3	5.3	31.6	0.5	14.3	1.3	7.8	28.3	0.1	14.5	-0.1	7.2	34.0	0.0
35	20. 6-24. 6	17.2	4.8	11.0	32.9	3.0	20.9	4.1	12.5	36.5	0.3	14.4	5.9	10.1	27.2	45.0
36	25. 6-29. 6	18.0	3.8	10.9	33.4	0.0	20.3	4.4	12.3	29.8	0.4	17.5	3.9	10.7	31.4	0.0
37	30. 6- 4. 7	18.3	12.0	15.1	34.9	6.0	22.2	6.4	14.3	32.0	26.5	14.3	4.6	9.5	34.0	18.7
38	5. 7- 9. 7	19.9	5.2	12.5	39.3	1.2	20.1	5.1	12.6	33.3	0.2	14.5	5.2	9.9	25.4	41.4
39	10. 7-14. 7	15.4	4.5	9.9	17.5	3.9	17.3	7.3	12.3	18.6	0.6	16.0	7.0	11.5	23.5	0.3
40	15. 7-19. 7	16.2	4.0	10.1	41.6	0.0	19.4	4.0	11.7	39.8	0.0	14.0	2.7	8.3	32.5	8.0
41	20. 7-24. 7	19.4	4.8	12.1	36.3	0.0	20.6	4.7	12.7	23.0	0.0	19.3	2.7	11.0	37.7	0.0
42	25. 7-29. 7	19.9	3.3	11.6	38.6	0.0	21.2	5.4	13.3	32.0	1.1	19.3	5.5	12.4	39.5	8.0
43	30. 7- 3. 8	14.1	4.6	9.3	25.7	24.0	17.6	5.3	11.5	15.7	8.4	11.6	5.0	8.3	20.9	19.9
44	4. 8- 8. 8	17.3	2.6	9.9	45.8	0.0	19.8	4.1	11.9	41.6	0.0	14.3	3.8	9.1	32.8	2.0
45	9. 8-13. 8	17.6	1.8	9.7	44.9	0.0	19.2	5.1	12.1	42.6	0.0	20.9	2.5	11.7	42.9	0.0
46	14. 8-18. 8	22.5	4.1	13.3	42.0	0.0	22.5	6.4	14.5	36.6	0.0	14.5	3.4	8.9	28.5	2.0
47	19. 8-23. 8	12.2	4.3	8.3	22.0	51.0	14.5	6.0	10.3	15.6	82.4	12.0	1.0	6.5	27.3	4.7
48	24. 8-28. 8	17.0	1.4	9.2	47.4	0.0	18.6	3.9	11.3	43.1	0.0	16.1	0.9	8.5	30.4	1.0
49	29. 8- 2. 9	24.1	5.9	15.0	47.7	0.0	24.2	8.5	16.3	31.7	2.0	16.8	1.1	8.9	46.7	0.0
50	3. 9- 7. 9	19.8	3.4	11.6	43.4	0.0	18.5	8.6	13.5	25.1	0.0	13.9	-0.4	6.7	39.6	0.7
51	8. 9-12. 9	21.2	6.0	13.6	42.3	3.0	21.0	8.1	14.5	33.3	4.4	23.9	2.6	13.3	49.4	0.0
52	13. 9-17. 9	23.4	7.2	15.3	44.5	0.0	22.7	9.3	16.0	30.6	0.0	23.1	2.3	12.7	46.5	0.0
53	18. 9-22. 9	23.2	6.3	14.7	47.8	0.8	22.4	9.8	16.1	36.9	0.5	25.4	5.0	15.2	48.7	0.0
54	23. 9-27. 9	24.4	6.4	15.4	39.1	0.0	22.8	9.9	16.3	26.8	14.7	20.9	7.3	14.1	39.6	0.0
55	28. 9- 2.10	15.9	4.2	10.1	27.3	3.4	16.3	6.8	11.5	16.1	7.0	20.1	0.8	10.5	51.9	0.0
56	3.10- 7.10	22.2	5.4	13.8	40.9	16.0	21.7	11.8	16.7	28.6	9.2	24.2	5.7	14.9	52.2	0.0
57	8.10-12.10	22.3	11.5	16.9	29.6	6.0	21.2	14.1	17.7	13.6	56.6	27.3	8.5	17.9	52.0	0.0
58	13.10-17.10	21.7	12.1	16.9	32.4	14.5	23.5	13.6	18.5	21.8	2.7	17.3	6.0	11.7	36.2	0.0
59	18.10-22.10	24.9	8.2	16.5	43.6	3.3	23.8	10.5	17.1	36.8	17.4	24.2	6.4	15.3	44.0	1.0
60	23.10-27.10	20.1	6.5	13.3	41.7	4.2	19.8	8.1	13.9	26.3	8.8	26.1	5.5	15.8	52.6	0.0
61	28.10- 1.11	26.8	11.3	19.1	40.5	17.5	23.8	12.8	18.3	32.4	10.5	27.5	12.3	19.9	50.5	0.0
62	2.11- 6.11	22.1	9.3	15.7	26.7	0.0	20.1	11.7	15.9	17.1	8.3	25.5	8.7	17.1	55.6	0.0
63	7.11-11.11	20.9	8.6	14.7	40.1	7.0	20.8	11.1	15.9	29.0	9.7	24.9	9.8	17.3	46.2	0.0
64	12.11-16.11	23.4	10.4	16.9	45.7	9.8	21.5	12.2	16.9	21.4	17.2	24.3	8.7	16.5	47.3	0.5
65	17.11-21.11	26.1	9.7	17.9	49.6	6.5	23.4	11.6	17.5	28.1	8.7	27.3	9.1	18.2	53.8	0.0
66	22.11-26.11	32.6	13.8	23.2	49.1	8.5	27.3	15.0	21.1	42.1	9.0	33.0	11.8	22.4	50.9	0.0
67	27.11- 1.12	23.1	12.7	17.9	30.5	0.0	21.3	14.3	17.8	14.0	14.3	29.4	10.8	20.1	59.0	0.0
68	2.12- 6.12	25.8	12.8	19.3	42.9	0.0	22.2	13.7	17.9	26.3	12.7	26.7	10.2	18.5	55.8	0.0
69	7.12-11.12	26.0	12.2	19.1	28.3	11.3	23.7	13.8	18.7	21.8	17.1	28.9	13.2	21.1	53.2	0.0
70	12.12-16.12	25.5	11.9	18.7	45.2	11.0	23.2	13.2	18.2	31.3	12.7	26.9	9.3	18.1	50.4	0.0
71	17.12-21.12	25.8	11.8	18.8	50.3	5.5	24.8	13.8	19.3	32.3	7.0	29.4	13.8	21.6	55.4	0.0
72	22.12-26.12	32.2	11.9	22.1	60.8	0.0	27.7	13.5	20.6	42.5	2.2	30.5	11.9	21.2	55.9	0.0
73	27.12-31.12	31.4	16.0	23.7	39.9	3.4	29.8	18.2	24.0	35.3	1.6	35.8	17.1	26.5	59.6	0.0

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		GROOTFONTEIN II - AGR 145/ 59A 31°29'S H1270M 25°02'E					DE AAR - TNK*** 170/ 10 30°40'S H1258M 24°01'E					ALIWAL NORTH - TNK*** 175/371 30°41'S H1310M 26°43'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	30.1	9.1	19.6	63.5	1.0	32.8	14.6	23.7	64.6	0.3	32.4	13.9	23.1	56.5	1.3
2	6. 1-10. 1	29.2	14.7	21.9	38.6	46.6	32.4	17.7	25.1	47.1	2.9	30.1	15.7	22.9	31.8	25.1
3	11. 1-15. 1	31.0	15.2	23.1	60.1	2.3	32.3	14.9	23.6	61.0	0.0	30.5	14.2	22.3	41.1	3.3
4	16. 1-20. 1	31.5	13.7	22.6	57.4	2.7	34.2	17.9	26.1	59.6	2.8	32.4	16.3	24.3	47.9	13.8
5	21. 1-25. 1	27.7	12.6	20.1	45.1	2.9	30.0	14.9	22.5	50.5	21.0	26.8	14.6	20.7	33.5	48.0
6	26. 1-30. 1	31.5	13.9	22.7	51.5	2.5	33.1	18.4	25.7	50.3	2.0	31.9	16.2	24.1	52.1	0.0
7	31. 1- 4. 2	29.3	14.2	21.7	42.6	8.5	33.2	18.5	25.9	51.9	10.5	31.3	16.2	23.7	48.7	0.8
8	5. 2- 9. 2	26.5	12.6	19.5	40.5	16.9	27.5	15.0	21.3	52.2	22.4	27.6	14.6	21.1	33.3	13.1
9	10. 2-14. 2	29.1	15.0	22.1	49.9	6.7	30.1	16.7	23.4	47.9	2.8	30.1	15.3	22.7	51.5	32.5
10	15. 2-19. 2	27.0	13.0	20.0	42.2	3.6	30.6	16.5	23.5	51.2	6.0	28.6	14.2	21.4	47.7	36.2
11	20. 2-24. 2	27.2	13.6	20.4	38.1	0.6	29.7	16.2	22.9	53.5	17.0	28.7	14.6	21.7	41.3	2.6
12	25. 2- 1. 3	27.7	11.5	19.6	54.2	0.9	29.0	13.9	21.5	57.6	0.0	29.7	14.3	22.0	51.3	1.0
13	2. 3- 6. 3	27.1	9.5	18.3	57.6	0.1	30.2	13.0	21.6	59.3	0.0	29.9	12.4	21.1	52.6	0.0
14	7. 3-11. 3	30.6	11.6	21.1	51.2	0.4	32.6	13.7	23.1	48.1	1.7	32.5	12.6	22.5	44.4	1.0
15	12. 3-16. 3	30.0	12.1	21.1	35.5	2.0	30.6	15.3	22.9	29.9	2.0	31.9	13.8	22.9	40.6	6.4
16	17. 3-21. 3	28.3	13.3	20.8	43.3	7.0	31.8	15.4	23.6	50.1	0.0	31.2	14.7	22.9	42.3	5.6
17	22. 3-26. 3	24.5	12.1	18.3	41.5	30.5	27.9	14.1	21.0	42.3	14.5	25.3	14.8	20.1	26.3	37.6
18	27. 3-31. 3	24.3	10.6	17.5	37.2	26.2	27.2	11.9	19.5	35.9	6.2	25.9	11.6	18.7	37.9	2.3
19	1. 4- 5. 4	18.4	10.9	14.7	25.4	36.4	20.6	12.2	16.4	31.3	25.1	20.0	10.9	15.5	20.7	48.7
20	6. 4-10. 4	18.6	6.2	12.4	36.9	5.6	21.7	6.9	14.3	43.7	0.0	21.6	7.1	14.3	39.7	13.0
21	11. 4-15. 4	20.7	4.4	12.5	44.3	0.0	23.1	6.7	14.9	42.6	4.8	22.5	6.9	14.7	41.7	6.5
22	16. 4-20. 4	24.5	4.9	14.7	50.4	0.0	26.7	7.3	17.0	49.9	0.0	25.3	6.4	15.9	45.4	0.0
23	21. 4-25. 4	24.4	8.7	16.5	37.0	2.1	27.0	10.7	18.9	41.3	14.4	25.5	9.5	17.5	39.8	10.3
24	26. 4-30. 4	27.3	9.4	18.3	47.8	0.2	28.0	9.3	18.7	48.7	2.5	26.7	7.5	17.1	48.4	7.3
25	1. 5- 5. 5	18.0	6.5	12.3	30.6	5.4	21.5	7.9	14.7	38.6	0.1	19.1	7.8	13.5	26.6	42.2
26	6. 5-10. 5	23.5	5.8	14.7	49.1	11.5	24.4	5.1	14.7	47.4	19.0	23.2	4.3	13.7	47.9	5.5
27	11. 5-15. 5	17.0	6.8	11.9	39.9	3.3	18.5	7.8	13.1	40.4	4.0	19.0	5.9	12.5	37.2	5.0
28	16. 5-20. 5	13.2	2.3	7.7	44.5	0.3	14.7	2.2	8.5	47.2	0.0	15.4	1.8	8.6	39.9	0.7
29	21. 5-25. 5	16.0	2.2	9.1	33.4	1.7	17.4	3.7	10.5	39.3	2.0	17.1	2.3	9.7	32.8	13.9
30	26. 5-30. 5	16.3	1.6	8.9	38.5	0.0	20.0	4.3	12.1	42.1	2.5	18.4	2.3	10.3	39.3	1.0
31	31. 5- 4. 6	18.5	0.5	9.5	44.0	0.0	19.7	3.5	11.6	39.4	0.3	18.6	0.4	9.5	39.5	0.0
32	5. 6- 9. 6	16.9	4.9	10.9	28.9	1.8	17.4	6.1	11.7	32.8	18.0	17.8	1.7	9.7	32.9	3.2
33	10. 6-14. 6	18.3	6.8	12.5	45.3	0.0	19.1	5.7	12.4	43.5	0.0	19.8	4.4	12.1	37.9	0.0
34	15. 6-19. 6	10.6	-3.8	3.4	35.3	0.0	13.0	-0.1	6.5	44.3	0.0	13.1	-2.3	5.4	31.2	0.8
35	20. 6-24. 6	14.8	1.7	8.3	29.3	3.0	15.2	3.7	9.5	29.1	3.0	17.8	1.8	9.8	34.6	0.8
36	25. 6-29. 6	15.9	2.0	8.9	37.9	0.0	17.3	1.7	9.5	44.7	0.0	18.0	2.3	10.1	42.1	0.0
37	30. 6- 4. 7	15.7	8.1	11.9	36.1	3.8	-	5.6	-	36.9	1.5	19.3	5.7	12.5	40.6	0.0
38	5. 7- 9. 7	18.1	3.2	10.7	37.7	2.8	-	5.5	-	34.5	4.5	19.8	1.2	10.5	40.5	1.6
39	10. 7-14. 7	14.3	2.9	8.6	26.1	0.7	-	3.6	-	34.0	0.5	15.4	1.6	8.5	28.6	0.8
40	15. 7-19. 7	14.1	1.4	7.7	43.4	0.0	-	1.0	-	43.5	0.0	15.4	-0.9	7.3	37.4	0.0
41	20. 7-24. 7	18.1	2.0	10.1	40.2	2.7	-	2.9	-	38.3	6.0	17.6	-0.2	8.7	29.6	7.2
42	25. 7-29. 7	18.8	1.8	10.3	42.4	2.7	-	3.5	-	38.5	6.5	20.0	1.2	10.6	43.9	0.0
43	30. 7- 3. 8	11.5	3.7	7.6	29.1	12.6	-	4.5	-	24.5	9.5	13.4	2.6	8.0	27.7	25.3
44	4. 8- 8. 8	15.5	2.0	8.7	48.7	0.0	-	1.2	-	46.3	0.0	17.2	0.3	8.7	42.8	0.0
45	9. 8-13. 8	17.2	-1.4	7.9	48.4	0.0	-	1.9	-	51.0	0.0	20.5	0.6	10.5	48.1	0.0
46	14. 8-18. 8	19.9	2.6	11.3	46.0	0.0	-	2.1	-	47.0	0.0	22.7	1.5	12.1	43.3	0.0
47	19. 8-23. 8	10.9	-0.1	5.4	32.4	9.6	-	-0.5	-	34.1	14.5	14.3	1.9	8.1	31.4	4.4
48	24. 8-28. 8	15.3	-1.5	6.9	52.0	0.0	-	-0.5	-	50.8	0.0	18.3	-1.2	8.5	-	0.0
49	29. 8- 2. 9	24.8	1.4	13.1	47.6	0.0	-	3.0	-	-	0.0	-	2.8	-	-	0.0
50	3. 9- 7. 9	18.6	-1.7	8.5	50.7	0.0	-	1.8	-	50.6	0.0	21.4	0.1	10.7	45.3	0.0
51	8. 9-12. 9	22.1	1.0	11.5	48.9	1.0	-		-	-	0.9	22.1	4.5	13.3	37.4	0.0
52	13. 9-17. 9	23.6	3.0	13.3	46.8	0.0	25.2	4.7	14.9	52.1	0.0	26.0	3.6	14.8	52.1	0.0
53	18. 9-22. 9	23.7	3.8	13.7	50.2	0.1	24.9	7.8	16.3	50.8	0.0	25.0	5.2	15.1	50.5	0.0
54	23. 9-27. 9	26.3	4.4	15.3	41.1	0.0	27.4	8.3	17.9	47.8	0.0	27.9	7.2	17.5	44.4	0.0
55	28. 9- 2.10	18.5	0.8	9.7	44.4	0.0	20.5	3.6	12.1	51.5	0.0	22.3	3.8	13.1	50.8	0.0
56	3.10- 7.10	21.7	3.3	12.5	37.8	27.3	23.1	5.9	14.5	34.2	38.0	24.4	6.3	15.3	31.5	28.2
57	8.10-12.10	26.0	10.0	18.0	44.2	4.5	26.5	10.5	18.5	48.9	9.0	25.9	9.5	17.7	45.4	0.0
58	13.10-17.10	19.2	10.4	14.8	31.0	9.2	18.8	9.5	14.1	31.0	19.5	21.9	12.4	17.1	32.3	8.7
59	18.10-22.10	25.5	6.7	16.1	54.4	2.9	25.7	8.9	17.3	57.7	0.0	26.5	6.3	16.4	49.7	1.6
60	23.10-27.10	21.2	4.6	12.9	56.4	0.0	23.6	7.3	15.5	55.4	0.0	23.3	7.0	15.1	48.4	0.0
61	28.10- 1.11	28.1	8.4	18.3	58.0	0.0	29.1	11.5	20.3	57.8	1.6	29.1	9.4	19.3	53.6	0.8
62	2.11- 6.11	25.0	6.9	15.9	45.6	0.6	27.1	9.5	18.3	55.1	0.0	26.2	10.2	18.2	41.7	1.0
63	7.11-11.11	22.4	6.8	14.6	42.1	1.4	25.9	9.5	17.7	55.9	0.0	26.1	8.7	17.4	50.6	2.5
64	12.11-16.11	24.0	6.7	15.3	60.1	0.0	24.9	10.2	17.5	62.2	0.0	25.4	8.2	16.8	55.0	2.7
65	17.11-21.11	26.3	7.5	16.9	54.7	7.4	26.6	11.4	19.0	54.3	9.0	25.8	10.8	18.3	45.5	20.4
66	22.11-26.11	32.3	11.5	21.9	53.0	0.7	32.9	14.9	23.9	49.8	0.0	32.1	12.7	22.4	53.1	0.0
67	27.11- 1.12	27.8	11.2	19.5	53.3	14.1	30.0	13.1	21.5	53.6	9.0	30.1	13.4	21.7	54.5	8.5
68	2.12- 6.12	26.6	10.7	18.7	56.3	0.0	27.7	11.8	19.7	58.1	0.0	27.0	11.7	19.3	47.8	0.5
69	7.12-11.12	30.0	11.6	20.8	57.3	0.1	31.1	13.2	22.1	63.0	0.0	30.9	12.6	21.7	55.5	3.7
70	12.12-16.12	26.3	8.8	17.5	52.9	1.9	27.9	10.4	19.1	59.7	0.0	28.4	10.8	19.6	57.0	0.1
71	17.12-21.12	27.1	10.2	18.7	52.2	3.9	30.3	13.0	21.7	57.3	0.0	28.3	11.8	20.1	38.3	19.8
72	22.12-26.12	32.4	10.0	21.2	59.3	0.0	32.6	12.5	22.5	61.8	0.0	32.4	11.2	21.8	58.7	0.0
73	27.12-31.12	34.9	15.0	24.9	58.2	1.8	36.1	18.2	27.1	63.2	0.0	33.5	16.4	24.9	48.1	10.7

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		KOKSTAD - AGR 180/722A 30°32'S H1278M 29°25'E					PORT SHEPSTONE - VRT 182/794A 30°44'S H 17M 30°27'E					VANWYKSVLEI*** 193/561 30°21'S H 962M 21°49'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	22.9	10.1	16.5	36.8	2.6	23.5	17.8	20.7		24.9	34.7	16.5	25.6	61.1	0.0
2	6. 1-10. 1	25.5	14.2	19.9	24.0	31.6	25.5	20.4	22.9		16.9	34.2	19.8	27.0	40.5	8.5
3	11. 1-15. 1	28.5	14.6	21.5	40.3	9.5	25.3	21.0	23.1		6.4	32.2	15.0	23.6	63.2	0.0
4	16. 1-20. 1	26.7	14.9	20.8	39.0	20.8	26.8	22.3	24.5		28.7	34.5	18.0	26.3	63.1	0.0
5	21. 1-25. 1	21.5	12.9	17.2	25.1	18.4	24.2	19.8	22.0		42.3	32.7	16.4	24.5	57.8	0.0
6	26. 1-30. 1	26.7	14.7	20.7	46.4	0.0	26.3	21.4	23.9		0.9	34.5	20.3	27.4	49.6	13.0
7	31. 1- 4. 2	24.6	13.2	18.9	30.9	11.2	26.3	21.2	23.7		38.6	35.2	20.4	27.8	58.8	0.0
8	5. 2- 9. 2	23.9	12.8	18.3	26.3	0.7	25.8	19.9	22.9		24.1	32.5	17.1	24.8	49.2	10.5
9	10. 2-14. 2	28.4	11.8	20.1	53.0	5.5	26.6	20.7	23.7		0.0	32.2	18.0	25.1	42.9	1.0
10	15. 2-19. 2	23.0	12.1	17.5	28.2	24.8	24.5	18.8	21.7		29.5	32.7	18.8	25.7	47.5	4.0
11	20. 2-24. 2	24.1	12.6	18.3	38.2	4.7	26.1	20.1	23.1		5.5	33.3	19.1	26.2	51.0	0.0
12	25. 2- 1. 3	26.6	14.0	20.3	43.0	17.9	26.2	21.7	23.9		7.7	30.9	15.8	23.3	58.8	0.5
13	2. 3- 6. 3	24.1	13.9	19.0	35.0	3.2	27.0	21.2	24.1		10.9	32.0	15.0	23.5	60.0	0.0
14	7. 3-11. 3	28.7	14.4	21.5	33.9	7.6	27.2	22.5	24.9		38.4	33.1	14.4	23.7	49.9	0.0
15	12. 3-16. 3	28.1	12.3	20.2	47.5	6.8	25.7	20.7	23.2		5.1	33.2	17.9	25.5	38.5	5.5
16	17. 3-21. 3	25.7	14.4	20.1	28.5	0.6	25.9	20.8	23.3		8.1	31.7	16.5	24.1	48.7	10.0
17	22. 3-26. 3	23.2	13.1	18.1	12.3	7.8	25.6	20.6	23.1		32.3	29.0	14.1	21.5	48.9	2.6
18	27. 3-31. 3	23.6	10.5	17.1	39.5	2.2	24.7	19.3	22.0		10.7	29.3	13.9	21.6	32.2	4.5
19	1. 4- 5. 4	21.6	11.2	16.4	25.5	22.4	24.7	19.0	21.9		54.3	22.7	11.7	17.2	36.9	3.1
20	6. 4-10. 4	20.4	8.6	14.5	40.0	0.8	24.1	17.8	20.9		3.7	24.5	8.6	16.5	50.3	0.0
21	11. 4-15. 4	21.2	7.9	14.5	37.0	2.6	23.1	18.2	20.7		2.1	24.8	6.4	15.6	43.5	0.0
22	16. 4-20. 4	24.9	7.6	16.3	43.7	0.0	24.8	18.4	21.6		0.0	28.8	8.3	18.5	47.1	0.0
23	21. 4-25. 4	24.9	10.1	17.5	36.0	9.0	25.6	19.0	22.3		4.2	29.6	12.6	21.1	48.9	0.0
24	26. 4-30. 4	28.2	6.2	17.2	43.8	0.0	26.2	18.5	22.3		0.0	29.9	11.0	20.5	40.4	0.0
25	1. 5- 5. 5	18.5	8.6	13.5	21.4	17.7	22.2	17.0	19.6		23.2	23.5	8.0	15.7	48.5	0.0
26	6. 5-10. 5	24.2	3.6	13.9	49.9	0.0	25.2	16.2	20.7		0.0	26.8	7.8	17.3	44.7	16.5
27	11. 5-15. 5	19.0	6.1	12.5	26.7	11.1	24.0	17.2	20.6		48.5	20.3	8.8	14.5	46.9	0.0
28	16. 5-20. 5	16.6	0.1	8.3	33.8	0.0	21.4	12.8	17.1		0.0	16.9	3.2	10.1	47.6	0.0
29	21. 5-25. 5	19.7	0.7	10.2	42.1	0.8	22.5	13.0	17.7		0.0	20.6	3.3	11.9	38.1	0.0
30	26. 5-30. 5	16.2	2.9	9.5	34.0	3.3	21.1	14.8	17.9		118.9	23.4	6.2	14.8	44.2	0.1
31	31. 5- 4. 6	17.7	0.2	8.9	36.9	0.0	20.4	12.1	16.3		1.0	22.0	5.8	13.9	36.7	5.0
32	5. 6- 9. 6	20.6	0.3	10.5	40.3	0.0	22.4	13.7	18.1		0.0	21.5	7.3	14.4	40.3	1.0
33	10. 6-14. 6	21.6	-0.4	10.6	45.4	0.0	23.9	13.8	18.9		0.0	19.8	6.8	13.3	41.7	0.0
34	15. 6-19. 6	13.8	-3.1	5.3	38.9	0.0	18.8	10.2	14.5		0.0	14.7	-0.5	7.1	43.8	7.0
35	20. 6-24. 6	20.3	0.3	10.3	43.7	0.0	21.6	12.6	17.1		0.9	15.4	5.9	10.7	28.8	2.0
36	25. 6-29. 6	17.2	0.5	8.9	35.5	1.7	20.6	12.6	16.6		0.0	18.9	2.6	10.7	44.7	0.0
37	30. 6- 4. 7	20.0	2.8	11.4	37.5	23.2	24.8	14.7	19.7		78.7	17.8	3.0	10.4	42.2	2.0
38	5. 7- 9. 7	18.4	0.1	9.3	44.9	0.0	-	-	-		0.0	18.6	5.7	12.1	30.6	7.8
39	10. 7-14. 7	15.4	3.4	9.4	31.7	0.0	-	-	-		0.0	16.5	3.6	10.1	31.7	0.0
40	15. 7-19. 7	17.6	-0.9	8.3	47.7	0.0	-	-	-		0.0	14.8	1.0	7.9	45.1	0.2
41	20. 7-24. 7	19.8	-2.0	8.9	37.9	2.5	22.5	-	-		0.0	20.6	2.3	11.5	45.8	0.0
42	25. 7-29. 7	18.0	-0.1	8.9	38.3	0.0	20.1	11.6	15.9		32.1	22.4	5.1	13.7	38.3	0.0
43	30. 7- 3. 8	16.1	0.9	8.5	29.4	20.0	20.9	10.9	15.9		22.5	13.6	3.1	8.3	30.0	3.9
44	4. 8- 8. 8	19.1	0.9	10.0	40.7	0.0	20.8	12.4	16.6		0.0	17.7	1.6	9.7	49.9	0.0
45	9. 8-13. 8	17.2	-0.2	8.5	43.9	0.0	20.7	12.3	16.5		0.9	21.8	2.3	12.1	51.0	0.0
46	14. 8-18. 8	24.3	2.6	13.5	47.1	0.0	21.5	14.3	17.9		0.0	18.2	2.3	10.3	50.2	0.0
47	19. 8-23. 8	13.7	3.2	8.5	25.2	40.2	20.3	12.8	16.5		237.2	13.9	0.0	6.9	44.2	4.0
48	24. 8-28. 8	17.6	-0.5	8.5	47.8	0.0	19.2	11.9	15.5		0.0	17.3	0.4	8.9	51.9	0.0
49	29. 8- 2. 9	25.8	5.0	15.4	47.4	0.0	21.6	15.3	18.5		0.2	23.3	2.3	12.8	52.7	0.0
50	3. 9- 7. 9	19.8	5.8	12.8	39.5	0.5	19.9	15.2	17.5		1.7	18.3	2.5	10.4	51.7	0.0
51	8. 9-12. 9	19.3	4.9	12.1	39.2	1.0	20.2	14.2	17.2		8.2	25.6	6.0	15.8	51.4	0.0
52	13. 9-17. 9	24.3	5.5	14.9	39.0	0.0	21.4	15.8	18.6		3.9	26.9	5.6	16.3	53.3	0.0
53	18. 9-22. 9	21.4	6.5	13.9	44.4	1.0	21.9	15.9	18.9		2.1	27.0	7.8	17.4	50.4	0.0
54	23. 9-27. 9	22.8	6.5	14.7	28.6	0.0	21.3	16.9	19.1		14.6	27.3	8.8	18.1	47.7	0.0
55	28. 9- 2.10	15.5	6.0	10.7	21.4	1.7	19.0	13.6	16.3		19.6	22.1	4.2	13.1	53.4	0.0
56	3.10- 7.10	23.0	7.9	15.5	37.7	40.3	22.3	17.2	19.7		26.7	26.1	8.0	17.1	41.2	11.5
57	8.10-12.10	22.7	11.0	16.9	37.1	14.9	22.9	18.8	20.9		54.7	29.7	10.3	20.0	54.9	0.1
58	13.10-17.10	23.4	11.0	17.2	30.9	3.0	22.6	17.7	20.1		5.8	20.5	9.8	15.1	36.4	11.0
59	18.10-22.10	25.3	6.5	15.9	47.5	15.8	22.1	15.8	18.9		18.5	27.6	9.9	18.7	58.3	0.0
60	23.10-27.10	16.7	3.9	10.3	33.9	17.8	20.2	13.7	16.9		25.7	26.8	8.3	17.5	60.0	0.0
61	28.10- 1.11	24.2	10.9	17.5	42.6	37.2	23.3	18.1	20.7		12.4	31.0	14.3	22.7	62.0	0.0
62	2.11- 6.11	19.4	8.3	13.9	20.9	4.5	20.9	16.5	18.7		51.0	28.6	12.1	20.3	59.1	0.0
63	7.11-11.11	21.5	9.1	15.3	44.9	11.4	21.9	16.2	19.1		14.5	28.2	12.4	20.3	59.4	0.0
64	12.11-16.11	21.7	9.8	15.7	36.6	10.6	22.6	16.6	19.6		15.8	26.5	11.1	18.8	58.0	0.0
65	17.11-21.11	23.1	10.4	16.7	44.4	8.0	22.7	16.5	19.6		3.8	28.7	12.9	20.8	53.8	0.3
66	22.11-26.11	28.5	9.9	19.2	56.7	19.0	23.3	19.1	21.2		1.4	36.1	16.8	26.5	55.4	0.0
67	27.11- 1.12	21.8	12.7	17.3	24.1	11.7	23.9	18.5	21.2		31.3	32.5	16.7	24.6	55.3	4.5
68	2.12- 6.12	22.6	11.3	16.9	41.2	18.3	23.6	18.3	20.9		26.7	29.3	13.8	21.5	62.9	6.5
69	7.12-11.12	24.4	11.6	18.0	30.3	37.1	24.2	18.9	21.5		19.2	32.5	15.3	23.9	60.2	0.0
70	12.12-16.12	22.3	11.4	16.9	39.4	7.0	24.5	18.5	21.5		16.4	30.0	13.4	21.7	61.8	0.0
71	17.12-21.12	22.7	11.9	17.3	31.4	10.8	23.8	19.0	21.4		9.4	32.7	16.6	24.7	62.3	0.0
72	22.12-26.12	28.0	11.0	19.5	50.7	0.0	25.4	19.8	22.6		4.4	34.2	15.6	24.9	63.1	0.0
73	27.12-31.12	28.0	14.3	21.1	31.3	24.4	27.5	21.5	24.5		1.8	38.5	21.6	30.1	64.0	0.0

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		PRIESKA 224/430 29°40'S H 933M 22°45'E					FAURESMITH 229/556 29°46'S H1362M 25°19'E					WEPENER - TNK*** 233/ 44 29°44'S H1437M 27°02'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	35.5	17.5	26.5	60.6	0.0	32.2	-	-	57.3	8.0	31.4	13.8	22.6	58.8	3.3
2	6. 1-10. 1	33.3	19.1	26.2	38.8	24.2	28.8	-	-	39.4	62.0	27.5	15.4	21.5	39.3	38.9
3	11. 1-15. 1	33.6	16.5	25.1	62.9	0.0	28.5	-	-	47.0	0.0	27.7	16.8	22.3	35.0	12.5
4	16. 1-20. 1	36.0	18.7	27.3	60.0	0.0	31.4	-	-	57.3	8.6	29.7	15.1	22.4	57.8	49.9
5	21. 1-25. 1	33.2	17.4	25.3	50.6	2.5	26.5	-	-	33.4	59.1	26.3	15.2	20.7	40.9	9.0
6	26. 1-30. 1	35.5	19.7	27.6	48.3	1.0	30.2	-	-	40.0	0.2	30.1	15.5	22.8	51.5	0.9
7	31. 1- 4. 2	36.4	21.1	28.7	58.1	0.0	29.8	-	-	49.4	57.8	29.7	15.1	22.4	45.7	11.2
8	5. 2- 9. 2	31.6	17.4	24.5	46.5	39.5	23.8	13.4	18.6	25.9	22.2	24.8	13.9	19.3	29.5	33.4
9	10. 2-14. 2	31.5	17.5	24.5	40.9	0.0	27.6	14.2	20.9	47.8	17.0	28.1	14.0	21.1	52.3	4.2
10	15. 2-19. 2	32.0	18.4	25.2	46.2	18.0	28.1	15.2	21.7	45.2	13.5	26.9	13.9	20.4	44.2	21.8
11	20. 2-24. 2	33.4	18.2	25.8	55.4	3.0	27.8	14.0	20.9	53.6	1.0	26.6	13.7	20.1	48.0	10.3
12	25. 2- 1. 3	32.5	16.5	24.5	51.3	1.7	28.8	14.2	21.5	52.4	0.0	28.8	11.6	20.2	54.3	6.7
13	2. 3- 6. 3	33.1	13.6	23.3	56.2	0.0	29.1	12.4	20.7	56.1	0.0	28.5	8.7	18.6	57.8	0.0
14	7. 3-11. 3	35.2	15.9	25.5	48.9	2.2	31.6	13.0	22.3	42.4	7.6	31.4	11.2	21.3	50.3	3.4
15	12. 3-16. 3	34.1	17.6	25.9	38.2	0.3	30.0	14.9	22.5	42.9	0.6	30.1	12.5	21.3	44.9	0.5
16	17. 3-21. 3	34.3	16.4	25.3	51.3	11.3	30.6	15.2	22.9	45.1	1.7	30.3	15.2	22.7	43.8	5.5
17	22. 3-26. 3	30.9	15.8	23.3	44.9	0.0	26.1	14.2	20.1	33.4	17.3	23.6	14.7	19.1	31.5	33.4
18	27. 3-31. 3	29.7	13.8	21.7	30.9	0.0	23.1	12.3	17.7	22.9	28.9	24.7	12.5	18.6	36.3	9.1
19	1. 4- 5. 4	24.6	13.7	19.1	33.5	7.9	20.3	10.5	15.4	31.6	28.1	20.3	11.7	16.0	26.0	26.3
20	6. 4-10. 4	25.7	9.0	17.3	43.2	0.0	21.2	6.7	13.9	47.4	3.4	-	-	-	45.6	11.6
21	11. 4-15. 4	26.9	6.6	16.7	41.2	0.6	23.1	7.1	15.1	43.8	1.0	22.7	-	-	53.1	3.9
22	16. 4-20. 4	29.6	6.9	18.3	43.4	0.0	25.3	6.8	16.1	45.3	0.0	24.5	6.2	15.3	52.5	0.0
23	21. 4-25. 4	29.8	12.7	21.3	40.7	13.7	25.2	10.9	18.1	42.6	7.1	24.8	9.9	17.3	46.9	2.7
24	26. 4-30. 4	30.5	11.1	20.8	40.0	0.6	26.5	9.9	18.2	46.2	6.0	26.2	6.2	16.2	47.1	0.5
25	1. 5- 5. 5	24.6	9.8	17.2	37.6	6.6	19.0	9.0	14.0	30.1	11.2	18.8	8.3	13.5	32.5	20.9
26	6. 5-10. 5	27.4	6.1	16.7	45.5	17.4	22.1	4.9	13.5	42.7	9.4	21.6	2.9	12.3	44.9	1.5
27	11. 5-15. 5	21.8	8.5	15.1	44.3	0.0	18.5	6.5	12.5	37.0	3.4	18.0	5.7	11.9	34.3	11.4
28	16. 5-20. 5	18.1	2.9	10.5	45.8	0.0	14.6	0.5	7.5	47.1	0.0	15.0	0.3	7.7	43.4	0.0
29	21. 5-25. 5	21.3	2.7	12.0	33.6	0.4	16.1	3.7	9.9	31.3	8.1	16.8	4.1	10.5	35.9	4.0
30	26. 5-30. 5	23.8	5.1	14.5	43.3	0.0	19.2	4.3	11.7	40.6	0.4	17.2	1.2	9.2	35.7	0.5
31	31. 5- 4. 6	23.0	3.2	13.1	36.3	0.8	17.9	0.7	9.3	35.6	0.0	17.1	-1.5	7.8	35.0	0.0
32	5. 6- 9. 6	21.8	7.8	14.8	36.2	6.4	17.1	4.5	10.8	30.6	4.7	17.1	2.7	9.9	31.7	0.0
33	10. 6-14. 6	21.6	5.2	13.4	40.8	0.0	18.5	4.5	11.5	43.1	0.4	18.9	3.5	11.2	38.7	0.0
34	15. 6-19. 6	16.3	-0.5	7.9	34.3	3.4	11.9	-0.6	5.7	32.7	0.0	12.4	-3.5	4.5	33.4	0.0
35	20. 6-24. 6	16.7	5.4	11.1	32.2	5.7	16.6	3.0	9.8	33.3	2.8	17.9	2.1	10.0	41.8	0.0
36	25. 6-29. 6	20.5	2.8	11.7	44.7	0.0	17.4	2.0	9.7	39.3	0.0	17.3	2.7	10.0	39.3	0.0
37	30. 6- 4. 7	20.0	5.7	12.9	40.0	0.0	18.5	4.0	11.3	37.6	0.0	18.4	4.6	11.5	34.9	0.0
38	5. 7- 9. 7	20.8	4.8	12.8	32.7	1.4	18.6	4.1	11.3	36.3	1.0	18.4	3.1	10.7	39.3	0.0
39	10. 7-14. 7	17.8	1.6	9.7	31.4	0.0	15.4	0.8	8.1	40.2	0.0	15.3	-1.4	6.9	36.2	0.0
40	15. 7-19. 7	16.9	2.7	9.8	43.8	0.0	14.5	0.1	7.3	42.7	0.0	14.1	-2.2	5.9	43.5	0.0
41	20. 7-24. 7	22.2	3.2	12.7	42.1	2.5	17.7	1.4	9.5	31.7	0.2	17.0	-0.3	8.3	34.8	0.0
42	25. 7-29. 7	22.7	3.7	13.2	38.0	0.7	19.3	2.2	10.7	41.3	0.0	18.4	-0.2	9.1	44.4	3.4
43	30. 7- 3. 8	16.0	5.2	10.6	32.4	1.3	13.6	4.2	8.9	32.7	9.5	13.5	2.9	8.2	27.0	6.3
44	4. 8- 8. 8	20.1	1.9	11.0	47.3	0.0	16.2	-0.3	7.9	47.1	0.0	16.8	-1.9	7.5	44.6	0.0
45	9. 8-13. 8	23.1	1.1	12.1	47.5	0.0	19.8	2.2	11.0	48.7	0.0	19.4	-2.6	8.4	46.3	0.0
46	14. 8-18. 8	21.8	3.3	12.5	46.3	0.0	21.0	1.6	11.3	40.8	0.0	21.9	1.9	11.9	45.7	0.0
47	19. 8-23. 8	14.0	1.9	7.9	38.6	3.0	12.6	-1.3	5.7	36.7	0.0	15.4	-1.2	7.1	39.0	0.0
48	24. 8-28. 8	19.5	0.1	9.8	49.2	0.0	17.3	-1.8	7.7	51.8	0.0	17.4	-3.1	7.1	51.3	0.0
49	29. 8- 2. 9	27.7	3.6	15.7	49.8	0.0	27.1	4.2	15.7	50.2	0.0	27.2	5.2	16.2	52.0	0.0
50	3. 9- 7. 9	21.7	4.0	12.9	47.5	0.0	20.7	3.1	11.9	46.7	0.0	23.4	1.6	12.5	48.1	0.0
51	8. 9-12. 9	27.5	6.1	16.8	48.3	0.0	22.8	6.7	14.7	43.4	0.3	21.6	5.5	13.5	43.7	1.3
52	13. 9-17. 9	28.9	8.5	18.7	51.9	0.0	26.1	6.7	16.4	53.0	0.0	26.3	2.8	14.5	54.4	0.0
53	18. 9-22. 9	28.8	8.8	18.8	50.9	0.0	25.5	9.2	17.3	51.9	0.0	24.5	5.0	14.7	52.2	0.1
54	23. 9-27. 9	30.6	9.7	20.1	51.6	0.0	28.4	10.1	19.3	46.3	0.0	27.8	11.3	19.5	44.5	0.0
55	28. 9- 2.10	24.2	4.6	14.4	54.0	0.0	22.1	4.6	13.3	53.3	0.0	23.2	2.6	12.9	54.4	0.0
56	3.10- 7.10	27.0	9.5	18.3	30.0	0.0	24.1	8.8	16.5	27.5	8.4	23.6	9.5	16.5	29.4	21.4
57	8.10-12.10	31.6	11.0	21.3	52.5	8.2	27.3	10.4	18.9	48.5	23.3	25.4	12.0	18.7	45.0	0.0
58	13.10-17.10	21.0	10.8	15.9	30.8	26.8	21.2	10.7	15.9	40.6	38.8	21.8	13.1	17.5	40.5	9.7
59	18.10-22.10	29.2	11.1	20.1	56.7	0.0	26.4	8.9	17.7	51.3	0.0	26.3	7.5	16.9	46.8	0.0
60	23.10-27.10	28.1	9.2	18.7	57.0	3.0	22.5	8.3	15.4	50.0	5.9	22.9	8.7	15.8	51.5	2.0
61	28.10- 1.11	32.3	15.7	24.0	57.0	0.0	28.8	11.7	20.3	52.4	1.7	28.3	12.3	20.3	56.7	1.9
62	2.11- 6.11	30.5	13.5	22.0	55.0	0.0	27.7	11.7	19.7	43.2	2.2	27.1	12.2	19.7	39.7	10.2
63	7.11-11.11	29.6	12.2	20.9	61.0	0.0	26.5	9.9	18.2	52.1	0.3	25.3	8.4	16.9	49.5	8.7
64	12.11-16.11	28.4	12.2	20.3	60.8	0.0	25.5	10.1	17.8	41.0	2.6	25.0	9.1	17.1	55.3	0.2
65	17.11-21.11	29.9	13.7	21.8	50.9	2.7	25.7	11.4	18.5	42.5	3.3	26.0	11.1	18.5	46.4	1.0
66	22.11-26.11	36.6	16.9	26.7	53.3	0.0	32.5	15.2	23.9	44.9	0.0	30.7	13.1	21.9	57.2	0.0
67	27.11- 1.12	33.4	17.0	25.2	50.0	1.2	29.9	15.3	22.6	44.3	5.6	29.1	15.0	22.1	49.2	12.8
68	2.12- 6.12	31.1	15.0	23.1	59.6	0.0	27.1	12.8	19.9	45.3	0.1	25.1	13.9	19.5	49.4	6.2
69	7.12-11.12	34.1	14.7	24.4	60.2	0.0	30.6	13.2	21.9	56.9	0.4	30.1	12.6	21.3	58.0	0.2
70	12.12-16.12	31.7	13.7	22.7	62.4	0.0	28.4	11.8	20.1	57.0	0.0	27.8	9.9	18.9	55.1	0.0
71	17.12-21.12	34.1	16.9	25.5	59.1	0.0	29.3	13.5	21.4	49.9	8.5	27.3	12.9	20.1	45.9	29.5
72	22.12-26.12	36.0	15.7	25.9	58.9	0.0	32.5	15.1	23.8	55.8	0.4	31.2	13.1	22.1	59.9	1.0
73	27.12-31.12	39.5	23.2	31.3	61.3	0.0	34.2	17.9	26.1	53.8	20.9	31.2	16.1	23.7	41.6	28.0

*** Stasie verskuif; kyk na bl. XXI / Station shifted; see p. XXI

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		CEDARA - AGR 239/482 29°32'S H1067M 30°17'E					LOUIS BOTHA - WK 240/808 29°58'S H 8M 30°57'E					MOUNT EDGECOMBE 241/ 72 29°42'S H 104M 31°03'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	21.1	12.0	16.5	16.2	4.2	24.6	18.1	21.3	17.3	21.2	23.3	17.0	20.1	18.3	13.7
2	6. 1-10. 1	25.4	15.5	20.5	34.5	12.7	27.8	20.0	23.9	26.4	1.7	26.9	18.9	22.9	27.2	1.2
3	11. 1-15. 1	27.1	16.4	21.7	18.1	50.7	28.0	21.9	24.9	14.6	12.2	27.5	21.4	24.5	13.9	22.1
4	16. 1-20. 1	25.5	15.4	20.5	16.1	17.3	28.4	22.5	25.5	22.7	2.8	27.8	21.2	24.5	27.1	3.2
5	21. 1-25. 1	20.9	14.5	17.7	13.9	13.7	25.6	19.6	22.6	12.9	57.1	25.0	19.1	22.1	20.1	41.4
6	26. 1-30. 1	25.0	16.2	20.6	38.9	3.5	28.1	21.5	24.8	35.6	4.8	27.4	20.7	24.1	43.9	0.5
7	31. 1- 4. 2	24.4	15.7	20.1	31.1	4.0	28.5	20.7	24.6	35.7	46.0	27.5	19.6	23.5	37.1	31.0
8	5. 2- 9. 2	22.4	13.8	18.1	16.9	23.5	26.9	20.4	23.7	23.9	21.9	25.9	19.4	22.7	25.2	29.7
9	10. 2-14. 2	26.1	13.9	20.0	45.0	2.5	28.6	20.1	24.3	42.9	3.3	27.2	19.4	23.3	43.8	1.8
10	15. 2-19. 2	21.6	12.8	17.2	35.7	26.3	25.1	18.7	21.9	29.4	38.3	24.6	17.4	21.0	33.7	20.4
11	20. 2-24. 2	25.1	13.0	19.1	35.5	7.6	28.0	19.1	23.5	43.9	7.2	26.6	17.9	22.3	40.9	16.3
12	25. 2- 1. 3	25.1	15.0	20.1	22.9	40.6	28.5	21.1	24.8	40.7	30.7	27.4	19.3	23.3	40.7	88.0
13	2. 3- 6. 3	22.4	14.9	18.7	17.9	20.3	26.7	20.0	23.3	22.1	33.7	26.1	19.4	22.7	23.1	61.3
14	7. 3-11. 3	28.0	17.2	22.6	38.1	7.0	29.7	22.4	26.1	37.0	16.9	28.7	21.8	25.3	34.0	10.1
15	12. 3-16. 3	26.5	13.3	19.9	37.0	2.5	28.7	20.8	24.7	38.0	2.6	27.6	19.8	23.7	40.3	5.0
16	17. 3-21. 3	25.0	15.2	20.1	31.7	0.0	27.5	19.6	23.5	37.6	1.2	26.4	18.7	22.5	36.0	2.6
17	22. 3-26. 3	25.3	14.5	19.9	21.5	23.8	27.6	20.9	24.3	19.6	38.5	26.9	20.0	23.5	21.1	54.2
18	27. 3-31. 3	25.0	12.5	18.7	30.0	6.7	26.1	18.7	22.4	24.7	48.0	25.3	18.1	21.7	30.8	73.9
19	1. 4- 5. 4	21.5	13.1	17.3	23.8	43.4	26.0	19.2	22.6	23.6	29.0	25.4	18.7	22.1	27.9	43.0
20	6. 4-10. 4	21.1	9.6	15.3	34.6	7.5	25.1	16.3	20.7	39.1	8.6	24.0	16.0	20.0	35.5	14.0
21	11. 4-15. 4	21.7	11.1	16.4	28.2	11.2	24.5	18.4	21.5	23.8	5.3	23.4	17.7	20.5	27.7	2.4
22	16. 4-20. 4	22.4	10.6	16.5	36.3	1.6	25.8	17.0	21.4	25.7	1.5	25.4	16.4	20.9	26.1	0.0
23	21. 4-25. 4	24.9	11.9	18.4	32.3	4.6	27.5	18.7	23.1	30.5	8.9	26.9	18.0	22.5	34.0	0.5
24	26. 4-30. 4	26.7	10.5	18.6	43.4	0.0	27.9	17.9	22.9	38.9	0.0	27.2	17.1	22.1	40.4	0.0
25	1. 5- 5. 5	-	-	-	22.4	47.4	23.6	16.7	20.1	24.2	44.0	23.0	16.1	19.5	25.3	34.4
26	6. 5-10. 5	24.2	7.0	15.6	48.3	0.0	26.9	14.9	20.9	45.0	0.0	26.0	14.5	20.3	46.1	0.0
27	11. 5-15. 5	20.3	9.6	14.9	31.4	53.7	24.4	15.2	19.8	23.4	133.3	23.5	15.4	19.5	27.1	172.9
28	16. 5-20. 5	17.8	4.4	11.1	42.7	0.0	22.3	11.4	16.9	34.8	0.2	21.8	11.4	16.6	35.6	0.3
29	21. 5-25. 5	19.4	3.8	11.6	46.1	0.0	23.7	10.4	17.1	44.4	0.0	22.7	10.4	16.5	45.9	0.0
30	26. 5-30. 5	17.9	5.2	11.5	36.6	5.4	22.7	14.3	18.5	28.4	48.9	21.6	13.0	17.3	31.0	16.5
31	31. 5- 4. 6	16.6	3.6	10.1	35.9	0.5	21.2	10.7	15.9	36.0	0.7	20.1	10.6	15.3	38.2	0.0
32	5. 6- 9. 6	21.1	5.2	13.1	45.4	0.0	24.4	11.6	18.0	44.2	0.0	23.8	11.6	17.7	45.4	0.0
33	10. 6-14. 6	22.5	3.6	13.1	46.2	0.0	24.8	8.9	16.9	45.3	0.0	25.7	10.7	18.2	45.8	0.0
34	15. 6-19. 6	14.3	1.9	8.1	34.7	0.0	20.2	9.6	14.9	37.3	0.0	19.1	9.8	14.5	35.7	0.0
35	20. 6-24. 6	19.5	5.5	12.5	33.3	0.5	23.8	10.3	17.1	36.8	0.0	23.2	10.8	17.0	38.2	0.2
36	25. 6-29. 6	17.9	4.7	11.3	31.7	0.3	22.3	11.7	17.0	33.4	0.0	21.5	11.7	16.6	29.3	0.0
37	30. 6- 4. 7	20.8	4.9	12.9	32.1	29.0	25.0	10.3	17.7	32.5	60.1	24.3	11.9	18.1	34.2	60.0
38	5. 7- 9. 7	18.8	3.8	11.3	42.7	0.0	22.8	10.8	16.8	38.3	0.3	22.6	11.4	17.0	38.7	0.0
39	10. 7-14. 7	17.7	3.1	10.4	41.3	0.0	21.9	11.0	16.5	44.5	0.0	20.6	11.1	15.9	43.7	0.0
40	15. 7-19. 7	19.3	0.9	10.1	44.2	0.0	22.5	7.4	14.9	46.8	0.0	21.5	8.5	15.0	46.3	0.0
41	20. 7-24. 7	20.8	2.1	11.5	46.9	0.0	23.5	8.1	15.8	43.0	0.0	23.8	9.8	16.8	46.6	0.0
42	25. 7-29. 7	18.8	3.8	11.3	42.6	0.3	21.5	10.3	15.9	41.0	40.7	20.7	10.5	15.6	42.6	14.0
43	30. 7- 3. 8	19.0	3.1	11.1	37.5	10.5	21.9	10.0	15.9	35.3	16.2	21.4	10.1	15.7	34.8	13.5
44	4. 8- 8. 8	19.9	3.6	11.7	37.4	0.0	21.9	11.3	16.6	32.2	0.0	21.0	11.0	16.0	33.9	0.9
45	9. 8-13. 8	17.1	3.9	10.5	41.4	0.0	22.1	11.1	16.6	42.7	0.6	20.8	11.1	15.9	44.6	0.2
46	14. 8-18. 8	24.1	6.8	15.5	47.7	0.0	24.1	12.9	18.5	43.9	0.0	23.6	12.5	18.1	46.2	0.0
47	19. 8-23. 8	14.6	5.2	9.9	27.5	70.1	21.4	11.6	16.5	20.8	67.7	20.9	10.9	15.9	27.7	111.9
48	24. 8-28. 8	17.8	3.0	10.4	33.5	0.0	20.7	11.2	15.9	43.4	0.0	19.8	10.5	15.1	40.9	0.0
49	29. 8- 2. 9	26.9	8.5	17.7	43.9	0.6	23.8	13.6	18.7	37.8	0.2	23.2	13.5	18.3	36.8	0.4
50	3. 9- 7. 9	19.8	8.8	14.3	16.1	3.5	19.9	15.1	17.5	9.2	7.4	19.1	14.4	16.7	7.8	4.9
51	8. 9-12. 9	18.1	7.3	12.7	31.0	2.8	21.5	13.7	17.6	20.3	11.7	20.6	12.2	16.4	22.5	13.9
52	13. 9-17. 9	22.1	8.5	15.3	33.2	2.6	22.9	16.1	19.5	16.0	6.4	22.6	15.7	19.1	17.2	9.5
53	18. 9-22. 9	20.9	8.3	14.6	33.8	4.7	22.6	14.7	18.7	27.2	3.6	22.3	14.1	18.2	26.6	0.9
54	23. 9-27. 9	23.6	10.6	17.1	26.6	1.6	23.1	17.2	20.1	21.2	8.3	22.6	15.9	19.3	24.4	11.0
55	28. 9- 2.10	15.5	9.2	12.3	15.9	10.6	19.6	14.9	17.3	15.5	16.9	18.6	13.8	16.2	15.5	14.4
56	3.10- 7.10	22.0	9.9	15.9	26.4	18.5	24.1	16.5	20.3	29.5	0.5	23.3	15.3	19.3	27.4	2.2
57	8.10-12.10	23.4	11.9	17.7	31.0	4.3	24.9	19.7	22.3	17.9	2.5	24.5	18.5	21.5	19.2	4.0
58	13.10-17.10	23.3	12.7	18.0	23.4	7.0	24.7	18.6	21.7	20.0	1.9	25.5	17.2	21.3	22.6	2.8
59	18.10-22.10	26.3	8.4	17.3	41.3	3.8	25.5	16.3	20.9	36.4	4.3	25.5	15.4	20.5	38.5	2.2
60	23.10-27.10	19.2	7.7	13.5	26.3	14.6	22.0	13.5	17.7	28.5	9.2	21.6	12.0	16.8	32.3	10.1
61	28.10- 1.11	23.6	12.2	17.9	32.4	18.8	25.8	18.8	22.3	28.9	8.1	26.0	17.0	21.5	31.0	9.1
62	2.11- 6.11	18.8	10.8	14.8	8.2	21.4	22.2	16.9	19.5	12.8	34.3	21.8	16.0	18.9	12.5	24.1
63	7.11-11.11	21.1	10.5	15.8	36.3	6.4	24.0	16.4	20.2	29.0	9.4	25.0	15.7	20.3	39.8	9.4
64	12.11-16.11	21.6	11.0	16.3	16.1	11.6	24.0	16.8	20.4	20.1	10.1	23.5	16.2	19.9	21.8	18.8
65	17.11-21.11	23.1	10.7	16.9	32.1	15.5	24.9	16.1	20.5	37.2	1.8	24.6	16.2	20.4	42.8	0.3
66	22.11-26.11	25.9	13.5	19.7	42.9	1.6	26.3	20.0	23.1	34.1	0.0	25.2	19.3	22.3	35.5	0.6
67	27.11- 1.12	21.4	14.0	17.7	16.9	20.0	25.6	19.1	22.3	15.3	20.2	25.0	18.3	21.7	17.6	9.8
68	2.12- 6.12	23.1	12.6	17.9	26.9	35.8	25.6	18.8	22.2	27.9	30.1	24.5	17.6	21.1	28.5	104.2
69	7.12-11.12	24.1	13.4	18.7	21.1	16.9	25.9	19.7	22.8	20.5	11.7	25.1	18.7	21.9	24.4	9.6
70	12.12-16.12	22.8	12.7	17.7	32.0	5.9	25.5	18.0	21.7	30.5	11.0	25.2	17.4	21.3	29.6	5.3
71	17.12-21.12	20.2	12.7	16.5	14.8	14.0	25.8	19.3	22.5	19.7	7.8	24.5	18.1	21.3	14.4	7.4
72	22.12-26.12	25.1	12.8	18.9	41.8	13.5	26.4	19.4	22.9	31.7	0.0	26.1	18.4	22.3	33.5	1.4
73	27.12-31.12	27.7	15.5	21.6	34.9	7.9	28.9	21.9	25.4	35.9	0.0	28.1	20.7	24.4	35.9	2.0

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REENVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		PORT NOLLOTH - VRT 242/644 29°14'S H 4M 16°52'E					J.B.M.HERTZOG - WK 261/516 29°06'S H1351M 26°18'E					ESTCOURT - AGR 268/631 29°01'S H1181M 29°52'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	20.0	10.8	15.4		0.0	31.4	15.1	23.3	57.8	7.5	23.7	14.1	18.9	15.0	4.0
2	6. 1-10. 1	18.8	12.7	15.7		0.0	28.3	16.2	22.3	33.2	16.8	27.9	15.7	21.8	27.1	0.3
3	11. 1-15. 1	19.8	13.0	16.4		0.5	28.0	15.8	21.9	37.7	7.3	28.4	17.8	23.1	21.7	30.9
4	16. 1-20. 1	20.6	11.9	16.3		0.0	30.3	15.3	22.8	56.2	19.7	27.9	17.1	22.5	29.4	4.7
5	21. 1-25. 1	18.6	11.8	15.2		0.0	25.1	15.0	20.1	28.1	15.7	23.0	15.0	19.0	11.3	8.6
6	26. 1-30. 1	19.5	13.3	16.4		0.0	30.7	16.1	23.4	55.6	4.4	27.3	15.3	21.3	32.2	79.7
7	31. 1- 4. 2	19.7	12.8	16.3		0.0	29.2	14.7	21.9	49.9	33.0	25.9	15.2	20.5	37.7	9.5
8	5. 2- 9. 2	18.5	13.6	16.1		0.3	24.8	14.7	19.7	32.7	8.7	24.5	14.6	19.5	20.1	10.9
9	10. 2-14. 2	19.9	12.0	15.9		0.1	28.1	14.2	21.1	50.9	9.9	27.8	13.7	20.7	47.4	0.8
10	15. 2-19. 2	17.5	12.0	14.7		0.0	27.1	14.0	20.5	38.8	27.2	24.0	14.2	19.1	28.6	12.9
11	20. 2-24. 2	19.7	12.7	16.2		0.0	26.4	13.0	19.7	41.8	3.8	25.3	13.1	19.2	27.1	0.3
12	25. 2- 1. 3	18.1	11.5	14.8		0.0	29.7	11.1	20.4	53.2	0.2	30.1	15.4	22.7	45.1	36.6
13	2. 3- 6. 3	17.8	12.7	15.3		0.0	29.8	8.9	19.3	59.5	0.0	26.1	14.9	20.5	41.1	1.9
14	7. 3-11. 3	19.4	11.8	15.6		0.0	31.7	12.0	21.9	50.1	24.0	30.6	16.9	23.7	42.3	6.2
15	12. 3-16. 3	19.2	11.7	15.5		0.0	30.0	14.4	22.2	48.9	0.0	28.4	14.5	21.5	37.1	3.7
16	17. 3-21. 3	18.6	12.0	15.3		0.0	30.9	14.8	22.9	49.3	1.0	27.8	14.8	21.3	33.1	1.4
17	22. 3-26. 3	18.4	12.6	15.5		0.0	24.9	14.5	19.7	27.0	35.1	27.4	14.6	21.0	23.9	9.0
18	27. 3-31. 3	22.3	10.7	16.5		0.0	25.0	11.9	18.5	33.8	0.3	25.3	13.0	19.1	32.9	0.0
19	1. 4- 5. 4	18.4	10.5	14.5		0.0	21.4	10.8	16.1	27.1	22.0	-	-	-	27.6	6.1
20	6. 4-10. 4	18.9	10.5	14.7		0.0	21.2	6.3	13.7	47.0	12.6	-	-	-	42.0	15.5
21	11. 4-15. 4	15.9	6.2	11.1		0.0	24.1	5.7	14.9	50.1	1.1	-	-	-	24.2	9.9
22	16. 4-20. 4	15.9	8.2	12.1		0.0	25.5	5.2	15.3	51.8	0.0	-	-	-	43.1	0.0
23	21. 4-25. 4	14.3	8.4	11.3		0.0	25.2	9.7	17.5	44.0	3.2	-	-	-	39.6	0.3
24	26. 4-30. 4	17.4	10.4	13.9		0.0	26.8	6.6	16.7	47.5	3.5	-	-	-	43.7	0.0
25	1. 5- 5. 5	15.5	8.0	11.7		0.0	19.6	8.5	14.1	31.7	17.7	-	-	-	20.6	18.0
26	6. 5-10. 5	16.3	7.8	12.1		0.5	22.2	3.5	12.9	49.2	4.8	-	-	-	47.6	0.0
27	11. 5-15. 5	17.6	9.8	13.7		0.0	19.3	5.2	12.3	37.9	2.8	-	-	-	30.5	15.4
28	16. 5-20. 5	22.0	9.8	15.9		1.0	15.8	-2.0	6.9	45.7	0.0	-	-	-	42.6	0.0
29	21. 5-25. 5	18.8	8.9	13.9		0.0	16.8	1.9	9.3	33.8	7.0	-	-	-	46.0	0.0
30	26. 5-30. 5	19.8	8.9	14.3		0.0	19.2	1.5	10.3	39.6	0.0	-	-	-	36.5	10.0
31	31. 5- 4. 6	17.4	10.3	13.9		0.0	18.1	-1.1	8.5	40.1	0.0	-	-	-	40.7	0.0
32	5. 6- 9. 6	16.6	6.3	11.5		0.0	17.7	0.9	9.3	35.7	0.0	20.4	3.9	12.1	46.5	0.0
33	10. 6-14. 6	18.4	11.4	14.9		0.5	19.6	0.3	9.9	44.8	2.2	21.7	3.5	12.6	48.2	0.0
34	15. 6-19. 6	18.7	5.9	12.3		0.0	13.6	-4.3	4.7	40.8	0.0	16.1	1.4	8.7	40.1	0.0
35	20. 6-24. 6	14.3	8.8	11.5		0.6	17.9	-0.5	8.7	43.8	0.0	19.4	3.4	11.4	35.5	0.0
36	25. 6-29. 6	18.4	8.9	13.7		0.0	17.9	-0.1	8.9	42.6	0.0	16.4	4.1	10.3	28.5	0.3
37	30. 6- 4. 7	15.2	9.7	12.5		5.7	19.6	1.1	10.3	40.5	0.0	21.1	4.3	12.7	38.6	19.6
38	5. 7- 9. 7	15.9	8.6	12.3		1.0	19.1	-0.4	9.3	41.8	0.1	18.5	3.3	10.9	40.9	0.0
39	10. 7-14. 7	19.8	10.7	15.3		0.0	16.1	-2.4	6.9	43.2	0.0	18.8	3.5	11.1	42.5	0.0
40	15. 7-19. 7	18.8	9.1	13.9		0.0	15.4	-4.4	5.5	47.4	0.0	19.0	1.6	10.3	48.3	0.0
41	20. 7-24. 7	14.4	6.0	10.2		0.0	17.2	-1.5	7.9	37.3	1.4	20.2	2.1	11.1	45.9	0.0
42	25. 7-29. 7	16.8	8.1	12.5		3.5	19.6	-0.7	9.5	47.3	0.0	18.7	3.6	11.1	44.2	0.0
43	30. 7- 3. 8	15.6	8.7	12.1		6.8	15.2	1.4	8.3	34.3	1.8	18.9	1.9	10.4	39.1	4.4
44	4. 8- 8. 8	15.2	8.4	11.8		0.0	18.0	-5.0	6.5	48.4	0.0	19.9	1.6	10.7	39.9	0.0
45	9. 8-13. 8	18.0	7.3	12.7		0.0	20.7	-2.0	9.3	49.8	0.0	19.2	3.5	11.3	44.1	0.0
46	14. 8-18. 8	14.6	8.8	11.7		0.5	22.8	0.0	11.4	46.9	0.8	24.0	4.9	14.5	47.2	0.0
47	19. 8-23. 8	15.5	7.2	11.3		5.7	15.0	-2.0	6.5	45.7	0.0	17.0	5.1	11.1	32.3	25.5
48	24. 8-28. 8	14.4	7.2	10.8		1.8	18.6	-3.9	7.3	53.2	0.0	19.6	4.5	12.1	44.0	0.0
49	29. 8- 2. 9	15.7	7.0	11.3		0.0	28.3	3.6	15.9	52.8	0.0	27.0	7.8	17.4	46.7	0.0
50	3. 9- 7. 9	14.4	6.2	10.3		0.0	24.1	1.2	12.7	50.6	0.0	22.3	8.3	15.3	24.4	1.4
51	8. 9-12. 9	15.2	6.0	10.6		0.0	22.5	6.3	14.4	36.9	2.2	20.0	7.8	13.9	28.1	0.7
52	13. 9-17. 9	15.4	6.8	11.1		0.0	27.8	3.4	15.6	55.5	0.0	26.8	9.8	18.3	44.3	0.4
53	18. 9-22. 9	20.0	8.5	14.3		0.0	26.6	5.4	16.0	50.4	0.1	24.2	9.3	16.7	40.7	0.1
54	23. 9-27. 9	16.0	9.4	12.7		0.0	29.4	9.5	19.5	45.9	0.0	27.7	11.6	19.7	39.6	0.2
55	28. 9- 2.10	15.8	6.8	11.3		0.0	24.0	3.5	13.7	55.7	0.0	19.6	9.3	14.5	22.0	1.5
56	3.10- 7.10	16.1	8.5	12.3		0.0	25.3	10.1	17.7	25.6	11.3	26.1	9.6	17.9	25.3	22.5
57	8.10-12.10	16.0	8.7	12.3		0.0	27.0	10.7	18.9	49.2	0.0	25.8	11.7	18.7	34.5	0.2
58	13.10-17.10	16.7	10.5	13.6		0.0	22.9	12.4	17.7	40.3	23.1	26.8	13.2	20.0	33.8	6.1
59	18.10-22.10	17.1	9.4	13.3		0.0	27.6	8.4	18.0	50.9	0.4	27.1	9.1	18.1	42.3	0.4
60	23.10-27.10	19.1	7.9	13.5		0.0	23.6	8.2	15.9	50.7	15.6	19.7	7.0	13.3	23.6	12.2
61	28.10- 1.11	17.6	11.9	14.7		0.0	29.3	10.9	20.1	53.8	4.6	26.0	11.4	18.7	35.6	14.2
62	2.11- 6.11	18.6	9.6	14.1		0.0	28.1	12.7	20.4	46.8	0.1	20.9	11.0	15.9	10.7	9.7
63	7.11-11.11	20.0	10.7	15.3		0.0	27.0	6.8	17.9	51.7	11.3	25.8	11.0	18.4	42.8	8.6
64	12.11-16.11	17.6	11.3	14.5		0.7	26.5	9.1	17.8	59.9	2.3	22.8	11.0	16.9	25.4	2.9
65	17.11-21.11	18.2	10.7	14.5		0.0	26.0	11.3	18.7	45.3	4.5	24.6	11.8	18.2	32.2	5.1
66	22.11-26.11	18.5	10.3	14.4		0.0	32.6	12.9	22.7	54.9	0.3	28.9	12.7	20.8	37.3	25.6
67	27.11- 1.12	18.1	11.1	14.6		0.0	29.7	15.1	22.4	45.2	15.2	24.6	13.8	19.2	23.2	74.9
68	2.12- 6.12	19.7	14.0	16.9		0.0	26.0	12.6	19.3	50.6	14.0	24.0	14.1	19.1	25.9	21.4
69	7.12-11.12	18.6	12.6	15.6		0.0	30.8	12.6	21.7	56.0	7.5	26.0	14.4	20.2	28.2	21.1
70	12.12-16.12	19.9	12.6	16.3		0.0	29.4	10.5	19.9	58.6	0.0	26.2	13.1	19.7	42.8	2.8
71	17.12-21.12	18.3	12.4	15.3		0.0	28.6	13.1	20.9	47.2	2.6	23.4	14.0	18.7	18.1	9.3
72	22.12-26.12	20.3	11.7	16.0		0.0	31.9	13.5	22.7	59.6	25.6	28.7	13.5	21.1	40.4	1.6
73	27.12-31.12	19.6	13.2	16.4		0.0	32.2	17.1	24.7	45.2	5.8	28.1	16.1	22.1	29.0	28.0

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REENVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		KIMBERLEY - WK 290/468 28°48'S H1198M 24°46'E					UPINGTON - WK 317/474 28°24'S H 836M 21°16'E					LOCH LOMOND - AGR 331/520 28°10'S H1631M 28°18'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	33.2	17.9	25.5	59.7	6.5	36.5	19.5	28.0	61.9	0.0	26.8	12.9	19.9	51.4	1.5
2	6. 1-10. 1	30.4	17.3	23.9	34.7	36.3	36.8	23.0	29.9	39.4	4.0	26.2	14.1	20.1	37.1	14.4
3	11. 1-15. 1	30.0	18.8	24.4	48.0	4.7	34.1	17.5	25.8	62.4	0.0	25.6	15.3	20.5	29.1	52.5
4	16. 1-20. 1	32.4	18.6	25.5	55.6	10.0	36.1	19.3	27.7	62.4	0.0	26.3	15.2	20.7	39.5	15.7
5	21. 1-25. 1	29.1	17.4	23.3	40.1	24.9	34.1	17.0	25.5	53.2	11.0	24.0	13.7	18.9	30.3	0.0
6	26. 1-30. 1	32.1	19.2	25.7	47.4	0.3	35.8	21.9	28.9	53.8	0.5	26.8	14.0	20.4	44.5	18.2
7	31. 1- 4. 2	33.3	18.5	25.9	57.7	35.7	36.0	20.3	28.1	63.5	0.0	24.6	12.5	18.5	43.2	66.3
8	5. 2- 9. 2	27.8	16.2	22.0	39.6	12.9	33.1	19.7	26.4	44.8	17.5	22.7	13.7	18.2	31.5	32.8
9	10. 2-14. 2	30.2	17.2	23.7	49.2	5.3	31.2	18.5	24.9	46.9	37.8	25.0	11.8	18.4	50.8	4.4
10	15. 2-19. 2	29.8	18.4	24.1	47.2	3.6	33.0	20.4	26.7	47.1	24.3	23.7	12.4	18.1	36.1	0.9
11	20. 2-24. 2	30.5	15.9	23.2	54.7	6.1	33.5	20.3	26.9	55.8	3.3	24.4	12.2	18.3	37.7	24.8
12	25. 2- 1. 3	31.6	16.5	24.1	53.3	1.3	32.4	17.1	24.7	53.1	0.3	27.4	10.8	19.1	49.0	0.7
13	2. 3- 6. 3	31.8	14.2	23.0	59.2	0.0	33.7	14.5	24.1	60.0	0.0	27.8	11.1	19.5	55.5	0.0
14	7. 3-11. 3	34.3	18.1	26.2	46.2	7.6	34.8	17.4	26.1	50.7	0.0	30.2	12.3	21.3	47.7	0.0
15	12. 3-16. 3	31.4	17.2	24.3	40.5	2.8	34.2	19.6	26.9	32.0	4.8	28.6	11.8	20.2	45.7	3.6
16	17. 3-21. 3	32.6	18.6	25.6	48.5	0.0	34.9	18.5	26.7	56.0	0.0	27.9	11.7	19.8	45.8	6.0
17	22. 3-26. 3	28.1	15.8	21.9	36.1	32.6	31.3	17.1	24.2	48.5	0.3	22.2	12.6	17.4	19.4	46.2
18	27. 3-31. 3	26.9	15.6	21.3	31.1	9.9	29.8	16.1	22.9	30.3	26.3	23.4	11.3	17.3	44.1	0.0
19	1. 4- 5. 4	22.9	12.8	17.9	29.3	23.4	24.9	15.1	20.0	32.8	30.9	20.1	9.3	14.7	29.3	25.6
20	6. 4-10. 4	22.4	9.8	16.1	48.4	4.7	26.3	12.2	19.3	50.1	0.0	19.3	5.3	12.3	38.2	31.1
21	11. 4-15. 4	25.4	10.4	17.9	50.5	0.2	27.0	10.7	18.9	47.8	0.0	22.2	8.6	15.4	40.4	29.9
22	16. 4-20. 4	27.7	11.9	19.8	49.7	0.0	30.4	12.1	21.3	51.9	0.0	22.2	7.0	14.6	43.6	0.0
23	21. 4-25. 4	27.1	13.9	20.5	43.2	3.0	29.8	15.7	22.7	40.1	1.9	23.2	7.9	15.5	42.2	0.0
24	26. 4-30. 4	28.2	13.6	20.9	41.8	4.0	30.9	14.2	22.5	46.1	3.7	24.9	6.7	15.8	46.4	0.0
25	1. 5- 5. 5	21.0	11.3	16.1	34.7	33.8	24.3	11.4	17.9	46.8	3.5	15.4	6.1	10.7	21.6	36.9
26	6. 5-10. 5	23.7	9.1	16.4	49.5	14.5	28.0	11.7	19.9	52.3	10.0	20.7	2.4	11.5	44.4	0.0
27	11. 5-15. 5	20.2	8.8	14.5	43.8	0.4	21.8	10.7	16.3	51.9	0.0	16.2	5.9	11.1	26.0	8.1
28	16. 5-20. 5	16.7	3.0	9.9	50.8	0.0	18.7	6.4	12.5	51.3	0.0	14.4	-1.2	6.6	44.5	0.0
29	21. 5-25. 5	18.4	6.1	12.3	34.8	4.1	22.3	6.2	14.3	43.2	0.3	16.6	1.6	9.1	39.6	0.0
30	26. 5-30. 5	21.1	7.1	14.1	46.6	1.9	25.9	9.0	17.5	46.1	0.0	17.5	1.4	9.5	37.3	0.7
31	31. 5- 4. 6	19.8	5.2	12.5	39.2	0.0	23.8	9.3	16.5	36.2	2.2	16.7	-2.1	7.3	37.9	0.0
32	5. 6- 9. 6	19.2	7.2	13.2	35.2	2.5	23.5	11.1	17.3	40.9	6.3	16.9	-1.2	7.9	37.3	0.0
33	10. 6-14. 6	20.8	8.3	14.5	47.0	1.6	22.1	9.0	15.5	47.1	0.0	17.6	-2.1	7.7	42.6	0.0
34	15. 6-19. 6	14.4	0.0	7.2	38.3	0.0	17.1	1.1	9.1	45.5	5.5	13.3	-3.3	5.0	40.7	0.0
35	20. 6-24. 6	18.6	5.4	12.0	40.1	0.0	18.4	6.9	12.7	43.9	0.3	17.0	-2.3	7.3	41.1	0.0
36	25. 6-29. 6	19.3	6.1	12.7	44.5	0.1	20.8	5.5	13.1	47.9	0.0	14.5	0.3	7.4	31.7	0.0
37	30. 6- 4. 7	20.7	6.3	13.5	47.6	0.0	20.2	5.8	13.0	47.5	0.5	17.2	-2.5	7.3	39.7	4.7
38	5. 7- 9. 7	20.4	7.3	13.9	42.8	0.0	21.0	6.2	13.6	39.6	0.0	16.1	2.9	9.5	32.5	0.0
39	10. 7-14. 7	16.9	2.5	9.7	47.6	0.0	18.5	3.9	11.2	44.8	0.0	14.9	-1.3	6.8	43.1	0.0
40	15. 7-19. 7	16.5	1.7	9.1	48.4	0.0	16.8	2.1	9.5	49.6	0.0	14.4	-4.2	5.1	43.6	0.0
41	20. 7-24. 7	19.7	6.7	13.2	42.8	4.9	22.4	8.2	15.3	45.7	0.0	16.3	-4.7	5.8	41.5	2.5
42	25. 7-29. 7	21.1	7.0	14.1	45.1	0.1	24.6	9.2	16.9	36.4	1.2	16.8	-0.9	7.9	43.8	0.0
43	30. 7- 3. 8	15.5	5.3	10.4	39.6	2.7	16.3	5.0	10.7	32.4	4.3	15.6	-1.5	7.1	38.5	3.6
44	4. 8- 8. 8	19.4	2.7	11.1	51.8	0.0	21.0	2.8	11.9	52.5	0.0	17.3	-3.4	6.9	48.2	0.0
45	9. 8-13. 8	21.8	3.5	12.7	50.6	0.0	23.4	4.3	13.9	52.5	0.0	18.5	-0.2	9.1	45.4	0.0
46	14. 8-18. 8	24.1	5.7	14.9	48.7	0.0	21.4	5.2	13.3	49.1	0.0	20.5	-0.7	9.9	50.2	0.0
47	19. 8-23. 8	14.1	0.7	7.4	48.2	0.4	14.9	2.0	8.5	46.3	0.7	15.2	0.4	7.8	40.0	7.9
48	24. 8-28. 8	19.5	1.5	10.5	54.8	0.0	19.8	2.3	11.1	52.4	0.0	18.0	-1.7	8.1	47.1	0.0
49	29. 8- 2. 9	29.8	11.6	20.7	52.1	0.0	26.4	6.4	16.4	54.0	0.0	25.1	1.0	13.1	50.5	0.0
50	3. 9- 7. 9	22.5	5.5	14.0	52.0	0.0	20.1	4.8	12.5	51.0	0.0	22.1	2.7	12.4	29.9	0.9
51	8. 9-12. 9	24.5	10.0	17.3	43.5	0.2	28.0	9.2	18.6	52.3	0.0	17.8	4.9	11.3	24.4	6.4
52	13. 9-17. 9	28.8	12.2	20.5	55.9	0.0	30.1	8.9	19.5	56.2	0.0	25.0	2.9	13.9	51.6	0.0
53	18. 9-22. 9	27.9	10.7	19.3	53.0	0.0	30.6	11.0	20.8	52.2	0.0	23.9	5.9	14.9	46.6	0.8
54	23. 9-27. 9	30.3	13.2	21.7	43.0	0.0	29.8	12.7	21.3	51.8	0.0	26.3	7.0	16.7	39.6	0.5
55	28. 9- 2.10	24.0	5.6	14.8	54.6	0.0	24.4	6.1	15.3	56.0	0.0	23.9	5.6	14.7	46.0	0.0
56	3.10- 7.10	25.7	13.0	19.3	21.8	0.2	27.3	11.9	19.6	31.6	0.0	23.7	8.6	16.1	24.5	19.9
57	8.10-12.10	29.2	13.1	21.1	52.5	0.0	32.6	13.4	23.0	56.7	5.0	23.6	8.7	16.1	45.1	6.4
58	13.10-17.10	22.9	12.5	17.7	45.0	20.8	20.9	11.9	16.4	35.9	12.5	23.2	10.2	16.7	44.6	1.2
59	18.10-22.10	29.1	13.3	21.2	53.6	0.0	29.6	13.6	21.6	60.2	0.0	25.9	5.2	15.5	53.0	0.0
60	23.10-27.10	25.3	11.3	18.3	54.1	10.0	28.9	13.0	20.9	58.7	0.0	21.4	6.5	13.9	32.6	3.5
61	28.10- 1.11	31.7	14.7	23.2	57.4	0.2	32.2	14.6	23.4	57.6	0.0	26.1	9.5	17.8	46.0	18.8
62	2.11- 6.11	29.7	15.7	22.7	47.8	6.2	31.3	14.7	23.0	56.0	0.0	21.3	9.4	15.3	30.8	11.8
63	7.11-11.11	28.6	13.1	20.9	58.3	5.0	30.1	14.4	22.3	61.0	0.0	25.4	8.2	16.8	51.7	14.2
64	12.11-16.11	27.9	12.4	20.1	59.7	5.5	28.6	12.8	20.7	60.6	0.0	21.5	8.8	15.1	40.4	19.6
65	17.11-21.11	26.6	14.0	20.3	51.0	4.2	29.7	15.3	22.5	57.3	6.7	21.9	10.1	16.0	31.8	8.2
66	22.11-26.11	33.0	17.1	25.1	46.2	1.3	37.8	20.1	28.9	52.2	0.0	28.1	9.6	18.9	50.5	4.2
67	27.11- 1.12	31.2	18.3	24.7	47.2	15.0	33.1	18.0	25.5	49.8	0.0	25.9	11.7	18.8	33.1	24.0
68	2.12- 6.12	27.3	14.8	21.1	50.7	3.9	31.1	16.2	23.7	60.1	0.0	22.6	10.3	16.5	37.4	24.8
69	7.12-11.12	32.4	16.0	24.2	58.1	3.8	34.2	16.8	25.5	59.8	0.0	27.5	11.7	19.6	52.7	6.3
70	12.12-16.12	30.6	13.9	22.3	60.4	0.0	31.7	14.8	23.3	67.1	0.0	26.8	10.3	18.5	53.1	0.0
71	17.12-21.12	29.4	14.6	22.0	47.1	37.2	34.4	18.3	26.3	62.8	3.2	26.7	11.7	19.2	42.2	9.4
72	22.12-26.12	33.3	16.9	25.1	58.8	14.8	36.3	17.4	26.9	66.3	0.0	27.5	10.5	19.0	53.5	40.5
73	27.12-31.12	35.0	19.5	27.3	53.2	20.9	39.8	22.5	31.1	59.6	0.0	28.0	14.5	21.3	44.7	30.3

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REENVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		CAPE ST. LUCIA - VRT 339/720 28°30'S H 107M 32°24'E					KROONSTAD - MUN 365/430 27°40'S H1348M 27°15'E					NEWCASTLE - CON 370/735 27°45'S H1198M 29°55'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	24.9	18.2	21.5		18.5	29.2	16.0	22.6	46.8	20.5	26.2	15.0	20.6	27.8	11.9
2	6. 1-10. 1	28.5	20.2	24.3		2.0	28.2	16.3	22.3	37.7	7.9	28.9	15.1	22.0	37.7	5.1
3	11. 1-15. 1	28.5	21.7	25.1		48.3	28.2	17.5	22.9	24.6	13.2	30.0	18.3	24.1	27.7	48.2
4	16. 1-20. 1	27.8	21.4	24.6		93.7	28.7	17.4	23.1	40.0	6.1	29.5	17.8	23.7	35.2	8.0
5	21. 1-25. 1	26.1	20.2	23.1		21.8	26.2	16.0	21.1	23.1	9.5	24.3	15.5	19.9	15.2	50.5
6	26. 1-30. 1	28.1	21.6	24.9		10.8	30.4	15.9	23.1	44.9	14.5	28.9	16.5	22.7	46.0	15.5
7	31. 1- 4. 2	27.9	21.1	24.5		37.3	28.3	15.3	21.8	39.9	36.7	26.9	16.2	21.5	40.9	3.5
8	5. 2- 9. 2	26.2	19.5	22.9		68.7	26.3	15.5	20.9	32.2	6.0	25.1	15.3	20.2	21.8	23.4
9	10. 2-14. 2	27.7	21.4	24.5		3.0	28.0	15.2	21.6	42.3	19.0	27.9	15.7	21.8	46.3	60.2
10	15. 2-19. 2	25.7	19.4	22.5		57.5	27.4	14.6	21.0	31.7	7.0	24.5	14.4	19.5	30.1	13.3
11	20. 2-24. 2	26.7	19.4	23.1		39.8	26.5	14.5	20.5	24.8	8.0	25.5	14.2	19.9	27.2	21.0
12	25. 2- 1. 3	27.6	21.3	24.5		12.0	30.8	12.6	21.7	43.7	0.0	30.5	14.0	22.3	47.4	3.8
13	2. 3- 6. 3	27.2	19.5	23.3		41.7	31.8	10.8	21.3	46.5	0.0	30.3	16.5	23.4	43.1	0.0
14	7. 3-11. 3	28.3	21.9	25.1		70.0	33.2	12.7	22.9	39.7	0.7	32.7	14.9	23.8	46.3	4.4
15	12. 3-16. 3	27.7	21.1	24.4		21.0	31.5	14.4	22.9	38.0	0.0	29.7	15.5	22.6	36.7	43.3
16	17. 3-21. 3	27.3	20.7	24.0		15.5	31.2	16.4	23.8	39.9	0.0	28.3	13.6	20.9	33.2	0.1
17	22. 3-26. 3	27.5	21.0	24.3		24.0	24.3	14.8	19.5	13.4	43.8	27.1	15.8	21.5	23.2	67.8
18	27. 3-31. 3	25.8	19.6	22.7		38.8	26.0	13.0	19.5	41.6	15.3	25.3	13.6	19.5	26.8	1.7
19	1. 4- 5. 4	27.0	19.2	23.1		17.9	22.1	11.8	16.9	23.0	33.3	24.1	14.4	19.3	27.5	8.7
20	6. 4-10. 4	24.3	17.6	20.9		59.3	21.8	7.2	14.5	34.9	35.5	24.3	9.1	16.7	34.5	48.1
21	11. 4-15. 4	23.4	17.7	20.5		23.5	24.9	10.1	17.5	38.4	27.0	25.8	13.0	19.4	22.8	25.2
22	16. 4-20. 4	25.6	18.7	22.1		2.8	24.7	8.8	16.7	39.5	0.0	26.7	12.9	19.8	39.6	0.0
23	21. 4-25. 4	26.6	19.7	23.1		12.5	25.6	9.8	17.7	38.1	0.0	27.4	11.5	19.5	38.9	0.0
24	26. 4-30. 4	26.8	20.0	23.4		0.0	26.9	7.2	17.1	38.6	0.0	29.0	8.9	18.9	40.8	0.0
25	1. 5- 5. 5	23.3	17.0	20.1		89.5	18.4	9.5	13.9	20.1	28.0	20.8	11.6	16.2	18.1	11.8
26	6. 5-10. 5	25.1	17.5	21.3		0.0	22.1	4.8	13.5	40.9	0.6	25.5	5.0	15.3	42.8	0.0
27	11. 5-15. 5	23.0	16.8	19.9		313.0	17.9	6.8	12.3	21.0	5.1	21.2	8.8	15.0	26.9	37.9
28	16. 5-20. 5	20.8	12.9	16.9		53.5	16.7	0.0	8.3	40.3	0.0	18.8	2.5	10.7	41.0	0.6
29	21. 5-25. 5	21.6	12.9	17.3		2.0	19.6	3.4	11.5	36.5	0.0	20.1	4.5	12.3	38.5	0.4
30	26. 5-30. 5	20.3	14.9	17.6		69.5	15.2	2.6	8.9	38.8	0.0	19.0	3.6	11.3	36.2	14.5
31	31. 5- 4. 6	20.7	12.9	16.8		2.4	18.2	-1.0	8.6	32.0	0.0	19.1	1.7	10.4	34.9	0.0
32	5. 6- 9. 6	22.6	14.4	18.5		0.0	19.3	0.7	10.0	36.3	0.0	21.2	1.9	11.5	38.3	0.0
33	10. 6-14. 6	23.7	12.9	18.3		0.0	20.5	0.1	10.3	40.9	0.0	23.2	2.3	12.7	41.6	0.0
34	15. 6-19. 6	18.6	11.5	15.1		6.4	16.1	-2.8	6.7	38.9	0.0	17.9	3.4	10.7	34.0	0.0
35	20. 6-24. 6	22.6	14.5	18.5		8.0	19.9	-0.2	9.9	38.6	0.0	20.7	1.8	11.3	31.5	0.0
36	25. 6-29. 6	20.6	12.9	16.7		13.8	18.6	0.6	9.6	35.6	0.0	17.7	2.2	9.9	24.3	1.0
37	30. 6- 4. 7	24.0	14.4	19.2		89.0	21.5	-0.5	10.5	37.3	0.0	22.2	5.4	13.8	35.5	8.0
38	5. 7- 9. 7	21.5	13.7	17.6		9.0	19.8	5.7	12.7	34.8	0.0	18.9	3.2	11.1	30.0	0.2
39	10. 7-14. 7	21.2	13.2	17.2		24.0	16.7	-1.6	7.5	37.7	0.0	19.1	2.3	10.7	38.5	0.4
40	15. 7-19. 7	21.4	11.3	16.3		0.0	16.2	-3.4	6.4	41.6	0.0	20.5	0.3	10.4	42.2	0.0
41	20. 7-24. 7	21.9	13.1	17.5		0.0	18.7	-2.8	7.9	37.1	1.0	21.1	-1.0	10.1	43.8	0.0
42	25. 7-29. 7	19.7	13.3	16.5		80.0	19.5	1.8	10.7	38.4	0.0	19.3	2.7	11.0	34.8	0.0
43	30. 7- 3. 8	21.7	13.0	17.3		23.2	17.1	0.6	8.9	28.9	0.0	20.2	3.5	11.9	39.5	1.9
44	4. 8- 8. 8	22.3	12.6	17.5		0.6	19.8	-4.2	7.8	40.1	0.0	22.8	3.0	12.9	42.5	0.0
45	9. 8-13. 8	21.9	12.6	17.3		5.2	21.7	1.1	11.4	41.1	0.0	20.9	2.0	11.5	37.0	0.0
46	14. 8-18. 8	22.9	14.1	18.5		0.0	23.9	2.1	13.0	42.5	0.0	25.1	5.7	15.4	45.8	0.0
47	19. 8-23. 8	21.1	14.5	17.8		8.5	18.5	-0.9	8.8	42.5	0.0	20.8	8.4	14.6	30.1	19.7
48	24. 8-28. 8	20.7	13.2	16.9		9.5	20.9	-1.8	9.5	42.0	0.0	22.4	6.0	14.2	42.3	0.0
49	29. 8- 2. 9	24.2	16.9	20.5		0.0	29.0	4.0	16.5	42.1	0.0	29.1	9.8	19.5	42.6	0.0
50	3. 9- 7. 9	22.1	16.3	19.2		7.2	26.4	6.2	16.3	28.5	1.0	25.8	9.0	17.4	29.9	17.5
51	8. 9-12. 9	21.1	14.6	17.9		2.0	19.3	7.9	13.6	18.9	11.1	19.9	8.4	14.1	24.5	10.9
52	13. 9-17. 9	23.1	17.4	20.3		11.0	29.5	5.4	17.5	43.8	0.2	27.9	10.8	19.3	35.8	0.0
53	18. 9-22. 9	22.0	16.2	19.1		13.0	27.2	7.0	17.1	38.3	0.0	27.7	10.9	19.3	44.8	0.0
54	23. 9-27. 9	22.2	17.2	19.7		0.6	30.0	11.1	20.5	34.3	0.0	30.3	12.8	21.5	40.6	0.4
55	28. 9- 2.10	20.8	15.2	18.0		33.2	27.7	6.9	17.3	41.9	0.0	22.8	11.0	16.9	25.4	6.0
56	3.10- 7.10	22.1	16.3	19.2		20.0	25.8	12.3	19.1	16.5	22.6	25.5	11.6	18.5	28.7	1.2
57	8.10-12.10	23.6	18.6	21.1		25.7	27.3	10.9	19.1	42.8	0.0	25.6	11.8	18.7	37.1	39.4
58	13.10-17.10	24.1	18.9	21.5		12.0	23.8	12.1	17.9	33.6	10.0	28.3	14.5	21.4	40.7	1.7
59	18.10-22.10	23.3	16.1	19.7		1.3	28.7	9.8	19.3	41.0	0.0	28.8	11.2	20.0	48.2	0.0
60	23.10-27.10	20.6	13.6	17.1		23.5	24.6	8.2	16.4	29.8	3.1	21.2	8.6	14.9	26.1	20.0
61	28.10- 1.11	24.4	18.3	21.3		6.5	29.3	12.8	21.1	39.6	16.0	26.9	11.7	19.3	40.5	48.5
62	2.11- 6.11	21.9	17.6	19.7		36.0	27.3	12.8	20.1	33.3	12.0	22.1	11.5	16.8	15.5	13.3
63	7.11-11.11	22.2	16.8	19.5		9.0	27.4	10.7	19.1	40.5	14.7	26.2	12.8	19.5	31.9	6.2
64	12.11-16.11	23.0	17.6	20.3		14.6	25.6	11.1	18.3	37.8	25.1	23.1	12.8	17.9	25.3	11.5
65	17.11-21.11	24.6	17.5	21.1		36.5	24.3	11.0	17.7	32.4	13.0	25.2	12.2	18.7	33.0	14.8
66	22.11-26.11	24.1	19.8	21.9		0.0	30.8	13.0	21.9	50.3	0.0	29.1	13.2	21.1	42.0	25.2
67	27.11- 1.12	24.9	19.5	22.2		5.1	28.5	15.7	22.1	33.5	30.5	26.2	14.6	20.4	25.2	54.4
68	2.12- 6.12	24.4	19.2	21.8		74.0	25.2	13.4	19.3	34.9	29.0	25.2	13.6	19.4	30.6	42.7
69	7.12-11.12	25.8	19.8	22.8		57.4	29.3	13.2	21.3	51.5	33.5	29.3	15.3	22.3	39.1	21.2
70	12.12-16.12	26.1	19.3	22.7		20.9	29.0	12.3	20.7	49.2	0.0	26.5	15.2	20.9	37.3	12.6
71	17.12-21.12	24.4	19.0	21.7		5.3	26.8	13.8	20.3	34.4	32.0	26.8	15.3	21.1	28.4	3.9
72	22.12-26.12	26.5	19.8	23.1		0.0	29.5	13.9	21.7	52.2	23.0	30.9	14.9	22.9	44.3	3.3
73	27.12-31.12	27.7	22.5	25.1		0.0	30.2	16.9	23.5	47.6	13.5	31.1	17.4	24.3	40.8	23.6

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REENVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		FRANKFORT - TNK 403/886A 27°16'S H1499M 28°30'E					MAKATINI - AGR 411/324 27°24'S H 73M 32°11'E					KEETMANSHOOP - SWA - WK 419/182 26°32'S H1064M 18°07'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	27.0	13.9	20.5	50.9	26.2	27.3	18.5	22.9	26.4	0.4	37.0	19.3	28.1	60.8	0.0
2	6. 1-10. 1	27.5	13.7	20.6	44.6	7.1	32.8	20.3	26.5	57.0	0.0	36.2	22.8	29.5	39.1	7.5
3	11. 1-15. 1	27.1	15.5	21.3	33.6	40.6	34.8	22.8	28.8	33.6	38.9	33.8	17.3	25.5	66.1	0.0
4	16. 1-20. 1	25.5	15.3	20.4	38.6	15.8	31.5	22.5	27.0	31.5	25.0	36.0	19.0	27.5	65.5	0.0
5	21. 1-25. 1	24.6	14.2	19.4	32.1	12.2	28.6	20.5	24.5	24.9	9.4	32.0	15.3	23.7	59.7	10.6
6	26. 1-30. 1	27.2	14.2	20.7	41.2	19.5	30.6	20.8	25.7	31.4	7.0	34.1	20.1	27.1	42.2	0.8
7	31. 1- 4. 2	25.3	13.5	19.4	43.5	63.7	31.5	19.0	25.3	39.0	6.3	35.0	19.6	27.3	58.5	0.0
8	5. 2- 9. 2	25.0	13.4	19.2	38.5	31.3	29.9	19.2	24.5	27.7	12.7	32.0	20.4	26.2	45.8	38.2
9	10. 2-14. 2	26.5	13.3	19.9	54.2	18.3	31.9	19.9	25.9	39.2	0.0	32.4	19.1	25.7	57.6	8.4
10	15. 2-19. 2	24.3	13.4	18.9	33.3	3.8	29.2	19.1	24.1	28.6	0.6	32.5	19.6	26.1	39.7	10.4
11	20. 2-24. 2	25.4	12.3	18.9	41.7	7.7	32.3	19.1	25.7	47.3	0.0	33.4	19.5	26.5	54.1	2.8
12	25. 2- 1. 3	28.6	10.9	19.7	54.4	15.7	34.2	21.3	27.7	42.7	11.4	33.6	19.2	26.4	53.6	0.2
13	2. 3- 6. 3	28.8	9.8	19.3	51.2	0.0	30.6	21.4	26.0	27.8	42.4	33.8	16.0	24.9	60.9	0.0
14	7. 3-11. 3	30.2	10.1	20.1	47.7	9.1	33.7	21.8	27.7	45.6	0.0	35.2	19.1	27.1	47.5	0.0
15	12. 3-16. 3	28.5	11.9	20.2	49.1	24.8	33.2	20.4	26.8	50.8	0.0	33.6	21.4	27.5	37.9	6.7
16	17. 3-21. 3	28.3	12.3	20.3	45.2	0.1	31.8	20.1	25.9	49.2	4.3	34.0	19.3	26.7	51.2	0.3
17	22. 3-26. 3	23.7	12.9	18.3	22.4	42.6	34.2	20.2	27.2	45.6	0.7	31.7	15.6	23.7	55.5	1.3
18	27. 3-31. 3	24.5	11.5	18.0	46.2	0.4	30.1	19.6	24.9	35.6	14.9	31.3	17.9	24.6	40.0	3.2
19	1. 4- 5. 4	21.1	10.1	15.6	30.0	33.3	30.5	19.5	25.0	37.8	41.5	26.0	12.7	19.3	52.5	4.6
20	6. 4-10. 4	20.8	5.3	13.1	43.0	60.3	27.3	17.7	22.5	32.7	14.5	26.9	12.1	19.5	54.1	0.0
21	11. 4-15. 4	23.7	9.0	16.3	40.8	27.4	26.3	19.4	22.9	24.9	4.5	28.4	10.5	19.5	54.6	0.0
22	16. 4-20. 4	23.5	7.7	15.6	45.4	0.0	28.9	17.3	23.1	39.0	0.0	31.6	15.6	23.6	51.5	0.0
23	21. 4-25. 4	24.1	7.8	15.9	45.2	0.0	30.7	19.1	24.9	41.9	7.5	31.0	16.3	23.7	51.7	1.6
24	26. 4-30. 4	26.0	5.2	15.6	48.4	0.0	30.9	18.0	24.5	46.9	0.0	31.1	17.2	24.1	49.2	0.3
25	1. 5- 5. 5	17.7	7.3	12.5	23.4	8.0	27.7	17.2	22.5	21.6	0.0	26.3	13.1	19.7	52.4	0.3
26	6. 5-10. 5	21.9	1.9	11.9	47.1	0.0	29.2	12.6	20.9	42.7	0.0	27.8	14.8	21.3	47.4	2.8
27	11. 5-15. 5	18.2	4.5	11.3	26.6	2.3	28.7	15.3	22.0	29.3	1.0	23.5	11.6	17.5	52.9	0.0
28	16. 5-20. 5	16.0	-2.8	6.6	47.3	0.0	24.9	10.2	17.5	36.6	0.0	19.6	5.9	12.7	49.8	0.0
29	21. 5-25. 5	17.6	0.7	9.1	37.6	0.8	25.6	9.2	17.4	38.4	0.0	23.9	8.9	16.4	42.1	0.0
30	26. 5-30. 5	18.5	-0.4	9.1	37.8	0.1	25.4	12.4	18.9	44.3	0.0	25.9	12.7	19.3	47.4	0.0
31	31. 5- 4. 6	17.1	-2.0	7.5	33.4	0.0	23.8	7.5	15.7	38.1	0.4	23.6	12.3	17.9	33.0	0.9
32	5. 6- 9. 6	18.2	-2.1	8.1	42.3	0.0	25.7	8.7	17.2	42.3	0.6	24.9	9.5	17.2	46.8	0.0
33	10. 6-14. 6	18.8	-3.2	7.8	45.1	0.0	29.3	5.5	17.4	48.2	0.0	22.5	9.1	15.8	46.0	0.0
34	15. 6-19. 6	15.5	-2.4	6.5	45.1	0.0	21.5	9.6	15.5	25.4	4.0	19.0	3.2	11.1	48.2	0.0
35	20. 6-24. 6	18.7	-3.4	7.7	44.8	0.3	26.1	9.9	18.0	42.5	0.0	20.8	4.6	12.7	49.5	0.0
36	25. 6-29. 6	15.2	-0.8	7.2	26.9	9.4	24.5	8.9	16.7	29.1	0.0	21.7	6.2	13.9	47.3	0.0
37	30. 6- 4. 7	19.2	-2.9	8.1	41.5	0.0	28.7	7.3	18.0	40.2	2.0	21.0	7.8	14.4	48.1	0.0
38	5. 7- 9. 7	17.4	1.9	9.7	33.8	0.0	25.1	11.3	18.2	32.4	0.0	19.6	6.6	13.1	45.5	1.0
39	10. 7-14. 7	16.0	-2.7	6.7	45.0	0.0	25.7	10.6	18.1	48.9	0.0	20.9	5.2	13.1	50.3	0.0
40	15. 7-19. 7	16.0	-5.2	5.4	48.0	0.0	26.8	5.5	16.1	48.0	0.0	18.4	4.0	11.2	51.7	0.0
41	20. 7-24. 7	17.9	-5.7	6.1	46.9	0.0	26.7	4.8	15.7	46.8	0.0	23.5	8.6	16.1	49.3	0.0
42	25. 7-29. 7	18.2	-1.1	8.5	44.1	0.6	24.8	8.5	16.7	40.2	0.0	25.1	12.6	18.9	36.5	0.0
43	30. 7- 3. 8	17.1	-3.0	7.1	42.6	0.6	27.4	9.8	18.6	45.0	0.0	16.1	4.8	10.5	40.4	0.0
44	4. 8- 8. 8	19.1	-6.0	6.5	50.2	0.0	27.5	9.5	18.5	46.3	0.0	23.1	5.2	14.1	53.5	0.0
45	9. 8-13. 8	20.1	-0.2	9.9	45.4	0.0	25.2	9.4	17.3	42.9	0.0	24.4	7.0	15.7	52.6	0.0
46	14. 8-18. 8	21.8	-1.1	10.3	51.6	0.0	28.1	10.5	19.3	50.0	0.0	22.5	5.9	14.2	53.1	0.0
47	19. 8-23. 8	18.4	-0.7	8.9	46.1	0.0	27.2	15.5	21.3	31.4	0.0	16.1	1.9	9.0	55.4	0.0
48	24. 8-28. 8	19.9	-2.6	8.7	51.2	0.0	26.5	11.5	19.0	41.6	0.0	23.5	7.0	15.3	55.1	0.0
49	29. 8- 2. 9	26.8	1.7	14.3	51.9	0.0	32.0	14.9	23.5	43.4	0.0	28.2	8.2	18.2	54.6	0.0
50	3. 9- 7. 9	25.1	6.7	15.9	38.8	14.0	28.0	18.1	23.1	25.4	0.0	21.8	5.8	13.8	55.6	0.0
51	8. 9-12. 9	17.3	6.9	12.1	27.7	15.4	24.6	14.3	19.5	34.2	11.4	28.4	11.7	20.1	56.2	0.0
52	13. 9-17. 9	25.8	4.7	15.3	54.2	0.0	30.0	16.2	23.1	41.0	0.4	31.3	12.7	22.0	56.8	0.0
53	18. 9-22. 9	24.9	7.0	15.9	50.0	0.1	28.6	15.2	21.9	36.0	0.0	31.5	14.6	23.1	54.3	0.0
54	23. 9-27. 9	27.9	8.4	18.1	49.2	0.4	29.2	17.3	23.3	38.8	0.0	29.8	13.3	21.5	53.7	0.0
55	28. 9- 2.10	25.7	8.5	17.1	48.9	0.0	25.2	16.4	20.8	13.8	2.5	25.2	9.6	17.4	55.1	0.0
56	3.10- 7.10	23.9	11.0	17.5	23.3	8.2	28.0	14.9	22.5	18.3	11.3	27.5	14.5	21.0	34.2	0.0
57	8.10-12.10	25.1	9.2	17.1	47.6	13.1	29.7	18.2	23.9	32.8	23.1	31.6	13.1	22.3	51.7	0.0
58	13.10-17.10	23.6	11.1	17.3	43.6	17.1	30.3	20.3	25.3	28.5	0.3	23.1	9.8	16.5	47.4	4.8
59	18.10-22.10	26.3	8.4	17.3	53.7	0.3	31.0	16.2	23.6	49.9	0.8	31.2	14.7	22.9	56.4	0.0
60	23.10-27.10	22.0	6.5	14.3	34.5	2.8	25.0	14.2	19.6	25.3	11.0	29.1	11.7	20.4	60.7	0.0
61	28.10- 1.11	26.9	10.5	18.7	53.2	25.2	30.7	19.3	25.0	37.1	9.1	31.8	13.7	22.7	61.1	0.0
62	2.11- 6.11	23.7	11.1	17.4	32.5	14.4	28.1	19.3	23.7	22.2	12.5	31.5	14.8	23.1	59.4	0.0
63	7.11-11.11	25.8	9.9	17.9	44.6	2.1	27.7	18.7	23.2	26.0	0.8	31.5	13.9	22.7	60.8	0.0
64	12.11-16.11	22.0	9.3	15.7	36.7	51.2	28.5	18.7	23.6	20.6	2.4	29.1	12.0	20.5	62.3	0.0
65	17.11-21.11	21.7	9.7	15.7	32.7	19.6	29.6	17.6	23.6	30.4	14.3	30.4	15.4	22.9	55.6	0.0
66	22.11-26.11	27.9	10.9	19.4	53.2	2.4	29.3	19.0	24.1	25.7	0.0	36.0	20.0	28.0	55.6	0.0
67	27.11- 1.12	25.3	12.7	19.0	29.8	26.9	30.0	19.1	24.5	21.3	13.2	32.1	17.0	24.5	49.1	0.1
68	2.12- 6.12	23.4	10.3	16.9	36.9	27.6	28.2	19.8	24.0	37.4	21.0	30.3	13.5	21.9	65.4	1.3
69	7.12-11.12	28.0	13.3	20.7	57.2	7.2	31.8	20.2	26.0	35.0	27.6	33.4	16.8	25.1	63.7	0.0
70	12.12-16.12	26.8	12.2	19.5	50.8	13.2	29.7	19.4	24.5	38.8	25.5	31.4	12.6	22.0	66.5	0.0
71	17.12-21.12	26.6	12.6	19.6	36.6	8.3	26.8	19.7	23.3	16.9	6.7	34.0	17.0	25.5	65.2	0.0
72	22.12-26.12	28.4	12.4	20.4	54.0	16.6	31.7	19.6	25.7	43.8	0.0	36.0	18.3	27.1	64.9	0.0
73	27.12-31.12	28.7	15.5	22.1	44.1	6.5	34.0	22.9	28.5	40.3	1.7	37.5	22.6	30.1	48.3	1.9

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		ARMOEDSVLAKTE - AGR 432/237 26°57'S 24°38'E H1234M					POTCHEFSTROOM - AGR 437/134 26°44'S 27°05'E H1345M					PIET RETIEF - TNK 444/540 27°00'S 30°48'E H1250M				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	31.7	17.6	24.7	55.0	30.7	28.5	15.1	21.8	56.1	38.6	21.5	13.4	17.5	18.5	4.3
2	6. 1-10. 1	29.6	17.3	23.5	46.1	6.8	28.8	16.3	22.5	47.8	0.6	25.8	13.7	19.7	41.5	1.1
3	11. 1-15. 1	27.9	18.8	23.3	26.8	16.6	28.0	16.5	22.3	27.0	53.6	28.0	17.1	22.5	29.9	39.8
4	16. 1-20. 1	30.4	17.3	23.9	54.3	65.0	27.1	17.2	22.1	46.1	12.4	25.4	16.5	20.9	30.4	63.2
5	21. 1-25. 1	26.3	16.5	21.4	35.4	1.5	26.3	16.2	21.3	34.1	0.8	21.9	14.4	18.1	21.6	44.5
6	26. 1-30. 1	30.3	17.7	24.0	51.4	17.5	28.6	15.3	21.9	45.2	12.6	25.3	15.2	20.3	36.6	1.2
7	31. 1- 4. 2	28.7	16.5	22.6	50.9	35.2	26.9	14.8	20.9	41.6	10.3	24.4	15.2	19.8	38.4	0.9
8	5. 2- 9. 2	26.4	16.8	21.6	33.9	39.1	27.0	14.5	20.7	46.3	0.7	23.6	14.5	19.1	21.8	4.5
9	10. 2-14. 2	28.2	16.6	22.4	45.5	19.2	27.8	15.3	21.5	46.6	6.0	25.7	14.8	20.3	41.0	14.3
10	15. 2-19. 2	27.7	16.3	22.0	33.9	16.4	27.9	14.2	21.1	41.3	11.0	22.9	13.6	18.3	38.7	0.4
11	20. 2-24. 2	28.0	14.8	21.4	47.8	12.8	26.5	14.1	20.3	39.2	55.4	24.0	13.0	18.5	31.1	5.7
12	25. 2- 1. 3	31.0	12.3	21.7	57.6	0.0	29.7	12.7	21.2	54.2	0.0	27.5	14.2	20.9	42.6	9.2
13	2. 3- 6. 3	33.1	10.0	21.5	60.0	0.0	30.8	9.7	20.3	57.0	0.0	24.8	15.7	20.3	28.4	40.5
14	7. 3-11. 3	34.2	15.6	24.9	52.4	3.6	32.3	13.7	23.0	53.5	1.8	29.1	15.7	22.4	43.2	3.5
15	12. 3-16. 3	32.8	15.7	24.3	47.3	2.8	30.4	14.3	22.3	37.1	0.1	26.8	15.2	21.0	41.9	0.0
16	17. 3-21. 3	-	-	-	48.4	5.2	30.5	15.7	23.1	40.3	25.4	25.8	12.6	19.2	43.5	0.3
17	22. 3-26. 3	27.1	15.7	21.4	34.6	18.7	25.0	14.5	19.7	15.7	38.8	26.8	14.9	20.9	33.5	44.5
18	27. 3-31. 3	28.7	14.1	21.4	47.3	0.3	25.5	12.1	18.8	45.2	53.4	22.0	12.8	17.4	31.9	12.8
19	1. 4- 5. 4	21.5	12.3	16.9	39.7	11.0	22.0	11.3	16.7	26.4	46.0	23.2	13.5	18.3	31.2	16.3
20	6. 4-10. 4	23.8	8.1	15.9	46.3	19.0	22.2	7.6	14.9	45.1	49.3	22.2	10.7	16.5	34.5	32.5
21	11. 4-15. 4	22.5	9.0	15.7	49.7	9.5	25.9	10.8	18.3	46.9	19.4	22.2	12.5	17.3	30.0	16.3
22	16. 4-20. 4	28.4	10.5	19.5	48.3	5.9	25.4	10.6	18.0	44.5	45.4	24.0	13.3	18.7	32.8	3.5
23	21. 4-25. 4	26.5	10.9	18.7	37.7	0.1	25.2	10.1	17.7	45.9	0.0	25.2	12.8	19.0	42.5	2.0
24	26. 4-30. 4	28.3	8.1	18.2	38.0	0.0	26.6	7.9	17.3	42.9	0.0	27.1	11.1	19.1	49.6	0.0
25	1. 5- 5. 5	21.8	10.9	16.3	29.4	26.0	19.6	9.8	14.7	25.2	7.6	20.1	11.3	15.7	21.0	3.5
26	6. 5-10. 5	23.8	6.5	15.1	48.8	11.0	22.9	4.6	13.7	47.7	0.0	23.5	7.8	15.7	46.2	0.0
27	11. 5-15. 5	20.5	7.7	14.1	38.8	6.2	18.1	6.2	12.1	25.9	2.3	20.2	9.4	14.8	33.5	33.5
28	16. 5-20. 5	17.3	1.6	9.5	49.3	0.0	17.6	0.5	9.1	48.5	0.0	17.4	5.0	11.2	39.4	0.4
29	21. 5-25. 5	20.5	5.0	12.7	36.4	0.0	19.8	3.2	11.5	36.3	1.5	17.7	5.7	11.7	33.9	0.0
30	26. 5-30. 5	21.9	4.2	13.1	41.7	0.0	20.2	3.3	11.7	46.2	0.0	17.4	4.8	11.1	43.4	0.1
31	31. 5- 4. 6	19.6	2.6	11.1	40.1	0.0	18.8	1.0	9.9	40.6	0.0	17.0	3.4	10.2	43.6	0.0
32	5. 6- 9. 6	20.9	5.1	13.0	37.3	0.4	19.5	1.8	10.7	41.0	0.0	19.1	4.3	11.7	48.7	0.0
33	10. 6-14. 6	21.5	2.9	12.2	46.0	0.0	21.0	2.0	11.5	46.9	0.0	22.0	5.5	13.7	48.8	0.0
34	15. 6-19. 6	16.0	-1.3	7.3	45.4	0.0	16.8	-1.0	7.9	43.1	0.0	14.9	5.2	10.1	26.1	0.9
35	20. 6-24. 6	22.0	4.4	13.2	46.2	0.0	21.1	1.6	11.3	45.5	0.0	20.1	4.3	12.2	43.4	0.0
36	25. 6-29. 6	19.5	1.8	10.7	44.2	0.0	18.3	3.0	10.7	35.3	12.4	15.5	4.2	9.9	29.9	1.1
37	30. 6- 4. 7	21.6	-	-	-	0.0	22.0	1.7	11.9	45.4	0.0	-	-	-	-	0.0
38	5. 7- 9. 7	-	-	-	-	0.0	19.9	5.1	12.5	33.8	0.0	-	-	-	-	0.0
39	10. 7-14. 7	11.7	-	-	-	0.0	16.9	-0.3	8.3	46.2	0.0	-	-	-	-	0.0
40	15. 7-19. 7	17.2	-	-	49.7	0.0	17.2	-1.8	7.7	47.5	0.0	-	-	-	-	0.0
41	20. 7-24. 7	19.9	-	-	40.5	0.6	19.4	-0.5	9.5	43.3	2.2	20.1	2.9	11.5	39.8	0.0
42	25. 7-29. 7	21.6	-	-	46.7	0.0	20.0	3.2	11.6	46.0	0.0	18.2	4.0	11.1	39.5	0.2
43	30. 7- 3. 8	16.7	-	-	47.7	0.0	18.2	1.9	10.1	43.3	0.0	20.3	4.1	12.2	49.4	0.0
44	4. 8- 8. 8	22.0	-1.2	10.4	52.1	0.0	20.6	-1.6	9.5	49.5	0.0	21.2	2.8	12.0	49.0	0.0
45	9. 8-13. 8	22.9	1.0	11.9	53.1	0.0	22.5	1.9	12.3	48.6	0.0	19.0	5.4	12.2	39.9	0.0
46	14. 8-18. 8	25.0	2.2	13.6	53.6	0.0	23.8	5.0	14.4	50.4	0.0	23.5	6.7	15.1	50.1	0.0
47	19. 8-23. 8	17.7	-2.9	7.4	54.1	0.0	19.1	0.7	9.9	50.2	0.0	19.4	7.7	13.5	34.1	2.7
48	24. 8-28. 8	21.9	-1.3	10.3	55.6	0.0	22.2	0.0	11.1	49.9	0.0	21.0	6.6	13.8	37.4	0.0
49	29. 8- 2. 9	29.4	7.4	18.4	54.5	0.0	28.6	7.3	17.9	51.5	0.0	27.0	8.7	17.9	47.1	0.0
50	3. 9- 7. 9	26.1	7.2	16.7	-	0.0	26.4	8.9	17.7	41.5	3.0	22.9	10.3	16.6	37.3	3.3
51	8. 9-12. 9	24.0	9.1	16.5	37.0	9.5	18.8	9.0	13.9	24.2	29.2	19.0	8.1	13.5	25.3	28.7
52	13. 9-17. 9	30.2	8.8	19.5	55.0	0.0	27.9	8.0	17.9	54.0	0.0	26.7	12.4	19.5	43.6	1.7
53	18. 9-22. 9	29.5	8.6	19.1	52.3	0.0	27.0	8.6	17.8	48.8	0.0	24.6	10.0	17.3	39.6	9.5
54	23. 9-27. 9	31.7	13.0	22.3	50.2	0.0	30.0	12.0	21.0	41.5	0.0	27.8	12.5	20.1	34.2	2.0
55	28. 9- 2.10	26.8	5.8	16.3	56.6	0.0	27.8	8.2	18.0	52.0	0.0	20.1	10.7	15.4	21.6	14.7
56	3.10- 7.10	26.5	14.0	20.3	28.3	6.8	25.7	12.2	18.9	24.3	12.2	22.5	11.5	17.0	16.1	39.6
57	8.10-12.10	29.9	11.3	20.6	55.9	0.0	27.2	10.8	19.0	45.6	1.2	22.6	11.6	17.1	33.2	69.5
58	13.10-17.10	25.2	13.7	19.5	-	33.2	23.7	12.4	18.1	44.1	18.8	25.4	12.1	18.7	43.9	2.7
59	18.10-22.10	28.6	11.9	20.3	54.3	0.0	27.9	8.9	18.4	56.8	0.0	26.1	10.8	18.5	43.6	0.0
60	23.10-27.10	26.1	10.6	18.3	57.2	0.0	23.4	9.4	16.4	39.9	10.0	18.5	8.2	13.3	26.7	16.6
61	28.10- 1.11	32.9	14.5	23.7	60.0	0.2	28.8	12.7	20.7	51.4	16.2	23.7	11.9	17.6	34.2	34.7
62	2.11- 6.11	30.6	12.9	21.9	45.3	1.9	27.1	13.2	20.1	42.4	35.5	20.9	10.7	15.8	16.9	48.6
63	7.11-11.11	30.2	12.1	21.1	55.7	5.5	26.7	11.6	19.1	49.2	5.9	22.4	12.2	17.3	24.8	4.5
64	12.11-16.11	27.2	10.0	18.6	57.4	3.3	26.1	10.1	18.1	50.3	6.6	-	11.5	-	19.7	20.4
65	17.11-21.11	26.5	12.5	19.5	44.9	4.5	22.8	11.3	17.1	26.3	18.4	22.0	11.5	16.7	31.6	48.9
66	22.11-26.11	33.2	15.9	24.5	56.3	2.9	30.1	13.0	21.5	54.6	0.2	25.3	13.1	19.2	37.4	0.0
67	27.11- 1.12	29.9	15.4	22.7	38.9	18.6	27.2	15.2	21.2	26.7	24.4	23.1	13.9	18.5	20.6	75.1
68	2.12- 6.12	27.0	13.9	20.5	49.4	15.4	25.7	12.3	19.0	41.1	12.0	22.9	13.8	18.3	25.3	52.8
69	7.12-11.12	31.5	14.6	23.1	61.0	14.4	30.3	13.3	21.8	53.9	2.8	25.8	13.6	19.7	35.6	47.5
70	12.12-16.12	30.8	12.9	21.9	61.0	8.6	29.8	11.5	20.7	52.4	3.0	25.0	14.5	19.7	35.9	54.7
71	17.12-21.12	29.9	15.3	22.6	56.2	22.1	27.3	13.6	20.5	37.0	83.9	22.4	14.0	18.2	26.1	1.3
72	22.12-26.12	33.8	16.3	25.1	59.4	1.4	29.9	14.7	22.3	54.9	3.0	26.2	14.1	21.1	44.9	2.0
73	27.12-31.12	34.2	17.8	26.0	45.3	6.1	29.8	15.4	22.6	48.4	8.6	27.6	16.2	21.9	43.4	23.0

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		JAN SMUTS - WK 476/398 26°08'S 28°14'E H1692M					BETHAL - TNK 478/867 26°27'S 29°29'E H1663M					MAFEKING - TNK 508/261 25°51'S 25°39'E H1278M				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	23.7	13.7	18.7	33.3	12.3	24.5	13.3	18.9	30.7	14.9	30.9	16.2	23.5	59.2	15.5
2	6. 1-10. 1	25.3	13.8	19.5	46.3	2.3	26.2	12.3	19.3	42.4	0.0	30.9	16.4	23.7	52.9	5.0
3	11. 1-15. 1	25.8	16.2	21.0	34.1	25.7	26.7	15.7	21.2	32.0	60.0	29.4	17.2	23.3	26.8	70.4
4	16. 1-20. 1	23.9	15.2	19.5	24.1	1.4	23.1	14.6	18.9	20.2	22.8	29.0	16.5	22.7	40.1	17.3
5	21. 1-25. 1	22.4	14.3	18.3	35.4	32.0	21.8	12.7	17.3	29.5	31.8	27.0	16.0	21.5	38.7	19.1
6	26. 1-30. 1	23.3	13.6	18.5	32.1	23.9	24.6	13.1	18.9	35.0	43.8	29.2	15.9	22.5	47.1	30.0
7	31. 1- 4. 2	23.1	13.3	18.2	37.9	22.7	23.5	13.0	18.3	34.4	4.5	27.4	15.1	21.3	43.4	27.9
8	5. 2- 9. 2	22.9	12.5	17.7	43.6	7.1	22.2	12.2	17.2	31.3	11.5	26.7	15.8	21.3	47.5	0.2
9	10. 2-14. 2	23.5	13.6	18.5	38.7	3.9	24.2	13.2	18.7	40.6	54.0	27.9	15.7	21.8	41.5	2.7
10	15. 2-19. 2	22.8	13.2	18.0	35.7	27.0	23.4	12.2	17.8	37.2	0.4	27.9	15.0	21.5	43.6	18.1
11	20. 2-24. 2	22.2	12.8	17.5	31.0	32.1	23.2	11.7	17.5	32.2	0.6	27.6	14.6	21.1	43.5	7.8
12	25. 2- 1. 3	25.7	14.2	19.9	51.6	3.7	27.8	12.9	20.3	53.4	0.0	30.6	13.0	21.8	54.8	0.0
13	2. 3- 6. 3	25.7	14.1	19.9	54.0	1.8	27.0	12.4	19.7	51.1	0.0	32.9	11.6	22.3	58.5	0.0
14	7. 3-11. 3	27.5	14.8	21.1	48.7	4.6	29.1	12.1	20.6	46.8	8.5	33.1	15.6	24.3	53.3	0.0
15	12. 3-16. 3	25.7	13.1	19.4	42.3	6.3	26.8	12.8	19.8	43.2	0.8	32.4	16.7	24.5	40.5	0.0
16	17. 3-21. 3	26.3	12.5	19.4	45.1	0.3	26.5	10.6	18.5	43.7	13.2	31.9	17.3	24.6	43.3	10.1
17	22. 3-26. 3	22.4	13.6	18.0	21.4	34.0	23.7	13.1	18.4	25.2	1.9	25.5	15.9	20.7	13.8	27.0
18	27. 3-31. 3	22.5	11.0	16.7	40.4	24.0	23.3	10.4	16.9	38.6	0.0	27.0	14.1	20.5	47.1	0.0
19	1. 4- 5. 4	20.6	11.0	15.8	31.6	40.6	21.4	10.5	15.9	29.7	59.5	24.7	13.1	18.9	32.0	67.1
20	6. 4-10. 4	19.0	8.2	13.6	37.4	47.7	19.9	8.3	14.1	38.6	38.5	23.4	10.1	16.7	42.9	1.8
21	11. 4-15. 4	22.4	11.7	17.1	46.4	22.8	22.7	11.2	16.9	35.8	12.8	27.8	13.8	20.8	49.3	20.2
22	16. 4-20. 4	22.3	11.4	16.9	37.9	12.9	23.0	9.9	16.5	38.9	0.0	26.8	14.4	20.6	41.7	4.8
23	21. 4-25. 4	22.0	12.3	17.1	35.3	6.1	23.0	9.9	16.5	34.9	0.6	26.2	12.5	19.3	37.2	0.0
24	26. 4-30. 4	24.0	10.6	17.3	48.7	0.0	25.6	8.6	17.1	46.6	0.0	27.4	10.6	19.0	42.4	0.0
25	1. 5- 5. 5	18.0	9.5	13.7	25.8	17.1	18.5	8.4	13.5	24.7	24.5	21.7	11.9	16.8	27.9	1.6
26	6. 5-10. 5	20.0	7.4	13.7	48.3	0.0	20.4	4.8	12.6	43.4	0.0	23.9	8.7	16.3	44.5	0.0
27	11. 5-15. 5	17.4	7.3	12.3	34.8	1.0	18.6	6.5	12.5	34.7	1.5	19.3	7.9	13.6	35.5	11.5
28	16. 5-20. 5	14.6	2.1	8.3	52.2	0.0	15.6	0.9	8.3	46.0	0.0	18.6	3.9	11.3	48.5	0.0
29	21. 5-25. 5	16.0	4.7	10.3	33.8	0.0	16.6	4.2	10.4	39.6	0.3	20.9	6.4	13.7	40.6	3.8
30	26. 5-30. 5	17.1	4.2	10.7	42.2	0.6	16.8	2.4	9.6	42.0	0.0	21.8	5.8	13.6	46.0	0.2
31	31. 5- 4. 6	15.8	4.3	10.1	45.0	0.0	16.2	0.4	8.3	32.9	0.0	19.5	3.6	11.5	39.1	0.0
32	5. 6- 9. 6	16.2	4.6	10.4	45.2	0.0	16.7	2.0	9.3	43.4	0.0	20.9	5.9	13.4	42.1	0.0
33	10. 6-14. 6	17.3	6.7	12.0	50.5	0.0	18.4	2.9	10.7	47.0	0.0	21.6	5.3	13.5	45.2	0.0
34	15. 6-19. 6	15.0	3.3	9.1	38.7	0.0	14.8	2.4	8.6	25.5	0.0	18.6	4.4	11.5	44.6	0.0
35	20. 6-24. 6	17.4	4.9	11.1	50.5	0.0	16.1	2.5	10.3	46.0	0.0	22.2	5.1	13.7	45.6	0.0
36	25. 6-29. 6	15.1	4.5	9.8	36.1	8.8	14.7	1.6	8.1	23.5	0.0	20.2	5.7	12.9	41.8	0.0
37	30. 6- 4. 7	18.0	6.7	12.3	49.7	0.0	18.5	3.6	11.1	43.9	0.0	23.2	3.7	13.5	46.8	0.0
38	5. 7- 9. 7	16.1	6.0	11.1	38.0	0.0	16.3	3.9	10.1	27.6	0.0	20.8	7.8	14.3	41.4	0.0
39	10. 7-14. 7	15.3	1.5	8.4	49.0	0.0	15.5	-0.3	7.6	41.5	0.0	19.1	1.7	10.4	47.2	0.0
40	15. 7-19. 7	15.1	2.2	8.7	50.8	0.0	16.1	-1.0	7.5	48.1	0.0	19.4	1.4	10.4	46.9	0.0
41	20. 7-24. 7	16.0	3.8	9.9	46.7	0.0	16.9	1.5	9.2	47.7	0.0	21.5	2.9	12.2	44.0	1.0
42	25. 7-29. 7	16.8	4.1	10.5	46.1	0.0	16.8	2.7	9.7	41.9	0.0	21.6	5.1	13.3	43.8	0.0
43	30. 7- 3. 8	15.2	3.6	9.4	49.7	0.2	15.8	1.2	8.5	48.5	1.7	19.0	4.6	11.8	43.8	0.0
44	4. 8- 8. 8	18.4	3.3	10.9	53.0	0.0	19.1	0.1	9.6	50.9	0.0	23.1	1.1	12.1	52.2	0.0
45	9. 8-13. 8	18.3	5.8	12.1	48.2	0.0	19.5	4.0	11.7	42.0	0.0	24.1	4.8	14.5	50.3	0.0
46	14. 8-18. 8	19.4	8.0	13.7	53.6	0.0	20.5	4.4	12.5	51.4	0.0	25.7	6.9	16.3	52.2	0.0
47	19. 8-23. 8	18.0	4.3	11.1	48.6	0.0	20.0	5.0	12.5	46.9	0.0	20.1	0.1	10.1	53.2	0.0
48	24. 8-28. 8	18.8	5.3	12.1	52.9	0.0	19.5	3.4	11.5	50.3	0.0	24.7	2.9	13.8	53.5	0.0
49	29. 8- 2. 9	24.4	11.6	18.0	52.4	0.0	25.5	7.2	16.3	51.2	0.0	30.1	10.6	20.3	53.0	0.0
50	3. 9- 7. 9	23.5	11.4	17.5	44.5	0.0	24.0	9.8	16.9	38.8	2.6	28.4	11.5	19.9	43.2	0.8
51	8. 9-12. 9	15.7	8.2	11.9	23.0	43.6	16.0	6.1	11.1	22.6	30.7	20.8	10.2	15.5	31.4	9.9
52	13. 9-17. 9	25.0	12.8	18.9	53.9	0.0	25.0	9.2	17.1	53.0	0.0	30.3	9.2	19.7	54.1	0.0
53	18. 9-22. 9	22.8	10.8	16.8	49.0	0.0	24.2	8.6	16.4	46.1	0.0	29.3	10.3	19.8	54.5	0.0
54	23. 9-27. 9	24.9	11.9	18.4	51.1	0.0	26.6	10.5	18.5	42.5	0.5	32.0	13.5	22.7	48.8	0.0
55	28. 9- 2.10	24.4	11.9	18.1	50.1	0.0	25.1	10.5	17.8	42.4	1.0	30.2	10.8	20.5	52.2	0.0
56	3.10- 7.10	21.3	12.1	16.7	24.8	12.1	22.0	10.9	16.5	19.4	14.1	28.6	16.0	22.3	23.3	20.6
57	8.10-12.10	23.3	10.1	16.7	49.1	0.0	23.5	10.2	16.9	45.1	19.0	28.9	13.3	21.1	52.7	6.5
58	13.10-17.10	22.0	11.0	16.5	47.0	24.7	23.1	10.2	16.7	47.0	17.0	25.1	11.9	18.5	45.3	24.3
59	18.10-22.10	23.1	10.2	16.7	58.6	0.0	24.8	8.8	16.8	55.5	0.0	28.6	9.9	19.3	55.5	0.0
60	23.10-27.10	19.9	8.1	14.0	29.6	3.6	19.9	7.7	13.8	23.2	15.0	25.6	10.8	18.2	45.6	1.0
61	28.10- 1.11	24.6	10.4	17.5	53.3	38.2	24.8	10.4	17.6	45.2	44.7	33.0	14.5	23.7	47.6	0.6
62	2.11- 6.11	22.7	11.7	17.2	39.8	27.7	22.0	10.5	16.3	34.8	46.1	26.8	13.6	21.2	42.8	30.9
63	7.11-11.11	23.3	11.2	17.3	47.8	9.4	-	-	-	-	0.0	29.0	13.5	21.3	50.2	0.0
64	12.11-16.11	22.1	10.7	16.4	45.2	44.0	-	-	-	-	0.0	27.3	13.1	20.2	51.4	47.9
65	17.11-21.11	19.1	10.3	14.7	27.0	35.1	-	-	-	-	0.0	24.1	12.6	18.5	33.4	23.0
66	22.11-26.11	24.6	12.2	18.4	52.0	12.4	-	-	-	-	0.0	31.0	14.0	22.5	58.6	0.0
67	27.11- 1.12	21.8	12.9	17.3	30.1	46.0	-	-	-	-	0.0	29.1	16.2	22.7	34.0	9.6
68	2.12- 6.12	22.2	12.3	17.3	45.9	7.8	22.0	11.5	16.7	31.1	16.1	27.3	12.7	20.0	51.0	27.8
69	7.12-11.12	25.4	13.3	19.3	53.4	1.4	25.7	12.4	19.1	47.5	38.1	31.0	14.4	22.7	57.9	34.4
70	12.12-16.12	25.1	13.6	19.3	51.5	8.9	25.0	13.3	19.1	41.6	9.0	30.5	13.3	21.9	54.2	0.9
71	17.12-21.12	23.6	12.7	18.1	40.9	30.7	24.3	12.9	18.6	40.2	9.0	29.9	14.0	21.9	46.0	20.2
72	22.12-26.12	26.3	14.6	20.5	47.9	0.2	27.4	12.4	19.9	48.1	4.0	32.9	15.7	24.3	47.3	0.0
73	27.12-31.12	25.5	14.1	19.8	48.2	29.0	26.8	14.0	20.4	45.5	0.0	33.9	17.3	25.6	47.2	0.3

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		RUSTENBURG - AGR 511/523 25°43'S H1157M 27°18'E					RODDEPLAAT - AGR 513/605 25°35'S H1164M 28°21'E					LYDENBURG - VIS 554/816 25°06'S H1439M 30°28'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	28.0	16.8	22.4	40.0	31.3	27.0	16.1	21.5	27.8	28.2	23.8	15.0	19.4	39.6	7.0
2	6. 1-10. 1	29.3	16.6	22.9	46.6	0.0	28.9	15.4	22.1	56.7	18.2	26.7	13.3	20.0	49.1	4.7
3	11. 1-15. 1	29.6	18.3	23.9	34.1	79.1	29.0	17.8	23.4	34.1	52.0	27.9	17.2	22.5	40.2	22.5
4	16. 1-20. 1	27.6	17.9	22.7	27.0	13.9	27.2	16.9	22.1	29.0	16.5	24.3	17.0	20.7	21.9	58.8
5	21. 1-25. 1	26.8	17.5	22.1	32.8	38.5	26.8	16.9	21.9	38.9	55.5	23.3	14.5	18.9	31.6	16.5
6	26. 1-30. 1	28.1	16.6	22.3	35.4	19.5	27.9	16.0	21.9	40.2	3.5	25.1	14.4	19.7	41.7	22.8
7	31. 1- 4. 2	27.0	16.3	21.7	39.4	31.4	27.1	15.8	21.5	39.8	39.5	25.0	13.6	19.3	47.7	0.7
8	5. 2- 9. 2	27.3	16.3	21.8	44.3	8.4	27.5	15.1	21.3	49.0	1.6	24.6	14.8	19.7	38.4	21.5
9	10. 2-14. 2	26.6	17.1	21.9	28.3	44.5	27.4	16.6	22.0	38.7	28.6	24.3	14.4	19.3	36.4	35.5
10	15. 2-19. 2	27.2	16.8	22.0	38.8	0.5	26.9	15.6	21.3	40.5	11.0	23.6	13.1	18.3	46.4	4.5
11	20. 2-24. 2	26.3	15.5	20.9	30.5	17.9	25.8	15.1	20.5	32.0	16.8	23.2	12.3	17.7	35.4	17.6
12	25. 2- 1. 3	28.1	15.0	21.5	51.4	4.7	29.6	14.9	22.3	53.3	1.0	27.6	12.8	20.2	47.2	0.0
13	2. 3- 6. 3	30.9	13.1	22.0	55.1	0.0	30.2	14.1	22.1	54.5	7.9	25.7	13.9	19.8	41.2	29.3
14	7. 3-11. 3	31.8	15.5	23.7	54.7	4.8	31.5	14.0	22.7	55.8	0.0	27.8	12.3	20.1	47.2	6.5
15	12. 3-16. 3	30.2	15.0	22.6	44.9	1.9	29.8	14.7	22.3	47.3	5.0	26.0	12.6	19.3	50.7	0.0
16	17. 3-21. 3	30.1	15.7	22.9	42.7	9.6	29.7	14.7	22.2	48.1	39.5	26.4	12.9	19.7	46.6	0.0
17	22. 3-26. 3	25.9	16.4	21.1	21.3	47.5	26.5	15.9	21.2	30.2	21.6	26.9	13.6	20.3	39.1	24.0
18	27. 3-31. 3	26.8	13.5	20.1	47.6	0.9	26.9	14.0	20.5	39.0	0.1	23.3	13.2	18.3	43.3	0.9
19	1. 4- 5. 4	25.0	13.4	19.2	33.0	52.8	24.7	12.6	18.7	32.1	30.5	23.0	12.6	17.8	28.2	24.5
20	6. 4-10. 4	23.4	10.1	16.7	38.2	63.8	23.4	11.0	17.2	35.8	27.0	21.7	11.4	16.5	31.0	1.5
21	11. 4-15. 4	26.7	13.0	19.9	46.7	20.5	26.8	12.6	19.7	48.1	11.0	23.7	12.8	18.3	39.7	0.0
22	16. 4-20. 4	25.8	13.8	19.8	41.1	36.6	25.5	13.1	19.3	43.1	36.8	23.0	12.7	17.9	29.6	0.0
23	21. 4-25. 4	26.2	12.1	19.1	45.2	6.8	26.3	11.1	18.7	46.9	4.0	24.8	9.0	16.9	44.3	4.5
24	26. 4-30. 4	27.3	10.3	18.8	47.9	0.0	27.4	9.5	18.5	48.7	0.0	26.0	9.0	17.5	47.1	0.0
25	1. 5- 5. 5	23.5	12.1	17.8	32.9	2.9	22.9	10.4	16.7	30.0	10.1	20.6	9.1	14.9	29.0	12.5
26	6. 5-10. 5	23.5	6.9	15.2	49.1	0.0	23.4	7.2	15.3	40.2	0.0	21.8	5.8	13.6	47.3	0.0
27	11. 5-15. 5	21.2	7.0	14.1	39.2	3.5	21.9	6.5	14.2	39.9	0.6	21.0	7.2	14.1	40.2	13.0
28	16. 5-20. 5	19.3	2.8	11.1	51.1	0.0	19.0	2.0	10.5	52.1	0.0	17.7	2.1	9.9	40.2	0.0
29	21. 5-25. 5	20.6	4.4	12.5	41.4	0.0	20.3	3.8	12.1	38.1	0.0	17.1	5.1	11.1	31.6	0.0
30	26. 5-30. 5	22.4	4.8	13.6	45.4	0.0	21.6	5.6	13.6	44.5	0.0	18.5	3.1	10.8	40.2	4.5
31	31. 5- 4. 6	19.5	3.0	11.3	45.8	0.0	19.2	2.3	10.7	45.6	0.0	17.2	1.3	9.3	41.9	0.0
32	5. 6- 9. 6	20.6	3.7	12.1	43.9	0.0	20.3	3.9	12.1	44.9	0.0	17.7	2.5	10.1	39.9	0.0
33	10. 6-14. 6	21.0	2.5	11.7	49.6	0.0	20.8	1.6	11.2	50.0	0.0	19.9	1.8	10.9	43.4	0.0
34	15. 6-19. 6	19.2	4.1	11.7	39.6	0.0	19.4	3.9	11.7	38.3	0.0	15.7	4.4	10.1	26.2	2.0
35	20. 6-24. 6	21.8	2.9	12.3	49.2	0.0	21.1	2.1	11.6	48.5	0.0	19.2	2.5	10.9	42.6	0.0
36	25. 6-29. 6	18.7	4.2	11.5	32.3	9.5	19.3	4.2	11.7	38.3	25.0	15.2	3.0	9.1	34.3	12.0
37	30. 6- 4. 7	22.0	1.9	11.9	49.6	0.0	21.7	1.9	11.8	49.3	0.0	20.2	2.3	11.3	43.1	0.0
38	5. 7- 9. 7	20.1	6.6	13.3	39.8	0.0	19.8	4.2	12.0	39.7	0.0	18.3	4.7	11.5	37.3	0.0
39	10. 7-14. 7	19.9	3.4	11.7	47.9	0.0	19.9	2.6	11.3	48.5	0.0	18.9	2.1	10.5	41.0	0.0
40	15. 7-19. 7	19.5	0.4	9.9	51.2	0.0	19.4	-1.7	8.9	50.1	0.0	18.1	-0.4	8.9	44.7	0.0
41	20. 7-24. 7	20.4	-0.2	10.1	49.2	0.0	19.9	0.8	10.3	49.6	0.0	19.1	1.3	10.2	44.9	0.0
42	25. 7-29. 7	20.9	4.1	12.5	47.3	0.0	20.8	3.0	11.9	46.2	0.0	18.9	3.0	10.9	32.4	0.0
43	30. 7- 3. 8	19.8	3.3	11.5	48.3	0.0	20.5	-0.3	10.1	49.0	0.0	18.4	2.6	10.5	47.9	0.0
44	4. 8- 8. 8	23.5	1.1	12.3	52.9	0.0	22.8	-0.2	11.3	51.8	0.0	20.7	1.3	11.0	50.8	0.0
45	9. 8-13. 8	22.9	4.1	13.5	49.2	0.0	22.7	2.7	12.7	48.8	0.0	19.5	5.1	12.3	38.6	0.0
46	14. 8-18. 8	24.2	3.9	14.1	53.6	0.0	23.7	2.9	13.3	50.1	0.0	22.1	3.7	12.9	51.5	0.0
47	19. 8-23. 8	22.4	4.2	13.3	50.5	0.0	23.0	2.2	12.6	48.1	0.0	21.4	7.2	14.3	47.3	0.0
48	24. 8-28. 8	23.3	3.9	13.6	52.7	0.0	23.2	3.0	13.1	51.4	0.0	20.7	6.0	13.3	42.5	0.0
49	29. 8- 2. 9	22.5	5.0	13.7	53.6	0.0	27.8	6.0	16.9	51.9	0.0	26.3	6.5	16.4	53.3	0.0
50	3. 9- 7. 9	27.8	10.5	19.1	42.3	0.5	27.4	9.9	18.7	40.1	9.0	25.1	9.1	17.1	42.4	0.0
51	8. 9-12. 9	19.1	10.0	14.5	24.9	43.9	19.2	8.4	13.8	22.6	21.0	18.9	7.5	13.2	29.6	51.5
52	13. 9-17. 9	29.7	10.1	19.9	54.4	0.0	28.8	8.7	18.7	54.0	0.0	26.3	9.8	18.1	51.3	0.0
53	18. 9-22. 9	27.8	9.5	18.7	52.6	0.0	27.4	8.5	17.9	52.6	0.0	24.1	9.4	16.7	45.3	1.0
54	23. 9-27. 9	30.1	11.4	20.7	53.4	0.0	29.7	10.1	19.9	53.0	0.0	25.4	8.8	17.1	40.8	0.0
55	28. 9- 2.10	29.9	10.8	20.3	52.2	0.0	29.6	11.9	20.7	51.2	0.0	24.6	9.7	17.1	48.4	0.0
56	3.10- 7.10	26.1	13.3	19.7	20.8	14.9	25.6	13.5	19.5	23.0	9.5	21.8	11.3	16.5	25.4	6.0
57	8.10-12.10	28.4	12.3	20.3	47.4	0.0	27.9	11.6	19.7	46.8	0.0	24.3	11.5	17.9	39.7	10.5
58	13.10-17.10	26.0	13.8	19.9	41.1	15.9	26.6	13.0	19.8	47.9	22.0	23.6	10.6	17.2	44.2	26.0
59	18.10-22.10	28.0	9.4	18.7	52.4	0.0	27.6	9.2	18.4	55.7	0.0	23.7	9.2	16.5	47.4	4.0
60	23.10-27.10	25.0	10.9	17.9	29.2	0.3	24.2	9.4	16.8	32.8	0.4	19.7	7.6	13.7	23.5	31.5
61	28.10- 1.11	30.5	13.1	21.8	49.9	3.4	29.5	12.4	20.9	54.9	17.6	24.4	11.1	17.7	29.7	21.5
62	2.11- 6.11	26.6	14.2	21.4	40.4	16.6	27.2	13.1	20.1	45.0	29.8	21.8	12.4	17.1	32.6	23.1
63	7.11-11.11	29.4	14.0	21.7	51.9	0.0	27.5	13.4	20.5	48.0	2.5	24.1	12.0	18.1	42.4	15.5
64	12.11-16.11	28.0	13.2	20.6	42.3	76.2	26.0	12.8	19.4	45.8	97.3	21.2	12.3	16.7	24.3	6.2
65	17.11-21.11	24.1	13.7	18.9	25.7	36.5	24.1	12.1	18.1	29.7	20.5	20.3	11.4	15.9	19.3	21.1
66	22.11-26.11	29.3	13.7	21.5	51.9	4.0	28.3	13.4	20.9	54.2	33.3	24.9	12.0	18.5	40.2	6.7
67	27.11- 1.12	26.3	15.0	20.7	31.0	28.6	25.4	14.3	19.9	34.1	71.9	22.2	12.1	17.1	29.9	103.2
68	2.12- 6.12	27.4	14.1	20.7	45.2	4.7	26.9	13.1	20.0	39.0	4.0	24.1	13.6	18.9	36.2	23.6
69	7.12-11.12	30.1	15.6	22.9	53.6	10.8	29.3	15.0	22.1	54.7	6.9	25.1	13.7	19.4	43.8	8.0
70	12.12-16.12	29.8	14.9	22.3	51.6	6.0	28.8	14.8	21.8	48.8	2.9	25.1	14.2	19.7	33.6	15.1
71	17.12-21.12	27.6	14.9	21.3	37.8	33.6	27.7	14.8	21.3	42.6	26.9	24.4	14.3	19.3	25.5	34.5
72	22.12-26.12	31.1	16.1	23.6	50.1	6.0	30.3	15.3	22.8	50.2	0.1	26.3	13.4	19.9	36.9	1.0
73	27.12-31.12	30.5	17.0	23.7	49.0	2.4	29.7	15.9	22.8	47.7	6.2	26.0	14.5	20.3	37.5	7.5

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		NELSPRUIT - AGR 555/837 25°27'S H 660M 30°58'E					MARIENTAL - SWA - POS*** 568/817 24°37'S H1099M 17°58'E					TOWOOMBA - AGR 589/594 24°54'S H1143M 28°20'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	24.8	18.0	21.4	12.7	2.0	37.2	20.9	29.1		0.0	27.5	16.5	22.0	35.5	14.0
2	6. 1-10. 1	29.9	16.6	23.3	45.8	0.0	36.3	23.1	29.7		9.1	29.5	16.3	22.9	58.9	0.0
3	11. 1-15. 1	32.7	20.2	26.5	27.5	3.0	35.5	20.5	28.0		0.0	29.7	18.2	23.9	30.3	56.5
4	16. 1-20. 1	29.1	19.9	24.5	22.6	50.6	37.1	22.5	29.8		0.5	26.1	18.0	22.1	19.7	50.6
5	21. 1-25. 1	27.4	17.7	22.5	27.2	74.7	33.1	18.7	25.9		3.6	25.8	16.2	21.0	38.2	24.0
6	26. 1-30. 1	28.7	18.7	23.7	40.6	0.0	34.5	21.1	27.8		4.4	27.0	16.1	21.5	37.2	41.1
7	31. 1- 4. 2	29.3	19.0	24.1	46.1	1.0	33.6	20.2	26.9		2.2	26.9	16.4	21.7	36.4	73.6
8	5. 2- 9. 2	28.7	18.1	23.4	36.2	6.7	29.1	20.2	24.7		9.7	27.4	15.4	21.4	46.3	4.8
9	10. 2-14. 2	27.8	17.8	22.8	27.5	45.2	33.5	20.9	27.2		1.2	26.9	17.3	22.1	35.9	19.2
10	15. 2-19. 2	27.7	17.7	22.7	42.8	1.0	32.7	21.3	27.0		0.3	26.7	15.7	21.2	40.3	19.8
11	20. 2-24. 2	27.3	17.7	22.5	29.1	10.1	33.1	20.1	26.6		9.7	25.6	15.4	20.5	31.6	36.9
12	25. 2- 1. 3	29.5	17.8	23.7	34.1	16.4	35.0	22.8	28.9		0.0	29.4	14.6	22.0	52.9	6.2
13	2. 3- 6. 3	29.0	18.2	23.6	31.4	63.3	34.9	18.1	26.5		0.0	30.7	15.8	23.3	56.2	0.0
14	7. 3-11. 3	30.4	18.4	24.4	45.9	0.8	-	-	-		0.0	30.8	13.8	22.3	55.9	0.0
15	12. 3-16. 3	29.7	17.7	23.7	45.5	0.0	35.3	21.6	28.5		14.3	29.9	15.2	22.5	51.2	0.0
16	17. 3-21. 3	30.1	16.1	23.1	46.6	0.0	36.1	20.5	28.3		5.5	28.9	14.2	21.5	41.6	29.7
17	22. 3-26. 3	30.8	17.7	24.3	31.3	51.3	31.9	17.6	24.7		0.0	27.9	16.5	22.2	36.2	3.8
18	27. 3-31. 3	27.0	16.9	21.9	35.3	31.5	30.5	19.1	24.8		2.0	26.6	13.2	19.9	40.4	0.7
19	1. 4- 5. 4	27.7	16.9	22.3	33.1	35.9	28.5	13.9	21.2		7.3	25.6	13.3	19.5	26.5	13.8
20	6. 4-10. 4	25.1	15.5	20.3	30.1	25.4	30.5	12.8	21.7		0.0	24.2	11.4	17.8	29.7	42.5
21	11. 4-15. 4	26.6	16.1	21.3	33.0	6.4	32.4	11.6	22.0		0.0	27.9	14.2	21.1	49.3	1.8
22	16. 4-20. 4	26.3	17.1	21.7	31.0	0.0	33.4	15.5	24.5		0.0	26.5	14.3	20.4	41.1	2.2
23	21. 4-25. 4	29.1	14.3	21.7	40.1	0.0	31.9	17.3	24.6		0.6	26.6	10.9	18.7	45.3	0.0
24	26. 4-30. 4	29.1	12.1	20.6	47.6	0.0	31.4	15.6	23.5		0.3	28.2	9.0	18.6	45.0	0.0
25	1. 5- 5. 5	25.0	13.0	19.0	22.7	7.6	27.4	13.1	20.3		14.3	24.1	10.4	17.3	29.9	23.9
26	6. 5-10. 5	25.9	9.9	17.9	43.8	0.0	28.0	13.9	20.9		1.1	23.4	7.9	15.7	47.3	0.4
27	11. 5-15. 5	26.4	11.1	18.7	41.1	7.9	26.1	9.8	17.9		0.0	22.3	6.6	14.5	42.9	1.5
28	16. 5-20. 5	23.4	5.6	14.5	37.6	0.0	21.9	7.5	14.7		0.0	19.7	2.4	11.1	50.2	0.0
29	21. 5-25. 5	22.2	8.6	15.4	32.0	0.5	26.3	9.0	17.7		0.5	20.9	4.3	12.6	45.0	0.0
30	26. 5-30. 5	23.4	6.8	15.1	46.7	17.7	26.2	10.4	18.3		0.0	21.3	4.2	12.7	48.2	0.2
31	31. 5- 4. 6	20.7	6.4	13.5	43.3	0.0	24.6	10.6	17.6		0.0	19.8	2.2	11.0	47.0	0.0
32	5. 6- 9. 6	23.0	6.8	14.9	42.5	0.0	26.1	10.5	18.3		0.0	20.6	3.0	11.8	47.5	0.0
33	10. 6-14. 6	25.8	4.5	15.1	48.7	0.0	25.4	8.5	16.9		0.0	21.5	2.7	12.1	50.3	0.0
34	15. 6-19. 6	19.4	8.6	14.0	24.1	0.7	20.2	3.8	12.0		0.0	20.5	3.5	12.0	37.9	0.1
35	20. 6-24. 6	23.9	5.8	14.9	42.8	0.0	25.2	5.6	15.4		0.0	22.2	2.2	12.2	49.2	0.0
36	25. 6-29. 6	20.4	6.0	13.2	29.0	3.5	23.6	6.4	15.0		0.0	19.7	3.7	11.7	42.5	0.0
37	30. 6- 4. 7	26.2	4.6	15.4	47.7	0.0	23.3	6.2	14.7		0.0	23.4	2.5	12.9	49.7	0.0
38	5. 7- 9. 7	22.7	8.1	15.4	31.7	0.0	22.7	6.2	14.5		0.3	21.1	5.0	13.1	38.3	0.0
39	10. 7-14. 7	24.0	4.7	14.3	46.2	0.0	22.7	3.6	13.1		0.0	20.7	2.2	11.5	49.4	0.0
40	15. 7-19. 7	24.0	4.8	14.4	47.8	0.0	20.6	1.7	11.1		0.0	20.3	-1.1	9.6	50.1	0.0
41	20. 7-24. 7	24.6	3.8	14.2	47.9	0.0	25.0	7.0	16.0		0.0	21.2	1.1	11.1	48.9	0.0
42	25. 7-29. 7	23.3	5.2	14.3	44.1	1.9	26.5	9.9	18.2		0.0	21.2	4.1	12.7	48.6	0.0
43	30. 7- 3. 8	25.6	4.9	15.3	48.5	0.0	18.8	3.7	11.3		0.0	21.4	3.6	12.5	49.7	0.0
44	4. 8- 8. 8	25.8	4.0	14.9	50.2	0.0	25.9	3.2	14.5		0.0	24.3	1.2	12.7	51.2	0.0
45	9. 8-13. 8	22.2	9.5	15.9	32.5	1.7	26.4	4.2	15.3		0.0	24.0	4.1	14.1	42.1	0.0
46	14. 8-18. 8	27.1	5.8	16.5	49.0	0.0	28.0	5.2	16.6		0.0	24.7	4.5	14.6	51.0	0.0
47	19. 8-23. 8	25.5	9.2	17.3	37.3	0.2	19.4	1.5	10.5		0.0	24.0	5.7	14.9	50.3	0.0
48	24. 8-28. 8	25.6	8.5	17.1	33.2	0.0	26.9	3.7	15.3		0.0	24.9	4.0	14.5	53.5	0.0
49	29. 8- 2. 9	30.5	9.7	20.1	51.6	0.0	32.0	8.0	20.0		0.0	29.1	8.5	18.8	53.0	0.0
50	3. 9- 7. 9	27.3	11.5	19.4	40.5	0.2	26.3	7.4	16.9		0.0	29.3	11.7	20.5	43.9	0.6
51	8. 9-12. 9	23.4	11.9	17.7	27.6	22.7	30.9	10.8	20.9		0.0	20.4	9.4	14.9	28.2	16.2
52	13. 9-17. 9	31.7	12.2	21.9	45.8	0.5	33.3	12.2	22.7		0.0	30.1	10.6	20.3	52.5	0.0
53	18. 9-22. 9	28.4	12.0	20.2	40.6	0.0	33.0	15.0	24.0		0.0	29.3	10.5	19.9	51.1	0.0
54	23. 9-27. 9	29.5	14.2	21.9	35.9	0.0	33.4	14.1	23.7		0.0	31.4	12.4	21.9	49.4	0.0
55	28. 9- 2.10	26.2	14.5	20.3	21.5	0.0	28.3	10.0	19.1		0.0	31.5	12.7	22.1	48.4	0.0
56	3.10- 7.10	25.2	14.7	19.9	19.4	7.4	31.0	15.5	23.3		0.0	27.9	14.3	21.1	25.1	10.8
57	8.10-12.10	27.8	15.7	21.7	37.4	11.3	33.9	12.2	23.1		0.0	28.9	13.3	21.1	46.5	0.0
58	13.10-17.10	29.1	14.6	21.9	44.6	11.9	25.9	12.2	19.1		31.5	28.6	14.1	21.3	45.9	13.4
59	18.10-22.10	27.7	12.5	20.1	38.7	2.7	34.3	17.6	25.9		0.0	29.2	10.2	19.7	52.9	0.0
60	23.10-27.10	22.8	11.2	17.0	30.1	41.5	30.6	11.0	20.8		0.0	25.4	10.8	18.1	32.5	8.7
61	28.10- 1.11	28.1	15.5	21.8	39.3	55.9	34.8	15.2	25.0		0.0	30.9	14.0	22.5	53.3	11.4
62	2.11- 6.11	23.7	14.9	19.3	19.8	45.9	34.4	15.1	24.7		0.0	29.7	14.7	22.2	42.1	0.7
63	7.11-11.11	23.9	15.5	19.7	22.5	6.5	33.7	15.8	24.7		2.5	30.3	14.0	22.1	47.0	0.0
64	12.11-16.11	23.0	15.3	19.1	22.2	10.0	31.8	13.7	22.7		0.0	28.4	13.9	21.1	43.1	69.9
65	17.11-21.11	24.3	15.3	19.8	13.8	0.3	30.7	15.9	23.3		2.9	25.1	13.5	19.3	29.0	4.6
66	22.11-26.11	26.1	15.4	20.7	29.6	0.1	37.2	17.9	27.5		0.0	29.6	14.0	21.8	53.9	10.5
67	27.11- 1.12	26.1	15.8	20.9	24.1	84.4	34.0	17.7	25.9		1.4	26.7	14.6	20.7	33.0	55.6
68	2.12- 6.12	26.8	17.3	22.1	26.7	61.7	32.8	15.7	24.3		0.0	28.5	14.0	21.3	55.1	0.4
69	7.12-11.12	28.7	16.1	22.4	32.8	52.3	36.9	18.1	27.5		0.0	30.5	15.2	22.9	49.3	2.9
70	12.12-16.12	28.5	17.2	22.9	31.2	51.5	34.0	14.9	24.5		0.0	30.8	15.7	23.3	46.8	8.0
71	17.12-21.12	25.2	17.2	21.2	17.0	18.7	35.8	19.5	27.7		0.0	28.8	15.7	22.3	32.6	10.3
72	22.12-26.12	29.4	16.7	23.1	41.6	0.7	37.3	20.8	29.1		0.0	31.8	15.4	23.6	54.2	0.0
73	27.12-31.12	30.0	19.1	24.5	43.7	0.5	38.4	24.3	31.3		0.0	31.1	17.3	24.2	44.7	17.9

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REENVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		PIETERSBURG - WK 677/802 23°52'S H1230M 29°27'E					PHALABORWA - AER 681/266 23°56'S H 433M 31°09'E					MARA - AGR 722/ 99 23°09'S H 896M 29°34'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	24.5	16.6	20.5	32.6	0.0	26.4	19.8	23.1	19.7	2.0	-	17.4	-	22.4	0.1
2	6. 1-10. 1	28.8	14.9	21.9	58.4	0.0	31.5	19.2	25.3	59.0	0.0	-	15.5	-	61.3	0.0
3	11. 1-15. 1	30.2	19.5	24.9	39.9	5.4	34.1	22.9	28.5	41.2	15.0	-	19.8	-	44.7	34.3
4	16. 1-20. 1	27.0	18.3	22.7	26.6	56.0	30.4	22.4	26.4	31.6	94.0	-	19.3	-	39.3	94.5
5	21. 1-25. 1	25.4	16.2	20.8	34.0	6.0	28.1	19.9	24.0	29.8	7.0	-	17.2	-	28.5	17.6
6	26. 1-30. 1	25.5	16.7	21.1	28.2	29.1	29.9	21.1	25.5	43.5	0.0	-	17.9	-	32.6	3.6
7	31. 1- 4. 2	26.2	16.3	21.3	35.3	9.5	30.4	20.7	25.5	43.7	10.1	-	17.1	-	51.9	0.1
8	5. 2- 9. 2	25.8	15.6	20.7	37.1	10.5	30.6	19.9	25.3	41.7	0.0	28.3	16.3	22.3	47.9	1.0
9	10. 2-14. 2	26.1	16.5	21.3	35.2	0.0	29.4	20.3	24.9	30.2	41.5	28.3	17.7	23.0	41.6	0.0
10	15. 2-19. 2	25.2	15.5	20.3	30.6	9.0	28.9	18.4	23.7	46.9	3.0	26.4	16.0	21.2	33.1	0.4
11	20. 2-24. 2	24.9	15.2	20.1	31.6	6.9	28.7	19.1	23.9	38.3	7.2	27.7	15.3	21.5	37.8	1.5
12	25. 2- 1. 3	28.7	15.4	22.1	52.0	0.0	32.0	19.2	25.6	45.1	0.0	31.9	15.7	23.8	50.5	29.0
13	2. 3- 6. 3	28.5	17.2	22.9	44.8	1.5	31.8	20.8	26.3	33.7	15.2	31.2	18.5	24.9	43.5	12.4
14	7. 3-11. 3	29.9	15.4	22.7	54.3	0.0	32.5	20.6	26.5	50.2	0.0	31.3	16.0	23.7	54.1	0.0
15	12. 3-16. 3	27.9	14.8	21.3	51.2	0.0	31.4	20.3	25.9	45.7	0.0	29.2	15.6	22.4	47.4	0.0
16	17. 3-21. 3	28.6	14.8	21.7	44.4	2.7	31.3	20.3	25.8	53.6	0.0	30.6	16.2	23.4	45.0	0.0
17	22. 3-26. 3	28.9	16.1	22.5	42.4	18.4	33.6	20.0	26.8	45.3	5.0	32.0	16.7	24.3	50.4	0.0
18	27. 3-31. 3	25.1	14.9	20.0	42.2	1.1	29.3	20.2	24.7	38.0	0.0	27.4	16.6	22.0	34.5	0.0
19	1. 4- 5. 4	25.1	14.0	19.5	30.0	24.3	29.7	18.4	24.1	36.1	54.6	28.9	15.3	22.1	31.1	10.8
20	6. 4-10. 4	23.5	14.9	19.2	26.6	4.7	27.1	19.3	23.2	30.7	1.0	26.5	17.1	21.8	26.2	55.4
21	11. 4-15. 4	26.2	14.5	20.3	37.0	0.0	29.5	18.6	24.1	26.5	0.0	29.2	16.0	22.6	35.8	0.0
22	16. 4-20. 4	25.1	14.7	19.9	33.1	1.3	28.8	18.7	23.7	28.6	7.0	28.4	16.0	22.2	42.8	0.8
23	21. 4-25. 4	26.0	12.1	19.1	42.3	0.3	30.0	17.0	23.5	47.2	0.0	28.2	11.8	20.0	51.6	0.0
24	26. 4-30. 4	27.5	10.4	18.9	46.4	0.0	30.9	17.2	24.1	44.4	0.0	29.7	11.6	20.7	48.0	0.0
25	1. 5- 5. 5	22.7	11.5	17.1	31.6	6.0	27.2	16.8	22.0	28.9	0.2	25.6	12.1	18.9	37.3	26.3
26	6. 5-10. 5	22.4	8.9	15.7	46.0	0.0	27.2	13.2	20.2	37.3	0.0	24.3	10.6	17.5	43.3	0.0
27	11. 5-15. 5	22.3	8.8	15.5	40.7	3.5	26.4	15.0	20.7	38.8	7.5	24.2	10.8	17.5	35.8	5.4
28	16. 5-20. 5	19.6	4.1	11.9	47.1	0.0	24.7	10.3	17.5	46.5	0.0	21.5	3.6	12.5	45.6	0.0
29	21. 5-25. 5	18.9	6.1	12.5	37.5	0.0	23.9	11.3	17.6	34.6	0.0	21.2	7.1	14.1	37.2	0.0
30	26. 5-30. 5	20.8	4.7	12.7	46.1	0.0	23.5	10.1	16.8	45.0	0.0	22.5	5.6	14.1	47.3	6.6
31	31. 5- 4. 6	18.0	3.7	10.9	44.5	0.0	22.2	7.8	15.0	42.9	0.0	20.2	4.7	12.5	47.7	0.0
32	5. 6- 9. 6	19.3	3.6	11.5	43.8	0.0	24.2	9.6	16.9	37.5	0.0	21.7	3.4	12.5	41.3	0.0
33	10. 6-14. 6	20.3	3.8	12.1	49.6	0.0	26.3	8.4	17.3	48.7	0.0	23.3	1.8	12.5	48.7	0.0
34	15. 6-19. 6	17.2	6.7	11.9	25.1	0.0	21.3	12.2	16.7	19.6	0.5	18.8	7.5	13.1	23.2	0.0
35	20. 6-24. 6	20.4	3.3	11.9	49.0	0.0	24.7	10.5	17.6	37.5	1.0	23.5	4.0	13.7	43.8	0.0
36	25. 6-29. 6	18.1	4.8	11.5	39.6	0.0	21.5	9.8	15.7	33.8	7.8	19.4	4.3	11.9	35.9	0.0
37	30. 6- 4. 7	21.8	3.8	12.8	50.7	0.0	27.1	9.7	18.4	46.3	0.0	24.5	1.7	13.1	49.7	0.0
38	5. 7- 9. 7	19.8	5.4	12.6	40.9	0.0	23.8	12.0	17.9	32.6	0.0	21.8	9.1	15.5	35.8	0.0
39	10. 7-14. 7	20.2	4.7	12.5	46.7	0.0	24.5	10.4	17.5	46.3	0.0	23.6	6.2	14.9	47.1	0.0
40	15. 7-19. 7	18.9	2.5	10.7	49.0	0.0	24.8	9.5	17.1	37.2	0.0	22.5	2.8	12.7	48.3	0.0
41	20. 7-24. 7	20.0	3.4	11.7	49.5	0.0	24.9	8.1	16.5	47.9	0.0	22.8	1.6	12.2	49.5	0.0
42	25. 7-29. 7	20.2	4.7	12.5	46.7	0.0	24.4	9.0	16.7	44.1	0.0	22.5	4.3	13.4	48.9	0.0
43	30. 7- 3. 8	20.7	4.7	12.7	50.2	0.0	26.6	9.7	18.1	48.9	0.0	24.2	5.9	15.1	51.6	0.0
44	4. 8- 8. 8	23.2	3.9	13.5	52.5	0.0	26.3	9.8	18.1	51.5	0.0	25.9	2.5	14.2	52.5	0.0
45	9. 8-13. 8	20.5	5.5	13.0	43.8	0.0	23.2	11.3	17.3	27.9	1.6	22.0	6.8	14.4	34.6	0.0
46	14. 8-18. 8	22.9	5.1	14.0	52.4	0.0	27.3	10.6	18.9	51.3	0.0	25.5	4.0	14.7	43.6	0.0
47	19. 8-23. 8	24.4	9.3	16.9	49.4	0.0	28.0	12.9	20.5	42.0	0.0	27.6	9.1	18.3	49.0	0.0
48	24. 8-28. 8	22.3	6.9	14.6	46.2	0.0	26.8	14.8	20.8	39.3	0.0	24.9	6.7	15.8	39.0	0.0
49	29. 8- 2. 9	27.0	8.7	17.9	52.7	0.0	29.6	13.6	21.6	51.2	0.0	28.7	7.9	18.3	51.7	0.0
50	3. 9- 7. 9	27.0	10.9	18.9	43.8	8.9	29.4	16.1	22.7	40.7	3.0	28.0	10.5	19.3	40.6	0.0
51	8. 9-12. 9	21.3	9.7	15.5	25.6	0.0	23.2	13.1	18.1	24.4	19.0	20.6	10.0	15.3	21.2	8.2
52	13. 9-17. 9	28.4	11.5	19.9	53.8	0.0	33.1	16.0	24.5	47.8	0.0	30.7	11.6	21.1	49.2	0.0
53	18. 9-22. 9	25.7	11.0	18.3	51.1	0.0	30.0	15.5	22.7	43.4	0.0	28.1	11.1	19.6	48.6	0.0
54	23. 9-27. 9	27.7	12.2	19.9	47.4	0.0	31.0	15.8	23.4	41.2	0.0	30.3	11.7	21.0	43.5	0.0
55	28. 9- 2.10	27.1	12.1	19.6	51.0	0.0	29.8	16.4	23.1	38.1	0.0	29.8	13.3	21.5	46.5	0.0
56	3.10- 7.10	23.6	13.7	18.7	27.9	29.1	26.9	17.0	21.9	22.4	6.8	26.1	14.4	20.3	28.2	42.7
57	8.10-12.10	25.1	14.1	19.6	45.3	16.9	29.5	17.1	23.3	33.7	0.0	27.4	15.4	21.4	44.9	9.2
58	13.10-17.10	26.8	14.5	20.7	47.3	12.4	32.6	19.1	25.9	47.4	10.3	30.0	16.3	23.1	48.2	0.0
59	18.10-22.10	25.1	11.5	18.3	51.9	0.0	29.0	15.1	22.1	40.2	0.0	27.4	12.1	19.7	47.4	0.0
60	23.10-27.10	22.9	10.6	16.7	26.8	0.0	25.9	14.5	20.2	34.1	0.0	24.0	11.2	17.6	27.4	0.0
61	28.10- 1.11	27.2	11.9	19.5	51.4	68.5	30.5	17.3	23.9	46.1	20.0	30.3	14.8	22.5	51.5	8.5
62	2.11- 6.11	24.3	14.4	19.3	42.3	46.1	27.3	18.2	22.7	18.8	8.5	26.5	15.6	21.1	38.9	35.6
63	7.11-11.11	25.3	14.0	19.7	40.0	0.2	27.3	17.5	22.4	28.4	0.0	27.4	15.1	21.3	40.4	5.3
64	12.11-16.11	24.0	14.9	19.5	30.8	11.7	26.9	17.7	22.3	27.6	43.0	24.8	15.9	20.3	22.3	14.3
65	17.11-21.11	21.3	13.8	17.5	22.3	6.0	25.0	17.1	21.1	11.6	4.0	20.9	14.1	17.5	11.5	4.0
66	22.11-26.11	26.2	13.8	20.0	48.9	1.2	28.6	17.4	23.0	38.4	0.0	28.1	15.2	21.7	47.6	0.0
67	27.11- 1.12	25.1	14.9	20.0	34.8	106.2	28.7	18.5	23.6	27.7	130.5	27.6	16.1	21.9	32.4	72.2
68	2.12- 6.12	27.4	15.5	21.5	58.0	0.0	29.9	19.8	24.9	40.5	5.0	29.6	16.8	23.2	53.6	0.5
69	7.12-11.12	28.1	15.2	21.7	54.6	0.9	32.0	20.1	26.1	50.1	1.0	30.7	15.2	22.9	50.5	4.2
70	12.12-16.12	27.7	17.2	22.5	39.9	5.7	29.7	19.6	24.7	28.0	11.0	29.6	18.6	24.1	34.8	3.2
71	17.12-21.12	26.9	16.2	21.5	41.6	1.8	29.0	19.6	24.3	25.8	1.6	29.3	16.1	22.7	31.3	0.7
72	22.12-26.12	29.0	16.0	22.5	42.5	0.4	31.3	18.9	25.1	42.0	0.0	31.7	16.3	24.0	42.3	0.0
73	27.12-31.12	27.8	17.6	22.7	43.7	0.0	24.9	20.8	22.9	40.1	4.8	30.8	18.9	24.9	44.4	3.0

GEMIDDELDES VAN DAAGLIKSE MAKSIMUM (TX) MINIMUM (TN) EN GEMIDDELDE (TM) TEMPERATURE EN TOTALE VAN SONSKYNURE (SS) EN REËNVAL (R) VIR ELKE PENTADE

AVERAGES OF DAILY MAXIMUM (TX) MINIMUM (TN) AND MEAN (TM) TEMPERATURES AND TOTALS OF SUNSHINE HOURS (SS) AND RAINFALL (R) FOR EVERY PENTADE

		WINDHOEK - SWA - WK 740/154 22°34'S H1728M 17°06'E					MACUVILLE - AGR 809/706 22°16'S H 522M 29°54'E					GROOTFONTEIN - SWA - WK 1010/186 19°36'S H1405M 18°07'E				
PT NO	DATUMS/DATES 1 9 7 1	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM	TX °C	TN °C	TM °C	SS HU	R MM
1	1. 1- 5. 1	31.6	18.5	25.1	48.1	21.9	27.1	19.4	23.3	27.0	2.9	30.8	18.3	24.5	53.4	0.1
2	6. 1-10. 1	28.9	18.3	23.6	-	12.1	32.1	17.3	24.7	62.4	0.0	28.6	17.1	22.9	47.7	13.2
3	11. 1-15. 1	29.6	15.7	22.7	44.3	5.1	34.3	20.2	27.3	46.6	53.9	28.7	17.9	23.3	40.6	8.1
4	16. 1-20. 1	31.3	17.7	24.5	41.8	1.7	30.9	21.3	26.1	25.9	25.8	28.2	17.2	22.7	29.9	47.5
5	21. 1-25. 1	29.8	14.3	22.1	45.6	6.5	29.5	19.6	24.5	38.8	0.5	27.1	16.3	21.7	38.8	52.9
6	26. 1-30. 1	30.2	16.4	23.3	46.3	5.9	30.5	18.8	24.7	40.8	0.3	27.6	16.5	22.1	49.7	25.5
7	31. 1- 4. 2	26.4	15.7	21.1	32.0	40.2	31.7	18.8	25.3	54.7	0.0	25.8	16.7	21.3	27.5	19.4
8	5. 2- 9. 2	24.1	15.3	19.7	22.6	40.0	32.2	18.6	25.4	48.1	0.0	24.9	16.2	20.5	19.7	59.7
9	10. 2-14. 2	25.9	15.9	20.9	32.3	34.8	32.3	20.2	26.3	43.8	1.2	27.1	16.3	21.7	41.0	49.2
10	15. 2-19. 2	26.4	16.8	21.6	33.1	11.9	30.1	18.0	24.1	39.2	0.0	28.2	16.1	22.1	52.2	30.4
11	20. 2-24. 2	26.2	15.4	20.8	37.3	26.0	31.2	18.0	24.6	40.7	2.5	27.0	17.1	22.1	35.6	9.7
12	25. 2- 1. 3	28.5	16.5	22.5	51.1	5.1	35.2	19.0	27.1	57.0	6.0	29.1	16.1	22.6	46.2	4.7
13	2. 3- 6. 3	30.4	15.5	22.9	57.7	0.0	35.0	21.2	28.1	43.9	0.0	30.4	15.1	22.7	52.4	0.0
14	7. 3-11. 3	31.4	18.1	24.7	40.0	0.0	35.9	20.9	28.4	57.3	0.0	29.4	14.9	22.1	44.1	9.8
15	12. 3-16. 3	29.4	16.5	22.9	40.8	11.7	33.4	20.2	26.8	51.2	0.0	30.9	15.2	23.1	51.9	0.1
16	17. 3-21. 3	29.9	17.9	23.9	34.3	0.2	33.8	20.0	26.9	49.4	0.0	31.8	16.1	23.9	45.7	1.5
17	22. 3-26. 3	27.3	14.7	21.0	41.8	25.7	35.9	20.7	28.3	54.7	0.0	27.1	15.0	21.1	25.4	14.5
18	27. 3-31. 3	26.0	14.9	20.5	41.3	23.0	31.0	20.7	25.9	36.8	0.0	27.1	14.8	20.9	38.0	7.5
19	1. 4- 5. 4	24.5	12.1	18.3	47.7	19.1	33.1	19.0	26.1	46.3	12.5	27.6	14.6	21.1	42.3	0.1
20	6. 4-10. 4	25.9	10.7	18.3	54.7	0.0	29.8	20.0	24.9	25.6	22.8	29.0	12.9	20.9	49.3	2.4
21	11. 4-15. 4	28.5	13.2	20.9	53.2	0.0	31.5	19.5	25.5	38.0	0.0	30.3	14.8	22.5	44.6	1.8
22	16. 4-20. 4	28.2	14.5	21.3	40.6	4.2	30.9	18.7	24.8	42.7	0.0	29.2	15.9	22.5	38.2	2.3
23	21. 4-25. 4	25.6	13.5	19.5	37.4	6.3	31.0	16.4	23.7	48.1	0.0	28.5	14.3	21.4	35.3	0.5
24	26. 4-30. 4	25.8	13.9	19.9	45.0	0.0	31.9	14.9	23.4	51.7	0.0	27.5	12.0	19.7	44.4	10.3
25	1. 5- 5. 5	22.7	12.2	17.5	34.8	12.2	29.1	15.6	22.3	42.0	10.5	27.5	12.0	19.7	48.3	4.8
26	6. 5-10. 5	23.2	11.1	17.1	46.6	1.5	27.2	14.7	20.9	41.1	0.0	24.9	9.5	17.2	40.2	0.0
27	11. 5-15. 5	24.7	10.1	17.4	53.2	0.0	26.6	13.3	19.9	34.4	4.7	25.7	8.7	17.2	53.7	0.0
28	16. 5-20. 5	21.0	7.2	14.1	52.4	0.0	24.7	5.6	15.1	48.9	0.0	24.1	6.1	15.1	54.5	0.0
29	21. 5-25. 5	23.0	9.2	16.1	46.0	0.0	24.9	8.7	16.8	43.8	0.0	25.0	8.4	16.7	51.2	0.0
30	26. 5-30. 5	22.1	8.8	15.5	48.6	0.0	24.8	7.7	16.3	46.5	0.0	23.4	4.4	13.9	53.1	0.0
31	31. 5- 4. 6	20.1	9.2	14.7	34.5	0.0	22.8	5.5	14.1	48.5	0.0	23.5	6.9	15.2	46.5	0.1
32	5. 6- 9. 6	21.0	9.4	15.2	49.3	0.0	24.5	7.4	15.9	42.5	0.0	23.0	6.3	14.7	53.9	0.0
33	10. 6-14. 6	21.3	7.8	14.5	50.6	0.0	26.1	5.3	15.7	49.1	0.0	24.0	5.8	14.9	53.6	0.0
34	15. 6-19. 6	21.6	6.1	13.9	46.3	0.1	22.8	9.6	16.2	21.8	0.0	24.6	5.7	15.1	51.7	0.0
35	20. 6-24. 6	22.3	8.1	15.2	48.2	0.0	26.5	6.7	16.6	49.1	0.0	24.5	8.5	16.5	45.8	0.0
36	25. 6-29. 6	21.1	7.4	14.3	50.2	0.0	22.9	5.7	14.3	36.8	0.0	23.0	4.8	13.9	53.5	0.0
37	30. 6- 4. 7	20.6	6.4	13.5	51.0	0.0	28.0	5.7	16.9	49.5	0.0	23.8	4.7	14.3	53.8	0.0
38	5. 7- 9. 7	20.8	6.3	13.5	47.1	0.0	26.5	8.8	17.7	32.8	0.0	24.3	8.8	16.5	51.5	0.0
39	10. 7-14. 7	21.5	6.3	13.9	51.1	0.0	26.6	7.8	17.2	48.8	0.0	23.5	5.2	14.3	53.4	0.0
40	15. 7-19. 7	20.3	5.3	12.8	50.0	0.0	25.2	4.4	14.8	46.0	0.0	21.8	2.6	12.2	54.4	0.0
41	20. 7-24. 7	21.0	7.6	14.3	48.4	0.0	25.5	5.8	15.7	48.9	0.0	23.5	3.8	13.7	53.9	0.0
42	25. 7-29. 7	22.9	10.2	16.5	46.4	0.0	24.5	7.6	16.1	43.6	0.0	24.5	8.5	16.5	50.5	0.0
43	30. 7- 3. 8	19.8	4.7	12.3	52.2	0.0	27.5	5.8	16.7	50.5	0.0	23.9	4.1	14.0	53.4	0.0
44	4. 8- 8. 8	24.1	7.6	15.9	54.0	0.0	28.2	4.9	16.5	50.3	0.0	27.6	5.2	16.4	54.6	0.0
45	9. 8-13. 8	25.2	10.1	17.7	53.2	0.0	24.5	10.1	17.3	37.5	0.0	27.1	6.2	16.7	55.0	0.0
46	14. 8-18. 8	23.6	8.8	16.2	53.6	0.0	27.6	6.8	17.2	53.8	0.0	25.9	5.5	15.7	55.6	0.0
47	19. 8-23. 8	19.9	3.8	11.9	55.2	0.0	31.0	11.3	21.1	50.3	0.0	25.5	3.4	14.5	56.3	0.0
48	24. 8-28. 8	24.8	7.1	15.9	55.0	0.0	27.6	11.0	19.3	38.0	0.0	27.4	6.3	16.9	56.3	0.0
49	29. 8- 2. 9	27.8	12.6	20.2	52.8	0.0	29.7	10.3	20.0	53.3	0.0	29.8	10.1	19.9	55.9	0.0
50	3. 9- 7. 9	25.1	11.2	18.1	49.4	0.0	31.1	12.4	21.7	42.7	0.0	28.9	12.0	20.5	43.9	0.0
51	8. 9-12. 9	27.1	12.4	19.7	51.2	0.0	24.5	13.4	18.9	29.3	10.0	29.3	8.3	18.8	54.3	0.0
52	13. 9-17. 9	28.2	14.1	21.1	55.1	0.0	33.1	14.2	23.7	54.8	0.0	30.3	9.5	19.9	57.4	0.0
53	18. 9-22. 9	28.6	14.8	21.7	51.1	0.0	30.0	14.8	22.4	45.7	0.0	30.7	10.5	20.6	56.6	0.0
54	23. 9-27. 9	29.5	16.4	22.9	40.1	0.0	32.3	16.2	24.3	50.2	0.0	32.0	13.7	22.9	50.3	0.0
55	28. 9- 2.10	28.8	13.2	21.0	50.6	0.0	33.1	15.9	24.5	52.4	0.0	32.2	13.7	22.9	47.6	0.0
56	3.10- 7.10	30.4	18.2	24.3	45.7	0.0	29.6	17.7	23.7	31.7	29.0	34.2	18.2	26.2	49.8	0.0
57	8.10-12.10	30.1	14.1	22.1	54.4	0.0	29.6	17.5	23.5	42.2	7.8	33.8	15.8	24.8	54.1	0.0
58	13.10-17.10	26.5	10.8	18.7	55.3	0.2	33.7	18.9	26.3	49.1	7.5	30.8	13.2	22.0	52.4	0.1
59	18.10-22.10	30.3	17.4	23.9	48.3	0.0	30.4	14.4	22.4	49.8	0.0	32.9	15.1	24.0	50.8	0.0
60	23.10-27.10	28.3	12.0	20.1	60.4	0.0	27.2	14.7	20.9	30.0	0.0	31.9	15.7	23.8	50.5	0.1
61	28.10- 1.11	31.4	16.1	23.7	58.6	0.0	33.3	17.7	25.5	51.6	1.3	34.2	20.4	27.3	39.4	0.4
62	2.11- 6.11	29.5	15.9	22.7	49.5	0.0	28.4	18.2	23.3	26.7	14.0	30.5	17.7	24.1	30.9	8.7
63	7.11-11.11	29.9	15.6	22.7	57.3	0.9	32.4	18.9	25.7	44.7	5.0	29.4	17.0	23.2	36.9	4.5
64	12.11-16.11	28.7	12.2	20.5	63.4	0.0	30.6	19.3	24.9	27.8	6.0	33.4	15.4	24.4	63.0	0.0
65	17.11-21.11	27.9	14.3	21.1	44.6	0.5	24.1	17.1	20.6	14.5	15.5	30.5	14.8	22.7	53.9	0.1
66	22.11-26.11	31.4	16.6	24.0	46.9	1.3	30.0	16.9	23.5	47.0	0.0	32.9	16.2	24.5	56.7	0.0
67	27.11- 1.12	30.5	16.0	23.3	52.3	0.0	31.8	19.8	25.8	32.0	101.4	30.5	17.8	24.1	31.1	3.1
68	2.12- 6.12	29.4	13.3	21.3	65.0	0.0	33.1	19.0	26.1	52.6	0.0	33.6	15.1	24.3	61.6	0.0
69	7.12-11.12	31.1	16.2	23.7	56.9	0.4	31.1	18.1	24.6	48.5	1.0	32.7	18.5	25.6	38.6	8.4
70	12.12-16.12	30.4	13.5	21.9	60.3	0.0	33.7	21.3	27.5	35.2	1.5	34.4	16.9	25.7	57.6	0.0
71	17.12-21.12	32.2	16.0	24.1	62.7	0.0	33.5	18.5	26.0	52.2	7.0	31.4	17.1	24.3	38.3	21.8
72	22.12-26.12	31.4	18.3	24.9	44.3	0.0	33.9	17.6	25.7	47.7	0.0	32.4	17.6	25.0	50.2	0.4
73	27.12-31.12	32.2	20.0	26.1	38.9	8.4	33.8	22.0	27.9	46.1	2.0	32.5	19.9	26.2	37.0	3.9

GEMIDDELDE UURLIKSE WAARDES VAN TEMPERATUUR °C / MEAN HOURLY VALUES OF TEMPERATURE °C

0/653 MARIONEILAND WK — φ 46°53'S — λ 37°52'E — H 22M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	6.5	6.4	6.4	6.4	7.0	7.3	7.7	7.8	8.5	8.8	8.8	8.7
FEB	7.6	7.7	7.7	7.6	7.5	7.8	8.3	8.7	9.2	9.4	9.5	9.5
MRT	7.6	7.5	7.5	7.5	7.4	7.5	7.8	8.3	9.0	9.1	9.2	9.5
APR	5.3	5.3	5.2	5.1	5.1	5.2	5.5	5.9	6.0	6.3	6.5	6.9
MAY	4.5	4.6	4.5	4.5	4.5	4.6	4.5	4.6	4.9	5.2	5.3	5.1
JUN	3.7	3.5	3.5	3.5	3.6	3.6	3.8	4.0	4.4	4.6	4.7	5.0
JUL	3.5	3.5	3.4	3.6	3.7	3.8	3.7	3.8	4.1	4.3	4.1	4.2
AUG	2.7	2.8	2.9	2.7	2.9	3.0	3.0	3.3	3.7	3.9	4.1	4.1
SEP	2.5	2.5	2.5	2.6	2.7	2.7	3.0	3.4	3.8	4.1	4.2	4.2
OCT	3.3	3.4	3.4	3.6	3.9	4.3	4.6	4.9	5.1	5.5	5.8	5.9
NOV	4.2	4.2	4.3	4.5	5.0	5.5	5.7	5.9	6.2	6.5	6.8	6.6
DEC	4.9	4.8	4.9	5.1	5.6	6.2	6.5	6.6	6.7	7.0	7.2	7.6
J/Y	4.7	4.7	4.7	4.7	4.9	5.1	5.3	5.6	6.0	6.2	6.3	6.4

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	8.5	8.5	8.3	8.1	7.9	7.6	7.5	7.2	7.0	6.9	6.8	6.7	7.6
FEB	9.3	9.3	9.3	9.0	8.6	8.2	7.8	7.4	7.4	7.4	7.6	7.6	8.3
MRT	9.7	9.7	9.6	9.3	8.8	8.4	8.3	8.0	7.8	7.8	7.8	7.7	8.4
APR	7.0	7.1	6.8	6.4	6.1	5.8	5.8	5.6	5.5	5.5	5.3	5.3	5.9
MAY	5.4	5.2	4.9	4.7	4.3	4.2	4.3	4.0	4.2	4.2	4.3	4.3	4.6
JUN	4.8	4.7	4.5	4.1	4.2	4.0	3.8	3.8	3.7	3.8	3.7	3.7	4.0
JUL	4.3	4.2	4.0	4.0	3.7	3.3	3.2	3.3	3.3	3.4	3.4	3.4	3.7
AUG	3.9	3.9	3.6	3.4	3.2	3.0	2.9	2.7	2.6	2.7	2.8	2.8	3.2
SEP	4.1	3.9	3.7	3.4	3.0	2.6	2.6	2.6	2.5	2.5	2.4	2.4	3.1
OCT	5.9	5.9	5.5	5.1	4.5	4.0	3.9	3.9	3.7	3.8	3.7	3.6	4.5
NOV	6.7	6.3	6.2	5.8	5.3	4.8	4.5	4.2	4.3	4.3	4.3	4.1	5.3
DEC	7.5	7.5	6.9	6.6	6.0	5.6	5.2	5.2	5.2	5.1	5.1	4.9	6.0
J/Y	6.4	6.3	6.1	5.8	5.5	5.1	5.0	4.8	4.8	4.8	4.8	4.7	5.4

0/681 GOUGHEILAND — φ 40°21'S — λ 09°53'W — H 54M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	13.3	13.1	13.0	12.9	12.9	12.9	12.8	12.7	13.2	13.8	14.0	14.6
FEB	13.4	13.5	13.6	13.5	13.3	13.2	12.9	12.7	13.3	13.7	14.1	14.5
MRT	12.5	12.2	12.2	12.3	12.3	12.4	12.2	12.0	12.0	12.5	13.1	13.4
APR	12.5	12.6	12.5	12.1	12.1	12.0	12.0	12.0	11.7	12.1	12.3	12.7
MAY	10.3	10.2	10.2	10.2	10.2	10.1	10.1	10.3	10.5	10.5	10.9	11.6
JUN	9.1	9.0	9.0	9.0	9.1	9.0	9.0	9.1	9.1	9.1	9.3	9.5
JUL	8.8	8.8	8.7	8.7	8.7	8.6	8.4	8.3	8.5	8.5	8.8	9.2
AUG	8.9	8.8	8.7	8.5	8.2	8.2	8.1	8.1	8.4	8.4	9.0	9.5
SEP	8.6	8.6	8.5	8.3	8.3	8.3	8.3	8.1	8.2	8.7	9.2	9.7
OCT	9.3	9.3	9.2	9.1	9.1	9.0	8.9	8.8	9.5	10.1	10.8	10.1
NOV	11.5	11.2	11.0	10.9	10.9	10.9	11.0	11.2	11.8	12.3	12.9	13.3
DEC	13.3	13.2	13.0	12.8	12.7	12.9	12.9	13.2	14.0	14.4	14.9	15.4
J/Y	11.0	10.9	10.8	10.7	10.7	10.6	10.5	10.5	10.9	11.2	11.6	12.0

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	15.0	15.4	15.6	15.7	15.9	15.3	14.9	14.6	14.2	13.8	13.6	13.5	14.0
FEB	15.0	15.1	15.2	15.2	15.3	15.1	14.8	14.3	14.0	13.5	13.3	13.0	14.0
MRT	13.8	14.1	13.8	13.7	13.5	13.3	13.1	13.0	12.5	12.4	12.5	12.5	12.8
APR	13.1	13.4	13.6	13.5	13.3	13.1	13.0	12.8	12.8	12.9	12.9	12.8	12.7
MAY	12.0	12.0	11.8	11.9	11.8	11.7	11.4	10.9	11.0	10.7	10.6	10.6	10.9
JUN	9.9	10.1	10.1	10.1	9.9	9.7	9.5	9.1	9.2	9.1	9.0	8.9	9.3
JUL	9.5	9.7	9.8	9.7	9.6	9.6	9.4	9.1	9.1	9.1	9.1	9.0	9.0
AUG	10.0	10.2	10.5	10.4	10.3	10.0	9.9	9.7	9.5	9.3	9.3	9.1	9.2
SEP	10.0	10.6	10.5	10.3	10.3	10.0	9.9	9.6	9.3	9.2	9.0	8.9	9.2
OCT	11.5	11.7	11.7	11.5	11.4	11.5	11.0	10.6	10.1	9.8	9.6	9.5	10.1
NOV	13.6	13.9	13.7	13.8	13.6	13.4	13.2	12.9	12.5	12.0	11.8	11.8	12.3
DEC	15.7	16.4	16.6	16.6	16.3	16.0	15.5	15.1	14.7	14.2	13.7	13.4	14.5
J/Y	12.4	12.7	12.7	12.7	12.6	12.4	12.1	11.8	11.6	11.3	11.2	11.1	11.5

21/178 D.F.MALAN WK*** — φ 33°58'S — λ 18°36'E — H 44M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	16.7	16.3	16.0	15.8	15.6	15.3	15.9	17.5	20.1	21.6	22.9	23.7
FEB	17.9	17.5	17.2	17.0	16.7	16.5	16.5	18.0	20.7	22.6	24.3	25.3
MRT	16.2	15.8	15.2	14.8	14.3	13.9	13.7	15.2	18.1	20.5	22.3	23.4
APR	14.0	13.6	13.4	13.2	12.8	12.3	12.4	12.7	15.2	17.3	19.1	19.9
MAY	11.3	10.7	10.1	9.9	9.7	9.7	9.2	9.0	12.1	14.8	16.9	18.4
JUN	8.9	8.9	8.9	8.7	8.7	8.9	8.7	8.9	10.7	13.0	14.7	15.8
JUL	8.4	8.2	8.2	7.9	7.7	7.7	7.6	7.7	9.5	11.9	13.6	14.9
AUG	9.3	9.3	9.1	8.8	8.4	8.2	8.1	8.2	10.7	12.4	13.7	14.7
SEP	8.9	8.6	8.4	8.1	8.0	7.6	7.5	8.7	11.8	13.7	14.9	15.6
OCT	13.2	12.7	12.3	12.0	11.5	11.0	11.5	13.8	16.5	18.1	19.3	20.1
NOV	14.9	14.4	13.6	13.5	13.1	12.9	14.3	16.8	18.7	19.9	20.9	21.7
DEC	16.6	16.3	16.1	15.6	15.4	15.6	16.9	18.7	20.5	21.7	22.9	23.3
J/Y	13.0	12.7	12.4	12.1	11.8	11.6	11.9	12.9	15.4	17.3	18.8	19.7

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	24.3	24.6	23.8	23.5	22.9	22.1	21.0	19.5	18.6	18.2	17.8	17.2	19.6
FEB	26.1	26.3	25.9	25.1	24.2	23.0	21.6	20.3	19.7	19.2	18.8	18.4	20.8
MRT	23.9	24.3	24.3	23.8	22.7	21.6	19.9	18.6	18.2	17.7	17.3	16.7	18.9
APR	20.6	20.9	20.6	20.1	19.2	17.9	16.5	15.8	15.4	15.0	14.4	14.2	16.1
MAY	19.3	19.7	19.7	19.2	18.3	16.4	15.2	14.2	13.4	12.7	12.4	11.7	13.9
JUN	16.1	16.4	16.5	16.1	15.3	13.8	12.6	11.8	11.3	10.6	9.9	9.5	11.9
JUL	15.8	16.1	16.1	15.6	14.9	13.7	12.4	11.2	10.4	9.6	9.0	8.4	11.1
AUG	15.0	15.2	15.2	14.9	14.4	13.6	12.6	11.8	11.3	10.6	9.9	9.6	11.5
SEP	16.3	16.5	16.7	16.4	15.9	15.0	13.6	12.4	11.8	11.3	10.4	9.9	12.0
OCT	20.4	20.6	20.3	19.9	18.9	18.1	16.7	15.5	15.5	14.8	14.2	13.8	15.9
NOV	22.0	22.1	21.7	21.0	20.1	19.1	17.8	16.7	16.2	15.8	15.5	15.1	17.4
DEC	23.6	23.6	23.4	22.7	21.9	21.4	19.7	18.6	18.0	17.5	17.3	17.0	19.3
J/Y	20.3	20.5	20.3	19.9	19.1	18.0	16.6	15.5	15.0	14.4	13.9	13.5	15.7

*** Stasie verskuif: kyk na bl.XXI / Station shifted: see p.XXI

GEMIDDELDE UURLIKSE WAARDES VAN TEMPERATUUR °C / MEAN HOURLY VALUES OF TEMPERATURE °C

35/179 PORT ELIZABETH WK φ 33°59'S λ 25°36'E H 60M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	19.3	18.9	18.6	18.4	18.0	17.9	18.5	19.8	21.1	22.1	23.1	23.6
FEB	19.6	19.4	19.0	18.9	18.6	18.4	18.5	19.6	21.0	22.2	22.9	23.6
MRT	18.9	18.6	18.3	17.9	17.7	17.4	17.5	18.8	20.4	21.5	22.7	23.5
APR	15.7	15.3	14.9	14.5	14.2	13.9	13.7	14.5	17.4	18.7	20.0	20.6
MAY	13.6	13.2	13.0	13.0	12.7	12.3	12.0	12.3	15.6	17.2	18.7	19.6
JUN	12.5	12.2	11.7	11.3	10.9	10.7	10.4	10.6	13.0	15.2	16.6	17.6
JUL	11.7	11.4	11.1	10.9	10.6	10.4	10.1	10.0	12.1	14.0	15.7	16.8
AUG	11.4	10.9	10.6	10.2	9.8	9.8	9.5	9.8	12.5	14.4	15.5	16.2
SEP	12.8	12.5	12.0	11.6	11.2	11.0	10.9	11.9	14.6	15.7	16.7	17.1
OCT	15.1	14.6	14.1	13.7	13.6	13.4	13.8	15.3	17.2	18.2	19.1	19.6
NOV	15.6	15.2	14.8	14.5	14.4	14.5	15.6	16.7	18.0	18.9	19.5	19.8
DEC	18.0	17.8	17.4	17.2	17.0	16.9	18.0	19.1	20.4	21.3	21.8	22.3
J/Y	15.3	15.0	14.6	14.3	14.1	13.9	14.0	14.9	16.9	18.3	19.4	20.0

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	23.9	23.9	23.7	23.3	22.9	22.3	21.6	21.2	20.9	20.5	20.3	19.9	21.0
FEB	24.0	24.0	24.0	23.5	23.0	22.3	21.5	20.9	20.6	20.5	20.1	19.9	21.1
MRT	24.0	24.0	23.6	23.4	22.8	22.1	21.3	20.8	20.4	20.0	19.6	19.3	20.6
APR	20.9	20.8	20.5	19.9	19.3	18.3	17.6	17.4	17.1	16.8	16.5	16.2	17.3
MAY	20.2	20.6	20.5	19.8	18.8	17.3	16.5	16.0	15.4	14.8	14.4	13.8	15.9
JUN	18.5	18.7	18.7	18.0	16.9	15.7	14.9	14.4	14.0	13.4	13.0	12.9	14.2
JUL	17.3	17.9	17.7	17.0	16.0	15.1	14.1	13.6	13.5	13.2	13.0	12.1	13.6
AUG	16.4	16.6	16.5	16.2	15.6	14.5	13.9	13.4	13.2	12.8	12.3	11.8	13.1
SEP	17.4	17.4	17.1	16.7	16.3	15.6	14.9	14.5	14.3	13.9	13.5	13.1	14.3
OCT	19.6	19.7	19.7	19.4	18.8	18.1	17.3	16.9	16.6	16.3	16.1	15.7	16.7
NOV	19.8	20.1	20.1	19.7	19.1	18.6	17.9	17.3	17.0	16.7	16.4	15.9	17.3
DEC	22.5	22.9	22.5	22.2	21.8	21.2	20.4	19.6	19.3	19.0	18.7	18.4	19.8
J/Y	20.4	20.5	20.4	19.9	19.3	18.4	17.7	17.2	16.9	16.5	16.2	15.7	17.1

59/572 EAST LONDON WK φ 33°02'S λ 27°50'E H 125M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	18.8	18.6	18.4	18.3	18.2	18.4	19.6	21.1	22.3	22.9	23.0	23.3
FEB	19.0	18.8	18.6	18.4	18.3	18.3	19.2	20.7	22.3	23.1	23.6	23.9
MRT	19.0	18.8	18.6	18.5	18.3	18.5	19.1	20.5	22.6	23.5	23.9	24.3
APR	15.7	15.4	15.1	15.3	15.3	15.2	15.3	16.8	19.2	20.3	21.3	21.5
MAY	14.6	14.6	14.3	14.1	13.8	13.8	13.9	15.1	17.4	19.1	20.6	21.6
JUN	12.7	12.4	12.1	12.3	12.1	11.9	11.6	12.3	15.2	17.6	19.2	19.9
JUL	13.2	13.1	13.2	12.9	12.6	12.3	11.9	12.5	14.9	16.7	18.3	19.2
AUG	11.2	11.1	10.9	11.0	10.7	10.7	10.8	12.0	14.5	16.2	17.5	18.0
SEP	12.5	12.3	12.1	12.1	12.1	12.0	12.7	14.4	16.2	17.5	18.0	18.2
OCT	14.6	14.3	14.2	14.0	13.8	14.0	15.3	16.9	18.3	19.3	19.7	20.2
NOV	15.1	15.1	15.0	14.8	14.9	15.6	17.1	18.4	19.2	19.7	20.1	20.1
DEC	17.7	17.4	17.0	16.6	16.5	17.1	18.6	20.1	21.3	21.6	21.9	22.1
J/Y	15.3	15.2	15.0	14.9	14.7	14.8	15.4	16.7	18.6	19.8	20.6	21.0

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	23.4	23.5	23.2	22.7	21.9	21.4	20.9	20.4	19.9	19.6	19.4	19.2	20.8
FEB	24.0	23.9	23.5	23.1	22.4	21.9	21.1	20.4	20.1	19.7	19.4	19.2	21.0
MRT	24.1	24.1	23.6	23.0	22.5	21.7	20.9	20.4	20.1	19.8	19.5	19.2	21.0
APR	21.6	21.3	20.8	20.3	19.3	18.5	17.7	17.1	16.6	16.3	16.1	15.9	17.8
MAY	21.8	21.0	20.5	19.6	18.1	16.4	15.6	14.9	14.7	14.7	14.5	14.3	16.6
JUN	19.9	19.8	19.5	18.8	17.1	15.3	14.5	14.0	13.9	13.5	13.0	13.0	15.1
JUL	18.5	18.4	18.4	17.8	16.5	15.2	14.4	13.9	13.4	13.1	13.3	13.3	14.9
AUG	18.1	18.1	17.3	16.8	16.0	14.5	13.5	12.7	12.3	12.1	12.0	11.7	13.7
SEP	18.2	17.9	17.5	17.0	16.5	15.6	14.7	14.1	13.6	13.2	12.9	12.6	14.7
OCT	20.1	20.0	19.7	19.2	18.5	17.8	17.0	16.5	16.2	15.9	15.6	15.2	16.9
NOV	20.0	19.7	19.3	19.0	18.5	18.0	17.4	16.8	16.5	16.3	15.7	15.4	17.4
DEC	22.3	22.4	22.3	21.9	21.6	21.1	20.4	19.7	19.5	19.1	18.6	18.3	19.8
J/Y	21.0	20.8	20.5	19.9	19.1	18.1	17.3	16.7	16.4	16.1	15.8	15.6	17.5

145/ 59A GROOTFONTEIN II AGR φ 31°29'S λ 25°02'E H 1270M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	16.3	15.6	15.0	14.3	13.8	13.7	15.5	17.8	20.4	22.4	24.4	26.2
FEB	16.7	15.8	15.3	14.8	14.3	14.0	15.1	17.1	19.4	21.0	22.4	23.7
MRT	14.7	13.9	13.3	12.9	12.4	11.9	12.2	14.7	17.5	19.5	21.5	23.0
APR	10.3	9.7	9.5	9.0	8.8	8.6	8.3	10.6	13.9	15.7	17.5	19.0
MAY	6.9	6.2	5.8	5.4	5.1	5.0	4.8	5.9	9.4	11.9	13.6	14.8
JUN	5.7	5.5	5.2	5.2	4.8	4.6	4.1	4.7	7.6	10.4	12.4	13.6
JUL	6.2	5.8	5.9	5.5	5.2	4.6	4.4	4.9	7.9	10.2	12.0	13.2
AUG	4.6	4.0	3.5	3.1	2.9	2.3	1.7	3.8	7.6	10.2	12.1	13.6
SEP	6.0	5.6	5.0	4.1	3.4	3.1	3.4	6.7	10.3	13.2	15.6	17.9
OCT	9.8	8.7	8.3	7.5	7.4	7.1	9.2	12.1	15.0	16.8	18.0	19.6
NOV	11.5	10.8	10.2	9.6	9.1	9.3	12.0	14.7	17.0	19.1	21.0	22.8
DEC	14.2	13.3	12.5	12.3	11.8	12.1	14.8	17.3	19.6	21.7	23.7	25.7
J/Y	10.2	9.6	9.1	8.6	8.3	8.0	8.8	10.9	13.8	16.0	17.9	19.4

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	27.8	28.8	29.0	28.3	27.3	26.1	24.3	22.0	20.5	19.4	18.3	17.5	21.0
FEB	25.2	25.9	26.0	25.7	25.7	25.0	23.6	21.1	19.9	19.3	18.2	17.3	20.1
MRT	24.9	26.0	25.9	26.0	25.8	24.3	22.0	20.3	18.9	17.7	16.5	15.6	18.8
APR	20.2	21.1	21.6	21.2	20.6	18.6	16.3	15.0	14.1	12.8	11.9	11.0	14.4
MAY	15.8	16.5	16.8	16.6	15.5	13.2	11.3	9.7	8.8	8.1	7.2	7.1	10.1
JUN	14.5	15.3	15.4	15.2	14.2	12.4	10.7	9.4	8.3	7.3	6.9	6.3	9.2
JUL	14.3	15.0	15.4	15.2	14.3	12.6	10.4	9.0	8.0	7.5	6.7	6.4	9.2
AUG	14.4	15.6	16.0	15.8	15.0	13.0	11.0	9.4	8.3	6.9	6.2	5.3	8.6
SEP	19.7	20.9	21.3	21.0	20.4	18.5	15.9	13.7	11.3	10.1	8.7	7.0	11.8
OCT	21.0	22.1	22.3	22.5	22.1	20.9	18.5	16.2	14.6	13.3	12.1	11.2	14.8
NOV	24.0	24.9	24.9	24.6	24.0	22.7	20.5	18.1	16.5	15.2	14.0	12.6	17.0
DEC	26.9	27.6	27.5	27.1	26.9	25.6	23.9	21.6	19.7	18.1	17.1	15.6	19.9
J/Y	20.7	21.6	21.8	21.6	21.0	19.4	17.4	15.5	14.1	13.0	12.0	11.1	14.6

GEMIDDELDE UURLIKSE WAARDES VAN TEMPERATUUR °C / MEAN HOURLY VALUES OF TEMPERATURE °C

240/808 LOUIS BOTHA WK — φ 29°58'S — λ 30°57'E — H 8M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	21.8	21.6	21.4	21.2	21.1	21.3	22.5	23.9	25.0	25.5	25.6	25.8
FEB	21.5	21.1	20.7	20.4	20.3	20.5	21.5	23.6	25.3	26.2	26.5	26.6
MRT	21.9	21.6	21.4	21.2	21.1	21.0	21.6	23.3	25.1	26.0	26.3	26.7
APR	19.8	19.3	19.2	18.9	18.7	18.6	18.7	20.6	22.9	24.4	25.1	25.3
MAY	15.9	15.3	15.3	15.0	14.7	14.8	14.8	16.4	19.3	21.4	22.6	23.1
JUN	12.7	12.3	11.9	11.8	11.4	11.2	11.2	12.7	16.4	19.7	21.5	22.1
JUL	12.3	11.8	11.6	11.4	11.1	10.7	10.7	12.6	16.6	19.5	20.8	21.3
AUG	14.3	14.2	13.9	13.4	13.0	12.9	12.7	14.9	17.6	19.7	20.8	21.3
SEP	17.3	16.9	16.8	16.5	16.3	16.1	16.6	17.8	18.8	19.3	20.2	20.5
OCT	18.6	18.4	18.0	17.7	17.5	17.5	18.4	19.9	21.0	22.0	22.5	22.8
NOV	19.4	19.1	18.7	18.2	17.9	18.4	19.6	20.9	21.9	22.6	23.0	23.3
DEC	21.0	20.6	20.2	20.0	19.8	20.2	21.6	22.7	23.6	24.1	24.6	24.9
J/Y	18.0	17.7	17.4	17.1	16.9	16.9	17.5	19.1	21.1	22.5	23.3	23.6

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	25.9	25.9	25.6	25.1	24.6	24.2	23.9	23.4	23.1	22.9	22.5	22.3	23.6
FEB	26.7	26.5	26.0	25.5	24.9	24.1	23.6	23.2	22.9	22.4	22.1	21.7	23.5
MRT	26.7	26.6	26.1	25.5	24.9	24.3	23.8	23.5	23.1	22.9	22.5	22.1	23.7
APR	25.3	25.1	24.8	24.4	23.5	22.7	22.0	21.3	21.1	20.9	20.6	20.4	21.8
MAY	23.1	22.9	22.4	21.6	20.5	19.2	18.2	17.4	17.0	16.5	16.1	15.8	18.3
JUN	22.2	22.1	21.8	21.1	19.8	18.5	17.0	16.1	15.4	14.9	14.0	13.2	16.3
JUL	21.6	21.6	21.3	20.5	19.0	17.7	16.6	15.9	15.1	14.2	13.5	13.1	15.9
AUG	21.6	21.3	20.9	20.4	19.5	18.7	17.7	16.8	16.2	15.7	15.3	14.8	17.0
SEP	20.7	20.3	20.2	19.8	19.2	18.7	18.4	18.1	17.8	17.7	17.5	17.5	18.3
OCT	22.9	22.6	22.2	21.8	21.0	20.5	20.3	20.0	19.8	19.6	19.3	19.1	20.1
NOV	23.6	23.6	23.1	22.2	21.7	21.2	20.8	20.5	20.3	20.1	19.8	19.6	20.8
DEC	25.2	25.0	24.6	24.2	23.6	23.1	22.7	22.4	22.1	21.9	21.6	21.4	22.5
J/Y	23.8	23.6	23.3	22.7	21.9	21.1	20.4	19.9	19.5	19.1	18.7	18.4	20.2

261/516 J.B.M.HERTZOG WK — φ 29°06'S — λ 26°18'E — H 1351M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	18.2	17.6	17.1	16.5	16.1	15.9	17.0	19.1	21.6	23.0	24.5	25.8
FEB	16.2	15.5	15.1	14.8	14.4	14.1	14.3	17.0	19.7	21.9	23.4	24.5
MRT	16.0	15.2	14.8	14.3	13.7	13.2	12.9	15.8	19.5	21.9	23.9	25.4
APR	10.2	9.4	9.1	8.8	8.4	8.2	8.0	9.5	13.6	16.9	19.4	21.2
MAY	6.3	5.7	5.2	4.6	4.1	3.7	3.5	4.0	8.4	11.7	14.3	16.2
JUN	3.1	2.5	2.0	1.4	0.8	0.2	-0.3	0.0	5.3	9.2	12.5	14.7
JUL	2.0	1.6	1.1	0.7	0.5	0.2	0.1	0.5	5.1	9.0	12.3	14.5
AUG	2.7	1.6	1.2	0.4	-0.3	-0.7	-1.2	1.0	6.8	11.1	14.4	16.3
SEP	10.0	9.0	8.4	7.3	6.7	6.2	6.0	10.2	14.7	18.4	20.9	22.6
OCT	12.6	12.1	11.3	10.9	10.4	9.8	11.3	14.8	17.5	19.6	21.2	22.8
NOV	14.9	13.9	13.2	12.5	12.1	12.2	14.7	17.9	20.3	22.4	24.1	25.6
DEC	16.2	15.6	15.0	14.4	13.8	14.0	16.5	19.2	21.6	23.6	25.0	26.1
J/Y	10.7	10.0	9.5	8.9	8.4	8.1	8.6	10.7	14.5	17.4	19.7	21.3

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	26.8	27.5	27.4	27.4	27.6	27.0	26.0	23.7	22.0	20.9	19.9	19.0	22.0
FEB	25.1	25.4	25.6	25.7	25.7	25.0	23.7	21.0	19.7	18.6	17.7	16.9	20.0
MRT	26.5	27.5	28.0	28.1	27.5	26.3	23.8	21.4	19.7	18.4	17.3	16.9	20.3
APR	22.2	23.1	23.7	23.7	23.1	21.2	18.0	15.7	14.4	13.3	11.9	11.1	15.2
MAY	17.4	18.1	18.4	18.0	17.0	15.0	12.6	10.7	9.4	8.4	7.5	6.5	10.3
JUN	16.0	17.0	17.2	17.1	16.4	13.7	10.7	8.8	7.2	6.1	4.9	4.1	7.9
JUL	15.7	16.6	17.1	17.0	16.5	13.9	10.9	7.9	6.6	5.0	4.1	2.6	7.6
AUG	17.5	18.5	19.1	19.2	18.8	16.9	13.5	10.8	8.8	7.3	5.5	4.3	8.9
SEP	24.1	25.1	25.4	25.5	24.9	23.4	20.1	18.0	15.8	14.1	12.1	10.9	15.8
OCT	23.7	24.4	24.2	24.2	23.5	22.4	20.6	18.4	16.8	15.4	14.6	13.8	17.3
NOV	26.6	26.9	27.2	27.2	26.7	26.0	23.9	21.6	19.7	18.2	16.9	15.7	20.0
DEC	27.2	27.9	28.4	27.7	27.3	26.8	25.8	23.3	21.5	20.1	18.6	17.3	21.4
J/Y	22.4	23.2	23.5	23.4	22.9	21.5	19.1	16.8	15.1	13.8	12.6	11.6	15.6

268/631 ESTCOURT AGR — φ 29°01'S — λ 29°52'E — H 1181M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	17.7	17.0	16.6	16.4	16.2	16.1	17.0	18.5	20.6	21.4	22.8	23.8
FEB	15.7	15.3	14.9	14.7	14.6	14.6	15.6	17.6	19.7	20.9	22.2	23.3
MRT	16.8	16.3	15.8	15.5	15.3	15.2	15.4	17.4	20.1	21.7	23.5	24.8
APR	-18.1	-30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAY	-18.1	-30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JUN	5.6	5.1	4.8	4.5	4.4	4.1	3.7	5.2	9.3	12.3	14.7	16.1
JUL	5.8	5.4	5.1	4.7	4.3	3.9	3.6	5.2	9.5	12.6	14.8	16.3
AUG	6.8	6.3	6.0	5.7	5.3	4.7	4.6	7.0	11.1	13.5	15.7	17.5
SEP	12.1	11.3	10.8	10.3	10.1	10.0	10.3	12.6	15.5	17.1	19.0	20.5
OCT	12.6	12.0	11.5	11.1	10.9	11.0	12.7	15.1	16.7	18.2	20.4	22.0
NOV	13.5	13.1	12.6	12.4	12.1	12.4	13.8	15.8	17.4	19.1	20.9	22.4
DEC	15.5	15.0	14.6	14.5	14.4	14.8	16.0	17.9	18.9	19.9	21.5	22.5
J/Y	7.1	4.7	9.4	9.1	9.0	8.9	9.4	11.0	13.2	14.7	16.3	17.4

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	24.6	25.3	25.1	24.8	23.7	22.8	21.5	20.1	19.2	18.6	18.1	17.7	20.2
FEB	24.4	25.1	25.2	25.1	24.1	22.6	20.6	19.3	18.0	17.3	16.9	16.2	19.3
MRT	25.9	26.7	26.6	26.2	25.1	23.8	21.3	20.1	19.3	18.4	17.6	17.2	20.3
APR	-	-	-	-	-	-	-	-	-	-	-	-	-
MAY	-	-	-	-	-	-	-	-	-	-	-	-	-
JUN	17.5	18.3	18.5	18.2	16.1	12.1	10.5	9.3	8.7	7.8	7.0	6.3	10.0
JUL	17.5	18.4	18.6	18.4	16.9	12.8	10.7	9.6	8.9	8.1	7.1	6.2	10.2
AUG	18.9	19.9	20.3	20.2	19.3	15.7	13.3	11.7	10.6	9.8	8.8	7.9	11.7
SEP	21.8	22.6	22.7	22.1	21.0	18.9	16.6	15.4	14.5	13.8	13.1	12.5	15.6
OCT	23.0	23.5	23.3	22.4	21.3	19.7	18.0	16.9	16.0	14.9	14.1	13.4	16.7
NOV	23.3	23.9	23.3	22.8	20.9	19.3	18.0	17.0	15.9	15.3	14.6	14.2	17.3
DEC	23.9	24.8	25.0	24.4	23.4	22.2	20.1	18.8	17.8	17.3	16.5	16.1	19.0
J/Y	-	-	-	-	-	-	-	-	-	-	-	-	-

GEMIDDELDE UURLIKSE WAARDES VAN TEMPERATUUR °C / MEAN HOURLY VALUES OF TEMPERATURE °C

274/ 34 ALEXANDER BAY WK ø 28°34'S λ 16°32'E H 21M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	16.2	15.9	15.8	15.7	15.5	15.3	15.3	16.7	18.3	19.7	21.0	21.4
FEB	15.4	15.2	15.1	14.9	14.6	14.4	14.4	15.1	16.7	18.4	20.1	21.3
MRT	15.2	15.0	14.9	14.8	14.7	14.5	14.5	14.7	16.1	17.9	20.1	21.3
APR	12.7	12.4	12.2	11.9	11.5	11.2	10.9	11.0	12.9	15.0	17.1	18.6
MAY	12.4	12.0	11.6	11.5	11.4	11.3	11.3	11.6	13.9	16.8	19.6	21.5
JUN	11.3	11.1	10.7	10.4	10.0	9.9	9.8	9.6	11.2	13.5	15.7	17.6
JUL	11.1	10.6	10.3	9.9	9.6	9.7	9.8	9.9	11.2	13.0	14.9	16.7
AUG	10.6	10.3	10.0	9.6	9.4	9.3	9.1	9.0	10.6	12.4	14.1	15.8
SEP	10.6	10.2	9.8	9.7	9.3	9.2	8.8	9.7	12.0	14.1	15.7	16.9
OCT	12.8	12.5	12.1	11.8	11.5	11.5	11.6	12.8	14.8	16.5	18.1	19.2
NOV	14.2	13.7	13.5	13.1	12.8	12.7	13.2	15.1	17.3	19.0	20.1	20.8
DEC	16.4	16.3	16.1	15.8	15.5	15.3	15.5	16.6	18.2	19.6	20.8	21.6
J/Y	13.2	12.9	12.7	12.4	12.1	12.0	12.0	12.7	14.4	16.3	18.1	19.4

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	21.8	22.0	21.8	21.5	21.0	20.1	19.1	18.0	17.4	17.0	16.8	16.5	18.3
FEB	22.0	22.2	22.1	21.7	20.8	20.0	18.6	17.1	16.4	16.1	15.7	15.4	17.7
MRT	21.9	22.2	21.7	21.2	20.6	19.7	18.5	17.4	16.8	16.4	16.2	15.9	17.6
APR	19.6	19.9	20.0	19.4	18.1	16.6	15.4	14.4	13.9	13.3	12.9	12.7	14.7
MAY	22.7	22.2	22.3	21.7	20.4	18.6	16.8	15.5	14.8	14.0	13.2	12.9	15.8
JUN	18.5	18.8	18.6	18.3	17.3	15.9	14.5	13.4	12.9	12.2	11.9	11.4	13.5
JUL	17.9	18.3	18.3	18.0	17.1	16.0	14.7	13.6	13.1	12.5	12.1	11.6	13.3
AUG	16.9	17.2	17.0	16.6	15.8	15.0	13.9	13.0	12.6	11.9	11.3	10.8	12.6
SEP	17.2	17.6	17.3	16.9	16.2	15.1	13.9	12.9	12.4	11.9	11.4	11.0	12.9
OCT	19.7	19.7	19.7	19.1	18.1	17.1	16.0	14.9	14.4	13.9	13.6	13.3	15.2
NOV	21.1	21.2	21.0	20.5	20.1	19.1	17.9	16.5	15.7	15.2	14.8	14.5	16.8
DEC	22.0	22.0	21.7	21.2	20.8	20.1	19.3	18.2	17.6	17.3	17.0	16.7	18.4
J/Y	20.1	20.3	20.1	19.7	18.9	17.8	16.5	15.4	14.8	14.3	13.9	13.6	15.6

290/468 KIMBERLEY WK ø 28°48'S λ 24°46'E H 1198M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	20.8	20.3	19.7	19.2	18.7	18.5	19.5	21.4	23.4	25.1	26.6	28.0
FEB	19.7	19.1	18.5	18.2	17.8	17.6	18.1	20.1	22.2	24.0	25.7	27.1
MRT	19.6	19.2	18.6	18.1	17.6	17.0	16.9	19.2	21.6	24.0	26.0	27.6
APR	14.7	14.3	14.0	13.6	13.1	12.7	12.5	14.1	17.0	19.1	21.1	22.7
MAY	10.3	10.0	9.2	9.0	8.6	8.4	8.0	8.7	11.9	14.1	16.1	17.6
JUN	8.6	8.1	7.6	7.2	6.4	6.2	6.2	6.6	9.5	12.0	14.0	15.6
JUL	7.9	7.3	6.8	6.5	6.4	6.2	5.9	6.1	8.9	11.2	13.5	15.4
AUG	7.7	7.1	6.5	6.1	5.9	5.2	4.9	6.0	9.7	12.5	14.8	16.9
SEP	13.8	13.3	12.3	11.6	10.9	10.6	10.6	13.2	16.3	19.0	21.3	23.2
OCT	15.7	15.0	14.5	13.8	13.2	12.8	14.0	16.2	18.7	20.6	22.4	23.7
NOV	17.7	17.0	16.5	15.9	15.5	15.3	17.2	19.3	21.6	23.6	25.2	26.5
DEC	19.3	18.6	18.0	17.5	16.9	16.7	18.7	20.9	22.9	24.8	26.4	27.7
J/Y	14.7	14.1	13.5	13.1	12.6	12.3	12.7	14.3	17.0	19.2	21.1	22.7

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	29.0	29.6	30.1	29.8	29.5	29.0	28.1	25.9	24.6	23.4	22.6	21.6	24.3
FEB	27.8	28.7	29.1	28.9	28.3	27.3	25.9	24.1	23.1	21.9	21.1	20.3	23.1
MRT	28.5	29.1	29.6	29.1	28.7	27.8	26.2	24.2	23.0	21.9	21.1	20.3	23.1
APR	23.6	24.2	24.8	24.8	24.1	22.8	20.5	19.1	17.8	16.9	16.0	15.4	18.3
MAY	18.8	18.9	19.3	19.3	18.7	16.7	14.8	13.7	12.7	11.9	11.2	10.6	13.3
JUN	17.0	17.8	18.2	18.3	17.6	15.3	13.3	12.2	11.4	10.6	10.0	9.4	11.6
JUL	16.7	17.6	18.2	18.3	17.5	15.3	13.0	11.4	10.3	9.4	8.9	8.2	11.1
AUG	18.4	19.4	19.8	19.8	19.6	18.0	14.9	12.9	11.7	10.2	9.5	8.9	11.9
SEP	24.4	25.5	26.1	26.1	25.6	24.5	21.7	19.7	18.3	17.0	15.7	14.7	18.1
OCT	24.9	25.4	25.5	25.6	25.5	24.4	22.6	20.7	19.2	18.4	17.5	16.9	19.5
NOV	27.5	28.2	28.1	28.3	28.0	27.3	25.8	23.5	21.9	20.9	19.9	18.9	22.1
DEC	28.7	29.0	29.7	29.5	29.0	28.1	27.0	25.1	23.4	22.2	21.1	20.4	23.4
J/Y	23.8	24.5	24.9	24.8	24.3	23.0	21.1	19.4	18.1	17.1	16.2	15.5	18.3

317/474 UPINGTON WK ø 28°24'S λ 21°16'E H 836M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	24.2	23.2	22.2	21.3	20.5	20.1	21.1	23.0	25.9	27.5	29.7	31.3
FEB	23.4	22.6	22.1	21.3	20.7	20.2	20.6	22.5	25.0	26.3	28.1	29.8
MRT	21.6	20.8	20.1	19.3	18.4	18.0	17.8	19.9	22.8	25.2	27.0	29.0
APR	16.5	15.9	15.4	15.0	14.7	14.2	13.8	14.7	17.8	20.7	22.8	24.9
MAY	13.0	12.4	11.8	11.1	10.7	10.1	9.7	10.4	14.0	16.5	19.1	20.9
JUN	11.0	10.5	9.8	9.2	8.8	8.4	8.0	8.1	10.7	13.3	15.7	17.7
JUL	10.1	9.2	8.5	8.0	7.6	7.1	6.9	6.4	8.8	11.3	13.5	15.8
AUG	8.3	7.3	6.6	6.1	5.3	4.9	4.5	5.0	8.7	11.9	14.6	16.8
SEP	12.7	12.2	11.2	10.5	11.1	10.5	10.1	11.9	13.7	17.9	20.6	22.4
OCT	16.4	15.8	14.8	14.1	13.4	12.9	13.6	16.2	19.8	21.8	23.7	25.3
NOV	20.4	19.3	18.2	17.3	16.3	15.8	17.1	19.3	22.2	24.5	26.5	28.1
DEC	22.4	21.3	20.2	19.4	18.4	18.1	20.0	21.9	24.3	26.5	28.6	30.2
J/Y	16.7	15.9	15.1	14.4	13.8	13.4	13.6	14.9	17.8	20.3	22.5	24.3

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	32.6	33.5	34.0	34.3	33.5	33.1	31.9	30.4	28.8	27.4	26.1	25.1	27.5
FEB	31.1	31.4	31.3	31.5	31.5	30.9	29.8	28.1	26.5	25.5	24.3	23.6	26.2
MRT	30.4	31.4	32.0	32.2	31.9	31.3	29.5	27.0	25.7	24.6	23.4	22.5	25.1
APR	26.2	26.9	27.2	27.4	26.9	25.8	23.7	21.3	20.1	19.1	17.9	17.1	20.3
MAY	22.1	22.8	23.1	23.2	22.7	20.9	18.4	17.0	15.9	14.9	14.1	13.4	16.2
JUN	18.9	20.0	20.4	20.5	20.1	17.8	15.5	14.3	13.3	13.0	12.5	11.9	13.7
JUL	17.0	18.7	19.5	19.6	19.3	17.7	14.8	13.5	12.3	11.5	11.3	10.5	12.5
AUG	18.1	19.1	19.7	20.1	20.0	19.1	16.5	14.4	12.6	11.2	9.9	9.0	12.1
SEP	23.2	25.3	25.3	25.7	26.0	24.7	24.0	20.5	17.5	16.2	14.9	13.7	17.6
OCT	26.6	27.4	27.9	27.9	27.8	27.3	25.2	23.1	21.3	19.9	18.6	17.8	20.8
NOV	29.2	30.2	30.8	31.0	30.6	29.8	28.9	26.9	25.3	24.1	22.9	21.8	24.0
DEC	30.8	32.4	33.1	33.4	33.2	32.7	31.7	29.5	27.6	26.2	24.8	23.7	26.3
J/Y	25.5	26.6	27.0	27.2	27.0	25.9	24.2	22.2	20.6	19.5	18.4	17.5	20.2

GEMIDDELDE UURLIKSE WAARDES VAN TEMPERATUUR °C / MEAN HOURLY VALUES OF TEMPERATURE °C

419/182 KEETMANSHOOP SWA WK — Ø 26°32'S — λ 18°07'E — H 1064M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	22.8	21.9	21.2	20.4	19.8	19.4	19.4	21.0	23.5	25.7	27.5	29.7
FEB	23.3	22.7	22.1	21.6	21.1	20.4	20.0	21.5	24.2	26.3	27.9	29.1
MRT	22.5	21.5	20.7	20.0	19.6	18.9	18.6	19.7	22.2	24.6	26.8	28.6
APR	18.7	17.9	17.4	16.6	15.9	15.3	14.8	15.6	19.4	21.6	23.7	25.4
MAY	14.7	14.1	13.7	13.3	12.7	12.3	12.1	12.2	15.2	17.8	19.8	21.3
JUN	11.1	10.5	10.1	9.7	9.3	8.9	8.4	7.9	10.6	13.7	16.3	18.1
JUL	10.6	10.2	9.7	9.1	9.0	8.8	8.2	7.8	9.8	12.8	14.8	16.5
AUG	10.4	9.6	8.8	8.2	7.7	7.2	6.6	6.9	10.0	13.1	15.4	17.4
SEP	15.6	14.7	13.9	13.1	12.6	12.0	11.5	12.7	16.7	19.1	21.1	23.1
OCT	17.5	16.6	15.7	14.9	14.4	13.8	13.6	16.1	18.7	21.0	22.7	24.5
NOV	19.7	18.5	17.6	16.7	16.3	15.7	16.1	18.1	21.1	23.5	25.4	27.1
DEC	21.2	20.2	19.3	18.6	17.8	17.2	17.7	19.6	22.3	24.7	26.7	28.4
J/Y	17.3	16.5	15.9	15.2	14.7	14.2	13.9	14.9	17.8	20.3	22.3	24.1

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	31.3	32.6	33.2	33.0	32.6	32.5	31.9	30.3	27.9	26.3	25.0	23.8	26.4
FEB	30.3	31.0	31.6	31.7	31.2	30.7	29.6	28.4	26.9	25.9	25.1	24.2	26.1
MRT	30.1	31.4	32.1	32.1	31.8	31.0	29.5	27.9	26.3	25.0	24.1	23.3	25.3
APR	26.7	27.8	28.4	28.3	28.1	27.6	26.2	24.3	22.9	21.8	20.5	19.5	21.9
MAY	22.5	23.2	23.9	23.8	23.3	22.5	20.5	19.0	17.5	16.5	15.7	14.9	17.6
JUN	19.7	20.6	21.4	21.5	21.1	19.9	17.6	15.9	14.5	13.6	12.8	11.8	14.4
JUL	18.1	19.4	20.2	20.4	20.1	19.3	16.6	14.9	13.4	12.7	12.0	11.1	13.6
AUG	18.9	20.3	21.1	21.4	21.5	20.9	18.8	16.7	15.0	13.6	12.4	11.4	13.9
SEP	24.7	25.9	26.7	27.1	26.9	26.4	24.8	22.7	20.8	19.5	18.0	16.7	19.4
OCT	26.1	27.2	27.8	28.0	28.1	27.6	26.4	24.4	22.7	21.2	20.0	18.7	21.2
NOV	28.5	29.5	30.3	30.7	30.4	29.9	28.8	26.9	25.3	23.8	22.4	21.1	23.5
DEC	30.0	31.2	32.0	32.6	32.7	32.1	31.4	29.5	27.3	25.5	24.0	22.7	25.2
J/Y	25.6	26.7	27.4	27.5	27.3	26.7	25.2	23.4	21.7	20.5	19.3	18.3	20.7

476/398 JAN SMUTS WK — Ø 26°08'S — λ 28°14'E — H 1692M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	15.7	15.5	15.3	15.1	14.9	14.9	15.8	17.1	18.7	20.0	21.1	21.8
FEB	15.1	14.5	14.0	14.0	13.6	13.4	14.3	16.0	18.2	19.3	20.5	21.2
MRT	15.2	14.6	14.5	14.3	14.1	13.8	14.3	16.6	19.2	20.8	22.0	22.8
APR	13.0	12.7	12.5	12.1	11.7	11.7	11.8	13.9	16.3	17.9	19.3	20.1
MAY	8.2	7.9	7.6	7.3	7.0	6.8	6.6	8.3	11.0	12.7	14.1	15.2
JUN	7.1	6.7	6.6	6.3	5.8	5.9	5.7	6.7	9.7	11.5	12.9	14.1
JUL	7.5	7.1	6.6	6.4	5.6	5.3	5.0	5.8	9.1	11.0	12.5	13.8
AUG	9.2	8.4	7.7	7.5	7.1	6.6	6.5	8.4	11.3	13.5	15.0	16.3
SEP	13.9	13.5	13.4	13.1	12.4	11.9	12.3	14.2	16.3	17.9	19.4	20.2
OCT	12.6	12.1	12.0	11.6	11.1	11.0	12.4	14.3	16.3	17.9	18.9	19.7
NOV	13.4	12.9	12.7	12.5	12.2	12.4	13.7	15.2	17.0	18.4	19.5	20.1
DEC	15.6	15.0	14.4	14.2	14.0	14.4	15.6	17.1	18.5	19.9	20.9	21.6
J/Y	12.2	11.8	11.4	11.2	10.8	10.7	11.2	12.8	15.1	16.7	18.0	18.9

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	22.3	23.0	22.7	22.3	22.1	21.3	20.0	18.6	17.9	17.2	16.5	16.1	18.6
FEB	21.6	21.6	21.6	21.1	20.5	19.6	18.4	17.5	16.9	16.4	16.0	15.4	17.5
MRT	23.4	23.6	23.6	23.7	22.9	21.3	19.6	18.3	17.4	16.7	16.0	15.4	18.5
APR	20.4	20.8	20.7	20.3	19.3	17.6	16.2	15.6	15.1	14.5	13.8	13.4	15.9
MAY	15.8	16.1	16.1	15.6	14.4	12.3	11.2	10.7	10.0	9.4	8.8	8.4	10.9
JUN	15.0	15.5	15.5	15.2	13.9	11.7	10.4	9.7	9.0	8.5	8.0	7.7	10.0
JUL	14.8	15.4	15.5	15.3	14.3	11.9	10.5	9.7	9.0	8.3	8.0	7.7	9.8
AUG	17.3	18.1	18.4	18.3	17.5	15.7	14.0	12.8	12.0	11.6	10.6	10.0	12.2
SEP	21.3	21.9	22.0	22.0	21.5	20.0	18.3	17.3	16.5	15.6	15.1	14.4	16.9
OCT	20.4	21.1	21.2	21.1	20.6	19.2	17.6	16.6	15.8	14.9	14.1	13.2	16.1
NOV	20.9	21.6	21.7	21.5	20.8	19.0	17.3	16.2	15.4	15.0	14.3	14.0	16.6
DEC	22.4	23.1	23.5	23.4	22.8	21.5	19.9	18.7	18.0	17.3	16.7	16.0	18.5
J/Y	19.6	20.1	20.2	20.0	19.2	17.6	16.1	15.1	14.4	13.8	13.2	12.6	15.1

513/314A PRETORIA - WB**** — Ø 25°44'S — λ 28°11'E — H 1330M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	19.1	18.8	18.4	18.2	17.9	17.9	18.7	19.8	21.1	22.2	23.2	24.0
FEB	18.3	18.1	17.7	17.4	17.1	16.9	17.3	18.9	20.3	21.5	22.6	23.6
MRT	18.7	18.4	17.9	17.6	17.1	16.9	17.1	19.2	21.3	22.5	23.9	25.0
APR	15.0	14.6	14.4	14.0	14.0	13.8	13.9	15.3	17.5	19.4	21.2	22.3
MAY	10.2	9.8	9.3	8.9	8.6	8.2	8.1	9.0	12.3	15.0	16.7	18.0
JUN	7.9	7.5	7.0	6.7	6.1	5.8	5.6	6.5	9.4	12.7	15.1	16.5
JUL	7.7	7.3	6.8	6.4	5.9	5.4	5.1	5.9	9.1	12.6	14.7	16.6
AUG	9.9	9.2	8.6	8.2	7.8	7.6	7.3	9.1	12.9	15.7	17.6	19.1
SEP	15.3	15.2	14.5	13.9	13.4	13.0	13.4	15.5	18.3	20.2	21.8	23.1
OCT	16.0	15.4	14.9	14.5	14.3	14.2	15.2	17.1	18.9	20.2	21.6	22.5
NOV	16.1	15.5	15.3	15.0	14.8	15.0	16.4	17.9	19.3	20.5	21.7	22.9
DEC	18.0	17.6	17.2	17.0	16.9	16.9	17.9	19.5	20.9	22.1	23.3	24.0
J/Y	14.4	13.9	13.5	13.1	12.8	12.6	13.0	14.5	16.8	18.7	20.3	21.5

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	24.9	25.7	26.0	25.6	24.9	24.2	23.0	22.1	21.4	20.7	20.1	19.3	21.5
FEB	24.4	24.7	25.2	24.5	23.4	22.5	21.5	21.0	20.4	19.9	19.3	18.8	20.6
MRT	25.7	26.7	27.2	27.1	26.5	25.4	23.7	22.5	21.4	20.5	19.8	19.1	21.7
APR	23.0	23.2	23.4	23.4	22.8	21.2	19.9	18.5	17.7	16.7	16.1	15.3	18.2
MAY	18.8	19.3	19.4	19.2	18.2	16.5	15.3	14.0	12.7	11.9	11.2	10.5	13.4
JUN	17.5	18.2	18.4	18.3	17.3	15.4	13.9	12.3	11.0	9.8	9.3	8.5	11.5
JUL	17.4	18.1	18.5	18.3	17.6	16.0	14.7	13.0	11.3	10.2	9.2	8.3	11.5
AUG	20.2	21.1	21.3	21.4	20.9	19.2	17.7	16.1	14.4	13.2	12.0	11.1	14.2
SEP	24.0	24.8	25.2	25.1	24.8	23.6	22.0	20.8	19.3	18.1	17.2	16.6	19.2
OCT	23.4	24.2	24.6	24.7	24.2	23.3	21.7	20.2	18.9	18.1	17.4	16.5	19.3
NOV	23.8	24.4	24.7	24.8	24.2	22.6	21.0	19.2	18.4	17.6	17.1	16.6	19.4
DEC	25.2	25.8	26.1	26.2	25.7	25.0	23.7	22.4	21.0	20.2	19.5	18.8	21.3
J/Y	22.4	23.0	23.3	23.2	22.5	21.3	19.8	18.5	17.3	16.4	15.7	14.9	17.7

**** HT en HR ten opsigte van dak van gebou 19 m bo grondvlak
HT and HR refer to height above roof of building 19 m above ground level

GEMIDDELDE UURLIKSE WAARDES VAN TEMPERATUUR °C / MEAN HOURLY VALUES OF TEMPERATURE °C

513/605 ROODEPLAAT AGR ø 25°35'S λ 28°21'E H 1164M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	18.2	17.8	17.5	17.3	16.9	16.9	18.5	20.0	20.9	22.3	23.2	24.0
FEB	17.5	17.3	17.0	16.4	16.1	15.9	17.0	19.1	20.2	21.5	22.8	23.9
MRT	16.9	16.5	15.9	15.6	15.3	15.0	15.9	19.3	21.2	23.3	24.7	26.0
APR	13.5	13.2	13.3	13.0	12.8	12.7	12.7	15.6	18.2	20.5	21.8	22.9
MAY	8.0	7.7	7.4	7.1	6.9	6.9	6.8	9.4	13.4	16.3	17.9	19.2
JUN	5.4	5.1	4.6	4.5	4.3	4.3	4.0	6.2	10.6	14.1	16.2	17.5
JUL	5.3	4.8	4.3	3.3	3.4	3.0	2.7	4.6	9.9	13.7	16.0	17.6
AUG	6.5	5.9	5.4	4.9	4.6	4.3	4.2	8.9	13.7	16.7	18.6	20.2
SEP	13.6	12.9	12.4	11.5	11.1	10.6	11.4	15.5	19.0	21.0	22.3	24.1
OCT	14.8	14.3	13.5	13.2	12.9	13.0	14.6	17.9	19.6	21.0	22.4	23.6
NOV	15.1	14.7	14.4	14.0	13.7	14.4	16.1	18.3	19.7	21.2	22.5	23.8
DEC	17.4	16.8	16.2	16.0	15.6	15.9	17.9	19.7	21.3	22.6	23.8	24.9
J/Y	12.7	12.3	11.8	11.4	11.1	11.1	11.8	14.5	17.3	19.5	21.0	22.3

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	25.2	26.5	26.8	26.3	26.3	25.1	23.3	21.7	20.4	19.9	19.2	18.8	21.4
FEB	25.1	25.9	26.2	25.8	24.7	23.5	21.7	20.3	19.3	18.7	18.3	17.8	20.5
MRT	27.1	28.0	28.2	28.1	27.7	25.8	22.6	20.5	19.2	18.4	17.9	17.6	21.1
APR	23.7	24.5	24.5	24.6	23.9	21.2	18.2	16.5	15.6	14.8	14.3	13.9	17.7
MAY	20.1	20.7	20.7	20.6	19.2	15.6	12.3	10.6	9.9	9.7	8.8	8.1	12.6
JUN	18.5	19.2	19.8	19.6	18.7	14.4	10.0	8.1	7.3	6.8	6.1	5.5	10.5
JUL	18.6	19.5	19.9	19.9	19.1	15.2	10.5	8.4	7.3	6.7	6.0	5.8	10.2
AUG	21.5	24.2	23.0	22.7	22.3	18.9	13.4	10.5	10.1	9.1	8.4	7.3	12.7
SEP	25.3	26.2	26.5	26.4	25.9	23.7	19.6	17.1	15.9	15.5	14.6	14.2	18.2
OCT	24.6	25.5	26.1	26.1	25.3	23.7	21.1	18.4	17.7	16.9	16.2	15.8	19.1
NOV	24.7	25.5	25.6	25.3	25.1	23.5	20.7	18.7	18.0	17.2	16.5	15.9	19.4
DEC	26.1	27.1	27.5	27.5	27.2	26.4	23.9	21.2	19.7	18.9	18.0	17.6	21.2
J/Y	23.4	24.4	24.6	24.4	23.8	21.4	18.1	16.0	15.0	14.4	13.7	13.2	17.1

677/802 PIETERSBURG WK ø 23°52'S λ 29°27'E H 1230M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	18.5	18.2	18.0	17.7	17.5	17.4	18.1	19.3	20.7	21.7	22.6	23.4
FEB	17.7	17.2	16.8	16.5	16.1	15.9	16.4	17.9	19.7	20.9	22.1	23.3
MRT	18.6	17.9	17.3	16.8	16.3	16.0	16.4	18.6	21.0	22.6	24.1	25.5
APR	15.7	15.1	14.6	14.4	14.3	14.0	14.1	15.7	18.7	20.4	22.0	22.8
MAY	10.1	9.6	9.1	8.7	8.3	8.1	8.1	10.0	14.3	16.5	17.9	19.0
JUN	7.3	6.5	6.0	5.7	5.5	5.4	5.3	6.8	11.2	14.0	15.7	16.9
JUL	7.7	6.9	6.4	6.0	5.6	5.3	4.9	6.9	11.4	14.9	16.6	17.9
AUG	10.1	9.1	8.2	8.0	7.7	7.5	7.0	9.9	14.6	16.9	18.8	20.1
SEP	14.5	13.7	13.0	12.4	12.1	11.7	12.3	15.3	18.3	20.4	22.1	23.5
OCT	15.1	14.7	14.2	13.8	13.4	13.4	14.5	16.8	19.1	20.3	21.5	22.6
NOV	15.6	15.3	15.1	14.8	14.6	14.9	16.1	17.4	19.2	20.2	21.2	22.1
DEC	18.3	17.8	17.4	17.1	16.7	16.9	18.1	20.0	21.8	22.9	23.7	25.0
J/Y	14.1	13.5	13.0	12.7	12.3	12.2	12.6	14.5	17.5	19.3	20.7	21.8

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	24.5	25.0	25.5	25.3	24.7	23.9	22.7	21.3	20.5	19.8	19.3	18.9	21.0
FEB	24.0	24.9	25.0	24.8	24.4	23.5	21.7	20.5	19.9	19.4	18.7	18.3	20.2
MRT	26.5	27.2	27.4	26.8	26.6	25.1	23.2	22.0	21.1	20.3	19.7	19.0	21.5
APR	23.6	24.1	24.2	24.5	23.6	21.8	19.9	18.8	18.1	17.4	16.6	16.1	18.8
MAY	19.8	20.2	20.4	19.9	18.9	16.8	15.1	13.8	12.8	12.0	11.0	10.4	13.8
JUN	17.7	18.2	18.5	18.2	17.1	14.6	12.8	11.4	10.6	9.6	8.7	7.8	11.3
JUL	18.7	19.3	19.5	19.4	18.5	16.0	13.7	12.3	11.3	10.3	9.3	8.3	12.0
AUG	21.2	22.0	22.3	22.0	21.4	19.1	16.7	15.0	13.8	12.8	12.0	10.9	14.5
SEP	24.4	24.6	25.1	25.0	24.1	22.5	20.5	19.0	18.1	17.2	16.4	15.3	18.4
OCT	23.5	23.7	23.8	23.5	22.4	21.2	19.7	18.4	17.7	17.2	16.7	15.6	18.5
NOV	22.7	23.4	23.4	23.2	21.9	20.7	19.4	18.4	17.7	17.0	16.5	16.1	18.6
DEC	25.7	26.2	26.4	26.3	25.7	24.6	22.8	21.3	20.6	19.9	19.4	18.6	21.4
J/Y	22.7	23.2	23.5	23.2	22.4	20.8	19.0	17.7	16.9	16.1	15.4	14.6	17.5

740/154 WINDHOEK SWA WK ø 22°34'S λ 17°06'E H 1728M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	19.5	19.1	18.7	18.3	18.0	17.6	17.4	18.7	21.4	23.6	25.5	26.8
FEB	17.4	17.3	17.1	16.6	16.6	16.6	16.4	17.7	19.7	21.3	22.6	24.0
MRT	18.7	18.4	18.0	17.6	17.5	17.1	17.1	18.3	21.3	23.4	25.1	26.2
APR	15.5	14.8	14.5	14.2	13.9	13.6	13.6	14.9	18.4	20.7	22.7	23.7
MAY	12.9	12.3	11.8	11.2	10.8	10.3	10.1	10.9	14.3	16.9	18.6	20.1
JUN	11.1	10.4	10.0	9.6	9.1	8.6	8.4	8.5	11.9	14.7	16.8	18.6
JUL	10.4	9.8	9.2	8.6	8.2	8.0	7.7	7.7	10.8	14.1	16.6	18.3
AUG	11.1	10.5	9.9	9.4	9.1	8.7	8.4	8.9	13.0	16.2	18.4	20.2
SEP	17.3	16.7	16.1	15.5	15.0	14.7	14.1	15.7	19.6	21.9	23.9	25.2
OCT	18.2	17.7	17.1	16.5	16.0	15.6	15.8	18.2	21.4	23.6	25.3	26.7
NOV	18.5	17.7	17.0	16.4	16.1	15.7	16.8	19.7	22.2	23.9	25.6	27.0
DEC	19.3	18.6	17.9	17.4	17.0	16.8	17.7	20.6	23.5	25.4	27.0	28.1
J/Y	15.8	15.3	14.8	14.3	13.9	13.6	13.6	15.0	18.1	20.5	22.3	23.7

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	28.0	28.7	28.8	28.1	27.6	26.4	25.0	23.9	22.5	21.3	20.6	19.9	22.7
FEB	24.1	24.9	23.9	22.9	22.1	21.9	20.9	19.9	19.3	18.8	18.4	17.9	19.9
MRT	27.0	27.3	27.3	27.2	26.7	25.6	24.2	22.7	21.4	20.5	19.8	19.0	22.0
APR	24.7	25.1	25.5	25.0	24.6	23.7	21.5	19.8	18.7	17.7	17.6	16.2	19.2
MAY	21.0	21.8	21.9	21.8	21.3	20.1	18.0	16.4	15.2	14.3	13.6	13.1	15.8
JUN	19.7	20.3	20.6	20.5	20.2	19.0	16.9	15.1	13.8	12.9	12.0	11.5	14.2
JUL	19.6	20.3	20.5	20.7	20.4	19.3	17.0	15.0	13.5	12.5	11.7	11.1	13.8
AUG	21.4	22.3	22.9	23.1	22.7	21.6	19.3	17.3	15.5	14.1	12.9	11.8	15.4
SEP	26.0	26.7	26.9	26.9	26.5	25.6	23.9	22.1	20.5	19.6	18.7	17.9	20.7
OCT	27.6	28.2	28.7	28.6	28.1	27.2	25.4	23.7	22.2	21.0	19.9	19.0	22.2
NOV	27.8	28.6	28.7	28.3	27.9	26.9	25.6	23.5	21.9	20.7	19.8	19.2	22.3
DEC	29.1	29.5	29.7	29.3	28.6	28.0	26.4	24.6	23.2	22.1	21.1	20.3	23.4
J/Y	24.7	25.3	25.5	25.2	24.7	23.8	22.0	20.3	19.0	18.0	17.2	16.4	19.3

GEMIDDELDE UURLIKSE WAARDES VAN TEMPERATUUR °C / MEAN HOURLY VALUES OF TEMPERATURE °C

784/839 J.G.STRIJDOM φ 22°29'S λ 17°28'E H 1720M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	19.8	19.1	18.8	18.3	17.6	17.1	17.1	19.4	21.6	23.3	24.9	26.2
FEB	17.4	17.1	16.8	16.7	16.4	16.3	16.2	17.2	19.1	20.8	22.6	23.9
MRT	17.5	17.0	16.7	16.4	15.7	15.4	15.0	16.6	20.7	22.6	24.5	25.8
APR	13.3	12.6	12.0	11.7	11.4	10.7	10.5	11.9	16.6	19.4	21.7	23.3
MAY	9.5	9.0	8.4	7.8	7.0	6.8	6.5	6.8	11.6	15.2	17.4	18.8
JUN	7.5	7.2	7.0	7.0	6.5	6.2	6.1	5.6	9.9	13.6	16.1	17.7
JUL	6.1	5.4	5.0	4.6	4.2	3.9	3.7	3.7	8.8	12.7	15.3	17.4
AUG	6.6	6.1	5.1	4.7	4.0	3.5	3.0	4.0	11.3	15.1	17.4	19.8
SEP	14.2	13.2	12.4	11.7	10.8	10.4	10.0	12.6	17.6	20.3	22.5	24.1
OCT	16.3	15.6	14.5	13.8	13.1	12.7	12.6	16.7	19.8	21.9	24.0	25.9
NOV	17.3	16.7	15.8	15.3	14.3	13.6	14.7	18.2	20.6	22.8	24.5	25.9
DEC	18.8	18.4	17.6	17.1	16.2	15.8	16.6	20.1	22.5	24.4	26.1	27.6
J/Y	13.7	13.1	12.5	12.1	11.4	11.0	11.0	12.7	16.7	19.3	21.4	23.0

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	27.4	28.3	28.4	28.3	28.3	27.3	26.1	24.6	23.2	22.2	21.2	20.4	22.9
FEB	24.8	25.4	24.8	24.4	24.0	22.8	22.0	20.3	19.5	18.9	18.4	17.9	20.2
MRT	26.6	27.3	27.3	26.7	26.6	25.9	23.9	21.4	19.9	18.7	17.9	17.7	21.0
APR	24.1	24.8	25.1	25.1	24.7	23.4	20.7	18.3	16.5	15.7	14.9	13.9	17.6
MAY	20.2	21.0	21.5	21.7	21.2	19.5	15.9	13.8	12.7	11.9	10.7	9.9	13.5
JUN	18.9	19.8	20.0	20.0	19.7	18.2	14.5	12.0	10.7	9.5	8.7	7.9	12.1
JUL	18.8	19.8	20.3	20.4	20.1	18.5	14.1	11.3	9.6	8.4	7.8	6.7	11.1
AUG	21.2	22.3	22.8	23.0	22.7	21.5	17.8	14.1	11.8	10.0	9.0	7.7	12.7
SEP	25.4	26.1	26.4	26.6	26.3	25.5	22.7	19.7	17.9	16.8	16.0	15.2	18.5
OCT	27.4	28.3	28.7	28.7	28.3	27.4	25.1	22.4	21.0	19.8	18.7	17.3	20.8
NOV	27.3	28.0	28.2	28.0	27.7	27.0	25.6	23.1	21.2	20.1	19.0	18.2	21.4
DEC	29.1	29.8	29.5	29.9	29.6	29.0	27.5	24.8	23.0	21.7	20.7	19.6	23.1
J/Y	24.3	25.1	25.3	25.2	24.9	23.8	21.3	18.8	17.3	16.1	15.3	14.4	17.9

1010/186 GROOTFONTEIN SWA WK φ 19°36'S λ 18°07'E H 1405M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12
JAN	19.7	19.2	18.6	18.2	17.7	17.5	17.5	19.1	21.3	22.7	24.1	25.2
FEB	18.3	17.9	17.6	17.3	17.0	16.8	16.7	17.7	19.9	21.4	22.8	23.9
MRT	17.8	17.5	17.0	16.8	16.3	15.9	15.5	17.6	21.3	23.3	25.1	26.4
APR	16.6	16.2	15.9	15.7	15.2	14.9	14.5	15.8	19.4	21.9	23.8	25.6
MAY	11.3	10.6	10.3	10.0	9.4	9.0	8.5	10.2	15.4	18.1	20.5	22.1
JUN	10.3	9.6	8.8	8.3	7.9	7.5	7.1	8.3	13.6	16.8	19.1	20.6
JUL	9.0	8.6	8.3	7.7	7.3	6.7	6.2	7.0	13.0	16.2	18.5	20.2
AUG	10.1	9.4	9.1	8.6	7.4	7.1	6.7	9.2	15.6	18.8	21.1	22.9
SEP	15.7	15.2	14.6	13.8	12.9	12.1	11.7	16.4	21.3	23.7	25.8	27.4
OCT	20.4	19.8	19.1	18.3	17.5	16.9	17.0	20.5	23.4	25.7	27.8	29.4
NOV	20.5	19.5	18.9	18.2	17.5	17.2	18.0	20.8	23.5	25.2	26.8	28.2
DEC	21.5	21.0	20.0	19.0	18.4	17.8	18.6	21.7	24.3	26.1	27.7	29.1
J/Y	15.9	15.4	14.9	14.3	13.7	13.3	13.2	15.4	19.3	21.7	23.6	25.1

	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	26.3	27.0	27.2	27.1	26.6	25.8	25.0	23.4	22.3	21.4	20.7	20.1	22.2
FEB	25.0	25.6	25.5	25.6	25.3	24.5	23.4	21.8	20.7	20.0	19.2	18.7	20.9
MRT	27.5	28.2	28.5	28.1	27.7	26.7	24.7	22.2	20.6	19.6	18.8	18.2	21.7
APR	26.6	27.1	27.5	27.6	27.1	26.2	23.5	21.0	19.5	18.3	17.7	17.0	20.6
MAY	23.3	24.1	24.4	24.4	24.0	22.7	19.1	15.9	14.4	13.7	12.7	12.0	16.1
JUN	21.9	22.8	23.2	23.3	22.9	21.3	17.0	13.9	12.8	12.2	11.6	10.8	14.7
JUL	21.5	22.4	23.0	23.1	22.9	21.6	17.7	13.6	12.1	11.4	10.4	9.9	14.1
AUG	24.3	25.5	26.1	26.4	26.2	25.3	21.2	16.1	13.4	12.4	11.3	10.5	16.0
SEP	28.6	29.3	29.6	29.8	29.5	28.7	25.7	22.1	19.6	18.2	17.3	16.4	21.1
OCT	30.8	31.6	32.1	32.1	32.0	31.2	28.9	25.9	23.7	22.5	22.0	21.3	24.6
NOV	29.3	29.8	29.8	29.6	29.5	29.1	28.0	25.8	24.1	22.6	21.7	21.0	23.9
DEC	30.3	31.3	31.2	31.4	31.2	30.5	29.6	27.1	25.2	23.9	23.0	22.2	25.1
J/Y	26.3	27.1	27.3	27.4	27.1	26.1	23.7	20.7	19.0	18.0	17.2	16.5	20.1

GEMIDDELDE UURLIKSE WAARDES VAN VOGTIGHEID -%- MEAN HOURLY VALUES OF HUMIDITY

0/653 MARIONEILAND WK — φ 46°53'S — λ 37°52'E — H 22M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	87	86	87	87	86	85	85	84	84	83	85	84	84	83	84	84	84	85	86	87	89	89	89	89	86
FEB	89	89	89	86	89	88	88	86	85	84	84	84	84	83	82	82	84	85	86	88	89	89	89	89	86
MRT	88	89	89	89	88	89	89	88	88	87	87	86	87	83	85	85	87	88	87	87	87	87	88	88	87
APR	85	85	85	87	86	86	86	84	85	84	83	83	84	83	84	85	86	87	86	87	86	86	85	85	85
MAY	87	86	87	86	85	86	84	83	83	82	82	83	82	82	83	83	86	86	85	85	85	86	87	87	85
JUN	86	87	86	87	87	86	87	87	85	85	86	84	84	84	85	86	86	87	86	85	85	85	86	86	86
JUL	86	84	85	82	82	82	81	81	80	80	82	80	79	80	80	80	80	82	82	81	81	81	83	84	82
AUG	85	84	84	86	86	85	84	85	83	82	82	81	81	81	82	84	83	85	83	87	87	86	86	85	84
SEP	82	82	84	84	85	84	83	81	79	80	80	80	81	79	80	81	80	81	81	82	83	83	81	81	82
OCT	85	83	83	84	85	85	84	81	80	80	78	79	79	79	80	81	83	84	84	84	85	84	83	85	82
NOV	83	84	83	84	82	81	80	80	77	77	75	76	74	76	74	75	77	78	79	80	80	80	80	82	79
DEC	82	81	81	80	79	79	79	79	77	77	75	73	72	73	75	76	79	79	82	82	81	83	83	82	79
J/Y	85	85	85	85	85	85	84	83	82	82	82	81	81	81	81	82	83	84	84	85	85	85	85	85	84

0/681 GOUGHEILAND — φ 40°21'S — λ 09°53'W — H 54M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	87	86	88	88	88	86	86	86	85	83	80	78	78	76	75	76	77	80	81	83	83	86	87	88	83
FEB	85	84	83	84	85	86	86	85	84	82	79	78	77	77	77	78	77	77	79	80	81	83	84	84	81
MRT	83	85	86	86	86	87	85	86	83	81	78	76	75	75	77	76	78	78	80	80	82	84	84	83	81
APR	85	85	85	85	86	86	85	86	85	84	81	80	79	78	77	78	80	81	82	84	85	85	85	84	83
MAY	80	81	81	81	82	81	82	83	83	84	84	82	79	79	79	79	79	80	81	82	81	82	81	81	81
JUN	82	83	84	85	85	85	84	85	85	85	85	85	84	83	83	83	84	84	83	84	83	84	84	84	84
JUL	82	83	81	82	84	85	85	86	85	85	83	82	82	80	79	78	78	78	80	81	80	81	81	80	82
AUG	86	85	85	84	84	83	84	84	86	85	86	83	82	82	81	82	83	84	86	87	89	89	86	87	85
SEP	80	81	82	82	83	82	82	84	82	81	79	76	74	73	73	75	75	78	78	80	81	80	81	81	79
OCT	83	81	81	81	82	83	83	84	82	80	78	77	75	76	76	78	78	79	80	81	83	83	83	83	80
NOV	83	83	84	84	83	83	81	81	82	81	80	77	77	77	78	77	77	77	77	77	78	80	81	81	80
DEC	79	79	78	78	79	79	77	77	76	76	76	75	74	74	72	73	75	76	78	77	79	80	79	79	77
J/Y	83	83	83	83	84	84	83	84	83	82	81	79	78	77	77	78	78	79	80	81	82	83	83	83	81

21/178 D.F.MALAN WK*** — φ 33°58'S — λ 18°36'E — H 44M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	83	83	83	83	85	85	86	75	67	60	53	54	53	53	56	59	62	66	71	78	81	82	82	83	72
FEB	81	82	82	82	83	84	84	77	68	60	54	51	50	50	50	55	59	64	70	75	80	80	81	81	70
MRT	86	86	87	87	89	89	89	87	77	66	57	53	52	52	52	56	60	65	72	79	80	82	83	84	74
APR	87	87	87	87	89	90	89	88	83	73	64	62	60	59	60	62	66	72	79	83	83	85	86	87	78
MAY	84	84	85	85	86	85	86	87	83	73	64	58	54	53	54	56	61	69	76	80	82	83	83	83	75
JUN	87	88	86	87	86	86	85	85	85	79	73	68	67	66	65	68	71	77	82	85	86	86	87	87	80
JUL	89	89	88	88	89	89	89	89	90	85	78	74	68	68	68	70	73	78	84	86	87	88	89	89	83
AUG	91	91	90	90	90	90	90	89	86	78	72	68	66	65	64	67	69	76	81	84	86	89	91	92	81
SEP	88	87	88	87	87	87	88	87	80	68	63	61	58	57	57	58	61	66	74	81	83	84	85	86	76
OCT	85	87	86	86	86	88	87	79	66	59	52	51	52	52	54	57	63	68	76	82	83	84	85	85	73
NOV	84	84	87	87	87	87	82	69	62	55	51	46	48	46	51	54	59	65	73	79	81	81	82	83	70
DEC	84	84	85	86	87	88	84	76	68	63	58	57	56	56	57	58	62	66	73	79	82	83	83	84	73
J/Y	86	86	86	86	87	87	87	82	76	68	62	59	57	56	57	60	64	69	76	81	83	84	85	85	75

35/179 PORT ELIZABETH WK — φ 33°59'S — λ 25°36'E — H 60M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	86	87	87	86	87	87	85	79	73	69	65	65	65	65	67	70	72	75	79	81	84	87	86	86	78
FEB	88	87	87	87	87	87	87	83	79	74	72	70	69	70	71	73	76	80	83	85	86	87	88	88	81
MRT	88	87	86	85	85	86	85	82	78	73	70	67	67	68	71	72	74	77	82	83	84	86	86	87	80
APR	88	88	88	88	88	88	89	88	77	71	67	67	67	68	70	72	76	83	88	89	90	90	89	88	82
MAY	85	84	84	82	83	85	86	85	78	71	65	62	60	60	62	65	70	77	81	84	86	87	87	87	77
JUN	86	84	84	85	84	84	84	84	81	72	67	64	62	63	65	68	74	80	83	86	87	87	86	85	79
JUL	86	86	86	86	87	87	87	87	83	74	68	64	63	64	65	68	73	79	83	85	84	85	83	84	79
AUG	84	84	84	84	84	83	84	84	79	70	67	65	65	64	65	68	72	77	81	82	83	84	84	84	78
SEP	83	82	82	82	83	82	81	80	71	66	63	61	61	64	66	69	72	77	81	84	85	86	86	85	76
OCT	89	89	89	90	89	89	87	81	74	70	66	66	67	68	69	70	75	80	84	86	87	88	89	89	80
NOV	89	89	89	90	90	89	86	80	74	70	68	68	70	68	69	72	75	79	82	84	86	88	89	89	81
DEC	89	89	89	89	89	89	85	79	74	70	69	67	66	67	69	70	72	76	81	87	89	90	90	89	80
J/Y	87	86	86	86	86	86	85	83	77	71	67	65	65	66	67	70	73	78	82	85	86	87	87	87	79

59/572 EAST LONDON WK — φ 33°02'S — λ 27°50'E — H 125M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	88	88	88	89	90	90	87	81	77	76	76	75	74	73	75	76	80	82	84	86	87	89	89	89	83
FEB	90	90	91	91	92	93	89	83	77	75	73	73	73	74	76	78	80	82	85	88	89	89	89	88	84
MRT	87	87	87	87	87	87	85	79	75	71	71	70	71	73	76	76	79	82	85	87	87	86	87	87	81
APR	86	87	87	85	85	85	85	82	75	72	69	69	69	72	73	76	80	83	84	85	89	86	86	86	81
MAY	74	74	75	76	78	77	77	74	70	65	60	56	55	59	61	65	71	77	80	80	79	77	75	75	71
JUN	72	73	75	74	74	75	76	77	69	64	57	55	55	55	58	60	68	74	76	77	75	74	74	72	69
JUL	76	75	73	74	76	78	78	76	71	65	61	59	62	63	65	68	72	77	80	80	81	81	79	77	73
AUG	77	77	78	78	80	81	79	75	68	62	57	57	57	57	63	65	69	76	79	79	78	78	77	76	72
SEP	83	83	83	83	83	83	81	77	71	67	67	67	67	69	70	72	75	79	82	84	83	84	84	84	78
OCT	87	88	89	89	89	89	84	78	72	70	70	69	69	69	71	74	77	81	83	84	85	86	86	87	80
NOV	89	89	89	90	90	88	83	78	76	75	73	73	72	74	76	77	80	82	84	86	86	87	88	89	82
DEC	88	89	89	90	90	88	84	79	74	74	74	74	73	73	75	78	80	83	86	88	88	89	89	89	83
J/Y	83	83	84	84	85	85	82	78	73	70	67	66	66	68	70	72	76	80	82	84	84	84	84	83	78

*** Stasie verskuif; kyk na bl.XXI / Station shifted; see p.XXI

GEMIDDELDE UURLIKSE WAARDES VAN VOGTIGHEID -%- MEAN HOURLY VALUES OF HUMIDITY

145/ 59A GROOTFONTEIN II AGR — Ø 31°29'S — λ 25°02'E — H 1270M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	73	75	78	80	83	83	77	68	59	48	41	36	32	28	28	29	32	37	42	48	54	60	65	69	55
FEB	75	78	80	82	84	86	84	76	69	58	52	48	44	41	42	42	41	43	46	54	58	63	67	71	62
MRT	75	79	82	84	86	87	87	80	70	57	50	44	39	35	37	36	35	38	44	50	56	62	68	72	61
APR	77	79	79	81	81	82	83	78	68	62	54	49	47	43	41	42	42	46	53	59	64	68	72	75	64
MAY	73	75	77	78	79	79	81	78	71	66	58	54	51	48	46	46	47	52	57	62	64	68	71	72	65
JUN	67	68	68	69	71	71	71	71	66	57	49	44	41	39	39	39	40	43	48	53	56	60	62	65	57
JUL	63	65	65	66	67	70	71	70	65	59	51	47	44	41	39	39	41	45	49	53	57	59	62	64	56
AUG	62	64	67	69	69	71	73	71	62	52	45	40	37	34	32	31	32	34	37	41	45	50	54	58	51
SEP	57	60	63	66	69	71	73	68	60	49	40	32	25	22	20	19	19	21	25	33	38	43	47	52	45
OCT	68	71	74	76	78	79	74	64	57	51	45	41	35	31	29	28	28	29	34	41	47	53	59	64	52
NOV	67	69	71	73	75	76	69	60	54	46	39	32	27	25	23	25	26	28	33	39	46	53	58	64	49
DEC	69	73	75	77	78	78	70	62	54	45	37	30	25	23	24	26	27	28	32	36	46	53	57	64	50
J/Y	69	71	73	75	77	78	76	71	63	54	47	41	37	34	33	33	34	37	42	47	53	58	62	66	55

240/808 LOUIS BOTHA WK — Ø 29°58'S — λ 30°57'E — H 8M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	87	87	86	87	87	88	83	78	75	73	73	73	72	72	73	75	77	79	81	83	85	86	87	87	81
FEB	86	87	89	90	90	89	87	78	71	68	67	68	68	70	70	72	74	77	79	81	84	85	86	86	79
MRT	87	88	88	89	89	89	88	81	74	71	72	71	71	72	74	77	79	82	83	85	86	86	87	88	82
APR	85	86	85	85	86	85	85	78	70	63	62	63	65	67	69	71	75	79	83	84	85	85	84	84	78
MAY	83	85	85	85	86	85	84	79	70	62	59	59	59	61	63	66	72	78	82	82	82	83	84	84	76
JUN	84	84	84	84	86	85	84	81	68	57	52	52	54	56	58	63	69	75	80	81	81	80	82	83	73
JUL	85	85	85	84	84	85	85	80	68	59	54	55	56	56	57	61	68	73	78	80	82	83	83	84	74
AUG	84	85	85	85	85	84	84	79	69	62	57	56	56	60	62	63	67	71	77	81	83	85	85	85	75
SEP	87	87	87	86	86	85	83	78	73	71	70	70	69	70	72	78	78	81	83	85	87	87	87	86	80
OCT	86	86	87	87	87	87	82	75	71	68	66	67	66	68	70	71	75	78	80	83	85	85	86	86	78
NOV	85	86	87	87	87	85	79	74	71	69	68	68	68	69	72	77	78	79	82	82	84	85	85	84	79
DEC	88	89	90	90	90	88	83	77	73	71	70	70	69	70	72	73	76	79	83	85	87	87	88	88	81
J/Y	86	86	87	87	87	86	84	78	71	66	64	64	64	66	68	71	74	78	81	83	84	85	85	85	78

261/516 J.B.M.HERTZOG WK — Ø 29°06'S — λ 26°18'E — H 1351M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	79	83	88	91	93	94	89	79	70	62	56	51	47	44	46	46	43	44	47	56	63	69	73	77	66
FEB	85	88	89	91	92	94	94	82	67	59	53	50	49	49	47	46	45	46	52	62	68	72	76	79	68
MRT	71	74	78	81	86	89	91	79	64	54	47	43	40	36	35	33	35	38	46	52	58	63	68	68	60
APR	86	89	91	93	94	95	95	92	72	61	51	45	41	38	35	34	35	39	50	59	68	73	79	82	67
MAY	87	90	92	94	95	96	98	97	78	66	57	50	45	43	41	42	46	51	59	67	74	78	81	84	71
JUN	77	80	83	86	89	91	93	93	72	58	48	43	39	35	34	33	34	39	46	52	58	63	68	72	62
JUL	70	73	76	79	81	83	83	84	70	57	46	41	38	34	32	33	33	37	42	49	54	60	64	67	58
AUG	52	56	61	64	68	71	73	72	58	47	37	32	29	26	24	22	22	24	27	30	34	38	42	46	44
SEP	38	43	49	55	58	62	63	57	46	36	30	25	22	19	18	18	18	19	21	24	27	30	33	36	35
OCT	63	66	70	74	78	82	78	67	56	46	40	36	33	30	31	31	33	36	38	43	49	54	56	60	52
NOV	63	67	71	75	79	81	73	65	57	46	39	33	29	28	27	25	26	26	31	36	41	47	53	60	49
DEC	68	71	75	79	83	84	77	67	55	47	41	37	33	31	28	30	32	33	35	41	46	51	56	62	53
J/Y	70	73	77	80	83	85	84	78	64	53	45	41	37	34	33	33	33	36	41	48	53	58	62	66	57

268/631 ESTCOURT AGR — Ø 29°01'S — λ 29°52'E — H 1181M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	87	87	88	88	89	89	85	79	73	70	65	62	59	58	58	60	65	70	75	80	81	84	85	85	76
FEB	89	89	90	89	90	91	86	78	71	66	61	58	55	53	53	54	57	64	72	78	81	83	85	87	74
MRT	85	86	87	87	89	89	89	79	70	63	57	52	49	46	47	49	54	59	68	74	77	80	83	83	71
APR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MAY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JUN	77	78	79	79	79	80	81	77	66	58	51	46	43	40	39	40	44	52	58	63	67	70	72	74	63
JUL	68	69	70	71	72	73	73	69	59	53	44	40	37	35	34	34	37	45	53	58	60	62	64	67	56
AUG	70	72	72	73	74	75	76	72	61	53	45	40	36	34	33	33	35	41	49	55	58	62	66	68	56
SEP	76	77	79	80	82	83	82	74	66	60	52	48	45	42	41	43	47	52	62	66	69	71	73	75	64
OCT	84	85	86	88	88	88	81	71	63	58	50	46	43	42	42	46	50	57	63	68	72	76	79	82	67
NOV	83	85	86	87	89	88	81	73	65	60	54	50	48	47	48	52	58	64	69	74	79	80	81	83	70
DEC	86	87	88	89	89	88	82	76	71	67	63	59	56	54	51	53	58	63	69	76	79	81	82	84	73
J/Y	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

274/ 34 ALEXANDER BAY WK — Ø 28°34'S — λ 16°32'E — H 21M — HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	85	86	86	87	87	88	86	81	75	69	65	63	63	62	63	64	66	69	74	80	83	84	84	86	77
FEB	88	89	89	90	91	92	93	90	83	75	68	64	62	61	62	63	65	68	73	81	84	86	86	88	79
MRT	87	89	89	89	89	90	90	89	83	75	67	62	60	59	61	63	65	68	73	79	82	84	85	86	78
APR	91	92	92	92	93	94	95	94	89	79	70	66	63	62	62	65	69	76	80	84	85	88	90	90	82
MAY	80	81	81	82	80	81	80	78	72	62	54	48	45	47	48	50	53	58	64	68	70	74	75	77	67
JUN	75	75	77	77	78	79	78	79	77	69	62	55	53	53	53	56	60	67	72	75	76	78	78	77	70
JUL	86	86	86	87	88	87	86	84	81	75	68	63	58	56	57	59	63	69	75	78	81	82	82	83	76
AUG	87	88	89	91	91	91	91	91	87	79	71	65	61	61	61	63	67	72	79	82	85	87	88	89	80
SEP	90	89	90	89	90	89	89	86	77	68	61	56	56	55	57	59	62	68	75	82	85	88	89	89	77
OCT	88	88	89	89	90	90	89	85	74	65	59	57	56	57	58	60	63	69	74	81	84	86	88	88	76
NOV	86	86	88	89	89	89	87	78	66	60	57	54	53	54	54	56	58	63	69	78	82	84	85	85	73
DEC	89	89	89	90	90	91	90	83	75	68	63	60	59	60	61	63	66	70	76	82	86	87	88	89	78
J/Y	86	87	87	88	88	88	88	85	78	70	64	59	57	57	58	60	63	68	74	79	82	84	85	86	76

GEMIDDELDE UURLIKSE WAARDES VAN VOGTIGHEID -%- MEAN HOURLY VALUES OF HUMIDITY

290/468 KIMBERLEY WK ø 28°48'S λ 24°46'E H 1198M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	62	65	67	70	72	76	74	67	59	50	45	41	37	36	35	36	36	37	38	44	47	52	55	58	52
FEB	66	69	72	73	75	78	77	70	60	51	45	41	39	35	35	35	37	40	43	47	51	56	60	63	55
MRT	51	54	57	59	63	64	66	63	54	44	40	35	32	31	28	29	30	33	36	40	42	45	47	49	45
APR	63	65	67	68	71	73	73	70	59	50	45	40	36	34	32	31	33	36	43	47	53	56	58	60	53
MAY	69	71	74	76	79	80	82	81	69	58	51	47	43	43	41	40	41	47	53	57	60	63	64	66	61
JUN	56	58	60	62	65	67	68	69	62	52	46	43	39	36	35	34	35	39	43	46	48	51	53	54	51
JUL	54	56	58	61	63	65	67	69	61	53	48	42	37	33	31	30	31	35	39	43	46	48	50	52	49
AUG	40	42	45	47	50	53	55	55	47	38	33	29	25	22	21	20	20	21	24	27	30	32	34	36	35
SEP	26	29	31	32	35	37	40	39	35	30	26	22	19	17	16	15	15	15	16	18	19	21	22	24	25
OCT	44	47	52	56	60	63	60	54	45	38	33	29	26	25	24	24	24	26	28	32	35	38	41	42	39
NOV	45	48	50	53	57	60	57	51	42	34	29	25	23	20	21	20	19	19	21	25	29	32	35	40	36
DEC	49	53	55	60	64	67	62	54	44	38	33	29	26	26	24	24	26	27	29	33	37	41	45	45	41
J/Y	52	55	57	60	63	65	65	62	53	45	39	35	32	30	29	28	29	31	34	38	41	45	47	49	45

317/474 UPINGTON WK ø 28°24'S λ 21°16'E H 836M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	40	39	42	45	45	50	50	46	41	34	29	25	22	21	19	19	20	21	23	25	26	27	30	33	32
FEB	56	57	60	62	65	68	68	61	54	46	40	35	33	32	32	30	28	30	33	37	44	48	51	55	47
MRT	40	42	46	48	52	56	59	56	47	39	33	29	26	23	22	21	20	21	23	27	30	33	37	39	36
APR	56	59	62	63	65	68	70	68	56	45	39	34	30	27	26	25	25	27	34	39	44	47	53	55	47
MAY	60	61	63	66	68	70	72	72	60	48	41	37	33	31	30	28	29	32	38	43	48	52	54	56	50
JUN	54	55	59	60	61	64	66	66	58	48	42	37	33	31	29	29	29	32	38	42	45	47	49	51	47
JUL	56	59	61	63	65	67	68	70	64	57	49	42	38	34	32	32	31	33	38	43	47	51	53	55	50
AUG	49	53	55	58	61	64	66	66	57	50	42	36	32	29	26	25	23	24	27	30	34	39	44	47	43
SEP	35	37	39	43	47	50	53	52	48	42	37	31	27	24	22	21	19	20	21	24	25	28	30	32	34
OCT	41	42	44	46	48	51	51	49	43	38	33	30	27	25	24	23	22	22	24	28	31	34	36	39	35
NOV	30	34	37	37	43	46	47	45	39	34	29	25	22	20	19	18	18	18	19	20	22	23	25	27	29
DEC	35	39	41	45	48	50	48	45	40	33	26	23	22	19	18	17	16	17	17	21	24	25	27	30	30
J/Y	46	48	51	53	56	59	60	58	51	43	37	32	29	26	25	24	23	25	28	32	35	38	41	43	40

419/182 KEETMANSHOOP SWA WK ø 26°32'S λ 18°07'E H 1064M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	39	41	43	46	48	50	51	48	43	36	30	27	23	21	19	21	21	20	20	22	27	31	33	36	33
FEB	51	53	54	56	58	62	64	59	52	45	39	35	31	30	28	27	28	28	32	35	40	43	45	49	43
MRT	39	43	46	48	50	53	56	54	48	41	35	30	27	25	24	23	23	25	27	29	31	33	35	38	37
APR	34	37	40	42	44	46	47	48	43	37	31	26	23	21	20	19	19	19	20	23	25	26	29	31	31
MAY	36	38	40	42	44	46	48	49	46	40	34	31	27	24	22	21	22	23	24	26	27	30	31	33	33
JUN	34	36	38	40	43	45	47	49	46	40	33	28	25	21	19	18	18	19	21	23	25	27	29	32	31
JUL	35	36	39	41	44	46	48	50	48	41	35	31	28	23	20	19	19	19	21	23	26	29	30	33	33
AUG	28	31	34	37	39	41	44	45	42	37	31	25	22	17	14	13	12	12	13	16	18	19	23	26	27
SEP	18	20	22	24	26	27	30	31	29	25	21	18	14	11	9	8	8	8	8	8	10	11	13	14	17
OCT	22	24	26	27	28	30	30	29	26	22	19	17	14	12	11	11	9	10	11	12	13	16	19	21	19
NOV	23	25	29	31	34	35	36	34	30	24	19	16	13	10	9	8	8	8	9	11	12	15	18	20	20
DEC	31	34	37	39	43	45	45	42	36	29	23	20	16	14	13	11	11	12	12	14	17	21	23	27	26
J/Y	33	35	37	39	42	44	45	45	41	35	29	25	22	19	17	17	17	17	18	20	23	25	27	30	29

476/398 JAN SMUTS WK ø 26°08'S λ 28°14'E H 1692M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	87	87	88	88	89	89	87	82	75	69	64	61	59	58	59	59	59	64	69	75	80	82	84	86	75
FEB	88	90	91	91	92	92	89	81	72	68	65	61	59	60	58	61	62	68	73	76	78	80	82	86	76
MRT	77	81	82	83	85	87	86	78	68	60	55	51	48	46	44	43	45	49	57	61	66	70	72	75	65
APR	77	77	77	80	83	84	84	81	70	63	56	53	52	50	50	50	53	60	65	68	70	72	73	74	68
MAY	74	76	79	81	82	83	83	79	68	60	52	47	45	43	42	43	46	53	57	60	64	66	69	71	63
JUN	66	69	71	73	75	75	75	74	65	57	49	43	39	37	35	36	40	46	52	56	58	61	63	64	57
JUL	59	61	65	66	69	71	71	71	59	51	41	36	32	31	30	30	31	37	42	47	51	54	57	58	51
AUG	48	50	53	55	58	60	62	59	50	43	34	29	25	24	23	22	23	25	29	32	35	38	43	46	40
SEP	59	61	62	62	63	64	64	59	52	47	40	36	33	30	30	30	30	32	37	39	44	49	53	57	47
OCT	75	77	78	79	80	83	77	69	60	53	49	46	44	42	41	42	43	45	51	55	58	63	68	71	60
NOV	82	84	85	86	87	86	80	73	66	62	56	55	52	48	48	49	51	55	63	67	72	75	80	81	68
DEC	77	80	83	84	85	84	79	73	67	61	57	54	51	48	46	45	48	53	57	63	67	69	72	74	66
J/Y	72	74	76	77	79	80	78	73	64	58	51	48	45	43	42	43	44	49	54	58	62	65	68	70	61

513/314A PRETORIA - WB**** ø 25°44'S λ 28°11'E H 1330M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	75	77	78	80	82	82	79	76	72	65	61	59	55	53	52	52	54	55	61	65	68	71	72	75	67
FEB	80	80	81	83	85	86	84	78	71	65	61	57	54	53	52	54	58	62	65	68	70	73	75	77	70
MRT	71	72	75	78	81	83	83	76	69	58	53	49	45	42	39	39	41	43	48	52	58	60	63	68	60
APR	80	82	82	85	85	87	87	83	74	64	57	52	50	48	47	47	50	54	58	65	69	74	77	80	68
MAY	74	76	79	81	83	84	85	82	71	60	53	46	42	41	40	40	42	46	50	55	61	65	68	71	62
JUN	70	72	75	77	80	82	83	81	72	61	52	44	40	38	37	37	38	43	47	52	57	62	65	68	60
JUL	63	66	69	71	74	76	79	77	65	53	45	38	35	33	32	31	31	34	36	41	47	51	56	59	53
AUG	47	49	52	55	57	59	61	59	53	42	36	30	28	25	23	22	22	24	25	28	32	37	41	44	40
SEP	53	57	60	62	65	67	66	63	55	45	40	35	31	30	28	27	27	28	31	33	38	43	47	50	45
OCT	63	66	69	70	72	73	71	66	60	53	48	43	41	38	36	35	36	38	40	44	49	53	56	60	53
NOV	75	77	79	81	83	82	76	70	64	58	53	49	47	44	42	42	44	48	52	58	62	67	70	72	62
DEC	71	73	76	77	78	80	76	72	66	60	55	50	46	43	42	41	42	44	47	50	57	61	63	66	60
J/Y	69	71	73	75	77	78	77	74	66	57	51	46	43	41	39	39	40	43	47	51	56	60	63	66	58

**** HT en HR ten opsigte van dak van gebou 19 m bo grondvlak
HT and HR refer to height above roof of building 19 m above ground level

GEMIDDELDE UURLIKSE WAARDES VAN VOGTIGHEID -%- MEAN HOURLY VALUES OF HUMIDITY

513/605 ROODEPLAAT AGR ø 25°35'S λ 28°21'E H 1164M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	92	93	93	95	96	96	88	81	74	68	66	64	62	57	56	59	59	66	74	83	91	90	92	92	79
FEB	92	93	93	95	96	96	91	80	73	67	63	59	56	54	53	56	63	68	78	86	91	92	91	91	78
MRT	86	88	91	93	93	94	91	78	65	58	53	50	46	43	42	43	44	51	64	75	79	82	82	83	70
APR	93	93	93	93	94	94	94	84	74	64	59	55	54	50	50	50	54	65	86	89	92	93	94	93	77
MAY	87	87	87	88	89	88	87	81	67	55	49	45	43	41	42	42	45	57	72	80	82	82	84	85	69
JUN	83	83	85	86	87	86	87	82	67	56	48	44	41	39	38	38	40	51	68	74	78	80	82	84	67
JUL	78	79	81	83	84	85	85	80	65	48	41	37	35	34	33	32	33	39	55	64	69	72	75	76	61
AUG	64	67	69	68	73	74	75	66	46	38	33	31	28	26	25	25	25	28	37	46	51	55	59	61	49
SEP	72	75	78	78	81	82	81	67	51	47	43	39	36	33	32	32	33	36	45	54	60	64	67	69	56
OCT	76	77	80	81	83	84	77	68	54	49	46	43	41	39	37	36	38	41	48	57	63	67	70	73	59
NOV	88	90	90	90	91	90	80	71	64	59	55	51	49	47	47	47	47	53	64	71	75	79	83	85	69
DEC	82	84	86	86	87	87	81	72	63	59	55	52	49	47	44	44	45	48	57	68	78	80	82	81	67
J/Y	83	84	85	86	88	88	85	76	64	56	51	47	45	43	42	42	44	50	62	71	76	78	80	81	67

677/802 PIETERSBURG WK ø 23°52'S λ 29°27'E H 1230M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	85	87	88	89	90	91	88	82	74	70	66	63	60	59	57	58	60	63	67	73	76	79	81	83	75
FEB	83	85	87	89	90	91	90	84	74	68	64	60	57	55	55	55	57	60	67	72	75	76	78	80	73
MRT	79	82	85	87	88	89	88	80	68	61	55	51	47	46	45	47	47	52	58	64	69	72	76	78	67
APR	86	87	88	89	89	89	89	90	78	69	62	58	55	52	51	50	52	59	73	68	77	80	82	84	73
MAY	81	82	84	85	86	86	87	83	70	61	55	50	46	44	44	43	46	54	61	65	69	73	75	78	67
JUN	75	78	80	82	84	84	85	82	71	59	53	48	45	42	41	41	43	48	55	61	64	67	70	73	64
JUL	67	70	72	73	74	76	78	74	65	52	46	41	39	37	36	36	37	41	46	51	55	59	61	64	56
AUG	60	63	65	67	68	68	69	66	56	46	41	37	34	32	31	31	31	35	39	44	48	50	52	56	50
SEP	66	68	71	73	74	75	75	71	63	55	48	44	41	39	39	39	39	42	46	50	53	57	61	64	56
OCT	73	75	78	81	82	83	81	73	66	59	54	51	49	48	48	48	51	54	58	62	64	66	68	71	64
NOV	84	84	85	86	87	86	82	77	73	68	64	61	59	57	57	57	62	66	72	77	78	81	82	84	74
DEC	80	81	83	84	84	83	79	72	65	60	57	53	52	50	49	50	51	53	61	67	70	73	76	79	67
J/Y	77	79	81	82	83	83	83	78	69	61	55	51	49	47	46	46	48	52	59	63	67	69	72	75	66

740/154 WINDHOEK SWA WK ø 22°34'S λ 17°06'E H 1728M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	54	56	58	60	61	63	64	61	49	41	37	33	30	28	29	31	34	37	42	43	47	52	53	55	47
FEB	80	81	81	83	82	80	81	76	66	59	54	50	49	47	51	56	59	61	65	69	74	77	78	81	68
MRT	57	59	60	60	60	61	61	58	49	41	36	33	31	30	31	31	31	34	38	43	48	51	53	56	46
APR	51	54	55	57	59	59	58	56	45	37	33	30	28	27	25	25	27	28	33	38	42	44	46	48	42
MAY	47	49	51	54	57	58	59	57	44	37	34	31	29	26	25	24	25	27	32	35	38	41	43	45	40
JUN	41	43	44	46	48	50	51	52	42	36	32	28	26	23	22	22	21	23	25	29	32	35	38	39	35
JUL	34	36	38	40	41	42	43	44	38	30	25	22	19	18	17	17	16	17	20	23	25	28	30	32	29
AUG	21	22	23	23	24	24	25	25	21	17	14	12	10	8	7	7	7	8	9	11	14	16	18	19	16
SEP	15	15	16	17	18	19	20	20	17	14	12	11	10	9	9	8	8	9	9	11	12	13	13	14	13
OCT	18	19	20	21	23	24	25	24	20	16	14	12	11	10	9	9	9	9	10	12	13	15	16	17	16
NOV	30	31	33	34	34	36	35	31	24	20	17	15	14	13	12	13	14	15	16	19	23	27	29	30	24
DEC	30	31	32	33	33	35	35	32	24	20	17	15	14	13	13	14	14	15	18	21	25	27	29	30	24
J/Y	40	41	43	44	45	46	46	45	37	31	27	24	23	21	21	21	22	24	26	29	33	35	37	39	33

784/839 J.G.STRIJDOM ø 22°29'S λ 17°28'E H 1720M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	56	61	62	64	68	69	71	62	53	44	39	36	33	31	30	32	31	34	36	41	46	49	52	55	48
FEB	81	83	82	83	84	84	86	81	72	64	57	54	51	50	53	54	54	60	64	70	74	76	78	80	70
MRT	66	68	69	68	71	72	74	71	56	47	40	37	36	34	35	38	38	39	44	53	59	63	66	66	55
APR	73	74	77	79	79	83	83	80	62	49	44	40	38	37	36	36	38	40	48	57	64	67	68	72	59
MAY	70	71	73	76	80	80	81	81	66	53	46	43	40	37	36	35	35	39	47	53	57	59	64	67	58
JUN	59	60	62	63	66	67	69	71	61	45	38	34	31	29	27	28	27	30	35	42	46	50	53	56	48
JUL	44	47	50	52	55	57	59	60	52	38	32	27	24	22	21	20	20	21	24	29	32	36	39	41	38
AUG	29	30	33	35	37	38	40	41	33	26	22	19	16	14	13	12	12	12	14	17	19	22	24	26	24
SEP	21	23	27	27	28	30	31	31	26	23	19	16	14	13	13	12	12	12	13	16	17	18	19	20	20
OCT	20	22	24	26	28	30	32	30	25	22	20	16	15	14	13	12	12	12	13	14	15	17	18	19	20
NOV	38	39	40	42	43	45	44	38	35	28	25	22	20	19	20	19	19	19	20	23	29	32	35	37	30
DEC	31	32	33	35	38	40	41	38	34	28	24	21	19	17	18	16	16	16	18	21	23	26	28	31	27
J/Y	49	51	53	54	56	58	59	57	48	39	34	30	28	26	26	26	26	28	31	36	40	43	45	47	41

1010/186 GROOTFONTEIN SWA WK ø 19°36'S λ 18°07'E H 1405M HT 1.2M

1971	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MS
JAN	78	79	82	82	84	86	86	77	69	61	56	54	50	48	48	48	50	55	58	64	67	70	73	75	67
FEB	91	92	93	94	95	94	95	91	83	74	69	65	62	60	60	59	60	63	69	80	86	89	91	91	79
MRT	79	79	80	81	82	84	86	80	65	55	50	46	43	41	40	42	43	45	52	62	68	72	74	77	64
APR	75	77	78	78	79	81	82	78	63	51	46	41	39	39	37	37	38	41	48	58	65	69	72	74	60
MAY	67	70	71	72	73	74	76	73	56	43	37	34	31	30	29	29	30	32	40	43	54	57	61	63	52
JUN	52	54	57	60	63	65	67	65	53	38	33	30	28	26	25	25	25	27	33	40	43	46	48	50	44
JUL	43	44	45	47	49	51	53	53	43	33	29	26	24	23	22	21	21	22	26	32	36	38	40	41	36
AUG	26	27	28	29	31	33	36	36	29	22	18	16	15	13	13	12	11	12	13	16	20	22	24	25	22
SEP	22	23	24	25	27	29	32	28	24	19	17	15	14	13	12	12	12	12	13	15	17	19	20	21	19
OCT	22	22	22	24	25	27	28	26	24	22	20	18	16	15	14	14	14	14	15	16	18	20	20	22	20
NOV	40	42	44	46	48	49	49	44	40	33	30	27	26	26	26	26	25	26	27	29	32	35	37	39	35
DEC	43	42	46	49	51	52	51	44	40	32	28	26	24	23	25	24	24	25	27	32	36	39	41	43	36
J/Y	53	54	56	57	59	60	62	58	49	40	36	33	31	30	29	29	29	31	35	41	45	48	50	52	45

Extreme temperatures, temperature and weather phenomena frequencies, wind data, mean 3-hourly values of atmospheric pressure, air temperature, relative humidity and total cloud amount, and also sunshine data for SANAE in the Antarctic for the year 1971.

Uiterste temperature, temperatuur- en weerverskynselfrekwensies, windgegewens, gemiddelde 3-uurlikse waardes van lugdruk, lugtemperatuur, relatiewe vogtigheid en totale wolkehoeveelheid, asook sonskyndata vir SANAE in Antarktika vir die jaar 1971.

The time of observation in this table refers to Greenwich Mean Time (G.M.T.). The daily maximum and minimum temperatures are taken as the highest and lowest temperatures in the period from midnight to midnight (0000 to 2400 hours G.M.T.).

A Norwegian type of screen, equipped with a fan, is used for housing the instruments. Air temperatures are measured by means of mercury, thallium and alcohol thermometers and humidity readings are derived from the records of a Foxboro temperature and dew-point recorder and sometimes also a hair hygrograph. Wind direction and speed are obtained from a Munro type cup anemometer recording indoors. For the measurement of sunshine a Fuess type recorder with two glass spheres and a built-in heater is used. Barometric pressure is obtained from an ordinary Kew type mercury barometer.

A list of the symbols used in this table together with their meanings, is given below :

Die tyd van waarneming in hierdie tabel is in alle gevalle Greenwich Gemiddelde Tyd (G.M.T.). Daaglikse maksimum- en minimumtemperature is geneem as die hoogste en laagste temperature in die tydperk van middernag tot middernag (0000 tot 2400 uur G.M.T.).

By hierdie stasie word 'n Noorweegse-tipe skerm, toegerus met 'n waaier, gebruik vir die huisvesting van die instrumente. Lugtemperature word gemeet met kwik-, tallium- en alkoholtermometers terwyl lugvogtigheid bepaal word met behulp van 'n Foxboro temperatuur- en doupuntregistreerder en soms ook 'n haarhigrograaf. Windrigting en -spoed word gemeet met 'n Munro-tipe bakkieswindmeter wat binneshuis registreer. Vir die meting van sonskyn word 'n Fuess-tipe meter met twee glasbolle en 'n ingeboude verwarmer gebruik. Lugdruk word met 'n gewone Kew-tipe kwikbarometer verkry.

Hier volg 'n verklarende lys van die simbole wat in hierdie tabel gebruik word :

Latitude	Ø	Breedtegraad
Longitude	λ	Lengtegraad
Elevation of station above mean sea level	H	Hoogte van stasie bo gemiddelde seespieël
Metres	M	Meters
Height of dry bulb thermometer above ground level	HT	Hoogte van droëbolltermometer bo grondvlak
Millibar	MB	Millibar
Percentage	%	Persentasie
Mean maximum temperature	$\overline{T}X$	Gemiddelde maksimumtemperatuur
Mean minimum temperature	$\overline{T}N$	Gemiddelde minimumtemperatuur
Mean temperature : $\frac{1}{2}(\overline{T}X + \overline{T}N)$	$\overline{T}M$	Gemiddelde temperatuur : $\frac{1}{2}(\overline{T}X + \overline{T}N)$
Highest maximum temperature	TXX	Hoogste maksimumtemperatuur
Date	D	Datum
Lowest minimum temperature	TNN	Laagste minimumtemperatuur
Lowest maximum temperature	TXN	Laagste maksimumtemperatuur
Highest minimum temperature	TNX	Hoogste minimumtemperatuur
Freezing rain		Vriesreën
Snow, snow pellets, snow grains, ice pellets and/or ice prisms		Sneeu, sneeukorrels, korrelsneeu, yskorrels en/of ysprismas
Fog and/or ice fog		Mis en/of ysmis
Drifting snow and/or blowing snow		Jagsneeu en/of hoë jagsneeu
Hoarfrost		Ryp
Rime		Buigryp
Solar and/or lunar halo		Son- en/of maanstralekrans
Solar and/or lunar corona		Son- en/of maanligkroon
Mirage and/or shimmering		Lugspieëling en/of glimmering
Aurora		Poollig
White-out		Witsig
Height of anemometer head above ground level	HA	Hoogte van windmeterkop op grondvlak
Frequency of wind direction	ND	Windrigtingsfrekwensie
Mean wind speed	VM	Gemiddelde windspoed
Means	MS	Gemiddeldes
Duration of sunshine	SS	Sonskynduur
No observations or no reliable observations	-	Geen waarnemings of geen betroubare waarnemings nie
Geopotential metres	GPM	Geopotensiale meters
Mean atmospheric pressure	P	Gemiddelde lugdruk

A / 619 SANAE***** φ 70°19'S λ 02°21'W H 53.6 M HA 6 M HT 1.2 M

EXTREME TEMPERATURES / UITERSTE TEMPERATURE

1971	$\bar{T}x$ °C	$\bar{T}N$ °C	$\bar{T}M$ °C	$\Delta\bar{T}M$ °C	TXX °C	D	TNN °C	D	TXN °C	D	TNX °C	D
JAN	0.0	- 5.3	- 2.7		4.1	11	-14.0	30	- 4.0	24	- 1.5	2
FEB	- 4.0	-14.2	- 9.1		3.7	7	-23.0	24	-12.7	27	- 5.0	16
MAR	-10.4	-18.5	-14.5		- 1.9	4	-33.6	26	-25.0	25	- 7.7	29
APR	-16.1	-25.8	-20.9		- 6.8	2	-40.4	25	-33.6	24	-10.0	2
MAY	-18.4	-26.6	-22.5		- 9.9	1	-43.8	23	-34.0	21	-12.5	26
JUN	-26.6	-38.8	-32.7		-10.6	15	-47.9	21	-40.5	10	-21.9	15
JUL	-25.1	-36.5	-30.8		-14.1	24	-47.9	31	-37.6	31	-22.1	24
AUG	-23.6	-34.7	-29.1		-14.9	22	-48.1	1	-36.0	7	-20.8	13
SEP	-21.0	-32.5	-26.7		- 8.8	25	-47.0	15	-36.4	14	-12.2	25
OCT	-15.2	-23.7	-19.5		- 9.8	23	-35.6	7	-19.9	11	-12.0	23
NOV	- 9.5	-19.4	-14.5		- 1.2	27	-27.9	10	-17.7	1	- 5.9	24
DEC	- 3.3	- 9.7	- 6.5		1.1	30	-16.1	9	- 6.1	12	- 4.7	22
J/Y	-14.4	-23.8	-19.1		4.1	-	-48.1	-	-40.5	-	- 1.5	-

NUMBER OF DAYS WITH / AANTAL DAE MET

1971	MAX TEMP >0.0	<-10.0	<-20.0	<-30.0	MIN TEMP <-40.0	<-30.0	<-20.0	>-10.0	☁	✳	≡	⛆	⌴	V	⚲	⚳	⚴	⚶	⚽
JAN	18	0	0	0	0	0	0	28	0	15	4	8	0	0	0	0	0	0	1
FEB	2	3	0	0	0	0	3	4	-	-	-	-	-	-	-	-	-	-	-
MAR	0	16	2	0	0	3	17	4	0	14	2	16	5	0	0	0	8	2	2
APR	0	22	7	1	1	11	21	0	0	13	3	21	1	1	3	1	11	1	1
MAY	0	30	6	3	3	10	20	0	0	12	2	29	0	0	1	1	3	4	2
JUN	0	30	24	11	14	23	30	0	0	11	6	14	3	0	2	1	4	3	0
JUL	0	31	24	8	11	23	31	0	0	15	6	27	0	0	2	0	2	6	3
AUG	0	31	21	4	9	20	31	0	0	9	7	32	3	1	2	2	12	6	2
SEP	0	29	20	1	6	19	25	0	0	18	4	31	0	2	1	3	11	6	4
OCT	0	30	0	0	0	7	22	0	0	16	2	37	0	1	3	0	9	1	0
NOV	0	15	0	0	0	0	17	7	0	11	0	17	0	2	1	0	22	0	5
DEC	1	0	0	0	0	0	0	17	0	15	8	26	0	8	2	0	6	0	0
J/Y	21	237	104	28	44	116	217	60	-	-	-	-	-	-	-	-	-	-	-

WIND ANALYSIS / WINDONTLEDING

WIND DIRECTION FREQUENCY ND AND AVERAGE SPEED VM IN M/SEC
WINDRIGTINGSFREKWENSIE ND EN GEMIDDELDE SPOED VM IN M/SEK

1971	N ND	N VM	NNE ND	NNE VM	NE ND	NE VM	ENE ND	ENE VM	E ND	E VM	ESE ND	ESE VM	SE ND	SE VM	SSE ND	SSE VM
JAN	13	3.0	10	3.2	22	4.6	40	7.7	340	8.2	99	6.3	59	4.5	15	3.6
FEB	2	3.9	8	2.6	2	3.9	15	9.0	54	9.5	129	8.1	144	6.5	100	5.6
MAR	0	0.0	0	0.0	3	3.6	3	4.5	1	12.4	18	7.9	195	13.7	111	10.8
APR	3	6.8	1	6.2	1	4.1	21	14.9	27	8.7	92	14.0	162	9.3	156	7.2
MAY	2	4.6	3	4.6	13	5.0	225	19.1	93	13.1	168	9.3	102	6.5	40	4.8
JUN	1	5.7	2	2.1	9	5.2	27	6.3	23	7.9	79	7.5	150	5.9	146	5.5
JUL	0	0.0	3	5.5	19	6.8	104	12.3	82	10.0	112	8.0	123	6.6	109	5.8
AUG	0	0.0	0	0.0	7	5.0	21	6.0	119	18.4	125	9.0	126	7.7	105	6.4
SEP	0	0.0	3	4.1	5	10.3	48	18.5	164	22.7	108	9.6	98	8.0	75	6.4
OCT	0	0.0	3	4.6	4	5.1	44	11.6	159	17.5	149	12.6	107	8.3	64	6.3
NOV	1	3.1	6	7.9	12	6.0	39	10.9	117	15.4	125	9.5	64	5.9	85	5.0
DEC	0	0.0	2	2.8	8	4.5	52	9.6	138	12.0	257	9.6	128	8.3	51	4.7
J/Y	22	3.9	41	4.2	105	5.5	639	14.1	1317	13.6	1461	9.5	1458	8.1	1057	6.4

1971	S ND	S VM	SSW ND	SSW VM	SW ND	SW VM	WSW ND	WSW VM	W ND	W VM	WNW ND	WNW VM	NW ND	NW VM	NNW ND	NNW VM
JAN	16	3.3	2	2.8	6	2.9	7	3.2	25	3.8	4	4.1	16	3.6	7	3.6
FEB	29	6.5	26	5.3	45	4.9	53	8.1	27	13.7	5	4.3	7	4.1	2	3.1
MAR	79	8.9	104	7.9	110	6.7	35	6.8	25	8.5	8	7.2	38	9.1	2	8.8
APR	70	6.3	56	5.3	34	3.8	43	3.5	13	5.0	0	0.0	1	5.7	1	7.2
MAY	17	5.5	17	4.4	2	2.3	7	3.4	4	5.8	13	7.1	4	4.8	6	4.6
JUN	75	5.6	48	5.5	10	5.5	18	5.6	29	6.1	6	4.0	3	4.3	0	0.0
JUL	39	5.8	13	5.0	11	4.3	7	6.9	25	7.3	10	7.6	12	5.5	5	7.2
AUG	109	6.2	25	7.3	41	11.6	8	8.1	10	6.4	12	7.7	5	8.0	0	0.0
SEP	54	5.6	44	5.8	16	4.8	10	4.5	20	8.0	34	7.7	5	8.6	2	5.4
OCT	26	4.7	31	6.5	28	5.9	14	7.7	29	9.3	33	8.6	2	2.6	4	7.1
NOV	57	5.5	63	4.8	44	5.3	16	5.1	21	7.2	25	6.4	13	3.9	1	3.1
DEC	31	5.2	27	4.3	26	4.6	3	3.8	5	3.4	2	3.1	1	3.6	1	4.1
J/Y	602	6.1	456	6.0	373	6.1	221	6.0	233	7.5	152	7.2	107	6.3	31	5.4

WIND SPEED FREQUENCY / WINDSPOEDFREKWENSIE

1971	0.0-1.0	1.1-1.5	1.6-3.3	3.4-5.4	5.5-7.9	8.0-10.7	10.8-13.8	13.9-17.1	17.2-20.7	20.8-24.4	24.5-28.4	28.5-32.6	32.7 +	M/SEC M/SEK
JAN	63	2	102	160	252	110	29	19	7	0	0	0	0	
FEB	24	16	51	151	266	76	35	40	13	0	0	0	0	
MAR	12	4	27	86	249	129	113	49	46	14	11	4	0	
APR	39	12	65	142	227	96	60	41	10	12	3	12	1	
MAY	28	5	27	113	135	108	103	37	88	78	21	1	0	
JUN	94	16	49	192	276	87	4	2	0	0	0	0	0	
JUL	70	4	38	142	253	127	53	36	15	5	1	0	0	
AUG	31	9	22	102	267	122	77	50	20	29	10	5	0	
SEP	34	7	26	125	178	114	55	26	48	25	26	23	33	
OCT	47	11	14	82	189	110	100	91	48	25	10	10	7	
NOV	31	6	44	184	231	71	72	37	19	11	13	1	0	
DEC	12	7	43	181	157	133	97	72	41	1	0	0	0	
J/Y	485	99	508	1660	2680	1283	798	500	355	200	95	56	41	

A / 619 S A N A E***** φ 70°19'S λ 02°21'W H 53.6 M HA 6 M HT 1.2 M

MEAN 3-HOURLY VALUES OF PRESSURE - MB - GEMIDDELDE 3-UURLIKSE WAARDES VAN LUGDRUK
P AT/BY 0 GPM

1971 GMT	03	06	09	12	15	18	21	24	MS	MAX	MIN
JAN	994.3	994.4	994.6	994.6	994.3	994.1	994.3	994.3	994.4	1009.2	980.4
FEB	988.7	988.6	988.7	988.7	988.4	988.1	988.3	988.3	988.5	998.4	971.8
MAR	983.3	983.2	983.3	983.5	983.4	983.5	983.8	983.9	983.5	1000.5	965.8
APR	991.0	991.0	991.1	991.3	991.3	991.6	991.5	991.5	991.3	1004.8	967.0
MAY	996.0	995.9	996.1	996.2	996.0	995.8	995.8	995.6	995.9	1013.4	973.8
JUN	988.3	988.0	988.2	988.4	988.7	989.0	989.2	989.4	988.7	1008.3	966.2
JUL	990.0	989.8	990.0	990.3	990.5	990.6	990.5	990.4	990.3	1006.9	976.5
AUG	990.5	990.3	990.5	990.6	990.7	990.8	990.7	990.5	990.7	1004.6	975.4
SEP	982.9	983.1	983.5	983.6	983.5	983.5	983.2	982.9	983.3	1001.1	960.3
OCT	981.2	981.4	981.5	981.4	981.0	980.8	981.1	981.2	981.2	997.9	957.3
NOV	984.3	984.4	984.5	984.5	984.6	984.6	984.9	985.1	984.6	999.1	958.9
DEC	991.7	991.7	992.0	991.9	991.7	991.6	991.7	991.8	991.8	1000.3	977.5
J/Y	988.5	988.5	988.7	988.7	988.7	988.7	988.7	988.7	988.7	1013.4	957.3

MEAN 3-HOURLY VALUES OF TEMPERATURE - °C - GEMIDDELDE 3-UURLIKSE WAARDES VAN TEMPERATUUR

1971 GMT	03	06	09	12	15	18	21	24	MS
JAN	- 3.4	- 3.0	- 1.6	- 1.0	- 0.6	- 1.4	- 2.9	- 3.6	- 2.2
FEB	-11.1	-10.5	- 8.6	- 6.0	- 5.0	- 6.0	- 9.2	-10.8	- 8.4
MAR	-14.9	-15.2	-14.4	-13.0	-13.0	-14.4	-15.6	-15.8	-14.5
APR	-20.7	-20.6	-20.2	-19.2	-19.7	-20.3	-20.3	-20.7	-20.2
MAY	-22.6	-22.6	-22.2	-22.1	-21.9	-22.3	-22.6	-22.6	-22.4
JUN	-31.7	-32.6	-33.2	-32.7	-32.2	-32.4	-32.5	-33.0	-32.6
JUL	-30.3	-29.8	-29.7	-30.4	-30.5	-31.1	-31.2	-30.9	-30.5
AUG	-29.4	-28.9	-29.3	-28.4	-28.6	-29.3	-29.3	-28.7	-29.0
SEP	-27.2	-27.4	-27.0	-25.2	-25.1	-26.1	-26.1	-26.5	-26.3
OCT	-20.1	-19.9	-18.8	-17.2	-16.3	-17.5	-19.4	-19.8	-18.6
NOV	-17.4	-16.7	-13.7	-11.2	-10.4	-11.1	-13.6	-15.6	-13.7
DEC	- 7.9	- 7.2	- 5.7	- 4.4	- 3.7	- 4.0	- 5.4	- 7.5	- 5.7
J/Y	-19.7	-19.5	-18.7	-17.6	-17.3	-18.0	-19.0	-19.6	-18.7

MEAN 3-HOURLY VALUES OF HUMIDITY %
GEMIDDELDE 3-UURLIKSE WAARDES
VAN VOGTIGHEID %

1971 GMT	03	06	09	12	15	18	21	24	MS
JAN	91	90	87	82	83	85	87	90	87
FEB	84	82	79	75	74	76	80	84	79
MAR	90	90	90	89	89	90	89	90	90
APR	90	91	91	90	90	91	91	91	91
MAY	94	94	94	93	93	93	93	94	93
JUN	91	90	90	89	90	90	90	91	90
JUL	94	94	93	93	93	93	93	93	93
AUG	92	93	92	92	92	92	92	93	92
SEP	93	93	93	93	93	93	93	94	93
OCT	93	93	93	92	92	92	92	92	92
NOV	92	91	90	90	90	91	91	92	91
DEC	94	93	93	91	91	92	93	95	93
J/Y	91	91	90	89	89	90	90	92	90

MEAN 3-HOURLY VALUES OF CLOUD AMOUNT IN OCTAS
GEMIDDELDE 3-UURLIKSE WAARDES VAN
WOLKSHOEVEELHEID IN AGSTES

1971 GMT	03	06	09	12	15	18	21	24	MS
JAN	6.7	6.3	6.5	5.9	5.5	5.6	5.9	6.1	6.1
FEB	3.2	3.5	3.8	3.7	3.1	3.4	3.4	3.4	3.4
MAR	5.8	5.8	5.8	6.0	5.6	5.4	5.3	5.1	5.6
APR	4.9	4.7	5.3	5.8	5.7	5.8	4.7	4.8	5.2
MAY	5.7	5.8	6.6	6.6	6.8	5.9	5.7	4.8	6.0
JUN	3.5	3.5	3.4	4.6	4.7	4.3	3.9	3.6	3.9
JUL	4.4	4.8	4.8	5.2	5.4	4.5	4.2	4.0	4.7
AUG	3.6	3.6	4.4	4.5	4.8	4.5	4.3	3.9	4.2
SEP	4.9	5.1	5.3	5.6	5.8	5.9	4.9	4.6	5.3
OCT	5.8	5.7	5.5	4.9	5.4	5.2	4.9	5.4	5.3
NOV	4.2	4.2	4.5	4.6	4.8	4.7	4.4	4.4	4.5
DEC	6.5	6.4	6.6	6.2	6.5	6.4	5.9	6.2	6.3
J/Y	4.9	4.9	5.2	5.3	5.3	5.1	4.8	4.7	5.0

S U N S H I N E I N H O U R S / S O N S K Y N I N U R E

MEAN DAILY DURATION - SS / GEMIDDELDE DAAGLIKSE DUUR - SS

1971	SS	% OF/VAN MAX	NUMBER OF DAYS WITH % OF POSSIBLE AANTAL DAE MET % VAN MOONTLIKE: NIL NUL	1- 10	11- 49	50- 89	90- 100	TOT DAE/DAYS
JAN	6.13	26	6	7	12	6	0	31
FEB	8.90	50	1	5	7	10	5	28
MAR	4.07	31	7	4	11	9	0	31
APR	2.00	24	15	3	4	5	3	30
MAY	0.19	07	19	1	1	0	1	22
JUN	SUN BELOW HORIZON 23 MAY - 20 JULY / SON AGTER HORISON 23 MEI - 20 JULIE							
JUL	0.00	00	11	0	0	0	0	11
AUG	2.08	31	11	1	11	7	1	31
SEP	3.41	30	14	2	3	11	0	30
OCT	6.86	43	13	0	3	10	5	31
NOV	11.38	51	5	3	4	13	5	30
DEC	6.82	28	4	9	11	6	1	31
J/Y	4.32	27	06	35	67	77	21	306

***** New base built February 1971 4 km south of old base. New height 53.6 m. Previous height 52 m
Nuwe basis opgerig Februarie 1971 4 km suid van ou basis Nuwe hoogte 53,6 m. Vorige hoogte 52 m

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
0/653	MARION EILAND - WK	4653	3752	22	196.0	27	194.6	25	159.5	26	255.3	27	242.3	30
0/681	GOUGH EILAND - WK	4021	0953	54	154.4	21	208.1	15	262.3	17	236.7	24	380.6	25
1/517	DANGER POINT - VRT	3437	1918	28	6.4	6	8.2	5	6.7	7	14.4	7	30.0	6
1/605	GANSBAAI	3435	1921	15	7.9	3	9.0	8	16.1	9	14.1	8	67.6	8
1/725	UILENKRAAL - BOS	3436	1925	45	11.5	4	11.5	4	11.1	6	24.0	6	50.1	7
2/ 69	PETERS GATE	3439	1933	61	2.0	2	9.0	2	9.1	1	36.6	6	45.1	6
2/256	QUOIN POINT - BOS	3446	1939	61	5.0	2	8.5	3	13.0	6	47.5	4	40.5	8
2/456	ELIM - POL	3436	1946	150	0.0	0	23.0	5	18.5	4	47.0	5	34.5	5
2/639	VOELVLEI	3439	1952	30	6.0	2	15.5	5	13.5	3	43.0	6	38.0	6
2/885	ZOETENDALS VALLEI	3445	2000	21	4.5	1	3.0	1	12.0	3	35.5	6	35.0	6
3/ 20	KAAP AGULHAS - VRT	3450	2001	6	2.3	4	7.6	7	16.3	10	38.9	10	34.8	9
3/ 32	BREDASDORP - POL	3432	2002	67	1.5	2	23.5	4	23.8	10	45.3	6	35.1	5
3/192	DE MOND - BOS	3442	2007	59	0.0	0	15.0	3	21.7	5	57.0	4	33.5	4
4/632	ROCKLANDS	3402	1822	30	-	-	0.0	0	0.0	0	13.5	5	73.5	4
4/694	SILVERMINE	3404	1824	442	51.5	5	16.0	3	43.5	6	75.0	9	112.5	10
4/702	KOGELFONTEIN	3412	1824	76	19.0	4	1.0	1	1.0	1	7.0	2	41.5	6
4/723	TOKAI - BOS	3403	1825	56	16.0	3	1.0	1	19.5	4	48.0	7	78.0	7
4/762	SIMONSTOWN - MUN	3412	1826	30	17.4	4	2.8	2	12.5	4	12.1	5	76.9	9
4/797	CAPE OF GOOD HOPE NATURE RSV	3417	1827	137	14.5	7	1.0	3	10.5	7	12.3	8	54.4	10
4/874	RONDEVLEI	3404	1830	30	2.8	3	0.4	1	9.0	2	9.3	5	66.3	8
4/891	KAAPPUNT - VRT	3421	1830	227	8.1	6	1.3	1	4.1	5	5.4	7	34.9	7
5/ 34	ZEEKOEVLEI	3404	1832	40	1.6	2	0.3	2	9.0	3	9.4	6	52.2	7
5/545	SOMERSET WEST - DYN	3405	1849	8	10.0	2	0.9	2	15.5	4	9.2	4	51.9	3
5/611A	STEENBRAS NO I - RSV	3411	1851	338	19.0	4	4.8	5	19.0	6	24.4	7	80.7	10
5/612	STEENBRAS NO II - RSV	3412	1851	533	29.0	4	9.6	6	23.6	6	39.5	8	100.0	10
5/640	STEENBRAS NO III - RSV	3410	1852	341	18.0	4	3.8	6	17.7	6	17.6	7	74.2	10
5/730	STEENBRAS NO IV - RSV	3410	1855	387	29.0	-	18.0	-	36.0	-	24.0	-	74.0	-
5/759	STEENBRAS NO V - RSV	3409	1856	422	23.0	-	10.0	-	23.0	-	19.0	-	66.0	-
5/771	BETTYS BAY	3421	1856	30	32.5	5	14.5	7	29.1	10	42.6	9	77.9	7
5/849	STEENBRAS NO VII - RSV	3409	1859	472	32.0	-	13.0	-	29.0	-	23.0	-	80.0	-
5/880	MORNING STAR	3410	1900	366	21.0	5	11.6	6	22.1	9	16.3	9	77.6	8
6/ 31	JONKERSHOEK - DISAVLEI - BOS	3401	1902	1372	102.0	-	75.5	-	100.9	-	141.5	-	220.7	-
6/ 39	GRABOUW - BOS	3409	1902	258	21.6	4	10.7	7	21.7	4	9.1	3	86.0	6
6/ 51A	KLEINMOND	3421	1902	15	20.4	5	4.6	3	25.7	9	18.0	7	60.5	6
6/ 65	NIEUWEBERG - BOS	3405	1903	650	16.3	5	13.6	4	40.5	8	22.0	6	143.0	5
6/167	HIGHLANDS - BOS	3417	1906	366	19.0	3	28.0	4	28.0	6	45.0	5	100.5	5
6/192	LEBANON - BOS	3412	1907	351	21.2	4	6.9	7	19.7	9	18.9	9	71.9	6
6/223	HAASVLAKTE - BOS	3413	1908	457	17.7	-	15.5	-	15.0	-	20.0	-	68.5	-
6/332	RUSTFONTEIN	3402	1912	366	8.5	3	4.5	1	24.5	5	13.5	3	95.1	6
6/415	HERMANUS - MUN	3425	1914	61	18.2	-	29.5	5	25.7	12	26.7	4	74.0	5
6/527	TUSSENBEIDE	3417	1918	168	-	-	7.1	2	6.9	4	9.2	2	52.9	6
6/534	WALKERS BAY - BOS	3424	1918	305	22.4	7	30.0	4	43.0	9	30.0	4	77.5	5
6/612	BOONTJIESKRAAL	3412	1921	137	0.0	0	4.0	4	15.5	7	4.7	4	39.0	6
6/658	MIERKOM - BOS	3428	1922	45	16.0	2	16.3	4	23.0	2	25.5	5	84.0	5
6/733	CALEDON - TNK	3413	1925	244	5.5	1	20.8	3	32.9	6	23.2	4	44.8	6
6/836	STANFORD - SKL	3426	1928	30	5.2	2	7.0	2	23.0	5	26.5	4	35.9	5
6/887	NOOITGEDACHT	3417	1930	152	2.2	4	9.5	4	25.1	7	19.3	5	56.8	7
7/ 50	DUNGHYE PARK	3420	1932	122	9.5	2	7.0	2	18.9	4	24.3	4	49.5	5
7/ 62	GENADENDAL - COL	3402	1933	305	8.5	1	60.1	6	32.7	7	66.5	4	63.8	6
7/106	YSBRANDSKOP	3416	1934	259	0.0	0	22.5	3	34.2	9	25.8	3	47.2	5
7/183	GREYTON - MUN	3403	1937	305	11.6	5	66.7	11	46.6	6	79.6	4	65.5	4
7/263	BOSKLOOF	3423	1939	152	0.0	0	19.5	4	14.5	2	26.5	2	37.5	5
7/311	WINDHEUWEL	3411	1941	182	1.4	1	20.9	5	31.1	-	32.5	-	47.5	7
7/699	BLYDSKAP	3409	1954	152	1.8	1	43.5	5	54.5	6	36.5	4	58.3	6
7/699A	TYGERHOEK - AGR	3409	1954	168	3.2	6	43.8	8	38.4	8	50.7	7	56.4	8
7/718	NAPIER - POL	3428	1954	150	2.6	3	16.0	4	21.7	6	49.8	6	37.1	5
7/828	KLIPDALE - SAR	3418	1958	170	0.0	0	13.0	2	26.0	5	28.5	2	34.0	4
8/136	PROTEM - SAR	3416	2005	268	0.0	0	26.3	4	30.5	5	54.0	3	45.0	4
8/367	KLEINFONTEIN	3407	2013	168	1.4	2	8.5	3	31.8	6	28.9	4	26.7	5
8/470	PLAATJESKRAAL	3420	2016	168	0.5	1	35.5	6	91.0	9	36.0	3	44.5	7
8/751	SWELLENDAM - BOS	3401	2026	122	21.5	2	152.3	8	100.8	5	186.3	4	105.5	4
8/782	SWELLENDAM - TNK	3402	2027	128	36.0	2	103.5	6	57.0	3	123.5	3	125.0	3
8/813	BONTEBOKPARK	3403	2028	110	24.0	2	56.5	8	40.6	7	123.4	7	63.8	5
9/ 62	BUFFELJAGSRIVIER - SKL	3402	2033	150	14.0	1	97.0	3	35.0	3	115.0	3	68.0	4
9/241	SUURBRAAK - COL	3401	2039	150	30.5	2	147.5	5	41.5	3	152.7	4	105.5	4
9/365	VAN REENENS CREST	3405	2043	299	11.0	2	74.1	8	64.7	6	87.2	3	81.3	6
9/430	OUDEKRAALSKOP	3410	2045	232	8.0	2	51.0	6	39.5	6	118.5	5	56.0	5
9/565	GRASKUG	3425	2049	152	17.5	3	59.9	6	23.4	6	152.0	6	43.7	6
9/783	BLACKDOWN	3403	2057	76	22.0	2	60.0	6	64.4	6	68.3	7	85.0	4
9/815	HEIDELBERG C/K - POL	3405	2058	84	35.0	1	53.0	6	69.0	4	55.0	3	54.0	4
10/ 36	MON TESTR	3406	2102	145	12.3	6	51.5	9	46.0	7	61.0	5	41.3	7
10/456	RIVERSDALE	3406	2116	117	9.1	7	73.5	8	53.5	7	97.0	6	49.1	6
10/742	STILBAAI - BOS	3422	2125	30	5.5	2	41.5	8	46.0	7	64.5	6	31.0	5
11/ 65	DIEPKLOOF	3405	2133	225	5.4	4	68.8	10	32.6	4	91.1	6	64.7	6
11/132	ALBERTINIA - POL	3412	2135	183	0.0	0	40.9	4	40.5	3	91.5	4	67.2	5
11/451	HERBERTSDALE - POL	3401	2145	152	6.0	1	38.5	5	31.5	4	69.0	5	26.5	3
11/617	DIE EILAND	3417	2151	46	9.5	2	85.0	5	36.5	5	114.0	4	152.2	5
12/215	KLEIN - BRAKRIVIER	3405	2208	6	11.3	18	50.5	17	33.7	13	71.6	13	56.9	20
12/220	MOSSELBAAI - MAG	3410	2208	76	18.5	2	26.1	4	33.2	5	43.2	4	148.3	6
12/251	CAPE ST BLAIZE - VRT	3411	2209	59	18.6	4	26.0	9	20.7	6	47.5	8	65.4	6
12/303	SANDMOOGTE - POR	3404	2211	163	32.4	7	88.7	10	33.6	6	53.2	6	63.7	8
12/393	GREAT BRAK RIVER	3403	2214	15	17.0	4	73.9	7	50.9	5	55.5	7	52.0	6
14/ 63	KNYSNA - TNK	3404	2303	30	34.0	10	85.0	10	64.5	9	91.3	7	106.5	7
14/393	HARKERVILLE - BOS	3403	2314	213	48.0	10	113.5	9	123.5	10	115.0	6	155.0	7
14/633	PLETTENBERGBAAI - POL	3403	2322	73	28.3	4	43.0	5	69.7	6	64.1	-	53.7	4

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
0/653	200.1	28	206.3	29	246.2	28	154.7	28	198.3	25	137.5	27	216.7	31	2407.5	331	-	2513.9	333	-
0/681	211.3	24	212.0	28	383.0	27	216.8	25	261.1	22	261.8	17	205.7	21	2993.8	266	-	3289.1	275	-
1/517	75.4	12	74.0	10	57.8	11	35.7	12	22.9	5	15.2	9	25.5	5	372.2	95	69	367.0	118	68
1/605	59.2	11	108.0	13	63.0	11	21.7	11	29.1	5	37.7	11	35.2	7	468.6	105	92	-	-	-
1/725	59.5	9	98.0	10	69.1	8	33.0	6	21.8	4	43.0	6	47.0	4	479.6	74	-	438.9	86	-
2/ 69	90.0	15	24.9	4	69.6	7	52.3	5	5.9	5	21.1	7	23.0	5	388.6	65	60	472.0	72	73
2/256	74.5	7	94.0	7	69.0	7	40.5	6	17.5	3	19.0	4	44.0	6	473.0	63	77	477.0	74	77
2/456	54.0	8	96.5	8	65.5	9	32.0	7	40.0	5	27.0	7	54.5	6	492.5	69	-	461.7	71	-
2/639	54.5	8	72.0	10	70.0	9	26.5	7	20.5	3	25.0	5	47.0	4	431.5	68	-	449.0	78	-
2/885	-	-	83.0	9	37.5	10	24.9	6	15.5	3	27.7	6	80.5	3	(359.1)	(54)	-	(332.5)	(30)	-
3/ 20	103.4	14	75.4	12	51.3	16	25.0	11	33.9	11	42.4	12	63.5	8	494.6	124	109	451.4	126	99
3/ 32	53.9	7	103.3	8	80.1	9	28.8	7	35.8	5	32.6	7	16.4	4	480.1	74	100	383.4	78	79
3/192	45.0	7	73.5	6	60.5	7	27.0	4	22.0	2	36.7	5	40.5	3	432.4	50	-	357.4	54	-
4/632	68.5	3	72.2	9	(156.8)	(13)	66.0	-	2.5	2	-	-	0.0	0	(453.0)	(36)	-	(490.7)	(61)	-
4/694	140.0	14	178.0	9	186.5	14	60.0	10	51.0	9	28.5	8	36.0	8	978.5	107	76	1292.1	125	100
4/702	104.9	15	78.0	8	78.5	14	13.0	5	22.5	6	8.5	2	6.6	2	380.9	66	-	521.6	89	-
4/723	132.7	12	130.5	9	137.0	13	48.0	9	46.5	9	15.0	3	23.0	4	695.2	81	71	909.5	99	92
4/762	118.8	13	88.1	9	99.9	13	29.6	10	34.8	6	18.5	4	20.0	5	531.4	84	66	680.2	99	84
4/797	120.6	17	64.2	17	82.6	19	31.0	11	18.2	9	12.9	8	23.2	8	445.4	124	-	571.1	151	-
4/874	93.4	13	115.6	8	113.2	15	30.9	8	14.0	7	3.3	2	7.2	4	465.4	76	-	566.4	95	-
4/891	76.8	18	38.9	9	49.9	16	34.9	10	6.5	7	3.7	6	24.6	7	289.1	99	81	313.5	122	88
5/ 34	104.2	13	110.8	9	91.4	17	28.6	12	19.9	8	10.9	3	9.3	3	447.6	85	-	554.1	94	-
5/545	70.9	10	52.9	6	94.1	14	26.5	8	23.8	6	11.0	4	5.2	3	371.9	66	60	481.9	69	78
5/611A	101.1	16	112.7	12	196.6	19	48.3	11	65.6	14	25.7	5	17.0	7	714.9	116	82	766.1	118	90
5/612	130.5	15	138.6	12	232.5	19	67.5	11	81.1	14	26.6	5	25.8	7	904.3	117	69	1024.0	118	78
5/640	111.8	16	108.7	12	191.4	19	48.9	11	57.9	14	19.4	5	20.0	7	689.4	117	76	766.4	119	84
5/730	115.0	-	153.0	-	182.5	-	65.0	-	44.0	-	32.0	-	29.0	-	801.5	-	80	926.5	-	93
5/759	109.0	-	97.0	-	153.0	-	62.0	-	30.0	-	27.0	-	21.0	-	640.0	-	70	736.0	-	80
5/771	119.5	12	139.0	11	151.1	18	47.5	12	47.0	7	29.2	11	28.0	12	757.9	121	-	1096.6	122	-
5/849	115.0	-	122.0	-	158.0	-	61.0	-	37.0	-	27.0	-	34.0	-	731.0	-	71	849.0	-	82
5/880	106.9	13	164.6	13	149.0	19	39.3	(14)	39.2	10	42.8	12	25.4	10	715.8	(128)	66	699.3	13	83
6/ 31	496.1	-	444.6	-	351.6	-	132.5	-	191.3	-	71.1	-	120.5	-	2448.3	-	76	2754.6	-	86
6/ 39	101.8	13	163.2	10	132.7	14	42.0	5	34.8	6	42.0	7	36.1	5	701.7	84	67	839.7	99	80
6/ 51A	73.3	9	86.0	11	75.0	11	33.0	8	35.9	6	23.4	10	14.9	6	470.7	91	-	588.4	91	-
6/ 65	196.5	10	371.5	10	237.2	18	35.5	5	77.2	5	43.8	6	29.3	6	1221.4	88	79	1338.7	92	87
6/167	104.5	6	183.5	8	123.5	12	61.0	8	99.0	9	37.5	4	18.0	1	847.5	71	89	677.6	70	92
6/192	83.2	11	127.2	11	113.5	17	24.7	9	40.3	8	30.5	11	19.1	6	577.1	110	88	650.6	117	99
6/223	86.5	-	122.0	-	90.0	-	37.5	-	48.5	-	24.0	-	27.0	-	572.2	-	90	616.2	-	93
6/332	88.6	10	153.6	10	124.7	14	13.9	5	19.5	6	25.4	5	22.7	2	594.5	70	73	607.5	72	75
6/415	88.7	11	94.5	10	88.4	10	36.7	8	40.7	6	23.2	9	33.7	-	580.0	(80)	82	636.5	(84)	90
6/527	59.8	9	79.8	10	76.7	8	32.3	8	17.8	5	12.0	4	10.5	2	(367.0)	(60)	-	(352.3)	(61)	-
6/534	81.5	10	133.1	9	97.5	10	30.5	5	36.0	3	28.5	4	37.5	3	647.5	73	-	662.1	84	-
6/612	50.9	8	47.5	10	95.9	13	11.4	4	16.1	5	50.3	8	20.0	6	355.3	75	92	273.8	70	71
6/658	82.5	6	109.5	5	93.5	6	40.0	4	39.0	3	12.0	3	28.0	1	569.3	46	-	575.0	65	-
6/733	60.5	6	77.5	8	105.3	10	24.5	3	33.5	3	22.2	5	14.2	3	464.9	60	86	433.4	50	60
6/836	46.2	5	97.2	8	77.2	7	26.3	7	39.6	5	20.0	4	25.3	1	431.4	55	78	432.3	65	78
6/887	58.6	10	76.6	8	112.6	12	27.4	6	34.5	4	22.7	4	16.4	2	461.7	73	-	451.7	90	-
7/ 50	69.3	9	93.6	8	96.5	5	28.4	6	29.5	3	14.5	3	27.0	1	468.0	52	109	429.8	60	100
7/ 62	65.6	9	117.5	6	109.2	6	25.5	3	0.0	0	121.5	5	66.5	4	739.4	57	113	538.2	70	82
7/106	48.5	10	88.5	10	96.0	10	19.7	5	29.5	5	27.3	7	73.6	4	512.8	71	103	418.5	75	84
7/183	62.1	7	117.6	9	104.0	12	23.4	-	34.5	-	67.5	7	87.1	9	768.4	(76)	-	586.1	84	-
7/263	47.5	7	85.5	8	110.0	8	36.0	7	48.5	4	19.5	3	38.0	1	485.0	51	97	373.5	47	75
7/311	44.5	9	83.8	12	86.9	14	23.3	(8)	29.5	7	29.7	7	30.8	-	461.9	(70)	124	336.6	(34)	90
7/699	39.6	9	71.5	9	87.4	9	13.5	7	11.7	3	52.3	6	21.7	4	487.3	71	114	410.2	69	96
7/699A	41.3	10	79.0	12	96.9	14	18.8	9	31.2	6	43.6	12	24.3	5	527.6	105	-	445.9	105	-
7/718	53.7	9	86.9	8	91.7	10	32.0	8	22.3	4	26.6	11	27.6	5	468.0	82	-	382.2	75	-
7/828	25.5	7	81.5	9	77.5	6	4.5	1	21.5	2	29.0	4	17.0	1	360.0	43	100	261.2	42	73
8/136	25.9	6	95.3	10	67.5	6	15.8	(5)	15.5	3	45.5	7	25.0	2	443.8	(55)	114	347.0	55	69
8/367	20.5	5	83.4	8	81.5	11	16.9	7	14.8	3	29.4	4	31.4	3	375.2	61	119	220.1	52	70
8/470	28.4	6	108.6	7	65.0	7	19.0	6	13.0	1	70.5	7	14.5	3	526.5	63	137	369.3	67	92
8/751	36.5	6	153.5	10	113.0	7	23.6	5	52.5	4	149.0	8	49.5	-	1144.0	(66)	137	918.5	66	110
8/782	40.3	3	99.5	5	-	-	9.5	1	43.5	2	74.5	5	15.0	1	(727.3)	(34)	-	727.8	37	95
8/813	34.5	6	108.0	9	88.0	9	15.0	6	20.0	2	50.0	7	21.5	3	645.3	71	-	538.2	69	-
9/ 62	29.0	4	110.0	10	84.5	7	20.5	4	23.5	2	55.5	3	19.0	1	671.0	45	-	561.0	36	-
9/241	46.2	4	127.8	8	81.8	7	27.0	4	25.0	3	120.7	6	16.5	2	922.7	54	-	736.4	43	-
9/363	40.1	6	133.5	8	88.4	9	21.5	6	19.0	2	78.8	9	15.4	2	715.0	67	111	562.9	59	88
9/430	31.2	7	118.2	10	74.5	8	5.6	4	16.4	4	60.7	8	7.7	3	569.3	66	150	429.3	60	113
9/565	56.8	9	141.8	10	79.1	10	14.8	4	13.5	1	38.0	-	4.4	2	645.4	(63)	-	519.1	70	-
9/783	32.3	5	94.5	8	76.2	7	14.5	1	30.5	2	75.0	7	19.0	3	641.7	53	153	547.3	58	131
9/815	24.5	4	73.0	5	66.5	5	12.5	-	26.0	2	58.5	7	6.5	1	533.5	(42)	131	470.0	46	115
10/ 36	25.7	10	72.0	10	68.5	11	13.2	9	30.6	6	51.0	10	11.4	8	485.5	103	-	424.8	96	-
10/456	38.5	10	100.5	10	68.5	11	11.7	5	34.5	4	64.5	10	13.6	9	613.9	93	133	502.4	83	109
10/742	71.0	9	84.3	9	79.5	12	18.5	6	15.0	4	53.5	8	1.0	1	513.3	77	119	454.2	81	105
11/ 65	23.6	10	89.2	9	78.2	10	5.2	3	17.7	4	39.1	7	23.4	7	538.9	80	-	434.8	79	-
11/132	44.5	5	130.3	7	68.6	6	15.5	3	13.0	1	71.5	5	19.0	2	602.0	45	144	425.0	41	102
11/451	16.5	4	78.0	7	109.0	8	3.0	1	17.0	1	46.2	4	4.0	1	475.2	46	-	365.5	40	-
11/617	31.2	7	78.0	6	53.0	6	0.0	0	19.0	2	64.0	4	27.5	4	622.9	50	170	526.4	42	144
12/215	27.8	29	111.5	28	73.4	18	10.2	17	15.3	13	73.3	18	26.4	11	561.0	215	-	445.0	198	-
12/220	47.6	8	91.0	9	61.3	6	16.5	5	20.5	2	50.0	7	14.4	4	576.4	62	109	519.7	53	98
12/251	42.0	10	88.6	12	73.6	10	14.9	7	14.1	2	45.6	9	5.9	2	482.9	85	116	420.6	87	101
13/303	24.7	8	134.1	9	89.4	11	12.1	7	21.9	6	64.3	13	20.2	5	666.2	93	149	549.6	90	[illegible]
13/333	25.0	5	142.0	9	111.0	9	3.5	1	36.5	2	73.5	8	27.5	3	678.3	66	134	549.3	66	108
14/ 63	64.0	10	152.5	9	113.9	11	8.0	3	42.0	2	100.5	8	8.5	6	668.3	89	116	658.7	94	116
14/393	81.2	7	211.6	11	173.9	14	53.0	6	82.5	(3)	226.0	8	54.0	7	1448.4	(102)	145	1300.7	96	130
14/533	68.0	6	111.5	5	122.2	8	15.0	3	53.3	3	141.8	7	9.0	2	611.4	60	125	734.6	67	116

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
15/692	STORMSRIVIERMOND	34°02'	23°54'	4	36.0	8	77.5	9	111.9	10	134.5	6	167.9	7
16/484	KLIPDRIFT	3404	2417	152	39.7	5	65.2	10	49.4	13	281.3	8	134.8	6
16/782	KROMRIVIER LOT 563 - BOS	3402	2427	335	79.9	8	78.3	8	69.5	7	445.8	5	133.0	-
17/452	HUMANSDORP - POL	3402	2446	152	24.3	6	43.0	6	55.3	7	193.3	10	95.4	6
17/582	CAPE ST FRANCIS - VRT	3412	2450	7	22.7	11	29.6	9	32.7	11	146.7	10	105.9	8
17/723	JEFFREYS BAY	3403	2455	6	18.5	6	42.2	7	40.5	7	89.5	6	84.5	9
20/649	ROBBEN ISLAND - VRT	3349	1822	6	0.3	1	0.0	0	5.8	3	7.4	9	46.0	3
20/685B	CAPE TOWN - FRESNAYE	3355	1823	60	14.7	4	0.1	1	12.8	5	21.1	9	37.9	6
20/689	TABLE MTN - WOODHEAD TUN	3359	1823	686	52.3	6	0.0	0	23.9	4	96.7	7	188.0	10
20/719	TABLE MOUNTAIN - DISA HEAD	3359	1824	747	50.8	-	7.5	-	38.5	-	173.8	-	144.5	-
20/719A	TABLE MOUNTAIN - KASTEELPOORT	3359	1824	742	35.1	-	1.0	-	15.2	-	99.3	-	121.5	-
20/719B	TABLE MOUNTAIN - WOODHEAD DAM	3359	1824	747	54.7	6	2.5	1	30.9	5	138.8	7	172.5	10
20/719C	TABLE MOUNTAIN - HOUSE	3359	1824	761	52.2	6	3.2	1	27.1	4	137.2	8	105.8	6
20/746	TABLE MTN - LOWER RSV	3356	1825	88	6.9	4	8.6	1	10.7	3	33.2	7	67.6	8
20/746A	TABLE MOUNTAIN - MOLTENO RSV	3356	1825	93	7.2	4	8.5	1	14.3	4	43.0	7	70.0	8
20/747	TABLE MOUNTAIN - PLATTEKLIP	3357	1825	168	10.5	4	9.5	1	16.4	4	65.5	7	90.9	8
20/748	TABLE MOUNTAIN - WAAIVLEI	3358	1825	975	31.0	-	0.5	-	12.8	-	55.5	-	105.2	-
20/748A	TABLE MOUNTAIN - ST MICHAELS	3358	1825	930	74.5	-	2.5	-	39.6	-	167.5	-	185.6	-
20/748B	TABLE MOUNTAIN - WAAIKOPJE	3358	1825	945	51.5	-	4.0	-	25.0	-	234.9	-	148.5	-
20/764	MELKBOSSTRAND	3344	1826	15	4.1	2	0.0	0	10.4	3	6.5	7	33.8	5
20/776	CAPE TOWN - FIRE STATION	3356	1826	53	7.0	4	0.0	0	8.3	3	29.1	6	55.8	7
20/778	TABLE MTN - MACLEARS BEACON	3358	1826	1092	58.0	-	3.5	-	17.0	-	53.4	-	133.3	-
20/779	KIRSTENBOSCH - BOT	3359	1826	89	30.1	5	0.0	0	44.4	3	55.1	7	116.2	9
20/838F	CAPE TOWN - GROOTE SCHUUR	3358	1828	45	31.6	4	0.1	1	23.1	5	38.9	5	134.9	10
20/839	CLAREMONT - PARADISE ESTATE	3359	1828	30	24.0	3	0.2	1	32.1	3	46.0	7	101.9	6
20/841	MAMRE - COL	3331	1829	165	2.0	1	1.5	1	7.5	2	1.5	1	15.5	3
20/866	CAPE TOWN - ROYAL OBSERVATORY	3356	1829	12	9.5	3	0.0	0	6.6	3	20.0	6	56.4	5
20/896	CAPE TOWN - PINELANDS	3356	1830	18	7.0	1	0.0	0	6.5	2	14.5	2	46.0	5
21/ 55	CAPE TOWN - MAITLAND - CEM	3355	1832	15	8.5	4	0.0	0	7.5	2	17.5	7	54.5	5
21/ 81	BOSMANSDAM	3351	1833	100	6.3	5	3.0	2	13.2	4	6.5	5	55.0	6
21/105	KOEBERG	3345	1834	60	6.0	3	0.0	0	9.5	2	9.0	5	39.5	3
21/130A	PHILADELPHIA - POL	3340	1835	150	0.0	0	0.0	0	5.0	1	3.0	2	21.0	2
21/178	D F MALAN - WK	3358	1836	44	9.1	5	0.9	3	10.2	3	16.0	6	47.4	8
21/204	BELLVILLE - SAR KWEKERY	3354	1837	70	15.0	3	2.0	2	13.3	3	17.5	5	56.4	4
21/230	ALTYDGEDACHT	3350	1838	183	10.4	4	0.0	0	15.6	3	19.8	5	66.1	6
21/235	BELLVILLE - BOS	3355	1838	61	5.7	2	0.0	0	11.5	2	7.4	3	49.2	7
21/260	DURBANVILLE - POL	3350	1839	157	6.5	2	3.2	1	14.4	3	46.1	5	61.3	4
21/330	EERSTERIVIER - BOS	3400	1841	30	4.5	2	2.3	2	10.5	2	11.5	4	45.0	4
21/441	KRAAIFONTEIN - BOS	3351	1845	122	5.5	1	1.0	1	15.0	4	20.5	6	53.8	6
21/591A	ELSENBURG 11 - AGR	3351	1850	162	4.7	4	0.2	1	15.7	4	11.6	6	67.0	6
21/655	STELLENBOSCH - TNK	3355	1852	107	9.5	3	1.0	1	17.5	3	10.5	2	77.0	4
21/778	JONKERSHOEK - BOS	3358	1856	274	19.4	4	0.0	0	28.6	4	22.6	9	107.2	8
21/793	PAARL - AGR	3343	1857	166	4.4	4	3.6	2	34.1	7	17.1	9	56.1	7
21/809	JONKERSHOEK - 2D	3359	1857	314	27.5	4	0.9	0	40.3	5	41.2	9	139.1	8
21/809	JONKERSHOEK-2D-NIPHER SHIELD	3359	1857	314	29.2	-	0.0	-	39.8	-	42.1	-	142.9	-
21/823	PAARL - TNK	3343	1858	166	0.0	0	3.5	1	32.5	4	17.5	3	56.5	5
21/838	JONKERSHOEK - 4M	3358	1858	701	62.5	-	2.1	-	64.8	-	89.2	-	158.5	-
21/838	JONKERSHOEK-4M-NIPHER SHIELD	3358	1858	701	84.0	-	15.5	-	82.5	-	91.0	-	177.3	-
21/860	BIEN DONNE - AGR	3350	1859	138	4.0	4	1.0	1	31.3	6	18.6	9	52.4	5
21/878B	WELLINGTON - MUN	3338	1900	116	1.2	2	3.0	1	31.5	5	9.8	6	32.7	5
21/892	GROOT DRAKENSTEIN	3352	1900	146	1.4	1	0.0	0	36.0	4	32.5	3	70.5	4
21/900	JONKERSHOEK - 3M	3400	1900	472	57.1	-	19.0	-	60.4	-	74.6	-	160.2	-
21/900	JONKERSHOEK-3M-NIPHER SHIELD	3400	1900	472	71.2	-	19.6	-	63.7	-	80.4	-	174.2	-
22/ 4	WELBEDACHT	3334	1901	159	0.0	0	2.5	1	27.5	4	11.8	5	28.0	3
22/ 29	JONKERSHOEK - VIRGIN PEAKS	3359	1901	1006	63.2	-	24.0	-	67.4	-	84.4	-	109.1	-
22/ 30	JONKERSHOEK - JONKERSNEK	3400	1901	1219	106.5	-	50.4	-	114.6	-	160.3	-	217.3	-
22/ 38	VRUGBAAR	3338	1902	168	7.7	3	3.5	2	32.6	5	9.5	5	43.0	5
22/ 99	ONVERWACHT	3339	1901	183	4.0	2	1.0	1	37.0	4	8.0	2	42.0	3
22/113	LA MOTTE - BOS	3353	1904	223	0.3	1	0.0	0	27.5	4	12.0	5	55.0	5
22/148	ROBERTSVLEI - BOS	3358	1905	610	13.5	1	0.0	0	63.0	5	96.0	5	216.7	4
22/368	SWARTVLEI	3338	1913	274	0.0	0	0.0	0	33.0	3	1.0	1	85.0	5
22/471	STETTYNSKLOOF	3351	1916	305	5.0	2	9.0	4	28.0	6	10.5	7	62.0	9
22/504	WELGEGUND	3354	1917	610	0.0	0	0.0	0	26.3	5	13.0	1	77.5	4
22/521	RAWSONVILLE - POL	3341	1918	259	2.5	1	0.0	0	24.0	2	0.0	0	44.0	2
22/539	VILLIERSDORP	3359	1918	366	6.2	2	2.2	2	17.6	4	19.2	3	72.4	6
22/709	DE GRIP	3349	1924	275	5.2	2	2.6	2	28.5	4	2.5	1	19.5	2
22/759	WORCESTER - TNK	3339	1926	221	0.5	1	0.0	0	29.5	5	12.4	3	27.0	3
22/792	BRANDVLEI DAM	3342	1927	213	0.0	0	0.0	0	33.0	4	6.0	2	23.8	3
22/803	DOORNRIVIER	3353	1927	296	0.0	0	0.0	0	16.0	2	14.6	1	26.4	2
23/100	ONDERPLAAS	3340	1934	241	0.0	0	0.0	0	16.5	2	7.0	1	17.0	1
23/317	VERGELEGEN	3347	1941	230	0.0	0	-	-	16.6	2	17.5	2	16.0	2
23/597	MC GREGOR - POL	3357	1950	259	0.7	2	1.4	3	14.5	3	23.2	3	29.7	4
23/602	SOUTRIVIER	3332	1951	1097	0.7	1	4.5	2	8.5	5	23.7	4	23.7	5
23/611	CONCORDIA	3341	1951	884	0.0	0	10.8	5	18.5	4	83.5	3	56.5	4
23/674	DASSIESHOEK	3344	1953	457	3.7	5	53.6	9	47.9	7	123.5	6	45.5	7
23/678	ROBERTSON - TNK	3348	1953	183	0.2	1	3.6	4	23.0	4	51.3	6	25.5	4
23/678A	ROBERTSON - SKL	3348	1953	183	0.2	1	4.6	3	26.5	6	53.5	5	26.3	8
23/710	ROBERTSON - AGR	3350	1954	156	0.8	2	3.1	4	25.1	6	35.5	5	23.8	7
24/110	ASHTON - POL	3350	2004	165	1.5	1	24.6	5	19.5	4	60.1	3	31.0	4
24/146	BONNIEVALE - SKL	3356	2005	145	4.0	1	12.4	4	25.0	3	95.0	2	17.7	3
24/197	MONTAGU - POL	3347	2007	223	1.0	1	6.5	2	12.9	4	31.6	4	41.4	4
25/162	BELLAIR DAM	3342	2036	533	24.8	1	2.0	1	11.0	2	11.3	2	14.1	5
25/414	BARRYDALE - POL	3354	2044	290	11.5	1	9.5	2	23.0	5	20.0	1	34.5	5
25/451	ANYSBERG	3331	2046	457	3.6	1	15.3	2	34.4	4	26.1	5	13.1	3
25/599	STRAWBERRY HILL - BOS	3358	2051	442	67.4	10	193.5	12	99.8	7	170.6	8	114.4	7

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
15/692	81.6	6	150.0	9	154.1	11	34.9	6	60.0	5	145.8	8	25.8	5	1200.0	90	-	1057.3	92	-
16/484	132.7	5	134.5	12	178.6	13	27.0	4	100.0	4	114.0	6	32.0	4	1289.2	90	136	1250.5	102	132
16/782	114.5	6	143.5	-	207.5	-	37.5	3	83.8	7	109.4	9	26.7	7	1529.4	(60)	-	1488.7	(91)	-
17/452	52.3	6	139.2	13	167.5	11	18.0	7	43.3	9	73.7	9	21.5	5	926.6	95	134	781.3	82	113
17/582	100.5	9	123.2	12	103.6	13	46.3	12	31.2	7	77.1	15	21.4	11	840.9	128	125	651.7	130	127
17/723	43.1	7	78.5	7	129.0	9	6.0	2	32.0	4	48.1	4	15.0	1	626.9	69	117	574.1	84	107
20/649	46.6	10	61.0	6	69.3	12	13.8	9	8.7	6	1.7	1	3.1	3	263.7	63	62	355.5	79	84
20/685B	77.3	15	73.1	10	90.0	16	45.7	9	20.3	8	2.6	3	13.5	6	409.1	92	-	561.1	110	-
20/689	198.1	15	190.5	9	183.3	14	58.2	13	95.8	15	20.1	7	84.3	9	1131.2	109	94	1483.0	117	116
20/719	219.9	-	181.3	-	219.7	-	92.0	-	97.0	-	22.0	-	67.0	-	1314.0	-	79	1874.6	-	112
20/719A	211.8	-	187.3	-	189.0	-	78.0	-	74.5	-	20.0	-	72.0	-	1104.7	-	73	1402.5	-	93
20/719B	200.0	15	205.1	10	225.0	15	88.4	13	101.7	15	24.0	5	97.7	10	1341.3	112	83	1572.2	124	97
20/719C	195.0	15	202.6	9	228.2	14	79.5	13	98.2	15	27.2	8	93.5	10	1249.7	109	71	1414.0	116	81
20/746	54.4	13	157.0	11	105.4	13	49.1	10	43.8	9	3.3	3	27.6	7	567.6	89	69	714.3	107	86
20/746A	58.6	13	166.3	11	110.8	13	49.7	10	42.8	10	3.5	3	23.8	7	598.5	91	72	726.7	108	87
20/747	82.0	13	220.0	11	145.3	14	60.5	10	57.2	11	6.8	4	37.6	6	802.2	93	73	906.3	110	83
20/748	206.5	-	195.2	-	188.7	-	76.0	-	99.0	-	22.3	-	65.0	-	1057.7	-	65	1533.2	-	95
20/748A	291.0	-	208.5	-	273.4	-	103.5	-	148.5	-	28.5	-	122.0	-	1645.1	-	92	2201.4	-	124
20/748B	260.9	-	191.5	-	171.0	-	84.5	-	104.0	-	37.0	-	105.4	-	1418.2	-	87	1800.0	-	110
20/764	34.9	8	57.0	7	65.8	11	19.9	5	14.9	4	4.3	2	2.6	2	254.2	56	-	326.6	[illegible]	-
20/776	87.8	16	96.0	10	90.0	14	37.8	11	32.7	9	12.5	3	11.4	4	468.4	69	76	623.5	108	85
20/778	223.9	-	197.7	-	197.5	-	76.0	-	94.5	-	25.0	-	104.0	-	1183.8	-	60	1576.5	-	79
20/779	214.3	15	210.8	13	265.1	18	53.0	11	67.7	11	13.6	5	48.8	7	1119.1	104	79	1288.6	115	91
20/838F	85.4	14	199.9	10	175.9	13	62.8	10	61.5	4	11.0	2	82.6	4	907.7	82	-	1133.9	103	-
20/839	214.0	11	170.5	9	229.7	-	44.7	8	54.5	9	8.1	4	31.3	7	957.0	(68)	72	1140.7	94	56
20/841	34.0	6	77.5	6	71.0	10	14.0	5	3.0	2	1.5	1	5.0	1	234.0	39	-	233.7	39	-
20/866	(57.6)	-	86.9	11	82.6	14	76.8	8	24.0	6	4.3	2	12.6	7	(437.5)	(65)	-	(526.2)	(90)	-
20/896	72.5	7	80.0	6	77.5	10	22.5	2	18.0	3	0.8	1	10.1	2	357.4	41	57	496.0	(49)	79
21/ 55	67.5	9	76.2	9	83.5	11	24.5	5	20.0	6	2.0	1	14.7	5	376.4	64	77	435.5	63	89
21/ 81	62.7	10	28.5	4	76.0	13	20.3	5	15.5	7	2.0	2	22.0	4	311.0	67	-	379.7	70	-
21/105	44.5	7	65.5	7	85.5	12	18.5	3	19.0	4	6.0	1	0.0	0	303.0	47	-	357.5	70	-
21/130A	29.5	5	59.8	8	56.1	8	15.5	4	10.0	2	4.5	1	0.0	0	204.4	33	-	230.9	30	-
21/178	57.9	14	60.3	10	85.8	16	29.6	11	23.4	14	3.4	4	15.5	6	361.5	100	63	483.4	110	64
21/204	63.0	5	97.2	10	90.9	11	16.9	4	16.4	5	1.1	1	0.0	0	391.7	53	-	431.7	46	-
21/230	82.8	10	89.1	7	79.4	10	26.4	4	16.2	5	4.0	1	19.5	2	429.3	57	74	521.9	68	90
21/235	60.6	8	76.5	8	74.8	12	18.9	5	12.2	5	3.0	3	8.5	6	328.3	61	68	418.3	72	66
21/260	80.5	8	50.1	6	88.2	9	(14.8)	-	27.0	4	3.5	1	17.0	3	(412.6)	(46)	-	547.5	45	87
21/330	57.5	7	86.0	8	87.5	8	27.0	5	31.0	7	5.0	3	1.5	1	369.3	53	70	439.3	59	83
21/441	74.3	10	84.2	9	95.5	15	19.3	7	21.4	9	2.7	2	11.5	5	404.7	75	80	494.1	83	98
21/591A	63.9	10	77.2	8	89.7	16	26.6	9	28.5	10	3.5	3	10.3	5	398.9	83	-	465.3	88	-
21/655	95.0	10	87.5	5	110.5	11	31.7	6	35.0	6	8.5	3	23.0	4	506.7	56	70	632.7	63	68
21/778	121.8	14	140.7	12	172.7	23	48.5	14	54.2	11	25.9	5	27.0	8	768.6	112	69	896.9	111	81
21/793	110.1	11	125.3	10	169.8	15	24.2	9	28.5	11	2.5	2	17.6	5	593.3	92	58	636.9	103	62
21/809	176.2	13	199.1	9	244.7	20	80.3	11	110.9	11	30.7	5	36.6	7	1126.6	102	74	1229.6	108	81
21/809	180.2	-	203.8	-	250.5	-	81.7	-	113.8	-	32.2	-	37.2	-	1153.4	-	-	1306.8	-	-
21/823	112.7	9	119.0	8	168.5	12	24.0	4	26.0	6	5.0	1	17.5	5	584.7	56	68	636.7	63	74
21/838	410.4	-	280.5	-	283.1	-	75.1	-	97.9	-	20.1	-	71.0	-	1615.2	-	72	1767.0	-	80
21/838	453.9	-	344.5	-	303.9	-	66.8	-	110.8	-	26.0	-	69.5	-	1827.7	-	-	1951.4	-	-
21/860	102.1	12	93.2	11	137.7	17	34.6	8	24.3	9	6.6	4	21.1	8	527.1	94	-	635.1	99	-
21/878B	111.2	12	80.3	5	121.7	17	10.7	5	16.6	6	3.0	1	10.3	4	434.0	73	-	499.0	91	-
21/892	135.5	8	125.5	7	144.0	10	45.5	4	26.0	3	13.0	2	28.5	4	658.4	50	70	667.1	59	74
21/900	210.7	-	198.0	-	243.8	-	61.5	-	142.2	-	43.1	-	68.3	-	1349.4	-	63	1667.6	-	78
21/900	269.5	-	294.4	-	348.8	-	66.0	-	145.5	-	39.1	-	72.5	-	1646.9	-	-	1924.3	-	-
22/ 4	80.0	7	106.0	6	131.0	12	18.0	2	15.0	3	14.0	3	23.5	3	457.3	49	77	425.0	54	71
22/ 29	385.3	-	360.6	-	291.5	-	88.8	-	114.7	-	30.3	-	49.0	-	1726.3	-	73	1891.3	-	79
22/ 30	595.5	-	320.5	-	371.4	-	130.5	-	173.9	-	51.3	-	106.5	-	2395.7	-	68	2965.4	-	84
22/ 38	28.2	6	97.8	8	147.3	14	25.9	6	20.6	6	4.2	2	24.3	7	444.7	69	59	453.5	82	61
22/ 99	133.5	-	99.0	-	141.0	12	24.5	5	22.5	7	5.0	1	9.2	3	526.7	(40)	76	592.4	(31)	86
22/113	103.0	9	161.2	9	151.1	12	23.1	4	22.5	2	2.9	2	40.0	4	598.6	57	74	677.1	73	84
22/148	323.7	6	372.5	8	406.0	11	95.0	2	78.0	1	19.5	1	32.0	1	1715.9	45	-	1695.7	34	-
22/368	135.5	8	144.5	9	137.5	5	0.0	0	48.5	4	17.5	4	21.0	4	621.5	40	61	779.0	51	75
22/471	37.1	12	181.9	11	153.5	19	7.6	13	3.9	8	3.9	9	12.4	6	514.8	106	-	566.8	96	-
22/504	69.0	7	127.5	6	91.0	9	5.0	3	0.0	0	13.5	2	10.0	1	434.6	38	61	559.0	36	76
22/521	30.5	7	100.5	2	102.5	9	0.0	0	11.0	2	4.0	1	0.0	0	319.0	26	52	365.8	26	60
22/539	77.0	8	143.8	10	104.5	14	14.6	4	24.4	5	20.4	7	10.7	4	513.5	69	83	562.2	59	91
22/709	39.8	5	70.9	5	66.0	9	3.0	1	6.5	2	5.3	2	13.0	2	264.8	41	-	273.7	36	-
22/759	13.8	3	71.5	6	47.5	7	0.0	0	10.0	1	3.3	2	7.0	1	222.5	34	78	236.6	38	83
22/792	19.1	3	84.4	5	58.4	9	0.0	0	3.5	1	0.0	0	4.0	1	234.2	31	80	262.7	32	86
22/803	21.5	4	61.7	7	49.5	6	0.0	0	0.0	0	0.0	0	9.0	1	198.7	23	91	175.1	29	52
23/100	13.0	2	75.5	5	56.2	9	0.0	0	14.5	2	0.0	0	8.0	1	209.7	23	-	134.5	14	-
23/317	49.0	2	32.0	7	65.0	7	0.0	0	0.3	1	0.5	1	1.0	1	(137.9)	(25)	-	(167.6)	(17)	-
23/597	42.5	9	37.2	3	60.7	7	4.2	3	2.0	1	5.4	4	15.5	1	237.0	49	103	212.4	[illegible]	[illegible]
23/602	50.0	6	52.8	6	26.7	10	2.0	3	4.7	2	8.0	4	5.7	2	[illegible]	50	74	222.9	[illegible]	76
23/611	65.0	7	145.5	-	116.0	9	4.5	1	29.5	2	45.0	4	14.0	1	[illegible]	(40)	131	[illegible]	[illegible]	127
23/674	54.6	10	88.7	7	112.7	13	14.4	8	16.2	4	78.6	6	27.4	4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	117
23/678	45.1	6	69.7	7	66.6	10	4.0	1	10.4	2	[illegible]	5	[illegible]	1	306.7	51	117	[illegible]	[illegible]	[illegible]
23/678A	49.2	8	72.0	[illegible]	85.9	10	5.2	3	12.0	2	41.1	5	8.0	2	[illegible]	61	[illegible]	414.3	[illegible]	[illegible]
23/710	46.6	10	55.6	10	74.2	11	7.9	6	6.5	2	46.5	5	[illegible]	3	338.0	71	-	[illegible]	54	-
24/110	30.0	4	52.0	7	[illegible]	10	1.4	1	7.0	1	14.0	3	7.0	1	[illegible]	45	-	[illegible]	42	-
24/146	22.1	3	80.2	7	79.4	5	4.5	2	5.2	1	104.9	4	0.0	0	450.4	35	174	256.6	35	100
24/197	37.9	7	61.0	10	39.0	9	6.4	6	14.4	2	17.3	3	12.5	1	251.0	53	89	295.7	41	[illegible]
25/162	11.7	5	45.3	6	19.0	7	0.7	1	[illegible]	1	11.5	3	16.5	1	167.7	35	133	110.9	[illegible]	[illegible]
25/414	17.0	5	56.4	6	[illegible]	6	3.0	1	10.0	1	32.5	4	0.0	0	253.9	39	103	243.0	41	[illegible]
25/451	7.3	4	72.5	6	61.0	5	3.5	2	6.0	1	9.1	3	8.0	1	264.1	36	-	187.5	27	-
25/599	53.9	10	159.9	10	133.3	11	50.0	8	22.0	1	139.0	8	62.5	3	1206.5	[illegible]	119	1094.2	[illegible]	[illegible]

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	ø S ° ′	λ E ° ′	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
26/215	ALGERYNSKRAAL	3335	2108	411	35.7	4	3.6	11	20.2	5	29.8	9	30.6	5
26/510	GARCIA - BOS	3400	2117	305	20.5	5	126.5	9	57.5	7	109.5	5	87.0	6
26/854	VANWYKSDORP - POL	3314	2128	305	9.5	1	8.5	1	14.0	2	74.0	5	23.5	4
27/302	CALITZDORP - POL	3332	2141	238	14.5	2	26.5	4	24.5	3	51.5	6	17.5	4
27/876	WELBEDAG	3336	2200	564	9.0	1	14.3	3	19.7	3	62.3	5	20.0	4
28/ 83	RUITERBOS - BOS	3353	2203	229	33.4	12	130.2	10	75.4	8	101.3	9	60.6	9
28/150	KWEPERTUIN	3400	2205	213	9.0	1	88.5	6	42.0	2	65.0	6	57.0	4
28/208	PINE GROVE - BOS	3357	2207	305	43.5	8	112.0	10	68.5	7	89.5	6	81.5	7
28/335	OUDTSHOORN - TNK	3335	2212	332	33.0	5	19.2	5	34.1	7	69.2	6	20.2	4
28/335B	OUDTSHOORN - MUN	3335	2212	343	30.0	1	28.5	4	31.2	5	77.0	5	19.8	4
28/407	GROOT DOORNRIVIER	3347	2214	533	9.5	1	16.5	3	24.0	3	55.0	6	34.0	4
28/415	JONKERSBERG - BOS	3355	2214	457	53.0	13	150.4	13	101.4	7	117.1	8	60.9	7
28/428	ROOIHEUWEL - AGR	3338	2215	301	19.8	1	12.2	7	26.2	5	61.8	7	19.2	4
28/536	KLEINFONTEIN	3356	2218	320	0.0	0	63.3	8	78.7	5	108.1	6	80.6	7
28/655	GEELHOUTBOOMBERG - BOS	3355	2222	460	77.9	10	168.0	9	116.3	6	192.5	8	81.0	5
28/748	GEORGE - AER	3358	2225	221	47.7	12	90.3	13	83.6	10	135.0	10	86.4	8
28/771	HEROLD - POL	3351	2226	579	19.5	3	57.2	10	47.0	6	106.0	7	66.5	6
28/775	WITFONTEIN - BOS	3355	2226	610	46.0	11	136.0	15	144.6	10	132.8	9	100.0	7
28/838	GEORGE	3358	2228	229	57.8	11	112.0	12	101.5	7	130.5	11	71.5	8
28/842	LE ROUX - SAR	3332	2229	408	5.3	2	34.0	2	35.2	4	36.6	3	25.3	2
29/ 58	SAASVELD - BOS	3358	2232	223	48.5	7	114.0	10	83.0	7	126.0	8	57.5	6
29/291	KLEINPLAAT - BOS	3351	2240	610	27.4	11	58.0	11	82.2	9	84.5	6	65.4	7
29/294	BERGPLAATS - BOS	3354	2240	457	40.9	10	102.2	11	114.6	9	161.2	8	69.1	7
29/297	WOODVILLE - BOS	3357	2240	213	47.3	10	105.5	9	71.5	9	121.0	7	95.0	6
29/416	BEERVLEI - BOS	3356	2244	290	49.5	10	110.0	9	68.5	9	124.5	7	103.0	6
29/450	SWARTVLEI	3400	2245	5	24.6	9	48.1	11	43.9	10	86.9	10	69.6	7
29/534	GEELHOUTBOOM - BOS	3354	2248	305	38.0	11	87.0	9	107.0	8	96.0	6	86.0	6
29/542	ROOIRIVIER	3332	2249	564	62.5	3	6.5	1	25.5	5	33.5	-	26.0	3
29/624	KARATARA - BOS	3354	2251	297	44.4	11	75.7	11	100.7	9	102.5	8	79.2	6
29/684	FARLEIGH - BOS	3354	2253	335	75.8	7	141.5	8	108.0	8	115.0	-	105.0	7
29/692	BUFFELSKLIP	3332	2254	610	23.9	2	4.0	1	31.6	4	95.7	5	29.5	4
29/805	GOUDVELD - BOS	3355	2257	216	36.0	10	102.0	10	80.3	9	81.6	8	91.2	8
29/863	MILLWOOD - BOS	3353	2259	457	78.0	12	148.0	11	87.5	10	126.5	5	108.0	7
30/ 88	GOUNA - BOS	3358	2303	305	56.5	8	112.5	9	119.2	7	117.0	7	151.0	5
30/ 90	CONCORDIA - BOS	3400	2303	259	50.5	13	93.6	12	71.0	9	111.0	8	111.3	9
30/265	BUFFELSNEK - BOS	3355	2309	724	84.3	11	165.9	14	139.7	12	142.5	10	116.6	5
30/283	AVONTUUR - SAR	3343	2310	871	21.5	5	18.5	6	31.5	4	82.3	3	44.5	3
30/297	DIEPWALLE - BOS	3357	2310	519	54.4	9	136.5	14	136.1	12	144.6	9	132.6	6
30/323	ROOIMUUR	3353	2311	381	31.7	6	102.1	10	91.7	9	112.1	7	105.6	7
30/390	KAFFERSKOP - BOS	3400	2313	396	36.5	8	117.8	13	112.8	10	108.0	8	116.0	7
30/446	KRANSBOS - BOS	3356	2315	361	36.5	5	117.0	7	99.5	8	119.0	5	97.5	8
30/493	DE HOOP	3343	2317	686	16.0	2	36.0	7	61.5	8	39.5	5	67.5	5
30/524	WELGELEGEN	3344	2318	853	19.0	2	31.5	3	33.5	3	87.0	4	83.0	4
30/584	HAARLEM - COL	3344	2320	819	17.5	3	30.0	4	17.0	3	113.0	4	56.5	4
30/764	ONGELEGEN	3344	2326	792	14.8	3	22.8	6	41.6	4	82.9	6	81.5	5
30/775	KEURBOOMSRIVIER - BOS	3355	2326	305	58.2	7	152.1	10	94.2	9	106.8	5	100.0	6
31/197	BRUINKLIP	3347	2337	610	17.6	3	41.0	9	39.9	6	73.4	6	83.1	6
31/237	BLOUKRANS - BOS	3357	2338	243	66.7	10	141.8	10	76.5	11	147.0	9	140.0	6
31/438	KRAKEELRIVIER	3348	2345	570	9.0	1	6.3	2	47.0	3	98.6	7	29.0	1
31/507	LOTTERING - BOS	3357	2347	229	69.7	13	124.7	10	102.4	11	138.8	8	106.3	8
31/619	JOUBERTINA	3349	2351	544	50.0	-	16.0	3	40.0	5	75.0	-	102.8	5
31/688	STORMSRIVIER - BOS	3358	2353	243	82.0	12	100.1	9	96.9	11	164.4	9	145.6	6
31/777	PAUL SAUERBRUG	3357	2356	213	33.9	11	84.5	9	106.1	8	157.7	5	250.3	5
31/782	STUDTIS - BOS	3332	2357	760	19.5	1	39.0	4	47.0	3	55.0	5	18.4	4
31/810	BLUELILIESBUSH - BOS	3400	2357	300	55.0	11	97.0	11	66.7	9	160.5	6	216.3	7
32/209	WITELSBOS - BOS	3359	2407	227	68.0	-	86.5	9	61.5	4	164.5	5	166.0	7
32/275	ZANDVLAKTE	3335	2410	457	12.5	1	8.5	5	36.9	5	56.7	6	36.6	5
32/408	NOOITGEDACHT	3348	2414	457	9.5	4	82.6	11	46.7	6	97.5	6	37.1	6
32/503	ZUUR ANYS	3353	2417	427	13.5	3	106.6	11	51.3	7	156.6	7	96.3	5
32/507	KAREEDOUW - POL	3357	2417	335	26.1	5	82.1	9	50.6	9	224.4	8	91.2	5
33/283	MISTKRAAL	3343	2440	146	71.0	3	62.0	6	52.5	5	57.0	3	48.0	4
33/526	PATENSIE - POL	3346	2448	55	8.5	1	75.9	8	67.5	4	76.0	5	23.0	1
33/680	HANKEY - POL	3350	2453	122	32.0	5	37.2	3	81.5	8	37.9	5	47.9	5
33/702	NOAGA - BOS	3342	2454	686	59.5	-	105.5	-	88.0	-	56.0	-	84.5	-
33/774	BUFFELSHOEK - SKL	3354	2456	61	9.0	1	58.0	7	97.0	7	66.0	4	65.0	4
33/856	OTTERFORD-M10 T S 395 - BOS	3346	2459	428	51.0	-	103.5	-	85.0	-	54.0	-	60.5	-
33/871	TIERHOEK	3331	2500	457	40.4	4	25.7	3	64.7	7	115.1	5	59.7	5
34/ 47	OTTERFORD - BOS	3347	2502	535	45.0	7	127.1	11	99.0	5	143.0	4	106.0	4
34/ 78	BLOUBERG - BOS	3348	2503	457	60.0	-	113.0	-	97.0	-	167.5	-	99.0	-
34/ 80	LOWER FOREST AREAS - BOS	3350	2503	229	48.5	-	119.0	-	84.5	-	175.0	-	102.5	-
34/121	ADOLPHSKRAAL	3331	2505	335	27.1	3	44.3	3	35.5	7	94.3	5	31.2	5
34/138	LOERIE - BOS	3348	2505	457	45.0	6	68.2	10	74.4	7	106.4	6	100.2	10
34/231	LONGMORE - BOS	3351	2508	183	35.0	6	94.0	8	71.5	5	170.3	7	114.5	6
34/319	VAN STAADENS - MOUNTAIN	3349	2511	457	54.0	-	62.5	-	69.5	-	210.7	-	120.0	-
34/381	VAN STAADENS - RSV	3351	2513	305	62.4	12	64.4	12	71.0	7	196.7	5	126.7	9
34/405	TRIG KOP - BOS	3345	2514	638	39.0	-	94.0	-	76.0	-	132.0	-	62.5	-
34/523	GROENDAL-BOS	3343	2518	229	36.5	-	86.0	-	60.9	-	108.5	-	91.5	-
34/581	DIE VLEI - BOS	3341	2520	533	68.0	-	117.5	-	114.5	-	145.0	-	103.5	-
34/659	THE ISLAND - BOS	3359	2522	183	24.6	4	75.0	5	69.5	6	165.5	7	172.5	6
34/762	UITENHAGE - SPRINGS	3342	2526	167	49.0	6	69.0	5	50.5	6	93.5	5	96.0	8
34/767	UITENHAGE - PUR	3347	2526	32	36.1	8	45.9	10	34.4	9	80.3	7	50.9	8
34/828	DESPATCH - POL	3348	2528	26	31.3	5	36.0	2	44.0	10	99.5	3	86.5	5
35/ 60	EMERALD HILL	3400	2532	152	11.5	11	46.4	10	47.4	7	198.3	8	157.6	12
35/179	PORT ELIZABETH - WK	3359	2536	60	11.8	11	41.2	13	42.1	10	123.9	9	153.7	10
35/271	HERMITAGE	3331	2540	122	24.0	8	57.7	8	42.7	6	122.0	7	55.3	8

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
26/215	7.0	8	47.0	9	52.2	9	1.0	1	5.0	1	20.0	2	12.0	1	264.1	65	175	189.2	72	126
26/510	50.0	10	108.7	9	98.5	10	23.5	6	33.0	4	84.0	7	35.0	6	833.7	84	136	694.5	75	113
26/854	7.0	2	53.5	5	77.0	6	0.0	0	4.5	1	13.6	2	0.0	0	285.1	29	-	225.8	25	-
27/302	17.0	3	65.0	7	43.5	8	3.5	2	7.0	1	27.5	5	6.5	1	304.5	46	153	240.1	34	120
27/876	10.9	3	68.7	8	37.2	5	2.6	2	5.5	1	9.1	4	3.1	1	262.4	40	174	216.1	31	143
28/ 83	27.5	7	174.3	10	129.2	10	19.0	6	19.2	4	111.3	10	26.1	9	907.5	104	116	741.3	108	95
28/150	25.0	4	99.0	6	96.5	6	19.5	2	13.6	2	76.0	8	23.0	3	614.1	50	121	465.5	40	92
28/208	27.0	3	166.2	10	134.0	9	19.2	4	32.0	3	102.5	9	19.0	3	694.9	79	-	733.1	75	-
28/335	20.2	5	78.6	9	36.0	5	0.6	1	13.0	1	21.5	4	0.0	0	545.6	52	143	303.1	54	125
28/335B	18.0	4	85.9	8	32.2	7	2.4	2	3.8	1	22.5	4	0.0	0	351.3	45	140	323.7	41	129
28/407	15.2	5	75.0	7	49.5	4	2.5	1	10.0	1	11.5	2	0.0	0	303.7	37	127	270.7	41	113
28/415	25.4	6	159.7	9	137.1	10	33.5	4	34.5	5	151.6	10	23.1	5	1067.7	97	99	904.5	108	84
28/428	13.6	3	60.5	12	29.5	8	2.6	3	9.5	2	15.5	7	1.0	1	271.4	60	-	245.8	45	-
28/536	21.5	3	167.5	8	78.5	4	0.0	0	32.0	2	107.4	6	7.5	4	745.1	53	115	637.5	52	99
28/655	45.0	8	159.0	8	171.0	7	33.2	4	57.0	6	151.5	9	59.4	8	1311.8	88	-	1209.2	84	-
28/748	34.4	10	147.7	13	131.8	12	24.1	8	48.2	8	92.4	12	29.5	11	951.1	127	123	866.0	117	112
28/771	38.5	8	160.5	8	171.0	8	1.0	1	39.2	4	44.0	8	4.0	1	774.4	70	170	714.3	78	157
28/775	37.0	7	163.6	-	169.7	10	29.4	4	50.0	8	138.7	12	39.4	9	1167.2	(102)	-	1071.9	124	-
28/838	40.6	10	166.0	13	160.5	11	28.5	7	52.2	7	109.8	11	33.5	12	1054.4	120	125	1005.6	118	116
28/842	20.9	3	86.3	6	40.5	5	0.0	0	12.0	1	28.3	3	3.0	1	327.4	32	131	292.2	30	117
29/ 58	37.0	5	171.0	7	137.0	8	21.5	3	49.5	2	122.5	8	29.5	-	1027.0	(71)	120	962.7	76	112
29/291	40.4	8	132.2	11	122.6	10	8.0	4	42.5	6	64.8	10	16.9	8	765.9	101	124	740.4	99	120
29/294	28.5	9	157.7	11	125.5	13	20.3	8	66.2	7	127.0	13	27.0	10	1000.2	116	116	939.4	108	109
29/297	27.5	9	149.4	11	156.0	14	35.0	8	73.8	7	127.5	11	31.6	14	1041.1	115	129	1036.1	103	128
29/416	26.0	9	154.5	11	154.0	14	36.1	8	74.1	7	136.5	11	34.0	14	1072.7	115	-	1055.7	103	-
29/450	37.5	10	150.1	11	124.0	9	11.6	4	42.8	5	81.3	11	15.7	10	756.1	110	-	760.8	104	-
29/534	32.5	4	154.5	7	104.5	7	15.0	2	50.5	5	113.0	8	20.5	5	904.5	78	110	885.7	87	105
29/542	4.0	1	88.5	-	34.0	5	1.0	1	6.5	2	7.0	2	2.5	1	299.5	(22)	124	263.4	(21)	109
29/624	34.5	6	168.0	9	120.6	12	9.0	4	59.3	4	110.1	10	25.7	6	929.7	96	112	915.6	103	110
29/684	41.0	5	196.0	7	142.0	-	25.5	3	60.0	4	116.0	7	56.0	6	1181.8	(62)	116	1171.2	(77)	115
29/692	2.7	1	68.8	6	42.0	4	0.0	0	0.0	0	0.0	0	0.0	0	298.2	27	176	252.7	26	149
29/805	40.4	9	181.0	10	128.5	12	19.5	5	38.5	2	89.8	8	22.7	5	911.5	96	110	883.2	106	107
29/863	39.3	8	207.3	11	151.5	10	39.6	6	63.0	6	128.5	10	38.7	11	1217.9	107	114	1193.6	108	112
30/ 88	82.0	7	215.5	8	168.5	7	22.5	2	62.5	7	107.3	8	48.0	10	1262.5	85	135	1206.3	79	129
30/ 90	69.6	9	164.8	10	132.0	9	12.5	(3)	48.5	7	133.7	10	37.6	10	1036.1	109	111	1011.7	122	106
30/265	51.0	8	227.4	12	197.5	15	45.6	10	61.1	9	130.6	11	64.6	12	1429.3	129	124	1340.8	114	117
30/283	19.5	4	108.0	7	83.0	4	4.0	1	23.0	4	28.5	4	4.0	2	468.3	47	104	379.9	43	85
30/297	55.0	7	201.7	11	173.4	15	34.7	5	54.0	8	141.7	11	53.2	11	1322.1	118	108	1295.6	125	105
30/323	41.5	7	192.5	9	158.6	11	21.5	3	38.9	4	83.7	8	39.4	7	1019.3	86	128	939.6	86	118
30/390	53.0	-	193.5	11	164.5	13	26.5	5	63.0	7	155.5	9	46.0	10	1193.1	(101)	137	1072.3	(103)	123
30/446	19.5	4	155.4	7	140.0	9	26.0	4	51.0	5	84.5	8	66.0	8	1011.5	78	122	1012.8	85	122
30/493	22.5	5	137.0	10	101.5	7	8.0	4	24.5	4	61.0	7	8.0	1	633.0	65	157	563.0	54	140
30/524	24.0	4	151.0	9	108.0	4	8.5	1	28.0	4	57.0	6	0.0	0	630.5	44	133	547.0	39	115
30/584	40.0	4	160.0	9	110.0	5	7.0	2	13.5	3	53.7	5	0.0	0	618.2	46	-	601.0	37	-
30/764	11.5	6	111.8	9	111.7	8	1.4	2	18.0	2	30.0	6	8.5	2	536.5	59	133	506.6	54	125
30/775	29.5	5	200.8	10	187.9	12	16.8	5	40.4	7	144.9	14	66.2	13	1197.6	103	144	1066.3	81	128
31/197	31.7	9	168.3	11	113.4	12	16.9	7	30.8	6	55.2	10	21.0	7	692.3	96	-	570.3	85	-
31/237	43.2	7	171.0	9	172.6	11	33.0	7	65.5	7	158.2	13	65.1	9	1300.6	109	130	1264.6	101	126
31/438	26.0	1	124.0	6	171.5	3	11.0	1	35.0	3	57.0	7	15.0	1	629.4	36	113	519.2	28	94
31/567	60.1	7	207.8	11	202.0	11	25.5	6	89.3	7	153.9	10	62.5	7	1403.0	109	125	1394.0	105	124
31/619	23.0	3	138.8	6	109.5	5	0.0	0	15.0	2	38.0	-	2.5	2	610.6	(31)	134	574.5	(37)	126
31/688	39.0	3	216.9	10	202.9	10	41.0	6	90.1	7	144.3	12	53.7	8	1446.9	103	130	1465.5	112	132
31/777	67.5	4	242.5	6	265.1	8	55.5	5	98.7	3	188.1	10	66.5	5	1638.4	79	-	1464.0	53	-
31/782	7.5	1	83.0	7	93.6	3	0.0	0	0.0	0	14.2	3	6.0	3	383.2	36	-	268.4	35	-
31/810	78.2	9	173.5	11	232.0	11	46.8	9	79.0	6	147.3	11	42.2	9	1396.5	112	-	1420.2	116	-
32/209	72.0	5	180.0	9	259.8	-	36.0	5	109.5	-	164.0	10	53.0	7	1440.8	(61)	124	1298.9	(60)	111
32/275	5.7	2	93.4	8	156.1	4	0.0	0	6.5	3	13.2	7	10.7	5	433.0	52	146	272.5	40	92
32/408	21.0	6	129.3	10	165.3	7	0.0	0	21.4	7	50.6	10	29.5	9	740.5	82	160	569.4	72	138
32/503	53.0	5	144.8	9	194.5	7	25.0	2	34.0	4	61.0	6	5.7	3	942.8	69	142	866.8	69	121
32/507	84.4	8	137.3	9	262.1	11	18.4	5	72.5	8	87.5	12	30.1	8	1166.7	97	144	1062.6	92	123
33/283	6.0	1	97.0	6	127.2	4	0.0	0	15.0	3	25.5	4	25.0	4	536.2	43	138	519.9	37	133
33/526	57.2	5	127.0	7	133.0	4	0.0	0	22.0	5	17.0	7	13.0	2	620.1	49	-	562.2	38	-
33/680	29.0	3	96.0	6	190.7	4	0.0	0	28.0	2	29.5	4	21.0	1	679.8	46	162	577.6	50	137
33/702	11.0	-	149.0	-	282.5	-	0.0	-	46.5	-	92.5	-	35.5	-	1012.5	-	153	1014.0	-	153
33/774	21.0	4	78.0	7	124.5	4	0.0	0	19.0	4	39.5	4	14.0	3	611.0	49	142	567.0	43	137
33/856	10.0	-	146.0	-	278.0	-	0.0	-	52.0	-	90.0	-	32.0	-	982.0	-	154	(638.0)	-	-
33/871	5.5	1	76.1	8	165.2	4	1.5	1	21.3	4	10.5	4	22.7	3	594.4	49	173	544.7	48	159
34/ 47	14.0	-	124.0	7	234.5	7	0.0	0	47.5	6	99.2	10	52.2	6	1103.5	67	118	994.7	(58)	107
34/ 78	14.0	-	140.0	-	233.0	-	1.5	-	120.0	-	93.5	-	36.0	-	1209.5	-	123	1105.5	-	113
34/ 80	10.5	-	109.0	-	274.5	-	1.0	-	76.0	-	72.5	-	39.5	-	1112.5	-	143	925.5	-	160
34/121	7.2	4	59.8	6	160.7	3	0.0	0	13.3	3	7.1	3	27.3	5	506.8	47	207	393.6	42	161
34/138	16.0	5	127.4	9	194.0	7	3.1	3	57.0	8	89.5	9	62.7	6	643.9	88	124	631.6	72	110
34/231	24.0	3	147.5	11	200.5	5	0.0	0	48.8	5	117.0	7	50.0	3	1072.6	66	141	993.9	61	131
34/319	42.5	-	149.7	-	291.0	-	2.0	-	65.7	-	139.7	-	66.5	-	1279.8	-	165	1065.7	-	138
34/381	45.2	6	151.2	11	190.2	10	2.1	4	57.7	9	130.5	16	75.3	9	1163.9	113	143	1054.6	111	129
34/405	4.0	-	79.5	-	212.5	-	22.0	-	34.5	-	52.0	-	98.0	-	908.0	-	127	903.9	-	126
34/523	6.0	-	79.5	-	135.5	-	11.0	-	21.5	-	31.5	-	69.5	-	731.0	-	135	671.4	-	124
34/581	6.0	-	73.5	-	210.5	-	21.0	-	33.0	-	37.5	-	143.0	-	1073.0	-	146	1066.1	-	137
34/659	83.0	4	110.0	8	152.5	7	11.0	3	42.5	4	106.0	7	30.5	3	1042.6	66	-	1192.9	76	-
34/762	5.5	2	70.0	7	124.0	4	0.0	0	129.0	4	27.0	3	33.5	6	707.0	56	150	629.2	59	133
34/767	7.2	6	67.0	11	123.9	6	1.0	1	28.0	10	32.0	10	26.7	5	523.4	91	-	499.5	85	-
34/828	7.5	1	54.5	8	133.0	3	0.0	0	25.3	4	51.5	3	6.5	2	557.6	46	-	(470.6)	(36)	-
35/ 60	77.6	8	78.2	8	82.5	8	32.2	7	26.7	8	95.6	8	12.7	6	668.7	101	111	1003.9	100	129
35/179	62.2	8	84.6	12	117.3	11	32.5	9	32.3	11	63.4	15	43.8	9	808.8	126	132	623.7	120	133
35/271	1.4	3	65.1	10	70.5	4	0.2	1	50.0	7	16.5	5	20.2	3	525.6	72	140	613.5	75	153

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S ° '	λ E ° '	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
35/299	PORT ELIZABETH - HUMEWOOD	3359	2540	15	13.4	7	23.2	8	44.0	9	117.3	9	176.0	9
35/334	ADDO - AGR	3334	2542	85	22.3	8	66.1	8	40.5	8	114.6	7	55.5	8
35/605	ARIZONA	3335	2551	290	38.4	5	53.2	4	47.5	6	102.5	5	66.8	5
35/639	KINKELBOS - POL	3339	2552	91	29.9	9	62.0	6	82.0	6	148.4	6	61.5	7
35/643	SONDAGSRIVIERMOND - BOS	3343	2552	15	25.6	7	46.6	4	57.7	6	98.9	6	59.2	6
36/397	HILLCREST	3337	2614	229	59.4	7	87.5	6	68.8	4	129.2	7	57.0	4
36/530	BIRD ISLAND	3350	2618	4	20.8	8	27.2	6	25.8	7	28.2	7	65.4	9
36/605	LONGVALE	3335	2621	290	35.4	9	88.2	10	96.8	4	131.5	4	96.5	5
36/642	ALEXANDRIA - BOS	3342	2622	198	89.0	5	73.0	2	40.4	3	156.5	4	113.9	5
36/729	ALEXANDRIA - POL	3339	2625	204	46.5	4	53.5	5	61.1	3	108.0	6	90.0	7
37/541	BATHURST - AGR	3331	2649	259	38.6	7	141.8	13	56.7	10	119.6	7	64.0	8
37/696	PORT ALFRED	3336	2654	61	36.3	5	101.5	9	53.4	9	130.1	7	75.5	9
38/152	GREAT FISH POINT - VRT	3332	2706	73	37.2	10	69.1	11	24.2	9	132.1	9	68.4	10
40/ 35	LANGEBAAN - POL	3305	1802	5	3.0	1	3.0	1	6.0	2	3.0	2	15.5	3
40/146	DASSEN ISLAND - VRT	3326	1805	5	2.4	3	0.8	1	7.3	4	10.4	7	24.5	3
40/604	HOPEFIELD - POL	3304	1821	30	0.0	0	0.0	0	13.5	3	3.4	2	18.0	2
40/653	THE TOWERS	3323	1822	229	3.7	3	3.0	2	8.5	3	14.7	5	35.8	4
40/682	DARLING - POL	3322	1823	152	0.8	3	3.5	2	11.0	2	21.0	5	32.0	3
40/875	VLAKVLEI	3305	1830	46	0.0	0	0.0	0	24.0	4	0.0	0	16.5	3
41/ 60	BURGHERSPOST	3330	1832	183	3.2	2	3.0	1	14.5	4	23.7	6	46.0	3
41/279	MOORREESBURG - POL	3309	1840	152	0.0	0	0.0	0	31.0	4	5.7	4	15.8	3
41/301	KORINGBERG	3301	1841	150	4.1	3	2.0	3	22.9	5	2.2	6	12.0	4
41/347	LANGGEWENS - AGR	3317	1842	91	2.0	1	0.0	0	22.0	4	2.1	3	17.6	3
41/417	MALMESBURY - TNK	3327	1844	140	3.5	1	1.0	1	14.0	2	2.0	2	13.5	2
41/681	RIEBEEK - WES - POL	3321	1853	168	0.0	0	0.0	0	20.0	2	9.9	2	22.5	2
41/713	RIEBEEK - KASTEEL - MUN	3323	1854	122	0.0	0	0.0	0	3.5	2	0.0	0	21.4	3
41/836	RONDEHEUWEL	3326	1858	73	0.0	0	0.0	0	17.6	4	2.3	1	21.4	3
41/871	PORTERVILLE - MUN	3301	1900	137	11.9	3	8.4	3	28.6	7	17.8	7	23.7	4
42/ 11	SARON - COL	3311	1901	120	1.0	1	0.5	1	48.5	4	3.1	3	27.0	2
42/198	TULBAGH	3318	1907	150	5.5	1	0.0	0	15.0	5	2.5	3	21.5	3
42/201	WATERFALL - BOS	3321	1907	117	4.5	1	1.5	1	58.5	4	2.6	2	35.0	3
42/227	TULBAGH - POL	3317	1908	155	5.5	1	0.0	0	40.0	3	3.0	1	28.0	3
42/233	FONTEINBERG	3323	1908	305	5.7	3	3.5	2	61.7	6	2.5	4	35.5	4
42/256	OBIQUA - TNK	3316	1909	155	5.5	1	2.0	1	40.0	3	3.0	2	19.2	3
42/266	VERREKYKER	3326	1909	305	9.0	2	0.0	0	58.0	3	0.0	0	30.0	1
42/280	REMHOOGTE	3310	1910	760	5.2	2	0.0	0	20.3	5	13.2	2	68.7	3
42/325	KLUITJESKRAAL - BOS	3325	1911	268	2.6	1	3.5	1	54.0	5	0.0	0	34.2	3
42/532A	CERES - MUN	3322	1918	456	18.0	1	2.0	1	46.0	6	4.5	1	64.8	3
42/581	BOKVELDSKLOOF	3311	1920	1067	0.0	0	9.5	1	14.0	2	0.0	0	0.0	0
42/588	PRINCE ALFRED HAMLET - POL	3318	1920	496	3.0	1	3.7	3	36.6	6	0.0	0	37.2	4
42/650	WARMBOKVELD-TNK	3320	1922	451	12.0	1	0.0	0	27.0	3	0.0	0	31.5	3
42/802	AGTERFONTEIN	3322	1927	536	6.0	2	2.0	1	25.0	4	0.0	0	22.5	3
43/109	KLONDYKE	3319	1934	1219	0.0	0	3.5	1	18.5	2	5.1	2	21.5	3
43/329	DE DOORNS - POL	3329	1941	478	0.0	0	0.0	0	25.0	3	0.0	0	15.5	1
43/516	SPES BONA	3306	1948	604	9.0	1	4.0	1	11.5	2	2.0	1	4.0	1
43/566	MATROOSBERG	3326	1949	967	0.5	1	3.2	2	18.4	6	7.9	3	12.3	5
44/ 50	TOUWSRIVIER - POL	3320	2002	762	12.3	4	6.0	4	30.7	6	7.5	2	8.3	3
44/286	JAN-DE-BOERS	3316	2010	847	15.8	3	5.0	2	27.5	5	6.5	2	9.5	2
44/765	PIETER MEINTJES - SAR	3315	2026	1065	0.0	0	12.0	1	19.0	2	1.5	1	17.5	1
45/134	MATJIESFONTEIN - SAR	3314	2035	904	0.8	1	0.0	0	22.0	2	22.5	1	6.0	1
45/184	DWARS-IN-DIE-WEG	3304	2037	914	3.5	1	4.0	1	35.0	4	5.0	2	3.5	1
45/224	WHITE HILL - SAR	3314	2038	843	0.0	0	9.0	2	54.6	6	41.5	2	5.2	1
45/611	LAINGSBURG-MUN	3311	2051	659	0.0	0	2.0	2	18.4	3	38.2	4	2.5	1
45/848	FABERSKRAAL	3308	2059	790	0.0	0	0.0	0	14.2	3	79.2	3	5.0	2
45/857	FLORISKRAALDAM	3317	2059	610	1.8	1	14.5	2	17.0	4	32.5	4	10.0	2
46/ 56	BUFFELSVLEI	3328	2102	381	7.0	1	2.8	2	33.5	4	45.2	7	13.5	2
46/457	KOUP - SAR	3307	2116	733	14.0	1	0.0	0	18.5	4	26.0	2	8.0	2
46/471	RIETVLEI	3321	2116	853	0.0	0	8.5	2	21.4	5	56.5	3	9.5	2
46/479	LADISMITH - TNK	3329	2116	533	0.0	0	18.7	5	22.0	6	48.5	6	38.5	6
46/809	ZOAR - COL	3329	2127	515	0.0	0	27.0	5	19.7	4	67.0	5	24.0	3
46/898	OPSOEK - POS	3328	2130	518	0.0	0	38.3	5	25.5	4	47.0	4	13.0	2
47/205	MATJESVLEI GAMKA - BO	3325	2137	610	34.0	1	36.0	3	31.0	1	51.0	5	36.0	2
47/359	CALITZDORP - DAM	3329	2142	366	15.0	3	10.5	6	17.0	2	29.5	7	11.0	2
47/436	WELTEVREDEN	3316	2145	511	8.5	1	0.0	0	25.5	4	29.0	2	8.0	2
47/716	KRUISRIVIER	3326	2154	579	15.0	2	57.0	6	37.5	5	102.6	5	38.1	3
47/765	DAMASKUS	3315	2156	910	6.0	1	10.5	1	41.9	5	26.6	5	10.5	2
47/801	KLIPHUISVLEI - BOS	3321	2157	1370	9.5	-	35.0	-	143.0	-	8.5	-	22.0	-
48/ 43	PRINCE ALBERT - TNK	3313	2202	686	0.0	0	10.0	2	29.5	3	19.2	5	16.0	2
48/ 51	OSWETSVLEI - BOS	3321	2202	1525	9.5	-	46.5	-	111.5	-	9.5	-	21.6	-
48/ 79	SWARTBERG - BOS	3319	2203	1600	59.5	-	47.5	-	251.0	-	17.5	-	76.8	-
48/ 83	MATJIESRIVIER - SKL	3323	2203	732	1.6	1	46.7	7	40.8	5	10.0	1	5.3	3
48/142	ALBERTBERG-BOS	3322	2205	1067	39.0	-	47.5	-	205.0	-	13.5	-	83.0	-
48/275	ZACHARIASFONTEIN	3305	2210	815	32.8	6	16.5	4	22.0	4	13.2	4	22.2	2
48/383	KANGOGROTTE	3323	2213	640	15.0	-	22.5	-	42.2	-	128.0	-	22.0	-
48/564	MELVILLE DAM	3324	2219	762	26.7	4	37.4	7	46.0	4	124.5	6	39.5	5
48/624	RUST-EN-VREDE	3324	2221	762	25.4	4	35.5	7	50.5	5	113.0	5	49.4	5
49/ 50	KLAARSTROOM - POL	3320	2232	732	25.8	3	0.0	0	54.0	4	38.0	3	12.5	2
49/ 60	DE RUST - POL	3330	2232	533	7.0	2	22.0	2	38.0	4	36.0	5	33.0	4
49/372	RONDAWEL	3312	2243	853	20.2	4	1.5	1	39.5	3	21.7	3	11.2	2
50/ 58	BARANDAS - SAR	3328	2302	585	18.5	3	0.0	0	38.0	4	71.0	5	25.0	3
50/132	STRYDOMSVLEI	3312	2305	762	11.0	2	38.0	2	24.7	4	15.6	4	4.3	2
50/205	BARNARDSDAL	3325	2307	686	16.3	4	10.0	3	38.7	4	42.1	3	22.0	5
50/230	VONDELING - SAR	3320	2308	680	7.6	-	0.0	0	34.5	4	40.5	4	6.5	3
50/527	MIDDELKRAAL	3317	2318	762	15.1	4	26.5	4	50.0	4	25.0	4	10.3	3
50/745	SCHILPADBEEN	3325	2325	1067	21.0	2	32.5	3	36.5	4	30.5	4	15.5	3

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
35/299	53.3	6	89.8	10	108.5	8	37.0	4	27.9	9	57.5	9	41.0	5	788.9	93	146	807.2	94	150
35/334	1.1	5	70.7	10	83.5	7	0.2	1	46.0	7	12.8	8	32.7	5	546.0	82	-	602.8	77	-
35/605	4.4	1	67.6	6	67.0	3	0.0	0	80.2	6	31.7	6	31.7	4	591.0	51	151	640.8	45	164
35/639	5.8	4	59.4	10	99.2	6	2.1	2	88.5	5	26.0	5	21.7	4	686.5	70	-	775.8	71	-
35/643	4.5	1	48.8	9	67.3	2	0.0	0	17.8	3	0.0	0	22.7	4	449.1	48	-	570.5	53	-
36/397	22.5	4	58.5	6	134.6	6	11.0	4	98.7	5	35.5	11	50.0	5	812.7	69	-	961.5	64	-
36/530	38.0	4	72.8	12	90.8	8	15.0	8	65.8	9	37.5	8	28.8	7	516.1	93	108	366.5	83	77
36/605	9.5	3	65.8	7	211.5	4	3.2	2	95.3	6	37.8	6	50.8	5	922.3	65	162	1093.0	74	192
36/642	41.5	3	66.5	4	111.5	2	28.5	2	111.0	4	78.0	6	40.0	3	949.8	43	102	1199.6	50	128
36/729	21.5	3	46.2	7	97.5	5	7.0	2	102.5	6	60.8	8	44.0	4	738.6	60	115	897.3	57	136
37/541	5.2	3	64.8	9	114.3	6	7.8	6	111.8	12	63.3	14	89.0	7	876.9	102	127	1139.8	101	165
37/696	10.3	4	62.4	9	79.2	6	8.8	5	91.8	10	54.8	11	87.0	5	791.1	89	119	951.7	90	143
38/152	10.6	4	52.1	10	67.1	7	19.9	9	60.4	11	42.4	13	65.2	7	648.7	110	110	917.5	119	156
40/ 35	47.5	4	36.5	3	45.5	7	3.0	3	6.5	3	1.0	1	1.5	1	172.0	31	69	210.0	32	84
40/146	35.1	11	60.1	8	79.6	11	15.3	10	19.6	6	1.0	1	2.2	4	258.3	69	73	277.3	71	79
40/604	16.0	4	75.3	7	55.0	10	11.5	2	7.5	2	0.0	0	1.5	1	201.7	33	61	205.4	32	62
40/653	58.5	8	62.5	7	104.0	11	15.5	5	12.5	5	4.0	1	9.5	4	332.2	58	70	342.6	68	72
40/682	43.9	10	92.4	8	82.5	10	22.6	7	14.5	3	2.0	1	9.7	3	335.9	57	66	343.4	68	68
40/875	38.4	9	39.5	8	47.2	13	7.5	3	5.5	1	2.0	1	0.0	0	180.6	42	-	237.8	52	-
41/ 60	76.1	8	72.0	7	99.8	12	21.5	4	22.4	4	9.7	2	21.7	5	413.6	58	73	433.8	64	76
41/279	40.6	7	47.5	8	51.6	9	12.0	2	8.0	2	2.5	1	0.0	0	214.7	40	-	280.8	48	-
41/301	37.3	10	41.6	7	51.0	16	9.0	3	9.6	3	4.4	2	2.8	3	198.9	65	-	269.3	82	-
41/347	60.2	7	51.1	7	52.0	11	12.2	6	12.8	4	4.0	1	6.9	2	242.9	49	63	304.0	58	79
41/417	58.7	8	56.6	8	76.1	9	13.0	2	10.6	3	3.0	1	4.8	2	256.8	41	57	277.5	46	61
41/681	122.4	8	81.0	6	109.5	13	15.0	4	17.0	4	6.0	1	8.0	1	411.3	43	-	459.9	51	-
41/713	149.5	4	107.2	5	90.3	9	5.5	3	0.0	0	0.0	0	0.0	0	377.4	26	58	513.4	27	73
41/836	76.2	8	90.7	9	83.1	13	13.5	4	16.4	3	1.5	1	0.0	0	322.7	46	67	329.0	48	68
41/871	60.1	9	61.6	10	78.8	14	7.9	7	20.7	6	11.5	2	9.1	2	340.1	74	79	383.5	84	89
42/ 11	59.4	8	66.2	9	73.0	9	13.0	2	14.2	3	7.5	1	5.5	2	318.9	45	-	375.2	45	-
42/198	46.5	8	48.8	4	65.0	11	7.5	1	2.7	2	4.7	2	5.8	2	225.5	42	-	363.1	59	-
42/201	97.0	8	78.5	8	96.8	9	11.7	3	12.9	3	11.1	3	15.0	2	425.1	47	-	554.1	51	-
42/227	58.5	5	78.0	7	49.5	8	0.0	0	3.1	2	4.0	2	6.4	2	276.0	34	58	363.6	41	76
42/233	104.4	9	94.0	9	120.1	16	12.0	4	12.9	4	11.5	2	16.3	5	480.1	68	-	586.3	75	-
42/256	55.5	5	78.5	4	41.0	4	6.5	2	3.1	2	4.0	2	6.4	1	264.7	30	-	306.7	40	-
42/266	50.0	7	172.0	6	116.5	8	5.5	1	5.5	2	9.0	1	9.0	1	464.5	32	-	541.3	41	-
42/280	153.4	7	176.8	8	157.3	13	7.7	3	19.0	3	7.5	2	8.7	2	637.8	50	-	735.5	45	-
42/325	94.7	7	82.3	6	105.6	12	5.5	1	7.5	3	4.5	1	6.5	2	400.9	42	62	510.2	49	79
42/532A	158.8	7	176.3	7	151.3	9	14.0	2	14.5	3	13.8	2	2.4	2	666.4	44	60	911.4	55	83
42/581	47.5	4	192.7	5	87.2	5	23.5	1	4.5	1	15.5	1	0.0	0	394.4	20	60	410.0	20	62
42/588	73.0	7	92.1	6	74.9	11	3.0	1	2.0	1	0.0	0	3.7	2	329.2	42	-	457.6	50	-
42/650	41.0	6	148.7	5	54.1	10	3.8	3	2.3	1	0.0	0	0.0	0	320.4	32	-	413.8	39	-
42/802	78.7	9	70.9	7	57.0	13	5.4	2	6.1	3	5.5	1	2.0	1	281.1	46	71	345.9	49	88
43/109	62.0	6	124.2	6	61.7	13	10.5	1	33.5	2	34.8	3	0.0	0	375.3	39	-	429.7	54	-
43/329	20.5	3	78.5	3	39.0	4	0.0	0	5.5	1	0.0	0	29.5	1	213.5	16	78	206.1	24	75
43/516	25.5	4	34.5	3	5.5	2	0.0	0	0.0	0	0.0	0	27.0	1	123.0	16	106	102.5	24	88
43/566	35.9	7	55.0	9	12.0	9	0.3	1	3.7	3	2.0	3	20.8	1	172.0	50	71	188.4	51	78
44/ 50	30.0	4	65.5	9	23.7	9	0.7	1	4.8	2	1.8	2	18.5	1	209.8	47	96	221.5	46	101
44/286	41.0	4	67.2	6	13.2	7	1.5	1	4.5	2	0.0	0	15.5	1	207.2	35	-	214.6	36	-
44/765	14.8	2	45.0	4	25.0	4	0.0	0	1.5	1	1.9	3	0.9	1	139.1	20	49	163.4	13	57
45/134	11.5	4	53.2	-	0.6	1	0.0	0	1.2	1	2.5	3	13.0	1	133.3	(15)	82	140.3	15	86
45/184	7.0	1	81.5	6	9.0	4	0.0	0	0.0	0	0.0	0	12.5	1	161.0	21	96	130.5	22	78
45/224	8.0	3	61.2	7	19.7	4	0.0	0	0.0	0	8.6	2	14.5	1	222.3	28	173	198.2	26	155
45/611	6.5	2	58.8	3	8.5	3	0.0	0	0.0	0	3.0	1	3.2	1	141.1	20	128	102.5	20	93
45/848	2.4	1	98.5	4	11.0	1	0.0	0	0.0	0	6.8	1	4.8	1	221.9	16	-	157.3	14	-
45/857	2.0	3	69.0	6	23.5	5	0.0	0	3.5	1	0.0	0	1.8	1	175.6	29	-	127.6	24	-
46/ 58	16.1	3	64.3	7	36.6	5	2.2	1	4.5	1	9.0	4	13.0	1	247.7	38	145	183.1	30	108
46/457	0.0	0	57.5	4	11.5	3	0.0	0	0.0	0	0.0	0	5.0	1	140.5	17	123	105.5	15	93
46/471	3.0	1	57.5	6	32.0	4	0.0	0	0.0	0	4.0	1	5.0	1	197.4	25	104	181.5	23	96
46/479	14.2	5	82.0	7	56.5	10	11.0	3	12.0	2	28.2	5	11.5	1	343.1	56	104	251.2	45	76
46/809	8.0	2	64.0	4	45.3	5	4.5	1	3.0	1	23.5	4	14.0	1	300.0	35	-	248.8	30	-
46/898	12.0	2	90.0	6	44.0	6	0.0	0	0.0	0	32.0	4	0.0	0	301.8	33	128	269.8	29	123
47/205	13.5	1	94.5	3	49.0	4	8.0	1	0.0	0	28.5	2	0.0	0	381.5	23	-	286.5	17	-
47/359	3.5	1	64.5	6	24.5	4	0.0	0	3.0	1	10.5	3	2.5	1	191.5	36	117	181.5	33	111
47/436	40.5	3	44.5	4	12.0	2	0.0	0	0.0	0	0.0	0	0.0	0	168.0	18	113	136.6	17	92
47/716	19.0	1	142.0	9	74.0	9	15.0	3	14.5	1	49.7	5	15.5	1	579.9	50	140	498.9	43	121
47/765	26.7	3	62.4	5	16.1	3	0.0	0	0.0	0	0.0	0	9.3	2	210.0	27	-	156.5	24	-
47/801	130.5	-	54.0	-	216.0	-	6.5	-	4.0	-	54.0	-	55.0	-	738.0	-	-	631.6	-	-
48/ 43	6.0	3	50.5	4	17.0	2	0.0	0	0.0	0	0.0	0	0.0	0	148.2	21	81	105.0	20	58
48/ 51	147.0	-	67.0	-	207.0	-	6.5	-	5.5	-	86.5	-	24.0	-	742.1	-	-	651.1	-	-
48/ 79	207.5	-	167.5	-	138.0	-	41.0	-	22.0	-	156.0	-	39.5	-	1223.8	-	-	1131.3	-	-
48/ 83	50.1	8	82.3	7	98.0	8	14.9	3	4.7	2	41.2	5	19.7	2	415.3	52	97	327.2	42	76
48/142	35.5	-	148.5	-	186.0	-	18.5	-	15.0	-	100.5	-	25.5	-	917.5	-	-	802.0	-	-
48/275	9.6	4	35.7	7	22.8	4	0.0	0	0.0	0	0.5	1	19.0	2	194.3	38	130	162.2	37	109
48/383	29.8	-	108.4	-	50.5	-	5.0	-	13.0	-	26.5	-	11.0	-	473.9	-	-	386.1	-	-
48/564	24.5	5	142.5	13	88.7	9	17.0	6	20.5	2	67.0	8	18.4	5	652.7	74	-	526.1	57	-
48/624	29.5	3	149.8	13	92.5	10	17.7	5	23.0	1	72.0	6	13.0	3	671.3	67	115	582.4	56	100
49/ 50	17.0	3	63.0	5	15.3	2	0.0	0	0.0	0	0.0	0	0.0	0	225.6	22	128	165.7	21	94
49/ 60	25.3	4	90.8	8	43.5	8	5.0	1	11.5	1	32.0	6	1.6	1	345.7	46	106	329.8	36	101
49/372	12.3	3	60.1	6	18.3	3	0.0	0	0.0	0	2.8	1	17.8	1	205.4	27	164	123.6	23	99
50/ 58	8.0	2	97.0	6	41.5	3	0.0	0	0.0	0	15.0	1	10.5	1	324.5	28	155	228.0	28	109
50/132	3.0	1	53.5	5	14.0	2	0.0	0	0.0	0	0.0	0	0.0	0	164.1	22	117	102.1	17	73
50/205	7.2	3	100.0	6	38.5	5	0.0	0	2.2	1	10.4	2	9.9	3	297.3	39	122	192.7	33	79
50/230	5.0	-	75.0	6	43.8	-	0.0	0	8.5	1	4.0	-	0.0	0	227.4	(18)	144	158.1	(19)	100
50/527	7.6	3	70.7	9	41.2	7	0.0	0	3.0	2	4.4	4	17.5	4	271.3	48	154	179.4	34	102
50/745	0.0	0	101.0	7	38.5	2	0.0	0	0.0	0	13.7	2	0.0	0	289.2	27	116	268.5	27	108

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	B S ° '	λ E ° '	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
50/785	VOLSTRUISLEEGTE	3305	2327	732	10.6	4	3.3	2	20.0	3	19.0	6	12.0	1
50/887	WILLOWMORE - POW	3317	2330	840	20.0	2	3.1	4	44.7	7	29.5	7	7.5	2
51/ 5	WINDHEUWEL	3305	2331	838	26.3	2	15.0	2	26.0	3	30.0	5	11.5	1
51/285	LOMAR	3315	2340	732	26.7	4	5.5	3	26.7	5	40.9	5	5.0	1
51/341	GLENMORE	3311	2342	610	26.5	2	2.0	1	36.0	5	62.4	6	6.7	2
51/430	MOORDEALE	3310	2345	686	12.0	5	0.0	0	32.9	5	65.3	6	6.3	2
51/580	FULLARTON	3310	2350	614	15.3	2	0.0	0	31.0	5	41.3	5	5.0	1
52/270	KOEIFONTEIN	3330	2409	732	24.0	2	3.0	2	40.0	5	74.0	5	23.0	3
52/571	KLIPPLAAT - SAR	3301	2420	619	13.0	2	18.5	2	16.8	4	13.0	3	13.5	1
52/590	STEYTLERVILLE - MAG	3320	2420	419	17.6	2	8.2	4	53.5	6	39.9	6	13.2	3
52/765	KRANSKOP	3315	2426	610	31.3	1	8.5	2	72.7	4	34.8	5	8.0	1
52/886	WAAIPOORT	3316	2430	579	14.0	2	12.0	3	25.0	5	47.0	6	27.5	2
53/ 55	SCHUINSPAD	3325	2432	457	9.5	3	22.5	2	70.5	5	47.0	5	17.5	3
53/274	VOLSTRUISKOP	3304	2440	488	25.5	3	7.2	3	4.9	2	3.3	1	0.0	0
53/432	EENSTROOM	3312	2445	572	22.0	4	24.5	3	30.0	5	24.9	4	8.7	2
53/588	WOLWEFONTEIN - POL	3318	2450	579	26.0	5	29.0	4	22.9	4	43.1	6	19.5	2
54/177	MORGENPRACHT	3327	2506	236	45.8	4	54.0	2	16.5	2	37.0	3	21.0	4
54/253	MENTZDAM	3313	2509	303	15.0	2	31.0	3	33.4	6	36.5	6	12.0	1
54/293	GLENCONNER - POL	3323	2510	214	48.0	5	106.5	9	26.2	4	46.0	5	28.0	6
54/670	KLIPFONTEIN	3310	2523	457	15.0	1	-	-	59.0	-	56.7	-	32.0	4
54/755	KEEVYSPOS - POL	3305	2526	380	40.2	5	16.6	5	73.3	5	43.5	4	37.6	5
54/805	HILLSIDE	3325	2527	101	47.3	9	40.7	8	38.7	7	75.4	7	58.3	6
55/ 83	ENON - COL	3323	2533	135	56.9	4	86.0	4	56.4	4	108.9	-	62.5	5
55/108	SONDAGSRIVIER - BOS	3318	2534	716	23.5	-	143.5	-	86.0	-	132.0	-	61.0	-
55/410	ZUURBERG - BOS	3320	2544	594	84.8	7	163.5	8	89.5	5	160.0	5	78.5	6
55/447	ADDO OLIFANTPARK	3327	2545	152	53.0	6	42.0	7	60.0	4	46.0	3	72.0	6
55/500	FERNIEBRAE - BOS	3320	2547	686	90.0	-	134.5	-	90.5	-	135.5	-	66.0	-
55/655	TEMBANI	3325	2552	152	43.5	4	33.5	6	46.5	2	112.0	6	73.0	5
56/ 65	STEENBOKHOEK	3305	2603	451	16.2	4	44.2	5	35.2	5	59.2	6	13.7	2
56/139	ALICEDALE	3319	2605	276	49.2	7	42.4	6	58.0	6	79.0	5	47.2	5
56/312	RIEBEEK - OOS	3312	2611	685	36.0	2	75.0	7	57.5	7	64.0	3	47 [illegible]	7
56/364	CARLISLE BRIDGE - POL	3304	2613	455	12.0	3	74.7	8	51.0	4	42.0	5	15.0	2
56/532	CARLSRUST	3322	2618	640	41.2	11	100.0	10	61.5	10	86.5	9	51.2	7
56/597	CLIFTON	3327	2620	389	38.3	6	116.0	9	49.1	7	68.5	6	59.5	6
56/709	FIR GLEN	3319	2624	610	30.5	6	138.5	12	65.6	8	96.7	7	46.6	6
56/737	SLAAIKRAAL	3317	2625	594	19.1	6	100.7	9	44.7	6	15.2	6	41.2	6
56/862	HOWIESONS POORT	3322	2629	530	25.9	9	106.8	13	62.7	12	81.2	7	52.1	9
57/ 48A	GRAHAMSTOWN - TNK	3318	2632	539	-	-	93.3	6	59.5	4	109.4	6	43.9	8
57/ 48B	GRAHAMSTOWN - MUN	3318	2632	539	51.3	-	154.5	10	87.3	11	117.5	-	47.0	-
57/108	SUNNYSIDE	3318	2634	565	39.5	7	115.0	12	64.0	5	42.5	5	42.0	7
57/188	FORT BROWN - POL	3308	2637	305	46.5	3	49.8	6	49.0	6	49.2	6	14.0	5
57/580	COMMITTEES - POL	3310	2650	150	68.5	3	91.5	9	42.0	8	43.8	6	6.0	2
57/737	FRASERS CAMP	3317	2655	575	45.9	6	148.7	10	50.9	8	90.5	8	36.9	5
58/ 24	KAFFIRDRIFT - POL	3324	2701	150	82.3	6	73.7	9	37.7	6	110.5	5	71.6	7
58/192	PEDDIE - MAG	3312	2707	305	60.1	5	56.4	5	22.9	4	58.2	3	43.5	3
58/460	JAMESDALE	3310	2716	274	44.5	4	81.5	4	48.5	3	86.5	-	42.5	4
58/644	BELL - POL	3314	2722	150	62.0	3	70.5	2	19.5	3	126.0	5	55.0	2
59/ 43	RELEASED AREAS 33 - NAF	3313	2732	137	52.5	6	164.5	7	38.0	5	112.5	4	80.0	4
59/158	RICHMOND-ND 69	3308	2736	152	67.1	12	183.2	8	51.4	5	100.1	6	77.5	8
59/243	SILVERDALES	3303	2739	232	74.5	8	102.5	5	48.0	4	109.5	4	54.0	4
59/511	EAST LONDON - AGR	3301	2748	185	54.2	14	120.6	13	58.4	12	92.3	9	74.7	8
59/572	EAST LONDON - WK	3302	2750	127	54.9	17	116.3	14	61.4	14	147.3	10	64.3	9
59/722	EAST LONDON - SIGNAL STATION	3302	2755	44	52.9	18	101.5	12	44.1	10	51.0	10	111.6	8
59/722A	EAST LONDON - QUEENS PARK	3302	2755	38	64.4	13	101.0	6	36.3	5	152.2	8	89.3	6
60/620	CAPE COLUMBINE - VRT	3250	1751	60	1.4	3	0.5	1	7.4	2	5.2	5	14.8	3
60/780	SALDANHA - POL	3300	1756	8	1.5	1	0.0	0	6.5	2	1.1	2	25.3	3
60/864	VREDENBURG - POL	3254	1759	120	0.0	0	0.0	0	6.7	2	5.0	1	23.8	2
61/256	LAAIPLEK	3246	1809	9	0.0	0	0.0	0	15.5	3	6.0	3	19.0	3
61/736	DROMMELVLEI	3246	1825	64	2.0	1	0.0	0	14.2	3	2.3	2	11.5	3
62/276	KLIPHOEK	3236	1840	150	0.7	1	2.3	1	35.4	4	2.0	3	19.4	3
62/379	MELDERVUE	3249	1843	820	5.0	2	6.3	1	53.4	5	19.0	3	47.0	4
62/444	PIKETBERG - POL	3254	1845	274	0.0	0	0.0	0	21.0	1	0.0	0	13.5	2
62/671	EENDEKUIL - POL	3241	1853	150	4.0	1	3.0	1	13.5	2	8.2	3	10.5	2
62/767	MIDDELDEURVLEI	3247	1856	152	1.0	1	4.2	2	8.5	3	3.0	3	13.5	3
63/ 5	CITRUSDAL	3235	1901	230	0.0	0	3.5	1	5.0	-	3.5	-	18.5	3
63/452	KROMRIVIER	3232	1916	914	7.5	2	4.0	2	25.5	5	11.0	3	21.1	4
63/718	EXCELSIOR	3258	1924	922	6.0	1	0.0	0	36.0	3	0.0	0	15.0	2
66/ 27	OUMURE	3257	2031	1295	10.7	1	0.0	0	24.5	2	0.0	0	12.5	1
66/304	GUNSFONTEIN	3234	2041	1552	17.0	1	12.0	4	38.5	6	51.0	6	5.0	2
66/582	SKIETFONTEIN	3242	2050	1319	5.0	1	2.0	1	14.5	3	61.5	5	18.0	2
66/661	PORTUGALSRIVIER	3231	2053	1372	26.5	3	18.5	3	23.5	2	0.0	0	9.5	2
66/857	DE FONTEIN	3247	2059	1065	17.5	1	0.0	0	30.5	6	13.0	2	17.0	3
67/279	VANWYKSPLAAS	3239	2110	1067	0.0	0	0.0	0	23.6	2	32.8	3	9.1	1
67/704	DE LIST	3244	2124	762	9.5	2	8.4	4	25.2	3	29.0	2	4.5	1
68/ 10	MERWEVILLE - POL	3240	2131	732	14.0	1	11.5	3	37.6	4	30.0	3	0.0	0
68/329	PRINCE ALBERT ROAD - SAR	3259	2141	640	0.6	1	13.0	2	37.5	4	0.0	0	11.0	2
68/547	ZEEKOEVLEI	3237	2149	625	6.5	1	6.5	3	43.5	2	17.5	3	5.5	1
68/589	WILGERFONTEIN	3249	2150	619	3.7	3	9.9	4	58.0	6	9.3	2	9.5	2
68/857	LEEU GAMKA - SAR	3247	2159	555	3.4	1	18.7	3	21.0	4	10.5	1	8.0	1
69/320	LAMMERKRAAL - WES	3250	2211	686	53.0	4	16.5	5	57.5	4	22.0	5	11.2	2
69/483	LETJIESBOS - SAR	3233	2217	671	20.0	2	26.2	4	53.3	5	25.8	3	14.0	2
69/559	LAMMERKRAAL	3249	2219	792	29.5	4	40.7	5	52.0	4	17.9	5	15.5	2
69/625	RIETFONTEIN	3255	2221	899	72.0	6	9.5	5	51.5	4	26.5	5	14.2	3
69/674	BAKOVENFONTEIN	3244	2223	808	66.5	3	24.0	5	52.2	4	11.3	2	23.3	3
69/856	PALMIETFONTEIN	3246	2229	1189	17.5	4	11.0	2	70.7	6	38.6	4	15.5	2

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
50/785	6.0	2	63.9	7	100.5	2	0.0	0	3.5	2	8.5	1	2.0	1	249.3	31	162	96.9	24	63
50/887	8.8	4	70.4	10	54.4	8	1.2	3	1.9	2	9.9	4	44.3	3	295.7	56	125	170.1	47	72
51/ 5	9.0	1	55.9	4	92.5	2	0.0	0	2.5	1	0.0	0	5.5	1	274.2	22	160	165.0	23	96
51/285	10.5	3	69.7	6	81.5	2	0.0	0	2.7	2	0.0	0	15.7	2	284.9	33	136	165.4	32	79
51/341	13.0	3	72.5	6	138.1	5	0.0	0	0.0	0	3.5	1	11.0	2	371.7	33	175	230.6	30	109
51/430	8.1	4	76.1	8	121.6	4	0.0	0	3.8	2	4.5	2	11.0	2	341.6	40	142	224.5	42	93
51/500	0.0	0	70.9	5	121.9	3	0.0	0	4.8	2	4.7	-	12.6	2	307.5	(25)	168	170.1	25	93
52/270	0.0	0	98.5	7	115.0	5	0.0	0	7.0	1	0.0	0	7.5	1	392.0	31	164	288.2	33	120
52/571	6.0	1	47.5	4	99.5	3	0.0	0	16.0	2	0.0	0	15.5	4	259.3	26	110	183.5	25	78
52/590	2.9	3	62.7	7	124.7	4	0.0	0	4.7	2	1.2	1	7.5	3	336.1	41	144	231.5	41	99
52/765	2.9	3	70.9	6	143.7	4	0.0	0	6.6	2	0.0	0	59.1	6	438.5	34	240	263.1	25	144
52/886	4.0	1	65.5	5	159.0	-	0.0	0	6.0	1	5.7	2	26.0	4	391.7	(31)	184	233.0	33	110
53/ 55	2.5	1	74.2	6	124.5	3	0.0	0	5.0	1	1.5	1	44.3	7	419.0	37	-	261.8	32	-
53/274	1.7	1	1.3	1	223.9	5	0.0	0	15.5	1	8.0	1	0.0	0	291.3	18	132	(45.3)	(18)	-
53/432	0.0	0	57.0	4	160.8	4	0.0	0	15.0	2	0.0	0	15.0	2	357.9	30	153	244.5	29	105
53/588	6.5	2	58.5	5	230.0	3	0.0	0	15.5	2	0.0	0	0.0	0	451.0	33	161	294.4	39	105
54/177	0.0	0	51.5	4	158.2	2	-	-	-	-	-	-	8.0	3	(392.0)	(24)	-	305.8	24	134
54/253	1.4	1	58.2	6	150.0	4	0.0	0	16.0	3	2.0	1	20.5	3	376.0	36	149	279.8	34	111
54/293	3.2	2	69.0	6	120.0	4	0.0	0	27.5	5	5.7	3	31.0	5	511.1	54	169	435.2	52	144
54/670	4.0	1	59.0	4	131.6	5	0.0	0	41.3	2	0.0	0	28.0	3	(426.6)	(20)	-	(347.4)	(18)	-
54/755	4.5	1	49.0	5	112.8	5	0.0	0	30.5	3	4.8	2	38.5	4	451.3	44	-	377.2	43	-
54/805	2.9	2	62.4	8	111.5	6	0.9	2	38.8	6	14.4	13	30.4	7	521.7	81	-	527.7	69	-
55/ 83	4.0	1	64.5	-	133.3	-	0.0	0	75.5	5	22.5	4	68.5	-	739.0	(27)	-	691.9	(38)	-
55/108	13.0	-	53.0	-	136.0	-	0.0	-	99.0	-	54.5	-	55.5	-	857.0	-	132	1038.5	-	160
55/410	13.5	2	81.9	6	110.0	-	0.0	0	80.0	6	68.0	7	43.5	5	973.2	(57)	135	1195.2	67	166
55/447	6.0	1	64.0	4	69.0	3	0.0	0	67.0	5	12.0	2	30.0	2	521.0	43	-	636.0	43	-
55/500	13.5	-	65.5	-	111.0	-	0.0	-	54.0	-	51.0	-	43.5	-	855.0	-	140	998.2	-	164
55/655	57.0	6	66.0	6	77.0	5	65.0	5	44.0	6	12.0	3	6.5	1	636.0	55	148	783.0	49	182
56/ 65	0.0	0	50.0	4	93.0	3	0.0	0	10.4	3	5.3	2	47.5	4	374.7	38	-	425.9	44	-
56/139	3.4	3	47.8	6	104.8	4	1.1	1	32.5	6	24.9	4	27.5	1	517.8	54	130	664.7	62	167
56/312	2.5	1	55.5	4	130.0	3	3.7	1	40.5	4	31.6	5	40.8	4	584.6	48	-	861.6	49	-
56/364	0.0	0	47.3	6	117.5	2	0.0	0	28.0	7	9.3	2	49.0	3	445.8	42	-	486.8	43	-
56/532	7.8	6	63.6	9	136.5	4	7.0	5	52.4	9	34.5	7	53.5	8	695.7	95	116	897.4	91	149
56/597	7.0	2	48.0	5	112.0	3	2.5	2	63.5	6	41.0	9	53.0	5	658.4	66	114	824.2	65	143
56/709	1.0	1	56.2	9	196.1	5	22.5	1	52.5	8	44.9	13	45.7	6	796.8	82	136	938.3	81	160
56/737	2.1	3	43.2	8	243.4	3	54.5	3	60.5	7	36.0	7	40.2	7	700.8	73	107	476.4	70	73
56/862	1.0	3	45.8	9	133.7	6	9.3	7	52.6	9	25.9	11	63.5	8	660.5	103	-	837.5	106	-
57/ 48A	1.9	3	69.0	11	191.3	6	1.3	5	71.3	9	45.1	11	64.4	10	(750.4)	(79)	-	(911.5)	(67)	-
57/ 48B	2.5	1	75.0	-	210.5	4	2.0	2	78.4	9	58.2	-	77.0	-	961.2	(37)	-	1113.6	(43)	-
57/108	-	-	56.8	7	186.0	4	9.5	-	88.5	8	29.5	4	91.0	-	(764.3)	(59)	-	(973.9)	(61)	-
57/188	0.0	0	37.3	6	164.0	2	0.6	1	54.9	5	6.7	5	69.5	6	541.5	51	-	551.4	48	-
57/580	0.0	0	43.2	6	94.5	2	0.0	0	39.0	6	13.3	3	53.2	7	495.0	52	-	623.1	54	-
57/737	3.2	1	51.3	4	153.5	2	0.0	0	92.0	9	37.0	6	76.7	7	786.6	66	151	1020.8	70	195
58/ 24	0.0	0	54.5	5	112.0	3	1.0	1	76.0	7	36.1	6	75.0	3	730.4	58	-	1075.2	72	-
58/192	1.5	1	17.2	4	115.0	-	0.0	0	91.0	5	34.9	7	59.0	5	559.7	(42)	98	656.1	37	150
58/460	2.0	1	88.5	4	160.0	3	1.0	1	91.5	8	55.5	5	79.5	7	781.5	(44)	-	1054.0	(41)	-
58/644	0.0	0	103.0	2	118.0	2	0.0	0	46.5	2	75.5	5	51.0	3	727.0	29	-	1024.0	32	-
59/ 43	0.0	0	80.0	-	153.0	2	0.0	0	66.5	3	46.5	6	51.0	3	844.5	(40)	-	1290.0	50	-
59/158	7.2	2	54.6	6	80.0	3	14.2	3	104.9	10	45.1	8	73.8	7	859.1	78	121	1409.1	84	198
59/243	0.0	0	84.0	6	125.9	2	0.0	0	125.2	10	73.0	9	53.5	6	850.1	58	112	1612.9	45	211
59/511	7.5	3	101.5	8	103.4	5	17.2	4	94.0	10	107.6	11	73.3	7	904.7	104	-	2014.2	111	-
59/572	9.2	4	98.7	9	100.7	4	22.0	7	115.3	9	87.8	12	83.1	10	981.0	119	113	1839.4	131	212
59/722	11.3	6	81.2	7	61.8	4	17.5	6	112.9	10	83.1	12	53.3	9	782.2	112	96	1484.5	123	183
59/722A	7.0	2	22.0	5	65.5	2	15.0	5	112.0	7	100.4	11	63.0	4	828.1	74	100	1777.4	83	215
60/620	39.5	8	30.8	7	59.0	15	3.4	7	6.4	6	1.1	2	3.8	2	173.3	61	117	197.4	68	133
60/780	48.6	8	37.3	5	61.5	10	15.2	5	9.2	3	0.5	1	0.4	2	207.1	42	69	243.1	53	81
60/864	40.9	7	69.0	6	82.0	7	9.0	2	20.5	2	3.0	1	0.0	0	259.9	30	60	231.6	35	72
61/256	52.0	6	29.1	5	55.9	10	13.5	2	4.0	1	7.0	2	0.0	0	202.0	35	-	208.3	50	-
61/736	45.2	6	55.6	7	67.3	11	9.1	3	8.0	2	1.5	1	7.0	1	223.7	40	-	218.8	51	-
62/276	76.4	7	41.7	5	56.9	12	0.0	0	7.1	2	2.2	3	0.7	2	244.8	43	-	264.2	47	-
62/379	133.6	10	149.7	9	157.6	17	11.7	3	16.7	4	2.3	2	4.3	2	606.6	62	72	594.4	71	70
62/444	53.0	4	44.2	4	86.6	7	3.5	1	0.0	0	0.0	0	0.0	0	221.8	19	44	269.0	26	54
62/671	61.4	9	50.8	8	47.6	11	7.7	3	10.5	2	0.9	2	0.0	0	218.1	44	-	248.7	51	-
62/767	38.2	7	53.0	9	56.5	13	6.3	4	5.5	2	4.2	2	0.7	2	194.6	51	-	225.5	55	-
63/ 5	40.4	7	70.5	7	57.7	11	2.0#	2	17.0	3	0.0	0	0.0	0	218.1	(34)	-	218.1	(42)	-
63/452	41.7	5	108.0	7	57.9	15	4.0	1	8.5	1	2.5	1	0.0	0	291.7	46	-	312.9	53	-
63/718	70.5	3	99.0	6	39.0	6	5.5	1	1.5	1	0.0	0	0.0	0	272.5	23	70	321.7	25	83
66/ 27	0.0	0	134.0	5	30.5	4	0.0	0	1.2	1	0.0	0	0.0	0	213.4	14	83	158.7	15	62
66/304	21.0	3	127.5	7	82.5	4	0.0	0	8.0	1	0.0	0	7.5	2	370.0	36	-	318.0	39	-
66/582	11.0	3	123.0	6	77.5	3	0.0	0	4.0	1	6.5	2	10.0	2	333.0	29	100	352.6	32	106
66/661	3.0	2	50.0	6	24.0	-	0.0	0	0.0	0	0.0	0	34.5	2	189.5	(20)	-	118.5	22	-
66/857	4.5	2	89.7	5	38.7	4	0.0	0	6.5	1	3.0	2	0.0	0	220.4	26	-	174.7	29	-
67/279	8.6	1	72.6	3	65.7	2	0.0	0	0.0	0	0.0	0	0.0	0	212.4	12	-	(176.7)	(15)	-
67/704	1.5	1	35.0	4	35.0	2	0.0	0	0.0	0	0.9	1	7.5	1	156.5	21	-	187.8	24	-
68/ 10	0.0	0	31.5	3	59.5	2	0.0	0	0.0	0	8.0	1	15.5	2	207.6	19	158	199.5	18	[illegible]
68/329	3.5	1	29.0	2	16.0	3	0.0	0	0.0	0	0.0	0	16.0	1	126.6	16	114	118.6	16	107
68/547	0.0	0	32.0	4	49.5	2	0.0	0	0.0	0	2.0	1	35.5	3	198.5	20	200	176.5	17	178
68/589	0.0	0	23.0	3	31.5	2	0.0	0	0.0	0	3.5	1	9.0	2	157.4	25	169	190.9	[illegible]	[illegible]
68/857	0.0	0	24.1	4	15.5	2	0.0	0	0.0	0	0.0	0	0.0	0	101.2	16	88	[illegible]	16	79
69/320	12.5	4	35.7	5	27.1	4	0.0	0	2.5	1	0.0	0	10.5	1	248.5	35	-	[illegible]	[illegible]	-
69/483	4.4	1	33.6	7	44.5	2	0.0	0	4.0	1	1.0	1	8.5	2	235.3	30	134	[illegible]	[illegible]	140
69/559	11.8	4	37.0	5	35.8	4	0.0	0	2.5	1	0.0	0	11.7	2	254.4	36	166	[illegible]	34	142
69/625	8.0	3	39.8	5	40.6	4	0.0	0	3.0	1	1.0	1	17.3	2	283.4	39	174	[illegible]	[illegible]	145
69/674	4.8	2	36.4	4	38.1	3	0.0	0	3.5	1	0.0	0	11.0	1	271.1	28	[illegible]	[illegible]	[illegible]	154
69/856	8.5	2	37.0	3	54.5	2	0.0	0	5.5	1	3.0	1	23.0	3	284.8	30	[illegible]	[illegible]	[illegible]	185

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
70/ 33	CYPHERFONTEIN	3233	2232	860	20.0	1	8.5	2	80.0	4	35.5	5	28.0	2
70/ 93	NOBLESFONTEIN	3233	2234	853	35.0	2	15.5	1	59.3	4	16.0	4	17.3	3
70/525	KLIPSTAWEL	3245	2248	861	14.0	1	6.5	1	44.5	3	35.5	4	8.0	1
70/77C	AARDOORNS	3250	2256	838	16.5	2	4.0	1	41.2	3	20.5	3	11.8	1
71/121	VEREKUIL	3231	2305	853	50.3	2	20.9	1	44.0	4	17.9	4	21.3	2
71/264	RIETBRON-MUN	3254	2309	762	14.0	4	24.4	4	32.0	5	17.3	4	9.5	1
71/337	WIEGNAARSPOORT	3237	2312	853	18.6	3	8.5	2	45.0	8	38.5	4	24.0	3
71/615	RUS-EN-VREDE	3245	2321	823	11.5	1	5.5	2	41.0	3	27.0	2	9.0	2
73/377	STOCKDALE	3247	2413	853	30.4	5	25.8	4	25.2	4	26.9	5	18.0	2
73/427	WELVERDIEND	3237	2415	670	21.6	6	24.1	4	23.5	4	12.7	5	16.0	3
73/501	OATLANDS	3251	2417	777	18.8	3	5.0	1	31.0	2	18.0	1	20.0	2
73/555	ABERDEEN ROAD - SAR	3245	2419	756	34.0	2	33.5	3	27.5	2	18.3	3	14.5	2
73/871	KENDREW ESTATES	3231	2430	625	34.7	5	78.2	3	21.1	4	52.3	5	16.5	2
73/871A	KENDREW - SAR	3231	2430	614	28.7	4	43.5	4	20.0	4	15.5	3	17.5	2
74/256	UITKOMST	3246	2439	515	11.0	2	23.2	3	20.9	4	27.1	3	14.7	2
74/296	JANSENVILLE	3256	2440	410	25.2	8	15.1	9	21.1	6	21.2	7	16.2	3
74/296A	JANSENVILLE - POL	3256	2440	457	21.7	6	18.0	5	22.2	5	21.5	5	16.5	3
74/363	KLIPFONTEIN	3233	2443	673	71.5	4	40.5	4	26.0	4	32.8	5	31.3	4
75/ 90	BIESIESFONTEIN	3300	2503	320	68.5	3	30.4	5	76.0	5	47.4	5	21.5	2
75/215	PEARSTON - POL	3235	2508	710	45.5	3	35.5	3	43.5	5	54.5	6	23.5	2
75/366	PROSPECT	3236	2513	732	39.5	4	113.5	4	30.0	3	76.0	7	38.0	4
75/432	TOEKOMS	3242	2515	730	53.5	3	82.5	4	34.5	4	47.0	5	40.0	4
75/473	RIETVLEI	3253	2516	533	45.5	3	37.5	3	50.0	4	65.5	5	13.8	2
75/483	STRUISHOEK	3233	2517	914	91.5	6	27.0	5	34.5	7	118.5	8	61.5	5
75/745	DIE HOOGTE	3255	2525	732	99.0	5	32.0	5	53.0	5	65.0	5	28.7	5
75/759	BUFFELSFONTEIN	3239	2526	968	82.7	5	80.7	6	50.5	4	60.3	7	41.9	6
75/784	GROOTVLAKTE	3234	2527	975	41.2	5	35.3	7	28.3	6	62.3	6	34.5	5
76/133	SOMERSET EAST - TNK	3243	2535	766	44.0	4	142.5	7	51.5	3	79.5	5	34.0	2
76/134	SOMERSET EAST - POW	3244	2535	739	61.3	15	111.6	13	50.7	12	90.2	10	31.4	8
76/215	OUKRAAL	3235	2538	1265	74.5	7	62.0	8	40.5	4	72.0	6	51.1	6
76/555A	COOKHOUSE - SAR	3245	2549	579	30.3	9	47.7	7	30.7	6	70.3	6	25.0	5
76/884	ALBERTVALE	3244	2600	701	92.2	13	103.2	11	73.0	6	57.3	8	28.0	7
77/309	CULLENDALE	3239	2611	732	74.5	9	76.5	8	81.5	6	65.0	4	34.3	5
77/522	ADELAIDE - POL	3242	2618	599	81.0	9	72.0	6	72.0	6	68.6	9	24.7	6
77/881	FORT FORDYCE - BOS	3241	2630	1143	148.0	12	246.8	9	124.2	7	134.8	6	34.0	3
78/153	BUXTON - BOS	3233	2636	914	139.3	16	202.5	14	97.3	16	123.9	11	37.3	6
78/226	FORT BEAUFORT - POW	3246	2638	456	90.3	15	77.6	8	89.0	6	44.6	8	20.0	5
78/227	FORT BEAUFORT - TNK	3247	2638	456	91.0	10	95.0	9	102.0	3	40.0	6	23.5	2
78/272	BALFOUR - POL	3232	2640	641	106.0	7	71.0	6	77.5	8	79.5	5	26.0	4
78/279	OAKDENE	3239	2640	549	67.5	10	92.5	8	48.7	6	72.0	8	25.0	-
78/296	MERINO	3256	2640	427	52.8	11	110.1	11	47.4	7	66.9	10	21.2	7
78/453	SEYMOUR - MAG	3233	2646	792	68.4	9	49.5	8	52.7	12	106.7	8	39.7	6
78/587	ALICE - MUN	3247	2650	525	97.2	12	69.3	9	39.5	8	51.9	7	24.5	8
78/755	HOGSBACK - BOS	3235	2656	1375	156.2	13	145.8	10	76.3	9	182.3	8	93.9	6
78/859	MIDDLEDRIFT - NAF	3249	2659	488	66.0	10	82.7	10	27.3	7	50.0	-	21.5	4
78/879	WOLFRIDGE - BOS	3239	2700	1067	162.7	15	195.1	14	114.0	13	126.4	10	55.3	7
79/215	CATA - BOS	3235	2708	975	138.5	8	134.4	10	44.0	8	76.0	4	48.0	4
79/251	KEISKAMMAHOEK - POL	3241	2709	671	87.0	11	48.8	10	28.2	6	71.6	7	47.8	6
79/316	RABULA - BOS	3246	2711	792	99.8	12	116.9	10	47.8	4	106.9	5	55.4	4
79/384	NTSIKIZINI	3254	2713	430	20.0	1	80.0	4	38.0	2	6.0	1	61.0	5
79/396	DONTSA - BOS	3236	2714	914	181.0	15	112.0	11	88.5	10	116.0	8	56.0	6
79/485	KUBUSIE - BOS	3235	2717	1036	188.6	19	132.6	14	79.5	11	105.1	7	58.4	8
79/490	ISIDENGE - BOS	3240	2717	884	193.0	20	108.0	15	89.7	15	159.5	10	80.5	8
79/507	ORANGE GROVE	3257	2717	395	86.6	9	54.8	7	19.7	3	28.3	6	18.5	5
79/523	EVELYN VALLEY - BOS	3243	2718	1070	233.0	18	170.0	11	154.7	14	210.5	8	114.5	8
79/524	PIRIE - BOS	3244	2718	610	145.2	8	110.0	8	61.0	7	71.5	3	74.0	-
79/524A	MADEN DAM	3244	2718	457	164.5	17	95.5	14	69.0	10	81.5	6	69.5	7
79/551	GWENDWE - BOS	3241	2719	853	175.0	17	95.0	12	79.0	12	100.5	9	63.0	5
79/632	KOLOGHA - BOS	3232	2722	975	158.7	19	146.5	14	85.1	8	73.0	6	49.0	6
79/635	WILLOWBANK	3235	2722	823	163.8	20	123.6	13	59.8	12	63.5	6	30.6	7
79/647	IZELI	3247	2722	610	97.7	14	75.5	9	34.4	9	50.6	6	48.0	7
79/712	KING WILLIAMS TOWN - MUN	3252	2724	400	80.6	14	63.8	14	35.8	10	56.9	8	34.9	8
79/730	IZELENI - BOS	3240	2725	762	180.0	20	170.7	16	86.3	15	87.0	10	45.2	9
79/754	STUTTERHEIM - TNK	3234	2726	809	122.9	14	137.5	9	65.3	12	137.2	6	20.5	3
79/782	DOHNE - SAR	3232	2727	927	144.2	16	134.4	9	0.0	0	0.0	0	35.7	6
79/809	MOUNT COKE - BOS	3259	2727	488	80.5	12	130.7	12	59.0	6	106.0	6	57.6	6
79/811	DOHNE - AGR	3231	2728	899	144.0	20	114.9	16	98.3	16	89.6	12	32.3	10
79/823	FRANKFORT - C/K	3243	2728	626	155.5	13	106.5	7	53.0	6	59.5	5	40.0	4
79/853	WOODLANDS	3243	2729	671	180.0	20	117.6	13	64.2	14	64.9	10	69.2	8
79/870	BEKRUIPKOP - NAF	3300	2729	365	76.9	12	104.1	10	54.5	6	102.5	5	55.5	4
80/ 72	KEI ROAD - POL	3242	2733	711	220.8	17	122.0	10	74.5	10	76.2	9	65.5	7
80/143	BERLIN - SAR	3253	2735	499	68.5	14	90.7	11	55.0	9	57.8	5	37.0	2
80/183	RIPPLEMEAD	3233	2737	823	108.8	14	61.5	6	61.5	9	45.0	4	33.5	6
80/355	FORT JACKSON - POL	3255	2742	338	72.7	19	70.3	9	13.4	-	104.0	-	52.0	3
80/457	GRANTA	3237	2746	701	140.4	17	97.8	11	63.5	13	76.0	9	54.2	8
80/569	UMZONIANA - RSV	3259	2749	168	65.2	23	85.3	13	61.9	16	120.4	11	55.5	10
80/629	AMALINDA - VIS	3259	2751	126	61.8	17	79.6	12	69.2	11	129.2	9	71.9	8
80/693	KONGA - TNK	3234	2754	644	151.0	14	85.0	9	55.2	8	76.5	7	42.5	4
81/ 7	HOPEWELL	3237	2801	457	128.5	14	93.5	9	87.5	8	85.0	4	36.0	4
81/ 13	MOOIPLAAS	3243	2801	305	114.7	16	89.5	13	57.5	11	90.5	10	51.1	9
81/ 44	MOOIPLAAS - NAF	3244	2802	305	-	-	-	-	-	-	88.0	7	36.5	6
81/218	MPETU - POL	3238	2808	455	139.8	17	162.9	11	74.1	13	95.5	5	62.5	6
81/435	HAGA-HAGA	3245	2815	75	91.0	14	75.4	6	95.5	4	108.0	5	129.7	6
81/758	QOLORA MOUTH	3238	2826	50	110.3	18	138.2	11	106.4	9	108.5	6	110.2	8
83/515	LAMBERTSBAAI - POL	3205	1818	22	0.0	0	1.1	1	9.5	1	3.7	2	4.1	2

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
70/ 33	6.0	1	45.5	5	88.0	2	0.0	0	7.0	2	0.0	0	42.5	2	361.0	26	192	289.5	23	154
70/ 93	6.3	3	47.0	5	79.5	3	0.0	0	7.3	3	0.5	1	59.2	2	342.9	31	175	241.7	25	124
70/525	2.5	1	43.0	4	79.7	3	0.0	0	4.0	1	3.5	1	0.0	0	241.2	20	131	182.0	20	99
70/770	0.0	0	47.4	2	61.4	2	0.0	0	0.0	0	0.0	0	2.5	1	205.3	15	137	152.0	19	101
71/121	5.7	2	50.8	6	123.6	2	0.0	0	6.3	1	0.0	0	25.6	1	366.4	25	190	245.2	22	128
71/264	6.0	3	57.4	7	69.0	2	0.0	0	3.2	2	0.7	1	8.7	3	242.2	36	147	157.5	32	96
71/337	5.5	2	47.5	7	109.2	3	0.0	0	9.0	1	2.5	1	20.2	2	328.5	36	177	264.9	35	143
71/615	3.0	1	47.1	4	88.5	3	0.0	0	7.6	2	0.0	0	19.0	2	259.2	22	-	214.5	18	-
73/377	4.5	2	60.2	4	101.7	3	0.0	0	11.7	3	0.0	0	18.5	3	322.9	35	141	266.5	35	116
73/427	8.7	5	58.0	7	144.9	4	0.0	0	14.0	2	0.0	0	17.0	4	340.5	44	-	294.6	46	-
73/501	6.4	1	55.4	5	134.0	-	12.0	1	0.0	0	0.0	0	16.1	3	316.7	(19)	129	257.8	18	105
73/555	0.0	0	53.5	3	113.5	2	0.0	0	11.0	2	0.0	0	13.0	2	318.8	21	144	247.9	21	112
73/871	6.0	2	48.5	2	140.2	4	0.0	0	60.0	4	5.5	1	22.2	5	485.2	37	172	411.8	37	146
73/871A	4.5	3	47.0	4	127.7	3	0.0	0	52.5	3	6.5	1	17.0	1	380.4	32	148	313.5	31	122
74/256	0.0	0	59.3	5	133.0	3	0.0	0	19.0	2	2.5	1	15.9	3	326.6	28	148	207.5	24	94
74/296	8.3	6	74.8	8	132.5	4	0.0	0	16.8	5	9.0	4	20.2	7	360.4	67	136	246.1	56	93
74/296A	5.0	1	70.0	4	132.5	4	0.0	0	18.5	3	0.8	1	29.5	5	356.2	42	145	248.1	39	101
74/363	2.5	1	42.5	6	118.5	4	0.0	0	45.5	4	9.5	2	19.5	3	440.1	41	174	373.7	36	147
75/ 90	3.5	1	53.5	4	149.6	4	0.0	0	21.5	3	0.2	1	12.0	3	504.1	36	195	414.8	35	161
75/215	2.8	2	51.8	6	120.5	3	0.0	0	67.8	5	2.0	2	48.5	3	495.9	40	138	377.9	39	105
75/366	4.5	1	55.0	6	137.5	4	0.0	0	93.0	4	28.5	3	61.5	5	677.0	45	199	545.3	43	160
75/432	4.0	1	62.0	3	154.0	-	0.0	0	52.5	4	8.5	2	30.0	3	568.5	(33)	-	511.5	37	-
75/473	0.0	0	60.0	5	132.5	-	0.0	0	36.0	4	0.0	0	38.0	3	478.8	(29)	160	421.3	31	141
75/483	4.0	1	72.5	7	178.5	5	0.0	0	56.0	7	19.0	5	54.5	5	717.5	61	158	654.7	58	144
75/745	2.5	1	51.0	3	156.5	5	0.0	0	37.8	4	27.0	5	25.5	3	578.0	46	191	480.2	39	159
75/759	4.6	2	55.0	9	149.0	5	0.0	0	114.8	6	27.5	4	50.1	4	717.1	58	170	764.4	52	181
75/784	6.1	2	48.4	7	139.0	6	0.0	0	39.7	4	15.4	6	43.6	5	493.8	59	142	489.7	54	141
76/133	0.0	0	46.0	4	209.5	3	0.0	0	77.0	6	33.2	7	68.0	8	785.2	49	127	799.0	47	129
76/134	4.6	4	61.5	11	203.1	7	1.3	4	73.5	11	39.0	14	64.6	12	792.8	121	-	831.4	119	-
76/215	66.8	5	25.0	2	135.0	5	0.0	0	78.0	7	15.0	3	52.0	5	671.9	58	136	822.1	60	167
76/555A	1.9	2	54.5	7	104.0	6	1.4	2	63.2	6	36.1	9	70.6	7	535.7	72	130	482.8	62	117
76/884	1.5	1	68.0	8	143.0	3	1.0	1	74.0	8	34.9	9	37.0	5	713.1	80	157	693.8	84	153
77/309	0.0	0	60.6	5	81.5	3	3.5	1	51.5	4	47.5	7	44.0	4	620.4	56	111	671.5	54	120
77/522	0.0	0	62.6	7	134.2	3	0.4	1	92.0	7	39.0	7	61.0	2	707.5	63	151	700.6	60	150
77/881	0.0	0	102.0	5	111.0	2	0.0	0	225.5	6	145.0	8	112.0	5	1383.3	63	151	1480.8	70	162
78/153	8.6	2	74.5	9	108.3	9	32.6	8	104.5	9	78.1	9	41.3	7	1048.2	116	124	1299.9	126	154
78/226	0.8	2	61.2	5	76.6	3	2.8	4	59.5	8	40.6	12	42.3	7	605.3	83	125	853.3	97	177
78/227	0.0	0	74.5	6	72.5	2	3.8	2	66.3	9	44.7	11	36.0	7	649.3	67	126	886.1	59	173
78/272	0.0	0	58.0	3	63.0	2	(21.5)	-	92.5	6	55.7	7	36.5	5	(687.2)	(53)	-	859.0	48	132
78/279	4.5	1	76.5	-	51.5	2	6.0	1	84.0	7	54.0	9	40.5	3	622.7	(55)	122	764.9	(63)	149
78/296	4.0	3	78.7	7	101.7	3	2.5	1	63.0	8	32.7	11	35.9	6	616.9	85	136	765.7	84	169
78/453	5.7	2	76.8	6	51.2	5	32.7	8	82.3	10	102.2	11	29.1	5	697.0	90	123	777.2	79	137
78/587	5.4	3	69.3	6	78.5	5	2.6	4	64.3	6	60.9	11	29.0	-	592.4	(79)	104	823.2	85	144
78/755	13.0	2	125.7	7	105.7	4	46.0	6	142.4	9	168.1	10	138.1	8	1393.5	92	111	1574.4	94	126
78/859	0.0	0	61.5	7	91.0	4	0.0	0	62.0	9	32.0	5	35.5	5	529.5	(61)	106	595.8	(57)	120
78/879	3.5	1	107.5	7	132.0	4	36.3	7	105.9	11	146.5	13	90.2	8	1275.4	110	121	1517.5	116	143
79/215	4.0	1	64.0	6	119.0	4	18.0	3	54.0	4	109.0	9	72.2	9	881.1	70	92	1212.3	74	127
79/251	2.0	1	49.7	6	102.0	4	4.0	1	87.7	7	62.6	10	50.3	6	641.7	75	102	909.4	85	145
79/316	3.5	1	81.5	-	188.0	2	13.0	2	74.0	5	87.8	-	-	-	(874.6)	(45)	-	1299.1	67	181
79/384	0.0	0	61.0	4	268.0	4	0.0	0	81.0	7	129.0	4	56.0	4	800.0	36	-	712.5	28	-
79/396	6.0	1	104.5	5	151.0	3	24.0	2	94.0	7	108.5	9	82.0	8	1123.5	85	137	1344.5	95	165
79/485	1.5	1	78.1	6	156.0	3	19.4	5	82.5	10	115.4	11	88.7	14	1105.8	109	113	1248.1	10	127
79/490	2.5	2	116.0	7	168.0	4	16.5	8	76.5	10	110.5	13	95.8	12	1216.5	124	115	1488.7	122	142
79/507	2.6	2	73.4	6	105.5	2	5.6	2	97.2	4	49.1	11	33.7	5	575.0	62	-	1229.3	59	-
79/523	0.0	0	153.5	8	191.7	5	41.7	3	143.0	8	170.5	11	164.0	9	1747.1	103	100	2138.4	112	122
79/524	0.0	0	75.5	3	180.5	-	6.5	1	74.0	(6)	80.0	4	87.0	3	965.2	(43)	104	1215.2	(41)	131
79/524A	6.0	3	81.0	7	162.0	5	25.0	7	61.0	6	86.0	11	117.0	10	1018.0	103	-	1240.1	113	-
79/551	1.6	1	89.0	7	87.5	3	21.5	5	86.0	10	116.5	9	88.5	11	1003.1	101	112	1327.2	105	148
79/632	0.0	0	57.1	6	156.5	2	19.0	4	70.5	9	134.5	11	86.5	10	1036.4	95	107	1311.5	113	135
79/635	1.4	3	63.5	6	119.8	4	9.6	6	51.8	9	84.3	12	52.4	10	624.1	108	129	993.0	101	156
79/647	1.0	2	74.8	5	136.0	4	3.1	3	65.5	6	61.0	10	46.5	7	694.1	82	-	698.4	85	-
79/712	1.4	3	79.2	9	87.7	5	2.2	5	41.5	9	39.3	16	27.6	12	550.9	113	-	973.7	110	-
79/730	3.4	3	101.7	9	155.2	7	15.4	7	81.4	13	129.5	14	71.2	10	1127.0	133	119	1382.2	133	146
79/754	5.2	3	62.2	6	117.7	3	11.9	5	51.9	10	98.0	9	48.6	6	878.9	88	113	1100.1	87	141
79/782	3.0	1	57.0	3	79.5	3	3.0	1	39.0	3	89.0	3	64.9	6	649.7	51	93	1000.7	64	143
79/809	4.5	3	85.1	6	99.0	3	7.5	4	81.1	7	74.1	10	29.3	8	814.4	83	125	1561.7	81	241
79/811	4.5	4	58.2	10	126.3	4	10.5	9	44.9	11	100.6	13	71.6	15	895.7	142	124	1073.2	143	148
79/823	0.0	0	53.0	3	103.0	2	0.0	0	57.5	7	89.0	9	42.6	6	759.6	62	119	1105.5	68	173
79/853	1.0	1	75.4	9	113.8	4	8.4	6	56.1	7	92.7	12	62.6	-	905.9	(104)	117	1235.2	120	159
79/870	4.0	2	108.7	7	87.0	3	0.5	1	69.9	8	83.0	7	38.1	6	784.7	71	-	1376.3	79	-
80/ 72	0.0	0	82.5	7	139.0	3	10.0	2	68.0	7	107.0	8	64.0	6	1029.5	86	129	1319.0	92	165
80/143	0.0	0	89.5	5	115.0	4	3.1	2	58.2	7	79.6	10	45.0	9	699.4	78	106	1218.3	76	185
80/183	2.5	1	57.5	4	90.0	3	5.1	2	36.0	7	69.0	10	41.5	5	611.9	71	-	766.6	68	-
80/355	0.0	0	79.2	7	134.0	3	11.5	4	48.5	-	30.5	2	65.0	4	681.1	(51)	106	1296.1	(54)	201
80/457	5.0	2	80.8	7	126.5	4	8.9	6	65.0	8	87.1	10	71.6	11	876.8	106	121	1118.8	100	154
80/569	7.3	6	147.9	13	122.3	5	13.5	8	95.1	14	107.8	16	63.7	11	945.9	146	116	1706.4	145	209
80/629	7.8	3	106.8	7	122.0	4	12.9	5	79.9	9	114.1	12	66.3	5	921.5	102	120	1687.4	105	220
80/693	0.0	0	64.0	5	110.0	3	1.5	1	76.5	7	85.0	9	28.0	4	775.2	71	107	1063.7	78	147
81/ 7	0.0	0	88.0	5	117.0	3	10.5	3	101.0	8	79.0	10	75.5	9	903.5	77	113	1199.5	73	150
81/ 13	0.1	1	121.6	8	176.5	3	13.1	7	93.4	9	126.6	11	66.8	7	1001.4	105	111	1310.9	87	146
81/ 44	0.1	1	123.8	8	178.5	3	12.6	9	89.2	8	127.1	15	83.4	11	(739.2)	(68)	-	(124.6)	(14)	-
81/218	0.0	0	95.5	-	223.3	4	17.7	6	86.6	7	98.5	9	84.7	12	1141.1	(90)	-	1538.4	97	-
81/435	15.5	2	104.2	7	75.0	3	34.4	7	79.5	8	165.5	10	64.8	9	1038.5	81	-	1224.0	69	-
81/758	0.8	2	98.7	6	118.8	4	25.9	8	117.4	9	129.5	16	130.8	11	1195.5	110	-	1869.5	103	-
83/515	13.7	3	9.7	4	33.3	9	0.0	0	0.0	0	1.1	1	0.0	0	76.2	23	-	89.1	29	-

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S ° '	λ E ° '	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
84/ 59	REDELINGHUYS - PCL	3229	1832	61	0.9	1	2.2	1	24.6	3	3.5	1	12.7	3
84/159	GRAAFWATER	3209	1836	198	0.0	0	1.7	1	13.9	1	0.0	0	11.9	3
84/558	ELANDSFONTEIN	3218	1849	457	0.0	0	3.0	1	23.7	5	1.0	1	39.4	4
84/701	CLANWILLIAM - TNK	3211	1854	75	3.0	1	0.0	0	6.7	2	2.8	2	10.6	3
84/878	KLIPHUIS - BOS	3208	1900	915	9.5	1	0.0	0	11.0	2	11.0	4	25.0	3
85/112	ALGERIA - BOS	32[illegible]	1904	517	5.0	3	3.5	1	20.8	3	23.5	4	39.6	3
85/309	MERTENHOF	3209	1911	381	0.7	1	0.7	1	12.0	5	5.0	2	15.0	3
85/376	WUPPERTHAL	3216	1913	488	1.0	1	0.0	0	0.0	0	0.0	0	9.5	2
85/568	KEURBOSFONTEIN	3228	1919	855	3.1	4	6.1	2	40.6	4	1.8	3	6.4	2
86/ 7	REENEN	3207	1931	305	1.0	1	0.0	0	5.6	2	0.0	0	0.0	0
86/ 79	ELANDSVLEI	3219	1933	274	0.0	0	0.0	0	8.0	4	0.5	1	0.0	0
87/186	AGTERKOP	3206	2007	1295	11.0	1	7.5	3	26.0	4	19.5	4	28.5	4
87/213	NUWEPOS	3203	2008	1160	15.0	2	14.0	1	20.5	4	40.5	3	17.5	2
87/635	BET-EL	3205	2022	1173	0.0	0	20.0	1	0.0	0	15.0	1	18.0	2
88/188	BOVLEI	3208	2037	1524	47.9	3	9.9	4	33.9	6	38.1	5	26.1	6
88/293	SUTHERLAND	3223	2040	1459	24.8	4	23.3	5	32.3	6	37.5	3	15.0	4
88/667	PRINSHOF	3207	2053	1280	9.0	2	14.0	2	20.5	4	11.0	2	12.5	2
89/ 38	FONTEINPLAAS	3208	2102	1295	3.5	1	3.2	2	42.0	4	9.0	3	4.5	1
89/385	RHENOSTERVLEI	3225	2113	1462	4.0	1	38.0	4	77.5	7	24.5	4	13.5	3
89/643	WELTEVREDE	3213	2122	1615	25.7	4	23.3	2	47.7	5	6.5	2	10.7	1
89/693	GROOTFONTEIN	3203	2124	1432	9.2	3	18.0	4	33.5	4	31.0	3	13.5	2
89/875	ALBERTSGRAF	3205	2130	1433	11.5	2	32.0	4	23.5	3	28.5	3	13.5	2
89/894	RONDOM	3224	2130	899	0.0	0	20.5	2	30.0	1	39.5	3	0.0	0
90/176	GROOTFONTEIN	3226	2136	808	0.0	0	27.0	3	40.0	3	39.0	3	0.0	0
90/196	TAFELBERG	3216	2137	1067	5.0	1	17.0	-	25.6	4	22.3	2	4.2	2
90/600	BULWATER	3230	2150	656	33.0	4	0.0	0	43.5	-	15.0	1	0.0	0
91/288	GRANTHAM	3218	2210	838	29.7	3	15.0	2	30.5	3	5.0	1	11.5	2
91/763	PAARDEKRAAL	3213	2226	1594	28.0	2	31.5	3	25.0	4	28.0	2	0.0	0
91/782	ROSEDENE	3202	2227	1494	24.0	2	87.0	5	31.5	2	19.0	1	14.0	1
91/835	KLIPBANKSFONTEIN	3225	2228	732	10.0	1	4.7	1	52.8	3	29.1	5	16.7	3
91/890	STOLSHOEK	3220	2230	1067	8.0	1	19.0	3	49.5	6	36.1	6	22.5	2
92/141	BEAUFORT WEST - TNK	3221	2235	857	12.5	5	14.3	7	45.5	8	22.9	7	15.0	3
92/288	BEAUFORT WEST - AER	3218	2240	893	46.9	4	13.8	5	30.0	7	23.6	6	12.3	3
92/369	DE HOOP	3209	2243	1036	17.0	3	42.0	2	21.0	3	13.5	3	24.5	4
92/386	BLOUBOSKUIL	3226	2243	884	2.0	1	10.0	3	27.0	3	11.6	4	5.0	1
92/523	BRANDWAG	3213	2248	990	28.5	2	11.0	1	28.0	3	23.0	3	22.0	1
93/ 5	NELSPOORT	3205	2301	1015	10.5	1	73.9	6	48.7	7	36.6	5	24.5	3
93/314	BAKENSRUG	3214	2311	1067	0.0	0	28.5	3	33.0	5	22.3	5	30.5	2
93/580	POORTJIE-WES	3210	2320	991	0.0	0	70.5	6	33.0	3	34.5	3	29.0	3
94/167	SARELSRIVIER	3217	2336	957	11.5	1	27.0	3	33.0	1	19.0	3	35.5	3
94/316	KYKRUG	3216	2341	1067	8.4	1	26.7	2	39.4	1	25.3	4	37.2	3
94/513	OULTON	3203	2348	1448	23.5	3	87.0	4	57.0	4	43.4	7	37.0	2
94/578	DE KRUIS	3208	2350	1372	30.5	3	64.7	4	39.3	3	16.5	3	37.5	3
94/730	BEELDHOUERSFONTEIN	3210	2355	1509	18.2	2	72.0	5	64.0	3	27.9	5	34.4	3
94/769	KISMET	3219	2356	1021	51.0	3	68.5	5	42.5	2	61.5	6	48.0	4
95/ 6	QUAGGASDRIFT	3206	2401	1585	45.8	6	46.5	5	36.5	5	34.5	5	32.5	4
95/119	ABERCEEN - TNK	3229	2404	732	19.5	4	21.5	5	27.0	3	28.5	4	21.5	2
95/123	DOORNBOSCH	3203	2405	1433	16.0	1	42.5	8	50.8	8	46.7	7	31.8	2
95/273	ZUURPLAATS	3203	2410	1524	-	-	68.5	(3)	(34.0)	(2)	(27.5)	(2)	-	-
95/395	HOUD CONSTANT	3205	2414	1341	24.0	4	88.6	10	41.5	5	59.5	7	55.0	4
95/428	VANDERWALTSHOEK	3208	2415	899	24.5	3	-	-	97.2	6	33.9	5	21.2	1
95/635	WATERFALL	3205	2422	1204	27.5	3	52.5	7	(30.0)	(3)	44.0	5	36.5	3
95/823	WINTERHOEK	3213	2428	876	82.1	4	10.5	3	18.5	4	40.5	4	45.2	3
96/ 44	VANRYNEVELDSPASDAM	3214	2432	792	123.2	5	28.3	7	27.2	4	39.2	8	48.5	3
96/ 45	GRAAFF-REINET - TNK	3215	2432	744	81.5	6	28.7	8	29.1	4	32.5	6	34.9	3
96/ 94	GROOTHOEK	3204	2434	1219	27.1	4	70.1	7	52.0	4	74.4	6	26.1	3
96/101	ROODEBLOEM	3211	2434	808	34.5	4	18.3	5	34.3	5	45.0	5	30.5	3
96/272	BLOEMHOF	3202	2440	1091	62.0	9	26.5	5	47.5	5	65.5	6	39.0	3
96/551	EXCELSIOR	3211	2449	1402	57.5	5	-	-	-	-	-	-	50.5	3
96/680	GROENKLOOF	3220	2453	945	74.5	5	27.0	3	48.9	5	72.8	5	58.4	4
97/140	HOEKSFONTEIN	3220	2505	915	52.2	5	20.2	4	31.9	4	79.8	8	21.8	1
97/427	LORRAINE	3207	2515	1295	49.8	12	46.0	6	169.0	6	31.0	5	15.4	4
97/590	SCHURFTEBERG	3220	2520	1600	103.7	7	43.4	4	67.2	6	75.9	-	44.1	4
97/634	POST CHALMERS - PCL	3204	2522	1065	41.0	6	16.5	3	63.5	5	34.5	4	13.5	2
98/184	DE DOORNS	3204	2537	975	(18.5)	(3)	47.5	4	50.5	3	29.7	-	17.0	-
98/190	CRADOCK - TNK	3210	2537	872	44.3	-	24.5	-	70.9	-	50.3	-	6.9	-
98/322	MORTIMER - PCL	3222	2541	885	43.5	7	30.5	3	71.5	5	56.5	5	0.0	0
98/553	LAKE ARTHUR DAM	3213	2549	850	63.0	7	47.0	3	96.0	4	56.5	7	22.5	3
98/595	LABORARE	3225	2550	899	49.0	2	23.5	1	49.9	-	2.5	1	32.0	2
98/668	RYGERSPOORT	3208	2553	1065	25.5	10	46.2	6	55.2	7	42.2	-	13.0	2
98/713	OONKERHOEK	3223	2554	1067	41.5	9	25.0	5	109.0	7	58.0	6	25.2	4
99/ 20	LELIEKLOOF	3220	2601	1372	61.5	8	51.4	5	76.8	5	45.5	8	22.1	6
99/102	HARTBEESLAAGTE	3212	2604	1082	75.7	8	62.6	4	55.5	5	49.7	5	14.5	1
99/221	BLETFONTEIN	3211	2608	1158	45.3	6	64.1	5	48.2	2	44.5	4	9.0	2
99/229	CHEVIOT FELLS	3219	2608	1341	115.8	9	97.3	4	82.5	7	69.0	6	43.5	6
99/301	ALDERSYDE	3201	2611	1369	24.0	2	85.5	7	97.5	5	39.5	5	31.5	3
99/492	WHEATLANDS	3212	2617	1311	62.1	8	82.2	7	63.5	6	48.5	6	24.2	6
99/496	SPRING VALLEY	3216	2617	1417	112.3	10	58.5	7	88.0	9	65.5	8	16.6	7
99/622	VENTNOR	3222	2621	1631	100.5	14	72.6	13	89.8	14	103.5	11	65.0	8
99/735	GLEN ROY	3215	2625	1737	113.8	8	60.0	7	91.7	11	45.1	6	53.6	7
99/811	ROCKLANDS	3201	2628	1220	52.1	6	56.9	5	54.6	5	55.8	7	12.0	2
100/ 25	FOUNTAIN HEAD	3225	2631	1448	78.6	11	126.0	6	54.0	5	90.0	6	59.5	4
100/ 50	GREENLANDS	3220	2632	1860	107.0	8	73.3	8	71.6	9	88.3	8	50.0	9
100/ 60	MILLHOLME	3230	2632	1189	76.4	9	75.0	7	85.5	8	83.0	8	46.0	5
100/293	HEX PLANTATION - NAF	3223	2640	1460	95.0	7	58.5	3	56.0	3	96.5	7	37.0	5

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
84/ 59	47.4	6	42.5	8	41.6	9	2.0	1	6.5	1	4.5	2	0.0	0	188.4	36	66	197.3	45	70
84/159	25.9	5	34.9	5	44.6	10	2.5	1	10.1	2	2.8	1	0.0	0	148.3	29	66	161.7	35	72
84/558	68.9	8	64.3	6	102.3	14	5.0	2	25.5	2	10.5	3	0.0	0	343.6	46	70	334.2	51	68
84/701	20.0	4	38.5	5	42.7	11	0.0	0	3.5	1	4.5	1	0.0	0	132.3	30	61	127.1	31	59
84/878	48.3	7	69.0	6	77.4	10	3.0	1	15.5	2	4.5	1	0.0	0	274.2	37	-	293.6	43	-
85/112	80.6	8	106.2	7	127.0	14	12.5	2	24.5	3	8.2	2	3.5	2	454.9	52	70	488.2	57	75
85/309	33.5	4	99.0	8	31.8	8	0.0	0	6.0	1	0.8	2	0.0	0	204.5	35	96	167.0	38	78
85/376	33.0	2	91.0	5	42.0	6	0.0	0	0.0	0	0.0	0	0.0	0	176.5	16	71	156.0	17	63
85/568	19.2	5	66.1	7	23.9	9	0.2	1	1.6	1	0.0	0	0.0	0	169.0	38	-	186.1	40	-
86/ 7	12.5	2	36.7	6	9.8	2	0.0	0	0.0	0	0.0	0	0.0	0	65.6	13	63	58.6	16	56
86/ 79	6.5	3	28.8	7	3.3	4	0.0	0	0.0	0	0.0	0	0.0	0	47.1	19	74	39.2	20	61
87/186	18.0	3	108.0	6	50.5	5	0.0	0	8.5	1	2.0	1	0.0	0	279.5	32	73	341.5	33	89
87/213	11.0	3	68.5	7	17.5	5	0.0	0	5.5	1	0.0	0	0.0	0	210.0	28	-	189.5	26	-
87/635	8.0	1	51.5	3	12.0	1	0.0	0	0.0	0	0.0	0	0.0	0	124.5	9	78	101.0	10	63
88/188	19.6	9	71.2	8	31.3	10	1.2	1	4.7	2	0.8	2	0.3	1	285.0	57	-	253.2	63	-
88/293	24.4	6	86.2	9	30.2	7	0.0	0	5.8	1	0.0	0	7.0	2	286.5	47	123	254.2	52	109
88/667	16.5	3	38.0	3	18.0	2	0.0	0	0.0	0	0.0	0	2.5	1	142.0	21	84	130.5	23	77
89/ 38	11.0	2	52.5	6	24.0	2	0.0	0	0.0	0	0.0	0	0.0	0	149.7	21	-	123.7	23	-
89/385	12.5	3	76.0	10	156.0	4	0.0	0	3.5	1	3.0	2	17.5	3	426.0	42	154	352.0	43	127
89/643	11.6	3	58.5	7	55.0	3	0.0	0	0.0	0	0.0	0	0.0	0	239.0	27	121	239.7	29	122
89/693	4.7	4	56.5	6	32.0	3	0.0	0	0.0	0	0.0	0	15.5	3	213.9	32	122	185.1	34	106
89/875	4.0	1	44.5	4	60.5	3	0.0	0	0.0	0	0.0	0	15.0	5	233.0	27	-	229.0	25	-
89/894	0.0	0	-	-	38.9	2	0.0	0	0.0	0	0.0	0	19.0	1	(147.9)	(9)	-	224.8	16	141
90/176	0.0	0	42.0	5	90.0	2	0.0	0	0.0	0	4.0	1	30.4	2	272.4	19	173	-	-	-
90/196	0.0	0	64.5	3	131.0	1	0.0	0	0.0	0	5.0	1	7.0	1	281.6	(15)	176	272.9	(15)	171
90/600	0.0	0	28.0	3	76.0	-	0.0	0	0.0	0	0.0	0	5.0	1	200.5	(9)	130	199.7	(10)	129
91/288	2.5	1	46.5	5	88.0	3	0.0	0	6.5	1	1.5	1	6.6	1	243.3	23	141	265.3	21	154
91/763	6.0	1	74.0	5	98.6	2	0.0	0	17.5	2	10.0	1	0.0	0	318.6	22	104	309.0	20	101
91/782	23.0	4	56.0	5	42.5	-	0.0	0	17.5	2	0.0	0	3.0	1	317.5	(23)	144	290.5	19	132
91/835	4.9	2	27.9	3	64.4	3	0.0	0	10.0	2	5.7	1	6.7	1	232.9	25	123	245.9	25	130
91/890	6.8	3	63.0	5	102.5	4	0.0	0	18.0	1	0.0	0	0.0	0	325.4	31	133	283.1	34	115
92/141	7.1	3	38.9	7	71.8	4	0.0	0	12.4	3	3.9	1	37.4	2	281.7	50	124	291.0	50	128
92/288	5.6	2	26.0	6	71.1	2	0.0	0	6.1	3	5.6	3	3.2	1	244.2	42	-	278.8	43	-
92/369	10.5	3	40.0	3	88.5	2	0.0	0	12.0	2	16.5	2	0.0	0	285.5	27	127	390.2	28	174
92/386	-	-	42.5	4	65.0	2	0.0	0	4.0	1	0.0	0	0.0	0	(167.1)	(19)	-	(140.1)	(20)	-
92/523	7.5	1	29.5	4	52.5	2	0.0	0	4.5	1	5.0	1	7.5	1	219.0	20	-	252.5	18	-
93/ 5	9.0	2	41.7	5	60.5	2	0.0	0	21.7	3	0.0	0	5.5	1	332.6	35	146	301.7	34	133
93/314	5.0	2	38.5	5	44.5	2	0.0	0	19.2	3	4.0	1	51.5	2	277.5	30	127	203.0	25	93
93/580	7.5	1	36.0	4	47.0	2	0.0	0	10.5	2	3.5	1	11.5	2	283.0	27	146	316.0	25	163
94/167	6.0	1	46.5	5	91.5	3	0.0	0	10.0	1	0.0	0	21.5	2	301.5	23	136	272.4	24	123
94/316	5.5	1	46.0	4	94.9	3	0.0	0	15.5	2	0.0	0	14.5	3	313.4	24	137	266.0	25	125
94/513	6.0	1	45.5	4	4.0	1	0.0	0	34.0	3	0.0	0	0.0	0	337.4	29	113	336.7	32	113
94/578	0.0	0	61.8	6	115.6	5	0.0	0	18.0	3	0.0	0	0.0	0	383.9	30	115	387.9	29	117
94/730	5.7	1	78.5	5	125.4	5	0.0	0	36.7	5	1.3	1	3.0	1	467.1	36	118	554.5	36	139
94/769	0.0	0	91.0	4	158.5	3	0.0	0	31.5	4	21.4	3	21.5	2	595.4	36	-	826.6	40	-
95/ 6	9.8	3	51.5	6	140.1	6	0.0	0	45.0	5	10.5	1	0.0	0	452.7	46	110	413.6	45	100
95/119	4.5	1	55.5	5	127.0	2	0.0	0	24.5	4	10.5	3	29.5	4	369.5	37	129	310.3	38	109
95/123	8.4	2	68.7	8	141.0	6	0.0	0	36.5	6	6.0	3	4.0	1	452.4	52	124	505.7	48	138
95/273	6.0	2	81.4	7	104.0	5	0.0	0	33.5	3	14.5	2	0.0	0	(369.4)	(26)	-	(472.1)	(19)	-
95/395	5.4	2	100.5	7	118.5	4	0.0	0	72.0	7	31.5	3	16.0	4	612.5	57	133	747.3	61	162
95/428	0.0	0	108.6	6	146.7	3	0.0	0	37.7	6	6.7	1	13.7	2	(490.2)	(33)	-	(467.4)	(29)	-
95/635	0.0	0	80.5	6	81.0	3	0.0	0	37.4	5	10.5	2	-	-	(399.9)	(37)	-	(497.9)	(35)	-
95/823	0.0	0	81.5	5	161.0	-	0.0	0	45.0	4	0.0	0	6.5	1	490.8	(28)	124	509.2	35	129
96/ 44	1.4	1	44.9	8	95.9	4	0.9	1	39.2	6	7.6	4	9.1	5	465.4	56	147	457.7	45	145
96/ 45	1.7	2	48.4	7	94.4	3	0.0	0	36.3	7	17.0	4	16.0	6	420.5	56	124	442.2	54	131
96/ 94	0.0	0	73.0	5	117.4	3	0.0	0	33.5	3	9.0	2	20.0	2	502.6	39	128	506.5	37	129
96/101	0.0	0	60.3	6	100.0	3	1.7	1	27.1	6	4.0	2	4.0	1	359.7	41	134	351.6	41	130
96/272	2.0	1	48.0	7	118.5	3	3.5	1	25.5	6	6.5	3	10.0	3	454.5	52	151	453.5	44	150
96/551	5.0	3	58.5	6	135.5	6	2.0	1	28.5	6	13.0	4	3.0	1	(353.5)	(35)	-	(392.9)	(34)	-
96/680	3.5	1	72.4	6	131.5	2	6.5	1	37.0	4	1.2	1	24.0	2	567.7	39	140	561.0	42	139
97/140	7.0	2	71.5	4	132.0	4	4.3	2	38.6	4	27.6	5	34.2	6	561.1	49	-	631.1	43	-
97/427	6.1	2	37.5	8	63.1	4	1.7	1	27.6	6	7.7	2	30.3	4	485.2	60	162	531.1	53	153
97/590	0.0	0	74.5	5	154.8	6	0.0	0	69.3	5	16.0	2	65.5	2	714.4	(41)	-	675.1	(41)	-
97/634	5.5	1	30.5	-	12.0	2	0.0	0	0.0	0	21.0	2	5.0	2	243.0	(27)	-	349.5	37	-
98/184	0.0	0	29.0	3	44.7	-	0.0	0	(35.0)	-	22.0	2	0.0	0	(293.9)	(15)	-	(368.3)	(23)	-
98/190	2.0	-	34.1	-	52.0	-	0.8	-	69.1	-	31.7	-	8.0	-	394.6	-	116	399.2	-	117
98/322	2.5	1	36.5	5	75.0	3	0.0	0	31.8	4	15.5	2	30.5	5	393.8	40	-	394.8	38	-
98/553	9.7	4	35.5	5	52.5	3	0.0	0	43.0	4	27.5	2	5.2	1	458.4	43	-	495.4	45	-
98/595	0.0	0	66.0	5	72.0	1	0.0	0	46.0	5	16.0	2	18.0	3	374.9	(22)	126	359.9	(18)	121
98/668	0.0	0	22.4	4	-	-	0.0	0	-	-	12.0	1	0.0	0	(216.5)	(30)	-	361.1	(45)	-
98/713	7.0	4	77.4	9	85.7	5	0.0	0	90.0	6	23.5	3	28.5	5	570.8	63	135	566.1	60	134
99/ 20	3.5	2	53.2	6	57.4	3	6.6	2	69.5	7	47.3	6	11.8	6	506.6	64	129	519.1	62	133
99/102	0.0	0	34.1	5	31.0	2	0.0	0	54.9	4	20.5	2	6.7	2	405.2	36	137	486.8	37	164
99/221	0.0	0	39.7	4	1.0	1	0.0	0	42.1	4	49.0	1	12.0	2	354.9	31	121	474.1	36	161
99/229	6.8	3	66.0	5	58.7	5	4.0	1	74.4	6	39.9	7	12.5	3	670.4	62	141	666.5	59	145
99/301	0.0	0	16.2	5	36.5	2	1.5	1	44.5	5	21.5	4	20.0	2	418.2	41	104	554.5	39	137
99/492	4.0	1	36.0	4	51.3	5	2.0	1	54.4	6	23.0	2	10.5	2	481.7	54	117	588.5	54	142
99/496	6.0	2	48.1	8	65.5	5	3.0	2	73.7	10	40.9	8	14.8	8	594.9	84	157	814.9	80	163
99/622	13.0	3	97.6	11	103.7	9	9.4	9	94.0	11	73.1	12	25.8	11	848.0	126	129	957.3	107	146
99/735	8.8	3	64.5	8	69.8	4	3.8	3	76.1	7	15.2	5	12.9	6	595.5	75	117	689.8	70	136
99/811	0.0	0	17.3	4	31.2	2	6.7	1	58.5	5	17.8	4	13.6	5	376.5	46	86	356.8	47	127
100/ 25	15.5	3	72.5	5	104.5	4	4.5	1	96.5	8	58.5	8	23.5	3	783.0	64	122	893.5	63	133
100/ 50	10.0	2	69.3	6	126.0	5	9.5	3	102.2	9	50.2	5	45.5	6	602.3	78	-	605.6	70	-
100/ 60	7.0	1	80.5	6	107.0	2	0.0	0	99.0	7	75.0	6	26.5	4	756.9	63	132	869.9	59	152
100/293	11.5	1	67.5	6	69.5	3	8.5	2	86.0	6	45.5	5	39.0	3	670.5	51	-	619.0	49	-

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	φ S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° '	° '											
100/297	PLEASANT VIEW - BOS	3227	2640	1675	168.0	13	108.5	-	63.0	12	51.5	4	90.9	7
100/329	KATBERG - BOS	3229	2641	1049	184.5	17	141.8	14	90.5	18	117.5	12	64.7	11
100/386	READSDALE - BOS	3226	2643	1370	168.5	13	122.0	-	66.0	12	54.0	4	93.8	6
100/487	BRAKKLOOF	3207	2647	1065	79.0	7	56.5	6	48.5	4	67.5	-	21.1	3
100/550	WHITTLESEA - POL	3210	2649	1052	56.5	8	47.5	3	58.0	6	38.0	2	20.0	2
100/617	WATERDOWN DAM	3217	2651	1189	115.9	11	78.9	8	98.9	11	52.2	7	18.0	7
100/779	ROCKFORD	3229	2656	1448	69.0	18	34.2	8	40.2	9	78.7	9	51.1	9
101/ 95	RIVERSDALE	3205	2704	914	124.4	7	84.3	6	42.4	4	71.6	6	21.1	3
101/ 97	TYLDEN - SAR	3207	2704	883	155.7	10	60.6	8	41.7	6	69.1	7	21.7	5
101/192	EXWELL PARK	3212	2707	914	150.0	11	39.5	4	53.2	6	89.7	6	18.5	2
101/227	CATHCART - POL	3217	2708	1158	193.4	21	78.6	6	77.4	6	76.2	5	3.7	4
101/257	CATHCART	3217	2709	1159	178.4	16	78.5	7	70.7	10	74.1	7	15.5	7
101/447	THOMAS RIVER - POL	3227	2715	1087	186.7	12	35.9	7	34.2	7	55.4	4	20.7	4
101/535	THOMAS RIVER - SAR	3225	2718	1040	119.2	11	40.0	6	67.8	10	51.5	5	22.6	4
101/619	HENDERSEN - POL	3219	2721	915	142.4	5	14.0	2	25.0	2	6.0	1	21.5	2
101/631	BRIDGE CAMP - POL	3201	2722	785	110.0	11	41.5	3	45.8	3	72.0	5	0.0	0
101/641	WILLOWGROVE	3211	2722	732	277.7	10	44.4	6	50.6	10	64.8	7	28.3	4
101/719	FORT CUNYNGHAME - BOS	3229	2724	921	149.4	17	83.4	7	99.7	15	97.0	7	40.0	6
101/798	NORTH CLIFF	3218	2727	1052	100.7	-	53.1	5	43.0	7	68.3	4	12.9	2
101/804	QACU - BOS	3224	2727	1219	144.2	19	114.8	13	100.6	18	71.4	9	38.4	8
101/852	BACELA - POL	3212	2729	610	239.2	14	42.5	4	101.1	8	59.0	6	17.1	4
102/ 42	KEILANDS	3212	2732	488	199.2	18	38.8	11	74.3	16	69.8	8	25.4	6
102/ 56	HECKEL - NAF	3226	2732	1495	146.1	20	72.9	13	57.0	14	79.1	9	32.3	7
102/150	HUXLEY	3230	2735	838	134.0	16	100.5	9	56.5	8	66.9	8	23.5	3
102/300	INVERGWALI	3230	2740	610	107.7	15	83.7	8	35.0	9	50.4	8	22.0	7
102/352	HOPEWELL	3222	2742	808	115.2	12	58.8	6	85.7	9	74.1	6	38.3	6
102/369	MBULU - BOS	3209	2743	1153	197.2	16	116.9	11	112.2	15	130.8	8	43.7	6
102/542	TSOMO - POL	3202	2749	777	155.5	6	56.4	4	87.0	4	57.5	3	35.0	2
102/762	NQAMAKWE - TNK	3212	2756	1067	112.3	15	72.0	11	90.2	19	89.3	11	46.2	12
102/840	KEI BRIDGE	3230	2758	170	56.1	13	57.5	6	68.0	7	68.0	9	31.5	6
103/ 81	NDABAKAZI - SAR	3221	2803	686	130.7	14	94.6	11	73.5	12	54.5	6	29.2	7
103/139	CEGCUANA - BOS	3219	2805	732	82.5	10	70.0	7	98.0	11	73.0	9	40.0	6
103/230	BUTTERWORTH - TNK	3220	2808	534	84.5	9	44.0	2	43.0	5	54.5	6	40.0	5
103/377	IBIKA - BOS	3217	2813	750	134.5	10	53.0	7	96.0	13	42.0	4	26.5	2
103/397	EMGCWE - BOS	3207	2814	884	117.5	15	80.0	9	85.0	12	54.0	7	50.0	5
103/516A	IDUTYWA	3206	2818	835	96.5	13	19.0	3	53.5	7	25.0	2	0.0	0
103/570	KENTANI - BOS	3230	2819	488	103.5	13	130.5	11	64.5	5	89.2	9	96.8	8
103/886	WILLOWVALE - TNK	3216	2830	588	134.0	15	99.5	9	113.5	12	111.5	9	54.5	5
104/206	MANUBIE - BOS	3226	2837	183	131.5	12	135.1	10	101.0	9	126.0	8	75.5	5
104/497	DWESSA - BOS	3217	2847	1525	121.0	12	64.0	5	119.0	10	110.0	6	72.0	2
104/734	BASHEE - VRT	3214	2855	37	102.6	20	98.0	9	181.3	17	127.3	10	193.4	9
104/762	CWEBE - BOS	3212	2856	61	139.0	16	65.5	7	157.0	9	124.7	9	203.8	8
106/408	DORINGBAAI	3148	1814	15	5.5	2	0.0	0	10.5	2	2.5	1	4.0	2
106/425	EBENEZER	3135	1815	105	0.0	0	0.0	0	0.0	0	5.5	1	1.8	1
106/512	KOEKENAAP - IRR	3132	1818	68	0.0	0	0.4	1	3.0	1	3.0	1	2.0	2
106/603	LUTZVILLE - POL	3133	1821	150	0.0	0	0.0	0	10.5	1	2.5	1	3.3	1
106/850	VREDENDAL	3140	1829	34	1.0	1	2.8	2	4.4	2	3.3	2	6.5	2
107/197	KLAWER - IRR	3147	1837	42	3.0	1	0.0	0	4.0	1	0.6	1	9.0	3
107/318	PUTS	3148	1841	503	9.2	3	0.0	0	13.1	4	4.0	2	19.5	3
107/396	VANRHYNSDORP - TNK	3136	1844	122	0.0	0	0.1	1	0.1	1	3.5	2	4.3	3
107/510	BULSHOEK - IRR	3200	1847	77	2.9	1	0.0	0	6.3	3	0.3	1	16.7	3
107/761	DIEPVLEI	3141	1856	213	0.0	0	9.0	1	0.0	0	3.2	2	10.5	3
107/867	KNOLVLEI	3157	1859	152	0.5	1	2.0	2	4.5	2	8.0	1	9.0	3
108/311	LOKENBURG	3141	1911	640	2.7	3	2.1	2	26.3	4	5.0	3	17.0	5
109/122	WILGENBOSCH	3132	1935	884	7.0	2	8.7	2	8.1	2	4.5	1	8.0	2
109/215	PLATBERG	3135	1938	991	6.5	1	11.2	2	10.0	2	1.0	2	9.0	3
109/550	KREITZBERG	3140	1949	1250	7.5	2	4.7	2	5.5	1	6.9	2	9.0	1
109/588	VONDELINGSFONTEIN	3148	1950	1280	21.3	2	0.0	0	0.0	0	33.5	3	25.5	4
109/785	BO-DOWNES	3135	1957	1052	6.6	2	2.1	3	18.6	4	11.1	3	9.7	4
109/835	DIE HOOP	3155	1958	1341	29.0	3	0.0	0	44.3	4	50.5	2	46.5	4
109/853	RODIWAL	3143	1959	1200	10.5	2	13.0	4	30.0	1	0.0	0	16.0	3
110/ 89	NUPLAASRIVIER	3159	2003	1295	22.0	2	10.0	2	26.0	-	0.0	0	30.0	2
110/385	MIDDELPOS - POL	3155	2013	1128	0.8	1	8.5	1	12.0	3	17.5	2	13.0	2
110/512	DIEPDRIFT	3132	2018	1006	16.5	3	70.0	1	27.0	3	0.0	0	0.0	0
110/649	HARDERUG	3149	2022	1097	0.0	0	29.0	1	5.0	1	17.0	2	5.0	1
111/138	BONEKRAAL	3148	2035	1143	0.0	0	15.5	4	6.5	2	11.0	1	7.0	2
111/373	DANIELS HOPE	3143	2043	1128	8.9	2	22.5	1	62.4	2	0.0	0	0.0	0
111/425	VOGELSTRUISFONTEIN	3135	2045	1190	10.0	2	4.0	1	48.7	3	8.0	1	0.0	0
111/789	DE PUTS	3139	2057	1173	3.5	1	21.5	4	62.0	4	5.5	2	13.5	1
112/174	SONDP	3154	2106	1190	7.8	4	32.4	6	48.5	4	30.9	4	16.7	2
112/346	PLOEGFONTEIN	3146	2112	1665	31.0	3	24.0	5	25.5	5	0.0	0	16.5	2
112/419	VONDELING	3159	2114	1220	18.5	3	0.0	0	23.5	3	18.5	3	0.0	0
112/672	RUSOORD	3142	2123	1250	20.5	2	12.5	3	27.5	3	7.5	2	23.7	2
112/799	QUAGGASFONTEIN	3149	2127	1150	12.5	3	55.0	3	45.4	4	12.5	3	14.0	1
113/ 25	FRASERBURG	3155	2131	1258	16.7	5	45.9	6	33.4	6	22.7	3	18.0	2
113/ 43	WAMAKERSVLEI	3143	2132	1278	18.9	3	15.5	1	54.1	4	8.7	2	15.4	1
113/321	SPITSHOEK	3151	2141	1288	14.0	1	26.1	3	68.0	5	12.5	2	19.0	1
113/330	RATELFONTEIN	3200	2141	1341	20.1	3	41.5	3	30.5	3	48.5	3	0.0	0
113/673	SAAIFONTEIN	3143	2153	1295	20.0	2	26.0	4	35.1	5	20.5	3	19.0	2
113/711	HEREENIGING	3151	2154	1265	12.7	1	18.8	3	68.7	4	10.7	2	15.5	1
114/505	DRIEFONTEIN	3155	2217	1448	30.0	2	30.5	3	33.5	-	7.0	2	14.0	1
114/649	SNYDERSFONTEIN	3149	2222	1524	28.0	1	75.5	3	70.0	-	22.0	2	14.0	1
114/700	SLANGFONTEIN	3140	2224	1494	25.5	2	43.5	4	60.5	4	41.7	5	24.5	3
114/747	DUNEDIN	3157	2225	1448	22.5	1	86.0	6	23.0	4	17.0	4	14.5	1
114/815	LAKENVLEI	3135	2228	1463	25.2	2	52.2	2	40.4	4	22.4	3	19.7	2

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/ND	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
100/297	17.0	2	114.0	9	69.4	6	24.2	8	115.0	9	78.0	8	71.5	10	971.0	(88)	-	1167.8	(94)	-
100/329	8.0	2	77.8	7	66.5	7	40.4	10	109.1	9	109.5	10	76.0	12	1086.3	129	104	1333.0	143	126
100/386	17.0	2	116.0	9	70.0	6	25.0	8	115.3	9	78.0	8	72.5	10	998.1	(87)	-	1207.9	(92)	-
100/487	0.0	0	20.0	3	30.0	2	7.8	2	35.0	6	18.0	4	27.0	-	410.4	(37)	-	605.1	(43)	-
100/550	0.0	0	19.0	1	65.5	4	5.5	1	35.9	5	17.0	1	55.5	5	418.4	38	86	519.1	40	107
100/617	1.0	1	37.0	4	80.0	2	6.0	3	35.5	8	31.9	10	25.2	6	580.5	78	-	752.3	78	-
100/779	1.5	2	66.9	7	94.8	6	3.5	3	73.5	10	55.3	8	35.9	7	604.6	96	103	879.1	93	150
101/ 95	5.5	1	23.1	2	56.0	2	3.8	1	41.2	5	25.6	4	65.5	7	564.5	48	126	764.7	54	171
101/ 97	0.7	2	15.4	4	47.7	3	4.8	4	39.3	7	27.1	10	54.8	7	538.6	73	115	706.5	70	152
101/192	6.5	1	18.5	2	46.5	2	4.4	2	45.5	3	18.0	4	23.5	6	513.8	49	119	665.9	237	154
101/227	1.5	2	14.5	6	90.7	4	(0.1)	-	71.5	4	53.0	6	14.0	1	(674.6)	(65)	-	855.8	88	130
101/257	7.0	2	24.5	5	71.8	3	13.5	4	73.0	7	69.0	10	61.5	9	737.5	87	117	852.5	86	135
101/447	2.0	1	20.7	1	90.0	2	2.2	2	41.5	5	47.5	7	35.5	6	572.3	58	134	680.7	67	160
101/535	5.8	1	31.9	4	93.8	2	3.0	1	58.8	6	57.4	7	41.2	6	593.0	63	124	739.2	70	154
101/619	5.0	1	28.0	3	67.5	2	0.0	0	28.0	3	54.5	5	33.5	4	425.4	30	-	570.9	27	-
101/631	0.0	0	20.1	1	30.0	2	0.0	0	75.0	2	4.5	1	78.5	4	477.4	32	-	651.8	46	-
101/641	0.8	1	38.4	6	74.4	3	6.2	3	39.6	7	32.9	9	54.0	9	712.1	75	128	906.0	69	163
101/719	4.5	1	71.5	3	115.0	-	11.5	4	64.8	9	86.2	9	67.0	8	890.0	(86)	121	1112.2	95	152
101/798	0.0	0	46.0	3	64.2	3	26.0	2	21.0	2	44.7	4	52.4	6	532.3	(38)	98	668.1	(33)	124
101/804	9.0	2	42.2	7	139.3	5	12.5	8	70.3	12	127.0	14	74.0	11	943.7	126	118	1206.8	122	151
101/852	0.0	0	27.0	2	76.5	2	2.7	2	49.5	6	51.8	7	56.8	10	723.2	65	-	901.0	64	-
102/ 42	1.1	2	25.2	7	92.7	4	5.2	3	45.3	14	54.3	14	60.4	9	691.7	112	138	815.0	101	162
102/ 56	4.8	2	54.2	8	106.0	3	13.1	7	69.7	10	109.5	11	50.7	8	795.4	112	-	1006.8	112	-
102/150	3.7	4	65.4	10	117.5	3	12.7	5	46.5	8	106.2	11	54.3	10	787.7	95	124	914.1	93	144
102/300	0.0	0	47.0	5	70.3	3	4.7	2	37.4	7	68.6	10	29.8	7	556.6	81	106	711.8	80	136
102/352	0.0	0	53.1	3	108.0	2	3.8	2	68.6	9	79.3	8	105.8	11	790.7	74	127	927.6	73	149
102/369	0.0	0	71.0	5	113.8	2	19.5	6	78.8	10	97.6	10	103.4	11	1084.9	100	124	1190.6	100	136
102/542	0.0	0	68.0	5	72.0	2	10.0	3	50.5	7	20.3	6	30.4	8	642.6	50	118	808.4	37	149
102/762	0.3	1	63.4	9	90.5	4	13.5	7	75.6	12	105.2	14	71.4	11	829.9	126	122	954.4	114	140
102/840	0.0	0	47.5	7	94.0	2	9.2	3	41.3	8	34.0	8	37.1	5	544.2	74	108	763.9	73	152
103/ 81	0.0	0	74.5	5	106.7	5	10.0	4	35.9	5	66.3	8	57.1	8	733.0	85	106	906.8	76	131
103/139	0.0	0	62.0	5	89.5	2	7.5	2	48.5	8	84.0	10	71.0	9	726.0	79	93	869.5	85	112
103/230	0.0	0	32.5	4	85.5	3	0.0	0	35.5	3	56.5	6	64.5	7	540.5	50	86	695.2	47	111
103/377	0.0	0	71.5	5	115.5	2	14.0	2	60.0	6	88.0	9	66.5	8	767.5	68	111	982.5	63	142
103/397	0.5	1	51.5	8	79.5	2	19.5	8	70.0	10	111.5	13	63.5	10	782.5	100	111	835.5	92	118
103/516A	13.5	2	(17.6)	-	68.3	3	5.9	2	59.5	7	89.0	10	23.1	5	(470.9)	(54)	-	-	-	-
103/570	2.9	3	104.5	7	153.0	4	16.1	7	90.0	7	105.5	11	112.1	12	1068.6	97	111	1292.9	87	135
103/886	0.0	0	92.0	7	181.0	3	20.4	7	87.5	8	139.5	10	132.2	10	1165.6	95	112	1272.5	98	122
104/206	2.0	1	142.5	6	146.0	4	38.5	5	156.5	7	162.3	13	106.5	8	1323.4	88	113	1500.8	88	128
104/497	0.0	0	132.5	4	79.5	4	21.5	5	129.0	4	162.0	8	91.0	5	1101.5	65	-	1022.5	65	-
104/734	6.9	2	127.0	8	131.8	5	36.0	14	109.3	12	140.1	15	95.0	14	1348.7	135	121	1385.7	130	124
104/762	12.0	1	118.0	5	123.5	3	43.5	7	118.5	7	154.5	13	107.0	12	1367.0	97	130	1440.5	91	137
106/408	10.5	3	17.0	4	28.0	9	1.0	1	4.0	2	2.5	1	0.0	0	85.5	27	-	107.7	32	-
106/425	6.8	1	17.6	3	21.6	9	0.0	0	0.0	0	0.0	0	0.0	0	53.3	15	-	47.5	16	-
106/512	4.5	2	9.7	4	14.5	5	0.0	0	0.0	0	0.0	0	0.0	0	37.1	16	36	42.7	20	42
106/603	3.0	1	19.5	4	15.4	7	0.0	0	0.0	0	1.9	1	0.0	0	56.1	16	-	46.3	10	-
106/850	12.1	2	25.7	7	22.5	10	0.0	0	2.2	1	6.0	2	0.0	0	86.5	31	-	77.1	36	-
107/197	15.3	3	29.5	5	35.9	7	0.0	0	4.0	1	1.0	1	0.0	0	102.3	23	59	84.7	20	49
107/318	45.2	6	53.3	5	69.5	9	3.0	1	13.2	4	10.0	2	1.2	1	241.2	40	67	241.6	46	67
107/396	8.0	1	25.3	7	31.9	9	0.0	0	0.8	1	0.9	1	0.0	0	74.9	26	52	71.3	25	49
107/510	29.4	3	55.6	5	39.1	7	0.0	0	6.7	1	6.6	2	0.0	0	163.6	26	67	153.8	32	63
107/761	27.9	5	43.5	8	40.6	10	0.0	0	7.0	1	0.0	0	0.0	0	141.7	30	74	112.1	25	56
107/867	24.5	6	32.0	7	31.5	9	0.0	0	2.0	1	0.0	0	0.0	0	114.0	32	-	110.5	33	-
108/311	23.7	7	51.8	10	60.5	15	1.5	1	2.1	4	1.1	3	0.0	0	193.8	57	84	191.1	61	82
109/122	19.0	2	66.8	7	27.9	7	0.0	0	0.0	0	0.0	0	0.0	0	150.0	25	79	122.8	26	65
109/215	25.9	5	81.5	9	39.5	9	0.8	1	1.0	2	0.0	0	0.0	0	186.4	36	81	156.8	37	68
109/550	32.0	4	52.3	6	22.0	5	0.0	0	7.5	2	1.0	1	0.0	0	148.4	26	75	111.6	25	56
109/588	25.3	3	101.8	6	55.9	6	0.0	0	5.0	1	0.0	0	0.0	0	268.3	25	72	243.8	28	65
109/785	10.4	5	46.3	8	16.5	4	0.0	0	1.5	1	0.0	0	0.0	0	122.8	34	81	94.1	41	62
109/835	29.5	3	105.0	6	58.0	7	0.0	0	15.0	2	0.0	0	0.0	0	377.8	31	92	393.1	27	96
109/853	17.0	2	47.0	6	27.5	7	0.0	0	6.0	1	0.0	0	0.0	0	167.0	26	-	169.9	27	-
110/ 89	30.0	-	34.0	-	26.0	1	0.0	0	13.0	-	0.0	0	0.0	0	191.0	(7)	-	230.9	(14)	-
110/385	14.0	3	42.0	5	10.5	2	0.0	0	0.0	0	0.0	0	0.0	0	118.3	19	86	101.8	19	74
110/512	12.7	4	36.7	5	14.0	1	0.0	0	0.0	0	0.0	0	0.0	0	176.9	17	147	158.2	18	131
110/649	10.0	2	33.5	3	5.0	1	0.0	0	0.0	0	0.0	0	0.0	0	104.5	11	102	99.0	13	97
111/138	14.0	1	42.0	-	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	96.0	(10)	73	133.2	20	101
111/373	0.0	0	39.0	5	6.5	1	0.0	0	0.0	0	0.0	0	0.0	0	139.3	11	120	125.1	10	108
111/425	0.0	0	44.5	4	6.5	1	0.0	0	0.0	0	0.0	0	0.0	0	121.7	12	-	97.6	11	-
111/789	0.0	0	45.4	5	9.5	1	0.0	0	0.0	0	0.0	0	0.0	0	160.9	18	119	131.4	19	97
112/174	7.0	2	45.2	5	17.8	2	0.0	0	0.0	0	0.0	0	0.0	0	206.3	29	-	180.6	34	-
112/346	1.4	2	43.8	4	15.2	3	0.0	0	0.0	0	0.0	0	0.0	0	157.4	24	96	114.1	23	69
112/419	4.5	1	46.5	3	26.5	2	0.0	0	0.0	0	0.0	0	0.0	0	138.0	15	-	112.5	16	-
112/672	12.0	1	39.5	2	14.5	2	0.0	0	0.0	0	0.0	0	0.0	0	157.7	17	-	157.4	16	-
112/799	8.0	1	39.0	4	16.0	2	0.0	0	0.0	0	0.0	0	0.0	0	202.4	21	-	197.4	22	-
113/ 25	9.2	3	40.6	7	20.8	3	0.0	0	1.2	1	0.0	0	3.0	2	211.5	38	131	216.1	41	134
113/ 43	14.2	3	40.0	4	11.9	2	0.0	0	3.5	1	0.0	0	0.0	0	182.2	21	111	152.5	18	94
113/321	17.0	1	58.0	4	13.0	2	0.0	0	0.0	0	0.0	0	2.5	1	230.1	20	133	199.1	18	115
113/330	8.5	1	52.0	7	21.5	2	0.0	0	0.0	0	0.0	0	0.0	0	222.6	22	147	177.6	17	117
113/673	16.0	2	37.8	5	16.0	2	0.0	0	5.0	1	0.0	0	5.0	1	200.4	27	133	168.1	26	125
113/711	16.8	4	41.2	5	14.0	3	0.0	0	5.9	2	0.0	0	0.0	0	204.3	25	114	175.1	18	98
114/505	8.5	1	37.0	5	11.5	1	0.0	0	9.5	2	0.0	0	0.0	0	181.5	(17)	102	162.2	(15)	91
114/649	13.0	1	44.2	3	26.0	-	0.0	0	14.0	2	0.0	0	7.0	1	313.7	(14)	155	302.0	(13)	146
114/700	17.0	4	34.5	5	18.0	4	0.0	0	26.5	2	0.0	0	20.5	2	312.2	35	181	303.2	30	176
114/747	20.5	4	52.5	7	36.5	3	0.0	0	14.5	2	0.0	0	3.5	1	290.5	33	148	281.6	34	144
114/815	13.7	2	36.4	3	21.9	2	0.0	0	31.5	2	0.0	0	9.5	2	272.9	24	132	292.2	25	137

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° '	° '											
116/ 83	BRAKFONTEIN	3153	2303	1103	10.5	1	40.5	5	91.0	3	19.2	5	27.5	2
116/379	ROOIKRANS	3149	2313	1311	21.2	3	100.0	7	40.1	4	36.5	6	28.3	3
117/ 47	LOSKOP	3147	2332	1219	13.0	2	70.5	4	17.0	2	32.4	4	33.2	3
117/447	MURRAYSBURG - POL	3157	2345	1158	2.5	2	54.0	6	19.3	4	38.9	4	21.0	2
117/487	ELANDSPOORT	3137	2347	1356	13.0	4	67.9	5	41.0	4	36.3	2	27.0	2
117/675	KLIPPLAAT	3145	2353	1524	7.9	3	46.9	6	23.9	4	46.1	5	24.0	3
117/749	VLEIPLAAS	3159	2355	1326	5.0	2	68.5	5	18.0	2	51.0	2	34.0	1
118/ 29	COETZEESKRAAL	3159	2401	1448	0.0	0	76.0	3	35.5	3	61.0	3	17.0	1
118/180	MERINO	3200	2406	1546	13.0	2	61.5	7	42.6	7	40.8	8	22.0	2
118/370	AUGUSTKRAAL	3140	2413	1675	22.0	4	52.5	8	36.5	5	28.5	3	12.5	2
118/395	ZOETVLEI	3135	2414	1631	33.8	5	61.5	10	48.0	7	33.2	8	12.5	4
118/535	RONDEFONTEIN	3155	2418	1417	21.5	2	67.5	3	50.5	3	56.0	5	23.5	1
118/645	BATTLECREEK	3145	2422	1460	25.0	7	50.8	7	69.7	4	57.6	7	18.5	3
119/ 82	NIEU - BETHESDA - POL	3152	2433	1341	56.0	7	62.8	6	44.5	6	54.0	5	25.5	3
119/ 91	COETZEESKRAAL	3131	2434	1509	69.5	5	114.5	5	63.5	5	34.5	3	13.5	2
119/ 97	DONKERHOEK	3137	2434	1798	91.0	6	125.5	4	67.7	4	48.5	3	23.0	1
119/315	GORDONVILLE	3145	2441	1676	70.8	10	104.5	9	56.3	7	61.2	5	33.8	7
119/444	BETHESDAWEG - SAR	3154	2445	1408	37.0	2	127.0	6	37.0	1	40.5	3	34.0	1
119/725	GREYSTONE	3135	2455	1433	42.4	9	54.5	9	36.9	4	48.3	7	23.9	4
119/736	ROOIHOOGTE - SAR	3146	2455	1522	25.0	5	82.5	12	55.5	2	54.0	4	17.0	2
120/ 10	PHILADELPHIA	3140	2501	1341	12.0	4	48.5	8	45.3	5	44.2	5	35.7	4
120/243	GREYVILLE	3133	2509	1189	14.0	2	90.0	6	37.0	5	44.5	6	10.5	2
120/338	TAFELBERG HALL	3138	2512	1128	13.1	5	21.1	6	52.1	7	37.0	7	25.7	4
120/351	DORINGKUIL	3151	2512	1173	22.0	2	40.0	3	53.0	3	32.5	3	24.5	3
120/826	GRASSRIDGE	3146	2528	1063	17.0	1	50.0	5	42.0	3	30.0	4	13.5	2
120/838	FORTUINPLAAS	3158	2528	1036	0.0	0	11.5	1	44.0	4	4.0	1	14.0	2
121/191	TEVIOT	3141	2537	1147	20.0	3	52.5	5	103.0	7	54.0	8	20.5	3
121/275	KAREEFONTEIN	3135	2540	1234	28.5	3	83.5	5	52.0	3	67.5	8	26.0	4
121/518	HOFMEYR - MUN	3138	2548	1251	18.7	3	47.4	3	62.1	6	53.0	7	19.8	3
121/598	GROOTDAM	3158	2550	1250	39.5	5	59.0	5	57.5	6	39.0	8	17.0	3
121/875	SPITSKOP - AGR	3135	2600	1372	20.0	3	58.0	3	47.5	4	40.0	4	15.5	3
122/ 71	SMOORDRIF	3141	2603	1524	46.0	6	62.9	3	86.7	4	58.1	6	28.7	6
122/197	BELLAVISTA	3147	2607	1555	54.7	8	70.5	8	59.1	10	80.2	9	23.1	4
122/469	ELANDSFONTEIN	3149	2616	1512	38.5	5	69.5	5	65.9	8	61.5	5	15.5	2
122/514	WILDEPERDEHOEK	3134	2618	1707	21.5	4	108.0	6	52.8	6	83.9	3	48.8	5
122/806	WAVERLEY	3156	2627	1225	46.5	5	61.7	5	58.5	4	36.0	6	13.0	4
123/ 63	STERKSTROOM - POL	3133	2633	1343	31.5	4	88.5	6	86.5	7	71.6	5	24.0	2
123/111	ALPHEN	3151	2634	1189	69.0	5	24.5	3	50.0	4	78.0	4	29.5	2
123/118	BRAMPTON GRANGE	3158	2634	1190	60.0	9	60.0	7	58.9	8	53.5	7	16.8	4
123/271	HAZELMERE	3131	2640	1500	62.5	7	84.0	6	70.5	9	83.7	10	26.5	6
123/304	YARDLEY CHASE	3134	2641	1509	53.9	11	82.2	10	85.6	12	85.0	10	46.0	9
123/466	NOOITGEDACHT	3146	2646	1364	70.5	8	64.0	7	46.5	7	95.0	5	21.6	5
123/512	KALKOENKRANS - POL	3132	2648	1524	56.5	6	46.0	7	90.5	8	77.5	7	13.5	2
123/654	QUEENSTOWN - TNK	3154	2652	1066	45.7	14	50.4	12	79.8	11	82.3	8	18.8	6
123/683	QUEENSTOWN - MUN	3153	2653	1077	49.7	14	48.5	10	74.3	11	83.3	9	18.0	6
123/716	QUEENSTOWN - KOMANI HOSP	3156	2654	1158	41.7	10	44.3	6	69.0	8	92.0	5	16.8	4
123/793	QOQODALA	3143	2657	1219	65.5	8	33.5	8	50.5	8	62.1	7	15.2	6
124/ 15	GLEN GREY - POL	3145	2701	1065	49.4	6	59.0	6	56.0	7	61.5	5	29.0	4
124/402	LADY FRERE - TNK	3142	2714	1036	59.0	8	49.5	6	42.7	9	65.6	7	28.5	5
124/510	CONTEST	3200	2717	834	66.3	14	57.7	6	29.8	11	63.6	9	31.3	8
125/ 47	NQUQU - BOS	3147	2732	1326	194.5	17	74.5	9	140.5	16	92.0	8	30.0	2
125/ 82	HOYANA - BOS	3152	2733	1410	179.5	16	59.2	10	92.6	18	82.5	10	27.0	7
125/150	COFIMVABA - TNK	3200	2735	953	96.5	10	80.0	8	106.0	12	82.1	7	20.5	3
125/278	HOTA	3138	2740	1128	86.4	10	44.0	4	46.5	6	40.4	5	0.0	0
125/432	NOMADAMBA - BOS	3142	2745	1067	225.8	20	133.0	15	141.5	20	129.8	10	69.5	7
125/454	MTINTHLONI - BOS	3134	2746	1489	145.5	11	145.0	14	146.0	18	71.9	6	57.5	4
125/868	INCLUNKULU - BOS	3158	2759	1143	155.5	14	54.5	9	109.5	15	87.0	9	38.0	3
125/880	ENGCOBO - TNK	3140	2800	975	143.5	10	69.0	10	57.5	11	74.5	4	49.8	4
126/ 82	NKOBONGO - AGR	3152	2803	991	168.0	16	169.5	14	128.0	19	90.5	11	49.0	6
126/245	MANINA - BOS	3135	2809	1067	158.4	14	142.5	10	115.7	14	131.8	9	73.4	6
126/724	BAZIYA - BOS	3134	2825	735	179.0	15	147.0	10	118.5	13	81.5	5	49.0	7
127/ 78	BITYI - POL	3148	2833	730	100.0	5	28.0	-	38.0	3	60.0	3	28.0	2
127/197	QUNU - BOS	3147	2837	853	105.5	12	71.0	6	48.0	11	66.5	7	40.0	4
127/298	ELLIOTDALE - TNK	3158	2840	671	79.3	16	53.5	10	58.0	12	60.5	9	38.5	6
127/406	CEZU - BOS	3146	2844	829	141.9	17	68.7	12	54.8	9	38.7	5	84.8	5
127/414	XORANA - BOS	3154	2844	808	98.5	19	81.4	12	66.7	16	93.2	8	41.5	6
127/426	OWEN DAM	3136	2845	853	83.9	13	35.6	9	35.2	15	49.9	5	33.5	4
127/438	MQANDULI - TNK	3148	2845	701	137.5	15	66.5	9	73.0	16	63.0	7	40.5	5
127/485	UMTATA	3135	2847	692	79.9	15	62.1	9	38.4	13	57.0	5	35.9	-
127/647	QINGQOLO	3147	2852	457	115.3	15	62.5	9	60.5	16	59.5	7	43.5	5
127/789	SEBENI - BOS	3139	2857	853	90.5	16	93.0	10	42.0	11	72.0	5	75.5	5
127/833	WILO - BOS	3153	2858	607	158.7	21	58.0	10	82.0	14	51.2	6	92.0	6
128/ 32	LIBODE - BOS	3132	2902	838	98.2	17	63.0	10	38.8	14	63.5	6	35.5	7
128/ 40	NGQELENI - TNK	3140	2902	686	52.6	15	64.0	8	47.5	10	63.5	4	64.0	5
128/ 55	KWAAIMAN - POL	3155	2902	455	116.5	14	69.5	8	83.0	9	63.6	3	97.5	5
128/269	COFFEE BAY	3159	2909	15	109.0	13	72.5	9	107.5	10	149.0	6	200.0	7
128/314	NOTINSILA - BOS	3144	2911	488	175.0	16	124.5	10	72.0	13	78.0	4	106.5	6
128/430	CWELE	3140	2915	472	160.5	5	40.5	3	21.0	4	73.0	3	108.0	4
129/ 7	PORT ST JOHNS - BOS	3137	2931	256	154.5	13	149.0	10	92.0	13	156.0	4	196.0	5
129/ 68	PORT ST JOHNS - POL	3138	2933	47	105.0	11	136.0	9	65.0	4	47.5	1	130.5	3
129/ 68A	CAPE HERMES - VRT	3138	2933	47	140.2	16	116.0	15	73.1	18	93.6	8	219.7	8
131/170	SWARTBOOISVLEI	3120	1806	152	1.4	1	5.0	2	13.0	2	0.0	0	5.5	2
131/437	ELANDSFONTEIN	3117	1815	305	0.0	0	0.0	0	3.0	1	0.0	0	3.0	1
131/639	NUWERUS - POL	3100	1822	366	1.5	1	1.5	1	3.5	1	2.5	1	10.4	1
131/767	GROOTGRAAFWATER	3117	1826	224	0.0	0	0.0	0	4.6	2	6.5	1	1.0	1

R A I N F A L L 1 9 7 1

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN		JUL		AUG		SEP		OCT		NOV		DEC		JAAR JAN 71 DEC 71			YEAR JUL 70 JUN 71		
	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	PER	MM	D	PER
116/ 83	9.6	2	42.3	-	65.5	3	0.0	0	10.7	4	0.0	0	6.8	3	323.6	(28)	134	310.6	29	129
116/379	11.0	3	46.8	6	71.7	4	0.0	0	12.2	3	0.1	1	2.2	1	370.1	41	-	362.2	43	-
117/ 47	3.5	1	44.5	5	59.5	2	0.0	0	14.2	1	0.0	0	10.5	1	298.3	25	144	252.1	22	122
117/447	4.5	2	38.3	8	32.0	3	0.0	0	27.3	4	0.0	0	3.2	2	241.0	37	90	223.8	32	84
117/487	14.0	2	42.0	5	30.0	4	0.0	0	31.9	3	0.0	0	10.2	2	313.3	33	117	373.0	30	140
117/675	3.1	2	36.5	6	64.6	5	0.0	0	27.9	4	0.0	0	6.1	3	287.0	41	105	282.3	36	104
117/749	7.0	1	35.2	2	31.0	2	0.0	0	20.5	2	0.0	0	0.0	0	270.2	19	103	274.6	22	105
118/ 29	0.0	0	16.0	2	50.5	3	0.0	0	25.5	2	0.0	0	0.0	0	281.5	17	92	515.4	19	169
118/180	2.5	1	38.3	6	77.0	4	0.0	0	29.3	6	1.8	1	3.5	1	332.3	45	95	404.6	47	115
118/370	19.0	6	22.5	6	39.5	3	0.0	0	23.0	4	0.0	0	32.0	2	288.0	43	-	312.5	42	-
118/395	17.8	6	31.3	7	48.5	5	1.5	1	39.5	6	0.0	0	18.3	5	345.9	64	112	340.8	56	110
118/535	0.0	0	35.5	2	68.0	3	0.0	0	0.0	0	0.0	0	37.5	4	360.0	23	-	344.0	23	-
118/645	17.2	4	41.9	8	53.2	6	0.0	0	48.4	5	0.0	0	11.8	3	394.1	54	-	472.1	54	-
119/ 82	2.1	3	61.0	5	101.0	4	0.0	0	31.5	5	1.6	2	16.0	3	456.0	49	132	489.2	51	142
119/ 91	15.5	3	18.5	3	34.5	3	2.0	1	49.0	4	2.0	1	6.0	1	443.0	36	133	456.0	31	138
119/ 97	15.0	1	51.0	3	52.5	4	0.0	0	36.5	2	9.0	1	6.0	1	525.7	30	153	516.0	33	150
119/315	10.6	2	39.1	7	52.1	5	37.1	6	0.0	0	0.0	0	17.3	5	482.8	63	118	508.1	61	124
119/444	0.0	0	0.0	0	112.0	4	0.0	0	25.0	3	10.0	1	14.0	1	436.5	22	140	471.5	(16)	151
119/725	6.0	4	23.0	6	32.1	3	0.3	1	55.0	5	3.9	3	6.3	4	332.6	59	109	406.6	59	134
119/736	0.0	0	39.0	4	63.0	5	0.0	0	32.5	4	10.0	1	28.0	2	406.5	41	104	451.6	36	116
120/ 10	0.0	0	15.0	2	19.5	2	0.0	0	28.0	3	0.0	0	0.0	0	248.2	33	84	388.2	37	131
120/243	18.5	4	2.4	2	12.0	2	0.0	0	48.0	3	0.0	0	3.7	1	280.6	33	83	416.9	36	123
120/338	4.6	4	14.0	4	32.2	4	0.0	0	25.0	5	4.3	3	10.9	3	240.0	52	71	317.2	51	94
120/351	0.0	0	6.0	1	76.1	4	0.0	0	24.5	3	0.0	0	8.5	1	287.1	23	87	342.0	23	104
120/826	6.0	2	10.5	2	33.5	4	0.0	0	31.0	3	9.0	1	6.0	2	248.5	29	84	239.8	27	81
120/838	0.0	0	20.5	3	29.0	3	0.0	0	29.5	2	30.5	1	6.0	1	189.0	18	63	260.5	19	87
121/191	11.0	3	40.5	3	32.0	4	0.0	0	35.5	4	12.5	3	13.5	4	395.0	47	112	549.4	44	156
121/275	6.0	3	34.0	4	25.5	4	0.0	0	47.5	5	4.5	1	6.2	3	381.2	43	116	466.0	38	142
121/518	5.0	2	35.5	-	21.2	3	0.0	0	41.2	5	0.0	0	5.0	2	308.9	34	88	369.6	42	106
121/598	4.5	1	29.5	3	31.5	3	6.0	1	40.5	4	17.5	1	9.0	1	350.5	41	116	433.6	42	143
121/875	2.5	1	32.0	2	22.0	2	0.0	0	56.2	4	6.0	1	0.0	0	299.7	27	78	416.0	33	109
122/ 71	5.1	1	46.7	5	19.6	3	0.0	0	88.6	7	22.8	3	40.0	5	505.2	49	119	597.0	48	140
122/197	5.1	2	35.4	4	28.9	5	1.0	1	56.1	6	27.5	5	16.6	6	438.2	68	96	606.1	69	133
122/469	5.0	1	32.8	3	56.2	1	3.5	1	58.6	5	12.0	2	49.0	4	468.0	42	113	611.5	47	148
122/514	0.0	0	39.0	3	18.5	2	1.7	2	49.3	7	3.9	1	36.7	6	464.1	45	91	781.5	47	153
122/806	2.0	1	16.5	4	32.0	3	2.0	1	44.8	5	14.0	3	8.5	2	335.5	43	72	512.0	50	110
123/ 63	0.0	0	41.0	2	4.5	1	0.0	0	12.6	2	6.5	1	28.5	2	395.2	32	82	624.1	44	129
123/111	0.0	0	28.5	2	30.0	2	0.0	0	56.5	2	6.5	1	37.5	4	410.0	29	99	546.5	34	132
123/118	3.0	1	22.1	6	44.5	4	4.5	1	66.3	7	14.1	5	25.4	7	429.1	66	-	618.9	63	-
123/271	0.0	0	50.8	4	12.5	4	0.0	0	33.5	6	10.2	4	54.0	6	488.2	62	-	755.2	64	-
123/304	2.6	2	47.7	6	25.8	5	1.8	3	40.7	8	12.7	8	57.1	9	541.1	93	100	746.4	95	138
123/466	3.0	1	38.5	4	29.0	2	2.0	1	58.0	5	10.0	2	30.5	4	468.6	51	99	646.6	53	137
123/512	0.0	0	37.0	3	11.0	3	4.0	2	33.5	6	7.5	2	63.0	5	440.0	51	99	666.0	57	149
123/654	3.5	2	35.1	6	51.0	2	7.2	4	61.0	10	32.3	8	31.2	7	498.3	90	93	655.6	87	122
123/683	3.6	1	31.9	6	54.3	3	8.2	4	62.4	10	66.4	10	39.7	7	540.3	91	96	629.0	84	112
123/716	3.0	1	29.5	2	51.5	2	0.9	2	52.3	8	40.8	7	25.8	4	467.6	59	93	609.7	63	121
123/793	0.0	0	41.8	5	18.4	6	13.0	3	63.1	7	14.2	5	58.5	10	435.8	73	77	671.9	69	118
124/ 15	0.0	0	42.0	4	32.5	2	6.0	1	60.5	6	1.0	1	61.5	7	458.4	49	-	633.9	46	-
124/402	0.0	0	44.2	5	26.0	3	4.5	2	45.7	9	15.5	5	81.5	7	462.9	66	78	699.7	66	118
124/510	1.9	2	35.4	4	43.6	2	12.5	4	69.4	11	126.9	9	78.7	11	617.1	91	120	666.6	91	130
125/ 47	0.0	0	69.5	3	70.0	2	26.0	4	81.6	6	56.0	10	101.5	8	936.1	85	94	1114.0	99	111
125/ 82	0.6	1	52.3	5	41.0	5	14.9	6	90.0	9	70.3	13	88.1	10	798.0	110	-	905.9	96	-
125/150	0.0	0	49.0	5	91.2	4	13.0	6	65.9	9	56.5	6	102.0	10	762.7	80	118	897.3	71	138
125/278	0.0	0	44.0	1	60.0	2	0.0	0	92.0	7	50.0	5	108.0	11	571.3	51	88	624.9	46	96
125/432	0.0	0	50.3	7	77.0	5	31.0	7	92.5	11	100.0	14	180.4	17	1230.8	133	112	1447.6	128	132
125/454	0.0	0	26.5	4	88.0	4	39.0	5	163.0	10	105.0	8	152.0	12	1139.4	96	108	1103.0	90	105
125/868	0.0	0	49.0	3	70.0	4	33.5	6	148.5	12	102.0	11	173.0	10	1020.5	96	121	1043.5	87	124
125/880	0.0	0	43.5	3	85.0	2	23.0	3	102.3	7	89.5	8	125.4	9	863.0	71	108	935.3	77	117
126/ 82	2.0	2	51.0	8	99.0	2	46.5	7	97.5	8	160.0	14	187.0	11	1248.0	118	119	1315.9	125	126
126/245	0.8	1	49.3	3	94.5	6	45.6	9	117.2	11	188.1	14	175.3	15	1292.6	112	107	1295.7	89	107
126/724	0.0	0	59.5	6	82.5	4	48.5	9	123.5	13	172.3	13	178.0	13	1239.3	108	98	1244.7	102	98
127/ 78	9.0	1	69.5	5	36.0	3	7.6	4	112.7	8	133.9	11	49.5	6	672.2	(51)	-	(568.5)	(24)	-
127/197	0.0	0	57.0	6	87.0	3	21.5	5	77.5	8	65.0	11	51.5	10	710.5	83	104	945.5	72	138
127/298	1.5	2	50.4	9	116.1	3	10.9	5	94.5	9	65.8	14	52.9	10	681.9	105	96	812.1	98	114
127/406	1.5	1	66.0	3	137.0	4	37.0	5	85.9	8	161.0	7	73.2	11	950.5	87	118	964.3	91	120
127/414	0.0	0	46.8	6	84.7	4	18.3	9	113.4	12	73.0	15	90.0	13	807.5	120	104	900.4	104	116
127/426	0.7	2	33.0	5	60.3	5	18.2	6	105.0	10	84.3	16	43.4	9	583.0	99	-	632.1	84	-
127/438	1.5	1	44.5	4	117.0	4	28.5	9	107.5	13	107.5	13	84.0	14	871.0	110	125	956.7	92	138
127/485	0.8	3	36.5	8	84.7	5	26.6	8	100.7	11	70.0	14	55.0	13	647.6	104	100	669.9	88	103
127/647	0.0	0	44.5	5	98.0	4	18.5	7	146.0	12	144.5	13	78.5	15	871.3	108	-	812.2	83	-
127/789	3.0	1	72.5	6	119.0	4	36.5	8	122.0	10	130.0	16	92.5	10	948.5	102	116	974.5	92	119
127/833	3.0	1	67.0	5	149.0	2	21.5	5	154.0	10	131.5	15	102.0	7	1069.9	102	105	1313.2	104	129
128/ 32	2.5	2	41.6	7	95.0	5	33.5	8	155.0	12	73.9	13	73.0	11	793.5	112	105	782.7	105	103
128/ 40	0.0	0	62.0	4	113.5	3	23.0	3	128.0	4	71.0	5	74.0	11	803.1	72	107	925.1	80	123
128/ 55	0.0	0	61.0	3	168.0	4	40.0	2	119.0	6	84.0	5	115.0	6	1017.1	65	-	1307.4	82	-
128/269	4.0	1	123.5	5	134.0	6	28.5	5	183.0	6	161.0	14	112.0	8	1384.0	90	-	1320.6	83	-
128/314	1.5	1	76.5	6	194.0	3	30.0	7	154.0	10	120.5	14	132.5	12	1265.0	102	108	1578.5	108	134
128/430	0.0	0	27.0	3	187.5	2	24.0	4	84.5	-	77.0	6	92.4	4	895.4	(38)	101	915.7	49	103
129/ 7	7.5	2	141.0	6	151.0	5	53.7	7	134.0	7	149.5	12	121.0	9	1505.2	93	111	1776.0	98	131
129/ 68	5.5	1	116.3	6	147.0	5	53.1	8	137.3	8	107.5	10	118.0	11	1170.7	77	94	1389.0	61	11[illegible]
129/ 68A	3.9	3	117.5	6	75.5	6	71.7	13	151.0	8	124.8	17	102.1	11	1289.1	129	112	1284.6	130	11[illegible]
131/170	19.0	4	30.0	6	31.8	5	1.5	1	7.0	2	0.0	0	3.5	1	117.7	26	-	115.6	30	
131/437	7.5	3	20.5	6	19.0	5	0.0	0	2.0	1	0.0	0	0.0	0	55.0	17	-	51.0	13	
131/639	3.1	3	22.5	5	18.5	3	0.0	0	2.5	1	4.0	1	0.0	0	70.0	20	47	84.6	[illegible]	[illegible]
131/767	4.5	2	11.5	3	14.3	4	0.0	0	0.0	0	0.0	0	0.0	0	42.4	13	-	44.2	[illegible]	

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S ° '	λ E ° '	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
132/185	GRAATJIESGAT	3105	1837	305	0.0	0	12.0	2	0.0	0	0.0	0	4.5	1
133/ 50	CLOUCSKRAAL	3120	1902	792	4.4	1	3.5	1	14.1	3	12.0	1	24.5	4
133/202	NIEUWOUDTVILLE - POL	3122	1907	719	0.0	0	3.5	2	11.0	3	12.0	2	12.0	4
134/378	GROOT TOREN	3118	1943	838	0.0	0	0.0	0	5.0	1	0.0	0	15.1	2
134/478	CALVINIA - TNK	3128	1946	980	12.5	3	5.5	2	19.9	5	6.1	4	17.7	4
134/615	GROOTRIVIER	3115	1951	945	0.0	0	10.0	1	7.5	2	18.5	1	15.0	2
134/671	BLINKKLIP	3111	1953	915	9.5	3	2.5	1	9.5	4	6.0	2	6.0	1
134/854	MANELSFONTEIN	3114	1959	1097	27.0	2	0.8	3	7.0	3	8.5	1	11.5	3
136/367	BORDEAUX	3107	2043	1049	26.5	2	16.5	4	25.0	3	11.5	2	11.5	1
136/740	WILLISTON - SKL	3120	2055	1079	6.0	1	35.4	6	29.0	4	14.8	2	17.0	1
137/337	GROOTFONTEIN	3107	2112	1188	33.0	2	16.0	1	14.0	1	30.5	2	14.0	1
137/614	SKUINSHOOGTE	3114	2121	1146	14.7	2	23.5	5	30.9	3	31.7	2	16.8	1
137/858	NOOITGEDACHT	3118	2129	1215	18.5	1	20.5	1	26.3	4	0.0	0	18.0	1
138/ 30	SPRINGFONTEIN	3130	2131	1140	19.0	2	8.0	3	34.0	3	32.8	3	13.0	1
138/ 41	GORAAS	3111	2132	1219	41.5	3	27.5	4	11.3	4	13.0	2	12.5	1
139/658	LOXTON - POL	3128	2222	1369	28.0	3	56.2	5	24.5	3	26.1	4	21.5	3
139/850	PRINSHOF	3110	2229	1402	25.2	-	36.9	4	37.4	3	25.2	2	23.3	2
140/ 20	RIETFONTEIN	3120	2231	1393	11.0	2	65.5	5	26.5	1	22.5	3	21.0	2
140/207	BOSHOEK	3127	2237	1341	0.0	0	37.7	3	39.0	2	22.5	2	20.4	1
140/582	KWEEKWA	3112	2250	1281	39.5	4	36.0	-	14.5	2	37.5	4	29.5	3
140/649	EDEN	3119	2252	1615	22.5	5	93.3	9	23.8	5	33.1	5	24.5	2
141/ 66	RHEBOCKSFONTEIN	3106	2303	1356	31.7	5	51.5	7	4.5	1	18.5	4	18.0	1
141/204	VICTORIA WEST - TNK	3124	2307	1269	33.0	4	74.5	6	12.5	4	30.9	6	19.5	1
141/329	BIESJESFONTEIN	3129	2311	1273	3.5	3	63.0	7	20.5	3	23.2	4	22.0	3
141/664	DOMBIETERSFONTEIN	3104	2323	1234	30.5	7	47.7	8	5.5	2	31.0	5	24.0	2
142/153	LEKKERVLEI	3103	2336	1280	22.9	7	51.5	6	5.8	2	50.8	5	38.8	3
142/248	SELBOURNE	3108	2339	1295	12.1	4	41.5	6	12.6	4	30.7	4	27.0	2
142/262	KLIPKRAAL	3122	2339	1305	16.7	8	72.6	10	23.6	8	42.4	7	22.3	4
142/379	PATRYSFONTEIN	3119	2343	1311	-	-	49.1	8	(4.3)	(2)	37.4	3	17.5	2
142/497	OUFONTEIN	3117	2347	1356	18.0	4	82.8	9	32.0	6	46.2	5	26.0	1
142/805	RICHMOND C/K - TNK	3125	2357	1433	24.0	3	81.5	11	33.5	3	27.0	3	22.0	2
142/853	DIE AARPLAAS	3113	2359	1427	37.0	5	59.1	7	12.8	2	33.1	5	26.3	4
143/258	SCHEURFONTEIN	3118	2409	1509	23.5	3	141.0	7	27.0	4	48.5	5	12.0	1
143/345	GROOTFONTEIN	3115	2412	1517	13.2	9	98.5	13	22.6	6	40.0	7	22.5	4
143/579	THE MILLS	3109	2420	1356	23.1	5	64.0	9	31.0	4	43.1	6	8.9	4
143/598	MIDDLEMOUNT	3128	2420	1494	44.0	5	71.5	9	21.5	2	47.0	4	17.5	2
143/784	HANOVER - POL	3104	2427	1387	60.4	7	41.6	7	16.0	1	59.4	7	22.0	2
144/ 85	BOKFONTEIN	3125	2433	1448	43.0	5	100.5	5	42.0	3	34.5	3	14.5	2
144/250	VREDE	3110	2439	1463	42.5	5	74.5	7	42.5	3	46.0	4	22.0	2
144/449	KAPOKHOEK	3129	2445	1524	52.5	5	78.0	4	35.0	3	69.8	5	20.5	3
144/791	NOUPOORT - POL	3111	2457	1489	59.5	7	81.0	10	51.1	7	72.0	9	20.3	4
144/876	NOOITVERWAG	3106	2500	1520	73.7	7	99.6	6	34.2	2	41.0	3	14.0	2
144/900	MIDDELBURG C/K - TNK	3130	2500	1248	35.0	7	33.0	5	57.5	5	50.8	6	25.5	4
145/ 59A	GROOTFONTEIN 11 - AGR	3129	2502	1270	58.0	10	37.2	11	66.2	10	44.3	7	22.2	6
145/261	TELPOORT	3121	2509	1372	28.0	3	44.0	4	55.0	5	49.5	6	16.0	3
145/310	GROENVLEI	3110	2511	1555	27.5	4	73.0	6	39.0	1	53.0	4	9.0	1
145/399	GRAPEVALE	3109	2514	1463	30.6	9	60.2	8	45.5	4	81.1	8	19.2	3
145/810	MANOR HOLME	3130	2527	1128	11.6	9	47.6	9	35.1	6	66.2	9	24.9	7
146/ 2	KNEL	3102	2531	1509	31.5	4	29.5	3	37.5	3	77.7	7	17.3	3
146/ 17	SKILDERKRANS	3117	2531	1372	33.9	8	52.2	8	43.1	4	47.2	9	38.4	4
146/ 52	HILLSTON	3122	2532	1265	16.5	6	37.4	10	38.6	7	61.7	10	19.5	3
146/129	SPRINGFIELD	3109	2535	1675	41.5	6	57.3	4	38.0	1	72.0	7	32.0	3
146/274	VERSTERSFONTEIN	3104	2540	1600	66.0	6	94.0	5	16.0	3	82.6	6	21.0	2
146/365	PLATEAU CAMP/PLATOKAMP - IRR	3105	2543	1582	83.9	12	85.9	10	51.3	8	88.7	9	27.5	6
146/453	EENBULT	3103	2546	1555	107.5	8	66.0	5	40.0	3	66.0	7	42.0	6
146/539	WILGERSPOS	3129	2548	1250	6.5	1	77.5	5	29.0	4	42.0	6	19.0	3
146/588	STEYNSBURG - POL	3118	2550	1448	23.5	3	65.5	5	41.5	4	56.5	9	23.0	3
146/751	TWEEFONTEIN	3101	2556	1524	84.5	9	53.8	6	54.5	4	61.5	7	32.5	5
147/170	ZUURFONTEIN	3120	2606	1600	35.5	9	79.0	8	71.0	11	76.0	11	40.0	7
147/222	KARELSKROON	3112	2608	1494	-	-	41.0	3	74.5	4	70.5	5	65.5	5
147/225	HILLSIDE	3115	2608	1514	28.0	4	95.2	8	80.0	6	63.5	7	23.1	4
147/338	ERINMORE	3108	2612	1516	47.2	7	112.6	5	42.7	4	81.9	7	40.7	4
147/409	COLLINGHAM	3119	2614	1524	32.1	17	81.4	16	69.1	16	75.5	13	29.3	8
147/416	DE RUST	3126	2614	1676	29.5	1	37.0	2	71.0	4	86.5	9	27.0	4
147/437	BAMBOES	3117	2615	1510	26.0	4	52.4	6	57.4	5	57.9	8	21.2	5
147/524	STOCKDALE	3114	2618	1539	41.0	4	91.1	9	50.7	8	78.1	10	31.4	5
147/654	MOLTENO - MUN	3124	2622	1580	35.7	5	63.5	5	83.5	6	70.8	7	27.8	4
147/777	SYFERGAT - SAR	3127	2626	1670	41.5	5	63.2	8	(57.5)	-	84.3	8	5.5	1
148/ 83	MARSHMOOR	3123	2633	1768	73.5	5	72.5	7	60.0	7	89.2	-	36.0	6
148/107	BROUGHTON	3117	2634	1798	33.0	5	154.0	8	72.7	12	119.4	8	48.7	5
148/127	KALKFONTEIN	3107	2635	1676	62.0	6	93.8	8	80.0	5	111.5	7	27.0	5
148/352	BUFFELSFONTEIN	3122	2642	1783	30.0	7	107.0	9	63.0	9	84.0	7	32.5	7
148/401	SPITSKOP	3111	2644	1905	40.5	5	86.0	8	79.0	7	91.5	7	45.5	6
148/480	HALSETON - SAR	3130	2646	1501	55.5	5	47.1	-	93.5	9	77.0	-	16.5	5
148/517	JAMESTOWN - POL	3107	2648	1617	47.0	5	109.6	9	54.8	6	99.3	9	36.5	4
148/525	DEN HAAG	3115	2648	1676	74.6	5	102.2	4	51.5	4	100.7	8	27.1	4
148/530	HORATIO	3120	2648	1768	29.0	2	91.0	7	83.0	8	99.0	7	22.0	2
148/810	WILLOW PARK	3130	2657	1485	35.8	14	76.1	13	80.9	14	82.5	8	35.9	10
149/ 25	KLEIN - NAAUWPOORT	3125	2701	1494	(21.5)	(1)	78.5	4	78.0	6	83.5	6	(15.0)	(1)
149/ 82	DORDRECHT - TNK	3122	2703	1637	37.4	7	148.4	8	72.7	10	73.3	9	28.9	6
149/165	KRANSFONTEIN	3115	2706	1675	30.5	4	129.0	5	74.5	7	85.0	8	19.5	5
149/204	CLARKS SIDING	3124	2707	1663	33.8	5	140.5	8	103.5	12	85.0	6	27.0	4
149/247	WATERVAL	3107	2701	1600	34.5	3	72.5	6	56.0	4	70.0	7	41.5	7
149/490	ROSSOUW - POL	3110	2717	1631	68.5	6	51.5	5	150.0	10	94.5	11	77.5	7
149/598	INDWE - MUN	3128	2720	1291	73.2	5	78.0	4	74.0	8	95.5	4	27.5	4

R A I N F A L L 1 9 7 1

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
132/185	0.7	1	10.2	3	19.0	5	0.0	0	0.0	0	0.0	0	0.0	0	46.4	12	-	52.9	15	-
133/ 50	15.0	2	74.0	6	75.5	11	4.4	1	12.5	3	10.0	1	4.0	1	253.9	35	54	285.3	33	60
133/202	9.5	2	79.3	6	52.7	8	7.5	2	9.4	3	6.7	2	0.0	0	203.6	34	60	217.5	37	64
134/378	41.3	4	62.8	7	39.4	13	0.8	1	0.0	0	0.0	0	0.0	0	164.4	28	84	132.5	24	68
134/478	45.4	4	76.4	11	29.6	9	0.7	1	1.0	1	0.5	1	0.0	0	215.3	45	102	193.4	40	92
134/615	13.0	2	75.0	6	47.5	4	0.0	0	0.0	0	0.0	0	0.0	0	186.5	18	-	152.5	19	-
134/671	33.2	3	69.6	7	38.0	7	0.0	0	1.2	1	0.0	0	0.0	0	175.5	29	-	160.7	31	-
134/854	39.0	4	65.0	8	34.0	6	0.0	0	0.0	0	0.0	0	0.0	0	192.8	30	120	167.2	31	104
136/367	3.5	1	24.0	3	17.5	2	0.0	0	0.0	0	0.0	0	0.0	0	136.0	18	-	144.3	22	-
136/740	2.8	1	42.7	5	23.0	2	0.0	0	0.5	1	0.0	0	0.5	1	171.7	24	118	162.2	27	112
137/337	11.0	1	29.5	3	18.5	1	13.5	1	1.0	1	0.0	0	0.0	0	181.0	14	114	169.5	31	107
137/614	17.0	2	25.9	3	31.2	2	0.0	0	5.3	1	0.0	0	0.0	0	197.0	21	146	164.6	19	122
137/858	10.0	1	16.5	2	36.0	2	0.0	0	8.5	1	0.0	0	0.0	0	154.3	13	-	152.3	11	-
138/ 30	17.0	3	39.8	6	21.0	3	0.0	0	4.1	1	0.0	0	0.0	0	188.7	25	-	185.5	24	-
138/ 41	15.0	2	22.0	2	24.0	2	0.0	0	7.0	1	0.0	0	1.5	1	175.3	22	121	186.8	21	130
139/658	18.5	2	33.5	4	46.0	3	0.0	0	35.9	4	0.0	0	7.0	1	297.2	32	131	288.0	29	127
139/850	27.6	2	28.6	5	45.1	2	0.0	0	10.3	1	0.0	0	8.3	2	267.9	(23)	123	293.6	(21)	136
140/ 20	18.5	2	18.4	4	28.5	2	0.0	0	0.0	0	0.0	0	0.0	0	211.9	21	117	236.0	23	131
140/207	18.0	2	27.7	4	30.5	2	0.0	0	11.0	2	0.0	0	14.1	3	220.9	21	110	209.3	15	104
140/582	23.5	2	34.0	3	23.0	1	0.0	0	16.5	2	0.0	0	14.5	2	268.5	(23)	121	300.0	(25)	136
140/649	21.5	3	33.5	5	25.0	2	0.0	0	13.0	2	0.0	0	7.5	1	297.7	39	-	271.5	46	-
141/ 66	30.0	4	26.5	4	24.5	1	0.0	0	29.5	3	0.0	0	6.5	1	241.2	31	111	271.2	31	124
141/204	20.5	3	30.0	3	9.0	1	0.0	0	13.5	3	0.0	0	21.0	2	264.4	33	104	243.9	33	96
141/329	21.2	4	26.2	5	4.5	1	0.0	0	12.5	1	0.0	0	0.0	0	196.6	31	91	199.2	33	92
141/664	14.3	4	16.0	4	13.2	2	0.0	0	45.5	5	0.5	1	0.0	0	228.2	40	93	216.0	37	88
142/153	16.8	5	34.0	6	17.0	2	0.0	0	47.0	4	0.0	0	1.5	1	286.1	41	119	249.1	35	104
142/248	16.0	3	23.6	4	23.5	2	0.0	0	32.5	3	0.0	0	26.5	1	246.0	33	115	190.8	28	89
142/262	14.8	5	23.9	10	3.4	3	0.1	1	31.7	5	0.5	4	3.7	6	255.7	71	94	269.7	63	99
142/379	13.5	4	15.1	5	-	-	0.0	0	23.0	3	0.0	0	3.0	2	(162.9)	(29)	-	(179.2)	(28)	-
142/497	14.8	4	24.4	5	8.9	4	0.0	0	38.5	6	0.0	0	15.1	3	306.7	47	122	280.5	38	112
142/805	15.5	3	30.0	4	18.0	2	0.0	0	43.5	4	0.0	0	20.0	1	315.0	36	99	319.5	33	100
142/853	21.3	5	19.8	4	13.3	3	0.0	0	50.4	3	0.0	0	19.4	4	292.5	42	99	283.1	37	96
143/258	19.5	2	37.5	4	15.5	2	0.0	0	46.0	3	0.0	0	18.5	2	389.0	33	138	376.0	30	133
143/345	17.0	5	45.5	8	13.5	4	0.0	0	54.5	5	0.0	0	24.5	3	351.8	64	118	327.0	65	110
143/579	9.3	4	18.4	5	7.9	4	0.0	0	27.4	3	1.0	1	8.7	1	242.8	46	84	244.5	45	85
143/598	12.0	1	41.0	5	7.8	3	0.0	0	41.5	5	0.0	0	12.5	2	316.3	38	113	309.3	34	111
143/784	13.0	2	10.5	2	4.0	1	0.0	0	69.5	3	0.0	0	0.0	0	296.4	32	91	305.1	37	94
144/ 85	18.0	3	18.5	3	37.5	3	0.0	0	51.0	4	3.0	1	7.0	1	369.5	33	120	369.0	29	120
144/250	17.5	3	17.5	3	13.0	2	0.0	0	36.5	4	5.0	1	14.5	3	331.5	37	98	399.2	36	119
144/449	17.0	3	34.0	5	69.0	4	0.0	0	52.5	2	16.5	2	0.0	0	444.8	36	146	481.8	32	158
144/791	16.0	3	27.0	5	9.0	2	1.0	1	53.0	5	3.0	1	19.5	4	412.4	58	120	499.1	61	145
144/876	11.6	2	21.0	3	0.0	0	0.0	0	67.3	4	0.0	0	15.6	3	378.0	32	-	428.7	35	-
144/900	8.5	2	18.5	4	22.0	3	4.0	1	40.5	5	8.0	2	18.5	4	321.8	48	100	330.1	37	102
145/ 59A	4.8	4	18.6	7	16.3	6	1.1	2	43.9	6	10.1	5	21.8	7	344.5	81	-	382.0	78	-
145/261	7.0	2	10.0	1	17.0	3	0.0	0	51.4	5	4.1	1	21.2	2	303.2	35	87	425.5	32	122
145/310	0.0	0	26.0	3	5.0	1	0.0	0	71.8	4	0.0	0	16.0	3	320.3	27	85	352.0	27	94
145/399	9.6	2	26.0	5	0.0	0	1.0	1	72.2	4	4.5	1	13.2	4	363.1	49	104	416.7	53	119
145/810	6.8	4	26.9	5	23.5	6	2.5	1	50.3	6	3.0	1	22.9	5	321.3	68	95	392.6	64	116
146/ 2	11.0	2	21.5	2	4.2	2	0.0	0	43.5	3	0.0	0	12.5	2	286.2	31	90	316.0	30	100
146/ 17	11.1	3	34.5	3	14.0	2	0.0	0	77.3	5	4.0	1	26.1	4	381.8	51	100	465.9	50	122
146/ 52	3.8	3	24.4	5	12.5	5	0.0	0	52.0	8	8.6	2	25.6	5	300.6	64	84	372.8	61	104
146/129	26.4	3	34.0	3	17.0	2	0.0	0	55.2	4	8.5	1	22.5	3	404.4	37	-	446.2	35	-
146/274	0.0	0	30.0	1	4.2	1	0.0	0	70.0	2	0.0	0	34.0	2	417.8	28	102	446.0	29	109
146/365	11.9	4	35.7	7	9.9	4	0.4	1	76.6	8	11.5	3	34.4	5	517.7	77	-	543.8	68	-
146/453	12.5	2	32.0	2	10.5	3	0.0	0	59.5	4	4.0	1	22.8	2	462.8	43	109	518.0	45	122
146/539	2.5	1	38.0	3	17.5	5	0.0	0	64.5	4	0.0	0	21.0	4	317.5	36	-	364.0	32	-
146/588	7.5	1	32.0	1	26.0	3	0.0	0	57.5	3	0.0	0	20.0	3	353.0	35	86	364.0	36	89
146/751	4.0	2	24.5	2	6.0	2	0.0	0	49.5	2	8.5	1	13.7	2	393.0	42	98	531.7	53	131
147/170	10.5	3	46.0	4	22.1	5	8.5	2	77.4	4	2.3	4	29.5	6	497.8	74	105	563.8	77	118
147/222	0.0	0	45.5	4	23.0	4	0.0	0	39.8	2	0.0	0	8.0	2	(367.8)	(29)	-	(523.0)	(31)	-
147/225	7.0	1	31.0	2	18.2	5	0.0	0	44.0	3	0.0	0	21.0	3	411.0	43	115	561.3	42	157
147/338	2.5	1	33.5	4	15.9	4	0.0	0	37.4	2	5.5	1	0.0	0	419.9	39	109	574.6	49	148
147/409	11.0	5	37.4	10	15.1	9	3.4	2	35.4	11	4.8	8	30.1	9	424.6	124	92	565.5	121	122
147/416	10.0	2	43.0	2	18.0	3	0.0	0	27.5	2	0.0	0	31.0	4	380.5	33	86	588.8	38	133
147/437	5.0	1	27.0	2	9.0	3	0.0	0	18.4	2	2.5	1	37.7	5	314.5	42	-	447.4	45	-
147/524	4.0	1	29.5	2	10.0	3	0.0	0	37.2	4	3.0	1	41.0	5	417.0	52	100	565.6	58	136
147/654	2.5	1	45.2	5	10.2	3	0.0	0	32.5	2	0.0	0	44.8	4	416.5	42	80	603.4	48	116
147/777	-	-	-	-	5.0	-	0.0	0	31.5	3	0.0	0	9.7	1	(298.2)	(26)	-	(616.3)	(49)	-
148/ 83	5.0	3	59.1	4	14.7	7	4.0	1	25.5	4	1.7	2	52.5	6	493.7	(52)	94	792.6	(59)	151
148/107	4.5	2	65.7	8	34.5	5	8.5	1	20.0	2	8.0	1	45.0	4	614.0	61	106	917.2	68	158
148/127	0.0	0	41.1	5	17.5	2	0.0	0	38.5	4	25.5	3	55.0	4	551.9	49	95	777.8	53	134
148/352	2.5	2	44.0	8	15.0	4	4.0	1	15.5	3	7.0	4	42.5	6	447.0	67	85	718.5	74	136
148/401	3.5	1	42.0	3	9.0	2	0.0	0	22.0	3	14.0	2	54.0	6	487.0	50	83	731.6	59	128
148/480	0.0	0	36.0	1	10.0	2	0.0	0	19.0	3	4.5	1	74.5	4	433.6	(30)	93	643.9	(43)	146
148/517	0.0	0	34.5	4	5.0	1	0.0	0	29.5	3	11.0	1	56.0	4	483.2	46	89	701.2	59	130
148/525	0.0	0	45.1	5	16.0	4	0.0	0	19.1	4	13.2	1	72.6	5	522.1	44	107	753.5	47	156
148/530	0.0	0	41.5	2	6.5	1	5.0	1	20.0	2	0.0	0	48.0	3	445.0	35	90	667.0	43	134
148/810	4.5	5	52.0	9	15.0	5	10.5	5	70.1	11	22.5	9	69.8	10	555.6	113	-	602.7	115	-
149/ 25	0.0	0	29.0	2	11.0	-	0.0	0	(12.5)	(1)	-	-	35.0	2	(364.0)	(23)	-	(671.5)	(42)	-
149/ 82	1.5	1	37.0	4	10.7	4	4.5	1	33.5	5	7.9	4	42.7	8	498.5	67	83	767.3	75	128
149/165	0.0	0	32.5	2	9.5	5	3.5	1	20.5	4	12.0	3	79.0	4	495.5	48	-	572.0	53	-
149/204	2.8	2	38.5	6	4.5	1	4.5	1	40.5	5	8.0	3	52.5	6	541.1	59	83	820.3	64	126
149/247	3.8	2	25.3	5	3.0	1	-	-	21.0	5	20.0	3	48.5	4	(396.1)	(47)	-	591.7	52	-
149/490	5.0	1	46.0	3	29.5	4	7.5	1	21.5	3	45.0	4	53.5	7	650.0	62	121	641.8	66	157
149/598	0.0	0	49.0	1	14.0	1	17.0	2	74.0	6	38.8	3	70.6	6	611.6	44	102	708.7	46	142

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
149/807	ELDORADO	3127	2727	1405	45.0	8	75.5	4	94.5	11	69.5	4	32.5	3
149/863	GLEN LYON	3123	2729	1417	100.0	9	61.5	7	82.5	12	111.0	9	39.5	6
150/ 85	IDA	3125	2733	1347	72.5	9	88.5	7	79.8	11	95.0	8	25.4	7
150/595	GLEN HOPE	3125	2750	1509	124.5	13	55.7	8	94.2	-	101.0	8	45.2	7
150/620	ELLIOT - SAR	3120	2751	1451	68.0	7	125.5	8	92.5	11	83.0	8	45.0	5
150/635	LISBURN	3105	2752	2027	46.0	2	38.0	2	92.0	-	59.0	3	51.0	3
150/779	TAYNUILT	3129	2756	1220	98.0	6	87.0	9	106.0	11	134.5	5	49.5	4
151/231	GUBENXA - POL	3121	2808	1370	116.0	8	58.2	6	83.3	11	63.6	7	53.8	4
151/604	MACLEAR - MAG	3104	2821	1252	105.0	9	71.1	9	70.8	16	56.6	6	51.8	6
151/623	HOPEFIELD	3123	2821	1356	180.5	6	65.5	8	31.5	4	23.0	2	40.0	3
151/839	LANGENI - BOS	3129	2828	914	232.5	12	122.0	7	106.0	7	54.0	6	22.0	3
152/ 54	MHLAHLANE - BOS	3124	2832	1448	239.2	20	193.9	12	189.2	13	95.0	3	89.0	5
152/172	CEKA - BOS	3122	2836	1219	215.7	21	175.5	15	131.0	15	132.0	11	52.0	8
152/190	NTYWENKA - BOS	3110	2837	1433	185.6	14	141.1	13	126.6	17	75.0	8	64.8	10
152/208	KAMBI - BOS	3128	2837	930	107.0	15	95.0	12	80.6	14	52.0	4	65.3	7
152/259	BELE - BOS	3119	2839	1143	115.4	10	117.5	9	63.0	10	62.0	5	67.9	6
152/468	TSOLO - POL	3118	2846	1021	106.4	8	52.3	5	55.1	-	48.0	7	50.5	9
152/475	NQADU HEIGHTS - BOS	3125	2846	1189	166.6	14	168.9	12	72.8	13	58.0	5	75.5	6
152/482	CENGCANE - BOS	3102	2847	1280	126.5	7	104.2	5	116.0	8	20.0	2	63.0	5
152/640	QUMBU - MAG	3110	2852	884	80.0	12	65.4	8	51.5	6	95.0	4	74.6	-
152/792	BENCUTI - BOS	3112	2857	1143	75.5	13	80.8	8	87.5	8	72.7	4	79.5	5
153/ 43	TINA FALLS - POL	3113	2902	762	49.7	15	75.4	11	28.9	10	56.6	5	60.2	6
153/631	TABANKULU - BOS	3101	2922	1370	145.7	17	181.9	15	118.2	15	107.2	11	102.6	10
153/820	BUKAZI	3110	2928	945	70.5	10	124.0	10	64.1	13	51.0	4	83.0	8
153/875	FLAGSTAFF - TNK	3105	2930	936	106.5	12	119.0	12	82.0	10	38.5	3	87.0	7
154/142	LUSIKISIKI - TNK	3122	2935	594	113.4	13	141.0	8	48.9	11	85.1	5	108.0	7
154/279	HOLY CROSS MISSION	3109	2940	759	104.1	13	93.8	16	77.3	13	66.5	4	127.5	6
154/354	NTSUBANE - BOS	3124	2942	518	144.0	10	163.5	8	91.2	13	169.0	3	177.0	4
154/796	MKAMBATI	3116	2957	195	126.8	13	80.8	7	130.5	16	78.9	3	290.0	8
157/ 35	SARIESAAM	3035	1732	150	0.0	0	0.0	0	7.0	1	0.0	0	0.0	0
157/647	TWEE RIVIER	3047	1752	180	0.0	0	0.0	0	2.0	1	0.0	0	3.8	1
157/874A	GARIES - POS	3034	1800	227	0.0	0	3.2	2	8.3	2	0.2	1	6.2	4
158/ 87	RIETPOORT	3057	1803	287	1.8	3	1.5	2	3.5	1	1.5	1	0.0	0
159/104	KAMABOES	3044	1834	760	0.0	0	0.0	0	0.0	0	2.5	1	12.0	2
160/807	LOERIESFONTEIN - POL	3057	1927	914	12.5	1	8.0	2	0.0	0	2.0	1	11.5	2
162/308	KANS	3038	2011	915	0.0	0	28.4	4	18.2	4	9.5	2	15.0	1
163/141	GROOTVOLSTRUISFONTEIN	3051	2035	1052	26.0	2	9.0	2	19.5	3	11.0	2	13.0	1
163/882	BRULPADDALEEGTE	3042	2100	1036	38.0	2	4.7	2	52.8	6	11.5	2	18.0	1
164/141	WITKALK	3051	2105	1097	37.6	2	6.5	1	25.3	4	0.0	0	18.0	1
164/629	KLIPKLOOF	3059	2121	1311	32.0	2	9.0	-	29.0	3	3.0	1	9.0	1
165/ 3	KLEINDUBBELVLEI	3033	2131	1036	32.0	2	(17.5)	(2)	36.5	3	11.5	1	17.5	1
165/580	JAGERSBERG	3040	2150	1189	22.5	3	10.8	3	21.0	2	9.5	1	20.0	1
165/898	KLEREFONTEIN - AGR	3058	2200	1280	28.5	4	25.0	3	30.5	3	18.0	2	23.0	1
166/238A	CARNARVON - POL	3058	2208	1253	-	-	26.0	2	16.0	1	22.5	1	22.5	1
166/755	OORLOGSHOEK	3035	2226	1204	6.5	2	20.0	1	4.0	1	6.7	1	20.2	1
167/665	VOSBURG	3035	2253	1137	10.0	2	29.0	3	0.0	0	25.5	1	7.0	1
168/ 50	SWEETFONTEIN	3050	2302	1173	40.9	2	63.2	5	12.5	1	10.5	2	23.4	1
168/ 66	SANDPAN	3036	2303	1128	60.7	7	57.5	5	8.0	2	21.0	4	26.5	4
168/250	SOUTWATER	3040	2309	1128	26.5	9	76.5	6	12.3	5	8.9	5	21.2	3
168/800	NIEUWEJAARSFONTEIN	3050	2327	1173	39.0	6	61.5	8	4.2	1	18.0	5	28.5	3
169/ 5	BRITSTOWN - POL	3035	2331	1122	51.8	2	79.5	3	3.5	1	48.0	4	14.0	1
169/ 90	THOMASGAT	3100	2333	1295	53.5	6	59.5	7	35.5	5	54.5	5	52.0	4
169/174	WEST FRONT	3054	2336	1356	39.9	3	47.0	6	0.0	0	31.3	5	32.3	2
169/509	DEELFONTEIN	3059	2347	1359	40.2	5	59.5	11	7.3	2	32.2	6	30.5	4
170/ 98	DE AAR - AGR	3039	2401	1241	29.0	8	58.7	10	24.4	7	46.8	10	27.6	5
170/ 10	DE AAR-TNK	3040	2401	1258	27.0	2	59.5	7	12.5	2	39.0	7	5.1	2
170/ 22	NUWEJAARSFONTEIN	3052	2401	1340	38.0	2	81.1	9	5.5	1	64.2	7	24.8	6
170/ 99	EBENEZER	3039	2404	1227	33.0	3	54.0	7	45.4	3	57.6	6	29.0	4
170/137	HARTEBEESTHOEK	3047	2405	1311	46.8	3	58.0	7	48.0	3	48.5	5	27.5	3
170/427	SLINGERSHOEK	3037	2415	1341	13.5	1	68.1	5	30.6	4	69.0	7	27.3	4
170/438	ROOIKRAAL	3048	2415	1300	47.1	6	26.1	5	46.1	4	51.4	8	37.5	7
170/639	ROOIWAL	3039	2422	1417	33.9	5	67.0	8	51.9	5	74.0	8	36.6	3
171/117	WOLMADA	3057	2434	1341	17.0	4	92.5	9	34.0	2	64.0	4	31.5	2
171/446	BEESTEKRAAL	3056	2445	1370	37.3	11	158.7	10	30.0	5	58.6	6	23.0	5
171/546	BELL ROCK	3036	2449	1372	49.1	6	88.5	8	68.1	5	100.1	8	46.6	5
171/652	MOOIFONTEIN	3052	2452	1372	30.5	6	65.0	5	18.8	3	64.5	7	26.5	2
171/756	ESPERANZA	3036	2456	1311	40.4	12	129.7	11	55.3	10	105.3	9	41.0	8
172/ 27	ARUNDEL	3057	2501	1448	49.0	5	81.5	8	39.7	4	64.0	6	26.0	2
172/163	COLESBERG - TNK	3043	2506	1387	46.4	5	88.0	6	70.5	3	88.5	7	40.5	2
172/324	POPLAR GROVE	3054	2511	1402	(29.0)	(3)	59.0	5	34.6	5	59.2	5	39.0	1
172/580	ASTERTANG	3040	2520	1341	40.0	5	67.5	8	63.0	4	96.7	7	70.5	3
172/724	TWEEFONTEIN	3034	2525	1250	36.5	4	93.5	4	50.0	4	59.5	5	23.0	4
172/818	NORVALSPONT - POL	3038	2528	1219	39.7	12	80.3	10	33.8	8	100.6	10	46.5	4
172/877	HENDRIK VERWOERDDAM - IRR	3037	2530	1321	50.5	10	77.9	9	49.3	7	98.2	8	40.7	3
173/134	MONTAGU	3044	2535	1280	76.3	-	68.4	5	20.0	-	69.7	-	28.3	3
173/209	ELANDSFONTEIN	3059	2537	1326	51.5	-	61.3	5	71.5	3	70.5	5	0.0	0
173/462	OVISTON - IRR	3042	2546	1294	74.4	11	76.3	10	58.9	10	77.1	10	25.8	5
173/497	VENTERSTAD - MAG	3047	2547	1340	65.5	10	57.0	4	79.0	5	84.5	6	30.5	4
174/ 7	SPRINGBOKLAAGTE	3037	2601	1335	126.7	9	67.5	5	44.0	3	76.0	5	93.0	4
174/ 76	DAMPLAAS	3046	2603	1417	145.0	10	83.0	5	103.0	3	73.0	5	33.0	5
174/ 93	CLIFTON VALE	3033	2604	1372	73.5	13	100.5	6	74.0	4	82.0	9	47.9	7
174/265	GOUGEDINK	3055	2609	1555	29.5	8	93.0	8	57.4	4	78.9	6	26.1	4
174/312	HUGHENDEN	3042	2611	1463	144.5	11	60.0	5	47.5	6	116.0	9	56.0	5
174/550	ELLESMERE	3040	2619	1387	122.8	11	96.8	7	62.7	8	82.0	9	45.5	5
174/590	STONEYCROFT	3050	2620	1387	50.2	3	60.0	4	129.0	5	110.2	4	7.0	1

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN		JUL		AUG		SEP		OCT		NOV		DEC		JAAR JAN 71 DEC 71			YEAR JUL 70 JUN 71		
	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	PER	MM	D	PER
149/807	3.7	1	49.7	4	35.0	2	3.5	2	67.2	7	22.0	2	79.7	8	577.8	56	-	743.3	62	-
149/863	6.5	2	71.0	8	34.5	5	22.5	5	60.5	8	47.5	5	66.0	8	703.0	84	88	957.0	86	120
150/ 85	5.0	2	40.0	3	23.0	2	12.5	3	47.9	7	28.6	6	82.5	8	600.7	73	86	748.5	78	107
150/595	0.0	0	67.7	6	42.0	4	22.9	5	77.0	6	101.0	11	119.7	-	850.9	(68)	109	838.7	(70)	107
150/620	9.0	1	64.0	2	36.5	2	7.0	2	69.0	4	53.5	3	113.0	4	766.0	57	98	872.3	57	111
150/635	0.0	0	35.5	7	23.7	3	3.5	1	35.5	4	36.0	2	66.0	5	486.2	(32)	83	716.0	(20)	122
150/779	7.0	1	68.1	3	39.1	1	28.5	4	100.5	8	51.5	5	78.5	6	848.2	63	-	893.9	60	-
151/231	0.0	0	46.1	5	44.2	3	10.1	4	95.3	8	49.3	7	133.6	8	753.5	71	-	805.2	58	-
151/604	3.5	2	23.3	3	51.0	3	21.5	7	143.0	8	72.5	12	111.6	9	781.7	90	97	692.6	64	86
151/623	0.0	0	45.5	2	48.0	3	10.5	2	110.3	6	63.3	6	139.5	5	757.6	47	116	688.0	42	106
151/839	0.0	0	36.5	3	63.0	2	46.9	6	72.5	7	238.0	10	157.0	7	1150.4	70	-	1233.8	82	-
152/ 54	18.0	2	54.0	3	75.2	4	54.5	8	169.5	11	217.1	14	209.5	10	1604.1	105	-	1632.4	102	-
152/172	2.5	2	56.0	5	68.0	5	39.2	10	181.0	11	176.5	14	169.3	16	1398.7	133	-	1342.9	128	-
152/190	8.6	1	43.0	3	48.5	4	41.1	7	119.9	11	84.9	13	122.2	13	1061.3	114	95	1196.7	116	107
152/208	0.0	0	45.3	5	77.0	4	45.1	5	142.1	8	129.0	14	157.0	10	995.4	98	96	913.0	94	88
152/259	6.5	1	59.5	4	60.0	3	32.0	6	92.0	3	93.0	6	93.0	6	861.8	69	94	898.5	78	98
152/468	0.0	0	41.7	5	59.0	4	10.8	5	124.8	11	66.1	8	84.5	10	699.2	(72)	119	692.3	(58)	118
152/475	7.7	2	71.0	4	58.0	3	71.9	7	177.7	7	181.5	11	146.7	9	1256.3	93	102	1202.3	93	98
152/482	34.0	3	92.5	5	121.0	3	40.5	3	196.0	11	109.5	8	164.5	5	1187.7	65	121	949.0	61	97
152/640	5.5	1	31.5	-	-	-	66.5	3	171.5	8	80.3	9	56.3	7	(778.1)	(58)	-	781.2	(59)	104
152/792	9.0	2	44.1	6	61.0	3	43.1	8	170.7	9	126.5	14	94.9	11	945.3	91	117	870.4	79	108
153/ 43	7.0	1	26.2	5	53.5	3	7.0	7	164.8	11	49.6	11	89.6	8	668.5	93	-	644.9	93	-
153/631	10.5	3	69.5	8	76.9	5	60.9	11	198.3	12	131.3	12	103.6	10	1306.6	129	109	1302.6	144	109
153/820	5.0	1	51.0	5	98.3	5	29.0	6	230.6	11	60.0	13	75.0	9	941.5	95	-	878.1	90	-
153/875	4.5	1	47.5	5	78.5	4	45.5	8	185.4	10	72.5	15	82.5	10	949.4	97	109	985.4	87	111
154/142	1.0	1	74.7	6	131.0	5	50.0	10	230.2	10	97.3	13	85.0	9	1165.6	98	115	1185.0	90	117
154/279	13.5	2	67.0	6	84.5	5	51.9	8	323.6	9	66.6	14	144.5	13	1220.8	109	134	1077.6	99	119
154/354	0.0	0	135.0	5	190.5	4	57.5	8	229.0	7	120.0	11	176.5	8	1653.2	81	113	1695.7	79	129
154/796	6.5	1	135.5	4	183.0	4	52.1	10	129.0	5	104.9	14	107.2	5	1425.2	90	120	1455.7	98	123
157/ 35	0.0	0	29.2	4	45.9	4	0.0	0	0.0	0	0.0	0	0.0	0	82.1	9	-	90.4	10	-
157/647	0.0	0	16.6	4	27.0	4	0.0	0	0.0	0	0.0	0	0.0	0	49.4	10	-	45.5	9	-
157/874A	7.7	3	19.0	5	46.7	6	0.0	0	1.2	1	0.5	1	0.0	0	93.0	25	63	115.2	32	78
158/ 87	0.0	0	34.0	4	41.0	6	0.0	0	1.5	3	0.0	0	0.0	0	84.6	20	53	53.0	18	33
159/104	0.0	0	19.0	4	40.7	9	2.0	1	4.5	1	1.0	1	0.0	0	81.7	19	-	80.9	19	-
160/807	9.5	2	51.0	6	35.0	6	0.0	0	0.0	0	0.0	0	0.0	0	129.5	20	62	123.5	24	59
162/308	5.5	2	26.3	5	16.1	4	0.0	0	0.0	0	0.0	0	0.0	0	119.0	22	-	127.5	20	-
163/141	1.7	1	26.0	2	13.0	2	0.0	0	0.0	0	0.0	0	0.0	0	119.2	15	-	123.7	15	-
163/882	12.2	3	19.3	4	8.5	2	0.0	0	3.2	2	0.0	0	0.0	0	168.2	24	114	184.9	21	126
164/141	11.5	1	18.7	3	20.5	2	0.0	0	0.0	0	0.0	0	0.0	0	138.1	14	98	146.0	13	104
164/629	18.0	1	20.5	3	20.5	2	0.0	0	8.5	1	0.0	0	0.0	0	149.5	(14)	89	152.9	(12)	92
165/ 3	6.5	2	12.0	3	9.5	2	0.0	0	7.5	1	0.0	0	5.0	1	(155.5)	(18)	-	(174.7)	(19)	-
165/580	5.5	1	13.0	2	20.0	2	0.0	0	7.0	1	0.0	0	6.0	1	135.3	17	83	161.2	17	99
165/698	13.0	4	22.5	2	18.5	3	0.0	0	21.5	4	0.0	0	0.5	1	201.0	27	105	225.8	28	118
166/238A	19.5	1	-	-	19.5	1	0.0	0	-	-	0.0	0	0.0	0	(126.0)	(7)	-	(175.5)	(9)	-
166/755	12.0	2	3.5	1	5.0	2	0.0	0	20.0	2	0.0	0	0.0	0	97.9	13	53	153.6	14	83
167/665	6.0	1	0.0	0	4.5	1	0.0	0	39.0	4	0.0	0	3.0	1	124.0	14	61	106.2	15	52
168/ 50	37.4	2	13.5	2	14.5	1	0.0	0	21.5	2	0.0	0	0.0	0	237.4	18	113	319.5	17	152
168/ 66	22.5	4	10.0	3	8.0	2	0.0	0	57.3	4	0.0	0	14.5	2	286.0	37	132	297.7	38	138
168/250	22.0	4	8.7	4	10.1	2	0.0	0	47.8	5	0.0	0	4.0	1	238.0	44	110	277.0	45	126
168/800	21.0	4	17.2	5	11.2	2	0.0	0	45.2	4	20.8	1	5.0	2	271.6	41	121	289.0	38	130
169/ 5	24.0	2	10.0	2	10.0	1	0.0	0	52.0	4	0.0	0	18.5	1	311.3	21	117	298.9	20	113
169/ 90	18.5	4	31.0	6	19.0	3	0.0	0	54.0	4	0.0	0	2.5	2	380.0	46	143	372.5	41	141
169/174	24.0	3	14.2	3	24.7	3	0.0	0	50.7	4	2.2	1	4.3	1	270.6	31	100	268.9	26	107
169/509	16.0	5	21.8	6	20.0	3	0.0	0	48.8	4	2.0	1	13.5	2	291.8	49	108	297.9	45	110
170/ 98	21.3	5	24.5	6	18.5	4	-	-	-	-	-	-	-	-	(250.8)	(55)	-	344.9	66	-
170/ 10	17.8	3	16.1	5	15.5	2	0.9	1	68.1	6	9.0	1	9.0	1	279.5	39	97	288.9	33	101
170/ 22	12.5	3	14.5	3	9.5	2	0.0	0	67.5	6	3.5	1	18.7	4	338.8	44	-	351.1	37	-
170/ 99	25.7	3	17.0	3	12.0	1	0.0	0	55.0	4	0.0	0	15.5	1	344.2	35	121	386.2	35	136
170/137	19.5	2	16.5	3	7.5	1	0.0	0	74.0	4	3.5	1	20.0	1	364.8	33	145	354.9	34	141
170/427	15.0	1	24.9	4	4.5	1	0.0	0	43.4	5	3.0	1	6.3	1	305.6	34	117	392.5	30	150
170/438	22.2	5	20.1	7	11.4	3	0.0	0	71.2	7	4.7	1	7.7	3	345.5	56	-	382.6	46	-
170/639	22.0	2	20.9	5	9.5	2	0.0	0	52.6	5	5.0	1	13.0	3	386.4	47	131	451.3	44	152
171/117	8.5	1	23.2	3	4.2	1	0.0	0	54.5	2	0.0	0	14.6	2	344.0	30	119	365.1	30	127
171/446	22.6	4	20.9	4	7.1	3	0.0	0	47.3	4	6.5	2	7.4	5	419.4	62	-	432.7	58	-
171/546	18.3	4	13.0	2	5.0	2	5.0	1	78.4	6	3.2	2	6.0	1	471.3	51	136	378.7	47	166
171/652	2.5	1	12.5	2	5.0	2	0.0	0	48.3	4	6.0	1	4.0	1	285.6	34	88	302.3	34	94
171/756	10.9	3	12.5	4	6.1	4	1.5	1	65.4	8	7.0	1	8.6	6	483.9	77	149	533.5	78	166
172/ 27	8.5	1	16.0	3	0.0	0	0.0	0	53.5	4	6.6	2	14.5	1	361.3	36	94	402.3	36	105
172/163	8.0	1	0.0	0	17.5	2	0.0	0	64.6	5	29.0	1	0.0	0	453.0	32	115	495.5	35	126
172/324	4.6	2	10.0	1	0.0	0	0.0	0	45.2	4	8.5	1	16.5	1	(305.6)	(28)	-	(231.9)	(27)	-
172/560	7.0	1	13.5	1	0.0	0	0.0	0	86.3	5	0.0	0	23.3	3	437.8	37	124	440.0	37	125
172/724	10.0	2	19.5	1	0.0	0	4.0	1	92.0	5	0.0	0	9.5	1	397.5	31	106	-	-	-
172/818	6.7	2	16.6	3	5.2	4	1.0	1	128.1	8	23.0	1	36.8	5	518.3	68	140	456.3	64	123
172/877	6.5	1	21.7	3	4.7	2	0.6	1	101.0	7	17.5	1	55.5	2	524.1	54	-	437.1	54	-
173/134	6.0	1	19.5	1	0.0	0	0.0	0	73.5	3	8.0	1	5.2	1	374.9	(15)	107	395.6	(17)	113
173/209	0.0	0	26.5	1	3.1	2	0.0	0	73.5	2	8.3	1	0.0	0	366.2	(20)	109	518.4	(24)	153
173/462	8.0	4	15.4	3	6.0	3	0.0	0	76.4	6	9.0	1	19.9	3	447.2	66	-	(450.0)	(66)	-
173/497	5.0	1	0.0	0	0.0	0	0.0	0	82.5	3	10.0	1	13.0	1	427.0	35	98	489.5	41	109
174/ 7	8.5	1	29.0	1	0.0	0	0.0	0	51.0	3	5.0	1	79.1	-	599.8	(32)	-	626.3	40	-
174/ 76	0.0	1	9.4	2	9.0	2	0.0	0	55.0	2	12.0	1	27.5	3	555.9	42	121	675.5	48	146
174/ 93	9.2	4	29.0	3	3.2	4	0.0	0	69.5	7	21.0	2	56.5	7	571.2	66	126	616.7	64	136
174/265	0.0	0	20.3	3	0.0	0	0.0	0	49.5	3	9.0	1	16.5	4	382.2	43	-	573.2	51	-
174/312	7.7	3	30.0	3	8.2	5	0.0	0	69.5	5	2.5	1	47.5	4	591.4	57	144	677.4	65	165
174/550	7.0	1	34.8	3	7.1	3	0.0	0	62.3	6	25.5	2	51.9	4	598.4	59	130	646.7	65	140
174/590	0.0	0	31.0	1	7.0	1	0.0	0	54.5	3	25.0	1	59.0	2	532.9	25	132	551.1	27	137

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
174/600	BURGERSDORP - POL	3100	2620	1387	101.0	6	97.5	7	100.5	6	67.3	7	40.1	4
174/600A	BURGERSDORP - MUN	3100	2620	1481	101.8	10	100.5	13	89.2	9	79.2	8	32.9	7
174/753	GOEDEMOED - POL	3033	2626	1311	108.0	6	42.5	5	48.0	7	80.0	9	32.0	4
174/877	SANDDRIFT	3037	2630	1295	101.0	9	58.0	4	36.0	4	75.0	6	51.5	5
175/ 22	WELGEDACHT	3052	2631	1433	64.0	5	68.0	5	73.5	4	81.0	8	30.0	4
175/371	ALIWAL NORTH - TNK	3041	2643	1310	88.5	9	89.2	7	56.4	8	91.5	9	74.5	8
175/371A	ALIWAL NORTH	3041	2643	1317	91.5	13	86.2	10	52.9	11	85.8	9	68.3	9
175/585	HOUTKRAAL	3045	2650	1370	73.4	10	61.2	7	51.9	6	71.5	8	29.2	5
175/695	KRANSKOP	3035	2654	1340	65.0	6	79.0	7	66.0	5	90.0	5	33.0	4
176/ 15	PAARDEFONTEIN	3045	2701	1524	104.7	11	85.0	11	69.5	6	119.2	9	80.5	5
176/ 38	MORGENSON	3038	2702	1417	71.5	11	60.5	9	64.5	8	115.0	10	62.5	4
176/ 52	MAJUBA	3052	2702	1340	61.8	11	71.1	7	86.7	7	97.0	8	22.9	4
176/12C	FLOUKRAAL - POL	3100	2704	1525	78.6	8	123.0	7	110.0	10	117.0	6	38.5	5
176/135	DE RUST	3045	2705	1509	139.0	14	106.5	9	112.0	8	166.5	10	55.5	4
176/372	LADY GREY - POL	3042	2713	1646	60.0	7	63.5	6	75.8	9	119.3	10	65.0	4
176/523	HELVELLYN	3043	2718	1981	94.0	8	114.0	8	102.5	9	172.0	13	68.5	6
176/575	BENSONVALE	3035	2720	1356	32.0	3	111.5	10	107.7	7	116.0	8	78.0	5
176/631	STERKSPRUIT - TNK	3031	2722	1454	81.5	7	90.0	10	105.5	9	143.0	5	75.5	4
176/631A	STERKSPRUIT	3031	2722	1454	74.7	8	89.0	11	97.6	13	143.3	11	54.0	5
176/735	OSSA	3045	2725	1981	116.0	11	94.1	11	114.9	13	153.3	-	83.4	5
176/740	ORPENDALE	3050	2725	1951	115.5	10	51.0	5	104.7	11	158.5	10	88.9	7
176/891	NEW ENGLAND - SAR	3051	2730	1804	104.2	10	71.1	8	66.0	6	92.5	9	38.5	10
177/ 45	AVOCA	3045	2732	1905	126.0	11	61.0	11	141.0	10	122.5	10	63.0	8
177/178	BARKLY EAST - TNK	3058	2736	1814	64.6	12	92.0	9	88.5	12	97.0	10	49.0	6
177/184	BLIKANA	3034	2737	1676	84.5	10	110.0	10	102.1	11	139.0	10	59.2	5
177/399	LUNDEANS NEK - POL	3039	2744	2255	75.0	2	109.0	3	116.0	3	198.0	7	9.0	1
177/441	KELVIN GROVE	3051	2745	1753	87.0	8	68.5	7	92.0	9	74.0	8	37.2	5
177/552	FUNNYSTONE	3042	2749	2286	137.7	13	121.0	15	86.1	11	112.5	11	54.5	7
177/885	MALPAS	3045	2800	1951	124.1	14	85.5	12	58.5	4	96.3	12	24.0	4
178/349	ANTELOPE PARK	3049	2812	1830	209.5	22	164.5	16	111.0	18	53.0	9	64.5	8
178/585	BLOEGOMHOF	3045	2820	1676	174.0	12	113.5	5	47.5	4	50.0	5	12.5	1
178/689	SHEEPRUN	3059	2823	1213	168.8	19	76.3	16	79.1	19	55.6	10	78.4	12
178/881	MOUNT FLETCHER - TNK	3041	2830	1463	182.0	14	64.0	5	98.5	16	35.5	4	34.5	3
179/344	COLWANA - BOS	3044	2842	1783	257.2	21	119.2	12	73.8	15	70.3	11	47.9	11
179/353	ETWA - BOS	3053	2842	1219	200.0	21	140.5	13	80.3	13	70.0	4	83.0	7
179/501	CANCELE	3051	2847	1097	157.6	-	130.8	11	29.5	7	100.0	6	45.1	4
179/713	AMANZAMNYAMA - BOS	3053	2854	1280	182.5	16	158.0	8	106.5	9	92.0	3	96.0	6
179/750	ESSEK - NAF	3100	2855	1067	59.0	14	91.0	9	48.5	11	74.5	6	80.5	8
179/790	TSHATSHENI - BOS	3040	2857	1372	255.3	18	126.3	13	85.0	12	67.5	9	55.8	9
179/864	MOUNT FRERE - TNK	3054	2859	1158	119.2	12	88.0	7	95.5	11	88.0	4	69.7	9
180/ 30	PAPANE - BOS	3100	2901	1021	118.0	15	125.0	10	53.0	10	68.0	6	77.0	10
180/ 32	MVENYANE	3032	2902	1372	150.0	-	63.0	4	82.5	8	32.5	4	42.0	3
180/123	MVENYANE - BOS	3033	2905	1372	209.0	14	126.0	10	91.0	10	70.0	6	63.5	7
180/305	DEEMOUNT	3035	2911	1370	173.3	10	110.0	4	73.5	6	21.5	2	60.5	4
180/439	INSIZWA - BOS	3049	2915	1298	99.4	11	104.3	8	121.5	9	60.0	6	88.8	9
180/537	TABANKULU - TNK	3057	2918	1128	69.7	7	124.5	8	87.7	4	85.0	6	65.9	3
180/577	HILLENDALE	3037	2920	1435	114.4	19	109.8	12	67.9	12	38.3	9	57.1	12
180/648A	MOUNT AYLIFF - TNK	3048	2922	975	94.8	11	84.5	7	63.0	9	85.5	7	87.0	7
180/712	TONTI - BOS	3052	2924	1372	162.5	12	173.5	9	107.5	10	72.0	6	101.0	8
180/721	KOKSTAD - AGR	3031	2925	1372	122.2	18	86.5	12	35.0	14	31.6	-	35.5	12
180/722A	KOKSTAD - TNK	3032	2925	1278	90.4	16	53.7	13	31.8	14	34.8	7	32.9	9
181/ 32	WILLOWDALE	3032	2932	1341	60.6	7	107.0	5	-	-	-	-	-	-
181/ 73	FORT DONALD - BOS	3043	2933	1433	149.6	18	127.5	16	154.6	20	93.5	10	56.6	11
181/166	NDINDINDI - BOS	3046	2936	1219	163.5	14	154.5	12	132.0	13	74.0	9	82.0	8
181/275	ELANDSDRIFT - BOS	3035	2940	991	135.5	-	156.5	-	154.5	-	54.0	-	48.0	-
181/277	IMPETYNE - BOS	3037	2940	1524	182.5	-	120.5	-	201.0	-	83.5	-	77.5	-
181/423	BORDER - BOS	3033	2945	1067	64.5	11	163.0	9	120.5	11	39.5	7	44.0	4
181/426	WEZA - BOS	3036	2945	1055	85.0	8	162.0	8	140.0	10	36.5	7	46.0	4
181/561	BIZANA - BOS	3051	2949	792	130.5	13	87.0	9	53.5	12	69.5	7	83.0	7
181/604	GLENORA	3034	2951	838	86.1	16	150.4	14	87.4	15	38.6	7	31.6	9
182/ 13	EUREKA	3043	3001	671	136.8	9	105.3	10	64.8	13	63.8	4	96.9	7
182/197	IZINGOLWENI - POL	3047	3007	596	159.0	9	69.5	7	57.0	11	68.7	4	87.0	7
182/331	ST FAITHS - POL	3031	3012	701	119.0	8	101.0	7	75.0	3	72.0	4	121.0	7
182/379	PADDOCK	3049	3013	514	158.9	18	81.6	14	104.7	19	94.3	12	107.9	12
182/430	MINNEHAHA	3040	3015	530	92.4	15	94.4	16	76.7	18	84.1	6	71.3	13
182/439	BALLYCLARE	3049	3015	518	166.4	18	75.0	9	80.0	11	80.0	5	113.5	7
182/535	BUSHY VALES	3055	3018	91	112.4	16	72.0	11	55.7	10	86.4	6	160.0	10
182/606	MEHLOMNYAMA - POL	3036	3021	792	79.1	12	79.6	9	85.5	8	105.5	5	88.0	6
182/651	MARGATE - POL	3051	3022	60	113.4	16	71.7	13	72.0	14	16.0	4	201.6	10
182/710	UVONGO - MUN	3050	3024	15	124.5	15	76.0	11	58.9	14	56.8	9	207.0	8
182/730	THE VALLEYS	3040	3025	183	121.1	13	68.1	12	79.9	16	80.0	6	150.4	8
182/794	PORT SHEPSTONE - TNK	3044	3027	15	101.9	11	81.5	10	89.0	10	51.5	5	172.7	7
182/794A	PORT SHEPSTONE - VRT	3044	3027	17	120.1	14	105.4	12	105.5	15	64.3	9	191.6	9
182/881	SOUTH PORT - POL	3041	3030	14	98.5	13	86.0	7	113.5	11	60.0	4	165.0	7
183/ 5	KLOOFENO	3035	3031	76	111.0	8	83.5	4	105.0	2	28.0	2	136.5	3
184/499	HONDEKLIPBAAI - POL	3019	1717	18	0.0	0	0.0	0	9.5	1	0.0	0	0.0	0
185/492	GROOTVLEI	3012	1747	640	-	-	-	-	0.0	0	0.0	0	7.5	2
185/646	KAMEELBOOM	3016	1752	762	0.0	0	2.0	1	2.5	1	0.0	0	13.5	3
185/712	KHARKHAMS	3022	1754	762	0.0	0	9.0	2	2.0	1	2.5	1	15.3	4
185/793A	KAMIESKROON - POL	3013	1757	762	0.0	0	0.0	0	6.0	1	8.0	1	7.5	2
186/ 7	ANEGAS	3007	1801	915	-	-	6.0	2	3.0	2	1.5	1	9.0	2
186/139	KAMMIESBERG	3019	1805	1448	2.4	2	3.5	3	8.0	2	0.6	1	20.0	5
190/868	BRANDVLEI - POL	3028	2029	914	21.0	-	38.5	-	35.0	-	8.0	-	16.0	-
191/526	KRAANDRAAI	3016	2048	915	3.0	1	22.0	1	0.0	0	18.0	1	9.5	1
192/ 68	SWARTKOP	3008	2103	1067	13.0	5	17.7	6	10.4	8	7.0	1	10.0	1

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/ND	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
174/600	4.0	1	24.8	1	4.0	1	0.0	0	41.0	4	0.0	0	34.5	3	514.7	40	113	674.4	48	149
174/600A	3.0	1	24.5	5	11.7	5	0.0	0	39.7	6	7.5	3	27.6	4	517.6	71	-	669.8	65	-
174/753	5.0	1	13.5	2	5.5	1	0.0	0	35.5	3	8.8	2	66.3	4	445.1	44	94	569.2	51	120
174/877	1.5	1	25.0	2	5.0	2	0.0	0	31.0	3	24.0	1	35.5	4	443.5	41	96	592.8	46	129
175/ 22	6.0	2	31.0	3	8.0	1	0.0	0	39.0	4	19.0	1	45.5	4	465.0	41	103	593.0	49	132
175/371	4.6	3	14.5	3	21.0	4	0.0	0	39.3	6	26.6	8	43.3	9	549.4	74	104	685.8	67	130
175/371A	4.8	3	33.1	5	6.2	4	-	-	-	-	-	-	-	-	(428.8)	(64)	-	681.7	84	-
175/585	2.4	3	29.8	4	3.5	1	1.0	1	32.7	6	26.8	4	49.3	5	432.7	60	-	552.4	60	-
175/695	0.0	0	29.0	1	2.5	1	0.0	0	15.0	2	32.0	1	69.0	4	480.5	36	-	591.5	42	-
176/ 15	3.5	1	50.5	5	7.5	2	1.0	1	36.5	5	53.0	6	58.0	7	668.9	69	123	798.9	67	146
176/ 38	2.0	1	60.5	5	7.0	3	0.0	0	42.0	7	51.0	6	54.5	6	591.0	70	106	722.5	69	129
176/ 52	0.0	0	47.6	5	6.8	3	0.0	0	50.9	6	40.0	2	47.5	7	532.3	60	-	577.8	59	-
176/120	3.5	2	42.8	5	17.5	5	2.0	1	28.5	5	32.0	6	83.5	9	676.9	69	-	907.4	67	-
176/135	0.0	0	53.0	5	21.5	4	0.0	0	29.0	4	55.0	5	68.5	7	806.5	70	149	968.0	71	179
176/372	4.3	2	49.0	1	19.5	2	0.0	0	41.5	5	59.5	3	36.0	4	593.4	53	78	748.4	62	99
176/523	7.5	2	55.5	3	23.5	1	0.0	0	47.5	5	88.5	5	117.0	10	890.5	70	-	1049.0	75	-
176/575	1.5	1	22.0	3	29.5	3	0.0	0	35.0	4	23.4	3	59.0	4	615.6	51	86	802.0	54	112
176/631	0.0	0	24.5	3	19.5	3	0.0	0	43.5	7	48.5	6	82.4	8	713.9	62	102	723.7	52	103
176/631A	3.0	3	19.7	3	10.7	2	0.5	1	33.5	5	40.6	5	85.0	7	651.6	74	100	783.3	86	120
176/735	18.7	1	47.0	4	13.0	1	3.1	3	39.0	4	72.2	7	93.1	10	847.8	(70)	102	1045.7	(73)	125
176/740	8.5	3	59.0	6	33.3	4	2.0	1	38.2	5	55.1	9	89.0	10	803.7	81	114	(784.5)	(60)	-
176/891	5.0	2	16.5	3	26.1	5	3.3	2	22.6	5	31.3	6	53.3	10	530.4	76	82	718.3	80	111
177/ 45	9.0	2	47.5	-	26.5	5	8.0	3	30.0	7	58.5	7	57.5	10	750.5	(84)	83	950.0	88	105
177/178	2.0	1	42.5	5	16.6	4	5.0	3	28.8	8	52.3	9	58.0	10	596.3	89	97	759.2	80	124
177/184	0.6	3	19.8	7	28.5	5	0.0	0	36.0	5	69.5	7	73.5	-	722.7	(73)	97	911.4	74	123
177/399	0.0	0	34.5	2	0.0	0	0.0	0	-	-	-	-	-	-	(541.5)	(18)	-	910.0	37	-
177/441	4.4	1	25.0	3	13.5	1	2.5	1	43.0	5	54.0	4	64.5	10	565.6	62	84	668.7	64	99
177/552	11.5	3	36.5	6	19.5	4	10.8	4	44.5	9	94.2	10	64.6	12	793.4	105	98	918.8	96	113
177/885	0.0	0	23.6	4	11.1	1	8.3	1	67.5	5	-	-	-	-	(498.9)	(57)	-	706.9	71	98
178/349	11.3	4	46.0	6	51.0	4	23.0	10	120.0	11	75.5	17	98.2	18	1027.5	143	-	1117.6	130	-
178/585	0.0	0	43.4	2	51.5	-	24.0	1	100.0	5	66.5	4	79.5	5	762.4	(44)	110	756.0	48	109
178/689	2.9	3	33.8	8	55.7	3	17.7	8	153.7	12	64.1	19	103.2	16	889.3	145	-	918.9	134	-
178/881	0.0	0	22.5	2	29.0	1	18.0	3	155.0	8	45.5	9	54.0	8	738.5	73	98	711.6	65	95
179/344	11.8	2	75.0	5	31.3	3	27.9	9	114.6	14	94.5	15	122.9	16	1046.4	134	94	1102.0	128	98
179/353	6.0	1	37.0	6	55.5	4	34.0	3	216.0	9	104.0	12	122.0	10	1148.3	103	118	1130.3	90	116
179/501	36.3	5	31.2	4	45.0	4	16.7	7	191.2	10	73.3	13	75.3	11	932.0	82	125	845.2	(53)	113
179/713	7.5	1	72.0	4	56.0	3	43.5	5	219.0	9	125.0	15	64.0	8	1222.0	87	108	1185.5	70	104
179/750	12.0	4	48.0	4	56.0	4	16.5	5	168.5	7	57.5	7	82.5	9	834.5	88	-	796.0	84	-
179/790	7.0	2	53.0	5	40.0	3	39.0	10	185.5	13	82.0	15	137.0	11	1133.4	120	118	1066.4	108	111
179/864	0.0	0	68.0	6	40.0	3	24.0	4	183.6	10	100.2	14	77.0	8	953.2	88	107	788.2	68	88
180/ 30	8.5	2	68.0	6	43.5	4	18.5	6	194.5	10	98.0	11	93.8	8	965.8	96	136	899.9	86	126
180/ 32	0.0	0	60.0	2	35.5	1	17.9	1	91.5	3	72.6	5	161.0	5	808.5	(36)	97	718.5	(38)	86
180/123	6.0	1	63.0	4	46.0	1	27.0	1	157.0	9	109.0	13	96.0	7	1063.5	83	104	1019.5	70	100
180/305	0.0	0	47.5	3	35.0	2	0.0	0	127.0	9	65.5	6	108.0	7	621.8	53	-	837.6	47	-
180/439	6.0	1	71.3	7	57.0	5	35.0	7	192.0	13	105.2	12	88.0	7	1028.5	95	109	906.5	76	102
180/537	8.0	1	64.0	5	56.0	3	5.5	1	150.5	6	72.5	10	44.5	8	833.8	62	113	713.2	53	97
180/577	2.4	2	55.5	7	40.0	3	20.3	8	112.0	8	55.9	11	127.6	8	801.2	111	-	723.5	109	-
180/648A	10.5	2	47.0	7	53.5	3	11.3	6	146.0	11	93.5	12	60.5	9	837.1	91	-	755.0	77	-
180/712	6.0	1	73.5	5	67.5	3	44.0	9	183.0	12	143.0	13	93.0	12	1226.5	(100)	113	1128.5	(80)	104
180/721	2.5	3	57.3	5	47.5	3	11.0	8	116.6	13	96.3	16	89.5	17	733.5	121	94	716.3	95	94
180/722A	1.7	1	45.7	4	40.2	3	4.2	6	124.8	12	68.8	11	98.2	9	627.2	105	93	600.5	96	89
181/ 32	0.0	0	32.5	3	35.0	3	10.0	1	100.3	10	72.4	7	63.0	5	(480.8)	(41)	-	(530.5)	(35)	-
181/ 73	7.5	2	56.5	7	74.0	6	46.3	15	122.0	14	87.5	17	126.0	17	1101.6	153	115	1159.9	151	121
181/166	5.0	1	57.0	5	107.0	5	74.0	12	137.2	11	119.0	14	111.9	12	1217.1	116	-	1221.0	107	-
181/275	0.0	-	35.5	-	72.0	-	51.5	-	97.0	-	106.0	-	194.5	-	1105.0	-	106	1152.2	-	110
181/277	5.0	-	67.5	-	90.5	-	102.5	-	143.0	-	151.5	-	197.5	-	1422.5	-	102	1430.3	-	103
181/423	0.0	0	68.0	3	77.0	4	41.6	16	101.0	13	100.0	15	178.0	14	1017.1	107	107	1004.5	77	106
181/426	0.0	0	59.5	3	75.5	2	44.5	6	109.5	8	88.0	8	174.0	10	1020.5	74	-	969.8	68	-
181/561	1.0	1	50.5	4	100.0	5	36.5	13	140.0	8	55.0	16	78.5	15	885.0	110	107	918.1	97	111
181/604	0.0	0	63.0	6	58.3	4	25.9	11	121.0	14	81.4	17	149.0	16	892.7	129	114	924.8	120	118
182/ 13	0.0	0	56.5	5	64.3	4	33.2	7	122.3	12	71.9	12	82.2	8	898.0	91	128	1009.8	84	144
182/197	0.0	0	62.0	4	98.5	4	28.5	6	184.5	7	99.5	9	86.0	6	1000.2	74	102	1029.0	76	104
182/331	2.0	1	67.0	5	78.0	2	64.0	5	137.0	5	124.0	14	205.0	9	1165.0	70	-	895.5	52	-
182/379	0.3	3	86.4	6	141.8	7	54.9	15	239.0	14	96.9	21	184.9	21	1351.6	162	115	1500.2	157	128
182/430	0.5	4	57.0	6	63.7	5	21.4	12	216.5	11	76.0	18	133.7	18	987.7	142	-	997.8	142	-
182/439	0.0	0	91.5	5	160.0	3	59.5	11	198.3	10	118.7	15	216.0	12	1358.9	106	101	1581.0	109	131
182/535	0.0	0	122.9	5	157.8	3	29.4	7	242.4	10	94.1	16	104.5	10	1237.6	104	117	1437.1	110	135
182/606	0.0	0	72.5	3	107.0	4	38.0	6	198.0	7	75.5	10	174.0	9	1102.7	79	127	1002.3	79	116
182/651	1.5	1	115.5	3	160.5	3	39.0	17	169.0	11	121.2	18	97.5	16	1178.9	126	-	1316.5	121	-
182/710	1.2	1	105.8	5	194.0	3	38.1	14	138.6	9	78.2	15	105.5	16	1184.6	120	101	1330.7	113	114
182/730	0.0	0	104.0	5	211.0	3	31.4	10	165.8	12	103.3	18	134.4	14	1249.4	117	129	1213.0	107	125
182/794	0.9	1	116.5	5	240.5	2	25.5	6	122.0	6	86.5	15	83.5	8	1172.0	86	105	1238.1	92	111
182/794A	0.9	1	133.3	5	238.1	4	50.2	16	132.9	10	112.7	19	94.0	15	1349.0	129	125	1342.7	124	125
182/881	0.0	0	113.0	4	80.0	4	44.0	8	71.0	3	116.5	16	91.0	7	1038.5	84	-	1247.3	86	-
183/ 5	0.0	0	110.5	2	184.5	2	36.5	2	112.9	5	93.8	12	102.0	5	1104.2	47	111	1009.9	40	102
184/499	6.0	2	24.5	4	31.5	5	0.0	0	0.0	0	0.0	0	0.0	0	71.5	12	-	71.0	21	-
185/492	40.0	1	88.0	5	68.0	4	0.0	0	6.0	2	0.0	0	0.0	0	(209.0)	(14)	-	(159.0)	(15)	-
185/646	18.0	1	47.0	6	77.0	6	0.0	0	6.0	2	0.0	0	0.0	0	166.0	20	-	129.5	25	-
185/712	14.2	2	39.5	4	67.5	9	0.0	0	5.8	4	4.0	2	0.0	0	159.8	29	-	161.3	36	-
185/793A	26.1	3	48.0	6	66.9	8	0.0	0	3.2	3	0.7	1	0.0	0	166.4	25	-	129.6	18	-
186/ 7	24.0	2	39.0	6	76.5	6	0.0	0	4.5	2	1.0	2	0.0	0	(164.5)	(25)	-	(135.8)	(28)	-
186/139	35.5	5	69.8	7	97.2	12	2.7	1	14.5	2	6.0	2	1.5	1	261.7	43	73	323.1	47	89
190/468	0.0	-	26.5	-	5.0	-	0.0	-	0.0	-	0.0	-	0.0	-	150.0	-	127	150.5	-	127
191/526	13.5	1	11.5	1	0.0	0	0.0	0	6.5	1	0.0	0	0.0	0	84.0	7	-	100.2	8	-
192/ 68	2.6	3	12.2	4	7.1	2	0.0	0	5.5	2	0.0	0	0.5	1	86.0	33	-	123.2	31	-

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	φ S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
192/319	BLINKKLIP	3019	2111	930	1.5	1	11.7	2	25.6	5	0.0	0	13.5	1
193/339	DE NAAUWTE	3009	2142	933	17.0	3	50.0	3	21.2	4	0.0	0	18.0	1
193/347	KALABASPUT	3017	2142	994	9.5	1	22.0	3	14.0	3	2.5	1	17.2	1
193/561	VANWYKSVLEI	3021	2149	962	21.5	3	16.0	7	22.6	5	3.1	2	16.6	2
194/323	GANNAPAN	3023	2211	1059	6.0	1	-	-	7.0	1	0.0	0	31.5	1
194/454	IRENE	3004	2216	1039	24.8	5	29.0	5	12.0	2	22.8	3	15.5	1
195/730	NOOITGEDAG	3010	2255	1064	4.0	1	46.9	4	15.0	2	19.6	2	28.5	2
196/375	ROOIPOORT	3015	2313	1052	31.8	3	43.8	3	0.0	0	20.2	2	19.0	1
197/713	KOCKSBEEN	3023	2354	1216	57.0	3	55.5	8	30.0	4	83.0	6	19.0	3
198/435	DONKERHOEK	3015	2415	1280	76.5	8	73.9	10	11.2	7	101.6	9	21.3	6
198/524	BASBERG	3014	2418	1311	75.5	6	83.5	6	15.0	2	86.5	4	13.0	2
198/726	JAKKALSKUIL	3006	2425	1219	75.8	6	45.5	6	38.5	2	58.9	6	1.6	1
198/836	PHILIPSTOWN - TNK	3026	2428	1340	28.5	6	66.7	10	23.7	3	60.7	8	17.0	3
199/107	GROOT - ARENDSKRAAL	3017	2434	1295	56.7	7	56.7	7	56.0	3	43.1	9	13.5	3
199/275	PETRUSVILLE	3005	2440	1212	60.0	4	68.7	7	44.0	5	63.5	5	43.1	6
199/435	BOSDUIWEKOP	3015	2445	1234	40.2	8	51.7	10	43.3	8	51.8	10	20.6	6
200/ 58	FONTEINTJIE	3028	2502	1250	27.0	6	123.8	9	28.7	3	58.5	7	23.5	4
200/166	KAREEPOORT	3016	2506	1341	87.0	4	94.5	9	53.0	3	139.0	9	25.5	3
200/255	HARTMANSHOOP	3015	2509	1372	65.5	4	90.0	8	47.0	4	45.5	3	23.0	2
200/466	PHILIPPOLIS - POL	3016	2516	1372	88.1	5	87.0	9	66.5	7	64.0	8	30.0	5
200/764	KRIELSFONTEIN	3014	2526	1516	81.3	8	94.5	10	68.0	6	65.7	10	42.9	5
201/ 20	ORANJE	3020	2531	1524	119.5	8	75.5	7	27.0	2	74.5	5	45.0	3
201/237	HEREFORD	3027	2538	1370	88.5	9	103.5	5	33.5	2	56.5	5	26.0	3
201/361	HAMELFONTEIN	3001	2543	1402	97.2	10	105.5	10	36.8	8	63.5	-	39.1	6
201/373	HAMILTON MANOR	3013	2543	1537	132.4	7	91.3	7	32.5	5	81.3	8	26.6	4
201/376	SPRINGFONTEIN - MUN	3016	2543	1519	98.5	5	65.1	7	30.0	4	65.5	7	31.0	3
201/482	TROMPSBURG - POL	3002	2547	1433	104.5	11	117.5	11	23.5	5	63.5	7	44.0	5
201/701	MIDDELFONTEIN	3011	2554	1494	130.0	11	74.1	10	73.6	10	71.7	10	25.8	7
201/840	BETHULIE - MUN	3030	2558	1274	100.5	8	63.5	5	92.0	3	63.5	4	18.0	3
202/261	GOEDEHOOP	3021	2609	1370	114.2	7	50.5	10	56.5	5	62.3	10	38.0	8
202/366	DE BAD	3006	2613	1524	99.0	8	140.5	11	44.5	4	67.0	8	62.5	7
202/575	RONDEFONTEIN	3005	2620	1600	91.9	11	198.2	12	45.9	10	70.9	9	68.3	8
202/680	LOURENSA	3020	2623	1433	64.1	7	66.5	7	47.2	6	60.4	10	33.6	6
203/ 43	SMITHFIELD - MUN	3013	2632	1400	71.5	9	93.9	11	54.0	6	64.0	7	53.0	6
203/175	RUST-EN-VREDE	3025	2636	1478	108.5	8	88.5	8	59.2	6	113.0	6	27.0	5
203/259	BULTFONTEIN	3019	2639	1370	66.0	6	71.0	6	86.0	8	70.0	7	68.5	5
203/472	EENSAAMHEID	3022	2646	1435	66.1	12	94.0	9	76.3	11	95.8	11	53.7	7
203/478	GRASFONTEIN	3028	2646	1494	77.0	10	93.5	5	66.0	7	149.5	9	37.5	5
203/483	SONNEBLOM	3003	2647	1372	64.9	5	124.3	4	70.0	7	48.8	4	82.5	5
203/595	ROUXVILLE - POL	3025	2650	1509	88.8	8	90.5	3	92.5	6	122.0	6	46.5	3
203/657	MIDDELPLAATS	3027	2652	1570	83.7	10	105.4	8	78.9	8	138.4	10	36.8	8
203/737	RIETHOEK	3017	2655	1585	74.0	7	84.0	8	84.5	8	60.7	7	69.0	5
204/ 50	LEEUWFONTEIN	3020	2702	1646	61.5	7	94.5	6	71.5	7	133.5	11	56.0	4
204/ 58	COMPTON	3028	2702	1509	121.5	8	71.0	6	41.0	6	120.5	9	39.0	6
204/127	OUDENAARDE	3007	2705	1645	76.0	5	116.0	7	67.1	11	95.2	7	96.0	5
204/138	ZASTRON - TNK	3018	2705	1661	80.6	8	87.5	6	67.0	8	111.0	10	69.0	5
204/265	ZONDAGSFONTEIN	3025	2709	1555	88.2	11	96.4	11	100.6	9	128.5	10	44.2	5
204/350	GELUKSVLEI	3020	2712	1646	69.5	5	117.5	7	105.9	6	94.4	8	86.0	5
204/392	TWEEPAN	3002	2714	1675	215.4	12	109.9	13	69.7	15	91.2	10	62.7	6
204/418	QUAGGAFONTEIN	3028	2714	1372	111.5	8	99.5	5	62.5	9	134.5	10	34.5	4
204/444	WELGEMOED	3024	2715	1676	65.5	8	195.9	11	77.6	7	101.0	5	47.0	4
204/518	SPRING VALLEY	3008	2718	1525	76.6	6	74.0	6	64.5	7	133.5	9	64.7	5
204/532	PIETERSRUST	3022	2718	1525	57.0	10	147.5	12	80.5	8	108.5	10	53.0	5
204/616	KORNETSPRUIT	3016	2721	1486	49.0	4	85.5	4	91.0	6	122.8	9	7.0	1
204/640	LILLE	3010	2722	1463	106.5	6	78.5	6	99.5	7	121.5	10	63.5	5
204/819	MOHALESHOEK	3009	2728	1600	58.4	-	128.4	-	71.0	-	56.0	-	0.0	-
205/ 85	TELLEBRUG - POL	3025	2733	1370	76.5	9	88.5	10	120.0	9	135.9	9	54.6	4
205/385	QUTHING	3025	2743	1737	102.0	-	98.3	-	108.3	-	129.4	-	53.5	-
206/530	ONGELUKSNEK - POL	3020	2818	1737	160.2	17	138.8	19	77.9	5	55.5	4	22.0	3
206/588	SINCLAIR	3018	2820	1830	108.1	11	116.8	15	82.9	13	50.9	7	39.6	8
206/602	SEKAKES	3002	2821	1676	82.5	6	102.5	5	50.5	6	39.5	4	32.5	3
206/738	AVONDALE - POL	3018	2825	1495	50.5	9	138.6	19	67.9	4	3.5	2	0.0	0
207/108	ADE	3018	2834	1449	178.5	16	138.0	11	91.0	11	37.0	3	26.0	6
207/337	QACHASNEK	3007	2842	1972	186.6	15	110.1	11	128.0	13	46.9	6	41.5	4
207/391	TSOELIKE	3001	2844	1768	86.5	8	57.0	4	58.0	7	21.5	3	37.5	4
207/402	MONT PLAISIR	3012	2844	1524	132.8	14	140.0	13	90.5	14	41.0	5	46.5	6
207/560	MATATIELE - TNK	3020	2849	1463	144.8	16	99.2	11	54.0	10	30.0	6	27.0	6
207/790	AFSONDERING - NAF	3010	2857	1615	109.5	11	108.5	8	118.0	9	24.0	3	57.0	4
208/ 83	CEDARVILLE - POL	3023	2903	1450	100.5	9	80.0	5	48.5	5	42.0	4	11.0	2
208/138	FIVE ACRES	3018	2905	1555	127.6	16	92.1	10	49.9	10	25.3	5	16.8	4
208/406	THE MEADOWS	3016	2914	1460	132.9	18	107.3	12	72.4	15	31.8	5	41.8	8
208/584	SWARTBERG - POL	3014	2920	1603	118.8	11	95.4	9	120.0	9	60.5	6	45.0	8
208/631	EWATT - POL	3001	2922	2010	163.0	16	109.5	6	93.0	6	29.0	5	44.0	7
208/635	BEN LOMOND	3005	2922	1960	118.1	14	181.5	8	122.5	8	59.0	7	47.0	7
208/733	FLITWICK GRANGE	3013	2925	1789	89.5	16	114.0	12	106.5	14	29.5	6	57.5	6
208/799	FRANKLIN - POL	3019	2927	1495	131.0	8	69.0	4	53.5	5	52.8	4	-	-
209/ 39	INSIKENI - BOS	3009	2932	1524	152.0	16	96.0	9	188.5	13	53.0	6	52.0	5
209/139	MPUR - BOS	3019	2935	1525	165.5	20	147.6	18	116.9	20	72.3	12	56.5	8
209/173	BEN CAIRNIE - BOS	3023	2936	1524	118.7	13	130.5	12	122.6	10	64.0	8	50.9	6
209/195	SNEEZEWOOD - BOS	3015	2937	1370	133.7	16	100.5	9	133.0	13	48.0	6	49.0	6
209/270	LANGGEWACHT - BOS	3030	2939	1370	76.0	13	105.5	10	62.6	12	27.0	4	43.9	5
209/296	OXTON - NAF	3338	1900	116	48.0	8	108.6	9	96.2	12	26.2	5	35.0	3
209/332	INGWANGWANE - BOS	3002	2942	1372	178.0	-	90.0	-	101.5	-	162.0	-	77.5	-
209/572	CREIGHTON - POL	3002	2950	1000	81.3	8	97.6	7	103.7	12	69.5	5	64.5	7
209/651	MIDDELWATER - BOS	3021	2952	1067	103.5	12	140.5	9	121.0	14	87.0	5	95.4	10

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
192/319	8.5	3	9.0	3	10.5	2	0.0	0	6.5	1	0.0	0	0.0	0	86.8	18	57	122.6	19	81
193/339	13.5	3	4.5	2	8.5	2	0.0	0	17.0	-	1.6	1	0.0	0	151.3	(19)	108	178.5	19	127
193/347	13.5	2	12.0	3	6.0	2	0.0	0	11.5	2	4.0	1	0.0	0	112.2	19	86	132.7	16	102
193/561	15.0	4	12.4	6	5.5	2	0.0	0	22.6	4	0.3	1	11.0	2	146.6	38	87	150.1	32	89
194/323	9.0	1	9.0	1	9.0	1	0.0	0	13.5	1	0.0	0	10.0	1	(95.0)	(8)	-	139.5	10	98
194/454	11.0	3	12.0	3	2.5	1	0.0	0	23.1	4	0.0	0	5.5	1	158.2	26	85	202.6	26	108
195/730	15.5	2	0.0	0	0.0	0	0.0	0	57.5	3	0.0	0	7.5	1	194.5	17	92	184.7	18	88
196/375	0.0	0	0.0	0	0.0	0	0.0	0	35.6	3	0.0	0	16.5	1	166.9	13	74	149.6	12	66
197/713	18.5	2	12.0	3	9.0	3	0.0	0	46.5	5	0.0	0	13.5	1	344.0	38	122	371.5	38	132
198/435	11.9	2	13.4	4	14.9	4	0.0	0	45.5	6	17.5	1	0.0	0	387.7	57	120	430.1	55	133
198/524	19.5	3	10.5	2	5.0	3	0.0	0	49.5	3	9.5	1	4.0	1	371.5	33	123	399.0	33	132
198/726	12.5	1	8.5	1	0.0	0	0.0	0	37.0	3	5.0	1	0.0	0	283.3	27	-	333.5	29	-
198/836	12.0	3	17.0	4	2.0	3	0.0	0	52.5	5	4.5	1	14.5	3	299.1	49	91	386.0	42	117
199/107	14.0	2	11.1	4	2.5	2	0.8	1	46.3	6	14.5	1	19.0	4	334.2	49	106	367.2	40	116
199/275	11.6	2	7.0	2	0.0	0	0.0	0	57.5	5	15.5	1	0.0	0	370.9	37	103	430.7	42	120
199/435	10.5	3	19.0	3	0.2	1	1.6	1	50.0	7	10.0	1	17.3	5	316.2	63	89	384.0	64	109
200/ 58	6.2	2	14.7	3	0.0	0	0.0	0	83.7	8	16.0	1	13.2	4	395.3	47	120	427.8	42	130
200/166	10.0	1	16.5	2	0.0	0	5.0	1	76.0	4	0.0	0	12.0	1	518.5	37	134	598.5	43	154
200/255	0.0	0	0.0	0	1.0	1	4.5	1	75.0	5	0.0	0	18.5	2	370.0	30	92	475.5	32	118
200/466	13.0	2	13.0	2	3.5	1	2.0	1	91.0	8	5.5	1	11.0	1	474.6	50	114	540.8	49	130
200/764	12.0	2	12.5	2	1.2	2	4.0	1	73.5	7	25.0	1	13.5	2	494.1	56	118	520.0	60	124
201/ 20	0.0	0	24.0	1	0.0	0	0.0	0	73.0	5	15.5	1	24.4	2	478.4	34	118	525.5	38	130
201/237	9.5	2	14.0	2	0.0	0	0.0	0	78.5	5	10.5	1	49.0	5	469.5	39	-	466.0	42	-
201/361	4.3	4	25.2	3	0.6	2	2.0	1	59.0	5	11.0	2	(11.0)	(1)	(455.2)	(52)	-	535.3	(48)	134
201/373	10.6	3	0.0	0	19.0	1	1.3	1	72.7	6	25.3	1	22.5	4	515.5	47	104	505.1	46	102
201/376	10.0	1	2.5	1	0.0	0	0.0	0	59.0	6	8.5	1	27.0	3	397.1	38	89	454.7	43	100
201/482	2.0	1	29.0	1	0.0	0	3.5	1	75.8	6	13.5	3	36.5	5	513.3	56	131	522.8	57	134
201/701	9.6	5	24.5	2	2.5	2	2.7	2	66.7	7	16.9	7	66.1	6	564.2	79	126	603.6	76	135
201/840	10.5	2	27.0	2	2.0	2	0.0	0	73.9	8	22.0	2	40.0	2	512.9	41	116	539.5	36	122
202/261	13.5	3	18.0	2	0.5	1	3.0	1	66.2	7	14.5	3	65.9	6	503.1	63	-	574.3	68	-
202/366	3.5	1	9.0	1	0.0	0	3.0	1	43.5	4	3.0	2	33.0	2	508.5	49	-	602.7	56	-
202/575	1.9	4	9.6	2	1.7	5	1.4	1	55.0	7	5.7	2	85.7	8	636.2	79	-	705.7	76	-
202/680	8.5	1	11.5	1	0.9	1	0.0	0	43.5	4	7.5	1	55.5	4	399.2	48	86	496.7	57	107
203/ 43	2.0	1	12.0	1	0.0	0	2.5	1	45.7	4	13.0	2	69.5	4	481.1	52	92	591.9	58	113
203/175	4.0	1	20.8	-	3.5	1	0.6	1	47.1	3	16.0	2	49.0	5	537.2	(46)	109	649.2	57	132
203/259	6.0	1	18.0	1	0.0	0	0.0	0	57.0	4	0.0	0	56.5	3	501.0	41	-	618.5	46	-
203/472	5.4	2	31.0	2	6.3	2	0.7	1	38.0	5	19.5	3	92.5	7	579.3	72	-	696.2	81	-
203/478	2.0	1	31.5	2	3.5	2	0.0	0	50.5	3	22.0	2	53.0	4	586.0	50	111	719.0	58	136
203/483	0.0	0	18.0	1	0.0	0	0.0	0	73.5	3	38.3	4	56.5	3	576.8	36	132	642.7	40	147
203/595	0.0	0	40.0	1	7.0	1	1.5	1	48.5	4	43.0	2	53.5	3	633.8	38	108	749.3	41	127
203/657	4.5	2	37.5	2	8.3	1	0.0	0	53.4	4	41.6	5	79.5	4	668.0	62	107	739.6	71	118
203/737	0.0	0	14.0	1	26.5	3	3.0	1	68.1	4	40.7	3	38.7	6	563.2	53	98	681.3	55	118
204/ 50	0.0	0	35.5	3	9.0	1	1.8	1	56.9	5	49.0	3	73.5	5	642.7	53	110	737.5	57	127
204/ 58	1.0	1	28.5	2	0.0	0	0.0	0	46.5	6	64.0	2	81.0	6	614.0	52	120	696.5	62	136
204/127	0.0	0	7.7	2	0.0	0	1.0	1	53.5	3	33.5	3	60.0	6	606.0	50	-	710.3	52	-
204/138	0.0	0	17.5	1	20.0	1	0.0	0	74.0	4	61.2	7	65.5	7	653.3	57	94	776.1	60	112
204/265	1.5	1	20.0	2	6.0	3	0.0	0	54.5	5	44.1	6	117.0	9	701.0	72	111	774.1	72	123
204/350	0.0	0	12.6	1	9.0	1	2.7	1	65.4	4	61.5	4	75.5	4	680.0	46	118	828.3	49	143
204/392	1.5	1	13.8	3	5.3	4	2.0	1	42.0	6	64.7	8	100.7	10	778.9	89	-	881.1	63	-
204/418	5.0	2	44.9	3	0.0	0	0.0	0	67.5	6	62.0	5	75.5	7	697.4	59	127	773.0	64	141
204/444	0.0	0	28.5	2	0.0	0	2.0	1	51.8	6	51.5	5	77.9	5	698.7	54	114	888.6	57	145
204/518	0.0	0	16.3	1	0.0	0	0.0	0	34.0	3	54.2	7	79.1	7	596.9	51	97	775.1	56	125
204/532	0.5	1	15.5	2	4.0	1	0.0	0	67.0	5	63.5	6	94.4	7	691.4	67	-	784.1	68	-
204/616	0.0	0	0.0	0	20.0	1	0.0	0	39.0	3	6.0	1	49.0	2	469.3	31	74	704.3	41	110
204/640	0.0	0	14.0	3	6.6	2	1.5	1	34.5	5	35.5	5	98.5	7	660.1	57	99	806.0	57	121
204/819	0.0	-	21.6	-	11.1	-	3.0	-	37.6	-	38.1	-	89.0	-	514.2	-	71	731.0	-	101
205/ 85	0.0	0	18.0	2	20.0	2	0.0	0	58.5	5	43.4	5	74.7	7	690.1	62	-	620.1	67	-
205/385	0.0	-	19.0	-	26.1	-	0.7	-	74.5	-	82.7	-	68.7	-	763.2	-	96	812.2	-	-
206/530	0.0	0	28.0	4	31.0	3	9.0	2	79.5	7	89.0	7	105.0	7	795.9	78	-	907.2	75	-
206/588	9.3	3	53.1	5	30.2	4	7.5	4	86.0	10	85.2	13	126.8	13	798.4	106	-	839.4	99	-
206/602	0.0	0	17.0	3	5.0	1	-	-	45.9	7	39.2	13	66.6	12	(481.2)	(60)	-	650.7	49	-
206/738	0.0	0	28.5	4	31.0	3	9.0	2	79.5	7	89.0	7	105.0	7	602.7	64	-	638.0	63	-
207/108	3.5	1	43.3	4	25.0	2	6.0	1	64.5	8	80.9	11	102.5	8	796.2	82	108	805.0	78	109
207/337	3.5	2	40.5	3	2.0	1	0.0	0	45.9	7	79.0	10	92.6	6	776.6	78	84	(797.7)	(75)	-
207/391	0.0	0	28.9	2	3.5	1	3.5	1	40.0	5	39.0	9	60.5	5	435.9	49	78	525.5	48	94
207/402	3.5	2	31.3	5	21.5	3	2.1	2	76.5	11	68.5	14	90.0	14	744.2	103	-	772.3	88	-
207/560	2.0	1	30.5	1	22.5	2	1.0	1	70.5	9	47.5	10	73.5	8	602.5	81	88	657.3	78	96
207/790	0.5	1	29.0	1	27.5	4	0.8	2	98.0	10	89.6	11	89.4	7	751.8	71	-	747.8	61	-
208/ 83	0.0	0	34.0	1	40.0	1	0.0	0	58.0	4	49.0	5	87.5	5	550.5	41	80	521.5	41	75
208/138	2.4	2	41.4	4	26.2	3	5.0	4	62.8	10	41.9	12	93.5	12	584.9	92	-	577.9	82	-
208/406	1.9	2	47.9	6	39.3	3	5.8	4	61.4	11	62.9	14	95.3	13	700.7	111	94	827.5	106	111
208/584	5.5	2	44.5	3	31.0	2	0.0	0	75.3	9	79.0	11	93.6	9	768.8	79	-	855.7	78	-
208/631	0.0	0	39.0	4	48.4	3	8.5	6	75.0	8	100.7	17	62.5	11	792.6	89	-	913.1	79	-
208/635	1.5	1	44.0	2	32.0	2	0.0	0	84.5	8	85.0	14	103.0	13	678.1	84	102	959.6	70	112
208/733	4.5	1	54.0	5	46.5	3	3.0	4	89.0	10	83.5	17	106.5	14	784.0	108	90	921.5	98	105
208/799	3.5	1	30.0	3	42.0	3	0.0	0	88.0	6	66.5	6	88.0	10	(624.3)	(50)	-	(991.3)	(44)	-
209/ 39	2.0	1	60.0	3	60.5	4	54.5	8	136.0	12	155.5	16	145.0	13	1155.0	112	103	1278.5	108	114
209/139	2.0	1	58.8	5	70.9	5	71.8	19	143.3	19	162.8	21	187.7	16	1256.1	164	117	1250.4	143	116
209/173	0.0	0	66.3	4	64.0	3	56.0	10	82.0	8	124.0	10	141.5	8	1020.5	87	-	1141.3	109	-
209/195	3.0	1	54.5	4	64.5	4	40.5	10	120.0	14	117.0	12	148.6	19	1012.3	114	-	1125.9	114	-
209/270	0.0	0	44.5	3	55.5	3	28.5	5	83.8	13	113.5	12	124.9	15	765.7	95	-	856.0	74	-
209/296	12.0	1	1.9	1	47.0	2	17.5	4	78.1	10	91.4	10	128.5	12	690.4	77	96	786.5	63	109
209/332	4.5	-	56.0	-	69.0	-	22.5	-	204.0	-	86.2	-	155.4	-	1266.6	-	114	1186.5	-	112
209/572	0.0	0	58.5	4	64.0	2	22.5	4	85.5	9	23.5	2	146.5	8	817.1	66	-	861.0	81	-
209/651	8.0	1	67.4	4	65.5	4	57.8	9	108.0	14	144.5	12	240.3	14	1238.9	108	-	1324.4	101	-

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S ° ′	λ E ° ′	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
209/766	UMZIMKULU - TNK	3016	2956	762	58.0	11	106.0	11	78.5	14	53.3	7	62.0	9
210/ 2	SUMMERFORD	3002	3001	1143	73.3	10	65.0	9	68.5	8	90.0	9	29.5	7
210/ 99	IXOPO - POL	3009	3004	992	95.0	15	85.8	11	85.3	16	52.2	8	38.0	7
210/301	STAE BRAES	3001	3011	488	33.0	2	35.0	4	80.5	7	46.0	3	41.5	6
210/346	HIGHFLATS - POL	3016	3012	945	92.0	11	111.5	14	103.3	17	39.9	9	47.9	11
210/736	MELBOURNE	3016	3025	716	66.0	10	118.0	13	101.6	14	80.5	4	87.0	7
210/739	FAIRFIELD	3019	3025	701	89.7	13	134.0	11	107.0	11	97.0	3	92.0	5
210/826	SAWOTI	3016	3028	564	64.5	13	123.5	12	101.5	15	85.5	5	99.0	7
211/289	UMZINTO - MUN	3019	3040	152	83.8	11	133.8	13	99.6	17	57.3	10	160.5	7
211/437	SCOTTBURGH - MUN	3017	3045	15	67.5	9	190.4	11	99.9	9	69.0	4	145.7	-
211/663	AMANZIMTOTI - MUN	3003	3053	30	121.2	16	105.5	13	150.1	16	49.0	6	162.5	-
213/129	GROOTMIS - SKL	2939	1705	140	0.0	0	0.0	0	0.0	0	0.0	0	3.1	2
213/888	KOMAGGAS	2948	1730	457	0.0	0	2.3	1	0.0	0	0.0	0	3.3	1
214/485	NABABIEP - POL	2935	1747	915	0.0	0	5.5	1	4.0	1	9.0	1	4.0	1
214/636	OKIEP	2936	1752	918	0.0	0	5.3	3	3.1	4	10.0	1	7.7	4
214/670	SPRINGBOK - TNK	2940	1753	991	0.0	0	6.0	1	51.6	3	7.0	1	4.2	3
214/752	CONCORDIA - COL	2932	1756	1021	3.5	1	2.5	2	3.3	3	6.5	1	6.5	5
220/195	STEYNSVLEI	2945	2037	885	20.0	2	11.0	1	20.5	3	4.0	1	12.0	1
220/360	LEMOENKOP	3000	2042	910	18.5	2	49.5	2	37.0	3	0.0	0	4.0	1
220/529	KLIPHEUWELS - A	2949	2048	899	20.9	3	23.3	3	8.7	2	4.1	1	7.7	1
220/820	KNAPZAK	2940	2058	880	15.1	-	14.5	6	8.5	2	1.5	1	12.0	1
220/827	KAMPE	2947	2058	825	11.5	5	18.0	4	5.0	2	1.5	1	13.0	1
221/287	LUSHOF	2947	2110	855	12.5	2	20.7	5	6.0	1	3.5	1	10.5	1
222/187	BASTERSPAN	2937	2137	991	52.0	3	18.5	2	18.5	2	5.7	2	13.5	1
222/324	SONDAGSPAN	2954	2141	930	14.5	1	6.8	2	6.5	1	0.0	0	22.5	1
222/648	STOMPOOR	2948	2152	1035	28.6	4	23.4	3	11.7	1	22.4	3	15.3	1
223/344	BUNDU	2944	2212	1080	26.5	6	35.6	10	33.1	5	6.8	6	25.6	4
223/707	LOURETHA	2947	2224	1158	12.9	2	34.8	2	24.7	2	15.0	1	22.9	2
223/834	BOESMANSBERG	2954	2228	1189	9.7	2	10.5	1	9.0	2	10.0	2	28.0	1
224/163	MOREWAG	2943	2236	1140	31.5	4	18.5	2	8.5	2	9.0	1	23.0	3
224/208	UITSIG	2958	2237	1113	12.5	3	61.0	3	7.0	1	0.0	0	25.0	1
224/389	GROOTMODDERFONTEIN	2959	2243	1067	0.0	0	64.5	3	0.0	0	17.5	1	21.0	1
224/430	PRIESKA	2940	2245	932	27.7	4	62.2	8	13.8	4	22.8	5	24.4	4
224/734	UNITEIT	2944	2255	960	34.0	3	44.0	5	5.0	1	17.0	1	28.0	2
225/ 65	ROOISLOOT	2935	2303	1036	65.5	4	33.7	4	8.0	1	24.5	2	27.5	2
225/311	GRASPAN	2941	2311	1021	48.0	4	34.5	4	41.0	4	35.5	4	27.3	3
225/395	WILDEBEESPAN	2935	2314	1052	60.5	5	22.0	3	20.0	2	36.0	4	17.0	1
225/540	KOPPIESDAM	3000	2318	1036	45.5	2	22.5	4	9.0	2	38.5	3	16.5	1
225/679	KAREEKLOOF	2949	2323	1036	93.5	5	42.0	2	41.2	5	17.5	2	13.8	2
225/792	SPIOENPAN	2942	2327	1145	49.5	5	18.5	2	7.8	5	15.0	2	14.3	2
226/327	STRYDENBURG - POL	2957	2341	1113	55.5	3	36.1	5	10.0	1	32.0	2	18.5	1
226/572	VANTONDERSKANS	2932	2350	1143	60.3	8	21.5	4	33.7	5	27.5	6	19.9	5
226/771	GOEDEHOOP	2951	2356	1219	71.1	4	69.5	5	29.0	2	21.0	3	10.0	1
227/ 54	PERDEPUT	2954	2402	1158	73.5	8	31.0	6	15.5	3	63.0	6	32.8	4
227/127	HOPETOWN - TNK	2937	2405	1098	116.5	6	59.0	5	16.0	3	21.5	5	26.5	2
227/368	ORANJERIVIER - SAR	2938	2413	1073	104.0	3	40.0	2	45.5	3	32.0	4	10.0	2
227/464	ORANGE RIVER SALT PAN	2944	2416	1088	86.4	12	52.9	8	40.1	8	19.6	4	34.9	6
227/738	FLUITJIESKRAAL - IRR	2948	2425	1110	81.5	6	43.4	6	49.0	5	27.0	3	22.0	2
227/756	WANDA-POL	2936	2426	1097	92.0	6	35.9	6	35.5	6	35.7	5	31.0	4
227/811	LELIESHOEK	2931	2428	1189	87.0	6	28.5	2	41.0	4	24.0	3	23.5	3
228/170	BLESKOP	2950	2436	1189	81.3	5	97.0	9	37.6	5	55.8	7	34.2	3
228/413	VINGERKRAAL	2953	2444	1212	108.5	5	58.0	2	94.4	5	43.5	5	31.5	3
228/420	P K LE ROUXDAM - IRR	3000	2444	1207	111.0	-	60.9	-	65.7	-	81.7	-	19.5	-
228/458	LUDIKSDAM	2938	2446	1234	96.5	6	44.5	3	62.0	4	51.9	5	12.5	2
228/495	LUCKHOFF - POL	2945	2447	1280	100.0	4	75.6	7	56.0	9	50.0	6	44.1	7
228/567	TEVREDENHEID	2957	2449	1227	110.3	5	62.9	11	57.9	6	61.6	8	34.7	4
228/571	ADAMSHOOP	2931	2450	1227	33.0	-	50.1	9	39.5	9	40.0	6	29.0	6
228/657	BOSHOFFSDAM	2957	2452	1250	120.0	5	53.0	3	66.6	8	22.0	2	33.5	3
228/783	RIETPUT	2933	2457	1295	118.5	6	98.5	4	41.5	7	43.0	5	33.5	4
229/ 89	MIMOSA	2959	2503	1433	103.1	8	27.7	7	42.5	8	57.0	5	44.4	6
229/124	TAAIBOSLAAGTE	2934	2505	1341	146.0	6	22.0	4	51.6	7	31.5	5	34.4	5
229/198	LEOMINSTER	2948	2507	1387	121.0	4	120.9	5	38.0	3	45.6	6	45.5	5
229/344	SANDYMOUNT PARK	2944	2512	1524	143.6	8	61.9	5	53.7	7	28.6	5	37.7	5
229/469	HARTEBEESTFONTEIN	2949	2516	1494	142.5	6	108.0	10	57.0	7	68.0	8	39.0	5
229/555A	FAURESMITH - SAR	2945	2519	1372	138.5	8	100.5	10	47.5	7	47.5	7	29.0	4
229/556	FAURESMITH	2946	2519	1362	137.9	12	111.5	15	56.1	13	45.6	10	32.5	7
229/579	STEENBOKVLAKTE	2939	2520	1356	112.3	5	109.0	8	56.0	6	47.3	6	42.0	7
229/629	SPITSKOP	2959	2521	1463	116.5	10	87.5	8	45.0	4	59.0	6	40.5	6
229/737	JAGERSFONTEIN - POL	2947	2525	1417	131.0	9	105.0	7	43.5	6	79.0	6	40.0	4
229/816	LANGBERG	2936	2528	1370	90.5	9	68.5	11	52.7	9	81.0	8	26.2	6
230/ 11	GLENIFFER	2941	2531	1387	112.0	8	61.8	9	36.5	7	65.3	6	24.4	5
230/ 27	SWARTKOPPIES	2957	2531	1433	139.0	7	131.9	9	49.0	6	61.0	5	53.0	6
230/ 73	SLANGFONTEIN	2943	2533	1341	103.0	7	66.0	7	32.5	6	56.0	5	47.5	3
230/764	EDENBURG - POL	2944	2556	1376	89.2	9	94.0	9	45.3	7	34.5	6	30.0	5
230/774	UITKYK	2954	2556	1509	26.5	5	205.6	11	68.5	5	54.5	5	67.0	5
230/810	LILLYDALE	3000	2557	1509	71.5	5	120.5	8	67.0	3	48.0	8	44.5	5
230/816	BETHANY	2936	2558	1341	128.6	13	112.9	12	46.2	10	44.6	9	62.5	7
231/275	REDDERSBURG - POL	2939	2610	1433	92.0	10	148.5	7	26.5	4	45.0	6	46.8	6
231/361	HEBRON	2931	2613	1452	96.0	8	112.0	7	56.0	6	49.0	4	50.0	5
231/395	BULSFONTEIN	2935	2614	1463	92.0	-	106.0	9	51.5	5	56.0	6	55.4	8
231/663	FONTEINTJIE	2933	2623	1524	100.1	16	95.8	10	75.2	6	51.5	7	68.0	6
231/713	DONKERHOEK	2953	2624	1516	117.5	10	133.0	9	81.5	6	50.0	4	57.0	5
231/754	BLOUBOSKOP	2934	2626	1509	106.5	12	91.0	9	118.0	9	48.4	7	30.0	5
232/ 18	CYFERFONTEIN	2948	2631	1618	58.5	10	124.3	11	17.9	4	44.5	7	30.8	6
232/123	ROODEPOORT	2933	2635	1509	87.1	14	105.1	11	81.4	8	41.3	7	57.0	7

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/ND	JUN		JUL		AUG		SEP		OCT		NOV		DEC		JAAR JAN 71 DEC 71			YEAR JUL 70 JUN 71		
	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	PER	MM	D	PER
209/766	0.0	0	44.4	4	64.0	5	30.2	9	86.0	11	57.0	10	98.0	8	737.4	99	106	860.2	116	123
210/ 2	7.2	3	111.0	4	111.5	3	39.5	11	115.5	12	79.1	14	150.0	16	940.1	106	110	838.8	90	98
210/ 99	1.4	2	39.2	3	53.9	4	51.1	9	86.2	8	106.0	10	151.9	15	846.0	108	103	895.4	119	108
210/301	4.0	1	40.0	2	46.0	2	6.2	6	37.4	8	44.5	6	112.1	8	526.2	55	80	612.5	46	93
210/346	0.7	2	52.0	4	78.5	5	31.2	16	77.6	15	103.6	17	101.8	12	840.0	133	-	887.1	136	-
210/736	0.0	0	57.5	4	91.5	3	40.0	7	71.5	6	72.2	11	207.0	13	992.8	92	-	1015.3	95	-
210/739	0.0	0	61.2	4	99.0	3	49.0	3	85.0	6	91.0	12	167.5	8	1072.4	79	118	1098.7	89	120
210/826	0.0	0	60.0	3	114.0	3	31.5	5	44.5	5	54.0	8	220.5	10	998.5	86	118	992.7	109	117
211/289	1.0	1	99.5	3	128.3	5	47.3	9	82.3	9	81.9	17	195.7	16	1171.0	118	110	1179.1	123	111
211/437	0.1	1	92.5	3	149.7	5	60.9	6	71.4	8	137.3	20	141.2	19	1225.6	(95)	120	1190.1	(82)	116
211/663	0.0	0	101.0	5	127.1	4	55.6	11	42.4	10	82.2	13	93.0	16	1089.6	(110)	108	1141.6	(111)	113
213/129	1.9	2	24.9	7	29.2	5	0.0	0	0.0	0	0.0	0	0.0	0	59.1	16	-	53.8	21	-
213/888	5.7	1	20.6	4	22.5	3	0.0	0	0.0	0	0.0	0	0.0	0	54.4	10	43	59.9	10	47
214/485	14.0	2	34.0	6	49.2	5	0.0	0	0.0	0	0.0	0	0.0	0	119.7	17	-	96.1	20	-
214/636	12.6	2	36.5	7	53.5	8	0.0	0	0.6	1	0.1	1	0.0	0	129.4	31	80	87.7	33	54
214/670	12.5	1	39.7	7	78.5	5	0.0	0	0.0	0	0.0	0	0.0	0	199.7	21	89	159.8	28	71
214/752	7.6	2	32.3	7	57.0	5	0.0	0	0.0	0	0.0	0	0.0	0	119.2	26	73	98.4	32	60
220/195	0.0	0	8.0	1	0.0	0	0.0	0	9.0	1	0.0	0	0.0	0	84.5	10	-	114.5	10	-
220/360	14.5	2	9.5	1	7.0	1	0.0	0	9.0	1	0.0	0	0.0	0	149.0	13	-	154.9	12	-
220/529	4.0	2	5.0	2	5.0	1	0.0	0	7.0	2	0.0	0	3.5	1	89.2	18	63	137.1	16	96
220/820	4.5	1	5.5	-	3.0	2	0.0	0	6.5	3	0.0	0	8.0	1	79.1	(17)	-	94.1	(19)	-
220/827	2.5	1	6.5	3	0.0	0	0.0	0	6.0	2	0.0	0	4.6	2	68.6	21	-	75.0	18	-
221/287	4.0	1	6.5	2	0.0	0	0.0	0	8.5	2	0.0	0	23.5	2	95.7	17	-	84.9	15	-
222/187	1.1	2	0.0	0	0.0	0	0.0	0	21.5	3	0.0	0	0.0	0	130.8	15	88	169.4	16	114
222/324	0.0	0	0.0	0	0.0	0	0.0	0	15.1	1	3.5	1	15.2	1	84.1	8	-	87.6	8	-
222/648	6.6	3	8.7	2	6.7	2	0.0	0	21.7	3	12.0	1	4.7	1	161.8	24	-	181.8	20	-
223/344	11.4	4	9.3	5	7.8	3	0.0	0	33.3	3	7.7	1	4.0	1	201.1	48	-	246.6	47	-
223/707	8.0	1	6.2	1	0.0	0	0.0	0	32.5	2	0.0	0	0.0	0	157.0	13	75	200.3	14	96
223/834	8.5	1	7.5	2	9.0	2	0.0	0	24.0	2	0.0	0	0.0	0	116.2	15	60	162.4	15	84
224/163	9.0	2	0.0	0	5.0	1	0.0	0	32.5	2	8.0	1	38.0	1	183.0	19	-	193.0	21	-
224/208	9.0	1	10.0	2	0.0	0	0.0	0	32.0	2	4.5	1	0.0	0	161.0	14	82	179.0	12	92
224/389	5.5	1	0.0	0	3.8	1	0.0	0	32.5	2	4.0	1	14.0	1	162.8	11	88	187.5	9	102
224/430	16.3	4	5.2	4	3.7	3	0.0	0	40.0	5	2.7	1	1.2	1	220.0	43	95	252.0	44	108
224/734	27.0	3	0.0	0	5.0	1	0.0	0	36.0	3	4.0	1	0.0	0	200.0	20	94	219.0	20	102
225/ 65	18.5	3	0.0	0	2.5	1	0.0	0	24.0	2	11.5	1	0.0	0	215.7	20	92	270.9	23	116
225/311	18.0	3	4.0	2	0.2	1	0.0	0	25.6	4	5.0	2	0.0	0	239.1	31	105	302.1	32	132
225/395	13.0	1	4.5	2	1.0	1	0.0	0	27.6	3	0.0	0	0.0	0	201.6	22	77	257.0	24	99
225/540	16.5	3	2.5	2	0.0	0	0.0	0	30.0	4	0.0	0	0.0	0	181.0	21	80	233.0	24	103
225/679	25.0	2	5.0	2	1.0	1	0.0	0	35.9	4	1.8	1	1.0	1	277.7	27	104	349.0	25	130
225/792	22.5	2	5.0	2	1.0	1	0.0	0	61.5	4	0.0	0	8.0	1	203.1	26	-	229.1	25	-
226/327	17.5	2	6.5	1	0.0	0	0.0	0	41.5	4	0.0	0	0.0	0	217.6	19	86	232.6	21	92
226/572	11.3	2	3.3	2	0.8	1	0.0	0	23.5	3	1.7	1	16.2	2	219.7	39	75	283.5	44	97
226/771	13.0	1	0.0	0	0.0	0	0.0	0	10.5	1	0.0	0	15.5	1	239.6	18	85	293.1	21	104
227/ 54	10.3	2	9.0	3	0.0	0	0.0	0	37.0	6	4.5	1	9.0	3	285.6	42	102	292.3	41	104
227/127	11.0	1	0.0	0	0.0	0	0.0	0	23.5	4	0.0	0	12.0	1	286.0	27	91	371.5	34	118
227/368	0.0	0	12.4	3	1.0	1	0.0	0	17.4	2	5.1	1	9.0	2	276.4	23	101	361.0	22	131
227/464	12.7	3	21.1	4	1.4	3	0.0	0	38.5	5	17.0	1	14.6	2	339.2	56	-	356.3	58	-
227/738	13.4	1	10.5	1	1.5	1	0.0	0	20.0	2	10.5	1	18.5	2	297.3	30	-	343.2	33	-
227/756	9.5	1	3.0	1	0.0	0	0.0	0	22.3	4	0.5	1	2.5	1	267.9	35	86	407.1	41	132
227/811	0.0	0	6.0	1	0.0	0	0.0	0	40.5	5	0.0	0	0.0	0	250.5	24	93	361.5	29	134
228/170	10.2	1	9.9	2	0.8	1	0.0	0	39.0	5	5.6	2	2.0	1	373.4	41	112	409.7	44	123
228/413	11.0	1	9.5	2	0.0	0	0.0	0	40.5	5	0.0	0	0.0	0	396.9	28	119	428.4	28	128
228/420	13.7	-	13.7	-	1.0	-	1.0	-	31.0	-	3.5	-	7.9	-	410.6	-	-	463.1	-	-
228/458	0.0	0	6.5	1	0.0	0	0.0	0	64.0	4	4.5	1	8.5	2	350.9	28	105	404.0	29	121
228/495	8.5	1	12.0	1	0.0	0	0.0	0	43.0	4	6.2	2	6.5	2	401.9	43	105	481.2	45	126
228/567	12.8	2	9.7	3	1.0	1	0.0	0	39.0	4	4.0	2	10.0	3	403.9	49	111	439.3	51	121
228/571	5.4	2	10.0	2	0.0	0	0.0	0	24.0	3	6.0	1	10.0	2	247.0	(40)	75	280.5	(41)	85
228/657	11.0	1	5.0	2	0.0	0	0.0	0	24.0	3	0.0	0	4.5	1	339.6	28	85	406.1	31	102
228/783	0.2	1	5.8	1	0.0	0	0.0	0	64.0	6	28.5	2	13.5	3	447.0	39	127	454.0	36	128
229/ 89	11.2	3	14.7	4	1.8	2	0.0	0	43.5	5	3.7	2	18.9	4	368.5	54	93	412.6	53	104
229/124	0.0	0	6.0	1	0.0	0	0.0	0	53.5	5	0.0	0	13.5	2	358.5	35	91	401.5	40	102
229/198	5.5	1	11.0	1	0.0	0	0.0	0	48.4	5	0.0	0	5.0	2	440.9	32	-	438.6	28	-
229/344	0.0	0	12.5	2	0.0	0	0.0	0	45.0	4	0.0	0	25.0	1	408.0	37	99	451.4	43	109
229/469	6.0	2	13.5	3	0.0	0	2.0	1	39.0	3	0.0	0	29.0	3	504.0	48	115	557.0	50	127
229/555A	6.5	2	10.0	1	0.0	0	0.0	0	80.7	7	4.5	1	39.0	4	503.7	51	129	514.0	48	132
229/556	7.9	4	10.2	4	0.5	2	0.3	1	78.1	7	8.4	4	35.9	7	524.9	86	124	539.1	86	127
229/579	0.0	0	10.5	1	0.0	0	0.0	0	49.0	3	11.0	2	34.0	3	471.1	41	113	528.0	44	127
229/629	3.5	1	15.0	2	0.0	0	0.0	0	39.0	4	23.0	1	23.0	2	452.0	44	109	484.0	48	116
229/737	1.5	1	10.5	2	0.5	1	4.5	1	63.4	6	7.5	2	33.8	4	520.2	49	126	559.5	45	136
229/816	3.5	3	10.2	3	0.0	0	0.0	0	68.9	8	18.7	3	55.7	4	475.9	64	-	527.9	71	-
230/ 11	3.5	1	13.0	1	0.0	0	0.0	0	53.0	3	3.0	1	28.1	4	400.6	45	116	485.8	53	141
230/ 27	5.0	1	6.0	1	0.0	0	0.0	0	84.6	6	10.5	1	30.8	5	570.8	47	139	583.8	45	142
230/ 73	0.0	0	24.0	1	0.0	0	0.0	0	60.0	5	5.0	1	22.5	4	416.5	39	96	464.2	42	107
230/764	0.2	1	8.0	1	0.3	1	0.3	1	55.3	5	30.0	4	23.0	2	410.1	51	100	485.2	52	116
230/774	15.0	1	-	-	0.0	0	0.0	0	49.0	2	23.9	2	25.9	3	(535.9)	(39)	-	570.0	47	137
230/810	0.0	0	5.0	2	6.0	3	0.0	0	68.0	5	0.0	0	16.5	3	447.0	42	99	550.3	44	121
230/816	2.7	3	8.0	2	0.2	1	0.0	0	50.5	3	63.5	4	36.5	4	556.2	68	108	614.1	77	119
231/279	0.0	0	9.0	1	0.0	0	3.5	1	52.0	3	47.5	4	27.5	4	498.3	46	103	563.5	50	117
231/361	0.0	0	11.5	2	0.0	0	0.0	0	62.9	5	23.3	5	48.0	5	508.7	47	128	651.0	48	163
231/395	0.0	0	9.5	2	0.0	0	5.5	1	69.0	5	45.5	7	47.0	6	537.4	(51)	128	605.1	(51)	145
231/663	0.0	0	8.5	2	0.0	0	4.0	1	76.2	6	42.8	4	37.5	3	559.6	61	-	-	-	-
231/713	0.0	0	10.0	2	0.0	0	0.0	0	60.0	5	16.0	1	26.0	3	551.0	45	112	706.5	56	143
231/754	0.0	0	9.5	2	0.0	0	4.5	2	48.0	5	26.0	4	46.0	3	529.9	58	109	647.8	60	133
232/ 18	0.0	0	4.8	1	0.2	1	2.5	1	26.4	7	14.5	4	24.3	4	348.7	56	87	450.7	59	112
232/123	0.0	0	10.5	2	0.3	1	4.5	2	56.5	5	16.0	5	57.2	7	516.9	69	95	658.9	71	121

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
232/211	NIEUWEJAARSFONTEIN	29°31′	26°38′	1524	104.5	10	80.0	9	63.2	7	49.8	7	45.0	6
232/275	DEWETSDORP - POL	2935	2640	1555	89.9	11	95.6	9	69.5	6	33.5	3	47.0	7
232/383	MENTZBURG	2953	2643	1539	109.0	12	130.0	14	54.5	10	50.0	6	50.5	7
232/673	KROMDAM	2943	2653	1494	107.0	10	77.2	5	68.0	6	52.5	-	55.5	5
232/823	WATERFORD	2943	2658	1433	93.8	10	99.0	10	62.2	8	50.1	8	53.5	6
232/895	SWEETWATER	2955	2700	1536	90.6	12	67.0	7	65.2	9	74.5	8	70.5	6
232/898	QUILIMANE	2958	2700	1519	115.0	11	93.0	6	69.0	8	73.5	9	66.4	6
233/ 44	WEPENER - TNK	2944	2702	1437	114.5	14	87.6	13	51.9	12	45.0	10	38.3	8
233/ 49	WONDERBOOM	2949	2702	1524	97.2	10	129.3	10	80.2	7	47.3	6	59.9	5
233/103	MON REPOS	2943	2704	1555	98.5	12	87.9	9	52.2	4	50.3	6	34.0	4
233/165	VANROOYENSHEK - POL	2945	2706	1525	104.5	10	107.0	9	65.5	7	50.0	5	55.1	6
233/211	HOBHOUSE	2931	2708	1448	17.3	11	74.1	11	50.7	6	49.0	4	65.5	5
233/239	LADYSDALE	2959	2708	1539	116.5	12	119.0	9	81.0	10	88.0	9	86.5	5
233/439	MAFETENG	2949	2715	1615	107.1	10	138.4	-	98.0	2	67.0	4	59.0	2
233/747	THABANA MORENA	2957	2725	1676	84.5	11	88.1	5	69.7	7	98.7	6	6.0	1
234/111	MALEALEA	2951	2734	1966	102.7	15	166.7	14	84.6	13	98.6	7	51.3	9
236/121	THABA TSEKA - PARAY MISSION	2931	2835	2377	119.0	12	42.0	6	34.8	6	16.3	5	14.7	3
237/405	DRAKENSBERG GARDEN HOTEL	2945	2914	1750	192.5	22	209.2	15	(33.5)	-	-	-	53.0	6
237/471	BERGVIEW	2951	2916	1676	335.6	25	157.7	18	134.0	16	39.0	8	42.3	9
237/591	WATERFORD	2951	2920	1643	185.6	25	177.8	18	143.0	23	46.9	11	38.4	9
237/606	SANIPAS - POL	2936	2921	2055	236.9	27	209.2	18	137.7	20	27.7	7	71.5	9
237/731	COBHAM - BOS	2941	2925	1675	182.7	27	113.9	17	151.1	21	48.0	9	54.0	8
237/789	SANI PASS HOTEL	2939	2927	1555	196.1	26	173.5	17	132.9	20	29.0	5	0.0	0
237/837	COLEFORD	2957	2928	1525	124.9	25	117.2	13	134.9	21	41.3	8	42.9	8
238/ 45	HIMEVILLE - MAG	2945	2932	1524	176.0	19	108.8	15	137.3	22	39.1	7	70.0	10
238/123	LOTHENI - POL	2933	2935	1600	158.2	12	156.0	13	84.5	11	43.0	5	81.5	6
238/132	SNOWHILL	2942	2935	1646	102.2	15	134.0	10	116.0	10	29.5	4	70.5	7
238/341	PAULHOLME	2941	2942	1478	188.7	15	158.3	16	239.4	18	19.5	2	62.4	6
238/442	SARNIA - BOS	2952	2945	1524	115.3	8	170.0	11	100.0	14	37.2	10	81.1	8
238/468	BULWER - TNK	2948	2946	1484	167.0	13	92.7	12	112.0	17	46.0	6	52.0	7
238/636	IMPENDLE - POL	2936	2952	1600	99.0	10	181.0	14	147.0	14	50.0	3	68.5	6
238/686	DONNYBROOK - POL	2956	2953	1365	81.5	5	85.8	7	138.3	5	78.7	8	73.5	5
238/806	EMERALD DALE	2956	2957	1189	74.9	19	83.2	13	92.3	23	46.0	17	49.0	12
238/899	MARSHMEAD	2959	3000	1190	73.5	7	105.5	7	75.5	10	68.0	7	56.0	4
239/ 2	DARGLE - BOS	2932	3001	1450	99.6	15	122.4	9	90.5	13	61.4	-	77.2	7
239/133	VAUCLUSE	2943	3005	1372	52.0	7	119.5	9	105.0	9	55.0	3	99.5	6
239/138	WHITSON	2948	3005	1219	46.5	7	136.3	10	87.6	9	33.5	5	74.0	6
239/421	MERRIVALE	2931	3015	1045	96.5	16	70.0	10	75.5	13	76.5	12	95.5	6
239/472	RICHMOND N - TNK	2952	3016	856	72.5	9	77.4	9	139.0	12	80.0	6	82.3	8
239/482	CEDARA - AGR	2932	3017	1076	102.1	15	100.0	16	64.8	14	68.3	8	107.0	7
239/518	EDENDALE	2938	3018	765	85.2	20	73.8	4	75.5	-	46.9	15	69.5	7
239/577	PIETERMARITZBURG - PUR	2937	3020	765	123.6	18	66.1	12	125.6	19	71.3	13	82.6	9
239/585	BAYNESFIELD ESTATE	2945	3020	914	79.1	15	102.0	13	109.4	17	43.4	11	73.5	7
239/604	ALLERTON - VET	2934	3021	640	316.5	12	65.1	5	106.6	4	105.2	8	113.6	6
239/756	PIETERMARITZBURG - PUR	2936	3026	613	245.0	16	112.2	14	82.8	17	66.3	14	98.5	7
239/784	KENSINGTON	2934	3027	790	216.2	17	122.3	12	110.4	17	91.0	12	144.4	7
240/ 14	UMLAAS ROAD	2944	3031	794	69.3	12	71.3	14	75.4	12	80.5	7	98.9	6
240/ 22	ESTON	2952	3031	792	54.3	5	55.5	9	98.9	10	32.0	4	48.7	5
240/ 28	MID-ILLOVO - POL	2958	3031	732	84.5	8	108.0	10	122.5	10	37.0	3	134.0	5
240/ 31	WINDY HILL - NO 1	2931	3032	945	98.5	15	102.1	11	126.4	13	64.8	8	172.3	8
240/ 73	CAMPERDOWN - NAF	2943	3033	762	53.0	5	99.0	10	76.5	10	77.5	5	120.0	5
240/185	NAGLE DAM	2935	3037	442	79.4	16	113.7	12	75.1	13	81.2	8	142.2	6
240/269	NEWLANDS	2959	3039	610	79.0	6	84.5	5	179.7	9	63.5	3	152.5	4
240/284	INCHANGA - SAR	2944	3040	762	71.8	20	76.2	16	90.7	17	78.0	11	131.8	9
240/381	SHONGWENI	2951	3043	457	94.3	16	79.5	15	159.2	16	143.1	9	158.2	9
240/404	BOTHAS HILL	2944	3044	610	48.0	5	85.0	8	109.0	10	46.0	6	121.0	7
240/564	INTAKE WEIR	2954	3049	183	85.6	17	95.0	14	175.4	17	90.2	9	160.0	9
240/586	KLOOF - PUR	2946	3050	457	101.7	20	149.1	15	124.5	17	68.0	8	211.8	9
240/649	PINETOWN - MAG	2949	3052	343	96.5	8	104.5	9	173.5	12	98.5	5	182.5	6
240/682	NORTHDENE - MUN	2952	3053	237	87.7	14	108.8	14	188.5	16	87.4	9	204.4	10
240/716	UMLAAS WATER WORKS	2956	3054	183	72.7	10	97.0	11	169.3	15	73.0	7	190.4	8
240/738	DURBAN HEIGHTS - PUR	2948	3055	137	57.8	12	134.7	13	114.6	14	59.0	6	72.3	10
240/753	NDWEDWE - NAF	2933	3056	625	187.0	13	208.8	13	110.6	12	94.8	7	160.9	8
240/775	COEDMORE	2955	3056	152	97.6	16	146.9	13	212.7	14	68.3	10	213.2	10
240/808	LOUIS BOTHA - WK	2958	3057	8	59.8	16	129.5	14	158.8	15	53.3	10	227.1	12
240/862	DURBAN - STELLA - RSV	2952	3059	6	61.0	15	89.0	10	193.1	11	39.6	7	(43.1)	-
240/887	EFFINGHAM	2947	3100	76	57.5	9	94.8	9	142.9	9	62.4	6	242.1	7
240/891	DURBAN - BOTANICAL GARDENS	2951	3100	91	78.2	13	161.0	11	214.9	12	70.6	7	293.9	10
241/ 42	MOUNT EDGECOMBE	2942	3102	104	64.1	10	156.3	9	212.9	12	62.3	7	224.2	9
241/ 42A	SACCHARINE	2942	3102	104	75.9	10	161.8	9	222.0	12	58.6	7	255.0	9
241/ 68	VERULAM - TNK	2938	3103	122	74.5	5	144.5	11	230.5	10	43.0	5	130.0	2
241/ 72	MOUNT EDGECOMBE	2942	3103	104	82.1	14	152.4	13	241.9	13	59.9	9	224.1	11
241/103	CORNUBIA	2943	3104	91	78.8	9	131.8	9	258.4	12	70.5	7	214.6	8
241/131	BLACKBURN	2941	3105	15	63.7	10	140.5	9	225.9	12	51.5	7	157.1	9
241/302	FRASERS	2932	3111	76	104.2	12	216.9	11	239.5	13	50.1	9	154.4	7
242/644	PORT NOLLOTH - VRT	2914	1652	4	0.5	1	0.4	2	0.0	0	0.0	0	1.5	2
244/405	STEINKOPF - POL	2915	1744	884	0.0	0	0.0	0	0.0	0	0.0	0	4.0	1
247/242	PELLA	2902	1909	594	0.0	0	7.0	1	27.0	2	20.5	2	9.0	1
247/668	POFADDER - SKL	2908	1923	984	-	-	7.4	6	20.0	5	24.2	2	14.4	2
249/367	OROEGROND	2907	2013	914	11.4	4	24.0	2	13.5	4	15.7	6	9.5	1
249/594	SANDKOLK	2924	2020	910	20.6	5	18.5	4	19.5	5	9.0	2	6.0	1
250/418	KLEINSWARTBAS	2928	2044	900	10.0	1	7.0	2	0.0	0	0.0	0	10.0	1
251/146	WATERRYK	2926	2105	790	10.0	2	0.0	0	0.0	0	0.0	0	25.5	1
251/261	KENHARDT - POL	2921	2109	791	21.5	2	37.5	2	11.5	1	0.0	0	16.5	2
251/430	N ROLGAS SUID	2910	2115	930	29.4	2	18.0	2	31.6	2	3.1	1	19.1	2

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
232/211	0.0	0	7.0	1	0.0	0	2.0	1	79.0	4	12.2	3	58.0	7	500.7	55	89	654.5	60	116
232/275	0.0	0	5.0	1	0.0	0	3.0	1	62.5	6	11.5	2	51.0	5	468.5	51	79	683.8	55	115
232/383	0.0	0	10.8	2	0.4	3	3.5	2	56.5	7	23.5	5	97.3	10	586.0	78	123	692.5	73	145
232/673	0.0	0	5.3	2	0.0	0	2.0	1	43.5	3	31.0	3	50.0	5	492.0	(40)	93	623.7	(44)	119
232/823	0.1	1	6.0	3	0.2	1	0.0	0	38.0	6	31.1	5	53.6	8	487.6	66	83	598.0	70	102
232/895	0.0	0	7.0	2	1.2	2	4.0	2	38.5	4	20.5	6	73.0	8	512.0	66	87	644.1	62	109
232/898	2.0	2	7.0	2	1.5	1	3.0	1	37.5	4	26.0	3	68.5	7	562.4	60	92	687.9	61	113
233/ 44	0.0	0	9.4	2	0.3	1	1.4	2	35.0	5	20.1	6	77.7	10	481.2	83	81	601.9	87	101
233/ 49	0.0	0	11.4	2	0.0	0	3.7	1	47.3	7	27.1	3	135.3	9	638.7	60	111	719.6	63	125
233/103	0.0	0	4.2	1	0.0	0	0.0	0	32.4	2	22.3	2	41.9	2	423.7	42	69	618.0	54	100
233/165	0.0	0	12.5	2	0.0	0	0.0	0	47.5	4	32.0	2	86.5	6	560.5	51	-	722.6	59	-
233/211	0.0	0	20.5	1	0.0	0	5.3	2	33.8	5	18.5	2	34.0	3	368.7	50	99	541.4	62	94
233/239	1.5	1	14.0	2	3.0	2	0.0	0	56.0	6	47.0	6	104.0	8	716.5	70	108	831.8	71	126
233/439	0.0	0	8.7	2	3.5	1	6.3	2	66.5	7	85.6	7	73.0	9	713.1	(46)	94	799.5	(45)	106
233/747	-	-	3.7	2	0.0	0	0.0	0	33.0	2	37.1	4	111.9	11	(532.7)	(49)	-	(634.2)	(55)	-
234/111	0.7	5	21.6	5	12.5	3	2.9	5	41.2	7	48.8	14	90.3	11	721.9	108	-	897.8	107	-
236/121	0.0	0	7.8	2	2.7	1	7.0	2	68.7	10	12.2	3	109.1	13	434.3	63	-	537.0	58	-
237/405	16.0	1	22.5	3	34.2	4	26.3	9	130.0	14	177.2	21	132.7	20	(1027.1)	(115)	-	-	-	-
237/471	4.2	2	35.0	3	46.5	3	31.6	8	151.5	14	184.6	20	223.6	20	1385.6	146	114	1220.4	125	101
237/591	5.3	2	39.8	5	41.7	5	6.2	10	141.3	16	135.1	21	169.4	22	1130.5	167	-	1054.7	156	-
237/606	10.0	2	39.5	3	41.0	3	21.5	5	118.1	14	127.0	16	158.5	18	1198.6	142	-	1153.6	136	-
237/731	11.5	2	46.0	4	33.5	4	22.3	9	86.3	12	132.3	19	144.2	22	1025.8	154	-	1019.5	145	-
237/789	6.5	1	0.0	0	55.6	5	31.0	7	128.7	12	245.3	18	204.8	13	1203.4	124	-	1067.6	103	-
237/837	4.5	1	31.7	5	45.8	3	8.4	10	83.9	12	114.0	14	169.0	16	918.5	136	-	1009.1	131	-
238/ 45	8.0	1	49.6	3	48.5	3	14.2	6	105.0	7	84.6	16	120.2	11	961.3	120	103	1081.4	107	116
238/123	0.0	0	17.5	4	65.0	3	11.0	2	82.9	8	130.7	12	219.5	12	1049.8	88	-	975.5	83	-
238/132	5.0	1	41.5	2	50.5	2	12.5	3	134.5	7	96.0	15	115.5	12	907.7	88	96	933.2	77	99
238/341	0.0	0	64.0	4	90.4	3	4.5	4	97.5	11	109.0	13	166.0	15	1179.7	107	132	1064.2	94	118
238/442	4.0	1	72.0	4	72.0	3	26.3	7	69.5	9	101.3	9	158.5	17	1007.2	101	-	1140.3	92	-
238/468	3.5	1	77.5	3	52.0	3	32.0	9	100.0	10	119.0	15	185.0	23	1038.7	119	95	1060.2	99	97
238/636	6.0	1	36.0	2	90.0	3	21.0	6	117.0	9	104.0	16	221.0	18	1160.5	102	120	1122.6	98	116
238/686	15.5	1	77.7	4	72.5	3	37.0	6	152.3	8	153.7	5	182.3	-	1148.8	(57)	-	1102.7	79	-
238/806	0.0	0	51.2	3	70.5	6	31.2	22	146.8	25	126.5	26	116.5	23	888.1	189	96	829.3	165	99
238/899	9.0	1	61.0	4	68.0	3	25.5	5	93.5	10	76.5	15	120.0	11	832.0	84	-	831.9	75	-
239/ 2	0.3	1	32.7	3	67.3	4	26.9	8	96.5	11	107.0	14	165.3	23	947.1	(108)	-	979.3	(102)	-
239/133	0.0	0	65.0	2	116.0	2	26.0	6	141.5	9	90.5	14	125.5	10	995.5	77	101	975.0	70	99
239/138	0.8	1	53.0	2	76.0	3	25.0	4	72.4	7	64.5	10	87.1	12	756.7	76	88	958.2	72	111
239/421	2.5	1	33.0	2	65.0	4	35.0	11	72.0	11	85.0	13	89.5	-	796.0	(99)	100	941.5	112	116
239/472	0.0	0	12.0	1	113.5	3	51.0	6	82.0	12	87.5	13	132.5	11	929.7	90	85	1039.0	96	95
239/482	0.8	2	39.8	4	70.4	4	26.1	16	61.5	19	73.5	20	102.5	24	816.8	149	93	1073.2	133	122
239/518	0.6	1	15.6	2	83.5	5	34.0	10	74.6	15	92.0	15	102.9	14	704.1	(108)	-	719.5	(89)	-
239/577	0.0	0	31.6	3	42.8	5	43.8	15	101.4	18	126.6	23	136.6	20	952.0	155	-	1038.2	149	-
239/585	0.0	0	42.2	4	89.1	4	28.9	15	76.4	12	88.8	16	85.5	-	818.3	(114)	99	935.5	133	113
239/604	1.0	1	37.0	1	62.7	4	26.5	5	59.1	7	88.7	13	125.6	15	1107.6	81	105	1239.9	96	117
239/756	1.5	4	48.8	6	59.1	4	37.0	14	58.9	18	61.3	19	101.2	21	972.6	154	-	997.4	141	-
239/784	3.2	2	57.6	5	55.9	3	53.1	17	70.1	17	62.7	18	132.5	21	1119.4	148	-	1163.9	138	-
240/ 14	0.0	0	50.6	4	57.7	5	26.7	11	87.0	11	54.3	14	123.1	14	794.8	110	103	886.3	111	114
240/ 22	0.0	0	28.8	3	61.0	3	17.1	3	72.6	8	45.2	11	130.1	6	644.2	67	87	696.8	71	94
240/ 28	0.0	0	69.7	3	96.5	3	53.5	4	81.0	7	64.5	6	176.5	6	1027.7	65	98	1046.8	80	101
240/ 31	0.3	1	80.5	5	64.9	3	66.9	11	69.7	13	66.3	12	149.4	18	1062.1	118	-	1161.7	107	-
240/ 73	0.0	0	47.0	3	52.5	4	25.5	11	57.5	8	48.3	10	116.5	9	773.3	80	105	652.7	85	116
240/185	0.2	1	54.1	5	53.5	5	33.1	12	46.2	14	33.5	13	130.4	14	842.6	119	107	941.7	122	120
240/269	0.0	0	74.0	2	128.0	3	48.0	3	71.0	3	21.0	2	143.0	3	1044.2	43	106	1074.6	58	109
240/284	0.2	1	53.4	6	49.3	6	45.0	20	57.5	11	78.1	18	167.8	19	919.8	154	117	967.5	152	123
240/381	0.0	0	51.1	5	183.5	4	18.3	14	41.2	14	66.6	14	159.4	12	1134.4	128	156	1441.9	131	195
240/404	0.0	0	39.0	3	51.0	4	25.0	5	25.0	5	79.0	11	198.0	12	826.0	76	-	904.5	76	-
240/564	0.0	0	59.5	5	67.8	5	28.4	11	28.4	15	75.2	16	148.7	18	1014.2	136	120	1206.1	148	143
240/586	0.0	0	69.5	6	62.5	4	46.0	19	49.0	15	97.5	17	229.4	18	1209.0	148	-	1325.6	144	-
240/649	0.0	0	71.0	3	71.0	-	25.5	7	46.0	7	86.0	6	194.5	6	1149.5	(69)	120	1261.0	83	131
240/882	0.3	1	85.0	4	70.3	5	41.7	14	39.4	15	95.0	16	157.6	18	1166.1	138	120	1337.9	138	137
240/716	0.0	0	81.2	4	71.7	3	39.8	13	21.7	9	39.3	13	117.4	18	973.5	111	106	1148.1	109	123
240/738	64.0	1	30.0	3	70.5	3	29.8	11	36.3	11	77.9	16	146.7	17	893.6	117	102	992.9	124	113
240/753	0.0	0	92.5	5	100.0	4	80.0	12	85.9	17	57.8	15	137.6	10	1315.9	116	114	1472.5	116	128
240/775	0.0	0	104.5	4	81.7	3	57.8	16	15.3	10	63.7	13	118.3	16	1180.0	125	118	1288.9	125	127
240/808	0.0	0	117.3	6	68.3	4	54.2	16	23.7	19	61.8	16	77.7	16	1071.5	146	-	1164.0	140	-
240/862	0.0	0	127.0	3	43.0	3	59.5	13	27.2	7	76.0	11	127.5	14	(886.0)	(94)	-	(893.1)	(96)	-
240/887	0.0	0	64.9	3	85.0	3	32.3	11	21.0	2	55.5	8	115.7	12	974.1	79	104	1036.3	83	113
240/891	0.0	0	95.3	6	76.1	5	69.9	15	21.5	7	88.0	13	105.0	12	1274.6	111	126	1316.2	113	130
241/ 42	0.0	0	87.9	3	100.0	3	52.1	12	25.6	3	56.5	8	134.2	11	1176.1	87	116	1183.2	91	117
241/ 42A	0.0	0	83.2	3	105.9	4	51.6	11	34.4	3	53.4	8	113.8	12	1215.6	88	124	1236.8	91	126
241/ 68	50.0	1	98.0	3	122.5	3	43.5	6	48.5	4	34.5	5	51.0	1	1070.5	56	116	1093.5	61	118
241/ 72	0.2	1	87.5	4	113.4	6	54.6	15	29.8	14	56.9	17	136.6	15	1239.4	132	133	1261.9	128	136
241/103	0.0	0	85.2	3	110.8	3	65.8	10	20.6	3	53.6	8	138.8	12	1228.9	84	117	1241.2	89	119
241/131	0.0	0	78.6	3	130.0	5	52.0	10	18.0	3	38.1	8	108.7	11	1064.1	87	110	1083.0	91	112
241/302	0.0	0	74.8	5	91.7	7	92.2	14	37.4	9	54.3	10	177.6	13	1293.1	110	132	1229.9	105	125
242/644	1.1	2	10.2	5	14.8	5	0.0	0	0.0	0	0.7	1	0.0	0	29.2	18	47	29.9	15	49
244/405	3.5	1	35.0	5	54.0	2	0.0	0	0.0	0	0.0	0	0.0	0	96.5	9	70	48.5	7	35
247/242	0.0	0	16.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	79.5	7	102	66.0	7	85
247/668	1.2	1	25.2	4	-	-	0.0	0	0.0	0	0.0	0	0.0	0	(92.4)	(20)	-	(67.2)	(16)	-
249/367	2.6	2	12.7	4	1.7	3	0.0	0	14.0	2	0.0	0	7.4	2	112.0	30	-	106.2	24	-
249/594	2.9	2	18.0	3	0.5	1	0.0	0	11.5	1	0.0	0	7.5	1	114.0	25	-	98.5	23	-
250/418	4.0	1	6.0	2	0.0	0	0.0	0	4.0	1	0.0	0	0.0	0	41.0	8	-	67.1	7	-
251/146	0.0	0	0.0	0	0.0	0	0.0	0	15.0	1	0.0	0	2.5	1	53.0	5	-	98.0	6	-
251/261	1.2	1	0.0	0	0.0	0	0.0	0	22.0	2	2.0	1	10.5	1	122.7	12	81	150.9	12	100
251/430	0.0	0	3.5	2	2.0	1	0.0	0	25.7	3	10.0	1	12.5	1	154.8	17	108	136.6	15	96

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	φ S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
251/476	KROMPUT	2926	2116	808	57.5	4	56.0	5	11.5	2	5.0	2	14.0	1
251/586	RUGSEER	2916	2120	885	14.0	1	19.5	5	7.5	2	8.0	4	21.5	3
252/470	CRIEFF	2920	2146	1052	61.2	4	30.3	4	14.1	2	6.2	1	31.2	2
252/848	KAREELAAGTE - NO 2	2908	2159	1067	17.5	-	52.5	6	0.0	0	0.0	0	33.0	3
252/894	BRAKBOSCHPOORT	2924	2200	1067	62.8	3	60.0	5	23.5	4	27.9	5	22.0	3
253/174	MARYDALE - POL	2924	2206	1059	19.5	2	47.0	4	21.5	2	18.5	1	22.0	1
253/363	BOEGOEBERGDAM - IRR	2903	2213	891	35.5	-	34.0	-	4.0	-	20.5	-	19.5	-
253/648	KOEGASBRUG	2918	2222	991	29.5	1	34.0	2	34.5	2	11.0	1	46.0	3
254/572	GOUP	2902	2250	1341	70.9	6	46.9	5	20.1	6	17.3	3	42.2	3
254/589	NIEKERKSHOOP - POL	2919	2250	1143	82.5	7	36.0	4	19.5	3	6.0	1	25.5	2
254/871	WITWATER	2901	2300	1370	57.5	7	69.0	6	32.5	6	12.0	3	45.2	4
255/471	SAXENDRIFT	2921	2316	1035	54.0	5	70.5	3	63.5	3	2.5	1	36.5	2
255/552	ORANJEOORD	2912	2319	1036	61.1	6	38.0	3	51.5	4	12.0	1	35.5	2
255/626	BRAKKIES	2926	2321	1021	42.0	-	24.5	2	32.5	-	2.5	1	24.5	2
255/882	VAALKRANS	2912	2330	1065	48.5	5	20.5	4	22.5	4	3.0	1	54.0	3
256/141	WELTEVREDE	2921	2335	1067	50.5	8	106.1	4	37.2	5	39.1	6	26.5	5
256/240	DE HOOP	2930	2338	1143	40.1	4	34.2	5	22.8	3	10.5	2	12.0	2
256/381	GERTSPAN	2921	2343	1052	71.7	11	30.6	3	14.0	2	32.0	6	29.5	4
256/453	DOUGLAS - POL	2903	2346	1030	33.5	2	65.0	5	44.0	6	16.0	4	43.5	3
256/586	TORQUAY	2916	2350	1067	73.0	6	35.1	3	30.0	5	20.5	4	45.0	4
256/638	WIMBLEDON	2908	2352	1097	68.0	6	67.0	3	56.5	5	44.5	3	32.0	3
257/ 61	TAAIBOSCHFONTEIN	2901	2403	1005	97.7	13	40.2	8	80.5	12	25.6	10	41.4	9
257/391	PLOOYSBURG	2901	2414	1082	91.0	7	15.4	2	77.0	5	35.5	5	34.0	3
257/655	BELMONT - POL	2925	2422	1215	85.5	6	32.0	3	68.5	6	46.5	3	25.0	2
257/845	EUREKA	2905	2429	1173	100.1	9	53.9	9	65.6	9	48.5	8	28.9	6
258/157	RIETRIVIER - AGR	2907	2436	1140	163.2	11	34.3	9	61.2	10	37.6	8	30.0	7
258/164	MICHVILLE	2914	2436	1160	85.0	4	36.0	4	75.5	5	29.0	2	14.0	1
258/182	MOODERRIVIER - POL	2902	2437	1118	105.3	4	0.0	0	60.5	4	33.0	3	52.0	4
258/218	KLOKFONTEIN - IRR	2908	2438	1145	133.2	8	18.1	6	61.1	10	40.9	9	27.7	7
258/306	GANNAHOEK	2906	2441	1097	66.5	6	28.5	3	44.5	6	32.0	7	31.0	5
258/335	RIETRIVIER - IRR	2905	2442	1145	44.8	7	62.3	7	40.9	8	42.8	7	30.6	5
258/339	HOLPAN - IRR	2909	2442	1145	66.8	7	20.5	6	53.4	9	51.6	7	31.5	6
258/380	WATERVAL WES	2920	2443	1158	73.4	5	9.2	3	69.3	6	30.2	5	13.1	3
258/399	KLIPFONTEIN - IRR	2909	2444	1145	62.5	8	33.4	4	42.5	9	39.5	6	37.4	7
258/434A	PRANBERG - IRR	2914	2445	1219	131.0	6	58.7	8	96.0	8	49.5	7	26.0	4
258/458	JACOBSDAL - POL	2908	2446	1143	56.0	6	124.0	6	32.7	6	20.9	4	55.8	5
258/467	GANNAHOEK - IRR	2917	2446	1200	94.5	6	17.0	2	97.0	8	36.7	6	30.6	5
258/474	OPPERMANSGRONDE - COL	2924	2446	1220	124.0	3	38.5	2	36.5	3	19.0	1	34.0	3
258/581	WEGDRAAI	2911	2450	1173	59.0	5	31.0	3	41.0	6	29.0	4	18.2	3
258/624	BOSHOFFSHOOP	2924	2451	1219	47.3	3	40.5	4	44.5	4	25.0	2	12.0	1
258/740	NOOITGEDACHT - IRR	2920	2455	1200	121.5	6	57.0	4	55.5	8	25.5	4	35.5	6
258/812	DE KALK	2902	2458	1097	104.6	7	48.0	4	69.2	8	42.5	6	36.0	6
258/894	KOFFIEFONTEIN - POL	2924	2500	1216	131.0	6	46.5	4	75.7	8	42.0	7	26.9	7
259/ 2	MOUNT DUNCAN	2902	2501	1189	124.5	8	68.5	4	60.0	5	22.1	6	38.4	5
259/ 86	UITDRAAI - IRR	2926	2503	1200	97.3	6	35.2	6	45.8	7	60.5	8	25.3	7
259/131	GOEDEHOOP	2911	2505	1234	108.8	10	46.0	7	113.7	9	46.9	7	26.5	7
259/278	KROONPLAAS	2908	2510	1219	95.0	8	76.5	5	69.0	2	51.0	6	47.5	6
259/348	LEYDEN	2918	2512	1265	85.5	7	27.5	3	48.5	7	45.0	6	30.5	5
259/578	INHOEK	2908	2520	1250	90.0	7	93.5	7	57.5	7	32.5	6	33.0	5
259/727	PETRUSBURG - POL	2907	2525	1250	81.5	6	55.0	4	47.0	4	39.0	7	31.5	5
259/743	KRANSHOEK	2923	2525	1341	52.2	8	60.9	5	56.0	6	53.5	7	15.7	4
259/855	DANKBAAR	2915	2529	1372	191.4	8	76.5	7	65.5	8	46.0	7	44.0	6
260/ 4	DOORNPLAAT	2904	2531	1263	74.3	11	34.6	7	57.6	7	57.5	7	35.7	4
260/ 30	STEUNMEKAAR - POL	2930	2531	1341	30.0	2	-	-	67.5	2	48.1	3	10.0	1
260/ 83	SMALL HEATH	2923	2533	1341	92.4	5	47.3	5	65.7	8	62.5	8	31.8	5
260/163	KOPPIESDAM	2913	2536	1387	115.9	9	67.6	6	64.4	7	54.4	8	28.6	6
260/519	DE BRUG - POL	2909	2548	1280	78.0	6	43.5	5	36.5	3	47.5	4	21.0	3
260/555	NORTHFIELD	2915	2549	1356	97.0	5	132.5	6	47.5	4	62.0	8	28.0	3
260/679	WILLIAMSTRIP	2919	2553	1340	121.6	9	58.5	6	48.0	4	56.5	6	28.0	5
260/882	SALOPIA	2912	2600	1341	126.5	10	47.5	5	44.5	5	51.0	7	38.0	6
261/146	KAFFERRIVIER - POL	2926	2605	1379	92.0	6	104.0	6	30.7	7	39.9	4	55.5	4
261/312	FERREIRA	2912	2611	1407	105.1	9	110.4	9	79.8	8	54.9	7	33.0	6
261/365	BLOEMFONTEIN - BAYSWATER	2905	2613	1387	98.3	10	66.5	10	89.5	8	46.1	8	38.3	6
261/368	BLOEMFONTEIN - KINGS PARK	2908	2613	1387	106.0	9	108.9	7	78.0	8	44.0	7	31.5	5
261/369	BLOEMFONTEIN - HAMILTON	2909	2613	1405	86.0	7	122.5	8	92.5	5	56.0	8	34.5	5
261/516	J B M HERTZOG - WK	2906	2618	1351	71.4	15	82.8	10	60.4	9	42.4	9	32.3	6
261/523	GROOTVLEI - TNK	2913	2618	1340	72.1	6	96.5	6	58.0	5	24.5	1	34.0	3
261/722	MAZELSPOORT DAM	2902	2625	1372	125.0	15	93.2	9	36.8	10	64.9	7	29.4	5
261/733	TUSSENVIER	2913	2625	1430	146.5	10	90.1	8	68.5	6	72.0	4	39.4	6
262/129	LIKATLONG	2909	2635	1341	81.0	13	180.0	8	54.5	10	49.0	9	32.0	6
262/155	TEVREDE	2905	2636	1370	57.2	9	65.0	6	27.0	3	20.8	5	28.8	7
262/166	RUSTFONTEINDAM - IRR	2916	2636	1382	76.9	-	84.5	-	58.3	-	51.4	-	56.5	-
262/207	RIETFONTEIN	2927	2637	1524	84.0	10	87.0	9	62.0	8	41.5	7	41.0	6
262/314	KROMDRAAI	2914	2641	1402	79.5	7	89.9	9	62.5	6	47.5	4	56.0	5
262/353	KILMARNOCK	2923	2642	1463	76.5	12	83.0	10	72.0	11	54.5	8	66.0	7
262/457	FELOANE - NAF	2907	2646	1495	99.4	15	124.6	9	43.0	6	62.7	6	42.0	7
262/479	THE CLIFF	2929	2646	1509	88.7	13	74.0	10	36.8	4	33.8	8	46.8	6
262/557	BLYDSKAP - NAF	2917	2649	1525	68.5	8	85.3	10	66.5	8	57.0	8	63.0	7
262/613	THABA NCHU - MUN	2913	2651	1524	81.5	9	80.5	9	59.5	8	71.0	7	53.0	3
262/694	NORTH END	2904	2654	1509	48.5	6	114.0	7	36.6	4	45.2	5	48.0	4
262/806	RIETFONTEIN-NAF	2926	2657	1525	28.8	6	32.1	7	47.0	5	49.5	6	55.0	6
262/813	RAKHOI	2903	2659	1525	93.7	10	103.8	5	33.6	5	45.0	4	57.9	4
263/ 14	HEATHFIELD	2914	2701	1631	48.8	15	103.5	15	65.3	12	74.4	10	50.3	7
263/ 41	TWEESPRUIT	2911	2702	1597	66.7	9	101.5	11	84.5	10	72.3	8	69.0	6
263/ 47	SHEENSPOST	2917	2702	1600	75.7	15	146.0	14	60.2	7	65.7	8	64.5	5

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
251/476	2.5	1	8.5	3	2.5	2	0.0	0	22.0	2	6.0	1	11.5	1	197.0	24	135	196.3	20	134
251/586	1.4	2	12.9	3	3.8	3	0.0	0	23.3	3	3.5	1	21.1	2	136.5	29	-	111.1	22	-
252/470	4.0	1	4.0	1	1.9	1	0.0	0	19.0	2	4.8	2	0.0	0	176.7	20	103	239.5	18	139
252/848	0.0	0	0.0	0	0.0	0	0.0	0	29.0	3	0.0	0	0.0	0	132.0	(12)	-	199.0	(11)	-
252/894	11.0	4	8.0	3	3.3	2	0.0	0	31.6	3	0.0	0	12.5	1	262.6	33	73	301.5	32	167
253/174	13.0	2	0.0	0	0.0	0	0.0	0	42.0	2	0.0	0	27.0	1	210.5	15	113	239.0	18	128
253/363	20.0	-	2.5	-	0.0	-	0.0	-	36.0	-	8.5	-	2.0	-	182.5	-	81	276.4	-	122
253/648	14.8	2	2.0	-	0.0	0	0.0	0	30.8	2	0.0	0	0.0	0	202.6	(13)	91	254.7	16	115
254/572	22.5	3	10.8	4	1.5	1	0.0	0	45.5	3	3.0	1	0.0	0	280.7	35	98	343.7	35	119
254/589	24.0	2	5.5	3	3.5	1	0.0	0	27.0	3	11.5	2	0.0	0	241.0	28	100	298.1	25	124
254/871	18.0	4	6.9	4	6.0	1	0.0	0	43.0	3	11.0	2	14.0	2	315.1	42	-	329.2	38	-
255/471	5.7	2	0.0	0	5.0	1	0.0	0	37.5	2	1.7	1	0.0	0	276.9	20	-	323.2	20	-
255/552	5.0	1	0.0	0	8.0	1	0.0	0	51.0	2	12.0	1	0.0	0	274.1	21	91	309.6	25	105
255/626	13.0	1	0.0	0	0.0	0	0.0	0	39.0	2	0.0	0	0.0	0	178.0	(8)	84	231.5	(12)	110
255/882	10.0	2	0.0	0	0.0	0	0.0	0	44.0	2	6.0	1	0.0	0	208.5	22	-	226.0	24	-
256/141	16.2	3	2.0	1	2.0	1	0.0	0	35.0	2	5.5	2	0.0	0	322.1	37	114	422.9	44	149
256/240	12.0	1	0.0	0	0.0	0	0.0	0	50.0	2	0.0	0	0.0	0	181.6	19	71	157.2	20	62
256/381	16.5	2	2.0	1	0.0	0	0.0	0	21.0	2	0.0	0	4.0	2	221.3	33	81	347.2	39	128
256/453	8.0	1	0.0	0	3.5	1	0.0	0	20.5	2	16.0	1	11.0	2	261.0	27	80	339.4	30	104
256/586	12.5	1	0.0	0	0.0	0	0.0	0	18.0	2	2.5	1	0.0	0	236.6	26	-	375.1	34	-
256/638	11.0	1	0.0	0	0.0	0	0.0	0	23.0	2	0.0	0	0.0	0	302.0	23	105	466.0	33	162
257/ 61	7.7	5	1.8	3	2.8	3	0.3	1	39.6	6	9.5	4	106.9	10	454.0	84	-	495.0	80	-
257/391	0.0	0	0.0	0	0.0	0	0.0	0	35.5	3	0.0	0	49.0	3	337.4	28	102	415.6	33	126
257/655	6.5	1	9.0	1	0.0	0	0.0	0	17.5	2	0.0	0	15.5	3	306.0	27	103	404.9	30	136
257/845	5.0	2	9.5	1	0.0	0	0.0	0	35.3	4	7.5	3	53.0	7	407.3	58	114	469.2	57	131
258/157	7.4	5	6.9	2	0.2	1	0.0	0	34.1	5	15.7	3	37.2	6	427.8	67	-	515.9	68	-
258/164	18.0	2	4.4	2	0.0	0	0.0	0	14.5	1	0.0	0	23.0	3	299.4	24	99	415.3	28	137
258/182	0.0	0	0.0	0	0.0	0	0.0	0	25.0	1	0.0	0	30.0	5	305.6	21	101	357.8	21	117
258/218	8.1	4	5.5	1	0.0	0	1.0	1	39.0	5	9.0	3	32.4	5	376.0	59	-	403.4	57	-
258/306	6.5	2	4.0	1	0.0	0	0.0	0	26.5	3	9.5	2	31.5	3	280.5	36	81	349.5	39	101
258/335	7.0	2	3.5	1	0.0	0	2.8	1	30.5	5	9.7	4	42.5	6	317.4	53	-	363.7	51	-
258/339	10.8	4	4.5	3	0.0	0	2.5	1	28.4	6	8.0	3	20.6	5	318.6	57	-	420.0	54	-
258/380	0.0	0	7.0	1	0.0	0	0.0	0	19.0	1	10.2	1	15.2	3	246.6	26	92	314.6	32	117
258/399	0.3	1	5.0	2	0.0	0	0.0	0	34.0	4	10.5	3	35.0	3	300.1	47	-	359.6	48	-
258/434A	13.0	2	4.5	1	0.0	0	0.0	0	25.5	5	7.8	3	21.5	4	433.5	46	-	565.4	46	-
258/458	1.8	1	3.5	1	0.0	0	0.0	0	32.0	2	4.0	1	36.0	3	366.7	35	95	435.5	40	113
258/467	8.5	2	5.1	1	0.0	0	0.0	0	28.0	4	12.5	1	16.5	3	346.4	38	-	442.3	43	-
258/474	0.0	0	17.0	1	0.0	0	0.0	0	31.0	2	20.0	1	7.5	1	327.5	17	-	380.5	17	-
258/581	8.0	2	4.0	1	0.0	0	1.5	1	30.0	2	2.9	2	26.0	2	250.6	31	80	324.2	32	103
258/624	10.3	1	13.0	1	0.0	0	0.0	0	32.7	4	39.0	3	0.0	0	264.3	23	78	270.1	(16)	80
258/740	6.0	1	8.0	1	0.0	0	0.0	0	31.0	5	7.0	1	33.0	3	380.0	39	-	472.5	42	-
258/812	3.7	1	4.5	1	0.0	0	1.5	1	27.6	4	6.7	2	42.4	5	386.7	45	115	458.6	47	136
258/894	0.0	0	18.0	1	0.0	0	0.0	0	26.5	3	12.0	1	18.0	5	396.6	42	100	511.4	49	129
259/ 2	0.0	0	5.0	1	0.0	0	0.0	0	42.0	3	11.0	2	9.0	1	380.5	35	112	414.3	37	122
259/ 86	5.3	5	5.5	1	0.0	0	1.1	1	35.0	5	5.0	2	16.8	5	332.8	53	-	445.5	57	-
259/131	6.6	1	6.0	1	0.0	0	0.0	0	41.0	7	8.9	3	22.5	6	426.9	58	-	568.9	56	-
259/276	6.0	1	9.5	1	0.0	0	0.0	0	59.0	4	29.3	4	37.0	4	479.8	41	118	590.0	39	145
259/348	7.3	2	6.5	1	0.0	0	0.5	1	58.0	4	19.0	3	10.5	2	338.8	41	87	431.3	40	110
259/578	7.0	1	6.8	2	0.0	0	0.0	0	44.5	4	19.0	3	40.0	5	423.8	47	100	394.5	39	93
259/727	5.5	1	6.5	2	0.0	0	0.0	0	37.5	3	13.0	1	35.0	6	351.5	39	86	470.7	41	115
259/743	4.5	1	20.9	1	0.0	0	0.0	0	85.5	4	21.0	3	10.0	2	380.2	41	-	424.0	45	-
259/855	7.5	1	6.7	2	0.0	0	0.0	0	53.5	6	18.0	3	24.5	7	533.6	55	-	723.0	54	-
260/ 4	0.0	0	8.5	2	0.0	0	0.0	0	66.0	4	21.3	4	31.4	4	386.9	50	88	470.3	49	107
260/ 30	0.0	0	0.0	0	0.0	0	0.0	0	80.0	2	-	-	13.0	1	(248.6)	(11)	-	(314.6)	(22)	-
260/ 83	5.0	1	10.5	1	0.0	0	0.0	0	52.1	5	39.0	5	13.8	2	420.1	45	-	524.1	49	-
260/163	4.7	1	0.0	0	0.0	0	0.0	0	47.5	4	17.2	3	37.2	6	437.5	50	95	569.6	56	123
260/519	0.0	0	9.0	1	0.0	0	0.0	0	41.0	2	9.5	1	-	-	(286.0)	(25)	-	472.0	35	96
260/555	5.0	1	10.0	2	0.0	0	0.0	0	56.5	5	21.5	4	56.0	5	516.0	43	103	612.0	44	122
260/679	4.0	2	10.0	2	0.0	0	0.0	0	68.8	8	19.5	3	55.5	3	470.4	48	-	574.7	52	-
260/882	4.0	1	10.0	2	0.0	0	3.5	1	56.7	5	14.0	4	40.0	4	435.7	50	90	631.6	55	130
261/146	2.0	1	8.5	1	0.0	0	0.0	0	61.0	5	40.0	4	40.5	2	474.1	40	124	632.1	46	166
261/312	1.8	1	10.5	2	0.0	0	1.4	2	62.2	7	13.8	6	43.2	9	516.1	66	100	652.6	66	127
261/365	3.4	1	3.9	3	0.0	0	4.1	1	61.5	8	18.8	5	81.4	9	511.8	69	90	630.3	73	106
261/368	3.9	1	3.5	1	0.0	0	3.5	1	50.8	8	22.1	5	71.7	9	523.9	61	94	603.4	66	108
261/369	3.0	1	3.5	1	0.0	0	0.0	0	66.4	6	14.8	3	72.2	7	551.4	51	-	609.5	55	-
261/516	2.2	1	3.3	3	0.8	1	2.3	2	55.0	6	18.5	7	70.7	9	442.1	78	-	523.8	79	-
261/523	0.0	0	0.3	1	0.0	0	0.6	1	50.5	5	10.5	3	51.5	4	398.5	35	-	464.3	40	-
261/722	0.2	1	4.0	1	0.0	0	2.0	1	74.2	5	25.3	3	66.9	7	521.9	64	98	594.0	74	111
261/733	0.0	0	0.0	0	0.0	0	0.0	0	40.5	4	9.0	2	55.1	6	521.1	46	102	330.5	53	65
262/124	0.0	0	8.0	1	0.0	0	0.9	1	39.5	3	17.0	4	57.0	8	538.9	63	98	713.0	68	130
262/155	0.0	0	4.6	2	0.0	0	4.0	1	38.5	4	22.6	8	43.5	5	312.0	50	-	441.2	57	-
262/166	0.0	-	5.7	-	0.0	-	0.0	-	28.9	-	11.8	-	49.2	-	473.2	-	-	577.4	-	-
262/207	0.0	0	11.5	2	0.0	0	4.3	2	82.0	6	13.3	4	47.0	6	473.6	60	77	564.2	61	92
262/314	0.0	0	3.5	1	0.0	0	0.0	0	39.5	3	15.0	2	54.0	5	447.4	42	84	668.9	48	127
262/353	0.0	0	6.0	2	0.0	0	5.5	3	56.5	7	18.0	6	30.5	5	470.5	71	81	642.0	71	110
262/457	0.2	1	5.0	1	0.0	0	1.0	1	30.0	2	22.0	3	36.0	4	465.9	55	-	677.4	53	-
262/479	0.0	0	6.3	2	0.0	0	2.5	1	41.6	5	13.0	-	35.6	4	379.1	(53)	69	567.6	60	104
262/557	0.0	0	0.0	0	0.0	0	5.0	2	47.5	5	19.5	3	47.5	5	479.6	56	-	679.6	64	-
262/613	0.0	0	7.5	2	0.0	0	2.0	1	51.5	5	-	-	42.0	4	(448.5)	(48)	-	625.0	55	107
262/694	0.0	0	3.5	1	0.0	0	0.0	0	27.5	2	15.5	2	66.4	6	405.2	37	71	628.5	48	110
262/808	10.0	1	0.0	0	0.0	0	0.0	0	41.0	4	18.0	3	24.0	6	305.4	44	-	561.5	59	-
262/813	0.0	0	5.7	1	0.0	0	0.0	0	43.6	4	20.6	5	60.4	4	464.3	42	-	665.3	56	-
263/ 14	0.1	1	9.5	2	0.0	0	4.0	3	47.5	12	25.3	11	57.2	12	485.9	100	71	755.7	90	111
263/ 41	0.0	0	9.3	2	0.0	0	5.5	1	46.2	6	26.5	5	62.1	9	543.6	67	91	622.6	71	137
263/ 47	1.0	1	5.6	2	0.0	0	7.0	3	60.8	9	27.4	8	68.6	9	562.5	81	96	749.3	74	123

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
263/ 57	ENGLAND	2927	2702	1524	136.5	10	93.5	9	47.0	5	59.0	7	52.8	5
263/199	THABA PATCHOA - COL	2919	2707	1525	60.2	8	68.1	7	41.4	5	92.0	5	26.4	3
263/280	WESTMINSTER ESTATE	2910	2710	1615	83.0	7	77.5	7	88.5	6	56.0	4	56.0	5
263/313	BROXTON	2913	2711	1600	67.5	7	77.5	8	43.0	6	59.0	5	55.5	6
263/314	BURGUNDY	2914	2711	1615	72.1	10	62.0	8	46.0	11	49.6	7	47.5	6
263/316	WARGUNDY	2916	2711	1615	74.3	10	71.0	7	55.0	7	47.5	5	73.0	5
263/373	WATERLAND	2913	2713	1615	100.5	8	63.2	8	44.0	6	50.0	7	59.5	5
263/499	KOMMISSIEPOORT	2919	2717	1658	71.0	7	109.0	7	-	-	46.5	3	83.0	-
263/567	CONVAMORE	2927	2719	1539	157.0	11	76.0	9	64.0	9	36.5	4	52.5	5
263/760	LADYBRAND - BOS	2910	2726	1612	67.5	9	95.5	11	62.0	8	34.0	3	80.0	6
263/786	MODDERPOORT - PRIORY	2906	2727	1610	103.7	13	104.2	14	62.0	10	44.1	8	35.4	4
263/792	LADYBRAND - SKL	2912	2727	1612	96.0	5	115.0	9	51.0	7	41.5	4	67.0	3
263/859	MASERU	2919	2729	1528	131.6	16	110.8	11	59.3	13	50.1	10	79.8	6
264/ 22	BOTSABELO	2922	2731	1646	123.3	11	84.0	10	52.0	9	42.5	6	73.5	3
264/ 42	UITKOMST	2912	2732	1525	70.2	11	101.5	11	41.9	9	60.6	6	50.2	6
264/399	TEYATEYANENG	2909	2744	1753	-	-	18.0	-	51.5	-	36.7	-	71.0	-
264/417	ROMA	2927	2744	1646	113.8	17	99.5	16	74.8	10	57.5	7	62.0	5
267/137	MOKHOTLONG	2917	2905	2375	-	-	-	-	142.3	11	62.7	5	16.7	5
267/693	CATHKIN PEAK - BOS	2903	2924	1530	290.0	25	180.5	21	330.5	21	61.5	7	64.8	9
267/862	GIANTS CASTLE - MOUNTAIN HUT	2922	2929	2210	344.5	-	154.0	-	131.0	-	39.5	-	42.0	-
267/887	GIANTS CASTLE	2917	2930	1981	204.7	24	133.8	16	108.9	21	31.5	4	54.0	6
268/199	HIGHMOOR - BOS	2919	2937	1981	206.0	16	225.0	12	175.5	15	49.5	4	82.5	7
268/352	KAMBERG - NATURE RESERVE	2922	2942	1525	173.4	21	143.1	12	103.3	14	43.0	6	64.1	7
268/441	EAST MESHLYN	2921	2945	1585	71.0	11	81.5	8	141.9	12	60.0	8	60.0	6
268/631	ESTCOURT - AGR	2901	2952	1181	136.1	18	58.1	11	27.2	12	31.8	6	43.4	8
268/845	GLENIFFER	2905	2959	1494	157.0	11	46.1	4	27.4	4	52.3	7	44.9	7
268/882	MOOIRIVIER - POL	2912	3000	1385	41.4	5	59.4	3	40.0	3	61.7	5	38.5	9
268/891	NOTTINGHAM ROAD - POL	2921	3000	1465	148.3	22	74.7	14	109.9	13	45.8	7	52.7	9
269/611	RIETVLEI - POL	2911	3021	1475	173.7	12	152.5	12	61.1	7	62.1	10	48.1	5
269/647	MBONA MTN ESTATE	2917	3022	1310	269.5	18	177.6	20	173.9	20	66.7	12	101.3	12
269/712	CLAN SYNDICATE	2922	3024	762	121.1	16	129.8	13	89.7	15	130.2	10	95.5	6
269/775	CRAMOND - POL	2925	3026	675	114.6	9	118.0	7	113.9	11	121.8	9	94.2	6
270/ 21	NEW HANOVER	2921	3031	791	98.5	8	81.0	6	110.0	5	131.0	9	101.0	-
270/119	WINDY HILL - NO 2	2929	3034	640	75.6	16	112.2	12	119.6	13	68.7	8	158.4	9
270/124	GREYTOWN - POL	2904	3036	1041	50.0	4	129.0	12	109.3	12	36.0	2	98.0	3
270/194	SEVEN OAKS - RYHILL	2914	3037	1065	168.1	19	119.1	18	111.3	17	92.1	14	103.8	12
270/544	BOSCOMBE	2904	3049	1219	104.1	17	104.0	10	114.5	10	73.8	11	130.0	4
270/722	GLEN ELAND	2902	3055	1036	113.0	20	123.1	14	101.6	10	80.8	13	150.0	8
270/772	NSUZE - POL	2922	3056	610	173.0	17	118.0	12	108.8	11	54.0	6	102.5	9
271/ 99	MAPUMULO - TNK	2909	3104	427	121.0	12	86.1	5	255.7	16	71.2	6	170.0	3
271/170	GLENDALE - POL	2920	3106	485	167.0	9	166.0	8	93.5	3	59.0	2	149.0	2
271/500	STANGER	2920	3117	122	130.0	12	134.0	10	103.7	14	52.4	9	269.0	10
271/702	NEWARK - POL	2912	3124	110	104.8	12	179.5	11	97.1	10	42.0	6	457.9	10
271/815	NYONI - POL	2905	3128	55	87.5	13	93.2	8	111.1	9	56.1	6	462.9	10
272/121	GINGINDHLOVU	2901	3135	46	91.5	11	140.0	11	109.9	13	111.8	12	507.2	14
272/127	AMATIKULU	2907	3135	110	127.0	11	71.7	11	140.7	13	79.0	8	440.0	8
272/272	FAIRBREEZE ESTATES	2902	3140	67	130.0	7	104.8	9	200.0	11	118.0	7	683.5	11
274/ 34	ALEXANDER BAY - WK	2834	1632	21	0.0	0	1.8	1	0.0	0	0.0	0	1.1	2
275/179	LEKKERSING	2859	1706	335	0.0	0	0.2	1	0.5	1	0.0	0	3.0	1
276/ 72	VICOLSDRIFT	2842	1733	245	0.0	0	0.0	0	14.2	2	0.0	0	0.0	0
277/177	HENKRIESFONTEIN - COL	2857	1806	335	11.1	3	24.5	2	7.8	3	5.0	1	2.7	2
279/497	ONSEEPKANS - POL	2847	1917	305	4.5	2	3.0	1	8.0	1	9.5	1	7.0	1
280/351	SKUITKLIP	2851	1942	765	19.5	1	0.0	0	0.0	0	15.5	3	0.0	0
280/772	BLADGROND	2852	1956	915	16.0	3	11.0	1	17.2	3	29.7	4	3.5	1
281/760	AUGHRABIES	2840	2026	640	7.0	1	33.5	2	8.5	2	10.5	2	3.7	1
282/166	KAKAMAS - SKL	2846	2036	640	19.7	3	32.8	3	8.8	4	4.5	1	21.5	1
282/464	VAALHOEK	2844	2046	900	9.0	2	31.5	6	23.5	5	5.5	2	16.5	2
282/823	KEIMOES - POL	2843	2058	734	5.5	1	19.5	2	20.9	3	11.3	3	10.5	1
283/ 44	EKSTEENSKUIL - COL	2844	2102	730	13.3	3	19.2	10	31.8	7	11.6	7	9.5	1
283/ 98	GEELKOP	2838	2104	900	7.0	2	17.5	5	6.0	1	20.0	3	13.0	1
283/334	LOUISVALE	2834	2112	781	22.5	1	21.9	4	55.5	5	19.3	5	14.3	2
283/466	RIETFONTEIN	2846	2116	850	18.0	2	26.4	8	24.2	4	15.4	4	18.0	1
284/ 8	THORNLEA	2838	2131	884	59.2	1	61.2	6	16.5	6	35.8	5	11.2	1
284/361	WILGENHOUTSDRIFT - SKL	2831	2143	838	31.5	2	81.7	6	1.5	1	16.0	1	9.0	1
284/832	GROBLERSHOOP - POL	2852	2158	853	13.5	1	11.2	2	0.0	0	3.5	1	12.5	2
285/265	WINSTEAD	2855	2209	900	11.0	1	0.0	0	5.0	1	7.2	1	17.0	1
286/170	BRECKENRIDGE	2850	2236	1065	75.0	5	75.5	5	13.0	1	15.5	1	16.0	1
286/300	WESTFIELD	2900	2240	1220	77.2	6	55.0	4	33.0	3	9.0	1	34.6	4
286/497	RANGE	2847	2247	1189	90.9	6	57.9	5	24.4	4	10.9	2	46.5	6
287/ 41	ONDER - ONGELUK	2841	2302	1311	64.5	4	119.0	5	62.5	5	11.5	2	6.5	1
287/138	NIETENA	2848	2305	1341	112.2	8	50.6	4	56.1	6	17.8	2	40.4	4
287/441	GRIQUATOWN - TNK	2851	2315	1311	101.5	7	102.0	7	55.5	5	15.7	3	40.5	3
287/574	LEEUVLEI	2834	2320	1524	154.0	10	110.5	7	28.0	3	12.5	2	36.9	2
287/885	POPLARS	2845	2330	1433	76.0	5	129.5	10	81.0	5	16.5	1	21.5	1
288/ 54	KOEKAMA	2854	2332	1311	60.4	7	110.5	9	76.0	7	13.0	4	35.5	5
288/378	CAMBELL - MUN	2848	2343	1250	69.0	7	79.0	4	22.0	3	5.0	1	1.6	1
288/416	KALKDAM	2856	2344	1067	60.5	5	47.0	4	51.0	6	17.5	3	32.0	2
288/528	TWEEFONTEIN	2848	2348	1204	52.8	10	193.8	8	70.2	9	16.9	5	43.5	5
288/610	SALMONSFONTEIN	2840	2351	1417	112.9	8	50.5	2	79.5	4	25.0	2	53.0	6
289/102	SCHMIDTSDRIF	2842	2404	991	64.2	5	69.6	7	94.7	7	21.2	3	48.7	3
289/243	MUIRTON	2833	2409	990	54.9	7	63.0	10	76.0	9	57.5	5	28.0	5
290/ 32	BARKLY WEST - TNK	2832	2432	1204	37.5	6	31.0	6	45.5	7	43.0	5	39.0	5
290/191	PLATFONTEIN	2841	2437	1128	41.0	5	19.0	6	17.5	5	14.5	2	97.5	4
290/464A	KIMBERLEY - POL	2844	2446	1220	89.7	9	92.5	6	45.7	5	33.0	4	51.0	4
290/468	KIMBERLEY - WK	2848	2446	1198	62.7	11	64.9	9	52.9	9	35.3	9	54.7	8

R A I N F A L L 1 9 7 1

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
263/ 57	0.0	0	5.5	2	0.0	0	0.0	0	44.2	5	12.0	2	44.5	5	495.0	50	-	673.3	57	-
263/199	0.0	0	2.5	1	0.0	0	0.0	0	38.5	5	20.5	5	47.0	7	396.6	46	-	-	-	-
263/280	0.0	0	10.0	3	0.0	0	0.0	0	49.5	5	23.7	4	53.5	7	477.7	48	73	703.0	50	107
263/313	0.0	0	12.0	2	0.0	0	0.0	0	47.5	5	25.0	5	47.5	8	434.5	52	63	679.5	54	97
263/314	0.0	0	12.0	2	0.0	0	7.5	1	50.1	5	20.0	4	45.9	7	412.7	61	71	659.9	(67)	113
263/316	0.0	0	14.0	2	0.0	0	0.0	0	58.5	7	15.0	3	53.5	8	461.8	54	76	706.3	60	116
263/373	0.0	0	9.5	1	0.0	0	6.0	2	46.5	5	22.0	4	54.5	7	455.7	53	72	785.0	58	124
263/499	0.0	0	19.0	3	0.0	0	0.0	0	40.5	5	17.0	3	61.5	8	(427.5)	(36)	-	(664.5)	(46)	-
263/567	0.0	0	16.0	3	0.0	0	2.4	1	29.5	4	28.5	5	62.0	6	524.4	57	85	670.5	60	108
263/760	0.0	0	13.0	3	0.0	0	0.0	0	54.0	5	37.0	5	85.0	6	528.0	56	72	775.0	60	106
263/786	1.6	1	10.5	3	0.0	0	10.0	2	19.0	4	40.7	7	71.3	10	502.5	76	70	653.8	76	91
263/792	0.0	0	12.5	2	0.0	0	5.5	2	39.0	5	42.4	7	83.0	7	552.9	51	78	776.5	45	109
263/859	0.5	1	19.2	3	0.0	0	9.3	3	53.1	9	35.2	11	100.4	9	649.3	92	100	842.9	92	130
264/ 22	0.0	0	26.5	3	0.0	0	0.0	0	51.5	6	39.5	7	99.5	10	592.3	65	67	835.3	61	95
264/ 42	0.0	0	15.9	4	0.0	0	2.4	1	40.3	6	44.2	10	63.2	10	490.4	74	-	678.6	70	-
264/399	0.0	-	16.3	-	0.0	-	2.5	-	44.5	-	64.5	-	78.7	-	383.7	-	-	177.2	-	-
264/417	0.0	0	30.0	3	3.5	1	4.5	2	65.4	9	36.0	10	67.0	12	614.0	92	74	(773.3)	(84)	-
267/137	1.9	1	17.8	4	9.9	1	4.0	3	56.3	6	67.0	14	67.4	8	(446.0)	(58)	-	(223.6)	(22)	-
267/693	5.0	3	50.0	2	43.0	4	21.7	6	110.0	12	93.0	20	149.0	19	1399.0	149	-	1442.9	141	-
267/862	0.0	-	19.0	-	42.0	-	19.0	-	53.0	-	151.5	-	150.0	-	1145.5	-	-	-	-	-
267/887	0.0	0	22.0	2	74.8	4	28.0	6	107.4	12	140.0	16	111.5	17	1016.6	128	-	1076.9	116	-
268/199	2.5	1	34.6	2	89.5	3	31.2	6	156.5	11	91.1	12	100.2	13	1244.1	102	-	1511.1	102	-
268/352	3.2	1	64.1	7	84.5	3	18.5	5	117.1	13	114.6	15	117.2	14	1046.1	116	-	1036.6	98	-
268/441	7.0	2	38.0	3	43.0	2	13.0	3	102.0	6	80.5	6	83.5	10	781.4	77	80	877.5	83	90
268/631	0.3	1	24.0	3	25.5	2	4.3	9	55.6	12	113.3	16	97.7	17	617.3	115	81	662.6	103	86
268/845	2.0	1	39.9	3	44.0	2	10.8	2	69.7	6	68.2	6	75.8	9	638.1	62	85	744.5	65	99
268/882	9.7	1	34.0	1	50.1	2	4.4	1	93.2	7	106.1	5	63.3	3	601.8	45	-	627.8	45	-
268/891	1.7	3	34.5	4	38.2	4	9.4	7	107.4	19	157.2	24	105.7	19	885.5	145	-	897.3	135	-
269/611	0.8	1	39.7	2	50.2	5	24.0	7	63.1	8	76.5	9	144.2	15	896.0	93	-	1080.7	77	-
269/647	7.1	4	32.7	3	69.4	8	87.1	16	130.9	21	137.3	19	245.3	24	1498.8	177	-	1670.3	155	-
269/712	4.3	2	63.5	3	60.5	4	64.8	17	82.2	17	74.9	17	152.7	20	1069.2	140	-	1304.4	124	-
269/775	2.5	-	59.5	4	50.0	3	25.0	5	88.5	5	62.5	-	114.0	10	964.5	(69)	-	1142.0	(71)	-
270/ 21	0.0	0	23.5	2	70.0	6	40.5	3	77.0	13	34.0	3	134.0	11	900.5	(66)	96	1089.0	(70)	116
270/119	0.7	1	72.4	5	68.1	3	55.3	11	71.7	13	59.0	12	137.3	18	999.0	121	96	1086.8	114	105
270/124	0.0	0	20.0	1	85.0	2	29.6	11	161.9	12	75.7	11	11.9	3	806.4	73	86	952.3	56	101
270/194	0.0	0	50.5	6	77.1	5	28.4	11	101.1	18	77.5	15	186.1	21	1115.1	156	-	-	-	-
270/544	0.0	0	61.6	3	61.0	4	54.2	9	108.3	13	117.7	16	209.5	17	1138.7	114	102	1052.4	114	94
270/722	0.0	0	55.5	7	84.3	4	51.3	18	121.1	17	88.3	16	151.5	14	1120.5	141	115	1109.9	133	113
270/772	0.0	0	58.0	4	55.5	4	33.5	11	59.0	12	54.0	12	206.0	18	1022.3	116	-	1036.6	103	-
271/ 99	0.0	0	58.3	4	95.0	3	70.4	9	85.0	4	361.2	10	246.1	5	1620.0	77	131	1260.5	72	102
271/170	0.0	0	50.0	1	50.0	1	40.0	4	80.0	2	20.0	1	252.5	4	1127.0	37	-	946.3	42	-
271/500	0.0	0	106.5	4	53.5	5	70.0	11	86.2	12	94.1	11	161.7	11	1281.1	109	119	1224.4	110	114
271/702	0.0	0	96.0	4	29.0	3	94.0	10	100.6	8	39.5	4	59.0	5	1299.4	83	-	1245.3	81	-
271/815	0.0	0	86.0	5	51.7	6	75.0	7	101.1	6	43.2	8	58.2	5	1246.0	83	-	1254.2	89	-
272/121	4.5	3	125.5	8	47.3	6	85.0	14	100.3	10	74.5	13	67.0	6	1464.5	121	130	1501.3	116	133
272/127	2.0	1	101.0	4	71.4	4	61.5	10	98.4	9	42.2	9	62.0	10	1296.9	98	112	1339.8	93	116
272/272	7.5	3	119.0	4	44.0	4	96.0	7	91.6	8	52.0	4	116.0	10	1762.4	85	137	1625.3	89	142
274/ 34	0.0	0	8.4	6	8.6	4	0.0	0	1.2	1	0.0	0	0.0	0	21.1	14	-	24.6	14	-
275/179	0.3	2	25.0	4	25.7	4	0.0	0	0.0	0	1.5	1	0.0	0	56.2	14	-	33.5	12	-
276/ 72	0.0	0	0.4	1	1.6	2	0.0	0	0.0	0	0.0	0	0.0	0	16.2	5	-	19.7	5	-
277/177	0.0	0	2.5	4	13.9	4	0.0	0	0.0	0	0.0	0	0.0	0	67.5	19	-	63.0	16	-
279/497	0.0	0	13.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	45.0	7	-	73.5	11	-
280/351	20.0	1	5.5	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	60.5	6	64	-	-	-
280/772	9.5	3	20.3	4	2.7	2	0.0	0	3.5	1	6.0	1	14.0	2	133.4	25	115	139.0	21	121
281/760	1.7	1	13.0	2	0.0	0	0.0	0	8.0	1	0.0	0	11.5	1	97.4	13	-	170.2	14	-
282/166	0.0	0	7.7	1	1.2	2	0.0	0	19.9	3	6.0	1	11.0	2	133.1	21	102	163.0	17	125
282/464	1.5	1	8.5	2	0.0	0	0.0	0	24.0	3	5.0	1	0.0	0	125.0	24	-	150.0	24	-
282/823	0.0	0	9.1	2	6.1	1	0.0	0	22.7	3	11.7	1	9.5	1	126.8	18	76	129.8	15	78
283/ 44	4.0	1	7.0	2	2.3	2	0.0	0	24.0	3	21.7	1	10.5	2	154.9	39	-	159.0	39	-
283/ 98	0.5	1	2.4	1	0.0	0	0.0	0	21.5	2	33.0	1	1.7	1	122.6	18	85	135.0	20	93
283/334	2.5	2	11.6	4	2.0	1	0.0	0	12.8	2	3.0	1	10.5	1	175.9	28	100	(196.7)	(24)	-
283/466	6.5	3	2.0	4	0.3	1	0.0	0	17.5	3	6.8	1	11.5	2	146.6	33	88	172.9	31	104
284/ 8	10.7	3	3.2	2	0.0	0	0.0	0	25.2	2	2.3	1	13.5	1	238.8	28	128	262.3	28	140
284/361	20.0	2	0.0	0	0.0	0	0.0	0	21.5	3	0.0	0	0.0	0	181.2	16	91	180.9	16	91
284/832	6.0	1	0.0	0	0.0	0	0.0	0	31.0	3	0.0	0	0.0	0	79.7	10	41	221.1	13	113
285/265	21.0	3	0.0	0	0.0	0	0.0	0	19.0	3	0.0	0	0.0	0	60.2	10	52	204.4	14	131
286/170	21.9	2	5.0	1	0.0	0	0.0	0	31.0	2	0.0	0	0.0	0	252.9	18	-	355.4	21	-
286/300	27.5	3	9.9	4	6.8	3	0.0	0	38.6	3	0.0	0	0.0	0	291.0	31	-	376.1	29	-
286/497	12.0	3	4.1	2	2.3	2	0.0	0	39.7	4	9.2	2	10.7	2	308.6	38	108	367.2	34	130
287/ 41	0.0	0	16.0	1	0.0	0	0.0	0	66.0	2	8.0	1	47.5	2	421.5	23	131	443.0	25	136
287/132	14.3	3	5.6	2	0.0	0	0.0	0	35.0	2	0.0	0	0.0	0	338.0	33	120	434.9	38	155
287/441	7.0	2	0.0	0	0.0	0	0.0	0	42.5	2	17.5	1	0.0	0	382.2	30	120	436.6	36	137
287/574	4.5	1	0.0	0	0.0	0	0.0	0	26.0	1	10.0	1	30.0	2	412.4	29	-	520.7	33	-
287/885	10.5	2	3.0	1	4.5	1	0.0	0	26.5	2	10.5	1	28.9	3	408.4	32	118	441.5	31	126
288/ 54	4.7	2	7.5	2	2.2	1	0.0	0	26.5	2	43.8	2	7.5	1	387.6	42	-	446.8	44	-
288/378	0.0	0	0.0	0	0.0	0	0.0	0	27.5	2	6.0	1	33.0	1	243.1	20	76	350.2	25	109
288/416	0.0	0	0.0	0	0.0	0	0.0	0	22.5	1	37.5	2	19.5	1	287.5	24	110	367.0	28	141
288/528	3.5	2	0.7	2	1.5	2	0.0	0	37.2	3	9.1	3	46.5	4	475.7	53	155	527.8	56	172
288/610	4.5	1	0.0	0	0.0	0	0.0	0	29.5	2	13.0	1	56.5	2	424.4	28	139	463.4	30	152
289/102	4.7	1	1.0	1	0.0	0	0.0	0	(27.5)	(3)	20.9	2	24.0	2	(376.5)	(34)	-	450.9	41	145
289/243	1.5	4	1.5	2	0.0	0	0.0	0	31.5	3	21.5	4	17.0	3	358.4	52	-	404.5	59	-
290/ 32	0.0	0	9.0	2	0.0	0	0.0	0	29.0	4	23.4	4	62.9	7	316.3	46	76	313.2	46	76
290/191	2.0	1	2.5	1	0.0	0	0.0	0	23.5	4	16.5	4	41.5	5	275.5	37	111	(297.7)	(32)	-
290/464A	4.0	1	0.0	0	0.0	0	16.0	2	19.0	1	30.5	4	72.5	7	453.9	43	113	499.4	43	124
290/468	4.2	3	7.7	4	0.4	1	0.2	1	31.0	7	22.4	7	95.6	10	452.0	79	106	475.6	70	111

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
290/560	BENFONTEIN	28°50'	24°49'	1189	73.5	7	54.5	7	69.5	6	17.0	4	54.5	4
290/810	DRIEPUTS	2900	2457	1173	96.0	8	37.5	6	64.5	-	40.5	6	35.5	7
291/ 77	BOTHASHOEK - POL	2847	2503	1189	73.5	10	75.7	5	104.0	8	34.5	2	76.0	5
291/146	PERDEBERG - SAR	2858	2505	1173	103.5	9	57.0	6	91.5	4	35.5	6	55.5	7
291/245	LEEUFONTEIN	2835	2509	1250	89.9	8	87.5	7	55.5	6	34.1	5	53.2	5
291/313	WATERPASLAAGTE	2843	2511	1250	114.0	9	93.5	9	65.5	6	48.0	5	57.0	5
291/360	GROENPUNT	2900	2512	1143	114.0	11	89.0	9	106.5	8	41.0	9	34.0	5
291/392	BOSHOF - TNK	2832	2514	1258	92.2	8	89.0	8	69.6	7	27.0	2	58.0	5
291/415	BANKSDRIFT	2855	2514	1189	123.0	10	37.5	6	86.5	10	34.0	9	39.0	7
291/582	ZWOL	2842	2520	1189	78.7	11	98.0	8	57.5	8	37.0	3	47.0	5
291/593	AMANDELDAM	2853	2520	1280	72.0	5	26.6	2	39.0	3	28.0	2	35.0	3
291/758	CONTENT	2838	2526	1250	56.8	7	91.7	10	35.0	4	39.0	3	32.5	2
291/899	KATDOORNPUT	2859	2530	1219	120.2	6	51.4	6	61.3	4	26.0	5	41.1	6
292/ 43	VREDE	2843	2532	1215	54.5	3	173.0	9	41.0	4	0.0	0	41.5	3
292/127	KWAGGAFONTEIN	2837	2535	1250	30.4	2	94.0	7	36.5	4	47.0	4	41.2	5
292/308	VALLEIDAM	2838	2541	1250	58.0	6	71.5	8	58.5	4	29.5	2	53.3	5
292/461	DEALESVILLE - MAG	2841	2546	1250	42.4	5	71.7	8	68.1	11	34.6	3	55.7	6
292/636	LIBERIE	2836	2552	1295	128.0	11	103.0	7	37.5	7	42.0	6	37.0	5
292/833	UITVLUG - WES	2853	2557	1219	103.6	10	59.7	9	52.4	9	34.0	5	43.0	5
293/ 7	MIDDELKOP	2837	2601	1307	74.0	7	103.7	8	46.0	6	33.0	2	53.5	4
293/106	FLORISBAD	2846	2604	1310	145.5	11	71.0	8	59.5	7	45.5	4	35.5	5
293/204	DONKERHOEK	2854	2607	1597	132.0	12	58.0	6	49.3	6	34.0	4	39.0	5
293/403	VOORUITSIG	2843	2614	1340	93.5	10	80.5	8	31.0	6	38.5	5	27.0	3
293/514	STILLEWONING	2834	2618	1415	127.5	18	86.0	9	26.9	10	42.6	6	50.0	5
293/597	GLEN COLLEGE - AGR	2857	2620	1304	95.0	11	62.9	9	37.4	9	57.1	8	32.3	6
293/700	AARDDORNS	2840	2624	1372	130.0	13	73.0	6	21.5	5	42.0	3	57.0	5
293/792	BRANDFORT - MAG	2842	2627	1402	90.6	12	55.6	9	45.6	7	39.7	6	57.0	6
294/ 52	VLAKFONTEIN	2852	2632	1396	57.1	6	49.0	5	27.9	5	58.9	3	7.5	1
294/154	BELLEVUE	2834	2636	1394	74.0	11	75.1	5	94.9	14	52.0	3	43.5	5
294/233	IDOMIA	2853	2638	1402	74.0	8	120.0	5	44.5	4	45.5	2	44.0	3
294/400	KOOLKLIP	2840	2644	1370	79.0	6	26.5	4	27.5	3	43.5	4	22.5	2
294/417	FRANCINA	2857	2644	1509	99.5	9	117.5	9	24.5	3	48.0	4	30.0	4
294/481	ERFENIS DAM	2831	2647	1370	151.4	12	43.0	10	52.7	9	32.0	4	29.6	4
294/500	VERKEERDEVLEI - POL	2850	2647	1454	116.5	8	64.5	4	38.5	5	33.7	5	45.0	5
294/567	KGALALA - NAF	2857	2649	1525	87.4	7	71.1	9	9.0	3	29.6	3	52.7	7
294/826	DRIEKOP	2846	2658	1387	84.5	8	95.5	8	49.2	5	49.5	2	31.5	4
294/847	DOORNPOORT	2837	2659	1372	105.7	11	53.5	10	24.5	4	43.5	4	23.0	4
295/ 1	WINBURG - POL	2831	2701	1433	130.0	12	59.0	7	58.5	3	38.0	2	49.0	3
295/116	EXCELSIOR - MUN	2856	2704	1463	93.2	7	47.0	4	40.5	3	12.5	2	44.5	4
295/139	SKIMPERSVLEI	2849	2705	1417	80.5	11	83.5	7	19.5	3	12.5	3	39.0	4
295/174	HOUMOED	2854	2706	1463	96.0	12	66.5	6	49.6	7	52.5	6	42.5	5
295/254	MAREE	2844	2709	1433	73.0	11	47.0	8	31.5	7	74.0	5	41.0	4
295/405	POT - THE - RED	2845	2714	1490	119.0	14	30.5	10	61.5	7	64.0	5	38.5	4
295/408	MORESON	2848	2714	1448	115.5	13	43.8	6	48.5	6	59.2	6	54.5	5
295/413	DANGER POINT	2853	2714	1524	139.0	11	84.0	9	46.0	8	17.0	3	36.4	3
295/539	MEQUATLINGSNEK	2859	2718	1555	87.0	7	95.1	10	35.8	5	56.3	4	47.0	5
295/558	FLORA	2848	2719	1524	124.5	16	43.2	13	59.7	10	62.0	5	42.1	6
295/720	BARLETTA	2900	2724	1676	124.0	11	84.0	10	41.0	6	35.5	3	43.0	6
295/760	MARQUARD - POL	2840	2726	1509	119.0	8	69.0	7	37.0	4	55.0	4	40.0	3
295/770	BELMONT	2850	2726	1615	113.3	14	83.5	11	35.3	7	71.6	5	35.6	4
295/807	KEBLE	2857	2727	1676	154.0	14	60.8	13	44.0	5	76.8	7	51.5	6
296/115	CLOCOLAN - POL	2855	2734	1600	50.0	5	49.0	6	46.4	8	55.8	6	38.7	5
296/157	SUNNY HILLS	2837	2736	1675	129.3	14	125.1	11	59.5	5	60.3	7	41.0	5
296/169	LAMBERTINA	2849	2736	1646	204.5	11	68.0	14	56.1	-	55.9	4	44.0	5
296/238	ALTAMURA	2858	2738	1652	149.5	16	72.0	11	25.5	7	3.0	1	40.0	4
296/379	KIRKLINGTON	2849	2743	1676	192.0	15	103.0	8	30.1	6	60.9	6	38.2	4
296/416	PEKABRUG - POL	2856	2744	1525	173.0	12	61.5	9	37.0	8	46.0	5	36.5	4
296/503	GLEN MORGAN	2843	2750	1676	148.5	14	93.0	13	57.0	8	53.5	6	45.5	5
296/622	IMPERANI - MUN	2852	2751	1640	118.0	10	52.5	9	47.5	5	33.0	4	46.5	4
296/682	FICKSBURG - TNK	2852	2753	1585	127.1	8	63.3	6	40.5	3	46.5	4	40.5	4
296/682A	FICKSBURG - MUN	2852	2753	1585	147.0	12	55.0	6	50.5	4	57.5	5	40.5	2
296/731	WELTEVREDE	2841	2755	1707	155.5	11	82.2	11	63.0	8	54.3	5	36.9	4
297/ 83	LERIBE	2853	2803	1666	127.5	-	84.1	-	41.5	-	46.0	-	51.0	-
297/337	FOURICSBURG - MAG	2837	2812	1783	142.0	12	130.5	11	86.7	10	61.0	6	48.8	5
297/401	CALEDONSPOORT - POL	2841	2814	1525	171.0	10	79.5	9	119.0	6	63.5	5	45.0	3
297/436	BUTHA-BUTHE	2846	2815	1768	138.3	-	82.5	-	115.0	-	64.5	-	61.0	-
297/721	CLARENS - MUN	2831	2825	1676	133.2	12	55.8	7	55.0	3	96.0	5	39.0	3
298/193	OX - BOW	2843	2837	2591	228.7	22	172.0	15	139.0	14	122.1	6	78.1	6
298/244	CALEDONIA	2834	2839	1951	186.1	25	120.3	20	120.0	15	103.0	7	103.0	6
298/301	OLDENBURG	2831	2841	1769	163.2	17	199.9	19	77.5	7	84.3	8	74.8	6
298/425	MONONTSA - NAF	2835	2845	1830	151.0	11	74.0	6	85.0	4	47.0	4	33.0	2
298/481	EERSTESENDING	2831	2847	1685	184.7	16	55.0	7	73.5	7	72.8	6	43.5	4
298/512	WITSIESHOEK - NAF	2832	2848	1699	146.0	10	63.3	9	65.1	6	58.2	4	35.3	6
298/545	ELIZABETH ROSS - HOSP	2835	2849	1768	146.0	19	63.0	11	61.5	10	61.5	7	43.5	5
298/638	MATSOAKENG	2838	2852	1829	140.3	19	52.5	8	88.0	13	12.0	3	102.0	4
298/791	ROYAL NATAL NAT PARK - VIS	2841	2857	1490	447.0	24	240.1	14	144.0	8	69.0	7	61.5	9
298/818	CAVERN GUEST FARM	2838	2858	1980	464.0	24	196.3	20	176.1	11	63.0	6	57.2	9
298/871	BOSCHKLOOF	2831	2900	1785	208.2	16	66.9	8	44.6	5	73.6	7	34.6	4
299/ 8	CLIFFORD CHAMBERS	2838	2901	1372	348.5	15	232.5	11	117.0	6	43.5	5	37.5	1
299/223	OLIVIA - NAF	2843	2908	1219	298.0	19	120.5	15	134.0	11	46.0	7	63.5	6
299/357	CATHEDRAL PEAK - HOTEL	2857	2912	1448	300.3	21	171.7	13	111.6	12	64.5	5	26.5	4
299/419	CATHEDRAL PEAK - BUS	2859	2914	1870	333.1	29	206.9	19	152.8	21	46.5	10	47.3	8
299/614	BERGVILLE - MAG	2844	2921	1128	161.0	11	155.0	11	76.0	6	43.5	2	43.0	4
299/900	HEARTSEASE	2900	2930	1167	257.3	16	138.0	12	104.0	12	60.0	-	49.5	3
300/ 67	ROSELEIGH	2837	2933	1219	248.0	15	82.3	6	33.7	3	0.0	0	44.5	7

R A I N F A L L 1 9 7 1

TOTAL RAINFALL IN MILLIMETERS . NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
290/560	4.0	1	4.0	1	0.0	0	0.0	0	25.0	4	28.5	4	83.4	8	413.9	46	102	449.0	41	111
290/810	3.5	1	0.0	0	4.0	1	0.0	0	34.5	3	19.5	3	30.5	4	366.0	(41)	102	434.5	(44)	116
291/ 77	0.0	0	12.0	2	0.0	0	0.0	0	72.5	6	7.5	2	123.4	6	579.1	46	-	534.2	44	-
291/148	3.5	1	0.0	0	0.0	0	0.0	0	39.5	2	12.5	3	36.5	5	435.0	43	110	504.0	46	127
291/245	2.0	1	4.0	1	0.0	0	0.0	0	64.0	3	15.7	3	82.0	7	487.9	46	115	523.7	49	123
291/313	4.7	1	7.0	2	0.0	0	0.0	0	97.0	4	15.5	4	62.0	5	564.2	50	-	606.2	46	-
291/360	4.0	1	7.0	2	0.0	0	0.0	0	38.5	3	7.5	2	-	-	(441.5)	(50)	-	556.5	56	143
291/392	2.5	1	7.0	2	0.0	0	0.1	1	45.5	4	12.5	4	104.0	7	507.4	49	112	586.6	52	129
291/415	5.0	1	8.0	1	0.0	0	0.0	0	48.5	4	23.5	4	65.5	6	470.5	58	106	503.0	58	113
291/582	4.5	1	4.0	1	0.0	0	0.0	0	78.6	5	14.0	4	73.0	6	492.3	52	-	540.2	53	-
291/593	4.0	1	8.0	1	0.0	0	0.0	0	61.0	3	18.0	2	16.0	1	307.6	23	-	240.1	26	-
291/758	3.0	1	6.4	2	0.0	0	0.0	0	48.0	3	2.5	1	91.0	7	405.9	40	-	480.2	42	-
291/899	0.0	0	0.0	0	0.0	0	0.0	0	65.9	4	9.4	2	65.3	4	440.6	37	107	460.1	34	112
292/ 43	0.0	0	0.0	0	0.0	0	0.0	0	44.5	2	16.0	1	14.5	1	385.0	23	-	426.5	26	-
292/127	0.0	0	0.0	0	0.0	0	0.0	0	49.0	4	16.0	1	62.0	6	376.1	33	-	446.1	36	-
292/308	0.0	0	11.5	1	0.0	0	0.0	0	46.5	4	19.0	2	94.0	6	441.8	38	-	455.8	41	-
292/461	1.0	1	2.0	1	0.0	0	0.0	0	28.5	2	24.5	1	69.1	5	397.6	43	94	476.9	54	112
292/636	2.0	1	0.0	0	0.0	0	1.4	2	38.8	3	14.5	3	44.8	8	449.0	53	-	519.7	59	-
292/833	3.0	1	7.0	1	0.0	0	0.0	0	45.0	5	6.5	2	39.9	7	394.1	54	-	526.5	59	-
293/ 7	0.0	0	0.0	0	0.0	0	0.0	0	52.0	4	14.0	4	52.5	4	428.7	39	98	512.2	44	117
293/106	0.0	0	5.0	1	0.0	0	12.4	2	37.0	3	21.5	3	51.0	6	483.9	50	105	568.6	54	123
293/204	2.0	1	6.0	1	0.0	0	0.0	0	41.0	3	-	-	-	-	(361.3)	(38)	-	535.0	55	110
293/403	3.0	1	0.0	0	0.0	0	10.0	1	48.5	5	17.5	4	56.3	10	405.8	53	-	520.9	55	-
293/514	1.5	1	0.2	1	0.0	0	2.1	3	30.5	4	10.7	5	67.0	10	445.0	72	87	550.8	76	108
293/597	2.0	1	4.2	2	0.0	0	0.2	1	71.3	6	20.9	6	57.5	8	440.9	67	86	530.2	69	103
293/700	0.0	0	0.0	0	0.0	0	2.5	1	35.5	4	22.0	3	38.5	5	422.0	46	87	523.5	46	108
293/792	0.0	0	0.0	0	0.0	0	0.0	0	27.6	6	33.1	7	47.7	9	396.9	62	72	523.3	64	95
294/ 52	0.0	0	0.0	0	0.0	0	0.0	0	47.5	3	12.9	2	41.1	6	301.9	31	89	(347.8)	(32)	-
294/154	0.6	2	0.1	1	0.1	1	0.5	1	29.5	4	25.5	3	76.9	12	472.7	62	110	590.4	63	137
294/233	0.0	0	0.0	0	0.0	0	2.5	1	39.0	5	21.9	4	46.5	7	439.9	39	96	640.5	41	139
294/400	0.0	0	0.0	0	0.0	0	0.0	0	51.0	4	17.7	3	56.0	6	323.7	32	-	445.0	35	-
294/417	0.0	0	3.6	2	0.0	0	0.1	1	38.5	5	18.0	4	75.0	8	454.7	49	83	643.5	55	118
294/481	1.0	1	0.0	0	0.0	0	0.8	2	30.5	4	25.0	5	82.5	9	448.5	60	-	532.6	66	-
294/500	0.0	0	1.0	1	0.0	0	0.0	0	26.5	5	25.0	5	60.0	7	430.7	45	74	673.7	45	116
294/567	0.0	0	2.3	2	0.0	0	0.0	0	42.0	4	12.0	3	62.0	5	368.1	43	-	561.3	53	-
294/826	0.0	0	0.0	0	0.0	0	0.0	0	42.5	5	17.5	3	70.5	7	440.7	42	81	622.2	43	114
294/847	0.0	0	0.0	0	0.0	0	0.5	2	29.0	4	10.1	3	68.6	10	358.6	52	64	518.2	59	92
295/ 1	0.0	0	0.0	0	0.0	0	0.0	0	29.5	2	28.0	2	102.5	7	494.5	38	85	580.0	45	100
295/116	0.0	0	2.0	1	0.0	0	0.0	0	41.5	4	5.0	1	34.5	5	320.7	31	57	533.2	36	94
295/139	0.0	0	0.0	0	0.0	0	1.0	1	25.5	4	33.5	4	54.0	5	349.0	42	61	542.5	46	94
295/174	1.1	2	5.0	3	0.0	0	4.0	3	30.1	5	22.4	8	63.6	13	433.3	70	74	608.0	65	104
295/254	0.0	0	2.5	1	0.0	0	0.0	0	45.5	5	35.5	6	149.0	7	499.0	54	88	505.5	54	89
295/405	0.0	0	2.0	1	0.0	0	0.0	0	49.5	6	36.0	6	115.5	8	516.5	61	76	635.0	64	94
295/408	0.0	0	1.6	2	0.0	0	0.9	2	40.2	6	33.1	9	63.6	8	480.9	63	74	656.0	67	101
295/413	0.0	0	0.0	0	0.0	0	6.0	1	39.6	4	38.5	5	84.0	7	490.5	51	78	622.3	50	99
295/539	0.0	0	11.5	2	0.0	0	3.0	1	35.1	3	39.5	6	92.3	10	502.6	53	80	675.9	49	107
295/558	0.0	0	2.6	2	0.0	0	2.0	1	54.5	6	36.5	7	88.5	8	515.6	74	76	706.0	81	103
295/720	0.0	0	8.0	2	0.0	0	3.5	2	64.0	6	62.7	7	107.5	12	573.2	65	84	714.0	60	105
295/760	0.0	0	0.0	0	0.0	0	0.0	0	34.0	4	27.2	4	52.5	9	433.7	43	69	638.1	50	101
295/770	0.0	0	1.8	3	0.0	0	5.1	3	53.9	6	56.8	8	93.4	10	550.3	71	73	686.2	71	92
295/807	1.5	1	6.0	3	0.0	0	3.5	2	52.3	7	67.1	8	108.8	11	626.3	77	83	774.3	79	102
296/115	0.0	0	5.5	2	0.0	0	0.0	0	33.0	2	50.0	3	93.8	10	422.2	47	62	567.4	50	83
296/157	0.0	0	9.3	3	0.0	0	5.5	2	67.8	6	55.8	9	75.0	8	628.6	70	84	855.3	(67)	114
296/169	3.5	1	7.0	2	0.0	0	7.0	3	50.0	5	59.5	9	90.0	8	645.5	(62)	91	738.0	(54)	104
296/238	0.0	0	6.5	3	0.0	0	5.5	2	43.5	6	67.0	8	76.5	10	489.0	68	73	604.0	66	90
296/379	0.0	0	10.2	2	0.0	0	6.4	2	34.9	4	45.5	9	94.8	7	616.0	63	88	721.4	65	103
296/416	0.0	0	11.0	3	0.0	0	4.0	1	35.9	6	71.9	9	55.5	5	534.3	62	-	712.1	63	-
296/583	0.0	0	9.5	3	0.0	0	7.5	3	22.5	4	49.2	7	100.0	10	594.2	73	78	711.8	73	104
296/622	0.4	1	8.9	3	0.0	0	5.5	2	48.0	4	40.0	7	114.1	10	514.4	59	71	656.4	53	90
296/682	0.0	0	6.5	1	0.0	0	3.0	1	43.0	3	42.4	7	114.1	8	526.9	45	70	691.4	55	92
296/682A	0.0	0	9.5	2	0.0	0	6.0	2	51.0	3	55.0	3	112.5	7	584.5	46	82	725.3	51	102
296/731	1.0	1	3.0	2	0.0	0	9.5	3	35.0	4	91.0	5	77.5	6	608.9	60	82	582.6	71	79
297/ 83	0.0	-	10.0	-	1.5	-	0.5	-	48.0	-	58.4	-	69.6	-	538.1	-	64	695.5	-	82
297/337	0.0	0	11.7	2	0.0	0	7.5	3	45.5	3	85.5	8	93.0	8	712.2	68	98	860.3	76	122
297/401	0.0	0	4.0	1	0.0	0	0.0	0	83.5	4	59.5	4	104.5	9	729.5	51	-	831.0	53	-
297/436	1.6	-	18.0	-	0.0	-	6.3	-	36.5	-	64.0	-	102.9	-	690.6	-	-	803.4	-	98
297/721	0.0	0	12.5	2	10.5	1	8.2	2	30.2	3	61.5	5	77.0	8	578.9	51	81	814.3	66	114
298/193	5.0	2	24.4	3	15.0	1	21.8	7	89.9	8	129.2	16	82.0	16	1107.2	118	-	1368.6	107	-
298/244	2.3	5	18.0	2	17.7	2	13.6	5	63.2	10	89.9	18	105.9	16	943.0	131	96	1135.1	131	115
298/301	2.0	2	17.6	-	18.1	2	3.6	1	56.9	6	96.3	13	91.1	11	885.5	(92)	107	985.1	97	119
298/425	0.0	0	21.5	1	7.0	1	0.0	0	49.0	4	78.5	7	132.0	6	678.0	46	-	753.0	49	-
298/481	4.5	1	8.5	1	11.0	1	6.0	2	44.6	7	90.6	9	137.8	10	732.5	71	91	852.4	68	105
298/512	1.3	1	14.2	1	11.5	1	9.5	2	42.2	6	(48.9)	(7)	(35.2)	(3)	(550.7)	(58)	-	700.9	61	94
298/545	0.0	0	20.0	1	12.5	1	4.5	1	42.0	5	96.0	12	122.5	10	673.0	82	-	756.0	85	-
298/638	0.0	0	0.0	0	12.5	1	0.0	0	23.7	4	97.2	7	88.7	16	616.9	75	82	752.8	87	100
298/791	7.0	1	29.0	2	43.6	5	12.0	3	56.0	4	106.6	14	134.5	13	1350.3	104	-	1489.9	102	-
298/818	9.3	1	26.0	1	28.9	3	8.9	3	64.5	-	128.6	13	170.7	16	1393.5	(107)	-	1465.8	102	-
298/871	3.5	1	8.5	1	6.3	1	4.2	1	38.6	4	75.4	9	113.5	7	677.9	64	86	714.0	61	90
299/ 8	17.0	1	26.5	1	13.0	2	6.0	2	49.5	5	128.5	13	121.5	8	1141.0	70	131	1112.5	99	108
299/223	7.0	1	31.5	2	15.5	2	9.0	4	51.5	8	97.5	9	137.0	10	1013.0	94	-	1023.0	95	
299/357	5.0	1	30.5	1	40.0	3	6.5	2	131.7	8	76.8	11	114.5	11	1081.6	92	85	1147.6	98	91
299/419	8.1	3	30.8	2	59.1	6	25.1	8	135.4	12	86.3	24	127.5	21	1258.9	103	-	1311.2	109	-
299/614	11.0	-	26.5	1	17.0	1	2.8	2	66.5	4	90.6	7	103.0	8	795.9	(57)	104	801.8	(59)	104
299/900	0.0	0	31.0	1	12.5	1	4.5	1	75.5	6	68.5	5	130.0	11	930.8	(68)	104	1001.3	(67)	112
400/ 67	0.0	0	34.5	2	17.1	2	9.3	3	103.9	7	94.8	12	176.9	14	840.1	71	-	723.4	60	

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	φ S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° '	° '											
300/206	LOSKOP - POL	2856	2937	1167	176.1	13	79.4	9	55.3	4	48.7	5	36.5	4
300/345	RIVERSIDE	2845	2942	1035	230.7	15	92.2	8	45.6	4	40.3	4	29.3	4
300/358	DRAYCOTT	2858	2942	1128	123.4	12	99.9	9	73.5	10	44.0	5	25.0	4
300/423	LADYSMITH - MUN	2833	2945	1034	149.9	16	79.1	9	71.2	6	76.1	7	62.1	9
300/554	COLENSO POW	2844	2949	960	267.2	15	35.9	7	67.0	-	37.0	4	39.5	7
300/690	ESTCOURT - TNK	2900	2953	1181	121.5	10	62.0	9	39.5	7	34.0	5	51.0	7
300/843	DOORNKRAAL	2833	2959	1065	152.5	10	55.5	5	98.0	3	51.5	3	66.7	5
301/141	WEENEN - TNK	2851	3005	845	105.1	9	74.5	5	37.0	3	38.0	3	45.4	6
301/692	RESIDENCE	2832	3024	1295	78.4	14	104.5	9	42.2	7	48.6	9	117.1	6
301/751	SUTHERLAND	2831	3026	1143	72.4	11	59.9	8	76.4	6	54.5	7	128.0	7
301/795	TUGELA FERRY - MAG	2845	3027	549	24.0	2	88.5	4	37.0	2	29.8	4	130.5	5
302/320	NADI	2850	3041	802	71.0	6	45.8	5	45.0	5	73.0	5	133.0	3
302/418	SPRINGROVE ESTATE	2858	3044	1219	59.3	6	73.5	7	55.0	6	58.7	7	122.0	4
302/503	LOOTSHOEK	2853	3047	847	57.0	5	78.3	6	40.0	5	52.8	9	111.2	4
302/628	KRANSKOP - TNK	2858	3051	1148	75.7	13	64.5	8	112.9	10	56.0	9	141.0	7
302/687	LINKLATER	2857	3053	975	85.1	13	86.4	11	101.8	9	53.5	12	132.4	4
302/699	QUDENI - BOS	2839	3054	1375	244.2	16	161.9	13	123.1	10	137.0	11	202.3	9
303/127	NKANDLA - NAF	2837	3105	1094	129.0	16	73.5	8	63.0	5	114.0	6	144.4	6
303/695	MELMOTH - POL	2835	3124	770	162.7	14	55.0	9	69.5	6	79.5	8	150.0	6
303/833A	ESHOWE - MUN	2853	3128	532	200.5	21	150.1	14	110.6	15	110.9	15	298.8	11
304/283	KWAYAYA	2843	3140	152	136.0	9	56.3	8	61.0	7	96.5	8	145.0	4
304/426	NTAMBANANA-POL	2836	3144	366	138.0	8	69.6	8	94.2	9	71.0	6	147.5	8
304/446	MTUNZINI - MAG	2856	3145	12	185.0	5	147.8	5	189.6	8	131.1	7	420.8	10
304/593	PORT DURNFORD - D - BOS	2853	3150	130	191.3	15	163.1	11	155.7	13	108.9	11	495.9	13
304/681	PORT DURNFORD - A - BOS	2851	3153	61	170.0	16	157.5	8	188.6	11	112.0	10	479.5	11
304/736	EMPANGENI - MAG	2846	3155	137	156.6	14	127.5	9	192.8	10	112.4	10	447.2	11
304/822	KULU HALT	2842	3158	30	161.0	21	153.5	9	131.5	14	137.0	13	400.0	11
305/ 17	RICHARDSBAAI - ALUSAF	2847	3201	17	185.2	19	134.0	10	208.0	15	127.9	15	588.0	15
305/ 37	FAIRVIEW	2837	3202	91	169.5	14	124.5	10	172.5	13	112.8	11	319.0	8
305/ 43	ENSELENI	2843	3202	121	174.1	12	133.0	6	178.3	7	196.7	6	542.9	8
305/167	RICHARDS BAY	2847	3206	15	(21.5)	-	111.1	10	229.3	13	132.3	9	666.6	9
305/193	MSINGAZI	2843	3207	45	-	-	-	-	-	-	129.9	14	693.5	6
305/308	KWA - MBONAMBI - BOS	2838	3211	30	250.0	16	246.0	10	214.5	12	161.0	15	611.5	13
305/336	LANGEPAN - BOS	2836	3212	75	273.0	18	181.8	13	185.6	15	113.1	12	575.4	14
316/ 61	SWARTMODDER	2801	2033	730	19.0	4	51.5	5	12.0	2	6.0	1	0.0	0
316/294	LUTZPUTS	2824	2040	813	70.8	4	26.5	4	2.5	1	5.0	1	15.0	1
317/447A	UPINGTON - AGR	2827	2115	793	29.3	5	50.0	8	52.3	7	10.6	7	13.6	2
317/474	UPINGTON - WK	2824	2116	836	15.5	5	83.2	11	31.4	6	36.5	7	13.8	3
318/ 23	PIETMOF	2823	2131	762	36.5	2	20.0	1	0.0	0	10.0	1	0.0	0
319/582	GROOTKUIP	2812	2220	1215	33.7	4	85.5	7	49.0	2	11.5	3	11.3	3
319/869	WELTEVREDE	2829	2229	1190	67.5	6	40.0	3	0.0	0	23.0	2	29.5	1
320/327	WYDPOORT	2827	2241	1190	60.0	6	67.7	7	34.5	4	17.0	3	49.5	3
320/348	DUNMURRAY	2818	2242	1311	59.0	6	81.0	8	25.5	3	13.0	3	72.0	4
320/430	THABA - LETSELE	2810	2245	1372	54.1	10	133.0	5	16.9	3	15.4	2	49.4	4
320/654	WOLHAARKOP	2824	2252	1219	40.0	7	84.5	6	33.0	5	12.5	2	36.0	3
320/828	AUCAMPSRUS	2818	2258	1320	39.5	7	104.5	7	0.0	0	22.5	-	67.0	4
321/ 32	LOHATHLA	2802	2302	1370	51.0	6	66.5	10	73.0	9	12.8	3	62.0	4
321/110	POSTMASBURG - POL	2820	2304	1311	51.5	7	54.8	5	41.5	3	12.0	2	49.0	4
321/116	MOOIDRAAI	2826	2304	1310	56.4	12	85.2	8	53.2	11	15.1	4	52.5	4
321/159	MANGANORE	2809	2306	1385	41.7	6	100.0	6	52.5	5	15.3	2	51.5	5
321/441	TIERKOP	2821	2315	1450	92.0	9	93.2	7	43.5	5	14.5	2	50.0	4
321/735	OWENDALE	2815	2325	1548	14.0	11	94.0	9	37.5	5	15.6	4	06.5	-
321/892	LIME ACRES - POL	2822	2330	1450	154.0	8	106.5	9	76.8	5	16.5	2	45.0	4
322/ 71	DANIELSKUIL - POL	2811	2333	1402	103.1	10	108.0	8	41.0	6	18.0	1	51.0	5
322/172	SILVERSTREAMS	2822	2336	1445	145.1	11	89.3	11	68.9	6	40.6	5	44.6	5
322/329	PAPKUIL - POL	2829	2341	1450	107.4	-	110.0	6	31.0	4	0.0	0	65.0	4
322/648	VAALPAN	2818	2352	1450	153.4	15	114.2	7	93.7	8	34.0	7	53.4	7
323/102	KOOPMANSFONTEIN 11 - AGR	2812	2404	1341	103.5	11	130.0	13	85.0	10	41.5	7	39.0	7
323/144	POTFONTEIN	2824	2405	1215	86.2	9	125.6	9	109.0	7	32.5	5	36.9	4
323/160	KOOPMANSFONTEIN 1 - AGR	2810	2406	1340	87.0	7	99.0	8	101.0	6	30.0	3	47.0	7
323/221	KOOPMANSFONTEIN 111 - AGR	2811	2408	1340	56.0	7	146.5	5	103.0	6	26.5	3	45.5	7
323/271	TEVREDENHEID	2801	2410	1370	82.5	11	69.5	8	95.0	5	52.0	5	46.6	5
323/535	DELPORTSHOOP - POL	2825	2418	1030	93.5	6	38.5	4	69.0	7	33.5	3	41.0	4
323/649	NEWLANDS	2819	2422	1067	50.4	12	58.7	11	73.1	10	42.9	6	77.5	7
323/820	SPITSKOP	2810	2428	1095	57.0	8	55.5	7	59.0	5	56.5	5	29.0	2
324/ 77	SMITHMINE-POL	2817	2433	1095	59.0	6	31.5	6	78.5	10	42.3	5	56.4	7
324/135	VAALBOSHOEK	2815	2435	1130	65.6	6	82.4	6	83.0	7	50.8	5	42.5	4
324/202	ROCKLANDS	2822	2437	1165	94.5	10	51.5	8	65.0	7	20.5	5	77.5	7
324/379	WINDSORTON - MUN	2819	2443	1169	23.5	7	64.5	4	95.0	5	29.9	4	72.5	7
324/561	WINDSORTON ROAD - SAR	2821	2449	1170	52.0	5	41.3	7	52.0	4	42.4	3	60.7	5
324/607	WARRENTON - MUN	2807	2451	1198	118.3	10	95.9	9	57.9	11	64.4	9	54.5	7
324/725	NAZARETH HOUSE FARM	2805	2455	1209	76.7	11	74.1	9	48.0	8	45.0	6	51.5	5
324/689	LUSTHOF	2819	2500	1219	64.1	11	66.3	8	50.8	6	42.9	3	35.3	5
325/317	AMANDELBOOM	2817	2511	1340	41.0	5	72.0	3	24.0	2	21.0	1	45.7	3
325/471	BORDEAUX	2821	2516	1310	49.4	6	45.2	4	42.2	4	34.5	2	45.6	3
325/816	HOUMOED	2806	2528	1295	70.5	7	52.0	7	59.5	8	17.5	3	36.0	5
325/877	HERTZOGVILLE - POL	2807	2530	1326	57.0	6	74.0	6	47.5	5	43.0	2	65.5	4
326/ 73	KOUTER	2813	2533	1340	33.0	4	54.5	6	41.4	6	26.0	1	33.5	3
326/298	BUITENVERWAG	2828	2540	1280	11.0	2	61.0	5	49.5	5	45.0	4	53.5	4
326/668	GELUK	2808	2553	1325	105.0	10	42.0	3	43.0	0	64.0	5	39.5	5
326/670	BRAND	2810	2553	1310	77.5	7	36.5	5	58.5	5	33.9	1	34.5	3
326/797	DIE HOOGTE	2817	2557	1372	121.0	6	31.5	6	43.0	6	27.0	1	31.5	4
327/257	BULTFONTEIN - SKL	2817	2609	1326	207.4	10	41.2	7	38.3	7	24.0	4	31.0	5
327/257A	BULTFONTEIN - MUN	2817	2609	1339	212.0	9	36.5	7	41.5	9	21.5	5	33.5	6
327/264	KAREEPAN	2824	2609	1341	176.1	8	54.5	6	67.7	6	32.0	3	42.4	4

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
300/206	0.0	0	32.6	2	27.0	2	0.0	0	58.4	4	74.3	5	99.2	7	687.5	55	-	763.9	57	-
300/345	0.0	0	31.2	2	18.2	2	8.8	1	75.4	5	61.9	6	143.1	9	776.7	60	-	742.2	62	-
300/358	0.0	0	34.1	3	24.5	2	5.8	5	33.4	6	68.2	11	76.5	11	608.3	78	85	715.2	79	100
300/423	1.2	1	27.3	4	27.0	2	7.5	5	83.7	8	56.0	13	105.6	13	746.7	93	-	824.1	85	-
300/554	0.8	1	26.0	1	26.5	2	10.5	5	102.0	11	76.0	12	161.4	11	849.8	(76)	107	794.2	(73)	100
300/690	2.0	1	18.5	2	30.0	2	0.0	0	56.5	7	114.0	11	104.7	12	633.7	73	85	691.0	64	93
300/843	0.0	0	33.5	2	31.5	2	5.0	1	79.8	9	85.0	8	81.5	7	740.5	55	-	748.3	49	-
301/141	0.0	0	25.0	2	30.5	2	4.5	2	65.0	4	79.7	7	190.8	10	695.5	53	103	643.5	47	95
301/692	0.0	0	32.2	3	35.0	2	14.3	6	178.0	14	100.6	18	163.3	12	914.2	100	114	905.8	89	113
301/751	0.0	0	34.0	3	43.5	2	20.0	6	191.5	11	126.0	13	198.5	11	1004.7	85	125	692.8	72	111
301/795	0.0	0	20.0	4	31.4	-	1.4	1	134.5	9	113.0	9	134.0	7	744.1	(47)	111	569.2	31	85
302/320	0.0	0	20.9	2	56.5	3	0.0	0	80.0	6	101.1	6	92.2	9	718.5	50	113	741.2	54	116
302/418	0.0	0	44.0	3	74.0	3	117.0	6	113.0	5	48.0	5	77.5	7	842.0	59	-	646.6	67	-
302/503	0.0	0	33.9	3	55.0	2	9.4	3	77.8	6	60.1	4	88.7	9	664.2	56	98	729.1	64	107
302/628	0.0	0	47.0	3	71.0	2	24.5	6	83.5	6	73.0	8	135.5	6	854.6	80	101	847.4	85	97
302/687	0.0	0	49.5	3	65.5	5	30.9	7	85.7	7	61.8	13	162.2	14	914.8	98	-	868.7	86	-
302/699	0.0	0	61.0	4	94.6	4	80.0	8	137.5	14	170.0	14	248.7	-	1660.3	(103)	101	1736.9	115	105
303/127	0.0	0	54.0	3	25.9	3	17.0	5	71.0	8	74.9	10	192.0	14	958.7	84	107	985.4	70	110
303/695	0.0	0	59.5	4	9.6	3	47.4	10	97.0	10	42.2	9	144.6	12	917.0	91	114	965.0	86	122
303/833A	8.5	2	93.2	5	48.7	6	140.1	16	197.7	17	95.6	16	109.5	12	1564.2	150	-	1646.0	136	-
304/283	10.5	1	51.2	4	39.5	4	28.6	5	94.4	9	21.9	7	138.5	10	921.4	76	120	691.4	60	116
304/426	0.0	0	46.0	3	15.5	2	41.0	4	106.0	-	115.5	-	77.5	6	921.8	(56)	-	896.3	64	-
304/446	0.0	0	166.6	7	34.0	-	111.3	8	137.9	10	115.5	5	141.5	4	1781.1	(69)	148	1748.6	65	145
304/593	26.1	4	171.1	7	28.5	5	144.1	14	139.9	13	114.8	12	132.0	13	1871.4	131	-	1668.3	125	-
304/681	28.0	3	216.5	8	21.5	5	108.5	-	142.5	-	88.0	4	-	-	(1712.6)	(76)	-	1800.4	115	134
304/736	8.4	2	137.7	5	15.1	3	72.3	10	122.3	9	66.6	12	136.5	9	1595.4	104	143	1515.8	107	136
304/822	7.5	2	145.0	7	16.0	5	81.0	10	158.0	9	53.0	10	110.0	11	1553.5	122	137	1424.5	117	126
305/ 17	14.3	3	130.5	-	18.2	8	88.4	12	83.9	-	88.3	15	167.0	11	1613.7	(123)	-	-	-	-
305/ 37	7.5	1	114.5	6	16.5	3	65.5	7	150.0	8	58.0	8	93.5	8	1405.8	97	144	1305.8	101	134
305/ 43	9.0	1	240.0	5	9.2	1	124.4	9	188.1	8	76.5	6	159.0	6	2031.2	77	174	1651.3	75	156
305/167	31.0	3	164.3	5	78.1	6	69.7	10	118.9	7	56.6	9	124.8	8	(1826.4)	(89)	-	(1738.3)	(80)	-
305/193	21.0	1	179.8	4	3.0	1	54.9	3	124.5	3	10.5	2	163.0	3	(1380.1)	(37)	-	-	-	-
305/308	33.5	2	141.0	7	11.0	4	119.1	9	174.5	9	56.5	9	160.1	11	2178.7	117	163	1996.1	115	149
305/336	35.5	3	153.3	8	10.9	5	126.2	13	222.7	11	82.9	11	108.7	9	2069.1	132	-	1672.3	129	-
316/ 61	0.0	0	0.0	0	0.0	0	0.0	0	25.0	3	0.0	0	7.0	2	120.5	17	73	115.0	16	69
316/294	4.0	2	6.0	1	1.0	1	0.0	0	10.8	3	0.0	0	3.0	3	94.6	21	-	119.6	17	-
317/447A	8.4	4	6.2	6	1.5	2	0.0	0	18.5	3	13.5	1	8.9	2	212.8	47	-	167.4	43	-
317/474	14.3	4	5.9	3	0.8	2	0.0	0	17.5	3	6.7	1	3.2	1	228.8	46	-	225.2	48	-
318/ 23	0.0	0	0.0	0	0.0	0	0.0	0	29.5	3	0.0	0	0.0	0	96.0	7	-	94.5	7	-
319/582	12.0	2	2.5	1	0.0	0	0.0	0	37.5	2	11.5	2	21.5	4	276.0	30	112	256.5	27	104
319/869	12.5	1	0.0	0	0.0	0	0.0	0	37.5	2	0.0	0	14.5	1	244.5	16	-	285.6	18	-
320/327	14.5	3	8.5	2	4.5	1	0.0	0	40.0	2	0.0	0	45.6	5	342.0	36	-	322.5	36	-
320/348	4.5	1	3.0	1	0.0	0	0.0	0	43.1	3	3.0	1	50.0	3	354.1	33	105	319.5	31	95
320/430	7.9	2	0.0	0	0.0	0	0.0	0	49.0	2	17.0	2	20.5	4	403.2	34	-	382.7	32	-
320/654	0.0	0	0.0	0	0.0	0	0.0	0	53.5	2	9.0	1	28.5	3	317.0	29	109	337.5	30	116
320/828	5.0	1	0.0	0	0.0	0	0.0	0	49.0	2	0.0	0	36.5	3	324.0	(24)	115	243.5	(23)	87
321/ 32	0.3	3	0.7	3	1.8	3	0.0	0	36.1	2	43.3	4	17.4	5	364.9	52	-	337.2	51	-
321/110	6.5	1	30.0	1	1.2	1	0.0	0	12.8	2	2.0	1	9.0	3	309.3	30	97	368.6	32	116
321/116	4.8	5	7.2	3	2.7	2	0.0	0	49.0	6	11.9	5	46.6	7	394.6	67	-	388.4	63	-
321/159	3.0	1	0.0	0	3.5	1	0.0	0	32.0	2	10.0	1	15.0	2	324.5	31	-	390.9	34	-
321/441	7.0	1	3.0	1	0.0	0	0.0	0	54.0	3	20.0	1	65.0	4	432.2	37	113	447.7	40	112
321/735	0.3	1	0.0	0	3.5	1	0.0	0	45.5	2	7.0	2	20.0	2	303.9	(37)	-	253.2	(43)	-
321/892	0.0	0	0.0	0	0.0	0	0.0	0	47.5	2	61.0	2	29.5	4	338.8	36	-	446.4	32	-
322/ 71	0.0	0	0.0	0	4.0	1	0.0	0	35.0	2	19.5	2	31.0	4	450.6	39	122	438.0	36	119
322/172	3.7	1	2.0	1	0.0	0	0.0	0	44.5	4	25.4	1	26.2	5	490.5	50	146	471.3	46	141
322/329	0.0	0	0.0	0	0.0	0	0.0	0	40.3	2	25.0	3	51.0	5	489.7	(24)	130	443.5	(21)	116
322/648	0.0	0	0.0	0	0.0	0	0.0	0	26.5	2	59.0	3	54.9	7	590.0	56	199	516.7	46	175
323/102	2.0	2	5.0	2	1.5	1	0.0	0	38.5	5	14.5	5	73.0	7	533.5	70	132	542.3	67	134
323/144	2.2	1	2.0	2	0.0	0	0.0	0	44.1	4	10.9	2	46.5	3	486.0	46	137	521.5	52	147
323/160	0.0	0	5.3	2	0.0	0	0.0	0	47.5	4	22.0	1	80.5	5	519.3	43	128	508.0	46	125
323/221	0.0	0	4.9	2	0.0	0	0.0	0	47.0	4	16.0	1	86.0	5	533.4	40	130	521.0	43	127
323/271	0.0	0	0.0	0	0.0	0	0.0	0	24.0	2	51.0	2	62.0	5	464.6	43	-	471.9	45	-
323/535	1.5	1	4.0	1	0.0	0	0.0	0	34.0	5	10.5	2	57.5	5	403.0	38	-	491.2	40	-
323/649	2.9	2	6.4	3	0.0	0	0.0	0	44.4	7	15.2	4	88.0	8	499.5	72	120	500.6	73	120
323/820	5.0	1	4.5	1	0.0	0	0.0	0	24.0	2	7.5	2	73.5	4	365.5	37	103	356.4	41	101
324/ 77	3.0	1	8.5	1	0.0	0	0.0	0	41.0	6	19.0	4	70.3	7	409.5	53	-	376.9	46	-
324/135	0.0	0	13.5	1	0.0	0	0.0	0	75.5	5	37.5	2	60.5	4	566.3	46	136	529.3	44	126
324/202	0.0	0	9.5	2	0.0	0	0.0	0	53.5	5	36.5	4	66.5	3	465.0	51	119	541.5	57	133
324/379	0.0	0	8.5	1	0.0	0	0.0	0	74.5	5	6.0	1	45.5	3	465.9	37	122	519.7	41	130
324/561	0.0	0	0.0	0	0.0	0	0.0	0	66.0	3	0.0	0	30.3	2	344.7	26	95	446.4	35	121
324/607	0.0	0	4.6	2	0.0	0	0.0	0	70.3	7	35.2	4	75.0	13	566.6	72	142	519.3	70	126
324/725	0.9	1	6.3	3	0.0	0	0.0	0	63.4	7	20.5	5	61.4	[illegible]	[illegible]	61	[illegible]	[illegible]	57	107
324/889	2.1	2	0.6	2	0.1	1	0.1	1	85.9	7	10.9	5	77.2	[illegible]	514.4	61	-	491.9	60	-
325/317	0.0	0	0.0	0	0.0	0	0.0	0	63.0	4	23.6	2	106.0	3	395.6	23	-	339.0	27	-
325/471	0.0	0	7.5	1	0.0	0	0.0	0	76.5	5	28.7	3	111.0	5	440.6	33	124	416.4	36	117
325/816	3.5	1	1.0	1	0.0	0	0.0	0	74.5	6	15.8	4	81.5	10	411.6	52	105	396.5	49	101
325/877	0.0	0	0.0	0	0.0	0	0.0	0	85.0	6	73.0	3	113.2	12	536.2	44	119	524.0	46	116
326/ 73	0.0	0	0.0	0	0.0	0	0.0	0	66.5	4	11.0	1	131.5	5	397.4	30	-	350.4	35	-
326/298	0.0	0	0.0	0	0.0	0	0.0	0	49.0	3	18.6	1	91.0	6	380.6	30	-	426.0	29	-
326/668	3.0	1	0.0	0	0.0	0	0.0	0	48.0	5	10.0	4	102.7	9	457.2	51	88	507.5	50	96
326/670	0.0	0	0.0	0	0.0	0	0.0	0	50.7	4	22.0	2	94.7	6	417.4	34	94	452.4	40	102
326/797	0.0	0	0.0	0	0.0	0	0.0	0	51.5	5	0.0	0	135.0	8	460.3	38	-	500.2	45	-
327/257	2.6	1	0.0	0	0.0	0	2.6	1	49.8	6	10.6	3	109.7	7	519.4	51	92	565.5	54	100
327/257A	1.9	1	0.0	0	0.0	0	4.3	2	49.0	6	10.1	3	117.5	7	531.9	55	-	569.6	62	-
327/264	0.0	0	0.0	0	0.0	0	0.0	0	36.5	1	0.0	0	61.5	5	410.7	35	96	508.7	41	10[illegible]

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
327/426	VOORUITSIG	26° 06'	26° 15'	1275	159.0	11	61.5	6	99.0	6	59.0	6	29.5	4
327/784	NELSDRIFT	2804	2627	1280	75.0	9	44.0	6	25.0	3	38.0	3	26.0	4
327/883	GROOTKUIL	2813	2630	1280	159.5	9	61.0	4	34.0	4	53.5	3	33.0	4
327/899	PELSERSKRAAL	2829	2630	1326	65.0	10	35.5	4	52.0	7	49.0	5	25.0	3
328/159	VOORSPOED - IRR	2809	2636	1310	104.1	15	76.4	11	54.6	8	56.5	5	34.0	8
328/187	BRYAN - IRR	2807	2637	1306	105.0	9	72.8	8	67.4	7	69.5	4	35.1	5
328/384	THEUNISSEN - MUN	2824	2643	1414	90.5	8	49.0	6	67.5	6	60.5	4	35.5	3
328/425	ADAMSONSVLEI	2805	2645	1387	110.3	12	74.4	7	64.9	10	49.8	6	38.3	6
328/518	HAKKIES - IRR	2808	2648	1325	155.6	13	70.4	6	27.0	6	43.9	4	53.1	7
328/576	VIRGINIA - PUR	2806	2650	1341	123.6	13	78.4	9	25.3	9	82.5	8	43.7	7
328/636	VIRGINIA - MUN	2806	2652	1335	105.7	11	66.0	8	32.6	10	77.7	9	42.4	6
328/726	OLIVINE	2806	2655	1372	94.0	11	78.5	7	48.5	5	63.0	6	40.5	5
328/800	RIETVLEI	2820	2657	1442	76.5	11	82.5	8	50.0	5	30.5	4	21.5	3
328/838	LUCRETIA	2828	2658	1495	113.5	11	66.5	7	67.5	4	49.0	3	36.0	4
329/ 1	WHITES - PORTLAND CEMENT	2801	2701	1402	103.0	10	52.5	6	40.0	6	35.1	5	44.5	3
329/149	MORGENZON	2829	2705	1524	154.0	10	42.0	5	51.5	5	60.0	4	32.0	3
329/215	VENTERSBURG - MAG	2805	2708	1402	134.0	9	49.5	5	51.5	6	70.0	4	37.5	5
329/659	BELLONA	2829	2722	1525	144.5	12	64.5	9	55.5	4	64.0	7	33.0	4
329/783	ROOIKRAAL	2803	2727	1503	66.0	8	55.0	4	58.0	3	84.5	6	36.0	3
330/ 57	ARIZONA	2827	2732	1480	124.0	8	90.0	6	24.0	2	54.0	2	20.0	2
330/ 98	TREKPAD	2808	2734	1555	44.5	5	41.0	5	76.5	5	87.0	7	39.5	3
330/152	LIEBESTRAUM	2802	2736	1525	67.2	9	98.5	7	78.5	7	134.0	7	38.5	4
330/199	SENEKAL - AGR	2819	2737	1433	122.0	-	64.5	8	74.6	4	52.4	5	38.5	5
330/403	MIGNONETTE	2813	2744	1509	72.5	8	63.0	5	59.0	4	60.0	8	41.5	4
330/421	ROODEPOORT	2801	2745	1569	103.5	11	78.5	9	75.8	8	116.3	7	43.5	4
330/573	WEXFORD	2803	2750	1615	97.0	7	53.2	5	35.0	2	115.5	7	32.5	2
330/699	LEUCTRA	2809	2754	1585	52.0	3	74.5	6	39.0	2	96.0	4	39.5	3
330/750	ROSENDAL	2830	2755	1676	156.5	11	89.9	6	37.0	5	72.5	4	46.0	3
330/753	ANGORA	2803	2756	1585	95.0	5	101.5	8	59.0	4	90.0	3	22.0	1
330/797	PALL ROUX - MUN	2817	2757	1555	107.0	9	68.0	9	47.0	5	82.0	7	45.0	4
331/ 68	KAALLAAGTE	2808	2803	1625	109.0	7	103.5	7	84.0	5	86.0	5	46.0	3
331/119	WELGEDACHT	2829	2804	1900	86.6	10	123.6	12	62.8	-	84.7	-	52.8	7
331/121	LE LONG	2801	2805	1666	43.5	5	67.5	7	93.0	6	60.5	5	39.5	5
331/271	VAALBANK	2801	2810	1680	93.7	9	76.0	7	71.5	5	64.5	5	43.5	6
331/275	WITBANKFONTEIN	2805	2810	1676	133.3	12	84.4	8	75.5	5	95.1	7	50.5	6
331/455	MATJIESVLEI	2805	2816	1631	64.4	9	112.2	10	21.5	2	104.0	6	37.0	5
331/474	HIGHLANDS	2824	2816	1890	124.5	7	113.0	7	127.1	4	58.5	3	55.0	3
331/520	LOCH LOMOND - AGR	2810	2818	1631	117.5	12	114.7	13	55.8	7	86.6	7	45.7	6
331/521	UTOPIA	2811	2818	1646	143.3	11	141.5	12	61.6	8	102.7	7	45.2	-
331/554	BETHLEHEM - TNK	2814	2819	1611	78.2	9	83.2	8	61.6	5	90.0	4	45.0	5
331/740	SPITSKRANS	2820	2825	1737	150.1	15	80.5	15	82.3	6	79.2	8	54.9	5
331/828	NIL DESPERANDUM	2818	2828	1700	98.6	9	132.9	12	75.2	6	72.4	6	48.3	5
332/ 30	KOEBERG	2830	2831	1750	155.0	15	125.5	16	95.2	9	94.5	7	71.9	6
332/103	SKALKIE	2813	2834	1737	110.0	11	103.0	11	75.5	5	67.0	4	42.0	5
332/210	GOLDEN GATE	2830	2837	1980	75.5	9	81.0	6	56.0	7	56.9	6	78.6	5
332/349	KESTELL - POL	2819	2842	1707	126.5	10	67.9	13	59.0	7	83.0	6	46.5	3
332/370	RIETKUIL	2810	2843	1647	141.6	-	69.3	-	92.1	-	79.5	-	43.9	-
332/663	CAIRNSMORE	2803	2853	1615	138.5	9	69.8	10	84.0	8	104.0	7	35.0	4
332/674	DRIEDEEL	2814	2853	1560	103.0	11	60.5	8	76.9	9	84.3	6	46.0	5
332/828	GLEN LENNIE	2818	2858	1675	122.1	19	96.3	13	44.5	7	86.7	8	50.1	8
333/100	ROOIKRAAL	2810	2904	1675	141.5	7	52.0	5	46.5	5	98.9	5	41.5	4
333/226	HARRISMITH - TNK	2816	2906	1642	119.5	9	41.0	7	27.0	6	91.5	6	47.0	4
333/682	VAN REENEN - POL	2822	2923	1659	242.5	20	241.0	12	86.8	11	80.5	6	67.0	6
334/ 8	BACHELORS HOME	2808	2931	1830	145.3	8	154.6	9	107.5	10	81.1	6	101.3	5
334/174	MOORSIDE	2824	2936	1219	430.2	12	67.5	4	78.9	5	56.9	6	68.8	7
334/803	ELANDSLAAGTE - POL	2823	2957	1100	228.2	13	48.0	5	39.9	4	51.0	3	64.5	2
334/825	BALBROGIE	2815	2958	1006	253.2	13	76.6	9	106.4	9	68.3	8	64.7	6
335/ 91	DANNHAUSER - POL	2801	3004	1350	157.8	13	64.5	5	57.5	6	62.0	6	50.0	5
335/169	WASBANK	2819	3006	1073	172.6	14	37.4	4	157.6	6	52.5	6	56.4	4
335/215	HAFTINGSPRUIT - POL	2805	3008	1310	175.8	20	61.2	9	50.0	9	76.5	8	47.0	6
335/250	GLENCOE - MUN	2810	3009	1311	234.0	-	60.5	4	64.5	5	97.5	-	45.5	3
335/400	DUNDEE - POL	2810	3014	1247	119.4	11	24.0	3	33.4	6	77.8	7	47.0	4
335/620	SWARTWATER	2820	3021	1372	106.0	7	26.0	6	58.1	7	60.2	6	74.0	5
335/694	RIETVLEI	2804	3024	1145	103.5	9	20.0	3	21.2	5	64.5	5	48.0	2
335/746	HELPMEKAAR - POL	2826	3025	1494	117.2	6	58.5	5	71.0	4	46.0	3	112.0	3
336/ 16	RIVER VIEW	2816	3031	1130	155.4	11	91.5	6	47.4	4	71.0	6	35.0	3
336/ 59	WALDHEIM	2829	3032	1091	162.5	14	55.0	6	62.0	7	59.5	8	117.0	7
336/283	NQUTU - TNK	2813	3040	1326	121.1	11	137.6	9	63.8	6	99.0	9	109.5	5
336/292	TSANDILWANA	2822	3040	1238	95.2	11	32.1	7	36.5	5	62.0	3	24.0	3
336/803	PENRITH	2823	3057	1219	97.0	-	40.0	6	35.0	4	85.0	6	150.0	4
337/ 6	GOEDGELOOF	2806	3101	945	69.7	5	21.5	5	64.0	4	90.0	8	101.0	5
337/143	BABANANGO - POL	2823	3105	1299	166.6	12	102.5	8	68.5	9	83.5	7	139.5	5
337/148	WELVERDIEND	2828	3105	1317	187.3	22	64.7	10	75.8	11	96.8	9	134.2	4
337/431	SURPRISE STORE	2811	3115	1032	-	-	-	-	-	-	76.5	5	114.5	5
337/628	MTONJANENI	2828	3121	1065	134.3	9	55.0	3	61.0	5	87.8	6	32.8	2
337/795	MAHLABATINI - MAG	2815	3127	843	114.0	12	18.0	2	58.9	6	65.5	4	65.5	5
338/618	MPILA	2818	3151	152	274.9	16	28.2	8	56.5	12	75.2	9	114.0	4
338/668	HLABISA	2808	3153	512	208.5	15	73.0	9	138.0	11	90.0	9	70.5	7
339/ 65	HLUHLUWE - GAME RESERVE	2805	3203	452	124.6	18	100.6	10	89.7	11	66.6	8	73.3	7
339/352	KANGELA	2822	3212	76	170.5	18	116.7	12	94.3	12	72.6	12	266.0	11
339/357	RIVER VIEW	2827	3212	46	214.6	19	115.7	11	151.0	15	90.0	14	347.1	13
339/415	HILL FARM	2825	3214	76	251.0	13	158.5	10	164.5	13	103.6	12	462.2	13
339/440	PALM RIDGE	2820	3215	67	149.1	8	133.0	9	143.0	14	80.7	10	200.0	7
339/441	DUKUDUKU - BDS	2821	3215	70	157.2	13	133.4	10	163.4	11	83.8	6	307.7	7
339/483	HLUHLUWE - LOT 40	2803	3217	91	50.7	5	81.2	8	131.1	8	84.4	6	12.2	3

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NC	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
327/426	0.0	0	0.0	0	0.0	0	0.0	0	48.5	5	12.0	4	197.0	9	665.5	51	130	630.9	53	123
327/784	0.0	0	0.0	0	0.0	0	5.0	1	32.0	4	21.5	2	94.5	10	363.0	42	75	451.0	43	93
327/883	0.0	0	0.0	0	0.0	0	7.0	1	32.5	2	27.5	3	81.5	9	469.5	39	100	578.1	42	118
327/899	0.0	0	0.0	0	0.0	0	8.0	2	26.0	2	6.0	1	84.0	10	370.5	44	68	557.7	46	103
328/159	0.0	0	1.0	1	0.0	0	1.0	2	29.3	3	19.2	5	97.5	9	473.6	67	-	643.5	74	-
328/187	0.0	0	0.0	0	0.0	0	7.2	3	40.5	4	52.5	4	110.5	8	560.5	52	-	688.0	58	-
328/364	0.0	0	3.0	1	0.0	0	0.0	0	25.7	4	29.0	3	81.7	5	442.4	40	61	502.0	47	72
328/425	0.0	0	0.0	0	0.0	0	0.0	0	25.5	3	36.5	6	118.2	9	517.9	61	95	618.5	63	114
328/518	0.0	0	0.0	0	0.0	0	0.0	0	21.9	4	78.9	4	97.6	9	548.6	53	-	615.9	60	-
328/576	0.6	2	0.0	0	0.0	0	0.0	0	38.7	4	63.0	6	98.2	11	554.0	69	-	608.6	74	-
328/636	0.0	0	0.2	1	0.0	0	0.1	1	36.3	5	78.2	9	87.6	10	526.8	70	-	567.2	78	-
328/726	0.0	0	0.0	0	0.0	0	0.0	0	36.5	4	57.7	6	58.7	7	477.4	51	92	588.2	56	113
328/800	0.0	0	0.0	0	0.0	0	0.0	0	19.5	4	36.5	6	85.0	10	404.0	51	71	498.0	52	88
328/838	0.0	0	0.0	0	0.0	0	0.0	0	33.5	4	17.5	2	84.5	9	470.0	44	-	611.5	(46)	-
329/ 1	0.0	0	0.0	0	0.0	0	0.0	0	37.0	3	52.0	-	95.0	6	459.1	(43)	77	597.1	(52)	100
329/149	0.0	0	0.0	0	0.0	0	0.0	0	47.5	5	49.0	4	123.0	6	559.0	42	101	615.5	43	111
329/215	0.0	0	0.0	0	0.0	0	0.0	0	25.4	2	73.2	8	94.2	-	535.3	(39)	95	631.5	47	113
329/659	0.0	0	1.0	1	0.0	0	1.5	1	55.0	4	20.5	3	56.0	7	495.5	52	-	705.1	57	-
329/783	0.0	0	0.0	0	0.0	0	0.0	0	37.0	3	15.0	3	84.5	4	436.0	34	82	596.7	43	113
330/ 57	0.0	0	2.0	1	0.0	0	2.5	1	27.0	3	37.4	5	42.5	3	423.4	33	-	611.5	34	-
330/ 98	0.0	0	0.0	0	0.0	0	3.5	1	52.0	5	47.0	6	136.0	8	527.0	45	90	630.0	48	107
330/152	0.0	0	0.5	1	0.0	0	0.0	0	40.0	4	36.5	6	109.5	10	603.2	55	-	766.7	60	-
330/199	0.0	0	0.0	0	0.0	0	0.0	0	44.0	6	43.5	8	81.6	8	521.1	(44)	81	707.4	(46)	110
330/403	0.0	0	1.5	1	0.0	0	6.5	2	47.0	4	25.5	5	83.5	10	480.0	51	87	620.5	52	113
330/421	1.2	1	1.0	1	0.0	0	14.0	2	56.5	6	50.0	11	94.3	10	634.6	70	95	653.4	69	128
330/573	0.0	0	0.0	0	0.0	0	13.4	3	57.0	4	61.0	10	114.0	3	578.6	43	82	681.2	40	96
330/699	0.0	0	11.0	2	0.0	0	2.5	1	29.9	2	57.6	6	63.5	6	465.5	35	73	631.0	37	99
330/750	0.0	0	8.5	2	0.0	0	4.3	2	35.5	4	27.0	8	57.0	4	534.2	49	74	693.4	53	97
330/753	0.0	0	0.0	0	0.0	0	4.5	1	52.5	3	68.0	8	87.5	5	580.0	36	94	733.0	41	119
330/797	0.0	0	0.0	0	0.0	0	9.5	3	34.0	3	93.4	10	120.5	8	626.4	58	99	639.3	59	101
331/ 68	0.0	0	5.0	2	0.0	0	17.5	2	37.0	2	76.5	11	102.0	5	666.5	49	99	673.2	45	129
331/119	0.0	0	12.5	3	0.0	0	16.4	5	40.3	8	47.3	-	96.7	12	617.7	(57)	-	792.8	(59)	-
331/121	0.0	0	3.5	2	0.4	1	14.0	1	60.0	6	58.5	9	78.0	9	518.4	58	83	647.9	56	104
331/271	0.0	0	0.0	0	0.0	0	39.0	3	54.0	4	75.5	9	105.0	8	622.7	56	97	697.4	55	109
331/275	0.0	0	7.9	3	0.0	0	16.8	5	56.4	6	55.7	10	97.1	10	672.7	72	101	611.5	68	122
331/455	0.0	0	8.5	3	5.5	1	19.5	4	48.4	7	97.2	12	137.5	10	655.7	69	91	684.6	59	95
331/474	0.0	0	8.5	1	0.0	0	8.2	2	21.6	2	70.0	9	91.0	4	677.4	42	97	625.3	38	118
331/520	0.0	0	10.8	3	7.5	1	8.6	6	47.8	6	61.0	13	134.3	11	690.7	85	-	767.0	85	-
331/521	0.0	0	13.1	3	7.9	1	9.5	7	52.4	7	60.8	14	132.6	8	770.6	(78)	-	850.9	(60)	-
331/554	7.0	1	6.0	2	0.5	1	12.5	5	46.5	5	78.5	11	120.7	8	629.7	64	93	710.1	52	105
331/740	0.0	0	15.1	3	6.6	2	12.4	5	33.9	9	83.2	13	75.9	13	674.1	94	96	629.8	84	119
331/828	0.0	0	11.6	3	5.5	1	14.6	7	36.0	4	82.9	11	87.5	6	665.5	70	93	759.2	65	106
332/ 30	0.7	2	17.1	3	10.0	2	9.1	3	69.1	8	78.1	10	62.4	10	768.6	91	-	960.8	88	-
332/103	0.0	0	5.0	1	9.5	1	6.5	1	29.0	3	75.0	8	108.0	8	630.5	58	93	766.5	56	113
332/210	0.0	0	11.6	2	19.0	1	11.0	2	50.0	7	82.7	10	73.5	8	595.8	65	-	689.1	62	-
332/349	0.5	1	7.5	1	10.0	1	32.5	2	35.5	3	149.5	11	105.3	6	728.7	64	105	596.2	65	100
332/370	3.2	-	10.3	-	0.0	-	14.0	-	33.7	-	90.7	-	123.2	-	701.8	-	-	741.8	-	-
332/663	16.5	1	12.0	2	0.0	0	13.0	2	47.3	6	167.2	10	148.5	8	833.6	67	121	778.7	72	113
332/674	4.0	1	0.0	0	21.0	3	14.0	2	75.4	6	160.4	13	126.6	11	774.3	75	-	664.3	65	-
332/828	4.5	1	10.5	2	3.2	3	49.0	8	58.4	10	124.1	12	114.0	8	763.4	99	-	731.5	94	-
333/100	0.0	0	6.5	1	0.0	0	22.8	2	65.0	5	143.5	9	141.5	6	757.3	51	-	673.6	44	-
333/226	0.0	0	0.0	0	0.0	0	1.6	2	34.5	3	137.5	12	143.0	11	643.5	60	102	619.9	50	98
333/682	9.1	2	31.0	2	13.1	4	21.0	4	78.3	7	98.0	7	175.7	14	1214.8	97	123	1188.7	93	120
334/ 8	9.5	1	13.0	3	6.5	1	26.5	2	61.0	7	93.0	8	223.0	9	1022.3	69	-	977.3	59	-
334/174	0.0	0	39.7	2	21.5	2	4.5	1	89.9	8	75.5	8	166.1	8	1099.5	63	124	1041.6	57	118
334/803	2.5	1	23.8	2	39.5	1	0.0	0	2.8	2	24.5	1	117.0	2	641.7	36	-	710.1	46	-
334/825	3.1	1	25.0	2	38.5	3	24.5	7	75.5	11	90.8	16	180.0	14	1006.6	99	111	930.9	80	97
335/ 91	0.0	0	17.0	3	22.3	3	25.3	4	59.1	8	66.7	14	166.0	13	790.2	80	-	811.3	72	-
335/169	0.0	0	27.5	2	28.5	-	11.6	3	103.0	13	56.2	9	169.5	10	672.8	(71)	-	786.7	57	-
335/215	0.7	1	20.8	3	32.5	2	20.2	7	59.0	8	55.1	17	177.6	13	776.4	103	-	814.0	95	-
335/250	0.0	0	45.0	2	40.5	-	11.0	3	107.0	-	109.0	10	311.0	8	1125.5	(35)	131	989.5	(30)	116
335/400	0.0	0	19.5	2	33.5	2	21.0	3	114.0	8	50.5	9	205.7	11	745.8	66	89	724.3	57	66
335/620	0.0	0	28.7	2	39.0	2	7.1	3	159.0	9	77.1	12	189.5	5	820.7	64	107	724.6	55	95
335/694	0.0	0	9.0	1	37.0	2	8.5	2	55.6	8	37.7	9	119.5	13	524.5	59	-	574.8	52	-
335/746	0.0	0	24.5	2	54.0	2	14.0	4	157.0	9	101.0	7	171.5	8	926.7	53	117	830.7	40	105
336/ 16	0.0	0	15.0	1	38.0	2	3.5	2	154.0	8	36.5	4	144.2	12	791.5	59	-	702.7	57	-
336/ 59	0.5	1	22.2	3	53.0	3	9.5	4	158.3	13	101.4	15	144.2	12	965.1	93	118	889.6	73	110
336/283	0.0	0	16.0	2	9.5	3	5.9	5	112.4	11	53.0	14	141.9	16	869.3	95	110	921.2	71	117
336/292	0.0	0	19.0	1	26.3	2	5.5	3	106.2	8	65.5	8	153.5	8	625.8	59	81	597.2	57	77
336/803	0.0	0	17.0	-	20.0	2	15.0	1	68.0	9	82.0	6	156.0	9	765.0	(47)	-	813.1	(43)	-
337/ 6	0.0	0	13.7	3	3.7	2	16.2	6	95.5	11	44.0	3	138.8	8	658.1	60	88	712.4	56	97
337/143	0.0	0	12.5	3	14.6	2	22.5	6	59.0	11	78.4	11	191.5	10	959.1	84	106	1017.7	66	112
337/148	0.0	0	30.9	4	16.1	2	21.2	8	63.9	11	65.2	9	166.6	15	922.9	105	112	978.6	101	114
337/431	0.0	0	40.0	2	6.5	1	24.0	5	155.7	14	54.5	7	136.0	10	(607.7)	(49)	-	(617.6)	(66)	-
337/628	90.8	2	31.0	2	10.0	1	39.2	6	103.0	11	77.2	6	145.0	8	867.1	61	105	890.2	49	107
337/795	0.0	0	32.0	2	10.5	1	31.0	-	88.8	6	69.5	6	168.7	11	722.4	(55)	88	654.2	56	90
338/618	0.1	1	24.2	4	16.0	3	20.0	10	86.4	11	37.1	9	94.4	10	789.0	97	-	815.9	89	-
338/668	1.0	1	50.8	6	22.0	3	82.5	10	155.3	11	92.0	9	211.3	15	1194.9	106	106	1079.8	90	96
339/ 65	1.1	1	39.5	2	7.3	3	64.9	10	116.2	12	92.2	11	152.2	16	928.2	109	95	815.8	97	83
339/352	4.3	3	62.6	6	2.3	1	47.8	9	126.2	10	51.2	13	169.9	9	1184.4	116	132	1147.4	108	117
339/357	4.7	2	62.0	6	3.1	3	59.6	10	102.4	10	34.4	14	135.4	12	1320.0	128	146	1203.8	125	133
339/415	24.0	3	97.6	6	5.8	3	76.0	10	125.5	12	40.4	8	173.1	10	1702.2	113	173	1516.1	135	154
339/440	10.0	1	62.2	4	6.0	2	48.8	8	114.8	9	62.3	11	122.7	6	1132.6	89	126	1051.8	95	117
339/441	11.5	1	75.3	5	2.5	2	58.3	7	123.7	8	63.1	-	151.9	8	1331.8	(76)	137	1225.5	84	126
339/483	0.0	0	14.0	1	2.5	1	29.1	5	68.7	9	77.0	5	95.1	6	646.0	57	89	624.4	45	56

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	φ S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
339/523	NYALAZI - BDS	28°13'	32°18'	45	157.7	20	191.2	10	187.7	12	76.1	12	129.7	9
339/538	ULOA	2828	3218	15	196.0	10	136.0	8	184.5	11	89.0	7	555.0	8
339/681	ST LUCIA ESTUARY - BDS	2821	3223	15	217.0	13	217.0	8	261.5	13	99.5	7	451.5	11
339/720	CAPE ST LUCIA - VRT	2830	3224	107	195.4	20	215.0	14	214.0	16	116.0	14	526.7	15
339/722	NHLOZI - BDS	2802	3225	45	85.7	16	87.0	9	136.0	11	42.0	6	111.2	8
339/731	ST LUCIA LAKE RESEARCH CENTRE	2811	3225	18	144.1	18	146.5	10	191.5	12	62.2	10	123.5	10
339/734	MAKAKATANA	2814	3225	30	181.1	18	193.5	11	197.0	13	71.0	-	164.2	9
339/756	FANTESEILAND	2806	3226	45	127.5	11	139.5	11	180.2	13	49.9	6	125.5	6
339/856	ESTUARY - BDS	2816	3229	91	187.0	17	195.3	12	240.5	9	61.8	5	357.0	8
340/ 10	MEERSIG - BDS	2810	3231	152	91.7	18	115.9	14	286.6	16	109.9	11	263.2	13
351/708	VROUENSPAN	2748	2024	840	0.0	0	47.5	5	0.0	0	16.6	2	6.0	1
355/808	HARTEBEESHOEK	2758	2227	1200	24.6	3	40.5	6	30.8	3	25.5	3	54.8	2
356/ 80	MOESWAL	2750	2233	1250	37.0	5	49.5	5	20.5	4	22.5	4	63.0	4
356/285	HOPKINS	2745	2240	1372	63.0	8	117.4	5	44.3	6	10.0	4	35.5	3
356/417	OLIFANTSHOEK - POL	2757	2244	1341	77.5	7	62.0	5	12.5	3	17.0	2	52.0	4
356/536	HARTLEY	2756	2248	1250	53.0	5	80.5	4	42.0	3	0.0	0	42.0	3
356/636	DEBEN - POL	2736	2252	1145	65.5	6	78.0	4	31.5	4	21.0	1	46.0	3
356/712	SMYTHE	2752	2254	1190	79.5	5	92.5	5	32.0	4	22.5	4	36.1	4
356/857	SISHEN	2747	2259	1204	72.9	10	88.3	8	34.9	9	54.0	-	36.0	4
357/413	KHOSIS	2753	2314	1370	58.5	6	115.0	6	40.0	2	43.0	2	0.0	0
357/642	BOSRAND	2742	2322	1474	38.8	6	125.5	5	84.0	6	7.5	2	35.0	3
357/774	GREYLING	2754	2326	1490	42.0	7	164.7	9	51.5	5	41.4	3	59.5	4
358/ 49	WONDERWERK	2749	2332	1675	56.2	9	86.0	5	125.5	5	64.8	4	55.0	4
358/263	NELSONSFONTEIN	2753	2339	1600	110.8	12	144.8	8	114.3	7	49.9	6	32.8	3
358/268	MOUNT CARMEL	2758	2339	1600	70.8	11	140.5	7	73.5	5	39.5	4	50.0	4
358/307	VANROOYENSVLEI	2737	2341	1490	69.2	5	98.0	7	92.0	6	47.0	4	46.7	4
358/349	GEZINA	2749	2342	1524	41.8	10	98.5	5	99.0	3	57.5	4	38.5	3
358/485	SALTASH	2735	2347	1495	68.2	9	86.5	5	83.3	6	64.5	3	44.5	4
358/825	BALBRIGGEN	2745	2358	1495	100.0	11	125.5	9	89.0	4	59.0	5	60.0	5
359/304	REIVILO	2734	2411	1400	102.5	6	92.0	8	64.0	3	36.5	4	41.5	5
359/313	BLESMANSPOS	2743	2411	1375	180.5	8	140.0	6	56.5	2	29.4	3	40.0	2
359/352	HIGHLANDS	2752	2412	1372	120.5	12	142.4	9	79.0	6	64.0	5	36.5	5
359/458	OLYFENFONTEINN	2738	2416	1375	123.3	10	0.0	0	52.5	4	33.0	4	32.5	2
359/569	KNOCKBARRAGH	2759	2419	1250	131.0	8	90.5	6	78.5	5	27.2	2	22.2	1
359/808	BOETSAP - POL	2750	2427	1189	97.5	4	-	-	-	-	75.0	2	-	-
360/432	MAGOGONG - 2 J 11	2742	2445	1130	110.5	10	69.5	7	40.5	4	12.0	1	52.0	3
360/483	TAUNG - AGR	2733	2447	1097	80.4	9	43.5	7	42.8	5	21.9	4	59.6	5
360/512	TAUNG - POL	2732	2448	1097	60.5	5	48.5	7	41.0	3	25.5	1	53.4	3
360/527	POKWANI - 4H5	2747	2448	1130	81.8	6	45.0	4	44.3	4	13.2	1	34.5	3
360/595	JAN KEMPDORP - IRR	2755	2450	1153	91.8	10	60.9	13	35.3	9	34.6	5	57.6	6
360/597	VAALHARTS - AGR	2757	2450	1175	75.7	-	50.8	-	41.1	-	29.6	-	55.4	-
360/663	MANTHESTAD	2733	2453	1250	68.0	9	66.6	13	58.0	5	37.0	1	70.0	2
361/220	GRASPAN	2740	2508	1219	129.4	10	79.5	8	30.0	1	39.6	3	67.0	4
361/277	WELKOM	2737	2510	1310	57.5	12	58.0	6	44.0	5	31.0	4	37.0	4
361/285	DE HOOP	2745	2510	1219	95.0	7	111.5	7	38.0	5	18.5	3	41.5	4
361/295	CHRISTIANA - TNK	2755	2510	1207	40.2	6	88.0	7	60.5	7	24.0	3	38.3	4
361/354	STOWLANDS	2754	2512	1219	59.1	9	69.5	7	48.1	6	37.1	7	41.9	5
361/496	WITGATBOOM	2746	2517	1235	55.5	6	110.5	5	41.0	3	27.5	1	23.5	2
361/736	MOIRTON	2746	2525	1250	89.0	10	76.5	6	46.0	3	19.0	5	24.5	3
361/760	PALMIETFONTEIN	2740	2526	1189	80.5	6	99.5	7	41.5	3	33.0	4	58.5	4
361/832	KALKPOORT	2752	2528	1295	65.0	6	106.9	7	84.0	6	24.5	2	48.0	2
361/846	S A LOMBARD NATUURRESERVAAT	2736	2529	1250	85.0	11	78.5	6	53.6	5	33.0	4	46.5	3
362/159	BLOEMHOF - POL	2739	2536	1234	74.1	11	82.9	8	63.0	4	38.5	4	44.5	3
362/710	HOOPSTAD - TNK	2750	2554	1239	106.3	13	57.9	7	66.0	9	79.4	5	54.5	7
362/862	WINTERSVLEI	2752	2559	1250	121.5	10	80.0	9	75.6	8	46.2	6	39.5	4
362/884	ELLASRUS	2744	2600	1280	89.0	11	43.2	7	25.0	4	17.6	5	60.5	5
363/398	MODIVELD	2738	2614	1280	130.5	10	36.0	5	54.7	6	46.0	6	31.5	1
363/451	HENDRIK THERON	2731	2616	1299	121.5	8	76.6	6	68.0	6	56.5	6	36.9	5
363/470	RIETVLEI	2750	2616	1297	156.0	8	51.5	3	35.0	3	66.5	2	0.0	0
363/651	WESSELSBRON - MUN	2751	2622	1325	99.7	10	47.0	3	53.0	10	46.4	3	48.5	5
364/ 93	HANDVERSPAN	2733	2634	1280	91.7	10	38.9	5	37.8	5	71.0	7	30.7	3
364/119	MAHEMSPRUIT	2759	2634	1318	118.7	9	61.4	5	26.5	5	61.0	6	38.5	6
364/300	WELKOM - AER	2800	2640	1338	89.5	10	64.8	7	45.2	7	61.5	6	41.1	-
364/313	GROOTKOP	2743	2641	1345	67.8	9	90.8	10	60.8	6	58.5	4	44.5	5
364/322	ODENDAALSRUS	2752	2641	1341	85.5	8	76.5	6	39.6	7	83.9	5	49.5	3
364/546	RICHMOND NOORD	2736	2649	1308	88.2	12	102.0	5	55.3	7	82.3	6	33.0	5
364/728	TOGGEKRY	2738	2655	1539	63.8	13	106.6	5	37.3	5	93.3	6	39.3	6
365/ 58	HENNENMAN- POL	2758	2702	1405	103.5	8	73.8	4	49.6	5	69.5	5	46.0	4
365/143	HOLFONTEIN - BDS	2753	2705	1448	59.0	9	45.0	4	73.5	6	62.0	7	53.5	4
365/400	KROONSTAD - PARKS	2740	2714	1348	67.4	14	64.5	7	60.5	6	91.3	6	30.6	7
365/409	LEEUSPRUIT WES	2749	2714	1402	98.5	6	55.0	4	48.0	4	89.5	5	36.5	2
365/430	KROONSTAD - MUN	2740	2715	1348	73.3	13	75.1	8	59.8	8	95.8	7	33.7	6
365/444	SWARTKOPPIE	2754	2715	1414	78.2	10	54.4	7	73.4	10	115.3	6	34.9	6
365/731	MELTEVREDE	2741	2725	1433	140.5	10	36.3	7	63.8	3	93.5	6	38.5	4
365/844	PIETERSHOEK	2734	2729	1400	128.2	14	67.1	9	63.0	6	100.5	7	25.5	5
365/855	RIENZI	2745	2729	1433	112.9	9	76.7	6	77.1	4	77.2	5	49.8	4
366/117	STEYNSKUS - MUN	2757	2734	1524	98.5	9	183.0	7	96.5	5	99.0	4	40.5	4
366/303	FRANVILLE - MUN	2733	2741	1509	85.5	11	69.7	7	89.1	6	80.0	4	20.4	4
366/359	CYPRESS	2759	2742	1610	53.3	7	150.0	8	83.9	5	9.6	5	37.9	4
366/371	WAATHOEK	2741	2743	1567	116.0	6	77.0	8	69.5	6	54.0	3	0.0	0
366/517	SPRINGVALE	2737	2748	1645	102.0	6	65.3	7	51.2	5	93.4	5	20.0	2
366/529	KISMET ESTATE	2749	2748	1539	70.5	7	69.6	9	67.5	5	126.1	8	30.7	6
366/662	MAKATSRUST	2732	2753	1480	119.0	10	105.0	7	58.5	5	86.0	5	13.0	2
366/710	MOGTHOEK	2750	2754	1539	74.9	10	55.1	8	95.4	9	98.5	6	39.8	5
366/735	OATLANDS	2745	2755	1631	91.5	10	50.0	6	60.0	5	76.0	5	24.0	3

R A I N F A L L 1 9 7 1

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
339/523	16.0	3	72.0	4	1.1	2	76.1	9	90.2	10	73.9	13	179.9	11	1251.6	115	129	1112.0	110	114
339/538	25.0	2	141.5	6	5.0	1	86.5	6	154.0	10	45.5	4	163.0	5	1781.0	78	161	1494.5	63	135
339/681	13.5	1	179.0	7	3.2	2	85.0	7	144.0	8	76.3	13	160.7	8	1908.2	98	-	1668.7	80	-
339/720	29.4	6	225.0	8	24.0	9	65.0	13	90.5	14	101.4	15	157.9	17	1962.3	156	152	1786.8	153	136
339/722	7.0	2	44.1	4	0.6	-	45.5	6	59.0	10	53.0	13	145.0	10	816.1	(95)	-	761.0	90	-
339/731	17.2	2	79.9	8	0.0	0	71.0	9	93.1	14	66.4	13	195.9	12	1191.3	118	-	1015.1	101	-
339/734	21.5	3	100.5	5	1.5	1	87.0	7	100.5	11	69.2	13	182.6	10	1369.6	(101)	133	1224.5	(95)	119
339/756	11.0	2	67.0	5	0.7	1	66.1	10	96.5	11	56.1	10	219.6	11	1139.6	97	-	962.1	81	-
339/856	72.0	8	129.8	7	3.8	3	119.4	9	127.2	11	138.7	9	216.0	7	1848.5	105	-	1644.2	110	-
340/ 10	87.8	8	139.8	7	5.7	2	84.4	9	115.1	14	96.2	11	268.7	10	1685.0	133	-	1385.0	132	-
351/708	0.0	0	0.0	0	0.0	0	0.0	0	22.5	3	4.0	1	8.5	2	105.1	14	-	107.1	13	-
355/808	0.0	0	0.0	0	1.0	1	0.0	0	37.5	3	4.8	1	20.0	3	239.5	25	93	212.6	24	82
356/ 80	0.0	0	4.0	1	0.0	0	0.0	0	51.5	2	15.0	3	39.5	8	302.5	36	-	280.2	32	-
356/285	1.5	1	0.0	0	1.5	1	0.0	0	45.1	3	15.5	2	35.0	5	368.8	38	105	335.2	33	95
356/417	2.5	2	0.0	0	0.0	0	0.0	0	44.5	1	15.0	2	12.0	1	295.0	27	85	315.0	33	91
356/536	0.0	0	0.0	0	0.0	0	0.0	0	66.5	2	13.5	2	15.0	2	312.5	21	-	309.0	19	-
356/636	0.0	0	0.0	0	0.0	0	0.0	0	46.0	2	15.0	1	69.5	5	372.5	26	130	347.0	28	121
356/712	1.5	1	0.0	0	0.0	0	0.0	0	37.5	1	29.7	3	35.4	5	366.7	32	109	311.1	32	92
356/857	1.0	2	1.3	1	0.0	0	0.0	0	46.3	4	12.2	3	31.4	5	378.3	(46)	-	412.4	(54)	-
357/413	0.0	0	1.0	1	1.5	1	0.0	0	34.0	2	33.5	3	42.0	5	368.5	28	109	300.0	23	89
357/642	0.0	0	3.0	1	0.8	1	0.0	0	33.5	2	45.6	5	45.5	5	419.2	36	-	350.9	32	-
357/774	0.0	0	11.0	3	0.0	0	0.0	0	36.0	2	42.5	3	73.4	4	522.0	40	140	432.2	39	116
358/ 49	3.5	1	8.0	2	3.0	1	0.0	0	30.5	2	39.5	5	62.9	5	534.9	43	-	476.6	41	-
358/263	4.5	1	10.5	2	0.0	0	0.0	0	30.8	3	66.2	3	88.3	3	652.9	48	148	563.6	51	127
358/268	0.0	0	9.5	1	0.0	0	0.0	0	36.0	3	36.0	2	57.9	4	513.7	41	131	423.7	43	108
358/307	5.0	1	1.5	1	0.0	0	0.0	0	30.5	3	41.7	5	58.2	8	489.8	46	112	496.0	39	114
358/349	0.0	0	8.0	1	0.0	0	0.0	0	27.5	2	110.0	4	47.5	3	528.3	35	118	440.5	34	99
358/485	0.0	0	0.0	0	0.0	0	0.0	0	35.0	3	35.0	3	36.0	2	453.0	35	-	520.0	35	-
358/825	0.0	0	0.0	0	0.0	0	0.0	0	33.0	1	44.5	4	98.5	6	609.5	45	-	566.1	42	-
359/304	0.0	0	0.1	1	0.0	0	0.0	0	41.0	3	30.5	4	124.0	6	532.1	40	123	439.5	36	102
359/313	0.0	0	0.0	0	0.0	0	0.0	0	31.5	2	26.5	2	107.5	6	611.9	31	-	547.9	29	-
359/352	0.0	0	0.0	0	0.0	0	0.0	0	46.0	3	47.0	5	62.0	7	599.4	52	-	548.9	49	-
359/458	0.0	0	0.0	0	0.0	0	0.0	0	49.5	3	56.5	3	51.5	2	338.8	28	97	345.0	26	84
359/569	0.0	0	0.0	0	0.0	0	0.0	0	22.5	1	82.5	2	39.5	3	493.9	28	113	446.6	35	103
359/808	0.0	0	0.0	0	0.0	0	0.0	0	35.0	2	40.3	2	65.5	3	(313.3)	(13)	-	(237.5)	(11)	-
360/432	0.0	0	0.0	0	0.0	0	0.0	0	36.5	5	47.6	3	88.0	5	456.6	38	-	388.0	37	-
360/483	0.0	0	0.0	0	0.0	0	0.0	0	33.0	4	48.3	3	122.3	6	451.6	43	-	345.3	49	-
360/512	0.0	0	0.0	0	0.0	0	0.0	0	30.0	3	55.0	2	135.5	5	449.4	29	103	346.9	33	80
360/527	20.0	1	0.0	0	0.0	0	0.0	0	47.5	4	39.0	4	51.0	1	381.3	28	-	373.3	32	-
360/595	2.0	1	3.2	2	0.0	0	0.0	0	71.2	6	18.0	3	74.4	9	449.2	64	100	498.9	67	111
360/597	1.0	-	4.8	-	0.0	-	0.0	-	70.5	-	17.4	-	46.1	-	392.4	-	93	475.5	-	107
360/663	0.0	0	0.0	0	0.0	0	0.0	0	63.5	3	78.5	4	106.0	7	547.6	44	-	409.6	44	-
361/220	0.0	0	0.0	0	0.0	0	0.0	0	43.0	4	50.5	2	108.3	9	547.3	43	119	448.0	40	98
361/277	1.5	1	0.0	0	0.0	0	0.0	0	38.5	3	24.5	2	71.0	7	363.0	44	-	333.5	44	-
361/285	0.0	0	3.5	1	0.0	0	0.0	0	71.0	5	16.5	3	89.0	7	484.5	42	123	423.0	38	108
361/295	1.5	1	0.0	0	0.0	0	0.0	0	46.0	3	63.8	5	69.3	5	431.6	41	98	367.6	41	83
361/354	0.0	0	2.9	2	0.0	0	0.0	0	65.3	5	35.8	7	65.5	9	425.2	57	99	410.1	57	96
361/496	0.0	0	7.0	1	0.0	0	0.0	0	58.0	3	27.8	3	45.3	3	431.1	27	-	383.5	26	-
361/736	0.0	0	3.7	1	0.0	0	0.0	0	44.5	6	19.5	3	62.5	7	385.2	44	79	380.1	49	78
361/760	0.0	0	0.0	0	0.0	0	0.0	0	60.5	6	0.0	0	62.5	7	456.0	37	106	450.7	41	104
361/832	0.0	0	5.5	1	0.0	0	0.0	0	45.0	3	11.5	2	68.0	6	458.4	35	106	426.7	34	95
361/846	0.0	0	1.2	1	0.0	0	0.0	0	72.7	6	1.5	1	120.0	11	494.0	46	-	433.0	43	-
362/159	0.0	0	1.5	1	0.0	0	0.0	0	65.5	7	12.0	2	80.0	9	462.0	49	96	443.1	51	93
362/710	0.7	1	0.5	2	0.0	0	0.0	0	83.8	8	34.8	8	117.8	12	601.7	75	125	588.1	74	122
362/862	2.5	1	0.5	1	0.0	0	4.5	1	63.5	9	45.2	6	132.2	13	611.4	70	116	565.0	67	106
362/884	0.0	0	0.8	3	0.0	0	0.0	0	61.5	6	17.2	8	86.5	12	401.3	61	-	401.7	56	-
363/398	0.0	0	0.0	0	0.0	0	0.0	0	46.7	6	43.5	4	104.7	10	493.1	48	-	517.4	43	-
363/451	0.0	0	0.0	0	0.0	0	0.0	0	43.9	5	66.4	9	203.8	15	677.6	64	137	561.4	59	114
363/470	0.0	0	0.0	0	0.0	0	13.0	1	41.5	4	20.5	3	156.5	8	540.5	32	109	464.6	32	94
363/651	0.0	0	0.0	0	0.0	0	5.0	2	40.5	4	39.5	2	163.0	11	542.6	50	121	502.3	49	112
364/ 93	0.0	0	2.0	1	0.0	0	11.9	2	49.5	4	21.0	4	149.7	10	504.2	51	97	523.6	54	101
364/119	1.0	1	0.0	0	0.0	0	9.0	1	44.0	4	30.4	6	81.7	8	470.2	51	87	568.3	54	106
364/300	0.7	2	0.0	0	0.0	0	1.5	2	48.9	8	72.4	9	90.6	10	516.2	(61)	-	544.4	(56)	-
364/313	0.0	0	0.0	0	0.0	0	4.0	1	40.8	6	29.0	6	142.0	10	538.2	57	-	568.2	59	-
364/322	0.0	0	0.0	0	0.0	0	1.5	1	54.5	6	40.5	3	102.1	9	533.6	48	108	578.7	50	117
364/546	0.0	0	0.0	0	0.0	0	6.1	2	56.0	6	57.0	5	138.8	11	618.7	59	130	695.6	67	146
364/728	0.0	0	1.3	1	0.0	0	5.6	1	49.3	5	47.6	7	130.8	13	575.7	63	106	561.2	59	110
365/ 58	0.0	0	0.0	0	0.0	0	0.0	0	37.5	2	48.0	3	82.5	8	510.4	39	91	654.2	40	111
365/143	0.0	0	1.5	1	0.0	0	0.0	0	47.0	3	53.0	6	93.5	8	548.0	46	85	657.0	51	103
365/400	0.1	1	0.0	0	0.0	0	11.2	4	50.2	6	61.7	10	144.0	13	561.7	74	96	624.6	72	102
365/409	0.0	0	0.0	0	0.0	0	0.0	0	27.5	3	61.0	6	143.0	11	561.0	41	100	630.5	41	112
365/430	0.0	0	1.0	1	0.0	0	12.3	4	51.7	6	67.6	10	156.5	15	629.0	78	-	557.2	75	-
365/444	0.0	0	1.9	2	0.0	0	6.1	3	29.4	5	51.7	6	37.3	8	502.6	63	79	727.5	73	114
365/731	0.0	0	0.0	0	0.0	0	6.5	1	31.0	3	66.0	7	163.5	9	669.6	50	134	729.6	54	142
365/844	0.0	0	0.1	1	0.0	0	38.2	4	50.7	8	100.8	9	132.0	12	706.1	75	-	734.4	74	-
365/855	0.0	0	0.0	0	0.0	0	4.8	1	37.8	4	90.9	6	187.5	8	714.7	47	161	564.5	61	151
366/117	0.0	0	0.0	0	0.0	0	7.5	2	34.0	3	59.0	6	137.0	6	755.0	46	128	564.0	51	147
366/303	0.0	0	0.0	0	0.0	0	42.5	2	44.5	6	160.3	7	96.5	7	668.5	54	110	608.9	55	107
366/359	0.0	0	1.3	1	0.0	0	20.6	3	46.4	5	32.5	6	112.4	10	548.1	55	75	(408.0)	(37)	
366/371	0.0	0	0.0	0	0.0	0	17.0	3	26.1	6	13.0	3	102.5	6	475.1	41	69	(635.5)	(42)	-
366/517	0.0	0	4.2	2	0.0	0	26.4	5	23.2	7	143.5	11	105.7	13	634.9	63	105	576.1	54	112
366/529	0.0	0	0.0	0	0.0	0	10.5	1	48.0	7	104.4	10	139.8	10	687.3	63	104	825.3	61	125
366/662	0.0	0	4.0	1	0.0	0	29.5	3	40.0	7	169.0	13	173.0	11	797.0	64	139	704.0	54	123
366/710	0.0	0	0.3	1	0.0	0	11.6	3	48.4	7	106.3	14	92.1	11	622.4	74	94	733.0	72	114
366/735	0.0	0	0.4	2	0.0	0	0.2	1	37.0	6	70.5	8	96.5	10	508.1	56	81	667.2	[illegible]	[illegible]

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
366/743	LINDLEY	2753	2755	1490	55.0	5	82.5	9	78.5	5	81.5	5	36.5	4
366/872	GERTRUIDA	2732	2800	1585	164.6	15	91.5	12	120.0	9	95.0	6	16.6	6
367/ 66	LANGLEGOO	2736	2803	1643	120.4	-	85.8	8	77.1	6	86.2	5	12.2	5
367/177	BRONKHORSTFONTEIN	2757	2806	1597	103.5	11	154.5	9	102.9	9	79.4	6	45.1	6
367/219	PETRUS STEYN - MUN	2739	2808	1707	107.3	12	187.3	9	46.9	5	78.1	4	23.8	3
367/484	ERFENIS	2734	2817	1705	107.5	9	140.0	11	36.5	4	98.0	3	6.0	2
367/600	WOODFORT	2800	2820	1619	103.1	8	131.0	11	60.0	4	100.0	5	37.0	5
367/768	REITZ	2748	2826	1615	128.2	12	84.5	9	58.0	4	94.0	4	32.0	2
367/780	GOEDEHOOP	2800	2826	1683	94.1	16	111.0	12	56.8	6	88.5	6	34.0	5
368/ 3	TWEELING - POL	2733	2831	1615	92.0	9	100.5	5	66.5	6	121.0	5	12.0	2
368/222	KAPPA	2742	2838	1707	136.9	10	75.5	6	50.0	4	85.0	4	25.5	3
368/634	WOUDZICHT	2734	2852	1622	87.1	15	84.3	10	46.1	6	137.4	7	19.6	7
368/831	WARDEN - MAG	2751	2858	1631	105.0	11	80.5	7	62.5	5	81.5	5	49.5	6
369/ 30	SYLVAN	2800	2901	1859	133.5	8	65.5	5	66.5	6	108.0	4	58.0	6
369/117	HERITAGE	2757	2904	1800	138.5	12	38.3	8	62.0	7	117.0	6	55.0	6
369/238	BUCKLAND DOWNS	2758	2908	1780	52.5	10	48.0	7	71.5	7	105.5	6	59.5	7
369/284	POCCO	2744	2910	1844	167.8	14	38.6	8	95.3	8	120.6	6	32.2	6
369/411	BERWICK	2751	2914	1825	101.8	9	53.8	10	43.3	8	121.0	6	57.6	4
369/505	VERKYKERSKOP - POL	2755	2917	1830	99.0	11	32.0	6	78.0	7	102.7	7	49.0	5
369/785	TYGERFONTEIN	2735	2927	1890	93.0	10	99.0	8	86.0	8	112.0	4	67.0	5
369/819	MONS	2739	2928	1768	162.5	15	68.5	9	97.0	5	107.0	6	34.5	5
370/101	MEMEL - SKL	2741	2934	1728	75.2	-	41.4	7	67.0	7	97.6	7	41.5	6
370/101A	MEMEL - MUN	2741	2934	1728	76.5	8	36.3	7	71.5	9	100.5	6	44.0	4
370/486	LOSKOP	2736	2947	1311	170.4	16	58.3	10	148.0	9	97.1	5	47.6	5
370/569	NORMANDIEN - POL	2759	2947	1370	259.1	14	120.0	7	113.0	7	58.0	5	81.4	8
370/661	SAMSONSKLIP	2731	2953	1465	169.8	15	125.2	9	160.0	8	132.5	5	76.6	6
370/735	NEWCASTLE - CON	2745	2955	1198	139.2	18	125.2	11	117.3	11	82.0	8	65.2	11
370/765	NEWCASTLE - TNK	2745	2956	1208	133.2	10	58.3	4	50.8	3	20.0	1	62.8	7
370/807	CHELMSFORD DAM	2757	2957	1219	233.0	13	68.0	7	64.0	6	75.0	7	90.3	6
370/834	BALLENGEICH	2754	2958	1250	143.0	7	76.0	-	31.0	3	128.0	5	58.0	5
371/214	RUSTVERWACHT	2734	3008	1370	129.9	12	54.5	6	31.0	5	115.5	6	91.2	5
371/437	WATERVAL - TNK	2747	3015	1190	75.5	7	40.2	5	70.5	5	41.5	4	30.5	3
371/579	UTRECHT - TNK	2739	3020	1197	226.0	10	21.0	2	26.0	2	105.0	5	44.5	3
371/706	WAAIHOEK	2746	3024	1277	132.5	13	31.2	5	40.2	6	75.9	6	49.6	6
372/ 56	KINGSLEY - POL	2756	3032	1219	134.0	6	46.0	7	29.5	4	94.5	6	66.1	4
372/296	KANDASPUNT - TNK	2756	3040	1295	116.0	11	68.3	8	30.1	5	124.0	7	77.5	4
372/361	MARTHINUSDRIFT	2731	3043	1128	222.0	8	70.0	3	96.0	7	81.0	6	99.5	3
372/496	VRYHEID - TNK	2746	3047	1189	194.7	11	22.0	2	32.5	3	82.5	5	141.5	4
372/570	WATERVAL	2800	3049	1097	108.0	3	24.0	1	43.5	3	97.5	5	138.5	2
372/852	HLOBANE	2742	3059	1262	202.5	10	11.8	3	68.7	7	105.9	6	94.3	3
373/ 58	GLUCKSTADT - POL	2758	3102	1000	164.5	5	12.0	1	58.5	4	95.5	3	25.0	1
373/ 80	LANGKRANS	2750	3103	1524	293.2	11	59.0	6	77.8	5	123.0	6	126.0	6
373/169	BOSHOEK - NATAL ANTHR COLL	2749	3106	1341	218.5	5	47.5	3	44.5	4	156.5	5	106.5	5
373/329	VLAKFONTEIN	2759	3111	915	116.2	11	13.0	3	28.5	5	78.1	7	102.0	6
373/485	LOUWSBURG - MAG	2735	3117	1250	124.5	10	25.5	5	46.0	2	109.5	7	73.0	4
373/680	NGOMI - BOS	2750	3123	1250	403.5	22	107.1	12	180.3	13	190.4	12	113.2	8
374/197	TOKAZI - NAF	2747	3137	579	175.7	15	11.0	2	83.5	7	95.6	8	61.5	5
374/242	MAGUDU	2732	3139	610	150.7	15	15.3	4	138.1	10	106.3	7	18.4	4
374/264	NONGOMA - NAF	2754	3139	823	235.4	14	20.5	3	103.0	5	104.7	8	64.5	4
374/402	ZILVERHOUT	2742	3144	457	204.9	9	0.0	0	79.2	4	111.4	6	0.0	0
374/724	DOORNHOEK	2734	3155	380	112.0	6	3.3	2	71.1	6	44.2	7	12.2	3
375/ 37	MKUZE	2737	3202	125	118.1	11	13.0	4	48.9	9	42.2	6	5.0	1
375/124	UBOMBO - MAG	2734	3205	549	191.0	-	45.5	4	64.4	5	101.5	4	0.0	0
375/366	MKUZE GAME RESERVE	2736	3213	135	77.4	7	25.0	4	40.8	12	38.3	3	3.1	1
375/383	UFUMBA	2753	3213	78	87.0	16	58.5	11	37.8	10	45.7	8	20.9	8
375/688	FALSE BAY CAMP	2758	3223	40	58.5	6	71.2	6	76.0	10	52.0	7	102.1	4
387/240	NOENIEPUT - POL	2730	2008	850	24.0	4	68.0	2	25.5	2	13.5	2	11.0	1
389/664	WILDSGENOT	2704	2123	884	58.2	2	62.5	4	0.0	0	13.5	1	20.0	2
390/155	TOTSPLAAS	2705	2136	884	48.9	4	43.8	5	0.0	0	17.3	3	26.8	3
390/514	MATLAPANEN	2704	2148	794	29.0	4	86.5	5	18.0	2	13.5	3	1.5	1
391/834	WHYENBAH	2724	2228	1372	78.0	7	74.8	5	46.0	5	55.9	6	41.7	4
391/857	DEDEBEN	2717	2229	1219	87.7	6	90.2	8	53.0	9	31.0	6	35.5	4
392/148	WINTON	2728	2235	1190	106.5	7	98.0	6	30.0	5	36.0	4	27.5	4
392/680	HEUNINGDRAAI	2720	2253	1065	79.6	7	82.5	6	49.5	5	22.0	5	35.5	3
392/871	GAMODISA	2701	2300	1035	14.5	2	73.5	3	28.2	2	11.5	2	26.0	3
393/ 83	MILNER	2723	2303	1145	75.0	7	93.5	5	53.0	6	16.6	3	45.0	4
393/126	TSINENG - POL	2706	2305	1065	20.5	3	37.5	3	34.0	3	17.5	1	0.0	0
393/382	MOUNT ROPER	2722	2313	1250	83.0	6	89.5	3	31.5	2	44.3	-	44.5	3
393/476	WHITEBANK - MINE	2726	2316	1341	41.8	10	90.5	9	70.0	6	49.0	4	44.0	5
393/566	WHITEBANK - MILL	2726	2319	1463	47.0	7	115.2	5	116.1	6	33.5	4	50.5	5
393/778	KURUMAN - TNK	2728	2326	1312	78.8	10	130.8	15	91.2	6	16.0	6	40.2	7
394/574	BOTHITHO - POL	2704	2350	1295	51.0	4	60.0	5	79.0	3	15.0	1	77.5	4
394/878	BOSCOBEL	2708	2400	1372	76.2	6	66.0	2	85.5	3	7.5	1	71.0	4
396/271	RETREAT	2701	2440	1219	128.0	15	89.4	11	26.5	4	33.2	5	45.5	4
396/284	MADRID	2714	2440	1219	103.3	10	114.0	9	36.5	4	86.5	4	49.0	5
396/738	UITVALSKOP	2718	2455	1370	137.5	7	52.0	6	31.0	3	64.5	3	47.5	3
396/813	LELIEFONTEIN	2703	2458	1219	184.0	11	36.5	8	39.5	5	52.5	-	37.0	5
397/ 75	AMALIA	2715	2503	1310	170.0	14	78.5	6	58.5	6	68.5	-	55.0	5
397/114	NAAUWPOORT	2724	2504	1250	124.5	10	97.5	8	20.5	3	38.0	4	57.0	4
397/581	SCHWEIZER-RENEKE - POL	2711	2520	1280	97.0	5	44.0	3	41.0	6	61.5	4	40.5	3
397/715	WELGEVONDEN	2725	2524	1341	61.6	10	119.3	5	61.5	7	45.6	7	48.1	5
397/784	KOPPIESVLEI	2704	2527	1340	74.7	9	114.5	8	45.5	3	59.0	5	27.5	2
398/177	ZEVENFONTEIN	2727	2536	1280	63.0	8	135.0	9	48.5	7	27.0	3	49.0	4
398/508	KINGSWOOD	2728	2547	1295	104.3	11	69.0	10	44.5	4	56.5	4	45.0	4
398/556	HOLLOWAYSRUST	2716	2549	1372	130.5	10	63.5	7	36.5	3	79.5	6	27.5	5

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
366/743	0.0	0	0.0	0	0.0	0	10.0	2	36.0	5	75.0	9	105.5	8	560.5	52	85	744.8	53	114
366/872	3.0	1	4.5	1	0.0	0	33.8	3	41.5	7	150.8	17	118.6	12	841.9	89	127	799.4	83	120
367/ 66	0.4	2	5.2	2	0.0	0	32.9	3	29.5	7	176.5	11	113.1	9	739.3	(58)	113	685.2	(58)	104
367/177	0.0	0	3.6	2	0.0	0	17.7	3	53.8	5	83.8	16	90.9	9	735.2	76	102	663.7	74	120
367/219	0.0	0	0.0	0	0.0	0	31.5	2	35.5	4	108.5	8	129.5	7	748.4	54	111	637.9	63	95
367/484	7.5	1	0.0	0	0.0	0	41.0	2	40.5	6	112.5	10	111.0	5	700.5	53	-	750.0	56	-
367/600	0.0	0	3.0	1	8.0	1	15.0	2	44.0	5	93.5	11	77.5	6	672.1	59	96	832.8	58	119
367/768	0.0	0	20.0	1	0.0	0	24.0	3	68.0	4	119.2	14	80.5	6	708.4	59	99	771.4	59	108
367/780	0.0	0	5.3	2	4.5	1	28.5	4	41.2	8	87.5	15	115.1	14	666.5	89	95	747.3	73	107
368/ 3	12.5	1	0.0	0	0.0	0	39.5	2	52.0	3	138.5	9	70.5	4	705.0	46	107	714.7	50	108
368/222	13.7	1	0.0	0	0.0	0	59.0	2	72.0	7	120.0	11	148.7	8	766.3	56	113	719.2	53	103
368/634	12.0	1	2.6	2	0.2	2	45.5	3	70.9	10	155.8	16	73.9	13	735.4	92	87	721.6	81	85
368/831	7.0	1	0.0	0	0.0	0	36.5	2	45.5	5	108.0	11	97.0	5	673.0	58	102	693.5	57	105
369/ 30	0.0	0	5.0	2	0.0	0	13.5	2	28.2	4	127.6	8	154.5	10	760.3	55	111	768.6	56	112
369/117	3.5	1	9.0	2	0.5	1	20.0	2	58.0	7	141.0	13	148.0	9	790.8	74	112	728.4	66	103
369/238	3.0	2	4.5	1	0.0	0	22.0	3	59.0	7	146.5	13	108.0	10	720.0	73	102	634.0	70	90
369/284	8.4	1	4.1	1	4.5	1	44.4	3	65.1	10	139.0	17	100.7	7	820.7	82	125	749.2	71	114
369/411	3.5	1	7.3	2	0.0	0	38.1	3	49.2	9	154.4	15	153.5	12	783.5	79	-	(551.6)	(58)	-
369/505	5.5	1	4.7	2	5.0	1	37.5	2	79.0	8	163.2	14	177.0	10	832.6	74	114	720.4	62	99
369/785	0.0	0	0.0	0	17.5	1	46.5	3	61.0	5	134.0	15	201.3	11	917.3	70	130	799.5	57	113
369/819	1.0	1	0.5	1	31.0	2	44.0	2	-	-	-	-	-	-	(546.0)	(46)	-	-	-	-
370/101	0.0	0	0.6	1	12.8	2	38.5	3	33.2	8	83.6	15	129.5	12	620.9	(68)	88	667.5	(54)	94
370/101A	1.0	1	0.0	0	3.0	2	38.0	2	49.5	7	81.3	12	121.2	8	622.8	66	-	687.2	61	-
370/486	0.0	0	3.0	1	15.0	2	38.7	6	50.8	9	114.5	14	104.0	12	847.4	89	102	842.7	80	102
370/509	3.5	1	11.0	1	37.5	2	32.0	3	76.5	6	77.7	13	164.2	12	1033.9	79	-	1085.7	76	-
370/661	5.5	1	13.0	1	10.0	1	52.5	4	59.5	6	146.0	13	305.0	10	1255.6	79	-	(945.3)	(69)	-
370/735	1.0	1	8.8	5	21.4	3	34.8	7	101.4	12	99.3	20	142.3	12	937.9	119	102	866.6	105	94
370/765	0.0	0	7.5	1	16.3	1	32.7	6	71.7	10	95.5	17	127.5	7	676.3	67	73	605.1	42	65
370/807	0.0	0	17.0	1	27.5	2	35.0	5	55.0	6	55.0	8	182.9	13	902.7	74	-	887.3	67	-
370/834	0.0	0	26.0	3	37.9	4	31.8	5	123.5	7	76.5	12	231.0	11	962.7	(62)	109	788.4	(40)	89
371/214	1.0	1	10.0	1	13.5	3	29.5	4	96.4	11	56.6	12	157.2	8	786.3	74	93	799.9	66	94
371/437	0.0	0	9.5	1	40.0	1	18.4	4	95.5	4	67.9	8	139.2	9	628.7	51	-	553.3	49	-
371/579	0.0	0	9.7	2	1.5	2	23.0	2	138.5	9	63.0	9	89.0	5	747.2	51	95	732.5	38	93
371/706	0.0	0	10.0	1	2.6	1	23.0	3	90.2	8	56.5	6	108.4	10	620.1	65	89	622.2	55	89
372/ 56	0.0	0	9.5	1	9.5	1	25.5	5	77.5	9	51.5	8	128.0	8	671.6	59	-	780.1	51	-
372/296	0.0	0	7.0	1	4.0	1	22.5	5	106.1	12	60.4	9	239.0	8	854.9	71	-	827.9	62	-
372/361	0.0	0	5.0	1	7.0	1	46.5	6	139.0	10	122.5	9	130.5	5	1019.0	59	111	976.5	58	107
372/496	0.0	0	9.5	1	8.0	1	32.0	5	165.5	11	106.5	7	167.3	10	962.0	60	111	956.7	53	110
372/570	0.0	0	0.0	0	0.0	0	30.0	1	128.5	9	35.0	1	100.0	3	705.0	28	97	848.0	32	116
372/852	0.0	0	0.0	0	14.1	2	28.2	4	104.7	11	104.4	12	169.5	6	904.1	64	121	830.9	59	111
373/ 58	0.0	0	0.0	0	17.0	1	18.5	2	164.5	4	95.5	4	223.5	8	874.5	33	101	783.0	28	90
373/ 80	0.0	0	23.0	1	0.0	0	72.0	9	86.5	6	71.1	11	267.6	19	1199.2	60	102	1149.0	72	97
373/169	0.0	0	19.0	1	15.5	1	26.5	3	151.5	11	62.5	5	209.5	8	1058.0	51	-	929.0	41	-
373/329	0.0	0	18.8	3	6.0	2	25.5	4	111.4	11	89.1	11	158.6	11	747.2	74	101	663.8	59	90
373/485	0.0	0	0.0	0	14.0	1	21.0	1	94.0	8	184.0	7	137.5	9	829.0	54	100	683.0	51	82
373/680	6.0	2	41.5	4	20.5	5	142.9	16	206.6	16	218.4	16	244.9	20	1875.3	146	117	1730.9	129	108
374/197	0.0	0	41.0	2	18.8	2	47.0	5	125.0	7	107.0	7	143.0	9	909.1	69	127	801.8	61	111
374/242	0.0	0	24.2	3	13.0	1	29.3	5	92.8	14	192.9	11	127.8	10	908.8	84	-	792.7	73	-
374/264	1.7	1	33.0	2	14.5	2	52.4	7	109.0	5	104.0	5	168.1	13	1010.8	69	114	940.6	68	106
374/402	0.0	0	9.8	1	6.5	1	21.5	2	48.8	5	142.3	5	190.0	6	814.4	39	146	604.0	31	108
374/724	1.0	1	4.5	1	2.5	1	15.7	2	39.5	3	107.0	5	65.6	9	478.6	48	-	418.8	48	-
375/ 37	0.0	0	2.5	1	0.0	0	19.7	4	81.6	8	84.1	6	113.0	10	528.1	60	-	434.7	53	-
375/124	6.5	1	18.5	1	0.0	0	20.5	1	105.5	5	95.0	-	102.5	5	750.9	(26)	85	653.9	(32)	74
375/366	5.6	2	6.0	1	2.0	1	24.9	3	50.3	5	131.5	8	122.9	7	527.8	54	-	420.3	47	-
375/383	0.3	1	15.0	3	3.4	1	27.9	10	73.4	11	88.1	12	127.5	12	585.5	103	-	936.6	93	-
375/688	5.5	2	26.5	2	3.0	1	17.5	5	105.1	10	73.4	9	156.5	6	747.3	68	-	624.8	58	-
387/240	4.5	1	0.0	0	0.0	0	0.0	0	21.5	3	0.0	0	4.5	1	172.5	16	117	203.5	18	137
389/664	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	154.2	9	-	178.2	11	-
390/155	0.0	0	0.0	0	0.0	0	0.0	0	32.0	3	5.0	1	16.8	3	190.6	22	112	157.7	18	93
390/514	3.5	1	0.0	0	0.0	0	0.0	0	50.0	3	3.5	1	34.7	4	240.2	24	112	183.0	20	85
391/834	1.9	1	2.5	1	0.0	0	0.0	0	44.0	2	20.0	4	32.0	3	396.8	38	131	359.8	33	119
391/857	0.0	0	2.3	1	0.0	0	0.0	0	51.5	2	23.9	5	52.1	5	427.2	46	126	363.4	42	108
392/148	0.0	0	1.5	1	0.0	0	0.0	0	42.5	2	50.0	4	26.5	2	418.5	35	136	356.5	34	116
392/680	1.5	1	8.5	1	0.0	0	0.0	0	28.0	2	4.0	1	43.0	5	354.1	36	-	320.6	33	-
392/871	0.0	0	0.0	0	0.0	0	0.0	0	19.5	1	0.0	0	66.0	4	239.2	17	-	211.2	17	-
393/ 83	0.0	0	9.5	1	0.0	0	0.0	0	22.5	2	0.0	0	49.0	2	364.3	30	106	323.8	29	94
393/126	0.0	0	0.0	0	0.0	0	0.0	0	7.0	2	5.0	1	51.0	4	172.5	17	-	135.0	14	-
393/382	0.0	0	0.0	0	0.0	0	3.5	1	32.0	2	7.1	1	30.0	1	365.4	(19)	-	383.6	(23)	-
393/476	1.5	1	2.7	3	0.0	0	0.0	0	19.6	4	17.5	2	35.5	5	372.1	49	-	380.9	49	-
393/566	1.5	1	3.0	1	1.0	1	0.0	0	31.5	3	15.0	2	73.0	5	487.3	40	-	499.3	39	-
393/778	2.2	3	4.5	4	2.4	2	0.0	0	37.0	3	17.3	5	59.5	8	479.9	69	107	501.6	69	112
394/574	0.0	0	0.0	0	0.0	0	0.0	0	37.0	1	0.0	0	86.0	7	405.5	25	96	490.0	30	116
394/878	0.0	0	0.0	0	0.0	0	0.0	0	24.5	1	27.5	3	59.5	6	417.7	26	119	439.2	28	125
396/271	0.0	0	0.0	0	0.0	0	22.5	1	44.5	3	19.0	6	82.5	6	491.1	57	124	466.3	59	102
396/284	0.0	0	0.8	1	0.0	0	0.0	0	34.5	5	5.5	2	60.5	7	490.6	47	109	544.0	47	121
396/738	0.0	0	0.0	0	0.0	0	0.0	0	93.5	5	7.0	1	66.0	5	499.0	33	-	466.5	31	-
396/813	0.0	0	0.0	0	0.0	0	0.0	0	71.0	5	17.5	4	118.3	9	556.3	51	127	518.5	50	118
397/ 75	0.0	0	0.0	0	0.0	0	0.0	0	80.5	5	24.0	3	114.0	(6)	649.0	(45)	-	(607.3)	(49)	-
397/114	0.0	0	0.0	0	0.0	0	0.0	0	64.5	4	13.5	2	76.5	6	492.0	41	-	451.6	40	-
397/581	0.0	0	0.0	0	0.0	0	0.0	0	91.0	5	6.0	1	38.0	3	419.0	30	86	387.5	33	80
397/715	0.0	0	0.0	0	0.0	0	0.3	1	69.3	4	17.5	2	103.0	11	546.4	52	-	462.1	50	-
397/784	0.0	0	0.0	0	0.0	0	0.0	0	73.0	6	12.5	2	89.4	8	526.1	43	104	482.5	45	95
398/177	0.0	0	0.0	0	0.0	0	0.0	0	77.0	7	8.5	2	108.0	8	516.0	48	107	453.5	42	93
398/508	0.0	0	0.0	0	0.0	0	0.0	0	72.5	-	16.0	2	143.5	11	551.3	(46)	-	423.3	46	-
398/556	0.0	0	0.0	0	0.0	0	0.0	0	56.8	6	21.5	3	186.5	10	602.3	50	117	473.7	46	92

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	φ S ° '	λ E ° '	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
398/852	WOLMARANSSTAD - POL	2712	2559	1350	113.5	6	45.7	7	42.0	8	105.5	6	20.0	3
398/876	ROOIPOORT	2706	2600	1311	67.5	3	56.0	5	60.0	4	68.6	3	20.5	2
398/889	MAQUASSIE	2719	2600	1311	137.0	7	27.5	1	40.5	3	54.0	2	17.0	1
399/208	DRIEKOPPIES	2728	2607	1305	75.0	6	39.8	5	89.5	8	66.6	5	42.2	5
399/241	LEEUKOP	2701	2609	1219	73.0	6	66.5	7	30.5	3	57.0	4	18.5	4
399/404	LEEUDORINGSTAD - SKL	2714	2614	1319	82.5	5	43.5	2	41.0	4	100.5	3	24.5	3
399/515	SYFERGAT	2705	2618	1340	119.5	10	38.4	6	90.7	7	76.7	6	19.0	6
399/662	DOORNPLAAT	2702	2623	1318	71.0	4	26.0	3	65.0	3	124.5	5	0.0	0
399/894	BALKFONTEIN - IRR	2724	2630	1280	89.3	14	33.0	9	51.1	8	93.7	6	25.1	6
400/203	BOTHAVILLE - MUN	2723	2637	1280	95.1	12	41.5	9	57.6	-	84.0	9	26.6	6
400/425A	VIERFONTEIN - POL	2705	2645	1326	95.0	7	58.5	6	40.5	4	105.0	6	29.5	4
400/647	BOVENLANDSPLAATS	2717	2652	1384	156.5	10	81.0	3	18.5	4	107.0	4	27.0	2
400/792	VILJOENSKROON - MUN	2712	2657	1321	95.5	6	44.5	3	27.5	2	69.5	4	9.5	3
401/272	GOEDHEID	2702	2710	1387	127.9	12	37.0	4	78.9	8	97.6	7	9.5	1
401/383	WELVAART	2723	2713	1341	84.5	9	21.5	1	20.0	2	98.5	4	10.5	2
401/407	MIDDELWEG	2717	2714	1347	139.0	8	30.0	3	31.5	3	87.0	6	19.0	4
401/658	VERBLYDING	2728	2722	1390	78.5	11	17.0	3	35.0	3	107.0	7	19.5	3
401/747	HEUNINGSPRUIT - POL	2727	2725	1402	125.5	11	61.0	5	62.5	2	48.0	5	18.0	3
401/798	DUNKELD	2718	2727	1372	171.8	10	89.0	9	58.8	7	72.2	5	11.0	5
402/ 81	MORGENROOD	2721	2733	1384	189.1	12	66.0	6	59.7	5	120.5	6	6.9	3
402/104	KOPPIES	2714	2734	1420	153.6	12	38.0	5	89.3	6	83.3	5	8.9	3
402/140	GOEDEHOOP	2720	2735	1396	134.7	8	61.0	7	43.0	3	82.0	2	0.0	0
402/166	DOORNDRAAI	2716	2736	1400	136.5	12	48.0	6	89.0	4	90.5	3	5.0	1
402/300	FRAAIUITZIG	2730	2740	1490	63.0	6	89.5	6	81.4	7	107.1	6	21.0	4
402/543	GOEDEMOED	2733	2749	1475	160.0	8	11.0	1	38.5	4	60.0	3	7.5	1
402/788	OORSPRONG - OOS	2708	2757	1524	148.0	10	29.0	4	57.0	6	110.0	5	11.5	2
402/827	HEILBRON - TNK	2717	2758	1585	85.0	4	40.5	4	37.5	2	69.0	1	6.5	1
402/866	DRIEFONTEIN	2726	2759	1585	237.7	13	66.0	7	60.6	5	120.5	5	11.5	5
403/ 54	SCHOONGEZICHT	2724	2802	1608	181.5	15	101.0	9	79.5	5	142.0	6	10.0	4
403/ 62	MIDDEN	2702	2803	1493	111.5	7	26.0	3	36.0	4	98.0	4	11.0	2
403/646	TURFFONTEIN	2716	2822	1524	87.4	11	104.1	11	71.1	5	106.6	4	14.9	4
403/886A	FRANKFORT - TNK	2716	2830	1504	137.0	19	124.9	11	77.0	6	121.0	7	11.2	8
404/ 7	GLEN ALPHEN	2707	2831	1555	104.0	8	83.0	6	44.0	3	120.0	3	11.5	2
404/132	CATHARINASVLEI	2712	2835	1539	96.3	13	94.2	10	64.0	8	113.5	6	7.2	3
404/152	VILLIERS - POL	2702	2836	1493	69.5	9	59.0	3	68.5	4	125.0	5	9.0	1
404/177	ZOETVELD	2727	2836	1588	133.0	8	129.5	5	65.0	4	117.0	4	1.5	1
404/316	DUNEDIN	2716	2841	1570	84.0	11	135.0	9	56.0	6	111.0	5	7.0	2
404/366	VAALVLEI	2706	2843	1555	67.0	8	61.5	8	36.5	4	101.5	5	12.7	2
404/390	GRENFELL	2730	2843	1524	103.0	10	122.0	11	55.9	4	102.5	7	3.5	2
404/459	DEWETSHOOP	2709	2846	1555	120.0	7	71.0	8	45.5	2	125.0	5	16.0	5
404/614	CORNELIA - POL	2714	2851	1579	100.6	9	52.0	7	63.5	4	127.6	6	0.0	0
404/817	BRAKFONTEIN	2707	2858	1555	131.9	10	68.6	7	51.5	4	102.4	4	9.6	4
405/ 1	ROBERTSCRIFT	2701	2901	1524	91.5	7	67.3	9	70.0	5	105.0	2	18.0	2
405/295	VREDE - TNK	2725	2910	1600	143.9	15	50.5	4	70.0	3	143.5	5	0.0	0
405/295A	VREDE - MUN	2725	2910	1679	120.7	16	60.0	7	64.5	8	131.6	7	12.2	5
405/632	KROMDRAAI - SAR	2702	2922	1604	96.7	13	61.0	6	66.6	7	138.0	5	19.4	3
406/221	PAARDEKOPPLAAS	2711	2938	1722	100.8	6	15.0	2	71.5	4	80.0	2	35.5	1
406/551	WELGEDACHT	2711	2949	1737	132.7	11	36.6	8	46.3	4	134.5	5	7.6	3
406/607	RIETPOORT	2707	2951	1707	136.3	15	43.9	11	42.8	7	129.2	7	30.0	7
406/658	LANGSNEK	2728	2952	1600	197.1	13	127.6	10	94.9	9	139.8	5	66.6	7
406/682	VOLKSRUST - MUN	2722	2953	1652	116.3	-	70.0	-	78.5	-	133.0	-	41.5	-
406/682A	VOLKSRUST - TNK	2722	2953	1652	90.7	10	56.0	5	87.0	6	125.5	5	32.5	2
407/ 45	SCHOONGEZICHT	2715	3002	1829	259.6	14	31.0	6	28.0	3	145.4	6	23.5	3
407/148	BARROWFIELD	2728	3005	1675	100.9	9	62.0	6	50.5	5	124.0	7	53.0	5
407/261A	WAKKERSTROOM - MUN	2721	3009	1780	226.9	-	13.5	-	34.3	-	74.2	-	21.5	-
407/397	SPITSKOP	2707	3014	1676	146.5	8	0.0	0	0.0	0	125.0	5	0.0	0
407/418	GROENVLEI - POL	2728	3014	1830	121.0	10	66.1	6	41.5	6	125.0	4	41.0	4
407/639	GROOT RIETVLEI	2709	3022	1372	213.8	9	58.5	4	44.4	3	154.5	4	42.0	5
407/730	DIRKIESDORP - POL	2710	3025	1370	203.0	10	31.6	7	37.5	4	128.0	12	29.5	5
407/745	ELIM	2725	3025	1372	264.3	20	57.0	7	106.5	11	144.0	7	44.5	4
408/287	FRISCHGEWAGT	2717	3040	1219	157.3	12	49.0	5	92.0	6	105.0	6	31.0	2
408/598	WELVERDIEND	2728	3050	1140	205.0	15	45.9	7	112.0	12	100.8	6	98.7	5
408/785	BAKENKOP	2705	3057	1067	189.1	15	66.0	3	82.0	9	71.0	6	61.5	3
408/798	ZAAIPLAATS	2718	3057	1051	159.0	6	102.0	4	119.0	5	148.0	6	63.0	4
409/ 31	JOHANNESLOOP	2701	3102	1067	181.0	10	92.5	7	79.1	10	75.5	7	58.0	8
409/ 96	MAHAMBA - POL	2706	3104	1065	181.7	12	55.0	2	92.5	10	92.5	5	77.0	3
409/130	SULPHUR SPRINGS - POL	2710	3105	975	133.0	7	96.0	5	103.5	10	88.5	5	96.5	2
409/320	ORANJEDAL-NAF	2720	3111	1067	137.0	10	41.0	3	88.0	6	81.0	6	73.5	3
409/337	NHLANGANA - GOEDGEGUN	2707	3112	1036	107.0	12	61.2	5	77.6	7	67.4	6	65.0	4
409/375	BERGPLAATS	2715	3113	762	160.5	8	49.5	4	130.0	8	81.0	4	99.0	3
409/460	DWALENI	2710	3116	975	119.5	13	44.0	6	60.0	10	72.0	6	80.5	4
409/862	RHEBOKFONTEIN - NAF	2722	3129	701	128.3	13	34.5	3	237.5	8	56.0	6	51.5	3
410/132	HLUTI	2712	3135	640	221.5	8	103.0	7	130.0	10	82.0	6	46.5	4
410/203	PONGOLA-MAG	2723	3137	300	87.5	14	99.0	2	57.5	8	48.5	7	20.0	-
410/440	SITILO	2720	3145	275	127.0	5	49.0	1	74.5	5	75.0	5	15.5	1
410/515	MKIWANE	2705	3148	240	148.5	9	9.7	3	84.3	8	79.6	6	42.8	5
410/708	GOLLEL - POL	2719	3153	152	85.5	3	15.2	5	52.6	10	49.0	4	5.4	2
410/709	LAVUMISA	2719	3154	135	97.5	7	11.0	3	62.0	4	17.0	1	1.0	1
410/878	INGWAVUMA - TNK	2708	3200	610	130.0	10	21.0	2	70.0	4	72.5	3	6.0	0
411/116	J.G.STRYDOMDAM - IRR	2726	3204	293	123.3	12	7.5	5	95.6	10	98.2	7	0.0	0
411/175	OTOBOTINI	2725	3206	91	117.8	7	11.3	3	39.7	7	65.5	5	0.1	1
411/324	MAKATINI - AGR	2724	3211	73	80.7	10	28.0	8	65.3	9	68.0	5	1.4	2
411/353	MAMFENE	2723	3212	69	68.0	6	22.0	4	0.0	0	165.0	5	0.0	0
411/372	MZINYENI PAN	2712	3213	55	66.0	3	0.0	0	88.0	3	85.5	4	12.5	1
411/715	SHONGWE	2725	3224	122	70.0	3	85.5	6	74.0	3	88.0	3	0.0	0

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
398/852	0.0	0	3.0	2	0.0	0	1.0	1	82.0	7	22.0	5	150.0	11	584.7	56	-	540.3	48	-
398/876	0.0	0	0.0	0	0.0	0	17.5	1	42.5	4	29.5	7	67.9	5	430.0	34	85	402.6	26	80
398/889	0.0	0	0.0	0	0.0	0	5.0	1	52.5	4	15.0	2	147.5	11	496.0	32	94	368.8	(21)	70
399/208	0.0	0	0.0	0	0.0	0	0.0	0	50.0	5	68.0	4	107.2	11	538.3	49	109	474.2	48	96
399/241	0.0	0	4.0	1	0.0	0	17.5	2	56.0	5	38.0	6	89.0	7	450.0	45	86	474.5	44	93
399/404	0.0	0	0.0	0	0.0	0	7.0	1	63.5	5	55.0	6	127.5	6	545.0	35	95	428.3	27	75
399/515	0.0	0	3.0	1	0.0	0	20.0	3	50.5	6	41.8	7	125.5	10	585.1	62	96	512.6	56	84
399/662	0.0	0	0.0	0	0.0	0	12.0	1	49.5	4	42.5	4	135.0	7	525.5	31	95	504.2	28	91
399/894	0.0	0	0.3	1	0.0	0	12.9	3	51.8	6	72.2	8	188.4	12	617.8	73	-	528.0	76	-
400/203	0.0	0	0.4	1	0.0	0	21.6	3	44.0	7	48.1	9	167.5	10	586.4	(66)	108	565.2	(71)	104
400/425A	0.0	0	6.0	1	0.0	0	17.0	2	31.5	5	53.0	8	159.0	10	595.0	53	101	581.2	49	99
400/647	0.0	0	6.0	1	0.0	0	26.5	2	54.5	5	63.5	6	192.5	8	733.0	45	134	707.7	44	129
400/792	0.0	0	7.5	1	0.0	0	16.5	2	22.5	3	28.0	3	192.5	7	513.5	34	89	449.6	33	78
401/272	0.0	0	0.4	1	0.0	0	23.0	2	97.0	5	81.0	7	125.5	8	677.8	55	111	612.9	52	100
401/383	0.0	0	0.0	0	0.0	0	60.0	2	53.7	5	31.0	3	120.5	5	500.2	33	-	470.0	32	-
401/407	0.0	0	0.0	0	0.0	0	41.0	2	49.0	6	22.0	3	134.7	5	553.2	40	97	570.5	42	100
401/658	0.0	0	3.0	1	0.0	0	37.5	2	35.0	5	79.5	8	95.6	7	507.6	50	87	529.9	47	91
401/747	0.0	0	3.5	1	0.0	0	30.5	2	52.0	7	46.0	4	87.0	8	534.0	48	-	596.0	46	-
401/798	0.0	0	4.0	1	0.0	0	47.0	2	58.7	6	80.1	10	125.0	10	717.6	65	123	712.0	62	122
402/ 81	0.0	0	3.5	1	0.0	0	38.3	4	41.5	6	99.6	10	141.4	11	766.5	64	131	713.5	57	122
402/104	0.0	0	1.8	1	0.0	0	43.0	2	54.7	8	54.0	8	105.9	9	632.5	59	107	-	-	-
402/140	0.0	0	8.5	1	0.0	0	45.0	2	41.0	5	62.5	7	147.7	7	625.4	42	117	606.7	38	113
402/166	0.0	0	2.0	1	0.0	0	46.0	2	64.5	10	80.2	11	38.0	6	599.7	56	93	655.9	45	102
402/300	0.0	0	0.4	1	0.0	0	53.7	3	48.0	6	187.0	8	134.0	10	785.1	57	131	681.6	51	114
402/543	0.0	0	0.0	0	0.0	0	32.5	2	52.0	6	33.0	3	154.0	8	548.5	36	94	602.5	41	103
402/788	10.0	1	0.0	0	0.0	0	44.5	3	64.5	8	77.5	7	150.5	13	702.5	59	119	731.0	53	125
402/827	0.0	0	0.0	0	0.0	0	58.5	2	51.0	6	137.5	6	102.5	7	588.0	33	89	595.2	26	90
402/866	1.0	1	3.0	1	0.0	0	44.5	3	58.9	7	167.0	13	128.0	12	898.7	72	134	835.3	64	125
403/ 54	0.0	0	1.5	1	0.0	0	39.5	2	59.0	8	129.0	10	123.0	13	866.0	73	128	821.5	64	121
403/ 62	25.5	2	2.0	1	0.0	0	32.0	2	60.0	8	73.5	8	135.0	9	610.5	50	104	608.5	45	103
403/646	13.5	2	1.0	1	0.0	0	27.7	6	46.2	7	115.8	12	130.6	13	718.9	76	113	724.1	67	114
403/886A	9.7	2	1.1	2	0.1	1	29.9	6	55.2	15	114.7	22	92.8	16	774.6	117	-	832.0	103	-
404/ 7	10.0	1	0.0	0	0.0	0	22.0	2	55.5	6	154.0	11	112.0	9	716.0	51	113	718.5	43	114
404/132	7.0	1	0.5	1	0.0	0	29.0	2	66.0	10	133.5	13	109.0	13	720.2	80	107	733.8	75	108
404/152	10.0	2	0.0	0	0.0	0	24.5	2	46.5	8	126.8	9	127.0	7	665.8	50	92	709.8	49	98
404/177	20.0	1	0.0	0	0.0	0	43.5	2	45.0	5	152.5	8	135.0	5	842.0	43	128	735.0	41	112
404/316	9.5	1	0.0	0	0.0	0	38.5	2	59.0	11	143.0	11	136.5	10	779.5	68	-	710.0	61	-
404/366	4.5	1	0.0	0	0.0	0	19.5	2	58.0	9	109.4	14	95.5	8	586.1	61	-	622.6	53	-
404/390	13.5	1	1.0	1	2.0	2	48.0	4	42.8	6	149.5	15	112.5	6	756.2	69	110	741.9	63	106
404/459	8.0	1	0.0	0	0.0	0	30.0	2	73.0	7	168.5	10	148.5	9	805.5	56	-	721.5	53	-
404/614	8.0	1	0.5	1	0.6	1	29.3	3	56.5	11	145.0	19	116.1	11	699.7	73	109	654.8	46	102
404/817	3.2	1	0.0	0	12.5	1	17.0	3	84.2	10	162.9	16	165.7	11	809.5	71	-	663.6	57	-
405/ 1	0.0	0	0.0	0	12.5	1	20.0	2	54.5	9	145.8	15	128.0	9	712.6	61	-	585.5	48	-
405/295	0.0	0	0.0	0	25.4	2	25.9	3	54.0	6	116.1	13	89.0	6	718.3	57	-	706.0	52	-
405/295A	0.2	1	0.5	3	15.8	3	29.8	4	52.8	11	117.5	18	125.2	9	730.8	92	102	739.4	77	103
405/632	0.0	0	0.0	0	0.0	0	36.5	4	85.0	10	188.1	19	127.0	11	818.3	78	123	705.1	61	106
406/221	0.0	0	0.0	0	0.0	0	33.0	1	75.5	6	147.6	8	149.0	5	707.9	35	97	651.8	34	89
406/551	0.0	0	0.0	0	9.2	1	49.7	2	60.7	5	142.9	14	152.7	6	774.9	59	-	841.4	57	-
406/607	0.0	0	1.3	1	5.5	1	44.0	7	122.0	13	126.5	22	136.6	12	818.1	103	106	837.6	87	109
406/658	7.0	1	10.0	1	10.2	1	55.9	6	81.5	9	178.2	17	210.5	11	1179.3	90	108	1047.8	84	97
406/682	0.0	-	3.7	-	5.0	-	38.0	-	57.9	-	165.1	-	149.0	-	858.0	-	-	821.3	-	98
406/682A	0.0	0	0.0	0	6.5	1	40.7	5	80.1	13	165.5	15	132.0	7	816.5	69	-	761.4	52	-
407/ 45	0.0	0	0.0	0	3.0	2	46.3	7	142.0	13	137.5	19	132.6	11	948.9	86	-	838.7	70	-
407/148	0.0	0	0.0	0	8.5	1	38.5	2	101.2	9	103.0	11	95.0	3	736.6	58	-	738.8	62	-
407/261A	0.0	-	0.0	-	0.0	-	10.3	-	96.7	-	88.2	-	84.5	-	650.1	-	-	579.0	-	-
407/397	0.0	0	0.0	0	18.0	3	26.0	2	164.5	7	230.0	12	171.0	13	881.0	50	98	654.5	38	73
407/418	0.0	0	3.0	1	0.0	0	40.0	2	93.0	9	132.0	11	133.5	7	796.1	60	-	763.4	56	-
407/639	0.0	0	0.0	0	10.0	2	36.5	3	97.0	5	135.0	8	196.0	7	987.7	50	126	804.6	44	103
407/730	0.0	0	0.0	0	2.0	1	19.0	3	131.0	10	206.0	11	258.5	14	1046.1	77	-	763.6	54	-
407/745	2.9	2	5.0	1	14.4	3	52.0	9	149.5	15	144.5	17	235.0	14	1219.6	110	-	1135.5	91	-
408/287	0.0	0	6.0	1	6.0	1	69.6	9	131.0	12	170.6	16	405.5	9	1223.0	79	-	849.9	66	-
408/598	0.0	0	6.5	1	12.4	2	51.3	12	118.9	18	168.8	17	177.5	16	1097.8	111	-	1066.8	94	-
408/785	0.0	0	7.0	1	4.5	1	17.0	3	152.6	13	231.7	18	109.5	7	991.9	79	-	762.6	67	-
408/798	0.0	0	5.0	1	0.0	0	29.0	3	89.0	7	135.0	8	190.0	7	1039.0	51	121	880.0	48	102
409/ 31	2.0	2	7.8	2	2.0	4	54.9	11	154.0	16	183.0	18	160.4	8	1050.2	103	93	828.1	66	73
409/ 96	0.0	0	0.0	0	1.9	1	52.1	5	170.5	10	107.5	10	132.3	4	963.0	62	-	857.0	69	-
409/130	0.0	0	6.0	1	5.0	1	27.0	5	136.0	10	207.0	13	122.5	8	1021.0	67	108	660.4	54	101
409/320	0.0	0	9.5	2	4.0	1	6.0	1	91.0	9	161.0	7	119.5	3	811.5	51	-	771.5	57	-
409/337	1.3	1	6.4	2	5.3	2	25.3	6	137.3	15	92.2	12	163.5	16	809.5	88	90	636.3	64	73
409/375	0.0	0	7.0	1	9.0	2	34.0	3	105.5	8	134.0	9	156.0	7	965.5	57	125	872.5	50	113
409/460	0.0	0	11.0	3	4.0	1	35.0	7	124.0	15	104.7	15	172.9	16	827.6	96	108	692.8	74	90
409/862	0.0	0	13.0	2	14.0	2	22.4	5	102.5	12	122.6	10	197.0	12	979.3	76	-	863.6	63	-
410/132	0.0	0	15.0	1	9.1	1	17.5	3	89.0	6	126.0	7	91.5	7	931.1	60	-	931.9	63	-
410/203	0.0	0	0.0	0	1.0	1	22.0	3	80.0	8	108.5	8	154.0	6	678.0	(57)	97	540.3	(56)	77
410/440	0.0	0	9.0	1	0.0	0	20.0	1	41.5	3	105.5	5	104.5	5	621.5	32	-	570.1	32	-
410/515	8.5	2	0.0	0	0.0	0	3.1	2	93.2	7	106.2	9	159.0	9	734.3	60	-	609.0	49	-
410/708	4.0	1	5.5	1	6.0	1	23.5	2	38.1	7	81.2	11	91.1	6	457.1	53	-	420.2	39	-
410/709	4.0	1	6.0	1	5.0	1	5.0	1	43.5	7	68.7	5	85.5	4	406.2	36	70	(362.7)	(31)	-
410/878	0.0	0	0.0	0	0.0	0	15.5	2	115.4	4	71.5	7	69.0	2	564.9	34	67	592.7	39	71
411/116	3.0	1	4.0	1	12.0	1	1.5	2	53.6	9	77.8	7	116.1	8	592.6	63	-	523.1	62	-
411/175	0.2	1	1.3	2	0.0	0	12.0	1	39.0	4	59.0	5	82.0	4	427.9	40	65	465.5	51	62
411/324	4.6	2	2.0	1	0.0	0	14.3	3	54.4	11	42.7	10	84.2	12	445.6	73	-	547.6	67	-
411/353	0.0	0	0.0	0	0.0	0	12.5	1	84.5	4	58.0	4	93.5	4	503.5	28	-	(403.1)	(27)	-
411/372	0.0	0	0.0	0	0.0	0	22.5	1	114.5	3	24.0	1	166.0	5	599.0	21	-	370.5	17	-
411/715	0.0	0	0.0	0	0.0	0	15.0	1	105.0	3	36.0	1	109.5	3	583.0	23	-	(448.8)	(24)	-

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
411/723	SIHANGWANA	2703	3225	69	97.0	7	55.5	8	64.5	6	101.5	7	15.5	2
412/ 52	MSELENI	2722	3232	90	71.5	12	73.7	10	150.8	8	99.6	6	41.6	3
412/103	NGUTSHANA	2713	3234	96	76.0	7	51.0	8	73.0	6	95.5	7	21.0	2
412/180	MBAZWANE - BOS	2730	3236	80	57.9	14	116.2	9	130.7	9	139.0	10	43.3	7
423/ 44	RIETFONTEIN - POL	2644	2002	792	52.4	5	28.2	3	27.9	4	1.2	2	13.9	2
424/354	GEMSBOK - POL	2654	2042	825	41.9	4	52.0	5	20.0	4	8.0	2	10.5	2
424/357	WITDRAAI - POL	2657	2042	825	43.0	4	50.5	4	30.0	4	14.0	1	4.5	1
424/509	ASKHAM	2659	2047	825	14.5	3	55.0	4	17.5	2	6.0	1	7.5	2
427/ 83	VANZYLSRUS - POL	2653	2203	923	6.1	5	56.0	5	9.8	4	21.0	4	22.4	5
427/469	ONRUST	2649	2216	960	51.5	4	60.5	4	5.5	2	11.0	4	19.3	5
428/635	SEVERN - POL	2635	2252	1000	61.2	6	83.0	7	25.5	4	3.0	1	36.5	3
428/706	BARNEVELD	2646	2254	1065	11.0	2	144.6	9	23.2	1	10.0	1	55.5	4
431/306	GENESA - POL	2636	2411	1220	155.5	6	58.5	4	19.0	1	42.5	2	36.5	2
431/820	LOURENSGELUK	2640	2428	1295	151.0	10	63.0	5	24.0	2	58.5	4	33.5	3
432/ 93	DAGBREEK	2633	2434	1325	100.5	8	24.0	3	25.0	2	60.5	4	27.0	4
432/136	WELGELEVEN	2646	2435	1247	199.8	12	46.2	5	23.5	2	34.0	3	36.5	3
432/196	PROGRESS	2646	2437	1231	195.8	11	46.6	9	32.7	6	48.5	4	43.0	5
432/237	ARMOEDSVLAKTE - AGR	2657	2438	1234	141.6	13	119.2	15	30.6	11	45.5	6	43.2	5
432/309	OPENSIDE	2639	2441	1310	100.5	5	32.5	2	28.0	1	44.0	3	35.0	3
432/387	VRYBURG - POL	2657	2443	1189	205.3	13	68.5	11	62.1	9	55.5	6	37.5	4
432/633	STELLA - POL	2633	2452	1295	129.5	11	30.1	7	53.0	8	43.0	2	35.6	6
432/737	METZ	2647	2455	1260	81.0	5	118.0	5	101.8	5	49.0	4	38.0	3
433/115	RIETPAN	2655	2504	1265	183.2	9	50.8	6	39.5	1	70.8	4	46.5	3
433/494	KAALPLAAS	2644	2517	1356	159.7	15	58.7	8	73.5	7	67.7	6	26.5	5
433/500	GRASPAN	2650	2517	1341	73.8	6	29.0	3	38.0	5	51.5	3	23.5	4
433/512	BRANDWAG	2632	2518	1219	174.4	12	39.4	5	64.0	8	19.4	4	28.5	3
433/791	DELAREYVILLE - MUN	2641	2527	1356	120.5	12	43.6	8	98.6	9	110.5	4	22.5	3
433/804	POORTJIE	2654	2527	1338	100.5	6	27.5	2	44.3	1	66.0	3	0.0	0
433/858	RIETPAN 1	2648	2529	1341	144.0	10	22.5	5	66.0	7	71.0	6	12.0	2
434/ 20	RIETPAN 11	2650	2531	1341	181.6	12	39.5	5	86.0	9	68.5	7	31.0	6
434/151	LEEUWPAN	2631	2536	1360	120.5	9	41.6	7	67.9	9	55.3	5	14.7	2
434/153	BARBERSPAN	2633	2536	1350	87.1	12	100.0	12	93.5	10	57.0	6	16.0	5
434/228	DOORNBULT	2648	2538	1356	96.5	6	55.2	5	91.5	5	78.0	3	24.5	2
434/236	KLIPSPRUIT	2656	2538	1402	138.2	8	185.5	6	30.0	4	20.4	1	16.9	3
434/359	BRAKPAN	2659	2542	1417	126.8	9	71.3	9	60.0	7	132.5	5	25.5	4
434/431	KLIPDRIFT	2641	2545	1366	53.5	5	59.0	3	76.8	5	65.8	5	9.0	1
434/512	SANNIESHOF - POL	2632	2548	1372	83.9	9	13.0	1	39.7	5	96.5	5	13.5	2
434/599	VOGELSTRUISKUIL	2659	2550	1433	88.5	10	24.0	4	54.0	4	101.0	4	10.0	1
434/699	NOODSHULP - SKL	2639	2554	1402	162.5	11	69.5	7	40.3	6	78.0	6	13.5	3
434/888	OTTOSDAL - POL	2648	2600	1490	67.4	5	102.5	3	15.5	1	60.0	2	0.0	0
435/ 36	UITSCHOT	2636	2602	1495	124.0	12	83.0	7	43.0	7	115.0	5	13.5	3
435/157	DOORNLAAGTE	2637	2606	1472	141.8	14	77.7	8	75.9	9	136.4	7	19.4	5
435/193	HOLFONTEIN	2643	2607	1487	122.0	9	63.5	3	110.5	4	116.8	6	0.0	0
435/400	WERK - MET - LUST	2640	2614	1555	193.5	13	45.0	2	80.0	5	126.0	4	17.0	2
435/442	SKIETFONTEIN	2652	2615	1585	75.7	7	54.1	5	36.1	5	81.2	4	5.5	1
435/608	MON REPOS	2638	2621	1524	147.5	10	57.0	8	68.5	6	97.0	4	16.0	1
435/615	OTTERFONTEIN	2645	2621	1524	69.5	8	123.5	7	76.5	7	59.0	4	12.5	3
435/721	KAFFERSKRAAL	2631	2625	1463	123.5	9	99.5	5	72.5	4	105.2	5	16.0	2
435/735	HARTBEESFONTEIN - SKL	2645	2625	1325	96.7	7	79.9	12	99.7	9	102.7	8	4.5	3
436/292	KLERKSDORP - TNK	2652	2640	1301	74.4	9	34.7	5	57.5	3	79.5	5	12.0	1
436/297	WESTERN REEFS	2657	2640	1300	68.2	10	73.2	8	73.0	12	96.0	6	11.6	6
436/495	BEATRIX	2645	2647	1372	126.2	11	98.1	9	82.0	5	91.0	5	11.0	2
436/747	BUSHY BEND	2657	2655	1295	91.5	12	40.2	6	100.7	8	94.5	6	11.0	1
436/748	WATERFORD	2658	2655	1311	129.5	9	26.7	4	116.5	4	101.0	6	12.0	2
436/855	BRAKSPRUIT - AGR	2645	2659	1402	114.5	10	53.5	8	108.0	8	199.5	6	13.5	4
436/887	NOYJONS - AGR	2647	2700	1370	75.0	9	41.0	5	59.0	6	154.5	5	12.5	3
437/100	POTCHEFSTROOM - RSV	2640	2704	1384	88.5	6	105.5	4	117.3	7	162.4	5	0.0	0
437/104	POTCHEFSTROOM - AGR	2644	2704	1350	119.4	12	82.6	10	121.1	11	159.9	7	11.7	5
437/134	POTCHEFSTROOM - AGR	2644	2705	1345	119.9	13	82.1	10	119.5	11	160.1	7	11.4	5
437/157	KOLONIESPLAAS	2637	2706	1370	156.3	13	104.4	7	83.5	11	134.3	7	27.6	6
437/194	ELANDSHEUVEL	2644	2707	1356	131.3	8	63.5	5	84.0	4	160.8	5	15.5	2
437/383	TIERFONTEIN	2653	2713	1521	131.8	9	56.5	4	60.5	6	123.5	6	9.0	2
437/452	MIMOSA PARK	2632	2716	1451	179.3	12	122.5	3	-	-	0.0	0	0.0	0
437/517	KLIPDRIFT	2637	2718	1372	164.0	11	42.5	4	32.0	3	73.0	4	18.5	3
437/555	HARTEBEESPOORT	2645	2719	1417	149.0	10	30.0	2	97.0	8	140.5	6	0.0	0
437/660	VREDEFORT - SKL	2700	2722	1430	81.5	10	39.5	6	72.0	6	112.0	7	11.0	1
437/834	PARYS - MUN	2654	2728	1385	122.7	13	45.8	7	55.5	8	119.5	8	11.7	5
438/ 47	WOOLDRIDGE	2647	2732	1433	140.9	15	49.0	8	89.6	9	147.8	6	18.6	5
438/315	BARRAGE - RWB	2645	2741	1433	180.9	17	99.2	9	90.6	11	153.6	7	12.9	5
438/323	GROENVLEI	2653	2741	1524	131.9	13	27.5	3	93.0	7	131.0	6	11.5	-
438/514	RIETSPRUIT	2634	2748	1524	151.8	7	36.8	3	78.0	7	142.5	6	11.5	1
438/550	VANDERBIJLPARK - YSKOR	2640	2749	1496	163.7	10	113.0	5	70.7	10	144.9	7	21.3	5
438/553	VANDERBYLPARK - PUR	2643	2749	1496	133.7	15	93.9	10	72.0	10	171.4	10	17.9	11
438/588	SASOLBURG - MUN	2648	2750	1495	68.0	8	42.2	8	67.3	11	126.0	6	10.2	3
438/716	RIETFONTEIN	2656	2754	1459	96.3	8	74.0	4	66.6	11	113.0	5	12.5	4
438/731	VEREENIGING - RWB	2641	2755	1440	128.4	12	99.4	9	61.9	12	138.4	7	16.5	5
438/734	VILJOENSDRIFT - POL	2644	2755	1451	100.5	8	102.5	7	82.5	8	128.0	6	16.0	3
438/744	CLYDESDALE COLLIERY	2654	2755	1444	70.0	5	29.5	7	55.0	9	102.5	5	15.0	4
438/750	SCHAAPPLAATS	2700	2755	1463	118.0	7	28.0	5	53.0	4	110.0	4	7.0	1
439/ 3	MEYERTON	2633	2801	1490	156.3	11	71.7	7	80.0	7	134.5	6	13.0	1
439/203	VAALDAM - POL	2653	2807	1524	98.5	7	87.0	8	86.0	9	100.5	6	8.0	3
439/389	ORANJEVILLE - SKL	2659	2813	1444	113.5	6	57.0	5	31.0	2	102.5	3	7.5	1
439/396	SCHIKFONTEIN	2636	2814	1555	168.5	8	108.0	5	75.5	5	143.5	5	28.0	3
439/688	MIDDELPAN	2658	2823	1460	115.0	10	52.0	3	64.5	3	113.4	5	5.0	1
439/764	VLAKFONTEIN	2644	2826	1600	118.6	13	54.0	6	125.1	7	142.9	8	16.3	5

TOTAL RAINFALL IN MILLIMETERS ; NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN		JUL		AUG		SEP		OCT		NOV		DEC		JAAR JAN 71 DEC 71			YEAR JUL 70 JUN 71		
	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	PER	MM	D	PER
411/723	6.0	2	8.0	2	0.0	0	19.5	2	21.0	6	22.0	3	23.5	5	434.0	50	-	(501.6)	(45)	-
412/ 52	5.5	2	10.6	1	0.0	0	25.5	6	79.2	7	44.5	9	110.4	13	712.9	77	93	685.1	74	88
412/103	15.0	2	12.0	2	0.0	0	19.5	2	24.7	5	42.5	5	100.0	6	530.2	52	-	(513.0)	(45)	-
412/180	8.5	1	36.3	5	0.0	0	33.3	8	119.6	11	69.7	13	51.6	10	806.1	97	-	806.0	91	-
423/ 44	0.0	0	0.0	0	0.0	0	0.0	0	28.7	2	13.7	1	4.0	1	170.0	20	108	135.4	21	82
424/354	6.9	2	0.0	0	0.0	0	0.0	0	20.5	3	6.0	1	11.0	2	176.8	25	-	186.5	26	-
424/357	5.0	1	0.0	0	0.0	0	0.0	0	19.0	3	7.5	1	6.0	1	179.5	20	102	163.8	18	93
424/509	6.0	1	0.0	0	0.0	0	0.0	0	19.5	1	2.5	1	3.5	1	132.0	16	80	139.0	17	84
427/ 83	0.6	1	1.5	1	0.0	0	0.0	0	18.5	2	26.6	4	46.8	6	211.3	37	87	171.0	35	71
427/469	0.0	0	1.2	1	0.0	0	0.0	0	39.5	2	30.7	3	58.3	5	277.5	30	118	205.7	28	87
428/635	0.0	0	0.0	0	0.0	0	0.0	0	13.0	1	20.0	2	52.0	2	294.2	26	-	299.2	33	-
428/706	0.0	0	0.0	0	0.0	0	0.0	0	17.0	1	0.0	0	71.6	5	332.9	23	-	320.8	24	-
431/306	0.0	0	0.0	0	0.0	0	0.0	0	21.0	3	15.0	1	72.0	5	420.0	24	-	478.6	29	-
431/820	0.0	0	0.0	0	0.0	0	4.0	1	17.0	1	42.5	3	133.3	8	526.8	37	114	474.0	39	103
432/ 93	0.0	0	0.0	0	0.0	0	0.0	0	48.5	3	34.5	2	82.8	6	402.8	32	-	302.0	31	-
432/136	0.0	0	0.0	0	0.0	0	0.0	0	24.5	2	4.5	1	94.0	7	463.0	35	108	540.9	39	126
432/196	0.0	0	0.0	0	0.0	0	0.0	0	44.0	5	21.5	3	92.7	6	524.8	49	110	599.8	50	125
432/237	0.4	1	0.6	1	0.0	0	9.5	1	40.2	4	24.7	8	80.0	11	535.5	76	122	557.0	76	128
432/309	0.0	0	0.0	0	0.0	0	0.0	0	37.0	3	0.0	0	74.0	5	351.0	22	75	314.0	19	67
432/387	0.0	0	0.0	0	0.0	0	7.5	1	48.0	4	21.0	3	67.5	8	572.9	59	120	580.4	59	124
432/633	0.0	0	1.6	1	0.0	0	1.9	1	66.7	5	40.7	6	52.0	3	454.1	50	102	417.2	53	93
432/737	0.0	0	0.0	0	0.0	0	0.0	0	57.8	3	0.0	0	56.2	5	501.8	30	-	555.6	(32)	-
433/115	0.0	0	0.0	0	0.0	0	0.0	0	63.4	3	25.0	3	87.3	7	566.5	36	116	633.1	39	130
433/494	0.8	1	0.2	1	0.0	0	5.2	1	54.9	5	83.5	9	90.1	8	620.8	66	120	565.5	64	109
433/500	0.0	0	1.5	1	0.0	0	4.5	1	45.5	4	32.0	3	70.0	5	369.3	35	62	357.3	34	79
433/512	0.0	0	0.0	0	0.0	0	5.0	1	47.5	3	51.0	4	120.4	10	549.6	50	120	512.3	49	112
433/791	1.4	1	0.0	0	0.0	0	10.0	1	59.0	4	91.4	9	78.8	8	636.3	59	128	556.8	58	112
433/804	40.0	3	0.0	0	0.0	0	30.0	1	51.0	4	40.5	6	57.0	5	456.8	31	90	446.0	25	88
433/858	0.8	1	0.0	0	0.0	0	4.5	1	60.5	5	51.0	5	52.0	5	484.3	47	96	469.8	47	94
434/ 20	2.3	1	0.0	0	0.0	0	16.0	2	64.0	7	39.1	9	68.1	9	596.1	67	110	571.7	67	106
434/151	0.0	0	3.0	1	0.0	0	16.8	1	59.0	5	64.4	8	96.6	7	539.8	54	101	434.3	49	81
434/153	0.6	1	3.5	1	0.0	0	14.6	3	60.9	6	99.4	9	88.7	10	621.3	75	-	489.0	70	-
434/228	0.0	0	0.0	0	0.0	0	10.0	2	59.0	4	71.1	7	70.0	4	555.8	38	110	537.9	39	106
434/236	0.0	0	0.0	0	0.0	0	33.0	2	50.5	5	30.0	5	59.2	7	563.7	41	107	585.0	35	111
434/359	4.5	1	1.0	1	0.0	0	21.5	2	54.5	6	41.5	8	93.0	9	632.1	61	125	628.9	55	124
434/431	0.0	0	4.5	1	0.0	0	35.0	1	36.5	5	98.5	8	80.0	9	518.6	43	96	384.1	38	71
434/512	0.3	1	3.5	1	0.0	0	25.5	2	47.5	4	65.3	9	133.5	7	522.2	46	-	442.9	44	-
434/599	3.5	1	0.0	0	0.0	0	13.5	1	54.1	7	31.1	4	129.0	8	508.7	44	98	486.6	39	94
434/699	0.7	1	5.0	1	0.0	0	20.2	1	38.3	6	112.3	10	124.0	11	664.3	63	120	561.4	48	101
434/888	0.0	0	0.0	0	0.0	0	21.0	2	84.0	5	42.7	5	136.3	8	529.4	31	93	495.7	36	87
435/ 36	0.0	0	4.5	1	0.0	0	18.0	1	36.0	4	143.5	12	109.0	8	689.5	60	119	549.0	52	95
435/157	0.2	1	2.8	1	0.0	0	18.5	1	50.0	5	107.1	10	107.9	8	737.7	69	-	660.9	75	-
435/193	0.0	0	0.0	0	0.0	0	8.0	1	54.0	4	86.6	9	77.0	5	638.4	41	112	624.5	37	109
435/400	0.0	0	0.0	0	0.0	0	22.0	1	64.0	6	96.0	11	108.0	7	751.5	51	128	758.0	46	129
435/442	0.0	0	0.0	0	0.0	0	21.3	3	67.9	6	49.0	3	155.0	9	545.8	43	-	444.5	40	-
435/608	0.0	0	0.5	1	0.0	0	13.5	1	46.0	3	82.5	7	101.5	7	630.0	48	-	662.5	48	-
435/615	2.0	1	0.0	0	0.0	0	18.0	1	56.5	5	53.0	5	132.0	8	602.5	49	101	574.0	49	96
435/721	2.5	1	0.0	0	0.0	0	10.0	1	59.0	4	109.5	8	116.5	7	714.2	46	131	560.7	42	103
435/735	2.5	1	0.0	0	0.0	0	10.5	2	42.5	5	56.1	6	113.0	8	608.1	61	99	606.8	62	99
436/292	0.0	0	0.0	0	0.0	0	23.7	2	48.5	5	62.3	7	122.0	11	514.6	48	85	526.0	46	87
436/297	0.1	1	2.0	1	0.0	0	19.1	3	62.1	8	96.3	13	152.1	14	673.7	82	102	614.6	75	93
436/495	0.0	0	2.0	1	0.0	0	19.5	1	48.8	8	54.5	9	100.5	10	633.6	61	106	637.4	52	106
436/747	0.0	0	1.5	1	0.0	0	27.8	3	78.9	7	74.2	11	171.6	12	691.9	67	115	636.1	56	106
436/748	0.0	0	0.0	0	0.0	0	11.5	1	70.5	6	41.0	8	163.0	8	671.7	48	126	665.5	47	124
436/855	4.0	2	1.5	1	0.0	0	19.5	2	58.5	4	64.0	8	104.0	10	740.5	63	120	838.5	69	136
436/887	4.0	1	2.0	1	0.0	0	25.0	2	68.5	5	57.0	8	114.0	9	612.5	54	97	653.0	53	103
437/100	0.0	0	0.0	0	0.0	0	0.0	0	62.4	6	107.1	9	81.2	8	724.4	45	113	754.9	44	118
437/104	12.4	1	2.0	1	0.0	0	32.9	3	60.1	11	81.4	13	125.2	15	808.7	89	131	783.0	76	127
437/134	12.4	1	2.2	1	0.0	0	32.2	3	58.4	11	80.5	13	123.8	15	802.5	90	-	795.6	77	-
437/157	8.0	1	2.2	1	0.0	0	18.3	3	66.0	11	100.1	15	120.4	12	821.1	87	-	799.3	77	-
437/194	9.5	1	0.0	0	0.0	0	18.5	1	53.0	4	83.0	7	121.5	7	740.6	44	115	730.6	49	113
437/383	1.0	1	1.8	1	0.0	0	29.5	3	51.8	7	120.9	12	123.5	11	709.8	62	108	743.2	52	113
437/452	0.0	0	23.5	1	0.0	0	15.0	1	21.5	3	33.0	2	124.5	5	(519.3)	(27)	-	(563.5)	(33)	-
437/517	0.0	0	0.0	0	0.0	0	9.5	1	48.5	5	65.5	7	125.5	6	579.0	44	89	615.5	51	95
437/555	10.0	1	2.0	1	0.0	0	18.5	2	31.5	6	99.0	9	105.5	9	683.0	54	99	745.0	53	107
437/660	7.0	1	4.0	1	0.0	0	18.0	2	83.5	7	91.5	8	63.0	6	583.0	55	85	589.5	50	87
437/834	8.2	1	1.9	1	0.0	0	34.0	4	67.3	9	118.8	15	109.0	14	694.4	85	107	770.4	71	118
438/ 47	13.0	1	2.0	1	0.0	0	30.0	2	20.5	3	72.9	8	114.0	12	698.3	70	102	750.8	77	110
438/315	13.0	1	2.0	1	0.0	0	58.4	4	37.5	8	114.0	15	120.5	16	882.6	96	129	870.7	92	127
438/323	12.0	1	0.7	1	0.0	0	37.5	4	69.0	8	100.5	11	96.0	9	710.6	(63)	116	735.8	(58)	120
438/514	17.5	1	0.4	1	0.0	0	14.0	1	34.5	4	109.5	7	77.0	7	673.5	45	114	866.9	47	116
438/550	22.0	1	1.3	1	0.0	0	28.8	4	36.5	9	110.3	14	122.9	13	835.4	79	122	777.9	71	114
438/553	22.0	1	1.9	2	0.0	0	33.9	5	51.8	9	80.2	17	102.8	18	781.5	108	-	814.0	110	-
438/588	12.5	1	1.8	1	0.0	0	38.4	4	54.3	9	89.1	14	123.4	14	633.2	79	-	627.8	69	-
438/716	14.5	1	1.5	1	0.0	0	29.5	3	65.8	8	61.9	9	133.7	10	669.3	64	102	652.1	62	99
438/731	16.5	1	0.5	1	0.0	0	33.4	5	44.4	8	135.2	15	105.8	13	782.4	88	-	736.6	85	-
438/734	16.0	1	0.0	0	0.0	0	31.0	3	47.0	7	123.5	10	75.0	9	722.0	62	112	691.6	58	107
438/744	15.0	1	0.0	0	0.0	0	27.0	2	81.5	7	78.6	9	140.0	12	614.1	61	90	576.1	58	84
438/750	0.0	0	0.0	0	0.0	0	42.0	3	56.5	5	81.0	6	125.5	9	621.0	44	93	619.0	42	93
439/ 3	14.5	1	0.0	0	0.0	0	24.0	2	51.5	7	113.5	13	95.0	11	754.0	66	-	720.5	61	-
439/203	25.0	1	1.5	1	0.0	0	23.6	3	101.0	6	91.5	14	161.5	14	784.1	72	-	899.0	83	-
439/389	21.0	1	0.0	0	2.5	1	22.6	3	56.0	9	107.9	15	150.5	5	672.0	51	116	667.0	35	115
439/396	10.0	1	10.0	1	0.0	0	36.0	2	53.5	5	110.0	8	98.5	6	839.5	49	123	867.5	47	127
439/688	9.0	1	0.0	0	0.0	0	17.5	2	59.5	10	182.5	11	102.0	9	720.4	55	-	698.5	43	-
439/764	13.4	1	1.8	1	0.0	0	24.1	3	68.9	9	149.9	16	154.2	13	869.2	82	125	746.1	71	107

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° '	° '											
439/769	BEERLAAGTE	2649	2826	1615	84.5	11	77.0	8	89.0	8	126.0	4	9.0	1
440/ 18	GROOTVLEI - POL	2648	2831	1530	83.0	10	84.2	6	120.0	7	138.5	6	13.5	2
440/129	BALFOUR - MAG	2739	2835	1555	174.5	9	110.5	7	48.2	6	148.4	5	14.2	2
440/157	RIETBULT	2637	2836	1585	121.0	8	88.0	8	67.0	4	158.5	7	25.0	2
440/435	GREYLINGSTAD - SAR	2645	2845	1588	166.9	10	129.0	9	48.5	4	152.0	6	11.5	2
440/449	WITTEBANK	2659	2845	1524	82.0	10	202.5	8	86.7	5	119.7	6	16.7	2
440/501	SILVERBANK	2651	2847	1555	111.5	13	98.0	6	57.5	3	121.5	5	12.5	3
440/637	RASRANT	2637	2852	1675	241.0	15	143.5	7	62.0	8	106.0	6	31.2	3
440/767	VAL - SAR	2647	2856	1584	116.0	11	85.6	8	6.0	3	8.9	2	3.5	2
440/885	SANDBAKEN	2645	2900	1564	175.5	12	87.5	7	54.0	6	106.0	6	12.0	2
441/104	BOSMANSPRUIT	2644	2904	1585	98.0	5	80.0	7	22.5	3	61.5	4	11.0	1
441/270	GOEDGEVONDEN	2700	2909	1524	115.5	8	27.5	1	109.0	4	100.5	4	0.0	0
441/309	CHARL CELLIERS	2639	2911	1646	149.7	14	64.5	8	41.0	9	133.5	7	24.0	4
441/385	STANDERTON - TNK	2655	2913	1555	119.2	7	81.0	4	58.5	2	76.5	3	0.0	0
441/446	STANDERTON	2656	2915	1559	107.4	16	47.3	8	66.9	9	155.6	7	16.8	4
441/580	STANDERSHOOP	2640	2920	1645	156.5	12	29.5	4	13.5	2	107.5	5	29.4	2
441/596	KAREEBOS	2657	2920	1494	83.7	3	116.5	3	32.0	2	128.0	5	12.0	1
441/777	BERRINGS	2657	2926	1585	140.1	15	63.4	7	29.9	6	136.5	6	11.3	3
442/ 68	HENDRIKSPAN - SKL	2638	2933	1646	170.5	11	71.0	4	16.0	2	129.0	8	19.5	2
442/150	POTFONTEIN - NO 2	2700	2935	1615	145.5	12	40.5	4	13.0	3	145.5	4	6.0	2
442/194	MORGENZON - MAG	2644	2937	1637	141.0	12	71.0	4	12.6	3	122.5	13	15.5	1
442/660	AMERSFOORT - POL	2700	2952	1646	151.0	6	40.0	1	0.0	0	171.0	3	24.0	2
442/772	STRYDFONTEIN	2652	2956	1675	162.5	9	31.5	5	64.1	4	55.5	4	11.1	2
442/811	NOOITGEDACHT - AGR	2631	2958	1694	175.4	13	4.6	4	24.7	6	98.3	9	39.1	3
442/841	ERMELO - POL	2631	2959	1759	169.1	13	33.0	3	30.0	3	95.5	7	25.5	2
442/853	GOEDEHOOP	2643	2959	1675	159.9	16	40.9	8	49.7	4	87.3	7	29.4	5
442/867	ROLFONTEIN	2657	2959	1631	169.5	11	53.0	7	34.5	5	119.5	5	31.0	4
443/196	DE EMIGRATIE	2646	3007	1676	218.3	15	14.2	4	83.3	7	78.1	7	23.5	4
443/451	BLAAUWKOP	2631	3016	1676	114.5	18	28.7	10	24.6	7	79.6	-	43.7	6
443/523	SHEEPMOOR - POL	2643	3018	1450	184.0	10	63.8	9	89.5	4	47.5	7	17.5	4
443/730	SCHEEPERSVLEI	2640	3025	1495	181.0	7	45.0	3	88.5	3	72.0	5	18.5	2
444/126	ATHOLE - AGR	2636	3035	1620	153.8	13	70.9	9	51.1	7	65.8	8	34.7	7
444/176	VLAKKLOOF ESTATE	2656	3036	1381	257.5	17	51.5	7	86.5	7	74.3	5	29.3	6
444/203	IDALIA	2653	3037	1372	146.1	8	53.0	3	69.0	3	68.0	5	1.5	1
444/277	AMSTERDAM - POL	2637	3040	1239	159.0	9	32.0	2	96.0	4	74.5	3	6.0	1
444/316	WOLWEKOP	2646	3041	1340	158.5	16	58.0	5	44.7	7	60.0	7	34.7	6
444/332	LIONS GLEN	2632	3042	1524	163.2	9	68.5	2	54.0	4	76.5	5	47.5	3
444/484	NERSTON - POL	2634	3047	1525	256.8	21	80.7	13	77.4	13	78.0	9	46.3	7
444/540	PIET RETIEF - TNK	2700	3048	1250	154.1	16	31.0	9	105.6	12	72.6	9	37.5	5
444/742	HOUDKOP - POL	2652	3055	1220	178.0	15	64.0	5	100.0	9	94.0	8	36.0	4
444/837	BOTHASHOOP - POL	2657	3058	1220	202.0	12	54.0	4	58.0	6	62.5	6	42.0	3
445/100	MANKAYANE	2640	3104	1009	239.3	14	86.0	4	137.0	7	86.0	6	62.5	4
445/274	MALKERNS	2634	3110	730	349.1	20	89.8	13	105.3	13	143.4	9	28.6	5
445/512	MATSAPA	2632	3118	642	201.0	-	58.4	-	68.4	-	112.2	-	25.0	-
445/569	HLATIKULU	2659	3119	1186	220.0	-	160.4	-	93.1	-	89.0	-	69.3	-
445/863	KUBUTA	2653	3129	533	171.7	10	41.5	4	84.5	7	57.8	6	21.5	2
446/311	SIPHOFANENI	2641	3141	365	154.4	13	58.5	3	72.0	5	84.0	6	32.0	2
446/355	POPONYANE	2655	3142	305	160.0	7	22.0	3	48.0	5	43.0	4	25.0	2
446/471	ST PHILIPS MISSION	2651	3146	183	71.3	7	23.2	3	53.0	4	77.8	4	34.0	1
446/772	WISSELRODE	2652	3156	155	142.3	-	15.5	-	89.0	-	80.0	-	36.0	-
447/446	NDUMU	2656	3215	75	114.0	10	38.5	6	43.0	4	61.5	5	3.0	2
447/534	NDUMU - GAME RESERVE	2654	3218	122	81.8	10	54.2	7	78.2	6	61.2	8	6.7	3
448/450	MAPUTA	2700	3245	46	112.1	10	78.1	11	79.0	6	80.5	6	38.5	3
448/597	KOSIBAAI	2657	3250	115	73.1	10	102.8	12	107.4	9	67.4	8	52.5	4
461/208	TWEE RIVIERE	2628	2037	881	49.9	7	36.7	8	11.3	5	2.2	5	22.9	4
467/487	MOROKWENG - POL	2607	2347	1126	91.5	8	32.5	1	10.0	3	51.0	4	31.5	3
467/818	DONEGAL	2608	2358	1125	118.0	5	63.0	4	7.0	1	0.0	0	21.0	3
468/210	FIELDEN	2630	2407	1231	140.5	7	67.0	5	50.5	4	38.5	3	35.5	2
468/318	PALMYRA	2618	2411	1189	84.0	12	103.0	7	20.5	3	48.0	3	24.5	3
468/340	BUCKRIDGE	2610	2412	1200	103.4	11	65.3	8	47.1	7	47.3	4	18.5	5
468/456	PALMVELD	2606	2416	1143	81.0	10	74.5	3	7.0	2	40.5	4	0.0	0
468/500	HAARLEM	2620	2417	1189	133.5	10	52.7	6	14.0	4	33.0	1	21.0	2
468/698	ROELOFSKAMP	2608	2424	1142	143.0	8	26.0	3	22.5	4	39.0	3	13.0	2
469/359	PEACHDALE	2629	2442	1350	89.5	7	70.3	5	13.0	1	62.5	3	15.0	3
469/459	MOSITA	2609	2446	1180	127.0	9	37.5	3	54.0	3	56.0	2	13.0	1
470/196	SETLAGODI - POL	2616	2507	1219	180.0	9	31.0	1	42.0	3	61.5	2	35.0	1
470/516	NEVERSET	2606	2518	1219	111.0	6	20.5	2	26.0	2	88.5	5	0.0	0
470/539	MIDDELTON - NAF	2629	2518	1370	102.3	(7)	67.2	10	40.8	7	84.3	-	19.5	-
471/195	MOOIFONTEIN - NAF	2615	2537	1340	129.5	9	32.0	3	50.5	7	78.8	6	22.5	2
471/259	YOUNGSBURY	2619	2539	1341	76.0	10	69.0	6	61.5	7	65.7	4	12.0	1
471/435	NOOITGEDACHT	2615	2545	1370	114.1	13	97.0	15	42.0	9	86.5	7	25.5	3
471/490	LUSTHOF	2610	2547	1400	130.5	12	91.0	10	27.8	5	80.1	5	30.3	5
471/517	SPRINGBOKPAN - NAF	2607	2548	1370	135.0	9	72.5	3	29.0	2	72.0	5	33.0	3
471/624	DOORNDRAAD	2624	2551	1400	132.0	10	50.0	4	70.0	5	60.5	5	22.5	3
471/713	BIESIESVLEI - POL	2623	2554	1402	133.0	9	130.5	8	62.5	5	67.5	4	28.0	1
471/853	LOSLAPDOORNS	2613	2559	1463	135.0	12	68.5	7	26.0	6	104.0	5	19.5	3
472/135	RIETFONTEIN	2615	2605	1433	241.5	12	81.0	7	25.0	4	70.0	5	19.0	3
472/175	ROOIJANTJIESFONTEIN	2625	2606	1463	185.8	16	82.8	10	51.9	11	91.9	7	21.2	3
472/279	LICHTENBURG - TNK	2609	2610	1477	155.5	10	56.0	7	117.0	7	92.5	5	12.0	2
472/281	LICHTENBURG - MLN	2611	2610	1477	180.5	13	41.0	6	107.0	10	113.0	7	16.5	2
472/378	RIETFONTEIN	2618	2613	1494	142.5	16	83.5	-	39.4	6	105.0	-	18.5	3
472/455	MANANA	2605	2616	1447	108.5	16	52.1	12	81.9	9	120.9	6	20.9	6
472/560	COLIGNY - POL	2620	2619	1480	235.8	13	80.0	7	37.0	6	109.5	6	17.5	3
472/566	MALGASFONTEIN	2626	2619	1490	144.5	11	85.0	6	20.5	3	84.5	6	31.5	8
473/ 25	KAFFERSKRAAL	2625	2631	1370	101.4	12	57.4	6	86.7	9	112.7	8	32.5	5

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
439/769	15.0	1	1.0	1	0.0	0	27.0	3	75.0	10	121.5	9	128.0	8	753.0	64	119	642.5	58	102
440/ 18	10.5	1	0.1	1	1.5	1	37.3	5	92.1	10	161.4	19	147.5	13	889.6	81	140	715.6	67	113
440/129	25.0	-	0.0	0	0.0	0	49.0	4	144.5	7	182.5	12	142.0	9	1038.8	(61)	150	950.7	(59)	137
440/157	25.0	1	0.0	0	0.0	0	33.0	4	76.0	8	176.5	16	148.0	11	918.0	69	129	893.0	58	125
440/435	17.0	1	0.0	0	4.0	1	39.5	4	87.3	10	120.0	15	146.0	11	921.7	73	133	850.9	61	123
440/449	3.5	1	3.5	2	1.4	1	18.5	3	49.8	8	144.4	14	136.8	12	665.5	72	141	858.2	61	140
440/501	7.0	1	0.5	1	2.5	1	43.5	4	94.8	8	152.0	15	144.5	12	845.8	72	-	686.2	59	-
440/637	12.5	2	0.0	0	0.0	0	41.0	4	68.5	8	104.5	16	118.0	12	928.2	81	129	1040.2	79	145
440/767	5.0	1	1.2	1	0.8	1	44.2	4	91.0	6	162.5	12	72.4	9	597.1	60	89	586.8	58	88
440/885	5.0	2	0.0	0	6.0	1	44.0	4	68.0	8	173.5	16	79.0	11	810.5	75	113	796.1	74	111
441/104	0.0	0	0.0	0	4.0	1	42.5	3	75.5	7	194.0	14	65.0	8	654.0	53	97	732.5	49	109
441/270	0.0	0	0.0	0	8.0	1	19.0	1	24.5	3	95.5	13	97.5	12	597.0	47	90	567.0	36	85
441/309	1.2	3	1.0	2	14.5	2	37.5	5	87.0	9	169.5	18	120.5	10	843.9	91	-	747.5	83	-
441/385	0.0	0	0.0	0	0.0	0	27.9	5	100.5	9	164.0	19	127.5	11	755.1	60	-	634.9	39	-
441/446	0.6	1	0.8	2	1.6	2	31.0	5	78.8	13	167.6	23	148.2	14	822.6	104	-	749.8	86	-
441/580	0.0	0	0.0	0	0.0	0	38.7	3	61.5	7	126.5	9	72.5	9	635.6	53	-	713.4	58	-
441/596	0.0	0	0.0	0	0.0	0	23.0	2	90.5	7	175.0	13	103.5	9	764.2	45	-	651.7	32	-
441/777	0.0	0	0.0	0	6.5	1	31.3	3	99.5	11	180.0	21	145.9	12	844.4	85	119	698.8	69	99
442/ 68	0.0	0	0.0	0	0.0	0	32.0	3	97.5	11	163.5	18	125.5	-	824.5	(59)	113	707.5	51	97
442/150	0.0	0	0.0	0	8.5	1	36.0	2	117.0	6	206.0	20	128.6	9	846.6	63	-	619.0	46	-
442/194	0.0	0	0.0	0	5.0	1	26.3	5	105.0	10	194.5	17	101.0	-	794.4	(66)	121	655.5	(55)	100
442/660	0.0	0	0.0	0	0.0	0	35.0	2	81.0	5	127.0	10	124.0	6	753.0	35	107	692.3	29	98
442/772	0.0	0	0.1	1	0.1	1	55.0	3	100.0	11	146.2	15	49.0	3	675.1	58	-	700.0	52	-
442/811	0.3	2	1.6	1	0.6	1	37.2	7	139.8	13	154.5	18	122.9	13	799.0	90	102	602.6	82	78
442/841	0.0	0	2.5	1	1.0	1	45.7	5	113.9	10	162.2	14	153.8	9	832.2	68	110	675.3	57	89
442/853	1.0	1	0.2	1	0.9	1	63.9	6	93.0	12	174.6	18	109.4	10	850.2	89	-	758.6	76	-
442/867	0.0	0	4.5	1	1.0	1	45.5	4	103.0	13	121.5	17	140.5	10	823.5	78	112	787.0	57	106
443/196	0.0	0	0.0	0	2.0	3	48.0	7	110.6	14	162.2	17	137.3	12	877.5	90	120	753.4	73	103
443/451	3.3	3	5.5	1	1.6	1	45.9	7	133.6	16	245.0	18	157.1	14	883.1	(101)	112	701.8	(93)	89
443/523	11.0	1	1.5	1	0.0	0	60.5	4	84.3	9	162.0	9	133.1	7	854.7	65	-	822.5	65	-
443/730	13.5	1	17.0	3	55.5	1	32.0	6	84.0	6	203.5	11	180.0	7	990.5	55	-	815.5	50	-
444/126	10.5	2	32.0	4	0.0	0	67.5	5	129.4	17	221.3	16	205.3	15	1042.3	103	116	834.1	90	93
444/176	3.5	2	5.0	1	2.5	2	66.6	10	130.3	15	178.5	17	329.0	15	1214.5	104	130	928.7	90	99
444/203	0.0	0	8.0	1	0.0	0	56.5	3	127.5	10	140.0	12	128.5	6	798.1	52	99	713.6	54	90
444/277	6.0	1	11.5	2	0.0	0	40.5	2	130.0	14	235.9	12	112.5	5	903.9	55	105	775.5	51	90
444/316	4.5	2	5.1	3	5.2	2	34.0	5	99.4	13	149.0	16	104.7	9	757.8	91	95	787.0	80	97
444/332	8.0	1	9.5	1	0.0	0	51.0	3	87.5	8	268.5	9	171.0	7	1005.2	52	116	801.9	52	92
444/484	11.0	2	12.1	4	1.2	2	70.2	12	183.2	20	170.1	16	163.3	14	1150.3	133	-	1006.2	117	-
444/540	2.0	2	(0.2)	-	2.7	1	59.9	8	159.6	16	180.6	18	202.7	15	(1008.5)	(111)	111	760.7	105	83
444/742	5.5	1	2.5	1	0.0	0	36.5	4	157.0	13	142.5	10	150.9	7	968.9	77	-	895.8	72	-
444/837	0.5	1	9.5	2	1.2	1	53.5	6	207.5	10	226.0	11	153.5	10	1070.2	72	-	848.7	67	-
445/100	12.0	1	16.6	3	0.0	0	25.1	5	166.6	15	88.8	8	127.0	10	1046.9	77	116	958.6	67	106
445/274	5.2	1	14.7	3	0.6	1	30.6	9	111.5	17	97.6	20	180.7	13	1157.1	124	-	1103.7	107	-
445/512	3.1	-	9.3	-	0.0	-	31.7	-	170.6	-	46.0	-	210.5	-	936.2	-	-	855.8	-	-
445/569	9.0	-	21.7	-	5.4	-	91.3	-	200.6	-	172.8	-	177.1	-	1309.7	-	114	1193.9	-	103
445/863	8.5	1	0.0	0	0.0	0	27.5	3	94.5	9	86.5	10	151.0	11	745.0	63	95	750.5	52	96
446/311	0.0	0	0.0	0	0.0	0	9.5	2	82.5	4	112.5	7	84.0	4	689.4	46	96	609.6	48	85
446/355	8.5	1	1.0	1	2.2	2	14.5	2	114.5	10	93.8	13	136.5	8	669.0	58	-	531.0	42	-
446/471	0.0	0	0.0	0	0.0	0	0.0	0	90.0	3	65.0	10	68.1	4	482.4	36	80	554.1	34	92
446/772	9.0	-	0.0	-	0.2	-	12.0	-	70.0	-	95.6	-	132.0	-	681.6	-	-	598.7	-	-
447/446	9.0	2	2.0	1	0.0	0	9.5	2	78.3	7	57.7	7	72.1	8	488.6	54	76	436.9	49	68
447/534	14.0	2	0.8	1	0.0	0	11.2	5	117.1	12	67.0	11	112.9	19	605.1	84	-	551.7	63	-
448/450	0.0	0	41.0	2	0.0	0	47.5	4	60.0	11	94.0	10	113.1	9	743.8	72	78	718.2	57	75
448/597	34.7	5	41.0	3	0.0	0	74.0	7	71.7	11	60.5	10	106.3	8	791.4	87	-	774.5	72	-
461/208	3.4	5	0.2	1	0.0	0	0.0	0	16.6	4	4.0	2	12.7	3	159.9	44	108	161.7	43	109
467/487	0.0	0	0.0	0	0.0	0	0.0	0	29.0	3	69.5	6	60.0	4	375.0	32	119	349.0	29	111
467/818	0.0	0	0.0	0	0.0	0	0.0	0	30.0	3	18.0	3	54.0	4	311.0	23	-	348.5	24	-
468/210	0.0	0	0.0	0	0.0	0	0.0	0	20.0	3	17.0	2	50.5	4	419.5	30	103	461.5	32	113
468/318	0.0	0	0.0	0	0.0	0	0.0	0	26.0	2	34.0	5	76.5	4	416.5	39	98	409.5	42	96
468/340	0.0	0	0.0	0	0.0	0	3.5	1	30.0	5	77.5	6	72.7	10	465.3	57	-	398.0	60	-
468/456	0.0	0	0.0	0	0.0	0	12.0	1	33.5	4	50.0	6	88.5	7	387.0	37	-	333.2	32	-
468/500	0.0	0	0.0	0	0.0	0	0.0	0	23.0	3	39.5	3	82.4	5	399.1	34	98	353.2	36	87
468/698	0.0	0	0.0	0	0.0	0	0.0	0	14.0	1	50.0	5	72.5	5	380.0	31	96	361.5	30	92
469/359	0.0	0	0.5	1	0.0	0	0.0	0	35.5	4	18.4	2	76.5	4	381.2	30	96	333.3	29	84
469/459	0.0	0	0.0	0	0.0	0	15.0	2	36.0	3	98.5	4	62.0	3	499.0	30	111	446.9	28	99
470/196	0.0	0	0.0	0	0.0	0	0.0	0	51.5	3	59.0	5	198.0	8	658.0	32	144	511.0	23	112
470/516	0.0	0	0.0	0	0.0	0	22.0	1	59.5	3	22.0	1	83.5	5	433.0	25	88	399.1	27	81
470/539	0.0	0	0.0	0	0.0	0	7.5	2	46.0	3	70.0	7	104.0	7	541.6	(43)	-	438.2	(36)	-
471/195	0.0	0	0.0	0	0.0	0	14.0	1	45.0	3	49.5	5	100.0	5	521.8	41	-	494.6	37	-
471/259	0.0	0	0.0	0	0.0	0	12.5	1	40.9	3	25.0	2	118.5	4	481.1	38	84	516.2	42	90
471/435	1.0	1	2.5	1	0.0	0	12.5	1	36.7	4	60.5	6	90.0	6	568.3	66	-	553.0	67	-
471/490	0.0	0	1.5	1	0.0	0	15.5	1	36.0	3	100.6	9	101.0	9	614.3	60	113	535.3	56	99
471/517	0.0	0	0.0	0	0.0	0	15.0	1	33.5	2	103.0	3	29.5	2	522.5	30	-	470.5	33	-
471/624	0.0	0	0.0	0	0.0	0	20.1	2	44.0	4	100.0	8	90.0	6	589.1	47	-	537.2	45	-
471/713	4.0	1	0.0	0	0.0	0	21.0	1	45.5	4	150.0	6	88.5	5	730.5	44	148	648.0	45	131
471/853	0.0	0	2.0	1	0.0	0	15.0	1	35.0	2	94.0	7	81.0	5	580.0	49	-	480.4	48	-
472/135	0.0	0	3.0	1	0.0	0	17.0	3	47.0	5	84.0	7	78.0	6	665.5	53	106	575.0	50	92
472/175	2.8	1	1.5	1	0.0	0	12.5	4	43.0	3	168.3	8	122.8	8	784.5	72	133	631.6	80	107
472/279	0.0	0	2.0	1	0.0	0	17.0	2	52.0	4	95.2	7	124.4	4	723.6	49	120	646.2	48	107
472/281	0.0	0	0.0	0	0.0	0	18.5	2	59.0	6	93.5	7	111.0	6	740.0	59	123	696.4	57	116
472/378	0.0	0	1.5	1	0.0	0	12.0	2	48.0	6	116.5	6	121.0	6	687.9	(46)	-	541.9	(48)	-
472/455	0.1	1	1.0	1	0.0	0	17.5	2	31.6	6	101.7	11	108.0	8	644.2	78	-	597.7	78	-
472/560	0.0	0	1.5	1	0.0	0	8.0	1	57.5	5	151.1	6	99.5	6	797.4	54	-	715.5	60	-
472/566	0.0	0	1.0	1	0.0	0	9.5	2	53.0	(8)	144.0	15	106.5	11	680.0	(73)	-	501.5	60	-
473/ 25	7.0	1	3.0	1	0.0	0	11.5	2	60.7	7	74.8	10	116.5	8	664.2	71	-	589.7	61	-

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	B S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
473/301	SCHOONGEZICHT	2601	2641	1525	189.3	17	58.7	11	117.0	10	126.5	5	18.2	3
473/416	KLIPPLAATDRIFT - SKL	2626	2644	1372	32.4	4	77.0	2	53.0	3	8.5	2	19.2	2
473/558	ALEXANDRA	2618	2649	1490	198.0	10	87.0	7	95.0	7	129.2	6	0.0	0
473/559	VENTERSDORP - HOSP	2619	2649	1466	173.8	16	70.9	10	144.2	10	136.5	8	18.0	5
473/686	ROODEKOP	2626	2653	1494	236.3	13	126.7	8	93.5	10	163.0	6	30.5	3
473/858	UITKYK	2618	2659	1525	(160.0)	(10)	56.5	8	54.0	8	131.5	5	25.0	1
474/198	ZAMENKOMST	2618	2707	1502	208.7	13	65.0	9	81.5	8	140.5	7	26.2	4
474/230	RYSMIERBULT - TNK	2620	2708	1495	188.5	13	94.5	7	71.5	5	135.0	6	17.0	3
474/255	KLERKSKRAAL - POL	2615	2709	1475	190.0	11	87.0	4	42.5	3	157.5	7	20.0	2
474/270	FREDERIKSTAD - SAR	2630	2709	1490	156.0	12	109.0	6	58.1	7	150.5	7	20.0	4
474/502	WELVERDIEND - POL	2622	2717	1478	143.5	13	59.5	5	105.2	5	130.5	5	25.0	1
474/680	CARLETONVILLE - PUR	2620	2723	1500	153.5	-	45.0	-	38.0	-	201.0	-	36.0	-
474/684	BLYVOORUITSIG - GM	2624	2723	1555	127.1	14	45.0	10	123.1	7	170.5	5	34.0	4
474/751	VLAKFONTEIN	2601	2726	1525	177.0	17	112.5	7	111.5	8	174.7	8	24.0	4
474/899	FOCHVILLE - POL	2629	2730	1473	163.5	11	37.0	5	61.5	6	152.3	5	26.7	3
475/174	KLOOF - GM	2634	2736	1685	153.5	12	72.6	9	113.0	7	178.5	5	29.5	4
475/338	RANDFONTEIN - PUR	2608	2742	1676	225.7	14	254.0	12	83.7	10	123.5	6	14.0	4
475/370	RANDFONTEIN - GM	2610	2743	1763	246.8	16	91.7	13	93.6	8	196.6	6	24.8	4
475/404	LUIPAARDSVLEI	2614	2744	1615	123.0	12	154.5	8	108.5	7	187.7	9	-	-
475/456	KRUGERSDORP - MUN	2606	2746	1699	262.7	17	94.4	15	120.2	12	144.6	8	26.0	5
475/477	ELDORADO	2627	2746	1539	135.0	10	50.3	7	86.5	12	168.8	8	14.5	3
475/517	LUIPAARDSVLEI - GM	2607	2748	1762	272.0	20	91.3	13	108.1	9	155.7	9	26.3	5
475/528	ZUURBEKOM - RWB	2618	2748	1578	194.5	19	55.7	12	70.5	15	164.1	11	49.9	4
475/611	DURBAN ROODEPOORT DEEP - GM	2611	2751	1701	224.0	15	127.0	11	81.5	12	174.0	7	21.0	4
475/661	SUMMERHILL	2601	2753	1495	159.0	15	116.5	11	76.0	4	185.0	7	0.0	0
475/669	ROODEPOORT - MUN	2609	2753	1742	(258.3)	(11)	-	-	79.1	10	196.3	8	35.5	3
475/717	DOORNKUIL	2627	2754	1547	129.0	10	51.0	4	77.5	4	159.0	4	26.0	3
475/736	KLIPSPRUIT - PUR	2616	2755	1661	158.7	17	106.0	11	83.9	8	170.6	9	32.5	4
475/761	MARAISBURG - GM	2611	2756	1708	186.0	12	172.5	11	55.5	6	206.5	6	24.5	4
475/818	WATERVAL - R.W.B. - ROODEPOORT	2608	2758	1774	201.5	14	170.4	13	83.5	5	71.0	3	35.5	4
475/881	JOHBURG - BRAAMFONT - CEM	2611	2800	1747	181.5	17	209.7	15	92.4	13	157.0	7	32.1	6
476/ 31	LEEUWKOP - TNK	2601	2802	1495	216.6	12	191.3	9	63.4	10	115.1	8	18.0	1
476/ 40	JOHANNESBURG-ZOOLOGICAL GAR	2610	2802	1615	142.6	15	193.5	15	81.5	9	120.0	5	21.5	4
476/ 43	JOHANNESBURG - OPHIRTON DEPOT	2613	2802	1710	164.0	-	146.6	14	118.0	11	173.0	-	39.5	5
476/ 44	JOHANNESBURG-TURFFONTEIN	2614	2802	1707	153.6	13	124.5	13	105.0	13	183.0	7	35.0	5
476/ 72	JOHANNESBURG - JOUBERT PARK	2612	2803	1753	134.8	-	182.0	-	73.7	-	161.0	-	36.0	-
476/ 93	RIVONIA - POL	2603	2804	1585	140.2	11	153.7	10	16.0	4	42.8	4	31.5	4
476/101	JOHANNESBURG - REPUBLIEK STER	2611	2804	1806	112.3	20	136.5	19	70.3	15	152.0	13	22.6	7
476/103	JOHANNESBURG - CITY DEEP - GM	2613	2804	1707	165.3	14	148.3	14	97.0	8	176.7	9	31.5	6
476/111	ZWARTKOPJES - RWB	2621	2804	1514	133.4	14	139.4	11	74.9	10	140.2	8	46.0	4
476/129	JOHANNESBURG - NORWOOD	2609	2805	1707	138.3	18	133.1	15	76.2	11	162.6	8	18.7	5
476/145	KLIPRIVIER - POL	2625	2805	1497	99.2	10	109.0	5	98.0	6	147.0	6	21.5	3
476/160	JOHANNESBURG-ROYAL GOLF CLUB	2610	2806	1615	151.2	14	141.9	13	76.5	7	153.4	7	22.4	4
476/163	ROSHERVILLE - POW	2613	2806	1695	145.1	17	124.4	12	67.8	7	158.5	7	39.8	4
476/196	GERMISTON - ALBERTON - MUN	2616	2807	1585	(100.4)	(7)	123.8	15	83.4	4	170.2	6	36.9	4
476/243	KLIPFONTEIN	2603	2809	1555	132.8	12	124.8	13	59.2	7	102.3	7	14.8	3
476/246	SPRINGKELL	2606	2809	1676	141.0	12	176.6	14	57.4	7	108.0	7	24.5	4
476/283	GERMISTON - F J PAYNE PARK	2613	2810	1661	162.9	15	124.7	15	143.2	11	150.5	7	29.7	5
476/283A	GERMISTON - SIMMER PAN - POW	2613	2810	1689	113.7	14	107.1	16	108.3	11	158.1	7	42.6	6
476/378	RONDEBULT - PUR	2618	2813	1555	180.5	13	111.0	12	98.7	7	136.8	6	18.5	3
476/386	TAMBOEKIESFONTEIN	2626	2813	1555	119.8	16	107.5	10	87.4	8	156.5	7	30.8	4
476/398	JAN SMUTS - WK	2608	2814	1692	107.2	16	86.9	14	71.0	12	130.1	9	18.7	5
476/403	EAST RAND - GM	2613	2814	1631	140.2	12	114.4	15	71.9	7	133.0	6	21.2	5
476/433	BOKSBURG - MUN	2613	2815	1631	136.6	13	107.9	14	130.6	10	131.7	7	27.6	6
476/580	BENONI - COUNTRY CLUB	2610	2820	1645	130.7	14	96.5	14	116.5	13	136.3	8	15.4	4
476/630	HEIDELBERG I	2630	2821	1541	148.0	14	107.5	10	64.0	6	178.5	6	27.5	3
476/644	BRAKPAN - MUN	2614	2822	1634	168.8	10	112.9	8	95.0	7	139.5	5	26.5	4
476/666	PETIT - POL	2606	2823	1645	200.0	11	31.5	5	100.0	8	124.5	7	4.5	1
476/673	GOVT GOLD MINE AREAS	2613	2823	1646	138.8	11	89.7	11	79.0	9	124.2	6	28.3	4
476/736	SPRINGS - RWB	2616	2825	1628	183.2	16	70.7	12	86.2	11	113.5	8	24.1	5
476/762	GEDULD - PULP FACTORY	2612	2826	1645	98.0	15	75.2	6	95.7	8	130.5	4	18.7	3
476/766	SPRINGS - OLYMPIA PARK	2616	2826	1628	137.7	12	70.5	11	75.5	10	116.6	7	26.8	5
476/802	SUB - NIGEL - GM	2622	2827	1606	124.4	12	73.8	8	75.8	9	165.9	7	37.6	5
477/ 71	SUNDRA - POL	2611	2833	1680	167.7	11	42.2	5	75.0	5	126.0	5	12.0	2
477/191	DROOGEFONTEIN	2611	2837	1591	119.6	12	78.0	7	136.8	9	111.5	7	9.5	3
477/309	DELMAS	2609	2841	1562	200.0	13	59.0	7	146.5	10	127.0	7	15.0	3
477/459	MOABSVELDEN	2609	2846	1585	171.1	15	73.0	8	132.0	6	115.0	7	7.5	3
477/501	DEVON - POL	2621	2847	1670	126.6	13	81.0	4	74.0	6	97.8	6	31.0	3
477/762	STREHLA	2612	2856	1585	120.0	9	105.4	7	34.2	7	130.9	6	12.7	3
477/772	LESLIE - MUN	2622	2856	1676	114.0	9	115.0	6	25.5	3	118.5	6	34.0	3
478/ 8	COLOGNE	2608	2901	1585	141.5	12	52.1	7	63.0	6	113.0	7	10.5	1
478/ 93	OGIES - POL	2603	2904	1585	232.5	7	33.0	3	82.0	5	99.0	7	21.0	4
478/292	LANGSLOOT	2622	2910	1555	154.0	8	82.0	7	56.5	4	133.5	6	25.0	4
478/360	DRIEFONTEIN	2630	2912	1625	116.6	14	78.5	6	59.6	9	106.0	6	38.2	4
478/386	TWEEDRAAI	2626	2913	1570	142.5	11	68.5	5	58.0	6	109.0	6	20.0	3
478/406	KRIEL - POL	2616	2914	1555	91.1	12	-	-	58.0	5	84.0	4	0.0	0
478/546	VANDYKSDRIFT	2606	2919	1521	139.6	11	100.3	8	57.8	7	114.3	7	21.6	3
478/786	BLINKPAN - POL	2606	2927	1645	149.2	11	7.0	1	40.0	2	67.5	3	14.0	1
478/837	BETHAL - MUN	2627	2928	1640	173.1	15	62.0	4	21.8	4	112.5	6	22.5	3
478/853	MIDDELKRAAL	2613	2929	1631	144.5	9	38.5	3	13.0	2	73.0	4	12.5	1
478/867	BETHAL	2627	2929	1663	173.3	18	71.0	6	24.4	5	111.4	7	26.3	5
479/225	VLAKLAAGTE	2615	2938	1615	190.5	13	18.5	2	46.5	4	110.5	8	10.5	1
479/238	BRAKFONTEIN	2628	2938	1705	132.0	12	40.5	2	23.0	3	112.5	6	19.2	2
479/298	HAMELFONTEIN	2628	2940	1698	155.6	12	56.9	4	30.0	5	109.1	7	16.3	2
479/326	UITZICHT	2626	2941	1705	120.8	14	44.6	5	34.5	6	110.2	8	23.0	3

R A I N F A L L 1 9 7 1

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
473/301	29.0	1	0.4	1	0.0	0	20.5	1	45.4	5	111.4	9	129.1	10	845.5	73	-	803.4	76	-
473/416	0.0	0	0.4	1	0.0	0	17.9	1	42.7	5	-	-	-	-	(251.1)	(20)	-	273.2	25	56
473/558	12.0	1	2.2	2	0.0	0	22.0	3	56.5	6	86.8	6	137.0	8	825.7	56	-	694.2	46	-
473/559	5.5	1	2.5	2	0.0	0	21.5	3	51.4	5	87.1	9	121.1	10	832.5	79	-	753.7	72	-
473/686	11.0	1	0.0	0	0.0	0	17.5	3	39.0	6	96.7	10	109.5	11	923.7	71	155	939.7	69	157
473/858	14.5	1	4.5	1	0.0	0	9.0	1	56.5	6	84.5	8	129.7	12	(725.7)	(61)	-	(677.0)	(52)	-
474/198	19.0	2	1.0	1	0.0	0	9.0	2	56.5	7	71.8	11	100.2	15	779.4	79	116	832.1	73	124
474/230	17.0	1	0.5	1	0.0	0	10.0	1	56.0	6	76.5	7	108.5	11	775.0	61	-	781.6	61	-
474/255	12.0	1	0.0	0	0.0	0	11.0	1	56.5	8	81.5	5	97.6	8	755.6	50	132	799.5	49	139
474/270	14.5	2	3.0	1	0.0	0	0.0	0	58.0	5	74.5	10	114.5	12	758.1	66	142	774.1	68	146
474/502	17.0	1	0.0	0	0.0	0	20.4	1	44.5	4	64.5	5	122.5	9	732.6	49	112	673.7	43	103
474/680	14.5	-	1.2	-	0.0	-	26.5	-	61.7	-	132.5	-	83.3	-	793.2	-	-	729.5	-	-
474/684	12.0	1	0.6	1	0.0	0	22.0	2	88.0	8	144.5	14	127.1	16	893.9	82	120	778.8	78	104
474/751	4.4	1	0.0	0	0.0	0	32.5	2	45.0	-	135.5	14	147.5	10	964.6	(71)	131	820.7	71	111
474/899	11.0	1	0.0	0	0.0	0	24.3	4	44.5	6	112.8	11	123.0	12	756.6	64	121	691.8	61	111
475/174	8.0	1	0.0	0	0.0	0	25.1	2	51.5	7	144.0	14	133.5	11	909.2	72	-	826.7	69	-
475/338	9.0	1	0.0	0	0.0	0	31.0	1	61.5	7	63.1	11	58.0	9	923.5	75	-	1009.5	78	-
475/370	11.2	1	0.3	1	0.0	0	39.2	2	57.4	8	168.2	18	95.3	8	1025.1	85	140	986.6	88	134
475/404	-	-	12.0	1	-	-	25.0	4	16.5	2	103.5	9	92.0	5	(822.7)	(57)	-	(844.0)	(62)	-
475/456	14.1	1	0.2	1	0.0	0	39.7	3	65.5	9	164.5	19	123.7	11	1055.6	101	134	982.4	103	125
475/477	11.0	1	1.0	1	0.0	0	26.0	2	38.5	7	107.5	16	142.8	15	781.9	82	127	751.0	73	122
475/517	15.0	1	0.0	0	0.0	0	41.9	2	72.6	8	173.6	23	141.6	12	1098.1	102	138	1002.6	102	128
475/528	13.0	1	0.3	1	0.0	0	25.9	2	51.1	8	160.7	21	93.5	16	879.2	110	122	(775.4)	(104)	-
475/611	9.0	1	0.3	1	0.0	0	26.7	3	51.0	7	160.0	15	102.0	7	976.5	83	118	916.3	93	111
475/661	0.0	0	0.0	0	0.0	0	39.0	2	30.0	6	146.9	14	85.0	6	837.4	65	-	765.5	64	-
475/669	9.0	1	0.4	1	0.0	0	34.0	2	69.1	9	195.3	19	89.8	10	(966.8)	(74)	-	(846.5)	(73)	-
475/717	13.0	1	0.0	0	0.0	0	19.0	1	32.0	5	166.0	9	82.0	7	754.5	48	118	704.1	47	110
475/736	5.0	1	0.3	1	0.0	0	38.5	2	55.5	8	188.5	20	120.0	10	959.5	91	136	857.0	85	121
475/761	0.5	1	2.5	1	0.0	0	43.5	2	61.8	9	201.1	16	159.0	12	1113.4	80	156	964.0	70	135
475/818	5.0	1	0.0	0	0.0	0	44.5	2	69.9	7	179.5	17	130.0	9	990.8	75	-	902.9	69	-
475/881	8.1	2	0.0	0	0.2	1	48.9	6	73.1	9	165.5	21	154.5	12	1123.0	109	136	960.3	91	117
476/ 31	0.0	0	0.0	0	1.5	1	19.9	2	67.0	8	185.0	13	82.5	7	960.3	71	-	862.4	65	-
476/ 40	9.5	1	0.0	0	0.0	0	48.5	2	69.5	6	189.7	19	112.5	10	988.8	86	122	867.7	86	107
476/ 43	0.0	0	0.0	0	0.0	0	45.2	1	64.5	7	183.3	14	141.3	10	1075.4	(62)	145	996.4	(57)	135
476/ 44	7.0	1	0.0	0	0.1	1	43.0	2	66.2	8	189.0	19	136.6	13	1043.0	95	138	929.9	94	123
476/ 72	3.5	-	0.0	-	0.0	-	46.5	-	73.7	-	192.0	-	138.5	-	1041.7	-	123	970.0	-	115
476/ 93	6.9	1	0.0	0	0.1	1	48.5	3	60.5	6	176.0	15	89.6	13	765.8	72	127	646.0	62	107
476/101	7.4	2	0.0	0	0.0	0	45.0	2	66.0	9	187.0	21	112.9	12	912.0	120	118	875.3	129	113
476/103	6.5	1	0.0	0	0.0	0	47.0	2	73.7	8	171.0	19	126.6	12	1043.6	93	135	996.2	96	129
476/111	4.5	1	0.4	1	0.0	0	31.0	2	44.7	8	138.9	18	73.0	13	826.4	90	116	852.2	90	120
476/129	8.0	1	0.0	0	0.0	0	43.4	3	67.5	8	198.8	22	82.2	11	928.8	102	115	888.0	104	110
476/145	5.0	1	0.0	0	0.0	0	42.7	2	49.5	7	147.8	13	82.0	5	801.7	58	-	665.3	66	-
476/160	11.0	1	0.0	0	0.0	0	43.1	3	67.4	8	177.2	18	93.3	9	937.4	84	126	911.1	87	123
476/163	0.0	0	0.0	0	0.0	0	46.0	2	61.3	9	143.0	-	103.8	10	889.7	68	119	847.7	85	114
476/196	7.0	1	0.0	0	0.0	0	45.0	2	31.0	5	130.4	16	120.0	9	(848.1)	(69)	-	-	-	-
476/243	12.0	1	0.0	0	0.0	0	53.0	1	58.1	7	170.0	14	88.1	9	815.1	74	-	689.9	79	-
476/246	14.5	1	0.0	0	0.0	0	52.0	2	62.5	7	174.1	20	64.9	7	875.5	81	119	876.1	83	120
476/283	7.0	1	0.0	0	0.0	0	59.3	3	64.0	7	159.8	18	99.2	10	1000.3	92	131	944.5	89	124
476/283A	5.5	1	0.0	0	0.0	0	54.3	4	56.3	8	170.8	21	111.7	11	928.4	99	124	906.2	109	121
476/378	0.0	0	0.0	0	0.0	0	47.0	3	54.7	9	109.8	16	136.7	14	893.7	83	132	847.4	72	125
476/386	9.5	1	0.2	1	0.0	0	30.5	2	66.5	10	143.2	21	105.1	14	857.0	94	-	782.1	93	-
476/398	8.8	1	0.0	0	0.2	1	43.6	2	74.0	9	152.2	21	105.0	15	797.7	105	-	726.2	106	-
476/403	8.5	1	0.0	0	0.0	0	50.8	3	61.3	10	155.0	21	102.8	13	859.1	95	114	818.8	92	109
476/433	9.5	1	0.0	0	0.0	0	48.8	3	70.5	11	155.1	20	100.4	13	918.7	98	132	845.1	100	121
476/580	8.5	1	0.0	0	0.0	0	39.3	2	86.4	10	183.1	18	121.3	12	934.0	96	-	853.5	95	-
476/630	25.5	1	0.0	0	0.0	0	27.5	2	56.5	10	116.0	12	105.0	12	856.0	76	121	842.7	71	118
476/644	12.5	1	0.0	0	0.0	0	57.0	3	105.1	8	158.3	18	172.9	10	1068.5	74	144	960.9	71	129
476/666	10.0	1	0.0	0	0.0	0	41.5	2	71.0	6	171.5	13	137.5	9	892.0	63	-	811.0	64	-
476/673	9.5	1	0.0	0	0.0	0	45.6	3	81.3	10	123.7	20	150.0	11	870.1	86	116	804.1	81	108
476/736	9.6	2	0.1	1	0.9	2	34.9	3	79.6	13	113.1	20	124.3	13	840.2	106	117	792.5	104	110
476/762	8.7	1	0.0	0	0.0	0	36.0	2	88.2	7	145.5	16	125.5	8	822.0	70	119	725.2	71	105
476/766	10.0	1	0.0	0	0.6	1	33.0	2	98.8	10	106.0	19	138.8	13	814.3	91	112	765.7	86	106
476/802	24.6	2	0.0	0	0.0	0	33.0	4	60.3	9	116.0	13	125.1	11	836.5	80	121	849.2	73	122
477/ 71	16.0	1	0.0	0	0.0	0	32.0	2	72.3	5	131.0	14	113.5	6	787.7	56	-	759.6	55	-
477/191	9.5	1	0.0	0	0.0	0	32.9	5	71.5	9	117.2	13	138.0	12	824.5	78	118	804.1	75	115
477/309	11.0	1	0.0	0	0.0	0	40.0	4	51.0	9	181.0	15	142.0	12	972.5	81	148	985.5	75	149
477/459	14.0	2	0.0	0	2.5	2	41.5	4	59.3	10	129.5	14	122.8	11	868.2	84	123	921.9	84	131
477/501	7.0	2	0.0	0	0.0	0	30.5	2	55.0	5	80.0	11	109.5	12	692.4	64	108	795.7	74	124
477/762	9.5	1	0.0	0	0.0	0	36.5	1	44.1	6	144.9	12	106.5	7	744.7	59	114	745.0	62	114
477/772	8.5	1	0.0	0	2.1	1	33.0	2	90.6	6	103.2	12	109.4	9	753.8	58	106	759.7	58	107
478/ 8	10.0	2	0.0	0	0.0	0	46.3	4	59.5	7	146.5	13	81.0	7	723.4	66	102	786.1	76	111
478/ 93	3.0	1	0.0	0	0.0	0	57.3	3	67.4	10	184.0	12	101.5	8	880.7	60	115	775.7	53	101
478/292	0.0	0	0.0	0	0.0	0	18.5	2	36.6	5	30.6	5	88.7	7	625.4	48	89	774.5	63	110
478/360	0.0	0	0.0	0	1.3	1	49.4	5	63.2	9	116.0	16	90.0	10	718.8	80	98	722.1	85	99
478/386	0.0	0	0.0	0	4.0	1	34.5	4	79.5	8	107.0	12	80.0	5	703.0	61	102	658.5	63	96
478/406	0.0	0	0.0	0	0.0	0	40.4	1	78.0	8	157.0	9	67.0	7	(575.5)	(46)	-	(506.9)	(44)	-
478/546	0.0	0	0.0	0	0.0	0	56.5	4	62.4	10	164.4	16	69.0	8	785.9	74	110	770.5	75	107
478/786	0.0	0	0.0	0	0.0	0	57.5	3	62.5	6	158.0	9	83.0	5	638.7	41	-	565.4	52	-
478/837	0.0	0	0.0	0	2.0	1	36.7	4	88.8	10	227.1	17	97.0	7	843.5	71	111	(699.9)	(66)	-
478/853	0.0	0	0.0	0	0.0	0	63.0	4	71.4	10	99.6	13	97.0	7	612.5	53	82	643.5	47	87
478/867	0.0	0	0.0	0	1.7	1	33.8	4	92.2	13	(66.2)	-	98.8	11	(699.1)	(70)	-	734.2	85	-
479/225	0.0	0	0.0	0	0.0	0	47.0	2	76.0	10	163.5	15	91.0	5	754.0	60	112	668.5	61	102
479/238	0.0	0	0.0	0	0.0	0	36.0	3	97.0	9	154.0	11	91.5	6	705.7	54	95	568.2	50	77
479/298	0.0	0	0.0	0	1.0	1	32.9	4	97.8	14	160.9	14	108.1	9	766.6	72	94	634.2	64	78
479/326	0.0	0	0.0	0	0.0	0	32.8	2	60.4	14	166.4	14	125.5	9	718.2	75	-	610.6	70	-

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	φ S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° '	° '											
479/369	HENDRINA - POL	2609	2943	1615	100.5	7	0.0	0	0.0	0	106.0	3	10.2	2
479/545	KARINA	2605	2949	1631	191.0	11	23.0	2	10.0	1	93.0	5	16.5	2
479/552	MORGENSTER	2612	2949	1737	187.0	11	11.0	1	34.0	4	69.0	5	0.0	0
479/778	DOUGLAS DAM	2628	2956	1675	160.3	14	38.0	4	20.2	3	86.3	8	32.0	2
479/858	BREYTEN - MUN	2618	2959	1794	121.0	7	88.0	5	34.5	2	69.5	4	23.5	3
480/170	WELGELEGEN	2620	3006	1675	136.4	11	24.7	3	38.4	3	63.2	5	13.1	2
480/184A	CAROLINA - TNK	2604	3007	1696	127.6	17	63.7	6	20.8	8	64.8	6	44.5	4
480/347	BOTHWELL	2617	3012	1675	157.0	11	41.0	4	78.9	5	84.3	8	15.5	4
480/377	CHRISSIESMEER - POL	2617	3013	1675	147.3	11	31.8	3	63.3	4	65.0	5	14.0	4
481/ 14	JESSIEVALE - BOS	2614	3031	1733	209.5	13	61.0	6	93.7	4	115.5	7	13.5	3
481/167	BUSBY	2617	3036	1524	174.5	14	74.5	3	50.5	6	145.0	11	21.5	5
481/239	BROADHOLM	2629	3038	1601	209.3	14	91.2	7	75.3	9	77.2	7	34.6	5
481/296	MARYVALE	2626	3040	1658	137.0	11	101.5	6	60.8	8	55.0	5	27.6	7
481/310	THE BROOK	2610	3041	1747	223.5	10	123.5	3	163.5	6	134.0	7	38.0	4
481/853	OSHOEK - POL	2613	3059	1370	223.0	8	92.0	2	184.5	7	70.5	3	38.0	1
482/260	MBABANE	2620	3109	1145	459.9	20	131.4	13	253.9	15	71.9	10	38.4	7
482/344	MBULUZI LEPER HOSPITAL	2614	3112	1097	353.9	14	126.0	13	263.3	11	89.0	7	42.5	4
482/357	MC CREEDY	2627	3112	762	289.0	17	121.0	8	159.0	11	56.5	8	39.1	6
482/689	MANZINI	2629	3123	610	207.7	20	46.8	12	83.3	16	139.1	12	28.6	7
482/867	ST JOSEPHS MISSION	2627	3129	518	165.6	11	12.1	3	38.5	4	58.0	5	24.5	2
483/ 42	FOYERS	2612	3132	381	148.0	18	35.5	8	75.5	11	163.0	11	39.0	5
483/ 53	MPISI	2623	3132	425	49.0	12	17.0	4	83.5	9	85.0	8	16.9	2
483/ 82	DINEDOR	2622	3133	403	111.1	13	39.2	6	83.7	8	84.7	6	25.6	3
483/114	MPISI GOVT FARM	2624	3134	425	137.2	9	20.5	3	86.5	9	39.0	4	26.0	1
483/426	SWAZILAND RANCH - HOMESTEAD	2606	3145	250	170.5	13	20.5	5	53.5	6	74.0	4	60.5	4
483/504	MPAKA	2624	3147	335	120.3	17	43.7	9	35.7	11	124.6	11	15.7	5
483/695	VUVULAND	2605	3154	300	102.5	10	35.9	9	143.7	11	69.1	7	62.8	2
483/729	NOKWANE	2609	3155	191	48.2	10	13.0	6	194.0	10	90.3	9	42.0	3
483/807	SITEKI	2627	3157	653	79.0	-	115.5	-	50.8	-	96.8	-	29.5	-
497/ 19	MATAMATA	2549	2001	985	11.5	3	100.0	6	12.8	3	5.5	1	4.0	2
503/200	ROCHELLE	2550	2307	975	32.2	2	6.2	2	0.0	0	13.5	3	0.0	0
504/ 50	POMFRET	2550	2332	1100	91.0	9	62.5	6	1.5	1	71.8	3	8.0	1
504/457	BOWERY	2537	2346	1065	69.0	5	44.0	6	14.0	3	39.0	3	15.0	3
505/347	VERGELEGEN	2547	2412	1065	101.0	6	27.0	2	22.5	2	32.5	3	6.0	1
505/446	STIRLING	2556	2415	1080	130.7	8	38.3	3	45.3	6	61.3	3	8.5	1
505/795	DALYSPAN	2545	2427	1067	85.0	10	39.0	3	31.0	3	45.0	3	0.0	0
505/834	CARDIGAN	2554	2428	1130	62.4	6	46.5	5	47.5	4	48.8	3	10.1	2
508/261	MAFEKING - TNK	2551	2539	1278	159.8	17	54.2	10	37.1	8	113.9	6	17.1	5
508/406	DE WIG	2546	2544	1341	253.5	13	78.9	7	83.2	4	90.5	4	13.0	2
508/428	JAGERSFONTEIN	2538	2545	1341	146.8	13	72.9	7	39.0	3	57.0	5	12.0	-
508/649	SLURRY	2549	2552	1387	191.0	16	66.8	10	35.5	4	124.0	6	14.5	3
508/721	STINKHOUTBOOM	2531	2555	1433	176.0	9	50.0	3	57.0	5	98.0	5	20.0	3
508/758	DOORNFONTEIN	2538	2556	1402	150.6	10	103.9	7	48.0	4	68.4	5	17.5	2
508/825	OTTOSHOOP - POL	2545	2558	1433	139.0	8	26.0	3	14.0	1	97.0	6	14.0	3
509/123	ZEERUST - TNK	2533	2605	1207	210.9	12	92.4	8	84.5	7	119.5	7	9.5	2
509/283	DOORNHOEK	2543	2610	1433	182.7	15	51.8	6	29.5	4	101.3	5	11.5	2
509/394	VAALKOP	2534	2614	1180	218.5	17	61.0	7	31.0	3	109.5	6	17.5	2
509/556	BRONKHORSTFONTEIN	2546	2619	1525	205.0	15	81.0	4	33.5	6	150.0	6	20.0	2
509/726	GROOT-MARICO	2536	2625	1113	202.0	16	132.0	11	44.0	9	118.5	8	16.0	4
509/759	TWYFELSPOORT	2539	2626	1177	229.5	10	103.5	4	32.5	5	182.6	7	29.0	1
509/829	BOKKRAAL	2549	2628	1524	271.0	21	79.1	10	39.5	6	178.5	9	20.5	4
510/306	WINKELHAAK	2536	2641	1370	120.5	10	76.0	7	40.0	6	136.5	6	16.5	-
510/308	SWARTRUGGENS - POL	2538	2641	1311	184.0	8	66.5	5	95.0	2	120.0	5	11.5	2
510/410	DOORNPOORT	2550	2644	1555	194.0	9	77.5	7	36.5	5	174.0	6	9.0	1
510/433	DOORNKOM	2543	2645	1390	305.0	8	91.5	9	58.9	-	234.5	5	13.5	1
510/712	KOSTER - POL	2552	2654	1585	151.5	8	41.0	3	41.0	4	116.5	4	16.5	2
510/817	RIETFONTEIN - SKL	2537	2658	1219	167.0	9	76.5	5	67.0	5	186.0	6	7.0	2
511/ 84	DERBY	2554	2703	1372	272.5	16	32.9	6	62.7	9	148.0	7	27.8	3
511/120	DWARSFONTEIN	2600	2704	1554	214.0	8	65.5	5	35.0	4	172.0	7	30.5	4
511/291	MIDDELFONTEIN	2551	2710	1363	211.0	10	94.0	7	58.0	6	148.0	4	26.0	3
511/310	DONKERHOEK - RAINHILL	2540	2711	1372	282.3	14	97.3	12	31.7	4	164.5	8	4.8	1
511/400	RUSTENBURG - POL	2540	2714	1120	170.5	9	119.5	8	55.5	1	163.5	6	0.0	0
511/418	BOONS - POL	2558	2714	1548	211.0	11	64.0	5	44.5	6	174.0	5	0.0	0
511/437	OLIFANTSNEK DAM	2547	2715	1186	180.5	12	71.7	10	89.5	6	194.0	8	13.0	2
511/467	HEXKRANTZ	2547	2716	1219	190.0	12	43.4	12	83.0	8	139.5	6	19.5	3
511/469	OLIFANTSPOORT	2549	2716	1219	223.9	16	35.2	12	84.5	12	170.5	8	18.9	5
511/497	BOSCHFONTEIN	2547	2717	1189	205.9	17	45.3	13	81.1	9	178.1	9	13.8	3
511/523	RUSTENBURG - AGR	2543	2718	1157	186.5	14	103.2	12	64.7	11	180.5	8	6.4	4
511/524	WATERKLOOF	2544	2718	1189	213.1	20	69.8	12	82.5	13	169.0	9	5.4	5
511/573	BOSPOORTDAM	2533	2720	1065	195.5	11	136.0	7	67.0	4	117.5	4	6.5	2
511/672	KLIPFONTEIN	2542	2723	1169	238.5	17	82.4	11	81.9	9	179.4	6	3.5	3
511/851	MARIKANA - POL	2541	2729	1238	148.0	11	96.0	10	48.0	6	110.5	7	0.0	0
511/855A	BUFFELSPOORT - 11 - AGR	2545	2729	1230	284.5	14	68.7	13	83.3	10	167.8	9	4.4	3
512/ 56	SEEKOEIHOEK	2556	2732	1341	133.5	11	101.2	8	169.0	9	182.8	7	0.0	0
512/ 82	NOOITGEDACHT	2552	2733	1463	251.0	14	80.2	11	83.5	5	144.7	6	21.6	3
512/ 90	MAGALIESBURG - POL	2600	2733	1480	154.5	13	80.0	9	101.5	7	162.5	6	21.0	3
512/165	BUFFELSFONTEIN	2545	2736	1219	157.0	12	71.0	8	98.5	6	132.0	5	0.0	0
512/246	GELUK - IRR	2536	2739	1128	260.5	11	92.7	10	89.6	5	121.4	7	0.0	0
512/280	KAREEPOORT - IRR	2540	2740	1158	180.7	14	135.0	13	7.6	3	119.0	7	3.0	1
512/395	WOLWEKRAAL - IRR	2535	2744	1109	188.0	9	154.0	10	67.0	5	118.0	6	6.0	1
512/399	UITVALGROND - IRR	2539	2744	1128	171.0	12	99.5	14	53.0	5	131.0	6	10.0	2
512/451	RASHOOP - IRR	2531	2746	1128	212.7	11	97.2	10	83.8	3	131.4	6	24.0	2
512/481	MAMOGALESKRAAL - IRR	2531	2747	1097	240.7	11	142.0	12	50.3	6	138.3	5	12.5	1
512/488	BAITS	2538	2747	1097	211.6	13	133.4	12	65.0	9	163.3	7	13.0	3
512/545	HARTEBEESPOORT - AGR	2535	2749	1109	217.0	-	116.5	-	72.8	-	109.0	-	6.0	-

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NC	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
479/369	0.0	0	0.0	0	0.0	0	42.5	1	84.0	6	159.0	7	-	-	(502.2)	(26)	-	548.2	38	-
479/545	17.0	1	0.0	0	0.0	0	62.0	3	63.5	7	161.0	15	110.3	9	747.3	56	99	582.5	45	77
479/552	0.0	0	0.0	0	2.0	1	51.0	3	62.0	8	197.5	14	118.0	6	731.5	53	-	578.5	48	-
479/778	0.0	0	9.0	2	0.5	1	52.1	5	133.9	12	177.4	18	125.5	10	835.2	79	-	616.9	63	-
479/858	0.0	0	0.0	0	0.0	0	36.0	2	78.5	8	179.5	12	117.5	7	748.0	50	-	666.4	46	-
480/170	0.0	0	9.0	1	0.2	1	39.4	4	92.4	12	117.8	11	102.6	8	637.2	61	-	581.1	53	-
480/184A	3.0	1	2.5	1	0.0	0	60.5	8	51.8	11	203.6	19	97.6	12	740.4	93	98	692.3	88	92
480/347	4.0	1	4.0	1	0.0	0	71.0	3	129.2	13	169.4	-	113.5	9	867.8	(59)	-	890.7	65	-
480/377	0.0	0	5.0	1	0.0	0	69.4	4	117.2	13	145.3	14	118.0	11	776.3	70	97	824.1	57	103
481/ 14	4.0	1	9.0	1	0.0	0	74.8	5	134.0	8	172.7	12	151.0	10	1038.7	70	114	932.7	65	102
481/167	4.0	1	8.7	2	4.0	1	71.0	5	115.5	11	122.5	15	193.7	13	985.4	87	111	937.5	82	106
481/239	6.5	2	15.5	2	1.2	1	79.5	5	100.6	14	168.7	12	125.6	11	985.2	89	115	898.7	77	104
481/296	3.5	1	6.7	3	0.2	2	74.0	5	93.7	16	128.4	18	77.0	6	765.4	88	83	615.0	58	66
481/310	6.6	3	8.0	2	0.5	1	27.0	5	122.0	13	157.4	16	211.5	10	1215.5	80	135	1124.5	(59)	125
481/853	0.0	0	0.0	0	0.0	0	36.0	2	138.0	8	148.0	-	274.0	10	1204.0	(41)	-	1047.5	45	-
482/260	18.7	3	24.8	2	10.5	5	80.9	11	225.0	20	140.5	18	232.9	20	1688.8	144	-	1616.1	133	-
482/344	15.5	2	6.0	1	4.0	1	59.5	6	162.5	14	146.0	11	192.4	11	1460.6	95	-	1445.1	96	-
482/357	7.5	2	11.9	2	2.3	2	39.5	8	199.7	18	114.0	12	227.4	12	1266.9	106	111	1125.1	99	99
482/689	3.3	6	10.1	3	2.4	4	34.3	9	166.7	19	90.0	18	237.6	16	1049.9	142	115	890.6	124	98
482/867	0.0	0	0.0	0	6.0	2	11.0	4	142.0	5	54.0	4	74.0	3	585.7	43	92	643.5	51	102
483/ 42	20.0	5	2.0	2	2.5	3	22.0	6	139.0	19	86.0	16	196.0	13	928.5	117	-	907.0	97	-
483/ 53	2.5	2	0.0	0	3.6	2	10.3	3	77.8	16	49.1	10	138.6	11	533.3	79	75	527.5	63	74
483/ 82	4.8	1	0.0	0	2.5	1	16.3	2	105.2	11	66.2	6	181.4	9	720.7	66	98	605.6	58	82
483/114	3.5	2	0.0	0	4.0	2	12.5	2	56.0	11	70.9	10	304.6	12	760.7	65	-	663.2	50	-
483/426	12.5	2	0.0	0	6.0	1	13.0	3	104.0	12	149.0	6	137.5	8	801.0	64	118	749.9	60	110
483/504	9.2	5	2.5	3	1.8	1	22.4	7	172.4	20	82.9	19	227.0	18	858.2	126	-	809.5	98	-
483/695	18.9	3	0.0	0	6.7	1	23.5	3	149.3	13	179.0	10	175.7	11	967.1	80	-	829.3	65	-
483/729	21.5	3	0.0	0	2.0	1	17.0	3	105.3	11	132.0	6	203.2	8	868.5	70	-	808.1	70	-
483/807	11.3	-	3.7	-	8.0	-	29.5	-	118.5	-	88.7	-	134.7	-	766.0	-	89	763.4	-	88
497/ 19	5.5	2	0.1	1	0.0	0	0.0	0	29.0	2	0.6	1	3.0	1	172.0	22	-	162.4	25	-
503/200	0.0	0	0.0	0	0.0	0	0.0	0	33.5	3	40.0	4	52.0	2	177.4	16	-	115.0	12	-
504/ 50	0.0	0	0.0	0	0.0	0	0.0	0	30.5	2	24.0	3	45.0	4	334.3	29	-	317.5	31	-
504/457	0.0	0	0.0	0	0.0	0	2.0	1	49.0	2	52.0	6	46.0	7	330.0	36	-	307.0	35	-
505/347	0.0	0	0.0	0	0.0	0	6.0	1	34.0	2	42.0	2	68.5	3	339.5	22	-	325.0	23	-
505/446	0.0	0	0.0	0	0.0	0	13.5	1	44.3	3	52.5	5	67.2	6	461.6	36	-	428.2	36	-
505/795	0.0	0	0.0	0	0.0	0	7.5	1	44.0	3	57.0	3	53.4	6	361.9	32	-	395.0	36	-
505/834	0.0	0	0.0	0	0.0	0	7.0	1	44.0	3	39.0	3	46.5	6	351.8	33	85	346.6	33	84
508/261	0.0	0	1.0	1	0.0	0	10.7	2	53.0	7	101.8	8	99.2	11	647.8	75	114	594.5	72	105
508/406	0.0	0	0.0	0	0.0	0	0.0	0	54.0	3	139.5	6	48.0	4	760.6	43	148	691.6	43	135
508/428	0.0	0	0.0	0	0.0	0	13.0	1	53.1	3	104.1	4	46.4	3	544.3	(39)	108	545.1	(41)	108
508/649	0.0	0	0.0	0	0.0	0	12.0	1	68.5	7	98.3	9	81.6	6	692.2	62	126	606.9	61	110
508/721	0.0	0	0.0	0	0.0	0	20.0	2	92.0	5	87.0	2	46.0	2	646.0	36	110	578.0	38	99
508/758	0.0	0	0.0	0	0.0	0	20.0	3	10.0	1	29.5	2	3.0	1	450.9	35	83	553.9	41	102
508/825	0.0	0	0.0	0	0.0	0	16.5	1	39.5	5	141.0	8	67.0	9	554.0	44	103	515.5	34	95
509/123	0.0	0	0.0	0	0.0	0	18.3	2	53.5	5	97.7	6	52.5	6	738.8	55	123	664.7	58	110
509/283	0.0	0	0.0	0	0.0	0	24.0	1	55.5	3	86.5	6	104.2	7	647.0	49	117	607.6	48	110
509/394	0.0	0	0.0	0	0.0	0	18.5	2	38.0	4	158.9	10	66.5	8	719.4	59	-	643.5	56	-
509/556	11.0	1	0.0	0	0.0	0	18.0	2	51.5	4	97.5	8	105.5	10	773.0	58	-	743.5	57	-
509/726	7.1	1	0.0	0	0.0	0	23.5	2	36.5	4	127.5	12	115.5	11	822.6	78	131	817.2	73	130
509/759	31.5	1	0.0	0	0.0	0	29.5	2	36.5	2	107.0	5	102.8	8	884.4	45	160	855.3	44	155
509/829	25.0	1	2.0	1	0.0	0	21.0	3	42.7	7	101.2	13	104.7	12	885.2	87	-	920.4	83	-
510/306	36.5	1	0.0	0	0.0	0	59.0	2	22.5	4	134.0	8	119.0	7	760.5	(51)	124	709.0	(52)	115
510/308	30.5	1	0.0	0	0.0	0	50.2	3	36.7	4	127.5	9	87.0	6	808.9	45	133	789.5	44	130
510/410	25.0	1	0.0	0	0.0	0	34.0	1	46.5	4	130.5	7	133.5	7	860.5	48	138	747.5	54	120
510/433	0.0	0	0.0	0	0.0	0	46.5	2	29.5	1	151.5	9	146.5	8	1077.4	(43)	175	1034.4	(37)	168
510/712	16.5	1	0.0	0	0.0	0	48.5	1	26.7	2	135.8	9	151.2	8	745.2	42	114	745.5	39	114
510/817	21.0	1	0.0	0	0.0	0	94.5	2	34.5	3	173.5	6	62.0	9	909.0	48	150	780.0	48	129
511/ 84	27.5	2	1.9	2	0.0	0	31.0	2	48.8	9	80.9	11	118.2	14	852.2	81	121	877.0	67	124
511/120	47.0	1	0.0	0	0.0	0	30.0	2	50.0	6	77.0	6	110.0	9	831.0	52	141	824.5	52	140
511/291	32.0	1	0.0	0	0.0	0	30.0	3	15.0	2	100.0	4	116.0	8	630.0	48	133	774.0	51	124
511/310	14.0	1	0.0	0	0.0	0	43.5	3	47.8	5	203.2	12	101.7	12	1010.8	72	136	921.1	68	124
511/400	18.0	1	0.0	0	0.0	0	42.5	3	27.5	4	173.5	7	110.5	6	881.0	45	131	755.2	39	113
511/418	20.0	1	0.0	0	0.0	0	26.5	1	58.0	6	115.2	7	95.5	7	808.7	49	133	702.0	49	116
511/437	8.5	1	0.0	0	0.0	0	34.5	2	24.0	3	102.5	5	116.0	7	834.2	56	127	744.2	61	112
511/467	12.0	1	0.0	0	0.0	0	42.0	3	32.7	5	145.6	11	138.9	13	846.6	74	113	724.5	74	97
511/469	15.7	1	0.2	1	0.0	0	30.3	3	37.8	6	141.6	12	131.8	15	890.4	91	129	755.1	90	109
511/497	12.5	1	0.0	0	0.0	0	40.6	3	33.4	6	147.3	11	136.0	13	894.0	85	120	776.2	85	104
511/523	9.5	1	0.0	0	0.0	0	44.4	3	33.2	7	147.0	13	81.7	12	857.1	85	-	812.4	89	-
511/524	12.0	1	0.0	0	0.1	1	52.9	3	35.9	10	127.7	14	123.5	13	894.9	101	131	842.0	(105)	123
511/573	11.1	2	0.0	0	0.0	0	46.5	5	30.8	5	176.2	10	62.5	10	849.6	60	-	815.6	50	-
511/672	13.0	1	0.0	0	0.0	0	31.5	3	32.0	4	172.8	11	86.5	13	921.5	78	147	829.2	76	132
511/851	11.0	1	0.0	0	0.0	0	33.9	3	32.0	5	133.0	8	119.0	8	731.4	59	-	657.7	56	-
511/855A	7.2	1	0.0	0	0.0	0	33.1	3	36.4	7	137.1	15	111.7	14	934.7	89	135	861.1	81	125
512/ 56	0.0	0	0.0	0	0.0	0	34.8	2	41.5	5	154.5	10	102.6	9	919.9	61	135	875.7	59	128
512/ 82	12.5	1	0.0	0	0.0	0	61.5	2	56.5	8	143.0	10	113.5	10	968.0	70	136	826.0	61	116
512/ 90	0.0	0	0.0	0	0.0	0	32.0	1	21.0	2	100.0	9	108.0	8	780.5	58	-	798.5	67	-
512/165	14.0	1	0.0	0	0.0	0	61.0	2	53.0	6	80.0	6	120.8	9	827.3	55	-	727.5	56	-
512/246	22.0	1	0.0	0	0.0	0	36.0	2	19.0	3	174.1	10	70.1	9	885.4	58	135	787.6	55	120
512/280	3.6	1	0.0	0	0.0	0	48.0	1	17.0	4	115.5	9	84.1	7	713.5	60	104	662.6	62	97
512/395	0.0	0	0.0	0	0.0	0	42.5	2	25.9	5	168.5	9	72.8	9	842.7	56	125	738.0	47	109
512/399	0.0	0	2.0	1	0.0	0	39.0	2	32.5	6	140.8	12	70.5	10	749.3	70	110	671.4	63	99
512/451	0.0	0	0.0	0	0.0	0	46.7	3	39.9	4	162.0	10	92.1	9	889.8	57	141	826.4	58	131
512/481	0.0	0	0.0	0	0.0	0	45.5	3	42.0	3	149.0	7	112.5	8	942.8	56	152	887.1	58	143
512/488	5.0	1	0.0	0	0.1	1	36.3	3	34.5	8	189.6	13	78.4	12	930.2	82	139	849.5	81	127
512/545	4.5	-	0.0	-	0.0	-	34.0	-	30.5	-	177.5	-	89.5	-	859.3	-	137	748.6	-	119

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S ° '	λ E ° '	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
512/552	SANDFONTEIN - IRR	2542	2749	1128	191.6	13	150.5	11	73.0	5	112.5	6	5.5	1
512/580	DE KROON - IRR	2540	2750	1152	201.0	14	143.0	12	208.6	11	31.5	2	9.5	2
512/602	MAMAGALIESKRAAL SUID - IRR	2532	2751	1158	185.0	11	217.0	13	52.0	4	141.0	5	10.5	1
512/613	HARTBEESPOORT DAM - IRR	2543	2751	1217	147.3	11	179.1	10	46.0	5	103.8	6	4.5	1
512/738	PELINDABA	2548	2755	1280	193.6	11	151.5	13	54.7	8	149.2	5	7.2	3
512/757	DE WILDT - POL	2537	2756	1269	242.5	15	130.5	11	53.0	8	123.0	7	12.0	2
513/ 64	TOEVLUG	2534	2803	1220	223.4	15	150.8	15	37.7	10	150.3	8	20.9	4
513/135	PRETORIA - WESTFORT LEPER INS	2545	2805	1402	204.7	15	116.5	14	87.1	10	141.0	8	10.1	4
513/162	ZANDFONTEIN	2542	2806	1341	126.7	13	134.0	14	76.8	11	199.8	9	20.5	2
513/165	PRETORIA - PROCLAMATION HILL	2545	2806	1356	160.1	18	88.3	18	107.3	13	173.9	9	13.4	5
513/227	PRETORIA - VOORTREKKERHOOGTE	2547	2808	1503	225.1	15	82.2	16	55.8	4	160.0	7	12.5	2
513/240	HALFWAY HOUSE - POL	2600	2808	1525	201.8	12	109.5	12	69.1	8	127.5	7	31.0	3
513/255	PRETORIA - POW	2545	2809	1372	160.6	14	81.7	14	86.3	10	159.6	12	7.4	3
513/284	PRETORIA - PUR	2544	2810	1286	186.1	21	84.0	16	67.9	12	143.7	8	5.9	2
513/285	PRETORIA - NEW CEMETERY	2545	2810	1353	170.3	14	121.0	16	96.0	11	176.9	8	10.6	4
513/309	ONDERSTEPOORT - VET	2539	2811	1219	233.2	16	109.5	17	69.8	11	137.7	9	12.2	3
513/314	PRETORIA - ZOOLOGICAL GARDENS	2544	2811	1300	170.1	16	90.0	15	80.7	9	147.0	8	7.2	2
513/314A	PRETORIA - WB(FORUM)	2544	2811	1330	172.0	18	74.1	16	84.0	12	145.0	8	6.5	4
513/337	BON ACCORD DAM	2537	2812	1204	178.0	9	206.5	10	62.0	6	120.5	6	12.5	1
513/342	PRETORIA - WONDERBOOM - SUID	2542	2812	1325	228.3	16	115.5	12	67.1	9	140.6	9	8.0	1
513/343	PRETORIA - CAPITAL PARK	2543	2812	1325	185.2	16	110.0	16	76.0	8	100.2	5	12.0	1
513/345	PRETORIA - BURGERSPARK	2545	2812	1326	168.0	16	72.9	16	73.8	10	120.9	8	21.0	2
513/347	PRETORIA - FOUNTAINS	2547	2812	1372	154.5	13	74.8	12	130.5	9	174.5	6	4.0	1
513/350	VERWOERDBURG - MUN	2550	2812	1432	199.2	16	76.0	14	73.3	13	176.5	8	5.0	3
513/374	PRETORIA - P W D KWEKERY	2544	2813	1402	142.3	13	89.0	13	93.3	8	123.5	7	6.2	1
513/382	IRENE	2552	2813	1448	183.0	13	46.6	12	70.8	11	147.5	8	3.7	3
513/404	PRETORIA BRYNTIRION - 1	2544	2814	1350	154.6	15	76.7	14	98.0	11	136.1	8	5.2	1
513/404A	PRETORIA RIETONDALE - AGR	2544	2814	1372	193.0	13	71.8	14	100.0	10	144.5	8	6.6	2
513/405A	PRETORIA - WEERBURO(LYNNWOOD)	2545	2814	1369	161.1	14	70.4	15	104.2	12	139.0	8	7.1	3
513/437	PRETORIA - WATERKLOOF COUNTRY	2547	2815	1417	222.2	10	97.8	7	84.8	8	140.3	6	9.4	2
513/465	PRETORIA - UNIV PROEFPLAAS	2545	2816	1372	219.2	15	74.4	17	129.7	10	127.3	9	6.1	3
513/524	THE WILLOWS	2544	2818	1323	91.0	9	93.0	9	56.0	7	112.7	6	6.0	1
513/531	RIETVLEI - AGR	2551	2818	1524	171.4	-	122.8	-	59.2	-	170.5	-	10.3	-
513/550	KAMEELDRIFT	2540	2819	1250	157.5	12	118.3	15	98.4	8	116.8	9	10.5	1
513/605	ROODEPLAAT - AGR	2535	2821	1164	200.4	15	72.0	14	74.1	10	109.3	9	10.7	4
513/611	BAVIAANSPOORT - PUR	2541	2821	1340	186.6	15	112.7	12	78.9	10	118.5	9	13.0	3
513/677	PIENAARSPOORT	2547	2823	1356	141.1	12	179.6	7	48.8	4	138.8	10	15.5	1
513/827	DONKERHOEK - SKL	2547	2828	1393	204.1	16	89.5	6	56.0	3	137.5	10	4.0	1
513/836	WELBEKEND - POL	2556	2828	1615	127.5	7	140.0	-	144.9	11	133.0	6	33.0	-
514/ 10	PREMIER MINE - CULLINAN	2540	2831	1375	222.8	20	85.5	9	16.9	6	130.7	10	12.0	1
514/112	KLEINZONDERHOUT	2552	2834	1372	209.9	17	104.0	11	68.3	9	144.7	9	13.0	5
514/408	BRONKHORSTSPRUIT - MUN	2548	2844	1427	133.0	7	3.2	2	28.5	2	111.0	5	9.0	1
514/537	BLESBOKFONTEIN	2557	2848	1495	184.0	14	35.6	6	29.4	10	104.5	9	20.5	4
514/618	WILGERIVIER	2548	2851	1432	190.0	16	33.1	8	49.8	8	91.3	9	17.0	3
515/ 79	KLEINWATER	2549	2903	1463	200.5	10	51.5	5	67.5	7	120.3	5	21.2	2
515/234	CLEWER	2554	2908	1530	165.5	12	49.5	6	78.9	10	120.0	8	23.6	4
515/386	LANDAU	2556	2913	1555	133.3	9	85.1	6	74.7	9	91.2	7	19.0	3
515/412	WITBANK - MUN	2552	2914	1600	106.1	12	71.0	6	70.4	7	103.7	7	19.9	4
515/528	OLIFANTSRIVIER - SAR	2548	2918	1442	110.2	8	80.3	5	50.8	7	91.5	5	26.1	3
515/732	BOTSABELO - SKL	2542	2925	1408	121.0	7	144.0	6	88.0	6	136.0	5	44.0	4
515/826	MIDDELBURG - TNK	2546	2928	1447	108.9	9	52.5	5	98.5	6	112.0	8	32.5	3
516/190	BANKFONTEIN	2540	2937	1525	107.5	9	55.0	5	67.0	6	111.0	6	60.0	6
516/201	EDE	2551	2937	1585	89.1	8	24.9	6	35.8	6	85.6	7	35.9	5
516/285	GEMSBOKFONTEIN - BOS	2545	2940	1661	168.5	-	58.0	-	55.0	-	108.0	-	39.0	-
516/554	ROODEPOORT	2544	2949	1737	264.1	15	54.5	6	46.2	6	100.5	8	38.5	4
516/701	BOSPOORT	2541	2954	1675	124.5	10	32.5	6	111.8	7	109.9	6	21.6	2
516/708	WONDERFONTEIN - SKL	2548	2954	1798	127.9	12	43.5	5	138.5	8	88.2	8	48.0	6
517/ 39	BELFAST 11 - BOS	2539	3002	1950	168.9	-	54.8	-	67.5	-	142.0	-	51.5	-
517/ 72	BELFAST - POL	2542	3003	1970	140.5	7	35.5	-	42.5	4	121.0	7	43.5	3
517/147	NOOITGEDACHT DAM - IRR	2557	3005	1495	167.8	10	17.9	7	53.5	7	83.3	7	29.1	3
517/275	ELANDSFONTEIN	2535	3010	1830	177.5	11	63.0	6	102.0	5	62.0	5	37.0	5
517/430	MACHADODORP	2540	3015	1609	114.7	15	65.4	9	61.1	6	68.5	9	46.7	6
517/578	WATERVAL-BO - SAR	2538	3020	1430	119.1	13	70.6	10	53.1	8	46.0	-	39.4	9
517/762	WELTEVREDEN	2542	3026	1830	149.5	9	105.5	6	107.0	5	50.9	3	12.0	2
517/816	ELANDSHOEK	2536	3028	893	157.6	11	62.2	-	74.5	6	51.0	5	34.5	4
518/ 88	BADPLAAS - POL	2558	3033	1067	165.5	8	43.5	2	76.5	3	65.5	3	0.0	0
518/186	VLAKPLAATS	2536	3037	1524	233.5	14	81.0	7	82.0	3	54.0	4	21.0	1
518/367	COETZEESTROOM - BOS	2537	3043	1446	313.0	16	112.1	8	130.8	11	76.0	10	22.6	4
518/393	BERLIN - BOS	2533	3044	1341	267.3	16	78.1	12	110.9	11	52.8	11	38.0	5
518/455	KAAPSEHOOP - POL	2535	3046	1529	425.7	15	137.5	7	124.0	7	69.5	7	38.5	3
518/460	WATERFALL	2540	3046	1219	514.3	23	209.6	14	360.6	14	148.0	16	62.4	6
518/584	NELSHOOGTE - BOS	2549	3050	1370	210.1	20	66.7	9	157.5	10	89.2	10	22.4	7
518/621	QUEENS RIVER - BOS	2551	3051	1340	177.6	18	70.9	10	139.4	12	102.2	10	22.0	4
518/676	FRANTZINASRUST	2546	3053	914	150.0	15	106.5	6	170.5	10	96.0	6	12.9	1
518/759	MACSVALE	2539	3056	823	130.3	9	45.5	3	163.5	7	81.4	7	20.0	2
518/822	BORNMANSDRIFT	2542	3058	821	124.2	10	95.5	6	162.4	12	83.5	8	21.5	3
518/859	DORSCHOT	2549	3059	1067	171.7	10	74.0	4	119.0	8	160.5	8	10.0	2
518/886	CARMICHAEL - TNK	2546	3100	732	141.3	14	57.0	4	110.2	7	117.0	10	10.5	2
519/ 17	BARBERTON - AGR	2547	3101	765	111.6	14	77.1	6	90.8	12	132.5	10	9.6	5
519/ 77	BARBERTON - TNK	2547	3103	852	110.9	15	87.9	5	117.3	10	130.2	9	10.1	3
519/134	LOWLANDS	2544	3105	610	92.1	9	60.8	5	154.6	6	116.0	6	6.0	1
519/174	LOENEN	2554	3106	533	229.7	13	151.3	14	160.1	15	132.5	9	29.5	6
519/237	HAVELOCK MINE	2557	3108	1167	301.4	20	204.8	15	238.4	14	108.6	10	28.9	7
519/310	RIVERBANK	2540	3111	533	127.9	18	62.2	9	78.6	12	106.5	9	19.2	4
519/390	SWAZILAND PLANTATIONS	2600	3113	945	251.5	19	151.0	12	203.5	13	106.2	12	38.2	9

R A I N F A L L 1 9 7 1

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
512/552	0.0	0	0.0	0	0.0	0	56.5	2	46.7	6	144.4	12	49.6	5	830.3	61	116	767.6	59	107
512/580	4.0	1	0.0	0	0.0	0	63.2	3	51.0	6	159.5	12	45.0	4	916.3	67	133	820.1	70	119
512/602	0.0	0	0.0	0	0.0	0	42.4	3	41.5	3	155.5	7	106.9	8	951.8	55	145	855.3	56	130
512/613	2.0	1	0.0	0	0.0	0	46.5	2	53.5	5	131.0	12	61.0	9	774.7	62	109	696.7	59	98
512/738	3.8	1	0.0	0	0.0	0	43.0	2	61.0	7	168.7	13	81.7	10	914.4	73	-	(772.5)	(74)	-
512/757	3.0	1	0.0	0	0.0	0	38.0	3	41.0	5	130.0	11	88.0	10	861.0	73	-	877.5	73	-
513/ 64	4.0	1	0.0	0	0.1	1	41.5	3	31.1	7	164.8	12	131.5	14	956.1	90	-	877.5	84	-
513/135	7.0	1	0.0	0	0.0	0	36.0	3	49.3	7	199.0	16	79.6	9	930.3	87	133	875.1	85	127
513/162	12.0	1	0.0	0	0.0	0	45.0	4	57.0	6	154.0	15	83.5	7	909.3	82	-	916.8	77	-
513/165	15.0	1	0.0	0	0.0	0	-	-	60.2	8	198.5	19	91.0	14	(907.7)	(105)	-	648.0	108	-
513/227	0.0	0	0.0	0	0.0	0	54.5	3	63.6	8	178.5	15	100.9	13	933.1	83	132	788.1	73	112
513/240	14.0	1	0.0	0	0.0	0	35.9	2	68.6	7	189.5	19	83.0	7	929.9	78	-	821.4	68	-
513/255	16.5	1	0.0	0	0.0	0	39.7	4	46.0	8	179.5	18	87.2	10	864.5	94	131	769.7	89	116
513/284	18.5	1	0.0	0	0.0	0	36.6	3	52.8	10	165.2	20	133.7	16	894.4	109	127	811.6	102	115
513/285	17.5	1	0.0	0	0.0	0	40.4	3	48.8	7	187.7	15	113.1	10	982.3	89	144	880.8	85	129
513/309	25.2	1	0.0	0	0.1	1	42.6	3	72.6	7	163.1	17	143.4	14	1009.4	99	141	966.7	98	135
513/314	18.0	1	0.0	0	0.0	0	30.5	3	54.8	8	171.2	17	120.9	15	890.4	94	121	820.6	92	112
513/314A	17.7	1	0.0	0	0.0	0	42.4	3	52.8	10	165.9	18	117.2	16	877.6	106	-	764.9	103	-
513/337	25.5	1	0.0	0	0.0	0	45.5	3	66.5	6	166.5	13	176.0	8	1059.5	63	160	936.5	61	142
513/342	19.0	1	0.0	0	0.0	0	36.4	2	51.5	7	152.5	15	73.0	2	891.9	74	-	802.6	78	-
513/343	18.0	1	0.0	0	0.0	0	45.5	3	41.8	6	147.5	15	115.5	13	851.7	64	-	794.0	80	-
513/345	16.0	1	0.0	0	0.0	0	45.1	3	59.0	9	166.3	17	106.1	14	849.1	96	119	775.5	90	108
513/347	16.5	1	0.0	0	0.0	0	40.0	2	60.0	7	200.3	14	110.0	7	965.1	74	128	851.3	69	113
513/350	15.0	1	0.0	0	5.0	1	38.2	2	73.8	7	166.4	18	112.9	9	941.3	92	137	845.4	79	123
513/374	18.0	1	0.0	0	0.0	0	45.0	3	49.2	6	170.9	12	125.7	10	863.1	74	121	772.3	71	109
513/382	21.0	1	0.5	1	0.0	0	38.9	2	75.8	8	165.0	21	91.9	9	844.7	89	121	736.5	86	106
513/404	17.3	1	0.0	0	0.0	0	41.1	3	43.4	4	176.7	11	149.6	10	898.7	78	117	836.5	77	109
513/404A	18.5	1	0.0	0	0.0	0	37.5	3	44.0	8	118.5	12	151.2	11	885.6	82	128	859.2	85	124
513/405A	18.0	1	0.1	1	0.0	0	40.7	3	49.0	9	162.1	18	126.5	17	878.2	101	115	852.1	96	111
513/437	19.2	1	0.0	0	0.0	0	51.1	3	38.3	5	154.8	8	136.4	5	954.3	55	118	895.0	58	111
513/465	22.5	1	0.9	1	0.1	1	46.0	3	46.0	9	168.4	18	157.5	17	998.1	104	140	923.3	95	129
513/524	28.0	1	0.0	0	0.0	0	38.5	2	44.0	6	172.8	13	175.5	6	817.5	60	115	736.4	56	104
513/531	18.0	-	2.2	-	0.0	-	43.8	-	58.4	-	153.0	-	169.7	-	979.3	-	-	836.4	-	-
513/550	27.5	1	0.7	1	0.0	0	34.5	3	54.2	8	190.6	16	121.7	13	930.7	87	-	855.3	85	-
513/605	25.0	1	0.0	0	0.0	0	30.0	3	49.3	8	203.0	15	99.5	13	873.3	92	-	733.8	95	-
513/611	29.5	1	0.0	0	0.0	0	34.0	3	52.1	9	181.9	17	128.4	14	935.6	93	-	846.3	83	-
513/677	23.0	1	0.0	0	0.0	0	30.6	3	58.5	6	137.1	14	101.2	6	874.2	64	128	875.9	65	133
513/827	22.5	1	0.2	1	0.0	0	33.4	3	75.5	8	166.0	17	93.5	-	882.2	(66)	127	849.6	(60)	122
513/836	0.0	0	0.0	0	15.0	1	37.0	2	67.5	6	192.7	-	180.3	14	1070.9	(47)	143	-	-	-
514/ 10	1.2	1	0.0	0	0.0	0	37.1	4	68.4	9	186.7	17	147.1	10	928.4	67	127	844.3	84	115
514/112	0.0	0	19.0	1	0.0	0	33.0	4	70.0	9	202.0	15	135.1	9	999.0	89	-	863.5	86	-
514/408	0.0	0	0.0	0	0.0	0	47.0	2	52.5	6	176.0	12	104.2	8	664.4	45	100	548.8	43	82
514/537	10.7	2	0.0	0	0.2	2	42.3	6	40.6	11	161.9	17	112.6	15	742.3	96	-	772.0	90	-
514/618	1.3	2	0.0	0	0.0	0	35.6	4	38.6	9	149.0	19	142.1	13	747.8	91	104	903.7	94	126
515/ 79	1.5	1	0.0	0	0.0	0	48.8	2	34.5	5	175.6	14	113.6	9	835.0	60	-	808.6	81	-
515/234	6.5	1	0.0	0	0.1	1	46.5	5	68.0	12	156.0	18	95.5	12	810.1	69	109	821.2	87	110
515/386	7.6	1	0.0	0	0.0	0	37.8	3	51.0	10	140.9	17	107.7	11	748.3	76	-	747.7	68	-
515/412	6.0	1	0.0	0	0.3	1	42.4	5	75.0	12	144.4	15	131.8	11	771.0	81	-	721.0	76	-
515/528	0.0	0	0.3	1	0.1	1	26.7	3	6.5	3	213.0	18	97.0	5	702.5	59	107	751.9	51	115
515/732	15.0	1	0.0	0	0.0	0	77.5	5	96.8	6	236.4	16	115.5	8	1074.2	64	154	824.3	52	118
515/826	0.0	0	1.0	1	0.0	0	52.5	3	59.0	8	161.0	14	100.5	7	778.4	64	105	745.0	62	101
516/190	0.0	0	0.0	0	0.0	0	37.0	2	80.5	9	129.5	19	73.0	9	720.5	71	-	673.7	61	-
516/201	0.4	1	0.0	0	0.0	0	51.4	3	62.5	11	181.7	14	104.2	8	671.5	69	88	635.8	68	83
516/285	0.5	-	0.0	-	0.5	-	42.0	-	62.0	-	160.5	-	80.0	-	774.0	-	100	762.0	-	99
516/554	0.0	0	0.0	0	0.0	0	43.0	1	41.0	8	150.8	18	74.5	8	753.1	74	106	721.1	70	102
516/701	15.4	2	0.0	0	0.0	0	57.3	2	76.6	9	186.7	17	56.3	5	792.6	66	-	767.1	63	-
516/708	0.0	0	0.0	0	0.0	0	45.7	4	65.0	10	168.1	18	77.8	11	802.7	82	112	773.4	78	108
517/ 39	1.8	-	0.0	-	0.0	-	61.6	-	104.1	-	202.9	-	67.7	-	942.8	-	-	918.3	-	-
517/ 72	0.0	0	0.0	0	0.0	0	-	-	-	-	154.4	14	28.5	6	(565.9)	(41)	-	729.5	(45)	-
517/147	3.2	1	10.1	2	0.0	0	71.8	8	70.0	12	171.9	17	76.3	8	754.9	82	-	726.6	78	-
517/275	0.0	0	5.0	1	0.0	0	68.5	4	112.2	13	128.5	16	150.0	10	905.7	76	-	805.3	72	-
517/430	3.0	2	4.8	1	0.0	0	56.9	8	96.5	13	114.1	19	93.4	12	725.1	100	87	725.0	95	87
517/578	3.8	2	1.6	-	0.0	0	44.1	7	91.6	9	148.5	13	122.9	-	740.7	(71)	92	798.5	(82)	99
517/762	0.0	0	0.0	0	0.0	0	29.5	4	49.5	6	136.5	10	161.0	9	801.4	54	86	841.4	56	90
517/816	1.6	1	0.8	1	0.0	0	62.8	5	138.7	12	106.5	9	148.0	11	878.2	(65)	108	759.2	(60)	93
518/ 88	30.0	1	1.9	1	0.0	0	53.0	4	84.0	13	164.3	13	81.0	7	765.2	55	91	870.6	47	103
518/186	3.5	1	4.9	1	0.0	0	63.8	4	159.5	7	146.9	11	214.0	14	1064.1	67	127	918.3	51	110
518/367	0.0	0	0.0	0	54.0	4	63.0	4	185.0	12	154.0	12	101.2	9	1213.7	90	124	1051.5	87	108
518/393	1.1	1	8.1	3	2.9	2	56.1	9	168.9	16	162.7	16	180.6	15	1127.5	117	106	933.3	101	88
518/455	8.5	1	11.0	2	18.5	3	106.5	7	190.5	11	178.0	14	256.5	11	1564.7	88	101	1322.3	72	85
518/460	21.0	4	15.5	3	23.0	7	119.0	9	332.3	18	232.2	24	454.2	23	2512.1	161	-	2070.6	142	-
518/589	12.0	2	2.5	2	5.9	4	55.5	4	196.2	12	203.1	14	214.7	12	1235.8	101	107	1129.2	105	98
518/623	11.7	4	0.0	0	2.5	5	45.7	9	188.0	17	158.2	18	227.7	19	1146.3	126	-	1033.0	103	-
518/676	0.0	0	0.0	0	5.5	2	60.0	4	126.5	12	190.0	13	237.0	16	1154.0	87	95	917.0	83	75
518/759	2.4	1	0.0	0	0.0	0	46.0	4	116.9	11	180.7	10	259.5	10	1046.2	64	128	825.6	47	101
518/822	3.7	2	0.0	0	0.0	0	30.8	4	98.6	15	131.1	11	165.7	11	917.0	82	123	(885.0)	(69)	-
518/859	4.5	1	0.0	0	0.0	0	13.7	3	109.4	13	200.3	10	182.0	7	1045.1	66	131	951.4	60	119
518/886	4.4	2	0.0	0	0.0	0	21.0	2	86.7	16	177.3	15	189.1	12	914.5	84	123	819.6	72	110
519/ 17	4.4	4	0.0	0	0.0	0	26.5	4	96.0	16	167.7	16	195.2	11	911.4	98	124	802.6	92	110
519/ 77	4.0	1	0.0	0	0.0	0	25.8	4	100.0	16	122.1	19	214.2	13	922.5	95	117	844.7	83	107
519/134	0.0	0	0.0	0	0.0	0	18.9	3	67.0	9	135.5	9	172.0	10	823.1	62	120	744.5	58	108
519/174	10.5	3	5.5	2	0.5	2	47.6	9	196.0	16	136.0	15	246.6	18	1345.8	122	-	1287.3	115	-
519/237	20.2	5	14.2	2	6.4	4	68.0	8	209.9	20	118.2	19	251.0	18	1570.2	142	86	1511.1	139	82
519/310	4.3	3	0.0	0	0.9	6	22.1	4	97.9	18	159.6	18	185.8	14	865.2	115	139	768.5	100	123
519/390	18.0	4	8.5	2	4.1	5	53.5	9	185.0	18	191.5	17	205.8	16	1416.8	136	-	1363.6	126	-

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	φ S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
519/448	PIGGS PEAK	2558	3115	1012	265.4	19	135.1	15	174.0	14	95.4	11	26.4	6
519/518	LOUWS CREEK - POL	2538	3118	477	97.7	9	83.3	6	138.9	9	82.8	7	17.7	3
519/572	KAAPMUIDEN	2532	3120	409	122.5	9	85.2	6	119.7	10	100.5	10	21.3	3
519/597	MC CORKINDALE	2557	3120	760	212.5	18	135.0	13	196.6	12	102.0	8	36.0	5
519/707	NGONINI	2547	3124	835	214.2	9	72.0	6	231.8	11	69.8	6	22.0	1
519/732	KAMHLABANE	2542	3125	1205	327.1	15	207.7	14	217.2	13	126.8	11	46.0	6
519/835	MAYIWANE	2555	3128	457	283.3	13	164.0	6	194.0	9	155.5	7	39.0	2
519/850	SCHOEMANSDAL - BOS	2540	3129	610	195.6	19	109.4	17	254.7	15	103.8	13	37.0	9
519/880	BUFFELSPRUIT - NAF	2540	3130	380	136.0	4	77.0	5	248.5	9	85.5	8	34.5	2
520/125	LETUBI	2535	3135	372	285.0	10	68.5	11	272.5	11	77.5	8	23.5	3
520/387	TUNZINI	2557	3143	240	110.6	8	54.5	6	104.2	9	91.3	10	75.2	4
520/450	MANANGA	2600	3145	230	144.0	8	47.9	11	70.0	7	90.8	8	28.0	4
520/476	BORDER GATE	2556	3146	230	119.5	8	44.5	5	67.5	4	84.5	4	24.5	3
520/491	WALDA - NAF	2541	3147	152	158.4	10	36.0	6	190.5	7	63.5	7	51.5	2
520/589	FIG TREE	2549	3150	246	82.0	8	23.0	3	83.0	8	56.5	4	21.5	1
520/636	SQUAMANS	2536	3152	190	153.2	7	66.5	5	158.0	9	33.0	4	8.0	1
539/863	MOKOPONG	2523	2259	1000	61.0	9	26.0	11	16.1	4	2.8	2	15.6	4
540/620	RUSTHOF	2520	2321	1000	27.0	7	15.0	3	25.0	3	22.0	2	9.0	1
541/297	BRAY	2527	2340	1000	55.0	7	52.5	3	13.0	2	25.0	2	0.0	0
545/376	SCHILPADSHEK - POL	2516	2543	1340	136.5	9	73.0	7	33.5	3	66.5	4	13.5	1
545/499	GOPANE	2519	2547	1219	137.0	11	128.0	6	20.0	4	79.0	5	10.0	2
545/626	DINOKANA	2526	2551	1268	226.0	16	48.5	6	54.4	6	61.7	5	14.9	3
545/663	KALKPAN - NAF	2503	2553	1036	144.0	7	70.0	6	25.0	4	57.5	6	19.0	2
546/ 7	SWARTFONTEIN	2507	2601	1065	186.5	13	52.5	5	12.0	2	61.5	4	6.5	2
546/ 82	RIETGAT	2522	2603	1201	214.2	13	77.2	13	23.4	5	101.6	7	11.4	2
546/272	NIETVERDIEND	2502	2610	1064	144.0	8	33.5	4	15.0	3	143.5	6	0.0	0
546/314	BOTATABOMEN	2514	2611	1065	196.5	14	40.5	6	29.3	7	95.0	5	9.0	2
546/412	ENZELBERG	2522	2614	1158	275.5	16	34.9	5	53.5	5	89.5	7	0.0	0
546/525	OLIFANTSVLEI	2515	2618	1067	172.1	15	67.8	8	43.1	5	128.0	5	0.0	0
546/531	SYFERFONTEIN	2521	2618	1088	202.3	14	24.0	6	30.8	5	(49.4)	(6)	3.0	1
546/630	MARICO - IRR	2530	2621	1078	165.7	-	94.4	-	56.0	-	112.0	-	12.5	-
546/712	SKUINSDRIF - IRR	2522	2624	990	224.6	17	89.2	8	43.7	5	105.7	7	8.5	2
546/740	STRAATSDRIFT - IRR	2520	2625	1035	248.0	14	86.5	7	23.5	4	122.0	6	8.5	2
547/359	LINDLEYSPOORT - IRR	2529	2642	1175	211.3	17	88.7	14	34.5	11	158.5	8	14.0	3
547/629	RIETFONTEIN	2529	2651	1190	190.0	9	117.0	6	44.0	3	126.5	6	5.5	1
548/165	PILANESBERG - POL	2515	2706	1219	200.0	9	77.5	4	33.0	3	110.5	5	9.5	2
548/280	SAULSPOORT - HOSP	2510	2710	1158	216.1	17	58.5	11	25.3	5	100.3	5	38.4	4
548/747	KAFFERSKRAAL	2527	2725	1000	176.6	14	58.0	4	45.5	5	132.0	6	8.5	2
549/130	VAALKOP	2510	2735	960	210.5	12	133.0	7	46.0	5	142.5	6	0.0	0
549/220	ASSEN - POL	2510	2738	1065	223.5	8	117.2	9	69.0	6	144.0	6	15.5	1
549/354	KAMEELDRIFT - IRR	2524	2742	1067	136.2	10	44.4	9	64.0	6	168.0	5	28.7	3
549/358	KLIPKOP - IRR	2528	2742	1036	163.7	7	90.5	7	92.0	6	120.0	5	24.0	1
549/530	JERICHO - NAF	2520	2748	1065	197.5	9	133.5	10	41.5	3	170.5	7	17.5	2
549/815	BEDWANG - NAF	2505	2758	1035	180.0	10	73.4	6	24.2	2	71.7	5	20.5	1
550/475	HAMMANSKRAAL - NAF	2525	2816	1130	190.7	10	80.9	12	25.5	5	105.5	5	15.8	2
550/545	BLAAUWBOSCHKUIL	2505	2819	1109	234.9	16	136.1	10	21.0	4	109.8	5	16.5	1
550/590	BOEKENHOUTKLOOF - IRR	2520	2820	1065	207.5	13	68.9	10	23.3	6	184.0	8	14.9	4
550/612	KALKHEUWEL	2512	2821	1067	219.5	11	140.0	8	6.5	1	118.5	6	12.0	1
551/103	RUST DER WINTER - IRR	2513	2834	1065	101.5	8	102.7	9	0.0	0	24.0	2	13.0	1
551/120	DE WAGENDRIFT	2530	2834	1222	229.2	12	90.0	9	37.5	4	131.5	7	9.8	2
551/281	ROOIKOP	2511	2840	991	119.5	11	108.1	8	7.0	3	113.0	6	8.4	4
551/386	ZUSTERSHOEK - POL	2526	2843	1372	149.0	12	89.0	5	9.0	1	89.0	5	21.0	1
551/853	KLIPPLAATDRIFT - NAF	2513	2859	1065	115.0	7	124.0	8	27.0	4	88.5	6	18.0	3
552/ 29	VERENA - POL	2529	2901	1375	89.5	9	67.5	6	51.0	3	96.5	4	20.5	1
552/247	KUILSRIVIER - IRR	2507	2909	945	114.5	10	104.0	12	29.0	5	114.0	7	29.5	2
552/255	PHILADELPHIA	2515	2909	1065	119.0	4	216.0	8	23.0	4	63.0	-	12.0	3
552/315	UITSPANNING - NAF	2515	2911	1065	155.5	5	133.0	7	43.5	5	155.0	7	26.0	2
552/363	ELANDSLAAGTE - IRR	2503	2913	930	137.2	7	96.5	10	43.2	5	90.2	7	28.9	3
552/407	ELANDSDOORN	2517	2914	1035	95.0	4	118.0	10	36.0	5	120.0	7	38.5	4
552/610	LOSKOP - KANALE - IRR	2510	2921	960	203.0	9	128.0	11	41.0	6	110.0	8	15.7	3
552/654	LOSKOP DAM - IRR	2524	2922	1009	144.5	-	182.0	-	60.5	-	105.0	-	40.5	-
552/681	DE WAGENDRIFT	2521	2923	1036	120.0	10	77.5	6	36.7	-	130.8	-	35.5	4
552/699	GROBLERSDAL - POL	2509	2924	915	147.5	6	127.0	8	26.5	3	108.0	5	23.0	1
552/700	LOSKOP - PROEFSTASIE	2510	2924	945	143.0	6	104.0	7	39.0	4	119.0	6	17.7	2
553/151	LUCKAU - NAF	2501	2936	1370	182.2	14	85.2	9	56.1	6	87.7	7	35.5	5
553/283	BUFFELSVALLEI	2513	2940	1220	-	-	84.6	7	56.1	8	92.5	6	10.1	4
553/351	WATERVAL	2521	2942	1371	175.5	7	44.0	4	29.0	2	114.0	6	7.5	2
553/593	BLINKWATER	2523	2950	1551	141.5	7	31.0	5	46.6	5	91.0	4	42.0	3
553/651	LAERSDRIF - POL	2521	2952	1478	80.5	4	104.0	5	36.0	3	64.0	3	59.0	2
553/717	WELGEVONDEN	2527	2954	1555	247.1	18	122.0	7	35.3	5	120.0	7	25.0	4
553/767	DOORNBOSCH	2517	2956	1600	151.1	17	120.5	13	66.8	9	70.9	7	36.8	5
553/859	TONTELDOOS	2519	2959	1676	207.5	15	87.0	7	35.3	5	110.7	7	33.0	3
554/175	DULLSTROOM - SAR	2525	3006	2034	189.0	11	57.5	3	74.0	3	64.0	3	43.5	4
554/349	UITSPANNING	2519	3012	1890	159.2	14	79.2	14	74.5	6	89.9	6	27.0	5
554/560	RUSTENBURG - NO 118	2520	3019	1370	108.0	4	96.5	4	48.0	4	44.5	3	65.0	5
554/614	ZWAGERSHOEK	2514	3021	1524	196.5	17	110.6	15	65.8	7	58.6	7	39.1	8
554/661	BOOMPLAAS	2501	3023	1445	77.7	10	46.5	6	38.0	7	25.3	5	41.1	3
554/682	BADFONTEIN - POL	2522	3023	1190	102.0	4	49.2	4	138.5	5	49.0	4	36.5	4
554/786	LYDENBURG - POL	2506	3027	1383	108.0	9	67.3	5	58.8	6	43.5	3	29.4	5
554/816	LYDENBURG - VIS	2506	3028	1439	132.3	13	79.8	9	60.7	6	30.5	6	30.0	5
554/885	KAFFERVOETPAD - BOS	2515	3030	1830	256.5	19	108.5	16	91.6	7	81.0	6	34.5	5
554/890	KALMOESFONTEIN	2520	3030	1370	80.0	10	22.4	10	50.2	7	34.6	6	10.4	3
555/ 30	ELANDSHOOGTE	2530	3031	1980	170.6	10	89.8	13	98.2	8	59.5	7	37.3	5
555/137	UITSOEK - BOS	2517	3035	1370	234.2	19	73.5	16	115.5	9	42.5	8	32.0	4
555/280	LONG TOM - BOS	2510	3040	1525	323.9	20	138.4	18	83.5	8	52.2	8	52.4	6

R A I N F A L L 1 9 7 1

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN		JUL		AUG		SEP		OCT		NOV		DEC		JAAR JAN 71 DEC 71			YEAR JUL 70 JUN 71		
	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	PER	MM	D	PER
519/448	12.9	4	9.5	2	2.4	4	53.1	7	189.4	19	116.2	16	244.3	16	1324.1	133	108	1238.9	119	101
519/518	0.0	0	0.0	0	0.0	0	45.5	1	96.1	10	124.5	6	234.5	10	921.0	61	-	752.4	61	-
519/572	1.4	1	0.0	0	0.0	0	18.7	2	111.0	15	138.2	11	161.5	9	880.0	76	132	736.2	72	110
519/597	11.0	2	10.5	1	2.5	2	51.6	7	189.5	17	163.1	15	219.0	17	1329.3	117	-	1136.1	110	-
519/707	0.0	0	0.0	0	0.0	0	24.0	1	169.8	14	133.2	9	323.6	11	1260.4	68	-	1058.6	61	-
519/732	15.5	3	1.3	2	4.5	2	53.5	6	185.6	19	183.5	13	308.5	14	1677.2	118	96	1612.2	114	92
519/835	14.0	3	0.0	0	1.0	1	26.0	2	115.0	12	162.0	12	236.0	12	1389.8	79	-	1263.2	77	-
519/850	11.9	6	0.2	2	4.8	8	26.4	6	134.2	20	222.5	25	257.8	15	1358.3	155	-	1162.5	130	-
519/880	9.0	3	0.0	0	0.0	0	24.5	2	123.0	11	134.0	14	312.0	12	1164.0	70	-	937.5	53	-
520/125	12.0	1	0.0	0	3.0	1	28.0	1	130.5	10	163.0	10	160.0	7	1223.5	73	126	1002.5	65	103
520/387	3.2	2	0.0	0	1.0	1	16.6	3	115.9	14	154.9	9	141.0	10	868.4	76	-	761.5	66	-
520/450	3.0	1	0.0	0	2.0	1	14.5	1	93.5	12	180.2	11	165.5	10	839.4	74	-	759.2	67	-
520/476	3.0	1	0.0	0	4.0	1	15.5	2	78.0	10	154.0	9	125.0	8	720.0	55	-	733.5	47	-
520/491	10.0	2	0.0	0	1.5	1	20.0	1	107.0	6	102.5	7	245.5	8	986.4	57	-	753.2	59	-
520/589	8.0	1	0.0	0	0.0	0	18.0	1	115.5	10	179.0	5	121.0	6	707.5	47	108	522.6	44	80
520/636	12.0	1	0.0	0	0.0	0	27.5	2	136.6	10	84.5	9	154.0	4	833.3	52	124	621.6	39	93
539/863	0.0	0	0.0	0	0.0	0	0.0	0	29.0	3	89.8	7	33.8	7	274.1	47	-	212.4	51	-
540/620	0.0	0	0.0	0	0.0	0	0.0	0	33.0	2	29.0	3	42.0	3	202.0	24	-	283.0	30	-
541/297	0.0	0	0.0	0	0.0	0	0.0	0	41.0	3	47.0	3	59.5	4	293.0	24	-	208.9	19	-
545/376	0.0	0	0.0	0	0.0	0	22.0	2	89.5	4	109.5	9	44.5	6	588.5	45	-	484.5	44	-
545/499	0.0	0	1.0	1	0.0	0	10.0	2	82.5	6	79.0	7	25.0	2	571.5	46	-	501.5	42	-
545/626	0.5	1	0.2	1	0.0	0	24.0	3	73.3	7	112.3	8	67.5	8	683.3	64	114	597.2	69	100
545/663	0.0	0	0.0	0	0.0	0	30.5	1	12.0	1	126.5	7	50.5	4	535.0	38	94	440.0	37	77
546/ 7	0.0	0	0.0	0	0.0	0	24.5	2	24.5	2	115.0	6	39.5	3	522.5	39	-	429.0	38	-
546/ 82	2.5	1	5.0	1	0.0	0	22.4	3	67.5	10	78.0	7	14.2	4	617.4	66	109	-	-	-
546/272	10.0	1	0.0	0	0.0	0	43.0	2	45.0	5	99.2	5	47.0	4	580.2	38	115	552.5	38	110
546/314	6.5	1	0.0	0	0.0	0	33.3	3	44.5	3	118.7	8	82.0	7	655.3	56	-	520.7	56	-
546/412	18.5	1	0.0	0	0.0	0	25.8	2	42.5	3	90.5	5	28.2	3	658.9	47	105	695.4	57	110
546/525	20.0	1	0.0	0	0.0	0	22.5	2	36.5	4	110.7	8	48.0	7	648.7	55	112	638.2	49	110
546/531	10.5	1	0.0	0	0.0	0	15.5	1	28.3	4	71.5	6	75.0	8	(510.3)	(52)	-	(494.5)	(60)	-
546/630	30.0	-	0.0	-	0.0	-	48.0	-	47.3	-	135.9	-	115.5	-	817.3	-	125	610.1	-	93
546/712	31.2	1	0.0	0	0.0	0	30.7	3	42.0	4	113.8	6	93.0	7	782.4	60	121	748.0	65	115
546/740	27.0	1	0.0	0	0.0	0	19.5	2	35.0	3	124.5	6	88.0	7	782.5	52	123	723.0	55	114
547/359	30.3	2	0.1	1	0.0	0	90.0	3	41.1	6	117.1	11	88.1	12	873.7	88	-	865.2	90	-
547/629	22.0	1	0.0	0	0.0	0	68.0	3	26.5	3	133.3	8	67.8	7	800.6	47	-	696.5	47	-
548/165	0.0	0	0.0	0	0.0	0	41.0	2	24.0	2	160.0	4	80.5	4	736.0	35	113	658.7	44	101
548/280	0.0	0	0.0	0	0.0	0	51.1	4	7.3	2	-	-	-	-	497.0	48	-	749.4	73	-
548/747	13.0	1	0.0	0	0.0	0	38.3	4	23.1	4	164.0	6	62.0	11	721.0	57	124	734.1	63	126
549/130	0.0	0	0.0	0	0.0	0	24.5	1	0.0	0	170.8	9	76.5	5	803.8	45	150	816.5	54	153
549/220	7.0	1	0.0	0	0.0	0	23.0	2	32.0	3	155.5	6	129.5	9	926.2	51	-	902.2	53	-
549/354	6.0	1	0.0	0	0.0	0	34.5	3	27.2	4	196.6	9	50.3	7	755.9	57	120	660.3	57	105
549/358	0.0	0	0.0	0	0.0	0	36.3	3	34.0	3	168.5	7	63.3	7	792.3	46	125	749.7	48	118
549/530	0.0	0	0.0	0	0.0	0	24.0	2	27.5	4	144.0	11	96.0	8	852.0	56	-	837.5	51	-
549/815	0.0	0	0.0	0	0.0	0	34.0	2	27.0	2	200.0	5	73.5	5	704.3	38	-	641.8	38	-
550/475	24.5	1	0.0	0	0.0	0	41.5	3	42.0	3	216.0	8	134.0	6	876.4	55	-	755.2	53	-
550/545	0.0	0	0.0	0	0.0	0	13.8	3	30.0	4	144.7	8	-	-	(706.8)	(51)	-	853.0	52	144
550/590	25.0	1	0.0	0	0.0	0	39.0	3	45.2	6	207.9	15	110.0	5	925.7	71	-	860.8	74	-
550/612	18.0	1	0.0	0	0.0	0	25.5	2	26.0	2	140.5	9	95.0	5	801.5	46	131	788.1	41	129
551/103	0.0	0	0.0	0	0.0	0	24.5	2	36.5	4	111.5	10	139.2	11	552.9	47	-	524.7	44	-
551/120	12.5	1	0.0	0	0.0	0	43.3	2	50.2	8	140.7	15	118.3	11	863.0	71	127	815.1	67	120
551/281	0.0	0	0.0	0	0.0	0	23.0	4	36.0	7	140.0	12	95.4	9	650.4	64	111	657.8	72	112
551/386	0.0	0	0.0	0	0.0	0	10.8	3	64.0	6	132.5	12	162.0	7	726.3	52	-	707.0	51	-
551/853	0.0	0	0.0	0	0.0	0	14.0	1	44.0	5	133.5	7	79.0	5	643.0	46	-	772.5	50	-
552/ 29	0.0	0	0.0	0	0.0	0	63.0	2	60.0	7	148.6	9	198.5	6	795.1	47	-	564.4	59	-
552/247	0.0	0	0.0	0	0.0	0	8.0	1	55.4	9	161.3	15	59.0	10	674.7	71	-	727.1	64	-
552/255	0.0	0	0.0	0	0.0	0	12.0	2	66.0	7	118.0	11	69.0	-	698.0	(39)	111	586.9	(37)	93
552/315	0.0	0	0.0	0	0.0	0	10.5	2	92.0	6	106.0	-	126.0	7	847.5	(41)	-	743.0	38	-
552/363	0.0	0	0.0	0	0.0	0	7.5	1	58.6	10	152.1	15	102.2	9	716.4	67	-	710.3	63	-
552/407	0.0	0	0.0	0	0.0	0	18.5	1	70.0	5	136.0	16	81.5	6	713.5	58	-	723.0	50	-
552/610	1.0	1	0.0	0	0.0	0	24.5	2	81.0	9	133.5	17	96.0	12	833.7	78	128	789.3	71	121
552/654	0.0	-	0.0	-	0.0	-	52.0	-	43.0	-	130.0	-	115.0	-	872.5	-	121	861.0	-	120
552/681	1.0	1	0.0	0	0.0	0	20.5	1	59.5	8	118.5	12	139.5	12	739.5	(54)	-	650.6	(48)	-
552/699	0.0	0	0.0	0	0.0	0	30.2	3	68.2	5	158.3	12	86.0	3	774.7	46	125	667.5	40	107
552/700	0.5	1	0.0	0	0.0	0	30.5	3	62.5	6	164.0	11	83.0	7	763.2	53	-	646.7	41	-
553/151	3.0	-	0.0	0	0.0	0	21.6	3	90.6	8	162.8	15	86.7	9	811.4	(76)	-	670.6	(72)	-
553/283	0.0	0	0.0	0	0.0	0	33.0	2	114.0	8	142.0	12	66.4	8	(598.7)	(55)	-	-	-	-
553/351	3.0	1	0.0	0	0.0	0	28.0	1	44.5	3	161.0	12	66.0	4	672.5	42	99	705.0	39	104
553/593	0.0	0	0.0	0	0.0	0	30.0	2	57.0	5	197.5	15	89.0	5	725.6	51	98	740.0	52	100
553/651	0.0	0	0.0	0	0.0	0	38.5	2	57.0	6	177.5	16	12.5	2	629.0	43	83	672.5	36	89
553/717	1.5	2	1.0	1	0.0	0	36.0	4	52.0	6	223.0	18	100.5	10	963.4	82	-	946.6	74	-
553/767	1.8	2	1.3	2	0.0	0	35.4	6	94.8	11	170.3	18	121.5	14	871.2	105	-	869.2	107	-
553/859	2.0	1	0.0	0	0.0	0	30.1	4	99.9	9	122.2	14	151.9	14	879.6	79	107	882.2	72	108
554/175	0.0	0	0.0	0	0.0	0	80.5	5	108.5	6	121.0	12	104.5	6	842.5	53	104	828.5	47	102
554/349	4.3	3	0.3	1	0.0	0	108.5	5	122.2	14	192.7	18	106.5	12	954.3	98	-	889.3	94	-
554/560	1.0	1	0.0	0	0.0	0	39.0	3	68.5	6	129.0	12	97.0	5	696.5	47	91	757.5	45	99
554/614	3.5	2	1.1	1	1.0	1	70.0	5	98.1	14	205.2	24	130.3	17	979.8	118	119	820.5	108	100
554/691	21.3	2	4.0	1	0.0	0	33.4	2	65.8	10	141.5	15	111.3	9	605.9	70	-	718.3	64	-
554/752	0.0	0	0.0	0	0.0	0	51.0	2	89.5	3	185.0	7	64.0	3	764.7	36	-	691.7	42	-
554/786	14.5	2	0.0	0	0.0	0	46.0	3	93.8	12	191.6	14	98.5	10	751.4	69	116	736.1	66	113
554/816	14.0	3	0.0	0	0.0	0	52.5	3	96.5	14	134.3	20	134.2	14	764.8	93	-	727.8	74	-
554/885	3.5	1	1.0	1	0.0	0	35.5	4	129.5	12	134.9	15	107.5	10	1049.0	96	-	877.1	96	-
554/890	13.7	3	0.0	0	0.0	0	48.6	7	171.2	13	137.0	15	172.0	14	737.1	88	-	453.8	72	-
555/ 30	1.9	2	1.1	2	1.0	2	66.8	6	143.8	10	127.9	14	103.5	9	901.4	88	-	861.0	95	-
555/137	16.5	4	3.5	2	3.1	3	70.8	6	148.1	14	132.6	17	174.9	17	1041.2	119	-	961.7	111	-
555/280	29.5	9	19.5	3	8.4	4	62.7	14	154.0	20	201.3	25	194.8	22	1311.9	153	-	1160.1	125	-

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S ° ′	λ E ° ′	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
555/405	BROOKLANDS - BOS	2515	3044	1219	237.3	18	120.7	16	111.0	6	61.5	13	48.4	5
555/437	TWEEFONTEIN	2517	3045	1067	244.3	15	43.0	11	119.5	7	57.0	3	35.5	4
555/441	RIETVALLEI	2521	3045	1006	260.7	14	73.0	11	125.9	7	73.1	6	40.5	6
555/445	BARCLAYVALE	2525	3045	798	153.0	8	50.0	4	46.5	4	72.5	-	44.5	4
555/455	CEYLON - BOS	2505	3046	1372	279.7	16	83.8	13	155.6	10	60.9	8	56.6	4
555/462	WATERVAL	2512	3046	1126	244.5	19	88.4	15	121.0	7	64.0	11	46.0	6
555/473	KILLARNEY	2523	3046	914	155.7	17	79.8	15	69.5	5	56.4	8	20.0	2
555/483	TWEEFONTEIN - BOS	2505	3047	1152	336.7	19	113.0	12	112.0	6	70.2	12	55.5	6
555/506A	SCHAGEN	2526	3047	785	135.1	-	50.5	-	110.2	8	52.6	7	16.5	3
555/510	MAJUBA - BOS	2530	3047	1375	233.9	22	57.2	13	151.6	13	66.2	10	26.6	6
555/548	MALIEVELD-BOS	2508	3049	1289	263.5	13	106.0	13	66.0	5	22.5	4	51.2	5
555/567	ALKMAAR	2527	3049	707	139.8	19	61.0	10	131.5	9	49.0	7	33.0	4
555/573	KLIPKRAAL	2503	3050	1372	428.0	19	178.0	14	124.5	7	70.0	7	54.0	7
555/579	SPITSKOP - BOS	2509	3050	1463	275.2	14	128.0	13	93.2	6	53.7	10	44.5	5
555/588	ROSEHAUGH - BOS	2518	3050	1036	260.9	19	71.4	18	121.9	9	82.9	10	43.4	7
555/631	WELKOM	2501	3052	1065	488.1	20	175.0	18	106.9	10	87.9	13	51.5	7
555/662	FRANKFORT - BOS	2502	3053	1005	414.5	22	127.0	24	107.5	13	78.6	15	41.1	9
555/663	SABIE - GORGE - POW	2503	3053	975	320.0	17	121.8	22	92.2	10	86.6	21	42.2	12
555/663A	D R DE WET - BOS	2503	3053	915	367.5	20	102.9	13	100.2	8	69.2	14	37.9	8
555/664	BERGVLIET - BOS	2504	3053	983	331.0	13	102.4	12	78.9	8	61.4	10	38.3	6
555/673	WITKLIP - BOS	2513	3053	1158	231.6	13	87.5	8	125.0	7	84.9	10	39.5	5
555/792	SWARTFONTEIN - BOS	2512	3057	1065	237.3	14	69.8	12	143.4	7	99.1	8	39.5	5
555/794	BULTFONTEIN - BOS	2514	3057	1097	208.6	12	60.9	10	195.1	10	67.2	6	50.5	5
555/797	LOCHABER	2517	3057	823	269.0	13	51.1	16	114.9	12	63.6	11	53.1	5
555/837	NELSPRUIT - AGR	2527	3058	660	130.3	14	64.0	9	163.3	11	67.7	9	33.7	7
555/878	WITWATER - BOS	2508	3100	1036	265.5	18	86.3	17	80.3	10	87.9	9	28.6	3
556/ 20	WITRIVIER - POL	2520	3101	960	216.0	9	72.5	9	117.5	6	38.7	7	36.0	3
556/ 88	MAYFERN	2528	3103	666	108.1	13	57.6	8	177.1	11	74.0	9	31.2	4
556/110	JATINGA	2520	3104	853	218.0	18	74.5	12	120.7	9	61.6	15	39.0	3
556/143	THE KNOLL	2523	3105	762	124.0	6	50.0	3	140.0	5	65.0	5	20.0	1
556/183	DE RUST	2503	3107	610	336.8	15	78.5	14	81.3	11	117.0	16	39.5	4
556/460	PRETORIUSKOP	2510	3116	600	194.4	-	73.1	-	207.3	-	110.6	-	40.0	-
556/898	MALELANE	2528	3130	305	178.0	9	54.5	9	160.7	9	91.1	9	21.0	3
557/115	RIVERSIDE	2525	3134	274	216.7	10	54.2	9	154.0	7	31.5	8	29.7	5
557/666	LAER SABIE RUSKAMP	2506	3153	198	124.5	8	83.0	5	102.5	7	36.5	5	7.2	2
557/712	KROKODILBRUG	2522	3154	217	83.5	7	90.3	7	187.5	6	40.0	4	12.5	1
557/806	KOMATIEPOORT - POL	2526	3157	140	71.6	7	27.0	2	147.0	5	28.5	3	0.0	0
584/713	SWARTKOPFONTEINHEK - POL	2453	2554	1065	116.0	8	136.0	5	4.8	3	37.0	3	19.0	1
584/747	BUITENKUIL	2457	2555	1097	95.0	7	54.5	8	6.5	2	51.0	7	25.0	2
585/ 16	NICOLAASDOORNS - NAF	2446	2601	1143	130.9	11	14.0	3	15.5	2	85.0	4	10.0	1
585/ 56	GROOTPOORT	2456	2602	1173	129.4	10	112.4	8	20.9	4	76.3	4	25.2	1
585/192	KOPFONTEIN - POL	2442	2607	1035	151.5	7	52.0	4	25.0	3	50.5	4	0.0	0
585/291	DROEDAL	2451	2610	1067	167.0	9	112.0	7	22.0	4	52.0	2	9.0	1
585/626	SCHOONLAAGTE	2456	2621	1067	143.5	12	72.5	10	26.0	6	101.5	5	21.5	2
585/698	DERDEPOORT - POL	2438	2624	915	150.0	7	16.0	3	42.5	3	72.5	2	14.5	1
585/765	MIDDELPOORT	2445	2626	1065	175.0	13	74.6	10	38.6	6	108.6	6	7.1	2
586/ 6	DOORNLAAGTE	2436	2631	914	144.0	12	62.0	9	30.5	4	60.5	5	15.0	2
586/341	BRUSSELS	2441	2642	1067	198.7	13	61.0	6	30.5	4	76.3	5	9.5	1
586/441	GANSVLEI	2451	2645	1089	172.3	14	24.5	8	22.5	5	76.0	6	12.5	2
586/523	DWAALBOOM - POL	2443	2648	1065	285.7	14	31.5	4	19.0	1	100.5	6	12.0	1
586/545	ENGELAND	2435	2649	975	263.1	13	49.0	4	0.0	0	52.0	2	9.5	1
587/139	MIDDELKOP	2449	2705	1097	411.6	15	123.5	6	30.0	4	36.5	1	39.0	1
587/214	BUFFELDOORNS	2434	2708	945	310.1	17	121.8	9	27.4	4	54.8	5	16.0	2
587/350	SING - SING	2450	2712	1065	274.1	17	98.5	12	45.5	4	61.4	6	39.5	3
587/477	NORTHAM - POL	2457	2716	965	236.3	13	69.0	6	43.5	5	87.5	4	32.5	2
587/697	THABAZIMBI	2437	2724	1026	202.0	16	120.0	11	47.0	6	36.5	4	20.0	4
588/ 22	DOORNFONTEIN	2452	2731	914	258.2	14	148.0	9	7.0	1	42.0	3	0.0	0
588/230	STERKFONTEIN	2450	2738	1539	337.1	14	248.3	14	51.5	5	43.0	5	35.0	3
588/385	LEEUPOORT	2455	2743	1128	279.5	15	197.5	12	20.5	5	47.3	5	29.0	3
588/406	ROOIBERG	2446	2744	1128	332.5	19	188.2	13	35.5	5	44.0	6	53.5	3
588/637	SANDFONTEIN	2437	2752	1067	235.0	12	204.5	11	39.0	7	58.0	3	35.0	3
588/721	RENOSTERFONTEIN - POL	2431	2755	1251	200.0	9	182.0	7	6.0	1	12.0	1	0.0	0
589/ 86	SEETEINVAL	2456	2804	1095	185.0	12	78.5	13	11.5	3	48.2	6	29.5	2
589/503A	WARMBAD - BADPLAAS	2453	2817	1116	220.2	13	148.7	9	31.0	3	60.0	4	15.0	1
589/543	DOORNFONTEIN	2433	2819	1375	201.0	15	150.5	8	98.0	7	66.5	7	24.5	3
589/586	BUFFELSPOORT	2446	2820	1372	306.9	17	173.1	11	44.8	7	48.7	5	28.9	4
589/594	TOWOOMBA - AGR	2454	2820	1143	221.2	18	125.5	15	34.2	6	60.3	7	26.0	6
589/628	ROODEKUIL	2458	2821	1113	221.3	16	118.2	13	22.5	2	75.5	6	30.5	3
589/670	ELANDSPOORT	2440	2823	1250	219.5	15	116.7	7	60.0	4	48.0	3	20.5	3
589/732A	NYLSTROOM - MUN	2442	2825	1173	165.0	15	98.6	9	43.0	5	30.5	5	37.0	5
589/867	LUDLOW	2457	2829	1097	225.5	17	80.5	11	14.1	7	88.5	5	29.5	4
589/877	GROENFONTEIN	2437	2830	1280	155.5	13	151.5	11	25.0	6	83.0	7	13.5	2
589/896	MALLOW	2456	2830	1113	187.5	12	90.1	11	12.0	2	83.0	6	22.5	3
589/897	DANDALOO	2457	2830	1067	237.7	15	68.3	8	17.2	4	107.9	7	33.9	4
590/184	VISCHGAT	2434	2837	1220	148.0	6	36.3	5	44.5	4	67.0	5	13.5	3
590/294	MEISJESVLEI	2454	2840	1067	129.4	12	76.1	13	38.0	4	86.4	7	22.2	4
590/307	NYLSVLEY	2437	2841	1097	127.3	15	46.5	7	(32.0)	-	112.0	8	20.5	4
590/321	KOPPIE ALLEEN	2451	2841	1063	142.6	14	71.5	12	6.3	3	91.2	6	14.7	3
590/361	NABOOMSPRUIT - POL	2431	2843	1113	163.5	8	86.0	5	9.5	2	64.5	7	12.5	2
590/413	DIEPSLOOT	2453	2844	1067	95.9	5	69.9	6	14.6	2	117.5	8	15.5	3
590/444	TUINPLAAS - POL	2454	2845	1067	113.8	7	87.6	11	6.5	1	116.2	6	14.0	1
590/486	MOSDENE	2436	2847	1097	148.4	15	77.8	5	17.7	7	50.6	7	16.3	4
591/ 36	KLAVER VALLEY	2436	2902	1032	130.0	7	28.0	3	12.0	1	32.5	3	34.0	2
591/124	ROODTAN	2434	2905	973	108.5	8	82.6	6	65.0	3	50.6	3	26.0	2
591/125	BYZONDERHEID	2435	2905	975	133.0	10	98.0	6	74.0	6	52.0	8	24.0	4

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
555/405	16.5	6	5.3	2	1.5	1	56.5	7	133.1	12	131.0	12	204.5	13	1127.3	111	98	1064.4	135	93
555/437	9.5	1	8.5	2	0.0	0	46.0	5	137.0	12	109.3	15	215.5	14	1025.1	89	99	1040.0	87	100
555/441	41.5	4	9.0	2	1.0	1	33.4	3	107.5	9	153.0	14	152.5	10	1071.1	87	107	984.1	101	98
555/445	0.0	0	0.0	0	0.0	0	0.0	0	87.6	6	126.5	10	192.5	10	773.1	(46)	87	702.0	(44)	79
555/455	6.6	3	31.0	2	11.1	5	56.7	8	139.1	15	146.0	17	206.1	14	1233.2	115	98	1063.3	103	85
555/462	18.0	4	8.5	2	0.0	0	45.5	6	161.8	14	135.0	15	208.5	14	1141.2	113	100	1032.9	110	91
555/473	3.5	3	5.2	1	0.0	0	25.1	3	156.6	12	129.7	16	155.1	14	856.6	96	93	822.6	92	89
555/483	17.7	5	27.5	2	8.7	3	36.7	5	115.0	18	169.3	20	218.7	18	1281.0	126	99	1077.3	114	83
555/506A	2.2	2	1.2	1	0.1	1	31.5	1	115.6	12	85.2	13	147.5	14	748.2	(62)	-	679.2	(48)	-
555/510	11.8	5	4.3	2	11.8	7	81.2	10	210.3	18	155.2	15	249.7	18	1259.8	139	-	1037.1	133	-
555/548	19.5	1	9.5	2	1.0	1	40.0	3	96.5	7	105.5	8	220.5	-	1001.7	(62)	-	924.2	74	-
555/567	2.0	1	3.5	1	2.0	1	34.5	3	140.5	12	119.4	18	178.1	20	894.3	105	108	731.1	92	88
555/573	29.0	6	46.0	2	14.0	4	87.5	6	150.0	16	200.0	17	243.0	14	1624.0	119	96	1454.0	110	86
555/579	18.5	1	16.7	2	2.5	1	46.5	4	112.5	9	116.1	9	174.6	10	1082.0	84	83	989.1	84	76
555/588	11.6	5	8.1	2	2.2	3	35.9	6	134.1	14	93.6	18	189.6	14	1075.6	125	100	1137.7	123	106
555/631	37.0	5	33.0	2	12.0	4	92.5	5	170.3	15	198.8	19	254.8	17	1707.8	135	97	1540.3	126	87
555/662	34.0	5	24.1	2	49.5	5	82.8	6	139.2	14	159.7	18	250.1	20	1508.1	153	-	1287.2	147	-
555/663	29.0	6	26.5	2	10.0	5	67.7	8	107.2	12	129.6	16	277.3	14	1310.1	145	103	1151.9	137	91
555/663A	30.2	6	13.0	2	10.5	4	68.1	5	108.0	17	152.8	20	296.1	17	1356.4	134	-	1177.8	127	-
555/664	28.3	4	14.5	2	9.5	4	65.2	5	103.1	12	131.7	17	291.1	12	1255.4	105	96	1121.4	97	86
555/673	19.7	6	13.0	2	6.0	2	57.5	5	125.7	14	111.4	13	189.7	18	1091.5	103	93	1116.4	92	95
555/792	21.0	4	4.5	2	13.0	3	58.9	5	138.5	16	120.6	14	252.3	18	1197.9	108	-	1127.1	98	-
555/794	16.3	4	2.6	1	9.5	3	48.1	6	108.4	12	113.9	15	211.5	15	1092.6	99	109	938.7	88	93
555/797	11.6	6	1.4	1	4.0	4	33.3	5	112.3	16	95.1	18	222.3	20	1031.7	127	112	825.5	119	89
555/837	4.2	2	1.9	1	1.9	3	23.4	4	129.6	16	97.3	16	236.4	20	953.7	112	121	746.3	109	95
555/878	19.0	5	5.1	2	6.0	3	50.5	5	77.1	13	108.1	18	267.8	18	1082.2	121	93	1053.5	106	90
556/ 20	13.5	3	0.0	0	0.0	0	4.0	1	114.5	9	122.5	12	231.0	12	966.2	71	-	687.4	62	-
556/ 88	4.3	3	0.8	1	2.3	2	21.4	3	90.5	16	93.5	13	270.9	13	931.7	96	120	771.8	87	99
556/110	18.0	2	1.0	1	5.5	4	34.7	3	127.9	16	143.1	19	226.9	12	1070.9	114	117	799.6	96	87
556/143	13.5	1	0.0	0	0.0	0	29.0	1	112.8	9	156.5	8	236.0	9	946.8	48	115	739.0	(39)	89
556/183	14.8	3	0.3	2	2.0	3	56.2	4	84.8	13	127.6	22	219.8	19	1158.6	126	-	941.1	104	-
556/460	16.0	-	0.0	-	0.0	-	44.0	-	118.3	-	150.2	-	116.0	-	1069.9	-	143	860.7	-	115
556/898	4.5	1	0.0	0	0.0	0	19.0	1	100.5	14	131.2	12	189.1	9	949.6	76	154	784.7	66	127
557/115	9.1	2	0.0	0	0.4	2	19.1	2	86.9	12	112.6	12	152.7	7	866.9	76	150	680.6	68	118
557/666	33.6	2	3.0	1	10.5	1	24.5	1	89.0	8	60.0	8	89.1	8	663.4	56	-	561.3	45	-
557/712	10.0	1	0.0	-	0.0	0	13.0	2	87.6	8	72.5	8	118.5	8	715.4	52	112	610.0	45	96
557/806	0.6	1	0.0	0	0.0	0	16.5	2	100.0	7	159.0	6	162.0	8	712.2	41	105	492.0	34	73
584/713	0.0	0	2.0	1	0.0	0	33.5	1	47.0	5	204.0	5	31.0	2	630.3	34	-	463.3	36	-
584/747	0.0	0	0.0	0	0.0	0	39.5	2	47.0	3	97.5	6	50.5	2	466.5	39	-	405.5	37	-
585/ 16	15.0	1	0.0	0	0.0	0	26.0	2	24.0	2	73.0	4	34.5	3	427.9	33	-	453.3	43	-
585/ 56	11.0	1	0.0	0	0.0	0	55.4	1	40.9	3	153.1	8	54.2	5	678.8	45	123	526.6	42	96
585/192	0.0	0	0.0	0	0.0	0	49.0	1	41.0	2	156.0	7	24.0	1	549.0	29	-	502.0	32	-
585/291	46.0	1	0.0	0	0.0	0	35.0	1	26.0	1	176.5	5	41.0	4	686.5	35	-	570.0	40	-
585/626	41.0	1	0.0	0	0.0	0	40.5	1	39.4	4	191.0	6	26.5	3	703.4	50	-	634.3	61	-
585/698	0.0	0	0.0	0	0.0	0	23.5	2	31.0	3	132.0	5	18.0	3	500.0	29	-	509.5	30	-
585/765	20.5	1	0.0	0	0.0	0	34.0	2	40.0	3	87.1	8	18.5	2	604.0	53	-	671.6	68	-
586/ 6	0.0	0	0.0	0	0.0	0	19.0	2	22.0	3	167.0	10	30.0	3	550.0	50	-	525.1	48	-
586/341	0.0	0	0.0	0	0.0	0	19.0	3	39.0	4	124.1	6	64.0	3	622.1	45	108	586.7	48	101
586/441	11.0	1	0.0	0	0.0	0	18.5	2	48.5	6	174.4	11	37.0	6	597.2	61	104	571.6	67	99
586/523	0.0	0	0.0	0	0.0	0	22.0	2	33.0	4	155.1	10	68.5	5	727.3	47	-	720.3	49	-
586/545	0.0	0	0.0	0	0.0	0	11.5	2	38.0	3	169.5	5	28.0	3	620.6	33	132	577.6	35	123
587/139	6.0	1	0.0	0	0.0	0	10.5	3	32.0	3	206.5	6	35.5	3	931.1	43	141	841.3	41	127
587/214	0.0	0	0.0	0	0.0	0	8.6	2	36.0	3	130.5	6	102.8	7	808.0	55	142	809.0	59	142
587/350	6.1	1	0.0	0	0.0	0	32.8	4	46.2	5	207.3	12	61.2	10	872.6	79	-	820.8	75	-
587/477	6.0	1	0.0	0	0.0	0	22.6	2	38.0	3	157.0	7	45.9	6	738.3	49	-	754.8	50	-
587/697	0.0	0	0.0	0	0.0	0	15.5	2	46.0	6	152.0	11	68.0	8	709.0	68	103	702.0	66	103
588/ 22	0.0	0	0.0	0	0.0	0	16.0	2	50.0	4	148.0	6	38.0	2	707.2	41	-	779.4	48	-
588/230	0.0	0	0.0	0	0.0	0	19.0	3	52.0	6	231.0	11	142.5	8	1159.4	69	162	1046.4	65	142
588/385	0.0	0	0.0	0	0.0	0	16.8	2	43.2	7	157.6	10	110.0	6	901.4	65	141	901.0	57	141
588/406	2.0	1	0.0	0	0.0	0	23.5	2	60.2	9	172.5	12	84.7	9	996.6	79	164	985.9	75	162
588/637	0.0	0	0.0	0	0.0	0	6.0	1	38.5	3	171.1	9	67.5	6	854.6	55	-	921.7	57	-
588/721	0.0	0	0.0	0	0.0	0	0.0	0	44.0	3	104.0	5	124.0	3	672.0	29	101	800.0	38	120
589/ 86	0.0	0	0.0	0	0.0	0	18.5	1	33.4	6	149.2	12	79.5	7	633.3	62	-	667.7	61	-
589/503A	0.0	0	0.0	0	0.0	0	12.5	1	42.3	6	87.5	5	98.0	6	715.2	48	126	793.8	59	140
589/543	0.0	0	0.0	0	0.0	0	8.5	1	42.5	5	130.5	12	50.0	3	772.0	61	131	824.1	70	140
589/586	1.8	2	0.0	0	0.0	0	16.2	1	57.8	6	154.3	10	73.7	5	906.2	68	126	973.7	80	135
589/594	8.1	1	0.0	0	0.0	0	16.8	4	42.9	9	106.2	15	76.0	10	709.2	91	111	796.8	94	125
589/628	3.5	1	0.0	0	0.0	0	18.0	2	40.6	6	155.5	10	70.3	7	755.9	66	122	807.5	80	130
589/670	-	-	-	-	0.0	0	4.5	1	21.2	2	167.5	10	55.0	4	(712.9)	(49)	-	(698.8)	(56)	-
589/732A	0.0	0	0.0	0	0.0	0	8.5	1	55.0	6	178.0	9	52.5	7	688.1	62	-	697.8	70	-
589/867	0.0	0	0.0	0	0.0	0	16.3	3	49.1	6	105.3	14	82.6	8	691.4	75	113	738.0	82	121
589/877	0.0	0	0.0	0	0.0	0	6.5	3	61.5	5	156.5	13	98.5	8	751.5	68	119	634.8	59	100
589/896	0.0	0	0.0	0	0.0	0	14.0	1	52.0	5	105.7	11	86.6	5	653.4	56	102	610.6	52	96
589/897	0.0	0	7.2	1	0.0	0	10.0	1	49.0	5	114.2	13	93.7	7	739.1	65	118	753.7	72	121
590/184	0.0	0	0.0	0	0.0	0	0.0	0	109.5	3	86.3	8	63.3	3	568.4	37	-	531.3	37	-
590/294	0.0	0	0.0	0	0.0	0	13.7	3	47.5	6	156.8	13	63.2	9	633.3	71	95	570.0	63	86
590/307	7.5	2	0.0	0	0.0	0	8.0	1	84.9	9	96.9	14	57.0	11	(592.6)	(71)	-	(599.9)	(75)	-
590/321	0.0	0	0.0	0	0.0	0	9.0	1	64.0	7	131.5	15	73.8	12	604.6	73	93	590.1	75	90
590/361	11.0	1	0.0	0	0.0	0	9.5	1	45.0	4	113.2	10	54.0	3	568.7	43	90	589.4	42	93
590/413	0.0	0	0.0	0	0.0	0	7.5	1	62.0	7	96.7	10	91.0	6	570.6	48	93	556.1	39	90
590/444	0.0	0	0.0	0	0.0	0	9.0	1	49.3	4	146.0	12	84.0	4	626.4	47	-	614.1	45	-
590/486	0.8	1	0.0	0	0.0	0	8.6	2	41.2	7	94.9	15	34.1	7	489.8	70	80	634.2	67	104
591/ 36	0.0	0	0.0	0	0.0	0	10.0	2	22.5	4	137.0	9	53.0	3	458.0	34	76	426.5	35	71
591/124	5.0	1	0.0	0	0.0	0	14.0	1	62.0	5	130.0	9	36.0	3	579.1	41	-	522.6	41	-
591/125	5.0	1	0.0	0	0.0	0	15.0	1	71.5	7	141.0	13	56.5	5	670.0	61	128	624.5	61	119

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REEN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	φ S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
591/538	MARBLE HALL	2458	2918	914	85.0	11	112.9	12	29.5	7	90.0	6	23.0	3
591/627	RONDAWEL - IRR	2457	2921	915	91.5	9	141.0	9	71.0	5	83.5	6	35.5	4
591/653	ROOIBOKKOP - VIS	2453	2922	853	95.3	-	116.2	-	32.6	-	66.4	-	22.0	-
591/795	ARABIE - AGR	2447	2927	914	43.0	7	58.0	5	28.0	4	70.5	5	17.0	4
592/371	LOBETHAL - SKL	2441	2943	1145	62.0	6	32.0	4	93.0	5	27.5	4	16.5	2
592/474	NEBO - NAF	2454	2946	1219	85.0	5	33.0	3	95.5	7	51.5	4	31.0	2
592/560	MORGENZON	2450	2949	1463	123.4	13	63.3	5	38.2	2	47.3	4	31.5	4
592/615	JANE FURZE - HOSP	2445	2951	1414	135.0	9	73.2	7	75.7	6	56.0	6	37.4	7
593/ 15	SEKHUKHUNELAND - NAF	2445	3001	1265	118.5	7	36.0	4	26.0	3	48.0	2	11.0	1
593/112	BELVEDERE	2452	3004	885	63.5	7	0.0	0	36.5	3	39.5	5	31.0	4
593/126	MAANDAGSHOEK	2436	3005	975	110.0	6	47.2	5	44.0	3	20.5	3	21.5	3
593/419	MAARTENSHOOP - POL	2459	3014	1372	110.0	8	24.0	4	35.5	4	42.8	5	28.0	6
593/586	DE GROOTBOOM	2446	3020	884	70.4	5	58.3	7	66.0	5	26.5	3	28.0	5
593/778	KLIPFONTEIN	2458	3026	1375	101.2	9	41.7	4	58.2	4	31.0	5	22.8	4
593/898	DOORNHOEK	2458	3030	1370	91.0	9	27.5	4	55.3	5	38.0	7	27.5	4
594/ 75	OHRIGSTAD - POL	2445	3033	1166	30.0	2	2.5	1	123.5	4	20.0	2	14.5	2
594/116	GOEDGEDACHT	2456	3034	1524	116.5	8	44.0	2	51.5	2	56.0	5	24.5	3
594/141	RUSTPLAATS	2451	3035	1270	78.6	11	10.9	6	153.0	7	38.0	9	28.2	5
594/217	NOOITGEDACHT	2437	3038	1036	184.5	9	29.5	3	60.5	5	55.2	5	25.5	3
594/383	MORGENZON - BOS	2453	3043	1525	241.0	17	125.5	16	157.3	7	45.1	7	30.5	4
594/444	PILGRIMS REST - POL	2454	3045	1284	318.0	15	125.9	12	0.0	0	82.5	4	0.0	0
594/457	ELANDSFONTEIN - NAF	2437	3046	1219	205.7	12	53.4	13	165.8	9	59.6	9	45.0	4
594/493	MANX	2443	3047	1219	185.5	8	55.5	5	114.0	5	53.0	7	28.5	3
594/539	MAC MAC - BOS	2459	3048	1235	417.2	21	194.0	14	126.3	10	53.7	12	66.7	9
594/590	BLYDE - BOS	2450	3050	1433	401.7	18	224.0	16	86.3	12	51.7	10	28.9	6
594/609	BELVEDERE - POW	2439	3051	1006	269.7	12	65.2	14	120.7	6	80.8	9	56.9	4
594/626A	GRASKOP - NAF	2456	3051	1478	508.0	11	301.2	21	91.0	10	74.0	10	61.0	5
594/635	MARIEPSKOP - BOS	2435	3052	914	358.6	18	163.5	10	92.0	11	277.5	10	28.9	4
594/696	SALIQUE - BOS	2436	3054	808	279.6	15	122.4	12	99.7	12	192.7	11	34.0	4
594/715	MARITI - BOS	2455	3054	1065	522.9	24	146.9	17	70.6	12	107.3	14	49.7	9
594/760	HEBRON - BOS	2440	3056	1065	452.7	21	150.5	13	234.3	15	188.7	13	48.1	6
594/764	WELGEVONDEN - BOS	2444	3056	915	376.0	11	163.8	10	199.0	11	167.0	9	38.0	4
594/779	RIETSPRUIT	2459	3056	915	380.0	20	116.3	16	151.1	11	81.5	9	46.0	8
594/802	DUNNOTTAR	2452	3057	975	443.5	15	179.0	15	119.0	8	148.0	12	36.5	5
594/806	WILGEBOOM - BOS	2456	3057	945	426.0	11	143.5	12	96.2	8	96.7	9	36.5	8
594/828	ONVERWAG - BOS	2448	3058	915	344.5	13	171.5	8	157.8	9	109.0	7	30.0	3
595/ 30	RICHMOND	2500	3101	765	324.5	12	77.5	8	110.5	6	93.0	6	35.5	3
595/110	BOSBOKRAND-POL	2450	3104	872	380.9	5	64.5	4	135.0	6	54.5	3	18.0	1
595/161	CHAMPAGNE-NAF	2441	3106	610	280.0	7	51.5	4	93.2	5	123.0	5	28.5	3
595/202	F C ERASMUS RSV	2452	3107	579	364.7	13	82.5	12	161.4	12	108.7	13	27.0	4
595/443	CUNNINGMOORE	2453	3115	460	259.0	5	62.5	3	124.5	3	136.5	4	0.0	0
595/463	ALLANDALE - NAF	2443	3116	475	251.5	9	38.5	6	91.5	6	78.0	4	35.5	3
595/579	EGLINGTON	2439	3120	442	236.0	9	72.0	7	59.0	3	52.1	8	30.5	3
595/711	NEWINGTON	2451	3124	505	174.3	5	85.0	4	65.0	4	50.8	2	30.0	3
595/816	JEUKPEULHOEK - NAF	2436	3128	425	134.7	8	69.1	4	97.1	6	99.0	7	24.0	2
596/179	SKUKUZA	2459	3136	263	81.5	10	30.5	10	126.6	11	52.9	9	24.7	5
596/647	TSHOKWANE	2447	3152	245	114.5	7	28.0	8	42.5	3	34.5	5	3.0	1
629/702	INMALKAAR	2412	2654	853	144.8	10	114.6	7	13.4	1	48.5	2	6.4	1
630/511	ELYSIUM	2401	2718	945	200.0	14	74.5	6	5.5	1	56.5	3	1.6	2
630/556	GROENVLEI - SKL	2416	2719	998	194.6	7	64.0	7	31.0	3	54.0	2	7.5	1
630/886	HOOPDAL - POL	2416	2730	1219	241.0	13	104.5	8	39.0	7	93.5	3	13.0	3
631/ 11	HOPEWELL	2411	2731	980	138.9	18	103.1	11	47.0	13	88.4	6	10.4	6
631/ 47	KLIPDRIFT	2417	2732	1035	216.3	14	53.0	6	8.2	2	111.0	5	5.5	1
631/131	DIAMOND V RANCH	2411	2735	1219	(102.0)	(11)	67.5	6	14.9	4	(71.5)	(3)	25.0	2
631/337	BULGERIVIER - POL	2407	2742	1065	127.5	5	62.5	3	25.0	1	67.5	2	0.0	0
631/564	ELANDSHOEK	2424	2749	1463	317.5	15	155.0	11	11.5	3	57.0	3	14.0	4
631/596	STERKFONTEIN	2426	2750	1646	318.4	21	242.0	14	18.7	5	90.4	5	35.5	4
631/823	DOORNSPRUIT	2413	2758	1043	-	-	-	-	-	-	-	-	-	-
632/ 44	GOEDEHOOP	2414	2802	1140	295.0	20	136.0	14	23.2	5	56.5	6	18.0	3
632/ 89	KOPPIE ALLEEN	2429	2803	1219	204.5	14	190.5	7	35.5	3	35.5	3	17.0	3
632/198	VAALWATER - POL	2418	2807	1215	218.8	8	172.8	9	13.0	1	57.8	4	17.2	2
632/274	DORSET - POL	2404	2810	1466	167.0	13	107.8	9	4.0	2	50.0	5	18.6	6
632/297	BOEKENHOUTKLOOF	2427	2810	1285	195.0	13	138.0	10	23.0	3	32.1	2	10.0	1
632/406	WITKLIP	2416	2814	1220	109.5	13	109.5	6	25.0	2	46.5	3	11.0	1
632/614	KAMEELFONTEIN	2414	2821	1525	144.1	11	94.0	9	43.5	3	29.5	3	9.3	2
632/726	TAFELKOP	2406	2825	1372	138.5	14	108.4	13	35.8	6	38.0	8	25.0	5
633/185	BACCHUS	2405	2837	1219	124.5	12	42.5	5	40.5	3	49.0	3	24.0	4
633/393	ZAAIPLAATS	2403	2844	1219	109.4	13	37.8	8	24.0	5	21.8	4	10.3	4
633/429	STERKRIVIER - NEDERSETTING	2409	2845	1097	140.5	11	34.6	9	32.3	5	40.5	8	21.6	5
633/463	VASTRAP	2413	2846	1219	152.0	14	84.5	9	21.0	3	36.0	6	29.5	4
633/796	MOORDDRIFT	2416	2857	1067	179.5	11	114.5	5	58.5	6	37.5	6	25.5	3
633/881A	POTGIETERSRUS - POL	2411	2900	1067	164.5	7	8.2	2	85.0	4	53.0	3	27.5	2
634/ 11	POTGIETERSRUS - TABAK-KO-OP	2411	2901	1116	161.0	12	34.1	7	60.6	9	70.7	10	24.5	4
634/ 50	PALMER ESTATE	2420	2902	1219	161.0	14	66.5	4	114.0	6	39.5	3	21.5	2
634/ 84	KALKFONTEIN	2424	2903	1033	70.6	12	48.0	6	62.5	7	105.0	8	20.0	2
634/131	PLANKNEK	2411	2905	1219	125.4	11	69.1	6	93.8	5	36.2	3	31.4	3
634/140	DOORNFONTEIN	2420	2905	1219	161.0	9	33.6	4	122.8	8	48.5	5	16.5	2
634/181	LUNSKLIP	2401	2907	1475	145.5	10	71.0	7	39.0	2	23.0	4	0.0	0
634/417	UITZICHT	2427	2914	945	136.5	10	32.0	3	102.5	5	54.5	7	21.0	4
634/566	VOLOP - NAF	2426	2919	1067	122.5	9	98.5	8	51.5	3	50.5	5	16.5	2
634/580	VRISGEWAAGD	2410	2920	1220	142.5	10	55.7	5	86.0	5	16.5	2	19.5	2
634/622	ZEBEDIELA - NAF	2422	2921	975	175.5	11	34.5	4	47.0	4	26.5	2	30.5	2
635/ 41	MAJAKRAAL - SKL	2411	2932	1295	101.0	6	21.0	2	55.0	1	20.0	1	66.5	2
635/ 77	RUSTPLAAS - NAF	2417	2933	1035	110.5	7	34.5	2	50.6	5	63.0	6	38.0	2
635/208	WONDERBOOM - NAF	2428	2937	760	117.8	6	14.0	2	50.0	3	16.0	3	16.0	3

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
591/538	0.0	0	0.0	0	0.0	0	18.5	2	35.2	7	143.4	13	63.1	9	600.6	70	115	571.4	66	110
591/627	1.5	1	0.0	0	0.0	0	22.0	2	78.0	9	129.5	13	71.0	10	724.5	68	-	685.4	63	-
591/653	4.4	-	0.0	-	0.0	-	18.5	-	71.1	-	119.4	-	130.4	-	676.4	-	-	586.1	-	-
591/795	3.7	2	0.0	0	0.0	0	12.0	1	77.2	8	85.5	10	96.5	10	491.4	56	-	495.0	54	-
592/371	4.0	1	0.0	0	0.0	0	28.5	2	114.0	5	104.0	9	67.0	5	548.5	43	97	424.0	42	75
592/474	0.0	0	0.0	0	0.0	0	25.0	2	73.0	6	151.5	13	66.7	7	612.2	49	91	592.5	29	88
592/560	0.0	0	0.0	0	0.0	0	22.0	2	71.0	5	162.3	14	119.2	8	678.2	57	102	642.2	56	97
592/615	5.1	1	0.0	0	0.0	0	21.2	2	86.6	7	140.2	13	96.3	7	726.7	65	121	661.3	67	110
593/ 15	27.0	1	0.0	0	0.0	0	29.5	2	52.0	3	54.5	2	85.0	4	487.5	29	82	528.0	(33)	89
593/112	0.0	0	0.0	0	0.0	0	27.0	2	84.4	7	148.4	12	74.0	8	504.3	48	-	409.9	39	-
593/126	5.5	2	0.0	0	0.0	0	23.0	2	92.5	8	87.5	8	114.5	5	566.2	45	86	553.2	46	84
593/419	7.1	2	0.0	0	0.0	0	32.5	3	95.5	6	143.2	14	170.4	18	689.0	70	95	563.9	49	78
593/586	0.0	0	0.0	0	0.0	0	13.5	2	83.0	6	110.6	11	168.0	6	624.3	50	99	467.7	43	74
593/778	20.1	2	7.6	1	0.0	0	54.3	2	52.7	11	148.3	15	137.0	12	674.9	69	98	641.2	58	93
593/898	17.0	2	4.0	1	0.0	0	59.0	3	47.8	12	160.0	14	114.5	15	641.6	76	-	614.3	66	-
594/ 75	19.0	1	0.0	0	0.0	0	14.5	1	58.5	6	109.5	9	116.0	10	508.0	38	103	-	-	-
594/116	18.0	2	0.0	0	0.0	0	8.0	1	70.0	7	192.0	13	136.8	11	717.3	54	-	618.5	45	-
594/141	13.3	2	0.7	1	0.0	0	5.2	4	67.7	12	178.4	18	77.1	14	651.1	89	118	616.0	76	112
594/217	17.0	2	0.0	0	0.0	0	3.5	1	80.5	9	115.5	13	132.5	-	704.2	(50)	132	620.5	(39)	116
594/383	23.5	2	0.0	0	0.0	0	33.5	3	76.8	13	205.5	13	192.5	10	1131.2	92	-	1002.0	96	-
594/444	30.0	1	0.0	0	0.0	0	15.5	2	21.5	4	173.9	11	164.5	10	931.8	59	96	870.5	57	89
594/457	16.7	3	0.3	1	0.0	0	15.3	2	67.1	9	165.5	8	89.9	12	884.3	82	135	760.4	81	116
594/493	12.0	1	0.0	0	0.0	0	12.0	1	46.5	4	137.0	8	154.0	9	798.0	51	153	718.0	50	137
594/539	21.1	5	13.0	3	15.6	7	59.6	8	116.6	15	178.6	20	197.0	13	1459.4	137	94	1321.4	123	85
594/590	17.0	2	3.5	1	0.0	0	37.7	5	141.0	10	129.5	11	132.0	15	1253.3	106	102	1151.3	99	94
594/609	12.8	2	0.0	0	0.0	0	10.8	3	73.9	12	133.1	13	122.0	12	945.9	87	104	949.7	77	105
594/626A	23.0	5	8.0	2	16.5	6	73.5	4	119.5	-	135.5	15	280.5	20	1691.7	(109)	98	1597.8	109	92
594/635	24.0	4	0.0	0	2.2	4	46.8	6	110.0	14	177.3	19	171.7	19	1452.5	119	107	1637.5	104	120
594/696	23.5	5	0.0	0	5.8	2	24.5	3	153.2	12	124.0	11	178.7	12	1238.1	99	95	1233.6	100	95
594/715	36.8	6	20.5	2	19.5	6	131.3	8	121.5	16	186.5	20	250.6	22	1664.1	156	-	1504.8	141	-
594/760	41.5	5	5.6	1	13.6	6	53.1	3	181.6	18	173.7	20	221.6	16	1765.0	137	-	1880.9	138	-
594/764	32.6	5	1.5	1	8.0	3	65.9	3	105.4	11	176.5	17	263.8	20	1597.5	105	109	1638.5	89	111
594/779	30.5	6	26.0	2	13.0	4	77.6	6	136.9	14	156.7	18	252.0	17	1467.6	131	100	1262.1	125	86
594/802	45.5	5	12.5	2	13.5	2	127.0	5	156.0	14	188.5	17	232.0	15	1701.0	115	-	1524.5	104	-
594/806	32.6	6	33.8	4	14.9	6	92.9	7	143.1	13	150.1	18	280.3	12	1546.6	114	115	1326.9	99	98
594/828	61.5	6	8.5	1	7.8	3	57.7	5	143.0	12	212.3	16	277.0	15	1580.6	98	-	1444.2	92	-
595/ 30	23.5	3	6.6	2	5.6	3	76.0	4	108.0	10	162.5	16	261.0	15	1284.2	88	-	1084.0	80	-
595/110	18.0	1	27.5	1	0.0	0	64.6	3	117.0	9	164.1	7	177.7	9	1221.8	49	112	1063.4	37	99
595/161	11.5	1	0.0	0	2.5	1	53.0	1	116.0	8	154.5	7	153.5	6	1067.2	48	124	848.5	47	99
595/202	16.2	5	10.5	2	4.5	4	53.5	3	110.9	17	163.3	18	198.1	16	1301.3	119	117	1070.9	97	97
595/443	52.5	-	0.0	0	1.5	1	32.5	1	54.0	-	-	-	-	-	(723.0)	(17)	-	857.5	(35)	116
595/463	8.0	1	0.0	0	0.0	0	44.0	2	83.5	10	119.0	8	119.5	9	869.0	58	-	729.5	44	-
595/579	6.5	1	0.0	0	0.0	0	54.5	2	69.5	9	82.6	12	78.5	10	741.2	64	-	818.1	50	-
595/711	9.0	1	0.0	0	0.0	0	28.0	1	42.0	5	151.0	7	110.0	5	745.1	37	120	(651.4)	(34)	-
595/816	4.4	1	0.0	0	0.0	0	24.4	2	68.5	10	77.0	8	75.1	6	673.3	54	-	544.9	38	-
596/179	7.6	3	1.1	1	0.2	1	16.7	2	67.5	11	112.7	13	91.6	10	613.6	86	106	503.0	70	87
596/647	4.5	2	4.0	2	0.0	0	12.0	1	46.5	4	78.0	8	118.0	5	485.5	46	82	372.5	46	63
629/702	0.0	0	0.0	0	0.0	0	9.3	1	40.9	2	81.7	7	33.3	3	492.9	34	84	531.1	35	113
630/511	0.0	0	0.0	0	0.0	0	14.0	1	63.2	6	104.5	9	60.0	6	579.8	48	-	730.4	(43)	-
630/556	0.0	0	0.0	0	0.0	0	14.0	1	42.0	3	62.5	4	62.5	2	532.1	30	109	615.6	33	126
630/886	0.0	0	0.0	0	0.0	0	0.0	0	81.5	4	98.5	5	51.5	4	722.5	47	121	945.1	55	171
631/ 11	0.0	0	0.0	0	0.0	0	14.0	1	84.7	8	104.6	14	45.7	9	636.8	86	120	732.0	85	137
631/ 47	0.0	0	0.0	0	0.0	0	14.0	1	69.0	4	113.0	7	59.0	5	649.0	45	108	(810.6)	(49)	-
631/131	0.0	0	0.0	0	0.0	0	0.0	0	61.5	4	(68.5)	(5)	33.5	4	(444.4)	(39)	-	(675.7)	(42)	-
631/337	0.0	0	8.0	1	0.0	0	0.0	0	59.5	5	94.0	7	40.0	4	484.0	28	-	561.1	24	-
631/564	0.0	0	0.0	0	0.0	0	12.5	2	54.5	4	118.5	9	81.0	6	821.5	57	115	1008.7	67	141
631/596	0.0	0	0.0	0	0.0	0	11.4	2	55.1	6	154.0	13	90.2	8	1015.7	78	137	1150.8	82	156
631/823	0.0	0	8.5	1	0.0	0	8.2	1	73.2	6	225.1	12	85.5	9	(400.5)	(29)	-	-	-	-
632/ 44	0.0	0	5.1	1	0.0	0	7.6	1	78.0	6	128.6	14	57.5	10	805.5	80	-	950.8	82	-
632/ 89	0.0	0	0.0	0	0.0	0	5.5	1	73.0	5	120.5	11	93.0	5	775.0	52	-	872.0	56	-
632/198	0.0	0	0.0	0	0.0	0	12.2	1	75.5	4	131.0	8	63.4	7	761.7	44	-	853.0	50	-
632/274	0.0	0	0.0	0	0.0	0	8.1	2	66.0	6	95.1	10	58.0	6	574.6	59	95	612.9	67	101
632/297	0.0	0	0.0	0	0.0	0	20.0	2	49.2	5	145.5	8	49.5	3	662.3	47	109	837.8	53	139
632/406	0.0	0	0.0	0	0.0	0	7.0	1	75.0	5	91.0	9	55.5	3	530.0	43	-	576.7	48	-
632/614	0.0	0	0.0	0	0.0	0	0.0	0	82.7	4	122.7	10	107.2	5	633.0	47	-	617.8	50	-
632/726	0.0	0	0.0	0	0.0	0	21.0	2	96.0	6	156.5	12	106.8	7	726.0	73	120	593.8	76	96
633/185	0.0	0	0.0	0	0.0	0	20.0	2	43.5	3	195.0	12	49.5	6	588.5	50	-	554.0	49	-
633/393	0.0	0	0.0	0	0.0	0	15.9	2	76.0	3	212.6	13	51.2	8	559.0	60	82	528.8	63	79
633/429	0.0	0	0.0	0	0.0	0	11.6	3	85.5	6	125.9	11	55.0	6	547.5	64	-	577.5	60	-
633/463	0.0	0	0.0	0	0.0	0	10.5	2	77.0	6	98.5	11	35.5	4	544.5	59	89	574.5	59	94
633/796	2.5	1	0.0	0	0.0	0	7.0	1	52.0	5	88.0	13	35.0	4	600.0	55	99	711.5	54	117
633/881A	0.0	0	0.0	0	0.0	0	14.0	1	53.7	4	112.5	4	26.1	3	544.5	30	85	629.6	34	96
634/ 11	0.6	1	0.0	0	0.0	0	13.0	2	53.5	6	98.9	14	41.2	7	558.1	72	-	640.1	70	-
634/ 50	0.0	0	0.0	0	0.0	0	9.5	1	76.0	5	83.7	12	57.0	6	628.7	53	101	684.5	56	110
634/ 84	0.0	0	0.0	0	0.0	0	12.6	2	80.3	5	104.5	13	64.5	5	568.0	60	107	427.7	57	80
634/131	0.0	0	0.0	0	0.0	0	8.2	1	59.5	4	84.2	7	33.2	4	541.0	44	90	612.7	48	102
634/140	0.0	0	0.0	0	0.0	0	13.5	1	58.5	6	87.5	13	37.5	5	579.4	53	89	741.1	55	113
634/181	0.0	0	0.0	0	0.0	0	10.0	1	70.5	5	115.0	7	114.5	7	588.5	43	-	474.5	41	-
634/417	0.0	0	0.0	0	0.0	0	12.0	1	43.0	5	95.5	11	48.5	5	545.5	51	96	540.6	47	95
634/566	6.5	1	0.0	0	0.0	0	8.5	1	80.5	6	97.5	8	179.0	6	713.5	49	131	457.0	36	84
634/580	0.0	0	0.0	0	0.0	0	6.0	1	78.2	4	104.2	10	113.3	8	621.9	47	-	491.3	42	-
634/622	0.0	0	0.0	0	0.0	0	0.0	0	133.0	6	109.5	7	71.5	4	628.0	40	-	508.0	35	-
635/ 41	0.0	0	0.0	0	0.0	0	0.0	0	84.0	3	89.5	5	46.0	3	485.0	23	-	427.0	21	-
635/ 77	0.0	0	0.0	0	0.0	0	4.0	1	123.0	4	84.0	7	110.5	10	618.1	44	-	572.1	36	-
635/208	0.0	0	0.0	0	0.0	0	7.0	2	79.1	5	146.0	6	60.0	2	505.9	32	-	333.3	26	-

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	B S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
635/490	KEMPVILLE	2410	2947	1095	168.2	12	12.5	5	32.8	3	25.7	4	8.9	3
635/554	MALIPSDRIF - POL	2414	2949	765	135.0	8	15.0	3	10.5	2	15.5	1	16.0	4
635/763	GROOTFONTEIN - NAF	2413	2956	762	259.6	8	56.0	2	-	-	-	-	-	-
636/135	STELLENBOSCH - NAF	2415	3005	914	111.0	7	15.5	2	25.7	6	26.5	3	10.9	3
636/157	FERTILIS - NAF	2407	3006	1143	146.5	11	26.0	3	34.5	5	35.5	6	15.5	5
636/276	THE HEIGHTS	2406	3010	1311	255.7	21	61.1	14	37.1	7	151.0	12	35.4	5
636/308	THE DOWNS	2408	3011	1280	229.0	20	77.5	17	57.6	12	102.5	14	21.2	9
636/486	TOURS - NAF	2406	3011	838	183.5	14	127.5	12	71.5	7	137.5	8	9.0	3
636/518	SCHELM	2408	3018	1219	503.0	18	142.6	11	117.7	10	440.0	15	17.5	5
636/692	DUSSELDORFF	2402	3024	610	225.8	9	20.3	6	57.7	4	71.9	6	21.0	8
636/706	STRASBURG - NAF	2416	3024	1219	278.3	9	54.5	7	129.9	5	181.5	11	5.0	1
636/794	METZ - NAF	2414	3027	518	139.0	5	10.5	1	93.0	3	158.5	3	0.0	0
637/ 70	HARMONY	2410	3033	485	91.0	5	0.0	0	21.0	1	72.4	3	3.0	1
637/261	THE OAKS - NAF	2421	3039	610	123.9	8	10.2	3	87.5	4	83.0	4	13.3	3
637/503	RICHMOND	2423	3047	580	231.5	8	5.3	4	37.5	4	78.5	4	16.0	2
637/609	INYOKO	2409	3051	445	94.6	5	5.0	2	64.5	2	52.0	2	12.5	1
637/801	HOEDSPRUIT - POL	2421	3057	603	264.0	9	19.0	2	62.0	3	100.0	6	20.0	3
638/564	JOHNNIES DALE	2424	3119	455	175.0	5	17.0	2	66.0	3	78.0	2	34.0	3
638/615	PERU	2415	3121	395	30.0	1	74.0	4	109.0	3	49.5	4	8.0	3
638/748	KINGFISHERSPRUIT	2428	3125	427	168.7	10	70.9	7	105.5	6	41.5	4	21.5	2
639/504	SATARA	2424	3147	273	158.7	14	19.0	4	53.0	3	(5.0)	-	0.0	0
639/868	NWANEDZI	2428	3159	275	131.4	7	21.4	6	33.0	3	34.0	2	7.5	1
672/748	CUMBERLAND - POL	2358	2655	853	106.0	10	82.2	7	18.0	2	35.5	3	0.0	0
672/825	BUFFELSDRIFTHEK - POL	2345	2658	840	254.0	11	30.0	3	9.5	3	79.5	3	3.5	1
673/ 81	IRELAND	2351	2703	915	220.9	11	51.7	6	13.1	2	58.3	1	0.0	0
673/128	KRUISPAD	2338	2705	853	136.8	10	40.7	4	16.6	5	96.0	5	0.0	0
673/239	MATJIESFONTEIN	2359	2708	915	279.5	10	80.0	4	14.0	3	42.5	3	1.2	1
673/284	HAAKDOORNPAN	2344	2710	915	146.0	12	32.9	4	9.7	2	97.8	3	5.5	1
673/411	MIMOSA PARK	2351	2714	975	156.5	11	70.5	6	0.0	0	69.0	3	4.0	1
673/636	TAMBOTIEVLEI	2336	2722	900	85.5	7	26.5	4	0.0	0	95.0	4	0.0	0
674/ 25	VANDERLINDENSBULT	2355	2731	1130	129.5	14	35.0	6	4.5	2	92.5	4	0.0	0
674/207	STERKFONTEIN	2357	2737	1067	98.5	7	40.5	5	7.0	1	54.0	2	0.0	0
674/400	ELLISRAS - POL	2340	2744	885	101.5	7	38.0	3	62.3	5	57.2	4	5.0	1
674/429	GROOTFONTEIN	2339	2745	884	58.1	8	58.7	5	69.4	3	53.2	5	3.0	1
674/624	DOORNDRAAI	2354	2751	1067	149.5	14	25.5	7	21.5	3	111.5	5	7.0	1
674/855	DUIKERRIVIER	2345	2759	1035	161.7	11	48.7	9	28.9	3	39.3	6	5.3	2
675/117	DERDEKRAAL	2357	2804	1292	147.5	9	68.0	5	32.0	3	16.0	2	0.0	0
675/125	AUTORITEIT	2335	2805	899	183.0	7	33.0	3	5.5	2	14.0	2	10.5	2
675/182	VILLA NORA - POL	2332	2807	844	247.0	7	22.0	3	0.0	0	0.0	0	0.0	0
675/547	GROBBELAARSHOEK	2337	2819	975	96.3	9	33.0	2	9.0	1	16.0	3	20.5	2
675/712	DAGGAKRAAL	2352	2824	1215	166.0	8	20.5	4	6.0	1	30.2	4	0.0	0
675/720	MUISVOGELKRAAL	2400	2824	1189	135.5	9	103.1	7	39.2	4	37.0	2	9.5	1
676/128	HAAKDOORNDRAAI - NAF	2338	2835	915	120.0	10	43.5	4	12.5	4	28.0	7	19.0	3
676/237	VERDOORNSDRAAI - NAF	2357	2838	1067	105.0	6	32.5	6	-	-	28.0	5	7.0	2
676/363	SALEM - NAF	2333	2843	915	85.0	7	11.5	5	14.3	4	11.5	5	22.0	3
676/523	VAALPENSKRAAL - NAF	2343	2848	1097	104.3	9	53.5	3	72.5	6	34.0	4	22.0	3
676/705	SWERWERSKRAAL	2345	2854	1058	96.0	9	28.5	4	39.0	5	27.5	3	14.0	2
676/838	ARMOEDE	2358	2858	1128	105.5	8	64.0	7	58.5	5	34.0	6	11.0	2
677/ 99	CHLOE - NAF	2339	2904	1140	165.5	8	22.3	2	8.0	1	26.5	2	28.5	3
677/188	VULCANUS - HOSP	2338	2907	1167	117.0	8	22.5	3	46.0	4	9.0	1	32.5	4
677/259	BERGZICHT - NAF	2349	2909	1341	75.0	10	41.7	5	50.0	4	39.0	7	35.5	3
677/456	ROODEPUT - NAF	2336	2916	1189	114.0	9	46.0	3	52.2	2	13.5	1	31.0	2
677/601	KALKBANK	2331	2921	1065	149.5	12	18.0	3	59.5	3	32.0	3	29.0	3
677/802	PIETERSBURG - WK	2352	2927	1230	96.5	12	35.9	7	23.7	5	30.6	7	9.5	3
677/818	THORNELOE	2338	2928	1164	102.4	11	26.0	6	63.6	5	30.5	3	17.3	3
677/834	PIETERSBURG - HOSP	2354	2928	1266	133.7	10	38.6	8	36.7	5	31.7	10	8.6	4
678/ 2	BYLSTEEL	2332	2931	1133	75.5	8	66.0	3	11.0	2	16.0	2	33.0	3
678/ 23	BROADLANDS	2353	2931	1370	145.0	9	79.1	6	45.4	3	24.6	6	11.6	3
678/132	SANDRIVIERSPOORT	2342	2935	1143	198.5	11	13.9	5	29.0	2	34.4	6	17.5	3
678/144	KALKFONTEIN	2354	2935	1223	102.0	6	94.0	6	38.5	3	7.0	2	44.0	4
678/297	MAJEBASKRAAL	2357	2940	1327	182.0	9	48.0	5	44.0	3	30.0	4	41.0	5
678/381	SYFERKUIL - NAF	2351	2943	1250	180.0	5	26.5	2	44.0	2	25.5	2	24.5	2
678/680	KRATZENSTEIN	2350	2953	1465	140.7	16	38.5	10	55.0	5	24.5	8	25.6	5
678/722	DRIEFONTEIN	2332	2955	1219	173.0	11	57.5	6	72.0	3	17.0	2	19.5	3
678/776	HAENERTSBURG - POL	2356	2956	1402	225.7	18	54.0	9	16.7	3	84.9	7	0.0	0
678/805	WELTEVREDEN	2355	2957	1494	342.2	21	118.4	19	60.2	7	108.8	12	39.2	7
678/836	GLENSHIEL	2356	2958	1524	271.0	20	91.0	18	27.5	7	97.0	14	33.0	3
678/858	BROEDERSTROOM - BOS	2548	2959	1555	428.1	13	209.9	13	42.5	4	152.8	9	33.8	5
679/ 19	DE HOEK - BOS	2349	3001	1219	443.6	13	189.1	18	49.1	6	180.7	10	41.7	8
679/ 85	LETABADRIFT	2356	3003	975	286.0	16	103.5	13	19.5	3	108.5	8	57.5	5
679/135	BELVEDERE	2345	3005	975	276.8	14	119.0	17	28.0	5	185.8	12	7.5	3
679/139	MIDDELKOP - BOS	2349	3005	1372	325.7	20	142.9	16	32.2	8	176.3	13	77.5	6
679/141	VERGELEGEN	2351	3005	1128	366.5	21	131.0	12	36.0	8	211.0	13	91.0	6
679/156	MOOKETSI - SAR	2336	3006	732	102.0	4	57.5	3	16.5	1	86.4	-	-	-
679/161	CHRISTINASRUST	2341	3006	1128	310.2	19	123.5	17	34.5	3	106.0	9	17.3	6
679/164	WESTFALIA	2344	3006	945	258.5	12	(85.5)	(7)	39.0	3	120.0	10	11.0	3
679/197	ZOMERKOMST - BOS	2347	3007	792	269.3	13	105.2	12	42.5	4	178.5	10	57.4	3
679/209	MAMATHOLA - BOS	2359	3007	914	333.8	16	102.0	15	50.4	9	113.1	10	33.2	6
679/221	DUIWELSKLOOF - MUN	2341	3008	792	225.7	14	111.8	12	64.9	5	69.8	6	7.5	3
679/227	MERENSKY - SKL	2347	3008	755	276.0	13	89.5	6	49.5	4	177.0	8	39.5	2
679/245	BOEKENHOUTBULT	2335	3009	762	69.0	5	50.0	6	19.0	1	92.0	4	4.5	3
679/267	NEW AGATHA - BOS	2357	3009	1097	420.5	18	127.5	14	46.0	6	212.5	9	36.0	5
679/268	MONAVEIN	2358	3009	762	382.7	25	108.1	19	46.6	6	206.9	18	33.9	11
679/289	PUSELLA - GSH	2349	3010	749	259.8	16	83.6	12	90.4	8	207.1	10	45.1	6
679/290	TZANEEN - POL	2350	3010	777	261.3	9	76.5	9	76.5	5	204.5	8	38.0	5

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
635/490	0.0	0	0.0	0	0.0	0	45.0	3	87.5	7	123.6	12	57.5	6	591.2	55	-	498.0	53	-
635/554	0.0	0	0.0	0	0.0	0	54.0	2	58.0	5	154.9	8	27.5	3	486.4	36	-	398.0	32	-
635/763	7.0	1	0.0	0	0.0	0	20.0	1	65.0	3	56.0	4	62.5	5	(526.1)	(24)	-	(408.6)	(19)	-
636/135	0.0	0	0.0	0	0.0	0	7.6	3	54.5	5	89.0	8	74.5	4	415.2	41	-	340.1	40	-
636/157	0.0	0	0.0	0	0.0	0	0.0	0	90.3	8	59.8	5	47.5	5	455.6	48	-	525.5	48	-
636/276	10.5	5	0.0	0	4.3	3	18.4	5	127.1	15	142.8	21	153.2	13	996.6	121	89	935.7	112	84
636/308	9.5	-	0.0	0	1.5	1	18.6	4	108.2	14	124.8	18	140.8	17	891.2	(126)	91	836.8	(115)	86
636/486	18.0	1	0.0	0	0.0	0	10.5	2	72.5	9	89.0	13	144.5	11	863.5	80	-	764.3	76	-
636/518	32.0	5	0.0	0	2.5	1	10.0	1	37.0	3	90.4	9	215.2	14	1607.9	92	165	1540.2	89	158
636/692	1.2	5	0.0	0	0.0	0	9.0	1	83.9	8	105.5	14	72.5	8	668.8	69	-	598.0	61	-
636/706	20.0	4	0.0	0	0.0	0	8.0	1	52.0	7	99.5	11	182.0	12	1010.7	68	-	921.1	60	-
636/794	0.0	0	0.0	0	0.0	0	0.0	0	30.8	1	69.5	4	92.0	2	593.3	19	-	658.5	26	-
637/ 70	0.0	0	0.0	0	0.0	0	0.0	0	84.9	6	41.2	7	153.6	7	467.1	30	-	-	-	-
637/261	15.5	2	0.0	0	0.0	0	8.0	1	44.0	6	72.4	6	178.7	9	636.5	46	-	590.1	43	-
637/503	10.0	2	0.0	0	0.0	0	6.0	1	78.0	7	58.0	8	170.5	(8)	691.3	(48)	-	572.1	39	-
637/609	0.0	0	0.0	0	0.0	0	15.0	1	30.3	6	63.5	3	101.5	6	438.9	28	91	414.1	28	86
637/801	4.0	1	1.0	1	0.0	0	0.0	0	94.0	7	19.0	2	142.0	9	725.0	43	-	606.5	42	-
638/564	6.0	1	0.0	0	0.0	0	24.0	1	45.0	3	54.0	4	117.0	7	616.0	31	-	627.0	30	-
638/615	1.0	1	0.0	0	0.0	0	26.0	1	72.5	5	32.0	4	163.0	7	565.0	33	-	375.5	32	-
638/748	5.5	2	0.0	0	1.0	1	26.5	2	50.5	6	80.0	6	100.5	8	672.1	54	-	609.7	(42)	-
639/504	4.0	2	5.6	2	1.5	1	23.5	2	111.7	8	64.0	6	105.5	8	(551.3)	(50)	-	(320.9)	(38)	-
639/868	0.0	0	9.0	1	0.0	0	8.0	1	30.0	4	53.5	7	120.0	7	447.8	39	-	300.4	31	-
672/748	0.0	0	0.0	0	0.0	0	15.0	2	64.5	5	110.0	9	42.5	3	473.7	[illegible]	101	496.6	40	106
672/825	0.0	0	0.0	0	0.0	0	23.0	1	52.5	2	85.5	8	18.0	1	555.5	[illegible]	-	617.7	39	-
673/ 81	0.0	0	0.0	0	0.0	0	14.6	1	49.6	4	65.8	6	88.0	4	562.0	35	-	605.8	31	-
673/128	0.0	0	0.0	0	0.0	0	20.0	1	52.8	8	147.6	13	53.7	5	564.2	51	135	464.5	44	111
673/239	0.0	0	0.0	0	0.0	0	12.0	1	47.0	3	156.0	7	22.5	3	654.7	35	-	684.0	34	-
673/284	0.0	0	0.0	0	0.0	0	17.5	1	43.5	2	117.8	9	52.5	4	523.2	38	-	612.4	38	-
673/411	0.0	0	0.0	0	0.0	0	15.0	1	49.5	3	112.3	10	64.5	5	541.3	40	-	569.0	39	-
673/636	0.0	0	0.0	0	0.0	0	11.0	1	44.5	2	99.0	8	44.0	2	405.5	28	-	424.0	29	-
674/ 25	0.0	0	0.0	0	0.0	0	10.0	1	63.0	4	155.0	-	94.5	6	584.0	(37)	-	552.5	47	-
674/207	0.0	0	0.0	0	0.0	0	15.2	1	54.1	4	118.5	9	73.0	3	460.8	32	97	521.5	28	110
674/400	0.0	0	0.0	0	0.0	0	3.9	1	12.5	2	146.9	6	44.0	4	471.3	33	-	565.5	40	-
674/429	0.0	0	0.0	0	0.0	0	10.5	1	70.9	2	81.7	7	35.0	3	440.5	35	92	573.2	42	120
674/624	0.0	0	0.0	0	0.0	0	9.0	1	54.5	3	131.0	9	66.0	8	575.5	51	-	656.0	50	-
674/855	0.0	0	0.0	0	0.0	0	8.0	1	58.5	5	78.6	6	72.5	5	501.5	46	-	543.3	55	-
675/117	0.0	0	0.0	0	0.0	0	2.0	1	54.2	5	103.0	6	50.0	3	472.7	34	85	495.8	38	89
675/125	0.0	0	0.0	0	0.0	0	9.0	1	59.5	2	118.2	8	-	-	(432.7)	(27)	-	506.4	35	104
675/182	0.0	0	0.0	0	0.0	0	0.0	0	33.5	1	130.0	2	53.0	2	485.5	15	108	457.0	17	102
675/547	0.0	0	0.0	0	0.0	0	13.5	1	89.3	6	112.0	9	102.0	6	491.6	39	-	408.9	38	-
675/712	0.0	0	0.0	0	0.0	0	13.8	1	78.0	5	96.5	6	78.9	4	489.9	33	-	427.7	28	-
675/720	0.0	0	0.0	0	0.0	0	19.0	2	-	-	-	-	-	-	(343.3)	(25)	-	677.2	51	119
676/128	0.0	0	0.0	0	0.0	0	8.0	1	82.5	5	105.2	10	86.8	10	505.5	54	-	428.7	51	-
676/237	0.0	0	0.0	0	0.0	0	14.0	1	69.0	3	81.5	6	39.5	4	(376.5)	(33)	-	(443.0)	(35)	-
676/363	0.0	0	0.0	0	0.0	0	4.9	1	28.0	2	63.5	10	76.0	9	316.7	46	-	272.2	41	-
676/523	0.0	0	0.0	0	0.0	0	5.5	1	45.0	4	91.5	11	50.5	4	478.8	47	-	493.8	40	-
676/705	0.0	0	0.0	0	0.0	0	7.0	1	74.5	5	114.0	7	80.0	5	480.5	41	97	396.0	40	80
676/838	0.0	0	0.0	0	0.0	0	8.0	1	69.5	7	143.0	14	75.0	6	568.5	56	-	473.5	49	-
677/ 99	0.0	0	0.0	0	0.0	0	10.5	1	90.5	6	113.0	9	62.0	4	526.8	36	-	482.8	36	-
677/188	0.0	0	0.0	0	0.0	0	13.0	1	60.5	5	129.5	11	124.5	7	554.5	44	127	432.5	32	104
677/259	0.0	0	0.0	0	0.0	0	13.0	1	62.5	6	140.0	12	69.0	3	525.7	51	114	(481.2)	(41)	-
677/456	0.0	0	0.0	0	0.0	0	0.0	0	39.5	2	126.5	7	71.5	2	494.2	28	-	391.7	28	-
677/601	0.0	0	0.0	0	0.0	0	8.5	1	57.5	2	122.2	10	49.7	4	525.9	41	-	487.5	44	-
677/802	0.0	0	0.0	0	0.0	0	8.9	1	126.9	9	140.4	14	39.8	8	512.2	66	113	460.0	62	101
677/818	0.0	0	0.0	0	0.0	0	8.0	1	73.3	8	147.5	10	57.5	4	526.1	51	123	425.4	48	100
677/834	0.0	0	0.0	0	0.0	0	8.3	1	156.3	8	121.7	10	34.4	4	570.0	60	116	509.1	63	104
678/ 2	0.0	0	0.0	0	0.0	0	7.5	1	56.0	4	80.5	6	30.0	3	375.5	32	96	335.5	27	86
678/ 23	0.0	0	0.0	0	0.0	0	8.4	1	98.8	5	93.9	10	70.1	5	576.9	48	117	553.9	47	112
678/132	0.0	0	0.0	0	0.0	0	9.0	1	90.5	7	110.2	13	111.4	7	614.4	55	146	523.4	49	125
678/144	0.0	0	0.0	0	0.0	0	7.5	1	124.5	6	172.3	10	60.0	4	649.8	42	146	476.5	36	107
678/297	0.0	0	0.0	0	0.0	0	4.0	2	68.0	7	111.0	11	97.5	8	625.5	54	136	558.5	45	122
678/381	0.0	0	0.0	0	0.0	0	0.0	0	26.5	2	104.0	5	74.5	4	505.5	24	-	504.5	28	-
678/680	4.5	1	0.0	0	0.0	0	4.3	3	84.0	9	123.2	12	84.0	9	584.3	78	-	483.3	62	-
678/722	4.7	3	0.0	0	0.0	0	8.2	2	97.0	11	107.5	14	37.0	5	593.4	60	93	592.4	53	93
678/776	0.0	0	0.0	0	0.0	0	14.9	3	128.8	14	163.8	8	88.3	7	777.1	69	87	673.0	75	75
678/805	9.4	2	2.6	1	4.0	3	11.8	3	126.9	15	196.7	16	105.5	11	1125.7	117	100	1092.6	119	97
678/836	8.5	4	0.5	1	2.5	1	26.5	6	132.5	14	201.5	19	99.0	12	990.5	119	100	386.0	116	90
678/858	7.5	3	0.0	0	4.7	5	40.0	6	177.8	15	228.5	14	175.3	8	1500.9	95	70	1379.1	90	64
679/ 19	23.9	7	0.0	0	3.8	4	45.6	7	259.7	12	262.7	16	198.5	9	1698.4	110	97	1626.1	(98)	93
679/ 86	9.0	4	0.0	0	1.5	1	12.0	2	138.5	7	174.0	12	102.5	6	1012.5	77	-	876.0	77	-
679/135	13.0	4	0.0	0	0.5	1	20.0	3	110.5	13	116.9	20	175.7	10	1053.7	102	81	1042.4	99	80
679/139	19.7	6	0.0	0	1.4	2	25.2	4	185.9	15	166.0	17	231.0	8	1383.8	115	106	1210.7	117	93
679/141	14.6	3	0.0	0	0.0	0	18.0	2	183.5	13	228.0	19	208.0	11	1487.6	108	102	1289.1	96	89
679/156	0.0	0	0.0	0	0.0	0	7.0	1	87.0	8	80.5	8	91.0	4	(527.9)	(29)	-	(399.9)	(13)	-
679/161	16.0	6	0.0	0	0.0	0	25.3	4	107.0	16	223.0	19	131.4	10	1094.2	109	-	1037.4	105	-
679/164	(7.0)	(1)	0.0	0	0.0	0	19.0	2	105.5	10	169.5	15	(89.5)	(5)	(904.5)	(68)	-	(917.2)	(67)	-
679/197	14.0	3	0.0	0	0.0	0	19.5	2	133.9	14	174.5	17	158.5	7	1153.3	85	104	1083.3	80	97
679/209	17.0	3	0.0	0	1.9	3	17.6	3	121.2	10	179.2	14	160.5	10	1129.9	99	-	1125.3	104	-
679/221	9.0	2	0.0	0	0.0	0	14.5	2	91.9	7	191.2	11	136.5	4	922.8	66	88	852.5	70	81
679/227	10.5	1	0.0	0	0.0	0	17.0	2	68.9	9	169.0	11	166.0	7	1112.9	63	107	1039.0	58	100
679/245	0.0	0	0.0	0	0.0	0	3.0	1	45.0	6	32.5	7	71.0	7	366.0	40	75	390.5	29	76
679/267	17.0	2	0.0	0	2.4	1	28.3	4	127.4	13	214.6	15	225.2	9	1457.4	96	97	1300.3	89	87
679/268	20.2	8	0.1	1	1.2	3	27.4	6	124.0	16	231.2	24	190.3	24	1372.6	161	95	1238.6	136	86
679/289	11.9	7	0.0	0	0.7	1	11.1	2	94.7	14	151.9	17	111.1	11	1067.4	104	103	1058.8	103	102
679/290	14.0	2	0.0	0	0.0	0	9.6	3	88.5	6	132.5	9	99.5	3	1000.9	59	108	1011.1	67	109

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	B S ° '	λ E ° '	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
679/315	GRASKRAAL	2345	3011	731	212.0	11	114.0	7	117.5	4	127.5	6	24.0	3
679/401	TRIANGLE	2341	3014	823	304.7	11	91.7	9	121.5	7	140.0	5	17.2	3
679/441	VALENCIA ESTATES	2351	3015	610	159.0	8	49.0	4	128.3	3	107.5	8	37.5	5
679/456	RAVENSHILL	2336	3016	914	314.8	11	49.1	6	83.8	3	136.4	4	1.0	1
679/508	THABINA - NAF	2358	3017	700	145.5	6	49.0	3	127.0	4	124.1	6	7.5	2
679/532	LETABA ESTATES	2352	3018	556	145.8	7	39.0	3	123.5	3	114.0	8	28.5	5
679/592	LEEUWFONTEIN	2352	3020	549	147.5	7	27.0	2	81.0	3	95.0	8	27.0	5
679/654	BERLYN - NAF	2354	3022	555	127.0	5	11.3	5	54.0	4	78.5	5	24.0	2
680/207	GRAVELOTTE - POL	2357	3037	606	184.0	3	0.0	0	73.5	2	33.0	2	0.0	0
680/225	BLACK HILLS	2345	3038	518	157.1	4	2.0	1	0.0	0	49.0	2	6.5	2
680/280	EILAND	2340	3040	457	188.5	7	17.5	4	16.0	2	8.0	1	12.0	2
680/354	CONSOLIDATED MURCHISON MINE	2354	3042	520	105.5	4	0.0	0	18.3	2	45.0	5	11.1	2
680/494	KONDOWE	2341	3047	433	123.3	9	30.6	6	16.6	2	56.7	5	8.5	2
680/759	SCHEIDING	2349	3057	455	212.3	14	82.5	7	28.1	3	43.0	5	9.6	3
680/821	MAHALE	2341	3058	457	126.0	6	35.0	1	52.5	3	13.5	2	10.5	1
681/248	MAHLANGENE	2338	3109	274	129.2	10	81.0	4	3.5	1	25.7	3	8.4	3
681/266	PHALABORWA - AER	2356	3109	433	122.8	10	57.0	7	20.2	3	62.6	4	7.7	2
682/141	LETABA	2351	3135	215	235.7	-	41.0	-	23.5	-	125.3	-	4.0	-
682/377	KLIPKOPPIES	2347	3143	425	266.3	9	45.7	5	48.5	4	17.5	3	16.5	1
717/595	STOCKPOORT - POL	2325	2720	838	111.0	8	126.2	6	22.0	1	79.8	5	4.0	1
718/409	RUSTENBURG - NO 517	2319	2744	915	123.0	9	0.0	0	4.0	1	25.3	1	11.0	1
718/491	SPECULATIE	2311	2747	795	132.5	8	22.0	2	0.0	0	19.5	3	29.0	2
718/772	AFGUNST	2322	2756	915	102.9	9	60.0	3	10.0	3	31.5	3	37.5	2
718/798	WAGENKOP	2318	2757	915	87.7	9	56.0	5	0.0	0	19.0	2	40.5	2
718/874	TOM BURKE	2304	2800	829	170.5	12	50.5	4	9.0	1	16.1	5	33.5	3
719/370	MARNITZ	2310	2813	932	106.7	-	35.5	-	12.3	-	35.6	-	21.2	-
719/428	STRYDPAN	2308	2815	935	140.5	6	(8.0)	(1)	-	-	48.0	4	23.5	2
719/646	CAROLINA	2316	2822	915	101.8	6	38.5	2	5.0	1	23.5	5	20.5	2
719/777	BUFFELSFONTEIN	2327	2826	975	112.3	5	34.0	4	14.5	2	9.0	1	25.5	1
720/121	WELGEDACHT - SKL	2301	2835	914	173.5	8	29.1	3	0.0	0	17.0	1	0.0	0
720/727	LEIPZIG	2307	2855	1219	172.0	10	44.5	4	39.1	3	23.0	6	41.2	4
721/157	INNES	2307	2906	914	166.8	7	11.8	1	65.5	2	20.2	3	43.0	4
721/197	BOCHUM - 1	2317	2907	954	129.0	8	32.5	2	61.0	3	17.5	2	34.0	4
721/257	BOCHUM - NAF	2317	2909	954	96.8	6	30.0	2	79.0	2	14.0	2	47.0	4
721/618	WALDBURG	2318	2921	1067	29.8	2	0.0	0	43.0	-	27.0	2	46.5	4
721/665	MARA - POL	2305	2923	914	165.0	7	6.5	1	28.0	2	15.0	1	46.0	3
721/711	JAN ANTONIE	2321	2924	990	113.5	8	1.5	1	0.0	0	18.5	1	30.5	3
721/846	GOEDGEDACHT	2306	2929	914	64.3	5	0.0	0	27.0	1	6.5	2	32.8	2
722/ 82	LEGKRAAL	2322	2933	975	70.2	10	0.0	0	12.5	1	34.0	2	41.2	4
722/ 99	MARA - AGR	2309	2934	896	150.2	14	2.9	5	41.4	3	67.0	7	38.3	5
722/207	TARENTAALCRAAI - NAF	2327	2937	1035	181.0	10	0.0	0	24.5	1	6.0	1	51.5	4
722/277	UNA - AGR	2307	2940	899	107.5	8	0.0	0	21.5	2	16.0	5	46.6	5
722/497	ROUWPUT	2317	2947	1097	176.9	21	31.6	7	17.3	6	10.8	7	48.2	5
722/509	RAMOKGOPA - NAF	2329	2947	1095	140.0	8	34.5	3	42.0	3	8.6	5	34.5	3
722/529	BANDELIERKOP - POL	2319	2948	1128	131.0	8	17.5	3	46.0	3	8.0	1	64.0	3
722/571	VERSAMELHOEK	2301	2950	991	198.3	18	23.8	6	37.0	6	63.0	3	51.5	5
722/614	ZWARTRANDJES	2314	2951	1036	127.5	7	35.5	4	74.0	3	21.5	3	28.0	1
722/675	VLIEGENPAN	2315	2953	914	176.9	16	25.7	8	45.5	5	18.8	8	169.8	6
722/693	LOUIS TRICHARDT	2303	2954	961	181.1	14	30.9	4	24.8	4	45.1	2	43.5	5
722/700	MAMPAKUIL	2310	2954	945	252.3	10	0.0	0	63.0	3	35.0	1	31.5	3
722/721	WATER RESERWE - BOS	2301	2955	1036	108.7	11	76.9	5	61.5	3	54.0	4	63.5	4
722/749	HASEBULT	2329	2955	1128	167.2	15	30.8	9	73.0	4	30.9	6	25.5	4
722/779	SOEKMEKAAR - POL	2329	2956	1172	160.5	9	24.5	5	62.5	3	37.5	6	23.0	3
722/900	SPELONKEN - BOS	2330	3000	1082	190.0	8	74.3	6	71.0	6	124.5	5	25.9	4
723/ 17	KLEINFONTEIN - NAF	2320	3001	1065	295.3	12	109.7	7	35.8	3	125.0	7	25.0	3
723/ 31	ROODEWAL - BOS	2301	3002	1219	174.3	15	43.5	6	65.8	6	17.4	5	34.2	3
723/ 80	SETALI	2320	3003	884	194.1	15	76.6	12	40.7	6	73.7	9	20.9	5
723/113	VOORSPOED - BOS	2323	3004	1065	206.5	14	96.5	4	44.7	5	69.0	5	23.8	5
723/155	GOEDEHOOP - BOS	2305	3006	811	208.0	14	48.5	4	98.5	6	83.5	7	30.0	5
723/182	SHEFEERA	2302	3007	1214	492.5	18	187.5	14	174.5	11	111.5	13	106.0	7
723/231	BONTFONTEIN - NAF	2321	3008	762	199.0	9	43.5	3	28.0	3	108.0	2	11.0	1
723/278	GEVONDEN	2308	3010	823	302.0	10	61.8	6	77.6	5	86.2	7	46.5	4
723/327	MOOIWATER	2327	3011	730	139.5	6	63.0	4	17.0	2	90.5	3	15.5	3
723/331	TIMBADCLA - BOS	2301	3012	890	190.3	16	50.2	5	94.0	7	33.2	8	40.1	6
723/334	NOOITGEDACHT	2304	3012	762	402.4	13	68.3	4	64.5	5	105.0	4	43.0	3
723/338A	DRIEFONTEIN	2308	3012	698	247.5	10	66.5	7	58.5	2	88.0	6	78.5	7
723/363	KLEIN AUSTRALIE - BOS	2303	3013	702	283.5	12	78.3	5	48.5	4	66.5	4	20.0	2
723/469	SCHAAPLAAGTE - NAF	2319	3016	640	200.6	7	52.5	3	43.1	3	43.8	5	15.9	3
723/485A	LEVUBU - AGR	2305	3017	706	212.8	18	59.5	11	46.2	8	104.0	12	24.8	7
723/513	TSHAKHUMA	2303	3018	1158	259.5	6	85.9	7	28.0	2	143.4	7	27.4	3
723/603	REMBANDER - NAF	2303	3021	671	217.1	12	61.8	7	38.0	3	147.0	4	23.9	3
723/793	TABAANS - NAF	2313	3027	610	142.6	8	42.0	2	19.0	2	84.0	2	10.5	1
724/138	BEND STORE - NAF	2318	3035	610	152.3	6	18.5	3	4.5	2	30.5	3	22.0	4
724/361	BOLTMAN - NAF	2301	3043	545	169.0	7	9.0	1	30.0	2	86.0	7	18.0	2
724/790	SHANGONI	2310	3057	427	261.0	9	29.0	5	9.0	2	47.0	6	19.5	4
725/756	SHINGWIDZI	2306	3126	215	133.3	-	73.4	-	36.1	-	29.6	-	19.5	-
761/810	GROBLERSBRUG - POL	2300	2757	765	107.0	5	54.0	5	1.0	1	28.0	2	39.0	3
762/401	TATIE	2241	2814	915	81.6	8	10.0	1	50.0	2	0.0	0	21.7	1
762/532	DROEVLEI	2252	2818	914	117.1	9	16.5	2	10.0	1	23.5	4	66.5	4
762/665	MATIKULU	2235	2823	610	164.5	11	29.0	3	5.5	1	31.5	5	25.5	4
762/814	ZANZIBAR - POL	2234	2828	730	109.7	9	32.0	4	5.5	2	50.5	3	21.0	3
763/ 95	SWANEPOELSDRIF	2235	2834	762	73.3	6	44.4	3	42.0	3	26.0	2	36.0	3
763/124	SAAMBOUBRUG - POL	2234	2835	610	70.0	4	47.2	3	63.1	3	18.0	3	24.0	2
763/149	TOLWE - POL	2259	2835	793	158.5	8	30.5	5	0.0	0	16.3	4	60.5	3
763/313	GROENDRAAI	2243	2841	760	148.6	10	62.7	5	0.0	0	37.0	2	45.0	3

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NO	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
679/315	14.0	3	0.0	0	0.0	0	22.0	2	119.5	11	215.5	11	136.0	5	1102.0	63	-	1010.0	59	-
679/401	17.2	4	0.0	0	0.0	0	21.5	2	141.1	10	166.3	11	138.3	5	1159.5	67	98	1140.0	57	97
679/441	3.7	2	0.0	0	0.0	0	9.9	2	107.4	10	80.5	12	89.6	9	772.4	63	95	738.1	52	91
679/456	11.5	2	0.0	0	0.0	0	11.9	3	105.6	10	202.1	14	106.8	5	1023.0	59	102	1083.6	52	108
679/508	0.0	0	0.0	0	0.0	0	0.0	0	70.5	6	47.5	3	119.5	6	690.6	36	86	687.1	35	86
679/532	2.9	2	0.0	0	0.0	0	10.0	2	101.0	10	78.8	12	72.1	9	715.6	61	86	705.8	50	85
679/592	1.2	2	0.0	0	0.0	0	9.8	2	94.5	10	73.8	12	68.6	8	625.4	59	76	598.7	47	73
679/654	3.4	3	0.0	0	0.1	1	5.5	1	80.7	9	59.9	11	46.3	7	490.7	53	-	433.1	43	-
680/207	20.0	1	0.0	0	0.0	0	24.0	1	65.5	6	45.0	4	136.0	5	581.0	24	-	461.0	16	-
680/225	15.5	1	0.0	0	0.0	0	12.5	1	59.3	8	82.6	8	72.0	4	458.5	31	83	334.6	20	60
680/280	13.5	1	0.0	0	0.0	0	5.0	1	45.5	6	94.0	10	77.7	5	477.7	39	82	383.6	31	66
680/354	17.5	2	0.0	0	0.1	1	8.3	3	40.3	8	55.5	9	100.2	6	401.8	42	-	415.7	34	-
680/494	8.0	1	0.0	0	0.4	1	5.0	2	54.3	9	74.9	9	87.5	6	465.8	52	-	377.3	43	-
680/799	40.0	4	0.0	0	0.0	0	6.7	2	58.7	(10)	98.0	12	-	-	(1578.9)	(60)	-	524.9	54	-
680/821	7.0	1	0.0	0	0.0	0	6.5	1	19.0	4	62.0	3	58.0	3	390.0	25	84	396.5	25	84
681/248	12.0	2	0.5	1	1.3	1	12.1	3	37.9	8	64.6	10	98.5	5	474.7	51	-	396.1	39	-
681/266	9.3	5	0.0	0	1.6	1	22.0	2	37.1	5	148.0	10	61.4	8	549.7	57	-	504.4	53	-
682/141	7.6	-	4.7	-	0.0	-	61.1	-	31.1	-	57.4	-	81.0	-	672.4	-	141	529.1	-	111
682/377	12.5	3	6.5	1	0.0	0	15.5	2	46.6	6	23.0	4	116.5	7	615.1	45	-	580.8	38	-
717/595	0.0	0	0.0	0	0.0	0	13.0	1	52.5	3	129.6	10	32.4	3	570.5	38	-	630.0	39	-
718/409	0.0	0	0.0	0	0.0	0	8.5	1	42.0	2	121.5	6	45.5	2	380.8	23	86	325.3	25	74
718/491	0.0	0	0.0	0	0.0	0	14.0	2	31.0	2	127.0	6	41.0	3	416.0	28	-	-	-	-
718/772	0.0	0	0.0	0	0.0	0	10.0	1	44.5	2	132.0	7	84.5	7	512.9	37	-	595.2	36	-
718/798	0.0	0	0.0	0	0.0	0	9.5	1	40.3	4	148.5	6	63.0	4	464.5	33	-	468.2	29	-
718/874	0.0	0	0.0	0	0.0	0	15.0	1	30.2	3	223.5	9	56.3	6	604.6	44	148	476.1	44	117
719/370	0.0	-	0.0	-	0.0	-	9.0	-	-	-	175.9	-	60.9	-	457.1	-	-	428.9	-	-
719/428	0.0	0	0.0	0	0.0	0	9.0	1	46.0	4	193.5	7	75.5	5	(544.0)	(30)	-	(439.7)	(32)	-
719/646	0.0	0	0.0	0	0.0	0	8.0	1	58.0	5	165.7	8	62.0	10	483.0	40	-	468.6	37	-
719/777	0.0	0	0.0	0	0.0	0	6.5	1	54.0	3	76.0	6	62.0	4	393.8	27	-	356.7	27	-
720/121	0.0	0	0.0	0	0.0	0	9.0	1	46.0	3	42.0	3	80.0	3	396.6	22	-	348.1	20	-
720/727	0.0	0	0.0	0	0.0	0	6.9	1	87.3	9	197.2	10	141.0	7	752.2	54	134	612.2	54	109
721/157	0.0	0	0.0	0	0.0	0	6.0	1	61.8	7	90.6	9	65.5	7	531.2	41	103	507.1	40	98
721/197	0.0	0	0.0	0	0.0	0	6.0	1	76.0	6	134.2	9	90.5	5	580.7	40	122	480.0	35	101
721/257	0.0	0	0.0	0	0.0	0	0.0	0	36.5	6	109.5	7	75.0	5	487.8	34	109	478.7	30	107
721/618	0.0	0	0.0	0	0.0	0	0.0	0	79.0	4	16.0	2	73.0	3	314.3	(17)	85	316.8	(10)	86
721/665	0.0	0	0.0	0	0.0	0	9.5	1	70.0	9	97.2	10	52.0	3	469.2	37	-	326.4	28	-
721/711	0.0	0	0.0	0	0.0	0	6.5	1	54.0	5	108.5	6	88.5	4	421.5	29	-	366.8	24	-
721/846	0.0	0	0.0	0	0.0	0	10.0	1	63.5	3	130.0	7	12.5	2	346.6	23	73	260.5	19	55
722/ 82	0.0	0	0.0	0	0.0	0	0.9	1	42.5	4	123.2	10	55.5	2	380.0	34	95	257.0	28	64
722/ 99	0.0	0	0.0	0	0.0	0	8.2	1	60.4	6	114.5	15	28.5	8	511.4	64	114	497.0	57	111
722/207	0.0	0	0.0	0	0.0	0	7.0	1	47.0	2	82.5	10	50.5	5	450.0	34	-	437.0	34	-
722/277	0.0	0	0.0	0	0.0	0	11.0	1	78.1	6	106.3	11	20.5	3	407.5	41	91	321.6	37	72
722/497	0.6	2	0.0	0	0.0	0	8.7	3	74.0	10	101.1	15	51.8	7	521.0	83	132	410.9	78	104
722/509	0.0	0	0.0	0	0.0	0	7.0	1	63.0	5	79.5	8	56.5	4	465.6	40	-	463.1	36	-
722/529	0.0	0	0.0	0	0.0	0	8.5	1	90.0	7	90.0	6	21.0	2	476.0	34	104	397.0	30	87
722/571	3.0	2	0.3	1	0.0	0	15.6	5	89.4	9	136.0	13	56.9	10	674.8	76	101	606.9	70	90
722/614	0.0	0	0.0	0	0.0	0	10.0	1	52.0	4	159.9	9	66.0	5	574.4	37	124	430.5	34	93
722/675	1.4	2	0.0	0	0.0	0	9.7	3	81.4	12	106.9	16	84.5	9	720.6	85	144	576.9	70	115
722/693	4.1	3	0.0	0	0.0	0	15.6	2	85.5	5	207.1	12	60.3	6	698.0	57	94	612.3	54	82
722/700	0.0	0	0.0	0	0.0	0	10.0	1	55.0	5	116.5	10	55.0	3	618.3	36	132	512.3	28	110
722/721	6.5	1	0.0	0	0.0	0	18.8	4	87.8	6	168.0	11	61.1	9	706.8	58	82	590.0	52	69
722/749	1.7	4	0.0	0	0.0	0	12.2	4	97.0	12	123.0	16	78.8	7	640.1	81	106	567.2	77	94
722/779	5.2	4	0.0	0	0.0	0	10.5	1	77.0	6	99.5	11	70.5	4	570.7	52	-	514.2	50	-
722/900	7.0	4	0.0	0	0.0	0	16.9	3	103.8	8	135.6	13	-	-	(749.0)	(57)	-	761.2	56	106
723/ 17	15.0	3	0.0	0	0.0	0	32.5	2	91.0	8	148.5	10	202.0	7	1079.8	62	-	966.7	64	-
723/ 31	3.5	1	0.0	0	0.0	0	16.4	3	84.0	7	134.9	14	45.5	9	619.5	69	76	592.6	66	73
723/ 80	5.1	6	0.0	0	0.8	2	14.4	4	66.7	14	83.8	18	146.8	12	723.6	103	95	791.8	90	103
723/113	5.1	3	0.0	0	1.1	2	21.1	4	81.9	12	135.2	16	146.8	9	831.7	79	-	726.4	74	-
723/155	17.5	3	0.0	0	0.0	0	27.0	4	65.5	6	162.0	17	43.5	6	784.0	72	72	788.2	70	72
723/182	39.0	5	2.0	1	6.0	2	115.5	10	183.5	13	352.0	18	198.5	10	1968.5	122	-	1749.5	115	-
723/231	9.5	1	0.0	0	0.0	0	12.0	2	91.5	5	84.5	7	127.5	6	714.5	39	126	703.0	36	124
723/278	8.9	2	0.0	0	0.0	0	28.7	3	58.4	7	136.9	11	75.8	9	882.8	64	102	995.2	57	115
723/327	0.0	0	0.0	0	0.0	0	7.5	1	89.0	6	72.0	7	75.8	5	569.8	37	-	561.0	36	-
723/331	-	-	0.0	0	2.5	1	33.0	3	74.0	5	101.0	9	115.0	6	733.3	66	-	(772.1)	(73)	-
723/334	16.5	2	0.0	0	0.0	0	40.0	3	92.7	7	161.0	13	95.9	7	1089.3	61	102	1068.0	52	102
723/338A	5.5	3	0.0	0	0.0	0	28.0	3	66.0	9	146.5	13	55.0	7	840.0	67	100	835.0	58	100
723/363	13.0	4	0.0	0	0.0	0	21.0	3	81.1	8	152.5	12	75.9	6	840.3	60	90	902.7	59	97
723/469	2.5	1	0.0	0	0.0	0	8.0	1	101.0	8	70.2	13	49.1	6	586.7	50	-	617.1	41	-
723/485A	12.4	4	0.3	1	0.0	0	34.7	4	123.2	15	203.5	16	83.9	12	905.3	108	-	758.6	102	-
723/513	22.7	3	0.0	0	0.0	0	41.0	3	111.9	9	209.5	12	102.5	7	1031.8	59	79	889.4	43	68
723/603	11.5	2	0.0	0	0.0	0	39.5	3	102.4	7	172.0	10	64.5	4	877.7	55	-	798.0	52	-
723/793	0.0	0	0.0	0	0.0	0	14.0	1	103.0	5	72.0	5	68.5	5	555.6	31	-	562.6	25	-
724/138	26.4	2	1.0	1	0.0	0	6.0	2	94.8	9	58.9	9	70.0	4	484.9	45	-	475.3	35	-
724/361	3.5	2	0.0	0	0.0	0	10.0	1	86.0	7	79.0	7	76.0	4	566.5	40	-	435.8	34	-
724/790	13.5	1	0.0	0	0.0	0	9.5	3	57.0	8	37.0	9	124.5	6	607.0	53	-	495.5	41	-
725/756	8.0	-	0.4	-	0.0	-	22.5	-	67.9	-	133.3	-	176.0	-	700.0	-	-	464.0	-	-
761/810	0.0	0	0.0	0	0.0	0	10.5	1	40.0	4	126.4	8	61.5	7	467.4	36	-	405.0	32	-
762/401	0.0	0	0.0	0	0.0	0	12.0	1	39.0	6	135.0	6	9.0	1	358.3	26	-	242.3	21	-
762/532	0.0	0	0.0	0	0.0	0	13.0	1	42.0	1	118.5	3	33.5	2	440.6	27	104	329.1	32	78
762/665	0.0	0	0.0	0	0.0	0	11.2	1	41.0	6	115.0	7	69.0	4	492.2	42	-	418.0	42	-
762/814	0.0	0	0.0	0	0.0	0	7.5	1	37.5	5	104.8	8	76.5	5	445.0	40	-	389.8	40	-
763/ 95	0.0	0	0.0	0	0.0	0	10.0	1	38.5	8	110.0	8	37.5	4	417.7	36	102	340.9	33	83
763/124	0.0	0	0.0	0	0.0	0	6.5	1	31.0	5	102.0	5	62.0	4	423.8	30	-	383.4	27	-
763/149	0.0	0	0.0	0	0.0	0	7.0	1	69.0	7	61.5	5	70.2	4	473.5	37	-	404.3	35	-
763/313	0.0	0	0.0	0	0.0	0	10.6	3	40.3	5	79.0	6	57.5	4	480.7	38	-	451.3	38	-

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
763/675	DE GRACHT	2245	2853	766	124.5	10	27.5	3	2.0	2	56.2	5	85.7	6
764/161	ALLDAYS - POL	2241	2906	823	91.0	5	8.0	1	0.0	0	32.0	4	66.0	3
764/414	WINTERSVELD	2254	2914	905	139.5	7	15.0	1	66.5	2	16.0	3	23.0	4
764/710	OMLOOP	2250	2924	762	49.5	7	14.5	2	16.5	3	41.5	4	60.5	5
765/230	KOEDOESVELD	2250	2938	760	100.0	6	0.0	0	36.5	4	43.1	4	36.2	4
765/234	WATERPOORT - POL	2254	2938	785	46.5	3	0.0	0	10.0	2	44.5	1	41.0	3
765/253	SANDOW	2243	2939	685	75.4	8	0.5	1	9.7	3	36.1	5	32.0	2
765/354	ROOHDALE	2254	2942	885	106.5	4	0.0	0	0.0	0	33.5	2	36.8	4
765/607	MOPANE - SKL	2237	2951	715	86.8	6	0.0	0	6.0	1	27.0	1	26.0	1
765/697	DREYER	2237	2954	715	77.5	4	0.0	0	7.0	1	13.0	2	25.0	2
765/707	MUTAMBA RANCH	2247	2954	655	53.0	5	22.0	2	18.0	1	9.5	2	9.0	1
765/749	SCHYFFONTEIN	2259	2955	1370	144.2	21	61.5	14	37.2	9	50.5	9	56.0	9
765/869	FLEURFONTEIN	2259	2959	1219	176.8	18	58.7	10	63.8	7	32.7	6	53.4	7
766/ 30	ROODEWAL - BOS	2300	3001	1065	222.7	15	53.6	6	121.7	6	19.5	6	36.9	3
766/201	MPHEFU - NAF	2251	3007	1065	88.0	4	11.0	1	52.0	2	15.0	1	30.0	2
766/277	TSHIPISE	2237	3010	579	66.0	5	6.1	2	0.0	0	86.0	3	24.5	2
766/324	SILOAM	2254	3011	1067	140.0	11	32.0	5	101.3	3	30.0	2	33.3	3
766/327	MPSEMA - NAF	2257	3011	885	176.0	11	38.0	6	130.5	3	26.5	2	12.0	1
766/421	JOAN	2231	3015	457	72.8	7	1.3	3	2.5	1	86.7	3	41.5	2
766/462	GARSIDE - NAF	2242	3016	760	41.0	4	0.0	0	62.0	2	29.0	3	19.0	3
766/480	ENTABENI - BOS	2300	3016	1376	411.9	17	197.4	13	97.3	9	136.6	9	39.6	4
766/509	MATIWA - BOS	2259	3017	1311	518.5	17	215.5	13	80.0	7	193.5	8	24.5	2
766/563	TATE - BOS	2253	3019	1250	378.9	18	115.5	9	108.0	6	74.0	8	26.0	3
766/596	VONDA - BOS	2256	3020	1130	212.0	17	60.5	6	43.0	5	101.0	6	23.0	4
766/779	PALMARYVILLE - NAF	2259	3026	570	253.5	15	49.0	7	19.0	3	76.5	5	16.0	2
766/827	RAMBUDA - NAF	2247	3028	762	178.5	11	48.0	5	37.5	3	64.5	5	18.0	2
766/837	SIBASA - NAF	2257	3028	739	314.5	11	79.3	5	93.2	4	80.5	4	12.5	2
766/858	GOODOVILLE - HOSP	2248	3029	762	287.2	23	55.5	15	105.9	9	99.9	14	23.0	10
768/ 11	PUNDA MILIA	2241	3101	462	131.0	13	35.5	6	25.7	6	19.0	3	45.5	4
808/139	VERGENOEGD	2219	2905	610	95.5	6	0.0	0	12.0	1	65.0	4	2.0	1
808/253	PONTDRIFT - POL	2213	2909	580	135.5	6	0.0	0	0.0	0	52.5	2	11.5	2
808/341	TUSCANEN	2211	2912	580	115.5	-	5.5	-	14.0	-	25.5	-	5.5	-
808/764	NEKEL	2214	2926	610	64.5	6	1.8	1	54.5	1	10.0	3	5.4	2
809/706	MACUVILLE - AGR	2216	2954	522	63.4	8	3.7	2	6.0	1	35.3	4	15.2	4
810/ 81	MESSINA - POL	2221	3003	536	181.3	6	5.5	1	15.0	1	48.5	3	13.1	4
811/172	BALI	2222	3036	425	109.0	6	0.0	0	0.0	0	46.0	2	17.0	1
812/567	PAFURI	2227	3119	305	98.8	11	5.5	2	3.5	1	32.5	3	26.0	2

R A I N F A L L 1 9 7 1

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/ND	JUN		JUL		AUG		SEP		OCT		NOV		DEC		JAAR JAN 71 DEC 71			YEAR JUL 70 JUN 71		
	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	MM	D	PER	MM	D	PER
763/675	0.0	0	0.0	0	0.0	0	9.5	1	228.0	6	95.4	10	45.1	6	673.9	49	173	429.5	43	111
764/161	0.0	0	0.0	0	0.0	0	9.5	1	44.5	4	98.5	7	31.5	4	381.0	29	98	402.7	27	104
764/414	0.0	0	0.0	0	0.0	0	7.0	1	32.0	2	54.0	2	46.5	2	399.5	24	-	355.0	25	-
764/710	0.0	0	0.0	0	0.0	0	8.0	1	62.5	5	106.0	5	77.7	7	436.7	39	148	342.0	35	115
765/230	0.0	0	0.0	0	0.0	0	8.0	1	59.0	7	82.0	7	39.5	4	404.3	37	-	431.0	36	-
765/234	0.0	0	0.0	0	0.0	0	10.5	1	46.4	6	49.2	5	27.0	3	275.1	24	-	415.6	23	-
765/253	0.0	0	0.0	0	0.0	0	7.5	1	61.5	7	166.7	10	44.5	8	433.9	45	-	421.9	39	-
765/354	0.0	0	0.0	0	0.0	0	7.0	1	46.0	5	38.5	3	16.5	1	284.8	20	-	388.7	20	-
765/607	0.0	0	0.0	0	0.0	0	6.5	1	54.0	3	89.7	6	56.0	3	352.0	22	-	331.3	19	-
765/697	0.0	0	0.0	0	0.0	0	7.0	1	72.0	4	102.0	9	47.5	4	351.0	27	-	286.0	21	-
765/707	0.0	0	0.0	0	0.0	0	8.0	1	56.0	5	98.5	6	27.5	4	301.5	27	84	297.5	25	83
765/749	4.9	5	0.0	0	0.1	1	19.0	8	88.9	15	162.4	15	61.3	14	686.0	120	-	615.6	114	-
765/869	4.8	4	0.3	2	0.0	0	18.1	7	74.5	11	170.3	15	56.8	8	710.2	95	86	652.1	86	79
766/ 30	9.8	1	0.0	0	0.0	0	21.7	3	100.0	7	221.8	14	59.8	10	867.5	71	-	757.2	66	-
766/201	0.0	0	0.0	0	0.0	0	0.0	0	94.5	3	68.0	4	41.0	2	399.5	19	-	375.0	19	-
766/277	0.0	0	0.0	0	0.0	0	6.6	1	69.4	5	42.7	6	50.7	4	352.0	28	-	419.6	25	-
766/324	0.0	0	0.0	0	0.0	0	35.0	1	114.0	5	55.0	6	51.0	3	591.6	39	112	577.6	37	110
766/327	0.0	0	0.0	0	0.0	0	0.0	0	67.0	3	90.5	6	49.0	3	589.5	35	-	630.5	33	-
766/421	0.0	0	0.0	0	0.0	0	5.5	1	40.0	2	83.0	9	34.8	4	368.1	32	-	420.5	30	-
766/462	0.0	0	0.0	0	0.0	0	6.0	1	33.0	2	36.0	3	60.0	2	286.0	20	-	255.0	17	-
766/480	22.9	4	2.1	2	3.0	1	68.5	6	136.6	15	236.1	17	106.7	7	1458.7	104	75	1395.0	97	72
766/509	16.0	5	2.5	2	3.0	1	93.5	5	156.4	10	266.5	15	78.0	5	1647.9	90	75	1655.0	92	75
766/563	14.5	3	1.5	1	1.5	1	31.5	5	96.3	6	142.8	12	113.0	8	1105.5	80	-	1083.4	74	-
766/596	5.5	2	1.0	1	0.0	0	21.5	3	53.9	9	42.5	6	75.0	6	638.9	65	-	733.9	74	-
766/779	6.0	1	0.0	0	0.0	0	37.0	4	61.4	8	163.5	10	91.0	6	772.9	61	74	666.0	56	64
766/827	6.5	1	0.0	0	0.0	0	13.5	2	106.0	7	150.5	9	73.5	5	696.5	50	-	665.5	44	-
766/837	33.0	2	1.0	1	0.0	0	60.4	3	99.0	7	162.2	9	110.9	8	1046.5	56	89	995.2	51	84
766/858	19.5	5	1.3	1	0.0	0	43.2	5	82.0	15	131.3	19	73.3	10	922.1	126	86	961.9	126	90
768/ 11	4.2	1	0.0	0	0.0	0	18.0	2	57.2	10	83.4	12	118.7	9	538.2	66	93	470.6	69	81
808/139	0.0	0	0.0	0	0.0	0	0.0	0	68.6	5	68.8	4	18.5	1	330.4	22	-	308.7	20	-
808/253	0.0	0	0.0	0	0.0	0	5.0	1	66.0	4	87.0	3	31.5	2	389.0	20	-	315.0	20	-
808/341	0.0	-	0.0	-	0.0	-	5.5	-	50.5	-	62.3	-	29.0	-	313.3	-	-	291.9	-	-
808/764	0.0	0	0.0	0	0.0	0	8.8	1	71.0	4	81.8	6	54.6	4	352.4	28	-	337.2	29	-
809/706	0.0	0	0.0	0	0.0	0	10.0	1	45.1	7	108.0	8	45.9	5	352.6	40	98	403.7	43	112
810/ 81	0.0	0	0.0	0	0.0	0	9.5	1	36.5	2	70.5	9	47.5	5	427.4	32	-	414.7	25	-
811/172	0.0	0	0.0	0	0.0	0	4.0	1	66.0	5	35.0	4	75.0	3	352.0	22	-	416.0	17	-
812/567	0.7	1	0.0	0	0.0	0	2.3	2	38.1	5	70.9	9	98.0	6	376.3	42	89	326.5	36	78

R E Ë N V A L 1 9 7 1
S.W.A.

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D) EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Φ S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
273/754	ORANJEMUND	2834	1626	30	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
276/302	ALURIESFONTEIN	2832	1841	700	20.5	3	15.3	4	26.8	4	0.0	0	3.1	1
312/397	NARUCHAS	2807	1844	950	24.3	3	35.6	2	17.4	5	16.5	2	8.1	3
312/417	WARMBAD	2827	1844	750	25.9	5	20.9	4	36.9	6	12.5	1	0.3	1
312/422	KARASBURG	2802	1845	1013	25.5	2	54.0	3	20.5	2	16.0	3	7.5	1
312/779	KHAIS SUID	2829	1856	850	11.2	5	16.9	4	43.3	7	15.5	2	11.7	2
313/457	HAMOB	2807	1916	773	14.0	2	0.0	0	14.2	3	9.0	2	0.0	0
314/ 32	HEIRACHABIS	2802	1932	800	15.1	3	27.0	4	7.5	3	8.5	2	0.0	0
314/482	UKAMAS	2802	1947	800	17.2	4	36.5	3	0.0	0	33.0	5	4.0	1
314/577	ARIAMSVLEI	2807	1950	774	6.0	2	30.0	2	18.0	2	7.0	1	0.0	0
347/124	KLEINKARAS	2734	1805	1145	25.6	2	10.0	1	29.0	2	0.0	0	6.0	1
347/527	BLANKSDAM	2747	1818	1089	16.7	4	13.4	5	11.9	3	1.5	1	8.7	1
348/819	DUURDRIFT NOORD	2739	1858	1000	-	-	24.0	2	-	-	15.0	1	0.0	0
349/ 82	NOIBIS	2752	1903	950	12.5	2	38.0	5	3.7	3	21.5	4	0.0	0
349/238	KUBUB OST	2758	1908	900	17.0	3	88.5	4	0.0	0	32.5	5	10.0	1
350/113	NABAS	2753	1934	650	0.0	0	30.5	3	5.0	1	13.0	3	0.0	0
350/151	NIMMERRUST	2731	1936	850	0.0	0	48.5	6	24.0	4	8.5	2	6.0	1
350/350	SWARTKOP	2750	1942	800	20.0	2	43.0	4	7.5	2	2.0	1	5.5	2
350/542	DAVIGNAB SUID	2732	1949	800	5.5	1	3.4	3	16.0	3	2.7	2	0.0	0
380/519	ROOIBERG	2709	1648	1500	23.0	4	21.8	5	19.7	6	2.0	1	3.3	2
382/612	OASE	2712	1751	762	2.2	3	25.6	3	2.3	2	1.5	1	0.0	0
384/ 23	NOACHABEB	2723	1831	1461	19.3	4	47.1	8	44.5	4	0.0	0	0.0	0
384/408	WITTMUND	2718	1844	1500	3.0	1	92.3	14	31.9	7	0.0	0	0.0	0
384/804	NUKOIS	2724	1857	1250	23.5	5	58.5	5	31.0	5	7.0	1	0.0	0
384/852	NAOS	2712	1859	1400	30.1	8	67.6	5	34.9	6	15.0	4	2.4	1
385/233	HANGAS	2723	1908	1170	40.1	6	71.3	6	27.8	5	0.0	0	1.5	2
385/516	WARMFONTEIN	2706	1918	1150	5.0	1	41.0	3	34.0	4	16.0	1	5.0	1
413/156	DIAZ POINT(LUDERITZ) - VRT	2638	1506	23	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
415/ 45	TSIRUB	2645	1602	1330	0.0	0	12.0	2	0.0	0	0.0	0	0.0	0
415/551	AUS	2641	1619	1421	6.0	1	32.5	4	36.0	3	0.0	0	0.0	0
416/226	TSACHANABIS	2648	1638	1300	7.5	2	70.0	5	48.0	2	0.0	0	0.0	0
416/368	DOORNS	2638	1643	1400	47.5	5	67.5	7	16.3	3	16.0	1	0.0	0
419/182	KEETMANSHOOP - WK	2632	1807	1064	18.9	7	60.0	10	11.5	7	6.5	5	3.1	2
419/215	KEETMANSHOOP(TOWN)	2635	1808	1004	20.0	3	40.0	10	20.0	5	3.3	3	0.5	1
419/665	EISENSTEIN	2635	1823	900	31.0	4	80.5	5	16.4	4	12.5	2	0.0	0
420/214	STAMPRIET	2634	1838	800	5.8	2	43.5	3	6.9	3	0.0	0	0.0	0
421/629	ENOS	2659	1921	1000	60.7	3	52.5	3	30.5	3	0.0	0	0.0	0
421/696	SALZTAL	2636	1924	1000	18.5	2	18.7	6	31.5	2	28.5	3	0.0	0
422/257	ARCAB	2647	1939	1000	52.0	3	26.0	4	36.0	3	6.0	1	8.0	1
422/536	LOWSVLEY	2658	1948	900	26.0	7	7.5	3	22.5	4	9.8	4	11.5	1
452/817	EXCELSIOR	2607	1628	1250	2.0	1	65.8	7	21.0	3	0.0	0	1.3	1
454/270	BETHANIEN	2630	1710	1150	43.0	3	27.0	4	16.5	2	0.0	0	0.0	0
456/ 27	GELLAP OST	2627	1801	1000	52.2	6	71.0	6	10.0	1	0.0	0	0.0	0
456/449	GARIGANUS	2629	1815	1111	21.0	4	43.0	7	38.0	2	0.0	0	0.0	0
458/639	MORGENSON SUID	2609	1922	900	18.3	6	27.0	2	37.5	2	12.0	4	8.3	3
489/336	MAREMUB	2536	1612	1300	28.8	7	77.6	12	20.5	6	0.0	0	0.0	0
489/583	SINCLAIR	2543	1620	900	12.0	2	60.0	6	2.0	1	0.0	0	0.0	0
490/132	ARUAB	2542	1635	1700	54.0	3	73.5	7	8.5	2	3.0	1	0.0	0
490/623	HELMERINGHAUSEN	2553	1651	1500	27.5	4	103.0	13	48.0	6	0.0	0	0.0	0
490/662	MAGUAMS	2532	1653	1700	70.8	10	79.8	11	12.1	5	0.0	0	2.0	1
491/212	KUTEB	2532	1708	1200	26.5	5	118.0	8	11.0	4	11.5	2	0.0	0
491/357	ALSUMA	2557	1712	1150	37.0	6	32.8	6	34.5	6	0.0	0	0.0	0
492/509	BERSEBA	2559	1747	1064	21.0	1	51.0	6	2.5	1	0.0	0	3.5	1
493/233	TSES	2553	1808	962	1.6	1	48.0	4	0.0	0	0.0	0	0.0	0
495/267	KOES	2557	1909	900	19.0	2	28.5	5	33.0	2	7.0	1	0.0	0
495/534	GRABSTEIN	2554	1918	900	33.0	3	26.5	4	34.5	6	7.0	1	11.5	2
526/679	BETTA	2519	1623	1400	6.5	3	61.5	6	11.5	2	13.5	2	0.0	0
527/ 17	OUWISIB	2517	1631	1550	16.0	3	86.0	10	2.5	3	6.5	1	0.0	0
527/332	PLATTFONTEIN	2502	1642	1400	6.0	2	71.7	13	7.0	1	0.0	0	0.0	0
527/430	KLEINFONTEIN NOORD	2510	1645	1250	22.4	5	39.0	11	24.0	2	5.8	2	1.8	1
527/534	OSIS	2524	1648	1200	30.0	6	117.5	8	25.5	1	2.0	1	4.0	1
529/428	GIBEON	2508	1745	1059	17.0	3	51.5	8	56.0	3	0.4	1	0.0	0
529/452	KRANZPLATZ	2502	1746	1100	28.0	2	35.0	9	40.0	3	0.0	0	0.0	0
531/ 37	LANGERFELD(BEENSAAMHEID)	2507	1832	1000	54.0	5	29.5	4	38.5	11	2.0	2	2.5	2
531/207	ASANIB	2527	1837	1000	20.5	2	26.2	5	47.0	3	8.0	3	2.0	1
531/849	GRAUWATER	2509	1859	1000	69.5	6	7.2	5	23.0	5	1.7	2	0.0	0
532/173	EINDPAAL	2523	1906	950	62.3	5	15.0	4	45.7	5	0.0	0	3.5	1
565/666	FRIEDLAND	2436	1623	1500	38.0	6	90.1	14	56.0	4	34.0	2	0.0	0
566/ 7	KAMKAS	2437	1631	1400	18.1	5	46.7	12	59.7	4	12.1	3	0.0	0
566/252	HALIFAX	2452	1639	1350	18.0	6	38.0	10	52.5	2	57.8	3	0.0	0
566/305	KARAB	2439	1641	1350	19.6	6	76.5	14	19.0	1	26.5	3	4.0	2
566/860	MALTAHOHE	2450	1659	1400	17.0	3	105.0	8	45.5	5	16.0	2	0.0	0
567/ 35	SANDHOF	2435	1702	1350	7.7	7	111.3	13	19.1	7	19.3	4	3.9	1
567/ 55	HARIBES	2435	1734	1300	18.0	7	41.0	8	41.5	6	5.0	1	4.0	4
568/284	GAITSABIS	2444	1740	1200	14.8	6	50.3	10	32.0	5	19.7	5	4.0	2
568/307	CASSIESFONTEIN 1	2437	1741	1150	20.5	6	50.5	8	41.0	6	23.0	3	0.0	0
568/817	MARIENTAL	2437	1758	1099	17.6	7	23.1	6	21.8	4	8.2	4	15.9	4
569/271	KOLWATER	2431	1810	1200	40.5	5	76.2	7	4.0	1	27.0	1	10.0	2
570/ 88	KARAAM	2458	1833	1250	40.5	2	54.5	7	16.3	3	31.2	3	0.0	0
570/186	KLEINHUTTE	2436	1837	1100	39.5	4	41.2	5	25.0	2	6.5	1	13.5	2
570/508	HARUCHAS SUID	2458	1847	1100	59.7	6	13.8	5	34.2	5	25.1	3	21.0	4
570/531	GOCHAS	2451	1848	1150	64.0	5	46.0	4	32.0	5	4.0	1	10.0	2
570/628	HARUCHAS	2458	1851	1100	80.5	7	39.9	7	50.1	9	14.8	4	17.9	5
570/637	DUINEVELD	2437	1852	1100	38.7	10	41.1	7	37.0	9	26.0	3	6.7	3
572/623	DONKERHOEK	2453	1951	1000	39.0	6	78.0	8	27.5	4	8.5	2	8.0	3

R A I N F A L L 1 9 7 1
S.W.A.

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NC	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
273/754	0.0	0	4.2	2	10.4	2	0.0	0	0.0	0	0.0	0	0.0	0	14.6	4	27	32.0	6	59
278/302	0.0	0	10.2	2	2.0	1	0.0	0	0.0	0	0.0	0	0.0	0	77.9	15	-	65.7	12	-
312/397	3.1	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	1.5	1	106.5	17	92	143.6	21	125
312/417	0.0	0	11.1	2	0.3	1	0.0	0	0.0	0	0.0	0	2.0	1	109.9	21	126	171.4	23	197
312/422	0.0	0	10.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	133.5	12	119	163.5	15	146
312/779	0.0	0	13.5	3	2.7	2	0.0	0	0.0	0	0.0	0	2.0	1	116.8	26	-	157.7	28	-
313/457	0.0	0	8.0	1	0.0	0	0.0	0	0.0	0	2.5	1	8.0	1	55.7	10	59	108.2	10	116
314/ 32	0.0	0	11.0	1	0.0	0	-	-	-	-	-	-	3.0	1	(72.1)	(14)	-	140.1	18	126
314/482	0.0	0	7.0	1	0.0	0	0.0	0	9.0	1	0.0	0	4.0	1	110.7	16	85	146.2	18	113
314/577	0.0	0	6.5	1	0.0	0	0.0	0	10.0	2	0.0	0	0.0	0	77.5	10	64	97.0	11	80
347/124	0.0	0	1.5	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	72.1	7	71	112.1	8	111
347/527	0.0	0	9.0	2	1.5	1	0.0	0	1.7	1	0.0	0	16.0	1	80.4	19	78	87.2	17	84
348/819	0.0	0	10.5	1	0.0	0	0.0	0	0.0	0	0.0	0	-	-	(49.5)	(4)	-	(86.5)	(7)	-
349/ 82	0.0	0	9.0	1	0.0	0	0.0	0	0.0	0	0.0	0	9.0	2	93.7	17	65	147.8	22	102
349/238	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	148.0	13	133	(148.0)	(13)	-
350/113	0.0	0	7.0	1	0.0	0	0.0	0	0.0	0	4.5	1	8.5	1	68.5	10	50	104.4	13	77
350/151	3.0	2	5.5	1	0.0	0	0.0	0	8.0	1	0.0	0	0.0	0	103.5	17	66	148.2	22	95
350/350	0.0	0	5.5	1	0.0	0	0.0	0	10.0	1	17.0	1	0.0	0	110.5	14	76	136.5	17	94
350/542	0.0	0	0.0	0	0.0	0	0.0	0	15.0	2	0.0	0	3.0	1	45.6	12	30	75.1	16	50
380/519	0.0	0	3.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	72.8	19	65	98.3	25	88
382/612	0.0	0	0.0	0	0.0	0	0.0	0	0.3	1	0.0	0	0.0	0	31.9	10	26	64.8	13	53
384/ 23	6.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	6.0	1	122.9	18	87	185.4	21	131
384/408	0.0	0	0.0	0	1.2	1	0.0	0	2.4	1	6.0	1	15.2	2	152.0	27	88	172.1	29	100
384/604	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	120.0	16	89	149.0	19	111
384/852	0.0	0	4.5	1	0.0	0	0.0	0	4.1	2	0.0	0	7.5	2	166.1	29	94	195.5	27	111
385/233	2.4	2	6.5	1	0.0	0	0.0	0	3.5	2	4.7	1	9.2	4	167.0	29	91	196.9	28	107
385/516	0.0	0	0.0	0	0.0	0	0.0	0	8.0	1	0.0	0	9.5	2	118.5	13	73	123.0	13	76
413/158	0.0	0	0.0	0	3.5	1	0.0	0	0.0	0	0.0	0	0.0	0	3.5	1	19	2.6	2	14
415/ 45	0.0	0	5.5	1	27.0	1	0.0	0	0.0	0	0.0	0	0.0	0	44.5	4	56	29.9	5	38
415/551	0.0	0	0.0	0	20.0	2	0.0	0	0.0	0	0.0	0	0.0	0	94.5	10	103	76.3	10	83
416/228	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	125.5	9	131	136.0	11	142
416/368	0.0	0	0.0	0	4.2	1	0.0	0	0.0	0	0.0	0	5.9	1	157.4	18	155	176.5	18	174
419/182	0.9	1	1.0	1	0.0	0	0.0	0	4.8	2	0.0	0	3.3	4	110.0	39	74	146.8	40	99
419/215	0.8	1	0.5	1	0.0	0	0.0	0	0.5	1	0.0	0	3.2	2	88.8	27	61	129.2	28	89
419/665	0.0	0	0.0	0	0.0	0	0.0	0	5.0	1	4.5	1	8.6	3	158.5	20	95	174.4	18	105
420/214	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	56.2	8	57	65.2	9	66
421/629	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	7.0	1	150.7	10	90	178.2	14	107
421/696	0.0	0	0.0	0	0.0	0	0.0	0	7.0	2	0.0	0	0.0	0	104.2	15	77	114.2	15	84
422/257	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	3.0	1	0.0	0	131.0	13	75	142.5	14	82
422/538	6.1	2	0.0	0	0.0	0	0.0	0	23.5	3	1.5	1	0.0	0	116.4	25	71	111.6	25	67
452/817	0.0	0	0.0	0	3.5	1	0.0	0	0.0	0	0.0	0	0.0	0	93.6	13	81	100.1	14	87
454/270	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	86.5	9	77	151.0	11	134
456/ 27	0.0	0	0.0	0	0.0	0	0.0	0	5.0	1	0.0	0	2.5	1	140.7	15	90	171.7	14	110
456/449	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	4.0	1	106.0	14	64	142.0	15	86
458/639	0.1	1	0.5	1	0.0	0	-	-	-	-	-	-	-	-	(103.7)	(19)	-	143.4	25	93
489/336	0.0	0	0.9	1	4.0	1	0.0	0	0.0	0	0.0	0	6.4	2	148.2	29	-	175.2	30	-
489/583	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	8.0	1	82.0	10	61	105.0	11	78
490/132	0.0	0	0.0	0	7.0	1	0.0	0	0.0	0	0.0	0	0.0	0	146.0	14	86	139.0	13	82
490/623	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	9.0	2	7.0	2	194.5	27	111	219.8	28	126
490/662	0.0	0	0.5	2	0.0	0	0.0	0	5.0	2	3.0	1	4.2	2	177.4	34	96	204.6	32	110
491/212	0.0	0	0.0	0	0.0	0	0.0	0	2.5	1	0.0	0	0.0	0	169.5	20	89	189.0	21	99
491/357	0.0	0	0.0	0	0.0	0	0.0	0	2.5	1	2.7	2	10.0	2	119.5	23	73	135.8	22	83
492/509	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	10.0	1	68.0	10	69	107.5	12	84
493/233	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	49.6	5	42	(49.6)	(5)	-
495/267	0.0	0	0.0	0	0.0	0	0.0	0	7.0	2	0.0	0	3.5	1	98.0	13	65	105.0	12	68
495/534	0.0	0	0.0	0	0.0	0	0.0	0	13.0	2	0.0	0	0.0	0	125.5	18	80	134.5	21	86
526/679	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	93.0	13	-	97.0	14	-
527/ 17	0.0	0	0.0	0	0.1	1	0.0	0	0.0	0	0.0	0	13.0	2	124.1	20	80	112.5	18	72
527/332	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	84.7	16	55	98.7	18	64
527/430	0.0	0	0.0	0	0.0	0	0.0	0	0.5	1	0.0	0	1.8	2	95.3	24	59	96.6	25	59
527/534	0.0	0	0.0	0	0.0	0	0.0	0	2.5	1	0.0	0	5.5	3	187.0	21	112	207.0	19	124
529/428	0.0	0	0.0	0	0.0	0	0.0	0	4.0	1	14.0	1	0.0	0	142.9	17	85	164.2	19	97
529/452	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	15.0	1	20.0	2	136.0	17	82	124.0	16	74
531/ 37	0.0	0	0.0	0	0.0	0	0.0	0	0.1	1	0.0	0	10.1	2	136.7	27	78	147.7	30	84
531/207	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	7.5	1	111.2	15	64	153.1	16	89
531/849	0.0	0	0.0	0	0.0	0	0.0	0	25.5	3	0.0	0	0.0	0	126.9	21	-	102.9	19	-
532/173	0.0	0	0.0	0	0.0	0	0.0	0	28.5	2	0.0	0	11.5	1	166.5	18	99	(126.5)	(15)	-
565/666	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	9.0	1	227.1	27	132	230.1	29	134
566/ 7	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.3	1	0.3	2	137.2	27	91	137.1	25	91
566/252	0.0	0	0.0	0	0.0	0	0.0	0	0.1	1	0.0	0	1.8	1	168.8	23	-	196.8	22	-
566/309	0.0	0	0.1	1	0.0	0	0.0	0	1.8	2	0.0	0	5.0	1	152.5	30	96	206.6	30	130
566/860	0.0	0	0.0	0	0.0	0	0.0	0	5.0	1	0.0	0	0.0	0	188.5	19	117	209.5	20	130
567/ 35	0.0	0	0.0	0	0.0	0	0.0	0	9.5	2	4.1	3	2.2	3	173.1	40	91	183.9	42	96
568/ 55	0.0	0	0.0	0	0.0	0	0.0	0	9.5	2	13.0	2	0.0	0	132.0	30	69	130.0	32	68
568/284	0.0	0	0.0	0	0.0	0	0.0	0	38.5	2	22.4	3	0.0	0	181.7	33	92	174.6	33	88
568/307	0.0	0	0.0	0	0.0	0	0.0	0	16.0	1	17.5	1	0.0	0	146.5	25	95	153.0	27	86
568/817	0.0	0	0.3	1	0.0	0	0.0	0	31.5	1	6.8	4	0.0	0	125.2	31	69	91.9	31	52
569/271	0.0	0	0.0	0	0.0	0	0.0	0	17.0	1	11.0	1	0.0	0	189.7	16	110	171.7	19	102
570/ 68	0.0	0	0.0	0	0.0	0	0.0	0	8.0	1	9.2	2	10.5	1	170.2	19	104	171.2	18	105
570/146	0.0	0	0.0	0	0.0	0	0.0	0	16.0	1	32.0	4	0.0	0	173.7	19	-	152.9	19	-
570/508	0.0	0	0.0	0	0.0	0	0.0	0	14.5	1	14.0	3	2.5	2	184.8	29	-	158.9	25	-
570/531	0.0	0	0.0	0	0.0	0	0.0	0	23.0	1	21.0	4	0.0	0	200.0	22	110	163.5	19	90
570/628	0.9	1	0.0	0	0.0	0	0.0	0	22.8	3	21.7	4	19.6	3	267.7	43	134	274.2	39	111
570/637	0.5	2	0.0	0	0.0	0	0.0	0	26.2	3	25.7	4	7.0	2	208.9	43	93	186.7	44	83
572/623	0.0	0	0.0	0	0.0	0	0.0	0	18.0	1	59.5	4	3.5	2	222.0	30	-	202.5	29	-

R E Ë N V A L 1 9 7 1
S.W.A.

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	Ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
608/376	NAUKLUFT (BERGSEBRA PARK)	2416	1613	1700	41.5	2	56.5	6	34.0	1	8.0	2	2.2	2
608/488	BLASSKRANZ	2408	1617	1500	22.9	5	76.7	9	33.2	4	5.6	3	0.0	0
609/ 57	LAHNSTEIN	2427	1632	1400	29.5	5	211.5	10	62.0	3	12.5	2	0.0	0
609/270	URUSIS	2430	1639	1400	42.0	5	201.0	7	70.0	3	15.0	2	0.0	0
609/734	ARUSIS	2414	1655	1300	34.5	11	64.4	16	12.6	5	20.3	4	0.3	3
610/884	KUB	2414	1730	1200	7.4	5	73.7	8	21.7	6	5.0	2	4.0	1
611/153	KALKRAND	2403	1736	1229	12.5	2	89.0	7	13.5	3	0.0	0	0.0	0
611/287	BISIPOORT	2417	1740	1200	14.0	5	61.7	9	27.1	10	6.5	3	3.0	1
611/823	TWILIGHT	2413	1758	1215	18.9	8	71.2	8	17.8	6	3.5	3	4.2	2
612/423	LIDFONTEIN	2403	1815	1150	75.5	7	64.8	9	19.0	6	12.4	4	2.5	1
612/502	HOFMEYR	2422	1817	1200	76.5	5	62.5	6	46.0	3	6.0	1	14.0	1
612/733	EIRUP	2413	1825	1150	52.5	9	48.2	7	8.0	3	4.3	2	0.0	0
612/771	STAMPRIETFONTEIN	2421	1826	1100	50.0	3	38.0	3	31.7	2	23.0	2	15.0	1
612/818	ROHRBECK PROEFPLAAS	2408	1828	1200	26.0	-	46.3	-	21.8	-	6.5	-	1.4	-
613/155	MENTIN	2408	1836	1200	22.0	5	64.5	5	36.5	4	1.4	2	0.5	1
613/375	KAMEELBAUM	2415	1843	1200	41.5	7	51.0	2	79.0	3	0.0	0	4.0	1
614/ 2	NABUS-VOGELWEIDE	2402	1901	1050	10.8	6	47.4	8	33.7	7	14.0	2	8.5	2
614/188	ARANOS(ARAHOAB)	2408	1907	1200	19.2	5	86.0	6	48.0	5	9.5	1	4.0	2
614/406	OMRAH	2416	1914	1100	6.5	2	74.5	4	24.5	3	3.5	1	44.5	1
614/845	LEKKERWATER	2405	1929	1200	14.0	6	49.0	10	36.0	4	0.8	1	15.0	4
615/ 21	TOEVLUG	2421	1931	1200	32.0	5	105.5	9	28.5	4	13.0	1	14.5	2
615/667	GOEDEHOOP	2407	1953	1150	24.7	6	78.7	9	51.3	3	22.6	3	16.1	2
615/824	UITSPAN	2414	1958	900	34.0	2	38.8	5	4.5	1	49.0	3	15.5	4
649/ 64	GOBABEB	2334	1503	407	0.2	1	7.9	5	10.4	1	0.0	0	0.0	0
650/836	SOLITAIRE	2356	1558	1000	4.0	2	30.0	7	18.0	2	7.0	3	2.0	2
651/192	MIDDELPLAAS	2342	1607	1100	17.3	5	122.9	14	5.8	4	2.5	2	0.5	1
651/549	NAUCHAS	2339	1619	1826	28.5	2	134.0	10	0.0	0	0.0	0	0.0	0
652/589	KLEIN AUB	2349	1640	1500	35.0	4	93.2	12	8.5	5	14.0	5	3.4	4
653/343	TSUMIS	2343	1712	1277	10.0	1	83.8	8	28.0	4	34.5	2	30.0	1
653/881	WILDERNESS	2341	1730	1250	33.0	4	42.5	7	49.0	6	12.0	2	0.0	0
654/646	MBELA	2346	1752	1300	48.5	5	60.5	9	19.5	4	81.5	3	0.0	0
654/802	BITTERWASSER	2352	1757	1300	27.9	6	102.0	13	26.2	6	4.1	2	2.0	1
654/842	RHEINPFALZ	2332	1759	1300	60.2	6	64.5	8	44.0	6	23.0	5	5.0	1
655/123	ARIAS SUID	2333	1805	1300	77.0	8	54.0	7	19.0	4	7.5	2	0.0	0
655/255	JA DEANOOP	2345	1809	1300	36.3	7	114.7	18	36.5	7	5.7	3	3.8	3
655/397	DERM	2337	1814	1200	24.0	2	67.5	12	34.0	2	10.5	1	15.0	2
655/503	GOMCHANAS OST	2353	1817	1250	45.6	7	26.5	13	49.6	12	2.8	5	3.6	4
656/ 28	STRATE	2358	1831	1200	34.5	6	25.7	4	14.1	4	1.5	1	3.0	1
656/457	REITZ	2337	1846	1300	23.0	3	82.5	15	31.6	5	2.3	1	16.8	4
656/541	LEONARDVILLE	2331	1849	1350	33.0	4	53.0	11	24.0	6	22.5	3	4.5	1
656/582	PERDEPAN	2342	1850	1250	3.5	1	64.0	6	19.0	2	17.0	3	10.0	2
656/771	MANIE	2351	1856	1200	22.3	7	57.0	5	54.4	7	7.0	2	18.0	2
657/ 36	LITKOMS	2336	1902	1250	16.5	3	54.5	6	33.0	3	5.0	1	9.0	2
657/582	AMINUIS	2342	1920	1000	9.0	1	79.0	5	26.0	3	0.5	1	20.2	2
657/695	RIETQUELLE	2339	1924	1000	0.0	0	12.0	4	18.5	2	0.0	0	13.5	2
695/396	TANTUS	2306	1614	1800	12.1	6	137.5	13	24.6	10	6.0	2	2.0	1
696/183	MAHENDA	2303	1637	1750	45.2	7	186.4	17	32.7	10	50.5	3	8.0	6
696/492	NACS	2312	1647	1650	20.6	5	144.1	15	40.2	8	32.2	6	8.0	4
698/114	KOLS	2324	1734	1400	29.0	6	64.8	8	23.7	7	52.8	4	1.0	1
698/637	GRASWEREID	2307	1752	1400	34.4	9	84.1	9	24.5	7	34.4	6	16.3	4
698/778	BEENBREOK	2328	1756	1350	49.0	5	173.2	13	29.5	6	36.5	5	8.5	2
699/ 32	NEUHEF KOWAS	2302	1802	1350	35.1	7	60.4	12	59.6	11	7.5	6	22.2	5
699/ 52	DORNENPFANNE	2322	1802	1300	26.0	2	64.5	12	48.5	8	19.5	5	2.0	1
699/227	NONIKAM	2317	1808	1300	43.0	7	77.9	14	52.3	7	9.0	5	6.7	3
699/385	DORNFONTEIN SUD	2325	1813	1350	59.0	4	84.0	11	2.5	1	34.0	6	33.5	2
700/152	COURT	2302	1836	1300	18.0	2	50.9	7	19.8	2	41.0	4	1.0	1
700/500	CHAMASARIS	2320	1847	1350	31.9	6	84.0	13	25.2	6	41.7	4	13.6	3
701/ 24	MONICA	2324	1901	1300	73.5	5	46.5	10	43.8	7	17.0	3	8.5	1
734/773	PELICAN POINT - VRT	2253	1426	7	0.0	0	4.8	3	0.5	1	0.0	0	0.0	0
734/897	WALVISBAAI	2257	1430	3	0.0	0	1.4	1	0.1	1	0.0	0	0.0	0
734/897A	WALVIS BAY(RADIO)	2257	1430	3	0.0	0	2.5	3	0.2	2	0.0	0	0.0	0
735/ 11	SWAKOPMUND	2241	1431	12	0.4	1	4.5	2	0.0	0	0.0	0	0.0	0
737/ 92	HOREBIS	2232	1534	750	0.0	0	53.1	9	1.0	1	0.0	0	0.0	0
737/388	EMERITUS	2258	1543	1000	5.5	2	94.0	20	3.8	10	0.1	1	7.5	2
737/527	DONKERBUK	2247	1548	1100	14.3	5	41.0	8	31.5	4	17.5	3	0.0	0
738/435	TSAWISIS	2245	1615	1400	47.1	11	173.3	20	34.1	9	3.8	1	6.7	4
738/519	ABOCHAIBIS	2239	1618	1400	69.0	6	145.0	10	10.0	1	0.0	0	0.0	0
738/647	TERRA ROSSA	2247	1622	1500	61.0	10	221.5	19	63.5	7	9.0	2	0.5	1
739/ 79	WASSERVALLEI	2249	1633	1300	(17.1)	(4)	132.2	15	42.4	9	15.0	3	2.0	3
739/366	NEUHEUSIS	2236	1643	1714	55.7	14	119.0	17	19.2	10	7.4	5	8.1	2
739/424	HOOFFELS	2234	1647	1800	39.6	13	171.6	19	30.1	3	53.6	7	6.0	0
739/613	AUGEIGAS	2233	1658	1800	27.3	9	148.6	19	39.3	10	32.5	4	10.5	2
740/124	WINDHOEK(NORTH)	2234	1705	1654	85.2	13	141.5	16	93.1	8	34.5	4	8.3	3
740/124A	WINDHOEK(CONVENT)	2234	1705	1654	56.6	13	143.8	17	93.3	7	10.8	3	13.6	3
740/124B	WINDHOEK(WATERWORKS)	2234	1705	1654	47.7	15	138.5	19	59.8	7	27.6	4	11.5	7
740/135	KRUMBUK	2245	1705	1800	61.3	14	203.8	18	67.5	11	36.0	6	9.1	3
740/154	WINDHOEK(MET OFFICE)	2234	1706	1728	81.7	15	129.5	21	60.6	9	29.6	4	13.7	5
740/575	VOIGTLAND	2235	1720	1855	52.1	10	115.2	12	68.2	8	29.5	3	16.5	5
740/677	BINSENHEIM	2247	1723	1850	57.7	14	157.5	12	56.5	9	34.5	4	23.0	4
740/711	RIETFONTEIN	2251	1724	1950	55.1	12	180.0	19	57.7	12	50.7	5	9.8	4
740/792	HOFBRAU	2242	1727	1800	73.3	10	83.0	13	114.1	6	18.1	6	16.7	3
741/326	DORDABIS	2256	1741	1500	78.3	14	89.4	13	37.4	10	62.6	6	7.5	3
741/387	KLEEPPORTE	2247	1750	1600	64.3	10	145.1	11	33.7	11	72.5	7	28.2	6
742/348	DOREEN	2248	1812	1400	105.0	7	77.0	7	56.0	4	9.5	1	14.5	3
742/415	CLIVE	2255	1814	1400	83.5	8	72.0	12	36.5	6	35.0	4	18.0	3

R A I N F A L L 1 9 7 1
S.W.A.

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/ND	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
608/376	0.0	0	0.0	0	1.5	1	0.0	0	0.0	0	0.0	0	5.9	2	149.6	16	-	162.7	19	-
608/488	0.0	0	0.0	0	2.5	1	0.0	0	0.0	0	0.1	1	0.0	0	141.0	23	-	144.4	22	-
609/ 57	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	325.5	20	187	338.5	21	195
609/270	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	328.0	17	200	(328.0)	(17)	-
609/734	0.3	3	0.0	0	0.0	0	0.0	0	11.5	5	0.2	2	0.5	5	144.6	54	84	167.8	56	97
610/884	0.0	0	0.0	0	0.0	0	0.0	0	11.5	2	5.0	2	17.0	2	145.3	28	81	149.0	29	83
611/153	0.0	0	0.0	0	0.0	0	0.0	0	2.3	1	18.0	1	3.0	2	138.3	16	74	(149.5)	(15)	-
611/287	0.0	0	0.0	0	0.0	0	0.0	0	29.0	2	2.0	1	0.0	0	143.3	31	-	166.5	31	-
611/823	0.0	0	0.0	0	0.0	0	0.0	0	6.0	1	23.5	3	1.0	1	146.1	32	87	130.2	35	77
612/423	0.0	0	0.0	0	0.0	0	0.0	0	10.0	1	33.0	5	1.5	1	218.7	34	93	188.7	32	81
612/502	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	30.0	2	5.0	1	240.0	19	125	205.0	16	107
612/733	4.0	2	0.0	0	0.0	0	0.0	0	21.7	1	46.0	3	0.0	0	184.7	27	94	155.0	32	79
612/771	0.0	0	0.0	0	0.0	0	0.0	0	12.0	1	51.5	2	0.0	0	221.2	14	114	217.4	15	112
612/818	1.7	-	0.0	-	0.0	-	0.0	-	16.5	-	34.0	-	2.6	-	156.8	-	-	117.8	-	-
613/155	0.0	0	0.3	1	0.0	0	0.0	0	16.0	2	77.5	4	8.0	2	226.7	26	114	159.9	24	80
613/375	0.0	0	0.0	0	0.0	0	0.0	0	25.0	1	74.0	4	0.0	0	274.5	18	134	211.0	20	103
614/ 2	1.3	2	0.0	0	0.0	0	0.0	0	28.7	3	42.1	6	9.2	3	195.7	39	92	205.4	40	97
614/188	0.0	0	0.0	0	0.0	0	0.0	0	22.0	2	31.4	3	0.0	0	220.1	24	103	236.8	29	111
614/406	0.0	0	0.0	0	0.0	0	0.0	0	15.5	2	36.0	2	0.0	0	205.0	15	126	182.5	13	112
614/845	0.0	0	0.0	0	0.0	0	0.0	0	9.0	3	35.0	7	2.0	1	160.8	36	-	159.8	34	-
615/ 21	0.0	0	0.0	0	0.0	0	0.0	0	9.5	2	42.0	2	0.0	0	245.0	25	-	251.0	29	-
615/667	5.0	2	0.0	0	0.0	0	0.0	0	0.0	0	36.3	3	1.5	1	236.2	29	113	238.1	31	114
615/824	0.0	0	0.0	0	0.0	0	0.0	0	3.5	1	32.0	1	0.0	0	177.3	17	94	177.9	23	94
649/ 64	0.0	0	0.0	0	3.4	2	0.0	0	0.0	0	0.0	0	0.0	0	21.9	9	-	19.0	8	-
650/836	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	61.0	16	-	(61.0)	(16)	-
651/192	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	7.0	1	0.0	0	156.0	27	118	38.3	26	29
651/549	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	3.5	1	6.0	1	172.0	14	82	(162.5)	(12)	-
652/589	0.0	0	0.0	0	0.0	0	0.0	0	0.6	1	0.0	0	0.0	0	154.7	31	-	192.8	38	-
653/343	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	1.0	1	187.3	17	96	(186.3)	(16)	-
653/881	0.0	0	0.0	0	0.0	0	0.0	0	14.0	1	16.0	3	0.0	0	166.5	23	82	175.0	22	87
654/646	0.0	0	0.0	0	0.0	0	0.0	0	2.0	1	7.5	2	4.0	1	223.5	25	100	(238.0)	(23)	-
654/802	0.0	0	0.0	0	0.0	0	0.0	0	3.0	1	36.1	5	1.0	1	202.3	35	89	191.2	59	84
654/842	0.0	0	0.0	0	0.0	0	0.0	0	1.0	1	31.5	3	5.0	1	234.2	31	98	272.2	33	114
655/123	0.0	0	0.0	0	0.0	0	0.0	0	3.0	1	21.0	2	12.5	2	194.0	26	83	252.0	31	108
655/255	0.2	1	0.0	0	0.0	0	0.0	0	13.0	1	28.0	5	0.0	0	238.2	45	94	253.5	48	100
655/397	0.0	0	0.0	0	0.0	0	0.0	0	4.5	1	34.5	5	1.5	1	191.5	26	90	217.0	24	102
655/503	6.1	4	0.3	3	0.0	0	0.0	0	11.3	3	24.7	5	10.2	4	180.7	60	78	154.2	57	67
656/ 28	0.0	0	0.0	0	0.0	0	0.0	0	10.5	1	23.0	2	9.5	3	121.8	22	54	141.3	22	63
656/457	0.0	0	0.0	0	0.0	0	0.0	0	8.0	2	18.2	4	11.0	1	193.4	35	-	226.5	39	-
656/541	0.0	0	0.0	0	0.0	0	0.0	0	6.5	1	35.0	6	0.0	0	178.5	32	81	194.1	33	88
656/582	2.0	1	0.0	0	0.0	0	0.0	0	9.0	2	27.5	3	0.0	0	152.0	20	65	200.0	23	86
656/771	0.0	0	0.0	0	0.0	0	0.0	0	12.0	2	19.0	2	0.0	0	169.7	27	94	244.9	28	121
657/ 36	2.0	2	0.0	0	0.0	0	0.0	0	0.0	0	28.0	2	0.0	0	148.0	19	60	159.0	22	81
657/582	3.5	1	0.0	0	0.0	0	0.0	0	3.5	1	52.2	6	7.5	2	201.4	22	75	(138.2)	(13)	-
657/659	0.0	0	0.0	0	0.0	0	0.0	0	1.5	1	21.5	2	-	-	(67.0)	(11)	-	(60.0)	(11)	-
695/396	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	2.3	1	3.7	2	188.2	35	86	202.3	38	93
696/183	0.0	0	0.0	0	0.0	0	0.0	0	0.4	2	4.6	4	0.0	0	327.8	49	124	395.1	63	149
696/492	0.0	0	0.0	0	0.0	0	0.0	0	0.4	1	3.0	1	3.5	2	252.0	42	94	290.9	49	108
698/114	2.0	1	0.0	0	0.0	0	0.0	0	0.0	0	2.5	1	1.0	1	176.8	29	-	209.8	31	-
698/637	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	38.0	7	6.0	1	237.7	43	84	265.2	45	94
698/778	0.0	0	0.0	0	0.0	0	0.0	0	2.0	1	21.0	2	5.7	2	325.4	38	130	372.7	40	149
699/ 32	0.6	2	0.0	0	0.0	0	0.0	0	4.0	2	27.4	6	3.8	3	220.6	54	81	277.4	60	102
699/ 52	1.0	1	0.0	0	0.0	0	0.0	0	0.2	2	18.0	4	0.0	0	179.7	35	71	231.3	40	91
699/227	0.0	0	0.0	0	0.0	0	0.0	0	2.4	1	22.4	4	2.5	1	216.2	42	83	255.9	46	98
699/385	0.0	0	0.0	0	0.0	0	0.0	0	3.0	1	-	-	-	-	(216.0)	(25)	-	276.5	33	121
700/152	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	69.0	4	0.0	0	199.7	20	86	203.1	22	87
700/500	3.0	2	0.1	1	0.0	0	0.0	0	6.0	2	49.7	5	2.5	2	257.7	44	96	254.7	44	95
701/ 24	0.0	0	0.0	0	0.0	0	0.0	0	6.5	1	27.5	5	21.5	2	244.8	34	96	255.3	34	100
734/773	0.0	0	0.0	0	1.2	2	0.0	0	0.0	0	0.0	0	0.0	0	6.5	6	-	5.6	5	-
734/897	0.0	0	0.0	0	1.5	1	0.0	0	0.0	0	0.0	0	0.0	0	3.0	3	16	1.8	4	9
734/897A	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	2.7	5	-	2.7	5	-
735/ 11	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	4.9	3	17	4.9	3	17
737/ 92	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	1.0	1	55.1	11	60	54.1	10	59
737/388	0.1	1	0.1	1	0.2	2	0.0	0	1.0	1	0.0	0	1.2	4	113.5	44	87	113.1	39	87
737/527	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	1.0	1	5.6	2	110.9	23	66	115.3	23	69
738/435	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	2.8	2	14.8	3	282.6	50	111	298.8	56	117
738/519	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	20.0	1	34.0	3	278.0	21	-	309.0	24	-
738/647	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	11.0	3	366.5	42	-	398.5	46	-
739/ 79	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.8	1	0.5	3	(210.6)	(38)	-	(209.3)	(34)	-
739/366	0.0	0	0.0	0	0.0	0	0.0	0	0.4	2	2.4	4	11.8	5	264.0	59	78	317.9	77	94
739/484	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.6	2	0.0	0	295.5	44	-	362.4	58	-
739/813	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	1.0	1	(258.2)	45	-	(258.2)	(44)	-
740/124	0.5	1	0.0	0	0.0	0	0.0	0	0.0	0	6.0	4	10.0	3	379.1	52	100	488.7	45	129
740/124A	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.2	1	11.3	2	359.6	48	99	471.6	60	130
740/124B	0.0	0	0.0	0	0.0	0	0.0	0	0.1	1	8.9	4	2.0	1	296.1	58	83	375.3	66	105
740/135	0.0	0	0.0	0	0.0	0	0.0	0	0.7	1	5.2	1	7.9	4	391.5	58	104	486.0	67	129
740/154	0.1	1	0.0	0	0.0	0	0.0	0	0.2	1	2.7	3	8.8	4	326.9	63	89	431.9	72	117
740/575	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	4.5	3	9.0	4	295.0	45	77	(316.4)	(46)	-
740/677	0.0	0	0.0	0	0.0	0	0.0	0	1.0	1	23.2	5	17.0	5	410.4	54	121	463.7	57	136
740/711	1.0	1	0.0	0	0.0	0	0.0	0	4.3	3	8.9	4	11.8	4	379.3	64	117	434.4	73	134
740/792	0.9	3	0.0	0	0.0	0	0.0	0	0.0	0	8.5	4	2.8	2	319.4	49	92	408.5	55	118
741/326	4.6	1	0.0	0	0.0	0	0.0	0	0.0	0	22.6	2	6.4	2	306.8	51	96	(392.5)	(60)	-
741/587	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	55.7	5	21.5	3	421.0	53	127	416.5	63	126
742/348	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	22.0	1	2.0	1	286.0	24	103	294.5	29	106
742/415	5.0	1	0.0	0	0.0	0	0.0	0	0.0	0	43.0	5	9.0	3	302.0	42	107	321.5	44	114

R E Ë N V A L 1 9 7 1
S.W.A.

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	B S	L E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
742/746	CHIC	22°56'	18°25'	1200	108.0	4	77.8	5	37.0	4	12.5	2	10.0	3
743/117	STYRIA	2257	1834	1400	68.0	5	119.5	10	4.6	3	29.0	3	9.0	2
743/349	CHAB	2249	1842	1450	55.5	6	91.0	7	45.0	6	17.0	2	9.0	1
743/370	SCHELLENBERG	2240	1843	1450	102.0	6	134.0	11	51.5	5	32.5	4	13.0	1
743/667	BOXHAGEN	2237	1853	1450	56.7	4	78.0	8	29.9	6	46.9	7	18.4	3
743/738	SPATZENFELD	2248	1855	1400	54.9	7	93.9	11	47.7	8	27.0	7	13.0	4
744/419	ROSENDAL	2259	1914	1300	102.9	6	82.8	12	34.5	7	7.1	6	23.7	4
744/459	GAUS	2239	1916	1450	70.0	5	83.0	8	75.0	5	150.1	7	13.0	4
745/145	ELSDALE	2255	1935	1300	154.0	8	54.5	6	42.8	4	20.8	5	10.5	1
745/431	HUMPATA	2241	1945	1200	64.0	9	83.5	12	83.0	8	46.0	5	12.0	3
780/ 58	ROSSING PROSPECT	2228	1502	600	0.1	1	0.8	3	3.8	1	4.5	1	0.0	0
780/629	MARMOR	2229	1521	600	5.2	2	27.2	8	0.0	0	6.8	2	0.0	0
781/108	OORSTRIVIER	2218	1534	1100	0.0	0	57.0	6	10.0	2	1.6	1	0.0	0
781/227	KLEAS	2217	1538	1089	1.0	1	74.1	9	17.0	5	2.0	1	0.0	0
781/305	ABBABIS CST	2209	1541	1500	2.0	3	170.0	15	31.0	3	14.0	4	3.5	1
781/552	GOAS	2212	1548	1100	10.5	2	217.5	14	39.5	5	17.5	2	2.5	1
781/815	OKONGAVA CST	2205	1558	1375	74.5	8	177.0	15	23.0	3	24.0	3	0.0	0
782/146	KURIKAUB NORD	2226	1605	1050	46.9	7	96.6	19	5.1	7	1.6	2	1.2	3
782/232	OTJIMBINGWE	2222	1608	860	(8.0)	(4)	88.7	17	10.6	5	0.0	0	1.3	3
782/308	OTJOZONDU	2208	1611	1200	60.7	15	204.2	22	82.0	14	59.4	7	8.0	3
782/557	LIEVENBERG	2217	1619	1150	51.5	5	129.3	15	52.0	7	1.5	1	5.0	2
782/704	WESTFALENHOF	2214	1624	1250	62.3	8	202.5	16	32.5	6	49.0	2	9.0	1
782/873	ERORA CST	2203	1630	1500	33.0	7	136.5	12	64.5	5	5.0	1	0.0	0
783/355	OKARIRO	2225	1642	1700	51.5	13	173.9	16	30.5	6	3.9	4	14.0	2
783/551	FRANKENHOF	2211	1649	1300	69.8	14	235.7	12	48.8	11	18.4	2	5.6	3
783/577	OKAUNDUA	2207	1650	1350	59.7	12	166.6	17	37.0	6	44.0	5	3.5	1
783/703	OLSTERNBROOK	2213	1654	1560	59.5	6	207.0	18	80.0	2	20.0	2	20.0	2
783/768	OTJISEVA	2218	1656	1435	47.9	9	218.0	21	71.8	4	18.9	3	32.0	2
784/136	KLEIN OKAPUKA	2216	1705	1500	104.1	10	195.0	18	36.7	6	27.3	5	20.0	2
784/328	HOFFNUNG	2228	1711	1918	110.8	16	168.2	19	94.5	10	41.2	7	8.0	5
784/331	OVITOTO RESERVE	2201	1712	1550	58.0	5	163.5	7	94.5	3	33.5	3	0.0	0
784/446	BERGVLUG	2228	1715	1800	41.0	4	182.0	5	99.5	5	73.0	4	45.0	3
784/598	NELDAM(PROEFPLAAS)	2228	1720	1800	43.5	5	143.0	11	91.5	6	107.0	4	21.0	2
784/630	NELDAM AGRI COLLEGE	2230	1721	1741	61.0	12	163.5	14	87.6	8	54.8	7	37.3	5
784/720	ONDEKAREMBA	2230	1724	1727	25.3	15	174.2	15	80.2	13	35.0	8	29.8	6
784/723	OTJOZONJATI	2203	1725	1600	77.0	5	161.5	15	111.0	4	45.5	6	0.0	0
784/826	OTJITUEZU OOS	2216	1728	1700	11.5	2	158.5	12	66.5	4	72.0	5	21.1	4
784/839	J.G.STRIJDOM - WK	2229	1728	1720	65.9	13	162.9	15	101.4	10	36.7	6	35.1	6
785/163	OTJIKUKOLA	2203	1737	1700	82.5	10	153.5	10	90.6	9	25.0	3	7.0	1
785/220	MECKLENBURG	2210	1738	1700	31.5	7	357.0	12	79.5	5	18.0	3	0.0	0
785/490	OKAHUA	2210	1747	1600	86.5	7	237.6	12	60.0	4	35.0	4	1.0	1
786/ 97	KANONSKOOT	2207	1804	1550	133.0	8	140.2	8	33.5	3	13.5	2	18.0	2
786/283	OMATEVA	2213	1810	1550	120.1	9	127.3	13	96.3	5	37.2	7	5.0	2
786/865	WITVLEI	2225	1829	1455	67.7	6	100.6	6	63.0	4	33.0	1	0.0	0
787/131	OKGAVA OKUEA	2211	1835	1400	47.0	8	145.6	15	69.6	8	39.5	8	20.0	1
787/184	SACHSENWALD	2204	1837	1400	103.0	9	140.0	10	17.0	2	74.5	5	14.5	1
787/263	NINETTE	2223	1839	1475	29.0	3	94.5	7	37.0	3	40.0	3	10.0	2
787/712	KARLSRUH	2222	1854	1425	59.5	10	135.7	10	29.0	3	72.5	8	26.7	5
787/838	GOBABIS	2228	1858	1436	105.4	11	92.3	13	45.6	6	36.3	9	16.0	4
788/182	SANDVELD PROEFPLAAS	2202	1907	1300	58.6	8	169.5	10	54.5	2	26.2	5	31.1	4
789/717	KAROLINENHOF	2227	1954	1300	62.7	7	56.3	8	69.3	5	64.7	6	17.7	2
789/798	BLITEPOS	2218	1957	1300	151.0	5	19.1	4	93.5	4	32.5	7	13.0	2
822/794	CAPE CROSS	2144	1357	MSL	0.0	0	11.7	3	0.2	1	0.0	0	0.1	1
826/145	USAKOS	2159	1535	873	8.5	1	98.5	9	17.5	2	34.0	1	0.0	0
826/158	AMEIB	2148	1537	1110	23.1	5	114.4	9	48.0	7	4.0	1	3.0	1
826/556A	KARIBIB	2156	1550	1170	31.3	9	193.8	18	27.3	6	25.5	3	0.0	0
826/885	WAG-N-BIETJIE	2145	1600	1200	65.0	7	137.0	12	37.0	1	39.0	3	7.0	1
827/296	KALICMBO	2158	1610	1300	33.5	4	137.0	15	43.5	5	31.0	3	0.0	0
827/565	WILHELMSTAL	2155	1619	1341	55.9	7	278.0	14	132.0	8	0.0	0	4.0	2
827/848	OTJOMBUINDJA	2138	1629	1450	48.0	8	243.5	19	48.5	4	54.0	5	1.5	1
828/149	ONGOMBOMBERO	2159	1635	1200	64.1	12	128.2	18	89.7	13	27.1	5	8.1	2
828/334	HOWELL	2134	1642	1450	40.9	4	128.8	9	28.5	3	62.1	5	8.9	2
828/465	OKATJIHO	2145	1646	1700	85.0	12	136.6	17	31.6	6	31.5	7	5.2	3
828/655	OKAKANGO	2155	1652	1400	40.5	12	142.1	14	32.2	7	41.5	5	10.0	2
828/735	OKAMITA	2149	1655	1430	63.0	11	264.5	19	43.1	9	42.0	4	39.0	4
829/225	OTJOMBALI	2145	1708	1550	113.4	12	186.4	21	16.0	4	12.7	5	36.0	2
829/365	AGAGIA	2135	1713	1550	58.0	7	305.0	17	28.0	3	20.0	3	0.0	0
829/648	OTJIRUZE	2148	1722	1550	69.5	7	225.0	14	85.0	6	40.5	8	0.0	0
829/855	VOORUITGAAN	2145	1729	1500	51.6	9	146.5	14	118.4	6	78.1	7	5.7	3
830/238	OTJISAUNA SUID	2158	1738	1600	25.0	7	158.7	18	40.1	5	25.3	8	0.0	0
830/452	OKAJURA	2132	1746	1550	69.5	8	228.0	14	21.0	6	10.0	2	15.0	4
830/557	WAAIHOEK	2147	1749	1550	56.2	11	224.0	16	21.8	4	24.8	9	17.9	3
830/580	ONDUNDUKAZIRAPI	2140	1750	1500	43.0	8	216.1	16	39.9	6	51.0	7	24.1	3
830/867	KORASIEPLAAS	2157	1759	1550	60.5	7	110.0	12	30.0	3	40.5	4	0.0	0
831/ 12	KATANENO	2142	1801	1500	55.5	8	166.0	14	31.5	6	8.1	3	23.0	3
831/435	STEINHALSEN	2149	1815	1500	71.0	4	188.0	6	23.0	1	-	-	20.0	1
832/665	OWINGI	2155	1853	1400	47.0	9	188.5	15	94.4	12	55.6	10	25.5	4
833/204	HERNER	2154	1907	1350	44.8	8	130.0	10	40.0	6	20.5	3	27.0	3
833/222	EPUKIRO	2142	1908	1400	63.2	11	103.1	9	44.7	4	34.6	8	23.4	3
833/753	EPUKIRO RESERVE	2133	1926	1400	52.0	8	193.8	10	72.0	4	22.5	4	15.0	2
868/613	UIS	2113	1451	791	8.0	2	82.0	11	34.0	6	2.9	2	0.0	0
869/712	OKOMBAHE	2122	1524	945	-	-	189.5	12	51.3	5	31.6	3	0.0	0
869/842	OMATJETTE	2102	1529	1250	63.5	4	182.0	13	13.4	4	32.0	4	0.0	0
870/401	ETENDERO	2113	1544	1300	62.6	11	178.6	20	74.3	5	28.0	5	0.5	1
870/418	OTJOMPALE WES	2128	1544	1150	76.3	11	228.5	19	90.1	9	-	-	5.0	1

R A I N F A L L 1 9 7 1
S.W.A.

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NC	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
742/746	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	245.3	18	-	308.3	22	-
743/117	0.0	0	0.0	0	0.0	0	0.0	0	0.6	2	6.0	3	2.3	1	239.0	29	71	309.7	32	92
743/349	0.0	0	0.0	0	0.0	0	0.0	0	6.0	1	30.0	5	0.0	0	253.5	28	81	335.5	33	108
743/370	0.0	0	0.0	0	0.0	0	0.0	0	5.5	1	28.0	5	12.5	2	379.0	35	112	468.0	37	138
743/667	0.0	0	0.0	0	0.0	0	0.0	0	6.5	2	39.3	7	5.8	4	281.5	41	78	(284.0)	(36)	-
743/738	0.0	0	0.0	0	0.0	0	0.0	0	4.1	2	48.0	7	(4.6)	(2)	(293.2)	(48)	-	338.1	55	91
744/419	0.0	0	0.0	0	0.0	0	0.0	0	9.5	2	52.5	5	11.8	3	324.8	45	109	343.7	53	115
744/459	1.0	1	0.0	0	0.0	0	0.0	0	3.0	1	84.0	6	15.5	5	494.6	42	143	507.6	45	147
745/145	0.3	2	0.0	0	0.0	0	0.0	0	0.0	0	70.9	8	15.8	6	409.6	40	-	431.4	38	-
745/431	0.0	0	0.0	0	0.0	0	0.0	0	26.5	1	26.5	7	106.8	11	448.3	56	145	336.0	48	109
780/ 58	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	9.2	6	-	10.2	7	-
780/629	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	39.2	12	-	62.7	14	-
781/108	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	68.6	9	43	74.6	10	47
781/227	0.0	0	0.0	0	0.0	0	0.0	0	5.0	1	0.0	0	2.0	1	101.1	18	68	115.1	19	78
781/309	0.6	2	0.0	0	0.0	0	0.0	0	0.0	0	4.5	1	3.2	2	228.8	31	114	243.9	31	122
781/552	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	14.5	3	302.0	27	158	326.5	28	171
781/815	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	11.5	3	310.0	32	124	319.5	31	127
782/146	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	3.7	2	13.8	6	168.9	46	90	195.0	55	104
782/232	0.0	0	0.0	0	0.0	0	0.0	0	0.2	2	0.0	0	(0.1)	(1)	(108.9)	(32)	-	(141.1)	(36)	-
782/308	0.0	0	0.0	0	0.0	0	0.0	0	0.3	3	6.2	3	22.4	7	443.2	74	155	517.6	77	181
782/557	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	23.9	2	263.2	32	110	266.7	37	111
782/704	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	23.0	3	378.3	36	148	400.8	40	157
782/873	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	14.5	2	253.5	27	79	256.0	29	80
783/355	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	10.0	2	323.8	43	-	392.3	50	-
783/551	1.8	1	0.0	0	0.0	0	0.0	0	0.0	0	4.5	1	6.6	5	391.2	49	122	449.9	52	140
783/577	2.5	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	8.0	2	321.3	44	99	380.8	52	117
783/703	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	8.0	1	28.0	3	422.5	34	126	490.9	40	147
783/768	0.1	1	0.0	0	0.0	0	0.0	0	0.0	0	13.9	2	19.3	5	421.9	47	111	463.1	51	122
784/136	2.5	2	0.0	0	0.0	0	0.0	0	0.5	1	-	-	-	-	(386.1)	(44)	-	494.0	56	-
784/328	0.3	1	0.0	0	0.0	0	0.0	0	0.3	1	2.5	3	7.1	6	432.9	68	101	535.4	82	126
784/331	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	7.0	1	15.0	1	371.5	20	102	469.5	26	129
784/448	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	440.5	21	113	556.5	33	143
784/598	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	9.0	2	17.5	2	432.5	32	117	555.0	42	151
784/630	1.0	2	0.0	0	0.0	0	0.0	0	0.1	1	8.5	3	0.0	0	413.8	52	128	538.9	71	167
784/720	0.6	3	0.2	2	0.0	0	0.1	1	0.3	3	9.6	8	12.5	7	367.8	81	104	506.9	98	143
784/723	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	25.0	3	6.5	2	426.5	35	97	508.5	38	116
784/826	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	9.0	3	17.0	1	355.6	31	94	420.2	44	111
784/839	2.8	3	0.0	0	0.0	0	0.0	0	0.4	2	26.1	5	15.5	7	446.8	67	-	520.8	77	-
785/183	12.1	3	0.0	0	0.0	0	0.0	0	0.0	0	34.5	4	15.0	4	420.2	44	105	529.4	56	133
785/220	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	29.0	4	12.5	3	527.5	34	132	632.0	40	158
785/490	2.5	1	0.0	0	0.0	0	0.0	0	0.0	0	20.5	4	7.4	4	430.5	37	103	537.4	46	128
786/ 97	4.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	33.5	5	375.7	29	97	500.4	41	129
786/283	1.5	1	0.0	0	0.0	0	0.0	0	0.0	0	13.4	5	11.6	6	412.4	48	109	503.8	51	133
786/865	0.0	0	0.0	0	0.0	0	0.0	0	5.5	1	3.5	1	0.0	0	273.3	19	80	423.8	25	124
787/131	1.0	1	0.0	0	0.0	0	0.0	0	5.5	3	19.5	8	7.0	6	354.7	58	89	450.3	62	114
787/184	0.0	0	0.0	0	0.0	0	0.0	0	1.6	1	22.5	2	26.0	2	399.1	32	100	435.5	41	109
787/263	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	20.0	3	0.0	0	230.5	21	70	310.0	28	94
787/712	3.0	1	0.0	0	0.0	0	0.0	0	7.0	2	80.5	7	3.0	3	456.9	49	125	497.0	58	136
787/838	1.8	2	0.0	0	0.0	0	0.7	1	17.0	2	62.3	11	6.6	6	388.0	67	105	433.5	61	118
788/182	3.2	1	0.0	0	0.0	0	0.0	0	0.0	0	31.6	5	34.8	7	409.5	42	-	533.1	47	-
789/717	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	41.4	7	40.8	5	352.9	40	82	425.0	45	99
789/798	0.0	0	0.0	0	0.0	0	0.0	0	4.5	1	22.5	4	35.4	5	371.5	32	111	364.4	29	108
822/794	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	12.0	5	67	12.9	7	72
826/149	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	158.5	13	104	167.5	15	110
826/198	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	38.0	1	27.0	3	257.5	27	104	203.0	28	82
826/596A	0.7	1	0.0	0	0.0	0	0.0	0	0.0	0	5.7	1	20.0	2	304.3	40	-	302.8	42	-
826/885	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	79.3	6	364.3	30	168	307.0	26	141
827/298	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	39.0	6	304.0	33	96	296.5	32	94
827/565	4.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	10.0	2	483.9	34	154	498.9	35	159
827/648	6.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	8.5	4	410.0	42	119	478.5	49	139
828/149	2.7	2	0.0	0	0.0	0	0.0	0	0.1	1	16.6	1	7.9	3	344.5	57	-	360.2	63	-
828/334	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	269.2	23	83	344.7	30	106
828/465	3.5	1	0.0	0	0.0	0	0.0	0	0.0	0	2.4	2	11.1	5	306.9	53	77	432.4	61	109
828/655	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	18.4	2	12.9	5	297.6	47	84	402.7	52	114
828/739	8.0	2	0.0	0	0.0	0	0.0	0	1.0	1	13.0	4	19.0	9	492.6	63	125	573.5	54	145
829/225	5.9	1	0.0	0	0.0	0	0.0	0	11.1	2	0.0	0	12.0	4	393.5	51	101	468.5	62	120
829/365	12.0	2	0.0	0	0.0	0	0.0	0	0.0	0	3.0	1	18.0	2	464.0	35	125	556.0	41	144
829/645	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	4.0	1	8.0	3	452.0	39	112	605.0	44	151
829/655	4.5	1	0.0	0	0.0	0	0.0	0	0.0	0	30.0	2	21.4	6	496.2	46	119	585.6	54	141
830/238	11.4	3	0.0	0	0.0	0	0.0	0	0.0	0	37.8	3	5.6	3	303.9	47	76	447.2	56	112
830/452	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	28.0	5	6.0	3	397.5	42	-	497.5	43	-
830/957	8.3	1	0.0	0	0.0	0	0.0	0	0.0	0	11.1	4	6.0	4	375.1	52	87	484.6	60	112
830/580	9.5	2	0.0	0	0.0	0	0.0	0	0.0	0	7.9	3	1.0	1	392.5	46	-	601.6	57	-
830/867	9.5	2	0.0	0	0.0	0	0.0	0	0.0	0	11.0	2	11.1	1	272.6	31	73	370.7	39	99
831/ 12	8.5	21	0.0	0	0.0	0	0.0	0	0.0	0	16.1	6	0.0	0	348.7	61	-	463.2	73	-
831/439	10.0	1	0.0	0	0.0	0	0.0	0	0.0	0	10.0	1	0.0	0	(322.0)	(14)	-	(385.5)	(16)	-
832/685	10.5	3	0.0	0	0.0	0	0.1	1	7.2	4	19.0	11	11.9	6	459.7	75	111	552.7	91	134
833/204	5.0	1	0.0	0	0.0	0	0.0	0	1.4	1	28.5	6	25.5	1	322.7	39	80	(267.3)	(31)	-
833/222	0.0	0	0.0	0	0.0	0	0.0	0	0.3	2	8.5	5	11.8	3	269.6	45	73	402.9	51	102
833/753	0.0	0	0.0	0	0.0	0	0.0	0	0.4	1	20.5	4	3.0	1	419.2	34	117	476.3	38	132
868/613	0.2	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	3.5	4	130.6	26	-	127.1	22	-
869/712	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	18.3	3	(290.7)	(29)	-	(284.9)	(26)	-
869/842	5.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	17.0	6	312.9	32	121	332.7	29	126
870/403	4.5	2	0.0	0	0.0	0	0.0	0	1.6	1	2.3	2	36.8	6	389.2	53	121	409.5	60	127
870/418	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	15.5	2	(415.4)	(42)	-	(452.4)	(47)	-

R E Ë N V A L 1 9 7 1
S.W.A.

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	ø S	λ E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
870/620	KOMPANENO SUID	2120	1551	1350	49.0	6	226.0	16	84.5	4	36.5	6	0.0	0
870/775	OMARURU	2125	1556	1211	124.3	6	149.2	14	83.0	8	12.5	3	6.5	1
871/ 33	WEISSENFELS	2103	1602	1525	64.0	9	285.0	18	50.5	5	63.5	10	7.0	2
871/295	OMBURO N.W.2	2119	1609	1200	65.0	12	106.0	14	43.0	5	11.0	3	1.0	1
871/278	EHERATENGUA	2108	1610	1500	68.5	11	188.5	13	44.5	2	48.0	6	0.0	0
871/363	OMBONA	2103	1613	1500	132.8	11	274.2	19	38.0	5	54.1	6	0.2	1
871/411	OMBURO SUID	2121	1614	1400	42.0	9	108.5	14	13.0	3	11.7	3	0.0	0
871/736	OTJIKOKO SUD	2116	1625	1700	79.7	14	261.6	21	38.2	14	48.0	10	6.4	3
872/ 32	OVIGERE	2102	1632	1550	58.3	11	222.5	19	70.5	6	30.0	8	15.5	2
872/ 90	OZOMBUSAMASSE	2130	1633	1500	20.0	2	148.0	10	67.0	4	18.0	2	0.0	0
872/710	DUNROAMIN	2120	1654	1400	64.5	5	198.0	10	11.0	4	-	-	0.0	0
872/865	UITVLUG	2125	1659	1200	36.9	10	210.8	14	30.5	7	22.5	4	2.0	1
873/ 93	FALMOUTH	2103	1704	1400	63.5	10	189.6	14	18.5	2	59.7	9	0.0	0
873/117	OKANDJOSE	2127	1704	1400	36.0	10	217.5	15	10.0	3	52.5	6	0.0	0
873/322	OKAKUYA	2122	1711	1400	38.0	7	237.0	13	28.0	2	22.5	5	4.0	1
873/397	OTJIKURURUME	2107	1714	1400	57.4	10	189.3	14	24.0	4	43.1	8	0.0	0
873/451	ONDEKAREMBA NORD	2101	1716	1400	69.5	10	162.0	14	17.0	4	19.5	3	2.0	1
873/572	OSIRE SUID	2102	1720	1400	84.5	9	142.2	9	29.0	1	14.5	2	0.0	0
873/621	GEMSBOK	2121	1721	1400	65.1	10	209.0	14	6.4	6	23.1	6	5.0	2
874/129	GRASPAN	2109	1735	1350	33.0	2	201.0	9	0.0	0	37.5	3	0.0	0
874/649	OMANTUMBA	2119	1752	1450	71.5	10	195.5	13	38.5	8	21.5	7	0.0	0
874/659	HOOMFELD	2129	1752	1550	43.0	8	141.0	12	50.0	4	16.0	2	0.0	0
875/107	KALIDONA	2117	1804	1450	51.1	11	152.5	16	86.5	7	11.7	7	2.0	1
875/194	ONGORUSSENGO	2114	1807	1400	55.5	8	138.1	17	103.0	3	14.6	3	11.5	3
875/204	ROOIBEKBECK	2124	1807	1500	84.0	9	265.5	18	28.3	6	18.8	6	28.5	1
875/445	AMATOLA	2125	1815	1500	77.0	10	159.5	16	64.4	9	19.0	4	11.7	2
875/629	OWESSA	2129	1821	1400	70.0	8	175.0	10	58.5	5	19.5	5	13.0	2
875/883	SUMMERDOWN	2123	1830	1450	-	-	(50.0)	(5)	82.0	4	13.0	2	0.0	0
876/ 37	OTJOSONDJOU	2107	1832	1400	92.0	9	159.7	8	93.0	8	15.0	8	6.5	1
876/326	OKASONDANA	2126	1841	1400	92.0	7	186.5	11	40.0	3	32.5	4	11.5	1
876/520	OKATOMBAKA	2110	1848	1350	100.0	9	193.0	10	45.0	2	-	-	0.0	0
876/576	OTJINENE	2106	1850	1300	100.0	8	250.0	9	49.5	4	28.5	4	43.0	1
913/744	ROOIPOORT	2054	1455	1300	101.0	10	68.0	12	-	-	-	-	0.0	0
915/167	OKAKOMBO	2047	1536	1200	48.4	10	206.5	20	18.9	5	24.5	4	0.0	0
915/446	EREMUTUA	2056	1545	1250	65.0	13	109.0	17	18.5	4	55.0	3	1.0	1
915/623	EREMUTUA(N E)	2053	1551	1250	59.5	11	171.4	19	11.5	2	58.3	9	0.0	0
915/781	OTJITORCA WES	2031	1557	1250	36.0	7	244.5	15	-	-	85.0	6	0.0	0
915/837	OTJERIWANGA	2057	1558	1500	95.1	13	209.3	24	46.7	9	45.7	9	7.7	2
916/323	KALKFELD	2053	1611	1516	96.0	11	355.5	18	90.0	3	89.0	7	18.0	1
916/698	ERUNDU	2038	1624	1444	118.5	13	234.0	13	62.0	6	69.0	7	0.0	0
917/423	ETEKERO	2043	1645	1550	82.1	10	197.6	16	41.3	6	63.0	7	0.0	0
917/442	OMUSEMA UAREI	2052	1645	1600	104.1	12	217.5	16	59.9	7	55.1	7	8.5	2
917/582	HOHENFELS	2042	1650	1650	79.5	7	265.0	16	27.0	5	45.0	7	0.0	0
918/128	OKOSONGOMINGO	2038	1705	1600	141.4	8	263.7	16	19.5	4	62.8	10	5.0	1
918/785	OKAKARARA	2035	1727	1450	91.0	3	174.0	10	76.0	2	22.0	1	15.0	1
919/505	LA PALOMA	2055	1747	1400	119.5	10	188.5	16	18.0	1	60.5	6	9.0	1
958/512	EROBIB	2002	1448	1000	54.0	3	71.4	6	123.0	4	39.6	6	0.0	0
958/833	WELWITSCHIA	2023	1458	900	33.3	7	220.0	19	22.5	4	45.5	6	1.0	2
959/ 13	FRANSFONTEIN	2013	1501	1150	51.6	5	108.9	10	8.5	3	-	-	0.0	0
960/ 29	EHROONGUE	2029	1531	1100	61.5	6	165.0	14	67.0	4	70.0	7	3.0	1
960/121	CAUAS NOORD	2001	1535	1200	166.1	10	238.2	18	40.0	4	34.7	6	0.0	0
960/291	OKALA	2021	1540	1200	99.0	10	231.0	17	33.5	6	24.0	6	0.0	0
960/845	BERGVELD	2005	1559	1250	91.0	9	326.0	18	44.0	6	47.0	4	0.0	0
961/247	OUTJO	2007	1609	1265	85.0	9	286.5	14	65.7	6	43.5	4	0.0	0
961/864	OMATJENNE	2024	1629	1381	141.4	14	316.3	19	31.5	5	21.0	4	0.0	0
962/532	WAGNER	2022	1648	1480	149.9	10	205.2	15	21.4	3	65.0	7	0.0	0
963/549	ORPA	2009	1719	1200	88.0	5	210.5	14	9.0	1	50.0	4	0.0	0
963/785	GUTWEIDE	2005	1727	1350	120.1	12	124.6	12	35.3	4	27.3	4	0.0	0
964/601	ANNENHOF	2001	1751	1400	114.0	8	202.5	12	0.0	0	(11.0)	(1)	2.0	1
964/637	DUINEVELD	2007	1752	1200	106.5	11	114.8	12	0.0	0	57.0	4	7.0	1
964/783	OMAMBONDE-TAL	2003	1757	1400	189.5	12	170.0	16	0.0	0	50.0	7	0.0	0
1002/647	GROOTBERG	1947	1422	1500	42.3	5	171.0	14	13.7	5	17.0	2	0.0	0
1002/786	CONDOR	1936	1427	1100	63.0	8	174.0	15	36.0	5	0.0	0	0.0	0
1003/558	ONDJOU	1948	1449	1200	109.1	6	249.5	15	25.9	4	25.0	2	2.5	1
1003/608	KAMANJAB	1938	1451	1200	78.5	6	271.0	11	37.5	5	4.0	1	3.0	1
1003/835	HOAS	1955	1448	1200	57.3	10	291.7	20	71.6	12	25.1	8	0.1	1
1004/ 14	URIEIS EKANGO	1944	1501	1100	84.5	7	191.5	11	42.5	6	50.5	4	2.0	1
1004/155	SENDELING	1935	1506	1300	87.0	5	170.2	11	53.4	5	44.0	3	0.0	0
1004/317	OTJITAMBI	1947	1511	1198	135.0	11	207.0	11	26.5	7	22.0	3	4.5	2
1004/833	OTJEKONDO	1953	1528	1300	128.1	10	304.0	18	34.3	8	29.4	6	0.0	0
1005/ 80	NAMATANGA	1950	1533	1200	142.8	14	335.2	21	31.2	6	36.7	7	0.0	0
1005/535	PROSIT	1955	1548	1250	149.2	14	327.0	24	31.8	4	37.0	5	1.0	1
1005/640	OTJOVASANDU	1940	1552	1250	53.3	9	158.5	16	19.5	3	63.0	5	0.0	0
1006/136	GOBABB	1946	1605	1300	90.5	8	353.5	24	47.2	13	59.3	3	0.0	0
1006/353	IMPERIAL RANCH	1953	1612	1300	111.1	8	296.0	19	96.5	6	-	-	-	-
1006/840	HOPEWELL	2000	1628	1400	145.8	13	314.8	23	49.0	11	20.4	6	18.1	2
1007/725	ARBEIDSGENOT	1935	1655	1400	204.0	17	196.0	22	61.0	5	70.5	8	8.0	1
1008/209	OTJIKOTO	1959	1707	1400	112.8	17	237.5	23	82.5	10	42.2	6	3.0	1
1008/290	CONRADIE	1950	1710	1450	100.5	16	240.5	17	32.0	5	55.9	8	4.0	2
1008/301	GOABFORTE	1932	1711	1450	175.4	19	223.1	22	16.8	7	34.4	8	9.1	1
1008/578	OTAVI	1938	1720	1420	164.5	9	353.7	16	41.5	5	49.0	8	0.0	0
1008/660	UNA	2000	1722	1450	105.0	12	241.2	16	30.1	6	41.0	6	8.5	2
1009/129	NAGEIB	1939	1735	1800	165.6	14	307.2	21	54.5	7	64.8	8	11.6	2
1009/467	RIETFONTEIN	1947	1746	1500	118.5	(5)	173.0	(7)	31.0	(1)	(18.0)	(1)	0.0	1
1009/541	HARASIB	1931	1749	1700	111.0	15	182.0	18	20.4	4	8.0	3	0.0	0

R A I N F A L L 1 9 7 1
S.W.A.

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NC	JUN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
870/620	7.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	21.5	3	424.5	36	-	457.0	39	-
870/775	6.5	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	10.5	2	392.5	35	135	408.7	37	140
871/ 33	9.0	1	0.0	0	0.0	0	0.0	0	0.5	1	4.5	2	20.0	5	504.0	53	125	578.5	64	144
871/259	0.0	0	0.0	0	0.0	0	0.0	0	0.1	1	0.0	0	34.5	5	260.6	41	-	311.0	45	-
871/278	9.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	4.5	1	383.0	34	100	428.0	38	112
871/363	12.1	2	0.0	0	0.0	0	0.0	0	5.7	2	0.8	2	6.0	5	523.9	53	124	620.0	54	146
871/411	5.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	27.8	4	208.0	34	62	256.6	37	76
871/736	10.5	2	0.0	0	0.0	0	0.0	0	0.1	1	2.6	2	4.4	6	451.5	73	107	545.9	81	129
872/ 32	10.5	1	0.0	0	0.0	0	0.0	0	1.5	1	0.0	0	0.0	0	408.8	48	90	512.1	58	113
872/ 90	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	9.0	1	262.0	19	68	305.0	20	60
872/710	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.9	1	24.4	4	(318.8)	(24)	-	(345.0)	(24)	-
872/865	5.0	1	0.0	0	0.0	0	0.0	0	0.0	0	1.8	1	17.6	4	327.1	42	-	412.8	49	-
873/ 93	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	7.0	1	338.3	36	89	387.5	46	102
873/117	8.1	3	0.0	0	0.0	0	0.0	0	0.0	0	5.1	2	6.1	3	335.3	42	88	402.7	50	106
873/322	3.0	1	0.0	0	0.0	0	0.0	0	0.0	0	4.0	1	24.0	2	360.5	32	98	386.5	36	105
873/397	5.1	2	0.0	0	0.0	0	0.0	0	0.6	1	18.0	2	30.0	2	367.5	43	98	450.5	51	120
873/451	3.5	2	0.0	0	0.0	0	0.0	0	0.0	0	37.5	3	25.5	2	336.5	39	91	418.0	49	113
873/572	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	23.0	1	293.2	22	80	396.0	32	108
873/621	6.6	2	0.0	0	0.0	0	0.0	0	0.0	0	33.1	2	26.7	5	375.0	47	91	400.9	56	98
874/129	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	17.5	2	12.5	2	301.5	18	-	344.0	20	-
874/649	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	45.0	3	18.5	2	390.5	43	88	446.0	49	100
874/659	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	5.0	1	255.0	27	61	460.0	36	110
875/107	7.5	2	0.0	0	0.0	0	0.0	0	0.0	0	18.5	5	21.6	5	351.4	54	78	459.3	57	103
875/194	1.2	1	0.0	0	0.0	0	0.0	0	0.2	2	26.2	7	18.1	6	368.4	50	84	493.8	59	113
875/204	5.8	3	0.0	0	0.0	0	0.0	0	3.8	4	26.3	4	11.0	4	472.0	55	113	593.4	59	142
875/445	2.0	1	0.0	0	0.0	0	0.0	0	0.0	0	26.0	1	21.7	4	381.3	47	-	459.3	62	-
875/629	2.0	1	0.0	0	0.0	0	0.0	0	2.5	1	25.5	6	0.6	1	366.6	39	-	461.6	50	-
875/883	0.0	0	0.0	0	0.0	0	0.0	0	2.0	1	34.0	6	32.0	4	(213.0)	(22)	-	(270.0)	(25)	-
876/ 37	3.0	1	0.0	0	0.0	0	0.0	0	0.0	0	49.0	5	34.0	5	452.2	45	-	488.6	50	-
876/326	0.7	1	0.0	0	0.0	0	0.0	0	1.0	1	23.5	4	18.5	2	366.2	34	102	458.2	38	128
876/520	1.0	1	0.0	0	0.0	0	0.0	0	11.0	2	0.0	0	2.0	1	(352.0)	(25)	-	(344.2)	(27)	-
876/576	0.0	0	0.0	0	0.0	0	0.0	0	17.5	3	25.0	2	15.0	2	528.5	33	-	539.5	37	-
913/744	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	5.7	1	(174.7)	(23)	-	(169.0)	(22)	-
915/167	8.0	2	0.0	0	0.0	0	0.0	0	3.5	1	0.0	0	18.5	5	328.3	47	-	367.0	49	-
915/446	6.0	1	0.0	0	0.0	0	0.0	0	0.5	1	1.6	2	86.0	8	342.6	50	102	317.5	47	95
915/623	9.7	2	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	1.9	4	352.3	47	95	413.7	49	111
915/781	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	9.0	1	-	-	(374.5)	(29)	-	(443.5)	(31)	-
915/837	10.0	2	0.0	0	0.0	0	0.0	0	1.0	1	1.0	1	6.4	4	422.9	65	-	508.0	75	-
916/323	9.0	2	0.0	0	0.0	0	0.0	0	2.0	1	0.0	0	32.5	3	692.0	46	170	779.5	55	192
916/698	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	21.0	2	10.0	2	514.5	43	119	652.0	52	151
917/433	0.0	0	0.0	0	0.0	0	0.0	0	3.2	1	22.2	1	0.0	0	409.4	41	80	499.3	52	98
917/442	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	1.4	3	13.5	3	460.0	50	105	570.1	63	130
917/582	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	4.0	1	420.5	36	88	612.0	46	128
918/128	7.0	2	0.0	0	0.0	0	0.0	0	0.0	0	7.6	2	10.0	3	517.0	46	106	639.3	59	132
918/785	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	10.0	2	348.0	19	92	397.0	20	105
919/505	3.0	1	0.0	0	0.0	0	0.0	0	0.0	0	58.0	4	5.0	2	461.5	41	113	484.0	51	119
958/512	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	61.0	5	349.0	24	-	288.0	19	-
958/833	1.0	1	0.0	0	0.0	0	0.0	0	0.0	0	2.0	1	51.0	5	376.3	45	173	331.7	42	152
959/ 13	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	22.0	3	(191.0)	(21)	-	(196.5)	(20)	-
960/ 29	4.0	1	0.0	0	0.0	0	0.0	0	0.0	0	7.5	2	28.5	4	406.5	39	-	397.0	37	-
960/121	4.0	2	0.0	0	0.0	0	0.0	0	0.0	0	7.5	2	27.7	7	518.2	49	-	560.7	54	-
960/291	5.5	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	30.5	7	423.5	47	-	489.0	48	-
960/845	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	19.0	3	527.0	40	122	578.5	47	134
961/247	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	5.8	3	22.0	2	508.5	38	124	494.9	39	121
961/864	2.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	25.0	3	537.2	46	136	606.2	51	154
962/532	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	5.1	1	446.6	36	112	528.8	40	132
963/549	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	32.5	3	0.0	0	390.0	27	-	498.5	36	-
963/785	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	33.1	3	15.7	3	356.1	38	-	430.3	49	-
964/601	1.5	1	0.0	0	0.0	0	0.0	0	0.0	0	17.0	4	32.5	4	(380.5)	(31)	-	(403.5)	(37)	-
964/637	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	11.5	3	8.0	3	304.8	34	-	355.8	36	-
964/783	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	25.0	4	30.5	4	465.0	43	-	477.5	54	-
1002/647	5.9	2	0.0	0	0.0	0	0.0	0	0.2	1	0.0	0	60.2	3	310.3	32	-	271.4	31	-
1002/786	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	32.5	3	305.5	31	-	273.0	28	-
1003/558	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	11.5	3	423.5	31	162	438.4	34	167
1003/608	7.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	45.0	4	446.0	29	138	417.5	28	129
1003/835	3.0	2	0.0	0	0.0	0	0.0	0	0.0	0	2.0	1	35.4	6	526.2	60	-	519.9	58	-
1004/ 14	2.0	1	0.0	0	0.0	0	0.0	0	0.0	0	2.0	1	-	-	(375.0)	(31)	-	422.0	34	130
1004/155	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	43.0	3	397.6	27	-	417.1	29	-
1004/317	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	37.5	5	432.5	39	124	445.3	43	128
1004/833	3.0	1	0.0	0	0.0	0	0.0	0	0.0	0	8.0	2	12.0	6	528.8	51	150	556.1	51	158
1005/ 80	14.0	1	0.0	0	0.0	0	0.0	0	2.5	2	7.0	2	34.0	7	603.4	60	219	622.9	57	226
1005/535	0.3	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	54.8	5	601.1	54	145	609.7	61	147
1005/640	8.0	2	0.0	0	0.0	0	0.0	0	9.0	2	0.0	0	24.5	4	335.8	41	81	371.5	46	90
1006/136	6.5	1	0.0	0	0.0	0	0.0	0	0.0	0	3.1	2	66.3	5	626.4	56	136	690.9	59	150
1006/353	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	18.0	2	(521.6)	(35)	-	(533.6)	(58)	-
1006/840	4.4	1	0.0	0	0.0	0	0.0	0	1.5	5	0.7	3	11.3	7	566.0	71	-	662.0	77	-
1007/725	2.0	1	0.0	0	0.0	0	0.0	0	0.0	0	16.5	2	42.5	8	600.5	64	121	740.0	69	149
1008/205	2.7	3	0.0	0	0.0	0	0.0	0	5.0	2	14.8	8	20.4	5	520.9	75	-	674.1	92	-
1008/290	2.5	1	0.0	0	0.0	0	0.0	0	0.0	0	37.2	5	6.5	2	479.1	56	91	576.6	65	109
1008/301	0.0	0	0.0	0	0.0	0	0.0	0	0.2	1	26.4	7	26.1	8	513.5	73	84	617.6	81	101
1008/578	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	32.0	4	2.5	1	663.2	43	123	(791.7)	(59)	-
1008/660	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	39.0	4	13.6	3	478.4	49	103	498.6	57	108
1009/129	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	17.8	1	0.0	0	641.5	53	105	811.1	74	133
1009/467	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	24.0	3	21.0	2	(393.5)	(20)	-	(500.5)	(24)	-
1009/541	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	63.0	3	44.0	4	428.4	47	73	(390.8)	(46)	-

R E Ë N V A L 1 9 7 1
S.W.A.

TOTALE REËNVAL IN MILLIMETERS , AANTAL DAE MET REËN (D)
EN JAARPERSENTASIES VAN LANGTERMYN GEMIDDELDES

NR/NO	STASIE/STATION	B S	L E	H M	JAN MM	D	FEB MM	D	MAR MM	D	APR MM	D	MAY MM	D
		° ′	° ′											
1009/593	GAI KAISA	1953	1750	1400	152.5	14	309.0	15	22.0	4	46.5	5	0.0	0
1009/639	AWAGEBIBTAL	1939	1752	1550	123.1	14	207.7	17	45.4	8	44.6	6	22.0	2
1009/850	UITKOMST	1940	1759	1480	176.4	14	198.2	17	41.8	7	39.7	6	9.5	2
1009/852	OTJIRUKAKL	1942	1759	1475	190.3	14	230.8	20	17.9	7	55.9	8	0.0	0
1010/118	GABASIS	1958	1804	1300	152.5	10	219.5	14	29.0	1	38.0	4	0.0	0
1010/186	GROOTFONTEIN WEERKANTOOR	1936	1807	1405	148.3	18	167.8	16	37.7	11	17.4	10	4.8	2
1010/422	BERG AUKAS	1932	1815	1400	149.5	14	194.1	18	49.3	5	5.2	2	0.0	0
1010/592	LEIPZIG	1952	1820	1200	168.9	17	-	-	18.7	12	39.5	2	0.0	0
1011/130	OTJITUO	1940	1835	1215	161.0	11	210.0	10	16.5	4	23.1	3	24.6	4
1011/788	OWOESTENY	1938	1857	1100	167.5	10	165.5	8	26.0	7	-	-	23.0	4
1012/ 94	SIMONDELM	1934	1904	1000	186.0	13	123.7	9	67.0	4	12.5	3	0.0	0
1015/ 36	TSUMKWE	1936	2032	1000	116.0	10	105.0	9	20.4	4	8.8	3	4.5	2
1045/380	MÊWE	1920	1243	20	0.0	0	12.7	3	13.6	1	0.0	0	2.5	2
1047/248	ZESSFONTEIN	1908	1339	577	17.1	2	134.5	10	61.0	6	26.0	2	0.0	0
1048/853	OTJOVASANDU	1915	1428	1050	149.0	11	254.6	12	-	-	19.9	5	6.5	1
1049/107	ERMO	1917	1434	1600	70.0	9	182.5	15	25.0	5	20.0	5	5.0	2
1051/138	VREDE(AVONVREDE)	1918	1535	1100	84.0	6	172.0	12	47.0	9	25.0	4	5.0	1
1051/731	OKAUKUEJO	1911	1555	1150	131.6	16	161.7	19	27.6	8	26.6	7	1.2	1
1051/800	OMBIKA	1920	1557	1050	136.2	17	163.5	18	36.1	9	34.9	10	11.3	2
1052/641	HALALI	1911	1622	1050	52.6	8	146.7	8	97.4	3	-	-	0.0	0
1054/ 87	SUCCESS	1927	1703	1200	214.5	11	183.5	11	6.0	3	0.0	0	0.0	0
1054/231	SCAVIS	1921	1708	1200	148.5	19	127.3	16	13.4	4	33.7	4	2.5	1
1054/329	HUTTENHOF	1929	1711	1300	270.5	18	232.8	14	15.0	4	28.0	8	10.5	1
1054/350	SISSEKAB	1920	1712	1250	123.4	15	183.2	17	28.5	4	78.4	7	0.0	0
1054/758	PHILADELPHIA	1908	1726	1100	202.8	17	112.8	11	0.0	0	49.0	5	0.0	0
1055/374	TSUMEB	1914	1743	1311	220.1	15	198.1	17	19.1	4	12.1	2	0.0	0
1055/447	GAUB	1927	1745	1400	183.3	15	278.0	16	83.0	6	30.0	6	4.0	1
1055/805	TOOGENBURG	1929	1757	1450	163.0	15	232.1	24	45.0	5	21.4	5	21.0	2
1056/349	REMNANTS	1919	1812	1200	212.0	11	189.5	14	56.5	6	36.5	4	0.0	0
1056/602	GOBIS	1902	1821	1150	209.9	15	133.7	17	51.3	8	33.8	6	6.4	3
1056/697	SUS	1907	1824	1200	151.0	11	109.0	10	52.0	7	-	-	0.0	0
1057/204	KLEIN HUIS	1924	1837	1150	204.2	13	164.0	10	51.5	9	29.3	5	2.5	1
1057/465	ABENDRUHE	1915	1846	1200	160.5	14	216.0	11	71.0	8	15.0	5	18.5	3
1057/616	MARDELABOOM	1916	1851	1200	156.0	12	217.6	9	59.5	5	12.5	3	17.5	2
1057/723	SONOP	1903	1855	1000	177.0	12	126.3	12	58.0	5	2.5	1	0.0	0
1058/ 53	ALPHA	1923	1902	1000	116.0	12	178.0	11	47.0	3	6.0	1	0.0	0
1101/826	NAMLTONI	1848	1658	1100	91.6	11	186.0	15	16.0	3	50.6	6	0.0	0
1102/161	OKGUMA	1841	1706	1100	102.0	11	164.5	16	24.5	4	54.5	7	0.0	0
1102/284	RUIMTE	1844	1710	1000	132.0	11	196.9	11	19.0	1	12.0	1	0.0	0
1102/402	GRENZLAND	1842	1714	1100	200.0	13	171.8	16	25.0	2	73.3	4	0.0	0
1103/473					174.9	15	160.7	15	15.1	4	50.0	3	0.0	0
1103/797	TSINTSABIS	1847	1757	1100	185.0	10	88.3	8	0.0	0	0.0	0	0.0	0
1104/202	OKGANTSAS	1852	1807	1450	186.3	19	170.4	19	44.2	11	26.4	3	0.8	5
1104/480	FAIRVIEW	1900	1816	1100	157.2	7	122.1	9	112.0	4	66.0	4	0.0	0
1145/573	OKOPOKO	1803	1350	1154	158.5	11	175.0	12	17.0	2	49.0	4	0.0	0
1154/535	KOUKUAS	1855	1818	900	202.1	17	154.0	14	17.6	5	41.0	6	0.0	0
1159/211	NJANGANA	1801	2038	1075	272.1	25	106.6	15	33.9	9	4.6	3	0.0	0
1160/814	ANDARA	1804	2128	1100	231.7	23	152.5	14	0.0	0	0.0	0	0.0	0
1198/675	TSHANDI	1745	1453	1000	177.0	13	349.5	15	123.0	10	7.0	1	0.0	0
1199/ 1	OMBALANTU	1731	1501	1000	119.0	12	336.5	19	107.5	7	17.0	3	0.0	0
1199/143	REHOBOTH	1753	1505	1030	124.5	11	182.4	18	81.2	8	25.2	3	0.0	0
1199/820	OSHIKUKU	1740	1528	1050	121.1	17	389.1	19	111.1	8	12.5	8	0.0	0
1199/853	ELIM	1743	1529	1030	94.5	12	359.5	19	144.4	7	13.5	3	1.0	1
1200/375	OKATANA	1745	1543	1050	213.5	25	315.0	26	139.5	10	0.8	4	0.0	0
1200/375A	OSHAKATI	1745	1553	1050	178.6	12	253.0	19	109.5	7	0.0	0	0.0	0
1200/426	ENGELA	1736	1545	900	172.5	12	302.8	16	120.0	6	4.0	2	0.0	0
1200/866	ONDANGWA	1756	1559	1095	149.1	12	315.8	16	31.1	4	22.0	7	0.0	0
1201/109	OSHIGAMBO	1749	1604	1100	205.5	9	96.5	5	32.0	1	106.0	4	0.0	0
1201/147	ONIIPA	1757	1605	1100	177.0	12	(198.0)	(17)	49.0	5	11.5	4	0.0	0
1205/766	MPUNGU	1746	1826	900	210.5	20	191.5	16	80.3	7	21.7	4	3.0	1
1206/187	KURING KURU	1737	1837	1110	220.4	22	199.4	25	56.3	10	15.0	4	0.8	1
1206/496	TONDORO	1746	1847	1100	225.5	14	242.2	17	45.5	7	20.4	3	1.3	1
1207/141	LUPALA	1751	1905	1100	363.7	20	124.6	16	75.0	8	2.7	4	2.0	1
1207/621	SAMBUSU	1751	1921	1050	314.6	18	182.5	15	147.5	11	14.0	2	0.0	0
1208/475	RUNDU	1755	1946	1102	369.2	21	136.0	16	57.5	6	42.5	6	1.5	1
1209/ 54	SAMBIU	1754	2002	1100	341.5	16	131.0	13	47.0	6	27.5	2	0.0	0
1209/253	TAKLASA	1753	2012	1000	-	-	-	-	-	-	16.1	7	0.0	0
1252/657	ENGELA	1727	1552	1130	154.0	13	520.0	18	59.0	4	27.0	2	0.0	0
1252/774	DOIBO	1724	1556	1130	123.5	17	354.7	25	72.8	8	23.5	4	0.5	1
1269/510	KATIMO MULILO	1730	2417	950	268.7	21	54.4	10	13.0	3	3.5	1	0.0	0

R A I N F A L L 1 9 7 1
S.W.A.

TOTAL RAINFALL IN MILLIMETERS , NUMBER OF DAYS WITH RAIN (D)
AND YEAR-PERCENTAGES OF LONG TERM AVERAGES

NR/NC	JAN MM	D	JUL MM	D	AUG MM	D	SEP MM	D	OCT MM	D	NOV MM	D	DEC MM	D	JAAR JAN 71 DEC 71 MM	D	PER	YEAR JUL 70 JUN 71 MM	D	PER
1CC6/593	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	30.5	3	15.0	2	615.5	43	120	737.0	56	144
1CC6/639	1.0	1	0.0	0	0.0	0	0.0	0	0.0	0	27.0	4	37.9	6	508.7	60	93	594.3	72	108
1CC6/E5C	0.5	1	0.0	0	0.0	0	0.0	0	0.0	0	31.4	4	11.1	3	508.6	54	-	648.3	62	-
1CC6/852	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	38.4	10	22.7	11	556.0	70	102	670.1	75	123
1C10/118	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	8.5	2	13.0	2	500.5	33	120	546.0	40	131
1C10/18E	0.1	1	0.0	0	0.0	0	0.0	0	0.6	3	15.8	7	35.1	11	427.6	79	-	557.9	68	-
1C10/422	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	22.4	5	33.0	2	453.5	46	-	495.7	64	-
1C10/592	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	-	-	-	-	(227.1)	(31)	-	(339.8)	(47)	-
1C11/130	0.0	0	0.0	0	0.0	0	0.0	0	16.5	1	3.5	1	13.0	3	468.2	37	101	(435.2)	(32)	-
1C11/7E8	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	23.0	3	27.0	5	(432.0)	(37)	-	(466.0)	(37)	-
1C12/ 94	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	9.5	2	16.0	3	414.7	34	-	463.3	39	-
1C15/ 36	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	82.0	6	50.5	5	387.2	39	-	358.7	40	-
1C45/3E0	0.0	0	0.0	0	1.3	1	0.0	0	0.0	0	0.0	0	0.0	0	30.1	7	-	28.8	6	-
1047/248	4.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	242.6	21	241	(242.6)	(21)	-
1048/853	6.7	1	0.0	0	0.0	0	0.0	0	0.0	0	6.9	2	27.0	5	(470.6)	(37)	-	(479.7)	(38)	-
1049/1C7	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	3.5	1	22.5	2	328.5	39	96	355.0	46	104
1051/138	36.0	3	0.0	0	0.0	0	0.0	0	5.5	1	0.0	0	49.5	3	424.0	39	123	458.6	48	133
1051/731	0.5	1	0.0	0	0.0	0	0.0	0	1.5	1	11.2	2	49.7	7	412.0	62	98	450.1	61	107
1051/8C0	0.4	2	0.0	0	0.0	0	0.0	0	0.0	0	11.8	4	12.8	7	467.0	69	-	501.4	73	-
1052/641	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	46.7	4	(383.4)	(23)	-	(354.7)	(26)	-
1054/ 87	0.0	0	0.0	0	0.0	0	0.0	0	0.5	1	13.5	4	49.0	5	467.0	35	-	(523.0)	(38)	-
1054/231	0.5	2	0.0	0	0.0	0	0.0	0	2.5	1	27.0	4	24.4	5	379.8	56	74	437.2	68	85
1054/329	0.4	1	0.0	0	0.0	0	0.0	0	0.5	1	31.8	3	42.7	6	632.2	56	108	628.9	62	108
1054/350	0.5	1	0.0	0	0.0	0	0.0	0	2.0	1	18.5	3	22.0	5	456.5	53	88	538.1	62	104
1054/758	0.0	0	0.0	0	0.0	0	0.0	0	1.5	1	0.0	0	22.0	3	388.1	37	76	474.0	48	96
1055/374	0.0	0	0.0	0	0.0	0	0.0	0	30.0	1	32.1	6	9.6	5	521.1	50	97	591.8	53	111
1055/447	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	39.0	4	49.0	8	666.3	56	112	745.3	62	126
1055/809	0.0	0	0.0	0	0.0	0	0.2	1	0.0	0	34.0	4	59.0	6	575.7	62	102	696.5	69	124
1056/349	0.0	0	0.0	0	0.0	0	0.0	0	14.0	1	28.5	2	39.0	4	576.0	42	-	628.0	43	-
1056/6C2	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	40.3	4	16.4	6	491.8	59	-	591.8	68	-
1056/697	2.0	1	0.0	0	0.0	0	0.0	0	4.0	1	37.0	4	27.5	3	(422.5)	(37)	-	(487.0)	(43)	-
1057/2C4	0.0	0	0.0	0	0.0	0	0.0	0	1.6	1	18.0	4	16.5	5	487.6	48	98	573.7	58	115
1057/465	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	30.0	3	27.0	4	538.0	48	-	602.5	55	-
1057/616	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	23.5	2	32.5	5	559.1	38	136	(535.6)	(33)	-
1057/723	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	30.0	2	21.5	5	417.3	37	-	507.3	47	-
1058/ 53	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	14.0	4	12.0	2	373.0	33	-	452.0	36	-
11C1/62E	0.3	1	0.0	0	0.0	0	0.0	0	0.0	0	14.5	3	41.1	7	400.1	46	90	514.2	50	116
11C2/161	0.0	0	0.0	0	0.0	0	0.0	0	6.5	3	12.5	1	28.0	4	392.5	46	80	507.5	51	103
11C2/2E4	0.0	0	0.0	0	0.0	0	0.0	0	8.0	1	4.0	1	11.5	3	383.4	29	-	485.4	34	-
11C2/4C2	0.0	0	0.0	0	0.0	0	0.0	0	5.2	2	5.0	3	19.9	6	500.2	48	101	574.5	48	117
11C3/473	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	38.1	7	18.5	3	457.3	47	-	532.6	55	-
11C3/797	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	39.0	5	56.5	5	368.8	28	70	533.8	30	101
11C4/2C2	0.2	2	0.0	0	0.0	0	0.0	0	2.2	4	26.5	10	24.5	7	481.5	80	94	672.0	86	131
11C4/4E0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	14.0	2	9.0	2	480.3	28	102	598.3	30	127
1145/573	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	6.0	1	12.7	3	418.2	33	121	(420.2)	(32)	-
1154/535	0.0	0	0.0	0	0.0	0	0.1	1	3.0	4	5.2	3	19.2	4	442.2	54	-	582.3	60	-
1155/211	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	47.1	12	50.6	9	514.9	73	88	586.7	81	100
1160/814	0.0	0	0.0	0	0.0	0	0.0	0	12.0	1	98.0	8	78.6	9	572.8	55	101	558.7	55	98
1198/675	0.0	0	0.0	0	0.0	0	0.1	1	1.0	1	21.0	2	191.6	5	670.2	48	208	737.5	51	176
1199/ 1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	114.3	5	694.3	46	140	638.0	50	128
1199/143	2.0	1	0.0	0	0.0	0	0.0	0	0.0	0	1.3	4	23.8	6	440.4	51	105	518.2	53	123
1199/E2C	0.0	0	0.0	0	0.0	0	0.1	1	5.3	4	4.3	4	100.2	12	743.7	73	142	694.1	59	133
1199/E53	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	11.0	2	84.8	5	708.7	49	161	653.9	52	148
12C0/375	0.0	0	0.0	0	0.0	0	0.2	2	0.2	2	2.0	4	97.8	13	769.0	86	150	720.0	90	140
12C0/375A	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	1.7	1	84.0	4	626.8	43	-	565.4	51	-
12C0/426	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	17.5	1	41.0	5	657.8	42	-	698.3	47	-
12C0/E66	0.0	0	0.0	0	0.0	0	0.0	0	2.1	1	11.6	6	(99.2)	(7)	(630.9)	(53)	-	(562.6)	(48)	-
12C1/109	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	37.4	4	477.4	23	102	515.0	26	110
12C1/147	0.0	0	0.0	0	0.0	0	0.0	0	0.4	1	26.3	4	64.3	9	(526.9)	(52)	-	(502.8)	(47)	-
12C5/766	0.0	0	0.0	0	0.0	0	0.0	0	0.1	1	35.2	5	21.9	7	564.2	61	-	738.6	71	-
12C6/187	4.5	1	0.0	0	0.0	0	0.0	0	15.5	1	41.5	12	92.7	10	646.1	66	112	706.3	96	122
12C6/456	0.2	1	0.0	0	0.0	0	0.0	0	4.0	1	17.7	5	26.9	8	583.7	57	103	701.1	64	123
12C7/141	1.0	1	0.0	0	0.0	0	0.0	0	7.7	3	60.0	8	18.6	6	655.3	67	-	683.2	71	-
12C7/621	0.0	0	0.0	0	0.0	0	0.0	0	4.0	1	22.0	5	50.0	3	734.6	55	142	808.1	60	156
12C8/475	0.8	1	0.0	0	0.0	0	0.0	0	0.5	1	9.6	5	53.0	11	690.6	68	114	814.5	76	135
12C9/ 54	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	31.5	4	57.5	6	636.0	47	109	758.5	50	131
12C9/353	0.0	0	0.0	0	0.0	0	0.1	1	0.2	2	98.4	11	118.6	11	(233.4)	(32)	-	-	-	-
1252/657	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	7.0	2	43.0	9	810.0	48	153	885.0	46	167
1252/774	0.8	1	0.0	0	0.0	0	0.0	0	3.2	2	5.8	3	41.2	8	626.0	69	115	651.9	75	120
1269/510	0.0	0	0.0	0	0.0	0	0.0	0	8.8	3	98.0	9	125.5	11	571.9	58	81	606.0	59	86



Driehoeksmeting 1960
Trigsurvey 1960

Staatsdrukker 1960
Government Printer 1960