LIBRARY
MAR 14 1899
Weather Bureau

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Year 1899

Month January

Height of Barometer above Sea level 33.7 meters
" " Thermometer above the earth 1.22 "
" " Rim of Rain Guage above " 0.36 "
Hours of observation 8½ 2½ 8½

Date	Barometer as read. 8½ Attached Thermometer Cent.	Barometer as read. 8½ Barometer Millimeters	Barometer as read. 2½ Attached Thermometer Cent.	Barometer as read. 2½ Barometer Millimeters	Barometer as read. 8½ Attached Thermometer Cent.	Barometer as read. 8½ Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	mean	Elasticity of vapor Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear— 0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0—10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. mm. A.M.	P.M.	Total	Observations and Phenomena
1	12.2	766.7	14.6	767.8	13.8	763.8	764.9	764.9	765.0	764.93	16.1	9.9			11.6	15.3	13.7	13.5	7.9	11.2	9.6		6.2	7.8	6.9	7.0	60	60	59	60.6	0	7 Cu P S.W	10 St			S.E.1	S.E.1	S.E.1		Ex.				
2	13.4	762.4	14.8	762.0	14.2	762.6	763.7	763.1	763.9	763.57	17.9	11.3			13.3	14.8	13.3	13.8	8.6	12.4	10.7		6.2	9.4	8.1	7.9	54	75	70	66.3	6 Cu Bl-C S.W	9 Cu R Nim	3 Cum			S.E.1	N.W.3	0		Ex.				
3	13.9	760.4	16.1	759.0	14.1	760.3	761.6	759.8	760.1	760.97	18.3	12.4			14.2	17.1	11.9	14.4	10.9	11.7	9.9		8.0	9.5	8.0	8.5	66	62	76	71.3	9 Cu-C	9 St.	9 Cum			S.E.1	S.W.3	S.E.1		Ex.				
4	14.1	762.1	16.1	762.2	15.0	763.1	763.3	763.1	764.2	763.53	17.4	11.3			13.7	16.9	13.5	14.7	11.3	14.2	10.6		8.7	10.4	8.0	9.0	68	52	76	71.3	2 St Cu 6	9 Cum	0			0	S.W.4	S.E.1		Ex.		5.1	5.1	
5	14.4	761.3	17.2	759.9	15.6	759.6	762.0	760.6	760.7	761.33	19.3	12.9			15.1	18.7	14.7	16.2	10.7	13.7	11.6		7.4	8.9	8.5	8.3	57	57	68	60.6	1 Cum	1 Cum	0			0	S.W.4	S.W.1		Ex.				4 w. all eve.
6	16.0	760.0	16.1	759.8	14.6	760.6	760.8	760.7	761.8	761.17	17.2	12.4			13.8	15.5	11.5	13.6	11.9	11.7	10.9		9.3	9.2	9.9	9.8	80	69	93	79.6	9 Cu R Nim	4 Cum S.S.W	10 Nim			W.1	S.W.4	S.W.4		Ag.		0.8	0.8	1.6	⊕ a.m. 4 p.m. 4² w.m. all day 5 Tue. 10th
7	16.6	759.9	13.6	759.8	13.3	759.7	759.6	759.1	759.0	758.25	14.8	10.3			12.7	11.8	11.9	12.1	9.6	10.1	11.3		7.2	8.2	9.6	8.3	66	80	92	79.3	0 Cu S.W	10 Cum N Nim	10 Thin m			S.E.1	S.W.1	Q.E.1		Ag.		1.1	5.6	6.7	⊕ a.m. 7 p.m. 6
8	12.7	762.8	12.4	763.6	11.7	763.9	764.3	763.8	764.1	764.07	14.0	9.2			10.1	12.3	11.1	11.2	9.6	12.3	10.5		8.6	9.2	9.1	9.0	93	86	93	90.7	10 Cu R min S.W	10 Nim	10 Nim			S.W.4	W.4	W.1		Ag.		10.2	20.7	30.9	⊕, Δ a little a day
9	11.7	765.1	14.9	763.3	12.9	763.1	766.9	770.3	770.1	769.10	15.6	8.6			8.8	15.6	11.3	11.9	8.6	12.1	9.7		8.0	8.5	8.1	8.2	94	64	86	79.7	10 Nim	7 Cu R Cu Cu	1 Cum			S.W.1	S.W.1	S.E.1		Ex.		16.4		16.4	⊕ a.m.
10	12.8	764.4	14.9	763.3	13.9	763.2	764.1	770.3	770.4	770.27	16.2	9.6			12.5	15.6	13.1	13.7	9.8	12.1	11.1		7.2	8.2	8.7	8.2	70	65	77	70.7	6 Cu C N	7 Cu R Cu C S E	10 Cu R min			S.E.1	S.W.1	S.E.1		Ex.				
11	12.6	766.5	15.0	767.0	14.3	766.9	766.9	768.1	768.1	768.70	16.6	9.6			11.5	15.6	12.8	13.4	8.8	12.2	10.5		7.1	8.7	8.2	8.0	70	66	79	70.0	2 Cu R Cu C S	9 Cu S	6 Cum			S.E.1	W.1	S.E.1		Ex.				
12	12.7	766.5	14.8	766.6	13.8	765.9	766.5	765.7	766.8	766.33	17.0	11.2			13.0	16.4	13.6	14.3	9.4	11.8	10.5		7.0	7.7	7.1	7.6	65	57	68	62.7	2 Cu C	2 Cu C	0			S.E.1	W.N.1	S.E.1		Ex.				
13	13.7	766.5	16.1	764.3	14.7	763.1	766.8	765.2	766.2	765.96	18.4	11.7			13.4	17.3	13.3	14.7	9.7	13.8	11.3		7.4	9.7	8.9	8.7	64	66	78	69.3	0	0	0			S.E.1	W.1	S.E.1		Ex.				
14	14.2	764.9	14.6	759.2	14.1	758.2	762.6	760.4	759.9	760.80	15.6	10.7			12.3	13.3	13.2	13.3	10.2	12.2	11.1		7.7	9.9	8.7	8.8	67	87	76	76.7	9 Cu S.W	9 Cu W	10 Nim			S.E.1	S.W.1	0		Ex.			14.2	14.2	⊕ f m
15	13.7	762.1	15.0	759.1	14.3	760.1	759.1	760.2	761.1	760.13	17.0	10.3			12.7	15.2	13.6	13.8	11.9	14.1	11.7		9.9	12.2	9.2	10.1	92	88	80	86.7	6 Cu S.W	8 Nim R Cu S.W	7 Cum			0	S.W.2	S.E.1		Ex.		15.2	20	35.2	⊕ a.m. 9 p.m.
16	14.7	758.5	16.6	758.5	15.6	758.4	757.6	758.4	758.5	758.13	18.5	12.4			15.2	17.7	15.7	16.2	11.9	13.7	12.0		9.6	9.3	8.4	9.1	67	61	63	63.7	6 Cu S.W	7 Cu R Cu S.W	10 Cum			S.E.1	S.E.1	S.E.1		Ag.		0.9		0.9	⊕ a.m. 8 Letters 10 9 10 p.m.
17	13.0	757.3	12.8	758.0	12.7	758.8	758.6	758.4	761.2	759.43	16.7	9.9			11.6	16.1	10.1	10.8	8.8	9.6	8.9		7.0	8.3	7.8	7.7	69	86	89	80.0	10 Cu	10 Cum	10 Cum			0	0	0		Ag.		7.1	5.2	12.3	⊕ a.m. 9 p.m.
18	12.6	761.1	14.9	760.8	14.0	761.3	762.5	761.8	762.6	762.33	15.9	9.6			11.6	16.1	13.3	13.7	10.5	13.7	9.9		8.8	10.2	9.7	9.6	87	74	89	82.7	10 Cu S	7 Cum	3 Cu W			0	S.W.1	S.W.2		Ex.		0.3	1.3	0.6	⊕ a.m. 9 p.m.
19	14.2	760.0	15.2	759.3	13.7	763.8	761.1	760.9	765.0	762.33	16.3	10.7			15.3	17.8	13.3	14.8	11.8	11.8	9.8		8.9	8.1	7.3	8.1	66	61	63	63.3	9 Cu S.W	6 Cum W	7 Cu N.W			S.W.4	S.W.4	S.W.4		Ag.		25.4	0.9	26.3	⊕ a.m. 9 p.m. / all day
20	12.0	767.1	15.2	767.0	12.8	768.7	768.6	768.3	770.1	769.00	19.4	9.0			11.1	13.5	11.1	11.9	8.1	9.8	7.9		6.6	7.2	6.4	6.7	67	62	66	65.0	9 Cu N.	1 Cum	0			S.E.1	W.N.1	S.E.1		Ag.				
21	11.3	770.3	13.2	768.7	12.3	768.2	771.9	770.0	769.6	770.50	15.6	7.7			10.4	14.4	11.1	12.0	7.3	9.6	8.2		6.1	6.6	6.7	6.5	69	54	89	69.7	0	0	0			S.W.1	0	S.W.1		Ex.				
22	12.2	766.0	14.3	763.5	13.2	763.2	767.5	767.7	768.6	767.60	15.8	9.3			12.1	14.7	11.6	12.8	9.8	12.3	9.9		7.8	9.1	8.2	8.6	79	73	90	80.7	0	1 Cum	0			0	N.E.1	S.E.1		Ex.				
23	12.8	763.3	15.0	762.2	14.1	762.9	764.7	763.3	764.1	764.03	16.8	10.9			13.2	16.1	13.2	14.2	10.1	13.3	8.4		7.6	9.7	6.0	7.8	67	72	93	69.0	0	0	2 Cu S			S.E.1	N.1	S.E.1		Ex.					a.m. 9 p.m.
24	13.4	762.5	14.2	761.9	13.6	762.0	763.8	762.9	763.3	763.33	17.0	11.3			12.7	15.6	12.1	13.5	9.9	11.6	11.2		6.6	8.0	9.4	8.0	71	61	89	74.3	9 Cu S & Cu	9 Cu S	10 Nim			0	S.W.1	0		Ex.			0.3	0.3	⊕ p.m.
25	13.1	761.2	15.2	761.0	14.1	761.6	762.6	762.0	762.8	762.47	16.8	10.7			11.8	15.7	12.6	13.4	10.1	12.7	11.4		8.2	9.3	9.1	8.9	79	90	86	85.0	9 Cu S.W	7 Cu R Cu S.W	10 Nim R Cu			0	S.W.1	0		Ex.		2.2	1.3	3.5	⊕ a.m. 4 p.m.
26	13.9	761.2	14.3	760.3	13.2	760.9	762.4	761.5	762.3	762.07	16.3	11.6			13.7	12.7	11.6	12.7	11.6	12.2	10.3		9.0	10.3	8.7	9.3	76	98	85	86.0	10 Cu	10 Nim S	9 Cum			0	S.W.4	S.W.1		Ex.		9.4		9.4	⊕ a.m.
27	12.7	762.9	14.4	763.6	13.2	765.1	763.8	764.7	766.5	765.00	15.8	10.4			11.7	15.2	11.8	13.1	11.1	11.8	10.1		9.2	9.4	8.9	9.2	89	66	80	78.3	3 Cu N	3 Cu R Cu S.E	9 Cum			0	N.W.1	S.W.1		Ex.		9.2		9.2	⊕ a.m. & trace at 7 p.m.
28	12.8	765.3	13.5	765.0	12.4	765.1	766.9	766.3	766.6	766.60	13.7	10.4			12.1	10.9	10.8	11.3	10.1	10.7	9.1		9.4	9.4	7.6	8.8	88	95	79	87.3	10 Cu R Nim	10 Cu R Nim	0			0	S.E.1	0		Calm			8.1	8.1	⊕ p.m.
29	12.2	764.4	14.3	763.2	13.6	762.6	765.8	764.3	763.9	764.67	16.4	9.6			12.5	15.6	12.4	13.4	10.2	12.4	11.1		7.8	9.4	9.0	8.7	72	72	83	75.7	8 Cum	8 Cum	4 Cum			0	S.W.1	S.E.1		Calm		0.3	0.8	1.1	⊕ a.m.
30	12.2	762.1	15.3	762.3	13.0	763.3	763.5	763.3	764.7	763.83	16.8	9.6			11.7	16.2	11.9	13.3	9.6	13.3	10.4		7.7	9.6	8.5	8.6	75	71	82	76.0	7 Cum W	7 Cum W	8 Cum			9 S.E.1	S.W.1	S.W.1		Ex.		10.2	0.8	11.0	⊕ a.m. 9 p.m.
31	12.8	765.3	15.0	765.6	13.9	766.3	766.7	766.7	767.1	767.83	17.8	10.3			12.6	16.1	13.1	13.7	10.5	13.4	11.8		8.6	9.9	9.5	9.3	81	73	84	79.3	10 Nim R Cu	8 Cu R Cu C	0			0	S.W.1	S.W.1		Ex.		5.6	0.3	5.9	⊕ a.m. 9 p.m.
Sums							2345.5	2344.0	2372.0		543.9	320.1			385.9	488.7	397.1		274.6	276.8	300.0						2422.6	2186	2385		152	182	143			29	57	32				184.8		
Means							781.9	781.3	790.7	784.63	18.1	10.7			12.9	16.3	12.9	13.4	9.2	12.4	10.3		7.9	8.9	8.7	8.5	80.7	72.9	85.7	79.8	5.1	6.1	4.8	5.3		0.9	1.9	1.1				6.0		

Barometer	Maximum	770.7	on 10
"	Minimum	759.3	on 8
Thermometer	Maximum	19.3	on 5
"	Minimum	8.6	on 9

LIBRARY
N.O.A.A.
U.S. Dept. of Commerce

Oversize
QC
990
.L4
M6
1899

National Oceanic and Atmospheric Administration

Climate Database Modernization Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Climate Database Modernization Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

LASON
Imaging Subcontractor
12200 Kiln Court
Beltsville, MD 20704-1387
March 28, 2002

LIBRARY ☆ APR 10 1899 ☆ Weather Bureau

LIBRARY ☆ APR 10 1899 ☆ Weather Bureau

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Height of Barometer above Sea level 33.7 meters

" " Thermometer above the earth 1.22 "

" " Rim of Rain Guage above " 0.36 "

Hours of observation 8½ 2½ 8½

Year 1899

Month February.

Date	Barometer as read. 8½ Attached Thermometer. Cent.	Barometer as read. 8½ Barometer Millimeters	Barometer as read. 2½ Attached Thermometer. Cent.	Barometer as read. 2½ Barometer Millimeters	Barometer as read. 8½ Attached Thermometer. Cent.	Barometer as read. 8½ Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear—0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0—10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. mm. A.M.	P.M.	Total	Observations and Phenomena
1	19.3	765.5	18.9	764.0	19.0	762.8	767.1	765.0	763.9	765.33	17.8	11.3			13.8	16.6	15.5	15.3	11.1	13.7	12.6	8.3	10.0	9.2	9.2	70	71	70	70.0	7 Cū - S	10 Cū - S	8 Cu	8.3	S.S.E	S.S.E	0		Sr					
2	19.7	761.5	18.8	760.9	19.8	762.1	762.4	761.7	763.1	762.40	19.8	13.4			17.2	19.2	14.3	16.7	14.5	15.7	13.3	10.6	11.1	10.7	10.8	73	68	84	75.0	6 Cū - C.W.	1 Cu	0	2.3	N.W.2	S.W.1	S.S.1		Sr				2 - p.m.	
3	19.4	762.8	16.4	761.7	18.7	760.9	764.0	762.5	761.8	762.77	18.4	11.8			15.8	17.7	18.2	15.8	10.1	13.8	13.3	7.3	9.5	10.2	9.0	62	63	79	68.3	3 Cū - C	0	1 Cū - S	1.3	S.S.1	N.W.1	S.S.1		Sr				— p.m.	
4	18.5	756.7	18.3	757.6	19.4	759.1	758.3	754.2	757.6	756.69	22.4	17.2			20.3	19.4	21.6	20.4	14.1	17.2	19.9	8.7	13.1	16.1	12.6	49	78	83	70.0	7 Cū - C.W.S.W.	2 St	10 Nim	6.3	2-1	N.S.1	S.W.2		Sr					
5	18.1	764.6	16.2	764.3	15.6	764.4	758.6	758.4	758.5	758.50	22.2	13.1			15.1	12.7	13.8	13.9	12.3	11.0	11.6	9.1	9.6	9.1	9.2	71	80	76	75.7	8 Cu	9 Cu of Nim	6 Cu	7.7	S.W.1	S.W.1	S.S.1		Ag	4.3	11.2	15.5	☾ a.m. of p.m. of N.L. of ☽ p.m.	
6	12.7	765.5	12.7	765.9	12.9	764.8	765.3	765.7	765.4	765.40	14.6	9.3			9.7	10.5	11.4	10.6	9.6	10.0	10.0	9.1	8.9	8.3	8.8	99	94	82	91.7	10 Nim	10 Nim	9 Cum	7.7	S.S.1	S.W.1	S.S.1		Ag	18.3	19.2	37.5	☾ a.m. of p.m.	
7	11.8	765.6	12.8	765.9	12.8	762.0	765.9	765.9	765.9	765.80	16.7	9.6			12.7	12.3	11.6	12.2	11.7	11.7	10.9	9.6	9.8	9.3	9.6	89	93	91	91.0	9 Nim	7 Cu W.	7 Cum	7.7	S.W.1	N.E.2	0		Ag	19.2	15.3	34.5	☾ a.m. of p.m. — ☽ P.	
8	14.7	764.6	14.8	765.1	13.9	765.9	766.0	766.1	765.1	765.40	17.6	10.8			12.0	12.2	12.7	14.0	11.3	14.3	11.1	9.6	10.4	8.7	9.6	92	71	80	81.0	4 Cu	3 Cum.	1 Cum.	2.7	0	S.W.1	S.W.1		Sr	14.3		14.3	☾ a.m. during night	
9	12.8	765.1	14.8	763.6	13.9	762.7	765.5	764.7	764.0	764.83	17.0	10.1			12.7	16.4	13.4	14.2	10.7	12.3	11.6	8.1	8.5	9.0	8.5	74	49	79	74.0	1 Cu	2 Cu S.	2 Cum.	2.0	S.S.1	S.W.1	S.S.1		Sr				— a.m.	
10	13.5	764.4	12.0	764.4	14.4	764.7	761.7	761.5	761.9	761.70	17.3	10.7			12.7	16.2	13.3	14.1	9.4	13.2	10.6	7.1	9.6	8.1	8.3	65	70	71	68.7	7 Cū	6 Cu of Cū N.	0	4.3	S.S.1	S.W.1	S.S.1		Sr				— ☾ p.m. of ☽ p.m.	
11	13.5	761.5	14.8	761.1	14.1	761.3	762.6	762.5	762.5	762.53	16.5	11.2			12.7	15.7	12.9	13.6	11.2	12.5	10.8	9.8	9.0	8.7	8.8	82	68	81	77.0	7 Cu of Cū - C	2 Cum.	2 Cum.	3.7	S.S.1	N.W.1	0		Sr	0.5		0.5	☾ a.m. at 9.15 P.	
12	14.4	760.6	16.6	762.0	15.0	761.1	761.3	762.9	760.2	761.50	18.4	14.9			13.7	17.1	14.1	15.0	12.0	12.7	13.3	9.5	8.8	10.8	9.7	81	62	80	77.7	2 Cu of Cū - C	2 Cum.	1 Cum.	1.7	S.W.1	S.W.1	S.1		CR	0.3		0.3	☾ a.m. during night	
13	14.1	760.7	16.1	760.6	15.4	760.0	761.9	761.5	761.0	761.10	18.5	11.4			13.8	17.2	13.6	14.9	11.8	15.4	12.6	9.2	11.9	10.2	10.4	78	82	88	82.7	1 St.	1 Cū	0	0.7	S.S.1	C.W.1	S.S.1		Sr				— a.m. of p.m.	
14	14.4	760.0	16.3	760.0	15.6	760.8	760.1	760.9	760.8	760.60	18.3	11.5			14.3	17.3	14.1	15.2	11.1	15.1	10.6	8.1	11.3	7.6	9.0	69	77	63	69.6	0	1 Cū	0	0.3	0	N.1	S.S.1		Sr				— a.m. of p.m.	
15	14.3	760.4	16.2	760.7	15.8	760.8	760.6	760.6	760.5	760.57	17.6	11.5			13.2	16.8	14.1	15.3	11.6	14.6	12.6	9.3	10.9	11.0	10.4	84	77	85	82.0	4 Cū of Cu W.	1 Cum.	7 Cum N.W.	4.0	0	N.S.1	N.S.1		Sr				— a.m.	
16	15.2	760.8	16.7	760.4	15.6	760.7	760.8	760.2	760.9	760.63	18.3	12.0			14.8	18.1	15.6	15.6	12.0	14.4	12.9	8.9	10.0	9.8	9.6	71	61	77	69.7	0	0	0	0.0	0	N.S.1	N.S.1		Sr				— a.m.	
17	19.1	760.0	16.7	760.5	15.9	760.9	760.1	760.4	760.0	760.50	19.0	11.3			14.4	17.8	13.8	15.3	12.4	14.8	12.2	9.2	10.7	9.5	9.8	74	70	81	75.0	0	0	1 Cū	0.3	0	S.W.1	S.1		Calm				— a.m.	
18	14.0	761.4	16.5	759.6	15.4	759.6	760.3	760.5	758.6	760.13	17.9	11.0			13.7	17.1	14.9	15.2	11.1	14.0	12.8	8.3	10.1	9.7	9.4	72	69	76	72.3	1 Cum	7 Cū - C.W.	10 Cū - St.	6.0	S.S.1	S.W.3	S.S.4		Sr				— ☾ a.m. of ☽ p.m.	
19	16.6	758.9	15.6	758.0	14.6	756.1	759.1	758.0	757.2	758.10	16.7	13.0			15.8	14.9	13.3	14.6	12.9	12.4	10.5	9.8	9.3	8.1	9.1	92	73	70	71.7	5 Cum.	10 Cu of Nim	8 Cu S.W.	7.7	6.W.4	S.W.6	S.W.4		Ag	8.9	5.9	14.8	☾ a.m. of p.m.	
20	12.8	759.9	12.2	759.5	11.9	758.9	757.4	760.1	758.5	760.67	13.8	9.1			9.6	9.9	7.9	9.1	8.9	8.9	7.2	8.2	7.9	7.2	7.8	93	87	91	90.3	10 Cu S.W.	10 Cum	10 Nim of Cu	10.0	S.S.1	N.W.3	N.W.6		Ag	1.5	8.2	9.8	☾ a.m. of p.m. ; ☾ at 10 P.	
21	18.0	758.3	11.1	758.8	10.6	758.3	760.0	760.4	760.0	760.50	12.2	3.2			6.3	11.8	10.3	8.5	5.8	9.2	7.3	6.6	7.3	6.2	6.7	98	71	66	78.7	10 Nim	6 Cum	7 Cu W.	7.7	S.W.1	S.S.1	S.S.1		Sr	7.7	1.5	9.2	☾ a.m. of p.m.	
22	18.9	761.9	13.3	761.0	11.8	763.1	765.0	765.2	765.4	765.20	15.6	5.8			10.1	14.9	11.2	12.1	7.3	11.9	9.4	6.3	8.2	7.8	7.4	68	65	79	70.7	3 Cum N.W.	Cum	3 Cu S.W.	2.3	S.S.1	S.W.1	S.S.1		Sr				— ☾ p.m.	
23	12.1	763.2	14.9	761.7	13.7	761.3	763.7	762.8	763.5	763.33	17.4	9.7			13.6	14.9	13.8	14.1	10.5	12.6	12.6	7.8	9.2	10.0	9.0	68	75	86	76.3	9 Cu S.W.	10 Cu S.W.	10 Nim	10.0	S.W.1	S.W.2	S.W.1		Sr					
24	13.3	762.1	15.3	762.0	14.0	762.1	763.4	763.1	763.3	763.27	17.4	11.4			12.9	14.9	12.7	13.5	11.9	13.2	11.6	9.8	10.3	9.9	9.9	89	81	87	85.7	4 Cu of Cū N.	7 Nim of Cu	2 Cum	4.3	0	N.S.1	N.1		Sr	7.1	0.8	7.9	☾ a.m. of p.m.	
25	14.2	761.3	16.3	760.9	15.7	759.4	762.5	761.7	760.4	761.53	18.4	11.8			16.1	17.2	16.9	16.7	12.3	13.4	13.0	8.6	9.3	9.6	9.2	63	64	69	64.7	9 Cu of Cū - C	10 Cū - S.S.	9 Cu S.W.	9.3	S.S.1	N.1	N.S.1		Sr					
26	15.7	759.4	13.8	759.9	14.7	756.1	760.4	758.5	757.2	758.70	19.4	14.1			16.6	18.3	16.4	17.33	14.8	16.9	15.1	11.4	13.1	12.8	12.4	81	81	92	84.7	4 Cū - C.W.S.W.	8 Cū - C	1 Cum	4.3	S.S.1	N.S.2	N.S.2		Ag				— p.m.	
27	15.6	759.0	15.6	759.1	14.4	758.5	760.0	760.2	760.7	760.30	17.8	12.9			14.8	17.2	12.3	13.27	12.5	12.3	11.4	9.4	10.3	9.6	9.8	76	94	89	86.5	9 Cu W.S.W.	10 Nim	10 Cum	9.7	W.W.1	S.W.1	S.W.1		Sr	0.5	9.3	19.8	☽ R at 8 P.M. S.W. ; R at 8 A.M.	
28	14.6	758.5	15.6	758.6	13.3	758.3	760.7	759.6	759.7	760.00	16.4	12.2			13.3	15.2	10.4	13.0	11.9	13.7	8.3	9.7	10.4	7.1	9.1	85	84	76	81.7	10 Cum	9 Cum	10 Cum	9.7	W.N.W.	S.W.	S.W.		Ag	0.3	15.0	15.3	☽ ; ☽ began at 11 a.	
29																																									
30																																									
31																																									
Sums							2134.8	2131.85	2137		492.2	340.3			379.6	449.6	352.6					246.5	279.6	264.8		2141	2098	2289		150	199	121		27	47	42					71.3		
Means							762.6	761.36	761.81	761.93	17.6	11.1			13.5	15.7	13.7	14.3				8.8	10.0	9.4	9.4	76.6	74.9	79.9	77.0	5.9	4.9	4.3	4.8	0.99	1.7	1.4					6.1		

Barometer Maximum 767.1 on 1

" Minimum 759.6 on 4

Thermometer Maximum 22.4 on 4

Minimum 7.2 on 21

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Year 1899

Month March.

Height of Barometer above Sea level 33.7 meters

" " Thermometer above the earth 1.22 "

" " Rim of Rain Guage above " 0.36 "

Hours of observation 8½ 2½ 8½

Date	Barometer as read. 8½ Attached Thermometer. Cent.	Barometer as read. 8½ Barometer Millimeters	Barometer as read. 2½ Attached Thermometer. Cent.	Barometer as read. 2½ Barometer Millimeters	Barometer as read. 8½ Attached Thermometer. Cent.	Barometer as read. 8½ Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	mean	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear— 0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0—10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. mm. A.M.	P.M.	Total.	Observations and Phenomena
1	11.4	761.1	11.1	762.6	11.5	763.8	763.5	764.3	765.8	764.53	12.9	7.3			9.3	9.6	8.9	9.3	5.9	6.4	4.6	5.3	5.7	4.5	5.2	61	63	54	59.3	9 Cu m.w.	9 Cu w.	7 Cum	8.5	N.1	N.2	N.W.3					4. m.
2	10.1	763.5	12.1	762.7	11.4	761.6	762.2	764.0	763.2	764.13	13.8	6.9			9.1	12.6	10.1	10.6	6.3	9.2	7.3	6.8	7.0	6.2	6.5	67	65	68	66.9	9 Cu S.W.	7 Cum	1 Cum	5.7	S.W.1	0	0					
3	12.7	761.6	12.6	762.3	12.2	763.4	763.3	763.7	764.5	763.83	14.0	7.6			11.6	13.1	12.2	12.3	8.2	9.8	8.8	6.5	7.5	6.8	6.9	63	67	64	64.7	2 Cum	2 Cum	0	1.3	0	N.E.2	N.W.3					
4	11.7	764.8	13.9	764.0	13.4	763.4	762.0	762.2	764.7	762.98	16.3	9.0			12.3	15.8	13.7	13.3	9.4	11.1	8.8	7.2	7.8	6.6	7.2	69	61	61	62.7	0	0	0	0.0	0.1	N.W.1	S.W.1					0 p.m.
5	13.5	762.1	15.6	761.3	14.5	761.7	762.3	762.2	762.5	762.77	17.4	11.2			15.1	16.7	14.9	15.6	11.1	13.4	12.3	7.7	9.6	9.2	8.8	61	68	73	64.0	0	1 Cum	0	0.3	0	N.1	N.2					0 A.M.
6	14.4	762.0	15.7	761.6	15.0	761.7	762.2	762.6	762.7	762.83	16.7	11.9			14.7	16.2	14.8	15.2	11.8	13.1	12.3	9.7	9.4	9.2	9.4	69	69	73	70.3	3 Cir	4 Cu of Cir	0	2.3	N.2	N.E.2	N.E.3					
7	15.6	762.4	16.1	762.2	15.6	762.7	762.5	763.1	763.7	763.10	17.2	12.4			15.4	16.6	15.1	15.7	12.9	13.6	12.5	8.9	9.8	9.3	9.3	69	70	73	70.3	7 Cum S	3 Cum	6 Cum	6.0	N.E.1	N.1	N.1					
8	15.2	762.4	17.2	761.8	16.1	762.8	763.3	763.1	761.8	762.73	18.1	11.3			14.7	17.2	14.7	15.5	12.2	14.3	13.3	9.1	10.4	10.4	9.8	73	71	83	74.7	1 Cum	4 Cu of Cir-c	3 Cum	2.7	S.W.1	S.W.1	S.W.1					Calm
9	15.4	762.1	18.1	758.6	16.1	760.4	761.1	760.4	761.3	760.93	21.1	12.8			16.5	18.6	15.5	16.8	11.5	12.9	13.4	8.0	10.4	10.0	9.4	62	64	75	67.0	9 Cum	1 Cir-c Cu-c	2 Cum	7.0	1	S.W.1	C.2.1					0 a.m.
10	16.9	762.4	17.6	760.0	16.1	760.5	762.3	762.4	762.6	762.43	19.9	12.7			16.9	18.6	15.7	16.4	13.4	15.3	13.4	9.4	11.1	10.1	10.1	66	72	76	71.7	0	0	0	0.0	S.2.1	S.E.2	N.E.1					
11	15.7	762.7	16.7	760.3	15.5	760.9	762.7	762.2	760.9	761.93	17.7	11.8			15.7	17.3	15.7	16.2	11.9	13.8	13.6	8.9	9.7	10.3	9.6	63	66	67	65.3	5 Cir. N.W.2	3 Cir-Cu-S	0	2.7	N.W.2	N.W.2	N.E.4					
12	15.8	761.4	17.1	760.3	16.1	760.6	760.3	760.2	760.9	760.47	17.7	14.1			16.9	17.3	15.8	16.3	12.0	12.8	11.9	8.9	9.5	8.1	8.5	62	58	66	62.0	0	0	0	0.0	N.E.3	N.E.4	N.E.3					
13	15.6	761.6	17.6	760.1	16.2	760.1	760.6	760.0	760.2	760.30	18.7	11.3			15.7	17.8	16.1	16.5	11.4	12.9	13.6	7.8	8.4	10.0	8.7	59	56	74	63.0	2 Cir + Cu	1 Cir	1 Cum	1.3	S.W.1	N.W.1	N.E.3					
14	15.7	760.5	17.4	760.4	16.3	760.0	760.4	760.1	760.9	760.47	19.3	12.6			15.7	19.0	15.8	16.8	12.7	15.4	14.1	9.3	10.5	10.8	10.2	70	66	87	73.3	2 Cir-c	0	0	0.7	S.W.1	N.W.1	S.W.1					0 a.m.
15	16.5	761.9	18.3	760.6	17.6	760.6	760.3	760.2	760.5	760.77	20.9	13.7			17.2	19.3	16.7	17.9	14.4	15.7	15.7	10.5	10.8	12.6	11.3	74	63	89	74.7	7 Cir-c Cir-c	3 Cir-S.W.	9 Cum	5.0	N.W.1	N.1	3.2.1					0
16	15.3	758.5	20.7	757.1	18.7	757.9	758.9	758.9	758.5	758.77	24.4	15.9			20.7	23.9	17.8	20.8	15.8	18.3	16.1	10.4	12.1	12.9	11.8	37	55	82	64.7	9 Cir-S.W.	9 Cir-c Cu.W.	7 Cum	8.3	S.2.1	N.E.4	S.W.1					0 a.m. 00 all day.
17	15.1	758.5	18.5	757.5	17.3	758.4	759.2	758.1	757.6	758.30	20.2	15.2			16.7	17.7	17.7	17.4	15.8	16.7	16.1	12.6	13.4	12.5	12.8	88	89	83	86.7	9 Cu of Cir-S.W.	10 Cum	2 Cir-c	7.0	0	N.1	0.1					0 a.m. 0 p.m. 0 all day.
18	19.3	754.1	24.6	753.8	19.6	754.5	754.6	754.6	754.6	754.60	27.1	16.8			19.6	23.3	20.3	21.1	17.2	19.7	18.8	13.0	14.8	13.8	13.9	77	78	93	82.7	7 Cum S	10 Cu of Cir-c + 10 Cir S.W.		9.0	N.2.1	6.W.3	S.W.4			0.5	0.5	1.0	0 a.m. 0 p.m. R^ve
19	18.1	755.8	19.8	757.2	17.2	759.1	756.5	760.2	760.0	758.90	19.4	15.4			16.6	18.9	18.8	17.1	16.2	16.8	14.6	13.4	12.8	11.5	12.6	95	79	80	87.7	10 Vir	2 Cum	6 Cu S.W.	5.0	S.W.2	S.W.3	S.W.2			3.1	0.5	9.6	0 a.m. 0 p.m.
20	16.3	760.7	17.6	761.3	16.0	762.5	761.7	761.9	763.4	762.33	19.7	13.1			13.6	16.8	14.3	14.9	12.9	14.9	13.6	10.6	10.8	9.8	10.4	91	76	81	82.7	9 Cu of Vir	6 Cu S.W.	2 Cu S.W.	7.3	S.W.1	S.W.1	S.W.1			8.1	0.4	8.5	0 a.m. 0 p.m.
21	15.6	763.7	15.1	763.0	16.2	762.8	764.7	763.6	763.5	763.93	19.1	12.4			14.2	15.4	14.6	15.7	12.7	15.6	13.3	10.0	11.3	10.6	10.6	83	72	86	80.3	9 Cum	7 Cu of Cir-c	0	5.3	S.W.1	S.W.1	S.W.1			2.8		2.8	0 a.m. p.m.
22	17.2	762.0	18.9	762.0	17.6	762.7	762.8	762.5	763.4	762.90	21.4	13.4			18.0	19.8	16.8	18.2	15.3	15.7	15.3	11.2	11.1	12.0	11.4	73	64	85	74.0	5 Cir-c Cir-S.W.	5 Cir-Cir-c	0	3.3	N.2.1	N.E.1	S.W.2					a.m.
23	17.1	761.3	18.7	760.7	17.4	761.4	760.0	760.2	760.5	760.23	19.8	13.7			18.0	18.7	16.6	17.8	16.2	16.7	15.8	12.9	12.7	12.9	12.8	81	79	92	84.0	9 Cum N.	4 Cum	2 Cir	5.0	S.W.1	S.W.1	N.W.1					a.m.
24	17.4	763.6	19.7	764.6	18.9	763.6	764.4	764.0	764.1	764.17	22.5	14.3			17.6	21.2	20.3	19.7	15.7	17.1		12.1	11.9			81	64			4 Cir-S	0	0	1.3	0	N.E.1	S.W.1					a.m. 0 p.m.
25	23.4	763.4	23.1	761.6	21.5	761.1	763.4	761.6	761.4	762.13	24.2	14.3			24.1	24.9	24.8	23.9	17.9	18.8	17.2	16.6	12.4	12.2	13.7	43	03	66	37.0	0	0	0	0.0	S.1	N.E.1	S.E.1					0 p.m.
26	22.3	760.4	24.4	758.9	23.4	758.1	760.4	758.9	758.1	758.47	27.9	18.6			25.1	25.6	23.7	24.8	18.8	18.6	18.6	12.2	11.7	10.2	11.4	51	47	47	48.3	1 Cir-S	1 Cir	0	0.7	S.W.1	N.E.1	0					
27	22.8	757.5	24.1	758.3	19.1	758.4	757.8	758.7	760.0	758.77	27.4	19.7			21.0	17.9	16.4	18.4	18.5	16.8	15.1	14.1	13.4	11.8	13.1	76	87	85	82.7	7 Cu of Cir-c	10 Cum	9 Cum	8.7	S.W.2	S.W.3	S.W.2					0 p.m. & a trace at a.m.
28	17.2	758.5	17.8	758.3	15.7	759.3	758.9	759.1	759.4	759.13	17.3	12.9			13.4	14.9	11.3	13.2	11.8	12.2	9.7	9.4	9.3	8.0	8.9	82	71	88	77.7	10 Cu of Vir	4 Cum	9 Cum	7.7	S.W.1	S.W.1	N.W.1			1.9	1.8	3.7	0 a.m. 0 p.m.
29	14.2	758.5	16.3	757.3	14.4	758.4	758.7	758.2	759.6	758.84	17.0	9.0			11.7	15.6	10.1	12.5	10.1	12.1	9.8	8.3	8.5	8.9	8.6	80	65	97	80.7	9 Cum	4 Cum	10 Cum	7.7	S.W.2	S.W.1	N.1			23.4	21.4	44.8	0, R during night
30	14.2	758.7	14.7	758.9	13.9	760.7	760.1	760.0	762.2	760.77	18.6	8.9			12.2	13.3	13.3	12.9	10.6	10.9	9.8	8.5	8.5	7.4	8.1	81	74	64	73.0	9 Cu of Vir	8 Cu of Cir-c	6 Vir	7.7	N.1	W.2	S.W.4			10.4	7.9	18.3	0 a.m. & p.m.
31	13.3	759.9	15.0	761.5	13.9	762.9	761.2	762.5	764.1	762.60	16.5	9.3			11.9	15.6	13.7	13.7	10.6	12.7	11.1	9.2	9.2	8.4	8.9	91	70	71	77.3	9 Cu of Cir-c	4 Cu of Cir-c	2 Vir	5.0	W.1	S.W.3	S.W.2			8.6	1.0 0.4	9.6	0 a.m. & p.m.
Sums							2363.61	2366.2	2360.8		601.8	394.3			491.4	510.7	475.2													165	53 124	92		34	50 47	50				93.1	
Means							762.45	762.79	762.27	762.51	19.3	12.7			15.8	16.6	15.3	16.4												5.3	4.1	20 2	4.1	1.1	1.6	1.6				2.9	

Barometer Maximum 767.7 on 11

" Minimum 750.1 on 18

Thermometer Maximum 30.2 on 25

" Minimum 6.9 on 2

WEATHER BUREAU
★ JUN 12 1899 ★
DIVISION OF RECORDS AND MET'L DATA

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Year 1899.

Month April

Height of Barometer above Sea level 33.7 meters

" " Thermometer above the earth 1.22 "

" " Rim of Rain Gauge above " 0.36 "

Hours of observation 8½ 2½ 8½

Date	Barometer as read. 8½ Attached Thermometer Cent.	8½ Barometer Millimeters	2½ Attached Thermometer Cent.	2½ Barometer Millimeters	8½ Attached Thermometer Cent.	8½ Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear— 0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0 — 10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. mm. A.M.	P.M.	Total	Observations and Phenomena
1	13.9	764.2	16.7	763.6	15.0	762.5	764.7	764.4	764.8	764.74	17.8	12.1			15.9	17.4	15.3	16.4	12.2	13.1	12.2	9.8	11.3	9.9	10.3	67	76	87	76.7	2 Cir – St	2 Cum	0	1.3	W.1	S.W.1	0						☾ P. M.
2	14.1	765.7	18.7	765.5	16.5	764.7	764.4	763.9	765.7	764.70	20.4	12.1			16.7	19.5	16.6	17.6	14.4	17.2	13.7	10.8	13.4	10.5	11.6	75	77	90	78.7	0	N Cu & Cir – c	0	1.3	S.W.1	S.W.3	S.W.1						☾ a. m. & p. m.
3	14.8	764.6	14.7	764.2	14.0	764.9	765.7	765.4	765.1	765.73	18.0	11.7			15.4	15.4	15.1	15.3	12.4	11.6	11.2	7.8	9.3	8.8	8.6	69	81	90	76.7	10 Cum	8 Cir – Cu	10 Nim	9.3	S.W.4	S.W.4	S.W.4						☾ a. m. & p. m.
4	13.6	767.5	15.6	765.8	13.9	765.3	765.1	764.9	766.2	765.97	16.6	9.9			11.6	15.5	12.1	13.1	10.2	13.7	10.5	9.4	9.6	8.6	9.2	93	72	90	78.5	10 Cum	7 Nim & Cu	8 Nim	8.5	W.1	S.W.1	W.N.1						☾ a. m. & p. m.
5	13.8	766.8	15.0	765.9	13.9	765.0	765.2	765.2	765.3	765.17	17.4	9.8			11.1	14.5	11.7	12.4	10.7	12.6	9.4	9.3	9.8	8.1	9.0	94	79	79	84.0	9 Cu & Nim	9 Nim	0	6.0	0	S.W.1	0						☾ a. m. & p. m.
6	13.4	763.4	16.1	762.1	14.9	762.0	763.2	763.0	763.3	763.83	18.2	10.7			16.6	16.6	15.6	16.6	12.9	13.8	11.7	8.7	9.7	9.2	9.2	63	69	79	70.9	2 Cir – c	3 Cum	0	1.7	0	S.W.1	0						☾ a. m. & p. m.
7	14.4	761.5	16.7	760.8	15.6	760.7	761.3	761.7	761.7	761.90	19.1	11.1			16.1	17.2	15.6	16.3	13.7	13.7	12.5	9.1	9.7	9.4	9.4	67	67	72	68.7	2 Cum	1 Cum	10 Cum	4.3	0	W.1	W.N.1						☾ a. m.
8	15.6	760.3	17.2	760.7	16.2	761.1	761.7	761.5	762.0	761.74	18.6	12.1			16.7	17.4	16.1	16.7	13.7	14.4	13.3	9.9	10.9	9.7	10.2	71	70	72	71.0	1 Cum	1 Cum	1 St	1.0	0	W.W.1	W.N.1						☾ a. m.
9	16.7	761.7	18.5	763.6	17.1	764.3	763.5	764.2	765.1	764.25	20.1	14.5			16.3	19.2	15.1	16.9	13.7	15.6	13.1	10.1	12.9	9.9	11.0	74	66	77	72.3	9 Cum	3 Cu & Cir – c	8 St	6.7	S.W.1	W.1	0						☾ a. m.
10	16.4	763.8	18.3	764.0	17.9	762.5	764.7	764.3	763.8	764.17	19.9	12.7			16.9	18.9	17.7	17.8	14.3	15.8	14.6	10.5	10.9	10.1	10.5	73	67	70	70.0	0	0	0	0.0	0	W.N.1	N.W.1						Calm. ☾ a. m.
11	18.3	760.0	20.6	761.0	19.4	760.6	760.6	761.4	761.3	761.10	24.5	15.2			20.2	21.6	18.8	20.2	17.0	15.0	15.4	12.3	13.1	11.8	12.4	70	68	68	68.7	0	0	0	0.0	0	S.W.1	S.W.1						☾
12	18.6	764.7	19.4	763.8	17.2	763.8	763.3	763.5	764.4	763.63	20.4	14.6			17.9	19.4	16.2	17.8	14.7	16.6	13.8	10.8	12.7	12.4	12.0	73	64	76	71.0	6 Cir – c & Cu	0	9 Cir – c.	5.0	S.S.1	S.W.1	W.N.1						☾
13	16.8	764.1	18.0	763.2	17.6	763.9	764.9	764.5	765.6	764.98	19.0	14.1			17.2	18.2	17.4	17.6	14.8	15.5	14.4	11.0	11.5	12.3	11.6	75	76	90	80.3	1 Cir – c	0	0	0.3	W.S.1	W.S.1	W.N.1						☾
14	18.2	762.6	19.8	762.6	18.7	763.0	763.3	763.0	763.6	763.20	21.5	15.7			20.1	22.1	17.9	18.6	13.8	18.6	14.7	13.6	14.8	13.4	13.9	77	55	85	69.3	0	1 Cum N.E.	0	0.3	W.N.1	W.N.W.	W.N.1						☾ a. m. & p. m.
15	18.9	761.5	20.1	761.4	18.7	762.7	762.1	761.8	761.3	761.73	24.0	16.5			17.4	20.3	18.2	19.3	17.4	17.8	17.4	13.4	15.4	14.2	14.3	89	76	95	86.7	0	0	0	0.0	W.N.1	W.N.1	N.W.1						☾ a. m.
16	19.9	759.9	21.1	758.7	20.0	759.5	759.5	759.0	759.0	759.17	25.7	16.2			19.4	21.7	19.5	20.2	17.2	19.7	18.9	15.1	15.8	14.9	14.5	78	90	85	82.0	6 Cir	0	0	2.0	W.N.1	W.1	W.1						☾ a. m. & p. m.
17	20.4	759.9	22.6	759.3	21.9	759.9	759.5	759.1	760.0	759.47	29.3	17.6			22.1	23.1	22.3	24.9	18.7	18.5	16.9	13.4	10.5	11.1	11.6	64	38	55	52.3	0	0	0	0.0	0	1	0						☾ a. m.
18	24.2	760.1	24.5	760.1	24.4	760.1	760.6	760.4	760.2	760.10	28.5	19.6			23.7	26.6	25.2	26.5	18.9	21.2	18.4	11.1	11.8	11.7	11.5	40	56	50	48.7	0	0	0	0.0	W.W.1	N.W.1	W.1						
19	25.6	760.9	25.6	760.3	24.6	759.9	760.0	760.0	759.7	759.90	32.3	21.2			23.9	25.6	23.7	24.1	19.9	17.3	17.6	11.5	12.6	11.3	11.8	36	62	52	49.7	0	9 Cu & St	3 Cir – c	4.0	W.1	W.W.1	S.W.1						W at 7.30° & a sandrepeat 8.30°
20	23.7	758.9	24.9	759.1	24.2	758.7	758.8	758.6	758.8	758.80	27.4	19.9			24.5	25.5	23.1	24.4	18.7	20.6	18.9	16.3	14.6	12.6	13.8	54	59	60	57.7	0	2 Cum	0	0.7	S.W.1	W.W.1	0						Calm.
21	22.8	759.0	23.9	758.8	22.0	758.9	759.0	758.7	759.2	759.00	24.9	18.2			23.1	23.2	20.5	22.6	18.9	21.1	20.0	13.4	16.8	16.9	15.7	64	80	95	79.7	0	0	0	0.0	S.W.1	W.W.1	W.N.1						Calm. ☾ a. m.
22	21.7	760.5	23.9	760.3	22.0	760.8	760.3	760.1	760.9	760.50	25.1	17.1			20.9	22.9	19.2	20.8	19.2	20.7	18.3	15.4	16.5	15.6	15.8	86	84	94	88.7	1 Cum S.	0	0	0.3	S.W.1	S.W.1	0						Calm. ☾ a. m. & p. m.
23	22.0	760.1	22.8	760.6	20.8	760.6	760.3	760.7	759.3	760.10	25.7	16.8			20.3	22.1	17.3	19.9	15.9	20.1	16.8	15.1	16.0	13.8	14.9	75	81	94	85.7	4 Cir W.	2 St & Cum	0	2.0	W.W.1	W.W.1	W.N.1						Calm. ☾ a. m. & p. m.
24	21.9	759.1	23.3	759.0	22.2	758.9	759.2	759.0	759.0	759.07	29.8	17.3			23.1	23.2	20.4	22.2	20.4	21.2	19.4	15.6	17.0	16.0	16.3	76	81	89	82.0	0	0	0	0.0	S.W.1	W.W.1	S.W.1						Calm. ☾ a. m. & p. m.
25	20.9	761.3	22.8	761.6	20.9	762.9	761.6	761.6	761.2	761.47	22.6	18.0			20.7	22.6	18.8	20.7	17.2	17.9	16.7	12.3	12.9	12.9	12.5	67	67	79	71.0	4 Cum S.W.	6 Cir W.	6 Cir – c S.W.	5.0	S.W.2	S.W.3	S.W.3						
26	23.3	760.6	22.1	760.3	20.9	760.5	760.4	760.9	760.9	760.85	22.9	17.4			17.3	21.4	18.2	19.7	16.0	17.1	15.7	11.5	12.1	11.6	11.7	69	66	75	70.0	2 Cum	2 Cum	4 Cu S.W.	4.7	S.W.3	S.W.3	S.W.1						☾ a Trace at 2 a.m.
27	24.3	759.9	24.7	759.2	23.3	759.1	760.3	759.4	759.6	759.77	27.0	15.2			19.9	22.7	19.9	19.5	16.7	17.1	15.9	12.1	12.1	11.9	11.4	70	66	76	70.7	7 Cir & Cu W.	5 Cir & Cir – c	2 Cum	4.7	S.W.1	N.1	N.1						
28	20.2	759.6	21.2	759.4	19.5	760.6	759.4	759.6	759.1	759.37	23.3	15.1			19.4	21.0	18.3	19.6	16.6	17.6	16.2	12.2	12.6	12.3	12.4	72	69	79	73.3	3 Cir	2 Cum	0	1.2	0	W.W.1	N.W.1						
29	20.9	759.1	23.2	759.5	20.6	759.9	759.5	759.1	758.9	759.17	30.2	17.1			19.9	21.6	17.8	22.5	19.1	19.3	15.3	10.8	15.2	11.4	12.4	37	78	75	63.3	4 Cir – c S.W.	7 Cir – c St & Cu	2 Cum	5.3	S.W.3	S.W.3	S.W.3						
30	21.1	760.1	22.2	760.8	20.0	761.4	760.9	761.8	761.3	761.33	22.4	15.2			20.1	21.7	17.3	19.7	17.0	18.2	12.2	14.3	13.1	8.8	12.1	70	68	55	64.3	4 Cu S.W.	2 Cum S.W.	0	2.0	S.W.3	S.W.3	S.W.1						
31																																								
Sums							2279.86	2283.75	2282.79		677.6	457.0			584.6	635.5	531.9					344.45	391.5	326.5		2000	2154	2378		90	76	85		29	40	32				51.3		
Means							760.95	760.6	761.00	760.85	22.9	15.0			19.5	21.2	17.7	19.5				11.5	13.1	10.9	11.8	69.9	71.8	79.3	72.3	3.0	2.5	2.2	2.6	1.0	1.3	1.1				1.7		

Barometer Maximum 765.4 on 4th

" Minimum 752.8 on 29

Thermometer Maximum 32.3 on 19

" Minimum 8.7 on 4

WEATHER BUREAU ★ JUN 12 1899 ★ RECORDS AND METL DATA

LIBRARY
JUL 10 1899
Weather Bureau

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Height of Barometer above Sea level 33.7 meters
" " Thermometer above the earth 1.22 "
" " Rim of Rain Guage above " 0.36 "
Hours of observation 8½ 2½ 8½

Year 1899
Month May

Date	Barometer as read. 8½ Attached Thermometer Cent.	8½ Barometer Millimeters	2½ Attached Thermometer Cent.	2½ Barometer Millimeters	8½ Attached Thermometer Cent.	8½ Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	mean	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear— 0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0 — 10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. A.M.	P.M.	Total mm.	Observations and Phenomena
1	19.2	761.4	22.6	760.5	19.9	761.5	761.9	760.6	761.8	761.45	23.4	19.2			19.5	20.4	18.7	19.5	16.1	17.0	15.9		11.5	12.2	11.7	11.8	68	68	79	71.5	1 Cum.	3 Ci - c.	8 Ci - S	4.0	N.1	N.1	N.E.1		Ta				
2	20.0	761.9	20.7	761.6	18.9	761.9	762.5	761.3	762.4	762.17	21.8	15.2			18.3	20.8	17.9	19.0	15.6	16.8	15.6		11.1	11.6	11.6	11.4	69	63	76	69.3	1 Cum.	1 Cum.	0	0.7	S.W.1	CN.1	N.E.1		Ta				
3	20.3	759.0	22.2	758.5	21.4	759.8	759.4	758.6	760.1	759.37	24.5	15.3			21.9	23.2	17.9	21.0	17.3	19.7	15.2		12.4	13.1	14.3	13.3	63	62	83	69.3	1 Ci - 0	2 Cum.	1 Cu.	1.3	N.1	N.1	S.W.1		Ta				
4	20.4	760.7	22.1	761.2	20.1	761.7	761.0	761.2	762.1	761.43	22.5	17.5			19.8	21.2	15.3	19.5	16.5	18.2	15.6		11.8	13.4	11.4	12.2	69	71	73	71.0	3 Cum.	4 Cu S.S.W.	2 Cum.	3.0	S.W.2	S.W.2	S.W.1		Ta				
5	20.2	761.3	21.7	761.9	20.0	762.1	762.2	761.3	762.8	762.33	23.6	16.4			20.3	21.6	17.7	19.9	17.3	18.1	15.7		12.6	13.1	11.9	12.5	71	68	78	72.5	6 Cu S.W.	4 Cum	0	9.3	S.W.1	N.W.1	0		Ta				
6	20.2	762.7	21.1	761.7	19.6	761.1	762.1	761.9	762.0	762.00	21.8	15.2			20.3	21.2	18.8	20.1	17.6	18.0	17.2		13.1	13.2	13.5	13.2	73	71	83	75.7	1 Cum.	1 Cum-S	0	0.7	N.E.1	N.E.1	N.E.1		Ta				
7	20.3	761.8	21.1	761.0	20.3	760.2	761.8	761.3	760.6	761.23	24.8	16.4			22.6	23.0	19.6	20.4	18.9	19.3	19.2		14.1	15.9	16.3	15.4	78	83	96	85.7	0	2 Ci - C.N.	0	0.7	W.S.4	W.S.3	N.E.1		Ta				
8	21.3	761.0	22.9	760.4	21.7	760.0	761.1	760.4	760.1	760.53	24.9	17.9			22.1	23.6	21.4	22.4	19.7	21.3	19.9		15.2	17.1	16.2	16.2	77	79	88	81.3	6 Ci . N.	7 Ci . N.W.	1 Cum.	4.7	0	N.E.1	N.E.1		Ta				
9	22.2	760.8	23.7	760.3	22.8	760.0	760.8	760.4	760.1	760.43	25.8	20.3			23.1	24.2	21.7	23.0	21.0	22.5	20.5		16.9	18.9	17.0	17.7	93	94	88	91.6	2 Ci	1 Cum.	0	1.0	N.E.1	N.E.1	0		Ta			a.m. & p.m.	
10	23.1	760.4	24.4	760.5	23.3	760.4	760.5	760.6	760.4	760.50	26.4	20.0			24.1	24.9	21.6	23.5	21.6	21.9	21.1		15.0	17.7	18.1	17.9	86	79	94	86.3	0	1 Cum.	0	0.3	S.W.1	N.W.1	0		Ta			a.m. & p.m.	
11	23.4	761.6	25.2	761.1	23.4	760.1	761.6	760.9	760.0	760.83	28.0	17.6			23.8	24.8	21.2	23.9	20.7	22.9	18.7		15.8	17.9	19.2	17.6	71	67	78	71.6	0	0	0	0.0	S.W.1	S.W.1	S.W.1		Calm			a.m. & p.m.	
12	23.1	761.9	25.0	761.3	22.6	760.8	759.8	760.5	760.8	760.37	28.2	18.5			23.1	25.3	24.9	24.9	21.9	22.8	20.1		17.1	18.0	19.2	18.1	82	75	91	82.3	4 Cu & Cum.	0	1	1.3	S.W.1	S.W.1	0		Calm			a.m. & p.m.	
13	23.1	761.3	25.0	760.2	23.1	760.2	760.3	760.3	760.2	760.28	26.9	18.1			22.7	25.3	21.7	23.2	21.2	22.7	20.6		17.3	15.4	16.9	16.5	86	77	85	82.7	0	0	0	0.0	N.W.1	N.W.1	0		Ta				
14	23.5	761.1	24.9	761.2	23.1	760.7	761.0	761.2	760.7	760.97	28.3	18.9			23.3	25.1	20.9	23.1	21.1	21.1	19.6		16.3	16.9	16.3	16.5	79	81	84	81.7	0	1 Cum.	0	0.3	S.W.1	W.1	0		Ta				
15	22.7	760.5	24.6	760.2	23.1	759.2	760.9	760.0	759.2	760.03	25.7	17.6			22.4	24.5	21.2	22.7	19.5	19.4	19.1		16.3	13.4	15.0	14.9	76	59	79	71.3	2 Cu & Ci - c	1 Cum	8 Ci - c	3.7	S.W.1	S.W.1	S.W.1		Ta				
16	22.4	758.8	24.6	757.8	22.2	758.3	758.7	757.6	757.4	757.97	25.3	17.0			22.6	24.1	20.4	22.4	19.3	20.1	18.3		14.3	14.7	14.4	14.5	71	66	79	72.0	3 Cum.	2 Cu & Ci - c	2 Ci - c	2.3	S.W.2	S.W.2	S.W.2		Ta				
17	23.3	757.0	25.3	757.4	22.8	757.4	758.0	757.5	757.5	757.53	28.4	23.6			22.8	24.7	20.9	22.8	19.8	21.8	19.6		15.0	17.1	15.7	15.9	72	79	86	77.3	6 Cum & Cu #	8 Cum S.W.	1 Cum.	5.0	S.W.2	S.W.1	S.W.1		Ta				
18	22.6	758.7	24.6	758.8	22.4	758.9	758.7	757.6	760.0	758.80	26.1	18.5			22.7	24.6	20.1	22.5	19.8	21.9	19.4		15.1	17.9	16.3	16.3	75	76	93	81.3	1 Cum.	1 Cum.	0	0.7	S.W.2	S.W.2	0		Ta			p.m.	
19	22.2	760.2	24.6	760.1	22.4	760.0	760.3	759.9	759.1	759.77	24.5	17.5			24.2	25.9	24.6	24.9	18.3	20.3	19.4		12.0	14.2	13.9	13.2	53	59	58	56.7	0	0	1 Ci - c	0.3	N.1	N.1	N.E.1		Ta			a - A.M.	
20	23.3	758.9	24.4	757.9	23.3	758.6	758.9	757.8	758.6	758.43	25.7	20.4			24.7	24.8	21.7	23.8	20.5	22.7	20.2		15.0	18.8	16.4	16.7	60	91	85	75.0	2 Ci - c W.	1 Cum.	0	1.0	N.E.2	N.E.1	S.W.1		Ta			Trace at 9 a.m.	
21	22.3	761.0	24.8	761.3	23.2	761.1	760.9	761.1	761.1	761.03	26.0	18.6			22.7	24.0	21.4	22.7	20.1	20.7	19.3		15.6	15.7	15.1	15.5	76	70	79	75.0	1 Ci & Cu c.	9 Cu & Ci - c	7 Cum.	5.7	S.W.2	S.W.2	0		Ta				
22	22.7	760.9	24.8	761.2	23.5	761.2	760.8	761.0	761.3	761.03	25.8	18.2			22.3	24.7	24.8	22.6	19.2	20.7	18.5		14.9	16.3	19.2	16.8	71	66	76	71.3	7 Cu & Ci - c W	3 Cum.	1 Cum.	3.7	S.W.2	S.W.1	S.W.1		Ta				
23	22.4	760.8	25.5	761.5	22.2	761.7	760.8	761.4	761.9	761.37	24.6	18.2			22.3	22.8	20.1	21.7	19.2	20.7	18.9		14.3	16.9	18.5	16.5	71	79	87	79.0	8 Cu W. W.	8 Cum S.W.	7 Cum & Ci - c	7.7	S.W.1	S.W.1	S.W.1		Ta		13.3	13.3	2 at 12a & 3p.
24	22.1	762.0	23.9	761.8	22.1	761.2	762.0	761.7	761.3	761.67	25.3	17.6			22.8	24.5	21.7	22.3	20.2	21.6	19.6		15.6	16.8	15.3	15.9	74	74	79	76.3	3 Cum.	1 Cum.	1 Cum.	1.7	0	S.W.1	N.E.1		Ta				
25	23.3	762.2	12.5	761.9	22.5	761.6	762.2	761.8	761.7	762.37	25.3	18.8			22.5	24.3	22.2	23.0	20.6	21.9	20.7		16.6	17.3	16.8	16.9	82	78	85	81.7	8 Cum W.	1 Cum.	0	3.0	S.W.1	0.1	N.E.2		Ta				
26	23.5	761.6	24.7	761.8	24.1	761.0	761.5	761.6	761.8	761.63	26.0	21.4			24.7	24.9	23.9	24.5	21.2	22.4	21.1		16.1	18.2	16.4	16.9	70	78	74	74.0	0	0	0	0.0	N.E.1	N.E.2	N.E.1		Ta				
27	23.3	761.5	25.0	760.1	23.9	759.1	761.5	759.8	759.0	760.10	25.7	21.8			23.4	24.8	23.2	23.8	21.9	23.2	22.3		15.5	19.8	19.3	18.2	87	85	92	88.0	0	0	0	0.0	N.E.3	N.E.1	0		Ta				
28	24.6	760.3	25.8	759.9	24.4	758.8	760.2	759.5	758.7	759.47	27.2	19.9			24.2	26.1	23.3	24.5	22.3	23.6	22.6		19.3	19.7	19.8	19.3	82	78	93	84.3	0	0	0	0.0	S.W.1	N.E.1	N.E.1		Ta				
29	24.9	758.9	26.8	759.9	25.0	757.0	758.7	757.4	756.8	757.63	28.6	21.6			24.2	27.9	24.4	25.5	22.7	23.7	22.5		19.5	18.6	18.7	18.9	86	67	82	78.3	0	1 Cum.	1 Cu.	0.7	0	N.E.1	N.E.1		Ta				
30	25.3	758.3	27.1	758.1	25.6	757.9	758.0	757.6	757.5	757.70	29.3	22.1			25.7	27.2	23.5	25.4	22.9	24.4	21.6		20.5	20.3	17.7	19.5	96	77	82	85.0	1 Ci - c	7 Cu & Ci - c	1 Ci - c	3.0	S.W.1	S.W.1	S.W.1		Ta				
31	24.1	759.0	27.4	758.3	25.6	757.9	758.8	757.8	757.6	758.07	29.7	22.6			25.8	26.8	23.8	25.5	23.7	25.7	22.9		20.0	20.2	20.1	20.1	80	77	92	83.0	8 Ci - c Cum	8 Ci - c	2 Cum.	6.0	S.W.1	0	0		Ta				
Sums							23774.1	23566.5	23665.5		779.5	577.4			791.6	774.8	663.5						479.6	505.7	481.7		2371	2072	2365		75	78	44		99	97	84				13.9		
Means							760.86	760.18	760.10	760.38	25.6	18.4			22.6	24.1	21.4	22.7					15.5	16.3	15.5	15.8	76.5	73.3	81.8	76.9	2.4	2.5	1.4	2.1	1.7	1.2	0.8				0.9		

Barometer	Maximum	763.2	on 6
"	Minimum	756.8	on 29 17
Thermometer	Maximum	29.7	on 31
"	Minimum	14.2	on 1

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Year 1899

Month June.

Height of Barometer above Sea level 33.7 meters

" " Thermometer above the earth 1.22 "

" " Rim of Rain Gauge above " 0.36 "

Hours of observation 8½ 2½ 8½

Date	Barometer as read. 8½ Attached Thermometer. Cent.	Barometer Millimeters	2½ Attached Thermometer. Cent.	Barometer Millimeters	8½ Attached Thermometer. Cent.	Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	mean	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear— 0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0—10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. mm. A.M.	P.M.	Total	Observations and Phenomena
1	26.1	759.2	27.1	759.8	25.6	759.7	759.8	759.2	759.4	759.5	27.5	21.8			25.9	26.1	25.7	25.9	22.6	23.2	22.8		19.6	20.7	19.9	20.1	78	89	91	86	7 Cir-c β Cir-c	7 Cir-c β Cir-c	/ ST	5.0	S.W.1	S.W.1	0					
2	25.4	761.5	26.9	761.5	25.2	760.4	760.2	760.3	760.1	760.2	27.6	21.3			25.8	26.6	25.1	25.8	22.6	23.3	21.2		18.5	18.5	17.2	18.1	80	71	82	77.7	3 Cum S.W.	2 Cum	4 Cum β Cir-c	3.3	S.W.1	S.W.1	0					
3	25.0	761.0	26.8	761.3	25.0	760.5	760.9	760.8	760.6	760.79	27.5	21.5			24.1	25.7	25.1	24.9	21.4	22.6	21.1		16.6	18.0	17.0	17.2	76	73	81	76.7	2 Cir-c	1 Cum	4 Cum	2.2	S.W.1	S.W.1	0					
4	25.4	761.8	26.8	762.4	24.9	762.4	761.2	761.8	761.7	761.77	27.8	21.6			24.7	26.5	22.8	24.7	22.9	24.6	22.7		16.3	17.3	16.6	16.7	75	66	81	73.3	7 Cir-cr	3 Cu S.W.	4 ST	4.0	S.W.1	S.W.2	S.W.1					
5	24.4	762.0	26.7	762.4	24.7	762.5	761.8	761.8	762.2	761.93	27.6	20.4			24.3	24.7	22.1	24.4	21.1	22.6	20.2		16.1	17.1	16.2	16.5	72	69	82	73.0	3 Cir-c β Cir3	2 Cu	/ ST	2.0	S.W.2	S.W.1	0					
6	24.9	761.7	26.9	761.7	24.9	760.1	761.5	760.7	760.9	761.03	27.3	20.4			24.9	24.4	23.3	24.9	21.6	22.9	21.6		16.7	17.2	17.8	17.2	72	72	82	75.3	0	1 Cu	0	0.2	N.W.1	N.W.	0					
7	25.3	759.6	26.9	759.3	25.3	758.8	759.3	758.8	758.8	758.97	28.2	20.8			25.1	27.2	23.1	25.1	21.3	23.9	21.6		17.7	19.4	18.0	18.4	74	53	86	77.7	0	1 Cir-c	0	0.3	S.W.1	W.1	0					
8	25.0	759.5	27.2	759.4	25.4	759.1	759.1	759.4	758.8	758.77	28.7	20.2			24.6	27.8	25.8	25.4	23.7	24.2	22.0		19.0	19.5	18.3	18.9	83	70	83	78.7	3 Cum	1 Cu	0	1.3	S.W.1	S.W.1	S.W.1					
9	25.0	759.5	27.0	759.9	24.8	759.3	759.2	759.3	759.1	759.20	28.1	20.7			24.9	26.5	25.9	25.8	22.5	23.5	21.6		18.0	18.9	17.8	18.1	77	74	84	77.0	0	0	0	0.0	S.W.2	S.W.1	S.W.2					
10	24.9	759.6	27.9	759.8	25.9	759.5	759.4	759.6	759.5	759.49	29.1	21.3			25.1	28.5	25.9	26.5	22.8	23.1	21.9		18.7	20.6	17.9	19.1	67	71	81	73.0	2 Cum S.W.	1 Cu	0	1.0	S.W.2	S.W.2	S.W.1					
11	26.0	759.8	28.7	759.3	26.5	759.4	759.0	759.1	758.7	758.97	29.4	22.5			25.9	26.7	25.9	26.2	23.3	25.5	22.0		19.1	19.5	18.1	18.9	77	75	82	78.8	0	1 Cu	0	0.3	S.W.1	S.W.2	S.W.1					
12	25.2	759.1	27.1	759.2	25.3	759.9	759.5	759.7	759.6	759.60	28.2	22.1			24.1	27.2	25.6	25.6	23.5	23.4	21.3		17.1	18.3	17.1	17.5	68	68	78	71.3	2 Cu β Cir-c	4 Cum	5 Cir	3.0	S.W.1	S.W.2	S.W.1					
13	25.2	759.8	27.5	759.9	25.5	759.7	759.5	759.8	759.6	759.60	28.1	20.7			25.5	26.6	25.9	25.8	21.6	23.3	20.7		16.5	18.5	16.7	17.3	67	71	83	73.7	7 Cu β Cir-c	5 Cum S.W.	2 ST	4.7	S.W.2	S.W.3	S.W.1					
14	24.9	759.2	27.7	759.1	24.3	760.3	759.0	759.6	760.2	759.27	27.3	20.9			23.8	25.5	24.6	24.6	19.7	19.9	18.1		14.2	13.7	13.1	13.7	65	56	68	63.0	2 Cum	1 Cum	0	1.3	S.W.2	W.1	0		2.3	0.7	⊙ 11h 24 Le ☾ S.W.	
15	23.9	760.4	28.7	760.2	25.5	760.1	760.2	760.2	760.1	760.17	28.6	18.6			24.3	25.3	22.0	23.9	20.1	21.2	19.3		14.5	15.7	14.7	15.0	55	66	75	65.7	0	0	/ Cum	1.3	0	9.W.1	S.W.1					
16	25.6	759.7	26.9	759.5	24.6	759.0	759.5	759.1	759.3	759.17	27.4	19.1			24.7	26.3	23.2	24.7	21.4	22.7	21.1		16.4	17.7	16.5	16.9	71	70	90	73.7	2 Cir-c	2 Cum.	0	1.3	S.W.1	S.W.1	S.W.1					
17	25.0	759.1	27.4	759.1	25.3	759.3	759.8	759.5	759.5	759.57	28.7	21.3			24.9	27.7	25.9	25.5	23.3	24.4	21.9		18.0	19.9	18.9	18.9	77	72	81	76.7	0	0	3 Cum	1.0	S.W.2	S.W.1	S.W.1					
18	26.2	759.7	27.8	759.5	25.4	759.0	759.3	759.1	759.2	759.27	28.3	22.7			25.6	27.4	24.3	25.8	23.1	23.8	21.9		18.9	18.9	17.4	18.4	77	72	77	75.7	1 Cum	2 Cum.	0	1.0	S.W.1	S.W.3	S.W.1					
19	25.7	759.2	27.4	759.0	26.5	759.3	759.9	759.8	759.9	759.87	28.7	21.4			24.9	27.7	25.7	26.4	24.2	24.9	22.3		17.0	18.9	17.3	17.7	69	72	70	70.3	0	0	0	0.0	S.W.1	N.W.1	N.W.1					
20	26.9	759.4	26.9	759.6	26.2	759.1	759.9	759.0	758.8	759.30	29.3	22.6			27.7	26.6	25.7	26.7	23.8	24.3	22.7		18.2	20.5	18.2	19.0	65	79	72	72.0	4 Cir	/ Cum	3 Cu	2.7	N.W.1	N.W.2	N.W.1					
21	24.3	759.9	27.6	759.1	25.7	759.2	759.5	759.5	760.8	759.60	28.5	22.6			24.4	27.2	23.7	25.8	23.3	24.1	21.2		18.7	19.6	16.9	18.4	73	74	77	74.7	2 Cir-c	3 Cir-c	7 Cum S.W.	4.0	W.1	W.1	S.W.2					
22	24.8	760.3	27.4	760.2	25.2	760.7	760.0	760.2	760.4	760.20	28.3	22.3			25.3	27.5	25.8	26.2	24.1	23.6	21.9		16.7	18.4	17.5	17.5	70	68	81	73.0	2 Cum	1 Cum	0	1.0	S.W.1	S.W.1	W.1					
23	24.2	760.9	27.6	760.5	24.1	760.1	760.4	759.9	759.7	760.00	29.4	22.3			27.2	27.7	24.9	26.6	23.7	24.7	23.6		18.9	20.6	20.6	20.0	70	74	87	77.0	0	0	0	0.0	S.W.1	W.1	W.1					
24	27.5	758.8	26.2	758.8	27.2	758.0	758.2	758.1	757.5	757.93	31.2	24.2			28.2	26.2	26.1	26.8	24.0	25.1	23.7		18.7	22.7	19.8	20.4	66	90	78	78.0	0	0	0	0.0	0	0.((	0					
25	24.2	757.0	27.4	757.3	25.0	758.0	756.9	757.1	757.5	757.20	30.2	23.9			25.1	28.9	25.1	27.4	25.7	26.7	23.7		21.5	21.6	20.7	21.3	76	73	67	72.3	0	0	0	0.0	S.W.1	S.W.2	S.W.1					
26	24.1	758.7	28.3	758.5	24.4	760.0	758.7	758.8	759.6	759.03	28.8	23.0			24.9	28.0	24.4	26.1	22.9	24.2	22.2		18.3	19.3	18.0	18.5	75	68	79	73.3	2 Cum S.W.	2 Cum	1 Cir-c	1.7	S.W.3	S.W.2	S.W.1					
27	25.1	759.1	28.4	759.3	26.1	759.8	759.5	759.6	759.8	759.30	28.9	22.0			24.7	27.7	25.3	26.2	23.0	24.2	22.2		18.7	19.6	18.1	18.8	76	70	81	75.7	3 Cum S.W.	1 Cum	2 Cum	2.0	S.W.2	S.W.3	S.W.2					
28	24.4	759.4	28.0	759.0	25.2	759.8	759.0	759.7	759.6	759.77	28.5	22.7			24.4	27.7	25.3	25.8	23.4	23.7	21.5		18.0	18.6	17.7	18.1	74	68	80	74.0	7 Cum	2 Cum S.W.	2 Cum	3.7	S.W.2	S.W.2	S.W.2					
29	24.1	759.3	27.9	759.8	25.6	759.6	759.8	759.5	759.5	759.77	28.6	23.2			25.1	27.2	25.3	25.9	23.9	23.9	21.6		18.4	18.9	17.4	18.2	76	69	79	74.7	5 Cum	2 Cum	/ ST	2.7	S.W.2	S.W.2	S.W.1					
30	26.1	758.5	27.6	758.9	25.9	759.5	759.1	759.1	759.1	759.10	28.7	21.8			26.1	28.1	24.6	26.2	22.6	24.4	22.9		17.6	19.9	19.4	19.0	69	70	84	74.3	/ Cum	1 Cum	0	0.7	S.W.1	W.1	N.E.1					
31																																											
Sums							2275.5	2277.8	2275.5		853.3	649.8			762.2	811.2	719.1						570.8	569.3	531.9		217.8	215.7	249.9		68	45	39		80	46	37				1.8			
Means							758.5	759.3	758.5	758.8	28.4	21.5			25.4	27.0	24.0	25.5	22.9	23.9	21.7		17.7	18.9	17.7	18.1	72.6	71.2	80.5	74.8	2.3	1.5	1.3	1.7	1.3	1.5	0.9				0.06			

Barometer Maximum 762.2 on 5

" Minimum 754.6 on 13

Thermometer Maximum 31.2 on 24

" Minimum 18.6 on 15

AUG 10 1899

LIBRARY
SEP 9 1899
Weather Bur. U.S.

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Height of Barometer above Sea level 33.7 meters
" " **Thermometer above the earth** 1.22 "
" " **Rim of Rain Gauge above** " 0.36 "
Hours of observation 8½ 2½ 8½

Year 1899
Month July

Date	Barometer as read. 8½ Attached Thermometer. Cent.	Barometer Millimeters	2½ Attached Thermometer. Cent.	Barometer Millimeters	8½ Attached Thermometer. Cent.	Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear— 0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0—10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. mm. A.M.	P.M.	Total	Observations and Phenomena
1	25.5	760.5	27.7	760.5	26.1	759.9	759.9	757.8	759.4	759.70	29.5	21.3			26.9	27.6	25.1	26.4	22.5	24.6	23.5	11.6	13.6	13.8	13.0	65	71	80	73.5	0	0	0	0.0	m.s.1	m.w.1	m.s.1		h.				
2	24.7	759.9	25.1	759.2	24.4	759.0	759.4	758.5	758.6	758.83	28.5	21.8			25.0	25.6	24.7	25.1	22.6	23.8	22.4	16.3	18.1	15.6	16.5	68	62	77	69.1	0	0	0	0.0	m.s.1	m.w.1	0		tr				
3	24.1	759.7	25.5	759.1	24.7	759.2	759.3	758.9	758.5	758.90	29.7	21.4			26.1	25.3	24.2	25.2	23.1	24.3	23.7	18.6	21.2	19.8	19.9	73	74	78	75.5	0	0	0	0.0	s.w.1	w.w.1	s.w.1		4				
4	26.1	758.7	26.5	758.5	26.1	757.7	758.4	757.8	757.2	757.77	29.4	20.9			26.5	25.4	24.5	25.4	23.8	23.5	23.5	18.7	20.7	20.3	19.9	77	72	88	79.0	3 Cum. S.W.	1 Cum.	0	1.3	s.w.1	s.w.1	s.w.1		4				
5	24.7	759.1	25.5	758.3	24.4	758.6	758.7	757.7	757.3	757.57	29.6	22.0			26.1	25.5	25.0	25.5	23.5	23.5	23.4	20.1	21.5	20.1	20.6	80	75	85	80.0	4 Cum. S.W.	3 Cum.	0	2.3	s.w.1	s.w.1	s.w.1		4				
6	24.6	759.9	27.0	758.3	26.7	758.2	759.5	758.5	758.7	758.97	29.9	21.8			26.4	27.1	25.5	27.0	24.1	25.7	24.0	20.8	22.0	20.7	21.2	79	73	85	79.0	1 Cum.	0	0	0.3	s.w.2	s.w.3	s.w.2		"				
7	24.7	759.1	25.9	758.5	25.0	758.8	758.3	758.3	758.5	758.37	30.0	23.7			26.9	28.4	26.9	26.9	23.7	25.3	23.9	19.6	21.1	19.6	20.1	79	73	90	76.8	2 Cum.	2 Cum.	0	1.3	s.w.3	s.w.3	s.w.1		"				
8	24.7	759.8	25.5	757.7	24.7	757.1	758.3	758.4	757.2	758.30	29.6	23.2			26.1	25.8	24.8	26.5	23.4	25.4	23.6	19.3	19.9	18.6	19.3	74	67	80	74.3	1 Cum.	1 Cum.	0	0.7	s.w.2	s.w.2	s.w.1		"				
9	24.3	757.8	25.7	758.2	24.7	758.3	757.3	757.5	757.9	757.57	29.9	21.6			26.5	29.1	25.4	26.7	23.1	24.5	23.3	18.2	19.6	18.0	18.6	70	64	79	71.3	0	1 Cum.	0	0.5	s.w.1	s.w.2	0		"				
10	24.4	758.1	26.3	758.5	26.7	758.2	757.7	757.6	756.5	758.93	29.5	21.9			26.2	28.6	24.4	26.4	23.9	25.0	24.6	18.1	18.4	17.2	17.9	72	65	75	70.7	1 Cum.	0	0	0.3	s.w.1	w.1	s.w.1		"				
11	24.4	758.5	25.5	758.9	25.4	758.5	758.4	757.3	756.5	757.40	29.5	21.3			24.1	25.3	23.7	24.4	22.7	23.4	22.8	17.9	20.0	19.0	19.0	71	68	81	73.3	2 Cum.	1 Cum.	1 Cir-c	1.3	s.w.1	w.w.1	s.w.1		"				
12	24.1	757.1	25.2	756.3	25.4	756.5	756.5	756.0	756.0	756.17	30.2	21.2			26.2	29.4	25.8	27.1	23.8	26.0	24.3	20.0	22.0	21.2	21.1	70	71	86	74.0	0	1 Cir-c	0	0.3	w.1	w.1	s.w.1		"				
13	27.3	756.7	29.2	757.5	27.3	757.4	756.3	756.7	756.9	756.00	30.7	23.6			26.7	28.8	25.6	27.4	24.4	26.5	25.4	20.5	22.9	19.5	20.9	79	70	86	78.3	2 Cir-c	0	0	0.7	s.w.1	s.w.1	s.w.1		"				
14	27.7	756.1	29.2	756.9	27.3	756.1	757.5	757.2	757.5	757.40	30.2	23.7			27.7	28.9	25.1	27.3	24.5	25.8	25.7	20.4	21.5	20.5	20.8	79	70	84	77.7	2 Cir-c	0	0	0.7	s.w.1	s.w.1	s.w.1		"				
15	27.6	757.7	29.1	757.4	27.8	756.7	757.1	756.6	756.8	756.87	30.9	22.9			27.4	29.3	25.1	27.3	24.9	25.7	25.4	21.4	18.8	20.1	20.1	77	70	84	77.0	2 Cir-c	0	0	0.7	s.w.1	s.w.1	s.w.1		"				
16	27.7	755.5	28.7	756.1	27.7	755.0	756.1	756.6	756.5	756.67	30.7	23.4			27.2	29.9	26.1	27.7	24.7	26.6	24.9	20.9	22.6	21.3	21.6	75	71	85	77.0	1 Cir-c	1 Cir-c	0	0.7	s.w.1	s.w.1	s.w.1		"				
17	27.3	755.2	28.4	754.4	27.1	754.7	756.3	756.1	756.1	756.17	30.6	23.7			27.6	29.8	25.7	27.7	24.9	26.1	25.9	21.1	23.1	20.6	21.6	77	72	84	77.7	0	2 Cir-c	1 Cir-c	1.0	s.w.2	s.w.2	s.w.2		"				
18	27.2	756.3	28.3	754.8	27.3	754.8	756.6	756.5	756.9	756.70	30.1	23.7			26.6	29.3	25.6	27.2	25.6	26.9	25.8	19.2	20.2	18.9	19.4	74	68	75	72.3	1 Cum	1 Cum	1 Cir	1.0	s.w.2	s.w.2	s.w.1		cdy				
19	27.2	757.1	28.4	757.9	27.7	757.6	756.5	756.7	757.2	756.80	30.4	22.4			27.6	29.4	26.5	27.8	25.3	25.4	25.1	17.8	20.5	15.0	17.8	65	66	78	69.7	1 Cum	1 Cum	0	0.7	s.w.1	s.w.1	0		tr				
20	27.7	758.4	29.2	758.0	27.1	757.9	757.5	757.2	757.9	757.97	30.1	23.3			26.6	28.8	25.5	26.9	25.3	24.9	25.9	18.6	19.0	18.3	18.6	71	64	75	70.0	5 Cum.	0	0	1.7	s.w.1	s.w.1	s.w.1		Th				
21	26.7	756.9	28.9	757.2	27.2	757.0	756.4	756.4	756.9	756.60	30.1	22.2			27.4	28.7	25.2	26.8	23.3	24.4	25.7	18.8	19.2	17.4	18.5	73	65	79	72.3	1 Cir-c	1 Cir-c	0	0.7	s.w.1	s.w.1	s.w.1		Th				
22	26.7	756.9	27.2	757.1	27.2	757.1	756.9	756.5	756.8	756.80	30.2	22.4			27.7	29.2	25.8	27.4	23.3	24.4	24.7	17.8	18.8	18.3	18.3	65	63	75	67.7	1 Cir-c	1 Cir	0	0.7	s.w.1	s.w.1	s.w.1		"				
23	26.8	757.1	27.8	756.4	27.6	758.3	756.6	756.0	757.7	757.43	30.4	22.2			27.0	28.2	25.3	26.8	23.1	24.2	24.6	17.7	19.2	18.2	18.4	67	67	76	70.0	1 Cum.	1 Cir	0	0.0	0	s.w.1	0		"				
24	26.9	758.1	28.9	758.3	27.2	758.1	757.6	757.5	757.6	757.67	30.0	22.6			26.8	28.8	25.9	27.2	22.7	24.7	22.4	17.3	19.7	17.8	18.3	66	66	73	68.3	1 Cir-c	4 Cir	0	1.7	0	s.w.1	0		"				
25	26.8	758.5	29.2	758.4	27.1	758.0	757.8	757.4	757.5	757.70	30.3	22.1			26.1	28.2	25.7	27.0	22.7	24.6	23.2	17.8	19.2	19.0	18.7	70	63	77	70.0	1 Cir-c	0	0	0.3	0	s.w.1	s.w.1		"				
26	27.3	757.8	27.7	758.5	27.8	756.1	756.4	756.6	755.5	756.83	30.5	21.7			28.2	30.1	26.6	28.3	24.8	26.6	24.9	20.1	22.8	21.8	21.6	71	72	87	76.7	0	1 Cum.	0	0.3	s.w.1	s.w.2	0		4				
27	26.1	755.1	30.1	755.3	28.2	755.5	756.8	756.3	756.6	756.83	31.2	22.1			28.2	30.5	26.6	28.4	25.4	27.1	25.2	21.6	23.5	22.6	22.6	76	72	87	78.3	0	1 Cum.	0	0.3	s.w.2	s.w.3	s.w.1		4				
28	27.8	756.6	30.4	756.7	28.4	756.9	756.9	756.9	756.8	756.87	31.3	23.8			27.7	30.7	26.1	28.3	25.7	27.6	25.7	22.6	24.5	23.1	23.4	81	75	89	81.7	0	0	0	0.0	s.w.1	s.w.2	s.w.1		4				
29	27.1	757.1	30.1	756.3	27.7	756.6	757.1	757.3	756.8	757.07	30.7	24.1			28.6	29.8	25.6	28.0	25.5	25.3	23.4	24.4	19.9	18.6	21.0	74	64	80	72.7	2 Cum.	1 Cir	0	1.0	s.w.1	s.w.1	s.w.1		4				
30	28.8	757.7	30.1	756.6	27.2	756.9	758.3	758.9	757.4	758.73	29.7	24.1			28.3	28.9	26.5	27.9	24.8	25.3	24.9	20.3	20.7	20.8	20.6	76	70	81	74.0	2 Cir-c	0	0	0.7	0	0.1	0.1		"				
31	27.9	760.0	27.9	760.0	28.1	759.9	759.5	758.2	759.2	758.93	30.2	25.2			26.7	29.2	26.5	27.5	24.3	25.3	23.8	20.6	20.8	18.7	20.0	80	69	77	75.3	2 Cum.	1 Cir-c	2 Cir-c	1.7	w.1	w.w.1	s.w.1		"				
Sums							23746.3	23440.3	23469.9		937.2	702.0			838.6	902.2	788.1					600.3	641.3	607.1		2297	2154	2504		37	33	5		84	46	27						
Means							766.58	756.30	756.30	756.86	30.2	22.5			27.0	29.1	25.4	27.2				19.4	20.7	19.6	19.9	73.3	68.9	80.8	74.3	1.2	1.1	0.2	0.8	1.1	1.5	0.9						

Barometer **Maximum** 759.9 on 1st
" **Minimum** 753.1 on 17
Thermometer **Maximum** 31.3 on 28
" **Minimum** 21.2 on 9 & 12

SEP 9 1899

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Year 1899

Month October

Height of Barometer above Sea level 33.7 meters

" " Thermometer above the earth 1.22 "

" " Rim of Rain Gauge above " 0.36 "

Hours of observation 8½ 2½ 8½

Date	Barometer as read. 8½ Attached Thermometer Cent.	Barometer as read. 8½ Barometer Millimeters	Barometer as read. 2½ Attached Thermometer Cent.	Barometer as read. 2½ Barometer Millimeters	Barometer as read. 8½ Attached Thermometer Cent.	Barometer as read. 8½ Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear—0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0—10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. mm. A.M.	P.M.	Total	Observations and Phenomena
1	28.1	715.9	28.1	715.5	28.2	715.0	715.5	715.8	715.5	715.6	30.2	24.4			27.2	25.1	24.6	25.6	22.4	23.8	22.3	18.5	18.4	18.5	18.5	63	65	71	68.0	1 Cir - c	1 AT	9 Cum	5.3	S.W.1	S.W.1	0		Sea				
2	27.7	715.7	30.4	716.3	27.8	715.1	715.1	715.3	715.5	715.30	30.9	23.9			27.6	25.8	25.6	26.3	23.0	24.8	23.6	17.9	18.4	17.9	18.1	66	57	73	66.0	1 Cir - c	3 AT	0	3.0	S.W.1	W.1	W.1		"				
3	27.4	715.4	27.0	715.2	27.4	715.5	715.5	715.7	715.6	715.47	30.0	22.3			26.6	25.2	24.0	25.3	23.2	24.4	23.1	18.3	18.8	18.6	18.6	70	62	74	68.7	1 Cum.	1 AT	0	0.7	S.W.1	W.1	0		"				
4	28.4	715.8	28.9	715.1	27.7	715.1	715.6	715.7	715.1	715.37	29.7	19.9			28.3	25.8	24.7	26.3	23.4	25.2	23.6	17.4	21.0	21.1	19.5	68	70	82	73.3	3 Cum.	1 AT	7 AT	4.0	W.S.1	W.S.1	W.S.1		"				
5	27.3	714.5	27.5	716.2	25.9	716.3	715.9	715.9	715.4	715.43	29.4	24.6			27.2	25.4	24.2	25.6	24.4	24.9	24.9	20.9	22.0	21.4	21.4	76	71	88	78.5	8 AT	1 AT	10 AT	6.3	0	N.1	W.S.1		"				
6	23.8	710.7	30.1	716.5	25.6	715.8	716.1	715.8	715.0	715.63	30.8	25.9			27.7	25.8	24.6	26.0	24.1	25.3	23.7	19.3	20.2	19.9	19.6	70	64	75	69.7	1 Cir - c	0	8 AT	3.0	S.W.1	S.W.1	0		"				
7	28.2	715.1	30.1	715.8	28.3	715.9	715.1	715.0	715.7	715.27	30.9	23.7			28.7	26.8	24.2	26.7	24.3	25.9	23.8	18.8	19.7	18.8	19.1	63	56	71	63.0	2 Cir - c	4 AT	0	2.0	S.W.1	S.W.1	S.W.1		"				
8	27.7	715.7	30.4	717.6	28.3	715.1	715.1	715.9	715.1	715.70	30.9	23.2			28.2	27.8	24.6	26.9	24.3	25.2	23.8	18.9	19.9	19.7	19.5	67	63	76	68.7	1 Cum.	1 Cum.	0	0.7	S.W.1	S.W.1	S.W.1		"				
9	27.6	716.9	30.1	716.2	28.1	715.9	715.4	715.8	715.4	715.53	31.2	23.5			27.6	28.7	26.5	27.6	24.2	25.5	23.8	19.6	18.6	19.6	19.3	71	59	76	68.7	1 Cir - c	1 AT	0	0.7	S.W.1	S.W.1	W.1		"				
10	27.7	716.6	27.9	715.5	27.3	715.3	715.1	715.7	715.7	715.43	30.7	23.5			27.6	28.5	26.5	27.9	24.3	25.4	23.8	17.9	20.7	20.0	19.5	72	67	77	72.0	1 Cir - c	0	0	0.3	S.W.1	W.1	W.1		"				
11	27.6	716.7	30.1	716.9	28.3	715.7	715.8	715.5	715.5	715.57	31.0	23.3			27.3	28.7	26.2	27.4	24.8	26.1	24.4	21.6	21.7	21.1	21.5	84	68	89	78.7	0	0	0	0.0	S.W.1	S.W.1	0		"				
12	27.8	715.7	27.8	716.6	28.7	716.1	715.3	715.7	715.7	715.57	31.6	24.3			28.3	30.1	26.7	28.4	25.6	26.3	25.6	21.8	22.0	20.3	21.4	76	69	77	74.7	0	0	0	0.0	S.W.1	W.1	0		"				
13	27.7	715.6	30.6	715.2	28.4	715.3	715.5	715.2	715.7	715.47	31.4	23.6			28.7	30.5	26.7	28.6	25.7	26.5	24.1	22.6	22.2	20.8	21.9	76	68	77	73.7	1 Cir - c	1 Cir - c	1 AT	1.0	S.W.1	S.W.1	S.W.1		"				
14	27.8	715.7	30.6	715.9	27.8	715.6	715.9	715.8	715.2	715.63	30.7	23.6			27.6	30.1	26.4	28.0	23.9	25.1	23.7	19.1	19.9	17.6	18.9	63	69	69	66.0	2 Cum.	0	3 AT	1.7	S.W.1	S.W.1	S.W.1		"				
15	27.9	717.0	30.0	715.8	27.8	716.1	716.4	715.7	716.1	716.07	30.7	22.8			28.3	28.8	26.2	28.1	23.3	24.4	22.4	17.9	18.4	17.2	17.8	60	59	68	62.3	1 Cir - c	0	1 Cir - c	0.7	S.W.1	S.W.1	S.W.1		"				
16	27.5	716.0	30.4	716.1	27.8	716.0	715.5	715.8	715.5	715.60	30.7	22.8			27.6	30.2	26.8	28.2	23.7	25.8	22.6	18.1	21.0	19.8	19.6	64	65	63	64.7	1 Cum	2 Cir - c	0	0.3	S.W.1	W.1	0		"				
17	27.6	716.0	29.9	715.8	27.7	715.5	715.5	715.6	715.8	715.63	31.3	23.9			28.8	30.2	26.8	28.6	23.8	25.6	23.2	16.0	19.6	18.3	17.9	61	61	69	63.7	0	2 Cum	1 Cum.	1.0	0	S.W.1	W.1		"				
18	27.8	715.8	29.9	715.7	27.5	716.1	715.5	715.8	715.8	715.70	30.8	24.0			28.2	28.9	26.8	28.0	23.8	25.8	24.7	17.2	19.5	19.5	18.7	52	52	59	54.0	0	0	0	0.0	W.S.1	W.S.1	W.S.1		"				
19	27.1	716.1	29.2	715.8	27.9	715.5	715.5	715.8	715.8	715.70	30.6	22.7			28.4	29.2	26.6	28.1	23.1	24.2	22.5	17.0	18.5	17.7	17.7	58	61	67	62.0	0	0	0	0.0	W.S.1	S.W.1	0		"				
20	27.6	715.5	30.0	715.5	27.8	715.3	715.0	715.8	715.7	715.50	30.7	22.5			27.1	27.7	25.6	26.8	23.7	25.3	22.8	18.5	20.4	18.1	19.0	70	65	71	68.7	0	0	0	0.0	S.W.1	S.W.1	0		"				
21	27.1	715.2	29.4	715.3	27.4	715.9	715.9	715.5	715.3	715.59	30.6	22.7			27.7	28.9	25.6	27.4	24.0	25.2	23.6	19.5	20.5	20.0	20.0	73	69	82	74.7	0	1 Cir - c	0	0.3	S.W.1	S.W.1	0		"				
22	27.3	715.7	29.9	715.5	27.3	715.7	715.5	715.0	715.7	715.40	31.3	23.4			27.7	30.4	26.7	28.3	24.4	25.8	24.4	20.8	21.5	20.7	21.0	75	66	80	73.7	0	0	0	0.7	S.W.1	S.W.1	S.W.1		"				
23	27.4	715.5	30.1	715.3	28.4	715.0	715.7	715.9	715.3	715.63	31.2	23.0			27.8	30.1	26.6	28.2	24.4	25.8	23.8	17.8	21.1	19.5	19.5	72	65	75	70.7	0	0	7 AT	2.3	S.W.1	0	S.W.1		"				
24	27.5	715.7	30.0	715.4	28.3	715.0	715.2	715.3	715.8	715.43	31.0	23.2			27.6	28.7	26.6	28.3	24.0	25.6	24.4	19.3	20.7	20.8	20.3	71	64	80	71.7	1 Cir - c	1 Cir - c	1 Cir - c	1.0	S.W.1	S.W.1	S.W.1		"				
25	27.8	715.2	30.0	715.7	27.1	715.8	715.6	715.1	715.2	715.30	30.9	23.7			28.1	27.5	25.5	27.7	24.5	25.9	24.7	17.3	19.7	16.5	17.8	70	64	68	67.3	5 Cum.	1 Cir - c	0	1.0	S.W.1	S.W.1	S.W.1		"				@ a few drops at 10.30 P.
26	26.7	715.4	28.5	715.2	27.2	716.5	715.8	715.4	715.8	715.67	30.1	23.3			26.1	28.2	25.5	26.9	24.1	25.7	24.4	16.4	17.5	16.0	16.6	65	58	68	63.7	8 Cum.	1 Cir - c	0	3.0	S.W.1	S.W.1	S.W.1		"				
27	26.7	716.4	29.7	716.5	26.2	715.8	716.9	716.1	715.4	716.13	31.2	22.8			27.1	28.4	25.8	27.1	23.2	24.4	22.6	18.0	19.4	18.0	18.5	68	67	71	68.7	1 Cir - c	0	0	0.3	S.W.1	S.W.1	W.S.1		"				
28	27.4	716.1	28.4	715.1	27.2	715.4	715.6	715.4	715.4	715.47	31.3	23.9			28.8	28.3	26.0	27.7	23.7	25.2	24.7	19.3	21.1	22.0	20.8	73	74	85	77.3	1 Cir - c	1 Cir - c	1 AT	1.0	W.S.1	W.S.1	W.S.1		"				
29	27.6	715.9	27.1	715.7	27.1	715.5	715.8	715.8	715.7	715.80	30.4	24.4			27.7	27.0	24.7	26.5	24.0	24.5	24.7	21.1	21.1	19.3	20.5	76	71	74	73.7	1 Cir - c	0	0	0.3	S.W.1	W.S.1	0		"				
30	27.2	715.0	30.4	716.1	27.7	716.2	715.4	715.7	716.0	715.43	31.2	23.5			27.3	30.2	26.4	28.0	24.9	26.4	24.9	18.5	20.2	20.9	20.2	73	69	82	74.7	1 Cir - c	0	0	0.3	S.W.1	S.W.1	S.W.1		"				
31	27.1	715.6	30.1	716.7	28.3	715.1	715.0	715.7	715.2	715.30	30.1	23.0			26.9	30.9	26.2	28.0	22.9	24.2	23.1	20.5	21.6	20.3	20.8	79	68	80	75.0	0	1 Cum.	0	0.3	S.W.1	S.W.1	S.W.1		"				
Sums							4347.8	4344.1	4344.0		951.3	731.1			859.9	932.0	814.7					495.7	624.9	593.4		2163	1999	2306		41	33	56		26	32	22						
Means							715.3	715.3	715.4	715.34	30.7	23.5			27.7	29.7	24.3	27.9				19.2	20.1	19.1	19.5	69.9	64.5	74.4	69.6	1.3	1.1	1.8	1.4	0.9	1.0	0.7						

Barometer **Maximum** 730.9 on 27

" **Minimum** 714.7 on 10

Thermometer **Maximum** 30.6 on 12

" **Minimum** 22.9 on 7

SMITHSONIAN INSTITUTION LIBRARIES 4 OCT 13 1899 WASHINGTON, D.C.

LIBRARY
NOV 24 1899
Department

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Height of Barometer above Sea level ~~33.7~~ meters 35
" " Thermometer above the earth ~~1.32~~ " 1.47
" " Rim of Rain Guage above " ~~0.36~~ " 6.56
Hours of observation 8½ 2½ 8½

Year 1899
Month September.

Date	Barometer as read. 8½ Attached Thermometer. Cent.	Barometer Millimeters	2½ Attached Thermometer. Cent.	Barometer Millimeters	8½ Attached Thermometer. Cent.	Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	mean	Elasticity of vapor Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear— 0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0 — 10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. mm. A.M.	P.M.	Total	Observations and Phenomena
1	26.1	757.6	30.6	756.8	21.3	757.1	757.1	756.8	757.4	757.1	31.2	22.3			26.6	30.3	26.0	27.6	23.8	22.0	23.6		19.2	21.2	19.6	20.0	76	65	79	73.0	0	1 Cir. C	0	0.3	S.W.1	S.W.1	0							
2	24.7	759.0	27.1	758.7	25.2	758.3	758.6	758.7	758.3	758.5	28.2	22.1			26.2	29.3	26.1	27.2	23.3	25.2	23.9		18.8	20.1	20.3	19.7	74	66	81	73.7	0 ~~Cum~~	0	0	0.0	S.W.1	S.W.1	0							
3	27.1	758.9	27.3	758.5	27.2	758.4	758.4	758.5	758.2	758.4	30.1	22.0			26.8	29.0	26.9	26.5	23.6	24.4	22.9		18.9	18.8	17.9	18.5	72	63	78	71.0	1 ~~Cum~~	1 Cumm.	0	0.7	S.W.1	W.1	0							
4	26.1	758.2	27.1	758.1	27.3	758.9	758.8	758.9	758.4	758.8	30.9	21.8			26.9	28.9	26.9	27.2	23.3	24.9	23.3		18.3	19.3	19.1	18.9	69	68	77	71.3	1 Cir. Cum.	0	0	0.3	0	S.W.1	S.W.1							
5	26.8	759.2	27.9	759.6	27.6	759.5	759.8	759.5	759.8	759.7	31.0	22.9			27.5	29.7	26.6	27.9	23.9	25.7	24.4		19.2	21.5	20.8	20.5	72	58	81	70.7	0 ~~Cum~~	0	b	0.0	S.W.1	S.W.1	S.W.1							
6	27.4	759.7	28.9	758.1	27.7	759.1	758.8	758.3	758.5	758.5	30.1	22.9			27.7	29.3	27.3	28.1	24.6	25.4	24.9		20.2	20.9	21.4	20.8	73	68	80	73.7	1 Cum.	0	0	0.3	0	M.S.2	M.S.2							
7	27.5	758.6	28.9	758.5	27.7	758.1	758.7	758.7	758.6	758.7	29.8	26.1			28.3	28.9	27.1	28.1	23.5	24.4	23.0		17.5	19.0	18.0	18.1	63	64	76	67.7	1	1	0	0.0	W.1	W.1	W.1							
8	27.2	758.9	29.0	758.1	27.4	758.2	758.8	758.0	758.6	758.5	30.1	22.9			27.9	29.5	26.8	28.1	23.9	24.9	23.3		18.8	19.7	18.9	19.1	67	63	70	67	0	0	0	0.0	0	M.1	0							
9	27.2	760.4	30.0	760.5	28.3	760.5	759.6	759.5	759.8	759.6	30.8	23.3			27.1	29.7	26.2	27.7	24.1	25.9	23.7		19.7	21.5	17.5	19.6	75	68	79	74.1	0	1 Cir. & S.W.	0	0.3	S.W.1	S.W.1	S.W.1							
10	27.5	761.3	30.0	760.4	27.6	760.6	760.2	759.9	760.0	759.7	30.2	22.9			27.8	29.6	27.0	27.7	23.8	25.1	23.7		18.7	19.8	19.3	19.9	68	63	75	68.7	1 Cir. C	1 Cir. C	0	1.7	S.W.1	S.W.1	0							
11	26.7	760.6	28.9	760.2	27.2	760.7	760.6	759.9	760.1	760.2	29.6	22.7			26.6	28.7	25.7	26.8	22.7	24.2	22.4		17.8	18.8	18.0	18.2	67	63	75	61.3	0	0	1 Cir.	0.3	S.W.1	W.1	0							
12	26.7	760.9	28.9	761.7	26.7	762.3	760.9	760.9	761.5	761.1	29.7	22.4			26.8	28.1	25.0	26.6	22.6	23.9	~~24.9~~		16.2	17.1	~~15.6~~	~~16.7~~	55	56	~~67~~	59	0	0	0	0.0	0	W.1	0							
13	26.3	762.0	28.3	762.9	26.8	762.5	761.6	761.7	762.0	761.7	29.8	22.4			27.2	28.9	26.4	26.3	23.4	24.5	23.5		18.4	19.7	19.1	19	69	66	75	70	0	0	0	0.0	W.1	W.1	W.1							
14	27.5	761.3	28.6	762.9	27.8	761.7	761.7	761.2	761.1	761.3	31.4	23.3			28.2	29.9	27.4	27.9	24.4	25.1	23.9		17.4	21.7	15	18	68	68	80	72.0	0	0	0	0.0	W.1	W.1	0							
15	27.3	761.0	28.9	762.4	27.8	760.6	761.3	760.5	760.1	760.7	31.3	25.4			27.7	30.1	27.3	28.5	24.1	25.9	24.6		19.2	21.3	16.4	19.0	69	67	59	65.0	0	0	0	0.0	S.W.1	S.W.1	S.W.1							
16	27.6	760.9	30.0	760.2	27.8	760.1	759.3	759.2	759.4	759.3	31.2	25.9			28.9	30.0	28.1	28.3	22.2	25.4	22.8		15.2	20.2	19.0	18.1	51	63	71	61.7	0	0	0	0.0	S.W.1	S.W.1	S.W.1							
17	27.2	761.7	29.1	760.8	27.2	761.8	761.3	759.8	761.3	760.8	29.8	22.4			26.2	28.9	25.7	26.7	22.2	22.7	20.9		16.8	16.0	15.4	16.1	67	54	66	62.3	7 Cumm.	1 Cumm.	0	3.0	S.W.1	S.W.1	0							
18	26.7	763.3	29.9	762.8	26.6	763.1	762.7	762.4	761.6	762.2	29.1	22.8			27.3	29.7	26.1	27.2	22.6	23.9	22.7		16.7	19.0	19.8	18.5	62	68	78	69.3	1 Cum.	5 Cumm.	0	3.0	~~M.S.1~~	M.S.1	95.3							
19	26.7	762.8	28.3	761.3	27.6	760.1	762.1	762.6	762.5	762.4	29.3	23.6			27.2	28.3	27.6	27.7	23.9	25.3	25.3		19.3	20.3	22.0	20.5	72	74	81	75.7	0	0	0	0.0	M.S.2	M.S.2	M.S.1							
20	27.6	759.1	28.9	758.6	27.9	758.4	758.5	758.5	758.8	758.6	30.3	24.2			29.4	29.4	28.7	28.5	24.9	26.1	25.1		19.5	22.3	22.4	21.3	65	72	87	74.7	0	0	0	0.0	~~M.S.1~~	M.S.1	M.S.1							
21	27.2	758.7	30.0	758.0	27.9	758.3	758.2	758.1	758.7	758.3	31.1	23.7			26.6	30.4	28.7	27.6	24.8	26.8	24.4		21.4	22.9	21.5	21.9	81	71	88	80.0	0	0	0	0.0	S.W.1	S.W.1	0							
22	26.9	760.9	28.4	760.8	27.4	761.6	759.9	760.0	761.6	760.5	30.9	23.2			27.2	27.9	26.9	27.3	24.9	24.8	23.3		21.6	19.5	19.9	20.3	81	63	89	76.0	1 Cum.	0	1 Cumm.	0.7	S.W.1	W.1	0							
23	26.1	761.4	27.5	761.0	26.1	760.8	761.0	760.3	760.9	760.7	29.3	20.4			26.1	28.3	25.5	27.0	23.8	24.5	22.7		22.1	19.6	18.6	19.4	90	68	75	74.3	0	1 Cumm.	0	9.3	0	M.W.1	M.W.1							
24	26.7	759.3	27.6	759.2	26.7	759.1	759.4	759.6	759.2	759.7	29.6	23.3			27.3	27.2	27.9	26.5	23.9	23.8	22.3		19.3	19.1	17.9	18.8	72	72	76	73.3	1 Cir. C	5 Cum & Cir	1 Cum.	3.3	M.S.1	W.1	M.S.1						a a m.	
25	26.7	759.9	27.5	760.1	26.2	760.9	759.9	759.4	759.8	759.7	29.6	24.1			25.5	28.1	27.8	27.1	22.1	22.8	22.1		17.1	17.2	16.5	16.9	70	58	75	67.7	6 Cum.	5 Cum & Cir	0	3.7	M.S.1	S.W.1	6						a a m. & few drop of rain early morn.	
26	25.8	761.5	26.7	761.0	26.1	761.2	761.1	760.5	760.8	760.8	28.8	22.2			26.6	27.1	25.1	26.6	22.3	23.3	22.9		16.6	17.4	18.4	17.5	63	69	74	68.7	6 Cir.	2 at	6 at	6.0	6	M.S.1	M.S.1							
27	26.7	762.5	27.3	761.9	26.6	763.1	762.0	761.2	762.6	761.9	28.9	23.5			27.8	27.4	26.1	27.1	23.2	23.8	23.3		17.7	19.0	19.0	18.6	64	70	75	69.7	2 Cum.	1 Cir.	3 at	2.0	M.S.1	M.S.1	M.S.1							
28	26.7	762.7	28.2	762.5	26.7	762.0	762.2	761.8	761.5	761.8	29.5	23.8			27.1	28.6	26.2	27.3	23.7	23.4	23.7		17.0	20.5	20.1	19.2	72	68	79	73.7	1 Cum.	3 at	9 at	9.3	M.S.1	0	M.S.1							
29	26.7	761.5	27.5	761.4	26.7	762.1	761.0	760.8	763.4	761.7	30.1	24.6			26.6	28.2	26.2	27.0	24.2	24.4	23.4		20.4	19.6	19.2	19.7	78	69	75	74.0	2 Cum.	1 Cum.	1 Cum.	1.3	M.S.1	M.S.1	M.S.1							
30	26.7	761.3	26.8	763.2	26.7	764.0	762.7	762.6	763.5	762.93	29.4	23.8			27.2	27.2	26.3	27.1	23.5	24.0	23.1		18.5	19.0	18.5	18.7	69	69	72	70.0	1 Cir	2 Cir & Cir	0	1.0	M.S.1	M.S.1	M.S.1							
31																																												
Sums							2279.40	2279.8	2280.0		940.7	699.8			818.5	877	777.5						509.2	595.5	574.0		2028	1985	2387		31	45	23		12	31	10									
Means							759.80	759.94	760.19	759.98	30.0	23.3			27.3	29.0	26.0	27.4					18.6	20.0	19.1	19.2	67.9	66.2	79.6	70.9	1.0	1.5	0.8	1.1	0.9	1.0	0.7							

Barometer **Maximum** 763.5 **on** 30
" **Minimum** 757.1 **on** 1
Thermometer **Maximum** 31.4 **on** 14
" **Minimum** 21.8 **on** 4

NOV 24 1899

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Year 1899.
Month October.

Height of Barometer above Sea level 35 ~~37~~ meters
" " Thermometer above the earth ~~4.10~~ 4.47 "
" " Rim of Rain Guage above " ~~6.28~~ 6.56 "
Hours of observation 8½ 2½ 8½

Date.	Barometer as read. 8½ Attached Thermometer. Cent.	Barometer Millimeters	2½ Attached Thermometer. Cent.	Barometer Millimeters	8½ Attached Thermometer. Cent.	Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	mean	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear— 0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0—10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. ~~inches~~. mm. A.M.	P.M.	Total	Observations and Phenomena
1	26.7	765.6	28.0	762.5	26.3	763.4	763.1	761.8	762.2	762.37	28.7	22.9			27.8	25.7	25.7	26.4	23.3	24.5	22.9	23.6	17.7	18.0	18.4	18.04	64	64	75	67.7	0	1 Cir - c	0	0.3	0 N.1 N.E.1			0 Tr.				
2	25.8	765.5	27.2	761.5	26.2	761.6	761.1	760.9	761.2	761.07	28.8	22.2			26.2	27.3	26.6	26.7	22.6	23.8	22.7	23.0	17.7	19.0	17.5	18.1	70	71	68	76.7	1 Cir	6 Cir	0	2.3	N.E.1 W.1 N.E.1			0				
3	25.5	761.6	27.8	761.2	26.7	761.3	761.2	760.8	760.8	760.93	29.0	23.4			25.5	27.5	26.6	26.5	22.9	24.4	23.5	23.6	18.9	20.2	19.0	19.4	76	75	73	78.7	6 St.	7 Cum	10 Nim	7.7	N.E.1 N.E.1 0			0.89		13.2	13.2	
4	26.7	761.4	28.8	761.6	27.2	762.2	760.9	761.1	761.6	761.10	30.2	24.5			26.6	29.7	26.6	27.6	23.6	25.1	22.9	23.9	17.3	19.8	17.9	18.3	67	63	68	66.0	9 St.	6 Cir - St.	0	5.0	S.W.1 N.E.1 0			0 Tr.				
5	27.8	763.8	28.1	765.1	27.7	761.7	761.7	762.3	761.0	761.67	30.7	24.9			28.2	30.1	27.7	28.7	24.9	26.0	25.4	25.4	20.5	22.7	22.0	21.7	72	71	80	74.3	7 Cir - St.	9 St.	1 Cum.	5.7	N.E.1 N.E.1 N.1			4 Tr.				4 between 7:30 & 8:30 P
6	27.4	763.4	29.1	765.5	28.2	762.3	762.9	762.7	761.8	761.77	30.1	26.2			27.6	29.0	26.6	27.7	24.4	25.5	24.1	24.7	20.1	21.1	22.2	21.1	74	71	86	77.0	3 Cum.	1 Cum.	0	1.3	S.W.1 W.2 0			0 Tr.				2 after drops in the night
7	27.2	763.5	28.1	762.1	27.7	763.5	761.9	761.5	761.9	761.77	29.4	24.4			27.3	27.8	25.5	26.9	22.5	24.7	23.5	23.6	17.2	21.0	19.4	19.2	64	76	80	63.3	0	1 Cum.	0	0.3	0 S.W.1 S.W.1			0 Tr.				2 a.m.
8	26.8	763.3	27.3	762.5	26.1	763.3	762.8	762.0	761.9	762.23	28.9	22.6			26.6	26.2	24.3	25.7	22.6	23.3	21.1	22.3	18.0	17.5	16.8	17.4	74	61	58	64.3	1 Cum.	1 Cum.	1 Cir - c	1.0	S.W.1 S.W.1 0			11		2.5	2.5	between 6 & 8 P.M.
9	25.9	761.5	27.7	761.4	25.7	761.2	761.2	760.8	760.9	760.87	28.7	21.6			22.1	27.8	24.3	24.7	20.5	23.3	21.2	21.7	16.6	17.7	16.3	16.9	85	64	73	74.0	1 Cum.	1 Cum. W.S.W.	3 Cum.	1.7	S.W.1 S.W.1 0			11				4 etc.
10	24.8	760.0	26.4	759.4	24.1	759.9	759.8	759.9	759.8	759.77	28.3	20.8			24.3	27.7	22.8	24.9	20.6	21.9	19.0	20.5	15.2	16.6	13.7	15.2	68	67	67	67.3	2 Cum. S.W.	10 Cum.	1 Cir.	5.3	S.W.1 S.W.1 N.E.1			1.8		1.8		at 10.30 P 4 all clear
11	25.0	757.3	26.1	758.3	24.7	760.2	758.0	758.7	760.1	759.33	27.7	21.6			25.7	28.1	25.6	26.4	21.2	22.5	19.8	21.2	15.5	17.5	15.5	16.1	83	69	77	69.7	8 Cum. S.	4 Cir. S.W.	3 Cum.	5.0	0 S.W.1 S.W.1			11				2 clear 8
12	25.2	760.5	25.9	760.0	25.2	760.5	760.5	758.7	760.2	760.13	27.1	19.6			22.1	27.7	24.9	24.9	18.3	21.2	18.4	19.3	14.6	13.5	14.0	14.0	74	63	76	71.0	7 Cum. Nim. S.	9 Cum. S.	2 Cir.	6.0	0 S.W.1 S.W.1			11				2 clear — 8
13	25.0	760.3	25.0	760.1	23.4	761.1	760.3	761.8	760.0	760.09	27.1	19.8			22.3	25.3	21.0	22.9	18.2	20.6	18.8	19.2	14.3	15.9	14.7	15.0	71	67	79	72.3	9 Cir & Cir - c	5 Cum. S.W.	7 Cir. & Rain	7.0	S.W.3 S.W.4 0			1.3		1.3		early morn. & 4 P.M. & eve.
14	25.3	760.1	24.6	762.5	23.9	763.9	760.0	760.3	760.6	760.30	27.9	19.3			22.5	25.1	23.6	23.8	20.3	21.2	20.3	20.6	16.8	16.8	15.8	16.5	77	66	78	73.9	3 Cum.	3 Cir - c & Cum.	0	2.0	0 N.W.1 N.E.3			4.8		4.8		9 a.m.
15	23.5	760.0	25.0	763.9	24.4	764.2	764.9	765.6	764.0	764.17	25.9	19.2			23.6	25.3	24.3	24.4	20.1	21.2	21.6	21.0	15.0	15.7	17.1	15.9	69	66	77	70.7	6	0	0	0.0	N.E.3 N.E.3 N.E.3			11				
16	24.1	763.5	25.7	761.0	24.4	761.4	763.1	761.7	762.2	762.33	27.6	20.7			24.9	26.8	24.2	25.0	21.2	23.1	21.2	21.8	16.0	18.2	16.0	16.7	69	61	73	74.3	2 Cum.	1 Cum.	0	1.0	0 S.W. N.E.3			4				
17	24.5	762.3	25.0	761.6	24.7	761.5	762.1	761.1	761.3	761.53	28.3	21.4			25.4	26.8	23.3	25.2	22.3	22.4	21.6	22.1	17.6	18.7	17.9	18.1	72	71	84	75.7	1 Cum.	3 Cu & Cir - c	0	1.3	0 N.W.2 0			11				
18	24.5	761.9	25.5	761.5	24.8	762.4	761.7	761.1	762.2	761.67	27.4	20.9			24.9	26.1	24.5	25.2	21.7	22.7	21.8	22.1	18.9	17.9	19.3	18.7	72	71	76	73.0	3 Cu & Cir - cu.	1 Cum.	1 Cir - c	1.7	0 N.E.1 N.E.1			11				
19	23.9	763.7	25.2	762.7	24.4	765.0	763.2	762.4	760.8	762.10	27.0	21.0			23.1	25.1	24.3	24.2	20.1	22.1	21.8	21.3	18.3	17.3	17.7	17.8	73	73	79	75.0	7 Cu & Cir - c	9 Cu & Cir - c	2 Cir	6.0	S.E.1 N.E.3 N.E.2			11				2 very few drops at 5 P
20	24.1	763.2	25.5	762.3	24.1	761.6	763.0	762.0	761.5	762.17	26.6	21.7			24.2	25.7	24.9	24.9	20.8	22.0	19.9	20.9	15.8	16.8	15.8	16.1	70	68	81	73.0	1 Cir. W.	1 Cir	3 Cum.	1.7	S.E.1 N.E.1 E.S.1			11				
21	24.6	764.9	25.7	761.6	23.8	762.2	764.7	761.3	762.1	762.69	26.8	20.7			24.7	26.8	22.8	24.8	20.1	20.8	18.3	19.7	14.3	14.9	12.7	14.0	62	61	62	61.3	3 Cum.	3 Cum. S.W.	2 Cum.	2.7	S.W.1 S.W.1 S.W.1			0.3		1.3		2 P.M. 4 N.E. above
22	20.2	758.2	21.7	761.6	18.9	761.9	758.6	761.8	762.3	761.43	29.1	15.2			17.0	20.9	19.4	19.8	14.9	18.8	17.3	17.0	9.6	16.4	16.2	14.1	59	88	95	80.7	10 Cum.			10.0	N.W.1 W.2 N.1			0.89		1.37	0.5	1.82	2 a.m. & P.M.
23	20.0	764.7	21.7	764.3	21.1	765.0	765.1	764.4	764.3	764.93	22.6	15.9			20.2	22.8	21.0	21.3	14.4	14.6	20.3	16.4	9.1	8.5	17.2	11.6	51	44	93	62.8	2 Cu & Cir - c	0	0	0.7	N.E.2 N.E.3 N.E.3			0.5 Tr.				
24	20.6	765.2	22.6	763.9	22.0	763.3	764.5	765.9	763.5	764.30	24.6	16.3			21.2	23.4	22.1	22.2	14.1	16.3	16.4	15.6	9.4	10.5	10.6	9.1	45	49	53	49.0	0	0	0	0.0	0 N.1 N.E.2			0 Tr.				
25	21.4	761.3	23.2	760.9	21.3	761.1	761.5	760.9	761.2	761.20	24.8	19.1			21.8	23.2	21.3	22.1	15.7	16.2	17.0	16.3	9.9	9.9	11.7	10.5	51	57	62	56.3	6	0	4 Cum.	1.0	0 N.1 N.E.1			11				
26	22.1	760.5	23.1	759.9	21.7	761.1	760.6	759.8	761.3	760.67	24.7	19.1			22.0	23.8	20.9	22.4	17.3	17.9	15.7	16.9	11.8	11.7	10.3	11.3	60	54	56	56.7	3 Cum.	4 Cum.	2 Cum.	4.7	S.W.1 S.W.2 S.W.2			11				
27	21.5	761.4	23.3	762.8	21.1	763.9	762.6	762.5	762.2	762.10	24.7	17.0			20.7	23.6	19.4	21.2	17.3	17.3	16.1	16.9	12.4	13.7	11.5	12.5	68	63	68	66.3	5 Cum. S.W.	4 Cu. S.W.	1 Cum.	3.3	S.W.1 S.W.2 S.E.1			4		1.0		1.0	during night
28	20.9	763.8	22.8	763.2	22.2	762.2	763.8	763.9	764.0	763.73	24.3	17.9			21.4	23.1	22.1	22.2	16.2	17.6	16.4	16.7	10.6	14.6	9.6	11.6	58	56	43	51.3	3 Cir & Cum.	1 Cir - c	0	1.3	0 N.E.1 N.E.2			11				
29	21.9	764.0	—	—	—	—	764.2	764.2	764.2	764.17	25.5	18.8			21.6	24.6	23.4	23.2	16.1	—	—		10.4	—	—	—	54	—	—	—	1 Cir - St	—	——	——	0 ——			——		——		——	
30	24.4	763.5	24.1	762.5	23.2	762.3	763.5	762.9	762.3	762.73	26.0	19.8			23.4	24.7	23.4	23.8	14.1	18.7	19.9	17.6	9.7	12.3	14.8	12.3	45	53	70	56.0	0	4 Cir & Cu	0	1.3	0 N.1 N.E.3			4				
31	22.6	764.3	23.7	761.9	22.6	762.7	762.4	761.9	762.8	762.37	25.2	20.4			22.7	24.1	22.3	22.9	17.8	16.7	17.4	17.3	12.2	10.0	11.8	11.3	60	45	59	54.7	0	1 Rol - c	0	0.3	N.E.1 N.E.1 N.E.1			4				
Sums							23038.8	23062.5	23062.5		937.6	636.6			739.6	799.5	737.3																							26.5			
Means							762.5	761.8	762.1	762.10	27.0	21.5			23.9	25.9	23.8	24.5																						0.77			

Barometer	Maximum	766.2	on 29
	Minimum	758.8	on 6.0
Thermometer	Maximum	30.7	on 5
"	Minimum	15.2	on 22

PRINCETON THEOLOGICAL SEMINARY LIBRARY DEC 7 1899

LIBRARY ☆ JAN 3 1900 ☆ Weather Bureau

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Height of Barometer above Sea level ~~26.7~~ meters 35.
" " Thermometer above the earth ~~1.25~~ " 1.47
" " Rim of Rain Gauge above " ~~0.08~~ " 0.56
Hours of observation 8½ 2½ 8½

Year 1899
Month November

Date	Barometer as read. 8½ Attached Thermometer. Cent.	8½ Barometer Millimeters	2½ Attached Thermometer. Cent.	2½ Barometer Millimeters	8½ Attached Thermometer. Cent.	8½ Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear— 0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0—10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. mm. A.M.	P.M.	Total	Observations and Phenomena
1	22.1	743.3	22.8	743.0	22.0	744.5	743.9	743.0	744.7	743.70	25.2	18.2			21.2	23.8	19.7	21.6	17.2	17.9	15.9		13.0	11.6	11.1	11.9	64	53	65	60.7	0	0	0	0.0	0	m.1	1		Sm.					
2	21.3	743.9	22.7	743.4	22.0	743.8	743.6	743.5	743.9	743.67	24.6	17.9			21.4	23.4	22.0	22.2	16.3	17.4	16.9		10.7	11.4	11.3	11.1	54	59	57	55.7	1 Cu	1 Cu	0	0.7	0	m.s.2	m.s.3						
3	21.0	744.0	22.2	744.1	22.4	744.3	744.3	744.1	744.3	744.20	24.7	17.7			21.0	23.7	22.3	22.3	15.6	18.1	16.7		10.1	11.9	10.9	10.9	54	55	59	54.3	0	0	0	0.0	"	"	m.s.2		dry			
4	21.9	743.0	24.6	741.6	23.2	742.1	742.8	741.9	742.1	742.30	24.1	19.3			23.1	25.8	22.3	23.6	15.2	17.9	16.3		8.8	10.9	10.3	10.0	42	46	52	46.7	8 Cu	3 Cu	0	3.7	0	m.s.1	0		Tr.			
5	24.7	743.9	25.1	741.1	24.9	741.7	742.4	741.9	741.5	741.93	27.6	21.4			25.9	25.2	25.6	25.6	22.6	20.5	16.6		9.8	14.3	9.3	11.1	39	60	39	46.0	1 Cu. cs.s.	1 Cu. c	0	0.7	s.1	m.s.1	s.2					
6	22.9	743.7	23.2	742.6	23.9	742.8	742.6	742.4	742.5	742.83	26.8	20.7			22.9	24.7	20.6	22.7	24.3	24.7	20.6		13.3	15.8	15.1	14.7	49	67	84	72.3	1 Cu-c	2 Cu	0	1.0	0	s.w.1	0					
7	24.5	742.9	23.2	742.2	22.4	742.5	742.0	742.2	742.6	742.60	29.6	18.7			24.0	23.4	22.9	22.8	15.5	18.3	17.2		14.1	12.5	11.5	12.7	76	58	57	63.7	0	1 Cu	b	0.3	0	m.s.1	m.c.2					∠ S. cu.
8	21.7	742.9	23.2	742.1	21.9	742.9	743.1	742.1	742.2	742.47	24.8	18.2			21.6	23.6	21.6	22.3	15.6	16.6	17.1		9.8	9.0	11.7	10.2	51	42	60	51.0	0	1	0	0.3	b	m.1	2.1					
9	20.8	743.7	22.2	741.8	20.7	741.9	743.1	741.6	742.2	742.30	23.6	17.1			19.8	22.3	18.8	20.3	14.2	16.5	13.6		9.1	10.6	8.7	9.5	52	53	59	53.0	0	4 Cu	3 Cu	2.3	0	m.w.1	S.s.1					4 W. cu.
10	20.9	741.9	21.7	741.3	20.9	741.3	742.3	741.5	742.2	742.00	23.0	17.2			20.2	21.7	19.8	20.6	14.1	16.9	14.8		8.8	11.4	10.6	10.3	49	59	69	59.0	7 Cu/Min	3 Cu/Cu-c	1 Cu	3.2	0	S.w.	S.s.1			4.1	4.1	● p.m. Rain. ∠ T.
11	19.9	740.3	22.9	739.3	21.4	739.8	740.7	739.9	739.7	740.10	24.6	16.3			19.2	22.8	21.3	21.1	16.6	17.6	17.6		10.9	11.7	12.5	11.7	66	52	67	62.0	9 Cu-c S.	9 Cu. S.	9 Cu	8.7	0	m.s.2	m.s.1					∠ one.
12	21.0	741.7	21.6	741.5	20.7	742.3	742.1	741.5	742.6	742.03	22.7	15.2			19.9	21.0	19.3	20.1	17.4	17.2	17.2		13.1	12.0	13.2	12.8	76	66	77	73.1	9 Cu	10 Cu-9	9 st	9.3	6.3.1	m.s.1	s.w.1					● a few drops at 7 P.
13	20.4	743.4	22.4	742.6	21.3	743.4	743.7	742.7	743.6	743.33	23.5	17.1			20.1	22.4	19.4	20.5	16.9	19.1	17.3		12.3	14.3	13.3	13.3	71	72	79	74.0	3 Cu-s	9 Cu Thin	8 Cu	6.7	0	s	0					● Rain 2.26 m. 2 P.
14	20.5	743.1	21.7	741.1	21.4	744.9	743.4	741.3	742.2	742.97	23.9	17.1			20.4	21.7	20.8	21.0	17.8	18.5	18.6		12.6	13.6	14.2	13.5	70	70	77	72.3	7 Cu & Cu	7 Cu & Cu	9 st	7.3	0	s	s.1					∇ All cu.
15	21.1	742.2	23.2	740.2	18.3	738.7	739.5	738.9	738.9	739.10	28.1	18.5			19.9	22.9	19.3	20.7	16.8	18.4	16.6		12.2	13.9	12.2	12.8	70	67	73	69.3	7 Cu-c	7 Cu	7 Cu s.w.	7.0		s.	s.w.s		Calm		2-3	2.3	● 5 P. R. s.w. S.W. fine
16	22.5	738.9	21.0	738.3	19.9	739.4	739.9	738.9	739.9	739.57	27.0	18.7			20.3	18.8	18.9	19.1	16.9	16.1	14.2		11.5	11.8	9.8	11.0	69	73	63	66.7	4 Cu	9 Cu s.w.	10 Cu	7.7	s.w.1	s.w.2	s.w.3		cloudy			● a.m. P.M. p.m. Rain night
17	18.9	738.9	19.6	736.8	18.4	737.4	736.4	736.3	736.4	736.37	19.8	14.8			17.9	18.4	16.2	17.5	13.3	13.6	12.7		8.8	9.9	8.0	8.9	58	56	67	60.3	9 Cu s.w.	9 Cu w.	5 Cu	7.7	s.w.2	w.1	s.w.1					● a.m. during night
18	17.7	738.4	19.3	737.3	17.9	737.6	736.8	736.3	736.8	736.80	21.3	14.2			16.6	19.4	15.6	17.2	12.3	13.7	12.6		8.4	8.6	9.1	8.7	59	51	69	59.7	1 Cu	0	0	0.3	s.s.1	w.1	s.s.1		Tr.			
19	18.6	737.2	20.4	736.0	19.4	736.4	737.8	736.4	736.9	737.03	21.3	15.2			18.7	20.9	18.9	19.5	14.4	15.5	15.9		9.8	10.0	11.6	10.4	61	59	72	64.3	5 Cu	0	0	1.7	w.s.s	s.s.1	s.1		Tr.			
20	19.3	736.7	20.9	736.0	19.2	736.3	737.1	736.3	736.8	736.73	23.1	16.0			18.5	21.9	17.7	19.5	12.7	16.7	15.0		7.9	11.0	11.0	10.0	48	56	73	59.0	7 Cu s.w.	3 Cu/Cu-c	0	3.3	0	W.	s.s.1					
21	19.1	736.4	16.1	735.7	19.9	736.1	736.9	736.6	735.6	736.37	22.0	16.3			18.5	20.6	15.2	19.4	13.4	17.1	16.8		9.7	12.1	12.2	11.0	55	67	79	67.0	8 Cu-s. s/Cu	10 Cu-c	10 Cu-c	9.3	s.s.1	m.w.1	0					● at 11 a
22	20.0	738.1	19.6	736.5	19.2	736.7	736.5	736.3	736.8	736.87	24.6	17.6			20.4	19.4	18.6	19.1	15.5	15.7	16.1		10.2	11.5	12.0	11.2	58	74	75	69.0	10 Cu w.	10 Cu w.	3 Cu w.	7.7	s.w.1	s.s.1	0					● Lightning 3.30 P.M. 1.2 R.
23	19.7	736.2	19.8	736.1	19.0	736.5	736.8	736.0	736.1	736.63	21.5	15.7			18.1	19.9	16.6	18.2	15.3	16.8	14.4		11.2	12.3	10.9	11.5	73	71	77	73.7	3 Cu	5 Cu w.	2 Cu	3.3	0	S.w.1	S.s.1			1.0	1.0	2.7	● night and 12 a ∠ cu.
24	18.2	736.1	20.0	736.0	19.0	736.3	736.7	736.3	736.4	736.47	21.3	14.8			18.1	20.3	18.7	19.0	13.9	15.7	15.7		9.9	10.5	11.9	10.8	61	57	72	63.0	7 Cu/Cu-c	7 Cu/Cu-c	10 Min	8.0	s.w.1	s.w.1	s.w.1				0.3	0.3	● at 11 a ∠ cu. R.
25	16.8	736.4	18.5	736.1	17.2	736.4	736.2	736.3	736.4	736.30	20.1	13.8			14.0	18.2	13.7	15.3	12.7	15.6	12.3		10.2	11.4	9.5	10.4	85	75	85	81.3	10 Cu/Min	pCu	10 Cu	6.3	0	s.w.2	s.s.1			31.0	2.7	33.7	● 2 m. P.M. T. s.w. night
26	15.8	736.1	17.8	736.2	17.2	736.3	736.5	736.3	736.0	736.47	18.8	13.2			13.3	17.8	17.2	16.1	13.1	15.2	12.7		10.9	11.2	10.8	11.0	84	74	88	74.3	10 Cu M. w.	2 Cu	1 Cu-c	4.3	s.s.1	s.w.1	w.1					● a. m. 4 P. M.
27	16.3	736.8	16.9	736.6	16.3	736.1	736.8	736.4	736.8	736.67	19.0	13.4			15.3	16.6	15.5	15.8	12.8	12.3	11.0		9.1	8.4	7.5	8.3	70	59	57	62.0	7 Cu M.	2 Cu	0	3.0	0	m.2	N.s.2		dry			7.40 2
28	16.8	737.3	16.7	736.7	15.8	736.3	736.2	736.5	736.3	736.67	17.4	11.3			14.4	16.4	13.6	15.6	11.3	12.3	11.2		8.3	8.4	8.6	8.4	68	61	74	67.7	7 Cu S.	6 Cu s.	0	4.3	s.s.1	N.W.1	s.s.1		Tr.			
29	15.7	736.1	16.4	736.5	16.1	736.7	736.6	736.4	736.7	736.57	17.6	11.8			15.3	16.6	14.7	15.5	11.2	13.6	13.4		7.8	9.3	10.6	9.2	60	70	85	71.7	7 Cu	4 Cu	3 Cu	5.3	0	s.s.1	s.s.1		Calm		4.3	4.3	● 2. m. 4 P. m.
30	15.6	736.4	17.2	736.1	16.2	736.0	736.6	736.5	736.2	736.43	17.2	13.1			14.7	13.7	15.1	14.5	12.7	14.1	12.5		7.8	9.7	9.3	8.9	78	63	73	71.3	5 Cu	2 Cu	0	2.3	s.s.1	s.w.1	s.w.1		Tr.	1.5		1.5	● a. m.
31																																									
Sums							22.736	22.719.4	22.9.76		675.5	500.7			572.0	630.3	562.3						307.6	339.0	329.0		1892	1538	2042		153	134	90		19	37	38					106.1		
Means							744.41	743.26	743.92	743.87	28.5	16.7			19.1	21.0	18.7	19.6					10.3	11.3	11.0	10.9	63.1	61.3	68.1	64.2	5.1	4.5	3.0	4.2	1.6	1.2	1.3					4.5		

Barometer	Maximum	768.8	on 18
"	Minimum	755.2	on 16
Thermometer	Maximum	29.6	on 5
"	Minimum	11.3	on 28

WEATHER BUREAU ★ JAN 3 1900 ★ RECORDS AND METEOROLOGY

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Year 1899

Month December.

Height of Barometer above Sea level 33.7 meters

" " Thermometer above the earth 1.22 "

" " Rim of Rain Guage above " 0.36 "

Hours of observation 8½ 2½ 8½

Date	Barometer as read. 8½ Attached Thermometer. Cent.	Barometer Millimeters	2½ Attached Thermometer. Cent.	Barometer Millimeters	8½ Attached Thermometer. Cent.	Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	mean	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear— 0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0 — 10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. mm. A.M.	P.M.	Total	Observations and Phenomena
1	16.1	747.6	18.1	746.3	17.1	746.4	746.85	746.9	747.1	747.50	20.2	13.6			16.4	18.8	16.5	17.2	13.3	14.3	13.6		8.4	9.5	9.4	9.1	61	59	71	63.3	1 Cum.	1 Cum.	0		0	N.1	N.E.1		Tr.					
2	17.0	745.5	18.3	743.1	17.9	742.7	744.4	744.4	743.4	744.73	20.4	13.9			18.7	19.4	15.6	18.2	11.1	13.4	13.3		7.1	8.4	8.5	8.0	50	50	53	51.0	3 Cir. N.W.	4 Cir.	0		2.3	S.E.1	0	N.E.1						
3	18.2	744.9	19.9	743.5	18.7	743.5	746.5	745.9	745.1	745.84	22.1	14.3			19.0	21.1	18.4	19.5	14.4	15.5	15.6		9.6	9.9	11.3	10.3	59	53	72	61.3	5 Cir.	9 Cir. & Cir.	1 Cir.		5.0	0	S.W.5	N.E.1						
4	16.7	743.2	13.0	738.6	12.2	737.8	740.1	739.3	738.6	739.33	19.6	11.9			14.7	17.2	14.8	15.6	13.2	14.7	14.6		10.2	10.8	11.0	10.7	94	74	78	82.0	10 Min.	3 Cm.	10 Cumm.		7.7	S.E.1	N.E.1	S.W.3						
5	13.0	737.2	16.3	735.9	14.9	735.2	736.0	735.9	734.3	735.47	18.5	12.6			13.2	15.9	14.5	15.7	14.4	13.5	9.2		10.6	6.9	5.3	7.6	72	52	50	58.0	10 Cu W.	9 Cu S.W.	1 Cumm.		6.7	S.W.4	S.W.6	S.W.7						
6	15.0	742.0	16.1	740.5	15.6	740.1	740.3	741.7	741.0	741.03	17.3	9.1			15.1	14.9	16.4	15.5	10.9	13.1	13.7		7.6	10.0	10.0	9.2	59	79	72	70.0	5 Cumm W.	10 Min	10 Mingha		8.3	S.W.4	S.W.1	S.W.2						
7	16.1	739.7	16.5	737.7	15.9	737.5	737.6	737.6	736.9	737.53	18.3	13.2			16.1	17.7	17.2	17.0	13.6	14.1	12.2		11.3	14.1	12.2	12.5	84	67	55	68.7	10 Cu S.W.	9 Cu S.W.	3 Cumm.		7.3	S.W.5	S.W.3	S.W.3						
8	15.6	741.2	17.4	738.3	17.1	738.8	739.2	739.5	738.6	739.10	19.8	13.9			15.5	18.7	17.6	17.3	12.2	14.6	14.4		8.7	9.7	10.3	9.6	67	63	68	66.0	6 Cu & Cu-c	9 Cumm.	10 at & Cu		8.3	S.E.1	S.W.1	N.E.1						
9	16.7	741.5	18.3	739.9	17.3	739.2	739.4	739.5	738.9	739.27	19.9	14.8			16.6	19.1	15.9	17.2	13.8	16.1	13.3		10.1	10.4	9.8	10.1	72	63	74	69.7	1 Cu. A.	1 Cumm.	0		2.7	S.E.1	S.E.1	S.E.1						
10	16.5	741.4	18.5	739.7	17.2	739.9	739.7	739.6	739.1	739.43	20.7	14.6			16.6	19.3	16.2	17.4	11.9	15.1	12.1		7.9	10.3	8.3	8.8	56	62	61	59.7	7 Cu & Cu-c	1 Cir	2 Cir		9.3	0	0	S.W.1						
11	18.3	743.3	18.7	742.0	17.4	742.9	742.2	742.6	743.7	742.83	21.5	14.6			14.1	17.7	15.7	15.8	11.1	15.3	12.9		7.4	10.4	9.3	9.0	54	60	70	61.3	7 Cu & Cu-c	0	2 Cumm.		3.0	S.E.1	N.E.1	S.E.1						
12	17.1	742.7	18.9	740.3	16.8	739.8	739.6	741.0	740.3	740.30	20.2	14.4			16.1	18.9	14.2	16.4	13.8	16.1	12.7		10.3	11.8	10.1	10.7	76	72	83	77.0	6 Cu & Cu-c	6 Cu. W.	6 Cumm. W.		6.0	0	S.W.1	S.E.1						
13	15.8	743.2	18.2	741.5	16.7	741.0	741.1	741.1	740.8	741.07	20.1	13.6			14.7	18.4	15.3	16.1	11.2	14.6	12.9		8.1	10.0	9.4	9.2	64	63	71	66.0	10 Cir. 0	8 Cir. & Cir.	0		6.0	S.E.1	0	S.E.1						
14	16.9	742.1	17.0	741.6	18.3	742.5	742.3	742.1	742.7	742.37	20.4	14.4			17.2	19.9	18.6	18.6	12.7	15.6	13.4		8.6	8.4	7.7	8.2	59	49	55	54.3	7 Cir & Cir.	6 Cir. & Cir.	8 Cu. W.		7.0	S.E.1	N.E.1	0						
15	14.9	742.2	19.3	740.0	17.9	740.5	740.3	740.5	740.2	740.33	22.4	14.8			16.1	19.3	15.6	17.0	12.2	16.0	13.8		8.5	11.4	10.6	10.2	62	49	81	70.7	1 Cumm.	2 Cu-c & A.	0		1.0	S.E.1	S.W.1	N.W.1						
16	16.8	740.9	18.6	739.3	17.3	739.3	739.0	739.8	739.1	739.30	20.3	14.1			15.7	19.2	16.1	17.0	11.8	15.2	12.5		8.2	10.5	8.8	9.2	62	69	65	63.7	6 Cir.	4 Cir.	4 Cir.		4.7	0	0	S.E.1						
17	17.0	740.8	18.7	741.7	17.1	741.1	741.6	742.3	742.0	741.97	20.8	14.3			16.3	19.4	15.5	17.1	12.9	14.6	13.5		9.0	9.7	9.0	9.3	66	57	68	63.7	6 Cir.	10 at	0		5.3	S.E.1	0	S.E.1						
18	16.9	741.1	18.9	739.1	17.9	739.8	741.9	739.2	739.5	739.80	20.8	14.2			16.7	17.4	17.9	17.3	10.8	10.0	14.7		7.1	10.1	10.5	9.2	52	89	68	69.7	7 Cir - Cir.	2 Cir - C.	10 Cumm.		6.3	S.E.1	0	W.2						
19	17.0	738.2	18.8	738.5	16.1	738.7	737.1	738.7	738.7	738.83	18.6	13.2			18.1	16.3	14.8	15.7	13.1	12.3	11.7		9.5	8.5	8.6	8.9	70	62	69	66.3	7 Cir & Min	6 Cir	10 Mmm		7.7	N.W.3	N.W.3	S.W.1						
20	15.0	741.9	14.9	742.4	13.9	743.4	743.0	743.6	744.7	743.77	15.4	10.8			12.9	13.7	12.8	12.8	10.1	9.6	9.4		8.0	7.0	6.8	7.3	74	60	62	65.3	5 Cir - C & A.	4 Cir. N.	3 Cumm.		4.0	N.E.3	N.E.2	N.E.2						
21	12.2	744.7	13.5	744.2	12.2	744.0	744.2	745.5	745.5	745.03	13.5	10.9			11.2	11.5	9.4	10.7	9.9	7.8	8.9		6.4	6.1	6.2	6.2	66	60	71	66.3	5 Cumm.	6 Cir	0		3.7	N.E.3	N.1	S.E.1						
22	13.1	744.7	13.8	743.9	14.8	744.3	744.2	743.9	744.2	744.13	15.1	9.1			13.3	14.3	13.4	13.7	9.9	11.2	10.7		7.5	8.3	8.2	8.0	69	68	68	67.0	10 Cu & Cu-c	8 Cu & A.	5 Cu		7.7	N.E.1	0	0						
23	13.9	745.2	16.2	745.0	14.4	746.2	746.5	746.5	745.9	746.30	17.9	11.8			14.4	16.8	13.8	15.0	11.2	12.3	11.7		8.2	8.3	7.0	7.8	67	58	77	67.3	9 Cumm.	9 Cir	9 Cumm.		9.0	S.E.1	S.W.2	N.E.2						
24	14.2	746.7	14.0	745.7	12.8	746.0	745.7	745.0	745.7	745.77	14.7	11.3			12.0	12.3	11.8	12.0	10.7	11.2	9.2		8.7	9.3	7.2	8.4	83	86	70	79.7	10 Cumm.	9 Cumm.	1 Cu & Min		6.7	S.W.1	N.1	N.1						
25	12.9	745.8	13.3	745.8	12.7	745.0	744.1	744.1	744.0	744.07	13.5	10.3			11.1	12.4	11.2	11.6	10.5	10.8	9.8		9.1	8.7	8.3	8.7	93	81	83	85.7	10 Cumm.	10 Cu & Min	10 Mmm		10.0	S.W.2	S.W.1	S.W.1						
26	12.5	746.2	12.6	746.0	11.9	746.2	746.1	746.4	746.7	746.57	14.3	9.8			12.0	10.4	8.7	10.7	9.6	9.4	8.3		7.5	8.3	7.2	7.7	72	85	84	80.3	7 Cu & Mmm	9 Cu. W.S.W.	3 Cumm.		6.3	0	N.E.1	S.E.1						
27	12.2	745.8	13.7	746.1	12.6	745.8	746.3	746.5	747.2	746.73	15.8	9.2			11.8	15.1	11.6	12.8	9.6	11.2	9.9		7.7	7.9	8.2	7.9	74	61	80	72.3	6 Cu & W.	4 Cu. W.	3 Cu.		4.3	S.E.1	S.W.3	S.E.1						
28	12.6	746.7	14.3	746.6	13.3	746.9	746.2	746.7	746.7	746.53	16.8	9.2			12.2	15.9	13.1	13.7	10.1	13.2	11.4		8.0	10.2	9.1	9.0	76	73	81	76.7	9 Cu & A.	10 at & Cu	10 at		9.7	S.E.1	0	0						
29	13.3	746.1	15.8	746.6	15.3	746.9	746.9	746.5	746.4	746.60	17.8	12.0			13.8	17.2	14.6	15.2	11.2	14.2	12.7		8.5	10.2	9.8	9.5	71	70	80	74.7	6 Cu. Cu. W.	1 Cumm.	0		2.3	S.E.1	N.E.1	S.E.1						
30	14.2	746.5	16.9	746.5	15.9	746.7	746.8	746.3	746.5	746.53	18.2	12.6			14.7	17.2	15.9	15.9	11.6	14.7	11.8		8.5	11.2	8.2	9.3	68	77	67	70.7	0	0	0		0	0	N.E.1	S.E.1						
31	14.3	746.8	16.2	746.7	15.0	745.3	746.0	746.6	746.9	746.50	19.1	12.1			14.4	16.9	13.7	15.0	10.1	13.5	11.4		7.1	9.9	8.5	8.6	59	70	75	67.7	0	0	0		0	0	N.E.1	S.E.1						
Sums							738.659	738.563	738.447		570.8	398.0			460.2	526.3	463.9						264.4	287.4	275.7		2035	1927	2182		192	159	121		40.0	38.4	42				2.402			
Means							746.55	746.48	746.39	746.809	18.4	12.6			14.9	17.0	15.0	15.6					8.4	9.3	8.9	8.9	67.6	68.4	73.7	69.8	6.2	5.1	3.9	5.1	1.3	1.2	.9				7.8			

Barometer Maximum 768.6 on 30

" Minimum 735.9 on 5 23

Thermometer Maximum 22.1 on 3.

" Minimum 9.1 on 6