QB
275
.U35
no.295

U. S. Department of Commerce
Sinclair Weeks, *Secretary*

Coast and Geodetic Survey
Robert F. A. Studds, *Director*

Special Publication No. 295

PLANE COORDINATE INTERSECTION TABLES

(2½-MINUTE)

NEBRASKA

LIBRARY
JUN 1 1992
N.O.A.A.
U.S. Dept. of Commerce

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1953

For sale by the Superintendent of Documents, U. S. Government Printing Office
Washington 25, D. C. - Price 50 cents

National Oceanic and Atmospheric Administration

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This has been a co-operative project between the NOAA Central Library and the Climate Database Modernization Program, National Climate Data Center (NCDC). To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

LASON
Imaging Contractor
12200 Kiln Court
Beltsville, MD 20704-1387
January 1, 2006

U. S. DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY



STATE PLANE-COORDINATE ZONES AND SCALE FACTORS

FOREWORD

The tables in this publication contain the plane coordinates for 2½-minute intersections of meridians and parallels within the limits of the State. These plane coordinates are based on the State plane-coordinate system established by the U. S. Coast and Geodetic Survey. The tables are arranged by 12½-minute bands of latitude with the full range of longitude of the Zone, followed by the coordinates for the next higher band of latitude. The tables are also arranged by Zone.

These tables have been prepared for use in making maps. Meridians and parallels may be placed on maps constructed on a rectangular grid of the State system, or the grid lines of the system may be placed on maps constructed on a projection of meridians and parallels. In the latter case the grid will not be truly rectangular unless the projection has been constructed on the State system. Approximate values of plane coordinates of geographic positions may be obtained by interpolation within the tables. In general, this is not recommended, as it is believed to involve more numerical operations than a rigorous computation from the basic projection tables.

The basic projection tables for this State system may be obtained from the Superintendent of Documents, U. S. Government Printing Office.

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 30 00 X	LATITUDE 41 30 00 Y	LATITUDE 41 32 30 X	LATITUDE 41 32 30 Y
96 00 00	3 095 450.51	86 490.44	3 094 736.92	101 657.02
02 30	3 084 047.85	85 956.73	3 083 341.68	101 123.66
05 00	3 072 644.91	85 428.62	3 071 946.17	100 595.89
07 30	3 061 241.73	84 906.09	3 060 550.42	100 073.70
96 10 00	3 049 838.30	84 389.14	3 049 154.42	99 557.09
12 30	3 038 434.61	83 877.77	3 037 758.16	99 046.06
15 00	3 027 030.68	83 371.99	3 026 361.65	98 540.61
17 30	3 015 626.50	82 871.80	3 014 964.90	98 040.74
96 20 00	3 004 222.06	82 377.19	3 003 567.89	97 546.45
22 30	2 992 817.39	81 888.17	2 992 170.66	97 057.75
25 00	2 981 412.49	81 404.73	2 980 773.18	96 574.63
27 30	2 970 007.35	80 926.89	2 969 375.47	96 097.09
96 30 00	2 958 601.98	80 454.62	2 957 977.53	95 625.13
32 30	2 947 196.36	79 987.94	2 946 579.35	95 158.76
35 00	2 935 790.53	79 526.85	2 935 180.94	94 697.96
37 30	2 924 384.48	79 071.34	2 923 782.32	94 242.75
96 40 00	2 912 978.21	78 621.41	2 912 383.48	93 793.12
42 30	2 901 571.71	78 177.07	2 900 984.41	93 349.07
45 00	2 890 165.00	77 738.33	2 889 585.13	92 910.61
47 30	2 878 758.06	77 305.17	2 878 185.63	92 477.73
96 50 00	2 867 350.93	76 877.59	2 866 785.92	92 050.44
52 30	2 855 943.59	76 455.60	2 855 386.01	91 628.72
55 00	2 844 536.04	76 039.20	2 843 985.89	91 212.59
57 30	2 833 128.29	75 628.39	2 832 585.57	90 802.04
97 00 00	2 821 720.33	75 223.16	2 821 185.04	90 397.08

LONGITUDE	LATITUDE 41 35 00 X	LATITUDE 41 35 00 Y	LATITUDE 41 37 30 X	LATITUDE 41 37 30 Y
96 00 00	3 094 023.32	116 823.55	3 093 309.73	131 990.05
02 30	3 082 635.52	116 290.54	3 081 929.35	131 457.39
05 00	3 071 247.44	115 763.11	3 070 548.70	130 930.31
07 30	3 059 859.12	115 241.26	3 059 167.81	130 408.80
96 10 00	3 048 470.54	114 724.99	3 047 786.66	129 892.86
12 30	3 037 081.71	114 214.29	3 036 405.26	129 382.49
15 00	3 025 692.63	113 709.17	3 025 023.61	128 877.70
17 30	3 014 303.31	113 209.63	3 013 641.72	128 378.49
96 20 00	3 002 913.73	112 715.66	3 002 259.57	127 884.84
22 30	2 991 523.92	112 227.28	2 990 877.19	127 396.78
25 00	2 980 133.87	111 744.47	2 979 494.57	126 914.29
27 30	2 968 743.59	111 267.25	2 968 111.72	126 437.37
96 30 00	2 957 353.08	110 795.60	2 956 728.64	125 966.03
32 30	2 945 962.33	110 329.53	2 945 345.31	125 500.26
35 00	2 934 571.36	109 869.03	2 933 961.77	125 040.07
37 30	2 923 180.16	109 414.12	2 922 578.01	124 585.45
96 40 00	2 911 788.75	108 964.78	2 911 194.02	124 136.41
42 30	2 900 397.12	108 521.02	2 899 809.82	123 692.94
45 00	2 889 005.27	108 082.84	2 888 425.40	123 255.05
47 30	2 877 613.19	107 650.25	2 877 040.76	122 822.73
96 50 00	2 866 220.92	107 223.23	2 865 655.92	122 395.99
52 30	2 854 828.44	106 801.79	2 854 270.87	121 974.83
55 00	2 843 435.75	106 385.93	2 842 885.61	121 559.24
57 30	2 832 042.86	105 975.65	2 831 500.15	121 149.23
97 00 00	2 820 649.76	105 570.95	2 820 114.48	120 744.79

LONGITUDE	LATITUDE 41 40 00 X	LATITUDE 41 40 00 Y	LATITUDE 41 42 30 X	LATITUDE 41 42 30 Y
96 00 00	3 092 596.14	147 156.53	3 091 882.56	162 332.99
02 30	3 081 223.19	146 624.22	3 080 517.03	161 791.03
05 00	3 069 849.97	146 097.48	3 069 151.24	161 264.63
07 30	3 058 476.50	145 576.31	3 057 785.20	160 743.81
96 10 00	3 047 102.78	145 060.71	3 046 418.91	160 228.54
12 30	3 035 728.81	144 550.68	3 035 052.36	159 718.84
15 00	3 024 354.59	144 046.22	3 023 685.57	159 214.71
17 30	3 012 980.12	143 547.33	3 012 318.53	158 716.15
96 20 00	3 001 605.40	143 054.01	3 000 951.24	158 223.15
22 30	2 990 230.45	142 566.26	2 989 583.72	157 735.72
25 00	2 978 855.27	142 084.08	2 978 215.96	157 253.86
27 30	2 967 479.85	141 607.48	2 966 847.97	156 777.57
96 30 00	2 956 104.19	141 136.45	2 955 479.75	156 306.84
32 30	2 944 728.30	140 670.98	2 944 111.28	155 841.68
35 00	2 933 352.19	140 211.09	2 932 742.60	155 382.09
37 30	2 921 975.85	139 756.77	2 921 373.70	154 928.06
96 40 00	2 910 599.30	139 308.02	2 910 004.58	154 479.60
42 30	2 899 222.53	138 864.83	2 898 635.24	154 036.71
45 00	2 887 845.54	138 427.23	2 887 265.67	153 599.39
47 30	2 876 468.32	137 995.20	2 875 895.89	153 167.64
96 50 00	2 865 090.91	137 568.74	2 864 525.91	152 741.46
52 30	2 853 713.29	137 147.85	2 853 155.72	152 320.85
55 00	2 842 335.47	136 732.53	2 841 785.33	151 905.80
57 30	2 830 957.44	136 322.79	2 830 414.73	151 496.32
97 00 00	2 819 579.21	135 918.61	2 819 043.93	151 092.42

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 45 00 X	LATITUDE 41 45 00 Y	LATITUDE 41 47 30 X	LATITUDE 41 47 30 Y
96 00 00	3 091 168.97	177 489.46	3 090 455.38	192 655.92
02 30	3 079 810.87	176 957.84	3 079 104.71	192 124.65
05 00	3 068 452.51	176 431.79	3 067 753.77	191 598.94
07 30	3 057 093.90	175 911.30	3 056 402.59	191 078.79
96 10 00	3 045 735.03	175 396.37	3 045 051.15	190 564.20
12 30	3 034 375.92	174 887.01	3 033 699.47	190 055.17
15 00	3 023 016.55	174 383.20	3 022 347.53	189 551.70
17 30	3 011 656.94	173 884.96	3 010 995.35	189 053.78
96 20 00	3 000 297.08	173 392.29	2 999 642.92	188 561.43
22 30	2 988 936.99	172 905.18	2 988 290.26	188 074.64
25 00	2 977 576.66	172 423.63	2 976 937.36	187 593.41
27 30	2 966 216.10	171 947.65	2 965 584.23	187 117.74
96 30 00	2 954 855.30	171 477.23	2 954 230.86	186 647.63
32 30	2 943 494.27	171 012.38	2 942 877.26	186 183.08
35 00	2 932 133.02	170 553.08	2 931 523.44	185 724.08
37 30	2 920 771.55	170 099.36	2 920 169.39	185 270.65
96 40 00	2 909 409.85	169 651.19	2 908 815.13	184 822.78
42 30	2 898 047.94	169 208.59	2 897 460.65	184 380.47
45 00	2 886 685.81	168 771.56	2 886 105.95	183 943.72
47 30	2 875 323.46	168 340.09	2 874 751.03	183 512.53
96 50 00	2 863 960.91	167 914.19	2 863 395.91	183 086.91
52 30	2 852 598.15	167 493.85	2 852 040.58	182 666.85
55 00	2 841 235.19	167 079.07	2 840 685.05	182 252.34
57 30	2 829 872.03	166 669.86	2 829 329.32	181 843.40
97 00 00	2 818 508.65	166 266.22	2 817 973.37	181 440.02

LONGITUDE	LATITUDE 41 50 00 X	LATITUDE 41 50 00 Y	LATITUDE 41 52 30 X	LATITUDE 41 52 30 Y
96 00 00	3 089 741.79	207 822.39	3 089 028.20	222 988.86
02 30	3 078 398.55	207 291.47	3 077 692.39	222 458.29
05 00	3 067 055.04	206 766.11	3 066 356.31	221 933.27
07 30	3 055 711.29	206 246.30	3 055 019.98	221 413.80
96 10 00	3 044 367.28	205 732.04	3 043 683.40	220 899.88
12 30	3 033 023.02	205 223.34	3 032 346.57	220 391.52
15 00	3 021 678.51	204 720.20	3 021 009.49	219 888.70
17 30	3 010 333.76	204 222.61	3 009 672.17	219 391.44
96 20 00	2 998 988.76	203 730.58	2 998 334.60	218 899.73
22 30	2 987 643.53	203 244.11	2 986 996.79	218 413.58
25 00	2 976 298.06	202 763.19	2 975 658.75	217 932.98
27 30	2 964 952.35	202 287.83	2 964 320.48	217 457.93
96 30 00	2 953 606.42	201 818.03	2 952 981.97	216 988.43
32 30	2 942 260.24	201 353.78	2 941 643.23	216 524.49
35 00	2 930 913.85	200 895.09	2 930 304.27	216 066.10
37 30	2 919 567.24	200 441.96	2 918 965.08	215 613.26
96 40 00	2 908 220.40	199 994.38	2 907 625.68	215 165.97
42 30	2 896 873.35	199 552.35	2 896 286.06	214 724.24
45 00	2 885 526.08	199 115.89	2 884 946.22	214 288.07
47 30	2 874 178.59	198 684.99	2 873 606.16	213 857.44
96 50 00	2 862 830.91	198 259.64	2 862 265.90	213 432.38
52 30	2 851 483.01	197 839.85	2 850 925.44	213 012.86
55 00	2 840 134.91	197 425.62	2 839 584.77	212 598.90
57 30	2 828 786.61	197 016.95	2 828 243.90	212 190.49
97 00 00	2 817 438.10	196 613.83	2 816 902.82	211 787.64

LONGITUDE	LATITUDE 41 55 00 X	LATITUDE 41 55 00 Y	LATITUDE 41 57 30 X	LATITUDE 41 57 30 Y
96 00 00	3 088 314.61	238 155.37	3 087 601.02	253 321.92
02 30	3 076 986.23	237 625.15	3 076 280.06	252 792.04
05 00	3 065 657.57	237 100.47	3 064 958.84	252 267.71
07 30	3 054 328.68	236 581.35	3 053 637.37	251 748.92
96 10 00	3 042 999.52	236 067.76	3 042 315.64	251 235.67
12 30	3 031 670.12	235 559.73	3 030 993.67	250 727.97
15 00	3 020 340.47	235 057.25	3 019 671.45	250 225.82
17 30	3 009 010.58	234 560.31	3 008 348.99	249 729.21
96 20 00	2 997 680.43	234 068.92	2 997 026.27	249 238.14
22 30	2 986 350.06	233 583.09	2 985 703.33	248 752.63
25 00	2 975 019.45	233 102.80	2 974 380.14	248 272.66
27 30	2 963 688.60	232 628.07	2 963 056.73	247 798.23
96 30 00	2 952 357.53	232 158.88	2 951 733.08	247 329.35
32 30	2 941 026.21	231 695.24	2 940 409.19	246 866.02
35 00	2 929 694.68	231 237.15	2 929 085.09	246 408.22
37 30	2 918 362.93	230 784.61	2 917 760.77	245 955.98
96 40 00	2 907 030.95	230 337.61	2 906 436.23	245 509.28
42 30	2 895 698.77	229 896.17	2 895 111.47	245 068.13
45 00	2 884 366.36	229 460.28	2 883 786.49	244 632.52
47 30	2 873 033.73	229 029.94	2 872 461.29	244 202.47
96 50 00	2 861 700.90	228 605.15	2 861 135.90	243 777.96
52 30	2 850 367.87	228 185.91	2 849 810.29	243 358.99
55 00	2 839 034.63	227 772.22	2 838 484.48	242 945.57
57 30	2 827 701.19	227 364.08	2 827 158.48	242 537.70
97 00 00	2 816 367.54	226 961.49	2 815 832.26	242 135.38

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 45 00 X	LATITUDE 41 45 00 Y	LATITUDE 41 47 30 X	LATITUDE 41 47 30 Y
97 00 00	2 818 508.65	166 266.22	2 817 973.37	181 440.02
02 30	2 807 145.09	165 868.13	2 806 617.25	181 042.20
05 00	2 795 781.34	165 475.62	2 795 260.93	180 649.94
07 30	2 784 417.39	165 088.67	2 783 904.41	180 263.24
97 10 00	2 773 053.26	164 707.29	2 772 547.71	179 882.11
12 30	2 761 688.94	164 331.47	2 761 190.82	179 506.54
15 00	2 750 324.43	163 961.22	2 749 833.75	179 136.53
17 30	2 738 959.76	163 596.53	2 738 476.50	178 772.08
97 20 00	2 727 594.90	163 237.41	2 727 119.07	178 413.20
22 30	2 716 229.87	162 883.86	2 715 761.48	178 059.87
25 00	2 704 864.66	162 535.87	2 704 403.71	177 712.11
27 30	2 693 499.28	162 193.45	2 693 045.75	177 369.91
97 30 00	2 682 133.74	161 856.59	2 681 687.65	177 033.27
32 30	2 670 768.04	161 525.29	2 670 329.38	176 702.19
35 00	2 659 402.17	161 199.57	2 658 970.95	176 376.69
37 30	2 648 036.15	160 879.42	2 647 612.36	176 056.74
97 40 00	2 636 669.96	160 564.83	2 636 253.60	175 742.36
42 30	2 625 303.63	160 255.81	2 624 894.71	175 433.54
45 00	2 613 937.16	159 952.35	2 613 535.66	175 130.28
47 30	2 602 570.53	159 654.46	2 602 176.47	174 832.58
97 50 00	2 591 203.76	159 362.13	2 590 817.13	174 540.45
52 30	2 579 836.83	159 075.37	2 579 457.64	174 253.88
55 00	2 568 469.78	158 794.18	2 568 098.02	173 972.87
57 30	2 557 102.59	158 518.56	2 556 738.26	173 697.42
98 00 00	2 545 735.27	158 248.50	2 545 378.38	173 427.55

LONGITUDE	LATITUDE 41 50 00 X	LATITUDE 41 50 00 Y	LATITUDE 41 52 30 X	LATITUDE 41 52 30 Y
97 00 00	2 817 438.10	196 613.83	2 816 902.82	211 787.64
02 30	2 806 089.40	196 216.27	2 805 561.55	211 390.34
05 00	2 794 740.51	195 824.27	2 794 220.10	210 998.59
07 30	2 783 391.43	195 437.82	2 782 878.44	210 612.40
97 10 00	2 772 042.16	195 056.94	2 771 536.61	210 231.77
12 30	2 760 692.70	194 681.61	2 760 194.58	209 856.69
15 00	2 749 343.06	194 311.85	2 748 852.37	209 487.17
17 30	2 737 993.25	193 947.64	2 737 509.99	209 123.20
97 20 00	2 726 643.25	193 588.99	2 726 167.43	208 764.78
22 30	2 715 293.09	193 235.90	2 714 824.69	208 411.92
25 00	2 703 942.75	192 888.36	2 703 481.79	208 064.61
27 30	2 692 592.23	192 546.39	2 692 138.70	207 722.86
97 30 00	2 681 241.55	192 209.97	2 680 795.46	207 386.66
32 30	2 669 890.72	191 879.11	2 669 452.06	207 056.02
35 00	2 658 539.72	191 553.81	2 658 108.49	206 730.94
37 30	2 647 188.56	191 234.08	2 646 764.77	206 411.41
97 40 00	2 635 837.24	190 919.90	2 635 420.88	206 097.44
42 30	2 624 485.78	190 611.28	2 624 076.85	205 789.02
45 00	2 613 134.17	190 308.22	2 612 732.67	205 486.16
47 30	2 601 782.41	190 010.72	2 601 388.35	205 188.85
97 50 00	2 590 430.50	189 718.78	2 590 043.87	204 897.10
52 30	2 579 078.44	189 432.39	2 578 699.25	204 610.91
55 00	2 567 726.26	189 151.57	2 567 354.50	204 330.27
57 30	2 556 373.94	188 876.30	2 556 009.61	204 055.18
98 00 00	2 545 021.48	188 606.60	2 544 664.59	203 785.66

LONGITUDE	LATITUDE 41 55 00 X	LATITUDE 41 55 00 Y	LATITUDE 41 57 30 X	LATITUDE 41 57 30 Y
97 00 00	2 816 367.54	226 961.49	2 815 832.26	242 135.38
02 30	2 805 033.71	226 564.45	2 804 505.86	241 738.59
05 00	2 793 699.68	226 172.96	2 793 179.26	241 347.36
07 30	2 782 365.46	225 787.03	2 781 852.47	240 961.68
97 10 00	2 771 031.06	225 406.64	2 770 525.50	240 581.54
12 30	2 759 696.46	225 031.81	2 759 198.34	240 206.95
15 00	2 748 361.68	224 662.53	2 747 870.99	239 837.91
17 30	2 737 026.73	224 298.79	2 736 543.48	239 474.42
97 20 00	2 725 691.60	223 940.61	2 725 215.78	239 116.47
22 30	2 714 356.30	223 587.98	2 713 887.91	238 764.08
25 00	2 703 020.83	223 240.90	2 702 559.87	238 417.23
27 30	2 691 685.18	222 899.38	2 691 231.65	238 075.92
97 30 00	2 680 349.37	222 563.40	2 679 903.27	237 740.16
32 30	2 669 013.40	222 232.97	2 668 574.73	237 409.95
35 00	2 657 677.26	221 908.10	2 657 246.03	237 085.30
37 30	2 646 340.97	221 588.79	2 645 917.18	236 766.19
97 40 00	2 635 004.52	221 275.02	2 634 588.16	236 452.63
42 30	2 623 667.92	220 966.81	2 623 258.99	236 144.62
45 00	2 612 331.18	220 664.14	2 611 929.68	235 842.15
47 30	2 600 994.28	220 367.03	2 600 600.22	235 545.24
97 50 00	2 589 657.24	220 075.47	2 589 270.62	235 253.87
52 30	2 578 320.05	219 789.46	2 577 940.86	234 968.04
55 00	2 566 982.74	219 509.01	2 566 610.97	234 687.77
57 30	2 555 645.28	219 234.10	2 555 280.95	234 413.05
98 00 00	2 544 307.70	218 964.75	2 543 950.80	234 143.88

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 41 45 00 X	LATITUDE 41 45 00 Y	LATITUDE 41 47 30 X	LATITUDE 41 47 30 Y
98 00 00	2 545 735.27	158 248.50	2 545 378.38	173 427.55
02 30	2 534 367.82	157 984.02	2 534 018.36	173 163.23
05 00	2 523 000.24	157 726.10	2 522 658.21	172 904.48
07 30	2 511 632.52	157 471.74	2 511 297.92	172 651.30
98 10 00	2 500 264.68	157 223.96	2 499 937.53	172 403.67
12 30	2 488 896.74	156 981.74	2 488 577.02	172 161.61
15 00	2 477 528.67	156 745.08	2 477 216.38	171 925.11
17 30	2 466 160.49	156 514.00	2 465 855.63	171 694.18
98 20 00	2 454 792.18	156 288.48	2 454 494.76	171 468.80
22 30	2 443 423.78	156 068.53	2 443 133.80	171 249.00
25 00	2 432 055.27	155 854.15	2 431 772.72	171 034.76
27 30	2 420 686.66	155 645.34	2 420 411.55	170 826.08
98 30 00	2 409 317.95	155 442.09	2 409 050.27	170 622.97
32 30	2 397 949.14	155 244.41	2 397 688.89	170 425.42
35 00	2 386 580.22	155 052.30	2 386 327.41	170 233.44
37 30	2 375 211.22	154 865.76	2 374 965.84	170 047.02
98 40 00	2 363 842.13	154 684.78	2 363 604.19	169 866.16
42 30	2 352 472.95	154 509.38	2 352 242.45	169 690.87
45 00	2 341 103.69	154 339.54	2 340 880.62	169 521.14
47 30	2 329 734.34	154 175.27	2 329 518.70	169 356.97
98 50 00	2 318 364.91	154 016.56	2 318 156.71	169 198.38
52 30	2 306 995.42	153 863.43	2 306 794.65	169 045.34
55 00	2 295 625.84	153 715.87	2 295 432.51	168 897.88
57 30	2 284 256.20	153 573.87	2 284 070.31	168 755.97
99 00 00	2 272 886.48	153 437.44	2 272 708.02	168 619.63

LONGITUDE	LATITUDE 41 50 00 X	LATITUDE 41 50 00 Y	LATITUDE 41 52 30 X	LATITUDE 41 52 30 Y
98 00 00	2 545 021.48	188 606.60	2 544 664.59	203 785.66
02 30	2 533 668.90	188 342.46	2 533 319.44	203 521.69
05 00	2 522 316.19	188 083.88	2 521 974.16	203 263.28
07 30	2 510 963.33	187 830.86	2 510 628.74	203 010.42
98 10 00	2 499 610.37	187 583.40	2 499 283.21	202 763.12
12 30	2 488 257.29	187 341.49	2 487 937.57	202 521.38
15 00	2 476 904.09	187 105.15	2 476 591.81	202 285.19
17 30	2 465 550.78	186 874.37	2 465 245.93	202 054.56
98 20 00	2 454 197.35	186 649.14	2 453 899.93	201 829.48
22 30	2 442 843.81	186 429.48	2 442 553.83	201 609.96
25 00	2 431 490.17	186 215.38	2 431 207.62	201 396.00
27 30	2 420 136.43	186 006.84	2 419 861.32	201 187.60
98 30 00	2 408 782.59	185 803.86	2 408 514.91	200 984.75
32 30	2 397 428.65	185 606.44	2 397 168.40	200 787.46
35 00	2 386 074.60	185 414.58	2 385 821.79	200 595.73
37 30	2 374 720.47	185 228.28	2 374 475.09	200 409.55
98 40 00	2 363 366.25	185 047.54	2 363 128.31	200 228.93
42 30	2 352 011.94	184 872.37	2 351 781.43	200 053.87
45 00	2 340 657.55	184 702.75	2 340 434.48	199 884.36
47 30	2 329 303.07	184 538.69	2 329 087.43	199 720.41
98 50 00	2 317 948.51	184 380.20	2 317 740.31	199 562.02
52 30	2 306 593.89	184 227.27	2 306 393.12	199 409.19
55 00	2 295 239.19	184 079.90	2 295 045.86	199 261.91
57 30	2 283 884.41	183 938.08	2 283 698.52	199 120.20
99 00 00	2 272 529.56	183 801.83	2 272 351.10	198 984.03

LONGITUDE	LATITUDE 41 55 00 X	LATITUDE 41 55 00 Y	LATITUDE 41 57 30 X	LATITUDE 41 57 30 Y
98 00 00	2 544 307.70	218 964.75	2 543 950.80	234 143.88
02 30	2 532 969.98	218 700.96	2 532 620.52	233 880.26
05 00	2 521 632.13	218 442.72	2 521 290.11	233 622.18
07 30	2 510 294.15	218 190.03	2 509 959.56	233 369.66
98 10 00	2 498 956.06	217 942.89	2 498 628.90	233 122.68
12 30	2 487 617.85	217 701.30	2 487 298.12	232 881.25
15 00	2 476 279.52	217 465.27	2 475 967.23	232 645.38
17 30	2 464 941.07	217 234.78	2 464 636.22	232 415.04
98 20 00	2 453 602.51	217 009.85	2 453 305.09	232 190.26
22 30	2 442 263.84	216 790.48	2 441 973.86	231 971.03
25 00	2 430 925.07	216 576.66	2 430 642.52	231 757.35
27 30	2 419 586.20	216 368.40	2 419 311.08	231 549.22
98 30 00	2 408 247.23	216 165.68	2 407 979.54	231 346.64
32 30	2 396 908.15	215 968.52	2 396 647.91	231 149.61
35 00	2 385 568.98	215 776.91	2 385 316.16	230 958.13
37 30	2 374 229.71	215 590.86	2 373 984.34	230 772.19
98 40 00	2 362 890.37	215 410.36	2 362 652.42	230 591.81
42 30	2 351 550.93	215 235.41	2 351 320.42	230 416.98
45 00	2 340 211.41	215 066.01	2 339 988.34	230 247.69
47 30	2 328 871.79	214 902.17	2 328 656.16	230 083.96
98 50 00	2 317 532.11	214 743.88	2 317 323.91	229 925.78
52 30	2 306 192.36	214 591.15	2 305 991.59	229 773.14
55 00	2 294 852.53	214 443.97	2 294 659.20	229 626.06
57 30	2 283 512.62	214 302.35	2 283 326.73	229 484.53
99 00 00	2 272 172.64	214 166.28	2 271 994.18	229 348.55

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE X 41 45 00	LATITUDE Y	LATITUDE X 41 47 30	LATITUDE Y
99 00 00	2 272 886.48	153 437.44	2 272 708.02	168 619.63
02 30	2 261 516.70	153 306.58	2 261 345.68	168 488.86
05 00	2 250 146.86	153 181.28	2 249 983.28	168 363.64
07 30	2 238 776.96	153 061.56	2 238 620.81	168 243.99
99 10 00	2 227 407.01	152 947.40	2 227 258.29	168 129.91
12 30	2 216 037.00	152 838.81	2 215 895.72	168 021.40
15 00	2 204 666.92	152 735.80	2 204 533.08	167 918.45
17 30	2 193 296.81	152 638.35	2 193 170.40	167 821.06
99 20 00	2 181 926.65	152 546.47	2 181 807.68	167 729.24
22 30	2 170 556.45	152 460.15	2 170 444.91	167 642.98
25 00	2 159 186.21	152 379.41	2 159 082.10	167 562.29
27 30	2 147 815.91	152 304.23	2 147 719.24	167 487.16
99 30 00	2 136 445.60	152 234.62	2 136 356.37	167 417.60
32 30	2 125 075.25	152 170.58	2 124 993.45	167 353.60
35 00	2 113 704.87	152 112.10	2 113 630.51	167 295.16
37 30	2 102 334.46	152 059.20	2 102 267.54	167 242.30
99 40 00	2 090 964.02	152 011.87	2 090 904.53	167 194.99
42 30	2 079 593.56	151 970.11	2 079 541.51	167 153.26
45 00	2 068 223.09	151 933.91	2 068 178.48	167 117.09
47 30	2 056 852.60	151 903.28	2 056 815.43	167 086.48
99 50 00	2 045 482.10	151 878.23	2 045 452.36	167 061.44
52 30	2 034 111.59	151 858.74	2 034 089.28	167 041.96
55 00	2 022 741.06	151 844.81	2 022 726.18	167 028.04
57 30	2 011 370.53	151 836.46	2 011 363.10	167 019.69
100 00 00	2 000 000.00	151 833.67	2 000 000.00	167 016.91

LONGITUDE	LATITUDE X 41 50 00	LATITUDE Y	LATITUDE X 41 52 30	LATITUDE Y
99 00 00	2 272 529.56	183 801.83	2 272 351.10	198 984.03
02 30	2 261 174.65	183 671.14	2 261 003.63	198 853.43
05 00	2 249 819.69	183 546.01	2 249 656.10	198 728.38
07 30	2 238 464.66	183 426.44	2 238 308.51	198 608.89
99 10 00	2 227 109.57	183 312.43	2 226 960.86	198 494.96
12 30	2 215 754.44	183 203.99	2 215 613.15	198 386.58
15 00	2 204 399.23	183 101.11	2 204 265.38	198 283.77
17 30	2 193 043.99	183 003.78	2 192 917.58	198 186.51
99 20 00	2 181 688.70	182 912.02	2 181 569.73	198 094.81
22 30	2 170 333.37	182 825.82	2 170 221.83	198 008.66
25 00	2 158 978.00	182 745.18	2 158 873.90	197 928.07
27 30	2 147 622.58	182 670.10	2 147 525.91	197 853.04
99 30 00	2 136 267.13	182 600.58	2 136 177.90	197 783.57
32 30	2 124 911.66	182 536.63	2 124 829.86	197 719.66
35 00	2 113 556.15	182 478.23	2 113 481.79	197 661.30
37 30	2 102 200.61	182 425.40	2 102 133.69	197 608.50
99 40 00	2 090 845.04	182 378.13	2 090 785.55	197 561.26
42 30	2 079 489.46	182 336.42	2 079 437.41	197 519.58
45 00	2 068 133.86	182 300.27	2 068 089.24	197 483.46
47 30	2 056 778.25	182 269.68	2 056 741.07	197 452.89
99 50 00	2 045 422.61	182 244.66	2 045 392.87	197 427.88
52 30	2 034 066.97	182 225.19	2 034 044.67	197 408.43
55 00	2 022 711.31	182 211.29	2 022 696.44	197 394.53
57 30	2 011 355.66	182 202.94	2 011 348.22	197 386.19
100 00 00	2 000 000.00	182 200.16	2 000 000.00	197 383.41

LONGITUDE	LATITUDE X 41 55 00	LATITUDE Y	LATITUDE X 41 57 30	LATITUDE Y
99 00 00	2 272 172.64	214 166.28	2 271 994.18	229 348.55
02 30	2 260 832.61	214 035.76	2 260 661.58	229 218.11
05 00	2 249 492.51	213 910.79	2 249 328.92	229 093.23
07 30	2 238 152.35	213 791.38	2 237 996.20	228 973.89
99 10 00	2 226 812.14	213 677.52	2 226 663.42	228 860.11
12 30	2 215 471.87	213 569.22	2 215 330.59	228 751.88
15 00	2 204 131.54	213 466.47	2 203 997.69	228 649.20
17 30	2 192 791.17	213 369.27	2 192 664.76	228 552.06
99 20 00	2 181 450.75	213 277.63	2 181 331.78	228 460.49
22 30	2 170 110.30	213 191.54	2 169 998.76	228 374.45
25 00	2 158 769.80	213 111.01	2 158 665.69	228 293.97
27 30	2 147 429.24	213 036.03	2 147 332.58	228 219.04
99 30 00	2 136 088.67	212 966.60	2 135 999.44	228 149.66
32 30	2 124 748.07	212 902.73	2 124 666.27	228 085.83
35 00	2 113 407.43	212 844.41	2 113 333.07	228 027.54
37 30	2 102 066.77	212 791.64	2 101 999.84	227 974.82
99 40 00	2 090 726.07	212 744.43	2 090 666.58	227 927.64
42 30	2 079 385.36	212 702.78	2 079 333.31	227 886.01
45 00	2 068 044.63	212 666.68	2 068 000.01	227 849.93
47 30	2 056 703.89	212 636.13	2 056 666.71	227 819.41
99 50 00	2 045 363.13	212 611.14	2 045 333.38	227 794.43
52 30	2 034 022.36	212 591.70	2 034 000.05	227 775.00
55 00	2 022 681.57	212 577.81	2 022 666.70	227 761.13
57 30	2 011 340.79	212 569.48	2 011 333.35	227 752.80
100 00 00	2 000 000.00	212 566.70	2 000 000.00	227 750.02

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 41 45 00 X	LATITUDE 41 45 00 Y	LATITUDE 41 47 30 X	LATITUDE 41 47 30 Y
100 00 00	2 000 000.00	151 833.67	2 000 000.00	167 016.91
02 30	1 988 629.47	151 836.46	1 988 636.90	167 019.69
05 00	1 977 258.94	151 844.81	1 977 273.82	167 028.04
07 30	1 965 888.41	151 858.74	1 965 910.72	167 041.96
100 10 00	1 954 517.90	151 878.23	1 954 547.64	167 061.44
12 30	1 943 147.40	151 903.28	1 943 184.57	167 086.48
15 00	1 931 776.91	151 933.91	1 931 821.52	167 117.09
17 30	1 920 406.44	151 970.11	1 920 458.49	167 153.26
100 20 00	1 909 035.98	152 011.87	1 909 095.47	167 194.99
22 30	1 897 665.54	152 059.20	1 897 732.46	167 242.30
25 00	1 886 295.13	152 112.10	1 886 369.49	167 295.16
27 30	1 874 924.75	152 170.58	1 875 006.55	167 353.60
100 30 00	1 863 554.40	152 234.62	1 863 643.63	167 417.60
32 30	1 852 184.09	152 304.23	1 852 280.76	167 487.16
35 00	1 840 813.79	152 379.41	1 840 917.90	167 562.29
37 30	1 829 443.55	152 460.15	1 829 555.09	167 642.98
100 40 00	1 818 073.35	152 546.47	1 818 192.32	167 729.24
42 30	1 806 703.19	152 638.35	1 806 829.60	167 821.06
45 00	1 795 333.08	152 735.80	1 795 466.92	167 918.45
47 30	1 783 963.00	152 838.81	1 784 104.28	168 021.40
100 50 00	1 772 592.99	152 947.40	1 772 741.71	168 129.91
52 30	1 761 223.04	153 061.56	1 761 379.19	168 243.99
55 00	1 749 853.14	153 181.28	1 750 016.72	168 363.64
57 30	1 738 483.30	153 306.58	1 738 654.32	168 488.86
101 00 00	1 727 113.52	153 437.44	1 727 291.98	168 619.63

LONGITUDE	LATITUDE 41 50 00 X	LATITUDE 41 50 00 Y	LATITUDE 41 52 30 X	LATITUDE 41 52 30 Y
100 00 00	2 000 000.00	182 200.16	2 000 000.00	197 383.41
02 30	1 988 644.34	182 202.94	1 988 651.78	197 386.19
05 00	1 977 288.69	182 211.29	1 977 303.56	197 394.53
07 30	1 965 933.03	182 225.19	1 965 955.33	197 408.43
100 10 00	1 954 577.39	182 244.66	1 954 607.13	197 437.88
12 30	1 943 221.75	182 269.68	1 943 258.93	197 452.89
15 00	1 931 866.14	182 300.27	1 931 910.76	197 483.46
17 30	1 920 510.54	182 336.42	1 920 562.59	197 519.58
100 20 00	1 909 154.96	182 378.13	1 909 214.45	197 561.26
22 30	1 897 799.39	182 425.40	1 897 866.31	197 608.50
25 00	1 886 443.85	182 478.23	1 886 518.21	197 661.30
27 30	1 875 088.34	182 536.63	1 875 170.14	197 719.66
100 30 00	1 863 732.87	182 600.58	1 863 822.10	197 783.57
32 30	1 852 377.42	182 670.10	1 852 474.09	197 853.04
35 00	1 841 022.00	182 745.18	1 841 126.10	197 928.07
37 30	1 829 666.63	182 825.82	1 829 778.17	198 008.66
100 40 00	1 818 311.30	182 912.02	1 818 430.27	198 094.81
42 30	1 806 956.01	183 003.78	1 807 082.42	198 186.51
45 00	1 795 600.77	183 101.11	1 795 734.62	198 283.77
47 30	1 784 245.56	183 203.99	1 784 386.85	198 386.58
100 50 00	1 772 890.43	183 312.43	1 773 039.14	198 494.96
52 30	1 761 535.34	183 426.44	1 761 691.49	198 608.89
55 00	1 750 180.31	183 546.01	1 750 343.90	198 728.38
57 30	1 738 825.35	183 671.14	1 738 996.37	198 853.43
101 00 00	1 727 470.44	183 801.83	1 727 648.90	198 984.03

LONGITUDE	LATITUDE 41 55 00 X	LATITUDE 41 55 00 Y	LATITUDE 41 57 30 X	LATITUDE 41 57 30 Y
100 00 00	2 000 000.00	212 566.70	2 000 000.00	227 750.02
02 30	1 988 659.21	212 569.48	1 988 666.65	227 752.80
05 00	1 977 318.43	212 577.81	1 977 333.30	227 761.13
07 30	1 965 977.64	212 591.70	1 965 999.95	227 775.00
100 10 00	1 954 636.87	212 611.14	1 954 666.62	227 794.43
12 30	1 943 296.11	212 636.13	1 943 333.29	227 819.41
15 00	1 931 955.37	212 666.68	1 931 999.99	227 849.93
17 30	1 920 614.64	212 702.78	1 920 666.69	227 886.01
100 20 00	1 909 273.93	212 744.43	1 909 333.42	227 927.64
22 30	1 897 933.23	212 791.64	1 898 000.16	227 974.82
25 00	1 886 592.57	212 844.41	1 886 666.93	228 027.54
27 30	1 875 251.93	212 902.73	1 875 333.73	228 085.83
100 30 00	1 863 911.33	212 966.60	1 864 000.56	228 149.66
32 30	1 852 570.76	213 036.03	1 852 667.42	228 219.04
35 00	1 841 230.20	213 111.01	1 841 334.31	228 293.97
37 30	1 829 889.70	213 191.54	1 830 001.24	228 374.45
100 40 00	1 818 549.25	213 277.63	1 818 668.22	228 460.49
42 30	1 807 208.83	213 369.27	1 807 335.24	228 552.06
45 00	1 795 868.46	213 466.47	1 796 002.31	228 649.20
47 30	1 784 528.13	213 569.22	1 784 669.41	228 751.88
100 50 00	1 773 187.86	213 677.52	1 773 336.58	228 860.11
52 30	1 761 847.65	213 791.38	1 762 003.80	228 973.89
55 00	1 750 507.49	213 910.79	1 750 671.08	229 093.23
57 30	1 739 167.39	214 035.76	1 739 338.42	229 218.11
101 00 00	1 727 827.36	214 166.28	1 728 005.82	229 348.55

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 45 00 X	Y	LATITUDE 41 47 30 X	Y
101 00 00	1 727 113.52	153 437.44	1 727 291.98	168 619.63
02 30	1 715 743.80	153 573.87	1 715 929.69	168 755.97
05 00	1 704 374.16	153 715.87	1 704 567.49	168 897.88
07 30	1 693 004.58	153 863.43	1 693 205.35	169 045.34
101 10 00	1 681 635.09	154 016.56	1 681 843.29	169 198.38
12 30	1 670 265.66	154 175.27	1 670 481.30	169 356.97
15 00	1 658 896.31	154 339.54	1 659 119.38	169 521.14
17 30	1 647 527.05	154 509.38	1 647 757.55	169 690.87
101 20 00	1 636 157.87	154 684.78	1 636 395.81	169 866.16
22 30	1 624 788.78	154 865.76	1 625 034.16	170 047.02
25 00	1 613 419.78	155 052.30	1 613 672.59	170 233.44
27 30	1 602 050.86	155 244.41	1 602 311.11	170 425.42
101 30 00	1 590 682.05	155 442.09	1 590 949.73	170 622.97
32 30	1 579 313.34	155 645.34	1 579 588.45	170 826.08
35 00	1 567 944.73	155 854.15	1 568 227.28	171 034.76
37 30	1 556 576.22	156 068.53	1 556 866.20	171 249.00
101 40 00	1 545 207.82	156 288.48	1 545 505.24	171 468.80
42 30	1 533 839.51	156 514.00	1 534 144.37	171 694.18
45 00	1 522 471.33	156 745.08	1 522 783.62	171 925.11
47 30	1 511 103.26	156 981.74	1 511 422.98	172 161.61
101 50 00	1 499 735.32	157 223.96	1 500 062.47	172 403.67
52 30	1 488 367.48	157 471.74	1 488 702.08	172 651.30
55 00	1 476 999.76	157 725.10	1 477 341.79	172 904.48
57 30	1 465 632.18	157 984.02	1 465 981.64	173 163.23
102 00 00	1 454 264.73	158 248.50	1 454 621.62	173 427.55

LONGITUDE	LATITUDE 41 50 00 X	Y	LATITUDE 41 52 30 X	Y
101 00 00	1 727 470.44	183 801.83	1 727 648.90	198 984.03
02 30	1 716 115.59	183 938.08	1 716 301.48	199 120.20
05 00	1 704 760.81	184 079.90	1 704 954.14	199 261.91
07 30	1 693 406.11	184 227.27	1 693 606.88	199 409.19
101 10 00	1 682 051.49	184 380.20	1 682 259.69	199 562.02
12 30	1 670 696.93	184 538.69	1 670 912.57	199 720.41
15 00	1 659 342.45	184 702.75	1 659 565.52	199 884.36
17 30	1 647 988.06	184 872.37	1 648 218.57	200 053.87
101 20 00	1 636 633.75	185 047.54	1 636 871.69	200 228.93
22 30	1 625 279.53	185 228.28	1 625 524.91	200 409.55
25 00	1 613 925.40	185 414.58	1 614 178.21	200 595.73
27 30	1 602 571.35	185 606.44	1 602 831.60	200 787.46
101 30 00	1 591 217.41	185 803.86	1 591 485.09	200 984.75
32 30	1 579 863.57	186 006.84	1 580 138.68	201 187.60
35 00	1 568 509.83	186 215.38	1 568 792.38	201 396.00
37 30	1 557 156.19	186 429.48	1 557 446.17	201 609.96
101 40 00	1 545 802.65	186 649.14	1 546 100.07	201 829.48
42 30	1 534 449.22	186 874.37	1 534 754.07	202 054.56
45 00	1 523 095.91	187 105.15	1 523 408.19	202 285.19
47 30	1 511 742.71	187 341.49	1 512 062.43	202 521.38
101 50 00	1 500 389.63	187 583.40	1 500 716.79	202 763.12
52 30	1 489 036.67	187 830.86	1 489 371.26	203 010.42
55 00	1 477 683.81	188 083.88	1 478 025.84	203 263.28
57 30	1 466 331.10	188 342.46	1 466 680.56	203 521.69
102 00 00	1 454 978.52	188 606.60	1 455 335.41	203 785.66

LONGITUDE	LATITUDE 41 55 00 X	Y	LATITUDE 41 57 30 X	Y
101 00 00	1 727 827.36	214 166.28	1 728 005.82	229 348.55
02 30	1 716 487.38	214 302.35	1 716 673.27	229 484.53
05 00	1 705 147.47	214 443.97	1 705 340.80	229 626.06
07 30	1 693 807.64	214 591.15	1 694 008.41	229 773.14
101 10 00	1 682 467.89	214 743.88	1 682 676.09	229 925.78
12 30	1 671 128.21	214 902.17	1 671 343.84	230 083.96
15 00	1 659 788.59	215 066.01	1 660 011.66	230 247.69
17 30	1 648 449.07	215 235.41	1 648 679.58	230 416.98
101 20 00	1 637 109.63	215 410.36	1 637 347.58	230 591.81
22 30	1 625 770.29	215 590.86	1 626 015.66	230 772.19
25 00	1 614 431.02	215 776.91	1 614 683.84	230 958.13
27 30	1 603 091.85	215 968.52	1 603 352.09	231 149.61
101 30 00	1 591 752.77	216 165.68	1 592 020.46	231 346.64
32 30	1 580 413.80	216 368.40	1 580 688.92	231 549.22
35 00	1 569 074.93	216 576.66	1 569 357.48	231 757.35
37 30	1 557 736.16	216 790.48	1 558 026.14	231 971.03
101 40 00	1 546 397.49	217 009.85	1 546 694.91	232 190.26
42 30	1 535 058.93	217 234.78	1 535 363.78	232 415.04
45 00	1 523 720.48	217 465.27	1 524 032.77	232 645.38
47 30	1 512 382.15	217 701.30	1 512 701.88	232 881.25
101 50 00	1 501 043.94	217 942.89	1 501 371.10	233 122.68
52 30	1 489 705.85	218 190.03	1 490 040.44	233 369.66
55 00	1 478 367.87	218 442.72	1 478 709.89	233 622.18
57 30	1 467 030.02	218 700.96	1 467 379.48	233 880.26
102 00 00	1 455 692.30	218 964.75	1 456 049.20	234 143.88

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 41 45 00 X	LATITUDE 41 45 00 Y	LATITUDE 41 47 30 X	LATITUDE 41 47 30 Y
102 00 00	1 454 264.73	158 248.50	1 454 621.62	173 437.55
02 30	1 442 897.41	158 518.56	1 443 261.74	173 697.42
05 00	1 431 530.22	158 794.18	1 431 901.98	173 972.87
07 30	1 420 163.17	159 075.37	1 420 542.36	174 253.88
102 10 00	1 408 796.24	159 362.13	1 409 182.87	174 540.45
12 30	1 397 429.47	159 654.46	1 397 823.53	174 832.58
15 00	1 386 062.84	159 952.35	1 386 464.34	175 130.28
17 30	1 374 696.37	160 255.81	1 375 105.29	175 433.54
102 20 00	1 363 330.04	160 564.83	1 363 746.40	175 742.36
22 30	1 351 963.85	160 879.42	1 352 387.64	176 056.74
25 00	1 340 597.83	161 199.57	1 341 029.05	176 376.69
27 30	1 329 231.96	161 525.29	1 329 670.62	176 702.19
102 30 00	1 317 866.26	161 856.59	1 318 312.35	177 033.27
32 30	1 306 500.72	162 193.45	1 306 954.25	177 369.91
35 00	1 295 135.34	162 535.87	1 295 596.29	177 712.11
37 30	1 283 770.13	162 883.86	1 284 238.52	178 059.87
102 40 00	1 272 405.10	163 237.41	1 272 880.93	178 413.20
42 30	1 261 040.24	163 596.53	1 261 523.50	178 772.08
45 00	1 249 675.57	163 961.22	1 250 166.25	179 136.53
47 30	1 238 311.06	164 331.47	1 238 809.18	179 506.54
102 50 00	1 226 946.74	164 707.29	1 227 452.29	179 882.11
52 30	1 215 582.61	165 088.67	1 216 095.59	180 263.24
55 00	1 204 218.66	165 475.62	1 204 739.07	180 649.94
57 30	1 192 854.91	165 868.13	1 193 382.75	181 042.20
103 00 00	1 181 491.35	166 266.22	1 182 026.63	181 440.02

LONGITUDE	LATITUDE 41 50 00 X	LATITUDE 41 50 00 Y	LATITUDE 41 52 30 X	LATITUDE 41 52 30 Y
102 00 00	1 454 978.52	188 606.60	1 455 335.41	203 785.66
02 30	1 443 626.06	188 876.30	1 443 990.39	204 055.18
05 00	1 432 273.74	189 151.57	1 432 645.50	204 330.27
07 30	1 420 921.56	189 432.39	1 421 300.75	204 610.91
102 10 00	1 409 569.50	189 718.78	1 409 956.13	204 897.10
12 30	1 398 217.59	190 010.72	1 398 611.65	205 188.85
15 00	1 386 865.83	190 308.22	1 387 267.33	205 486.16
17 30	1 375 514.22	190 611.28	1 375 923.15	205 789.02
102 20 00	1 364 162.76	190 919.90	1 364 579.12	206 097.44
22 30	1 352 811.44	191 234.08	1 353 235.23	206 411.41
25 00	1 341 460.28	191 553.81	1 341 891.51	206 730.94
27 30	1 330 109.28	191 879.11	1 330 547.94	207 056.02
102 30 00	1 318 758.45	192 209.97	1 319 204.54	207 386.66
32 30	1 307 407.77	192 546.39	1 307 861.30	207 722.86
35 00	1 296 057.25	192 888.36	1 296 518.21	208 064.61
37 30	1 284 706.91	193 235.90	1 285 175.31	208 411.92
102 40 00	1 273 356.75	193 588.99	1 273 832.57	208 764.78
42 30	1 262 006.75	193 947.64	1 262 490.01	209 123.20
45 00	1 250 656.94	194 311.85	1 251 147.63	209 487.17
47 30	1 239 307.30	194 681.61	1 239 805.42	209 856.69
102 50 00	1 227 957.84	195 056.94	1 228 463.39	210 231.77
52 30	1 216 608.57	195 437.82	1 217 121.56	210 612.40
55 00	1 205 259.49	195 824.27	1 205 779.90	210 998.59
57 30	1 193 910.60	196 216.27	1 194 438.45	211 390.34
103 00 00	1 182 561.90	196 613.83	1 183 097.18	211 787.64

LONGITUDE	LATITUDE 41 55 00 X	LATITUDE 41 55 00 Y	LATITUDE 41 57 30 X	LATITUDE 41 57 30 Y
102 00 00	1 455 692.30	218 964.75	1 456 049.20	234 143.88
02 30	1 444 354.72	219 234.10	1 444 719.05	234 413.05
05 00	1 433 017.26	219 509.01	1 433 389.03	234 687.77
07 30	1 421 679.95	219 789.46	1 422 059.14	234 968.04
102 10 00	1 410 342.76	220 075.47	1 410 729.38	235 253.87
12 30	1 399 005.72	220 367.03	1 399 399.78	235 545.24
15 00	1 387 668.82	220 664.14	1 388 070.32	235 842.15
17 30	1 376 332.08	220 966.81	1 376 741.01	236 144.62
102 20 00	1 364 995.48	221 275.02	1 365 411.84	236 452.63
22 30	1 353 659.03	221 588.79	1 354 082.82	236 766.19
25 00	1 342 322.74	221 908.10	1 342 753.97	237 085.30
27 30	1 330 986.60	222 232.97	1 331 425.27	237 409.95
102 30 00	1 319 650.63	222 563.40	1 320 096.73	237 740.16
32 30	1 308 314.82	222 899.38	1 308 768.35	238 075.92
35 00	1 296 979.17	223 240.90	1 297 440.13	238 417.23
37 30	1 285 643.70	223 587.98	1 286 112.09	238 764.08
102 40 00	1 274 308.40	223 940.61	1 274 784.22	239 116.47
42 30	1 262 973.27	224 298.79	1 263 456.52	239 474.42
45 00	1 251 638.32	224 662.53	1 252 129.01	239 837.91
47 30	1 240 303.54	225 031.81	1 240 801.66	240 206.95
102 50 00	1 228 968.94	225 406.64	1 229 474.50	240 581.54
52 30	1 217 634.54	225 787.03	1 218 147.53	240 961.68
55 00	1 206 300.32	226 172.96	1 206 820.74	241 347.36
57 30	1 194 966.29	226 564.45	1 195 494.14	241 738.59
103 00 00	1 183 632.46	226 961.49	1 184 167.74	242 135.38

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 45 00 X	LATITUDE 41 45 00 Y	LATITUDE 41 47 30 X	LATITUDE 41 47 30 Y
103 00 00	1 181 491.35	166 266.22	1 182 026.63	181 440.02
02 30	1 170 127.97	166 669.86	1 170 670.68	181 843.40
05 00	1 158 764.81	167 079.07	1 159 314.95	182 252.34
07 30	1 147 401.85	167 493.85	1 147 959.42	182 666.85
103 10 00	1 136 039.09	167 914.19	1 136 604.09	183 086.91
12 30	1 124 676.54	168 340.09	1 125 248.97	183 512.53
15 00	1 113 314.19	168 771.56	1 113 894.05	183 943.72
17 30	1 101 952.06	169 208.59	1 102 539.35	184 380.47
103 20 00	1 090 590.15	169 651.19	1 091 184.87	184 822.78
22 30	1 079 228.45	170 099.36	1 079 830.61	185 270.65
25 00	1 067 866.98	170 553.08	1 068 476.56	185 724.08
27 30	1 056 505.73	171 012.38	1 057 122.74	186 183.08
103 30 00	1 045 144.70	171 477.23	1 045 769.14	186 647.63
32 30	1 033 783.90	171 947.65	1 034 415.77	187 117.74
35 00	1 022 423.34	172 423.63	1 023 062.64	187 593.41
37 30	1 011 063.01	172 905.18	1 011 709.74	188 074.64
103 40 00	999 702.92	173 392.29	1 000 357.08	188 561.43
42 30	988 343.06	173 884.96	989 004.65	189 053.78
45 00	976 983.45	174 383.20	977 652.47	189 551.70
47 30	965 624.08	174 887.01	966 300.53	190 055.17
103 50 00	954 264.97	175 396.37	954 948.85	190 564.20
52 30	942 906.10	175 911.30	943 597.41	191 078.79
55 00	931 547.49	176 431.79	932 246.23	191 598.94
57 30	920 189.13	176 957.84	920 895.29	192 124.65
104 00 00	908 831.03	177 489.46	909 544.62	192 655.92

LONGITUDE	LATITUDE 41 50 00 X	LATITUDE 41 50 00 Y	LATITUDE 41 52 30 X	LATITUDE 41 52 30 Y
103 00 00	1 182 561.90	196 613.83	1 183 097.18	211 787.64
02 30	1 171 213.39	197 016.95	1 171 756.10	212 190.49
05 00	1 159 865.09	197 425.62	1 160 415.23	212 598.90
07 30	1 148 516.99	197 839.85	1 149 074.56	213 012.86
103 10 00	1 137 169.09	198 259.64	1 137 734.10	213 432.38
12 30	1 125 821.41	198 684.99	1 126 393.84	213 857.44
15 00	1 114 473.92	199 115.89	1 115 053.78	214 288.07
17 30	1 103 126.65	199 552.35	1 103 713.94	214 724.24
103 20 00	1 091 779.60	199 994.38	1 092 374.32	215 165.97
22 30	1 080 432.76	200 441.96	1 081 034.92	215 613.26
25 00	1 069 086.15	200 895.09	1 069 695.73	216 066.10
27 30	1 057 739.76	201 353.78	1 058 356.77	216 524.49
103 30 00	1 046 393.58	201 818.03	1 047 018.03	216 988.43
32 30	1 035 047.65	202 287.83	1 035 679.52	217 457.93
35 00	1 023 701.94	202 763.19	1 024 341.25	217 932.98
37 30	1 012 356.47	203 244.11	1 013 003.21	218 413.58
103 40 00	1 001 011.24	203 730.58	1 001 665.40	218 899.73
42 30	989 666.24	204 222.61	990 327.83	219 391.44
45 00	978 321.49	204 720.20	978 990.51	219 888.70
47 30	966 976.98	205 223.34	967 653.43	220 391.52
103 50 00	955 632.72	205 732.04	956 316.60	220 899.88
52 30	944 288.71	206 246.30	944 980.02	221 413.80
55 00	932 944.96	206 766.11	933 643.69	221 933.27
57 30	921 601.45	207 291.47	922 307.61	222 458.29
104 00 00	910 258.21	207 822.39	910 971.80	222 988.86

LONGITUDE	LATITUDE 41 55 00 X	LATITUDE 41 55 00 Y	LATITUDE 41 57 30 X	LATITUDE 41 57 30 Y
103 00 00	1 183 632.46	226 961.49	1 184 167.74	242 135.38
02 30	1 172 298.81	227 364.08	1 172 841.52	242 537.70
05 00	1 160 965.37	227 772.22	1 161 515.52	242 945.57
07 30	1 149 632.13	228 185.91	1 150 189.71	243 358.99
103 10 00	1 138 299.10	228 605.15	1 138 864.10	243 777.96
12 30	1 126 966.27	229 029.94	1 127 538.71	244 202.47
15 00	1 115 633.64	229 460.28	1 116 213.51	244 632.52
17 30	1 104 301.23	229 896.17	1 104 888.53	245 068.13
103 20 00	1 092 969.05	230 337.61	1 093 563.77	245 509.28
22 30	1 081 637.07	230 784.61	1 082 239.23	245 955.98
25 00	1 070 305.32	231 237.15	1 070 914.91	246 408.22
27 30	1 058 973.79	231 695.24	1 059 590.81	246 866.02
103 30 00	1 047 642.47	232 158.88	1 048 266.92	247 329.35
32 30	1 036 311.40	232 628.07	1 036 943.27	247 798.23
35 00	1 024 980.55	233 102.80	1 025 619.86	248 272.66
37 30	1 013 649.94	233 583.09	1 014 296.67	248 752.63
103 40 00	1 002 319.57	234 068.92	1 002 973.73	249 238.14
42 30	990 989.42	234 560.31	991 651.01	249 729.21
45 00	979 659.53	235 057.25	980 328.55	250 225.82
47 30	968 329.88	235 559.73	969 006.33	250 727.97
103 50 00	957 000.48	236 067.76	957 684.36	251 235.67
52 30	945 671.32	236 581.35	946 362.63	251 748.92
55 00	934 342.43	237 100.47	935 041.16	252 267.71
57 30	923 013.77	237 625.15	923 719.94	252 792.04
104 00 00	911 685.39	238 155.37	912 398.98	253 321.92

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 45 00 X	LATITUDE 41 45 00 Y	LATITUDE 41 47 30 X	LATITUDE 41 47 30 Y
104 00 00	908 831.03	177 489.46	909 544.62	192 655.92
02 30	897 473.20	178 026.63	898 194.22	193 192.74
05 00	886 115.63	178 569.37	886 844.07	193 735.13
07 30	874 758.33	179 117.67	875 494.20	194 283.07
104 10 00	863 401.28	179 671.54	864 144.58	194 836.58
12 30	852 044.52	180 230.97	852 795.85	195 395.64
15 00	840 688.04	180 795.96	841 446.19	195 960.26

LONGITUDE	LATITUDE 41 50 00 X	LATITUDE 41 50 00 Y	LATITUDE 41 52 30 X	LATITUDE 41 52 30 Y
104 00 00	910 258.21	207 822.39	910 971.80	222 988.86
02 30	898 915.23	208 358.86	899 636.25	223 534.98
05 00	887 572.52	208 900.89	888 300.96	224 066.66
07 30	876 230.07	209 448.48	876 965.94	224 613.89
104 10 00	864 887.88	210 001.62	865 631.18	225 166.67
12 30	853 545.97	210 560.32	854 296.70	225 735.00
15 00	842 204.34	211 124.57	842 962.50	226 288.88

LONGITUDE	LATITUDE 41 55 00 X	LATITUDE 41 55 00 Y	LATITUDE 41 57 30 X	LATITUDE 41 57 30 Y
104 00 00	911 685.39	238 155.37	912 398.98	253 321.92
02 30	900 357.27	238 691.14	901 078.29	253 857.33
05 00	889 029.41	239 232.46	889 757.86	254 398.30
07 30	877 701.82	239 779.33	878 437.69	254 944.81
104 10 00	866 374.48	240 331.75	867 117.78	255 496.87
12 30	855 047.43	240 889.72	855 798.15	256 054.46
15 00	843 720.65	241 453.23	844 478.81	256 617.61

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 42 00 00 X	LATITUDE 42 00 00 Y	LATITUDE 42 02 30 X	LATITUDE 42 02 30 Y
96 00 00	3 086 887.43	268 488.50	3 086 173.83	283 655.12
02 30	3 075 573.90	267 958.97	3 074 867.73	283 125.94
05 00	3 064 260.10	267 434.98	3 063 561.36	282 602.29
07 30	3 052 946.06	266 916.53	3 052 254.75	282 084.19
96 10 00	3 041 631.76	266 403.63	3 040 947.88	281 571.62
12 30	3 030 317.22	265 896.26	3 029 640.76	281 064.58
15 00	3 019 002.43	265 394.43	3 018 333.40	280 563.09
17 30	3 007 687.39	264 898.15	3 007 025.80	280 067.13
96 20 00	2 996 372.10	264 407.41	2 995 717.94	279 576.71
22 30	2 985 056.59	263 922.21	2 984 409.85	279 091.83
25 00	2 973 740.83	263 442.55	2 973 101.52	278 612.49
27 30	2 962 424.85	262 968.44	2 961 792.97	278 138.68
96 30 00	2 951 108.63	262 499.87	2 950 484.18	277 670.42
32 30	2 939 792.18	262 036.83	2 939 175.16	277 207.69
35 00	2 928 475.50	261 579.34	2 927 865.91	276 750.50
37 30	2 917 158.61	261 127.40	2 916 556.45	276 298.85
96 40 00	2 905 841.50	260 680.99	2 905 246.77	275 852.74
42 30	2 894 524.17	260 240.12	2 893 936.87	275 412.16
45 00	2 883 206.62	259 804.81	2 882 626.75	274 977.13
47 30	2 871 888.85	259 375.03	2 871 316.42	274 547.64
96 50 00	2 860 570.89	258 950.80	2 860 005.88	274 123.68
52 30	2 849 252.72	258 532.11	2 848 695.14	273 705.27
55 00	2 837 934.34	258 118.96	2 837 384.20	273 292.39
57 30	2 826 615.76	257 711.36	2 826 073.05	272 885.05
97 00 00	2 815 296.98	257 309.30	2 814 761.69	272 483.26

LONGITUDE	LATITUDE 42 05 00 X	LATITUDE 42 05 00 Y	LATITUDE 42 07 30 X	LATITUDE 42 07 30 Y
96 00 00	3 085 460.23	298 821.80	3 084 746.63	313 988.55
02 30	3 074 161.56	298 292.97	3 073 455.38	313 460.07
05 00	3 062 862.62	297 769.67	3 062 163.87	312 937.11
07 30	3 051 563.43	297 251.90	3 050 872.11	312 419.68
96 10 00	3 040 263.99	296 739.67	3 039 580.11	311 907.79
12 30	3 028 964.31	296 232.97	3 028 287.85	311 401.42
15 00	3 017 664.37	295 731.80	3 016 995.34	310 900.58
17 30	3 006 364.20	295 236.17	3 005 702.59	310 405.28
96 20 00	2 995 063.77	294 746.07	2 994 409.59	309 915.50
22 30	2 983 763.11	294 261.51	2 983 116.36	309 431.26
25 00	2 972 462.21	293 782.48	2 971 822.90	308 952.55
27 30	2 961 161.09	293 308.99	2 960 529.20	308 479.37
96 30 00	2 949 859.73	292 841.03	2 949 235.27	308 011.72
32 30	2 938 558.13	292 378.61	2 937 941.11	307 549.60
35 00	2 927 256.32	291 921.72	2 926 646.73	307 093.01
37 30	2 915 954.29	291 470.36	2 915 352.12	306 641.95
96 40 00	2 904 652.04	291 024.54	2 904 057.30	306 196.42
42 30	2 893 349.57	290 584.26	2 892 762.26	305 756.42
45 00	2 882 046.88	290 149.51	2 881 467.01	305 321.96
47 30	2 870 743.98	289 720.30	2 870 171.53	304 893.04
96 50 00	2 859 440.87	289 296.63	2 858 875.86	304 469.64
52 30	2 848 137.56	288 878.49	2 847 579.98	304 051.78
55 00	2 836 834.05	288 465.88	2 836 283.90	303 639.44
57 30	2 825 530.33	288 058.81	2 824 987.61	303 232.64
97 00 00	2 814 226.41	287 657.28	2 813 691.12	302 831.37

LONGITUDE	LATITUDE 42 10 00 X	LATITUDE 42 10 00 Y	LATITUDE 42 12 30 X	LATITUDE 42 12 30 Y
96 00 00	3 084 033.02	329 155.37	3 083 319.42	344 322.27
02 30	3 072 749.21	328 627.24	3 072 043.03	343 794.48
05 00	3 061 465.12	328 104.62	3 060 766.37	343 272.21
07 30	3 050 180.79	327 587.54	3 049 489.47	342 755.46
96 10 00	3 038 896.21	327 075.98	3 038 212.32	342 244.24
12 30	3 027 611.38	326 569.94	3 026 934.92	341 738.54
15 00	3 016 326.31	326 069.44	3 015 657.27	341 238.36
17 30	3 005 040.99	325 574.46	3 004 379.38	340 743.70
96 20 00	2 993 755.42	325 085.00	2 993 101.24	340 254.57
22 30	2 982 469.62	324 601.08	2 981 822.87	339 770.97
25 00	2 971 183.58	324 122.68	2 970 544.26	339 292.89
27 30	2 959 897.31	323 649.81	2 959 265.42	338 820.33
96 30 00	2 948 610.81	323 182.47	2 947 986.35	338 353.29
32 30	2 937 324.08	322 720.65	2 936 707.05	337 891.78
35 00	2 926 037.13	322 264.36	2 925 427.53	337 435.79
37 30	2 914 749.95	321 813.60	2 914 147.78	336 985.33
96 40 00	2 903 462.56	321 368.37	2 902 867.82	336 540.39
42 30	2 892 174.96	320 928.66	2 891 587.65	336 100.97
45 00	2 880 887.13	320 494.49	2 880 307.25	335 667.08
47 30	2 869 599.09	320 065.84	2 869 026.64	335 238.72
96 50 00	2 858 310.84	319 642.72	2 857 745.83	334 815.88
52 30	2 847 022.40	319 225.13	2 846 464.81	334 398.56
55 00	2 835 733.74	318 813.07	2 835 183.59	333 986.77
57 30	2 824 444.89	318 406.54	2 823 902.17	333 580.50
97 00 00	2 813 155.83	318 005.53	2 812 620.54	333 179.76

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 00 00 X	LATITUDE 42 00 00 Y	LATITUDE 42 02 30 X	LATITUDE 42 02 30 Y
97 00 00	2 815 296.98	257 309.30	2 814 761.69	272 483.26
02 30	2 803 978.01	256 912.78	2 803 450.16	272 087.00
05 00	2 792 658.84	256 521.80	2 792 138.42	271 696.28
07 30	2 781 339.49	256 136.37	2 780 826.50	271 311.10
97 10 00	2 770 019.95	255 756.48	2 769 514.39	270 931.46
12 30	2 758 700.21	255 382.14	2 758 202.09	270 557.37
15 00	2 747 380.30	255 013.34	2 746 889.61	270 188.81
17 30	2 736 060.22	254 650.09	2 735 576.96	269 825.80
97 20 00	2 724 739.95	254 292.38	2 724 264.12	269 468.32
22 30	2 713 419.52	253 940.21	2 712 951.12	269 116.38
25 00	2 702 098.91	253 593.59	2 701 637.94	268 769.99
27 30	2 690 778.12	253 252.51	2 690 324.59	268 429.13
97 30 00	2 679 457.18	252 916.97	2 679 011.08	268 093.81
32 30	2 668 136.07	252 586.97	2 667 697.41	267 764.04
35 00	2 656 814.80	252 262.53	2 656 383.57	267 439.81
37 30	2 645 493.38	251 943.64	2 645 069.58	267 121.12
97 40 00	2 634 171.79	251 630.28	2 633 755.43	266 807.97
42 30	2 622 850.06	251 322.47	2 622 441.13	266 500.36
45 00	2 611 528.18	251 020.20	2 611 126.68	266 198.29
47 30	2 600 206.16	250 723.48	2 599 812.09	265 901.77
97 50 00	2 588 883.98	250 432.30	2 588 497.35	265 610.78
52 30	2 577 561.66	250 146.67	2 577 182.46	265 325.33
55 00	2 566 239.21	249 866.58	2 565 867.45	265 045.43
57 30	2 554 916.62	249 592.04	2 554 552.29	264 771.06
98 00 00	2 543 593.91	249 323.04	2 543 237.01	264 502.25

LONGITUDE	LATITUDE 42 05 00 X	LATITUDE 42 05 00 Y	LATITUDE 42 07 30 X	LATITUDE 42 07 30 Y
97 00 00	2 814 226.41	287 657.28	2 813 691.12	302 831.37
02 30	2 802 922.30	287 261.28	2 802 394.45	302 435.63
05 00	2 791 618.00	286 870.82	2 791 097.58	302 045.42
07 30	2 780 313.51	286 485.89	2 779 800.52	301 660.75
97 10 00	2 769 008.83	286 106.50	2 768 503.27	301 281.62
12 30	2 757 703.96	285 732.65	2 757 205.83	300 908.01
15 00	2 746 398.92	285 364.34	2 745 908.22	300 539.94
17 30	2 735 093.70	285 001.56	2 734 610.43	300 177.40
97 20 00	2 723 788.29	284 644.32	2 723 312.46	299 820.39
22 30	2 712 482.72	284 292.62	2 712 014.32	299 468.92
25 00	2 701 176.98	283 946.45	2 700 716.01	299 122.98
27 30	2 689 871.06	283 605.82	2 689 417.52	298 782.57
97 30 00	2 678 564.98	283 270.72	2 678 118.88	298 447.70
32 30	2 667 258.74	282 941.16	2 666 820.07	298 118.35
35 00	2 655 952.34	282 617.14	2 655 521.10	297 794.55
37 30	2 644 645.78	282 298.66	2 644 221.98	297 476.28
97 40 00	2 633 339.06	281 985.72	2 632 922.69	297 163.54
42 30	2 622 032.19	281 678.31	2 621 623.26	296 856.34
45 00	2 610 725.18	281 376.44	2 610 323.68	296 554.67
47 30	2 599 418.02	281 080.11	2 599 023.96	296 258.53
97 50 00	2 588 110.72	280 789.32	2 587 724.08	295 967.92
52 30	2 576 803.26	280 504.06	2 576 424.06	295 682.85
55 00	2 565 495.68	280 224.34	2 565 123.91	295 403.32
57 30	2 554 187.96	279 950.15	2 553 823.63	295 129.31
98 00 00	2 542 880.11	279 681.51	2 542 523.21	294 860.85

LONGITUDE	LATITUDE 42 10 00 X	LATITUDE 42 10 00 Y	LATITUDE 42 12 30 X	LATITUDE 42 12 30 Y
97 00 00	2 813 155.83	318 005.53	2 812 620.54	333 179.76
02 30	2 801 866.59	317 610.05	2 801 338.73	332 784.54
05 00	2 790 577.15	317 220.10	2 790 056.72	332 394.85
07 30	2 779 287.52	316 835.69	2 778 774.52	332 010.69
97 10 00	2 767 997.71	316 456.80	2 767 492.14	331 632.05
12 30	2 756 707.70	316 083.44	2 756 209.57	331 258.93
15 00	2 745 417.52	315 715.61	2 744 926.82	330 891.35
17 30	2 734 127.16	315 353.31	2 733 643.90	330 529.29
97 20 00	2 722 836.63	314 996.54	2 722 360.79	330 172.75
22 30	2 711 545.92	314 645.29	2 711 077.52	329 821.74
25 00	2 700 255.04	314 299.58	2 699 794.07	329 476.25
27 30	2 688 963.99	313 959.40	2 688 510.45	329 136.29
97 30 00	2 677 672.77	313 624.74	2 677 226.67	328 801.86
32 30	2 666 381.40	313 295.61	2 665 942.73	328 472.94
35 00	2 655 089.87	312 972.02	2 654 658.63	328 149.57
37 30	2 643 798.17	312 653.96	2 643 374.37	327 831.72
97 40 00	2 632 506.32	312 341.43	2 632 089.95	327 519.39
42 30	2 621 214.32	312 034.43	2 620 805.38	327 212.59
45 00	2 609 922.18	311 732.96	2 609 520.67	326 911.32
47 30	2 598 629.88	311 437.01	2 598 235.81	326 615.57
97 50 00	2 587 337.45	311 146.60	2 586 950.81	326 325.35
52 30	2 576 044.86	310 861.71	2 575 665.65	326 040.65
55 00	2 564 752.14	310 582.36	2 564 380.37	325 761.48
57 30	2 553 459.29	310 308.54	2 553 094.96	325 487.84
98 00 00	2 542 166.31	310 040.25	2 541 809.41	325 219.73

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 00 00 X	LATITUDE 42 00 00 Y	LATITUDE 42 02 30 X	LATITUDE 42 02 30 Y
98 00 00	2 543 593.91	249 323.04	2 543 237.01	264 502.25
02 30	2 532 271.06	249 059.59	2 531 921.59	264 238.97
05 00	2 520 948.08	248 801.69	2 520 606.05	263 981.24
07 30	2 509 624.97	248 549.33	2 509 290.37	263 729.04
98 10 00	2 498 301.74	248 302.52	2 497 974.58	263 482.39
12 30	2 486 978.40	248 061.25	2 486 658.67	263 241.28
15 00	2 475 654.94	247 825.52	2 475 342.65	263 005.71
17 30	2 464 331.36	247 595.34	2 464 026.51	262 775.68
98 20 00	2 453 007.66	247 370.71	2 452 710.24	262 551.19
22 30	2 441 683.87	247 151.62	2 441 393.88	262 332.25
25 00	2 430 359.97	246 938.08	2 430 077.42	262 118.86
27 30	2 419 035.97	246 730.09	2 418 760.85	261 911.00
98 30 00	2 407 711.86	246 527.64	2 407 444.18	261 708.68
32 30	2 396 387.66	246 330.74	2 396 127.41	261 511.91
35 00	2 385 063.35	246 139.39	2 384 810.54	261 320.68
37 30	2 373 738.96	245 953.57	2 373 493.58	261 134.99
98 40 00	2 362 414.48	245 773.31	2 362 176.54	260 954.84
42 30	2 351 089.91	245 598.59	2 350 859.41	260 780.24
45 00	2 339 765.26	245 429.41	2 339 542.19	260 611.17
47 30	2 328 440.52	245 265.79	2 328 224.88	260 447.66
98 50 00	2 317 115.71	245 107.71	2 316 907.51	260 289.68
52 30	2 305 790.82	244 955.18	2 305 590.06	260 137.25
55 00	2 294 465.86	244 808.19	2 294 272.53	259 990.36
57 30	2 283 140.83	244 666.75	2 282 954.94	259 849.01
99 00 00	2 271 815.72	244 530.86	2 271 637.26	259 713.21

LONGITUDE	LATITUDE 42 05 00 X	LATITUDE 42 05 00 Y	LATITUDE 42 07 30 X	LATITUDE 42 07 30 Y
98 00 00	2 542 880.11	279 681.51	2 542 523.21	294 860.85
02 30	2 531 572.13	279 418.41	2 531 222.66	294 597.92
05 00	2 520 264.02	279 160.84	2 519 921.99	294 340.52
07 30	2 508 955.78	278 908.82	2 508 621.18	294 088.66
98 10 00	2 497 647.42	278 662.33	2 497 320.26	293 842.33
12 30	2 486 338.95	278 421.37	2 486 019.22	293 601.54
15 00	2 475 030.35	278 185.96	2 474 718.06	293 366.28
17 30	2 463 721.65	277 956.08	2 463 416.79	293 136.55
98 20 00	2 452 412.82	277 731.74	2 452 115.39	292 912.36
22 30	2 441 103.89	277 512.94	2 440 813.90	292 693.70
25 00	2 429 794.86	277 299.69	2 429 512.31	292 480.59
27 30	2 418 485.73	277 091.97	2 418 210.61	292 273.00
98 30 00	2 407 176.49	276 889.78	2 406 908.81	292 070.95
32 30	2 395 867.16	276 693.14	2 395 606.91	291 874.44
35 00	2 384 557.72	276 502.04	2 384 304.91	291 683.46
37 30	2 373 248.20	276 316.47	2 373 002.82	291 498.01
98 40 00	2 361 938.59	276 136.44	2 361 700.65	291 318.10
42 30	2 350 628.90	275 961.95	2 350 398.39	291 143.73
45 00	2 339 319.12	275 793.00	2 339 096.04	290 974.89
47 30	2 328 009.24	275 629.58	2 327 793.61	290 811.58
98 50 00	2 316 699.31	275 471.71	2 316 491.10	290 653.82
52 30	2 305 389.29	275 319.38	2 305 188.52	290 501.58
55 00	2 294 079.20	275 172.59	2 293 885.87	290 354.89
57 30	2 282 769.04	275 031.33	2 282 583.14	290 213.73
99 00 00	2 271 458.80	274 895.62	2 271 280.34	290 078.10

LONGITUDE	LATITUDE 42 10 00 X	LATITUDE 42 10 00 Y	LATITUDE 42 12 30 X	LATITUDE 42 12 30 Y
98 00 00	2 542 166.31	310 040.25	2 541 809.41	325 219.73
02 30	2 530 873.20	309 777.50	2 530 523.73	324 957.14
05 00	2 519 579.96	309 520.27	2 519 237.98	324 700.09
07 30	2 508 286.58	309 268.57	2 507 951.98	324 448.56
98 10 00	2 496 993.09	309 022.41	2 496 665.93	324 202.55
12 30	2 485 699.49	308 781.77	2 485 379.76	323 962.07
15 00	2 474 405.76	308 546.67	2 474 093.47	323 727.12
17 30	2 463 111.95	308 317.09	2 462 807.07	323 497.70
98 20 00	2 451 817.97	308 093.04	2 451 520.54	323 273.80
22 30	2 440 523.91	307 874.53	2 440 233.92	323 055.43
25 00	2 429 229.75	307 661.56	2 428 947.19	322 842.60
27 30	2 417 935.49	307 454.11	2 417 660.36	322 635.29
98 30 00	2 406 641.12	307 252.19	2 406 373.43	322 433.50
32 30	2 395 346.66	307 055.81	2 395 086.41	322 237.25
35 00	2 384 052.09	306 864.96	2 383 799.27	322 046.52
37 30	2 372 757.44	306 679.63	2 372 512.06	321 861.32
98 40 00	2 361 462.70	306 499.84	2 361 224.75	321 681.64
42 30	2 350 167.88	306 325.58	2 349 937.36	321 507.50
45 00	2 338 872.97	306 156.85	2 338 649.89	321 338.88
47 30	2 327 577.96	305 993.65	2 327 362.32	321 175.79
98 50 00	2 316 282.90	305 835.99	2 316 074.69	321 018.23
52 30	2 304 987.75	305 683.86	2 304 786.98	320 866.20
55 00	2 293 692.53	305 537.26	2 293 499.20	320 719.70
57 30	2 282 397.24	305 396.19	2 282 211.34	320 578.72
99 00 00	2 271 101.87	305 260.65	2 270 923.41	320 443.27

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 00 00 X	LATITUDE 42 00 00 Y	LATITUDE 42 02 30 X	LATITUDE 42 02 30 Y
99 00 00	2 271 815.72	244 530.86	2 271 637.26	259 713.21
02 30	2 260 490.56	244 400.51	2 260 319.53	259 582.95
05 00	2 249 165.33	244 275.71	2 249 001.74	259 458.22
07 30	2 237 840.05	244 156.45	2 237 683.89	259 339.05
99 10 00	2 226 514.70	244 042.74	2 226 365.99	259 225.41
12 30	2 215 189.31	243 934.58	2 215 048.03	259 117.32
15 00	2 203 863.85	243 831.97	2 203 730.00	259 014.78
17 30	2 192 538.35	243 734.90	2 192 411.94	258 917.77
99 20 00	2 181 212.80	243 643.38	2 181 093.83	258 826.31
22 30	2 169 887.22	243 557.40	2 169 775.68	258 740.39
25 00	2 158 561.59	243 476.97	2 158 457.49	258 660.02
27 30	2 147 235.91	243 402.09	2 147 139.24	258 585.18
99 30 00	2 135 910.21	243 332.76	2 135 820.98	258 515.89
32 30	2 124 584.47	243 268.97	2 124 502.68	258 452.15
35 00	2 113 258.71	243 210.72	2 113 184.35	258 393.94
37 30	2 101 932.92	243 158.03	2 101 865.99	258 341.28
99 40 00	2 090 607.09	243 110.88	2 090 547.60	258 294.17
42 30	2 079 281.25	243 069.28	2 079 229.20	258 252.59
45 00	2 067 955.40	243 033.23	2 067 910.78	258 216.56
47 30	2 056 629.53	243 002.72	2 056 592.35	258 186.08
99 50 00	2 045 303.64	242 977.76	2 045 273.89	258 161.13
52 30	2 033 977.74	242 958.35	2 033 955.43	258 141.73
55 00	2 022 651.82	242 944.48	2 022 636.95	258 127.87
57 30	2 011 325.92	242 936.16	2 011 318.48	258 119.55
100 00 00	2 000 000.00	242 933.38	2 000 000.00	258 116.78

LONGITUDE	LATITUDE 42 05 00 X	LATITUDE 42 05 00 Y	LATITUDE 42 07 30 X	LATITUDE 42 07 30 Y
99 00 00	2 271 458.80	274 895.62	2 271 280.34	290 078.10
02 30	2 260 148.51	274 765.44	2 259 977.48	289 948.01
05 00	2 248 838.15	274 640.80	2 248 674.56	289 823.45
07 30	2 237 527.74	274 521.70	2 237 371.58	289 704.43
99 10 00	2 226 217.27	274 408.14	2 226 068.55	289 590.95
12 30	2 214 906.74	274 300.13	2 214 765.46	289 483.00
15 00	2 203 596.15	274 197.65	2 203 462.30	289 380.59
17 30	2 192 285.53	274 100.71	2 192 159.12	289 283.71
99 20 00	2 180 974.85	274 009.31	2 180 855.88	289 192.37
22 30	2 169 664.14	273 923.44	2 169 552.60	289 106.56
25 00	2 158 353.38	273 843.12	2 158 249.28	289 026.29
27 30	2 147 042.57	273 768.34	2 146 945.91	288 951.56
99 30 00	2 135 731.75	273 699.09	2 135 642.51	288 882.36
32 30	2 124 420.88	273 635.39	2 124 339.09	288 818.70
35 00	2 113 109.99	273 577.22	2 113 035.63	288 760.57
37 30	2 101 799.07	273 524.59	2 101 732.15	288 707.98
99 40 00	2 090 488.12	273 477.51	2 090 428.63	288 660.92
42 30	2 079 177.15	273 435.96	2 079 125.10	288 619.40
45 00	2 067 866.16	273 399.96	2 067 821.55	288 583.42
47 30	2 056 555.17	273 369.49	2 056 517.99	288 552.97
99 50 00	2 045 244.15	273 344.56	2 045 214.41	288 528.06
52 30	2 033 933.13	273 325.17	2 033 910.82	288 508.69
55 00	2 022 622.08	273 311.32	2 022 607.21	288 494.85
57 30	2 011 311.04	273 303.01	2 011 303.61	288 486.54
100 00 00	2 000 000.00	273 300.24	2 000 000.00	288 483.77

LONGITUDE	LATITUDE 42 10 00 X	LATITUDE 42 10 00 Y	LATITUDE 42 12 30 X	LATITUDE 42 12 30 Y
99 00 00	2 271 101.87	305 260.65	2 270 923.41	320 443.27
02 30	2 259 806.45	305 130.65	2 259 635.43	320 313.35
05 00	2 248 510.97	305 006.17	2 248 347.38	320 188.96
07 30	2 237 215.43	304 887.23	2 237 059.27	320 070.09
99 10 00	2 225 919.83	304 773.82	2 225 771.11	319 956.76
12 30	2 214 624.18	304 665.94	2 214 482.89	319 848.95
15 00	2 203 328.46	304 563.60	2 203 194.61	319 746.68
17 30	2 192 032.70	304 466.78	2 191 906.29	319 649.93
99 20 00	2 180 736.90	304 375.51	2 180 617.92	319 558.71
22 30	2 169 441.06	304 289.76	2 169 329.52	319 473.02
25 00	2 158 145.17	304 209.54	2 158 041.07	319 392.85
27 30	2 146 849.24	304 134.85	2 146 752.57	319 318.21
99 30 00	2 135 553.28	304 065.70	2 135 464.05	319 249.10
32 30	2 124 257.29	304 002.08	2 124 175.49	319 185.52
35 00	2 112 961.27	303 943.98	2 112 886.91	319 127.47
37 30	2 101 665.22	303 891.43	2 101 598.30	319 074.95
99 40 00	2 090 369.14	303 844.41	2 090 309.65	319 027.96
42 30	2 079 073.05	303 802.92	2 079 020.99	318 986.50
45 00	2 067 776.93	303 766.96	2 067 732.31	318 950.56
47 30	2 056 480.80	303 736.53	2 056 443.62	318 920.15
99 50 00	2 045 184.66	303 711.63	2 045 154.92	318 895.28
52 30	2 033 888.51	303 692.27	2 033 866.20	318 875.92
55 00	2 022 592.34	303 678.44	2 022 577.46	318 862.10
57 30	2 011 296.17	303 670.14	2 011 288.73	318 853.81
100 00 00	2 000 000.00	303 667.37	2 000 000.00	318 851.04

NEBRASKA - NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 00 00 X	LATITUDE 42 00 00 Y	LATITUDE 42 02 30 X	LATITUDE 42 02 30 Y
100 00 00	2 000 000.00	242 933.38	2 000 000.00	258 116.78
02 30	1 988 674.08	242 936.16	1 988 681.52	258 119.55
05 00	1 977 348.18	242 944.48	1 977 363.05	258 127.87
07 30	1 966 022.26	242 958.35	1 966 044.57	258 141.73
100 10 00	1 954 696.36	242 977.76	1 954 726.11	258 161.13
12 30	1 943 370.47	243 002.72	1 943 407.65	258 186.08
15 00	1 932 044.60	243 033.23	1 932 089.22	258 216.56
17 30	1 920 718.75	243 069.28	1 920 770.80	258 252.59
100 20 00	1 909 392.91	243 110.88	1 909 452.40	258 294.17
22 30	1 898 067.08	243 158.03	1 898 134.01	258 341.28
25 00	1 886 741.29	243 210.72	1 886 815.65	258 393.94
27 30	1 875 415.53	243 268.97	1 875 497.32	258 452.15
100 30 00	1 864 089.79	243 332.76	1 864 179.02	258 515.89
32 30	1 852 764.09	243 402.09	1 852 860.76	258 585.18
35 00	1 841 438.41	243 476.97	1 841 542.51	258 660.02
37 30	1 830 112.78	243 557.40	1 830 224.32	258 740.39
100 40 00	1 818 787.20	243 643.38	1 818 906.17	258 826.31
42 30	1 807 461.65	243 734.90	1 807 588.06	258 917.77
45 00	1 796 136.15	243 831.97	1 796 270.00	259 014.78
47 30	1 784 810.69	243 934.58	1 784 951.97	259 117.32
100 50 00	1 773 485.30	244 042.74	1 773 634.01	259 225.41
52 30	1 762 159.95	244 156.45	1 762 316.11	259 339.05
55 00	1 750 834.67	244 275.71	1 750 998.26	259 458.22
57 30	1 739 509.44	244 400.51	1 739 680.47	259 582.95
101 00 00	1 728 184.28	244 530.86	1 728 362.74	259 713.21

LONGITUDE	LATITUDE 42 05 00 X	LATITUDE 42 05 00 Y	LATITUDE 42 07 30 X	LATITUDE 42 07 30 Y
100 00 00	2 000 000.00	273 300.24	2 000 000.00	288 483.77
02 30	1 988 688.96	273 303.01	1 988 696.39	288 486.54
05 00	1 977 377.92	273 311.32	1 977 392.79	288 494.85
07 30	1 966 066.87	273 325.17	1 966 089.18	288 508.69
100 10 00	1 954 755.85	273 344.56	1 954 785.59	288 528.06
12 30	1 943 444.83	273 369.49	1 943 482.01	288 552.97
15 00	1 932 133.84	273 399.96	1 932 178.45	288 583.42
17 30	1 920 822.85	273 435.96	1 920 874.90	288 619.40
100 20 00	1 909 511.88	273 477.51	1 909 571.37	288 660.92
22 30	1 898 200.93	273 524.59	1 898 267.85	288 707.98
25 00	1 886 890.01	273 577.22	1 886 964.37	288 760.57
27 30	1 875 579.12	273 635.39	1 875 660.91	288 818.70
100 30 00	1 864 268.25	273 699.09	1 864 357.49	288 882.36
32 30	1 852 957.43	273 768.34	1 853 054.09	288 951.56
35 00	1 841 646.62	273 843.12	1 841 750.72	289 026.29
37 30	1 830 335.86	273 923.44	1 830 447.40	289 106.56
100 40 00	1 819 025.15	274 009.31	1 819 144.12	289 192.37
42 30	1 807 714.47	274 100.71	1 807 840.88	289 283.71
45 00	1 796 403.85	274 197.65	1 796 537.70	289 380.59
47 30	1 785 093.26	274 300.13	1 785 234.54	289 483.00
100 50 00	1 773 782.73	274 408.14	1 773 931.45	289 590.95
52 30	1 762 472.26	274 521.70	1 762 628.42	289 704.43
55 00	1 751 161.85	274 640.80	1 751 325.44	289 823.45
57 30	1 739 851.49	274 765.44	1 740 022.52	289 948.01
101 00 00	1 728 541.20	274 895.62	1 728 719.66	290 078.10

LONGITUDE	LATITUDE 42 10 00 X	LATITUDE 42 10 00 Y	LATITUDE 42 12 30 X	LATITUDE 42 12 30 Y
100 00 00	2 000 000.00	303 667.37	2 000 000.00	318 851.04
02 30	1 988 703.83	303 670.14	1 988 711.27	318 853.81
05 00	1 977 407.66	303 678.44	1 977 422.54	318 862.10
07 30	1 966 111.49	303 692.27	1 966 133.80	318 875.92
100 10 00	1 954 815.34	303 711.63	1 954 845.08	318 895.28
12 30	1 943 519.20	303 736.53	1 943 556.38	318 920.15
15 00	1 932 223.07	303 766.96	1 932 267.69	318 950.56
17 30	1 920 926.95	303 802.92	1 920 979.01	318 986.50
100 20 00	1 909 630.86	303 844.41	1 909 690.35	319 027.96
22 30	1 898 334.78	303 891.43	1 898 401.70	319 074.95
25 00	1 887 038.73	303 943.98	1 887 113.09	319 127.47
27 30	1 875 742.71	304 002.08	1 875 824.51	319 185.52
100 30 00	1 864 446.72	304 065.70	1 864 535.95	319 249.10
32 30	1 853 150.76	304 134.85	1 853 247.43	319 318.21
35 00	1 841 854.83	304 209.54	1 841 958.93	319 392.85
37 30	1 830 558.94	304 289.76	1 830 670.48	319 473.02
100 40 00	1 819 263.10	304 375.51	1 819 382.08	319 558.71
42 30	1 807 967.30	304 466.78	1 808 093.71	319 649.93
45 00	1 796 671.54	304 563.60	1 796 805.39	319 746.68
47 30	1 785 375.82	304 665.94	1 785 517.11	319 848.95
100 50 00	1 774 080.17	304 773.82	1 774 228.89	319 956.76
52 30	1 762 784.57	304 887.23	1 762 940.73	320 070.09
55 00	1 751 489.03	305 006.17	1 751 652.62	320 188.96
57 30	1 740 193.55	305 130.65	1 740 364.57	320 313.35
101 00 00	1 728 898.13	305 260.65	1 729 076.59	320 443.27

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 42 00 00 X	LATITUDE 42 00 00 Y	LATITUDE 42 02 30 X	LATITUDE 42 02 30 Y
101 00 00	1 728 184.28	244 530.86	1 728 362.74	259 713.21
02 30	1 716 859.17	244 666.75	1 717 045.06	259 849.01
05 00	1 705 534.14	244 808.19	1 705 727.47	259 990.36
07 30	1 694 209.18	244 955.18	1 694 409.94	260 137.25
101 10 00	1 682 884.29	245 107.71	1 683 092.49	260 289.68
12 30	1 671 559.48	245 265.79	1 671 775.12	260 447.66
15 00	1 660 234.74	245 429.41	1 660 457.81	260 611.17
17 30	1 648 910.09	245 598.59	1 649 140.59	260 780.24
101 20 00	1 637 585.52	245 773.31	1 637 823.46	260 954.84
22 30	1 626 261.04	245 953.57	1 626 506.42	261 134.99
25 00	1 614 936.65	246 139.39	1 615 189.46	261 320.68
27 30	1 603 612.34	246 330.74	1 603 872.59	261 511.91
101 30 00	1 592 288.14	246 527.64	1 592 555.82	261 708.68
32 30	1 580 964.03	246 730.09	1 581 239.15	261 911.00
35 00	1 569 640.03	246 938.08	1 569 922.58	262 118.86
37 30	1 558 316.13	247 151.62	1 558 606.12	262 332.25
101 40 00	1 546 992.34	247 370.71	1 547 289.76	262 551.19
42 30	1 535 668.64	247 595.34	1 535 973.49	262 775.68
45 00	1 524 345.06	247 825.52	1 524 657.35	263 005.71
47 30	1 513 021.60	248 061.25	1 513 341.33	263 241.28
101 50 00	1 501 698.26	248 302.52	1 502 025.42	263 482.39
52 30	1 490 375.03	248 549.33	1 490 709.63	263 729.04
55 00	1 479 051.92	248 801.69	1 479 393.95	263 981.24
57 30	1 467 728.94	249 059.59	1 468 078.41	264 238.97
102 00 00	1 456 406.09	249 323.04	1 456 762.99	264 502.25

LONGITUDE	LATITUDE 42 05 00 X	LATITUDE 42 05 00 Y	LATITUDE 42 07 30 X	LATITUDE 42 07 30 Y
101 00 00	1 728 541.20	274 895.62	1 728 719.66	290 078.10
02 30	1 717 230.96	275 031.33	1 717 416.86	290 213.73
05 00	1 705 920.80	275 172.59	1 706 114.13	290 354.89
07 30	1 694 610.71	275 319.38	1 694 811.48	290 501.58
101 10 00	1 683 300.69	275 471.71	1 683 508.90	290 653.82
12 30	1 671 990.76	275 629.58	1 672 206.39	290 811.58
15 00	1 660 680.88	275 793.00	1 660 903.96	290 974.89
17 30	1 649 371.10	275 961.95	1 649 601.61	291 143.73
101 20 00	1 638 061.41	276 136.44	1 638 299.35	291 318.10
22 30	1 626 751.80	276 316.47	1 626 997.18	291 498.01
25 00	1 615 442.28	276 502.04	1 615 695.09	291 683.46
27 30	1 604 132.84	276 693.14	1 604 393.09	291 874.44
101 30 00	1 592 823.51	276 889.78	1 593 091.19	292 070.95
32 30	1 581 514.27	277 091.97	1 581 789.39	292 273.00
35 00	1 570 205.14	277 299.69	1 570 487.69	292 480.59
37 30	1 558 896.11	277 512.94	1 559 186.10	292 693.70
101 40 00	1 547 587.18	277 731.74	1 547 884.61	292 912.36
42 30	1 536 278.35	277 956.08	1 536 583.21	293 136.55
45 00	1 524 969.65	278 185.96	1 525 281.94	293 366.28
47 30	1 513 661.05	278 421.37	1 513 980.78	293 601.54
101 50 00	1 502 352.58	278 662.33	1 502 679.74	293 842.33
52 30	1 491 044.22	278 908.82	1 491 378.82	294 088.66
55 00	1 479 736.98	279 160.84	1 480 078.01	294 340.52
57 30	1 468 427.87	279 418.41	1 468 777.34	294 597.92
102 00 00	1 457 119.89	279 681.51	1 457 476.79	294 860.85

LONGITUDE	LATITUDE 42 10 00 X	LATITUDE 42 10 00 Y	LATITUDE 42 12 30 X	LATITUDE 42 12 30 Y
101 00 00	1 728 898.13	305 260.65	1 729 076.59	320 443.27
02 30	1 717 602.76	305 396.19	1 717 788.66	320 578.72
05 00	1 706 307.47	305 537.26	1 706 500.80	320 719.70
07 30	1 695 012.25	305 683.86	1 695 213.02	320 866.20
101 10 00	1 683 717.10	305 835.99	1 683 925.31	321 018.23
12 30	1 672 422.04	305 993.65	1 672 637.68	321 175.79
15 00	1 661 127.03	306 156.85	1 661 350.11	321 338.88
17 30	1 649 832.12	306 325.58	1 650 062.64	321 507.50
101 20 00	1 638 537.30	306 499.84	1 638 775.25	321 681.64
22 30	1 627 242.56	306 679.63	1 627 487.94	321 861.32
25 00	1 615 947.91	306 864.96	1 616 200.73	322 046.52
27 30	1 604 653.34	307 055.81	1 604 913.59	322 237.25
101 30 00	1 593 358.88	307 252.19	1 593 626.57	322 433.50
32 30	1 582 064.51	307 454.11	1 582 339.64	322 635.29
35 00	1 570 770.25	307 661.56	1 571 052.81	322 842.60
37 30	1 559 476.09	307 874.53	1 559 766.08	323 055.43
101 40 00	1 548 182.03	308 093.04	1 548 479.46	323 273.80
42 30	1 536 888.07	308 317.09	1 537 192.93	323 497.70
45 00	1 525 594.24	308 546.67	1 525 906.53	323 727.12
47 30	1 514 300.51	308 781.77	1 514 620.24	323 962.07
101 50 00	1 503 006.91	309 022.41	1 503 334.07	324 202.55
52 30	1 491 713.42	309 268.57	1 492 048.02	324 448.56
55 00	1 480 420.04	309 520.27	1 480 762.08	324 700.09
57 30	1 469 126.80	309 777.50	1 469 476.27	324 957.14
102 00 00	1 457 833.69	310 040.25	1 458 190.59	325 219.73

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 42 00 00 X	LATITUDE 42 00 00 Y	LATITUDE 42 02 30 X	LATITUDE 42 02 30 Y
102 00 00	1 456 406.09	249 323.04	1 456 762.99	264 502.25
02 30	1 445 083.38	249 592.04	1 445 447.71	264 771.06
05 00	1 433 760.79	249 866.58	1 434 132.55	265 045.43
07 30	1 422 438.34	250 146.67	1 422 817.54	265 325.33
102 10 00	1 411 116.02	250 432.30	1 411 502.65	265 610.78
12 30	1 399 793.84	250 723.48	1 400 187.91	265 901.77
15 00	1 388 471.82	251 020.20	1 388 873.32	266 198.29
17 30	1 377 149.94	251 322.47	1 377 558.87	266 500.36
102 20 00	1 365 828.21	251 630.28	1 366 244.57	266 807.97
22 30	1 354 506.62	251 943.64	1 354 930.42	267 121.12
25 00	1 343 185.20	252 262.53	1 343 616.43	267 439.81
27 30	1 331 863.93	252 586.97	1 332 302.59	267 764.04
102 30 00	1 320 542.82	252 916.97	1 320 988.92	268 093.81
32 30	1 309 221.88	253 252.51	1 309 675.41	268 429.13
35 00	1 297 901.09	253 593.59	1 298 362.06	268 769.99
37 30	1 286 580.48	253 940.21	1 287 048.88	269 116.38
102 40 00	1 275 260.05	254 292.38	1 275 735.88	269 468.32
42 30	1 263 939.78	254 650.09	1 264 423.04	269 825.80
45 00	1 252 619.70	255 013.34	1 253 110.39	270 188.81
47 30	1 241 299.79	255 382.14	1 241 797.91	270 557.37
102 50 00	1 229 980.05	255 756.48	1 230 485.61	270 931.46
52 30	1 218 660.51	256 136.37	1 219 173.50	271 311.10
55 00	1 207 341.16	256 521.80	1 207 861.58	271 696.28
57 30	1 196 021.99	256 912.78	1 196 549.84	272 087.00
103 00 00	1 184 703.02	257 309.30	1 185 238.31	272 483.26

LONGITUDE	LATITUDE 42 05 00 X	LATITUDE 42 05 00 Y	LATITUDE 42 07 30 X	LATITUDE 42 07 30 Y
102 00 00	1 457 119.89	279 681.51	1 457 476.79	294 860.85
02 30	1 445 812.04	279 950.15	1 446 176.37	295 129.31
05 00	1 434 504.32	280 224.34	1 434 876.09	295 403.32
07 30	1 423 196.74	280 504.06	1 423 575.94	295 682.85
102 10 00	1 411 889.28	280 789.32	1 412 275.92	295 967.92
12 30	1 400 581.98	281 080.11	1 400 976.04	296 258.53
15 00	1 389 274.82	281 376.44	1 389 676.32	296 554.67
17 30	1 377 967.81	281 678.31	1 378 376.74	296 856.34
102 20 00	1 366 660.94	281 985.72	1 367 077.31	297 163.54
22 30	1 355 354.22	282 298.66	1 355 778.02	297 476.28
25 00	1 344 047.66	282 617.14	1 344 478.90	297 794.55
27 30	1 332 741.26	282 941.16	1 333 179.93	298 118.35
102 30 00	1 321 435.02	283 270.72	1 321 881.12	298 447.70
32 30	1 310 128.94	283 605.82	1 310 582.48	298 782.57
35 00	1 298 823.02	283 946.45	1 299 283.99	299 122.98
37 30	1 287 517.28	284 292.62	1 287 985.68	299 468.92
102 40 00	1 276 211.71	284 644.32	1 276 687.54	299 820.39
42 30	1 264 906.30	285 001.56	1 265 389.57	300 177.40
45 00	1 253 601.08	285 364.34	1 254 091.78	300 539.94
47 30	1 242 296.04	285 732.65	1 242 794.17	300 908.01
102 50 00	1 230 991.17	286 106.50	1 231 496.73	301 281.62
52 30	1 219 686.49	286 485.89	1 220 199.48	301 660.75
55 00	1 208 382.00	286 870.82	1 208 902.42	302 045.42
57 30	1 197 077.70	287 261.28	1 197 605.55	302 435.63
103 00 00	1 185 773.59	287 657.28	1 186 308.88	302 831.37

LONGITUDE	LATITUDE 42 10 00 X	LATITUDE 42 10 00 Y	LATITUDE 42 12 30 X	LATITUDE 42 12 30 Y
102 00 00	1 457 833.69	310 040.25	1 458 190.59	325 219.73
02 30	1 446 540.71	310 308.54	1 446 905.04	325 487.84
05 00	1 435 247.86	310 582.36	1 435 619.63	325 761.48
07 30	1 423 955.14	310 861.71	1 424 334.35	326 040.65
102 10 00	1 412 662.55	311 146.60	1 413 049.19	326 325.35
12 30	1 401 370.12	311 437.01	1 401 764.19	326 615.57
15 00	1 390 077.82	311 732.96	1 390 479.33	326 911.32
17 30	1 378 785.68	312 034.43	1 379 194.62	327 212.59
102 20 00	1 367 493.68	312 341.43	1 367 910.05	327 519.39
22 30	1 356 201.83	312 653.96	1 356 625.63	327 831.72
25 00	1 344 910.13	312 972.02	1 345 341.37	328 149.57
27 30	1 333 618.60	313 295.61	1 334 057.27	328 472.94
102 30 00	1 322 327.23	313 624.74	1 322 773.33	328 801.86
32 30	1 311 036.01	313 959.40	1 311 489.55	329 136.29
35 00	1 299 744.96	314 299.58	1 300 205.93	329 476.25
37 30	1 288 454.08	314 645.29	1 288 922.48	329 821.74
102 40 00	1 277 163.37	314 996.54	1 277 639.21	330 172.75
42 30	1 265 872.84	315 353.31	1 266 356.10	330 529.29
45 00	1 254 582.48	315 715.61	1 255 073.18	330 891.35
47 30	1 243 292.30	316 083.44	1 243 790.43	331 258.93
102 50 00	1 232 002.29	316 456.80	1 232 507.86	331 632.05
52 30	1 220 712.48	316 835.69	1 221 225.48	332 010.69
55 00	1 209 422.85	317 220.10	1 209 943.28	332 394.85
57 30	1 198 133.41	317 610.05	1 198 661.27	332 784.54
103 00 00	1 186 844.17	318 005.53	1 187 379.46	333 179.76

NEBRASKA - NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 00 00 X	LATITUDE 42 00 00 Y	LATITUDE 42 02 30 X	LATITUDE 42 02 30 Y
103 00 00	1 184 703.02	257 309.30	1 185 238.31	272 483.26
02 30	1 173 384.24	257 711.36	1 173 926.95	272 885.05
05 00	1 162 065.66	258 118.96	1 162 615.80	273 292.39
07 30	1 150 747.28	258 532.11	1 151 304.86	273 705.27
103 10 00	1 139 429.11	258 950.80	1 139 994.12	274 123.68
12 30	1 128 111.15	259 375.03	1 128 683.58	274 547.64
15 00	1 116 793.38	259 804.81	1 117 373.25	274 977.13
17 30	1 105 475.83	260 240.12	1 106 063.13	275 412.16
103 20 00	1 094 158.50	260 680.99	1 094 753.23	275 852.74
22 30	1 082 841.39	261 127.40	1 083 443.55	276 298.85
25 00	1 071 524.50	261 579.34	1 072 134.09	276 750.50
27 30	1 060 207.82	262 036.83	1 060 824.84	277 207.69
103 30 00	1 048 891.37	262 499.87	1 049 515.82	277 670.42
32 30	1 037 575.15	262 968.44	1 038 207.03	278 138.68
35 00	1 026 259.17	263 442.55	1 026 898.48	278 612.49
37 30	1 014 943.41	263 922.21	1 015 590.15	279 091.83
103 40 00	1 003 627.90	264 407.41	1 004 282.06	279 576.71
42 30	992 312.61	264 898.15	992 974.20	280 067.13
45 00	980 997.57	265 394.43	981 666.60	280 563.09
47 30	969 682.78	265 896.26	970 359.24	281 064.58
103 50 00	958 368.24	266 403.63	959 052.12	281 571.62
52 30	947 053.94	266 916.53	947 745.25	282 084.19
55 00	935 739.90	267 434.98	936 438.64	282 602.29
57 30	924 426.10	267 958.97	925 132.27	283 125.94
104 00 00	913 112.57	268 488.50	913 826.17	283 655.12

LONGITUDE	LATITUDE 42 05 00 X	LATITUDE 42 05 00 Y	LATITUDE 42 07 30 X	LATITUDE 42 07 30 Y
103 00 00	1 185 773.59	287 657.28	1 186 308.88	302 831.37
02 30	1 174 469.67	288 058.81	1 175 012.39	303 232.64
05 00	1 163 165.95	288 465.88	1 163 716.10	303 639.44
07 30	1 151 862.44	288 878.49	1 152 420.02	304 051.78
103 10 00	1 140 559.13	289 296.63	1 141 124.14	304 469.64
12 30	1 129 256.02	289 720.30	1 129 828.47	304 893.04
15 00	1 117 953.12	290 149.51	1 118 532.99	305 321.96
17 30	1 106 650.43	290 584.26	1 107 237.74	305 756.42
103 20 00	1 095 347.96	291 024.54	1 095 942.70	306 196.42
22 30	1 084 045.71	291 470.36	1 084 647.88	306 641.95
25 00	1 072 743.68	291 921.72	1 073 353.27	307 093.01
27 30	1 061 441.87	292 378.61	1 062 058.89	307 549.60
103 30 00	1 050 140.27	292 841.03	1 050 764.73	308 011.72
32 30	1 038 838.91	293 308.99	1 039 470.80	308 479.37
35 00	1 027 537.79	293 782.48	1 028 177.10	308 952.55
37 30	1 016 236.89	294 261.51	1 016 883.64	309 431.26
103 40 00	1 004 936.23	294 746.07	1 005 590.41	309 915.50
42 30	993 635.80	295 236.17	994 297.41	310 405.28
45 00	982 335.63	295 731.80	983 004.66	310 900.58
47 30	971 035.69	296 232.97	971 712.15	311 401.42
103 50 00	959 736.01	296 739.67	960 419.89	311 907.79
52 30	948 436.57	297 251.90	949 127.89	312 419.68
55 00	937 137.38	297 769.67	937 836.13	312 937.11
57 30	925 838.44	298 292.97	926 544.62	313 460.07
104 00 00	914 539.77	298 821.80	915 253.37	313 988.55

LONGITUDE	LATITUDE 42 10 00 X	LATITUDE 42 10 00 Y	LATITUDE 42 12 30 X	LATITUDE 42 12 30 Y
103 00 00	1 186 844.17	318 005.53	1 187 379.46	333 179.76
02 30	1 175 555.11	318 406.54	1 176 097.83	333 580.50
05 00	1 164 266.26	318 813.07	1 164 816.41	333 986.77
07 30	1 152 977.60	319 225.13	1 153 535.19	334 398.56
103 10 00	1 141 689.16	319 642.72	1 142 254.17	334 815.88
12 30	1 130 400.91	320 065.84	1 130 973.36	335 238.72
15 00	1 119 112.87	320 494.49	1 119 692.75	335 667.08
17 30	1 107 825.04	320 928.66	1 108 412.35	336 100.97
103 20 00	1 096 537.44	321 368.37	1 097 132.18	336 540.39
22 30	1 085 250.05	321 813.60	1 085 852.22	336 985.33
25 00	1 073 962.87	322 264.36	1 074 572.47	337 435.79
27 30	1 062 675.92	322 720.65	1 063 292.95	337 891.78
103 30 00	1 051 389.19	323 182.47	1 052 013.65	338 353.29
32 30	1 040 102.69	323 649.81	1 040 734.58	338 820.33
35 00	1 028 816.42	324 122.68	1 029 455.74	339 292.89
37 30	1 017 530.38	324 601.08	1 018 177.13	339 770.97
103 40 00	1 006 244.58	325 085.00	1 006 898.76	340 254.57
42 30	994 959.01	325 574.46	995 620.62	340 743.70
45 00	983 673.69	326 069.44	984 342.73	341 238.36
47 30	972 388.62	326 569.94	973 065.08	341 738.54
103 50 00	961 103.79	327 075.98	961 787.68	342 244.24
52 30	949 819.21	327 587.54	950 510.53	342 755.46
55 00	938 534.88	328 104.62	939 233.63	343 272.21
57 30	927 250.79	328 627.24	927 956.97	343 794.48
104 00 00	915 966.98	329 155.37	916 680.58	344 322.27

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 00 00 X	LATITUDE 42 00 00 Y	LATITUDE 42 02 30 X	LATITUDE 42 02 30 Y
104 00 00	913 112.57	268 488.50	913 826.17	283 655.12
02 30	901 799.31	269 023.57	902 520.33	284 189.84
05 00	890 486.30	269 564.17	891 214.76	284 730.09
07 30	879 173.57	270 110.33	879 909.44	285 275.88
104 10 00	867 861.08	270 662.02	868 604.39	285 827.22
12 30	856 548.89	271 219.25	857 299.62	286 384.08
15 00	845 236.96	271 782.03	845 995.12	286 946.49

LONGITUDE	LATITUDE 42 05 00 X	LATITUDE 42 05 00 Y	LATITUDE 42 07 30 X	LATITUDE 42 07 30 Y
104 00 00	914 539.77	298 821.80	915 253.37	313 988.55
02 30	903 241.36	299 356.17	903 962.39	314 522.57
05 00	891 943.21	299 896.06	892 671.67	315 062.11
07 30	880 645.35	300 441.50	881 381.21	315 607.19
104 10 00	869 347.70	300 992.47	870 091.01	316 157.80
12 30	858 050.35	301 548.97	858 801.09	316 713.93
15 00	846 753.29	302 111.01	847 511.45	317 275.60

LONGITUDE	LATITUDE 42 10 00 X	LATITUDE 42 10 00 Y	LATITUDE 42 12 30 X	LATITUDE 42 12 30 Y
104 00 00	915 966.98	329 155.37	916 680.58	344 322.27
02 30	904 683.42	329 689.04	905 404.46	344 855.58
05 00	893 400.13	330 228.23	894 128.59	345 394.41
07 30	882 117.10	330 772.95	882 852.99	345 938.77
104 10 00	870 834.33	331 323.19	871 577.65	346 488.66
12 30	859 551.84	331 878.96	860 302.58	347 044.06
15 00	848 269.62	332 440.26	849 027.79	347 604.98

NEBRASKA - NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 42 15 00 X	LATITUDE 42 15 00 Y	LATITUDE 42 17 30 X	LATITUDE 42 17 30 Y
96 00 00	3 082 605.80	359 489.26	3 081 892.19	374 656.34
02 30	3 071 336.84	358 961.82	3 070 630.65	374 129.24
05 00	3 060 067.61	358 439.89	3 059 368.85	373 607.66
07 30	3 048 798.14	357 923.49	3 048 106.81	373 091.60
96 10 00	3 037 528.42	357 412.60	3 036 844.51	372 581.05
12 30	3 026 258.45	356 907.23	3 025 581.97	372 076.01
15 00	3 014 988.23	356 407.38	3 014 319.18	371 576.50
17 30	3 003 717.77	355 913.05	3 003 056.15	371 082.49
96 20 00	2 992 447.05	355 424.24	2 991 792.86	370 594.00
22 30	2 981 176.11	354 940.96	2 980 529.35	370 111.03
25 00	2 969 904.93	354 463.19	2 969 265.61	369 633.58
27 30	2 958 633.53	353 990.94	2 958 001.63	369 161.65
96 30 00	2 947 361.89	353 524.22	2 946 737.42	368 695.23
32 30	2 936 090.01	353 063.01	2 935 472.97	368 234.33
35 00	2 924 817.92	352 607.32	2 924 208.31	367 778.94
37 30	2 913 545.61	352 157.15	2 912 943.43	367 329.07
96 40 00	2 902 273.08	351 712.50	2 901 678.33	366 884.71
42 30	2 891 000.33	351 273.38	2 890 413.02	366 445.87
45 00	2 879 727.37	350 839.77	2 879 147.48	366 012.56
47 30	2 868 454.18	350 411.69	2 867 881.73	365 584.76
96 50 00	2 857 180.81	349 989.13	2 856 615.78	365 162.47
52 30	2 845 907.22	349 572.09	2 845 349.63	364 745.71
55 00	2 834 633.43	349 160.57	2 834 083.27	364 334.46
57 30	2 823 359.44	348 754.57	2 822 816.71	363 928.73
97 00 00	2 812 085.24	348 354.10	2 811 549.94	363 528.52

LONGITUDE	LATITUDE 42 20 00 X	LATITUDE 42 20 00 Y	LATITUDE 42 22 30 X	LATITUDE 42 22 30 Y
96 00 00	3 081 178.56	389 823.52	3 080 464.94	404 990.82
02 30	3 069 924.46	389 296.77	3 069 218.26	404 464.42
05 00	3 058 670.09	388 775.54	3 057 971.32	403 943.53
07 30	3 047 415.47	388 259.81	3 046 724.13	403 428.15
96 10 00	3 036 160.61	387 749.60	3 035 476.69	402 918.27
12 30	3 024 905.49	387 244.90	3 024 229.01	402 413.90
15 00	3 013 650.13	386 745.71	3 012 981.07	401 915.04
17 30	3 002 394.53	386 252.03	3 001 732.90	401 421.69
96 20 00	2 991 138.67	385 763.86	2 990 484.47	400 933.84
22 30	2 979 882.59	385 281.21	2 979 235.82	400 451.51
25 00	2 968 626.27	384 804.08	2 967 986.94	399 974.69
27 30	2 957 369.73	384 332.45	2 956 737.82	399 503.38
96 30 00	2 946 112.94	383 866.34	2 945 488.47	399 037.58
32 30	2 934 855.93	383 405.74	2 934 238.88	398 577.28
35 00	2 923 598.70	382 950.66	2 922 989.08	398 122.49
37 30	2 912 341.25	382 501.08	2 911 739.06	397 673.22
96 40 00	2 901 083.58	382 057.02	2 900 488.82	397 229.45
42 30	2 889 825.69	381 618.47	2 889 238.37	396 791.19
45 00	2 878 567.59	381 185.44	2 877 987.70	396 358.44
47 30	2 867 309.27	380 757.92	2 866 736.81	395 931.21
96 50 00	2 856 050.75	380 335.92	2 855 485.72	395 509.48
52 30	2 844 792.03	379 919.43	2 844 234.43	395 093.27
55 00	2 833 533.10	379 508.45	2 832 982.93	394 682.56
57 30	2 822 273.97	379 102.99	2 821 731.24	394 277.36
97 00 00	2 811 014.64	378 703.04	2 810 479.33	393 877.68

LONGITUDE	LATITUDE 42 25 00 X	LATITUDE 42 25 00 Y	LATITUDE 42 27 30 X	LATITUDE 42 27 30 Y
96 00 00	3 079 751.30	420 158.23	3 079 037.66	435 335.78
02 30	3 068 512.06	419 632.18	3 067 805.84	434 800.08
05 00	3 057 272.54	419 111.63	3 056 573.76	434 279.87
07 30	3 046 032.78	418 596.59	3 045 341.43	433 765.17
96 10 00	3 034 792.77	418 087.05	3 034 108.85	433 255.97
12 30	3 023 552.52	417 583.01	3 022 876.02	432 752.26
15 00	3 012 312.01	417 084.48	3 011 642.95	432 254.07
17 30	3 001 071.27	416 591.46	3 000 409.63	431 761.36
96 20 00	2 989 830.27	416 103.93	2 989 176.06	431 274.17
22 30	2 978 589.05	415 621.92	2 977 942.27	430 792.47
25 00	2 967 347.59	415 145.42	2 966 708.24	430 316.28
27 30	2 956 105.90	414 674.42	2 955 473.99	429 845.59
96 30 00	2 944 863.98	414 208.92	2 944 239.50	429 380.40
32 30	2 933 621.83	413 748.93	2 933 004.77	428 920.71
35 00	2 922 379.46	413 294.44	2 921 769.83	428 466.53
37 30	2 911 136.87	412 845.46	2 910 534.67	428 017.84
96 40 00	2 899 894.06	412 401.98	2 899 299.29	427 574.66
42 30	2 888 651.04	411 964.01	2 888 063.70	427 136.98
45 00	2 877 407.80	411 531.55	2 876 827.89	426 704.81
47 30	2 866 164.34	411 104.60	2 865 591.86	426 278.14
96 50 00	2 854 920.68	410 683.15	2 854 355.64	425 856.97
52 30	2 843 676.82	410 267.21	2 843 119.21	425 441.30
55 00	2 832 432.76	409 856.78	2 831 882.58	425 031.14
57 30	2 821 188.49	409 451.85	2 820 645.75	424 626.48
97 00 00	2 809 944.02	409 052.43	2 809 408.71	424 227.32

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 15 00 X	LATITUDE 42 15 00 Y	LATITUDE 42 17 30 X	LATITUDE 42 17 30 Y
97 00 00	2 812 085.24	348 354.10	2 811 549.94	363 528.52
02 30	2 800 810.86	347 959.14	2 800 282.99	363 133.82
05 00	2 789 536.29	347 569.70	2 789 015.85	362 744.64
07 30	2 778 261.52	347 185.79	2 777 748.52	362 360.98
97 10 00	2 766 986.58	346 807.40	2 766 481.00	361 982.84
12 30	2 755 711.43	346 434.53	2 755 213.29	361 610.22
15 00	2 744 436.11	346 067.19	2 743 945.41	361 243.11
17 30	2 733 160.62	345 705.36	2 732 677.35	360 881.53
97 20 00	2 721 884.95	345 349.06	2 721 409.11	360 525.46
22 30	2 710 609.11	344 998.28	2 710 140.70	360 174.91
25 00	2 699 333.10	344 653.02	2 698 872.12	359 829.88
27 30	2 688 056.91	344 313.28	2 687 603.36	359 490.37
97 30 00	2 676 780.56	343 979.07	2 676 334.45	359 156.38
32 30	2 665 504.05	343 650.38	2 665 065.38	358 827.90
35 00	2 654 227.38	343 327.21	2 653 796.14	358 504.95
37 30	2 642 950.56	343 009.57	2 642 526.75	358 187.52
97 40 00	2 631 673.57	342 697.45	2 631 257.19	357 875.60
42 30	2 620 396.44	342 390.85	2 619 987.49	357 569.20
45 00	2 609 119.16	342 089.78	2 608 717.65	357 268.33
47 30	2 597 841.74	341 794.22	2 597 447.66	356 972.97
97 50 00	2 586 564.17	341 504.19	2 586 177.52	356 683.13
52 30	2 575 286.45	341 219.68	2 574 907.24	356 398.81
55 00	2 564 008.60	340 940.70	2 563 636.82	356 120.01
57 30	2 552 730.62	340 667.24	2 552 366.28	355 846.72
98 00 00	2 541 452.50	340 399.30	2 541 095.59	355 578.97

LONGITUDE	LATITUDE 42 20 00 X	LATITUDE 42 20 00 Y	LATITUDE 42 22 30 X	LATITUDE 42 22 30 Y
97 00 00	2 811 014.64	378 703.04	2 810 479.33	393 877.68
02 30	2 799 755.12	378 308.60	2 799 227.25	393 483.50
05 00	2 788 495.41	377 919.68	2 787 974.97	393 094.83
07 30	2 777 235.51	377 536.27	2 776 722.50	392 711.68
97 10 00	2 765 975.43	377 158.38	2 765 469.85	392 334.04
12 30	2 754 715.15	376 786.00	2 754 217.00	391 961.91
15 00	2 743 454.70	376 419.14	2 742 963.98	391 595.29
17 30	2 732 194.07	376 057.80	2 731 710.79	391 234.18
97 20 00	2 720 933.26	375 701.96	2 720 457.42	390 878.59
22 30	2 709 672.29	375 351.65	2 709 203.87	390 528.50
25 00	2 698 411.14	375 006.84	2 697 950.16	390 183.92
27 30	2 687 149.82	374 667.55	2 686 696.27	389 844.86
97 30 00	2 675 888.34	374 333.78	2 675 442.22	389 511.31
32 30	2 664 626.69	374 005.52	2 664 188.01	389 183.26
35 00	2 653 364.89	373 682.78	2 652 933.64	388 860.74
37 30	2 642 102.93	373 365.56	2 641 679.12	388 543.72
97 40 00	2 630 840.81	373 053.85	2 630 424.43	388 232.22
42 30	2 619 578.55	372 747.66	2 619 169.60	387 926.23
45 00	2 608 316.14	372 446.98	2 607 914.62	387 625.75
47 30	2 597 053.58	372 151.81	2 596 659.50	387 330.78
97 50 00	2 585 790.88	371 862.16	2 585 404.23	387 041.32
52 30	2 574 528.03	371 578.03	2 574 148.81	386 757.37
55 00	2 563 265.05	371 299.42	2 562 893.26	386 478.94
57 30	2 552 001.93	371 026.31	2 551 637.59	386 206.02
98 00 00	2 540 738.69	370 758.73	2 540 381.77	385 938.62

LONGITUDE	LATITUDE 42 25 00 X	LATITUDE 42 25 00 Y	LATITUDE 42 27 30 X	LATITUDE 42 27 30 Y
97 00 00	2 809 944.02	409 052.43	2 809 408.71	424 227.32
02 30	2 798 699.37	408 658.51	2 798 171.48	423 833.66
05 00	2 787 454.52	408 270.10	2 786 934.07	423 445.51
07 30	2 776 209.49	407 887.20	2 775 696.47	423 062.86
97 10 00	2 764 964.27	407 509.81	2 764 458.68	422 685.72
12 30	2 753 718.85	407 137.93	2 753 220.70	422 314.08
15 00	2 742 473.26	406 771.55	2 741 982.54	421 947.95
17 30	2 731 227.50	406 410.68	2 730 744.21	421 587.32
97 20 00	2 719 981.56	406 055.32	2 719 505.71	421 232.19
22 30	2 708 735.45	405 705.46	2 708 267.03	420 882.57
25 00	2 697 489.17	405 361.12	2 697 028.18	420 538.45
27 30	2 686 242.71	405 022.27	2 685 789.15	420 199.83
97 30 00	2 674 996.10	404 688.94	2 674 549.97	419 866.72
32 30	2 663 749.32	404 361.11	2 663 310.63	419 539.10
35 00	2 652 502.39	404 038.80	2 652 071.13	419 217.01
37 30	2 641 255.30	403 722.00	2 640 831.47	418 900.41
97 40 00	2 630 008.04	403 410.70	2 629 591.65	418 589.32
42 30	2 618 760.64	403 104.91	2 618 351.69	418 283.73
45 00	2 607 513.10	402 804.63	2 607 111.58	417 983.65
47 30	2 596 265.41	402 509.85	2 595 871.32	417 689.07
97 50 00	2 585 017.58	402 220.59	2 584 630.92	417 399.99
52 30	2 573 769.59	401 936.83	2 573 390.37	417 116.42
55 00	2 562 521.48	401 658.58	2 562 149.69	416 838.36
57 30	2 551 273.24	401 385.84	2 550 908.88	416 565.80
98 00 00	2 540 024.86	401 118.61	2 539 667.94	416 298.75

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 42 15 00 X	LATITUDE 42 15 00 Y	LATITUDE 42 17 30 X	LATITUDE 42 17 30 Y
98 00 00	2 541 452.50	340 399.30	2 541 095.59	355 578.97
02 30	2 530 174.26	340 136.89	2 529 824.78	355 316.73
05 00	2 518 895.89	339 880.00	2 518 553.85	355 060.01
07 30	2 507 617.38	339 628.64	2 507 282.77	354 808.81
98 10 00	2 496 338.76	339 382.80	2 496 011.59	354 563.13
12 30	2 485 060.02	339 142.48	2 484 740.29	354 322.97
15 00	2 473 781.17	338 907.68	2 473 468.87	354 088.33
17 30	2 462 502.20	338 678.41	2 462 197.34	353 859.21
98 20 00	2 451 223.11	338 454.66	2 450 925.68	353 635.60
22 30	2 439 943.93	338 236.43	2 439 653.93	353 417.52
25 00	2 428 664.64	338 023.74	2 428 382.07	353 204.97
27 30	2 417 385.24	337 816.56	2 417 110.11	352 997.93
98 30 00	2 406 105.74	337 614.91	2 405 838.05	352 796.41
32 30	2 394 826.15	337 418.79	2 394 565.90	352 600.42
35 00	2 383 546.45	337 228.19	2 383 293.63	352 409.94
37 30	2 372 266.67	337 043.10	2 372 021.29	352 234.98
98 40 00	2 360 986.81	336 863.55	2 360 748.86	352 045.54
42 30	2 349 706.85	336 689.52	2 349 476.33	351 871.63
45 00	2 338 426.81	336 521.01	2 338 203.73	351 703.23
47 30	2 327 146.68	336 358.03	2 326 931.04	351 540.36
98 50 00	2 315 866.48	336 200.57	2 315 658.27	351 383.01
52 30	2 304 586.21	336 048.64	2 304 385.44	351 231.17
55 00	2 293 305.86	335 902.24	2 293 112.52	351 084.87
57 30	2 282 025.44	335 761.35	2 281 839.54	350 944.07
99 00 00	2 270 744.95	335 625.99	2 270 566.48	350 808.81

LONGITUDE	LATITUDE 42 20 00 X	LATITUDE 42 20 00 Y	LATITUDE 42 22 30 X	LATITUDE 42 22 30 Y
98 00 00	2 540 738.69	370 758.73	2 540 381.77	385 938.62
02 30	2 529 475.31	370 496.67	2 529 125.83	385 676.72
05 00	2 518 211.81	370 240.12	2 517 869.76	385 420.34
07 30	2 506 948.17	369 989.08	2 506 613.56	385 169.48
98 10 00	2 495 684.42	369 743.57	2 495 357.24	384 924.12
12 30	2 484 420.55	369 503.56	2 484 100.81	384 684.28
15 00	2 473 156.57	369 269.08	2 472 844.26	384 449.95
17 30	2 461 892.47	369 040.11	2 461 587.60	384 221.13
98 20 00	2 450 628.25	368 816.65	2 450 330.81	383 997.82
22 30	2 439 363.93	368 598.72	2 439 073.93	383 780.03
25 00	2 428 099.51	368 386.30	2 427 816.95	383 567.75
27 30	2 416 834.98	368 179.40	2 416 559.85	383 360.99
98 30 00	2 405 570.36	367 978.01	2 405 302.66	383 159.73
32 30	2 394 305.64	367 782.14	2 394 045.38	382 963.99
35 00	2 383 040.81	367 591.80	2 382 787.99	382 773.77
37 30	2 371 775.90	367 406.96	2 371 530.51	382 589.06
98 40 00	2 360 510.90	367 227.64	2 360 272.95	382 409.86
42 30	2 349 245.82	367 053.84	2 349 015.30	382 236.17
45 00	2 337 980.65	366 885.55	2 337 757.57	382 067.99
47 30	2 326 715.39	366 722.79	2 326 499.74	381 905.33
98 50 00	2 315 450.06	366 565.54	2 315 241.85	381 748.19
52 30	2 304 184.66	366 413.81	2 303 983.89	381 596.56
55 00	2 292 919.19	366 267.59	2 292 725.85	381 450.44
57 30	2 281 653.64	366 126.90	2 281 467.73	381 309.84
99 00 00	2 270 388.01	365 991.72	2 270 209.54	381 174.75

LONGITUDE	LATITUDE 42 25 00 X	LATITUDE 42 25 00 Y	LATITUDE 42 27 30 X	LATITUDE 42 27 30 Y
98 00 00	2 540 024.86	401 118.61	2 539 667.94	416 298.75
02 30	2 528 776.35	400 856.89	2 528 426.87	416 037.20
05 00	2 517 527.72	400 600.68	2 517 185.67	415 781.16
07 30	2 506 278.95	400 349.98	2 505 944.33	415 530.62
98 10 00	2 495 030.06	400 104.78	2 494 702.88	415 285.59
12 30	2 483 781.07	399 865.10	2 483 461.32	415 046.06
15 00	2 472 531.95	399 630.92	2 472 219.64	414 812.04
17 30	2 461 282.72	399 402.25	2 460 977.85	414 583.52
98 20 00	2 450 033.37	399 179.09	2 449 735.93	414 360.51
22 30	2 438 783.93	398 961.45	2 438 493.92	414 143.01
25 00	2 427 534.38	398 749.31	2 427 251.81	413 931.01
27 30	2 416 284.72	398 542.68	2 416 009.59	413 724.52
98 30 00	2 405 034.97	398 341.56	2 404 767.27	413 523.54
32 30	2 393 785.12	398 145.95	2 393 524.85	413 328.05
35 00	2 382 535.16	397 955.86	2 382 282.33	413 138.08
37 30	2 371 285.12	397 771.26	2 371 039.73	412 953.61
98 40 00	2 360 034.99	397 592.18	2 359 797.04	412 774.65
42 30	2 348 784.78	397 418.61	2 348 554.26	412 601.19
45 00	2 337 534.48	397 250.55	2 337 311.40	412 433.24
47 30	2 326 284.09	397 087.99	2 326 068.44	412 270.79
98 50 00	2 315 033.64	396 930.95	2 314 825.42	412 113.86
52 30	2 303 783.11	396 779.42	2 303 582.33	411 962.42
55 00	2 292 532.50	396 633.40	2 292 339.16	411 816.50
57 30	2 281 281.83	396 492.89	2 281 095.92	411 676.08
99 00 00	2 270 031.07	396 357.89	2 269 852.60	411 541.17

NEBRASKA - NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 15 00 X	LATITUDE 42 15 00 Y	LATITUDE 42 17 30 X	LATITUDE 42 17 30 Y
99 00 00	2 270 744.95	335 625.99	2 270 566.48	350 808.81
02 30	2 259 464.40	335 496.16	2 259 293.37	350 679.06
05 00	2 248 183.79	335 371.85	2 248 020.19	350 554.83
07 30	2 236 903.11	335 253.06	2 236 746.96	350 436.12
99 10 00	2 225 622.38	335 139.80	2 225 473.66	350 322.93
12 30	2 214 341.60	335 032.07	2 214 200.32	350 215.27
15 00	2 203 060.76	334 929.86	2 202 926.91	350 113.13
17 30	2 191 779.88	334 833.17	2 191 653.46	350 016.50
99 20 00	2 180 498.95	334 742.01	2 180 379.97	349 925.41
22 30	2 169 217.97	334 656.38	2 169 106.43	349 839.83
25 00	2 157 936.96	334 576.26	2 157 832.85	349 759.77
27 30	2 146 655.90	334 501.68	2 146 559.23	349 685.23
99 30 00	2 135 374.81	334 432.61	2 135 285.58	349 616.21
32 30	2 124 093.69	334 369.07	2 124 011.89	349 552.71
35 00	2 112 812.54	334 311.06	2 112 738.18	349 494.74
37 30	2 101 531.37	334 258.57	2 101 464.44	349 442.29
99 40 00	2 090 250.16	334 211.61	2 090 190.67	349 395.36
42 30	2 078 968.94	334 170.18	2 078 916.88	349 353.95
45 00	2 067 687.70	334 134.27	2 067 643.08	349 318.06
47 30	2 056 406.44	334 103.88	2 056 369.26	349 287.69
99 50 00	2 045 125.17	334 079.02	2 045 095.43	349 262.85
52 30	2 033 843.89	334 059.68	2 033 821.58	349 243.52
55 00	2 022 562.59	334 045.86	2 022 547.72	349 229.72
57 30	2 011 281.30	334 037.57	2 011 273.86	349 221.43
100 00 00	2 000 000.00	334 034.81	2 000 000.00	349 218.67

LONGITUDE	LATITUDE 42 20 00 X	LATITUDE 42 20 00 Y	LATITUDE 42 22 30 X	LATITUDE 42 22 30 Y
99 00 00	2 270 388.01	365 991.72	2 270 209.54	381 174.75
02 30	2 259 122.33	365 862.05	2 258 951.30	381 045.17
05 00	2 247 856.60	365 737.91	2 247 693.00	380 921.10
07 30	2 236 590.80	365 619.28	2 236 434.64	380 802.55
99 10 00	2 225 324.94	365 506.16	2 225 176.21	380 689.52
12 30	2 214 059.03	365 398.57	2 213 917.74	380 581.99
15 00	2 202 793.05	365 296.50	2 202 659.20	380 479.99
17 30	2 191 527.04	365 199.94	2 191 400.63	380 383.49
99 20 00	2 180 260.99	365 108.90	2 180 142.01	380 292.51
22 30	2 168 994.89	365 023.38	2 168 883.34	380 207.05
25 00	2 157 728.75	364 943.37	2 157 624.64	380 127.09
27 30	2 146 462.55	364 868.88	2 146 365.88	380 052.65
99 30 00	2 135 196.34	364 799.91	2 135 107.11	379 983.73
32 30	2 123 930.10	364 736.45	2 123 848.30	379 920.31
35 00	2 112 663.82	364 678.51	2 112 589.46	379 862.41
37 30	2 101 397.52	364 626.10	2 101 330.59	379 810.03
99 40 00	2 090 131.18	364 579.20	2 090 071.69	379 763.16
42 30	2 078 864.83	364 537.82	2 078 812.78	379 721.81
45 00	2 067 598.46	364 501.95	2 067 553.84	379 685.97
47 30	2 056 332.08	364 471.61	2 056 294.90	379 655.64
99 50 00	2 045 065.68	364 446.78	2 045 035.94	379 630.83
52 30	2 033 799.27	364 427.47	2 033 776.96	379 611.53
55 00	2 022 532.85	364 413.67	2 022 517.97	379 597.74
57 30	2 011 266.43	364 405.39	2 011 258.99	379 589.47
100 00 00	2 000 000.00	364 402.63	2 000 000.00	379 586.71

LONGITUDE	LATITUDE 42 25 00 X	LATITUDE 42 25 00 Y	LATITUDE 42 27 30 X	LATITUDE 42 27 30 Y
99 00 00	2 270 031.07	396 357.89	2 269 852.60	411 541.17
02 30	2 258 780.27	396 228.40	2 258 609.23	411 411.76
05 00	2 247 529.40	396 104.41	2 247 365.80	411 287.86
07 30	2 236 278.47	395 985.94	2 236 122.31	411 169.47
99 10 00	2 225 027.49	395 872.98	2 224 878.76	411 056.58
12 30	2 213 776.45	395 765.53	2 213 635.16	410 949.20
15 00	2 202 525.35	395 663.59	2 202 391.49	410 847.33
17 30	2 191 274.21	395 567.16	2 191 147.79	410 750.96
99 20 00	2 180 023.02	395 476.24	2 179 904.04	410 660.10
22 30	2 168 771.80	395 390.83	2 168 660.25	410 574.75
25 00	2 157 520.53	395 310.92	2 157 416.42	410 494.90
27 30	2 146 269.21	395 236.53	2 146 172.54	410 420.56
99 30 00	2 135 017.87	395 167.65	2 134 928.63	410 351.72
32 30	2 123 766.50	395 104.28	2 123 684.70	410 288.39
35 00	2 112 515.09	395 046.42	2 112 440.73	410 230.57
37 30	2 101 263.66	394 994.07	2 101 196.73	410 178.26
99 40 00	2 090 012.20	394 947.24	2 089 952.71	410 131.45
42 30	2 078 760.72	394 905.91	2 078 708.67	410 090.15
45 00	2 067 509.23	394 870.09	2 067 464.61	410 054.36
47 30	2 056 257.72	394 839.79	2 056 220.53	410 024.07
99 50 00	2 045 006.19	394 814.99	2 044 976.44	409 999.29
52 30	2 033 754.66	394 795.70	2 033 732.35	409 980.02
55 00	2 022 503.10	394 781.93	2 022 488.23	409 966.25
57 30	2 011 251.55	394 773.66	2 011 244.12	409 957.99
100 00 00	2 000 000.00	394 770.90	2 000 000.00	409 955.23

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 42 15 00 X	LATITUDE 42 15 00 Y	LATITUDE 42 17 30 X	LATITUDE 42 17 30 Y
100 00 00	2 000 000.00	334 034.81	2 000 000.00	349 218.67
02 30	1 988 718.70	334 037.57	1 988 726.14	349 221.43
05 00	1 977 437.41	334 045.86	1 977 452.28	349 229.72
07 30	1 966 156.11	334 059.68	1 966 178.42	349 243.52
100 10 00	1 954 874.83	334 079.02	1 954 904.57	349 262.85
12 30	1 943 593.56	334 103.88	1 943 630.74	349 287.69
15 00	1 932 312.30	334 134.27	1 932 356.92	349 318.06
17 30	1 921 031.06	334 170.18	1 921 083.12	349 353.95
100 20 00	1 909 749.84	334 211.61	1 909 809.33	349 395.36
22 30	1 898 468.63	334 258.57	1 898 535.56	349 442.29
25 00	1 887 187.46	334 311.06	1 887 261.82	349 494.74
27 30	1 875 906.31	334 369.07	1 875 988.11	349 552.71
100 30 00	1 864 625.19	334 432.61	1 864 714.42	349 616.21
32 30	1 853 344.10	334 501.68	1 853 440.77	349 685.23
35 00	1 842 063.04	334 576.26	1 842 167.15	349 759.77
37 30	1 830 782.03	334 656.38	1 830 893.57	349 839.83
100 40 00	1 819 501.05	334 742.01	1 819 620.03	349 925.41
42 30	1 808 220.12	334 833.17	1 808 346.54	350 016.50
45 00	1 796 939.24	334 929.86	1 797 073.09	350 113.13
47 30	1 785 658.40	335 032.07	1 785 799.68	350 215.27
100 50 00	1 774 377.62	335 139.80	1 774 526.34	350 322.93
52 30	1 763 096.89	335 253.06	1 763 253.04	350 436.12
55 00	1 751 816.21	335 371.85	1 751 979.81	350 554.83
57 30	1 740 535.60	335 496.16	1 740 706.63	350 679.06
101 00 00	1 729 255.05	335 625.99	1 729 433.52	350 808.81

LONGITUDE	LATITUDE 42 20 00 X	LATITUDE 42 20 00 Y	LATITUDE 42 22 30 X	LATITUDE 42 22 30 Y
100 00 00	2 000 000.00	364 402.63	2 000 000.00	379 586.71
02 30	1 988 733.57	364 405.39	1 988 741.01	379 589.47
05 00	1 977 467.15	364 413.67	1 977 482.03	379 597.74
07 30	1 966 200.73	364 427.47	1 966 223.04	379 611.53
100 10 00	1 954 934.32	364 446.78	1 954 964.06	379 630.83
12 30	1 943 667.92	364 471.61	1 943 705.10	379 655.64
15 00	1 932 401.54	364 501.95	1 932 446.16	379 685.97
17 30	1 921 135.17	364 537.82	1 921 187.22	379 721.81
100 20 00	1 909 868.82	364 579.20	1 909 928.31	379 763.16
22 30	1 898 602.48	364 626.10	1 898 669.41	379 810.03
25 00	1 887 336.18	364 678.51	1 887 410.54	379 862.41
27 30	1 876 069.90	364 736.45	1 876 151.70	379 920.31
100 30 00	1 864 803.66	364 799.91	1 864 892.89	379 983.73
32 30	1 853 537.45	364 868.88	1 853 634.12	380 052.65
35 00	1 842 271.25	364 943.37	1 842 375.36	380 127.09
37 30	1 831 005.11	365 023.38	1 831 116.66	380 207.05
100 40 00	1 819 739.01	365 108.90	1 819 857.99	380 292.51
42 30	1 808 472.96	365 199.94	1 808 599.37	380 383.49
45 00	1 797 206.95	365 296.50	1 797 340.80	380 479.99
47 30	1 785 940.97	365 398.57	1 786 082.26	380 581.99
100 50 00	1 774 675.06	365 506.16	1 774 823.79	380 689.52
52 30	1 763 409.20	365 619.28	1 763 565.36	380 802.55
55 00	1 752 143.40	365 737.91	1 752 307.00	380 921.10
57 30	1 740 877.67	365 862.05	1 741 048.70	381 045.17
101 00 00	1 729 611.99	365 991.72	1 729 790.46	381 174.75

LONGITUDE	LATITUDE 42 25 00 X	LATITUDE 42 25 00 Y	LATITUDE 42 27 30 X	LATITUDE 42 27 30 Y
100 00 00	2 000 000.00	394 770.90	2 000 000.00	409 955.23
02 30	1 988 748.45	394 773.66	1 988 755.88	409 957.99
05 00	1 977 496.90	394 781.93	1 977 511.77	409 966.25
07 30	1 966 245.34	394 795.70	1 966 267.65	409 980.02
100 10 00	1 954 993.81	394 814.99	1 955 023.56	409 999.29
12 30	1 943 742.28	394 839.79	1 943 779.47	410 024.07
15 00	1 932 490.77	394 870.09	1 932 535.39	410 054.36
17 30	1 921 239.28	394 905.91	1 921 291.33	410 090.15
100 20 00	1 909 987.80	394 947.24	1 910 047.29	410 131.45
22 30	1 898 736.34	394 994.07	1 898 803.27	410 178.26
25 00	1 887 484.91	395 046.42	1 887 559.27	410 230.57
27 30	1 876 233.50	395 104.28	1 876 315.30	410 288.39
100 30 00	1 864 982.13	395 167.65	1 865 071.37	410 351.72
32 30	1 853 730.79	395 236.53	1 853 827.46	410 420.56
35 00	1 842 479.47	395 310.92	1 842 583.58	410 494.90
37 30	1 831 228.20	395 390.83	1 831 339.75	410 574.75
100 40 00	1 819 976.98	395 476.24	1 820 095.96	410 660.10
42 30	1 808 725.79	395 567.16	1 808 852.21	410 750.96
45 00	1 797 474.65	395 663.59	1 797 608.51	410 847.33
47 30	1 786 223.55	395 765.53	1 786 364.84	410 949.20
100 50 00	1 774 972.51	395 872.98	1 775 121.24	411 056.58
52 30	1 763 721.53	395 985.94	1 763 877.69	411 169.47
55 00	1 752 470.60	396 104.41	1 752 634.20	411 287.86
57 30	1 741 219.73	396 228.40	1 741 390.77	411 411.76
101 00 00	1 729 968.93	396 357.89	1 730 147.40	411 541.17

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 15 00 X	LATITUDE 42 15 00 Y	LATITUDE 42 17 30 X	LATITUDE 42 17 30 Y
101 00 00	1 729 255.05	335 625.99	1 729 433.52	350 808.81
02 30	1 717 974.56	335 761.35	1 718 160.46	350 944.07
05 00	1 706 694.14	335 902.24	1 706 887.48	351 084.87
07 30	1 695 413.79	336 048.64	1 695 614.56	351 231.17
101 10 00	1 684 133.52	336 200.57	1 684 341.73	351 383.01
12 30	1 672 853.32	336 358.03	1 673 068.96	351 540.36
15 00	1 661 573.19	336 521.01	1 661 796.27	351 703.23
17 30	1 650 293.15	336 689.52	1 650 523.67	351 871.63
101 20 00	1 639 013.19	336 863.55	1 639 251.14	352 045.54
22 30	1 627 733.33	337 043.10	1 627 978.71	352 224.98
25 00	1 616 453.55	337 228.19	1 616 706.37	352 409.94
27 30	1 605 173.85	337 418.79	1 605 434.10	352 600.42
101 30 00	1 593 894.26	337 614.91	1 594 161.95	352 796.41
32 30	1 582 614.76	337 816.56	1 582 889.89	352 997.93
35 00	1 571 335.36	338 023.74	1 571 617.93	353 204.97
37 30	1 560 056.07	338 236.43	1 560 346.07	353 417.52
101 40 00	1 548 776.89	338 454.66	1 549 074.32	353 635.60
42 30	1 537 497.80	338 678.41	1 537 802.66	353 859.21
45 00	1 526 218.83	338 907.68	1 526 531.13	354 088.33
47 30	1 514 939.98	339 142.48	1 515 259.71	354 322.97
101 50 00	1 503 661.24	339 382.80	1 503 988.41	354 563.13
52 30	1 492 382.62	339 628.64	1 492 717.23	354 808.81
55 00	1 481 104.11	339 880.00	1 481 446.15	355 060.01
57 30	1 469 825.74	340 136.89	1 470 175.22	355 316.73
102 00 00	1 458 547.50	340 399.30	1 458 904.41	355 578.97

LONGITUDE	LATITUDE 42 20 00 X	LATITUDE 42 20 00 Y	LATITUDE 42 22 30 X	LATITUDE 42 22 30 Y
101 00 00	1 729 611.99	365 991.72	1 729 790.46	381 174.75
02 30	1 718 346.36	366 126.90	1 718 532.27	381 309.84
05 00	1 707 080.81	366 267.59	1 707 274.15	381 450.44
07 30	1 695 815.34	366 413.81	1 696 016.11	381 596.56
101 10 00	1 684 549.94	366 565.54	1 684 758.15	381 748.19
12 30	1 673 284.61	366 722.79	1 673 500.26	381 905.33
15 00	1 662 019.35	366 885.55	1 662 242.43	382 067.99
17 30	1 650 754.18	367 053.84	1 650 984.70	382 236.17
101 20 00	1 639 489.10	367 227.64	1 639 727.05	382 409.86
22 30	1 628 224.10	367 406.96	1 628 469.49	382 589.06
25 00	1 616 959.19	367 591.80	1 617 212.01	382 773.77
27 30	1 605 694.36	367 782.14	1 605 954.62	382 963.99
101 30 00	1 594 429.64	367 978.01	1 594 697.34	383 159.73
32 30	1 583 165.02	368 179.40	1 583 440.15	383 360.99
35 00	1 571 900.49	368 386.30	1 572 183.05	383 567.75
37 30	1 560 636.07	368 598.72	1 560 926.07	383 780.03
101 40 00	1 549 371.75	368 816.65	1 549 669.19	383 997.82
42 30	1 538 107.53	369 040.11	1 538 412.40	384 221.13
45 00	1 526 843.43	369 269.08	1 527 155.74	384 449.95
47 30	1 515 579.45	369 503.56	1 515 899.19	384 684.28
101 50 00	1 504 315.58	369 743.57	1 504 642.76	384 924.12
52 30	1 493 051.83	369 989.08	1 493 386.44	385 169.48
55 00	1 481 788.19	370 240.12	1 482 130.24	385 420.34
57 30	1 470 524.69	370 496.67	1 470 874.17	385 676.72
102 00 00	1 459 261.31	370 758.73	1 459 618.23	385 938.62

LONGITUDE	LATITUDE 42 25 00 X	LATITUDE 42 25 00 Y	LATITUDE 42 27 30 X	LATITUDE 42 27 30 Y
101 00 00	1 729 968.93	396 357.89	1 730 147.40	411 541.17
02 30	1 718 718.17	396 492.89	1 718 904.08	411 676.08
05 00	1 707 467.50	396 633.40	1 707 660.84	411 816.50
07 30	1 696 216.89	396 779.42	1 696 417.67	411 962.42
101 10 00	1 684 966.36	396 930.95	1 685 174.58	412 113.86
12 30	1 673 715.91	397 087.99	1 673 931.56	412 270.79
15 00	1 662 465.52	397 250.55	1 662 688.60	412 433.24
17 30	1 651 215.22	397 418.61	1 651 445.74	412 601.19
101 20 00	1 639 965.01	397 592.18	1 640 202.96	412 774.65
22 30	1 628 714.88	397 771.26	1 628 960.27	412 953.61
25 00	1 617 464.84	397 955.86	1 617 717.67	413 138.08
27 30	1 606 214.88	398 145.95	1 606 475.15	413 328.05
101 30 00	1 594 965.03	398 341.56	1 595 232.73	413 523.54
32 30	1 583 715.28	398 542.68	1 583 990.41	413 724.52
35 00	1 572 465.62	398 749.31	1 572 748.19	413 931.01
37 30	1 561 216.07	398 961.45	1 561 506.08	414 143.01
101 40 00	1 549 966.63	399 179.09	1 550 264.07	414 360.51
42 30	1 538 717.28	399 402.25	1 539 022.15	414 583.52
45 00	1 527 468.05	399 630.92	1 527 780.36	414 812.04
47 30	1 516 218.93	399 865.10	1 516 538.68	415 046.06
101 50 00	1 504 969.94	400 104.78	1 505 297.12	415 285.59
52 30	1 493 721.05	400 349.98	1 494 055.67	415 530.62
55 00	1 482 472.28	400 600.68	1 482 814.33	415 781.16
57 30	1 471 223.65	400 856.89	1 471 573.13	416 037.20
102 00 00	1 459 975.14	401 118.61	1 460 332.06	416 298.75

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 15 00 X	LATITUDE 42 15 00 Y	LATITUDE 42 17 30 X	LATITUDE 42 17 30 Y
102 00 00	1 458 547.50	340 399.30	1 458 904.41	355 578.97
02 30	1 447 269.38	340 667.24	1 447 633.72	355 846.72
05 00	1 435 991.40	340 940.70	1 436 363.18	356 120.01
07 30	1 424 713.55	341 219.68	1 425 092.76	356 398.81
102 10 00	1 413 435.83	341 504.19	1 413 822.48	356 683.13
12 30	1 402 158.26	341 794.22	1 402 552.34	356 972.97
15 00	1 390 880.84	342 089.78	1 391 282.35	357 268.33
17 30	1 379 603.56	342 390.85	1 380 012.51	357 569.20
102 20 00	1 368 326.43	342 697.45	1 368 742.81	357 875.60
22 30	1 357 049.44	343 009.57	1 357 473.25	358 187.52
25 00	1 345 772.62	343 327.21	1 346 203.86	358 504.95
27 30	1 334 495.95	343 650.38	1 334 934.62	358 827.90
102 30 00	1 323 219.44	343 979.07	1 323 665.55	359 156.38
32 30	1 311 943.09	344 313.28	1 312 396.64	359 490.37
35 00	1 300 666.90	344 653.02	1 301 127.88	359 829.88
37 30	1 289 390.89	344 998.28	1 289 859.30	360 174.91
102 40 00	1 278 115.05	345 349.06	1 278 590.89	360 535.46
42 30	1 266 839.38	345 705.36	1 267 322.65	360 881.53
45 00	1 255 563.89	346 067.19	1 256 054.59	361 243.11
47 30	1 244 288.57	346 434.53	1 244 786.71	361 610.22
102 50 00	1 233 013.42	346 807.40	1 233 519.00	361 982.84
52 30	1 221 738.48	347 185.79	1 222 251.48	362 360.98
55 00	1 210 463.71	347 569.70	1 210 984.15	362 744.64
57 30	1 199 189.14	347 959.14	1 199 717.01	363 133.82
103 00 00	1 187 914.76	348 354.10	1 188 450.06	363 528.52

LONGITUDE	LATITUDE 42 20 00 X	LATITUDE 42 20 00 Y	LATITUDE 42 22 30 X	LATITUDE 42 22 30 Y
102 00 00	1 459 261.31	370 758.73	1 459 618.23	385 938.62
02 30	1 447 998.07	371 026.31	1 448 362.41	386 206.02
05 00	1 436 734.95	371 299.42	1 437 106.74	386 478.94
07 30	1 425 471.97	371 578.03	1 425 851.19	386 757.37
102 10 00	1 414 209.12	371 862.16	1 414 595.77	387 041.32
12 30	1 402 946.42	372 151.81	1 403 340.50	387 330.78
15 00	1 391 683.86	372 446.98	1 392 085.38	387 625.75
17 30	1 380 421.45	372 747.66	1 380 830.40	387 926.23
102 20 00	1 369 159.19	373 053.85	1 369 575.57	388 232.22
22 30	1 357 897.07	373 365.56	1 358 320.88	388 543.72
25 00	1 346 635.11	373 682.78	1 347 066.36	388 860.74
27 30	1 335 373.31	374 005.52	1 335 811.99	389 183.26
102 30 00	1 324 111.66	374 333.78	1 324 557.78	389 511.31
32 30	1 312 850.18	374 667.55	1 313 303.73	389 844.86
35 00	1 301 588.86	375 006.84	1 302 049.84	390 183.92
37 30	1 290 327.71	375 351.65	1 290 796.13	390 528.50
102 40 00	1 279 066.74	375 701.96	1 279 542.58	390 878.59
42 30	1 267 805.93	376 057.80	1 268 289.21	391 234.18
45 00	1 256 545.30	376 419.14	1 257 036.02	391 595.29
47 30	1 245 284.85	376 786.00	1 245 783.00	391 961.91
102 50 00	1 234 024.57	377 158.38	1 234 530.15	392 334.04
52 30	1 222 764.49	377 536.27	1 223 277.50	392 711.68
55 00	1 211 504.59	377 919.68	1 212 025.03	393 094.83
57 30	1 200 244.88	378 308.60	1 200 772.75	393 483.50
103 00 00	1 188 985.36	378 703.04	1 189 520.67	393 877.68

LONGITUDE	LATITUDE 42 25 00 X	LATITUDE 42 25 00 Y	LATITUDE 42 27 30 X	LATITUDE 42 27 30 Y
102 00 00	1 459 975.14	401 118.61	1 460 332.06	416 298.75
02 30	1 448 726.76	401 385.84	1 449 091.12	416 565.80
05 00	1 437 478.52	401 658.58	1 437 850.31	416 838.36
07 30	1 426 230.41	401 936.83	1 426 609.63	417 116.42
102 10 00	1 414 982.42	402 220.59	1 415 369.08	417 399.99
12 30	1 403 734.59	402 509.85	1 404 128.68	417 689.07
15 00	1 392 486.90	402 804.63	1 392 888.42	417 983.65
17 30	1 381 239.36	403 104.91	1 381 648.31	418 283.73
102 20 00	1 369 991.96	403 410.70	1 370 408.35	418 589.32
22 30	1 358 744.70	403 722.00	1 359 168.53	418 900.41
25 00	1 347 497.61	404 038.80	1 347 928.87	419 217.01
27 30	1 336 250.68	404 361.11	1 336 689.37	419 539.10
102 30 00	1 325 003.90	404 688.94	1 325 450.03	419 866.72
32 30	1 313 757.29	405 022.27	1 314 210.85	420 199.83
35 00	1 302 510.83	405 361.12	1 302 971.82	420 538.45
37 30	1 291 264.55	405 705.46	1 291 732.97	420 882.57
102 40 00	1 280 018.44	406 055.32	1 280 494.29	421 232.19
42 30	1 268 772.50	406 410.68	1 269 255.79	421 587.32
45 00	1 257 526.74	406 771.55	1 258 017.46	421 947.95
47 30	1 246 281.15	407 137.93	1 246 779.30	422 314.08
102 50 00	1 235 035.73	407 509.81	1 235 541.32	422 685.72
52 30	1 223 790.51	407 887.20	1 224 303.53	423 062.86
55 00	1 212 545.48	408 270.10	1 213 065.93	423 445.51
57 30	1 201 300.63	408 658.51	1 201 828.52	423 833.66
103 00 00	1 190 055.98	409 052.43	1 190 591.29	424 227.32

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 42 15 00 X	LATITUDE 42 15 00 Y	LATITUDE 42 17 30 X	LATITUDE 42 17 30 Y
103 00 00	1 187 914.76	348 354.10	1 188 450.06	363 528.52
02 30	1 176 640.56	348 754.57	1 177 183.29	363 928.73
05 00	1 165 366.57	349 160.57	1 165 916.73	364 334.46
07 30	1 154 092.78	349 572.09	1 154 650.37	364 745.71
103 10 00	1 142 819.19	349 989.13	1 143 384.22	365 162.47
12 30	1 131 545.82	350 411.69	1 132 118.27	365 584.76
15 00	1 120 272.63	350 839.77	1 120 852.52	366 012.56
17 30	1 108 999.67	351 273.38	1 109 586.98	366 445.87
103 20 00	1 097 726.92	351 712.50	1 098 321.67	366 884.71
22 30	1 086 454.39	352 157.15	1 087 056.57	367 329.07
25 00	1 075 182.08	352 607.32	1 075 791.69	367 778.94
27 30	1 063 909.99	353 063.01	1 064 527.03	368 234.33
103 30 00	1 052 638.11	353 524.22	1 053 262.58	368 695.23
32 30	1 041 366.47	353 990.94	1 041 998.37	369 161.65
35 00	1 030 095.07	354 463.19	1 030 734.39	369 633.58
37 30	1 018 823.89	354 940.96	1 019 470.65	370 111.03
103 40 00	1 007 552.95	355 424.24	1 008 207.14	370 594.00
42 30	996 282.23	355 913.05	996 943.85	371 082.49
45 00	985 011.77	356 407.38	985 680.82	371 576.50
47 30	973 741.55	356 907.23	974 418.03	372 076.01
103 50 00	962 471.58	357 412.60	963 155.49	372 581.05
52 30	951 201.86	357 923.49	951 893.19	373 091.60
55 00	939 932.39	358 439.89	940 631.15	373 607.66
57 30	928 663.16	358 961.82	929 369.35	374 129.24
104 00 00	917 394.20	359 489.26	918 107.81	374 656.34

LONGITUDE	LATITUDE 42 20 00 X	LATITUDE 42 20 00 Y	LATITUDE 42 22 30 X	LATITUDE 42 22 30 Y
103 00 00	1 188 985.36	378 703.04	1 189 520.67	393 877.68
02 30	1 177 726.03	379 102.99	1 178 268.76	394 277.36
05 00	1 166 466.90	379 508.45	1 167 017.07	394 682.56
07 30	1 155 207.97	379 919.43	1 155 765.57	395 093.27
103 10 00	1 143 949.25	380 335.92	1 144 514.28	395 509.48
12 30	1 132 690.73	380 757.92	1 133 263.19	395 931.21
15 00	1 121 432.41	381 185.44	1 122 012.30	396 358.44
17 30	1 110 174.31	381 618.47	1 110 761.63	396 791.19
103 20 00	1 098 916.42	382 057.02	1 099 511.18	397 229.45
22 30	1 087 658.75	382 501.08	1 088 260.94	397 673.22
25 00	1 076 401.30	382 950.66	1 077 010.92	398 122.49
27 30	1 065 144.07	383 405.74	1 065 761.12	398 577.28
103 30 00	1 053 887.06	383 866.34	1 054 511.53	399 037.58
32 30	1 042 630.27	384 332.45	1 043 262.18	399 503.38
35 00	1 031 373.73	384 804.08	1 032 013.06	399 974.69
37 30	1 020 117.41	385 281.21	1 020 764.18	400 451.51
103 40 00	1 008 861.33	385 763.86	1 009 515.53	400 933.84
42 30	997 605.47	386 252.03	998 267.10	401 421.69
45 00	986 349.87	386 745.71	987 018.93	401 915.04
47 30	975 094.51	387 244.90	975 770.99	402 413.90
103 50 00	963 839.39	387 749.60	964 523.31	402 918.27
52 30	952 584.53	388 259.81	953 275.87	403 428.15
55 00	941 329.91	388 775.54	942 028.68	403 943.53
57 30	930 075.54	389 296.77	930 781.74	404 464.42
104 00 00	918 821.44	389 823.52	919 535.06	404 990.82

LONGITUDE	LATITUDE 42 25 00 X	LATITUDE 42 25 00 Y	LATITUDE 42 27 30 X	LATITUDE 42 27 30 Y
103 00 00	1 190 055.98	409 052.43	1 190 591.29	424 337.32
02 30	1 178 811.51	409 451.85	1 179 354.25	424 636.48
05 00	1 167 567.24	409 856.78	1 168 117.42	425 031.14
07 30	1 156 323.18	410 267.21	1 156 880.79	425 441.30
103 10 00	1 145 079.32	410 683.15	1 145 644.36	425 856.97
12 30	1 133 835.66	411 104.60	1 134 408.14	426 278.14
15 00	1 122 592.20	411 531.55	1 123 172.11	426 704.81
17 30	1 111 348.96	411 964.01	1 111 936.30	427 136.98
103 20 00	1 100 105.94	412 401.98	1 100 700.71	427 574.66
22 30	1 088 863.13	412 845.46	1 089 465.33	428 017.84
25 00	1 077 620.54	413 294.44	1 078 230.17	428 466.53
27 30	1 066 378.17	413 748.93	1 066 995.23	428 920.71
103 30 00	1 055 136.02	414 208.92	1 055 760.50	429 380.40
32 30	1 043 894.10	414 674.42	1 044 526.01	429 845.59
35 00	1 032 652.41	415 145.42	1 033 291.76	430 316.28
37 30	1 021 410.95	415 621.92	1 022 057.73	430 792.47
103 40 00	1 010 169.73	416 103.93	1 010 823.94	431 274.17
42 30	998 928.73	416 591.46	999 590.37	431 761.36
45 00	987 687.99	417 084.48	988 357.05	432 254.07
47 30	976 447.48	417 583.01	977 123.98	432 752.26
103 50 00	965 207.23	418 087.05	965 891.15	433 255.97
52 30	953 967.22	418 596.59	954 658.57	433 765.17
55 00	942 727.46	419 111.63	943 426.24	434 279.87
57 30	931 487.94	419 632.18	932 194.16	434 800.08
104 00 00	920 248.70	420 158.23	920 962.34	435 325.78

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 15 00 X	LATITUDE 42 15 00 Y	LATITUDE 42 17 30 X	LATITUDE 42 17 30 Y
104 00 00	917 394.20	359 489.26	918 107.81	374 656.34
02 30	906 125.50	360 022.22	906 846.54	375 188.95
05 00	894 857.06	360 560.70	895 585.53	375 727.07
07 30	883 588.89	361 104.70	884 324.79	376 270.71
104 10 00	872 320.97	361 654.22	873 064.30	376 819.87
12 30	861 053.33	362 209.26	861 804.09	377 374.54
15 00	849 785.97	362 769.81	850 544.15	377 934.73

LONGITUDE	LATITUDE 42 20 00 X	LATITUDE 42 20 00 Y	LATITUDE 42 22 30 X	LATITUDE 42 22 30 Y
104 00 00	918 821.44	389 823.52	919 535.06	404 990.82
02 30	907 567.59	390 355.78	908 288.65	405 532.73
05 00	896 314.01	390 893.55	897 042.49	406 060.14
07 30	885 060.69	391 436.83	885 796.60	406 603.07
104 10 00	873 807.63	391 985.63	874 550.97	407 151.50
12 30	862 554.85	392 539.93	863 305.61	407 705.44
15 00	851 302.34	393 099.75	852 060.54	408 264.89

LONGITUDE	LATITUDE 42 25 00 X	LATITUDE 42 25 00 Y	LATITUDE 42 27 30 X	LATITUDE 42 27 30 Y
104 00 00	920 248.70	420 158.23	920 962.34	435 335.78
02 30	909 009.71	420 689.79	909 730.78	435 856.99
05 00	897 770.98	421 226.85	898 499.48	436 393.69
07 30	886 532.52	421 769.41	887 268.44	436 935.90
104 10 00	875 294.31	422 317.49	876 037.66	437 483.61
12 30	864 056.39	422 871.06	864 807.16	438 036.82
15 00	852 818.73	423 430.14	853 576.94	438 595.53

NEBRASKA - NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 42 30 00 X	LATITUDE 42 30 00 Y	LATITUDE 42 32 30 X	LATITUDE 42 32 30 Y
96 00 00	3 078 324.02	450 493.45	3 077 610.37	465 661.29
02 30	3 067 099.63	449 968.10	3 066 393.40	465 136.29
05 00	3 055 874.97	449 448.24	3 055 176.17	464 616.77
07 30	3 044 650.07	448 933.87	3 043 958.70	464 102.75
96 10 00	3 033 424.92	448 425.01	3 032 740.98	463 594.82
12 30	3 022 199.52	447 921.64	3 021 523.01	463 091.18
15 00	3 010 973.87	447 423.77	3 010 304.79	462 593.64
17 30	2 999 747.99	446 931.39	2 999 086.34	462 101.59
96 20 00	2 988 521.85	446 444.52	2 987 867.63	461 615.04
22 30	2 977 295.49	445 963.14	2 976 648.70	461 133.98
25 00	2 966 068.89	445 487.26	2 965 429.53	460 658.42
27 30	2 954 842.06	445 016.89	2 954 210.13	460 188.35
96 30 00	2 943 615.00	444 552.00	2 942 990.50	459 723.78
32 30	2 932 387.71	444 092.62	2 931 770.64	459 264.70
35 00	2 921 160.20	443 638.73	2 920 550.56	458 811.11
37 30	2 909 932.47	443 190.35	2 909 330.26	458 363.02
96 40 00	2 898 704.52	442 747.46	2 898 109.75	457 920.42
42 30	2 887 476.36	442 310.07	2 886 889.01	457 483.32
45 00	2 876 247.98	441 878.18	2 875 668.07	457 051.72
47 30	2 865 019.39	441 451.79	2 864 446.90	456 625.61
96 50 00	2 853 790.59	441 030.90	2 853 225.54	456 205.00
52 30	2 842 561.59	440 615.51	2 842 003.97	455 789.89
55 00	2 831 332.39	440 205.62	2 830 782.20	455 380.27
57 30	2 820 102.99	439 801.22	2 819 560.24	454 976.14
97 00 00	2 808 873.39	439 402.33	2 808 338.06	454 577.51

LONGITUDE	LATITUDE 42 35 00 X	LATITUDE 42 35 00 Y	LATITUDE 42 37 30 X	LATITUDE 42 37 30 Y
96 00 00	3 076 896.71	480 829.25	3 076 183.04	495 997.39
02 30	3 065 687.17	480 304.59	3 064 980.93	495 473.08
05 00	3 054 477.37	479 785.42	3 053 778.56	494 954.25
07 30	3 043 267.33	479 271.74	3 042 575.95	494 440.91
96 10 00	3 032 057.04	478 763.55	3 031 373.08	493 933.05
12 30	3 020 846.50	478 260.84	3 020 169.97	493 430.68
15 00	3 009 635.71	477 763.63	3 008 966.62	492 933.80
17 30	2 998 424.68	477 271.91	2 997 763.02	492 442.41
96 20 00	2 987 213.41	476 785.68	2 986 559.17	491 956.50
22 30	2 976 001.90	476 304.94	2 975 355.10	491 476.08
25 00	2 964 790.16	475 829.69	2 964 150.79	491 001.14
27 30	2 953 578.20	475 359.94	2 952 946.25	490 531.70
96 30 00	2 942 366.00	474 895.67	2 941 741.48	490 067.74
32 30	2 931 153.56	474 436.89	2 930 536.48	489 609.27
35 00	2 919 940.91	473 983.61	2 919 331.26	489 156.28
37 30	2 908 728.05	473 535.81	2 908 125.83	488 708.79
96 40 00	2 897 514.96	473 093.51	2 896 920.17	488 266.78
42 30	2 886 301.66	472 656.70	2 885 714.30	487 830.25
45 00	2 875 088.15	472 225.38	2 874 508.22	487 399.22
47 30	2 863 874.41	471 799.56	2 863 301.92	486 973.68
96 50 00	2 852 660.48	471 379.23	2 852 095.42	486 553.63
52 30	2 841 446.35	470 964.39	2 840 888.71	486 139.06
55 00	2 830 232.01	470 555.04	2 829 681.81	485 729.99
57 30	2 819 017.47	470 151.18	2 818 474.70	485 326.39
97 00 00	2 807 802.73	469 752.81	2 807 267.39	484 928.29

LONGITUDE	LATITUDE 42 40 00 X	LATITUDE 42 40 00 Y	LATITUDE 42 42 30 X	LATITUDE 42 42 30 Y
96 00 00	3 075 469.37	511 165.69	3 074 755.68	526 334.18
02 30	3 064 274.69	510 641.73	3 063 568.43	525 810.57
05 00	3 053 079.75	510 123.24	3 052 380.92	525 292.42
07 30	3 041 884.56	509 610.24	3 041 193.16	524 779.77
96 10 00	3 030 689.13	509 102.72	3 030 005.16	524 272.58
12 30	3 019 493.44	508 600.69	3 018 816.91	523 770.88
15 00	3 008 297.52	508 104.13	3 007 628.41	523 274.66
17 30	2 997 101.35	507 613.06	2 996 439.67	522 783.91
96 20 00	2 985 904.93	507 127.48	2 985 250.68	522 298.64
22 30	2 974 708.29	506 647.37	2 974 061.47	521 818.86
25 00	2 963 511.41	506 172.76	2 962 872.02	521 344.56
27 30	2 952 314.30	505 703.62	2 951 682.35	520 875.74
96 30 00	2 941 116.96	505 239.97	2 940 492.44	520 412.40
32 30	2 929 919.39	504 781.81	2 929 302.30	519 954.53
35 00	2 918 721.61	504 329.12	2 918 111.94	519 502.15
37 30	2 907 523.60	503 881.92	2 906 921.36	519 055.25
96 40 00	2 896 325.38	503 440.20	2 895 730.57	518 613.82
42 30	2 885 126.94	503 003.97	2 884 539.57	518 177.88
45 00	2 873 928.29	502 573.23	2 873 348.35	517 747.42
47 30	2 862 729.41	502 147.97	2 862 156.91	517 322.44
96 50 00	2 851 530.35	501 728.19	2 850 965.27	516 902.94
52 30	2 840 331.08	501 313.90	2 839 773.43	516 488.93
55 00	2 829 131.60	500 905.09	2 828 581.39	516 080.39
57 30	2 817 931.93	500 501.77	2 817 389.15	515 677.34
97 00 00	2 806 732.05	500 103.93	2 806 196.70	515 279.76

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 30 00 X	LATITUDE 42 30 00 Y	LATITUDE 42 32 30 X	LATITUDE 42 32 30 Y
97 00 00	2 808 873.39	439 402.33	2 808 338.06	454 577.51
02 30	2 797 643.60	439 008.93	2 797 115.70	454 184.38
05 00	2 786 413.62	438 621.04	2 785 893.15	453 796.74
07 30	2 775 183.44	438 238.65	2 774 670.41	453 414.60
97 10 00	2 763 953.09	437 861.75	2 763 447.49	453 037.95
12 30	2 752 722.54	437 490.36	2 752 224.37	452 666.81
15 00	2 741 491.82	437 124.47	2 741 001.08	452 301.16
17 30	2 730 260.92	436 764.07	2 729 777.62	451 941.00
97 20 00	2 719 029.84	436 409.18	2 718 553.98	451 586.34
22 30	2 707 798.60	436 059.79	2 707 330.17	451 237.18
25 00	2 696 567.19	435 715.90	2 696 106.19	450 893.52
27 30	2 685 335.59	435 377.50	2 684 882.02	450 555.35
97 30 00	2 674 103.84	435 044.61	2 673 657.71	450 222.68
32 30	2 662 871.94	434 717.22	2 662 433.24	449 895.50
35 00	2 651 639.87	434 395.33	2 651 208.60	449 573.82
37 30	2 640 407.64	434 078.95	2 639 983.81	449 257.65
97 40 00	2 629 175.26	433 768.06	2 628 758.86	448 946.97
42 30	2 617 942.73	433 462.67	2 617 533.76	448 641.79
45 00	2 606 710.05	433 162.79	2 606 308.52	448 342.10
47 30	2 595 477.23	432 868.40	2 595 083.13	448 047.91
97 50 00	2 584 244.26	432 579.52	2 583 857.60	447 759.22
52 30	2 573 011.15	432 296.14	2 572 631.92	447 476.02
55 00	2 561 777.90	432 018.26	2 561 406.11	447 198.32
57 30	2 550 544.53	431 745.87	2 550 180.17	446 926.12
98 00 00	2 539 311.02	431 479.00	2 538 954.09	446 659.42

LONGITUDE	LATITUDE 42 35 00 X	LATITUDE 42 35 00 Y	LATITUDE 42 37 30 X	LATITUDE 42 37 30 Y
97 00 00	2 807 802.73	469 752.81	2 807 267.39	484 928.29
02 30	2 796 587.80	469 359.94	2 796 059.90	484 535.68
05 00	2 785 372.69	468 972.55	2 784 852.22	484 148.55
07 30	2 774 157.38	468 590.67	2 773 644.34	483 766.92
97 10 00	2 762 941.89	468 214.27	2 762 436.28	483 390.77
12 30	2 751 726.20	467 843.37	2 751 228.03	483 020.12
15 00	2 740 510.35	467 477.96	2 740 019.61	482 654.95
17 30	2 729 294.32	467 118.05	2 728 811.01	482 295.27
97 20 00	2 718 078.11	466 763.62	2 717 602.23	481 941.09
22 30	2 706 861.73	466 414.69	2 706 393.29	481 592.39
25 00	2 695 645.18	466 071.26	2 695 184.17	481 249.18
27 30	2 684 428.45	465 733.31	2 683 974.88	480 911.46
97 30 00	2 673 211.57	465 400.86	2 672 765.43	480 579.22
32 30	2 661 994.53	465 073.90	2 661 555.82	480 252.48
35 00	2 650 777.33	464 752.44	2 650 346.06	479 931.23
37 30	2 639 559.97	464 436.47	2 639 136.13	479 615.48
97 40 00	2 628 342.45	464 126.00	2 627 926.05	479 305.21
42 30	2 617 124.79	463 821.02	2 616 715.82	479 000.43
45 00	2 605 906.99	463 521.53	2 605 505.45	478 701.14
47 30	2 594 689.03	463 227.53	2 594 294.93	478 407.34
97 50 00	2 583 470.94	462 939.03	2 583 084.27	478 119.03
52 30	2 572 252.69	462 656.02	2 571 873.45	477 836.21
55 00	2 561 034.31	462 378.51	2 560 662.51	477 558.88
57 30	2 549 815.81	462 106.49	2 549 451.44	477 287.04
98 00 00	2 538 597.17	461 839.97	2 538 240.23	477 020.69

LONGITUDE	LATITUDE 42 40 00 X	LATITUDE 42 40 00 Y	LATITUDE 42 42 30 X	LATITUDE 42 42 30 Y
97 00 00	2 806 732.05	500 103.93	2 806 196.70	515 279.76
02 30	2 795 531.99	499 711.58	2 795 004.07	514 887.67
05 00	2 784 331.74	499 324.71	2 783 811.25	514 501.06
07 30	2 773 131.29	498 943.33	2 772 618.24	514 119.93
97 10 00	2 761 930.67	498 567.43	2 761 425.05	513 744.28
12 30	2 750 729.85	498 197.02	2 750 231.67	513 374.12
15 00	2 739 528.86	497 832.10	2 739 038.11	513 009.44
17 30	2 728 327.70	497 472.66	2 727 844.38	512 650.24
97 20 00	2 717 126.35	497 118.71	2 716 650.47	512 296.52
22 30	2 705 924.84	496 770.24	2 705 456.39	511 948.28
25 00	2 694 723.16	496 427.26	2 694 262.14	511 605.53
27 30	2 683 521.30	496 089.76	2 683 067.71	511 268.25
97 30 00	2 672 319.29	495 757.75	2 671 873.13	510 936.46
32 30	2 661 117.11	495 431.22	2 660 678.39	510 610.15
35 00	2 649 914.78	495 110.19	2 649 483.49	510 289.33
37 30	2 638 712.29	494 794.64	2 638 288.44	509 973.99
97 40 00	2 627 509.64	494 484.57	2 627 093.22	509 664.13
42 30	2 616 306.84	494 180.00	2 615 897.86	509 359.76
45 00	2 605 103.90	493 880.91	2 604 702.36	509 060.87
47 30	2 593 900.82	493 587.30	2 593 506.71	508 767.46
97 50 00	2 582 697.59	493 299.18	2 582 310.91	508 479.53
52 30	2 571 494.21	493 016.55	2 571 114.97	508 197.08
55 00	2 560 290.71	492 739.41	2 559 918.90	507 920.12
57 30	2 549 087.07	492 467.75	2 548 722.69	507 648.64
98 00 00	2 537 883.30	492 201.58	2 537 526.36	507 382.65

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 30 00 X	LATITUDE 42 30 00 Y	LATITUDE 42 32 30 X	LATITUDE 42 32 30 Y
98 00 00	2 539 311.02	431 479.00	2 538 954.09	446 659.42
02 30	2 528 077.38	431 217.63	2 527 727.89	446 398.22
05 00	2 516 843.62	430 961.75	2 516 501.56	446 142.52
07 30	2 505 609.71	430 711.38	2 505 275.09	445 892.32
98 10 00	2 494 375.70	430 466.51	2 494 048.52	445 647.61
12 30	2 483 141.58	430 227.15	2 482 821.82	445 408.40
15 00	2 471 907.33	429 993.28	2 471 595.01	445 174.69
17 30	2 460 672.97	429 764.91	2 460 368.09	444 946.47
98 20 00	2 449 438.49	429 542.05	2 449 141.05	444 723.75
22 30	2 438 203.91	429 324.69	2 437 913.90	444 506.54
25 00	2 426 969.24	429 112.83	2 426 686.66	444 294.82
27 30	2 415 734.45	428 906.48	2 415 459.31	444 088.60
98 30 00	2 404 499.57	428 705.63	2 404 231.86	443 887.89
32 30	2 393 264.59	428 510.27	2 393 004.32	443 692.66
35 00	2 382 029.50	428 320.43	2 381 776.67	443 502.94
37 30	2 370 794.33	428 136.08	2 370 548.93	443 318.71
98 40 00	2 359 559.08	427 957.23	2 359 321.11	443 139.99
42 30	2 348 323.73	427 783.89	2 348 093.21	442 966.76
45 00	2 337 088.31	427 616.05	2 336 865.22	442 799.03
47 30	2 325 852.79	427 453.71	2 325 637.14	442 636.80
98 50 00	2 314 617.21	427 296.88	2 314 408.99	442 480.07
52 30	2 303 381.55	427 145.55	2 303 180.77	442 328.84
55 00	2 292 145.82	426 999.72	2 291 952.47	442 183.11
57 30	2 280 910.01	426 859.39	2 280 724.10	442 042.88
99 00 00	2 269 674.13	426 724.57	2 269 495.66	441 908.14

LONGITUDE	LATITUDE 42 35 00 X	LATITUDE 42 35 00 Y	LATITUDE 42 37 30 X	LATITUDE 42 37 30 Y
98 00 00	2 538 597.17	461 839.97	2 538 240.23	477 030.69
02 30	2 527 378.40	461 578.94	2 527 028.90	476 759.84
05 00	2 516 159.50	461 323.41	2 515 817.44	476 504.48
07 30	2 504 940.47	461 073.37	2 504 605.84	476 254.60
98 10 00	2 493 721.33	460 828.82	2 493 394.13	476 010.22
12 30	2 482 502.07	460 589.77	2 482 182.31	475 771.32
15 00	2 471 282.69	460 356.21	2 470 970.37	475 537.92
17 30	2 460 063.21	460 128.15	2 459 758.32	475 310.01
98 20 00	2 448 843.60	459 905.58	2 448 546.15	475 087.59
22 30	2 437 623.89	459 688.51	2 437 333.87	474 870.66
25 00	2 426 404.08	459 476.93	2 426 121.50	474 659.22
27 30	2 415 184.17	459 270.85	2 414 909.02	474 453.28
98 30 00	2 403 964.15	459 070.27	2 403 696.45	474 252.82
32 30	2 392 744.05	458 875.17	2 392 483.77	474 057.86
35 00	2 381 523.83	458 685.58	2 381 270.99	473 868.39
37 30	2 370 303.53	458 501.47	2 370 058.13	473 684.41
98 40 00	2 359 083.15	458 322.86	2 358 845.18	473 505.92
42 30	2 347 862.68	458 149.75	2 347 632.15	473 332.92
45 00	2 336 642.13	457 982.13	2 336 419.03	473 165.41
47 30	2 325 421.48	457 820.01	2 325 205.82	473 003.40
98 50 00	2 314 200.77	457 663.38	2 313 992.55	472 846.87
52 30	2 302 979.98	457 512.25	2 302 779.19	472 695.84
55 00	2 291 759.12	457 366.62	2 291 565.77	472 550.31
57 30	2 280 538.19	457 226.48	2 280 352.27	472 410.26
99 00 00	2 269 317.18	457 091.83	2 269 138.70	472 275.70

LONGITUDE	LATITUDE 42 40 00 X	LATITUDE 42 40 00 Y	LATITUDE 42 42 30 X	LATITUDE 42 42 30 Y
98 00 00	2 537 883.30	492 201.58	2 537 526.36	507 382.65
02 30	2 526 679.40	491 940.90	2 526 329.89	507 122.14
05 00	2 515 475.37	491 685.70	2 515 133.30	506 867.12
07 30	2 504 271.21	491 435.99	2 503 936.58	506 617.58
98 10 00	2 493 066.94	491 191.77	2 492 739.74	506 373.52
12 30	2 481 862.55	490 953.04	2 481 542.79	506 134.94
15 00	2 470 658.05	490 719.79	2 470 345.72	505 901.85
17 30	2 459 453.43	490 492.03	2 459 148.53	505 674.24
98 20 00	2 448 248.69	490 269.75	2 447 951.23	505 452.11
22 30	2 437 043.86	490 052.97	2 436 753.83	505 235.47
25 00	2 425 838.92	489 841.67	2 425 556.33	505 024.31
27 30	2 414 633.87	489 635.87	2 414 358.72	504 818.64
98 30 00	2 403 428.73	489 435.54	2 403 161.02	504 618.45
32 30	2 392 223.49	489 240.71	2 391 963.21	504 423.75
35 00	2 381 018.15	489 051.37	2 380 765.31	504 234.53
37 30	2 369 812.73	488 867.50	2 369 567.32	504 050.79
98 40 00	2 358 607.21	488 689.13	2 358 369.24	503 872.54
42 30	2 347 401.61	488 516.25	2 347 171.08	503 699.77
45 00	2 336 195.93	488 348.85	2 335 972.83	503 532.48
47 30	2 324 990.16	488 186.94	2 324 774.50	503 370.68
98 50 00	2 313 784.32	488 030.53	2 313 576.09	503 214.37
52 30	2 302 578.40	487 879.60	2 302 377.61	503 063.54
55 00	2 291 372.42	487 734.16	2 291 179.06	502 918.20
57 30	2 280 166.36	487 594.20	2 279 980.44	502 778.33
99 00 00	2 268 960.22	487 459.74	2 268 781.74	502 643.96

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 30 00 X	LATITUDE 42 30 00 Y	LATITUDE 42 32 30 X	LATITUDE 42 32 30 Y
99 00 00	2 269 674.13	426 724.57	2 269 495.66	441 908.14
02 30	2 258 438.20	426 595.25	2 258 267.16	441 778.91
05 00	2 247 202.20	426 471.43	2 247 038.60	441 655.17
07 30	2 235 966.15	426 353.11	2 235 809.98	441 536.93
99 10 00	2 224 730.03	426 240.30	2 224 581.30	441 424.19
12 30	2 213 493.87	426 132.99	2 213 352.57	441 316.95
15 00	2 202 257.64	426 031.19	2 202 123.78	441 215.28
17 30	2 191 021.37	425 934.88	2 190 894.95	441 118.98
99 20 00	2 179 785.06	425 844.09	2 179 666.07	441 028.24
22 30	2 168 548.70	425 758.79	2 168 437.16	440 943.00
25 00	2 157 312.31	425 678.99	2 157 208.20	440 863.25
27 30	2 146 075.86	425 604.70	2 145 979.19	440 789.01
99 30 00	2 134 839.40	425 535.91	2 134 750.16	440 720.27
32 30	2 123 602.89	425 472.62	2 123 521.09	440 657.02
35 00	2 112 366.36	425 414.84	2 112 292.00	440 599.27
37 30	2 101 129.81	425 362.56	2 101 062.88	440 547.03
99 40 00	2 089 893.21	425 315.78	2 089 833.72	440 500.29
42 30	2 078 656.61	425 274.51	2 078 604.55	440 459.04
45 00	2 067 419.99	425 238.74	2 067 375.37	440 423.30
47 30	2 056 183.35	425 208.47	2 056 146.17	440 393.05
99 50 00	2 044 946.70	425 183.71	2 044 916.95	440 368.30
52 30	2 033 710.04	425 164.45	2 033 687.73	440 349.05
55 00	2 022 473.35	425 150.69	2 022 458.48	440 335.30
57 30	2 011 236.68	425 142.43	2 011 229.24	440 327.05
100 00 00	2 000 000.00	425 139.68	2 000 000.00	440 324.30

LONGITUDE	LATITUDE 42 35 00 X	LATITUDE 42 35 00 Y	LATITUDE 42 37 30 X	LATITUDE 42 37 30 Y
99 00 00	2 269 317.18	457 091.83	2 269 138.70	472 275.70
02 30	2 258 096.12	456 962.68	2 257 925.07	472 146.64
05 00	2 246 874.99	456 839.03	2 246 711.39	472 023.07
07 30	2 235 653.81	456 720.87	2 235 497.64	471 904.98
99 10 00	2 224 432.57	456 608.20	2 224 283.84	471 792.40
12 30	2 213 211.28	456 501.04	2 213 069.98	471 685.30
15 00	2 201 989.92	456 399.37	2 201 856.06	471 583.70
17 30	2 190 768.53	456 303.19	2 190 642.10	471 487.58
99 20 00	2 179 547.09	456 212.51	2 179 428.10	471 396.97
22 30	2 168 325.61	456 127.33	2 168 214.06	471 311.84
25 00	2 157 104.08	456 047.64	2 156 999.97	471 232.20
27 30	2 145 882.51	455 973.44	2 145 785.83	471 158.06
99 30 00	2 134 660.92	455 904.74	2 134 571.68	471 089.40
32 30	2 123 439.29	455 841.54	2 123 357.48	471 026.24
35 00	2 112 217.63	455 783.83	2 112 143.26	470 968.57
37 30	2 100 995.95	455 731.62	2 100 929.02	470 916.40
99 40 00	2 089 774.23	455 684.91	2 089 714.73	470 869.71
42 30	2 078 552.50	455 643.69	2 078 500.44	470 828.52
45 00	2 067 330.75	455 607.97	2 067 286.13	470 792.83
47 30	2 056 108.98	455 577.74	2 056 071.80	470 762.62
99 50 00	2 044 887.21	455 553.01	2 044 857.46	470 737.90
52 30	2 033 665.42	455 533.78	2 033 643.11	470 718.68
55 00	2 022 443.61	455 520.04	2 022 428.73	470 704.95
57 30	2 011 221.81	455 511.79	2 011 214.37	470 696.71
100 00 00	2 000 000.00	455 509.04	2 000 000.00	470 693.96

LONGITUDE	LATITUDE 42 40 00 X	LATITUDE 42 40 00 Y	LATITUDE 42 42 30 X	LATITUDE 42 42 30 Y
99 00 00	2 268 960.22	487 459.74	2 268 781.74	502 643.96
02 30	2 257 754.03	487 330.76	2 257 582.98	502 515.06
05 00	2 246 547.78	487 207.26	2 246 384.17	502 391.65
07 30	2 235 341.47	487 089.26	2 235 185.30	502 273.73
99 10 00	2 224 135.10	486 976.75	2 223 986.37	502 161.29
12 30	2 212 928.68	486 869.72	2 212 787.38	502 054.34
15 00	2 201 722.20	486 768.19	2 201 588.34	501 952.87
17 30	2 190 515.68	486 672.14	2 190 389.25	501 856.88
99 20 00	2 179 309.11	486 581.58	2 179 190.12	501 766.38
22 30	2 168 102.50	486 496.51	2 167 990.95	501 681.37
25 00	2 156 895.85	486 416.92	2 156 791.74	501 601.84
27 30	2 145 689.15	486 342.83	2 145 592.47	501 527.79
99 30 00	2 134 482.43	486 274.22	2 134 393.19	501 459.23
32 30	2 123 275.68	486 211.10	2 123 193.87	501 396.15
35 00	2 112 068.89	486 153.47	2 111 994.53	501 338.56
37 30	2 100 862.08	486 101.33	2 100 795.15	501 286.45
99 40 00	2 089 655.24	486 054.68	2 089 595.74	501 239.83
42 30	2 078 448.38	486 013.51	2 078 396.32	501 198.70
45 00	2 067 241.51	485 977.84	2 067 196.88	501 163.04
47 30	2 056 034.62	485 947.65	2 055 997.43	501 132.88
99 50 00	2 044 827.71	485 922.95	2 044 797.96	501 108.20
52 30	2 033 620.80	485 903.74	2 033 598.48	501 089.00
55 00	2 022 413.86	485 890.02	2 022 398.99	501 075.28
57 30	2 011 206.93	485 881.79	2 011 199.50	501 067.05
100 00 00	2 000 000.00	485 879.04	2 000 000.00	501 064.31

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 30 00 X	LATITUDE 42 30 00 Y	LATITUDE 42 32 30 X	LATITUDE 42 32 30 Y
100 00 00	2 000 000.00	425 139.68	2 000 000.00	440 324.30
02 30	1 988 763.32	425 142.43	1 988 770.76	440 327.05
05 00	1 977 526.65	425 150.69	1 977 541.52	440 335.30
07 30	1 966 289.96	425 164.45	1 966 312.27	440 349.05
100 10 00	1 955 053.30	425 183.71	1 955 083.05	440 368.30
12 30	1 943 816.65	425 208.47	1 943 853.83	440 393.05
15 00	1 932 580.01	425 238.74	1 932 624.63	440 423.30
17 30	1 921 343.39	425 274.51	1 921 395.45	440 459.04
100 20 00	1 910 106.79	425 315.78	1 910 166.28	440 500.29
22 30	1 898 870.19	425 362.56	1 898 937.12	440 547.03
25 00	1 887 633.64	425 414.84	1 887 708.00	440 599.27
27 30	1 876 397.11	425 472.62	1 876 478.91	440 657.02
100 30 00	1 865 160.60	425 535.91	1 865 249.84	440 720.27
32 30	1 853 924.14	425 604.70	1 854 020.81	440 789.01
35 00	1 842 687.69	425 678.99	1 842 791.80	440 863.25
37 30	1 831 451.30	425 758.79	1 831 562.84	440 943.00
100 40 00	1 820 214.94	425 844.09	1 820 333.93	441 028.24
42 30	1 808 978.63	425 934.88	1 809 105.05	441 118.98
45 00	1 797 742.36	426 031.19	1 797 876.28	441 215.22
47 30	1 786 506.13	426 132.99	1 786 647.43	441 316.95
100 50 00	1 775 269.97	426 240.30	1 775 418.70	441 424.19
52 30	1 764 033.85	426 353.11	1 764 190.02	441 536.93
55 00	1 752 797.80	426 471.43	1 752 961.40	441 655.17
57 30	1 741 561.80	426 595.25	1 741 732.84	441 778.91
101 00 00	1 730 325.87	426 724.57	1 730 504.34	441 908.14

LONGITUDE	LATITUDE 42 35 00 X	LATITUDE 42 35 00 Y	LATITUDE 42 37 30 X	LATITUDE 42 37 30 Y
100 00 00	2 000 000.00	455 509.04	2 000 000.00	470 693.96
02 30	1 988 778.19	455 511.79	1 988 785.63	470 696.71
05 00	1 977 556.39	455 520.04	1 977 571.27	470 704.95
07 30	1 966 334.58	455 533.78	1 966 356.89	470 718.68
100 10 00	1 955 112.79	455 553.01	1 955 142.54	470 737.90
12 30	1 943 891.02	455 577.74	1 943 928.20	470 762.62
15 00	1 932 669.25	455 607.97	1 932 713.87	470 792.83
17 30	1 921 447.50	455 643.69	1 921 499.56	470 828.52
100 20 00	1 910 225.77	455 684.91	1 910 285.27	470 869.71
22 30	1 899 004.05	455 731.62	1 899 070.98	470 916.40
25 00	1 887 782.37	455 783.83	1 887 856.74	470 968.57
27 30	1 876 560.71	455 841.54	1 876 642.52	471 026.24
100 30 00	1 865 339.08	455 904.74	1 865 428.32	471 089.40
32 30	1 854 117.49	455 973.44	1 854 214.17	471 158.06
35 00	1 842 895.92	456 047.64	1 843 000.03	471 232.20
37 30	1 831 674.39	456 127.33	1 831 785.94	471 311.84
100 40 00	1 820 452.91	456 212.51	1 820 571.90	471 396.97
42 30	1 809 231.47	456 303.19	1 809 357.90	471 487.58
45 00	1 798 010.08	456 399.37	1 798 143.94	471 583.70
47 30	1 786 788.72	456 501.04	1 786 930.02	471 685.30
100 50 00	1 775 567.43	456 608.20	1 775 716.16	471 792.40
52 30	1 764 346.19	456 720.87	1 764 502.36	471 904.98
55 00	1 753 125.01	456 839.03	1 753 288.61	472 023.07
57 30	1 741 903.88	456 962.68	1 742 074.93	472 146.64
101 00 00	1 730 682.82	457 091.83	1 730 861.30	472 275.70

LONGITUDE	LATITUDE 42 40 00 X	LATITUDE 42 40 00 Y	LATITUDE 42 42 30 X	LATITUDE 42 42 30 Y
100 00 00	2 000 000.00	485 879.04	2 000 000.00	501 064.31
02 30	1 988 793.07	485 881.79	1 988 800.50	501 067.05
05 00	1 977 586.14	485 890.02	1 977 601.01	501 075.28
07 30	1 966 379.20	485 903.74	1 966 401.52	501 089.00
100 10 00	1 955 172.29	485 922.95	1 955 202.04	501 108.20
12 30	1 943 965.38	485 947.65	1 944 002.57	501 132.88
15 00	1 932 758.49	485 977.84	1 932 803.12	501 163.04
17 30	1 921 551.62	486 013.51	1 921 603.68	501 198.70
100 20 00	1 910 344.78	486 054.68	1 910 404.26	501 239.83
22 30	1 899 137.92	486 101.33	1 899 204.85	501 286.45
25 00	1 887 931.11	486 153.47	1 888 005.47	501 338.56
27 30	1 876 724.32	486 211.10	1 876 806.13	501 396.15
100 30 00	1 865 517.57	486 274.22	1 865 606.81	501 459.23
32 30	1 854 310.85	486 342.83	1 854 407.53	501 527.79
35 00	1 843 104.15	486 416.92	1 843 208.26	501 601.84
37 30	1 831 897.50	486 496.51	1 832 009.05	501 681.37
100 40 00	1 820 690.89	486 581.58	1 820 809.88	501 766.38
42 30	1 809 484.32	486 672.14	1 809 610.75	501 856.88
45 00	1 798 277.80	486 768.19	1 798 411.66	501 952.87
47 30	1 787 071.32	486 869.72	1 787 212.62	502 054.34
100 50 00	1 775 864.90	486 976.75	1 776 013.63	502 161.29
52 30	1 764 658.53	487 089.26	1 764 814.70	502 273.73
55 00	1 753 452.22	487 207.26	1 753 615.83	502 391.65
57 30	1 742 245.97	487 330.76	1 742 417.02	502 515.06
101 00 00	1 731 039.78	487 459.74	1 731 218.26	502 643.96

NEBRASKA - NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 42 30 00 X	LATITUDE 42 30 00 Y	LATITUDE 42 32 30 X	LATITUDE 42 32 30 Y
101 00 00	1 730 325.87	426 724.57	1 730 504.34	441 908.14
02 30	1 719 089.99	426 859.39	1 719 275.90	442 042.88
05 00	1 707 854.18	426 999.72	1 708 047.53	442 183.11
07 30	1 696 618.45	427 145.55	1 696 819.23	442 328.84
101 10 00	1 685 382.79	427 296.88	1 685 591.01	442 480.07
12 30	1 674 147.21	427 453.71	1 674 362.86	442 636.80
15 00	1 662 911.69	427 616.05	1 663 134.78	442 799.03
17 30	1 651 676.27	427 783.89	1 651 906.79	442 966.76
101 20 00	1 640 440.92	427 957.23	1 640 678.89	443 139.99
22 30	1 629 205.67	428 136.08	1 629 451.07	443 318.71
25 00	1 617 970.50	428 320.43	1 618 223.33	443 502.94
27 30	1 606 735.41	428 510.27	1 606 995.68	443 692.66
101 30 00	1 595 500.43	428 705.63	1 595 768.14	443 887.89
32 30	1 584 265.55	428 906.48	1 584 540.69	444 088.60
35 00	1 573 030.76	429 112.83	1 573 313.34	444 294.82
37 30	1 561 796.09	429 324.69	1 562 086.10	444 506.54
101 40 00	1 550 561.51	429 542.05	1 550 858.95	444 723.75
42 30	1 539 327.03	429 764.91	1 539 631.91	444 946.47
45 00	1 528 092.67	429 993.28	1 528 404.99	445 174.69
47 30	1 516 858.42	430 227.15	1 517 178.18	445 408.40
101 50 00	1 505 624.30	430 466.51	1 505 951.48	445 647.61
52 30	1 494 390.29	430 711.38	1 494 724.91	445 892.32
55 00	1 483 156.38	430 961.75	1 483 498.44	446 142.52
57 30	1 471 922.62	431 217.63	1 472 272.11	446 398.22
102 00 00	1 460 688.98	431 479.00	1 461 045.91	446 659.42

LONGITUDE	LATITUDE 42 35 00 X	LATITUDE 42 35 00 Y	LATITUDE 42 37 30 X	LATITUDE 42 37 30 Y
101 00 00	1 730 682.82	457 091.83	1 730 861.30	472 275.70
02 30	1 719 461.81	457 226.48	1 719 647.73	472 410.26
05 00	1 708 240.88	457 366.62	1 708 434.23	472 550.31
07 30	1 697 020.02	457 512.25	1 697 220.81	472 695.84
101 10 00	1 685 799.23	457 663.38	1 686 007.45	472 846.87
12 30	1 674 578.52	457 820.01	1 674 794.18	473 003.40
15 00	1 663 357.87	457 982.13	1 663 580.97	473 165.41
17 30	1 652 137.32	458 149.75	1 652 367.85	473 332.92
101 20 00	1 640 916.85	458 322.86	1 641 154.82	473 505.92
22 30	1 629 696.47	458 501.47	1 629 941.87	473 684.41
25 00	1 618 476.17	458 685.58	1 618 729.01	473 868.39
27 30	1 607 255.95	458 875.17	1 607 516.23	474 057.86
101 30 00	1 596 035.85	459 070.27	1 596 303.55	474 252.82
32 30	1 584 815.83	459 270.85	1 585 090.98	474 453.28
35 00	1 573 595.92	459 476.93	1 573 878.50	474 659.22
37 30	1 562 376.11	459 688.51	1 562 666.13	474 870.66
101 40 00	1 551 156.40	459 905.58	1 551 453.85	475 087.59
42 30	1 539 936.79	460 128.15	1 540 241.68	475 310.01
45 00	1 528 717.31	460 356.21	1 529 029.63	475 537.92
47 30	1 517 497.93	460 589.77	1 517 817.69	475 771.32
101 50 00	1 506 278.67	460 828.82	1 506 605.87	476 010.22
52 30	1 495 059.53	461 073.37	1 495 394.16	476 254.60
55 00	1 483 840.50	461 323.41	1 484 182.56	476 504.48
57 30	1 472 621.60	461 578.94	1 472 971.10	476 759.84
102 00 00	1 461 402.83	461 839.97	1 461 759.77	477 020.69

LONGITUDE	LATITUDE 42 40 00 X	LATITUDE 42 40 00 Y	LATITUDE 42 42 30 X	LATITUDE 42 42 30 Y
101 00 00	1 731 039.78	487 459.74	1 731 218.26	502 643.96
02 30	1 719 833.64	487 594.20	1 720 019.56	502 778.33
05 00	1 708 627.58	487 734.16	1 708 820.94	502 918.20
07 30	1 697 421.60	487 879.60	1 697 622.39	503 063.54
101 10 00	1 686 215.68	488 030.53	1 686 423.91	503 214.37
12 30	1 675 009.84	488 186.94	1 675 225.50	503 370.68
15 00	1 663 804.07	488 348.85	1 664 027.17	503 532.48
17 30	1 652 598.39	488 516.25	1 652 828.92	503 699.77
101 20 00	1 641 392.79	488 689.13	1 641 630.76	503 872.54
22 30	1 630 187.27	488 867.50	1 630 432.68	504 050.79
25 00	1 618 981.85	489 051.37	1 619 234.69	504 234.53
27 30	1 607 776.51	489 240.71	1 608 036.79	504 423.75
101 30 00	1 596 571.27	489 435.54	1 596 838.98	504 618.45
32 30	1 585 366.13	489 635.87	1 585 641.28	504 818.64
35 00	1 574 161.08	489 841.67	1 574 443.67	505 024.31
37 30	1 562 956.14	490 052.97	1 563 246.17	505 235.47
101 40 00	1 551 751.31	490 269.75	1 552 048.77	505 452.11
42 30	1 540 546.57	490 492.03	1 540 851.47	505 674.24
45 00	1 529 341.95	490 719.79	1 529 654.28	505 901.85
47 30	1 518 137.45	490 953.04	1 518 457.21	506 134.94
101 50 00	1 506 933.06	491 191.77	1 507 260.26	506 373.52
52 30	1 495 728.79	491 435.99	1 496 063.42	506 617.58
55 00	1 484 524.63	491 685.70	1 484 866.70	506 867.12
57 30	1 473 320.60	491 940.90	1 473 670.11	507 122.14
102 00 00	1 462 116.70	492 201.58	1 462 473.64	507 382.65

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 30′ 00 X	Y	LATITUDE 42 32 30 X	Y
102 00 00	1 460 688.98	431 479.00	1 461 045.91	446 659.42
02 30	1 449 455.47	431 745.87	1 449 819.83	446 926.12
05 00	1 438 222.10	432 018.26	1 438 593.89	447 198.32
07 30	1 426 988.85	432 296.14	1 427 368.08	447 476.02
102 10 00	1 415 755.74	432 579.52	1 416 142.40	447 759.22
12 30	1 404 522.77	432 868.40	1 404 916.87	448 047.91
15 00	1 393 289.95	433 162.79	1 393 691.48	448 342.10
17 30	1 382 057.27	433 462.67	1 382 466.24	448 641.79
102 20 00	1 370 824.74	433 768.06	1 371 241.14	448 946.97
22 30	1 359 592.36	434 078.95	1 360 016.19	449 257.65
25 00	1 348 360.13	434 395.33	1 348 791.40	449 573.82
27 30	1 337 128.06	434 717.22	1 337 566.76	449 895.50
102 30 00	1 325 896.16	435 044.61	1 326 342.29	450 222.68
32 30	1 314 664.41	435 377.50	1 315 117.98	450 555.35
35 00	1 303 432.81	435 715.90	1 303 893.81	450 893.52
37 30	1 292 201.40	436 059.79	1 292 669.83	451 237.18
102 40 00	1 280 970.16	436 409.18	1 281 446.02	451 586.34
42 30	1 269 739.08	436 764.07	1 270 222.38	451 941.00
45 00	1 258 508.18	437 124.47	1 258 998.92	452 301.16
47 30	1 247 277.46	437 490.36	1 247 775.63	452 666.81
102 50 00	1 236 046.91	437 861.75	1 236 552.51	453 037.95
52 30	1 224 816.56	438 238.65	1 225 329.59	453 414.60
55 00	1 213 586.38	438 621.04	1 214 106.85	453 796.74
57 30	1 202 356.40	439 008.93	1 202 884.30	454 184.38
103 00 00	1 191 126.61	439 402.33	1 191 661.94	454 577.51

LONGITUDE	LATITUDE 42 35 00 X	Y	LATITUDE 42 37 30 X	Y
102 00 00	1 461 402.83	461 839.97	1 461 759.77	477 030.69
02 30	1 450 184.19	462 106.49	1 450 548.56	477 287.04
05 00	1 438 965.69	462 378.51	1 439 337.49	477 558.88
07 30	1 427 747.31	462 656.02	1 428 126.55	477 836.21
102 10 00	1 416 529.06	462 939.03	1 416 915.73	478 119.03
12 30	1 405 310.97	463 227.53	1 405 705.07	478 407.34
15 00	1 394 093.01	463 521.53	1 394 494.55	478 701.14
17 30	1 382 875.21	463 821.02	1 383 284.18	479 000.43
102 20 00	1 371 657.55	464 126.00	1 372 073.95	479 305.21
22 30	1 360 440.03	464 436.47	1 360 863.87	479 615.48
25 00	1 349 222.67	464 752.44	1 349 653.94	479 931.23
27 30	1 338 005.47	465 073.90	1 338 444.18	480 252.48
102 30 00	1 326 788.43	465 400.86	1 327 234.57	480 579.22
32 30	1 315 571.55	465 733.31	1 316 025.12	480 911.46
35 00	1 304 354.82	466 071.26	1 304 815.83	481 249.18
37 30	1 293 138.27	466 414.69	1 293 606.71	481 592.39
102 40 00	1 281 921.89	466 763.62	1 282 397.77	481 941.09
42 30	1 270 705.68	467 118.05	1 271 188.99	482 295.27
45 00	1 259 489.65	467 477.96	1 259 980.39	482 654.95
47 30	1 248 273.80	467 843.37	1 248 771.97	483 020.12
102 50 00	1 237 058.11	468 214.27	1 237 563.72	483 390.77
52 30	1 225 842.62	468 590.67	1 226 355.66	483 766.92
55 00	1 214 627.31	468 972.55	1 215 147.78	484 148.55
57 30	1 203 412.20	469 359.94	1 203 940.10	484 535.68
103 00 00	1 192 197.27	469 752.81	1 192 732.61	484 928.29

LONGITUDE	LATITUDE 42 40 00 X	Y	LATITUDE 42 42 30 X	Y
102 00 00	1 462 116.70	492 201.58	1 462 473.64	507 382.65
02 30	1 450 912.93	492 467.75	1 451 277.31	507 648.64
05 00	1 439 709.29	492 739.41	1 440 081.10	507 920.12
07 30	1 428 505.79	493 016.55	1 428 885.03	508 197.08
102 10 00	1 417 302.41	493 299.18	1 417 689.09	508 479.53
12 30	1 406 099.18	493 587.30	1 406 493.29	508 767.46
15 00	1 394 896.10	493 880.91	1 395 297.64	509 060.87
17 30	1 383 693.16	494 180.00	1 384 102.14	509 359.76
102 20 00	1 372 490.36	494 484.57	1 372 906.78	509 664.13
22 30	1 361 287.71	494 794.64	1 361 711.56	509 973.99
25 00	1 350 085.22	495 110.19	1 350 516.51	510 289.33
27 30	1 338 882.89	495 431.22	1 339 321.61	510 610.15
102 30 00	1 327 680.71	495 757.75	1 328 126.87	510 936.46
32 30	1 316 478.70	496 089.76	1 316 932.29	511 268.25
35 00	1 305 276.84	496 427.26	1 305 737.86	511 605.53
37 30	1 294 075.16	496 770.24	1 294 543.61	511 948.28
102 40 00	1 282 873.65	497 118.71	1 283 349.53	512 296.52
42 30	1 271 672.30	497 472.66	1 272 155.62	512 650.24
45 00	1 260 471.14	497 832.10	1 260 961.89	513 009.44
47 30	1 249 270.15	498 197.02	1 249 768.33	513 374.12
102 50 00	1 238 069.33	498 567.43	1 238 574.95	513 744.28
52 30	1 226 868.71	498 943.33	1 227 381.76	514 119.93
55 00	1 215 668.26	499 324.71	1 216 188.75	514 501.06
57 30	1 204 468.01	499 711.58	1 204 995.93	514 887.67
103 00 00	1 193 267.95	500 103.93	1 193 803.30	515 279.76

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 42 30 00 X	LATITUDE 42 30 00 Y	LATITUDE 42 32 30 X	LATITUDE 42 32 30 Y
103 00 00	1 191 126.61	439 402.33	1 191 661.94	454 577.51
02 30	1 179 897.01	439 801.22	1 180 439.76	454 976.14
05 00	1 168 667.61	440 205.62	1 169 217.80	455 380.27
07 30	1 157 438.41	440 615.51	1 157 996.03	455 789.89
103 10 00	1 146 209.41	441 030.90	1 146 774.46	456 205.00
12 30	1 134 980.61	441 451.79	1 135 553.10	456 625.61
15 00	1 123 752.02	441 878.18	1 124 331.93	457 051.72
17 30	1 112 523.64	442 310.07	1 113 110.99	457 483.32
103 20 00	1 101 295.48	442 747.46	1 101 890.25	457 920.42
22 30	1 090 067.53	443 190.35	1 090 669.74	458 363.02
25 00	1 078 839.80	443 638.73	1 079 449.44	458 811.11
27 30	1 067 612.29	444 092.62	1 068 229.36	459 264.70
103 30 00	1 056 385.00	444 552.00	1 057 009.50	459 723.78
32 30	1 045 157.94	445 016.89	1 045 789.87	460 188.35
35 00	1 033 931.11	445 487.26	1 034 570.47	460 658.42
37 30	1 022 704.51	445 963.14	1 023 351.30	461 133.98
103 40 00	1 011 478.15	446 444.52	1 012 132.37	461 615.04
42 30	1 000 252.01	446 931.39	1 000 913.66	462 101.59
45 00	989 026.13	447 423.77	989 695.21	462 593.64
47 30	977 800.48	447 921.64	978 476.99	463 091.18
103 50 00	966 575.08	448 425.01	967 259.02	463 594.22
52 30	955 349.93	448 933.87	956 041.30	464 102.75
55 00	944 125.03	449 448.24	944 823.83	464 616.77
57 30	932 900.37	449 968.10	933 606.60	465 136.29
104 00 00	921 675.98	450 493.45	922 389.63	465 661.29

LONGITUDE	LATITUDE 42 35 00 X	LATITUDE 42 35 00 Y	LATITUDE 42 37 30 X	LATITUDE 42 37 30 Y
103 00 00	1 192 197.27	469 752.81	1 192 732.61	484 928.29
02 30	1 180 982.53	470 151.18	1 181 525.30	485 326.39
05 00	1 169 767.99	470 555.04	1 170 318.19	485 729.99
07 30	1 158 553.65	470 964.39	1 159 111.29	486 139.06
103 10 00	1 147 339.52	471 379.23	1 147 904.58	486 553.63
12 30	1 136 125.59	471 799.56	1 136 698.08	486 973.68
15 00	1 124 911.85	472 225.38	1 125 491.78	487 399.22
17 30	1 113 698.34	472 656.70	1 114 285.70	487 830.25
103 20 00	1 102 485.04	473 093.51	1 103 079.83	488 266.78
22 30	1 091 271.95	473 535.81	1 091 874.17	488 708.79
25 00	1 080 059.09	473 983.61	1 080 668.74	489 156.28
27 30	1 068 846.44	474 436.89	1 069 463.52	489 609.27
103 30 00	1 057 634.00	474 895.67	1 058 258.52	490 067.74
32 30	1 046 421.80	475 359.94	1 047 053.75	490 531.70
35 00	1 035 209.84	475 829.69	1 035 849.21	491 001.14
37 30	1 023 998.10	476 304.94	1 024 644.90	491 476.08
103 40 00	1 012 786.59	476 785.68	1 013 440.83	491 956.50
42 30	1 001 575.32	477 271.91	1 002 236.98	492 442.41
45 00	990 364.29	477 763.63	991 033.38	492 933.80
47 30	979 153.50	478 260.84	979 830.03	493 430.68
103 50 00	967 942.96	478 763.55	968 626.92	493 933.05
52 30	956 732.67	479 271.74	957 424.05	494 440.91
55 00	945 522.63	479 785.42	946 221.44	494 954.25
57 30	934 312.83	480 304.59	935 019.07	495 473.08
104 00 00	923 103.29	480 889.25	923 816.96	495 997.39

LONGITUDE	LATITUDE 42 40 00 X	LATITUDE 42 40 00 Y	LATITUDE 42 42 30 X	LATITUDE 42 42 30 Y
103 00 00	1 193 267.95	500 103.93	1 193 803.30	515 279.76
02 30	1 182 068.07	500 501.77	1 182 610.85	515 677.34
05 00	1 170 868.40	500 905.09	1 171 418.61	516 080.39
07 30	1 159 668.92	501 313.90	1 160 226.57	516 488.93
103 10 00	1 148 469.65	501 728.19	1 149 034.73	516 902.94
12 30	1 137 270.59	502 147.97	1 137 843.09	517 322.44
15 00	1 126 071.71	502 573.23	1 126 651.65	517 747.42
17 30	1 114 873.06	503 003.97	1 115 460.43	518 177.88
103 20 00	1 103 674.62	503 440.20	1 104 269.43	518 613.82
22 30	1 092 476.40	503 881.92	1 093 078.64	519 055.25
25 00	1 081 278.39	504 329.12	1 081 888.06	519 502.15
27 30	1 070 080.61	504 781.81	1 070 697.70	519 954.53
103 30 00	1 058 883.04	505 239.97	1 059 507.56	520 412.40
32 30	1 047 685.70	505 703.62	1 048 317.65	520 875.74
35 00	1 036 488.59	506 172.76	1 037 127.98	521 344.56
37 30	1 025 291.71	506 647.37	1 025 938.53	521 818.86
103 40 00	1 014 095.07	507 127.48	1 014 749.32	522 298.64
42 30	1 002 898.65	507 613.06	1 003 560.33	522 783.91
45 00	991 702.48	508 104.13	992 371.59	523 274.66
47 30	980 506.56	508 600.69	981 183.09	523 770.88
103 50 00	969 310.87	509 102.72	969 994.84	524 272.58
52 30	958 115.44	509 610.24	958 806.84	524 779.77
55 00	946 920.25	510 123.24	947 619.08	525 292.42
57 30	935 725.31	510 641.73	936 431.57	525 810.57
104 00 00	924 530.63	511 165.69	925 244.32	526 334.18

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 30 00 X	LATITUDE 42 30 00 Y	LATITUDE 42 32 30 X	LATITUDE 42 32 30 Y
104 00 00	921 675.98	450 493.45	922 389.63	465 661.29
02 30	910 451.85	451 024.31	911 172.93	466 191.79
05 00	899 227.98	451 560.65	899 956.49	466 727.79
07 30	888 004.37	452 102.50	888 740.31	467 269.28
104 10 00	876 781.02	452 649.85	877 524.39	467 816.27
12 30	865 557.95	453 202.69	866 308.74	468 368.74
15 00	854 335.15	453 761.03	855 093.37	468 926.71

LONGITUDE	LATITUDE 42 35 00 X	LATITUDE 42 35 00 Y	LATITUDE 42 37 30 X	LATITUDE 42 37 30 Y
104 00 00	923 103.29	480 829.25	923 816.96	495 997.39
02 30	911 894.02	481 359.40	912 615.12	496 527.19
05 00	900 685.01	481 895.04	901 413.53	497 062.48
07 30	889 476.25	482 436.18	890 212.21	497 603.25
104 10 00	878 267.76	482 982.80	879 011.14	498 149.51
12 30	867 059.54	483 534.91	867 810.35	498 701.26
15 00	855 851.60	484 092.51	856 609.83	499 258.49

LONGITUDE	LATITUDE 42 40 00 X	LATITUDE 42 40 00 Y	LATITUDE 42 42 30 X	LATITUDE 42 42 30 Y
104 00 00	924 530.63	511 165.69	925 244.32	526 334.18
02 30	913 336.22	511 695.14	914 057.33	526 863.28
05 00	902 142.06	512 230.07	902 870.60	527 397.85
07 30	890 948.17	512 770.49	891 684.14	527 937.91
104 10 00	879 754.53	513 316.39	880 497.92	528 483.45
12 30	868 561.16	513 867.76	869 311.99	529 034.46
15 00	857 368.08	514 424.63	858 126.33	529 590.95

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 45 00 X	LATITUDE 42 45 00 Y	LATITUDE 42 47 30 X	LATITUDE 42 47 30 Y
96 00 00	3 074 041.99	541 502.84	3 073 328.29	556 671.70
02 30	3 062 862.17	540 979.57	3 062 155.90	556 148.78
05 00	3 051 682.09	540 461.78	3 050 983.24	555 631.33
07 30	3 040 501.76	539 949.46	3 039 810.35	555 119.35
96 10 00	3 029 321.18	539 442.61	3 028 637.20	554 612.84
12 30	3 018 140.36	538 941.24	3 017 463.81	554 111.80
15 00	3 006 959.29	538 445.35	3 006 290.17	553 616.24
17 30	2 995 777.99	537 954.93	2 995 116.29	553 126.14
96 20 00	2 984 596.43	537 469.98	2 983 942.16	552 641.52
22 30	2 973 414.64	536 990.52	2 972 767.81	552 162.38
25 00	2 962 232.63	536 516.53	2 961 593.22	551 688.71
27 30	2 951 050.38	536 048.02	2 950 418.41	551 220.51
96 30 00	2 939 867.90	535 584.99	2 939 243.36	550 757.78
32 30	2 928 685.19	535 127.43	2 928 068.08	550 300.52
35 00	2 917 502.27	534 675.34	2 916 892.59	549 848.74
37 30	2 906 319.12	534 228.74	2 905 716.87	549 402.43
96 40 00	2 895 135.76	533 787.61	2 894 540.95	548 961.59
42 30	2 883 952.19	533 351.95	2 883 364.80	548 526.23
45 00	2 872 768.40	532 921.78	2 872 188.44	548 096.34
47 30	2 861 584.39	532 497.08	2 861 011.87	547 671.93
96 50 00	2 850 400.19	532 077.87	2 849 835.10	547 252.99
52 30	2 839 215.78	531 664.13	2 838 658.12	546 839.52
55 00	2 828 031.17	531 255.86	2 827 480.94	546 431.53
57 30	2 816 846.36	530 853.07	2 816 303.57	546 029.01
97 00 00	2 805 661.35	530 455.76	2 805 125.99	545 631.96

LONGITUDE	LATITUDE 42 50 00 X	LATITUDE 42 50 00 Y	LATITUDE 42 52 30 X	LATITUDE 42 52 30 Y
96 00 00	3 072 614.58	571 840.75	3 071 900.86	587 010.02
02 30	3 061 449.62	571 318.18	3 060 743.33	586 487.79
05 00	3 050 284.39	570 801.07	3 049 585.53	585 971.03
07 30	3 039 118.92	570 289.43	3 038 427.49	585 459.73
96 10 00	3 027 953.21	569 783.26	3 027 269.20	584 953.90
12 30	3 016 787.24	569 282.55	3 016 110.67	584 453.52
15 00	3 005 621.04	568 787.32	3 004 951.89	583 958.62
17 30	2 994 454.59	568 297.55	2 993 792.88	583 469.18
96 20 00	2 983 287.89	567 813.25	2 982 633.61	582 985.20
22 30	2 972 120.97	567 334.43	2 971 474.12	582 506.69
25 00	2 960 953.81	566 861.07	2 960 314.39	582 033.65
27 30	2 949 786.43	566 393.18	2 949 154.44	581 566.07
96 30 00	2 938 618.81	565 930.76	2 937 994.25	581 103.96
32 30	2 927 450.96	565 473.81	2 926 833.83	580 647.32
35 00	2 916 282.90	565 022.33	2 915 673.20	580 196.13
37 30	2 905 114.62	564 576.31	2 904 512.35	579 750.42
96 40 00	2 893 946.12	564 135.77	2 893 351.29	579 310.17
42 30	2 882 777.41	563 700.69	2 882 190.01	578 875.38
45 00	2 871 608.48	563 271.09	2 871 028.51	578 446.06
47 30	2 860 439.34	562 846.96	2 859 866.80	578 022.21
96 50 00	2 849 270.00	562 428.30	2 848 704.89	577 603.83
52 30	2 838 100.45	562 015.11	2 837 542.78	577 190.92
55 00	2 826 930.71	561 607.39	2 826 380.47	576 783.47
57 30	2 815 760.77	561 205.13	2 815 217.96	576 381.48
97 00 00	2 804 590.62	560 808.35	2 804 055.24	575 984.96

LONGITUDE	LATITUDE 42 55 00 X	LATITUDE 42 55 00 Y	LATITUDE 42 57 30 X	LATITUDE 42 57 30 Y
96 00 00	3 071 187.13	602 179.50	3 070 473.39	617 349.21
02 30	3 060 037.03	601 657.62	3 059 330.71	616 827.68
05 00	3 048 886.66	601 141.20	3 048 187.78	616 311.60
07 30	3 037 736.05	600 630.24	3 037 044.60	615 800.98
96 10 00	3 026 585.19	600 124.74	3 025 901.17	615 295.82
12 30	3 015 434.09	599 624.71	3 014 757.50	614 796.12
15 00	3 004 282.74	599 130.13	3 003 613.58	614 301.87
17 30	2 993 131.15	598 641.01	2 992 469.42	613 813.08
96 20 00	2 981 979.32	598 157.36	2 981 325.02	613 329.75
22 30	2 970 827.26	597 679.17	2 970 180.39	612 851.88
25 00	2 959 674.96	597 206.44	2 959 035.52	612 379.47
27 30	2 948 522.44	596 739.18	2 947 890.43	611 912.51
96 30 00	2 937 369.68	596 277.37	2 936 745.11	611 451.02
32 30	2 926 216.70	595 821.03	2 925 599.55	610 994.98
35 00	2 915 063.50	595 370.15	2 914 453.78	610 544.39
37 30	2 903 910.08	594 924.73	2 903 307.80	610 099.27
96 40 00	2 892 756.44	594 484.77	2 892 161.59	609 659.61
42 30	2 881 602.60	594 050.27	2 881 015.18	609 225.40
45 00	2 870 448.53	593 621.24	2 869 868.55	608 796.65
47 30	2 859 294.25	593 197.68	2 858 721.70	608 373.37
96 50 00	2 848 139.78	592 779.57	2 847 574.66	607 955.55
52 30	2 836 985.10	592 366.93	2 836 427.41	607 543.18
55 00	2 825 830.22	591 959.75	2 825 279.96	607 136.27
57 30	2 814 675.14	591 558.04	2 814 132.31	606 734.82
97 00 00	2 803 519.86	591 161.78	2 802 984.46	606 338.83

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 42 45 00 X	LATITUDE 42 45 00 Y	LATITUDE 42 47 30 X	LATITUDE 42 47 30 Y
97 00 00	2 805 661.35	530 455.76	2 805 125.99	545 631.96
02 30	2 794 476.15	530 063.93	2 793 948.22	545 240.39
05 00	2 783 290.76	529 677.57	2 782 770.27	544 854.29
07 30	2 772 105.19	529 296.70	2 771 592.12	544 473.67
97 10 00	2 760 919.43	528 921.30	2 760 413.80	544 098.52
12 30	2 749 733.47	528 551.38	2 749 235.28	543 728.85
15 00	2 738 547.35	528 186.95	2 738 056.58	543 364.65
17 30	2 727 361.05	527 827.98	2 726 877.72	543 005.93
97 20 00	2 716 174.57	527 474.50	2 715 698.68	542 652.68
22 30	2 704 987.93	527 126.49	2 704 519.46	542 304.91
25 00	2 693 801.11	526 783.97	2 693 340.08	541 962.61
27 30	2 682 614.12	526 446.92	2 682 160.52	541 625.78
97 30 00	2 671 426.98	526 115.35	2 670 980.81	541 294.43
32 30	2 660 239.67	525 789.25	2 659 800.94	540 968.55
35 00	2 649 052.20	525 468.65	2 648 620.91	540 648.16
37 30	2 637 864.58	525 153.52	2 637 440.72	540 333.24
97 40 00	2 626 676.80	524 843.86	2 626 260.37	540 023.79
42 30	2 615 488.87	524 539.69	2 615 079.88	539 719.82
45 00	2 604 300.80	524 241.00	2 603 899.25	539 421.33
47 30	2 593 112.59	523 947.78	2 592 718.46	539 128.31
97 50 00	2 581 924.23	523 660.05	2 581 537.54	538 840.76
52 30	2 570 735.72	523 377.79	2 570 356.46	538 558.69
55 00	2 559 547.08	523 101.01	2 559 175.26	538 282.10
57 30	2 548 358.31	522 829.71	2 547 993.93	538 010.98
98 00 00	2 537 169.41	522 563.90	2 536 812.46	537 745.34

LONGITUDE	LATITUDE 42 50 00 X	LATITUDE 42 50 00 Y	LATITUDE 42 52 30 X	LATITUDE 42 52 30 Y
97 00 00	2 804 590.62	560 808.35	2 804 055.24	575 984.96
02 30	2 793 420.29	560 417.04	2 792 892.34	575 593.91
05 00	2 782 249.76	560 031.20	2 781 729.25	575 208.33
07 30	2 771 079.05	559 650.83	2 770 565.97	574 828.21
97 10 00	2 759 908.16	559 275.93	2 759 402.51	574 453.56
12 30	2 748 737.07	558 906.51	2 748 238.86	574 084.38
15 00	2 737 565.81	558 542.55	2 737 075.04	573 720.67
17 30	2 726 394.38	558 184.07	2 725 911.04	573 362.42
97 20 00	2 715 222.77	557 831.05	2 714 746.86	573 009.64
22 30	2 704 050.99	557 483.51	2 703 582.52	572 662.33
25 00	2 692 879.05	557 141.44	2 692 418.00	572 320.49
27 30	2 681 706.92	556 804.84	2 681 253.31	571 984.11
97 30 00	2 670 534.64	556 473.71	2 670 088.47	571 653.20
32 30	2 659 362.20	556 148.05	2 658 923.46	571 327.76
35 00	2 648 189.61	555 827.86	2 647 758.30	571 007.79
37 30	2 637 016.85	555 513.15	2 636 592.98	570 693.29
97 40 00	2 625 843.94	555 203.91	2 625 427.50	570 384.25
42 30	2 614 670.88	554 900.15	2 614 261.88	570 080.69
45 00	2 603 497.68	554 601.85	2 603 096.11	569 782.59
47 30	2 592 324.34	554 309.02	2 591 930.20	569 489.96
97 50 00	2 581 150.85	554 021.67	2 580 764.15	569 202.79
52 30	2 569 977.21	553 739.78	2 569 597.94	568 921.10
55 00	2 558 803.44	553 463.38	2 558 431.61	568 644.87
57 30	2 547 629.54	553 192.44	2 547 265.15	568 374.11
98 00 00	2 536 455.51	552 926.98	2 536 098.55	568 108.83

LONGITUDE	LATITUDE 42 55 00 X	LATITUDE 42 55 00 Y	LATITUDE 42 57 30 X	LATITUDE 42 57 30 Y
97 00 00	2 803 519.86	591 161.78	2 802 984.46	606 338.83
02 30	2 792 364.39	590 770.99	2 791 836.43	605 948.30
05 00	2 781 208.74	590 385.66	2 780 688.21	605 563.23
07 30	2 770 052.89	590 005.80	2 769 539.80	605 183.62
97 10 00	2 758 896.86	589 631.40	2 758 391.20	604 809.47
12 30	2 747 740.64	589 262.47	2 747 242.42	604 440.78
15 00	2 736 584.25	588 899.00	2 736 093.46	604 077.55
17 30	2 725 427.69	588 540.99	2 724 944.33	603 719.78
97 20 00	2 714 270.94	588 188.44	2 713 795.02	603 367.47
22 30	2 703 114.03	587 841.36	2 702 645.54	603 020.63
25 00	2 691 956.95	587 499.75	2 691 495.90	602 679.24
27 30	2 680 799.70	587 163.59	2 680 346.07	602 343.31
97 30 00	2 669 642.29	586 832.90	2 669 196.10	602 012.84
32 30	2 658 484.72	586 507.68	2 658 045.96	601 687.83
35 00	2 647 326.99	586 187.92	2 646 895.67	601 368.28
37 30	2 636 169.10	585 873.63	2 635 745.22	601 054.20
97 40 00	2 625 011.06	585 564.80	2 624 594.61	600 745.58
42 30	2 613 852.87	585 261.44	2 613 443.85	600 442.42
45 00	2 602 694.54	584 963.54	2 602 292.96	600 144.72
47 30	2 591 536.06	584 671.10	2 591 141.92	599 852.48
97 50 00	2 580 377.44	584 384.13	2 579 990.73	599 565.69
52 30	2 569 218.67	584 102.62	2 568 839.40	599 284.37
55 00	2 558 059.78	583 826.58	2 557 687.94	599 008.52
57 30	2 546 900.75	583 556.00	2 546 536.34	598 738.12
98 00 00	2 535 741.59	583 290.89	2 535 384.62	598 473.19

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 42 45 00 X	LATITUDE 42 45 00 Y	LATITUDE 42 47 30 X	LATITUDE 42 47 30 Y
98 00 00	2 537 169.41	522 563.90	2 536 812.46	537 745.34
02 30	2 525 980.38	522 303.56	2 525 630.87	537 485.18
05 00	2 514 791.23	522 048.71	2 514 449.15	537 230.49
07 30	2 503 601.94	521 799.33	2 503 267.29	536 981.28
98 10 00	2 492 412.53	521 555.43	2 492 085.33	536 737.55
12 30	2 481 223.02	521 317.01	2 480 903.25	536 499.29
15 00	2 470 033.38	521 084.08	2 469 721.05	536 266.50
17 30	2 458 843.64	520 856.62	2 458 538.74	536 039.19
98 20 00	2 447 653.77	520 634.64	2 447 356.30	535 817.36
22 30	2 436 463.81	520 418.14	2 436 173.78	535 601.01
25 00	2 425 273.74	520 207.12	2 424 991.14	535 390.14
27 30	2 414 083.57	520 001.59	2 413 808.41	535 184.74
98 30 00	2 402 893.30	519 801.53	2 402 625.57	534 984.81
32 30	2 391 702.93	519 606.96	2 391 442.64	534 790.37
35 00	2 380 512.46	519 417.86	2 380 259.61	534 601.40
37 30	2 369 321.91	519 234.25	2 369 076.49	534 417.90
98 40 00	2 358 131.27	519 056.11	2 357 893.29	534 239.89
42 30	2 346 940.54	518 883.46	2 346 710.00	534 067.35
45 00	2 335 749.73	518 716.28	2 335 526.62	533 900.28
47 30	2 324 558.83	518 554.59	2 324 343.16	533 738.70
98 50 00	2 313 367.86	518 398.38	2 313 159.63	533 582.59
52 30	2 302 176.82	518 247.65	2 301 976.02	533 431.96
55 00	2 290 985.70	518 102.40	2 290 792.34	533 286.81
57 30	2 279 794.52	517 962.64	2 279 608.59	533 147.14
99 00 00	2 268 603.25	517 828.35	2 268 424.77	533 012.94

LONGITUDE	LATITUDE 42 50 00 X	LATITUDE 42 50 00 Y	LATITUDE 42 52 30 X	LATITUDE 42 52 30 Y
98 00 00	2 536 455.51	552 926.98	2 536 098.55	568 108.83
02 30	2 525 281.35	552 666.99	2 524 931.83	567 849.01
05 00	2 514 107.07	552 412.47	2 513 764.98	567 594.66
07 30	2 502 932.64	552 163.42	2 502 597.99	567 345.79
98 10 00	2 491 758.11	551 919.85	2 491 430.90	567 102.37
12 30	2 480 583.47	551 681.75	2 480 263.69	566 864.43
15 00	2 469 408.71	551 449.12	2 469 096.36	566 631.96
17 30	2 458 233.83	551 221.96	2 457 928.92	566 404.95
98 20 00	2 447 058.83	551 000.28	2 446 761.36	566 183.41
22 30	2 435 883.74	550 784.07	2 435 593.70	565 967.35
25 00	2 424 708.55	550 573.34	2 424 425.94	565 756.76
27 30	2 413 533.25	550 368.07	2 413 258.08	565 551.63
98 30 00	2 402 357.85	550 168.28	2 402 090.12	565 351.97
32 30	2 391 182.35	549 973.97	2 390 922.06	565 157.78
35 00	2 380 006.76	549 785.12	2 379 753.90	564 969.07
37 30	2 368 831.07	549 601.75	2 368 585.65	564 785.82
98 40 00	2 357 655.31	549 423.85	2 357 417.32	564 608.04
42 30	2 346 479.45	549 251.43	2 346 248.90	564 435.73
45 00	2 335 303.52	549 084.48	2 335 080.40	564 268.89
47 30	2 324 127.49	548 923.00	2 323 911.81	564 107.52
98 50 00	2 312 951.39	548 767.00	2 312 743.15	563 951.62
52 30	2 301 775.22	548 616.47	2 301 574.42	563 801.19
55 00	2 290 598.98	548 471.41	2 290 405.62	563 656.23
57 30	2 279 422.67	548 331.83	2 279 236.74	563 516.74
99 00 00	2 268 246.28	548 197.72	2 268 067.79	563 382.72

LONGITUDE	LATITUDE 42 55 00 X	LATITUDE 42 55 00 Y	LATITUDE 42 57 30 X	LATITUDE 42 57 30 Y
98 00 00	2 535 741.59	583 290.89	2 535 384.62	598 473.19
02 30	2 524 582.30	583 031.25	2 524 232.77	598 213.72
05 00	2 513 422.89	582 777.07	2 513 080.79	597 959.71
07 30	2 502 263.34	582 528.36	2 501 928.67	597 711.16
98 10 00	2 491 103.68	582 285.11	2 490 776.45	597 468.07
12 30	2 479 943.90	582 047.32	2 479 624.11	597 230.45
15 00	2 468 784.01	581 815.01	2 468 471.66	596 998.28
17 30	2 457 624.01	581 588.15	2 457 319.09	596 771.58
98 20 00	2 446 463.88	581 366.76	2 446 166.40	596 550.34
22 30	2 435 303.66	581 150.84	2 435 013.61	596 334.56
25 00	2 424 143.34	580 940.39	2 423 860.73	596 124.25
27 30	2 412 982.91	580 735.40	2 412 707.74	595 919.39
98 30 00	2 401 822.38	580 535.87	2 401 554.65	595 720.00
32 30	2 390 661.76	580 341.81	2 390 401.46	595 526.07
35 00	2 379 501.04	580 153.22	2 379 248.17	595 337.61
37 30	2 368 340.23	579 970.09	2 368 094.80	595 154.60
98 40 00	2 357 179.33	579 792.43	2 356 941.34	594 977.06
42 30	2 346 018.35	579 620.24	2 345 787.80	594 804.98
45 00	2 334 857.29	579 453.51	2 334 634.17	594 638.36
47 30	2 323 696.13	579 292.25	2 323 480.45	594 477.20
98 50 00	2 312 534.91	579 136.45	2 312 326.67	594 321.51
52 30	2 301 373.62	578 986.12	2 301 172.81	594 171.28
55 00	2 290 212.25	578 841.26	2 290 018.88	594 026.52
57 30	2 279 050.81	578 701.86	2 278 864.87	593 887.21
99 00 00	2 267 889.29	578 567.93	2 267 710.79	593 753.37

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE X 42 45 00	LATITUDE Y	LATITUDE X 42 47 30	LATITUDE Y
99 00 00	2 268 603.25	517 828.35	2 268 424.77	533 012.94
02 30	2 257 411.94	517 699.54	2 257 240.89	532 884.22
05 00	2 246 220.56	517 576.21	2 246 056.95	532 760.97
07 30	2 235 029.12	517 458.36	2 234 872.95	532 643.20
99 10 00	2 223 837.63	517 346.00	2 223 688.89	532 530.91
12 30	2 212 646.08	517 239.12	2 212 504.78	532 424.10
15 00	2 201 454.47	517 137.78	2 201 320.60	532 322.77
17 30	2 190 262.83	517 041.80	2 190 136.40	532 226.91
99 20 00	2 179 071.13	516 951.36	2 178 952.14	532 136.53
22 30	2 167 879.40	516 866.40	2 167 767.84	532 051.63
25 00	2 156 687.62	516 786.92	2 156 583.50	531 972.20
27 30	2 145 495.79	516 712.92	2 145 399.11	531 898.25
99 30 00	2 134 303.95	516 644.41	2 134 214.70	531 829.78
32 30	2 123 112.07	516 581.37	2 123 030.26	531 766.79
35 00	2 111 920.16	516 523.81	2 111 845.78	531 709.27
37 30	2 100 728.22	516 471.74	2 100 661.29	531 657.24
99 40 00	2 089 536.25	516 425.15	2 089 476.75	531 610.68
42 30	2 078 344.27	516 384.05	2 078 292.21	531 569.60
45 00	2 067 152.26	516 348.42	2 067 107.64	531 533.99
47 30	2 055 960.25	516 318.27	2 055 923.06	531 503.87
99 50 00	2 044 768.21	516 293.61	2 044 738.47	531 479.22
52 30	2 033 576.17	516 274.42	2 033 553.86	531 460.05
55 00	2 022 384.11	516 260.72	2 022 369.24	531 446.35
57 30	2 011 192.06	516 252.49	2 011 184.62	531 438.13
100 00 00	2 000 000.00	516 249.75	2 000 000.00	531 435.39

LONGITUDE	LATITUDE X 42 50 00	LATITUDE Y	LATITUDE X 42 52 30	LATITUDE Y
99 00 00	2 268 246.28	548 197.72	2 268 067.79	563 382.72
02 30	2 257 069.83	548 069.08	2 256 898.78	563 254.17
05 00	2 245 893.33	547 945.92	2 245 729.71	563 131.09
07 30	2 234 716.77	547 828.23	2 234 560.59	563 013.48
99 10 00	2 223 540.15	547 716.01	2 223 391.40	562 901.33
12 30	2 212 363.47	547 609.27	2 212 222.17	562 794.67
15 00	2 201 186.74	547 508.01	2 201 052.87	562 693.47
17 30	2 190 009.96	547 412.21	2 189 883.53	562 597.74
99 20 00	2 178 833.14	547 321.90	2 178 714.15	562 507.48
22 30	2 167 656.28	547 237.05	2 167 544.72	562 422.69
25 00	2 156 479.38	547 157.68	2 156 375.26	562 343.37
27 30	2 145 302.43	547 083.78	2 145 205.74	562 269.52
99 30 00	2 134 125.46	547 015.35	2 134 036.21	562 201.14
32 30	2 122 948.45	546 952.40	2 122 866.64	562 138.23
35 00	2 111 771.41	546 894.92	2 111 697.04	562 080.79
37 30	2 100 594.35	546 842.92	2 100 527.41	562 028.82
99 40 00	2 089 417.25	546 796.39	2 089 357.75	561 982.32
42 30	2 078 240.14	546 755.34	2 078 188.08	561 941.30
45 00	2 067 063.02	546 719.76	2 067 018.39	561 905.74
47 30	2 055 885.88	546 689.65	2 055 848.69	561 875.66
99 50 00	2 044 708.72	546 665.02	2 044 678.97	561 851.04
52 30	2 033 531.55	546 645.86	2 033 509.24	561 831.89
55 00	2 022 354.36	546 632.17	2 022 339.49	561 818.22
57 30	2 011 177.19	546 623.96	2 011 169.75	561 810.01
100 00 00	2 000 000.00	546 621.22	2 000 000.00	561 807.27

LONGITUDE	LATITUDE X 42 55 00	LATITUDE Y	LATITUDE X 42 57 30	LATITUDE Y
99 00 00	2 267 889.29	578 567.93	2 267 710.79	593 753.37
02 30	2 256 727.72	578 439.47	2 256 556.66	593 624.99
05 00	2 245 566.09	578 316.47	2 245 402.47	593 502.07
07 30	2 234 404.40	578 198.93	2 234 248.22	593 384.62
99 10 00	2 223 242.66	578 086.87	2 223 093.91	593 272.63
12 30	2 212 080.86	577 980.27	2 211 939.55	593 166.10
15 00	2 200 918.99	577 879.14	2 200 785.12	593 065.04
17 30	2 189 757.10	577 783.47	2 189 630.66	592 969.43
99 20 00	2 178 595.15	577 693.27	2 178 476.15	592 879.30
22 30	2 167 433.16	577 608.54	2 167 321.60	592 794.62
25 00	2 156 271.14	577 529.27	2 156 167.01	592 715.40
27 30	2 145 109.06	577 455.47	2 145 012.37	592 641.65
99 30 00	2 133 946.96	577 387.14	2 133 857.71	592 573.36
32 30	2 122 784.83	577 324.27	2 122 703.02	592 510.54
35 00	2 111 622.67	577 266.87	2 111 548.29	592 453.17
37 30	2 100 460.48	577 214.93	2 100 393.54	592 401.28
99 40 00	2 089 298.25	577 168.47	2 089 238.75	592 354.84
42 30	2 078 136.02	577 127.47	2 078 083.96	592 313.87
45 00	2 066 973.77	577 091.94	2 066 929.14	592 278.36
47 30	2 055 811.50	577 061.87	2 055 774.31	592 248.31
99 50 00	2 044 649.22	577 037.27	2 044 619.47	592 223.73
52 30	2 033 486.93	577 018.14	2 033 464.61	592 204.61
55 00	2 022 324.61	577 004.47	2 022 309.74	592 190.95
57 30	2 011 162.31	576 996.27	2 011 154.87	592 182.75
100 00 00	2 000 000.00	576 993.53	2 000 000.00	592 180.02

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 42 45 00 X	LATITUDE 42 45 00 Y	LATITUDE 42 47 30 X	LATITUDE 42 47 30 Y
100 00 00	2 000 000.00	516 249.75	2 000 000.00	531 435.39
02 30	1 988 807.94	516 252.49	1 988 815.38	531 438.13
05 00	1 977 615.89	516 260.72	1 977 630.76	531 446.35
07 30	1 966 423.83	516 274.42	1 966 446.14	531 460.05
100 10 00	1 955 231.79	516 293.61	1 955 261.53	531 479.22
12 30	1 944 039.75	516 318.27	1 944 076.94	531 503.87
15 00	1 932 847.74	516 348.42	1 932 892.36	531 533.99
17 30	1 921 655.73	516 384.05	1 921 707.79	531 569.60
100 20 00	1 910 463.75	516 425.15	1 910 523.25	531 610.68
22 30	1 899 271.78	516 471.74	1 899 338.71	531 657.24
25 00	1 888 079.84	516 523.81	1 888 154.22	531 709.27
27 30	1 876 887.93	516 581.37	1 876 969.74	531 766.79
100 30 00	1 865 696.05	516 644.41	1 865 785.30	531 829.78
32 30	1 854 504.21	516 712.92	1 854 600.89	531 898.25
35 00	1 843 312.38	516 786.92	1 843 416.50	531 972.20
37 30	1 832 120.60	516 866.40	1 832 232.16	532 051.63
100 40 00	1 820 928.87	516 951.36	1 821 047.86	532 136.53
42 30	1 809 737.17	517 041.80	1 809 863.60	532 226.91
45 00	1 798 545.53	517 137.72	1 798 679.40	532 322.77
47 30	1 787 353.92	517 239.12	1 787 495.22	532 424.10
100 50 00	1 776 162.37	517 346.00	1 776 311.11	532 530.91
52 30	1 764 970.88	517 458.36	1 765 127.05	532 643.20
55 00	1 753 779.44	517 576.21	1 753 943.05	532 760.97
57 30	1 742 588.06	517 699.54	1 742 759.11	532 884.22
101 00 00	1 731 396.75	517 828.35	1 731 575.23	533 012.94

LONGITUDE	LATITUDE 42 50 00 X	LATITUDE 42 50 00 Y	LATITUDE 42 52 30 X	LATITUDE 42 52 30 Y
100 00 00	2 000 000.00	546 621.22	2 000 000.00	561 807.27
02 30	1 988 822.81	546 623.96	1 988 830.25	561 810.01
05 00	1 977 645.64	546 632.17	1 977 660.51	561 818.22
07 30	1 966 468.45	546 645.86	1 966 490.76	561 831.89
100 10 00	1 955 291.28	546 665.02	1 955 321.03	561 851.04
12 30	1 944 114.12	546 689.65	1 944 151.31	561 875.66
15 00	1 932 936.98	546 719.76	1 932 981.61	561 905.74
17 30	1 921 759.86	546 755.34	1 921 811.92	561 941.30
100 20 00	1 910 582.75	546 796.39	1 910 642.25	561 982.32
22 30	1 899 405.65	546 842.92	1 899 472.59	562 028.82
25 00	1 888 228.59	546 894.92	1 888 302.96	562 080.79
27 30	1 877 051.55	546 952.40	1 877 133.36	562 138.23
100 30 00	1 865 874.54	547 015.35	1 865 963.79	562 201.14
32 30	1 854 697.57	547 083.78	1 854 794.26	562 269.52
35 00	1 843 520.62	547 157.68	1 843 624.74	562 343.37
37 30	1 832 343.72	547 237.05	1 832 455.28	562 422.69
100 40 00	1 821 166.86	547 321.90	1 821 285.85	562 507.48
42 30	1 809 990.04	547 412.21	1 810 116.47	562 597.74
45 00	1 798 813.26	547 508.01	1 798 947.13	562 693.47
47 30	1 787 636.53	547 609.27	1 787 777.83	562 794.67
100 50 00	1 776 459.85	547 716.01	1 776 608.60	562 901.33
52 30	1 765 283.23	547 828.23	1 765 439.41	563 013.48
55 00	1 754 106.67	547 945.92	1 754 270.29	563 131.09
57 30	1 742 930.17	548 069.08	1 743 101.22	563 254.17
101 00 00	1 731 753.72	548 197.72	1 731 932.21	563 382.72

LONGITUDE	LATITUDE 42 55 00 X	LATITUDE 42 55 00 Y	LATITUDE 42 57 30 X	LATITUDE 42 57 30 Y
100 00 00	2 000 000.00	576 993.53	2 000 000.00	592 180.02
02 30	1 988 837.69	576 996.27	1 988 845.13	592 182.75
05 00	1 977 675.39	577 004.47	1 977 690.26	592 190.95
07 30	1 966 513.07	577 018.14	1 966 535.39	592 204.61
100 10 00	1 955 350.78	577 037.27	1 955 380.53	592 223.73
12 30	1 944 188.50	577 061.87	1 944 225.69	592 248.31
15 00	1 933 026.23	577 091.94	1 933 070.86	592 278.36
17 30	1 921 863.98	577 127.47	1 921 916.04	592 313.87
100 20 00	1 910 701.75	577 168.47	1 910 761.25	592 354.84
22 30	1 899 539.52	577 214.93	1 899 606.46	592 401.28
25 00	1 888 377.33	577 266.87	1 888 451.71	592 453.17
27 30	1 877 215.17	577 324.27	1 877 296.98	592 510.54
100 30 00	1 866 053.04	577 387.14	1 866 142.29	592 573.36
32 30	1 854 890.94	577 455.47	1 854 987.63	592 641.65
35 00	1 843 728.86	577 529.27	1 843 832.99	592 715.40
37 30	1 832 566.84	577 608.54	1 832 678.40	592 794.62
100 40 00	1 821 404.85	577 693.27	1 821 523.85	592 879.30
42 30	1 810 242.90	577 783.47	1 810 369.34	592 969.43
45 00	1 799 081.01	577 879.14	1 799 214.88	593 065.04
47 30	1 787 919.14	577 980.27	1 788 060.45	593 166.10
100 50 00	1 776 757.34	578 086.87	1 776 906.09	593 272.63
52 30	1 765 595.60	578 198.93	1 765 751.78	593 384.62
55 00	1 754 433.91	578 316.47	1 754 597.53	593 502.07
57 30	1 743 272.28	578 439.47	1 743 443.34	593 624.99
101 00 00	1 732 110.71	578 567.93	1 732 289.21	593 753.37

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE X 42 45 00	LATITUDE Y	LATITUDE X 42 47 30	LATITUDE Y
101 00 00	1 731 396.75	517 828.35	1 731 575.23	533 012.94
02 30	1 720 205.48	517 962.64	1 720 391.41	533 147.14
05 00	1 709 014.30	518 102.40	1 709 207.66	533 286.81
07 30	1 697 823.18	518 247.65	1 698 023.98	533 431.96
101 10 00	1 686 632.14	518 398.38	1 686 840.37	533 582.59
12 30	1 675 441.17	518 554.59	1 675 656.84	533 738.70
15 00	1 664 250.27	518 716.28	1 664 473.38	533 900.28
17 30	1 653 059.46	518 883.46	1 653 290.00	534 067.35
101 20 00	1 641 868.73	519 056.11	1 642 106.71	534 239.89
22 30	1 630 678.09	519 234.25	1 630 923.51	534 417.90
25 00	1 619 487.54	519 417.86	1 619 740.39	534 601.40
27 30	1 608 297.07	519 606.96	1 608 557.36	534 790.37
101 30 00	1 597 106.70	519 801.53	1 597 374.43	534 984.81
32 30	1 585 916.43	520 001.59	1 586 191.59	535 184.74
35 00	1 574 726.26	520 207.12	1 575 008.86	535 390.14
37 30	1 563 536.19	520 418.14	1 563 826.22	535 601.01
101 40 00	1 552 346.23	520 634.64	1 552 643.70	535 817.36
42 30	1 541 156.36	520 856.62	1 541 461.26	536 039.19
45 00	1 529 966.62	521 084.08	1 530 278.95	536 266.50
47 30	1 518 776.98	521 317.01	1 519 096.75	536 499.29
101 50 00	1 507 587.47	521 555.43	1 507 914.67	536 737.55
52 30	1 496 398.06	521 799.33	1 496 732.71	536 981.28
55 00	1 485 208.77	522 048.71	1 485 550.85	537 230.49
57 30	1 474 019.62	522 303.56	1 474 369.13	537 485.18
102 00 00	1 462 830.59	522 563.90	1 463 187.54	537 745.34

LONGITUDE	LATITUDE X 42 50 00	LATITUDE Y	LATITUDE X 42 52 30	LATITUDE Y
101 00 00	1 731 753.72	548 197.72	1 731 932.21	563 382.72
02 30	1 720 577.33	548 331.83	1 720 763.26	563 516.74
05 00	1 709 401.02	548 471.41	1 709 594.38	563 656.23
07 30	1 698 224.78	548 616.47	1 698 425.58	563 801.19
101 10 00	1 687 048.61	548 767.00	1 687 256.85	563 951.62
12 30	1 675 872.51	548 923.00	1 676 088.19	564 107.52
15 00	1 664 696.48	549 084.48	1 664 919.60	564 268.89
17 30	1 653 520.55	549 251.43	1 653 751.10	564 435.73
101 20 00	1 642 344.69	549 423.85	1 642 582.68	564 608.04
22 30	1 631 168.93	549 601.75	1 631 414.35	564 785.82
25 00	1 619 993.24	549 785.12	1 620 246.10	564 969.07
27 30	1 608 817.65	549 973.97	1 609 077.94	565 157.78
101 30 00	1 597 642.15	550 168.28	1 597 909.88	565 351.97
32 30	1 586 466.75	550 368.07	1 586 741.92	565 551.63
35 00	1 575 291.45	550 573.34	1 575 574.06	565 756.76
37 30	1 564 116.26	550 784.07	1 564 406.30	565 967.35
101 40 00	1 552 941.17	551 000.28	1 553 238.64	566 183.41
42 30	1 541 766.17	551 221.96	1 542 071.08	566 404.95
45 00	1 530 591.29	551 449.12	1 530 903.64	566 631.96
47 30	1 519 416.53	551 681.75	1 519 736.31	566 864.43
101 50 00	1 508 241.89	551 919.85	1 508 569.10	567 102.37
52 30	1 497 067.36	552 163.42	1 497 402.01	567 345.79
55 00	1 485 892.93	552 412.47	1 486 235.02	567 594.66
57 30	1 474 718.65	552 666.99	1 475 068.17	567 849.01
102 00 00	1 463 544.49	552 926.98	1 463 901.45	568 108.83

LONGITUDE	LATITUDE X 42 55 00	LATITUDE Y	LATITUDE X 42 57 30	LATITUDE Y
101 00 00	1 732 110.71	578 567.93	1 732 289.21	593 753.37
02 30	1 720 949.19	578 701.86	1 721 135.13	593 887.21
05 00	1 709 787.75	578 841.26	1 709 981.12	594 026.52
07 30	1 698 626.38	578 986.12	1 698 827.19	594 171.28
101 10 00	1 687 465.09	579 136.45	1 687 673.33	594 321.51
12 30	1 676 303.87	579 292.25	1 676 519.55	594 477.20
15 00	1 665 142.71	579 453.51	1 665 365.83	594 638.36
17 30	1 653 981.65	579 620.24	1 654 212.20	594 804.98
101 20 00	1 642 820.67	579 792.43	1 643 058.66	594 977.06
22 30	1 631 659.77	579 970.09	1 631 905.20	595 154.60
25 00	1 620 498.96	580 153.22	1 620 751.83	595 337.61
27 30	1 609 338.24	580 341.81	1 609 598.54	595 526.07
101 30 00	1 598 177.62	580 535.87	1 598 445.35	595 720.00
32 30	1 587 017.09	580 735.40	1 587 292.26	595 919.39
35 00	1 575 856.66	580 940.39	1 576 139.27	596 124.25
37 30	1 564 696.34	581 150.84	1 564 986.39	596 334.56
101 40 00	1 553 536.12	581 366.76	1 553 833.60	596 550.34
42 30	1 542 375.99	581 588.15	1 542 680.91	596 771.58
45 00	1 531 215.99	581 815.01	1 531 528.34	596 998.28
47 30	1 520 056.10	582 047.32	1 520 375.89	597 230.45
101 50 00	1 508 896.32	582 285.11	1 509 223.55	597 468.07
52 30	1 497 736.66	582 528.36	1 498 071.33	597 711.16
55 00	1 486 577.11	582 777.07	1 486 919.21	597 959.71
57 30	1 475 417.70	583 031.25	1 475 767.23	598 213.72
102 00 00	1 464 258.41	583 290.89	1 464 615.38	598 473.19

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 45 00 X	LATITUDE 42 45 00 Y	LATITUDE 42 47 30 X	LATITUDE 42 47 30 Y
102 00 00	1 462 830.59	522 563.90	1 463 187.54	537 745.34
02 30	1 451 641.69	522 829.71	1 452 006.07	538 010.98
05 00	1 440 452.92	523 101.01	1 440 824.74	538 282.10
07 30	1 429 264.28	523 377.79	1 429 643.54	538 558.69
102 10 00	1 418 075.77	523 660.05	1 418 462.46	538 840.76
12 30	1 406 887.41	523 947.78	1 407 281.54	539 128.31
15 00	1 395 699.20	524 241.00	1 396 100.75	539 421.33
17 30	1 384 511.13	524 539.69	1 384 920.12	539 719.82
102 20 00	1 373 323.20	524 843.86	1 373 739.63	540 023.79
22 30	1 362 135.42	525 153.52	1 362 559.28	540 333.24
25 00	1 350 947.80	525 468.65	1 351 379.09	540 648.16
27 30	1 339 760.33	525 789.25	1 340 199.06	540 968.55
102 30 00	1 328 573.02	526 115.35	1 329 019.19	541 294.43
32 30	1 317 385.88	526 446.92	1 317 839.48	541 625.78
35 00	1 306 198.89	526 783.97	1 306 659.92	541 962.61
37 30	1 295 012.07	527 126.49	1 295 480.54	542 304.91
102 40 00	1 283 825.43	527 474.50	1 284 301.32	542 652.68
42 30	1 272 638.95	527 827.98	1 273 122.28	543 005.93
45 00	1 261 452.65	528 186.95	1 261 943.42	543 364.65
47 30	1 250 266.53	528 551.38	1 250 764.72	543 728.85
102 50 00	1 239 080.57	528 921.30	1 239 586.20	544 098.52
52 30	1 227 894.81	529 296.70	1 228 407.88	544 473.67
55 00	1 216 709.24	529 677.57	1 217 229.73	544 854.29
57 30	1 205 523.85	530 063.93	1 206 051.78	545 240.39
103 00 00	1 194 338.65	530 455.76	1 194 874.01	545 631.96

LONGITUDE	LATITUDE 42 50 00 X	LATITUDE 42 50 00 Y	LATITUDE 42 52 30 X	LATITUDE 42 52 30 Y
102 00 00	1 463 544.49	552 926.98	1 463 901.45	568 108.83
02 30	1 452 370.46	553 192.44	1 452 734.85	568 374.11
05 00	1 441 196.56	553 463.38	1 441 568.39	568 644.87
07 30	1 430 022.79	553 739.78	1 430 402.06	568 921.10
102 10 00	1 418 849.15	554 021.67	1 419 235.85	569 202.79
12 30	1 407 675.66	554 309.02	1 408 069.80	569 489.96
15 00	1 396 502.32	554 601.85	1 396 903.89	569 782.59
17 30	1 385 329.12	554 900.15	1 385 738.12	570 080.69
102 20 00	1 374 156.06	555 203.91	1 374 572.50	570 384.25
22 30	1 362 983.15	555 513.15	1 363 407.02	570 693.29
25 00	1 351 810.39	555 827.86	1 352 241.70	571 007.79
27 30	1 340 637.80	556 148.05	1 341 076.54	571 327.76
102 30 00	1 329 465.36	556 473.71	1 329 911.53	571 653.20
32 30	1 318 293.08	556 804.84	1 318 746.69	571 984.11
35 00	1 307 120.95	557 141.44	1 307 582.00	572 320.49
37 30	1 295 949.01	557 483.51	1 296 417.48	572 662.33
102 40 00	1 284 777.23	557 831.05	1 285 253.14	573 009.64
42 30	1 273 605.62	558 184.07	1 274 088.96	573 362.42
45 00	1 262 434.19	558 542.55	1 262 924.96	573 720.67
47 30	1 251 262.93	558 906.51	1 251 761.14	574 084.38
102 50 00	1 240 091.84	559 275.93	1 240 597.49	574 453.56
52 30	1 228 920.95	559 650.83	1 229 434.03	574 828.21
55 00	1 217 750.24	560 031.20	1 218 270.75	575 208.33
57 30	1 206 579.71	560 417.04	1 207 107.66	575 593.91
103 00 00	1 195 409.38	560 808.35	1 195 944.76	575 984.96

LONGITUDE	LATITUDE 42 55 00 X	LATITUDE 42 55 00 Y	LATITUDE 42 57 30 X	LATITUDE 42 57 30 Y
102 00 00	1 464 258.41	583 290.89	1 464 615.38	598 473.19
02 30	1 453 099.25	583 556.00	1 453 463.66	598 738.12
05 00	1 441 940.22	583 826.58	1 442 312.06	599 008.52
07 30	1 430 781.33	584 102.62	1 431 160.60	599 284.37
102 10 00	1 419 622.56	584 384.13	1 420 009.27	599 565.69
12 30	1 408 463.94	584 671.10	1 408 858.08	599 852.48
15 00	1 397 305.46	584 963.54	1 397 707.04	600 144.72
17 30	1 386 147.13	585 261.44	1 386 556.15	600 442.42
102 20 00	1 374 988.94	585 564.80	1 375 405.39	600 745.58
22 30	1 363 830.90	585 873.63	1 364 254.78	601 054.20
25 00	1 352 673.01	586 187.92	1 353 104.33	601 368.28
27 30	1 341 515.28	586 507.68	1 341 954.04	601 687.83
102 30 00	1 330 357.71	586 832.90	1 330 803.90	602 012.84
32 30	1 319 200.30	587 163.59	1 319 653.93	602 343.31
35 00	1 308 043.05	587 499.75	1 308 504.10	602 679.24
37 30	1 296 885.97	587 841.36	1 297 354.46	603 020.63
102 40 00	1 285 729.06	588 188.44	1 286 204.98	603 367.47
42 30	1 274 572.31	588 540.99	1 275 055.67	603 719.78
45 00	1 263 415.75	588 899.00	1 263 906.54	604 077.55
47 30	1 252 259.36	589 262.47	1 252 757.58	604 440.78
102 50 00	1 241 103.14	589 631.40	1 241 608.80	604 809.47
52 30	1 229 947.11	590 005.80	1 230 460.20	605 183.62
55 00	1 218 791.26	590 385.66	1 219 311.79	605 563.23
57 30	1 207 635.61	590 770.99	1 208 163.57	605 948.30
103 00 00	1 196 480.14	591 161.78	1 197 015.54	606 338.83

NEBRASKA - NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 45 00 X	LATITUDE 42 45 00 Y	LATITUDE 42 47 30 X	LATITUDE 42 47 30 Y
103 00 00	1 194 338.65	530 455.76	1 194 874.01	545 631.96
02 30	1 183 153.64	530 853.07	1 183 696.43	546 029.01
05 00	1 171 968.83	531 255.86	1 172 519.06	546 431.53
07 30	1 160 784.22	531 664.13	1 161 341.88	546 839.52
103 10 00	1 149 599.81	532 077.87	1 150 164.90	547 252.99
12 30	1 138 415.61	532 497.08	1 138 988.13	547 671.93
15 00	1 127 231.60	532 921.78	1 127 811.56	548 096.34
17 30	1 116 047.81	533 351.95	1 116 635.20	548 526.23
103 20 00	1 104 864.24	533 787.61	1 105 459.05	548 961.59
22 30	1 093 680.88	534 228.74	1 094 283.13	549 402.43
25 00	1 082 497.73	534 675.34	1 083 107.41	549 848.74
27 30	1 071 314.81	535 127.43	1 071 931.92	550 300.52
103 30 00	1 060 132.10	535 584.99	1 060 756.64	550 757.78
32 30	1 048 949.62	536 048.02	1 049 581.59	551 220.51
35 00	1 037 767.37	536 516.53	1 038 406.78	551 688.71
37 30	1 026 585.36	536 990.52	1 027 232.19	552 162.38
103 40 00	1 015 403.57	537 469.98	1 016 057.84	552 641.52
42 30	1 004 222.01	537 954.93	1 004 883.71	553 126.14
45 00	993 040.71	538 445.35	993 709.83	553 616.24
47 30	981 859.64	538 941.24	982 536.19	554 111.80
103 50 00	970 678.82	539 442.61	971 362.80	554 612.84
52 30	959 498.24	539 949.46	960 189.65	555 119.35
55 00	948 317.91	540 461.78	949 016.76	555 631.33
57 30	937 137.83	540 979.57	937 844.10	556 148.78
104 00 00	925 958.01	541 502.84	926 671.71	556 671.70

LONGITUDE	LATITUDE 42 50 00 X	LATITUDE 42 50 00 Y	LATITUDE 42 52 30 X	LATITUDE 42 52 30 Y
103 00 00	1 195 409.38	560 808.35	1 195 944.76	575 984.96
02 30	1 184 239.23	561 205.13	1 184 782.04	576 381.48
05 00	1 173 069.29	561 607.39	1 173 619.53	576 783.47
07 30	1 161 899.55	562 015.11	1 162 457.22	577 190.92
103 10 00	1 150 730.00	562 428.30	1 151 295.11	577 603.83
12 30	1 139 560.66	562 846.96	1 140 133.20	578 022.21
15 00	1 128 391.52	563 271.09	1 128 971.49	578 446.06
17 30	1 117 222.59	563 700.69	1 117 809.99	578 875.38
103 20 00	1 106 053.88	564 135.77	1 106 648.71	579 310.17
22 30	1 094 885.38	564 576.31	1 095 487.65	579 750.42
25 00	1 083 717.10	565 022.33	1 084 326.80	580 196.13
27 30	1 072 549.04	565 473.81	1 073 166.17	580 647.32
103 30 00	1 061 381.19	565 930.76	1 062 005.75	581 103.96
32 30	1 050 213.57	566 393.18	1 050 845.56	581 566.07
35 00	1 039 046.19	566 861.07	1 039 685.61	582 033.65
37 30	1 027 879.03	567 334.43	1 028 525.88	582 506.69
103 40 00	1 016 712.11	567 813.25	1 017 366.39	582 985.20
42 30	1 005 545.41	568 297.55	1 006 207.12	583 469.18
45 00	994 378.96	568 787.32	995 048.11	583 958.62
47 30	983 212.76	569 282.55	983 889.33	584 453.52
103 50 00	972 046.79	569 783.26	972 730.80	584 953.90
52 30	960 881.08	570 289.43	961 572.51	585 459.73
55 00	949 715.61	570 801.07	950 414.47	585 971.03
57 30	938 550.38	571 318.18	939 256.67	586 487.79
104 00 00	927 385.42	571 840.75	928 099.14	587 010.02

LONGITUDE	LATITUDE 42 55 00 X	LATITUDE 42 55 00 Y	LATITUDE 42 57 30 X	LATITUDE 42 57 30 Y
103 00 00	1 196 480.14	591 161.78	1 197 015.54	606 338.83
02 30	1 185 324.86	591 558.04	1 185 867.69	606 734.82
05 00	1 174 169.78	591 959.75	1 174 720.04	607 136.27
07 30	1 163 014.90	592 366.93	1 163 572.59	607 543.18
103 10 00	1 151 860.22	592 779.57	1 152 425.34	607 955.55
12 30	1 140 705.75	593 197.68	1 141 278.30	608 373.37
15 00	1 129 551.47	593 621.24	1 130 131.45	608 796.65
17 30	1 118 397.40	594 050.27	1 118 984.82	609 225.40
103 20 00	1 107 243.56	594 484.77	1 107 838.41	609 659.61
22 30	1 096 089.92	594 924.73	1 096 692.20	610 099.27
25 00	1 084 936.50	595 370.15	1 085 546.22	610 544.39
27 30	1 073 783.30	595 821.03	1 074 400.45	610 994.98
103 30 00	1 062 630.32	596 277.37	1 063 254.89	611 451.02
32 30	1 051 477.56	596 739.18	1 052 109.57	611 912.51
35 00	1 040 325.04	597 206.44	1 040 964.48	612 379.47
37 30	1 029 172.74	597 679.17	1 029 819.61	612 851.88
103 40 00	1 018 020.68	598 157.36	1 018 674.98	613 329.75
42 30	1 006 868.85	598 641.01	1 007 530.58	613 813.08
45 00	995 717.26	599 130.13	996 386.42	614 301.87
47 30	984 565.91	599 624.71	985 242.50	614 796.12
103 50 00	973 414.81	600 124.74	974 098.83	615 295.82
52 30	962 263.95	600 630.24	962 955.40	615 800.98
55 00	951 113.34	601 141.20	951 812.22	616 311.60
57 30	939 962.97	601 657.62	940 669.29	616 827.68
104 00 00	928 812.87	602 179.50	929 526.61	617 349.21

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 42 45 00 X	LATITUDE 42 45 00 Y	LATITUDE 42 47 30 X	LATITUDE 42 47 30 Y
104 00 00	925 958.01	541 502.84	926 671.71	556 671.70
02 30	914 778.45	542 031.59	915 499.58	557 200.10
05 00	903 599.15	542 565.81	904 327.71	557 733.96
07 30	892 420.11	543 105.51	893 156.10	558 273.30
104 10 00	881 241.33	543 650.68	881 984.74	558 818.11
12 30	870 062.82	544 201.33	870 813.67	559 368.39
15 00	858 884.59	544 757.45	859 642.86	559 924.15

LONGITUDE	LATITUDE 42 50 00 X	LATITUDE 42 50 00 Y	LATITUDE 42 52 30 X	LATITUDE 42 52 30 Y
104 00 00	927 385.42	571 840.75	928 099.14	587 010.02
02 30	916 220.72	572 368.79	916 941.87	587 537.71
05 00	905 056.28	572 902.30	905 784.85	588 070.86
07 30	893 892.10	573 441.28	894 628.10	588 609.49
104 10 00	882 728.17	573 985.73	883 471.60	589 153.58
12 30	871 564.52	574 535.65	872 315.38	589 703.12
15 00	860 401.14	575 091.03	861 159.44	590 258.14

LONGITUDE	LATITUDE 42 55 00 X	LATITUDE 42 55 00 Y	LATITUDE 42 57 30 X	LATITUDE 42 57 30 Y
104 00 00	928 812.87	602 179.50	929 526.61	617 349.21
02 30	917 663.03	602 706.84	918 384.20	617 876.19
05 00	906 513.44	603 239.64	907 242.04	618 408.64
07 30	895 364.12	603 777.90	896 100.15	618 946.54
104 10 00	884 215.05	604 321.63	884 958.51	619 489.91
12 30	873 066.26	604 870.81	873 817.14	620 038.72
15 00	861 917.74	605 425.45	862 676.05	620 593.00

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 43 00 00 X	LATITUDE 43 00 00 Y	LATITUDE X	LATITUDE Y
96 00 00	3 069 759.64	632 519.14		
02 30	3 058 624.39	631 997.95		
05 00	3 047 488.86	631 482.22		
07 30	3 036 353.13	630 971.94		
96 10 00	3 025 217.14	630 467.12		
12 30	3 014 080.89	629 967.75		
15 00	3 002 944.41	629 473.83		
17 30	2 991 807.68	628 985.37		
96 20 00	2 980 670.71	628 502.36		
22 30	2 969 533.51	628 024.80		
25 00	2 958 396.07	627 552.71		
27 30	2 947 258.41	627 086.06		
96 30 00	2 936 120.52	626 624.88		
32 30	2 924 982.40	626 169.14		
35 00	2 913 844.06	625 718.86		
37 30	2 902 705.50	625 274.03		
96 40 00	2 891 566.73	624 834.66		
42 30	2 880 427.75	624 400.74		
45 00	2 869 288.55	623 972.29		
47 30	2 858 149.13	623 549.28		
96 50 00	2 847 009.52	623 131.74		
52 30	2 835 869.71	622 719.65		
55 00	2 824 729.69	622 313.01		
57 30	2 813 589.48	621 911.83		
97 00 00	2 802 449.06	621 516.10		

LONGITUDE	LATITUDE 43 00 00 X	LATITUDE 43 00 00 Y	LATITUDE X	LATITUDE Y
97 00 00	2 802 449.06	621 516.10		
02 30	2 791 308.46	621 125.83		
05 00	2 780 167.68	620 741.02		
07 30	2 769 026.70	620 361.66		
97 10 00	2 757 885.54	619 987.76		
12 30	2 746 744.18	619 619.32		
15 00	2 735 602.66	619 256.33		
17 30	2 724 460.96	618 898.80		
97 20 00	2 713 319.09	618 546.73		
22 30	2 702 177.04	618 200.11		
25 00	2 691 034.83	617 858.95		
27 30	2 679 892.44	617 523.24		
97 30 00	2 668 749.90	617 192.99		
32 30	2 657 607.20	616 868.20		
35 00	2 646 464.34	616 548.87		
37 30	2 635 321.33	616 235.00		
97 40 00	2 624 178.15	615 926.58		
42 30	2 613 034.83	615 623.62		
45 00	2 601 891.37	615 326.12		
47 30	2 590 747.77	615 034.07		
97 50 00	2 579 604.02	614 747.48		
52 30	2 568 460.12	614 466.35		
55 00	2 557 316.09	614 190.67		
57 30	2 546 171.93	613 920.46		
98 00 00	2 535 027.64	613 655.70		

LONGITUDE	LATITUDE 43 00 00 X	LATITUDE 43 00 00 Y	LATITUDE X	LATITUDE Y
98 00 00	2 535 027.64	613 655.70		
02 30	2 523 883.23	613 396.40		
05 00	2 512 738.68	613 142.56		
07 30	2 501 594.01	612 894.18		
98 10 00	2 490 449.22	612 651.26		
12 30	2 479 304.32	612 413.79		
15 00	2 468 159.30	612 181.78		
17 30	2 457 014.16	611 955.23		
98 20 00	2 445 868.91	611 734.13		
22 30	2 434 723.56	611 518.50		
25 00	2 423 578.11	611 308.33		
27 30	2 412 432.56	611 103.61		
98 30 00	2 401 286.91	610 904.35		
32 30	2 390 141.16	610 710.55		
35 00	2 378 995.30	610 522.21		
37 30	2 367 849.37	610 339.33		
98 40 00	2 356 703.35	610 161.90		
42 30	2 345 557.24	609 989.94		
45 00	2 334 411.05	609 823.43		
47 30	2 323 264.77	609 662.38		
98 50 00	2 312 118.42	609 506.79		
52 30	2 300 972.00	609 356.67		
55 00	2 289 825.50	609 212.00		
57 30	2 278 678.94	609 072.79		
99 00 00	2 267 532.30	608 939.03		

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 43 00 00 X	LATITUDE 43 00 00 Y	LATITUDE X	LATITUDE Y
99 00 00	2 267 532.30	608 939.03		
02 30	2 256 385.60	608 810.74		
05 00	2 245 238.85	608 687.90		
07 30	2 234 092.03	608 570.53		
99 10 00	2 222 945.16	608 458.61		
12 30	2 211 798.23	608 352.15		
15 00	2 200 651.24	608 251.16		
17 30	2 189 504.22	608 155.62		
99 20 00	2 178 357.15	608 065.54		
22 30	2 167 210.04	607 980.92		
25 00	2 156 062.89	607 901.76		
27 30	2 144 915.68	607 828.06		
99 30 00	2 133 768.46	607 759.81		
32 30	2 122 621.20	607 697.03		
35 00	2 111 473.91	607 639.70		
37 30	2 100 326.60	607 587.84		
99 40 00	2 089 179.25	607 541.43		
42 30	2 078 031.90	607 500.49		
45 00	2 066 884.52	607 465.01		
47 30	2 055 737.13	607 434.98		
99 50 00	2 044 589.72	607 410.41		
52 30	2 033 442.30	607 391.30		
55 00	2 022 294.86	607 377.65		
57 30	2 011 147.44	607 369.46		
100 00 00	2 000 000.00	607 366.73		

LONGITUDE	LATITUDE 43 00 00 X	LATITUDE 43 00 00 Y	LATITUDE X	LATITUDE Y
100 00 00	2 000 000.00	607 366.73		
02 30	1 988 852.56	607 369.46		
05 00	1 977 705.14	607 377.65		
07 30	1 966 557.70	607 391.30		
100 10 00	1 955 410.28	607 410.41		
12 30	1 944 262.87	607 434.98		
15 00	1 933 115.48	607 465.01		
17 30	1 921 968.10	607 500.49		
100 20 00	1 910 820.75	607 541.43		
22 30	1 899 673.40	607 587.84		
25 00	1 888 526.09	607 639.70		
27 30	1 877 378.80	607 697.03		
100 30 00	1 866 231.54	607 759.81		
32 30	1 855 084.32	607 828.06		
35 00	1 843 937.11	607 901.76		
37 30	1 832 789.96	607 980.92		
100 40 00	1 821 642.85	608 065.54		
42 30	1 810 495.78	608 155.62		
45 00	1 799 348.76	608 251.16		
47 30	1 788 201.77	608 352.15		
100 50 00	1 777 054.84	608 458.61		
52 30	1 765 907.97	608 570.53		
55 00	1 754 761.15	608 687.90		
57 30	1 743 614.40	608 810.74		
101 00 00	1 732 467.70	608 939.03		

LONGITUDE	LATITUDE 43 00 00 X	LATITUDE 43 00 00 Y	LATITUDE X	LATITUDE Y
101 00 00	1 732 467.70	608 939.03		
02 30	1 721 321.06	609 072.79		
05 00	1 710 174.50	609 212.00		
07 30	1 699 028.00	609 356.67		
101 10 00	1 687 881.58	609 506.79		
12 30	1 676 735.23	609 662.38		
15 00	1 665 588.95	609 823.43		
17 30	1 654 442.76	609 989.94		
101 20 00	1 643 296.65	610 161.90		
22 30	1 632 150.63	610 339.33		
25 00	1 621 004.70	610 522.21		
27 30	1 609 858.84	610 710.55		
101 30 00	1 598 713.09	610 904.35		
32 30	1 587 567.44	611 103.61		
35 00	1 576 421.89	611 308.33		
37 30	1 565 276.44	611 518.50		
101 40 00	1 554 131.09	611 734.13		
42 30	1 542 985.84	611 955.23		
45 00	1 531 840.70	612 181.78		
47 30	1 520 695.66	612 413.79		
101 50 00	1 509 550.78	612 651.26		
52 30	1 498 405.99	612 894.18		
55 00	1 487 261.32	613 142.56		
57 30	1 476 116.77	613 396.40		
102 00 00	1 464 972.36	613 655.70		

NEBRASKA - NORTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 43 00 00 X	Y	LATITUDE X	Y
102 00 00	1 464 972.36	613 655.70		
02 30	1 453 828.07	613 920.46		
05 00	1 442 683.91	614 190.67		
07 30	1 431 539.88	614 466.35		
102 10 00	1 420 395.98	614 747.48		
12 30	1 409 252.23	615 034.07		
15 00	1 398 108.63	615 326.12		
17 30	1 386 965.17	615 623.62		
102 20 00	1 375 821.85	615 926.58		
22 30	1 364 678.67	616 235.00		
25 00	1 353 535.66	616 548.87		
27 30	1 342 392.80	616 868.20		
102 30 00	1 331 250.10	617 192.99		
32 30	1 320 107.56	617 523.24		
35 00	1 308 965.17	617 858.95		
37 30	1 297 822.96	618 200.11		
102 40 00	1 286 680.91	618 546.73		
42 30	1 275 539.04	618 898.80		
45 00	1 264 397.34	619 256.33		
47 30	1 253 255.82	619 619.32		
102 50 00	1 242 114.46	619 987.76		
52 30	1 230 973.30	620 361.66		
55 00	1 219 832.32	620 741.02		
57 30	1 208 691.54	621 125.83		
103 00 00	1 197 550.94	621 516.10		

LONGITUDE	LATITUDE 43 00 00 X	Y	LATITUDE X	Y
103 00 00	1 197 550.94	621 516.10		
02 30	1 186 410.52	621 911.83		
05 00	1 175 270.31	622 313.01		
07 30	1 164 130.29	622 719.65		
103 10 00	1 152 990.48	623 131.74		
12 30	1 141 850.87	623 549.28		
15 00	1 130 711.45	623 972.29		
17 30	1 119 572.25	624 400.74		
103 20 00	1 108 433.27	624 834.66		
22 30	1 097 294.50	625 274.03		
25 00	1 086 155.94	625 718.86		
27 30	1 075 017.60	626 169.14		
103 30 00	1 063 879.48	626 624.88		
32 30	1 052 741.59	627 086.06		
35 00	1 041 603.93	627 552.71		
37 30	1 030 466.49	628 024.80		
103 40 00	1 019 329.29	628 502.36		
42 30	1 008 192.32	628 985.37		
45 00	997 055.59	629 473.83		
47 30	985 919.11	629 967.75		
103 50 00	974 782.86	630 467.12		
52 30	963 646.87	630 971.94		
55 00	952 511.12	631 482.22		
57 30	941 375.61	631 997.95		
104 00 00	930 240.36	632 519.14		

LONGITUDE	LATITUDE 43 00 00 X	Y	LATITUDE X	Y
104 00 00	930 240.36	632 519.14		
02 30	919 105.38	633 045.77		
05 00	907 970.65	633 577.86		
07 30	896 836.19	634 115.41		
104 10 00	885 701.97	634 658.41		
12 30	874 568.04	635 206.86		
15 00	863 434.38	635 760.77		

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 00 00 X	LATITUDE 40 00 00 Y	LATITUDE 40 02 30 X	LATITUDE 40 02 30 Y
95 15 00	3 190 341.53	150 408.67	3 189 603.11	165 570.09
17 30	3 178 680.60	149 843.53	3 177 949.41	165 005.30
95 20 00	3 167 019.39	149 283.95	3 166 295.44	164 446.06
22 30	3 155 357.92	148 729.93	3 154 641.20	163 892.39
25 00	3 143 696.19	148 181.48	3 142 986.71	163 344.28
27 30	3 132 034.19	147 638.59	3 131 331.94	162 801.73
95 30 00	3 120 371.95	147 101.26	3 119 676.93	162 264.73
32 30	3 108 709.44	146 569.50	3 108 021.66	161 733.30
35 00	3 097 046.68	146 043.30	3 096 366.13	161 207.43
37 30	3 085 383.67	145 522.67	3 084 710.36	160 687.12
95 40 00	3 073 720.42	145 007.61	3 073 054.34	160 172.38
42 30	3 062 056.92	144 498.10	3 061 398.08	159 663.19
45 00	3 050 393.18	143 994.17	3 049 741.57	159 159.56
47 30	3 038 729.19	143 495.79	3 038 084.82	158 661.50
95 50 00	3 027 064.98	143 002.98	3 026 427.85	158 168.99
52 30	3 015 400.53	142 515.74	3 014 770.63	157 682.06
55 00	3 003 735.85	142 034.06	3 003 113.19	157 200.68
57 30	2 992 070.94	141 557.95	2 991 455.51	156 724.86
96 00 00	2 980 405.80	141 087.41	2 979 797.61	156 254.61

LONGITUDE	LATITUDE 40 05 00 X	LATITUDE 40 05 00 Y	LATITUDE 40 07 30 X	LATITUDE 40 07 30 Y
95 15 00	3 188 864.69	180 731.44	3 188 126.28	195 892.72
17 30	3 177 218.23	180 166.99	3 176 487.05	195 328.62
95 20 00	3 165 571.49	179 608.11	3 164 847.54	194 770.09
22 30	3 153 924.48	179 054.78	3 153 207.77	194 217.10
25 00	3 142 277.23	178 507.01	3 141 567.75	193 669.67
27 30	3 130 629.70	177 964.80	3 129 927.45	193 127.79
95 30 00	3 118 981.92	177 428.13	3 118 286.91	192 591.46
32 30	3 107 333.88	176 897.03	3 106 646.11	192 060.69
35 00	3 095 685.59	176 371.49	3 095 005.05	191 535.47
37 30	3 084 037.06	175 851.50	3 083 363.75	191 015.81
95 40 00	3 072 388.27	175 337.08	3 071 722.20	190 501.71
42 30	3 060 739.25	174 828.21	3 060 080.41	189 993.15
45 00	3 049 089.97	174 324.89	3 048 438.37	189 490.15
47 30	3 037 440.46	173 827.14	3 036 796.09	188 992.70
95 50 00	3 025 790.72	173 334.94	3 025 153.59	188 500.81
52 30	3 014 140.74	172 848.30	3 013 510.85	188 014.48
55 00	3 002 490.53	172 367.22	3 001 867.88	187 533.70
57 30	2 990 840.09	171 891.70	2 990 224.67	187 058.47
96 00 00	2 979 189.42	171 421.74	2 978 581.24	186 588.80

LONGITUDE	LATITUDE 40 10 00 X	LATITUDE 40 10 00 Y	LATITUDE 40 12 30 X	LATITUDE 40 12 30 Y
95 15 00	3 187 387.87	211 053.96	3 186 649.46	226 215.15
17 30	3 175 755.87	210 490.21	3 175 024.70	225 651.75
95 20 00	3 164 123.60	209 932.02	3 163 399.66	225 093.91
22 30	3 152 491.06	209 379.38	3 151 774.35	224 541.61
25 00	3 140 858.27	208 832.29	3 140 148.80	223 994.86
27 30	3 129 225.21	208 290.75	3 128 522.97	223 453.66
95 30 00	3 117 591.91	207 754.75	3 116 896.90	222 917.99
32 30	3 105 958.33	207 224.31	3 105 270.56	222 387.88
35 00	3 094 324.51	206 699.42	3 093 643.98	221 863.32
37 30	3 082 690.45	206 180.08	3 082 017.15	221 344.30
95 40 00	3 071 056.13	205 666.30	3 070 390.07	220 830.83
42 30	3 059 421.58	205 158.06	3 058 762.75	220 322.91
45 00	3 047 786.78	204 655.37	3 047 135.18	219 820.54
47 30	3 036 151.73	204 158.23	3 035 507.37	219 323.71
95 50 00	3 024 516.47	203 666.64	3 023 879.34	218 832.43
52 30	3 012 880.96	203 180.61	3 012 251.07	218 346.70
55 00	3 001 245.22	202 700.13	3 000 622.57	217 866.51
57 30	2 989 609.26	202 225.20	2 988 993.84	217 391.88
96 00 00	2 977 973.06	201 755.82	2 977 364.88	216 922.79

NEBRASKA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 00 00 X	LATITUDE 40 00 00 Y	LATITUDE 40 02 30 X	LATITUDE 40 02 30 Y
96 00 00	2 980 405.80	141 087.41	2 979 797.61	156 254.61
02 30	2 968 740.44	140 622.43	2 968 139.49	155 789.91
05 00	2 957 074.86	140 163.01	2 956 481.15	155 330.78
07 30	2 945 409.07	139 709.16	2 944 822.59	154 877.21
96 10 00	2 933 743.05	139 260.88	2 933 163.81	154 429.21
12 30	2 922 076.82	138 818.16	2 921 504.82	153 986.77
15 00	2 910 410.39	138 381.01	2 909 845.63	153 549.89
17 30	2 898 743.75	137 949.42	2 898 186.22	153 118.57
96 20 00	2 887 076.91	137 523.40	2 886 526.61	152 692.81
22 30	2 875 409.85	137 102.95	2 874 866.80	152 272.63
25 00	2 863 742.60	136 688.07	2 863 206.78	151 858.00
27 30	2 852 075.16	136 278.75	2 851 546.58	151 448.94
96 30 00	2 840 407.52	135 875.00	2 839 886.18	151 045.44
32 30	2 828 739.70	135 476.81	2 828 225.59	150 647.50
35 00	2 817 071.67	135 084.19	2 816 564.81	150 255.12
37 30	2 805 403.46	134 697.14	2 804 903.83	149 868.30
96 40 00	2 793 735.08	134 315.66	2 793 242.69	149 487.06
42 30	2 782 066.51	133 939.74	2 781 581.36	149 111.38
45 00	2 770 397.77	133 569.39	2 769 919.86	148 741.26
47 30	2 758 728.84	133 204.61	2 758 258.17	148 376.70
96 50 00	2 747 059.74	132 845.39	2 746 596.31	148 017.71
52 30	2 735 390.48	132 491.74	2 734 934.29	147 664.27
55 00	2 723 721.05	132 143.67	2 723 272.09	147 316.41
57 30	2 712 051.46	131 801.16	2 711 609.74	146 974.12
97 00 00	2 700 381.69	131 464.21	2 699 947.22	146 637.38

LONGITUDE	LATITUDE 40 05 00 X	LATITUDE 40 05 00 Y	LATITUDE 40 07 30 X	LATITUDE 40 07 30 Y
96 00 00	2 979 189.42	171 421.74	2 978 581.24	186 588.80
02 30	2 967 538.54	170 957.33	2 966 937.60	186 124.68
05 00	2 955 887.43	170 498.49	2 955 293.72	185 666.12
07 30	2 944 236.12	170 045.20	2 943 649.64	185 213.12
96 10 00	2 932 584.57	169 597.48	2 932 005.34	184 765.67
12 30	2 920 932.82	169 155.31	2 920 360.82	184 323.78
15 00	2 909 280.86	168 718.70	2 908 716.10	183 887.44
17 30	2 897 628.69	168 287.65	2 897 071.17	183 456.66
96 20 00	2 885 976.32	167 862.16	2 885 426.04	183 031.43
22 30	2 874 323.75	167 442.23	2 873 780.70	182 611.76
25 00	2 862 670.97	167 027.86	2 862 135.16	182 197.65
27 30	2 851 018.01	166 619.05	2 850 489.43	181 789.09
96 30 00	2 839 364.84	166 215.80	2 838 843.50	181 386.09
32 30	2 827 711.49	165 818.11	2 827 197.39	180 988.65
35 00	2 816 057.94	165 425.97	2 815 551.08	180 596.76
37 30	2 804 404.21	165 039.40	2 803 904.59	180 210.43
96 40 00	2 792 750.31	164 658.39	2 792 257.93	179 829.65
42 30	2 781 096.21	164 282.94	2 780 611.06	179 454.44
45 00	2 769 441.95	163 913.05	2 768 964.04	179 084.78
47 30	2 757 787.50	163 548.72	2 757 316.83	178 720.67
96 50 00	2 746 132.88	163 189.95	2 745 669.45	178 362.12
52 30	2 734 478.10	162 836.74	2 734 021.91	178 009.13
55 00	2 722 823.14	162 489.09	2 722 374.19	177 661.70
57 30	2 711 168.02	162 147.01	2 710 726.31	177 319.83
97 00 00	2 699 512.74	161 810.48	2 699 078.27	176 983.51

LONGITUDE	LATITUDE 40 10 00 X	LATITUDE 40 10 00 Y	LATITUDE 40 12 30 X	LATITUDE 40 12 30 Y
96 00 00	2 977 973.06	201 755.82	2 977 364.88	216 922.79
02 30	2 966 336.65	201 291.99	2 965 735.71	216 459.25
05 00	2 954 700.02	200 833.71	2 954 106.31	216 001.26
07 30	2 943 063.17	200 380.99	2 942 476.70	215 548.82
96 10 00	2 931 426.10	199 933.83	2 930 846.87	215 101.93
12 30	2 919 788.82	199 492.21	2 919 216.82	214 660.59
15 00	2 908 151.34	199 056.14	2 907 586.58	214 224.79
17 30	2 896 513.64	198 625.62	2 895 956.12	213 794.54
96 20 00	2 884 875.75	198 200.66	2 884 325.47	213 369.84
22 30	2 873 237.65	197 781.25	2 872 694.60	212 950.70
25 00	2 861 599.35	197 367.40	2 861 063.54	212 537.10
27 30	2 849 960.86	196 959.10	2 849 432.29	212 129.05
96 30 00	2 838 322.17	196 556.35	2 837 800.83	211 726.55
32 30	2 826 683.30	196 159.15	2 826 169.20	211 329.60
35 00	2 815 044.23	195 767.50	2 814 537.37	210 938.20
37 30	2 803 404.97	195 381.41	2 802 905.35	210 552.35
96 40 00	2 791 765.54	195 000.88	2 791 273.16	210 172.05
42 30	2 780 125.92	194 625.89	2 779 640.78	209 797.30
45 00	2 768 486.14	194 256.46	2 768 008.23	209 428.10
47 30	2 756 846.16	193 892.58	2 756 375.50	209 064.45
96 50 00	2 745 206.02	193 534.26	2 744 742.59	208 706.34
52 30	2 733 565.72	193 181.48	2 733 109.53	208 353.79
55 00	2 721 925.24	192 834.27	2 721 476.29	208 006.79
57 30	2 710 284.60	192 492.61	2 709 842.89	207 665.34
97 00 00	2 698 643.80	192 156.50	2 698 209.33	207 329.44

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE X 40 00 00	LATITUDE Y 40 00 00	LATITUDE X 40 02 30	LATITUDE Y 40 02 30
97 00 00	2 700 381.69	131 464.21	2 699 947.22	146 637.38
02 30	2 688 711.77	131 132.83	2 688 284.53	146 306.21
05 00	2 677 041.70	130 807.02	2 676 621.70	145 980.60
07 30	2 665 371.47	130 486.78	2 664 958.71	145 660.56
97 10 00	2 653 701.09	130 172.11	2 653 295.57	145 346.08
12 30	2 642 030.56	129 863.01	2 641 632.28	145 037.17
15 00	2 630 359.88	129 559.47	2 629 968.84	144 733.82
17 30	2 618 689.07	129 261.50	2 618 305.27	144 436.04
97 20 00	2 607 018.10	128 969.10	2 606 641.54	144 143.82
22 30	2 595 347.01	128 682.27	2 594 977.69	143 857.16
25 00	2 583 675.77	128 401.00	2 583 313.69	143 576.07
27 30	2 572 004.40	128 125.31	2 571 649.56	143 300.55
97 30 00	2 560 332.91	127 855.19	2 559 985.31	143 030.60
32 30	2 548 661.28	127 590.63	2 548 320.92	142 766.20
35 00	2 536 989.54	127 331.64	2 536 656.42	142 507.37
37 30	2 525 317.66	127 078.22	2 524 991.78	142 254.11
97 40 00	2 513 645.66	126 830.36	2 513 327.03	142 006.41
42 30	2 501 973.56	126 588.08	2 501 662.17	141 764.28
45 00	2 490 301.34	126 351.38	2 489 997.18	141 527.72
47 30	2 478 629.01	126 120.23	2 478 332.09	141 296.72
97 50 00	2 466 956.56	125 894.66	2 466 666.89	141 071.28
52 30	2 455 284.01	125 674.65	2 455 001.57	140 851.41
55 00	2 443 611.36	125 460.21	2 443 336.17	140 637.10
57 30	2 431 938.60	125 251.34	2 431 670.65	140 428.37
98 00 00	2 420 265.76	125 048.04	2 420 005.05	140 225.19

LONGITUDE	LATITUDE X 40 05 00	LATITUDE Y 40 05 00	LATITUDE X 40 07 30	LATITUDE Y 40 07 30
97 00 00	2 699 512.74	161 810.48	2 699 078.27	176 983.51
02 30	2 687 857.30	161 479.52	2 687 430.06	176 652.75
05 00	2 676 201.71	161 154.11	2 675 781.71	176 327.55
07 30	2 664 545.95	160 834.26	2 664 133.20	176 007.90
97 10 00	2 652 890.06	160 519.98	2 652 484.54	175 693.81
12 30	2 641 234.00	160 211.26	2 640 835.73	175 385.29
15 00	2 629 577.80	159 908.11	2 629 186.76	175 082.32
17 30	2 617 921.47	159 610.51	2 617 537.67	174 784.90
97 20 00	2 606 264.98	159 318.47	2 605 888.43	174 493.05
22 30	2 594 608.37	159 031.99	2 594 239.05	174 206.75
25 00	2 582 951.61	158 751.07	2 582 589.54	173 926.00
27 30	2 571 294.72	158 475.72	2 570 939.89	173 650.83
97 30 00	2 559 637.71	158 205.93	2 559 290.12	173 381.20
32 30	2 547 980.57	157 941.71	2 547 640.21	173 117.14
35 00	2 536 323.30	157 683.04	2 535 990.19	172 858.63
37 30	2 524 665.91	157 429.93	2 524 340.03	172 605.68
97 40 00	2 513 008.39	157 182.38	2 512 689.76	172 358.29
42 30	2 501 350.77	156 940.41	2 501 039.38	172 116.46
45 00	2 489 693.03	156 703.99	2 489 388.88	171 880.19
47 30	2 478 035.18	156 473.13	2 477 738.27	171 649.48
97 50 00	2 466 377.21	156 247.84	2 466 087.54	171 424.32
52 30	2 454 719.14	156 028.10	2 454 436.71	171 204.72
55 00	2 443 060.98	155 813.93	2 442 785.79	170 990.68
57 30	2 431 402.70	155 605.32	2 431 134.75	170 782.21
98 00 00	2 419 744.34	155 402.28	2 419 483.63	170 579.29

LONGITUDE	LATITUDE X 40 10 00	LATITUDE Y 40 10 00	LATITUDE X 40 12 30	LATITUDE Y 40 12 30
97 00 00	2 698 643.80	192 156.50	2 698 209.33	207 329.44
02 30	2 687 002.83	191 825.95	2 686 575.60	206 999.10
05 00	2 675 361.72	191 500.95	2 674 941.73	206 674.30
07 30	2 663 720.44	191 181.50	2 663 307.69	206 355.05
97 10 00	2 652 079.03	190 867.61	2 651 673.52	206 041.35
12 30	2 640 437.45	190 559.27	2 640 039.18	205 733.21
15 00	2 628 795.73	190 256.49	2 628 404.69	205 430.61
17 30	2 617 153.88	189 959.26	2 616 770.08	205 133.57
97 20 00	2 605 511.87	189 667.59	2 605 135.32	204 842.07
22 30	2 593 869.74	189 381.46	2 593 500.43	204 556.13
25 00	2 582 227.46	189 100.90	2 581 865.39	204 275.74
27 30	2 570 585.05	188 825.89	2 570 230.22	204 000.90
97 30 00	2 558 942.52	188 556.43	2 558 594.93	203 731.61
32 30	2 547 299.86	188 292.54	2 546 959.50	203 467.88
35 00	2 535 657.07	188 034.19	2 535 323.96	203 209.69
37 30	2 524 014.16	187 781.39	2 523 688.29	202 957.06
97 40 00	2 512 371.13	187 534.15	2 512 052.49	202 709.97
42 30	2 500 727.99	187 292.48	2 500 416.60	202 468.44
45 00	2 489 084.72	187 056.36	2 488 780.57	202 232.47
47 30	2 477 441.36	186 825.78	2 477 144.45	202 002.04
97 50 00	2 465 797.87	186 600.77	2 465 508.21	201 777.16
52 30	2 454 154.28	186 381.31	2 453 871.86	201 557.84
55 00	2 442 510.60	186 167.40	2 442 235.41	201 344.06
57 30	2 430 866.81	185 959.05	2 430 598.86	201 135.85
98 00 00	2 419 222.93	185 756.26	2 418 962.22	200 933.18

NEBRASKA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 00 00 X	LATITUDE 40 00 00 Y	LATITUDE 40 02 30 X	LATITUDE 40 02 30 Y
98 00 00	2 420 265.76	135 048.04	2 420 005.05	140 225.19
02 30	2 408 592.80	134 850.32	2 408 339.34	140 027.59
05 00	2 396 919.76	134 658.16	2 396 673.53	139 835.55
07 30	2 385 246.63	134 471.56	2 385 007.65	139 649.07
98 10 00	2 373 573.41	134 290.54	2 373 341.66	139 468.16
12 30	2 361 900.11	134 115.09	2 361 675.61	139 292.82
15 00	2 350 226.72	133 945.21	2 350 009.46	139 123.04
17 30	2 338 553.25	133 780.90	2 338 343.23	138 958.84
98 20 00	2 326 879.72	133 622.16	2 326 676.94	138 800.19
22 30	2 315 206.09	133 468.98	2 315 010.56	138 647.11
25 00	2 303 532.41	133 321.37	2 303 344.12	138 499.60
27 30	2 291 858.65	133 179.34	2 291 677.59	138 357.65
98 30 00	2 280 184.82	133 042.88	2 280 011.01	138 221.27
32 30	2 268 510.94	132 911.98	2 268 344.37	138 090.46
35 00	2 256 836.98	132 786.66	2 256 677.65	137 965.21
37 30	2 245 162.98	132 666.90	2 245 010.89	137 845.53
98 40 00	2 233 488.91	132 552.72	2 233 344.07	137 731.41
42 30	2 221 814.79	132 444.10	2 221 677.19	137 622.86
45 00	2 210 140.63	132 341.06	2 210 010.27	137 519.89
47 30	2 198 466.41	132 243.58	2 198 343.29	137 422.47
98 50 00	2 186 792.15	132 151.68	2 186 676.28	137 330.63
52 30	2 175 117.84	132 065.34	2 175 009.21	137 244.34
55 00	2 163 443.50	131 984.57	2 163 342.11	137 163.62
57 30	2 151 769.12	131 909.38	2 151 674.97	137 088.47
99 00 00	2 140 094.70	131 839.75	2 140 007.80	137 018.89

LONGITUDE	LATITUDE 40 05 00 X	LATITUDE 40 05 00 Y	LATITUDE 40 07 30 X	LATITUDE 40 07 30 Y
98 00 00	2 419 744.34	155 402.28	2 419 483.63	170 579.29
02 30	2 408 085.87	155 204.80	2 407 832.40	170 381.93
05 00	2 396 427.31	155 012.87	2 396 181.08	170 190.12
07 30	2 384 768.66	154 826.51	2 384 529.68	170 003.88
98 10 00	2 373 109.92	154 645.71	2 372 878.18	169 823.19
12 30	2 361 451.11	154 470.48	2 361 226.61	169 648.07
15 00	2 349 792.20	154 300.81	2 349 574.94	169 478.51
17 30	2 338 133.21	154 136.70	2 337 923.20	169 314.50
98 20 00	2 326 474.16	153 978.16	2 326 271.39	169 156.05
22 30	2 314 815.02	153 825.17	2 314 619.49	169 003.16
25 00	2 303 155.82	153 677.75	2 302 967.53	168 855.83
27 30	2 291 496.54	153 535.89	2 291 315.49	168 714.06
98 30 00	2 279 837.20	153 399.60	2 279 663.39	168 577.85
32 30	2 268 177.80	153 268.87	2 268 011.23	168 447.20
35 00	2 256 518.33	153 143.70	2 256 359.00	168 322.11
37 30	2 244 858.81	153 024.09	2 244 706.73	168 202.58
98 40 00	2 233 199.22	152 910.04	2 233 054.38	168 088.60
42 30	2 221 539.58	152 801.56	2 221 401.98	167 980.19
45 00	2 209 879.91	152 698.65	2 209 749.55	167 877.34
47 30	2 198 220.17	152 601.29	2 198 097.06	167 780.04
98 50 00	2 186 560.40	152 509.50	2 186 444.53	167 688.31
52 30	2 174 900.58	152 423.27	2 174 791.95	167 602.13
55 00	2 163 240.72	152 342.60	2 163 139.33	167 521.52
57 30	2 151 580.83	152 267.50	2 151 486.68	167 446.46
99 00 00	2 139 920.89	152 197.96	2 139 833.99	167 376.96

LONGITUDE	LATITUDE 40 10 00 X	LATITUDE 40 10 00 Y	LATITUDE 40 12 30 X	LATITUDE 40 12 30 Y
98 00 00	2 419 222.93	185 756.26	2 418 962.22	200 933.18
02 30	2 407 578.94	185 559.02	2 407 325.48	200 736.07
05 00	2 395 934.86	185 367.34	2 395 688.64	200 544.50
07 30	2 384 290.70	185 181.21	2 384 051.72	200 358.49
98 10 00	2 372 646.44	185 000.63	2 372 414.70	200 178.03
12 30	2 361 002.11	184 825.62	2 360 777.61	200 003.12
15 00	2 349 357.68	184 656.16	2 349 140.43	199 833.77
17 30	2 337 713.18	184 492.26	2 337 503.16	199 669.96
98 20 00	2 326 068.61	184 333.91	2 325 865.84	199 511.71
22 30	2 314 423.95	184 181.11	2 314 228.42	199 359.01
25 00	2 302 779.24	184 033.87	2 302 590.95	199 211.86
27 30	2 291 134.44	183 892.19	2 290 953.39	199 070.27
98 30 00	2 279 489.58	183 756.07	2 279 315.77	198 934.23
32 30	2 267 844.66	183 625.50	2 267 678.10	198 803.74
35 00	2 256 199.68	183 500.49	2 256 040.35	198 678.81
37 30	2 244 554.64	183 381.03	2 244 402.56	198 559.42
98 40 00	2 232 909.54	183 267.12	2 232 764.70	198 445.59
42 30	2 221 264.38	183 158.77	2 221 126.79	198 337.31
45 00	2 209 619.19	183 055.99	2 209 488.84	198 234.59
47 30	2 197 973.94	182 958.76	2 197 850.82	198 137.42
98 50 00	2 186 328.66	182 867.08	2 186 212.78	198 045.80
52 30	2 174 683.31	182 780.96	2 174 574.68	197 959.73
55 00	2 163 037.94	182 700.39	2 162 936.55	197 879.21
57 30	2 151 392.53	182 625.38	2 151 298.38	197 804.25
99 00 00	2 139 747.08	182 555.92	2 139 660.17	197 734.83

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 40 00 00 X	LATITUDE 40 00 00 Y	LATITUDE 40 02 30 X	LATITUDE 40 02 30 Y
99 00 00	2 140 094.70	121 839.75	2 140 007.80	137 018.89
02 30	2 128 420.26	121 775.70	2 128 340.60	136 954.88
05 00	2 116 745.78	121 717.21	2 116 673.36	136 896.43
07 30	2 105 071.28	121 664.30	2 105 006.10	136 843.55
99 10 00	2 093 396.76	121 616.95	2 093 338.82	136 796.23
12 30	2 081 722.21	121 575.17	2 081 671.51	136 754.48
15 00	2 070 047.64	121 538.96	2 070 004.19	136 718.29
17 30	2 058 373.06	121 508.33	2 058 336.85	136 687.68
99 20 00	2 046 698.46	121 483.27	2 046 669.49	136 662.63
22 30	2 035 023.86	121 463.77	2 035 002.13	136 643.15
25 00	2 023 349.24	121 449.85	2 023 334.75	136 629.23
27 30	2 011 674.63	121 441.49	2 011 667.38	136 620.88
99 30 00	2 000 000.00	121 438.70	2 000 000.00	136 618.09
32 30	1 988 325.37	121 441.49	1 988 332.62	136 620.88
35 00	1 976 650.76	121 449.85	1 976 665.25	136 629.23
37 30	1 964 976.14	121 463.77	1 964 997.87	136 643.15
99 40 00	1 953 301.54	121 483.27	1 953 330.51	136 662.63
42 30	1 941 626.94	121 508.33	1 941 663.15	136 687.68
45 00	1 929 952.36	121 538.96	1 929 995.81	136 718.29
47 30	1 918 277.79	121 575.17	1 918 328.49	136 754.48
99 50 00	1 906 603.24	121 616.95	1 906 661.18	136 796.23
52 30	1 894 928.72	121 664.30	1 894 993.90	136 843.55
55 00	1 883 254.22	121 717.21	1 883 326.64	136 896.43
57 30	1 871 579.74	121 775.70	1 871 659.40	136 954.88
100 00 00	1 859 905.30	121 839.75	1 859 992.20	137 018.89

LONGITUDE	LATITUDE 40 05 00 X	LATITUDE 40 05 00 Y	LATITUDE 40 07 30 X	LATITUDE 40 07 30 Y
99 00 00	2 139 920.89	152 197.96	2 139 833.99	167 376.96
02 30	2 128 260.93	152 133.99	2 128 181.27	167 313.03
05 00	2 116 600.94	152 075.58	2 116 528.52	167 254.65
07 30	2 104 940.92	152 022.73	2 104 875.74	167 201.84
99 10 00	2 093 280.88	151 975.44	2 093 222.94	167 154.58
12 30	2 081 620.81	151 933.71	2 081 570.12	167 112.88
15 00	2 069 960.74	151 897.55	2 069 917.28	167 076.74
17 30	2 058 300.63	151 866.95	2 058 264.42	167 046.16
99 20 00	2 046 640.52	151 841.92	2 046 611.55	167 021.15
22 30	2 034 980.41	151 822.45	2 034 958.68	167 001.69
25 00	2 023 320.27	151 808.54	2 023 305.79	166 987.79
27 30	2 011 660.14	151 800.20	2 011 652.90	166 979.44
99 30 00	2 000 000.00	151 797.41	2 000 000.00	166 976.66
32 30	1 988 339.86	151 800.20	1 988 347.10	166 979.44
35 00	1 976 679.73	151 808.54	1 976 694.21	166 987.79
37 30	1 965 019.59	151 822.45	1 965 041.32	167 001.69
99 40 00	1 953 359.48	151 841.92	1 953 388.45	167 021.15
42 30	1 941 699.37	151 866.95	1 941 735.58	167 046.16
45 00	1 930 039.26	151 897.55	1 930 082.72	167 076.74
47 30	1 918 379.19	151 933.71	1 918 429.88	167 112.88
99 50 00	1 906 719.12	151 975.44	1 906 777.06	167 154.58
52 30	1 895 059.08	152 022.73	1 895 124.26	167 201.84
55 00	1 883 399.06	152 075.58	1 883 471.48	167 254.65
57 30	1 871 739.07	152 133.99	1 871 818.73	167 313.03
100 00 00	1 860 079.11	152 197.96	1 860 166.01	167 376.96

LONGITUDE	LATITUDE 40 10 00 X	LATITUDE 40 10 00 Y	LATITUDE 40 12 30 X	LATITUDE 40 12 30 Y
99 00 00	2 139 747.08	182 555.92	2 139 660.17	197 734.83
02 30	2 128 101.61	182 492.03	2 128 021.94	197 670.98
05 00	2 116 456.10	182 433.69	2 116 383.67	197 612.68
07 30	2 104 810.56	182 380.91	2 104 745.38	197 559.93
99 10 00	2 093 165.01	182 333.67	2 093 107.07	197 512.72
12 30	2 081 519.42	182 292.00	2 081 468.73	197 471.08
15 00	2 069 873.83	182 255.88	2 069 830.38	197 434.98
17 30	2 058 228.21	182 225.33	2 058 192.00	197 404.44
99 20 00	2 046 582.58	182 200.33	2 046 553.61	197 379.46
22 30	2 034 936.95	182 180.88	2 034 915.23	197 360.03
25 00	2 023 291.30	182 166.99	2 023 276.82	197 346.14
27 30	2 011 645.66	182 158.65	2 011 638.42	197 337.81
99 30 00	2 000 000.00	182 155.87	2 000 000.00	197 335.03
32 30	1 988 354.34	182 158.65	1 988 361.58	197 337.81
35 00	1 976 708.70	182 166.99	1 976 723.18	197 346.14
37 30	1 965 063.05	182 180.88	1 965 084.77	197 360.03
99 40 00	1 953 417.42	182 200.33	1 953 446.39	197 379.46
42 30	1 941 771.79	182 225.33	1 941 808.00	197 404.44
45 00	1 930 126.17	182 255.88	1 930 169.62	197 434.98
47 30	1 918 480.58	182 292.00	1 918 531.27	197 471.08
99 50 00	1 906 834.99	182 333.67	1 906 892.93	197 512.72
52 30	1 895 189.44	182 380.91	1 895 254.62	197 559.93
55 00	1 883 543.90	182 433.69	1 883 616.33	197 612.68
57 30	1 871 898.39	182 492.03	1 871 978.06	197 670.98
100 00 00	1 860 252.92	182 555.92	1 860 339.83	197 734.83

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 40 00 00 X	Y	LATITUDE 40 02 30 X	Y
100 00 00	1 859 905.30	121 839.75	1 859 992.20	137 018.89
02 30	1 848 230.88	121 909.38	1 848 325.03	137 088.47
05 00	1 836 556.50	121 984.57	1 836 657.89	137 163.62
07 30	1 824 882.16	122 065.34	1 824 990.79	137 244.34
100 10 00	1 813 207.85	122 151.68	1 813 323.72	137 330.63
12 30	1 801 533.59	122 243.58	1 801 656.71	137 422.47
15 00	1 789 859.37	122 341.06	1 789 989.73	137 519.89
17 30	1 778 185.21	122 444.10	1 778 322.81	137 622.86
100 20 00	1 766 511.09	122 552.72	1 766 655.93	137 731.41
22 30	1 754 837.02	122 666.90	1 754 989.11	137 845.53
25 00	1 743 163.02	122 786.66	1 743 322.35	137 965.21
27 30	1 731 489.06	122 911.98	1 731 655.63	138 090.46
100 30 00	1 719 815.18	123 042.88	1 719 988.99	138 221.27
32 30	1 708 141.35	123 179.34	1 708 322.41	138 357.65
35 00	1 696 467.59	123 321.37	1 696 655.88	138 499.60
37 30	1 684 793.91	123 468.98	1 684 989.44	138 647.11
100 40 00	1 673 120.28	123 622.16	1 673 323.06	138 800.19
42 30	1 661 446.75	123 780.90	1 661 656.77	138 958.84
45 00	1 649 773.28	123 945.21	1 649 990.54	139 123.04
47 30	1 638 099.89	124 115.09	1 638 324.39	139 292.82
100 50 00	1 626 426.59	124 290.54	1 626 658.34	139 468.16
52 30	1 614 753.37	124 471.56	1 614 992.35	139 649.07
55 00	1 603 080.24	124 658.16	1 603 326.47	139 835.55
57 30	1 591 407.20	124 850.32	1 591 660.66	140 027.59
101 00 00	1 579 734.24	125 048.04	1 579 994.95	140 225.19

LONGITUDE	LATITUDE 40 05 00 X	Y	LATITUDE 40 07 30 X	Y
100 00 00	1 860 079.11	152 197.96	1 860 166.01	167 376.96
02 30	1 848 419.17	152 267.50	1 848 513.32	167 446.46
05 00	1 836 759.28	152 342.60	1 836 860.67	167 521.52
07 30	1 825 099.42	152 423.27	1 825 208.05	167 602.13
100 10 00	1 813 439.60	152 509.50	1 813 555.47	167 688.31
12 30	1 801 779.83	152 601.29	1 801 902.94	167 780.04
15 00	1 790 120.09	152 698.65	1 790 250.45	167 877.34
17 30	1 778 460.42	152 801.56	1 778 598.02	167 980.19
100 20 00	1 766 800.78	152 910.04	1 766 945.62	168 088.60
22 30	1 755 141.19	153 024.09	1 755 293.27	168 202.58
25 00	1 743 481.67	153 143.70	1 743 641.00	168 322.11
27 30	1 731 822.20	153 268.87	1 731 988.77	168 447.20
100 30 00	1 720 162.80	153 399.60	1 720 336.61	168 577.85
32 30	1 708 503.46	153 535.89	1 708 684.51	168 714.06
35 00	1 696 844.18	153 677.75	1 697 032.47	168 855.83
37 30	1 685 184.98	153 825.17	1 685 380.51	169 003.16
100 40 00	1 673 525.84	153 978.16	1 673 728.61	169 156.05
42 30	1 661 866.79	154 136.70	1 662 076.80	169 314.50
45 00	1 650 207.80	154 300.81	1 650 425.06	169 478.51
47 30	1 638 548.89	154 470.48	1 638 773.39	169 648.07
100 50 00	1 626 890.08	154 645.71	1 627 121.82	169 823.19
52 30	1 615 231.34	154 826.51	1 615 470.32	170 003.88
55 00	1 603 572.69	155 012.87	1 603 818.92	170 190.12
57 30	1 591 914.13	155 204.80	1 592 167.60	170 381.93
101 00 00	1 580 255.66	155 402.28	1 580 516.37	170 579.29

LONGITUDE	LATITUDE 40 10 00 X	Y	LATITUDE 40 12 30 X	Y
100 00 00	1 860 252.92	182 555.92	1 860 339.83	197 734.83
02 30	1 848 607.47	182 625.38	1 848 701.62	197 804.25
05 00	1 836 962.06	182 700.39	1 837 063.45	197 879.21
07 30	1 825 316.69	182 780.96	1 825 425.32	197 959.73
100 10 00	1 813 671.34	182 867.08	1 813 787.22	198 045.80
12 30	1 802 026.06	182 958.76	1 802 149.18	198 137.42
15 00	1 790 380.81	183 055.99	1 790 511.16	198 234.59
17 30	1 778 735.62	183 158.77	1 778 873.21	198 337.31
100 20 00	1 767 090.46	183 267.12	1 767 235.30	198 445.59
22 30	1 755 445.36	183 381.03	1 755 597.44	198 559.42
25 00	1 743 800.32	183 500.49	1 743 959.65	198 678.81
27 30	1 732 155.34	183 625.50	1 732 321.90	198 803.74
100 30 00	1 720 510.42	183 756.07	1 720 684.23	198 934.23
32 30	1 708 865.56	183 892.19	1 709 046.61	199 070.27
35 00	1 697 220.76	184 033.87	1 697 409.05	199 211.86
37 30	1 685 576.05	184 181.11	1 685 771.58	199 359.01
100 40 00	1 673 931.39	184 333.91	1 674 134.16	199 511.71
42 30	1 662 286.82	184 492.26	1 662 496.84	199 669.96
45 00	1 650 642.32	184 656.16	1 650 859.57	199 833.77
47 30	1 638 997.89	184 825.62	1 639 222.39	200 003.12
100 50 00	1 627 353.56	185 000.63	1 627 585.30	200 178.03
52 30	1 615 709.30	185 181.21	1 615 948.28	200 358.49
55 00	1 604 065.14	185 367.34	1 604 311.36	200 544.50
57 30	1 592 421.06	185 559.02	1 592 674.52	200 736.07
101 00 00	1 580 777.07	185 756.26	1 581 037.78	200 933.18

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 00 00 X	LATITUDE 40 00 00 Y	LATITUDE 40 02 30 X	LATITUDE 40 02 30 Y
101 00 00	1 579 734.24	125 048.04	1 579 994.95	140 285.19
02 30	1 568 061.40	125 251.34	1 568 329.35	140 428.37
05 00	1 556 388.64	125 460.21	1 556 663.83	140 637.10
07 30	1 544 715.99	125 674.65	1 544 998.43	140 851.41
101 10 00	1 533 043.44	125 894.66	1 533 333.11	141 071.28
12 30	1 521 370.99	126 120.23	1 521 667.91	141 296.72
15 00	1 509 698.66	126 351.38	1 510 002.82	141 527.72
17 30	1 498 026.44	126 588.08	1 498 337.83	141 764.28
101 20 00	1 486 354.34	126 830.36	1 486 672.97	142 006.41
22 30	1 474 682.34	127 078.22	1 475 008.22	142 254.11
25 00	1 463 010.46	127 331.64	1 463 343.58	142 507.37
27 30	1 451 338.72	127 590.63	1 451 679.08	142 766.20
101 30 00	1 439 667.09	127 855.19	1 440 014.69	143 030.60
32 30	1 427 995.60	128 125.31	1 428 350.44	143 300.55
35 00	1 416 324.23	128 401.00	1 416 686.31	143 576.07
37 30	1 404 652.99	128 682.27	1 405 022.31	143 857.16
101 40 00	1 392 981.90	128 969.10	1 393 358.46	144 143.82
42 30	1 381 310.93	129 261.50	1 381 694.73	144 436.04
45 00	1 369 640.12	129 559.47	1 370 031.16	144 733.82
47 30	1 357 969.44	129 863.01	1 358 367.72	145 037.17
101 50 00	1 346 298.91	130 172.11	1 346 704.43	145 346.08
52 30	1 334 628.53	130 486.78	1 335 041.29	145 660.56
55 00	1 322 958.30	130 807.02	1 323 378.30	145 980.60
57 30	1 311 288.23	131 132.83	1 311 715.47	146 306.21
102 00 00	1 299 618.31	131 464.21	1 300 052.78	146 637.38

LONGITUDE	LATITUDE 40 05 00 X	LATITUDE 40 05 00 Y	LATITUDE 40 07 30 X	LATITUDE 40 07 30 Y
101 00 00	1 580 855.66	155 402.28	1 580 516.37	170 579.29
02 30	1 568 597.30	155 605.32	1 568 865.25	170 782.21
05 00	1 556 939.02	155 813.93	1 557 214.21	170 990.68
07 30	1 545 280.86	156 028.10	1 545 563.29	171 204.72
101 10 00	1 533 622.79	156 247.84	1 533 912.46	171 424.32
12 30	1 521 964.82	156 473.13	1 522 261.73	171 649.48
15 00	1 510 306.97	156 703.99	1 510 611.12	171 880.19
17 30	1 498 649.23	156 940.41	1 498 960.62	172 116.46
101 20 00	1 486 991.61	157 182.38	1 487 310.24	172 358.29
22 30	1 475 334.09	157 429.93	1 475 659.97	172 605.68
25 00	1 463 676.70	157 683.04	1 464 009.81	172 858.63
27 30	1 452 019.43	157 941.71	1 452 359.79	173 117.14
101 30 00	1 440 362.29	158 205.93	1 440 709.88	173 381.20
32 30	1 428 705.28	158 475.72	1 429 060.11	173 650.83
35 00	1 417 048.39	158 751.07	1 417 410.46	173 926.00
37 30	1 405 391.63	159 031.99	1 405 760.95	174 206.75
101 40 00	1 393 735.02	159 318.47	1 394 111.57	174 493.05
42 30	1 382 078.53	159 610.51	1 382 462.33	174 784.90
45 00	1 370 422.20	159 908.11	1 370 813.24	175 082.32
47 30	1 358 766.00	160 211.26	1 359 164.27	175 385.29
101 50 00	1 347 109.94	160 519.98	1 347 515.46	175 693.81
52 30	1 335 454.05	160 834.26	1 335 866.80	176 007.90
55 00	1 323 798.29	161 154.11	1 324 218.29	176 327.55
57 30	1 312 142.70	161 479.52	1 312 569.94	176 652.75
102 00 00	1 300 487.26	161 810.48	1 300 921.73	176 983.51

LONGITUDE	LATITUDE 40 10 00 X	LATITUDE 40 10 00 Y	LATITUDE 40 12 30 X	LATITUDE 40 12 30 Y
101 00 00	1 580 777.07	185 756.26	1 581 037.78	200 933.18
02 30	1 569 133.19	185 959.05	1 569 401.14	201 135.85
05 00	1 557 489.40	186 167.40	1 557 764.59	201 344.06
07 30	1 545 845.72	186 381.31	1 546 128.14	201 557.84
101 10 00	1 534 202.13	186 600.77	1 534 491.79	201 777.16
12 30	1 522 558.64	186 825.78	1 522 855.55	202 002.04
15 00	1 510 915.28	187 056.36	1 511 219.43	202 232.47
17 30	1 499 272.01	187 292.48	1 499 583.40	202 468.44
101 20 00	1 487 628.87	187 534.15	1 487 947.51	202 709.97
22 30	1 475 985.84	187 781.39	1 476 311.71	202 957.06
25 00	1 464 342.93	188 034.19	1 464 676.04	203 209.69
27 30	1 452 700.14	188 292.54	1 453 040.50	203 467.88
101 30 00	1 441 057.48	188 556.43	1 441 405.07	203 731.61
32 30	1 429 414.95	188 825.89	1 429 769.78	204 000.90
35 00	1 417 772.54	189 100.90	1 418 134.61	204 275.74
37 30	1 406 130.26	189 381.46	1 406 499.57	204 556.13
101 40 00	1 394 488.13	189 667.59	1 394 864.68	204 842.07
42 30	1 382 846.12	189 959.26	1 383 229.92	205 133.57
45 00	1 371 204.27	190 256.49	1 371 595.31	205 430.61
47 30	1 359 562.55	190 559.27	1 359 960.82	205 733.21
101 50 00	1 347 920.97	190 867.61	1 348 326.48	206 041.35
52 30	1 336 279.56	191 181.50	1 336 692.31	206 355.05
55 00	1 324 638.28	191 500.95	1 325 058.27	206 674.30
57 30	1 312 997.17	191 825.95	1 313 424.40	206 999.10
102 00 00	1 301 356.20	192 156.50	1 301 790.67	207 329.44

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 40 00 00 X	LATITUDE 40 00 00 Y	LATITUDE 40 02 30 X	LATITUDE 40 02 30 Y
102 00 00	1 299 618.31	131 464.21	1 300 052.78	146 637.38
02 30	1 287 948.54	131 801.16	1 288 390.26	146 974.12
05 00	1 276 278.95	132 143.67	1 276 727.91	147 316.41
07 30	1 264 609.52	132 491.74	1 265 065.71	147 664.27
102 10 00	1 252 940.26	132 845.39	1 253 403.69	148 017.71
12 30	1 241 271.16	133 204.61	1 241 741.83	148 376.70
15 00	1 229 602.23	133 569.39	1 230 080.14	148 741.26
17 30	1 217 933.49	133 939.74	1 218 418.64	149 111.38
102 20 00	1 206 264.92	134 315.66	1 206 757.31	149 487.06
22 30	1 194 596.54	134 697.14	1 195 096.17	149 868.30
25 00	1 182 928.33	135 084.19	1 183 435.19	150 255.12
27 30	1 171 260.30	135 476.81	1 171 774.41	150 647.50
102 30 00	1 159 592.48	135 875.00	1 160 113.82	151 045.44
32 30	1 147 924.84	136 278.75	1 148 453.42	151 448.94
35 00	1 136 257.40	136 688.07	1 136 793.22	151 858.00
37 30	1 124 590.15	137 102.95	1 125 133.20	152 272.63
102 40 00	1 112 923.09	137 523.40	1 113 473.39	152 692.81
42 30	1 101 256.25	137 949.42	1 101 813.78	153 118.57
45 00	1 089 589.61	138 381.01	1 090 154.37	153 549.89
47 30	1 077 923.18	138 818.16	1 078 495.18	153 986.77
102 50 00	1 066 256.95	139 260.88	1 066 836.19	154 429.21
52 30	1 054 590.93	139 709.16	1 055 177.41	154 877.21
55 00	1 042 925.14	140 163.01	1 043 518.85	155 330.78
57 30	1 031 259.56	140 622.43	1 031 860.51	155 789.91
103 00 00	1 019 594.20	141 087.41	1 020 202.39	156 254.61

LONGITUDE	LATITUDE 40 05 00 X	LATITUDE 40 05 00 Y	LATITUDE 40 07 30 X	LATITUDE 40 07 30 Y
102 00 00	1 300 487.26	161 810.48	1 300 921.73	176 983.51
02 30	1 288 831.98	162 147.01	1 289 273.69	177 319.83
05 00	1 277 176.86	162 489.09	1 277 625.81	177 661.70
07 30	1 265 521.90	162 836.74	1 265 978.09	178 009.13
102 10 00	1 253 867.12	163 189.95	1 254 330.55	178 362.12
12 30	1 242 212.50	163 548.72	1 242 683.17	178 720.67
15 00	1 230 558.05	163 913.05	1 231 035.96	179 084.78
17 30	1 218 903.79	164 282.94	1 219 388.94	179 454.44
102 20 00	1 207 249.69	164 658.39	1 207 742.07	179 829.65
22 30	1 195 595.79	165 039.40	1 196 095.41	180 210.43
25 00	1 183 942.06	165 425.97	1 184 448.92	180 596.76
27 30	1 172 288.51	165 818.11	1 172 802.61	180 988.65
102 30 00	1 160 635.16	166 215.80	1 161 156.50	181 386.09
32 30	1 148 981.99	166 619.05	1 149 510.57	181 789.09
35 00	1 137 329.03	167 027.86	1 137 864.84	182 197.65
37 30	1 125 676.25	167 442.23	1 126 219.30	182 611.76
102 40 00	1 114 023.68	167 862.16	1 114 573.96	183 031.43
42 30	1 102 371.31	168 287.65	1 102 928.83	183 456.66
45 00	1 090 719.14	168 718.70	1 091 283.90	183 887.44
47 30	1 079 067.18	169 155.31	1 079 639.18	184 323.78
102 50 00	1 067 415.43	169 597.48	1 067 994.66	184 765.67
52 30	1 055 763.88	170 045.20	1 056 350.36	185 213.12
55 00	1 044 112.57	170 498.49	1 044 706.28	185 666.12
57 30	1 032 461.46	170 957.33	1 033 062.40	186 124.68
103 00 00	1 020 810.58	171 421.74	1 021 418.76	186 588.80

LONGITUDE	LATITUDE 40 10 00 X	LATITUDE 40 10 00 Y	LATITUDE 40 12 30 X	LATITUDE 40 12 30 Y
102 00 00	1 301 356.20	192 156.50	1 301 790.67	207 329.44
02 30	1 289 715.40	192 492.61	1 290 157.11	207 665.34
05 00	1 278 074.76	192 834.27	1 278 523.71	208 006.79
07 30	1 266 434.28	193 181.48	1 266 890.47	208 353.79
102 10 00	1 254 793.98	193 534.26	1 255 257.41	208 706.34
12 30	1 243 153.84	193 892.58	1 243 624.50	209 064.45
15 00	1 231 513.86	194 256.46	1 231 991.77	209 428.10
17 30	1 219 874.08	194 625.89	1 220 359.22	209 797.30
102 20 00	1 208 234.46	195 000.88	1 208 726.84	210 172.05
22 30	1 196 595.03	195 381.41	1 197 094.65	210 552.35
25 00	1 184 955.77	195 767.50	1 185 462.63	210 938.20
27 30	1 173 316.70	196 159.15	1 173 830.80	211 329.60
102 30 00	1 161 677.83	196 556.35	1 162 199.17	211 726.55
32 30	1 150 039.14	196 959.10	1 150 567.71	212 139.05
35 00	1 138 400.65	197 367.40	1 138 936.46	212 537.10
37 30	1 126 762.35	197 781.25	1 127 305.40	212 950.70
102 40 00	1 115 124.25	198 200.66	1 115 674.53	213 369.84
42 30	1 103 486.36	198 625.62	1 104 043.88	213 794.54
45 00	1 091 848.66	199 056.14	1 092 413.42	214 224.79
47 30	1 080 211.18	199 492.21	1 080 783.18	214 660.59
102 50 00	1 068 573.90	199 933.83	1 069 153.13	215 101.93
52 30	1 056 936.83	200 380.99	1 057 523.30	215 548.82
55 00	1 045 299.98	200 833.71	1 045 893.69	216 001.26
57 30	1 033 663.35	201 291.99	1 034 264.29	216 459.25
103 00 00	1 022 026.94	201 755.82	1 022 635.12	216 922.79

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 15 00 X	LATITUDE 40 15 00 Y	LATITUDE 40 17 30 X	LATITUDE 40 17 30 Y
95 15 00	3 185 911.05	241 376.29	3 185 172.64	256 537.39
17 30	3 174 293.53	240 813.24	3 173 562.35	255 974.70
95 20 00	3 162 675.72	240 255.75	3 161 951.78	255 417.55
22 30	3 151 057.65	239 703.79	3 150 340.94	254 865.94
25 00	3 139 439.33	239 157.38	3 138 729.86	254 319.87
27 30	3 127 820.74	238 616.51	3 127 118.50	253 779.34
95 30 00	3 116 201.90	238 081.18	3 115 506.90	253 244.35
32 30	3 104 582.80	237 551.40	3 103 895.03	252 714.89
35 00	3 092 963.44	237 027.16	3 092 282.91	252 190.98
37 30	3 081 343.85	236 508.47	3 080 670.56	251 672.61
95 40 00	3 069 724.00	235 995.32	3 069 057.94	251 159.78
42 30	3 058 103.92	235 487.72	3 057 445.10	250 652.49
45 00	3 046 483.59	234 985.65	3 045 832.00	250 150.74
47 30	3 034 863.02	234 489.13	3 034 218.66	249 654.53
95 50 00	3 023 242.22	233 998.16	3 022 605.10	249 163.86
52 30	3 011 621.18	233 512.73	3 010 991.30	248 678.74
55 00	2 999 999.92	233 032.85	2 999 377.28	248 199.15
57 30	2 988 378.43	232 558.51	2 987 763.02	247 725.11
96 00 00	2 976 756.71	232 089.71	2 976 148.53	247 256.60

LONGITUDE	LATITUDE 40 20 00 X	LATITUDE 40 20 00 Y	LATITUDE 40 22 30 X	LATITUDE 40 22 30 Y
95 15 00	3 184 434.24	271 698.48	3 183 695.84	286 859.54
17 30	3 172 831.18	271 136.14	3 172 100.01	286 297.55
95 20 00	3 161 227.84	270 579.34	3 160 503.91	285 741.10
22 30	3 149 624.24	270 028.07	3 148 907.54	285 190.17
25 00	3 138 020.39	269 482.34	3 137 310.92	284 644.78
27 30	3 126 416.27	268 942.15	3 125 714.03	284 104.93
95 30 00	3 114 811.90	268 407.49	3 114 116.90	283 570.60
32 30	3 103 207.26	267 878.36	3 102 519.50	283 041.80
35 00	3 091 602.38	267 354.78	3 090 921.85	282 518.54
37 30	3 079 997.26	266 836.73	3 079 323.97	282 000.82
95 40 00	3 068 391.88	266 324.22	3 067 725.82	281 488.63
42 30	3 056 786.27	265 817.25	3 056 127.45	280 981.97
45 00	3 045 180.41	265 315.81	3 044 528.82	280 480.85
47 30	3 033 574.31	264 819.91	3 032 929.95	279 985.26
95 50 00	3 021 967.98	264 329.54	3 021 330.87	279 495.20
52 30	3 010 361.42	263 844.72	3 009 731.54	279 010.68
55 00	2 998 754.63	263 365.44	2 998 131.98	278 531.69
57 30	2 987 147.60	262 891.69	2 986 532.19	278 058.24
96 00 00	2 975 540.35	262 423.48	2 974 932.18	277 590.32

LONGITUDE	LATITUDE 40 25 00 X	LATITUDE 40 25 00 Y	LATITUDE 40 27 30 X	LATITUDE 40 27 30 Y
95 15 00	3 182 957.43	302 020.61	3 182 219.03	317 181.66
17 30	3 171 368.84	301 458.97	3 170 637.68	316 620.37
95 20 00	3 159 779.97	300 902.86	3 159 056.04	316 064.61
22 30	3 148 190.84	300 352.28	3 147 474.14	315 514.37
25 00	3 136 601.46	299 807.24	3 135 891.99	314 969.67
27 30	3 125 011.80	299 267.71	3 124 309.57	314 430.48
95 30 00	3 113 421.90	298 733.72	3 112 726.90	313 896.82
32 30	3 101 831.74	298 205.25	3 101 143.97	313 368.68
35 00	3 090 241.32	297 682.32	3 089 560.79	312 846.08
37 30	3 078 650.67	297 164.92	3 077 977.38	312 329.00
95 40 00	3 067 059.76	296 653.05	3 066 393.70	311 817.45
42 30	3 055 468.62	296 146.71	3 054 809.80	311 311.43
45 00	3 043 877.23	295 645.90	3 043 225.64	310 810.93
47 30	3 032 285.60	295 150.61	3 031 641.25	310 315.95
95 50 00	3 020 693.75	294 660.86	3 020 056.63	309 826.50
52 30	3 009 101.65	294 176.64	3 008 471.77	309 342.59
55 00	2 997 509.34	293 697.95	2 996 886.69	308 864.20
57 30	2 985 916.78	293 224.80	2 985 301.38	308 391.34
96 00 00	2 974 324.01	292 757.17	2 973 715.83	307 924.00

NEBRASKA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 15 00 X	LATITUDE 40 15 00 Y	LATITUDE 40 17 30 X	LATITUDE 40 17 30 Y
96 00 00	2 976 756.71	232 089.71	2 976 148.53	247 256.60
02 30	2 965 134.77	231 626.46	2 964 533.83	246 793.64
05 00	2 953 512.61	231 168.75	2 952 918.90	246 336.22
07 30	2 941 890.24	230 716.60	2 941 303.77	245 884.34
96 10 00	2 930 267.64	230 269.99	2 929 688.41	245 438.01
12 30	2 918 644.83	229 828.92	2 918 072.84	244 997.22
15 00	2 907 021.83	229 393.39	2 906 457.07	244 561.96
17 30	2 895 398.60	228 963.41	2 894 841.08	244 132.25
96 20 00	2 883 775.19	228 538.97	2 883 224.91	243 708.08
22 30	2 872 151.56	228 120.09	2 871 608.51	243 289.45
25 00	2 860 527.73	227 706.75	2 859 991.93	242 876.37
27 30	2 848 903.72	227 298.96	2 848 375.15	242 468.83
96 30 00	2 837 279.50	226 896.71	2 836 758.17	242 066.83
32 30	2 825 655.11	226 500.00	2 825 141.02	241 670.38
35 00	2 814 030.51	226 108.84	2 813 523.66	241 279.46
37 30	2 802 405.73	225 723.23	2 801 906.11	240 894.09
96 40 00	2 790 780.78	225 343.17	2 790 288.41	240 514.26
42 30	2 779 155.64	224 968.65	2 778 670.50	240 139.98
45 00	2 767 530.33	224 599.68	2 767 052.43	239 771.24
47 30	2 755 904.84	224 236.26	2 755 434.17	239 408.04
96 50 00	2 744 279.17	223 878.38	2 743 815.75	239 050.38
52 30	2 732 653.34	223 526.04	2 732 197.16	238 698.26
55 00	2 721 027.34	223 179.26	2 720 578.39	238 351.70
57 30	2 709 401.18	222 838.03	2 708 959.48	238 010.68
97 00 00	2 697 774.86	222 502.34	2 697 340.39	237 675.20

LONGITUDE	LATITUDE 40 20 00 X	LATITUDE 40 20 00 Y	LATITUDE 40 22 30 X	LATITUDE 40 22 30 Y
96 00 00	2 975 540.35	262 423.48	2 974 932.18	277 590.32
02 30	2 963 932.89	261 960.80	2 963 331.96	277 137.93
05 00	2 952 325.20	261 503.66	2 951 731.50	276 671.08
07 30	2 940 717.30	261 052.07	2 940 130.84	276 219.76
96 10 00	2 929 109.18	260 606.01	2 928 529.95	275 773.99
12 30	2 917 500.85	260 165.49	2 916 928.86	275 333.74
15 00	2 905 892.32	259 730.51	2 905 327.56	274 899.03
17 30	2 894 283.57	259 301.07	2 893 726.05	274 469.85
96 20 00	2 882 674.63	258 877.16	2 882 124.35	274 046.21
22 30	2 871 065.47	258 458.80	2 870 522.43	273 628.11
25 00	2 859 456.12	258 045.97	2 858 920.32	273 215.54
27 30	2 847 846.58	257 638.69	2 847 318.02	272 808.51
96 30 00	2 836 236.84	257 236.94	2 835 715.51	272 407.01
32 30	2 824 626.92	256 840.73	2 824 112.83	272 011.05
35 00	2 813 016.80	256 450.05	2 812 509.95	271 620.62
37 30	2 801 406.50	256 064.92	2 800 906.88	271 235.73
96 40 00	2 789 796.03	255 685.33	2 789 303.65	270 856.38
42 30	2 778 185.36	255 311.28	2 777 700.22	270 482.56
45 00	2 766 574.53	254 942.77	2 766 096.63	270 114.28
47 30	2 754 963.51	254 579.80	2 754 492.85	269 751.53
96 50 00	2 743 352.32	254 222.36	2 742 888.90	269 394.32
52 30	2 731 740.97	253 870.47	2 731 284.79	269 042.64
55 00	2 720 129.45	253 524.12	2 719 680.50	268 696.51
57 30	2 708 517.77	253 183.31	2 708 076.06	268 355.91
97 00 00	2 696 905.92	252 848.04	2 696 471.45	268 020.85

LONGITUDE	LATITUDE 40 25 00 X	LATITUDE 40 25 00 Y	LATITUDE 40 27 30 X	LATITUDE 40 27 30 Y
96 00 00	2 974 324.01	292 757.17	2 973 715.83	307 924.00
02 30	2 962 731.02	292 295.07	2 962 130.08	307 462.19
05 00	2 951 137.80	291 838.50	2 950 544.10	307 005.91
07 30	2 939 544.38	291 387.47	2 938 957.91	306 555.16
96 10 00	2 927 950.73	290 941.97	2 927 371.50	306 109.94
12 30	2 916 356.87	290 502.00	2 915 784.88	305 670.24
15 00	2 904 762.81	290 067.56	2 904 198.06	305 236.07
17 30	2 893 168.53	289 638.65	2 892 611.02	304 807.43
96 20 00	2 881 574.07	289 215.27	2 881 023.79	304 384.32
22 30	2 869 979.39	288 797.43	2 869 436.35	303 966.74
25 00	2 858 384.51	288 385.12	2 857 848.71	303 554.68
27 30	2 846 789.45	287 978.34	2 846 260.88	303 148.16
96 30 00	2 835 194.19	287 577.10	2 834 672.86	302 747.16
32 30	2 823 598.74	287 181.38	2 823 084.65	302 351.69
35 00	2 812 003.10	286 791.20	2 811 496.25	301 961.75
37 30	2 800 407.27	286 406.54	2 799 907.65	301 577.34
96 40 00	2 788 811.27	286 027.43	2 788 318.90	301 198.46
42 30	2 777 215.08	285 653.84	2 776 729.94	300 825.11
45 00	2 765 618.73	285 285.79	2 765 140.83	300 457.29
47 30	2 754 022.19	284 923.27	2 753 551.53	300 094.99
96 50 00	2 742 425.48	284 566.28	2 741 962.05	299 738.23
52 30	2 730 828.61	284 214.82	2 730 372.42	299 386.99
55 00	2 719 231.56	283 868.91	2 718 782.61	299 041.29
57 30	2 707 634.36	283 528.52	2 707 192.65	298 701.12
97 00 00	2 696 036.99	283 193.67	2 695 602.52	298 366.47

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 15 00 X	LATITUDE 40 15 00 Y	LATITUDE 40 17 30 X	LATITUDE 40 17 30 Y
97 00 00	2 697 774.86	222 502.34	2 697 340.39	237 675.20
02 30	2 686 148.37	222 172.19	2 685 721.14	237 345.26
05 00	2 674 521.74	221 847.59	2 674 101.75	237 020.86
07 30	2 662 894.94	221 528.54	2 662 482.19	236 702.01
97 10 00	2 651 268.00	221 215.04	2 650 862.49	236 388.70
12 30	2 639 640.91	220 907.09	2 639 242.63	236 080.94
15 00	2 628 013.66	220 604.68	2 627 622.63	235 778.73
17 30	2 616 386.29	220 307.83	2 616 002.50	235 482.05
97 20 00	2 604 758.76	220 016.51	2 604 382.21	235 190.92
22 30	2 593 131.11	219 730.75	2 592 761.80	234 905.33
25 00	2 581 503.32	219 450.53	2 581 141.24	234 625.29
27 30	2 569 875.38	219 175.86	2 569 520.55	234 350.79
97 30 00	2 558 247.34	218 906.74	2 557 899.74	234 081.84
32 30	2 546 619.15	218 643.17	2 546 278.80	233 818.44
35 00	2 534 990.85	218 385.15	2 534 657.74	233 560.57
37 30	2 523 362.42	218 132.67	2 523 036.55	233 308.25
97 40 00	2 511 733.86	217 885.74	2 511 415.23	233 061.47
42 30	2 500 105.21	217 644.36	2 499 793.82	232 820.24
45 00	2 488 476.42	217 408.53	2 488 172.28	232 584.56
47 30	2 476 847.54	217 178.25	2 476 550.63	232 354.42
97 50 00	2 465 218.54	216 953.51	2 464 928.87	232 129.83
52 30	2 453 589.43	216 734.32	2 453 307.00	231 910.77
55 00	2 441 960.23	216 520.68	2 441 685.04	231 697.26
57 30	2 430 330.92	216 312.59	2 430 062.97	231 489.31
98 00 00	2 418 701.52	216 110.05	2 418 440.82	231 286.89

LONGITUDE	LATITUDE 40 20 00 X	LATITUDE 40 20 00 Y	LATITUDE 40 22 30 X	LATITUDE 40 22 30 Y
97 00 00	2 696 905.92	252 848.04	2 696 471.45	268 020.85
02 30	2 685 293.91	252 518.31	2 684 866.68	267 691.32
05 00	2 673 681.76	252 194.11	2 673 261.77	267 367.33
07 30	2 662 069.44	251 875.46	2 661 656.69	267 048.87
97 10 00	2 650 456.98	251 562.35	2 650 051.47	266 735.96
12 30	2 638 844.36	251 254.78	2 638 446.09	266 428.58
15 00	2 627 231.60	250 952.75	2 626 840.57	266 126.74
17 30	2 615 618.71	250 656.26	2 615 234.92	265 830.44
97 20 00	2 604 005.66	250 365.31	2 603 629.11	265 539.67
22 30	2 592 392.49	250 079.90	2 592 023.18	265 254.44
25 00	2 580 779.17	249 800.03	2 580 417.10	264 974.74
27 30	2 569 165.72	249 525.71	2 568 810.89	264 700.59
97 30 00	2 557 552.15	249 256.92	2 557 204.56	264 431.97
32 30	2 545 938.45	248 993.68	2 545 598.10	264 168.89
35 00	2 534 324.63	248 735.97	2 533 991.52	263 911.35
37 30	2 522 710.68	248 483.81	2 522 384.81	263 659.34
97 40 00	2 511 096.60	248 237.19	2 510 777.98	263 412.87
42 30	2 499 482.43	247 996.11	2 499 171.04	263 171.95
45 00	2 487 868.13	247 760.58	2 487 563.98	262 936.56
47 30	2 476 253.72	247 530.58	2 475 956.82	262 706.70
97 50 00	2 464 639.20	247 306.12	2 464 349.54	262 482.39
52 30	2 453 024.58	247 087.21	2 452 742.15	262 263.61
55 00	2 441 409.86	246 873.83	2 441 134.67	262 050.37
57 30	2 429 795.03	246 666.00	2 429 527.08	261 842.67
98 00 00	2 418 180.11	246 463.71	2 417 919.41	261 640.50

LONGITUDE	LATITUDE 40 25 00 X	LATITUDE 40 25 00 Y	LATITUDE 40 27 30 X	LATITUDE 40 27 30 Y
97 00 00	2 696 036.99	283 193.67	2 695 602.52	298 366.47
02 30	2 684 439.46	282 864.35	2 684 012.23	298 037.36
05 00	2 672 841.78	282 540.56	2 672 421.79	297 713.77
07 30	2 661 243.94	282 222.30	2 660 831.19	297 395.71
97 10 00	2 649 645.96	281 909.58	2 649 240.45	297 083.18
12 30	2 638 047.82	281 602.40	2 637 649.55	296 776.19
15 00	2 626 449.54	281 300.74	2 626 058.51	296 474.73
17 30	2 614 851.13	281 004.63	2 614 467.34	296 178.79
97 20 00	2 603 252.56	280 714.04	2 602 876.01	295 888.39
22 30	2 591 653.87	280 428.98	2 591 284.56	295 603.51
25 00	2 580 055.03	280 149.46	2 579 692.96	295 324.16
27 30	2 568 456.06	279 875.48	2 568 101.23	295 050.35
97 30 00	2 556 856.97	279 607.03	2 556 509.38	294 782.07
32 30	2 545 257.75	279 344.12	2 544 917.40	294 519.32
35 00	2 533 658.41	279 086.73	2 533 325.30	294 262.10
37 30	2 522 058.94	278 834.88	2 521 733.07	294 010.41
97 40 00	2 510 459.35	278 588.57	2 510 140.72	293 764.24
42 30	2 498 859.65	278 347.79	2 498 548.26	293 523.62
45 00	2 487 259.83	278 112.55	2 486 955.68	293 288.52
47 30	2 475 659.91	277 882.84	2 475 363.00	293 058.96
97 50 00	2 464 059.87	277 658.66	2 463 770.20	292 834.92
52 30	2 452 459.72	277 440.02	2 452 177.30	292 616.41
55 00	2 440 859.49	277 226.91	2 440 584.30	292 403.44
57 30	2 429 259.14	277 019.34	2 428 991.20	292 196.00
98 00 00	2 417 658.71	276 817.30	2 417 398.00	291 994.08

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 15 00 X	LATITUDE 40 15 00 Y	LATITUDE 40 17 30 X	LATITUDE 40 17 30 Y
98 00 00	2 418 701.52	216 110.05	2 418 440.82	231 286.89
02 30	2 407 072.01	215 913.06	2 406 818.55	231 090.02
05 00	2 395 442.41	215 721.61	2 395 196.19	230 898.70
07 30	2 383 812.74	215 535.72	2 383 573.76	230 712.92
98 10 00	2 372 182.96	215 355.37	2 371 951.22	230 532.68
12 30	2 360 553.11	215 180.57	2 360 328.61	230 357.99
15 00	2 348 923.17	215 011.32	2 348 705.91	230 188.85
17 30	2 337 293.15	214 847.62	2 337 083.13	230 025.25
98 20 00	2 325 663.06	214 689.47	2 325 460.29	229 867.19
22 30	2 314 032.89	214 536.86	2 313 837.36	229 714.68
25 00	2 302 402.65	214 389.81	2 302 214.36	229 567.72
27 30	2 290 772.34	214 248.30	2 290 591.29	229 426.30
98 30 00	2 279 141.96	214 112.35	2 278 968.16	229 290.43
32 30	2 267 511.53	213 981.94	2 267 344.97	229 160.11
35 00	2 255 881.03	213 857.08	2 255 721.70	229 035.33
37 30	2 244 250.48	213 737.77	2 244 098.39	228 916.09
98 40 00	2 232 619.86	213 624.01	2 232 475.02	228 802.40
42 30	2 220 989.19	213 515.79	2 220 851.59	228 694.25
45 00	2 209 358.48	213 413.14	2 209 228.12	228 591.66
47 30	2 197 727.71	213 316.03	2 197 604.59	228 494.61
98 50 00	2 186 096.91	213 224.46	2 185 981.04	228 403.10
52 30	2 174 466.05	213 138.45	2 174 357.42	228 317.14
55 00	2 162 835.16	213 057.98	2 162 733.77	228 236.72
57 30	2 151 204.24	212 983.06	2 151 110.09	228 161.85
99 00 00	2 139 573.27	212 913.69	2 139 486.36	228 092.53

LONGITUDE	LATITUDE 40 20 00 X	LATITUDE 40 20 00 Y	LATITUDE 40 22 30 X	LATITUDE 40 22 30 Y
98 00 00	2 418 180.11	246 463.71	2 417 919.41	261 640.50
02 30	2 406 565.09	246 266.97	2 406 311.63	261 443.88
05 00	2 394 949.97	246 075.76	2 394 703.75	261 252.79
07 30	2 383 334.78	245 890.09	2 383 095.80	261 067.24
98 10 00	2 371 719.48	245 709.97	2 371 487.74	260 887.23
12 30	2 360 104.12	245 535.39	2 359 879.62	260 712.76
15 00	2 348 488.66	245 366.35	2 348 271.40	260 543.83
17 30	2 336 873.12	245 202.85	2 336 663.10	260 380.43
98 20 00	2 325 257.52	245 044.90	2 325 054.74	260 222.58
22 30	2 313 641.82	244 892.48	2 313 446.29	260 070.26
25 00	2 302 026.07	244 745.61	2 301 837.78	259 923.47
27 30	2 290 410.24	244 604.28	2 290 229.20	259 782.23
98 30 00	2 278 794.35	244 468.49	2 278 620.54	259 646.53
32 30	2 267 178.40	244 338.25	2 267 011.84	259 516.37
35 00	2 255 562.38	244 213.55	2 255 403.06	259 391.74
37 30	2 243 946.31	244 094.39	2 243 794.23	259 272.66
98 40 00	2 232 330.18	243 980.77	2 232 185.34	259 159.11
42 30	2 220 713.99	243 872.69	2 220 576.39	259 051.09
45 00	2 209 097.77	243 770.16	2 208 967.41	258 948.63
47 30	2 197 481.48	243 673.17	2 197 358.37	258 851.70
98 50 00	2 185 865.16	243 581.72	2 185 749.29	258 760.31
52 30	2 174 248.79	243 495.81	2 174 140.16	258 674.45
55 00	2 162 632.38	243 415.44	2 162 530.99	258 594.13
57 30	2 151 015.94	243 340.62	2 150 921.80	258 519.36
99 00 00	2 139 399.46	243 271.34	2 139 312.55	258 450.12

LONGITUDE	LATITUDE 40 25 00 X	LATITUDE 40 25 00 Y	LATITUDE 40 27 30 X	LATITUDE 40 27 30 Y
98 00 00	2 417 658.71	276 817.30	2 417 398.00	291 994.08
02 30	2 406 058.16	276 620.81	2 405 804.70	291 797.71
05 00	2 394 457.53	276 429.83	2 394 211.31	291 606.86
07 30	2 382 856.82	276 244.40	2 382 617.84	291 421.54
98 10 00	2 371 256.01	276 064.50	2 371 024.27	291 241.75
12 30	2 359 655.12	275 890.14	2 359 430.63	291 067.50
15 00	2 348 054.15	275 721.31	2 347 836.89	290 898.78
17 30	2 336 453.09	275 558.02	2 336 243.08	290 735.59
98 20 00	2 324 851.97	275 400.26	2 324 649.20	290 577.93
22 30	2 313 250.76	275 248.04	2 313 055.23	290 425.80
25 00	2 301 649.49	275 101.34	2 301 461.20	290 279.20
27 30	2 290 048.15	274 960.19	2 289 867.10	290 138.13
98 30 00	2 278 446.74	274 824.57	2 278 272.93	290 002.60
32 30	2 266 845.27	274 694.50	2 266 678.71	289 872.60
35 00	2 255 243.73	274 569.95	2 255 084.41	289 748.13
37 30	2 243 642.15	274 450.94	2 243 490.07	289 629.19
98 40 00	2 232 040.50	274 337.46	2 231 895.66	289 515.78
42 30	2 220 438.79	274 229.51	2 220 301.20	289 407.91
45 00	2 208 837.05	274 127.11	2 208 706.70	289 305.57
47 30	2 197 235.25	274 030.24	2 197 112.14	289 208.76
98 50 00	2 185 633.42	273 938.91	2 185 517.55	289 117.48
52 30	2 174 031.53	273 853.10	2 173 922.90	289 031.73
55 00	2 162 429.60	273 772.84	2 162 328.21	288 951.52
57 30	2 150 827.65	273 698.11	2 150 733.50	288 876.83
99 00 00	2 139 225.65	273 628.91	2 139 138.75	288 807.68

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 15 00 X	LATITUDE 40 15 00 Y	LATITUDE 40 17 30 X	LATITUDE 40 17 30 Y
99 00 00	2 139 573.27	212 913.69	2 139 486.36	228 092.53
02 30	2 127 942.28	212 849.88	2 127 862.62	228 028.75
05 00	2 116 311.25	212 791.62	2 116 238.83	227 970.52
07 30	2 104 680.20	212 738.90	2 104 615.02	227 917.84
99 10 00	2 093 049.13	212 691.72	2 092 991.20	227 870.69
12 30	2 081 418.03	212 650.10	2 081 367.34	227 829.10
15 00	2 069 786.93	212 614.03	2 069 743.47	227 793.05
17 30	2 058 155.79	212 583.51	2 058 119.58	227 762.55
99 20 00	2 046 524.64	212 558.54	2 046 495.68	227 737.59
22 30	2 034 893.50	212 539.12	2 034 871.77	227 718.18
25 00	2 023 262.33	212 525.24	2 023 247.85	227 704.32
27 30	2 011 631.17	212 516.92	2 011 623.93	227 696.00
99 30 00	2 000 000.00	212 514.14	2 000 000.00	227 693.22
32 30	1 988 368.83	212 516.92	1 988 376.07	227 696.00
35 00	1 976 737.67	212 525.24	1 976 752.15	227 704.32
37 30	1 965 106.50	212 539.12	1 965 128.23	227 718.18
99 40 00	1 953 475.36	212 558.54	1 953 504.32	227 737.59
42 30	1 941 844.21	212 583.51	1 941 880.42	227 762.55
45 00	1 930 213.07	212 614.03	1 930 256.53	227 793.05
47 30	1 918 581.97	212 650.10	1 918 632.66	227 829.10
99 50 00	1 906 950.87	212 691.72	1 907 008.80	227 870.69
52 30	1 895 319.80	212 738.90	1 895 384.98	227 917.84
55 00	1 883 688.75	212 791.62	1 883 761.17	227 970.52
57 30	1 872 057.72	212 849.88	1 872 137.38	228 028.75
100 00 00	1 860 426.73	212 913.69	1 860 513.64	228 092.53

LONGITUDE	LATITUDE 40 20 00 X	LATITUDE 40 20 00 Y	LATITUDE 40 22 30 X	LATITUDE 40 22 30 Y
99 00 00	2 139 399.46	243 271.34	2 139 312.55	258 450.12
02 30	2 127 782.95	243 207.60	2 127 703.29	258 386.43
05 00	2 116 166.41	243 149.41	2 116 093.99	258 328.27
07 30	2 104 549.84	243 096.76	2 104 484.66	258 275.65
99 10 00	2 092 933.26	243 049.64	2 092 875.32	258 228.56
12 30	2 081 316.64	243 008.07	2 081 265.95	258 187.02
15 00	2 069 700.02	242 972.05	2 069 656.57	258 151.01
17 30	2 058 083.37	242 941.56	2 058 047.16	258 120.55
99 20 00	2 046 466.71	242 916.63	2 046 437.74	258 095.63
22 30	2 034 850.05	242 897.23	2 034 828.32	258 076.24
25 00	2 023 233.36	242 883.37	2 023 218.88	258 062.39
27 30	2 011 616.69	242 875.06	2 011 609.45	258 054.08
99 30 00	2 000 000.00	242 872.28	2 000 000.00	258 051.31
32 30	1 988 383.31	242 875.06	1 988 390.55	258 054.08
35 00	1 976 766.64	242 883.37	1 976 781.12	258 062.39
37 30	1 965 149.95	242 897.23	1 965 171.68	258 076.24
99 40 00	1 953 533.29	242 916.63	1 953 562.26	258 095.63
42 30	1 941 916.63	242 941.56	1 941 952.84	258 120.55
45 00	1 930 299.98	242 972.05	1 930 343.43	258 151.01
47 30	1 918 683.36	243 008.07	1 918 734.05	258 187.02
99 50 00	1 907 066.74	243 049.64	1 907 124.68	258 228.56
52 30	1 895 450.16	243 096.76	1 895 515.34	258 275.65
55 00	1 883 833.53	243 149.41	1 883 906.01	258 328.27
57 30	1 872 217.05	243 207.60	1 872 296.71	258 386.43
100 00 00	1 860 600.54	243 271.34	1 860 687.45	258 450.12

LONGITUDE	LATITUDE 40 25 00 X	LATITUDE 40 25 00 Y	LATITUDE 40 27 30 X	LATITUDE 40 27 30 Y
99 00 00	2 139 225.65	273 628.91	2 139 138.75	288 807.68
02 30	2 127 623.63	273 565.26	2 127 543.97	288 744.07
05 00	2 116 021.57	273 507.13	2 115 949.15	288 685.98
07 30	2 104 419.48	273 454.55	2 104 354.30	288 633.43
99 10 00	2 092 817.39	273 407.49	2 092 759.45	288 586.40
12 30	2 081 215.26	273 365.97	2 081 164.56	288 544.91
15 00	2 069 613.12	273 329.99	2 069 569.66	288 508.95
17 30	2 058 010.95	273 299.55	2 057 974.74	288 478.52
99 20 00	2 046 408.77	273 274.64	2 046 379.80	288 453.63
22 30	2 034 806.59	273 255.27	2 034 784.87	288 434.27
25 00	2 023 204.40	273 241.43	2 023 189.91	288 420.44
27 30	2 011 602.21	273 233.12	2 011 594.96	288 412.14
99 30 00	2 000 000.00	273 230.35	2 000 000.00	288 409.37
32 30	1 988 397.79	273 233.12	1 988 405.04	288 412.14
35 00	1 976 795.60	273 241.43	1 976 810.09	288 420.44
37 30	1 965 193.41	273 255.27	1 965 215.13	288 434.27
99 40 00	1 953 591.23	273 274.64	1 953 620.20	288 453.63
42 30	1 941 989.05	273 299.55	1 942 025.26	288 478.52
45 00	1 930 386.88	273 329.99	1 930 430.34	288 508.95
47 30	1 918 784.74	273 365.97	1 918 835.44	288 544.91
99 50 00	1 907 182.61	273 407.49	1 907 240.55	288 586.40
52 30	1 895 580.52	273 454.55	1 895 645.70	288 633.43
55 00	1 883 978.43	273 507.13	1 884 050.85	288 685.98
57 30	1 872 376.37	273 565.26	1 872 456.03	288 744.07
100 00 00	1 860 774.35	273 628.91	1 860 861.25	288 807.68

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 15 00 X	LATITUDE 40 15 00 Y	LATITUDE 40 17 30 X	LATITUDE 40 17 30 Y
100 00 00	1 860 426.73	212 913.69	1 860 513.64	228 092.53
02 30	1 848 795.76	212 983.06	1 848 889.91	228 161.85
05 00	1 837 164.84	213 057.98	1 837 266.23	228 236.72
07 30	1 825 533.95	213 138.45	1 825 642.58	228 317.14
100 10 00	1 813 903.09	213 224.46	1 814 018.96	228 403.10
12 30	1 802 272.29	213 316.03	1 802 395.41	228 494.61
15 00	1 790 641.52	213 413.14	1 790 771.88	228 591.66
17 30	1 779 010.81	213 515.79	1 779 148.41	228 694.25
100 20 00	1 767 380.14	213 624.01	1 767 524.98	228 802.40
22 30	1 755 749.52	213 737.77	1 755 901.61	228 916.09
25 00	1 744 118.97	213 857.08	1 744 278.30	229 035.33
27 30	1 732 488.47	213 981.94	1 732 655.03	229 160.11
100 30 00	1 720 858.04	214 112.35	1 721 031.84	229 290.43
32 30	1 709 227.66	214 248.30	1 709 408.71	229 426.30
35 00	1 697 597.35	214 389.81	1 697 785.64	229 567.72
37 30	1 685 967.11	214 536.86	1 686 162.64	229 714.68
100 40 00	1 674 336.94	214 689.47	1 674 539.71	229 867.19
42 30	1 662 706.85	214 847.62	1 662 916.87	230 025.25
45 00	1 651 076.83	215 011.32	1 651 294.09	230 188.85
47 30	1 639 446.89	215 180.57	1 639 671.39	230 357.99
100 50 00	1 627 817.04	215 355.37	1 628 048.78	230 532.68
52 30	1 616 187.26	215 535.72	1 616 426.24	230 712.92
55 00	1 604 557.59	215 721.61	1 604 803.81	230 898.70
57 30	1 592 927.99	215 913.06	1 593 181.45	231 090.02
101 00 00	1 581 298.48	216 110.05	1 581 559.18	231 286.89

LONGITUDE	LATITUDE 40 20 00 X	LATITUDE 40 20 00 Y	LATITUDE 40 22 30 X	LATITUDE 40 22 30 Y
100 00 00	1 860 600.54	243 271.34	1 860 687.45	258 450.12
02 30	1 848 984.06	243 340.62	1 849 078.20	258 519.36
05 00	1 837 367.62	243 415.44	1 837 469.01	258 594.13
07 30	1 825 751.21	243 495.81	1 825 859.84	258 674.45
100 10 00	1 814 134.84	243 581.72	1 814 250.71	258 760.31
12 30	1 802 518.52	243 673.17	1 802 641.63	258 851.70
15 00	1 790 902.23	243 770.16	1 791 032.59	258 948.63
17 30	1 779 286.01	243 872.69	1 779 423.61	259 051.09
100 20 00	1 767 669.82	243 980.77	1 767 814.66	259 159.11
22 30	1 756 053.69	244 094.39	1 756 205.77	259 272.66
25 00	1 744 437.62	244 213.55	1 744 596.94	259 391.74
27 30	1 732 821.60	244 338.25	1 732 988.16	259 516.37
100 30 00	1 721 205.65	244 468.49	1 721 379.46	259 646.53
32 30	1 709 589.76	244 604.28	1 709 770.80	259 782.23
35 00	1 697 973.93	244 745.61	1 698 162.22	259 923.47
37 30	1 686 358.18	244 892.48	1 686 553.71	260 070.26
100 40 00	1 674 742.48	245 044.90	1 674 945.26	260 222.58
42 30	1 663 126.88	245 202.85	1 663 336.90	260 380.43
45 00	1 651 511.34	245 366.35	1 651 728.60	260 543.83
47 30	1 639 895.88	245 535.39	1 640 120.38	260 712.76
100 50 00	1 628 280.52	245 709.97	1 628 512.26	260 887.23
52 30	1 616 665.28	245 890.09	1 616 904.20	261 067.24
55 00	1 605 050.03	246 075.76	1 605 296.25	261 252.79
57 30	1 593 434.91	246 266.97	1 593 688.37	261 443.88
101 00 00	1 581 819.89	246 463.71	1 582 080.59	261 640.50

LONGITUDE	LATITUDE 40 25 00 X	LATITUDE 40 25 00 Y	LATITUDE 40 27 30 X	LATITUDE 40 27 30 Y
100 00 00	1 860 774.35	273 628.91	1 860 861.25	288 807.68
02 30	1 849 172.35	273 698.11	1 849 266.50	288 876.83
05 00	1 837 570.40	273 772.84	1 837 671.79	288 951.52
07 30	1 825 968.47	273 853.10	1 826 077.10	289 031.73
100 10 00	1 814 366.58	273 938.91	1 814 482.45	289 117.48
12 30	1 802 764.75	274 030.24	1 802 887.86	289 208.76
15 00	1 791 162.95	274 127.11	1 791 293.30	289 305.57
17 30	1 779 561.21	274 229.51	1 779 698.80	289 407.91
100 20 00	1 767 959.50	274 337.46	1 768 104.34	289 515.78
22 30	1 756 357.85	274 450.94	1 756 509.93	289 629.19
25 00	1 744 756.27	274 569.95	1 744 915.59	289 748.13
27 30	1 733 154.73	274 694.50	1 733 321.29	289 872.60
100 30 00	1 721 553.26	274 824.57	1 721 727.07	290 002.60
32 30	1 709 951.85	274 960.19	1 710 132.90	290 138.13
35 00	1 698 350.51	275 101.34	1 698 538.80	290 279.20
37 30	1 686 749.24	275 248.04	1 686 944.77	290 425.80
100 40 00	1 675 148.03	275 400.26	1 675 350.80	290 577.93
42 30	1 663 546.91	275 558.02	1 663 756.92	290 735.59
45 00	1 651 945.85	275 721.31	1 652 163.11	290 898.78
47 30	1 640 344.88	275 890.14	1 640 569.37	291 067.50
100 50 00	1 628 743.99	276 064.50	1 628 975.73	291 241.75
52 30	1 617 143.18	276 244.40	1 617 382.16	291 421.54
55 00	1 605 542.47	276 429.83	1 605 788.69	291 606.86
57 30	1 593 941.84	276 620.81	1 594 195.30	291 797.71
101 00 00	1 582 341.29	276 817.30	1 582 602.00	291 994.08

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 40 15 00 X	LATITUDE 40 15 00 Y	LATITUDE 40 17 30 X	LATITUDE 40 17 30 Y
101 00 00	1 581 298.48	216 110.05	1 581 559.18	231 286.89
02 30	1 569 669.08	216 312.59	1 569 937.03	231 489.31
05 00	1 558 039.77	216 520.68	1 558 314.96	231 697.26
07 30	1 546 410.57	216 734.32	1 546 693.00	231 910.77
101 10 00	1 534 781.46	216 953.51	1 535 071.13	232 129.83
12 30	1 523 152.46	217 178.25	1 523 449.37	232 354.42
15 00	1 511 523.58	217 408.53	1 511 827.72	232 584.56
17 30	1 499 894.79	217 644.36	1 500 206.18	232 820.24
101 20 00	1 488 266.14	217 885.74	1 488 584.77	233 061.47
22 30	1 476 637.58	218 132.67	1 476 963.45	233 308.25
25 00	1 465 009.15	218 385.15	1 465 342.26	233 560.57
27 30	1 453 380.85	218 643.17	1 453 721.20	233 818.44
101 30 00	1 441 752.66	218 906.74	1 442 100.26	234 081.84
32 30	1 430 124.62	219 175.86	1 430 479.45	234 350.79
35 00	1 418 496.68	219 450.53	1 418 858.76	234 625.29
37 30	1 406 868.89	219 730.75	1 407 238.20	234 905.33
101 40 00	1 395 241.24	220 016.51	1 395 617.79	235 190.92
42 30	1 383 613.71	220 307.83	1 383 997.50	235 482.05
45 00	1 371 986.34	220 604.68	1 372 377.37	235 778.73
47 30	1 360 359.09	220 907.09	1 360 757.37	236 080.94
101 50 00	1 348 732.00	221 215.04	1 349 137.51	236 388.70
52 30	1 337 105.06	221 528.54	1 337 517.81	236 702.01
55 00	1 325 478.26	221 847.59	1 325 898.25	237 020.86
57 30	1 313 851.63	222 172.19	1 314 278.86	237 345.26
102 00 00	1 302 225.14	222 502.34	1 302 659.61	237 675.20

LONGITUDE	LATITUDE 40 20 00 X	LATITUDE 40 20 00 Y	LATITUDE 40 22 30 X	LATITUDE 40 22 30 Y
101 00 00	1 581 819.89	246 463.71	1 582 080.59	261 640.50
02 30	1 570 204.97	246 666.00	1 570 472.92	261 842.67
05 00	1 558 590.14	246 873.83	1 558 865.33	262 050.37
07 30	1 546 975.42	247 087.21	1 547 257.85	262 263.61
101 10 00	1 535 360.80	247 306.12	1 535 650.46	262 482.39
12 30	1 523 746.28	247 530.58	1 524 043.18	262 706.70
15 00	1 512 131.87	247 760.58	1 512 436.02	262 936.56
17 30	1 500 517.57	247 996.11	1 500 828.96	263 171.95
101 20 00	1 488 903.40	248 237.19	1 489 222.02	263 412.87
22 30	1 477 289.32	248 483.81	1 477 615.19	263 659.34
25 00	1 465 675.37	248 735.97	1 466 008.48	263 911.35
27 30	1 454 061.55	248 993.68	1 454 401.90	264 168.89
101 30 00	1 442 447.85	249 256.92	1 442 795.44	264 431.97
32 30	1 430 834.28	249 525.71	1 431 189.11	264 700.59
35 00	1 419 220.83	249 800.03	1 419 582.90	264 974.74
37 30	1 407 607.51	250 079.90	1 407 976.82	265 254.44
101 40 00	1 395 994.34	250 365.31	1 396 370.89	265 539.67
42 30	1 384 381.29	250 656.26	1 384 765.08	265 830.44
45 00	1 372 768.40	250 952.75	1 373 159.43	266 126.74
47 30	1 361 155.64	251 254.78	1 361 553.91	266 428.58
101 50 00	1 349 543.02	251 562.35	1 349 948.53	266 735.96
52 30	1 337 930.56	251 875.46	1 338 343.31	267 048.87
55 00	1 326 318.24	252 194.11	1 326 738.23	267 367.33
57 30	1 314 706.09	252 518.31	1 315 133.32	267 691.32
102 00 00	1 303 094.08	252 848.04	1 303 528.55	268 020.85

LONGITUDE	LATITUDE 40 25 00 X	LATITUDE 40 25 00 Y	LATITUDE 40 27 30 X	LATITUDE 40 27 30 Y
101 00 00	1 582 341.29	276 817.30	1 582 602.00	291 994.08
02 30	1 570 740.86	277 019.34	1 571 008.80	292 196.00
05 00	1 559 140.51	277 226.91	1 559 415.70	292 403.44
07 30	1 547 540.28	277 440.02	1 547 822.70	292 616.41
101 10 00	1 535 940.13	277 658.66	1 536 229.80	292 834.92
12 30	1 524 340.09	277 882.84	1 524 637.00	293 058.96
15 00	1 512 740.17	278 112.55	1 513 044.32	293 288.52
17 30	1 501 140.35	278 347.79	1 501 451.74	293 523.62
101 20 00	1 489 540.65	278 588.57	1 489 859.28	293 764.24
22 30	1 477 941.06	278 834.88	1 478 266.93	294 010.41
25 00	1 466 341.59	279 086.73	1 466 674.70	294 262.10
27 30	1 454 742.25	279 344.12	1 455 082.60	294 519.32
101 30 00	1 443 143.03	279 607.03	1 443 490.62	294 782.07
32 30	1 431 543.94	279 875.48	1 431 898.77	295 050.35
35 00	1 419 944.97	280 149.46	1 420 307.04	295 324.16
37 30	1 408 346.13	280 428.98	1 408 715.44	295 603.51
101 40 00	1 396 747.44	280 714.04	1 397 123.99	295 888.39
42 30	1 385 148.87	281 004.63	1 385 532.66	296 178.79
45 00	1 373 550.46	281 300.74	1 373 941.49	296 474.73
47 30	1 361 952.18	281 602.40	1 362 350.45	296 776.19
101 50 00	1 350 354.04	281 909.58	1 350 759.55	297 083.18
52 30	1 338 756.06	282 222.30	1 339 168.81	297 395.71
55 00	1 327 158.22	282 540.56	1 327 578.21	297 713.77
57 30	1 315 560.54	282 864.35	1 315 987.77	298 037.36
102 00 00	1 303 963.01	283 193.67	1 304 397.48	298 366.47

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 40 15 00 X	LATITUDE 40 15 00 Y	LATITUDE 40 17 30 X	LATITUDE 40 17 30 Y
102 00 00	1 302 225.14	222 502.34	1 302 659.61	237 675.20
02 30	1 290 598.82	222 838.03	1 291 040.52	238 010.68
05 00	1 278 972.66	223 179.26	1 279 421.61	238 351.70
07 30	1 267 346.66	223 526.04	1 267 802.84	238 698.26
102 10 00	1 255 720.83	223 878.38	1 256 184.25	239 050.38
12 30	1 244 095.16	224 236.26	1 244 565.83	239 408.04
15 00	1 232 469.67	224 599.68	1 232 947.57	239 771.24
17 30	1 220 844.36	224 968.65	1 221 329.50	240 139.98
102 20 00	1 209 219.22	225 343.17	1 209 711.59	240 514.26
22 30	1 197 594.27	225 723.23	1 198 093.89	240 894.09
25 00	1 185 969.49	226 108.84	1 186 476.34	241 279.46
27 30	1 174 344.89	226 500.00	1 174 858.98	241 670.38
102 30 00	1 162 720.50	226 896.71	1 163 241.83	242 066.83
32 30	1 151 096.28	227 298.96	1 151 624.85	242 468.83
35 00	1 139 472.27	227 706.75	1 140 008.07	242 876.37
37 30	1 127 848.44	228 120.09	1 128 391.49	243 289.45
102 40 00	1 116 224.81	228 538.97	1 116 775.09	243 708.08
42 30	1 104 601.40	228 963.41	1 105 158.92	244 132.25
45 00	1 092 978.17	229 393.39	1 093 542.93	244 561.96
47 30	1 081 355.17	229 828.92	1 081 927.16	244 997.22
102 50 00	1 069 732.36	230 269.99	1 070 311.59	245 438.01
52 30	1 058 109.76	230 716.60	1 058 696.23	245 884.34
55 00	1 046 487.39	231 168.75	1 047 081.10	246 336.22
57 30	1 034 865.23	231 626.46	1 035 466.17	246 793.64
103 00 00	1 023 243.29	232 089.71	1 023 851.47	247 256.60

LONGITUDE	LATITUDE 40 20 00 X	LATITUDE 40 20 00 Y	LATITUDE 40 22 30 X	LATITUDE 40 22 30 Y
102 00 00	1 303 094.08	252 848.04	1 303 528.55	268 030.85
02 30	1 291 482.23	253 183.31	1 291 923.94	268 355.91
05 00	1 279 870.55	253 524.12	1 280 319.50	268 696.51
07 30	1 268 259.03	253 870.47	1 268 715.21	269 042.64
102 10 00	1 256 647.68	254 222.36	1 257 111.10	269 394.32
12 30	1 245 036.49	254 579.80	1 245 507.15	269 751.53
15 00	1 233 425.47	254 942.77	1 233 903.37	270 114.28
17 30	1 221 814.64	255 311.28	1 222 299.78	270 482.56
102 20 00	1 210 203.97	255 685.33	1 210 696.35	270 856.38
22 30	1 198 593.50	256 064.92	1 199 093.12	271 235.73
25 00	1 186 983.20	256 450.05	1 187 490.05	271 620.62
27 30	1 175 373.08	256 840.73	1 175 887.17	272 011.05
102 30 00	1 163 763.16	257 236.94	1 164 284.49	272 407.01
32 30	1 152 153.42	257 638.69	1 152 681.98	272 808.51
35 00	1 140 543.88	258 045.97	1 141 079.68	273 215.54
37 30	1 128 934.53	258 458.80	1 129 477.57	273 628.11
102 40 00	1 117 325.37	258 877.16	1 117 875.65	274 046.21
42 30	1 105 716.43	259 301.07	1 106 273.95	274 469.85
45 00	1 094 107.68	259 730.51	1 094 672.44	274 899.03
47 30	1 082 499.15	260 165.49	1 083 071.14	275 333.74
102 50 00	1 070 890.82	260 606.01	1 071 470.05	275 773.99
52 30	1 059 282.70	261 052.07	1 059 869.16	276 219.76
55 00	1 047 674.80	261 503.66	1 048 268.50	276 671.08
57 30	1 036 067.11	261 960.80	1 036 668.04	277 127.93
103 00 00	1 024 459.65	262 423.48	1 025 067.82	277 590.32

LONGITUDE	LATITUDE 40 25 00 X	LATITUDE 40 25 00 Y	LATITUDE 40 27 30 X	LATITUDE 40 27 30 Y
102 00 00	1 303 963.01	283 193.67	1 304 397.48	298 366.47
02 30	1 292 365.64	283 528.52	1 292 807.35	298 701.12
05 00	1 280 768.44	283 868.91	1 281 217.39	299 041.29
07 30	1 269 171.39	284 214.82	1 269 627.58	299 386.99
102 10 00	1 257 574.52	284 566.28	1 258 037.95	299 738.23
12 30	1 245 977.81	284 923.27	1 246 448.47	300 094.99
15 00	1 234 381.27	285 285.79	1 234 859.17	300 457.29
17 30	1 222 784.92	285 653.84	1 223 270.06	300 825.11
102 20 00	1 211 188.73	286 027.43	1 211 681.10	301 198.46
22 30	1 199 592.73	286 406.54	1 200 092.35	301 577.34
25 00	1 187 996.90	286 791.20	1 188 503.75	301 961.75
27 30	1 176 401.26	287 181.38	1 176 915.35	302 351.69
102 30 00	1 164 805.81	287 577.10	1 165 327.14	302 747.16
32 30	1 153 210.55	287 978.34	1 153 739.12	303 148.16
35 00	1 141 615.49	288 385.12	1 142 151.29	303 554.68
37 30	1 130 020.61	288 797.43	1 130 563.65	303 966.74
102 40 00	1 118 425.93	289 215.27	1 118 976.21	304 384.32
42 30	1 106 831.47	289 638.65	1 107 388.98	304 807.43
45 00	1 095 237.19	290 067.56	1 095 801.94	305 236.07
47 30	1 083 643.13	290 502.00	1 084 215.12	305 670.24
102 50 00	1 072 049.27	290 941.97	1 072 628.50	306 109.94
52 30	1 060 455.62	291 387.47	1 061 042.09	306 555.16
55 00	1 048 862.20	291 838.50	1 049 455.90	307 005.91
57 30	1 037 268.98	292 295.07	1 037 869.92	307 462.19
103 00 00	1 025 675.99	292 757.17	1 026 284.17	307 924.00

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 30 00 X	LATITUDE 40 30 00 Y	LATITUDE 40 32 30 X	LATITUDE 40 32 30 Y
95 15 00	3 181 480.63	332 342.74	3 180 742.23	347 503.82
17 30	3 169 906.51	331 781.80	3 169 175.34	346 943.23
95 20 00	3 158 332.10	331 226.39	3 157 608.17	346 388.16
22 30	3 146 757.43	330 676.50	3 146 040.73	345 838.62
25 00	3 135 182.52	330 132.13	3 134 473.05	345 294.59
27 30	3 123 607.33	329 593.28	3 122 905.10	344 756.08
95 30 00	3 112 031.90	329 059.95	3 111 336.90	344 223.08
32 30	3 100 456.21	328 532.14	3 099 768.44	343 695.61
35 00	3 088 880.26	328 009.87	3 088 199.73	343 173.65
37 30	3 077 304.08	327 493.11	3 076 630.79	342 657.22
95 40 00	3 065 727.64	326 981.88	3 065 061.58	342 146.31
42 30	3 054 150.97	326 476.17	3 053 492.15	341 640.92
45 00	3 042 574.05	325 975.98	3 041 922.46	341 141.04
47 30	3 030 996.89	325 481.32	3 030 352.54	340 646.69
95 50 00	3 019 419.51	324 992.18	3 018 782.39	340 157.85
52 30	3 007 841.89	324 508.56	3 007 212.01	339 674.54
55 00	2 996 264.04	324 030.47	2 995 641.40	339 196.75
57 30	2 984 685.96	323 557.91	2 984 070.55	338 724.48
96 00 00	2 973 107.66	323 090.86	2 972 499.48	338 257.72

LONGITUDE	LATITUDE 40 35 00 X	LATITUDE 40 35 00 Y	LATITUDE 40 37 30 X	LATITUDE 40 37 30 Y
95 15 00	3 180 003.82	362 664.92	3 179 265.41	377 836.07
17 30	3 168 444.16	362 104.68	3 167 712.99	377 266.18
95 20 00	3 156 884.23	361 549.96	3 156 160.29	376 711.81
22 30	3 145 324.03	361 000.76	3 144 607.32	376 162.95
25 00	3 133 763.58	360 457.07	3 133 054.11	375 619.60
27 30	3 122 202.86	359 918.89	3 121 500.63	375 081.76
95 30 00	3 110 641.90	359 386.23	3 109 946.90	374 549.43
32 30	3 099 080.68	358 859.09	3 098 392.91	374 022.62
35 00	3 087 519.20	358 337.46	3 086 838.67	373 501.32
37 30	3 075 957.49	357 821.35	3 075 284.19	372 985.53
95 40 00	3 064 395.52	357 310.76	3 063 729.46	372 475.26
42 30	3 052 833.32	356 805.68	3 052 174.49	371 970.50
45 00	3 041 270.87	356 306.12	3 040 619.28	371 471.25
47 30	3 029 708.19	355 812.07	3 029 063.83	370 977.51
95 50 00	3 018 145.27	355 323.54	3 017 508.15	370 489.29
52 30	3 006 582.12	354 840.53	3 005 952.24	370 006.58
55 00	2 995 018.75	354 363.04	2 994 396.10	369 529.38
57 30	2 983 455.14	353 891.07	2 982 839.73	369 057.70
96 00 00	2 971 891.31	353 424.60	2 971 283.13	368 591.54

LONGITUDE	LATITUDE 40 40 00 X	LATITUDE 40 40 00 Y	LATITUDE 40 42 30 X	LATITUDE 40 42 30 Y
95 15 00	3 178 527.01	392 987.24	3 177 788.59	408 148.45
17 30	3 166 981.82	392 427.70	3 166 250.64	407 589.27
95 20 00	3 155 436.35	391 873.67	3 154 712.40	407 035.59
22 30	3 143 890.62	391 325.16	3 143 173.91	406 487.42
25 00	3 132 344.64	390 782.15	3 131 635.16	405 944.75
27 30	3 120 798.39	390 244.65	3 120 096.15	405 407.59
95 30 00	3 109 251.90	389 712.65	3 108 556.89	404 875.92
32 30	3 097 705.14	389 186.17	3 097 017.37	404 349.77
35 00	3 086 158.13	388 665.19	3 085 477.60	403 829.12
37 30	3 074 610.89	388 149.73	3 073 937.59	403 313.98
95 40 00	3 063 063.40	387 639.78	3 062 397.33	402 804.35
42 30	3 051 515.67	387 135.33	3 050 856.83	402 300.22
45 00	3 039 967.69	386 635.40	3 039 316.09	401 801.59
47 30	3 028 419.47	386 142.97	3 027 775.11	401 308.48
95 50 00	3 016 871.03	385 655.05	3 016 233.91	400 820.86
52 30	3 005 322.35	385 172.64	3 004 692.46	400 338.76
55 00	2 993 773.45	384 695.75	2 993 150.80	399 862.16
57 30	2 982 224.31	384 224.36	2 981 608.90	399 391.07
96 00 00	2 970 674.95	383 758.49	2 970 066.77	398 925.49

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 30 00 X	Y	LATITUDE 40 32 30 X	Y
96 00 00	2 973 107.66	323 090.86	2 972 499.48	338 257.72
02 30	2 961 529.14	322 629.34	2 960 928.21	337 796.49
05 00	2 949 950.40	322 173.34	2 949 356.70	337 340.78
07 30	2 938 371.45	321 722.87	2 937 784.98	336 890.59
96 10 00	2 926 792.27	321 277.93	2 926 213.04	336 445.93
12 30	2 915 212.88	320 838.51	2 914 640.89	336 006.78
15 00	2 903 633.30	320 404.61	2 903 068.55	335 573.15
17 30	2 892 053.50	319 976.24	2 891 495.98	335 145.05
96 20 00	2 880 473.51	319 553.39	2 879 923.23	334 722.46
22 30	2 868 893.30	319 136.07	2 868 350.26	334 305.40
25 00	2 857 312.90	318 724.27	2 856 777.10	333 893.86
27 30	2 845 732.32	318 318.00	2 845 203.75	333 487.85
96 30 00	2 834 151.53	317 917.26	2 833 630.20	333 087.35
32 30	2 822 570.56	317 522.03	2 822 056.47	332 692.38
35 00	2 810 989.39	317 132.34	2 810 482.54	332 302.92
37 30	2 799 408.04	316 748.16	2 798 908.42	331 918.99
96 40 00	2 787 826.52	316 369.52	2 787 334.14	331 540.58
42 30	2 776 244.81	315 996.40	2 775 759.67	331 167.70
45 00	2 764 662.93	315 628.81	2 764 185.03	330 800.34
47 30	2 753 080.87	315 266.74	2 752 610.20	330 438.50
96 50 00	2 741 498.63	314 910.20	2 741 035.21	330 082.18
52 30	2 729 916.24	314 559.18	2 729 460.05	329 731.37
55 00	2 718 333.67	314 213.70	2 717 884.72	329 386.11
57 30	2 706 750.95	313 873.74	2 706 309.24	329 046.36
97 00 00	2 695 168.05	313 539.30	2 694 733.59	328 712.13

LONGITUDE	LATITUDE 40 35 00 X	Y	LATITUDE 40 37 30 X	Y
96 00 00	2 971 891.31	353 424.60	2 971 283.13	368 591.54
02 30	2 960 327.27	352 963.66	2 959 726.33	368 130.88
05 00	2 948 762.99	352 508.23	2 948 169.29	367 675.74
07 30	2 937 198.52	352 058.33	2 936 612.05	367 226.11
96 10 00	2 925 633.81	351 613.94	2 925 054.58	366 782.00
12 30	2 914 068.90	351 175.07	2 913 496.91	366 343.41
15 00	2 902 503.79	350 741.71	2 901 939.04	365 910.32
17 30	2 890 938.47	350 313.87	2 890 380.95	365 482.75
96 20 00	2 879 372.95	349 891.55	2 878 822.67	365 060.69
22 30	2 867 807.22	349 474.75	2 867 264.17	364 644.16
25 00	2 856 241.29	349 063.47	2 855 705.49	364 233.14
27 30	2 844 675.18	348 657.71	2 844 146.61	363 827.63
96 30 00	2 833 108.87	348 257.47	2 832 587.54	363 427.63
32 30	2 821 542.38	347 862.74	2 821 028.28	363 033.15
35 00	2 809 975.68	347 473.53	2 809 468.83	362 644.18
37 30	2 798 408.81	347 089.83	2 797 909.19	362 260.73
96 40 00	2 786 841.77	346 711.67	2 786 349.39	361 882.80
42 30	2 775 274.53	346 339.02	2 774 789.39	361 510.38
45 00	2 763 707.13	345 971.88	2 763 229.22	361 143.48
47 30	2 752 139.54	345 610.27	2 751 668.88	360 782.09
96 50 00	2 740 571.78	345 254.17	2 740 108.36	360 426.21
52 30	2 729 003.87	344 903.59	2 728 547.68	360 075.85
55 00	2 717 435.78	344 558.54	2 716 986.83	359 731.02
57 30	2 705 867.53	344 219.00	2 705 425.82	359 391.69
97 00 00	2 694 299.12	343 884.98	2 693 864.65	359 057.88

LONGITUDE	LATITUDE 40 40 00 X	Y	LATITUDE 40 42 30 X	Y
96 00 00	2 970 674.95	383 758.49	2 970 066.77	398 925.49
02 30	2 959 125.38	383 298.12	2 958 524.44	398 465.41
05 00	2 947 575.59	382 843.26	2 946 981.88	398 010.84
07 30	2 936 025.58	382 393.92	2 935 439.11	397 561.77
96 10 00	2 924 475.35	381 950.09	2 923 896.12	397 118.22
12 30	2 912 924.91	381 511.77	2 912 352.92	396 680.18
15 00	2 901 374.28	381 078.95	2 900 809.52	396 247.63
17 30	2 889 823.43	380 651.65	2 889 265.90	395 820.60
96 20 00	2 878 272.38	380 229.86	2 877 722.10	395 399.07
22 30	2 866 721.13	379 813.58	2 866 178.08	394 983.05
25 00	2 855 169.68	379 402.82	2 854 633.87	394 572.55
27 30	2 843 618.04	378 997.56	2 843 089.47	394 167.54
96 30 00	2 832 066.20	378 597.82	2 831 544.87	393 768.05
32 30	2 820 514.19	378 203.58	2 820 000.09	393 374.06
35 00	2 808 961.97	377 814.86	2 808 455.11	392 985.58
37 30	2 797 409.57	377 431.65	2 796 909.95	392 602.61
96 40 00	2 785 857.01	377 053.95	2 785 364.63	392 225.15
42 30	2 774 304.25	376 681.77	2 773 819.10	391 853.20
45 00	2 762 751.32	376 315.09	2 762 273.42	391 486.76
47 30	2 751 198.21	375 953.93	2 750 727.55	391 125.82
96 50 00	2 739 644.93	375 598.28	2 739 181.51	390 770.39
52 30	2 728 091.50	375 248.13	2 727 635.31	390 420.47
55 00	2 716 537.88	374 903.52	2 716 088.93	390 076.06
57 30	2 704 984.12	374 564.41	2 704 542.41	389 737.17
97 00 00	2 693 430.18	374 230.80	2 692 995.71	389 403.78

NEBRASKA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 40 30 00 X	LATITUDE 40 30 00 Y	LATITUDE 40 32 30 X	LATITUDE 40 32 30 Y
97 00 00	2 695 168.05	313 539.30	2 694 733.59	328 712.13
02 30	2 683 585.00	313 210.39	2 683 157.77	328 383.43
05 00	2 672 001.80	312 887.01	2 671 581.82	328 060.24
07 30	2 660 418.44	312 569.15	2 660 005.69	327 742.58
97 10 00	2 648 834.94	312 256.82	2 648 429.43	327 430.45
12 30	2 637 251.28	311 950.01	2 636 853.01	327 123.84
15 00	2 625 667.48	311 648.74	2 625 276.45	326 822.75
17 30	2 614 083.55	311 352.99	2 613 699.76	326 527.19
97 20 00	2 602 499.46	311 062.76	2 602 122.91	326 237.14
22 30	2 590 915.25	310 778.07	2 590 545.94	325 952.62
25 00	2 579 330.89	310 498.89	2 578 968.82	325 673.63
27 30	2 567 746.40	310 225.26	2 567 391.57	325 400.16
97 30 00	2 556 161.79	309 957.14	2 555 814.20	325 132.21
32 30	2 544 577.05	309 694.56	2 544 236.70	324 869.79
35 00	2 532 992.19	309 437.49	2 532 659.08	324 612.89
37 30	2 521 407.20	309 185.96	2 521 081.33	324 361.51
97 40 00	2 509 822.09	308 939.95	2 509 503.46	324 115.65
42 30	2 498 236.87	308 699.47	2 497 925.48	323 875.33
45 00	2 486 651.53	308 464.53	2 486 347.39	323 640.53
47 30	2 475 066.09	308 235.10	2 474 769.19	323 411.25
97 50 00	2 463 480.54	308 011.21	2 463 190.87	323 187.49
52 30	2 451 894.87	307 792.83	2 451 612.45	322 969.26
55 00	2 440 309.12	307 579.99	2 440 033.93	322 756.55
57 30	2 428 723.25	307 372.68	2 428 455.31	322 549.37
98 00 00	2 417 137.30	307 170.90	2 416 876.60	322 347.71

LONGITUDE	LATITUDE 40 35 00 X	LATITUDE 40 35 00 Y	LATITUDE 40 37 30 X	LATITUDE 40 37 30 Y
97 00 00	2 694 299.12	343 884.98	2 693 864.65	359 057.88
02 30	2 682 730.54	343 556.48	2 682 303.31	358 729.59
05 00	2 671 161.83	343 233.50	2 670 741.84	358 406.81
07 30	2 659 592.94	342 916.04	2 659 180.19	358 089.55
97 10 00	2 648 023.92	342 604.10	2 647 618.41	357 777.80
12 30	2 636 454.74	342 297.68	2 636 056.47	357 471.58
15 00	2 624 885.42	341 996.78	2 624 494.38	357 170.87
17 30	2 613 315.96	341 701.40	2 612 932.17	356 875.67
97 20 00	2 601 746.36	341 411.54	2 601 369.80	356 585.99
22 30	2 590 176.62	341 127.20	2 589 807.31	356 301.83
25 00	2 578 606.75	340 848.38	2 578 244.67	356 023.18
27 30	2 567 036.74	340 575.08	2 566 681.90	355 750.05
97 30 00	2 555 466.61	340 307.30	2 555 119.02	355 482.44
32 30	2 543 896.35	340 045.04	2 543 555.99	355 220.35
35 00	2 532 325.97	339 788.30	2 531 992.85	354 963.77
37 30	2 520 755.46	339 537.08	2 520 429.59	354 712.70
97 40 00	2 509 184.83	339 291.38	2 508 866.20	354 467.15
42 30	2 497 614.10	339 051.20	2 497 302.70	354 227.13
45 00	2 486 043.24	338 816.55	2 485 739.09	353 992.62
47 30	2 474 472.28	338 587.41	2 474 175.37	353 763.63
97 50 00	2 462 901.20	338 363.80	2 462 611.53	353 540.15
52 30	2 451 330.02	338 145.70	2 451 047.59	353 322.19
55 00	2 439 758.75	337 933.12	2 439 483.56	353 109.75
57 30	2 428 187.36	337 726.07	2 427 919.42	352 902.83
98 00 00	2 416 615.89	337 524.54	2 416 355.19	352 701.42

LONGITUDE	LATITUDE 40 40 00 X	LATITUDE 40 40 00 Y	LATITUDE 40 42 30 X	LATITUDE 40 42 30 Y
97 00 00	2 693 430.18	374 230.80	2 692 995.71	389 403.78
02 30	2 681 876.08	373 902.72	2 681 448.85	389 075.89
05 00	2 670 321.84	373 580.14	2 669 901.85	388 753.52
07 30	2 658 767.44	373 263.08	2 658 354.69	388 436.65
97 10 00	2 647 212.90	372 951.53	2 646 807.39	388 125.30
12 30	2 635 658.20	372 645.49	2 635 259.92	387 819.46
15 00	2 624 103.35	372 344.97	2 623 712.32	387 519.12
17 30	2 612 548.38	372 049.96	2 612 164.58	387 224.30
97 20 00	2 600 993.25	371 760.46	2 600 616.69	386 934.98
22 30	2 589 438.00	371 476.47	2 589 068.68	386 651.17
25 00	2 577 882.60	371 198.00	2 577 520.53	386 372.87
27 30	2 566 327.07	370 925.04	2 565 972.24	386 100.09
97 30 00	2 554 771.42	370 657.60	2 554 423.83	385 832.81
32 30	2 543 215.64	370 395.67	2 542 875.29	385 571.04
35 00	2 531 659.74	370 139.25	2 531 326.63	385 314.78
37 30	2 520 103.71	369 888.34	2 519 777.84	385 064.04
97 40 00	2 508 547.57	369 642.95	2 508 228.93	384 818.79
42 30	2 496 991.31	369 403.08	2 496 679.92	384 579.07
45 00	2 485 434.94	369 168.72	2 485 130.79	384 344.86
47 30	2 473 878.46	368 939.87	2 473 581.55	384 116.15
97 50 00	2 462 321.87	368 716.53	2 462 032.20	383 892.95
52 30	2 450 765.17	368 498.70	2 450 482.74	383 675.27
55 00	2 439 208.37	368 286.39	2 438 933.19	383 463.09
57 30	2 427 651.47	368 079.60	2 427 383.52	383 256.42
98 00 00	2 416 094.48	367 878.32	2 415 833.78	383 055.27

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 30 00 X	LATITUDE 40 30 00 Y	LATITUDE 40 32 30 X	LATITUDE 40 32 30 Y
98 00 00	2 417 137.30	307 170.90	2 416 876.60	322 347.71
02 30	2 405 551.24	306 974.64	2 405 297.78	322 151.58
05 00	2 393 965.09	306 783.91	2 393 718.87	321 960.96
07 30	2 382 378.86	306 598.71	2 382 139.88	321 775.88
98 10 00	2 370 792.53	306 419.03	2 370 560.79	321 596.31
12 30	2 359 206.13	306 244.89	2 358 981.63	321 422.27
15 00	2 347 619.63	306 076.27	2 347 402.38	321 253.77
17 30	2 336 033.06	305 913.18	2 335 823.05	321 090.78
98 20 00	2 324 446.42	305 755.62	2 324 243.65	320 933.32
22 30	2 312 859.70	305 603.59	2 312 664.17	320 781.38
25 00	2 301 272.91	305 457.08	2 301 084.62	320 634.96
27 30	2 289 686.05	305 316.10	2 289 505.00	320 494.07
98 30 00	2 278 099.12	305 180.65	2 277 925.31	320 358.71
32 30	2 266 512.14	305 050.74	2 266 345.58	320 228.87
35 00	2 254 925.09	304 926.35	2 254 765.76	320 104.56
37 30	2 243 337.99	304 807.48	2 243 185.90	319 985.77
98 40 00	2 231 750.82	304 694.14	2 231 605.98	319 872.50
42 30	2 220 163.60	304 586.33	2 220 026.00	319 764.76
45 00	2 208 576.34	304 484.06	2 208 445.98	319 662.55
47 30	2 196 989.02	304 387.31	2 196 865.91	319 565.86
98 50 00	2 185 401.67	304 296.09	2 185 285.80	319 474.70
52 30	2 173 814.27	304 210.40	2 173 705.64	319 389.06
55 00	2 162 226.83	304 130.23	2 162 125.44	319 308.94
57 30	2 150 639.35	304 055.59	2 150 545.21	319 234.35
99 00 00	2 139 051.84	303 986.48	2 138 964.94	319 165.28

LONGITUDE	LATITUDE 40 35 00 X	LATITUDE 40 35 00 Y	LATITUDE 40 37 30 X	LATITUDE 40 37 30 Y
98 00 00	2 416 615.89	337 524.54	2 416 355.19	352 701.42
02 30	2 405 044.32	337 328.53	2 404 790.85	352 505.53
05 00	2 393 472.65	337 138.04	2 393 226.42	352 315.16
07 30	2 381 900.90	336 953.07	2 381 661.92	352 130.30
98 10 00	2 370 329.05	336 773.61	2 370 097.31	351 950.96
12 30	2 358 757.13	336 599.68	2 358 532.64	351 777.14
15 00	2 347 185.12	336 431.28	2 346 967.87	351 608.85
17 30	2 335 613.03	336 268.40	2 335 403.02	351 446.06
98 20 00	2 324 040.88	336 111.03	2 323 838.10	351 288.80
22 30	2 312 468.64	335 959.19	2 312 273.10	351 137.05
25 00	2 300 896.33	335 812.86	2 300 708.04	350 990.82
27 30	2 289 323.95	335 672.06	2 289 142.90	350 850.10
98 30 00	2 277 751.51	335 536.78	2 277 577.70	350 714.91
32 30	2 266 179.01	335 407.03	2 266 012.44	350 585.24
35 00	2 254 606.44	335 282.79	2 254 447.11	350 461.08
37 30	2 243 033.82	335 164.08	2 242 881.74	350 342.44
98 40 00	2 231 461.14	335 050.88	2 231 316.30	350 229.31
42 30	2 219 888.40	334 943.20	2 219 750.80	350 121.70
45 00	2 208 315.63	334 841.06	2 208 185.27	350 019.62
47 30	2 196 742.79	334 744.43	2 196 619.68	349 923.05
98 50 00	2 185 169.93	334 653.33	2 185 054.05	349 832.00
52 30	2 173 597.01	334 567.74	2 173 488.37	349 746.47
55 00	2 162 024.05	334 487.67	2 161 922.66	349 666.45
57 30	2 150 451.06	334 413.13	2 150 356.91	349 591.96
99 00 00	2 138 878.03	334 344.10	2 138 791.13	349 522.98

LONGITUDE	LATITUDE 40 40 00 X	LATITUDE 40 40 00 Y	LATITUDE 40 42 30 X	LATITUDE 40 42 30 Y
98 00 00	2 416 094.48	367 878.32	2 415 833.78	383 055.27
02 30	2 404 537.39	367 682.56	2 404 283.92	382 859.63
05 00	2 392 980.20	367 492.30	2 392 733.98	382 669.49
07 30	2 381 422.94	367 307.56	2 381 183.95	382 484.87
98 10 00	2 369 865.57	367 128.34	2 369 633.83	382 305.76
12 30	2 358 308.14	366 954.62	2 358 083.64	382 132.15
15 00	2 346 750.61	366 786.43	2 346 533.35	381 964.07
17 30	2 335 193.00	366 623.75	2 334 982.98	381 801.49
98 20 00	2 323 635.33	366 466.58	2 323 432.55	381 644.42
22 30	2 312 077.57	366 314.93	2 311 882.04	381 492.86
25 00	2 300 519.75	366 168.79	2 300 331.46	381 346.81
27 30	2 288 961.86	366 028.16	2 288 780.80	381 206.27
98 30 00	2 277 403.89	365 893.05	2 277 230.08	381 071.25
32 30	2 265 845.88	365 763.46	2 265 679.31	380 941.74
35 00	2 254 287.79	365 639.38	2 254 128.46	380 817.73
37 30	2 242 729.66	365 520.81	2 242 577.57	380 699.24
98 40 00	2 231 171.46	365 407.76	2 231 026.62	380 586.26
42 30	2 219 613.20	365 300.22	2 219 475.60	380 478.78
45 00	2 208 054.91	365 198.20	2 207 924.56	380 376.83
47 30	2 196 496.56	365 101.69	2 196 373.45	380 280.38
98 50 00	2 184 938.18	365 010.70	2 184 822.31	380 189.45
52 30	2 173 379.74	364 925.22	2 173 271.11	380 104.02
55 00	2 161 821.27	364 845.25	2 161 719.88	380 024.11
57 30	2 150 262.77	364 770.80	2 150 168.62	379 949.70
99 00 00	2 138 704.22	364 701.87	2 138 617.31	379 880.81

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 30 00 X	LATITUDE 40 30 00 Y	LATITUDE 40 32 30 X	LATITUDE 40 32 30 Y
99 00 00	2 139 051.84	303 986.48	2 138 964.94	319 165.28
02 30	2 127 464.30	303 922.91	2 127 384.64	319 101.75
05 00	2 115 876.73	303 864.86	2 115 804.31	319 043.74
07 30	2 104 289.13	303 812.34	2 104 223.95	318 991.25
99 10 00	2 092 701.51	303 765.34	2 092 643.58	318 944.28
12 30	2 081 113.87	303 723.87	2 081 063.17	318 902.84
15 00	2 069 526.21	303 687.94	2 069 482.76	318 866.92
17 30	2 057 938.53	303 657.53	2 057 902.32	318 836.54
99 20 00	2 046 350.83	303 632.66	2 046 321.87	318 811.68
22 30	2 034 763.14	303 613.31	2 034 741.42	318 792.34
25 00	2 023 175.43	303 599.48	2 023 160.94	318 778.53
27 30	2 011 587.72	303 591.19	2 011 580.48	318 770.24
99 30 00	2 000 000.00	303 588.42	2 000 000.00	318 767.47
32 30	1 988 412.28	303 591.19	1 988 419.52	318 770.24
35 00	1 976 824.57	303 599.48	1 976 839.06	318 778.53
37 30	1 965 236.86	303 613.31	1 965 258.58	318 792.34
99 40 00	1 953 649.17	303 632.66	1 953 678.13	318 811.68
42 30	1 942 061.47	303 657.53	1 942 097.68	318 836.54
45 00	1 930 473.79	303 687.94	1 930 517.24	318 866.92
47 30	1 918 886.13	303 723.87	1 918 936.83	318 902.84
99 50 00	1 907 298.49	303 765.34	1 907 356.42	318 944.28
52 30	1 895 710.87	303 812.34	1 895 776.05	318 991.25
55 00	1 884 123.27	303 864.86	1 884 195.69	319 043.74
57 30	1 872 535.70	303 922.91	1 872 615.36	319 101.75
100 00 00	1 860 948.16	303 986.48	1 861 035.06	319 165.28

LONGITUDE	LATITUDE 40 35 00 X	LATITUDE 40 35 00 Y	LATITUDE 40 37 30 X	LATITUDE 40 37 30 Y
99 00 00	2 138 878.03	334 344.10	2 138 791.13	349 522.98
02 30	2 127 304.98	334 280.61	2 127 225.31	349 459.52
05 00	2 115 731.89	334 222.63	2 115 659.47	349 401.58
07 30	2 104 158.77	334 170.18	2 104 093.59	349 349.16
99 10 00	2 092 585.64	334 123.24	2 092 527.70	349 302.25
12 30	2 081 012.48	334 081.83	2 080 961.78	349 260.86
15 00	2 069 439.31	334 045.93	2 069 395.85	349 224.99
17 30	2 057 866.11	334 015.57	2 057 829.90	349 194.64
99 20 00	2 046 292.90	333 990.72	2 046 263.93	349 169.81
22 30	2 034 719.69	333 971.40	2 034 697.96	349 150.50
25 00	2 023 146.46	333 957.59	2 023 131.97	349 136.70
27 30	2 011 573.24	333 949.31	2 011 565.99	349 128.42
99 30 00	2 000 000.00	333 946.54	2 000 000.00	349 125.66
32 30	1 988 426.76	333 949.31	1 988 434.01	349 128.42
35 00	1 976 853.54	333 957.59	1 976 868.03	349 136.70
37 30	1 965 280.31	333 971.40	1 965 302.04	349 150.50
99 40 00	1 953 707.10	333 990.72	1 953 736.07	349 169.81
42 30	1 942 133.89	334 015.57	1 942 170.10	349 194.64
45 00	1 930 560.69	334 045.93	1 930 604.15	349 224.99
47 30	1 918 987.52	334 081.83	1 919 038.22	349 260.86
99 50 00	1 907 414.36	334 123.24	1 907 472.30	349 302.25
52 30	1 895 841.23	334 170.18	1 895 906.41	349 349.16
55 00	1 884 268.11	334 222.63	1 884 340.53	349 401.58
57 30	1 872 695.02	334 280.61	1 872 774.69	349 459.52
100 00 00	1 861 121.97	334 344.10	1 861 208.87	349 522.98

LONGITUDE	LATITUDE 40 40 00 X	LATITUDE 40 40 00 Y	LATITUDE 40 42 30 X	LATITUDE 40 42 30 Y
99 00 00	2 138 704.22	364 701.87	2 138 617.31	379 880.81
02 30	2 127 145.65	364 638.45	2 127 065.99	379 817.43
05 00	2 115 587.04	364 580.55	2 115 514.62	379 759.57
07 30	2 104 028.41	364 528.16	2 103 963.23	379 707.21
99 10 00	2 092 469.76	364 481.28	2 092 411.83	379 660.36
12 30	2 080 911.09	364 439.92	2 080 860.39	379 619.02
15 00	2 069 352.40	364 404.07	2 069 308.95	379 583.20
17 30	2 057 793.69	364 373.74	2 057 757.47	379 552.89
99 20 00	2 046 234.96	364 348.93	2 046 205.99	379 528.09
22 30	2 034 676.24	364 329.62	2 034 654.51	379 508.80
25 00	2 023 117.49	364 315.84	2 023 103.01	379 495.02
27 30	2 011 558.75	364 307.56	2 011 551.51	379 486.75
99 30 00	2 000 000.00	364 304.80	2 000 000.00	379 483.99
32 30	1 988 441.25	364 307.56	1 988 448.49	379 486.75
35 00	1 976 882.51	364 315.84	1 976 896.99	379 495.02
37 30	1 965 323.76	364 329.62	1 965 345.49	379 508.80
99 40 00	1 953 765.04	364 348.93	1 953 794.01	379 528.09
42 30	1 942 206.31	364 373.74	1 942 242.53	379 552.89
45 00	1 930 647.60	364 404.07	1 930 691.05	379 583.20
47 30	1 919 088.91	364 439.92	1 919 139.61	379 619.02
99 50 00	1 907 530.24	364 481.28	1 907 588.17	379 660.36
52 30	1 895 971.59	364 528.16	1 896 036.77	379 707.21
55 00	1 884 412.96	364 580.55	1 884 485.38	379 759.57
57 30	1 872 854.35	364 638.45	1 872 934.01	379 817.43
100 00 00	1 861 295.78	364 701.87	1 861 382.69	379 880.81

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 30 00 X	LATITUDE 40 30 00 Y	LATITUDE 40 32 30 X	LATITUDE 40 32 30 Y
100 00 00	1 860 948.16	303 986.48	1 861 035.06	319 165.28
02 30	1 849 360.65	304 055.59	1 849 454.79	319 234.35
05 00	1 837 773.17	304 130.23	1 837 874.56	319 308.94
07 30	1 826 185.73	304 210.40	1 826 294.36	319 389.06
100 10 00	1 814 598.33	304 296.09	1 814 714.20	319 474.70
12 30	1 803 010.98	304 387.31	1 803 134.09	319 565.86
15 00	1 791 423.66	304 484.06	1 791 554.02	319 662.55
17 30	1 779 836.40	304 586.33	1 779 974.00	319 764.76
100 20 00	1 768 249.18	304 694.14	1 768 394.02	319 872.50
22 30	1 756 662.01	304 807.48	1 756 814.10	319 985.77
25 00	1 745 074.91	304 926.35	1 745 234.24	320 104.56
27 30	1 733 487.86	305 050.74	1 733 654.42	320 228.87
100 30 00	1 721 900.88	305 180.65	1 722 074.69	320 358.71
32 30	1 710 313.95	305 316.10	1 710 495.00	320 494.07
35 00	1 698 727.09	305 457.08	1 698 915.38	320 634.96
37 30	1 687 140.30	305 603.59	1 687 335.83	320 781.38
100 40 00	1 675 553.58	305 755.62	1 675 756.35	320 933.32
42 30	1 663 966.94	305 913.18	1 664 176.95	321 090.78
45 00	1 652 380.37	306 076.27	1 652 597.62	321 253.77
47 30	1 640 793.87	306 244.89	1 641 018.37	321 422.27
100 50 00	1 629 207.47	306 419.03	1 629 439.21	321 596.31
52 30	1 617 621.14	306 598.71	1 617 860.12	321 775.88
55 00	1 606 034.91	306 783.91	1 606 281.13	321 960.96
57 30	1 594 448.76	306 974.64	1 594 702.22	322 151.58
101 00 00	1 582 862.70	307 170.90	1 583 123.40	322 347.71

LONGITUDE	LATITUDE 40 35 00 X	LATITUDE 40 35 00 Y	LATITUDE 40 37 30 X	LATITUDE 40 37 30 Y
100 00 00	1 861 121.97	334 344.10	1 861 208.87	349 522.98
02 30	1 849 548.94	334 413.13	1 849 643.09	349 591.96
05 00	1 837 975.95	334 487.67	1 838 077.34	349 666.45
07 30	1 826 402.99	334 567.74	1 826 511.63	349 746.47
100 10 00	1 814 830.07	334 653.33	1 814 945.95	349 832.00
12 30	1 803 257.21	334 744.43	1 803 380.32	349 923.05
15 00	1 791 684.37	334 841.06	1 791 814.73	350 019.62
17 30	1 780 111.60	334 943.20	1 780 249.20	350 121.70
100 20 00	1 768 538.86	335 050.88	1 768 683.70	350 229.31
22 30	1 756 966.18	335 164.08	1 757 118.26	350 342.44
25 00	1 745 393.56	335 282.79	1 745 552.89	350 461.08
27 30	1 733 820.99	335 407.03	1 733 987.56	350 585.24
100 30 00	1 722 248.49	335 536.78	1 722 422.30	350 714.91
32 30	1 710 676.05	335 672.06	1 710 857.10	350 850.10
35 00	1 699 103.67	335 812.86	1 699 291.96	350 990.82
37 30	1 687 531.36	335 959.19	1 687 726.90	351 137.05
100 40 00	1 675 959.12	336 111.03	1 676 161.90	351 288.80
42 30	1 664 386.97	336 268.40	1 664 596.98	351 446.06
45 00	1 652 814.88	336 431.28	1 653 032.13	351 608.85
47 30	1 641 242.87	336 599.68	1 641 467.36	351 777.14
100 50 00	1 629 670.95	336 773.61	1 629 902.69	351 950.96
52 30	1 618 099.10	336 953.07	1 618 338.08	352 130.30
55 00	1 606 527.35	337 138.04	1 606 773.58	358 315.16
57 30	1 594 955.68	337 328.53	1 595 209.15	352 505.53
101 00 00	1 583 384.11	337 524.54	1 583 644.81	352 701.42

LONGITUDE	LATITUDE 40 40 00 X	LATITUDE 40 40 00 Y	LATITUDE 40 42 30 X	LATITUDE 40 42 30 Y
100 00 00	1 861 295.78	364 701.87	1 861 382.69	379 880.81
02 30	1 849 737.23	364 770.80	1 849 831.38	379 949.70
05 00	1 838 178.73	364 845.25	1 838 280.12	380 024.11
07 30	1 826 620.26	364 925.22	1 826 728.89	380 104.02
100 10 00	1 815 061.82	365 010.70	1 815 177.69	380 189.45
12 30	1 803 503.44	365 101.69	1 803 626.55	380 280.38
15 00	1 791 945.09	365 198.20	1 792 075.44	380 376.83
17 30	1 780 386.80	365 300.22	1 780 524.40	380 478.78
100 20 00	1 768 828.54	365 407.76	1 768 973.38	380 586.26
22 30	1 757 270.34	365 520.81	1 757 422.43	380 699.24
25 00	1 745 712.21	365 639.38	1 745 871.54	380 817.73
27 30	1 734 154.12	365 763.46	1 734 320.69	380 941.74
100 30 00	1 722 596.11	365 893.05	1 722 769.92	381 071.25
32 30	1 711 038.14	366 028.16	1 711 219.20	381 206.27
35 00	1 699 480.25	366 168.79	1 699 668.54	381 346.81
37 30	1 687 922.43	366 314.93	1 688 117.96	381 492.86
100 40 00	1 676 364.67	366 466.58	1 676 567.45	381 644.42
42 30	1 664 807.00	366 623.75	1 665 017.02	381 801.49
45 00	1 653 249.39	366 786.43	1 653 466.65	381 964.07
47 30	1 641 691.86	366 954.62	1 641 916.36	382 132.15
100 50 00	1 630 134.43	367 128.34	1 630 366.17	382 305.76
52 30	1 618 577.06	367 307.56	1 618 816.05	382 484.87
55 00	1 607 019.80	367 492.30	1 607 266.02	382 669.49
57 30	1 595 462.61	367 682.56	1 595 716.08	382 859.63
101 00 00	1 583 905.52	367 878.32	1 584 166.22	383 055.27

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 30 00 X	LATITUDE 40 30 00 Y	LATITUDE 40 32 30 X	LATITUDE 40 32 30 Y
101 00 00	1 582 862.70	307 170.90	1 583 123.40	322 347.71
02 30	1 571 276.75	307 372.68	1 571 544.69	322 549.37
05 00	1 559 690.88	307 579.99	1 559 966.07	322 756.55
07 30	1 548 105.13	307 792.83	1 548 387.55	322 969.26
101 10 00	1 536 519.46	308 011.21	1 536 809.13	323 187.49
12 30	1 524 933.91	308 235.10	1 525 230.81	323 411.25
15 00	1 513 348.47	308 464.53	1 513 652.61	323 640.53
17 30	1 501 763.13	308 699.47	1 502 074.52	323 875.33
101 20 00	1 490 177.91	308 939.95	1 490 496.54	324 115.65
22 30	1 478 592.80	309 185.96	1 478 918.67	324 361.51
25 00	1 467 007.81	309 437.49	1 467 340.92	324 612.89
27 30	1 455 422.95	309 694.56	1 455 763.30	324 869.79
101 30 00	1 443 838.21	309 957.14	1 444 185.80	325 132.21
32 30	1 432 253.60	310 225.26	1 432 608.43	325 400.16
35 00	1 420 669.11	310 498.89	1 421 031.18	325 673.63
37 30	1 409 084.75	310 778.07	1 409 454.06	325 952.62
101 40 00	1 397 500.54	311 062.76	1 397 877.09	326 237.14
42 30	1 385 916.45	311 352.99	1 386 300.24	326 527.19
45 00	1 374 332.52	311 648.74	1 374 723.55	326 822.75
47 30	1 362 748.72	311 950.01	1 363 146.99	327 123.84
101 50 00	1 351 165.06	312 256.82	1 351 570.57	327 430.45
52 30	1 339 581.56	312 569.15	1 339 994.31	327 742.58
55 00	1 327 998.20	312 887.01	1 328 418.18	328 060.24
57 30	1 316 415.00	313 210.39	1 316 842.23	328 383.43
102 00 00	1 304 831.95	313 539.30	1 305 266.41	328 712.13

LONGITUDE	LATITUDE 40 35 00 X	LATITUDE 40 35 00 Y	LATITUDE 40 37 30 X	LATITUDE 40 37 30 Y
101 00 00	1 583 384.11	337 524.54	1 583 644.81	352 701.42
02 30	1 571 812.64	337 726.07	1 572 080.58	352 902.83
05 00	1 560 241.25	337 933.12	1 560 516.44	353 109.75
07 30	1 548 669.98	338 145.70	1 548 952.41	353 322.19
101 10 00	1 537 098.80	338 363.80	1 537 388.47	353 540.15
12 30	1 525 527.72	338 587.41	1 525 824.63	353 763.63
15 00	1 513 956.76	338 816.55	1 514 260.91	353 992.62
17 30	1 502 385.90	339 051.20	1 502 697.30	354 227.13
101 20 00	1 490 815.17	339 291.38	1 491 133.80	354 467.15
22 30	1 479 244.54	339 537.08	1 479 570.41	354 712.70
25 00	1 467 674.03	339 788.30	1 468 007.15	354 963.77
27 30	1 456 103.65	340 045.04	1 456 444.01	355 220.35
101 30 00	1 444 533.39	340 307.30	1 444 880.98	355 482.44
32 30	1 432 963.26	340 575.08	1 433 318.10	355 750.05
35 00	1 421 393.25	340 848.38	1 421 755.33	356 023.18
37 30	1 409 823.38	341 127.20	1 410 192.69	356 301.83
101 40 00	1 398 253.64	341 411.54	1 398 630.20	356 585.99
42 30	1 386 684.04	341 701.40	1 387 067.83	356 875.67
45 00	1 375 114.58	341 996.78	1 375 505.62	357 170.87
47 30	1 363 545.26	342 297.68	1 363 943.53	357 471.58
101 50 00	1 351 976.08	342 604.10	1 352 381.59	357 777.80
52 30	1 340 407.06	342 916.04	1 340 819.81	358 089.55
55 00	1 328 838.17	343 233.50	1 329 258.16	358 406.81
57 30	1 317 269.46	343 556.48	1 317 696.69	358 729.59
102 00 00	1 305 700.88	343 884.98	1 306 135.35	359 057.88

LONGITUDE	LATITUDE 40 40 00 X	LATITUDE 40 40 00 Y	LATITUDE 40 42 30 X	LATITUDE 40 42 30 Y
101 00 00	1 583 905.52	367 878.32	1 584 166.22	383 055.27
02 30	1 572 348.53	368 079.60	1 572 616.48	383 256.42
05 00	1 560 791.63	368 286.39	1 561 066.81	383 463.09
07 30	1 549 234.83	368 498.70	1 549 517.26	383 675.27
101 10 00	1 537 678.13	368 716.53	1 537 967.80	383 892.95
12 30	1 526 121.54	368 939.87	1 526 418.45	384 116.15
15 00	1 514 565.06	369 168.72	1 514 869.21	384 344.86
17 30	1 503 008.69	369 403.08	1 503 320.08	384 579.07
101 20 00	1 491 452.43	369 642.95	1 491 771.07	384 818.79
22 30	1 479 896.29	369 888.34	1 480 222.16	385 064.04
25 00	1 468 340.26	370 139.25	1 468 673.37	385 314.78
27 30	1 456 784.36	370 395.67	1 457 124.71	385 571.04
101 30 00	1 445 228.58	370 657.60	1 445 576.17	385 832.81
32 30	1 433 672.93	370 925.04	1 434 027.76	386 100.09
35 00	1 422 117.40	371 198.00	1 422 479.47	386 372.87
37 30	1 410 562.00	371 476.47	1 410 931.32	386 651.17
101 40 00	1 399 006.75	371 760.46	1 399 383.31	386 934.98
42 30	1 387 451.62	372 049.96	1 387 835.42	387 224.30
45 00	1 375 896.65	372 344.97	1 376 287.68	387 519.12
47 30	1 364 341.80	372 645.49	1 364 740.08	387 819.46
101 50 00	1 352 787.10	372 951.53	1 353 192.61	388 125.30
52 30	1 341 232.56	373 263.08	1 341 645.31	388 436.65
55 00	1 329 678.16	373 580.14	1 330 098.15	388 753.52
57 30	1 318 123.92	373 902.72	1 318 551.15	389 075.89
102 00 00	1 306 569.82	374 230.80	1 307 004.29	389 403.78

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 30 00 X	LATITUDE 40 30 00 Y	LATITUDE 40 32 30 X	LATITUDE 40 32 30 Y
102 00 00	1 304 831.95	313 539.30	1 305 266.41	328 712.13
02 30	1 293 249.05	313 873.74	1 293 690.76	329 046.36
05 00	1 281 666.33	314 213.70	1 282 115.28	329 386.11
07 30	1 270 083.76	314 559.18	1 270 539.95	329 731.37
102 10 00	1 258 501.37	314 910.20	1 258 964.79	330 082.18
12 30	1 246 919.13	315 266.74	1 247 389.80	330 438.50
15 00	1 235 337.07	315 628.81	1 235 814.97	330 800.34
17 30	1 223 755.19	315 996.40	1 224 240.33	331 167.70
102 20 00	1 212 173.48	316 369.52	1 212 665.86	331 540.58
22 30	1 200 591.96	316 748.16	1 201 091.58	331 918.99
25 00	1 189 010.61	317 132.34	1 189 517.46	332 302.92
27 30	1 177 429.44	317 522.03	1 177 943.53	332 692.38
102 30 00	1 165 848.47	317 917.26	1 166 369.80	333 087.35
32 30	1 154 267.68	318 318.00	1 154 796.25	333 487.85
35 00	1 142 687.10	318 724.27	1 143 222.90	333 893.86
37 30	1 131 106.70	319 136.07	1 131 649.74	334 305.40
102 40 00	1 119 526.49	319 553.39	1 120 076.77	334 722.46
42 30	1 107 946.50	319 976.24	1 108 504.02	335 145.05
45 00	1 096 366.70	320 404.61	1 096 931.45	335 573.15
47 30	1 084 787.12	320 838.51	1 085 359.11	336 006.78
102 50 00	1 073 207.73	321 277.93	1 073 786.96	336 445.93
52 30	1 061 628.55	321 722.87	1 062 215.02	336 890.59
55 00	1 050 049.60	322 173.34	1 050 643.30	337 340.78
57 30	1 038 470.86	322 629.34	1 039 071.79	337 796.49
103 00 00	1 026 892.34	323 090.86	1 027 500.52	338 257.72

LONGITUDE	LATITUDE 40 35 00 X	LATITUDE 40 35 00 Y	LATITUDE 40 37 30 X	LATITUDE 40 37 30 Y
102 00 00	1 305 700.88	343 884.98	1 306 135.35	359 057.88
02 30	1 294 132.47	344 219.00	1 294 574.18	359 391.69
05 00	1 282 564.22	344 558.54	1 283 013.17	359 731.02
07 30	1 270 996.13	344 903.59	1 271 452.32	360 075.85
102 10 00	1 259 428.22	345 254.17	1 259 891.64	360 426.21
12 30	1 247 860.46	345 610.27	1 248 331.12	360 782.09
15 00	1 236 292.87	345 971.88	1 236 770.78	361 143.48
17 30	1 224 725.47	346 339.02	1 225 210.61	361 510.38
102 20 00	1 213 158.23	346 711.67	1 213 650.61	361 882.80
22 30	1 201 591.19	347 089.83	1 202 090.81	362 260.73
25 00	1 190 024.32	347 473.53	1 190 531.17	362 644.18
27 30	1 178 457.62	347 862.74	1 178 971.72	363 033.15
102 30 00	1 166 891.13	348 257.47	1 167 412.46	363 427.63
32 30	1 155 324.82	348 657.71	1 155 853.39	363 827.63
35 00	1 143 758.71	349 063.47	1 144 294.51	364 233.14
37 30	1 132 192.78	349 474.75	1 132 735.83	364 644.16
102 40 00	1 120 627.05	349 891.55	1 121 177.33	365 060.69
42 30	1 109 061.53	350 313.87	1 109 619.05	365 482.75
45 00	1 097 496.21	350 741.71	1 098 060.96	365 910.32
47 30	1 085 931.10	351 175.07	1 086 503.09	366 343.41
102 50 00	1 074 366.19	351 613.94	1 074 945.42	366 782.00
52 30	1 062 801.48	352 058.33	1 063 387.95	367 226.11
55 00	1 051 237.01	352 508.23	1 051 830.71	367 675.74
57 30	1 039 672.73	352 963.66	1 040 273.67	368 130.88
103 00 00	1 028 108.69	353 424.60	1 028 716.87	368 591.54

LONGITUDE	LATITUDE 40 40 00 X	LATITUDE 40 40 00 Y	LATITUDE 40 42 30 X	LATITUDE 40 42 30 Y
102 00 00	1 306 569.82	374 230.80	1 307 004.29	389 403.78
02 30	1 295 015.88	374 564.41	1 295 457.59	389 737.17
05 00	1 283 462.12	374 903.52	1 283 911.07	390 076.06
07 30	1 271 908.50	375 248.13	1 272 364.69	390 420.47
102 10 00	1 260 355.07	375 598.28	1 260 818.49	390 770.39
12 30	1 248 801.79	375 953.93	1 249 272.45	391 125.82
15 00	1 237 248.68	376 315.09	1 237 726.58	391 486.76
17 30	1 225 695.75	376 681.77	1 226 180.90	391 853.20
102 20 00	1 214 142.99	377 053.95	1 214 635.37	392 225.15
22 30	1 202 590.43	377 431.65	1 203 090.05	392 602.61
25 00	1 191 038.03	377 814.86	1 191 544.89	392 985.58
27 30	1 179 485.81	378 203.58	1 179 999.91	393 374.06
102 30 00	1 167 933.80	378 597.82	1 168 455.13	393 768.05
32 30	1 156 381.96	378 997.56	1 156 910.53	394 167.54
35 00	1 144 830.32	379 402.82	1 145 366.13	394 572.55
37 30	1 133 278.87	379 813.58	1 133 821.92	394 983.05
102 40 00	1 121 727.62	380 229.86	1 122 277.90	395 399.07
42 30	1 110 176.57	380 651.65	1 110 734.10	395 820.60
45 00	1 098 625.72	381 078.95	1 099 190.48	396 247.63
47 30	1 087 075.09	381 511.77	1 087 647.08	396 680.18
102 50 00	1 075 524.65	381 950.09	1 076 103.88	397 118.22
52 30	1 063 974.42	382 393.92	1 064 560.89	397 561.77
55 00	1 052 424.41	382 843.26	1 053 018.12	398 010.84
57 30	1 040 874.62	383 298.12	1 041 475.56	398 465.41
103 00 00	1 029 325.05	383 758.49	1 029 933.23	398 925.49

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 45 00 X	LATITUDE 40 45 00 Y	LATITUDE 40 47 30 X	LATITUDE 40 47 30 Y
95 15 00	3 177 050.18	423 309.73	3 176 311.77	438 471.07
17 30	3 165 519.46	422 750.90	3 164 788.28	437 912.59
95 20 00	3 153 988.46	422 197.57	3 153 264.51	437 359.60
22 30	3 142 457.20	421 649.74	3 141 740.48	436 812.12
25 00	3 130 925.69	421 107.41	3 130 216.21	436 270.13
27 30	3 119 393.91	420 570.58	3 118 691.66	435 733.64
95 30 00	3 107 861.88	420 039.25	3 107 166.87	435 202.64
32 30	3 096 329.59	419 513.43	3 095 641.82	434 677.15
35 00	3 084 797.06	418 993.11	3 084 116.52	434 157.15
37 30	3 073 264.29	418 478.29	3 072 590.98	433 642.66
95 40 00	3 061 731.26	417 968.98	3 061 065.19	433 133.67
42 30	3 050 198.00	417 465.16	3 049 539.16	432 630.17
45 00	3 038 664.49	416 966.85	3 038 012.89	432 132.17
47 30	3 027 130.75	416 474.04	3 026 486.38	431 639.67
95 50 00	3 015 596.78	415 986.73	3 014 959.65	431 152.67
52 30	3 004 062.57	415 504.93	3 003 432.68	430 671.17
55 00	2 992 528.14	415 028.64	2 991 905.48	430 195.17
57 30	2 980 993.48	414 557.84	2 980 378.06	429 724.67
96 00 00	2 969 458.59	414 092.55	2 968 850.41	429 259.67

LONGITUDE	LATITUDE 40 50 00 X	LATITUDE 40 50 00 Y	LATITUDE 40 52 30 X	LATITUDE 40 52 30 Y
95 15 00	3 175 573.35	453 632.48	3 174 834.92	468 793.97
17 30	3 164 057.09	453 074.35	3 163 325.90	468 236.19
95 20 00	3 152 540.56	452 521.71	3 151 816.60	467 683.90
22 30	3 141 023.76	451 974.57	3 140 307.04	467 137.10
25 00	3 129 506.72	451 432.92	3 128 797.24	466 595.79
27 30	3 117 989.41	450 896.77	3 117 287.16	466 059.97
95 30 00	3 106 471.85	450 366.10	3 105 776.84	465 529.64
32 30	3 094 954.04	449 840.94	3 094 266.25	465 004.81
35 00	3 083 435.97	449 321.27	3 082 755.42	464 485.47
37 30	3 071 917.67	448 807.10	3 071 244.36	463 971.62
95 40 00	3 060 399.11	448 298.43	3 059 733.04	463 463.27
42 30	3 048 880.33	447 795.24	3 048 221.48	462 960.40
45 00	3 037 361.29	447 297.56	3 036 709.68	462 463.03
47 30	3 025 842.01	446 805.37	3 025 197.64	461 971.14
95 50 00	3 014 322.52	446 318.67	3 013 685.38	461 484.75
52 30	3 002 802.78	445 837.47	3 002 172.88	461 003.86
55 00	2 991 282.82	445 361.77	2 990 660.16	460 528.46
57 30	2 979 762.63	444 891.57	2 979 147.21	460 058.55
96 00 00	2 968 242.22	444 426.86	2 967 634.03	459 594.13

LONGITUDE	LATITUDE 40 55 00 X	LATITUDE 40 55 00 Y	LATITUDE 40 57 30 X	LATITUDE 40 57 30 Y
95 15 00	3 174 096.49	483 955.55	3 173 358.06	499 117.22
17 30	3 162 594.71	483 398.11	3 161 863.51	498 560.13
95 20 00	3 151 092.64	482 846.17	3 150 368.68	498 008.54
22 30	3 139 590.32	482 299.72	3 138 873.59	497 462.43
25 00	3 128 087.74	481 758.75	3 127 378.25	496 921.80
27 30	3 116 584.90	481 223.27	3 115 882.64	496 386.66
95 30 00	3 105 081.81	480 693.27	3 104 386.79	495 856.99
32 30	3 093 578.47	480 168.77	3 092 890.68	495 332.82
35 00	3 082 074.87	479 649.75	3 081 394.31	494 814.13
37 30	3 070 571.04	479 136.23	3 069 897.72	494 300.93
95 40 00	3 059 066.95	478 628.19	3 058 400.87	493 793.21
42 30	3 047 562.64	478 125.64	3 046 903.79	493 290.98
45 00	3 036 058.07	477 628.58	3 035 406.45	492 794.23
47 30	3 024 553.27	477 137.01	3 023 908.89	492 302.97
95 50 00	3 013 048.24	476 650.93	3 012 411.10	491 817.19
52 30	3 001 542.98	476 170.33	3 000 913.07	491 336.90
55 00	2 990 037.49	475 695.23	2 989 414.82	490 862.10
57 30	2 978 531.78	475 225.62	2 977 916.34	490 392.78
96 00 00	2 967 025.83	474 761.49	2 966 417.64	489 928.94

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 45 00 X	LATITUDE 40 45 00 Y	LATITUDE 40 47 30 X	LATITUDE 40 47 30 Y
96 00 00	2 969 458.59	414 092.55	2 968 850.41	429 259.67
02 30	2 957 923.49	413 632.76	2 957 322.55	428 800.17
05 00	2 946 388.17	413 178.47	2 945 794.46	428 346.17
07 30	2 934 852.64	412 729.69	2 934 266.16	427 897.67
96 10 00	2 923 316.88	412 286.42	2 922 737.64	427 454.67
12 30	2 911 780.92	411 848.64	2 911 208.92	427 017.17
15 00	2 900 244.76	411 416.37	2 899 679.99	426 585.17
17 30	2 888 708.38	410 989.60	2 888 150.85	426 158.67
96 20 00	2 877 171.81	410 568.34	2 876 621.52	425 737.67
22 30	2 865 635.03	410 152.59	2 865 091.98	425 322.18
25 00	2 854 098.06	409 742.34	2 853 562.24	424 912.19
27 30	2 842 560.90	409 337.59	2 842 032.32	424 507.69
96 30 00	2 831 023.53	408 938.35	2 830 502.20	424 108.70
32 30	2 819 485.99	408 544.60	2 818 971.89	423 715.21
35 00	2 807 948.25	408 156.37	2 807 441.39	423 327.21
37 30	2 796 410.33	407 773.64	2 795 910.71	422 944.72
96 40 00	2 784 872.24	407 396.41	2 784 379.86	422 567.74
42 30	2 773 333.96	407 024.70	2 772 848.81	422 196.25
45 00	2 761 795.51	406 658.48	2 761 317.60	421 830.27
47 30	2 750 256.88	406 297.77	2 749 786.21	421 469.78
96 50 00	2 738 718.08	405 942.57	2 738 254.65	421 114.80
52 30	2 727 179.12	405 592.86	2 726 722.93	420 765.31
55 00	2 715 639.98	405 248.67	2 715 191.03	420 421.34
57 30	2 704 100.69	404 909.99	2 703 658.98	420 082.87
97 00 00	2 692 561.24	404 576.81	2 692 126.76	419 749.90

LONGITUDE	LATITUDE 40 50 00 X	LATITUDE 40 50 00 Y	LATITUDE 40 52 30 X	LATITUDE 40 52 30 Y
96 00 00	2 968 242.22	444 426.86	2 967 634.03	459 594.13
02 30	2 956 721.59	443 967.65	2 956 120.64	459 135.21
05 00	2 945 200.74	443 513.93	2 944 607.03	458 681.77
07 30	2 933 679.69	443 065.71	2 933 093.20	458 233.84
96 10 00	2 922 158.40	442 623.00	2 921 579.16	457 791.40
12 30	2 910 636.91	442 185.77	2 910 064.91	457 354.45
15 00	2 899 115.23	441 754.04	2 898 550.46	456 922.99
17 30	2 887 593.32	441 327.81	2 887 035.79	456 497.03
96 20 00	2 876 071.23	440 907.07	2 875 520.94	456 076.56
22 30	2 864 548.93	440 491.84	2 864 005.87	455 661.58
25 00	2 853 026.43	440 082.11	2 852 490.61	455 252.11
27 30	2 841 503.74	439 677.87	2 840 975.16	454 848.12
96 30 00	2 829 980.85	439 279.12	2 829 459.51	454 449.63
32 30	2 818 457.79	438 885.88	2 817 943.69	454 056.63
35 00	2 806 934.53	438 498.13	2 806 427.66	453 669.12
37 30	2 795 411.08	438 115.88	2 794 911.45	453 287.11
96 40 00	2 783 887.47	437 739.13	2 783 395.08	452 910.60
42 30	2 772 363.66	437 367.88	2 771 878.51	452 539.58
45 00	2 760 839.69	437 002.12	2 760 361.78	452 174.06
47 30	2 749 315.54	436 641.86	2 748 844.86	451 814.03
96 50 00	2 737 791.21	436 287.10	2 737 327.78	451 459.49
52 30	2 726 266.73	435 937.84	2 725 810.54	451 110.44
55 00	2 714 742.07	435 594.08	2 714 293.12	450 766.90
57 30	2 703 217.26	435 255.82	2 702 775.54	450 428.85
97 00 00	2 691 692.28	434 923.06	2 691 257.80	450 096.30

LONGITUDE	LATITUDE 40 55 00 X	LATITUDE 40 55 00 Y	LATITUDE 40 57 30 X	LATITUDE 40 57 30 Y
96 00 00	2 967 025.83	474 761.49	2 966 417.64	489 928.94
02 30	2 955 519.68	474 302.86	2 954 918.72	489 470.60
05 00	2 944 013.30	473 849.71	2 943 419.58	489 017.73
07 30	2 932 506.72	473 402.05	2 931 920.23	488 570.36
96 10 00	2 920 999.91	472 959.89	2 920 420.66	488 128.48
12 30	2 909 492.90	472 523.22	2 908 920.88	487 692.08
15 00	2 897 985.68	472 092.03	2 897 420.91	487 261.16
17 30	2 886 478.26	471 666.34	2 885 920.72	486 835.73
96 20 00	2 874 970.64	471 246.13	2 874 420.34	486 415.79
22 30	2 863 462.81	470 831.42	2 862 919.74	486 001.34
25 00	2 851 954.78	470 422.20	2 851 418.96	485 592.38
27 30	2 840 446.58	470 018.46	2 839 917.99	485 188.90
96 30 00	2 828 938.16	469 620.22	2 828 416.81	484 790.91
32 30	2 817 429.58	469 227.47	2 816 915.47	484 398.40
35 00	2 805 920.79	468 840.21	2 805 413.92	484 011.38
37 30	2 794 411.82	468 458.44	2 793 912.18	483 629.85
96 40 00	2 782 902.68	468 082.16	2 782 410.29	483 253.81
42 30	2 771 393.35	467 711.38	2 770 908.20	482 883.26
45 00	2 759 883.86	467 346.08	2 759 405.94	482 518.20
47 30	2 748 374.19	466 986.28	2 747 903.51	482 158.62
96 50 00	2 736 864.34	466 631.96	2 736 400.90	481 804.53
52 30	2 725 354.34	466 283.13	2 724 898.13	481 455.92
55 00	2 713 844.16	465 939.81	2 713 395.19	481 112.81
57 30	2 702 333.82	465 601.98	2 701 892.10	480 775.19
97 00 00	2 690 823.32	465 269.63	2 690 388.84	480 443.05

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 45 00 X	LATITUDE 40 45 00 Y	LATITUDE 40 47 30 X	LATITUDE 40 47 30 Y
97 00 00	2 692 561.24	404 576.81	2 692 126.76	419 749.90
02 30	2 681 021.62	404 249.13	2 680 594.38	419 422.43
05 00	2 669 481.86	403 926.96	2 669 061.86	419 100.45
07 30	2 657 941.93	403 610.29	2 657 529.18	418 783.99
97 10 00	2 646 401.87	403 299.13	2 645 996.35	418 473.02
12 30	2 634 861.65	402 993.48	2 634 463.37	418 167.56
15 00	2 623 321.28	402 693.33	2 622 930.24	417 867.61
17 30	2 611 780.79	402 398.69	2 611 396.99	417 573.15
97 20 00	2 600 240.14	402 109.56	2 599 863.58	417 284.20
22 30	2 588 699.37	401 825.93	2 588 330.05	417 000.74
25 00	2 577 158.45	401 547.80	2 576 796.37	416 722.79
27 30	2 565 617.40	401 275.19	2 565 262.56	416 450.35
97 30 00	2 554 076.23	401 008.08	2 553 728.64	416 183.41
32 30	2 542 534.93	400 746.48	2 542 194.58	415 921.97
35 00	2 530 993.51	400 490.38	2 530 660.40	415 666.03
37 30	2 519 451.97	400 239.79	2 519 126.09	415 415.60
97 40 00	2 507 910.30	399 994.70	2 507 591.67	415 170.67
42 30	2 496 368.53	399 755.13	2 496 057.13	414 931.24
45 00	2 484 826.63	399 521.06	2 484 522.48	414 697.32
47 30	2 473 284.64	399 292.50	2 472 987.73	414 468.90
97 50 00	2 461 742.53	399 069.44	2 461 452.85	414 245.99
52 30	2 450 200.31	398 851.89	2 449 917.88	414 028.57
55 00	2 438 658.00	398 639.84	2 438 382.81	413 816.66
57 30	2 427 115.58	398 433.31	2 426 847.63	413 610.25
98 00 00	2 415 573.07	398 232.28	2 415 312.36	413 409.35

LONGITUDE	LATITUDE 40 50 00 X	LATITUDE 40 50 00 Y	LATITUDE 40 52 30 X	LATITUDE 40 52 30 Y
97 00 00	2 691 692.28	434 923.06	2 691 257.80	450 096.30
02 30	2 680 167.14	434 595.79	2 679 739.90	449 769.24
05 00	2 668 641.86	434 274.02	2 668 221.86	449 447.67
07 30	2 657 116.42	433 957.75	2 656 703.66	449 131.60
97 10 00	2 645 590.84	433 646.98	2 645 185.31	448 821.03
12 30	2 634 065.09	433 341.72	2 633 666.81	448 515.95
15 00	2 622 539.20	433 041.95	2 622 148.16	448 216.37
17 30	2 611 013.19	432 747.68	2 610 629.39	447 922.28
97 20 00	2 599 487.02	432 458.90	2 599 110.46	447 633.69
22 30	2 587 960.73	432 175.63	2 587 591.41	447 350.59
25 00	2 576 434.29	431 897.85	2 576 072.21	447 072.99
27 30	2 564 907.72	431 625.58	2 564 552.88	446 800.89
97 30 00	2 553 381.04	431 358.81	2 553 033.44	446 534.29
32 30	2 541 854.22	431 097.54	2 541 513.86	446 273.18
35 00	2 530 327.28	430 841.76	2 529 994.16	446 017.56
37 30	2 518 800.21	430 591.48	2 518 474.34	445 767.44
97 40 00	2 507 273.03	430 346.70	2 506 954.39	445 522.82
42 30	2 495 745.74	430 107.43	2 495 434.34	445 283.69
45 00	2 484 218.33	429 873.66	2 483 914.17	445 050.07
47 30	2 472 690.81	429 645.38	2 472 393.90	444 821.93
97 50 00	2 461 163.18	429 422.60	2 460 873.51	444 599.30
52 30	2 449 635.44	429 205.32	2 449 353.01	444 382.15
55 00	2 438 107.62	428 993.54	2 437 832.42	444 170.51
57 30	2 426 579.68	428 787.27	2 426 311.73	443 964.36
98 00 00	2 415 051.66	428 586.49	2 414 790.95	443 763.71

LONGITUDE	LATITUDE 40 55 00 X	LATITUDE 40 55 00 Y	LATITUDE 40 57 30 X	LATITUDE 40 57 30 Y
97 00 00	2 690 823.32	465 269.63	2 690 388.84	480 443.05
02 30	2 679 312.66	464 942.78	2 678 885.42	480 116.40
05 00	2 667 801.86	464 621.41	2 667 381.86	479 795.24
07 30	2 656 290.89	464 305.54	2 655 878.13	479 479.56
97 10 00	2 644 779.79	463 995.16	2 644 374.27	479 169.38
12 30	2 633 268.53	463 690.28	2 632 870.24	478 864.69
15 00	2 621 757.12	463 390.88	2 621 366.07	478 565.49
17 30	2 610 245.59	463 096.98	2 609 861.78	478 271.77
97 20 00	2 598 733.90	462 808.57	2 598 357.33	477 983.54
22 30	2 587 222.09	462 525.65	2 586 852.76	477 700.80
25 00	2 575 710.13	462 248.22	2 575 348.04	477 423.55
27 30	2 564 198.04	461 976.30	2 563 843.20	477 151.79
97 30 00	2 552 685.84	461 709.86	2 552 338.23	476 885.52
32 30	2 541 173.50	461 448.91	2 540 833.13	476 624.74
35 00	2 529 661.04	461 193.46	2 529 327.92	476 369.44
37 30	2 518 148.46	460 943.49	2 517 822.57	476 119.63
97 40 00	2 506 635.75	460 699.02	2 506 317.11	475 875.32
42 30	2 495 122.94	460 460.05	2 494 811.54	475 636.49
45 00	2 483 610.01	460 226.57	2 483 305.85	475 403.16
47 30	2 472 096.98	459 998.58	2 471 800.06	475 175.32
97 50 00	2 460 583.83	459 776.08	2 460 294.15	474 952.96
52 30	2 449 070.58	459 559.08	2 448 788.14	474 736.09
55 00	2 437 557.23	459 347.56	2 437 282.03	474 524.71
57 30	2 426 043.77	459 141.55	2 425 775.82	474 318.82
98 00 00	2 414 530.23	458 941.03	2 414 269.52	474 118.43

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 45 00 X	LATITUDE 40 45 00 Y	LATITUDE 40 47 30 X	LATITUDE 40 47 30 Y
98 00 00	2 415 573.07	398 232.28	2 415 312.36	413 409.35
02 30	2 404 030.46	398 036.76	2 403 776.99	413 213.96
05 00	2 392 487.75	397 846.75	2 392 241.53	413 024.06
07 30	2 380 944.97	397 662.24	2 380 705.99	412 839.67
98 10 00	2 369 402.09	397 483.24	2 369 170.35	412 660.78
12 30	2 357 859.14	397 309.74	2 357 634.64	412 487.39
15 00	2 346 316.09	397 141.76	2 346 098.83	412 319.52
17 30	2 334 772.97	396 979.29	2 334 562.95	412 157.14
98 20 00	2 323 229.78	396 822.32	2 323 027.00	412 000.27
22 30	2 311 686.50	396 670.85	2 311 490.97	411 848.90
25 00	2 300 143.17	396 524.89	2 299 954.87	411 703.03
27 30	2 288 599.75	396 384.44	2 288 418.70	411 562.67
98 30 00	2 277 056.27	396 249.50	2 276 882.46	411 427.82
32 30	2 265 512.74	396 120.07	2 265 346.18	411 298.47
35 00	2 253 969.14	395 996.15	2 253 809.81	411 174.62
37 30	2 242 425.49	395 877.73	2 242 273.41	411 056.28
98 40 00	2 230 881.77	395 764.82	2 230 736.93	410 943.44
42 30	2 219 338.00	395 657.41	2 219 200.40	410 836.10
45 00	2 207 794.20	395 555.52	2 207 663.84	410 734.27
47 30	2 196 250.33	395 459.14	2 196 127.21	410 637.95
98 50 00	2 184 706.43	395 368.26	2 184 590.56	410 547.12
52 30	2 173 162.48	395 282.88	2 173 053.85	410 461.80
55 00	2 161 618.49	395 203.02	2 161 517.10	410 381.99
57 30	2 150 074.47	395 128.66	2 149 980.32	410 307.68
99 00 00	2 138 530.41	395 059.81	2 138 443.50	410 238.87

LONGITUDE	LATITUDE 40 50 00 X	LATITUDE 40 50 00 Y	LATITUDE 40 52 30 X	LATITUDE 40 52 30 Y
98 00 00	2 415 051.66	428 586.49	2 414 790.95	443 763.71
02 30	2 403 523.53	428 391.22	2 403 270.06	443 568.57
05 00	2 391 995.30	428 201.44	2 391 749.08	443 378.91
07 30	2 380 467.00	428 017.17	2 380 228.02	443 194.75
98 10 00	2 368 938.60	427 838.39	2 368 706.86	443 016.08
12 30	2 357 410.13	427 665.11	2 357 185.63	442 842.91
15 00	2 345 881.57	427 497.34	2 345 664.31	442 675.25
17 30	2 334 352.93	427 335.07	2 334 142.91	442 513.08
98 20 00	2 322 824.22	427 178.30	2 322 621.45	442 356.40
22 30	2 311 295.43	427 027.02	2 311 099.89	442 205.22
25 00	2 299 766.58	426 881.25	2 299 578.29	442 059.54
27 30	2 288 237.65	426 740.97	2 288 056.60	441 919.35
98 30 00	2 276 708.65	426 606.20	2 276 534.84	441 784.67
32 30	2 265 179.61	426 476.94	2 265 013.04	441 655.48
35 00	2 253 650.49	426 353.17	2 253 491.16	441 531.79
37 30	2 242 121.32	426 234.90	2 241 969.24	441 413.59
98 40 00	2 230 592.09	426 122.12	2 230 447.24	441 300.89
42 30	2 219 062.80	426 014.85	2 218 925.20	441 193.69
45 00	2 207 533.48	425 913.09	2 207 403.12	441 091.99
47 30	2 196 004.10	425 816.83	2 195 880.98	440 995.79
98 50 00	2 184 474.68	425 726.06	2 184 358.81	440 905.08
52 30	2 172 945.21	425 640.80	2 172 836.58	440 819.87
55 00	2 161 415.71	425 561.03	2 161 314.32	440 740.15
57 30	2 149 886.17	425 486.77	2 149 792.02	440 665.93
99 00 00	2 138 356.60	425 418.00	2 138 269.69	440 597.21

LONGITUDE	LATITUDE 40 55 00 X	LATITUDE 40 55 00 Y	LATITUDE 40 57 30 X	LATITUDE 40 57 30 Y
98 00 00	2 414 530.23	458 941.03	2 414 269.52	474 118.43
02 30	2 403 016.59	458 746.00	2 402 763.11	473 923.52
05 00	2 391 502.85	458 556.46	2 391 256.62	473 734.10
07 30	2 379 989.03	458 372.41	2 379 750.04	473 550.17
98 10 00	2 368 475.11	458 193.86	2 368 243.37	473 371.73
12 30	2 356 961.13	458 020.80	2 356 736.62	473 198.78
15 00	2 345 447.05	457 853.24	2 345 229.78	473 031.33
17 30	2 333 932.89	457 691.17	2 333 722.87	472 869.36
98 20 00	2 322 418.67	457 534.60	2 322 215.89	472 712.88
22 30	2 310 904.36	457 383.51	2 310 708.82	472 561.89
25 00	2 299 389.99	457 237.92	2 299 201.69	472 416.39
27 30	2 287 875.54	457 097.82	2 287 694.49	472 276.38
98 30 00	2 276 361.03	456 963.22	2 276 187.22	472 141.87
32 30	2 264 846.47	456 834.12	2 264 679.90	472 012.84
35 00	2 253 331.83	456 710.50	2 253 172.50	471 889.31
37 30	2 241 817.15	456 592.38	2 241 665.06	471 771.26
98 40 00	2 230 302.40	456 479.75	2 230 157.55	471 658.70
42 30	2 218 787.60	456 372.62	2 218 649.99	471 551.63
45 00	2 207 272.76	456 270.98	2 207 142.40	471 450.06
47 30	2 195 757.86	456 174.84	2 195 634.74	471 353.98
98 50 00	2 184 242.93	456 084.19	2 184 127.05	471 263.39
52 30	2 172 727.95	455 999.03	2 172 619.31	471 178.28
55 00	2 161 212.92	455 919.36	2 161 111.53	471 098.66
57 30	2 149 697.87	455 845.19	2 149 603.72	471 024.54
99 00 00	2 138 182.78	455 776.51	2 138 095.87	470 955.91

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 40 45 00 X	LATITUDE 40 45 00 Y	LATITUDE 40 47 30 X	LATITUDE 40 47 30 Y
99 00 00	2 138 530.41	395 059.81	2 138 443.50	410 238.87
02 30	2 126 986.32	394 996.47	2 126 906.66	410 175.57
05 00	2 115 442.20	394 938.64	2 115 369.78	410 117.78
07 30	2 103 898.05	394 886.32	2 103 832.87	410 065.49
99 10 00	2 092 353.89	394 839.50	2 092 295.95	410 018.70
12 30	2 080 809.70	394 798.19	2 080 759.00	409 977.41
15 00	2 069 265.49	394 762.38	2 069 222.04	409 941.63
17 30	2 057 721.26	394 732.09	2 057 685.05	409 911.36
99 20 00	2 046 177.02	394 707.31	2 046 148.05	409 886.59
22 30	2 034 632.78	394 688.03	2 034 611.06	409 867.33
25 00	2 023 088.52	394 674.26	2 023 074.04	409 853.56
27 30	2 011 544.27	394 666.00	2 011 537.03	409 845.31
99 30 00	2 000 000.00	394 663.24	2 000 000.00	409 842.55
32 30	1 988 455.73	394 666.00	1 988 462.97	409 845.31
35 00	1 976 911.48	394 674.26	1 976 925.96	409 853.56
37 30	1 965 367.22	394 688.03	1 965 388.94	409 867.33
99 40 00	1 953 822.98	394 707.31	1 953 851.95	409 886.59
42 30	1 942 278.74	394 732.09	1 942 314.95	409 911.36
45 00	1 930 734.51	394 762.38	1 930 777.96	409 941.63
47 30	1 919 190.30	394 798.19	1 919 241.00	409 977.41
99 50 00	1 907 646.11	394 839.50	1 907 704.05	410 018.70
52 30	1 896 101.95	394 886.32	1 896 167.13	410 065.49
55 00	1 884 557.80	394 938.64	1 884 630.22	410 117.78
57 30	1 873 013.68	394 996.47	1 873 093.34	410 175.57
100 00 00	1 861 469.59	395 059.81	1 861 556.50	410 238.87

LONGITUDE	LATITUDE 40 50 00 X	LATITUDE 40 50 00 Y	LATITUDE 40 52 30 X	LATITUDE 40 52 30 Y
99 00 00	2 138 356.60	425 418.00	2 138 269.69	440 597.21
02 30	2 126 827.00	425 354.75	2 126 747.33	440 534.00
05 00	2 115 297.36	425 296.99	2 115 224.93	440 476.27
07 30	2 103 767.69	425 244.73	2 103 702.51	440 424.05
99 10 00	2 092 238.01	425 197.97	2 092 180.08	440 377.31
12 30	2 080 708.30	425 156.71	2 080 657.61	440 336.08
15 00	2 069 178.59	425 120.95	2 069 135.13	440 300.35
17 30	2 057 648.84	425 090.70	2 057 612.63	440 270.11
99 20 00	2 046 119.08	425 065.95	2 046 090.11	440 245.38
22 30	2 034 589.33	425 046.69	2 034 567.60	440 226.14
25 00	2 023 059.55	425 032.94	2 023 045.07	440 212.39
27 30	2 011 529.78	425 024.68	2 011 522.54	440 204.14
99 30 00	2 000 000.00	425 021.93	2 000 000.00	440 201.39
32 30	1 988 470.22	425 024.68	1 988 477.46	440 204.14
35 00	1 976 940.45	425 032.94	1 976 954.93	440 212.39
37 30	1 965 410.67	425 046.69	1 965 432.40	440 226.14
99 40 00	1 953 880.92	425 065.95	1 953 909.89	440 245.38
42 30	1 942 351.16	425 090.70	1 942 387.37	440 270.11
45 00	1 930 821.41	425 120.95	1 930 864.87	440 300.35
47 30	1 919 291.70	425 156.71	1 919 342.39	440 336.08
99 50 00	1 907 761.99	425 197.97	1 907 819.92	440 377.31
52 30	1 896 232.31	425 244.73	1 896 297.49	440 424.05
55 00	1 884 702.64	425 296.99	1 884 775.07	440 476.27
57 30	1 873 173.00	425 354.75	1 873 252.67	440 534.00
100 00 00	1 861 643.40	425 418.00	1 861 730.31	440 597.21

LONGITUDE	LATITUDE 40 55 00 X	LATITUDE 40 55 00 Y	LATITUDE 40 57 30 X	LATITUDE 40 57 30 Y
99 00 00	2 138 182.78	455 776.51	2 138 095.87	470 955.91
02 30	2 126 667.66	455 713.34	2 126 588.00	470 892.77
05 00	2 115 152.51	455 655.65	2 115 080.09	470 835.12
07 30	2 103 637.33	455 603.46	2 103 572.15	470 782.96
99 10 00	2 092 122.14	455 556.75	2 092 064.20	470 736.28
12 30	2 080 606.91	455 515.55	2 080 556.22	470 695.10
15 00	2 069 091.68	455 479.83	2 069 048.22	470 659.41
17 30	2 057 576.42	455 449.62	2 057 540.21	470 629.22
99 20 00	2 046 061.15	455 424.90	2 046 032.18	470 604.51
22 30	2 034 545.88	455 405.67	2 034 524.15	470 585.30
25 00	2 023 030.58	455 391.93	2 023 016.10	470 571.57
27 30	2 011 515.30	455 383.69	2 011 508.06	470 563.33
99 30 00	2 000 000.00	455 380.94	2 000 000.00	470 560.58
32 30	1 988 484.70	455 383.69	1 988 491.94	470 563.33
35 00	1 976 969.42	455 391.93	1 976 983.90	470 571.57
37 30	1 965 454.12	455 405.67	1 965 475.85	470 585.30
99 40 00	1 953 938.85	455 424.90	1 953 967.82	470 604.51
42 30	1 942 423.58	455 449.62	1 942 459.79	470 629.22
45 00	1 930 908.32	455 479.83	1 930 951.78	470 659.41
47 30	1 919 393.09	455 515.55	1 919 443.78	470 695.10
99 50 00	1 907 877.86	455 556.75	1 907 935.80	470 736.28
52 30	1 896 362.67	455 603.46	1 896 427.85	470 782.96
55 00	1 884 847.49	455 655.65	1 884 919.91	470 835.12
57 30	1 873 332.34	455 713.34	1 873 412.00	470 892.77
100 00 00	1 861 817.22	455 776.51	1 861 904.13	470 955.91

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 45 00 X	LATITUDE 40 45 00 Y	LATITUDE 40 47 30 X	LATITUDE 40 47 30 Y
100 00 00	1 861 469.59	395 059.81	1 861 556.50	410 238.87
02 30	1 849 925.53	395 128.66	1 850 019.68	410 307.68
05 00	1 838 381.51	395 203.02	1 838 482.90	410 381.99
07 30	1 826 837.52	395 282.88	1 826 946.15	410 461.80
100 10 00	1 815 293.57	395 368.26	1 815 409.44	410 547.12
12 30	1 803 749.67	395 459.14	1 803 872.79	410 637.95
15 00	1 792 205.80	395 555.52	1 792 336.16	410 734.27
17 30	1 780 662.00	395 657.41	1 780 799.60	410 836.10
100 20 00	1 769 118.23	395 764.82	1 769 263.07	410 943.44
22 30	1 757 574.51	395 877.73	1 757 726.59	411 056.28
25 00	1 746 030.86	395 996.15	1 746 190.19	411 174.62
27 30	1 734 487.26	396 120.07	1 734 653.82	411 298.47
100 30 00	1 722 943.73	396 249.50	1 723 117.54	411 427.82
32 30	1 711 400.25	396 384.44	1 711 581.30	411 562.67
35 00	1 699 856.83	396 524.89	1 700 045.13	411 703.03
37 30	1 688 313.50	396 670.85	1 688 509.03	411 848.90
100 40 00	1 676 770.22	396 822.32	1 676 973.00	412 000.27
42 30	1 665 227.03	396 979.29	1 665 437.05	412 157.14
45 00	1 653 683.91	397 141.76	1 653 901.17	412 319.52
47 30	1 642 140.86	397 309.74	1 642 365.36	412 487.39
100 50 00	1 630 597.91	397 483.24	1 630 829.65	412 660.78
52 30	1 619 055.03	397 662.24	1 619 294.01	412 839.67
55 00	1 607 512.25	397 846.75	1 607 758.47	413 024.06
57 30	1 595 969.54	398 036.76	1 596 223.01	413 213.96
101 00 00	1 584 426.93	398 232.28	1 584 687.64	413 409.35

LONGITUDE	LATITUDE 40 50 00 X	LATITUDE 40 50 00 Y	LATITUDE 40 52 30 X	LATITUDE 40 52 30 Y
100 00 00	1 861 643.40	425 418.00	1 861 730.31	440 597.21
02 30	1 850 113.83	425 486.77	1 850 207.98	440 665.93
05 00	1 838 584.29	425 561.03	1 838 685.68	440 740.15
07 30	1 827 054.79	425 640.80	1 827 163.42	440 819.87
100 10 00	1 815 525.32	425 726.06	1 815 641.19	440 905.08
12 30	1 803 995.90	425 816.83	1 804 119.02	440 995.79
15 00	1 792 466.52	425 913.09	1 792 596.88	441 091.99
17 30	1 780 937.20	426 014.85	1 781 074.80	441 193.69
100 20 00	1 769 407.91	426 122.12	1 769 552.76	441 300.89
22 30	1 757 878.68	426 234.90	1 758 030.76	441 413.59
25 00	1 746 349.51	426 353.17	1 746 508.84	441 531.79
27 30	1 734 820.39	426 476.94	1 734 986.96	441 655.48
100 30 00	1 723 291.35	426 606.20	1 723 465.16	441 784.67
32 30	1 711 762.35	426 740.97	1 711 943.40	441 919.35
35 00	1 700 233.42	426 881.25	1 700 421.71	442 059.54
37 30	1 688 704.57	427 027.02	1 688 900.11	442 205.22
100 40 00	1 677 175.78	427 178.30	1 677 378.55	442 356.40
42 30	1 665 647.07	427 335.07	1 665 857.09	442 513.08
45 00	1 654 118.43	427 497.34	1 654 335.69	442 675.25
47 30	1 642 589.87	427 665.11	1 642 814.37	442 842.91
100 50 00	1 631 061.40	427 838.39	1 631 293.14	443 016.08
52 30	1 619 533.00	428 017.17	1 619 771.98	443 194.75
55 00	1 608 004.70	428 201.44	1 608 250.92	443 378.91
57 30	1 596 476.47	428 391.22	1 596 729.94	443 568.57
101 00 00	1 584 948.34	428 586.49	1 585 209.05	443 763.71

LONGITUDE	LATITUDE 40 55 00 X	LATITUDE 40 55 00 Y	LATITUDE 40 57 30 X	LATITUDE 40 57 30 Y
100 00 00	1 861 817.22	455 776.51	1 861 904.13	470 955.91
02 30	1 850 302.13	455 845.19	1 850 396.28	471 024.54
05 00	1 838 787.08	455 919.36	1 838 888.47	471 098.66
07 30	1 827 272.05	455 999.03	1 827 380.69	471 178.28
100 10 00	1 815 757.07	456 084.19	1 815 872.95	471 263.39
12 30	1 804 242.14	456 174.84	1 804 365.26	471 353.98
15 00	1 792 727.24	456 270.98	1 792 857.60	471 450.06
17 30	1 781 212.40	456 372.62	1 781 350.01	471 551.63
100 20 00	1 769 697.60	456 479.75	1 769 842.45	471 658.70
22 30	1 758 182.85	456 592.38	1 758 334.94	471 771.26
25 00	1 746 668.17	456 710.50	1 746 827.50	471 889.31
27 30	1 735 153.53	456 834.12	1 735 320.10	472 012.84
100 30 00	1 723 638.97	456 963.22	1 723 812.78	472 141.87
32 30	1 712 124.46	457 097.82	1 712 305.51	472 276.38
35 00	1 700 610.01	457 237.92	1 700 798.31	472 416.39
37 30	1 689 095.64	457 383.51	1 689 291.18	472 561.89
100 40 00	1 677 581.33	457 534.60	1 677 784.11	472 712.88
42 30	1 666 067.11	457 691.17	1 666 277.13	472 869.36
45 00	1 654 552.95	457 853.24	1 654 770.22	473 031.33
47 30	1 643 038.87	458 020.80	1 643 263.38	473 198.78
100 50 00	1 631 524.89	458 193.86	1 631 756.63	473 371.73
52 30	1 620 010.97	458 372.41	1 620 249.96	473 550.17
55 00	1 608 497.15	458 556.46	1 608 743.38	473 734.10
57 30	1 596 983.41	458 746.00	1 597 236.89	473 923.52
101 00 00	1 585 469.77	458 941.03	1 585 730.48	474 118.43

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 45 00 X	LATITUDE 40 45 00 Y	LATITUDE 40 47 30 X	LATITUDE 40 47 30 Y
101 00 00	1 584 426.93	398 232.28	1 584 687.64	413 409.35
02 30	1 572 884.42	398 433.31	1 573 152.37	413 610.25
05 00	1 561 342.00	398 639.84	1 561 617.19	413 816.66
07 30	1 549 799.69	398 851.89	1 550 082.12	414 028.57
101 10 00	1 538 257.47	399 069.44	1 538 547.15	414 245.99
12 30	1 526 715.36	399 292.50	1 527 012.27	414 468.90
15 00	1 515 173.37	399 521.06	1 515 477.52	414 697.32
17 30	1 503 631.47	399 755.13	1 503 942.87	414 931.24
101 20 00	1 492 089.70	399 994.70	1 492 408.33	415 170.67
22 30	1 480 548.03	400 239.79	1 480 873.91	415 415.60
25 00	1 469 006.49	400 490.38	1 469 339.60	415 666.03
27 30	1 457 465.07	400 746.48	1 457 805.42	415 921.97
101 30 00	1 445 923.77	401 008.08	1 446 271.36	416 183.41
32 30	1 434 382.60	401 275.19	1 434 737.44	416 450.35
35 00	1 422 841.55	401 547.80	1 423 203.63	416 722.79
37 30	1 411 300.63	401 825.93	1 411 669.95	417 000.74
101 40 00	1 399 759.86	402 109.56	1 400 136.42	417 284.20
42 30	1 388 219.21	402 398.69	1 388 603.01	417 573.15
45 00	1 376 678.72	402 693.33	1 377 069.76	417 867.61
47 30	1 365 138.35	402 993.48	1 365 536.63	418 167.56
101 50 00	1 353 598.13	403 299.13	1 354 003.65	418 473.02
52 30	1 342 058.07	403 610.29	1 342 470.82	418 783.99
55 00	1 330 518.14	403 926.96	1 330 938.14	419 100.45
57 30	1 318 978.38	404 249.13	1 319 405.62	419 422.43
102 00 00	1 307 438.76	404 576.81	1 307 873.24	419 749.90

LONGITUDE	LATITUDE 40 50 00 X	LATITUDE 40 50 00 Y	LATITUDE 40 52 30 X	LATITUDE 40 52 30 Y
101 00 00	1 584 948.34	428 586.49	1 585 209.05	443 763.71
02 30	1 573 420.32	428 787.27	1 573 688.27	443 964.36
05 00	1 561 892.38	428 993.54	1 562 167.58	444 170.51
07 30	1 550 364.56	429 205.32	1 550 646.99	444 382.15
101 10 00	1 538 836.82	429 422.60	1 539 126.49	444 599.30
12 30	1 527 309.19	429 645.38	1 527 606.10	444 821.93
15 00	1 515 781.67	429 873.66	1 516 085.83	445 050.07
17 30	1 504 254.26	430 107.43	1 504 565.66	445 283.69
101 20 00	1 492 726.97	430 346.70	1 493 045.61	445 522.82
22 30	1 481 199.79	430 591.48	1 481 525.66	445 767.44
25 00	1 469 672.72	430 841.76	1 470 005.84	446 017.56
27 30	1 458 145.78	431 097.54	1 458 486.14	446 273.18
101 30 00	1 446 618.96	431 358.81	1 446 966.56	446 534.29
32 30	1 435 092.28	431 625.58	1 435 447.12	446 800.89
35 00	1 423 565.71	431 897.85	1 423 927.79	447 072.99
37 30	1 412 039.27	432 175.63	1 412 408.59	447 350.59
101 40 00	1 400 512.98	432 458.90	1 400 889.54	447 633.69
42 30	1 388 986.81	432 747.68	1 389 370.61	447 922.28
45 00	1 377 460.80	433 041.95	1 377 851.84	448 216.37
47 30	1 365 934.91	433 341.72	1 366 333.19	448 515.95
101 50 00	1 354 409.16	433 646.98	1 354 814.69	448 821.03
52 30	1 342 883.58	433 957.75	1 343 296.34	449 131.60
55 00	1 331 358.14	434 274.02	1 331 778.14	449 447.67
57 30	1 319 832.86	434 595.79	1 320 260.10	449 769.24
102 00 00	1 308 307.72	434 923.06	1 308 742.20	450 096.30

LONGITUDE	LATITUDE 40 55 00 X	LATITUDE 40 55 00 Y	LATITUDE 40 57 30 X	LATITUDE 40 57 30 Y
101 00 00	1 585 469.77	458 941.03	1 585 730.48	474 118.43
02 30	1 573 956.23	459 141.55	1 574 224.18	474 318.82
05 00	1 562 442.77	459 347.56	1 562 717.97	474 524.71
07 30	1 550 929.42	459 559.08	1 551 211.86	474 736.09
101 10 00	1 539 416.17	459 776.08	1 539 705.85	474 952.96
12 30	1 527 903.02	459 998.58	1 528 199.94	475 175.32
15 00	1 516 389.99	460 226.57	1 516 694.15	475 403.16
17 30	1 504 877.06	460 460.05	1 505 188.46	475 636.49
101 20 00	1 493 364.25	460 699.02	1 493 682.89	475 875.32
22 30	1 481 851.54	460 943.49	1 482 177.43	476 119.63
25 00	1 470 338.96	461 193.46	1 470 672.08	476 369.44
27 30	1 458 826.50	461 448.91	1 459 166.87	476 624.74
101 30 00	1 447 314.16	461 709.86	1 447 661.77	476 885.52
32 30	1 435 801.96	461 976.30	1 436 156.80	477 151.79
35 00	1 424 289.87	462 248.22	1 424 651.96	477 423.55
37 30	1 412 777.91	462 525.65	1 413 147.24	477 700.80
101 40 00	1 401 266.10	462 808.57	1 401 642.67	477 983.54
42 30	1 389 754.41	463 096.98	1 390 138.22	478 271.77
45 00	1 378 242.88	463 390.88	1 378 633.93	478 565.49
47 30	1 366 731.47	463 690.28	1 367 129.76	478 864.69
101 50 00	1 355 220.21	463 995.16	1 355 625.73	479 169.38
52 30	1 343 709.11	464 305.54	1 344 121.87	479 479.56
55 00	1 332 198.14	464 621.41	1 332 618.14	479 795.24
57 30	1 320 687.34	464 942.78	1 321 114.58	480 116.40
102 00 00	1 309 176.68	465 269.63	1 309 611.16	480 443.05

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 40 45 00 X	Y	LATITUDE 40 47 30 X	Y
102 00 00	1 307 438.76	404 576.81	1 307 873.24	419 749.90
02 30	1 295 899.31	404 909.99	1 296 341.02	420 082.87
05 00	1 284 360.02	405 248.67	1 284 808.97	420 421.34
07 30	1 272 820.88	405 592.86	1 273 277.07	420 765.31
102 10 00	1 261 281.92	405 942.57	1 261 745.35	421 114.80
12 30	1 249 743.12	406 297.77	1 250 213.79	421 469.78
15 00	1 238 204.49	406 658.48	1 238 682.40	421 830.27
17 30	1 226 666.04	407 024.70	1 227 151.19	422 196.25
102 20 00	1 215 127.76	407 396.41	1 215 620.14	422 567.74
22 30	1 203 589.67	407 773.64	1 204 089.29	422 944.72
25 00	1 192 051.75	408 156.37	1 192 558.61	423 327.21
27 30	1 180 514.01	408 544.60	1 181 028.11	423 715.21
102 30 00	1 168 976.47	408 938.35	1 169 497.80	424 108.70
32 30	1 157 439.10	409 337.59	1 157 967.68	424 507.69
35 00	1 145 901.94	409 742.34	1 146 437.76	424 912.19
37 30	1 134 364.97	410 152.59	1 134 908.02	425 322.18
102 40 00	1 122 828.19	410 568.34	1 123 378.48	425 737.67
42 30	1 111 291.62	410 989.60	1 111 849.15	426 158.67
45 00	1 099 755.24	411 416.37	1 100 320.01	426 585.17
47 30	1 088 219.08	411 848.64	1 088 791.08	427 017.17
102 50 00	1 076 683.12	412 286.42	1 077 262.36	427 454.67
52 30	1 065 147.36	412 729.69	1 065 733.84	427 897.67
55 00	1 053 611.83	413 178.47	1 054 205.54	428 346.17
57 30	1 042 076.51	413 632.76	1 042 677.45	428 800.17
103 00 00	1 030 541.41	414 092.55	1 031 149.59	429 259.67

LONGITUDE	LATITUDE 40 50 00 X	Y	LATITUDE 40 52 30 X	Y
102 00 00	1 308 307.72	434 923.06	1 308 742.20	450 096.30
02 30	1 296 782.74	435 255.82	1 297 224.46	450 428.85
05 00	1 285 257.93	435 594.08	1 285 706.88	450 766.90
07 30	1 273 733.27	435 937.84	1 274 189.46	451 110.44
102 10 00	1 262 208.79	436 287.10	1 262 672.22	451 459.49
12 30	1 250 684.46	436 641.86	1 251 155.14	451 814.03
15 00	1 239 160.31	437 002.12	1 239 638.22	452 174.06
17 30	1 227 636.34	437 367.88	1 228 121.49	452 539.58
102 20 00	1 216 112.53	437 739.13	1 216 604.92	452 910.60
22 30	1 204 588.92	438 115.88	1 205 088.55	453 287.11
25 00	1 193 065.47	438 498.13	1 193 572.34	453 669.12
27 30	1 181 542.21	438 885.88	1 182 056.31	454 056.63
102 30 00	1 170 019.15	439 279.12	1 170 540.49	454 449.63
32 30	1 158 496.26	439 677.87	1 159 024.84	454 848.12
35 00	1 146 973.57	440 082.11	1 147 509.39	455 252.11
37 30	1 135 451.07	440 491.84	1 135 994.13	455 661.58
102 40 00	1 123 928.77	440 907.07	1 124 479.06	456 076.56
42 30	1 112 406.68	441 327.81	1 112 964.21	456 497.03
45 00	1 100 884.77	441 754.04	1 101 449.54	456 922.99
47 30	1 089 363.09	442 185.77	1 089 935.09	457 354.45
102 50 00	1 077 841.60	442 623.00	1 078 420.84	457 791.40
52 30	1 066 320.31	443 065.71	1 066 906.80	458 233.84
55 00	1 054 799.26	443 513.93	1 055 392.97	458 681.77
57 30	1 043 278.41	443 967.65	1 043 879.36	459 135.21
103 00 00	1 031 757.78	444 426.86	1 032 365.97	459 594.13

LONGITUDE	LATITUDE 40 55 00 X	Y	LATITUDE 40 57 30 X	Y
102 00 00	1 309 176.68	465 269.63	1 309 611.16	480 443.05
02 30	1 297 666.18	465 601.98	1 298 107.90	480 775.19
05 00	1 286 155.84	465 939.81	1 286 604.81	481 112.81
07 30	1 274 645.66	466 283.13	1 275 101.87	481 455.92
102 10 00	1 263 135.66	466 631.96	1 263 599.10	481 804.53
12 30	1 251 625.81	466 986.28	1 252 096.49	482 158.62
15 00	1 240 116.14	467 346.08	1 240 594.06	482 518.20
17 30	1 228 606.65	467 711.38	1 229 091.80	482 883.26
102 20 00	1 217 097.32	468 082.16	1 217 589.71	483 253.81
22 30	1 205 588.18	468 458.44	1 206 087.82	483 629.85
25 00	1 194 079.21	468 840.21	1 194 586.08	484 011.38
27 30	1 182 570.42	469 227.47	1 183 084.53	484 398.40
102 30 00	1 171 061.84	469 620.22	1 171 583.19	484 790.91
32 30	1 159 553.42	470 018.46	1 160 082.01	485 188.90
35 00	1 148 045.22	470 422.20	1 148 581.04	485 592.38
37 30	1 136 537.19	470 831.42	1 137 080.26	486 001.34
102 40 00	1 125 029.36	471 246.13	1 125 579.66	486 415.79
42 30	1 113 521.74	471 666.34	1 114 079.28	486 835.73
45 00	1 102 014.32	472 092.03	1 102 579.09	487 261.16
47 30	1 090 507.10	472 523.22	1 091 079.12	487 692.08
102 50 00	1 079 000.09	472 959.89	1 079 579.34	488 128.48
52 30	1 067 493.28	473 402.05	1 068 079.77	488 570.36
55 00	1 055 986.70	473 849.71	1 056 580.42	489 017.73
57 30	1 044 480.32	474 302.86	1 045 081.28	489 470.60
103 00 00	1 032 974.17	474 761.49	1 033 582.36	489 928.94

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 00 00 X	Y	LATITUDE 41 02 30 X	Y
95 15 00	3 172 619.62	514 278.99	3 171 881.18	529 440.88
17 30	3 161 132.31	513 722.26	3 160 401.10	528 884.50
95 20 00	3 149 644.71	513 171.01	3 148 920.73	528 333.60
22 30	3 138 156.85	512 625.25	3 137 440.11	527 788.18
25 00	3 126 668.75	512 084.96	3 125 959.24	527 248.23
27 30	3 115 180.37	511 550.15	3 114 478.10	526 713.76
95 30 00	3 103 691.76	511 020.82	3 102 996.72	526 184.76
32 30	3 092 202.88	510 496.98	3 091 515.08	525 661.25
35 00	3 080 713.75	509 978.62	3 080 033.19	525 143.21
37 30	3 069 224.39	509 465.74	3 068 551.06	524 630.66
95 40 00	3 057 734.78	508 958.34	3 057 068.68	524 123.58
42 30	3 046 244.93	508 456.42	3 045 586.07	523 621.98
45 00	3 034 754.84	507 959.99	3 034 103.21	523 125.86
47 30	3 023 264.50	507 469.03	3 022 620.12	522 635.21
95 50 00	3 011 773.95	506 983.56	3 011 136.80	522 150.04
52 30	3 000 283.16	506 503.57	2 999 653.24	521 670.36
55 00	2 988 792.15	506 029.07	2 988 169.47	521 196.15
57 30	2 977 300.90	505 560.05	2 976 685.46	520 727.43
96 00 00	2 965 809.43	505 096.50	2 965 201.23	520 264.18

LONGITUDE	LATITUDE 41 05 00 X	Y	LATITUDE 41 07 30 X	Y
95 15 00	3 171 142.73	544 602.88	3 170 404.28	559 765.02
17 30	3 159 669.88	544 046.85	3 158 938.66	559 209.34
95 20 00	3 148 196.75	543 496.30	3 147 472.77	558 659.13
22 30	3 136 723.36	542 951.22	3 136 006.61	558 114.40
25 00	3 125 249.73	542 411.61	3 124 540.21	557 575.13
27 30	3 113 775.83	541 877.48	3 113 073.54	557 041.33
95 30 00	3 102 301.68	541 348.81	3 101 606.63	556 513.00
32 30	3 090 827.27	540 825.63	3 090 139.46	555 990.15
35 00	3 079 352.62	540 307.92	3 078 672.04	555 472.77
37 30	3 067 877.72	539 795.69	3 067 204.38	554 960.86
95 40 00	3 056 402.58	539 288.93	3 055 736.47	554 454.42
42 30	3 044 927.20	538 787.64	3 044 268.33	553 953.45
45 00	3 033 451.58	538 291.83	3 032 799.95	553 457.95
47 30	3 021 975.72	537 801.50	3 021 331.32	552 967.92
95 50 00	3 010 499.64	537 316.64	3 009 862.48	552 483.37
52 30	2 999 023.32	536 837.25	2 998 393.40	552 004.29
55 00	2 987 546.78	536 363.35	2 986 924.09	551 530.68
57 30	2 976 070.01	535 894.91	2 975 454.56	551 062.54
96 00 00	2 964 593.02	535 431.96	2 963 984.80	550 599.88

LONGITUDE	LATITUDE 41 10 00 X	Y	LATITUDE 41 12 30 X	Y
95 15 00	3 169 665.82	574 927.29	3 168 927.35	590 089.69
17 30	3 158 207.43	574 371.96	3 157 476.20	589 534.71
95 20 00	3 146 748.77	573 822.10	3 146 024.77	588 985.20
22 30	3 135 289.85	573 277.70	3 134 573.09	588 441.15
25 00	3 123 830.69	572 738.78	3 123 121.16	587 902.57
27 30	3 112 371.25	572 205.32	3 111 668.96	587 369.45
95 30 00	3 100 911.58	571 677.32	3 100 216.52	586 841.78
32 30	3 089 451.64	571 154.80	3 088 763.81	586 319.59
35 00	3 077 991.45	570 637.74	3 077 310.86	585 802.86
37 30	3 066 531.03	570 126.15	3 065 857.68	585 291.59
95 40 00	3 055 070.36	569 620.04	3 054 404.24	584 785.79
42 30	3 043 609.46	569 119.38	3 042 950.57	584 285.46
45 00	3 032 148.31	568 624.20	3 031 496.66	583 790.58
47 30	3 020 686.92	568 134.48	3 020 042.51	583 301.18
95 50 00	3 009 225.31	567 650.23	3 008 588.14	582 817.23
52 30	2 997 763.46	567 171.45	2 997 133.53	582 338.76
55 00	2 986 301.40	566 698.14	2 985 678.70	581 865.74
57 30	2 974 839.10	566 230.30	2 974 223.63	581 398.20
96 00 00	2 963 376.58	565 767.93	2 962 768.35	580 936.12

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 00 00 X	LATITUDE 41 00 00 Y	LATITUDE 41 02 30 X	LATITUDE 41 02 30 Y
96 00 00	2 965 809.43	505 096.50	2 965 201.23	520 264.18
02 30	2 954 317.76	504 638.45	2 953 716.79	519 806.41
05 00	2 942 825.85	504 185.87	2 942 232.12	519 354.11
07 30	2 931 333.74	503 738.78	2 930 747.24	518 907.30
96 10 00	2 919 841.41	503 297.17	2 919 262.15	518 465.98
12 30	2 908 348.87	502 861.05	2 907 776.84	518 030.13
15 00	2 896 856.13	502 430.40	2 896 291.34	517 599.75
17 30	2 885 363.17	502 005.24	2 884 805.63	517 174.86
96 20 00	2 873 870.03	501 585.56	2 873 319.72	516 755.44
22 30	2 862 376.68	501 171.37	2 861 833.61	516 341.51
25 00	2 850 883.13	500 762.67	2 850 347.29	515 933.07
27 30	2 839 389.40	500 359.44	2 838 860.80	515 530.10
96 30 00	2 827 895.46	499 961.70	2 827 374.10	515 132.61
32 30	2 816 401.35	499 569.44	2 815 887.23	514 740.59
35 00	2 804 907.04	499 182.67	2 804 400.16	514 354.06
37 30	2 793 412.55	498 801.38	2 792 912.90	513 973.01
96 40 00	2 781 917.89	498 425.57	2 781 425.49	513 597.45
42 30	2 770 423.04	498 055.26	2 769 937.87	513 227.36
45 00	2 758 928.02	497 690.42	2 758 450.10	512 862.76
47 30	2 747 432.82	497 331.07	2 746 962.14	512 503.63
96 50 00	2 735 937.45	496 977.20	2 735 474.01	512 149.98
52 30	2 724 441.93	496 628.81	2 723 985.72	511 801.81
55 00	2 712 946.23	496 285.92	2 712 497.26	511 459.14
57 30	2 701 450.37	495 948.51	2 701 008.64	511 121.94
97 00 00	2 689 954.35	495 616.58	2 689 519.86	510 790.22

LONGITUDE	LATITUDE 41 05 00 X	LATITUDE 41 05 00 Y	LATITUDE 41 07 30 X	LATITUDE 41 07 30 Y
96 00 00	2 964 593.02	535 431.96	2 963 984.80	550 599.88
02 30	2 953 115.81	534 974.47	2 952 514.83	550 142.68
05 00	2 941 638.38	534 522.47	2 941 044.64	549 690.96
07 30	2 930 160.74	534 075.94	2 929 574.24	549 244.71
96 10 00	2 918 682.88	533 634.89	2 918 103.62	548 803.94
12 30	2 907 204.82	533 199.31	2 906 632.79	548 368.64
15 00	2 895 726.56	532 769.21	2 895 161.76	547 938.81
17 30	2 884 248.08	532 344.59	2 883 690.52	547 514.45
96 20 00	2 872 769.41	531 925.44	2 872 219.09	547 095.57
22 30	2 861 290.53	531 511.77	2 860 747.45	546 682.16
25 00	2 849 811.46	531 103.58	2 849 275.62	546 274.23
27 30	2 838 332.20	530 700.86	2 837 803.60	545 871.76
96 30 00	2 826 852.74	530 303.62	2 826 331.38	545 474.77
32 30	2 815 373.11	529 911.86	2 814 858.98	545 083.26
35 00	2 803 893.28	529 525.57	2 803 386.39	544 697.21
37 30	2 792 413.26	529 144.76	2 791 913.61	544 316.64
96 40 00	2 780 933.08	528 769.43	2 780 440.67	543 941.55
42 30	2 769 452.70	528 399.58	2 768 967.53	543 571.93
45 00	2 757 972.17	528 035.20	2 757 494.23	543 207.78
47 30	2 746 491.45	527 676.30	2 746 020.75	542 849.11
96 50 00	2 735 010.56	527 322.88	2 734 547.10	542 495.91
52 30	2 723 529.51	526 974.93	2 723 073.29	542 148.18
55 00	2 712 048.29	526 632.47	2 711 599.31	541 805.94
57 30	2 700 566.91	526 295.48	2 700 125.17	541 469.16
97 00 00	2 689 085.37	525 963.97	2 688 650.87	541 137.86

LONGITUDE	LATITUDE 41 10 00 X	LATITUDE 41 10 00 Y	LATITUDE 41 12 30 X	LATITUDE 41 12 30 Y
96 00 00	2 963 376.58	565 767.93	2 962 768.35	580 936.12
02 30	2 951 913.85	565 311.02	2 951 312.85	580 479.50
05 00	2 940 450.89	564 859.58	2 939 857.13	580 028.35
07 30	2 928 987.73	564 413.62	2 928 401.21	579 582.66
96 10 00	2 917 524.34	563 973.13	2 916 945.06	579 142.45
12 30	2 906 060.75	563 538.10	2 905 488.71	578 707.70
15 00	2 894 596.96	563 108.54	2 894 032.16	578 278.41
17 30	2 883 132.96	562 684.45	2 882 575.39	577 854.59
96 20 00	2 871 668.77	562 265.83	2 871 118.44	577 436.23
22 30	2 860 204.37	561 852.68	2 859 661.28	577 023.34
25 00	2 848 739.77	561 445.01	2 848 203.92	576 615.93
27 30	2 837 274.99	561 042.80	2 836 746.38	576 213.97
96 30 00	2 825 810.01	560 646.06	2 825 288.63	575 817.48
32 30	2 814 344.85	560 254.79	2 813 830.71	575 426.46
35 00	2 802 879.49	559 868.99	2 802 372.60	575 040.90
37 30	2 791 413.95	559 488.66	2 790 914.29	574 660.81
96 40 00	2 779 948.25	559 113.80	2 779 455.83	574 286.19
42 30	2 768 482.35	558 744.41	2 767 997.17	573 917.04
45 00	2 757 016.29	558 380.50	2 756 538.35	573 553.35
47 30	2 745 550.05	558 022.05	2 745 079.35	573 195.13
96 50 00	2 734 083.64	557 669.07	2 733 620.18	572 842.38
52 30	2 722 617.07	557 321.56	2 722 160.85	572 495.09
55 00	2 711 150.33	556 979.54	2 710 701.34	572 153.27
57 30	2 699 683.43	556 642.97	2 699 241.69	571 816.93
97 00 00	2 688 216.37	556 311.88	2 687 781.86	571 486.04

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 00 00 X	LATITUDE 41 00 00 Y	LATITUDE 41 02 30 X	LATITUDE 41 02 30 Y
97 00 00	2 689 954.35	495 616.58	2 689 519.86	510 790.22
02 30	2 678 458.17	495 290.14	2 678 030.92	510 463.98
05 00	2 666 961.85	494 969.18	2 666 541.84	510 143.22
07 30	2 655 465.36	494 653.70	2 655 052.59	509 827.95
97 10 00	2 643 968.74	494 343.71	2 643 563.21	509 518.16
12 30	2 632 471.95	494 039.21	2 632 073.66	509 213.85
15 00	2 620 975.02	493 740.20	2 620 583.97	508 915.02
17 30	2 609 477.97	493 446.67	2 609 094.16	508 621.67
97 20 00	2 597 980.76	493 158.62	2 597 604.19	508 333.81
22 30	2 586 483.43	492 876.05	2 586 114.10	508 051.42
25 00	2 574 985.96	492 598.98	2 574 623.87	507 774.52
27 30	2 563 488.35	492 327.39	2 563 133.50	507 503.10
97 30 00	2 551 990.62	492 061.29	2 551 643.01	507 237.17
32 30	2 540 492.77	491 800.67	2 540 152.40	506 976.71
35 00	2 528 994.79	491 545.54	2 528 661.66	506 721.74
37 30	2 517 496.69	491 295.89	2 517 170.80	506 472.25
97 40 00	2 505 998.47	491 051.72	2 505 679.82	506 228.24
42 30	2 494 500.14	490 813.05	2 494 188.73	505 989.72
45 00	2 483 001.69	490 579.87	2 482 697.52	505 756.68
47 30	2 471 503.14	490 352.16	2 471 206.21	505 529.12
97 50 00	2 460 004.47	490 129.94	2 459 714.79	505 307.04
52 30	2 448 505.70	489 913.21	2 448 223.26	505 090.44
55 00	2 437 006.84	489 701.96	2 436 731.64	504 879.33
57 30	2 425 507.86	489 496.21	2 425 239.90	504 673.70
98 00 00	2 414 008.81	489 295.94	2 413 748.09	504 473.56

LONGITUDE	LATITUDE 41 05 00 X	LATITUDE 41 05 00 Y	LATITUDE 41 07 30 X	LATITUDE 41 07 30 Y
97 00 00	2 689 085.37	525 963.97	2 688 650.87	541 137.86
02 30	2 677 603.67	525 637.94	2 677 176.41	540 812.04
05 00	2 666 121.82	525 317.38	2 665 701.80	540 491.68
07 30	2 654 639.81	525 002.31	2 654 227.04	540 176.80
97 10 00	2 643 157.67	524 692.71	2 642 752.13	539 867.40
12 30	2 631 675.37	524 388.09	2 631 277.07	539 563.48
15 00	2 620 192.92	524 089.95	2 619 801.86	539 265.02
17 30	2 608 710.35	523 796.79	2 608 326.53	538 972.05
97 20 00	2 597 227.62	523 509.10	2 596 851.04	538 684.54
22 30	2 585 744.77	523 226.90	2 585 375.43	538 402.51
25 00	2 574 261.77	522 950.17	2 573 899.68	538 125.96
27 30	2 562 778.65	522 678.92	2 562 423.79	537 854.88
97 30 00	2 551 295.40	522 413.16	2 550 947.79	537 589.28
32 30	2 539 812.02	522 152.87	2 539 471.65	537 329.16
35 00	2 528 328.53	521 898.05	2 527 995.40	537 074.51
37 30	2 516 844.91	521 648.72	2 516 519.02	536 825.33
97 40 00	2 505 361.17	521 404.86	2 505 042.52	536 581.63
42 30	2 493 877.33	521 166.49	2 493 565.91	536 343.41
45 00	2 482 393.36	520 933.60	2 482 089.19	536 110.66
47 30	2 470 909.29	520 706.18	2 470 612.36	535 883.39
97 50 00	2 459 425.11	520 484.25	2 459 135.42	535 661.59
52 30	2 447 940.82	520 267.79	2 447 658.37	535 445.27
55 00	2 436 456.43	520 056.81	2 436 181.23	535 234.42
57 30	2 424 971.94	519 851.31	2 424 703.98	535 029.05
98 00 00	2 413 487.37	519 651.29	2 413 226.65	534 829.16

LONGITUDE	LATITUDE 41 10 00 X	LATITUDE 41 10 00 Y	LATITUDE 41 12 30 X	LATITUDE 41 12 30 Y
97 00 00	2 688 216.37	556 311.88	2 687 781.86	571 486.04
02 30	2 676 749.15	555 986.26	2 676 321.88	571 160.63
05 00	2 665 281.78	555 666.11	2 664 861.76	570 840.68
07 30	2 653 814.25	555 351.43	2 653 401.47	570 526.20
97 10 00	2 642 346.59	555 042.22	2 641 941.05	570 217.18
12 30	2 630 878.77	554 738.49	2 630 480.46	569 913.64
15 00	2 619 410.80	554 440.23	2 619 019.73	569 615.57
17 30	2 607 942.71	554 147.43	2 607 558.88	569 322.96
97 20 00	2 596 474.46	553 860.11	2 596 097.88	569 035.82
22 30	2 585 006.09	553 578.26	2 584 636.75	568 754.15
25 00	2 573 537.58	553 301.88	2 573 175.47	568 477.94
27 30	2 562 068.93	553 030.98	2 561 714.07	568 207.21
97 30 00	2 550 600.17	552 765.54	2 550 252.55	567 941.94
32 30	2 539 131.27	552 505.58	2 538 790.89	567 682.15
35 00	2 527 662.26	552 251.09	2 527 329.12	567 427.82
37 30	2 516 193.12	552 002.07	2 515 867.22	567 178.95
97 40 00	2 504 723.86	551 758.52	2 504 405.21	566 935.56
42 30	2 493 254.50	551 520.45	2 492 943.09	566 697.64
45 00	2 481 785.02	551 287.85	2 481 480.84	566 465.19
47 30	2 470 315.43	551 060.72	2 470 018.50	566 238.20
97 50 00	2 458 845.73	550 839.07	2 458 556.04	566 016.68
52 30	2 447 375.92	550 622.88	2 447 093.47	565 800.63
55 00	2 435 906.02	550 412.17	2 435 630.81	565 590.05
57 30	2 424 436.02	550 206.93	2 424 168.05	565 384.94
98 00 00	2 412 965.92	550 007.16	2 412 705.20	565 185.30

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 00 00 X	LATITUDE 41 00 00 Y	LATITUDE 41 02 30 X	LATITUDE 41 02 30 Y
98 00 00	2 414 008.81	489 295.94	2 413 748.09	504 473.56
02 30	2 402 509.64	489 101.16	2 402 256.16	504 278.90
05 00	2 391 010.38	488 911.85	2 390 764.15	504 089.72
07 30	2 379 511.05	488 728.04	2 379 272.06	503 906.02
98 10 00	2 368 011.62	488 549.71	2 367 779.87	503 727.80
12 30	2 356 512.11	488 376.87	2 356 287.60	503 555.07
15 00	2 345 012.52	488 209.52	2 344 795.25	503 387.83
17 30	2 333 512.84	488 047.66	2 333 302.82	503 226.06
98 20 00	2 322 013.10	487 891.28	2 321 810.32	503 069.78
22 30	2 310 513.28	487 740.38	2 310 317.74	502 918.98
25 00	2 299 013.39	487 594.97	2 298 825.09	502 773.67
27 30	2 287 513.43	487 455.05	2 287 332.37	502 633.83
98 30 00	2 276 013.40	487 320.62	2 275 839.59	502 499.49
32 30	2 264 513.32	487 191.68	2 264 346.75	502 370.63
35 00	2 253 013.17	487 068.22	2 252 853.84	502 247.25
37 30	2 241 512.97	486 950.25	2 241 360.88	502 129.35
98 40 00	2 230 012.71	486 837.76	2 229 867.86	502 016.93
42 30	2 218 512.39	486 730.76	2 218 374.78	501 909.99
45 00	2 207 012.04	486 629.25	2 206 881.67	501 808.55
47 30	2 195 511.62	486 533.23	2 195 388.50	501 712.59
98 50 00	2 184 011.18	486 442.69	2 183 895.30	501 622.11
52 30	2 172 510.68	486 357.64	2 172 402.04	501 537.11
55 00	2 161 010.14	486 278.07	2 160 908.74	501 457.60
57 30	2 149 509.57	486 204.00	2 149 415.42	501 383.57
99 00 00	2 138 008.96	486 135.41	2 137 922.05	501 315.02

LONGITUDE	LATITUDE 41 05 00 X	LATITUDE 41 05 00 Y	LATITUDE 41 07 30 X	LATITUDE 41 07 30 Y
98 00 00	2 413 487.37	519 651.29	2 413 226.65	534 829.16
02 30	2 402 002.69	519 456.75	2 401 749.21	534 634.75
05 00	2 390 517.91	519 267.69	2 390 271.68	534 445.80
07 30	2 379 033.06	519 084.11	2 378 794.07	534 262.34
98 10 00	2 367 548.11	518 906.00	2 367 316.36	534 084.34
12 30	2 356 063.09	518 733.38	2 355 838.58	533 911.83
15 00	2 344 577.98	518 566.24	2 344 360.71	533 744.80
17 30	2 333 092.79	518 404.58	2 332 882.76	533 583.24
98 20 00	2 321 607.53	518 248.40	2 321 404.75	533 427.15
22 30	2 310 122.19	518 097.69	2 309 926.65	533 276.54
25 00	2 298 636.79	517 952.47	2 298 448.49	533 131.41
27 30	2 287 151.31	517 812.72	2 286 970.25	532 991.75
98 30 00	2 275 665.77	517 678.46	2 275 491.95	532 857.58
32 30	2 264 180.17	517 549.68	2 264 013.60	532 728.88
35 00	2 252 694.50	517 426.38	2 252 535.17	532 605.65
37 30	2 241 208.79	517 308.55	2 241 056.70	532 487.90
98 40 00	2 229 723.01	517 196.21	2 229 578.16	532 375.63
42 30	2 218 237.18	517 089.34	2 218 099.57	532 268.83
45 00	2 206 751.31	516 987.96	2 206 620.94	532 167.51
47 30	2 195 265.38	516 892.06	2 195 142.26	532 071.67
98 50 00	2 183 779.42	516 801.64	2 183 663.54	531 981.31
52 30	2 172 293.40	516 716.69	2 172 184.76	531 896.41
55 00	2 160 807.35	516 637.23	2 160 705.95	531 817.00
57 30	2 149 321.27	516 563.24	2 149 227.11	531 743.06
99 00 00	2 137 835.14	516 494.74	2 137 748.23	531 674.60

LONGITUDE	LATITUDE 41 10 00 X	LATITUDE 41 10 00 Y	LATITUDE 41 12 30 X	LATITUDE 41 12 30 Y
98 00 00	2 412 965.92	550 007.16	2 412 705.20	565 185.30
02 30	2 401 495.73	549 812.87	2 401 242.24	564 991.13
05 00	2 390 025.43	549 624.05	2 389 779.19	564 802.43
07 30	2 378 555.07	549 440.70	2 378 316.07	564 619.19
98 10 00	2 367 084.60	549 262.82	2 366 852.84	564 441.43
12 30	2 355 614.07	549 090.41	2 355 389.55	564 269.13
15 00	2 344 143.44	548 923.48	2 343 926.16	564 102.31
17 30	2 332 672.73	548 762.03	2 332 462.70	563 940.95
98 20 00	2 321 201.96	548 606.04	2 320 999.17	563 785.07
22 30	2 309 731.10	548 455.53	2 309 535.55	563 634.65
25 00	2 298 260.18	548 310.48	2 298 071.88	563 489.69
27 30	2 286 789.19	548 170.91	2 286 608.12	563 350.21
98 30 00	2 275 318.13	548 036.82	2 275 144.31	563 216.21
32 30	2 263 847.02	547 908.20	2 263 680.44	563 087.67
35 00	2 252 375.83	547 785.06	2 252 216.50	562 964.60
37 30	2 240 904.60	547 667.38	2 240 752.51	562 847.00
98 40 00	2 229 433.31	547 555.18	2 229 288.46	562 734.86
42 30	2 217 961.96	547 448.44	2 217 824.35	562 628.20
45 00	2 206 490.58	547 347.19	2 206 360.21	562 527.01
47 30	2 195 019.13	547 251.41	2 194 896.01	562 431.29
98 50 00	2 183 547.66	547 161.10	2 183 431.77	562 341.04
52 30	2 172 076.12	547 076.27	2 171 967.48	562 256.26
55 00	2 160 604.56	546 996.90	2 160 503.16	562 176.94
57 30	2 149 132.96	546 923.01	2 149 038.81	562 103.10
99 00 00	2 137 661.32	546 854.59	2 137 574.41	562 034.72

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 41 00 00 X	LATITUDE 41 00 00 Y	LATITUDE 41 02 30 X	LATITUDE 41 02 30 Y
99 00 00	2 138 008.96	486 135.41	2 137 922.05	501 315.02
02 30	2 126 508.33	486 072.31	2 126 428.66	501 251.96
05 00	2 115 007.66	486 014.70	2 114 935.24	501 194.38
07 30	2 103 506.97	485 962.57	2 103 441.78	501 142.29
99 10 00	2 092 006.26	485 915.92	2 091 948.32	501 095.67
12 30	2 080 505.52	485 874.77	2 080 454.82	501 054.54
15 00	2 069 004.77	485 839.10	2 068 961.31	501 018.90
17 30	2 057 503.99	485 808.92	2 057 467.78	500 988.74
99 20 00	2 046 003.21	485 784.23	2 045 974.24	500 964.07
22 30	2 034 502.42	485 765.03	2 034 480.69	500 944.87
25 00	2 023 001.61	485 751.31	2 022 987.13	500 931.16
27 30	2 011 500.81	485 743.08	2 011 493.57	500 922.94
99 30 00	2 000 000.00	485 740.33	2 000 000.00	500 920.19
32 30	1 988 499.19	485 743.08	1 988 506.43	500 922.94
35 00	1 976 998.39	485 751.31	1 977 012.87	500 931.16
37 30	1 965 497.58	485 765.03	1 965 519.31	500 944.87
99 40 00	1 953 996.79	485 784.23	1 954 025.76	500 964.07
42 30	1 942 496.01	485 808.92	1 942 532.22	500 988.74
45 00	1 930 995.23	485 839.10	1 931 038.69	501 018.90
47 30	1 919 494.48	485 874.77	1 919 545.18	501 054.54
99 50 00	1 907 993.74	485 915.92	1 908 051.68	501 095.67
52 30	1 896 493.03	485 962.57	1 896 558.22	501 142.29
55 00	1 884 992.34	486 014.70	1 885 064.76	501 194.38
57 30	1 873 491.67	486 072.31	1 873 571.34	501 251.96
100 00 00	1 861 991.04	486 135.41	1 862 077.95	501 315.02

LONGITUDE	LATITUDE 41 05 00 X	LATITUDE 41 05 00 Y	LATITUDE 41 07 30 X	LATITUDE 41 07 30 Y
99 00 00	2 137 835.14	516 494.74	2 137 748.23	531 674.60
02 30	2 126 349.00	516 431.72	2 126 269.33	531 611.62
05 00	2 114 862.81	516 374.18	2 114 790.39	531 554.12
07 30	2 103 376.60	516 322.12	2 103 311.42	531 502.09
99 10 00	2 091 890.38	516 275.53	2 091 832.44	531 455.53
12 30	2 080 404.12	516 234.43	2 080 353.43	531 414.45
15 00	2 068 917.86	516 198.81	2 068 874.40	531 378.85
17 30	2 057 431.57	516 168.67	2 057 395.36	531 348.73
99 20 00	2 045 945.27	516 144.01	2 045 916.30	531 324.09
22 30	2 034 458.97	516 124.83	2 034 437.24	531 304.92
25 00	2 022 972.64	516 111.13	2 022 958.16	531 291.23
27 30	2 011 486.33	516 102.90	2 011 479.09	531 283.01
99 30 00	2 000 000.00	516 100.16	2 000 000.00	531 280.27
32 30	1 988 513.67	516 102.90	1 988 520.91	531 283.01
35 00	1 977 027.36	516 111.13	1 977 041.84	531 291.23
37 30	1 965 541.03	516 124.83	1 965 562.76	531 304.92
99 40 00	1 954 054.73	516 144.01	1 954 083.70	531 324.09
42 30	1 942 568.43	516 168.67	1 942 604.64	531 348.73
45 00	1 931 082.14	516 198.81	1 931 125.60	531 378.85
47 30	1 919 595.88	516 234.43	1 919 646.57	531 414.45
99 50 00	1 908 109.62	516 275.53	1 908 167.56	531 455.53
52 30	1 896 623.40	516 322.12	1 896 688.58	531 502.09
55 00	1 885 137.19	516 374.18	1 885 209.61	531 554.12
57 30	1 873 651.00	516 431.72	1 873 730.67	531 611.62
100 00 00	1 862 164.86	516 494.74	1 862 251.77	531 674.60

LONGITUDE	LATITUDE 41 10 00 X	LATITUDE 41 10 00 Y	LATITUDE 41 12 30 X	LATITUDE 41 12 30 Y
99 00 00	2 137 661.32	546 854.59	2 137 574.41	562 034.72
02 30	2 126 189.66	546 791.65	2 126 109.99	561 971.82
05 00	2 114 717.96	546 734.18	2 114 645.53	561 914.39
07 30	2 103 246.23	546 682.19	2 103 181.05	561 862.43
99 10 00	2 091 774.50	546 635.66	2 091 716.55	561 815.93
12 30	2 080 302.73	546 594.61	2 080 252.03	561 774.91
15 00	2 068 830.95	546 559.03	2 068 787.49	561 739.35
17 30	2 057 359.14	546 528.93	2 057 322.93	561 709.27
99 20 00	2 045 887.32	546 504.30	2 045 858.35	561 684.66
22 30	2 034 415.51	546 485.15	2 034 393.78	561 665.51
25 00	2 022 943.67	546 471.46	2 022 929.19	561 651.84
27 30	2 011 471.84	546 463.25	2 011 464.60	561 643.63
99 30 00	2 000 000.00	546 460.51	2 000 000.00	561 640.89
32 30	1 988 528.16	546 463.25	1 988 535.40	561 643.63
35 00	1 977 056.33	546 471.46	1 977 070.81	561 651.84
37 30	1 965 584.49	546 485.15	1 965 606.22	561 665.51
99 40 00	1 954 112.68	546 504.30	1 954 141.65	561 684.66
42 30	1 942 640.86	546 528.93	1 942 677.07	561 709.27
45 00	1 931 169.05	546 559.03	1 931 212.51	561 739.35
47 30	1 919 697.27	546 594.61	1 919 747.97	561 774.91
99 50 00	1 908 225.50	546 635.66	1 908 283.45	561 815.93
52 30	1 896 753.77	546 682.19	1 896 818.95	561 862.43
55 00	1 885 282.04	546 734.18	1 885 354.47	561 914.39
57 30	1 873 810.34	546 791.65	1 873 890.01	561 971.82
100 00 00	1 862 338.68	546 854.59	1 862 425.59	562 034.72

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 00 00 X	LATITUDE 41 00 00 Y	LATITUDE 41 02 30 X	LATITUDE 41 02 30 Y
100 00 00	1 861 991.04	486 135.41	1 862 077.95	501 315.02
02 30	1 850 490.43	486 204.00	1 850 584.58	501 383.57
05 00	1 838 989.86	486 278.07	1 839 091.26	501 457.60
07 30	1 827 489.32	486 357.64	1 827 597.96	501 537.11
100 10 00	1 815 988.82	486 442.69	1 816 104.70	501 622.11
12 30	1 804 488.38	486 533.23	1 804 611.50	501 712.59
15 00	1 792 987.96	486 629.25	1 793 118.33	501 808.55
17 30	1 781 487.61	486 730.76	1 781 625.22	501 909.99
100 20 00	1 769 987.29	486 837.76	1 770 132.14	502 016.93
22 30	1 758 487.03	486 950.25	1 758 639.12	502 129.35
25 00	1 746 986.83	487 068.22	1 747 146.16	502 247.25
27 30	1 735 486.68	487 191.68	1 735 653.25	502 370.63
100 30 00	1 723 986.60	487 320.62	1 724 160.41	502 499.49
32 30	1 712 486.57	487 455.05	1 712 667.63	502 633.83
35 00	1 700 986.61	487 594.97	1 701 174.91	502 773.67
37 30	1 689 486.72	487 740.38	1 689 682.26	502 918.98
100 40 00	1 677 986.90	487 891.28	1 678 189.68	503 069.78
42 30	1 666 487.16	488 047.66	1 666 697.18	503 226.06
45 00	1 654 987.48	488 209.52	1 655 204.75	503 387.83
47 30	1 643 487.89	488 376.87	1 643 712.40	503 555.07
100 50 00	1 631 988.38	488 549.71	1 632 220.13	503 727.80
52 30	1 620 488.95	488 728.04	1 620 727.94	503 906.02
55 00	1 608 989.62	488 911.85	1 609 235.85	504 089.72
57 30	1 597 490.36	489 101.16	1 597 743.84	504 278.90
101 00 00	1 585 991.19	489 295.94	1 586 251.91	504 473.56

LONGITUDE	LATITUDE 41 05 00 X	LATITUDE 41 05 00 Y	LATITUDE 41 07 30 X	LATITUDE 41 07 30 Y
100 00 00	1 862 164.86	516 494.74	1 862 251.77	531 674.60
02 30	1 850 678.73	516 563.24	1 850 772.89	531 743.06
05 00	1 839 192.65	516 637.23	1 839 294.05	531 817.00
07 30	1 827 706.60	516 716.69	1 827 815.24	531 896.41
100 10 00	1 816 220.58	516 801.64	1 816 336.46	531 981.31
12 30	1 804 734.62	516 892.06	1 804 857.74	532 071.67
15 00	1 793 248.69	516 987.96	1 793 379.06	532 167.51
17 30	1 781 762.82	517 089.34	1 781 900.43	532 268.83
100 20 00	1 770 276.99	517 196.21	1 770 421.84	532 375.63
22 30	1 758 791.21	517 308.55	1 758 943.30	532 487.90
25 00	1 747 305.50	517 426.38	1 747 464.83	532 605.65
27 30	1 735 819.83	517 549.68	1 735 986.40	532 728.88
100 30 00	1 724 334.23	517 678.46	1 724 508.05	532 857.58
32 30	1 712 848.69	517 812.72	1 713 029.75	532 991.75
35 00	1 701 363.21	517 952.47	1 701 551.51	533 131.41
37 30	1 689 877.81	518 097.69	1 690 073.35	533 276.54
100 40 00	1 678 392.47	518 248.40	1 678 595.25	533 427.15
42 30	1 666 907.21	518 404.58	1 667 117.24	533 583.24
45 00	1 655 422.02	518 566.24	1 655 639.29	533 744.80
47 30	1 643 936.91	518 733.38	1 644 161.42	533 911.83
100 50 00	1 632 451.89	518 906.00	1 632 683.64	534 084.34
52 30	1 620 966.94	519 084.11	1 621 205.93	534 262.34
55 00	1 609 482.09	519 267.69	1 609 728.32	534 445.80
57 30	1 597 997.31	519 456.75	1 598 250.79	534 634.75
101 00 00	1 586 512.63	519 651.29	1 586 773.35	534 829.16

LONGITUDE	LATITUDE 41 10 00 X	LATITUDE 41 10 00 Y	LATITUDE 41 12 30 X	LATITUDE 41 12 30 Y
100 00 00	1 862 338.68	546 854.59	1 862 425.59	562 034.72
02 30	1 850 867.04	546 923.01	1 850 961.19	562 103.10
05 00	1 839 395.44	546 996.90	1 839 496.84	562 176.94
07 30	1 827 923.88	547 076.27	1 828 032.52	562 256.26
100 10 00	1 816 452.34	547 161.10	1 816 568.23	562 341.04
12 30	1 804 980.87	547 251.41	1 805 103.99	562 431.29
15 00	1 793 509.42	547 347.19	1 793 639.79	562 527.01
17 30	1 782 038.04	547 448.44	1 782 175.65	562 628.20
100 20 00	1 770 566.69	547 555.18	1 770 711.54	562 734.86
22 30	1 759 095.40	547 667.38	1 759 247.49	562 847.00
25 00	1 747 624.17	547 785.06	1 747 783.50	562 964.60
27 30	1 736 152.98	547 908.20	1 736 319.56	563 087.67
100 30 00	1 724 681.87	548 036.82	1 724 855.69	563 216.21
32 30	1 713 210.81	548 170.91	1 713 391.88	563 350.21
35 00	1 701 739.82	548 310.48	1 701 928.12	563 489.69
37 30	1 690 268.90	548 455.53	1 690 464.45	563 634.65
100 40 00	1 678 798.04	548 606.04	1 679 000.83	563 785.07
42 30	1 667 327.27	548 762.03	1 667 537.30	563 940.95
45 00	1 655 856.56	548 923.48	1 656 073.84	564 102.31
47 30	1 644 385.93	549 090.41	1 644 610.45	564 269.13
100 50 00	1 632 915.40	549 262.82	1 633 147.16	564 441.43
52 30	1 621 444.93	549 440.70	1 621 683.93	564 619.19
55 00	1 609 974.57	549 624.05	1 610 220.81	564 802.43
57 30	1 598 504.27	549 812.87	1 598 757.76	564 991.13
101 00 00	1 587 034.08	550 007.16	1 587 294.80	565 185.30

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 00 00 X	Y	LATITUDE 41 02 30 X	Y
101 00 00	1 585 991.19	489 295.94	1 586 251.91	504 473.56
02 30	1 574 492.14	489 496.21	1 574 760.10	504 673.70
05 00	1 562 993.16	489 701.96	1 563 268.36	504 879.33
07 30	1 551 494.30	489 913.21	1 551 776.74	505 090.44
101 10 00	1 539 995.53	490 129.94	1 540 285.21	505 307.04
12 30	1 528 496.86	490 352.16	1 528 793.79	505 529.12
15 00	1 516 998.31	490 579.87	1 517 302.48	505 756.68
17 30	1 505 499.86	490 813.05	1 505 811.27	505 989.72
101 20 00	1 494 001.53	491 051.72	1 494 320.18	506 228.24
22 30	1 482 503.31	491 295.89	1 482 829.20	506 472.25
25 00	1 471 005.21	491 545.54	1 471 338.34	506 721.74
27 30	1 459 507.23	491 800.67	1 459 847.60	506 976.71
101 30 00	1 448 009.38	492 061.29	1 448 356.99	507 237.17
32 30	1 436 511.65	492 327.39	1 436 866.50	507 503.10
35 00	1 425 014.04	492 598.98	1 425 376.13	507 774.52
37 30	1 413 516.57	492 876.05	1 413 885.90	508 051.42
101 40 00	1 402 019.24	493 158.62	1 402 395.81	508 333.81
42 30	1 390 522.03	493 446.67	1 390 905.84	508 621.67
45 00	1 379 024.98	493 740.20	1 379 416.03	508 915.02
47 30	1 367 528.05	494 039.21	1 367 926.34	509 213.85
101 50 00	1 356 031.26	494 343.71	1 356 436.79	509 518.16
52 30	1 344 534.64	494 653.70	1 344 947.41	509 827.95
55 00	1 333 038.15	494 969.18	1 333 458.16	510 143.22
57 30	1 321 541.83	495 290.14	1 321 969.08	510 463.98
102 00 00	1 310 045.65	495 616.58	1 310 480.14	510 790.22

LONGITUDE	LATITUDE 41 05 00 X	Y	LATITUDE 41 07 30 X	Y
101 00 00	1 586 512.63	519 651.29	1 586 773.35	534 829.16
02 30	1 575 028.06	519 851.31	1 575 296.02	535 029.05
05 00	1 563 543.57	520 056.81	1 563 818.77	535 234.42
07 30	1 552 059.18	520 267.79	1 552 341.63	535 445.27
101 10 00	1 540 574.89	520 484.25	1 540 864.58	535 661.59
12 30	1 529 090.71	520 706.18	1 529 387.64	535 883.39
15 00	1 517 606.64	520 933.60	1 517 910.81	536 110.66
17 30	1 506 122.67	521 166.49	1 506 434.09	536 343.41
101 20 00	1 494 638.83	521 404.86	1 494 957.48	536 581.63
22 30	1 483 155.09	521 648.72	1 483 480.98	536 825.33
25 00	1 471 671.47	521 898.05	1 472 004.60	537 074.51
27 30	1 460 187.98	522 152.87	1 460 528.35	537 329.16
101 30 00	1 448 704.60	522 413.16	1 449 052.21	537 589.28
32 30	1 437 221.35	522 678.92	1 437 576.21	537 854.88
35 00	1 425 738.23	522 950.17	1 426 100.32	538 125.96
37 30	1 414 255.23	523 226.90	1 414 624.57	538 402.51
101 40 00	1 402 772.38	523 509.10	1 403 148.96	538 684.54
42 30	1 391 289.65	523 796.79	1 391 673.47	538 972.05
45 00	1 379 807.08	524 089.95	1 380 198.14	539 265.02
47 30	1 368 324.63	524 388.59	1 368 722.93	539 563.48
101 50 00	1 356 842.33	524 692.71	1 357 247.87	539 867.40
52 30	1 345 360.19	525 002.31	1 345 772.96	540 176.80
55 00	1 333 878.18	525 317.38	1 334 298.20	540 491.68
57 30	1 322 396.33	525 637.94	1 322 823.59	540 812.04
102 00 00	1 310 914.63	525 963.97	1 311 349.13	541 137.86

LONGITUDE	LATITUDE 41 10 00 X	Y	LATITUDE 41 12 30 X	Y
101 00 00	1 587 034.08	550 007.16	1 587 294.80	565 185.30
02 30	1 575 563.98	550 206.93	1 575 831.95	565 384.94
05 00	1 564 093.98	550 412.17	1 564 369.19	565 590.05
07 30	1 552 624.08	550 622.88	1 552 906.53	565 800.63
101 10 00	1 541 154.27	550 839.07	1 541 443.96	566 016.68
12 30	1 529 684.57	551 060.72	1 529 981.50	566 238.20
15 00	1 518 214.98	551 287.85	1 518 519.16	566 465.19
17 30	1 506 745.50	551 520.45	1 507 056.91	566 697.64
101 20 00	1 495 276.14	551 758.52	1 495 594.79	566 935.56
22 30	1 483 806.88	552 002.07	1 484 132.78	567 178.95
25 00	1 472 337.74	552 251.09	1 472 670.88	567 427.82
27 30	1 460 868.73	552 505.58	1 461 209.11	567 682.15
101 30 00	1 449 399.83	552 765.54	1 449 747.45	567 941.94
32 30	1 437 931.07	553 030.98	1 438 285.93	568 207.21
35 00	1 426 462.42	553 301.88	1 426 824.53	568 477.94
37 30	1 414 993.91	553 578.26	1 415 363.25	568 754.15
101 40 00	1 403 525.54	553 860.11	1 403 902.12	569 035.82
42 30	1 392 057.29	554 147.43	1 392 441.12	569 322.96
45 00	1 380 589.20	554 440.23	1 380 980.27	569 615.57
47 30	1 369 121.23	554 738.49	1 369 519.54	569 913.64
101 50 00	1 357 653.41	555 042.22	1 358 058.95	570 217.18
52 30	1 346 185.75	555 351.43	1 346 598.53	570 526.20
55 00	1 334 718.22	555 666.11	1 335 138.24	570 840.68
57 30	1 323 250.85	555 986.26	1 323 678.12	571 160.63
102 00 00	1 311 783.63	556 311.88	1 312 218.14	571 486.04

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 00 00 X	Y	LATITUDE 41 02 30 X	Y
102 00 00	1 310 045.65	495 616.58	1 310 480.14	510 790.22
02 30	1 298 549.63	495 948.51	1 298 991.36	511 121.94
05 00	1 287 053.77	496 285.92	1 287 502.74	511 459.14
07 30	1 275 558.07	496 628.81	1 276 014.28	511 801.81
102 10 00	1 264 062.55	496 977.20	1 264 525.99	512 149.98
12 30	1 252 567.18	497 331.07	1 253 037.86	512 503.63
15 00	1 241 071.98	497 690.42	1 241 549.90	512 862.76
17 30	1 229 576.96	498 055.26	1 230 062.13	513 227.36
102 20 00	1 218 082.11	498 425.57	1 218 574.51	513 597.45
22 30	1 206 587.45	498 801.38	1 207 087.10	513 973.01
25 00	1 195 092.96	499 182.67	1 195 599.84	514 354.06
27 30	1 183 598.65	499 569.44	1 184 112.77	514 740.59
102 30 00	1 172 104.54	499 961.70	1 172 625.90	515 132.61
32 30	1 160 610.60	500 359.44	1 161 139.20	515 530.10
35 00	1 149 116.87	500 762.67	1 149 652.71	515 933.07
37 30	1 137 623.32	501 171.37	1 138 166.39	516 341.51
102 40 00	1 126 129.97	501 585.56	1 126 680.28	516 755.44
42 30	1 114 636.83	502 005.24	1 115 194.37	517 174.86
45 00	1 103 143.87	502 430.40	1 103 708.66	517 599.75
47 30	1 091 651.13	502 861.05	1 092 223.16	518 030.13
102 50 00	1 080 158.59	503 297.17	1 080 737.85	518 465.98
52 30	1 068 666.26	503 738.78	1 069 252.76	518 907.30
55 00	1 057 174.15	504 185.87	1 057 767.88	519 354.11
57 30	1 045 682.24	504 638.45	1 046 283.21	519 806.41
103 00 00	1 034 190.57	505 096.50	1 034 798.77	520 264.18

LONGITUDE	LATITUDE 41 05 00 X	Y	LATITUDE 41 07 30 X	Y
102 00 00	1 310 914.63	525 963.97	1 311 349.13	541 137.86
02 30	1 299 433.09	526 295.48	1 299 874.83	541 469.16
05 00	1 287 951.71	526 632.47	1 288 400.69	541 805.94
07 30	1 276 470.49	526 974.93	1 276 926.71	542 148.18
102 10 00	1 264 989.44	527 322.88	1 265 452.90	542 495.91
12 30	1 253 508.55	527 676.30	1 253 979.25	542 849.11
15 00	1 242 027.83	528 035.20	1 242 505.77	543 207.78
17 30	1 230 547.30	528 399.58	1 231 032.47	543 571.93
102 20 00	1 219 066.92	528 769.43	1 219 559.33	543 941.55
22 30	1 207 586.74	529 144.76	1 208 086.39	544 316.64
25 00	1 196 106.72	529 525.57	1 196 613.61	544 697.21
27 30	1 184 626.89	529 911.86	1 185 141.02	545 083.26
102 30 00	1 173 147.26	530 303.62	1 173 668.62	545 474.77
32 30	1 161 667.80	530 700.86	1 162 196.40	545 871.76
35 00	1 150 188.54	531 103.58	1 150 724.38	546 274.23
37 30	1 138 709.47	531 511.77	1 139 252.55	546 682.16
102 40 00	1 127 230.59	531 925.44	1 127 780.91	547 095.57
42 30	1 115 751.92	532 344.59	1 116 309.48	547 514.45
45 00	1 104 273.44	532 769.21	1 104 838.24	547 938.81
47 30	1 092 795.18	533 199.31	1 093 367.21	548 368.64
102 50 00	1 081 317.12	533 634.89	1 081 896.38	548 803.94
52 30	1 069 839.26	534 075.94	1 070 425.76	549 244.71
55 00	1 058 361.62	534 522.47	1 058 955.36	549 690.96
57 30	1 046 884.19	534 974.47	1 047 485.17	550 142.68
103 00 00	1 035 406.98	535 431.96	1 036 015.20	550 599.88

LONGITUDE	LATITUDE 41 10 00 X	Y	LATITUDE 41 12 30 X	Y
102 00 00	1 311 783.63	556 311.88	1 312 218.14	571 486.04
02 30	1 300 316.57	556 642.97	1 300 758.31	571 816.93
05 00	1 288 849.67	556 979.54	1 289 298.66	572 153.27
07 30	1 277 382.93	557 321.56	1 277 839.15	572 495.09
102 10 00	1 265 916.36	557 669.07	1 266 379.82	572 842.38
12 30	1 254 449.95	558 022.05	1 254 920.65	573 195.13
15 00	1 242 983.71	558 380.50	1 243 461.65	573 553.35
17 30	1 231 517.65	558 744.41	1 232 002.83	573 917.04
102 20 00	1 220 051.75	559 113.80	1 220 544.17	574 286.19
22 30	1 208 586.05	559 488.66	1 209 085.71	574 660.81
25 00	1 197 120.51	559 868.99	1 197 627.40	575 040.90
27 30	1 185 655.15	560 254.79	1 186 169.29	575 426.46
102 30 00	1 174 189.99	560 646.06	1 174 711.37	575 817.48
32 30	1 162 725.01	561 042.80	1 163 253.62	576 213.97
35 00	1 151 260.23	561 445.01	1 151 796.08	576 615.93
37 30	1 139 795.63	561 852.68	1 140 338.72	577 023.34
102 40 00	1 128 331.23	562 265.83	1 128 881.56	577 436.23
42 30	1 116 867.04	562 684.45	1 117 424.61	577 854.59
45 00	1 105 403.04	563 108.54	1 105 967.84	578 278.41
47 30	1 093 939.25	563 538.10	1 094 511.29	578 707.70
102 50 00	1 082 475.66	563 973.13	1 083 054.94	579 142.45
52 30	1 071 012.27	564 413.62	1 071 598.79	579 582.66
55 00	1 059 549.11	564 859.58	1 060 142.87	580 038.35
57 30	1 048 086.15	565 311.02	1 048 687.15	580 479.50
103 00 00	1 036 623.42	565 767.93	1 037 231.65	580 936.12

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 00 00 X	LATITUDE 41 00 00 Y	LATITUDE 41 02 30 X	LATITUDE 41 02 30 Y
103 00 00	1 034 190.57	505 096.50	1 034 798.77	520 264.18
02 30	1 022 699.10	505 560.05	1 023 314.54	520 727.43
05 00	1 011 207.85	506 029.07	1 011 830.53	521 196.15
07 30	999 716.84	506 503.57	1 000 346.76	521 670.36
103 10 00	988 226.05	506 983.56	988 863.20	522 150.04
12 30	976 735.50	507 469.03	977 379.88	522 635.81
15 00	965 245.16	507 959.99	965 896.79	523 125.86
17 30	953 755.07	508 456.42	954 413.93	523 621.98
103 20 00	942 265.22	508 958.34	942 931.32	524 123.58
22 30	930 775.61	509 465.74	931 448.94	524 630.66
25 00	919 286.25	509 978.62	919 966.81	525 143.21
27 30	907 797.12	510 496.98	908 484.92	525 661.25
103 30 00	896 308.24	511 020.82	897 003.28	526 184.76
32 30	884 819.63	511 550.15	885 521.90	526 713.76
35 00	873 331.25	512 084.96	874 040.76	527 248.23
37 30	861 843.15	512 625.25	862 559.89	527 788.18
103 40 00	850 355.29	513 171.01	851 079.27	528 333.60
42 30	838 867.69	513 722.26	839 598.90	528 884.50
45 00	827 380.38	514 278.99	828 118.82	529 440.88
47 30	815 893.31	514 841.21	816 638.99	530 002.74
103 50 00	804 406.53	515 408.90	805 159.44	530 570.08
52 30	792 920.01	515 982.07	793 680.15	531 142.89
55 00	781 433.76	516 560.73	782 201.13	531 721.18
57 30	769 947.80	517 144.85	770 722.41	532 304.94
104 00 00	758 462.11	517 734.47	759 243.95	532 894.18

LONGITUDE	LATITUDE 41 05 00 X	LATITUDE 41 05 00 Y	LATITUDE 41 07 30 X	LATITUDE 41 07 30 Y
103 00 00	1 035 406.98	535 431.96	1 036 015.20	550 599.88
02 30	1 023 929.99	535 894.91	1 024 545.44	551 062.54
05 00	1 012 453.22	536 363.35	1 013 075.91	551 530.68
07 30	1 000 976.68	536 837.25	1 001 606.60	552 004.29
103 10 00	989 500.36	537 316.64	990 137.52	552 483.37
12 30	978 024.28	537 801.50	978 668.68	552 967.92
15 00	966 548.42	538 291.83	967 200.05	553 457.95
17 30	955 072.80	538 787.64	955 731.67	553 953.45
103 20 00	943 597.42	539 288.93	944 263.53	554 454.42
22 30	932 122.28	539 795.69	932 795.62	554 960.86
25 00	920 647.38	540 307.92	921 327.96	555 472.77
27 30	909 172.73	540 825.63	909 860.54	555 990.15
103 30 00	897 698.32	541 348.81	898 393.37	556 513.00
32 30	886 224.17	541 877.48	886 926.46	557 041.33
35 00	874 750.27	542 411.61	875 459.79	557 575.13
37 30	863 276.64	542 951.22	863 993.39	558 114.40
103 40 00	851 803.25	543 496.30	852 527.23	558 659.13
42 30	840 330.12	544 046.85	841 061.34	559 209.34
45 00	828 857.27	544 602.88	829 595.72	559 765.02
47 30	817 384.67	545 164.39	818 130.36	560 326.17
103 50 00	805 912.36	545 731.36	806 665.28	560 892.79
52 30	794 440.30	546 303.82	795 200.46	561 464.88
55 00	782 968.52	546 881.74	783 735.91	562 042.44
57 30	771 497.02	547 465.13	772 271.65	562 625.46
104 00 00	760 025.80	548 054.00	760 807.66	563 213.97

LONGITUDE	LATITUDE 41 10 00 X	LATITUDE 41 10 00 Y	LATITUDE 41 12 30 X	LATITUDE 41 12 30 Y
103 00 00	1 036 623.42	565 767.93	1 037 231.65	580 936.12
02 30	1 025 160.90	566 230.30	1 025 776.37	581 398.20
05 00	1 013 698.60	566 698.14	1 014 321.30	581 865.74
07 30	1 002 236.54	567 171.45	1 002 866.47	582 338.76
103 10 00	990 774.69	567 650.23	991 411.86	582 817.23
12 30	979 313.08	568 134.48	979 957.49	583 301.18
15 00	967 851.69	568 624.20	968 503.34	583 790.58
17 30	956 390.54	569 119.38	957 049.43	584 285.46
103 20 00	944 929.64	569 620.04	945 595.76	584 785.79
22 30	933 468.97	570 126.15	934 142.32	585 291.59
25 00	922 008.55	570 637.74	922 689.14	585 802.86
27 30	910 548.36	571 154.80	911 236.19	586 319.59
103 30 00	899 088.42	571 677.32	899 783.48	586 841.78
32 30	887 628.75	572 205.32	888 331.04	587 369.45
35 00	876 169.31	572 738.78	876 878.84	587 902.57
37 30	864 710.15	573 277.70	865 426.91	588 441.15
103 40 00	853 251.23	573 822.10	853 975.23	588 985.20
42 30	841 792.57	574 371.96	842 523.80	589 534.71
45 00	830 334.18	574 927.29	831 072.65	590 089.69
47 30	818 876.06	575 488.08	819 621.76	590 650.14
103 50 00	807 418.21	576 054.35	808 171.14	591 216.04
52 30	795 960.62	576 626.08	796 720.79	591 787.41
55 00	784 503.30	577 203.27	785 270.71	592 364.24
57 30	773 046.28	577 785.93	773 820.91	592 946.53
104 00 00	761 589.52	578 374.06	762 371.39	593 534.29

NEBRASKA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 00 00 X	LATITUDE 41 00 00 Y	LATITUDE 41 02 30 X	LATITUDE 41 02 30 Y
104 00 00	758 462.11	517 734.47	759 243.95	532 894.18
02 30	746 976.71	518 329.57	747 765.79	533 488.90
05 00	735 491.59	518 930.14	736 287.90	534 089.10
07 30	724 006.75	519 536.19	724 810.30	534 694.77
104 10 00	712 522.22	520 147.72	713 332.99	535 305.91
12 30	701 037.97	520 764.73	701 855.97	535 922.53
15 00	689 554.03	521 387.22	690 379.26	536 544.63

LONGITUDE	LATITUDE 41 05 00 X	LATITUDE 41 05 00 Y	LATITUDE 41 07 30 X	LATITUDE 41 07 30 Y
104 00 00	760 025.80	548 054.00	760 807.66	563 213.97
02 30	748 554.87	548 648.35	749 343.96	563 807.94
05 00	737 084.21	549 248.17	737 880.54	564 407.38
07 30	725 613.84	549 853.46	726 417.40	565 012.28
104 10 00	714 143.77	550 464.21	714 954.56	565 622.66
12 30	702 673.99	551 080.45	703 492.01	566 238.50
15 00	691 204.51	551 702.15	692 029.76	566 859.81

LONGITUDE	LATITUDE 41 10 00 X	LATITUDE 41 10 00 Y	LATITUDE 41 12 30 X	LATITUDE 41 12 30 Y
104 00 00	761 589.52	578 374.06	762 371.39	593 534.29
02 30	750 133.06	578 967.65	750 922.16	594 127.51
05 00	738 676.86	579 566.72	739 473.20	594 726.19
07 30	727 220.96	580 171.24	728 024.53	595 330.34
104 10 00	715 765.35	580 781.23	716 576.16	595 939.94
12 30	704 310.03	581 396.68	705 128.07	596 555.01
15 00	692 855.02	582 017.61	693 680.28	597 175.54

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 41 15 00 X	LATITUDE 41 15 00 Y	LATITUDE 41 17 30 X	LATITUDE 41 17 30 Y
95 15 00	3 168 188.87	605 252.25	3 167 450.39	620 414.98
17 30	3 156 744.96	604 697.62	3 156 013.71	619 860.70
95 20 00	3 145 300.77	604 148.46	3 144 576.75	619 311.88
22 30	3 133 856.32	603 604.75	3 133 139.54	618 768.52
25 00	3 122 411.62	603 066.51	3 121 702.07	618 230.62
27 30	3 110 966.66	602 533.72	3 110 264.35	617 698.17
95 30 00	3 099 521.45	602 006.39	3 098 826.37	617 171.17
32 30	3 088 075.98	601 484.53	3 087 388.14	616 649.63
35 00	3 076 630.27	600 968.12	3 075 949.66	616 133.56
37 30	3 065 184.32	600 457.18	3 064 510.95	615 622.94
95 40 00	3 053 738.12	599 951.70	3 053 071.98	615 117.78
42 30	3 042 291.68	599 451.68	3 041 632.79	614 618.08
45 00	3 030 845.01	598 957.12	3 030 193.35	614 123.83
47 30	3 019 398.09	598 468.02	3 018 753.67	613 635.04
95 50 00	3 007 950.96	597 984.38	3 007 313.77	613 151.70
52 30	2 996 503.58	597 506.21	2 995 873.63	612 673.83
55 00	2 985 055.99	597 033.50	2 984 433.27	612 201.42
57 30	2 973 608.16	596 566.25	2 972 992.69	611 734.47
96 00 00	2 962 160.12	596 104.46	2 961 551.87	611 272.97

LONGITUDE	LATITUDE 41 20 00 X	LATITUDE 41 20 00 Y	LATITUDE 41 22 30 X	LATITUDE 41 22 30 Y
95 15 00	3 166 711.90	635 577.86	3 165 973.40	650 740.92
17 30	3 155 282.45	635 023.93	3 154 551.19	650 187.35
95 20 00	3 143 852.73	634 475.46	3 143 128.70	649 639.22
22 30	3 132 422.75	633 932.44	3 131 705.95	649 096.55
25 00	3 120 992.52	633 394.88	3 120 282.96	648 559.32
27 30	3 109 562.03	632 862.76	3 108 859.70	648 027.55
95 30 00	3 098 131.29	632 336.10	3 097 436.20	647 501.22
32 30	3 086 700.30	631 814.89	3 086 012.44	646 980.34
35 00	3 075 269.05	631 299.14	3 074 588.43	646 464.92
37 30	3 063 837.57	630 788.85	3 063 164.19	645 954.95
95 40 00	3 052 405.85	630 284.01	3 051 739.70	645 450.43
42 30	3 040 973.89	629 784.62	3 040 314.97	644 951.35
45 00	3 029 541.68	629 290.68	3 028 890.00	644 457.73
47 30	3 018 109.24	628 802.20	3 017 464.80	643 969.56
95 50 00	3 006 676.57	628 319.18	3 006 039.37	643 486.84
52 30	2 995 243.67	627 841.61	2 994 613.71	643 009.57
55 00	2 983 810.55	627 369.49	2 983 187.82	642 537.76
57 30	2 972 377.20	626 902.83	2 971 761.71	642 071.39
96 00 00	2 960 943.63	626 441.63	2 960 335.37	641 610.48

LONGITUDE	LATITUDE 41 25 00 X	LATITUDE 41 25 00 Y	LATITUDE 41 27 30 X	LATITUDE 41 27 30 Y
95 15 00	3 165 234.89	665 904.17	3 164 496.37	681 067.60
17 30	3 153 819.91	665 350.94	3 153 088.63	680 514.73
95 20 00	3 142 404.66	664 803.17	3 141 680.61	679 967.30
22 30	3 130 989.15	664 260.84	3 130 272.33	679 425.31
25 00	3 119 573.39	663 723.95	3 118 863.81	678 888.77
27 30	3 108 157.37	663 192.51	3 107 455.02	678 357.67
95 30 00	3 096 741.10	662 666.52	3 096 045.99	677 832.01
32 30	3 085 324.58	662 145.97	3 084 636.71	677 311.79
35 00	3 073 907.81	661 630.87	3 073 227.17	676 797.02
37 30	3 062 490.80	661 121.22	3 061 817.40	676 287.69
95 40 00	3 051 073.54	660 617.02	3 050 407.38	675 783.81
42 30	3 039 656.05	660 118.27	3 038 997.13	675 285.37
45 00	3 028 238.32	659 624.96	3 027 586.63	674 792.37
47 30	3 016 820.35	659 137.09	3 016 175.90	674 304.82
95 50 00	3 005 402.16	658 654.68	3 004 764.94	673 822.71
52 30	2 993 983.74	658 177.71	2 993 353.76	673 346.05
55 00	2 982 565.09	657 706.20	2 981 942.35	672 874.83
57 30	2 971 146.21	657 240.13	2 970 530.71	672 409.06
96 00 00	2 959 727.11	656 779.51	2 959 118.84	671 948.73

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 15 00 X	LATITUDE 41 15 00 Y	LATITUDE 41 17 30 X	LATITUDE 41 17 30 Y
96 00 00	2 962 160.12	596 104.46	2 961 551.87	611 272.97
02 30	2 950 711.86	595 648.13	2 950 110.85	610 816.93
05 00	2 939 263.38	595 197.26	2 938 669.61	610 366.34
07 30	2 927 814.69	594 751.86	2 927 228.16	609 931.28
96 10 00	2 916 365.78	594 311.92	2 915 786.49	609 481.57
12 30	2 904 916.66	593 877.45	2 904 344.61	609 047.36
15 00	2 893 467.35	593 448.43	2 892 902.53	608 618.68
17 30	2 882 017.82	593 024.87	2 881 460.25	608 195.33
96 20 00	2 870 568.11	592 606.78	2 870 017.77	607 777.50
22 30	2 859 118.18	592 194.16	2 858 575.08	607 365.14
25 00	2 847 668.06	591 786.99	2 847 132.20	606 958.23
27 30	2 836 217.76	591 385.29	2 835 689.13	606 556.79
96 30 00	2 824 767.25	590 989.06	2 824 245.87	606 160.80
32 30	2 813 316.57	590 598.28	2 812 802.42	605 770.27
35 00	2 801 865.69	590 212.97	2 801 358.78	605 385.20
37 30	2 790 414.63	589 833.12	2 789 914.96	605 005.59
96 40 00	2 778 963.41	589 458.73	2 778 470.97	604 631.44
42 30	2 767 511.99	589 089.81	2 767 026.79	604 262.76
45 00	2 756 060.41	588 726.36	2 755 582.45	603 899.53
47 30	2 744 608.64	588 368.36	2 744 137.93	603 541.76
96 50 00	2 733 156.71	588 015.83	2 732 693.24	603 189.45
52 30	2 721 704.62	587 668.76	2 721 248.39	602 842.60
55 00	2 710 252.35	587 327.16	2 709 803.36	602 501.22
57 30	2 698 799.94	586 991.03	2 698 358.18	602 165.30
97 00 00	2 687 347.35	586 660.35	2 686 912.84	601 834.83

LONGITUDE	LATITUDE 41 20 00 X	LATITUDE 41 20 00 Y	LATITUDE 41 22 30 X	LATITUDE 41 22 30 Y
96 00 00	2 960 943.63	626 441.63	2 960 335.37	641 610.48
02 30	2 949 509.85	625 985.88	2 948 908.83	641 155.01
05 00	2 938 075.84	625 535.58	2 937 482.06	640 705.00
07 30	2 926 641.63	625 090.74	2 926 055.08	640 260.44
96 10 00	2 915 207.19	624 651.36	2 914 627.89	639 821.34
12 30	2 903 772.55	624 217.43	2 903 200.48	639 387.69
15 00	2 892 337.71	623 788.96	2 891 772.89	638 959.49
17 30	2 880 902.66	623 365.94	2 880 345.07	638 536.73
96 20 00	2 869 467.42	622 948.37	2 868 917.07	638 119.43
22 30	2 858 031.97	622 536.27	2 857 488.86	637 707.59
25 00	2 846 596.33	622 129.62	2 846 060.45	637 301.20
27 30	2 835 160.50	621 728.43	2 834 631.87	636 900.26
96 30 00	2 823 724.47	621 332.69	2 823 203.08	636 504.78
32 30	2 812 288.27	620 942.41	2 811 774.11	636 114.74
35 00	2 800 851.87	620 557.58	2 800 344.95	635 730.16
37 30	2 789 415.29	620 178.21	2 788 915.61	635 351.03
96 40 00	2 777 978.54	619 804.31	2 777 486.10	634 977.36
42 30	2 766 541.60	619 435.85	2 766 056.40	634 609.14
45 00	2 755 104.50	619 072.86	2 754 626.53	634 246.37
47 30	2 743 667.21	618 715.31	2 743 196.49	633 889.05
96 50 00	2 732 229.76	618 363.23	2 731 766.27	633 537.19
52 30	2 720 792.15	618 016.59	2 720 335.90	633 190.78
55 00	2 709 354.36	617 675.43	2 708 905.36	632 849.83
57 30	2 697 916.42	617 339.72	2 697 474.66	632 514.33
97 00 00	2 686 478.32	617 009.46	2 686 043.80	632 184.28

LONGITUDE	LATITUDE 41 25 00 X	LATITUDE 41 25 00 Y	LATITUDE 41 27 30 X	LATITUDE 41 27 30 Y
96 00 00	2 959 727.11	656 779.51	2 959 118.84	671 948.73
02 30	2 948 307.80	656 324.33	2 947 706.77	671 493.84
05 00	2 936 888.27	655 874.60	2 936 294.48	671 044.40
07 30	2 925 468.53	655 430.33	2 924 881.98	670 600.40
96 10 00	2 914 048.58	654 991.51	2 913 469.26	670 161.86
12 30	2 902 628.41	654 558.13	2 902 056.33	669 728.75
15 00	2 891 208.05	654 130.19	2 890 643.21	669 301.09
17 30	2 879 787.48	653 707.71	2 879 229.87	668 878.88
96 20 00	2 868 366.71	653 290.67	2 867 816.35	668 462.11
22 30	2 856 945.74	652 879.09	2 856 402.61	668 050.78
25 00	2 845 524.57	652 472.96	2 844 988.68	667 644.91
27 30	2 834 103.22	652 072.28	2 833 574.57	667 244.48
96 30 00	2 822 681.67	651 677.04	2 822 160.26	666 849.49
32 30	2 811 259.95	651 287.25	2 810 745.78	666 459.95
35 00	2 799 838.02	650 902.91	2 799 331.09	666 075.86
37 30	2 788 415.92	650 524.02	2 787 916.23	665 697.21
96 40 00	2 776 993.65	650 150.59	2 776 501.20	665 324.01
42 30	2 765 571.19	649 782.60	2 765 085.97	664 956.25
45 00	2 754 148.56	649 420.06	2 753 670.59	664 593.95
47 30	2 742 725.76	649 062.97	2 742 255.02	664 237.08
96 50 00	2 731 302.78	648 711.33	2 730 839.29	663 885.67
52 30	2 719 879.65	648 365.14	2 719 423.40	663 539.69
55 00	2 708 456.35	648 024.41	2 708 007.33	663 199.18
57 30	2 697 032.89	647 689.12	2 696 591.12	662 864.10
97 00 00	2 685 609.27	647 359.28	2 685 174.73	662 534.47

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 15 00 X	LATITUDE 41 15 00 Y	LATITUDE 41 17 30 X	LATITUDE 41 17 30 Y
97 00 00	2 687 347.35	586 660.35	2 686 912.84	601 834.83
02 30	2 675 894.61	586 335.14	2 675 467.34	601 509.83
05 00	2 664 441.73	586 015.40	2 664 021.69	601 190.28
07 30	2 652 988.68	585 701.11	2 652 575.88	600 876.20
97 10 00	2 641 535.50	585 392.30	2 641 129.94	600 567.58
12 30	2 630 082.15	585 088.95	2 629 683.84	600 264.42
15 00	2 618 628.67	584 791.06	2 618 237.59	599 966.72
17 30	2 607 175.05	584 498.64	2 606 791.22	599 674.48
97 20 00	2 595 721.29	584 211.68	2 595 344.70	599 387.71
22 30	2 584 267.40	583 930.18	2 583 898.05	599 106.39
25 00	2 572 813.37	583 654.15	2 572 451.26	598 830.53
27 30	2 561 359.20	583 383.59	2 561 004.33	598 560.14
97 30 00	2 549 904.92	583 118.49	2 549 557.29	598 295.21
32 30	2 538 450.51	582 858.86	2 538 110.12	598 035.74
35 00	2 526 995.98	582 604.69	2 526 662.83	597 781.73
37 30	2 515 541.32	582 355.98	2 515 215.42	597 533.19
97 40 00	2 504 086.55	582 112.74	2 503 767.88	597 290.10
42 30	2 492 631.67	581 874.97	2 492 320.24	597 052.48
45 00	2 481 176.66	581 642.67	2 480 872.48	596 820.32
47 30	2 469 721.56	581 415.83	2 469 424.62	596 593.62
97 50 00	2 458 266.34	581 194.45	2 457 976.64	596 372.38
52 30	2 446 811.02	580 978.53	2 446 528.56	596 156.61
55 00	2 435 355.60	580 768.09	2 435 080.39	595 946.29
57 30	2 423 900.08	580 563.11	2 423 632.10	595 741.44
98 00 00	2 412 444.47	580 363.59	2 412 183.74	595 542.05

LONGITUDE	LATITUDE 41 20 00 X	LATITUDE 41 20 00 Y	LATITUDE 41 22 30 X	LATITUDE 41 22 30 Y
97 00 00	2 686 478.32	617 009.46	2 686 043.80	632 184.28
02 30	2 675 040.06	616 684.67	2 674 612.77	631 859.69
05 00	2 663 601.65	616 365.32	2 663 181.61	631 540.55
07 30	2 652 163.09	616 051.44	2 651 750.28	631 226.86
97 10 00	2 640 724.38	615 743.01	2 640 318.82	630 918.63
12 30	2 629 285.52	615 440.04	2 628 887.20	630 615.86
15 00	2 617 846.52	615 142.53	2 617 455.43	630 318.54
17 30	2 606 407.38	614 850.48	2 606 023.54	630 026.67
97 20 00	2 594 968.10	614 563.88	2 594 591.50	629 740.25
22 30	2 583 528.69	614 282.74	2 583 159.33	629 459.29
25 00	2 572 089.14	614 007.06	2 571 727.02	629 183.78
27 30	2 560 649.46	613 736.84	2 560 294.58	628 913.73
97 30 00	2 549 209.66	613 472.08	2 548 862.03	628 649.14
32 30	2 537 769.73	613 212.78	2 537 429.33	628 390.00
35 00	2 526 329.68	612 958.93	2 525 996.53	628 136.31
37 30	2 514 889.51	612 710.54	2 514 563.60	627 888.08
97 40 00	2 503 449.21	612 467.60	2 503 130.54	627 645.30
42 30	2 492 008.82	612 230.13	2 491 697.39	627 407.98
45 00	2 480 568.30	611 998.12	2 480 264.11	627 176.12
47 30	2 469 127.68	611 771.57	2 468 830.73	626 949.70
97 50 00	2 457 686.94	611 550.47	2 457 397.24	626 728.75
52 30	2 446 246.10	611 334.83	2 445 963.64	626 513.24
55 00	2 434 805.17	611 124.65	2 434 529.95	626 303.19
57 30	2 423 364.13	610 919.93	2 423 096.15	626 098.60
98 00 00	2 411 923.00	610 720.66	2 411 662.27	625 899.46

LONGITUDE	LATITUDE 41 25 00 X	LATITUDE 41 25 00 Y	LATITUDE 41 27 30 X	LATITUDE 41 27 30 Y
97 00 00	2 685 609.27	647 359.28	2 685 174.73	662 534.47
02 30	2 674 185.48	647 034.90	2 673 758.19	662 210.29
05 00	2 662 761.56	646 715.96	2 662 341.51	661 891.55
07 30	2 651 337.47	646 402.47	2 650 924.66	661 578.26
97 10 00	2 639 913.25	646 094.43	2 639 507.68	661 270.42
12 30	2 628 488.87	645 791.85	2 628 090.54	660 968.03
15 00	2 617 064.35	645 494.72	2 616 673.26	660 671.09
17 30	2 605 639.70	645 203.03	2 605 255.85	660 379.59
97 20 00	2 594 214.89	644 916.80	2 593 838.29	660 093.54
22 30	2 582 789.97	644 636.02	2 582 420.60	659 812.93
25 00	2 571 364.90	644 360.68	2 571 002.77	659 537.77
27 30	2 559 939.70	644 090.81	2 559 584.81	659 268.07
97 30 00	2 548 514.39	643 826.38	2 548 166.74	659 003.81
32 30	2 537 088.94	643 567.40	2 536 748.53	658 745.00
35 00	2 525 663.37	643 313.88	2 525 330.21	658 491.63
37 30	2 514 237.68	643 065.80	2 513 911.76	658 243.71
97 40 00	2 502 811.87	642 823.17	2 502 493.19	658 001.24
42 30	2 491 385.95	642 586.00	2 491 074.52	657 764.22
45 00	2 479 959.92	642 354.29	2 479 655.72	657 532.65
47 30	2 468 533.78	642 128.02	2 468 236.83	657 306.52
97 50 00	2 457 107.53	641 907.20	2 456 817.82	657 085.85
52 30	2 445 681.17	641 691.83	2 445 398.70	656 870.61
55 00	2 434 254.72	641 481.92	2 433 979.50	656 660.83
57 30	2 422 828.17	641 277.46	2 422 560.18	656 456.50
98 00 00	2 411 401.53	641 078.44	2 411 140.78	656 257.62

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 41 15 00 X	LATITUDE 41 15 00 Y	LATITUDE 41 17 30 X	LATITUDE 41 17 30 Y
98 00 00	2 412 444.47	580 363.59	2 412 183.74	595 542.05
02 30	2 400 988.75	580 169.55	2 400 735.26	595 348.13
05 00	2 389 532.95	579 980.96	2 389 286.70	595 159.66
07 30	2 378 077.06	579 797.84	2 377 838.06	594 976.66
98 10 00	2 366 621.08	579 620.19	2 366 389.32	594 799.12
12 30	2 355 165.03	579 448.00	2 354 940.51	594 627.04
15 00	2 343 708.88	579 281.28	2 343 491.60	594 460.43
17 30	2 332 252.66	579 120.03	2 332 042.62	594 299.28
98 20 00	2 320 796.37	578 964.24	2 320 593.58	594 143.59
22 30	2 309 340.00	578 813.92	2 309 144.45	593 993.36
25 00	2 297 883.57	578 669.06	2 297 695.26	593 848.59
27 30	2 286 427.06	578 529.67	2 286 245.99	593 709.29
98 30 00	2 274 970.48	578 395.74	2 274 796.66	593 575.45
32 30	2 263 513.86	578 267.29	2 263 347.27	593 447.07
35 00	2 252 057.16	578 144.29	2 251 897.82	593 324.16
37 30	2 240 600.41	578 026.77	2 240 448.31	593 206.71
98 40 00	2 229 143.60	577 914.70	2 228 998.75	593 094.71
42 30	2 217 686.74	577 808.11	2 217 549.13	592 988.18
45 00	2 206 229.84	577 706.98	2 206 099.47	592 887.12
47 30	2 194 772.88	577 611.32	2 194 649.75	592 791.52
98 50 00	2 183 315.89	577 521.13	2 183 200.00	592 701.39
52 30	2 171 858.84	577 436.40	2 171 750.20	592 616.71
55 00	2 160 401.76	577 357.13	2 160 300.36	592 537.49
57 30	2 148 944.65	577 283.34	2 148 850.49	592 463.74
99 00 00	2 137 487.50	577 215.00	2 137 400.58	592 395.46

LONGITUDE	LATITUDE 41 20 00 X	LATITUDE 41 20 00 Y	LATITUDE 41 22 30 X	LATITUDE 41 22 30 Y
98 00 00	2 411 923.00	610 720.66	2 411 662.27	625 899.46
02 30	2 400 481.77	610 526.86	2 400 228.28	625 705.79
05 00	2 389 040.45	610 338.52	2 388 794.20	625 517.56
07 30	2 377 599.05	610 155.63	2 377 360.04	625 334.79
98 10 00	2 366 157.55	609 978.20	2 365 925.78	625 157.47
12 30	2 354 715.98	609 806.23	2 354 491.46	624 985.61
15 00	2 343 274.32	609 639.72	2 343 057.04	624 819.21
17 30	2 331 832.58	609 478.67	2 331 622.54	624 658.26
98 20 00	2 320 390.78	609 323.08	2 320 187.98	624 502.77
22 30	2 308 948.89	609 172.95	2 308 753.34	624 352.73
25 00	2 297 506.95	609 028.27	2 297 318.63	624 208.14
27 30	2 286 064.92	608 889.06	2 285 883.85	624 069.02
98 30 00	2 274 622.83	608 755.30	2 274 449.00	623 935.35
32 30	2 263 180.69	608 627.01	2 263 014.10	623 807.13
35 00	2 251 738.47	608 504.17	2 251 579.13	623 684.38
37 30	2 240 296.21	608 386.79	2 240 144.11	623 567.07
98 40 00	2 228 853.89	608 274.87	2 228 709.03	623 455.22
42 30	2 217 411.51	608 168.41	2 217 273.89	623 348.82
45 00	2 205 969.10	608 067.41	2 205 838.72	623 247.89
47 30	2 194 526.62	607 971.87	2 194 403.49	623 152.42
98 50 00	2 183 084.12	607 881.79	2 182 968.23	623 062.39
52 30	2 171 641.56	607 797.17	2 171 532.91	622 977.82
55 00	2 160 198.96	607 718.01	2 160 097.56	622 898.71
57 30	2 148 756.33	607 644.30	2 148 662.18	622 825.05
99 00 00	2 137 313.67	607 576.06	2 137 226.75	622 756.85

LONGITUDE	LATITUDE 41 25 00 X	LATITUDE 41 25 00 Y	LATITUDE 41 27 30 X	LATITUDE 41 27 30 Y
98 00 00	2 411 401.53	641 078.44	2 411 140.78	656 257.62
02 30	2 399 974.78	640 884.89	2 399 721.28	656 064.18
05 00	2 388 547.94	640 696.78	2 388 301.68	655 876.19
07 30	2 377 121.02	640 514.13	2 376 882.01	655 693.65
98 10 00	2 365 694.01	640 336.92	2 365 462.24	655 516.56
12 30	2 354 266.93	640 165.17	2 354 042.40	655 344.92
15 00	2 342 839.75	639 998.87	2 342 622.46	655 178.73
17 30	2 331 412.50	639 838.03	2 331 202.45	655 017.98
98 20 00	2 319 985.18	639 682.63	2 319 782.38	654 862.69
22 30	2 308 557.78	639 532.69	2 308 362.21	654 712.84
25 00	2 297 130.31	639 388.19	2 296 941.99	654 568.44
27 30	2 285 702.77	639 249.16	2 285 521.70	654 429.49
98 30 00	2 274 275.17	639 115.57	2 274 101.33	654 295.99
32 30	2 262 847.51	638 987.44	2 262 680.92	654 167.94
35 00	2 251 419.78	638 864.76	2 251 260.43	654 045.33
37 30	2 239 992.01	638 747.53	2 239 839.90	653 928.18
98 40 00	2 228 564.17	638 635.75	2 228 419.31	653 816.47
42 30	2 217 136.28	638 529.42	2 216 998.66	653 710.21
45 00	2 205 708.35	638 428.55	2 205 577.97	653 609.40
47 30	2 194 280.36	638 333.14	2 194 157.23	653 514.05
98 50 00	2 182 852.34	638 243.17	2 182 736.45	653 424.14
52 30	2 171 424.27	638 158.65	2 171 315.62	653 339.67
55 00	2 159 996.15	638 079.59	2 159 894.75	653 260.66
57 30	2 148 568.01	638 005.98	2 148 473.85	653 187.10
99 00 00	2 137 139.83	637 937.82	2 137 052.91	653 118.98

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 15 00 X	Y	LATITUDE 41 17 30 X	Y
99 00 00	2 137 487.50	577 215.00	2 137 400.58	592 395.46
02 30	2 126 030.32	577 152.15	2 125 950.65	592 332.64
05 00	2 114 573.11	577 094.75	2 114 500.68	592 275.28
07 30	2 103 115.86	577 042.82	2 103 050.68	592 223.38
99 10 00	2 091 658.61	576 996.35	2 091 600.67	592 176.94
12 30	2 080 201.33	576 955.35	2 080 150.63	592 135.97
15 00	2 068 744.03	576 919.82	2 068 700.58	592 100.45
17 30	2 057 286.71	576 889.75	2 057 250.50	592 070.41
99 20 00	2 045 829.38	576 865.16	2 045 800.41	592 045.83
22 30	2 034 372.05	576 846.03	2 034 350.32	592 026.71
25 00	2 022 914.70	576 832.36	2 022 900.22	592 013.05
27 30	2 011 457.36	576 824.16	2 011 450.12	592 004.86
99 30 00	2 000 000.00	576 821.42	2 000 000.00	592 002.12
32 30	1 988 542.64	576 824.16	1 988 549.88	592 004.86
35 00	1 977 085.30	576 832.36	1 977 099.78	592 013.05
37 30	1 965 627.95	576 846.03	1 965 649.68	592 026.71
99 40 00	1 954 170.62	576 865.16	1 954 199.59	592 045.83
42 30	1 942 713.29	576 889.75	1 942 749.50	592 070.41
45 00	1 931 255.97	576 919.82	1 931 299.42	592 100.45
47 30	1 919 798.67	576 955.35	1 919 849.37	592 135.97
99 50 00	1 908 341.39	576 996.35	1 908 399.33	592 176.94
52 30	1 896 884.14	577 042.82	1 896 949.32	592 223.38
55 00	1 885 426.89	577 094.75	1 885 499.32	592 275.28
57 30	1 873 969.68	577 152.15	1 874 049.35	592 332.64
100 00 00	1 862 512.50	577 215.00	1 862 599.42	592 395.46

LONGITUDE	LATITUDE 41 20 00 X	Y	LATITUDE 41 22 30 X	Y
99 00 00	2 137 313.67	607 576.06	2 137 226.75	622 756.85
02 30	2 125 870.98	607 513.28	2 125 791.30	622 694.11
05 00	2 114 428.25	607 455.95	2 114 355.82	622 636.82
07 30	2 102 985.49	607 404.09	2 102 920.30	622 584.99
99 10 00	2 091 542.73	607 357.68	2 091 484.78	622 538.61
12 30	2 080 099.93	607 316.73	2 080 049.23	622 497.69
15 00	2 068 657.12	607 281.24	2 068 613.66	622 462.22
17 30	2 057 214.29	607 251.22	2 057 178.07	622 432.21
99 20 00	2 045 771.44	607 226.65	2 045 742.47	622 407.67
22 30	2 034 328.60	607 207.55	2 034 306.87	622 388.57
25 00	2 022 885.73	607 193.89	2 022 871.24	622 374.93
27 30	2 011 442.87	607 185.70	2 011 435.63	622 366.74
99 30 00	2 000 000.00	607 182.97	2 000 000.00	622 364.01
32 30	1 988 557.13	607 185.70	1 988 564.37	622 366.74
35 00	1 977 114.27	607 193.89	1 977 128.76	622 374.93
37 30	1 965 671.40	607 207.55	1 965 693.13	622 388.57
99 40 00	1 954 228.56	607 226.65	1 954 257.53	622 407.67
42 30	1 942 785.71	607 251.22	1 942 821.93	622 432.21
45 00	1 931 342.88	607 281.24	1 931 386.34	622 462.22
47 30	1 919 900.07	607 316.73	1 919 950.77	622 497.69
99 50 00	1 908 457.27	607 357.68	1 908 515.22	622 538.61
52 30	1 897 014.51	607 404.09	1 897 079.70	622 584.99
55 00	1 885 571.75	607 455.95	1 885 644.18	622 636.82
57 30	1 874 129.02	607 513.28	1 874 208.70	622 694.11
100 00 00	1 862 686.33	607 576.06	1 862 773.25	622 756.85

LONGITUDE	LATITUDE 41 25 00 X	Y	LATITUDE 41 27 30 X	Y
99 00 00	2 137 139.83	637 937.82	2 137 052.91	653 118.98
02 30	2 125 711.63	637 875.12	2 125 631.95	653 056.32
05 00	2 114 283.39	637 817.87	2 114 210.95	652 999.11
07 30	2 102 855.12	637 766.07	2 102 789.93	652 947.34
99 10 00	2 091 426.84	637 719.72	2 091 368.89	652 901.02
12 30	2 079 998.52	637 678.82	2 079 947.82	652 860.15
15 00	2 068 570.20	637 643.38	2 068 526.74	652 824.73
17 30	2 057 141.85	637 613.39	2 057 105.64	652 794.76
99 20 00	2 045 713.49	637 588.86	2 045 684.52	652 770.24
22 30	2 034 285.14	637 569.77	2 034 263.41	652 751.17
25 00	2 022 856.76	637 556.14	2 022 842.27	652 737.54
27 30	2 011 428.39	637 547.96	2 011 421.14	652 729.37
99 30 00	2 000 000.00	637 545.23	2 000 000.00	652 726.64
32 30	1 988 571.61	637 547.96	1 988 578.86	652 729.37
35 00	1 977 143.24	637 556.14	1 977 157.73	652 737.54
37 30	1 965 714.86	637 569.77	1 965 736.59	652 751.17
99 40 00	1 954 286.51	637 588.86	1 954 315.48	652 770.24
42 30	1 942 858.15	637 613.39	1 942 894.36	652 794.76
45 00	1 931 429.80	637 643.38	1 931 473.26	652 824.73
47 30	1 920 001.48	637 678.82	1 920 052.18	652 860.15
99 50 00	1 908 573.16	637 719.72	1 908 631.11	652 901.02
52 30	1 897 144.88	637 766.07	1 897 210.07	652 947.34
55 00	1 885 716.61	637 817.87	1 885 789.05	652 999.11
57 30	1 874 288.37	637 875.12	1 874 368.05	653 056.32
100 00 00	1 862 860.17	637 937.82	1 862 947.09	653 118.98

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 15 00 X	LATITUDE 41 15 00 Y	LATITUDE 41 17 30 X	LATITUDE 41 17 30 Y
100 00 00	1 862 512.50	577 215.00	1 862 599.42	592 395.46
02 30	1 851 055.35	577 283.34	1 851 149.51	592 463.74
05 00	1 839 598.24	577 357.13	1 839 699.64	592 537.49
07 30	1 828 141.16	577 436.40	1 828 249.80	592 616.71
100 10 00	1 816 684.11	577 521.13	1 816 800.00	592 701.39
12 30	1 805 227.12	577 611.32	1 805 350.25	592 791.52
15 00	1 793 770.16	577 706.98	1 793 900.53	592 887.12
17 30	1 782 313.26	577 808.11	1 782 450.87	592 988.18
100 20 00	1 770 856.40	577 914.70	1 771 001.25	593 094.71
22 30	1 759 399.59	578 026.77	1 759 551.69	593 206.71
25 00	1 747 942.84	578 144.29	1 748 102.18	593 324.16
27 30	1 736 486.14	578 267.29	1 736 652.73	593 447.07
100 30 00	1 725 029.52	578 395.74	1 725 203.34	593 575.45
32 30	1 713 572.94	578 529.67	1 713 754.01	593 709.29
35 00	1 702 116.43	578 669.06	1 702 304.74	593 848.59
37 30	1 690 660.00	578 813.92	1 690 855.55	593 993.36
100 40 00	1 679 203.63	578 964.24	1 679 406.42	594 143.59
42 30	1 667 747.34	579 120.03	1 667 957.38	594 299.28
45 00	1 656 291.12	579 281.28	1 656 508.40	594 460.43
47 30	1 644 834.97	579 448.00	1 645 059.49	594 627.04
100 50 00	1 633 378.92	579 620.19	1 633 610.68	594 799.12
52 30	1 621 922.94	579 797.84	1 622 161.94	594 976.66
55 00	1 610 467.05	579 980.96	1 610 713.30	595 159.66
57 30	1 599 011.25	580 169.55	1 599 264.74	595 348.13
101 00 00	1 587 555.53	580 363.59	1 587 816.26	595 542.05

LONGITUDE	LATITUDE 41 20 00 X	LATITUDE 41 20 00 Y	LATITUDE 41 22 30 X	LATITUDE 41 22 30 Y
100 00 00	1 862 686.33	607 576.06	1 862 773.25	622 756.85
02 30	1 851 243.67	607 644.30	1 851 337.82	622 825.05
05 00	1 839 801.04	607 718.01	1 839 902.44	622 898.71
07 30	1 828 358.44	607 797.17	1 828 467.09	622 977.82
100 10 00	1 816 915.88	607 881.79	1 817 031.77	623 062.39
12 30	1 805 473.38	607 971.87	1 805 596.51	623 152.42
15 00	1 794 030.90	608 067.41	1 794 161.28	623 247.89
17 30	1 782 588.49	608 168.41	1 782 726.11	623 348.82
100 20 00	1 771 146.11	608 274.87	1 771 290.97	623 455.22
22 30	1 759 703.79	608 386.79	1 759 855.89	623 567.07
25 00	1 748 261.53	608 504.17	1 748 420.87	623 684.38
27 30	1 736 819.31	608 627.01	1 736 985.90	623 807.13
100 30 00	1 725 377.17	608 755.30	1 725 551.00	623 935.35
32 30	1 713 935.08	608 889.06	1 714 116.15	624 069.02
35 00	1 702 493.05	609 028.27	1 702 681.37	624 208.14
37 30	1 691 051.11	609 172.95	1 691 246.66	624 352.73
100 40 00	1 679 609.22	609 323.08	1 679 812.02	624 502.77
42 30	1 668 167.42	609 478.67	1 668 377.46	624 658.26
45 00	1 656 725.68	609 639.72	1 656 942.96	624 819.21
47 30	1 645 284.02	609 806.23	1 645 508.54	624 985.61
100 50 00	1 633 842.45	609 978.20	1 634 074.22	625 157.47
52 30	1 622 400.95	610 155.63	1 622 639.96	625 334.79
55 00	1 610 959.55	610 338.52	1 611 205.80	625 517.56
57 30	1 599 518.23	610 526.86	1 599 771.72	625 705.79
101 00 00	1 588 077.00	610 720.66	1 588 337.73	625 899.46

LONGITUDE	LATITUDE 41 25 00 X	LATITUDE 41 25 00 Y	LATITUDE 41 27 30 X	LATITUDE 41 27 30 Y
100 00 00	1 862 860.17	637 937.82	1 862 947.09	653 118.98
02 30	1 851 431.99	638 005.98	1 851 526.15	653 187.10
05 00	1 840 003.85	638 079.59	1 840 105.25	653 260.66
07 30	1 828 575.73	638 158.65	1 828 684.38	653 339.67
100 10 00	1 817 147.66	638 243.17	1 817 263.55	653 424.14
12 30	1 805 719.64	638 333.14	1 805 842.77	653 514.05
15 00	1 794 291.65	638 428.55	1 794 422.03	653 609.40
17 30	1 782 863.72	638 529.42	1 783 001.34	653 710.21
100 20 00	1 771 435.83	638 635.75	1 771 580.69	653 816.47
22 30	1 760 007.99	638 747.53	1 760 160.10	653 938.18
25 00	1 748 580.22	638 864.76	1 748 739.57	654 045.33
27 30	1 737 152.49	638 987.44	1 737 319.08	654 167.94
100 30 00	1 725 724.83	639 115.57	1 725 898.67	654 295.99
32 30	1 714 297.23	639 249.16	1 714 478.30	654 429.49
35 00	1 702 869.69	639 388.19	1 703 058.01	654 568.44
37 30	1 691 442.22	639 532.69	1 691 637.79	654 712.84
100 40 00	1 680 014.82	639 682.63	1 680 217.62	654 862.69
42 30	1 668 587.50	639 838.03	1 668 797.55	655 017.98
45 00	1 657 160.25	639 998.87	1 657 377.54	655 178.73
47 30	1 645 733.07	640 165.17	1 645 957.60	655 344.92
100 50 00	1 634 305.99	640 336.92	1 634 537.76	655 516.56
52 30	1 622 878.98	640 514.13	1 623 117.99	655 693.65
55 00	1 611 452.06	640 696.78	1 611 698.32	655 876.19
57 30	1 600 025.22	640 884.89	1 600 278.72	656 064.18
101 00 00	1 588 598.47	641 078.44	1 588 859.22	656 257.62

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 41 15 00 X	LATITUDE 41 15 00 Y	LATITUDE 41 17 30 X	LATITUDE 41 17 30 Y
101 00 00	1 587 555.53	580 363.59	1 587 816.26	595 542.05
02 30	1 576 099.92	580 563.11	1 576 367.90	595 741.44
05 00	1 564 644.40	580 768.09	1 564 919.61	595 946.29
07 30	1 553 188.98	580 978.53	1 553 471.44	596 156.61
101 10 00	1 541 733.66	581 194.45	1 542 023.36	596 372.38
12 30	1 530 278.44	581 415.83	1 530 575.38	596 593.62
15 00	1 518 823.34	581 642.67	1 519 127.52	596 820.32
17 30	1 507 368.33	581 874.97	1 507 679.76	597 052.48
101 20 00	1 495 913.45	582 112.74	1 496 232.12	597 290.10
22 30	1 484 458.68	582 355.98	1 484 784.58	597 533.19
25 00	1 473 004.02	582 604.69	1 473 337.17	597 781.73
27 30	1 461 549.49	582 858.86	1 461 889.88	598 035.74
101 30 00	1 450 095.08	583 118.49	1 450 442.71	598 295.21
32 30	1 438 640.80	583 383.59	1 438 995.67	598 560.14
35 00	1 427 186.63	583 654.15	1 427 548.74	598 830.53
37 30	1 415 732.60	583 930.18	1 416 101.95	599 106.39
101 40 00	1 404 278.71	584 211.68	1 404 655.30	599 387.71
42 30	1 392 824.95	584 498.64	1 393 208.78	599 674.48
45 00	1 381 371.33	584 791.06	1 381 762.41	599 966.72
47 30	1 369 917.85	585 088.95	1 370 316.16	600 264.42
101 50 00	1 358 464.50	585 392.30	1 358 870.06	600 567.58
52 30	1 347 011.32	585 701.11	1 347 424.12	600 876.20
55 00	1 335 558.27	586 015.40	1 335 978.31	601 190.28
57 30	1 324 105.39	586 335.14	1 324 532.66	601 509.83
102 00 00	1 312 652.65	586 660.35	1 313 087.16	601 834.83

LONGITUDE	LATITUDE 41 20 00 X	LATITUDE 41 20 00 Y	LATITUDE 41 22 30 X	LATITUDE 41 22 30 Y
101 00 00	1 588 077.00	610 720.66	1 588 337.73	625 899.46
02 30	1 576 635.87	610 919.93	1 576 903.85	626 098.60
05 00	1 565 194.83	611 124.65	1 565 470.05	626 303.19
07 30	1 553 753.90	611 334.83	1 554 036.36	626 513.24
101 10 00	1 542 313.06	611 550.47	1 542 602.76	626 728.75
12 30	1 530 872.32	611 771.57	1 531 169.27	626 949.70
15 00	1 519 431.70	611 998.12	1 519 735.89	627 176.12
17 30	1 507 991.18	612 230.13	1 508 302.61	627 407.98
101 20 00	1 496 550.79	612 467.60	1 496 869.46	627 645.30
22 30	1 485 110.49	612 710.54	1 485 436.40	627 888.08
25 00	1 473 670.32	612 958.93	1 474 003.47	628 136.31
27 30	1 462 230.27	613 212.78	1 462 570.67	628 390.00
101 30 00	1 450 790.34	613 472.08	1 451 137.97	628 649.14
32 30	1 439 350.54	613 736.84	1 439 705.42	628 913.73
35 00	1 427 910.86	614 007.06	1 428 272.98	629 183.78
37 30	1 416 471.31	614 282.74	1 416 840.67	629 459.29
101 40 00	1 405 031.90	614 563.88	1 405 408.50	629 740.25
42 30	1 393 592.62	614 850.48	1 393 976.46	630 026.67
45 00	1 382 153.48	615 142.53	1 382 544.57	630 318.54
47 30	1 370 714.48	615 440.04	1 371 112.80	630 615.86
101 50 00	1 359 275.62	615 743.01	1 359 681.18	630 918.63
52 30	1 347 836.91	616 051.44	1 348 249.72	631 226.86
55 00	1 336 398.35	616 365.32	1 336 818.39	631 540.55
57 30	1 324 959.94	616 684.67	1 325 387.23	631 859.69
102 00 00	1 313 521.68	617 009.46	1 313 956.20	632 184.28

LONGITUDE	LATITUDE 41 25 00 X	LATITUDE 41 25 00 Y	LATITUDE 41 27 30 X	LATITUDE 41 27 30 Y
101 00 00	1 588 598.47	641 078.44	1 588 859.22	656 257.62
02 30	1 577 171.83	641 277.46	1 577 439.82	656 456.50
05 00	1 565 745.28	641 481.92	1 566 020.50	656 660.83
07 30	1 554 318.83	641 691.83	1 554 601.30	656 870.61
101 10 00	1 542 892.47	641 907.20	1 543 182.18	657 085.85
12 30	1 531 466.22	642 128.02	1 531 763.17	657 306.52
15 00	1 520 040.08	642 354.29	1 520 344.28	657 532.65
17 30	1 508 614.05	642 586.00	1 508 925.48	657 764.22
101 20 00	1 497 188.13	642 823.17	1 497 506.81	658 001.24
22 30	1 485 762.32	643 065.80	1 486 088.24	658 243.71
25 00	1 474 336.63	643 313.88	1 474 669.79	658 491.63
27 30	1 462 911.06	643 567.40	1 463 251.47	658 745.00
101 30 00	1 451 485.61	643 826.38	1 451 833.26	659 003.81
32 30	1 440 060.30	644 090.81	1 440 415.19	659 268.07
35 00	1 428 635.10	644 360.68	1 428 997.23	659 537.77
37 30	1 417 210.03	644 636.02	1 417 579.40	659 812.93
101 40 00	1 405 785.11	644 916.80	1 406 161.71	660 093.54
42 30	1 394 360.30	645 203.03	1 394 744.15	660 379.59
45 00	1 382 935.65	645 494.72	1 383 326.74	660 671.09
47 30	1 371 511.13	645 791.85	1 371 909.46	660 968.03
101 50 00	1 360 086.75	646 094.43	1 360 492.32	661 270.42
52 30	1 348 662.53	646 402.47	1 349 075.34	661 578.26
55 00	1 337 238.44	646 715.96	1 337 658.49	661 891.55
57 30	1 325 814.52	647 034.90	1 326 241.81	662 210.29
102 00 00	1 314 390.73	647 359.28	1 314 825.27	662 534.47

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 15 00 X	LATITUDE 41 15 00 Y	LATITUDE 41 17 30 X	LATITUDE 41 17 30 Y
102 00 00	1 312 652.65	586 660.35	1 313 087.16	601 834.83
02 30	1 301 200.06	586 991.03	1 301 641.82	602 165.30
05 00	1 289 747.65	587 327.16	1 290 196.64	602 501.22
07 30	1 278 295.38	587 668.76	1 278 751.61	602 842.60
102 10 00	1 266 843.29	588 015.83	1 267 306.76	603 189.45
12 30	1 255 391.36	588 368.36	1 255 862.07	603 541.76
15 00	1 243 939.59	588 726.36	1 244 417.55	603 899.53
17 30	1 232 488.01	589 089.81	1 232 973.21	604 262.76
102 20 00	1 221 036.59	589 458.73	1 221 529.03	604 631.44
22 30	1 209 585.37	589 833.12	1 210 085.04	605 005.59
25 00	1 198 134.31	590 212.97	1 198 641.22	605 385.20
27 30	1 186 683.43	590 598.28	1 187 197.58	605 770.27
102 30 00	1 175 232.75	590 989.06	1 175 754.13	606 160.80
32 30	1 163 782.24	591 385.29	1 164 310.87	606 556.79
35 00	1 152 331.94	591 786.99	1 152 867.80	606 958.23
37 30	1 140 881.82	592 194.16	1 141 424.92	607 365.14
102 40 00	1 129 431.89	592 606.78	1 129 982.23	607 777.50
42 30	1 117 982.18	593 024.87	1 118 539.75	608 195.33
45 00	1 106 532.65	593 448.43	1 107 097.47	608 618.62
47 30	1 095 083.34	593 877.45	1 095 655.39	609 047.36
102 50 00	1 083 634.22	594 311.92	1 084 213.51	609 481.57
52 30	1 072 185.31	594 751.86	1 072 771.84	609 921.22
55 00	1 060 736.62	595 197.26	1 061 330.39	610 366.34
57 30	1 049 288.14	595 648.13	1 049 889.15	610 816.93
103 00 00	1 037 839.88	596 104.46	1 038 448.13	611 272.97

LONGITUDE	LATITUDE 41 20 00 X	LATITUDE 41 20 00 Y	LATITUDE 41 22 30 X	LATITUDE 41 22 30 Y
102 00 00	1 313 521.68	617 009.46	1 313 956.20	632 184.28
02 30	1 302 083.58	617 339.72	1 302 525.34	632 514.33
05 00	1 290 645.64	617 675.43	1 291 094.64	632 849.83
07 30	1 279 207.85	618 016.59	1 279 664.10	633 190.78
102 10 00	1 267 770.24	618 363.23	1 268 233.73	633 537.19
12 30	1 256 332.79	618 715.31	1 256 803.51	633 889.05
15 00	1 244 895.50	619 072.86	1 245 373.47	634 246.37
17 30	1 233 458.40	619 435.85	1 233 943.60	634 609.14
102 20 00	1 222 021.46	619 804.31	1 222 513.90	634 977.36
22 30	1 210 584.71	620 178.21	1 211 084.39	635 351.03
25 00	1 199 148.13	620 557.58	1 199 655.05	635 730.16
27 30	1 187 711.73	620 942.41	1 188 225.89	636 114.74
102 30 00	1 176 275.53	621 332.69	1 176 796.92	636 504.78
32 30	1 164 839.50	621 728.43	1 165 368.13	636 900.26
35 00	1 153 403.67	622 129.62	1 153 939.55	637 301.20
37 30	1 141 968.03	622 536.27	1 142 511.14	637 707.59
102 40 00	1 130 532.58	622 948.37	1 131 082.93	638 119.43
42 30	1 119 097.34	623 365.94	1 119 654.93	638 536.73
45 00	1 107 662.29	623 788.96	1 108 227.11	638 959.49
47 30	1 096 227.45	624 217.43	1 096 799.52	639 387.69
102 50 00	1 084 792.81	624 651.36	1 085 372.11	639 821.34
52 30	1 073 358.37	625 090.74	1 073 944.92	640 260.44
55 00	1 061 924.16	625 535.58	1 062 517.84	640 705.00
57 30	1 050 490.15	625 985.88	1 051 091.17	641 155.01
103 00 00	1 039 056.37	626 441.63	1 039 664.63	641 610.48

LONGITUDE	LATITUDE 41 25 00 X	LATITUDE 41 25 00 Y	LATITUDE 41 27 30 X	LATITUDE 41 27 30 Y
102 00 00	1 314 390.73	647 359.28	1 314 825.27	662 534.47
02 30	1 302 967.11	647 689.12	1 303 408.88	662 864.10
05 00	1 291 543.65	648 024.41	1 291 992.67	663 199.18
07 30	1 280 120.35	648 365.14	1 280 576.60	663 539.69
102 10 00	1 268 697.22	648 711.33	1 269 160.71	663 885.67
12 30	1 257 274.24	649 062.97	1 257 744.98	664 237.08
15 00	1 245 851.44	649 420.06	1 246 329.41	664 593.95
17 30	1 234 428.81	649 782.60	1 234 914.03	664 956.25
102 20 00	1 223 006.35	650 150.59	1 223 498.80	665 324.01
22 30	1 211 584.08	650 524.02	1 212 083.77	665 697.21
25 00	1 200 161.98	650 902.91	1 200 668.91	666 075.86
27 30	1 188 740.05	651 287.25	1 189 254.22	666 459.95
102 30 00	1 177 318.33	651 677.04	1 177 839.74	666 849.49
32 30	1 165 896.78	652 072.28	1 166 425.43	667 244.48
35 00	1 154 475.43	652 472.96	1 155 011.32	667 644.91
37 30	1 143 054.26	652 879.09	1 143 597.39	668 050.78
102 40 00	1 131 633.29	653 290.67	1 132 183.65	668 462.11
42 30	1 120 212.52	653 707.71	1 120 770.13	668 878.88
45 00	1 108 791.95	654 130.19	1 109 356.79	669 301.09
47 30	1 097 371.59	654 558.13	1 097 943.67	669 728.75
102 50 00	1 085 951.42	654 991.51	1 086 530.74	670 161.86
52 30	1 074 531.47	655 430.33	1 075 118.02	670 600.40
55 00	1 063 111.73	655 874.60	1 063 705.52	671 044.40
57 30	1 051 692.20	656 324.33	1 052 293.23	671 493.84
103 00 00	1 040 272.89	656 779.51	1 040 881.16	671 948.73

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 15 00 X	Y	LATITUDE 41 17 30 X	Y
103 00 00	1 037 839.88	596 104.46	1 038 448.13	611 272.97
02 30	1 026 391.84	596 566.25	1 027 007.31	611 734.47
05 00	1 014 944.01	597 033.50	1 015 566.73	612 201.42
07 30	1 003 496.42	597 506.21	1 004 126.37	612 673.83
103 10 00	992 049.04	597 984.38	992 686.23	613 151.70
12 30	980 601.91	598 468.02	981 246.33	613 635.04
15 00	969 154.99	598 957.12	969 806.65	614 123.83
17 30	957 708.32	599 451.68	958 367.21	614 618.08
103 20 00	946 261.88	599 951.70	946 928.02	615 117.78
22 30	934 815.68	600 457.18	935 489.05	615 622.94
25 00	923 369.73	600 968.12	924 050.34	616 133.56
27 30	911 924.02	601 484.53	912 611.86	616 649.63
103 30 00	900 478.55	602 006.39	901 173.63	617 171.17
32 30	889 033.34	602 533.72	889 735.65	617 698.17
35 00	877 588.38	603 066.51	878 297.93	618 230.62
37 30	866 143.68	603 604.75	866 860.46	618 768.52
103 40 00	854 699.23	604 148.46	855 423.25	619 311.88
42 30	843 255.04	604 697.62	843 986.29	619 860.70
45 00	831 811.13	605 252.25	832 549.61	620 414.98
47 30	820 367.47	605 812.34	821 113.19	620 974.71
103 50 00	808 924.09	606 377.89	809 677.04	621 539.90
52 30	797 480.97	606 948.90	798 241.15	622 110.55
55 00	786 038.12	607 525.36	786 805.54	622 686.65
57 30	774 595.56	608 107.28	775 370.21	623 268.20
104 00 00	763 153.27	608 694.67	763 935.16	623 855.22

LONGITUDE	LATITUDE 41 20 00 X	Y	LATITUDE 41 22 30 X	Y
103 00 00	1 039 056.37	626 441.63	1 039 664.63	641 610.48
02 30	1 027 622.80	626 902.83	1 028 238.29	642 071.39
05 00	1 016 189.45	627 369.49	1 016 812.18	642 537.76
07 30	1 004 756.33	627 841.61	1 005 386.29	643 009.57
103 10 00	993 323.43	628 319.18	993 960.63	643 486.84
12 30	981 890.76	628 802.20	982 535.20	643 969.56
15 00	970 458.32	629 290.68	971 110.00	644 457.73
17 30	959 026.11	629 784.62	959 685.03	644 951.35
103 20 00	947 594.15	630 284.01	948 260.30	645 450.43
22 30	936 162.43	630 788.85	936 835.81	645 954.95
25 00	924 730.95	631 299.14	925 411.57	646 464.92
27 30	913 299.70	631 814.89	913 987.56	646 980.34
103 30 00	901 868.71	632 336.10	902 563.80	647 501.22
32 30	890 437.97	632 862.76	891 140.30	648 027.55
35 00	879 007.48	633 394.88	879 717.04	648 559.32
37 30	867 577.25	633 932.44	868 294.05	649 096.55
103 40 00	856 147.27	634 475.46	856 871.30	649 639.22
42 30	844 717.55	635 023.93	845 448.81	650 187.35
45 00	833 288.10	635 577.86	834 026.60	650 740.92
47 30	821 858.91	636 137.24	822 604.65	651 299.95
103 50 00	810 430.00	636 702.07	811 182.97	651 864.42
52 30	799 001.35	637 272.35	799 761.55	652 434.35
55 00	787 572.97	637 848.09	788 340.40	653 009.78
57 30	776 144.87	638 429.28	776 919.54	653 590.54
104 00 00	764 717.05	639 015.92	765 498.95	654 176.81

LONGITUDE	LATITUDE 41 25 00 X	Y	LATITUDE 41 27 30 X	Y
103 00 00	1 040 272.89	656 779.51	1 040 881.16	671 948.73
02 30	1 028 853.79	657 240.13	1 029 469.29	672 409.06
05 00	1 017 434.91	657 706.20	1 018 057.65	672 874.83
07 30	1 006 016.26	658 177.71	1 006 646.24	673 346.05
103 10 00	994 597.84	658 654.68	995 235.06	673 822.71
12 30	983 179.65	659 137.09	983 824.10	674 304.82
15 00	971 761.68	659 624.96	972 413.37	674 792.37
17 30	960 343.95	660 118.27	961 002.87	675 285.37
103 20 00	948 926.46	660 617.02	949 592.62	675 783.81
22 30	937 509.20	661 121.22	938 182.60	676 287.69
25 00	926 092.19	661 630.87	926 772.83	676 797.02
27 30	914 675.42	662 145.97	915 363.29	677 311.79
103 30 00	903 258.90	662 666.52	903 954.01	677 832.01
32 30	891 842.63	663 192.51	892 544.98	678 357.67
35 00	880 426.61	663 723.95	881 136.19	678 888.77
37 30	869 010.85	664 260.84	869 727.67	679 425.31
103 40 00	857 595.34	664 803.17	858 319.39	679 967.30
42 30	846 180.09	665 350.94	846 911.37	680 514.73
45 00	834 765.11	665 904.17	835 503.63	681 067.60
47 30	823 350.39	666 462.84	824 096.14	681 625.92
103 50 00	811 935.95	667 026.96	812 688.94	682 189.68
52 30	800 521.76	667 596.52	801 281.99	682 758.89
55 00	789 107.85	668 171.53	789 875.31	683 333.53
57 30	777 694.22	668 751.98	778 468.91	683 913.61
104 00 00	766 280.87	669 337.88	767 062.79	684 499.14

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 15 00 X	LATITUDE 41 15 00 Y	LATITUDE 41 17 30 X	LATITUDE 41 17 30 Y
104 00 00	763 153.27	608 694.67	763 935.16	623 855.22
02 30	751 711.27	609 287.52	752 500.39	624 447.69
05 00	740 269.54	609 885.82	741 065.90	625 045.62
07 30	728 828.11	610 489.58	729 631.69	625 649.00
104 10 00	717 386.97	611 098.80	718 197.78	626 257.83
12 30	705 946.11	611 713.48	706 764.16	626 872.12
15 00	694 505.56	612 333.62	695 330.84	627 491.87

LONGITUDE	LATITUDE 41 20 00 X	LATITUDE 41 20 00 Y	LATITUDE 41 22 30 X	LATITUDE 41 22 30 Y
104 00 00	764 717.05	639 015.92	765 498.95	654 176.81
02 30	753 289.52	639 608.02	754 078.66	654 768.53
05 00	741 862.26	640 205.57	742 658.63	655 365.71
07 30	730 435.28	640 808.57	731 238.89	655 968.32
104 10 00	719 008.61	641 417.01	719 819.45	656 576.38
12 30	707 582.22	642 030.91	708 400.29	657 189.90
15 00	696 156.13	642 650.27	696 981.43	657 808.86

LONGITUDE	LATITUDE 41 25 00 X	LATITUDE 41 25 00 Y	LATITUDE 41 27 30 X	LATITUDE 41 27 30 Y
104 00 00	766 280.87	669 337.88	767 062.79	684 499.14
02 30	754 867.80	669 929.23	755 656.96	685 090.12
05 00	743 455.01	670 526.02	744 251.40	685 686.53
07 30	732 042.50	671 128.26	732 846.13	686 288.38
104 10 00	720 630.29	671 735.93	721 441.15	686 895.67
12 30	709 218.37	672 349.06	710 036.46	687 508.41
15 00	697 806.74	672 967.63	698 632.07	688 126.59

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 30 00 X	LATITUDE 41 30 00 Y	LATITUDE 41 32 30 X	LATITUDE 41 32 30 Y
96 00 00	2 958 510.57	687 118.15	2 957 902.28	702 287.76
02 30	2 947 105.73	686 663.55	2 946 504.69	701 833.46
05 00	2 935 700.68	686 214.39	2 935 106.87	701 384.58
07 30	2 924 295.41	685 770.68	2 923 708.84	700 941.15
96 10 00	2 912 889.93	685 332.41	2 912 310.60	700 503.16
12 30	2 901 484.24	684 899.58	2 900 912.15	700 070.61
15 00	2 890 078.36	684 472.19	2 889 513.50	699 643.49
17 30	2 878 672.26	684 050.24	2 878 114.64	699 221.81
96 20 00	2 867 265.97	683 633.74	2 866 715.59	698 805.57
22 30	2 855 859.48	683 222.68	2 855 316.34	698 394.77
25 00	2 844 452.79	682 817.06	2 843 916.89	697 989.41
27 30	2 833 045.92	682 416.88	2 832 517.25	697 589.48
96 30 00	2 821 638.85	682 022.15	2 821 117.42	697 195.00
32 30	2 810 231.60	681 632.85	2 809 717.41	696 805.95
35 00	2 798 824.15	681 249.00	2 798 317.21	696 422.34
37 30	2 787 416.53	680 870.59	2 786 916.82	696 044.18
96 40 00	2 776 008.74	680 497.63	2 775 516.27	695 671.45
42 30	2 764 600.75	680 130.11	2 764 115.53	695 304.16
45 00	2 753 192.61	679 768.03	2 752 714.62	694 942.31
47 30	2 741 784.28	679 411.39	2 741 313.54	694 585.90
96 50 00	2 730 375.79	679 060.20	2 729 912.28	694 234.93
52 30	2 718 967.14	678 714.44	2 718 510.87	693 889.40
55 00	2 707 558.31	678 374.14	2 707 109.28	693 549.31
57 30	2 696 149.34	678 039.28	2 695 707.55	693 214.66
97 00 00	2 684 740.19	677 709.86	2 684 305.65	692 885.45

LONGITUDE	LATITUDE 41 35 00 X	LATITUDE 41 35 00 Y	LATITUDE 41 37 30 X	LATITUDE 41 37 30 Y
96 00 00	2 957 293.99	717 457.61	2 956 685.68	732 627.67
02 30	2 945 903.63	717 003.59	2 945 302.57	732 173.94
05 00	2 934 513.05	716 555.00	2 933 919.22	731 725.64
07 30	2 923 122.26	716 111.86	2 922 535.67	731 282.77
96 10 00	2 911 731.26	715 674.14	2 911 151.91	730 845.34
12 30	2 900 340.04	715 241.86	2 899 767.93	730 413.33
15 00	2 888 948.64	714 815.02	2 888 383.76	729 986.76
17 30	2 877 557.02	714 393.60	2 876 999.38	729 565.61
96 20 00	2 866 165.21	713 977.63	2 865 614.81	729 149.90
22 30	2 854 773.19	713 567.09	2 854 230.03	728 739.62
25 00	2 843 380.98	713 161.99	2 842 845.06	728 334.77
27 30	2 831 988.58	712 762.32	2 831 459.90	727 935.36
96 30 00	2 820 595.99	712 368.08	2 820 074.55	727 541.38
32 30	2 809 203.22	711 979.28	2 808 689.02	727 152.82
35 00	2 797 810.25	711 595.92	2 797 303.29	726 769.70
37 30	2 786 417.11	711 217.99	2 785 917.39	726 392.01
96 40 00	2 775 023.80	710 845.50	2 774 531.31	726 019.76
42 30	2 763 630.29	710 478.45	2 763 145.05	725 652.94
45 00	2 752 236.63	710 116.83	2 751 758.63	725 291.55
47 30	2 740 842.78	709 760.64	2 740 372.02	724 935.59
96 50 00	2 729 448.77	709 409.89	2 728 985.25	724 585.07
52 30	2 718 054.60	709 064.58	2 717 598.32	724 239.97
55 00	2 706 660.25	708 724.71	2 706 211.21	723 900.32
57 30	2 695 265.76	708 390.27	2 694 823.96	723 566.09
97 00 00	2 683 871.09	708 061.27	2 683 436.53	723 237.30

LONGITUDE	LATITUDE 41 40 00 X	LATITUDE 41 40 00 Y	LATITUDE 41 42 30 X	LATITUDE 41 42 30 Y
96 00 00	2 956 077.37	747 797.97	2 955 469.05	762 968.52
02 30	2 944 701.49	747 344.53	2 944 100.41	762 515.36
05 00	2 933 325.39	746 896.51	2 932 731.54	762 067.63
07 30	2 921 949.08	746 453.92	2 921 362.47	761 625.33
96 10 00	2 910 572.55	746 016.77	2 909 993.18	761 188.45
12 30	2 899 195.81	745 585.04	2 898 623.68	760 756.99
15 00	2 887 818.88	745 158.73	2 887 253.99	760 330.96
17 30	2 876 441.74	744 737.86	2 875 884.08	759 910.35
96 20 00	2 865 064.40	744 322.41	2 864 513.99	759 495.17
22 30	2 853 686.86	743 912.39	2 853 143.69	759 085.41
25 00	2 842 309.13	743 507.80	2 841 773.20	758 681.08
27 30	2 830 931.22	743 108.64	2 830 402.52	758 282.17
96 30 00	2 819 553.10	742 714.91	2 819 031.65	757 888.69
32 30	2 808 174.81	742 326.60	2 807 660.60	757 500.63
35 00	2 796 796.33	741 943.73	2 796 289.35	757 118.00
37 30	2 785 417.66	741 566.28	2 784 917.92	756 740.79
96 40 00	2 774 038.83	741 194.26	2 773 546.33	756 369.01
42 30	2 762 659.80	740 827.67	2 762 174.55	756 002.66
45 00	2 751 280.62	740 466.52	2 750 802.60	755 641.73
47 30	2 739 901.25	740 110.78	2 739 430.48	755 286.22
96 50 00	2 728 521.72	739 760.48	2 728 058.18	754 936.14
52 30	2 717 142.03	739 415.60	2 716 685.73	754 591.48
55 00	2 705 762.16	739 076.17	2 705 313.11	754 252.26
57 30	2 694 382.15	738 742.16	2 693 940.34	753 918.47
97 00 00	2 683 001.97	738 413.57	2 682 567.39	753 590.09

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 30 00 X	LATITUDE 41 30 00 Y	LATITUDE 41 32 30 X	LATITUDE 41 32 30 Y
97 00 00	2 684 740.19	677 709.86	2 684 305.65	692 885.45
02 30	2 673 330.89	677 385.89	2 672 903.58	692 561.68
05 00	2 661 921.45	677 067.35	2 661 501.38	592 243.35
07 30	2 650 511.84	676 754.26	2 650 099.02	691 930.46
97 10 00	2 639 102.10	676 446.62	2 638 696.52	691 623.01
12 30	2 627 692.20	676 144.42	2 627 293.86	691 321.00
15 00	2 616 282.16	675 847.66	2 615 891.06	691 024.43
17 30	2 604 871.99	675 556.35	2 604 488.13	690 733.30
97 20 00	2 593 461.67	675 270.48	2 593 085.05	690 447.61
22 30	2 582 051.23	674 990.05	2 581 681.85	690 167.36
25 00	2 570 640.64	674 715.06	2 570 278.50	689 892.55
27 30	2 559 229.92	674 445.53	2 558 875.03	689 623.19
97 30 00	2 547 819.09	674 181.44	2 547 471.44	689 359.27
32 30	2 536 408.12	673 922.79	2 536 067.71	689 100.78
35 00	2 524 997.04	673 669.58	2 524 663.87	688 847.74
37 30	2 513 585.83	673 421.82	2 513 259.90	688 600.13
97 40 00	2 502 174.51	673 179.50	2 501 855.82	688 357.97
42 30	2 490 763.08	672 942.63	2 490 451.63	688 121.25
45 00	2 479 351.52	672 711.21	2 479 047.32	687 889.97
47 30	2 467 939.87	672 485.23	2 467 642.91	687 664.13
97 50 00	2 456 528.10	672 264.69	2 456 238.38	687 443.74
52 30	2 445 116.23	672 049.60	2 444 833.75	687 228.78
55 00	2 433 704.26	671 839.95	2 433 429.03	687 019.26
57 30	2 422 292.19	671 635.74	2 422 024.20	686 815.19
98 00 00	2 410 880.04	671 436.99	2 410 619.29	686 616.56

LONGITUDE	LATITUDE 41 35 00 X	LATITUDE 41 35 00 Y	LATITUDE 41 37 30 X	LATITUDE 41 37 30 Y
97 00 00	2 683 871.09	708 061.27	2 683 436.53	723 237.30
02 30	2 672 476.27	707 737.71	2 672 048.95	722 913.94
05 00	2 661 081.31	707 419.58	2 660 661.23	722 596.01
07 30	2 649 686.19	707 106.88	2 649 273.35	722 283.52
97 10 00	2 638 290.93	706 799.63	2 637 885.33	721 976.46
12 30	2 626 895.51	706 497.81	2 626 497.16	721 674.84
15 00	2 615 499.95	706 201.43	2 615 108.84	721 378.65
17 30	2 604 104.26	705 910.49	2 603 720.39	721 087.89
97 20 00	2 592 708.43	705 624.98	2 592 331.80	720 802.56
22 30	2 581 312.47	705 344.91	2 580 943.08	720 522.66
25 00	2 569 916.36	705 070.27	2 569 554.21	720 248.20
27 30	2 558 520.13	704 801.08	2 558 165.22	719 979.18
97 30 00	2 547 123.78	704 537.33	2 546 776.11	719 715.59
32 30	2 535 727.29	704 279.01	2 535 386.87	719 457.44
35 00	2 524 330.70	704 026.12	2 523 997.52	719 204.71
37 30	2 512 933.97	703 778.67	2 512 608.03	718 957.42
97 40 00	2 501 537.13	703 536.66	2 501 218.43	718 715.57
42 30	2 490 140.18	703 300.09	2 489 828.73	718 479.15
45 00	2 478 743.11	703 068.97	2 478 438.90	718 248.17
47 30	2 467 345.94	702 843.27	2 467 048.97	718 022.62
97 50 00	2 455 948.66	702 623.01	2 455 658.93	717 802.50
52 30	2 444 551.27	702 408.19	2 444 268.78	717 587.81
55 00	2 433 153.79	702 198.81	2 432 878.55	717 378.56
57 30	2 421 756.20	701 994.86	2 421 488.20	717 174.75
98 00 00	2 410 358.53	701 796.36	2 410 097.77	716 976.37

LONGITUDE	LATITUDE 41 40 00 X	LATITUDE 41 40 00 Y	LATITUDE 41 42 30 X	LATITUDE 41 42 30 Y
97 00 00	2 683 001.97	738 413.57	2 682 567.39	753 590.09
02 30	2 671 621.63	738 090.42	2 671 194.30	753 267.14
05 00	2 660 241.15	737 772.69	2 659 821.06	752 949.62
07 30	2 648 860.51	737 460.40	2 648 447.66	752 637.52
97 10 00	2 637 479.73	737 153.53	2 637 074.12	752 330.85
12 30	2 626 098.80	736 852.10	2 625 700.43	752 029.61
15 00	2 614 717.72	736 556.10	2 614 326.59	751 733.80
17 30	2 603 336.51	736 265.52	2 602 952.63	751 443.41
97 20 00	2 591 955.16	735 980.38	2 591 578.52	751 158.44
22 30	2 580 573.68	735 700.66	2 580 204.28	750 878.91
25 00	2 569 192.06	735 426.37	2 568 829.90	750 604.79
27 30	2 557 810.31	735 157.52	2 557 455.39	750 336.12
97 30 00	2 546 428.44	734 894.10	2 546 080.77	750 072.86
32 30	2 535 046.44	734 636.11	2 534 706.01	749 815.04
35 00	2 523 664.33	734 383.55	2 523 331.14	749 562.63
37 30	2 512 282.09	734 136.42	2 511 956.14	749 315.66
97 40 00	2 500 899.73	733 894.71	2 500 581.02	749 074.11
42 30	2 489 517.27	733 658.44	2 489 205.80	748 837.99
45 00	2 478 134.68	733 427.61	2 477 830.46	748 607.30
47 30	2 466 752.00	733 202.20	2 466 455.02	748 382.04
97 50 00	2 455 369.20	732 982.22	2 455 079.46	748 162.20
52 30	2 443 986.29	732 767.67	2 443 703.80	747 947.78
55 00	2 432 603.30	732 558.55	2 432 328.05	747 738.80
57 30	2 421 220.20	732 354.87	2 420 952.19	747 535.25
98 00 00	2 409 837.01	732 156.62	2 409 576.24	747 337.12

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 30 00 X	LATITUDE 41 30 00 Y	LATITUDE 41 32 30 X	LATITUDE 41 32 30 Y
98 00 00	2 410 880.04	671 436.99	2 410 619.29	686 616.56
02 30	2 399 467.77	671 243.68	2 399 214.26	686 423.37
05 00	2 388 055.42	671 055.81	2 387 809.15	686 235.62
07 30	2 376 642.99	670 873.38	2 376 403.96	686 053.31
98 10 00	2 365 230.46	670 696.40	2 364 998.68	685 876.44
12 30	2 353 817.86	670 524.87	2 353 593.32	685 705.02
15 00	2 342 405.17	670 358.78	2 342 187.87	685 539.04
17 30	2 330 992.40	670 198.14	2 330 782.35	685 378.50
98 20 00	2 319 579.57	670 042.94	2 319 376.76	685 223.40
22 30	2 308 166.65	669 893.19	2 307 971.08	685 073.74
25 00	2 296 753.67	669 748.88	2 296 565.35	684 929.52
27 30	2 285 340.62	669 610.02	2 285 159.54	684 790.75
98 30 00	2 273 927.50	669 476.60	2 273 753.66	684 657.41
32 30	2 262 514.33	669 348.63	2 262 347.73	684 529.53
35 00	2 251 101.08	669 226.11	2 250 941.73	684 407.08
37 30	2 239 687.80	669 109.03	2 239 535.69	684 290.07
98 40 00	2 228 274.44	668 997.39	2 228 129.58	684 178.51
42 30	2 216 861.04	668 891.19	2 216 723.41	684 072.38
45 00	2 205 447.59	668 790.45	2 205 317.21	683 971.70
47 30	2 194 034.09	668 695.16	2 193 910.95	683 876.47
98 50 00	2 182 620.56	668 605.31	2 182 504.66	683 786.67
52 30	2 171 206.97	668 520.90	2 171 098.32	683 702.32
55 00	2 159 793.34	668 441.93	2 159 691.94	683 623.40
57 30	2 148 379.69	668 368.41	2 148 285.53	683 549.93
99 00 00	2 136 965.99	668 300.34	2 136 879.07	683 481.90

LONGITUDE	LATITUDE 41 35 00 X	LATITUDE 41 35 00 Y	LATITUDE 41 37 30 X	LATITUDE 41 37 30 Y
98 00 00	2 410 358.53	701 796.36	2 410 097.77	716 976.37
02 30	2 398 960.75	701 603.29	2 398 707.24	716 783.43
05 00	2 387 562.88	701 415.66	2 387 316.61	716 595.91
07 30	2 376 164.94	701 233.47	2 375 925.91	716 413.84
98 10 00	2 364 766.89	701 056.71	2 364 535.11	716 237.19
12 30	2 353 368.78	700 885.40	2 353 144.24	716 065.99
15 00	2 341 970.57	700 719.52	2 341 753.27	715 900.22
17 30	2 330 572.29	700 559.08	2 330 362.23	715 739.88
98 20 00	2 319 173.95	700 404.08	2 318 971.13	715 584.98
22 30	2 307 775.51	700 254.52	2 307 579.94	715 435.51
25 00	2 296 377.02	700 110.39	2 296 188.69	715 291.47
27 30	2 284 978.45	699 971.71	2 284 797.37	715 152.88
98 30 00	2 273 579.82	699 838.46	2 273 405.98	715 019.71
32 30	2 262 181.13	699 710.65	2 262 014.53	714 891.99
35 00	2 250 782.38	699 588.28	2 250 623.02	714 769.70
37 30	2 239 383.58	699 471.35	2 239 231.46	714 652.84
98 40 00	2 227 984.71	699 359.85	2 227 839.84	714 541.41
42 30	2 216 585.79	699 253.80	2 216 448.16	714 435.42
45 00	2 205 186.83	699 153.18	2 205 056.45	714 334.87
47 30	2 193 787.81	699 058.01	2 193 664.67	714 239.76
98 50 00	2 182 388.77	698 968.27	2 182 272.87	714 150.08
52 30	2 170 989.67	698 883.97	2 170 881.01	714 065.83
55 00	2 159 590.53	698 805.10	2 159 489.12	713 987.01
57 30	2 148 191.36	698 731.68	2 148 097.19	713 913.64
99 00 00	2 136 792.15	698 663.69	2 136 705.23	713 845.69

LONGITUDE	LATITUDE 41 40 00 X	LATITUDE 41 40 00 Y	LATITUDE 41 42 30 X	LATITUDE 41 42 30 Y
98 00 00	2 409 837.01	732 156.62	2 409 576.24	747 337.12
02 30	2 398 453.72	731 963.80	2 398 200.19	747 144.42
05 00	2 387 070.33	731 776.41	2 386 824.05	746 957.15
07 30	2 375 686.87	731 594.45	2 375 447.84	746 775.30
98 10 00	2 364 303.32	731 417.91	2 364 071.52	746 598.88
12 30	2 352 919.69	731 246.81	2 352 695.14	746 427.89
15 00	2 341 535.97	731 081.15	2 341 318.66	746 262.34
17 30	2 330 152.17	730 920.92	2 329 942.11	746 102.20
98 20 00	2 318 768.31	730 766.11	2 318 565.49	745 947.50
22 30	2 307 384.36	730 616.74	2 307 188.78	745 798.22
25 00	2 296 000.36	730 472.80	2 295 812.02	745 654.37
27 30	2 284 616.28	730 334.29	2 284 435.18	745 515.95
98 30 00	2 273 232.13	730 201.21	2 273 058.28	745 382.95
32 30	2 261 847.93	730 073.57	2 261 681.33	745 255.39
35 00	2 250 463.66	729 951.35	2 250 304.30	745 133.25
37 30	2 239 079.35	729 834.57	2 238 927.23	745 016.54
98 40 00	2 227 694.96	729 723.21	2 227 550.09	744 905.26
42 30	2 216 310.53	729 617.29	2 216 172.90	744 799.40
45 00	2 204 926.06	729 516.80	2 204 795.67	744 698.98
47 30	2 193 541.53	729 421.75	2 193 418.39	744 603.99
98 50 00	2 182 156.97	729 332.13	2 182 041.07	744 514.42
52 30	2 170 772.36	729 247.93	2 170 663.70	744 430.28
55 00	2 159 387.71	729 169.17	2 159 286.29	744 351.57
57 30	2 148 003.03	729 095.84	2 147 908.86	744 278.28
99 00 00	2 136 618.30	729 027.94	2 136 531.38	744 210.43

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 30 00 X	Y	LATITUDE 41 32 30 X	Y
99 00 00	2 136 965.99	668 300.34	2 136 879.07	683 481.90
02 30	2 125 552.28	668 237.72	2 125 472.60	683 419.32
05 00	2 114 138.52	668 180.54	2 114 066.09	683 362.18
07 30	2 102 724.74	668 128.81	2 102 659.55	683 310.48
99 10 00	2 091 310.94	668 082.52	2 091 253.00	683 264.22
12 30	2 079 897.12	668 041.67	2 079 846.41	683 223.40
15 00	2 068 483.28	668 006.27	2 068 439.82	683 188.02
17 30	2 057 069.42	667 976.32	2 057 033.20	683 158.09
99 20 00	2 045 655.55	667 951.82	2 045 626.57	683 133.61
22 30	2 034 241.68	667 932.76	2 034 219.95	683 114.56
25 00	2 022 827.78	667 919.15	2 022 813.30	683 100.95
27 30	2 011 413.90	667 910.98	2 011 406.66	683 092.79
99 30 00	2 000 000.00	667 908.25	2 000 000.00	683 090.06
32 30	1 988 586.10	667 910.98	1 988 593.34	683 092.79
35 00	1 977 172.22	667 919.15	1 977 186.70	683 100.95
37 30	1 965 758.32	667 932.76	1 965 780.05	683 114.56
99 40 00	1 954 344.45	667 951.82	1 954 373.43	683 133.61
42 30	1 942 930.58	667 976.32	1 942 966.80	683 158.09
45 00	1 931 516.72	668 006.27	1 931 560.18	683 188.02
47 30	1 920 102.88	668 041.67	1 920 153.59	683 223.40
99 50 00	1 908 689.06	668 082.52	1 908 747.00	683 264.22
52 30	1 897 275.26	668 128.81	1 897 340.45	683 310.48
55 00	1 885 861.48	668 180.54	1 885 933.91	683 362.18
57 30	1 874 447.72	668 237.72	1 874 527.40	683 419.32
100 00 00	1 863 034.01	668 300.34	1 863 120.93	683 481.90

LONGITUDE	LATITUDE 41 35 00 X	Y	LATITUDE 41 37 30 X	Y
99 00 00	2 136 792.15	698 663.69	2 136 705.23	713 845.69
02 30	2 125 392.92	698 601.15	2 125 313.24	713 783.19
05 00	2 113 993.65	698 544.05	2 113 921.22	713 726.12
07 30	2 102 594.36	698 492.38	2 102 529.16	713 674.49
99 10 00	2 091 195.05	698 446.14	2 091 137.10	713 628.28
12 30	2 079 795.71	698 405.35	2 079 745.00	713 587.52
15 00	2 068 396.36	698 370.00	2 068 352.90	713 552.19
17 30	2 056 996.99	698 340.09	2 056 960.77	713 522.30
99 20 00	2 045 597.60	698 315.62	2 045 568.63	713 497.84
22 30	2 034 198.22	698 296.58	2 034 176.49	713 478.82
25 00	2 022 798.81	698 282.98	2 022 784.32	713 465.23
27 30	2 011 399.41	698 274.82	2 011 392.17	713 457.07
99 30 00	2 000 000.00	698 272.10	2 000 000.00	713 454.35
32 30	1 988 600.59	698 274.82	1 988 607.83	713 457.07
35 00	1 977 201.19	698 282.98	1 977 215.68	713 465.23
37 30	1 965 801.78	698 296.58	1 965 823.51	713 478.82
99 40 00	1 954 402.40	698 315.62	1 954 431.37	713 497.84
42 30	1 943 003.01	698 340.09	1 943 039.23	713 522.30
45 00	1 931 603.64	698 370.00	1 931 647.10	713 552.19
47 30	1 920 204.29	698 405.35	1 920 255.00	713 587.52
99 50 00	1 908 804.95	698 446.14	1 908 862.90	713 628.28
52 30	1 897 405.64	698 492.38	1 897 470.84	713 674.49
55 00	1 886 006.35	698 544.05	1 886 078.78	713 726.12
57 30	1 874 607.08	698 601.15	1 874 686.76	713 783.19
100 00 00	1 863 207.85	698 663.69	1 863 294.77	713 845.69

LONGITUDE	LATITUDE 41 40 00 X	Y	LATITUDE 41 42 30 X	Y
99 00 00	2 136 618.30	729 027.94	2 136 531.38	744 210.43
02 30	2 125 233.56	728 965.47	2 125 153.88	744 148.01
05 00	2 113 848.78	728 908.44	2 113 776.34	744 091.01
07 30	2 102 463.97	728 856.84	2 102 398.77	744 039.44
99 10 00	2 091 079.15	728 810.66	2 091 021.20	743 993.29
12 30	2 079 694.30	728 769.92	2 079 643.59	743 952.58
15 00	2 068 309.44	728 734.62	2 068 265.97	743 917.29
17 30	2 056 924.55	728 704.74	2 056 888.33	743 887.44
99 20 00	2 045 539.65	728 680.30	2 045 510.68	743 863.01
22 30	2 034 154.75	728 661.29	2 034 133.02	743 844.02
25 00	2 022 769.84	728 647.71	2 022 755.35	743 830.44
27 30	2 011 384.93	728 639.56	2 011 377.68	743 822.30
99 30 00	2 000 000.00	728 636.84	2 000 000.00	743 819.58
32 30	1 988 615.07	728 639.56	1 988 622.32	743 822.30
35 00	1 977 230.16	728 647.71	1 977 244.65	743 830.44
37 30	1 965 845.25	728 661.29	1 965 866.98	743 844.02
99 40 00	1 954 460.35	728 680.30	1 954 489.32	743 863.01
42 30	1 943 075.45	728 704.74	1 943 111.67	743 887.44
45 00	1 931 690.56	728 734.62	1 931 734.03	743 917.29
47 30	1 920 305.70	728 769.92	1 920 356.41	743 952.58
99 50 00	1 908 920.85	728 810.66	1 908 978.80	743 993.29
52 30	1 897 536.03	728 856.84	1 897 601.23	744 039.44
55 00	1 886 151.22	728 908.44	1 886 223.66	744 091.01
57 30	1 874 766.44	728 965.47	1 874 846.12	744 148.01
100 00 00	1 863 381.70	729 027.94	1 863 468.62	744 210.43

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 30 00 X	LATITUDE 41 30 00 Y	LATITUDE 41 32 30 X	LATITUDE 41 32 30 Y
100 00 00	1 863 034.01	668 300.34	1 863 120.93	683 481.90
02 30	1 851 620.31	668 368.41	1 851 714.47	683 549.93
05 00	1 840 206.66	668 441.93	1 840 308.06	683 623.40
07 30	1 828 793.03	668 520.90	1 828 901.68	683 702.32
100 10 00	1 817 379.44	668 605.31	1 817 495.34	683 786.67
12 30	1 805 965.91	668 695.16	1 806 089.05	683 876.47
15 00	1 794 552.41	668 790.45	1 794 682.79	683 971.70
17 30	1 783 138.96	668 891.19	1 783 276.59	684 072.38
100 20 00	1 771 725.56	668 997.39	1 771 870.42	684 178.51
22 30	1 760 312.20	669 109.03	1 760 464.31	684 290.07
25 00	1 748 898.92	669 226.11	1 749 058.27	684 407.08
27 30	1 737 485.67	669 348.63	1 737 652.27	684 529.53
100 30 00	1 726 072.50	669 476.60	1 726 246.34	684 657.41
32 30	1 714 659.38	669 610.02	1 714 840.46	684 790.75
35 00	1 703 246.33	669 748.88	1 703 434.65	684 929.52
37 30	1 691 833.35	669 893.19	1 692 028.92	685 073.74
100 40 00	1 680 420.43	670 042.94	1 680 623.24	685 223.40
42 30	1 669 007.60	670 198.14	1 669 217.65	685 378.50
45 00	1 657 594.83	670 358.78	1 657 812.13	685 539.04
47 30	1 646 182.14	670 524.87	1 646 406.68	685 705.02
100 50 00	1 634 769.54	670 696.40	1 635 001.32	685 876.44
52 30	1 623 357.01	670 873.38	1 623 596.04	686 053.31
55 00	1 611 944.58	671 055.81	1 612 190.85	686 235.62
57 30	1 600 532.23	671 243.68	1 600 785.74	686 423.37
101 00 00	1 589 119.96	671 436.99	1 589 380.71	686 616.56

LONGITUDE	LATITUDE 41 35 00 X	LATITUDE 41 35 00 Y	LATITUDE 41 37 30 X	LATITUDE 41 37 30 Y
100 00 00	1 863 207.85	698 663.69	1 863 294.77	713 845.69
02 30	1 851 808.64	698 731.68	1 851 902.81	713 913.64
05 00	1 840 409.47	698 805.10	1 840 510.88	713 987.01
07 30	1 829 010.33	698 883.97	1 829 118.99	714 065.83
100 10 00	1 817 611.23	698 968.27	1 817 727.13	714 150.08
12 30	1 806 212.19	699 058.01	1 806 335.33	714 239.76
15 00	1 794 813.17	699 153.18	1 794 943.55	714 334.87
17 30	1 783 414.21	699 253.80	1 783 551.84	714 435.42
100 20 00	1 772 015.29	699 359.85	1 772 160.16	714 541.41
22 30	1 760 616.42	699 471.35	1 760 768.54	714 652.84
25 00	1 749 217.62	699 588.28	1 749 376.98	714 769.70
27 30	1 737 818.87	699 710.65	1 737 985.47	714 891.99
100 30 00	1 726 420.18	699 838.46	1 726 594.02	715 019.71
32 30	1 715 021.55	699 971.71	1 715 202.63	715 152.88
35 00	1 703 622.98	700 110.39	1 703 811.31	715 291.47
37 30	1 692 224.49	700 254.52	1 692 420.06	715 435.51
100 40 00	1 680 826.05	700 404.08	1 681 028.87	715 584.98
42 30	1 669 427.71	700 559.08	1 669 637.77	715 739.88
45 00	1 658 029.43	700 719.52	1 658 246.73	715 900.22
47 30	1 646 631.22	700 885.40	1 646 855.76	716 065.99
100 50 00	1 635 233.11	701 056.71	1 635 464.89	716 237.19
52 30	1 623 835.06	701 233.47	1 624 074.09	716 413.84
55 00	1 612 437.12	701 415.66	1 612 683.39	716 595.91
57 30	1 601 039.25	701 603.29	1 601 292.76	716 783.43
101 00 00	1 589 641.47	701 796.36	1 589 902.23	716 976.37

LONGITUDE	LATITUDE 41 40 00 X	LATITUDE 41 40 00 Y	LATITUDE 41 42 30 X	LATITUDE 41 42 30 Y
100 00 00	1 863 381.70	729 027.94	1 863 468.62	744 210.43
02 30	1 851 996.97	729 095.84	1 852 091.14	744 278.28
05 00	1 840 612.29	729 169.17	1 840 713.71	744 351.57
07 30	1 829 227.64	729 247.93	1 829 336.30	744 430.28
100 10 00	1 817 843.03	729 332.13	1 817 958.93	744 514.42
12 30	1 806 458.47	729 421.75	1 806 581.61	744 603.99
15 00	1 795 073.94	729 516.80	1 795 204.33	744 698.98
17 30	1 783 689.47	729 617.29	1 783 827.10	744 799.40
100 20 00	1 772 305.04	729 723.21	1 772 449.91	744 905.26
22 30	1 760 920.65	729 834.57	1 761 072.77	745 016.54
25 00	1 749 536.34	729 951.35	1 749 695.70	745 133.25
27 30	1 738 152.07	730 073.57	1 738 318.67	745 255.39
100 30 00	1 726 767.87	730 201.21	1 726 941.72	745 382.95
32 30	1 715 383.72	730 334.29	1 715 564.82	745 515.95
35 00	1 703 999.64	730 472.80	1 704 187.98	745 654.37
37 30	1 692 615.64	730 616.74	1 692 811.22	745 798.22
100 40 00	1 681 231.69	730 766.11	1 681 434.51	745 947.50
42 30	1 669 847.83	730 920.92	1 670 057.89	746 102.20
45 00	1 658 464.03	731 081.15	1 658 681.34	746 262.34
47 30	1 647 080.31	731 246.81	1 647 304.86	746 427.89
100 50 00	1 635 696.68	731 417.91	1 635 928.48	746 598.88
52 30	1 624 313.13	731 594.45	1 624 552.16	746 775.30
55 00	1 612 929.67	731 776.41	1 613 175.95	746 957.15
57 30	1 601 546.28	731 963.80	1 601 799.81	747 144.42
101 00 00	1 590 162.99	732 156.62	1 590 423.76	747 337.12

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 30 00 X	LATITUDE 41 30 00 Y	LATITUDE 41 32 30 X	LATITUDE 41 32 30 Y
101 00 00	1 589 119.96	671 436.99	1 589 380.71	686 616.56
02 30	1 577 707.81	671 635.74	1 577 975.80	686 815.19
05 00	1 566 295.74	671 839.95	1 566 570.97	687 019.26
07 30	1 554 883.77	672 049.60	1 555 166.25	687 228.78
101 10 00	1 543 471.90	672 264.69	1 543 761.62	687 443.74
12 30	1 532 060.13	672 485.23	1 532 357.09	687 664.13
15 00	1 520 648.48	672 711.21	1 520 952.68	687 889.97
17 30	1 509 236.92	672 942.63	1 509 548.37	688 121.25
101 20 00	1 497 825.49	673 179.50	1 498 144.18	688 357.97
22 30	1 486 414.17	673 421.82	1 486 740.10	688 600.13
25 00	1 475 002.96	673 669.58	1 475 336.13	688 847.74
27 30	1 463 591.88	673 922.79	1 463 932.29	689 100.78
101 30 00	1 452 180.91	674 181.44	1 452 528.56	689 359.27
32 30	1 440 770.08	674 445.53	1 441 124.97	689 623.19
35 00	1 429 359.36	674 715.06	1 429 721.50	689 892.55
37 30	1 417 948.77	674 990.05	1 418 318.15	690 167.36
101 40 00	1 406 538.33	675 270.48	1 406 914.95	690 447.61
42 30	1 395 128.01	675 556.35	1 395 511.87	690 733.30
45 00	1 383 717.84	675 847.66	1 384 108.94	691 024.43
47 30	1 372 307.80	676 144.42	1 372 706.14	691 321.00
101 50 00	1 360 897.90	676 446.62	1 361 303.48	691 623.01
52 30	1 349 488.16	676 754.26	1 349 900.98	691 930.46
55 00	1 338 078.55	677 067.35	1 338 498.62	692 243.35
57 30	1 326 669.11	677 385.89	1 327 096.42	692 561.68
102 00 00	1 315 259.81	677 709.86	1 315 694.35	692 885.45

LONGITUDE	LATITUDE 41 35 00 X	LATITUDE 41 35 00 Y	LATITUDE 41 37 30 X	LATITUDE 41 37 30 Y
101 00 00	1 589 641.47	701 796.36	1 589 902.23	716 976.37
02 30	1 578 243.80	701 994.86	1 578 511.80	717 174.75
05 00	1 566 846.21	702 198.81	1 567 121.45	717 378.56
07 30	1 555 448.73	702 408.19	1 555 731.22	717 587.81
101 10 00	1 544 051.34	702 623.01	1 544 341.07	717 802.50
12 30	1 532 654.06	702 843.27	1 532 951.03	718 022.62
15 00	1 521 256.89	703 068.97	1 521 561.10	718 248.17
17 30	1 509 859.82	703 300.09	1 510 171.27	718 479.15
101 20 00	1 498 462.87	703 536.66	1 498 781.57	718 715.57
22 30	1 487 066.03	703 778.67	1 487 391.97	718 957.42
25 00	1 475 669.30	704 026.12	1 476 002.48	719 204.71
27 30	1 464 272.71	704 279.01	1 464 613.13	719 457.44
101 30 00	1 452 876.22	704 537.33	1 453 223.89	719 715.59
32 30	1 441 479.87	704 801.08	1 441 834.78	719 979.18
35 00	1 430 083.64	705 070.27	1 430 445.79	720 248.20
37 30	1 418 687.53	705 344.91	1 419 056.92	720 522.66
101 40 00	1 407 291.57	705 624.98	1 407 668.20	720 802.56
42 30	1 395 895.74	705 910.49	1 396 279.61	721 087.89
45 00	1 384 500.05	706 201.43	1 384 891.16	721 378.65
47 30	1 373 104.49	706 497.81	1 373 502.84	721 674.84
101 50 00	1 361 709.07	706 799.63	1 362 114.67	721 976.46
52 30	1 350 313.81	707 106.88	1 350 726.65	722 283.52
55 00	1 338 918.69	707 419.58	1 339 338.77	722 596.01
57 30	1 327 523.73	707 737.71	1 327 951.05	722 913.94
102 00 00	1 316 128.91	708 061.27	1 316 563.47	723 237.30

LONGITUDE	LATITUDE 41 40 00 X	LATITUDE 41 40 00 Y	LATITUDE 41 42 30 X	LATITUDE 41 42 30 Y
101 00 00	1 590 162.99	732 156.62	1 590 423.76	747 337.12
02 30	1 578 779.80	732 354.87	1 579 047.81	747 535.25
05 00	1 567 396.70	732 558.55	1 567 671.95	747 738.80
07 30	1 556 013.71	732 767.67	1 556 296.20	747 947.78
101 10 00	1 544 630.80	732 982.22	1 544 920.54	748 162.20
12 30	1 533 248.00	733 202.20	1 533 544.98	748 382.04
15 00	1 521 865.32	733 427.61	1 522 169.54	748 607.30
17 30	1 510 482.73	733 658.44	1 510 794.20	748 837.99
101 20 00	1 499 100.27	733 894.71	1 499 418.98	749 074.11
22 30	1 487 717.91	734 136.42	1 488 043.86	749 315.66
25 00	1 476 335.67	734 383.55	1 476 668.86	749 562.63
27 30	1 464 953.56	734 636.11	1 465 293.99	749 815.04
101 30 00	1 453 571.56	734 894.10	1 453 919.23	750 072.86
32 30	1 442 189.69	735 157.52	1 442 544.61	750 336.12
35 00	1 430 807.94	735 426.37	1 431 170.10	750 604.79
37 30	1 419 426.32	735 700.66	1 419 795.72	750 878.91
101 40 00	1 408 044.84	735 980.38	1 408 421.48	751 158.44
42 30	1 396 663.49	736 265.52	1 397 047.37	751 443.41
45 00	1 385 282.28	736 556.10	1 385 673.41	751 733.80
47 30	1 373 901.20	736 852.10	1 374 299.57	752 029.61
101 50 00	1 362 520.27	737 153.53	1 362 925.88	752 330.85
52 30	1 351 139.49	737 460.40	1 351 552.34	752 637.52
55 00	1 339 758.85	737 772.69	1 340 178.94	752 949.62
57 30	1 328 378.37	738 090.42	1 328 805.70	753 267.14
102 00 00	1 316 998.03	738 413.57	1 317 432.61	753 590.09

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 41 30 00 X	LATITUDE 41 30 00 Y	LATITUDE 41 32 30 X	LATITUDE 41 32 30 Y
102 00 00	1 315 259.81	677 709.86	1 315 694.35	692 885.45
02 30	1 303 850.66	678 039.28	1 304 292.45	693 214.66
05 00	1 292 441.69	678 374.14	1 292 890.72	693 549.31
07 30	1 281 032.86	678 714.44	1 281 489.13	693 889.40
102 10 00	1 269 624.21	679 060.20	1 270 087.72	694 234.93
12 30	1 258 215.72	679 411.39	1 258 686.46	694 585.90
15 00	1 246 807.39	679 768.03	1 247 285.38	694 942.31
17 30	1 235 399.25	680 130.11	1 235 884.47	695 304.16
102 20 00	1 223 991.26	680 497.63	1 224 483.73	695 671.45
22 30	1 212 583.47	680 870.59	1 213 083.18	696 044.18
25 00	1 201 175.85	681 249.00	1 201 682.79	696 422.34
27 30	1 189 768.40	681 632.85	1 190 282.59	696 805.95
102 30 00	1 178 361.15	682 022.15	1 178 882.58	697 195.00
32 30	1 166 954.08	682 416.88	1 167 482.75	697 589.48
35 00	1 155 547.21	682 817.06	1 156 083.11	697 989.41
37 30	1 144 140.52	683 222.68	1 144 683.66	698 394.77
102 40 00	1 132 734.03	683 633.74	1 133 284.41	698 805.57
42 30	1 121 327.74	684 050.24	1 121 885.36	699 221.81
45 00	1 109 921.64	684 472.19	1 110 486.50	699 643.49
47 30	1 098 515.76	684 899.58	1 099 087.85	700 070.61
102 50 00	1 087 110.07	685 332.41	1 087 689.40	700 503.16
52 30	1 075 704.59	685 770.68	1 076 291.16	700 941.15
55 00	1 064 299.32	686 214.39	1 064 893.13	701 384.58
57 30	1 052 894.27	686 663.55	1 053 495.31	701 833.46
103 00 00	1 041 489.43	687 118.15	1 042 097.72	702 287.76

LONGITUDE	LATITUDE 41 35 00 X	LATITUDE 41 35 00 Y	LATITUDE 41 37 30 X	LATITUDE 41 37 30 Y
102 00 00	1 316 128.91	708 061.27	1 316 563.47	723 237.30
02 30	1 304 734.24	708 390.27	1 305 176.04	723 566.09
05 00	1 293 339.75	708 724.71	1 293 788.79	723 900.32
07 30	1 281 945.40	709 064.58	1 282 401.68	724 239.97
102 10 00	1 270 551.23	709 409.89	1 271 014.75	724 585.07
12 30	1 259 157.22	709 760.64	1 259 627.98	724 935.59
15 00	1 247 763.37	710 116.83	1 248 241.37	725 291.55
17 30	1 236 369.71	710 478.45	1 236 854.95	725 652.94
102 20 00	1 224 976.20	710 845.50	1 225 468.69	726 019.76
22 30	1 213 582.89	711 217.99	1 214 082.61	726 392.01
25 00	1 202 189.75	711 595.92	1 202 696.71	726 769.70
27 30	1 190 796.78	711 979.28	1 191 310.98	727 152.82
102 30 00	1 179 404.01	712 368.08	1 179 925.45	727 541.38
32 30	1 168 011.42	712 762.32	1 168 540.10	727 935.36
35 00	1 156 619.02	713 161.99	1 157 154.94	728 334.77
37 30	1 145 226.81	713 567.09	1 145 769.97	728 739.62
102 40 00	1 133 834.79	713 977.63	1 134 385.19	729 149.90
42 30	1 122 442.98	714 393.60	1 123 000.62	729 565.61
45 00	1 111 051.36	714 815.02	1 111 616.24	729 986.76
47 30	1 099 659.96	715 241.86	1 100 232.07	730 413.33
102 50 00	1 088 268.74	715 674.14	1 088 848.09	730 845.34
52 30	1 076 877.74	716 111.86	1 077 464.33	731 282.77
55 00	1 065 486.95	716 555.00	1 066 080.78	731 725.64
57 30	1 054 096.37	717 003.59	1 054 697.43	732 173.94
103 00 00	1 042 706.01	717 457.61	1 043 314.32	732 627.67

LONGITUDE	LATITUDE 41 40 00 X	LATITUDE 41 40 00 Y	LATITUDE 41 42 30 X	LATITUDE 41 42 30 Y
102 00 00	1 316 998.03	738 413.57	1 317 432.61	753 590.09
02 30	1 305 617.85	738 742.16	1 306 059.66	753 918.47
05 00	1 294 237.84	739 076.17	1 294 686.89	754 252.26
07 30	1 282 857.97	739 415.60	1 283 314.27	754 591.48
102 10 00	1 271 478.28	739 760.48	1 271 941.82	754 936.14
12 30	1 260 098.75	740 110.78	1 260 569.52	755 286.22
15 00	1 248 719.38	740 466.52	1 249 197.40	755 641.73
17 30	1 237 340.20	740 827.67	1 237 825.45	756 002.66
102 20 00	1 225 961.17	741 194.26	1 226 453.67	756 369.01
22 30	1 214 582.34	741 566.28	1 215 082.08	756 740.79
25 00	1 203 203.67	741 943.73	1 203 710.65	757 118.00
27 30	1 191 825.19	742 326.60	1 192 339.40	757 500.63
102 30 00	1 180 446.90	742 714.91	1 180 968.35	757 888.69
32 30	1 169 068.78	743 108.64	1 169 597.48	758 282.17
35 00	1 157 690.87	743 507.80	1 158 226.80	758 681.08
37 30	1 146 313.14	743 912.39	1 146 856.31	759 085.41
102 40 00	1 134 935.60	744 322.41	1 135 486.01	759 495.17
42 30	1 123 558.26	744 737.86	1 124 115.92	759 910.35
45 00	1 112 181.12	745 158.73	1 112 746.01	760 330.96
47 30	1 100 804.19	745 585.04	1 101 376.32	760 756.99
102 50 00	1 089 427.45	746 016.77	1 090 006.82	761 188.45
52 30	1 078 050.92	746 453.92	1 078 637.53	761 625.33
55 00	1 066 674.61	746 896.51	1 067 268.46	762 067.63
57 30	1 055 298.51	747 344.53	1 055 899.59	762 515.36
103 00 00	1 043 922.63	747 797.97	1 044 530.95	762 968.52

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 30 00 X	LATITUDE 41 30 00 Y	LATITUDE 41 32 30 X	LATITUDE 41 32 30 Y
103 00 00	1 041 489.43	687 118.15	1 042 097.72	702 287.76
02 30	1 030 084.81	687 578.18	1 030 700.33	702 747.51
05 00	1 018 680.41	688 043.66	1 019 303.17	703 212.69
07 30	1 007 276.23	688 514.58	1 007 906.23	703 683.31
103 10 00	995 872.28	688 990.94	996 509.52	704 159.37
12 30	984 468.57	689 472.74	985 113.04	704 640.87
15 00	973 065.07	689 959.99	973 716.78	705 127.80
17 30	961 661.81	690 452.67	962 320.75	705 620.18
103 20 00	950 258.79	690 950.80	950 924.98	706 117.98
22 30	938 856.01	691 454.36	939 529.43	706 621.23
25 00	927 453.48	691 963.36	928 134.13	707 129.91
27 30	916 051.18	692 477.81	916 739.07	707 644.02
103 30 00	904 649.12	692 997.69	905 344.25	708 163.58
32 30	893 247.33	693 523.02	893 949.69	708 688.58
35 00	881 845.78	694 053.79	882 555.37	709 219.01
37 30	870 444.49	694 589.99	871 161.32	709 754.87
103 40 00	859 043.45	695 131.63	859 767.52	710 296.17
42 30	847 642.67	695 678.72	848 373.97	710 842.90
45 00	836 242.16	696 231.24	836 980.70	711 395.08
47 30	824 841.91	696 789.21	825 587.68	711 952.69
103 50 00	813 441.93	697 352.61	814 194.94	712 515.73
52 30	802 042.22	697 921.45	802 802.46	713 084.21
55 00	790 642.77	698 495.73	791 410.25	713 658.13
57 30	779 243.61	699 075.44	780 018.32	714 237.47
104 00 00	767 844.73	699 660.60	768 626.67	714 822.26

LONGITUDE	LATITUDE 41 35 00 X	LATITUDE 41 35 00 Y	LATITUDE 41 37 30 X	LATITUDE 41 37 30 Y
103 00 00	1 042 706.01	717 457.61	1 043 314.32	732 627.67
02 30	1 031 315.86	717 917.07	1 031 921.40	733 086.84
05 00	1 019 925.94	718 381.95	1 020 548.71	733 551.43
07 30	1 008 536.24	718 852.28	1 009 166.25	734 021.45
103 10 00	997 146.76	719 328.03	997 784.01	734 496.90
12 30	985 757.52	719 809.22	986 402.01	734 977.79
15 00	974 368.50	720 295.85	975 020.22	735 464.11
17 30	962 979.71	720 787.91	963 638.67	735 955.85
103 20 00	951 591.17	721 285.40	952 257.37	736 453.03
22 30	940 202.85	721 788.32	940 876.29	736 955.63
25 00	928 814.79	722 296.68	929 495.47	737 463.66
27 30	917 426.97	722 810.47	918 114.88	737 977.13
103 30 00	906 039.39	723 329.70	906 734.53	738 496.03
32 30	894 652.06	723 854.36	895 354.44	739 020.36
35 00	883 264.98	724 384.45	883 974.60	739 550.11
37 30	871 878.17	724 919.98	872 595.02	740 085.29
103 40 00	860 491.60	725 460.93	861 215.68	740 625.90
42 30	849 105.28	726 007.32	849 836.61	741 171.94
45 00	837 719.25	726 559.14	838 457.81	741 723.42
47 30	826 333.46	727 116.40	827 079.26	742 280.32
103 50 00	814 947.96	727 679.09	815 700.99	742 842.65
52 30	803 562.71	728 247.21	804 322.98	743 410.41
55 00	792 177.74	728 820.75	792 945.23	743 983.59
57 30	780 793.04	729 399.73	781 567.78	744 562.20
104 00 00	769 408.62	729 984.15	770 190.59	745 146.25

LONGITUDE	LATITUDE 41 40 00 X	LATITUDE 41 40 00 Y	LATITUDE 41 42 30 X	LATITUDE 41 42 30 Y
103 00 00	1 043 922.63	747 797.97	1 044 530.95	762 968.52
02 30	1 032 546.95	748 256.84	1 033 162.51	763 437.10
05 00	1 021 171.50	748 721.14	1 021 794.30	763 891.10
07 30	1 009 796.28	749 190.86	1 010 426.31	764 360.52
103 10 00	998 421.28	749 666.01	999 058.55	764 835.37
12 30	987 046.51	750 146.59	987 691.02	765 315.65
15 00	975 671.96	750 632.60	976 323.71	765 801.34
17 30	964 297.65	751 124.03	964 956.63	766 292.47
103 20 00	952 923.58	751 620.89	953 589.80	766 789.01
22 30	941 549.74	752 123.18	942 223.20	767 290.97
25 00	930 176.15	752 630.89	930 856.85	767 798.36
27 30	918 802.80	753 144.03	919 490.73	768 311.17
103 30 00	907 429.69	753 662.59	908 124.86	768 829.41
32 30	896 056.84	754 186.59	896 759.24	769 353.07
35 00	884 684.23	754 716.01	885 393.87	769 882.15
37 30	873 311.88	755 250.85	874 028.76	770 416.66
103 40 00	861 939.78	755 791.12	862 663.90	770 956.58
42 30	850 567.94	756 336.81	851 299.29	771 501.93
45 00	839 196.38	756 887.93	839 934.96	772 052.70
47 30	827 825.06	757 444.48	828 570.88	772 608.89
103 50 00	816 454.03	758 006.45	817 207.08	773 170.51
52 30	805 083.25	758 573.85	805 843.54	773 737.54
55 00	793 712.74	759 146.67	794 480.27	774 310.00
57 30	782 342.52	759 724.91	783 117.28	774 887.87
104 00 00	770 972.57	760 308.59	771 754.56	775 471.18

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 30 00 X	LATITUDE 41 30 00 Y	LATITUDE 41 32 30 X	LATITUDE 41 32 30 Y
104 00 00	767 844.73	699 660.60	768 626.67	714 832.26
02 30	756 446.13	700 251.20	757 235.30	715 412.48
05 00	745 047.80	700 847.24	745 844.21	716 008.14
07 30	733 649.76	701 448.71	734 453.40	716 609.23
104 10 00	722 252.02	702 055.61	723 062.90	717 215.75
12 30	710 854.56	702 667.96	711 672.67	717 837.71
15 00	699 457.40	703 285.75	700 282.74	718 445.11

LONGITUDE	LATITUDE 41 35 00 X	LATITUDE 41 35 00 Y	LATITUDE 41 37 30 X	LATITUDE 41 37 30 Y
104 00 00	769 408.62	729 984.15	770 190.59	745 146.25
02 30	758 024.49	730 574.00	758 813.69	745 735.72
05 00	746 640.64	731 169.28	747 437.07	746 330.62
07 30	735 257.06	731 769.99	736 060.73	746 930.95
104 10 00	723 873.79	732 376.12	724 684.69	747 536.70
12 30	712 490.79	732 987.69	713 308.92	748 147.88
15 00	701 108.10	733 604.69	701 933.47	748 764.49

LONGITUDE	LATITUDE 41 40 00 X	LATITUDE 41 40 00 Y	LATITUDE 41 42 30 X	LATITUDE 41 42 30 Y
104 00 00	770 972.57	760 308.59	771 754.56	775 471.18
02 30	759 602.91	760 897.69	760 392.13	776 059.90
05 00	748 233.52	761 492.21	749 029.98	776 654.05
07 30	736 864.41	762 092.15	737 668.10	777 253.61
104 10 00	725 495.60	762 697.52	726 306.53	777 858.59
12 30	714 127.07	763 308.31	714 945.23	778 468.99
15 00	702 758.85	763 924.53	703 584.24	779 084.82

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 41 45 00 X	LATITUDE 41 45 00 Y	LATITUDE 41 47 30 X	LATITUDE 41 47 30 Y
97 00 00	2 682 132.82	768 766.84	2 681 698.23	783 943.85
02 30	2 670 766.96	768 444.10	2 670 339.61	783 621.31
05 00	2 659 400.96	768 126.78	2 658 980.86	783 304.19
07 30	2 648 034.80	767 814.88	2 647 621.94	782 992.49
97 10 00	2 636 668.51	767 508.40	2 636 262.89	782 686.21
12 30	2 625 302.06	767 207.35	2 624 903.68	782 385.36
15 00	2 613 935.46	766 911.73	2 613 544.32	782 089.92
17 30	2 602 568.74	766 621.52	2 602 184.84	781 799.90
97 20 00	2 591 201.87	766 336.74	2 590 825.21	781 515.30
22 30	2 579 834.87	766 057.38	2 579 465.46	781 236.12
25 00	2 568 467.74	765 783.44	2 568 105.57	780 962.35
27 30	2 557 100.47	765 514.94	2 556 745.54	780 694.02
97 30 00	2 545 733.09	765 251.85	2 545 385.40	780 431.10
32 30	2 534 365.57	764 994.19	2 534 025.13	780 173.60
35 00	2 522 997.94	764 741.95	2 522 664.74	779 921.52
37 30	2 511 630.19	764 495.13	2 511 304.23	779 674.86
97 40 00	2 500 262.31	764 253.73	2 499 943.59	779 433.61
42 30	2 488 894.33	764 017.76	2 488 582.86	779 197.80
45 00	2 477 526.23	763 787.22	2 477 222.00	778 967.40
47 30	2 466 158.03	763 562.10	2 465 861.04	778 742.43
97 50 00	2 454 789.72	763 342.40	2 454 499.97	778 522.87
52 30	2 443 421.30	763 128.13	2 443 138.80	778 308.73
55 00	2 432 052.79	762 919.27	2 431 777.53	778 100.01
57 30	2 420 684.17	762 715.85	2 420 416.16	777 896.72
98 00 00	2 409 315.47	762 517.85	2 409 054.70	777 698.84

LONGITUDE	LATITUDE 41 50 00 X	LATITUDE 41 50 00 Y	LATITUDE 41 52 30 X	LATITUDE 41 52 30 Y
97 00 00	2 681 263.63	799 121.13	2 680 829.03	814 298.69
02 30	2 669 912.26	798 798.80	2 669 484.90	813 976.56
05 00	2 658 560.74	798 481.88	2 658 140.62	813 659.85
07 30	2 647 209.07	798 170.38	2 646 796.19	813 348.54
97 10 00	2 635 857.26	797 864.29	2 635 451.62	813 042.66
12 30	2 624 505.29	797 563.63	2 624 106.89	812 742.18
15 00	2 613 153.18	797 268.38	2 612 762.02	812 447.12
17 30	2 601 800.94	796 978.55	2 601 417.03	812 157.47
97 20 00	2 590 448.55	796 694.13	2 590 071.88	811 873.23
22 30	2 579 096.04	796 415.12	2 578 726.62	811 594.41
25 00	2 567 743.39	796 141.53	2 567 381.21	811 320.99
27 30	2 556 390.61	795 873.37	2 556 035.66	811 053.00
97 30 00	2 545 037.71	795 610.62	2 544 690.01	810 790.42
32 30	2 533 684.68	795 353.28	2 533 344.22	810 533.25
35 00	2 522 331.53	795 101.36	2 521 998.32	810 281.49
37 30	2 510 978.26	794 854.86	2 510 652.29	810 035.14
97 40 00	2 499 624.87	794 613.77	2 499 306.14	809 794.20
42 30	2 488 271.38	794 378.10	2 487 959.89	809 558.69
45 00	2 476 917.76	794 147.86	2 476 613.52	809 328.59
47 30	2 465 564.05	793 923.02	2 465 267.05	809 103.90
97 50 00	2 454 210.22	793 703.60	2 453 920.46	808 884.62
52 30	2 442 856.29	793 489.60	2 442 573.77	808 670.75
55 00	2 431 502.26	793 281.01	2 431 226.99	808 462.30
57 30	2 420 148.13	793 077.85	2 419 880.11	808 259.26
98 00 00	2 408 793.92	792 880.10	2 408 533.13	808 061.64

LONGITUDE	LATITUDE 41 55 00 X	LATITUDE 41 55 00 Y	LATITUDE 41 57 30 X	LATITUDE 41 57 30 Y
97 00 00	2 680 394.42	829 476.51	2 679 959.80	844 654.62
02 30	2 669 057.53	829 154.59	2 668 630.15	844 332.91
05 00	2 657 720.50	828 838.07	2 657 300.36	844 016.60
07 30	2 646 383.30	828 526.97	2 645 970.41	843 705.69
97 10 00	2 635 045.98	828 221.28	2 634 640.33	843 400.20
12 30	2 623 708.49	827 921.00	2 623 310.08	843 100.11
15 00	2 612 370.86	827 626.12	2 611 979.70	842 805.42
17 30	2 601 033.11	827 336.66	2 600 649.19	842 516.14
97 20 00	2 589 695.21	827 052.60	2 589 318.53	842 232.27
22 30	2 578 357.18	826 773.95	2 577 987.74	841 953.80
25 00	2 567 019.01	826 500.71	2 566 656.82	841 680.73
27 30	2 555 680.72	826 232.89	2 555 325.76	841 413.08
97 30 00	2 544 342.30	825 970.47	2 543 994.59	841 150.83
32 30	2 533 003.76	825 713.47	2 532 663.29	840 893.99
35 00	2 521 665.10	825 461.87	2 521 331.87	840 642.55
37 30	2 510 326.31	825 215.68	2 510 000.33	840 396.52
97 40 00	2 498 987.41	824 974.90	2 498 668.67	840 155.89
42 30	2 487 648.40	824 739.53	2 487 336.90	839 920.68
45 00	2 476 309.27	824 509.58	2 476 005.02	839 690.87
47 30	2 464 970.04	824 285.03	2 464 673.03	839 466.47
97 50 00	2 453 630.70	824 065.89	2 453 340.93	839 247.47
52 30	2 442 291.25	823 852.16	2 442 008.73	839 033.87
55 00	2 430 951.72	823 643.84	2 430 676.44	838 825.69
57 30	2 419 612.07	823 440.94	2 419 344.04	838 622.91
98 00 00	2 408 272.35	823 243.44	2 408 011.55	838 425.54

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 45 00 X	LATITUDE 41 45 00 Y	LATITUDE 41 47 30 X	LATITUDE 41 47 30 Y
98 00 00	2 409 315.47	762 517.85	2 409 054.70	777 698.84
02 30	2 397 946.67	762 325.28	2 397 693.13	777 506.39
05 00	2 386 577.77	762 138.12	2 386 331.48	777 319.35
07 30	2 375 208.79	761 956.39	2 374 969.75	777 137.74
98 10 00	2 363 839.72	761 780.08	2 363 607.92	776 961.54
12 30	2 352 470.58	761 609.20	2 352 246.02	776 790.77
15 00	2 341 101.35	761 443.75	2 340 884.03	776 625.43
17 30	2 329 732.04	761 283.72	2 329 521.96	776 465.50
98 20 00	2 318 362.66	761 129.11	2 318 159.83	776 310.99
22 30	2 306 993.20	760 979.93	2 306 797.62	776 161.90
25 00	2 295 623.68	760 836.17	2 295 435.34	776 018.23
27 30	2 284 254.09	760 697.84	2 284 072.99	775 879.99
98 30 00	2 272 884.43	760 564.93	2 272 710.57	775 747.16
32 30	2 261 514.72	760 437.45	2 261 348.11	775 619.76
35 00	2 250 144.93	760 315.39	2 249 985.57	775 497.78
37 30	2 238 775.11	760 198.75	2 238 622.98	775 381.22
98 40 00	2 227 405.21	760 087.54	2 227 260.33	775 270.08
42 30	2 216 035.27	759 981.75	2 215 897.63	775 164.36
45 00	2 204 665.28	759 881.39	2 204 534.89	775 064.06
47 30	2 193 295.24	759 786.46	2 193 172.09	774 969.19
98 50 00	2 181 925.17	759 696.95	2 181 809.26	774 879.74
52 30	2 170 555.04	759 612.86	2 170 446.38	774 795.70
55 00	2 159 184.88	759 534.20	2 159 083.46	774 717.09
57 30	2 147 814.69	759 460.96	2 147 720.51	774 643.90
99 00 00	2 136 444.45	759 393.15	2 136 357.52	774 576.13

LONGITUDE	LATITUDE 41 50 00 X	LATITUDE 41 50 00 Y	LATITUDE 41 52 30 X	LATITUDE 41 52 30 Y
98 00 00	2 408 793.92	792 880.10	2 408 533.13	808 061.64
02 30	2 397 439.60	792 687.77	2 397 186.06	807 869.44
05 00	2 386 085.19	792 500.86	2 385 838.89	807 682.64
07 30	2 374 730.70	792 319.36	2 374 491.64	807 501.26
98 10 00	2 363 376.11	792 143.28	2 363 144.30	807 325.29
12 30	2 352 021.46	791 972.61	2 351 796.89	807 154.73
15 00	2 340 666.71	791 807.37	2 340 449.39	806 989.60
17 30	2 329 311.89	791 647.54	2 329 101.81	806 829.87
98 20 00	2 317 957.00	791 493.13	2 317 754.17	806 675.56
22 30	2 306 602.03	791 344.14	2 306 406.44	806 526.66
25 00	2 295 247.00	791 200.56	2 295 058.65	806 383.17
27 30	2 283 891.89	791 062.41	2 283 710.78	806 245.11
98 30 00	2 272 536.72	790 929.67	2 272 362.85	806 112.45
32 30	2 261 181.49	790 802.35	2 261 014.88	805 985.21
35 00	2 249 826.20	790 680.45	2 249 666.82	805 863.39
37 30	2 238 470.86	790 563.96	2 238 318.73	805 746.98
98 40 00	2 227 115.45	790 452.89	2 226 970.56	805 635.98
42 30	2 215 759.99	790 347.23	2 215 622.35	805 530.39
45 00	2 204 404.50	790 247.00	2 204 274.10	805 430.22
47 30	2 193 048.94	790 152.19	2 192 925.79	805 335.47
98 50 00	2 181 693.36	790 062.80	2 181 577.45	805 246.13
52 30	2 170 337.72	789 978.82	2 170 229.05	805 162.21
55 00	2 158 982.04	789 900.25	2 158 880.62	805 083.69
57 30	2 147 626.34	789 827.11	2 147 532.16	805 010.60
99 00 00	2 136 270.59	789 759.38	2 136 183.66	804 942.91

LONGITUDE	LATITUDE 41 55 00 X	LATITUDE 41 55 00 Y	LATITUDE 41 57 30 X	LATITUDE 41 57 30 Y
98 00 00	2 408 272.35	823 243.44	2 408 011.55	838 425.54
02 30	2 396 932.51	823 051.36	2 396 678.96	838 233.58
05 00	2 385 592.59	822 864.68	2 385 346.28	838 047.02
07 30	2 374 252.59	822 683.41	2 374 013.52	837 865.87
98 10 00	2 362 912.49	822 507.56	2 362 680.67	837 690.13
12 30	2 351 572.32	822 337.11	2 351 347.75	837 519.79
15 00	2 340 232.06	822 172.08	2 340 014.73	837 354.86
17 30	2 328 891.73	822 012.46	2 328 681.64	837 195.34
98 20 00	2 317 551.33	821 858.24	2 317 348.48	837 041.23
22 30	2 306 210.84	821 709.44	2 306 015.24	836 892.52
25 00	2 294 870.30	821 566.05	2 294 681.94	836 749.22
27 30	2 283 529.68	821 428.07	2 283 348.56	836 611.33
98 30 00	2 272 188.99	821 295.50	2 272 015.12	836 478.84
32 30	2 260 848.26	821 168.34	2 260 681.63	836 351.77
35 00	2 249 507.45	821 046.59	2 249 348.07	836 230.10
37 30	2 238 166.59	820 930.25	2 238 014.46	836 113.83
98 40 00	2 226 825.68	820 819.32	2 226 680.79	836 002.97
42 30	2 215 484.71	820 713.80	2 215 347.06	835 897.52
45 00	2 204 143.70	820 613.70	2 204 013.30	835 797.48
47 30	2 192 802.63	820 519.01	2 192 679.48	835 702.85
98 50 00	2 181 461.54	820 429.73	2 181 345.62	835 613.63
52 30	2 170 120.39	820 345.86	2 170 011.72	835 529.81
55 00	2 158 779.20	820 267.39	2 158 677.78	835 451.40
57 30	2 147 437.98	820 194.34	2 147 343.80	835 378.39
99 00 00	2 136 096.73	820 126.70	2 136 009.79	835 310.79

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 45 00 X	LATITUDE 41 45 00 Y	LATITUDE 41 47 30 X	LATITUDE 41 47 30 Y
102 00 00	1 317 867.18	768 766.84	1 318 301.77	783 943.85
02 30	1 306 501.49	769 095.01	1 306 943.31	784 271.81
05 00	1 295 135.95	769 428.59	1 295 585.02	784 605.18
07 30	1 283 770.57	769 767.60	1 284 226.88	784 943.97
102 10 00	1 272 405.36	770 112.03	1 272 868.91	785 288.19
12 30	1 261 040.31	770 461.89	1 261 511.10	785 637.82
15 00	1 249 675.42	770 817.17	1 250 153.45	785 992.87
17 30	1 238 310.72	771 177.87	1 238 795.99	786 353.34
102 20 00	1 226 946.18	771 543.99	1 227 438.69	786 719.23
22 30	1 215 581.82	771 915.53	1 216 081.58	787 090.54
25 00	1 204 217.64	772 292.50	1 204 724.63	787 467.26
27 30	1 192 853.63	772 674.89	1 193 367.86	787 849.41
102 30 00	1 181 489.82	773 062.70	1 182 011.29	788 236.98
32 30	1 170 126.18	773 455.94	1 170 654.89	788 629.96
35 00	1 158 762.75	773 854.59	1 159 298.70	789 028.36
37 30	1 147 399.49	774 258.66	1 147 942.68	789 432.17
102 40 00	1 136 036.43	774 668.16	1 136 586.86	789 841.41
42 30	1 124 673.58	775 083.08	1 125 231.25	790 256.06
45 00	1 113 310.91	775 503.42	1 113 875.82	790 676.14
47 30	1 101 948.46	775 929.18	1 102 520.61	791 101.63
102 50 00	1 090 586.20	776 360.36	1 091 165.59	791 532.53
52 30	1 079 224.15	776 796.96	1 079 810.77	791 968.85
55 00	1 067 862.32	777 238.98	1 068 456.18	792 410.59
57 30	1 056 500.69	777 686.43	1 057 101.79	792 857.76
103 00 00	1 045 139.28	778 139.30	1 045 747.62	793 310.34

LONGITUDE	LATITUDE 41 50 00 X	LATITUDE 41 50 00 Y	LATITUDE 41 52 30 X	LATITUDE 41 52 30 Y
102 00 00	1 318 736.37	799 121.13	1 319 170.97	814 298.69
02 30	1 307 385.15	799 448.88	1 307 826.99	814 626.23
05 00	1 296 034.10	799 782.04	1 296 483.18	814 959.17
07 30	1 284 683.20	800 120.61	1 285 139.52	815 297.53
102 10 00	1 273 332.47	800 464.61	1 273 796.04	815 641.31
12 30	1 261 981.90	800 814.02	1 262 452.71	815 990.50
15 00	1 250 631.49	801 168.85	1 251 109.54	816 345.10
17 30	1 239 281.27	801 529.09	1 239 766.56	816 705.11
102 20 00	1 227 931.21	801 894.74	1 228 423.74	817 070.53
22 30	1 216 581.34	802 265.81	1 217 081.11	817 441.36
25 00	1 205 231.63	802 642.30	1 205 738.64	817 817.51
27 30	1 193 882.10	803 024.20	1 194 396.35	818 199.27
102 30 00	1 182 532.77	803 411.52	1 183 054.27	818 586.34
32 30	1 171 183.62	803 804.25	1 171 712.35	818 978.82
35 00	1 159 834.66	804 202.39	1 160 370.63	819 376.71
37 30	1 148 485.89	804 605.95	1 149 029.10	819 780.01
102 40 00	1 137 137.30	805 014.92	1 137 687.75	820 188.72
42 30	1 125 788.93	805 429.32	1 126 346.62	820 602.85
45 00	1 114 440.74	805 849.12	1 115 005.67	821 022.39
47 30	1 103 092.77	806 274.34	1 103 664.94	821 447.34
102 50 00	1 091 744.99	806 704.97	1 092 324.40	821 877.70
52 30	1 080 397.41	807 141.02	1 080 984.06	822 313.46
55 00	1 069 050.06	807 582.48	1 069 643.94	822 754.64
57 30	1 057 702.90	808 029.35	1 058 304.03	823 201.23
103 00 00	1 046 355.98	808 481.64	1 046 964.34	823 653.23

LONGITUDE	LATITUDE 41 55 00 X	LATITUDE 41 55 00 Y	LATITUDE 41 57 30 X	LATITUDE 41 57 30 Y
102 00 00	1 319 605.58	829 476.51	1 320 040.20	844 654.62
02 30	1 308 268.84	829 803.84	1 308 710.70	844 981.75
05 00	1 296 932.28	830 136.57	1 297 381.38	845 314.27
07 30	1 285 595.86	830 474.71	1 286 052.20	845 652.19
102 10 00	1 274 259.61	830 818.27	1 274 723.20	845 995.53
12 30	1 262 923.52	831 167.24	1 263 394.35	846 344.28
15 00	1 251 587.60	831 521.61	1 252 065.67	846 698.42
17 30	1 240 251.86	831 881.39	1 240 737.17	847 057.97
102 20 00	1 228 916.28	832 246.58	1 229 408.83	847 422.93
22 30	1 217 580.89	832 617.17	1 218 080.68	847 793.29
25 00	1 206 245.66	832 993.18	1 206 752.69	848 169.05
27 30	1 194 910.62	833 374.60	1 195 424.89	848 550.23
102 30 00	1 183 575.77	833 761.42	1 184 097.28	848 936.80
32 30	1 172 241.09	834 153.65	1 172 769.84	849 328.78
35 00	1 160 906.61	834 551.29	1 161 442.61	849 726.17
37 30	1 149 572.32	834 954.33	1 150 115.55	850 128.95
102 40 00	1 138 238.21	835 362.78	1 138 788.69	850 537.14
42 30	1 126 904.32	835 776.65	1 127 462.03	850 950.74
45 00	1 115 570.61	836 195.92	1 116 135.56	851 369.74
47 30	1 104 237.12	836 620.59	1 104 809.31	851 794.15
102 50 00	1 092 903.81	837 050.68	1 093 483.24	852 223.96
52 30	1 081 570.72	837 486.16	1 082 157.39	852 659.16
55 00	1 070 237.84	837 927.06	1 070 831.75	853 099.78
57 30	1 058 905.17	838 373.37	1 059 506.31	853 545.80
103 00 00	1 047 572.71	838 825.08	1 048 181.10	853 997.22

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 45 00 X	LATITUDE 41 45 00 Y	LATITUDE 41 47 30 X	LATITUDE 41 47 30 Y
103 00 00	1 045 139.28	778 139.30	1 045 747.62	793 310.34
02 30	1 033 778.08	778 597.58	1 034 393.66	793 768.33
05 00	1 022 417.11	779 061.29	1 023 039.93	794 231.74
07 30	1 011 056.36	779 530.42	1 011 686.42	794 700.57
103 10 00	999 695.83	780 004.96	1 000 333.13	795 174.81
12 30	988 335.54	780 484.93	988 980.07	795 654.47
15 00	976 975.47	780 970.32	977 627.24	796 139.55
17 30	965 615.63	781 461.13	966 274.63	796 630.05
103 20 00	954 256.03	781 957.36	954 922.28	797 125.96
22 30	942 896.67	782 459.00	943 570.15	797 627.29
25 00	931 537.55	782 966.06	932 218.27	798 134.03
27 30	920 178.67	783 478.55	920 866.63	798 646.19
103 30 00	908 820.04	783 996.46	909 515.23	799 163.76
32 30	897 461.66	784 519.79	898 164.08	799 686.76
35 00	886 103.52	785 048.53	886 813.18	800 215.17
37 30	874 745.65	785 582.69	875 462.55	800 748.99
103 40 00	863 388.02	786 122.27	864 112.16	801 288.22
42 30	852 030.65	786 667.27	852 762.02	801 832.88
45 00	840 673.56	787 217.69	841 412.16	802 382.95
47 30	829 316.71	787 773.53	830 062.55	802 938.43
103 50 00	817 960.15	788 334.79	818 713.23	803 499.33
52 30	806 603.84	788 901.46	807 364.15	804 065.65
55 00	795 247.80	789 473.56	796 015.35	804 637.37
57 30	783 892.05	790 051.06	784 666.83	805 214.51
104 00 00	772 536.57	790 633.99	773 318.58	805 797.07

LONGITUDE	LATITUDE 41 50 00 X	LATITUDE 41 50 00 Y	LATITUDE 41 52 30 X	LATITUDE 41 52 30 Y
103 00 00	1 046 355.98	808 481.64	1 046 964.34	823 653.23
02 30	1 035 009.25	808 939.35	1 035 624.86	824 110.64
05 00	1 023 662.75	809 402.46	1 024 285.60	824 573.46
07 30	1 012 316.48	809 870.99	1 012 946.56	825 041.69
103 10 00	1 000 970.43	810 344.93	1 001 607.75	825 515.33
12 30	989 624.61	810 824.29	990 269.17	825 994.38
15 00	978 279.02	811 309.06	978 930.81	826 478.84
17 30	966 933.65	811 799.24	967 592.68	826 968.71
103 20 00	955 588.53	812 294.84	956 254.80	827 463.99
22 30	944 243.64	812 795.84	944 917.15	827 964.68
25 00	932 899.00	813 302.26	933 579.74	828 470.77
27 30	921 554.59	813 814.09	922 242.57	828 982.28
103 30 00	910 210.43	814 331.34	910 905.65	829 499.20
32 30	898 866.52	814 854.00	899 568.98	830 021.52
35 00	887 522.86	815 382.07	888 232.55	830 549.26
37 30	876 179.46	815 915.55	876 896.39	831 082.40
103 40 00	864 836.30	816 454.44	865 560.47	831 620.95
42 30	853 493.41	816 998.75	854 224.80	832 164.90
45 00	842 150.78	817 548.47	842 889.42	832 714.27
47 30	830 808.41	818 103.60	831 554.28	833 269.05
103 50 00	819 466.32	818 664.14	820 219.42	833 829.24
52 30	808 124.48	819 230.10	808 884.82	834 394.83
55 00	796 782.91	819 801.46	797 550.49	834 965.83
57 30	785 441.63	820 378.23	786 216.44	835 542.23
104 00 00	774 100.61	820 960.42	774 882.66	836 124.05

LONGITUDE	LATITUDE 41 55 00 X	LATITUDE 41 55 00 Y	LATITUDE 41 57 30 X	LATITUDE 41 57 30 Y
103 00 00	1 047 572.71	838 825.08	1 048 181.10	853 997.22
02 30	1 036 240.47	839 282.20	1 036 856.10	854 454.05
05 00	1 024 908.45	839 744.72	1 025 531.31	854 916.28
07 30	1 013 576.65	840 212.65	1 014 206.75	855 383.91
103 10 00	1 002 245.08	840 685.99	1 002 882.42	855 856.95
12 30	990 913.73	841 164.73	991 558.31	856 335.39
15 00	979 582.61	841 648.89	980 234.43	856 819.23
17 30	968 251.72	842 138.44	968 910.78	857 308.47
103 20 00	956 921.08	842 633.41	957 587.37	857 803.12
22 30	945 590.66	843 133.77	946 264.19	858 303.17
25 00	934 260.50	843 639.54	934 941.26	858 808.62
27 30	922 930.56	844 150.72	923 618.57	859 319.47
103 30 00	911 600.87	844 667.31	912 296.12	859 835.73
32 30	900 271.44	845 189.31	900 973.92	860 357.39
35 00	888 942.25	845 716.70	889 651.97	860 884.45
37 30	877 613.32	846 249.50	878 330.28	861 416.91
103 40 00	866 284.64	846 787.71	867 008.83	861 954.77
42 30	854 956.21	847 331.32	855 687.64	862 498.03
45 00	843 628.06	847 880.34	844 366.72	863 046.70
47 30	832 300.16	848 434.76	833 046.06	863 600.77
103 50 00	820 972.54	848 994.59	821 725.67	864 160.24
52 30	809 645.17	849 559.82	810 405.54	864 725.11
55 00	798 318.08	850 130.45	799 085.68	865 295.38
57 30	786 991.26	850 706.49	787 766.10	865 871.04
104 00 00	775 664.72	851 287.93	776 446.79	866 452.12

NEBRASKA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 41 45 00 X	LATITUDE 41 45 00 Y	LATITUDE 41 47 30 X	LATITUDE 41 47 30 Y
104 00 00	772 536.57	790 633.99	773 318.58	805 797.07
02 30	761 181.37	791 222.34	761 970.62	806 385.05
05 00	749 826.45	791 816.11	750 622.93	806 978.43
07 30	738 471.81	792 415.29	739 275.53	807 577.23
104 10 00	727 117.47	793 019.89	727 928.42	808 181.44
12 30	715 763.41	793 629.90	716 581.59	808 791.07
15 00	704 409.65	794 245.34	705 235.07	809 406.11

LONGITUDE	LATITUDE 41 50 00 X	LATITUDE 41 50 00 Y	LATITUDE 41 52 30 X	LATITUDE 41 52 30 Y
104 00 00	774 100.61	820 960.42	774 882.66	836 124.05
02 30	762 759.89	821 548.02	763 549.17	836 711.27
05 00	751 419.43	822 141.03	752 215.95	837 303.90
07 30	740 079.26	822 739.45	740 883.01	837 901.94
104 10 00	728 739.39	823 343.27	729 550.37	838 505.38
12 30	717 399.79	823 952.51	718 218.01	839 114.23
15 00	706 060.50	824 567.16	706 885.95	839 728.48

LONGITUDE	LATITUDE 41 55 00 X	LATITUDE 41 55 00 Y	LATITUDE 41 57 30 X	LATITUDE 41 57 30 Y
104 00 00	775 664.72	851 287.93	776 446.79	866 452.12
02 30	764 338.46	851 874.78	765 127.77	867 038.59
05 00	753 012.48	852 467.04	753 809.02	867 630.47
07 30	741 686.77	853 064.69	742 490.55	868 227.74
104 10 00	730 361.37	853 667.74	731 172.38	868 830.41
12 30	719 036.24	854 276.20	719 854.49	869 438.48
15 00	707 711.42	854 890.07	708 536.90	870 051.96

NEBRASKA - SOUTH ZONE
STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 42 00 00 X	LATITUDE 42 00 00 Y	LATITUDE X	LATITUDE Y
101 00 00	1 592 249.25	853 607.94		
02 30	1 580 924.01	853 805.19		
05 00	1 569 598.85	854 007.83		
07 30	1 558 273.80	854 215.89		
101 10 00	1 546 948.84	854 429.34		
12 30	1 535 623.98	854 648.20		
15 00	1 524 299.24	854 872.46		
17 30	1 512 974.60	855 102.12		
101 20 00	1 501 650.08	855 337.19		
22 30	1 490 325.66	855 577.66		
25 00	1 479 001.36	855 823.54		
27 30	1 467 677.19	856 074.81		
101 30 00	1 456 353.13	856 331.49		
32 30	1 445 029.20	856 593.57		
35 00	1 433 705.39	856 861.05		
37 30	1 422 381.70	857 133.94		
101 40 00	1 411 058.16	857 412.23		
42 30	1 399 734.74	857 695.93		
45 00	1 388 411.48	857 985.02		
47 30	1 377 088.33	858 279.52		
101 50 00	1 365 765.33	858 579.42		
52 30	1 354 442.49	858 884.72		
55 00	1 343 119.78	859 195.43		
57 30	1 331 797.23	859 511.54		
102 00 00	1 320 474.83	859 833.04		

LONGITUDE	LATITUDE 42 00 00 X	LATITUDE 42 00 00 Y	LATITUDE X	LATITUDE Y
102 00 00	1 320 474.83	859 833.04		
02 30	1 309 152.57	860 159.95		
05 00	1 297 830.49	860 492.26		
07 30	1 286 508.55	860 829.97		
102 10 00	1 275 186.79	861 173.10		
12 30	1 263 865.18	861 521.62		
15 00	1 252 543.74	861 875.54		
17 30	1 241 222.49	862 234.86		
102 20 00	1 229 901.39	862 599.58		
22 30	1 218 580.48	862 969.70		
25 00	1 207 259.73	863 345.23		
27 30	1 195 939.17	863 726.16		
102 30 00	1 184 618.80	864 112.49		
32 30	1 173 298.60	864 504.21		
35 00	1 161 978.61	864 901.34		
37 30	1 150 658.79	865 303.87		
102 40 00	1 139 339.17	865 711.80		
42 30	1 128 019.75	866 125.13		
45 00	1 116 700.52	866 543.87		
47 30	1 105 381.51	866 968.00		
102 50 00	1 094 062.69	867 397.54		
52 30	1 082 744.07	867 832.47		
55 00	1 071 425.67	868 272.80		
57 30	1 060 107.47	868 718.54		
103 00 00	1 048 789.50	869 169.67		

LONGITUDE	LATITUDE 42 00 00 X	LATITUDE 42 00 00 Y	LATITUDE X	LATITUDE Y
103 00 00	1 048 789.50	869 169.67		
02 30	1 037 471.73	869 626.21		
05 00	1 026 154.19	870 088.14		
07 30	1 014 836.87	870 555.47		
103 10 00	1 003 519.77	871 028.20		
12 30	992 202.91	871 506.34		
15 00	980 886.26	871 989.87		
17 30	969 569.85	872 478.80		
103 20 00	958 253.68	872 973.13		
22 30	946 937.74	873 472.86		
25 00	935 622.04	873 977.99		
27 30	924 306.59	874 488.51		
103 30 00	912 991.37	875 004.44		
32 30	901 676.41	875 525.77		
35 00	890 361.69	876 052.49		
37 30	879 047.24	876 584.61		
103 40 00	867 733.03	877 122.13		
42 30	856 419.08	877 665.04		
45 00	845 105.40	878 213.36		
47 30	833 791.97	878 767.08		
103 50 00	822 478.82	879 326.19		
52 30	811 165.92	879 890.70		
55 00	799 853.30	880 460.60		
57 30	788 540.96	881 035.90		
104 00 00	777 228.88	881 616.60		

NEBRASKA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 42 00 00 X	LATITUDE 42 00 00 Y	LATITUDE X	LATITUDE Y
104 00 00	777 228.88	881 616.60		
02 30	765 917.10	882 202.70		
05 00	754 605.58	882 794.20		
07 30	743 294.35	883 391.09		
104 10 00	731 983.41	883 993.38		
12 30	720 672.75	884 601.06		
15 00	709 362.40	885 214.14		

LONGITUDE	LATITUDE X	LATITUDE Y	LATITUDE X	LATITUDE Y

LONGITUDE	LATITUDE X	LATITUDE Y	LATITUDE X	LATITUDE Y

☆U. S. GOVERNMENT PRINTING OFFICE : 1953 O - 249266